UNIVERSITY OF ILLINOIS AT
CHICAGO
801 SO. MORGAN
CHICAGO, IL 60607

Digitized by the Internet Archive
in 2024

https://archive.org/details/science-abstracts-series-electrical-and-electronics-abstracts_1985-1988_88-91_index-low-z

Q
1
S312
v.88/91
1985/1988
pt.2
AUTH
INDEX
MIC
REFERENCE

Electrical & Electronics Abstracts

Science Abstracts Series B

Volumes 88-91

1985-1988

Author Index

Low–Z

Bibliography index
Book index
Conference index
Corporate author index

7 June 1990

inspec

© 1990 The Institution of Electrical Engineers

CUMULATIVE AUTHOR INDEX 1985—1988

This index lists the names of all authors of papers abstracted in *Electrical & Electronics Abstracts* for the years 1985 to 1988.

The arrangement is alphabetical using the 'word-by-word' system in which spaces are significant and precede 'a' in the alphabetical order. Thus **La Porte** precedes **Laburkina.** Scottish surnames beginning **Mac** or **Mc** are included in the normal listing and arranged as if spelled **Mac.** Thus **MacDonald** precedes **McDonnell** which precedes **Mace.** Russian or other Cyrillic-language names are arranged in accordance with their transliterated form.

Science Abstracts uses the Royal Society's scheme for transliteration of Cyrillic characters. However, it is not possible to standardise the form of author names where these appear already in transliterated form in the journals which INSPEC abstracts. Thus to be quite certain of finding all papers of authors whose names may have been transliterated it is necessary to look up variant spellings e.g. **Cherny** and **Cerny.**

The main entry is arranged under the name of the single author or the first mentioned of the co-authors, and includes the name of other co-authors and the title of the paper.

Example:
Smith, M., Cook, S.
Techniques of SMD probing 87 – 11168

Subsidiary entries are made under the second and subsequent co-authors referring to the main entry under the first author.

Example:
Cook, S. *see* Smith, M. 87 – 11168

Cross references are made from the non-preferred form of names to the preferred form.

Example:
Chen Chin-Lin *see* Chin-Lin Chen

The number following the index entry refers to the year and entry number of the abstract in *Electrical & Electronics Abstracts.*

Printed in Great Britain by BPCC Wheatons Ltd, Exeter

Lowry, W.E. *see* Farrar, L.C. 86−40170

Lowschall, F. Some opportunities for further education in electronics 85−22116

Lowstuter, B.R. Robotics for automation 87−10142

Lowther, D., McFee, S., Sabourin, R. Some aspects of the computer aided design of recording heads 85−24167

Lowther, D.A. The extraction of engineering parameters from mathematical models of electromagnetic devices 88−45646

Lowther, D.A. Languages, databases and software structures for electromagnetic CAD systems 88−52019

Lowther, D.A., Coughlin, T.M. Three-dimensional finite-element analysis of recording heads 88−71927

Lowther, D.A., Saldanha, C.M., Choy, G. The application of expert systems to CAD in electromagnetics 86−42105

Lowther, D.A. *see* Antunes, C.F.R.L. 88−52123

Lowther, D.A. *see* Arumugam, R. 86−39738

Lowther, D.A. *see* Boubez, T.I. 88−333

Lowther, D.A. *see* McFee, S. 88−2480, 88−7794, 88−52085, 88−55257

Lowther, D.A. *see* Mishra, M. 85−24701

Lowther, D.A. *see* Rajanathan, C.B. 86−29304

Lowther, D.A. *see* Saldanha, C.M. 88−52140, 88−58801

Lowther, D.A. *see* Seward, D. 88−75598

Lowther, D.A. *see* Webb, J.P. 86−42702, 87−26622

Lowther, R.E. The solution of a numerical problem encountered when adding a mobility model to a finite-element device simulator 88−71493

Lowther, R.E., Jacobs, J.B., Antoniadis, D.A. Simulation of implantation and diffusion of profiles made with a focused ion-beam implanter 87−1383

Lowy, M. *see* Kavaler, R.A. 87−37163

Loy, G. Musicians make a standard: the MIDI phenomenon 86−38159

Loy, G., Abbott, C. Programming languages for computer music synthesis, performance, and composition 86−31093

Loy, T. *see* Ruck, B. 86−60386

Loy, T.D. Chemical cleaning: processing and practices. I 87−17525

Loy, T.D. Chemical cleaning: processing and practices. II. [PCBs] 87−37727

Loya, E.W. Computer program for calculating gravimetric primary standard gas mixtures 86−11767

Loyant, J.M. *see* Joubert, A. 85−59086

Loyant, J.M. *see* Prome, M. 85−59017

Loyd, R.J., Nakamura, T., Purcell, J., Rogers, J.D., Hassenzahl, W.V. Design improvements and cost reductions for a utility scale superconducting magnetic energy storage plant 86−40188

Loyd, R.J., Purcell, J., Schainker, R.B. A cost study of superconducting magnetic energy storage for large scale electric utility load leveling 85−53860

Loyd, R.J., Schoenung, S.M., Hassenzahl, W.V., Rogers, J.D., Purcell, J.R. Coil protection for a utility scale superconducting magnetic energy storage plant 88−5909

Loyd, R.J., Schoenung, S.M., Nakamura, T. Structural design of a utility scale superconducting magnetic energy storage plant 87−36181

Loyd, R.J., Schoenung, S.M., Nakamura, T., Hassenzahl, W.V., Rogers, J.D., Purcell, J.R., Lieurance, D.W., Hilal, M.A. Design advances in superconducting magnetic energy storage for electric utility load leveling 87−78967

Loyd, R.J., Schoenung, S.M., Nakamura, T., Lieurance, D.W., Hilal, M.A., Rogers, J.D., Purcell, J.R., Hassenzahl, W.V. A feasible utility scale superconducting magnetic energy storage plant 87−31004

Loyd, R.J. *see* Hull, J.R. 88−31057

Loye, B. Using IGES as a transfer and archival format 87−40464

Loyer, B., Paul, J.L., Le Drezen, L., Sbai, A., Diaz, M., Ayache, J.M. Communication protocol specification and validation by means of Petri nets: application to the CSN subscriber connection unit of the E10 and MT systems 86−59666

Loyer, B. *see* Berthomieu, B. 87−23507

Loyer, B.A. LANS: the coming revolution in factory control 85−19829

Loyer, B.A., Kolton, D. Performance issues of 802.4 token bus LANS 86−23529

Loyer, F., Andre, T., Ducoudret, B., Retaud, J.P. New beam diagnostics at GANIL: very sensitive current transformers in beam lines and counting system for beam turns in cyclotrons 86−31774

Loyer, F. *see* Chabert, A. 85−59094

Loyer, F. *see* Prome, M. 85−59017

Loyns, A. *(editor)* 68020, 68030 microprocessors and their coprocessors 88−56693

Loyselle, P.L. *see* Cornilsen, B.C. 88−49118

Loza, J. *see* Valdivia, R. 86−56465

Lozach, M., Bruyere, M. A maintenance assistance system for electromechanical equipment on the new metro line in Lille 87−79061

Lozac'h, Y. *see* Vinet, R. 88−48241

Lozanne, A.L.de *see* de Lozanne, A.L.

Lozano, F. *see* Anuta, P. 85−64716

Lozano, M. *see* Martinez, A. 87−45854

Lozano, M. *see* Martinez, P.A. 86−8015

Lozano, R.D. *see* Cazabat, C.R. 87−70637

Lozano-Garcia, D.F., Hoffer, R.M. Hierarchical classification of multitemporal/multispectral scanner data 86−18541

Lozano-Garcia, D.F. *see* Bartolucci, L.A. 86−18540

Lozano-Garcia, D.F. *see* Mueller, P.W. 86−18546

Lozano-Perez, T. *see* Grimson, W.E.L. 85−25149, 87−69271

Lozano-Sousa, C. The effect of both impulse shape and configuration on the flashover of bushings 87−78181

Lozano-Sousa, C., Diaz-Acosta, R., Ramos-Niembro, G. Expected levels of pollution on insulators considering different ambient conditions 88−42887

Lozano-Sousa, C. *see* Ramos-Niembro, G. 87−78182, 88−42888

Lozanov, G. *see* Georgiev, G. 88−36423

Lozanovskii, A.L. Development principles of highly reliable electronic control systems for electric locomotives 87−5017

Lozanovskii, A.L. Effectiveness of utilization of regenerative braking on AC freight locomotives 87−58410

Loze, K.M. *see* Hudson, V.N. 86−38157

Loze, M.K., Middleton, B.K., Ryley, A. Simulation of digital magnetic recording systems 86−36048

Loze, M.K. *see* Wright, C.D. 86−36044

Lozenko, V.K., Rubleva, O.N. Mathematical model for investigating emergency operation modes of electrical valve motor 86−25996

Lozes, F. *see* Razeghi, M. 87−33143

Lozes-Dupuy, F., Bensoussan, A., Martinot, H., Vassilieff, G., Saint-Cricq, B., Bonnefont, S. Phase-locked semiconductors laser arrays design 87−54348

Lozes-Dupuy, F., Saint-Cricq, B., Vassilieff, G., Vassilieff, L., Bensoussan, A. Threshold current modelling of index guided GaAlAs laser diodes 88−20667

Lozes-Dupuy, F., Vassilieff, G., Bensoussan, A., Martinot, H., Saint-Cricq, B. Computer aided design and realization of VSIS AlGaAs laser diodes 86−3189

Lozes-Dupuy, F. *see* Cazarre, A. 87−68308

Lozes-Dupuy, F. *see* Saint-Cricq, B. 86−58923, 88−45415

Lozes-Dupuy, F. *see* Vassilieff, L. 87−68527

Lozgachev, V.P. *see* Boldyrev, V.M. 85−32324, 88−17248

Lozhkin, G.V., Spasennikov, V.V. Evaluating the performance of an ergatic system with bimodal and monomodal information submission 88−22177

Lozina, Z. A comparison of harmonic acceleration method with the other commonly used methods for calculation of dynamic transient response 88−50001

Lozinski, C., Gershwin, S.B. Dynamic production scheduling in computer-aided fabrication of integrated circuits 86−58573

Lozinskii, E. *see* Aviad, Z. 87−55275

Lozinskii, N.S., Gruba, A.I., Shevtsova, N.A., Volkov, V.I., Troyanova, T.A. Phase composition and electrophysical properties of ruthenium resistors modified by oxide compounds of niobium (V) 87−52886

Lozinskii, O.Yu., Kostinyuk, L.D., Paranchuk, Ya.S., Perevoznyuk, V.Ya., Smetanyuk, Ya.B. Automated recognition of process stages of melting a charge 87−72592

Lozinskii, O.Yu., Kostinyuk, L.D., Perevoznyuk, V.Ya. An automatic system for recognition of melt stages in an arc steel-melting furnace 88−31199

Lozinskii, O.Yu., Perevoznyuk, V.Ya., Edemskii, V.M. Automated identification of technological stages in arc steel smelting furnaces employing a three-dimensional vector of information parameters 88−76056

Lozinskii, O.Yu. *see* Denis, B.D. 86−45819

Lozinskiy, V.M. *see* Yakhnin, V.G. 86−23660

Lozitskii, O.E., Rednov, F.A. An algorithm for finding the best dimensions for a one-sided linear inductor motor 87−9592

Lozitskii, O.E. *see* Kolomeitsev, L.F. 86−26075, 86−70941, 87−4729

Loziuk, L.A. A wire rope seismic support [nuclear plants] 88−48648

Lozneanu, S. *see* Teodorescu, H.N. 87−77474

Lozovanu, P.G. *see* Andronik, I.Ya. 85−28998

Lozovaya, N.G. *see* Babak, A.K. 86−67827

Lozovenko, A.E. *see* Muravitskii, M.A. 85−27502

Lozovik, Yu.E. *see* Klyuchnik, A.V. 87−47149

Lozovoi, L.N. High-speed thyristor converter for electrophysical apparatus 87−16864

Lozovoi, L.N. *see* Krasil'nikov, S.B. 86−65156, 87−37608

Lozovoy, V.I. *see* Vysogorets, M.V. 86−1646

Lozovskii, V.N., Krizhanovskii, V.P., Kov'ev, E.K., Yur'ev, V.A. Structural features of polycrystalline layers grown from the liquid phase 86−442

Lozovskii, V.N., Kryzhanovskii, V.P., Kolesnichenko, A.I. Growing silicon epitaxial layers from a Si-Ga melt by the moving solvent method 86−421

Lozovskii, V.N., Politova, N.F., Lastushkina, O.V., Papkov, I.P. Concentration distribution of impurities in silicon crystals grown by cooling molten alloys in the Al-Si system 88−38124

Lozovskii, V.N. *see* Bogdankevich, O.V. 88−34042

Lozovskii, V.N. *see* Kovalenko, V.F. 85−11920

Lozovskii, V.N. *see* Lapitskii, V.M. 88−40730

Lozovskii, V.P., Timoshenko, A.N. Arc spot welding thin sheet lap joints in aluminium alloys 88−56000

Lozovskii, Yu.N. *see* Parasochkin, V.A. 87−52025

Lozyanoy, V.I., Petrusenko, I.V., Prokhoda, I.G., Prudkiy, V.P. Green's functions of simple regions in a polar coordinate system for solving electrodynamic problems 85−35995

Lozykowski, H.J. New staircase impact electroluminescent devices 88−51687

Lozykowski, H.J. New step impact electroluminescent devices 88−58372

Lozyuk, V.S. *see* Armand, N.A. 86−42856

Lozza, G., Macchi, E., Perdichizzi, A. Investigation on the efficiency potential of small steam turbines of various configurations 87−42680

Lshikawa, M. *see* Shimojo, M. 86−24522

Lu, A. *see* Ashford, V. 86−50391, 87−41835

Lu, A. *see* Bharadwaj, V.K. 85−31695

Lu, A. *see* Hallewell, G. 88−68213

Lu, A. *see* Johnson, R. 88−68277

Lu, A. *see* Spencer, E. 88−61189

Lu, A. *see* Va'Vra, J. 88−61103

Lu, B., Rudolph, W., Weber, H. Statistics of mode-locking threshold 85−35664

Lu, B. *see* Driedger, K.P. 86−3240

Lu, C. Turning microcomputers into fax machines 87−27948

Lu, C., Chen, A., Liu, J.W.S. Protocol for reliable process migration 87−62413

Lu, C., Li, X. The influence of electrostatic plate construction around winding ends of EHV power transformers 86−70963

Lu, C. *see* Riggs, M. 85−52493

Lu, C.-C. *see* Dunham, J.G. 88−34580

Lu, C.-Y., Lu, N.C.-C., Shih, C.-C. A low-power programming technique for polysilicon fuses 85−6322

Lu, C.-Y., Lu, N.C.-C., Shih, C.-C. Resistance switching characteristics in polycrystalline silicon film resistors 85−55189

Lu, C.-Y., Tsai, N.-S., Dunn, C.N., Riffe, P.C., Shibib, M.A., Furnanage, R.A., Goodwin, C.A. An analog/digital BCDMOS technology with dielectric isolation−devices and processes 88−26386

Lu, C.-Y., Yaney, D.S., Lee, K.H., Twiford, M.S., Tsai, N.-S., Kook, T., Fritzinger, L.B., Chen, M.-L., Yang, T.S. A folded extended window MOSFET for ULSI applications 88−71765

Lu, C.-Y. *see* Fazakl, F. 85−33863

Lu, C.B., Zhao, D.Y. Electric field around lead and insulation moulding in 500 kV power transformer 88−69479

Lu, C.H. Subcarrier phase coherence in noise reduction of composite NTSC signals−three approaches and their comparison 87−27407

Lu, C.H. Speech power estimation with a truncated normal distribution 87−62906

Lu, C.H. Comment on 'algorithm for construction of variable length code with limited maximum word length' by H. Murakami et al 88−40788

Lu, C.H., Dorny, C.N. Ambiguity resolution in self-cohering arrays 85−7756

Lu, C.N., Ong, C.M., Chen, S.S. Coordinated dispatch of AC-DC power systems 88−68815

Lu, C.N. *see* Ong, C.M. 88−24043

Lu, C.R. *see* Shin, S.H. 88−45309

Lu, C.Y., Morgan, M.C., Tsai, N.S. Subthreshold characteristics of DMOS and CMOS transistors in high voltage BCDMOS technology 87−74383

Lu, C.Y., Riffe, P.C., Tsai, N.S., Ahrens, R.E., Banak, M.A. Using oxide sidewall taper to improve breakdown voltage in planar junction of DMOS devices by a simple process 87−46181

Lu, C.Y., Tsai, N.S. Thermal oxidation of heavily boron-implanted polycrystalline-silicon films 86−53546

Lu, C.Y., Tsai, N.S. Thermal oxidation of undoped LPCVD polycrystalline-silicon films 86−58399

Lu, C.Y., Tsai, N.S. The influence of isothermal hydrogen annealing on electrical properties of polycrystalline-silicon films 86−63021

Lu, C.Y. *see* Trimble, L.E. 88−57293

Lu, C.Y. *see* Yaney, D.S. 88−38528

Lu, C.Z. *see* Sun, D. 88−66110

Lu, D., Ruggles, G.A., Wortman, J.J. Effects of processing conditions on negative bias temperature instability in metal-oxide-semiconductor structures 88−44704

Lu, D., Wortmann, J.J., Fathy, D. Bonding silicon wafers by use of electrostatic fields followed by rapid thermal heating 87−17870

Lu, D., Yao, K. A new approach to importance sampling for the simulation of false alarms [radar] 88—15556
Lu, D., Yao, K. Improved importance sampling technique for efficient simulation of digital communication systems 88—34531
Lu, D., Yao, K. Bounds on the variances of importance sampling simulations in digital communication systems 88—34962
Lu, D.C. *see* Badertscher, A. 85—64417
Lu, D.J. *see* Cortes, M.L. 86—67194, 87—16974
Lu, E. *see* Zhu, S. 87—24417
Lu, E.-H., Harn, L., Lee, J.-Y., Hwang, W.-Y. A programmable VLSI architecture for computing multiplication and polynomial evaluation modulo a positive integer 88—32112
Lu, E.-H., Hwang, W.-Y., Harn, L., Lee, J.-Y. VLSI architectures for computing polynomials in GF(2^n) 88—19100
Lu, E.-H., Hwang, W.-Y., Harn, L., Lee, J.-Y. A conference key distribution system based on the Lagrange interpolating polynomial 88—53044
Lu, E.-H. *see* Hwang, W.-Y. 88—735
Lu, E.H. *see* Lee, J.Y. 88—52338
Lu, F., Wise, G.L. A further investigation of Max's algorithm for optimum quantization 85—57229
Lu, F.-C. *see* Tseng, C.-H. 87—39828
Lu, F.C. *see* Liang, J.K. 85—45165
Lu, G., Aggarwal, I., Bradley, J.P. Noble metals as a source of continuous scattering in fluoride glasses 88—39857
Lu, G., Levin, K.H., Burk, M.J., Tran, D.C. Scattering measurements on a low-loss fluorozirconate optical fibre 86—53949
Lu, G. *see* Gurbaxani, S.H. 88—72601
Lu, G.J. *see* Murphy, B.J. 88—67136
Lu, G.N., Neffati, T., Barret, C. Model of the Schottky barrier with spatially distributed interface states 88—19732
Lu, G.N. *see* Barret, C. 88—19731
Lu, G.N. *see* Chekir, F. 86—53592
Lu, G.N. *see* Neffati, T. 88—13314, 88—57377, 88—71515
Lu, H., Miyoshi, T., Saito, K. Automatic measurement of 3-D object shapes based on computer-generated reference surfaces 88—74582
Lu, H. *see* Erinmez, I.A. 86—12316
Lu, H. *see* Lee, S.C. 88—70300
Lu, H. *see* Suzuki, I. 86—57348
Lu, H.-H., Hedberg, D., Fraenkel, B. Implementation of high-speed voiceband data modems using the TMS320C25 87—62751
Lu, H.-H. *see* Haoui, A. 87—62750
Lu, H.E., Boyd, J.T., Jackson, H.E., Janning, J.L. Characterization of the effects of different capping layer structures on the laser recrystallization of silicon by using electrical test structures and Raman spectroscopy 87—24996
Lu, H.Q.. Sze, T.W. Matching of developable surfaces 88—73288
Lu, H.X. *see* Wu, P.H. 88—13719 to 13720, 88—26719
Lu, I. *see* Ivakhnenko, N.A. 88—41007
Lu, I.T., Felsen, L.B., Ruan, Y.Z., Zhang, Z.L. Evaluation of beam fields reflected at a plane interface 87—75351
Lu, J., Li, Y., Chen, Y., Li, T. A study on the physical effects in explosive compression jointing process of ACSR 88—68939
Lu, J., Yang, Q., Harrison, R.E., Crawford, N.S. Engineering studies for the Gezhouba-Shanghai HVDC transmission system 88—68891
Lu, J. *see* Crocker, M.J. 88—68593
Lu, J. *see* Phadke, A.G. 87—15378
Lu, J. *see* Warnecke, H.J. 88—49564
Lu, J.-Q., Ben-Zvi, I., Cramer, J.G. LYRAN: a program for the analysis of linac beam dynamics 88—22876
Lu, J.C. *see* Chang, T.-S. 86—54939
Lu, J.F. *see* Zhai, Z.C. 88—20526
Lu, K.E., Glaesemann, G.S., Kar, G. Hermetically coated optical fibers 88—26832
Lu, K.E., Glaesemann, G.S., VanDewoestine, R.V., Kar, G. Recent developments in hermetically coated optical fiber 88—33644
Lu, K.R. *see* Chen, Z. 87—19894
Lu, K.S., Price, J.D., Smith, T.L. System 75: maintenance architecture 85—36572
Lu, K.W. *see* Huang, G. 87—57571
Lu, K.W. *see* Zaborszky, J. 85—59614
Lu, L., Cohen, G., Godlewski, P. Vector quantization with an auxiliary partition 87—54973
Lu, L., Shen, Z. Preliminary study on continuing engineering education in the enterprise 87—23066
Lu, L.-T. *see* Yi, M.B. 86—28994
Lu, L.-Y. *see* Chang, J.-F. 85—25200
Lu, L.T. *see* Kapon, E. 85—18916, 85—24627, 86—42589
Lu, L.T. *see* Yi, M.B. 85—29803
Lu, L.Y. *see* Ravid, E.V. 86—47831
Lu, M., Zhang, D., Murata, T. Stochastic net model for self-stability measures of fault tolerant clock synchronization 88—853
Lu, M.-C. *see* Witter, G.J. 85—53787
Lu, N., Cottrell, P., Craig, W., Dash, S., Critchlow, D., Mohler, R., Machesney, B., Ning, T., Noble, W., Parent, R., Scheuerlein, R., Sprogis, E., Terman, L. The SPT cell—a new substrate-plate trench cell for DRAMs 86—46859
Lu, N., Suryadevara, B. Determining endpoint of plasma desmear 85—6605
Lu, N. *see* Hwang, I.K. 85—10486
Lu, N.C., Cottrell, P.E., Craig, W.J., Dash, S., Critchlow, D.L., Mohler, R.L., Machesney, B.J., Ning, T.H., Noble, W.P., Parent, R.M., Scheuerlein, R.E., Sprogis, E.J., Terman, L.M. A substrate-plate trench-capacitor (SPT) memory cell for dynamic RAM's 87—10855
Lu, N.C.-C., Chao, H.H. Half-V_{DD} bit-line sensing scheme in CMOS DRAMs 85—777
Lu, N.C.-C. *see* Dhang, S.H. 88—32196
Lu, N.C.-C. *see* Dhong, S.H. 88—766
Lu, N.C.-C. *see* Lu, C.-Y. 85—6322, 85—55189
Lu, N.C.C., Chao, H.H., Hwang, W. Plate-noise analysis of an on-chip generated half-VDD biased-plate PMOS cell in CMOS DRAMs 86—34780
Lu, N.C.C., Chao, H.H., Wei Hwang On-chip generated half-VDD biased-plate PMOS cell in CMOS DRAMs 86—20560
Lu, N.C.C., Terman, L.M. Double-polysilicon high-capacitance DRAM cell 85—29337
Lu, N.C.C. *see* Bronner, G.B. 88—70777
Lu, N.Chau-Chun *see* Chau-Chun Lu, N.
Lu, N.H., Eisenstein, B.A. Weak signal detection in non-Gaussian noise of unknown level 85—25087
Lu, O., Sung-Shan Tai Post-oxidation annealing effects upon silicon dioxide dielectric breakdown 86—21909
Lu, P. *see* Tan, G. 86—48479, 86—50750
Lu, P.-F., Li, G.P., Tang, D.D. Lateral encroachment of extrinsic-base dopant in submicrometer bipolar transistor 88—1638
Lu, P.-F., Tsui, D.C., Cox, H.M. Optical-phonon emission in ballistic transport through microchannels of InGaAs 85—34621
Lu, P.-Y., Wang, C.-H., Williams, L.M., Chu, S.N.G., Stiles, C.M. Epitaxial $Hg_{1-x}Cd_xTe$ growth by low-temperature metalorganic chemical vapor deposition 87—10375
Lu, P.-Y., Williams, L.M., Chu, S.N.G. Crystal orientation of CdTe film on GaAs by metal-organic chemical vapor deposition 86—66850
Lu, P.-Y., Williams, L.M., Wang, C.-H., Chu, S.N.G. HgTe-CdTe superlattices and $Hg_{1-x}Cd_xTe$ grown by low-temperature metalorganic chemical vapor deposition 88—12048
Lu, P.-Y. *see* Wang, C.-H. 86—46317
Lu, P.-Y. *see* Williams, L.M. 87—58968, 88—11970
Lu, P.C. *see* McInnis, B.C. 85—38227, 86—12035
Lu, P.C. *see* Wang, J.C. 87—63836
Lu, P.M. *see* Berenbaum, A.D. 85—45113
Lu, P.M. *see* Jacobs, H.S. 87—44924, 87—59633
Lu, P.W.T. An in-situ method for determination of internal resistances in fuel cells 85—16225
Lu, P.Y. *see* Swaminathan, V. 85—50207
Lu, P.Y. *see* Zilko, J.L. 86—7798
Lu, Q.-C., Grady, W.M., Crawford, M.M. An adaptive algorithm for short-term multinode load forecasting in power systems 88—75120
Lu, R., Chang, I.C., Tarny, S.S. Wideband interferometric acousto-optic spectrum analyzer 87—49630
Lu, R. *see* Chang, I.C. 86—36285
Lu, S. Tsinghua University actively develops continuing education to serve national construction 87—23096
Lu, S., Almeida, A. The effects of voice disguise upon formant transition 87—19530
Lu, S. *see* Harter, W. 85—14941
Lu, S. *see* Pei, S. 86—62754
Lu, S. *see* Zhou, Z. 88—68807
Lu, S.-C. Secret sharing systems based on diversity transmission 85—2728
Lu, S.-L. A safe single-phase clocking scheme for CMOS circuits 88—33380
Lu, S.-L. Implementation of iterative networks with CMOS differential logic 88—63617
Lu, S.-T. *see* Pei, S.-C. 86—52957
Lu, S.-T. *see* Roberts, N.J., Jr. 85—4376
Lu, S.-T. *see* Williams, W.M. 85—4377
Lu, S.-Y., Kim, S. The general solution and Faxen laws for the temperature fields in and outside an isolated ellipsoid 88—4451
Lu, S.-Y. *see* Cheng, Y.-C. 85—30150, 85—51522
Lu, S.C. *see* Evans, B.G. 86—59814
Lu, S.C. *see* Su, Y.K. 86—52446
Lu, S.C. *see* Wei, C.C. 87—65484
Lu, S.H., Selman, J.R. Electrode kinetics of fuel oxidation at copper in molten carbonate 85—32700
Lu, S.T. *see* Wu, C.W. 88—42287
Lu, S.W., Nieh, C.W., Chen, L.J. Epitaxial growth of $NiSi_2$ on ion-implanted silicon at 250-280°C 87—23630
Lu, S.W. *see* Wong, A.K.C. 86—10572
Lu, T. *see* Azimi-Sadjadi, M.R. 87—66439
Lu, T. *see* Yu, F.T.S. 87—74886
Lu, T.-M. *see* Hadizad, P. 87—38099
Lu, T.-M. *see* Jin, H.-S. 87—52103
Lu, T.-M. *see* Mei, S.-N. 88—1558
Lu, T.-M. *see* Pimbley, J.M. 85—33457
Lu, T.-M. *see* Ramanarayanan, R. 87—11699
Lu, T.-M. *see* Ramayarananan, R. 87—38388
Lu, T.-M. *see* Skelly, D.W. 88—57512
Lu, T.-M. *see* Wong, J. 85—28243, 86—21350, 87—36776, 88—44591
Lu, T.-M. *see* Yang, S.-N. 87—38387
Lu, T.-M. *see* Yapsir, A.S. 87—53270, 88—57376, 88—64505
Lu, T.M. *see* Selvaraj, R. 87—67170
Lu, T.W. *see* Yu, F.T.S. 87—55302
Lu, W., Du, D., Liu, Q. The growth of electric trees in polyethylene 86—70687
Lu, W., Merceron, A. The meaning of frozen token 86—57345
Lu, W., Tan, W. The bifurcation and chaos of laser oscillation output in a ring cavity 87—39167
Lu, W. *see* Chen, W. 85—53207
Lu, W.-J., Steckl, A.J., Chow, T.P. Completely consumed carbide (C^3)—A new process for dielectric isolation 86—21867
Lu, W.-J., Steckl, A.J., Chow, T.P. Electrical characteristics of Si devices fabricated with completely consumed carbide (C^3) dielectric isolation process 86—67802
Lu, W.-J., Steckl, A.J., Chow, T.P., Katz, W. Thermal oxidation of sputtered silicon carbide thin films 85—1516
Lu, W.-J. *see* Sugiura, J. 86—35591
Lu, W.-P., Sundareshan, M.K. A model for multilevel security in computer networks 88—52950
Lu, W.-S., Antoniou, A. 2-D state-space digital filters with fewer multipliers 86—52965
Lu, W.-S., Antoniou, A. 2-D state-space digital filters with fewer multipliers 87—906
Lu, W.-S., Antoniou, A. Synthesis of 2-D state-space fixed-point digital-filter structures with minimum roundoff noise 87—10986
Lu, W.-S., Antoniou, A. Comments on 'Author's reply on the 2-D unit noise matrix' by T. Hinamoto, et al.; and T. Lin, et al 88—56790
Lu, W.-S., Antoniou, A., Agathoklis, P. Stability of 2-D digital filters under parameter variations 86—52951
Lu, W.-S., Lee, B. An efficient implementation scheme for quadrantally symmetric 2-D digital filters 88—32340
Lu, W.-S., Lee, E.B. Stability analysis for two-dimensional systems via a Lyapunov approach [digital filters] 85—23032
Lu, W.-S. *see* Antoniou, A. 87—66423, 88—6978
Lu, W.-S. *see* Zak, S.H. 87—17251
Lu, W.P., Sundareshan, M.K. A hierarchical key management scheme for end-to-end encryption in internet environments 86—54461
Lu, W.S., Antoniou, A., Agathoklis, P. Stability of 2-D digital filters under parameter variations 86—67386
Lu, Wu-Sheng, Antoniuou, A. A note on the roundoff noise in 2-D state-space digital filters 86—1287
Lu, X. *see* Guo, L. 87—50295
Lu, X.-D. *see* Zhou, L.-G. 87—57072
Lu, X.J., Yu, F.T.S. Analysis of a white-light processing system based on the cross-spectral density function 87—75869
Lu, X.J. *see* Yu, F.T.S. 85—2868, 85—13608, 85—57448, 86—15529, 86—38295, 87—12272, 87—74859, 88—13986, 88—46205
Lu, Y., Palais, J.C., Chen, Y. Characteristics of single-mode fiber components using GRIN rod lenses 88—45106
Lu, Y. *see* Finley, M.R., Jr. 88—41367
Lu, Y.-C., Stahle, C.M., Feigelson, R.S., Morimoto, J. Etching on polar (111) surfaces of CdTe crystals studied with Auger electron spectroscopy 88—33038
Lu, Y.C. Silicon bicrystal growth 87—23603
Lu, Y.C., Bauser, E. Valley traces in semiconductor crystals 85—55627
Lu, Y.C., Kalkur, T.S., Paz de Araujo, C.A. Rapid thermal annealing of Be implanted GaAs 88—71403
Lu, Y.C. *see* Zhou, X.H. 88—6011
Lu, Y.L., Paillassa, B. Primary specification of a digital synchronous and asynchronous ring (SAR): an optical network offering integrated services 86—23500
Lu, Y.S. *see* Bakken, J.A. 85—31696, 87—35350
Lu, Y.S. *see* Burq, J.P. 87—35362
Lu, Y.Z., Cheng, Y.C. A new model for the growth of silicon dioxide layers 85—1509
Lu, Z.-L. On the quasi-integer-period-sampling and the approach for improving its accuracy 87—14261
Lu, Z.H. *see* Numan, M.Z. 87—6565
Lu, Z.N. *see* Yang, K.H. 88—53882
Lu, Z.N. *see* Zhang, S.W. 88—54816
Lu An-de *see* Fan Xi-wu 85—35645
Lu Baida Doubt about method of equivalent confocal resonators 87—54366
Lu Baida, Huang Yuan Thermal stability of nonresonant ring laser cavity 88—40268
Lu Baida, Li Tieping Dynamic characteristics of multi-element resonators with an internal thermal lens 88—40265
Lu Baida, Qin Yali Beam propagation characteristics in ring resonators 87—54364
Lu Baida, Weber, H. Misalignment sensitivity of optical resonators with internal lenses 86—22428

Lu Baida, Weber, H. Theory of Gaussian beam divergence for stable optical resonators 88−27250
Lu Baida, Wei Guanghui Sufficient and necessary conditions for dynamic stable telescopic-resonators 88−72353
Lu Bao-ling *see* Zhang Zhen-xi 86−63840
Lu Baosheng, Wang Jun, Pan Hengfu, Jiang Minhua, Liu Enquan, Hou Xueyuan Excited emission and self-frequency-doubling effect of $Nd_XY_{1-X}Al_3(BO_3)_4$ crystal 87−12426
Lu Baosheng *see* Liu Enquan 88−58651
Lu Baosheng *see* Liu Jishang 87−75043
Lu Bing-ren *see* Tan Gen-lin 87−36608
Lu Bo *see* Chen Huangming 88−40392
Lu Bo-xiang *see* Wang Da-heng 88−40377
Lu Chang *see* Chang Lu
Lu Chang-guo, Lu Wei-da, Chou Yue-hua, Zhang Yu, Gu Wei-xin Testing results on the prototype of shower counter with cosmic rays 85−64495
Lu Chang-guo, Que You-kuen, Chou Yue-hua, Gu Wei-xin, Li Pei-qin, Lu Wei-da, Zhang Yu, Zhu Guo-sheng, Hu Jia-wei, Chen Sheng-nan, Gao Cui-shan, Liang Guo-ning, Zhang Hao-yun, Tang Fu-kun, Liu Zhen-an, Gao Zheng-wei, Li Wei-heng Test beam studies of a prototype for the BES barrel shower counter 88−4842
Lu Chang-guo, Que You-kuen, Lu Wei-da, Chou Yue-hua, Gu Weixin, Li Pei-qin, Zhang Yu, Zhu Guo-sheng, Hu Jia-wei, Chen Sheng-nan, Gao Cui-shan, Liang Guo-ning, Zhang Hao-yun, Tang Fu-kun, Liu Zhen-an, Gao Zheng-wei, Li Wei-heng Test beam studies of the BES barrel shower counter prototype 87−70999
Lu Chang-guo *see* Lu Wei-da 85−48180
Lu Chang-guo *see* Ma Jin-yuan 85−48185
Lu Cheng-Chang *see* Cheng-Chang Lu
Lu Cheng-Zai *see* Cheng-Zai Lu
Lu Chengzai Dye laser pumped by a coaxial flashlamp with annular electrodes 85−62524
Lu Chih-Yuan *see* Chih-Yuan Lu
Lu Chuengang, Li Yaoxin, Sun Chengtai, Yin Janhua A study of float-zoned NTD silicon grown in a hydrogen ambient 85−23665
Lu Da Jin *see* Yu Xiao Li 85−47590
Lu Dacheng A thermodynamic analysis on indium phosphide chloride vapour phase epitaxy 85−33418
Lu Darong *see* Ma Honglei 85−11948
Lu Dean *see* Dai Guorui 87−67058
Lu Dehon *see* Tu Sanyi 88−23468
Lu Deji, Zhang Qingping, Wang Baoya, Fan Tianquan High accuracy instrument for roundness measurement and analysis with three displacement sensors 87−3763
Lu Diantong, Zhang Toughe, Su Ying, Gao Yuzun Properties of high dose As^+ implanted silicon annealed at a lower temperature and by an electron beam 87−37866
Lu Dongfeng *see* Dongfeng Lu
Lu Dongyuan *see* Chen Qinggui 85−34761
Lu En-sheng *see* Zhu Sheng-chuan 86−15992
Lu Fei *see* Fei Lu
Lu Feng *see* Guo Changzhi 86−42523
Lu Fengying *see* Deng Hongmin 86−11905
Lu Fengying *see* Meng Wu 86−11866
Lu Fu-run *see* Fu Guang-sheng 87−58957
Lu Fu-Sheng *see* Fu-Sheng Lu
Lu Fuqiang Measurement of distribution of fast and thermal neutron fluence rate around reactor with SSNTD 86−11888
Lu Fuyun, Yuan Shuzhong, Guan Xinan Constant temperature control of optimum standing wave frequency of an acousto-optic mode-locker 85−29661
Lu Fuyun, Yuan Shuzhong, Lu Kecheng, Guan Xinan Characterization of noise in a CW mode-locked argon ion laser 88−72371
Lu Fuyun *see* Bao Xiaoyi 87−75025
Lu Fuyun *see* Guan Xinan 86−3263, 86−54081
Lu Guo *see* Han Rushan 88−13697
Lu Hong *see* Li Guohua 87−37865
Lu Hui-hung *see* Hui-hung Lu
Lu Jau-Huei *see* Jau-Huei Lu
Lu Ji-hua *see* Wei Kai-yu 88−22871
Lu Jia-Xi *see* Huang Hung-chia 88−65239
Lu Jiachang, Li Zhengzhi Deconvolution processing of images in infrared remote sensing 86−16503
Lu Jiachang, Li Zhenzhi Optimum parameters of a laser schlieren apparatus with wire spatial filter 86−22443
Lu Jian-guo *see* Wang Wei-huan 85−45386
Lu Jian-Hua, Li Yu-Lin, Jiang Jia-Lin On combined self-phase modulation and stimulated Raman scattering in optical fibres 85−51264
Lu Jian-Qin *see* Xu Fang-Guan 86−24942
Lu Jianhua, Li Yulin, Jiang Jialin, Cheng Guanchang Stimulated Raman scattering in multimode optical fibers pumped at 1.32 μm 86−29227
Lu Jianhua *see* Jianhua Lu
Lu Jianxiong *see* Su Jiuling 86−67788
Lu Jibo *see* Tu Renyong 88−5592
Lu Jie *see* Wu Da-Yuan 85−19004
Lu Jiechi *see* Wang Baocheng 88−14311
Lu Jihuang A new μC-based distance relay for double-circuit transmission lines 87−50863
Lu Jihuang Design and test of a μC-based distance protection for same-tower double-circuit power transmission lines 88−61944
Lu Jin, Lee, G.K.F. Power systems load flow studies using a personal desktop computer 86−56386
Lu Jing *see* Wang Chuan-jin 87−63261
Lu Jing-Fa To the theory of scattering of waves in a medium containing anisotropic irregularities 86−3499
Lu Jinlin *see* Zhao Huimin 86−48038
Lu Jiren C-NET's software structure and its network service 85−25487
Lu Jun-ling *see* Shi Bin-xing 87−38970
Lu Junfa *see* Yin Jianping 88−65891
Lu Kai *see* Tian Weifeng 88−52146
Lu Kai *see* Kai Lu
Lu Kaicheng *see* He Jingmin 88−59020
Lu Ke-cheng Experimental investigation of instability and chaos on three mode He-Ne (6328A) laser 86−22271
Lu Kecheng Central dark-space of CW Ar^+ laser beams 87−33252
Lu Kecheng Chaos in CW lasers of weak-gain 87−61094
Lu Kecheng, Xu Haiying, Liu Jun Variation of mode intensity spectra due to strong competition effect between modes 86−54080
Lu Kecheng, Zhang Tieqin, Li Baozheng, Yao Yulan Phase anisotropy and polarization of an intra-cavity He-Ne laser 85−18970
Lu Kecheng *see* Dong Xiaoyi 88−72015
Lu Kecheng *see* Guo Yinfu 85−29749
Lu Kecheng *see* Liu Zhiguo 87−74968
Lu Kecheng *see* Lu Fuyun 88−72371
Lu Kecheng *see* Men Shaoxiong 85−46442
Lu Lin Chao *see* Lin Chao Lu
Lu Lin-Gen Detection performance of rank and weighted rank nonparametric detectors [radar] 87−40983
Lu Lingen Adaptive nonparametric detectors for correlation Gaussian noise 88−22175
Lu Luzheng *see* Luzheng Lu
Lu Miaogen *see* Miaogen Lu
Lu Ming *see* Wang Zongpei 88−23899
Lu Minhua *see* Yin Shiduan 88−19654
Lu Pei-En *see* Pei-En Lu
Lu Ping *see* Lee, T.N. 86−653
Lu Ping *see* Ping Lu
Lu Pinzhen, Shan Zhengsheng, Tang Zikang On the temperature characteristics of adjustable current regulator 85−49711
Lu Pong-Fei *see* Pong-Fei Lu
Lu Qi-shao *see* Jiang Zheng-xin 86−57381
Lu Qiang *see* Qiang Lu
Lu Renxiang Estimate of nuclear-pumped X-ray laser mechanism 85−2187
Lu Renxiang *see* Zhang Zhengquan 88−72255
Lu Renxiang *see* Renxiang Lu
Lu Ruizheng, Lei Shizhan Free-electron lasers with travelling wave field wiggler 87−7394
Lu Sha, Dutton, R.W. An analytical algorithm for placement of arbitrarily sized rectangular blocks 86−20224
Lu Sha *see* Sha Lu
Lu Shanda, Jin Zhiliang Etched and fused hemispherical microlenses for coupling single-mode laser into single-mode fiber 88−58180
Lu Shanda *see* Freude, W. 86−11762
Lu Shaopeng *see* He Xiutang 88−18831
Lu Shengxun Topological decomposition of a network 87−65616
Lu Shi Wan *see* Jiang Xin Yuan 87−56987
Lu Shiping *see* Pan Zhonghan 88−72402
Lu Shiyu *see* Liu Zhengrong 86−68200
Lu Shou-Mao An analogue self-compensating high gain DC amplifier 86−20311
Lu Shu-Sen *see* Xu Bin-Yu 86−27777
Lu Shukang Leakage reactance of induction motor with unsymmetrical 3-phase windings of different phase-bands and turns 87−51210
Lu Siliang *see* Xi Shaoshen 86−57061
Lu Siwei *see* Siwei Lu
Lu Sun *see* Sun Lu
Lu Tao Asymptotic expansion and extrapolation for the finite element approximation of nonlinear elliptic partial differential equations 87−65434
Lu Tao, Hu Yuan-ping Combination of collocation solution for a two-point boundary value problem 86−7714
Lu Tao *see* Shen Shu-min 86−57402
Lu Ting-xin *see* Ting-xin Lu
Lu Tong *see* Tong Lu
Lu Tongxing Solution of the matrix equation $AX-SB=C$ 87−23446
Lu Tuan-sun *see* Zhang Hong-jun 85−19492
Lu Tuansun, Dai Jianhua, Wang Pengye Correction for wavefront distortion using high diffraction efficiency holograms 85−19050
Lu Tuansun, Liu Wenhu, Zhang Hongjun, Dai Jianhua, Wang Pengye, Xu Liangying Real-time optical correlation processing with $Fe{:}LiNbO_3$ crystal 85−46918
Lu Wei Xue *see* Wang Yuan Mei 87−48040
Lu Wei-da, Lu Chang-guo, Chou Yue-hua, Zhang Yu, Gu Wei-xin Studies of a planar electrodeless drift chamber 85−48180
Lu Wei-da *see* Lu Chang-guo 85−64495, 87−70999, 88−4842
Lu Wei-da *see* Ma Jin-yuan 85−48185
Lu Wei-Ming *see* Wei-Ming Lu
Lu Weigang, Liu Shenquan Simulated placement method 88−71174
Lu Wen-hong *see* Zheng Yi-yang 87−60395
Lu Wenhung *see* Peng Shaojin 85−49542
Lu Wenlan *see* Liu Jiatai 85−1583
Lu Wubin The effect of HF modulation in a semiconductor laser and its suppression 85−12847
Lu Wubin Performance analysis for several types of stored program control PABX 88−59904
Lu Xiaohou *see* Ding Yaogen 86−14808
Lu Xiaojing *see* Xiaojing Lu
Lu Xin-Hua *see* Ma Ji-Mao 85−59199
Lu Xinru *see* Xinru Lu
Lu Xiuwen *see* Shen Xianjie 87−57330
Lu Xuanhui, Wang Shaomin Fundamental modes of slab lasers 88−72294
Lu Xuemiao Towers of Hanoi graphs 86−40625
Lu Yanshi, Chen Bairen The pattern of beam pointing accuracy of paraboloid antenna with weight-self load 87−47380
Lu Yaoliang, Jiao Lianbo, Niu Peiyi A μC-based automatic testing instrument for batch adjusting and/or detecting of auto-switches [switchgear] 88−62501
Lu Yaxiong Variable method for mode calculations of multi-element cavity 88−72350
Lu Yi, Yin Yuhni Development system of MC68701 on-chip microcomputer 86−62626
Lu Yi Guang *see* Yi Guang Lu
Lu Ying Several models of opportunistic replacement policies 88−31429
Lu Yinggang *see* Xu Baoxiang 85−38336
Lu Yingzhong The important role of nuclear energy in the future energy system of China 85−59873
Lu Yiqun A design of high performance optical filter used for WDM devices [wavelength division multiplexing] 86−68367
Lu Yiqun New lasing of cesium atom in noble gas 87−12383
Lu Yiqun *see* Ma Shimo 86−65774
Lu Yiqun *see* Yiqun Lu
Lu Yong-zai *see* Yong-zai Lu
Lu Yongfeng *see* Tsien Peihsin 86−15020
Lu Yongling, Fu Chunyin Implantation of rare-earth element Yb into silicon single crystals by pulse laser beam 85−12118
Lu Yongling *see* Fu Chunyin 85−1477, 87−37928
Lu You *see* You Lu
Lu Yu-cun Dichroic mirrors with high reflection at 1.06 μ and antireflection at 10.6 μ 86−36546
Lu Yue, Shen Yongchao A switched capacitor circuit simulation and optimization program 88−18895
Lu Yue-e *see* Yang Zheng 88−39800
Lu Yuemei *see* Fan Reiying 85−29678
Lu Zaitong *see* Chu Cheng 87−33217, 87−46928, 87−75133, 88−51841
Lu Zhang *see* Zhang Lu
Lu Zhao-ming *see* Xu Jian-shi 88−26364
Lu Zhen-zhong *see* Zhao Li-zeng 86−22474
Lu Zheng-jia *see* Zhang Qing-guong 85−61638
Lu Zhenwu *see* Zhou Wanzhi 88−40417
Lu Zhiguo Progress of laser applications in China over the past 10 years 85−29963
Lu Zhiguo Progress in laser applications in China over the last ten years 86−3388
Lu Zhimin *see* Wang Xuan 85−30240
Lu Zhinan *see* Yu Huaiquan 85−63673
Lu Zhiqi *see* Wang Lian 85−49785
Lu Zho Guo *see* Dean, A.J. 85−59172
Lu Zhong *see* Du Yuancheng 85−33480, 86−46352
Lu Zhongnan *see* Yu Jirong 88−40281
Lu Zihong *see* Zihong Lu
Lu Zinan, Li Yanzuo A theoretical analysis of audio systems in optical colour television 85−37337
Lu Zu-Kang *see* Zu-Kang Lu
Lu Zu-liang *see* Zhang-Zhong-hua 86−5485
Lu-cheng Pei *see* Pei Lu-cheng
Lu-Fei Ding *see* Ding Lu-Fei
Lu-Min Yeh Liu *see* Liu Lu-Min Yeh
Lu-Rong Guo *see* Xian-Yu Su 87−68245, 88−34168
Lu-shan Gao *see* Gao Lu-shan
Lu-sheng Wu *see* Xing-an Guo 87−12421
Lu-sheng Xu *see* Xu Lu-sheng
Lu-zheng Meng *see* Sheg-chuan Zhu 87−67735
Lua, K.T. Design of a microcomputer-based thermostat switching temperatures sensing system 85−8710
Lua, K.T. Extension of analog-to-digital converter precision through repeat sampling 86−57889
Lualdi, P.L., Patton, D.L., Tsai, T.S. Coal reconversion: design and fast track implementation [power plants] 86−25878
Luan, D.F., Zhou, G.Y., Qin, S. X-band hybrid-integrated VCOs with high tuning linearity 85−11092
Luan, D.T.D., Lucantoni, D.M. Throughput analysis of a window-based flow control subject to bandwidth management 88−52933
Luan, Z., Mori, S. Delay and jitter property of mutually synchronized network using the complete digital PLLs 87−69558

Luan, Z., Mori, S. Delay and jitter property of mutually synchronized networks using completely digital PLLs 88-46335
Luan De-fu, Zhou Guang-yuan X-band hybrid-integrated voltage controlled oscillator 85-11068
Luan De-Zhi *see* Zhang Feng-Yan 86-20746
Luan Guixing, Qiao San Development of MicroVAX II CPU board 87-59546
Luan Guixing, Qiao Sang Introduction to a 32-bit microprocessor—MicroVAX 78032 88-790
Luan Guixing *see* Chi Yipo 88-25104
Luan Guixing *see* Fu Lizheng 88-21383
Luan Guixing *see* Li Gang 87-52631
Luan Guixing *see* Liu Wei 87-46084
Luan Guixing *see* Wang Shiqiu 88-59654
Luan Jinghai *see* Shi Daojun 86-22445
Luan Kaizheng *see* Liu Yihua 85-60976
Luan Shaojin *see* Cheng Ruihua 85-29904
Luan Wenyan *see* Ci Weixin 85-18851
Luat Ho Ngoc *see* Ho Ngoc Luat
Luba, T. Synthesis of combinatorial systems through decomposition of Boolean functions 86-34722
Luba, T. Synthesis of memory addressing circuits in sequential machines 86-52843
Luba, T., Ignaczak, A. Development trends in telecommunication logic circuits 85-33809
Luba, T., Wronski, L. The decomposition method of Boolean functions systems realization 86-946
Luba, T., Wronski, L. A modified reduction of the dependencies method applied to systems with multiplexers and decoders 87-59326
Luba, T. *see* Kalinowski, J. 87-52540
Lubacz, J., Jarocinski, M., Dabrowski, M. Traffic and economic aspects of voice/data integration 86-64504
Lubacz, J., Jarocinski, M., Dabrowski, M. Integration strategies of telecommunication networks 87-27809
Lubacz, J. *see* Burakowski, W. 87-48294
Lubacz, J. *see* Debaille, S. 86-43446
Lubahn, E. *see* Klaffke, V.W. 88-59870
Lubahn, E. *see* Kusters, L. 86-10940
Luban, R.B. *see* Gnesin, G.G. 86-67620
Luban, R.B. *see* Levchenko, G.V. 85-34422
Lubanska, T. *see* Kulikowski, J. 88-13675
Lubanski, M., Kopiczynski, T., Zakrzewski, Z. Experimental investigations of a microwave plasma generator using leaky wave structure 88-58872
Lubar, J.F. *see* Lubar, J.O. 85-20935
Lubar, J.O., Lubar, J.F. Electroencephalographic biofeedback of SMR and beta for treatment of attention deficit disorders in a clinical setting 85-20935
Lubashevskii, I.A., Pishchalko, V.D., Ryzhii, V.I., Fedirko, V.A. Influence of inhomogeneous heating of carriers under Auger recombination conditions on the photoconductivity of semiconductors 85-29697
Lubbe, J.C.A.van der *see* van der Lubbe, J.C.A.
Lubben, D., Barnett, S.A., Suzuki, K., Gorbatkin, S., Greene, J.E. Laser-induced plasmas for primary ion deposition of epitaxial Ge and Si films 86-432
Lubben, D., Barnett, S.A., Suzuki, K., Greene, J.E. Primary and secondary ion deposition of epitaxial semiconductor films from laser-induced plasmas 85-49583
Lubben, D. *see* Motooka, T. 86-20080
Lubben, D. *see* Suzuki, K. 85-60959
Lubben, T., Matthaei, E., Schulz, A. Setting-up and measurement of parallel laser light with a plane glass plate 85-7487
Lubben, W., Prohl, R. Air-insulated, withdrawable circuit-breaker switchgear, type tested to IEC 298 86-12982
Lubben, W. *see* Buchenau, R. 86-70993
Lubben, W. *see* Kubler, B. 86-12979
Lubben, W.F. *see* Hoyer, P. 85-60363
Lubbers, B. *see* Braggaar, H. 85-13850, 85-25402
Lubbers, D.W. *see* Gehrich, J.L. 86-44637
Lubbers, D.W. *see* Optiz, N. 88-36055
Lubbers, F. The planning and procedural aspects of the construction of the ring-shaped closure of the 380 kV interconnecting network 86-12343
Lubbers, F. Planning and procedural aspects of the NV Sep windfarm project 87-78563
Lubbers, F. Research program concerning the sociological and environmental aspects of the NV Sep windform project 88-43106
Lubberts, G. *see* Viswanathan, C.R. 85-40756
Lubchenko, E. EIA consumer electronic bus architecture 87-34203
Lubcke, H.-U., Rohr, A., Schaffer, W. Systematic investigation of contact materials by means of statistical test planning 88-19457
Lube, E.L., Zlatkin, A.T. Automatic system with minicomputer for studying high-temperature crystallization by means of acoustic emission 87-354
Lube, E.L. *see* Gruzintsev, S.A. 87-20853
Lubecka, M., Wegrzyn, A., Sendorek, D. Influence of oxygen vacancy concentration on electrical resistivity in EuO_{1-x} 86-21168
Lubell, M.S., Clinard, J.A., Dresner, L., Fietz, W.A., Fletcher, W.M., Haubenreich, P.N., Lue, J.W., Luton, J.N., McManamy, T.J., Schwenterly, S.W., Shen, S.S., Stamps, R.E., Wilson, C.T., Wintenberg, R.E., Wood, R.J., Ulbricht, A., Friesinger, G.M., Wuechner, F., Okuno, K., Kato, T., Iida, F., Takahashi, Y., Tsuji, H., Hiyama, T., Zichy, J.A., Jakob, B. The IEA Large Coil Task test results in IFSMTF 88-65028
Lubell, M.S., Fietz, W.A., Haubenreich, P.N., Lue, J.W., Luton, J.N., Shen, S.S., Okuno, K., Ulbricht, A.R., Zichy, J.A. International Large Coil Task: testing of the largest superconducting toroidal magnet system 88-13773
Lubell, M.S. *see* Dresner, L. 87-67976, 88-65032
Lubell, M.S. *see* Ellis, J.F. 85-56240
Lubell, M.S. *see* Friesinger, G. 88-65031
Lubell, M.S. *see* Lue, J.W. 86-28752, 87-67973, 88-45031, 88-65100
Lubell, M.S. *see* Luton, J.N. 85-56230
Lubell, M.S. *see* Mulligan, F.J. 88-29768
Lubell, M.S. *see* Okuno, K. 87-74641, 88-65029
Lubell, M.S. *see* Shen, S.S. 87-67971, 88-65033, 88-65106
Lubell, M.S. *see* Tang, F.C. 87-29432
Lubell, M.S. *see* Yoshida, K. 86-53926
Lubelsmeyer, K. *see* Bleichert, B. 86-18236
Lubenow, H. *see* Muller, W.F. 88-34536
Lubenskii, V.E. *see* Tkachenko, A.A. 88-32482
Lubensky, D. Continuous digit recognition using coarse phonetic segmentation 87-61693
Lubensky, D. Learning spectral-temporal dependencies using connectionist networks 88-72792
Lubensky, D., Feix, W. Fast feature-based preclassification of segments in continuous digit recognition 87-19540
Lubert, K.J. *see* De Marco, J.L. 85-23256
Lubezky, I., Marcovitch, O., Klein, Z., Zipin, H. Activated reactive evaporation of a transparent conductive coating for the IR region 87-44392
Lubich, C. Fractional linear multistep methods for Abel-Volterra integral equations of the second kind 86-26788
Lubich, C. *see* Hairer, E. 85-22439, 85-60933
Lubin Wang *see* Wang Lubin
Lubina, M. *see* Glinka, T. 87-9583, 88-20252
Lubina, P., Buchacz, J. Detection of partial discharges in large power transformers by the acoustic method 88-5734
Lubinsky, A.R., Owen, J.F., Korn, D.M. Storage phosphor system for computed radiography: screen optics 87-14865
Lubinsky, A.R., Whiting, B.R., Owen, J.F. Storage phosphor system for computed radiography: optical effects and detective quantum efficiency (DQE) 88-23056
Lubinsky, A.R. *see* Korn, D.M. 87-14864
Lubinsky, D.S. Gaussian quadrature, weights on the whole real line and even entire functions with nonnegative even order derivatives 86-62091
Lubinsky, D.S., Rabinowitz, P. Rates of convergence of Gaussian quadrature for singular integrands 85-5951
Lubinsky, D.S., Sidi, A. Convergence of product integration rules for functions with interior and endpoint singularities over bounded and unbounded intervals 86-34238
Lubinsky, D.S. *see* Alaylioglu, A. 85-22401, 87-44197
Lubinsky, D.S. *see* Knopfmacher, A. 88-43824
Lubis, A., Sudradjat, A. Two years experience on 25 kWp photovoltaic system in Cituis village 88-17464
Lubke, D. High-speed train IC-Experimental (ICE) 85-60491
Lubke, K. *see* Scheiber, H. 88-56967
Lubke, K. *see* Thim, H. 86-15181
Lubke, M. *see* Cahen, D. 85-60379
Lubke, M. *see* Gerischer, H. 85-49110
Lubke, R. *see* Huffnagle, N. 88-29406
Lubkeman, D., Wickramasekara, G. A knowledge-based approach for solving distribution feeder harmonic problems 87-71512
Lubkeman, D., Wickramasekara, G. A knowledge-based expert system approach for the analysis of distribution feeder harmonics 87-71660
Lubkeman, D. *see* Siddiqi, U. 88-54988
Lubkeman, D. *see* Taylor, T. 87-15137
Lubkeman, D. *see* Wickramasekara, G. 87-78112
Lubkeman, D.L., Heydt, G.T. The application of dynamic programming in discrete supplementary control for transient stability enhancement of multimachine power systems 86-6241
Lubkeman, M.D. *see* Taylor, T. 87-78058
Lublin, P. Recent advances in thin-film measurements using X-rays 86-50213
Lubnevskii, G.E. *see* Sirotin, F.L. 87-34664
Lubny-Gerzyk, K.K. *see* Armand, N.A. 86-37388
Lubochkin, M.M. *see* Tsvetkov, E.I. 88-29237
Lubomirska-Wittlin, A. *see* Szadkowski, A.J. 85-35582, 86-68371
Lubomirsky, V. One-shots remove phase-shift circuit operating limits 88-678
Luborsky, F.E. Real and potential applications of amorphous metal ribbons 85-62200
Luborsky, F.E. Properties and stability of thin films for magneto optic recording 87-25767
Luborsky, F.E. Amorphous transition metal-rare earth alloy films for magneto-optic recording 87-67726
Luborsky, F.E., Furey, J.T., Skoda, R.E., Wagner, B.C. Relation between some process parameters and properties of transition metal-rare earth films for magneto-optic recording 85-50823
Luborsky, F.E., Furey, J.T., Skoda, R.E., Wagner, B.C. Stability of amorphous transition metal-rare earth films for magneto-optic recording 86-28920
Luborsky, F.E. *see* Meiklejohn, W.H. 88-51159
Lubov, V.N. *see* Gomzyakov, Yu.I. 85-15879
Lubovoy, L.V. *see* Andriayanov, Yu.V. 86-27795
Lubowiecki, V., Ledys, J.-L., Balland, B., Plossu, C. CVD tungsten gate transistors for CMOS applications 88-26523
Lubowiecki, V., Ledys, J.-L., Plossu, C., Balland, B. A refractory metal gate approach for micronic CMOS technology 87-60370
Lubs, H.A. *see* Ledley, R.S. 86-60721
Lubs, S. Multifrequency circuit uses fixed clocking rate 85-618
Lubs, S. Simple program finds parts values for phase-locked loop 85-10926
Lubs, S. Circuit creates programmable time window [TDM] 86-17105
Lubs, S. AGC circuit uses an analog multiplier 87-951
Lubs, S. MAC functions as a counter or divider 87-37146
Lubs, S. *see* Shaner, R. 87-66004
Lubsanov, A.A. *see* Kiselev, V.I. 88-30239
Lubsanov, A.A. *see* Tokarev, B.F. 85-44012, 86-12833, 87-15779, 88-23950
Lubsanov, R.B. *see* Vorob'yev, G.A. 86-47589, 88-71271
Lubsanova, A.A. *see* Ivanov, V.I. 86-12836
Lubsynski, H.G. Some early developments of television camera tubes at EMI Research Laboratories 87-24721
Lubwig, B. *see* Vondenbusch, B. 88-4978
Luby, E. *see* Stein, I.M. 87-57149
Luby, J.C., Lytle, D.W. Autoregressive modeling of nonstationary multibeam sonar reverberation 87-70145
Luby, J.F. ISDN—the right choice 87-40252
Luby, J.F. ISDN—the competitive advantage 88-3687
Luby, J.F., Auble, D.E. Operations support for ISDN—planning and implementation: an early Bell Operating Company trial experience 88-46696
Luby, M., Rackoff, C. How to construct pseudorandom permutations from pseudorandom functions 88-45919
Luby, M. *see* Karp, R.M. 86-57531
Luby, S., Palaj, J., Buch, J., Grno, J. Formation kinetics of titanium disilicide induced by incoherent light annealing of Ti-poly Si structure 86-28030
Luby, S. *see* Buch, J. 86-26880
Luby, S. *see* Roman, P. 87-37640
Lubyshev, D.I., Migal', V.P. Pure source for molecular-beam epitaxy 87-52147
Luc, D.T. Scalarization of vector optimization problems 88-6378
Luc, J.P. *see* Caule, R. 85-32806
Luca, A.De *see* De Luca, A.
Luca, C.J.De *see* De Luca, C.J.
Luca, D. *see* Profirescu, M.D. 88-49971, 88-50404
Luca, E. *see* Huber, A. 87-9923
Luca, G.De *see* De Luca, G.
Luca, J.C.De *see* De Luca, J.C.
Luca, L.De *see* De Luca, L.
Luca, M. *see* Silard, A. 86-21537, 86-41776 to 41777
Luca, O.de *see* de Luca, O.
Luca, V.A., Jr., Schildkraut, A.L. Making the MIL-STD-1760 connection 87-17471
Lucantoni, D.M. *see* Heffes, H. 87-12869
Lucantoni, D.M. *see* Luan, D.T.D. 88-52933
Lucantoni, D.M. *see* Sriram, K. 88-52647
Lucanu, M. *see* Cretu, E. 86-1417, 88-32504
Lucanu, M. *see* Munteanu, V. 88-34522
Lucas, A.A. The quantum Hall effect in contemporary electrometrology 87-41305
Lucas, A.C., Kapsar, B.M. The control of background in the production of TL dosemeters 87-50462
Lucas, A.D. *see* Ellison, J. 88-4801
Lucas, A.K. *see* Dutton, J. 88-35902
Lucas, B. *see* Alard, J.P. 88-10243
Lucas, B. *see* Lizzi, F.L. 87-71128
Lucas, B.D. *see* McKeown, D.M. 86-43324
Lucas, C., Maillart, P., Mottier, P., Pantigny, P., Vilain, M. Development of an infrared detector array for ISOCAM 88-74413
Lucas, C. *see* Balestra, F. 87-38320
Lucas, C. *see* Kiracofe, B. 88-42681
Lucas, D., Chiao, M., Srinivasan, S. An integrated low-cost layout toolbox for custom IC design 87-59396

Lucas, D., Gibson, L. Techniques to exploit the relation between polynomial representations and moments of pictures 86−10568
Lucas, D. *see* Gibson, L. 86−69194
Lucas, D. *see* Trontelj, L. 88−24952
Lucas, D.L. *see* Haydon, G.W. 88−66068
Lucas, E.B. *see* Fuwape, J.A. 85−15709
Lucas, F. User/network interfaces in ISDN 87−27835
Lucas, G.E., Odette, G.R. Application of small specimen test techniques to power plant reliability and life extension problems 86−51242
Lucas, G.L. *see* Burke, T.E. 88−15603
Lucas, H., Paas, J.E. Introduction and application of the general electric turbine engine monitoring software within KLM Royal Dutch Airlines 88−61591
Lucas, J. Infrared fibers 85−35468
Lucas, J. Mid infrared optical fibers 86−42223
Lucas, J. Fluoride glasses for infrared waveguides 86−68303
Lucas, J. Mid infrared optical fibers 87−68033
Lucas, J., Goto, T. A pressure gauge utilising the electron diffusion process and microcomputer control 85−4159
Lucas, J., Tregoat, D., Houari, A.El., Fonteneau, G. Heavy metal fluoride glasses. New developments 85−18626
Lucas, J., Xiang Hua Zhang, Fonteneau, G. Tellurium halide glasses, new materials for IR fibers 88−58050
Lucas, J. *see* Mitachi, S. 88−1918
Lucas, J.E., Wasielewski, J.P., Yiu, J.T., Sabour, F. Application of artificial intelligence in electronic circuit board diagnosis 88−24538
Lucas, J.G. Outlook: fast growing and widely implemented [microwave transmission] 86−17230
Lucas, J.G. VLF antennas of the Omega type−a tutorial approach 88−34408
Lucas, J.M. Accurate representation of surface colors on a video display unit 88−16351
Lucas, J.M. A fiber-optic pyrometer for tuyere temperature measurement 88−60745
Lucas, J.M., Hutchinson, G.O., Morris, P.I., Hield, R.A., Palmen, E.M.E. Refurbishment of wood pole overhead lines in the UK 85−59794
Lucas, J.M. *see* Booth, R.R. 86−12905, 86−52096
Lucas, K. B-MAC: a transmission standard for pay DBS 86−17560
Lucas, K., van Rassell, B. HDB-MAC: a new proposal for high definition TV transmission 88−29073
Lucas, L.L. Uncertainties associated with the calibration and use of NBS pressurized $4\pi\gamma$ ionization chamber 'A' 87−21449
Lucas, M. Synthetic aperture imaging airborne radar 86−17509
Lucas, M. Synthetic aperture imaging airborne radar 87−20619
Lucas, M. *see* Suray, C. 87−62971
Lucas, M.C. *see* Dowdy, E.J. 87−42031
Lucas, M.C. *see* Hsu, H.H. 85−43193
Lucas, M.C. *see* Moss, C.E. 86−32175
Lucas, M.C.Marco de *see* Marco de Lucas, M.C.
Lucas, M.F., Doncarli, C., Guiheneuc, P. Adaptive modeling and classification of surface EMG signals 87−50355
Lucas, M.F., Doncarli, C., Guiheneuc, P. Statistical modelling of EMG for computer-aided diagnosis 87−57175
Lucas, M.F. *see* Doncarli, C. 88−23092
Lucas, M.O. *see* Lorenz, R.D. 87−42947
Lucas, M.S.P. Basic functions and architectures for personal instruments 86−38233
Lucas, M.S.P. The impact of the personal computer on instrumentation and measurements 86−65123
Lucas, M.S.P. *see* Sobering, T.J. 86−62446
Lucas, M.S.P. *see* Wagdy, M.F. 86−18064, 86−18075, 86−24664, 86−44376, 88−22735
Lucas, N.J.D. Subsistence electricity renewable energies and development 88−17063
Lucas, N.J.D., Bin Sairan, S. Power system interconnection in developing countries and the equilibration of marginal costs 87−64070
Lucas, N.J.D., Loo Kok Seng The distributed lag between electricity demand and price 88−42817
Lucas, N.J.D., Yu, D.B. A decision support system for technologies of rural electrification 87−64141
Lucas, P., Kerns, Q. Simulation of a programmed frequency shift near extraction from the Fermilab booster 88−47892
Lucas, P., MacLachlan, J. Simulation of space charge effects and transition crossing in the Fermilab booster 88−47894
Lucas, P. *see* Shroff, A.M. 88−38978
Lucas, R., Blank, T. Parallel PISCES [semiconductor device analysis program] 87−59108
Lucas, R., Blank, T., Tiemann, J. A parallel solution method for large sparse systems of equations 87−36651
Lucas, R., Martin, J. Some improved adaptative algorithms in digital underwater acoustic channel equalization 87−55237
Lucas, R. *see* Castets, A. 88−47245
Lucas, R. *see* Yuan, C.-P. 88−71676
Lucas, R.F., Wu, K.-C., Dutton, R.W. A parallel 3D Poisson solver on a hypercube multiprocessor 88−26448
Lucas, S., Hudson, T., Pope, M. Comparison of a RELAP5/MOD2 thermal-hydraulic model to plant data for a turbine trip test 88−23704
Lucas, T. Company profile: Thin Film Device finding a niche in the display business 88−32683
Lucas, T. Improved single-lens projection TV system 88−36148
Lucas, T.N., Hung-Yuan Chung, York-Yih Sun Taylor series approach to functional approximation for inversion of Laplace transforms 87−36564
Lucas, T.R. *see* Eoll, C.K. 88−1998
Lucas, W. A critical review of selected recent advancements in arc welding equipment and processes 85−53992
Lucas, W., Murch, M.G. Arc reignition characteristics when welding with sine-wave and square-wave power supplies 88−11522
Lucas, W., Schon, K. High-voltage standard based on m_e/e 86−60297
Lucas, W., Schon, K., Hinken, J.H. A superconducting rectangular cavity resonator for the measurement of high DC voltages 85−48039
Lucas, W., Schon, K., Hinken, J.H. A superconducting electron speed filter for establishing high DC voltages 85−58783
Lucas, W., Schon, K., Hinken, J.H. A superconducting electron speed filter for establishing high DC voltages 86−24622
Lucas, W.P. The history of film scanning in EMI 1930 to 1957 87−28754
Lucas, W.R. National space transportation systems planning 86−50661
Lucassen, F.H.R. *see* Butterweck, H.J. 87−10985
Lucassen, F.H.R. *see* Driessen, F.P.G. 88−34193
Lucassen, J.M. *see* Gifford, D.K. 85−52465
Lucat, C. *see* Kayer, P. 87−14307
Luccaroni, A. Technical innovation in uninterruptible power supplies−the present and the future 86−56845
Luccaroni, A., Cinti, U.S. Reliable operation of UPS in respect of EMI: EMC design specifications and test results 88−30857
Lucchesi, B.F. *see* Zmuda, E.I. 85−40407
Lucchesi, M. *see* Giulietti, D. 86−9943
Lucchesini, A. *see* Gentili, M. 88−57561
Lucchetti, R. On the continuity of the minima for a family of constrained optimization problems 86−34200
Lucchetti, R., Patrone, F. Closure and upper semicontinuity results in mathematical programming, Nash and economic equilibria 87−16522
Lucchi, G.A. New digital-RF technology aids airborne weather radar 85−4409
Lucchini, P. *see* Canton, G. 86−3829
Lucci, A. A strategy for migrating from private T1-based networks to ISDN 87−40244
Lucci, A. *see* Cardarelli, R. 88−22944
Luccio, A. Working group summary: new technologies [undulator magnets] 85−2373
Luccio, A. *see* Colella, R. 85−2179
Luccio, A. *see* Gover, A. 87−12510, 87−75151
Luccio, A. *see* Johnson, P.D. 88−47807
Luccio, A. *see* Kincaid, B.M. 85−2173
Luccio, A. *see* Vignola, G. 86−32136
Luccio, F. Access to rows and columns of a rectangular array in a concentric-loop bubble memory 86−36080
Luccio, F. *see* Bertolazzi, P. *(editor)* 86−19726
Luccioni, C. *see* Nguyen, V.D. 85−26810
Lucco, S. *see* Ackland, B. 87−46113
Lucco, S.E. *see* Ensor, J.R. 88−41240
Luce, G. *see* Balestrino, G. 88−11986
Luce, G. *see* Revellin, G. 85−20343
Luce, J. *see* Duvillier, T. 86−68505
Luce, P.A. *see* Pisoni, D.B. 85−63002
Luce, R.D. Goals, achievements, and limitations of modern fundamental measurement theory 88−60522
Luce, R.D., Narens, L. Measurement scales on the continuum 87−70346
Luce, R.E. IRVING: interfacing dissimilar systems at the local level 85−36744
Lucente, M., Carter, G.M., Fujimoto, J.G. Nonlinear mixing and phase conjugation in broad-area diode lasers 88−72397
Luceri, R.M., Castellanos, A., Myerburg, R.J. Implantable devices for the treatment of cardiac arrhythmias 87−21665
Lucero, A. Computerized vibration monitoring systems 86−5014
Lucero, A. *see* Carlson, D. 87−15853
Lucero, A.J., Tkach, R.W., Derosier, R.M. Distortion of the frequency modulation spectra of semiconductor lasers by weak optical feedback 88−40201
Lucero, D.P. A dynamic gas sampler/analyzer system for geopressured aquifer logging 85−4424
Lucero, E. *see* Carney, B. 88−63681
Lucero, J. *see* Amano, M. 87−18781
Lucero, J. *see* Elston, G. 87−18782
Lucero, J.P., Zerwekh, W.D. Cineradiography 88−54455
Lucewicz, J. Education of engineers at the Wroclaw Technical University in the opinion of the electrical faculty graduates 85−5691
Lucey, D. *see* Mar, J. 87−38463
Lucey, D.J. *see* Mar, J. 88−13480
Lucey, G.K. Tri-service soldering technology thrusts 88−12831
Lucey, J.W. *see* Miller, T. 85−33043
Lucey, P.J. A statistical vibration meter for machine fault detection 85−14735
Lucey, R.F. *see* Pasour, J.A. 85−7466
Lucey, R.F., Jr., Gilgenbach, R.M., Tucker, J.E., Brake, M.L., Enloe, C.L., Repetti, T.E. Time dependence of microsecond intense electron beam transport in gases 88−54202
Lucey, R.F., Jr *see* Gilgenbach, R.M. 87−17602
Luchaco, D.G. Practical design considerations for the successful application of clamp type transient suppressors 87−44566
Luchan, L. *see* Alekseev, G.D. 86−44589
Luchan, L. *see* Kuptsov, A.V. 85−9084
Luchanin, I.S. *see* Shmorgun, E.I. 86−50139, 88−36121
Luchaninov, A.I., Tokarskii, P.L. Determination of the parameters of a system of radiators for a matrix description of an antenna array 85−13381
Luchaninov, A.I. *see* Gladkoskok, I.D. 85−33621
Luchanskaya, Kh.I., Khevrolin, V.Ya. Sets of orthogonal signals having optimum correlation functions 85−7784
Luchanskaya, Kh.I., Khevrolin, V.Ya. Synthesis of phase-coded signals with an ideal cross-correlation function 86−29898
Luchanskaya, Kh.I., Khevrolin, V.Ya. A regular method of synthesizing pairs of minimax binary phase-shift keyed signals 86−29909
Luchanskii, A.E., Martynov, S.S., Khrunov, V.S., Chekhlaev, V.A. Detector assembly with a diamond detector for recording neutrons 88−54389
Luches, A., Nassisi, V., Perrone, M.R. Performance study of the KrCl discharge laser with liquid chlorine donors 85−24459
Luches, A., Nassisi, V., Perrone, M.R. Moveable Faraday cup for high-intensity electron beam pulses 85−52951
Luches, A., Nassisi, V., Perrone, M.R. Determination of the unsaturated losses and of the saturation intensity in the KrCl excimer laser 86−54073
Luches, A., Nassisi, V., Perrone, M.R. Output characteristics of an excimer laser with delayed double preionisation 87−68340
Luches, A., Nassisi, V., Perrone, M.R. Experimental studies of the Stimulated Raman Scattering in H_2-Ar mixtures 88−20754
Luches, A., Nassisi, V., Perrone, M.R. Linear coil for measuring fast distributed pulsed current 88−36172
Luches, A., Nassisi, V., Perrone, M.R. Improved conversion efficiency to the first Stokes at high energy excimer laser pulses 88−40145
Luches, A., Nassisi, V., Perrone, M.R. Improved conversion efficiency of XeCl radiation to the first Stokes at high pump energy 88−72395
Luches, A. *see* Armandillo, E. 85−24438, 85−24460, 85−51122, 86−22529
Luches, A. *see* Craciun, V. 88−39250
Luches, A. *see* D'Anna, E. 85−50285, 85−52960, 86−15015, 86−41600, 88−1520
Luchet, M.O. *see* Kutateladze, S.S. 86−33297
Luchetta, A. *see* Schmidt, V. 88−67704
Luchini, P. On the optimal profile of a tapered undulator 85−59045
Luchini, P. Comments, with reply, on 'Effect of the radiation force on free-electron laser gain' by B.W.J. McNeil and W.J. Firth 87−33219
Luchini, P. More on optical guiding in an FEL 87−75212
Luchini, P., Motz, H. Gain-induced reflection can be used for a high power X-ray laser 86−63837
Luchini, P., Solimeno, S. Three-dimensional description of free electron lasers: preliminary results 85−56687
Luchini, P., Solimeno, S. Gain and mode-coupling in a three-dimensional free-electron laser: a generalization of Madey's theorem 86−3206
Luchini, P., Solimeno, S. Optical guiding in an FEL 87−2196
Luchinin, A.G., Nisinovich, G.S., Flyagin, V.A., Shishkin, B.V. Emission characteristics of gyrotrons with pulsed solenoids 85−50147
Luchinin, A.G., Nusinovich, G.S. An estimate of the efficiency of quasioptical gyrotrons 87−45508
Luchinin, A.G. *see* Verkhovskii, S.Ya. 86−14059
Luchinin, A.S. Development of low-noise bipolar-transistor oscillators 88−18972
Luchinin, A.S., Ermolina, G.V. Calculation of the parameters of bipolar transmissions under nonlinear conditions at high frequencies 86−53601
Luchinin, V.V., Tairov, Yu.M. Heteroepitaxial composite with the rare 2*H* polytype of silicon carbide on an aluminium-nitride-sapphire insulating substrate 85−49571
Luchino, A.I. Individual quality estimation and reliability forecasting by informative parameters 88−56062

Luchinskii, A.V. *see* El'chaninov, A.S. 86–57721
Luchinskii, D.G. *see* Bakiev, A.A. 88–26913
Luchinsky, D.G. *see* Golubev, G.P. 88–2371
Luchka, A.Yu., Noshchenko, O.E., Sergienko, I.V., Tukalevskaya, N.I. Parallel organization of calculations in solving linear equations by projection-iteration methods 85–60881
Luchkin, V.G., Margulova, T.Kh. Cleaning the blowdown water of the steam generators of nuclear power stations with VVER-440 reactors under conditions of treatment with chelating agents 87–42590
Luchkin, V.G. *see* Balaban-Irmenin, Yu.V. 85–4783
Luchkin, V.G. *see* Monakhov, A.S. 85–15739
Luchkin, V.G. *see* Zverev, V.A. 85–48703
Luchko, A.A., Smirnov, R.E., Garshin, P.A. Determining amounts of gases and liquids with throttle devices [flow measurement] 88–10168
Luchko, G.I. *see* Kozlov, V.A. 88–69453
Luchko, M.V. Designing asynchronous JK-trigger based on NOR-gates 87–31809
Luchko, S.V., Anikin, V.Ya. Comment on 'investigation of a voltage stabiliser stability with pulse width modulation' 86–729
Luchko, S.V., Komirnyi, G.A. Approximate evaluation of stationary error in pulse-width systems 87–27143
Luchko, S.V., Shaimardanov, A.M. Periodic modes in nonlinear discrete systems 88–59005
Luchkov, V.G. *see* Shakhgil'dyan, V.V. 86–34596
Luchnikov, A.V. *see* Dianov, E.M. 88–58690
Luchnikov, A.V. *see* Karasik, A.Ya. 86–9955
Luchsinger, H. *see* Seifritz, W. 85–38681, 86–45176
Luchsinger, V.P., Van Blois, J. Spinoffs from military technology: past and future 88–54817
Lucht, H., Jager, E., Schmidt, H., Jupner, H.J. Temporal disperse sensor tube TDS, a new streak tube with an array of silicon diodes 85–48022
Lucht, P. Variable-resolution rendering system extends TV animation graphics to film and print media 88–15801
Lucht, P. *see* Putnam, L.K. 88–66684
Luchtmeyer, R.C.C. *see* Spaanenburg, L. 86–21833
Luchuk, A.M. Interpolational estimation of the information content of raster display images 86–54532
Luchuk, A.M. Suboptimal nonuniform codes for excluding redundant messages 87–19386
Luchuk, A.M., Malinovskiy, L.B. Hierarchical codes 88–72736
Luchuk, V.F. *see* Novikov, Yu.D. 85–65256
Luci, C. *see* Chen, H.S. 88–74765
Lucia, F.C.De *see* De Lucia, F.C.
Luciani, A. *see* Cadoz, C. 85–20425
Luciani, D.M. *see* Heising, C.D. 87–36549
Luciani, J.C. *see* Cosentino, L.A. 88–56688
Luciano, A.M., Savastano, M. High accuracy multiplier employing digital to analog converters 85–37552
Luciano, A.M., Savastano, M. Noise in electronically compensated current transformers 88–12646
Luciano, I. ESD susceptibility of mechanical structures for EDP peripheral printers 86–3579
Luciano, M. *see* Douse, R. 85–55741
Luciano, M. *see* Ryan, J.G. 86–21449
Lucic, G. Schedules for construction of electric power plants 85–65015
Lucic, H. Software structure of the switching system ASB 501 88–3728
Lucidarme, J., Rioux, C., Pouillange, J. Permanent magnet, variable reluctance discoid motors: high specific torques at low speeds 87–64562
Lucidarme, J. *see* Bastos, J.P. 85–43962, 86–6709
Lucidarme, J. *see* Goyet, R. 86–6713, 87–51180, 88–69813
Lucidarme, J. *see* Matt, D. 88–30741
Lucidi, S. A new result in the theory and computation of the least-norm solution of a linear program 88–6379
Lucidi, S. *see* Grippo, L. 88–31659
Lucier, B.J. A moving mesh numerical method for hyperbolic conservation laws 86–34248
Lucier, B.J. On nonlocal monotone difference schemes for scalar conservation laws 86–66788
Lucier, E., Dieudonne, J.E. Mode-S data link: characteristics, capacity, and applications 87–40774
Lucier, M. *see* Imbriale, W.A. 85–13294
Lucier, R.D. Infrared thermography as a predictive maintenance tool 87–14168
Lucier, R.D. Nonproblems in power plant—a primer on correct diagnosis 88–5420
Lucifredi, A., Ravina, E., Repetto, F. The solar dynamic power system concept: terrestrial experiences and their extension to space applications 88–5098
Lucinio, R. *see* Gunn, J.E. 88–4465
Lucinski, P. *see* Kowalski, K. 88–36018
Lucioni, G. Alternative method to magnitude truncation in wave digital filters 87–32016
Lucioni, G. General processor application; CAD tool for filter design 87–45118
Lucisano, J.Y., Armour, J.C., Gough, D.A. Fabrication of a two-dimensional glucose sensor 85–38028
Lucius, C.E., Waggoner, D.G. Targeting systems characterization facility 87–14176
Lucius, J.L. *see* Weisbion, C.R. 85–53478
Luck, C.A. *see* Bhatt, A.P. 85–34375
Luck, H.B. On tree initiation and propagation in electrochemical etching of particle tracks 86–50401
Luck, J.M. *see* Lawson, K.D. 85–4467
Luck, R.L. Using PIPE for inspection applications 87–77179
Luck, W. *see* Kramer, D. 87–3866
Lucka, M., Creutzburg, R., Grundmann, H.-J., Vajtersic, M. Parallel SIMD convolution using the Fermat number transform 88–14736
Lucke, D. Came, saw, coal. Environmentally kind and efficient 70 t/h, coal-fired industrial heat station 85–48833
Lucke, F. The wind power promotion company. The work ranges and tasks 88–11157
Lucke, F. Together they are strong [wind parks] 88–55253
Luckemeyer, T., Franke, H. Profiles in volume phase holograms in Cp_2TiCl_2:PMMA 88–58700
Luckens, M.M. Remote sensing in the location and determination of hazardous wastes 85–4502
Luckerath, R. *see* Balk, P. 88–12001
Luckerath, R. *see* Grundmann, D. 88–56274
Luckevich, L.M. *see* Ellison, W. 85–4897
Luckham, D., Stanculescu, A., Huh, Y., Ghosh, S. The semantics of timing constructs in hardware description languages 87–36913
Luckham, D.C. *see* Augustin, L.M. 88–26447
Luckock, L. Experimental design for photoresist characterization 88–19877
Luckscheiter, K.F. *see* Gallaway, W.D. 88–60261
Lucky, R.W. Displays in the home of the future—the search for realism in fantasy 85–14657
Lucky, R.W. Future prospects in communications 88–41155
Lucock, R. *see* Bene, P. 88–56532
Lucock, R. *see* Bonesini, M. 88–23001, 88–29823, 88–61141
Lucovsky, G., Richard, P.D., Tsu, D.V., Markunas, R.J. Deposition of thin insulating films by plasma enhanced CVD 87–5481
Lucovsky, G., Tsu, D.V. Deposition of silicon oxide, nitride and oxynitride thin films by remote plasma enhanced chemical vapor deposition 87–44380
Lucovsky, G., Tsu, D.V. Deposition of silicon-based dielectrics by remote plasma-enhanced chemical vapor deposition 88–31842
Lucovsky, G., Tsu, D.V., Markunas, R.J. Deposition of dielectric films by remote plasma enhanced CVD 87–16694
Lucovsky, G. *see* Azarbayejani, G.H. 85–55439
Lucovsky, G. *see* Cook, J.W., Jr. 88–2124
Lucovsky, G. *see* Kim, S.S. 88–63364
Lucovsky, G. *see* Parsons, G.N. 86–62250, 88–1342, 88–24771, 88–45281, 88–71298
Lucovsky, G. *see* Richard, P.D. 85–54509, 86–26888
Lucovsky, G. *see* Rudder, R.A. 85–7303, 86–27928, 86–58824
Lucovsky, G. *see* Tsu, D.V. 86–62252, 88–43944
Lucovsky, G. *see* Joannopoulos, J.D. *(editor)* 85–22149
Luczak, M. Migrating from T1 to the ISDN primary rate 88–67107
Luczkiewicz, A. *see* Kalinowski, T. 88–75082, 88–75084
Luczkow, W. *see* Merriam, S. 86–27683
Ludbey, F.C. *see* Green, R. 85–64733
Ludbrook, A. Harmonic filters for notch reduction 87–37438
Ludbrook, A., Ehsani, M. Burndown prevention in static power converter equipment 88–30911
Luddeke, U. *see* Sax, H. 87–58430
Ludden, L.L. *see* Barrett, R.A. 88–24444
Ludek, K. Canonical labeling of regular graphs in linear average time 88–11877
Ludeke, K.M. *see* Bomsdorf, H. 85–9165
Ludeke, R., Hughes, G., Drube, W., Schaffler, F., Himpsel, F.J., Rieger, D., Straub, D., Landgren, G. An impurity model for the Schottky barrier. Transition metals on III-V compound semiconductors 88–19736
Ludeke, R. *see* Hughes, G. 86–2048
Ludeke, R. *see* Landgren, G. 85–12192
Ludeke, R. *see* Schaffler, F. 88–13016
Ludeking, L. *see* Thomas, G.E. 86–47234
Ludeking, L.D., Thomas, G.E., Bollen, W.M. Simulation and analysis of reentrant planar magnetron 88–38992
Ludeman, L.C. *see* Mayorga, M.A. 87–62086
Ludemann, C.A. *see* Jones, C.M. 86–38627, 88–47754
Ludemann, C.A. *see* Olsen, D.K. 87–56948
Ludemann, G. A CCD design board for the customized design of a high-resolution monochromatic camera 88–60414
Ludemann, J., Muhlhauser, H. Variable and constant pressure operation in conventional steam power stations with reheat 85–9701
Luder, C.B., Barber, P.J. Redundant color coding on airborne CRT displays 85–15374
Luder, E. Linear digital signal processing with coefficients represented by sums of products 86–62726
Luder, E. Polycrystalline silicon-based sensors 87–29096
Luder, E. *see* Eckstein, T. 86–66935
Luder, E. *see* Griep, S. 88–26297
Luder, E. *see* Haase, J. 86–62727
Luderer, G.W.R. Architecture of the AT&T No.1 Packet Switching System 86–43678
Luderer, G.W.R., Mansell, J.J., Messerli, E.J., Staehler, R.E., Vaidya, A.K. Wideband packet technology for switching systems 87–76140
Luderer, G.W.R. *see* Kapauan, A.A. 87–40207
Luderer, G.W.R. *see* Leung, W.H. 88–59711
Luderer, G.W.R. *see* Wernik, M. 88–59839
Luders, D. *see* Hartmann, H.-L. 87–49229
Luders, H. *see* Morris, H.H., III 86–50568
Luders, K. *see* Funaki, K. 85–29486, 87–46406
Luders, K. *see* Irie, F. 85–41047
Ludes, R., Schlenk, K.W. Magnetic materials in precision engineering—exemplified by large matrix display systems 86–47971
Ludewig, H., Yu, W.S., Jaung, R., Pratt, W.T. An evaluation of containment failure modes and fission product releases during core meltdown accidents in a BWR with a Mark III containment 85–43751
Ludewig, H. *see* Horn, F.L. 87–42160
Ludewig, J. *see* Mehran, R. 85–6517
Ludewigt, B. *see* Albrecht, R. 86–44563
Ludewigt, K., Dierking, R., Pfingsten, W., Wellegehausen, B. Vacuum ultraviolet anti-Stokes Raman lasers 87–12360
Ludewigt, K., Pfingsten, W., Mohlmann, C., Wellegehausen, B. High-power vacuum-ultraviolet anti-Stokes Raman laser with atomic selenium 87–26314
Ludewigt, K., Schmidt, H., Dierking, R., Wellegehausen, B. Vacuum-ultraviolet anti-Stokes Raman laser with atomic selenium 86–22316
Ludewigt, K. *see* Korkel, D. 86–42629
Ludewigt, K. *see* Schmidt, H. 88–58502
Ludewigt, K. *see* Wellegahausen, B. 88–33916
Ludewigt, K. *see* Wellegehausen, B. 85–51121, 87–7430, 88–40344
Ludewigt, K. *see* Welling, H. 87–7444
Ludgate, G.A. *see* Dubois, R. 86–50321
Ludge, W., Gips, P. A new method for microprocessor-based real-time measurement of pitch detection on speech signals 87–3535
Ludge, W., Schneider, W., Bomm, H. Modular Fourier analyzer MFA 100 86–11507
Ludge, W. *see* Becker, W. 87–77185
Ludi, H. *see* Czeratzki, A. 86–51241
Ludikhuize, A.W. A versatile 250/300-V IC process for analog and switching applications 87–32601
Ludikov, V.V. *see* Belyaev, V.K. 88–64035
Ludington, C.E. *see* Davies, D.E. 86–41515
Ludington, C.E. *see* Pellegrini, P.W. 88–29408
Ludke, N., Kubig, E. Test and simulation system for the electronic signal box 88–18174
Ludke, S. *see* Noujaim, S.E. 87–59687
Ludlam, T. RHIC and quark matter: a proposed heavy ion collider at Brookhaven national laboratory 85–64380
Ludlam, T.W., Samios, N.P. The relativistic heavy ion collider project: a status report 88–61004
Ludlam, T.W. *see* Beuttenmuller, R. 86–56035, 87–21437
Ludlam, T.W. *see* Beuttenmuller, R.H. 87–29554
Ludloff, A., Minker, M. Reliability of velocity measurement by MTD radar 85–59408
Ludlow, C.G. *see* Birks, A.W. 85–20617
Ludlow, P., Furse, W.J. Ensuring earthing is for life needs care 85–27094
Ludman, J.E., Javidi, B., Yu, F.T.S., Caulfield, H.J., Warde, C. Real-time color-pattern recognition 85–13588
Ludman, J.E. *see* Bradbury, R. 87–12632, 87–68660
Ludman, J.E. *see* Caulfield, H.J. 87–7805, 88–27329
Ludman, J.E. *see* Francis, T.S.Yu. 86–65153
Ludman, J.E. *see* Javidi, B. 88–46145, 88–58276
Ludman, J.E. *see* Yu, F.T.S. 85–57448, 86–59336
Ludmirsky, A. A new nonheated copper vapor laser 85–12779
Ludmirsky, A., Givon, M., Eliezer, S., Gazit, Y., Jackel, S., Krumbein, A., Szichman, H. Electro-optical measurements of high potentials in laser produced plasmas with fast time resolution 85–12655
Ludmirsky, A. *see* Jackel, S. 87–39040
Ludmirsky, A. *see* Zigler, A. 86–50247
Ludolf, W. Light wave conductor systems for local signal transmission. I 87–40888
Ludolf, W. Optical fibre cable systems for local data transmission. II 87–49041
Ludolf, W.S. Optical transmission systems for industrial application 86–11070

Ludolf, W.S. Connectors, analogue and digital transmission. IV 88−45075
Ludolf, W.S. Mixed networks as an optimal solution 88−59661
Ludolf, W.S. Power balance in optical transmission lines 88−60142
Ludolf, W.S. Optical data links for analogue and digital applications. 7. Analogue transmission 88−67359
Ludolf, W.S. Connections, analogue and digital transmission, networks. 6. Analogue transmission 88−73911
Ludolf, W.S., Schenkyr, R. Optical experimenting systems−practical introduction to optical communications technique 85−3453
Ludolf, W.S., Schenkyr, R. Optical components improve power characteristics in local networks 87−34115
Ludolph, D., Kesler, L., Karnes, D. VHSIC processor real-time multimode image tracker 88−53369
Ludorf, R.P. *see* Chakravarthi, K.R. 88−10884
Ludorf, R.P. *see* Lauby, M.G. 86−6251
Ludowise, M.J. Metalorganic chemical vapor deposition of III-V semiconductors 86−7834
Ludowise, M.J. *see* Lewis, C.R. 85−395, 85−33449
Ludtke, W. A time-proportional programmable temperature regulator 86−67437
Ludu, A., Nicolau, P., Novac, B. Shock wave-explosive energy generator of PZT ferroelectric ceramics 88−49057
Ludu, A., Zoita, V., Novac, B., Zambreanu, V. Physical and technological switching problems for a plasma focus device with inductive storage 87−43486
Ludu, A. *see* Novac, B. 87−43262
Ludu, A. *see* Ursu, I. 87−43264, 88−49059
Ludu, A. *see* Zoita, V. 87−43263
Ludvig, G., Szabo, Z. Examination of short-circuit forces on multiple conductor strain buses used in substations 86−51743
Ludvig, G., Szabo, Z. Short-circuit current tests on multiple conductor strain buses used in 400 kV substations 88−55574
Ludvigson, M.T., Milton, K.L. High speed bus for Pave Pillar applications 86−12089
Ludwiczak, B. *see* Goral, A. 86−66681
Ludwig, A.C. Curved array pattern synthesis 86−42936
Ludwig, A.C. Curved aperture pattern distortion 86−48658
Ludwig, A.C. A comparison of spherical wave boundary value matching versus integral equations scattering solution for a perfectly conducting body 86−68692
Ludwig, A.C. Wire grid modeling of surfaces 88−14473
Ludwig, A.C. Comments on the accuracy of the 'Ludwig' integration algorithm 88−66031
Ludwig, B. *see* Vondenbusch, B. 87−21580
Ludwig, B.W. *see* Rix, L.G. 87−16421
Ludwig, D. Connection of the rail passenger traffic of a tramway enterprise and the German Federal Railway using the example of the Karlsruhe area 86−26354
Ludwig, E.J. *see* Teh, K.M. 87−35355
Ludwig, E.J. *see* Wilkerson, J.F. 87−70963
Ludwig, G., Brendel, K. Calibration of hydrophones based on reciprocity and time delay spectrometry 88−54794
Ludwig, G., Schneider, W., Wiesener, K. Electrochemical behaviour of lead oxides in aprotic organic electrolyte solutions 88−5830
Ludwig, G.O. *see* Barroso, J.J. 87−24685
Ludwig, H., Krusche, G. Multimeter G-1004.500 86−5361
Ludwig, H. *see* Bosterling, W. 86−56851
Ludwig, H. *see* Campello, M.N. 88−26234
Ludwig, J. Alterable gate arrangements relieve microprocessors 88−19028
Ludwig, J. *see* Bittner, S. 87−29456
Ludwig, J. *see* Fischer, H.M. 87−21417
Ludwig, L. *see* Fawaz, A. 87−20044
Ludwig, L.F. A threaded/flow approach to reconfigurable distributed systems and service primitives architectures 88−59610
Ludwig, L.F., Dunn, D.F. Laboratory for emulation and study of integrated and coordinated media communication 88−59741
Ludwig, M., Heymann, G., Janietz, P. Ruthenium-induced surface states on *n*-GaAs surfaces 86−53449
Ludwig, M. *see* Siegfriedt, W.E. 86−33096
Ludwig, M.D. *see* Decker, S.L. 87−34854
Ludwig, M.L. *see* Acarlar, M.S. 88−67430
Ludwig, P. Statistical evaluation with a logic analyser. A means of analysing software performance 87−49605
Ludwig, P., Sonntag, M. Gate array design for a protective circuit employed in the Merchant Marine 86−20185
Ludwig, P. *see* Delaunay, M. 87−50108
Ludwig, P. *see* Geller, R. 88−74699
Ludwig, P. *see* Schwarz, R. 88−12495
Ludwig, P. *see* Sortais, P. 88−74720
Ludwig, P.A. *see* Fertsch, M.T. 86−68009
Ludwig, R., Kastner, K., Kukla, R., Mayr, M. High rate sputtering of CoCr with large scale magnetrons−dependence of magnetic properties on sputtering parameters 87−46309
Ludwig, R., Kostner, R. Automatic testing methods for analogue objects of diagnosis 86−19827
Ludwig, R., Kostner, R. Testing of analogue-to-digital converters with ramp stimuli 87−73505
Ludwig, R., Lord, W. A finite-element study of ultrasonic wave propagation and scattering in an aluminum block 88−24840
Ludwig, R. *see* Braun, R.-P. 87−28595, 88−67424
Ludwig, R. *see* Gross Kopf, G. 88−67358
Ludwig, R. *see* Grosskope, G. 86−69769
Ludwig, R. *see* Grosskopf, G. 87−33163, 88−15456, 88−27141, 88−34102, 88−47037, 88−47128, 88−65729
Ludwig, R. *see* Mayr, M. 87−46354, 88−43927
Ludwig, R. *see* Roberti, D. 88−61681
Ludwig, R.A. *see* Jasentuliyana, N. 85−48892
Ludwigsen, A.P. *see* Kunz, K.S. 87−37612, 87−58654
Ludwin, W. Assessment of a class of digital systems of information transmission with error correcting codes 86−48753
Ludzskaya, T.A. *see* Grishakov, S.V. 87−10538
Lue, H., Manry, M.T. Efficient calculation of signal and noise variances 87−7730
Lue, H.-C., Manry, M.T. Fast estimation of signal and noise variance 86−3926
Lue, J.T., Tzeng, C.-C. Transient photoconductivity measurements of amorphous semiconductors by subnanosecond nitrogen lasers 87−14459
Lue, J.T. *see* Lin, J.L. 86−28138, 86−47449, 87−11595
Lue, J.T. *see* Sun, C.J. 88−34109
Lue, J.T. *see* Yang, C.B. 86−21362, 86−28111
Lue, J.W., Brown, R.L., Miller, J.R. Preliminary design and test of a superconducting Advanced Toroidal Facility magnet 85−1903
Lue, J.W., Dresner, L., Fehling, D.T., Lubell, M.S., Luton, J.N., McManamy, T.J., Shen, S.S., Wilson, C.T., Witenberg, R.E. Hot-spot measurement on the US-LCT coils in the IFSMTF 88−65100
Lue, J.W., Dresner, L., Koizumi, K., Lubell, M.S., Luton, J.N., Shen, S.S., Zahn, G.R., Zichy, J.A. Partial-array test results in IFSMTF 86−28752
Lue, J.W., Dresner, L., Lubell, M.S., Luton, J.N., McManamy, T.J., Shen, S.S. Preliminary results of the US pool-boiling coils from the IFSMTF full-array tests 87−67973
Lue, J.W., Fehling, D.T., Fietz, W.A., Lubell, M.S., Luton, J.N., Schwenterly, S.W., Shen, S.S., Stamps, R.E., Thompson, D.H., Wilson, C.T., Kato, T. Operating experience of the IFSMTF vapor-cooled lead system 88−45031
Lue, J.W. *see* Dresner, L. 87−67976, 88−65032
Lue, J.W. *see* Haubenreich, P.N. 87−67987
Lue, J.W. *see* Jacob, K. 85−1892
Lue, J.W. *see* Lubell, M.S. 88−13773, 88−65028
Lue, J.W. *see* Luton, J.N. 85−56230, 86−48061
Lue, J.W. *see* McManamy, T.J. 85−56243
Lue, J.W. *see* Okuno, K. 88−65029
Lue, J.W. *see* Shen, S.S. 87−67971, 88−65033, 88−65106
Lue, K.-M., Kelly, A.J. Quadrupole mass spectrometer measurements of electrostatic sprays 88−34230
Lue, W., McNamee, L.P. PLAY: pattern-based symbolic cell layout. I. Transistor placement 87−65727
Lue, X. *see* Anderhub, H. 87−21420, 88−22984, 88−29843
Lue Juh Tzeng *see* Juh Tzeng Lue
Lue Juh-Tzeng *see* Juh-Tzeng Lue
Lue Shan-wei, Ren Ji-shi, Fang Yin Study of coupling properties of slotted antenna in a rectangular waveguide 86−16027
Luebben, T. *see* Vetters, H.R. 86−20148
Luebbers, R.J. Propagation prediction for hilly terrain using GTD wedge diffraction 85−2528
Luebbers, R.J. Prediction of wide-bandwidth radio transmission loss over irregular terrain 86−68775
Luebelsmegen, K. *see* Chen, M. 88−74764
Luebelsmeyer, K. *see* Chen, M. 88−42430
Luebke, C.R. *see* Frank, J.M. 87−42528
Luechinger, H. *see* Kaneshiro, R.T. 88−50878
Luechinger, H. *see* Lin, B.J.F. 87−32720
Lueck, R.G. *see* Osborn, T.R. 87−71376
Luecke, H., Reynolds, R. Designing transmission equipment for the Australian environment 88−28222
Lueckenotte, D.L. *see* Kaltenbach, R.P. 86−61395
Lueckert, K.M. A local government makes telecom central to its planning 87−69455
Lueder, E. Digital filters without multipliers and a decreased number of additions 85−17739
Lueder, E. Fast digital signal processing without multipliers 85−33983
Lueder, E., Moersch, G., Kallfass, T., Koger, K. The addressing of light valves in a printer by high voltage TFTs and resistors with a large sheet resistance 86−2867
Lueder, E., Moersch, G., Kallfass, T., Koger, K. The addressing of light valves in a printer by high-voltage TFTs and resistors with a large sheet resistance 86−50169
Lueder, E. *see* Auer, E. 87−946
Lueder, E. *see* Moebus, D. 87−65628
Lueder, E. *see* Moersch, G. 85−20675
Lueder, E. *see* Spachmann, J. 88−16322
Lueder, R. Multi-service equipment for telephone and BTX 87−33933
Lueders, S.J. *see* Averweg, J.L. 86−30518
Luedtke, A.E., Woo, H.W., Kim, Y. Electrical impedance tomography for noninvasive detection of DVT in human calf 88−61378
Luedtke, W.D., Landman, U., Ribarsky, M.W., Barnett, R.N., Cleveland, C.L. Molecular-dynamics simulations of epitaxial crystal growth from the melt. II. Si(111) 88−38175
Luedtke, W.D. *see* Landman, U. 88−38174
Luegger, J. Deutsches Forschungsnetz−DTN−objectives, protocols, and usage of standards−with special emphasis on graphics communication 86−16739
Luehrmann, H.M. Design and reliability of high voltage substations−GIS versus conventional [switchgear] 86−6950
Luehrmann, H.M. *see* Habedank, U. 85−49050
Luehrmann, H.M. *see* Kugler, R. 85−27562
Luehrmann, H.M. *see* Kynast, E.E. 86−19426
Lueker, J. *see* Ableidinger, B. 85−31316
Luellau, F., Hoepken, T., Barke, E. A technology independent block extraction algorithm 85−520
Luen-Yuan Lin Sync separator flags odd fields 87−10742
Luengo, P., Huerta, C. WSA release shock loads [antenna] 87−12829
Luera, T.F., Kelly, J.G., Stein, H.J., Dawson, L.R., Lazo, M.S., Lee, C.E. Neutron damage equivalence for silicon, silicon dioxide, and gallium arsenide 88−26227
Luera, T.F. *see* Posey, L.D. 86−35890
Luerckenotte, D.L., Roberson, D.E. Multiplexing and distributed control for power station design 86−33106
Luers, D. *see* Braunschweig, W. 88−29874, 88−68282
Luesma, M.A.Lopez *see* Lopez Luesma, M.A.
Luesse, C., Van Alsten, J., Carson, G., Granick, S. Drive mechanism for a surface force apparatus 88−53894
Luessen, L.H. *see* Thompson, J.E. *(editor)* 86−57084
Luetchford, J. *see* Fung, K. 87−20071
Luetchford, J.C. CCITT recommendations−network aspect of the ISDN 86−16748
Luetchford, J.C. Advances in network standards for ISDN 87−27834
Luetchford, J.C. *see* Polanco, J.I. 86−64843
Luethje, H., Harms, M., Bruns, A., Mackens, U. Improved tungsten absorber technology for sub-half-micron X-ray lithography 88−26136
Luethje, H. *see* Mackens, U. 88−64445
Luetke, B. *see* Greinacher, C.F.C. 87−35404
Luetke-Daldrup, B. Comparison of exact and approximate finite-element solution of the two-dimensional nonlinear eddy-current problem with measurements 85−24723
Luetkemeyer, K., Hobson, G., Carpenter, C. Evaluation of segmentation techniques applied to prescreened areas of multi-sensor imagery 86−69193
Luetkemeyer, K. *see* Keller, J.M. 88−8820
Luettgen, M. *see* Malvar, H.S. 87−73334
Luff, G.F., Probert, P.J., Carroll, J.E. A real-time swept-frequency seven port reflectometer 85−15009
Luff, G.F., Probert, P.J., Carroll, J.E. Dual seven port automatic network analyser with real time swept-frequency response 87−21014
Luff, G.F., Probert, P.J., Carroll, J.E. Dual 7-port automatic network analyser with swept-frequency real-time response 87−63305
Luff, G.F., Probert, P.J., Carroll, J.E. New calibration method for a 7-port reflectometer 87−63502
Luff, L. SESC−automated signal source calibration facility 86−38248
Luft, A. Lasers in practice. I. Principles, application, and selection procedure 85−56467
Luft, A. Laser in practice. II 85−62697
Luft, A. Lasers in practice. IV 86−15817
Luft, A.R. He-Ne lasers for optical cable applications at 1523 nm 85−46305
Luft, B.D., Khusid, L.B., Yassen, M.L., Milyavskii, Yu.S. Chemical polishing of indium and gallium antimonides by solutions of the system H_2O_2-HF-lactic acid 86−28192
Luft, H. *see* Gobrecht, E. 88−5544, 88−11089, 88−37052
Luft, L. *see* Pietraszewski, D. 88−74070
Luft, R. *see* Poppl, S.J. 85−20920
Luft, W. High-rate deposition of hydrogenated amorphous silicon films and devices 88−37469
Luft, W., Lowry, T., Leach, J.W. Direct contact heat exchanger for phase change thermal storage 85−53862
Luft, W., Tsuo, S. Plasma deposition of hydrogenated amorphous silicon films 88−56286
Luft, W. *see* Bruce, W.E. 86−39624
Luft, W. *see* Sabisky, E. 87−9747

Luft, W. *see* Wallace, W. 88−37475

Luftman, H.S. *see* Garverick, L.M. 88−7286

Lugach, L.I., Talankin, L.P., Lysitsyn, V.V., Kazanskii, A.N., Lotsov, A.N., Serant, F.A., Bolychev, E.A., Tochilkin Sibtechenergo, V.N. Introducing low-quality coals from the western USSR on power stations 86−33036

Lugakov, P.F., Shusha, V.V. A model of nonequilibrium charge-carrier recombination in semiconductors containing nonuniformities 85−18043

Lugakov, P.F. *see* Filippov, I.M. 87−1180

Lugakov, P.F. *see* Kazakevich, L.A. 85−11904, 86−21089

Lugakov, P.F. *see* Kolkovskii, I.I. 87−17683

Luganina, N.M. A filter bank for wideband amplifiers 86−46590

Luganskaya, O.A. *see* Mandryka, O.R. 88−30730

Luganskii, L.B. Design of a solenoid with a prescribed magnetic field distribution 86−36673

Luganskii, L.B. Optimized Helmholtz coils 87−26629

Lugansky, L.B. A method of calculation of a solenoid producing a given magnetic field on its axis 85−51380

Lugansky, L.B. Optimal coils for producing uniform magnetic fields 87−39332

Lugaresi, A., Massa, A. Kaplan turbines: design trends in the last decade 88−55231

Lugasi, Y., Mehrez, A., Sinuany-Stern, Z. Nuclear power plant site selection: a case study 85−38737

Lugg, M.C. The analysis of sparse data in ACPD crack growth monitoring 88−49908

Lugg, M.C., Lewis, A.M., Michael, D.H., Collins, R. The non-contacting ACFM technique 88−43986

Lugiato, L.A. Optical bistability 86−29249

Lugiato, L.A., Asquini, M.L., Narducci, L.N. A new classification for optical instabilities 87−74957

Lugiato, L.A., Bandy, D.K., Dougherty, E.P., Narducci, L.M., Tredicce, J.R. The single-mode laser model: an improved approximation 87−12523

Lugiato, L.A., Bandy, D.K., Narducci, L.M., Tredicce, J.R., Sadiky, H., Abraham, N.B. Optical bistability and instabilities due to mode-mode competition in a homogeneously broadened ring laser 87−33242

Lugiato, L.A., Horowicz, R.J. Noise control in dispersive optical bistability 85−51269

Lugiato, L.A., Milani, M. Effects of Gaussian-beam averaging on laser instabilities 85−24633

Lugiato, L.A., Narducci, L.M. Single-mode and multimode instabilities in lasers and related optical systems 86−3005

Lugiato, L.A., Narducci, L.M., Bandy, D.K., Tredicce, J.R. Single-mode approximation in laser physics: a critique and a proposed improvement 86−29195

Lugiato, L.A., Narducci, L.M., Eschenazi, E.V., Bandy, D.K., Abraham, N.B. Multimode instabilities in a homogeneously broadened ring laser 86−3243

Lugiato, L.A., Narducci, L.M., Squicciarini, M.F. Exact linear stability analysis of the plane-wave Maxwell-Bloch equations for a ring laser 87−7409

Lugiato, L.A., Oldano, C., Narducci, L.M. Cooperative frequency locking and stationary spatial structures in lasers 88−51885

Lugiato, L.A., Oldano, C., Wang, K., Santirana, L., Narducci, L.M., Prati, F., Brambilla, M. Spatial and temporal instabilities in passive optical systems 88−65852

Lugiato, L.A., Prati, F., Bandy, D.K., Narducci, L.M., Ru, P., Tredicce, J.R. Low threshold instabilities in unidirectional ring lasers 88−2322

Lugiato, L.A., Prati, F., Narducci, L.M., Ru, P., Tredicce, J.R., Bandy, D.K. Role of transverse effects in laser instabilities 88−58607

Lugiato, L.A., Scully, M.O., Walther, H. Connection between microscopic and macroscopic maser theory 87−68315

Lugiato, L.A., Vadacchino, M., Castelli, F. Squeezed states in optical bistability 88−72413

Lugiato, L.A. *see* Abraham, N.B. 85−24425, 85−24603

Lugiato, L.A. *see* Bandy, D.K. 85−24604, 85−24609

Lugiato, L.A. *see* Broggi, G. 85−41493, 86−54181

Lugiato, L.A. *see* Narducci, L.M. 86−3006, 86−9719

Lugiato, L.A. *see* Ru, P. 87−75178

Lugiato, L.A. *see* Tredicce, J.R. 86−29191

Lugiewicz, Z. Open and co-operating information systems. I 87−69701

Lugiewicz, Z. Algorithms of numerical mathematical methods programmed in the computer language ALGOL 60. V 88−49763

Lugiewicz, Z. Open and co-operating information systems. I 88−52739

Lugiewicz, Z. Algorithm of mathematical numerical methods programmed in the computer language ALGOL 60. VI 88−56186

Lugiewicz, Z. Digital mathematical methods algorithms programmed in ALGOL 60 computer language. IV 88−63232

Lugiez, D. Fast Hensel's lifting implementation using partial fraction decomposition 86−40601

Lugiez, D. Multivariate polynomial factoring and detection of true factors 87−65279

Lugiez, F. *see* Renaud, J.C. 87−74940, 88−58395, 88−65496

Lugin, A.I., Rendzenyak, S.I., Stakhiv, P.G., Timovskii, A.K., Yavorskaya, M.I. An adaptive algorithm for calculation of dynamic conditions of the circuit with its division into parts 86−46442

Lugin, L.I., Poltavets, R.F., Khokhlova, A.N., Bychkov, N.S. Production of large ceramic articles of complex shape by high-temperature welding [electron accelerators fabrication] 87−56933

Lugina, A.S. *see* Bokut, B.V. 85−12963, 86−9969

Lugina, A.S. *see* Kazak, N.S. 86−48475, 86−54107

Luginbuhl, H.R. The significance of instruction courses for safety at work 88−31415

Luginbuhl, H.W. Electron beam lithography—a user's point of view 85−1468

Luginbuhl, P., Le Roux, A., Mollat du Jourdin, P. SYRACUSE, the French Military Satellite Communication System 86−59861

Luginin, V.D., Andryushov, G.N. Decca digital simulator of signals in the radio-navigational system 85−58249

Luginskii, Ya.N. *see* Isenov, E.M. 86−6596

Luginsky, Ja.N. *see* Iofiev, B.I. 86−50903

Luginsland, J. Field calculation in inhomogeneous rotational-symmetric gyrotron resonators 86−35267

Luginsland, J. *see* Doring, H. 87−24683

Luginsland, J. *see* Pattenpaul, E. 88−32437

Lugli, P. Monte Carlo studies of hot electrons 88−25887

Lugli, P., Ferry, D.K. Investigation of plasmon-induced losses in quasi-ballistic transport 85−23438

Lugli, P., Ferry, D.K. Electron-electron interaction and high field transport in Si 85−34460

Lugli, P., Ferry, D.K. Effect of electron-electron and electron-plasmon interactions on hot carrier transport in semiconductors 85−50177

Lugli, P., Ferry, D.K. Degeneracy in the ensemble Monte Carlo method for high-field transport in semiconductors 86−21130

Lugli, P., Ferry, D.K. Carrier-carrier interaction and picosecond phenomena in polar semiconductors 87−24791

Lugli, P., Grondin, R.O., Ferry, D.K. Noise considerations in submicron devices 85−34906

Lugli, P., Ravaioli, U., Ferry, D.K. Monte Carlo simulation of contacts in submicron devices 85−29035

Lugli, P., Reggiani, L. Electron-electron interaction effect on the spectral density of current fluctuations of hot electrons in Si 86−63029

Lugli, P., Reggiani, L., Jacoboni, C. Collision broadening and energy tails of hot-electron distribution function 86−67655

Lugli, P. *see* Bordone, P. 87−32227

Lugli, P. *see* Ferry, D.K. 87−11726

Lugli, P. *see* Goodnick, S.M. 87−24892, 87−74047

Lugli, P. *see* Osman, M.A. 87−46666

Lugli, P. *see* Ravaioli, U. 86−21479

Lugli, P. *see* Reggiani, L. 87−37861, 88−1337, 88−32744

Lugli, P. *see* Ricco, B. 87−46010

Lugli, P. *see* Rieger, M. 88−32810

Lugli, P. *see* Zanoni, E. 87−53517, 88−20152

Lugojanu, M. *see* Saal, C. 87−51220

Lugol, J.C. *see* Buenerd, M. 86−5842

Lugol, J.C. *see* Vorobyov, A.A. 88−68244

Lugovaya, G.Ya. *see* Gershenzon, E.M. 86−58227

Lugovoi, V.A., Trotsenko, V.P. Highly stable capacitive ultrasonic transducer 87−63388

Lugovoi, V.N. Tunnel generation and locking of new modes in an optical parametric oscillator 87−39212

Lugovskaya, Z.P. *see* Abakumov, A.A. 86−48250, 88−57291

Lugovskaya, Z.P. *see* Azimov, S.A. 86−14841

Lugovskii, G.S., Serdyukov, V.A. Measuring the unbalance of the moving mechanism of electrical measuring instruments 88−41964

Lugovskoi, V.I. Tasks of electric furnace construction in saving resources and increasing quality 85−65615

Lugovskoy, A.V. *see* Filimonov, Yu.A. 86−21974

Lugowski, A.M. A phase method generation of square-law SSB signals 86−69069

Lugowski, A.M. AM stereo and FM stereo detection: an implicit approach 87−7707

Lugowski, A.M. FMX-stereo. A proposal to improve the VHF-FM stereophonic broadcasting system 87−56323

Lugowski, A.M. A proposed stereophonic system for AM broadcasting 87−63109

Lugscheider, W. Plasma melting and metallurgical treatment in plasma furnaces 87−79235

Lugt, D.van der *see* van der Lugt, D.

Luguang Song *see* Song Luguang

Luguang Yan *see* Yan Luguang

Lugurng Zhao *see* Zhao Lugurng

Luh, H.H.S. A variable power dual mode network for reconfigurable shaped beam antenna 85−24996

Luh, H.H.S., Tsao, A.C.H. Null shift and beam squint in circularly polarized offset-reflector antenna 86−36805

Luh, H.H.S., Tsao, A.C.H. Null shift beam squint in circularly polarized offset-reflector antenna 86−43012

Luh, J.Y.S. *see* Enab, Y.M. 88−52559, 88−59256

Luh, P.B., Chang, T.S., Ning, T. Pricing problems with a continuum of customers as stochastic Stackelberg games 88−6357

Luh, P.B. *see* Bar-Shalom, Y. 88−28937

Luh, P.B. *see* Chang, S.-C. 85−9464

Luh, Y.S., Fejer, M.M., Byer, R.L., Feigelson, R.S. Stoichiometric $LiNbO_3$ single-crystal fibers for nonlinear optical applications 88−13810

Luhan, I. *see* Jakl, M. 87−56505

Luhandjula, M.K. Satisfying solutions for a possibilistic linear program 87−58813

Luhanga, M.L. Packet error probability for diversity systems in slow Rayleigh fading and Gaussian noise 86−59764

Luhanga, M.L. A fluid approximation model of an integrated packet voice and data multiplexer 88−53029

Luhanga, M.L., Stern, T.E. Analytical modelling of small packet voice systems 86−4080

Luhman, N.C., Jr. *see* McDermott, D.B. 88−27005

Luhmann, H.J. *see* Wagner, R. 87−12844

Luhmann, M.C., Jr. *see* Furuno, D.S. 88−64191

Luhmann, N.C. *see* Furuno, D.S. 85−55382

Luhmann, N.C. *see* Lam, W.W. 86−35047

Luhmann, N.C., Jr *see* Batelaan, P.D. 88−41777

Luhmann, N.C., Jr. *see* Chu, K.R. 86−21028

Luhmann, N.C., Jr. *see* Furuno, D.S. 86−47242, 87−53124, 88−25820, 88−25838, 88−39016

Luhmann, N.C., Jr. *see* Howard, J. 87−19171

Luhmann, N.C., Jr. *see* Hwu, R.J. 88−71077

Luhmann, N.C., Jr. *see* Lam, W.W. 88−1018, 88−50366

Luhmann, N.C., Jr. *see* Lehecka, T. 87−7268, 88−33924

Luhmann, N.C., Jr. *see* Leou, K.C. 88−27193

Luhmann, N.C., Jr. *see* Lin, A.T. 88−27002

Luhmann, N.C., Jr. *see* McDermott, D.B. 85−6646, 85−18021, 85−23320, 86−48452, 87−46736, 88−27210

Luhmann, N.C., Jr. *see* Rebeiz, G.M. 88−2884, 88−21025, 88−27664

Luhmann, N.C., Jr. *see* Tong, P.P. 85−20508

Luhmann, N.C., Jr. *see* Wang, Q.S. 88−27000, 88−39017

Luhn, A. *see* Dengel, A. 88−52573

Luhn, H.E. *see* Rishton, S.A. 88−39716

Luhn, K. *see* Nagornov, V.N. 87−64217

Luhn, R. The ups and downs of bubble memory 85−18592

Luhn, R. The organization LAN 85−52072

Luhning, J. *see* Arendt, F. 86−27639

Luhning, J. *see* Malavasi, G. 87−67986

Luhning, J. *see* Schneider, U. 88−68306

Luhr, H., Klocker, N., Oelschlagel, W., Hasler, B., Acuna, M. The IRM fluxgate magnetometer 85−53166

Luhr, H. *see* Buchert, S. 88−53347

Luhr, H. *see* Todd, H. 88−53351

Luhr, P. *see* Abbe, M. 85−53638

Luhs, W., Struve, B., Litfin, G. Tunable multiline HeNe laser 87−38990

Luhs, W. *see* Fuhrberg, P. 88−65798

Luhs, W. *see* Krokel, D. 85−51081

Luhs, W. *see* Struve, B. 88−33941, 88−33981

Lui, A.T.Y. *see* McEntire, R.W. 85−53161

Lui, C.Y. *see* Ng, K.L. 88−16503

Lui, G.L., Tan, H.H. Frame synchronization for direct-detection optical communication systems 86−43110

Lui, G.L., Tan, H.H. On joint symbol and frame synchronization for direct-detection optical communication systems 87−40895

Lui, G.L., Tan, H.H. Frame synchronization for Gaussian channels 87−75686

Lui, I. *see* Marshburn, T. 87−5623

Lui, J. *see* Barber, G. 87−29555

Lui, P. *see* McEuen, A.H. 86−32025

Lui, P.K., Muzio, J.C. Spectral signature testing of multiple stuck-at faults in irredundant combinational networks 87−10811

Lui, P.K. *see* Aitken, R.C. 87−16976

Lui, P.L., Rawlins, A.D., Watts, D.W. Measurement of intermodulation products generated by structural components 88−66099

Lui, W.-L. *see* Debany, W.H., Jr. 86−57571

Lui, W.W. *see* Fukuma, M. 87−45937

Lui, Y.C. *see* Kwan, H.K. 87−19792, 87−62148

Lui Chengan, Tang Naixun, Feng Xizhang Fitting efficiency curve of gamma-ray spectrometric instrument by splines 85−43311

Lui Jian *see* Huang Guoxiang 88−21073

Lui Jiarui *see* Zhao Yumin 87−74520

Lui Li, Yi Guoguang Skew rays in the cylindrical waveguide dye lasers 85−18884

Lui Naiquan, Fu Liang, Guo Zhixiu, Gao Wei Beam emittance measurement on electron gun 87−41819
Luich, J.L. *see* Akcasu, O.E. 88−39357
Luigetti, L. *see* Gabrielli, L. 87−76037
Luijckx, G. *see* Bijleveld, J.H.M. 86−60651
Luijckx, G. *see* Maas, R. 86−31947
Luijckx, G. *see* Van Der Hoek, M.J. 86−60658
Luijendijk, J.A. *see* Khoe, G.-D. 87−7134
Luijks, R. *see* van Amerongen, J. 88−31203
Luikuo, G., Fleming, M., Magar, S. A 500 MOPS DSP chip set 88−56646
Luikuo, G. *see* Magar, S. 88−73014
Luin, D. *see* Leonardis, S. 88−3452
Luis, D.Hernandez *see* Hernandez Luis, D.
Luis, J.de *see* de Luis, J.
Luis, J.G.S. *see* Tomas, J.G. 88−9219
Luis Gutierrez, J. *see* Angulo, J.M. 88−18858
Luis Sanz, J., Torres, J. Chrominance and luminance signals in TV sets. Measuring gain and delay inequalities 85−14444
Luise, M. Easy calculation of power spectra for multi-*h* phase-coded signals 85−57205
Luise, M. *see* D'Andrea, A.N. 88−45872
Luisman, J.H. New monitoring methods for asynchronous electric motors 86−19276
Luiten, O.J. *see* Verhaar, B.J. 87−46734, 88−20528
Luitjens, S.B., Schrauwen, C.P.G., Bernards, J.P.C., Zieren, V. Magnetostatic and recording analysis of RF-sputtered double layer media for perpendicular recording 86−28673
Luitjens, S.B., Smits, J.W., Zieren, V. The write field of a ring head for a double layer perpendicular medium 85−24126
Luitjens, S.B. *see* Bernards, J.P.C. 87−46311, 88−71916
Luitjens, S.B. *see* Cramer, H.A.J. 88−57979
Luitjens, S.B. *see* de Bie, R.W. 88−44980
Luitjens, S.B. *see* Krijnen, G. 88−57975
Luitjens, S.B. *see* Zieren, V. 87−18499, 88−57950
Luizova, S.F. *see* Guk, E.G. 86−21331
Lujan, C.L. *see* Burr, M. 85−33027
Lujan, I. Description of the dynamic infrared background/target simulator (DIBS) 88−75021
Luk, A. *see* Macleod, J.E.S. 88−8821
Luk, C.P. *see* Tong, W.F. 87−49915
Luk, F. *see* Silvaggi, C. 87−21233, 88−41989
Luk, F.T. On the minres method of factor analysis 85−60888
Luk, F.T. Algorithm-based fault tolerance for parallel matrix equation solvers 87−13020
Luk, F.T. Architectures for computing eigenvalues and SVDs 87−19705
Luk, F.T., Park, H. An analysis of algorithm-based fault tolerance techniques 87−52014
Luk, F.T., Park, H. On the equivalence and convergence of parallel Jacobi SVD algorithms 88−40927
Luk, F.T., Sanzheng Qiao Analysis of a recursive least squares signal processing algorithm 87−55118
Luk, F.T., Torng, E.K. Fault tolerance techniques for systolic arrays 88−25113
Luk, F.T. *see* Anfinson, C.J. 88−72775
Luk, F.T. *see* Bojanczyk, A.W. 88−40912
Luk, F.T. *see* Brent, R.P. 85−30243
Luk, F.T. *see* Cavallaro, J.R. 87−52637, 87−60610
Luk, F.T. *see* Drake, B.L. 87−66202
Luk, F.T. *see* Ewerbring, L.M. 88−52462
Luk, F.T. *see* Tiranuchit, A. 88−10771
Luk, J.S. *see* Matsubara, M.M. 86−43376
Luk, J.W.K. *see* Chou, Q.B. 86−19087
Luk, K.B. *see* Dworkin, J.S. 86−60580
Luk, K.H. *see* Broschat, S.L. 88−36503
Luk, K.H. *see* Chan, K.W. 88−48213
Luk, K.H. *see* Guy, A.W. 86−60736
Luk, K.M., Lee, K.F., Dahele, J.S. Cavity model theory of the equilateral triangular patch antenna 87−27046
Luk, K.M., Lee, K.F., Dahele, J.S. Input impedance and Q factors of cylindrical-rectangular microstrip patch antennas 87−45205
Luk, K.M., Lee, K.F., Dahele, J.S. On the cylindrical-rectangular microstrip antenna 88−2795
Luk, K.M. *see* Dahele, J.S. 87−61440
Luk, K.M. *see* Lee, K.F. 88−8566
Luk, L.N. *see* Kuraev, A.A. 86−3481
Luk, R. *see* Lap-kin Ip 86−30393
Luk, T.C. *see* Deller, J.R., Jr. 87−61675
Luk, T.S., Hutchinson, M.H.R., Jara, H., Johann, U., McIntyre, I.A., McPherson, A., Schwarzenbach, A.P., Boyer, K., Rhodes, C.K. High order multiphoton processes observed with subpicosecond excimer lasers 88−8134
Luk, T.S., Schwarzenbach, A.P., McIntyre, I.A., Johann, U., McPherson, A., Boyer, K., Rhodes, C.K. High power subpicosecond KrF laser 87−46784
Luk, T.S. *see* Egger, H. 85−12776
Luk, T.S. *see* Jara, H. 87−26265
Luk, T.S. *see* McIntyre, I.A. 87−33110
Luk, T.S. *see* Schwarzenbach, A.P. 86−68462, 87−12414
Luk, W., Jones, G. Systolic arrays for recursive digital filtering 88−881
Luk, W., Jones, G. The derivation of regular synchronous circuits 88−70459
Luk, W., Jones, G. Systolic recursive filters 88−70918
Luk, W. *see* Jones, G. 87−37251
Luk, W.K. A greedy switch-box router 85−55901
Luk, W.K., Sipala, P., Tamminen, M., Tang, D., Woo, L.S., Wong, C.K. A hierarchical global wiring algorithm for custom chip design 87−74357
Luk, W.K., Sipala, P., Wong, C.K. Minimum-area wiring for slicing structures 87−59079
Luk, W.K., Tang, D.T., Wong, C.K. Hierarchical global wiring for custom chip design 87−6840
Luk, W.K. *see* Tamminen, M. 86−57516
Luk Aszewicz, J.Pawel *see* Pawel Luk Aszewicz, J.
Luk Kwai-Man *see* Kwai-Man Luk
Luk Tat Chiu *see* Tat Chiu Luk
Luk-Zil'berman, E.V. *see* Efimov, A.N. 88−70636
Luka, B. *see* Maric, S. 88−38560
Lukac, C.F. *see* Zhuang, Q. 88−22049
Lukac, L. *see* Baratka, S. 88−11377
Lukac, P., Courtier, J.M. A scintillation detector with suppressed sensitivity to isotropic gamma-radiation 88−61118
Lukac, R.G., Silver, D.A., Hartlein, R.A., Black, W.Z. Optimization of metallic shields for extruded dielectric cables under fault conditions 85−27068
Lukac, R.G. *see* Hassler, S.P. 86−61174
Lukacka, J. Rationalisation and safety of the operation of nuclear power stations 85−59931
Lukacs, B. *see* Borbely, I. 86−3807, 86−43206
Lukacs, E., Furbacher, R., Carlson, J. Chip resistor performance under high power conditions 88−57178
Lukacs, G. Technical data and application of FETs [microwave transistors] 86−20815
Lukacs, G. Determination of the tint difference of white samples. (Can Δa* and Δb* be applied?) 88−16533
Lukacs, G. *see* Erdos, E. 88−28584
Lukacs, J. Symbiosis of electronisation, computer technology and automation 87−11261
Lukacs, J. *see* Kovacs, M. 88−62926
Lukacs, L. Vibration measurement and its converters 87−14536
Lukacs, M.E. Predictive coding of multi-viewpoint image sets 87−20706
Lukajtis, W. *see* Bogus, Z. 87−31060
Lukanc, J.A., Welch, J.M., Burquest, T.J. Automating test vectors cuts chip development time 88−20020
Lukanek, F. Phase adjustable channel selector circuit for the Gbit/s range 86−17603
Lukanek, F. *see* Langer, K.-D. 85−47331
Lukanek, F. *see* Langer, K.D. 87−20078, 87−37423
Lukanek, F. *see* Walf, G. 86−49133
Lukas, A. An array processor designed for signal processing within supermicro systems 86−46891
Lukas, G. *see* Bristow, J.P.G. 88−51555, 88−53712
Lukas, G. *see* Wey, A.C.T. 88−51574
Lukas, H., Neumann, R., Pacey, G. Splicing single mode optical fiber 85−18725
Lukas, H., Neumann, R., Pacey, G. Splicing single mode optical fiber 85−42601
Lukas, H. *see* Pacey, G. 85−56353
Lukas, J. Tensometric force sensor as an important and component of electromechanical balances 85−42949
Lukas, K., Young, C.E. Information Systems Architecture−A pragmatic evolution path 87−55754
Lukas, M.P., Dziubakowski, D.J., Schoeffler, J.D. High performance communication system using exception transmission 85−3211
Lukas, M.P., Dziubakowski, D.J., Schoeffler, J.D. The use of exception transmission in a high-performance distributed control system 85−63347
Lukas, W., May, M., Schroter, K., Laussmann, E. Clinker cooler dust removal with electric precipitators 85−7594
Lukas, W. *see* Adlassnig, H.P. 85−9730
Lukash, V.S. *see* Vasil'ev, N.A. 87−16922
Lukashenko, A.V., Shablo, A.A., Bondarenko, S.I. Josephson properties of Nb film bridges with controllable critical current 86−68201
Lukashenko, E.M. *see* Gutsev, D.F. 87−4500
Lukashenko, S.V. *see* Dashuk, P.N. 86−8708
Lukashev, A.A. *see* Glukhov, N.A. 85−6061
Lukashev, A.V. *see* Andreeva, L.I. 86−68499
Lukashev, N.I. *see* Naumov, V.F. 86−26014
Lukashevich, M.G. *see* Kamara, M.S. 85−1312
Lukashin, Yu.P. *see* Gorinov, A.P. 86−38978
Lukashova, I.P., Sverdlova, A.M., Otavina, L.A. The temperature dependence of conductance and capacitance in the MIS tunnel structures Ni-SiO_2-Si 86−58340
Lukashuk, G.G. *see* Agamalov, Yu.R. 88−60829
Lukashuk, L.I. *see* Anisimov, V.V. 85−60840
Lukashuk, L.I. *see* Telezhnikov, A.V. 86−18341
Lukashyavichyus, V.P. *see* Gorbanenko, A.D. 86−39509
Lukasiak, L. *see* Majkusiak, B. 88−26273
Lukasiak, T. Light guide telecommunication lines for villages 88−67387
Lukasiewicz, Z., Piatosa, M. Simplified analysis of radar antenna rotary motion 87−47314
Lukasik, E. *see* Stasinski, R. 88−70295
Lukasik, J. *see* Hellner, L. 85−24646
Lukasik, J. *see* Vallee, F. 85−35872
Lukasik, V.J. TOP−technical and office protocols: an overview 87−62702
Lukaszek, T. *see* Ballato, A. 86−42055, 87−1822, 87−67683, 88−20189
Lukaszek, T. *see* Gerber, E.A. 87−11037
Lukaszek, T. *see* Nakazawa, M. 85−62165, 87−29056, 87−46290
Lukaszek, T.J., Ballato, A. Microwave frequency sources employing shallow bulk acoustic wave devices 85−61456
Lukaszek, T.J. *see* Ballato, A. 85−62163, 86−63522, 87−32798
Lukaszek, W., Yarbrough, W., Grambow, K. CMOS process problem debugging using complementary defect monitors 88−13591
Lukaszek, W., Yarbrough, W., Walker, T., Meindl, J. CMOS test chip design of process problem debugging and yield prediction experiments 86−41962
Lukaszek, W. *see* McCarthy, A.M. 88−39285
Lukaszek, W. *see* Westbrook, S. 86−28460
Lukaszewicz, K., Karjalainen, M. Microphonemic method of speech synthesis 87−61743
Lukaszewicz, M. *see* Holodnik, B. 86−55599
Lukaszewicz, T., Bozyk, M. Birefringent glass rods 88−39969
Lukatela, G., Kostic, I.M. Analysis of a multilink system in the presence of noise, cochannel interference and some hardware imperfections 86−4571
Lukatela, G. *see* Cvijetic, M.M. 87−46464
Lukatela, G. *see* Glisic, S. 87−62470
Lukavecki, P. Low voltage induction motors of largest outputs 85−21629
Luke, C.A. *see* Pocock, D.N. 88−22658
Luke, D. *see* Bernardi, E. 88−22917
Luke, D. *see* Catanesi, M.G. 87−77548
Luke, D. *see* Sharaf, A.M. 87−58349
Luke, D. *see* Toner, M. 88−38404
Luke, D.A. Etching of copper with sulphuric acid/hydrogen peroxide solutions [in printed circuit manufacture] 85−17984
Luke, D.A. Copper etching with sulphuric acid/hydrogen peroxide solutions 86−20962
Luke, D.A. Electroplating copper for printed circuit manufacture 87−6231
Luke, D.M. *see* Prakash, R. 87−22820
Luke, D.McG. *see* Yaozhong Xu 87−31032
Luke, G. *see* Hutchins, D.A. 85−38364
Luke, H.D. Sets of one and higher dimensional Welti codes and complementary codes 85−51544
Luke, H.D. Sequences with perfect periodic autocorrelation and crosscorrelation 87−2391
Luke, H.D. Two-dimensional arrays with perfect periodic correlation 87−69103
Luke, H.D. Binary and almost binary orthogonal sequences and matrices 88−21164
Luke, H.D. Sequences and arrays with perfect periodic correlation 88−66485
Luke, H.D. *see* Aschoff, V. 87−62555
Luke, K.L., Li-Jen Cheng Characterization of the heavily doped emitter and junction regions of silicon solar cells using an electron beam 87−22735
Luke, K.L., Li-Jen Cheng Analysis of the interaction of a laser pulse with a silicon wafer: determination of bulk lifetime and surface recombination velocity 87−61019
Luke, K.L., Li-Jen Cheng A chemical/microwave technique for the measurement of bulk minority carrier lifetime in silicon wafers 88−57292
Luke, P. Megacycal road trial [A/D convertor computer-aided learning package] 85−32944
Luke, P. The on-line QL [review of two modems] 85−63425
Luke, P.N. Low noise germanium radial drift detector 88−74754
Luke, P.N., Madden, N.W., Goudling, F.S. Germanium detectors with a built-line transverse drift field 85−43216
Luke, P.N. *see* Amendolia, S.R. 85−9069
Luke, P.N. *see* Gatti, E. 85−59168
Luke, P.N. *see* Goulding, F.S. 85−43217
Luke, P.N. *see* Pehl, R.H. 86−25128
Luke, T.E. *see* Anderson, D.L. 87−68201
Luke, T.E. *see* Nilius, M.E. 86−42369, 87−46592
Luke, T.E. *see* Shields, D.M. 86−9619
Lukecart, B.W. *see* Prothero, J.N. 88−54983
Lukefahr, H. *see* Li, Q. 87−3553
Luken, J.R. *see* Catella, G.C. 88−65797
Lukens, J.E., Jain, A.K., Wan, K.-L. Using the Josephson effect for millimeter and submillimeter wave generation 88−58038
Lukens, J.E. *see* Jain, A.K. 85−1874, 85−56215
Lukens, J.E. *see* Ono, R.H. 85−35337
Lukens, J.E. *see* Sauvageau, J.E. 85−62248, 87−67876
Lukens, M.E., Jr. T1 standards and compatibility: evolution, not revolution 88−9373
Lukens, P. *see* Engels, E., Jr. 87−29488
Lukens, P.T. *see* Graff, T.L. 85−26699

Lukens, P.T. *see* Laasanen, A.T. 85−52986
Luker, P.A. *see* Hailey, M.A. 87−5533
Luker, S.M. *see* Thome, F.V. 88−5075
Luker, S.M. *see* Wheelis, W.T. 88−1673
Lukert, D.H., Blanchard, A.J. Azimuth depolarization ambiguities in synthetic aperture radar 88−60244
Lukes, G.E. A review of computer-assisted photointerpretation research at USAETL 88−42680
Lukes, J.E. *see* Sauvageau, J.E. 88−25490
Lukes, Z., Stopkova, D. Investigation of the current shapes of welding transformers 88−75682
Lukeson, D.R. CLASS: the smart local telephone network 86−10694
Lukhanin, A.A. *see* Trotsenko, V.I. 88−35904
Lukhvich, A.A., Savanovich, N.I., Sharando, V.I. Using the method of division of thermal electromotive force in inspecting the thickness of coatings 87−29284
Lukianets, I.A. *see* Potapenko, P.T. 87−50958
Lukianoff, G.V. History of scanning electron beam testing development 88−38045
Lukic, G. High-order parametric low-pass filter 87−17203
Lukic, N. *see* Lukic, Z. 88−5262
Lukic, V.P. Power system stabilizer of optimization. I. Mathematical model formulation and solution 87−30096
Lukic, V.P. Power system stabilizer optimisation. II. Mathematical model formulation and solution 87−30097
Lukic, V.P., Faymon, K.E., Beach, R.F. Space power systems static state estimation. I. Mathematical model and analysis 86−60907
Lukic, V.P., Faymon, K.E., Beach, R.F. Space power systems static state estimation. II. Estimation algorithm and application 86−60908
Lukic, Y. *see* Hannaman, G.W. 86−51316
Lukic, Y. *see* Spurgin, A.J. 85−59848
Lukic, Z., Lukic, N. Technical problems and possible solutions of the problems of large energy management systems 88−5262
Lukichev, A.A., Shalyapin, A.L., Shul'gin, B.V. Determination of optimum operating parameters of single-electron photomultiplier 86−70344
Lukichev, A.V. *see* Frolov, I.A. 88−6460
Lukichev, A.V. *see* Kopylov, A.F. 86−53015
Lukichev, A.V. *see* Prolov, I.A. 86−35546
Lukichev, V.F. Critical current of high resistive Josephson SNS sandwiches 85−18605
Lukichev, V.F. *see* Kupriyanov, M.Yu. 87−38692
Lukin, A.A. *see* Bogolyubskii, S.L. 88−49163
Lukin, A.E., Rozanov, A.G., Smirnov, A.I. Continuous-wave lasing of YAG:Nd^{3+} with an output power of 500 W 86−54117
Lukin, A.L. Contrast sensitivity calculation for proton radiography 85−49639
Lukin, A.N. *see* Strukov, I.F. 87−54441
Lukin, A.N. *see* Trifonov, A.P. 88−3034, 88−8766
Lukin, A.S. *see* Gornov, M.G. 85−4202
Lukin, A.V. *see* Ermakov, B.A. 87−68421, 88−58616
Lukin, A.V. *see* Gorodetskii, A.A. 87−26563
Lukin, A.V. *see* Ivanyuk, A.M. 88−34129
Lukin, D.S. *see* Avdyushin, S.I. 85−13111
Lukin, E.M. *see* Berlin, I.B. 86−33185
Lukin, G.P., Rozenberg, V.Ya., Trokhan, A.M. Classifying hierarchic structures in metrological support systems for economic programs 87−3370
Lukin, I.N. *see* Yurkevich, B.N. 87−15580
Lukin, I.P. *see* Belen'kiy, M.S. 88−22185
Lukin, K.A., Evdokimenko, Yu.I. Peculiarities of energy exchange between a relativistic electron beam and a spatially inhomogeneous field 87−26636
Lukin, K.A., Poedinchuk, A.E., Shestopalov, V.P. Theory of excitation of open resonators by nonlinear currents 87−26897
Lukin, K.A. *see* Ermak, G.P. 87−32051, 87−73610
Lukin, K.A. *see* Evdokimenko, Yu.I. 85−55393, 86−1632
Lukin, M.I. *see* Bobrov, P.A. 86−24102
Lukin, M.I. *see* Gorizontov, A.M. 87−20704
Lukin, M.I. *see* Lisogursky, V.I. 88−41854
Lukin, S.B. *see* Kalinchuk, V.I. 87−2572
Lukin, S.B. *see* Lebed'ko, E.G. 87−27575
Lukin, V.A., Gromov, V.I. Probe preamplifier 87−56597
Lukin, V.I. *see* Bobrov, P.A. 86−30953
Lukin, V.N. *see* Grebenko, Yu.A. 88−38424
Lukin, V.P. *see* Konyaev, P.A. 85−29896
Lukin, V.V. *see* Gorbunenko, B.F. 85−2440
Lukin, V.V. *see* Kirillov, A.P. 86−32937
Lukin, V.V. *see* Zelenskii, A.A. 87−33749
Lukina, I.G. *see* Zadorozhnaya, L.A. 85−28223
Lukina, M.K. *see* Kontorovich, A.M. 88−75050
Lukinskii, Yu.L. *see* Dyakin, V.V. 86−68376
Lukinykh, O.G. *see* Veshkurtsev, Yu.M. 87−35011
Lukinykh, V.F., Myslivets, S.A., Popov, A.K., Slabko, V.V. VUV generation by eighth-order nonlinearity in Hg vapour 88−2376
Lukinykh, V.F., Myslivets, S.A., Slabko, V.V. Neodymium-glass pulsed laser system for studying nonlinear optical phenomena in gases 85−24657
Lukinykh, V.F. *see* Myslivets, S.A. 86−9957
Lukishova, S.G. *see* Gorshkov, B.G. 86−22450
Lukishova, S.G. *see* Krasyuk, I.K. 87−54377
Lukitsa, N.D. *see* Kulkov, V.P. 85−29723
Lukitsch, W.J. Microcomputer controls torque for textile industry 87−79258
Lukitsch, W.J. Use of smart motor controllers to limit peak starting kVA demand on implant or off shore power systems 88−17536
Lukiyanchikova, N.B., Dekhtyaruk, N.T. Noise in GaAs IMPATT diodes 86−63241
Lukjanetz, V.G. *see* Vorotnitsky, U.I. 88−47661
Lukomskii, V.P., Sedletskii, Yu.V. Propagation of spectrally narrow spin-wave packets in ferromagnetic plates 88−33521
Lukomskii, V.P. *see* Borshch, A.A. 88−8286
Lukonin, E.I. *see* Vasil'ev, V.V. 88−32722
Lukoshkov, S.V. *see* Aleshin, V.A. 87−77843
Lukosz, W. Radiation-pressure-induced mechano-optical bistability 85−29930
Lukosz, W., Briguet, V. Novel integrated thermo-optic switches 86−2852
Lukosz, W., Briguet, V. Light-induced-desorption: a new mechanism for bistability in integrated optical devices 87−33316
Lukosz, W., Pirani, P., Briguet, V. Bistability and self-pulsing using input couplers on nonlinear planar waveguides 87−33319
Lukosz, W., Pirani, P., Briguet, V. Optical bistability by photothermal displacement in prism coupling into planar waveguides 87−38784
Lukosz, W. *see* Briguet, V. 87−60927, 88−72121
Lukosz, W. *see* Heuberger, K. 86−53997
Lukosz, W. *see* Tiefenthaler, K. 85−62370, 86−2853
Lukov, Zh.K. *see* Dzhagarov, N.F. 85−27043
Lukovich, V.V. The parameters of electrical protection for parallel conduits 85−59780
Lukovinkov, V.I., Zakharenko, S.I., Grachev, S.A. An approximate method for analysis of symmetrical-rotor induction motor stepping 88−43187
Lukovnikov, V.I. A shaft periodic motion motor 87−43130
Lukovnikov, V.I., Fedotov, V.M., Gusev, A.M. Stabilisation of oscillation parameters of a vibrating linear induction motor 85−5087
Lukovnikov, V.I., Grachev, S.A., Gusev, A.M. Formation of mechanical characteristics of low-power controlled induction drives 85−65244
Lukovnikov, V.I., Zakharenko, S.I., Grachev, S.A. Approximate analysis of the step operation of an induction motor with a symmetrical rotor 87−51194
Lukovnikov, V.I., Zinov'ev, G.G., Aristov, A.V. Control accuracy of induction rocking motors 85−60460
Lukowiak, E. *see* Jezowska-Trzebiatowska, B. 86−51910
Lukowicz, H. *see* Chmielniak, T. 88−30578
Lukowski, J.T. *see* Kulkarni, A.K. 86−41594
Lukowski, T.I. *see* Gray, R.B. 87−28681
Lukoyanov, N.N., Denisov, V.A. Watch industry of the Ministry of Instrument Making, Present status and future prospects 86−40597
Lukoyanychev, V.M., Sidamonidze, O.M. Studio magnetic tape recorder for duplicating synchronous audio records 87−20800
Luks, A. The quantized Jacobi polynomials 88−43814
Luksan, L. Variable metric methods for a class of extended conic functions 85−54298
Luksan, L. A compact variable metric algorithm for linearly constrained nonlinear minimax approximation 86−19946
Luksan, L. A compact variable metric algorithm for nonlinear minimax approximation 86−46237
Lukshin, S.A. *see* Kabanov, V.S. 86−5654, 87−8787
Luksun Li, Birch, R.D., Payne, D.N. An all fibre electro-optic Kerr modulator 86−48222
Luksun Li *see* Tsao, C.Y.H. 88−45171
Lukutin, B.V., Obukhon, S.G. An equivalent load for a micro-hydroelectric power station generator with self-ballast load 88−69188
Luk'yanchenko, A.I. Injection properties of contacts with high-resistivity semiconductors 86−21180
Luk'yanchenko, A.I., Oreshkin, G.I., Fetisov, E.A., Khafizov, Rash.Z., Khafizov, Ren.Z. Some features of the static current-voltage characteristic of a p^+-π-p^+ structure 86−1772
Luk'yanchenko, E.S., Kozhanov, V.V., Kozunov, V.A. Influence of structural parameters of liquid-crystal indicator on electrooptic characteristics of twist effect 87−33011
Lukyanchenko, E.S., Kozunov, V.A., Grigos, V.I. Defects of homogeneous alignment in liquid-crystal displays based on the twist effect 85−29651
Luk'yanchenko, E.S. *see* Sobolev, I.V. 87−18792
Luk'Yanchikov, A.V. *see* Stryukov, B.A. 87−17652
Lukyanchikov, L.A. *see* Zubkov, P.I. 88−43306
Luk'yanchikov, V.N. *see* Shaydurov, G.Ya. 87−21806
Luk'yanchikova, N.B. Low-frequency noise in semiconductor diodes 86−28273
Luk'yanchikova, N.B. Noise methods of measuring the parameters of semiconductor materials and devices 87−32218
Lukyanchikova, N.B., Dekhtyaruk, N.T. Noise investigation of the impact ionization in GaAs 86−8788
Lukyanchikova, N.B., Garbar, N.P., Lisyanskii, M.I. Study of degradation of diode structures by the use of probes 85−29729
Luk'yanchikova, N.B. *see* Garbar, N.P. 86−15123
Luk'yanchikova, N.B. *see* Zdebskii, A.P. 88−50800
Luk'yanchuk, A.P. *see* Gerasimov, V.B. 88−58604
Luk'yanchuk, B.S. *see* Bunkin, F.V. 85−45570, 87−23717
Luk'yanchuk, B.S. *see* Bunkin, N.F. 88−40302
Luk'yanchuk, B.S. *see* Karlov, N.V. 86−2054, 88−24756
Luk'Yanchuk, B.S. *see* Nanai, L. 85−35845
Luk'yanchuyk, B.S. *see* Lerner, P.B. 85−62385
Luk'yanenko, B.V. *see* Dumin', I.A. 87−68711
Luk'yanenko, E.A., Tokarev, Yu.E., Kovalev, V.N., Lyapin, A.A., Chursin, M.M. Design and heating characteristics of a thermal emission cathode for microtrons 86−5655
Luk'yanenko, E.A. *see* Leonov, B.I. 85−49614
Luk'yanenko, E.A. *see* Zakirov, B.S. 88−6555
Luk'yanenko, Yu.D. *see* Narozhnyi, V.B. 87−4409
Luk'yanets, I.A. *see* Filipchuk, E.V. 85−21387
Luk'yanets, I.A. *see* Potapenko, P.T. 85−27233, 87−71875
Luk'yanets, V.G. *see* Kirillo, L.R. 85−64246
Lukyanin, A.E. *see* Dublitsevich, V.M. 86−27837
Luk'yanov, A.E. *see* Buzynin, A.N. 88−11948
Lukyanov, A.E. *see* Stepanov, G.V. 85−34656
Luk'yanov, A.M. *see* Gorokhov, E.Yu. 88−9550
Luk'yanov, A.N. Design and analysis of an asymptotically optimal quantizer for uncorrelated signal samples 88−72758
Luk'yanov, D.P., Filatov, Yu.V., Chikovani, V.V. Investigating random component of error in analytical-type dynamic laser gyrocompass 86−3392
Luk'yanov, D.P. *see* Blanter, B.E. 85−48106
Lukyanov, D.P. *see* Krivtsov, E.P. 87−46936
Luk'yanov, G.A. *see* Zhinzhikov, G.M. 88−45370
Luk'yanov, L.A. *see* Zav'yalov, M.A. 85−40392
Luk'yanov, L.M. *see* Babanov, I.A. 88−15987
Luk'yanov, L.M. *see* Voitelev, A.I. 88−15988
Luk'yanov, M.A., Voznesenskii, V.A., Gorokhov, A.K., Spasskov, Y.P., Fil', N.S. Effect of certain neutron physics characteristics of the core on the safe operation of a WWER reactor 85−21389
Luk'yanov, S.G. *see* Kalashnikov, M.G. 87−63021
Luk'yanov, S.I. *see* Bychkov, V.P. 85−39354, 87−51660
Luk'yanov, S.M. *see* Kavalov, R.L. 85−26709, 86−50448
Lukyanov, S.M. *see* Schilling, K.D. 87−63692
Luk'yanov, S.P. Computer-controlled delayed-pulse generator 87−8641
Luk'yanov, V.D. Equations for the natural frequencies of cavities with piecewise-constant walls 86−29540
Luk'yanov, V.D. Excitation of electromagnetic waves in a piecewise-homogeneous waveguide 86−29541
Luk'yanov, V.D., Nikitin, G.L. Scattering of electromagnetic waves in an irised planar waveguide 85−23089
Luk'yanov, V.I. *see* Ishanin, G.G. 88−16633, 88−27036
Luk'yanov, V.N. *see* Goldobin, I.S. 85−2339, 85−35787, 86−9858, 86−36496, 88−20662
Luk'yanov, V.N. *see* Kocherov, D.A. 88−51901
Luk'yanov, V.N. *see* Volkov, L.A. 88−60732
Lulay, M., Svobodova, M. Radar reliability information system 85−42650
Lulf, E.N. Load-shedding with the aid of a microprocessor 86−25503
Lulf, E.N. Experience obtained with the guidelines for private generators as issued by the VDEN 87−31102
Lulf, E.N. *see* Heydeman, J. 85−64966
Lulin Hua *see* Huchen Xie 88−66668
Lulla, K. Some observations on remote sensing of tropical environments 86−18598
Lulla, K. *see* Wasrud, J. 87−4165
Lulli, G., Merli, P.G. Ion beam microlithography 85−29271
Lulli, G., Merli, P.G., Vittori Antisari, M. Solid-phase epitaxy of amorphous silicon induced by electron irradiation at room temperature 88−24736
Lulli, G. *see* Berti, M. 86−35306, 86−47457, 87−6535
Lulli, G. *see* Finetti, M.A. 86−35420
Lulli, G. *see* Gabilli, E. 85−29117
Lulli, G. *see* Susi, E. 87−66877, 88−71383
Lulu Wang *see* Wang Lulu

Lum, G. *see* Marshburn, T. 87—5623
Lum, G. *see* Walsh, K. 88—71636
Lum, G.K. *see* del Guerra, A. 85—43265, 87—21457
Lum, G.K. *see* Lai, S.K. 85—49882
Lum, K.S.K., Lee, D.H., Ku, W.H. A broad band X-ray imaging spectrophotometer for astrophysical studies 88—61207
Lum, M. PCs taking advantage of the GPIB system 87—41341
Lum, M. *see* Chan, T. 85—25553
Lum, M.J., Fuller, D.M., Hadjifotiou, A., Epworth, R.E. Modulation-induced modal noise in digital systems the prediction and measurement of bit error ratio 86—11106
Lum, P., Milks, W.W. A strategic perspective for Hawaii's future users of telecommunications 88—28243
Lum, R.M., Glass, A.M., Ostermayer, F.W., Jr., Kohl, P.A., Ballman, A.A., Logan, R.A. Holographic photoelectrochemical etching of diffraction gratings in *n*-InP and *n*-GaInAsP for distributed feedback lasers 85—24675
Lum, R.M., Klingert, J.K., Davidson, B.A., Lamont, M.G. Improved MOCVD growth of GaAs on Si 88—38197
Lum, R.M., Klingert, J.K., Kisker, D.W., Tennant, D.M., Morris, M.D., Malm, D.L., Kovalchick, J., Heimbrook, L.A. Investigation of carbon incorporation in GaAs using ^{13}C-enriched trimethylarsenic and ^{13}CH$_4$ 88—43933
Lum, R.M., Klingert, J.K., Lamont, M.G. Use of tertiarybutylarsine in the metalorganic chemical vapor deposition growth of GaAs 87—31497
Lum, R.M., Klingert, J.K., Lamont, M.G. Comparison of alternate As-sources to arsine in the MOCVD growth of GaAs 88—49866
Lum, R.M., Klingert, J.K., Wynn, A.S., Lamont, M.G. Investigation of triethylarsenic as a replacement for arsine in the metalorganic chemical vapor deposition of GaAs 88—49864
Lum, R.M., Ostermayer, F.W., Jr., Kohl, P.A., Glass, A.M., Ballman, A.A. Improvements in the modulation amplitude of submicron gratings produced in *n*-InP by direct photoelectrochemical etching 85—61845
Lum, R.M. *see* Abdul Awal, M. 88—39081
Lum, R.M. *see* Chan, E.Y. 87—45693
Lum, R.M. *see* Feldman, R.D. 85—29844
Lum, R.M. *see* Johnson, A.M. 87—68283
Lum, R.M. *see* Ostermayer, F.W., Jr. 86—21385
Lum, R.M. *see* Srivastava, A.K. 86—63071, 87—1259
Lum, R.M. *see* Wilson, B.A. 88—38208
Lum, W.Y. *see* Ginley, D.S. 88—7482
Luman, R.R. Practical Kalman filter software performance testing and validation 85—25942
Lumb, A.P. *see* Troughton, D.J. 85—30797
Lumb, D. *see* Schwartz, D.A. 87—20927
Lumb, D.H., Chowanietz, E.G., Wells, A. X-ray measurements of charge diffusion effect in EEV Ltd. charge-coupled devices 88—4464
Lumb, D.H., Holland, A.D. Background rejection techniques in CCD X-ray detectors for astronomy 88—61109
Lumb, D.H., Knight, F.K., Schwartz, D.A. Maximisation of X-ray energy resolution in GEC CCD's 85—40761
Lumbreras, J. *see* De La Fuente, J.L. 88—10796
Lumbroso, L. *see* Ansart, J.P. 87—34210
Lumbroso, L. *see* Najm, E. 86—69232
Lumeau, B. Spatial localization of cerebral activity sources 85—48306
Lumeau, B., Clergeot, H. Optimisation of the trade-off between bias and variance in the estimation of an interspectral matrix 88—21247
Lumeau, B., Levernier, R., Clergeot, H. Estimation of the parameters of exponentially damped and noise-corrupted sinusoids by future and past prediction: separation of parameters related to the noise 88—21253
Lumelsky, L. *see* Konnerth, K.L. 85—7930
Lumer, G. Evolution equations, semigroups in space-time, and perturbations 85—49510
Lumia, J.J. *see* Bilotta, T.J. 86—23162
Lumia, R. Rapid hidden feature elimination using an octree 86—59364
Lumia, R. *see* Albus, J.S. 88—42601
Lumin, V.V. *see* Shipilov, S.A. 88—38306
Luminari, L. *see* Dorenbosch, J. 87—29472
Luminari, L. *see* Longo, E. 86—5786
Lumirovskaya, L.I., Sokolinskaya, I.G. Metrological attestation of an electromagnetic structurescope 85—49651
Lumirovskaya, L.I. *see* Afanasenko, I.A. 85—6055
Lumish, S., Fishman, D.A., Denkin, N.M., Schulz, R.R., Chai, S.Y., Ogawa, K., Stone, F.T. 1.7 Gb/s lightwave transmission field experiment 87—34612
Lumish, S., Mizuhara, O. Multigigabit lightwave regenerators 88—47110
Lumish, S., Stone, F.T. Cabled-fibre, 1.6 Gbit/s, 1550 nm transmission experiment 87—13699
Lumish, S. *see* Hakki, B.W. 86—29158
Lumley, G.E. Alarm system. II 85—6472
Lumley, J.M., Somekh, R.E., Evetts, J.E., James, J.H. High quality all refractory Josephson tunnel junctions for SQUID applications 85—56186
Lumley, J.M. *see* Blamire, M.G. 87—74600
Lumley, J.M. *see* Evetts, J.E. 88—29813
Lumley, J.M. *see* Naclerio, N.J. 85—56202
Lumley, K. Production ready phototools. What front-end automation has done for the PCB fabricator 88—12841
Lumley, K. Production-ready phototools 88—32642
Lumma, D. *see* Huber, G. 88—40177
Lumori, M. *see* Wait, J.R. 86—44694
Lumpe, G. *see* Burger, U. 88—37083
Lumpe, K. Glass fibre cable link from Hamburg to Hannover. A new technical transmission exchange construction concept? 85—3456
Lumpkin, A.H., Feldman, D.W. Diagnostics of the Los Alamos free electron laser using streak systems 87—75208
Lumpkin, A.H., Feldman, R.B. Online extraction efficiency analysis for the Los Alamos free electron laser 87—75108
Lumpkin, A.H., Feldman, R.B., Feldman, D.W., Stein, W.E. On-line electron beam measurements for the Los Alamos free-electron laser 88—45484
Lumpkin, A.H. *see* Feldman, D.W. 87—75136, 88—2285, 88—45487
Lumpkin, A.H. *see* Sheffield, R.L. 86—3447
Lumpkin, A.H. *see* Warren, R.W. 87—75135
Lumpov, A.I. *see* Bazhenov, V.A. 87—8839
Lumpp, C. Infrared radiation employed in surface treatments 86—45825
Lumsdaine, A., Lang, J.H., Balas, M.J. A state observer for variable reluctance motors: analysis and experiments 87—9531
Lumsdaine, A., Lang, J.H., Balas, M.J. A state observer for variable reluctance motors 87—30533
Lumsdaine, A.J. *see* Suh, S.Y. 88—3541
Lumsdaine, E. *see* Cobble, M.H. 86—40080, 87—64229
Lumsden, D. Playing with dynamite [1984 survey of radio common carriers] 85—19581
Lumsden, D. Messages on display [digital pagers for mobile communications] 85—20057
Lumsden, D. The EMS example [Emergency Medical Services communications system] 85—20058
Lumsden, J. *see* Brennan, P. 88—34610
Lumsden, R.J., Lindsay, P.A. Some thoughts on phase-space representations in gyrotron theory 85—55371
Lumsden, R.J. *see* Lindsay, P.A. 85—55370, 86—1628
Lun, C.T. *see* Yu, I.H. 85—4748
Lun, L. *see* Karagounis, V.A. 86—44621
Lun, V. *see* Landy, C.F. 88—17618
Lun Jun-guang *see* Zheng Zhi-peng 85—4224
Lun Maozeng *see* Gu Guobiao 87—22269
Luna, F.D. Noise in digital systems. V. Power distribution and decoupling techniques 88—12278
Luna, F.D. Sample and hold circuits. II 88—19303
Luna, F.D. Noise in digital systems. VIII. Cables 88—57024
Luna, F.D. Noise in digital systems. VI. Connection of masses 88—58883
Luna, F.D. Noise in digital systems. VII. Connections: input and output 88—58884
Luna, F.Daura *see* Daura Luna, F.
Luna, F.De *see* De Luna, F.
Luna, H.P.L., Ziviani, N., Cabral, R.H.B. The telephonic switching centre network problem: formalization and computational experience 88—14848
Luna Aceves, J.J.Garcia *see* Garcia Luna Aceves, J.J.
Luna-Acosta, G.A. Hydrogenic impurities in superlattices with parabolic quantum well potentials 85—50258
Lunan, A.R. *see* Grier, I. 86—23694, 87—28368
Lunanuova, D. *see* Castagnolo, B. 88—3074
Lunardi, L.M. *see* Chand, N. 88—49812
Lunardi, L.M. *see* Enquist, P. 85—40598, 86—2120
Lunardi, L.M. *see* Malik, R.J. 88—26214, 88—50816
Lunardi, S. *see* Beghini, S. 86—5673
Lunarskiy, G.N. Improving magnetic recording in bottom seismic stations 87—42216
Lunarskiy, G.N. The question of the recording of pressure waves by bottom seismic stations 88—5116
Lunau, K. *see* Fernie, G. 87—21529
Lunazzi, J.J., Muramatsu, M. Recent developments on speckle pattern correlation by photographic means [PCB testing application] 88—1187
Lunazzi, J.J. *see* Muramatsu, M. 85—2428
Lunchev, V.A., Magnitskii, S.A., Malakhova, V.I., Tarasevich, A.P., Tunkin, V.G., Yakubovich, S.D. Narrow-band picosecond parametric oscillator with injection of frequency-tunable semiconductor laser radiation 85—56797
Lund, C. *see* Akers, L.A. 85—50723
Lund, J. Bessel transforms and rational extrapolation 85—60883
Lund, J. Transistors replace thyristors 86—19289
Lund, J. Switches examined in Danish test 87—11098
Lund, J. Instrument amplifiers—specialist on voltage 87—59192
Lund, J. Phenomenon without explanation [aurora] 87—71293
Lund, J., Bauer, B., Pfister, W. Laboratory performance of an advanced CCD detector 88—47591
Lund, J.C., Shah, K.S., Squillante, M.R., Sinclair, F. Lead iodide nuclear spectrometers 88—61086
Lund, J.C., Sinclair, F., Entine, G. Neutron dosimeter using a dynamic random access memory as a sensor 86—50357
Lund, J.C. *see* Frederick, E. 87—50132
Lund, J.C. *see* Squillante, M.R. 86—50347
Lund, L. *see* Bossert, R. 85—7542
Lund, L.D. Direct contact profilometry of large aspherics 87—49483
Lund, L.D. *see* Soures, J.M. 85—2274
Lund, N. *see* Odman, S. 86—5876
Lund, P. Induction machine models for practical use in simulation of transients in power station auxiliaries 87—42925
Lund, P. SETPOS program system—simulation of electric transients in power stations 88—23249
Lund, P. *see* Degn, P. 86—12233
Lund, P.D. Optimization of a community solar heating system with a heat pump and seasonal storage 85—27804
Lund, P.D. *see* Forsstrom, J.P. 86—339
Lund, R.E. Circuit shorting mechanisms in copper multilayer systems 86—53237
Lund, R.E. Gold-silicon fiber shorts in VLSI devices 88—57777
Lund, R.E., Palacheck, D.L., Van Meekeren, R.D. Protuberance shorts in copper multilayer ceramic 86—62964
Lund, T. On the optimum detection of surface chemical compounds 85—64729
Lund, T., Stange, G. A real-time sonograph with quarter-octave resolution 88—21123
Lund, T. *see* Gjessing, D.T. 85—63127, 85—64755
Lund-Jensen, B. *see* Botner, O. 87—63654
Lund-Jensen, B. *see* Dulinski, W. 87—21431
Lundahl, L. *see* Freeman, L.-E. 87—55997
Lundahl, T., Ohley, W.J., Kay, S.M., White, H., Williams, D.O., Most, A.S. Texture analysis of diagnostic X-ray images by use of fractals 87—50284
Lundahl, T. *see* Hakim, N. 88—4943
Lundahl, T. *see* Ohley, W.J. 88—41077
Lundal, J. *see* Auchterlonie, L.J. 88—22612, 88—36061
Lundberg, A. *see* Melve, B. 87—73180
Lundberg, A. *see* Rask, M. 88—64381
Lundberg, B. *see* Dworkin, J.S. 86—60580
Lundberg, B. *see* Herwe, J. 87—60714, 88—57847
Lundberg, B. *see* Sundqvist, B. 85—20695
Lundberg, D. *see* Hancock, W. 87—72872
Lundberg, H. Mountain radio system 85—52287
Lundberg, H., Macklin, J.J., Silfvast, W.T., Wood, O.R., II High-gain soft-X-ray-pumped photoionization laser in zinc vapor 85—2196
Lundberg, H. *see* Silfvast, W.T. 85—7355
Lundberg, J.B. *see* Tapley, B.D. 85—19123
Lundberg, L. Future prospects for electricity supply in Sweden 88—62092
Lundberg, O. The INMARSAT system and its future 85—8348
Lundberg, O. INMARSAT expands its horizons 85—8353
Lundberg, O. Maritime communications ride a wave of technical and organizational progress 85—25823
Lundberg, O. Mobile communications—a huge new market 86—4492
Lundberg, O. Mobile communications in the world market. I 86—4513
Lundberg, O. Mobile communications evolution. II 86—4514
Lundberg, O. Expanding horizons for INMARSAT 86—49532
Lundberg, O. INMARSAT: spreading its wings 86—55240
Lundberg, O. World demand for mobile communications 87—3074
Lundberg, O. Mobile satellite communications and navigation 87—40856
Lundberg, O. The prospect for new mobile satellite services 87—62903
Lundberg, O. Mobile satellite communications in the 1990s: an international overview 88—3922
Lundberg, O. Mobile satellite services— international co-ordination, co-operation and competition 88—60103
Lundberg, R. *see* Carder, B. 85—5254
Lundberg, R.L. *see* Burkhart, S.C. 85—55388
Lundberg, R.L. *see* Scarpetti, R.D. 85—5241
Lundberg, R.L. *see* Scarpetti, R.D., Jr. 85—23347
Lundblad, A. *see* Sober, M. 85—58019
Lundborg, B. Analytic description of the electromagnetic wave field for effective refractive indices with an infinity 88—2507
Lundborg, B., Thide, B. Standing wave pattern of HF radio waves in the ionospheric reflection region. I. General formulas 85—62780

Lundborg, B., Thide, B. Standing wave pattern of HF radio waves in the ionospheric reflection region. II. Applications 86−59058
Lundby, A. *see* Baglin, C. 85−26605
Lundby, S., Chapel, B.E., Boteler, D.H., Watanabe, T., Horita, R.E. Occurrence frequency of geomagnetically induced currents: a case study on a BC Hydro 500 kV power line 86−39181
Lunde, D. *see* Elengical, G. 86−70459, 88−48271
Lunde, E.B. The cross correlation matrix in spatial processing 85−57410
Lunde, E.B. Normal mode propagation and high resolution methods 86−10438
Lunde, G. *see* Hansen, T. 88−15492
Lunde, P. Acoustic transmission-line analysis of formants in hyperbaric helium speech 86−16240
Lunde, P. *see* Lygre, A. 88−10617
Lundegaard, L., Spaeren, P.H., Holt, P.A. Acoustic detection of faults in electrical insulation 85−22562
Lundell, J. *see* Gooch, R. 87−27066
Lundell, K. The market waits for capacitors in plastics 87−73811
Lundell, K. Chalmers measure electrical fields with a laser 87−74474
Lunden, H. *see* Snellman, M. 87−10763
Lunden, H.B., Altmae, M., Snellman, M. A CAD-system for GaAs VHSIC design 87−11932
Lunden, H.B. *see* Linner, L.J.P. 85−11577, 86−67481
Lunden, L., Hammarson, L., Jansson, B., Johannesson, P.O. Replacement of a 50 kV system with 130 kV 87−50630
Lunderstadt, R. On the compensation of systematic sensor errors 88−74218
Lunderstadt, R. *see* Hars, H.-J. 85−13742
Lundert, L.J.M.van de *see* van de Lundert, L.J.M.
Lundert, L.M.van de *see* van de Lundert, L.M.
Lundevall, F. Market key: logic analysers 87−77169
Lundevall, F. Analog signal from digital generator 88−16218
Lundevall, F. The story or a modem 88−32054
Lundevall, F. SC-filter in Swedish modem 88−32055
Lundevall, F. Kalle manages the cards [surface mount circuit boards] 88−50480
Lundevall, F. In time with life [pacemakers] 88−54623
Lundgren, C.W., Natarajan, P.S. Single mode fiber transport and coaxial distribution of video on demand 87−41226
Lundgren, C.W., Venkatesan, P.S. Applications of video on fiber cable 86−59902
Lundgren, J. Swedish State Railways' high-speed train X2 88−31155
Lundgren, J.R. *see* Harary, F. 86−7618
Lundgren, K. *see* Hutchins, D. 87−10530
Lundgren, L. A comparison between arc drops in ignited thermionic converters with and without ion reflections at the emitter 85−60452
Lundgren, L. Microwave tubes. Literature survey No.6 comprising year 1984 86−27799
Lundgren, L. Microwave tubes. Literature survey no.7 comprising year 1985 87−17619
Lundgren, L. Microwave tubes. Literature survey no.8 comprising year 1986 88−32724
Lundgren, L., Vilhelmsson, K. Mode excitation in graded-index optical fibers 85−7245
Lundgren, L. *see* Lindgren, L. 87−33124
Lundgren, L. *see* Svedlindh, P. 87−8592
Lundgren, L.-A. *see* Karlsson, J.-O. 86−30541
Lundgren, L.-E. Solve difficult problems with sequential block diagrams [hardware design] 88−12273
Lundgren, L.-E., Nilsson, B. Choose process when design is settled [circuit CAD] 88−70422
Lundgren, O. *see* Ahn, H. 87−41942
Lundgren, R.A. *see* Gloeckler, G. 85−53162
Lundgren, R.E. *see* Josefowicz, J.Y. 87−32565
Lundh, B. *see* Johnson, B. 87−21584
Lundh, B. *see* Jonson, B. 85−59304
Lundh, M. *see* Gustafsson, K. 88−63236
Lundh, P. A new baby-alarm based on tenseness of the cry signal 87−29697
Lundh, Y. Message service: a major new telecommunication service? 87−7992
Lundh, Y. A glimpse of future telecommunications technology 87−27743
Lundh, Y., Sorasen, O. Two-level data-flow architecture for programmable signal processing 86−59948
Lundheim, L.M., Ramstad, T.A. Variable rate coding for speech storage 87−27342
Lundin, F. Modern speech technology offers new automatic services 86−59258
Lundin, L. Condition monitoring of MV circuit breakers 85−60366
Lundin, L. *see* Nygards, M.-E. 85−9193
Lundin, L. *see* Tait, L.C. 85−27739
Lundin, R. A handbook formula for the inductance of a single-layer circular coil 86−1421
Lundin, R. Q-NET: proposed experiments, with particular emphasis on educational applications 86−59868
Lundin, R. Comments, with reply, on 'Nondegenerate solution of TE and TM modes in step-index fibers using power-series expansion method' by S.G. Gedam and S.S. Mitra 86−63647
Lundin, R. A general power-series expansion method for exact analysis of the guided modes in an optical fiber 87−18640
Lundin, R.S. A new compact high temperature position/velocity transducer 86−50086
Lundin, W.F. Performance of MICRO SWITCH's new bipolar Hall effect sensor in brushless motors 86−51644
Lundkvist, B. The infrasound recording program at Kiruna Geophysical Institute 87−63998
Lundmark, T. CCITT No.7 signalling opens the door to ISDN 86−54695
Lundorff, O. *see* Rahnamai, H. 85−48414
Lundquist, J., Richards, S. Topics related to ATE O&M training: simulation vs. emulation 88−35830
Lundquist, J.T. *see* Anderman, M. 88−62572
Lundquist, J.T. *see* Giovannoni, R.T. 88−17828
Lundquist, L. The case for competition in Europe [telecommunication services] 86−49545
Lundquist, P. Swedish practice in reactor containment design 85−65124
Lundquist, P., McKenna, C., Brick, R., Corey, P. New dosimetry system for a serial process ion implanter 87−60279
Lundquist, S. Electrostatic measurement techniques 88−34229
Lundquist, S., Persson, U. Better environment with laser 86−65567
Lundquist, S. *see* Castle, G.S.P. 87−39325
Lundquist, S. *see* De la Rosa, F. 86−6424
Lundquist, S. *see* Scuka, V. 88−30856
Lundqvist, B., Nimmersjo, G. Real-time simulator for testing protection equipment 87−30258
Lundqvist, B. *see* Bergman, S. 86−65773
Lundqvist, C. *see* Bohlin, P. 87−30056
Lundqvist, G. *see* Clark, T.A. 85−59428
Lundqvist, K.A. Experience from long-term laboratory testing of stationary lead-acid batteries 88−30991
Lundqvist, S., Andersson, T. 1 GHz optical communication experiments in the 3.5-5.5 μm wavelength region 86−48422
Lundqvist, S. *see* Ahlberg, H. 85−4495, 86−18588 to 18589, 87−3244
Lundqvist, S. *see* Andersson, T. 88−2277
Lundqvist, S. *see* Hojer, S. 87−3701
Lundqvist, S.H. Influence of dome heating on offset and gain correction in an IR-CCD missile seeker 88−68673
Lundqvist, S.L.G. A penetrable dielectric waveguide with periodically varying circular cross section 87−39446
Lundqvist, S.L.G. Electromagnetic waves in a cylindrical waveguide with infinite or semi-infinite wall corrugations 88−27560
Lundsgaard, J.S., Anderson, G., Petersen, H.A. The development of low cost EV-drivetrains 85−65524
Lundsgaard, J.S., Jensen, G.R., Petersen, H.A. Qualification of lead-acid batteries for traction applications 86−66272
Lundsgaard, J.S. *see* Jensen, J. 86−66306
Lundstrom, H. *see* Aksberg, A. 86−58106
Lundstrom, H.J., Fisher, D.T. Ground clearances were reduced to build low-profile substation 88−17800
Lundstrom, I. Chemical sensor research at the laboratory of applied physics in Linkoping 85−3957
Lundstrom, I., Armgarth, M., Spetz, A., Winquist, F. Gas sensors based on catalytic metal-gate field-effect devices 87−41493
Lundstrom, I. *see* Ackelid, U. 86−63117
Lundstrom, I. *see* Armgarth, M. 85−12302, 86−55682, 88−19762
Lundstrom, I. *see* Bjorklund, R.B. 85−29522
Lundstrom, I. *see* Danielsson, B. 88−36424
Lundstrom, I. *see* Enquist, F. 87−24960
Lundstrom, I. *see* Fare, T. 87−14320, 88−64336
Lundstrom, I. *see* Fare, T.H. 86−53483
Lundstrom, I. *see* Fare, T.L. 86−35437
Lundstrom, I. *see* Inganas, O. 88−5835
Lundstrom, I. *see* Kindlund, A. 85−14747
Lundstrom, I. *see* Mohammadi, A. 86−61711
Lundstrom, I. *see* Spetz, A. 87−14319, 87−70601
Lundstrom, I. *see* Winquist, F. 86−55667, 88−4390
Lundstrom, M.S. An Ebers-Moll model for the heterostructure bipolar transistor 87−18102
Lundstrom, M.S. Device physics of crystalline solar cells 88−62609
Lundstrom, M.S. *see* Bandyopadhyay, S. 87−6642, 87−38173, 87−45998
Lundstrom, M.S. *see* Cahay, M. 87−6637, 87−37926, 88−1614, 88−7559
Lundstrom, M.S. *see* Carpenter, M.S. 88−64396
Lundstrom, M.S. *see* Das, A. 88−64519
Lundstrom, M.S. *see* Datta, S. 86−35386
Lundstrom, M.S. *see* DeMoulin, P.D. 87−4936, 87−43454, 88−31037, 88−37527, 88−75938
Lundstrom, M.S. *see* Gray, J.L. 86−21187
Lundstrom, M.S. *see* Klausemeier-Brown, M.E. 88−37553
Lundstrom, M.S. *see* Klausmeier-Brown, M.E. 88−64277, 88−71508
Lundstrom, M.S. *see* Maziar, C.M. 86−53331, 86−63254, 87−1486, 87−38202
Lundstrom, M.S. *see* Mazir, C.M. 87−25203
Lundstrom, M.S. *see* Melloch, M.R. 86−53402, 87−33047, 88−5867
Lundstrom, M.S. *see* Rancour, D.P. 87−74062
Lundstrom, M.S. *see* Schuelke, R.J. 85−34588, 86−13055
Lundstron, M.S. *see* Tan, K.L. 86−35383
Lundstron, P., Gustafson, K. Mechanical stress and life for plastic-encapsulated, large-area chip 88−63055
Lundt, H. *see* Cherng, M.J. 87−16601
Lundtveit, T. Safety requirements for power conditioning units for use in residential photovoltaic power systems 86−6620
Lundtveit, T. Safety requirements for uninterruptible power supplies 87−36044
Lundy, G.M. *see* Miller, R.E. 87−34152
Lundy, J.R., Walsh, W.M., Rondinella, L., Lee, S. Detection of chronic disease from EKG tracings 87−8937
Lundy, M., Mees, A. Convergence of an annealing algorithm 86−19960
Lundy, R. *see* Dahl, P. 86−44521
Lundy, R. *see* McInturff, A. 85−26566
Lundy, R. *see* McInturff, A.D. 85−64386, 87−70937
Lundy, R. *see* Strait, J. 87−74617, 88−54294, 88−68133
Lundy, R.A., Brown, B.C., Carson, J.A., Fisk, H.E., Hanft, R.H., Mantsch, P.M., McInturff, A.D., Remsbottom, R.H., Erickson, R.A. High gradient superconducting quadrupoles 86−25059
Lundy, R.A. *see* Fisk, H.E. 86−31827
Lundy, R.A. *see* McInturff, A.D. 85−59031
Lundy, R.A. *see* Niemann, R.C. 85−37848, 85−59034
Luneau, J.R. New feedback devices for brushless DC servo systems 87−35968
Luneburg, E., Hurd, R.A. On the diffraction problem of a half plane with different face impedances 85−7607
Luneburg, E., Hurd, R.A. Two waveguide bifurcation problems 86−22764
Luneburg, E. *see* Chandra, M. 85−41618, 87−56260
Luneburg, E. *see* Hurd, R.A. 86−22640 to 22641
Luneburger, K. The relay coils and their inductance 87−11097
Luneburger, K. *see* Junemann, S. 87−45455
Lunemann, K. Stand-alone ACD takes insurance company from dark ages to space age overnight 85−57671
Lunenburger, W., Siebenbrod, D. Information processing without boundaries 87−28078
Lunev, A.V., Rud', Yu.V., Tairov, M.A., Undalov, Yu.K., Filippova, A.V. Electric and photoelectric properties of n-SnO_2-n-$CdGeP_2$⟨In⟩ heterojunction 87−24867
Lunev, A.V. *see* Abdurakhimoiv, A.A. 86−47517
Luneva, Z.P. The use of light guide technology in TV systems 87−41212
Luneva, Z.P., Novakovsky, S.V. Color telecine: state and prospects 85−26092
Luneva, Z.P., Soroka, Ye.Z. Principles of designing for automatic TV camera set-up 86−24099
Lung, F. *see* Bittleson, R. 86−16742
Lung, F. *see* Bittleston, R. 86−10835
Lung Hsien-ling *see* Huang Tian-xi 86−68764
Lung Loh Wai *see* Wai Lung Loh
Lung Shung Ling A theory of linear induction motor and a new design method 87−43102
Lung Yu Po *see* Po Lung Yu
Lung-Sing Liang AALAN: an advanced automation local area network 86−69390
Lungershausen, A.W. *see* Lysogorski, C.D. 88−27334
Lungu, C. Capacitive inductance 87−6174
Lungu, C.P. *see* Nastase, L. 86−4856
Lungu, D.N. *see* Andriesh, A.M. 85−24321
Lungu, I. *see* Gary, C. 85−35225, 88−8542
Lungu, I. *see* Munteanu, S. 88−61963
Lungu, M. *see* Mihaescu, V. 86−61658
Lungu, M. *see* Weinrich, G. 88−69733
Lungu, O. *see* Sfichi, R. 85−21506
Lungu, R. *see* Iancu, V. 88−71973
Lunichkin, Yu.V., Gnevshev, V.V. Transistorised temperature sensor with linear characteristics 87−21052
Luniewicz, M.M., Olson, J.W., Stiefel, K.E. The *SLC* 96 subscriber loop carrier system: channel bank 85−30752
Lunik, T.N. *see* Antonyuk, Ya.P. 86−23054
Lunin, A.G. *see* Rozenberg, V.L. 87−43650
Lunin, I.V. *see* Chervinskii, V.I. 86−66521
Lunin, I.V. *see* Ivanov, V.N. 87−36484
Lunin, L.S., Ratushnyi, V.I. Features of epitaxy of $Ga_xIn_{1-x}As$ on indium phosphide in a temperature gradient field 88−38172
Lunin, L.S. *see* Gaponenko, V.N. 86−1703, 87−5410, 88−56278
Lunin, L.S. *see* Kovalenko, V.F. 85−11920
Lunin, V.M., Kisilevski, Ya.F., Pikusov, S.G. Automatic coordinate-measurement systems for controlling changes in the shape of welded structures 87−56835

Lunin, V.M. *see* Andrievskii, V.E. 87−78217
Lunin, V.M. *see* Korotynskii, A.E. 85−26425
Lunin, V.N. *see* Cheremnykh, P.A. 88−66011
Lunin, V.P. *see* Anan'ev, V.P. 86−35157
Lunina, O.D. *see* Gaponenko, V.N. 86−1703, 87−5410, 88−56278
Lunina, O.D. *see* Kovalenko, V.F. 85−11920
Lunkenbein, N. Economic control of energy supply and consumer control by means of load control systems 85−59561
Lunkin, B.V., Aleksanyan, G.G. Radio-annunciator for interface of electric conducting media 85−11498
Lunkin, B.V., Kriksunova, N.A. Synthesis of radiowave discrete invariant sensors of interface position in two-component media 88−29707
Lunkin, Yu.P., Schmidt, A.A. Electromagnetic erosion plasma thruster 85−31899
Lun'kina, G.B. *see* Strel'chenko, S.S. 86−20038
Lun'kov, A.E., Milovanov, S.E. Radio-frequency RC bridge 88−74517
Lunn, B. Videotex in the City of London 86−37424
Lunn, D. Kite-borne antennas for HF portable operation 88−34434
Lunn, M.A., Dobson, P.S. Ion beam milling of $Cd_{0.2}Hg_{0.8}Te$ 86−15046
Lunn, P. PABX: knocking networks into shape 88−67178
Lunn, S.E. Australia gets down to business with ISDN 88−59831
Lunnen, R.J., Ferraro, A.J., Lee, H.S., Allshouse, R., Carroll, K., Werner, D., Collins, T.W. Detection of local and long-path VLF/ELF radiation from modulated ionospheric current systems 85−57037
Lunnen, R.J., Jr. Detection of propagation from a heated ionosphere 88−40559
Lunney, J.G. Soft X-ray laser action using resonant photo-excitation of autoionising states of lithium-like ions 85−41328
Lunney, J.G. Waveguiding in soft X-ray laser experiments 86−48316
Lunnon, M.E., Chen, J.T., Baker, J.E. Structural and electrical properties of BF_2^+ implanted, rapid annealed silicon 85−18215
Lunnon, M.E., Chen, J.T., Baker, J.E. Diode structures formed by rapid thermal annealing of boron implanted silicon 85−23497
Lunnon, M.E., Chen, J.T., Baker, J.E. Furnace and rapid thermal annealing of P^+/n junctions in BF_2^+-implanted silicon 86−21197
Lunnon, M.E. *see* Delfino, M. 85−40604, 88−7404
Lunow, R.E. A channelless, multilayer router 88−70455
Lunsford, G.H., Efurd, R.B. Design automation—an information transformation process 88−6230
Lunsford, G.H. *see* Richards, M.A. 86−17511
Lunsford, J.A., Dobyns, T.R. A reference station emulator for testing INTELSAT TDMA/DSI terminals 87−8225
Lunsford, J.D., Berk, J.H., Nixon, D.E. Warranting conventional munitions 86−57282
Lunsford, J.S. *see* Hardekopf, R.A. 86−31866
Lunsford, L.D. Simulation of Mx circuits 86−961
Lunsher, W.H.H.J., Beddoes, M.P. Optimal edge detector design. I. Parameter selection and noise effects 86−48974
Lunsher, W.H.H.J., Beddoes, M.P. Optimal edge detector design. II. Coefficient quantization 86−48975
Lunt, M.J. Theoretical model for investigating the magnetic and electric fields produced during pulsed magnetic field therapy for nonunion of the tibia 85−64626
Lunt, M.J. *see* Kapur, B.K. 87−57056
Lunt, S.R., Peterson, G.E. Second harmonic generation for the analysis of lithium niobate substrates and boules 87−68602
Lunt, S.R., Peterson, G.E., Holmes, R.J., Kim, Y.S. Maker fringe analysis of lithium niobate integrated optical substrate 87−12227
Lunt, S.R., Peterson, G.E., Kurkjian, C.R. Chemical treatment and surface index of glass 88−1916
Lunt, S.R. *see* Peterson, G.E. 86−53935, 87−12228, 87−68006
Lunt, T.F. *see* Carlson, R.A. 86−55025
Lunter, S.G., Murzin, A.G., Tolstoi, M.N., Fedorov, Yu.K., Fromzel', V.A. Energy parameters of lasers utilizing erbium glasses sensitized with ytterbium and chromium 85−2264
Lunter, S.G. *see* Berezin, Yu.D. 85−24511
Lunze, J. *see* Gamaleja, T. 86−12314
Lunze, J. *see* Wilfert, H.-H. 87−71582
Lunzmann, F. *see* Felske, A. 87−75286
Luo, B. *see* Chang, S.K. 87−7832
Luo, C.M. *see* Schneider, R.F. 85−26733, 85−64490
Luo, D. *see* Jiang, S. 85−20861
Luo, F.-C. *see* Malmberg, P.R. 87−1993
Luo, F.-C. *see* Prince, J.C. 87−21176
Luo, F.C., Patterson, J., Braunstein, T., Leksell, D. A 640×400 CdSe TFT-LC display panel 86−31532
Luo, F.L. System analysis of digitally controlled thyristor converters 87−16876
Luo, F.L., Hill, R. Engineering algorithm for optimal control of digitally-controlled thyristor converters 86−66178
Luo, F.L., Hill, R.J. Disturbance response techniques for digital control systems 85−65337
Luo, F.L., Hill, R.J. Influence of firing angle on system stability area in thyristor bridge converters 86−6915
Luo, F.L., Hill, R.J. Control system optimisation using digital signal processing techniques 86−27081
Luo, F.L., Hill, R.J. Fast response and optimum regulation in digitally controlled thyristor converters 86−45528
Luo, F.L., Hill, R.J. Influence of feedback filter on system stability area in digitally controlled thyristor converters 86−45529
Luo, F.L., Hill, R.J. Self-adaptive control of microprocessor-based thyristor converters with second-order loads 86−51787
Luo, F.L., Hill, R.J. Minimisation of interference effects in thyristor converters by feedback/forward control 86−67452
Luo, F.L., Hill, R.J. System optimization-self-adaptive controller for digitally controlled thyristor converters 87−4789
Luo, F.L., Jackson, R.D., Hill, R.J. Digital controller for thyristor current source [convertors] 85−21717
Luo, F.L. *see* Hill, R.J. 87−43197, 88−11300
Luo, G., Zheng, W. A study of the random power oscillations in the weak tie-line 88−68749
Luo, G.H. *see* Buckley, M.J. 88−25416, 88−71005
Luo, G.X. *see* Semlyen, A. 88−75036
Luo, G.X. *see* Shirmohammadi, D. 88−10851
Luo, H.L. *see* Zhou, Z. 87−18466
Luo, J., Graham, S. A quasi 3-D intrinsic base resistance R_{B1} simulator for non-walled emitter transistors 88−13342
Luo, J., Zhou, S. The state-compressed spectral array for EEG 88−54564
Luo, J.J. *see* Huang, K.-F. 87−74133
Luo, J.J. *see* Kai-feng Huang 87−17815
Luo, J.S., Hill, E.F., Lee, T.H. Bus incremental costs and economic dispatch [power systems] 86−50848
Luo, J.S., Lee, T.H., Hill, E.F. Bus incremental costs and the network solution 87−30100
Luo, J.Y., Mei, X., Sheng, H.L., Zhang, B.L., Zhou, R.G., Ni, Y.X. A study on interconnecting—the North China and Northwest China power systems 88−68812
Luo, M.-Y., Bosman, G., Van Der Ziel, A., Hench, L.L. Theory and experiments of $1/f$ noise in Schottky-barrier diodes operating in the thermionic-emission mode 88−64501
Luo, M.Shiang-Chyong *see* Shiang-Chyong Luo, M.
Luo, R.C. A microcomputer-based intelligent sensor for multiaxis force/torque measurement 88−35922
Luo, R.C., Chern, M.Y. Robot eye-in-hand solid state linear array sensor 87−14161
Luo, R.C., Gast, T. Determination of mass flow by a capacitive pressure difference-sensor containing a vibrating membrane 86−50250
Luo, R.C., Horng-Hai Loh Complex moments as features for object recognition using tactile image sensors 87−69323
Luo, R.C., Horng-Hai Loh Recognition of similar objects using tactile image array sensor 88−46220
Luo, R.C., Kay, M.G. Multisensor integration and fusion: issues and approaches 88−74366
Luo, R.C., Lin, M.-H. 3-D object recognition using combined overhead and robot eye-in-hand vision system 88−42152
Luo, S., Qu, A.-L. The development of an electromagnetic deflection CRT display for physiological parameters 88−42491
Luo, S. *see* Munkholm, C. 88−54532
Luo, W.H. *see* Zhai, Z.C. 88−20526
Luo, X., Koch, M., Urban, W., Sung, C.L., Yu, Q.X., Lin, J.X. Simultaneous two-line operation of a CW CO laser with arbitrary choice of laser transitions 88−20533
Luo, X.-Y. *see* Wu, L.-D. 85−28168
Luo, Y., Chen, T. Totally parallel algorithm for symmetric redundant binary number system and its implementation 87−52500
Luo, Y., Chin, R.T., Dyer, C.R. 2-D object recognition using hierarchical boundary segments 86−4035
Luo, Y., Wada, K., Kawaguchi-Izawa, K. A construction of networks with highly fault-tolerant routings 88−24645
Luo, Y. *see* Nakano, Y. 88−14193
Luo, Y. *see* Wada, K. 87−31420, 88−35121
Luo, Z., Huang, X. Intellectualized paralytic rehabilitator 88−74880
Luo, Z. *see* Kato, A. 88−35129
Luo, Z. *see* Tsitsiklis, J.N. 87−54830
Luo, Z.-P., Herschel Rabitz Expected value analysis: experimental considerations and convergence properties 88−348
Luo, Z.P., Wu, S.M. Boiling water reactor dynamics identification by the dynamic data system methodology 87−22070
Luo Baoping *see* Zhang Shuming 86−11900
Luo Dengzhou *see* Li Chaoan 86−39044
Luo Fang-Chan *see* Fang-Chan Luo
Luo Fang-Chen *see* Fang-Chen Luo
Luo Gongwei *see* Qian Zhaoming 86−13044
Luo Guichang *see* Xu Kang 85−23832
Luo Heying *see* Heying Luo
Luo Ji-shou Network approach and bus incremental cost in economic dispatch 85−32077
Luo Jinsheng *see* Chai Zhiqin 88−26352
Luo Jinsheng *see* Chen Zhengming 88−19849
Luo Jirun, Xu Chenghe, Zhang Shichang, Hong Wenjie Study of the frequency response of output window in gyrotron 88−19605
Luo Jishou Economic dispatch of multi-area power system via network approach 86−50859
Luo Jiuru Model JDC1-1 precision conductivity ratio measurement [seawater salinity] system 85−64754
Luo Kunlun *see* Han Shuo 85−18624
Luo Kunlun *see* Huang Huizhi 85−35359
Luo Li *see* Li Luo
Luo Liang-cai *see* Jiang Ding-yu 87−22347
Luo Liguo, Chen Jishu Analysis of ring cavity optical bistable system with single output 88−40323
Luo Lin-ji *see* Zong Xiang-fu 85−45380
Luo Ling *see* Li Luo 87−26029
Luo Mingzhao *see* Mingzhao Luo
Luo Nan-Xing *see* Chen Lin-Cai 85−37390
Luo Ningsu *see* Shen Panan 86−26079
Luo Ningyi, Chen Shaohe, Chen Qinhae, Cao Weilou, Deng Ximing, Wu Hongxing Observation on synchronously transient pumped mode-locking of dye laser under negative cavity detuning 88−40296
Luo Ningyi, Chen Shaohe, Chen Qinhao, Cao Wilou, Deng Ximing Influence of polarizing direction of pumping pulse and solvent viscosity on pulse width in synchronously pumped and mode-locked dye laser light 88−20586
Luo Ren-Chyuan *see* Ren-Chyuan Luo
Luo Riyou *see* Wen Zhutang 88−74902
Luo Tian-wen A receiver simulation for serial high-speed digital transmission over high-frequency 86−64848
Luo Weiming *see* Yu Deming 86−70022
Luo Wenhao *see* Zhao Yumin 87−74520
Luo Wenxiu *see* Dai Guocai 85−35585
Luo Wuting Computerised detection system for degrees of crystalline grain of metal bars 85−63989
Luo Xi *see* Xi Luo
Luo Xiao-nan *see* Bi Wen-yi 88−49780
Luo Xiaolan, Li Qi, Meng Xiaofan Studies on the superconducting-normal phase transition in indium film caused by quasiparticle injection 86−68197
Luo Xin *see* Xin Luo
Luo Xinghua *see* Dia Ning 88−38142
Luo Xizhang *see* Qiu Bingsheng 88−40120
Luo Xizhang *see* Xing Fuhao 88−27008
Luo Xucheng Multistage partitioning decomposition algorithm for a category of linear optimal filtering 86−36988
Luo Yan *see* Zhang Tong-he 88−39185
Luo Yang *see* Fidler, J. 86−22019
Luo Ye *see* Ye Luo
Luo Yi *see* Qiu Peihua 87−33264
Luo Yinfang Very-high speed ECL universal logic gates 86−62518
Luo Ying-Li *see* Ying-Li Luo
Luo Ying-xiong, Wu Wun-tai On the equation of transverse motion in electron linac 85−48160
Luo Yisheng, Chen Di, Guo Yong, Li Zhongying, Wang Changsheng The relative sensitivity (K_u) of a G-M counter to 14 MeV neutrons 88−10255
Luo Yisheng *see* Guo Yong 86−70336
Luo Yuan-quan A family of globally convergent iteration methods for determining the zero of the p-th order entire function 85−16882
Luo Yuan-quan A kind of globally convergent iteration method for solving transcendental equations 87−44205
Luo Zhang *see* Zhang Luo
Luo Zheng-bin Distribution function of signal-to-noise ratios for combining non-equal median signal predetection optimum diversity 86−64231
Luo Zhicheng *see* Zhao Lingeng 88−48171
Luo Zhiwei *see* Zhiwei Luo
Luo Zhongnan, Yu Jirong, Yang Zhengming, Zhong Yuan Study of failure mechanism of He-Ne lasers 88−20589
Luo Zhu Optimal control of voltage and reactive power in power systems 88−61807
Luo Zi-hua, Wang Shu-hung Beam matching calculations in transverse motion for the 10 MeV Beijing Proton Linac 85−48161
Luo Zi-hua *see* Wei Kai-yu 88−22871
Luo Zi-Hua *see* Zhou Qing-Yi 87−56927
Luo Zundu *see* Huang Yichuan 88−40171
Luomi, J. A hybrid FE-BE method for axisymmetric magnetostatic fields of superconducting homopolar machines 87−43086
Luomi, J., Niemenmaa, A., Arkkio, A. On the use of effective reluctivities in magnetic field analysis of induction motors fed from a sinusoidal voltage source 87−30580

Luomi, J., Rouhiainen, H. Adaptive mesh refinement for magnetic field problems involving saturable ferromagnetic parts 88−52015
Luomi, J. *see* Li, L. 88−52073
Luong, H. *see* Lam, A. 86−46760
Luong, J.C., Borrelli, N.F., Schreurs, J.W.H., Morse, D.L. Photopatterning of metal oxide catalyst in porous glass [optical phase gratings] 88−33767
Luong, J.C. *see* Borrelli, N.F. 86−68255
Luong, M.Y. *see* Dunlop, A.E. 86−63455
Luong, M.Y. *see* Kimble, C.D. 86−660
Luong, T.T. *see* Prome, M. 85−59017
Luong Vo Duc *see* Vo Duc Luong
Luongo, C.A., Kruger, C.H. Modeling of slag/seed interaction phenomena in coal-fired MHD generators 85−16250
Luoni, G. Solar cells−the dimensioning of photoelectric devices 87−51446
Luoni, G. *see* Farneti, F. 86−51025
Luoni, P., Massa, G. Standardized electrical diagrams for mini-powerplants and codes for the connection 88−42913
Luontama, M. *see* Julin, R. 88−61197
Lup, L. Development and operation of the electric power system 85−4523
Lup, L. Usage strategy concerning some alternative energy resources, hydraulic and solar energy 85−38602
Lupa, J.B. Interactive television by satellite [education] 87−23064
Lupacheva, A.N. *see* Kazanskii, A.G. 87−68252
Lupal, F.T. *see* Boyar, S. 85−45617
Lupanos, V.M. Metrological support to means of measuring the thermophysical properties of insulators 88−29676
Luparia, G. *see* Camera, A. 86−66614
Lupas, O. *see* Beraha, D. 87−57816
Lupas-Golaszewski, R., Verdu, S. Asymptotic efficiency of linear multiuser detector 87−55206
Lupascu, P. *see* Soiculescu, I. 87−57942
Lupatin, E. *see* Dixon, L.H., Jr. 85−10981
Lupatin, E. *see* Fritz, G. 85−551, 85−17135
Lupatin, E. *see* Gibertini, G. 85−10980
Lupei, V. *see* Georgescu, S. 87−33136
Lupei, V. *see* Ristici, E. 88−34131
Lupei, V. *see* Zhekov, V.I. 86−63781
Lupeiko, A.V. *see* Trunov, O.K. 86−18407
Lupekhin, S.M. *see* Grishanov, B.I. 87−63621
Lupenko, A.N. *see* Bunyak, A.M. 86−56419
Lupescu, L. *see* Salgian, M. 86−6390
Lupeta, Ya.S. *see* Kalinichenko, S.P. 87−78696
Lupi, P. *see* Caironi, G. 86−11386
Lupi, S. The application of amorphous magnetic alloys in induction heating medium-frequency transformers 88−55721
Lupi, S., Crepaz, G. The calculation of induction heaters for ferromagnetic loads with or without external magnetic or non-magnetic screens 87−5086
Lupi, S. *see* Crepaz, G. 85−32813, 86−52053, 86−71126
Lupi, S. *see* Guarnieri, M. 87−31077
Lupil'tsev, V.P. *see* Zrelov, V.P. 87−71017, 88−61143
Lupinetti, F., Ingels, F. A C-band satellite receiver 85−63823
Lupinetti, F., Ingels, F.M. Ternary sequences for signalling applications 87−12919
Lupino, G. *see* McGrath, R.D. 88−25866
Lupinskii, M.M., Polyakov, A.L., Retivov, A.V., Khmel'nova, N.E., Khrakovskii, A.I. Certification of reference means of measuring deformations 88−53887
Lupinskii, M.M., Retivov, A.V., Khmel'nova, N.E. Precision apparatus and state test scheme for means of strain measurement 88−16512
Lupinskii, M.M., Retivov, A.V., Khmel'nova, N.E., Kryukov, V.A., Bushvev, S.N. Standard facilities for testing alternating-force strain gauges 85−58899
Lupinskii, M.M. *see* Polyakov, A.L. 88−53642
Lupke, T.V. 6.25 Mips with real numbers [signal processing chip] 87−37313
Lupke, T.von *see* von Lupke, T.
Lupker, S.J., Fleet, G.J., Shelton, B.R. Callers' perceptions of post-dialing delays: the effects of a new signalling technology 88−28280
Lupker, S.J., Fleet, G.J., Shelton, B.R. Callers' perceptions of post-dialling delays: the effects of a new signalling technology 88−59472
Lupkin, I.D., Severin, V.M., Skornyakov, V.A. Influence of small vertical vibrations on the stability of the superconducting windings of high-speed ground transport 87−64889
Lupkin, I.D. *see* Vasil'ev, S.V. 86−26375, 86−53921, 87−7060
Lupkin, V.M. Generalisation of transformations and of analytical solutions for equations of asymmetrical machines 85−65218
Lupkin, V.M. On the steady-state stability of a superconducting turbogenerator 87−30487
Lupkin, V.M. On transformation of the differential equations of multiphase synchronous machines 87−35919
Lupkin, V.M. On the steady-state stability of a superconducting turbogenerator 88−23836
Lupkin, V.M. On the stability of a nonsalient-pole synchronous machine without excitation 88−43162
Lupkin, V.M. *see* Kolokolkin, A.M. 86−51940
Lupkovics, G. *see* Santa, I. 86−15618
Luplow, W.C., Creek, E. *(editor)* 1986 IEEE International Conference on Consumer Electronics. Digest of Technical Papers. ICCE (Cat. No.86CH2319-2) 87−31156
Lupo, G. *see* Bozzo, R. 88−64856
Lupo, G. *see* Egiziano, L. 85−40999, 86−7859, 86−39199, 86−70711, 87−25724, 87−50838, 88−51075
Lupolo, O.A., Bystrov, V.F. Improving the resistance to vibration and economic operation of turbine K300-240 [steam turbine] 86−39565
Lupolo, O.A. *see* Kostyuk, A.G. 85−38854
Lupon, E. *see* Balado, L. 86−30120
Lupotto, P., Villa, M., Chiodelli, G. Simple methods to improve the performances of network analysers in electrochemical analyses 87−63563
Luppi, R., Pecorella, F., Cerioni, I. Pulsed microchannel-plate mounting for subnanosecond X-ray image intensifiers [plasma diagnostics application] 85−26739
Luppino, G.A., Ceglio, N.M., Doty, J.P., Ricker, G.R., Vallerga, J.V. X-ray CCD cameras. II. A versatile laboratory system 88−4868
Luppino, G.A. *see* Doty, J.P. 88−4867, 88−22651
Luppov, A.S. Computer analysis procedure for transients in a corona-discharging multiconductor line 88−42872
Lupton, L.R., Keller, N.A., Thompson, C.J., Anderson, L.L. On the use of tapered bismuth germanate crystals in positron emission tomography 85−20893
Lupton, L.R. *see* Allan, C.J. 85−49671
Lupton, L.R. *see* Thompson, C.J. 86−60762
Lupton, W.H., Ford, R.D., Jenkins, D., Vitkovitsky, I.M. Operation of NRL homopolar generator into parallel energy storage inductor 85−5118
Lupton, W.H. *see* Commisso, R.J. 88−30959
Lupton, W.H. *see* Ottinger, P.F. 87−22603
Lupton, W.H. *see* Shipman, J.D., Jr. 87−19021
Lupu, D., Sarbu, R., Biris, A. Semiconducting properties of Mg_2NiH_4 87−53214
Lupu, E., Netzer, M. Mutual interference analysis in frequency hopping communication networks: development of a Monte Carlo algorithm and a comparison with a deterministic algorithm 86−30608
Lupu, N. *see* Bella, G. 87−29447
Lupu, N. *see* Dado, S. 87−29448
Lupul, F.T. *see* Bhattacharya, S.S. 85−44777
Lupul, F.T. *see* Brown, W.W., Jr. 85−44776
Luqing Ye *see* Ye Luqing
Luqman, M.M., Brown, W.D., Hajghassem, H.S. Ohmic contacts to zinc telluride and their high temperature behavior 87−45685
Luqman, M.M. *see* Hajghassem, H.S. 88−1441
Luque, A. Non-imaging optics in photovoltaic concentration 87−9732
Luque, A. New concepts in concentrating photovoltaics 88−5610
Luque, A. Bifacial solar cells 88−5881
Luque, A. Back point contact cells modelling 88−18044
Luque, A. Analysis of high efficiency back point contact silicon solar cells 88−24141
Luque, A., Araujo, G.L., Calleja, M.J. High injection vs. low injection behaviour of solar cells 86−7089
Luque, A., Lorenzo, E., Sala, G. The determination of the nominal power of bifacial panels [solar power] 86−33217
Luque, A., Lorenzo, E., Sala, G., Lopez-Romero, S. Diffusing reflectors for bifacial photovoltaic panels 85−32715
Luque, A., Sala, G., Lorenzo, E. Rating of bifacial panels 86−45689
Luque, A., Tobias, I. Modelling of the potential of epitaxial solar cells on upgraded metallurgical grade silicon 88−62594
Luque, A. *see* Almonacid, G. 85−21814, 86−33699, 87−72065
Luque, A. *see* Araujo, G.L. 86−40138, 88−18066
Luque, A. *see* Jimeno, J.C. 86−7042, 87−4950
Luque, A. *see* Krenzinger, A. 86−45688
Luque, A. *see* Minano, J.C. 87−9840, 88−24144
Luque, A. *see* Sala, G. 86−7077
Luque, A., Figueiras Vidal, A.R., Delgado, J.M.R. *(editor)* Proceedings of MELECON '85. Mediterranean Electrotechnical Conference (Cat. No.85CH2185-7) 86−26507
Luque, E. *(editor)* Mini and Microcomputers and their Applications. Proceedings of the ISMM International Symposium 86−13295
Luque, J., Calvo, J.L. Command transmission in power control centers 88−48507
Luque Canada, A. *see* Almonacid, G. 86−33699
Luquet, H., Gouskov, L., Perotin, M., Jean, A., Rjeb, A., Zarouri, T., Bougnot, G. Liquid-phase-epitaxial growth of $Ga_{0.96}Al_{0.04}Sb$: electrical and photoelectrical characterizations 87−23642
Luquet, H., Perotin, M., Dhouib, A., Bougnot, J., Savelli, M. Analysis of the electrical characteristics of sprayed Cu_2S-CdS heterojunctions 85−32710
Luquet, H., Perotin, M., Gouskov, L., Magallon, D., Jean, A., Silvestre, P. Evaluated performances of $Ga_{0.96}Al_{0.04}Sb$ avalanche photodetectors 88−58363
Luquet, H. *see* Doub, A. 88−18060
Luquet, H. *see* Gouskov, L. 86−9081
Luquet, H. *see* Perotin, M. 87−70659
Lur'e, A.I., Mil'man, L.I. Experimental study of axial stability of transformer windings during short-circuiting 87−9628
Lur'e, A.I., Mil'man, L.I., Afanas'ev, M.A., Igonin, G.V. A device for investigating the structural elements of high-capacity transformers under the action of axial dynamic forces 86−33455
Lur'e, A.I. *see* Apakin, A.V. 88−23998
Lur'e, A.I. *see* Drobyshevskii, A.A. 87−9621, 87−58159, 88−69450
Lur'e, A.I. *see* Vasil'ev, A.B. 86−56801
Lur'e, A.M. *see* Sitdikov, A.M. 86−44239
Lur'e, A.N. *see* Gagarinov, V.A. 85−43892
Lur'e, G.I. *see* Evdokimov, V.I. 86−11552
Lur'e, G.I. *see* Kukarin, V.F. 87−8601
Lur'e, M.I. *see* Umanskii, M.S. 86−66516
Lur'e, O.B. Noise in linear operational amplifier circuits 86−34575
Lur'e, Z.Ya., Il'evskii, L.I. Optimisation of the braking of high-speed mechanisms 88−18116
Lur'e, Z.Ya. *see* Levitin, G.S. 85−63985
Lurey, D. *see* Kasley, P. 86−24311
Luria, S. *see* Yerushalmi, J. 88−37055
Luria, S.M. *see* Neri, D.F. 87−3465
Lurie, B.J. Feedback representation of a noisy two-port 86−34437
Lurie, C. Comparison of 40-ampere-hour-rated nickel-cadmium cells manufactured with different plate loadings 85−53128
Lurie, G.V. Improvement of TV camera color reproduction 85−26041
Lurie, M. *see* Carlson, N.W. 87−54295, 88−2336, 88−40192, 88−45431
Lurie, M. *see* Evans, G.A. 88−14174, 88−40194
Lurie, M. *see* Hammer, J.M. 87−39084
Lurken, F. *see* Bleichert, B. 86−18236
Lurkens, P., Steffens, W. State of charge estimation of lead-acid batteries using a Kalman filtering technique 86−66255
Lursinsap, C., Gajski, D. Cell compilation with constraints 85−743
Lursinsap, C., Gajski, D. Methods for cell compilation with constraints 86−47700
Lursinsap, C., Gajski, D. Switchbox routing with devices 87−65739
Lursinsap, C., Gajski, D. Improving a PLA area by pull-up transistor folding 87−67583
Lursinsap, C., Gajski, D.D. A technique for pull-up transistor folding 88−70661
Lursmanashvili, D.B. *see* Apitseryan, E.S. 86−54859
Lur'ye, O.B. Analysis of linear electronic networks with integrated microcircuits 85−61056
Lur'ye, O.B. Transfer functions of networks with operational amplifiers 88−580
Luryi, S. An induced base hot-electron transistor 85−45654
Luryi, S. Frequency limit of double-barrier resonant-tunneling oscillators 85−61446
Luryi, S. Induced base transistor 86−21526
Luryi, S. Mechanism of operation of double-barrier resonant-tunneling oscillators 86−47529
Luryi, S. Quantum capacitance devices 88−33238
Luryi, S., Capasso, F. Resonant tunneling of two-dimensional electrons through a quantum wire: a negative transconductance device 86−21172
Luryi, S., Capasso, F. Resonant tunneling devices and optoelectronic Ge/Si superlattice structures 87−25221
Luryi, S., Kastalsky, A. Hot electron injection devices 85−55853
Luryi, S., Kastalsky, A. Hot-electron transport in heterostructure devices 86−21604
Luryi, S., Kastalsky, A., Bean, J.C. New infrared detector on a silicon chip 85−3993
Luryi, S., Kastalsky, A., Gossard, A.C., Hendel, R. Hot-electron memory effect in double-layered heterostructures 85−23495
Luryi, S., Pearsall, T.P., Temkin, H., Bean, J.C. Waveguide infrared photodetectors on a silicon chip 86−44310
Luryi, S., Suhir, E. New approach to the high quality epitaxial growth of lattice-mismatched materials 86−66805
Luryi, S. *see* Beltram, F. 88−64512
Luryi, S. *see* Chang, C.-Y. 87−6673
Luryi, S. *see* Grinberg, A.A. 87−32457, 87−38292
Luryi, S. *see* Kastalsky, A. 85−54814, 86−1797, 86−47376, 87−3622
Luryi, S. *see* Lifshitz, N. 88−13037
Luryi, S. *see* Morkoc, H. 86−63072
Luryi, S. *see* Pearsall, T.P. 86−54040
Luryi, S. *see* Temkin, H. 86−50094
Luryi, S. *see* Wolak, E. 87−53232
Lusa, J. Private networks proliferate following divestiture 88−21462
Lusa, J.M. Users splurge for carrier services, capital items [network management] 88−41221
Lusakowski, J. *see* Knap, W. 88−39073
Lusardi, R.J., Eglis, J.L. M1 tank combat resilience 88−61721

Lusby, J.R. *see* Eakins, J.C. 85−48511
Lusche, H.U. *see* Lacoste, B. 85−26936
Lusche, S. Relay technology 88−44412
Luscher, E. *see* Rosenberger, A. 88−14352
Luscher, H.U., Faisst, S. BECOS 30 control system for the hydro-electric power plant at Foz do Areia, Brazil 87−30412
Luscher, H.U. *see* Holder, K.L. 87−42692
Luscher, M. The design of electrical and communications installations in hospitals 88−54684
Luscher, R.E., De Zaldivar, J.S. A high density CMOS process 86−15275
Luscher, R.E., Solo de Zalvidar, J. SACMOS, a new procedure for high density integrated circuits 86−9304
Luschikov, V.I. *see* Ananiev, V.D. 85−64438
Luschnig, W., Meister, W. Ultra-fast DA converter: SDA 8005 86−20651
Luschnig, W. *see* Petschacher, R. 86−34909
Luschnig, W. *see* Zojer, B. 85−61338
Luschtinetz, T. *see* Fiedler, O. 87−70557
Luscombe, I.J. *see* Gilbert, R.M. 86−44964
Luse, J.D., Malla, R. Geodesy from Astrolabe to GPS−a navigator's view 86−69849
Luse, S.A. Neural networks for speech applications 88−14643
Luse, W. *see* Berg, H. 85−40715
Lusenko, W.P. Understanding scaling laws 87−41679
Lush, G.J. *see* Hobson, P.R. 86−3334
Lushchaev, G.A., Fandeev, E.I., Kanyuka, Yu.I., Karchkov, V.A., Skorchenko, V.A. Minimizing the nonlinearity error in the static characteristics of a semiconductor thermistor thermometer 87−63365
Lushchaev, G.A., Karchkov, V.A., Fandeev, E.I. Circuit calculation for a thermometer containing a single-crystal resistance thermometer and a standard automatic bridge 85−58679
Lushchaev, G.A. *see* Stadnik, V.T. 87−63549
Lushchik, Ch.B. *see* Aleksandrov, Yu.M. 87−18837
Lushchik, V.D. A 200 Hz asynchronous convertor with combined windings 86−51762
Lushchik, V.D. A 50/60 Hz machine converter 88−55467
Lushen Hua Yunbo *see* Hua Yunbo Lushen
Lusheng Wu *see* Wu Lusheng
Lusher, C.P., Hardy, W.N. Frequency stabilization of a sapphire resonator oscillator using an acoustic modulation technique 88−25441
Lusher, C.P. *see* Richards, M.G. 86−34581
Lushnikov, A.A., Maksimenko, V.V., Simonov, A.Ya., Sutugin, A.G. Scattering of electromagnetic waves by charge particles 86−3485
Lushnikov, A.Ya. *see* Baev, S.G. 85−1953
Lusiani, A. *see* Amendolia, S.R. 86−25148, 87−21426
Lusiani, P. DALLAS: design automation language for logic array structures 87−52531
Lusignan, B. *see* Ikuenobe, T. 88−41146
Lusignan, B.B. *see* Badawi, A.S. 88−67193
Lusignan, B.B. *see* Chih-Lin I 86−59196
Lusignan, B.B. *see* Estabrook, P. 88−71131
Lusignan, B.B. *see* Hong Oi Li 86−64148
Lusk, A., Nahm, K.B., Wolfe, W.L. Measurements of the scattering profile of fibers 87−74791
Lusk, E.L. *see* Colley, R.W. 88−48694
Lusk, J., Krouse, H.R., Batts, B.D. The effect of sulfur isotopic composition of zinc and lead sulfides on the EMF of electrochemical cells 88−62556
Lusk, M. *see* You, Z.-Q. 88−52078
Lusk, S.D. Chip contact assembly 85−1123
Lusk, S.D. Device carrier, movement and test system 85−1647
Luska, J. The DMS I telecontrol equipment 85−59629
Luskin, A.M. *see* Vishnyakov, K.S. 88−68454
Luskin, M. *see* Kheshgi, H. 86−26750
Luskinovich, P.N. *see* Belenov, E.M. 85−61893, 86−8904
Luskinovich, P.N. *see* Kompanets, I.N. 86−41621
Lusky, S.L., Sridhar, T. Detectable CMOS faults in switch-level simulation 86−46770
Lusky, S.L. *see* Bosshart, P.W. 87−59617, 88−6901
Lusniak-Wojcicka, D. *see* Herod, B. 87−52883
Luspay, E. Testing equipment for new measuring instruments of cables and cable lines 88−48582
Lusseau, G., Pericart, G., Pavillon, J.-P. Centralised traffic control on Les Aubrais-Saint-Pierre-des-Corps line section 88−37681
Lussereau, A. *see* Bret, Y. 88−67891
Lussereau, A. *see* Chatard, J.P. 87−21090
Lussereau, A. *see* Rouan, D. 87−20964
Lussier, P.V. Developing a strategic PCA test plan 88−19545
Lussier, P.V. Developing a strategic PCA test plan [printed circuit assembly] 88−32648
Lusson, A., Legros, R., Marfaing, Y., Triboulet, R., Tromson-Carli, A. Growth and characterization of $Cd_xHg_{1-x}Te$ for optical communications 88−56249
Lusson, A., Triboulet, R. Liquid phase epitaxy of $Cd_xHg_{1-x}Te(0.5<x<1)$ and phase diagram determination 88−11991
Lusson, O. *see* Pleynet, B. 88−18212
Lussow, R.G. Electronic packaging module evolution from a material and process perspective 85−60779
Lust, M.L. *see* Blouke, M.M. 87−14201, 87−20924, 88−16194
Lust, M.L. *see* Patterson, R.J. 85−40851
Lusted, H.S. In vivo electrical stimulation using multichannel photolithographic electrode arrays 87−4014
Lusted, H.S. *see* Knapp, R.B. 88−73098
Lustenko, G.A. Internal self-financing and ways of improving it under the conditions of the economic experiment [Novocherkassk Electric Locomotive Plant] 87−51794
Lustfeld, H. Successive linearization method−comparison with an exact result 88−47903
Lustfeld, H., Muller, J.E. Beam dynamics in a high current proton linac 86−25008
Lustgarten, M.N., Maiuzzo, M.A., Rockway, J.W., Li, S.T. Overview of a wideband communications EMC analysis system 87−26839
Lusth, J.C. *see* Fink, P.K. 86−38226
Lusth, J.C. *see* Smith, H.R. 86−45800
Lustiger, A., Epstein, M.M. Dynamic mechanical spectroscopy and aging in high molecular weight and crosslinked polyethylene cable insulation 88−51092
Lustman, F. *see* Ayache, N. 87−62346
Lustman, F. *see* Faugeras, O.D. 87−19971, 87−48074, 87−48238
Lustman, L. *see* Canuto, C. 85−60913
Lustrac, A.de *see* de Lustrac, A.
Lustrea, B. *see* Kilyeni, S. 87−9522
Lusty, M.E., Dunn, M.H. Refractive indices and thermo-optical properties of dye laser solvents 88−8151
Lusty, M.E. *see* McIntyre, I.A. 88−40304
Lut, N.T. *see* Mishin, V.I. 87--78669
Lutchenko, V.G. *see* Gaivan, V.T. 86−45456
Luteman, G.C. *see* Gay, P.A. 85−32125, 86−26171, 86−52676
Lutender, S.D. *see* Frost, H.J. 87−65614, 88−63429
Lutes, C.L., Gershenson, M., Schneider, R.J. A more efficient computational procedure for calculating the critical current of a multi-junction superconducting interferometer 85−56195
Lutes, G. Reference distribution over optical fibers: a progress report 88−22128
Lutes, G. Optical isolator system for fiber-optic uses 88−45254
Lutfullin, R.R., Demakin, Yu.P., Yungel'son, V.G., Saibel', A.G., Zaripov, A.G. A method of raising the accuracy of turbine-type liquid flowmeters 87−35240
Lutgenau, W. Continuous data analysis of the most important biosignals of the brain−ICP, SAP, CPP, EEG 88−61222
Luth, H. Metalorganic molecular beam epitaxy (MOMBE) 87−73114
Luth, H. *see* Arens, G. 86−46377, 87−10384
Luth, H. *see* Balk, P. 88−12001
Luth, H. *see* Forster, A. 88−13017
Luth, H. *see* Grundmann, D. 88−56274
Luth, H. *see* Heinecke, H. 87−10410, 87−10417, 87−44321, 88−38187
Luth, H. *see* Mattern-Klosson, M. 86−14938, 86−21251
Luth, H. *see* Plass, C. 88−43874
Luth, H. *see* Putz, N. 85−10696, 85−44701, 86−13754, 86−40741
Luth, H. *see* Ritz, A. 86−1710
Luth, H. *see* Weyers, M. 86−47454
Luth, V. *see* Adolphsen, C. 87−29549, 88−68218
Luth, V. *see* Breakstone, A. 87−38541
Luth, V. *see* Dauncey, P. 88−57735
Luth, V. *see* Litke, A. 88−29849
Luth, V.G. *see* Foley, K.J. 88−68313
Luth, W., Gossel, M. Linear filtering on the A6472 image processing system by use of residue arithmetics 88−14841
Luthe, H. X-ray lithography for VLSI 85−1661
Luther, A., Chaney, E. Digital video interactive technology 88−9787
Luther, B.J. *see* Eldridge, J.M. 87−53407
Luther, C. *see* Shuchman, R. 86−6137
Luther, G.G., Cowan, P.L., Henins, A., Brennan, S. New two dimensional position sensitive proportional detectors using charge division 86−60561
Luther, G.G., Towler, W.R. Redetermination of the Newtonian gravitational constant 'G' 85−63943
Luther, H. *see* Erne, S.N. 85−48136
Luther, H. *see* Klein, K.-D. 85−41074, 85−46063, 85−50877
Luther, J. *see* Beyer, H.G. 87−51133
Luther, J. *see* Gabler, H. 88−62264
Luther, L.C., Rana, V.V.S., Licht, S.J., Norelli, M.P. The effect of V_2O_5 on the growth and properties of Bi-YIG 87−52131
Luther, L.C., Slusky, S.E.G., Brandle, C.D., Norelli, M.P. Rare-earth substitution in $(BiYCa)_3(FeSiGe)_5O_{12}$ bubble films 87−32844
Luther, L.C. *see* Wolfe, R. 85−41222, 86−28923, 86−36133
Luther, M.R., Evert, T.A., Hesser, R.J., Potter, W.D., Castineiras, A. Performance characteristics of active cavity radiometers in unshuttered applications 87−9000
Luther, R.R. *see* Capp, M.L. 86−53261
Luther, W. The differentiability of Fourier gap series and 'Riemann's example' of a continuous, nondifferentiable function 87−36593
Luther-Davies, B. An electro-optically Q-switched actively mode-locked Nd:YLF laser with feedback stabilised pre-lase 86−42507
Luther-Davies, B. *see* Clark, P.J. 86−5665
Luthi, D.A. *see* Stearns, C.C. 88−70838
Luthi, R. *see* Laeger, H. 88−68141
Luthje, H., Harms, M., Bruns, A. Contrast enhancement in synchrotron X-ray lithography by application of magnesium masks and beam windows 86−1971
Luthje, H., Harms, M., Bruns, A. High contrast synchrotron X-ray lithography by means of silicon based masks and magnesium beam windows 86−21325
Luthje, H., Mackens, U., Mescheder, U., Matthiessen, B. Stability of SiC-masks for high resolution synchrotron X-ray lithography 87−25000
Luthje, H., Matthiessen, B., Harms, M., Bruns, A. Status and prospects of SiC-masks for synchrotron based X-ray lithography 88−13209
Luthjens, L.H., Hom, M.L., Vermeulen, M.J.W. Feasibility of obtaining short electron-beam pulses from a Van de Graaff 3-MV accelerator using laser-photoelectron emission from a cold trioxide cathode 87−8816
Luthra, A. An iterative technique to reduce the high side lobe artifacts due to non-periodic elements' locations 88−2836
Luthra, A.K. A solution to the adaptive nulling problem with a look-direction constraint in the presence of coherent jammers 86−64264
Luthra, A.K., Steinberg, B.D. Analysis of maximum entropy processing in the space-angle domain: two target case 85−52390
Luthra, K.L. Sodium loss reactions in high pressure sodium lamps 87−43630
Luthy, R.M. Combined combustion of alternative fuels and domestic refuse in refuse incineration district heating power plants 86−26428
Luthy, W. Lasers excited by photodissociation: the thalliumiodide laser 86−63747
Luthy, W. *see* Datwyler, M. 86−68455, 87−39033
Luthy, W. *see* Frauchiger, J. 87−75215, 88−27126, 88−45511
Luthy, W. *see* Henchoz, P.-D. 86−9723
Luthy, W. *see* Josten, G. 88−51488
Luthy, W. *see* Schnell, S. 88−40180
Luthy, W. *see* Stalder, M. 87−39042, 87−68429, 88−27118
Luthy, W. *see* Weber, H.P. 88−10429
Lutidze, Sh.I. Penetration of a magnetic field into a heterogeneous superconductor 86−2618
Lutidze, Sh.I. A nonuniform superconductor in a magnetic field 87−7041
Lutidze, Sh.I. Non-local parametric models for superconductors 87−74547
Lutjens, G. *see* Bailey, R. 85−15164
Lutjens, G. *see* Hofmann, R. 85−9062
Lutke-Daldrup, B. Numerical solution of two-dimensional nonlinear transient field and eddy-current problems 85−38946
Lutkenhoner, B., Hoke, M., Pantev, C. Possibilities and limitations of weighted averaging [evoked signal processing] 86−25227
Lutkin, E.M. *see* Davidchuk, G.A. 85−44008
Lutkovskii, V.M., Malevich, I.A. Analysis of photodetector error in determining law governing change in light flux intensity 85−31611
Lutkovskii, V.M. *see* Ermalitskii, F.A. 86−1651
Lutkovskiy, V.M. Effect of internal feedbacks and afteremission on the one-electron response of a photomultiplier 86−41495
Lutoborski, A. *see* Banerjee, U. 87−23554
Lutof, D., Robach, C. Expert system for test strategy generation 88−19081
Lutolf, R., Vieli, A., Kesselring, M., Anliker, M. A versatile digital scan converter for high quality imaging 87−21810
Luton, J.N., Clinard, J.A., Lue, J.W., Gray, W.H., Summers, L.T., Kershaw, R. Internal pressure effects in the Airco-LCT conductor sheath 86−48061
Luton, J.N., Cogswell, F.D., Dresner, L., Ellis, J.F., Fletz, W.A., Friesinger, G.M., Gray, W.H., Iwasa, Y., Koizumi, K., Lubell, M.S., Lue, J.W., May, J.R., Nishi, M.F., Peck, S.D., Schwenterly, S.W., Shen, S.S., Stamps, R.E., Takahshi, R., Walstrom, P.L., Wilson, C.T., Wintenberg, R.E., Yoshida, K., Zichy, J.A. Preliminary results of the partial-array LCT coil tests 85−56230
Luton, J.N., Shen, S.S., McManamy, T.J., Wilson, C.T., Ellis, J.F., Dresner, L., Wintenberg, R.E. A study of eddy-current effects in the structure of the Westinghouse LCT coil 87−67950
Luton, J.N., Ulbricht, A.R., Ellis, J.F., Shen, S.S., Wilson, C.T., Okuno, K., Siewerdt, L.O., Wuechner, F., Zahn, G.R., Zichy, J.A. Testing electrical insulation of LCT coils and instrumentation 87−74642

Luton, J.N. *see* Dresner, L. 87−67976, 88−65032
Luton, J.N. *see* Lubell, M.S. 88−13773, 88−65028
Luton, J.N. *see* Lue, J.W. 86−28752, 87−67973, 88−45031, 88−65100
Luton, J.N. *see* Shen, S.S. 87−67971, 88−65033, 88−65106
Lutov, L.G. *see* Ivanov, D.V. 88−33459
Lutov, M.F., Mel'nikov, K.P., Yunakov, P.A. Introduction of electronic central offices into the metropolitan telephone networks 86−37646
Lutovich, A.S. *see* Pugacheva, T.S. 88−24737
Lutsch, A.G.K., Oosthuizen, D.R. Ion distribution near a mask edge with arbitrary shape for VLSI IC applications 85−62086
Lutsch, A.G.K. *see* Krimmel, E.F. 85−34740, 85−45555
Lutsch, A.G.K. *see* Le Roux, H.F. 85−37873
Lutsenko, E.D. *see* Vinogradov, S.S. 88−38788
Lutsenko, G.N. *see* Volkov, S.A. 88−39155 to 39156
Lutsenko, V.P. *see* Taryanik, N.V. 88−29600
Lutset, M.O. *see* Danilevich, Ya.B. 87−9456
Lutskiv, N.M. Electric drive systems with observing devices and a flexible link 85−10151
Lutskiv, N.M., Marunyak, Ya.S. Servo electric drive with an observation device 86−26349
Lutskiv, N.M. *see* Voloshchak, I.A. 86−66379
Lutt, W. *see* Sabisky, E.S. 87−72411
Lutteke, G., Hennings, D. Dielectric resonators for microwave integrated oscillators 87−24456
Lutteke, G., Raets, H.C. High-voltage high-frequency class-E converter suitable for miniaturization 85−6167
Lutteke, G., Raets, H.C. 220 V mains, 500 kHz class-E converter using a BIMOS 86−7974
Lutteke, G., Raets, H.C. 220 V converter in class E at 500 KHz using a BIPMOS cascode 86−12887
Lutteke, G., Raets, H.C. High voltage frequency class-E converter suitable for miniaturization 87−31066
Lutteke, G., Raets, H.C. 220 V mains 500 kHz class-E converter using a BIMOS 88−5765
Luttenberger, N. Chained reference address comparator−a VLSI-chip for monitoring communication in multi-microcomputer systems with shared memory 86−57864
Luttenberger, N. *see* Klar, R. 87−825
Lutterman, G. Substation alarm system features automatic dialing 88−17801
Lutterodt, S.A. *see* Baldwin, R.L. 87−23079
Luttgens, G. *see* Maurer, B. 88−27409
Luttges, M.W. *see* Stodieck, L.S. 85−64591
Luttich, F. Signal generator SMPD up to 2.72 GHz 86−31451
Luttich, F. Signal generator SMG for 100 kHz to 1000 MHz 86−60263
Luttich, F. SMX, a cost-effective signal generator for 100 kHz to 1000 MHz 87−56719
Luttich, F. The right signal generator for every application 88−36089
Luttich, F. Function generator AFGU for 1 μHz to 50 MHz 88−36090
Luttich, F., Fede, C. Wide band signal generators 87−41530
Luttich, F., Loffler, H. Function generator AFG. 10 MHz to 20 MHz 86−50138
Luttich, F., Loffler, H., Fede, C. Generator functions of 10 MHz to 29 MHz 86−65202
Luttich, R., Schwarz, G. State of the technology and current trends in liquid crystal displays 88−4551
Luttinger, H.J. *see* Dintruff, D.L. 87−63197
Luttio, K. *see* Kramer, M. 87−72570
Luttmann, F. *see* Osborn, D.E. 87−22756
Luttmer, J.D., Konrad, D., Trachtenberg, I. Electrode materials for hydrobromic acid electrolysis in Texas Instruments' solar chemical converter 85−60431
Luttmer, J.D., Trachtenberg, I. Performance predictions for solar-chemical converters based on photoelectrochemical I-V curves 85−60432
Lutton, C. *see* Champarnaud, G. 87−31460
Lutton, J.-L., Bonomi, E., Feix, M. Solution of an assignment problem through rearranging process 86−59167
Lutton, J.L., Roberts, J.W. Traffic performance of multi-slot call routing strategies in an integrated services digital network 85−52235
Luttrell, S.P. A new method of sample optimization 85−46672
Luttrell, S.P. The use of transinformation in the design of data sampling schemes for inverse problems 86−3730
Luttrell, S.P. Speckle noise and texture in coherent images 87−34652
Luttrell, S.P. The use of Markov random field models to derive sampling schemes for inverse texture problems 87−62167
Luttrell, S.P. Designing Markov random field structures for clutter modelling 88−15537
Luttrell, S.P. The use of Markov random field models in sampling scheme design 88−45813
Luttrell, S.P. Markov random fields: a strategy for clutter modelling 88−52187
Luttrell, S.P. A maximum entropy approach to sampling function design 88−72938
Luttrell, S.P., Oliver, C.J. Prior knowledge in synthetic-aperture radar processing 86−37927
Luttrell, S.P. *see* Delves, L.M. 88−73996
Lutwack, R. *see* Ferber, R.E. 86−34297
Lutwack, R. *see* Halpert, G. 88−48292
Lutwack, R. *see* Hsu, G. 86−508
Lutwen, R.C., Fitzpatrick, T.J. Analysis of coal-firing modes shows pulverized least costly 86−56596
Luty, F. *see* Gellermann, W. 86−36447, 87−39037, 87−46842
Luty, F. *see* Wandt, D. 87−33125
Lutynski, B. *see* Fleszynski, J. 85−50787, 85−56009
Lutz, A.M. *see* Arnault, C. 87−14216
Lutz, A.M. *see* Burkhardt, H. 88−47997
Lutz, C. *see* DeFonzo, A.P. 87−54687
Lutz, C.R., Defonzo, A.P. Optoelectronic generation and sensing of millimeter waves 87−77268
Lutz, C.R. *see* DeFonzo, A.P. 87−45288, 87−68303
Lutz, D., Lemke, D., Wolf, J. Stressed Ge:Ga infrared detectors: performance and operational parameters 86−55728
Lutz, D. *see* Thompson, L. 87−76309
Lutz, D.E., Lipps, A.J. The modular high temperature gas cooled reactor 85−53512
Lutz, D.H. *see* Hoover, J.R. 85−63473
Lutz, E. Automation in electricity distribution networks. Economically realisable or a wish? 85−38501
Lutz, E. Code and interleaver design for data transmission over fading channels 85−41857
Lutz, E. Simulation of FEC/ARQ data transmission using stored land mobile satellite channels 86−69725
Lutz, E. 100 percent CMOS latch-up testing: a major step toward improving product reliability 87−46186
Lutz, E., Papke, W. Combined FEC/ARQ data transmission via mobile satellite links 87−49007
Lutz, E., Papke, W., Plochinger, E. Land mobile satellite communications−channel model, modulation and error control 87−13664
Lutz, E., Plochinger, E. Generating Rice processes with given spectral properties 86−42842
Lutz, E., Plochinger, E., Papke, W., Dolainsky, F. Channel study and transmission procedures for satellite based mobile land radio systems 86−23736
Lutz, E. *see* Hagenauer, J. 87−34484, 87−56050
Lutz, E.R. Antenna and propagation requirements for cellular communications−now and the future 86−30686
Lutz, F. Fundamental considerations on the influence of the type of switch on the excess voltage occurring during the switching of motors 85−15970
Lutz, F., Schels, W. Pressure development due to fault arcs in switchgear 87−30868
Lutz, F. *see* Chu, F.Y. 88−55566
Lutz, F. *see* Falckenberg, R. 88−32981
Lutz, F.C. *see* Looft, F.J. 86−52168
Lutz, G. New developments in solid state detectors and integrated electronics 88−10266
Lutz, G. New developments in the field of semiconductor detectors 88−68268
Lutz, G., Buttler, W., Bergmann, H., Holl, P., Hosticka, B.J., Manfredi, P.F., Zimmer, G. Low noise monolithic CMOS front end electronics 88−22994
Lutz, G., Maloberti, F., Manfredi, P.F., Re, V., Speziali, V., Buttler, W., Vogt, H. On the design of a JFET-CMOS front-end for low noise data acquisition from microstrip detectors 88−29908
Lutz, G. *see* Bailey, R. 85−15164
Lutz, G. *see* Becker, H. 87−14750
Lutz, G. *see* Buttler, W. 86−34591, 87−29679
Lutz, G. *see* Gatti, E. 85−59168
Lutz, G. *see* Hofmann, R. 85−9062, 85−9106
Lutz, G. *see* Holl, P. 87−63655
Lutz, G. *see* Kemmer, J. 87−8862, 87−29483, 87−29547
Lutz, G. *see* Kotz, U. 85−48168
Lutz, G. *see* Rehak, P. 85−43170, 86−65336
Lutz, G. *see* Struder, L. 87−25303, 87−63657, 88−68207
Lutz, G.R. Robotics in space power systems assembly and servicing 87−42155
Lutz, H. Optical inter-satellite links 86−43823
Lutz, H. Results of migration studies for logic synthesis algorithms implemented on a workstation 87−17056
Lutz, H., Krohner, P. The demands of small heat meters 87−14368
Lutz, H. *see* Hahne, A. 87−70079
Lutz, H.-P. The role of the Swiss Post Office in the development of videotex 85−8112
Lutz, H.A., III, Agnew, J., Brooks, D., Ward, J.D., Choi, S.C., Young, H.F., Marmarou, A. Computerised monitoring in the neurosurgical intensive care unit 87−21578
Lutz, H.A., III *see* Moulton, R.J. 87−21577
Lutz, H.P. TELEPAC: the data package transmission of the PTT 85−2940
Lutz, H.P.W. PTT operation and data security 86−30169
Lutz, H.P.W. What is the PTT's role in data protection? 86−59487
Lutz, H.P.W. What is the PTT's role in data protection? 87−2915
Lutz, I. *see* Stover, G. 88−55486
Lutz, J. Circuit provides temperature compensation 85−54686
Lutz, J. *see* Comstock, C.S. 87−67762
Lutz, J.D. *see* Kalyanasundaram, S. 87−333
Lutz, K. In-circuit test station TSI 87−56499
Lutz, K. Tester symbiosis. In-circuit and functional testing in one system 88−4322
Lutz, K. TSI in-circuit testing stations 88−29222
Lutz, K. Test station TSIC for in-circuit and functional tests 88−32542
Lutz, K., Thum, E. Extended networks of heat-sources for calculating transient processes 87−64517
Lutz, K.A. Implementation of the subscriber line access in the ISDN 85−42399
Lutz, K.A. Implementation of broadband ISDN with the Siemens switching system EWSD 87−28337
Lutz, K.A. Broadband ISDN, a hybrid network with continuous and packetized information 88−46724
Lutz, K.A. *see* Berner, W. 85−47048
Lutz, K.J. Operations planning strategies for new network services and technologies 88−49459
Lutz, K.J. *see* Bauman, T.M. 86−23320
Lutz, M. Matching photoreceptor response to state-of-the-art exposure sources 87−61026
Lutz, M., Frey, O., Taylor, W. Human ESD: the phenomena, their reproduction and some associated problems 87−26615
Lutz, M. *see* Ausschnitt, C.P. 88−1739
Lutz, M. *see* Feser, K. 88−4509
Lutz, M. *see* Kunkel, H. 86−15962
Lutz, M. *see* Rodewald, A. 86−3570, 86−62895
Lutz, M.A. *see* Cush, R.J. 87−7168
Lutz, M.A. *see* Dehli, G.J. 87−74818
Lutz, O. *see* Braun, M. 88−54523
Lutz, P., Weinrichter, H. Calculation of image frequency responses of SC-filters with time variant topology by means of equivalent RC-circuits 87−16845
Lutz, P. *see* Boratav, M. 86−5801
Lutz, R., Gottwald, A. A general qualifier for linear oscillators with amplifiers 85−28413
Lutz, R. *see* Kunkel, B. 87−15009, 88−68625
Lutz, R.A., Eisenhart, C.A. Flatpack standardization for low cost automated surface mount assembly 86−46108
Lutz, R.A. *see* Schnorr, D.P. 87−37663
Lutz, R.J., Jr., Holmes, B.G., Vavrek, K.J. The impact of seismic events on containment and consequence analysis 85−48723
Lutz, R.von *see* von Lutz, R.
Lutz, R.W. A power supply control IC suitable for automotive applications 87−44598
Lutz, R.W. A power supply control IC suitable for automotive applications 87−73289
Lutz, R.W., Dewey, F.R. Power op amps simplify drive-circuit design tasks 86−750
Lutz, R.W., Todd, P.C. A 10 watt, offline, 250 KHz resonant power supply 87−31713
Lutz, R.W. *see* Rhan, J. 87−44642
Lutz, R.W. *see* Todd, P.C. 86−66196
Lutz, S.A. *see* Tropf, W.J. 88−42615
Lutz, S.S. *see* Ogle, J.W. 88−10032
Lutz, T. The future of the computer. I 85−35100
Lutz, W., Winston, K.R., Maleki, N. A system for stereotactic radiosurgery with a linear accelerator 88−42574
Lutz, W. *see* Jungst, H. 87−15317
Lutz, W.R., Maddox, B.J., Kase, K.R. Daily check instrument for photon and electron beam quality assurance of medical linacs 85−59260
Lutze, J.W. *see* Kim, S.J. 88−7626
Lutze, R.S.L., Vyas, H.P., Huang, J.S.T. A fully scaled submicron direct write e-beam CMOS technology for VLSI digital applications 85−50750
Lutze, R.S.L. *see* Schrankler, J.W. 85−50752
Lutze, R.S.L. *see* Vyas, H.P. 85−40908
Lutzelberger, P. *see* Christl, N. 88−68897
Lutzke, K., Wilkes, R., Stahl, H. Value regulations. Evaluation of continuous emission measurements in accordance with large boiler plant regulations 85−48834
Lutzky, N. Priorities for city and district. Local heat-supply concept for West Berlin 85−21436
Lutzow, K., Bordihn, S. Matching design and layout of the nuclear heating station AST-500 to the district heating network conditions in the GDR 88−75267
Lutzow, K. *see* Bordihn, S. 87−15452
Luu, H.V. *see* Darekar, V.S. 85−6581
Luu, J., Chui, T.C.P., Lipa, J.A. Thermal coefficients of SQUID magnetometers 85−46066
Luukkainen, V.-M., Jemivaara, I. Feasibility of using ground probing radar to evaluate the properties of peat bog 87−41007
Luukkala, M., Viirto, J. A simple fiber optic thermal switch or fire alarm 88−36051
Luukkala, M. *see* Jaarinen, J.P. 85−53227
Luukkala, M. *see* Saniie, J. 85−10890
Luukkonen, V.K. *see* Bonechi, M. 88−43010

Luukkonen-Gronow, T. Scientific research evaluation: a review of methods and various contexts of their application 87−65131
Luursema, E.D. *see* van Alste, J.A. 85−26779
LuValle, M.J. *see* Chan, L.C. 86−47149
LuValle, M.J. *see* Cohen, H.M. 88−24549
Luvera, C.J. *see* Graniero, J.A. 85−24987
Luvishis, A.L. *see* Avatkov, E.S. 86−7255
Luvison, A., Apel, J., Roullet, G., Toft, F. A high-capacity multiservice local area network−LION 88−21743
Luvison, A., Roullet, G., Toft, F. A high-capacity multiservice local area network 87−48574
Luvison, A., Roullet, G., Toft, F. A high-capacity multiservice local area network 88−28424
Luvison, A. *see* Corsi, N. 85−8161, 85−13938
Luvison, A. *see* Lambarelli, L. 86−30358, 86−54919, 86−64752, 87−69651
Luvison, A. *see* Molica Colella, O.F. 87−71093
Luvison, A. *see* Rey, J.C. 86−11142, 87−48613
Lux, I. *see* Adorjan, F. 86−33005
Lux, J. *see* Munzel, H. 88−26153
Lux, M. Evolution of analytical chemistry as a consequence of EDP developments 85−42838
Lux, M. *see* Kuhn, G. 87−5408
Lux, R. *see* Shappirio, J. 86−21444
Lux, R.A. *see* Berkowitz, H.L. 88−13311
Lux, R.A. *see* Shappirio, J.R. 85−18262, 87−11450, 87−25164
Lux, R.L., Ershler, P.R. Enhancement of electrocardiographic distributions in the study of low level potentials 88−4977
Lux, R.L., Green, L.S., Abildskov, J.A. Statistical representation and classification of electrocardiographic body surface potential maps 85−53071
Lux, RL. *see* Ershler, P.R. 87−57207, 88−10384, 88−68436
Lux-Steiner, M. *see* Spah, R. 85−6726, 86−8824
Lux-Steiner, M.C. *see* Bucher, E. 86−58317
Luxa, A., Priess, A. Switching of motors during start-up [vacuum circuit breakers] 86−12976
Luxa, A. *see* Kulicke, B. 87−58243
Luxa, G. *see* Diessner, A. 87−15932
Luxa, G. *see* Fischer, L. 85−5281
Luxa, G. *see* Kynast, E. 86−51857
Luxa, G.F. *see* Boeck, W. 86−51861
Luxemburg, L., Huang, G. A new transformation for frequency analysis of time varying periodic linear system 86−66994
Luxemburg, L.A., Huang, G. On the number of unstable equilibrium points of a class of nonlinear systems 88−43796
Luxford, R. To see or not to see [videotape editing] 85−31218
Luxon, J.T. Basic optics of laser resonators 85−18971
Luxon, J.T., Parker, D.E. Industrial lasers and their applications 85−22159
Luxton, G. *see* Astrahan, M. 88−4985
Luxton, R.E. *see* Jenkins, D.M. 86−45180
Luy, J., Casel, A., Behr, W., Kasper, E. A 90-GHz double-drift IMPATT diode made with Si MBE 87−52833
Luy, J.-F., Baur, G., Kasper, E. Space-charge-influenced avalanche-breakdown characteristics: an improved approximation 87−73672
Luy, J.-F. *see* Stegmuller, B. 85−24557
Luy, J.F., Behr, W., Kasper, E. 90 GHz IMPATT diodes made from Si MBE material 87−6163
Luy, J.F., Kasper, E., Behr, W. Semiconductor structures for 100 GHz silicon IMPATT diodes 88−25559
Luy, J.F., Kibbel, H., Kasper, E. CW IMPATTs made from silicon molecular beam epitaxy material 86−47070
Luy, J.F., Kuehne, R. Current distribution in oscillating mm-wave diodes 86−41346
Luy, J.F., Strohm, K.M., Buechler, J. Monolithically integrated coplanar 75-GHz silicon IMPATT oscillator 88−63932
Luy, J.F. *see* Behr, W. 85−6545
Luy, J.F. *see* Buechler, J. 88−63889, 88−63958
Luyken, G.-M. Debit broadcasting by satellite 88−28753
Luypaert, P.J. Development of microwave applicators to dry thin structures 86−52060
Luypaert, R., Osteaux, M. The effect of instrumental limitations on the performance of computerized tomographs 86−38756
Luyten, P.R. *see* den Hollander, J.A. 87−50278
Luyuan Tong *see* Tong Luyuan
Luz, G. *see* Gohla, B. 86−3173
Luz, G. *see* Mozer, A.P. 87−33152
Luz, G. *see* Wunstel, K. 87−7358, 88−20659
Luz, P.L.da *see* da Luz, P.L.
Luzakov, S.K. Estimating the number of outputs of a universal logic element 87−37144
Luzanov, V.A. *see* Anisimkin, V.I. 87−12031
Luzanov, V.A. *see* Kotelyanskii, I.M. 85−56075
Luzganov, V.S., Luzganova, S.V. Comparing voltage and current resonances in oscillatory systems of radio-frequency thermometers 87−49685
Luzganova, S.V. *see* Luzganov, V.S. 87−49685
Luzgin, V.N. *see* Belokopytov, A.Ya. 88−72755
Luzheng Lu, Cohen, G., Godlewski, P. Composite permutation coding of speech waveforms 87−19613
Luzhin, Y.A. *see* Gertsev, K.F. 88−65034
Luzhnov, A.M. *see* Kamyshan, A.N. 85−43708, 86−18972
Luzi, G. *see* Zaccanti, G. 88−48330
Luzier, W. *see* Ganjei, J. 87−11211
Luzin, P.M. *see* Kushnarenko, V.V. 85−15706
Luzin, V.A. *see* Brovchenko, V.G. 86−44202
Luzzato, E. Strange! did you say strange? or speech comprehension 87−12941
Luzzatto, A. Analytic design of high-frequency power oscillators using two-port devices 86−27139
Luzzi, R. *see* Freire, V.N. 87−24746, 88−32807
Lvov, B.V. *see* Gusev, A.A. 85−46365
L'vov, B.V. *see* Kravtsov, N.V. 88−45379
Lvov, E.L. Integral expressions for ponderomotive forces in a magnetic field 85−56944
L'vov, E.L. Spatial forces and field tensors in magnetic materials 88−13658
L'vov, V.I., Mel'nikov, I.V., Shcheglov, V.A. Scaling effect in a chemical chain HF laser based on a standing detonation wave 86−68470
L'vov, V.I., Stepanov, A.A., Shcheglov, V.A. Saturation effect in many-level laser media 85−41302
Lvov, V.I., Stepanov, A.A., Shcheglov, V.A. Chain chemical CW HF lasers 86−3082
L'vov, V.I., Stepanov, A.A., Shcheglov, V.A. Hydrogen fluoride chain laser with an initiating reagent at a standing detonation wave 86−9746
Lvov, V.I., Stepanov, A.A., Shcheglov, V.A. Analytic model of HF laser based on optical resonance transfer of energy 87−46777
L'vov, V.K. *see* Karimov, A.S. 88−18838
L'vov, V.N. *see* Biber, L.A. 86−33261
L'vov, V.N. *see* Gladkov, E.A. 85−53982
L'vov, V.S. *see* Brodskii, I.I. 85−31296
L'vov, V.S. *see* Gromilin, G.I. 85−39
L'vov, Yu.N. Analysis of probabilities of the greatest instantaneous values of short-circuit currents [power system protection] 85−59801
L'vov, Yu.N. The number of faults at different currents during service life of 220 to 750 kV auto-transformers 86−39866
L'vov, Yu.N., Bogomolov, V.S., Dorf, G.A., Kokhan, P.G. An investigation of short-circuit currents in the circuits of 220-750 kV autotransformers 87−43146
L'vov, Yu.N. *see* Levina, L.S. 85−59535, 85−59657
Lvova, E.A. *see* Khimunin, A.S. 85−15450
L'vova, M.V. *see* Dementienko, V.V. 86−24544
L'vova, M.V. *see* Gulyaev, Yu.V. 87−26017
L'vova, T.V. *see* Bykovnikov, A.A. 85−23560
L'vova, T.V. *see* Konstantinov, O.V. 86−27972
L'vovskii, Yu.M. *see* Al'tov, V.A. 88−31870
Lvovsky, Yu.M. *see* Altov, V.A. 87−38674
Ly, K. *see* Rhodes, M.L. 87−57257
Ly, K.K. *see* Fung, P.W. 88−68397
Ly, N.G. *see* Wills, L.J. 86−17992
Ly, T. *see* Girczyc, E.F. 87−67462
Ly, T.A., Girczyc, E.F. Constraint propagation and design interaction in an object orientated IC design environment 88−64703
Ly, T.A., Girczyc, E.F. Constraint propagation in an object-orientated IC design environment 88−71709
Ly, T.A., Miller, R., Girczyc, E.F. Interfacing application programs to an object-oriented design database using views and controllers 88−39661
Ly Cong Can *see* Attal, J. 85−9388
Lyabin, N.A. *see* Belyaev, V.P. 85−51105
Lyabin, N.A. *see* Zharikov, V.M. 85−18860
Lyabin, N.A. *see* Zubov, V.V. 87−54237
Lyabuk, N.N. Effect of magnetic core saturation in a salient-pole synchronous generator on transient processes during independent operation 86−51603
Lyabuk, N.N. The effect of pole saturation in a salient-pole synchronous machine on the transients caused by sudden changes of load 87−58048
Lyabuk, N.N., Fil'ts, R.V. Mathematical model of the electromagnetic couplings of a generalized salient-pole synchronous machine in synchronously-rotating axes 87−78649
Lyabuk, N.N. *see* Fil'ts, R.V. 86−12795
Lyaiste, R. *see* Krumshtein, Z.V. 85−26724
Lyakh, G.E., Zubkov, A.I., Belokon, A.F. Specimen-deformation machine for X-ray diffractometers 87−16754
Lyakh, G.O. *see* Lisitsyn, V.M. 85−24504, 85−46356
Lyakhimets, S.N. *see* Kuts, P.S. 87−18517
Lyakhnovich, A.V. *see* Apanasevich, S.P. 88−65774
Lyakhov, F.Ya. *see* Kapinos, V.M. 86−31635
Lyakhov, G.A., Svirko, Yu.P. A fluctuation mechanism for second-harmonic generation in liquid crystals 85−19014
Lyakhov, G.A., Svirko, Yu.P. Theory of a dye laser in a mesogenic matrix near a transition to the liquid crystal phase 86−36434
Lyakhov, G.A. *see* Arakelyan, S.M. 85−29898
Lyakhov, G.A. *see* Kozhevnikova, I.N. 87−2052, 87−68318, 87−74959
Lyakhov, Yu.A. *see* Klyukin, L.M. 85−8949
Lyakhova, I.P. *see* Yatskevich, V.A. 87−12840
Lyakhovets, O.G. *see* Zapara, G.N. 85−8917
Lyakhovetskii, M.S. Certain savings of liquid fuel costs in the fuel management of heat and electric power plants 86−65905
Lyakhovetskii, M.S., Pavlova, I.A. Electrical heating of external steam pipes 86−26408
Lyakhovich, A.L., Pentegov, I.V., Stemkovskii, E.P., Sheikovskii, D.A. Calculating the optimum parameters of saturating reactors for capacitor discharge machines with the current shape regulated 86−7330
Lyakhovich, T.K., Grinchenko, V.T., Khromov, S.M., Flerova, G.A. Transition layer between a lead zirconate titanate ceramic and a Ni-Cu alloy in vacuum plasma-arc deposition 85−449
Lyakhovskii, A.F., Penkin, Yu.M., Yatsuk, L.P. Investigation into electromagnetic coupling of two rectangular waveguides through wide opening with coordinate boundaries 87−19265
Lyakhovskii, A.F. *see* Gorobets, N.N. 87−37519
Lyakhovskiy, A.F. *see* Gorobets, N.N. 88−40698
Lyakin, A.V. *see* Volynskii, M.M. 85−15883
Lyakin, V.I., Zav'yalov, P.S., Bondarenko, A.V., Grishin, A.M. Spectrum analysers for investigating non-steady-state operating conditions of hydraulic machines 86−31296
Lyakishev, V.G. *see* Bardakovskii, S.V. 85−56518
Lyakishev, V.G. *see* Bykov, A.D. 87−68347
Lyakishev, V.G. *see* Dzisyak, A.P. 85−24489
Lyakishev, V.G. *see* Galushkin, M.G. 86−63757
Lyakishev, V.G. *see* Vorob'eva, N.N. 85−24477
Lyakov, Yu.A. *see* Klyukin, L.M. 85−31541
Lyalik, G.N. *see* Dubrovina, I.V. 85−59639
Lyalikov, A.M. *see* Zeilikovich, I.S. 87−26335, 88−27321, 88−27353, 88−58716, 88−72302
Lyalikov, A.M. *see* Zeilinkovich, I.S. 88−51957
Lyalikov, B.A. *see* Papikyan, S.R. 88−55183
Lyalin, A.I. *see* Rode, V.E. 86−31652
Lyalin, K.V., Ilyukovich, K.A., Strekalov, G.N. Resistance-arc spot welding−a modern method of manufacturing lattice metal structures 85−60610
Lyalinskii, A.A., Rusakov, S.G. Methods of accelerated modeling of the electrical characteristics of LSI MIS 87−67550
Lyall, H. *see* Wilson, A.D. 87−29113 to 29114
Lyall, R.G. *see* Mann, C.J. 87−34420
Lyamets, Yu.Ya., Efimov, N.S. Orthogonalisation of the values of relay protection by the least-squares method 87−50857
Lyamets, Yu.Ya., Efimov, N.S. Recursive filters of orthogonal components 88−63797
Lyamets, Yu.Ya., Efimov, N.S., Il'in, V.A. Digital filters for the fundamental harmonic of currents and voltages in an electric network 88−36831
Lyamets, Yu.Ya., Il'in, V.A. Analysis of the frequency dependence of the characteristics of meters utilising orthogonal components of electric magnitudes 88−23578
Lyamets, Yu.Ya., Il'in, V.A. A recursive Fourier algorithm 88−30416
Lyamets, Yu.Ya., Podshivalin, N.V. Nonrecursive filters with minimum frequency-characteristic error [relay protection] 87−9205
Lyamets, Yu.Ya., Podshivalin, N.V. Decomposition of relay-protection apparatus input variables into orthogonal components 87−50873
Lyamets, Yu.Ya. *see* Antonov, V.I. 88−30805
Lyamets, Yu.Ya. *see* Shevtsov, V.M. 87−11096
Lyamin, V.S. *see* Davimuka, S.A. 85−63954
Lyamshev, L.M. Lasers in acoustics 88−29719
Lyamshev, L.M., Smirnov, Yu.Yu. Fibre-optic instrument hydrophone 85−59523
Lyamshev, L.M. *see* Barmenkov, Yu.O. 87−68667, 88−26747
Lyamshev, L.M. *see* Zosimov, V.V. 86−15440
Lyan, P. *see* Laporte, Ph. 86−58418
Lyanda-Geller, Yu.B. Effective momentum relaxation time of photoelectrons due to scattering by optical phonons 86−2913
Lyanda-Geller, Yu.B. Magnetically induced circular drag effect in p-type Ge 87−33034
Lyanda-Geller, Yu.B., Rasulov, R.Ya. Linear photogalvanic effect in *p*-type III-V semiconductors. II. Ballistic contribution 86−1700
Lyandres, V.Z. Modelling of random processes of telegraph type 85−13449
Lyandres, V.Z. *see* Buga, N.N. 87−28731
Lyangasov, Yu.A. *see* Bondarenko, B.V. 88−32711
Lyannoi, B.E. *see* Bochkarev, G.S. 88−27502, 88−34301
Lyannoy, B.E. *see* Kerblay, T.S. 85−30030
Lyannoy, V.P., Berezanskiy, R.T., Alekseyenko, I.N. Amplification of high-frequency broadband signals from remote sources 88−70572
Lyanzberg, E.L. *see* Kabalyan, Yu.K. 88−54994
Lyapakhin, A.B. *see* Voronov, V.I. 86−15641
Lyapchenkova, I.B. *see* Aleksandrov, G.A. 88−14300
Lyapidevskii, B.K. *see* Kushin, V.V. 86−11913
Lyapidevskii, V.K., Prorvich, V.A., Sartori, A.V. Specific light yield of CsI(Tl) scintillators in the case of soft 2.6-17.4 keV X-rays 85−20823
Lyapidevskii, V.K. *see* Belyaev, G.E. 85−26720
Lyapidevskii, V.K. *see* Guseva, I.L. 86−70341
Lyapin, A.A. *see* Luk'yanenko, E.A. 86−5655
Lyapin, A.G., Pevchev, B.G. Diagnosing the condition of a support insulator in sulfur hexafluoride apparatus 87−6947

Lyapin, A.G., Slepov, V.I., Shamaro, L.A., Shevtson, E.N. Correction for the wave properties of a high-voltage pulse transmission system 88—30341
Lyapin, A.G. *see* Aksenov, Yu.P. 85—62126, 87—9686, 87—43187, 87—64662
Lyapin, A.G. *see* Anokhin, V.V. 87—64649
Lyapin, A.G. *see* Antonov, A.V. 85—44114
Lyapin, A.G. *see* Popkov, V.I. 87—1800
Lyapin, R.Kh. *see* Veliyulin, E.I. 86—31331
Lyapin, V.P., Hinken, J.H. Rigorous analysis of the antipodal fin-line with extremely thin isolating layer 88—8560
Lyapin, V.P., Manuilov, M.B., Sinyavskiy, G.P. Calculation of diaphragms and dielectric windows in multimode rectangular waveguides 86—22757
Lyapin, V.P., Manuilov, M.B., Sinyavskii, G.P., Chernikova, T.Yu. Electrodynamic analysis of waveguide-dielectric filters 87—59830
Lyapin, V.P., Manyilov, M.B., Sinyavskii, C.P. Convergence of the method of partial regions in the calculation of stepped inhomogeneities in rectangular waveguides 85—24908
Lyapin, V.P. *see* Gubskii, D.S. 85—1013
Lyapkalo, Yu.M. *see* Artamoshkin, A.N. 85—56963
Lyapkalov, Yu.M. *see* Zinchenko, B.N. 86—27787
Lyapunov, G.M. *see* Ganichev, V.A. 88—67799
Lyapunov, N.V. *see* Borodayev, V.A. 87—66503
Lyapunova, N.M. *see* Kontorovich, M.I. 86—36837
Lyapunova, N.M. *see* Shannikov, D.V. 88—36200
Lyashchenko, V.A. Radiation from a longitudinal slot in the wall of a multimode waveguide 88—38672
Lyashed'ko, L.G. *see* Gorshkov, A.S. 86—22742
Lyashenko, A.I. *see* Omel'chenko, L.V. 86—30961
Lyashenko, A.V., Tarantov, Yu.A., Konorov, P.P. Effect of fluorine ions on the properties of gallium arsenide-anodic oxide structures 85—12041
Lyashenko, A.V. *see* Kostikov, Yu.P. 85—29148
Lyashenko, B.N. *see* Lenchuk, I.G. 88—18256
Lyashenko, I.N., Vigovskii, E.A., Mazelis, B.L., Mel'nik, V.A. Problems of the variation of transformer loads for reducing power losses 85—60234
Lyashenko, N.N. *see* Gorodetskii, A.E. 85—15031
Lyashenko, N.N. *see* Kuz'min, P.P. 86—24760
Lyashenko, N.N. *see* Vislenev, Yu.S. 87—360
Lyashenko, S.V. *see* Andrievskii, V.E. 87—78217
Lyashenko, T.V. *see* Vislenev, Yu.S. 87—360
Lyashenko, V.I. *see* Falomkin, I.V. 85—52981
Lyashenko, V.S. *see* Berkouskii, A.M. 86—61122
Lyashevich, V.S. *see* Golosnoy, V.I. 88—46512
Lyashevskii, S.E. *see* Kudin, V.F. 86—13151
Lyashko, A.A. *see* Zhukov, S.F. 86—65754, 87—78187, 88—42893
Lyashko, O.M., Kutsak, A.A. Frequency characteristic of a ring laser with modulated frequency nonreciprocity 88—2325
Lyashko, O.M., Kutsak, A.A. The effect of fluctuations in the parameters of a ring laser on its output characteristics 88—14243
Lyashko, O.M. *see* Kutsak, A.A. 86—48462
Lyatker, I.I. *see* Kiselev, G.S. 86—33188, 88—17406
Lyatkher, V. Wind power in the USSR: prospects of development 87—57983
Lyatkher, V.M., Ivanov, I.I., Skosareva, S.I. Experimental investigations of orthogonal units for using the energy of flows 87—78568
Lyatkher, V.M., Militeev, A.N., Militeev, D.N. Aerodynamic loads on elements of wind units with vertical rotation axis 87—64492
Lyatkher, V.M., Shpolyanskii, Yu.B. Loads on hydraulic and wind turbines in a free flow and their power characteristics 88—5579
Lyatkher, V.M. *see* Malyshev, N.A. 85—5029
Lyavdanskiy, S.Ye., Savchenko, S.M. Design of matching networks for frequency multipliers allowing for the coupling between the input and output filter 86—27525
Lybanon, M., Crout, R.L. The NORDA GEOSAT ocean applications program 88—10561
Lybeck, L.V. *see* Perloff, D.S. 87—60251
Lyberatos, A. Monte Carlo calculations of the ideal and modified anhysteretic remanent magnetisation of interacting fine particles: application to AC bias recording 86—9409
Lyberatos, A. Monte Carlo simulation of digital magnetic recording on particulate media 87—53884
Lyberatos, A. *see* Chantrell, R.W. 86—36033
Lyberatos, A. *see* Fearon, M. 87—46359
Lyberatos, A. *see* Spratt, G.W.D. 88—57916
Lyberg, M.D., Taesler, R., Mattsson, M. Conditions for detecting malfunctions of buried heat distribution systems by thermographic methods 88—68061
Lybrand, E.R. *see* Lashin Ibrahim, S.A. 88—10798
Lychagin, A.A. *see* Andriashin, A.V. 87—29690
Lychagina, I. *see* Koppel, Kh. 87—52204
Lychak, M.M. A generalized variance function of random disturbances and multiple estimates of the values of the noise 88—40884
Lychak, M.M. *see* Brovdii, N.K. 88—60552
Lyche, T., Morken, K. A data-reduction strategy for splines with applications to the approximation of functions and data 88—49740
Lychkina, G.P. *see* Beryulyaev, Yu.A. 86—6737
Lychkina, I.V. *see* Titova, E.E. 86—22670
Lychko, V.V. *see* Rud', B.M. 87—36821
Lycksell, E. MOBITEX, a radio communication network for text, data and speech 87—8205
Lycksell, E. *see* Loberg, L. 85—36935, 86—49473
Lyczkowski, R.W. *see* Chow, L.S.H. 85—16262
Lyden, C., Campbell, J.S., Eivers, S. Robust numerical techniques for MOS device modelling 87—25349
Lyden, C., Kelly, W.M., Campbell, J.S., Eivers, S. Development and verification of an accurate GaAS MESFET model 87—6762
Lyden, C., Kelly, W.M., Campbell, J.S., Eivers, S. Finite element simulation of GaAs MESFETs for digital integrated circuit applications 87—16978
Lyden, C. *see* Campbell, J.S. 87—6645
Lyden, C. *see* Eivers, J. 87—25348
Lyden, J.D. *see* Bennett, J.R. 88—60276
Lyden, J.D. *see* Burns, B.A. 87—4151
Lydersen, S., Rausand, M. A systematic approach to accelerated life testing 87—58757
Lyding, J.W., Marcy, H.O., Marks, T.J., Kannewurf, C.R. Computer automated charge transport measurement system 88—60860
Lydon, T.K.G. *see* McGill, M.J. 88—35102
Lydorf, H. TEMEX operational trials 86—43492
Lydorf, H. The use of existing terminals with ISDN 88—73715
Lydtin, H. PCVD: a technique suitable for large-scale fabrication of optical fibers 87—7114
Lydtin, H. *see* Gartner, G. 88—6518
Lydtin, H. *see* Geittner, P. 88—45164
Lydtin, H. *see* Khoe, G.-D. 86—63627
Lye, K.M., Chua, K.C., Ko, C.C. Performance of Segnet—a simulation study 88—15059
Lye, K.M., Tjhung, T.T. On quaternary DPSK error rates due to noise and interferences 87—33633
Lye, K.M., Tjhung, T.T. Proposed optical local subscriber network for broadband ISDN in Singapore 88—28563
Lye, K.M. *see* Chua, K.C. 87—2665
Lye, K.M. *see* Ko, C.C. 87—27713
Lye, K.M. *see* Tjhung, T.T. 88—28726
Lye Lim Teng *see* Lim Teng Lye
Lyerla, J.R. *see* Ito, H. 88—64439
Lyford, A.M., Ilyas, M. Acknowledgement overhead in local area networks 88—46628
Lyford, J.R. The second electronics revolution: the impact potential of new power electronic technologies on aircraft actuation systems 86—70468
Lyford, J.R. Impact potential of new power electronic technologies 87—23909
Lygdis, A., Maris, T., Giannakopoulos, G., Vovos, N.A. State-variable approach to analysis of power systems including HVDC convertors 88—10706
Lygdis, A. *see* Maris, T. 88—5331
Lygina, I.Yu. *see* Samoilenko, V.I. 87—19275
Lygouras, J. *see* Koukourlis, C. 86—31466
Lygouras, J.N. Non-linear analogue-to-digital conversion through PWM 87—31964
Lygre, A., Vestrheim, M., Lunde, P., Berge, V. Numerical simulation of ultrasonic flowmeters 88—10617
Lyhne, P. Network- and service-interworking during the introduction of an ISDN 87—48444
Lyhne, P., Gneiting, D. Integration f packet switching in the ISDN 86—55136
Lyhne, P., Gneiting, D. ISDN—a basis for enhanced and new services for the next decades 87—76174
Lyikov, V.V. *see* Keilin, V.E. 85—56228
Lyisenko, A.V. *see* Ignatyev, O.V. 88—16666
Lyk Van *see* Van Lyk
Lyk Vu Van *see* Vu Van Lyk
Lykov, A.G. *see* Rozenberg, V.L. 87—43650
Lykov, A.I. *see* Zabrodin, Yu.S. 86—45506
Lykov, A.N. *see* Antonova, E.A. 87—1911
Lykov, A.N. *see* Golovashkin, A.I. 85—46057
Lykov, N.B. *see* Chikhachev, N.P. 85—44090
Lykov, Yu.I. *see* Gorbunov, A.I. 88—486
Lykov, Y.V. *see* Schukin, B.D. 86—12347
Lykova, E.A. *see* Berkhin, P.E. 87—71973
Lykova, T.A. *see* Zhabko, G.P. 87—58005
Lyle, R. Effect of testing parameters on the outcome of the accelerated cable life test 88—75160
Lyle Broadfoot, A. *see* Anger, C.D. 87—57363
Lyle Broadfoot, A. *see* Sandel, B.R. 87—6339
Lyles, J.F. Procedure and experience with thermoset stator rewinds of hydraulic generators 86—65957
Lyles, J.F. *see* Kurtz, M. 85—5049
Lyman, G.C., III Voice messaging comes of age 85—13781
Lyman, J. VLSI packages are presenting diversified mix 85—12349
Lyman, J. PC boards go hi-tech to meet new demands 85—17980
Lyman, J. Reliability gets promotion 85—28080
Lyman, J. Components for SMA arrive 85—34324
Lyman, J. MMICs save space, increase reliability, and improve performance 85—40236
Lyman, J. IC production lines move closer to full automation 86—157
Lyman, J. Packaging [IC] 87—23339
Lyman, J. Chip processing 87—25378
Lyman, J. Manufacturing 87—25380
Lyman, J., Bierman, H. Surface mounting provokes test challenges; integrating CAD and testing cuts production costs 85—11770
Lyman, J. *see* Wong, C.K. 88—30224
Lyman, P.S. *see* Hoke, W.E. 87—73092
Lyman, P.T. *see* Reid, M.S. 86—11046
Lyman Chapin, A. *see* Piscitello, D.M. 86—49253
Lymar, A.G. *see* Komarenko, A.N. 86—31664
Lymberopoulos, D., Kokkinakis, G. A μP-controlled system for traffic data acquisition and processing in electromechanical telephone exchanges 86—43681
Lymberopoulos, D., Kokkinakis, G. Method for analytic subscriber traffic data acquisition in telephone networks 87—76194
Lymer, A. Microprocessor-enhanced performance in an analog power meter 88—35799
Lymer, A. *see* Bateman, A.J. 85—36939
Lymer, J. *see* Measures, R.M. 88—67874
Lympany, S.S. Fiber optic components for local area networks 86—30840
Lympany, S.S. Catching up with LAN components 86—37884
Lympany, S.S. *see* Cunningham, D.J. 85—13950
Lynam, D.G. Integrated pressure sensor with programmed amplification 85—14787
Lynam, P. *see* Blair, D.G. 86—58729
Lynch, A.B. *see* Baumbaugh, A.E. 86—24854
Lynch, A.C. History of the electrical units and early standards 86—24259
Lynch, A.C. *see* Drake, A.E. 87—28894
Lynch, B. A distributed sensor system 88—4417
Lynch, B. Photoacoustic resonators 88—4421
Lynch, B.J. *see* Langdon, R.M. 88—60743
Lynch, C.A., Brownrigg, E.B. Document delivery and packet facsimile 86—37575
Lynch, C.A. *see* Brandriff, R.K. 86—23506
Lynch, C.A. *see* Crewe, A. 86—70634
Lynch, C.A. *see* Mayur, N. 87—15213
Lynch, C.A. *see* Shachanm, N. 88—21932
Lynch, D., Michaud, J.-G., Reedyk, K., Yarak, D., Simmons, D. A line card chip set for intra-office voice-data transmission 86—10846
Lynch, D. *see* Carew, E. 87—8089
Lynch, D. *see* Mackevich, J. 86—39197
Lynch, D. *see* Mackevich, J.P. 88—17185
Lynch, D.F. *see* Jackson, P.L. 88—11890
Lynch, D.K. *see* Russell, R.W. 87—49540
Lynch, D.R. *see* Paulsen, K.D. 86—18373, 86—44702, 88—40459
Lynch, E.R., Boland, F.M. Waveform parametrisation in stroboscopic scanning electron microscopy 88—35901
Lynch, E.R., Boland, F.M. Waveform parameter extraction in e-beam testing 88—39584
Lynch, E.R. *see* Boland, F.M. 87—25509, 87—66775
Lynch, F. *see* Baker, N. 85—53900
Lynch, G. Current status of ergonomic standards 85—8719
Lynch, G. VDTs: raise the standards! 85—14658
Lynch, G. Vendor-telco cooperation results in space saved in valuable CEVs [controlled environmental vaults] 86—4102
Lynch, G. Bulk power for CEVs [controlled environment vaults] 87—4817
Lynch, G.F. SLOWPOKE—its application to district heating 88—30474
Lynch, G.P. A digital loop carrier system or a remote switch unit 87—69761
Lynch, G.P. Fiber to the home: Illinois Bell studies local loop fiber 87—76802
Lynch, H. *see* Dubois, R. 86—50321
Lynch, H.L. *see* Bulos, F. 86—25095
Lynch, J. *see* Vaz, O. 88—25758
Lynch, J., Jr. *see* Glinski, S. 88—72854
Lynch, J.A. Maximizing hybrid availability through system control 87—30088
Lynch, J.B., O'Berry, W.A. The operational environment: beyond earth, wind, fire and flood 86—57269
Lynch, J.E. *see* Abdel-Kader, W.G. 88—26387
Lynch, J.E. *see* Bisgrove, J.M. 87—31881
Lynch, J.E. *see* McNulty, P.J. 88—26516
Lynch, J.F. Trends in fiber optics 85—63675
Lynch, J.F. *see* Shi, Y.C. 87—70028
Lynch, J.F., Jr., Josenhans, J.G., Chrochiere, R.E. Speech/silence segmentation for real-time coding via rule based adaptive endpoint detection 87—61738
Lynch, J.F., Jr. *see* Josenhans, J.G. 87—40261
Lynch, J.G. *see* Bene, P. 88—56532
Lynch, J.G. *see* Bonesini, M. 88—23001, 88—29823, 88—61141
Lynch, J.T. Quality control and assurance in hybrid circuit production 85—23302
Lynch, J.T. Surface mounting reliability 87—5271

Lynch, J.T. Evaluation of the comprehension of noncontinuous sped-up vocoded speech: a strategy for coping with fading HF channels 87—33919
Lynch, J.T. A methodology for evaluating the performance of dynamic range control algorithms for speech enhancement 87—61641
Lynch, J.T. Surface mount—where are the standards? 87—66689
Lynch, J.T. Reduction of peak/RMS ratio of speech by amplitude compression and quadratic phase dispersion 88—40866
Lynch, J.T., Bilson, R.T., Matthews, N.R., Boetti, A. The measurement of flux residues from chip carrier attachment and their effect on other thick film hybrid components 85—23289
Lynch, L.R. *see* Jarvela, R.A. 85—7062
Lynch, M. *see* Borst, H.L. 85—8725
Lynch, M.R., Rayner, P.J.W. A new approach to image registration utilising multidimensional LMS adaptive filters 88—66703
Lynch, M.T. Control of linear accelerator noise in the Los Alamos free-election laser (FEL) 87—35292
Lynch, M.T., Sorum, L.N., Keffeler, D.R. RF control system for a rocket-borne accelerator 88—54177
Lynch, M.T., Tallerico, P.J., Higgins, E.f. Phase and amplitude feedback control system for the Los Alamos free-electron laser 86—31790
Lynch, M.T., Warren, R.W., Tallerico, P.J. The effect of linear-accelerator noise on the Los Alamos free-electron laser 86—3200
Lynch, M.T. *see* Newnam, B.E. 86—3198
Lynch, M.T. *see* Tallerico, P.J. 86—31998
Lynch, M.T. *see* Warren, R.W. 85—56698
Lynch, M.W. *see* Isaac, R.D. 87—32378
Lynch, N. *see* Garcia-Molina, H. 88—73638
Lynch, N.A. *see* Dolev, D. 87—55719
Lynch, P.J. *see* Yeh, H.-H. 88—46124
Lynch, P.M. *see* Sengupta, S. 88—66695
Lynch, R.D. *see* Bordogna, J. 85—32976
Lynch, R.L. A 150 km undersea repeaterless lightwave transmission link operating at a 1.55 micron wavelength 85—31068
Lynch, R.T. *see* People, R. 85—18132
Lynch, R.T., Jr. Modeling the performance of optical recording read channels 88—33592
Lynch, R.W. Developing a cleaner-conditioner for electroless copper 88—64097
Lynch, S. Making the transition to semicustom design 86—46718
Lynch, S.A. Voice applications for the PC; a price breakthrough 86—4922
Lynch, S.J. Programmable control for three phase induction motors and its use in engineering education 87—15723
Lynch, T., Persh, J., Wolf, T., Rupert, N. *(editor)* 19th International SAMPE Technical Conference. Vol.19. The Nation's Future Material Needs 88—43601
Lynch, T.J. *see* Volk, C.H. 85—58809
Lynch, T.P., Cooper, J.A., Casey, J.L., Winkleman, J.A. Environmental studies for the low mass flow test series (1982-1983) at the DOE coal fired flow facility 85—15963
Lynch, W.C. The Xerox view of networked office services 85—47215
Lynch, W.F. The design, development and operation of a compact nuclear power plant simulator 88—10993
Lynch, W.G. *see* Gong, W.G. 88—47998
Lynch, W.G. *see* Hinn, G.M. 85—59046
Lynch, W.T. Self-aligned contact schemes for source-drains in submicron devices 88—39264
Lynch, W.T. *see* Foo, P.D. 88—33216
Lynch, W.T. *see* Hillenius, S.J. 86—47825, 87—46219
Lynch, W.T. *see* Lebowitz, J. 88—33384, 88—64777
Lynch, W.T. *see* Liu, R. 87—45669, 88—44572, 88—71446
Lynch, W.T. *see* Manchanda, L. 88—71803
Lynch, W.T. *see* Ng, K.K. 86—63311, 87—25314, 87—45945
Lyndin, N.M., Surov, S.P., Sychugov, V.A. Propagation of surface electromagnetic waves in a double open waveguide 88—58925
Lyndin, N.M. *see* Dianov, E.M. 88—20430
Lynds, J.S. The evolution of a test concept active components in the interface test adapter 88—35855
Lyne, G.W. *see* Winter, F. 86—60872
Lyneis, C.M. Performance of the LBL ECR ion source 85—59152
Lyneis, C.M. Status of ECR source technology 88—47926
Lyneis, C.M. Operating experience with the LBL ECR source 88—74701
Lyneis, C.M., Clark, D.J. First operation of the LBL ECR ion source with the 88-inch cyclotron 86—32108
Lyneis, C.M. *see* Burton, R.F. 88—61020
Lyneis, C.M. *see* Clark, D.J. 85—64434
Lyneis, C.M. *see* Jongen, Y. 85—64422
Lyneis, C.M. *see* McMahan, M.A. 87—29466
Lyneis, J.M., Geraghty, D.M. Electric utility strategies for the eighties: taking advantage of a 'window of opportunity' 85—21104
Lynen, U. *see* Kreutz, P. 87—77552
Lynen, U. *see* Schneider, U. 88—68306
Lyner, A.G. Design of HDTV systems: transmission channel noise 87—34809
Lynes, C. The engineering workstation eases programming of programmable logic devices 85—17368
Lynes, C. PC-based software-driven programmable logic design tools 86—999
Lynes, J.A. *see* Bedocs, L. 85—39323
Lyness, J.N. Integrating some infinite oscillating tails 85—49503
Lyness, J.N. The Euler Maclaurin expansion for the Cauchy principal value integral 85—60904
Lyness, J.N., Giunta, G. A modification of the Weeks method for numerical inversion of the Laplace transform 86—66791
Lyness, J.N. *see* Gabutti, B. 86—34275
Lynette, R. Wind turbine performance—an industry overview 86—12751
Lyngaas, R.C. *see* Hansen, J.E. 87—59386
Lyngdal, J. *see* Foley, C.P. 88—1367
Lyngdal, J.W. *see* Goncher, G.M. 88—39322
Lyngfelt, A., Stenberg, P. Wet peat power processes: a thermodynamic study 88—75260
Lyngso, S.T. *see* Jorgensen, A. 88—30538
Lynn, A.L., Gottung, W.A., Johnston, D.R., LaForte, J.T. Corona resistant turn insulation in AC rotating machines 86—66042
Lynn, D. *see* Huff, J. 86—40073
Lynn, D. *see* Plevin, J. 88—10502
Lynn, D.K., McCormick, J.B., MacRoberts, M.D.J., Wilde, D.K., Dooley, G.R., Brown, D.R. Thermionic integrated circuits: electronics for hostile environments 86—35765
Lynn, D.K. *see* Huff, J.R. 85—21794
Lynn, J.K. Redundant power and communications on a single cable 87—76521
Lynn, K.G., Nielsen, B., Quateman, J.H. Development and use of a thin-film transmission positron moderator 85—64384
Lynn, P.A., Harding, A., Randall, N. Online operating speeds of transversal resonator digital filters on an M68000 microcomputer 86—1291
Lynn, S. The INTELSAT SPADE system—ten years of demand assigned operation 85—36967
Lynn, S. *see* Demyanovich, R.J. 88—45344
Lynnworth, L.C., Nguyen, T.H. Screw-pressure coupler and mode converter 85—4518
Lynnworth, L.C., Nguyen, T.H. Leaky Rayleigh wave clamp-on flowmeter 86—70251
Lynnworth, L.C., Nguyen, T.H., True, J.A. Flowmeter designs: small ID; small OD; limited length; limited access 87—70879
Lynnworth, L.C. *see* Jacobson, S.A. 87—50599
Lynnworth, L.C. *see* Matson, J.E. 87—70881
Lyon, B., Buchanan, E.B., Jr. Modified static mercury drop electrode 88—42315
Lyon, D. *see* Melcher, J. 88—55413
Lyon, D.L. Personal computer communications via *Ku*-band small-Earth stations 85—52296
Lyon, D.L., Hoversten, E.V., Thomas, S. Design features of a VSAT network 87—28528
Lyon, D.L. *see* Mohamadi, F. 86—59859, 87—40817, 88—53212, 88—67291
Lyon, F. Fiber system can grow with hybrid cable 86—17399
Lyon, F. Vista-United pioneers fiber optics 88—9588
Lyon, H.B., Jr. Outlook for export licensing problems for computers and equipment with embedded microprocessors 85—17521
Lyon, M. Matching application requirements and materials used for labels 88—55945
Lyon, M. *see* McFarland, W.D. 85—59488
Lyon, M.B. *see* Miller, H.S. 88—54469
Lyon, M.B. *see* Scott Miller, H. 86—5874
Lyon, P., Black, S. A self-aligning CRT projection system with digital correction 85—14666
Lyon, R., Webb, D.J., Sloggett, D.R. IRSIS—an infrared image simulation system 87—3491
Lyon, R., Jr. *see* McMillen, K. 88—30255
Lyon, R.E. *see* Bush, C.E. 87—65017
Lyon, R.F. Speech recognition in scale space 87—61729
Lyon, R.F., Lauritzen, N. Processing speech with the multi-serial signal processor 86—17896
Lyon, R.F., Mead, C. An analog electronic cochlea 88—68473
Lyon, R.F., Mead, C.A. A CMOS VLSI cochlea 88—71778
Lyon, R.F., Schediwy, R.R. CMOS static memory with a new four-transistor memory cell 87—66197
Lyon, R.F. *see* Loeb, E.P. 87—61715
Lyon, R.F. *see* Withgott, M. 87—61704
Lyon, R.J.P. Interrelationship between field spectra and airborne MSS systems in the Singatse Range, (Yerington) Nevada 87—57350
Lyon, R.W. *see* Helszajn, J. 85—11515
Lyon, S.A. Generation of interface states by injection of electrons into SiO_2 [of MOSFET] 85—23768
Lyon, S.A. *see* Chang, S.T. 86—35435, 86—35438
Lyon, S.A. *see* Chen, Y.H. 85—12097
Lyon, S.A. *see* Goossen, K.W. 86—24529, 88—53688, 88—67791
Lyon, S.A. *see* Kolodzey, J. 87—17779
Lyon, S.A. *see* Schafer, S.A. 85—55699
Lyon, S.A. *see* Shuo-Tung Chang 86—21286
Lyon, S.A. *see* Wang, S.J. 88—44602
Lyon, S.B., Fray, D.J. Hydrogen measurements using hydrogen uranyl phosphate tetrahydrate 85—8834
Lyon, T. QSK for your vintage Vfo 85—57705
Lyon, T.de *see* de Lyon, T.
Lyon, T.J., Howland, A.R. Troubleshooting test facilities with a high resolution instrumentation radar 87—68861
Lyon, T.J. *see* Howland, A.R. 87—68859
Lyon, T.J.de *see* de Lyon, T.J.
Lyon, T.L., Marshall, W.J. Nonlinear properties of optical filters—implications for laser safety 86—63860
Lyon, W.F., Montgomery, R.O., Thomas, J.K., Peddicord, K.L. A fully passive space reactor 87—57295
Lyons, A. Design of proximity-focused electron lenses 85—23372
Lyons, A. Microchannel plate image intensifiers for imaging photon counting systems and optical feedback 86—21074
Lyons, A.M. Photodefinable carbon films: Electrical properties 85—34737
Lyons, A.M., Hale, L.P., Wilkins, C.W., Jr. Photodefinable carbon films: control of image quality 85—29264
Lyons, B.N. An inexpensive electron beam lithographic system and its application to monolithic circuit fabrication 86—21691
Lyons, B.N., Kelly, W.M. Evaluation of electron beam resists 87—25054
Lyons, C., Moreau, W. Aqueous processable portable conformable mask (PCM) for submicron lithography 88—33099
Lyons, C. *see* You-Pang Wei 87—74447
Lyons, C.F. *see* Brunsvold, W.R. 87—60237
Lyons, C.F. *see* Kaufman, F.B. 85—1454
Lyons, C.F. *see* McDonnell Bushnell, L.P. 86—58368
Lyons, D.A. *see* Paul, H.I. 88—22030
Lyons, D.F. *see* Nicholson, D.L. 88—21215
Lyons, E.H. *see* Branz, H.M. 88—1388, 88—19674
Lyons, G. *see* Galanos, J. 87—69907
Lyons, J.C. Are we able and willing to communicate electronically? 85—13698
Lyons, J.P., Jr. *see* Johnson, C.R., Jr. 85—19318
Lyons, J.W. An improved technique for prediction and analysis of solar array performance for geosynchronous spacecraft 85—48423
Lyons, J.W. *see* Cograve, M. 87—14981
Lyons, J.W., III In-orbit performance of INTELSAT spacecraft solar arrays 86—32463
Lyons, J.W., III, Ozkul, A. In-orbit performance of INTELSAT IV-A spacecraft solar arrays 88—54716
Lyons, L.E. *see* Danaher, W.J. 85—40454, 85—60419
Lyons, L.E. *see* Gutmann, F. 85—22152
Lyons, M. *see* Monserrat, K.J. 87—24910
Lyons, M.H. *see* Elliott, C.R. 87—16641
Lyons, M.H. *see* Halliwell, M.A.G. 85—11934
Lyons, M.T., Chung, H.Y., Wilson, S.G. 16-QAM and trellis-coded 16-QAM on nonlinear channels 86—23820
Lyons, M.T. *see* Wilson, S.G. 85—19339
Lyons, P. Crisis action to resolve Brazil's public power supply problems 86—61039
Lyons, P.B. Fiber optics in transient radiation fields 86—48138
Lyons, P.B. Review of high bandwidth fiber optics radiation sensors 87—12166
Lyons, P.B. Radiation effects 88—58132
Lyons, P.B. NATO radiation effects test program for optical fibers and components 88—72055
Lyons, P.B. *see* Hopkins, A.A. 85—35430
Lyons, P.B. *see* Kelly, R.E. 87—38808
Lyons, P.B. *see* Looney, L.D. 88—13846, 88—33672
Lyons, P.B. *see* Smiley, V.N. 85—35409
Lyons, P.R.A., Gai, S.L. A method for the accurate determination of the thermal product $(\rho ck)^{1/2}$ for thin film heat transfer or surface thermocouple gauges 88—53649
Lyons, P.W. *see* Perlman, S.S. 87—63141
Lyons, R. *see* Mazur, B. 85—7957
Lyons, R. *see* White, R.A. 87—21658, 87—63819, 88—16775
Lyons, R.F. *see* Abergel, R.P. 87—21656
Lyons, R.S. *see* Miller, P.A. 85—24959
Lyons, S. Lighting for shops and supermarkets 85—44284
Lyons, S. Modern luminaires 86—45803
Lyons, S. *see* Wong, D. 88—22141
Lyons, S.E., DeLong, C.M. Telecommunications DC power planning and provisioning 87—30134
Lyons, S.L. Office lighting for the eighties 85—16406
Lyons, S.L. Switching the lights [lighting review] 85—27778
Lyons, S.L. Security lighting for domestic premises 85—39314
Lyons, S.L. Lighting installations in clean-rooms 86—13154
Lyons, S.L. Clean-room installations 86—13419
Lyons, S.L. Industrial lighting and safety 88—11468
Lyons, S.L. Lamp buyers' guide 88—11469

Lyons, S.L. Security lighting: protecting against night crime 88−76042
Lyons, S.V. *see* Glidden, S.C. 85−5318
Lyons, T. *see* Callegari, G. 86−50323
Lyons, T. *see* Johnson, A.S. 86−50322
Lyons, W.A. *see* Bauer, K.G. 88−10803
Lyot, J.L. *see* Ameurlaine, J. 87−3485
Lyot, J.L. *see* Nguyen Duy, T. 87−65479
Lyrmont, M. Contemporary tele-education developments 87−45
Lyrmont, M. *see* Keavney, J. 85−60796
Lys, V.F. *see* Daskovskii, I.M. 88−74362
Lysak, A.V. *see* Abramov, V.A. 87−39382
Lysak, A.Yu., Petrov, D.M. Theoretical and experimental study of oscillator systems consisting of several sections of rectangular waveguides of different cross sections 87−47262
Lysak, E.M., Ornatskii, O.A., Surdu, M.I. Effect of higher harmonics of a nonequilibrium signal on the error of compensation of an extremal bridge [bridge instruments] 85−58766
Lysak, N.V. *see* Gorislavets, Yu.M. 86−52056
Lysak, V.V. *see* Derenovskii, M.V. 85−24172, 85−62413
Lysak, V.V. *see* Glushenko, V.N. 87−32851
Lysakovskii, V.E. *see* Glusker, B.N. 85−4939
Lysel, M.S.Van *see* Van Lysel, M.S.
Lysenko, A.I., Tereshin, M.A. Preparation of models of active components for operational amplifiers 88−50038
Lysenko, A.P., Obraztsov, A.N., Toramyan, O.S. Force characteristics of active magnetic suspension 85−13054
Lysenko, A.P., Polunin, A.A., Shatunov, Yu.M. Spin-frequency spread measurements in a storage ring 86−70267
Lysenko, A.P. *see* Anashin, V.V. 88−4713
Lysenko, A.T. *see* Kuznetsov, V.G. 87−77947, 88−54865
Lysenko, E.V. Protection of operational DC networks from overvoltages 87−42522
Lysenko, E.V., Kraseva, V.N., Kuznetsova, L.D., Sil'chenko, V.V., Klimov, A.A. Circuit-breaker back-up system type PDE 2005 86−45599
Lysenko, M.V. *see* Borisenko, V.A. 87−59035
Lysenko, O.P. *see* Bondarenko, O.P. 88−4127
Lysenko, P.L. *see* Sinitsyn, V.N. 86−17867
Lysenko, S.B., Lysyuk, V.S., Mikhailyuk, G.D., Potapov, V.D., Shcherbak, V.V. Electromechanical laser-beam modulator with high-frequency stability 87−19012
Lysenko, S.N. *see* Gud, V.V. 87−69285
Lysenko, V. Linearisation of the Pt 100 thermometers with the aid of negative immittance convertor 85−3937
Lysenko, V. A thermometer using a negative imittance convertor 87−21055
Lysenko, V.A. Transfer function of microwave devices employing magnetostatic waves 88−12582
Lysenko, V.F. *see* Shchagin, A.V. 86−70356
Lysenko, V.G. *see* Bogachev, V.M. 88−601
Lysenko, V.G. *see* Gorskhov, V.A. 88−20505
Lysenko, V.S., Lokshin, M.M., Nazarov, A.N., Rudenko, T.E. RF plasma annealing of implanted MIS structures 85−40538
Lysenko, V.S., Naumovets, G.A., Popov, V.B. The influence of spatial localisation of deep centres on current and capacitance relaxation in MOS structures 88−7387
Lysenko, V.S., Nazarov, A.N. Thermostimulated charge release from the surface layer traps of oxidized silicon destroyed by arsenic implantation 86−47281
Lysenko, V.S., Nazarov, A.N., Rudenko, T.E. Simple method for the determination of the doping profile in MIS structures with implanted shallow p-n junction 86−8897
Lysenko, V.S., Nazarov, A.N., Rudenko, T.E., Man'kova, L.N., Fedulov, V.V. An investigation of the capacitance characteristics of MOS varactors with ion-implanted surface pn junctions 85−34681
Lysenko, V.S., Nazarov, A.N., Rudenko, T.E., Tkachenko, A.S., Be Rezkin, V.V. Manifestation of nonthermal factors during RF-annealing on the surface implanted layer in oxidized silicon 87−74134
Lysenko, V.S., Nazarov, A.N., Rudenko, T.E., Yachmenev, S.N., Lokshin, M.M. Electron-beam annealing of the implanted silicon layers in SiO_2-Si structures 86−47446
Lysenko, V.S., Nazarok, V.I., Petrov, S.V., Stalev, V.I. Use of reduced-frequency sources for ore-smelting furnaces 86−19650
Lysenko, V.S., Sytenko, T.N., Snitko, O.V., Zimenko, V.I., Nazarov, A.N., Osiyuk, I.N., Rudenko, T.E., Tyagulskii, I.P. Interrelation between surface states and transition layer defects in Si-SiO_2 structures 86−21283
Lysenko, V.S. *see* Aivazov, V.Ya. 87−36807
Lysenko, V.S. *see* Elizarov, A.S. 86−44318
Lysenko, V.S. *see* Gelashvili, N.A. 87−1269
Lysenko, V.S. *see* Gergel', E.N. 88−14265
Lysenko, V.S. *see* Golubova, E.A. 88−75874
Lysenko, V.S. *see* Litovskii, R.N. 88−64344
Lysenko, V.S. *see* Valiev, S.A. 88−57381
Lysenko, V.S. *see* Zimenko, V.I. 86−14926
Lysenko, V.V. *see* Barzali, F.D. 86−6504
Lysenko, V.V. *see* Kamyshan, A.N. 86−18972
Lysenko, Yu.V. *see* Zdrok, A.G. 86−45641
Lysitsyn, V.V. *see* Lugach, L.I. 86−33036
Lysjuk, L.F. *see* Klimashin, V.P. 85−23368
Lyska, A. CS5016 self-calibrating 16-bit ADC 88−32272
Lyska, W. A combinational algorithm for solving a linear vector optimization problem with zero-one variables 85−54320
Lyskanowski, J. Implanted pacemakers. III. Third generation implanted pacemakers 87−77689
Lyskov, V.A. *see* Gribkov, V.L. 85−18574
Lyskov, V.G. *see* Volkova, G.A. 88−18204
Lyskov, V.P., Ryabukhin, A.V., Grinin, G.N., Voznesenskii, V.M., Galochkin, E.P., Peresvetov, N.N., Shcherbakov, L.V. Automated line for production of passive portion of thick-film hybrid integrated systems 87−66780
Lyskov, Y. Unified power grid in the USSR today and tomorrow 86−65662
Lyskov, Yu.I., Kurnosov, A.I., Tikhodeev, N.N. Compact overhead 330, 500 and 750 kV transmission lines with 'enveloping' type supports 87−4412
Lyskov, Yu.I. *see* Ershevich, V.V. 86−6197
Lyskov, Yu.I. *see* Knizhnik, R.G. 87−42493, 88−42865
Lyskov, Yu.I. *see* Kudratillaev, A.S. 87−15383
Lyskovich, A.B., Piroga, S.A. Thermostimulated diffusion current in cadmium iodide crystals 86−47339
Lysle, S.A. *see* Knapp, R.K. 86−70056
Lysmer, J., Arnold, P., Jakub, M., Krutzik, N.J. Dynamic behaviour of tunnels under impact loads 85−38642
Lysne, P.C. *see* Traeger, R.K. 88−61618
Lysogorski, C.D., Lungershausen, A.W. Holography in the 780 nm range 88−27334
Lysoi, B.G. *see* Basiev, T.T. 88−27115
Lysov, S.L. *see* Asadov, G.A. 88−47488
Lysova, E.V. *see* Bochvar, N.R. 85−22520, 87−23747
Lysovol, B.G. *see* Katsadze, T.N. 87−45707
Lysovolik, A.Yu. *see* Gostev, V.I. 87−16895
Lyssenko, V.G. *see* Bogdanov, S.V. 88−65849
Lyssy, M.E., Kubisiak, M.P., Aldrich, P.D. Designed improvements in PWB electrical performance via thermoset resin technology 87−37661
Lystad, G.D. *see* Kostal, H. 88−3834
Lystad, J. *see* Jaeger, W.P. 87−40728
Lystsov, A.Ya. Controlling the magnetic circuits of DC electromagnets 87−7504
Lystsova, L.A., Polyakov, V.E., Fedotov, V.P. Improvement of functional reliability of composite relay protection equipment by automating its operational control 85−4688
Lystsova, L.A., Polyakov, V.E., Fedotov, V.P. Operational control of relays for power system protection 85−39207
Lystsova, L.A., Raisikh, K.A., Fedotov, V.P. Criteria for the selection of control points in the operational diagnostics of relay protection devices 87−21984
Lystsova, L.L., Fedotov, V.P. Synthesis of structures of built-in efficiency control devices for static relay protection 87−35693
Lysuk, L.G. *see* Klimashin, V.P. 87−17657
Lysun, V.N. *see* Tyapkin, V.A. 87−36990
Lysyak, G.N., Zhurakhovskii, A.V., Danilyuk, A.V. A method of forming mathematical models of electric power systems 88−54866
Lysyakov, V.N. *see* Golutvin, I.A. 88−16656
Lysyi, V.M. *see* Akimov, P.S. 85−25118, 85−41912
Lysykh, A.A. *see* Naidyuk, Yu.G. 87−24752
Lysyuk, A.V. *see* Dashevskii, Ya.T. 87−49477
Lysyuk, V.S. *see* Lysenko, S.B. 87−19012
Lyszczarz, T.M., Oliver, S., Fried, J. Electron-beam programming and testing of complementary metal-oxide semiconductor systems 87−38542
Lyszczarz, T.M. *see* Pang, S.W. 87−38028
Lytaev, R.A., Sevryugov, A.V. Standard tests on high-voltage thyristors for DC transmission systems and ties 85−60287
Lytaev, R.A., Sevryugov, A.V. Tests for high-voltage thyristor valves of DC power transmission and combined rectifier-inverter substations 85−60297
Lytel, R., Lipscomb, G.F. Narrowband electrooptic tunable notch filter 87−26133
Lytel, R., Lipscomb, G.F., Thackara, J., Altman, J., Elizondo, P., Stiller, M., Sullivan, B. Advances in organic electro-optic devices 88−51567
Lytel, R. *see* Lipscomb, G.F. 88−7838
Lytel, R. *see* Thackara, J.I. 88−39989
Lytkin, A.P. *see* Aleksandrov, A.Yu. 87−12358
Lytkin, A.P. *see* Anan'ev, V.Yu. 86−29050 to 29051, 87−2087 to 2088, 87−68353
Lytkin, A.P. *see* Ananiev, V.Yu. 87−54224
Lytkin, A.P. *see* Basov, N.G. 86−3056
Lytkin, L.K. *see* Akimov, Y.K. 88−29822
Lytle, C., Kopec, S. A walk through a state-machine architecture 88−44124
Lytle, C. *see* Kopec, S. 88−32253
Lytle, D.W. *see* Burr, R.L. 87−12985
Lytle, D.W. *see* Luby, J.C. 87−70145
Lytle, D.W. *see* Tremblay, R.J. 87−61410, 87−69124
Lytle, F.E. *see* Hassinger, M.J. 88−51764
Lytle, F.W., Greegor, R.B., Via, G.H., Brown, J.M., Meitzner, G. Gas phase X-ray absorption spectroscopy with an electron yield detector 87−35331
Lytle, R., Strom, S. A new carrier current protocol utilizing an active repeater for consumer and industrial applications 86−23266
Lytle, R.J., Ramirez, A.L. Underground phenomena imaging using electromagnetic geophysical tomography 86−25391
Lytle, S. *see* Alvarez, A.R. 86−35833
Lytle, S. *see* Samuelson, G. 85−23619
Lytle, V.A., Prince, N.A. Coordination of motor drives with a programmable controller [rubber industry] 85−10286
Lytov, Yu. *see* Gorobets, N.N. 86−10182
Lytsikas, A. *see* Kontos, G. 87−43010
Lyttkens, L., Lindberg, P., Scott, B., Melin, L. Treatment of tinnitus by external electrical stimulation 87−21626
Lyttle, K.A. Gas metal arc welding takes care of HS steels 85−32857
Lyu, L.-H. *see* Chu, K.R. 86−58205
Lyu Jong Son *see* Jong Son Lyu
Lyubalin, M.D. *see* Aleshin, A.S. 87−16564
Lyubarskaya, N.V. *see* Lyubarskii, V.G. 86−39513
Lyubarskii, A.P. *see* Ablamunets, I.G. 85−15045
Lyubarskii, V. *see* Naumov, V.F. 87−22251
Lyubarskii, V.G., Filatov, V.I., Lyubarskaya, N.V., Cherepanova, G.P. Checking the quality of the tuning of controllers of strong excitation of generators [power stations] 86−39513
Lyubarskii, V.G., Frumkin, L.S., Shelepov, A.S., Rogler, G.G., Cherepanova, G.P. Semiconductor limiter of minimum excitation with astatic characteristics for large synchronous generators 88−17554
Lyubarskii, V.G. *see* Naumov, V.F. 86−25983
Lyubarskii, V.V. *see* Kolesnikov, S.A. 87−8574
Lyubarskii, Yu.Ya. *see* Kupershnidt, Yu.Ya. 86−45041
Lyubashevskaya, T.L. *see* Bordina, N.M. 86−22235
Lyubashevskaya, T.L. *see* Gorchak, L.V. 87−51452
Lyubashevskaya, T.L. *see* Grigor'eva, G.M. 85−45418
Lyubashevskaya, T.L. *see* Kagan, M.B. 86−51898
Lyubavin, A.N. Special effect filters and attachments for motion pictures 88−8032
Lyubavin, A.N. *see* Gordeyeva, I.V. 85−22275
Lyubchenko, A.V. *see* Baidullaeva, A. 86−68374
Lyubchenko, A.V. *see* Dyakin, V.V. 86−68376
Lyubchenko, A.V. *see* Garyagdyev, G. 86−35334, 87−26178
Lyubchenko, A.V. *see* Grin, V.F. 88−25946
Lyubchenko, A.V. *see* Virt, I.S. 87−54176
Lyubchenko, A.V. *see* Vorobieva, N.V. 86−1721
Lyubchenko, V.E. *see* Averin, S.V. 85−55757
Lyubchenko, V.E. *see* Borisov, V.I. 87−996, 87−17712
Lyubchenko, V.M. *see* Garmash, V.M. 87−2103
Lyubchenko, V.Ye. *see* Golovanov, O.A. 88−925
Lyubchik, L.M., Mazmanishvili, A.S. The statistics of integral functions containing quadratic forms arising out of the components of a harmonic stochastic process 88−21207
Lyubetskii, N.V. *see* Konev, V.A. 86−18113, 86−57502
Lyubimov, A.I., Seleznev, V.A. Some questions with regard to the technique for producing hologram diffraction gratings 86−15811
Lyubimov, A.L. *see* Gus'kov, B.N. 86−60601
Lyubimov, A.V. *see* Basiev, T.T. 88−58664
Lyubimov, G.A. *see* Batenin, V.M. 86−61750
Lyubimov, G.A. *see* Bityurin, V.A. 85−39216
Lyubimov, I.N. *see* Ivanchenko, V.A. 87−45576
Lyubimov, V.A. *see* Aref'ev, A.V. 87−29514
Lyubimov, V.V. Influence of reflection from a target on the directionality of the radiation emitted by lasers with telescopic resonators 85−12906
Lyubimov, V.V. Effect of light scattering on oscillations of unstable cavities: cavity with cylindrical mirrors 85−24612
Lyubimov, V.V. Influence of excess of the pumping rate above the threshold on the losses in open resonators with tilted mirrors 87−33235
Lyubimov, V.V. Beam divergence in the presence of small-scale inhomogeneities 88−27255
Lyubimov, V.V., Poleshchuk, V.E., Tarasov, A.A. Characteristics of formation of the angular distribution of radiation form a solid-state laser controlled by a passive switch with an initial transmission variable over the aperture 87−68589
Lyubimov, V.V., Semenov, V.E. Estimate of the influence of scattering on the wings of the angular distribution of the radiation emitted by a laser with a plane-mirror resonator 85−56735
Lyubimov, V.V. *see* Alekseev, V.N. 86−15670, 88−8285
Lyubimov, V.V. *see* Eremenko, A.S. 86−29213
Lyubimov, V.V. *see* Gerasimov, V.B. 87−19003, 88−14235
Lyubimov, V.V. *see* Gratsianov, K.V. 87−46934
Lyubimov, V.V. *see* Gurevich, G.L. 85−24909
Lyubimov, V.V. *see* Kalinina, A.A. 87−2215

Lyubimov, V.V. *see* Vladimirov, F.L. 86−36533
Lyubimov, V.V. *see* Volynkin, V.M. 86−48495
Lyubimskii, V.M., Semenov, A.I. Four-probe methods for measurement of piezoresistance constants 88−16429
Lyubimtsev, M.Ya. *see* Veksler, A.Z. 88−53832
Lyubin, V.M. *see* Abdulgafarov, S.E. 86−22220, 87−38902
Lyubin, V.M. *see* Aver'yanov, V.L. 85−61694
Lyubin, V.M. *see* Baranovskii, S.D. 85−12707
Lyubin, V.M. *see* Bedel'bayeva, G.E. 88−26041
Lyubin, V.M. *see* Kolobov, A.V. 85−29128, 85−40608
Lyubin, V.M. *see* Kolomiets, B.T. 85−18789, 87−45627
Lyubina, M. *see* Kholevitski, I. 86−12835
Lyubina, V.S. *see* Bronshtein, R.A. 85−5198
Lyubinetskii, I.V. *see* Adamchuk, V.K. 87−6484
Lyubinskii, V.Yu. *see* Filonidov, A.M. 88−18789
Lyubivyi, V.A. *see* Pitanov, V.S. 85−40253
Lyubivyi, V.I. *see* Kalinin, E.V. 87−6993
Lyubivyy, V.A. *see* Pitanov, V.S. 86−20773
Lyublin, I.Sh. *see* Mikhailovsky, Y.A. 86−51717
Lyubochko, V.A. *see* Kukhtetskii, S.V. 87−19157
Lyubomirov, A.B., Pavlov, I.V., Smirnova, G.A. Effects of the Earth's angular velocity in weighing accuracy 85−48112
Lyubov, V.N. *see* Boiko, B.T. 86−58336
Lyubovskii, R.B. Clamp module for measuring conductivity of brittle organic crystals 87−63489
Lyudchik, O.R. *see* Bykovskii, Yu.A. 85−40609
Lyudevich, V.L. *see* Gol'denberg, S.I. 86−45413
Lyudmirskaya, O.B., Polyakov, A.L. Estimating the errors in strain measurement at high temperatures 85−58898
Lyudmirskaya, O.B., Polyakov, A.L., Chervonenkis, A.Ya. Estimating the error in the temperature dependence of the resistance of a strain gauge 87−35040
Lyudmirskaya, O.B. *see* Polyakov, A.L. 88−53642
Lyudmirskii, E.A. *see* Gubrienko, K.I. 88−16575
Lyui, W.P., Spragins, J.D. Error control in unified multinetwork system 87−76624
Lyuk, P. *see* Koppel, Kh. 87−52204
Lyuk, P.A. *see* Aarik, Ya.A. 85−28996
Lyuk, P.A. *see* Dolginov, L.M. 85−398
Lyuk, P.A. *see* Virro, A.L. 88−58554
Lyukh, M.A. *see* Zhukov, S.F. 87−78187, 88−42893
Lyuksyutov, S.F., Odulov, S.G., Soskin, M.S. Optical oscillator with ring phase conjugate mirror containing two-wave holographic amplifier 88−40357
Lyul Min Sang *see* Sang Lyul Min
Lyulicheva, I.A. *see* Bystrov, V.A. 85−61412
Lyul'ko, G.B. *see* Ratner, I.S. 86−19128
Lyul'ko, V.A., Mamonova, O.M., Pechkovskii, Yu.V. A method of obtaining the frequency response of the input admittance of plant not accessible for direct measurement 87−63482
Lyul'ko, V.A. *see* Abesadze, T.S. 87−35884
Lyulyaev, A.V. *see* Verkhovskii, S.Ya. 86−57722
Lyutarevich, B.L. *see* Danilevskiy, L.N. 86−23072
Lyutinskii, V.V. *see* Vinogradov, S.V. 88−34099
Lyutkevich, A.V. *see* Blinov, V.I. 86−52058
Lyutosmkii, V.A. *see* Andreev, E.P. 86−44319
Lyutov, M.A. *see* Novosel'skii, O.Yu. 86−6501
Lyutov, M.A. *see* Volod'ko, Yu.I. 88−29795
Lyutov, S.A. *see* Pyzhkov, A.I. 87−33067
Lyutskanov, V.L. *see* Chaltakov, I.V. 85−56744
Lyutskanov, V.L. *see* Christov, C.G. 85−24635, 85−56502
Lyutsko, A.M. *see* Grishin, Yu.I. 86−60595
Lyutyi, B.I. *see* Smorodin, V.I. 88−23867
Lyvers, E.P. *see* Mitchell, O.R. 87−77415
Lywood, D.W. *see* Macpherson, J.M. 87−71081
Lyzenga, D.R. Numerical simulation of synthetic aperture radar image spectra for ocean waves 87−15074
Lyzenga, D.R. The physical basis for estimating wave energy spectra from SAR imagery 87−71386
Lyzenga, D.R., Bennett, J.R. Comparison of numerical simulations with SAR images of ocean surface waves in the New York Bight 88−10585
Lyzenga, D.R., Wackerman, C.C. Modeling of focus effects in SAR images of the ocean surface 88−9624
Lyzenga, D.R., Wackerman, C.C., Shuchman, R.A. Synthetic aperture radar image simulations 85−31084
Lyzenga, D.R. *see* Burns, B.A. 85−63086
Lyzenga, D.R. *see* Kasischke, E.S. 87−4152
Lyzenga, D.R. *see* Larson, R.W. 85−63748
Lyzenga, D.R. *see* Shuchman, R.A. 85−64697
Lyzenga, D.R. *see* Wackerman, C.C. 88−5150, 88−9625
Lyzhin, A.A. *see* Karpenko, A.I. 86−56553
Lyzhin, A.A. *see* Sheinkman, A.G. 85−15740, 88−30511
Lyzlov, N.Yu. *see* Tsenter, B.I. 88−75899
Lyzwa, S. *see* Tunia, H. 87−43179

M., H.Ocampo *see* Ocampo M., H.
M, J.Garcia *see* Garcia M, J.
Ma, A. *see* Vuong, S.T. 88—46604
Ma, B., Cheng, D.K. Resonant electromagnetic field coupled into a lossy cavity through a slot aperture 88—14463
Ma, B., Narasimhan, K.S.V.L., Hurt, J.C. NdFeB magnets with zero temperature coefficient of induction 87—25769
Ma, B.-M., Narasimhan, K.S.V.L. Temperature dependence of magnetic properties of Nd-Fe-B magnets 86—28621
Ma, B.M. Irradiation effects on superconducting materials of MCFR magnets 85—1900
Ma, B.M. Irradiation and mechanical design features of MCFR superconducting magnet system 87—12094
Ma, B.N.W., Mark, Performance analysis of burst-switching for integrated voice/data services—A voice delay scheme 87—62514
Ma, B.N.W., Mark, J.W. Performance analysis of burst switching for integrated voice/data services 88—41132
Ma, B.N.W., Mark, J.W. Performance analysis of integrated voice/data services on a burst-switched network 88—66803
Ma, C., Ma, Y. Pattern recognition with supersonic wave systems 87—50608
Ma, C., Yung-Lung Ma Computer vision for artificially intelligent robotic systems 87—21805
Ma, C. *see* Chen, K.W. 87—21320
Ma, C. *see* Clark, T.A. 85—59428
Ma, C. *see* Ma, Y.L. 87—48170
Ma, C. *see* May, Y.L. 86—5292
Ma, C. *see* Tu, T.-Y. 88—28083
Ma, C.H., Hutchinson, D.P., Staats, P.A., Vander Sluis, K.L., Mansfield, D.K., Park, H., Johnson, L.C. Submillimeter wave propagation in tokamak plasmas 86—68786
Ma, C.K. *see* Bedford, R.E. 87—56880
Ma, C.S.R. *see* Mowchenko, J.T. 87—66134
Ma, D. A physical and SPICE-compatible model for the MOS depletion device 86—2383
Ma, D. *see* de Lanerolle, N. 88—26098
Ma, D. *see* Hong, Z. 87—50356
Ma, D. *see* Liu, Y. 86—70199
Ma, D. *see* Qadri, S.B. 88—13371
Ma, D.I. *see* Anderson, G.W. 88—25025, 88—65460
Ma, D.I. *see* Dozier, C.M. 86—35700
Ma, E. *see* Lim, B.S. 88—29342
Ma, F., Sood, P. Corporate networking: evolution 88—35233
Ma, F. *see* Brody, G. 87—34458
Ma, F. *see* Gyurcsik, R.S. 85—17090, 85—17092
Ma, F. *see* Lo, E.O. 88—23338
Ma, G.L. *see* Wang, Z.Y. 88—60586
Ma, H. Chinese-four tones recognition based on a simplified vector quantization 87—47627
Ma, H. The four tones recognition of continuous Chinese speech 87—61631
Ma, H. *see* Anderhub, H. 87—21420
Ma, H. *see* Liu, R. 85—35294
Ma, H.-K.T. *see* Braun, D. 88—50942
Ma, H.-K.T. *see* Devadas, S. 88—25129, 88—50114
Ma, H.H., Wolf, J.K. On tail biting convolutional codes 86—43162
Ma, H.H., Wolf, J.K. Binary unequal error-protection block codes formed from convolutional codes by generalized tail-biting 87—27173
Ma, H.K., Huang, H.S., Chiu, H.H. Turbulent group reaction model of a spray dryer scrubber 88—69138
Ma, H.K., Sangiovanni-Vincentelli, A.L. Mixed-level fault coverage estimation 87—6914
Ma, H.K. *see* Braun, D. 87—6842
Ma, H.T., Devadas, S., Sabgiuovanni-Vincentelli, A., Ruey-sing Wei Logic verification algorithms and their parallel implementation 87—66114
Ma, H.T. *see* Devadas, S. 87—65983
Ma, J., Li, X., Wu, C. A new shape recognition system 87—48175
Ma, J. *see* Chen, K. 86—1352
Ma, J.Y.L. A new cylindrical electron gun for low-power tunable gyrotrons with high magnetic compression ratios 85—40381
Ma, J.Y.L. *see* Brand, G.F. 85—50161, 85—55366
Ma, K.T., Coalwell, J. Integrated circuit and packet switching capabilities in the ISDN environment 87—69854
Ma, L. *see* Chang, X. 86—48669
Ma, L. *see* Nawrocky, R.J. 88—47853
Ma, L. *see* Rozzi, T. 88—27492, 88—38656
Ma, L.-S. *see* Wang, Z.-G. 85—2220
Ma, L.S. *see* Wang, Z.G. 85—56481
Ma, M. *see* Serota, R.A. 88—50423
Ma, M. *see* Yacoub, G.Y. 88—64670
Ma, M. *see* Zhou, F. 85—37875
Ma, Ming-gang A simulated method of image reconstruction by projection in Fourier domain 85—30331
Ma, M.T. Error analysis of radiation characteristics of an unknown interference source based on power measurements 86—3609
Ma, M.T. Understanding reverberating chambers as an alternative facility for EMC testing 88—58882
Ma, M.T., Kanda, M., Crawford, M.L., Larsen, E.B. A review of electromagnetic compatibility/interference measurement methodologies 85—46590
Ma, M.T., Kanda, M., Crawford, M.L., Larsen, E.B. Measuring electromagnetic interference I. Open-field sites and TEM cells 86—48617
Ma, M.T., Kanda, M., Crawford, M.L., Larsen, E.B. Measuring electromagnetic interference. II. Reverberating chambers 86—55826
Ma, M.T., Kanda, M., Crawford, M.L., Larsen, E.B. Measuring electromagnetic interference. III. Anechoic chambers and field probes 87—14512
Ma, M.T., Koepke, G.H. Measurements of unintentional electromagnetic emissions 86—36792
Ma, M.T. *see* Wilson, P.F. 85—19171, 85—62803, 86—3608, 86—29447, 86—36807, 86—63947, 87—26841, 88—2631, 88—72492, 88—72577 to 72578
Ma, N., Jing, T., Fu, Y. Surface flashover model and its applications 86—68059
Ma, N. *see* Lin, X. 86—68060
Ma, P., McLane, P.J. On frequency offsets in windowed reception of frequency dehopped *M*-ary FSK signals for multiuser systems 85—30898
Ma, P. *see* Qin, G. 88—74851
Ma, R.-L., Yu, P.Y. A new technique for measuring temporal profiles of picosecond and femtosecond laser pulses using self-induced deflection in a semiconductor wedge 86—3275
Ma, S., Gagalowicz, A. A parallel method for natural texture synthesis 85—30376
Ma, S., Shimokohbe, A. Three dimensional coordinate measurement based on phase shifts of multiultrasonic-waves 86—55837
Ma, S., Shimokohbe, A. Three-dimensional coordinate measurement based on phase shifts of multiultrasonic waves 88—74583
Ma, S. *see* Shimokohbe, A. 88—16980
Ma, S.D. *see* Gagalowicz, A. 85—36452, 87—48123
Ma, S.L. A note on binary arrays with a certain window property 85—19284
Ma, S.N. *see* Coon, D.D. 87—38170
Ma, T., Lavers, J.D. A finite element package for the analysis of electromagnetic forces and power in an electric smelting furnace 85—32815
Ma, T., Lavers, J.D. A finite element iterative simulation of coupled electrothermal effects in an electric smelting furnace 86—45823
Ma, T. *see* Brayton, R. 87—37231
Ma, T. *see* da Silva, E.F., Jr. 88—25990, 88—39492
Ma, T.-P. *see* da Silva, E.F., Jr. 88—7370
Ma, T.-P. *see* Hook, T.B. 86—53655, 87—74311
Ma, T.-P. *see* Jia Li 87—32553, 88—13385
Ma, T.-P. *see* Nishioka, Y. 88—19747, 88—25984, 88—25989
Ma, T.-P. *see* Su, H.-Q. 85—40740
Ma, T.-P. *see* Wei, C.-C. 85—6685
Ma, T.-P. *see* Zekeriya, V. 85—23565, 85—23579, 85—55577
Ma, T.L.W., Lavers, J.D. A finite-element package for the analysis of electromagnetic forces and power in an electric smelting furnace 87—5091
Ma, T.P. *see* Hook, T.B. 85—61769, 86—47410
Ma, T.P. *see* Wang, X.W. 88—39208, 88—71353
Ma, T.P. *see* Wang, Y. 88—50742
Ma, T.T., Griffiths, L.J. A solution space approach to achieving partially adaptive arrays 88—72707
Ma, T.T. *see* Tylavsky, D.J. 87—12771
Ma, W., Yang, D. Multiplicative complexity of the two-dimensional discrete Fourier transform DFT (2^n; 2) 88—43849
Ma, W. *see* Cadzow, J.A. 88—73115
Ma, W. *see* Zhang, Y. 88—53714
Ma, W.T. *see* Haslbeck, J.L. 88—69164
Ma, X. High-performance PWM frequency changers 86—51751
Ma, X.-S. *see* Xie, H.-K. 86—45002
Ma, X.S. *see* Mie, H.K. 86—70708
Ma, Y., Sandeep, S., Scherson, I.D. The distance bound for sorting on mesh-connected processor arrays is tight 87—31845
Ma, Y. *see* Ali, S. 88—6881
Ma, Y. *see* Bai, Y. 86—68023
Ma, Y. *see* Ma, C. 87—50608
Ma, Y. *see* Tu, T. 87—47625, 87—47629
Ma, Y. *see* Varadan, V.K. 85—24803
Ma, Y. *see* Varadan, V.V. 85—62747, 87—68749, 88—52200
Ma, Y. *see* Varaden, V.K. 86—42147
Ma, Y.-L., Jour, J.-S. New probabilistic model for Chinese character recognition 85—30418
Ma, Y.-L., Tu, T.-Y. The preliminary design for high speed ground levitation vehicle—Single side short secondary 88—76027
Ma, Y.-L. *see* Tu, T.-Y. 87—72525, 88—27862, 88—28083
Ma, Y.E. Millimeter-wave active solid-state devices 86—35103
Ma, Y.E., Nakaji, E.M., Thrower, W.F. V-band double-drift Read silicon IMPATTs 85—17844
Ma, Y.L., Deng, J.Y. An adaptive sidelobe canceller for multibeam system [sonar applications] 85—52443
Ma, Y.L., Griffiths, J.W.R. Sidelobe control for an arbitrary array of sensors 85—48500
Ma, Y.L., Jang, S.Y., Ma, C. Pattern recognition by circular layer code approach [Chinese characters] 87—48170
Ma, Y.P. *see* Brooks, J.S. 87—29264
Ma, Y.W., Chen, C.M. The application of the random graph model for the reliability analysis of dynamic computer networks 85—8207
Ma, Y.Y. *see* Ali, S.B. 88—32202
Ma, Z. *see* Tits, A.L. 87—16354
Ma Bai-lin Electromagnetic coupling into a rectangular conducting cavity containing a conducting wire through a slot 85—46546
Ma Bai-lin A survey of the singularity expansion method 86—15829
Ma Bai-lin Electromagnetic coupling into a conducting cavity with a conducting wire in it through a small hole 86—64030
Ma Bing *see* Bing Ma
Ma Bing-Zhang *see* Bing-Zhang Ma
Ma Changwen *see* Wang Dazhong 88—30476
Ma Chengde *see* Chen Guozhu 88—50041
Ma Chi-mao, Mao Ze-pu, Zhou Jie, Yan Jie A drift chamber with uniform electric field and measurements of the electron drift velocity 85—48178
Ma Chi-mao, Mao Ze-pu, Zhou Jie, Yan Jie A drift chamber with uniform electric field and measurements of the electron drift velocity 86—18233
Ma Chialo *see* Chialo Ma
Ma Chide, Duan Yongchao MOS flip-flop interference protection measures and their analysis 88—56554
Ma Chun-sheng, Liu Shi-yong Optical characteristics of plate waveguides made on higher refractive index substrates 86—63601
Ma Chunsheng, Liu Shiyong Optical characteristic analysis of rectangular weak absorptive dielectric waveguides by use of differentiation method 88—58181
Ma Chunsheng *see* Chunsheng Ma
Ma De-qing *see* Li Song-mao 85—55356
Ma De-roug The synchronizing band of the rational harmonic injection locking 86—839
Ma Deng-jie *see* Li Chun-yang 88—18243
Ma Deqing *see* Zhang Maocai 86—22016
Ma Dong Sung *see* Dong Sung Ma
Ma Dong-sung *see* Dong-sung Ma
Ma Fanyuan Design and implementation of the multidimensional LAN address resolution protocol 88—73609
Ma Fei, Zhou Ting-yang, Sun Shi-qian The realization of the HSPICE simulation for switched capacitor networks 88—32306
Ma Gonggui *see* Wang Shiming 88—68260
Ma Guang, Li Yu, Wang Yinting, Cai Yinshi, Gao Jian Concentration profile of dopants in optical fiber preforms measured with Raman spectra 88—58069
Ma Gui-yin *see* Wu Chong-ruo 86—1623
Ma Guocai *see* Pang Deling 86—11864
Ma Guorong *see* Wang Shouwu 87—39085
Ma Haili, Shan Yuanda Power system coherency dynamic equivalence 88—61777
Ma Haiming, Liu Yixian, Li Fuming Measurement of picosecond laser pulse widths with second harmonic waves generated from GaAs surfaces 88—72373
Ma Hanyan, Wu Qun, Deng Shaofan Analysis of errors in the microwave moisture measurement instrument 88—36296
Ma Hongchang *see* Behrens, J.W. 87—21453, 88—61162
Ma Honglei, Cao Baocheng, Li Shuying, Lu Darong Effects of hydrogen and helium dilution of silane on the optical and electrical properties of GD deposited a-Si:H films 85—11948
Ma Honglei *see* Dai Guocai 85—35585
Ma Hongwei *see* Shi Yuchun 86—11862
Ma Huainan, Xu Jiasheng Study of 2 μm epitaxial N-well CMOS technology 87—67551
Ma Ji Liang, Yu Chun Hai On the direct product of fuzzy topological groups 86—7624
Ma Ji-mao, Mao Ze-pu, Mao Hui-shun, Bai Jing-zhi, Hou Xiao-jiang, Song Xiao-fei, Zhou Jie, Wu Jian-wu, Rong Gang, Xie Pei-pei, Yan Jie Beam tests of the prototype of the BES main drift chamber 88—22911
Ma Ji-Mao, Wang Yun-Yong, Mao Ze-Pu, Lu Xin-Hua, Xie Pei-Pei, Yan Jie Preliminary test for ageing effect of drift chambers 85—59199
Ma Jian *see* Cao Hanqing 88—71266
Ma Jin-Yuan, Jiang Chun-Hua The self-quenching streamer properties of several kinds of mixed gases 87—63675
Ma Jin-yuan, Jiang Chun-hua The self-quenching streamer properties of several kinds of mixed gases 88—29901
Ma Jin-yuan, Li Pei-qin, Lu Wei-da, Lu Chang-guo, Chou Yue-hua, Zhang Yu, Gu Wei-xin, Cui Xiang-zong Position sensing by charge-division method in self-quenching streamer tube 85—48185
Ma Jindi *see* Shi Xiangqing 88—20271
Ma Jindi *see* Shi Xianqing 86—15424

Ma Jing *see* Hong Jing 88—38865
Ma Jinglin, Zhou Ruiying, Li Guohui, Yan Fengzhang Studies of CW CO_2 laser annealing in the ion implanted layers of $GaAs_{1-x}P_x$ 85—34485
Ma Jun *see* Deng Guoyang 88—72257
Ma Jun *see* Jun Ma
Ma Jun-ru, Wang Shou-wu A review of IC technology development 85—45740
Ma Jun-ru *see* Han Jie-ping 85—55866
Ma Junru *see* Han Jeiping 88—1525
Ma Junru *see* Han Jieping 86—8976, 87—17938
Ma Juxian *see* Liu Changfa 87—8558
Ma Kuan, Chang Ye-jin Research on cleaning of lead fumes by a pipe-type electrostatic precipitator 85—13050
Ma Li *see* Li Ma
Ma Li-zhuang *see* Zhang Xue-xia 87—63294
Ma Lijuan *see* Lin Yufei 86—11852
Ma Mei *see* Wang Dewu 88—68354
Ma Mingde *see* Liu Zhongyou 86—36368
Ma Mingde *see* Ni Yucai 85—46455
Ma Minggang *see* Ding Xiaoqing 88—22780
Ma Mingxiu, Li Junping, Zhou Fengsheng A hollow cold cathode multipurpose ion source 87—56976
Ma Naixiang *see* Liu Youwei 88—39753
Ma Nianzu, Peng Zhiyong Very short term load forecasting and dynamic economic dispatching for power systems 86—25532
Ma Nianzu *see* Chen Tianxing 87—4225
Ma Peiqi *see* Zhuang Yuexiang 88—40423
Ma Qingyun, Ye Lincai, Feng Yuhua, Guo Ling Design and performance of the KFD-wideband, large dynamic range feedback seismometer 87—77825
Ma Ruoxin, Liao Peihong Real-time identification for frequency bias setting of interconnected power systems and power correction 87—50632
Ma Shaohan The Steiner tree problem on graph and its heuristic algorithm 85—54272
Ma Shimo, Lu Yiqun Teleprotection signalling equipment of FSK type 86—65774
Ma Shimo, Zhang hong, Wang Kaibing Developing a fibre-optic pilot-wire protection for short transmission lines 88—36885
Ma Shu-Ying, Xu Ji-Sheng, Lei Yuan-Han, Liang Bai-Xian Effects of the February 1986 magnetic storm on ionospheric scintillations at low-middle latitudes 88—72537
Ma Shusen Broadening of laser pulse duration of a KrCl laser oscillator-amplifier system pumped by UV discharge preionization 86—15617
Ma Shusen, Yao Yongbang, Shan Xinxin The double laser oscillating with KrCl and XeCl 87—33114
Ma Shusen, Yao Yongbang, Shan Xinxin, Zhu Jikang, Qin Yuying, Wang Guangchang, Cai Lianxin Study on KrCl and XeCl double laser oscillation 86—22275
Ma Shusen *see* Yao Yongbang 88—27018
Ma Shuxun *see* Piao Yubo 86—50269
Ma Tae Young *see* Tae Young Ma
Ma Tae-Young *see* Tae-Young Ma
Ma Tengge *see* Hou Dongyan 86—9130
Ma Tengge *see* Tsien Peihsin 87—18313
Ma Tso-Ping *see* Tso-Ping Ma
Ma Wei-zhen, Ying Rui-xiang General recursive factorization algorithm to compute DFT(2^m) 88—56200
Ma Wengan *see* Gong Zhufang 88—36359
Ma Xiangbin *see* Zhang Libao 87—16660
Ma Xiaojuan *see* He Yuliang 85—55431
Ma Xiaoliang *see* Xiaoliang Ma
Ma Xiaoshan, Wang Siting, Jin Zongru, Shen Yafang, Chen Jiaguang A novel inclusion in laser crystals 87—52090
Ma Xiaoshan *see* Zhang Guifen 88—2195, 88—27217
Ma Xiaoshan *see* Zhang Guifeng 87—7318
Ma Xiaoyu *see* Du Guotong 88—58523
Ma Xinghua *see* Chen Jianpu 88—36320
Ma Xinrong, Li Zhijian On the 'kink' in c(V) curves of deep depleted MOS structures 85—18172
Ma Xinrong *see* Li Zhijian 85—45463
Ma Xinshan *see* Xinshan Ma
Ma Xiufang *see* Wang Biquan 85—38332
Ma Xiuguo *see* Sun Zhaoxing 86—51462
Ma Yan-xu Simplified selector switches specially designed for converting 6~110 kV ordinary transformers into on-load tap-changing transformers 88—24018
Ma Yangwu, Chen Wenbin, Shi Baixuan, Huang Xuebo Discussion on the wavelength selectivity of the grating resonator 86—36532
Ma Yangwu, Han Yonghuan Measurement of stimulated emission cross section of CO_2 laser from $00^01 \sim 10^0$-0 transition 88—72252
Ma Yangwu *see* Chen Yuqin 86—54078
Ma Yi, Li Guohui, Zhang Tonghe, Huang Chang Measurement of the carrier profile of boron and arsenic double implantation in silicon and its simulation 86—41670
Ma Yingying *see* Feng Shiyu 85—29903
Ma Yongli *see* Piao Yubo 86—50269
Ma Yung-Lung *see* Yung-Lung Ma
Ma Yurong, Tan Shici, Wang Yuesheng A highly efficient oxazine-9 dye laser 88—72283
Ma Zai-tian On the problems of 3-D seismic data processing 88—61602
Ma Zhao-yan *see* Guan Xin 87—59044
Ma Zhao-yan *see* Zhao Hai-tian 87—71505
Ma Zhaoyan, Quan Yinan Observability, error-detectability and identifiability of state estimation in electric power system 86—39045
Ma Zhaoyan, Zhao Haitian, Quan Yinan The allocation of the measuring set in power system state estimation 87—21992
Ma Zhen Qui *see* Zhen Qui Ma
Ma Zhenhua The effect of surface partial specular reflection on the quantitative rainfall-rate measurement by radar 85—4454
Ma Zhenhua *see* Zhenhua Ma
Ma Zhewang *see* Xu Shanjia 88—63835
Ma Zhi-long *see* Fan Yu-dian 88—12070
Ma Zonghou *see* Zonghou Ma
Ma Zuguang, Wang Qi, Tong Baoying, Jiang Chengzhi A virtual confocal (positive branch) unstable resonator for lasers 86—29188
Ma Zuguang, Wang Qi, Xin Da, Liu Wei A research on laser oscillations in Na_2 $b^3\Sigma_g{}^4$-$x^3\Sigma_u{}^+$ and new spectrum in sodium dimer 87—61095
Ma Zuguang *see* Li Chenfang 85—24444
Ma Zuguang *see* Yu Junhua 88—65554
Ma-Lung Chung *see* Huang, J.S. 87—69314
Maa, B.Y. *see* DenBaars, S.P. 87—10404
Maa, J., Halon, B. Anisotropic dry etching of aluminum films deposited on topographic steps 87—18004
Maa, J.-S. Surface passivation by adding fluorocarbons and chlorofluorocarbons into an Al dry etch reactor 87—67105
Maa, J.-S., Halon, B. The residue phenomenon in the anisotropic dry etching of conductive films deposited on topographic steps 87—1422
Maa, J.S., Smith, R.T., McGinn, J.T., Reed, L.H. On the rapid heat lamp annealing of tantalum silicide/silicon films 85—50276
Maa, K.P. *see* Lin, M.S. 86—7809
Maa Hsiao-Fei *see* Hsiao-Fei Maa
Maa Jer-Shen *see* Jer-Shen Maa
Maack, D.R., Magera, J.J., Harvey, A.J. A real world approach to plastic clad silica (PCS) fiber terminations 85—7225
Maack, D.R. *see* Sanders, P.E. 87—12171
Maack, D.R. *see* Wright, W.F. 87—68151
Maadre, T. Biological transducers measure odours, flavours-and toxins 86—25170
Maag, W. Photovoltaic thin film cells—the great improvement 87—58313
Maagt, B.J.de *see* de Maagt, B.J.
Maalej, N., Webster, J.G. A miniature electrooptical force transducer 88—36432
Maalej, N., Webster, J.G. Miniature electrooptical force transducer 88—54538
Maalej, N., Webster, J.G., Tompkins, W.J. Electrooptical transducer for force measurement under insensate feet 88—68387
Maalej, N., Zhu, H., Webster, J.G., Tompkins, W.J., Wertsch, J.J., Bach-y-Rita, P. Pressure monitoring under insensate feet 88—68346
Maaloe, J. Telecom Ringnetwork 85—13796
Maaloe, J. Optical digital multiplexer 85—14034
Maaloe, J. Fail-Safe Fibre Optical Transmission System for electronic interlocking 85—63724
Maaloe, J. Local data transmission via optical fibres 86—11072
Maaloe, J. Integrated Telecom and data ring network 86—37897
Maaloe, J., Hornung, E. Industrial application of optical LAN 85—13966
Maaloe, J. *see* Rey, J.C. 87—48613
Maaloe, J. *see* Vinther, O. 88—73966
Maamar, A.H., Al-khalili, A.J. Comparison of systolic and non-systolic data structures 87—24148
Maamarbachi, O., Blondeau, P., Mukhedkar, D. Effects of currents on human beings: physical pathology and limits 86—56077
Maamari, F., Rajski, J. Reconvergent fanout analysis fault simulation complexity of combinational circuits 88—644
Maamon, A. *see* Issawi, A.M. 86—6891
Maamoun, M., Mayniel, H. On a game of policemen and robber 87—51926
Maan, J.C. Combined electric and magnetic field effects in semiconductor heterostructures 85—34609
Maan, J.C. *see* Altarelli, M. 87—66950
Maan, J.C. *see* Belle, G. 86—1792
Maan, J.C. *see* Fletcher, R. 86—21210
Maan, J.C. *see* Horst, M. 85—23525
Maan, J.C. *see* Sotomayor Torres, C.M. *(editor)* 87—72707
Maanaki, S. *see* Abul-Fadl, A. 87—52151
Maanders, E.J. *see* Neelen, A.H. 85—46545
Maanen, H.R.E.van *see* van Maanen, H.R.E.
Maanen, J.M.C.van *see* van Maanen, J.M.C.
MaAngulo, J. *see* Banuelos, K. 87—37426
Maani, C. *see* Williams, R.H. 86—47397
Maany, Z.A. *see* Bartholomew-Biggs, M.C. 87—71190
Maaref, H. *see* Neffati, T. 88—57377
Maarek, J.M., Jarry, G., Crowe, J., Bui, M.-H., Laurent, D. Simulation of laser tomoscopy in a heterogeneous biological medium 86—60758
Maarek, J.M., Jarry, G., De Cosnac, B., Deugnier, M.A., Croiwe, J., Bui-Mong-Hung, Laurent, D. A Monte Carlo model to simulate light transillumination through heterogeneous tissues 86—32307
Maaren, D.C.van *see* van Maaren, D.C.
Maaren, H.C.van *see* van Maaren, H.C.
Maarend, Ya.A. *see* Yakhilevich, F.M. 85—48839
Maas, A.I.R. *see* Plandsoen, W.C.G. 88—29964
Maas, B., Krompholz, H., Kristiansen, M., Hagler, M. Arc current, voltage, and resistance in a high energy, gas filled spark gap 87—17668
Maas, H. *see* Bedford, R.E. 85—48126
Maas, H. *see* Fellmuth, B. 86—24814
Maas, H. *see* Pavese, F. 85—48125
Maas, H.G.R., Appels, J.A. PABLO: a versatile VLSI technology 85—18203
Maas, H.G.R. *see* Slotboom, J.W. 87—24201
Maas, H.G.R. *see* van Ommen, A.H. 85—45598
Maas, H.J.F. *see* Visser, E.G. 86—2594
Maas, J.H. Investigation of the regions of dynamic behaviour of turbogenerators and grid in the Netherlands—part of PLEM measurements with the KWU for the Claus power station 85—53527
Maas, J.H. RIPES—finger on the pulse in the diagnosis of the state of health of the mains network 87—78208
Maas, J.L. *see* Beuhler, A.J. 87—24553
Maas, L.J.M., van der Sanden, P.J.J.M., van der Wulp, J.A.A. Video information system 86—54850
Maas, P. *see* Amendolia, S.R. 87—21426 to 21428
Maas, R., Bruinsma, P.J.T., Koroes, K.B., Luijckx, G., Noomen, J.G., Vogel, A.G.C., de Vries, C. The Amsterdam pulse stretcher 86—31947
Maas, S. *see* Sholley, M. 86—20832, 87—38330
Maas, S.A. Theory and analysis of GaAs MESFET mixers 85—6526
Maas, S.A. Analysis and design of GaAs MESFET mixers 85—17866
Maas, S.A. 45 GHz active HEMT mixer 85—23111
Maas, S.A. Design and performance of a 45-GHz HEMT mixer 86—62830
Maas, S.A. Two-tone intermodulation in diode mixers 87—37074
Maas, S.A. A GaAs MESFET mixer with very low intermodulation 87—45234
Maas, S.A. A GaAs MESFET balanced mixer with very low intermodulation 87—73785
Maas, S.A. A low distortion GaAs MESFET resistive mixer 88—38732
Maas, S.A. A general-purpose computer program for the Volterra-series analysis of nonlinear microwave circuits 88—70439
Maaskola, J. *see* Ketola, A. 86—51837
Maaskola, J. *see* Pesonen, A.J. 88—55077
Maass, E.C. System moments method for reducing fabrication variability 88—1498
Maass, E.C. A strategy for reducing variability in a production semiconductor fabrication area using the generation of system moments method 88—6251
Maass, K.-E. EUREKA, RARE and the Deutsche Forschungsnetz (German science network) 86—59437
Maass, P. *see* Hairer, E. 87—58870
Maass, R. *see* Heimburger, T. 87—51855, 87—56509
Maass, V. *see* Juen, G. 85—37153
Maass, W., Krey, U. Screening of the Hall voltage in a quantum-Hall-system of finite size 86—58299
Maass, W., Krey, U., Hoffmann, H. Micromagnetic correlations in thin films 85—24057
Maass, W. *see* Duschl-Maass, M. 87—33402
Maass, W. *see* Hochbaum, D.S. 86—7673
Maassen, B., Pove, D.-J. The effect of correcting temporal structure on the intelligibility of deaf speech 85—7829
Maat, J.P. Call processing in a fully integrated network of SOPHO-S2500 PABXs 87—76448
Maat, J.P. The application of SOPHO-S2500 in fully integrated networks 88—3736
Maatougui, A.H. *see* Alabedra, R. 88—58352
Maatsuura, Y. *see* Hiraga, K. 85—29422
Maatta, R. Waste as a source of energy 86—26321
Maatz, K. *see* Konig, D. 86—39984
Maayouf, R.M. *see* Adib, M. 87—57022
Maayouf, R.M.A. *see* Adib, M. 86—5742
Mabee, C.D., III *see* Hung, J.C. 87—18737
Mabelitini, D., Murray, T.M., Jr. Blood pressure monitoring utilizing ECG data in a microprocessor-based system 86—5890
Mabelitini, D., Murray, T.M., Jr. Blood pressure monitoring utilizing ECG data in a microprocessor-based system 86—56090
Mabey, D.G. *see* Mundell, A.R.G. 87—3792
Mabey, P.J. A signalling standard for Band III 85—20100
Mabey, P.J. Mobile digital transmission with soft decision decoding 85—62986
Mabey, P.J. Data systems 86—10993

Mabey, P.J., Ball, D.M., Desmarchelier, C. The application of CCIR radiopaging code no.1 86–4541
Mabey, P.J., Ball, D.M., Harrison, D.J. UK trunking system signaling standard—protocol aspects 86–37787
Mabey, P.J., Ball, D.M., Harrison, D.J. UK trunking system signalling standard—protocol aspects 87–56003
Mabey, P.J. *see* Ball, D.M. 85–20101, 86–37785
Mabie, G.M. The Electronic Highway ... healthcare's new method of cost containment 88–21600
Mabie, S. *see* Puzio, G. 88–29265
Mabilleau, P. *see* Adoul, J. 87–61769
Mabilleau, P. *see* Adoul, J.P. 86–16194
Mabilleau, P. *see* Paillard, B. 87–61597
Mabilleau, P. *see* Soumagne, J. 87–20814, 87–47536
Mabire, J.P. *see* El Akoum, H. 88–61399
Mabire, J.P. *see* Nussbaum, G.H. 86–60810
Mabire, J.P. *see* Sozanski, J.P. 88–61433
Mabon, R. *see* Friedel, P. 87–67110
Mabrey, T. Smart sensing solutions 88–4358
Mabrouk, M.A. *see* Hamza, A.A. 88–33656
Mabry, G. SMT changes the face of board testing 86–27712
Mabry, G. Testing digital VLSI surface-mount technology 86–35839
Mabuchi, K. *see* Fujimasa, I. 88–48137
Mabuchi, Y. *see* Itoh, S. 87–31820
Mabuchi, Y. *see* Takagaki, T. 86–656, 86–34715
Mabwe, M. *see* Crappe, M. 87–22284
Maby, E.W., Antoniadis, D.A. Staggered CMOS: a novel three-dimensional technology 85–50782
Maby, E.W. *see* Lieb, S. 87–32420
Maby, E.W. *see* Robinson, A.L. 85–50697
Maby, E.W. *see* Theimer, J. 87–38298
Mac Laughlan, J.B. Redu—twenty years on 88–68605
Mac Rae, A.U. *see* Anglade, E. 88–211
McA Steele, J. Time and frequency reference in the UK—dissemination, use and future development 86–38577
Macachor, E.R. Putting the speed into 12-bit A-to-D conversion 85–45125
Macadam, J.A. The Energy Act tariffs—a view from outside the electricity supply industry 87–50709
MacAdam, K.B. *see* Fuqua, W.L., III 85–37640
McAdams, H., Neal, J.H., Holland, B., Inoue, S., Loh, W.K., Poteet, K. A 1-Mbit CMOS dynamic RAM with design-for test functions 87–10856
McAdams, H. *see* Neal, J. 87–17091
McAdams, J. *see* Kleinosky, P. 85–31360
McAdams, R., Holmes, A.J.T., Nightingale, M.P.S. H^- beam extraction experiments on the Culham small multipole source 88–61060
McAdams, R., Holmes, A.J.T., Nightingale, M.P.S., Lea, L.M., Hinton, M.D., Newman, A.F., Green, T.S. Production and formation of intense H^- beams 88–4772
McAdoo, J., Bollen, M., Granatstein, V.L., Parker, R., Smith, R., Thomas, G., McCurdy, A. Phase stability of locked gyrotrons 86–31801
McAdoo, J., Bollen, W.M., McCurdy, A., Granatstein, V.L., Parker, R.K. Gyroklystron amplifier phase noise measurements 87–24699
McAdoo, J. *see* Granatstein, V.L. 88–19608
McAdoo, J. *see* Reiser, M. 88–47901
McAdoo, J.H., Bollen, W.M., Garver, R.V. Single-pulse RF damage of GaAs FET amplifiers 88–71049
McAdoo, J.H. *see* Bollen, W.M. 86–32003
McAdoo, J.H. *see* Gover, A. 85–56728
McAdoo, J.H. *see* Granatstein, V.L. 87–41757
McAdoo, J.H. *see* Hargreaves, T.A. 85–23343, 85–55372
McAfee, L.G. *see* Andrews, G.E. 87–60778
McAfee, PC. *see* Robey, B.L. 88–54657
McAffee, G.D., Raab, T.J. Nickel contamination as a potential problem area in hybrid microcircuits 86–53276
McAfoos, R. *see* Bursch, P.M. 88–68585
Macal, C.M., Bragen, M.J., Marshall, J.E. An integrated energy planning model for Illinois 88–17032
Macaleer, B.S., Bowers, J.L., Hurlbut, B.D. Photovoltaic research opportunities based on nonPV R and D 87–4919
McAleer, J.F., Ashley, K., Smith, J.J., Bandyopadhyay, S., Ghoroghchian, J., Eyring, E.M., Pons, S., Mark, H.B., Jr., Dunmore, G. Electrochemistry and properties of poly-*p*-phenylene formed from the anodic oxidation of biphenyl in aprotic solvents 87–65584
McAleer, J.F., Moseley, P.T., Bourke, P., Norris, J.O.W., Stephan, R. Tin dioxide gas sensors: use of the Seebeck effect 86–44291
McAleer, J.F., Moseley, P.T., Tofield, B.C., Williams, D.E. Factors affecting the performance of SnO_2 as a gas sensor 86–44244
McAleese, R., Duncan, E.B. Information technology and an educational broadcasting database 85–47179
McAleese, S.A. *see* Bowden, G.J. 85–32411
Macalik, A. *see* Augustowski, B. 86–19065
Macalik, B. *see* Gubanski, A. 86–55802
McAlister, D. *see* Lees, P. 86–10059
McAlister, D.J. *see* Chu, I.H. 88–23662
McAlister, G. *see* Bennetts, R.G. 88–64724
McAlister, J. Putting quality into the management process 86–7454
McAlister, J. Build your case to management 86–13365
McAlister, J. Use zero-load data to sharpen dispatch 86–65621
McAlister, J.E. Effecting quality in management communications 86–40456
McAlister, S.P. *see* Day, D.J. 88–57636
McAlister, S.P. *see* Falt, C.E. 87–74082
McAlister, S.P. *see* Hurd, C.M. 87–60142, 88–57345
McAlister, S.P. *see* Mandeville, P. 88–31739
McAlister, W.M., Zuras, D. An NMOS 64b floating-point chip set 87–17020
McAlliser, P. Speed and precision with microprocessor instrumentation. [RF power measurement] 85–37421
McAllister, B.J. *see* Vanner, K.C. 88–19830
MacAllister, B.W., Jr. *see* Palilla, F.C. 85–40257
McAllister, C.A. Signal processing considerations for an application of bistatic radar 88–74040
McAllister, D.F., Stewart, G.W., Stewart, W.J. On a Rayleigh-Ritz refinement technique for nearly uncoupled stochastic matrices 85–330
McAllister, D.F. *see* Dodd, S.L. 85–49482
McAllister, D.F. *see* Hodges, L.F. 88–5230, 88–10078, 88–34142, 88–74530
McAllister, D.F. *see* Sun-Wah Kiu 87–27685
McAllister, G., Morton, R., Olson, T., Buczek, C. Excimer UV laser radar for image, range and Doppler measurements 88–28969
McAllister, G.L., Morton, R.G., Richardson, W.K. Long-pulse e-beam pumped excimer laser 88–8137
McAllister, H.G. *see* McCullagh, P.J. 88–42484
McAllister, I.W. On the choice of a test gap for strongly electronegative gases and gas mixtures 85–24010
McAllister, I.W. On the electrostatics of spherical protrusions 86–29292
McAllister, I.W. On the concept of electrode surface roughness with reference to discharge phenomena in strongly electronegative gases 87–18398
McAllister, I.W. *see* Berril, J. 87–25680
McAllister, I.W. *see* Bertazzi, A. 87–11983 to 11986
McAllister, I.W. *see* Pedersen, A. 85–7111
MacAllister, J.A., Olson, J.E., Koehler, J.E. Telecommunications regulation: the corporate view 87–33873
McAllister, L. *see* Hornung, R. 87–59381
McAllister, M.L.N. Fuzzy intersection graphs 88–63162
McAllister, M.M. A joint contingency CEOI for rapid deployment operations [Communications-Electronics Operations Instructions] 88–46418
McAllister, M.W. *see* Long, S.A. 86–59146
McAllister, P. Error reduction in RF and microwave measurement 86–31567
McAllister, P., van Elderen, F.M. Accurate measurement of power in radio frequencies 86–55805
McAllister, W.A. Color and efficiency of neodymium iodide discharges 86–26397
McAllister, W.A., Smets, B. Terbium-europium activated silicates 88–51668
McAllister, W.H. *see* Zuras, D. 87–5792
MacAloney, B., Trotta, J. Putting MAP into perspective 87–2858
Macalpine, C. The satellite and how business benefits 87–62919
Mcalpine, G.H. Tactile sensing 87–56675
MacAlpine, J.M.K. Polychlorinated biphenyls as transformer coolants 86–26105
McAlpine, J.M.K. Computers in the teaching laboratory: experience with electrical engineering programmes 88–70038
McAlpine, J.P. Planned plant maintenance systems and procedures 86–40501
McAlpine, R.D. *see* Galarneau, P. 86–3281
Macaluso, A.Tortorici *see* Tortorici Macaluso, A.
Macaluso, E. Graphical floorplan design of cell-based VLSI circuits 87–44787
Macaluso, E. *see* Allen, P.E. 85–23975
Macaluso, E.R. *see* Allen, P.E. 86–2438
Macan, J., Milosevic, S. A series of HV regulated rectifiers for the supply of electrostatic precipitators 88–30810
McAnany, J., La Cascia, D. TPS support software automation 88–35853
McAndrew, C.C., Heasell, E.L., Singhal, K. A comprehensive transport model for semiconductor device simulation 88–7552
McAndrew, C.C., Heasell, E.L., Singhal, K. Modelling thermal effects in energy models of carrier transport in semiconductors 88–64224
McAndrew, C.C., Singhal, K., Heasell, E.L. A consistent nonisothermal extension of the Scharfetter-Gummel stable difference approximation 86–2097
McAndrew, P. Design for high-performance DSP 87–39804
McAndrew, P. *see* Ege, T. 86–14461
McAndrew, T.P. *see* Anderson, H.R., Jr. 86–62283
McAndrews, G.F. *see* Abraham, K.M. 88–30981
McAndrews, J.M. Offline batteries=big savings for New York Telephone 87–4815
McAnney, W.H., Bardell, P.H., Gupta, V.P. Random testing for stuck-at storage cells in an embedded memory 85–33821
McAnney, W.H., Savir, J. Built-in checking of the correct self-test signature 87–24097
McAnney, W.H., Savir, J. There is information in faulty signatures 88–19082
McAnney, W.H., Savir, J. Built-in checking of the correct self-test signature 88–70659
McAnney, W.H., Savir, J., Vecchio, S.R. Random pattern testing for data-line faults in an embedded multiport memory 86–46828
McAnney, W.H. *see* Bardell, P.H. 85–33830, 86–67122
McAnney, W.H. *see* Bardell, P.H., Jr. 86–46833
McAnney, W.H. *see* Savir, J. 86–27267, 86–46829, 87–24107, 87–44830, 88–19078, 88–32122
McArdle, B.P. Using the Data Encryption Standard 87–19387
McArdle, B.P. Stream encryption 87–68957
McArdle, B.P. Stream encryption 88–2951
McArdle, B.P. Information theory and encryption 88–21045
McArdle, B.P. Signal processing and electronic encryption 88–45878
McArdle, C.S. *see* Gillies, G.W.A. 86–44684
McArdle, J., Wilson, T.G., Jr., Wong, R.C. Effects of power-train parasitic capacitance on the dynamic performance of DC-to-DC converters operating in the discontinuous MMF mode 86–12917
McArdle, J., Wilson, T.G., Jr., Wong, R.C.S. Effects of power-train parasitic capacitance on the dynamic performance of DC-to-DC converters operating in the discontinuous MMF mode 87–36978
McArdle, J.M. A 260 MHz advanced test system—system software 88–15957
McArdle, R. *see* Thorley, G.A. 87–57445
Macari, L., Reynolds, S.C. Altamont attracts UK wind farm developer 87–4643
Macari, L. *see* Ferguson, J.D. 87–65113
Macari, N.C., Richardson, R.D. Operation of a Caterpillar 3516 spark-ignited engine on low-Btu fuel 88–43146
Macarico, A. *see* Martins, R. 88–24775
Macarie, G. *see* Cretu, T. 86–45257
Macarie, R., Mihai, D. Mathematical model of performance estimation of an electrostatic precipitator, based on experimental data 87–54492
Macario, R.C.V. Alternative modulation methods 86–10247
Macario, R.C.V. *see* Al-Meteiry, M. 87–48455
Macario, R.C.V. *see* Wedgwood, T.G. 87–13580
MacArthur, B., Fenster, S., Lepucki, T. Redundancy solves ambiguity in ATE system test. I 88–47418
MacArthur, B., Fenster, S., Lepucki, T. Redundancy solves ambiguity in ATE system test. II 88–47419
McArthur, D. *see* Mukherjee, S. 87–46016
McArthur, D.A. *see* Hays, G.N. 87–2061, 87–18876
McArthur, D.A. *see* Neal, D.R. 88–51913
McArthur, D.C. A non-destructive technique for the evaluation of electric field regions in semiconductor devices 88–39483
McArthur, D.J. *see* Beck, N. 85–37142
MacArthur, D.M. Progress in development of zinc/nickel oxide cells with pasted-rolled electrodes 86–40056
McArthur, D.W. The integrated office: its present and future 85–8013
MacArthur, D.W. Device to generate intensity modulation in a pulsed particle beam 86–38669
MacArthur, D.W., Mischke, R.E., Sandoval, J.P. Fast integrating multiware beam profile monitor with digital readout 86–50268
MacArthur, D.W., Morgado, R.E. Fast pulse-shaping amplifier 88–22993
McArthur, I.C. *see* Gooch, T.K. 86–25139
McArthur, J. Modern intruder alarm systems 85–49304
McArthur, J. Intruder alarms—a sense of protection or proportion 85–49307
MacArthur, J.L. Spectrasat instrument design using maximum heritage 87–71394
Macarthur, J.L., Marth, P.C., Jr., Wall, J.G. The GEOSAT radar altimeter 88–10504
MacArthur, J.L., Oden, S.F. Real time global ocean wave spectra from SIR-C: systems design 88–9651
MacArthur, J.L., Posner, A.S. Satellite-to-satellite range-rate measurement 85–59431
MacArthur, J.L. *see* Kilgus, C.C. 85–32007, 86–12185, 87–57403
McArthur, J.R. The development and use of video discs in medical education 86–24150
McArthur, M.J. Gas plasma systems 86–9218

McArthur, R.C., Owen, S.J.T., Changchang Zhu Efficiency improvements in ZnS:Mn ACTFEL devices driven by a stepped pulse train 88−16347
McArthur, R.C. *see* Changchang Zhu 88−40089
McArthur, S.B. AGC, PDQ [automatic gain control] 86−59778
Macaruso, E. DoD vexes IC makers 85−23874
Macasero, A. *see* Bachman, M. 85−26527
McAskill, B., Salama, M.M.A., Watson, A. Feedforward control of dynamic reactive power compensation on distribution lines 86−6352
Macat, J. *see* Fuksa, F. 87−75474
McAtee, J.L. *see* Cucchiara, A.L. 85−48349
McAtee, W.H. *see* Peterson, G.D. 87−21338
McAteer, O.J. An overview of the ESD problem 88−34224
McAulay, A.D. Predictive deconvolution of seismic array data for inversion 86−10407
McAulay, A.D. Deformable mirror nearest neighbor optical digital computer 86−37140
McAulay, A.D. Optical crossbar interconnected digital signal processor with basic algorithms 86−37141
McAulay, A.D. Optical crossbar signal processor 87−13093
McAulay, A.D. Parallel AR computation with a reconfigurable signal processor 87−20365
McAulay, A.D. Optimal least square filtering with a digital optically interconnected processor 87−47952
McAulay, A.D. Speech recognition with an optical crossbar interconnected signal processor 87−55022
McAulay, A.D. Optical diagnostic processor for flight control 87−77778
McAulay, A.D. Optical A/D converters and application to digital multiplication by analog convolution 88−26917
McAulay, A.D. Real-time probabilistic optical expert system 88−33823
McAulay, A.D. Optical Prolog computer using symbolic substitution 88−65437
McAulay, A.D., Parsons, E.A. Performance of Schur's algorithm on an optically connected multiprocessor 87−62268
Macaulay, B., Moon, A., Gibson, N. A programmable automotive microcontroller (PAM) for body electronic applications 88−5994
MacAulay, C. *see* Stroink, G. 86−44649
Macaulay, G. Variable power supply 85−10957
Macaulay, G. Stereo spreader 85−14523
MacAulay, H.A. *see* Pullan, S.E. 88−10498
Macaulay, I. Combining silicon compilers, megacells and standard cells 87−44767
MacAulay, I.A. *see* Fox, J. 86−34872
Macaulay, J.M., Berger, S.D. Characterization of the lithographic properties of inorganic resists with nanometre resolution on bulk substrates 88−26167
Macaulay, J.M. *see* Berger, S.D. 88−44725
McAulay, R.J., Quatieri, T.F. Mid-rate coding based on a sinusoidal representation of speech 86−16221
McAulay, R.J., Quatieri, T.F. Speech analysis/synthesis based on a sinusoidal representation 87−7685
McAulay, R.J., Quatieri, T.F. Phase modelling and its application to sinusoidal transform coding 87−27266
McAulay, R.J., Quatieri, T.F. Multirate sinusoidal transform coding at rates from 2.4 Kbps to 8 Kbps 87−61759
McAulay, R.J., Quatieri, T.F. Computationally efficient sine-wave synthesis and its application to sinusoidal transform coding 88−66421
McAulay, R.J., Quatieri, T.F. STC: a multirate coder operating at 2.4-8.0 kbps [sinusoidal transform coder] 88−72870
McAulay, R.J. *see* Quatieri, T.E. 86−10310
McAulay, R.J. *see* Quatieri, T.F. 87−19421, 87−61674, 88−72862
MacAulay, R.J.D. *see* Stenton, J.A.C. 88−64683
McAuley, A.J. *see* Goodman, R.M. 88−63662
McAuley, A.J. *see* Goodman, R.M.F. 85−46706, 86−10255, 87−69021
Macauley, M.W.S. *see* Fraser, D.K.S. 87−15589, 87−42302
McAuliffe, D.J., Jr. Planar networks 88−3390
McAuliffe, R. *see* Moore, C. 86−16928
McAuliffe, T.L., Afifi, A.A. Comparison of a nearest neighbor and other approaches to the detection of space-time clustering 85−5891
McAvaney, K.L. *see* Horan, P. 88−26470
Macavero, E. *see* Berg, H. 85−40715
Macavero, E. *see* Bonesini, M. 88−29823
Macavero, E. *see* Mithani, D. 85−6353
Macavero, E. *see* Van Derveer, E.J. 85−1865
McAvoy, B.K. Microwave acoustic devices in systems 87−6071
McAvoy, B.R. Microwave acoustic devices in systems 87−60732
McAvoy, B.R., Krisnaswamy, S.V., Salvo, H.L., Jr., Moore, R.A. Highly stable, ovenized bulk shear mode resonators 86−42083
McAvoy, B.R., Salvo, H.L., Jr. Cryogenic experiments with microwave acoustic resonators 87−67684
McAvoy, B.R., Salvo, H.L., Jr., Moore, R.A. Frequency tuning high overtone bulk resonators 86−2568
McAvoy, B.R. *see* Adam, J.D. 87−24440
McAvoy, B.R. *see* Haynes, J.T. 86−14487
McAvoy, B.R. *see* Krishnaswamy, S.V. 85−61154, 86−2569
McAvoy, B.R. *see* Levy, M. 87−1846
McAvoy, B.R. *see* Salvo, H.L., Jr. 88−20217, 88−51147
McAvoy, B.R. *see* Smith, P.S. 87−2385
McAvoy, B.R. *(editor)* IEEE 1985 Ultrasonics Symposium. Proceedings. (Cat. No.85CH2209-5) 87−19
McAvoy, B.R. *(editor)* IEEE 1986 Ultrasonics Symposium Proceedings (Cat. No.86CH2375-4) 87−58527
McAvoy, B.R. *(editor)* IEEE 1987 Ultrasonics Symposium Proceedings (Cat. No.87CH2492-7) 88−49360
McAvoy, G. *see* Lowry, R.T. 87−63977
McAvoy, J.G., Buckmaster, H.A. A new, high precision 9 GHz dual sample cell complex permittivity instrumentation system for high loss liquids 85−31572
McBain, A. Broadband switching in the public network 87−28553
McBain, A. The GEC 420 DataPhone−a terminal for the ISDN 88−28459
McBain, A. Practical experience with an I.420 terminal 88−59805
McBain, A., Tuxworth, R. The use of low power microprocessors in ISDN terminals 85−36629
McBain, A. *see* Davies, I. 88−67170
McBain, D.J.G., Stewart, D.A. Purity of water for integrated circuit manufacture 85−1720
MacBain, J.A. Solenoid simulation with mechanical motion 85−24765
McBain, S. LSI chip set for speech recognition 85−13503
McBain, S. MOS SRAMs for graphic applications and high performance systems 88−12365
McBean, E.A. *see* Al-Nassri, S. 88−55859
McBean, G.A., Phillips, D.J. Comparison of radar and Navaid windfinding systems 87−71340
MacBean, M.D.A., Mikami, O., Wilkinson, C.D.W., Mistry, P., Roberts, J.S. Optical properties of (Al,Ga)As/GaAs multiple quantum well planar waveguides and the fabrication of single-mode rib waveguides and directional couplers by reactive ion etching 87−60959
MacBean, M.D.A., Wilkinson, C.D.W. Electroabsorption modulators in (Al,Ga)As/GaAs multiple quantum well, double-heterostructure optical waveguides 87−74869
MacBean, M.D.A. *see* Westbrook, L.D. 88−58354
McBean, S.R. *see* Johnson, J.S.M. 85−6319
McBeath, J. The successful operation of a satellite system depends on the oft-ignored role of its people 88−53195
McBeath, J.W. Satellite system operations−a view from the trenches 86−64937
McBee, C.J. *see* Pavlopoulos, T.G. 87−75028
McBee, L. *see* Gould, G. 85−31074
Macbeth, A.A. *see* Allison, J. 85−52971, 85−64456 to 64457
MacBeth, M.J., Bereznai, G.T., D'Angelo, V.S. The application of microsimulation to operator training for a computerized reactor regulating system 87−15466
MacBeth, M.J. *see* Grabish, M. 88−17293
Macbeth, R.C. *see* Davis, Q.V. 85−42495
Macbeth, R.C. *see* Sweeting, M.N. 88−9484
McBrayer, J.D., Fleetwood, D.M., Pastorek, R.A., Jones, R.V. Correlation of hot-carrier and radiation effects in MOS transistors 86−35692
McBrayer, J.D. *see* Weaver, H.T. 88−25188
McBrearty, M. *see* Bilgutay, N.M. 87−10150
McBrearty, M. *see* Li, X. 87−4197
McBreen, B. *see* O'Sullivan, C.T. 87−57028
McBreen, B. *see* O'Sullivan, T. 88−16658
McBreen, E. *see* Abola, A. 88−54123
McBreen, J., Gannon, E. Bismuth oxide as an additive in pasted zinc electrodes 86−6986
McBreen, J., O'Grady, W.E., Pandya, K.I. EXAFS: a new tool for the study of battery and fuel cell materials 88−49123
McBride, A.F. *see* Stone, R.S. 86−25754
McBride, A.L. An overview of unslotted ALOHA in a VSAT network 87−40815
McBride, A.L. Application of renewal theory to unslotted ALOHA in VSAT networks 88−52613
McBride, D.B. *see* Kaschak, R.A. 85−6002
McBride, D.G. *see* Atkinson, J.M. 85−34267
McBride, D.J. *see* Juels, R.J. 85−28578
McBride, J. Videotex publishing: a means to cost effective distribution 86−37423
McBride, J.R., Cooke-Yarborough, E.H. The HOMACH TMG: a new Stirling power source for unattended operation 85−53848
McBride, J.W., Mapps, D.J., White, P.J., Roberts, G. The influence of rocker-switch dynamics on contact bounce 88−38819
McBride, J.W. *see* Mapps, D.J. 87−11102
McBride, L., Black, A. Standoff jamming in the 21st century: the EC multiplier 87−39405
McBride, L.E. *see* Trenkler, Y. 86−59107, 88−20926
McBride, P. *see* Antreasyan, D. 87−21413
McBride, P. *see* Becker, U. 88−22943
McBride, R.D. *see* Brown, G.G. 85−44617
McBride, S.L. *see* Kramer, S.M. 88−54798
McBryan, B. *see* Lacy, J.G. 85−5677
McBryan, F. *see* Drake, A.R. 88−32563
McBryde, W.L. Assembly process and equipment requirements using water soluble flux on military programs 86−57210
McBurney, C.E. Overview of department of defense electronics manufacturing methods and technology program 86−180
McBurney, P.W. *see* Grover Brown, R. 88−74069
McCabe, A. *see* Lewis, A. 88−63743
McCabe, A. *see* White, J.C. 87−16973
McCabe, A. *see* Moore, W. *(editor)* 87−36329
McCabe, A.K. *see* Kogan, V.I. 88−11279
McCabe, A.K. *see* Reckleff, J.G. 86−51848
McCabe, A.P.H. *see* Lewis, A.K. 88−33341
McCabe, A.P.H. *see* McWhirter, J.G. 85−25094
McCabe, A.P.H. *see* Marnane, W.P. 88−25265
McCabe, A.R. *see* Crawford, A.J. 85−9126
McCabe, C., Jackson, M., Ellwood, B.B. Magnetic anisotropy in the Trenton Limestone: results of a new technique, anisotropy of anhysteretic susceptibility 85−64691
McCabe, C.W. *see* Dicello, J.F. 86−34787
McCabe, C.W. *see* Doss, J.D. 87−29798, 88−53846
McCabe, E.M. *see* Wilson, T. 87−32219, 88−19916
McCabe, F. Semi-custom IC design 86−28421
McCabe, G. *see* Tang, P.S. 87−70514
McCabe, G.M. *see* Guerard, J.B., Jr. 87−62
McCabe, J.H., Phillips, G.M. Aitken sequences and generalized Fibonacci numbers 86−26762
McCabe, J.H. *see* Cooper, S.C. 87−10304
McCabe, M.A. The design of a portable microbased weighing instrument 85−52641
McCabe, P. *see* Fang, P.H. 86−33658
McCabe, P.J. *see* Callahan, P.S. 86−12153
McCabe, R. New ideas: continuity tester 85−22234
McCabe, S. A program for hierarchical verification of VLSI layouts 85−29253
McCabe, S. *see* Basiulis, A. 87−44008
McCabe, S. *see* Stevens, S.N. 85−45759
McCabe, S.J. *see* Coomes, E.P. 87−42177
McCabe, S.J. *see* Dodge, R.E., Jr. 87−42162
McCabe, S.P. Subsystem building blocks for high-performance microwave systems 87−76852
McCabe, V.J. Engineering education in Ireland: the past and the future 88−55866
McCabe, W. *see* Dicello, J.F. 87−32225
McCabe, W.J. Business process management 88−209
McCabe, W.J. *see* Sparks, R.J. 85−20856
McCafferty, J.D., Fryer, R.J. Flexible feature detector for binary video images 87−75859
McCafferty, J.D., Fryer, R.J., Codutti, S., Miller, J., Monai, G. Edge-detection algorithm and its video-rate implementation 87−62162
McCafferty, L. *see* Edwards, G. 87−26059
McCafferty, R. Real-time automation of a dry etching system 86−63428
McCaffrey, J. *see* Baribeau, J.-M. 88−38204
McCaffrey, P.M. *see* McCullagh, P.J. 88−42484
Maccagni, D. *see* Baker, R.E. 85−31769
McCahon, C.S., Hwang, C.L., Tillman, F.A. A multiple attribute evaluation of Bayesian availability estimators 85−5841
McCahon, C.S., Lee, E.S. Project network analysis with fuzzy activity times 88−63159
McCaig, M., Rosen, B. A matter of protocol [LAN protocols] 87−20250
McCain, H.G. *see* Albus, J.S. 88−42601
McCain, T.-M. *see* Axe, A.R. 88−70068
McCain, W.B., McGillem, C.D. Performance improvements of DPLLs in non-Gaussian noise using robust estimators 88−12258
McCal, D.M. PROM driven ATE for custom hybrid circuit manufacturing 88−4306
McCaldin, J.O. Band offsets at II-VI heterojunctions 85−45438
McCaldin, J.O. *see* Miles, R.H. 88−11984
McCaleb, W.L. Precision films for imaging PCB designs onto phototools 87−45427
McCaleb, W.L. Laser photoplotters require high-precision film 87−66731
McCaleb, W.L. Choosing a photoplotter 88−1143
McCaleb, W.L. Processing method for improving throughput, quality of PWB production masters 88−32611
McCall, D.E. *see* Chang, J.S.C. 85−49532
McCall, D.L. *see* Zhang, X. 88−12382
McCall, E.M., II, Prescott, G.E. Performance of QPSK-DS spread spectrum on a scintillated channel 86−69590
McCall, J.C., Vilcheck, W.S., Huxtable, V.J. Harmonic simulation of cycloconverter operation in a mine power system 86−45889
McCall, J.C. *see* Gonzalez, D.A. 86−44963, 87−64069
McCall, L.V., Chambers, B.J. Scarborough distribution automation project implementation and preliminary performance experience [load distribution] 86−18694

McCall, M.W., Hall, T.J. Polarization effects in high gain photorefractive two and four wave mixing 88−2385
McCall, M.W., Petts, C.R. Grating modification in degenerate four wave mixing 85−29918
McCall, M.W., Shore, K.A. Resonantly enhanced two-wave mixing via population pulsations in semiconductor laser amplifiers 88−51803
McCall, M.W. *see* Cooper, I.R. 85−29956, 87−62229
McCall, M.W. *see* Petts, C.R. 85−14691
McCall, M.W. *see* Shore, K.A. 88−45414
McCall, R.C. *see* Ipe, N.E. 87−50197
McCall, S.L., Ovadia, S., Gibbs, H.M., Hopf, F.A., Kaplan, D.L. Statistical fluctuations in optical bistability induced by shot noise 86−22495
McCall, S.L., Platzman, P.M. An optimized $\pi/2$ distributed feedback laser 86−29145
McCall, S.L. *see* Boyd, G.D. 87−54103
McCall, S.L. *see* Jewell, J.L. 87−68177, 88−65425, 88−65429
McCall, S.L. *see* Tai, K. 88−64281
McCalla, B., Infante, B., Brzezinski, D., Beyers, J. ChipBuster VLSI design system 87−38556
McCalla, C. Error performance metrics and the generic design of digital data circuits 86−54914
MacCalla, E. Distributed networking of peripherals in industry 85−47248
McCallen, R.C. *see* Hawke, R.S. 88−40518
McCallion, H., Britton, G.A. An integrated scheme for the development of the electronics industry in New Zealand 87−66
McCallum, B.C. *see* Gardenier, P.H. 87−33737
MacCallum, C.J. *see* Posey, L.D. 86−35890
McCallum, D. *see* Buchinski, E. 85−63279
McCallum, E. *see* Turner, J. 85−59497
McCallum, H. Operational requirements-surveillance system 88−15679
McCallum, J.C., Chua, T.-S. A synthetic instruction mix for evaluating microprocessor performance 87−66222
McCallum, J.C. *see* Brown, R.A. 87−6399
MacCallum, R.C. *see* Groutage, F.D. 87−7766
McCallum, R.W., Verhoeven, J.D., Noack, M.A., Gibson, E.D., Laabs, F.C., Finnemore, D.K., Moodenbaugh, A.R. Problems in the production of $YBa_2Cu_3O_x$ superconducting wire 87−59017
McCallum, R.W. *see* Bellahsene, B.-E. 88−61404
McCallum, R.W. *see* Kadin, A.M. 87−67727
McCallum, S. An improved projection operation for cylindrical algebraic decomposition 86−62129
McCallum, S. *see* Arnon, D.S. 85−16886 to 16887, 86−62128
McCallum, W. *see* Laney, R. 88−22131
McCalmont, A.M. A practical approach to 14.4 kb encrypted speech 86−3820
McCalmont, A.M. End-to-end data encryption in X.25 packet-switched networks 87−19996
McCalmont, J.S., Robinson, D., Lakin, K.M., Shanks, H.R. Epitaxial Ge films on Si substrates 88−38209
McCalmont, J.S., Shanks, H.R., Lakin, K.M. Germanium thin films deposited by the ionized-cluster beam technique 88−6504
McCalpin, W. High efficiency power amplification with optimally loaded harmonic waveshaping 87−16909
McCamant, A. *see* Forbes, L. 86−2195
McCamant, A.J. *see* Canfield, P.C. 88−20008, 88−39739
McCamant, A.J. *see* Dobrilla, P. 85−61919, 86−21621
McCamant, A.J. *see* Wager, J.F. 87−53529
Mccamis, R.H. *see* Carlson, R.F. 85−43191
McCamley, P. Thermoplastic materials and technology molded printed wiring boards 88−25636
McCammon, D., Juda, M., Zhang, J., Holt, S.S., Kelley, R.L., Moseley, S.H., Szymkowiak, A.E. Thermal detectors for high resolution spectroscopy 88−36396
McCammon, D., Juda, M., Zhang, J., Kelley, R.L., Moseley, S.H., Szymkowiak, A.E. Thermal detectors for high resolution spectroscopy 86−50329
McCammon, D. *see* Moseley, S.H. 85−43317, 88−61205
McCammon, R.B. The generation of accurate, drift-free, frequency-weighted, pseudo-random audio noise 85−43010
Maccamy, R.C. *see* Hariharan, S.I. 86−42811
McCandless, B.E., Birkmire, R.W., Phillips, J.E. The effects of air heat treatments on completed CdS/CdTe solar cells 86−40161
McCandless, B.E. *see* Birkmire, R.W. 87−9857, 88−37401, 88−37533, 88−69679
McCandless, G.A. *see* Dorman, M.F. 88−74875
McCann, C. *see* McCann, D.M. 86−25388
McCann, D.E. *see* Cheung, J.K.L. 86−70632
McCann, D.M., Andrew, E.M., McCann, C. Seismic sources for shallow reflection surveying 86−25388
McCann, D.M., Jackson, P.D., Fenning, P.J. Comparison of the seismic and ground probing radar methods in geological surveying 88−67474
McCann, D.R., Barr, M. Matching SAR imagery with terrain feature models 87−49147
McCann, D.R., Reichel, W.L., Burton, W.A., Grandjean, D.C. Overboring extends life of rotor slated for replacement by OEM 88−37056
McCann, F.V., Stibitz, G.R., Keller, T.M. A computer method for the acquisition and analysis of patch-clamp single-channel currents 87−71141
McCann, H. *see* Allison, J. 85−64456 to 64457
McCann, J.D. Review of ultrasonic techniques and applications, with particular reference to low frequency systems and their use in the food processing industry 87−50607
McCann, J.D. *see* Rochester, J. 86−45987
McCann, J.E. *see* Wapner, M.P. 86−65553
McCann, J.F., Rokkos, N.S. Electronic connector field problems 85−11672
McCann, J.F. *see* Hinckley, S. 87−15998
McCann, J.F. *see* Skyllas-kazacos, M. 85−54486
McCann, M.P., Chen, C.H., Kramer, S.D. Ultraviolet laser beam monitor using alkali halide crystals 87−26498
McCann, P.J., Fuchs, J., Feit, Z., Fonstad, C.G. Phase equilibria and liquid phase epitaxy growth of PbSnSeTe lattice matched to PbSe 88−401
McCannon, T.E. Application of robust filtering techniques to time delay estimation in the Arctic environment 86−10405
McCannon, T.E. Two-dimensional memoryless detection of a random signal in ϕ-mixing non-Gaussian noise 86−16297
McCannon, W.P. *see* Cauthen, R.H. 88−61964
McCanny, J., McWhirter, J. The derivation and utilisation of bit level systolic array architectures 87−37249
McCanny, J.V. Mapping system level functions on to bit level systolic arrays 87−27463
McCanny, J.V., Evans, R.A., McWhirter, J.G. Use of unidirectional data flow in bit-level systolic array chips 86−46865
McCanny, J.V., McWhirter, J.G. Some systolic array developments in the United Kingdom 87−66203
McCanny, J.V., McWhirter, J.G., Kung, S.Y. Designing VLSI signal processing chips using data dependence graphs 87−39865
McCanny, J.V., McWhirter, J.G., Wood, K. Optimised bit level systolic array for convolution 85−733
McCanny, J.V. *see* Evans, R.A. 86−35845
McCanny, J.V. *see* Kaouri, H.A. 87−39735, 88−14607
McCanny, J.V. *see* Knowles, S.C. 88−63821
McCanny, J.V. *see* McWhirter, J.G. 85−25094, 87−66232
McCanny, J.V. *see* Smyth, S.M.F. 88−45875, 88−73092, 88−73095
McCanny, J.V. *see* Ward, J.S. 86−3853, 86−13719
McCanny, J.V. *see* White, J.C. 87−16973, 87−67366
McCanny, J.V. *see* Woods, R.F. 88−70930
McCanny, J.V. *see* Yan, M. 88−63770
McCanny, J.V., White, J.C. *(editor)* VLSI technology and design 87−65053
McCants, C. *see* Chin, K.K. 86−63101
McCants, C.E., Kendelewicz, T., Bertness, K.A., Mahowald, P.H., Williams, M.D., List, R.S., Lindau, I., Spicer, W.E. Chemical and electronic properties of the Pt/GaAs(110) interface 88−13019
McCants, C.E., Kendelewicz, T., Mahowald, P.H., Bertness, K.A., Williams, M.D., Newman, N., Lindau, I., Spicer, W.E. Chemical and electrical properties at the annealed Ti/GaAs(110) interface 88−64322
McCants, C.E. *see* Chin, K.K. 87−11444
McCants, C.E. *see* Kendelewicz, T. 86−47387, 88−13013
McCants, C.E. *see* Newman, N. 85−55562
McCants, C.E. *see* Spicer, W.E. 86−1805
McCants, C.E. *see* Williams, M.D. 86−1810, 87−1296
McCardell, R.K. *see* Olsen, C.S. 88−75402
McCardle, J. *see* Binnie, D.M. 85−31693
McCarley, L.A. An autoregressive filter model for constant Q attenuation 85−63033
McCarney, G. The use of photothermographic films with industrial radiography 88−23027
McCarney, S.P., Olson, K.R., Weiss, J. Checklist for tools and materials used in the installation of small standalone photovoltaic systems 88−23809
Maccarone, M.C. *see* Di Gesu, V. 86−30009, 87−48229
McCarra, G.J. *see* Clayton, C. 86−65137
McCarren, V.L. Regulatory involvement in ISDN 88−3656
McCarroll, B.J., Sodini, C.G., Lee, H.-S. A high-speed comparator for use in an ADC 88−846
McCarroll, B.J., Sodini, C.G., Lee, H.-S. A high-speed CMOS comparator for use in an ADC 88−32283
McCarron, J.M. *see* Allies, V.R. 88−38921, 88−70126
McCarron, K.T. *see* Lakin, K.M. 88−20216
Maccarrone, F. *see* Gozzini, A. 86−15775
Maccarrone, G. *see* Alberini, C. 87−35339
Maccarrone, G. *see* Bari, G. 87−8843
Maccarrone, G. *see* Basile, M. 86−5785
Maccarrone, G.C. *see* Alberini, C. 86−65387
McCarten, B. *see* Arakawa, M. 85−38095, 88−16723
McCarten, B.M. *see* Carlson, J.W. 88−16724
McCarter, S.D. *see* Bingham, S.D. 86−27595
McCarter, S.D. *see* Pavio, A.M. 85−1053
McCarthy, A. *see* Chong-Cheng Fu 87−11568
McCarthy, A.K. *see* Dain, S.J. 88−54458
McCarthy, A.M., Lukaszek, W., Fu, C.C., Dameron, D.H., Meindl, J.D. A novel technique for detecting lithographic defects 88−39285
McCarthy, A.M. *see* Eades, W.D. 85−34854
McCarthy, B.M. *see* Tower, J.R. 86−5058, 86−70047, 87−20935
McCarthy, C. Erasable programmable logic devices simplify logic design 86−8101
McCarthy, C. Erasable programmable logic devices implement a variety of functions. II 86−14115
McCarthy, C. Field programmable gate arrays 86−27250
McCarthy, C. The match maker [antennas and transmitters matching] 86−48707
McCarthy, C. Partitioning adapts large state machines to PLDs 87−73389
McCarthy, C. User programmable logic devices as system-level building blocks 88−709
McCarthy, C. User programmable logic devices as system-level building blocks SAM: a new sequential logic building block 88−6791
McCarthy, C. User programmable logic devices as system-level building blocks 88−7738
McCarthy, C. *see* Duncan, R. 86−41009, 87−37137
McCarthy, C.B., Reed, T.L., Engel, P.K., Lighthipe, R.W. The cool water program−a status report 85−21451
McCarthy, D. *see* Bosiers, J.T. 86−47617
McCarthy, D. *see* Dwyer, J.M. 86−30235
McCarthy, D. *see* Krowne, C.M. 87−37533
McCarthy, D. *see* Peckerar, M.C. 87−49505
McCarthy, D. *see* Saks, N. 86−5111
McCarthy, D. *see* Tseng, W.F. 87−18353
McCarthy, D.J. *see* Reeds, J. 85−29077
McCarthy, D.K. *see* Allnutt, J.E. 87−26787
McCarthy, D.K. *see* Arbesser-Rastburg, B. 86−29401
McCarthy, D.M. *see* Christou, A. 86−15179
McCarthy, D.P. Effect of improved multiplication efficiency on exponentiation algorithms derived from addition chains 86−52386
McCarthy, D.W., Jr. *see* Christou, J.C. 88−8809
McCarthy, D.W., Jr. *see* Freeman, J.D. 88−52530
McCarthy, E.J., Abdou, E. Network survivability: an integrated planning approach 87−76152
McCarthy, F., Paulraj, A., Kailath, T. Eigenstructure approach to Doppler estimation for wideband signals 87−27439
McCarthy, J. The impact of surface mounting technology on polymers in electronics 87−6275
McCarthy, J., Wolff, D., Farkas, L. Very high precision current regulated power supplies for the Fermilab Antiproton Source 86−26145
McCarthy, J. *see* Biallas, G. 85−26661
McCarthy, J. *see* Castellano, T. 86−32032
McCarthy, J. *see* Cilyo, F. 86−22631
McCarthy, J. *see* Dugan, G. 86−32034
McCarthy, J. *see* Janesick, J. 87−20923
McCarthy, J. *see* Pasquinelli, R.J. 88−47900
McCarthy, J. *see* Petter, J. 88−54182
McCarthy, J. *see* Williams, T. 86−57846
McCarthy, J.D. Operational experience with Tevatron I antiproton source 88−54385
McCarthy, J.D. *see* Holmes, S.D. 86−31772
McCarthy, J.D. *see* Kuchnir, M. 85−59037
McCarthy, J.J. MAP's impact on process plants 86−16921
McCarthy, J.J. MAP and the integration of plant data bases 88−59692
McCarthy, J.J., Marco, G.E. Cellular networking functionality and application 87−69972
McCarthy, J.J. *see* Chapman, W.P. 87−3094
McCarthy, J.K. *see* Janesick, J.R. 85−43208
McCarthy, J.P. 'High reliability integrated circuit packaging' 85−35147
McCarthy, J.P. Acceptance to the hospital−equipment management 87−29827
McCarthy, J.P. R&M 2000−the Strategic Air Command perspective 88−10673
McCarthy, J.P., Spendley, D.G., Vine, R.E. Surgical diathermy 85−20946
McCarthy, J.P. *see* Bilson, R.T. 86−53250
McCarthy, J.P. *see* Brierley, C.J. 86−35178, 86−47207 to 47208, 86−53132, 86−53137
McCarthy, J.S., Norum, B.E., York, R.C. NEAL−the National Electron Accelerator Laboratory 85−26542
McCarthy, K., Cahill, C.G., Lane, W.A. Improved analogue circuit simulation using conductance modelling 87−25350
McCarthy, K. *see* Cahill, C.G. 87−6752, 87−23865
McCarthy, K.A., Sample, H.H. Thermal conductivity of a fluorozirconate glass and tellurium dioxide single crystals 85−7193
McCarthy, K.P. *see* Moulsley, T.J. 86−22709
MacCarthy, M. Remarks on ISDN 88−3663

McCarthy, N., Lavigne, P. Optical resonators with Gaussian reflectivity mirrors: output beam characteristics 85−12890
McCarthy, N., Lavigne, P. Large-size Gaussian mode in unstable resonators using Gaussian mirrors 86−9900
McCarthy, N. *see* Lavigne, P. 87−26274, 87−41036, 88−27232
McCarthy, N. *see* Parent, A. 87−39159
McCarthy, N. *see* Snell, K.J. 88−40275
McCarthy, O. Education for VLSI in modern engineering curricula 87−23235
McCarthy, R. The network story. What's available/how they're used 88−28369
McCarthy, R., Adams, M., Brown, C., Coutrakon, G., Charpak, G., Finley, D., Glass, H., Hubbard, J.R., Jaffe, D., Jonckheere, A., Jostlein, H., Kirz, J., Mangeot, Ph., Peisert, A., Santiard, J.C., Sauli, F. Identification of large-transverse-momentum hadrons using a ring-imaging Cherenkov counter 86−65355
McCarthy, R. *see* Glass, H. 85−43249
McCarthy, R.H. *see* Cahill, P.T. 86−32406
McCarthy, S., Wrixon, G.T. The development of a computer model to optimise the performance of a 50 Kwp photovoltaic system 86−39644
McCarthy, S., Wrixon, G.T. Practical experience of a 50 kWp photovoltaic system supplying power to a dairy farm on Fota Island, Cork, Ireland 87−51681
McCarthy, S., Wrixon, G.T. Practical experience of a 50 kWp photovoltaic system supplying power to a dairy farm on Fota island, Cork, Ireland 87−58502
McCarthy, S., Wrixon, G.T. Optimization and analysis of PV systems using a computer model 88−18271
McCarthy, S. *see* Wrixon, G.T. 86−45276
McCarthy, S.J. *see* Goodhart, C.L. 86−4759
McCarthy, T. *see* Waicukauski, J.A. 86−34728, 86−49955
McCarthy, T.J. *see* Jonscher, A.K. 87−1481
McCarthy, T.J. *see* Low, S.S. 88−68995
McCarthy, T.P. Silicon compiler applications as they affect foundries 86−47753
McCarthy, W.F. *see* Wu, C.-y. 88−14343 to 14344
McCartney, A. *see* Fox, B. 88−61855
McCartney, B. *see* Budd, G.C. 87−15467
McCartney, D. MC68020−a true 32 bit microprocessor 85−33953
McCartney, D. MC68020−a true 32 bit microprocessor. II 85−33954
McCartney, D. The DSP56000/1−a fourth generation digital signal processor 88−8803
McCartney, D., Curtin, M. Precision DACs enhance the stability of closed-loop designs 88−50214
McCartney, D., Groepler, P. The 32-bit 68020's power flows fully through a versatile interface 85−22912
McCartney, D.J. A review of the performance of two types of position tuned filters for use in the 1200-1600 nm range 88−65456
McCartney, D.J., Lissberger, P.H., Roy, A.K. Recent developments in the production of narrowband position tuned interference filters for wavelength multiplexed optical fibre systems 88−13992
McCartney, D.J., Payen, D.B., Duncan, S.S. Position-tunable holographic filters in dichromated gelatin for use in single-mode-fiber demultiplexers 85−46241
McCartney, D.J., Payne, D.B. Monomode optical fibre splicing 85−41118
McCartney, D.J. *see* Duncan, S.S. 86−3351, 86−9646
McCartney, D.J. *see* Lissberger, P.H. 85−63642
McCartney, D.J. *see* McDonna, A.P. 85−3444
McCartney, D.J. *see* Payne, D.B. 85−18734
McCartney, J.H. PTC thermistors: the influence of impurities, dopants and ceramic grain structure on electrical properties 86−41358
McCartney, P.J., Hall, R.D. A 2 Mbit/s-140 Mbit/s synchronous multiplex system 87−69789
McCartney, P.J. *see* Cochrane, P. 88−4034
McCartney, W.H. *see* Tsui, B.M.W. 86−70398
McCartor, H. *see* Baker, T. 88−33333
McCarty, D.E. *see* Hooper, H.G. 88−67149
McCarty, J.L. Overview of establishing a quality management system 86−26667
McCarty, R.C. Statistical measure of performance in adaptive beam-forming 88−52243
McCarty, S.J. *see* Willrich, M. 86−18728
McCary, R.O., Oliver, D.W., Silverstein, K.H., Young, J.D. Eddy current imaging 85−26255
McCary, R.O. *see* Joynson, R.E. 87−36839
McCaslin, J.B., Swanson, W.P., Thomas, R.H. Moyer model approximations for point and extended beam losses 87−63597
McCaslin, S.R., Parks, T.W., Steiglitz, K. Finite-record filtering for bandlimited signals 87−62035
McCaughan, L. Long wavelength titanium-doped lithium niobate directional coupler optical switches and switch arrays 85−41212
McCaughan, L. Design and performance limitation of integrated electro-optic cross-points 85−42611
McCaughan, L. Recent results with long wavelength Ti:LiNbO$_3$ directional coupler optical switches and switch arrays 85−51002
McCaughan, L. Random Ti concentration fluctuations in Ti:LiNbO$_3$ waveguides 88−7936
McCaughan, L., Agrawal, N., Bogert, G.A. Novel physical effects in intersecting waveguides 88−13903
McCaughan, L., Boger, G.A. 4×4 Ti:LiNbO$_3$ integrated-optical crossbar switch array 86−2856
McCaughan, L., Choquette, K.D. Crosstalk in Ti:LiNbO$_3$ directional coupler switches caused by Ti concentration fluctuations 86−68314
McCaughan, L., Choquette, K.D. Ti-concentration inhomogeneities in Ti:LiNbO$_3$ waveguides 87−74731
McCaughan, L., Korotky, S.K. Three-electrode Ti:LiNbO$_3$ optical switch 87−12248
McCaughan, L. *see* Agrawal, N. 88−2659
McCaughan, L. *see* Bergmann, E.E. 85−1972
McCaughan, L. *see* Choquette, K.D. 88−20398
McCaughan, L. *see* Korotky, S.K. 87−12221
McCaughan, L. *see* Murphy, E.J. 86−2726
McCaughey, K.G. *see* Brauer, J.R. 88−55575
McCaul, E.W., Jr., Bluestein, H.B., Doviak, R.J. Airborne Doppler lidar techniques for observing severe thunderstorms 86−38948
McCaul, E.W., Jr., Bluestein, H.B., Doviak, R.J. Airborne Doppler lidar observations of convective phenomena in Oklahoma 88−16910
McCauley, C.J., Saunders, R., Zisserman, A. Prolate harmonics and axisymmetric conductor systems 88−52079
McCauley, T.M. *see* Berger, W.E. 87−71843
McCaw, S.T. *see* Bates, B.T. 88−42495
McCay, T.D., Dexter, C.E. Chemical kinetic performance losses for a hydrogen laser thermal thruster 88−5101
MacChesney, J.B. Sol-gel and other fourth generation processes [optical fibres production] 88−45163
MacChesney, J.B., Johnson, D.W., Fleming, D.A., Walz, F.W. Hybridised sol-gel process for optical fibres 87−74677
MacChesney, J.B., Johnson, D.W., Jr., Fleming, D.A., Walz, F.W., Kometani, T.Y. Influence of dehydration/sintering conditions on the distribution of impurities in sol-gel derived silica glass 87−74650
MacChesney, J.B., Johnson, D.W., Jr., Lemaire, P.J., Cohen, L.G., Rabinovich, E.M. Depressed index substrate tubes to eliminate leaky-mode losses in single-mode fibers 86−22105
MacChesney, J.B. *see* Blyler, L.L., Jr. 88−67863
Macchesney, J.B. *see* Wood, D.L. 87−46480
Macchi, A. *see* Franti, L.F. 88−50338
Macchi, C., Guilbert, J.-F. Tele-informatics: Data and computer communications 86−52113
Macchi, E. *see* Angelino, G. 86−51924
Macchi, E. *see* Bollina, E. 85−60075
Macchi, E. *see* Lozza, G. 87−42680
Macchi, G.C. *see* Butti, A. 85−19973
Macchi, M., Kamm, C., Streeter, L. Expanding the template inventory for concatenative speech synthesis 88−66450
Macchi, O. Adaptive equalization of time varying channels: what is meant by 'slow-variations' 85−19303
Macchi, O. Optimization of adaptive identification for time-varying filters 85−51667
Macchi, O. Advances in adaptive filtering 86−64311
Macchi, O., Bellanger, M. The point about adaptive transversal filters 88−21228
Macchi, O., Eweda, E. Equalization with few adaptive frequency gains for rapidly evolutive selective fading 86−37022
Macchi, O., Eweda, E. Theoretical analysis of adaptive equalization in the self-learning mode 86−64239
Macchi, O., Eweda, E. Compared speed and accuracy of the RLS and LMS algorithms with constant forgetting factors 88−59122
Macchi, O., Hachicha, A. Self-adaptive equalization based on a prediction principle 87−39824
Macchi, O., Kyu Ho Park Adaptive cancellation of phase distorted echos: optimizing the phase loop gain by controlling the powers 87−55848
Macchi, O., Meriem, J.-S. Stability of adaptive recursive filters 88−66549
Macchi, O., Park, K.H. An echo canceller with controlled power for frequency offset correction 86−48608
Macchi, O. *see* Bauchot, F. 85−24854, 85−52253
Macchi, O. *see* Bonnet, M. 87−39660, 87−47537, 88−21103
Macchi, O. *see* Eweda, E. 85−41893, 87−69140
Macchi, O. *see* Jaidame-Saidane, M. 87−47534
Macchi, O. *see* Jaidane-saidane, M. 88−9024, 88−21261, 88−34671
Macchi, O. *see* Marcos, S. 87−55845, 88−14401, 88−21258, 88−66558
Macchi, O. *see* Park, K.H. 87−75465
Macchi, R., Salerno, M., Vicini, P., Cagliari, F., Patella, A. Design considerations and performance of a newly developed QAM digital radio family 87−34398
Macchi, R. *see* Vicini, P. 88−3816
Macchia, G. *see* De Palma, M. 85−59203
Macchiarella, G. Random search optimization for computer-aided design of broadband microwave amplifiers 85−28705
Macchiarella, G. A comparative analysis of some prediction methods for rain attenuation statistics in Earth-to-space links 85−36023
Macchiarella, G. A closed-form expression for apodization loss 86−63523
Macchiarella, G., Politi, M., Stracca, G.B. Improved CAD procedures for multistage broadband amplifiers 88−56991
Macchiarella, G., Politi, M., Stracca, G.B., Magni, P. Program eases selection of SAW matching circuits 87−6965
Macchiarella, G., Stracca, G.B., Bucci, I. A computer procedure for analysis and design of bandpass post-coupled rectangular waveguide filters 87−73599
Macchiarella, G., Stracca, G.B., Miglioli, L. Interpolating formulas for an equivalent circuit of posts in rectangular waveguides 87−66490
Macchiarella, G. *see* Politi, M. 87−1824, 88−56896
Macchiarella, G. *see* Stracca, G.B. 86−35061, 86−42874, 87−37494
Macchiarella, G. *see* Van der Walt, P.W. 88−20965
Macchiaroli, B. *see* Egiziano, L. 86−70711
Macchiarulo, M. *see* Francini, F. 87−77418
Maccianti, T. *see* Zulian, F. 87−52630
Maccio, C. *see* Fabriani, L.M. 88−17448
Macciotta, P., Marcello, S., Masoni, A., Puddu, G., Serci, S., Bressani, T., Dellacasa, G., Gallio, M., Musso, A., Morandin, M., Voci, C., Minetti, B. A large area, fine grained neutron hodoscope 86−50394
Macciotta, P. *see* Caria, M. 85−43240, 88−29808
McClain, D.H. Intelligent videodisc: development at the University of Iowa 85−37305
McClain, E.P., Pichel, W.G., Walton, C.C. Comparative performance of AVHRR-based multichannel sea surface temperatures 86−32564
McClain, J.E. *see* Zenyuh, J.P. 88−30116
McClaine, A.W., Swallom, D.W., Kessler, R. Recent results of the Avco Mk VI test program 85−16256
McClamroch, N.H. *see* Conrad, C.J. 87−36588
McClamroch, N.H. *see* Iskanderani, A.I. 85−51670
McClamroch, N.M. *see* Iskanderani, A.I. 85−63048
McClard, R.W. A convenient interface between the Apple II+ computer and the Perkin-Elmer Lambda spectrophotometer 86−24300
McClare, A. The 1553B communications bus 85−47274
McClary, C.R. *see* Wefald, K.M. 85−38291
McClary, G.D. *see* Markovitz, M. 86−63505
McClaskey, B. *see* Gallagher, D.L. 88−19377
McClatchey, R.H. *see* Apsimon, R.J. 85−43246, 86−25138, 86−50392, 86−65356
McClay, W. *see* McIllwaine, S.A. 86−39036
McClay, W.J., MacVicar-Whelan, P.J. AI based connector assembly 87−10129
McClay, W.J., MacVicar-Whelan, P.J. A knowledge base network for connector assembly specifications 88−70118
McClean, J.A. *see* Clayton, C. 86−65137
McClean, J.H., Stock, A.F., Campbell, N.A. Robotic ultrasonic scanning for NDT of composites 87−14125
McClean, W.J. GaAs market outlook 86−8080
McClearn, R. *see* Borcherdt, R.D. 86−32501
McCleary, R.D. Printed circuit board assembly and test, is automation adaptable 85−50112
McCleary, R.D. Robot applications in electronic assembly 85−54130
McCleer, P.J. *see* Mir, M. 85−9552, 88−5382
McCleer, P.J. *see* Park, G.L. 88−23939
McCleese, W.F. The Corps of Engineers' repair, evaluation, maintenance, and rehabilitation (REMR) research program 87−72047
McClellan, G. Capacitor leakage tester 86−55772
McClellan, G. New life for old car radios 87−69908
McClellan, G. Amplified speaker 88−74175
McClellan, J.H. Two-dimensional spectrum analysis in sonic logging 87−4109
McClellan, J.H. Two-dimensional spectrum analysis in sonic logging 87−29920
McClellan, J.H. Iterative pre-filtering over nonuniform sampling grids 88−73148
McClellan, R. *see* Deshpande, S. 87−43370
McClellan, T.E. *see* Jain, V.K. 86−30203, 87−19748, 87−27541
McClellan, W.R., Conner, W.A. A DS3 implementation on SSB radio systems 86−55167
McClelland, B.A. Database portability: information retrieval from micro to mainframe 87−55822
McClelland, D.E., Ballagh, R.J., Sandle, W.J. Simple analytic approximation to continuous-wave on-resonance beam reshaping 86−36564
McClelland, D.H. Maintenance free lead acid batteries 87−36113
McClelland, E.C. *see* Desell, A.L. 85−4590

McClelland, G. New life for old car radios. II 87—70205
McClelland, H.T. *see* Filer, E.W. 86—13442
McClelland, J.B. New facilities for nucleon charge exchange at the Los Alamos Meson Physics Facility 88—29922
McClelland, J.J. *see* Scholten, R.E. 88—50609
McClelland, L.A. Military requirements push IC development 85—45857
McClelland, L.A. The bright outlook for lasers 86—15816
McClelland, L.A. The B-1B has arrived [military Lavionic systems] 86—18424
McClelland, R.S. Low density telephony 85—42174
McClelland, R.W., King, B.D., Fan, J.C.C., Chapman, R.L. GaAsP shallow-homojunction solar cells for tandem applications 86—7067
McClelland, R.W. *see* Ahrenkiel, R.K. 88—71303
McClelland, R.W. *see* Chu, A. 85—1061, 85—17841
McClelland, R.W. *see* Fan, J.C.C. 85—65448
McClelland, R.W. *see* Gale, R.P. 88—31031
McClelland, R.W. *see* Lenth, W. 85—24395
McClelland, R.W. *see* Stanbery, B.J. 88—37429
McClelland, R.W. *see* Tsaur, B.-Y. 86—7065
McClelland, S. Into the next generation of board assembly with Adept 86—47159
McClelland, S. Surface mount technology: Europe wakes up 86—67567
McClelland, S. The last word in sensor directories 87—14309
McClelland, S. Running like clockwork: assembly automation at Timex 87—16356
McClelland, S. 'The cleanest robots in the world' [clean room robots] 87—18049
McClelland, S. Philips gets SMT just-in-time 87—31276
McClelland, S. How fast is automated electronics assembly? 87—32155
McClelland, S. Sensor fabrication: micromachining marches on 87—49718
McClelland, S. Sensor technology: Japan update 87—49720
McClelland, S. Bird's eye view of electronics manufacturing 87—51826
McClelland, S. Quality and automation give Rank Xerox a good image 87—51838
McClelland, S. SMT, TAB or COB—which to choose? 87—65192
McClelland, S. Technology transfer: DTE senses a market 88—4396
McClelland, S. A success story: semiconductor sensors 88—4397
McClelland, S. Something in the city [gas sensors] 88—4684
McClelland, S. Product has a hundred billion variations [electronic equipment power supplies] 88—12705
McClelland, S. Assembling the whole world on a grain of silicon 88—13445
McClelland, S. Magnetostriction: the competitive edge 88—20256
McClelland, S. Reflex rings the changes with Dowty seals 88—22439
McClelland, S. Searching for trends in Japanese sensor technology 88—22573
McClelland, S. Optical sensors: smaller, cheaper, faster 88—22629
McClelland, S. Making a convenience out of conveyance 88—31451
McClelland, S. Automation is crucial to future competitiveness 88—43692
McClelland, S. Surface-mount technology: a micro company is born 88—43702
McClelland, S. The lowdown on downhole monitoring 88—47500
McClelland, S. Tackling the problem of sensor fusion 88—47501
McClelland, S. Sensor development: Japan update 88—47502
McClelland, S. Polarography: at parts per billion 88—47713
McClelland, S. Is Sandia's nose patentable? [hydrogen sensors] 88—60705
McClelland, S. Sensor development: Japan update 88—60706
McClelland, S. Timex turns its hands to high-yield manufacture 88—71192
McClelland, S. *see* Mangin, C.-H. 88—32649, 88—44473
McClelland, S. *see* Price, N. 88—71235
McClelland, S. *(editor)* Advancing surface mount technology. An IFS executive briefing 88—69991
McClelland, T., Pascaru, I., Meirs, M. Development of a rubidium frequency standard for the MILSTAR satellite system 88—22411
McClelland, T., Pascaru, I., Zacharski, J., Tran, N.H., Meirs, M. An optically pumped cesium beam frequency standard for military applications 88—22410
McClellen, G. Build this tele-toll timer 85—25324
McClemont, F.S. *see* Peach, R.C. 88—51134
McClenaghan, B.A., Bablich, K., Sochaniwskyj, A., Koheil, R. Design of instrumentation to quantify upper extremity motor control of children with cerebral palsy 87—14840
McClendon, B.L. HVDC ties East and West networks 85—15567
McClendon, H.M., Rodriguez, M.J. Electromagnetic pulse standards development for military aircraft 88—2647
McClendon, M.E. *see* MacKoul, L.J. 87—71870
McClernon, M.F., Morris, D.I. A practical Monte Carlo approach to assessment of generation plant reliability/availability 86—32895
McClernon, P., Johnson, V.J. Microcomputer interfacing of a real-time clock for data acquisition and control applications 87—66286
McClintock, J.A., Wilson, R.A. Optical measurement of Ga beam flux for MBE 87—36721
McClintock, J.A. *see* Carin, L. 87—74404
McClintock, J.A. *see* Sequeira, H.B. 87—6104, 87—17358
McClintock, J.D., Davidson, L.W. Advanced ocean wave synthesis, analysis, and generation software 88—48365
McClintock, P.V.E., Mannella, R., Sancho, J.M., Moss, F. Correlation times in the cubic bistable system 86—62405
McClintock, P.V.E., Moss, F. Stochastic postponement of critical onsets in a bistable system [nonlinear electronic circuit] 86—62404
McClintock, P.V.E. *see* Fronzoni, L. 87—65768
McClintock, P.V.E. *see* Kondepudi, D.K. 87—391
McClintock, P.V.E. *see* Manella, R. 87—33240
McClintock, P.V.E. *see* Mannella, R. 87—75180
McClintock, P.V.E. *see* Moss, F. 86—11777, 86—13615
McClintock, P.V.E. *see* Vogel, K. 87—68549
McCloskey, T. *see* Rosard, D.D. 85—15872
McCloskey, T.H. *see* Adams, M.L. 85—16001
McCloskey, W. The flight of Polar BEAR: a successful satellite program grows from parts and details 88—30164
McCloud, H.E. *see* Engelken, R.D. 85—49586, 88—24760
McCloud, T.F. Surveillance video recording 88—60458
McCloy, D. *see* Mitchell, R.H. 88—30044
McCloy, R.F. *see* Pearson, R.C. 88—74785
McClung, E.M. *see* Van Weele, B. 85—38891
McClung, J. *see* Olsen, R.B. 87—26695
McClung, L.B., Gallagher, J.M. Electrical hot work safety 87—72759
McClung, L.B., Pickering, J.J. Advances in cross-linked polyethelene insulating and jacketing compounds [wire and cable insulation] 85—23178
McClung, L.B. *see* Fisher, E.J. 85—15619, 86—39168, 87—15275
McClung, L.B. *see* Gallagher, J.M. 87—31270, 87—36441, 88—12652, 88—31241, 88—37906
McClure, B. Management services for FDDI systems 88—35542
McClure, B.G. *see* Mitchell, R.H. 88—48211
McClure, D. *see* Brewer, P.D. 85—61846, 87—6578
McClure, G., Tinawi, R. Mathematical modeling of the transient response of electric transmission lines due to conductor breakage 87—57657
McClure, G. *see* Sharif, B. 87—63784
McClure, G.F. Planning and writing a page-limited proposal 85—44569
McClure, I. Lift-off for the 'space page' [radiopaging by satellite] 88—41540
McClure, J., Berman, D., Schweppe, F. Autonomous management of the Space Station electric energy system 87—63891
McClure, J.C. *see* Singh, V.P. 88—37418
McClure, J.M. *see* Airth-Kindree, W. 87—8928
McClure, M. Automated logic design for PLD implementation 86—58511
McClure, M.D. PLD breadboarding of gate array designs 87—31830
McClure, M.D. CAE for semicustom design 88—6795
McClure, M.D., Pellerin, D.B. Semi-custom design system lets engineers use functional design descriptions for PLDS and gate arrays 87—59353
McClure, M.D., Pellerin, D.B. Semi-custom design system lets engineers use PLDs for gate array prototyping 88—710
McClure, M.D., Pellerin, D.B. Semi-custom design system lets engineers use PLDs for gate array prototyping 88—6773
McClure, M.D., Pellerin, D.B. Semi-Custom Design System lets engineers use PLDS for gate array prototyping 88—6793
McClure, M.D., Prager, D. Semicustom development system lets engineers use functional design descriptions for PLDs and gate arrays 87—59438
McClure, S.W., Seiler, D.G., Littler, C.L. Laser-induced resonant carrier lifetimes in *n*-InSb 85--1306
McClure, S.W. *see* Seiler, D.G. 86—68380
McClurg, J.J. Advantages of stiff shaft design on high speed, high horsepower squirrel cage induction motors and generators 88—17605
McClurg, T.D. *see* Junker, A.M. 86—12009
McCluskey, B. *see* Ansorge, R.E. 88—29842
McCluskey, E. *see* Amer, H. 88—25164
McCluskey, E. *see* Wagner, K. 87—37205
McCluskey, E.G., Thompson, S., McSherry, D.M.G. Standards, codes of practice and expert systems 88—24512
McCluskey, E.J. Built-in self-test techniques 85—49813
McCluskey, E.J. Built-in self-test structures 85—49814
McCluskey, E.J. Testing semi-custom logic 85—49841
McCluskey, E.J. VLSI design for testability 85—50669
McCluskey, E.J. Synchronous digital logic 85—61240
McCluskey, E.J. Testing semi-custom logic 86—1006
McCluskey, E.J. A survey of design for testability scan techniques 86—8157
McCluskey, E.J. VLSI design for testability 86—14172
McCluskey, E.J. Testing semi-custom logic 86—20470
McCluskey, E.J. Testing semi-custom logic 86—46695
McCluskey, E.J. Design for testability 86—67128
McCluskey, E.J. Comparing causes of system failure 87—579
McCluskey, E.J. Design for testability using a cell library 87—11941
McCluskey, E.J. Comparing causes of IC failures 87—16975
McCluskey, E.J., Makar, S., Mourad, S., Wagner, K.D. Probability models for pseudorandom test sequences 88—19076
McCluskey, E.J., Makar, S., Mourad, S., Wagner, K.D. Probability models for pseudorandom test sequences 88—32129
McCluskey, E.J. *see* Amer, H.H. 87—44860
McCluskey, E.J. *see* Archambeau, E.C. 85—17347
McCluskey, E.J. *see* Bozorgui-Nesbat, S. 85—40044, 85—40066, 86—41043
McCluskey, E.J. *see* Chin, C.K. 86—46745, 87—31804
McCluskey, E.J. *see* Cortes, M.L. 86—67194, 87—16974, 87—24116
McCluskey, E.J. *see* Freeman, G.G. 87—29108
McCluskey, E.J. *see* Hassan, S.Z. 85—17350, 85—39976, 85—40032
McCluskey, E.J. *see* Hughes, J.L.A. 85—33814, 87—24114
McCluskey, E.J. *see* Khakbaz, J. 85—714
McCluskey, E.J. *see* Laung-Terng Wang 87—17015
McCluskey, E.J. *see* Liu, D.L. 86—68013, 87—52542, 87—52552, 87—59314, 87—59364, 87—66137, 88—657, 88—6743, 88—19096, 88—32127
McCluskey, E.J. *see* Mourad, S. 87—65999
McCluskey, E.J. *see* Nanya, T. 88—70635
McCluskey, E.J. *see* Saxena, N.R. 87—68976
McCluskey, E.J. *see* Shperling, I. 88—12339
McCluskey, E.J. *see* Udell, J.G., Jr. 88—25138
McCluskey, E.J. *see* Wagner, K.D. 86—41926, 87—37173
McCluskey, E.J. *see* Wang, L. 86—67195, 87—24094 to 24095, 87—37207, 87—66145
McCluskey, E.J. *see* Wang, L.-T. 85—17351, 86—41042, 88—19072, 88—25170, 88—32132
McCluskey, E.J. *see* Weng, L. 86—62569
McCluskey, F. *see* Atten, P. 86—42794
McCluskey, F.M.J., Atten, P. Velocity profiles in the injection zone of an EHD generator and efficiency considerations 85—60453
McCluskey, F.M.J. *see* Atten, P. 87—75330
McCluskey, R. Technology trends [semiconductor ICs] 86—9254
McCluskey, S. *see* Bieser, G. 87—6807
McClusky, F. *see* Tomantschger, K. 86—33642, 87—22721
McClymonds, J.W. *see* Jerinic, G. 87—37539
McClymonds, S.L., Winge, D.E. Optimization of nuclear plant preventive maintenance 87—78288
MacClymont, D.R. *see* Wood, J.H. 86—55444
Maccoby, M. Self-developers: why the new engineers work 88—31388
McCohaghy, C. Optically strobed sample-and-hold circuit 87—37480
McCold, L.N., Karnitz, M.A. Preliminary assessment of decentralized, small cogeneration equipment for navy shore bases [cogeneration power plants] 85—48864
McColgan, S.J. *see* Eugene, J. 87—21654, 87—42001
McColgin, W.C., Jech, J., Jr., Daly, R.C., Brust, T.B. A silicon-added bilayer resist (SABRE) process for high-resolution optical lithography 88—7533
McColgin, W.C., Stancampiano, C.V. Analysis and measurement of pattern noise in color-filter arrays for image sensors 86—5038
McColgin, W.C. *see* Teh-Hsuang Lee 86—5041
McColl, J.D. The evolution of Transidrive 87—36191
McColl, J.R. *see* Browne, J.M. 87—53786
McColl, R.D. *see* Lo, K.L. 86—50893, 88—61791, 88—61840

McColl, R.W., Carter, R.L., Owens, J.M., Shieh, T.-J. GaAs MESFET simulation using PISCES with field-dependent mobility-diffusivity relation 88−13424
McColl, W.F., Noshita, K. On the number of edges in the transitive closure of a graph 87−181
McCollam, W., Jr. Present situation of the electricity supply industry in USA 86−56320
McCollister, G. *see* Turiel, I. 87−72467
McCollum, A.J., Batchelor, B.G., Cotter, S.M. Three dimensional optical sensing 85−47863
McCollum, A.J., Bowman, C.C., Daniels, P.A., Batchelor, B.G. A histogram modification unit for real-time image enhancement 88−47288
McCollum, A.J., Kelly, D.E., Batchelor, B.G. A high speed automated visual inspection system 87−49489
McCollum, B.C. *see* Andrews, L.J. 87−5389
McCollum, C. *see* Gutcheck, R.A. 86−60775
McCollum, D.K. Frequently asked questions on the use of polyphenyl ether connector lubricants 88−37972
McCollum, G. RF designers notebook−active transistor bias regulators 85−914
McCollum, J. *see* Sery, G. 85−35201
McCollum, J. *see* Smith, R.J. 85−50720
McCollum, M.E. *see* Stern, K.H. 85−54490
McColskey, J.D. *see* Fortunko, C.M. 85−22569
McComas, D.J., Baldonado, J.R., Bame, S.J., Barraclough, B.L. Channel electron multiplier compatibility with Viton and Apiezon-L vacuum grease 88−19641
McComas, D.J., Spence, H.E., Karl, R.R., Horak, H.G., Wilkerson, T.D. Bistatic LIDAR experiment proposed for the Shuttle/tethered satellite system missions 85−53181
McComas, D.J. *see* Wilkerson, T.D. 87−42242
McComas, M.W. *see* Gould, G.L. 87−57914
McComb, B.J., Strebel, T.D. A spacecraft power converter hybrid module 85−48421
McComb, T. *see* Kuffel, J. 87−14255
McComb, T.R., Kuffel, J., Leroux, B. A comparative evaluation of some practical algorithms used in the equivalent bits test of waveform recorders 88−60820
McComb, T.R., Kuffel, J., Malewski, R. Measuring characteristic of the fastest commercially-available digitizers 87−66266
McComb, T.R. *see* Kuffel, J. 88−15993
McCombe, B.D. Quantum effects in silicon MOS devices: a review of transport and optical experiments 87−11813
McCombe, B.D. *see* Czaputa, R. 86−1836
McCombe, B.D. *see* Glaser, E. 85−50315, 86−53671, 86−67762, 88−19972, 88−64347
McCombe, B.D. *see* Jarosik, N.C. 85−40494
McCombe, B.D. *see* Kim, T.W. 88−12984
McCombe, B.D. *see* Mercy, J.M. 87−2017
McCombe, B.D. *see* Reeder, A.A. 88−25951
McCombe, B.D. *see* Zheng, Y.-D. 87−11392, 87−37946
McCombs, M.D., Nixon, C. A high-voltage RF bipolar transistor for CRT driver application 85−6893
McComish, P.A., Smith, P.K. Trends in steam generator replacement 86−61237
McConaghy, C. An optically strobed sample and hold circuit 87−45138
McConaghy, C. *see* Swierkowski, S. 86−47028
MacConaill, A., Walton, A. CAM−a strategy to improve the quality and efficiency of processing 88−64743
MacConaill, A., Walton, A.J. CAM−a strategy to improve the quality and efficiency of processing 88−33352
McConathy, D.R., Kilgus, C.C. The navy GEOSAT mission: an overview 88−10503
McCone, A.I., Jr. *see* Banda, B.M. 85−53579
McConica, C., Krishnamani, K. Kinetics of low pressure chemical vapor deposition of tungsten 87−5503
McConica, C.M., Krishnamani, K. The kinetics of LPCVD tungsten deposition in a single wafer reactor 87−31566
McConica, C.M. *see* Pattee, R.W. 88−64811
McConkey, J.W. *see* Zetner, P. 85−3984
McConnelee, P.A., Poirier, S.J., Hanselka, R. Water quality improvements and VLSI defect density 87−6806
McConnelee, P.A. *see* Wilkins, F.C. 88−64369
McConnell, B., Burgess, L. Benchmarking clinches CAE front-end selection 86−52612
McConnell, B.W., Barnes, P.R. A preliminary assessment of the impact of the electromagnetic pulse on electric power system insulation 85−24875
McConnell, B.W., Barnes, P.R. A research program to assess the impact of the electromagnetic pulse on electric power systems 88−8529
McConnell, B.W. *see* Burrage, L.M. 87−30475, 88−24001
McConnell, C.R. On computing a best discrete L_1 approximation using the method of vanishing Jacobians 87−72949
McConnell, D. The impact of Cyclops shared-screen teleconferencing in distance tutoring 86−44041
McConnell, G., Irwin, G.W. Digital controllers for bank-to-turn CLOS guidance 88−36701
McConnell, G., Irwin, G.W. Digital controllers for bank-to-turn CLOS guidance 88−42719
McConnell, G., Irwin, G.W. Multivariable design of a bank-to-turn autopilot for command guidance 88−48411
McConnell, H.M. *see* Hafeman, D.G. 88−68431
McConnell, J., Giussani, A., Tuci, G. Long submarine cables for medium voltage connections 87−15288
McConnell, J.C. *see* Lini, K.F. 87−40476
McConnell, J.D. *see* Ables, J.G. 87−63099
McConnell, J.E. The economics for selection of drives−AC motors or steam turbine mechanical drives 85−44221
McConnell, J.R. *see* York, R.L. 85−59158
McConnell, J.W. *see* Alton, G.D. 87−50111, 88−54372
McConnell, K.G. A correction of a strain gage calibration procedure for modal analysis 87−35073
McConnell, K.G., Sang-bo Han Effect of mass on force-transducer sensitivity 87−14559
McConnell, K.G. *see* Abdelhamid, M.K. 86−44216
McConnell, L.G. Historical overview [Canada's nuclear energy program] 87−78404
McConnell, L.G. A recipe for nuclear operation success 88−30488
McConnell, M.D. *see* Mogro-Campero, A. 86−35559, 87−1393
McConnell, M.D. *see* Tantraporn, W. 88−57598
McConnell, M.V. *see* Olson, W.H. 87−21669
McConnell, M.V.C. *see* Durlach, N.I. 88−54646
McConnell, R. *see* Stone, J. 86−6646
McConnell, R.D. Assessment criteria for photovoltaic technologies 88−24159
McConnell, R.J. Development and implementation of an effective emergency preparedness plan 87−43918
McConnell, R.L. *see* Cooley, W.L. 87−23217
McConnell, R.L. *see* Kumar, R. 85−44242
McConnell, R.L. *see* Whiting, P.H. 87−23206
McConnell, S. Send a message on your micro [telex] 86−16819
McConnell, S.W., Khalil, T.M. Evaluation of new technology: a methodology and case study 88−49450
MacConnell, T. *see* Hsu, G. 86−508
McConnell, W.D. PRISM−A training simulator using a random access VCR controller 87−77024
MacConochie, I.O., Martin, J.A., Hischke, E.R., Brien, E.P. A Shuttle derived utility vehicle for delivery of small payloads to orbit 85−59376
McConville, B.F. *see* Boeije, W.S. 87−4336
McConville, G.T. *see* Pavese, F. 88−22831
McConville, R.J. Fiber backs up southwest Florida 87−34598
McCool, J.F. The emerging FDDI standard 87−62993
McCool, J.F. Implementing FDDI with the Supernet chipset 88−35563
McCool, J.F. FDDI: getting to know the inside of the ring 88−41294
McCool, J.F. An integrated solution for FDDI implementation 88−73982
McCord, A.W., Ballagh, R.J. Control of σ^+ beam propagation by a σ^- beam 87−33327
McCord, M.A., Pease, R.F.W. High resolution, low-voltage probes from a field emission source close to the target plane 85−34417
McCord, M.A., Pease, R.F.W. Lithography with the scanning tunneling microscope 86−35490
McCord, M.A., Pease, R.F.W. Scanning tunneling microscope as a micromechanical tool 87−38009
McCord, M.A., Pease, R.F.W. Exposure of calcium fluoride resist with the scanning tunneling microscope 87−38401
McCord, M.A., Pease, R.F.W. Lift-off metallization using poly(methyl methacrylate) exposed with a scanning tunneling microscope 88−39255
McCord, R.C. Laser-tissue interaction 87−35434
McCorkle, D.L. *see* Christophorou, L.G. 88−44910
McCorkle, R.A. *see* Hofmann, K. 87−25102
McCormack, B.C. *see* Vittal, V. 87−15127
McCormack, G. *see* McDonald, M.A. 87−34629
McCormack, G. *see* Peli, E. 88−48181
McCormack, G. *see* Pengue, L. 85−55976
McCormack, G.D. *see* Larson, D.C. 87−832
McCormack, J.E. *see* Junkin, G. 86−56272
McCormack, J.S. *see* Noursharg h, N. 86−68252, 87−10501, 87−26075
McCormack, J.S. *see* Starr, E.M. 87−74822
McCormack, L.B., Detroit, M.J., See, D.N. Improving pilot-vehicle integration using cockpit display dynamics 87−77775
McCormack, L.B., George, F.L. Impact of display dynamics on flying qualities 86−70466
McCormack, M. *see* Frear, D. 87−65180
McCormack, S. Special effects techniques for integral holograms 87−12626
McCormack, T.R., Guha, P.K. Matching the LM1600 gas turbine power and efficiency to a 10-13 MW cogeneration system 87−64443
McCormack, W.D. *see* Gilbert, R.W. 85−48358
McCormick, A.H.I. *see* Sangster, A.J. 87−61442, 88−2816
McCormick, A.R. *see* Henry, P.S. 85−653
McCormick, A.R. *see* Kasper, B.L. 88−35502
McCormick, A.R. *see* Korotky, S.K. 88−22089
McCormick, A.R. *see* Linke, R.A. 86−49692
McCormick, A.W. *see* Rai, A.K. 87−53536, 87−60289
McCormick, B. Prospects and problems for China's TVUs [television universities] 85−8517
McCormick, B. *see* Huff, J. 86−40073
McCormick, B.P. *see* Buttery, J.E. 87−79130
McCormick, D.J., Yong, V.T. Keeping track of airborne gamma emissions with an on-line system 87−71183
McCormick, F.B. *see* Prise, M.E. 88−65421
McCormick, G.C., Hendry, A. Optimal polarizations for partially polarized backscatter 85−24792
McCormick, G.C. *see* Antar, Y.M.M. 86−49718
McCormick, G.C. *see* Hendry, A. 87−34648
McCormick, G.P. *see* Jackson, R.H.F. 87−16508, 88−49717
McCormick, H.G. Closed circuit television for Vancouver's Skytrain 88−4202
McCormick, H.J. *see* Aylward, R.W. 87−79102
McCormick, J., Murch, G., Leavitt, L. An experimental color monitor for vision research 85−8721
McCormick, J. *see* Mukherjee, S. 88−23945
McCormick, J. *see* Murch, G.M. 85−20644
McCormick, J.A. Performance characteristics of a drop-on-demand ink jet driven by a longitudinally displacing piezoceramic transducer 86−65172
McCormick, J.A. *see* Fales, C.L. 88−52526
McCormick, J.A. *see* Huck, F.O. 88−52525
McCormick, J.B. *see* Huff, J.R. 85−21794
McCormick, J.B. *see* Lynn, D.K. 86−35765
McCormick, J.J. Liquid-crystal shutter adds low-cost color to monochrome CRTs 85−37679
McCormick, J.R. Polycrystalline silicon−1986 87−16689
McCormick, M. Direct design method for small PSC motors 87−43136
McCormick, M., Bendiabdallah, A. Automatic winding design procedures for resistance and capacitor start single-phase induction motors 85−5079
McCormick, M., Howe, D., Parn, S.Y. Electrode arrangement in the electrolytic deposition of metals 85−44337
McCormick, M.E., Canvin, J.C. An experimental study of a front facing capture chamber [wave energy conversion] 87−35843
McCormick, M.E. *see* Masuda, Y. 88−43091
McCormick, M.P. *see* Russell, P.B. 85−48469
McCormick, N.J. Asymptotic unavailability for an m-out-of-n system without testing 87−36548
McCormick, P. Integrated circuit design for surface mount technology 88−71186
McCormick, P.E. *see* Chao, H.H. 87−10904, 87−60641
McCormick, P.E. *see* Lang, M.H. 87−60568
McCormick, P.E. *see* Ong, S. 87−17152
McCormick, P.G. *see* Stacey, R.W. 85−49108
McCormick, R.D. Thermocouple performance in a high-temperature, oxidizing, reactor-core environment 86−61252
McCormick, R.I., De Lucia, F.C., Skatrud, D.D. A time-resolved study of rotational and vibrational excitation and relaxation in the $^{13}CH_3F$ optically pumped far-infrared laser 88−20536
McCormick, R.I., Everitt, H.O., De Lucia, F.C., Skatrud, D.D. Collisional energy transfer in optically pumped far-infrared lasers 88−20537
McCormick, R.I., Skatrud, D.D., Everitt, H.O., De Lucia, F.C. Modeling of collisional energy transfer in optically pumped far infrared lasers 88−27083
McCormick, R.I., Skatrud, D.D., Everitt, H.O., De Lucia, F.C. An experimental investigation of energy transfer in optically pumped FIR lasers 88−27084
McCormick, S. Computer assisted television−a joint development 86−38121
McCormick, S., Thomas, J. The fast adaptive composite grid (FAC) method for elliptic equations 86−52403
McCormick, S.P. EXCL: a circuit extractor for IC designs 85−521
McCormick, T., Barber, J. A 500 kA repetitive opening switch [railgun applications] 87−26694
McCormick, W., Crone, R.K. Pediatric tracheal intubation system that may reduce X-ray use; preclinical assessment 87−50226
McCormick, W. *see* Tsui, J.B.Y. 87−34356
McCormick, W.S. The use of principal component analysis in the design of the extended Kalman filter 85−9323
McCoskey, M. A residue integer division algorithm 88−3091
McCotter, R.E., Smolleck, H.A., Ranade, S.J., Kersting, W.H. An investigation of the fundamental-frequency impedance of a single-phase distribution lateral 86−39146
McCoun, K. *see* Kolarik, W. 87−44083
McCourt, M., Rimet, R., Nissim, C. Multiplexing characteristics of K^+ and $A_G{}^+$ ion-exchanged directional couplers 88−7949
McCourt, M. *see* Honkanen, S. 88−13927

McCowan, D.W., Stoffa, P.L., Diebold, J.B. Fan filters for data with variable spatial sampling [seismic data applications] 85−26886
McCowan, R.B., Fliflet, A.W., Manheimer, W.M., Gold, S.H., Black, W.M., Bergeron, G.L., Kinkead, A.K., Granatstein, V.L., Sucy, M. The NRL 100 GHz CARM oscillator experiment 88−27004
McCowan, R.B. *see* Gold, S.H. 87−66828, 88−25809, 88−64189
McCowan, T.C., Robbins, K.V., Uthman, E.O., Ferris, E.J., Baker, M.L. Angioscopic monitoring of in vivo laser angioplasty 87−41952
McCowan, T.C. *see* Robbins, K.V. 88−23110
McCowen, A., Board, K. Gate controlled bulk-barrier mechanism in an MOS power transistor 88−13380
McCowen, A., Howes, M.J. A simplified large-signal simulation of a lumped element TEO based on a phase plane technique 87−32079
McCowen, A., Shaari, S.B.H., Board, K. Transient analysis of Schottky-barrier diodes 88−50790
McCowen, A., Towers, M.S. Algorithms for one-dimensional and two-dimensional transient simulators 87−6640
McCowen, A. *see* Armstrong, G.A. 88−64491
McCowen, A. *see* Mackay, A. 87−47157
McCowen, A. *see* Mackay, A.J. 87−39350, 87−55076
McCowen, A. *see* Towers, M.S. 88−71499
McCown, A.W. *see* Geohegan, D.B. 85−51099, 86−42603
McCown, C.T. Make or buy [power supplies] 86−26189
McCown, C.T. *see* Collins, J.A. 85−42536
McCown, P.M., Lewy, D.B. APU MAID: A diagnostic expert system using heuristic and causal reasoning 88−36634
McCown, W.R. *see* Kessinger, J.P. 86−61484
McCoy, C.K. Evaluation of incidents in nuclear power stations in 1985/86 87−42592
McCoy, D. *see* Kant, R. 86−27254
McCoy, D.A. *see* Lackner, J.L. 87−22708
McCoy, G. *see* Hyman, B. 86−12738
McCoy, H.E., Jr., Brinkman, C.R. Evaluation of several polymer films for use as electrical insulators 86−62277
McCoy, J. *see* van Konynenburg, P. 88−51585
McCoy, J.E. *see* Hite, G.E. 88−42596
McCoy, J.R. Automatic extension number reserve 86−23567
McCoy, J.R. *see* Bogart, F.J. 86−23623
McCoy, L. CQ reviews: the KT34A and KT34XA KLM beams [antennas] 85−2683
McCoy, L. CQ reviews: the Radiokit UHF converter kit 85−11487
McCoy, L. How to adjust antennas 85−30085
McCoy, L. CQ reviews: the Microlog AIR-1 RTTY/Morse system 85−30630
McCoy, L. CQ reviews: the Kantronics Interface II and Hamsoft 85−30634
Mccoy, L. CQ reviews: the Nye Viking MB-V antenna tuner 85−36136
McCoy, L. CQ reviews: the ICOM IC-27H and IC-47A 85−42419
McCoy, L. CQ reviews: the Design Electronics QSK-1500 [pin diode switch] 85−55223
McCoy, L. CQ reviews: the Heathkit Auto-tune Antenna Tuner Model SA-2500 85−57168
McCoy, L. The 'DLA' dummy load antennas some food for thought 85−62888
McCoy, L. CQ reviews: the Alpha-Delta DX-A 'Twin-Sloper' antenna 86−10201
McCoy, L. The ICOM IC-745 transceiver 86−17191
McCoy, L. CQ reviews: the Newsome CM-64 and CM-20 RTTY terminal units 86−30278
McCoy, L. CQ reviews: The Kantronics Packet Communicator 86−30557
McCoy, L. To use or not to use a transmatch. One more discussion of a popular subject [antennas] 86−48708
McCoy, L. CQ reviews: the Nye multiband antenna and MB-1-02 Matchbox 86−54346
McCoy, L. The Sommer trapless multiband beam [antenna] 86−59144
McCoy, L. The AEA PK-64 Pakratt and HFM-64 modem 86−59709
McCoy, L. The MET NBS 144/7T two meter Yagi antenna 87−2355
McCoy, L. The Butternut HF4B Butterfly beam [antenna] 87−2360
Mccoy, L. The unexpurgated transmatch. II. Breadboarding your own 87−7635
McCoy, L. Advanced Computer Controls ShackMaster 100 [remote controlled radio operation] 87−34341
McCoy, L. CQ reviews: AEASOFT Morse University 87−40290
McCoy, L. The Yaesu FT-727R dual-band (144 and 440 MHz) handheld transceiver 87−48926
McCoy, L. The Heathkit HW-6502 2 meter HT and HWA-6502-2 mobile console 87−55991
McCoy, L. The ICOM AH-2 HF mobile antenna system 87−68862
McCoy, L. The MFJ-949C Versa Tuner II [antenna tuner] 87−75637
McCoy, L. CQ reviews: Creative Design RC5A-3 rotator 87−75639
McCoy, L. Getting the signal from here to there. I 88−8464
McCoy, L. The Aftronics SuperSCAF [audio filter] 88−25311
McCoy, L. Getting the signal from here to there. II 88−27496
McCoy, L. Novice enhancement, the new world of 10 meters. I 88−28637
McCoy, L. Novice enhancement−the new world of 10 meters. II [amateur radio operation] 88−28640
McCoy, L. The Larsen antennas dual band coupler for 2-meters and 450 MHz 88−40757
McCoy, L. RFI and the novice−some basic information. II. Conclusion 88−52237
McCoy, L. The ICOM IC-900 A/E super multibander system [RF and digital conversion modules] 88−53116
McCoy, L. RFI and the novice, some basic information. I 88−58876
McCoy, L. The three-band big horn Delta Loop beams [antennas] 88−58964
McCoy, L. *see* Battishill, D. 86−34548
McCoy, M.D. Chip pirates: beware the law 85−60700
McCoy, M.F. *see* Endrenyi, J. 88−54909
McCoy, P.A. Hyperbolic boundary value problems arising from symmetric Poisson processes 85−44658
McCoy, R.D. *see* Prakash, R. 86−4004
McCoy, R.J. *see* Bowers, J.E. 85−64148
McCoy, R.J. *see* Chi, G.-C. 88−26976
McCoy, R.J. *see* Chi, G.C. 87−54181
McCoy, R.J. *see* Kim, O.K. 85−35630
McCoy, R.J. *see* Temkin, H. 87−12314
McCoy, R.M. *see* Albrecht, P.F. 85−27687, 86−56701, 88−5918
McCoy, R.M. *see* Griffith, J.W. 87−9554
McCoy, R.M. *see* LaForte, J.T. 88−48870
McCoy, R.W., Davison, W.E. Building networks for scholarly information 85−52040
McCoy, S.E., Watson, W.A. 1980 Georgia estuaries circulation survey 85−4481
McCracken, G.M. *see* Pitcher, C.S. 87−64964
McCracken, H., Ferguson, M.A., Flanagan, S.G. Generating plant transient recording equipment 87−3418
McCracken, H. *see* Fox, B. 86−70569, 88−10824
McCracken, J. Codecs: new problems+new solutions=new testing flexibility 88−73737
McCracken, K. The origin and industrial benefits of the ERS-1 project 87−3154
McCracken, K.G., Oristaglio, M.L., Hohmann, G.W. A comparison of electromagnetic exploration systems 86−50729
McCracken, K.G., Oristaglio, M.L., Hohmann, G.W. Minimization of noise in electromagnetic exploration systems 86−50730
McCracken, K.G. *see* Jauncey, D.L. 87−3262
McCracken, K.G. *see* Simmons, J.M. 87−77727
McCracken, M.C. Electricity exports−high-powered benefits? 86−12298
McCracken, W. Data compression for IR reconnaissance 87−15006
McCracken, W., Wajsfelner, L. MRTD as a figure of merit 87−14347
McCracken, W.L., Corbett, F.J. Overview of digital signal processing for linescan imagery 85−3883
McCrae, N. The measurement of programme level in broadcasting 87−76924
McCraley, M.T. Selecting robotics for electronics assembly 85−54111
McCrary, L.E. Sputtering technology for CD manufacturing 88−53465
Mccrary, V.R., Donnelly, V.M., Brasen, D., Appelbaum, A., Farrow, R.C. Characterization of excimer laser deposited GaAs films from the photolysis of trimethylgallium and trimethylarsine at 193 nm 88−38185
McCrary, V.R. *see* Donnelly, V.M. 87−31563
McCrary, V.R. *see* Higashi, G.S. 88−12054
McCrary, V.R. *see* Tu, C.W. 88−38132
McCraty, R. 'The pulse'−a breakthrough in room ionization 85−2484
McCraty, R. Room ionization reduces static damage 85−44484
McCraty, R. Neutralising static charges 85−54109
McCraty, R. Methods for controlling ion levels 86−40309
McCraty, R. *see* Kabaker, B. 87−9954
McCrea, I. *see* Williams, P.J.S. 88−53345
McCrea, J. Complexity of MILSTAR waveguide design challenges component makers 85−25813
McCrea, J., Schumann, C. Precision components let you build effective EW radars 86−69813
McCrea, J. *see* Collado, R.O. 88−19336, 88−25404
McCrea, P.G. *see* Williamson, D. 85−55040
McCrea, R.K. *see* Dopazo, J.F. 88−61844
McCready, J. Error probability in spectral analysis using DFT or FFT analysis 87−62083
McCready, P. *see* Sharif, B. 87−63784
McCready, V.R. The clinical requirement for PET imaging 88−61290
McCready, V.R. *see* Flower, M.A. 85−15284, 88−61291
McCready, V.R. *see* Ott, R.J. 88−61302
McCreary, M.D. Photoresist schemes for submicron optical photolithography 88−1503
McCreath, P. A step towards design and manufacturing integration 87−14084
McCredie, B.D. *see* Merkelo, H. 88−40069
McCredie, B.D. *see* Reed, D.A. 88−56099
McCredie, D.P., Watson, J.B. Short term voltage withstand for testing of uncured high voltage form wound coil insulation 86−62316
McCredie, J. Domestic project management [Darlington power stations] 87−78407
McCredie, J.W. BITNET's changing role in higher education 85−8174
McCree, A.V. *see* Wilson, P.J. 87−17150
McCreery, D.B., Agnew, W.F., McHardy, J. Electrical characteristics of chronically implanted platinum-iridium electrodes 88−10303
McCreeth, P. *see* Boote, S. 87−20851
McCreight, C.R., Goebel, J.H., McKelvey, M.E., Stafford, P.S., Lee, J.H. Integrated detector array technology for infrared astronomy 85−58602
McCreight, C.R., McKelvey, M.E., Goebel, J.H., Anderson, G.M., Lee, J.H. Detector arrays for low-background space infrared astronomy 87−49551
McCreight, C.R. *see* Goebel, J.H. 87−20938, 87−49556
McCreight, C.R. *see* McKelvey, M.E. 85−64021, 88−67805
McCreight, E.M. The Dragon computer system: an early overview 86−34882
McCreight, F.A. *see* Tsipouras, D. 85−14362
McCron, D.A. Multiqueue system with non-exhaustive cyclic service modelled as a linear-programming problem 88−11829
McCrone, J. Component technology: race for faster speeds 85−1645
McCrone, J. Companies eye CAE for chip design in-house 85−17463
McCrone, J. Chips get cooler in a heated race 85−34937
McCrone, J. The dawning of a silent revolution [component technology] 85−50116
MacCrone, R.K. *see* Lieb, S. 87−32420
MacCrone, R.K. *see* Theimer, J. 87−38298
McCrory, B. Microsectioning of PCBs as a process control tool 88−64090
McCrory, R.L. *see* Soures, J.M. 85−2274
McCroskey, M.M. SS7: Germany paves the road to ISDN 88−46685
McCrosky, C., Jenkins, M.A. Communicating state machines: a design methodology for VLSI microprocessors 86−46911
McCrum, W.A. International standards for data communications 86−43579
MacCuaig, N., Tajuddin, A.A., Gilboy, W.B., Leake, J.W. Industrial tomography using a position sensitive carbon fibre anode proportional counter 86−32263
McCubbin, J. *see* Vrba, J. 88−23206
McCubbin, M.L. *see* Akesson, T. 88−22918, 88−68271
McCubbin, N.A. *see* Akesson, T. 88−22918, 88−68271
McCue, D.R. *see* Dyer, R.T. 86−32751, 86−70885, 87−42831
McCullagh, C.M. *see* Helmer, R.G. 86−32173
McCullagh, P.J., McAllister, H.G., McCaffrey, P.M., Fox, J.S., Taggart, A.J., Riddell, J.G. Computer-assisted measurement of peripheral blood flow 88−42484
McCullagh, P.J.F., Byers, D.J., Bodger, P.S. Adapting a PWM inverter to generate power system harmonics at high voltage 88−37316
McCulloch, D. *see* Harrison, G.H. 86−12219, 86−56202
McCulloch, D.J. *see* Curran, J.E. 86−28216
McCulloch, J. Memory management on an 8-bit CMOS processor 86−34836
McCulloch, N., Ainsworth, W.A., Linggard, R. Multilayer perceptrons applied to speech technology 88−59062
McCulloch, R.C. *see* Nelson, D.V. 86−33307
McCulloch, R.W. Liquid level measurement systems for extreme environments 88−29713
McCullough, A.M. *see* Hill, E.W. 86−15404, 87−25876
McCullough, A.W., Vidusek, D.A., Legenza, M.W., de Grandpre, M., Imhof, J. Polydimethylglutarimide (PMGI) resist — a progress report 87−11909
McCullough, A.W. *see* Blum, L. 88−13258
McCullough, B. Data-acquisition package keeps it simple 87−56550
McCullough, B. Arbitrary-waveform generator provides 200 Msamples/sec output 87−56713
McCullough, B. IEEE-488 power supplies expand capabilities and applications 88−556
McCullough, B. Instrumentation in 1987: the torch passes to VXIbus 88−67647
McCullough, E.C., Holmes, T.W. Acceptance testing computerized radiation therapy treatment planning systems: direct utilization of CT scan data 85−43423
McCullough, M. *see* Weisenberger, W.H. 85−34779
McCullough, M.J. CT collimator damage: detection by testing scan beam and laser-light alignment 85−64573

McCullough, P.N., Fritchley, R.L. Maintaining and improving accredited training programs 87−64274
McCullough, R. Oscilloscopes for under $1000: getting your money's worth 87−63436
McCullough, R., Ryals, S. Hard and floppy disks plus tape obey disk control chip duo 85−22963
McCullough, R.de B. *see* Anderson, R.G.S. 87−28804
McCullough, R.E. *see* Salerno, J.P. 88−38196
McCullough, V.A., Rath, C.A., Ketvirtis, A. Programmable highway lighting design for a controlled traffic environment 85−5509
McCullough, V.A., Shannon, R.A. High mast lighting impact on driver's visibility, traffic performance and illumination costs 85−65611
McCullough, W.F. *see* Degnan, J.H. 88−43396
McCullough, W.F. *see* Goforth, J.H. 87−11112
McCullough, W.F. *see* Lindemuth, I.R. 88−42466
McCullum, J.C. *see* Zhu Jieqing 86−63012
McCully, D. Preserving sensor data in data acquisition 86−11487
McCune, C.G. Development of an automated pacemaker testing system 86−5998
McCune, C.G. *see* Quinn, P.W. 86−44654
McCune, D. Fast-talking modems 87−40531
McCune, E., Dolan, T., Peterson, K. Wideband klystron amplifier is suitable for digital satellite communications 86−21041
McCune, E.W. Klystrons for present and future lower hybrid resonance applications 85−28908
McCune, E.W. Fusion plasma heating with high power microwave and millimeter wave tubes 86−53295
McCune, E.W. Direct digital synthesis and the numerically controlled, modulated oscillator 87−37064
McCune, E.W. A UHF-TV klystron using multistage depressed collector technology 87−45517
McCune, E.W. Klystron performance using a multistage depressed collector 88−38991
McCune, E.W. A klystron amplifier to power the CEBAF accelerator 88−54336
McCurdie, T. Bosch FGS-4000: computer graphics on a budget 86−60021
McCurdy, A. *see* McAdoo, J. 86−31801, 87−24699
McCurdy, A.H., Armstrong, C.M. Control of an overmoded gyrotron by an external signal 88−12889
McCurdy, A.H., Armstrong, C.M. Mode control in an overmoded gyrotron oscillator via priming 88−25799
McCurdy, A.H., Armstrong, C.M. Oscillator priming and preoscillation noise in a gyrotron 88−50574
McCurdy, A.H., Armstrong, C.M., Bollen, W.M. Gyrotron phase locking using a modulated electron beam 87−17632
McCurdy, A.H., Armstrong, C.M., Bollen, W.M., Parker, R.K. Frequency and phase synchronization of a gyromonotron using a modulated electron beam 87−53119
McCurdy, A.H., Armstrong, C.M., Bollen, W.M., Parker, R.K., Granatstein, V.L. Improved oscillator phase locking by use of a modulated electron beam in a gyrotron 87−16933
McCurdy, A.H., Armstrong, C.M., Parker, R.K. Experimental mode priming of an overmoded gyrotron oscillator 88−38998
McCurdy, A.H. *see* Bollen, W.M. 86−21026, 86−32003
McCurdy, A.H. *see* Ganguly, A.K. 86−21025
McCurdy, C. The FORTH programming language for control systems: potential advantages 87−64632
McCurdy, R.J., Gordon, R.G. Compensating impurities as the limiting factor in atmospheric pressure chemical vapor deposition of a-Si:H from Mg_2Si generated higher silanes 88−56290
McCurdy, S.G. David vs. goliath [PCB production] 88−71217
McCurley, K.S. *see* Goldston, D.A. 88−38079
McCurley, R., Schneider, F.B. Derivation of a distributed algorithm for finding paths in directed networks 86−23200
McCurnin, T.W. *see* Epperson, P.M. 88−4458
McCurrie, R.A., Viccary, M.W. Rotational hysteresis in an anisotropic Mn-Al-C permanent magnet 87−25858
McCurrie, R.A. *see* Jubb, G.A. 87−74525
McCurry, M.E. Neural-network implementation of a scan-to-scan correlation algorithm 88−52461
McCuskee, L.B. *see* Puri, D. 85−8180
McCusker, D. *see* Hightower, D. 88−1748
McCutchan, D.A. *see* Kaushansky, M.M. 87−57791
McCutcheon, E. *see* Parrish, W. 86−31218
McCutcheon, J. *see* Merritt, J.C. 86−49943
McCutcheon, J.M. Long range electricity system expansion planning using a mixed integer programming model 88−61870
McCutcheon, R.G. *see* Basso, R. 85−9653
McCutcheon, S., Lane, L. Switching in automatic test systems 87−17440
McD Armstrong, W. *see* Croxton, T.L. 88−10353
McDade, B. *see* Bojarczuk, N.A. 85−34232
McDaid, E. *see* Van der Veer, G.C. 88−59620
McDanal, A.J. A crossed lens photovoltaic concentrator for use with 160X silicon cells and 500X gallium arsenide cells 87−16012
McDanal, A.J. Performance of the crossed lens photovoltaic concentrator which uses 160X silicon cells and 500X gallium arsenide cells 88−24160
McDanal, A.J. Measured performance of Entech's crossed lens photovoltaic concentrator 88−37560
McDanial, D.H. *see* Turman, B.N. 87−21311
McDaniel, B. *see* Littauer, R. 85−26582
McDaniel, B.A. *see* Nourzad, F. 86−56523
McDaniel, B.D. Status of accelerators under construction in the United States 86−38656
McDaniel, B.D. Electron accelerators at the frontiers of particle physics 88−16568
McDaniel, B.D. *see* Blum, E.B. 85−26683
McDaniel, D.H., Stinnett, R.W., Gray, E.W., Mattis, R.E. Design and optimization of the PBFA II vacuum interface and transmission lines for light ion fusion 87−21934
McDaniel, D.H. *see* Cook, D.L. 87−43208
McDaniel, D.H. *see* Hsing, W.W. 87−22627
McDaniel, D.H. *see* Moore, W.B. 87−18392
McDaniel, D.H. *see* Stinnett, R.W. 87−17441
McDaniel, D.H. *see* Wright, T.P. 87−22617
McDaniel, D.L. *see* DiBianca, F.A. 87−14868
McDaniel, D.L., Jr. *see* Soref, R.A. 88−39997
McDaniel, D.O. *see* Sandell, K.L. 86−49204
McDaniel, F.D. *see* Wilson, S.R. 85−18234, 85−45548
McDaniel, J. *see* Petra, R. 88−24058
McDaniel, J.P. *see* Fisher, C.H. 86−58863
McDaniel, J.P. *see* Znotins, T.A. 85−24442
McDaniel, J.W. Rules for fighter cockpit automation 88−68568
McDaniel, J.W. *see* Kulwicki, P.V. 88−61561
McDaniel, M.M. *see* Fitzgerald, P.J. 87−57110
McDaniel, O.H. *see* Dahl, M.D. 86−25459
McDaniel, R.A. *see* Goodman, E.A. 86−63509
McDaniel, S.T. *see* Lee, D. 88−15692
McDaniel, T.W. Simulation of bit jitter in magneto-optic recording 88−64942
McDaniel, T.W., Mansuripur, M. Numerical simulation of thermomagnetic writing in RE-TM films 88−51300
McDaniel, T.W., Palmer, D.C. Side reading response of ferrite inductive heads 87−25814
McDaniel, T.W. *see* Palmer, D.C. 85−24153
McDavid, J.M. Fabrication of Mo-gate/Ti-silicide-clad-moat MOS devices by use of multilayer-glass depositions 85−6942
McDavid, J.M. Mo-gate/clad-moat/clad-tungsten-interconnect VLSI device process 87−6626
McDavid, J.M. *see* Doering, R.R. 86−2414, 86−41974
McDavid, J.M. *see* Hoang, H.H. 88−13188
McDearman, J.R. *see* O'Donoghue, K.F. 87−55821
McDearmon, G.F. Theoretical analysis of a push-pull fiber-optic hydrophone 87−64006
McDermid, I.S. *see* Pacala, T.J. 85−2199, 85−24493
McDermid, J.E. Reducing errors in automated analog in-circuit test program generation 85−11716
McDermid, J.E. Error analysis in analog circuit program generation 86−1560
McDermid, J.E. *see* Fay, T.R. 85−11712
McDermott, A. *see* Dicello, J.F. 87−32225
McDermott, B.A. *see* Galloway, R.L. 88−34753
McDermott, B.C. *see* Greig, R.E. 88−74596
McDermott, B.C. *see* Jowett, P.T. 88−75600
McDermott, B.T., El-Masry, N.A., Tischler, M.A., Bedair, S.M. Atomic layer epitaxy of the Ga-As-In-As superalloy 88−11972
McDermott, D.B., Cao, H., Luhmann, N.C., Jr. A Cherenkov cyclotron autoresonance maser 87−46736
McDermott, D.B., Cao, H., Luhman, N.C., Jr. A Cherenkov CARM 88−27005
McDermott, D.B., Cheng, K.Z., Luhmann, N.C., Jr. A prebunched FEL 88−27210
McDermott, D.B., Furuno, D.S., Luhmann, N.C., Jr. High-harmonic gyrotron oscillators and gyro-klystron amplifiers 85−18021
McDermott, D.B., Luhmann, N.C., Jr. Operation of a compact MM-wave high-harmonic gyrotron 85−6646
McDermott, D.B., Luhmann, N.C., Jr. High-harmonic gyrotrons 85−23320
McDermott, D.B., Nunan, W.J., Luhmann, N.C., Jr. A high repetition rate compact 94 GHz free electron laser 86−48452
McDermott, D.B. *see* Chu, K.R. 86−21028
McDermott, D.B. *see* Furuno, D.S. 85−55382, 86−47242, 87−53124, 88−25820, 88−25838, 88−39016, 88−64191
McDermott, D.B. *see* Leou, K.C. 88−27193
McDermott, D.B. *see* Lin, A.T. 88−27002
McDermott, D.B. *see* Wang, Q.S. 88−27000, 88−39017
McDermott, G. *see* Wilson, K. 85−23078, 86−27598
McDermott, H. A custom LSI CMOS chip for a cochlear implant 85−26790
McDermott, J. Demand for compact high-frequency units inspires new capacitor types and sizes 85−6559
McDermott, J. Silicon fabrication techniques extend sensor ranges and designs [trends in electronic components] 85−27918
McDermott, J. Use ferrite components to suppress EMI/RFI in digital circuits, wires, and cables 85−35329
McDermott, J. Integrating ASIC devices into system design 87−24030
McDermott, J. *see* Kim, J.H. 85−7082
McDermott, J.C. *see* Hasegawa, B.H. 87−29740
McDermott, J.E. All about spread spectrum communications 87−48877
McDermott, J.K. Nickel-hydrogen low-Earth-orbit test program 87−22709
McDermott, J.K. Low-earth-orbit testing of nickel-hydrogen cells 87−43386
McDermott, J.L. *see* Garver, L.L. 86−32640
McDermott, J.P. Evolving data communication standards 88−73632
McDermott, J.T. VHSIC interoperability standards and design for test rules: their impact on weapon system support concepts 88−25084
McDermott, J.T. *see* Collins, J.A. 88−5079
McDermott, K.J., Pavelek, M.D., II, Roman, H.T. Tomorrow's mobile robots in today's nuclear power plants 87−30320
McDermott, L.F. *see* Duffy, D.D. 85−8701
McDermott, L.F. *see* Floyd, R.E. 85−52840
Macdermott, M. *see* Anguilar-Benitez, M. 87−71031
McDermott, M. *see* Kendal, B. 86−12175
McDermott, M.A., Tamashiro, R.N. A 20 GHz, 70 Watt, 48 percent efficient space communications TWT 86−63001
McDermott, M.G., Hughes, A.G., Curran, J.E. An X-band monolithic mixer 85−34200
McDermott, M.G. *see* Jorgensen, P.A. 88−30433
McDermott, M.G. *see* Walker, J.L.B. 85−50039
McDermott, R.M., Stern, D. Switch directed dynamic causal networks−a paradigm for electronic system diagnosis 87−67444
McDermott, R.M. *see* Elias, N.J. 86−21783
McDermott, T.A. *see* Schnetzler, S.S. 87−76385
McDermott, T.E. *see* Abi-Samra, N.C. 85−43917
McDermott, T.E. *see* Bhasanvanich, D. 85−64898
McDermott, T.E. *see* Frick, T.H. 85−27091
McDermott, T.S. *see* Koplik, C.M. 88−68714
McDevitt, A.J., Spalding, D.J. Operation of monopulse SSR at difficult sites 88−15636
McDevitt, J.E. Chip carriers: development, technology, trends 86−19855
McDevitt, J.E. Using VLSI adaptors to solve PCB interconnection problems 88−32675
McDevitt, N.T., Solomon, J.S. Thermal oxide layers on GaAs studied by Raman and Auger spectroscopy 87−11469
McDevitt, S. *see* Lay, K.Y. 88−31713
McDevitt, T.E., Vikram, C.S. Optical determination of the effects of a microminiature accelerometer on resonance of a small airfoil 88−74592
McDevitt, T.K. *see* Owen, F.K. 86−38879, 87−70882
MacDiarmid, A.G., Mammone, R.J., Somasiri, N.L.D., Krawczyk, J.R. Fuel cells and batteries employing polyacetylene electrodes in aqueous electrolytes 85−21790
MacDiarmid, A.G., Yang, L.S., Huang, W.S., Humphrey, B.D. Polyaniline: electrochemistry and application to rechargeable batteries 87−43363
MacDiarmid, A.G. *see* Caja, J. 85−32690
MacDiarmid, A.G. *see* Koezuka, H. 85−61736
Macdiarmid, A.G. *see* Somasiri, N.L.D. 88−43370
MacDiarmid, A.G. *see* Wanqun, Wu. 85−39187
MacDiarmid, A.N. Switched services interconnect−a real life example 85−19969
McDiarmid, C. On some conditioning results in the probabilistic analysis of algorithms 85−28121
McDiarmid, C. On the greedy algorithm with random costs 87−16516
Mcdiarmid, C.J.H. *see* Dyer, M.E. 86−52361
McDiarmid, D.R. *see* Koehler, J.A. 85−41594
McDiarmid, D.R. *see* Sofko, G. 85−62771
Macdiarmid, I.F. Subjective assessment of television: a personal view 87−76954
Macdiarmid, I.F., Patel, B.R. Measurement of linear waveform distortion in component systems 85−42755
Macdiarmid, I.P. Earthing and bonding in aircraft with non-metallic airframes 85−2614
MacDiarmid, I.P. Screening and shielding in aircraft−the balanced approach 85−30060
MacDiarmid, I.P. Electromagnetic radiation 86−15976
MacDiarmid, I.P. Shielding against lightning induced currents and voltages 87−12747
MacDiarmid, I.P. *see* Loller, C.P. 87−12672
McDiarmid, J., Lawrence, L.H., Hammond, M.L. Slip-free epitaxial silicon deposition in an induction-heated vertical reactor 85−10745
McDiarmid, J. *see* Lawrence, L.H. 85−10752

MacDiarmid, P.R. Relating factory and field reliability and maintainability measures 86−268
McDicken, W.N. *see* Loupas, T. 87−50238
McDonach, A. Integrated optical circuits 88−40105
McDonach, A., Andonovic, I., Shabeer, M. Computing at the speed of light 88−13975
McDonach, A. *see* Andonovic, I. 86−68323
McDonach, A. *see* Bristow, J.P.G. 86−2699
McDonach, A. *see* Ner, M.S. 88−60176
McDonach, A. *see* Nutt, A.C.G. 85−2076, 85−7262
McDonach, C.A. *see* Eborall, S.S. 85−39549
McDonagh, M.K. *see* Tylee, J.L. 86−51426
McDonald, A., Putley, E.H., Quill, T.C. Ground controlled interception [radar developments] 85−58225
MacDonald, A. *see* Finch, G.A. 86−45260
McDonald, A.B. *see* Coulter, K.P. 88−61018
McDonald, A.B. *see* Yoon, M. 88−54231
McDonald, A.D. *see* Hons, A. 85−56021
Macdonald, A.G. *see* Taylor, D.M. 88−29586
MacDonald, A.H. *see* Bryant, G.W. 87−74237
MacDonald, A.H. *see* Schlesinger, Z. 87−24854
McDonald, B. *see* Bubiak, N. 86−18483
MacDonald, B. *see* Hercher, M. 88−36223
MacDonald, B.M., Rogerson, S.P., Walmsley, P.D. Flip chip assembly of surface acoustic wave devices 86−2523
Macdonald, B.M., Walmsley, P.D., Rogerson, S.P. Beam tape assembly of surface acoustic wave devices 86−15333
MacDonald, B.M. *see* Stallard, W.A. 85−41217
Macdonald, B.M. *see* Stanghan, C.J. 86−13493
McDonald, C. *see* Warren, T. 85−5304
McDonald, C.F. The modular reactor—a deployment strategy for the long-term HTGR goal of very high temperature operation 85−53510
McDonald, C.F. Exploitation of the very high temperature capability of the MHTGR to meet national energy needs after the year 2000 87−42619
McDonald, C.F., DeFur, D.D. Steam generator design considerations for modular HTGR plant 87−42620
McDonald, C.F., Goodjohn, A.J., Silady, F.A. Small modular gas-cooled nuclear unit with pebble bed reactor 85−38711
McDonald, C.F. *see* Petrek, J.P. 85−53511
McDonald, C.L., Dougal, R.A., Sudarshan, T.S., Thompson, J.E. Voltage recovery time of a vacuum switch [spark gaps] 85−27129
McDonald, C.L. *see* Barber, J.P. 87−26656
McDonald, C.M. *see* Robinson, N. 87−69548
MacDonald, D.B., Nagler, M., Van Peski, C., Whitney, T.R. 160 Mpx/sec laser pattern generator for mask and reticle production 85−12073
MacDonald, D.B. *see* Henley, F.J. 88−39631
McDonald, D.C. Magnetizing and measuring B and H in high energy product rare earth permanent magnets 87−25768
Macdonald, D.C., Reece, A.B.J., Turner, P.J. Turbine-generator steady-state reactances 85−43921
Macdonald, D.C. *see* Asgharian, R. 88−69277
MacDonald, D.C. *see* Carpenter, M.J. 88−17571
McDonald, D.C. *see* Emanuel, A.E. 86−51633
McDonald, D.C. *see* Piotrowski, A. 87−57013
MacDonald, D.C. *see* Shafik, M. 87−43050
Macdonald, D.C. *see* Sturgess, J.P. 88−11190
Macdonald, D.C. *see* Vaahedi, E. 87−9490
Macdonald, D.D. *see* Lenhart, S.J. 85−49077
Macdonald, D.D. *see* Pound, B.G. 87−4867
McDonald, D.G. Amplification by the phase-locking mechanism in a four-junction SQUID 85−18602
McDonald, D.G. Modeling a voltage-locked Josephson junction array amplifier: gain, input impedance, and bandwidth 87−18557
McDonald, D.G. Novel superconducting thermometer for bolometric applications 87−63546
McDonald, D.G., Frederick, N.V. Amplification by a voltage locked array of Josephson junctions 85−62241
McDonald, E.K. *see* Larbalestier, D.C. 85−56148
McDonald, F.A., Wetsel, G.C., Jr. Resolution and definition in thermal imaging 86−5106
McDonald, G. *see* Helszajn, J. 88−63852
Macdonald, G. *see* Youngblood, R. 85−53425
McDonald, G.A. Integration of intrafacility networking 87−48687
MacDonald, H.C. *see* Hug, J.F. 87−57349
MacDonald, H.C. *see* Kaupp, V.H. 85−38331, 87−63057, 88−10527
MacDonald, H.C. *see* King, R.W. 86−12145
MacDonald, H.C. *see* Thomas, J.K. 87−63927, 88−9631
Macdonald, H.F., Harte, G.A., Corbett, J.O. Developments in emergency monitoring arrangements at Central Electricity Generating Board nuclear power stations since the Three Mile Island accident 88−5437
McDonald, H.G. Low loss control modules for fast beam switching and reconfiguration in future EHF satellite systems 87−49011
MacDonald, I., Fisher, J., Evans, A.L., Wheatley, D.J. A microcomputer-based data acquisition system for a prosthetic heart valve test apparatus 87−21664
MacDonald, I.C. *see* Hart, J.F. 88−46746
MacDonald, I.M. Categorization and selection of adjustable frequency drives (AFSD's) 88−49209
Macdonald, I.M. Industrial adjustable frequency drive (AFD) systems—1988 update 88−62673
McDonald, J. Flying a computer 86−38865
McDonald, J. Monitoring the wafer-fab process through low-cost failure diagnosis 86−53707
McDonald, J., Elminyawi, I., Yemc, D., Haslam, M. The Cramer-Rao accuracy bound for optimum processing of the edge registration mark signal in electron beam lithography 87−11851
McDonald, J., How Tzu Lin, Gupta, S., Selvaraj, R. Use of the focused ion beam for inspection, characterization and repair of defects in VLSI and wafer scale integration 88−64737
McDonald, J., Maini, R., Spangler, L., Weed, H. Response surface methodology—a modeling tool for integrated circuit designers 88−71753
McDonald, J. *see* Breakall, J.K. 88−2722
McDonald, J. *see* Friedman, M. 85−29312
MacDonald, J. *see* Laverty, I. 87−4120
McDonald, J. *see* Maini, R. 88−12476
McDonald, J. *see* Smith, W.D. 85−35136
MacDonald, J.A. Display technologies: a retrospective on systems, applications 86−50158
Macdonald, J.A. *see* Blackmore, E.W. 85−37839
Macdonald, J.A. *see* Bryman, D.A. 85−37900
Macdonald, J.A. *see* Mes, H. 85−9054
McDonald, J.B., Richards, D.O. Hazard rates and generalized beta distributions 88−6362
McDonald, J.C. Recovery from telecommunications deregulation 86−16635
McDonald, J.C. Divestiture: the right decision? 86−30144
McDonald, J.C. Constraints shaping ISDN 86−49122
McDonald, J.C. Deregulation in the USA 86−54655
McDonald, J.C. A proactive ISDN implementation strategy 87−13228
McDonald, J.C. Deregulation's impact on technology 87−33880
McDonald, J.C. Progress toward an ISDN 87−55565
McDonald, J.C. Can the local exchange network survive? 88−21495
McDonald, J.C., Domen, S.R. A-150 plastic radiometric calorimeter for charged particles and other radiations 87−14950
McDonald, J.C., Hadley, R.T. Response characteristics of selected personnel neutron dosemeters in use at DOE facilities 86−25332
McDonald, J.C. *see* Brackenbush, L.W. 85−26813
McDonald, J.D., Thomas, S.A. Distribution system management with dispersed microprocessor-based controls 86−25586
McDonald, J.F., Das, P.K., Laprade, K.C., Hidaglo, C.J., Goekjian, K.S., Jones, L., Shyu, H., Capsimalis, G. A high spatial resolution digital system for ultrasonic imaging 87−21796
McDonald, J.F., Donlan, B.J., Steinvorth, R.H., Greub, H., Dhodhi, M., Kim, J.S., Bergendahl, A.S. Yield of wafer-scale interconnections 87−18255
McDonald, J.F., Greub, H.J., Steinvorth, R.H., Donlan, B.J., Begendahl, A.S. Wafer scale interconnections for GaAs packaging—applications to RISC architecture 87−45924
McDonald, J.F., Lin, H.T., Gupta, S., Selvaraj, R. Use of the focused ion beam for inspection, characterization and repair of defects in VLSI and wafer scale integration 88−33340
McDonald, J.F., Lin, H.T., Majid, N., Greub, H., Philhower, R., Dabral, S. New systems for fabrication of wafer scale interconnections in multichip packages 88−64146
McDonald, J.F., Rajapakse, R.U., Lin, H.T., Salvaraj, R., Corelli, J.C., Jin, H.S., Balakrishnan, S., Steckl, A.J. Optimized focused ion beam inspection and repair of wafer scale interconnections 88−13497
McDonald, J.F., Rogers, E.H., Rose, K., Steckl, A.J. The trials of wafer-scale integration [semiconductor integrated circuits] 85−18402
McDonald, J.F., Stanton, M., Rajapakse, R., Lin, H., Selvaraj, R., King, N., King, D., Haslam, M. Adaptive discretionary wiring for wafer scale integration using electron beam lithography 88−13496
McDonald, J.F., Steckl, A.J., Neugebauer, C.A., Carlson, R.O., Bergendahl, A.S. Multilevel interconnections for wafer scale integration 87−25420
McDonald, J.F., Steinvorth, R.H., Taylor, G.F., Bergendahl, A.S. Fabrication and performance considerations for gallium arsenide wafer scale integration 86−47705
McDonald, J.F., Taylor, G., Steinvorth, R., Donlan, B., Bergendahl, A.S. Gallium arsenide wafer scale integration 86−58627
McDonald, J.F. *see* Bergendahl, A.S. 86−21756, 86−28449
McDonald, J.F. *see* Cohen, R. 86−47013
McDonald, J.F. *see* Cohen, R.A. 87−59779
McDonald, J.F. *see* Donlan, B. 87−1634
McDonald, J.F. *see* Donlan, B.J. 85−62033, 86−35245, 87−38461
McDonald, J.F. *see* Greub, H. 87−141, 87−60604
McDonald, J.F. *see* Greub, H.J. 88−25271
McDonald, J.F. *see* Han, C.C. 88−57548
McDonald, J.F. *see* Haslam, M.E. 85−34702, 86−35497, 87−1379, 87−11529, 87−25439, 88−39330
McDonald, J.F. *see* Kim, J.S. 87−67526, 88−9375
McDonald, J.F. *see* King, D.C. 86−35509
McDonald, J.F. *see* Koppelman, D.M. 87−38476
McDonald, J.F. *see* Ladjadj, M. 87−5836, 87−10619, 87−67458
McDonald, J.F. *see* Lin, H. 87−46109
McDonald, J.F. *see* Merchant, H. 87−13046
McDonald, J.F. *see* Philhower, R. 88−63734
McDonald, J.F. *see* Rajapakse, R. 87−1648, 87−1701
McDonald, J.F. *see* Seifi, A. 86−51442
McDonald, J.F. *see* Selvaraj, R. 87−67170, 87−68310, 88−72148
McDonald, J.F. *see* Shick, D.V. 86−12222
McDonald, J.F. *see* Steinvorth, R.H. 86−47724
McDonald, J.F. *see* Taylor, G.F. 85−37540, 86−2321
MacDonald, J.N. Spectrum analyzers—higher performance, lower cost 85−64074
MacDonald, J.N. Broadband, high power RF amplifiers 86−8020
MacDonald, J.N. The new look in RF circuits—materials 86−8665
MacDonald, J.N. The new look in RF circuits—miniaturization 86−20905
MacDonald, J.N. Medical uses of RF energy 86−25220
MacDonald, J.N. The new look in RF circuits—packaging 86−26650
MacDonald, J.N. New shielding methods and materials 87−19216
Macdonald, J.R. Frequency response of unified dielectric and conductive systems involving an exponential distribution of activation energies 85−61063
Macdonald, J.R. Generalizations of 'universal dielectric response' and a general distribution-of-activation-energies model for dielectric and conducting systems 85−64247
Macdonald, J.R., Potter, L.D., Jr. A flexible procedure for analyzing impedance spectroscopy results: description and illustrations 87−63491
McDonald, J.R. *see* Lo, K.L. 87−50713
McDonald, J.S., Brunings, J.E., Chang, Y.I., Seidensticker, R.W., Hren, R.R. Cost-competitive, inherently safe LMFBR pool plant 86−33015
McDonald, J.S., Rupnow, J.W. Metal deposited mask for improved aluminum line definition 85−23716
McDonald, J.W. *see* Desoky, A. 87−55363
McDonald, K. A university learns to link computing worlds the hard way 85−42228
McDonald, K. *see* Mako, F. 85−2500, 86−32039
MacDonald, K. *see* Spedding, S. 88−73970
McDonald, K.F., Mako, F., Smith, T., Gloyd, L., Golden, J., Kapetanakos, C.A. The NRL modified betatron accelerator pulsed power systems 87−19131
McDonald, K.F., Smith, T., Golden, J., Conley, B. Measurements of fuse and resistor characteristics for multi-megajoule capacitor bank application 87−22665
McDonald, K.F., Smith, T., Golden, J., Floyd, L., Conley, B. Measurements of fuse and resistor characteristics for multimegajoule capacitor bank application 87−66651
McDonald, K.L. Humidity control in accelerated life tests 85−16761
MacDonald, K.R., Gruneisen, M.T., Boyd, R.W. Laser beam combining through the nonlinear response of a strongly driven atomic transition 88−72390
McDonald, K.T. The Hawking-Unruh temperature and quantum fluctuations in particle accelerators 88−54223
McDonald, K.T. *see* Biino, C. 86−38719
McDonald, L.B. Potential benefits of embedded training 88−62944
Macdonald, L.M. Feedback electro-encephalography in the treatment of epilepsy 85−15344
McDonald, L.M., Chen-Ellis, G.C., Lahti, D.O. A test generation environment for VLSI chips 87−10766
McDonald, M. *see* Baartman, R. 87−41815, 88−47930
MacDonald, M. *see* Barnes, B. 87−30836
McDonald, M. *see* Hounsell, N.B. 85−36778
McDonald, M. *see* Law, M. 87−77508
McDonald, M. *see* Levy, C.D.P. 85−26674, 85−64429, 86−60513, 87−3859
MacDonald, M. *see* Miller, W. 88−30869
McDonald, M. *see* Yates, H.M. 87−68263
McDonald, M. *see* Yuan, D.H. 88−4776

McDonald, M.A., McCormack, G. A 12:1 multiplexer and demultiplexer chip set for use in a fiber optic communication system 87–34629
McDonald, M.A. *see* Maxham, K.Y. 88–22090
McDonald, M.F., McMaster, R.H. Semiconductor packaging reliability 87–44088
Macdonald, M.G. *see* Peet, N.J. 87–64227
McDonald, N. ATV–getting started 85–25967
Macdonald, N. Low cost networks aid data acquisition 86–16911
Macdonald, N. Simplified multi-channel temperature measurement 87–70842
MacDonald, N. *see* Subbarao, W.V. 87–31869
Macdonald, N. *see* Wilkinson, J.M. 88–33407
McDonald, N.A. Polynomial approximations for the electric polarizabilities of some small apertures 86–22653
McDonald, N.A. Polynomial approximations for the electric polarizabilities of some small apertures 86–68732
McDonald, N.A. Polynomial approximations for the transverse magnetic polarizabilities of some small apertures 87–33475
McDonald, N.A. Simple approximations for the longitudinal magnetic polarizabilities of some small apertures 88–63854
MacDonald, N.C. *see* Arney, S.C. 88–39218
MacDonald, N.R. Microprocessor-controlled multiplexed skin potential analyser 85–53059
MacDonald, P., Marisi, J. Videotex thrives in the country 85–25410
McDonald, P. *see* Chu, P.J. 86–30473
MacDonald, P.C. *see* Law, A.G. 85–19762
MacDonald, P.E., Satterwhite, D.G., Meale, B.M., Vora, J.P. An aging failure survey of light water reactor safety systems and components 88–48699
MacDonald, P.E., Shah, V.N. Residual life assessment of major pressurized water reactor components 88–43017
MacDonald, P.M. *see* Hart, J.F. 88–46746
McDonald, P.T., Hansen, R.K. Dual-channel, phase- and amplitude-tracking radar front end designed using microwave IC techniques 86–37935
McDonald, P.T. *see* Madni, A.M. 87–76851
McDonald, P.T. *see* Xapsos, M.A. 88–25993
McDonald, R. Tracking the evolution of AOI [for PWBs] 88–7168
Macdonald, R., Hamisch, J., Koch, H., Eichler, H.-J. Cu$^+$-hollow cathode laser 87–38989
Macdonald, R. *see* Barnes, D. 86–17013, 86–54896
McDonald, R. *see* Corda, S. 88–17837
Macdonald, R. *see* Eichler, H.J. 87–38984
Macdonald, R. *see* Hamisch, J. 87–61071
MacDonald, R. *see* Soumagne, J.-C. 88–10711
MacDonald, R. *see* St-Jacques, A. 86–56461, 86–65782
McDonald, R.A. *see* Hawley, G.T. 85–47290
McDonald, R.C. *see* Mencinger, N.P. 86–15095
MacDonald, R.D., Evans, W., MacEwan, J.R., Melvin, J.G. Technology transfer from Canadian nuclear laboratories 86–39363
MacDonald, R.D., Evans, W., MacEwan, J.R., Melvin, J.G. Technology transfer from Canadian nuclear laboratories 86–39496
MacDonald, R.I. Optoelectronic switching in digital networks 85–47010
MacDonald, R.I. An optoelectronic adder 87–24082
MacDonald, R.I. Optoelectronic switching 87–56142
Macdonald, R.I. Switched optical delay-line signal processors 87–70056
MacDonald, R.I. Fully orthogonal optical-code multiplex for broadcasting 88–60167
MacDonald, R.I., Ahlers, H. Swept wavelength reflectometer for integrated-optic measurements 87–29322
MacDonald, R.I., Lam, D.K.W. Optoelectronic switch matrices: recent developments 85–41296
MacDonald, R.I., Lam, D.K.W. Optoelectronic broadband switching for communications and signal processing 86–68411
MacDonald, R.I., Lam, D.K.W. Broadband matrix switches: electro-optic or optoelectronic? 87–7222
MacDonald, R.I., Lam, D.K.W., Noad, J.P. Depleted layer photoconductor 86–42413
MacDonald, R.I., Lam, D.K.W., Syrett, B.A. Hybrid optoelectronic integrated circuit 87–38947
MacDonald, R.I. *see* Heidrich, H. 87–28589
MacDonald, R.I. *see* Lam, D.K.W. 85–2154, 85–18808, 85–58702, 87–54164
McDonald, R.J. Convergence in SPICE for advanced IC device modelling 88–64488
McDonald, R.J., Fossum, J.G. High-voltage device modeling for SPICE simulation of HVIC's 88–39565
McDonald, R.J., Fossum, J.G., Shibib, M.A. A physical model for the conductance of gated p-i-n switches 85–55759
McDonald, R.J. *see* Fossum, J.G. 87–1529, 88–33163, 88–39393, 88–71523
McDonald, R.K. Laser plotters and CAD/CAM front-ends 87–45428
McDonald, R.K. Features to compare when evaluating PWB computer aided manufacturing systems 88–1144
McDonald, R.P. Questions and perceptions about nuclear power plant outages 86–51347
MacDonald, R.S. *see* Shapiro, L.G. 87–39922, 87–48124
Macdonald, S. British science parks: reflections on the politics of high technology 87–36391
Mcdonald, S. Gate array place and route in the logic design cycle 88–12297
MacDonald, S.A., Allen, R.D., Clecak, N.J., Willson, C.G., Frechet, J.M.J. A 2-layer resist system derived from trimethylsilylstyrene 87–11876
MacDonald, S.A., Frechet, M.J., Ito, H., Willson, C.G. Resist materials 86–21677
MacDonald, S.A., Ito, H., Willson, C.G. Advances in the design of organic resist materials 85–40578
MacDonald, S.A. *see* Frechet, J.M. 85–1506
MacDonald, S.A. *see* Ito, H. 88–64439
MacDonald, S.A. *see* Labadie, J.W. 87–11511
MacDonald, S.A. *see* Miller, R.D. 88–7407
MacDonald, S.L. *see* Damper, R.I. 85–9223
McDonald, S.W., Finn, J.M., Read, M.E., Manheimer, W.M. Boundary integral method for computing eigenfunctions in slotted gyrotron cavities of arbitrary cross-sections 87–24686
McDonald, T.A. *see* Peeler, G.B. 85–59912
MacDonald, T.E. *see* Richards, D.J. 87–50971
MacDonald, V.C. Standardization: today's key arguments 87–48319
McDonald, W.E., Jr. *see* Parrish, E.A., Jr. 86–68792, 88–58886
McDonald, W.J. Selection and protection of chipper synchronous motors 85–21598
McDonald, W.J. Energy losses in electrical power systems 85–53243
McDonald, W.J. *see* Abegg, R. 85–37899
McDonald, W.K. *see* Foner, S. 85–46045
McDonald, W.K. *see* Smathers, D.B. 85–56165, 87–12086, 87–74552
McDonald, W.R. *see* Thomas, S.W. 85–61656, 86–49985
McDonalsd, S. Gate array users tackle place and route tasks 88–25107
McDonell, D. Lighting for hazardous locations 86–13167
McDonna, A.P., McCartney, D.J., Mortimore, D.B. 1.3 μm bidirectional optical transmission over 31 km of installed single-mode fibre using optical couplers 85–3444
McDonna, A.P., Mortimore, D.B. The evolutionary potential of single-mode optical fibre systems 85–37066
McDonnell, D.G., Kruger, H.H., Theis, D. Multimode fixed legend liquid crystal and electroluminescent display 85–52812
McDonnell, D.G. *see* Daley, R. 88–67957
McDonnell, D.G. *see* Gass, P.A. 88–16357
McDonnell, D.G. *see* Hughes, A.J. 87–49841
McDonnell, J. Power budget considerations for ring networks 85–47246
McDonnell, J. *see* Milligan, T. 87–12817
McDonnell, J.J., Jr. The need for open world market 86–16646
McDonnell, J.J., Jr. Deregulation in the USA 86–54656
McDonnell, K.J. *see* Goodwin, M. 87–20021
McDonnell, M., Georganas, N.D. Simulation study of a signalling protocol for cellular mobile radio systems with hybrid voice channel assignment and a blocked-calls-held service discipline 86–55200
McDonnell, M. *see* Bitar, E. 87–76577
McDonnell, M.J. *see* Bates, R.H.T. 87–15
McDonnell, W.F. *see* Strickland, R.N. 87–47964, 87–69294
McDonnell Bushnell, L.P., Gregor, L.V., Lyons, C.F. Multilayer resist lithography: performance and manufacturability 86–58368
McDonough, C.M., Nair, N.K., Stoll, H.G. Applying failure probability methods to power plant upgrade/life extension economic evaluations 88–10944
McDonough, D. *see* Hersham, G. 85–50107
McDonough, E.F., III Matching management control systems to product strategies 86–57144
McDonough, F.A. *see* Carr, F.J. 85–7982
McDonough, H. *see* South, R.B. 86–62955
McDonough, J. *see* Fote, A. 88–40074
McDonough, J. *see* Wilson, S.L. 88–29827
McDonough, K. *see* Hayn, J. 85–40126
McDonough, P. *see* Fry, L. 87–78299
McDonough, P.J., Isaacson, A.E., Maysilles, J.H. Measurement and control in industrial processes using an analog-to-digital telemetry system 88–67683
McDonough, R.L., Lin, Y.F., Harrison, J.W. A microcomputer based system for pulsed electromigration research 87–67517
McDonough, R.L. *see* Harrison, J.W. 87–20978
McDonough, R.L. *see* Lin, Y.F. 87–53677
McDonough, R.N., Raff, B.E., Kerr, J.L. Image formation from spaceborne synthetic aperture radar signals 86–32573
McDonough, W.G. *see* Maroon, G.N. 85–9326
McDonough, W.J. *see* Rice, R.W. 85–35374
MacDoran, P.F., Miller, R.B., Buennagel, L.A., Fliegel, H.F., Tanida, L. Codeless GPS systems for positioning of offshore platforms and 3D seismic surveys 85–25948
MacDoran, P.F., Whitcomb, J.H., Miller, R.B., Buennagel, L.A. ISTAC-series codeless GPS dynamic marine positioning 86–55395
MacDoran, P.F., Whitcom, J.H., Miller, R.B., Buennagel, L.A., Lower, J.H. Codeless GPS positioning 88–9687
McDouall, P., Stecher, M. Spectrum analyser or test receiver? 86–24416
McDouall, P.L. Automated EMI testing with test receivers using fast IF and RF spectrum analysis techniques 87–14123
McDougal, P. Small earth stations: impact on the developing world 86–49549
McDougal, P. INTELSAT's small Earth stations: impact on the developing world 87–34500
McDougal, P. A bright future for satellite technology and services 87–56034
McDougal, P. *see* Pelton, J. 87–48338
McDougal, P.J. Satellite ISDN for developing nations 88–67115
McDougal, P.J. *see* Pelton, J.N. 87–28449, 87–55525, 87–55529, 87–62498
McDougal, W. *see* Guenther, R. 86–13701
McDougall, G.B., Flintoff, B.C., Wood, R.K. Dynamic simulator for the analysis of grinding circuit control 87–5597
McDougall, I.L. *see* Hawksworth, D.G. 87–77632
MacDougall, I.L. *see* Wood, M.F. 85–38128
McDougall, J., Fertl, W.H., Chilingarian, G.V., Yen, T.F. Circumferential acoustic logging 88–61603
McDougall, J.A. *see* Chan, K.W. 88–48213
McDougall, J.A. *see* Chou, C.-K. 88–23128
McDougall, J.A. *see* Guy, A.W. 88–23127
MacDougall, J.M. *see* Smith, D. 86–33112
MacDougall, J.R. *see* Biba, P. 85–48865
Macdougall, J.R. *see* Lepine, D.R. 85–53160
MacDougall, L. Flexible circuit design criteria 88–7149
McDougall, T. 132 kV SF$_6$ switchgear–an inside story 88–24086
McDougall, T.J. *see* Giles, A.B. 87–4142
MacDowall, T.E.G. *see* Balfour, I.W. 87–50789
MacDowell, A.A., Norman, D., West, J.B., Campuzano, J.C., Jones, R.G. 0.1-10 KeV soft X-ray beamline for surface EXAFS studies at the Daresbury SRS 86–60644
MacDowell, A.A., West, J.B., Koide, T. The mirror material test programme at the Daresbury SRS 86–60466
Macdowell, A.A. *see* Van Der Laan, G. 87–50199, 88–23014
McDowell, A.W., Newkirk, G.L. Test pattern generator 85–722
McDowell, B. *see* Danby, G. 88–52157
McDowell, D.M. *see* Chandler, J.A. 85–9435
McDowell, E.D. *see* Randhawa, S.U. 85–55303
McDowell, G. *see* Hung, W.W. 88–62220
McDowell, H.C. US Army Battlefield Damage Assessment and Repair program-manuals and kits 86–57177
McDowell, H.C. BDAR (battlefield damage assessment and repair) live-firing trials at Meppen 87–51567
McDowell, H.R., III, Sigmon, M.A. Fiber optic intrabuilding cables 88–28915
McDowell, J. Building a network management strategy 88–66808
McDowell, M.W. Optical fibre telecommunication 88–9539
McDowell, M.W., Klee, H.W. Use of a Cartesian oval fibre-optic 'lens' as a linear to angular position converter 87–26019
McDowell, R. *see* Kaye, A.R. 85–25355
McDowell, W. *see* Knott, M. 86–24869
McDowell, W.P. The TREAT upgrade manual reactor control system and its interface with the automatic reactor control system and the plant protection system 86–51268
McDuff, G., Rust, K., Menown, H., Neale, C. Evaluation of bidirectionally conducting thyratrons for pulsed excimer lasers 85–23381
McDuff, G. *see* Braun, C. 88–39026
McDuff, G. *see* Levy, S. 87–43266
McDuff, G. *see* Nelson, B. 87–37094
McDuff, G. *see* Rust, K. 87–43331
McDuff, O.P., Atashi, A., Jain, S.C., Taboada, J. Feedback stabilization of an actively mode-locked laser 87–61061
McDuff, O.P., Scott, D.T., Taboada, J. A computer simulation of a feedback-stabilized actively mode-locked laser 87–12445
McDuffee, F.T. Breakout cables for short haul fiber optic systems 85–63711
McDuffee, F.T. *see* Rogers, K. 87–12179
McDyer, F., Herger, K. The new National Control Centre, Ireland 87–42348
McDysan, D., Jabbari, B. A performance model for satellite capacity demand assignment, with DSI 86–17339
McDysan, D.E., Pickholtz, R.L. Performance analysis of a moving boundary/fixed frame integrated voice/data multiplexing technique with correlated sources 88–53027

Mace, D.A.H., Adams, M.J. Aspects of non-linear optics 88—2363
Mace, D.A.H. *see* Monserrat, K.J. 87—24910
Mace, E.W. Multilayer subsurface circuit board constructions 85—28841
Mace, E.W. Subsurface circuitry on polymeric substrates 85—28865
Mace, E.W. *see* Honeycutt, J.O. 87—1118
Mace, G., Riffon, P. Use of a computerised system to measure phenomena during power tests [HV protective device testing] 85—32656
Mace, O. *see* Tonkin, R. 87—76714
Mace, R.E. *see* Flaminio, H. 86—11219
Mace, S. Electronic orchestras in your living room 85—52620
Mace, T.A. *see* Browning, J.L. 87—72276
Mace, T.A. *see* De Lorenzi, A. 87—22607
MacEacharn, A.B. *see* Donaldson, D. 88—15658
McEachern, A. Some initial results of recent developments in graphic power-line disturbance monitoring 87—21933
McEachern, A. Graphic recordings of power disturbances: some recent developments and interpretations 88—48619
McEachern, B. *see* Ford, T.D. 86—70353
McEachern, J.A. *see* Grover, W.D. 88—45853
McEachern, J.E. *see* Grover, W.D. 87—75459
McEachnie, W.E. Bridging the gap—product design group vs. computer aided printed wiring design 88—12744
McEachnie, W.E. Bridging the gap: product design groups vs. computer-aided design 88—44442
Macecek, M., Kovacs, A. Computerized ultrasonic system for 3-dimensional characterization of defects 88—23221
Macedo, F.X. *see* Ramani, N. 87—30723
Macedo, J. Analysis of a radial line stub decoupling structure on a microstrip substrate: input impedance, radiation 88—12572
Macedo, J., Sphicopoulos, T. On the transmission line model of the waveguide-cavity-waveguide junctions formed by circular irises 87—37512
Macedo Filho, A.Dias de *see* Dias de Macedo Filho, A.
Macek, K. *see* Orlowska-Kowalska, T. 85—53689
Macek, M. A comparison of the gettering techniques in the CMOS process 88—44879
Macek, M., Cvitkovic, B. Reliability allocation methods for the complex systems 88—56061
Macek, M., Cvitkovic, B., Zatezalo, B., Mikulicic, V. Reliability and availability of the NPP Krsko offsite network 88—36826
Macek, M., Cvitkovic, B., Zatezalo, B., Mikulicic, V. Offsite power source reliability at Krsko NPP site 88—62096
Macek, R. *see* Neuffer, D. 88—68180
Macek, R.J., Grisham, D.L., Lambert, J.E., Werbeck, R. Radiation-resistant beamline components at LAMPF 86—5715
Macek, R.J. *see* Agnew, L. 86—5717
Macek, S. *see* Hrovat, M. 85—11804, 86—15286
Macek-Kaminska, K. *see* Hickiewicz, J. 87—42986
Macek-Kaminska, K. *see* Kaminski, M. 87—15745
Macek-Kaminska, K. *see* Noga, M. 86—61504
Macek-Kaminska, K. *see* Orlowska-Kowalska, T. 87—9543
McEkroy, D. *see* Coffman, T. 87—59488
McEldowney, J. Instrumentation amp addresses power-miser circuit applications 86—27082
McEldowney, L. NZ content maximised in railways' electrification project 85—65499
McEleney, E.T. *see* Johansen, W.E. 88—16769
McEleney, E.T. *see* Smith, C.F. 88—16768
McEleny, R. *see* Henning, M. 87—29986
McEleny, R.C. *see* Hale, P.G. 85—37007
McElfresh, D.K. *see* Steranka, F.M. 88—72230
McElfresh, M.W. *see* Torikachvili, M.S. 86—27959
McElhaney, J.H. *see* Duclos, T.G. 87—29820
McEliece, R. *see* Blaum, M. 88—25183
McEliece, R.J. Finite fields for computer scientists and engineers 88—2916
McEliece, R.J., Posner, E.C., Rodemich, E.R., Venkatesh, S.S. The capacity of the Hopfield associative memory 87—75663
McEliece, R.J., Rodemich, E.R., Swanson, L. An entropy maximization problem related to optical communication 86—59186
McEliece, R.J., Swanson, L. On the decoder error probability for Reed-Solomon codes 87—12902
McEliece, R.J., Swanson, L. A note on the wideband Gaussian broadcast channel 87—39551
McEliece, R.J. *see* Abdel-Ghaffar, K. 85—19359
McEliece, R.J. *see* Abdel-Ghaffar, K.A.S. 87—27172, 87—54994
McEliece, R.J. *see* Berlekamp, E.R. 85—62983, 87—39670
McEliece, R.J. *see* Blaum, M. 86—15391, 86—64209, 87—52591
McEliece, R.J. *see* Borden, J.M. 85—36156
McEliece, R.J. *see* Chang, L.-F. 85—30883
McEliece, R.J. *see* Cheung, K. 87—54922
McEliece, R.J. *see* Stark, W.E. 88—66253
McEligot, D.M. *see* Coxon, M. 87—11268
Macelko, J., Popczyk, J. Assessment of overstepping the permitted conductor sag of the 110 kV, 240 mm^2 AFL-6 power line in normal operation and under fault conditions 85—21222
Macellari, V., Leo, T., Chistolini, P., Bugarini, M. Comparison among remote sensing systems for human movement measurement 86—32241
McElreath, M.Y. *see* DeGroot, L.E. 85—3538
McElroy, A.J., Cousin, S.B. The role of expert systems in long-range operations and maintenance planning [power system] 86—61081
McElroy, B.J., Nelson, J.L. Modem monitor 86—23588
McElroy, D. *see* Esquivel, A.L. 87—37282, 88—6874, 88—70768
McElroy, D. *see* Esquivel, J. 87—44853
McElroy, D.R. EHF MILSATCOM systems for tactical users 85—25844
McElroy, G.H., Dawson, W.M. Biomass from short-rotation coppice willow on marginal land 87—16057
McElroy, J. Responding to the urgings of the information age 87—55484
McElroy, J.H. The evolution of remote sensing science and applications 86—18533
McElroy, J.H. Observing the Earth from space 86—32595
McElroy, J.L. Estimation of pollutant transport and concentration distributions over complex terrain of southern California using airborne lidar 88—16936
McElroy, J.W., Scheibel, J.R. Online diagnostic monitoring 88—30430
McElroy, N. *see* Selikson, M.H. 87—42027
McElroy, R.K., Villacis, E., Yontz, R.E., Musa, D.I. An integrated regional economic and demographic modeling system for developing long-range forecast inputs to sectoral energy and peak demand forecasting models 87—78053
McElroy, R.K. *see* Villacis, E. 86—61101
McElvain, K. *see* Johannsen, D.L. 87—46105, 87—67452
McElwain, J. *see* Staats, G. 87—36157, 87—72457
McEnany, B. *see* Carlson, D. 87—15853
MacEnany, D. *see* Baras, J.S. 88—29302
McEnany, P.F. 14th inter-RAM conference for the electric power industry 88—10813
Macenka, S. *see* Herring, M. 85—58603
Macenka, S. *see* Vane, G. 86—12150
McEnroe, D.J., Finney, M.J., Prideaux, P.H., Schultz, P.C. The strength of infrared transmitting optical fibers 88—39906
McEnroe, D.J., Finney, M.J., Prideaux, P.H., Schultz, P.C. Optical and mechanical properties of chalcogenide fibers 88—58115
McEnroe, D.J. *see* Finney, M.J. 88—39860
McEntee, J.A., Jr. *see* Dinn, N.F. 87—40169
McEntire, R.W. An update on the active magnetospheric particle tracer explorers (AMPTE) program 88—30065
McEntire, R.W., Keath, E.P., Fort, D.E., Lui, A.T.Y., Krimigis, S.M. The medium-energy particle analyzer (MEPA) on the AMPTE CCE spacecraft 85—53161
McEntire, R.W. *see* Jaskulek, S.E. 85—52984
Macerata, A., Balocchi, R., Landucci, L., Varanini, M., Marchesi, C., Di Stefano, M.R., Emdin, M., Biagini, A., Donato, L. Heart rate variations and EEG changes during nocturnal monitoring of ischemic patients 87—21599
Macerata, A. *see* Balocchi, R. 85—59303
Macerata, A. *see* Taddei, A. 85—9203, 85—53077
McErlean, J.A. Digital control vehicle 85—58432
McEuen, A.H., Lui, P., Tanabe, E., Vaguine, V. High-power operation of accelerator structures at liquid nitrogen temperatures 86—32025
McEuen, A.H. *see* Tanabe, E. 85—19260
McEuen, A.H. *see* Wilsey, T.R. 87—42007
McEuen, P. *see* Rooks, M.J. 87—38386, 87—67068
McEvilly, T.V. *see* Peterson, J.E. 86—23110
McEvoy, A.J., Gissler, W. Photoelectrochemical investigations of some ruthenium dioxide coated semiconductor electrodes 85—5353
McEvoy, A.J., Meissner, D., Etman, M., Memming, R., Kastening, B. Photoelectrochemical systems for solar energy conversion 86—51877
McEvoy, G.M. *see* Flammer, G.H. 88—24464
McEwan, I., Carter, D.J. Some approaches to the treatment of obstruction in interior lighting design 86—19603
McEwan, I. *see* Carter, D.J. 88—49280
MacEwan, J.R. *see* MacDonald, R.D. 86—39363, 86—39496
McEwan, N.J. Results from millimetric slant and terrestrial path studies 86—36726
McEwan, N.J., Ghorbani, A. A classification of system structures involving cross polar cancellation 86—22693
McEwan, N.J., Ghorbani, A. Propagation theory in adaptive cancellation of cross polarisation 86—23833
McEwan, N.J., Ghorbani, A. A classification of system structures involving frequency re-use and cross-polar cancellation 86—59765
McEwan, N.J. *see* Bashir, S.O. 85—41735, 86—16030, 86—48574
McEwan, N.J. *see* Ghorbani, A. 86—49513, 87—2299, 87—7529, 88—52211
McEwan, N.J. *see* Poiares Baptista, J.P. 86—43770
McEwan, N.J. *see* Poiares Baptista, J.P.V. 85—46561
McEwan, P.F., Roland, J.R. The SEGS series of solar electric generating projects—private enterprise in action 87—64484
MacEwan, W.R. *see* Cockayne, B. 85—10656, 85—33395, 85—50389, 86—26811, 87—10356, 88—18669, 88—38127
McEwen, C.D., Khan, M.R. Beam steering method with improved sidelobe response using dielectric wedges for satellite TV reception 85—13412
McEwen, C.D. *see* Smith, M.S. 87—54726
McEwen, D.J. *see* Anger, C.D. 87—57363
McEwen, G. *see* Barber, G. 87—29555
McEwen, J.D. *see* Connell, C.M. 85—9319
McEwen, R.K. A signal processing unit for IR detector arrays 87—3539
McEwen, R.K. A signal processor for focal plane detector arrays 87—49634
McEwen, R.S. Liquid crystals, displays and devices for optical processing 87—49852
McEwen, T.A. *see* Jones, E.J. 87—13786
Macey, J.R. *see* Beeby, I.P. 87—54753
McFadden, C. *see* Powell, T.G. 85—50301
McFadden, C. *see* Sernelius, B.E. 85—23808
McFadden, C.M. *see* Newson, D.J. 86—1817
McFadden, E.R., Jr. *see* Saunders, K.G. 87—63728
McFadden, J.D.O. *see* Day, G.W. 86—68295
McFadden, M.J. *see* Audette, R.G. 88—54453
McFadden, P.L., Drummond, B.J., Kravis, S. The Nth-root stack: theory, applications, and examples [multichannel geophysical data] 87—21765
McFadden, P.W., Bzymek, Z.M. IDERS—interactive design of energy recovery systems 87—57725
McFadden, R.E. *see* Jaluria, R. 85—52203
McFadden, R.H. *see* Collins, E.P. 88—56083
McFadden, R.S. *see* Cogan, S.F. 87—68206, 88—45273
McFadden, S.M., Swanston, K. Mapping of amplitude onto CRT luminance in frequency-time-intensity displays 87—21294
McFadeen, C., Long, A.P., Myron, H.W., Pepper, M., Andrews, D., Davies, G.J. The role of length scale in the competition between localization and interaction effects in MBE-grown modulation doped GaAs-GaAlAs heterojunctions 85—40486
McFadin, L.W. *see* Stewart, S.E. 85—58596
Macfadyen, D.N. *see* Andonovic, I. 86—68323
Macfadyen, D.N. *see* Johnstone, W. 85—41204
Macfadyen, D.N. *see* Ner, M.S. 88—60176
Macfadyen, N. Optical fibre sensors in industrial process control 85—50979
MacFadyen, N.M. *see* Hunter, J.M. 85—57693
Macfadyen, N.W. Analysis of the signalling capacity of TACS 85—63562
McFadzean, A. QL CAD 85—61039
MacFalane, D., Watts, M.P., Tweddel, A., Macfarlane, P.W. Automated exercise mapping 86—5961
McFall, M.E. *see* Toussaint, A.L. 86—56229
MacFarland, A., Purviance, J., Loescher, D., Diegert, K., Ferguson, T. Centering and tolerancing the components of microwave amplifiers 87—73663
McFarland, A.L. *see* Love, W.D. 87—50520
McFarland, A.R. *see* Fjeld, R.A. 88—27426
McFarland, A.R. *see* Gauntt, R.O. 85—24753
McFarland, C. *see* Newman, B. 88—35220
McFarland, D.M. *see* dos Reis, H.L.M. 86—46399
McFarland, H.G. *see* Blumberg, R.J. 86—41065
McFarland, J.C. *see* Cunningham, W.C., Jr. 88—19894
McFarland, J.C. *see* Orvek, K.J. 88—26149, 88—44724
McFarland, J.W. *see* Zafer Yakin, M. 87—50718
McFarland, M.A., Miller, J.A. System 75: introduction activities and results 85—36576
McFarland, M.C. Using bottom-up design techniques in the synthesis of digital hardware from abstract behavioral descriptions 87—5612
McFarland, M.C. Reevaluating the design space for register-transfer hardware synthesis 88—26439
McFarland, M.C., Kowalski, T.J. Tools for VLSI architecture synthesis 88—20089
McFarland, M.C. *see* Wolf, W.H. 87—36891
McFarland, M.J. *see* Osuch, C.E. 87—11881
McFarland, R. Voice response with OS/3: responding to the ever increasing business demands of data processing 88—72789
McFarland, R.E. CGI delay compensation [computer generated images for helicopter simulation] 86—50702
McFarland, T.K. *see* Bell, R.K. 85—17518
McFarland, W. *see* Pickett, J.M. 85—38218
McFarland, W.D., Hotrabhavananda, T., Lyon, M., Chen, S., Barney, T.W. Digital image display and analysis of polar orbiting meteorological satellite AVHRR data 85—59488
McFarland, W.Y. Static protection pays dividends 86—149

MacFarlane, B. *see* Zemmrich, D. 86−7048
Macfarlane, D. *see* Blair, R. 85−15110
McFarlane, D.A., Mohamed, S.A. Personal communications−fact or fantasy 88−28730
McFarlane, D.A., Potter, A.R. The requirements for a digital cellular radiophone system 86−37789
MacFarlane, D.B. *see* Edwards, K.W. 87−21424
Macfarlane, D.K. *see* Macfarlane, P.W. 85−26770
MacFarlane, D.L., Casperson, L.W. Pulse-train instabilities in a mode-locked argon laser: experimental studies 88−14088
MacFarlane, D.L., Casperson, L.W., Tovar, A.A. Spectral behavior and pulse train instabilities of a synchronously pumped mode-locked dye laser 88−51896
MacFarlane, D.L. *see* Lawandy, N.M. 86−3105, 86−9713
McFarlane, E.J. *see* Newell, A.C. 88−74576
MacFarlane, G. The Canadian armed forces approach to an improved readiness posture 88−61719
McFarlane, I. In-line measurement of food quality using light emitting diodes (LEDs) and fibre optics 87−49710
Macfarlane, I.P. *see* Davies, W.S. 88−45713
MacFarlane, I.S. Effective inventory management for nuclear power plants 85−59899
MacFarlane, I.S. Controlled procurement for nuclear power plants 86−51245
Macfarlane, I.S., O'Mara, R.L. The true test of significance−implementing RAM 88−69087
Macfarlane, J. *see* Commeaux, C. 88−68161
MacFarlane, J.A., Jr. *see* Lewin, I. 86−33820
MacFarlane, J.C., Banasiak, I. Thin-film edge-aligned junctions for small-area surface studies [MOM junctions] 85−55602
Macfarlane, J.C., Driver, R., Roberts, R.B., Horrigan, E.C. Electromagnetic shielding properties of yttrium barium cuprate superconductor 88−33554
Macfarlane, J.C., Whitborn, L.B., Batchelor, R.A. Experimental study of noise temperature and conversion loss of SIS junction mixers 86−53913
Macfarlane, J.C. *see* Stimson, P.A. 87−61073
Macfarlane, J.C. *see* Whitbourn, L.B. 85−51139, 86−48319, 88−20539
McFarlane, J.D. *see* Elston, J.T. 88−5436
McFarlane, J.R., Frisbie, F.R., Mullin, M. The evolution of deep ROV technology in Canada 88−54762
McFarlane, L.E. *see* Tranquilla, J.M. 87−75422
MacFarlane, N. Mode diameter and cutoff wavelength measurement in singlemode optical fibres 87−54077
Macfarlane, P. *see* Ruttkay-Nedecky, I. *(editor)* 86−58
Macfarlane, P.W., Macfarlane, D.K., Podolski, M., Lawrie, T.D.V. The ECG analysis program for the MINGOCARE system 85−26770
Macfarlane, P.W., Shaper, A.G., Cook, D., Walker, M. Electrocardiography in the British Regional Heart Study 86−12006
Macfarlane, P.W. *see* MacFalane, D. 86−5961
Macfarlane, P.W. *see* Willems, J.L. 86−11975, 88−23074
McFarlane, R., Hamilton, M.C. A fluorescence based dissolved oxygen sensor 88−35948
McFarlane, R.A. *see* White, J.O. 87−46964, 88−20768
Macfarlane, R.D. *see* Goosen, P.V. 86−50958
MacFarlane, R.D. *see* Pesch, H. 85−65356
Macfarlane, R.M., Tong, F., Silversmith, A.J., Lenth, W. Violet CW neodymium upconversion laser 88−45378
Macfarlane, R.M. *see* Lenth, W. 87−46431, 88−65650
Macfarlane, R.M. *see* Moerner, W.E. 87−60880
Macfarlane, R.M. *see* Silversmith, A.J. 88−20598
McFarlane, T. *see* Murphy, R.J. 87−17022
MacFarlane, V.C. *see* Howard, L.F. 87−13865
McFarlane, W.K. *see* Benulis, C.A. 86−858, 86−5831
McFarling, S.A. *see* Horowitz, M. 87−59603
McFarthing, A.L. *see* De Cristofaro, R. 86−4587
McFaul, J., Plewes, D.B., Shaw, C.G., Ivanovich, M. Optimisation of beam geometry for scanning equalisation radiography (SER) 87−35403
McFee, J.E., Bell, M., Dempsey, B., Chesney, R.H., Das, Y. A magnetostatic signature measurement and analysis system 85−20704
McFee, J.E., Das, Y. A classifier for feature vectors whose prototypes are a function of multiple continuous parameters 88−66634
McFee, S., Lowther, D.A. Towards accurate and consistent force calculation in finite element based computational magnetostatics 88−55257
McFee, S., Webb, J.B., Lowther, D.A. A boundary integration method for the magnetic force on part of a body 88−2480
McFee, S., Webb, J.P., Lowther, D.A. Monotone and convex magnetization curves for use in the numerical analysis of nonlinear devices 88−7794
McFee, S., Webb, J.P., Lowther, D.A. A tunable volume integration formulation for force calculation in finite-element based computational magnetostatics 88−52085
McFee, S. *see* Lowther, D. 85−24167
McFeely, F.R. Chemical processes in fluorine-based etching reactions 85−55718
McFeely, F.R. *see* Himpsel, F.J. 86−34311
McFeely, F.R. *see* Karlsson, U.O. 87−1329, 88−19760
McFeely, F.R. *see* Rieger, D. 87−17813
McFeely, F.R. *see* Yarmoff, J.A. 88−39237, 88−63359
McFetridge, R.H., Marchese, R.T. Power uprating for nuclear generating stations 86−25790
McGaffey, R.W. *see* Raridon, R.J. 85−37878
McGaffey, R.W. *see* Whealton, J.H. 88−40642
McGahan, C.K. Vapor phase soldering dominates hybrid circuit manufacturing at RCA 85−11813
McGahan, R.V. *see* Yaghjian, A.D. 85−42630
McGann, A. What is telemetry? 85−8083
McGann, L.B. Application-level gateways 86−17021
McGann, W.E. A KU-band business satellite communications system 85−52292
McGann, W.E. KU-band satellite digital transmission systems 86−23800
McGanns, G.T. *see* Dexter, P.E. 86−44794
McGarity, J. *see* Marshall, F.J. 86−32190
McGarity, R., Cruess, M. Using bits in an opcode to specify what to invalidate in a cache 88−32210
McGarity, R. *see* Cohen, B. 86−57831
McGarr, D.M. *see* Ping Chang 88−7511
McGarrity, J.M. *see* Boesch, H.E., Jr. 87−32533
McGarrity, J.M. *see* Oldham, T.R. 88−26283
McGarrity, J.P., Hayward, G. Computer aided design of array processing techniques in NDE 88−10655
McGarry, E.C. *see* Tveten, A.B. 88−67852
McGarry, J.F. *see* Abshire, J.B. 87−54454
McGarry, S.L. Networking has a job to do in the factory 85−30683
McGarry, S.L. LANs: manufacturing's prodigal child 86−4314
McGarty, T.P., Ball, L.L. Network management and control systems 88−73633
McGathen, T.K. *see* Ronan, M.T. 88−61191
McGaughey, P.L. *see* Sunier, J.W. 86−18261
MacGee, B. *see* Delorme, C. 86−20507
MacGee, B. *see* Giambiasi, N. 86−672, 86−20217, 86−40850
McGee, B. *see* Lbath, R. 87−52492
McGee, D. Switched capacitor filters in CMOS 86−20693
McGee, D. Mixed-mode simulation on a PC-based workstation [circuit analysis] 86−62346
McGee, D.A. Bonding of high frequency stripline assemblies 88−959
McGee, D.J. *see* Gardner, P.D. 86−63293
McGee, D.W. Re-programmable DC brushless motors 88−75636
McGee, G. *see* Jacobus, C. 86−46886, 86−46906
McGee, G.D., Smith, G.J. TI IMPACT PROMs speed up system cycle times 86−1070
McGee, H.A., Jr. We have met the enemy and he is us [faculty efficiency improvement] 87−23228
McGee, J., Cummings, C. Selecting an electronic mail system 86−49194
McGee, J. *see* Lemay, J. 87−76372
McGee, K.J. Pipelined FFT processors 85−862
McGee, L. *see* Denton, R.V. 87−50516
McGee, L.A., Foster, J.D., Xenakis, G. Automatic helical rotorcraft descent and landing using a microwave landing system 85−4407
McGee, L.A. *see* Warner, D.N., Jr. 86−60895
McGee, M.C. *see* Williamson, F.R. 86−17497
McGee, M.E. *see* O'Brien, C.R. 87−14200
McGee, R.A. *see* Wallace, H.B. 86−37919
McGee, R.W. *see* Bourgin, F. 88−48459
McGee, T.F. *see* Baumgart, H. 85−50332
McGee, T.F. *see* Petruzzello, J. 86−21365
McGee, T.F., III *see* Fitzpatrick, B.J. 87−16566
McGee, W.F. Lossless networks with imaginary-valued resistances of one sign 87−31667
McGee, W.F. Cascade synthesis of RC polyphase networks 87−66342
McGeehan, J.P. Automatic gain control 88−73791
McGeehan, J.P., Bateman, A. Techniques for data transmission in the mobile environment 86−11005
McGeehan, J.P., Bateman, A. A possible narrowband modulation synergy between mobile-satellite and cellular systems 88−60060
McGeehan, J.P., Bateman, A.J. Data transmission over UHF fading mobile radio channels 85−14138
McGeehan, J.P., Bateman, A.J. The case for using 5 kHz ACSSB in Band III 85−20105
McGeehan, J.P., Bateman, A.J. Simple simultaneous carrier and bit synchronisation system for narrowband data transmission 85−36909
McGeehan, J.P., Griffiths, J. Normalised prediction chart for mobile-radio reception 85−41634
McGeehan, J.P., Kanso, A., Griffiths, J. A new feedforward signal regeneration (FFSR) based diversity combiner for UHF pilot-tone single sideband mobile radio networks 85−58024
McGeehan, J.P., Sladen, J.P.H. The tracking performance of a narrowband phase-locked loop in the mobile multipath environment 85−36945
McGeehan, J.P., Yates, K.W. High-capacity 60 GHz microcellular mobile radio systems 87−13620
McGeehan, J.P. *see* Bateman, A. 86−68957, 87−69968, 87−69977
McGeehan, J.P. *see* Bateman, A.J. 85−36939, 85−57214, 85−57342, 86−37803
McGeehan, J.P. *see* Hammuda, H. 88−73847
McGeehan, J.P. *see* Kanso, A. 85−25141
McGeehan, J.P. *see* Lewis, A.P. 86−53012
McGeehan, J.P. *see* Martin, P.M. 88−73819
McGeehan, J.P. *see* Sladen, J.P.H. 85−25140
McGeehan, J.P. *see* Tharek, A.R. 86−36727, 88−72560
McGeehin, P. Fibre optic sensors−will they be fact or fiction? 85−24273
McGeehin, P. Niche technologies for pressure measurement 85−43127
McGeehin, P. Optical sensors−developing the technology and the market 86−63608
McGeehin, P. The market for fibre optic sensors: chemical, biological and biomedical potential 88−4423
McGeehin, P. Prospects for fibre optic sensors 88−10020
McGeehin, P. Current impact of fibre optic sensors 88−36020
McGeehin, P. *see* Moseley, P. 88−22526
McGeer, P. *see* Brayton, R. 87−37231
McGeer, P.C., Brayton, R.K. Efficient, stable algebraic operations on logic expressions 88−31915
McGeer, P.C. *see* Bush, W.R. 88−24922
McGehearty, P. *see* Gant, A. 85−851
McGehee, J.H., Wuerker, R.F. Holographic microscopy through tubes and ducts 86−3382
McGehee, R.K. A practical moat router 87−67440
McGehee, R.M. *see* Gross, G.W. 88−74557
McGeoch, I., Stawell, W.B. Radar reflectors, radar beacons and transponders as aids to navigation 87−76883
McGeoch, M.W. *see* Kraft, R. 87−45495
McGeoch, S.R. *see* Campbell, D.R. 86−20602
McGeorge, J.C. *see* Anthony, I. 86−32209
McGeorge, J.C. *see* MacGregor, I.J.D. 88−22925
McGeorge, S.W., Salin, E.D. Data acquisition considerations for spectrometry with photodiode array detection systems 86−11489
McGeough, J.A. *see* Crichton, I.M. 85−27865
McGeough, P.A., Sutton, A. Birmingham airport Maglev vehicle construction 85−44275
McGeown, A. *see* Hems, J. 88−1576
McGhee, C. Intelsat− defending the global system 85−25798
McGhee, C. A private constellation [satellite system for video and data transmission] 85−25801
McGhee, D., Praeg, W., Bogaty, J. A 28 kV ± 0.020% 200 kW DC power supply 86−26139
McGhee, D. *see* Praeg, W. 88−55493
McGhee, D.G. *see* Colton, E.P. 85−20768
McGhee, D.G. *see* Kim, S.H. 85−1902, 85−50887
McGhee, D.G. *see* Turner, L.R. 86−42691
McGhee, J., Henderson, I.A., Hulley, I. A nonlinear charge control model for symmetrical PIN diodes 88−50796
McGhee, J., Henderson, I.A., Hulley, I. Modelling asymmetrical PIN diodes using boundary determined current density equations 88−64509
McGhee, J., Henderson, I.A., Saffari, M. Asymptotes for boundary determined current density of PIN diodes 86−15119
McGhee, J., Henderson, I.A., Saffari, M. End region recombination and boundary determined current density in PIN diodes 87−38192
McGhee, J., Henderson, I.A., Sankowski, D. Functions and structures in measuring systems: a systems engineering context for instrumentation 88−41934
McGhee, J. *see* Henderson, I.A. 86−63236, 87−21767, 87−38188, 88−15954
McGhee, J.M. *see* Parlos, A.G. 88−61565
McGhee, P.L. *see* Campbell, J.L. 86−65339
McGhee, R.B., Nakano, E., Koyachi, N., Adachi, H. An approach to computer coordination of motion for energy-efficient walking machines 86−66407
McGhee, R.B. *see* Ozguner, F. 86−11457
McGhee, R.B. *see* Zyda, M.J. 88−36707
McGhie, D. *see* Panofsky, E. 87−20951
McGhie, T. Modular switchboards offer easy installations 86−61676
McGhie, T.V. How fuses work, and why designs are changing 85−5267
McGhie, T.V. Greater switchboard safety−the manufacturer's response 88−17760
McGibbon, I. Telecommunications in Canada 88−14906
McGill, B. Logic analyzers: prized tools in hardware and software design 86−60191

McGill, D., Goleniewski, L. In-house maintenance—is it for you? [telephone systems] 85—42159
McGill, D.J. *see* Goleniewski, L. 85—42365
McGill, J. Predicting hybrid microcircuit reliability: a primer 86—53274
McGill, J., Cannella, V., Yaniv, Z., Day, P., Vijan, M. VLSI processing of amorphous silicon alloy p-i-n diodes for active matrix applications 87—25222
McGill, J. *see* Cannella, V. 86—28271, 87—18073
McGill, J. *see* Hack, M. 86—7051
McGill, J. *see* Hurd, J.W. 88—54224
McGill, J. *see* Silver, M. 87—17738
McGill, J. *see* Silver, N. 88—1427
McGill, J. *see* Swartz, L. 88—45312
McGill, J. *see* Vijan, M. 88—16324
McGill, J. *see* Xu, L. 88—50635
McGill, J. *see* Yaniv, Z. 87—1992, 87—21166, 87—29218
McGill, K.C., Cummins, K.L., Dorfman, L.J. Automatic decomposition of the clinical electromyogram 85—64589
McGill, K.C., Dorfman, J.L., Howard, J.E., Valainis, E.V. Decomposition analysis of the surface electromyogram 88—74850
McGill, K.C., Dorfman, L.J. Automatic decomposition electromyography (ADEMG): validation and normative data in brachial biceps 86—32314
McGill, K.C., Huynh, A., Dorfman, L.J. Automatic decomposition electromyography (ADEMG): performance evaluation using computer simulation 88—48162
McGill, K.C., McMillan, K.L. A Smart Trigger for real-time spike classification 87—50362
McGill, M.J., Learn, L.L., Lydon, T.K.G. A technical evaluation of the Linked Systems Project protocols in the Name Authority Distribution Application 88—35102
McGill, M.J. *see* Learn, L.L. 85—2966
McGill, R. *see* Brown, D. 85—56053
MacGill, R. *see* Halbach, K. 86—25041
MacGill, R. *see* Haseroth, H. 87—41680
Macgill, R. *see* Wolf, B.H. 87—70941
MacGill, R.A. *see* Brown, I.G. 86—5718, 86—32127, 87—14695, 87—77496, 88—47942
McGill, S., Telschow, G. Just-in-time connectors 88—7123
McGill, T.C. Superlattices: new semiconductor materials 86—47371
McGill, T.C., Miles, R.H., Wu, G.Y. Variation in the properties of superlattices with band offsets 87—66968
McGill, T.C., Wu, G.Y., Hetzler, S.R. Superlattices: progress and prospects 86—67728
McGill, T.C. *see* Bauer, R.S. 87—45638, 88—31816
McGill, T.C. *see* Bonnefoi, A.R. 85—23507, 85—61716, 86—9092, 86—28323, 87—1245, 87—32283, 88—57354
McGill, T.C. *see* Boudville, W.J. 86—1808, 86—41587, 88—71346
McGill, T.C. *see* Chow, D.H. 86—58290, 88—25916
McGill, T.C. *see* Collins, R.T. 85—1365, 86—47380
McGill, T.C. *see* Hauenstein, R.J. 86—8872, 86—53450
McGill, T.C. *see* Hunt, B.D. 87—11455
McGill, T.C. *see* Miles, R.H. 86—53377, 88—11984
McGill, T.C. *see* Prabhakar, A. 85—29036
McGill, T.C. *see* Schlesinger, T.E. 85—1354, 85—61733, 86—1782
McGill, T.C. *see* Woodward, T.K. 85—61722, 87—1251, 87—26162, 87—38241, 88—13413, 88—39502, 88—50895
McGill, T.C. *see* Wu, G.Y. 85—23500
McGill, T.C. *see* Yu, E.T. 88—64278
McGillem, C. *see* Anuta, P. 85—64716
McGillem, C.D. *see* Aunon, J.I. 85—48312
McGillem, C.D. *see* McCain, W.B. 88—12258
McGillem, C.D. *see* Pomalaza-Raez, C.A. 85—61165
McGillem, C.D. *see* Rappaport, T.S. 87—75424
McGillem, C.D. *see* Roecker, J.A. 88—60214
McGillem, C.D. *see* Westerkamp, J.J. 85—48311
McGillis, D.A. *see* Tran, L.V. 86—68003
MacGillivray, D.L., Markvorsen, K. Bell Canada plans for ISDN 87—27855
McGillivray, I., Robertson, J.M., Walton, A.J. Postmetallisation annealing of aluminium-silicon gate MOS capacitors 86—2079
McGillivray, I.G., Robertson, J.M., Walton, A.J. Effects of process chemical purity on MOS capacitor electrical parameters 87—17851
McGillivray, I.G., Robertson, J.M., Walton, A.J. Automatic measurement of minority carrier lifetimes in silicon for nonuniform doped samples using the Zerbst method 88—12919
McGillivray, I.G., Robertson, J.M., Walton, A.J. CV characteristics of MOS capacitors with two top capacitive contacts 88—13057
McGillivray, I.G., Robertson, J.M., Walton, A.J. Improved measurements of doping profiles in silicon using *CV* techniques 88—26034
MacGillivray, J., Del Priore, C., Evans, A.L., Smith, D.C. An aid to visual pointing for children with severe physical handicap 85—15343
McGillivray, R., Wald, R.W. A versatile trigger circuit for biological signals 85—15330
McGillivray, R., Wald, R.W. Hybrid analog and digital system for the analysis of action potentials 85—48291
McGillivray, R., Wald, R.W., Budziakowski, M.E. Simultaneous recording of ECG and respiratory signals using a single-channel Holter-type recorder 88—4949
McGillivray, R., Wald, R.W., Budziakowski, M.E. An interval timer with computer interface 88—54556
McGillivray, R.V., Wald, R.W. Digital peak detector for intracellular action potentials 86—50581
MacGillivray, W.R., Smith, S.D., MacKenzie, H.A., Tooley, F.A.P. Photonic logic. The first step towards the optical computer 85—62659
MacGillivray, W.R. *see* Schulz, W.E. 85—41491
MacGillvray, D.L., Markvorsen, K. Bell Canada ISDN trial plans 86—59467
McGilp, J.F., McGovern, I.T. A simple semiquantitative model for classifying metal-compound semiconductor interface reactivity 86—28027
McGilp, J.F., McLean, A.B. Schottky contacts to cleaved GaAs (110) surfaces. II. Thermodynamic aspects 88—25962
McGilp, J.F. *see* McLean, A.B. 88—44590
McGilp, M. *see* Miller, T.J.E. 88—18147
McGilvery, P. *see* Shinn, G. 88—4011
MacGinitie, G. *see* Jackson, A.L. 85—63465
McGinley, J. *see* Haskin, M.E. 86—32268
McGinley, J.P. *see* Motter, J.W. 88—69077
McGinley, P.H. The photon sensitivity of a moderated activation neutron detector 87—21685
McGinn, J. *see* Jastrzebski, L. 87—53614
McGinn, J.T. *see* Faraone, L. 85—40625
McGinn, J.T. *see* Jastrzebski, L. 85—35154
McGinn, J.T. *see* Kumar, N. 88—64668
McGinn, J.T. *see* Maa, J.S. 85—50276
McGinn, J.T. *see* Thomas, J.H., III 86—9012
McGinn, S. *see* Smith, S. 88—22488
McGinn, W. *see* Kane, M. 87—49091
McGinness, S. CMOS provides a cost-effective solution for harsh industrial environments 85—29342
McGinnis, B.P. *see* Sarid, D. 86—22487, 88—65866
McGinnis, B.P. *see* Warren, M. 87—33305
McGinnis, D.P., Beyer, J.B., Nordman, J.E. Distributed amplifier using Josephson vortex flow transistors 86—53918
McGinnis, D.P., Beyer, J.B., Nordman, J.E. Vector *S*-parameter measurements of the superconducting vortex flow transistor 88—26706
McGinnis, D.P., Beyer, J.B., Nordman, J.E. Gain measurements of the superconducting vortex flow transistor at high frequencies 88—65014
McGinnis, D.P., Nordman, J.E., Beyer, J.B. Optimization of circuit parameters for the vortex flow transistor 87—66529
McGinnis, D.R. New method developed for working energized lines 87—21956
McGinnis, H.J. Planting tall towers [for antennas] 86—68943
McGinnis, L.F. *see* Ammons, J.C. 85—48557
McGinnis, L.F. *see* Lofgren, C.B. 86—58176
McGinnis, M.J. *see* Feller, A. 85—40933
McGinnis, W.H. *see* Williams, D.L. 87—26829
McGinniss, V.D. *see* Kingsley, S.A. 88—16161
McGinty, E. *see* Still, J. 88—9777
McGinty, F. *see* Dornan, B. 85—40248
McGinty, V.C., D'Aiello, R.V. Status and projections for amorphous silicon solar cell modules in the energy marketplace 86—40103
McGlashan, M.L. *see* Ewing, M.B. 86—44431
McGlashan, S.R.L. *see* Kubiak, R.A.A. 86—58394
McGlashan-Powell, M. *see* Hegarty, J. 85—42578
McGlashan-Powell, M. *see* Wolfe, R. 88—7914, 88—72168
McGlinchey, G. A 12-bit gain-ranging data acquisition system 87—63289
McGlinchey, G., Pietkiewicz, S., Frank, R., Schmidt-Andersen, P., Hansen, F. A programmable medical data acquisition system chip 88—74853
McGlinchy, M. Full 5 bit binary 32 line to 5 line encoder 85—6393
McGlinchy, M. 1 pole, 4 position TTL rotary switch 85—49805
McGlinn, T.C. *see* Fischer, R. 85—54454
McGlone, J.S., Hibbard, L.S., Hawkins, R.A., Kasturi, R. A computerized system for measuring cerebral metabolism 87—50283
McGlone, J.S., Hibbard, L.S., Hawkins, R.A., Kasturi, R. A computerized system for measuring cerebral metabolism 88—10304
McGlynn, F.D. *see* Cassisi, J.E. 88—30022
McGlynn, J.D., Ioup, G.E. Phase-coherency filtering of reflection seismic data 86—18516
McGlynn, S.P. *see* Kumar, D. 86—38315
McGoey, M.J. *see* Welch, J.H. 88—23811
McGoldrick, G.A. *see* Wood, R.H. 86—6345
McGoldrick, J. *see* Gruber, P. 86—66300
McGoldrick, L.F. Remote sensing for oceanography: an overview 86—32571
McGonigal, G.C., Elmasry, M.I. Generation of noise by electronic iteration of the logistic map 87—73356
McGorman, R. *see* Pandya, R. 86—54810
McGouey, R. *see* Paraszczak, J. 88—26080
McGougan, C.J. Selecting soldering chemicals for reliable SMTs 88—43701
McGougan, D. *see* Fischer, R. 86—54131
McGough, J. Evaluation of data buses for flight critical control applications 87—42101
McGough, J., Smotherman, M., Trivedi, K.S. The conservativeness of reliability estimates based on instantaneous coverage 85—61180
McGovern, D. Tiddler on the roof: a viable leased line alternative? 88—41585
McGovern, D., Kernot, R.J. A second-generation SCPC system for business satellite communications 85—8361
McGovern, D.E. Mobile robot vehicles for physical security 88—43464
McGovern, D.E. Advanced technology mobile robotics vehicle fleet 88—61749
McGovern, I.T. *see* McGilp, J.F. 86—28027
McGovern, J.C. *see* Posenau, J.H. 88—61662
McGovern, T., Magnano, S., Filip, K., Stewart, T., Reger, S. The comparison of support interface pressure measuring systems 88—61238
McGovern, T.F., Reger, S.I. Digital interface pressure evaluator 88—54490
MacGowan, B. *see* Matthews, D. 85—7350, 87—12339, 87—46756
Macgowan, B. *see* Matthews, D.L. 87—12369
MacGowan, B. *see* Maxon, S. 88—40137
MacGowan, B. *see* Rosen, M.D. 85—24466
MacGowan, B.J., Brown, S., Campbell, E.M., Eckart, M., Hagelstein, P., Keane, C., London, R., Matthews, D., Nilson, D., Phillips, T., Rosen, M., Scofield, J., Shimkaveg, G., Simon, A., Stewart, R., Trebes, J., Whelan, D., Whitten, B., Woodworth, J. Lawrence Livermore National Laboratory X-ray laser research: Recent results 88—2177
MacGowan, B.J. *see* Burkhalter, P.G. 86—22299
MacGowan, B.J. *see* Eder, D.C. 88—27042
MacGowan, B.J. *see* Keane, C. 88—27087
MacGowan, B.J. *see* Matthews, D.L. 85—24467
MacGowan, B.J. *see* Rosen, M.D. 88—14119
MacGowan, B.J. *see* Wood, O.R., II 88—2178
McGowan, F. Does efficiency matter? 87—77960
McGowan, F. Public ownership and the performance of the UK ESI 88—61837
McGowan, F. New developments in superconducting materials. Implications for the electricity supply industry 88—71966
McGowan, J. Velocity accuracy measurement of GPS user equipment 88—15709
McGowan, J. *see* Carter, J. 87—43270
McGowan, J.E., Parker, D.J. Medium term forecasts of half-hourly power demand 86—70638
McGowan, J.E. *see* Allera, S.V. 87—30119
McGowan, J.E. *see* Larach, S. 85—18800
McGowan, J.J. *see* Ewing, D.L. 87—78
McGowan, J.W. *see* Shinozaki, D.M. 87—17885
McGowan, J.W. *see* Mitchell, R.E. 86—21006
McGowan, K. An uninterruptible power supply 88—10829
McGowan, K.J. Make the smartest blackout protection choice by assessing the benefits of a UPS vs. an SPS 86—19386
McGowan, K.J. Telecom safeguard for power line problems 86—23235
McGowan, K.J. Voltage regulation and power conditioning [computer power supplies] 86—26176
McGowan, K.J. Battery backup power for mini and microcomputers, 400 VA to 3 kVA 86—26180
McGowan, K.J. To get proper power protection know equipment capabilities [power supply protection] 86—70979
McGowan, K.J. Understanding UPS [uninterruptible power supplies] 87—36043
McGowan, M.J. *see* Emmerson, R. 85—33931
McGowan, R. Field tests of solar PV water pumps in Botswana 88—23804
McGowan, R.A. Common channel signaling gets services to the customers 87—40212
McGowan, T.K., Hammer, E.E. Review of recent developments in fluorescent lighting systems 85—27754
McGowan, T.K., Roche, S.J. New lighting technology—refining the systems approach 86—40286
McGowan, T.K. *see* Hammer, E.E. 85—44285, 86—45802
McGowan, T.K. *see* Hoegler, L.E. 85—65592
McGowan, W.G. Keeping the promise [Bell System divestiture] 86—30137
McGowin, C.R., Miller, M.J. Clean coal technology: opportunities for emissions control and cost savings 88—17400
McGrady, P.W. The availability of a k-out-of-n:G network 86—34074
McGrail, J.M. Packaging techniques for IC designers 87—66126
McGrail, M. Hardware design of the UK5000 gate array 86—35901

McGranaghan, M.F., Dugan, R.C., King, J.A., Jewell, W.T. Distribution feeder harmonic study methodology 85–27048
McGranaghan, M.F., Gunther, E.W. Harmonic simulations and measurements based on PC technology 87–71761
McGranaghan, M.F. *see* Mikhail, S.S. 86–51929
McGranaghan, M.F. *see* Rizy, D.T. 87–78096
McGranaghan, M.F. *see* Spurling, K.L. 88–24173
McGranaghan, M.F. *see* Troedsson, C.G. 86–25584
McGrann, S., Irwin, S.T., Allen, J.A. A plethysmograph for the measurement of digital blood flow 87–21520
McGrath, C.J. *see* Gloge, D.C. 85–20222
McGrath, D. *see* Anders, R. 86–51865
McGrath, D.P. *see* Awerbuch, L. 85–53586
McGrath, D.S., Myers, D.J. Novel MOS memory for serial signal processing applications 86–14184
McGrath, D.T. Planar three-dimensional constrained lenses 86–36819
McGrath, D.T. A three-dimensional beamformer with planar front and back faces 86–42961
McGrath, D.T. *see* Southall, H.L. 86–54375
McGrath, E.J. *see* Kodandapani, K.L. 86–67921
McGrath, F.J., Murphy, P.J. A CAD package for microwave integrated circuit design 88–990
McGrath, G.J. *see* Olander, D.J. 87–2939
McGrath, J.C. Research at Thorn EMI Central Research Laboratories on piezoelectric polymer materials 86–52539
McGrath, J.C. *see* Moffett, M.B. 86–70545
McGrath, J.C. *see* Nix, E.L. 87–53808
McGrath, J.D., Kindig, W. Vibration-random required 86–19823
McGrath, P.A. *see* Richter, L.E. 87–12472
McGrath, P.B., Bradish, R.W. Optical field determination in water 88–67980
McGrath, P.B., Marsden, H.I. DC-induced prebreakdown events in *n*-hexane 87–18369
McGrath, P.B., Marsden, H.I. DC induced streamers in n-hexane 88–20175
McGrath, P.B. *see* Pfuntner, W.A., Jr. 86–50199
McGrath, R. *see* Allen, M.B. 88–73479
McGrath, R. *see* Neogy, R. 87–49010
McGrath, R.A. Designing printed circuit boards 86–8571
McGrath, R.A. EE Designer for CAE 87–73225
McGrath, R.A. A plotter for all sizes [DMP-56] 88–4512
McGrath, R.A. AutoCAD-based PCB design 88–19496
McGrath, R.D., Doty, J., Lupino, G., Ricker, G., Vallerga, J. Counting of deep-level traps using a charge-coupled device 88–25866
McGrath, R.D. *see* Wadsworth, M. 85–52678
McGrath, R.D. *see* Wan, C.F. 88–57427
McGrath, R.L. *see* Deyoung, P.A. 85–20809
McGrath, S. *see* Barnwell, T.P., III 88–73736
McGrath, S.J.A., Barnwell, T.P., III, Schwartz, D.A. A WE-DSP32 based, low-cost, high-performance, synchronous multiprocessor for cyclostatic implementations 87–59574
McGrath, T. Korg DDM220 programmable percussion machine 85–8634
McGrath, T. Technics Digital 10. PCM digital keyboard 85–31255
McGrath, T. Siel MK900. Personal keyboard 85–31271
McGrath, T. Korg KMS30 [MIDI synchroniser] 85–42806
McGrath, T. Roland MSQ100 [MIDI digital keyboard recorder] 85–42808
McGrath, T. Sycologic MI4 MIDI connection matrix 85–42816
McGrath, T. Siel DK80 Dynamic bitimbric polysynth 85–52595
McGrath, T. Expand ability [electronic keyboards] 85–63906
McGrath, T. Graphically yours [MIDI software packages] 86–4892
McGrath, T. The beat goes on . . . [computerised drums] 86–17706
McGrath, T. Syntech Studio I 86–24239
McGrath, T. *see* Goldstein, D. 85–52597
McGrath, W.R., Raisanen, A.V., Richards, P.L. Variable-temperature loads for use in accurate noise measurements of cryogenically-cooled microwave amplifiers and mixers 86–58053
McGrath, W.R., Raisanen, A.V., Richards, P.L., Harris, R.E., Lloyd, F.L. Accurate noise measurements of superconducting quasiparticle array mixers 85–54747
McGrath, W.R., Richards, P.L., Face, D.W., Prober, D.E., Lloyd, F.L. Accurate experimental and theoretical comparisons between superconductor-insulator-superconductor mixers showing weak and strong quantum effects 88–65012
McGrath, W.R. *see* Crete, D. 87–46414
McGrath, W.R. *see* Face, D.W. 86–47999, 88–12619
McGrath, W.R. *see* Olsson, H.K. 88–19366
McGrath, W.R. *see* Raisanen, A.V. 86–15433, 86–27605, 86–28741
McGrath, W.R. *see* Winkler, D. 87–20385, 87–33559
McGraw, D.J., Harris, J.M. Diffraction from two-photon-excited thermal index gratings 85–29929
McGraw, M.G. Fire-hazard control during coal handling 85–10416
McGraw, M.J. *see* Hall, J.E. 87–38457, 88–13479
McGreevy, M. *see* Fisher, S.S. 87–49507, 87–62481, 88–42239
McGregor, A. *see* Toth, A. 85–47007
McGregor, A.B. *see* Chong Chiu 86–33008
MacGregor, A.D. Fibre optic sensor engineering 86–2811
MacGregor, A.D. *see* Bradford, M. 86–51577
MacGregor, A.R. *see* Vass, D.B. 87–54131
McGregor, A.T. *see* Schaubel, T.E. 88–75382
McGregor, B.A. *see* Hill, G.W. 88–74052
McGregor, B.A. *see* Schoonmaker, J.W., Jr. 88–10594
McGregor, C. *see* Wilkinson, C.D.W. 85–35531
MacGregor, D. Diverse applications put spotlight on 68020's improvements 85–28559
MacGregor, D. Hardware and software strategies for the MC68020 85–54910
MacGregor, D., Mothersole, D., Moyer, B. The Motorola MC68020 85–798
MacGregor, D., Taylor, M., Kennedy, J. Minimal correction logic for partial remainder overflow in a non-restoring divide algorithm 86–20456
McGregor, D. *see* Chang, K. 88–25514
MacGregor, D. *see* Hood, M. 87–24078
MacGregor, D. *see* Moyer, B. 87–24237, 87–24241
MacGregor, D.C. *see* Margules, G.S. 87–21515
MacGregor, D.C. *see* Miller, S.L. 86–38823, 87–50417
MacGregor, D.C. *see* Wilson, G.J. 87–50416
McGregor, D.D. High-sensitivity helium resonance magnetometers 87–56819
MacGregor, D.M. Three-dimensional analysis of cathode ray tubes for color television 87–1150
McGregor, D.N., Wieselthier, J.E., Baker, D.J., Ephremides, A., Hauser, J.P. Networking concepts for HF naval applications 85–30943
McGregor, I., Clarke, B.R., Smith, B.M., Semple, G.J. High costs hold back CAN fibre optics 88–35464
MacGregor, I.J.D., Dancer, S.N., Annand, J.R.M., Wallace, P.A., Kellie, J.D., Hall, S.J., McGeorge, J.C., Springham, S.V., Sene, M.R., Brandford, D., Shotter, A.C., Vogt, J.M., Schoch, B. A large solid angle detector for medium energy charged particles 88–22925
MacGregor, I.J.D. *see* Anthony, I. 86–32209
MacGregor, I.J.D. *see* Kellie, J.D. 86–18262
McGregor, J., Kaufman, D. Statistics software keeps surprises out of analog design 85–49686
McGregor, J. *see* Carroll, M. 87–53074
McGregor, J. *see* Walker, M.G. 86–46435
McGregor, J.A. *see* Preston, R.C. 88–54797
McGregor, J.E. *see* Bigham, C.B. 85–59010, 85–64406, 86–31963
McGregor, J.G. Going the extra mile pays off for SaskTel 86–16804
MacGregor, J.R. *see* Bose, N. 87–64892
MacGregor, M. *see* Maydell, U.M. 88–42595
McGregor, M.A. MIL-STD-781C fixed time test: effect of redundancy 88–56078
McGregor, M.C. *see* Lee, R.D. 88–7086
McGregor, M.S., Denyer, P.B., Murray, A.F. A single-phase clocking scheme for CMOS VLSI 87–66156
McGregor, M.S., Smith, S.G., Denyer, P.B., Murray, A.F. Serial-data computation on twin pipelines 87–37150
McGregor, M.S. *see* Smith, S.G. 87–59573
McGregor, M.S. *see* Szczepanek, A. 86–10820
McGregor, P. *see* Akrawi, R. 86–16766
MacGregor, S.J. *see* Chalmers, I.D. 85–24014
MacGregor, T.H., Tepper, D.E. Finite boundary interpolation by univalent functions 88–43825
MacGregor Smith, J. *see* Perkins, J. 88–70105
McGrew, S. White light cylindrical holograms 87–12627
McGrew, S.P. Mass produced holograms for the entertainment industry 85–12986
McGroddy, K.A. *see* Heinrich, H.K. 86–53598
McGrory, J.B. *see* Lee, I.Y. 88–47849
McGrory, J.B. *see* Olsen, D.K. 87–56948
McGruer, J.N. *see* Choyke, W.J. 85–18239
McGruer, N., Reinhard, D.K. Substrate and target voltage effects on sputtered hydrogenated amorphous silicon 85–33501
McGruer, N.E., Oikari, R.A. Polysilicon capacitor failure during rapid thermal processing 86–63143
McGruer, N.E. *see* Singh, R. 88–64409
McGuckin, B.T. *see* Kimmitt, M.F. 86–11594
McGuffin, B., Liu, B. Low sensitivity switched capacitor filters using allpass building blocks 85–17650
McGuffin, L.J., Reid, L.O., Sparks, S.R. MAP/TOP in CIM distributed computing 88–66990
McGuffin, R.W. Evaluation of the pay-back of CAE tools position statement 88–11731
McGuffin, R.W. CAE for ECL IC semicustom design 88–13540
McGuigan, D.F. Service management operations for the AT&T Software Defined Network 87–34042
McGuigan, D.L. *see* Van Arsdall, P.J. 85–18998
McGuigan, J. Single-chip computer with serial architecture 85–6341
McGuigan, J. The M6805 family: trends and applications [single chip microcomputer] 86–27336
McGuigan, J., Ceruti, E. MC6804P2: a new single chip microcomputer from Motorola 85–33930
McGuigan, S., Thomas, R.N., Barrett, D.L., Eldridge, G.W., Messham, R.L., Swanson, B.W. Growth and properties of large-diameter indium lattice-hardened GaAs crystals 87–10354
McGuigan, S. *see* Barrett, D.L. 85–39694
McGuiness, P.J., Harris, I.R., Rozendaal, E., Ormerod, J., Ward, M. The production of a Nd-Fe-B permanent magnet by a hydrogen decrepitation/attritor milling route 87–10515
McGuiness, R. *see* Paraboni, A. 86–17287
McGuiness, S. The NEWSHAWK mobile earth terminal for satellite news gathering 86–11022
McGuinness, D. *see* Suckling, C.W. 85–37001
McGuinness, G. *see* Clune, L. 85–31088
McGuinness, J. Time discrimination for RCDs 85–21258
McGuinness, P.J. *see* Work, G.S. 86–8249
McGuinness, P.W. Fuel assembly cooling experience at the FFTF IEM cell 86–25808
McGuinness, P.W. *see* Hicks, D.F. 86–25806
McGuinness, R. A knowledge based colour graphics display system for multi-parameter weather radar data 88–61639
McGuinness, R., Bebbington, D.H.O., Holt, A.R. Modelling propagation effects in the use of *S*-band polarisation-diversity radars 88–4073
McGuinness, R. *see* Bebbington, D.H.O. 88–4074
McGuinness, R. *see* Holt, A.R. 85–41617
McGuire, C. *see* Sango, M. 88–71123
McGuire, C.B. *see* Blumstein, C. 88–36775
McGuire, D. Panel meters [buyer's guide] 88–53749
McGuire, D.J. *see* Saari, V.R. 87–62754
McGuire, E. 0.1% ultra-uniformity in electrostatically scanned ion implantation systems 87–60282
McGuire, E.J., Matzen, K., Spielman, R., Palmer, M.A., Hammel, B.A., Hansen, D.L., Hussey, T.W., Hsing, W.W., Dukart, R.J. The Sandia X-ray laser program 87–7233
McGuire, E.J., Matzen, K., Spielman, R., Palmer, M.A., Hammel, B.A., Hansen, D.L., Hussey, T.W., Hsing, W.W., Dukart, R.J. The Sandia X-ray laser program 87–12374
McGuire, G.A. *see* Mirchandani, G. 87–61981
McGuire, G.E. *see* Hurt, N.H., Jr. 87–23076
McGuire, G.E. *see* Smith, K.K. 85–45833
McGuire, J.L. *see* Jackson, R.L. 87–52199
McGuire, K., Strait, J., Kuchnir, M., McInturff, A. Cryogenic instrumentation of an SSC magnet test stand 88–39848
McGuire, K. *see* Buchenauer, D. 88–22979
McGuire, M. *see* Shen, Y.D. 88–20086
McGuire, P.A. *see* Callaghan, W.T. 87–4927
McGuire, R.J. *see* Collins, B.E. 87–48857
McGuire, T.K. *see* Yaney, D.S. 86–46853
McGuirk, J. *see* Taylor, R. 86–19165
McGuirk, W.J. *see* Lepley, T.C. 86–39637
McGurgan, P.L. Potential hazard to cardioversion patients 85–20967
McGurn, J.S. *see* Kyrala, G.A. 87–14147
McGurn, J.S. *see* Veeser, L.R. 88–42129
McGurrin, M., Gully, W.J. Simple resonator for 300-MHz NMR experiments 85–22989
McGurrin, M.F. *see* Wang, P.T.R. 86–37555, 86–59634
Mach, I.E. *see* Grin'ko, T.D. 87–70193
Mach, J. Synthesized inductance as a band-stop and band-pass filter 88–70900
Mach, J., Podubecky, J. An acoustic coupler for data collection 88–35871
Mach, R. Electroluminescence in polycrystalline semiconductors 87–2036
Mach, R., Muller, G.O. Nonlinearities in the Mn^{2+} system saturating the electroluminescence of ZnS thin film devices 85–35644
Mach, R., Muller, G.O. ZnS:Mn in polycrystalline electroluminescence thin film display 88–36152
Mach, R., Schrottke, L., Mueller, G.O., Reetz, R., Krause, E., Hildisch, H. The counterplay between brightness and contrast in electroluminescence devices 88–42204
Mach, R. *see* Hartmann, H. 87–73075
Mach, R. *see* Muller, G.O. 86–44358, 86–53350, 88–33888, 88–36155
Macha, I. *see* Turkova, M. 88–64235
Machac, J. Impulse response of partially depleted *p-i-n* photodiode 86–54042
Machac, J. A simplified analysis of the injection semiconductor laser 88–27184
Machac, J., Machac, P., Misek, J. The model of a stripe-geometry injection laser 87–7328
Machac, J., Misek, J. Partially depleted p-i-n photodiode under transient excitation 86–15566
Machac, J., Misek, J. Transmission characteristics of the PIN photo diode 86–48277

Machac, J., Misek, J. Output parameters and transfer characteristic of the p-i-n photodiode 87−46674
Machac, J. *see* Misek, J. 87−46679
Machac, P., Myslik, V. Electronics for the investigation of semiconductor laser aging 87−33162
Machac, P. *see* Machac, J. 87−7328
Machac, R. Lubrication techniques to allow placement of long lengths of innerduct and fiber optic cable in a conduit 87−8285
Machacny, J. Power line impedance calculation using harmonic components 86−65697
Machado, A. *see* Roth, A.P. 87−254
Machado, F.L.A., Clark, W.G. Ripple method: an application of the square-wave excitation method for heat-capacity measurements 88−74618
Machado, H.B. Spherocardiogram: new information displayed by computer data explication from Frank ECG 86−32338
Machado, J.R.S. *see* Rapoport, N. 88−50555
Machado, R.M. *see* Wruck, W.J. 87−56572
Machado, S.Abrantes *see* Abrantes Machado, S.
Machado, V.Malo *see* Malo Machado, V.
Machaidze, Z.A. *see* Tushishvili, M.A. 85−24355
McHail, R. *see* Martens, A. 85−4425
Machain, J.M.Rebollar *see* Rebollar Machain, J.M.
Machala, C. *see* Yang, P. 86−46446
Machala, C.F., III, Pattnaik, P.C., Yang, P. An efficient algorithm for the extraction of parameters with high confidence from nonlinear models [MOS devices] 86−47575
McHale, A. *see* Bull, D.A. 85−57070
McHale, A. *see* Humphrey, E.D. 85−4685
McHale, D. Call accounting systems meet the microcomputer 85−42176
McHale, F.A. *see* Kalvaitis, A.N. 85−5017
McHale, F.A. *see* Taylor, B.J. 85−32399
McHale, P.F. *see* Dodson, W.B. 86−61234
McHale, T. *see* Poe, R. 88−34917
McHale, T.L. *see* Nehl, T.W. 85−65276
Machalica, P. *see* Kern, J. 88−1605
Machalica, P. *see* Porebski, S. 86−9221
Machan, J., Kurtz, R., Bass, M., Birnbaum, M., Kokta, M. Simultaneous, multiple wavelength lasing of (Ho,Nd):$Y_3Al_5O_{12}$ 88−8157
Machan, J. *see* Briza, J. 86−52235
Machan, J. *see* Shi, W.Q. 88−8156
Machanda, L. Inversion layer mobility of MOSFETs fabricated with NMOS submicrometer technology 85−12294
Machant, L.D. *see* Vanner, M.J. 87−57676
McHardy, C.P., Fitzgerald, A.G. An analytical electron microscopic study of the dry formation of Cu_2Se-CdSe heterojunctions 87−9867
McHardy, C.P. *see* Fitzgerald, A.G. 87−11433
McHardy, J. *see* McCreery, D.B. 88−10303
McHarg, M.G. *see* Leung, K.N. 88−4777
McHarris, W.C. InSb as a γ-ray detector 86−32167
Machatschek, K.-H. Aerial systems in modernized residential buildings 88−8577
Machavariani, S.Z. *see* Berozashvili, Yu.N. 88−36195
Machavariani, S.Z. *see* Buachidze, Z.E. 86−22187
Machcinski, S.A. *see* Cantor, M.S. 86−58093
Machczynski, W. Potentials and currents along an earthed buried cable exposed to electromagnetic effects of a power line under fault condition 86−15940
Machczynski, W. Potential and current distribution along an underground conductor earthed at the end points 87−57653
Machczynski, W. Potential distribution along Earth return circuits exposed to the induction field of a power line 88−2487
Machczynski, W. *see* Haubrich, H.-J. 87−57688
Macheboeuf, G. New architecture for analogue television vision mixers 87−13928
Machefert-Tassin, Y., Gache, A. Electric traction using brushless motors (induction motors and synchronous motors) 85−60492
Machefert-Tassin, Y., Gache, A. Electric traction using motors without commutators: asynchronous and synchronous motors 86−33791
Macheikene, A.B., Preikshaite, R.K., Kaikarene, Z.A. Influence of polymer additives in chromating solutions on corrosion resistance of Zn coatings 88−12087
Machekhin, Yu.P. *see* Zaitsev, V.P. 88−65586
Machell, F. *see* Devroye, L. 85−51693
Machen, D.R. *see* Nelson, R.O. 85−43308, 86−56071
McHenry, C.W., Brocato, R.C., Pullin, W.T. The Quality Teams Program 87−23380
McHenry, E., Kafadar, K. Statistical calibration assures accurate vector [calibration of vector-modulation analyser] 88−47449
McHenry, E.D. A wideband FM subsystem for a low-noise synthesizer module 88−29474
McHenry, E.D. *see* Jensen, J.E. 88−29472
McHenry, G. *see* Willett, D.R. 87−30991
McHenry, J.A. *see* Deckman, H.W. 88−39311
McHenry, K.D., Koepke, B.G. Mechanical reliability of Z5U multilayer capacitors 87−24503
McHenry, K.D. *see* Harrison, W.B. 87−53838
McHenry, K.D. *see* Koepke, B.G. 87−67628
McHenry, M.A., Chang, D.C. Coupled-mode theory of two nonparallel dielectric waveguides [directional coupler analysis application] 85−13180
Machesney, B. *see* Bronner, G.B. 88−70777
Machesney, B. *see* Lu, N. 86−46859
Machesney, B.J. *see* Lu, N.C. 87−10855
Machet, J. *see* Caluyo, F. 88−18746
Machet, J. *see* Celerier, A. 88−32682
Machet, J. *see* Saulnier, P. 85−438
Machi, F. *see* Bravin, O. 86−61360
Machi, O. *see* Bonnet, M. 86−37019
Machi, S., Schwarz, J., van Nielen, N.S. Short-circuit currents in the interconnecting network of Western Europe 88−54954
Machi, S. *see* Suzuki, M. 87−6556
Machi, Y. *see* Mutsukura, N. 86−34361, 87−5438, 87−16669
Machiarella, G., Cavalieri d'Oro, E. A model for computer-aided design of broad-band stripline circulators 88−25431
Machias, A.V. Analysis of transient stability of a multimachine power system using a variable gradient Lyapunov function 86−39001
Machias, A.V. Improved Lyapunov function for synchronous machine transient stability study 87−42823
Machias, A.V. An extension of delta method to synchronous machine transient stability study 88−30674
Machias, A.V., Dialynas, E.N. Computer modelling of energy systems incorporating wind generating units 86−33245
Machias, A.V., Dialynas, E.N., Papageorgiou, C.D. Application of an optimal control reduction algorithm to a power system 88−68781
Machias, A.V., Papadias, B.C. Analogue computer simulation and phase space study of a synchronous machine with flux-decay effect transient stability 86−19234
Machias, A.V., Papadias, B.C. Fast determination of stability regions for transient power-system studies by the second method of Lyapunov 87−30008
Machias, A.V., Papadias, B.C. Synchronous machine transient stability region considering second-order governor action 87−42897
Machias, A.V., Souflis, J.L. Unstable machine identification in power systems transient stability studies 87−35557
Machias, A.V., Souflis, J.L., Dialynas, E.N. Power system stability evaluation using a fuzzy classification method 87−57502
Machias, A.V. *see* Bourkas, P.D. 88−62515
Machias, A.V. *see* Dialynas, E.N. 86−18669, 87−42893, 87−43298, 87−57550, 88−42734, 88−61878
Machias, A.V. *see* Souflis, J.L. 87−21887, 87−57600
Machida, E., Miyazaki, J., Sugaya, N., Murakami, K., Shimura, T., Hayashi, H. Image interpolation for real-time compound dual sector scans 86−11972
Machida, H., Hanamitsu, K., Miura, S. Optical semiconductor devices 87−28564
Machida, H., Kobayashi, H., Akedo, J., Sawada, K., Yasukawa, T., Lino, R. Optical rotary connector 88−72004
Machida, H., Momose, H. High-accuracy A3-size XY plotter 88−4539
Machida, H., Ohmi, F., Sawada, Y., Kaneko, Y., Watada, A., Nakamura, H. Magneto-optical properties and thermomagnetic recording of M-type Ba-ferrites 86−35984
Machida, H. *see* Kobayashi, F. 88−63144
Machida, H. *see* Makiuchi, M. 85−56457
Machida, H. *see* Miura, S. 85−35658
Machida, H. *see* Nakamura, H. 87−60795
Machida, H. *see* Shirai, T. 88−45307
Machida, H. *see* Wada, O. 85−46295, 86−9707
Machida, H. *see* Watada, A. 87−53887, 88−51592
Machida, K. Study on control of ion engine system 85−48446
Machida, K., Chiba, S., Iwanaga, Y., Tanaka, S. Auto-handler machine for IC tester 88−12852
Machida, K., Oikawa, H. SiO_2 planarization technology with biasing and electron cyclotron resonance plasma deposition for submicron interconnections 87−1421
Machida, K., Oikawa, H. A high aspect ratio and high throughput SiO_2 planarization technology with bias-ECR plasma deposition 88−7510
Machida, K., Toda, Y., Kudo, I., Nitta, K., Kitamura, S. Thermal aspects of ETS-III ion engine system 85−31905
Machida, K., Toda, Y., Kudo, I., Nitta, K., Kitamura, S., Wada, Y. Simulation analysis of ion engine system 85−31908
Machida, K. *see* Azuma, H. 85−31906
Machida, K. *see* Hashimoto, C. 87−23729
Machida, K. *see* Hirota, J. 86−14764, 87−1123
Machida, K. *see* Kobayashi, M. 87−11459
Machida, K. *see* Kudo, I. 85−31907, 85−31919
Machida, K. *see* Toda, Y. 85−31916
Machida, M. An overview of computer graphics in TV broadcasting 87−3271
Machida, M., Satoh, M. Trolley cable wear management by personal computers 86−66416
Machida, O. *see* Shigeyeda, Y. 85−3028
Machida, S., Kato, T., Fukumoto, S. Stabilizing characteristics of post-couplers 86−25034
Machida, S., Murasaki, K. The compatibility of a facsimile transmission with television broadcasting 88−3462
Machida, S., Yamamoto, Y. Observation of sub-Poissonian photoelectron statistics in a negative feedback semiconductor laser 86−36493
Machida, S., Yamamoto, Y. Quantum-limited operation of balanced mixer homodyne and heterodyne receivers 86−59903
Machida, S., Yamamoto, Y. Ultrabroadband amplitude squeezing in a semiconductor laser 88−34044
Machida, S., Yamamoto, Y., Itaya, Y. Observation of amplitude squeezing in a constant-current-driven semiconductor laser 87−39123
Machida, S. *see* Fukumoto, S. 86−24909, 87−41748, 88−53999
Machida, S. *see* Igarashi, Z. 87−14644
Machida, S. *see* Katayama, Y. 85−60500
Machida, S. *see* Kato, T. 87−14675, 87−14688, 87−41749
Machida, S. *see* Nilsson, O. 87−12341
Machida, S. *see* Sakai, J. 85−29607
Machida, S. *see* Suzuki, H. 86−58774
Machida, S. *see* Takasaki, E. 87−14639
Machida, S. *see* Yamamoto, Y. 87−54339
Machida, S. *see* Yanagawa, T. 86−15684
Machida, T. *see* Ishizuka, H. 88−21770
Machida, T. *see* Kobe, T. 87−16018
Machida, T. *see* Kusaka, H. 85−20322
Machida, T. *see* Matsumoto, K. 87−37421
Machida, T. *see* Shimamura, T. 88−54750
Machida, Y., Nakayama, N., Furuya, S., Yamamoto, S. Enhanced proximity-effect correction for VLSI patterns in electron-beam lithography 85−40813
Machida, Y., Nakayama, N., Yamamoto, S. A sub-micron electron-beam direct writing for 1 μm thick negative resist 85−50678
Machida, Y., Nakayama, N., Yamamoto, S. Analysis of pattern accuracy in submicrometer electron-beam direct writing 86−8922
Machida, Y., Nakayama, N., Yamamoto, S., Furuya, S. Proximity-effect correction for VLSI patterns in electron-beam lithography 86−2271
Machida, Y. *see* Sato, S. 86−67178, 87−687
Machida, Y. *see* Shibata, Y. 87−41244
Machiels, A.J. *see* Almerico, F. 86−19026
Machiels, A.J. *see* Roberts, J.T.A. 86−25762
Machihara, F. Carried traffic estimate errors for delay systems 85−46978
Machihara, F. $\Sigma GI^{[X(i)]}/M/S/K$ queues with mixed batch renewal inputs 86−66670
Machihara, F. $\Sigma GI^{[X}$i]/M/S/K queues with mixed batch renewal inputs 88−14853
Machihara, F. An extended equivalent random method for engineering networks with heterogeneous inputs 88−73410
Machihara, F., Ide, I., Usui, Y., Takahashi, Y. Individual overflow processes from the M_1, M_2/M_1, $M_2/S/S$ loss system 86−59447
Machihara, F., Usui, Y. Traffic engineering for loss systems having hyper-exponential holding times 87−69580
Machihara, F., Usui, Y., Takahashi, Y. Individual overflow processes from M_1, M_2/M_1, $M_2/S/S$ loss system 87−19988
Machii, M., Igarashi, Y., Sado, K. On finding the contour of a set of 3-dimensional ISO-oriented objects 87−16555
Machii, R. *see* Urao, R. 87−58972
Machimura, T. AC railway substation for Joetsu Shinkansen 85−5447
Machimura, T. *see* Takano, K. 88−76017
Machin, A.I. *see* Khokhlov, A.F. 87−74178
Machin, C.H.C. *see* Lawson, P.A. 85−54062
Machin, D.J., Ranasinghe, D.W., Proctor, G. A high speed signal averager for electron beam test systems 88−39585
Machin, D.J. *see* Ranasinghe, D.W. 88−39459
Machin, E. *see* Hofstadler, P. 86−14587
Machin, J.W., Brownhill, J., Furness, A. Thoracic impedance of adult males during defibrillation−a curious discrepancy 88−23084
Machin, K. *see* Richards, M.G. 88−33910
Machino, K. *see* Ise, M. 85−13903, 87−34020
Machiraju, N.Rao *see* Rao Machiraju, N.
Machitani, Y. *see* Nagao, M. 88−62459
Machiya, K. *see* Nagai, T. 86−13759
Machiya, T., Fukunishi, H., Ohmori, M., Takahashi, H. Trends of surface-mounted packages 88−18490
Machizaud, F. *see* Suran, G. 87−18475
Machizawa, A., Tanaka, M. Image data compression method based on interpolative DPCM by area decomposition 86−54555
Machizawa, A., Tanaka, M. Image data compression based on interpolative DPCM by area decomposition 87−47485
Machkhel'yants, Z.A. *see* Treiger, A.S. 87−4408
Machlin, R.N. Managing a local area network 85−19835
Machlitt, N., Assmann, W., Skorka, S.J. Measurement of breakdown characteristics of SF_6 insulated spark gaps at fast rising overvoltages 88−53974
Machlitt, N. *see* Munzer, H. 88−47764

Machmoum, M., Cherkaoui, M., Le Doeuff, R., Tachafine, M.Y. Operation of a doubly fed induction machine with minimised copper losses 88−43207
Machner, H. *see* Bojowald, J. 87−29478
Machnev, E.A. *see* Sidyakin, V.A. 86−26444
Machnik, K. *see* Uriot, P. 85−64064, 86−5140, 87−49609
Machnik, K. *see* van Eijkelenburg, H. 85−15049
Machnik, K. *see* von Eijkelenburg, H. 86−17877
Machnowska, Z. *see* Mejer, J. 86−60935
Macho, W. *see* Uslu, C. 85−25234
Machol, G.K. *see* Buckley, F. 87−17153
Machol, R.E. Evolution of No.2 Switching Control Center System 86−23622
Machol, R.E. *see* Blachman, N.M. 87−51936
Machold, H.-J. *see* Fricke, P. 88−44174
Machonkin, M. *see* Chen, I. 87−25219
Machonkin, M. *see* Steemers, H. 87−24905
Machorro, R. *see* Gibson, M. 86−15014
Machowski, J. Dynamic equivalents for transient stability studies of electrical power systems 86−18644
Machowski, J., Cichy, A., Gubina, F., Omahen, P. Modified algorithm for coherency recognition in large electrical power systems 87−71500
Machowski, J., Dabek, R. Filters for mine thyristor controlled locomotives with alternating current line feed 86−71170
Machowski, J., Gubina, F., Omahen, P. Power system transient stability studies by Lyapunov method using coherency based aggregation 87−71499
Machowski, J. *see* Cichy, A. 87−35576
Machowski, J. *see* Gubina, F. 88−5247
Machowski, T., Strzelec, M. A sealed-off waveguide CO_2 laser 85−12798
Machry, D. Wavesoldering and the airknife 87−16376
McHugh, A. Providing secure and reliable access for personal computers in process control 87−76395
McHugh, A.J. Increased resolution when using data compression technique 85−11129
McHugh, D.E., Tobias, R.J. Semiautomatic gage block measurement assurance implementation: NBS Monograph 163 type I system 86−65098
McHugh, J., Perl, Y. Small-large dynamic programming for trees 88−31651
McHugh, J. *see* Young, W.D. 87−61602
McHugh, J.O., Smith, B.D., Hunt, G.J., Thomas, R.E.G. The MAFF dry cloth collector programme for monitoring airborne radioactivity 86−56036
McHugh, J.P. *see* Campbell, R.B. 87−9746
McHugh, J.P. *see* Hopkins, R.H. 87−51461
McHugh, S. *see* Morrison, R.J. 88−68303
McHugh, S.W. *see* Foley, K.J. 88−68313
McHugh, S.W. *see* Gallinger, D.A. 88−53734
Machugovskii, V.S. *see* Timchenko, A.P. 88−49961
Machugovsky, N.B. *see* Iokhel'son, Z.M. 85−5496
Machui, J., Bourrin, P. Separate treatment of the gap in finite element analysis of recording heads 88−51330
Machulka, E.G. *see* Volkov, A.A. 85−47983
Machulka, G.A., Stel'makh, M.F., Uladinov, A.B. Laser technology in printed assembly plate production 86−22587
Machusak, D.A. *see* Cranston, B.H. 87−51871
Machusskii, E.A. Innovations in the training of radioengineers in the higher educational institutions of Great Britain 87−31172
Machusskii, E.A. Efficiency of matching circuits in solid state microwave oscillators 87−65903
Machusskii, E.A. Stabilizing the frequency of diode microwave oscillators 88−63914
Machusskii, E.A. *see* Kotserzhinskii, B.A. 88−63913
Machusskii, E.A. *see* Zinchenko, S.A. 87−65901
Machuzak, J.S. *see* Woskoboinikow, P. 85−29753
Maci, S.S. *see* Millanta, L.M. 88−75226
Maciak, J. *see* Braclawski, K. 86−60272, 86−67650
Maciak, T. Fabrication methods for periodic structures in integrated optics 85−2058
Maciak, T. Chirped gratings in integrated optics 86−15512
Maciak, T., Kruszewski, J. Review of integrated bistable optical devices construction 88−8011
Maciak, T. *see* Romaniuk, R.S. 88−7961
Macias, C.J. *see* Prime, J.B. 85−27105
Macias, C.J. *see* Prime, J.B., Jr. 85−15610, 85−48592, 86−51067
Macias, U.J., Skinner, J.P., Terzuoli, A.J. Numerical electromagnetics digested for student consumption [radar cross section computation methods] 87−34651
Macias-Garza, F., Bovik, A.C., Diller, K.R., Aggarwal, S.J., Aggarwal, J.K. Digital reconstruction of three-dimensional serially sectioned optical images 88−66617
Macias-Garza, F., Bovik, A.C., Diller, K.R., Aggarwal, S.J., Aggarwal, J.K. The missing cone problem and low-pass distortion in optical serial sectioning microscopy 88−66700
Maciejczyk, J. *see* Anderson, E. 88−5397
Maciejewksi, P.G., Bergmann, M., Litke, H.-D. Banking trade and new technologies. I 85−8094
Maciejewski, A. *see* Augustyniak, W. 88−58747
Maciejewski, P., Bergmann, M., Litke, H.-D. Videotex and microcomputers: what are the trends? 85−52019
Maciejewski, P., Handtrack, H., Bergmann, M., Litke, H.-D. Btx and controller [Bildschirmtext] 85−52017
Maciejewski, P.G. Bildschirmtext in banking 87−8007
Maciejewski, P.G. Telework—no revolution in sight 87−33884
Maciejewski, P.G. Expert medical information readily available 87−48537
Maciejewski, P.G. 'Multis' for the third evolution 87−55855
Maciejewski, P.G. The implications of wideband communications 87−76066
Maciejewski, P.G., Bergmann, M., Litke, H.-D. New technologies in the credit system. III 85−19737
Maciejewski, P.G., Bergmann, M., Litke, H.-D. New technologies in the credit business. V 85−36776
Maciejewski, P.G., Bergmann, M., Litke, H.-D. New technologies in credit handling systems. IV 85−42210
Maciejewski, P.G., Bergmann, M., Litke, H.-D. New technologies in the credit industry. VI 85−42211
Maciejewski, P.G., Bergmann, M., Litke, H.D. New technologies in the credit business. II 85−8097
Maciejko, R. Fiber optics for local area networks 85−19836
Maciejko, R. *see* Belanger, M. 88−33769
Maciejko, R. *see* Iraj Najafi, S. 88−39957
Maciel, A.C., Maly, P., Ryan, J.F. Simultaneous modelocking and Q-switching of a $Co{:}MgF_2$ laser by loss-modulation frequency detuning 87−33131
Maciel, A.C. *see* Fox, A.M. 86−68507
Maciel, J.J., Felsen, L.B. On Gaussian discretization of radiation from distributed aperture fields [antennas] 88−2758
Maciel, P.A. *see* Chow, T.P. 87−67101
Maciel Barbosa, F.P. *see* Pecas Lopes, J.A. 87−57474, 88−5243, 88−36746
McIlhagger, D.S. *see* Whittaker, T.J.T. 85−15922
McIllroy, J. *see* Kokke, R. 88−54302
McIllwaine, S.A., Tindall, C.E., McClay, W. Frequency tracking for power system control 86−39036
McIlrath, T.J. *see* Bonin, K.D. 85−7514, 85−41457
McIlrath, T.J. *see* Bridges, J.M. 87−14810
McIlrath, T.J. *see* Clark, C.W. 86−42485
McIlrath, T.J. *see* Ginter, M.L. 88−16663
McIlrath, T.J. *see* Morris, M.B. 85−12927
McIlroy, C.D., Linggard, R., Monteith, W. Edge detection in real-time 85−36323
McIlroy, C.D., Monteith, W., Linggard, R. Real-time edge detection for image processing 85−36449
McIlroy, P. *see* Aitchison, J.S. 87−75228, 88−2386
McIlroy, P. *see* Korenberg, M. 88−45840
McIlroy, P.W.A., Furuyama, H., Mashita, M., Ashizawa, Y., Uematsu, Y. Optimum design and performance of GaAlAs/GaAs MQW lasers with very thin wells 85−46418
McIlroy, P.W.A., Kurobe, A., Uematsu, Y. Analysis and application of theoretical gain curves to the design of multi-quantum-well lasers 86−29150
McIlroy, P.W.A., Rodgers, P.M., Singh, J.S., Spurdens, P.C., Henning, I.D. Low-loss single-mode InP/InGaAsP waveguides grown by MOVPE 87−53984
McIlroy, P.W.A. *see* Rodgers, P.M. 87−74866
McIlvenna, J.F. Monolithic phased arrays for EHF communications terminals 88−40732
McIlwain, M.E., Smartt, H.B., Stewart, J.A., Einerson, C.J. Characterization of the heat source distribution of a typical GTAW welding arc 85−52896
McIlwain, M.E. *see* Deason, V.A. 86−3345
McIlwain, R.L. *see* Taylor, D.J. 88−66173
McIlwraith, G. Meeting world standards for EMI shielding 85−16802
McIlwrick, G.M. User experience with AC drives in the oil industry 86−71169
Macina, A.J. *see* Kolkhorst, B.G. 88−74929
McInally, I.A. *see* Dearlove, M.J. 88−59500
McInerney, E.J. An in situ planarized PECVD silicon dioxide interlayer dielectric 87−1705
McInerney, E.J., Avanzino, S.C. A planarized SiO_2 interlayer dielectric with bias-CVD 87−45786
McInerney, E.J. *see* Fuhs, C. 87−5495
McInerney, F. Picking winners in switching 87−48811
McInerney, J., Fice, M.J., Ahmed, H. Formation of microgratings for III-V semiconductor integrated optoelectronics by high-voltage electron-beam lithography 87−18866
McInerney, J., Reekie, L., Bradley, D.J. Bistability and instability in the output of a twin GaAs/GaAlAs diode external cavity ring laser 85−29842
McInerney, J., Relkie, L., Bradley, D.J. Bandwidth-limited picosecond pulse generation by hybrid mode-locking in a ring cavity GaAlAs laser 85−24632
McInerney, J. *see* Heffernan, D.M. 86−22505
McInerney, J. *see* O'Gorman, J. 88−51854
McInerney, J. *see* Phelan, P. 87−26380
McInerney, J.G. Bistable optoelectronic devices 88−51943
McInerney, J.G., Heffernan, D.M. Optical bistability in semiconductor injection lasers 87−33171
McInerney, J.G. *see* Raja, M.Y.A. 88−72234
McInerney, J.G. *see* Seo, D.S. 88−58600
McInerney, J.J. *see* Herr, M.D. 88−10350
McInerney, M., Kyker, G.C., Jr. Interactive video discs at the Rose-Hulman Institute of Technology 88−24401
McInerney, M.F., Kyker, G.C., Jr. Computer assisted instruction of laboratory error analysis 88−24479
McInnes, A.A., Wilson, A.D. A novel method for spatial profiling of laser beams 87−46956
McInnes, A.W. *see* Loi, S.L. 85−5937
McInnes, F.R., Jack, M.A. Reference template adaptation in speaker-independent isolated word speech recognition 88−14608
McInnes, F.R., Jack, M.A., Laver, J. Comparative study of time segmentation and segment representation techniques in a DTW-based word recognizer 86−48836
McInnes, G. *see* Keddie, A.W.C. 85−48481
McInnes, J.A., Butcher, P.N. Numerical calculations of variable-range hopping in one-dimensional MOSFETs 86−2180
McInnes, P. *see* Arnault, C. 87−14216
McInnis, B. *see* Ming-Liang Lin 85−33337
McInnis, B.C., Cheng, J.K., Guo, Z.W., Lu, P.C., Wang, J.C. Adaptive control system for the total artificial heart 86−12035
McInnis, B.C., Lu, P.C., Wang, J.C. Control strategies for artificial hearts and assist devices 85−38227
McInnis, B.C. *see* Guo Zhongwei 88−30042
McInnis, B.C. *see* Sneij, G. 87−42008
McInnis, B.C. *see* Wang, J.C. 87−63836
McInnis, D.A. *see* Badley, D.E. 86−6240
McInroy, G.B. *see* Keeble, D.J. 86−37200
Macintire, D.L., Googe, J.M. Analysis of nonlinear *RC* op-amp oscillators using phase space techniques 87−10727
McIntire, G.L., Brucker, C.F. Cobalt chromium perpendicular magnetic recording media: a corrosion study 88−71879
McIntire, L.V. *see* Hubbell, J.A. 86−56109
McIntosh, A.I. *see* Ainsworth, M.D. 88−72270
McIntosh, A.I. *see* Kunnemeyer, R. 88−27110
McIntosh, A.I. *see* McLucas, C.W. 86−63756, 87−54232
McIntosh, B. *see* Marriage, A.J. 86−20986
McIntosh, C. *see* Swartz, W.P. 87−1773
McIntosh, D.J. *see* Sangster, A.J. 85−41677 to 41678
McIntosh, F.G. *see* Deans, N.D. 85−5675
McIntosh, G. *see* Proskurnicki, J. 88−68804
McIntosh, G.B. *see* Colantonio, A. 88−67897
McIntosh, G.E. SMES cryogenic developments 85−49129
McIntosh, G.E., Abdelsalam, M.K., Boom, R.W., Eyssa, Y.M. Magnetic suspension and balance system (MSBS) advanced study. II. Superconducting solenoid and magnetic wings for wind tunnel models 87−71233
McIntosh, G.E., Eyssa, Y.M., Abdelsalam, M.K., Boom, R.W., Gallagher, T.A., Poirier, R.N., Shah, J.M., Bilton, J.R., Garrity, T.F., Hilal, M.A. Protection system for superconducting magnetic energy storage (SMES) 88−49170
McIntosh, G.E. *see* Boom, R.W. 85−64657, 87−38710, 87−71232
McIntosh, G.E. *see* Eyssa, Y.M. 86−42190, 88−37629
McIntosh, G.E. *see* Huang, X. 88−51404
McIntosh, G.E. *see* Waynert, J. 85−60454
McIntosh, J.L., Harrison, T.D. Program controlled force measurement and control 88−75579
McIntosh, J.S. *see* Schmidt, E.M. 88−23117
McIntosh, M.D. Performance indicators focus attention on improvement [nuclear power stations] 88−62081
McIntosh, M.J. *see* Ellul, W.M. 85−38832
MacIntosh, P.M. *see* Cooper, P.V. 86−68176
McIntosh, P.T., La Touche, M.C.D. Cost sharing in a multi-purpose water project 85−38903
McIntosh, R.B. Justification for infrared microimaging in the design, manufacture, test and screening of semiconductor microcircuits 88−1741
McIntosh, R.B., Jr., Hughes, G.P., Kreuzer, J.L., Conti, G.R., Jr. X-ray step-and-repeat lithography system for submicron VLSI 87−11914
McIntosh, R.E., Narayanan, R.M., Mead, J.B., Schaubert, D.H. Design and performance of a 215 GHz pulsed radar system 88−60239

McIntosh, R.E., Swift, C.T., Raghavan, R.S. Ocean current measurements from space 85—32014
McIntosh, R.E., Swift, C.T., Raghavan, R.S., Baldwin, A.W. Measurement of ocean surface currents from space with multifrequency microwave radars—a system analysis 85—26912
McIntosh, R.E. *see* Borel, C.C. 87—57437
McIntosh, R.E. *see* Kanaglekar, N.G. 87—36939, 88—38367, 88—56901
McIntosh, R.E. *see* Narayanan, R.M. 88—61610
McIntosh, R.E. *see* Pozar, D.M. 85—24979
McIntosh, R.E. *see* Raghavan, R.S. 85—26913, 86—25438
McIntosh, R.E. *see* Schaubert, D.H. 85—13239
McIntosh, T.F. Transmission engineering for lightwave premises applications 86—55319
McIntosh, T.F. *see* Shinnick, W.J. 85—52375, 85—58127
McIntosh, W. *see* Williamson, C.E. 87—42508
McIntosh Shand, R. Data communication for the integrated workstation 86—30529
McInturff, A., Schmidt, E., Hanft, R., Ishibashi, K., Lundy, R., Mantsch, P., Carson, J., Snowdon, S., Engler, N., Niemann, R. 20 TeV collider dipole design possibilities 85—26566
McInturff, A. *see* Dahl, P. 86—44521
McInturff, A. *see* Huson, F.R. 85—26567
McInturff, A. *see* Johnson, M. 85—26646
McInturff, A. *see* McGuire, K. 88—39848
McInturff, A. *see* Strait, J. 87—74617, 88—54294, 88—68133
McInturff, A.D., Bossert, R., Carson, J., Fisk, H.E., Hanft, R., Kuchnir, M., Lundy, R., Mantsch, P., Strait, J. The 5 cm aperture dipole studies 87—70937
McInturff, A.D., Carson, J., Engler, N., Fisk, H., Hanft, R., Lundy, R., Mantsch, P., Nicol, T., Niemann, R., Schmidt, E., Szymulanski, A. Model magnet studies 85—64386
McInturff, A.D., Carson, J.A., Fisk, H.E., Erickson, R.A. The magnetic properties of the SLC intersection region superconducting quadrupole triplets 88—68159
McInturff, A.D., Lundy, R.A., Remsbottom, R., Wake, M. I_c(H, T) measurements for multi-kiloampere superconducting magnet conductor 85—59031
McInturff, A.D. *see* Fisk, H.E. 86—31827
McInturff, A.D. *see* Ige, O.O. 88—68170
McInturff, A.D. *see* Kuchnir, M. 87—70931
McInturff, A.D. *see* Lundy, R.A. 86—25059
McInturff, A.D. *see* Niemann, R.C. 85—37848, 85—59034
McInturff, D. *see* Rogers, D.L. 88—42100
McInturff, D.T. *see* Warren, A.C. 88—13194
McInturff, K. *see* Richards, W.F. 87—39445
MacIntyre, A., Stein, S.R. A disciplined rubidium oscillator 87—25741
McIntyre, A. *see* James, W. 85—15689
Macintyre, A. *see* Stein, S.R. 87—63209
McIntyre, C. Teletext should be fun: text & graphics as entertainment 85—25426
MacIntyre, C. The Sirius-100 digital audio memory 87—70325
McIntyre, C. *see* Sharma, B. 86—49950
McIntyre, D. *see* Chang, Y. 88—56964
McIntyre, D. *see* Ito, C. 88—70655
McIntyre, D. *see* Kay, R. 88—29378
MacIntyre, D., Jr PWM motor control from CMOS logic signals 86—46530
McIntyre, D.H., Hansch, T.W. Precision measurements of the Rydberg constant 88—67633
MacIntyre, D.J., Jr. Motor control applications of second generation IGT power transistors 86—35731
Macintyre, D.J., Jr. The application of IGT transistors in motor control 87—45136
Mcintyre, D.R., Pechura, M.A. Data compression using static Huffman code-decode tables 85—51541
McIntyre, E.K. *see* Miller, J.P. 88—68245
McIntyre, G.J. *see* Stansfield, R.F.D. 85—64492
McIntyre, I. *see* Leadbeater, M.L. 88—64264
McIntyre, I. *see* Schwarzenbach, A.P. 87—12414
McIntyre, I. *see* Thoms, S. 88—39102
McIntyre, I.A., Boyer, K., Rhodes, C.K. Shortening of KrF* laser pulses using stimulated Brillouin scattering 88—14280
McIntyre, I.A., Boyer, K., Rhodes, C.K. Tunable hybrid mode-locked dye laser operating in the range 735-70 nm 88—58631
McIntyre, I.A., Dunn, M.H. Measurement of the temperature dependence of refractive index of dye laser solvents 85—18886
McIntyre, I.A., Dunn, M.H. Dual wavelength dye laser incorporating distributed feedback 85—62530
McIntyre, I.A., Dunn, M.H. Line narrowing of a distributed feedback dye laser using external frequency selective feedback 85—62531
McIntyre, I.A., Lusty, M.E., Dunn, M.H. Linewidth-determining processes in distributed feedback dye lasers 88—40304
McIntyre, I.A., Schwarzenbach, A.P., Luk, T.S., McPherson, A., Boyer, K., Rhodes, C.K. High power subpicosecond KrF* laser system 87—33110
McIntyre, I.A. *see* Budil, K.S. 88—8249
McIntyre, I.A. *see* Hutchinson, M.H.R. 87—26500
McIntyre, I.A. *see* Jara, H. 87—26265
McIntyre, I.A. *see* Luk, T.S. 87—46784, 88—8134
McIntyre, I.A. *see* Schwarzenbach, A.P. 86—68462
Macintyre, I.B. High speed photographic analysis of railgun plasmas 86—11461
McIntyre, J. Nucla upgrades to 110 MW 86—33145
McIntyre, J., Belshaw, D. The SULTAN customer line test network—system description 85—63403
McIntyre, J. *see* Eberhart, R.C. 87—63730
McIntyre, J. *see* Summers, E. 87—58583
McIntyre, J.A., Sprosst, R.L., Wang, K.-H. Construction of a positron emission tomograph with 2.4 mm detectors 86—50491
McIntyre, J.M., Ciecior, L., Kaspar, A., Castrop, D. Distributed intelligence in load control: results of an experiment using demand limiting devices for residential load control 85—48580
McIntyre, J.R. US-People's Republic of China technology transfer: implications for the 1980s 86—7451
McIntyre, J.R. *see* Hickin, K.L. 85—30847
McIntyre, J.W.R. *see* Stanford, L.M. 88—61223
McIntyre, L.A. *see* Reilly, T.S. 88—21146
McIntyre, L.C., Jr. *see* Gregory, R.B. 87—11341
McIntyre, L.C., Jr. *see* Krause, S.J. 87—6569
McIntyre, L.C., Jr. *see* Wilson, S.R. 87—60283
McIntyre, M. Quality on display [CRTs] 87—63279
McIntyre, M.C., Boegeman, D.E. A new sound velocity measurement system 88—5195
McIntyre, N., Wright, S.J. Characterization of bias sputtered metallization for IC technology 85—34881
McIntyre, N., Wright, S.J. Self aligned silicide interconnection technology for CMOS ICs 87—1797
McIntyre, N.S. *see* Braun, J.M. 85—35254
McIntyre, N.S. *see* Charenton, J.-C. 88—24138
McIntyre, N.S. *see* Chu, F.Y. 88—43338
McIntyre, P. *see* Cihangir, S. 88—47983
McIntyre, P. *see* DiBitonto, D. 87—50027, 87—56973
McIntyre, P. *see* Huson, F.R. 86—31828
McIntyre, P.M., Neuffer, D., Schmidt, W. The three ring circus 86—31907
McIntyre, P.M., Raparia, D., Swenson, C.A. The ribbon lasertron 88—54067
McIntyre, P.M. *see* Bizek, H.M. 88—16586, 88—57256
McIntyre, P.M. *see* Colvin, J.C. 88—68232
McIntyre, R. *see* Gerischer, H. 85—55611
McIntyre, R. *see* Solomun, T. 86—47483
McIntyre, R.J. Recent developments in silicon avalanche photodiodes 87—7221
McIntyre, R.J., Lightstone, A.W., Levine, B.F. Comment on 'Near room temperature 1.3 μm single photon counting with an InGaAs avalanche photodiode' [by B.F. Levine et al., with reply] 85—7319
McIntyre, R.J., Watts, K.W., Cullen, R.N. Cogeneration and the sugar factory 85—49236
McIntyre, R.J. *see* Lecomte, R. 85—43219
McIntyre, R.J. *see* Lightstone, A.W. 86—50495
McIntyre, R.J. *see* Trakalo, M. 88—4426
McIntyre, R.J. *see* Webb, P.P. 85—2149, 88—45304
McIntyre, S. Demystifying new generation silicon high power FETs 85—1607
McIntyre, S.M. Testing 10 bit A/D converter with a digital VLSI tester 87—31967
McIntyre, S.M. *see* Feugate, R.J., Jr. 86—45968, 88—43574
McIntyre, T.J. *see* Liming, J.K. 88—11098
McIntyre, W. *see* Estes, J.B. 88—53727
MacIntyre, W.J. *see* Feiglin, D.H. 85—38094
MacIsaac, B.D. *see* Saravanamuttoo, H.I.H. 85—4974
Maciulaitis, C. *see* Puritis, T. 88—39106
MacIver, B.A., Jain, K.C. j-MOS transistors fabricated in oxygen-implanted silicon-on-insulator 87—32523
MacIver, B.A., Jain, K.C., Valeri, S.J. Bidirectional blocking junctions in SOI 88—13071
Maciver, D. A neck boom microphone for mobile use 87—34450
Maciver, D. A design for a desk microphone with automatic gain control 88—35362
MacIver, D. *see* Carbone, R.M. 87—77139
MacIver, J. Advances in high speed functional testing of VLSI boards and modules 88—64069
McIver, J.C. *see* McNutt, W.J. 86—51709
McIver, J.K., Guenther, A.H. Considerations for the choice of optics for high power laser applications 87—46948
McIver, J.K. *see* Becker, W. 85—29863, 85—51207, 87—7391, 87—12517, 87—26446, 88—27192, 88—45472
McIver, J.K. *see* Lange, M.R. 85—7505
McIver, J.K. *see* Zubairy, M.S. 85—29934, 87—68627
McIvor, B. Use of EEPROM technology in smart card 86—41120
McIvor, R. Smart cards 86—14104
Mack, A. *see* Wohnhas, S. 88—31470
Mack, A.G. *see* Anderson, G.W. 88—65460
Mack, B., Bayoumi, M.M. An ultrasonic obstacle avoidance system for a Unimate Puma 550 robot 86—44832
Mack, C.A. PROLITH: a comprehensive optical lithography model 86—15009
Mack, C.A. Advanced topics in lithography modeling 87—11904
Mack, C.A. Development of positive photoresists 87—38018
Mack, C.A. Contrast enhancement techniques for submicron optical lithography 88—7409
Mack, C.A. Dispelling the myths about dyed photoresist 88—33108
Mack, C.A. *see* Hershel, R. 88—57564
Mack, G., Gould, G. CFB boiler designs address project-specific requirements 88—37036
Mack, G., Mertens, G., Tornow, W. Fast neutron scattering from hydrogen and carbon 85—59227
Mack, G.A., Jain, V.K. A compensated-Kalman speech parameter estimator 86—16237
Mack, G.A., Jain, V.K. Bayesian deconvolution of speech containing pulsed excitation 86—16239
Mack, I. *see* Sleger, K. 85—29306, 87—6799
Mack, I.A. *see* Yao, C.T. 86—47579, 87—60505
Mack, I.A.G. *see* Anderson, G.W. 88—25025
Mack, I.A.G. *see* Modolo, J.A. 88—74398
Mack, J.M., Jain, M., Jordan, T.M. Monte Carlo simulation of gas Cerenkov detectors 85—43244
Mack, J.M. *see* Hsu, H.H. 85—43193
Mack, J.M. *see* Hughes, T.P. 88—54203
Mack, M. Solar power for telecommunications—the last decade 85—65360
Mack, M. Tax legislation and the electricity economy 1985 86—32621
Mack, M. Tax legislation and the electricity economy 1986 87—30041
Mack, M., Cruise, R. Diesel alternators and thyristor rectifiers—potentially unstable partners 88—30838
Mack, M. *see* Drentje, A.G. 88—74702
Mack, M. *see* Guerra, M. 85—34772
Mack, M.E. Wafer cooling in ion implantation 85—45554
Mack, M.E. Wafer cooling in ion implantation 85—50394
Mack, M.E., Ryding, G., Douglas-Hamilton, D.H., Steeples, K., Farley, M., Gillis, V., White, N., Wittkower, A., Lambracht, R. Wafer charging and beam interactions in ion implantation 85—34800
Mack, M.E. *see* White, N. 85—34820
Mack, R. Looking at fiberoptic power meters 85—62332
Mack, R. Data links show performance increases as high-speed market begins to shape up 86—37882
Mack, R. Fiber sensors provide key for monitoring stresses in composite materials 87—74714
Mack, R. Talking to the host [PC-to-mainframe connections] 88—15112
Mack, R. InGaAs photodiodes for long-wavelength fiberoptic communications 88—33879
Mack, R., Tebo, A. 186: a year of transition for fiberoptics technology 87—20506
Mack, R.M. *see* Millar, P.C. 86—36987
Mack, S.S. *see* Schrenker, R.A. 88—48257
Mack, W. A single chip video controller for multifunction domestic terminals 86—37446
Mack, W.D., Meyer, R.G., Suh, K.Y. A low cost 100 MBaud fiber-optic receiver 88—35560
Mack, Z. Digital system simulation at the interregister transmission level 88—25080
Mackall, P. KendallNET—computers helping deaf educators and students communicate 86—54977
Mackanuk, R., Valek, F. The effect of environmental pollution on power transmission and distribution 87—71707
Mackay, A., McCowen, A. A generalization of the spectral iteration technique (SIT) for arbitrary scatterers 87—47157
MacKay, A.C. *see* Ettinger, K.V. 86—25251
Mackay, A.J., McCowen, A. A generalization of Van den Berg's integral-square error iterative computational technique for scattering 87—39350
Mackay, A.J., McCowen, A. An improved pencil-of-functions method and comparisons with traditional methods of pole extraction 87—55076
McKay, B.D. *see* Bollobas, B. 86—62042
Mackay, B.D. *see* Thadani, N.J. 87—71591
MacKay, C.A. Some causes of problems with existing SMT solder creams and possible improvements 87—36514
MacKay, C.A. Some causes of problems with existing SMT solder creams and possible improvements 87—37687
MacKay, C.A. What you don't know about solder creams 87—66724
Mackay, C.A., Levine, S.W. Solder sealing semiconductor packages 87—129
McKay, D., Lane, J., Herman, J.G., Kent, S., Ballard, F., Etter, I.R., Sullivan, G. Mega-networks: architectural alternatives 86—23291
Mackay, D.R. *see* Bones, P.J. 85—9202
McKay, F.G. New wave coming in data/voice switching 85—14047
Mackay, G. *see* Watson, J. 86—47679

McKay, G.A. A systems engineering approach to multimedia communication system design 87−27854
McKay, H.S. Steam generator replacement at Surry Power Station techniques applicable to power station decommissioning 88−48724
McKay, I., Wellard, P. The headquarters Melbourne Switching Laboratory 87−2806
McKay, I. *see* Filanovsky, I.M. 86−62501
MacKay, I.A. Increasing optical fibre's capacity using optical directional couplers−an applications overview 88−67435
McKay, I.A., Nathan, A., Filanovsky, I.M., Baltes, H.P. A magnetically-controlled oscillator in CMOS technology 86−68001
McKay, I.A. *see* Filanovsky, I.M. 87−35075
McKay, I.A. *see* Nathan, A. 87−44649
MacKay, I.B. *see* Snow, J.W. 87−42260
McKay, J. *see* Ford, D. 86−62136
McKay, J. *see* Hyder, H.R.McK. 88−47751
Mackay, J. *see* Poole, M.W. 85−56702
McKay, J. *see* Soicher, L. 86−19994
McKay, J. *see* Swerinson, A. 85−47488
McKay, J.A. *see* Hancock, R.J. 88−15604 to 15605
McKay, J.E. *see* Thomas, M.E. 88−71465
McKay, J.R. Wideband and extended wideband temperature operation field tests in telephone central offices 85−60721
McKay, J.R. The effect of wall and roof insulation on energy consumption for environmental control in a small, 225 square foot outside plant building 88−28550
Mackay, J.S. *see* Gillespie, W.A. 87−2165
Mackay, J.S. *see* Pidgeon, C.R. 86−3223, 87−75209
MacKay, J.S. *see* Suller, V.P. 88−47970
McKay, J.W., Ashbaugh, P.G., Stark, J.W. Routine production of a triton beam for an FN accelerator 86−25091
MacKay, K. *see* Safranek, R.J. 88−73247
McKay, M.D. *see* Ford, A. 86−32905
McKay, M.E., Rabl, A. A case study on cogeneration 86−12647
McKay, P.F., Gerber, R.A., Pregenzer, A.L. An investigation of lithium ion sources on an applied-*B* extraction diode on a PI-110A accelerator 88−22906
McKay, R. *see* Crawley, H.B. 86−50431, 87−44968
McKay, R.A. *see* Kachwalla, Z. 86−54018
McKay, R.G., Shafi, M. Multipath propagation measurements on an overwater path in New Zealand 88−2574
McKay, R.G., Shafi, M. Multipath propagation measurements on an overwater path in New Zealand 88−66069
MacKay, R.S. Introduction to the dynamics of area-preserving maps 87−50065
McKay, R.S. Risk management: weighing the pros and cons 87−58646
McKay, T., Eisenberg, J., Williams, R.E. A high-performance 2-18.5 GHz distributed amplifier−theory and experiment 87−32075
McKay, T., Williams, R. A high performance 2-18.5 GHz distributed amplifier, theory and experiment 86−67503
McKay, T., Williams, R. A high performance 2-18.5 GHz distributed amplifier, theory and experiment 87−6162
MacKay, W. *see* Huson, F.R. 86−31828
Mackay, W.W. *see* Colvin, J.C. 88−68232
MacKay, W.W. *see* Davidson, M. 87−70935
MacKay, W.W. *see* Fan, M. 88−54306
McKay Allred, C. *see* Ginley, R. 86−65246
Macke, B. *see* Segard, B. 85−51399, 87−19038, 88−65844
Macke, D.P., Burton, M.H. Man machine interface for GTE's GTD-5 EAX 86−55123
McKeag, D. *see* Laird, H.A. 88−31904
McKeague, I.W., Baker, C.R. The coding capacity of mismatched Gaussian channels 86−59212
McKeague, R. Influences on radiation protection policies 85−4387
McKean, A.L. *see* Allam, E.M. 88−75179
McKean, B.D., Gough, D.A. A telemetry-instrumentation system for chronically implanted glucose and oxygen sensors 88−74810
McKean, D.R. *see* Willson, C.G. 88−13240
McKean, D.W. *see* Blahnik, C. 85−65075
McKean, D.W. *see* Jamieson, T.J. 85−65072
McKechnie, T.S. *see* Bradley, R., Jr. 86−11236
McKee, B.D., Del Vecchio, R.M., Condit, W.C., Riemersma, H., Kilgore, L.A. Experimental and analytical study of an iron bar carrying axial flux and current with implications for iron core homopolar generator design 86−33420
McKee, B.D., McNab, I.R. A 10-MJ compact homopolar generator 87−30596
McKee, B.T.A., Dinsdale, H.B., Hogan, M.J., Howse, D.C.N., Kulick, J., Mak, H.B., Stewart, A.T. Description and performance of a prototype PET system for small volume imaging 88−61297
McKee, B.T.A., Stewart, A.T., Vesel, J. Detection efficiency of thick microchannel plates to 511 keV gamma rays 85−37912
McKee, B.W., Rao, S.S. An application of the minimum description length criterion to model order selection 88−2919
McKee, B.W., Rao, S.S. An application of the minimum description length criterion to signal detection and model order selection 88−46132
McKee, D.W. *see* Kosky, P.G. 85−60210
McKee, H.D., Choslovsky, M., Stansfield, W.H. Waveguides−a test of performance levels 86−67460
McKee, J.L.J., Toth, W.D., Fath, P.M. The characterization and reliability prediction of a thermocompression wirebonding system 88−1303
McKee, J.S.C. *see* Anderson, J. 85−64373
McKee, J.S.C. *see* Gusdal, I. 86−31953
McKee, J.S.C. *see* Helaly, A. 86−18238
McKee, J.S.C. *see* Oh, S. 88−47827
McKee, K.E. *see* Kalpakjian, S. 87−72881
McKee, K.E. *(editor)* Automated Inspection and Product Control. Proceedings of the 8th International Conference: AIPC 8 87−72693
McKee, M.F.R. *see* Wakes, T.E. 85−3559
McKee, O. *see* Gevargiz, J. 87−3049, 87−40737
McKee, O. *see* Schilling, D.L. 88−21958
McKee, R. *see* Colquitt, L., Jr. 88−20156
McKee, R.C. *see* Bluzer, N. 87−20931
McKee, R.J. *see* Mes, H. 85−9054
McKee, S. *see* Chawla, M.M. 86−34208, 87−10330
McKee, S. *see* Dixon, J. 85−28192, 86−62199
McKee, S. *see* Favaro, M. 87−73020
McKee, S. *see* Franco, N.B. 86−7721
McKee, S. *see* Jones, H.M. 85−49529
McKee, S. *see* Pitcher, N. 85−5956
McKee, T.A. Underlying properties of oriented graphs 86−49055
McKee, T.A. Generalized complementation 87−44154
Mckee, T.A. Multiterminal duality and three-terminal series-parallelness 87−72918
McKee, T.J. Spectral-narrowing techniques for excimer laser oscillators 85−41307
McKee, T.J., Boyd, G.T. Performance comparison of positive branch unstable resonator cavities for excimer lasers 88−51844
McKee, T.J., Hastie, S.D., Weeks, R.W. Performance of a novel injection-locked excimer laser 85−2212
Mckee, T.M. Control systems updating 86−61343
McKee, W.P., Jr. Integrated support of tactical operations by satellite communications 85−25843
McKeehan, D.S., Griffiths, R.W. Marine applications for a continuous fibre optic strain monitoring system 87−32996
McKeeman, J. *see* Roumeliotis, M. 87−52650
McKeeman, J.C., Kabrisky, M. Two-dimensional target recognition using normalization and recorrelation to eliminate noise 87−19963
McKeeman, J.C., Tront, J.G., Kabrisky, M. Design and construction of a multiplexed electrode for monitoring evoked responses in cerebral cortex 87−29784
McKeeman, J.C. *see* Tront, J.G. 87−63794
McKeever, R.T. *see* Pace, S.J. 86−56088
McKeighen, R.E., Daily, W., Pang, T., Huynh, P., Wittman, J., Wiley, B. Reversible charge induced failure mode of CMOS matrix switch 87−46236
McKell, H.D. *see* Cottrell, R.A. 85−22122
McKell, H.D. *see* Saritas, M. 88−39050
McKellar, A.R.W. *see* Lew, H. 87−26489
MacKellar, J.C. A review of television receiver design trends 85−3672
Mackellar, J.C. A review of television receiver design trends 85−26010
McKelvey, J.P. Kinetmatics of the compact disc/digital audio system 86−24201
McKelvey, J.P. Electrostatic fields in inhomogeneous dielectrics 88−65947
McKelvey, M.E., McCreight, C.R., Goebel, J.H., Moss, N.N., Savage, M.L. Characterization of direct readout Si:Sb and Si:Ga infrared detector arrays for space-based astronomy 88−67805
McKelvey, M.E., McCreight, C.R., Goebel, J.H., Reeves, A.A. Charge-injection-device 2×64 element infrared array performance 85−64021
McKelvey, M.E. *see* McCreight, C.R. 85−58602, 87−49551
McKelvey, R.K. Colour dependence and surplus information in airport visual aids during VFR operations 87−63897
McKelvey, T.C. How to improve the effectiveness of hazard and operability analysis 88−62985
McKelvie, J. *see* Walker, C.A. 88−12123
McKen, D.C.D. *see* Fedosejevs, R. 85−2399
McKen, D.C.D. *see* Tomov, I.V. 85−29911
McKendree, F.J. *see* Meier, J.F. 88−44469
McKendrick, G. Telecom users' objectives 87−76006
McKendrick, G.G. Public and private networks−the user's concerns: who should reap the benefits? 88−41315
McKenna, A. Conceptual model aids in development of manufacturing system for PC assembly shop 85−50102
MacKenna, C., Jan-Kwei Jack Li A bit-mapped processor providing hardware windowing and fast text display 87−73489
MacKenna, C., Li, J.-K.J. Processor for displaying alphanumeric texts 88−50170
MacKenna, C., Li, J., Goodhart, J. Chip set brings bit mapping to low-end CRT displays 87−49512
McKenna, C., Russo, C., Pedersen, B., Downey, D. Applications for MeV ion implantation 86−53534
McKenna, C. *see* Lundquist, P. 87−60279
McKenna, C. *see* Outcault, R. 87−53383
McKenna, C.M. *see* Basra, V.K. 87−53384
McKenna, D. Automated control 86−49100
McKenna, D. *see* Lee, P. 87−10400
McKenna, D.R. *see* Kisker, D.W. 88−43938
McKenna, D.R. *see* Lee, P.W. 88−12039
McKenna, F. *see* Green, J. 88−16670
McKenna, J. *see* Mitra, D. 86−26711
McKenna, J.F. *see* Palilla, F.C. 85−40257
McKenna, L.A. Fast processing thermoplastics with thermoset properties 85−12454
McKenna, L.A. B resins−new options in thermoset replacement in electrical/electronic devices 86−62282
McKenna, L.A. A low warpage thermoplastic for vapor phase reflow applications 87−16715
McKenna, M.A. *see* Schmandt, C. 88−41241
McKenna, P.J. *see* Huy, C.U. 86−62119
McKenna, P.M. *see* Collier, R.S. 87−26858
McKenna, P.M. *see* Elliott, J.R. 87−26860
McKenna, P.M. *see* Papazian, P.B. 87−26859
McKenna, R. New 256K dynamic RAM 85−45039
McKenna, T.J. *see* Sjoreen, A.L. 88−75324
McKenna, W.F. Measuring customer preferences for load management service options 86−6198
McKennan, G.T., Parry, C.M. An investigation of task lighting for offices 85−39322
McKenney, D.J. *see* Singleton, D.L. 86−44691
McKenney, J.C., van de Berg, J.W. Printer paper top of form and end of form sensor 85−26335
McKenny, P.J. *see* Kelley, E.F. 88−26585
Mckenny, P.J. *see* Matsuzaki, H. 88−51061
McKenny, P.J. *see* Nakamura, K. 87−30222
Mackens, U., Heitmann, D., Kotthaus, J.P. Preparation and characterization of microstructured SiO_2-gate-insulators 87−24968
Mackens, U., Heitmann, D., Prager, L., Kotthaus, J.P., Beinvogl, W. Minigaps in the plasmon dispersion of a two-dimensional electron gas with spatially modulated charge density 85−6760
Mackens, U., Luethje, H., Mescheder, U., Mund, F., Pongratz, S. Application of SiC-X-ray masks for fabricating sub-micron devices 88−64445
Mackens, U. *see* Heitmann, D. 85−61787, 86−63131
Mackens, U. *see* Luethje, H. 88−26136
Mackens, U. *see* Luthje, H. 87−25000
Mackens, W. *see* Jarausch, H. 87−52069, 88−24655
Mackenthun, D., Muller, R. High accuracy marine positioning for dredging surveys at the Port of Hamburg 88−4121
Mackenthun, H. In the car: music with pep. Additional channels improve stereo listening 85−31240
Mackenthun, K. *see* Sandrin, W. 86−4561
Mackenthun, K.M. Block orthogonal convolutional coding for the INTELSAT TDMA data channel 85−57220
Mackenthun, K.M. Modulation selection for the Mobile Satellite Experiment (MSAT-X) 88−3901
Mackenthun, K.M. *see* Fang, R.J.F. 88−53201
McKenzie, A. 'Were you on your radio last night?'. I. [Radiofrequency interference] 87−61403
McKenzie, A. 'Were you on your radio last night?' II. EMC testing of TV sets and typical results 87−75470
McKenzie, A., Zannoli, S. Spectrum analyser and SSB transmitters and CW 87−14231
McKenzie, A.L. Safety with surgical lasers 85−20957
McKenzie, A.L. How may external and interstitial illumination be compared in laser photodynamic therapy? 85−48329
McKenzie, A.R., MacLeod, J. Work planning and maintenance management at the Point Lepreau Nuclear Generating Station 85−27197
McKenzie, A.R. *see* Irvine, H.S. 88−36971
MacKenzie, B.T., Marefat, K., Zachariah, D. A new generation of ESP cable based on EPDM 88−17167
McKenzie, C.D. *see* Brown, R.A. 87−6399
McKenzie, C.D. *see* Zhu Jieqing 86−63012
McKenzie, D.C. *see* Marjoram, A.R. 86−24398
McKenzie, D.R. DC magnetron production of amorphous silicon solar cells 85−6008
McKenzie, D.R., Smith, G.B. Amorphous silicon solar cells produced by a DC magnetron glow discharge technique 85−60418
McKenzie, D.R. *see* Derrick, G.H. 87−9727
McKenzie, D.R. *see* Horwitz, C.M. 85−54484
McKenzie, D.R. *see* McPhedran, R.C. 86−7165
McKenzie, D.R. *see* Smith, G.B. 85−16983, 87−18817
MacKenzie, E. *see* Basu, S. 85−52304, 88−52232, 88−58864
MacKenzie, E. *see* Mullen, J.P. 85−51439
MacKenzie, E.M. *see* Basu, S. 87−34480

MacKenzie, F.D., Jackson, E.E. Siting analysis for Loran-C operational monitor deployment 87−41072
MacKenzie, F.D., Moroney, M.J. Radionavigation requirements for inland waterways 85−37149
Mackenzie, G. *see* Buchmann, L. 86−24925
McKenzie, G.A. *see* Foster, R.A.L. 87−13343
Mackenzie, G.H., Laxdal, R.E., Dutto, G., Pearson, J.B., Worsham, R., Zach, M. Efficient extraction of H^- ions from the TRIUMF cyclotron 88−54311
Mackenzie, G.H., Zach, M., Laxdal, R.E., Richardson, J.R., Craddock, M.K., Dutto, G. Plans for the extraction of intense beams of H^- ions from the TRIUMF cyclotron 85−59077
Mackenzie, G.H. *see* Baartman, R. 85−58988, 85−59070
Mackenzie, G.H. *see* Craddock, M.K. 86−31908
Mackenzie, G.H. *see* Laxdal, R.E. 86−25004
Mackenzie, G.H. *see* Pearson, J.B. 88−54352
Mackenzie, G.H. *see* Raparia, D. 86−25005
Mackenzie, G.H. *see* Rawnsley, W.R. 85−58992, 88−54109
MacKenzie, G.H. *see* Ries, T.C. 88−54149
Mackenzie, G.H. *see* Zach, M. 86−32044
McKenzie, G.T. Voice messaging—the user's viewpoint 86−23361
MacKenzie, H.A., Hagan, D.J., Al-Attar, H.A. Phase conjugation by degenerate four wave mixing in InSb with a CW CO laser 85−24647
Mackenzie, H.A., Reid, J.J.E., Al-Attar, H.A., Abraham, E. Regenerative pulsations in an InSb bistable etalon 87−12576
MacKenzie, H.A., Young, J., Iltaif, A., Hughes, J. Dynamic response and noise susceptibility of CW bistable systems 88−65851
MacKenzie, H.A. *see* Al Attar, H.A. 86−58965, 86−63866
MacKenzie, H.A. *see* Al-Attar, H.A. 87−7441, 87−33308
MacKenzie, H.A. *see* Hagan, D.J. 85−35885, 85−56785, 87−33324, 87−74830
MacKenzie, H.A. *see* MacGillivray, W.R. 85−62659
MacKenzie, H.A. *see* Smith, S.D. 86−3300
MacKenzie, H.A. *see* Tooley, F.A.P. 86−22484
MacKenzie, H.A. *see* Young, J. 88−26912
MacKenzie, I.K. *see* Linderoth, S. 87−21459
MacKenzie, J. *see* Hall, S.F. 85−9628
Mackenzie, J.D. Innovative chemical processing of electronic and optical materials 88−63388
Mackenzie, J.D., Dyer, K.P., Ward, K.D. The measurement of radar cross section 87−49175
Mackenzie, J.D. *see* Lau, J. 85−41126
Mackenzie, J.D. *see* Nasu, H. 85−41101
Mackenzie, J.D. *see* Pope, E.J.A. 88−65006
Mackenzie, J.D. *see* Sanghera, J.S. 88−6537
MacKenzie, J.D. *see* Wu, E.T. 87−52218 to 52219
McKenzie, J.F. *see* Walker, A.D.M. 85−46556
Mackenzie, J.J. *see* Gueron, H.M. 85−27160
McKenzie, J.L., Rodman, J.A. TIINS, the missing link for innovation and economic development 88−31579
McKenzie, J.M., Self, B.G., Walker, J.E. Ultrasonic identity data storage and archival system 88−42687
Mackenzie, J.W. *see* Brolin, R.E. 85−38007
Mackenzie, J.W. *see* Semmlow, J.L. 88−68347
MacKenzie, K.A. *see* Khan, M.K. 87−70868
Mackenzie, K.D., Burnett, J.H., Eggert, J.R., Li, Y.M., Paul, W. Improvement of photoconductive response in amorphous silicon-germanium alloys produced from fluorides instead of hydrides 88−26948
Mackenzie, K.D., Eggert, J.R., Leopold, D.J., Li, Y.M., Lin, S., Paul, W. Structural, electrical, and optical properties of a-$Si_{1-x}Ge_x$:H and an inferred electronic band structure 85−34524
Mackenzie, K.D., Hanna, J., Eggert, J.R., Li, Y.M., Sun, Z.L., Paul, W. Properties of a-$Si_{1-x}Ge_x$:H and a-$Si_{1-x}Ge_x$:H:F alloys 86−27927
MacKenzie, K.D., Paul, W. Transient and steady-state photoconductivity in a-$Si_{1-x}Ge_x$:H,F alloys 88−26950
Mackenzie, K.D. *see* Burnett, J.H. 86−28147
Mackenzie, K.J. *see* Finch, A.C. 86−20916
Mackenzie, K.J.D. *see* Golestani-Fard, F. 87−73157
McKenzie, M.M., Shwedyk, E., Quanbury, A.O., Fleisher, S. Evaluation of two EMG processors 86−56137
McKenzie, P., Melvin, G. Modern trends in maintenance management computer systems [mining applications] 88−49468
McKenzie, R. Designing a distribution system for Parliament 86−65679
Mackenzie, R. *see* Alner, G.J. 88−10288
McKenzie, R.L., Gross, K.P., Logan, P. Simultaneous measurements of temperature, density, and pressure in a supersonic turbulent flow using laser-induced fluorescence 86−38613
McKenzie, R.W. *see* Lord, D. 86−61421
Mackenzie, S., Nielsen, B., Paffrath, L., Russell, J., Sherden, D. The digital correction unit: a data correction compaction chip 87−38540
McKenzie, T., Song An, Hsu, J. A system to demonstrate an integration approach for the communications link modeling programs of class 86−30725
McKenzie, T.M., Godfrey, R.D. Expert systems development in CLASS, a computer-aided model of a communication satellite system 87−20475
McKenzie, W., Barry, D.M., Snowden, C.M., Howes, M.J. Computer-aided design of MMIC structures 87−10583
McKenzie, W. *see* Barry, D.M. 86−14534
McKenzie, W.H. *see* Poole, N.J. 88−70424
McKenzie, W.M.C. *see* Leask, J.D. 88−8338
McKenzie, W.R., Goeby, G.M. PABX's and local area networks—Telecom Australia overview 86−43641
McKenzie-Low, L. Drier advances microwave technology 87−22900
McKenzie-Wilson, R. *see* Keane, J. 86−31970
McKenzie-Wilson, R.B. Tuning system for capacitively loaded $\lambda/4$ accelerating cavity 86−31971
McKeon, B. Increased accuracy from a three-dimensional movement-tracking system 86−70215
McKeon, D.C. *see* Draper, B.L. 85−23577
McKeown, D.L. *see* Schafer, C.T. 88−54763
McKeown, D.M., McVay, C.A., Lucas, B.D. Stereo verification in aerial image analysis 86−43324
McKeown, D.M., Jr. Digital cartography and photo interpretation from a database viewpoint 85−38334
McKeown, D.M., Jr., Harvey, W.A. Automating knowledge acquisition for aerial image interpretation 88−42679
McKeown, H. Free cooling keeps energy costs down [computer room air conditioning] 87−16183
McKeown, J. *see* Chan, K.C.D. 86−5714
McKeown, J.A. *see* Boocock, P.M. 85−15765
McKeown, J.E., Sanders, J.D. Design of connectors to meet FCC Docket 20780 Class 'B' requirements 87−26885
McKeown, J.J. *see* El-Rabaie, S. 88−71134
McKeown, P.A., Wills-Moren, W.J., Read, R.F. In-situ metrology and machine based interferometry for shape determination 88−42282
McKeown, P.A. *(editor)* Proceedings of the 7th International Conference on Automated Inspection and Product Control 85−44533
McKeown, R.D. *see* Milner, R.G. 87−63619
McKeown, S. *see* El-Rabaie, S. 88−44376
McKeracher, I. Customised video conferencing solutions 88−21811
McKernan, A. The art of going soft [music programming] 85−63910
McKernan, S. *see* Bour, D.P. 88−31755
McKernan, S. *see* Carter, C.B. 88−38205
McKernan, S. *see* Cho, N.-H. 88−38202
Mackerras, D. Automatic short-range measurement of the cloud flash to ground flash ratio in thunderstorms 85−59480
Mackerras, D. Characteristics and rate of occurrence of lightning-caused induced voltage surges in a telephone line 86−17169
Mackerras, D., Darveniza, M., Liew, A.C. Standard and non-standard lightning protection methods 88−5388
Mackerras, D. *see* Chalker, D.A. 85−46711
MacKerron, G. Sizewell: good value for consumers' money? [nuclear power stations] 85−9588
Mackert, L.F., Neumeier-Mackert, I.B. Communicating rule systems 88−21420
Mackert, L.F. *see* Neumeier-Mackert, I.B. 88−67060
Mackett, P. *see* Thompson, J. 88−31765, 88−31792
Mackevich, J., Larsson, P. The extension of heat-shrinkable components for use in I/C transition and paper cable joints 85−27090
Mackevich, J., Lynch, D. Advances in jointing systems for medium-voltage paper-insulated lead-covered cables using heat-shrinkable components 86−39197
Mackevich, J.P. The impact of IEEE 404 revisions on industrial cable distribution systems 87−35677
Mackevich, J.P. The impact of IEEE standard 404 revisions on industrial cable distribution systems 88−23508
Mackevich, J.P. Trends in underground residential distribution cable systems 88−54986
Mackevich, J.P., Lynch, D. A modular approach for live end sealing of single and three-conductor shielded extruded or laminated dielectric power cables 88−17185
McKewan, A.G., Bond, S.D., Connor, W.S. Development of a mobile power plant simulator 87−15407
Mackey, J.S., Hurd, J.N. Improving telecommunications in developing countries: a strategy for action 88−28182
Mackey, K. *see* Williams, G.M. 88−49805
Mackey, K.J. *see* Crabtree, I.M. 85−43635
Mackey, K.J. *see* Westwood, D.I. 87−37947
Mackey, L. *see* Peterson, R. 87−8972
Mackey-Hargadine, J.R., Hall, J.W. Rationale for neuromonitoring in intensive care unit 87−57190
McK.Hyder, H.R. *see* Price, H.G. 88−53980
McKibben, M.J. *see* Prikryl, P. 88−67464
McKibbin, L.S. An evaluation of the effects of the low energy laser on bowed tendons in horses 88−16772
Mackic, L. The telephone—mass communication medium 88−41237
McKiddy, D.R. Intermediate temperature monitoring with thermistors 85−20744
McKie, A.D.W. *see* Dewhurst, R.J. 88−10627, 88−42707
Mckie, A.D.W. *see* Saffari, N. 88−8390
Mackie, K., Dermody, P., Katsch, R. Assessment of evaluation measures for processed speech 88−21132
Mackie, S., Beaumont, S.P. Materials and processes for nanometer lithography 86−2294
Mackie, S., Denker, J.S. A digital implementation of a best match classifier 88−70841
Mackie, W., Hinrichs, C.H. Preparation of ZrC_x single crystals by an arc melting floating zone technique 88−31204
Mackie, W.S., Patrick, W., Beaumont, S.P., Wilkinson, C.D.W. Fabrication of sub-0.1 micron GaAs FETs 86−2211
Mackie, W.S. *see* Lee, K.Y. 87−38303
Mackie, W.S. *see* Patrick, W. 86−2168, 86−35515, 86−41348, 86−47388
Mackiewicz, D. DC machines built in DOLMEL 87−78695
McKillop, A. A solid state low pulse power ground surveillance radar 86−55374
McKillop, A.A. *see* Baughn, J.W. 85−4966
McKillop, A.N. Singapore's train control system in the overall systems context 87−79145
McKim, H.L. *see* Ackleson, S.G. 86−12181
McKim, H.L. *see* Edwardo, H.A. 87−4166
Mackimmie, G.W. *see* Thompson, V.O.S. 88−75384
Mackin, M.H. Impact of technology on environmental therapeutic device design 88−30025
McKiney, K. *see* Bishop, W.L. 87−73757
McKiney, K. *see* Saadat, S. 86−5577
McKinlay, A.F. A protocol for an intercomparison study of TLDs for environmental measurements 86−50647
MacKinlay, R. New techniques of discharge location 85−32253
Mackinlay, R. Measurement of remaining life of HV cables. I. Experience in the field 87−15278
MacKinlay, R.R., Peters, G. New methods of partial discharge detection and location 88−71838
MacKinlay, R.R. *see* Kearley, S.J. 88−75188
McKinley, K.F. Economics of distribution automation 87−9134
McKinley, K.F. *see* Patton, J.B. 87−9132
McKinley, M.C. *see* Kim, S.H. 87−22626
McKinley, M.S. *see* Shanmugan, K.S. 85−41612
McKinley, P., Liu, J.W.S. Multicast routing in bus-based computer networks 88−52968
McKinley, P., Ofek, Y. Resource sharing in a synchronous optical hypergraph 88−3628
McKinley, P.K. *see* Reed, D.A. 88−3625
McKinley, R.B. *see* Evans, T.A. 87−64412
McKinley, R.J.B. Vacuum equipment exhaust considerations for subatmospheric pressure CVD applications 88−452
McKinley, R.J.B., Sr. Controlled combustion, decomposition and oxidation—a treatment method for gaseous process effluents 88−75931
McKinley, R.L., Kurtz, R.V. Subjective performance of selected speech coders in the presence of channel errors 85−30899
McKinley, R.L., Moore, T.J. The effect of audio bandwidth on selected digital speech coding algorithms 86−29800
McKinley, R.L., Moore, T.J. Effect of audio bandwidth and bit error rate on PCM, ADPCM, and LPC speech coding algorithm intelligibility 87−69756
McKinley, R.L., Moore, T.J. Air force requirements for speech synthesis in tactical aircraft 88−66448
McKinley, R.L. *see* Moore, T.J. 87−27352, 88−66449
McKinley, R.S., Patrick, P.H., Mussali, Y. Controlling fish movement with sonic devices 88−36682
McKinley, W. *see* Cocks, R. 86−64598
McKinley, W.H. Interdepartmental electronic mail (IDEM) for UK central government 86−49193
McKinley, W.R. GASSIM: a circuit simulator for large scale GaAs circuits 87−1651
McKinney, B. *see* El Guibaly, F. 87−66257
McKinney, B. *see* Gibson, D. 88−33392
McKinney, B.C., El Guibaly, F. A Fourier transform algorithm and VLSI implementation 87−24247
McKinney, B.L., Dougherty, T.J., Geibl, M. The comparison of flooded, gelled and immobilized lead-acid batteries 85−60404
McKinney, B.L. *see* Delaney, W.C. 85−49184
McKinney, D. *see* Kareem, A. 88−6913
McKinney, G.W., III Fabrication of superconducting wires and bulk materials 88−58019
McKinney, J. Time for a new look at AM radio 86−30944
McKinney, J.C., Fehlner, G.A. The flexible domestic regulatory approach for direct broadcast satellite systems in the United States 85−37166

McKinney, K., Mattauch, R.J., Bishop, W.L. Design, fabrication, and performance of a whiskerless Schottky diode for millimeter and submillimeter wave applications 85−61470
McKinney, K.R., Rice, R.W., Wu, C.C. Mechanical failure characteristics of ceramic multilayer capacitors 87−17404
McKinney, K.R. *see* Wu, C.C.M. 85−18631
McKinney, P. Multilayer lamination methods and construction 86−62938
McKinney, P.C. How to make local area networks secure 88−52830
McKinney, R. *see* Brase, J. 85−26197
McKinney, R.E. Laser excited fluorescence for forensic diagnostics 87−61298
McKinnis, C.J., Toor, P.M. An automatic capability to store and retrieve component data and to calculate structural integrity of these components 86−51386
McKinnis, S., Schultz, W. A new smartpower control IC simplifies on-board power conversion 88−71820
MacKinnon, A. *see* Movaghar, B. 88−39112
McKinnon, B.J. *see* Jost, A.G. 88−38576
McKinnon, B.J. *see* Robertson, W. 87−23800
McKinnon, D. VANS: the way ahead 86−30174
MacKinnon, D.A. *see* Knappenberger, J.R. 85−445
McKinnon, G.C. *see* Schomberg, H. 85−15279, 87−21556
McKinnon, G.H. *see* Landheer, D. 88−39149
McKinnon, G.H. *see* Schmidt-Weinmar, H.G. 88−32839
McKinnon, G.M. *see* Manoussakis, E. 87−50507
McKinnon, G.M. *see* Manoussakis, E.C. 87−29891
McKinnon, J. SPARNet: a data acquisition/analysis computer network 87−69629
Mackinnon, J.A. The need for strain gauge standards 86−5273
Mackinnon, J.A., Pook, L.P. Residual stress measurement in cold-rolled mild steel 88−18759
MacKinnon, N. Launching a drive for quality excellence 85−60795
MacKinnon, R.F., Wilmut, M.J. Signal recovery using entropy criteria with spectral noise subtraction 87−69232
MacKinnon, R.F. *see* Barrodale, I. 87−69389
MacKinnon, R.F. *see* Wilmut, M.J. 85−8489
McKinnon, R.K. The planning of operations in Telecom Australia 86−16704
McKinnon, R.K. The planning of operations in Telecom Australia 86−23315
McKinnon, R.K. Telecommunications: serving Australia's community needs 86−43452
McKinnon, W.R., Hurd, C.M. Conduction in illuminated GaAs/$Al_xGa_{1-x}As$ heterostructures. II. Calculation 87−60143
McKinnon, W.R. *see* Falt, C.E. 87−74082
McKinnon, W.R. *see* Hurd, C.M. 87−60142, 88−57345
McKinstry, H.A. *see* Vikram, C.S. 86−18165
McKinstry, M. *see* Hirst, E. 85−59577
Mackintosh, A. *see* Craigen, D. 87−311
Mackintosh, A. *see* Hickman, J. 87−51426
Mackintosh, A. *see* Wessel, S. 85−32708
Mackintosh, B. Design and maintenance of high purity water systems 85−45489
Mackintosh, B.H. *see* Taylor, A.S. 87−44291
Mackintosh, I.P. *see* Greensmith, R. 86−11934
Mackintosh, J. *see* Giles, I.P. 86−42251, 87−26040
Mackintosh, J.M., McMillan, J.L., Culshaw, B. Coherent backscatter in the phase-modulated fibre optic gyroscope 87−38821
Mackintosh, J.M., McMillan, J.L., Culshaw, B. Effect of phase modulation on coherent Rayleigh backscatter noise 88−10006
Mackintosh, J.M. *see* Culshaw, B. 88−67847
McKinzie, W. Crystal oscillator with quadrature outputs 87−25737
McKirdy, J. *see* Liu, Y.S. 88−25060
McKirdy, R., Lea, M. WSI: a technology for reliability 88−64736
McKirdy, R.D., Lea, R.M. Physical design issues for WSI 87−32664
McKirdy, R.D., Lea, R.M. WSI: a technology for reliability 88−33350
McKissock, M.J. Constellation measurement: a tool for evaluating digital radio 88−36107
McKissock, M.J. *see* Haworth, D.J. 88−36106
McKisson, J. *see* Rester, A.C. 86−50441
McKisson, J.E. *see* Piercey, R.B. 87−41884
McKiterick, M., Murrihy, M. Optical fibre cable jointing 88−9580
McKiterick, M. *see* de Valle, L. 88−22148
McKittrick, P.F. Using hermetic chip carriers in military applications. I. Some useful modules 85−10497
McKittrick, P.F. Using hermetic chip carriers in military applications. II. VLSI/VHSIC second level interconnections 85−23846
Mackiw, G.E. Multiple access *Ku*-band communications subsystem for the space station 87−49017
Macklin, J.J., Sher, M.H., Barty, C.P.J., King, D.A., Guang-Yu Yin, Harris, S.E., Young, J.F. Gain optimization and saturation of the Xe III 109 nm Auger laser 88−58459
Macklin, J.J. *see* Lundberg, H. 85−2196
Macklin, J.J. *see* Sher, M.H. 88−14110
Macklin, J.J. *see* Silfvast, W.T. 85−7355
Macklin, J.J. *see* Wood, O.R., II 86−22281
Macklin, J.T., Cordey, R.A. The comparison of ocean-wave spectra recovered from SIR-B and Seasat observations with simultaneous buoy data 88−10534
Macklin, J.T. *see* Rotheram, S. 85−64766, 86−12186
Macklin, R.H. *see* Russell, R.W. 87−49540
McKlveen, J.W. *see* Klingler, G.W. 88−54676
McKnee, B.D. *see* Baker, N.D. 87−26655
McKnight, A. *see* Bradinal, W. 87−34875
Mcknight, A. *see* Naus, P.J.A. 87−24285
McKnight, C.S., Cotner, R., Guinty, S.K. Prebuilt control houses reduce substation costs 86−26210
McKnight, D.J. *see* Vass, D.G. 88−20454
McKnight, D.R. The Envoy family of value added services 85−19720
McKnight, D.R. Implementing teletex on the PSTN 85−19723
McKnight, G. *see* Dickerson, J. 86−5425
McKnight, G. *see* Dickerson, J.A. 85−29652
McKnight, J.A., Fenemore, P. Under-sodium ultrasonic technology for LMFBRs 88−30188
McKnight, J.A. *see* Barrett, L.M. 85−48782
McKnight, J.A. *see* Parker, J.A. 86−60188
McKnight, J.A. *see* Watkins, R.D. 88−54777
McKnight, L. The deregulation of international satellite communications 85−20153
McKnight, L. The deregulation of international satellite communications: US policy and the INTELSAT response 85−42510
McKnight, L. Implications of deregulating satellite communications 86−43789
McKnight, M.E. *see* Martin, J.W. 87−14170
McKnight, R. *see* Distler, R.A. 86−22920
McKnight, R.H. The measurement of net space charge density using air filtration methods 85−43090
McKnight, R.H., Fenimore, C., Lagnese, J. The use of deconvolution methods in characterizing electrical sensors 87−21072
McKnight, R.H., Schoenwetter, H.K. Capacitive sensors for voltage measurements in pulse power systems 85−26322
McKnight, R.H. *see* Misakian, M. 87−41846
McKnight, S.W. *see* Xia, J. 88−27568
McKnight, S.W. *see* Zayek, F. 88−72592
McKnight, T.K. Private sector transatlantic transmission [telecommunications] 86−49088
McKnight, T.R. The industry/academia/federal laboratory team: a partnership in cooperative education [engineering education] 85−32980
McKnight, W. *see* Ashok, V. 85−1712, 85−18432
McKnight, W.M., Speiser, J.M., Whitehouse, J.H., Harris, F.J. Developments in techniques for enhancing the dynamic range of analog to digital converters 88−63762
McKnight, W.Q. *see* Adams, A.C. 88−71635, 88−71719
McKnight, W.R. *see* Green, R.J. 88−41697
Macko, L. *see* Prokes, J. 88−17688
Macko, P., Mudron, J., Ballo, P. 'Switch' effect of irradiated pn-junction 85−18139
Macko, P. *see* Nudron, J. 86−1768
McKone, J.P. *see* Sensiper, S. 87−49209
Mackor, A. *see* Thewissen, D.H.M.W. 85−16190
MacKoul, L.J., McClendon, M.E., Richards, J.E., Wozniak, S.M. State-of-the-art steam generator on-line chemistry monitoring system 87−71870
Mackowiack, E. *see* Jutand, F. 88−39689
Mackowiack, I., Postollec, J.-C. Organisation of research and building on site at Chooz 87−64268
Mackowiak, E. *see* Auvert, G. 87−6924
Mackowiak, I. *see* Larminaux, R. 86−61229
Mackowiak, K. *see* Barlik, R. 85−16040
Mackowiak, K. *see* Nowak, M. 85−60323
Mackowiak, T. *see* Rawat, S. 87−17196
Mackowick, F.P. *see* Chrystall, M.S. 87−34461
McKown, D.L. Standards: a way of promoting effective technical communication 85−39475
McKown, J., Rude, M.J., Griffiths, L.J. A frequency-domain implementation of the block *P*-vector adaptive algorithm 87−47678
Mackowski, J.M., Colardelle, P. Optimized AR diamond-like coatings on infrared windows 88−26929
Mackowski, J.M. *see* Deom, A.A. 87−18794
Mackowski, M.J. A low earth orbit nickel hydrogen battery design 87−42138
Mackowski, M.J., Mueller, V.C. Cycling characteristics and failure modes of prototype nickel-hydrogen cells 85−53130
Macksey, H.M. GaAs power FETs having the gate recess narrower than the gate 86−41794
Macksey, H.M. Optimization of the n^+ ledge channel structure for GaAs power FETs 87−25290
Macksey, H.M., Brehm, G.E., Matteson, S.E. Improved GaAs power FET performance using Be co-implantation 87−38269
Macksey, H.M., Hudgens, R.D. Fabrication of n^+ ledge channel structure for GaAs FETs with a single lithography step 86−2152
Macksey, H.M., Tserng, H.Q., Shih, H.D. A 2-W Ku-band monolithic GaAs FET amplifier 86−27625
Macksey, H.M. *see* Kim, B. 87−32087, 87−59857
Macksey, H.M. *see* Tserng, H.Q. 85−6530
Macksey, H.M. *see* Wisseman, W.R. 88−9643
Mackulak, G.T., Bedworth, D.D. Modeling methods for automation evaluation 86−57206
McKusick, M.K. *see* Karels, M.J. 87−2942
Mackworth, A. *see* Goshtasby, A. 87−7830
Mackworth, A. *see* Mokhtarian, F. 86−43308
Macl, J. SEM investigation of IC vertical structure 85−50608
McLachlan, A. Give your films that star touch 85−26078
McLachlan, A.D. *see* Calvert, R.L. 85−35383
McLachlan, A.S. Radio frequency heating apparatus as a valuable tool of industry and a potential source of radio interference 88−8523
McLachlan, A.S. *see* Spash, D.I. 87−19223
McLachlan, B.G. *see* Cho, Y.-C. 88−59306
McLachlan, D.R., Avins, J.B. Refractory metals silicides 85−23714
McLachlan, G.J. *see* Lawoko, C.R.O. 87−19872
MacLachlan, J. *see* Konecny, R. 87−41694
MacLachlan, J. *see* Lucas, P. 88−47894
MacLachlan, J.A. Particle tracking in E-ϕ space as a design tool for cyclic accelerators 88−47885
MacLachlan, J.A. *see* Bharadwaj, V. 88−47884
MacLachlan, J.A. *see* Bharadwaj, V.K. 88−47863 to 47864
MacLachlan, J.A. *see* Griffin, J.E. 86−24975, 86−31978
McLachlan, K. *see* Semercigil, S.E. 86−50097
McLachlan, V.N. Testing of bare boards and populated boards: utilising CAD for economic manufacture of electronic assemblies 86−41398
McLafferty, T. RF level measurement finds wide acceptance in process industries 88−29705
McLain, C.E., Vadus, J.R. Real-time navigational information systems for port and harbor operations 86−60950
McLain, H.A. *see* Mantilla, O.A. 88−31522
McLain, M.E. *see* Yung-Chang Lai 88−22981
McLallin, K.L. *see* Carlson, A.W. 87−42179
McLanahan, D. Emergency 'pocket' packet [radio communication] 88−41501
McLanahan, D. The care and feeding of a PBBS−timely tips for packet bulletin board users. I 88−59507
Mclandrich, M.N. Core dopant profiles in weakly fused single-mode fibres 88−26760
McLandrich, M.N. *see* Pappert, S.A. 85−51019, 87−25957, 87−34676
McLane, G., Raag, V., Danielson, L., Wood, C., Vandersande, J. Properties of silicon-germanium thermoelectric alloys with additives 88−18093
McLane, J. Casting technology for lead-calcium grids 87−58290
McLane, P.J., Wittke, P.H., Ho, P.K.-M., Loo, C. Performance of binary multi-*h* modulation for fast fading, shadowed, mobile satellite communication channels 87−70020
McLane, P.J., Wittke, P.H., Ho, P.K.-M., Loo, C. PSK and DPSK trellis codes for fast fading, shadowed mobile satellite communication channels 88−2930
McLane, P.J. *see* Boudreau, G.D. 86−54424, 87−39584
McLane, P.J. *see* Frenette, N.J.P. 86−43108
McLane, P.J. *see* Ho, P. 85−41845
McLane, P.J. *see* Ho, P.K.-M. 88−41572
McLane, P.J. *see* Ho, P.K.M. 86−22997 to 22998
McLane, P.J. *see* Kavehrad, M. 86−23655, 87−19354, 87−33592, 87−62830
McLane, P.J. *see* Kevehrad, M. 86−55164
McLane, P.J. *see* Kurniawan, Z. 85−25928
McLane, P.J. *see* Ma, P. 85−30898
McLane, P.J. *see* Simmons, S.J. 85−19314, 86−29692
McLane, P.J. *see* Thorpe, J.B. 85−57208
McLane, P.J. *see* Wong, L.-N. 87−33634
McLaren, G.D. *see* Clark, R.F. 86−5440
McLaren, P. *see* Amaratunga, G. 88−17553
McLaren, P. *see* Makepeace, J.W. 87−28452
McLaren, P.G., Abdel-Rahman, M.H. Modelling of large AC motor coils for steep fronted surge studies 87−42797
McLaren, P.G., Abdel-Rahman, M.H. Modeling of large AC motor coils for steep-fronted surge studies 88−69280
McLaren, P.G., Oraee, H. Multiconductor transmission-line model for the line-end coil of large AC machines 85−43920
McLaren, P.G., Oraee, H. Modes of propagation for steep fronted surges in the line end coil of a large AC motor 86−45434
McLaren, P.G., Rajendra, S., Shehab-Eldin, E., Crossley, P.A. Ultra high speed distance protection based on travelling waves 85−64978
McLaren, P.G. *see* Amaratunga, G.A.J. 85−53125
McLaren, P.G. *see* Oraee, H. 85−43938, 86−33390
McLaren, P.G. *see* Rajendra, S. 86−32824 to 32825

McLaren, P.G. *see* Siyambalapitiya, D.J.T. 87−42966, 87−51205
McLaren, P.J. *see* Tooth, A.G. 86−17084
MacLaren, R.F.B. Application of power system stabilisers on the Anglo-Scottish interconnection. Testing of power system stabilisers 88−48482
McLaren, R.W. *see* Fan, Z.-Q. 85−27443
McLaren, R.W. *see* Hoft, R.G. 86−7200
McLaren, S. Memory extension with dynamic 8K×8 bit RAMs 85−28516
McLaren, S. Single chip look-up table provides 256-colour solution 86−8146
McLaren, S. *see* Johnston, E.C. 86−54358
McLaren, S.G. *see* Weehuizen, H.F. 88−15146
McLaren, T., Black, J.L., Collins, D.W.K. Quantitative electroneurography: assessment of facial nerve palsy 85−38142
McLarnon, B.D. An experimental evaluation of soft-decision error-correction coding as a diversity combining technique 85−30215
McLarnon, F.R. *see* D'Amico, J.F. 86−20068
Mclarnon, F.R. *see* Katz, M.H. 88−17880
McLarty, P.K., Huang, Y.J., Ioannou, D.E., Johnson, S.M. DLTS of polysilicon for solar cell applications 87−17702
McLarty, P.K., Ioannou, D.E., Shea, S.P. Recombination in solar-grade polycrystalline silicon 87−60074
McLarty, P.K. *see* Ioannou, D.E. 86−41745
McLauchlan, M.R. Specification of VLSI designs: a software engineering approach 88−13554
McLauchlan, M.R. High level languages in design [IC layouts] 88−70474
McLauchlan, M.R. *see* Campbell, R.H. 85−35089
MacLauchlan, N. *see* Bourbakis, N.G. 88−41760
McLauchlin, S., Mulgrew, B., Cowan, C.F.N. Performance comparison of least squares and least mean squares algorithms as HF channel estimators 87−62097
McLaughlin, A.J. The impact of emerging technologies on future C^3 systems 88−23226
McLaughlin, A.J. *see* Forgie, J.W. 88−21502
McLaughlin, B. *see* Rawal, B.S. 88−63996
McLaughlin, B.R., Emerson, R.D. Maintaining condensate/steam quality 85−15876
McLaughlin, D.N. *see* Jenners, J. 88−19508
McLaughlin, D.W., Moloney, J.V., Newell, A.C. New class of instabilities in passive optical cavities 85−35886
McLaughlin, D.W. *see* Adachihara, H. 88−27296
McLaughlin, D.W. *see* Quarzeddini, A. 88−72407
McLaughlin, G. *see* Gravenstein, J.S. 87−71149
McLaughlin, K.L. BICMOS voltage level translator and shifter circuits 87−24080
McLaughlin, K.L., Taylor, M.A., Sweeney, G. Effect of surface treatment on dopant diffusion in polycrystalline silicon capped shallow junction bipolar transistors 86−9093
McLaughlin, K.L. *see* Greeneich, E.W. 88−50934
McLaughlin, M. The technological evolution of modems 87−2979
McLaughlin, M., Linder, D., Carney, S. Design and test of a spectrally efficient land mobile communications system using LPC speech 85−3373
McLaughlin, M.B. *see* Peck, H.I. 88−9291
McLaughlin, M.J., Rasky, P.D. Speech and channel coding for digital land-mobile radio 88−40786
McLaughlin, M.P. Experimental detection of anomalous mode-C reports using radar data 87−35477
McLaughlin, P.O., Toyama, M., Kitano, I. Axial gradient index singlet collimator lens for the compact disk system 87−46633
McLaughlin, P.V., Jr., Ingle, A.A. Analysis of damage propagation and ultimate failure in laminated composite flywheels 86−40183
McLaughlin, S., Mulgrew, B., Cowan, C.F.N. Tracking performance of least squares algorithms as HF channel estimators 87−27136
McLaughlin, S., Mulgrew, B., Cowan, C.F.N. A performance study of the extended Kalman algorithm as a HF channel estimator 88−46877
McLaughlin, S.J., Chan, S.T.F., Ford, D., Neame, S.J., Dudley, H.A.F. Microcomputer system for the analysis of muscle function 87−21517
McLaughlin, W. Multilayer manufacturing tips 86−8613
McLaughlin, W.I. *see* Laeser, R.P. 87−28547
McLaughlin, W.L. *see* Kronenberg, S. 87−21690
McLaughlin, W.L. *see* Radak, B.B. 86−32394
McLaurin, A.P., Jones, E.R., Jr. Effects of long-term viewing of VISIDEP 3-D television 88−74123
Mclaurin, A.P., Jones, E.R., Jr., Cathey, L. Visual image depth enhancement process: an approach to three-dimensional imaging 86−65142
McLaurin, A.P., Jones, E.R., Cathey, L. Advanced alternating frame technology (VISIDEP-TM) and three-dimensional remote sensing 87−57351
McLaurin, A.P., Jones, E.R., Jr., Cathey, L. Initial investigation into user acceptance of VISIDEP three-dimensional technology 88−4560
McLaurin, A.P., Jones, E.R., Cathey, L.C. Single-source three-dimensional imaging system for remote sensing 88−30183
McLaurin, A.P., Jones, E.R., LeConte Cathey Electronic three-dimensional vision for mechanical devices through VISIDEP 86−17851
McLaurin, A.P. *see* Jones, E.R., Jr. 88−5063
MacLaurin, B. *see* Suthers, M. 87−60743
Maclay, G.J. A simple and inexpensive photographic process for generating multiple image masks from single image artwork 85−50355
Maclay, G.J. MOS hydrogen sensors with ultrathin layers of palladium 85−58659
Maclay, G.J., Buttner, W.J., Stetter, J.R. Microfabricated amperometric gas sensors 88−53622
Maclay, G.J. *see* Jelley, K.W. 88−16065
Maclay, G.J. *see* Stetter, J.R. 88−35982
Maclay, N. *see* Chambers, R.M. 88−66438
Maclean, A. Management development for scientists and technologists—opening address 87−51796
MacLean, A. *see* Barnard, P. 85−3057
McLean, A.B., Dharmadasa, I.M., Williams, R.H. Schottky-barrier height determination in the presence of interfacial disorder 87−1306
McLean, A.B., Evans, D.A. The interaction of Mn with the clean and oxidised GaAs(110) surface 87−24935
McLean, A.B., Evans, D.A., Williams, R.H. The electrical properties of Na overlayers on the clean, cleaved GaAs(110) surface 87−74114
McLean, A.B., Williams, R.H. The electrical properties of Ga/nGaAs(110) interfaces 88−7565
McLean, A.B., Williams, R.H. Schottky contacts to cleaved GaAs (110) surfaces. I. Electrical properties and microscopic theories 88−25961
McLean, A.B., Williams, R.H., McGilp, J.F. Metal *d*-level induced mid-gap Fermi level pinning on GaAs(110) 88−44590
McLean, A.B. *see* McGilp, J.F. 88−25962
McLean, A.B. *see* Williams, R.H. 87−1298
McLean, A.N. *see* Swan, T. 85−27236
McLean, B., Smith, S. Developing a wide field of view HMD for simulators 88−30108
MacLean, C. *see* Valk, J. 86−52112
McLean, D., Collins, L. Quality assurance protocol for digital subtraction angiographic units 87−35387
McLean, D., Samaka, M.B. A novel system for in-flight detection of wind shear 87−21724
McLean, D., Setford, D.A. A low cost flight simulator for twin-engined general aircraft 87−14985
Maclean, D., White, I.H., Carroll, J.E., Armistead, C.J., Plumb, R.G. Modal bistability in twin-ridge injection lasers 87−68622
MacLean, D., White, I.H., Carroll, J.E., Armistead, C.J., Plumb, R.G. Sub-picojoule, detector limited, optically triggered bistability in twin-ridge injection lasers operating at 1.3 μm 88−65874
MacLean, D., White, I.H., Carroll, J.E., Plumb, R.G. Delay-triggered optical switching in twin-stripe IRW lasers 86−3148
MacLean, D. *see* Carroll, J.E. 87−68827
Maclean, D. *see* Janssen, A.P. 88−73987
McLean, D.F. Computer-based analysis and restoration of Baird 30-line television recordings 85−47639
MacLean, D.J., Wilson, W.T. New computer communication services: a challenge to people technology 87−48646
McLean, D.J. *see* Turner, M.E. 86−47836
Maclean, D.J.H. Microwave amplifier design starts with feedback probe 86−35093
Maclean, D.J.H. Model predictions hold key to stable feedback circuits 86−41338
Maclean, D.J.H. Better design of RF amplifiers using feedback concepts 87−5695
Maclean, D.J.H. Improved computer-aided design of amplifiers using feedback concepts 87−10586
Maclean, D.J.H. Stability in microwave active circuits 88−25553
Maclean, D.J.H. *see* Gee, M. 86−14535
McLean, D.R., Littlefield, R.G., Beyer, D.S. An expert system for scheduling requests for communications links between TDRSS and ERBS 88−28783
McLean, E.A. *see* Elton, R.C. 88−51730
McLean, E.A. *see* Lee, T.N. 87−75002, 88−40156
McLean, F.B. *see* Benedetto, J.M. 86−35690
McLean, F.B. *see* Boesch, H.E., Jr. 86−35444, 86−63126, 87−32533
McLean, F.B. *see* Oldham, T.R. 87−32342, 87−32456, 88−26283
MacLean, G.E. PBX: its role in communications networking 85−42366
McLean, G.F., Jernigan, M.E. Contextual filters for image processing 87−33818
McLean, G.F., Jernigan, M.E. Image processing using three inhibition models 88−34823
McLean, G.W. Comparison of locomotive drives using current forced AC traction motors 85−39256
McLean, G.W., Chard, J., Soltani-Zamani, J. Design of rotor windings to improve the performance of converter fed synchronous machines 88−17573
McLean, G.W., West, A.N. Combined lift and thrust for Maglev vehicles using the zig-zag synchronous motor 85−44264
McLean, I., Patz, V. Integrated circuit design centre: local design capability 86−15194
McLean, I.D. kVp definitions and their impact on practical kVp measurement in diagnostic radiology 88−16691
McLean, J. *see* Haas, D. 85−7459, 86−42571, 87−26544
McLean, J.A. *see* Daw, A.W. 87−16333
McLean, J.D. *see* Warner, D.N., Jr. 86−60895
MacLean, J.R., Uhlhorn, R.W. Physical layer considerations for a high throughput, fiber-optic serial high-speed data bus 86−70461
McLean, J.R. *see* Bailey, P.J. 85−29578
McLean, K. *see* Ding, L. 88−9577
McLean, K.J. Electrostatic precipitators 88−58802
McLean, K.J., Ansari, I.A. Calculation of the rod-plane voltage/current characteristics using the saturated current density equation and Warburg's law 88−20176
Mclean, K.J., Lawless, P.A., Sparks, L.E., Ramsey, G.H. Negative corona in wire-plate electrostatic precipitators. II. Calculation of electrical characteristics of contaminated discharge electrodes 86−63924
McLean, K.J. *see* Lawless, P.A. 86−63923
McLean, K.J. *see* Ohkubo, T. 87−12677
McLean, M. Enigma over IAN strategy 85−13885
McLean, N. The library in the organizational network 88−35160
McLean, N.S. *see* Nash, T.F. 85−17964
McLean, R. *see* Van Dierendonck, A.J. 87−41111
Maclean, S.M. *see* Wu, Z. 88−58850
McLean, T.B. Qaulity control on microcomputers 86−13538
McLean, T.D., Kerr, T.M., Westwood, D.I., Blight, S.R., Page, D., Wood, C.E.C. The formation of Schottky contacts to $GaAs_ySb_{1-y}(0<y<1)$ 86−53462
McLean, T.D., Kerr, T.M., Westwood, D.I., Grange, J.D., Murgatroyd, I.J. Optical and electrical characterisation of $GaAs_y\text{-}Sb_{1-y}$ $(0<y<1)$ grown by molecular beam epitaxy 86−1732
McLean, T.D., Kerr, T.M., Westwood, D.I., Wood, C.E.C., Howell, D.F. Controlled *n*-type doping of GaSb 86−47455
McLean, T.D. *see* Buglass, J.G. 87−32417
McLean, T.D. *see* Kerr, T.M. 86−52464 to 52465
McLean, T.D. *see* Wood, C.E.C. 87−1388
McLean, T.M. *see* Kerr, T.M. 85−39734
Maclean, T.S.M., Bagwell, D.J., Mehler, M.J. Propagation from LF to SHF 88−43650
Maclean, T.S.M. *see* Evans, R.G.L. 88−45680
Maclean, T.S.M. *see* Khalid, K.B. 88−53614
Maclean, T.S.M. *see* Khamas, S.K. 88−40681
Maclean, T.S.M. *see* Mehler, M.J. 86−42988
Maclean, T.S.M. *see* Obaid, A.A.S. 86−29513
Maclean, T.S.M. *see* Rodrigues, J.M.P. 85−29541, 86−42246, 87−53949
Maclean, T.S.M. *see* Wu, Z. 87−47163, 88−40567
McLean, W.E. *see* Price, D.R. 86−65494
McLean, W.L. *see* Safari, A. 88−65007
McLeary, R. Pulsed hydrogen-fluoride laser 85−7392
McLeary, R. Operation of a CO_2 mixing laser at atmospheric pressure 85−35685
McLeary, R. Calculations of collision-induced optical gain in high-density mixtures of D_2 or HD with a buffer gas 85−35707
McLeary, R. Measurement of gain in an optically-excited mixture of D_2 and Ar at high density 85−51090
McLeary, R. *see* Whitcher, R.E. 85−24491
McLeary, R.C., Wendlandt, B.C.H. Millimetre waves—a problem for the future 85−12816
McLeay, K. Analysing power systems using computers 88−61856
Macleish, K.J., Thiedke, S., Vennergrund, D. Expert systems in central office switch maintenance 87−8112
Macleish, K.J., Thiedke, S., Vennergrund, D. Application of artificial intelligence in telecommunications 88−46389
McLellan, D.E. *see* Banerjee, A.K. 86−25789
McLellan, E. *see* Wolrich, G. 85−22932
McLellan, E.J., Badeau, R.W., Ellis, J.J., Kowaleski, J., Malik, O., Wolrich, G., Yodlowski, R.A.J. The CVAX FPU—a CMOS VAX floating point unit 88−20132
McLellan, E.J., Wolrich, G.M., Yodlowski, R.A.J. Development of the CVAX floating point chip 88−70786
McLellan, H.R. *see* Berenbaum, A. 87−59605
McLellan, H.R. *see* Berenbaum, A.D. 87−44939 to 44940, 88−6897

McLellan, H.R. *see* Ditzel, D.R. 87—59628, 87—59630
McLellan, I. Video and narrowcasting: TV for and by ordinary people 88—35686
McLellan, J. *see* Dunscombe, P.B. 88—48212
McLellan, P. Effective data management for VLSI design 86—21787
McLellan, P. Analysing tradeoffs in IC design 87—66121
McLellan, P. Analysing tradeoffs in IC design 88—12285
McLellan, R.N., Schroen, W.H. Surface mount technology and reliability for VLSI packages 86—67962
McLening, M. Power struggle: how to cope with networks 88—15116
MacLennan, D.N. Time varied gain functions for pulsed sonars 87—13794
Maclennan, J.E., Clark, N.A. Switching dynamics and structures of ferroelectric liquid crystals in the surface stabilized geometry 88—45228
McLennan, M. *see* Cahay, M. 87—6637, 87—37926, 88—7559
McLennon, M. *see* Cahay, M. 88—1614
Macleod, A. Real-time videotex service 86—10723
Macleod, A. *see* Gibbs, H.M. 85—56842
MacLeod, B. Making sense of networks 86—4256
Macleod, B. Network control centres—the heart of the matter 86—30179
MacLeod, B. *see* Korenstein, R. 88—31785
McLeod, B.A. *see* Romano, M.L. 85—25385
Macleod, C.J. *see* Abdel-Aal, R.E. 88—16976
McLeod, D. *see* Afsarmanesh, H. 86—21797, 86—40866, 87—46115
MacLeod, D.I.A. Computer controlled color displays in vision research: possibilities and problems 86—70381
McLeod, F.N. *see* Farrier, D.R. 87—27505
McLeod, G.A. *see* Batchman, T.E. 87—18267
MacLeod, G.E. *see* Muller, E.M. 86—29793
Macleod, H.A. Thin-film optical filters. Second edition 86—52114
Macleod, H.A. *see* Balasubramanian, K. 88—8003
MacLeod, H.A. *see* DeSandre, L. 87—26143
Macleod, H.A. *see* Jin, R. 87—33311
Macleod, H.A. *see* Khitrova, G. 88—65432
Macleod, H.A. *see* Olbright, G.R. 85—18767
Macleod, H.A. *see* Osborn, D.E. 87—22756
Macleod, H.A. *see* Sprague, R.W. 88—8288
Macleod, H.A. *see* Wang, L. 88—33816
Macleod, H.A.G. *see* Wang, L. 88—51629
MacLeod, I.A. *see* Barnard, D.T. 86—54455
Macleod, I.D., Beesley, M.J., Firth, D., Rowley, R., Taylor, C.G., Waites, C. Acoustic surveillance systems for LMFBRs 88—72967
Macleod, I.M. Using real-time to achieve coordination in distributed computer control systems 86—10810
MacLeod, I.M. *see* Turner, M.J. 88—74792
McLeod, J. Autonomous networks begin to communicate 86—16974
McLeod, J. The sky is not falling in the ATE world 87—23306
McLeod, J. Test and measurement 87—25379
McLeod, J. Output optics for Aurora: beam separation, pulse stacking, and target focusing 87—61287
McLeod, J. *see* Freen, R. 86—49391
McLeod, J. *see* Hanlon, J. 86—29078
McLeod, J. *see* Hanlon, J.A. 87—61286
MacLeod, J. *see* McKenzie, A.R. 85—27197
Mcleod, J. *see* Rosocha, L.A. 86—36400, 87—7252, 87—61278, 87—61285, 87—75022
Macleod, J.E.S., Luk, A., Titterington, D.M. A re-examination of the distance-weighted k-nearest neighbor classification rule 88—8821
McLeod, K.J., Lovely, D.F., Scott, R.N. A biphasic pulse burst generator for afferent nerve stimulation 87—35444
Macleod, M.D. Fast calibration of IQ digitiser systems 88—12465
MacLeod, N. The rapid testing of ionic contamination on printed wiring boards and assemblies 87—11208
Macleod, N. Smart tool finds fiber optic cable 88—4010
McLeod, P.C. *see* Johnson, W.D. 87—77691
McLeod, P.S., Fraas, L.M., Partain, L.D., Cape, J.A. Vacuum chemical epitaxial growth of III-V materials for multi-band-gap solar cells 87—65524
McLeod, P.S. *see* Cape, J.A. 86—19495
McLeod, P.S. *see* Fraas, L.M. 85—10716, 85—44192, 85—49563, 86—13071, 86—34324, 86—57445, 87—16598, 87—36142, 87—52116, 87—58932
McLeod, P.S. *see* Partain, L.D. 86—7066, 86—14855, 87—9756, 87—51471, 87—64818, 87—72395, 88—5857, 88—12942, 88—75926
McLeod, R. Multiplexing high speed links 85—47312
MacLeod, R.A. An extremal result for divisor functions 86—57335
McLeod, R.D., Lee, C.W., Burek, D.M., Pries, W., Bridges, G.E. A parallel-processing environment for HVDC-AC power system simulation 87—29998
McLeod, R.D. *see* Bridges, G.E. 86—12245
McLeod, R.D. *see* Card, H.C. 86—63369, 87—25397, 87—25408
McLeod, R.D. *see* Herak, T.V. 85—18786, 88—24768
McLeod, R.D. *see* Hortensius, P.D. 87—32740
McLeod, R.D. *see* Mejia, S.R. 86—34369, 86—34388, 88—33027
McLeod, R.D. *see* Podaima, B.W. 87—44809
McLeod, R.D. *see* Pries, W. 85—6003, 86—46382
McLeod, R.D. *see* Sawh, D. 87—32741
McLeod, R.D. *see* Shome, T. 88—736
McLeod, R.G., Daily, J., Kiss, K. Image processing and geographic information 87—19904
McLeod, R.J.Y. *see* Baart, M.L. 85—33316
McLeod, S.I. ISDN: a source of new business opportunities 88—3688
McLeod, T. Management of research, development and design in industry. Second edition 88—31355
MacLeod, W.H. *see* Tou, C.P. 85—62822
McLeod-Reisig, S.E., Huber, K. ISO virtual terminal protocol and its relationship to MIL-STD TELNET 87—34185
McLernon, D.C., King, R.A. New result for limit cycles in two-dimensional recursive digital filters 85—34082
McLernon, D.C., King, R.A. Evaluating the impulse response of a first-order 2-D recursive filter 86—46989
McLernon, D.C., King, R.A. Additional properties of one-dimensional limit cycles 86—46991
McLevige, W.V., Chang, C.T.M. An ECL-compatible GaAs E/D MESFET 1 K-bit static RAM 86—34807
McLevige, W.V., Chang, C.T.M., Taddiken, A.H. An ECL-compatible GaAs MESFET 1-kbit static RAM 87—44828
McLevige, W.V. *see* Shichijo, H. 87—37281, 87—46226, 87—59467
McLevige, W.V. *see* Shih, H.D. 85—44723
McLevige, W.V. *see* Yuan, H.T. 87—46172
McLinden, L. A minimax theorem 85—22346
McLinden, L. *see* Mangasarian, O.L. 85—44618
McLinden, S. *see* Banks, G. 87—35410
McLinden, S. *see* Vries, J.K. 86—50477, 86—50546
McLintock, G.A.., Jones, B.G., Johnson, D.A. High reliability bubble memory data storage for control applications 87—38670
McLintock, R.W. Overview of international standards for transmission impairments affecting digital telecommunications networks 85—57659
McLintock, R.W. Overview of international standards for transmission impairments affecting digital telecommunications networks 86—10630
McLintock, R.W. Network planning—transmission performance 86—10698
McLintock, R.W. Overview of international standards for transmission impairments affecting digital telecommunications networks 86—37232
McLintock, R.W. The international standardisation of error performance criteria 87—55582
McLintock, R.W. Network planning—transmission performance [telecommunications] 87—76235
McLintock, R.W., Harrison, N. Introduction of a cyclic redundancy check procedure into the 2048 kbit/s basic frame structure 88—27746
McInturff, A.D. *see* Ige, O.O. 86—42178
Mclochlin, C., Principe, J.C., Smith, J.R. A data compression algorithm for the electroencephalogram 88—48148
McLochlin, C., Ward, C., Chow, Y.C., Newman-Wolfe, R., Wilson, J.N., Hughes, T.B. Determining the delay and reliability of low altitude satellite network topologies using simulation 88—3957
McLochlin, C., Ward, C., Chow, Y.C., Newman-Wolfe, R., Wilson, J.N., Hughes, T.B. Optimizing the delay and reliability of low altitude satellite network topologies 88—22039
McLochlin, C. *see* Chow, Y.C. 88—53226
MacLoon, F., Sommerville, J. Lepreau—innovation by a small utility 87—9310
McLoughlin, A.M. The complexity of computing the covering radius of a code 85—30174
McLoughlin, C. *see* Farrell, F. 88—17140
McLoughlin, J.M. *see* Humpage, W.D. 86—6316
McLoughlin, K.T. Electric transmission right-of-way vegetation management 86—65732
McLoughlin, M.P., Arce, G.R. Deterministic properties of the recursive separable median filter 87—33681
McLoughlin, M.P. *see* Arce, G.R. 87—33680
McLoughlin, P.D. *see* Bishop, K.W.J. 87—16107
McLoughlin, P.D. *see* James, M. 86—6497
McLucas, C.W., McIntosh, A.I. Discharge heated longitudinal Sr$^+$ recombination laser 86—63756
McLucas, C.W., McIntosh, A.I. Investigation of laser emission in Sr$^+$ and Ca$^+$ 87—54232
McLucas, C.W. *see* Kunnemeyer, R. 88—27110
McLucas, J., Paschall, L.M. Commercial SATCOM interoperability issues 85—30989
McLuckie, J. Communications for the elderly in sheltered housing 87—13200
Maclure, M.A. *see* Cameron, W.H. 88—52743
McIver, J.K. *see* Becker, W. 86—9882
McLyman, W.T., Wagner, A.P. Design of HF inductors with ferrite or Permalloy cores 87—17411
McMacken, R.W. Automated image understanding 88—46263
McMackin, I., Radzewicz, C., Beck, M., Raymer, M.G. Instabilities and chaos in a multimode, standing-wave, CW dye laser 88—72291
McMackin, I. *see* Chyba, T.H. 87—54268
McMackin, J.B. *see* Russell, S.F. 87—40684
McMahan, M. *see* Reimer, J.B. 86—3919
McMahan, M.A. The response of scintillators to heavy ions—I. Plastics 88—61078
McMahan, M.A., Wozniak, G.J., Lyneis, C.M., Bowman, D.R., Charity, R.J., Liu, Z.H., Moretto, L.G., Kehoe, W.L., Mignerey, A.C., Namboodiri, M.N. Using a cyclotron plus ECR source for detector evaluation and calibration 87—29466
McMahan, M.L. *see* Pawate, B.I. 87—61720
McMahon, A.M. The making of a profession: a century of electrical engineering in America 86—31
McMahon, C.P. *see* Melloch, M.R. 87—33047, 88—5867
McMahon, D. *see* Aldhouse, S.T.E. 87—5527
McMahon, D.H., Dyes, W.A. Self-heterodyne multiterminal system concepts for frequency division multiplexed fiber-optic communication 88—73755
McMahon, D.H., Dyes, W.A., Cooper, R.F., Robinson, W.C., Mahapatra, A. Echelon grating multiplexers for hierarchically multiplexed fiber-optic communication networks 87—62925
McMahon, D.H., Soref, R.A., Sheppard, L.E. Sensitive fieldable photoelastic fiber-optic hydrophone 85—9375
McMahon, D.J. An evaluation of the weather resistant properties of non-black sheathing compounds for telecommunication cables 87—5525
McMahon, D.R.A., Barrett, R.F. An efficient method for the estimation of the frequency of a single tone in noise from the phases of discrete Fourier transforms 87—2528
McMahon, D.R.A., Barrett, R.F. Generalisation of the method for the estimation of the frequencies of tones in noise from the phases of discrete Fourier transforms 87—61906
McMahon, E.A. *see* Timans, P.J. 86—35307
McMahon, G.W. *see* Fanning, B.L. 88—48349
McMahon, G.W. *see* Mouroulis, P. 87—29985
MacMahon, H. *see* Chan, H.-P. 88—29968
MacMahon, H. *see* Giger, M.L. 88—29970
McMahon, J. *see* Gangemi, M. 87—6208
McMahon, J. *see* Kahn, E. 87—64064
McMahon, J. *see* Turiel, I. 87—72467
McMahon, J.F., Sawyer, S.J., Van Hook, J.P. Some aspects of coal pyrolysis for liquid and solid fuels production 85—54003
McMahon, J.M. Wafer characterization with laser microprobe mass spectroscopy 85—62015
McMahon, L.D. *see* Collins, R.A. 86—58343
McMahon, M. Accelerators for faster logic simulation: the Zycad approach 87—65690
McMahon, M.D., Rian, B.J. In-service reclassification of askarel transformers—Application criteria and field results 88—62426
McMahon, M.D., Rian, B.J. Reclassification of askarel transformers—field applications and results 88—75704
McMahon, M.D., Venable, T.C. In-service reclassification of askarel filled transformers 87—72222
McMahon, P.M. *see* Langford, G.M. 87—57757
McMahon, R., Denenberg, B.A. Continuous online monitors for dopant and reactive gases [semiconductor manufacture] 87—43920
McMahon, R.A., Hasko, D.G., Ahmed, H. Electron beam system for rapid isothermal annealing of semiconductor materials and devices 85—55645
McMahon, R.A., Hasko, D.G., Ahmed, H. Electron beam processing for MOS devices with shallow junctions 85—55970
McMahon, R.A., Hasko, D.G., Ahmed, H., Stobbs, W.M., Godfrey, D.J. A comparison of millisecond annealing of B implants and isothermal annealing for times of a few seconds 86—9005
McMahon, R.A. *see* Cowern, N.E.B. 87—6567
McMahon, R.A. *see* Davis, J.R. 85—22502, 86—459
McMahon, R.A. *see* Peters, T.B. 86—2378
McMahon, R.A. *see* Smith, D.A. 88—49804
McMahon, R.A. *see* Williams, D.A. 88—32957
McMahon, R.A. *see* Yallup, K.J. 87—67556
McMahon, R.R., Hollick, T.C., Mikucki, M.P. Designing for manufacturability overview [PCB design] 86—53150
McMahon, R.W., Celler, Z., Hanssmann, M.G., Shuen, A.K. A generalized approach to vacuum system automation 88—70351
McMahon, T. *see* Astbury, A. 85—64463
McMahon, T.J., Konenkamp, R., Sadlon, K. Conceptual error in the calculation of the AM1 short circuit current from light biased spectral quantum efficiency measurements 86—7141
McMahon, T.J., Madan, A. Photoconductivity and electronic doping effects in hydrogenated amorphous silicon 85—51026

McMahon, T.J., Madan, A. Tunneling contributions to nip and pin hydrogenated amorphous silicon devices 86−35650
McMahon, T.J., Sadlon, K. Errors in calculated air mass 1 short-circuit currents due to nonlinear responsivities 85−21810
McMahon, T.J., Xi, J.P. Light induced change in a-Si:H material and p-i-n devices 86−28954
McMahon, T.J., Xi, J.P. Photoconductivity and light-induced change in *a*-Si:H 87−2019
McMahon, T.J., Xi, J.P. Light-induced change in a-Si:H material and PIN devices 87−12304
McMahon, T.J. *see* Corden, M.J. 85−64462
McMahon, T.J. *see* Madan, A. 85−32713
McMahon, T.J. *see* Tsuo, Y.S. 87−78911
Mcmahon, T.J. *see* Von Roedern, B. 86−35361
McMahon, T.J. *see* Xi, J.P. 87−9753, 87−68258
McMahon Moore, J. *see* Cambridge, M. 87−9242
McManamy, T.J., Benson, R.D., Brown, R.L., Henkel, G.H., Lazarus, E.A., Williamson, D.E. Design and fabrication of a prototype solenoid for the Spherical Torus Experiment 88−65998
McManamy, T.J., Lue, J.W., Ballou, J.K., Mann, T.L., Shen, S.S., Wilson, C.T. EBT-P magnet development program summary 85−56243
McManamy, T.J. *see* Dresner, L. 87−67976, 88−65032
McManamy, T.J. *see* Friesinger, G. 88−65031
McManamy, T.J. *see* Haubenreich, P.N. 87−67987
McManamy, T.J. *see* Lubell, M.S. 88−65028
McManamy, T.J. *see* Lue, J.W. 87−67973, 88−65100
McManamy, T.J. *see* Luton, J.N. 87−67950
McManamy, T.J. *see* Shen, S.S. 87−67971, 88−65033, 88−65106
McManis, C. Local power in a remote link 86−23377
McManis, G.E., Fletcher, A.N., Bliss, D.E., Miles, M.H. Room temperature discharge characteristics of Li/NH_4NO_3-$LiNO_3$-amide cells using silver salts as active cathode materials 87−43339
McManis, G.E., Fletcher, A.N., Miles, M.H. Factors affecting the discharge lifetime of lithium-molten nitrate thermal battery cells using soluble cathode materials 87−4858
McManis, G.E., Miles, M.H., Fletcher, A.N. The high rate discharge characteristics of silver chromate, silver molybdate, and silver tungstate cathodes in molten nitrate electrolytes 86−6974
McManis, G.E., Miles, M.H., Fletcher, A.N. Discharge characteristics of lithium/molten nitrate thermal battery cells using silver salts as solid cathode materials 86−45634
McManis, G.E., III *see* Fletcher, A.N. 88−8154
McManis, R.B., Clapp, M.C., Girgis, A.A. Power system state estimate on a personal computer 88−54951
McMann, R.E. *see* Welch, M.T. 87−67545
McMann, R.H., Goldberg, A.A., Rossi, J.P. A two channel compatible HDTV broadcast system 85−20352
McMann, R.H. *see* Kaiser, A. 85−47638, 85−58357
McMann, R.H. *see* Rossi, J.P. 85−20310
McManus, A.P. *see* Banerjee, S. 88−54447
McManus, C. Take care when choosing controllers for flat-panel displays 88−53770
McManus, C.D., Fletcher, R.D., Maloney, D.L. A second-generation computerized system for wide-area cardiac pacemaker monitoring 85−53099
McManus, C.D., Teppner, U., Neubert, D., Lobodzinski, S.M. Estimation and removal of baseline drift in the electrocardiogram 85−28163
McManus, C.K. *see* Kelley, J.J. 87−30918
MacManus, D., Madsen, W. Compact air core gage and stepper motor system for vehicular instrument panels 85−60505
McManus, D. *see* Cramer, E. 87−35416
McManus, J.B., Putnam, R.S. Construction of an optical-carry adder 87−46720
McManus, P., Mead, D. Matching video and hard-copy color 85−14924
McManus, P. *see* Virgin, L. 87−3473
McManus, P.J. Power plant automation and the microprocessor 87−35833
McManus, P.J. Power plant automation and the microprocessor 87−71959
McManus, P.R. *see* Jones, B.L. 87−28767
McManus, R.W. Vogtle Electric Generating Plant Unit 1 Readiness Review Program 87−57775
McManus, T.K. CIM architecture for electronic design and manufacture 88−70123
McMara, D.A. Optimum monopulse linear array excitations using Zolotarev polynomials 85−57152
McMarr, P.J. *see* Blanco, J.R. 86−26910
MacMartin, M.P., Kusters, N.L. The application of the direct current comparator to a seven-decade potentiometer 85−8924
MacMaster, G. *see* Mallavarpu, R. 86−8495
MacMaster, G. *see* Mallavarpur, R. 87−45294
MacMaster, G.H., Nichols, L.J. Cathode-driven crossed-field amplifier 88−19610
McMaster, I.B. *see* Tseng, T.T. 86−32979
McMaster, M., Driels, M. Multi-channel strain gauge interfacing for microcomputer data acquisition 86−5125
McMaster, R.H. *see* McDonald, M.F. 87−44088
McMechan, G.A., Barrodale, I. Processing electromagnetic data in the time domain 85−36255
McMenamin, D.F. UPS in the central office: a TelCo engineer's perspective 88−30835
McMenamin, J.C. Laser technology in photolithography 88−1496
McMenamin, J.C. A high speed, high accuracy lithographic application of argon ion lasers 88−20579
McMichael, G. CW linear accelerator developments at CRNL−status and future 85−58964
McMichael, G.E., Brown, J.C., Chidley, B.G., de Jong, Hutcheon, R.M., Schriber, S.O., Shubaly, M.R., Tran Ngoc, T., Turner, R.B., Walton, A.A. Atomic Energy of Canada Limited RFQ1 and the Sparker-CW proton RFQs at CRNL 85−58966
McMichael, G.E., Chidley, B.G., Hutcheon, R.M. Conceptual design study for the proposed ISOL post-accelerator at TRIUMF 86−50259
McMichael, G.E., Chidley, B.G., Hutcheon, R.M., Tran Ngoc, T. RFQ1 fabrication and low power RF tuning 88−54361
McMichael, G.E. *see* Chidley, B.G. 85−59157, 86−5713, 87−41681, 88−61066
McMichael, G.E. *see* Ungrin, J. 86−38676
McMichael, I., Beckwith, P., Yeh, P. Phase-conjugate multimode fiber gyro 88−22625
McMichael, I., Khoshnevisan, M., Yeh, P. Phase conjugation in semiconductor lasers 88−20759
McMichael, I., Yeh, P. Self-pumped phase-conjugate fiber-optic gyro 87−18670
McMichael, I., Yeh, P., Beckwith, P. Correction of polarization and modal scrambling in multimode fibers by phase conjugation 87−60924
McMichael, I. *see* Beckwith, P.H. 87−61237
McMichael, I. *see* Yeh, P. 86−42227
McMichael, I.C. *see* Diels, J.-C. 86−48488
McMichael, I.C. *see* Diels, J.-C.M. 85−46438
Macmichael, J. Optical RAMs for low-cost monochromatic imaging 88−10031
McMichael, R.D. *see* Xiao-Dong Chen 87−74562
McMillan, A. MAP product testing gets under way 86−16916
McMillan, A.H., Matthews, R.S. MAP/TOP conformance testing: theory and reality 87−40471
McMillan, A.H., Morgan, D.E. MAP component-level testing 86−49319
McMillan, A.J. Isolated interfaces−will they replace barrier devices? 86−52668
McMillan, A.J. Radio controlled ignition 87−10106
McMillan, A.J. Modern cable materials and their effect on intrinsic safety 87−15276
McMillan, A.J. Contractors must know about explosion risks 87−36431
McMillan, A.J. *see* Cox, B.A. 87−43902
McMillan, B.W. Maintenance of hydro-electric plant 86−45226
McMillan, C.F., Goosman, D.R., Parker, N.L., Steinmetz, L.L., Chau, H.H., Huen, T., Whipkey, R.K., Perry, S.J. Velocimetry of fast surfaces using Fabry-Perot interferometry 88−29656
McMillan, C.S. *see* Johnson, P.B. 88−26010
McMillan, D. *see* Lipman, J. 86−67999
McMillan, D. *see* Warfield, R. 88−52610
McMillan, D.E., Utterback, N.G. On-line computer to reduce response time in a viscometer system having analog feedback 86−55896
McMillan, D.E., Utterback, N.G., Nasrinasrabadi, M., Lee, M.M. An instrument to evaluate the time dependent flow properties of blood at moderate shear rates 86−44619
McMillan, D.E. *see* Nelson, R.O. 85−43308, 86−56071
McMillan, D.J. *see* Prewett, P.D. 85−23921
McMillan, G.B., Shannon, J.M., Ahmed, H. Processing of unipolar diodes with electron beams 85−1558
MacMillan, H.F. *see* Ahrenkiel, R.K. 88−1355
MacMillan, H.F. *see* Anderson, W.W. 85−10736
MacMillan, H.F. *see* Cooper, C.B., III 88−26051
MacMillan, H.F. *see* Hamaker, H.C. 88−37500
MacMillan, H.F. *see* Lewis, C.R. 87−72403, 88−62614
MacMillan, H.F. *see* Partain, L.D. 88−37603
McMillan, H.G. *see* Davis, G.T. 85−34269
McMillan, I.D., Zannoli, S. Soldering and reflux for SMD 85−45307
McMillan, J. Improved coincidence circuit 86−34717
McMillan, J. *see* Giles, I.P. 86−42251, 87−26040
McMillan, J. *see* Long, A.R. 86−27909, 88−71318
McMillan, J.C. An integrated system for land navigation 88−9676
McMillan, J.C. *see* Dabbous, T.E. 88−47237
McMillan, J.D., Thobe, D.J. Compensating the telecommunications specialist [salaries] 85−42041
McMillan, J.E. A low-cost 10-channel S-100 compatible counter-timer circuit 88−22991
McMillan, J.L., Robertson, S.C. Characterisation of single-mode optical fibres by measurement of equalisation wavelength 85−35447
McMillan, J.L. *see* Mackintosh, J.M. 87−38821, 88−10006
McMillan, J.R. *see* Nguyen, D.T. 85−13494
McMillan, K. *see* Steele, R. 87−21630
McMillan, K.L. *see* McGill, K.C. 87−50362
McMillan, L. *see* Araujo, C. 86−58635
McMillan, L. *see* Caren, C.J. 87−59612
McMillan, L. *see* Rohrer, G. 88−64872
McMillan, L.D. *see* Scott, J.F. 87−53840
McMillan, M.L., Riggs, L. Rim diffraction from reflector antennas using the geometric theory of diffraction 86−29590
McMillan, M.L., Riggs, L. Edge diffraction from reflector antennas utilizing the geometrical theory of diffraction 87−12798
McMillan, M.L. *see* Taher, M.A. 86−13212
McMillan, P.W. *see* Bridge, D.R. 86−20117
Macmillan, R. Learning to work with RFI 87−72834
MacMillan, R. New RFI legislation affects the UK manufacturer 88−40596
McMillan, R., Formby, J.R., Wilson, R.G. Restructuring the distribution network by the use of feeder automation 87−50790
McMillan, R., Formby, R., Wilson, R.G. The development of urban feeder automation in the United Kingdom 88−17791
McMillan, R. *see* Wilson, R.G. 86−56920
McMillan, R.A. Instrument installation process considerations 85−64109
McMillan, R.D. Electrical circuits in the mathematics/computer science classroom 88−43616
Macmillan, R.H. *see* Parkhill, G.J. 85−39278
McMillan, R.S. A handsfree mobile microphone 88−9441
McMillan, R.S. *see* Fong, R. 87−58276
McMillan, R.W. Near-millimeter-wave sources of radiation 85−28725
McMillan, R.W., Bohlander, R.A., Platt, R.H., Guillory, D.M., Priestley, J.T., Hill, R.J., Clifford, S.F., Cupp, R.E., Wilson, J. Atmospheric turbulence measurement system 86−38957
McMillan, R.W., Guillory, D.M. Phase and frequency control of millimeter wave sources 86−35080
McMillan, R.W., Sharpe, S.M., Seals, J., Elis, M.G., Studwell, M.L., Brady, V.T., Burdette, E.C. A millimeter wave frequency synthesizer covering the 40-60 GHz waveguide band 87−983
McMillan, R.W. *see* Bohlander, R.A. 85−30036, 88−58847
McMillan, R.W. *see* Clifford, S.F. 88−52218
McMillan, R.W. *see* Guillory, D.M. 88−19612
McMillan, R.W. *see* Hill, R.J. 88−58846
McMillan, R.W. *see* Walsh, J.E. 88−19607
McMillan, S., Stewart, C. A signal processor for a scanning marine radar 86−55344
McMillan, T. *see* Finlay, I.C. 85−64286
McMillan, W.I. Computer supervision, monitoring and control of telephone AC power systems 87−30284
McMillen, C.J., Caverly, D.W., Schoendube, C.W. Scaled low-voltage side surge current tests on a model distribution system 88−75697
McMillen, C.J., Comber, M.G., Hopkinson, R.H., Schoendube, C.W. The development of an oil-immersed surge arrester for distribution transformers 86−6836
MacMillen, D.B. *see* Sokel, R.J. 86−20172
McMillen, G.R., Mazur, B.A., Abdel-Nabi, T. Design of a selective FEC subsystem to counteract rain fading in Ku-band TDMA systems 87−20444
McMillen, G.R., Mazur, B.A., Kent, J.D.B. Demand assignment system design for a mobile satellite (MSAT) SCPC mobile (MSAT) SCPC mobile radio service 86−17342
McMillen, K., Lyon, R., Jr. A comparison of a DC common power system to a DC embedded power system in remote terminal applications 88−30255
McMillen, R.J. A survey of interconnection networks 85−42281
McMillin, K.W. *see* Howat, P.M. 87−72595
McMillin, L.M., Fleming, H.E. Trade-offs in the design of satellite sounding instruments 87−71316
McMillin, L.M., Gelman, M.E., Sanyal, A., Sylva, M. A method for the use of satellite retrievals as a transfer standard to determine systematic radiosonde errors 88−74977
McMillin, P.L., Winkler, M.E. Mineral insulated cables for post accident service 86−51066
McMillin, R.J. Communications, control and display [vehicular systems] 85−60509
McMinn, C.J. Testability techniques dictate VLSI tester design 85−45749
McMinn, C.J. High level programming language simplifies device characterization 86−24339
McMinn, K.W., Salt, K.J. Two phase flow measurement techniques in the nuclear industry 85−48814
McMinn, K.W. *see* Salt, K.J. 85−48813
McMinn, S., Miles, G. A manufacturer's perspective on the foundry interface [custom IC manufacture] 85−29251

McMinn, S., Miles, G. Optimising the foundry interface 85—55876
MacMinn, S. *see* Ilic-Spong, M. 86—13128
Macminn, S.R., Thomas, R.J. Microprocessor simulation of synchronous machine dynamics in real-time 86—51610
Macminn, S.R., Thomas, R.J. Microprocessor simulation of synchronous machine dynamics in real-time 87—4689
MacMinn, S.R., Thomas, R.J., Phadke, A.G. Real-time digital simulation of synchronous machine dynamics 85—21595
MacMinn, S.R. *see* Ilic-Spong, M. 87—31037, 87—42833
McMonagle, A., Strudwick, P. The state of the art in teleconferencing 86—17663
McMonagle, R., Reed, D. Backing up PTFE [printed circuits] 88—38924
McMorran, P.D., Kosowski, G., Butchy, D.P., Broadway, E.H. A real-time operator training simulator for coal gasification power plants 88—75452
McMorrow, C. What are the potential biological hazards of radio-frequency and microwave radiation? 86—18381
McMorrow, D., Lotshaw, W.T., Kenney-Wallace, G.A. Femtosecond optical Kerr studies on the origin of the nonlinear responses in simple liquids 88—40338
McMorrow, S. In-circuit logic device can be reprogrammed on the fly 86—67149
McMorrow, S. The Lattice ispGAL16Z8: a new generation logic device 87—59431
McMullan, D. *see* Berger, S.D. 88—44725
McMullan, D. *see* Rodenburg, J.M. 86—14827
McMullan, J.B. Meeting the maintenance challenge on distribution overhead networks 87—50787
McMullan, J.T., Strub, A.S. Achievements of the European Community second energy R&D programme 85—22168
McMullan, J.T., Strub, A.S. The European Community Second Energy R&D Programme. A review of performance 85—32264
McMullan, J.T., Strub, A.S. Improving industrial competitivity—the impact of energy R and D 85—54074
McMullan, J.T. *see* Murphy, N.E. 86—17928, 88—33876
McMullan, P.J., Jones, S. Radio-frequency diagnostic monitoring of large turbogenerators within the electricity commission of New South Wales, Australia—history, trends and future developments 88—48887
MacMullan, S.J., Hoppa, W.M., Katz, R.A. The estimation of signal detection time by a combination of simulation and analysis 86—16481
MacMullan, S.J., Katz, R.A. Feature selection for the classification of a wide variety of signals 87—7783
MacMullan, S.J. *see* Katz, R.A. 87—27516
McMullan, W. AI on packet? [computer simulation of live operator] 87—76557
McMullan, W.G., Charbonneau, S., Thewalt, M.L.W. Simultaneous subnanosecond timing information and 2D spatial information from imaging photomultiplier tubes 87—77148
McMullen, C. *see* Brayton, R.K. 85—28503
McMullen, C.T., Otten, R.H.J.M. Layout compilation of linear transistor arrays 86—62366
McMullen, C.T. *see* Brayton, R.K. 86—46487, 86—58559
McMullen, J.G. *see* Will, F.G. 88—1567
McMullen, S.A., Portnoy, W.M. Energy considerations in second breakdown [power transistor breakdown] 86—9110
MacMullen, S.J. *see* Fox, R.L. 86—16121
McMullen, W.H. *see* Vogt, J.F. 86—33722
McMullin, C.W. *see* Hijeck, P.J. 88—42951
McMullin, J.N. *see* Schmidt-Weinmar, H.G. 88—32839
McMullin, M.F. *see* Byrne, J.V. 86—51944, 88—1119, 88—69303, 88—74397
McMullin, P.C. *see* Rohatgi, A. 87—4958
McMullin, P.G., Sinharoy, S. A comparative study of the electrical properties of epitaxial fluorides 88—71360
McMullin, W.A. *see* Bhowmik, A. 86—3211
McMullin, W.A. *see* Davidson, R.C. 85—2191
McMurchie, L. *see* Baer, J.-L. 88—63657
McMurdy, D. Certification of electronic equipment 85—24857
McMurray, R.E., Jr. *see* Jaklevic, J.M. 88—42427
McMurray, W. Modulation of the chopping frequency in DC choppers and PWM inverters having current-hysteresis controllers 85—9994
McMurray, W. Efficient snubbers for voltage-source GTO inverters 86—7971
McMurray, W. Simulation of switching transients in GTOs using SPICE 87—45919
McMurray, W. Efficient snubbers for voltage-source GTO inverters 88—5772
McMurray, W. Power electronic circuit topology 88—56456
McMurray, W.R., Bharuth-Ram, K. A particle spectrometer for angular distribution measurements from (n,p) and (n,d) reactions 85—59232
McMurray, W.R. *see* Brooks, F.D. 88—61200
McMurry, D.E. *see* Spalek, G. 86—31996
McMurtrie, R. *see* Grant, P.M. 85—16617
McMurtry, D.H. *see* Crawford, R.P. 85—3815
McMurtry, G. Campus networking 87—48724
McNab, A. A review of eddy current system technology 88—56335
McNab, A., Hale, J.C. Electromagnetic crack detection in ferritic steel 86—13884
McNab, A., Stumpf, I. Monolithic phased array for the transmission of ultrasound in NDT ultrasonics 86—44829
McNab, A. *see* Campbell, M.A. 87—374, 87—71412
McNab, I.R. *see* Baker, N.D. 87—26655
McNab, I.R. *see* McKee, B.D. 87—30596
McNab, K. Measure open-loop gain using floating voltage. II 87—52457
McNab, K. A practical way to test PLL stability 87—56789
McNab, K. *see* Reinhardt, V. 87—23985
MacNab, R. *see* Neidhofer, G. 85—21539
Macnab, R. *see* Verhoef, J. 88—48376
McNabb, P.W. *see* Ansari, I.A. 85—59473
McNabb, S.D. *see* Braunstein, M.R. 88—3434
Macnae, J.C., Lamontagne, Y., West, G.F. Noise processing techniques for time-domain EM systems 85—7860
McNair, H.D. *see* Frank, C.J. 85—59587
McNair, J. Robotic real-time radiographic inspection system 88—18810
McNally, B.I., Carter, S.F., Walker, S.D. Jitter accumulation in a simulated 591.2 Mbit/s, 6000 km optical transmission system 88—53257
McNally, B.I. *see* Carter, S.F. 88—47181
McNally, B.V. *see* Thanisch, P. 85—51698
MacNally, D.E., Huang, J.C.Y. Propagation protection techniques for high capacity digital radio systems 85—20043
McNally, G.W. Digital audio in broadcasting 86—24222
McNally, G.W. Fast edit point location and cueing in disc-based audio systems 86—38153
McNally, G.W. Variable speed operations for digital audio 87—14040
McNally, G.W., Gaskell, P.S. Editing digital audio 85—3808
McNally, G.W., Gaskell, P.S. Editing digital audio 85—47748
McNally, J.J., Jungling, K.C., Williams, F.L., McNeil, J.R. Optical coatings deposited using ion assisted deposition 88—2086
McNally, J.L. Alouette to mobilesat—a review of Canadian space programs 88—23153
McNally, J.M., Ross, M.L. Recent operational experience at Gentilly 2 88—36970
McNally, P. *see* Hung, H.-L. 86—47082
McNally, P. *see* Tong, R. 85—34796
McNally, P.A. *see* Johnson, P.B. 87—60364
McNally, P.J. Formation of high-quality n-layers in GaAs by ion implantation 86—1986
McNally, P.J., Cooper, L.S., Rosenberg, J.J., Jackson, T.N. Investigation of stress effects on the direct current characteristics of GaAs metal-semiconductor field-effect transistors through the use of externally applied loads 88—50869
McNally, P.J., Ramirez, J.-C., Cooper, L.S., Rosenberg, J.J., Freund, L.B., Jackson, T.N. Investigation of stress effects on the DC characteristics of GaAs MESFETs through the use of externally applied loads 88—33250
McNally, P.J. *see* Ramirez, J.-C. 88—64612
McNamara, A.G. *see* Koehler, J.A. 85—41594
McNamara, B., Wiesenfeld, K., Roy, R. Observation of stochastic resonance in a ring laser 88—58609
McNamara, B. *see* Bryant, P. 87—66516, 87—74598
McNamara, B. *see* Wiesenfeld, K. 86—28749
McNamara, D.A. Discrete *n*-distribution for difference patterns 86—36782
McNamara, D.A. The exact synthesis of optimum difference patterns for discrete arrays 87—19298
McNamara, D.A. Quadratic forms for performance indices of symmetrical and antisymmetrical linear arrays 87—33498
McNamara, D.A. Excitations providing maximum directivity for difference arrays of discrete elements 87—68845
McNamara, D.A. Maximisation of normalised boresight slope of a difference array of discrete elements 88—2812
McNamara, D.A. The simultaneous synthesis of sum and difference with two-module feed networks 88—2903
McNamara, D.A. Transducer array excitations for optimum difference patterns 88—48394
McNamara, D.A., Baker, D.E. Design and performance of etched polarisation transformers for microwave frequencies 85—41576
McNamara, D.A., Baker, D.E. Prime-focus parabolic reflector antenna—theory and measurement 85—41745
McNamara, D.A., Baker, D.E. Design and swept-frequency measurement of printed circuit board log-periodic dipole arrays 85—41780
McNamara, D.A., Baker, D.E., Botha, L. Some design considerations for biconical antennas 85—13299
McNamara, D.A., Gous, C. Noninvasive pulse modulator concept for nonradiative dielectric (NRD) waveguide 88—25377
McNamara, D.A. *see* Baker, D.E. 87—54758
McNamara, D.A. *see* Botha, L. 86—42953, 87—20637
McNamara, D.A. *see* Davidson, D.B. 88—34395
McNamara, D.A. *see* Janse van Rensburg, D.J. 88—40452
McNamara, D.A. *see* Nortier, J.R. 85—36064
McNamara, D.A. *see* van Rensburg, D.J.J. 88—2689
McNamara, E. *see* Kirpich, A. 87—42163
McNamara, J.E. *see* Blake, W.C. 85—805
McNamara, J.E. *see* Cloud, W.W. 87—42084
McNamara, J.F. *see* Conroy, J. 85—53844
McNamara, L.F. *see* Buchau, J. 86—59052
McNamara, L.F. *see* Ferguson, B.G. 86—22677
McNamara, P. Bubbles in heavy metal fluoride glasses 88—26782
Macnamara, T. Simplified design procedures for Butler matrices incorporating 90° hybrids or 180° hybrids 87—27047
McNamara, T. *see* Frisch, D. 87—6197
McNamara, T.J. *see* Al-Dabbagh, M. 87—21841
McNamara, T.W. *see* Nguyen, T.D. 88—66419
McNamee, B. Power-supply in-circuit process testing [quality control] 85—28073
McNamee, B. Power-supply in-circuit process testing 86—20304
McNamee, B., Gibertini, G. Feeds: automatic inspection [electrical systems] 87—36455
MacNamee, G. *see* Gibson, R. 88—15368
McNamee, J.M. Comparison of spline and Lagrangian interpolation 87—5359
McNamee, J.M. Some comments on a paper by Macleod on Lagrangian interpolation 87—5361
McNamee, J.M. A comparison of methods for terminating polynomial iterations 88—24671
McNamee, L.P. *see* Chun, R.K. 87—66118
McNamee, L.P. *see* Lue, W. 87—65727
McNamee, M. New power sources for integrated systems vehicles 86—56939
MacNamee, R.J.G., Vadgama, S.K., Gibson, R.W. Universal mobile telecommunication system—a concept 88—28731
MacNamee, R.J.G. *see* White, P.D. 85—58006, 85—63559
McNamee, T. *see* Granieri, M.N. 85—31371
McNatt, T.R. *see* Tracy, D.E. 85—32769
McNaught, R.A. *see* Poehlman, W.F.S. 86—25098
McNaught, R.A. *see* Wong, J. 88—61015
McNaughton, D. Building information highways in the Ontario government 88—66838
McNaughton, S. *see* Currier, W. 86—61169
MacNeal, B.E. *see* Pulliam, G.R. 85—29481
McNeal, D.R., Baker, L.L. Stimulating the quadriceps and hamstrings with surface electrodes 86—25275
McNeal, D.R., Bowman, B.R. Selective activation of muscles using peripheral nerve electrodes 85—48321
McNeal, D.R., Meadows, P.M. Selection of stimuli for functional control of extremities 85—48325
McNeal, D.R., Nakai, R., Tu, W. Open-loop control of the human knee during swing 87—14923
McNeal, D.R. *see* Meadows, P.M. 87—14942, 88—48235
McNeal, D.R. *see* Nakai, R.J. 88—61412, 88—61458
McNeal, D.R. *see* Symons, J. 86—25317, 87—21680
McNeal, L. *see* Amerson, T. 88—54669
McNeal, T.E. *see* Dawes, K. 86—49438
McNeary, S., Putatunda, R., Rifkin, H., Robillard, R., Smith, D. VITAL: a cell-based ASIC assembler 87—10760
McNeary, S. *see* Putatunda, R. 87—5625
Macnee, A.B. Computer-aided optimization of transistor model parameters 85—33586
Macnee, A.B. On the presentation of Miller's theorem 85—49290
Macnee, A.B. *see* Zhang-Miao Zhang 86—58043
McNeely, F.T. *see* Boivin, L.-P. 86—38375
McNeely, J.B., Barnett, A.M. Gallium arsenide phosphide top solar cell 86—7154
McNeely, J.B., Hall, R.B., Barnett, A.M., Tiller, W.A. Thin-film silicon crystal growth on low cost substrates 85—39764
McNeely, J.B., Negley, G.H., Nell, M.E., Brennan, S.F., Barnett, A.M. Design and fabrication of GaAsP top solar cells 87—4915
McNeely, J.B. *see* Barnett, A.M. 86—13074, 86—40163
McNeely, J.B. *see* Negley, G.H. 88—31042
McNees, S.G. *see* Mark, J.T. 88—64177
McNeese, M.D. Humane intelligence: a human factors perspective for developing intelligent cockpits 86—70489
McNeese, M.D. Humane intelligence: a human factor perspective for developing intelligent cockpits 87—8982
McNeese, M.D., Katz, L. Legibility evaluation of a large-screen display system under medium ambient illumination 87—8674
McNeil, A.J.S. *see* Hampson, N.A. 86—6981, 86—13020 to 13021
McNeil, B.W. *see* Rutt, H.N. 86—15024

McNeil, B.W.J., Firth, W.J. Effect of the radiation force on free-electron laser gain 86−3216
McNeil, B.W.J., Firth, W.J. Radiation force corrections to planar wiggler FEL gain 87−2201
McNeil, B.W.J., Firth, W.J. Gain in planar wiggler free electron lasers 87−75160
MacNeil, E.D. *see* Robertson, W. 87−23800
McNeil, G. Successful methodology for semiconductor technology transfer 86−7469
McNeil, J.R. *see* McNally, J.J. 88−2086
McNeil, J.R. *see* Wilson, S.R. 88−47682
McNeil, M.M. *see* Johnson, K.A. 88−42715
MacNeil, P.N., England, J.E., Knoll, R.H. Design, development, and test of Shuttle/Centaur G-prime cryogenic tankage thermal protection systems 88−42603
McNeil, S. *see* Giles, I.P. 86−36209
McNeil, V.M. *see* Edell, D.J. 87−50217
McNeil, W.J. *see* Lai, S.T. 88−23171
McNeill, A.B. *see* Baker, E.D. 85−23211
McNeill, A.B. *see* Canova, F.J. 85−13906
McNeill, A.B. *see* Crouse, R.S. 85−28533
McNeill, B.D. *see* Siegwarth, D.P. 87−71909
McNeill, B.W. A high-frequency complementary-bipolar array for fast analog circuits 87−60632
McNeill, D. Analog circuit analysis 86−57543
McNeill, D.J. *see* Davies, H. 87−15090
McNeill, G. *see* Davis, P. 88−9900
McNeill, G.E. A filmless graphic arts camera 86−70051
McNeill, G.R., Artherton, J.J. Earth background scene generation in opaque IR bands 88−75022
McNeill, H. Controllability of a Terry turbine when subjected to seismic excitation 85−9751
McNeill, H. Equipment and procedural modifications to improve the reliability of Terry turbines used in nuclear service 87−22088
McNeill, K.M., Fisher, H.D., III A model for radiologic workstation user interface design [for PACS] 88−36554
McNeill, K.M. *see* Dallas, W.J. 88−36552
McNeill, K.M. *see* Roehrig, H. 88−23053
McNeill, K.M. *see* Seeley, G.W. 88−36555
McNeill, K.M. *see* Vercillo, R. 88−36553
McNeill, M.C. Radio equipment for trunk TDMA systems 85−14216
McNeill, S. *see* Giles, I.P. 85−50931
McNeill, S.J. *see* Bailey, D.G. 86−29966
McNeill, S.J. *see* Hodgson, R.M. 85−57479
McNeill, S.R. *see* Sutton, M.A. 87−19672
McNeill, S.R. *see* Walker, D.M. 88−71237
McNeilly, K. *see* Jost, E.M. 88−56332
McNeilly, M. *see* Ang, A. 87−37684, 88−1120
McNeish, A., Harris, J.J., Bademian, L. An acousto-optic chirp deflector scanner for facsimile applications 85−29665
McNeish, A. *see* Greenwood, D.I. 85−35934, 85−51345
McNeley, K.J., Milutinovic, V.M. Emulating a complex instruction set computer with a reduced instruction set computer 86−46903
McNelis, B. Photovoltaic water pumping—a 1986 update 88−17436
McNelis, B., Durand, J.-M. Photovoltaic refrigerators and lighting systems for Zaire 86−45837
McNelis, B., Lancashire, S.J. Photovoltaics for rural development: current status and market prospects 88−62274
McNelis, B. *see* Aylward, M.B. 85−27350
McNelis, B. *see* Buller, L. 88−49552
McNelis, B. *see* Diarra, M. 86−45294
McNerney, A., Brennan, J.M., Briscoe, B., Brodowski, J., Horton, R., LoDestro, V., Montemurro, P., Zhang, S.Y. Status of the BNL 200 MeV Linac 87−41812
McNerney, A. *see* Makdisi, Y. 86−24907
McNerney, A. *see* Prelec, K. 87−8824
McNerney, A.J. *see* Lee, Y.Y. 88−54006
McNerney, E. *see* Bernstein, D. 85−15253
McNerney, E. *see* Roehrig, J. 85−15175
McNevin, S.C. Rare gas ion-enhanced etching of InP by Cl_2 87−11652
McNevin, S.C. Chemical etching of GaAs and InP by chlorine: the thermodynamically predicted dependence on Cl_2 pressure and temperature 87−11653
McNevin, S.C. A thermal pulse model of ion enhanced chemical etching: InP/Cl_2 87−25140
McNevin, S.C., Becker, G.E. Investigation of kinetic mechanism for the ion-assisted etching of Si in Cl_2 85−40618
McNevin, S.C., Becker, G.E. Investigation of the etching mechanism for the ion-assisted reaction of GaAs with Cl_2 85−55719
McNevin, S.C., Becker, G.E. Investigation of the kinetic mechanism for the ion-assisted etching of GaAs in Cl_2 using a modulated ion beam 86−28193
McNew, C.O. *see* March-Leuba, J. 87−15487
McNichol, J. *see* Godfrey, B. 88−15338
McNichol, J.R. *see* Long, W.F. 86−6330
McNicholl, P., Metcalf, H.J. Synchronous cavity mode and feedback wavelength scanning in dye laser oscillators with gratings 86−3094
McNichols, G.R. Life cycle cost—art or science? 88−62975
McNichols, G.R., Kreisel, G.R., Fox, T.B., Coonce, T.J. Communications/electronics cost data bases 86−30154
McNichols, J.K. *see* Austin, M. 86−18478
McNichols, J.L., Jr. *see* Cady, E.C. 85−53549
McNichols, R.J. *see* Davis, C.B. 88−16939
McNicol, B.D., Rand, D.A.J. *(editor)* Power sources for electric vehicles 86−20
MacNicol, G. Graphics architecture—new ICs promise better performance 85−54758
MacNicol, G. Getting graphics onto video 88−53449
McNicol, J. *see* Barber, S. 85−57958
McNicol, J. *see* Suthers, M. 88−51123
McNicol, J.D., Barber, S.G., Rivest, F. Design and application of the RD-4A and RD-6A 64 QAM digital radio systems 85−14121
McNierney, E. New issues in PC graphics 87−59518
McNierney, E. High-performance graphics: Intel 82786 87−66227
McNierney, E. Custom-tailored graphics: TMS34010 87−66228
McNiff, E.J., Jr. *see* Foner, S. 85−46045
McNiff, E.J., Jr. *see* Rubin, L.G. 86−63597
McNinch, B. ISDN: the man-machine interface 88−28476
McNoble, S. *see* Bates, B. 88−13958
McNolty, F. *see* Mirra, J. 86−57268, 87−44074
McNolty, F. *see* Sherwood, W. 88−56075
McNulty, D.M. Extending moment analysis with directed attention to handle structural variations in character recognition 88−73380
McNulty, I. *see* Rarback, H. 88−29937, 88−47806
McNulty, I. *see* Vladimirsky, Y. 88−48062
McNulty, I. *see* Yang, B.X. 87−14812
McNulty, J. Getting through—communicating more for less 86−37226
McNulty, J.G., Grove, L. *(editor)* Proceedings of the 2nd International Conference on Flow Measurement 88−55842
McNulty, J.J. A 150-km repeaterless undersea lightwave system operating at 1.55 μm 85−37020
McNulty, M. *see* Knoper, J. 88−32978
McNulty, P.J. Monitoring the presence of cavitation in pumps by a single fluid-borne noise measurement 87−21812
McNulty, P.J., Abdel-Kader, W., Campbell, A.B., Knudson, A.R., Shapiro, P., Eisen, F., Roosild, S. Charge collection in Ga/As test structures 85−18340
McNulty, P.J., Abdel-Kader, W.G., Bisgrove, J.M. Methods for calculating SEU rates for bipolar and NMOS circuits 86−35769
McNulty, P.J., Lynch, J.E., Abdel-Kader, W.G. Effectiveness of CMOS charge reflection barriers in space radiation environments 88−26516
McNulty, P.J. *see* Abdel-Kader, W.G. 88−26387
McNulty, P.J. *see* Bisgrove, J.M. 87−31881
McNulty, P.J. *see* Farrell, G.E. 85−18055
McNulty, R.E. *see* Link, R. 88−18822
McNutt, B. A technique for approximating the capacity outage table based on the modeling of unit outage size 85−15532
McNutt, L. *see* Freeman, N.G.S. 86−65547
McNutt, M.J. Edge leakage control in platinum-silicide Schottky-barrier diodes used for infrared detection 88−74406
McNutt, W.J. Risk assessment for loading transformer beyond nameplate rating 86−61573
McNutt, W.J., McIver, J.C., Snow, R.V., Fallon, D.J. Transformer loading capability information derived from winding hot spot measurements 86−51709
McNutt, W.J., Rouse, T.O., Kaufmann, G.H. Mathematical modelling of bubble evolution in transformers 85−39072
Macomber, S., Mott, G. Hardware acceleration for layout verification 86−2300
Macomber, S.H., Akkapeddi, P., Montroll, A. Semiconductor laser power amplifier 88−8205
Macomber, S.H., Mott, J.S., Noll, R.J., Gallatin, G.M., Gratrix, E.J., O'Dwyer, S.L., Lambert, S.A. Surface-emitting distributed feedback semiconductor laser 87−75074
Macon, L., Botineau, J., Ding, K.X., Leycuras, C., Saissy, A. Nonlinear transmission in monomode and weakly birefringent optical fibers 86−42225
Macor, G. A nonvolatile RAM with integrated battery 87−37273
Macor, G., Reberga, J. Switched capacitor filters 88−50241
Macoun, J. *see* Beranek, J. 85−21317
Macoveanu, D. *see* Tanasescu, F.T. 85−32390
Macovski, A. *see* Bresler, Y. 85−8455, 85−30430, 86−16476, 87−12973, 87−19648, 87−75860
Macovski, A. *see* Shenberg, I. 86−56107, 87−27632
McOwan, P.W., Redpath, T.W. A specialised receiver coil for NMR imaging of female breasts 87−35402
McParland, B.J. The response of NE-102 plastic scintillator to stopped ^{3}He nuclei 87−8851
McPartland, B.J. Energy management: a corporate approach 87−4974
McPartland, B.J. The materials and makeup of type MV cable 87−64163
McPartland, B.J. Performance testing of fiberoptic systems 88−39868
McPartland, D.R. Simple Schmitt trigger 85−22741
McPartland, D.R. A bipolar integrated circuit analogue switch 86−14423
McPartland, J.F. Rotary UPS equipment 85−9983
McPartland, J.F. Here's the whole story: conductor ampacity depends on conditions 85−15601
McPartland, J.F. Busbar identification for 3ϕ, 4 W, 120/240/208 V electrical equipment 85−32638
McPartland, J.F. Basic design of electrical circuits 86−6334
McPartland, J.F. Basic design of electrical circuits. II 86−18788
McPartland, J.F. Basic design of electrical circuits. IV 86−18789
McPartland, J.F. Basic design of electrical circuits. III 86−18791
McPartland, J.F. Designing motor control circuits 86−19198
McPartland, J.F. Basic design of electrical circuits [distribution networks] 86−32728
McPartland, J.F. Basic design of electrical circuits 86−32730
McPartland, J.F. Basic design of electrical circuits [distribution networks] 86−39113
McPartland, J.F. Basic design of electrical circuits [distribution networks] 86−56412
McPartland, J.F. Basic design of electric circuit [distribution network design and layout] 87−4361
McPartland, J.F., III, Holt, C.M. A new approach to 'sure' power—applying transistorized UPS 85−9985
McPartland, J.L. Protecting motors against running overcurrent 87−78578
McPeake, C.M. *see* Millar, P.C. 88−59058
McPhail, A. *see* Tabatabai, M. 87−21275
McPhail, B. *see* Hafez, H.M. 85−58000
McPhail, D.S. *see* Cowern, N.E.B. 87−6567
MacPhail, G.A. *see* Peelo, D.F. 87−35978
Macphail, J.D. *see* Hutchins, D.A. 85−21036
McPhail, T.L. The communication economy sweepstakes: few winners, many losers—a Canadian case study 86−23226
McPhail, T.L. Canada's telecommunications policy review 86−59417
McPhail, T.L. User impediments: regulatory restraints in an era of deregulation, the Canadian situation 88−28244
McPhedran, M.T., Hohendorf, R.J., Howard, B. Upgrading the operator-machine interface and annunciation systems, and the control computer systems at the Pickering GS 'A' nuclear station 88−48684
McPhedran, M.T. *see* Morison, W.G. 88−48744
McPhedran, R.C., Onley, I.C., McKenzie, D.R., Collins, R.E. Self-draining manifolds for solar collectors 86−7165
McPhedran, R.C. *see* Botten, L.C. 86−2905
McPhedran, R.C. *see* Compton, R.C. 87−61456
McPhedran, R.C. *see* Derrick, G.H. 87−9727
McPhedran, R.C. *see* Roberts, A. 88−66032
McPhee, B. Cellnet breaks new ground 85−57981
MacPhee, D.D., Anderson, J. Retrofit of feedwater heaters reduces contaminants and increases output [nuclear power station] 85−48698
McPhee, G. *see* Baker, M. 88−46904
McPhee, J.M. The effects of backdriving integrated circuits—An accurate electro-thermal model 86−47739
McPhee, M.G. Medium resolution turbulence cluster for upper ocean measurements under sea ice 87−9028
McPhee, R.A., Duvvury, C., Rountree, R.N., Domingos, H. Thick oxide device ESD performance under process variations 87−53669
McPhee, R.A. *see* Duvvury, C. 87−1757, 88−1798, 88−26524
McPheeters, C.C. *see* Fee, D.C. 87−43413
McPherson, A. *see* Anthony, I. 86−32209
McPherson, A. *see* Jara, H. 87−26265
McPherson, A. *see* Kellie, J.D. 86−18262
McPherson, A. *see* Luk, T.S. 87−46784, 88−8134
McPherson, A. *see* McIntyre, I.A. 87−33110
McPherson, A. *see* Schwarzenbach, A.P. 86−68462, 87−12414
McPherson, A.C. *see* Mes, H. 88−29877
McPherson, A.C. *see* Shally, R. 87−77554
Macpherson, B.D. *see* Chan, L.K. 88−43769
McPherson, C. *see* Tvirbutas, A. 85−32024
McPherson, D.A. *see* Frankford, M.D. 88−15607
McPherson, D.A. *see* Saylor, A.V. 88−15608
MacPherson, D.C., Swanson, R.C., Carlsten, J.L. Quantum fluctuations in the stimulated-Raman-scattering linewidth 88−58675
MacPherson, D.C. *see* Carlsten, J.L. 87−12570
MacPherson, D.C. *see* Rifkin, J. 88−72299, 88−72424
McPherson, D.D., Aylward, P.E., Knosp, B.M., Bean, J.A., Kerber, R.E., Collins, S.M., Skorton, D.J. Ultrasound characterization of acute myocardial ischemia by quantitative texture analysis 87−57109
Macpherson, D.E. *see* Whittaker, K. 88−17418

McPherson, G. *see* Astbury, A. 85−64463
McPherson, G. *see* Benetta, R. 86−25149, 87−14218
McPherson, G., Jr. *see* Laramore, R. 86−40419
McPherson, G.T. The development of an integrated services digital network in NZ 85−8276
McPherson, H. A temperature independent gain control device 85−61121
MacPherson, H.D. Graphs determined by their finite induced subgraphs 87−5333
MacPherson, H.G. The molten salt reactor adventure 86−12613
MacPherson, I.K. The corporate telecommunications network 85−3426
McPherson, J. *see* Bing Whey Shen 86−28446
Macpherson, J.M., Lywood, D.W., Van Eyken, A. A system for the analysis of posture and stance in quadrupeds 87−71081
McPherson, J.W. Stress dependent activation energy [VLSI failure] 87−1613
McPherson, J.W., Baglee, D.A. Acceleration factors for thin oxide breakdown 86−2450
McPherson, J.W., Baglee, D.A. Acceleration factors for thin gate oxide stressing 86−15293
McPherson, J.W., Bednarz, G.A. A novel thermal expansion matched heatspreader for plastic encapsulation of silicon chips 88−194
McPherson, J.W., Dunn, C.F. A model for stress-induced metal notching and voiding in very large-scale-integrated Al-Si (1%) metallization 88−13180
McPherson, J.W. *see* Dunn, C.F. 87−11696, 88−44816
McPherson, J.W. *see* Fan, S.K. 88−57775
McPherson, J.W. *see* Hefley, P.L. 88−50151
McPherson, J.W. *see* Ondrusek, J.C. 88−1573, 88−50754
Macpherson, M.B.A. *see* Crawford, A.J. 85−9126
McPherson, R.G., Chute, F.S., Vermeulen, F.E. The electromagnetic flooding process for in-situ recovery of oil from Athabasca oil sand 87−22948
McPherson, R.L. *see* Juras, R.C. 88−53984
McPherson, R.L. *see* Ziegler, N.F. 86−55913, 88−54082
MacPherson, S. VADs in the UK 87−76032
MacPhie, R.H., Mansour, R.R. Cross-correlation antenna systems with modified principal solution spatial frequency transfer functions 85−41769
MacPhie, R.H. *see* Do-Nhat, T. 88−27552, 88−27619
MacPhie, R.H. *see* Dohnat, T. 87−75610
Macphie, R.H. *see* Mansour, R.R. 85−61428, 87−7580, 87−19251, 87−75503, 88−27556, 88−72635
Macphie, R.H. *see* Moller, P.E. 85−34150
MacPhie, R.H. *see* Pramanick, P. 87−75508
MacPhie, R.H. *see* Sinha, B.P. 86−22804
MacPhie, R.H. *see* Wade, J.D. 87−19233
McPoland, D.H. New organizational concepts for small to medium sized companies or survival strategies for managing in a growth environment 86−26548
Macq, B. *see* Adant, J.M. 88−14806, 88−28261
Macq, B. *see* Delogne, P. 88−9757
McQuade, E., Petty, E. Computers in engineering education 85−60677
McQuade, E. *see* Coen, J. 87−25515
McQuade, E. *see* Levy, D. 86−27063
McQuade, E. *see* Rahman, M.A. 85−16646
McQuade, E. *see* Burkley, C. *(editor)* 87−23009
McQuaid, K. *see* Rarback, H. 88−29937
McQuaide, K. *see* Vladimirsky, Y. 88−48062
McQuarrie, A. *see* Bhardwaj, J. 88−7507, 88−19829
McQuarrie, A. *see* Kiermasz, A. 88−7444, 88−7469, 88−12081, 88−39228
McQuarrie, A.D. Practical alternative to ion beam milling 88−39203
McQuarrie, A.D., Chambers, A.A., Bhardwaj, J., Kiermasz, A. Sputter etching, a practical alternative to ion-beam milling 88−13165
McQuarrie, D.I. *see* Cormack, W.B. 88−10885
McQuarrie, P. Electronics after submersion in the sea 86−1469
McQuarrie, P. Weathering properties of polyethylene-insulated cables 88−61936
McQuat, R. *see* Barker, G.K. 86−53781
McQuate, D. *see* Kotzebue, K. 87−77390
McQuate, D. *see* Tan, T.S. 88−56922
McQueen, D.B. System emulation test design process 88−71733
McQueen, D.H., Allard, B. Electrochemical evaluation of ultrasonic cleaning: the Galvani potential 86−25467
McQueen, G.B. Advanced infra-red linescanners for tactical air reconnaissance in the 1990s−an overview 88−47531
McQueen, H.J., Chia, E.H., Starke, E.A. Fe-particle-stabilized aluminum conductors 86−67514
MacQueen, H.R. Effective quality control of solder process problems 86−58170
MacQueen, H.R., Travis, S.L., Buchek, W.G. Failure analysis of pin plating/solder process problems 86−58173
McQueen, J.C., Brown Wittington, F., Jr. Videotex field trials: implications for product development 85−13835
Macqueen, J.F. *see* Pickles, J.H. 88−69044
McQueen, J.G. Clutter rejection at medium and long range using within-pulse Doppler discrimination 86−17436
McQueen, R.G. *see* Caird, R.S. 85−37569
McQueen, R.J. Distributed conferencing systems: a practical, easily implemented architecture 88−46745
McQueen, T.M. *see* Leaver, J.F. 88−55639
Macqueron, J.-F. *see* Saitcevsky, B. 86−65860
Macqueron, J.-P., Acket, C., Desneux, J.-C. General organisation and testing programme [Superphenix reactor] 87−64309
McQuerry, J.P., Jr. Digital standard star tracker 85−15384
McQuiddy, D.N., Jr., Wassel, J.W., Lagrande, J.B., Wisseman, W.R. Monolithic microwave integrated circuits−an historical perspective 85−222
McQuiddy, D.N., Jr. *see* Bierig, R.W. 88−50372
McQuiggan, A.J. Phoenix-RPV payload systems 88−16844
McQuillan, C.M. *see* Trenne, M.U. 85−60514
McQuillan, J. Doing business electronically. IV. Electronic document distribution 86−54816
McQuillan, J. Doing business electronically. I. The personal computer revolution 86−54860
McQuillan, J. Office automation strategies−doing business electronically. III. Micro-mainframe link applications 86−54862
McQuillan, J. Hybrid networks 86−59522
McQuillan, J. Creating private corporate communication networks 87−69541
McQuillan, J. Doing business electronically [integrating EDI and E-mail] 88−52778
McQuillan, J.M. The market for electronic mail: turbulence and change 85−13802
McQuillan, J.M. Planning corporate communication networks 87−43899
McQuillan, J.M., Herman, J.G. Problems and opportunities in advanced data net architectures 86−16929
McQuillan, J.M. *see* Herman, J.G. 86−23443
McQuillan, R.T. *see* Delves, L.M. 88−52521
McQuillen, T.G. Software tools for automating TPS documentation 86−44136
McQuiston, B. *see* Lashkari, K. 88−73118
McQuoid, J.A. *see* Duncan, S.S. 86−3351, 86−9646
MacRae, C.A. *see* Stewart, G. 86−36250
MacRae, D. Heat pumps−their past, present and future in the UK 85−27805
McRae, D. *see* Morriss, B. 86−23289
McRae, D.D. The performance of a frequency-hopped serial HF modem 85−25621
McRae, D.D., Perkins, F.A. Results of link tests of serial HF modems employing forward error correction coding 85−30779
McRae, D.D., Perkins, F.A. Digital HF modem performance measurements using HF link simulators 88−46785
McRae, D.D. *see* Boyd, R.W. 88−21929
McRae, D.J. Non-contact dimensional gaging using capacitive sensing 88−29356
McRae, E. *see* Ghanbaja, J. 87−11387
Macrae, J. Temporary and permanent threshold shift associated with hearing aid use 86−50630
Macrae, J. *see* Plant, G. 85−48332
McRae, J.P., Svrcek, W.Y. Microcomputers and CSSLs: their use in a standalone or network environment 86−10815
McRae, M.R., Scheer, R.M., Smith, B.A. Integrating load management programs into utility operations and planning with a load reduction forecasting system 85−59590
McRae, M.R. *see* Smith, B.A. 86−18649
MacRae, R. *see* Hjipieris, G. 88−60896
McRae, S. Computerised fax: the card candidates 88−66921
McRae, S.J. Connecting ASCII asynchronous communications to VM 87−76401
McRae, S.J. The X-400 message handling system−a perspective 88−9021
McRae, S.J. The X.400 message handling system−the bits and bytes 88−9022
McRae, T., Kennedy, R., Garvis, D., Smith, M.D. Hydrogen chloride measurements in launch-vehicle exhaust clouds 88−36267
Macrander, A.T., Long, J.A., Riggs, V.G., Bloemeke, A.F., Johnston, W.D., Jr. Electrical characterization of Fe-doped semi-insulating InP grown by metalorganic chemical vapor deposition 85−23430
Macrander, A.T., Strege, K.E. X-ray double-crystal characterization of highly perfect InGaAs/InP grown by vapor-phase epitaxy 86−26829
Macrander, A.T. *see* Benton, J.L. 85−1290
Macrander, A.T. *see* Chand, N. 88−1366
Macrander, A.T. *see* Chu, S.N.G. 85−22480, 85−61837
Macrander, A.T. *see* Dupuis, R.D. 87−36798
Macrander, A.T. *see* Long, J.A. 87−11609
Macrander, A.T. *see* Swaminathan, V. 86−26841
Macrander, A.T. *see* Twigg, M.E. 88−25942
McRanie, R.D. *see* Clarkson, R.J. 85−7596
Macready, P.F. Testing surface mount technology boards 88−71231
Macready, W. *see* Bedford, R.E. 87−56880
McRee, G.J., Judge, D.M. Model of hot-film sensor with substrate 87−70892
McRee, G.J., Jr., Motter, M.A. Analog computer simulation with automatic scaling by digital computer 86−57539
McReynolds, M.P. *see* Barker, J.R. 88−23331
Macrf, M. *see* Baglin, C. 85−26605
MACRI, M. Gas jet targets 85−37895
Macri, M. Gas jet internal targets 85−52954
Macri, M. Internal gas target for nuclear and particle physics experiments 88−47972
Macrina, P. *see* Barberis, G. 87−2776, 87−55493
McRitchie, W.K. *see* Wardle, G.A. 88−15552
Macro, H.A. *see* Light, R.W. 85−6829
Macro, J. *see* Prall, K. 88−25184
McRobbie, D. Design and instrumentation of a magnetic nerve stimulator 85−20964
McRobbie, D.W. *see* Jennings, S.J. 87−8898
McRobbie, D.W. *see* Lerski, R.A. 88−48118 to 48119
MacRobert, A.J. *see* Cross, F.W. 87−50234
McRobert, S. 16 bit microcontrollers in car electronics 87−51577
McRobert, S. A microcontroller in place of a microprocessor−less circuitry, less cost 87−59526
McRobert, S. Electronic engine control with high performance 16 bit-CMOS IC 87−72538
McRoberts, J.M. *see* Hemrick, C.F. 88−52853
MacRoberts, M.D.J. *see* Lynn, D.K. 86−35765
McRoberts, S. Microcontroller plus external memory vs microprocessor 87−37343
McRory, J.G. *see* Camwell, P.L. 88−45701
McRoy, S.A., Miller, J.H., Truesdale, J.B., Van Slooten, R.W. The SLC 96 subscriber loop carrier system: integration with the 5*ESS* switching system 85−30756
McRuer, D.T. *see* Johnston, D.E. 87−50480
McRuer, H. *see* Osmer, S.R. 88−48332
McRuer, R., Wilde, J., Hesselink, L., Goodman, J. Two wavelength photorefractive dynamic optical interconnect 88−65518
McRuer, R. *see* Wilde, J. 88−34156
Macry, J.D. *see* Gupta, P. 87−51889
Macsek, F. *see* Frank, R. 85−10649
McShan, D.L. Planning for radiation therapy using a color graphics imaging workstation 86−32356
McShane, I.E. *see* Clark, P.E. 86−39790, 87−42931
McShane, M. New reliability aspects of SMD 88−24581
McShane, M., Casto, J., Bigler, J., Lin, P. Low profile plastic quad flat package: LPPQFP 88−63057
McShea, J.C. *see* Rosenberg, A. 88−72312
McSheehy, J.J. *see* Gagliano, J.A. 85−9374
McSheery, T.D. Three dimensional integrated circuits using optical interconnects 87−54207
McSherry, D.M.G. *see* McCluskey, E.G. 88−24512
McSherry, W.E. Getting it together with cable ties 86−35147
McShurley, D. *see* Ashford, V. 86−50391, 87−41835
McShurley, D. *see* Bird, F. 86−50334
McShurley, D. *see* Hallewell, G. 88−68213
McShurley, D. *see* Johnson, R. 88−68277
McShurley, D. *see* Spencer, E. 88−61189
McSorley, E. *see* Venkatesan, P.S. 88−53300
McSorley, G. *see* Merriam, S. 86−27683
McSpadden, C.N. *see* Etheredge, R.A. 88−26380
McSparran, R.A. *see* Barcomb, J.G. 85−44023
McSparron, D.A. *see* Booker, R.L. 88−67629
McStravick, M.C. *see* Proctor, D.R. 87−71091, 88−74831
Macsuga, E. *see* Kapros, T. 87−31590
McSweeney, K.F., Angrisani, F. Test program set productivity tools 86−17792
McSwiney, E. *see* Katz, M.M. 88−53056
McTaggart, D.W. *see* Schrock, M.C. 87−50741
Mactaggart, I.R. *see* Cirillo, N.C., Jr. 88−19110
Mactaggart, R. *see* Baier, S.M. 87−52521
Mactaggart, R. *see* Daniels, R.R. 87−46223
Mactaggart, R. *see* Gustafson, G. 88−72237
McTaggart, R.A. *see* Lamarre, P.A. 88−64437
Mactaggart, R.I. *see* Grung, B.L. 87−31906
McTaggart, S. Cabling for the Cup−a district perspective 87−34331
MacTavish, B.D. *see* Chadha, J.A. 88−75383
MacTavish, G.C., Matthews, W.G. The Jebba hydroelectric development 86−12725
McTavish, J. *see* Dixit, V. 85−18809
McTiernan, P.G. *see* Monham, K.L. 85−31019, 86−37893
Macuga, I. Realization of the stepping motors with permanent magnets 87−51253
Macukow, B. New ideas for pattern recognition systems in robotics 86−30016
Macura, A. *see* Rutkowski, J. 87−10545
Macura, P. Optoelectronic transmission of analog signals in the conditions of power engineering laboratories 85−20211
Macura, P. Input amplifiers for receivers of optoelectronic systems 87−56705
Macurda, H.B. *see* Nichols, R.J. 88−22208
McVay, C.A. *see* McKeown, D.M. 86−43324
McVeigh, J.C. *see* Al-Motawakel, M.K. 87−64814
McVeigh, J.C. *see* Habbane, A.Y. 87−30293
McVeigh, J.C. *see* Sherratt, A.F.C. 88−23600

McVeigh, J.J. *see* Wall, L.A., Jr. 85−63529

McVerry, F. Performance of a fast carrier recovery scheme for burst-format DQPSK transmission over satellite channels 85−47485

McVey, B. *see* Chow, W.W. 88−51876

McVey, B.D. Antenna-plasma coupling in the ICRF 85−24936

McVey, B.D. Three-dimensional simulations of free electron laser physics 87−2202

McVey, B.D., Warren, R.W. Bending and focusing effects in an FEL oscillator. II. Numerical simulations 87−75214

McVey, B.D. *see* Feldman, D.W. 88−2285

McVey, B.D. *see* Goldstein, J.C. 87−12512, 87−26447, 87−75155, 88−45481

McVey, B.D. *see* Schmitt, M.J. 87−12511

McVey, B.D. *see* Takeda, H. 87−75190

McVey, B.D. *see* Tokar, R.L. 88−65743

McVey, B.D. *see* Warren, R.W. 87−75135, 87−75213

McVey, E. *see* Kabuka, M. 88−53475

McVey, E.B. *see* Megerle, C.A. 86−6144

McVey, E.S. Automatic design of a capacitive impedance coupling circuit 86−648

McVey, E.S. New design criteria for the grounded base oscillator 88−63572

McVey, E.S., Davis, V.L., Inigo, R.M. Fault tolerant array sensor design 87−56544

McVey, E.S. *see* Clement, W.I. 88−63546

McVey, E.S. *see* Labuz, J. 87−49946

McVey, E.S. *see* McVey, L.A. 86−817

McVey, E.S. *see* Minnix, J.I. 87−8624

McVey, E.S. *see* Narathong, C. 87−62308

McVey, J. Analysis of induced failure in encapsulated circuits 88−24574

McVey, J. *see* Nyren, T. 85−53858

McVey, J.B. Ion trapping effects in electron-rich, unignited-mode thermionic converters 85−21847

McVey, J.B. *see* Britt, E.J. 87−7242

McVey, J.D. *see* Kelly, W.M. 88−29475

McVey, J.R. *see* Maleki, H.N. 88−68035

McVey, L.A., McVey, E.S. Computer aided oscillator gain calculation 86−817

MacVicar, B.A. Infrared video microscopy to visualize neurons in the in vitro brain slice preparation 85−38086

MacVicar, M.L.A. *see* Bellingham, J.G. 87−74569

MacVicar-Whelan, P.J. *see* McClay, W.J. 87−10129, 88−70118

McVicker, D.B. *see* Eng, R.S. 87−39007

McVicker, J.A. *see* Bucholtz, F. 87−60829

McVittie, J. *see* Shah, N. 87−11684

McVittie, J.P., Lin, T.A., Bariya, A.J. A new method for analyzing thin sidewall inhibitor layers 88−39240

McVittie, J.P. *see* Chang, G. 85−18412, 85−50679

McVittie, J.P. *see* Gardent, D.S. 85−34876

McVittie, J.P. *see* Gardner, D.S. 85−40663

McVittie, J.P. *see* Gonzalez, C. 85−45468

McVittie, J.P. *see* Kao, D. 85−40755, 87−53401

McVittie, J.P. *see* Kao, D.-B. 86−47489, 88−26060

McVittie, J.P. *see* Kovacs, G.T.A. 88−48242, 88−54631

McVittie, J.P. *see* Leeke, S.D. 87−18000

McVittie, J.P. *see* Saraswat, K.C. 85−22547

McVittie, J.P. *see* Schreyer, T.A. 88−71349

McVittie, J.P. *see* Sibbett, K.H. 88−50746

McVittie, J.P. *see* Singh, H.J. 85−34810

McVittie, J.P. *see* Sturm, J.C. 87−38203

McVittie, J.P. *see* Uhm, K.S. 87−18008

McWalter, I.L. Silicon design in Canada [integrated circuits] 88−20106

McWane, P.D. *see* DeVore, R.V. 86−19361

Macwani, M. An empirical correction for dead-time and pulse pile-up losses in gamma-ray spectrometry 85−4208

McWhirter, J. *see* Evans, R. 87−37253

McWhirter, J. *see* McCanny, J. 87−37249

McWhirter, J. *see* White, J.C. 87−16973

McWhirter, J.G. The application of systolic and wavefront arrays to adaptive beamforming 87−33560

McWhirter, J.G. Adaptive antenna array signal processing 88−14543

McWhirter, J.G., McCanny, J.V. Systolic and wavefront arrays 87−66232

McWhirter, J.G., Shepherd, T.J. A systolic array for linearly constrained least-squares problems 87−55117

McWhirter, J.G., Shepherd, T.J. An efficient systolic array for MVDR beamforming 88−73165

McWhirter, J.G., Shepherd, T.J., Ward, C.R., Jones, R.A., Hargrave, P.J. The application of linear constraints to an adaptive beamformer 87−27062

McWhirter, J.G., Ward, C.R., Hargrave, P.J. A comparison of the Gram-Schmidt and QR decomposition algorithms for adaptive beamforming 87−23562

McWhirter, J.G., Wood, D., Wood, K., Evans, R.A., McCanny, J.V., McCabe, A.P.H. Multibit convolution using a bit level systolic array 85−25094

McWhirter, J.G. *see* Broomhead, D.S. 86−14288

McWhirter, J.G. *see* Gardiner, T. 86−14400

McWhirter, J.G. *see* Knowles, S.C. 88−63821

McWhirter, J.G. *see* McCanny, J.V. 85−733, 86−46865, 87−39865, 87−66203

McWhirter, J.G. *see* Pike, E.R. 85−2822

McWhirter, J.G. *see* Ward, C.R. 85−2696, 86−64112

McWhirter, J.G. *see* Ward, J.S. 86−3853, 86−13719

McWhirter, J.G. *see* Woods, R.F. 88−70930

McWhorter, M. 'TEM Wave Regime' a graduate electrical engineering laboratory course in cooperation with local industry 88−18396

McWhorter, P.J., Miller, S.L., Dellin, T.A. Radiation response of SNOS nonvolatile transistors 87−32539

McWhorter, P.J., Winokur, P.S. Simple technique for separating the effects of interface traps and trapped-oxide charge in metal-oxide-semiconductor transistors 86−35668

McWhorter, P.J. *see* Fleetwood, D.M. 87−32698

McWhorter, P.J. *see* Schwank, J.R. 85−18186

McWhorter, P.J. *see* Winokur, P.S. 85−18343

McWilliam, J.H. Software−where, how and why? [videotex] 86−37437

McWilliam, K. Modern dataloggers take the strain 88−74295

McWilliam, P.N. *see* Goodchild, C.S. 88−10358

McWilliams, A. *see* Pounds, C.G. 86−25906

McWilliams, B.M., Chin, H.W., Herman, P., Hyde, R.A., Mitlitsky, F., Whitehead, C., Wood, L.L. Wafer-scale laser pantography. VI. Direct-write interconnection of VLSI gate arrays 85−1731

McWilliams, B.M. *see* Bernhardt, A.F. 87−67599, 88−33394

McWilliams, B.M. *see* Herman, I.P. 85−50682

McWilliams, B.M. *see* Mitlitsky, F. 87−23736

McWilliams, B.M. *see* Whitehead, J.C. 87−46205

McWilliams, D.W. *see* O'Donnell, P. 86−6687

McWilliams, G.E. *see* Messick, L. 87−45280

McWilliams, J.D. *see* Hanley, T.E. 88−63023

McWilliams, J.K., Pridgen, J.H. Mission benefits of a very high throughput image tracker system 86−59380

MacWilliams, K.P., Plummer, J.D. Thermal instability of Schottky diode barrier heights modified by inert ion sputter-etching damage 86−47515

MacWilliams, K.P., Plummer, J.D. Complementary silicon MESFETs for VLSI 87−53569

McWilliams, P.A. Addressing societal needs through the technology planning process 86−7468

MacWilliams, P.D. Impact of bus architecture on performance 88−6933

McWilliams, R. *see* Olson, L. 85−992

McWright, G., Lowry, M., Behymer, E., Brazes, W., Lancaster, G., Roeske, F. Gallium arsenide integrated optical devices in adverse environments 88−72130

McWright, G., Lowry, M., Roeske, F., Takeuchi, E. Long-term radiation effects on gallium arsenide directional coupler optical waveguides 88−58190

McWright, G., Lowry, M., Roeske, F., Takeuchi, E., Tindall, W., Murphy, G. Radiation effects on gallium arsenide integrated optical devices 88−51547

McWright, G., Lowry, M., Takeuchi, E., Murphy, G., Tindall, W., Koo, J., Roeske, F. Gallium arsenide integrated optical devices for high-speed diagnostic systems 88−33766

McWright, G. *see* Lowry, M. 88−7940, 88−51571

McWright, G. *see* Roeske, F. 88−7986

McWright, G.M. Simplified theory of variable impedance stripline under pulse excitation 86−18090

McWright, G.M. Cooled Pockels cell for laser fusion applications 86−48217

McWright, G.M. Directional coupler modulators for high speed diagnostics 88−58223

McWright, G.M., Jander, D.R., Koo, J.C., Kwiat, P., Lowry, M.E., Roeske, F., Jr., Slivinsky, V.W. Waveguide electro-optic modulators for high speed diagnostics 88−7985

McWright, G.M. *see* Koo, J.C. 85−18804

McWright, G.M. *see* Roeske, F. 88−33750

McWright, M.L., Batchman, T.E., Carson, R.F. Periodic coupling in planar waveguide thin-film photodetectors 85−62402

McWright, M.L., Batchman, T.E., Carson, R.F. Thin-film photodetectors for integrated optics 87−12335

McWright, M.L. *see* Carson, R.F. 86−28857

McWright Howerton, M., Bulmer, C.H., Burns, W.K. Linear 1×2 directional coupler for electromagnetic field detection 88−51542

McWright Howerton, M., Bulmer, C.H., Burns, W.K. Characteristics of a self-biased linear 1×2 directional coupler 88−51569

Maczka, D., Latuszynski, A., Kuduk, R., Partyka, J. Optimization of the ion implantation process 87−60300

Maczka, D. *see* Latuszynski, A. 87−21368, 87−57011

Mada, H., Muramatsu, Y. Direct optical digital detection of diaphragm deflection: maximum resolution 86−38546

Mada, H., Nakajima, Y., Ozawa, T. Optical multistability by a liquid crystal light modulator 87−38873

Mada, H., Ozawa, T. Optical multiple-valued logic gates: complement and literals 87−74880

Mada, J., Yamaguchi, K. Magneto-optical properties of Bi-substituted epitaxial LuSmIG films 85−45967

Mada, Y., Inoue, N. *p-n* junction formation using laser induced donors in silicon 86−47341

Madadi, H. Data transmission over a cellular network 88−46951

Madai, E. *see* Hencl, V. 85−30018

Madajewski, K. Synchronous generator dynamic stability as affected by static excitation system 87−22261

Madajewski, K. *see* Grabowski, A. 85−5008

Madak, T. *see* Schmid, H. 87−42098

Madakacherry, J.M., Gunger, J.E. Structural development by thermoelastic stress analysis of plastic models 88−16513

Madakson, P. *see* Robinson, B. 88−49889

Madakson, P.B. *see* Ahn, K.Y. 88−18738

Madal, K.C. *see* Bose, D.N. 87−16044

Madalkiewicz, U., Parszewska, D., Calusinski, B., Filipecki, J. Surface discharge in amorphic samples stimulated by ionizing particles bombardment 87−77529

Madalkiewicz, U. *see* Olesik, J. 85−1211

Madama, G. Metallised polypropylene capacitors−safety problems 85−39162

Madama, G. Metallized polypropylene capacitors 85−60376

Madams, C.J. Minimisation of system vulnerability in naval satellite communication networks 85−25848

Madan, A. Amorphous semiconductor alloys 86−14875

Madan, A. Amorphous silicon: from promise to practice 87−17726

Madan, A. A complete integrated line for mass production of amorphous silicon solar cells 87−72413

Madan, A., McMahon, T.J. New type of contact coating for amorphous silicon solar cells 85−32713

Madan, A. *see* Bhat, P.K. 88−58344

Madan, A. *see* Del Cueto, J. 88−45314

Madan, A. *see* Hollingsworth, R.E. 88−31009, 88−37491

Madan, A. *see* Konenkamp, R. 85−34913, 86−35422

Madan, A. *see* McMahon, T.J. 85−51026, 86−35650

Madan, A. *see* Mahan, A.H. 85−61008

Madan, A. *see* von Roedern, B. 85−1331, 86−35361

Madan, A. *see* Walker, C. 87−30988, 88−49152

Madan, A. *see* Xi, J. 87−78910

Madan, A., Thompson, M., Adler, D., Hamakawa, Y. *(editor)* Amorphous Silicon Semiconductors - Pure and Hydrogenated. Symposium 88−43591

Madan, A. *see* Adler, D. *(editor)* 86−33937, 87−16297

Madan, B.B., Parker, S.R. Adaptive beam forming in correlated interference environment 86−16470

Madan, B.B., Parker, S.R., Zubair, M. A systolic array structure for least square problems 87−24154

Madan, B.B., Parker, S.R., Zubair, M. A technique for the design of systolic arrays with bit-level pipelining 87−65997

Madan, B.B., Parker, S.R., Zubiar, M. Bit level systolic lattice filter synthesizer 87−7780

Madan, H., Beckman, B., Hontalas, P., Troung, T. A generalized asynchronous message communication system for a hypercube type concurrent processor network 87−55449

Madan, H. *see* Chow, E. 88−28439

Madan, M.S. On naming considerations for networks 86−16905

Madan, M.S. Performance monitor for an operational LAN 87−20180

Madan, P. System and VLSI trends in global data communications 85−13971

Madan, P. CAD technology alternatives for semicustom VLSI design 85−17305

Madan, P. Graphic applications segments and their design requirements 85−17596

Madan, P. Realities and tradeoffs in the design of bit-mapped graphic display controllers 85−45801

Madan, P. System design alternatives in graphic display applications 86−27369

Madan, P., Connell, M. Logic array CAD alternatives for the system designer 85−17307

Madan, P., Landers, G. EEPROMs provide more memory solutions than you may think 87−758

Madan, R.N. *see* Chua, L.O. 88−38366

Madan, R.N. *see* Kashyap, R.L. 88−46122

Madan, R.S. *see* Synury, T.S. 86−53301

Madan, S.K., Antoniadis, D.A. Leakage current mechanisms in hydrogen-passivated fine-grain polycrystalline silicon on insulator MOSFETs 87−6718

Madan, S.K., Bhaumik, B. A novel scheme to measure the interface trap density near band edges using CCDs 85−6934

Madan, S.K. *see* Thapar, B. 85−9548

Madan, S.K. *see* Wang, K.L. 87–44854
Madan, V.K. *see* Kekre, H.B. 87–77582
Madan, Y. *see* Chazan, D. 87–21668
Madani, K. *see* Chavel, P. 88–58283
Madani, K. *see* Chignell, R.J. 88–67472
Madani, M.R., Ajmera, P.K. Low temperature oxidation of silicon 88–57467
Madar, R. *see* Demolliens, O. 86–9430, 86–48015
Madar, R. *see* Thomas, O. 85–54436
Madar, R. *see* Torres, J. 88–13189, 88–33080
Madaras, E.I., Poe, C.C., Heyman, J.S. Combining fracture mechanics and ultrasonic NDE to predict the strength remaining in thick composites subjected to low-level impact 87–71474
Madaras, E.I., Winfree, W.P., Smith, B.T., Heyman, J.H. Detection of bondline delaminations in multilayer structures with lossy components 88–56365
Madaras, E.I. *see* Handley, S.M. 88–61712
Madaras, R.J., Oddone, P.J. Time-projection chambers 85–4223
Madarasz, F.L., Szmulowicz, F. Intrinsic carrier concentrations in $Hg_{1-x}Cd_xTe$ with the use of Fermi-Dirac statistics 86–8765
Madarasz, F.L. *see* Szmulowicz, F. 87–29122, 87–63419, 88–67792
Madarasz, R.L., Thompson, W.B. Recognition of moving objects using feature signatures 86–23124
Madarisov, M.R. Determination of the parameters of a microwave transistor represented as an independent six-port 86–41343
Madarisov, M.R. Determination of the scattering parameters and noise parameters of a field-effect transistor with two Schottky gates 87–18139
Madarisov, M.R. Noise characteristics of FET amplifiers with two Schottky barrier diodes 88–32028
Madarsz, F.L. *see* Szmulowicz, F. 88–4434
Madas-Dobler, M., Varnai, G. The control of district heating networks using a remote control system based on microcomputer 88–49298
Madatov, R.S. *see* Bakirov, M.Ya. 87–43423, 87–64811
Maddalena, M., Ronchi, F. ERDAS. Earth resources data analysis systems 86–32419
Maddalena, P. *see* Santamato, E. 87–54126
Maddaleno, F. *see* Civera, P.L. 87–60619
Maddaleno, F. *see* Hersch, R.D. 88–70760
Maddali, V.K. *see* Arkadan, A.A. 88–48868
Maddalone, R. *see* Chow, W. 87–71401
Maddaluno, V. *see* Carpinelli, G. 85–48887
Madde, R. *see* Arrigoni, M. 88–67362
Madden, C.J., Rodwell, M.J.W., Marsland, R.A., Bloom, D.M., Pao, Y.C. Generation of 3.5-ps fall-time shock waves on a monolithic GaAs nonlinear transmission line 88–56917
Madden, C.J. *see* Rodwell, M.J.W. 88–20022
Madden, D.J. *see* Gomez-Calderon, J. 88–31641
Madden, E. *see* Britton, C.L., Jr. 88–66518
Madden, J. *see* Cheung, J.T. 87–65501
Madden, J. *see* Sheppard, D.J. 88–30086
Madden, M.G. *see* Schnetzler, S.S. 87–76385
Madden, N.W., Hanepen, G., Clark, B.C. A low power high resolution thermoelectrically cooled Si(Li) spectrometer 86–50454
Madden, N.W. *see* Gatti, E. 85–59168
Madden, N.W. *see* Goulding, F.S. 85–43217
Madden, N.W. *see* Jaklevic, J.M. 88–42427
Madden, N.W. *see* Luke, P.N. 85–43216
Madden, N.W. *see* Pehl, R.H. 85–43305, 86–65346
Madden, P. Selection and applications for ionization equipment 88–52071
Madden, P.D. Remote supervision of power plants 85–65020
Madden, P.D. Remote power control promotes good service 85–65341
Madden, P.D. Advanced energy management 86–61065
Madden, P.D. Advances in power operations management 87–30091
Madden, P.D. Power plant microcontrollers—first and second generation 87–72297
Madden, R.P. *see* Ott, W.R. 87–14582
Madden, T.E. *see* Hartmann, W.T. 87–77127
Madden, T.R. *see* Morgan, F.D. 87–14457
Madden, V.J. CEGB's new simulators provide a wider range of experience 88–17268
Madden, V.J., Bindon, F.J.L. The history and development of off-site nuclear power plant training in the Central Electricity Generating Board 87–64258
Madden, V.J., Tompsett, P.A. The use of plant specific simulators at the CEGB's nuclear power training centre 87–15469
Maddick, D. Advantages of going SNAP 86–1580
Maddieson, I. *see* Javkin, H.R. 87–41940
Madding, R.P., Seeber, S.A. Steam dynamics—-traps and coils 85–53558
Madding, R.P. *see* Orlove, G.L. 87–10539
Madding, R.P. *see* Ragland, K.W. 85–21464
Maddison, B.M. *see* Gibbins, C.J. 88–68633
Maddison, D. Waste not—want not [gas turbine waste heat boilers] 88–55209
Maddison, M.S. The application of packet techniques for spectrum efficient data networking by radio 86–49470
Maddock, B.J., Male, J.C., Norris, W.T. 50 Hz electric and magnetic fields near power transmission circuits and some associated exposure and health studies 86–32385
Maddock, B.J. *see* Dey, P. 85–47401
Maddock, B.J. *see* Male, J.C. 86–25319
Maddock, B.J. *see* Norris, W.T. 85–32119
Maddock, D., Capobiano, J. The multiple benefits of single fiber networks 87–34578
Maddocks, A.J. The electromagnetic compatibility of wideband cable television systems 85–20362
Maddocks, A.J. Radio interference measurements on appliances containing commutator motors 85–60220
Maddocks, A.J. Radio interference investigations on appliances containing small commutator motors 85–60221
Maddocks, A.J. Radio interference measurement techniques and suppression development 85–64269
Maddocks, A.J. Investigations into the performance of structures acting as inadvertent receivers of electromagnetic energy in the context of the RF ignition hazard 86–59101
Maddocks, A.J. Interference-free switching 87–12760
Maddocks, A.J. EMC management, design, analysis and evaluation 88–8539
Maddocks, A.J., Urry, N.P., Birtles, A.B. Electromagnetic compatibility of energy management and building services 86–48626
Maddocks, A.J. *see* Excell, P.S. 85–2681, 86–22613
Maddocks, A.J. *see* Heard, N.A. 85–64213
Maddocks, J.R. *see* Walstrom, P.L. 87–63349
Maddocks, M.C.D. Low-cost approach for steerable flat-plate antenna design with application to reception of broadcasting from satellite 88–27654
Maddocks, M.C.D., Stott, J.H. Propagation data from a recently installed over-the-horizon UHF digital link across the English Channel 87–47191
Maddox, B.J. *see* Lutz, W.R. 85–59260
Maddox, C.L. *see* Byrne, C.J. 86–16727
Maddox, H., Nail, G., Kuhn, W., Sadek, K. The Blackwater HVDC back-to-back tie/USA design and commissioning 86–12404
Maddox, H.A. HVDC in power station applications 87–50759
Maddox, H.L. *see* Black, S.L. 86–841
Maddox, H.L. *see* Burden, D.M. 85–36799
Maddox, R. $99 satellite-TV receiver 86–43987
Maddox, R.A. *see* Grant, D.E. 85–32792
Maddox, R.L. On the optimization of VLSI contacts 85–45763
Maddox, R.L., Golecki, I. Enhanced performance of 2 μm *n*-MOSFETs in doubly recrystallised SOS films 85–29323
Maddox, R.L., Lin, A.L., Golecki, I., Glass, H.L. MOSFET performance enhancement by improved SOS material processes 85–12304
Maddox, R.L. *see* Golecki, I. 86–9030, 87–11486
Maddox, R.L. *see* Lin, A.L. 85–40917
Maddux, G.E. The role of video technology in experimental mechanics 87–36855
Maddux, G.E. Video/computer techniques for static and dynamic experimental mechanics 88–20791
Maddux, T.P. *see* Bush, D.R. 85–30052
Maddy, S.L. Designing active filters 88–44279
Madec, G. *see* Leger, A. 88–25260
Madec, Y. *see* Bassinet, J. 85–57660
Madeiros, P.T.de *see* de Madeiros, P.T.
Madej, P. A/D converter for precise measuring instruments 88–22516
Madej, P. *see* Klos, Z. 85–43067, 88–22740
Madej, T., Rolison, S.M. Controlling the network of the 5ESS switching system 85–42376
Madekivi, S. Experiments on automatic classification of shallow water acoustic signal sources using two pattern recognition methods 88–73281
Madekivi, S. *see* Katila, T. 88–36492
Madell, J.T. DSNP—a simulation language for the dynamic analysis of nuclear power plants 88–75321
Maden, J.M. The adaptive suppression of interference in HF ground wave radar 88–15524
Madenach, A. *see* Bollu, M. 88–13043
Madenach, A.J., Werner, J., Stutzler, F.J. Noise: a new method for the characterization of grain boundaries in polysilicon solar cells 87–9819
Madenburg, R.S., Humphrey, M.C. Participant cooperation eases project risk management 86–61907
Mader, D.L. Holographic and nonholographic NDT for nuclear and coal-fired power plants 87–22032
Mader, D.L. Holographic NDT on pipes: predicted fringe patterns and experimental results 87–59037
Mader, D.L., Gnoyke, R.E. Vacuum speckle interferometry for long term monitoring of in-plane strains at defect sites in nuclear pressure tubes 88–22438
Mader, F. Hasler TGZ teleprinter switchboard: operation, maintenance and applications 85–19710
Mader, G., Meixner, H., Kleinschmidt, P. Study of microscopic heat sources in semiconducting barium titanate ceramics 85–11946
Mader, G., Meixner, H., Kleinschmidt, P. Hot spots in semiconducting ferroelectric ceramics 85–50054
Mader, G., Meixner, H., Kleinschmidt, P. Mechanism of electrical conductivity in semiconducting barium titanate ceramics. I. Classical models and measured varistor effects 87–45608
Mader, G., Meixner, H., Kleinschmidt, P. Mechanism of electrical conductivity in semiconducting barium titanate ceramics. II. Extended model of electrical conductivity 87–73159
Mader, G. *see* Hanrieder, W. 87–32469, 88–58340
Mader, G. *see* Meixner, H. 86–55742
Mader, G.H., Bevilacqua, O.M. Electric Vehicle Development Corporation: a new initiative to commercialize electric vehicles in the United States 85–49179
Mader, G.H., Knight, R. Electric vehicles: a desirable new load for electric utilities within a decade 85–49178
Mader, H. Bulk-barrier diode 88–44730
Mader, H., Muller, R. Transition from the bipolar to the bulk-barrier transistor 85–6898
Mader, H. *see* Buchmann, L.-M. 86–21410
Mader, H. *see* Pelka, J. 88–33031
Mader, H. *see* Pilz, W. 86–21412
Mader, H.-F. *see* Fehsenfeld, B. 86–11037
Mader, J. Attaining ultra large scale integrated (ULSI) circuit complexity using resource replication and in-process testing 86–21874
Mader, J. *see* Brown, P.J. 85–5421
Mader, J. *see* Kalhammer, F. 85–65553
Mader, J.M. *see* Webster, L.R. 86–60897
Mader, K. Aspects of the influence of microelectronics on the development of computing and printer equipment 87–52534
Mader, K. *see* Gollhardt, E. 87–35959
Mader, L. *see* Arden, W. 86–1904
Mader, M. *see* Zehe, A. 88–71630
Mader, M.J., White, R.E. A mathematical model of a Zn/Br_2 cell on charge 86–71044
Mader, O. Turbosets for the Voitsberg 3 and Riedersbach II power stations as an example for the engineering actions of the ELIN 88–11082
Mader, O. *see* Fischer, H. 85–48874
Mader, O. *see* Widhalm, E. 87–78491
Mader, P., Schubert, K.-H. Laboratory tester LADIS for digital ICs 86–24320
Mader, P. *see* Bemmann, H.-B. 86–14102, 86–20460
Mader, P. *see* Bemmann, H.B. 85–40837
Mader, R. Radio measurements set: ease of operation in foreground 85–64174
Mader, R. Advances in the development of microwave counters 86–70354
Mader, R. Remote subscriber multiplexer (RSM) in the AXE 10 system 87–20330
Mader, R. *see* Vukoja, M. 88–3726
Mader, R. *see* Winkler, E. 87–60443
Mader, S. *see* Harame, D. 87–67211
Mader, S.M. *see* Hodgson, R.T. 85–12101
Mader, S.R., Riseman, J. Fabrication of shallow transistors 85–6900
Mader, S.R. *see* Burghartz, J.N. 88–50812
Mader, S.R. *see* Sedgwick, T.O. 85–12105
Mader, W. Critically n-edge connected graphs 86–46187
Mader, W. On (k+1)—critically (2k+1)-connected graph 88–70215
Mader, W. *see* Ruppel, C. 86–2518
Maderbacher, F. Quasistatic 64K DRAM 85–11236
Maderbacher, F. Current loop optical coupler 85–31033
Maderbacher, F. Surface mounted devices: techniques and market overview 85–44505
Maderbacher, F. CHMOS—the 'stone of knowledge' technology 86–2369
Maderbacher, F. Liaison computer telex 86–16816
Maderbacher, F. Battle against the Far East—with SMD 86–27728
Maderbacher, F. Trends: slight rise [electronic components, delivery times and price trends] 86–33986
Maderbacher, F. A single chip CRT-terminal 86–34678
Maderbacher, F. Electronics as a saviour [Kone-Sowitsch of Scheibbs, company profile] 86–35181
Maderbacher, F. Austrian 'hightech' with hurdles 86–35621
Maderbacher, F. HCMOS: economical and fast 86–47793
Maderbacher, F. Ion beams for 'Hyper-chips' 87–65185
Maderbacher, F. Advances in flat displays 88–16272
Maderbacher, F. A 'silver lining' on the electronics horizon? 88–31481
Maderbacher, F. Pioneer of semiconductor distribution 88–31573
Maderbacher, F. 'Supercomputer' RISC chips Motorola announces a new 32-bit processor family 88–63698

Maderna, A. *see* Distante, F. 86−24308, 87−1103
Maderova, V., Pospisil, J. Standard for large inductances at frequencies up to 20 kHz 87−63490
Madery, C. *see* Tonnerieux, F. 87−58274
Madet, D. *see* Derive, C. 87−72005
Madewell, J. Scrubbing purges memory errors 85−40068
Madewell, J., Milani, E. Eliminating storage errors 86−8215
Madey, G. *see* Stadelman, S. 88−10689
Madey, G.R., Dean, B.V. Strategic planning for investment in R&D using decision analysis and mathematical programming 85−44459
Madey, G.R., Wolfe, M.H., Potter, J. Development of an expert investment strategy system for aerospace RD&E and production contract bidding 88−18409
Madey, J.M. *see* Cutolo, A. 88−51829
Madey, J.M.J. Conceptual system design of XUV FEL's 85−2169
Madey, J.M.J. *see* Benson, S. 85−2178, 85−7464, 85−56682
Madey, J.M.J. *see* Benson, S.V. 86−22418, 87−2143, 88−8242
Madey, J.M.J. *see* Cutolo, A. 85−2358, 86−3289, 88−27189
Madey, J.M.J. *see* Dattoli, G. 85−2188, 85−56717
Madey, J.M.J. *see* Deacon, D.A.G. 85−41419
Madey, J.M.J. *see* La Sala, J.E. 87−2169, 87−12508, 87−18997
Madey, J.M.J. *see* LaSala, J.E. 88−14224
Madey, J.M.J. *see* Robinson, K.E. 85−18957
Madey, J.M.J. *see* Stolovy, G. 87−19016
Madey, J.M.J. *see* Westenskow, G.A. 85−11829
Madgazin, V.R., Eliseev, P.G., Kobildzhanov, O.A. Characteristics of the spectrum and amplitude noises in an injection laser with nonlinear interaction and splitting of longitudinal modes 88−34052
Madgazin, V.R. *see* Bogatov, A.P. 87−54371, 87−68501, 87−75119
Madge, D. *see* Dindo, S. 88−32415
Madge, H. *see* Trojnar, K. 86−48546
Madge, R.C., Jones, D.E. Effect of power lines on AM radio broadcast radiation patterns 86−48690
Madge, R.C. *see* Trueman, C.W. 85−14084
Madhava Panicker, P.R., Kunhikrishnan, P.K., Sengupta, K., Muralidharan Nair, S., Narayanan Nair, K. Temperature turbulence probe for atmospheric boundary layer studies 86−32536
Madhava Rao, K., Rama Murthi, M. Hierarchical optimal controller for multimachine power system 88−30305
Madhavan, C., Gururaja, T.R., Srinivasan, T.T., Xu, Q.C., Newnham, R.E. Fired 0-3 piezoelectric composite materials for biomedical ultrasonic imaging applications 88−61323
Madhavan, C.E.V., Krishna, S. Optimization model for distributed database systems with distributed concurrency control 85−25567
Madhavan, C.E.Veni *see* Veni Madhavan, C.E.
Madhavan, G., deBruin, H., Upton, A.R.M. Improvements to adaptive noise cancellation 87−55240
Madhavan, G. *see* Milton, J. 88−54562
Madhavan, G.P. Comments, with reply, on 'Adaptive filtering of evoked potentials' by N.V. Thakor 88−42546
Madhavan, K.N. VCXO, with good stability and linearity 85−41005
Madhavan, K.S. Protection problems related to MV switchgear 87−4828
Madhaven, G., deBuin, H., Upton, A.R.M. Evoked potential processing and pattern recognition 85−48313
Madhu, U. *see* Gupta, R.P. 88−11154
Madhukar, A., Chen, P., Voillot, F., Thomsen, M., Kim, J.Y., Tang, W.C., Ghaisas, S.V. A combined computer simulation, RHEED intensity dynamics and photoluminescence study of the surface kinetics controlled interface formation in MBE grown GaAs/$Al_xGa_{1-x}As(100)$ quantum well structures 87−37941
Madhukar, A., Ghaisas, S.V. Implications of the configuration-dependent reactive incorporation growth process for the group V pressure and substrate temperature dependence of III-V molecular beam epitaxial growth and the dynamics of the reflection high-energy electron diffraction intensity 85−60948
Madhukar, A., Ghaisas, S.V., Lee, T.C., Yen, M.Y., Chen, P., Kim, J.Y., Newman, P.G. The dynamics of reflection high energy electron diffraction intensity behaviour as a probe of crystal growth. Computer simulations and measurements during molecular beam epitaxial growth of GaAs/$Al_xGa_{1-x}As(100)$ 86−447
Madhukar, A., Lee, T.C., Yen, M.Y., Chen, P., Kim, J.Y., Ghaisas, S.V., Newman, P.G. Role of surface kinetics and interrupted growth during molecular beam epitaxial growth of normal and inverted GaAs/AlGaAs(100) interfaces: A reflection high-energy electron diffraction intensity dynamics study 85−54439
Madhukar, A. *see* Chen, P. 86−34312
Madhukar, A. *see* Cho, N.M. 87−58921, 88−57670
Madhukar, A. *see* Ghaisas, S.V. 85−39737, 86−34338, 88−419
Madhukar, A. *see* Grunthaner, F.J. 85−50231
Madhukar, A. *see* Lee, T.C. 87−277
Madhukar, A. *see* Lewis, B.F. 85−382
Madhukar, A. *see* Ogale, S.B. 88−6444, 88−32851
Madhukar, A. *see* Tang, W.C. 88−24701
Madhukar, A. *see* Thomsen, M. 87−52124, 87−73068 to 73069
Madhukar, A. *see* Vasquez, R.P. 85−29131, 87−53242
Madhukar, A. *see* Voillot, F. 87−23632
Madhusudhana Rao, D.N. *see* Indira Devi, M. 88−8468
Madhusudhana Rao, G., Maskara, S.L. Signal design for FH-SSMA communication system using pseudo random sequences 85−30895
Madhusudhana Rao, G. *see* Haribabu, K. 87−69885
Madhusudhanarao, G., Haribabu, K., Veenakumari, C., Maskara, S.L. Signal design of frequency hopping spread spectrum multiple access system 87−55967
Madhvapathy, P.R. *see* Rostampour, A.R. 88−66767
Madic, C., Bouges, J., Koehly, G. Preparation of nuclides and sources of actinide elements 85−59117
Madicke, H.-H., Henze, K. The welding of steel X2 CrNiMoN 18.12. III. Manual metal arc welding 88−56004
Madiedo, E. The use of time series analysis in the reliability field 87−23439
Madier, J.P., Flouzat, G., Jourlin, M. A non-parametric supervised multispectral classification method using binary morphology operators 87−57433
Madigan, M.P., Champion, G. On-line steam generator leak monitors in a US PWR 88−23696
Madigan, P.Q. In situ near-field measurement of a secondary surveillance radar antenna 88−34426
Madihian, M., Honjo, K. 11 GHz band GaAs monolithic VCO with 1/4 analog frequency divider 86−35119
Madihian, M., Honjo, K. GaAs monolithic ICs for an X-band PLL-stabilized local source 86−58051
Madihian, M., Honjo, K., Toyoshima, H., Kumashiro, S. Fabrication and modeling of a novel self-aligned AlGaAs/GaAs heterojunction bipolar transistor with a cutoff-frequency of 45 GHz 87−45277
Madihian, M., Honjo, K., Toyoshima, H., Kumashiro, S. The design, fabrication, and characterization of a novel electrode structure self-aligned HBT with a cutoff frequency of 45 GHz 87−60419
Madihian, M., Noguchi, T. An analytic approach to microwave GaAs FET oscillator design 87−6088
Madihian, M., Tanaka, S., Hayama, N., Okamoto, A., Honjo, K. A novel fully self-aligned closely-spaced-electrode HBT for SSI logic family applications 88−19105
Madihian, M. *see* Hayama, N. 87−45885, 88−71090
Madihian, M. *see* Honjo, K. 86−47064, 87−60431
Madihian, M. *see* Lesage, S.R. 88−32418
Madihian, M. *see* Tanaka, S. 87−53511, 88−64745
Madihian Mohammad *see* Mohammad Madihian
Madill, B.R. *see* Chaudhry, M.L. 87−65304
Madinabeitia, J.G.de *see* de Madinabeitia, J.G.
Madinabeitia, P.Garcia de *see* Garcia de Madinabeitia, P.
Madisetti, V., Parekh, S., Warland, J. Sojourn times in Jackson networks in heavy traffic 87−55400
Madisetti, V.K. A new method to evaluate the phase transition matrix 86−46431
Madisetti, V.K., Messerschmitt, D.G., Nordstrom, N. Dynamically-reduced complexity implementation for echo cancelers 87−19799
Madisetti, V.K., Ramlu, M.A. Trends in the electronic control of mine hoists 86−33755
Madisetti, V.K., Ramlu, M.A. Trends in the electronic control of mine hoists 87−31017
Madison, F. *see* Yansen, D. 88−13504
Madison, M. Mobile comms: opening up the airwaves 87−34430
Madison, M. The inside line [intercoms] 87−48778
Madison, R.L. *see* Braunberg, G. 88−55941
Madivanan, S., Shivapprasad, A.P. Microprocessor-based GPIB compatible programmable pulse generator 87−77289
Madjar, A. A fully analytical AC large-signal model of the GaAs MESFET for nonlinear network analysis and design 88−25485
Madjar, A. *see* Dreifuss, J. 86−20823, 86−27622, 87−24443, 88−32464
Madjar, N. *see* Burq, J.P. 87−35362
Madjid, A.H. *see* El-Haija, A.J.A. 87−45723
Madjur, A., Dreifuss, J. Large-signal microwave performance prediction of dual-gate GaAs MESFET using an efficient and accurate model 85−61454
Madkour, M.A., Ghonaimy, M.A.R. Performance evaluation of packet-switched networks with retransmission due to finite buffers and channel errors 87−27679
Madkour, M.A. *see* Ayad, N.M.A. 85−46976
Madkour, O.I. *see* Kamel, M.S.A. 88−54566
Madland, D.G., Strottman, D.D. A nuclear structure of the proposed gamma-ray laser candidate nucleus ^{186}Re 88−58511
Madland, D.G. *see* Arthur, E.D. 88−58406
Madland, D.G. *see* Strottman, D. 87−7290
Madland, P.D. *see* Mohsen, A. 85−22873
Madner, P.J. Graphite heat exchangers in the process industries 86−33872
Madni, A.M., McDonald, P.T., Hansen, R.K., Wan, L. Medium-power, C-band active frequency doubler designed for radar system 87−76851
Madni, A.M., Stilwell, G. Design considerations in the development of monopulse radar receivers 87−63062
Madni, A.M. *see* Stilwell, G.W. 86−17477
Madni, A.M. *see* Vuong, J.B. 85−20988
Madni, A.M. *see* Wan, L.A. 85−14341
Madokoro, S., Hagiwara, S., Ushio, S. Surface morphology and corrosion in aluminum alloy thin films 85−34891
Madokoro, S. *see* Harada, Y. 87−18215
Madokoro, S. *see* Tatsuzawa, T. 86−15089
Madokoro, S. *see* Umemura, E. 88−50760
Madokoro, Y. *see* Tamura, M. 88−57436
Madon, M. *see* Peyronneau, J. 85−31625
Madonick, N. Design options in hybrid circuits 85−17999
Madooglu, K., Catton, I., Ghebremichael, F., Goodman, J. Two-phase flow in a nuclear NHD generator [space power generation] 88−62632
Madorskii, L.S. Statistical properties of randomly sampled signals 86−48929
Madou, M. *see* Tsau, G.-H. 86−67760
Madou, M. *see* Tsau, G.H. 86−35448
Madouri, A., Gosnet, A.M., Bourneix, J. Non hydrogenated materials for X-ray masks (Si_3N_4 and SiC) 88−26133
Madoyan, R.S. *see* Lazarev, M.V. 85−18724
Madre, J.-C., Billon, J.-P. Proving circuit correctness using formal comparison between expected and extracted behaviour 88−71698
Madren, P.L. An overview of high speed digital service in the United States [telephony] 85−47129
Madrid, A., Guarro, S. Current issues and trends on the use of simulation in nuclear power plant disturbance analysis systems 85−59917
Madrid, J.E., Blake, J.K., Jr., Sulkin, A.M. The crowded marketplace [integrated automated office] 85−63203
Madrid, J.E., Sheldon, S. Get ready for high-tech CPE [customer premises equipment] 88−35264
Madrid, J.E., Shepherd, R.K., Sheldon, S. A study in contrasts: the old and the new PBX/Key Systems 88−28272
Madrid, M., Wood, R. Transition noise in thin-film media 87−25819
Madrid, M. *see* Bertram, H.N. 86−68160
Madrid, W.L., Hindman, N.B., Wagner, G.S., Selvester, R.H. Infarct size by on line computer analysis of ECG in a bedside microprocessor ECG cart 85−53080
Madrigales, J.E.F. *see* Fernandes, H.C.C. 88−25363
Madronere de la Cal, A. *see* Garcia, P.G. 85−43415
Madronero de la Cal, A. Modern trends in metallurgical practice 87−44409
Madru, M., Guillaud, G., Al Sadoun, M., Maitrot, M., Clarisse, C., Le Contellec, M., Andre, J.-J., Simon, J. The first field effect transistor based on an intrinsic molecular semiconductor 88−13376
Madru, R., Guillaud, G., Al Sadoun, M., Maitrot, M., Andre, J.-J., Simon, J., Even, R. A well-behaved field effect transistor based on an intrinsic molecular semiconductor 88−39436
Madru, R., Guillaud, G., Al Sadoun, M., Maitrot, M., Andre, J.-J., Simon, J., Even, R. A field effect transistor based on an intrinsic molecular semiconductor 88−57638
Madsen, B.T. Industry aspects of wind turbine development 87−15618
Madsen, E.L. *see* Zagzebski, J.A. 86−37155
Madsen, J., Trefny, J. Boundary effects in transient thermal measurements 88−16545
Madsen, J., Trefny, J. Transient heat pulse technique for low thermal diffusivity solids 88−47703
Madsen, J. *see* Kramer, S.L. 86−32028
Madsen, J.H.B., Battisti, S., Blechschmidt, D., Delahaye, J.P., Frammery, B., Huber, K., Kugler, H., Krusche, A., Poncet, A., Potier, J.P., Riche, A., Warner, D.J., Bourdon, J.C., Brunet, P. First experience with the LEP pre-injector (LPI) by the LPI beam commissioning team 88−47790
Madsen, J.H.B. *see* Battisti, S. 85−26584
Madsen, J.Jeppe *see* Jeppe Madsen, J.

Madsen, K., Foley, D. When the shoe's on the vendor's foot: a look at Tandem's corporate network 85–63311
Madsen, K., Foley, D. How multiprocessor nodes can become more sociable 86–4197
Madsen, K. *see* Bandler, J.W. 86–14488, 86–27573, 86–57600, 86–66937, 87–36609, 88–31931
Madsen, L.D. *see* Mercier, J.S. 87–11685
Madsen, M.D., Robinson, W.A. AR6A single-sideband radio as a high capacity digital system 87–28377
Madsen, M.T., Nickles, R.J. A precise method for correcting count-rate losses in scintillation cameras 86–65415
Madsen, N.H. *see* Crocker, M.J. 88–68593
Madsen, N.H. *see* Khan, M.A. 86–65129
Madsen, P. *see* Anderson, J. 88–68532
Madsen, S.N. Spectral properties of homogeneous and nonhomogeneous radar images 88–15509
Madsen, W. *see* MacManus, D. 85–60505
Madson, M.J., Benjuya, N., El-Nahass, B. An apparatus for measuring knee joint motion 'in vivo' 88–54483
Madson, M.J. *see* Schrager, R.J. 88–54485
Madu, C.N. An economic decision model for technology transfer 88–49424
Madugula, M.K.S., Kabir, H.R.H. Design of vee cross arms of electrical transmission line towers by approximate method 85–38539
Madulid, N. *see* Ting-Ho Dan Lee 88–51220
Madura, H. *see* Cwirko, R. 87–70358
Madura, H. *see* Marciniak, W. 85–45723, 86–28313 to 28314
Madurga, G. *see* Garcia-Tenorio, R. 87–29683
Madurga, V., Hernando, A., Nielson, O.V. A system for simultaneous magnetic measurements and torsional creep 85–4089
Maduskar, S.V. *see* Sarang, P.G. 87–23915
Mady, A. *see* Pataki, L. 86–33641
Mady, H.A. *see* Mady, Kh.A. 87–52195
Mady, K.A. *see* Soliman, H.S. 88–75942
Mady, Kh.A., El-Nahas, M.M., Gabr, A.A. Space-charge limited conduction in vacuum-deposited Sb_2S_3 films 87–66932
Mady, Kh.A., Mady, H.A., Girgis, S.Y., Moustafa, H.R. Effect of deposition rate on vacuum-deposited PbS films 87–52195
Mad'yarov, I.R., Vanyagina, A.A. Computerized information-retrieval system for means of measurement 88–35807
Mad'yarov, M.R. *see* Baru, V.G. 86–35714
Madzhidov, N.M., Zakirov, L.A., Alimov, A.K., Alavutdinov, Dzh.N., Kamalkhodzhaev, M.A., Usmanov, M.U. The effectiveness of using a solar-therapy device in medicine 86–50625
Madziel, J.-F. Trolley bus and bi-mode trolley bus—balance of the COST 303 programme and its prospects 87–4993
Maebara, K., Takeuchi, T. Protocol conversion for integrated voice/data digital PBX 85–42398
Maebara, K. *see* Tani, H. 88–46597
Maebori, I. *see* Arima, S. 88–28872
Maechler, M. *see* Koch, K.-P. 86–24805
Maeda, ., Komura, F., Shiraishi, T. An encryption algorithm for digital image data 87–27618
Maeda, A. Yokohama open field test site and site attenuation analysis 88–2597
Maeda, A., Goto, T., Inoue, F., Itoh, A., Kawanishi, K. Read out characteristics of magneto-optical disk using intensity dividing method 86–42383
Maeda, A., Takeya, S. New correction factor for high-precision open-site attenuation calculation 86–29351
Maeda, A., Takeya, S. Note on EMI measurement at open field test site. III. A proposal for obtaining good agreement among measured EMI values 88–14417
Maeda, A., Takeya, S., Kami, Y. New correction factor for high-precision open-site attenuation calculation 87–29239
Maeda, A., Tsuboi, A., Komura, F. A fast and accurate algorithm for SAR Doppler center frequency estimation 87–27638
Maeda, A., Tsuboi, A., Komura, F. A SAR image reconstruction algorithm with complex phase correction 87–77891
Maeda, A. *see* Inoue, F. 86–28922
Maeda, A. *see* Inoue, K. 85–60728
Maeda, A. *see* Ono, T. 87–58374
Maeda, A. *see* Takeya, S. 86–3652, 86–29492, 87–26851, 88–14418
Maeda, A. *see* Tsuboi, A. 87–28661
Maeda, A. *see* Tsuji, T. 85–53287
Maeda, A.Taketa *see* Taketa Maeda, A.
Maeda, C., Masuo, R. A shipboard scale of electromechanical type using strain-gage 86–11758
Maeda, F., Takimoto, Y. Example plan 2-One Memorial Hospital [cogeneration] 88–48781
Maeda, H. Electron transport across a semiconductor heterojunction 87–6429
Maeda, H., Kinoshita, T., Masuda, K., Kato, W. Fundamental research on oscillating water column wave power absorbers 85–53601
Maeda, H., Koizumi, M., Takano, I., Ogiwara, H. Design and test results for a high current density 10.1 T superconducting solenoid with a large bore of 200 mm 85–41092
Maeda, H., Ohta, Y., Kodama, S., Takeda, S. Fault diagnosis of non-linear systems: graphical approach to detectability, distinguishability and diagnosis algorithm 86–62395
Maeda, H., Sakata, A., Hayasaka, K., Watanabe, Y., Honda, H., Minegishi, A. Tandem network evolution in a large city 85–36610
Maeda, H., Takahashi, K., Ohta, M. A restoration scheme for images with missing parts 86–43344
Maeda, H., Urata, M., Takano, I., Ogiwara, H., Miyake, S., Aoki, N. A multifilamentary 15.5 T small magnet 88–65075
Maeda, H. *see* Endo, J. 86–40767
Maeda, H. *see* Ichikawa, M. 88–10566
Maeda, H. *see* Koizumi, M. 87–12087
Maeda, H. *see* Maruyama, M. 85–3166
Maeda, H. *see* Masuda, N. 85–49208
Maeda, H. *see* Morikawa, T. 86–51976
Maeda, H. *see* Morishima, N. 88–75617
Maeda, H. *see* Murase, S. 85–62217
Maeda, H. *see* Nakagiri, A. 88–44946
Maeda, H. *see* Noto, K. 85–41087, 85–46107
Maeda, H. *see* Ohguro, K. 85–535, 87–7559
Maeda, H. *see* Ohta, Y. 85–6122, 86–66621, 88–271
Maeda, H. *see* Tamura, Y. 86–43869, 88–45394
Maeda, H. *see* Urata, M. 87–67969
Maeda, H. *see* Watanabe, K. 87–53928
Maeda, H. *see* Watanabe, M.O. 85–11916
Maeda, J. Image restoration by an iterative damped least-squares method with non-negativity constraint 85–36308
Maeda, J. Restoration of bandlimited images by an iterative damped least-squares method with adaptive regularization 85–46880
Maeda, J., Murata, K. Adaptive regularizations in an iterative regularized pseudoinverse method 85–13606
Maeda, J., Murata, K. Local-statistics algorithm for smoothing noisy images with low signal-to-noise ratio 86–69148
Maeda, J., Murata, K. Digital restoration of blurred images in speckle noise by a two-step procedure 87–7839
Maeda, J. *see* Katsuyama, T. 87–40582
Maeda, K. Current low temperature processing of VLSI in Japan 86–58495
Maeda, K. Fifty years of the ionosphere 87–47178
Maeda, K. The age of Private Enterprise Information Network System (PE-INS) 87–76063
Maeda, K., Ashizawa, T., Miyazawa, T. Communication technology in automated power-distribution systems 88–48562
Maeda, K., Azuma, Y. Outline of SAR-580 data processing method in Japan 87–63934
Maeda, K., Fujii, Y. Cr^{3+}-doped garnet laser 88–40184
Maeda, K., Kojima, M., Azuma, Y. Some results of the MOS-1 airborne verification experiment—MESSR 87–57336
Maeda, K., Maekawa, Y., Tatebe, W. An automatic observation system for the physical environment of the coastal sea 87–71395
Maeda, K., Wada, N., Umino, M., Abe, M., Takada, Y., Nakano, N., Kuroda, H. Concentration dependence of fluorescence lifetime of Nd^{3+}-doped $Gd_3Ga_5O_{12}$ lasers 85–18897
Maeda, K., Wakabayashi, H., Sato, H. Some results of MOS-1 airborne verification experiment—MSR (Microwave Scanning Radiometer) 88–10523
Maeda, K. *see* Ariizumi, S. 87–17069
Maeda, K. *see* Burleson, G.R. 86–60503
Maeda, K. *see* Furuya, N. 86–4432
Maeda, K. *see* Hayakawa, H. 88–14148
Maeda, K. *see* Horino, T. 85–4916
Maeda, K. *see* Kawaji, S. 86–28059
Maeda, K. *see* Nagai, N. 88–61912
Maeda, K. *see* Nakamura, K. 88–12787
Maeda, K. *see* Ninomiya, K. 87–29849
Maeda, K. *see* Nishimoto, Y. 88–20103
Maeda, K. *see* Ojima, T. 88–5175
Maeda, K. *see* Sagara, K. 88–68247 to 68248
Maeda, K. *see* Samejima, T. 87–63744
Maeda, K. *see* Suzuki, K. 88–5285
Maeda, K. *see* Tsuchiya, K. 85–48467
Maeda, K. *see* Yokoyama, T. 88–8166
Maeda, M. Technology to make better turntables 85–14525
Maeda, M. Optoelectronics technology now and in the future 86–28941
Maeda, M. Chromatic dispersion measurement system using 'n' LD light sources different in wavelength 87–8753
Maeda, M., Hirao, M., Nakano, H., Minai, Y. Optoelectronic integrated circuits for high-speed fiberoptic transmission 87–18864
Maeda, M., Isokawa, Y., Yamada, K., Fukui, A. Signalling equipment of XE-10 System 86–4425
Maeda, M., Makino, T. Low dielectric constant amorphous SiBN ternary films prepared by plasma-enhanced deposition 87–52185
Maeda, M., Makino, T., Konaka, S. Low permittivity interconnection using SiBN interlayer for high speed bipolar LSIs 88–71757
Maeda, M., Nakano, H. Integrated optoelectronics for optical transmission systems 88–58382
Maeda, M., Nakano, H. Integrated optoelectronic technologies for future fiberoptic systems 88–65514
Maeda, M., Oyamada, K., Utsumi, Y. FM-FDM optical transmission for HDTV in broadcasting station 87–20568
Maeda, M., Shono, H. Application of the fuzzy theory to medical diagnosis system 86–25168
Maeda, M. *see* Furumura, Y. 86–62227, 87–292, 87–66929, 88–56230
Maeda, M. *see* Hiro, M. 85–63869
Maeda, M. *see* Ichinokura, O. 87–22523, 88–12205, 88–63500
Maeda, M. *see* Imoto, K. 85–46142, 87–18588, 87–60916
Maeda, M. *see* Ishida, M. 88–38522
Maeda, M. *see* Kamei, H. 88–56256
Maeda, M. *see* Kato, T. 87–31587
Maeda, M. *see* Kinoshita, T. 86–27085, 86–40918, 87–23944, 88–589, 88–3992, 88–18932
Maeda, M. *see* Kodera, H. 85–20191
Maeda, M. *see* Koshino, N. 85–50894
Maeda, M. *see* Kotera, N. 88–20164
Maeda, M. *see* Matsuda, T. 86–58403, 87–32427
Maeda, M. *see* Matsuo, H. 88–12212, 88–75753
Maeda, M. *see* Mieno, F. 87–23672, 88–18683, 88–24762, 88–38179
Maeda, M. *see* Minami, Y. 87–20490
Maeda, M. *see* Moribe, M. 88–65395
Maeda, M. *see* Murakami, A. 88–64968
Maeda, M. *see* Nakamura, T. 87–41245
Maeda, M. *see* Nakano, H. 86–63734, 88–20654, 88–67357
Maeda, M. *see* Nakano, Y. 88–44873
Maeda, M. *see* Nishizawa, J. 88–64541
Maeda, M. *see* Niu, H. 87–41512, 88–24135
Maeda, M. *see* Ohba, T. 87–58994, 88–39647
Maeda, M. *see* Ohki, K. 86–13239
Maeda, M. *see* Oyamada, K. 87–76920
Maeda, M. *see* Sasaki, S.-Y. 88–65732
Maeda, M. *see* Shibata, T. 87–63067, 88–74978
Maeda, M. *see* Shiono, S. 87–41471
Maeda, M. *see* Shioya, Y. 87–1367, 87–11698, 87–52181
Maeda, M. *see* Sugano, K. 85–62854
Maeda, M. *see* Sugii, T. 87–25239, 88–19925, 88–33160
Maeda, M. *see* Takahashi, A. 85–7368, 86–3046, 87–68608, 88–27282
Maeda, M. *see* Takahashi, Y. 85–47539
Maeda, M. *see* Takeda, Y. 85–20188
Maeda, M. *see* Tsushima, H. 87–76805, 88–45856
Maeda, M. *see* Uoochi, Y. 88–7288
Maeda, M. *see* Yamashita, K. 85–44895, 85–62458, 86–29015, 86–43845, 86–47773, 86–48301, 87–20498
Maeda, N. *see* Onoda, S. 87–20493
Maeda, N. *see* Yamashita, K. 85–44895, 86–43845, 86–47773, 86–48301, 87–20498
Maeda, R. *see* Ando, T. 85–46567
Maeda, R. *see* Kumaki, S. 87–34976
Maeda, S., Iemura, M., Yamaguchi, J. The constant current characteristics of a lead type operating circuit for a high pressure mercury vapor lamp 86–52029
Maeda, S., Kaite, O., Hiramatsu, T., Murashima, H. Digitally-integrated video camera auto focusing system 85–63835
Maeda, S., Tanaka, T., Yonei, H., Hirai, T., Fukuta, T., Horii, H. Development of the Stillvision system 86–69946
Maeda, S., Wada, S. On numerical integration schemes for certain ordinary differential equations with attention to energy conservation 88–49765
Maeda, S., Yamaguchi, J., Iemura, M. Harmonic characteristics of the continuous dimmer circuit for the fluorescent lamp 88–37722
Maeda, S. *see* Akiyama, H. 88–5911, 88–18102
Maeda, S. *see* Ebihara, K. 85–39795, 86–26906
Maeda, S. *see* Kuniyasu, S. 88–58248
Maeda, S. *see* Matsumura, F. 88–5711
Maeda, S. *see* Mizuno, T. 88–26058
Maeda, S. *see* Suenaga, H. 87–54128
Maeda, S. *see* Tanaka, T. 87–13960
Maeda, S. *see* Uda, S. 85–9843
Maeda, S. *see* Yamaguchi, J. 85–5489
Maeda, S. *see* Yamane, K. 85–20254
Maeda, S. *see* Yoshida, T. 85–49220
Maeda, T., Hayashi, S. Lighting device (ONOFFER) 87–51619
Maeda, T., Komukai, T. Analysis of oscillation modes in power system including induction motors 86–32652
Maeda, T., Kuroda, Y., Murotani, K., Shimoda, S., Okuno, K. Development of D-GIS aimed at easy restoration from internal fault 87–72331
Maeda, T., Matsushita, K., Sugimoto, H., Ishiguro, F., Tanaka, S., Shimomura, M. Integrated control of generator stability by microcomputer 87–71584

Maeda, T., Nakayama, T., Aoki, R., Shima, S., Shinki, T., Matsunaga, J. Effects of Ti interlevel existence in Al/Ti/TiN/Ti structure for highly reliable interconnection 86–41721
Maeda, T., Nakayama, T., Shima, S., Matsunaga, J. A highly reliable interconnection for BF_2^+-implanted junction utilizing TiN/Ti barrier metal system 87–45819
Maeda, T., Onga, S., Nakayama, T., Iwabuchi, S., Shima, S., Aoki, R., Mori, K., Matsunaga, J. Ti thickness optimization of TiN/Ti barrier metal structure based upon BF_2^+ induced damage analysis 87–1461
Maeda, T., Sawaya, K., Adachi, S., Mushiake, Y. Mutual coupling between dipole antennas located over a conducting concave spherical surface 87–7590
Maeda, T., Sawaya, K., Adachi, S., Mushiake, Y. Scanning characteristics of spherical dome antenna composed of arcing dipole array antennas, including the effects of mutual coupling between elements 87–54653
Maeda, T., Sawaya, K., Adachi, S., Mushiake, Y. Asymptotic approximation and experimental study of electromagnetic fields excited by an electric dipole located over a conducting concave spherical surface 88–58936
Maeda, T., Shima, S., Nakayama, T., Kakumu, M., Mori, K., Iwabuchi, S., Aoki, R., Matsunaga, J. Highly reliable one-micron-rule interconnection utilizing TiN barrier metal 86–47496
Maeda, T., Taino, N., Kitagawa, H., Matsunami, T., Hamada, M. Development of 64 Kbit CMOS static RAM 86–34802
Maeda, T., Yokoyama, A., Sekine, Y. Concept of eigenvalue control by optimal setting of operating point for power system stabilization and its algorithms 88–36753
Maeda, T. *see* Arimune, H. 88–2073
Maeda, T. *see* Chikawa, Y. 86–14772
Maeda, T. *see* Fujita, K. 86–26643
Maeda, T. *see* Gozen, T. 85–35521
Maeda, T. *see* Hayano, S. 88–19249
Maeda, T. *see* Igarashi, T. 88–57761
Maeda, T. *see* Ishiguro, F. 87–4259
Maeda, T. *see* Isoya, A. 85–52946
Maeda, T. *see* Iwabuchi, S. 87–25169
Maeda, T. *see* Kadota, H. 87–59606, 88–6900
Maeda, T. *see* Kanehiro, K. 87–43993
Maeda, T. *see* Kitagawa, H. 88–57518
Maeda, T. *see* Kurasaki, T. 86–9223
Maeda, T. *see* Momose, H. 85–50737
Maeda, T. *see* Nakajima, A. 87–4646
Maeda, T. *see* Nakamura, O. 85–59789
Maeda, T. *see* Nakamura, S. 87–61269
Maeda, T. *see* Nakazima, A. 87–4768
Maeda, T. *see* Nakazima, J. 87–4417, 87–4848
Maeda, T. *see* Ohdomari, I. 85–12127
Maeda, T. *see* Ohyama, T. 85–59601
Maeda, T. *see* Ojima, M. 86–68350
Maeda, T. *see* Okamine, S. 88–64943
Maeda, T. *see* Saito, A. 87–53943
Maeda, T. *see* Saito, S. 85–7123
Maeda, T. *see* Sawaya, K. 87–61320, 88–40678
Maeda, T. *see* Sugimoto, H. 87–71522 to 71523
Maeda, T. *see* Sukeda, H. 88–45243
Maeda, T. *see* Suzuki, M. 88–42207
Maeda, T. *see* Takahashi, K. 86–14224
Maeda, T. *see* Tomura, M. 87–55894
Maeda, T. *see* Toyama, M. 88–16323
Maeda, T. *see* Yamada, H. 88–64767
Maeda, T. *see* Yanagi, K. 86–70227
Maeda, Y., Asahi, M. Segregated microstructure in sputtered Co-Cr film revealed by selective wet etching 87–38649
Maeda, Y., Itoh, E., Inagaki, M. Performance of a thermocell of carbon fibres and nitric acid 87–64772
Maeda, Y., Takei, K., Okamoto, M., Nakamura, K., Igarashi, M. Superconducting beryllium films deposited by ion-beam-sputtering 87–67825
Maeda, Y., Taki, H., Sakata, M., Ohta, E., Yamada, S., Fukui, T., Miura, N. Magnetophonon resonance in epitaxial n-InP in high pulsed magnetic fields 85–18076
Maeda, Y., Tokunaga, M., Tokizawa, I. An advanced multimedia TDM system for closed networks 88–9289
Maeda, Y., Uchida, H., Yamamoto, A. Estimation of wear land width of cutting tool flank with the aid of digital image processing technique 88–47671
Maeda, Y., Yagihashi, S., Tahara, T., Kodama, N., Katano, K., Kamata, K., Oura, K. High throughput automated PV cell/module manufacturing plant 87–72409
Maeda, Y., Yoda, F., Matsuura, K., Nambu, H. Character segmentation in Japanese hand-written document images 87–48168
Maeda, Y., Yokoyama, T., Hide, I. Polycrystalline silicon sheets for solar cells by the spinning method 85–10755
Maeda, Y., Yokoyama, T., Hide, I., Matsuyama, T., Sawaya, K. Polycrystalline silicon sheet by the improved spinning method 86–7131
Maeda, Y., Yokoyama, T., Hide, I., Sawaya, K., Matuyama, T., Sasaki, M., Suzuki, M. The relationship between solar cell efficiencies and the crystalline structures of silicon sheet by the spin method 87–44296
Maeda, Y. *see* Fukahori, T. 87–21396
Maeda, Y. *see* Fukutsuka, T. 85–50860
Maeda, Y. *see* Hide, I. 87–23613
Maeda, Y. *see* Ishizuka, H. 88–21770
Maeda, Y. *see* Masuda, W. 85–51225, 85–62640
Maeda, Y. *see* Matsumoto, K. 87–37421
Maeda, Y. *see* Matsuyama, T. 88–32763
Maeda, Y. *see* Mizota, M. 85–43299
Maeda, Y. *see* Morimoto, Y. 87–42728
Maeda, Y. *see* Nakashima, S. 86–28495
Maeda, Y. *see* Nomura, T. 87–60151
Maeda, Y. *see* Nose, T. 86–26379
Maeda, Y. *see* Shimazu, Y. 85–48623
Maeda, Y. *see* Tahara, Y. 87–4960
Maeda, Y. *see* Takei, K. 85–49597
Maeda, Y. *see* Tokizawa, I. 88–41429
Maeda, Y. *see* Tokunaga, M. 88–21851
Maeda, Y. *see* Usami, A. 87–9818
Maeda, Y. *see* Wada, T. 88–24697, 88–24703
Maeda, Y. *see* Yokoyama, T. 87–9817
Maediger, C., Voigt, H., Voelz, H., Willaschek, K. Analysis of signals statistics and drop-out behaviour of magnetic tapes 85–18566
Maeding, D.G., Eckert, S.R., White, B.J., Tuinenga, P.W., Brown, D.C. MOS standard cells: combining analog and digital 85–18489
Maeding, D.G., Negahban-Hagh, M., Klein, B. Combining analog and digital using standard cells 86–2437
Maedova, S.O. *see* Bazarov, B.A. 87–22730
Maegawa, A. *see* Hirao, M. 88–18478
Maegawa, S. *see* Hirao, T. 87–17892
Maege, J. *see* Beister, G. 86–9866, 88–34045
Maege, J. *see* Krispin, P. 85–2162, 88–39123
Maeght, P.E., Jolkovski, A.W. Selective facsimile: the electronic text medium of the 21st century? 88–66922
Maegnitskii, O.A. *see* Khakimov, A.N. 87–70837
Maeguchi, K. *see* Hiruta, Y. 87–46018, 88–39166
Maeguchi, K. *see* Nakahara, M. 86–47841
Maeguchi, K. *see* Noguchi, T. 87–25582, 87–46021
Maeguchi, K. *see* Tanaka, S. 85–17301, 85–22799
Maeguchi, K. *see* Yoshida, M. 86–47613
Maehana, Y. *see* Nitta, S. 85–62825
Maehara, F., Watanabe, T. A totally digital supervisory and control system for combined-cycle plants 85–15828
Maehara, H., Reiterman, J., Rodl, V., Sinajova, E. Embedding of trees in Euclidean spaces 88–56129
Maehara, H. *see* Frankl, P. 88–49678
Maehara, K. *see* Suzumori, S. 86–44039
Maehara, N., Nakane, S., Yamamoto, K., Iga, K. A pinhole-plate ultrasonic atomizer 85–21025
Maehara, N., Ueha, S., Mori, E. Optimum design procedure for multi-pinhole-plate ultrasonic atomizer 88–16951
Maehara, T. *see* Yanai, Y. 85–5093
Maehashi, Y. Single chip microcomputers 88–19185
Maehashi, Y., Katori, S., Mita, H., Miyata, S., Uno, T., Kamiizumi, M. CMOS 16-bit single chip microcomputer V25 86–34852
Maehashi, Y., Matsushima, O., Sakamoto, H., Kudo, E., Sudo, T., Aoyama, K., Nakamura, M., Hashishita, R., Kashiwagi, H., Higashino, K. CMOS 8-bit single chip microcomputer μPD78112 87–37340
Maehata, H., Daiku, H., Hamakawa, Y. Development of an integrated type X-ray sensor made of amorphous silicon alloys 88–48043
Maehata, H. *see* Kamada, H. 87–73155
Maehata, H. *see* Wei Guang-Pu 87–8609
Maehata, K. *see* Abe, K. 88–16629
Maehata, K. *see* Arai, R. 87–32918
Maehata, K. *see* Ishibashi, K. 87–7055
Maehata, K. *see* Wake, M. 87–38709, 87–74623, 88–45018
Maehl, R.C. *see* Ramler, J.R. 86–23290
Maehle, E. *see* Dilger, E. 86–67923
Maehlum, G. *see* Evensen, L. 88–68219
Maehnss, J., Kowalsky, W., Ebeling, K.J. Optical waveguide phase modulator in GaInAsP using depletion edge translation 88–45203
Maei, S. *see* Hayashi, H. 86–42573
Maei, S. *see* Kawanishi, H. 87–54336
Maei, S. *see* Miyauchi, N. 86–9869
Maei, S. *see* Yamamoto, O. 87–33183, 87–68528
Maei, S. *see* Yamamoto, S. 85–29801
Maejima, H., Katsura, K., Minorikawa, K., Yonezawa, H. VLSI for high performance graphic control which utilizes multi-processor architecture 85–33977
Maejima, H., Kida, H., Kihara, T., Baba, S., Akao, Y. A CMOS microprocessor with instruction-controlled register file and ROM 86–14293
Maejima, H. *see* Hida, N. 86–11740
Maejima, H. *see* Hotta, T. 87–5742, 87–18265, 87–59327, 87–59476, 88–38547, 88–50933
Maejima, H. *see* Inayoshi, H. 88–32239
Maejima, H. *see* Kato, K. 85–58053
Maejima, H. *see* Katsura, K. 85–26415, 85–45896, 86–20601
Maejima, H. *see* Minorikawa, K. 88–36145
Maejima, H. *see* Nishio, Y. 87–59378
Maejima, H. *see* Tojo, T. 86–11738
Maejima, T. *see* Endo, A. 85–61561
Maejima, T. *see* Ishizu, A. 88–42212
Maejima, T. *see* Miki, H. 88–44769
Maejima, Y. *see* Shirasu, H. 87–76461
Maejima, Y. *see* Tanabe, S. 86–49390
Maekara, S. *see* Takushi, E. 85–18834
Maekawa, A. *see* Nakatani, N. 87–21283
Maekawa, C. Optimum power feed voltage control for cost reduction [railways] 86–7230
Maekawa, E. Fiber selection in subscriber optical loop 87–8263
Maekawa, E., Azuma, Y. Design and characteristics of a branching component for bunched optical fiber using two graded-index rod lenses 87–46474
Maekawa, E., Koyamada, Y. Bandwidth characteristics of optical transmission line constructed with short-length optical fibers 86–64983
Maekawa, E., Sumida, S. Analysis of and experiments with crosstalk between adjacent graded-index optical fibers 86–2731
Maekawa, E., Yamashita, K., Koyamada, Y. Measurement equipment for subscriber optical lines 87–34913
Maekawa, E. *see* Azuma, Y. 86–28872
Maekawa, E. *see* Katsuyama, Y. 86–43856
Maekawa, E. *see* Sumida, S. 85–42584, 87–7110
Maekawa, E. *see* Yamamoto, Y. 86–4627
Maekawa, E. *see* Yamashita, K. 87–8258
Maekawa, E. *see* Yoshida, K. 85–3464
Maekawa, H. *see* Hara, Y. 88–55474
Maekawa, H. *see* Imai, M. 87–70393
Maekawa, H. *see* Nagura, K. 85–51763, 86–69155
Maekawa, H. *see* Oyama, Y. 87–57025
Maekawa, H. *see* Saiki, K. 87–8006
Maekawa, H. *see* Sato, H. 86–32188, 86–38705
Maekawa, K. *see* Kamogashira, Y. 86–4366
Maekawa, K. *see* Kitagawa, T. 86–7331
Maekawa, K. *see* Terada, Y. 88–6560
Maekawa, K. *see* Yasui, M. 87–78158
Maekawa, M. Multiwindow screens without window overlapping 87–3676
Maekawa, M. International scientific network—BITNET 88–9153
Maekawa, M. *see* Shirakawa, K. 88–19981
Maekawa, N. *see* Taniguchi, K. 88–11432
Maekawa, S. Trends in electronic materials developments 85–60937
Maekawa, S. Towards materials processing experiments in space 87–31485
Maekawa, S. EPROM keeps pace with need for more powerful microprocessors 88–56620
Maekawa, S., Tsukatani, M. PCM audio recorder 87–34878
Maekawa, S. *see* Furuya, O. 85–15955
Maekawa, S. *see* Hinamoto, T. 85–966, 85–17717, 85–34067, 86–1279, 86–10367, 86–35009, 86–47010, 86–62739, 86–67360, 86–67383, 87–897, 87–909, 87–17260, 87–32018, 87–32020, 87–52746, 87–66390, 87–66415, 87–73548, 88–19276, 88–25327, 88–32355, 88–38329, 88–56788, 88–56806, 88–70916, 88–70922
Maekawa, S. *see* Katayama, S. 87–37917
Maekawa, S. *see* Shimonishi, J. 87–5570
Maekawa, T., Inoue, S., Aiura, A., Usami, A. Carrier lifetime of silicon wafers doped by neutron transmutation 87–24765
Maekawa, T., Inoue, S., Aiura, M., Usami, A. The effect of radiation damage on carrier mobility in neutron-transmutation-doped silicon 88–32758
Maekawa, T., Inoue, S., Usami, A. Deep-level transient spectroscopy and Hall effect studies of NTD silicon with different initial resistivities 88–64230
Maekawa, T., Ohshima, T., Negishi, M., Hayashi, H., Matsushita, T. A 60 μm^2 SOI CMOS SRAM cell formed by new artificial seed method 88–38534
Maekawa, T. *see* Hayashi, H. 88–20148
Maekawa, T. *see* Jitsumori, A. 87–15112
Maekawa, T. *see* Kitano, T. 85–60357
Maekawa, T. *see* Morita, R. 87–43710
Maekawa, T. *see* Ohmura, H. 87–62793, 88–3756
Maekawa, T. *see* Sone, S. 88–31092
Maekawa, Y. Model ED79 AC locomotive 88–31145
Maekawa, Y., Chang, N.S., Miyazaki, A., Segawa, T. A study on cross-polarization discrimination measurement at the CS-2 experimental earth station 87–28492
Maekawa, Y., Chang, N.S., Miyazaki, A., Segawa, T. Cross-polarization discrimination measurement at the CS-2 experimental Earth station 88–3941

Maekawa, Y., Chang, N.S., Miyazaki, A., Segawa, T. Seasonal variation of crosspolarisation statistics observed at CS-2 experimental earth station 88−52206
Maekawa, Y., Chang, N.S., Miyazaki, A., Segawa, T. Accuracy of XPD measurement at the CS-2 experimental earth station−related to satellite tracking systems 88−60104
Maekawa, Y., Sakaniwa, K. An extension of DFT code and the evaluation of its performance 86−66668
Maekawa, Y. *see* Maeda, K. 87−71395
Maeland, A. *see* Holen, A.T. 88−10806
Maeland, O. *see* Blumenfeld, H. 85−43184
Maelfait, F. *see* Trommelmans, J. 85−41549
Maelfeyt, J.A. *see* Kindt, L.M. 88−16354
Maemura, K., Ito, K., Shimura, T., Katsumata, M., Tanino, N., Ishihara, O. A 1 GHz-2 mA/5 V GaAs 128/129 prescaler IC 88−19113
Maemura, K., Mitsui, Y., Orisaka, S., Ishihara, O. A 1 GHz-band low-dissipation-current GaAs prescaler IC 87−10814
Maemura, K., Mitsui, Y., Orisaka, S., Ishihara, O., Inoue, M. Ultrahigh-speed GaAs prescaler IC makes radio communications higher in performance 86−52745
Maemura, K., Nakahara, K., Sakamoto, S. GaAs devices for mobile communication equipment 88−21980
Maemura, K., Shimura, T. A 1 GHz-band low power dissipation GaAs prescaler IC 87−59683
Maemura, K., Takahashi, T., Inoue, S., Mitsui, Y., Orisaka, S., Ishihara, O., Otsubo, M. A 1 GHz-5 mA/5 V dual modulus GaAs prescaler IC 86−46775
Maemura, K. *see* Nakagawa, K. 88−19192
Maenaka, K., Fujiwara, H., Ohsakama, T., Ishida, M., Nakamura, T., Yasuda, Y., Yoshida, A. Integrated silicon magnetic vector sensor 87−3728
Maenaka, K., Ohgusu, T., Ishida, M., Nakamura, T. Novel vertical Hall cells in standard bipolar technology 88−1622
Maenaka, K. *see* Kawahito, S. 86−27490
Maenaka, K. *see* Nathan, A. 88−71503
Maenaka, K. *see* Sudo, M. 88−36486
Maenaka, K. *see* Tanaka, S. 86−54836
Maenchen, J. Voltage and current measurements on high power self-magnetically insulated vacuum transmission lines 85−26438
Maenchen, J., Woodworth, J.R., Foltz, B.W., Burns, E.J.T., Seidel, D.B., Dorrel, L.R., Johnson, P.R., Reyes, P., Torres, G., Williams, G. XUV preionization effects in high power magnetically insulated diodes 87−17599
Maenchen, J. *see* Gerber, R.A. 86−32102
Maenchen, J.E. *see* Slutz, S.A. 87−77510
Maene, N., Cornelis, J., Biermans, F., Van den Bosch, A. Quench experiments on superconductive coils 86−28764
Maene, N. *see* Cornelis, J. 86−47980, 87−67935
Maeno, H., Hanibuchi, T., Tada, T., Walters, R., Eto, T. Testing of embedded RAM using exhaustive random sequences 88−12377
Maeno, H. *see* Kikuchi, T. 86−3530, 86−59047
Maeno, H. *see* Ogawa, T. 88−46969
Maeno, K. Advanced scheme of CO_2 laser for space propulsion 86−6053
Maeno, K., Yamaguchi, N. An investigation of supersonic mixing CO_2 electric discharge laser 86−3076
Maeno, S. A study on experimental error for ‘a graphical procedure’ 85−3821
Maeno, S. High performance AC servo system 85−16283
Maeno, S. *see* Yamada, F. 85−39069
Maeno, S. *see* Yamaguchi, M. 87−20164
Maeno, T., Futami, T., Kushibe, H., Takada, T., Cooke, C.M. Measurement of spatial charge distribution in thick dielectrics using the pulsed electroacoustic method 88−74578
Maeno, T., Kobayashi, M. Properties of an orthogonal-type echo canceller 87−69208
Maeno, T., Takada, T. Electric field measurement in liquid dielectrics using a combination of AC voltage modulation and a small retardation angle 88−4572
Maeno, T., Takada, T. Measurement of DC current field distribution in dielectric liquids using a modified Kerr electro-optic technique 88−29568
Maeno, T., Takada, T. Electric field measurement in liquid dielectrics using a combination of AC voltage modulation and a small retardation angle 88−53809
Maeno, T. *see* Cooke, C.M. 88−49922
Maeno, T. *see* Futami, T. 88−26620
Maeno, T. *see* Kushibe, H. 88−1815
Maeno, T. *see* Takada, T. 88−4613
Maeno, Y. Ultrasensitive thermocouple for low temperatures 85−58931
Maeno, Y. *see* Asano, M. 88−58262
Maeno, Y. *see* Kobayashi, M. 87−60871, 88−51424
Maenobu, K., Ariki, Y., Sakai, T. Speaker-independent word recognition in connected speech on the basis of phoneme recognition 85−2769
Maentaka, K., Seppanen, A., Mikola, A. Computerized exercise ECG system for measuring physical working capacity 87−21608
Maerfeld, C. Rayleigh wave non-linear components 87−1874
Maerfeld, C. *see* Gelly, J.F. 86−6158
Maerfeld, C. *see* Planat, M. 85−56066
Maerfeld, C. *see* Pradal, T. 87−71114
Maerker, R.E., Broadhead, B.L. Correlations between calculated surveillance dosimeter activities and pressure vessel fluxes in the Arkansas Nuclear One Unit 1 reactor 86−25719
Maerker, R.E., Broadhead, B.L., Worley, B.A., Williams, M.L., Wagschal, J.J. Application of the LEPRICON unfolding procedure to the Arkansas Nuclear One-Unit 1 reactor 87−4525
Maerten, O., Herziger, G., Klein, R., Loosen, P. Laser medium/resonator field interaction of fast axial flow CO_2-lasers 88−40142
Maertens, M. Switching controller as a voltage transformer 86−20293
Maerz, M. *see* Birck, J. 85−8687
Maes, G., Perez, A. The first generation videocommunication network 87−20551
Maes, H.E., Usmani, S.H., Groeseneken, G. Correlation between $1/f$ noise and interface state density at the Fermi level in field effect transistors 85−50538
Maes, H.E. *see* Allaert, K. 86−58373
Maes, H.E. *see* Bellens, R. 88−50837, 88−57663
Maes, H.E. *see* De Veirman, A. 88−32944, 88−33064
Maes, H.E. *see* Groeseneken, G. 85−49884, 86−63181
Maes, H.E. *see* Heremans, P. 87−1515, 87−32572, 88−13373
Maes, H.E. *see* Heyns, G.L. 88−13416
Maes, H.E. *see* Remmerie, J. 87−25052
Maes, H.E. *see* Saks, N.S. 87−6719
Maes, H.E. *see* Vandervorst, W.B. 85−1261
Maes, H.E. *see* Witters, J.S. 88−38536
Maes, H.E. *see* Wouters, D. 86−9007, 87−11633
Maes, J.W.F. *see* Haisma, J. 87−58940
Maes, L., Muys, P. A 5 kW CO_2 laser with gaussian mode structure 85−56553
Maes, M. Automating surface-mount assembly in a European plant 87−53026
Maes, P. Smart card is a consumer product 87−32672
Maes, W., De Meyer, K., Dupas, L. Parameter extraction of MOSFET transistors using a new optimised fit strategy 85−45684
Maes, W., De Meyer, K.M., Dupas, L.H. SIMPAR: a versatile technology independent parameter extraction program using a new optimized fit-strategy 86−53728
Maesako, H. *see* Kametani, H. 85−26716, 85−52963
Maesako, H. *see* Ohgaki, H. 86−50395
Maesako, T., Kuze, T., Shimizu, Y. Characteristics of tele-conference by verbal exchange between participants 88−21807
Maesako, T. *see* Kobayashi, S. 88−19131
Maesako, T. *see* Shimizu, Y. 87−28823, 88−70048
Maesen, F.van der *see* van der Maesen, F.
Maeshima, K., Malchow, R.L., Sparks, K.B., Thiel, T.G., Williams, M.C.S. High resolution 2-dimensional readout of drift chambers 87−29464
Maeshima, K. *see* Shoemaker, G.H.N. 86−38710
Maeshiro, T. *see* Koike, N. 87−78022
Maessen, K.H.M. *see* Pruppers, M.J.M. 88−44645
Maessen, K.M.H., Pruppers, M.J.M., Habraken, F.H.P.M., Bezemer, J., van der Weg, W.F. Hydrogen and deuterium incorporation in glow discharge amorphous silicon 86−34373
Maestas, M.C. *see* Kania, D.R. 85−52979
Maestri, F. *see* Mangiarotti, M. 88−30506
Maestrini, A. *see* Braccini, C. 87−44936, 88−729
Maestro, E. *see* Gomez, J.J. 88−22921
Maeta, S. *see* Sakaguchi, K. 85−20694
Maetani, A. Large-scale display system by colored lamp 86−30989
Maeto, K., Itoh, A., Koike, S., Inoue, F., Kawanishi, K. Bi-substituted DyIG thin films prepared by thermal decomposition method for magneto-optic recording medium 88−33525
Maeto, K., Koike, S., Itoh, A., Inoue, F., Kawanishi, K. Bi-substituted DyIG thin films prepared by chemical deposition for magneto-optic recording medium 88−33526
Maetz, E. *see* Ezsol, G. 87−57843
Maeva, O.I. *see* Borkovskaya, O.Yu. 85−35590, 87−32338
Maevski, Ya. *see* Baran'ski, V. 88−10547
Maevskii, S.M., Fendrikov, A.I. Digital phase meter for monopulse radio signals 85−20650
Maevskii, V.A. *see* Artamonov, V.I. 86−50270
Maex, K., De Keersmaecker, R., Claeys, C., Vanhellemont, J., Alkemade, P.F.A. The kinetics of silicide formation using rapid thermal processing and related defect behavior 87−18292
Maex, K., De Keersmaecker, R.F. Rapid thermal processing for simultaneous annealing of shallow implanted junctions and formation of their $TiSi_2$ contacts 85−45454
Maex, K., Lippens, P., Van den hove, L., De Keersmaecker, R. P^+-N junctions using gallium implants and rapid thermal annealing 88−71342
Maex, K., Van Den Hove, L., de Keersmaecker, R.F. Ion-beam-induced silicidation and its use in very-large-scale integration processing 86−63204
Maex, K. *see* Tollet, H. 87−11624
Maex, K. *see* Van den hove, L. 87−24928, 87−45816, 88−7522, 88−25974
Maeyama, K. *see* Karino, M. 88−62757
Maeyama, S. *see* Oshima, M. 88−64408
Maeyama, Y. *see* Morishita, E. 85−5535
Maeyashiki, H. *see* Kawamura, R. 86−6412
Maeyashiki, H. *see* Sato, I. 85−38486
Maez, M.A. *see* Doss, J.D. 88−53846
Maezawa, H., Ando, M., Ishikawa, T., Nomura, M., Kitamura, H., Mikuni, A., Sasaki, T. Beamline for a soft X-ray undulator at the Photon Factory 88−22885
Maezawa, H., Nakai, S., Mitani, S., Noda, H., Namioka, T., Sasaki, T. A 10 m grazing incidence monochromator for high resolution soft X-ray spectroscopy at the Photon Factory 86−60485
Maezawa, H. *see* Inagaki, Y. 87−63662
Maezawa, H. *see* Kondoh, T. 88−36401
Maezawa, H. *see* Mochiji, K. 86−1889
Maezawa, H. *see* Yanagihara, M. 85−37846
Maezawa, K., Ito, H., Mizutani, T. An AlGaAs/InGaAs/GaAs strained channel MISFET 87−38306
Maezawa, K., Mizutani, T., Arai, K., Yanagawa, F. Large transconductance n^+-Ge gate AlGaAs/GaAs MISFET with thin gate insulator 87−1521
Maezawa, K., Mizutani, T., Yanagawa, F. Barrier height in indirect bandgap AlGAs/GaAs heterojunction determined with n-semiconductor/insulator/semiconductor diodes 86−67731
Maezawa, K., Oe, K. Electrical characteristics of Be-implanted GaAs activated by rapid thermal annealing 86−41789
Maezawa, K. *see* Fujita, S. 87−46187, 87−59867
Maezawa, K. *see* Mizutani, T. 88−38754
Maezawa, S. *see* Niwa, K. 85−20329
Maezawa, Y. *see* Karibe, I. 88−15800
Maffei, E. *see* Grasso, F. 87−42649
Maffei, N. *see* Mukherjee, B.K. 88−57841
Maffel, E. *see* Grasso, F. 88−17359
Maffert, J. *see* Quillacq, P. 87−20966
Maffett, A.L. *see* Follin, J.W., Jr. 85−63726
Maffett, A.L. *see* Kasischke, E.S. 88−10533
Maffett, A.L. *see* Larson, R.W. 85−63750
Maffett, A.L. *see* Paddison, F.C. 86−43877
Maffezzoni, C. Concepts, practice and trends in fossil-fired power plant control 87−71965
Maffezzoni, C., Magnani, G.A., Quatela, S. Process and control design of high-temperature solar receivers: an integrated approach 85−43899
Maffezzoni, C., Magnani, G.A., Quatela, S. Dynamic simulation and control system design of the Almeria advanced solar receiver 86−39616
Maffezzoni, C., Prandoni, W. Modelling and simulation of a pilot power plant fired with oil and coal-water fuel 87−71968
Maffi, S. *see* Peraldo Bicelli, L. 87−4860
Maffia, G.J. Upgrading 1970's vintage olefins plant energy systems for the 1990s 85−60619
Maffia, G.J. Economic use of circulating direct quench heat in large petrochemical plants: technology and payouts 87−43708
Maffioli, F. Industry-university cooperation in the training of engineers 86−40405
Maffioli, F. *see* Camerini, P.M. 87−16474
Maffioli, F. *see* Camnerini, P.M. 87−23414
Maffit, T. *see* Voldman, S. 88−38532
Maffitt, K.N. Magnetic thin films: the challenge and the opportunity 86−58703
Maffitt, T.M. *see* Roberts, A.L. 87−59500
Maftei, M., Cocos, A.-A. Condenser cooling circuit water treatment technology 85−54008
Maftei, M., Cuibac-Picu, C., Danet, V. The lignite enrichment pilot station at the thermal power plant at Rovinari 85−53532
Maftoul, J., Haug, R. Time resolved spectroscopy of low current arcs in spontaneous extinction 86−28544
Maftoul, J., Haug, R., Doremieux, J.L. Do arc fluctuations depend on the nature of the electrodes and the surrounding atmosphere? 87−45486
Maftoul, J. *see* Haug, R. 87−73949
Mafune, H. *see* Sugimoto, Y. 88−50969
Mafune, Y. *see* Sugo, Y. 87−17088
Magadeev, V.Sh. *see* Zelenskii, V.G. 88−30559
Magajenko, M.G. *see* Belov, V.P. 88−54009
Magaki, Y., Watanabe, T., Imori, Y., Kanai, T. MDF for optical subscriber systems 87−76725
Magaki, Y. *see* Imori, Y. 85−58090
Magalhaes, F. *see* Vasilakos, N.P. 85−60560

Magalhaes, F.M., Beccone, J.P., Irvin, J.C., Perelli, S.J., Schlosser, W.O. A 6 watt 6 GHz GaAs FET power module with GaAs matching circuits 85−17868
Magalhaes, F.M., Beccone, J.P., Irvin, J.C., Perelli, S.J., Schlosser, W.O. A microwave GaAs FET power module with GaAs matching circuits. The M-FET [matched field effect transistor] 86−1368
Magalhaes, F.M., Dickens, F.T., Westerman, G.R., Ziesse, N.G. Zero-voltage-switched resonant half-bridge high-voltage DC-DC converter 88−75817
Magalhaes, F.M. *see* Nitz, W.A. 88−55495
Magalhaes, S.Dore de *see* Dore de Magalhaes, S.
Magallon, D. *see* Luquet, H. 88−58363
Magallon, D. *see* Perotin, M. 87−70659
Magallon, R., Avila, G. Local network for process communication between programmable controllers 87−62589
Magana, L.F., Escobar, M.A., Valenzuela, R. Effect of the grain size distribution on the ferromagnetic hysteresis loop 87−12041
Magar, S. Architecture for DSP VLSI 87−17160
Magar, S., Essig, D., Caudel, E., Marshall, S., Peters, R., Kneib, K. An NMOS digital signal processor with multiprocessing capability 86−8305
Magar, S., Robertson, S.J., Gass, W. Interface arrangement suits digital processor to multiprocessing 85−33942
Magar, S., Shen, S., Luikuo, G., Fleming, M., Aguilar, R. An application specific DSP chip set for 100 MHz data rates 88−73014
Magar, S. *see* Abiko, S. 87−17137
Magar, S. *see* Elder, J.F., IV 85−23971
Magar, S. *see* Erskine, C. 85−42929, 85−49932, 86−14281
Magar, S. *see* Essig, D. 86−34842
Magar, S. *see* Luikuo, G. 88−56646
Magar, S.S. Architecture and applications of a programmable monolithic digital signal processor—a tutorial review 85−17481
Magar, S.S., Caudel, E., Essig, D., Erskine, C. Digital signal processor borrows from μP to step up performance 85−28560
Magara, J. Technical trends in line transmission technology 88−21887
Magara, J., Shirakawa, H., Bando, N., Ichihashi, Y. Optical transmission network prospects in NTT—development plan and economic perspectives 88−4035
Magara, S. *see* Henmi, T. 88−53409
Magara, T. *see* Yatomi, T. 88−11527
Magari, K., Kawaguchi, H., Oe, K., Nakano, Y., Fukuda, M. Optical signal selection with a constant gain and a gain bandwidth by a multielectrode distributed feedback laser amplifier 88−20632
Magari, K. *see* Kawaguchi, H. 87−33141, 87−75096, 88−20773
Magari, K. *see* Sumida, S. 87−18645
Magarino, J. Structural and electronic properties of CVD silicon 86−46386
Magarino, J. Amorphous silicon diodes and TFTs for active matrix flat panel display applications 87−29195
Magarino, J., Chartier, E., Proust, N., Szydlo, N., Hepp, B., Graciet, M., Mourey, B. Liquid crystal displays. II. Amorphous silicon active matrix 88−10085
Magarino, J. *see* Bisaro, R. 86−34363
Magarino, J. *see* Boulitrop, F. 86−8735
Magarino, J. *see* Chartier, E. 87−18162
Magarino, J. *see* Hilsum, C. 88−74540
Magarino, J. *see* Landouar, P. 85−44796
Magarino, J. *see* Szydlo, N. 85−64203, 86−9633
Magarinos, J.R., Coleman, D.J. Holographic mirrors 86−3350
Magarinos, J.R., Coleman, D.J. Holographic mirrors 86−9992
Magarinos, J.R., Coleman, D.J. Holographic optical configurations for eye protection against lasers 87−63855
Magaritondo, G. *see* Cornacchia, M. 88−47744
Magarschack, P.S. *see* Hwang, I.S. 88−70697
Magarshack, J. GaAs integrated circuits 88−7667
Magarshack, J. European MMIC activities 88−71088
Magarshack, J. *see* Mascarl, F. 86−27576
Magarshack, J. *see* Parisot, M. 85−1097, 85−17840
Magataev, A.V. *see* Modenov, V.P. 85−46610
Magatani, K., Uchiyama, A. Development of brainstem monitoring system during operation by using evoked response 86−25256
MAgauer, P. *see* Strohmer, F. 88−55234
Magaz, M. *see* Arnera, P. 86−25558
Magazine, M.J. *see* Shevell, S.F. 87−37739
Magazinnik, G.G., Lokshin, B.A. Power characteristics of dependent converters under quasi-stationary conditions 88−62436
Magazinnik, G.G., Mel’nikov, V.L. Analysis of the power characteristics of dependent m-phase inverters with an arbitrary law of control 85−60291
Magazinnik, G.G., Mel’nikov, V.L. Analysis of the power indices of time-dependent M-phase converters with an arbitrary control law 85−60298
Magazinnik, G.G., Mel’nikov, V.L. Calculating the harmonics in the rectified current of multipulse slave-network converters with any power scheme and control law 86−19364
Magazinnik, G.G. *see* Sokolov, B.V. 87−51347
Magdenko, S.V. *see* Desyatkov, V.G. 88−60723
Magdich, L.N., Molchanov, V.Ya., Ponomareva, I.P. Instrument function of a noncollinear acoustooptic filter 85−46229
Magdich, L.N. *see* Balakshii, V.I. 86−48238
Magdich, L.N. *see* Belikov, I.B. 85−62425
Magdich, L.N. *see* Bogomolov, A.M. 85−35558
Magdina, I.I. *see* Eskin, K.F. 85−12601, 86−9513, 86−9607, 87−46471, 87−46580
Magdy, A. *see* Ng, T.S. 85−13220
Magdy, M.A., Chicharo, J.F. Modified recursive linear predictor suitable for implementation in a systolic array structure 88−14664
Magdy, M.A., Korzeniowski, K., Jones, H.M. Online estimation of low frequency modes in electric power systems 88−48464
Magdy, M.A., Paoloni, F.J., Cheah, J.Y.C. An efficient algorithm for antenna synthesis updating following null-constraint changes 85−57109
Mage, B., Hofmann, K.-W., Happe, A. Determining top dead center in fired internal combustion engines by microwaves 86−31616
Mage, B., Reif, P.-D., Walloschek, P.U. Transformation of coordinates and data processing at the rotating wheel dynamometer 86−31412
Mage, J.-C. Dielectric materials for hyperfrequency resonators 85−12474
Mage, J.C. *see* Labeyrie, M. 85−24093
Mage, J.C. *see* Warin, D. 85−24092
Magedanz, T., Tschichholz, M., Weiss, K.-H. Interconnection of X.400 systems and notable gateways 88−59519
Magee, C. *see* Jastrzebski, L. 86−28497
Magee, C.J. *see* Hess, R.V. 87−39056
Magee, C.W. On the use of secondary ion mass spectrometry in semiconductor device materials and process development 85−1268
Magee, C.W., Botnick, E.M. On the use of secondary ion mass spectrometry in semiconductor device materials and process development 87−11578
Magee, C.W., Hewitt, L.R. Rutherford backscattering spectrometry: a quantitative technique for chemical and structural analysis of surfaces and thin films 86−67783
Magee, C.W. *see* Bosenberg, W.A. 85−12025
Magee, C.W. *see* Kavanagh, K.L. 86−14890
Magee, C.W. *see* Liu, S.G. 87−45590 to 45591, 88−44551
Magee, C.W. *see* Menna, R.J. 87−44342
Magee, C.W. *see* Rios, R. 87−1316
Magee, C.W. *see* Sheu, Y.-D. 87−11650
Magee, C.W.M. *see* Kavanagh, K.L. 88−32838
Magee, D., Flynn, F., Wehlage, P., Waight, J., Lehman, R.K. A large two-computer dispatcher training simulator 85−59602
Magee, F.R. *see* Iwama, M. 88−8984
Magee, G.A. Loran-C and the nautical chart 88−60331
Magee, J. Voltage sampling with a computer 88−56703
Magee, M., Nathan, M. A rule based system for pattern recognition that exploits topological constraints 86−11513
Magee, M., Nathan, M. A theorem proving based pattern recognition system 86−59372
Magee, M.J., Aggarwal, J.K. Determining motion parameters using intensity guided range sensing 85−36404
Magee, M.J., Aggarwal, J.K. Using multisensory images to derive the structure of three-dimensional objects—a review 86−23097
Magee, M.J., Boyter, B.A., Chien Chiun-Long, Aggarwal, J.K. Experiments in intensity guided range sensing recognition of three-dimensional objects 86−23116
Magee, M.J. *see* Aggarwal, J.K. 86−49010
Magee, R. *see* Penner, S.S. 87−78236
Magee, R.A., Ossolinski, E.J. Pinned multilayer ceramic substrate 85−5794
Magee, T.J. *see* Bicknell, R.N. 85−381
Magee, T.J. *see* Caldwell, P.J. 85−29848
Magee, T.J. *see* Carey, P.G. 87−1741
Magee, T.J. *see* Richmond, E.D. 85−54466, 87−31526
Magee, T.J. *see* Wood, R.A. 85−33429
Magee, W.A., Smith, A.D., Lewis, W.J. INTELSAT VI cradle/carrier power distribution and control for Shuttle launches 86−32483
Magel, G. *see* Fejer, M. 87−39246
Magel, G.A., Jundt, D.H., Fejer, M.M., Byer, R.L. Low-loss single-crystal sapphire optical fibers 87−18713
Magel, G.A. *see* Fejer, M.M. 85−18703, 85−29542
Magel, L.K., Sigmon, T.W. Dose rate effects in indium-implanted $Hg_{1-x}Cd_xTe$ 88−33006
Magel, M. The LaserVision standard: ODC begins the teaching trail 86−60055
Magele, C., Biro, O. Three dimensional finite element calculation of the air gap field of a power meter 88−53760
Magele, C., Stogner, H., Preis, K. Comparison of different finite element formulations for 3D magnetostatic problems 88−52075
Magele, M. TV-Sat technology 87−76668
Magelssen, G.R., Forslund, D.W. Charge and current neutralization physics of a heavy ion beam during final transport 87−50053
Magelssen, G.R. *see* Wilson, D.C. 88−48626
Magendans, P. *see* Van Der Heide, J.A. 86−5649
Magendans, P. *see* van der Spek, A.M. 88−51864
Mager, G. Saving your computer from surges, sags or noise 85−21263
Mager, G. Power protection. A guide to guarding against glitches 86−6871
Mager, T.R., Shelton, M.B. Aging of reactor pressure vessels 85−4762
Magera, J.J. *see* Maack, D.R. 85−7225
Mageras, G. *see* Dietl, H. 85−43182, 85−48166
Mageras, G. *see* Fischer, F. 87−63646
Mageras, G. *see* Giehl, J. 88−22971
Mageras, G. *see* Grassmann, H. 85−37906
Mageras, G. *see* Holl, I. 88−61090
Mageras, G. *see* Lorenz, E. 86−70320
Magerfleisch, J. *see* Martin, P. 85−38807
Magerko, M.A., Strid, E.W. A technique for improving the accuracy of wafer probe measurements 88−74572
Magerl, H. Present state of electricity supply worldwide and development trends 86−65596
Magerl, J. *see* Beetz, H. 87−20324
Magerlein, J.H., Baker, J.M., Proto, G.R., Grebe, K.R., Klepner, S.P., Palmer, M.J., Warnecke, A.J. Low defect density insulating films deposited on room temperature substrates 85−24030
Magerlein, J.H., Webb, D.J., Callegari, A., Feder, J.D., Fryxell, T., Guthrie, H.C., Hoh, P.D., Mitchell, J.W., Pomerene, A.T.S., Scontras, S., Spiers, G.D., Greiner, J.H. Characterization of GaAs self-aligned refractory-gate metal-semiconductor field-effect transistor (MESFET) integrated circuits 87−60649
Magerlein, J.H. *see* Callegari, A. 87−38300
Magerlein, J.H. *see* Kiehl, R.A. 88−39469, 88−39494
Magerramov, T.G. *see* Ibaev, G.I. 85−1380
Magg, P.P. Design of dedicated integrated [circuits] 86−40825
Magg, U. *see* Jones, H. 88−65583
Maggenti, M., Ha, T.T., Pratt, T. VSAT networks—an overview 87−76655
Maggenti, M.A., Ha, T.T., Pratt, T. Spread-spectrum multiple access using wideband noncoherent MFSK 88−28761
Maggenti, M.A., Ha, T.T., Pratt, T. Spread spectrum overlay service in satellite communications 88−47009
Maggetto, G., Heymans, F., van Eck, J.-L. Brussels Electric Vehicle Experiment. Influence of accelerated charging on an urban fleet of rented vehicles. Use of a high-frequency charger 85−65513
Maggetto, G., van Eck, J.L., Heymans, F., Mathys, P. High frequency battery chargers: an evolution of the technique of battery charging for road traction and handling, from the energy aspect 86−56844
Maggetto, G. *see* Lataire, P. 86−57650, 88−62943
Maggetto, G. *see* Sneyers, B. 88−69557
Maggetto, G., Lataire, Ph. *(editor)* Power Electronics and Applications Proceedings 86−57092
Maggi, G. *see* Albrizio, R. 88−74766
Maggi, G. *see* Bagliesi, G. 88−48025
Maggi, G. *see* Baldini, R. 87−8865
Maggi, G. *see* Catanesi, M.G. 86−60606
Maggi, G. *see* De Palma, M. 85−59203
Maggi, M. *see* Formisano, V. 85−52859
Maggi, P. Hilo-3 logic simulator 86−46471
Maggi, P., Winckless, C. HILO-3: simulation and analysis of testability 86−4960
Maggio, F. *see* Lombardi, P. 88−46967
Maggio, M. Construct a concealed 2 meter mobile antenna 85−41699
Maggio, M.Di *see* Di Maggio, M.
Maggio, R.C., Baker, R.D. Techniques for acquisition of aerial video imagery 88−68620
Maggioli, P.P. *see* Caroli, E. 85−51709
Maggioli, V. Experience with fiber optics in industrial applications 86−69789
Maggioli, V.J. Fiber optic sensors in petrochemical plants 85−14792
Maggioli, V.J. The impact of fiber optics on the petroleum and chemical industry 85−20195
Maggioli, V.J. The impact of fiber optics on the petroleum and chemical industry 85−25904
Maggioli, V.J. Fiber optic sensors in petrochemical plants 86−31362
Maggioli, V.J. Grounding and computer technology 86−39954
Maggioli, V.J. Fiber optics and the textile industry 86−42350
Maggioli, V.J. Fiber optic sensors in petrochemical plants 86−44298
Maggioli, V.J. Experience with fiber optics in industrial applications 87−49052
Maggioli, V.J. Grounding and computer technology 87−61398

Maggioli, V.J. The safety matrix−a method for guidelining industrial microcomputers 88−11693
Maggioli, V.J. Impact of fiber optics on grounding of distributed electronics 88−61986
Maggioni, A. *see* Della Ventura, A. 87−77874
Maggiora, A. *see* Balestra, F. 85−37946, 87−63677
Maggiora, A. *see* Bussa, M.P. 87−21415
Maggiore, C.J. *see* Wagner, R.S. 87−32452, 88−26203
Maggiori, D. *see* Capsoni, C. 87−62883
Maggs, M.N. *see* Alner, G.J. 88−10288
Maggs, R.G. *see* Shubaly, M.R. 86−32110
Maggs, W.S. 110 baud serial interface 86−20664
Maghenzani, R., Molinar, G.F., Marzola, L., Kulshrestha, R.K. Pressure metrology up to 5 MPa in different gas media 88−10162
Maghiar, T., Boman, S., Badu, I. Technology impact on microwave generator manufacturing reliability 88−7257
Maghini, D. *see* Geddo, M. 86−27838, 87−1176
Maghon, H. Economic solution of NO_x problems in gas turbines 88−30590
Maghrabi, K.A. *see* Kutub, A.A. 87−1206
Maghsoodi, R., Rezaie, B. Image registration using a fast adaptive algorithm 87−69331
Maghsoodi, R. *see* Rezaie, B. 87−69330
Magi, V. *see* Fortunato, B. 85−53573
Magiawala, K. *see* Baum, E. 87−61097
Magid, H. *see* Klima, R.F. 88−19538
Magid, L.J. Apple and Novell announce NetWare for the Macintosh 88−59573
Magid, L.J., Alperson, B. The fully powered PC−teaching your program to dial the phone 87−13282
Magid, L.M. Cost-competitive photovoltaic systems prospects for the future 85−53623
Magid, L.M. US photovoltaic systems experience−prospects for the future 86−6647
Magid, L.M. Prospects for photovoltaic energy technologies 86−39631
Magid, L.M. Prospects for photovoltaic energy technologies 86−45692
Magid, N.M. *see* Myers, G.A. 87−29770
Magid, S.I., Gerzhoi, I.P., Rubashkin, A.S., Krasheninnikov, V.V., Vinogradova, T.A. A mathematical model of transient responses of a once-through boiler for a simulator for the operator of a 250 MW district-heating generating unit 86−33085
Magidson, D.B. *see* Levin, M.Sh. 87−34128
Magidson, V.V. *see* Pivnyak, G.G. 87−59167, 88−75732
Magiera, E. *see* Folwarczny, C. 86−45192
Magierski, A. Technological aspects of preparing Au/Al bonds for quartz resonators 85−29409
Magierski, A. The effect of increased temperature on some properties of thin film Cr/Au electrodes of quartz resonators 85−29410
Magierski, A. The influence of elevated temperature on certain properties of Cr-Au thin-film electrodes in quartz resonators 85−56046
Magierski, A., Morawska, Z., Drzewiecka, S. Chosen technological factors affecting quality of soldered connections in electronic equipment 85−16779
Magierski, A. *see* Morawska, Z. 85−54137
Magierski, W. *see* Szarska, St. 87−74767
Magill, J. VLSI intelligent disk controller for the 68000 family 85−11387
Magill, J. The Intelligent Multiple Disk Controller−a non-traditional microcomputer 85−17524
Magill, J. Hi−Big Blue−an advanced data communications controller−the DUSCC SCN68562/26562 85−52084
Magill, J. Controller IC contends with multiple protocols 86−20655
Magill, J. Multi-protocol controller for high performance data communications applications 88−852
Magill, J. Getting it right: a study in negotiation [error control techniques] 88−59865
Magill, J., Thomsen, G. Datacomm peripherals for the 68000 microprocessor 86−1168
Magill, J., Wong, G. Fast data-comm controller speaks to all protocols over two sets of channels 85−25492
Magill, J., Wong, G. Controller IC contends with multiple protocols 85−36717
Magill, J.J. Logistics data integration system (LOGDIS): connecting logisticians to their data 88−68679
Magill, S.A.N. Use of 4-D FMS in a complex terminal area in the pre-data-link era 87−77823
Magill, S.A.N., Finch, W., Tyler, A.C.F., Wilkinson, E.T. A real-time simulator which provides an environment for air traffic control experiments 87−35478
Magilligan, D.J., Jr. *see* Peper, W.A. 85−43407
Magimel Pelonnier, V. *see* Michon, S. 88−31502
Magin, I.D., Pogribnoi, V.A. Method for matching of signal ranges in on-board digital processing systems 88−35906
Magin, K. *see* Kamp, J. 87−64730
Magin, R.L., Lee, S.W., Loane, J., Benson, T.P., Gee, W., Burdette, E.C. Microwave phased array applicator 86−56177
Magin, R.L. *see* Boesch, R.D. 88−16756
Magin, R.L. *see* Gee, W. 85−13387
Magin, R.L. *see* Segal, A.S. 85−4386
Magin, R.L. *see* Underwood, H.R. 87−63813
Magin, W. *see* Schemmer, M. 88−37199
Maginnis, P.T., Miller, D.F. Basic networking implementation for the small computer environment 88−15123
Maginot, S. *see* Jutand, F. 88−73274
Magirou, V.F. The efficient drilling of printed circuit boards 87−1087
Magistroni, C. *see* Capsoni, C. 87−61376, 87−61383
Maglaris, B., Anastassiou, D., Sen, P., Karlsson, G., Robbins, J. Performance analysis of statistical multiplexing for packet video sources 88−46363
Maglaris, B., Anastassiou, D., Sen, P., Karlsson, G., Robbins, J.D. Performance models of statistical multiplexing in packet video communications 88−66791
Maglaris, B., Boorstyn, R., Panwar, S., Spirtos, T. Routing in burst-switched voice/data integrated networks 87−62511
Maglaris, B. *see* Boorstyn, R.R. 87−40649
Maglaris, B. *see* Sen, P. 88−46330
Maglaris, B.S. An optimal local policy for two-level adaptive routing in computer networks 85−7973
Maglaris, B.S. *see* Zhou, C. 86−54610
Maglevannaya, N.I. *see* Sharpan, O.B. 85−13450
Magli, S. *see* Fontaine, C. 87−44310
Magliaro, A.A. *see* Baylog, J.. 86−4765
Magliaro, A.A. *see* Gong, K.F. 85−3523, 86−4766
Maglic, R., Sartell, J. Aluminum wire bond failure near bonding pad 87−66803
Magliozzi, L. *see* Bielli, M. 85−31075
Maglitzkiy, V.N., Porokhov, O.N., Sitnyakovskiy, I.V. The future prospects for using digital transmission systems for open-wire subscriber lines 87−55862
Magliveras, S.S., Plambeck, T.E. New infinite families of simple 5-designs 87−31402
Maglysh, V.A. *see* Maleiko, L.V. 85−14779
Magna, C. *see* Barbarino, G.C. 86−58951
Magnaguagno, C., Pelagatti, M. The maintenance of safety in electrical installations in hazardous locations 88−62983
Magnan, J.C. *see* Cohen, M. 85−41795
Magnan, J.C. *see* Rispoli, F. 86−54352
Magnani, F. *see* Rebuffat, L. 86−51076
Magnani, G.A. *see* Maffezzoni, C. 85−43899, 86−39616
Magnani, L. *see* Carter, C. 88−54100
Magnani, L. *see* Gelato, G. 88−54258
Magnanimo, A. *see* Cafaro, G. 86−50805
Magnanini, R. *see* Fornari, R. 88−18053
Magnano, S. *see* McGovern, T. 88−61238
Magnant, D. Three-dimensional measurements on human body using a scanning laser beam 87−57100
Magnasco, M. *see* Rosatelli, F. 85−46112
Magne, B. *see* Feneyrol, M. 85−63157
Magne, J. *see* Bonnafoux, R. 86−25749
Magne, R., Bibet, R., Berger-By, G., David, C., Goniche, M., Rey, G., Tonon, G. The Tore Supra lower hybrid transmitter 87−66835
Magne, R. *see* Munich, M.J. 85−32809
Magnea, N., Dal'bo, F., Fontaine, C., Million, A., Gaillard, J.P., Le Si Dang, Merle D'aubigne, Y., Tatarenko, S. Mismatch strain measurements of MBE grown CdTe 87−36732
Magnea, N., Dal'Bo, F., Pautrat, J.L., Million, A., di Cioccio, L., Feuillet, G. Molecular beam epitaxial growth of $Cd_{1-x}Zn_xTe$ matched to HgCdTe alloys 88−432
Magnea, N., Petroff, P.M., Capasso, F., Logan, R.A., Alavi, K., Cho, A.Y. Electric field dependent cathodoluminescence of III-V compound heterostructures: a new interface characterization technique 85−45416
Magnea, N., Petroff, P.M., Capasso, F., Logan, R.A., Foy, P.W. Microplasma characteristics in $InP-In_{0.53}Ga_{0.47}As$ long wavelength avalanche photodiodes 85−24394
Magnea, N., Petroff, P.M., Capasso, F., Logan, R.A., Foy, P.W. New field dependent luminescence effects in III.V compound heterostructures 85−40509
Magnea, N. *see* Henry, A. 87−11344
Magnea, N. *see* Pautrat, J.L. 86−8773
Magneli, P. Communications computer APN 167 with ERIPASCAL 87−55710
Magnell, B.A., Signorini, S.R. Fall 1984 Delaware Bay acoustic Doppler profiler intercomparison experiment 87−9020
Magnenet, J.G. *see* Eltgen, J.-J.P. 85−24055
Magnes, P. *see* Chauzy, S. 88−60848
Magness, T., Eisenberg, J. Broadband gain package addresses needs of systems designers 85−44900
Magnet, D. The integration of systems in the building 88−42834
Magneville, C. *see* Barber, G. 87−29555
Magnhagen, B. Probability based design verification 86−41068
Magnhagen, B. Experience from a course in gate array design 87−5857
Magnhagen, B.A. Design verification based on probabilities 86−35789
Magni, D., Pavanelli, C. DSI−Digital Sperry link an interconnection system between Sperry 1100/60 mainframes and DEC PDP11 computers 85−42303
Magni, D. *see* Mapelli, M. 87−34200
Magni, M. *see* Pace, S. 88−17963
Magni, P. *see* Macchiarella, G. 87−6965
Magni, P. *see* Nannicini, M. 86−8023
Magni, V. Resonators for solid-state lasers with large-volume fundamental mode and high alignment stability 86−29183
Magni, V. Multielement stable resonators containing a variable lens 88−2321
Magni, V. *see* Bulloni, M. 88−51977
Magni, V. *see* De Silvestri, S. 86−42604, 86−68585, 86−68588, 87−7237, 87−26468, 87−26470, 87−68560, 87−75186, 88−8253, 88−14232, 88−40274, 88−45493, 88−58632, 88−65639
Magni, V. *see* Laporta, P. 86−3111, 87−68431
Magni, V. *see* Masilamani, V. 86−15631
Magnin, I. *see* Corneloup, G. 88−16989, 88−49923
Magnin, I.E., Cluzeau, F., Odet, C.L., Bremond, A. Mammographic texture analysis: an evaluation of risk for developing breast cancer 86−65419
Magnin, I.E., Goutte, R. Three dimensional reconstruction in coded-source imaging 86−30053
Magnin, I.E., Peyrin, F.C., Amiel, M. Reconstruction of object by iterative coded-source image deconvolution 85−51752
Magnin, J., Poirier, M., Fedeli, J.M., Delaye, M.T. Two conductor levels block replication for 4 μm period ion implanted devices 85−24210
Magnin, J. *see* Fedeli, J.M. 87−25870
Magnin, J. *see* Gerard, P. 86−15379
Magnin, J. *see* Jouve, H. 85−46021
Magnin, P.A. A review of Doppler flow mapping techniques 88−61331
Magnitskii, S.A., Malachova, V.I., Tarasevich, A.P., Tunkin, V.G., Yakubovich, S.B. Generation of bandwidth-limited tunable picosecond pulses by injection-locked optical parametric oscillators 86−29240
Magnitskii, S.A. *see* Lunchev, V.A. 85−56797
Magnolfi, G. *see* Bovo, A. 87−34011, 88−59833
Magnon, B., Villemeur, A., Ancelin, C. Residual heat removal in the Creys-Malville power plant: from reliability analyses of systems to allowable operating times 85−53521
Magnos, J.L. *see* Patterson, G. 85−18455
Magnotta, F., Herman, I.P. Raman microprobe analysis during the direct laser writing of silicon microstructures 86−35478
Magnotta, F. *see* Herman, I.P. 86−63448, 87−58964
Magnurno, R.D. *see* Adan, J.C. 88−70674
Magnus, A., Chauvaux, R. On the discretisation of the double layer integral operator for surfaces of revolution 85−54423
Magnus, A. *see* Cooper, S.C. 87−10304
Magnus, A.E. Evolution of an operating telephone company packet network interface 86−16990
Magnus, A.E. *see* Keith, K.L. 87−13419
Magnusen, O.C., Dalrymple, B. Co-op studies at Florida International University 88−43621
Magnuski, H.S. For quick queries, little-known BCP may help users [micro-to-mainframe links] 86−49108
Magnuski, H.S. Public domain packet radio networks 86−55196
Magnuson, D.W. *see* Allison, S.W. 86−2664
Magnuson, J. *see* Huber, N. 86−65295
Magnuson, R. Emission measurements [EMI] 86−15980
Magnuson, R. Susceptibility measurements [EMI and EMC] 86−15981
Magnuson, W.G., Jr. *see* Current, K.W. 85−55962
Magnussen, N. *see* Zimmermann, W. 86−32195
Magnusson, B. WARC & frequency allocation for global personal telephones 88−60062
Magnusson, B. The Nordic mobile telephone system−some experiences 88−67265
Magnusson, C. *see* Ilar, T. 87−26588
Magnusson, H. *see* Dahlsjo, O. 87−39476, 88−14479
Magnusson, H. *see* Danisjo, O. 87−33517
Magnusson, H.G. *see* Griffin, J.W. 86−18411
Magnusson, J.H. *see* El-Masri, M.A. 85−21492
Magnusson, K.-E. *see* Sundqvist, T. 86−5906
Magnusson, L. Human measurements in ergomeasurement 87−71073
Magnusson, M. *see* Juhola, M. 86−25169, 88−61348
Magnusson, R., Mitchell, J.H., III, Black, T.D., Wilson, D.R. Holographic interferometry using iron-doped lithium niobate 87−68638
Magnusson, S. *see* Devell, L. 87−22066
Magnusson, S. *see* Engberg, E. 88−15839
Magnusson, S. *see* Wienshienk, M.m. 85−52191
Magnusson, U., Bohlin, K.E. Development of a coevaporation system using a quadrupole mass spectrometer 87−10508

Magnusson, U. *see* Bohlin, K.E. 87−6898, 87−60638
Magnusson, U. *see* Masszi, F. 87−6747
Magnusson, U. *see* Tiren, J. 87−14761
Magnusson, U. *see* Tove, P.A. 88−26546
Magnusson, V. *see* Bohlin, K.E. 87−38516
Magomadov, R.M. *see* Fridkin, V.M. 85−41248
Magome, K., Komura, H. Microwave-discharge lighting equipment 85−60526
Magomedov, A.A. *see* Golikov, A.P. 87−75257
Magomedov, A.M. Adhesion strength of indium to glass and a method of measurement of it 87−31613
Magomedov, A.Z. *see* Tagirov, V.I. 85−62439
Magomedov, M.A. *see* Anisimkin, V.I. 86−2513
Magon, M., Vaille, F. A new small size optical cable for aircraft application 86−11129
Magori, V. A novel ultrasonic flow sensor based on lambda locked loop principle with interdigital transducers 86−70252
Magori, V., Walker, H. Ultrasonic presence sensors with wide range and high local resolution 87−50589
Magori, V. *see* Kleinschmidt, P. 86−70130
Magori, V. *see* Loschberger, J. 88−61686
Magori, V. *see* von Jena, A. 88−68088
Magos, A. Characteristic impedance of waveguides used in quasi-TEM mode 86−59127
Magos, A. Propagation coefficient of waveguides with inhomogeneous dielectric regarded as a function of the complex frequency 87−75528
Magot, T. *see* Champarnaud, G. 87−31460
Magotra, N., Ahmed, N., Chael, E. An approach for seismic event detection and azimuth estimation 86−60930
Magotra, N., Ahmed, N., Chael, E. A comparison of two parameter estimation schemes [seismic data processing] 86−64273
Magotra, N., Ahmed, N., Chael, E. On seismic event detection and azimuth estimation 87−15045
Magotra, N., Ahmed, N., Chael, E. Single station (three-component) seismic data enhancement 88−3110
Magradze, N.V. *see* Akopova, A.B. 87−29602
Magre, D. *see* Hunik, R. 87−72182
Magri, L. *see* Ceravola, O. 88−43071
Magrina, J. *see* Melus, J.L. 88−59376
Magruder, J. *see* Shvartsman, V. 86−56162
Magruder, S.F., Freier, D.G. Iterative calculation of rough surface scattering amplitudes 86−42837
Magruder, S.F. *see* Lambert, R.R. 88−48396
Magrulis, B.Ya., Chernyaev, A.N. Meter for measurement of direction of rotation of rotor speed 86−18134
Magsig, C.T. *see* DeKamp, J.C. 87−70961
Magudapathy, P. *see* Nair, K.G.M. 88−74652
Magudapathy, P. *see* Thampi, N.S. 88−74655
Maguerre, H. Holography in industry. I. Principle, present-day position of development and prospects of the future 85−35896
Maguire, B. *see* Dintenfass, L. 87−3939
Maguire, C.F. *see* Teh, K.M. 87−35355
Maguire, C.V., Rossi, R. Cable sheathing design and performance criteria 88−19444
Maguire, F. *see* Lorenzetti, R. 88−68698
Maguire, G.Q., Jr., Jaeger, J., Farde, L., Noz, M.E., Ehrlich, P. Evaluation of errors using graphical techniques 87−63763
Maguire, J., Murray, R., Newman, R.C., Beall, R.B., Harris, J.J. Mechanism of compensation in heavily silicon-doped gallium arsenide grown by molecular beam epitaxy 87−38062
Maguire, J.F. Reducing SMD defect rates through solder paste screen optimization 86−13473
Maguire, J.F., Ramsden, J.D., Wolman, D.E. Novel approach to supercritical helium flight cryostat support structures 88−36585
Maguire, P., Armstrong, B., Gamble, H., Wakefield, J. Platinum silicide shallow contacts for CMOS integrated circuits [VLSI] 85−45881
Maguire, P. *see* Ling, E. 88−71797
Maguire, P.D. *see* Ling, E. 87−38525
Maguire, R. So your're looking for a data acquisition system? 87−41402
Magun, Ya.I. *see* Khononzon, G.A. 86−5184
Magunov, I.R. *see* Shamshurin, A.V. 87−68268
Magura, K. *see* Gniss, H. 85−62790
Magureanu, G. *see* Dragan, G. 88−61927
Magureanu, R., Danciu, G. Microprocessor optimal control of brushless DC motors 88−17639
Magureanu, R., Kreindler, L., Floricau, D., Solacolu, C. Current versus voltage control of the induction motors operating at constant rotor flux 88−17627
Magureanu, R., Kreindler, L., Solacolu, C., Floricau, D. Microprocessor minimal stator ripple current control for inverter-fed induction motors 88−37228
Magureanu, R., Solacolu, C., Maxim, A., Floricau, D. Intelligent PWM inverter for induction motor control 88−69378
Magureanu, R., Solacolu, C., Solacolu, R. Asynchronous motor characteristics operating at constant flux 87−58062
Magureanu, R., Vasile, N., Tiba, M. Calculation of the magnetic field and parameters of synchronous motors with ceramic permanent magnets using the boundary element method 87−64548
Magureanu, R., Vasile, N., Tiba, M., Homentcovschi, D. Magnetic field and parameter computations in disk brushless servomotors using the 3-D BEM 86−66114
Magureanu, R. *see* Brebbia, C.A. 88−30677
Magureanu, R. *see* Solacolu, C. 85−44076
Magurno, R.D. *see* Adan, J.C. 88−59168
Magyar, A. Protective devices for 6 kV auxiliaries in the Voitsberg 3 thermal power station 85−9544
Magyar, A. Bulb-turbine plants Bischofshofen and Urreiting 87−42691
Magyar, A., Sovka, P. Calculation of the fast Fourier transform by means of the 8080 microprocessor 85−51623
Magyar, A. *see* Hekrdla, J. 88−21234
Magyar, A. *see* Jiru, V. 88−56804
Magyar, A. *see* Nishihara, A. 86−3848
Magyar, F. Control of a DC transistor convertor with sinusoidal current dependence 88−62439
Magyar, F., Kostelny, M. The influence of the production-tolerances in magnetic properties of plates upon the scattering of efficiency and power factor values of asynchronous motors 87−35928
Magyar, G.R. *see* Kawamoto, G.H. 88−26059
Magyar, J. *see* Levine, J. 86−24783
Magyar, P. *see* Hermann, I. 86−8007
Magyar, P. *see* Karpati, A. 85−21700, 85−53322 to 53323, 85−60321, 87−15929
Magyari, J.M. *see* Crighton, P.S. 86−51502
Magyary, S. *see* Timossi, C. 86−60419
Magyary-Kossa, B. Line codes in weighing technology 88−29666
Mah, G.H., Mewton, A.R. PANDA: a PLA generator for multiply-folded PLAs 85−40061
Mah, W. *see* Monahan, K. 85−29245
Mah Jae Pyung *see* Jae Pyung Mah
Mahabadi, J. Level shifting network for reducing power in battery operated integrated circuits 86−21835
Mahabakla, H.N. *see* Shah, P.C. 87−65724
Mahabala, H.N., Muralidharan, M.R. Intelligent file transfer protocol 85−25566
Mahabala, H.N. *see* Jhunjhunwala, A. 85−25559
Mahabala, H.N. *see* Raja Rao, T. 85−30470
Mahabala, H.N., Lakshmanan, K.B., Srinivasan, S. *(editor)* NETWORKS India 84. International Symposium on Data Communication and Computer Networks. Conference Record 85−22081
Mahadevan, R. Capacitance calculations for a single-stator, single-rotor electrostatic motor 88−43238
Mahadevan, R., Middlebrook, R.D. DC-three phase, current reference programmed inverter 86−56847
Mahadevan, V. *see* Lakshmeesha, V.K. 86−43047
Mahadevan, V. *see* Pal, S. 86−10218
Mahaffey, C. *see* Livingston, W.C. 85−3877
Mahaffey, J.A. *see* Gucwa, L.T. 85−43701
Mahaffey, M.K. *see* Cox, C.M. 87−42165
Mahaffy, J. *see* Steinke, R. 85−59916
Mahaffy, J.H. The advantages and limitations of the SETS method 87−9322
Mahaffy, M.A. *see* Goldman, S.R. 85−56779
Mahafza, B.R. *see* Polge, R.J. 88−47199
Mahajan, D.R. C-DOT DSS in Indian network 87−69822
Mahajan, D.R. Telecommunications for development: a view from India 88−34910
Mahajan, O.P. An enhanced terminal to support a reliable 64 kb/s service 88−46451
Mahajan, P.W. *see* Khairnar, R.S. 85−45348
Mahajan, R.S. *see* Bhanuprasad, P. 85−37659
Mahajan, S. The contributions of metallurgy and materials science to the evolution of solid-state electronics 85−5971
Mahajan, S., Logan, R.A., Chu, S.N.G., Cox, H.M., Keramidas, V.G., Koza, M.A. InP growth around mesas defined by {111}In and (001) planes 86−57457
Mahajan, S. *see* Logan, R.A. 85−22460
Mahajan, S. *see* Meier, D.L. 87−9765
Mahajan, S. *see* Taeil Kim 88−39144
Mahajan, S.K. *see* Mehrotra, R. 87−14426
Mahajan, S.K. *see* Thakur, D.K. 88−31075
Mahajan, V.L. *see* Limaye, M.A. 86−57018
Mahajerin, E., Burgess, G. A simple derivation of the fast Fourier transform 88−18666
Mahakian, S. *see* Selfridge, P.G. 86−10475
Mahala, J.V., Jr. *see* Azaret, J.O. 85−57831
Mahalakshmi, A. *see* Sridharan, K.S. 87−50399, 87−57164
Mahalanabis, A.K., Ahson, S.I., Prasad, R. Model order reduction of stochastic interconnected systems for decentralized control 85−4581
Mahalanabis, A.K., Hanmandlu, M. A study of two on-line prediction algorithms 86−39072
Mahalanabis, A.K., Kanai, T. Optimal speech data reduction using a stochastic realization algorithm 87−19572
Mahalanabis, A.K., Kefu Xue A study of 2-dimensional strip Chandrasekhar filters for image restoration 88−46267
Mahalanabis, A.K., Prasad, S., Garg, A. A smoothing algorithm for improved tracking in clutter and multitarget environment 87−8351
Mahalanabis, A.K., Ray, G. Modeling large power systems for efficient load frequency control 87−21860
Mahalanabis, A.K., Xue, K. An efficient two-dimensional Chandrasekhar filter for restoration of images degraded by spatial blur and noise 88−14761
Mahalanabis, A.K., Xue Kefu A comparison of least squares and correlation methods for NSHP model parameter estimation of a given 2-D image 88−21358
Mahalanabis, A.K. *see* Prasad, R. 88−61848
Mahalanabis, A.K. *see* Prasad, S. 88−52421
Mahalanabis, A.K. *see* Wiliams, R.T. 88−73141
Mahalanabis, A.K. *see* Williams, R.T. 87−62128, 88−46026
Mahalanobis, A., Vijaya Kumar, B.V.K., Casasent, D. Spatial-temporal correlation filter for in-plane distortion invariance 87−26135
Mahalanobis, A., Vijaya Kumar, B.V.K., Casasent, D. Minimum average correlation energy filters 88−3138
Mahalanobis, A. *see* Casasent, D. 86−10535
Mahalanobis, A. *see* Kumar, B.V.K.V. 88−34736
Mahalanobis, A. *see* Vijaya Kumar, B.V.K. 86−69108
Mahalingam, M. Thermal management in semiconductor device packaging 86−193
Mahalingam, M., Andrews, J. TAB vs wire bond—relative thermal performance 86−13488
Mahalingam, M., Berg, H.M. Thermal trends in component level packaging 85−29233
Mahalingam, M., Nagarkar, M., Lofgran, L. Gold eutectic vs silver glass die bond in ceramic packages—a relative assessment of thermal performance 87−36511
Mahalingam, M., Nagarkar, M., Lofgran, L., Andrews, J., Olsen, D.R., Berg, H.M. Thermal effect of die bond voids 85−6628
Mahalingam, M. *see* Alli, M. 86−61942
Mahalingam, M. *see* Hawkins, G. 88−1767
Mahalingam, T., Radhakrishnan, M. Dielectric relaxation in gadolinium fluoride thin films 88−12635
Mahalingam, V. Rural electrification in the State of Tamil Nadu 85−15590
Mahalingam, V.S., Subramanian, R. Packet transmission over VHF radio—a simulation study 86−23182
Mahalingham, M., Nagarkar, M., Lofgran, L., Andrews, J., Olsen, D.R., Berg, H.M. Thermal effects of die bond voids in metal, ceramic and plastic packages 86−13508
Mahalnanbis, A.K. *see* Prasad, S. 87−63028
Mahalu, D. *see* Tenne, R. 88−24117
Maham, Y., Bourret, D., Regnier, J.F., Dravet, A., Sempere, R., Zarzycki, J. Precision enhancement in 8 mm interferometry 85−8936
Mahamoudi, A. *see* Camy-Peyret, C. 85−46323
Mahan, A.H., Raboisson, P., Menna, P., Mascarenhas, A., Tsu, R. Why the photoconductivity decreases in a-SiC:H and a-SiGe:H when the amount of alloying increases 88−58345
Mahan, A.H., Raboisson, P., Tsu, R. Influence of microstructure on the photoconductivity of glow discharge deposited amorphous SiC:H and amorphous SiGe:H alloys 87−33029
Mahan, A.H., Raboisson, P., Williamson, D.L., Tsu, R. Evidence for microstructure in glow discharge hydrogenated amorphous SI-C alloys 87−68257
Mahan, A.H., Sanchez, A., Williamson, D.L., von Roedern, B., Madan, A. Glow discharge amorphous silicon tin alloys 85−61008
Mahan, A.H., Williamson, D.L., Ruth, M., Raboisson, P. On the differences between a-SiC:H films deposited with and without fluorine 86−27925
Mahan, A.H., Williamson, D.L., Ruth, M., Raboisson, P. Amorphous silicon carbon and amorphous silicon germanium alloy research at SERI 87−12302
Mahan, A.H. *see* Menna, P. 88−33859
Mahan, A.H. *see* von Roedern, B. 85−1331, 86−35361
Mahan, A.H. *see* Xi, J.P. 87−68258
Mahan, A.H. *see* Yacobi, B.G. 85−55486
Mahan, H. *see* Sabisky, E. 86−7036
Mahan, J.E. *see* Bost, M.C. 87−26230
Mahan, J.E. *see* Huang, M.T. 85−50457
Mahan, J.E. *see* Malhotra, V. 86−21275, 88−71496
Mahana, P.N., Trofimenkoff, F.N. Transducer output signal processing using an eight-bit microcomputer 86−65151
Mahaney, M. *see* Schafft, H. 88−50756
Mahant, S.S.S. *see* Shah, A.H. 85−49888
Mahant-Shetti, S. *see* Bosshart, P.W. 87−59617
Mahant-Shetti, S.S. *see* Bosshart, P.W. 88−6901
Mahant-Shetti, S.S. *see* Cox, P. 85−35174, 86−2399
Mahant-Shetti, S.S. *see* Scott, D.B. 87−45817
Mahapatra, A., Connors, J.M. High finesse ring resonators fabrication and analysis 87−54099
Mahapatra, A., Connors, J.M. Tapped ring resonators fabricated in glass 88−7962

Mahapatra, A., Connors, J.M. Thermal tapering of ion-exchanged channel guides in glass 88−33745
Mahapatra, A., Robinson, W.C. Integrated-optic ring resonators made by proton exchange in lithium niobate 85−56354
Mahapatra, A., Robinson, W.C. Proton exchanged ring resonators in lithium niobate: operation at 0.79 μm and 1.3 μm 87−12230
Mahapatra, A. *see* McMahon, D.H. 87−62925
Mahapatra, P. *see* Zrnic, D.S. 85−59472, 86−17451
Mahapatra, P.R. A nonlinear processing scheme for the rejection of radar clutter 85−46832
Mahapatra, P.R. Compact FSK signals for radar clutter rejection 85−47560
Mahapatra, P.R., Zrnic, D.S. Parameters of a dedicated weather radar for terminal air navigation, traffic control and safety 86−17504
Mahapatra, P.R., Zrnic, D.S. Advanced signal processing, communication and display of multimoment weather radar data for future air traffic control systems 87−57310
Mahapatra, P.R. *see* Balakrishnan, N. 87−57309
Mahapatra, P.R. *see* Bokhari, S.A. 88−2838
Mahapatra, P.R. *see* Jha, R.M. 88−27591 to 27592
Mahapatra, P.R. *see* Poulose, M.M. 86−43914, 87−63877, 88−10476, 88−54725
Mahapatra, P.R. *see* Shukla, U.S. 88−67496
Mahapatra, R.P. A user's views on design, testing and quality assurance of transformers 85−27459
Mahapatra, S. *see* Bhatgadde, L.G. 88−6488
Mahapatra, S. *see* Kori, M.H. 86−47060, 87−37543
Mahapatra, S. *see* Naidu, R.V. 88−38521
Mahapatra, S. *see* Nayagam, S. 86−1366
Mahapatra, S. *see* Ramasamy, S.R. 86−15869, 87−12761
Mahapatra, S. *see* Sinha, M.P. 87−53415
Mahapatra, S.C., Pattanayak, P.C. Starting performance of parallel capacitor start single phase induction motor 88−30708
Mahapatra, S.C. *see* Das, J.K. 85−9865, 85−21627
Mahar, D.W. *see* Kies, P.J. 88−5196
Mahar, K.B. *see* Kriegsman, B.A. 86−59931
Mahar, M.T. *see* Jackson, A.S. 88−61357
Mahar, T., Shah, J., Morgenroth, O. ISDN for the United States, ICC-87 88−9292
Mahat, R. *see* Moore, W.R. 85−45087
Mahato, B.K., Brilmyer, G.H., Bullock, K.R. Performance testing of advanced lead-acid batteries for electric vehicles 86−33607
Mahato, B.K., Brilmyer, G.H., Bullock, K.R. Performance testing of advanced lead-acid batteries for electric vehicles 86−66277
Mahato, B.K., Strebe, J.L., Wilkinson, D.F., Bullock, K.R. Effect of antimony on lead-acid battery negative 85−39178
Mahato, B.K. *see* Symanski, J.S. 88−49113
Mahavadi, K.K. *see* Boukerche, M. 88−64385
Mahavadi, K.K. *see* Gelatos, A.V. 88−72200
Mahavadi, K.K. *see* Wijewarnasuriya, P.S. 88−19662
Mahawili, I. *see* Mitchener, J.C. 87−1439, 88−451
Mahdavi, J. Arc behaviour study in SF_6 and nitrogen mixtures within AC circuit-breakers 86−56868
Mahdavi, J., Schaeffer, A., Velo, C., Bompa, L., Gatellet, J. New means of measuring current in the vicinity of zero in an AC circuit breaker 85−64221
Mahdavi-Amiri, N. *see* Bartels, R.H. 86−62125
Mahdavieh, Y., Stark, J.P.W., Tjahjadi, T. The utilization of colour in machine vision 86−16578
Mahdi, F.A., Taha, S.M.R., Abdul-Karim, M.A.H. A hybrid electronic energy meter design 85−58748
Mahdi, H.M.K. Examples of engineering course frames in Egypt: a general prospect from electronics and computer courses 88−62962
Mahdi, S. *see* Sohrabi, M. 87−21476
Mahdjik, M.P. *see* Aleksic, O.S. 85−35297
Mahdjoub, A. *see* Garrigues, M. 88−50682
Mahdjoub, A. *see* Joseph, J. 88−50857
Mahdjoubi, K., Daniel, J.-P., Terret, C. Multi-port disc microstrip antennas 85−51495
Mahdjoubi, K., Daniel, J.-P., Terret, C. Dual-frequency disc antenna studied by cavity method 86−42917
Mahdjoubi, K., Penard, E., Daniel, J.P., Terret, C. Mutual coupling between circular disc microstrip antennas 87−26916
Mahdjoubi, K., Terret, C. Exact expression for stored energies in the cavity volume of microstrip antennas 86−14462
Mahdjoubi, K., Terret, C. An analysis of piecewise homogeneous dielectric rod antennas 86−54348
Mahdjoubi, K., Terret, C., Daniel, J.P. A circularly polarized broad band conical patch antenna 88−34457
Mahdjoubi, K. *see* Bhatnagar, P.S. 86−62807, 86−64093, 87−47376, 88−66205
Mahdjoubi, K. *see* Jeddari, L. 86−3679
Mahdjoubi, K. *see* Terret, C. 85−2532, 86−42921
Mahdjoubi, L., Benmalek, M. SEM and Auger microanalysis of $CdS-Cu_2S$ solar cells 87−16046
Mahdjoubi, L., Hadj-Zoubir, N., Benmalek, M. Photoelectrical properties of H^+ implanted CdS thin films 88−32813
Mahdjoubi, L. *see* Hadj-Zoubir, N. 86−40154
Mahdjoubi, L. *see* Mehenni, N. 86−35336
Mahdy, A.El *see* El Mahdy, A.
Mahdy, A.M.El *see* El Mahdy, A.M.
Mahedevan, K. *see* Kajfez, D. 88−63844
Mahefkey, E.T. *see* Ponnappan, R. 88−74914
Mahelka, S., Jermar, O. Development of devices for application of low-energy radiation sources in defectoscopy of small thickness material 86−55981
Mahendra, S.N. *see* Srivastava, R.K. 88−23976
Maheo, P. *see* Hamel, A. 88−35533
Maheo, P. *see* Henry, M. 85−47387
Maher, A. Rural version of EWSD digital exchanges for sparsely populated areas 87−3012
Maher, A.M. *see* Johnson, W.A. 86−6239
Maher, A.T. *see* Eberl, H. 85−52185
Maher, B. A novel bias design for complementary amplifiers 85−11021
Maher, B. OP amps explained. III 85−11026
Maher, B. Op amps explained. V 85−11027
Maher, B. OP amps explained. IV 85−17164
Maher, B. OP amps explained. VII 85−23080
Maher, B. Op amps explained. VIII 85−33677
Maher, B. OP amps explained. IX 85−39932
Maher, B. Op amps explained. XII 86−755
Maher, B. Op amps explained. XIV 86−757
Maher, B. OP amps explained. XIII 86−8002
Maher, B. Op amps explained. XVII 86−27083
Maher, B. Op amps explained. XVIII 86−27084
Maher, C.A. A perspective on applications of distance learning 88−37875
Maher, D.M., Seidel, T.E., Williams, J.S., Elliman, R.G., Knoell, R.V., Ellington, M.B., Hull, R., Jacobson, D.C. Implications of the solid-phase amorphous to crystalline transformation for shallow-junction processing 87−17774
Maher, D.M. *see* Dutta, N.K. 85−2286
Maher, D.M. *see* Elliman, R.G. 87−5432
Maher, D.M. *see* Hong, M. 86−28730
Maher, D.M. *see* Seidel, T.E. 86−9004
Maher, D.M. *see* Twigg, M.E. 88−25942
Maher, G. Improved dielectrics for multilayer ceramic capacitors 85−61476
Maher, G.H., Hofmaier, R.L. A new PLZT dielectric for use in characteristic X7R multilayer ceramic capacitors 85−35240
Maher, G.H. *see* Hofmaier, R.L. 88−63992
Maher, J.A. Applications of PC-based teletraining technology 87−27879
Maher, J.P. *see* Zdaniewski, W.A. 87−74452
Maher, K.J. *see* Musgrove, A.R.deL. 88−30545
Maher, K.J. *see* Stocks, K.J. 86−19077
Maher, K.P., O'Connor, M.K., Malone, J.F. Experimental examination of videodensitometry of large opacifications in digital subtraction angiography 88−10329
Maher, K.S., Rottman, H.R. SEM measurements in lithographic metrology 87−11521
Maher, M.A., Mead, C.A. A physical charge-controlled model for MOS transistors 87−67606
Maher, M.A.C., Mead, C.A. Modelling and simulation of integrated circuits 87−11826
Maher, M.J. *see* Coit, K.T. 86−49150
Maher, M.J. *see* Levy, G.S. 87−28712
Maher, M.V. *see* Schellenberg, J.M. 87−73738
Maher, R.A. A comparison of multichannel, sequential and multiplex GPS receivers for air navigation 85−25950
Maher, R.V. Applications of GIS to the ocean environment [geographic information systems] 88−48375
Maher, T., Hohulin, K. Processor with a punch [EWSD CP113] 88−59923
Maheri, H., Tsutsumi, M., Kumagai, N. Propagation characteristics of millimeter waves in the H guide loaded with yttrium iron garnet films 86−47039
Maheri, H. *see* Erkin, S. 88−40628
Mahesan, S.M. Energy savings from inplant induction generator 85−5594
Mahesh, B. *see* Pearlman, W.A. 88−59278
Mahesh, J. *see* Fingerote, S.I. 88−16841
Mahesh, M.S. *see* Biswas, S.K. 87−15865, 88−30892, 88−69499
Maheshwari, G.P. *see* Al-Kandari, A. 88−69226
Maheshwari, G.P. *see* Al-Marafie, A.M.R. 88−69710
Maheshwari, G.P. *see* Ayyash, S. 85−60077
Maheshwari, K.P., Tripathi, V.K. Parametric upconversion of a microwave off a relativistic electron beam in a waveguide 88−34060
Maheshwari, L.K. Education in instrumentation 85−60681
Maheshwari, L.K., Raghunath, B.K. On the servicing and maintenance of laboratory equipments and instruments 85−32887
Maheshwari, R.C., Pathak, K.S. AC electroluminescence of ZnS:Cu,Yb phosphor 87−7209
Maheshwari, R.C., Tripathi, R.K. ZnS:Sm and ZnS:Cu,Sm electroluminescent phosphors 85−2136
Maheshwari, R.C., Tripathi, R.K. On the mechanism of high field electroluminescence of ZnS:Pr, Cl and ZnS:Cu, Pr, Cl phosphors 85−7315
Maheshwari, R.C., Tripathi, R.K. AC electroluminescence of CdS:Sm and CdS:Cu, Sm EL phosphors 85−46257
Maheshwary, H.V., Jain, R., Dutta, H.N., Sarkar, S.K., Reddy, B.M. Terrain effects on the line-of-sight microwave propagation characteristics 85−41626
Maheshwary, H.V., Jain, R., Dutta, H.N., Sarkar, S.K., Reddy, B.M. Modelling the impact of rising nocturnal inversion on line-of-sight propagation 85−41631
Maheswaran, A., Bogner, R.E. A new time-scale warping algorithm and associated modules for single dimensional and multidimensional speech parameter contours 87−61685
Mahfoodh, M.B. *see* Imamura, M.S. 86−45693
Mahfoodh, M.Bin *see* Bin Mahfoodh, M.
Mahfoudhi, R. *see* Rajashekara, K.S. 87−78631
Mahi, B., Arnal, Y., Pomot, C. Etching anisotropy of Si in SF_6 plasma: influence of diluting gas 86−58413
Mahi, B., Arnal, Y., Pomot, C. The etching of silicon in diluted SF_6 plasmas: correlation between the flux of incident species and the etching kinetics 87−67106
Mahi, B. *see* Pomot, C. 86−35583
Mahi, M. *see* Stringfellow, B.C. 87−8813
Mahida, N.U. *see* Rao, P.R. 86−13226
Mahil, S.S. *see* Rizkalla, M.E. 87−74596
Mahjoub, A.R. *see* Barahone, F. 85−54280
Mahjouri, F., Felker, R. Verification and validation package for nuclear power plant simulators 88−75330
Mahlab, D. The complexity of data compression algorithms 86−29932
Mahlab, U. *see* Grosman, J. 86−27151
Mahlamaki, S. *see* Soimakallio, S. 86−50486
Mahlbacher, C. The electronic through-flow water heater 87−22897
Mahlbacher, T. Design of the control of heat-storage equipment 86−19609
Mahlbacher, T.C. New developments in discharge methods of storage heaters 86−26422
Mahlbacher, T.C. Dimensioning of storage heating−clarifications to DIN 44572 Part 4 (design) 88−37762
Mahle, C., Huang, H.C. MMICs in communications 86−1364
Mahle, C. *see* Hung, H.-L. 86−47082
Mahle, C.E., Hyde, G., Inukai, T. Satellite scenarios and technology for the 1990s 87−56040
Mahle, C.E. *see* Campanella, S.J. 88−67329
Mahle, C.E. *see* Hyde, G. 87−28514
Mahlein, H.F., Reichelt, A. Micro-optical single-mode multi/demultiplexer for four wavelength channels 86−23598
Mahlein, H.F. *see* Auracher, F. 87−74835
Mahlein, H.F. *see* Trimmel, H. 86−11115
Mahler, B. Planar resistor technology for high-speed multilayer boards 86−47170
Mahler, B.P. Planar resistor technology in high density MLB applications 86−8624
Mahler, B.P., Signer, R.M. Thin film resistor technology 86−67602
Mahler, G. High definition light-valve projection 85−20339
Mahler, G. *see* Kuhn, T. 88−64289
Mahler, H., Albert, M., Baitinger, U.G. PICASSO−an experimental CAD tool for the parametrization of PLA control structures 87−52532
Mahler, H. *see* Burgey, P. 87−69707
Mahler, H.W. *see* Kaiser, A. 85−47638, 85−58357
Mahler, K. A new transfer principle in the geometry of numbers 86−66709
Mahler, K. *see* Lehmer, D.H. 86−52391
Mahler, R. Optical transmission of video signals 86−60029
Mahler, R. *see* Sweeney, M.F. 85−55130
Mahler, R.P.S. *see* Hastings, R. 85−59433
Mahler, Y., Lifshitz, N., Nitzan, M. Microprocessor automatic multiple temperature measurement device [clinical application] 88−74797
Mahler, Y. *see* Adler, D. 88−30016
Mahlerbe, J.A.G. A compact horn antennas with low return loss 87−27040
Mahmid, B., Auchterlonie, L.J. Measurement of mutual scattering effects between spheres using a microwave open resonator 87−2291
Mahmood, L.A. *see* Godfrey, M.W. 86−58645
Mahmood, M.K. Improving the settling time of a digital phase-lock frequency synthesizer 87−24294
Mahmood, M.K., Abdul-Sada, J.W. Noise generator with programmable distribution 88−18956
Mahmood, M.K., Allos, J.E., Abdul-Karim, M.A.H. Microprocessor implementation of a fast and simultaneous amplitude and frequency detector for sinusoidal signals 86−4965
Mahmood, M.K., Allos, J.E., Adbul-Karim, M.A.H. A simple fast frequency detector for a constant amplitude sinusoid 85−20687
Mahmood, M.K. *see* Saloum, S.N. 87−39840
Mahmood Sheikh, A. *see* Samad Baig, M.A. 85−37959

Mahmoodi, A.B. A real time (on line) adaptive target detection technique for an airborne millimeter wave seeker design 85−3499
Mahmoodi, A.B., Kaveh, M. Signal processing consideration for a millimeter wave seeker 85−8448
Mahmoud, A.A., Stahlhut, R.D. Modeling of a resistance regulated arc furnace 85−32803
Mahmoud, A.A. *see* Abledu, K.O. 85−43909
Mahmoud, A.A. *see* Day, A.L. 85−27420, 86−44962, 87−64140
Mahmoud, A.A. *see* Turanli, H.M. 87−78124
Mahmoud, A.M.A., Menzies, R.W. Automatic following of the reference current controlled induction motor to load torque and input frequency changes 86−6765
Mahmoud, A.M.A., Menzies, R.W. A complete time domain model of the induction motor for efficiency evaluation 86−56753
Mahmoud, F. *see* Hassan, K. 87−36616
Mahmoud, G.A. *see* Dineley, J.L. 87−4322, 88−5664
Mahmoud, G.M. *see* Bountis, T.C. 88−16599
Mahmoud, I.I. *see* Ismail, M.S. 88−23957
Mahmoud, M. *see* El-Zayyat, H.M. 88−75520
Mahmoud, M. *see* Mwanakatwe, M. 88−9510
Mahmoud, M. *see* Oliver, E. 87−43018
Mahmoud, M.A. Low-melting alloys used as ultrasonic couplants at high temperature 85−54557
Mahmoud, M.A.A. *see* El-Sharkawy, M.A. 88−875
Mahmoud, M.A.M., Hewitt, G.A., Burns, D.J. Sizing of planar defects by use of double-angle ultrasonic beams and tip-echo times 87−5545
Mahmoud, M.A.W. On a two-dissimilar unit standby redundant system with imperfect switch 86−7573
Mahmoud, M.I. *see* Attia, A.O. 87−42734
Mahmoud, M.I. *see* Bourhis, G. 87−71154
Mahmoud, M.I. *see* Jakubowicz, A. 88−69345
Mahmoud, M.M.El-Din *see* El-Din Mahmoud, M.M.
Mahmoud, M.M.M. *see* Sanderson, J.V.H. 87−51329
Mahmoud, M.O. On the constitution of a curve-fit model of an electrical machine 87−72109
Mahmoud, M.O., Whitehead, R.W. Piecewise fitting function for magnetisation characteristics [electric machines] 86−33290
Mahmoud, M.R. *see* Nassar, M.M. 86−34119
Mahmoud, M.S., Al-Fuhaid, A.S. Two-level optimization algorithm for the megawatt-frequency control problem 86−65636
Mahmoud, M.S. *see* Howson, D.P. 87−6017
Mahmoud, M.S. *see* Saleh, F.A. 86−12276
Mahmoud, M.S. *see* Willis, M.J. 88−9511
Mahmoud, S. *see* Despins, C. 87−69956
Mahmoud, S. *see* El-Tanany, M. 88−45860
Mahmoud, S. *see* Elhakeem, A.K. 88−22000
Mahmoud, S.A., Atout, M.M., Idres, M. DC link pulsing starting-up and low speed operation of synchronous motors 86−12785
Mahmoud, S.A., Doeuff, R.Le. A simulation study of an optical numerical control of a three-phase cycloconverter 86−33515
Mahmoud, S.A., Lashin, A.E., Hassan, S.A. Torque/speed control of wound rotor induction motors using a DC chopper circuit 86−45400
Mahmoud, S.A., Le Doeuff, R. A simulation of an optimal numerical control of a three-phase cycloconverter 85−27493
Mahmoud, S.A. *see* Bultitude, R.J.C. 88−3805
Mahmoud, S.A. *see* Chan, G.K. 86−69633
Mahmoud, S.A. *see* El-Tanany, M. 87−39595
Mahmoud, S.A. *see* El-Tanany, M.S. 87−68929
Mahmoud, S.A. *see* Hafez, H.M. 85−47687
Mahmoud, S.A. *see* Niktash, M. 87−55434, 87−55438
Mahmoud, S.F. Image theory for electric dipoles above a conducting anisotropic earth 85−2638
Mahmoud, S.F. Radiation from corrugated profiled conical horns 85−7725
Mahmoud, S.F., Abdallah, E.A.F., El-Hamshary, H.A. Design of a class of travelling wave microstrip antennas 85−36134
Mahmoud, S.F., Abdel-Halim, H. Design options of a direct broadcasting satellite antenna covering Egypt 87−54718
Mahmoud, S.F., Aly, M.S. A new version of dielectric lined waveguide with low cross-polar radiation 87−39434
Mahmoud, S.F., Baghdady, H.N., El-Sayed, O.L. Analysis of multipath fading with application to microwave links in Egypt 86−69601
Mahmoud, S.F., Boghdadi, H.N., El-Sayed, O.L. A theoretical model for multipath fading on line of sight propagation 85−36034
Mahmoud, S.F., Boghdady, H.N., El-Sayed, O.L. Analysis of multipath fading on line-of-sight links in the presence of an elevated atmospheric duct 87−26766
Mahmoud, S.F., Metwally, A.D. Frequency and time domain responses between loops and their applications in geophysics 85−15415
Mahmoud, S.F., Metwally, A.D.M. Image theory development for imperfectly conducting earth 85−19220
Mahmoud, S.F., Mohsen, A.A. Assessment of image theory for field evaluation over a multilayer Earth 86−22642
Mahmoud, S.F. *see* Aly, M.S. 86−29599
Mahmoud, S.F. *see* Assal, H.M. 87−57343
Mahmoud, S.F. *see* Ibrahim, E.A. 85−38335
Mahmoud, S.M., Ibrahim, M.M., Omar, A.S. Application of the theory of linear operators to the waveguide discontinuity problems 88−70979
Mahmoud, S.M., Marzouk Ibrahim, M., Haroun, B.S. Blind restoration of images using reconstruction of the degrading point spread function 86−23134
Mahmoud, S.Mahrous *see* Mahrous Mahmoud, S.
Mahmoud, W.A. Quantisation techniques for the classification and recognition of speech signals 87−27253
Mahmoud, W.A., Bennett, L.A.M. Enumeration of the set of weights of quaternary functions of two variables 85−16843
Mahmoud, W.A., Bennett, L.A.M. Speech recognition based upon vector quantisation reference codebooks generated from voiced, unvoiced and silence classified data 86−69030
Mahmoud, W.A., Bennett, L.A.M. The distortion measure of the segment classification and labelling technique (SCLT) for different window lengths 87−27255
Mahmoud, W.A. *see* Dooley, L.S. 87−47820
Mahmoud, Y.M. *see* Lo, K.L. 86−50789
Mahmoudi, M., Cloud, K., Kimball, B. Step-down switching regulator design using an IBM personal computer 86−40897
Mahmound, S.A. *see* Bultitude, R.J.C. 88−67231
Mahmud, S.M., Rusek, A., Ganesan, S. A microprocessor-based dual slope phase meter 88−74505
Mahmud, S.M. *see* Rusek, A. 87−29242
Mahmud, Y. *see* Ahmad-Bitar, R.N. 86−38513
Mahmutcehajic, R. Numerical approximation and analyses of multilayer soil effects on spreading of electromagnetic wave by water 85−30039
Mahmutcehajic, R. Effects of multi-layer earth on the electromagnetic wave propagation along the line 86−51033
Mahmutcehajic, R. Complete solution of electromagnetic wave spreading over surface waters 87−12705
Mahmutcehajic, R. Inclusion of earth effects in the series impedance and shunt admittance computation of overhead lines 88−5367
Mahmutcehajic, R., Hajdin, S. A review of development and application of HV pneumatic breakers 88−62513
Mahn, R., Haberlandt, J. Efficient equipment and licences for electric power plant construction 85−38599
Mahn, T.G. West German EMI regulations for EDP equipment 86−3561
Mahn, T.G. Enforcement of FCC regulations−an industry review 87−2813
Mahnad, A.R. *see* Chang, D.C. 85−62910
Mahner, H. Communication link design of the German DFS network 86−59848
Mahner, H. Ground stations and system aspects of the DFS 87−76670
Mahner, H.F. MicroVAX II in real time applications 86−14251
Mahnert, H. Components of the digital plant protection in the guiding system for simplified transformer stations of 110 kV medium voltage 88−43243
Mahnert, H. *see* Buchholz, B. 86−19331
Mahnkopf, P. Databank applications in a Btx link up 88−73549
Mahnkopfe, M. *see* Schmitt, F. 87−60150
Mahon, B. Network technology−current and future 88−67075
Mahon, C.J., Khoe, G.D. Endless polarisation state matching control experiment using two controllers of finite control range 88−9535
Mahon, C.J., Khoe, G.D. Compensational deformation; new endless polarization matching control schemes for optical homodyne or heterodyne receivers which require no mechanical drivers 88−67395
Mahon, C.J., Khoe, G.D., Angenent, J.H. New endless polarization state matching control experiment using two controllers of finite control range 88−47170
Mahon, P. *see* Schilliger, M. 85−58258
Mahon, R. *see* Duncan, M.D. 88−72391
Mahoney, A.P. Budget meters: application and future development 86−39064
Mahoney, A.P. *see* Hensman, G.O. 87−50905
Mahoney, A.R. *see* Casalnuovo, S.A. 88−13259
Mahoney, A.R. *see* Draper, B.L. 88−33303
Mahoney, D. *see* Hayward, G. 87−76157, 88−14920
Mahoney, D.C. Virtual networking 86−54946
Mahoney, E. Saga of the Willie wand [antenna design] 86−22820
Mahoney, E. *see* Pert, G.J. 85−7357
Mahoney, G.E. *see* Schlier, A.R. 86−35918
Mahoney, J.E. *see* Carter, W.S. 87−680
Mahoney, J.F. Partial fraction evaluation and incomplete decomposition of a rational function whose denominator contains a repeated polynomial factor 85−39665
Mahoney, J.F. Tensor and isotropic tensor identities 88−24620
Mahoney, J.F., Taylor, S., Perel, J. Finepowder production using electrohydrodynámic atomization 85−28267
Mahoney, J.F. *see* Capehart, B.L. 88−49451
Mahoney, J.V. *see* Ebner, D.G. 85−16598
Mahoney, L., Dahimene, M., Asmussen, J. A low power, compact 2.5 cm efficient microwave ion source 88−42404
Mahoney, L., Dahimene, M., Asmussen, J. Low power, 3.2-cm, efficient microwave electron cyclotron resonant ion source 88−54380
Mahoney, L., Englemann, J., Asmussen, J. Performance characteristics of an efficient, compact 3.2 cm. ECR broad-beam ion source operating with high and low acceleration potentials 88−74706
Mahoney, L.J. *see* Brooks, R.C. 86−21245
Mahoney, L.J. *see* Chen, C.L. 86−35426, 87−37554, 87−45226, 87−53268, 88−13005, 88−19408
Mahoney, L.J. *see* Chu, A. 85−1061, 85−17841, 86−8478, 86−20834, 86−27631, 86−47081, 86−47089, 87−24452
Mahoney, L.J. *see* Lenth, W. 85−24395
Mahoney, L.J. *see* Smith, F.W. 88−33242, 88−33409, 88−39541
Mahoney, M. The third domain of device testing 85−26185
Mahoney, M. Coastal communications [Pacific National Bank telephone system upgrade] 88−9044
Mahoney, M.J. *see* Erickson, W.C. 88−66079
Mahoney, P. The INTELSAT TDMA burst mode link analyser 86−4590
Mahoney, T.F. *see* Brookner, E. 86−59935
Mahony, C.M.O. *see* Proudfoot, G. 87−53377
Mahony, J.D. A low-frequency investigation into the discontinuity capacitance of a coaxial line terminated in a lossless, dielectric-loaded circular waveguide 87−39448
Mahony, J.D. Static fringing capacitance of a dielectric loaded coaxial termination 88−71148
Mahony, L.M. A therapeutic CAT scanner 86−56115
Mahony, L.M. A computer graphics terminal with a cylindrical screen 86−60769
Mahous, S., Hennawy, H.El., Abdel Aziz, Y. The synthesis of fin line matching transformers 85−6504
Mahowald, M. *see* Nielsen, L. 87−77692
Mahowald, M.A. *see* Sivilotti, M.A. 87−67608
Mahowald, P. *see* Katnani, A.D. 86−1788
Mahowald, P. *see* Spicer, W.E. 85−1394
Mahowald, P.H. *see* Eglash, S.J. 85−1395
Mahowald, P.H. *see* Kendelewicz, T. 88−13013
Mahowald, P.H. *see* List, R.S. 88−7344
Mahowald, P.H. *see* McCants, C.E. 88−13019, 88−64322
Mahowald, P.H. *see* Williams, M.D. 87−1296
Mahr *see* Kail 85−42965, 85−58684, 85−64126
Mahr, H. Design of ‘muscular’ op. amps 85−44896
Mahr, H. A pleading for the definition of frequency division multiplex in optical communications 86−23184
Mahr, H. Monolithic 11-bit flash converter 86−41171
Mahr, H. ‘Rail-to-rail’ OpAmp 87−65864
Mahr, U. Cubic splines as expansion functions for the current distribution of microstrip stub antennas 86−3644
Mahr, U. *see* Morz, G. 87−54761
Mahr, W. *see* Kail, R. 85−26312
Mahr Kail *see* Kail Mahr
Mahr von Straszewski, G. *see* Bianchetti, M. 85−60947
Mahringer, F., Pitt, A. Measured values in 3D−why not? 88−60799
Mahringer, F. *see* Kappey, H.-H. 88−29223, 88−67658
Mahrous, S., El Hennawy, H., Abdel Azim, A. Analysis of finlines on semiconductor substrate 85−6539
Mahrous, S., El Hennawi, H., Sabry, O. Quantization noise in adaptive delta modulation systems for video encoding 85−37293
Mahrous, S., Hennawy, H.El., Aziz, Y.A. A novel fin-line antenna for microwave integrated circuits application 85−36116
Mahrous, S. *see* Abdel Aziz, Y. 85−11580
Mahrous, S. *see* Azeim, A.A. 85−11504
Mahrous, S. *see* El-Hennawy, H. 88−53237
Mahrous, S. *see* Salem, I. 85−8370
Mahrous Mahmoud, S. *see* Marzouk Ibrahim, M. 86−67483
Mahrt, K., Kroebel, W. Quantitative performance data of a new automatic optical bench salinometer/densitometer 86−60963
Mahrt, K.-H., Kroebel, W. Optical interferometric bench salinometer of high precision with electronical read out 85−32018
Mahrt, K.-H. *see* Barkmann, R. 85−4470
Mahseredjian, J., Lefebvre, S., Mukhedkar, D. A multiterminal HVDC load-flow with flexible control specifications 86−50947
Mahseredjian, J. *see* Lefebvre, S. 86−12389
Mahseredjian, J. *see* Sanso, B. 85−22203

Mahtani, J.L., Rhodes, R.G., Abel, E. The superconducting linear motor for the propulsion of trains 85−48973
Mahto, J., Sinha, A.K. A decentralized self tracking control of large interconnected systems 85−32097
Mahto, J., Sinha, A.K. Hierarchical self-tracking control of two-machine system 86−6257
Mahtre, K. *see* Basu, S. 88−34729
Mahulikar, D. *see* Shapiro, E. 86−46104
Mahvan, N. *see* Mapps, D.J. 88−57948, 88−57960
Mai, A. *see* Coy, B. 88−70698
Mai, H. *see* Bonisch, J. 88−3558
Mai, H. *see* Jacobsen, T.S. 87−64466
Mai, H.H., Larsen, J.M., Dimoff, K., Castracane, J. High-speed programmable detector system for plasma spectroscopy 86−55555
Mai, J. *see* Blaschta, F. 85−40947
Mai, K.A., Penunuri, D. Wideband acoustic-optic Bragg cells using phased array techniques: design and modeling 88−40019
Mai, K.A. *see* Penunuri, D. 88−40020
Mai, L., Majithia, J.C. Performance evaluation of an Ethernet LAN with broadcast and point-to-point data traffic 88−15057
Mai, M. *see* Weidner, G. 87−66872
Mai, N. *see* Bolsinger, P.P. 85−20886
Mai, P. Simulation of maintenance movements and calculation of the extent of a wagons planimetrical movement 87−79062
Mai, V.A. *see* Popyrin, L.S. 85−48710
Mai, V.I. *see* Bondarenko, A.R. 85−6501
Mai, V.I. *see* Gorda, E.V. 87−45254
Mai, V.I. *see* Ivanov, M.A. 87−68917
Mai, Y.W., Kerr, P.R. A computerized data acquisition system for fatigue crack growth studies in polymers 85−44815
Mai Chen *see* Chen Mai
Mai Nguen *see* Nguen Mai
Mai Shuxian *see* Chai Tianen 87−53477
Mai Xu *see* Lifeng Li 88−51553
Mai Xu *see* Moshrefzadeh, R. 87−68028
Mai Xu *see* Xu Mai
Mai Zhen-hong, Graeff, W. In situ observation of the H-induced defects in silicon single crystals 86−26799
Mai Zhen-Hong *see* Zhen-Hong Mai
Mai Zhenhong, Dai Daoyang, Zhou Shiren, Ye Yizheng, Ye Shuichi The study on defects in single crystal silicon wafers treated with double-gettering techniques 86−47435
Mai Zhenhong, Dai Daoyang, Zhou Shiren, Ye Yizheng, Ye Shuichi The study on gettering mechanism of double-gettering technique 87−74141
Mai Zhenhong *see* Zhou Shiren 88−44781
Maia, F.C. *see* Villas, J.E.T. 87−71670
Maia, M.Mattoso *see* Mattoso Maia, M.
Maia, M.R.de Garcia *see* de Garcia Maia, M.R.
Maia, M.R.G. *see* D'Assuncao, A.G. 87−73734
Maia, P.P. *see* Smith, J.L. 86−29473
Maiano, P. *see* Del Guerra, A. 88−54536, 88−61105, 88−61300
Maiboroda, V.F. *see* Antipenko, B.M. 87−12439
Maiburov, S.N. *see* Antipov, Yu.M. 85−9108
Maichle, J. *see* Wroblewski, T. 88−42463
Maicki, J.R., Lockhart, D.F. AGVs in the automated electronics factory 87−5221
Maida, J.L., Varshneya, D. Fiber optic rotary position transducer 88−42143
Maida, Y., Toguchi, A. Digital video memory for VTR applications 87−44837
Maiden, G.S. Quality management at GTE Communication Systems Research and Development 87−28291
Maidens, J.M., Paulson, K.V. A magnetotelluric investigation under the Williston Basin of southeastern Saskatchewan 88−54727
Maidi, E.El *see* El Maidi, E.
Maidique, M.A., Zirger, B.J. A study of success and failure in product innovation: the case of the US electronics industry 85−16674
Maidment, J.A. *see* Howard, D.M. 86−48866
Maidment, J.R. *see* Hemmie, G. 88−47788
Maidorn, C., Blind, D. Solidification and segregation in heavy forging ingots 85−39358
Maidt, D.F. Graphite/epoxy exhibits desirable structural properties for avionics chassis design 86−52537
Maiello, M.L., Harley, N.H. EGARD: an environmental γ-ray and ^{222}Rn detector 88−5024
Maiello, M.L., Rosenthal, F., Harley, N.H. The determination of X-ray exposure from cathode ray tubes: exposures not detected 86−38843
Maier, Fully automatic self alignment of TV-tuners 87−13878
Maier, A.A. Self-switching of light in a directional coupler 85−2028
Maier, A.A. Self-switching of light in integrated optics 86−9942
Maier, A.A. Phase self-matching of waves in self-switching of light in nonlinear tunnel-coupled waveguides 107 Maier, A.A. (Inst. of Gen. Phys., Acad. of Sci., Moscow, USSR) 86−22525
Maier, A.A. Switching of radiation in tunnel-coupled optical waveguides by weak radiation frequency 87−25980
Maier, A.A. On a theory of self-switching radiation in tunnel-coupled waveguides 88−2009
Maier, A.A. Possible practical use of self-switching of radiation in coupled waveguides for amplification of the useful modulation of a signal 88−26851
Maier, A.A., Serdyuchenko, Yu.N., Sitarskii, K.Yu., Shchelev, M.Ya., Shcherbakov, I.A. Breakup of an ultrashort pulse in the course of self-switching of light in tunnel-coupled waveguides 88−20737
Maier, A.A., Sitarskii, K.Yu. Self-switching of radiation in nonidentical tunnel-coupled optical waveguides 88−26852
Maier, A.A., Sitarskii, K.Yu. Switching of the radiation frequency in a medium with a quadratic nonlinearity and an optical transistor based on this effect 88−51934
Maier, A.A. *see* Gusovskii, D.D. 86−48119, 88−20363
Maier, B.O., Staselko, D.I., Yurlova, L.A. Dichromated-gelatin holographic elements for transforming the spatial structure of laser beams 85−35919
Maier, C. *see* Doll, P. 87−70994
Maier, C. *see* Heeringa, W. 87−3872
Maier, C. *see* Herringa, W. 86−60528
Maier, E. *see* Gauger, E. 85−24930
Maier, F. Static deenergising circuits for electric motors [synchronous motors] 85−48938
Maier, F.-D. SMD technology changes PC-board technology and assembly 87−32161
Maier, G. A TV system without a ‘classical’ tuner 86−17577
Maier, G. *see* Mansour, M.A. 85−60678
Maier, G.M. TV receiver HF study for D2-MAC terrestrial transmission 88−15751
Maier, H. The services offered in office communications 88−73493
Maier, H., Conzelmann, H., Geibel, C., Pahler, G., Schmidt, B., Wendler, J., Ziegler, J. $Hg_{1-x}Cd_xTe$-detectors and hybrid IR-CCDs 87−3487
Maier, H. *see* Geibel, C. 87−31537, 88−31716
Maier, H. *see* Mosser, V. 88−64350
Maier, H. *see* Schaub, R. 87−3481
Maier, H. *see* Schrofelbauer, H. 85−9738, 88−48785
Maier, H. *see* Stadler, J.P. 86−14859
Maier, H. *see* Zhao, W. 85−34504
Maier, H.-J. *see* Wustenberg, H. 86−579
Maier, H.A., Schlotz, H., Sander, D. Using the transient wave procedure on the origination mechanism of wind-induced cable galloping 88−10872
Maier, H.A. *see* Fromm, W. 87−64156
Maier, H.J., Grossmann, R. ^{226}Ra targets for nuclear spectroscopy 85−59123
Maier, H.J. *see* Korschinek, G. 85−59142
Maier, H.J. *see* Munzer, H. 88−47764
Maier, H.J. *see* Stephan, K.H. 88−23017
Maier, J.H. Computer networking in and with the People's Republic of China: possibilities and probabilities 87−69720
Maier, K. Multiple exploitation of antennas for the mobile radio service 86−23743
Maier, K. *see* Bauer, W. 87−29532
Maier, K.H. Industrial combined-heat-and-power: to be or not to be? 87−22094
Maier, K.H. Prices of current from point of view of the industry: is the price of current to high? 87−78222
Maier, K.H. *see* Guttormsen, M. 85−26729
Maier, M., Selders, J. Rapid thermal anneal and furnace anneal of beryllium-implanted $Ga_{0.47}In_{0.53}As$ 87−11605
Maier, M. *see* Bogner, U. 85−35850, 86−42666
Maier, M. *see* Derr, F. 86−43516
Maier, M. *see* Krautle, H. 86−1981
Maier, M. *see* Kutt, W. 85−29113
Maier, M. *see* Lettera, C. 86−37122, 86−54562
Maier, M. *see* Schatz, P. 87−12533
Maier, M. *see* Selders, J. 87−24973
Maier, M. *see* Singh, R. 85−23641
Maier, M. *see* Smith, R.S. 87−25069
Maier, M. *see* Vescan, L. 85−1491, 86−28141
Maier, M.R. An adaptive shooting method for singularly perturbed boundary value problems 86−46289
Maier, M.R. *see* Gong, W.G. 88−47998
Maier, M.R. *see* Westfall, G.D. 85−64469
Maier, P. *see* Liptak, G. 85−56038
Maier, P. *see* Pfister, G. 87−36842
Maier, P. *see* Zogg, H. 87−36739
Maier, R., Klotz, W.-D., Simon, B., Weihreter, E., Wustefeld, G. BESSY II−a synchrotron light source of the third generation 88−47954
Maier, R., Necker, P., Strauss, J., Hemming, H., Landgraf, E. Construction and operation of the flue gas desulphurization plant at Altbach/Deizisau power station, unit no.5−experience from commissioning and initial operating period 87−64364
Maier, R., Schmidt, G. A completely parallel scheme for simulation of transients in large gas transmission networks 87−44224
Maier, R. *see* Degelmann, K. 86−19608
Maier, R. *see* Holtkamp, N. 88−29728
Maier, R. *see* Klotz, W.-D. 87−29419, 88−54248
Maier, R. *see* Kuske, P. 87−21304
Maier, R. *see* Mulhaupt, G. 87−21303
Maier, R. *see* Pfluger, J. 88−47810
Maier, R. *see* Schwab, A.J. 88−2606
Maier, R. *see* Weihreter, E. 86−24965
Maier, R.J. *see* Tausch, H.J. 88−26292
Maier, R.S. *see* Faris, W.G. 88−24627
Maier, V.Ya., Galak, I.L., Belyaeva, E.V. A procedure for determining the electrical parameters of 3-phase electric arc steel-melting furnaces with allowance for asymmetry of the electrical conditions 87−31090
Maier, W. *see* Dietrich, D. 87−13212
Maier, W. *see* Elsasser, R.F. 85−16484
Maier, W. *see* Rajakovics, G. 85−48835
Maier, Yu.U., Galak, I.L. Improvement of the working efficiency of compensating filters in industrial plants 88−49099
Maier-Komor, P. Targets of high vapour pressure elements 85−59130
Maierbacher, J. Design turbine joints for zero leakage, quick servicing 85−21467
Maiereanu, M. *see* Bucea, G. 85−59725
Maierhofer, J., Mattern, K., Schmitt, H. Principles of gate level simulation applied to system level simulation 86−8083
Maietti, R. PLC networks: supervision through personal computers 85−57760
Maige, P., Zannol, S. Commutation transistor with UAA 4002 86−716
Maige, P. *see* Couet, J.-Y. 86−67008
Maige, P. *see* Van Den Driessche, M. 86−11261, 87−10656
Maignan, A. *see* Vizot, J. 88−33508
Maignan, D. *see* Elstner, J. 85−28537
Maignan, M., Bernard, J.J., de Chatau-Thierry, P. Wide band 150 μs optical delay line for satellite altimetric radar checking 88−65180
Maigne, J.L. Continuous line processing under vacuum 85−32807
Maigne, P., Sebenne, C.A., Taleb-Ibrahimi, A. Investigation of the Ag/InP (110) interface formation 86−21256
Maigne, P. *see* Baribeau, J.-M. 88−38204
Maigne, P. *see* Baribeau, J.M. 88−56224
Maigne, P. *see* Houghton, D.C. 88−43893
Maigne, P. *see* Moore, W.T. 88−31740
Maigret, N., Duchemin, B., Lanore, J.M., Robert, T., de Villeneuve, M.J. Use of simulation methods in the evaluation of reliability and availability of complex system 85−5863
Maijers, A.J. Impact of PCM transmission systems on voiceband data transmission 85−13979
Maikov, A.R., Poezd, A.D., Poezd, E.D., Yakunin, S.A. The dynamics of transitional processes in a microwave relativistic beam accelerator with dielectric filling 87−53116
Maikov, A.R., Poezd, A.D., Yakunin, S.A. Calculating transient processes in microwave amplifier with dielectric filling 87−73348
Maikov, K.A., Terekhov, V.A. A statistical analysis algorithm for multidimensional radio systems with random properties 86−49450
Mailat, A. *see* Saal, C. 87−58063
Maile, B. *see* Zielinski, E. 86−54163
Maile, B.E., Forchel, A., Germann, R., Menschig, A., Streubel, K., Scholz, F., Weimann, G., Schlapp, W. Fabrication of nanometer width GaAs/AlGaAs and InGaAs/InP quantum wires 88−25943
Maile, G. Satellite paging in cellular communications 86−23778
Maile, G. *see* Haine, J. 88−67266
Mailfert, A., Rezzoug, A., Manfe, P. SUPER-SAT: a new class of superconductor machines 85−27373
Mailfert, A. *see* Manfe, P. 88−30660
Mailfert, A. *see* Meibody Tabar, F. 87−22274
Mailfert, A. *see* Rezzoug, A. 85−27398
Mailfert, A. *see* Zhou, J. 86−51664
Mailfert, R. *see* Ai, B. 87−15303
Mailfert, R. *see* Chaman, S. 86−58632
Mailhiot, C., Duke, C.B. Microscopic model of metal-semiconductor contacts and semiconductor heterojunctions 87−11457
Mailhiot, C., Smith, D.L. Effects of strain-induced electric fields on the electronic structure of [111] growth axis semiconductor superlattices 87−1246
Mailhiot, C. *see* Collins, R.T. 88−7347
Mailhiot, C. *see* Smith, D.L. 88−4435, 88−42099
Mailhiot, C. *see* Wu, G.Y. 85−23500
Mailina, Kh.R. *see* Gurieva, E.A. 87−37912
Mailina, Kh.R. *see* Prokof’eva, L.V. 88−32827
Maillard, F. *see* Duplessis, P. 88−60028
Maillard, P.A. Debounce circuit without masking delay 85−50009
Maillart, P. *see* Lucas, C. 88−74413
Maille, C. *see* Belorgeot, C. 88−24136
Maille, J. *see* Ameurlaine, J. 87−3485
Mailles, D. *see* Fdida, S. 86−62006
Maillet, A.J. Current lighting practice trends for the pulp and paper industry 85−44360
Maillet, H., Courrier, G. Analysis of standards about laser radiation safety 86−12056
Maillet, M. *see* Collier, F. 87−26284

Maillet, S., Stuck, R., Grob, J.J., Golanski, A., Pantel, R., Perio, A. High temperature oxygen implantation in silicon: SOI structure formation characteristics 87—38083
Maillet, S. *see* Ferrieu, F. 88—7374
Maillet, S. *see* Golanski, A. 87—24948
Maillet, S. *see* Vu, D.P. 88—39147
Maillot, B. *see* Bruel, M. 85—12157
Maillot, C. *see* Dufour, G. 86—15061
Maillot, C. *see* Rochet, F. 87—17936, 87—38146
Maillot, G. *see* Alasnier, M. 85—21992
Maillot, P. *see* Broadbent, E.K. 87—60221
Maillot, P. *see* D'Auria, L. 86—30831
Maillot, P. *see* Delfino, M. 87—74109, 88—7404, 88—50650
Maillotte, H. *see* Spajer, M. 87—18657
Mailloux, G.E., Bertrand, M., Stampfler, R., Ethier, S. Texture analysis of ultrasound B-mode images by segmentation 85—25187
Mailloux, G.E. *see* Simard, P.Y. 88—41032
Mailloux, R.J. Grating lobe characteristics of arrays with uniformly illuminated contiguous subarrays 85—13252
Mailloux, R.J. Array grating lobes due to periodic phase, amplitude, and time delay quantization 85—24977
Mailloux, R.J. Printed slot arrays with dielectric substrates 86—43073
Mailloux, R.J. Phased array architecture for MM-wave active arrays 87—7621
Mailloux, R.J. Antennas and radar 87—33544
Mailloux, R.J. Advances in antenna technology for limited sector scanning 87—47349
Mailloux, R.J. On the use of metallized cavities in printed slot arrays with dielectric substrates 87—61452
Mailloux, R.J. Basic parameters of antennas for aircraft, satellites and missiles 87—61470
Mailloux, R.J. Antennas and radar 88—40667
Mailly, D. *see* Bellessa, J. 88—25945
Mailly, D. *see* Jin, Y. 88—26353
Mailyan, A.L. *see* Nazaryan, A.G. 85—65202
Mailyan, A.R. *see* Panosyan, Zh.R. 85—34686
Maimistov, A.I., Manykin, E.A. Propagation of ultrashort optical pulses in resonant nonlinear light guides 85—12973
Maimistov, A.I., Manykin, E.A., Sklyarov, Yu.M. Influence of noise on the formation of optical solitons in waveguides 87—46489
Maimistov, A.I., Sklyarov, Yu.M. Influence of regular phase modulation on formation of optical solitons 87—74706
Maimistov, A.I. *see* Bykovskii, Yu.A. 85—7286, 85—24337
Maimoni, A. Aluminium-air power cell—a progress report 86—40054
Main, A.B. *see* Baraclough, J.N. 87—13936
Main, C., Russell, R., Berkin, J., Marshall, J.M. Transient photoconductivity in n-type a-Si:H 87—61024
Main, C. *see* Barclay, R.P. 86—27945
Main, C. *see* Hepburn, A.R. 86—28344, 86—53663, 88—19995
Main, D. *see* Ens, W. 86—44606
Main, G. Radiation hardness in CMOS devices 87—67562
Main, G.L., Lam, S.H. Emitter sheath effects on thermionic convertor performance 85—21846
Main, J.J. New developments in powertrain control 86—45797
Main, J.J., Galbraith, I.D., Gilmore, P.R. A microprocessor controlled automated manual transmission 87—79184
Main, P.C. *see* Chroboczek, J.A. 86—53352
Main, P.C. *see* Leadbeater, M.L. 88—64264
Main, P.C. *see* Taylor, R.P. 87—66919
Main, R. Hollow cathode lasers from Hungary 85—41311
Main, R. Optical technologies—an agenda for the future 87—26048
Main, R.P. Fibre optic sensors—future light 85—56346
Main, R.P. Two approach to industrial inspection and control 86—202
Main, W. *see* Baranga, A.B. 86—21036
Maina-Ayiera, E., Goldsmith, G.J. Influence of ethane plasma annealing on polycrystalline silicon barrier heights and minority carrier capture cross-sections 87—66875
Maincent, M. Private home banking at Societe Generale 87—28019
Maine, P., Strickland, D., Bado, P., Pessot, M., Mourou, G. Obtaining petawatt pulses 88—20628
Maine, P., Strickland, D., Bado, P., Pessot, M., Mourou, G. Generation of ultrahigh peak power pulses by chirped pulse amplification 88—40173
Maines, J.D. Surveillance and night vision 85—3888
Mainfray, G. *see* Ferray, M. 88—34121
Mainfray, G. *see* L'Huillier, A. 88—45536
Mainguy, A. Application of single-mode fiber optic technology to analog multichannel cable TV distribution systems 85—42760
Maini, M. *see* Liberati, G. 87—9422
Maini, R., McDonald, J., Spangler, L. A clock distribution circuit with a 100 ps skew window 88—12476
Maini, R. *see* McDonald, J. 88—71753
Mainik, I.F. *see* Zhulovyan, V.V. 88—37152
Mainka, M. Computer aided command technology in 110/20 kV transformer stations—practical inception and operational experiences 85—53729
Mainka, M. *see* Bruggendieck, S. 86—51057
Mainland, W. The coming boom in disk drives: how to avoid the crash 85—44489
Maino, G.L., Burri, J. Modifications to the weir plant of the power station of Linthkraft AG, Nestal [hydroelectric power station] 85—38888
Mainoli, A. *see* Aghion, F. 85—56259
Mains, E.F. *see* Jones, H. 86—48017
Mains, E.F. *see* Michaelson, P.F. 86—42161
Mains, R.K., Haddad, G.I. Traveling-wave IMPATT amplifiers and oscillators 87—6078
Mains, R.K. *see* El-Gabaly, M.A. 85—6522 to 6523
Maintok, K.-H., Winklhofer, P. Commissioning and first operational results from the steam generating plant provided with ZAWSF (circulating atmospheric vortex layer firing) 87—78460
Mainville, J.A.G. *see* Couturier, J.-F. 87—8280
Mainwaring, J. *see* Clarkson, L. 87—34037
Mainwaring, K. Liberalisation and regulatory standards for ISDN in the United Kingdom 87—34013
Mainzer, N. *see* Weiss, E. 88—64416
Maio, A. *see* Burmeister, H. 85—9051
Maio, A. *see* Gago, J.M. 88—4822
Maio, B.Di *see* Di Maio, B.
Maio, D. *see* Gallerani, R. 87—34077, 88—9082
Maio, F.Di *see* Di Maio, F.
Maio, I. *see* Bava, G.P. 85—12560
Maio, J.De *see* De Maio, J.
Maio, K., Hayashi, S.-I., Hotta, M., Watanabe, T., Ueda, S., Yokozawa, N. A 500-MHz 8-bit D/A converter 86—34898
Maio, K., Hayashi, S., Hotta, M., Yokozawa, N., Watanabe, T., Ueda, S. A 500 MHz 8b DAC 86—8329
Maio, K. *see* Hotta, M. 85—49951, 86—46929, 87—59665, 88—19219
Maio, K. *see* Watanabe, T. 85—37291, 88—842, 88—32281
Maio-Rescu, D. *see* Diacon, A. 85—9788
Maiocchi, G. *see* Tavano, F. 88—55044
Maioli, A. Software for the design of lightning protection schemes 87—4441
Maiolino, C. *see* Agodi, C. 88—61132
Maiolino, C. *see* Finocchiaro, P. 88—74292, 88—74753
Maione, B. Electrification planning and choice of appropriate electrical technologies in developing countries [power system planning] 85—9463
Maione, B. *see* Brucoli, M. 85—27401
Maior, E.A., Kharitonov, E.V. Computer modelling of the volt-amp characteristics of nonlinear semiconducting granular material 85—23385
Maiorana, A. *see* Zapparoli, G. 87—29635
Maiorchuk, M.A. *see* Kagan, Yu.Kh. 85—2140, 87—35079
Maiorets, A.A. *see* Veinberg, D.M. 88—37349
Maiorets, A.I. The trend toward scientific and technical progress [electrical-equipment industry] 86—26578
Maiorets, A.I. Seven decades of Soviet electric power engineering 88—23238
Maiorino, C.D. *see* Thompson, C.V. 87—32449
Maiorov, S.A., Rudenko, A.A., Tolstikhin, V.I. Numerical modeling of nonstationary processes in submicron monopolar semiconductor structures based on a hydrodynamic model of transfer phenomena 87—11724
Maiorov, S.A. *see* Bryunetkin, B.A. 87—33107
Maiorov, S.A. *see* Golubkova, M.N. 87—19399
Maiorov, S.A. *see* Gud, V.V. 87—69285
Maiorov, S.A. *see* Kukharev, G.A. 85—16900
Maiorov, V.A. *see* Evdokimov, V.M. 87—22732
Maiorov, V.A. *see* Zhuchkov, V.M. 87—58317
Maiorov, V.P., Gutorov, Yu.A. A method of stimulating low-frequency transmitters in thermostable acoustic logging equipment 85—4432
Maiorov, V.S. *see* Andriyakhin, V.M. 85—12930
Maiorova, E.K. Calculation of VPA three-mirror periscopic system 85—42683
Maiorova, E.K., Stotskii, A.A. Determination of the parameters of the focusing ring system of the RATAN-600 radiotelescope for observations in the zenith 88—15713
Maiorova, N.I. *see* Karpov, S.Yu. 85—12883
Maiorova, N.I. *see* Kuchinskii, V.I. 87—33199
Mair, E., Hausmann, H., Naessl, R. EWSP—a high performance packet switching system 87—48661
Mair, E. *see* Huber, J.F. 87—69818, 87—76475
Mair, G.L.R. An analytical expression for the current-voltage characteristics of capillary type liquid metal ion sources 85—37882
Mair, G.L.R., Mulvey, T. Ion beam lithography (ion sources and columns) 86—20980
Mair, G.L.R., Mulvey, T., Forbes, R.G. Energy spreads in field evaporation and liquid-metal ion sources 85—37883
Mair, G.L.R., Thoms, S. Studies with a capillary liquid metal ion source 87—8810
Mair, H.D., Bresse, L.F., Hutchins, D.A. A study of diffraction effects of planar transducers using a numerical expression for edge waves 88—61695
Mair, H.D. *see* Hutchins, D.A. 86—65580, 87—4186, 87—71435, 88—57863
Mair, H.D. *see* Kramer, S.M. 88—16970, 88—54798
Mair, R. Fingertip control [touch screens] 88—60841
Mair, T. *see* Schlemm, A. 86—67225
Maire, J. *see* Touzain, Ph. 85—39184
Mairs, C. SNA LU type 6.2: some relief for the interworking dilemma 86—64773
Mairs, D.D., Stuehm, D.L., Mork, B. Overvoltages on five legged core transformers on rural electric systems 88—55415
Mais, H., Ripken, G., Wrulich, A., Schmidt, F. Particle tracking 87—63612
Mais, H., Wrulich, A., Schmidt, F. Studies of chaotic behavior in HERA caused by transverse magnetic multipole fields 86—31942
Mais, H. *see* Barber, D.P. 85—48157
Mais, H. *see* Borchardt, I. 88—68187
Mais, H. *see* Degele, D. 85—26601
Mais, S.J. *see* Laughlin, D. 87—11146
Maisch, M. Security checks for nuclear installations 86—45094
Maisch, W. *see* Zayek, F. 88—72592
Maisch, W.G., Summers, G.P., Campbell, A.B., Dale, C.J., Ritter, J.C., Knudson, A.R., Elam, W.T., Herman, H., Kirkland, J.P., Neiser, R.A., Osofsky, M.S. Radiation effects in high T_c superconductors for space applications 88—26692
Maisel, J.E. An average mean square error technique for studying the effect of suppressing the discrete Fourier angle 87—36566
Maisel, J.E. A novel laboratory approach for analyzing periodic signals 88—31342
Maisenbacher, B., Schmidt, S. Design approach for programmable optical attenuator 87—40901
Maisenbacher, B., Schmidt, S., Schlicker, M. Design approach for a programmable optical attenuator 88—9543
Maisenbacher, B. *see* Berkel, W. 85—26489
Maisenhalder, F. High power CO-lasers 87—46798
Maisenhalder, F., Bohn, W.L., Hall, Th., Wittwer, W. Pulsed waveguide CO laser operating at room temperature 87—54219
Maish, A.B. PV concentrator structure and array test results 86—7080
Maish, A.B. PV concentrator array field performance measurement 87—30970
Maish, A.B., Cannon, J.E. Test data analysis for concentrating photovoltaic arrays 87—16014
Maish, A.B., Chiang, C.J. Photovoltaic concentrator array reliability 86—12748
Maish, A.B. *see* Boes, E.C. 88—37099
Maison, J.M. *see* Hourani, E. 88—29926
Maison, J.M. *see* Waast, B. 88—47757
Maison-Blanche, P. *see* Coumel, P. 88—4962
Maisonneuve, J.-M., Gallawa, R.L. The use of power transfer matrices in predicting system loss: theory and experiment 87—25954
Maisonneuve, J.M., Churoux, P., Gallawa, R.L. Use of mode transfer matrices in LAN loss evaluation 87—34585
Maisonneuve, J.M., Gallawa, R.L. The use of power transfer matrices in predicting system loss: theory and experiment 85—42569
Maisotsenko, V.S. *see* Tsimerman, A.B. 86—66501
Maiss, G. Graphical communication services in the project 'Deutsches Forschungsnetz' [German scientific network] 87—48672
Maissan, A.Th. *see* Vermij, L. 87—66670
Maissel, L. *see* Fleisher, H. 85—22764
Maiste, A.C. *see* Picton, T.W. 87—71137
Maistre, J.C.de *see* de Maistre, J.C.
Maistre, L. *see* Webb, M.G. 88—75087
Maistrenko, A.A. *see* Zhitomirskii, M.Ya. 88—14753
Maistrenko, A.S. *see* Gorbik, P.P. 85—14800
Maistrenko, V.A., Nikonov, A.V., Krutov, S.N. Amplitude-frequency error of a strobe converter with feedback 87—32035
Maistros, J.G. *see* Moraitis, C.S. 86—31314
Maisuradze, Sh.A. *see* Tskhirashvili, D.G. 86—39675
Maisyukov, V.D. *see* Abashidze, L.I. 86—25133, 86—60633
Maisyukov, V.D. *see* Budilov, A.A. 86—44588
Maisyukov, V.D. *see* Gamayunov, S.N. 87—50161
Mait, J.N. Pupil-function design for bipolar incoherent spatial filtering 87—19859
Mait, J.N., Brenner, K.-H. Dual-phase holograms: improved design 88—14286
Mait, J.N., Brenner, K.H. Optical symbolic substitution: system design using phase-only holograms 88—51626
Maiti, C.K., Bhattacharya, D., Chakrabarti, N.B. Thick-film ferrimagnetic pastes using lithium ferrite 85—50122
Maiti, H.S., Basu, R.N. Complex-plane impedance analysis for semiconducting barium titanate 87—11370
Maiti, H.S. *see* Chaklanabish, N.C. 86—33606
Maiti, S. *see* Desikamani, S. 87—3283
Maiti, S.S. *see* Mukherjee, B.N. 88—56108
Maitland, A., Clark, G.L. Recent art and science of copper vapour lasers 88—51762

Maitland, A. *see* Clark, G.L. 87-26285, 88-45350
Maitland, A. *see* Dobie, P.J. 88-51763
Maitland, A. *see* Park, I. 88-45492
Maitland, J.S. Computerised colour matching for litho printing onto metallic surfaces 88-38855
Maitra, K. *see* Deb, S. 85-49102
Maitra, S., Haque, M.A. Signal processing without a multiplier 87-19636
Maitra, S., Haqui, M.A., Storti Gaiani, G. Signal processing without multipliers 87-24230
Maitra, S., Parikh, D., Haque, M.A. Speech coding using forward and backward prediction 87-7701
Maitra, S. *see* Taylor, D. 86-30479
Maitra, S.N. Constant thrust programming for a multistage rocket flown in vacuum with a given initial/final thrust-to-weight ratio in an arbitrary stage 86-38864
Maitra, S.N., Thakur, B.N., Bose, S.N. Investigation on chlorosulfonated polyethylene/ethylene propylene terpolymer blends 88-55025
Maitre, H. An exact prediction of performances of Hough transform 85-57444
Maitre, H. A review on the Hough transform 86-19890
Maitre, H. Contribution to the prediction of performances of the Hough transform 87-7829
Maitre, H., Wu, Y.F. Improving dynamic programming to solve image registration 87-69317
Maitre, H., Yifeng, Wu. Combination of dynamic programming and autoregressive model for elastic matching of distorted images 88-3230
Maitre, H. *see* Cheevasuvit, F. 86-64325
Maitre, H. *see* Heitz, F. 87-69338, 88-21346
Maitre, H. *see* Jutand, F. 88-73274
Maitre, H. *see* Kwon, Y.-B. 88-21221
Maitre, H. *see* Wu, Y. 87-48172
Maitre, H. *see* Yifeng Wu 87-75933
Maitre, R. *see* Cheron, H. 86-4360
Maitre, X. 7 kHz audio coding within 64 kbit/s 88-40858
Maitre, X. *see* Bonnet, M. 87-39660
Maitre, X. *see* Charbonnier, A. 86-20623
Maitre, X. *see* Daumer, W.R. 85-41840
Maitre, X. *see* Milon, J. 85-63485
Maitre, X. *see* Taka, M. 87-19513
Maitre, X.C., Levy, M.Y., Surie, S.R. The multi memory echo canceller for two wire digital transmission 85-41649
Maitrot, M., Guillaud, G., Boudjema, B., Andre, J.J., Simon, J. Molecular material based junctions: Formation of a Schottky contact with metallophthalocyanine thin films doped by the cosublimation method 87-11428
Maitrot, M. *see* Andre, J.J. 86-1815, 87-53263
Maitrot, M. *see* Boudjema, B. 85-6749
Maitrot, M. *see* Guillaud, G. 85-45460
Maitrot, M. *see* Madru, M. 88-13376
Maitrot, M. *see* Madru, R. 88-39436, 88-57638
Maity, A. *see* Mitra, A. 86-24298
Maitz, G.S. *see* Herron, J.M. 88-36548
Maiuzzo, M. Predicting intermodulation levels due to distortion in linear broadband power amplifiers 86-27116
Maiuzzo, M.A. *see* Lustgarten, M.N. 87-26839
Maiuzzo, M.A. *see* Reilly, T.S. 88-21146
Maiwald, D. *see* Chevillat, P.R. 87-55883, 88-9330
Maiwald, D. *see* Ungerboeck, G. 85-45082
Maiwald, H. *see* Reichel, G. 87-46206
Maiwald, W. Development of SMD assemblies under production conditions 87-73907
Maiwald, W. The SMD technique in practice 88-1090
Maiwald, W.J. Surface mounting for modern electronics 88-44427
Maix, R.K., Marti, H., Salathe, D.G. Superconductors for use in electromagnetic windings 86-68217
Maix, R.K., Rauch, J.C., Benz, H., Vecsey, G., Jakob, B., Zichy, J.A. Construction and testing of a superconducting toroidal field coil for the LCT project 87-38703
Maix, R.K. *see* Baynham, E. 86-48039
Maix, R.K. *see* Horvath, I. 85-1935
Maix, R.K. *see* Salathe, D. 88-63404
Maix, R.K. *see* Vecsey, G. 85-56231
Maixner, T. *see* Habel, J. 87-36235
Maiz, J.A., Sabi, B. Electromigration testing of Ti/Al-Si metallization for integrated circuits 88-1572
Maiz, J.A., Segura, I. A resistance change methodology for the study of electromigration in Al-Si interconnects 88-50758
Maizel', S.Ya., Vasil'ev, V.G. Remote control of the working of breakers in rural electrical networks 87-4366
Maizel, V.I., Onishchenko, E.V. Effectiveness of utilization of electrical energy and natural gas in the gas industry with allowance for regional aspects 88-24304
Maizenberg, M.I., Kaplan, M.D. Electromagnetic fields of defects of magnetized materials induced by ultrasound 86-20135
Maizener, A. *see* Asse, A. 88-75524
Maizener, A. *see* Hennebicq, J.-P. 86-33207
Maizuls, R.A. *see* Krivosheev, M.I. 86-11615
Maj, A. *see* Guttormsen, M. 85-26729
Maj, S. Dielectric resonators and their utilization in microwave technique 86-35063
Maj, S., Abramowicz, A., Modelski, J. Computer-aided design of mechanical tuning structures of a dielectric resonator on microstrip substrate 88-25433
Maj, S., Modelski, J.W. Application of a dielectric resonator on microstrip line for a measurement of complex permittivity 85-20701
Maj, S., Pospieszalski, M. A composite, multilayered cylindrical dielectric resonator 85-17791
Maj, S. *see* Krupka, J. 87-14488
Maja, M., Penazzi, N. Effect of some elements on oxygen reduction and hydrogen evolution at lead-acid battery negative plates 88-17876
Maja, M., Spinelli, P., Lazzari, M. On the design of lead-acid battery grids 87-78873
Maja, M. *see* Delmastro, A. 85-32691
Majani, E., Collins, O., Abu-Mostafa, Y. Essential average mutual information 87-54811
Majanne, M.Y. Computerized combustion monitoring in pulverized fuel fired power plant 88-75472
Majanne, Y. *see* Kortela, U. 87-4573, 87-35824
Majanne, Y.J. *see* Kortela, U.K.J. 88-5517
Majaumder, D.Dutta *see* Dutta Majaumder, D.
Majborn, B. Measurements of radon in dwellings with CR-39 track detectors 87-29655
Majborn, B. Automated counting and analysis of etched tracks in CR-39 plastic 87-50184
Majcen, J. *see* Mlakar, J. 88-1022
Majcher, M. *see* Bytnar, A. 86-19217
Majchrowski, A. *see* Zmija, J. 86-53839
Majchrzak, A. A national probability survey on education and training for CAD/CAM 87-43843
Majchrzak, J. *see* Dudzinski, K. 86-49364
Majda, G. *see* Banks, H.T. 85-19243
Majdecki, S.A. *see* Smith, D.W. 87-65651
Majdhoub, S.K. *see* El-Amin, I.M. 87-57558
Majeed, A. *see* Knight, D.G. 88-11989
Majendie, A. Light beyond the spark gap 88-9537
Majer, I. *see* Kertesz, J. 87-43155
Majer, J. *see* Berjozkin, V.V. 87-35333
Majer, J. *see* Kott, J. 86-51195
Majercik, J. *see* Novak, S. 86-39415
Majercik, J. *see* Petenyi, V. 88-17305
Majerhoferova, J., Skarda, V. Programmable input protection for modules of series ASVT-M 86-44122
Majerski, S. Square-rooting algorithms for high-speed digital circuits 85-54822
Majerus, J.-P., Jacovitti, G. Comments, with reply, on 'Performance analysis of monopulse receivers for secondary surveillance radar' 85-52388
Majesko, G., Brady, W.R., Burley, N.A. The Nicrosil-Nisil thermocouple 86-5208
Majetic, M. Tele-electrocardiogram-electrocardiogram by telephone, by radio and by audio cassette 87-77669
Majewski, A. Numerical analysis of the multistep-index fiber having the uniaxial anisotropy 85-35464
Majewski, A. Numerical analysis of double-step-index single-mode optical fibres 86-15446
Majewski, A. Numerical analysis of multistep-index monomode optical fibers 86-58746
Majewski, A. Equations for cut-off frequencies of the modes in multistep-index optical fibre 87-38733
Majewski, A., Pelzner, E. Characteristic equations for TE and TM modes 85-12544
Majewski, A., Pelzner, E. Characteristic equations for TE and TM modes 85-50905
Majewski, A., Wawrzyniak, Z.M. Multiclad single-mode F-doped silica fibers 87-74757
Majewski, A., Wawrzyniak, Z.M. Numerical analysis of anisotropic optical fiber with arbitrary index distribution 88-2016
Majewski, A. *see* Kuhne, R. 86-42319
Majewski, A.J. *see* Wilamowski, B.M. 88-509
Majewski, E. *see* Park, Y.H. 86-21451
Majewski, F.T., Riggs, C.D. Board and connector assembly using a precision alignment gripper 85-6604
Majewski, J. *see* Baranski, W. 88-5159
Majewski, J. *see* Clark, M. 86-53047
Majewski, M., Pichumani, S. The use of silicon compilation in the design of a Gaussian filter and a template matching processor 88-1747
Majewski, M., Sazhin, S.S. Oblique extraordinary mode propagation in the magnetospheric plasma 85--13118
Majewski, M.A., Krull, F.N., Fuhrman, T.E., Ainslie, P.J. AutoDraft: automatic synthesis of circuit schematics 87-36908
Majewski, M.L. Automatic measurement of amplitude and phase of microwave signals over broad frequency range 85-64262
Majewski, M.L. Dielectric resonator filters for UHF and microwave applications 87-17323
Majewski, M.L. An analytical DC model for the modulation-doped field-effect transistor 87-74304
Majewski, R.M. *see* Aleksoff, C.C. 88-28971
Majewski, S., Anderson, D.F., Constanta-Fanourakis, P., Kross, B., Fanourakis, G. Low-pressure ultraviolet photon detector with TMAE gas photocathode 88-29825
Majewski, S., Bentley, M.K. Gamma radiation induced damage effects in the transmission of barium fluoride and cesium fluoride fast crystal scintillators 88-4803
Majewski, S. *see* Anderson, D.F. 85-4200
Majewski, S. *see* Bella, G. 87-29447
Majewski, S. *see* Bruckner, W. 88-61126
Majewski, S. *see* Caffrey, A.J. 86-50328
Majewski, S. *see* Czyrkowski, H. 87-29511
Majewski, T. Audio signal modulation caused by self-excited vibrations of magnetic tape 86-36037
Majewski, W. *see* Kotowski, T. 85-62529
Majher, J. ESM 1 electronic monitor of power maximum 86-51156
Majhi, J., Krishna Rao, D. Effect of different methods of oxidation on Si-SiO_2 interface state properties 85-55581
Majhi, J. *see* Krishna Rao, D. 85-55589
Majhi, J. *see* Prasad, J.J.B. 86-15125
Majhi, J. *see* Vaya, P.R. 85-23488, 85-55458, 86-35408, 88-50799
Majic, M. Computer system for electric motor test benches 86-17779
Majid, N. *see* McDonald, J.F. 88-64146
Majidi-Ahy, R., Auld, B.A., Weingarten, K.J., Bloom, D.M., Riaziat, M. Electro-optic sampling measurement of coplanar waveguide (coupled slot line) modes 88-12550
Majidi-Ahy, R., Omori, M., Stoneham, E. Monolithic 2-6 GHz limiting amplifier 88-979
Majidi-Ahy, R., Weingarten, K.J., Riaziat, M., Bloom, D.M., Auld, B.A. Electrooptic sampling measurement of dispersion characteristics of slot line and coplanar waveguide (coupled slot line) even and odd modes 88-74573
Majidi-Ahy, R. *see* Riaziat, M. 88-12551
Majidi-Ahy, R. *see* Weingarten, K.J. 87-73783, 88-19398
Majima, M. *see* Abe, K. 88-4802
Majima, O. *see* Yamaguchi, Y. 85-62789
Majima, T., Yanase, T., Inoue, H., Orihara, S., Yamagishi, K. Design and fabrication of a 4 Mbit bubble memory chip with 4 μm period permalloy propagation tracks 85-24204
Majima, T. *see* Akiyama, H. 88-18102
Majima, T. *see* Inoue, H. 86-28712
Majima, T. *see* Orihara, S. 86-2611
Majima, T. *see* Yanase, T. 87-60835
Majima, T. *see* Yonekura, Y. 86-28713, 87-60834
Majithia, J.C., Mehra, S.K. Performance analysis of a pooled resource multiprocessor computer organization 85-2926
Majithia, J.C., San-Qi Li, Parker, T. Congestion control technique for an integrated services local area network 86-4111
Majithia, J.C. *see* Balakrishnan, M. 88-31932
Majithia, J.C. *see* Linders, J.G. 87-65669
Majithia, J.C. *see* Mai, L. 88-15057
Majithia, J.C. *see* Yu, W. 85-13666, 86-23185
Majjar, F.E. *see* Ramberg, L.P. 87-6665
Majkowshi, I., Zmudzki, B. Resonators and piezoelectric ceramic filters for applications in commonly used products 85-1805
Majkowski, R.F. *see* Lo, W. 85-50350
Majkowski, R.F. *see* Partin, D.L. 85-41389
Majkrzak, C.F. *see* Shirane, G. 85-64441
Majkusiak, B., Jakubowski, A. On electron tunneling in the metal-insulator-semiconductor systems including various electron effective masses 86-8889
Majkusiak, B., Jakubowski, A. The dependence of MOSFET surface earlier mobility on gate-oxide thickness 87-25286
Majkusiak, B., Jakubowski, A. A new method for the simultaneous determination of the surface-carrier mobility and the metal-semiconductor work-function difference in MOS transistors 88-39455
Majkusiak, B., Jakubowski, A., Lukasiak, L. Influence of degeneracy in the channel on long-channel MOSFET characteristics 88-26273
Majmudar, A. *see* Jha, A.M. 88-9652
Majni, G. *see* Cantoni, P. 87-46955
Majni, G. *see* D'Anna, E. 85-50285, 86-15015, 86-41600, 88-1520
Majni, G. *see* Paccagnella, A. 86-8871
Majni, G. *see* Singh, A. 87-53658
Majocchi, B. *see* de Silvestri, S. 88-45493
Majocchi, L.M. *see* Annunziata, M. 85-41960
Majocha, A. Evaluation accuracy of the instantaneous value of the torque when an integrating analogue-to-digital converter is used 87-77432
Majocha, A. Quantization error in strain gauge converter of torque with noncontact transmission of measuring signal 88-67774
Major, C.S. *see* Chory, M.A. 85-37126
Major, D.E. *see* Giger, A.J. 87-40723
Major, I.C. *see* Neate, C.D. 87-64936
Major, J. *see* Bauer, W. 87-29532
Major, J.A. *see* Zwally, H.J. 88-10510

Major, J.R., Livingston, E.M., Adair, R.T. Automated measurement of frequency response of frequency-modulated generators using the Bessel null method 87−14115
Major, J.V. *see* Al-Khalifa, I.J.M. 87−14767
Major, L. *see* Mersich, I. 88−18841, 88−24954
Major, M. *see* Svatos, P. 85−21706
Major, P. Operating experiences of the state estimation program at the control of the Hungarian power system 86−25507
Major, R.V., Jasko, T.M., Cruickshank, K.J. Development of amorphous Fe-B based alloys for choke and inductor applications 85−24069
Major, R.V. *see* Grundy, P.J. 87−46326
Major, S., Banerjee, A., Chopra, K.L., Nagpal, K.C. Thickness-dependent properties of indium-doped ZnO films 87−6380
Major, S., Bhatnagar, M.C., Kumar, S., Chopra, K.L. The effect of hydrogen plasma on the properties of indium-tin oxide films 88−64407
Major, S., Chopra, K.L. Indium-doped zinc oxide films as transparent electrodes for solar cells 88−75944
Major, S., Kumar, M., Bhatnagar, M., Chopra, K.L. Effect of hydrogen plasma treatment on transparent conducting oxides 87−1403
Majoros, M. Comparative analysis of AC loss measuring methods in superconducting tapes subjected to an external magnetic field 88−58046
Majoros, M., Mints, R.G., Polak, M., Rakhmanov, A.L. Current carrying capacity of superconductors for 50 Hz applications 88−1887
Majoros, M. *see* Polak, M. 87−46403, 87−74544
Majors, A.W. *see* Thian, C.Ng. 86−50536
Majos, J. *see* Duret, C. 85−52188
Majoux, B. Operational amplifiers in CMOS-technique, low-loss, high noise-immunity, low noise 88−25010
Majowicz, A. *see* Gondek, J.J. 85−45253
Majstorovic, V.D. *see* Milacic, V.R. 88−126
Majumdar, A.K. Optical communication between aircraft in low-visibility atmosphere using diode lasers 86−17359
Majumdar, A.K. Impulse response of a picosecond photodetector directly from power spectrum measurement 86−65192
Majumdar, A.K. *see* Balakrishnan, M. 88−31932
Majumdar, A.K. *see* Linders, J.G. 87−65669
Majumdar, A.K. *see* Verma, M.R. 87−75882
Majumdar, C.K. *see* Das, D. 88−33140
Majumdar, D. *see* Gau, J.S. 87−18474
Majumdar, G., Kamitani, Y., Yu, Y., Iwamoto, H. Characteristics of a New 50 A, 500 V high power MOSFET module manifested for high frequency inverter applications 87−52376
Majumdar, G., Yuu, Y., Iida, T. A new 200 A, 500 V cascade BIMOS power module for high power and high frequency inverter applications 88−55507
Majumdar, G., Yuu, Y., Iida, T. Control and protection of MOS-gated power modules in inverter circuits 88−75791
Majumdar, G. *see* Kamitani, Y. 87−44592
Majumdar, G. *see* Mori, S. 88−24993
Majumdar, J. Industrial power distribution systems: common disturbances and application aspects 85−53959
Majumdar, K.K. *see* Sen, A.K. 86−63999
Majumdar, S. A multiple frame 100 picosecond framing camera 86−11460
Majumdar, S. The Dellistrique 2S−a 200 channel streak camera 86−11464
Majumdar, S., Key, P.Y., Majumdar, S. Phosphor nonlinearities in streak tubes 86−11463
Majumdar, S. *see* Chowdhury, J.K. 86−11986
Majumdar, S. *see* Fee, D.C. 87−43413
Majumdar, S. *see* Jaanimagi, P.A. 88−47579
Majumdar, S. *see* Majumdar, S. 86−11463
Majumdar, S.C. *see* Sen, A.K. 85−52403 to 52404
Majumdar, T.J. *see* Rao, K.S. 85−59466
Majumder, D.D. Pattern recognition, image processing and computer vision in fifth generation computer systems 87−33795
Majumder, D.D. *see* Biswas, S.N. 87−48126
Majumder, D.D. *see* Chanda, B. 85−51696, 85−63108, 85−63115, 88−73229
Majumder, D.D. *see* Lalitha, L. 87−75932
Majumder, D.D. *see* Mali, P.C. 85−7919, 87−44102
Majumder, D.D. *see* Murthy, C.A. 85−30450, 87−48139, 88−11860
Majumder, D.D. *see* Parui, S.K. 85−30451
Majumder, D.D. *see* Ray, K.S. 85−32358
Majumder, D.Dutta *see* Dutta Majumder, D.
Majure, R. *see* Levinson, E. 88−8248
Majure, R.G., Robinson, T.A. Comparison of laser gyro IMU configurations for reentry systems 87−42193
Majurski, W.J. *see* Hieronymous, J.L. 86−16262
Majurski, W.J. *see* Hieronymus, J.L. 87−27328
Mak, A.A., Fromzel, V.A., Murzin, A.G., Prilezhaev, D.S. New developments and prospects in solid-state laser energetics 87−68414
Mak, A.A., Fromzel, V.A., Shcherbakov, A.A. State-of-the-art and prospects for increasing the efficiency of solid-state lasers 86−15669
Mak, A.A., Nilov, E.V., Rusov, V.A. Microsecond laser pulses with adjustable length 86−68514
Mak, A.A., Novikov, G.E., Romanchenko, I.P., Ustyugov, V.I. Natural amplitude fluctuations of a CW Nd:YAG laser with in-resonator frequency doubling 88−45392
Mak, A.A., Ryl'kov, V.V., Cheshev, E.A. Stroboscopic pulsed laser photolysis apparatus 85−56910
Mak, A.A., Ustyugov, V.I., Khaleev, M.M., Zakgeim, A.L., Marakhonov, V.M. Amplitude fluctuations of a photodiode-pumped CW Nd:YAG laser 87−75068
Mak, A.A. *see* Alekseev, V.N. 86−15670, 88−8285
Mak, A.A. *see* Antipenko, B.M. 85−24513, 85−46374
Mak, A.A. *see* Bayanov, V.I. 87−33128
Mak, A.A. *see* Buchenkov, V.A. 86−29108
Mak, A.A. *see* Buzyalis, R.R. 88−51907
Mak, A.A. *see* Danilov, V.V. 86−28912
Mak, A.A. *see* Gradov, V.M. 85−24622, 85−41440
Mak, A.A. *see* Gratsianov, K.V. 87−46934
Mak, A.A. *see* Shcherbakov, A.A. 85−41375
Mak, A.A. *see* Viktorov, E.A. 88−20807
Mak, D. *see* Huisma, J. 86−51114
Mak, D.K. Locating defects with a modified tandem method 86−34418
Mak, D.K. Correction of Beam entry point for the pitch-catch technique in Ultrasonic testing 87−16722
Mak, D.K. Locating flaws in three-dimensional space using a transmitter-receiver system 87−36848
Mak, D.K. Acoustical imaging with mode-converted waves 87−52249
Mak, D.K. Acoustical imaging with minimized scanning 88−10643
Mak, D.K. Evaluation of size and orientation of scatterers by ultrasonic spectroscopy 88−18814
Mak, D.K. Near-surface flaw positioning using ultrasonic phase information 88−18834
Mak, D.K. A simple acoustical imaging method with manual scanning 88−63399
Mak, D.K., Kung, W. Flaw positioning in three dimensional space using unfocused transmitter-receivers 88−6568
Mak, D.K., Somerville, I.R. Defect characterization by radiation field theory 88−12132
Mak, D.K. *see* Hutchins, D.A. 88−12130
Mak, F. *see* Ilic, M. 88−42801
Mak, F.K. *see* Ilic'-Spong, M. 87−22821, 87−30534
Mak, H. *see* Suriyathumrong, S.K. 88−20422
Mak, H.B. *see* McKee, B.T.A. 88−61297
Mak, S., Bawolek, E., Teutsch, C., Dahlstrom, T., Morrison, K., Bowles, D. Photo-patterning and dry etching of aluminum and aluminum alloy for VLSI CMOS process 86−21869
Mak, S., Dahlstrom, T., Ravindhran, K.S. Fine line patterning for multilevel metallization in VLSI with layered structure 87−1784
Mak, S. *see* Gellings, C. 86−18692
Mak, S.C., Nagi, M. Dual-diode oscillator uses IMPATT devices 86−14506
Mak, S.T. The random failure statistics and replacement schedules of remote devices for load management 87−57545
Mak, S.T., Moore, T.G., Jr. TWACS, a new viable two-way automatic communication system for distribution networks. II. Inbound communication 85−3341
Mak, S.Y., Young, K. Voltage measurements in a loop surrounding a solenoid: some further 'paradoxes' due to stray capacitance 88−42240
Mak, W.Y. *see* Watson, P.K. 85−55995
Mak Stoe Tho *see* Stoe Tho Mak
Maka, S. Identification of non-common node ports 88−56374
Makabe, E., Harada, N., Muramatsu, I. Installation and precision control of a radiation thermometer as seen from measuring object 86−65196
Makabe, M. *see* Matsumoto, Y. 87−63874
Makabe, T., Shioda, F., Saitoh, S., Suzuki, K., Ogasawara, K. Single-chip PCM COMBO LSIs with digital gain setting 87−28235
Makadsi, M.N., Al-Mosawi, K.H.H. Thin film CdS/Cu_2S solar cell 85−49104
Makadsi, M.N., Al-Robaee, M.S. Amorphous silicon solar cell by thermal evaporation 87−15975
Makagawa, H. *see* Kobayashi, M. 85−4999
Makai, B., Hohne, H.D. Optimization of the receiving-filtering of magneto-optical recorded EFM-coded digital signals 86−69967
Makai, B. *see* Hohne, H.D. 86−21978
Makai, B. *see* Hohne, V.H.D. 86−9397
Makai, J. *see* Balazs, J. 87−54018
Makai, M. *see* Adorjan, F. 85−32312, 86−33005
Makai, M. *see* Por, G. 87−35765
Makai, Y. *see* Mohri, K. 87−22330
Makajima, M. *see* Wakamiya, W. 86−2394
Makal, J. *see* Supronowicz, H. 86−57607
Makan, F.F. *see* Morrison, W.J. 85−64887
Makanec, M., Hausberger, W. Experience gained with BECOS control systems installed in the Colombian power network 87−42313
Makansi, J. Anticipate corrosion problems 85−4922
Makansi, J. Landfill gas makes cheap fuel 85−15705
Makansi, J. Don't let the dioxin issue ax new refuse-fired powerplants 85−15831
Makansi, J. Advances in steam turbine technology focus on efficiency 85−15870
Makansi, J. Monitor corrosion rates continuously−without coupons 85−32343
Makansi, J. External combustor enhances prospects for coal-fired gas turbine 85−32365
Makansi, J. Advanced instruments, materials improve generator reliability 85−38964
Makansi, J. Upgrading steam and gas turbines: overcoming today's operating constraints 85−59991
Makansi, J. Hydro-plant upgrades yield reliable, cost-effective kilowatts 85−65171
Makansi, J. Advanced inlet-air treatment improves gas-turbine performance 86−25934
Makansi, J. Interest in waste-fuel-fired power cycles increases 86−39540
Makansi, J. Longevity is key factor in packaged-system evaluation [cogeneration systems] 86−45165
Makansi, J. Cut turbine losses caused by solid-particle erosion of blades 86−45200
Makansi, J. Cogeneration system, equipment options 86−56630
Makansi, J. New processes enhance the in-duct emissions-control option [waste energy power plants] 86−70837
Makansi, J. Cogeneration: regional, fuel scenarios shift significantly 87−30294
Makansi, J. Particulate control: optimizing precipitators and fabric filters for today's power plants 87−50994
Makansi, J. PFBC powerplants teeter on the threshold of demonstration 87−51034
Makansi, J. Correlate fuel properties to boiler operation, performance 87−71983
Makansi, J. Blend high-tech, low-tech ideas to effectively manage maintenance 87−72763
Makansi, J. Gasifier makes coal-fired turbine a commercial power plant 88−11107
Makansi, J. NH_3 injection, wet ESP correct permit violations 88−16937
Makansi, J. Traditional control processes handle new pollutants [from refuse-fired steam generators] 88−17383
Makansi, J. Plants meet challenges, reap benefits of on-site waste firing 88−36909
Makansi, J. Seek performance, safety gains from new pulverizer technology 88−37037
Makansi, J. Process/power integration offers new cogen-system opportunities 88−55181
Makansi, J. Gas turbines 88−55213
Makansi, J. Packaged-system options multiply; market direction in question 88−75426
Makansi, J., Reason, J. Monitoring power plant performance 85−15832
Makansi, J., Schweiger, R. Fluidized-bed boilers 87−71981
Makansi, J. *see* Ellison, W. 86−50756
Makansi, J. *see* Leimkuehler, J. 87−9034
Makansi, T. Transmitter-oriented code assignment for multihop packet radio 88−21949
Makanski, J. Key modifications bolster performance of RDF plants 85−21468
Makar, S. *see* McCluskey, E.J. 88−19076, 88−32129
Makara, J. *see* Rode, C.H. 86−31850
Makarau, A. *see* Doneaud, A.A. 88−74024
Makareinis, D., Steingraber, W. Aseismic design of 8D.8 metal-enclosed HV switchgear 86−56869
Makarenko, A.S. Semiconductor diode microwave phase modulators (survey) 85−61167
Makarenko, A.S., Bondarenko, O.P. Synthesis of differential analog microwave phase shifters 88−63915
Makarenko, A.Yu. *see* Abramov, A.A. 88−65195
Makarenko, B.I. *see* Ivanov, M.A. 85−30147, 86−36933, 86−43176, 86−43178, 87−19369, 87−27778, 87−39658, 87−54860, 87−62839, 88−21195, 88−21205
Makarenko, B.I. *see* Van'kevich, V.V. 87−3046
Makarenko, D., Tartar, J. An efficient algorithm for the optimal folding of PLAs 86−46653
Makarenko, D. *see* Schaeffer, J. 85−62054
Makarenko, D.V. On measurement of the induction of a resultant variable magnetic field 86−5493
Makarenko, D.V. Investigation into the efficiency of interaction between a conductor and the electromagnetic interference field 86−15900
Makarenko, D.V. Harmonic composition of the electromotive force of a conductor in the resulting magnetic field 87−57638
Makarenko, D.V. On the efficiency of the interaction between a conductor and the resulting electromagnetic field 88−65942
Makarenko, E.N. Superconvergence of the finite-element method for Poisson's equation on regular meshes 88−31663
Makarenko, I.B. *see* Bondarenko, B.N. 87−65884, 88−919
Makarenko, N.N. *see* Irshko, V.F. 88−61821

Makarenko, V.D. *see* Pokhodnya, I.K. 85−16474, 85−60597
Makarenko, V.G. *see* Baranskii, P.I. 88−57302
Makarenko, V.L. *see* Babkin, A.F. 87−5720
Makarenkov, Yu.M. X-matrix simplex-method (an improved version) 86−40650
Makarenkov, Yu.V. *see* Gerasimov, V.V. 86−70768
Makarets, N.V., Rozanova, M.A., Fal'ko, G.L., Fedorchenko, A.M. Dependence of the breakdown voltage of a pn junction on the ion doping conditions and heat treatment of a semiconductor 85−34599
Makarets, N.V. *see* Golovatyi, Yu.P. 85−11979
Makarevich, N.N. *see* Baginskii, B.A. 87−56929
Makarevich, R.N. Image transformation in spectral-system communication channels 85−2893
Makarevich, V.N. *see* Baginskii, B.A. 87−31003, 88−36388
Makarevich, V.S. *see* Sukhoivanov, I.A. 88−72062
Makarevich, V.V., Sterman, L.S. The economic effectiveness of district heating with operation of spaceheating heat and power stations under base load conditions and under conditions of adaptability to change in load 87−22124
Makarichev, A.V. A two-phase system with identical service in the case of different service disciplines and heavy load 87−62406
Makarios, A.H. An improved false lock avoidance scheme for phase-lock loops 85−11113
Makaritskii, P.N. *see* Berlin, I.B. 86−33185
Makarochkin, A.G. *see* Romanov, G.N. 87−72142
Makarov, A.A. *see* Kalinikos, D.A. 87−65936
Makarov, A.A. *see* Vol'fberg, D.B. 87−21815
Makarov, A.I. Quasicoherent reception of digital signals with an unknown phase 88−3050
Makarov, A.I., Potemkin, A.K. Maximum gain of a multistage laser amplifier 86−9802
Makarov, A.I. *see* Andreev, N.F. 86−15770
Makarov, A.I. *see* Averbakh, V.S. 85−41505
Makarov, A.I. *see* Bredikhin, V.I. 88−20739
Makarov, A.N. *see* Gross, L.G. 85−64342
Makarov, A.P. *see* Belyayev, Yu.K. 88−31566
Makarov, A.V. Automatic signal level limiter for the modulator of a radiobroadcast transmitter 87−49241
Makarov, A.V. *see* Glinchuk, K.D. 86−14992
Makarov, A.V. *see* Gorban', A.P. 85−50306, 85−50357
Makarov, B.N. *see* Al'terman, D.Z. 86−39601, 87−15574
Makarov, E.F. The price per kilowatt-hour and the economics of a power system 88−23354
Makarov, E.F., Cherevatyi, A.V. On errors of measurement of levitation parameters using modelling units with rotating track structures 85−39267
Makarov, E.F. *see* Belousov, Yu.N. 86−22610, 87−19208, 87−68691
Makarov, F.K. Basic problems in the technology for production of a unified series of low-voltage induction motors 85−43996
Makarov, F.K. On calculating the magnetic field in the air gap of an electrical machine 87−78585
Makarov, F.K. *see* Boiko, E.P. 86−12805
Makarov, G.A. Fine setting of phase shift angles using frequency-shifted signals 87−3709
Makarov, G.A. A comparative analysis of the effectiveness of sampling variances 87−69180
Makarov, G.A. *see* Evgrafov, V.I. 88−4578
Makarov, G.I., Osipov, A.V. Structure of Meixner's series 87−33359
Makarov, G.N. Control of the duration of CO_2 laser pulses by an intracavity infrared-absorbing gas cell 87−26493
Makarov, G.N. Dynamic tuning of the frequency of pulsed CO_2 lasers and the attainment of multispike lasing using an intracavity cell containing an infrared absorbing gas 87−33092
Makarov, G.N. *see* Arifdzhanov, A.I. 85−48044
Makarov, G.N. *see* Kolodii, B.I. 86−22615
Makarov, G.P. *see* Antyukhov, V.A. 86−60637
Makarov, I.G. *see* Karliner, M.M. 88−57262
Makarov, I.R. *see* Baru, S.E. 85−59234
Makarov, I.V. *see* Bondarenko, V.M. 87−5364, 87−53611, 87−59101
Makarov, J.V. *see* Kontorovich, A.M. 87−9075
Makarov, K.D. *see* Goryagin, V.F. 87−9476
Makarov, K.N. *see* Baranov, V.Yu. 85−2417, 88−8272
Makarov, L.E. *see* Bazanova, N.N. 85−43639, 87−9177
Makarov, L.E. *see* Bolonov, O.A. 87−6946
Makarov, L.G. *see* Averichev, S.A. 86−44522
Makarov, L.G. *see* Buldakovsky, V.N. 86−32036
Makarov, L.G. *see* Shelaev, I.A. 85−26621
Makarov, L.G. *see* Vassilev, P.G. 85−26649
Makarov, M.I., Petrushechkina, L.M., Serezentinov, G.V., Kotkov, A.V. Optimization of the planning of technical maintenance and repair of the electrical plant of a stope 85−10378
Makarov, M.I., Simonov, N.F. Estimation of the reliability of mine electromagnetic starters at the design stage 85−9820
Makarov, M.I. *see* Kovalenko, I.I. 85−16153
Makarov, M.S., Novikov, G.F., Kolodinskii, L.P., Kilyakov, V.N., Pyrkova, T.M. Radon solution as control agent for γ-ray well logging equipment 87−41400
Makarov, N.A. *see* Gerasimov, V.B. 87−19003, 88−14235
Makarov, N.I. *see* Fomin, B.I. 86−40198
Makarov, N.P. *see* Kiyashko, V.A. 85−19020, 85−46489
Makarov, O.M. Noncommutative algorithm for multiplying square fifth order matrices using one hundred multiplications 87−31451
Makarov, S.A. *see* Ablamunets, I.G. 85−15045
Makarov, S.A. *see* Vychuzhanin, A.A. 85−65676
Makarov, S.B., Medvedev, B.M., Tsikin, I.A. Optimizing the structure of a nonrecursive digital filter 87−45099
Makarov, S.B., Ulanov, A.M. Digital signal generator with amplitude and phase modulation 87−29149
Makarov, S.B. *see* Kovalenko, A.P. 86−24463
Makarov, S.F., Sinchugov, F.I., Shalimova, L.V. Development of a program of calculation of the reliability of the electrical networks of an electric power supply system 87−30153
Makarov, S.F. *see* Lordkipanidze, V.D. 86−39114
Makarov, S.M. *see* Kagarlykskaya, L.G. 88−70421
Makarov, S.M. *see* Molchanov, A.A. 87−44716
Makarov, S.V., Yakover, I.M. H_{10}-wave diffraction in the symmetrical joint of rectangular waveguides of varying width 87−19257
Makarov, V.A., Matveava, A.V., Stol'nits, M.M. Polarization multistability and optical chaos in a ring cavity filled with a nonlinear gyrotropic medium 87−68604
Makarov, V.A., Matveeva, A.V. Periodic and chaotic variations of the intensity and polarization of light at the exit from a ring resonator filled with a nonlinear gyrotropic medium 88−65766
Makarov, V.A. *see* Dovchenko, D.N. 87−26518
Makarov, V.A. *see* Pozdeev, A.D. 85−48952, 88−69313
Makarov, V.G. *see* Korolenko, P.V. 87−39013, 87−68342
Makarov, V.K. *see* Veselov, G.I. 88−953
Makarov, V.L. *see* Kureichik, K.P. 86−46560
Makarov, V.M. Vector potential of curvilinear wire in a vertical plane above the Earth 87−47071
Makarov, V.M. Linear wire equivalentization of open sagged-in-span wire lines when calculating their electric parameters 88−36863
Makarov, V.M., Sokolov, A.I. Structure of the electrostatic field of the multiwire system of the aerial power line 88−5366
Makarov, V.N., Nutovich, L.M. Investigation of the effect of a magnetic field on the electronic efficiency of M-type devices 87−73960
Makarov, V.N., Nutovich, L.M., Paramonov, B.M. Effect of the magnetic field profile on the output characteristics of an M-type amplifier 86−41477
Makarov, V.N. *see* Gayduk, V.I. 86−21046
Makarov, V.N. *see* Ibragimova, L.B. 86−29047
Makarov, V.N. *see* Losev, S.A. 86−29046
Makarov, V.N. *see* Vigasin, A.A. 87−18898
Makarov, V.O., Tonkoshkur, A.S., Chernenko, I.M. The high-temperature maximum of the thermally stimulated depolarization current in metal-vanadium-phosphate glass-metal structures 87−38003
Makarov, V.O. *see* Avdeenko, B.K. 87−45575
Makarov, V.S., Medvedev, V.I. Experimental investigation of improved nonlinear parametric high-order frequency dividers using semiconductor devices 86−20775
Makarov, V.V. The potential accuracy in a meter with amplitude adaptation to signal statistics 88−29186
Makarov, V.V., Lokhin, V.M., Polunov, Yu.L. Analysis of periodic states in PWM systems of the first and second kind 86−45625
Makarov, V.V. *see* Gudkov, V.A. 85−12141
Makarov, Yu.A. *see* Dobrov, V.A. 87−65913
Makarov, Yu.M. *see* Podkopaev, K.P. 87−35239
Makarov, Yu.N. *see* Zhmakin, A.I. 86−34339, 87−23662
Makarova, A.S. *see* Aksyutin, P.K. 88−23601
Makarova, G.P. *see* Klokova, N.P. 88−74360
Makarova, I.A. *see* Prokof'eva, N.K. 85−11965
Makarova, I.S. *see* Stoyanov, P.A. 88−71294
Makarova, N.V., Ignatov, A.A. Complex system for correcting independent computer of 'Navstar' radio navigation system 85−63774
Makarova, N.V., Prusova, L.N. Extrapolation and majority algorithm for determining value of frequency of echo signals from hydrometeors 86−6100
Makarova, N.V. *see* Maslov, V.V. 85−40992
Makarova, N.Ya. *see* Kirsanov, Yu.A. 88−70973
Makarova, N.Ya. *see* Smelov, M.V. 87−18546
Makarova, T.L., Sharonova, L.V., Shmartsev, Yu.V. Electrical properties of nonideal n-GaP/p-Si and n-GaAs/p-Si heterojunctions 85−23537
Makarova, T.V. *see* Vorob'ev, Yu.V. 85−29063
Makarovic, B. Automatic production of DTM data using digital offline technique 85−26883
Makartsev, V.V., Khesin, A.Ya. Japanese portable video equipment 87−63166
Makartsev, V.V., Khessin, A.Ya. Professional video equipment produced by Panasonic 88−47303
Makarychev, S.V. *see* Belyaev, Yu.N. 86−44120
Makarychev, Yu.M., Poberezhskii, L.P., Chudnov, V.K. Mathematical modelling of the field of rectangular poles [electric machines] 86−12770
Makarychev, Yu.M., Poberezhskii, L.P., Ryzhov, S.Yu., Chudnov, V.K. Mathematical modelling of eddy currents in a solid magnetic core with a gap 86−21996
Makarychev, Yu.M. *see* Godzhello, A.G. 87−61345
Makasuji, M. *see* Nishimura, A. 88−65223
Makata, T., Takahashi, N., Kawase, Y. Finite element analysis of magnetic fields taking into account hysteresis characteristics [transformer cores] 86−36049
Makay, E. *see* Adams, M.L. 85−16001
Makaz'yants, O.E. *see* Shavyrin, I.B. 87−29072
Makdisi, Y., Rodger, E., Glenn, J.W., Brown, K. Beam catcher/dump 86−32047
Makdisi, Y., Witkover, R., Alessi, J., Brown, H., Barton, D., Kponou, A., McNerney, A. Acceleration of polarized H^- in the BNL 200 MeV linac 86−24907
Makdisi, Y. *see* Ratner, L.G. 86−31891
Makedon, F. *see* Moon-Jung Chung 85−35108
Makedon, F., Mehlhorn, K., Papatheodurou, T., Spirakis, P. *(editor)* VLSI Algorithms and Architectures. Agean Workshop on Computing. Proceedings 88−32
Makeechev, V.A. *see* Gorelov, A.P. 87−21929
Makeenok, A.N. *see* Artyukhov, V.G. 87−27390
Makeev, E.L. *see* Ageev, A.I. 88−47779
Makeev, G.M. *see* Beneskriptov, I.Yu. 86−22632
Makeev, Kh.I., Eidenzon, A.M. Oxygen distribution in melt-grown silicon single crystals 86−26803
Makeev, Kh.I., Turovskii, B.M., Khlebnikov, V.G., Kovaleva, T.A. Evaporation of phosphorus present as impurity in the pedestal method of obtaining silicon single crystals 85−49535
Makeev, Kh.I., Turovskii, R.M., Khlebnikov, V.G. Influence of the growth conditions on the shape of the crystallization front and the melting boundary during the preparation of single silicon crystals from a pedestal 87−238
Makeev, Kh.I. *see* Churin, V.G. 87−16559
Makeev, Kh.I. *see* Sal'nik, Z.A. 85−49533
Makeev, Kh.I. *see* Vaisberg, V.A. 87−16562 to 16563
Makeev, S.N., Filatov, N.I., Shmid, O.I. Measuring the radiation electrical conductivity of solid dielectrics acted on by impulse ionizing radiation 86−44380
Makeev, S.N., Petrov, V.A., Popov, V.G., Smelyanskii, I.M., Trubitsyn, N.M. Study of photomultiplier anode-current variation with pulse gamma-neutron irradiation 86−70343
Makeev, S.N., Petrov, V.A., Smelyanskii, I.M., Trubitsyn, N.M. Variation of photomultiplier anode current for continuous and pulsed gamma radiation 87−17660
Makeev, S.N., Petrov, V.A., Smelyanskii, I.M., Trubitsyn, N.M. Pulse-amplitude distributions of photomultipliers for various types of ionizing radiation 88−32730
Makeev, S.N., Red'ko, E.D., Filatov, N.I. Ionization currents in metal-dielectric systems with homogeneous and multilayer dielectric and electrodes of complex shape under the action of ionizing radiation 85−40547
Makeev, Yu.G. *see* Korobkin, V.A. 88−8557
Makel, D.B. Thermal design and development of actively cooled brushes and compact homopolar generators 87−30595
Makel, D.B. *see* Baughn, J.W. 86−44455
Makela, R.A. *see* Collander, P.E. 88−56032
Makela, R.A. *see* Palo, S.M. 87−25588
Makelainen, I. Experiences with track etch detectors for radon measurements 87−29644
Maken, N.J.S., Raju, G.V.R., Gupta, B. Thermionically electron emitting matrix cathodes for magnetohydrodynamic generators: analytical model 85−10116
Makepeace, J.W., McLaren, P. Software design for a satellite communications system monitor 87−28452
Maker, C., Caizzi, J. Cubic YIG components save time and space 86−58058
Maker, G.T., Ferguson, A.I. Single-frequency Q-switched operation of a diode-laser-pumped Nd:YAG laser 88−58637
Makeyev, E.L. *see* Balbekov, V.I. 85−26562
Makeyev, Yu.G. *see* Korobkin, V.A. 88−66152
Makeyeva, G.S., Golovanov, O.A. Mathematical simulation of semiconductor reflector-type gallium arsenide waveguides 88−12557
Makeyeva, G.S. *see* Golovanov, O.A. 88−925
Makeyeva, G.S. *see* Vasil'ev, I.V. 85−7145
Makh, S.S., Hart, A.D., Openshaw, P.M., Baillie, W.L. Development of liquid crystal light valves using Bi_{12} SiO_{20} as the photoconductor. I. Charge trapping and its effect on device resolution 86−28909
Makh, S.S. *see* Baillie, W.L. 86−28910
Makh, S.S. *see* Hebbron, M.C. 88−58250

Makhachashvili, K.A. *see* Mashkin, V.A. 87–22462
Makhalin, V.N. *see* Bogacheva, L.V. 86–20787
Makhalin, V.N. *see* Vugal'ter, G.A. 85–35299
Makhan'kov, V.E., Gal'perin, Yu.M., Popova, T.S., Notova, O.L., Vasil'ev, V.A. An instrument complex for electrophysical research and inputting of information into a computer 86–18346
Makharev, E.I. Approximate calculation of the loading of nodes of a closed network system 88–28144
Makhin, A.V. *see* Dimitrov, S.K. 86–22626
Makhinya, L.N. Influence of the parameters of a current filament on the characteristics of the thermal stage of the recovery process 87–45549
Makhkamdzhanov, B.M. *see* Berganov, I.R. 87–51450, 87–64808
Makhkamdzhanov, B.M. *see* Gartsman, L.B. 87–30769, 87–51092
Makhlin, N.M. *see* Dudko, D.A. 87–43687
Makhlin, P.V. *see* Burtsev, G.A. 86–45475
Makhlin, P.V. *see* Stognii, B.S. 86–5219, 86–39909
Makhlina, G.A. *see* Maslov, S.P. 85–18637
Makhlouf, M.A.R., Goutis, C.E., Yung, H.C., Allen, C.R. Concurrent VLSI architecture for covariance-lattice computations in maximum entropy spectrum estimation 85–51633
Makhmudov, B.M. *see* Alimov, T.A. 85–15238
Makhmudov, B.S. *see* Mokhov, E.N. 86–34313
Makhmudov, E.B., Chesnokov, A.A. Equipment for digital video signal transmission and reception via fibre-optics communication link 88–4007
Makhmudov, E.B. *see* Akhmetshin, R.V. 87–8316
Makhmudov, K.M., Borisov, O.V., Nikanorov, A.N., Shkol'nik, I.Ya. Control algorithms and systems for induction heating units using microprocessor devices 88–18215
Makhmudov, K.M. *see* Bamunger, A.V. 85–16430
Makhmudov, K.M. *see* Bezmenov, F.V. 88–16699
Makhmudov, M.A. *see* Anorov, N. 86–21183
Makhmudov, Yu.R. *see* Sadikov, Kh.S. 88–47475
Makhmutov, M.M. *see* Ivanov, V.T. 85–62712
Makhmutov, R.Kh., Milyaev, V.A., Nikitin, V.A., Prokhorov, A.M., Shirkov, A.V. Dependence of nonequilibrium carrier recombination in silicon on the thermal-oxidation time 86–58404
Makhmutov, R.Kh. *see* Aleksandrov, Yu.M. 87–6801
Makhmutov, R.Kh. *see* Valiev, K.A. 86–58363, 86–67908
Makhmutov, S.M. *see* Basin, Ya.N. 86–12135
Makhnenko, L.A. *see* Azhippo, V.A. 87–3829, 87–41714 to 41715
Makhnii, S.P. *see* Kabanova, I.S. 87–53476
Makhnii, V.P. *see* Gorbenko, N.V. 87–12307
Makhnii, V.P. *see* Kabanova, I.S. 88–44736
Makhnii, V.P. *see* Kosyachenko, L.A. 86–35626
Makhnil, V.P. *see* Kosyachenko, L.A. 85–29193
Makhnitko, A.E. *see* Zviedris, A.P. 86–45322
Makhny, V.P. *see* Baranyuk, V.E. 87–18849
Makhny, V.P. *see* Kabanova, I.S. 88–33152
Makhnyj, V.P. *see* Bandur, A.I. 86–63111
Makhnyuk, V.P. *see* Butusov, M.M. 88–33665
Makhonin, A.A. *see* Semenov, K.N. 86–25697
Makhonin, E.A. *see* Gorkunov, E.S. 87–44436
Makhon'kov, A.S. *see* Kamyshan, A.N. 85–43708
Makhorskii, Yu.L. *see* Parkhomenko, A.I. 87–42926
Makhotin, E.A. *see* Gribov, A.A. 86–70059
Makhotin, N.D. *see* Samoilenko, B.F. 85–16068
Makhotkin, V.E. *see* Bulushev, A.G. 87–74750, 87–76771
Makhotkin, V.E. *see* Shurukhin, B.P. 87–21138
Makhoul, J. Reply to 'Comments and corrections on 'On the eigenvectors of symmetric Toplitz matrices'' 85–60830
Makhoul, J. Automatic speech recognition in severe environments: a report on the National Research Council study 86–3828
Makhoul, J. Volume of the space of autocorrelation sequences 88–73072
Makhoul, J., El-Jaroudi, A. Time-scale modification in medium to low rate speech coding 87–27264
Makhoul, J., Steinhardt, A.O. On matching correlation sequences by parametric spectral models 87–61552
Makhoul, J. *see* Chow, Y.-L. 87–19585
Makhoul, J. *see* Chow, Y.L. 87–61637
Makhoul, J. *see* El-Jaroudi, A. 87–61657
Makhoul, J. *see* Feng, M.-W. 88–66365
Makhoul, J. *see* Kubala, F. 88–66401
Makhoul, J. *see* Schwartz, R. 86–16243
Makhoul, J. *see* Steinhardt, A.O. 86–29665
Makhoul, S., Roucos, S., Gish, H. Vector quantization in speech coding 86–22947
Makhov, V.I. *see* Bakhtin, P.A. 86–2633
Makhov, V.N. *see* Aleksandrov, Yu.M. 87–18837
Makhov, V.N. *see* Zhukov, A.V. 85–26725
Makhsudov, B.I., Naidich, E.I., Khakimov, F.Kh. Degradation kinetics in InGaAsP/InP-based lasers 88–34050
Makhsudov, B.I. *see* Akimova, I.V. 87–75206
Makhsudov, B.I. *see* Duraev, V.P. 88–58556, 88–58567
Makhsudov, B.I. *see* Eliseev, P.G. 87–62988
Makhsudov, B.I. *see* Manko, M.A. 85–29839, 88–8230
Makhutov, N.A. *see* Frolov, K.V. 87–64534
Makhviladze, T.M. *see* Valiev, K.A. 87–60218, 87–60233, 88–13205
Maki, A. *see* Tsuchiya, K. 87–70936, 88–45016
Maki, A.G. *see* Petersen, F.R. 85–2216
Maki, A.H. *see* Petrin, M. 87–26046
Maki, D. GaAs microwave monolithic circuits 86–8470
Maki, D. *see* Kewley-Port, D. 87–61661
Maki, D.P. *see* Port, R.F. 88–27838
Maki, D.W., Schellenberg, J.M., Yamasaki, H., Liu, L.C.T. A 69 GHz monolithic FET oscillator 85–1058
Maki, D.W., Schellenberg, J.M., Yamasaki, H., Liu, L.C.T. A 69 GHz monolithic FET oscillator 85–17835
Maki, D.W. *see* Liu, L.C.T. 85–1054
Maki, G.K., Owsley, P.A., Cameron, K.B., Shovic, J.C. A VSLI Reed Solomon encoder: an engineering approach 87–2950
Maki, G.K., Owsley, P.A., Cameron, K.B., Venbrux, J. VLSI Reed-Solomon decoder design 87–39671
Maki, G.K. *see* Peterson, G.E. 85–33871, 85–34022
Maki, G.K. *see* Radhakrishnan, D. 85–44970
Maki, J. Infrared inspection of laser-stimulated solder joints 87–10127
Maki, J.T. *see* Downing, R.G. 87–24740
Maki, K. Trends of LAN development in factory automation: 3BNET 87–2888
Maki, K. Selection and application of explosion-proof devices for explosion-proof instrumentation—pressure gauge 88–36108
Maki, K., Iorikai, T., Ishihara, H., Taguchi, K. $Ga_{1-y}In_yAs/InAs_xP_{1-1}$ $(y>0.53, x>0)$ pin photodiodes for long wavelength regions ($\lambda>2$ μm) grown by hydride vapour phase epitaxy 88–40063
Maki, K. *see* Kajiwara, T. 85–19912, 85–47310
Maki, M. *see* Suzuki, T. 85–60962
Maki, M.C. Coupling mechanisms in leaky cable sensors 85–3337
Maki, N. Trends in non-contact type level gauges and application suggestions 86–31383
Maki, N., Yamaguchi, K., Takahashi, M., Sanematsu, T. Test results of 50 MVA superconducting generator 88–55320
Maki, N., Yamaguchi, K., Takahashi, M., Shiobara, R. Development of superconducting AC generator 88–69327
Maki, P.A., Ehrlich, D.J. Excimer laser in situ treatment of GaAs surfaces: electrical properties of tungsten/GaAs diodes 88–7514
Maki, P.A., Palmateer, S.C., Calawa, A.R., Lee, B.R. Elimination of flux transients in molecular beam epitaxy 86–20044
Maki, P.A., Palmateer, S.C., Calawa, A.R., Lee, B.R. Elimination of flux transients in molecular beam epitaxy 86–46334
Maki, P.A. *see* Camnitz, L.H. 86–2212, 86–63340
Maki, P.A. *see* Palmateer, S.C. 86–7818
Maki, P.A. *see* Schaff, W.J. 86–14917
Maki, S., Matsuda, K., Tsuda, T., Fukui, H., Gambe, H. Video signal processing LSI and its application to TV codecs 87–17147
Maki, S. *see* Ennola, V. 86–26732
Maki, S. *see* Matsuda, K. 85–13632, 85–52566, 86–55471
Maki, S. *see* Nakamura, M. 86–13899
Maki, S.-I. *see* Okazaki, T. 88–47308
Maki, S.C. OTV avionics and subsystems design utilizing life cycle cost techniques 86–70460
Maki, S.C., Cormier, E.P., Piszkin, T.A. Avionic standard module development 88–5080
Maki, T. Whole body imaging technique by magnetic resonance 88–29962
Maki, T. *see* Ishikawa, K. 88–61055
Maki, T. *see* Kitagawa, H. 88–57518
Maki, T. *see* Shimomura, T. 87–56754
Maki, T. *see* Ueno, S. 86–781
Maki, T. *see* Yoshida, K. 86–25101
Maki, Y. Necessity of the communication system for meteorology 86–37254
Maki, Y. *see* Hasegawa, K. 86–50362
Makida, Y. *see* Ohuchi, N. 88–45023
Makida, Y. *see* Yamamoto, A. 88–65080
Makihara, C. *see* Imamura, T. 88–21806
Makihara, C. *see* Ishii, S. 87–16162
Makihara, H. *see* Suzuki, M. 85–37236
Makihira, T. *see* Fukao, S. 86–23968 to 23969
Makii, Y. *see* Iwamoto, S. 88–19186
Makijarvi, M. *see* Katila, T. 88–36492
Makijarvi, M. *see* Nieminen, S. 85–43414
Makijarvi, M. *see* Seppanen, M. 85–43337
Makikawa, M., Tamura, H. Head movement depending on the framework of target presentation 85–28026
Makila, H. *see* Ahola, K. 86–69318
Makimoto, M., Sagawa, M. Varactor tuned bandpass filters using microstrip-line ring resonators 87–6123
Makimoto, M., Taniguchi, M., Ogiwara, K., Ikoma, T., Okumura, T. Schottky characteristics and interfacial defects in tungsten silicide/GaAs and palladium/GaAs systems 85–34645
Makimoto, M. *see* Ohnishi, H. 88–45865
Makimoto, M. *see* Sagawa, M. 85–34034, 88–70996
Makimoto, T. Automation of LSI manufacturing 85–35092
Makimoto, T., Kobayashi, N., Horikoshi, Y. Modulation doped n-AlGaAs/GaAs heterostructures grown by flow-rate modulation epitaxy 86–62233
Makimoto, T., Kobayashi, N., Horikoshi, Y. Electron conduction in an atomic-layer-doped GaAs plane 88–57304
Makimoto, T., Kobayashi, N., Horikoshi, Y. Electron conduction in GaAs atomic layer doped with Si 88–71304
Makimoto, T., Yamauchi, Y., Horikoshi, Y. Reduction of deep level concentrations in GaAs layers grown by flow-rate modulation epitaxy 88–38169
Makimoto, T. *see* Kobayashi, N. 86–20054, 86–52504, 87–11617, 87–60266
Makimoto, T. *see* Nishimura, S. 86–68922
Makimura, H. *see* Ishii, K. 87–1343
Makin, B., Binns, I. Diagnostic instrument for electrostatic powder coating 85–44763
Makin, B., Elleman, D.D., Rhim, W.-K., Simms, W.T. Performance characteristics of a pulse charging system 86–67115
Makin, B., Elleman, D.D., Rhim, W.K., Simms, W.T. Performance characteristics of a pulse charging system 85–27543
Makin, B., Wisniewski, W. Powder coating diagnostic instrument 88–34255
Makin, E. Using voice I/O for industrial applications 85–14560
Makin, J. *see* Hatton, L. 88–24336
Makinen, A. Reliability calculation program for distribution networks 86–56424
Makinen, A., Partanen, J. Reliability evaluation as part of a CAD package for electricity distribution systems 87–15200
Makinen, E. On circular layouts 88–50946
Makinen, H. *see* Dutton, W.H. 88–52716
Makino, B. *see* Yatomi, T. 88–11527
Makino, D. Application of polyimide resin to semiconductor devices in Japan 88–51079
Makino, D. *see* Koibuchi, S. 86–1902
Makino, D. *see* Yorinaga, M. 86–52064
Makino, F. *see* Hayashi, T. 88–54694
Makino, H., Ozaki, M., Saitoh, Y., Tamura, K., Mitamura, Y., Mikami, T. External type all-purpose cardiac pacemaker system 86–32366
Makino, H., Saitoh, Y., Mitamura, Y., Mikami, T. Fibrillation detection method using blood pressure sensor and evaluation of output circuit in implantable defibrillator 87–8952
Makino, H. *see* Arai, Y. 85–26794
Makino, H. *see* Ezawa, M. 87–4051
Makino, H. *see* Hibiya, T. 87–53904
Makino, H. *see* Ishizaki, Y. 87–48380
Makino, H. *see* Izumi, S. 87–21452
Makino, H. *see* Nakane, Y. 85–50897
Makino, H. *see* Orui, S. 87–73562 to 73563
Makino, H. *see* Sato, M. 85–15890
Makino, H. *see* Takano, S. 87–10877, 87–59497, 88–6827
Makino, H. *see* Tanino, N. 87–31908
Makino, H. *see* Uozato, H. 85–4306
Makino, H. *see* Urai, H. 88–51366
Makino, K. Private railway company — Kyoto City Traffic Bureau 87–64886
Makino, K. *see* Hamanaka, T. 86–4662
Makino, K. *see* Hanaki, K. 85–44249
Makino, K. *see* Iwamoto, T. 85–27229
Makino, K. *see* Kanemasa, A. 85–14086
Makino, M. Parts of digital control for output regulating operation 86–39305
Makino, M., Nakagawa, T., Iwamoto, T. Experience of advanced monitoring and control system for nuclear power stations 87–22074
Makino, M., Tokizawa, I. A digital cross-connect system for advanced high-speed leased-circuit services 88–46449
Makino, M. *see* Kihara, M. 85–30582, 86–8340, 86–64488, 86–69271, 87–7875
Makino, M. *see* Nishihara, T. 87–8084
Makino, M. *see* Okada, T. 86–28693
Makino, M. *see* Okano, Y. 85–13744
Makino, M. *see* Omura, T. 86–28692
Makino, N. *see* Nakajima, K. 87–69772
Makino, S. Development of high-definition TV systems in present-day Japan 87–70241
Makino, S. An algorithm for finding all the *k*-components of a digraph 88–63166
Makino, S., Homma, S., Kido, K. Speaker independent word recognition system based on phoneme recognition for a large size (212 word) vocabulary 86–3801
Makino, S., Ichinose, Y. Vibration characteristics of a piezoelectric bimorph diaphragm with a step-shaped edge 88–16958

Makino, S., Katagi, T., Kobayashi, Y. Design of offset dual reflector type multibeam antenna composed of parabolic reflector and shaped subreflector 88−40677
Makino, S., Kawabata, T., Miwa, J., Kido, K. Spoken word recognition system for unspecified adult male speakers using spectral local peaks 85−25067
Makino, S., Kawai, K., Nakagawa, M., Suzuki, S., Ishii, S., Namioka, T. A high quality digital TV utilizing 2 CMOS chips 88−15749
Makino, S., Kido, K. Recognition of phonemes using time-spectrum pattern 87−2490
Makino, S., Kobayashi, Y., Katagi, T. Front fed offset Cassegrain type multibeam antenna 86−43022
Makino, S., Kobayashi, Y., Katagi, T. Design of offset dual reflector type multibeam antenna composed of parabolic reflector and shaped subreflector 87−19345
Makino, S., Kobayashi, Y., Urasaki, S., Katagi, T. Beam scanning characteristics of front fed offset Cassegrain type multibeam antenna 87−27008
Makino, S., Kobayashi, Y., Urasaki, S., Katagi, T. Beam scanning characteristics of front fed offset Cassegrain-type multibeam antenna 88−27613
Makino, S., Urasaki, S., Katagi, T. Design of array-fed multiple shaped beam antenna through maximizing minimum gain 86−68850
Makino, S., Wakita, H. Automatic labeling system using speaker-dependent phonetic unit references 87−27327
Makino, S. *see* Abe, M. 88−34709
Makino, S. *see* Hashiguchi, S. 87−11078
Makino, S. *see* Hayashi, M. 87−34833
Makino, S. *see* Hermansky, H. 87−27272
Makino, S. *see* Kawai, K. 88−15750
Makino, S. *see* Kim, K.T. 85−19378
Makino, S. *see* Koga, H. 88−59097
Makino, S. *see* Kyung Tae Kim 87−27228
Makino, S. *see* Matsuzawa, K. 88−60091
Makino, S. *see* Moriai, S. 87−19597, 88−72788
Makino, S. *see* Oikawa, H. 88−46676, 88−46732
Makino, S. *see* Okada, M. 86−54484, 88−8713, 88−21138, 88−34617
Makino, S. *see* Okajima, S. 85−46322
Makino, S. *see* Urasaki, S. 85−19257, 86−59149, 86−68873
Makino, T., Abe, M., Kobayashi, H. Compact disc player CD-500 86−65085
Makino, T., Glinski, J. Effects of radiation loss on the performance of second-order DFB semiconductor lasers 88−34017
Makino, T., Glinski, J. Spontaneous emission noise of DFB laser amplifiers 88−40112
Makino, T., Kamoshida, K., Yamamoto, E. Preparation of low-reflectivity amorphous silicon using DC magnetron sputtering 85−18769
Makino, T., Kosaka, T., Arima, J., Aoyama, S., Tsujimura, H. A method for multiwavelength radiation pyrometry measuring emission and reflection simultaneously and remotely 88−60738
Makino, T., Takahashi, J. Electron spin resonance studies on buried oxide silicon-on-insulator 87−32335
Makino, T. *see* Glinski, J. 86−54141, 87−68476
Makino, T. *see* Higashino, H. 86−53967
Makino, T. *see* Kaga, T. 88−19167, 88−63675
Makino, T. *see* Kamoshida, K. 86−9215
Makino, T. *see* Maeda, M. 87−52185, 88−71757
Makino, T. *see* Murano, M. 87−1010
Makino, T. *see* Ohshima, S. 87−15056
Makino, T. *see* Sone, T. 88−47240
Makino, T. *see* Suzuki, S. 87−59618, 87−63134
Makino, Y. Applications of amorphous metals 86−2579
Makino, Y. The latest technology and products for DBS reception 86−49502
Makino, Y. Amorphous materials for magnetic heads 87−46389
Makino, Y. *see* Ushijima, K. 85−32394
Makinson, G.J., Shah, A.A. An iterative solution method for solving sparse nonsymmetric linear systems 86−62106
Makio, K. *see* Ando, T. 87−77274
Makio, S. *see* Nakagawa, Y. 86−15326, 86−47946, 87−67668
Makios, V. Stand-alone photovoltaic systems in Greece 86−6661
Makios, V. *see* Boucoris, S. 86−43188
Makios, V. *see* David, N.C. 86−43187
Makios, V. *see* Kanapoulos, N. 86−8066
Makios, V. *see* Kanopoulos, N. 86−34624
Makios, V. *see* Pallios, V. 86−40956, 88−73637
Makios, V. *see* Soras, K. 86−19176
Makisara, K. *see* Kohonen, T. 85−30233
Makishi, M. *see* Miyoshi, H. 86−64455
Makishima, A. *see* Konishi, S. 88−43952
Makishima, H., Mitomi, O., Ishitsuka, F. Diodes for deflection-modulated EBS amplifier 85−23362
Makishima, H., Shimokawa, K., Mita, N. Deflector for a deflection-modulated EBS amplifier 85−11030
Makishima, H. *see* Mita, N. 85−23360
Makishima, H. *see* Mitomi, O. 85−23363
Makishima, H. *see* Shimokawa, K. 85−23361
Makita, A. *see* Uenaka, H. 86−58670
Makita, F. Technical problems of INMARSAT 87−34493
Makita, F., Abe, M.N., Nakanishi, M., Hara, Y., Oba, T., Inoue, S. Communication equipment for INTELSAT business service (IBS) 88−46966
Makita, F. *see* Nagata, H. 88−28627
Makita, F. *see* Yuguchi, H. 88−28803
Makita, H. *see* Yamaguchi, M. 88−57838
Makita, K., Gomyo, A., Taguchi, K., Suzuki, T. Photoluminescence study of InGaAs grown on InP by vapor phase epitaxy−Effects of O_2 injection and substrate orientation 85−46253
Makita, K., Taguchi, K., Usui, A. Oxygen addition purification effect in InGaAs growth by hydride VPE 85−33495
Makita, K. *see* Atsumi, S. 85−35179
Makita, K. *see* Mizutani, Y. 86−46850, 87−59453
Makita, K. *see* Saito, S. 86−8257
Makita, K. *see* Sugimoto, Y. 86−42442
Makita, K. *see* Taguchi, K. 86−27867, 86−48267
Makita, K. *see* Torikai, R. 86−9690
Makita, M. DC substation equipment for subways 85−5278
Makita, M. *see* Fujikawa, K. 88−18231
Makita, M. *see* Maruyama, K. 86−71146
Makita, M. *see* Tsuruta, S. 88−9700
Makita, T. *see* Takasago, H. 86−62979, 88−25739
Makita, T. *see* Tobita, T. 88−4440
Makita, Y., Takeuchi, Y., Ohnishi, N., Nomura, T., Kudo, K., Tanaka, H., Hae-Chol Lee, Mori, M., Mitsuhashi, Y. Photoluminescence of Mg-doped GaAs grown by molecular beam epitaxy using Mg_3As_2 as a Mg source: a comparison with Mg^+ ion implantation 87−10370
Makita, Y., Yamauchi, I., Sono, K. GRIN lenses for high efficiency coupling of laser diodes to single mode fiber 88−1955
Makita, Y., Yamauchi, I., Sono, K. GRIN lenses for high efficiency coupling of laser diodes to single mode fiber 88−33618
Makita, Y., Yokota, M., Nomura, T., Tanoue, H., Takayasu, I., Kataoka, S., Izumi, T., Matsumori, T. New emission lines in highly carbon ion-implanted GaAs 85−45533
Makita, Y. *see* Mori, M. 88−6463
Makita, Y. *see* Shimizu, S. 85−10735, 85−33421, 85−39740, 85−60974, 86−20049, 86−52490
Makitalo, O. C-MAC/packet: a new west European standard for direct-transmission TV satellites 85−20133
Makitalo, O. Small cell technique increases accessibility in NMT [mobile telephone system] 86−17260
Makitalo, O. Mobile telephones get European standard 87−34026
Makitalo, O. Modulation method for digital mobile telephony 87−69944
Makitalo, O., Fremin, G. Experiments with a digital narrow-band TDMA-cellular mobile radio system 88−9459
Makitalo, O. *see* Rosenlund, H. 86−23771
Makitani, H. *see* Takeda, M. 87−29189
Makiuchi, M., Hamaguchi, H., Kumai, T., Aoki, O., Oikawi, Y., Wada, O. GaInAs *pin* photodiode/GaAs preamplifier photoreceiver for gigabit-rate communications systems using flip-chip bonding techniques 88−67353
Makiuchi, M., Hamaguchi, H., Kumai, T., Ito, M., Wada, O., Sakurai, T. A monolithic four-channel photoreceiver integrated on a GaAs substrate using metal-semiconductor-metal photodiodes and FETs 86−29017
Makiuchi, M., Hamaguchi, H., Kumai, T., Wada, O. GaAs optoelectronic integrated receiver array exhibiting high-speed response and little crosstalk 86−68407
Makiuchi, M., Wada, O., Kumai, T., Hamaguchi, H., Aoki, O., Oikawa, Y. Small-junction-area GaInAs/InP pin photodiode with monolithic microlens 88−22075
Makiuchi, M., Wada, O., Miura, S., Hamaguchi, H., Machida, H., Nakai, K., Horimatsu, H., Sakurai, T. Fast-response PIN/preamplifier photoreceiver monolithically integrated on a GaAs substrate 85−56457
Makiuchi, M. *see* Furuya, A. 87−39116
Makiuchi, M. *see* Hamaguchi, H. 86−43820, 87−33072
Makiuchi, M. *see* Horimatsu, T. 86−64988
Makiuchi, M. *see* Ito, M. 86−15588
Makiuchi, M. *see* Iwama, T. 88−72235
Makiuchi, M. *see* Kawamura, M. 85−35680
Makiuchi, M. *see* Kuno, M. 87−26225
Makiuchi, M. *see* Miura, S. 86−58848
Makiuchi, M. *see* Nobuhara, H. 86−48440, 87−26245, 87−39105, 88−65515
Makiuchi, M. *see* Wada, O. 85−51069, 86−42462, 86−54155, 87−18867, 88−67390
Makiura, T. *see* Momota, H. 85−46104
Makiura, T. *see* Satow, T. 85−62270
Makiura, T. *see* Toyoda, K. 85−41090
Makivirta, A., Estola, K.-P., Kalli, S. Digital quality enhancement of analog ECG signal 88−10391
Makiyama, K., Inoue, M., Ashida, M., Cho, Y., Iwai, Y., Sasa, S., Hiyamizu, S. Hot electron distribution and transport in AlGaAs/GaAs/AlGaAs quantum wells 88−32897
Makkaveev, V.I., Petrova, N.N. Comparative sensitivity of optimal digital optical communications systems 88−53266
Makkaveev, V.I. *see* Koshmak, V.K. 88−35493
Makki, A.Z., Collins, A.S., Alexander, C.K., Jr. An alternative geometrical setup for the image-based tactile sensor 88−53742
Makki, R. *see* Bou-Farhat, J. 88−54540
Makki, R. *see* Saliba, E. 88−63646
Makki, R.Z., Alexander, C.K. A structured approach to design for testability using a RTL 85−61237
Makki, R.Z., Tiansheng, C. Designing testable control paths with multiple and feedback scan-paths 87−24119
Makkonen, L. Modeling of ice accretion on wires 85−15624
Makkonen, P. *see* Pakkanen, T.A. 88−423
Makky, A.-R.A.M., Al-Azzawi, F.J. Appraisal of the application of the two-reaction theory to unsaturated salient-pole machines 87−30517
Makky, A.-R.A.M., Al-Azzawi, F.J. Appraisal of the application of the two-reaction theory to unsaturated salient-pole machines 87−42815
Makky, M., Fahmy, M.F., Sobhy, M.I. Selective minimum-phase constant delay digital filters 87−935
Makky, M.V., Fahmy, M.F. Digital bandpass filters with maximally flat amplitude and delay responses 85−55038
Makky, M.Y. *see* Fahmy, M.F. 87−73534
Makky, S.M., Saaid, S.M. A new approach for the design of electrode profiles for any preassigned field distribution at the midplane 86−22312
Makky, S.M., Saaid, S.M. Design of three dimensional electrodes by the method of finite differences 87−2222
Maklad, M.S. Fiber optic current and magnetic field sensor 88−60747
Maklad, M.S., Sanders, P.E., Dowd, E., Kuczma, A. Single mode fibers for sensing applications 88−16148
Maklad, M.S. *see* Sanders, P.E. 87−12171, 87−18694
Makler, S.J. PC networks reach beyond the work group 88−59584
Makletsov, A.M. *see* Fedorov, D.A. 85−43537
Maklin, M. *see* Honkanen, S. 86−9583
Maklin, M. *see* Viljanen, J. 85−50982
Maklouf, B. Cooking by induction 88−55738
Maklyukov, M.I. *see* Kharisov, V.N. 86−37046
Makmak, N.I. *see* Pentegov, I.V. 86−66137
Mako, F., Golden, J., Floyd, L., McDonald, K., Smith, T., Kapetanakos, C.A. Internal injection into the NRL Modified Betatron 86−32039
Mako, F., Smith, K., Pasour, J.A., Pershing, D.E., McDonald, K., Altes, R., Golden, J., Kapetanakos, C.A. Pulsed, low error, high current TF and VF coils with demountable joints 85−2500
Mako, F. *see* Golden, J. 88−54195
Mako, F. *see* McDonald, K.F. 87−19131
Mako, J. *see* Dunn, R.M. 85−3955
Mako, J. *see* Gac, J.V. 85−5411
Makogon, M.M., Serdyukov, V.I., Solodov, A.M. Continuous tuning narrow-linewidth pulsed solid-state lasers 86−63786
Makogon, V.V., Yakovkin, I.B. Tuning the center frequency of a delay line employing surface acoustic waves 88−1847
Makogon, Yu.N. *see* Donishev, V.G. 88−26093
Makomva, A.C.N. The design of trackside substations for railway electrification: National Railways of Zimbabwe 88−37692
Makos, T., Rotter, S. Noise measurement of small-power electric motors under manufacturing conditions 85−9942
Makosch, G., Prein, F. Phase-locked interferometry for automatic mask alignment in projection printers 87−67031
Makosch, G. *see* Jaerisch, W. 85−49365
Makosky, R.R. *see* Heim, L.S. 85−17569
Makov, D.K. *see* Prakhovnik, A.V. 86−56507
Makov, N.V. *see* Alimov, A.K. 87−51454
Makova, M.K. *see* Bubnov, V.P. 87−21201
Makoveev, V.K. *see* Akhmanova, L.N. 85−8940
Makoveichuk, G.E. *see* Andronik, I.Ya. 85−28998
Makovetskaya, L.A. *see* Belevich, N.N. 86−50140
Makovetskaya, T.I. *see* Ivanov, G.V. 87−9627
Makovetskii, A.M. *see* Ivanov, G.V. 87−15654
Makovetskiy, A.A. The operating efficiency of a laser with intracavity pumping conversion 88−20531
Makovetskiy, A.A. *see* Grigor'yants, V.V. 85−2262
Makovicka, L., Guille, B., Moliton, A., Teyssier, J.L. Possibility of using CR 39 electret in dosimetry 86−56053
Makovicka, L. *see* Decossas, J.L. 87−21689
Makovicka, L. *see* Sadaka, S. 87−77697
Makovsky, J. *see* Horowitz, A. 86−46307
Makowitz, H. *see* Laats, E.T. 88−75305

Makowka, C.D. *see* Laff, R.A. 86−11593
Makowski, A.M. Filtering formulae for partially observed linear systems with non-Gaussian initial conditions 86−37094
Makowski, A.M. *see* Baccelli, F. 86−7604
Makowski, A.M. *see* LaVigna, A. 87−55164
Makowski, A.M. *see* Le, H.T. 85−38149
Makowski, A.M. *see* Shwartz, A. 86−64397
Makowski, J. *see* Denus, S. 86−36445
Makowski, K. Power losses, efficiency and power factor of the single-phase shaded pole induction motor with nonuniform airgap 85−53711
Makowski, K. Selection of the running capacitor capacitance of a single-phase capacitor motor 87−22436
Makowski, K. Influence of supply voltage frequency and capacitor capacitance on torque-speed characteristics of the single phase capacitor motor 88−5696
Makowski, M. *see* Augustowski, B. 86−19068
Makpangou, M., Shapiro, M. SOS object - oriented communication service 88−59457
Makrakis, D., Feher, K. A novel pilot insertion-extraction method based on spread spectrum techniques 88−46868
Makrakis, D., Feher, K. An improved Viterbi decoder for the differential detection of continuous phase modulation schemes 88−66320
Makrakis, D., Feher, K. An improved sequential decoder for the discriminator detection of the continuous phase modulation schemes based on noise estimation techniques 88−72732
Makrakis, D., Feher, K. On optimal detection of non-coherent trellis coded modulation signals. I. Differential detection 88−72766
Makrakis, D., Yongacoglu, Feher, K. Coherent GMSK receivers which use noise estimation-cancellation techniques 87−68950
Makrakis, D., Yongacoglu, A., Feher, K. Novel receiver structures for systems using differential detection 87−75688
Makrakis, D., Yongacoglu, A., Feher, K. Two-bit differential detection of GMSK with or without precoding and using decision feedback 88−2937
Makrakis, D., Yongacoglu, A., Feher, K. Discriminator detection using noise prediction-cancellation techniques for mobile communications 88−9463
Makrakis, D., Yongacoglu, A., Feher, K. An improved sequential decoder for the discriminator detection of duobinary FM using noise estimation techniques 88−45933
Makrakis, D., Yongacoglu, A., Feher, K. A new soft decision sequential decoder for differential detection of TFM 88−46095
Makrakis, D., Yongacoglu, A., Feher, K. A new receiver for differential detection of duobinary MSK 88−46129
Makrakis, D., Yongacoglu, A., Feher, K. Symbol-by-symbol detectors for coherently detected tamed frequency modulation 88−46131
Makrakis, D., Yongacoglu, A., Feher, K. Interleaving for differential detection using multiple detectors 88−72769
Makrakis, D. *see* Grami, A. 87−75807
Makrakis, D. *see* Yongacoglu, A. 87−33591, 87−39820, 88−59003
Makram, E.B. A new method in solving multiple unbalanced load in power systems 85−64847
Makram, E.B. Numerical method in solving faulted power system equations during transient 86−61004
Makram, E.B. Single-pole switching on untransposed transmission lines 87−15246
Makram, E.B. Effect of synchronous machine model and fault location on transient waveforms 87−15700
Makram, E.B., Bou-Rabee, M.A., Girgis, A.A. Multiple faults involving open conductors and shunt faults on unbalanced distribution systems 87−71663
Makram, E.B., Bou-rabee, M.A., Girgis, A.A. Three-phase modeling of unbalanced distribution systems during open conductors and/or shunt fault conditions using the bus impedance matrix 88−30338
Makram, E.B., Girgis, A.A. Electromagnetic transients due to single pole tripping of a faulted long transmission line 88−5319
Makram, E.B., Girgis, A.A. A generalized computer technique for the development of the three-phase impedance matrix for unbalanced power systems 88−68720
Makram, E.B., Harley, R.G., Duran, E.G. Transient response of an unbalanced multimachine faulted power system 87−71610
Makram, E.B., Harley, R.G., Zambrano, V.O. Induction motor transient response to multiple faults in unbalanced power systems 88−43185
Makram, E.B., Henry, R.S., Girgis, A.A. Resonance in series compensated transmission lines during fault conditions 87−9166
Makram, E.B., Ramezani-Golafzani, M. Digital simulation of faulted EHV transmission lines with series compensation 86−39152
Makram, E.B., Zambrano, V.O., Harley, R.G. Stability of a synchronous machine due to multiple faults in unbalanced power systems 88−55327
Makram, E.B., Zambrano, V.O., Harley, R.G. Synchronous generator stability due to multiple faults on unbalanced power systems 88−69310
Makram, E.B. *see* Duran, E.G. 87−72132
Makram, E.B. *see* Girgis, A.A. 86−61010, 86−61147, 87−9141, 88−10908, 88−55094
Makram, E.B. *see* Harley, R.G. 87−72151, 88−23835, 88−69363
Makram, E.B. *see* Nordin, K.B. 87−71514
Makram, E.B. *see* Thompson, R.L. 88−55418
Makram, E.B. *see* Thornton, K.P. 88−54873
Makram, E.B. *see* Zambrano, V.O. 88−48425, 88−55328
Makram, H. *see* Antonious, M.S. 86−53490
Makram-Ebeid, S., Boher, P. Electron hopping between bombardment induced defects in gallium arsenide 87−53188
Makram-Ebeid, S., Minondo, P. The roles of the surface and bulk of the semi-insulating substrate in low-frequency anomalies of GaAs integrated circuits 85−40746
Makram-Ebeid, S. *see* Patillon, J.N. 86−2971
Makrelov, I., Semerdzhiev, K. On the convergence of two methods for the simultaneous finding of all roots of exponential equations 85−44636
Makri, F.S. *see* Philippou, A.N. 87−58721
Makrigiorgos, G. A novel application of the high-pressure ionisation chamber to measure the mean neutron energy or the gamma ray dose fraction in a mixed neutron-gamma radiation field 87−21696
Makrigiorgos, G. Potential of gel walled high pressure ionization chambers for high energy neutron dosimetry 87−63859
Makrigiorgos, G., Waker, A.J. A high-pressure ionisation chamber to measure the mean neutron energy and the gamma ray dose fraction of an unspecified neutron-gamma radiation field 87−21697
Makris, M., Sawicki, J., Iannetti, S. Real-time autotracking/image processing architectures for field applications 86−30019
Maks, G.G., Parsons, R.J. Analogue voice terminals 85−57819
Maksa, E. A data-driven bare PCB tester 86−44147
Maksakov, A.A., Sorokina, T.G. Ways to designing a compatible HDTV broadcasting system 88−9759
Maksakov, A.A. *see* Novakovsky, S.V. 86−30949
Maksakov, N.F. Compression of pulses that have been 'stretched' by an optically excited array 85−7722
Maksakov, N.F. A radio channel with an arc-type antenna using spatial excitation 86−16052
Maksakov, N.F. Correlation function of the output signal of a transfer array with a discrete primary element 87−61522
Maksiejewski, J.L. Time-lags of triggered spark gaps in liquid hydrocarbons 85−56006
Maksiejewski, J.L. The effect of additives on the time characteristics of a liquid trigatron 87−67611
Maksiejewski, J.L. The breakdown process of a liquid trigatron 88−64221
Maksimcuk, E.P. *see* Ivanov, N.I. 87−70654
Maksimenko, A.A. *see* Dmitriev, V.E. 85−4931, 85−4938
Maksimenko, A.N., Trofimenko, G.L., Borodin, S.G. The neutron-neutron pulsed logging method: capabilities at pressures and temperatures of oil- and gas-bearing intervals of the Dnieper-Donets Basin 86−6066
Maksimenko, A.V. Selection of dedicated channels and flow optimization in a packet switched network 85−7953
Maksimenko, L.V. *see* Yemelianov, G.F. 86−23346
Maksimenko, N.N., Popov, A.A., Sapin, S.A. Results of an experimental assessment of current distribution in the elements of a network of natural earthing of industrial complexes 88−69647
Maksimenko, N.V. *see* Antyukhov, V.A. 86−60637
Maksimenko, V.G. Optimization of an input transformer 87−59716
Maksimenko, V.G. *see* Akindinov, V.V. 85−8827
Maksimenko, V.M. *see* Bugai, A.A. 87−11336, 87−37867
Maksimenko, V.V. *see* Lushnikov, A.A. 86−3485
Maksimenko, Yu.N. *see* Kaganovich, E.B. 85−50052, 87−37844
Maksimenko, Yu.N. *see* Vannikov, A.V. 85−46250
Maksimenko, Z.I. *see* Frolov, O.S. 86−1874
Maksimenkov, A.V. Distribution of tasks among the units of a computer network 87−27671
Maksimiuk, Z. Measuring electrodes length in a carbide furnace 88−4617
Maksimkin, V.L. *see* Bespalov, V.Ya. 88−43402
Maksimov, A.A. *see* Pavros, S.K. 87−31594
Maksimov, A.G. *see* Belyakov, A.A. 86−26238
Maksimov, A.N. *see* Gus'kov, B.N. 86−14086
Maksimov, A.S., Ormont, A.B. Photocapacitance images of metal-dielectric-semiconductor structures in a scanning optical microscope 87−63488
Maksimov, B.K., Obukh, A.A., Strakhov, Yu.A. Static electricity discharge in the gap between a sphere and a dielectric plane 87−47077
Maksimov, B.K., Zharkov, Yu.V. Statistical evaluation on protection reliability of electrical circuits sensitive to static electricity discharges 87−36996
Maksimov, E.A. *see* Stradomskii, M.V. 86−44453
Maksimov, L.P. *see* Belenkii, V. 87−1265
Maksimov, L.V. *see* Karapetyan, G.O. 85−35382
Maksimov, L.V. *see* Konstantinov, A.V. 87−56502
Maksimov, M.A. *see* Zelik, V.P. 87−22813
Maksimov, M.H. *see* Baleva, M.I. 86−46364, 86−47301
Maksimov, M.V. The synthesis of radio-electronic tracking meters by methods of optimum control theory 87−49139
Maksimov, M.V., Bobnev, M.P., Shustov, L.N., Krivitskiy, B.K., Gorgonov, G.I., Il'in, V.A., Stepanov, B.M. Radar anti-jamming techniques 88−11577
Maksimov, N.A. Internal structure of the transition to a strange attractor in one self-oscillatory system 85−44922
Maksimov, N.A., Starkov, S.O. On one mechanism of transition to chaos in transistor self-excited oscillators 86−40942
Maksimov, P.P., Tsvyk, A.I., Shestopalov, V.P. Investigation of the effect of phase nonuniformities and the microwave-field distribution on the electronic efficiency of a generator of diffraction radiation 87−16924
Maksimov, V.A. *see* Gavanin, V.A. 86−29001
Maksimov, V.F. *see* Dokhikyan, R.G. 85−18747
Maksimov, V.I., Chetkarev, V.A. Investigation of two-layer microwave thermophoto displays 86−65237
Maksimov, V.I. *see* Suzdal'nitskii, F.M. 86−43603
Maksimov, V.M. Generalized external characteristics of microwave devices 85−17804
Maksimov, V.M., Abritalina, O.V. Energy balance in microwave devices without losses taking into account nonpropagating waves 87−61431
Maksimov, V.M., Sukharev, I.G. Design of finite antenna arrays by waveguide modelling of infinite phased antenna arrays 88−14532
Maksimov, V.M. *see* Nikiforova, V.N. 86−39117
Maksimov, V.M. *see* Voskresenskii, D.I. 88−14482
Maksimov, V.M. *see* Vosrkresenskii, D.I. 86−42978
Maksimov, V.N. Electrostatic calibration of mechanical oscillators 88−29658
Maksimov, V.N. Power stabilization of He-Ne laser 88−65776
Maksimov, V.N., Shvartsman, R.I. Fabrication of iron castings for 4A132 and 4AM132 frames using a four-joint mold 87−58001
Maksimov, V.Yu. *see* Belyaev, A.A. 88−53895
Maksimov, Ye.R. Phase-code-keyed signal spectrum transformation in the time-search process 86−29893
Maksimova, I.F. *see* Zhelokova, M.Z. 87−58006
Maksimova, I.N. *see* Kastorskii, S.A. 87−77840
Maksimova, L.K. *see* Dubilovich, V.M. 88−55240
Maksimova, L.L. *see* Frenkel', A.Ya. 85−59633
Maksimova, N.G. *see* Babkin, S.I. 88−23183
Maksimova, N.K., Romanova, I.D., Filonov, N.G. Characteristics of electrical and strain effects in Schottky-barrier structures made of gallium arsenide implanted with oxygen ions 85−50266
Maksimova, N.K. *see* Romanova, I.D. 86−58322, 88−13003
Maksimova, N.K. *see* Stepanov, V.E. 85−44760
Maksimova, N.T. *see* Isyanova, E.D. 86−15671
Maksimova, N.T. *see* Ivanov, N.A. 87−46820
Maksimova, N.T. *see* Shchepina, L.I. 87−26365
Maksimova, N.T. *see* Smolskaya, L.P. 87−68425
Maksimova, N.T. *see* Vasil'ev, S.G. 85−18909
Maksimova, S.Ya. *see* Sarsembinov, Sh.Sh. 88−25936
Maksimovic, C. *see* Ivetic, M. 85−52689
Maksimovich, A.B., Khomuk, S.D., Obolentsev, N.A., Skarzhepa, V.A. Timer for experiment automation using Elektronika D3-28 microcomputer 87−8515
Maksimovich, V.A. *see* Anisimov, V.I. 87−53448
Maksimovskii, S.N. *see* Chernov, A.A. 85−5973
Maksimovskii, S.N. *see* Golovin, B.I. 85−22453
Maksimovskii, S.N. *see* Kurbatov, L.N. 86−68545, 87−54342
Maksimtsev, S.A. Computer simulation of the photodetection process in optical range finding 87−29001
Maksimtsev, S.A. *see* Kochanov, K.N. 85−4450
Maksimyak, P.P. *see* Angelskii, O.V. 86−15803
Maksimyuk, V.A. *see* Kondratenko, P.A. 87−68211
Maksiyan, I.F. *see* Glukhov, N.A. 85−6061
Maksud, M. *see* Cerny, E. 85−19874
Maksud, M. *see* Sarikaya, B. 87−20206
Maksudov, Sh.I. *see* Ismatullaev, P.R. 88−68092
Maksumov, O.S., Mamedov, R.E. Control unit for the ShD-4 stepping motor 86−19435
Maksyashev, V.P., Kakovkin, O.S. A procedure for determining the reliability of shielding of the molten metal in arc welding with coated electrodes 85−32846

Maksym, J.N. Expert systems for ship noise interpretation 85−57422
Maksym, J.N. *see* Hughes, R.C. 86−17521
Maksymiuk, J. On the speed of switchgear 87−30866
Maksymowicz, A. Structuring applications of speech recognition technology 87−61817
Maksymowicz, L.J., Stobiecki, T., Wenda, J. Production methods and properties of magnetic amorphous films 85−1825
Maktav, D. The study of the natural geographic differences in the coastal areas of water covered parts of Marmara Region in Turkey with the help of Landsat-4 MSS data using an unsupervised classification algorithm with Euclidean distance 86−18539
Makthal, H.V., Ethirajulu, P. Principles of brushless three phase high power servo drive 85−5414
Makthal, H.V., Ethirajulu, P. A brushless three phase high power AC servo drive: the analysis and performance of a novel system 88−43233
Makukha, V.I. *see* Astakhov, O.P. 88−7250
Makukha, V.K. *see* Gus'kov, L.N. 88−58620
Makukhin, A.N. Results of development of the power industry in 1983 and the tasks for 1984 85−15518
Makulbekov, E.A. *see* Alimov, A.S. 88−22867
Makulov, V.B. *see* Lalyko, L.B. 88−13994
Makulova, S. Computer networks 86−37492
Makulski, A. *see* Haman, K. 88−54732
Makulski, A.M. *see* Haman, K.F. 87−71326
Makuni, B.M. *see* Zazulin, V.S. 86−5849
Makurova, L.V. *see* Abramovich, B.N. 85−26985
Makusev, P.G. *see* Yakimenko, A.P. 85−65678
Makushkin, B.V. *see* Udovichenko, N.A. 88−15939
Makushkina, T.G. *see* Grachev, S.A. 85−39305
Makuta, T. Products and technological trends in miniature clock oscillators 87−52680
Makvetsov, E.N. *see* Tartakovskii, A.M. 87−40654, 88−53127
Makwana, B.P. *see* Mukundan, T.R. 88−62339
Mal, A.K., Kundu, T. Calculation of the acoustic material signature of a layered solid 85−10904
Mal, A.K. *see* Weglein, R.D. 88−61711
Mal, S. Digital oscilloscopes: more power for signal processing 88−29524
Mal Moon Kim *see* Jin Hee Lee 88−7483 to 7484
Mala, J.F., Salamero, L.M. Simplified models for push-pull switching power amplifiers 88−18931
Malabocchia, F. SLEUTH: an expert system for digital equipment troubleshooting 88−49489
Malabocchia, F. *see* Bomitali, E. 88−60537
Malacara, D. Optical and electronic processing of medical images 86−25223
Malach, J., Stekly, M. Interfacing the MT 143 measurement centre to the JPR 12R minicomputer 86−4982
Malachesky, P. *see* Bellows, R.J. 86−40062
Malachesky, P. *see* Grimes, O. 85−49182
Malachova, V.I. *see* Magnitskii, S.A. 86−29240
Malachowski, M.J., Stepniewski, J. Quasi-Fermi levels in MSM structure 85−18187
Malachowski, M.J. *see* De Cogan, D. 86−15126
Malack, J.A. Effective multilayer testing 86−58128
Malacky, L., Novak, J., Morvic, M., Kordos, P. Study of dark current in Ga$_{1-x}$In$_x$As/GaAs diodes 88−9976
Malacky, L. *see* Cambel, V. 87−70412, 88−36053
Malacky, L. *see* Novak, J. 88−8057
Malafeev, S.I. *see* Komlev, V.P. 85−4607
Malafeyev, O.A. *see* Vlasov, M.A. 87−19146
Malag, A., Mroziewicz, B. Bipolar heterojunction transistors Al$_x$Ga$_{1-x}$Ga/GaAs 86−15132
Malaga, A. Delay dispersion of wideband ground wave signals due to propagation over a rough ocean surface 85−7643
Malaga, A. A characterization and prediction of wideband HF skywave propagation 86−29392
Malaga, A. *M*-QAM performance for 4 bits/sec/Hz transmission over bandlimited frequency selective fading channels 87−39603
Malaga, A., Parl, S. A comparison of various multiple-edge diffraction techniques 85−13089
Malaga, A., Parl, S.A. Experimental comparison of angle and space diversity for line-of-sight microwave links 86−30640
Malagardis, N. Recent developments and strategies in France [OSI standards] 88−21466
Malaguti, R. *see* Iliceto, V. 87−71270
Malah, D. *see* Dembo, A. 85−19441, 85−46842, 85−51632, 86−10431, 86−16148, 87−59732, 88−34564, 88−34645
Malah, D. *see* Ehraim, Y. 85−25054
Malah, D. *see* Ephraim, Y. 85−19397, 85−46730, 86−22940, 88−72821
Malah, D. *see* Hertz, D. 86−10328
Malah, D. *see* Merhav, N. 87−47828
Malah, D. *see* Shpiro, Z. 86−8391
Malahova, L.A. *see* Kozlovsky, M.Y. 85−45367
Malaichuk, V.P. *see* Vovk, S.M. 88−40906
Malaise, R. *see* Lerondeau, A. 87−22854
Malaius, I. A system or the automatic measurement of the Q factor of coils 87−56828
Malaius, I. Precision frequency voltage (0.01%) converters 88−37284
Malaiya, Y.K. Testing stuck-on faults in CMOS integrated circuits 85−45902
Malaiya, Y.K. Analyzing data for CMOS leakage faults 86−15262
Malaiya, Y.K. Options in control implementation 86−46656
Malaiya, Y.K. Faults in microprogrammed and hardwired control 86−46914
Malaiya, Y.K., Jayasumana, A.P., Rajsuman, R. A detailed examination of bridging faults 87−37124
Malaiya, Y.K., Narayanaswamy, R. Modeling and testing for timing faults in synchronous sequential circuits 85−17272
Malaiya, Y.K., Yang, S. The coverage problem for random testing 85−33828
Malaiya, Y.K. *see* Rajsuman, R. 87−66111, 87−74418
Malaiyarasu, K., Srivatsa, S.K. On the address inputs of a multiplexer 85−881
Malaiyarasu, K. *see* Srivatsa, S.K. 86−1173
Malak, J. *see* Karasek, M. 86−68278
Malak, S.M. *see* Hassaballa, M.M. 88−62077
Malakauskas, P. *see* Knishevskaya, L. 87−73598
Malakauskas, P. *see* Laurinavicius, A. 88−58919
Malakhov, A.N., Cherepennikov, V.V. Selective excitation of acoustic modes by an electronic radiator 86−50765
Malakhov, A.N., Muzychuk, O.V. Structure of statistical relations between a Gaussian random perturbation and the output coordinate of a stochastic system 85−291
Malakhov, A.N., Polovinkin, A.V., Saichev, A.I. Average intensity of a beam reflected from a wave front inverting mirror in a randomly inhomogeneous medium 88−72527
Malakhov, A.N. *see* Gurbatov, S.N. 86−18183
Malakhov, A.N. *see* Virovlyanskii, A.L. 86−35056
Malakhov, A.N. *see* Virovlyanskiy, A.L. 86−22599
Malakhov, B.A., Tereshin, S.A. On the strain sensitivity of tunnel MIS structures (the small-deformation case) 86−41615
Malakhov, B.A. *see* Baru, V.G. 86−35714
Malakhov, I.A., Abdullaev, K.M., Poletaev, L.N., Shilovskii, Yu.V., Amirkhanova, I.A., Edel'shtein, S.A. Results of testing the water treatment installation at the Kharkov-5 heat and power station using water with domestic discharge content 87−78423
Malakhov, I.S. *see* Boryu, Yu.I. 88−30758
Malakhov, V.I. Computer-aided design of spring suspension of high-speed transport systems 85−10180
Malakhov, V.I. *see* Kochetkov, V.M. 86−42743
Malakhov, V.N. *see* Panfilov, E.N. 86−66507
Malakhov, V.P., Nikolaev, Yu.A. A subtractor with pulse-number representation of frequency differences 86−14447
Malakhov, V.V. *see* Budennyi, V.F. 86−39941
Malakhov, V.V. *see* Kirik, V.V. 87−37631
Malakhov, V.V. *see* Kolesnichenko, A.F. 86−7964
Malakhova, G.A. *see* Babkina, T.V. 85−58531
Malakhova, V.I., Rachkov, I.A., Senkov, N.V., Yakubovich, S.D. Modulation of the emission frequency of a single-mode homojunction laser by an injection current 86−68542
Malakhova, V.I., Solodkov, A.F., Yakubovich, S.D. Amplitude modulation of single-frequency injection laser radiation by a harmonic current signal 86−9861
Malakhova, V.I. *see* Goldobin, I.S. 85−35787
Malakhova, V.I. *see* Korolev, A.E. 88−2395
Malakhova, V.I. *see* Lunchev, V.A. 85−56797
Malakhova, V.I. *see* Velichanskii, V.L. 87−46902
Malakhovskii, O.Yu. *see* Bozhkov, V.G. 87−60405
Malakhovskii, O.Yu. *see* Bozhov, V.G. 85−12247
Malakhovskii, V.A., Stikhin, V.A., Krutikhovskii, V.G., Popkov, Yu.A. Development of a plasma torch and technique for plasma welding high-strength steel 86−19663
Malakooti, M.V. Estimation of the vocal tract parameters from ARMA model: an eigensystem approach vs. LPC 87−55050
Malakooti, M.V., Teague, K.A. CARMA model method of two-dimensional shape classification: an eigensystem approach vs. the LP norm 87−62252
Malam, H.O. *see* Jagam, P. 86−5781
Malamed, A.D. *see* Leizerovich, A.Sh. 86−39564
Malamed, E.R., Ol'shevskii, Yu.M., Ponkratov, A.N., Skvortsov, Yu.S. Photoelectric adapter to the UIM-29 and DIP-1 instruments 86−48273
Malamed, E.R. *see* Lemanov, V.V. 85−43106
Malamy, A.C. *see* Selvidge, C.W. 87−67530
Malan, J.J.J. Diginet SAPO's new digital data network 88−8976
Malancioiu, O. *see* Tanasescu, E. 86−70834
Malandain, E., Skarek, P. An expert system for accelerator fault diagnosis 88−54111
Malanowski, G. Isolation amp drifts ±5 mV over 8 hours 85−6174
Malanowski, K. Differentiability with respect to parameters of solutions to convex programming problems 86−19953
Malard, M. *see* Arianer, J. 85−15132
Malardier, P. *see* Frehel, J. 87−32622
Malaret, E. *see* Anuta, P. 85−64716
Malaret, E. *see* Landgrebe, D.A. 86−44766
Malarik, J.M. *see* Roberts, G.K. 86−51400
Malarkey, E.C., Bradley, J.C., Beaudet, P.R. Factored look-up tables (LUTs) and their use in residue number system (RNS) computations 88−73219
Malarkey, E.C. *see* Beaudet, P.R. 87−7802, 88−73217
Malarkey, E.C. *see* Bradley, J.C. 88−73218
Malarkey, E.C. *see* Goutzoulis, A.P. 87−39910, 88−51623
Malarkey, E.C. *see* Marx, G.E. 88−72189
Malarkey, T. *see* Wurzburg, H. 85−60164
Malashkevich, G.E., Kuznetsova, V.V. Operation of lasers based on solutions of complex rare-earth compounds with single-pulse excitation 85−7396
Malashkevich, V.V. *see* Likharev, V.A. 85−25121
Malat, V. *see* Podolsky, J. 85−27669
Malaterne, P. Transient fault recorder 'black box' 88−67948
Malatesta, G., Osnaghi, A., Sirovich, F. A distributed system for banking applications 85−19879
Malatesta, G. *see* Fiorani, P. 85−57807
Malatesta, M. *see* Bassini, R. 88−74858
Malatova, I. *see* Jursova, L. 86−60554
Malaubier, F. *see* Fernandez, J.-P. 88−48621
Malavasi, G., Mitchell, N., Pohlchen, R., Salpietro, E. The design status of the NET toroidal field coils 86−42184
Malavasi, G., Mitchell, N., Salpietro, E., Gori, R., Kaltner, T., Pohlchen, R., Klok, J., Luhning, J., Marinucci, C., Wassermann, C., Schrefler, B. Progress in the NET toroidal field coil mechanical design 87−67986
Malavasi, G. *see* Salpietro, E. 87−67983
Malavazi, H.J.F., Santos, J.R.G., Pires, A.S., Castro, E.F.J., Yamamoto, J.S., Conti, D.J.S., Kanno, G., Vivaldi, A.R. Speech detector for a DSI system 87−2811
Malavi, N., Jauhali, G. Power spectral density of CMI-coded TV signal transmitted through fibre-optic heterodyne system 87−76756
Malaviya, S.D. High speed bipolar process 85−40887
Malaviya, S.D. Picoampere current measurements by on-chip amplifier 85−44493
Malaviya, S.D., Passaro, M.A. Pipe-insensitive dynamic bipolar RAM for polyimide-filled trench 85−40091
Malaviya, S.D. *see* Havas, J. 85−40820
Malaya, E.M. *see* Sazhina, S.A. 87−56693
Malazgirt, A., Smith, W.L. A new method for real-time plasma etch process control: correlation of contact resistance with nondestructive modulated reflectance 88−44889
Malbert, C.H., Latour, A., Dardillat, C., Ruckebusch, Y. Measurement of gastric emptying rate 87−41937
Malbon, R.M. Cost reduction in manufacturing microwave components 87−6124
Malbon, R.M., Osbrink, N.K. Small-signal, low-noise active devices 85−55153
Malbrunot, P. *see* Charles, E. 85−37560
Malburg, K. *see* Scheffler, M. 85−27034
Malcang, M. CMOS units for digital signal processing 86−1099
Malcangi, G., Casella, G. Dynamic RAM with 256K 86−1038
Malcangi, M. VLSI technology and 'open system' [protection for microcomputers] 85−823
Malcangi, M. An alternative to the gate array in the protection of custom circuits 85−1636
Malcangi, M. Programmable VLSIs for vocal signals 85−6400
Malcangi, M. A development system for a wide spread gate array 85−11173
Malcangi, M. Vocal synthesis with the adaptative differential pulse code modulation technique (ADPCM) 85−13504
Malcangi, M. Floating points and integration 85−54797
Malcangi, M. Multiple DAC: new opportunities 86−1148
Malcangi, M. The evolution of the 'bit-slice' technique 86−8276
Malcangi, M. A sophisticated voice synthesiser 86−16153
Malcangi, M. Integrated VLSI for ISDN 86−43685
Malcangi, M. The transputer for fifth generation computers 86−52863
Malcangi, M. Digital signal processor 86−62615
Malcangi, M. Integrated systolic processors 87−763
Malcangi, M. Digital signal processor WE DSP16 87−59530
Malcangi, M., Casella, G. Multiport video RAM 85−45861
Malcangi, M., Casella, G. An interesting alternative to traditional coprocessors 86−14263
Malcangi, M., Casella, G., Creziato, M. Shiva: digital signal processor 85−45073

Malcangi, M., Massari, M. Printed circuits: evolution towards versatility. II 85—40328
Malcangi, M. *see* Bridgman, D. 86—62643
Malcangi, M. *see* Grant, D. 85—45120
Malcangi, M. *see* Hessinger, A. 85—6354
Malcangi, M. *see* Parker, J.L. 86—23554
Malcharek, A. *see* Ciesla, A. 87—12686
Mal'Chenko, S.I. *see* Vikhrov, S.P. 87—37909
Malcher, A.T. A TDM system for ENG links 87—13944
Malcher, A.T. *see* Dalton, C.J. 88—74128
Malcher, F., Lommer, G., Rossler, U. Subband Landau levels in n-inversion layers on InSb 88—19767
Malcher, F. *see* Lommer, G. 86—14904
Malchesky, P.S. *see* Lewandowski, J.J. 86—44624, 88—54475
Malchow, H.L., Croopnick, S.R. A methodology for organizing performance requirements for complex dynamical systems systems engineering management 85—33063
Malchow, R.L. *see* Maeshima, K. 87—29464
Mal'chushkin, V.A. *see* Danilov, V.V. 88—64680
Mal'chushkin, V.A. *see* Krasnova, N.P. 86—8565
Malcolm, A. Expressing quantitative data in technical communication 85—39473
Malcolm, A. Writing for the disadvantaged reader 86—40468
Malcolm, A. Recall of flashed capitalized video print: a study of prelingually deaf science and engineering college students 87—43829
Malcolm, B.G. The current state of the art of miniature *L/C* filters 87—842
Malcolm, D. *see* Graveline, S.W. 85—58205
Malcolm, D.J. *see* Tsang, S.H.L. 86—62650
Malcolm, J.A., Sirovica, D., Wilbur, S. Coordinating distributed network management services 88—67078
Malcolm, J.G. R&M 2000 action-Plan for tactical missiles 88—61727
Malcolm, J.W. *see* Daly, I.N. 88—11004
Malcolm, M.A., Vasudevan, R. Coping with network partitions and processor failures in a distributed system 85—36493
Malcolm, W.P. Packet radio proves effective 88—53120
Malcolme-Lawes, D. *see* Everett, S. 85—26498
Malcolme-Lawes, D.J. Microcomputers and laboratory instrumentation 85—5635
Malcolme-Lawes, D.J. Instrumentation based on microcomputers. I. A versatile laboratory interface system 87—56488
Malcolme-Lawes, D.J. Instrumentation based on microcomputers. III. A dynamic analog input interface 88—838
Malcolme-Lawes, D.J. Instrumentation based on microcomputers. II. An adaptor for using the interface with an IBM-compatible PC 88—4295
Malcom, A. How closed captions work 86—31055
Malcom, S.M. Women in science and engineering: an overview 86—13318
Malcorps, H., Crabbe, M. A reliable, ultra low power, CIGRE lightning-flash counter 86—32540
Malcotsis, G. Important aspects for consideration in minimizing plant outage times: Swiss experience in achieving high availability 85—27190
Malcotsis, G. Operating experiences of Swiss nuclear power plants—problems, their solutions and how high availabilities have been achieved 86—51237
Malcotsis, G., Streeton, D.F. Nuclear power in Switzerland 86—65840
Malcuit, M.S. *see* Boyd, R.W. 85—2403, 85—7515, 87—75223
Malczewski, M.L., Borkman, J.D., Vardian, G.T. Measurement of particulates in filtered process gas streams 86—47689
Maldague, X., Cielo, P., Ashley, P.J., Farahbakhsh, B. Thermographic NDT of aluminum laminates 88—18827
Maldague, X., Cielo, P., Ashley, P.J., Farahbakhsh, B. Thermographic NDT of aluminum laminates 88—56338
Maldague, X., Cielo, P., Jen, C.K. NDT applications of laser-generated focused acoustic waves 87—5544
Maldague, X., Poussart, D., Laurendeau, D., April, R. Tridimensional form acquisition apparatus 87—49597
Maldague, X. *see* Cheng-Kuei Jen 85—61016
Maldague, X. *see* Cielo, P. 86—569, 86—57507, 87—52242
Maldague, X. *see* Dufour, M. 87—49536
Maldague, X. *see* Jen, C.K. 86—42079
Maldarescu, T. *see* Cazacu, C. 87—57916
Maldari, F.S. Capabilities of the Inspex EX2000 patterned wafer inspection system 88—13085
Maldari, P. ESA's new ground station at Carnarvon, Australia 86—43771
Malde, S. Message handling standards 86—43472
Malderen, R.Van *see* Van Malderen, R.
Maldonado, J.R., Reisman, A., Lezec, H., Bumble, B., Williams, C.K., Iyer, S.S. Thin film structure to reduce radiation damage in X-ray lithography 87—38035
Maldonado, J.R., Reisman, A., Lezec, H., Williams, C.K., Iyer, S.S. X-ray damage considerations in MOSFET devices 86—58356
Maldonado, J.R. *see* Acosta, R.E. 85—12379, 86—1967, 86—21329, 86—35504
Maldonado, J.R. *see* Dana, S.S. 86—34381, 88—26132
Maldonado, J.R. *see* Sun, J.-Y.-C. 87—32563
Maldonado, J.R. *see* Uzoh, C. 87—38039
Maldonado, O.C. *see* Jacard, V.B. 87—54543
Maldonado, S., Alvarez-Icaza, L. System for communication management in telemetry networks 88—59562
Maldutis, E., Shirmulis, E., Filipavichyus, A. Stable laser for the far infrared region excited by a pulsed CO_2 laser with passive quality modulation 86—48351
Maldutis, E.K. *see* Balitskas, S.K. 86—68219, 86—68604
Maldutis, E.K. *see* Balkevicius, P.I. 86—68221
Male, A.T. *see* Braginski, A.I. 87—74557
Male, J., Vacik, J. Simulation of radar clutter processing 86—30868
Male, J.C. Electromagnetic field conditions in the vicinity of power transmission lines and possible influences upon pacemaker performance 85—38243
Male, J.C., Norris, W.T., Maddock, B.J., Bonnell, J.A. Alternating electric and magnetic fields near electric-power equipment: are they a health hazard? 86—25319
Male, J.C. *see* Maddock, B.J. 86—32385
Male, J.C. *see* Myers, A. 86—32386
Male, J.C. *see* Norris, W.T. 85—32119
Male, S.E., Lal, D. A superconducting magnetic separator with magnetically balanced matrix 88—66006
Malec, H.A. Quality management and the customer perspective 86—52311
Malec, H.A. Progress and trends of communications quality management 87—69437
Malec, H.A. Product/process reliability testing 88—246
Malec, H.A. *see* Conroy, R.A. 85—19876
Malec, H.A. *see* Giloth, P.K. 87—27847
Malec, H.A. *see* Heldman, R.K. 85—42044
Malecha, R.F. *see* Shimotake, H. 85—49186
Malecki, E.J. Technical workers and the location of R&D facilities 88—49442
Malecki, M.H., III. ASIC: choices for a new generation 87—587
Malecki, R. An algorithm of formulating nodal capacitance matrix for computing overvoltages in transformers 86—56814
Maleev, D.I. *see* Venkin, G.V. 86—24443
Malegue, D. *see* Gremillon, P. 88—3952
Maleham, J. Dry etching of semiconductor materials 87—18015
Maleiko, L.V., Malov, V.V., Rudenkov, A.P., Yakovlev, I.V., Ibragimov, T.B., Maglysh, V.A., Migukina, O.F., Pitkevich, G.G. Piezoresonance pressure transducers 85—14779
Malek, F.A., Loparo, K.A. Dynamic security assessment of power systems 88—23296
Malek, J. Computerized processing of power economics 87—21817
Malek, J. Television picture movement and its basic statistical characteristics 87—56414
Malek, J. Investigation of the properties of motion in the TV picture 88—4153
Malek, J., Pazderak, J. The possibilities of enhancing conventional TV systems 87—49314
Malek, L. Local data networks (LAN) 87—55748
Malek, M. Integrated voice and data communications overview 88—59755
Malek, M., Johnson, A.M., Jr., Rathi, B.D. Comparison of concurrent error-correcting techniques for multistage interconnection networks 87—69714
Malek, M., Sotomayor-Diaz, O. On-line provisioning of network services 88—52712
Malek, M. *see* Barnett, B.L., III 88—52972
Malek, M. *see* Cherkassky, V. 86—4343
Malek, M. *see* Chernassky, V. 86—37483
Malek, M. *see* Choi, Y. 87—38458
Malek, M. *see* Choi, Y.-H. 88—44263 to 44264
Malek, M. *see* Choi, Y.H. 86—47715
Malek, M. *see* Erfani, S. 88—41222
Malek, M. *see* Han, S.H. 87—38473, 88—25215
Malek, M. *see* Karger, P.G. 85—35135
Malek, M. *see* Kumar, S. 88—3405
Malek, M. *see* Sarrazin, D.B. 85—1542
Malek, M. *see* Shin, H. 85—54890
Malek, M. *see* Yau, K.H. 88—28440
Malek, M.P. *see* Bystritskii, V.M. 86—5725
Malek, O. *see* Hrivnakova, D. 88—56855
Malek, Z., Straus, J., Straus, J., Soukup, F., Safrata, S. An autonomous nitrogen cryosurgical system 85—43416
Malek-Zavarei, M. *see* Basu, S. 85—13942, 85—25008
Malek-Zaverei, M. *see* Tabatabai, A. 85—42113
Malekhanov, A.I. *see* Bershtein, I.L. 85—29534
Maleki, H.N., McVey, J.R. Detection of roof instability by monitoring the rate of movement 88—68035
Maleki, L. *see* Prestage, J.D. 88—22405
Maleki, N. *see* Lutz, W. 88—42574
Malenchenko, Z.Yu., Prasol, G.A. Modeling the connection between the audible and textual forms of speech communication 86—36972
Malenkov, A.A. *see* Kalinushkin, V.P. 87—73988
Maleprade, Ph.de *see* de Maleprade, Ph.
Males, R.H. A ten-year-old trauma and an apparent turning point [public utility energy resource planning] 85—16696
Males, R.H. Lakes and acidic deposition 86—32594
Malesani, A. *see* Cellini, G. 88—9608
Malesani, L., Rossetto, L., Tenti, P. Active filter for reactive power and harmonics compensation 87—22574
Malesani, L., Tenti, P. High efficiency PWM bridge inverter using single high frequency switch 85—10016
Malesani, L., Tenti, P. Single-stage polyphase to single-phase conversion using multilevel PWM technique [cycloconverters] 86—61667
Malesani, L., Tenti, P. Three-phase AC/DC PWM converter with sinusoidal AC currents and minimum filter requirements 87—43200
Malesani, L., Tenti, P. A novel hysteresis control method for current-controlled VSI PWM inverters with constant modulation frequency 88—30904
Malesani, L., Tenti, P. Medium-frequency GTO inverter for induction heating applications 88—75833
Malesani, L. *see* Bottari, S. 86—12926
Malesani, L. *see* Gaio, E. 88—69547
Malesani, L. *see* Tenconi, S.M. 87—38234
Malesani, L. *see* Tenti, P. 85—27489
Maleshkin, N.I. *see* Rapoport, E.Ya. 87—9947
Maleshko, M.I. *see* Bobrov, P.A. 86—30953
Maleshko, V.N. *see* Gorizontov, A.M. 87—20704
Maletinsky, V., Schaffer, G. Computer aided distribution network management and control 85—59693
Maletski, V.I. *see* Zil'berblat, M.E. 86—19649
Maletta, G. *see* Garozzo, M. 87—9735
Maletti, R. The use of a modified Simplex method for process optimisation in microelectronics 88—64424
Malev, M.D. *see* Brinkley, T.A. 86—38639
Malev, M.D. *see* Weisser, D.C. 86—55914, 88—54078
Malev, V.V. *see* Leizerovich, A.Sh. 86—39564
Malevannaya, N.G., Mal'tsev, G.S., Mamina, K.K. Reliability improvement of substations in areas of heavy snow precipitation 86—61546
Malevanyi, Yu.V. *see* Fedichkin, S.V. 87—73292
Malevich, I.A. *see* Efremenko, D.A. 88—22805
Malevich, I.A. *see* Lutkovskii, V.M. 85—31611
Malevich, I.A. *see* Zenchenko, S.A. 85—51222
Malevich, N.A. *see* Batishche, S.A. 86—54123
Malevich, V.L. *see* Pilipovich, V.A. 86—14982
Malewski, R. Wirewound shunts for measurement of fast current impulses 85—14963
Malewski, R. Measuring properties of IREQ's 5.4 MV voltage divider 87—14403
Malewski, R., Poulin, B. Digital monitoring technique for HV impulse tests [transformer testing] 86—19347
Malewski, R., Poulin, B. Impulse testing of power transformers using the transfer function method 88—75691
Malewski, R. *see* Clarke, K.K. 87—35123
Malewski, R. *see* Kuffel, J. 86—18026, 87—14255, 88—15993
Malewski, R. *see* McComb, T.R. 87—66266
Malewski, R. *see* Mitchel, G.R. 87—56645
Malewski, R. *see* Rochon, F. 85—32570, 85—44065
Malewski, R. *see* Vaillancourt, G.H. 85—44044
Malewski, R.A. *see* Kuffel, J. 87—29166
Maley, F.M. An observation concerning constraint-based compaction 87—59091
Maley, F.Miller *see* Miller Maley, F.
Maley, J.J. *see* Chiang, K.T. 85—18013
Maley, K. *see* Mao, B.-Y. 87—32710
Maley, L.E., Takahashi, Y., Gifford, G. Simplified on-line continuous organics analysis 86—5578
Maley, N., Lannin, J.S. Structural studies of a-Si:H based heterostructures 86—8847
Maley, N. *see* Pinarbasi, M. 88—25912
Maley, P.D. Television ground tracking applied to aerospace and astronomical events 88—35725
Maleyran, R. *see* Amos, N. 87—21405
Maleyran, R. *see* Battiston, R. 85—59224
Maleyran, R. *see* DeSalvo, R. 87—63653, 88—10278
Maleysson, C. *see* Berthet, G. 87—56657
Maleysson, C. *see* Blanc, J.P. 88—47497
Maleysson, C. *see* Chague, B. 86—1758
Malezic, M., Gregoric, M., Vavken, E., Kljajic, M., Acimovic-Janezic, R., Klemen, A. EMG positioning of electrodes in subcutaneous peroneal stimulation 88—48158
Malezic, M. *see* Acimovic, R. 88—61411
Malezic, M. *see* Bogataj, U. 87—14930
Malezic, M. *see* Kljajic, M. 87—14941
Malezic, M. *see* Stefanovska, A. 88—61406
Malfait, R. *see* Kiper, L. 87—79122
Malgardis, N. Network technology and developing economies 86—49273
Mal'gavka, V.V. *see* Mnusskikh, M.E. 86—18904
Malgeri, M. *see* Di Stefano, A. 86—69236

Malghan, V.R. Towards commercialisation of MHD power plants-a look at the international programmes 85-53636
Malghan, V.R. Effects of aerodynamic shocks on the performance of puffer-type SF$_6$ circuit breakers 87-30853
Malghan, V.R., Thiagarajan, K., Jayapal, R. Design, material selection and microprocessor control for Indian MHD air preheaters 85-15961
Mal'gin, Yu.Yu. *see* Egoshin, A.V. 87-47922
Malgrange, C. *see* Baruchel, J. 85-15235
Malgrange, C. *see* Bensoussan, S. 87-52114
Malguin, A.S. *see* Alberini, C. 86-65387
Malguin, A.S. *see* Badino, G. 85-48177
Malhame, R. A Markovian jump process-driven stochastic hybrid-state model, and its application for the prediction of the statistical behavior of controlled electric water heating loads in power systems 87-58452
Malhame, R., Chee-Yee Chong Electric load model synthesis by diffusion approximation of a high order hybrid-state stochastic system 86-6293
Malhammar, A. Optimum sized air channels for natural convection cooling 88-24569
Malherbe, C. *see* Marceau, J. 86-33012
Malherbe, J. *see* Boy-Marcotte, J.L. 86-19175
Malherbe, J. *see* Fabvier, G. 85-60617
Malherbe, J.A.G. The design of a slot array in nonradiating dielectric waveguide. I. Theory 85-24974
Malherbe, J.A.G. Design of a squinting linear waveguide slot array antenna 85-46653
Malherbe, J.A.G. Integrated travelling-wave antenna for nonradiative dielectric waveguide 86-42991
Malherbe, J.A.G. An integrated antenna for nonradiative dielectric waveguide 86-64086
Malherbe, J.A.G., Boshoff, H.F.V. Planar slot array fed by coupled dielectric lines in a metal waveguide 88-2853
Malherbe, J.A.G., Cloete, J.H., Losch, I.E. A transition to nonradiating dielectric waveguide 85-19210
Malherbe, J.A.G., Cloete, J.H., Losch, I.E., Robson, M.W., Davidson, D.B. The design of a slot array in nonradiating dielectric waveguide. II. Experiment 85-24975
Malherbe, J.A.G., Coetzee, J.C. Bandstop filter in nonradiative dielectric waveguide using rectangular resonators 87-73633
Malherbe, J.A.G., Coetzee, J.C. Bandstop filter in nonradiative dielectric waveguide using rectangular resonators 88-25383
Malherbe, J.A.G., Davidson, D.B. Mutual impedance for half-cosinusoid slot voltage distribution: an evaluation 85-2671
Malherbe, J.A.G., Losch, I.E. Directional couplers using semi-re-entrant coupled lines 88-19335
Malherbe, J.A.G., Losch, I.E., Cloete, J.H. A transition from rectangular to nonradiating dielectric waveguide 85-50027
Malherbe, J.A.G., Olivier, J.C. A band-stop filter constructed in coupled nonradiative dielectric waveguide 87-17307
Malherbe, J.A.G., Olivier, J.C. Resonant coupled stub in nonradiative dielectric waveguide 87-59822
Malherbe, J.A.G., Pistorius, C.W.I. Prediction of error due to distance in measurement or calculation of electromagnetic backscatter from a cylindrical body 88-15503
Malherbe, J.A.G., Wijnbeek, M.C. Gunn diode oscillator constructed in nonradiative dielectric waveguide 88-12586
Malherbe, J.A.G. *see* Celliers, A.F. 86-20795
Malherbe, J.A.G. *see* Cloete, K. 87-33415
Malherbe, J.A.G. *see* Losch, I.E. 88-66139
Malherbe, J.A.G. *see* Olivier, J.C. 87-6057, 87-73639, 87-75517, 88-32371, 88-58917
Malherbe, J.B. *see* Barnard, W.O. 88-50662
Malherbe, J.B. *see* Carr, B.A. 87-60171
Malherbe, J.M., Noens, J.C., Roudier, T. Numerical image processing applied to the solar corona 86-69153
Malherbe, S.M. *see* Delic, G. 88-31668
Malherbe, S.M. *see* Delic, G.E. 88-31689
Malherbes, A. *see* Friart, D. 85-7503
Malhi, D.S. *see* Satwinder, D.S.M. 85-50779
Malhi, S. *see* Banerjee, S. 88-26276
Malhi, S.D.D. *see* Pinizzotto, R.F. 85-50195
Malhi, S.D.S., Bean, K.E., Sundaresan, R., Hite, L.R. Overlaid CMOS 86-53791
Malhi, S.D.S., Chatterjee, P.K., Bonifield, T.D., Leiss, J.E., Carter, D.E., Pinizzotto, R.F., Coleman, D.J. Edge-defined self-alignment of submicrometer overlaid devices 85-7095
Malhi, S.D.S., Davis, H.E., Stierman, R.J., Driscoll, C.C., Chatterjee, P.K. Orthogonal chip mount-a 3D hybrid wafer scale integration technology 88-39646
Malhi, S.D.S., Shichijo, H., Banerjee, S.K., Sundaresan, R., Elahy, M., Pollack, G.P., Richardson, W.F., Shah, A.H., Hite, L.R., Womack, R.H., Chatterjee, P.K., Lam, H.W. Characteristics and three-dimensional integration of MOSFETs in small-grain LPCVD polycrystalline silicon 85-35171
Malhi, S.D.S., Sundaresan, R., Pollack, G.P. Characteristics of MOSFETs fabricated in SPE grown polysilicon 86-41845
Malhi, S.D.S. *see* Banerjee, S.K. 87-24190
Malhi, S.D.S. *see* Chen, C.-E. 85-54894, 86-14209
Malhi, S.D.S. *see* Hite, L.R. 86-21819
Malhi, S.D.S. *see* Pollack, G.P. 85-12182
Malhi, S.D.S. *see* Richardson, W.F. 86-46857
Malhi, S.D.S. *see* Schichijo, H. 85-50597
Malhi, S.D.S. *see* Shah, A.H. 85-49888, 87-10854, 87-17093
Malhi, S.D.S. *see* Shichijo, H. 85-40108, 85-50725, 86-34779, 87-18262
Malhi, S.D.S. *see* Sundaresan, R. 85-54896, 87-16638
Malhotra, G.L. *see* Padam, G.K. 88-31819
Malhotra, K.L. Deviations in measured R/T both at low and high frequencies and their causes 86-17554
Malhotra, L.K., Kumar, A., Chopra, K.L. Photodensification in amorphous P-Se thin films 85-61697
Malhotra, L.K. *see* Bhan, M.K. 88-50615, 88-57322
Malhotra, L.K. *see* Chopra, K.L. 85-45400
Malhotra, L.K. *see* Gupta, P.K. 86-28092
Malhotra, L.K. *see* Kumar, A. 87-60231, 88-71475
Malhotra, M.K., Omidyar, C.G. Trends and issues in local area networks 86-54991
Malhotra, M.K. *see* Omidyar, C.G. 85-13951
Malhotra, P. Fibre optic system for temperature measurement 85-62290
Malhotra, P.K. *see* Anassontzis, E. 86-32202
Malhotra, S. *see* Henon, B. 86-12609
Malhotra, V., Mahan, J.E., Ellsworth, D.L. Fundamentals of memory switching in vertical polycrystalline silicon structures 86-21275
Malhotra, V., Mahan, J.E., Ellsworth, D.L. An electrothermal model of memory switching in vertical polycrystalline silicon structures 88-71496
Malhotra, V. *see* Huang, M.T. 85-50457
Malhouitre, G. *see* Bastien, D. 87-15491
Mali, P.C., Chaudhuri, B.B., Dutta Majumder, D. Some properties and fast algorithms of slant transform in image processing 86-16540
Mali, P.C., Chaudhauri, B.B., Majumder, D.D. Properties and some fast algorithms of the Haar transform in image processing and pattern recognition 85-7919
Mali, P.C., Majumder, D.D. Analytical comparative study of a class of discrete linear basis transforms 87-44102
Mali, P.C. *see* Chaudhuri, B.B. 85-30459
Maliakal, J.C., Fisher, D.J., Jr., Waugh, A. Trends in automated diffusion furnace systems for large wafers 85-23622
Maliakov, Sl. *see* Boyanova, M. 87-41282
Maliarenko, A.M. *see* Martell, A.A. 87-72429
Malic, R.A., Chaban, E.E. Continuous rotatable electrical feedthrough [vacuum experimentation] 86-1463
Malicet, A. *see* Martin, E. 86-20754
Malicsko, L., Cravero, I., Otsi, L. Macro- and microanalytical investigations of impurities during production of TeO$_2$ single crystals 86-384
Malide, C. *see* Georgescu, M. 88-32688
Maligranda, L. Interpolation between sum and intersection of Banach spaces 86-62095
Malik, A.A. An efficient algorithm for generation of constraint graph for compaction 88-26428
Malik, A.K., Cook, R.F., Tavner, P.J. The detection of discharges in alternators using wideband radio frequency techniques 86-33358
Malik, G. *see* Blummel, B. 88-46423
Malik, H.J. *see* Pandey, B.N. 88-11800
Malik, J. *see* Gigus, Z. 88-66761, 88-73363
Malik, J. *see* Perona, P. 88-28092
Malik, J.M., Martin, N.L. Human engineering factors applied in an electrical test system 87-20871
Malik, L. *see* Chandel, R.S. 88-11535
Malik, M. Computer modelling of electrocardiograms and heart-pacemaker interface 88-48169
Malik, M., Camm, A.J. Pacemaker inverse problem 88-36517
Malik, M., Camm, A.J. The pacemaker inverse problem-computer diagnosis of paced electrocardiograms 88-61448
Malik, M., Cochrane, T. A discrete simulation model of electrocardiograms 86-25250
Malik, M., Cochrane, T., Camm, A.J. Computer simulation of cardiac rhythm and artificial pacemakers using a ten-element heart model 86-56185
Malik, M.F. Biometric assessment of mass communication audiences with respect to the indigenous, native population 85-42047
Malik, M.R., Orszag, S.A. Linear stability analysis of three-dimensional compressible boundary layers 87-58878
Malik, N. *see* Liang, H. 87-61936
Malik, N.A. *see* Nasseem, S.N. 87-58332
Malik, N.H. The influence of source impedance on the performance of FC-TCR power factor compensators 86-18705
Malik, N.H., Al-Arainy, A.A. Charge simulation modelling of three-core belted cables 85-59729
Malik, N.H., Al-Arainy, A.A. Electrical stress distribution in three-core belted power cables 87-71691
Malik, N.H., Al-Arainy, A.A. Statistical variation of DC corona pulse amplitudes in point-to-plane air gaps 88-26592
Malik, N.H., Al-Arainy, A.A. Capacitance calculation of three core belted power cables 88-30380
Malik, N.H., Al-Arainy, A.A., Kailani, A.M., Khan, M.J. Discharge inception voltages due to voids in power cables 88-30379
Malik, N.H., Haque, S.E. Steady state analysis and performance of an isolated self-excited induction generator 87-9556
Malik, N.H., Haque, S.E. Harmonic analysis of three phase AC voltage controllers 87-37007
Malik, N.H., Haque, S.M.E., Shepherd, W. Analysis and performance of three-phase phase-controlled thyristor AC voltage controllers 85-65335
Malik, N.H., Mazi, A.A. Capacitance requirements for isolated self-excited induction generators 87-51201
Malik, N.H. *see* Akbar, M. 85-56013, 87-38604
Malik, N.H. *see* Al-Arainy, A.A. 88-62532
Malik, N.H. *see* Haque, S.E. 85-59598, 87-58162
Malik, N.R. *see* Orgren, A.C. 87-19786
Malik, O. *see* McLellan, E.J. 88-20132
Malik, O.P., Ghosh, A., Hope, G.S. Implementation and test results of adaptive power system stabilizers 85-21132
Malik, O.P., Hope, G.S., Badr, M.A.L. Experimental results for a digital PID voltage regulator with dynamically changing weighting coefficients 87-72131
Malik, O.P., Hope, G.S., Cheng, S.J., Hancock, G. A multi-microcomputer based dual-rate self-tuning power system stabilizer 88-5275
Malik, O.P., Hope, G.S., Gorski, Yu.M., Ushakow, V.A., Rackevich, A.L. A design approach for a microprocessor based complex control system for application to a generator turbine unit 86-12798
Malik, O.P., Hope, G.S., Gorski, Yu.M., Ushakov, V.A., Rackevich, A.L. Experimental studies on adaptive microprocessor stabilizers for synchronous generators 87-72130
Malik, O.P., Hope, G.S., Tripathy, S.C., Mital, N. Decentralized suboptimal load-frequency control of a hydro-thermal power system using the state variable model 85-43531
Malik, O.P., Sheirah, M.A., Ibrahim, M.M., Hope, G.S. Integral load frequency controller with time-varying weighting coefficients 85-43516
Malik, O.P. *see* Alegria, C.M. 85-64909
Malik, O.P. *see* Cheng, S. 87-4688
Malik, O.P. *see* Cheng, S.J. 88-54908, 88-61868
Malik, O.P. *see* Chow, Y.S. 87-71585
Malik, O.P. *see* Ghosh, A. 85-21115
Malik, O.P. *see* Kalina, G. 86-25506
Malik, O.P. *see* Kumar, A. 85-21117, 85-27288, 87-42342
Malik, O.P. *see* Ledwich, G. 86-12304
Malik, O.P. *see* Minasiewicz, S. 85-27737, 86-32695, 86-45530, 86-45891, 86-65654, 87-43729
Malik, O.P. *see* Raina, G. 85-38941, 86-51536
Malik, O.P. *see* Sheirah, M.A. 86-61038
Malik, O.P. *see* Shi-jie Cheng 86-50832, 87-78647
Malik, R. Operator, I want a person to person call-in Japanese 85-25595
Malik, R. Integrating Europe's telecoms 86-64407
Malik, R. Online with Minitel 88-59564
Malik, R. *see* Levine, B.F. 87-56688
Malik, R. *see* Wunder, R. 86-431
Malik, R.J. Electron beam source molecular-beam epitaxy of III-V compounds 87-73090
Malik, R.J., Capasso, F., Stall, R.A., Kiehl, R.A., Ryan, R.W., Wunder, R., Bethea, C.G. High-gain, high-frequency AlGaAs/GaAs graded band-gap base bipolar transistors with a Be diffusion setback layer in the base 85-34933
Malik, R.J., Levi, A.F.J. Electron beam source molecular beam epitaxial growth of analog graded Al$_x$Ga$_{1-x}$As ballistic transistors 88-31736
Malik, R.J., Lunardi, L.M., Walker, J.F., Ryan, R.W. A planar-doped 2D-hole gas base AlGaAs/GaAs heterojunction bipolar transistor grown by molecular beam epitaxy 88-26214
Malik, R.J., Lunardi, L.M., Walker, J.F., Ryan, R.W. AlGaAs/GaAs heterojunction bipolar transistor with a planar-doped two-dimensional hole gas base grown by molecular-beam epitaxy 88-50816
Malik, R.J., van der Ziel, J.P., Levine, B.F., Bethea, C.G., Petroff, P.M., Walker, J., Hamm, R. Molecular beam epitaxy of GaSb/AlSb optical device layers on Si(100) 87-44351

Malik, R.J., van der Ziel, J.P., Levine, B.F., Bethea, C.G., Walker, J. Molecular-beam epitaxy of GaSb/AlSb optical device layers on Si(100) 86−52453
Malik, R.J. *see* Beltram, F. 88−71602
Malik, R.J. *see* Berthold, K. 88−64511
Malik, R.J. *see* Capasso, F. 86−53375, 88−70756
Malik, R.J. *see* Choi, K.-K. 87−63414
Malik, R.J. *see* Choi, K.K. 87−60153, 88−12988
Malik, R.J. *see* Gualtieri, G.J. 88−19690
Malik, R.J. *see* Levine, B.F. 86−50095, 88−2111, 88−7353, 88−32909, 88−35995, 88−36000, 88−53686, 88−60724, 88−65433, 88−65458, 88−67787
Malik, R.J. *see* van der Ziel, J.P. 86−36462, 87−7363
Malik, S., Katz, R.H. Combining multilevel decomposition and topological partitioning for PLAs 88−24900
Malik, S.K., Chace, E.F. MOS gate oxide quality control and reliability assessment by voltage ramping 85−39537
Malik, U.A. Small hydro progress in Malaysia 85−60060
Malik, V. *see* Srinivasan, R. 87−13750
Malikov, Ch.M. *see* Kazaryan, E.V. 87−4660
Malikov, G.F. Balance as the subject of quantity production 87−49967
Malikov, M.M., Fomin, V.A., Shevchenko, A.L., Shpil'rain, E.E. Self-pumping of the working gas through an electric-discharge metal-vapor laser 86−63767
Malikov, R.F., Mustafin, R.Kh. Kinetics and spectrum of a light pulse in picosecond holography 88−27320
Malikov, R.F. *see* Varnavskii, O.P. 85−35730, 87−75048
Malikov, V.S. *see* Fedotov, A.M. 87−64599
Malikov, V.T., Khaimzon, I.Ya., Kachkovskii, A.I., Chumachenko, S.L. Displacement-to-number converter and its interfacing with microprocessor system 88−16025
Malikov, V.V. *see* Minkin, M.A. 86−53027
Malila, W.A. Components and comparisons of potential information from several imaging satellites 87−57423
Malila, W.A., Crist, E.P. Spectroradiometric transforms and data compression 87−4119
Malimon, A.N. *see* Domnin, Y.S. 86−38588
Malimon, A.N. *see* Domnin, Yu.S. 87−34898, 88−20551
Malimon, I.V. *see* Guts, V.V. 86−36359, 87−70834, 88−33892
Malin, J.A. *see* Smith, F.W. 87−34635
Malin, J.T. Automating human monitoring and control: integrating artificial intelligence and data analysis 86−11442
Malin, K. *see* Greschner, J. 85−6839
Malin, K. *see* Krogmann, G. 85−23612
Malina, R.F. *see* Abrams, P.C. 87−63886
Malina, R.F. *see* Finley, D.S. 87−14581
Malina, R.F. *see* Marchant, W. 88−41273
Malina, R.F. *see* Siegmund, O.H.W. 85−43214, 86−50366
Malina, V., Nohavica, D., Soukupora, R. The effect of implementation of the lower contact on the optical power of frontally emitting red GaP electroluminescent diodes 85−2163
Malina, W. Some multiclass Fisher feature selection algorithms and their comparison with Karhunen-Loeve algorithms 88−14797
Malinaric, P.J. Transient suppressor design with varistor composite materials 86−15897
Malinenko, V.P. *see* Zakharchenya, B.P. 86−1853
Malinge, J.-L. *see* Soster, M.-C. 86−48141
Malinge, J.L. New low loss two-channel single probe molded connector for optical communication 86−9568
Malinge, J.L., Pouyez, Ph. Fiber optic switching coupler with electro-magnetic command for hostile environment 88−13867
Malinge, J.L. *see* Soster, M.C. 88−13873
Malinger, A.J. The DATAPOINT ARC (attached resource computer) local network: a field proven local area network 85−19901
Malinger, A.J. The ARC local area network: design and implementation of a local network 86−4330
Malingowski, J.S. *see* Einolf, C.W., Jr. 88−73631
Maliniak, D. Color palette D-A converters paint a bright video picture 88−6940
Maliniak, D. Focus on laboratory power supplies 88−30786
Maliniak, D. Focus on surface-mounted resistors 88−44384
Maliniemi, H., Roning, J. Visual dimension inspection of industrial parts 85−63960
Malinin, A. *see* Galaktionov, Yu. 87−8841
Malinin, A.A. *see* Nikonorov, A.I. 87−34879
Malinin, A.B. *see* Danilenko, V.I. 88−36399
Malinin, A.B. *see* Venikov, N.I. 87−14697
Malinin, A.N. *see* Anisimova, T.E. 88−56510
Malinin, A.P. *see* Golikov, V.S. 88−27964
Malinin, B.G. *see* Aristov, A.V. 88−33966
Malinin, B.G. *see* Eremenko, A.S. 87−75034
Malinin, B.G. *see* Gavrilov, O.D. 85−7529
Malinin, G.I. *see* Himberger, D.E. 87−3951
Malinin, V.I., Balchunas, M.A., Klimashauskas, G.E. Electronic chromakey systems for TV centers 88−22302
Malinin, V.I., Bordiukov, G.F., Golubeva, L.F., Sukovitsyn, N.M. On generation of background video signals for chromakey systems 87−63148
Malinin, V.I., Mandrazhi, V.P., Golubeva, L.F., Koren', M.I. An electronic chromakey system 86−24096
Malinin, Yu.G., Slobodchikov, S.V., Filaretova, G.M. Spectral photosensitivity of Au-*p*-InAs Schottky diodes 87−18066
Malinin, Yu.G., Slobodchikov, S.V., Filaretova, G.M., Fetisova, V.M. Influence of a magnetic field on the photoelectric effect in *p*-type InAs Schottky diodes 86−15569
Malinina, E.I. *see* Pravoverov, N.L. 88−44405
Malinkin, N.A. *see* Ignatieva, A.V. 86−59986
Malinkin, V.B. A duplex model for digital data transmission 86−37268
Malinkovskii, Yu.V. *see* Kovalev, E.A. 88−28148
Malinkovskiy, Yu.V. Queueing networks with symmetric standby channels 88−11830
Malinnikova, T.G. *see* Christovich, L.A. 85−57310
Malinochka, V.P. *see* Titov, S.L. 87−24352
Malinov, V.A., Charukhchev, A.V., Chernov, V.N. Oscillographic method for determination of edge profiles of subnanosecond laser pulses with large power swings 88−72387
Malinov, V.A., Starikov, A.D., Tibilov, V.K., Fedorova, O.M. Fast high-voltage optoelectronic switch 87−26205
Malinov, V.A. *see* Afonin, S.L. 88−58234
Malinov, V.A. *see* Alekseev, V.N. 86−15670
Malinov, V.A. *see* Kryzhanovskii, V.I. 85−56771
Malinov, V.A. *see* Volynkin, V.M. 87−12251
Malinov, V.G. *see* Dobrozhanov, V.I. 87−9154
Malinova, A. *see* Grigulis, Yu. 88−1484
Malinovksii, V.N., Prokopyshin, V.P. Methods of protection low-level signal measuring devices from general sources of noise 88−42054
Malinovska, E., Pavelka, V. Properties of welded joints produced by twin-arc tandem submerged-arc welding 88−55998
Malinovskaya, S.A. *see* Belenko, S.E. 87−8869
Malinovskii, A.L. *see* Ganichev, V.A. 88−67799
Malinovskii, B.N. *see* Sidorik, E.P. 86−60757
Malinovskii, D.I. Noise-immune pulse shaper 88−32065
Malinovskii, E.E. *see* Dui'zon, N.A. 86−66495
Malinovskii, E.N. *see* Belousov, A.S. 87−50190
Malinovskii, L.G. A system of algorithms and programs of analysis of the informativeness of measurements (conventional hypotheses of discriminant analysis). I 86−11398
Malinovskii, S.A. *see* Durnev, E.M. 88−43528
Malinovskii, V.K. *see* Kanaev, I.F. 88−12036
Malinovskii, V.K. *see* Salun, V.S. 88−38128
Malinovskii, V.S. *see* Krutyanskii, M.M. 85−65649
Malinovskiy, D.I. *see* Lada, Yu.A. 87−76049
Malinovskiy, L.B. *see* Luchuk, A.M. 88−72736
Malinovskiy, V.N., Romanov, S.K. Computer simulation of frequency synthesizers with ring-type pulse-phase automatic frequency control 85−6202
Malinovskiy, V.N., Romanov, S.K. The dynamic processes in a digital frequency synthesizer with a pulse frequency-phase discriminator 85−6203
Malinovsky, A.U. Asymmetrical conditions and their use for electrical machine control 87−43015
Malinovsky, T.V. *see* Burdugov, V.M. 87−77880
Malinowski, C.W. *see* Danile, P.S. 87−59554, 88−32228, 88−38597
Malinowski, J. *see* Brociek, S. 86−51049
Malinowski, K. Radio communication in Polish conspirational activities. II 85−3351
Malinowski, K. Underground production of radio- and telecommunication equipment. I 85−25335
Malinowski, K., Allidina, A.Y., Singh, M.G. Decomposition-coordination techniques for parallel simulation 87−44260
Malinowski, K., Sadecki, J. Dynamic programming: a parallel implementation 87−44181
Malinowski, K. *see* Lei, S. 87−44261
Malinowski, K. *see* Wang, L. 87−44262
Malinowski, M. *see* Wolinski, W. 85−35720
Malinowski, W. A minicomputer system for measuring yarn length for use on cross-beam winding machines 87−29283
Malinowski, W., Wojciak, A. Properties of a microprocessor system for controlling a DC drive unit powered through an SCR circuit 85−10147
Malins, J.N. *see* Tedd, D.C. 86−44149
Malins, R.J. *see* Harris, D.G. 88−8099
Malinverni, M. Sizing procedure and measurement error compensation principles in a high-level data-acquisition system 86−49997
Malinverni, P. *see* Domenici, M. 86−58353
Malique, C. *see* Kremnev, R.S. 86−30313
Malisan, M.R. *see* Contento, G. 86−11839
Malisova, E.V. *see* Krivov, M.A. 85−11943
Maliszewski, A. *see* Fronc, A. 85−44035
Maliszewski, J. Electric energy saving in common-use electromechanical equipment 85−16460
Maliszewski, J. Conception of home interurban automatic telephone network. I. Optimization method of this network 85−25322
Maliszewski, J. Conception of home interurban automatic telephone network. II. Economic optimization of automatic trunk exchanges home network 85−47127
Maliszewski, J. The concept of automatic nationwide trunk network. III. The concept of automatic trunk exchange networks−prospects of development 85−51951
Maliszewski, J. Computer-aided planning of a long-distance telephone network development 88−41235
Maliszewski, R.M., Pasternack, B.M. A statistical technique for projecting future short-circuit levels of EHV systems 88−55074
Malitesta, C. *see* Bicelli, L.P. 86−26310
Malitesta, C. *see* Peraldo Bicelli, L. 87−4860
Malitskaya, M.A. *see* Raevskii, I.P. 87−45630
Malitskii, E.E. *see* Borovov, G.I. 87−17812
Malitskii, E.E. *see* Kruchinin, A.U. 87−38006
Malitskii, V.V. *see* Goroshkova, T.V. 88−4579
Malivanchuk, V.I. The gain of a travelling-wave tube with a field phase jump 85−61634
Maliverni, P. *see* Domenici, M. 85−55450
Malivert, C. Duality for linear multiple criteria programming 85−16873
Maljadi, E., Schiferl, R., Lipo, T.A. Induction machine phase balancing by unsymmetrical thyristor voltage control 85−27427
Maljean, M. Review of the main techniques of electroheat 85−60548
Malk, E.G. *see* Cothren, R.M. 86−44693
Malka, J. *see* Ahtiainen, A. 86−69246
Malka, M. Dedicated telecommunications networks for the oil and gas industry 88−3420
Malkamaki, L.J. An 800 MHz bandwidth acousto-optical spectrometer at Helsinki Observatory 87−33021
Malkangi, M. A high quality voice synthesiser 86−64216
Malkhanov, O.V., Cheremiskin, I.V., Chekhlova, T.V. Filtering properties of a thin-film ring resonator 86−9645
Malkiewicz, T.A. *see* Cenanovic, M.B. 88−75369
Malkin, A.I. *see* Beloshabskii, V.V. 85−65468, 86−26026
Malkin, D.M. *see* Ashkinazi, A.E. 87−9550
Malkin, F.J., Dennison, T.W. The effect of helicopter vibration on the accuracy of a voice recognition system 86−70480
Malkin, L.Z. *see* Alkhazov, I.D. 87−50175, 88−68285
Malkin, P.A. *see* Zeiliger, A.N. 87−35664
Malkina, I.G. *see* Babushkina, T.S. 85−10727
Malkinski, W. A man-machine dialog system for handling the C-40 automated wire bonding device 88−57753
Malkinski, W. *see* Fijalkowski, J. 88−57752
Malkis, V.A., Lokshin, V.A. The feasibility of using parallel/mixed flow systems in nuclear power station steam generators with a superheater 85−4781
Mal'ko, I.I., Zatsepin, N.N. Eddy-current digital thickness meter TETsA 88−74500
Mal'ko, I.I. *see* Zatsepin, N.N. 88−74327
Malko, J., Mromlinski, L.R. Methodology of planning the power plants development in incomplete information conditions 88−75230
Malkomes, M., Gramatke, H. Circular polarized microstrip antennas and arrays for millimeter wave applications 88−8610
Malkomes, M., Kadisch, G., Schmitt, H.J. Optimized microstrip ring-star 5-ports for broadband 6-port measurement applications 85−17800
Malkomes, M., Meyer, R. A self-calibration technique for dual six-port network analyzers 85−14732
Malkomes, M., Walsdorf, R. Integrated fin-line 6-ports for mm-wave network analyzers 87−8732
Malkomes, M., Walsdorf, R., Schmitt, H.J. Integrated fin-line 6-ports for MM-wave network analyzers 88−53583
Malkov, A.A. *see* Alekseev, R.A. 85−43713
Malkov, A.B. *see* Berezhnoi, V.P. 87−40662
Malkov, A.V. Effect of misalignment of electro-optic crystal on shutter transmission 85−46218
Mal'kov, K.V. Estimation algorithm for exponential spectrum of linear systems of differential and integrodifferential equations 85−60897
Mal'kov, K.V. Some numerical methods of determining the behavior of systems of differential equations in relation to the initial conditions 87−23578
Malkova, A.S. *see* Kotashevskii, V.A. 85−1485
Mal'kova, G.I. *see* Bykovskii, V.F. 88−14082, 88−45342
Mal'kova, M.G. *see* Avdeeva, V.P. 85−12880
Mal'kovskii, V.I., Il'ina, E.M. Determining the maximum heating temperature of a transformer-type current-limiting device 87−64661
Malla, R. *see* Luse, J.D. 86−69849
Malladi, D. *see* Belani, J. 87−51873
Malladi, R.V.S. *see* Saxena, S.K. 87−59065
Mallaeva, Kh.M. *see* Akbarov, R.Yu. 86−61818
Mallagh, C. The inherent unreliability of reliability data 88−31556
Mallahzadeh, A.R. *see* Kalhor, H.A. 86−36820

Mallalieu, B.D., Bateman, B. Improved efficiency in motor drives 87–78993
Mallalieu, B.D., Bateman, B.C. Improved efficiency in motor drives 87–51522
Mallalieu, K., Youngquist, R., Davies, D.E.N., Jones, G.F. An analysis of the photothermal drive of a quartz force sensor 86–36206
Mallalieu, K.I., Youngquist, R., Davies, D.E.N. RF band FMCW for passive multiplexing of multimode fibre optic sensors 86–48184
Mallalieu, K.I., Youngquist, R., Davies, D.E.N. FMCW of optical source envelope modulation for passive multiplexing of frequency-based fibre-optic sensors 86–63615
Mallan, A. *see* Grove, R.E. 86–3400
Mallani, A. *see* Baselli, G. 86–32335
Mallappa, B., Cox, N.R. Still-frame image transmission using DPCM/interpolative coding 88–73724
Mallard, H.J. *see* Fernandez Sainz, L.B. 85–48376
Mallard, J.R. *see* Eid, A.M. 87–6952
Mallard, J.R. *see* Evans, N.T.S. 86–32265
Mallard, J.R. *see* Redpath, T.W. 88–10318
Mallary, M.L. Conduction of flux at high frequencies in Permalloy strips by small-angle rotations 85–45961
Mallary, W.E., Whitelaw, V.A. Space Station data management system architecture 87–42042
Mallat, J., Krofta, J. A combined power supply for −5 V, +7 V and +12 V 88–32003
Mallat, J. *see* Krofta, J. 88–12213
Mallat, S. A theory for fractal decomposition of signals 87–69362
Mallat, S.G. Scale change versus scale space representation 87–62369
Mallat, S.G. A compact multiresolution representation: the wavelet model 88–28090
Mallavarapu, L.T. *see* French, R.X. 87–71953
Mallavarpu, R., MacMaster, G. 500 MHz, 100 W X-band solid state amplifier 86–8495
Mallavarpur, R., MacMaster, G. 100 W peak/30 W average broadband X-band solid-state amplifier 87–45294
Mallecot, F. *see* Remiens, D. 88–20446
Mallecot, F. *see* Vinchant, J.F. 88–65352
Mallela, S., Grover, L.K. Clustering based simulated annealing for standard cell placement 88–71704
Mallela, S., Wu, S. A sequential circuit test generation system 86–46741
Mallem, O., Lantaires, J. The plastic composite package provides an economic alternative to LSI-VLSI packaging for high density microcircuits 85–61599
Mallen, A.N. *see* Cheng, H.S. 86–39316
Mallen, A.N. *see* Wulff, W. 85–59972
Malleo-Roach, J.A. *see* Allen, W.R., Jr. 88–22454
Maller, G. *see* Owens, D.R. 88–75236
Maller, V.N., Paul, J.C. Discussion on 'Surface Breakdown of Solid Insulator in Vacuum under Influence of Electric and Magnetic Fields' [comments and author's reply] 86–61166
Maller, V.N., Srivastava, K.D. Effect of field nonuniformity on time-to-corona inception in SF_6 with insulator 85–24006
Maller, V.N., Srivastava, K.D. High speed photographic investigations of surface flashover across precharged insulator 86–6394
Maller, V.N., Srivastava, K.D. Corona inception and breakdown in nonuniform field with insulating support in air 88–7766
Maller, V.N. *see* Jain, S.K. 85–48579
Maller, V.N. *see* Palekar, S.C. 86–26193
Mallery, D. The 'ultimate' ASCII clock 85–15050
Mallery, D. Solving cable-switching problems 86–10757
Mallery, D. Taming that octopus behind your processors 87–20225
Mallery, D. Telebit's 9600 Trailblazer [modem] 87–62741
Mallery, D. The Racal-Vadic 9600VP modem 87–69775
Mallery, D.C. *see* Pogortzelski, R.J. 85–54375
Mallet, C.T. *see* Mulvey, M. 88–47188
Mallet, J. *see* Brisson, J.C. 86–50423
Mallet, M. *see* Boutmy, P. 86–43811
Mallet, M. *see* Korahnke, G. 88–29099
Mallet, P., Fallou, B. New experimental methods to characterize the HV electrical properties of liquid dielectrics 88–44903
Mallet, P., Menguy, C. Avoiding static electricity: methods for materials characterization and site testing 87–47084
Mallet-Mouko, C. *see* Andre, J.P. 86–42441
Mallet-Mouko, C. *see* Gentner, J.L. 88–65495
Mallet-Paret, J. *see* Li, T.-Y. 85–33295
Mallett, C.T. Digital multiplexing in submarine cable branching units 88–9333
Mallett, C.T. *see* Dawson, P.A. 85–25878
Mallett, J.D. *see* Bailey, J.S. 87–20399
Mallett, J.R. *see* Nicholas, R.J. 87–74097
Malley, D. The RIT stuff [amateur radio reception] 86–37744
Malley, D. Malley's Manchester monitor [Yaesu FT-101E transceiver modification] 86–49443
Malley, D. A VOX in a box [closed loop cassette tape controller] 87–34863
Malley, H.M., Jewell, N.T., Smith, R.A.C. A structured approach to weapon system design 88–61552
Malley, M.M. *see* Felber, F.S. 88–47956
Mallia, M. Pure power for the computer age 88–17710
Malliani, A. *see* Baselli, G. 87–29764, 87–29774
Malliani, A. *see* Brovelli, M. 85–9204
Malliavin, P. Calculus of variations, stochastic integrals and the de Rham's complex on the Wiener space 85–10580
Malliavin, P. Oscillatory stochastic integrals and a positive Feynman-Kac formula 85–49439
Mallick, A.K. *see* Alphones, A. 87–68076
Mallick, A.K. *see* Biswas, J.C. 86–2624
Mallick, A.K. *see* Ghosh, M.K. 87–56664
Mallick, J. *see* Chin, C. 87–59685
Mallick, J.A. *see* Harris, M.R. 86–45387, 87–4983
Mallick, J.A. *see* Noujaim, S.E. 88–74296
Mallick, S. *see* Grousson, R. 85–24645
Mallick, S. *see* Herriau, J.P. 86–22526
Mallicoat, S.W. A building-block approach to computer graphics 87–3474
Mallieu, D., Rousseaux, P., Van Cutsem, Th., Ribbens-Pavella, M. A new hierarchical approach for dynamic state prediction and filtering in electric power systems 87–71508
Mallieu, D. *see* Rousseaux, P. 88–23414
Mallik, A. *see* Allen, R. 87–47144
Mallik, A. *see* Christopoulos, C. 87–75478, 88–40609, 88–69897
Mallik, A. *see* Johns, P.B. 85–2545, 85–30059, 86–15952
Mallik, A.K. *see* Raghunath Reddy, S. 87–316
Mallik, M.C. Chronology of developments of wireless communication and electronics 87–44093
Mallinckrodt, D.von *see* von Mallinckrodt, D.
Mallinger, A. *see* Thorn, W. 88–46499
Mallinger, M. *see* Harris, J.R. 86–9105
Mallinson, J. The magnetic recorder as a communications channel 87–53891
Mallinson, J.C. The next decade in magnetic recording 85–24175
Mallinson, J.C. The next decade in magnetic recording 85–56107
Mallinson, J.C. Foundations of magnetic recording 88–43572
Mallinson, J.C., Bertram, H.N. On the characteristics of pole-keeper head fields 85–24125
Mallinson, M. *see* Hoodless, A. 85–63824, 86–43996
Mallinson, N.M. *see* Bolton, H.R. 86–39822
Mallinson, S.R. Fibre-coupled Fabry-Perot wavelength demultiplexer 85–25870
Mallinson, S.R. Crosstalk limits of Fabry-Perot demultiplexers 85–58097
Mallinson, S.R. Wavelength-selective filters for single-mode fiber WDM systems using Fabry-Perot interferometers 87–34529
Mallinson, S.R., Jerman, J.H. Miniature micromachined Fabry-Perot interferometers in silicon 87–76752
Mallinson, S.R., Warnes, G. Optimization of thick lenses for single-mode optical-fiber microcomponents 85–46170
Mallinson, S.R. *see* Millar, C.A. 86–2739, 87–38790, 88–51441
Mallinson, S.R. *see* Wright, J.V. 88–72071
Mallios, R.R. *see* Cohen, M.E. 88–28088
Mallo, J.R. *see* Alocen, J.L. 85–21993
Malloch, C.B., Kwak, W.I., Gerhardt, L.A. Tunable model-driven nonuniform sampling methods for 3D inspection 88–60571
Malloch, C.B. *see* Kwak, W.I. 88–31538
Mallon, J. *see* Cagney, F. 87–62203
Mallon, J. *see* Robb, J.T. 88–42948
Mallon, J.R., Jr., Grace, R.H. Automotive applications of solid state sensors and silicon microstructures 88–31171
Mallon, R.E., Ravikumar, S. Detection of bursty error conditions through analysis of performance information 88–45833
Mallonee, G. Circuit shows pulses' Δfrequency 85–14968
Mallonee, G. Circuit monitors duty cycle 85–49801
Mallory, C.C. *see* Morris, J.M. 87–55184
Mallory, C.L. *see* Perloff, D.S. 85–34818
Mallory, G.O. Recent advances in electroless nickel plating of aluminum connectors 85–11685
Mallory, G.O. Electroless nickel deposition in an ultrasonic field 86–40755
Mallory, M.L. Initial operation of the K800 superconducting cyclotron magnet 85–59023
Mallory, M.L., Nolen, J.A. Rigidity analogue radioactive beams from a heavy ion cyclotron 88–47945
Mallory, M.L. *see* Antaya, T.A. 85–64432
Mallory, M.L. *see* Hudson, E.D. 85–64433
Mallory, M.L. *see* Laumer, H. 85–64366
Mallory, M.L. *see* Nolen, J.A. 85–26648
Mallory, P.E. *see* Halpern, P.H. 86–10366
Mallot, H.A. *see* Bulthoff, H.H. 87–62337
Mallouk, T. *see* Cervera-March, S. 88–49105
Malloy, D.J. *see* Chen, F.F. 86–25827
Malloy, J.D., Williams, L.P. To be or not to be: small power reactors 85–21363
Malloy, J.D. *see* Kulynych, G.E. 85–53520
Malloy, N.J. Fundamental limits on multiple PRF radar performance 87–28657
Mally, K. Experiences in construction and usage of an integrated computer-aided PCB design system 87–17499
Mallya, A., Chum, S. Design considerations for optical fiber cable and associated components for broadband subscriber loop applications 88–47081
Malm, B.N. *see* Cook, W.R. 86–10823
Malm, D. *see* Lifshitz, N. 88–71401
Malm, D.L. *see* Franey, J.P. 85–6022
Malm, D.L. *see* Liu, R. 88–71446
Malm, D.L. *see* Lum, R.M. 88–43933
Malmanche, A. *see* Krishnan, R. 86–15346
Malmberg, G. *see* Dahl, B. 85–42097
Malmberg, J.H. *see* Tsunoda, S.I. 87–8642
Malmberg, J.J. *see* Tsunoda, S.I. 85–6658
Malmberg, P. Satellite earth station for EBU 88–35455
Malmberg, P.R., Patterson, J.G., Braunstein, T.H., Luo, F.-C. Active-matrix liquid-crystal display with integrated scanner electronics 87–1993
Malmberg, P.R. *see* Kun, Z.K. 87–2037
Malmberg, P.R. *see* Prince, J.C. 87–21176
Malmborg, P. *see* Ruth, T.J. 86–25103
Malmerhag, O., Ormberger, J., Haabma, J., Jungefeldt, T., Sjogren, S. Workstations and local area networks - for electronic and software design 86–34457
Malmhall, R. *see* Rao, K.V. 86–15357, 87–12038
Malmhall, R.K. *see* Mohri, K. 87–21030
Malmivio, J.A.V. *see* Lekkala, J.O. 85–53006
Malmivuo, J., Lekkala, J., Kontro, P., Suomaa, L., Vihinen, H. Improvement of the properties of an eddy current magnetic shield with active compensation 87–29724
Malmivuo, J. *see* Lekkala, J. 85–48217
Malmivuo, J. *see* Tuominen, T. 87–41458
Malmo, J.T. *see* Lokberg, O.J. 87–61265, 88–22855, 88–63412
Malmo, J.T. *see* Strand, A. 88–65917
Malmo, O., Reitan, A. Wave-power absorption by an oscillating water column in a channel 86–12732
Malmo, O., Reitan, A. Wave-power absorption by a finite row of oscillating water columns in a reflecting wall 86–51511
Malmo, O. *see* Dybedal, J. 88–57870
Malmros, O. *see* Kaltenborn, N. 85–23663
Malo, J. Secure communication in the TRANSDATA network 88–28224
Malo, J.E., Robertson, F.R. TVA's wind measurement program 88–23604
Malo Machado, V., Borges da Silva, J.F. Series-impedance of underground transmission systems 88–75138
Malobabic, M. *see* Rautenberg, M. 85–53568
Maloberti, A. The radioelectric subsystem of a cellular digital system for communication with mobiles (developed in the MARATHON project) 85–36930
Maloberti, A. *see* Ghillebaert, B. 88–67248
Maloberti, A. *see* Havel, C. 85–25780
Maloberti, F. Analogue techniques for VLSI integration 85–29331
Maloberti, F. An efficient method for the numerical analysis of transients in linear-dynamic circuits 85–54612
Maloberti, F. Switched capacitor amplifier with frequency controlled gain 86–798
Maloberti, F., Montecchi, F. An offset-compensated continuous-feedback SC integrator for biquad sections 85–17679
Maloberti, F., Montecchi, F. Low-frequency noise reduction in time-shared switched-capacitor ladder filters 85–34049
Maloberti, F., Montecchi, F., Torelli, G. Bilinear design of fully differential switched-capacitor ladder filters 86–14347
Maloberti, F., Palmisano, G. Four quadrants switched capacitor analog multiplier 85–34003
Maloberti, F. *see* Canosi, C. 85–63416
Maloberti, F. *see* Chiappano, G. 87–62861
Maloberti, F. *see* Coppero, L. 88–829
Maloberti, F. *see* Espinosa, G. 87–66357
Maloberti, F. *see* Haug, K. 86–14341
Maloberti, F. *see* Liberali, V. 88–6964
Maloberti, F. *see* Lutz, G. 88–29908
Maloch, J. *see* Kulhanek, P. 88–4709
Maloch, J. *see* Pichal, J. 88–4708
Malocha, D. *see* Richie, S.M. 87–32819
Malocha, D.C., Bishop, C.D. The classical truncated cosine series functions with applications to SAW filters 87–32812
Malocha, D.C. *see* Belkerdid, M.A. 86–2538, 86–10244
Malocha, D.C. *see* Bishop, C.D. 86–2519, 87–60737
Malocha, D.C. *see* Liou, J.J. 88–71325
Malocha, D.C. *see* Richie, S.M. 87–60752, 88–33485
Malocha, D.C. *see* Vigil, A.J. 88–51127
Malocha, D.C. *see* Wahid, P.F. 87–53746, 87–54745
Maloeuvre, M. *see* Reingeard, C. 88–53558

Malofei, O.P., Tupkalo, V.N., Kamysh, A.V. Increasing the interference stability of the receivers in radio links 88—21203
Malofei, O.P. *see* Efimov, E.A. 85—3355
Malofei, O.P. *see* Klyuchko, V.I. 85—30196, 85—62973, 86—23669
Malofei, O.P. *see* Tupkalo, V.N. 86—43256
Maloigne-Fernandez, C., Croche, R. Classification of abnormalities observed in wood by camera 88—59322
Malolepszy, J., Tomala, M., Szwejda, A. Problems in operating a fibre optics cable in Lodz 88—35526
Maloletnev, A.A. *see* Bin'ko, G.F. 86—5729
Malomed, B.A. Propagation of a soliton in a nonlinear waveguide with dissipation and pumping 87—32979
Malomed, B.A. Soliton motion in a nonlinear waveguide with dissipation and pumping 87—74749
Malon, D.M. Optimal consecutive-2-out-of-*n*:F component sequencing 85—49386
Malon, D.M. Optimal consecutive-*k*-out-of-*n*:F component sequencing 85—60805
Malone, C.J. *see* Nichols, D.K. 85—23724
Malone, C.J. *see* Zoutendyk, J.A. 85—18442, 85—20843
Malone, D.E. *see* O'Connor, J.E. 88—16645
Malone, D.F. *see* Goulding, F.S. 85—43217
Malone, D.F. *see* Pehl, R.H. 85—43305, 86—65346
Malone, D.J. *see* Knips, T.J. 87—37302
Malone, D.N. *see* Nolder, R.L. 88—195
Malone, D.P. Slurry flow measurement at the H-coal pilot plant 86—5595
Malone, D.P. Slurry flow measurement: a case history 86—24839
Malone, E.K. *see* Branson, C.A. 86—20555
Malone, G. *see* Seth, S. 88—75335
Malone, H.R. Microstrip overlay coupler suits broadband use 86—14466
Malone, J. Telecommunications: evolution—revolution in the business marketplace 87—69540
Malone, J.F. *see* Maher, K.P. 88—10329
Malone, J.G. Automated mesh decomposition and concurrent finite element analysis for hypercube multiprocessor computers 88—70245
Malone, J.P. *see* Estrin, J. 85—30716
Malone, J.P. *see* Lien, M. 86—4309
Malone, J.R. *see* Traynor, O.P. 88—20033
Malone, K.T., Fischer, T.R. Contour gain vector quantization of Gauss-Markov sources 87—39717
Malone, K.T., Fischer, T.R. Contour-gain vector quantization 88—59090
Malone, K.T. *see* Fischer, T.R. 86—16277, 86—29807, 88—3212
Malone, R.A., Ash, A.R. Roof moisture survey: a case history 88—68094
Malone, S. Imperfect memories [PS/2 memory cards] 88—32216
Malone, S. *see* Farena, L. 88—52900
Malone, T.W., Grant, K.R., Kum-Yew Lai, Rao, R., Rosenblitt, D. Semistructured messages are surprisingly useful for computer-supported coordination 87—76013
Malone, T.W. *see* Brobst, S.A. 86—69348
Malone, T.W. *see* Lee, J. 88—55901
Maloney, C. *see* Blau, W. 85—29936
Maloney, C.E., Fang, C.S. Methods for evaluating the performance of emitters in plane parallel diodes 86—14784
Maloney, C.E., Zhang, H.L. Surface coverage, work function and poisoning characteristics of a half rhenium coated impregnated scandate cathode 85—55351
Maloney, D.L. *see* McManus, C.D. 85—53099
Maloney, D.P. Rule governed physics—current in a series circuit 87—16312
Maloney, E.D., Coudert, C. Technical communications aspects of Franco-American cooperation in nuclear power research 86—43394
Maloney, E.D. *see* Faillon, G. 85—3509
Maloney, F.P. Computer CB scanner 87—3057
Maloney, J. *see* Chen, J.C. 88—63333
Maloney, M. *see* Look, D.C. 86—2196
Maloney, M.P. *see* Carter, T.M. 85—518
Maloney, P., Selin, J., Jones, G. Continuously variable L-band monolithic phase shifters using GaAs 87—32092
Maloney, P.R., Mezger, M.A., Sasnoff, J.P. L-band GaAs transceiver components 86—35116
Maloney, S. Protocols for the upper layers compared 86—69482
Maloney, T. *see* Khurana, N. 86—15279
Maloney, T.C. Thin film transistor addressed liquid crystal data display 86—50178
Maloney, T.J. Contact injection: a major cause of ESD failure in integrated circuits 87—53742
Maloney, T.J. Industrial solid-state electronics. Devices and systems. Second edition 87—65114
Malony, A.D. *see* Reed, D.A. 88—56099
Maloratskiy, L.G. *see* Gololobov, V.M. 87—44502
Malos, J. *see* Bailey, R. 85—15164
Malos, J. *see* Gooch, T.K. 86—25139
Malos, J. *see* Tkaczyk, S.M. 88—54432, 88—68283
Malota, F. Pulsed CO_2-laser heterodyne radar for simultaneous measurements of range and velocity 85—8483
Maloufi, N., Audouard, A., Piecuch, M., Marchal, G. DC conductivity mechanisms in amorphous group-IV semiconductors 86—53364
Maloumbi, B. *see* Dhouib, A. 85—50245, 86—35417, 88—8048
Maloumbi, B. *see* Doub, A. 88—18060
Malov, A.G. *see* Nazarenko, S.I. 85—38033
Malov, A.N., Razhev, A.M. Electric-discharge XeCl laser with high spatial homogeneity and energy density of output radiation 85—2242
Malov, A.N., Razhev, A.M. Excimer laser with two simultaneously excited active media 86—15646
Malov, A.N., Razhev, A.M. Excimer laser with two simultaneously excited active zones 86—48332
Malov, A.N. *see* Klimenko, I.S. 85—57503
Malov, A.N. *see* Krasnikov, Yu.I. 87—68564
Malov, A.N. *see* Saptsin, V.M. 86—28105
Malov, A.N. *see* Vashurin, P.V. 88—59317
Malov, A.N. *see* Yakobi, Yu.A. 85—56733
Malov, S.N. *see* Klimenko, I.S. 86—36611
Malov, V.V. Optimization of spark discharge characteristics and its effect on the ignition of near-limit fuel-air mixtures 86—35938
Malov, V.V., Ryabov, P.M., Farafonov, V.G. Piezoelectric aerodynamic balance for measuring small loads 85—31460
Malov, V.V., Ryabov, P.M., Farafonov, V.G. Piezoelectric aerodynamic balance 87—56860
Malov, V.V., Simonov, V.N., Klyuchko, A.V. Pressure gauges based on a quartz oscillator controlled by a capacitive sensing element 88—74372
Malov, V.V., Turovtsev, A.V., Iogansen, L.V. Theory of prism coupling with an optical waveguide having a cubic nonlinearity 87—46552
Malov, V.V., Usmanova, Z.M., Iogansen, L.V. Theory of prismatic coupling of electromagnetic wave to domain wall 85—24910
Malov, V.V. *see* Logansen, L.V. 86—36216
Malov, V.V. *see* Maleiko, L.V. 85—14779
Malov, V.V. *see* Vasil'ev, E.N. 86—41273
Malov, V.V. *see* Vasil'yev, Ye.N. 86—29528
Malovec, P. Basic problems of monitoring dielectric properties of microbiological objects in a microwave band 87—35171
Malovec, P., Ostapenkov, A.M., Muller, J.N. An increased resolution bridge method for measuring dielectric properties of microbiological objects within the microwave band 87—63492
Malowany, A., Gauthier, D., Freedman, P. Interprocess communication for distributed robotics under UNIX 87—69741
Malowany, A. *see* Mansouri, A.-R. 86—8645
Malowany, A.S. *see* Boudreault, Y. 86—63470, 87—44938
Malowany, M. *see* Cox, H. 88—38579
Malozemoff, A.P., Gallagher, W.J., Schwall, R.E. Applications of high-temperature superconductivity 88—33563
Malozovskii, Yu.M., Malyutenko, V.K., Sukhorebrii, V.B. Self-magnetoresistivity of semiconductors with mixed conductance 86—35282
Malozovskii, Yu.M. *see* Malyutenko, V.K. 86—35315
Malpass, T., Lowe, R. Adapting the CCITT 32 kbps ADPCM algorithm for operation at variable rates 87—39711
Malpeli, F. *see* Enrico, G. 86—10833
Malquori, E. *see* Aloia, A. 88—69218
Malsagov, A.U. *see* Guseinov, G.D. 85—41236, 86—1753, 86—1756, 88—51659
Malsburg, C.V.D. *see* Bodenstein, G. 85—64587
Malshakov, V.D. *see* Lomov, Yu.S. 85—44584
Malshenko, Yu.Ye., Sasorova, Ye.V. On methods of synthesizing telecommunications networks with channel switching 85—42004
Malstrom, E.M. *see* Kaplan, G. 85—22126
Malstron, E.M. *see* Burnet, G. 85—33001
Malt, A.P.J., Clarke, G.D., Jearey, D.J. Training and development aids for modern control systems 87—4305
Malt, A.P.J., Clarke, G.D., Robinson, P.E. Computer-based supervisory control and energy management system for the city of Cape Town 88—23323
Malt, A.P.J., Fair, R.I., Sallows, B.W. Rehabilitation projects in Third World countries 87—51328
Maltais, F., Manley, P. Surface mounting design and application considerations 86—58166
Maltby, G.F. Telecommunications development 87—48448
Maltenfort, A.J. Integrated optic wavelength-division multiplexing system for optical fiber communications systems 88—9565
Mal'ter, V.L. *see* Fillipov, V.I. 85—65619
Maltese, J.G. *see* Haire, M.J. 86—274
Maltese, P. Cross-modulation and disuniformity reduction in the addressing of passive matrix displays 86—2865
Maltese, P. Cross-modulation and nonuniformity reduction in the addressing of matrix displays 86—50175
Maltese, R. *see* Feenan, G. 85—3121
Malting, P., Schneider, V. Managing waste in West Germany 85—38630
Maltinti, G. *see* Baroni, M. 85—53044
Mal'tsev, A.A., Silaev, A.M. Algorithms of optimal estimation of dynamic system states with detection of jumplike variations in their parameters 86—13631
Mal'tsev, A.A., Silaev, A.M. System adaptation algorithms in the presence of nonstationary pulsed and stepped noise. I 86—64268
Mal'tsev, A.A., Silaev, A.M. Adaptive algorithms for a nonstationary noise environment with pulsed and stepped disturbances. II 86—64269
Mal'tsev, A.A., Silaev, A.M. Optimal estimation of state of linear discrete systems in the presence of pulsed perturbations 87—31392
Mal'tsev, A.A., Silaev, A.M. Optimal detection of a random packet of pulse signals 88—34676
Mal'tsev, A.A., Silayev, A.M. Application of optimal filtering theory to the design of adaptive systems which minimize the mean-square error 88—46057
Mal'tsev, A.A. *see* Arzamasov, S.N. 86—41240, 87—33455
Mal'tsev, A.A. *see* Kitaev, V.B. 86—10375, 88—29715
Mal'tsev, A.A. *see* Litvin, D.P. 88—71335
Mal'tsev, A.A. *see* Verechikova, R.G. 87—74112
Mal'tsev, A.D., Chudnov, A.M. Optimization of the parameters of a redundant code in an information-transmission system with pseudorandom switching of radio frequencies 88—27788
Mal'tsev, A.N. *see* Vorob'eva, L.P. 85—41325
Mal'tsev, A.T. *see* Alebastrov, V.A. 87—39377
Mal'tsev, A.V. *see* Konyushenko, S.M. 88—66062
Mal'tsev, D.V. *see* Bunkin, A.F. 85—53148, 87—29953, 88—30176
Mal'tsev, E.I. *see* Gorbunov, N.V. 88—15107
Mal'tsev, E.K. Improving the hydrogen sensitivity of a combustible-gas detector 85—48139
Mal'tsev, G.I., Mikleev, A.M., Strelkov, V.N., Susurkin, V.R. VVTE-10-10/630 U2 and VVTP-10-10/630 U2-type high-voltage vacuum switches 86—33559
Maltsev, G.I., Ubiennykh, B.I., Borodkin, A.P., Radzinskii, E.A., Rakhmangulov, R.V. Electron-beam valve ELV 200/1 U2 87—6322
Mal'tsev, G.S. *see* Malevannaya, N.G. 86—61546
Maltsev, M.G. *see* Barbanel, I.S. 86—15807
Mal'tsev, O.A. *see* Gulyaev, Yu.V. 85—45970, 86—35962
Mal'tsev, O.A. *see* Gulyayev, Yu.V. 85—50821
Mal'tsev, O.A. *see* Kmita, A.M. 86—27133
Mal'tsev, O.A. *see* Kryshtal', R.G. 87—46398
Mal'tsev, P.P. Limit immunity of a direct-current amplifier to deterministic interference 86—34576
Mal'tsev, P.P. *see* Kotov, Yu.T. 88—44211
Mal'tsev, V.A. *see* Obukhov, S.G. 87—58362
Mal'tsev, V.I. *see* P'yankov, V.A. 88—18781
Mal'tsev, V.P., Shatrov, A.D. Effect of variation of the refractive index profiles on the dispersion of multimode fibers 85—56343
Mal'tsev, V.V. *see* Alekseev, O.G. 86—63893
Mal'tsev, V.V. *see* Filipchuk, E.V. 87—30322
Mal'tseva, A.V. *see* Grinstein, M.L. 85—26042
Mal'tseva, L.F. *see* Kindysheva, V.S. 87—16570
Mal'tseva, N.A., Presnyakov, Yu.P. Doppler interferometer for measurement of displacement of a surface as a function of time 88—74586
Maltz, G. BIGFERN, first large optical waveguide project. Experience with the production of the cable, installation and results 86—23923
Maltzahn, W.W.von *see* von Maltzahn, W.W.
Maludzinski, R.A., Capson, D.W., Feuerstein, I.A. Computer tracking of white blood cells on protein-coated surfaces 87—71088
Maludzinski, R.A., Capson, D.W., Feuerstein, I.A. Computer tracking of white blood cells on protein-coated surfaces 88—16700
Malue, H.J. VESAstat—a new generation of low-voltage switchgear and distribution equipment 88—17784
Maluenda, J., Martin, G.M., Schink, H., Packeiser, G. Homogeneity qualification of GaAs substrates for large scale integration applications 86—41528
Maluenda, J. *see* Gabillard, B. 88—6826
Maluenda, J. *see* Martin, G.-M. 86—2353
Maluenda, J. *see* Rocher, C. 87—59468
Maluenda, J. *see* Schink, H. 86—58479
Maluenda, J. *see* Suchet, P. 87—67276
Maluf, N. *see* Cogan, A. 87—38326, 87—74332
Maluf, N. *see* Cogan, A.I. 88—26325
Maluf, N. *see* Timmes, F.X. 87—38328
Malugin, V.P., Samoilov, V.S. Calculation of the zeros and poles of the input impedance of an electromechanical filter 86—34952
Malupin, R.P., Reed, G.M. Field performance results of AT&T's digital subscriber 88—73845
Malusardi, F. Innovation in electric traction 86—45764
Malushev, V.A. Approximate quasi-linear theory of a gas-dynamic laser 85—7384
Malushin, N.V. *see* Skobeeva, V.M. 87—24866
Malvache, P. *see* Lhuillier, C. 88—68665
Malvar, H. Fast computation of discrete cosine transform through fast Hartley transform 86—43212

Malvar, H.S. Comments on 'bilinear transformation by synthetic division' by R. Parthasarathy and K.N. Jayasimha 85−39600
Malvar, H.S. Fast computation of the discrete cosine transform and the discrete Hartley transform 88−8741
Malvar, H.S., Luettgen, M. Temperature compensation of OTA-based filters and amplifiers 87−73334
Malvar, H.S., Staelin, D.H. Optimal FIR pre- and postfilters for decimation and interpolation of random signals 88−27910
Malvar, H.S., Staelin, D.H. Optimal pre- and postfilters for multichannel signal processing 88−34653
Malvar, H.S., Staelin, D.H. Reduction of blocking effects in image coding with a lapped orthogonal transform 88−73251
Malvezzi, A.M. Fundamentals of high excitation phenomena in laser processing 88−40314
Malvezzi, A.M., Liu, J.M., Bloembergen, N. Second harmonic generation in reflection from crystalline GaAs under intense picosecond laser irradiation 85−19008
Malvezzi, A.M. *see* Chauchard, E.A. 87−45349
Malvezzi, A.M. *see* Von der Linde, D. 85−41362
Malvicini, C. *see* Bianchi, A. 88−8255
Malvicino, C. *see* De Bernardi, C. 87−74816, 88−26845, 88−51535, 88−65311
Malvig, K. *see* Mordt, H.E. 87−78817
Malwah, M.L. *see* Wong, C.-C.D. 86−28123
Maly, D. *see* Vogel, K. 88−7515
Maly, H.-O. *see* Heindorf, W. 85−52486
Maly, K.J. *see* Sharrock, S.M. 87−20196, 87−55786
Maly, L. *see* Kolnik, J. 88−32218
Maly, O. A relative capacity of methods of data teletransmission security management for channels with dependent errors 87−61542
Maly, O., Siran, J., Porizek, R. Evaluation of methods of data teletransmission security management 87−33922
Maly, O. *see* Porizek, R. 87−2442
Maly, P. Universal functional block applicable in the synthesis of active filters 87−10966
Maly, P. Approximation of ideal amplifiers and a negative impedance convertor by a transformer quintuple-port 87−59704
Maly, P. Synthesis of an active filter of the 2nd order with functional blocks of the transform quintuple-port type 88−6967
Maly, P., Bednarik, M. A low input power active filter of the second order 86−14346
Maly, P., Herec, I. Contribution to the limitation of the influence of real qualities of operation amplifiers on parameters of active filters 86−1225
Maly, P., Pindiak, M. A hybrid integrated circuit with universal use in AF selective circuits 85−61368
Maly, P., Schick, P. Gas monitoring systems for objects, persons and environment protection 88−124
Maly, P. *see* Holub, V. 87−10118
Maly, P. *see* Maciel, A.C. 87−33131
Maly, R. *see* Eisele, H.P. 87−41477
Maly, V., Pinheiro, B. Technology transfer within the KFA/Nuclebras cooperative program: thorium utilization in PWRs 86−39482
Maly, W. Modeling of point defect related yield losses for CAD or VLSI circuits 85−45815
Maly, W. Modeling of lithography related yield losses for CAD of VLSI circuits 86−2262
Maly, W. Modeling of random phenomena in CAD of IC−a basic theoretical consideration 86−58564
Maly, W. Fault models for the NMOS programmable logic array 87−691
Maly, W. Optimal order of the VLSI IC testing sequence 87−6845
Maly, W. Realistic fault modeling for VLSI testing 87−67438
Maly, W. Design methodology for defect tolerant integrated circuits 88−71693
Maly, W., Ferguson, F.J., Shen, J.P. Systematic characterization of physical defects for fault analysis of MOS IC cells 85−40925
Maly, W., Moore, W., Strojwas, A. Yield loss mechanisms and defect tolerance 88−64734
Maly, W., Pizlo, Z. Tolerance assignment for IC selection tests 85−40798
Maly, W., Strojwas, A.J., Director, S.W. VLSI yield prediction and estimation: a unified framework 86−46455
Maly, W., Swit, A., Syrzycki, M. Computer methods of integrated circuits design in technological formulation 85−35056
Maly, W., Syrzycki, M. Layout related deformations of meander-type MOS transistor I/V characteristics 85−23793
Maly, W., Thomas, M., Chinn, J., Campbell, D. Characterization of type, size and density of spot defects in the metalization layer 88−64738
Maly, W., Thomas, M.E., Chinn, J.D., Campbell, D.M. Double-bridge test structure for the evaluation of type, size and density of spot defects 88−33339
Maly, W., Trifilo, B., Hughes, R.A., Miller, A. Yield diagnosis through interpretation of tester data [VLSI circuits manufacture and testing] 88−13532
Maly, W. *see* Carley, L.R. 88−71786
Maly, W. *see* Korzec, D. 88−26463
Maly, W. *see* Shen, J.P. 86−26988
Maly, W. *see* Syrzycki, M. 87−11773
Maly, W. *see* Moore, W. *(editor)* 88−62905
Malyak, P.H., Thompson, B.J. Particle displacement and velocity measurement using holography 85−15033
Malyak, P.H., Thompson, B.J. Obtaining particle velocity and displacement distributions from double-exposure holograms using optical and digital processing 87−19067
Malyak, P.H. *see* Thompson, B.J. 87−19068
Malyar, V.S. *see* Fil'ts, R.V. 86−12795
Malyarenko, A.M. *see* Eremin, V.K. 87−71026
Malyarenko, A.M. *see* Klyachkin, L.E. 86−24543, 86−28003
Malyarenko, A.M. *see* Verbitskaya, E.M. 87−77565, 88−29384, 88−29889, 88−36352
Malyarevskii, N.M. *see* Eremenko, A.I. 85−11412
Malyarevskiy, N.M. *see* Yeremenko, A.I. 85−33713
Malyarova, V.G. *see* Vozmilova, L.N. 87−32366
Malyarovskii, A.I. *see* Boyarchuk, K.A. 87−56248
Malyavkin, L.P. *see* Kol'yakov, S.F. 88−67490
Malyevac, C.W. *see* Smith, S.L., III 88−10508
Malygin, A.A. *see* Stepanova, N.A. 88−38235
Malygin, A.V. *see* Zheltov, K.A. 88−25056
Malygin, O.V. *see* Verkhovskii, S.Ya. 86−14059
Malygin, S.A. A high-power gyrotron operating at the third harmonic of the cyclotron frequency 87−37822
Malygin, S.A. *see* Fix, A.Sh. 85−55362
Malygin, S.A. *see* Zapevalov, V.E. 86−1630
Malygin, V.B., Sergeyev, O.I. Estimate of the frequency correlation intervals of a short-wave signal envelope under various propagation conditions 86−36718
Malygina, A.K. *see* Pokrovskii, O.M. 88−61640
Malyi, A.G. *see* Fot, N.A. 86−55855
Malyi, A.P. *see* Nudel'man, G.S. 87−9188
Malyi, A.P. *see* Podgornyi, E.V. 87−37625
Malyi, A.S. Protection of transmission lines from single-phase short circuits 86−12432
Malyi, A.S. On incorrect operation of differential protection of 110 kV busbars 86−32817
Malyi, M.M. Creation and use of a unified time system for civil aviation 85−59388
Malykh, T.F. *see* Vitko, A.V. 87−52813
Malykhin, A.V., Sukholet, V.E. Selecting a circuit with lumped elements to model the characteristics of a slowing system of the chain of coupled cavities type 88−63859
Malykhin, A.V. *see* Dokolin, O.A. 87−45501
Malykhin, E.I. *see* Boguslavskii, I.Ya. 87−5307
Malykhin, E.I. *see* Brodetskii, A.M. 88−37163
Malykhin, E.I. *see* Novikov, Yu.D. 85−65256
Malykhina, N.N. *see* Vashchuk, V.I. 87−68409
Malykhina, T.S. *see* Mittova, I.Ya. 87−45789
Malykin, G.B. *see* Gelikonov, V.M. 86−48335
Malynyak, M.I., Milyutchenko, I.A., Nazarenko, N.B. Study of the characteristics of an amplitude-time selector of reflection from meteors 85−3354
Malyon, D.J., Hodgkinson, T.G., Smith, D.W., Wyatt, R. A practical comparison of heterodyne and homodyne detection 85−25910
Malyon, D.J., Hodgkinson, T.G., Smith, D.W., Wyatt, R. Advances in fibre coherent detection systems 86−49637
Malyon, D.J., Smith, D.W., Wyatt, R. Semiconductor laser homodyne optical phase-locked-loop 86−43815
Malyon, D.J. *see* Hodgkinson, T.G. 85−58084, 87−70050
Malyon, D.J. *see* Smith, D.W. 85−42627, 86−43852
Malysa, H. Dynamism of the increase in electric energy prices in EEC's countries between 1978 and 1984 87−64056
Malysa, H. *see* Kalinowski, T. 88−75081
Malysh, M.M. *see* Averin, A.P. 85−51108
Malysh, M.M. *see* Basov, N.G. 85−51091, 86−22562
Malysh, M.M. *see* Klykov, N.A. 87−43690
Malysh, N.I. *see* Lisitsa, M.P. 88−8262
Malysh, V.N., Osovitskii, A.N. Properties of optical waveguides produced by solid state diffusion 88−20420
Malysh, V.N. *see* Deryugin, L.N. 87−68180
Malyshenko, L.E., Tsarenko, V.T. Signal switching in a two-centimeter band waveguide 87−73609
Malyshenko, L.E., Tsarenko, V.T. A switch for the millimetre waveband 88−19342
Malyshenko, S.P., Nazarova, O.V., Sarumov, Yu.A. Thermodynamic aspects of the use of hydrogen for solving certain problems facing the power industry 87−71987
Malyshenko, Yu.V. Racing conditions in analog combinational circuits composed of adders and multipliers 86−40981
Malyshev, A.S., Par, I.T. Switching algorithms for rectifiers of a voltage inverter in an independent power-supply systems 87−58189
Malyshev, A.V. Conditions for short-circuit tests on the electrodynamic stability of the interphase mountings of current-limiting reactors 86−39225
Malyshev, A.V. *see* Chesachenko, V.F. 87−71483
Malyshev, A.V. *see* Georgiadi, V.Kh. 86−33052
Malyshev, A.V. *see* Glazunov, N.M. 86−57366
Malyshev, A.V. *see* Konov, Yu.S. 86−32847, 87−71746
Malyshev, B.N. *see* Stel'makh, M.F. 86−25298
Malyshev, E.E., Tartakovskii, V.M., Chernov, A.E. Thermal emission and sublimination from IrLa and IrCe cathodes 87−6309
Malyshev, E.K., Chuklyaev, S.V., Shchetinin, O.I. Characteristics of secondary-emission detectors under gamma irradiation 88−16624
Malyshev, E.K., Chuklyaev, S.V., Shchetinin, O.I. KNVK vacuum fission chambers for measuring neutron flux density 88−16625
Malyshev, I.A. *see* Divin, G.D. 86−29676
Malyshev, I.F. *see* Ageev, A.I. 88−47779
Malyshev, I.F. *see* Balbekov, V.I. 85−26562
Malyshev, I.V. The effect of volume nonlinearities in $A^{III}B^{V}$ semiconductors on the output characteristics of MOS-transistors 87−11795
Malyshev, I.V. An analysis of the constancy of the slope of the control characteristic in MIS transistors made from different materials 87−18147
Malyshev, I.V., Obolenskii, A.S. Nonlinear negatron model of active three-electrode devices with feedback 88−18973
Malyshev, I.V., Radchenko, A.F., Rozdobud'ko, V.V. Gunn diode operation with nonresonant load 87−66536
Malyshev, I.V. *see* Krotov, V.I. 86−27524, 87−59233
Malyshev, I.V. *see* Myshlyaev, V.N. 87−74127
Malyshev, I.V. *see* Radchenko, A.F. 85−23082
Malyshev, K.N. *see* Belov, A.V. 88−20365
Malyshev, L.A., Chentsov, V.P. Acoustic-emission characteristics of electrical copper 87−16734
Malyshev, M.N. *see* Gubler, M.I. 87−52909
Malyshev, N.A., Lyatkher, V.M. Large-capacity wind-power stations 85−5029
Malyshev, S.A. *see* Osinskii, V.I. 85−51029
Malyshev, S.L., Staselko, D.I., Strigun, V.L. Optical distortions of the active medium and spatial coherence of dye laser radiation with coaxial lamp pumping 88−65606
Malyshev, V.A. Load optimization diagram for microwave and optical negatron oscillators 86−41342
Malyshev, V.A., Perevoshchikov, I.V. An optimum-bandwidth, asymmetrical, matching microwave transformer constructed from coupled lumped inductors 88−1057
Malyshev, V.A. *see* Bazarnitskii, Yu.B. 86−47036
Malyshev, V.A. *see* Brovchenko, S.P. 85−6487
Malyshev, V.A. *see* Ganzii, D.D. 88−25495
Malyshev, V.A. *see* Karpov, V.M. 88−70484
Malyshev, V.M., Mekhannikov, A.I. Flexible measuring systems 88−4290
Malyshev, V.M. *see* Astrov, D.N. 86−44421
Malyshev, V.M. *see* Kosov, V.I. 86−18169
Malyshev, V.N. Dynamic properties of circuits with distributed parameters 86−34491
Malyshev, V.N. *see* Vorogushin, M.F. 88−25785
Malyshev, V.P. *see* Katushkina, V.M. 88−1005, 88−71025
Malyshev, V.S., Chebysheva, O.V. Selecting the number of slots for an asynchronous motor with consideration of reduced vibration activity 88−75605
Malyshev, V.S. *see* Astakhov, N.V. 87−22334
Malyshev, V.S. *see* Lomaev, G.V. 85−10863
Malyshev, V.S. *see* Zubrenkov, B.I. 88−37211
Malyshev, V.V., Moiseev, D.V. Earth surface survey by a satellite: survey process scheduling 85−43498
Malyshev, V.V., Mudrak, E.I., Muchnik, V.Ya., Ovchinnikov, N.V., Usakov, A.P. New luminaires for supplementary plant irradiation 86−33837
Malyshev, Yu. *see* Titov, A. 88−51739
Malyshev, Yu.M., Rastorguev, Yu.G., Titov, A.N. Shifts of the emission frequency of a third-harmonic-stabilized laser due to saturation of the refractive index 85−24660
Malysheva, T.A. *see* Afanas'ev, S.N. 87−29317
Malysheva, T.P. *see* Morozov, P.A. 85−7486
Malyshkin, A.S. *see* Yamshchikov, V.S. 86−24454
Malyshko, V.V., Harary, F. Minimal blocking flow in networks 87−16504
Malyshko, V.V. *see* Berzh, D. 86−19160
Malyshkov, Yu.P., Gordeev, V.F., Dmitriev, V.P., Smirnov, V.A., Fursa, T.V., Ul'chenko, V.I. Electromagnetic signals from solids under mechanical stress 85−6042
Malyuchkov, O.T. *see* Kornitskii, A.G. 86−28136
Malyuga, V.F., Omelyanyuk, I.V. Temperature minimization of forward biased p-i-n diodes in large microwave signal mode 87−45240
Malyugin, V.I. *see* Butusov, M.M. 86−15478

Malyugin, V.I. *see* Kizevetter, D.V. 87−12212, 87−34565

Malyuk, V.A. *see* Seleznev, Yu.V. 86−42103

Malyuk, V.G. *see* Borzenkov, B.I. 87−44469

Malyuk, V.G. *see* Ogorodneichuk, I.F. 88−28655

Malyuk, V.P. *see* Vdovin, Yu.A. 86−36676

Malyukov, S.N. *see* Bitsadze, G.S. 88−61155

Malyushin, N.A. *see* Metel'skii, A.N. 88−11545

Malyuta, D.D. *see* Adamovich, V.A. 87−46762, 87−68343

Malyuta, D.D. *see* Anisimov, V.N. 87−74701

Malyuta, D.D. *see* Arutyunyan, R.V. 87−61272, 87−68673

Malyuta, D.D. *see* Babaev, I.K. 88−58441

Malyuta, D.D. *see* Baranov, V.Yu. 85−2417, 85−12811, 85−18873, 87−46759, 87−74983, 88−8272, 88−58623

Malyuta, D.D. *see* Kuntsevich, B.F. 87−68349

Malyutenko, V.K., Bolgov, S.S., Yablonovsky, E.I. A new type of IR luminescence 85−35612

Malyutenko, V.K., Guga, K.Yu., Kislyi, V.P. Magnetosensitive InSb elements. II 85−11918

Malyutenko, V.K., Liptuga, A.I., Botte, V.A. IR radiation interaction with semiconductor plasmas under non-geometrical optics conditions 85−35945

Malyutenko, V.K., Malozovskii, Yu.M., Radchenko, V.S., Sukhorebyri, V.B. *S*-type negative different conductance in InSb at room temperature 86−35315

Malyutenko, V.K., Teslenko, G.I. Photoconductors under transverse sweep-out conditions 85−41237

Malyutenko, V.K., Teslenko, G.I. Finding the diffusion length and rate of surface recombination from the photoconductivity of a semiconductor in a cross magnetic field 88−7280

Malyutenko, V.K., Teslenko, G.I., Morozhenko, V.A. Photoconductivity of a semiconductor in conditions of cross drift of current carriers 88−8044

Malyutenko, V.K. *see* Akopyan, A.A. 88−32842

Malyutenko, V.K. *see* Berezhinskii, L.I. 86−48471

Malyutenko, V.K. *see* Berezhinsky, L.I. 86−3045

Malyutenko, V.K. *see* Guga, K.Yu. 87−24777

Malyutenko, V.K. *see* Kislyi, V.P. 86−35314

Malyutenko, V.K. *see* Kollyukh, A.G. 86−47270

Malyutenko, V.K. *see* Malozovskii, Yu.M. 86−35282

Malyutin, A.A. Distribution of a functional of continuous Markov processes 88−38052

Malyutin, A.A. *see* Basiev, T.T. 85−24523

Malyutin, A.A. *see* Berzina, G.D. 85−62543

Malyutin, A.A. *see* Danilov, A.A. 88−14149

Malyutin, A.A. *see* Il'ichev, N.N. 85−56738, 86−29202

Malyutin, A.A. *see* Mazurov, V.M. 85−53984

Malyutin, A.A. *see* Zharikov, E.V. 86−9795, 87−12438

Malyutin, E.A. The use of personal computers for solving electric power engineering problems 87−71763

Malyutin, Yu.P., Shvartsman, Ya.I., Belov, V.A. Measures for preventing vibration and waterhammer in the drainage lines for heater separators of single-pass boilers for 300 and 250 kV power units 85−21432

Malyutina, T.I. *see* Amatuni, A.N. 87−70796

Malyutov, M.B. Lower bounds for mean duration of a sequentially programmable experiment 85−10590

Malz, B., Eberth, B., Eigler, H. CCD multifrequency group filter 86−14330

Malzacher, P. *see* Furniss, R. 86−39617

Malzahn, P. Grid-controlled high power TWT for the Earth research satellite ERS-1 87−6335

Malze, W. *see* Kuhne, H. 85−55659, 88−44635

Malzer, M. *see* Czerny, M. 88−23724

Mama, H.P. AREN network for Indian Army [Radio Engineering Network] 88−41506

Mama, H.P. Solid rocket propellants—the European scene 88−42626

Mamadalimov, A.T. *see* Zakirov, A.S. 86−28950

Mamaev, A.I. *see* Musin, A.Kh. 87−35694

Mamaev, A.N. *see* Bykovskii, Yu.A. 87−13716, 88−65696

Mamaev, A.N. *see* Dedushenko, K.B. 87−68507

Mamaev, A.N. *see* Goncharov, I.G. 85−56737

Mamaev, A.V., Pilipetskii, N.F., Shkunov, V.V. Experimental investigation of the angular selectivity of stimulated Brillouin scattering holograms 85−24661

Mamaev, A.V. *see* Zel-dovich, B.Ya. 86−58974

Mamaev, A.V. *see* Zel'dovich, B.Ya. 86−29113

Mamaev, S.B. *see* Zuev, V.S. 87−54239

Mamaev, S.L. *see* Filipchuk, E.V. 87−30322

Mamaev, V.N. An analysis of the structural elements of the body temperature control system 87−41921

Mamaev, V.N. Computerized system for body temperature and galvanic skin potential measurement in man 88−4881

Mamaev, V.N., Popov, A.A. ECG recording error in an automated measurement system 88−61359

Mamaev, V.N. *see* Shevchuk, B.M. 87−41919

Mamaev, Yu.A. *see* Andronova, I.A. 85−2368, 88−51602

Mamaev, Yu.A. *see* Kuvatova, E.A. 86−36273

Mamaeva, I.A. *see* Grach, I.M. 88−44391

Mamalui, Yu.A. *see* Drokin, N.A. 85−18793

Mamalyga, V.M. *see* Popovich, N.G. 86−13126

Mamamoto, J. *see* Yotsuya, T. 88−36260

Maman, A. *see* Balberg, I. 88−12964

Mamann, J.M. *see* Erdreich, M. 86−37632

Mamantov, G. *see* Katagiri, A. 86−71042

Mamatkho-dzhaev, V.N. *see* Atakhanov, R.M. 86−44015

Mamatkulov, B.R. *see* Aronov, D.A. 85−55428

Mamatov, Yu.A., Badin, N.M., Bulychev, S.F., Bolchenkov, S.G., Korotkin, A.A., Levin, A.Yu. Principles of the design of a local computer network for message switching center 87−40333

Mamatova, T.A., Prokoshev, V.G. Parametric instability and amplification of a backward surface wave in a hematite single crystal 87−12059

Mamayev, Yu.N. *see* Borodyanskiy, A.A. 87−52751

Mambo, M., Nagano, I., Fukami, T., Kagawa, Y. Measurements of night-time sky wave field strengths of medium frequencies over short distance during a maximum sunspot number period 85−24853

Mambo, M., Nagano, I., Fukami, T., Kagawa, Y. Comparison of measured and predicted field strengths of medium frequency sky waves over short distances in Japan 87−12707

Mambo, M., Nagano, I., Kagawa, Y., Fukami, T. Night-time propagation curves considering the sporadic *E*-layer at medium frequencies for short distances 86−68751

Mambo, M., Nagano, I., Nakamura, K., Kobayashi, T. A simulation of estimating the electron density profile of the lower ionosphere by VLF waves (in the case of an unknown incident angle and relative phase data) 86−68763

Mambo, M., Nagano, I., Okada, S., Fukami, T. An improved method of estimating electron density profiles in the lower ionosphere with VLF reflection coefficients 85−36009

Mambo, M. *see* Nagano, I. 85−24834, 86−68760

Mambrioni, A. *see* Filicori, F. 86−53573, 87−6122

Mambrito, B., De Luca, C.J. A technique for the detection, decomposition and analysis of the EMG signal 85−4328

Mamchev, G.V. Determining basic geometrical parameters for stereo-TV radiation-image monitors 86−13862

Mamchev, G.V., Pvsyannikov, P.P. Operator-computer interface in the observation of three-dimensional television images 85−20541

Mamed, W.R. Isolating PCB faults at environmental burn-in 85−40338

Mamed, W.R. Isolating component failure faults at environmental burn-in 86−169

Mameda, J. *see* Kowase, Y. 86−2411

Mamede, N. *see* Casaca, A. 88−46632

Mamedli, E.M. *see* Kolotov, Yu.N. 87−50940

Mamedly, L.D. *see* Aleinikov, V.S. 85−31870

Mamedov, A.K. Frequency responses of a differential optron 86−48275

Mamedov, A.K. *see* Nosov, Yu.R. 86−48276

Mamedov, A.Kh. *see* Karimov, A.S. 86−27066

Mamedov, F.A., Kurilin, S.P., Talyuko, V.V. Effect of parameters and winding characteristics of induction machines on electrodynamic forces 86−12814

Mamedov, F.A., Smaznov, A.V. The price of starting an induction motor when electromagnetic and mechanical processes are taken into account 86−45410

Mamedov, F.A., Talyuko, V.V., Kurilin, S.P. A method for calculation of electromechanical transients in a linear induction motor 85−5098

Mamedov, F.I. *see* Abdinov, A.Sh. 87−1187

Mamedov, F.I. *see* Adygezalov, S.V. 85−42981

Mamedov, F.I. *see* Kasumov, T.K. 88−58341

Mamedov, F.I. *see* Nabiev, M.A. 85−56080

Mamedov, F.M. *see* Abdinov, A.Sb. 88−50624

Mamedov, F.S. *see* Aliev, T.M. 86−70172

Mamedov, G.M. *see* Tagiev, B.G. 85−12708, 86−2915

Mamedov, I.D. A self-excitation condition for a parametric transformer with mutually orthogonal magnetic cores 85−5147

Mamedov, I.R. *see* Novakovsky, S.I. 87−3303

Mamedov, N.D. *see* Tagiev, B.G. 85−12708, 86−2915

Mamedov, R.E. *see* Maksumov, O.S. 86−19435

Mamedov, R.K., Nabiev, M.A. Influence of the edge effects on the flow of the current in Schottky diodes 86−63235

Mamedov, R.Yu. *see* Gonchar, V.I. 88−16079

Mamedov, S.M. *see* Glazov, V.M. 86−67702

Mamedov, T.G. *see* Allakhverdiev, K.R. 86−47338

Mamedov, T.M., Gabibullaev, S.B. An algorithm for calculating the investigating power system conditions involving second harmonics 87−35540

Mamedov, T.M. *see* Kadymov, Ya.B. 85−9476

Mamedov, T.N. *see* Belyaev, S.N. 86−70370

Mamedov, V.A. *see* Godzhaev, E.M. 85−11963

Mamedov, V.S. *see* Tairov, S.I. 87−66876

Mamedov, Z.F. *see* Godzhaev, E.M. 85−11963

Mamedov, Z.M. *see* Lipovetskii, S.D. 85−27842

Mamedova, S.Kh. *see* Akopyan, R.A. 87−1171

Mamedshakhov, M.E. Analysis of electromechanical energy converters taking temperature variation into account 85−32425

Mamedshakhov, M.E., Nezhinskaya, M.M., Nikolaeva, N.S., Tozoni, O.V. Design analysis for field in gap of linear asynchronous motor 86−19300

Mamedshakhov, M.E., Nezhinskaya, M.M., Nikolaeva, N.S., Tozoni, O.V. A linear induction motor gap field analyser 87−22411

Mamedshakhov, M.E., Nezhinskaya, M.M., Nikolaeva, N.S., Tozoni, O.V. The primary magnetic field in the stator gap of an induction motor 87−30622

Mamedshakhov, M.E., Nezhinskaya, M.M., Nikolaeva, N.S., Tozoni, O.V. The linear induction motor stator gap primary magnetic field 88−23970

Mamedshakhov, M.E., Tozoni, Õ.V. Application of a mirror image technique to field analysis in bounded plane gaps of magnetic systems 87−12688

Mamedyarov, O.S. *see* Balametov, A.B. 86−18774, 86−61150

Mameghan, H. *see* Knittel, T. 88−54603

Mameno, K., Takaoka, H., Matsubara, K., Takagi, T. Structural properties of SiC films prepared by reactive ionized-cluster beam technique 85−16953

Mamer, V.A. *see* Margulova, T.Kh. 86−45069

Mamet, A.P. *see* Gerzon, V.M. 85−60002

Mamet, V.A. The use of neutral/oxygen water treatment at nuclear power stations 87−22034

Mamet, V.A., Yurmanov, V.A., Zabolotnykh, V.L. The behaviour of hydrogen peroxide in the circuit of the cooling channels of the safety control system of a channel-type uranium graphite (RBMK) boiler reactor 87−22073

Mamet, V.A. *see* Belyanin, V.S. 85−5608

Mamet, V.A. *see* Margulova, T.Kh. 86−61281

Mametsa, H.J., Lemerle, P., Toutain, S., Leny, J., Gelin, P. Analysis and design of variable cutoff frequency waveguide filters for radar diplexers 88−56878

Mametsa, H.J., Toutain, S., Gelin, P. Analysis and design of variable waveguide filters for radar diplexers 86−53014

Mameuda, E. *see* Andoh, T. 86−31510

Mamiki, T. *see* Murata, H. 85−8042

Mamikonjan, S.V. *see* Berjozkin, V.V. 87−35333

Mamikonova, V.M. *see* Alekperova, Sh.M. 87−67029

Mamikonova, V.M. *see* Gezalov, B.A. 85−11908

Mamikonyants, L.G., Mityushkin, K.G., Ornov, V.G., Rudenko, Yu.N., Semenov, V.A., Sovalov, S.A. Automated supervisory power control systems and ways of improving them 87−50647

Mamikonyants, L.G. *see* Blotskii, N.I. 87−22207

Mamikonyants, L.G. *see* Blotskii, N.N. 86−26041

Mamikonyants, L.G. *see* Epshtein, I.M. 86−39724

Mamikonyants, L.G. *see* Fedorov, V.G. 86−51583

Mamikonyants, L.G. *see* Glebov, I.A. 85−21560

Mamikonyants, L.G. *see* Kabanov, P.S. 85−59714, 85−60149, 86−33264

Mamikonyants, Ya.Danilevich *see* Danilevich Mamikonyants, Ya.

Mamikovyan, B.M. *see* Gevorkyan, A.A. 85−37700

Mamin, F.N. *see* Gulyaev, I.M. 87−42492

Mamin, H.J. *see* Abraham, D.W. 87−11315

Mamin, V.M. Acoustic method of determining hydraulic resistance for a porous body 88−30199

Mamina, K.K. *see* Malevannaya, N.G. 86−61546

Mamine, T., Fujii, Y. Semiconductor lasers make impressive gains in power and use 88−2266

Mamine, T., Oda, T., Yoneyama, O. Analysis of astigmatism of gain guided laser with a tapered-stripe geometry 85−18941

Mamine, T. *see* Kumagai, O. 88−45428

Maminski, J.A., Orlowski, B.A. Schottky barrier formation in CdTe crystal 86−47400

Mamistov, S.V. *see* Artemov, V.E. 86−556

Mamiya, S. *see* Ueno, K. 88−55010

Mamiya, T. *see* Uchiyama, T. 88−20319

Mamiya, Y. Current technical state of telephone switches 87−28284

Mammana, A.P. *see* Mendes, G.F. 85−12197, 85−34859

Mammano, R. *see* Valley, R. 86−26187

Mammano, R.A., Mullett, C.E. Using an integrated controller in the design of mag-amp output regulators 88−25001

Mammano, R.A. *see* Mullett, C.E. 87−59173

Mammele, M.E. *see* Chiappetta, R.F. 88−47456

Mammen, O. *see* Basu, D. 87−29892

Mammone, J., Podilchuk, C.I. A general, iterative method of image recovery 88−41073

Mammone, R. *see* Bajekal, S. 87−28372

Mammone, R.J., Binder, M. Rechargeable lithium-sulfur dioxide cell 87−43378

Mammone, R.J., Binder, M., Keister, P., Kallianidis, M. Li/SO_2 rechargeable cells containing added bromine 88−5831

Mammone, R.J., Gilman, S., Binder, M. Cathode performance improvements in Li/SO$_2$ rechargeable cells 88-17891
Mammone, R.J., Podilchuk, C.I. Acceleration of the generalized projection onto convex sets (GPOCS) algorithm 88-41110
Mammone, R.J., Rothacker, R.J. General iterative method of restoring linearly degraded images 87-27591
Mammone, R.J., Rothaker, R.J., Podilchuk, C.I., Davidovici, S., Schilling, D.L. Estimation of carrier frequency, modulation type and bit rate of an unknown modulated signal 88-8786
Mammone, R.J., Sentman, G.T. Multi-pulse LPC using linear programming in the frequency domain [speech coding] 87-27334
Mammone, R.J., Wang, K., Gay, S. LPC speech analysis using the L$_1$ norm 86-10309
Mammone, R.J. *see* MacDiarmid, A.G. 85-21790
Mammone, R.J. *see* Rothacker, R.J. 87-19830
Mammone, R.J. *see* Wanqun, Wu. 85-39187
Mamode, A., Bartevian, J., Bastard, J.L., Auffray, P., Plagne, A. The high performance solar array GSR3 87-78940
Mamode, M., Escudie, B. Tolerance to the Doppler effect and optimal sonar signal emitted by bats 88-28987
Mamola, G. *see* Campanella, M. 86-3713, 86-16093, 87-75683
Mamone, S. Take heed when shopping for electronic delivery systems 86-54817
Mamonov, A.V. *see* Shloma, A.M. 87-13029, 88-66505
Mamonov, E.S., Lebedev, A.V., Zhukov, I.N., Gurin, O.I. The K-10800 transmission system [telephony] 86-37604
Mamonov, V.I. *see* Kuz'min, V.A. 86-21535
Mamonova, O.M. *see* Lyul'ko, V.A. 87-63482
Mamontov, A.P. *see* Ardyshev, V.M. 87-17864
Mamontova, T.N., Korolev, E.P., Kutsovskii, S.M., Bazeleev, M.T. Advance-network-sectioning automatic control system [power station busbars] 86-45189
Mamontova, T.N. *see* Kolomiets, B.T. 87-45627
Mamontova, T.N. *see* Kutsovskii, S.M. 86-61678
Mamoshin, R.R., Milyutin, A.P., Frolov, A.V., Shchurov, A.I. How shunt capacitance compensation influences electromagnetic processes in AC traction networks 85-60475
Mamoshin, R.R., Popov, P.K. Analysis of performance of electrical loads for a nonsinusoidal supply voltage 86-61784
Mamoshin, R.R., Popov, P.K. Energy characteristics for type VL80R electric locomotive under regenerative conditions 86-66434
Mamoshin, R.R. *see* Zhelezko, Yu.S. 87-64021
Mamouni, A., Bocquet, B., Leroy, Y., Van de Velde, J.C. Microwave thermal imaging by passive radiometry 88-68392
Mamouni, A., Bocquet, B., Van de Velde, J.C., Leroy, Y. Microwave thermal imaging by radiometry 88-36468
Mamouni, A., Van De Velde, J.C., Hochedez, M., Bocquet, B., Leroy, Y. Recent progress in microwave thermography 87-63765
Mamouni, A., Van De Velde, J.C., Hochedez, M., Dujardin, B., Bocquet, B., Leroy, Y. Present state of microwave radiometry for medical applications 86-56118
Mamouni, A. *see* Bellarbi, L. 85-15311
Mamouni, A. *see* Bocquet, B. 86-31694, 88-54542, 88-61313
Mamouni, A. *see* Lauer, P. 88-16456
Mamouni, A. *see* Leroy, Y. 85-43318, 87-41626, 88-16692
Mamouni, H.El *see* El Mamouni, H.
Mampaey, L. Well planned outages improve plant availability factors: the Doel 3 experience 86-51246
Mampaey, L., Bastenaire, F. Operator Advisor—An expert system to help the running of nuclear power stations 87-50941
Mampe, H. *see* Pattenpaul, E. 88-32437
Mampe, W. *see* Ageron, P. 86-70323
Mamrak, S. *see* Watson, R.W. 85-25548
Mamrak, S.A., Leinbaugh, D.W., Berk, T.S. Software support for distributed resource sharing 85-63292
Mamrak, S.A. *see* Watson, R.W. 87-55675
Mamrick, M. *see* Lee, A. 87-37648
Mamrick, M.S. *see* Wang, S.S. 88-12697
Mamro, V.M. Signal-sample generation in an analog memory 85-7897
Mamro, V.M. Dynamic errors in the sampling of analog signals 87-45133
Mamro, V.M. *see* Vavilov, V.A. 85-34002
Mamrukova, L.A. *see* Gurevich, N.A. 86-32593
Mamuduri, C., Sen, P.C. A servo-control system using a self-controlled synchronous motor (SCSM) with sliding mode controller 87-42844
Mamulas, I. *see* Pruna, S. 88-54558
Mamutin, V.V. *see* Alferov, Zh.I. 85-14813, 85-23531 to 23532, 85-34592
Mamutin, V.V. *see* Andreev, V.M. 85-61724, 86-48279
Mamutin, V.V. *see* Berman, L.V. 86-22208
Mamutin, V.V. *see* Gorelenok, A.T. 85-23533, 85-62448, 86-22210, 87-24832, 88-25922
Mamykin, V.L. *see* Golubev, V.P. 88-57278
Mamyrin, A.B. *see* Aleksandrov, S.N. 86-19666
Mamyrin, A.B. *see* Ellik, K.A. 88-18249
Mamyrin, A.V. *see* Aleksandrov, S.N. 87-9964, 88-18251
Mamyshev, P.G. *see* Dianov, E.M. 86-58787
Mamyshev, P.V. *see* Colovchenko, E.A. 88-65203
Mamyshev, P.V. *see* Dianov, E.M. 85-19006, 85-24305, 85-29913, 87-33283, 88-8270, 88-20613, 88-65193
Mamyshev, V.P. *see* Dianov, E.M. 85-46191
Mamytbekov, M.E. *see* Zheenbaev, N.Zh. 88-27052
Mamzelev, I.A. *see* Kudryavtsev, G.G. 86-16672
Mamzov, V.A. *see* Mamzova, L.V. 86-25855
Mamzova, L.V., Mamzov, V.A. An automatic power control system for a 300 MW coal-dust double unit with direct dust injection 86-25855
Man, C.N. *see* Kerr, G.A. 85-41305
Man, E.De *see* De Man, E.
Man, F.T. *see* Arvidson, W.P. 85-42126
Man, F.T. *see* Byrne, C.J. 86-16727
Man, F.T. *see* French, J.T. 85-14030
Man, H.De *see* De Man, H.
Man, H.J.De *see* De Man, H.J.
Man, J.A.De *see* De Man, J.A.
Man Cham Kit *see* Kit Man Cham
Man Chang *see* Chang Man
Man Choi Gyu *see* Gyu Man Choi
Man Choi Yat *see* Yat Man Choi
Man Chung Han *see* Byung Goo Min 86-5909
Man Chung Young *see* Young Man Chung
Man Ho Na *see* Hyun Jae Lee 88-45087
Man Hyung Lee, Jong Hwa Kim On nonlinear adaptive filtering and manoeuvering target tracking 88-41723
Man Kei Ho Copper surface finish promotes solderability 88-12768
Man Lee Kwang *see* Kwang Man Lee
Man Seop Lee *see* Dong Kwan Shin 88-47047
Man Wang *see* Wang Man
Man Won Bang, Kap Seok Choi A study on implementation of real time voiced/unvoiced/silence discrimination system 87-33655
Man Young Rhee *see* Jeoung Soo Kang 87-23996
Man Young Sung *see* Sung Hee Park 88-7378
Man Yu Kin *see* Kin Man Yu
Man-Pichot, C.N. *see* Brillet, A. 86-3092
Man-Scop Lee, Jun-Am Hwang, Yong-Hwan Kim, Min-Ho Kang A 565 Mbit/s single mode optical transmission system 88-28900
Man-Ying Jiang *see* Le-Zhu Zhou 85-55379
Man-young Seong, Young-jin Park Practical status of high melting point metal silicide technology for semiconductor applications. II 87-32444
Man-Young Seong, Young-Jin Park Practical status of high melting point metal silicide technology for semiconductor applications. I 87-53428
Man-Young Sung Recent progress and applications in semiconductor lasers 85-12873
Man-Young Sung *see* Gi-Man Ko 85-16230
Man-Young Sung *see* Jong-Oh Kim 87-45970
Man-Young Sung *see* Young-Kwon Sung 85-1556
Mana, C. *see* Anderhub, H. 87-21420
Mana, G. *see* Alemanni, M. 86-32213
Manabe, H. *see* Kitamura, A. 87-28334
Manabe, H. *see* Miyoshi, H. 86-64455
Manabe, H. *see* Naruse, N. 87-56765
Manabe, H. *see* Sugiyama, H. 87-36103
Manabe, K. Trolley structure and current collection of electric railroad. VI 86-7232
Manabe, K. Trolley structure and current collection of electric railroad. VII 86-7235
Manabe, K. Trolley structure and current collection of electric railroad. VIII 86-7238
Manabe, K., Kawata, A., Miura, H., Mizobuchi, Y., Kamoi, M., Nagai, K., Miki, Y., Tatsumichi, T. Liquid-crystal type TV door-phone 87-49366
Manabe, K., Miyazaki, Y., Tanaka, T. Scattering and induced current characteristics of a beam wave from pits on optical disk using boundary element method 88-45053
Manabe, K., Morikawa, T., Hikita, M. On dynamics of overhead equipment and multi-pantograph system 86-66440
Manabe, K. *see* Kato, Y. 87-38722
Manabe, K. *see* Sawada, S. 88-19064
Manabe, N. *see* Okazaki, M. 85-62152
Manabe, S. New techniques in Earth rotation studies 87-77827
Manabe, S., Gonpei, K., Kuwahata, T., Nakabayashi, M. Highly sensitive TV camera tube, Super-CHALNICON 85-55416
Manabe, S., Gonpei, K., Nakabayashi, M., Kuwahata, T. A high sensitive new TV camera tube 86-21069
Manabe, S., Wakasugi, N., Inamiya, K., Okanuma, T., Tsumuraya, M., Asami, Y. Attitude-control software for onboard satellite computers 85-31888
Manabe, S. *see* Endo, Y. 88-29441
Manabe, S. *see* Matsunaga, Y. 88-42166
Manabe, S. *see* Takahashi, Y. 86-4784
Manabe, T., DeBolt, R.O., Liebe, H.J. Moist air attenuation at 96 GHz over a 21 km line-of-sight path 88-27510
Manabe, T., Furuhama, Y., Ihara, T., Saito, S., Tanaka, H., Ono, A. Measurements of attenuation and refractive dispersion due to atmospheric water vapor at 80 and 240 GHz 85-51426
Manabe, T., Ihara, T., Awaka, T., Furuhama, Y. The relationship of raindrop-size distribution to attenuations experience at 50, 80, 140, and 240 GHz 88-27476
Manabe, T., Ihara, T., Furuhama, Y. A propagation experiment at 140 GHz through artificial rain 85-13127
Manabe, T., Kawamura, H., Yamasaki, J., Mohri, K. Switching characteristics of (Fe, Co)-Si-B amorphous wires 88-33516
Manabe, T., Kobayashi, H., Ihara, T., Furuhama, Y. Spatial correlation coefficients of rainfall intensity inferred from statistics of rainfall intensity and rain attenuation 87-26757
Manabe, T., Yamamoto, H., Kamahora, F., Nagashima, M., Endo, S., Miyazi, M., Ishida, Y., Mandai, I. Development of measuring instrument in manufacturing system 87-77077
Manabe, T. *see* Awaka, J. 87-47195
Manabe, T. *see* Ihara, T. 86-42854
Manabe, T. *see* Liebe, H.J. 88-27511
Manabe, T. *see* Ohara, T. 88-17799
Manabe, T. *see* Saitoh, S. 86-63949
Manabe, T. *see* Uratsuka, S. 86-29389, 86-63998
Manabe, T. *see* Yamasaki, J. 87-18542
Manabe, Y., Hagihara, K., Tokura, N. Minimum separation layout for CMOS circuits realizing tree-shape monotone decreasing logic circuit 86-14164
Manabe, Y., Hagihara, K., Tokura, N. The minimum track number of the narrower channel in the single-row single-layer routing 87-5579
Manabe, Y., Hagihara, K., Tokura, N. Minimum separation layout for CMOS circuits realizing tree-shape monotone decreasing logic circuits 87-18327
Manabe, Y., Yoshikuni, N., Shimazaki, T. Calculation of electric field by charge simulation method in composite dielectrics. I 86-48526
Manabe, Y. *see* Hirao, T. 87-52192
Manabe, Y. *see* Imase, M. 88-73399
Manabe, Y. *see* Kitagawa, M. 87-36778, 87-52187
Manabe, Y. *see* Soneoka, T. 87-48280
Manabe, Y. *see* Yamazaki, O. 85-2090
Manacher, G.K., Mankus, T.A. An optimum $\Theta(n \log n)$ algorithm for finding a canonical Hamiltonian path and a canonical Hamiltonian circuit in a set of intervals 88-31649
Managaki, M. *see* Takenoshita, H. 86-15137
Manahan, T. Take the order—change the plan [computerised manufacturing systems] 85-6562
Manaila, D. *see* Sterian, P.E. 88-72398
Manaka, S. *see* Mii, K. 86-5970
Manaker, A.M., Bass, J.W., III Utility development of AFBC technology 87-64413
Manaker, A.M., West, P.B. TVA orders 160 MWe demonstration AFBC power station 85-38833
Manaker, A.M. *see* High, M.D. 86-33167
Manako, T. *see* Koinuma, H. 86-34376, 86-62260, 88-12045, 88-12062
Manakov, A.V., Ivanchura, V.I., Soustin, B.P. Synthesis and analysis of a fast-response pulse voltage regulator with pulse-duration modulation 87-36994
Manakov, S.M. *see* Taurbaev, J.I. 87-46689
Manalio, A.A. Simulation of the steady-state behavior of crystal-controlled oscillators using the WATAND computer-aided design program 85-33705
Manalio, A.A. Time domain eyewidth measurement of an optical data link operating at 200 Mb/s 87-13747
Manalio, A.A. Time-domain eyewidth measurement of an optical data link operating at 200 Mb/s 88-15467
Manana Vazquez, R., Martinez Diaz, C., Gonzalez Gallego, C. Instrumentation and control in dangerous atmospheres. I 85-52630
Mananes Perez, A., Perez Santos, C., Martinez Churiaque, F. Measurement of the activity of ^{90}Sr-^{90}Y and ^{89}Sr in milk samples using a proportional counter 88-42411
Manankov, V.M. *see* Bogdanov, E.V. 85-23490
Manano, B. Secondary regulation based upon the magnetic amplifier 88-11283
Mananov, R.G. *see* Brailovskaya, R.V. 88-14237
Manapov, R.A., Leksin, V.V., Vagizov, F.G. Motion controller for Mossbauer spectrometer 87-63701
Manara, G., Tiberio, R., Pelosi, G., Kouyoumjian, R.G. GTD calculations of the RCS of polygonal cylinders and flat plates 87-28664
Manara, G., Tiberio, R., Pelosi, G., Pathak, P.H., Kouyoumjian, R.G. Double diffraction by wedges in nonperfectly conducting surfaces 87-54512
Manara, G. *see* Biffi Gentili, G. 88-44330

Manara, G. *see* Pelosi, G. 87−28666
Manara, G. *see* Tiberio, R. 85−13092, 85−13343, 85−62746, 85−62880, 86−42829, 88−2542
Manara, R. *see* Bertoldi, O. 86−50938
Manaranche, J.-C. *see* Laviron, A. 88−11017
Manarin, A. *see* Amos, N. 87−21405
Manarin, A. *see* Borer, J. 88−54178
Manas, B. *see* Blanquet, J.C. 88−62179
Manas, J.A., de Miguel, T., van Thienen, H. The implementation of a specification language for OSI systems 88−59714
Manasce, D.A., Leite, L.L.P. Performance evaluation of isolated and interconnected token bus local area networks 85−13914
Manasevit, H.M., Ruth, R.P., Simpson, W.I. Properties of PbTe and Pb$_{1-x}$Sn$_x$Te films prepared by metalorganic chemical vapor deposition 87−10421
Manasevit, H.M. *see* Golecki, I. 86−9030, 87−11486
Manashirov, O.Ya., Efryushina, N.P., Smirnova, N.I., Parasovchenko, O.G., Mikhitar'yan, V.B., Koroleva, A.V. Effects of doping with p and f elements on the properties of phosphors based on europium-activated yttrium oxide and orthoborate 86−28978
Manassah, J.T. Pulsed optical gyros 86−22575
Manassah, J.T. Effects of filters on chirped ultrafast pulses 86−58809
Manassah, J.T. Phase conjugation with transversally modulated pump fields 86−68628
Manassah, J.T. Generalized interferometric technique for ultrashort pulse characterization 87−56866
Manassah, J.T. Induced phase modulation of the stimulated Raman pulse in optical fibers 88−2359
Manassah, J.T., Baldeck, P.L., Alfano, R.R. Self-focusing and self-phase modulation in a parabolic graded-index optical fiber 88−65197
Manassah, J.T., Cockings, O. Time-domain characteristics of a Raman pulse in the presence of a pump 88−2360
Manassah, J.T., Cockings, O.R. Induced phase modulation of a generated second-harmonic signal 88−20741
Manassah, J.T., Ho, P.P., Katz, A., Alfano, R.R. Ultrafast supercontinuum laser source 85−29958
Manassah, J.T., Mustafa, M.A., Alfano, R.R., Ho, P.P. Spectral extent and pulse shape of the supercontinuum for ultrashort laser pulse 86−42626
Manassah, J.T. *see* Alfano, R.R. 87−19029
Manassen, J. *see* Licht, S. 85−39193, 85−60381, 86−40108, 86−66329 to 66330, 87−51466, 87−58262
Manassen, Y., Shalev, E., Navon, G. Mapping of electrical circuits using chemical-shift imaging 88−35884
Manasson, V.A., Baranyuk, V.B., Tovstyuk, K.D. Photoelectric characteristics of an In$_2$O$_3$-SiO$_2$-*n*-Si heterostructure with internal photocurrent amplification 88−13065
Manasson, V.A., Baranyuk, V.B., Tovstyuk, K.D. Highly sensitive photodiodes made from a semiconductor-(tunnel insulator)-semiconductor structure 88−33881
Manasson, V.A. *see* Kvochka, V.I. 88−74409
Manber, U. *see* Bent, S.W. 87−72919
Manber, U. *see* Livny, M. 86−30092, 88−8654
Manca, J. *see* Felch, K. 85−28906, 85−55361
Manca, J. *see* Jory, H. 85−50155
Manca, M. *see* Galpin, K. 87−74397
Manca, M. *see* Molinari, A. 85−47351
Manca, O., Mastrullo, R., Mazzei, P. Calibration of hot-wire probes at low velocities in air with variable temperature 88−47468
Manca, P., Garbato, L. Phase relationships, crystal growth and stoichiometry defects in A^{I}C^{III}D$_2^{VI}$/B^{II}D^{VI} heterojunction-forming systems 86−57430
Manca, P. *see* Garbato, L. 85−16913
Mancardi, F. *see* Huber, L. 85−48054
Mancarella, M. *see* Blanco, A. 85−46550
Mancaruso, F.J. *see* Bhattacharya, S.S. 85−44777
Mance, S.C. *see* Hoard, R.W. 85−62268
Mancha, S. *see* DeHainaut, C. 88−58719
Mancha, S. *see* Shagam, R. 86−48514
Mancha, S.D., DeHainaut, C.R., Carter, R.W., Bullington, J.A., Poston, J.A., Mills, R.L. Characterization of PLZT for holographic mode SLM applications 88−58676
Manchado, A. *see* Ferrando, M. 88−34514
Manchanda, L. γ-radiation effects on MOSFETs fabricated with NMOS submicrometer technology 85−6950
Manchanda, L. The effect of TaSi$_2$/n$^+$ poly gate on hot-electron instability of small channel MOSFETs 85−6969
Manchanda, L. Hot-electron trapping and generic reliability of p$^+$ polysilicon/SiO$_2$/Si structures for fine-line CMOS technology 87−1352
Manchanda, L., Gurvitch, M. Yttrium oxide/silicon dioxide: a new dielectric structure for VLSI/ULSI 88−32491
Manchanda, L., Gurvitch, M. Yttrium oxide/silicon dioxide: a new dielectric structure for VLSI/ULSI circuits 88−39151
Manchanda, L., Hillenius, S.J., Cong, H.I., Field, R.L., Lynch, W.T. A high performance directly insertable ultra radiation-hard and enhanced isolation field-oxide technology for GHz Si-CMOS VLSI 88−71803
Manchanda, L., Schutz, R.J., Van-Hise, C.W. Reactive-sputtered etching-induced damage in MOS devices for VLSI/ULSI circuits 88−71816
Manchanda, L. *see* Gurvitch, M. 88−1383
Manchanda, L. *see* Watts, R.K. 87−45931
Manchester, K.S. *see* Schafer, C.T. 88−54763
Manchester, P. Playing with MUD helps AI research 85−13905
Manchester, P. Use your PC to go public [online information services] 86−4142
Manchester, R.N. *see* Ables, J.G. 87−49212
Manchon, M. *see* Garcia-Cuenca, M.V. 88−75945
Manchuk, R.V. *see* Volkov, S.A. 87−1003
Mancianti, M. *see* Corsini, G. 85−52398
Mancianti, M. *see* Dalle Mese, E. 85−42643
Mancilla, H.O. *see* Secker, P.A. 85−27309
Mancinelli Degli Esposti, L. *see* Righini, G.C. 88−40013
Mancini, A. *see* Paorici, C. 86−20036
Mancini, A.M., Lovergine, N., de Blasi, C., Vasanelli, L. Growth of epitaxial CdS films on CdTe substrates by chemical vapour deposition 88−56244
Mancini, A.M., Pierini, P., Valentini, A., Vasanelli, L., Quirini, A. ZnO/CdTe heterojunctions prepared by RF sputtering 85−54519
Mancini, A.M., Pierini, P., Valentini, A., Vasanelli, L., Quirini, A. A zinc oxide film for transparent, high conductivity, layer 86−40786
Mancini, A.M., Valentini, A., Vasanelli, L., Losacco, A., Quirini, A. Electrical properties of ZnO/CdTe heterojunctions [solar cell material] 86−8844
Mancini, A.M., Vasanelli, L., De Blasi, C. Preparation and characterization of CdS/CdTe heterostructures 87−31517
Mancini, A.M. *see* Vasanelli, L. 88−17998
Mancini, B. Crystal measurement and error analysis using the HP 3577 network analyzer with S-parameters 87−18448
Mancini, C. *see* Varasi, M. 86−15547
Mancini, D. *see* Cerrina, F. 88−48046
Mancini, D.C., Taylor, J.W., Beall, C.E. Photoablation of photoresist polymer thin films using synchrotron radiation 88−39333
Mancini, G. *see* Amesz, J. 85−43762
Mancini, G. *see* Bersini, U. 88−62175
Mancini, G. *see* Cacciabue, P.C. 85−43779
Mancini, H. *see* Arecchi, F.T. 88−51897
Mancini, H. *see* Wernsman, B. 87−17591
Mancini, H.L. *see* Rocca, J.J. 86−42479, 88−8150
Mancini, J. *see* Morris, C. 88−35834
Mancini, N. Canadian Standards Association certification requirements for telephone equipment power supplies 85−65359
Mancini, N. Canadian Standards Association certification requirements for telephone equipment power supplies 87−30837
Mancini, N.A., Pennisi, A., Simone, F. Effects of the photoanode thickness on the quantum yield of photoelectrolytical cells 87−22686
Mancini, N.A. *see* Burrafato, G. 85−34509, 86−47313
Mancini, P., Turchetti, C., Masetti, G. A non quasi-static analysis of the transient behavior of the long-channel most valid in all regions of operation 87−38287
Mancini, P. *see* Lazzerini, B. 88−50204
Mancini, P. *see* Turchetti, C. 87−6882, 87−18163
Mancini, R., Hopkins, B.W., Hodde, J. Coal quality engineering aids purchasing 87−71776
Mancini, R. *see* Bergman, L.A. 88−52915
Mancini, T.R. Innovative point-focus concentrator projects 88−24172
Mancino, V.J., Monshaw, V.R., Slusark, W.J., Jr. Reliability considerations for communications satellites 86−59831
Mancino, V.J., Slusark, W.J., Jr. Reliability in communications satellites 85−4395
Mancisidor-Landa, R. *see* Bavel, Z. 87−20198, 88−66777
Manck, O. CMOS gate arrays, technical possibilities, CAD tooling, interfaces and development costs 87−37183
Manck, O. *see* Hurm, V. 85−55435, 87−18053
Manck, O. *see* Wei, C. 86−57783
Mancl, D., Sullivan, M.J. A solution to test data acquisition and management 87−23320
Manco, S., Nervegna, N. Working fluid selection via computer assisted analysis of ORC waste heat recovery systems 86−39554
Mancuso *see* Joyeux 87−45274
Mancuso, A. *see* Parmer, J.F. 88−65995
Mancuso, A.A. *see* Akins, E.W. 87−41938
Mancuso, J.F., Erasmus, S. Edge recognition in SEM metrology [IC linewidth measurement] 87−11868
Mancuso, J.F. *see* Li, C.C. 86−1944
Mancuso, J.F. *see* Russell, P.E. 86−41497
Mancuso, J.F. *see* Shu, D.B. 88−33300
Mancuso, V. *see* Hewison, C.M. 86−38400, 87−26864
Mancuso, Y. *see* Peignet, C. 88−71064
Mand, R.S., Ashizawa, Y., Nakamura, M. New double-heterostructure optoelectronic triangular barrier switch (OETBS) 87−2044
Mand, R.S., Nakamura, M. Observation of optical radiation in the negative differential resistance region of optoelectronic triangular barrier switch 88−45318
Mand, R.S. *see* Taylor, G.W. 86−28995, 86−48302, 86−48307, 86−54035, 87−26190, 87−33063, 87−54203
Mandache, C.M. On the basic equation of magnetization in the hydrogen maser 85−56465
Mandache, C.M. Atomic hydrogen source for masers 86−3000
Mandache, C.M. *see* Nagi, A.A. 85−56464
Mandache, N. *see* Ursu, I. 87−43264
Mandado Perex, E. The speciality of electronics and control in engineering curricula 86−52175
Mandado Perez, E., Bernardez Pineiro, J. Microprogrammable processors. I. General aspects 86−1106
Mandai, I. *see* Manabe, T. 87−77077
Mandai, S. *see* Aoyama, K. 85−21494, 85−27312
Mandakovic, T., Smith, L.A. Implicit capital cost of project investments 87−43930
Mandakovic, T., Smith, L.A. Defining project management software 88−31442
Mandakovic, T., Souder, W.E. A flexible hierarchical model for project selection and budget allocation 85−33071
Mandakovic, T. *see* Smith, L.A. 86−19791
Mandal, A.C. *see* Hirsch, H. 88−5624
Mandal, A.C. *see* Hossain, M.A. 87−30995 to 30996
Mandal, A.K. *see* Das, A.K. 88−36012, 88−58165, 88−67436
Mandal, K.C., Basu, S., Bose, D.N. Surface-modified CdTe PEC solar cells 87−22750
Mandal, K.C., Basu, S., Bose, D.N. Effects of surface modification on n-CdTe photoelectrochemical solar cells 87−72396
Mandal, K.C. *see* Bose, D.N. 86−35470
Mandal, S.K. *see* Doradla, S.R. 87−43529, 88−11416
Mandall, A. Real world ISDN−the UK experience 88−59737
Mandaltsis, D., Kontoleon, J.M. Overall reliability determination of computer networks with hierarchical routing strategies 87−40375
Mandaltsis, D., Kontoleon, J.M. A decomposition technique for the overall reliability evaluation of large computer communication networks 87−62655
Mandaric, R. The hydro power potential of SR Serbia proper 87−57940
Mandarini, P. *see* Bruno, G. 87−47552
Mandarini, P. *see* Di Benedetto, M.G. 86−29813
Mandava, B. *see* Cox, H. 88−38579
Mandava, P.R. *see* Bagchi, C.N. 85−38719
Mande, C. *see* Deshpande, A. 86−66340
Mandecki, K. Non-destructive measurements of strains, stresses and cracks in deformed elements of rigid structures and machines by laser speckle photography 85−58902
Mandel, A.F. The integration of speech technology into a microelectronics hybrid inspection application 85−33212
Mandel, A.F. New system overcomes major barriers to voice data collection 86−36980
Mandel, A.F. *see* Cohen, A. 85−16820
Mandel', A.M. *see* Tsvetyanskii, V.L. 86−57497
Mandel, B.J. What to teach management about statistics−and how 85−32956
Mandel, C.E., Jr. Environmental stress screening (ESS) 85−54209
Mandel, I. On multilevel iterative methods for integral equations of the second kind and related problems 85−33342
Mandel, J. Algebraic study of multigrid methods for symmetric, definite problems 88−31666
Mandel, J. *see* Ogburn, F. 86−18119
Mandel, J. *see* Schafft, H.A. 87−38159
Mandel, K., Ben-Arieh, D., Venugopal, R. Information flow from design to manufacturing in the electronics industry 87−5179
Mandel, K. *see* Ben-Arieh, D. 86−34019
Mandel, L. *see* Christian, W.R. 87−19009, 87−54373, 88−51861, 88−72356
Mandel, L. *see* Chyba, T.H. 87−54268, 88−65487
Mandel, L. *see* Friberg, S. 85−56811
Mandel, L. *see* Ghosh, R. 87−19044
Mandel, L. *see* Hong, C.K. 85−35887, 86−17360
Mandel, L. *see* Kim, T.S. 88−72286
Mandel, L. *see* Lett, P. 86−9778
Mandel, M. Convergence of the cyclical relaxation method for linear inequalities 85−310
Mandel, P. Properties of a Lorentz-broadened single-mode unidirectional ring laser 85−24607
Mandel, P. On the stability of a multimode inhomogeneously broadened ring laser 85−41428

Mandel, P. Nonlinear stability of an optical transistor 85−51268
Mandel, P. Switching pulses for an optical transistor 85−56814
Mandel, P. Dynamic theory of an optical transistor 86−15782
Mandel, P. Properties of a good cavity laser with swept losses 88−20695
Mandel, P., Erneux, T. Stationary, harmonic, and pulsed operations of an optically bistable laser with saturable absorber. I 85−7341
Mandel, P., Erneux, T. Dynamic effects in optical bistability 85−41487
Mandel, P., Erneux, T. Nonlinear control in optical bistability 86−22483
Mandel, P., Nardone, P., Erneux, T. Periodic loss modulation in a ring laser: influence of inhomogeneous broadening and detuning 88−51855
Mandel, P., Smith, S.D. Optical transistors with negative feedback 88−65422
Mandel, P. *see* Abraham, N.B. 85−24446, 85−24603, 88−65802
Mandel, P. *see* Bigot, J.Y. 87−75247
Mandel, P. *see* Broggi, G. 86−54181
Mandel, P. *see* Erneux, T. 85−7342, 86−36581
Mandel, P. *see* Golaire, C. 86−36576
Mandel, P. *see* Hoffer, L.M. 88−51860
Mandel, P. *see* Nardone, P. 87−33309
Mandel, P. *see* Xiao-Guang Wu 86−54066, 88−14273
Mandel, P. *see* Zeghlache, H. 85−24426, 88−27229
Mandel, P. *see* Zehnle, V. 88−51859
Mandel, P., Smith, S.D., Wherrett, B. *(editor)* From optical bistability towards optical computing. The European joint optical bistability project 88−24334
Mandel, P. *see* Gibbs, H.M. *(editor)* 87−31134
Mandel, R. The new videotex consumer services 87−13334
Mandel, R. *see* Blake, J.B. 87−31886
Mandel, V.E. *see* Dyachenko, N.G. 87−47020
Mandel', V.S. *see* Dobrovol'skaya, V.I. 85−16906, 88−63276
Mandela, A. Electronic express [electronic mail] 85−30642
Mandelbaum, B. *see* Ishizuka, H. 86−32132
Mandelbaum, D.M. An approach to an arithmetic analog of Berlekamp's algorithm 85−19283
Mandelbaum, D.M. Fast error decoding with binary VLSI logic 86−41041
Mandelbaum, D.M. Multiple parallel-acting iterative arrays for fast division 88−56587
Mandelbaum, I.D. The integrated government foreign trade network in Israel 86−49271
Mandelbaum, J. An interesting method for solving cubic equations with three rational roots 88−24619
Mandelbaum, P. *see* Finkenthal, M. 87−12378
Mandelbaum, S.J. Cities and communication: the limits of community 87−2700
Mandelberg, H.I. *see* Richter, L.E. 87−12472
Mandelblatt, D.I. *see* Selwood, R.K. 87−52914
Mandelcorn, L., Fallou, B., Nishimatsu, M., Tobazeon, R., Beyer, M., Kako, Y. Behaviour of highly stressed insulating liquids evaluated by partial discharge generation and development 86−51718
Mandelcorn, L. *see* Miller, R.L. 86−67535
Mandeli, J.P. *see* Federer, W.T. 87−23482
Mandelis, A., Williams, A., Siu, E.K.M. Photothermal wave imaging of metal-oxide-semiconductor field-effect transistor structures 88−26294
Mandelis, A. *see* Power, J.F. 88−22604 to 22606
Mandelis, A. *see* Zuccon, J.F. 88−32999
Mandelkern, M.A. *see* Dahlbom, M. 85−43228
Mandelkorn, J. Suspended silicon membrane base carrier-accumulation, BCA, cell 87−4905
Mandell, J.F., Grande, D.H., Jacobs, J. Tensile behavior of glass/ceramic composite materials at elevated temperatures 88−24811
Mandell, M. Getting the message across−don't leave your communications to chance 85−13684
Mandell, M. *see* Katz, I. 87−29889
Mandell, M.J., Katz, I., Jongeward, G.A., Roche, J.C. Computer simulation of plasma electron collection by PIX-II 87−43437
Mandell, M.J., Wilson, A. Asymmetry reduction in Double EAGLE 85−5249
Mandell, M.J. *see* Jongeward, G.A. 86−35926
Mandell, S. *see* Abola, A. 88−54123
Mandelli, F. *see* Benelli, G. 85−13668, 86−30122
Mandelli, L. *see* Bene, P. 88−56532
Mandelli, L. *see* Bonesini, M. 88−23001, 88−29823, 88−61141
Mandel'shtam, S.M. Certain important problems in the development of data measuring facilities 88−47397
Mandel'shtan, S.M. Intellectual measuring recorders 87−49813
Mandelzweig, Y. *see* Faerman, S. 86−44530
Mandenius, C.F. New trends in biosensor technology 87−14834
Mander, K.C. *see* Kirk, P.R. 86−45966
Manders, G. Dynamic uninterruptible power supply systems 88−30937
Manders, J.E. Quality-control techniques for dry charging lead/acid batteries 87−58298
Manders, J.L. *see* Dijk, J. 85−19694
Manders, K. Reflections on quantitative method 86−61993
Manders, P.J., Kwaak, D.W.v.d. Reliability analysis within a CAE infrastructure 87−44080
Manderscheid, T. Adjustment of sonotrodes by holographic interferometry 87−19074
Manderscheid, T. Influence of single mode CO_2 laser parameters on focal point positron relative to the lens. Application to control optimisation of a 5 axis robot system for sheet metal cutting 88−45585
Manderscheid, T., Duvernoy, J., Tribillon, G., Merlin, J., Vannes, A.B. Wavefront reconstruction based optical system for surface treatment with single-mode CO_2 laser 88−45353
Mandersson, B. *see* Salomonsson, G. 87−29982
Mandeville, J.R. Novel method for the analysis of printed circuit images 85−28802
Mandeville, J.R. Novel method for analysis of printed circuit images 85−34325
Mandeville, J.R. Morphic analysis of printed circuit images [automated visual inspection] 86−8635
Mandeville, L. Retail comms [communications] 87−55526
Mandeville, P., SpringThorpe, A.J., Miner, C.J., Bruce, R.A., Currie, J.F., McAlister, S.P. Growth and characterization of GaAs on Si substrates grown by molecular-beam epitaxy 88−31739
Mandeville, P. *see* Cada, M. 88−33732
Mandeville, P. *see* Hurd, C.M. 88−57345
Mandeville, P. *see* Moore, W.T. 88−31740
Mandeville, P. *see* Spring-Thorpe, A.J. 87−264
Mandeville, P. *see* Surridge, R.K. 88−57689
Mandeville, P. *see* Thorpe, A.J.S. 88−49824
Mandeville, R.E., Johnson, L.K. The use of a nonlinear finite element facility for the prediction of military contact insertion and withdrawal forces 87−17458
Mandeville, R.W. The use of ADINA to predict system response to shock loadings: the HM motor protector. A case study 87−57990
Mandhare, M.M., Gangal, S.A., Setty, M.S., Karekar, R.N. Performance comparison of thin and thick film microstrip rejection filters 88−56851
Mandic, I. *see* Muftic, O. 88−43699
Mandic, I. *see* Petrovic, M. 88−55286
Mandic, M. *see* Zaric, M. 85−38714
Mandic, V. Mathematical model of transient state of DC electromagnetic brake 88−43216
Mandich, M.L. *see* Reents, W.D., Jr. 88−13113
Mandigo, F.N. *see* Shapiro, E. 86−46104
Mandir, N., Ribar, D., Rabenovets, H. An overview of the defense switched network CONUS architecture for the mid 1990s 88−21516
Mandis, P.A. *see* Uzunoglu, N.K. 87−53997
Mandjukov, I.G., Mandjukova, B.V., Bontchev, T. Resonance scintillators for recoilless 14.4 keV gamma-quanta with $^{57}FeF_3.3H_2O$ and $K_4{}^{57}Fe(CN)_6.3H_2O$ 87−35363
Mandjukova, B.V. *see* Mandjukov, I.G. 87−35363
Mandl, A. ArF short-pulse extraction studies 86−42481
Mandl, A., Hyman, H.A., Lewis, P.F. XeF laser performance studies 87−68385
Mandl, A., Litzenberger, L. XeF laser at a high electron beam pump rate 88−8097
Mandl, A., Litzenberger, L. Effect of He addition on fluorine-fueled excimer lasers 88−8104
Mandl, A. *see* Litzenberger, L. 88−51718
Mandl, A.D. Rate stabilization tariffs and step adjustments as new departures in utility rate making [public utility tariffs] 85−21106
Mandl, A.E., Hyman, H.A. XeF laser performance for F_2 and NF_3 fuels 86−42475
Mandl, A.E., Klimek, D.E., Salesky, E.T. KrF laser studies at high krypton density 87−61280
Mandl, H. *see* Hoffmann, H. 86−28594
Mandl, K.D. CMOS VLSI challenges to test 85−40889
Mandle, J. A laser anemometer reference for AIR data calibration 88−68560
Mandle, J. *see* Morbieu, B. 87−3248, 87−76871
Mandojana, J.C., Ambardar, A. Computation of time response for linear networks: a novel approach 88−63480
Mandolfo, L.A. *see* True, B.B. 88−38982
Mandorini, V. *see* Tichler, J.W. 86−52585
Mandour, I.A., El Badawy, E.S.A., Youssef, E.S.A., Barsoum, B.A. Propagation of extremely low frequency electromagnetic terrestrial waves 85−13131
Mandour, I.A., El-Dakiky, M.M. Inertial navigation system synthesis approach and gravity-induced error sensitivity 88−48273
Mandour, I.A., El-Khamy, S.E., El-Rais, G.I. Radar sea clutter measurements at Alexandria 85−20271
Mandour, I.A., El-Khomy, S.E., Atef Basuoney, M. On optimization of radar signal processing 85−8461
Mandour, I.A. *see* El-Khamy, S.E. 85−13130, 85−19168, 85−20260, 86−3900, 86−64135, 88−5135
Mandour, M.Abou *see* Abou Mandour, M.
Mandour, M.M. *see* El-Alaily, A.A. 88−61946
Mandrazhi, V.P. *see* Malinin, V.I. 86−24096
Mandrek, K. *see* Noack, T. 88−42517
Mandrekas, J. *see* Venneri, F. 85−5310
Mandrich, V.G. A digital analyser of daily load patterns 87−78211
Mandrillon, P., Barjon, R., Filhol, J.M., Lalanne, C.M., Meulders, J.P. MEDICYC: a 60 MeV proton cyclotron, associated with a new target design for neutron therapy 85−64631
Mandrillon, P., Ostojic, R. Mapping, magnetic field trimming and parameter optimization of the Medicyc cyclotron 86−38668
Mandrillon, P. *see* Schapira, J.P. 85−59079
Mandrioli, G. *see* Calicchio, M. 88−29811
Mandry, R.S. *see* Schuman, H.K. 88−8633
Mandrychenko, A.A. *see* Lezov, P.P. 88−43449
Mandryka, O.R. Optimizing the air gap of direct-current traction motor 87−9578
Mandryka, O.R., Zil'ber, F.I., Luganskaya, O.A. Determining the dimensions of pole pieces for direct-current electric machines 88−30730
Manduchi, C., Russo-Manduchi, M.T., Segato, G.F. Response of ulta-thin scintillator foils to fission fragments 86−36319
Manduchi, C., Russo-Manduchi, M.T., Segato, G.F. A position-sensitive n-detector for neutron-fragment correlation measurements 87−35342
Manduchi, C. *see* Cherubini, R. 86−44538
Manduchi, M.T.Russo *see* Russo Manduchi, M.T.
Mandurah, M.M. Synthesis of Arabic speech using phoneme-based synthesizers 85−19370
Mandurah, M.M. Speech synthesis using segmental and prosodic phonemes 86−16159
Manduteanu, G.V. On Miller's approximation in silicon plane junctions 86−21189
Manduteanu, G.V. A new device−a power semiconductor diode with an integrated thermal sensor 88−50793
Mandzhukov, I.G., Mandzhukova, B.V. Weak-scintillation light yield determination 88−42432
Mandzhukova, B.V. *see* Mandzhukov, I.G. 88−42432
Mane, S.R. Derivation of the equilibrium degree of polarization in high-energy electron storage rings 86−65308
Mane, S.R. *see* Krisch, A.D. 88−68176
Manea, F. Separation of current, voltage, and power in orthogonal terms in the study of periodical nonsinusoidal operation 87−15132
Manea, F. Compensation and definition of reactive power in nonsinusoidal, periodic regimes 87−57498
Manea, F. On the electrodynamics of moving bodies 88−27393
Manea, N. *see* Cazacu, C. 87−57916
Maneatis, G.A. The nation's leading alternative energy utility: PG&E 85−38384
Maneatis, J.A., Laguens, G.C., Brown, B.H. Substations designed with modular arrangement 86−40014
Manek, B. *see* Blazek, K. 86−11833
Manek, B. *see* Kvapil, J. 86−48371
Manela, D. *see* Pavelchek, A.F. 87−28371
Manela, D. *see* Schilling, D.L. 88−21096
Manela, M. *see* Barta, J. 85−57171
Manelis, V.B., Trifonov, A.P. Estimating the position of a complex optical image against a background of a spatial noise 88−28000
Manelis, V.B. *see* Trifonov, A.P. 86−22880, 87−55088, 87−63022, 88−27917
Manella, R., McClintock, P.V.E., Moss, F. Postponed bifurcations of a swept parameter ring laser model with additive white noise 87−33240
Manenkov, A.A., Matyushin, G.A., Nechitailo, V.S., Prokhorov, A.M., Tsaprilov, A.S. On the nature of accumulation effect in the laser-induced damage to optical materials 85−7507
Manenkov, A.A., Matyushin, G.A., Nechitailo, V.S., Tsaprilov, A.S. Mechanism of the accumulation effect in laser damage to polymers: appearance of microdamage due to an ionization absorption wave 85−12938
Manenkov, A.A. *see* Alt'Shuler, G.B. 85−7531, 85−56392, 86−15768, 86−54210
Manenkov, A.A. *see* Bagdasarov, Kh.S. 86−15673
Manenkov, A.A. *see* Bagdasarov, V.Kh. 87−26362
Manenkov, A.A. *see* Denisov, N.N. 85−18905
Manenkov, A.A. *see* Dyumaev, K.M. 86−68605, 88−26741
Manenkov, A.A. *see* Galagan, B.I. 86−15773
Manenkov, A.A. *see* Garnov, S.V. 88−27293
Manenkov, A.A. *see* Gromov, D.A. 85−56568, 86−9777
Manenkov, A.A. *see* Kuzemchenko, T.A. 88−50618
Manenkov, A.A. *see* Ursu, I. 88−19794
Manenkov, A.A. *see* Varshava, S.S. 88−16092
Manenkov, A.B. Comparison of approximate methods of computing diffraction of waves at diameter discontinuity in a dielectric waveguide 86−36696
Manenkov, A.B. *see* Filimonov, S.I. 88−12574
Manenkov, A.B. *see* Kleev, A.I. 87−33409, 88−8561
Manenkov, A.B. *see* Kleyev, A.I. 86−27555

Manenkov, A.B. *see* Vasil'ev, A.D. 88—32369
Manente, G. *see* Pengo, R. 85—59129
Manenti, A. *see* Diana, G. 87—50824
Maner, A., Ehrfeld, W., Schwarz, R. Electroforming of absorber patterns of gold on masks for X-ray lithography 88—50925
Maner, A. *see* Becker, E.W. 86—53741
Maner, A. *see* Ehrfeld, W. 88—39249
Maner, V. *see* Pistoia, G. 85—49068
Manera, L. *see* Geagea, J. 87—72817
Manes, A. *see* Ingmann, P. 86—12174
Manes, B. *see* Arendt, F. 86—27639
Manes, G. *see* Tortoli, P. 86—25191, 87—3978
Manes, G.F. *see* Tortoli, P. 85—47909
Manes, K. *see* Matthews, D. 85—7350
Manes, K.R. Novette facility: activation and preliminary experimental results 85—2275
Manes, K.R., Phillion, D.W., Holzrichter, J.F., Hildum, J.S., Seppala, L.G., Frick, F.A., Kuizenga, D.J. High-power laser system multiplexing for X-ray backlighting 86—15815
Manes, K.R., Simmons, W.W. Statistical optics applied to high-power glass lasers 85—35721
Manescu, O., Stanomir, D. A canonical form of equations for the analysis of nonlinear electrical networks 87—486
Manesse, G., Hautier, J.-P., Toulotte, J.-M. Simultaneous design of control and operating components for electromechanical power conversion systems—DESIGN method 88—75853
Manesse, G., Hautier, J.P., Ledee, G. Modelling and design of induction motor drive system including a safety transformer 87—16098
Manesse, G., Iedee, G. Application of functional analysis concepts in power electronics 88—69569
Manesse, G. *see* Hautier, J.-P. 85—61488
Manesse, G. *see* Hautier, J.P. 85—32611
Manetti, S. *see* Catelani, M. 86—57856, 87—45045, 87—70341, 88—15884
Manetti, S. *see* Iuculano, G. 86—62384
Manetti, S. *see* Liberatore, A. 85—17618, 85—28618
Maneuf, S., Desailly, R., Froehly, C. Stable self-trapping of laser beams: observation in a nonlinear planar waveguide 88—34127
Maneuf, S., Reynaud, F. Quasi-steady state self-trapping of first, second and third order subnanosecond soliton beams 88—51935
Maneuf, S. *see* Barthelemy, A. 86—3296
Manev, N. *see* Dodunekov, S.M. 88—27780
Manev, N.L. Algorithm for solving quartic equations over $GF(2^m)$ 87—51909
Manev, N.L. *see* Dodunekov, S.M. 85—19343, 86—10252, 87—54993
Manev, N.L. *see* Dodunekov, S.N. 88—2959
Manev, T.I. *see* Dimitrov, C. 88—4926
Manev, V. *see* Moshtev, R. 86—66301
Manev, V. *see* Moshtev, R.V. 85—39188
Manev, V. *see* Pasquali, M. 87—30905
Manev, V. *see* Pavlov, D. 87—30907
Manev, V. *see* Pistoia, G. 85—53811
Manev, V. *see* Podhajecky, P. 85—44150
Maneval, J. *see* Schuur, J. 87—60079
Manevich, V.Z., Khamadulin, E.F. Dynamic characteristics of cathode-ray tube oscilloscopes 86—31473
Manevich, V.Z., Khamadulin, E.F. Evaluating the performance of pulse and oscilloscope measuring instruments by the accuracy of instantaneous signal measurements 88—16247
Manevich, Ya.Z. *see* Levina, S.M. 87—78554
Maney, D. *see* Mantelman, L. 87—48578
Maney, J.J. *see* James, M.R. 86—30730
Manezhko, V.N. *see* Bobrov, P.A. 86—24102
Manfe, P., Rezzoug, A., Mailfert, A., Desportes, H., Lottin, J.C., Leschevin, C. Prototype 'Supersat 001'—probative results 88—30660
Manfe, P. *see* Mailfert, A. 85—27373
Manfe, P. *see* Rezzoug, A. 85—27398
Manfield, D., Phuoc Tran-Gia, Jans, H. Modelling and performance analysis of inter-processor messaging in distributed systems 88—14861
Manfield, D. *see* Krym, M. 88—3753
Manfield, D. *see* Larose, M. 87—8124
Manfield, D.R. Analysis of a priority polling system for two-way traffic 86—4079
Manfield, D.R. Transport delays in a hybrid switching system with polling 86—30104
Manfield, D.R. *see* Mapp, G.E. 87—48299
Manfield, D.R. *see* Stanford, D.A. 87—20304
Manfield, H.G. Printed circuits—electrical testing 85—11710
Manfield, H.G. Printed circuits—inspection and testing 85—23232
Manfield, H.G. Understanding electrical measurements of printed circuit boards 85—55239
Manfield, H.G. Substrate materials for the production of printed circuit boards 88—19483
Manfra, M.J. *see* Brooks, R.C. 86—21245
Manfra, M.J. *see* Chen, C.L. 87—37554, 88—13005
Manfra, M.J. *see* Chu, A. 86—8478, 86—20834, 86—27631, 87—24452
Manfra, M.J. *see* Smith, F.W. 88—33242, 88—33409, 88—39541
Manfrass, P., Enghardt, W., Fromm, W.D., Wohlfarth, D., Hennig, K. Positron camera with high-density avalanche chambers 88—74809
Manfred, M.T. *see* Newport, R.L. 86—18433
Manfred, R.K. *see* Kimel, E.A. 86—19102
Manfred, R.K. *see* Perkins, R.P. 86—32912
Manfred, S. Continuing developments in electrical tariffs 85—59632
Manfredi, P.F. Use of semiconductor detectors in high-energy physics 85—43262
Manfredi, P.F., Ragusa, F. Low noise electronics in elementary particle physics 85—43276
Manfredi, P.F., Ragusa, F. Microvertex detectors, present trends and future perspectives 87—29539
Manfredi, P.F., Rescia, S., Speziali, V. Improving the performances of silicon detector electronics in high energy experiments by optoelectronic transmission of analog signals between beam line and counting room 85—42589
Manfredi, P.F. *see* Amendolia, S.R. 85—15169
Manfredi, P.F. *see* Avondo, J.P. 86—18259
Manfredi, P.F. *see* Bellini, G. 85—9066, 87—21421
Manfredi, P.F. *see* Bertolaccini, M. 88—29909
Manfredi, P.F. *see* Camin, D.V. 88—25002
Manfredi, P.F. *see* Gatti, E. 85—9100, 85—9102, 86—65389, 87—63683
Manfredi, P.F. *see* Igiuni, A. 85—15171
Manfredi, P.F. *see* Lutz, G. 88—22994, 88—29908
Manfredi, P.F. *see* Marioli, D. 88—54406
Manfredi, S. A new method of charges for suppliers of electrical energy 85—21086
Manfredini, A. *see* Baroni, G. 85—9097, 87—14785
Manfredini, M.A. *see* Baroni, G. 87—29613
Manfredotti, C. Dosimetry with HgI_2 85—4384
Manfredotti, C. LPCVD SIPOS films 86—40788
Manfredotti, C. Amorphous silicon prepared by low pressure chemical vapour deposition 87—322
Manfredotti, C., Crosetto, A., Gabutti, A., Gervino, G., Monticone, E., Brunetti, L. Realization of a low noise preamplifier for low capacitance solid state detectors 88—10252
Manfredotti, C., Crosetto, D., Gabutti, A., Gervino, G., Varesio, R. Realization of an automatic set-up to measure electrical characteristics of solid state detectors 87—14116
Manfredotti, C., Gabutti, A., Gervino, G., Monticone, E., Nastasi, U. Study on HgI_2 nuclear detector 87—29527
Manfredotti, C., Gervino, G., Amato, G., Nastasi, U., Bagnolatti, E. Solid state nuclear detectors 88—48009
Manfredotti, C., Gervino, G., Bagnolatti, E., Nastasi, U., Marchisio, R., Brunetti, L., Monticone, E. A power supply with temperature and N_2 level test controlled by a PC IBM-XT for a HP-Ge detector 88—75724
Manfredotti, C., Gervino, G., Montaldi, L., Nastasi, U., Murri, R., Schiavulli, L. Transport measurements in LPCVD amorphous silicon obtained from disilane 87—24807
Manfredotti, C., Montaldi, L., Galassini, S. Analysis of SCLC curves in a-Si:H by a new direct method 86—27902
Manfredotti, C., Nastasi, U., Zanini, A., Bonazzola, G.C. Computer simulation of semiconductor dosimeters 85—48356
Manfredotti, C. *see* Amato, G. 85—10104
Manfredotti, C. *see* Bosso, S. 87—4948
Manfredotti, C. *see* Vittone, E. 88—18063
Manfrid, G. *see* Stecco, S.S. 85—48880
Manfrida, G., Mannucci, M. Exergy analysis of possible solutions for combined gas-steam cycles 87—42654
Manfrida, G. *see* Stecco, S.S. 86—33178, 86—56512
Mang, X., Krishnan, R., Adkar, S., Chandramouli, G. Personal computer based controller for switched reluctance motor drives 88—43429
Mang-hung Wong *see* Wong Mang-hung
Mangal, M., De, G. Novel control strategy for sinusoidal PWM inverters 86—45558
Mangal, M., De, G. Novel control strategy for sinusoidal PWM inverters 87—64847
Mangal, M., De, G. Microprocessor-based feedback control of PWM-inverter-fed induction motor drive for optimal efficiency 88—48982
Mangalam, S. *see* Chatopadhyay, R. 85—28675
Mangalgiri, P.D., Dattaguru, B., Rao, A.K. Fasteners in composite plates: effects of interfacial friction 86—20114
Mangamma, G., Balakrishnan, N., Bhat, S.V. A microprocessor-controlled programmable pulse generator 87—29146
Mangan, J.B. *see* Robertson, N.A. 86—36539
Mangan, M.F., Sims, R.I. Electric vehicle power systems 88—62716
Manganaro, S. *see* Di Marco, U. 87—36065
Manganaro, S. *see* Stokes, A.D. 86—51840
Manganella, L. *see* Di Mario, P.R. 87—39395
Mangaraj, D., Hassell, J.A., Nixon, J.R., Epstein, M.M. Functional analysis of antioxidant in thermoplastic cable insulations 85—40995
Mangas Laveria, J.J., Insenser Farre, J.M. Using CAD technology for optimized arrays 87—59318
Mangasarian, O.L. A condition number for differentiable convex inequalities 85—54301
Mangasarian, O.L., McLinden, L. Simple bounds for solutions of monotone complementarity problems and convex programs 85—44618
Mangasarian, O.L., Shiau, T.-H. Error bounds for monotone linear complementarity problems 87—10281
Mangelsdorf, D. Quality management and quality engineering in planning and development of telecommunication products 86—13527
Mangelsdorf, R. *see* Gottschalk, E. 85—49338
Mangelsdorf, S.T., Burns, D.M., French, P.K., Headrick, C.R., Tanksalvala, D.F. A VLSI processor for HP Precision Architecture 88—12276
Mangeot, P. *see* Detoeuf, J.-F. 88—29857
Mangeot, P. *see* Glass, H. 85—43249
Mangeot, Ph. *see* McCarthy, R. 86—65355
Manger, H. Electronic engine controls in Europe 85—65580
Manges, J.B. *see* Thal, H.L., Jr. 88—72662
Mangest, P., Riva, R. DC motors controls 86—6955
Manghi, G.K. Temperature measurement of a friction surface in brake testing 88—4677
Mangiarotti, M., Maestri, F. Design of a supervision system and the relative man-machine interface in a nuclear plant 88—30506
Mangiavacchi, C., Russo, F. Arbitrary waveform generator for electrical signal simulation and measuring instrumentation testing in non-sinusoidal conditions 86—50119
Mangiavacchi, C., Russo, F. A personal instrument for time domain measurements of electrical quantities in nonsinusoidal systems 88—41957
Mangiavacchi, C., Russo, F. A specific software approach oriented to personal instrument management 88—53559
Mangieri, B.A. *see* Banak, M.A. 87—60586
Mangilev, V.I., Andreeva, E.P., Yurasov, V.T. The operation of the TGV-500 turbogenerator under nonsynchronous conditions 86—39677
Mangileva, A.A. *see* Urmanov, R.N. 85—44040
Mangili, F., Viano, G. Object recognition and positioning methodologies in 3-D space from a single view 88—66691
Mangin, C.-H. Assembly robots address users' needs 86—53196
Mangin, C.-H. Trends and challenges for automatic test equipment manufacturers. I 87—8508
Mangin, C.-H. Trends and challenges for automatic test equipment manufacturers. II 87—11163
Mangin, C.-H. Surface mount technology: prospects and pitfalls 87—32144
Mangin, C.-H. Minimizing defects in surface-mount assembly 88—12771
Mangin, C.-H. SMT processes requires excellence 88—19524
Mangin, C.-H. Achieving advanced processes through in-house development 88—57096
Mangin, C.-H., McClelland, S. SMT testing 88—32649
Mangin, C.-H., McClelland, S. Characterization of surface mount assembly equipment 88—44473
Mangin, J.L., Current, K.W. Characteristics of prototype CMOS quaternary logic encoder-decoder circuits 86—41186
Mangin, J.L. *see* Current, K.W. 85—17322
Manginelli, M.F. Corporate strategy for voice mail effectiveness 88—66918
Mangini, D.M. Frequency coordination of cellular systems 87—69973
Mangione, P.A. SSI's Phonetic Engine 86—48817
Mangione, P.A. What about the user? [speech recognition systems] 87—61793
Mangione, S. Mixed integral linear programming: a mathematical model for electrical network design optimization 87—35597
Mangione, S. *see* Boardman, J.T. 87—35596
Mangione, S. *see* Buccheri, P. 86—18883, 88—55087
Mangioni, S. *see* Gratton, R. 87—14301
Mangir, M.S., Rockwell, D.A. Measurements of heating and energy storage in flashlamp-pumped Nd:YAG and Nd-doped phosphate laser glasses 86—42504
Mangir, M.S. *see* Sumida, D.S. 88—65626
Mangir, T.E. Sources of failures and yield improvement for VLSI and restructurable interconnects for RVLSI and WSI. II. Restructurable interconnects for RVLSI and WSI 85—23963
Mangir, T.E. Interconnect technology issues for testing and reconfiguration of WSI 85—29314
Mangir, T.E. EXCAT: an expert system for testable design of VLSI 86—21745
Mangir, T.E., Raghavendra, C.S. Issues in the implementation of fault-tolerant VLSI and wafer scale integrated systems 85—29311
Manglik, V.K. *see* Lesrado, L. 85—26836
Manglos, S.H., Jaszczak, R.J., Floyd, C.E., Greer, K.L., Coleman, R.E. A practical attenuation compensation method for cone beam SPECT 87—50248
Manglos, S.H. *see* Floyd, C.E., Jr. 88—61277
Manglos, S.H. *see* Greer, K.L. 88—36436
Manglos, S.H. *see* Hahn, L.J. 88—61306

Manglos, S.H. *see* Jaszczak, R.J. 87—77650, 88—61256
Manglunki, D. *see* Allen, D. 88—54188
Mangnall, Y.F., Barnish, C., Brown, B.H., Barber, D.C., Johnson, A.G., Read, N.W. Comparison of applied potential tomography and impedance epigastrography as methods of measuring gastric emptying 88—74836
Mangnall, Y.F., Baxter, A.J., Avill, R., Bird, N.C., Brown, B.H., Barber, D.C., Seagar, A.D., Johnson, A.G., Read, N.W. Applied potential tomography: a new noninvasive technique for assessing gastric function 87—50322
Mango, F. *see* Gozzini, A. 86—15775
Mangold, C.G. Use your TV receiver as a monitor 85—25997
Mangold, M., Brehm, L. Selective mode inducement in cylindrical gradient induced multimode light wave conductors 88—45188
Mangold, M. *see* Heindorf, W. 87—68111
Mangoldt, T. *see* Danz, M. 87—35015
Mangoni, V. *see* Carpinelli, G. 85—48887, 88—54858
Mangoni, V. *see* De Martinis, U. 86—70653
Mangrum, R.A. Preserving harmony in manufacturing subsystems: a holistic approach to factory automation 88—11684
Mangulis, V. Earth-station size vs. error-correction coding in the design of Ku-band satellite communications systems 85—36966
Mangulis, V. Protection of Ka-band satellite channels against rain fading by spare channels at a lower frequency 85—58068
Mangulis, V. The performance of synchronous direct-sequence spread spectrum signals replicated in several frequency bands 86—37719
Mangulis, V. Reduction of tearing in TV pictures transmitted via FM relay links 86—49810
Mangulis, V. Spread spectrum for small Earth stations 86—64912
Mangum, B.W., El-Sabban, S. SRM 1970: succinonitrile triple-point standard - a temperature reference standard near 58.08°C 87—20831
Mangum, B.W. *see* Cox, J.D. 87—56879
Mangurian, G.E. *see* Hammeri, M. 87—28121
Mangus, B. *see* Stowitschek, J.J. 87—8025
Mangus, G.R. *see* Jambor, B.J. 85—13968
Mangus, J.D. *see* Arnold, W.H. 86—33013
Manh, Q.D. Research and development opportunities in mobile satellite technologies 87—76711
Manh, Q.D., Armstrong, R. Technical and economic aspects of small digital earth stations 87—3157
Manhag, K., Roslund, S. Computerized control and cost optimal operation of complex district heating systems 85—4892
Manhardt, A.E. *see* Ruddy, F.H. 87—22090
Manhardt, P.D. *see* Shell, M.A. 86—27257
Manhart, S., Dyrna, P. Self-calibrating low power laser rangefinder for space applications 87—41035
Manhart, S. *see* Kunkel, B. 87—15009
Manhaval, R. *see* Brice, H. 87—78463
Manheimer, W. *see* Levush, B. 85—1239
Manheimer, W.M. The plasma-assisted modified betatron 86—18206
Manheimer, W.M. Theory of the multicavity phase locked gyrotron oscillator 87—66822
Manheimer, W.M., Fliflet, A.W., Lee, R.C. Design considerations for a sheet beam electron gun for the quasi-optical gyrotron 88—25792
Manheimer, W.M., Gold, S.H., Burke, J., Fliflet, A.W., Black, W.M. The NRL SDIO/IST program in phase-locked gyrotron oscillators 88—50579
Manheimer, W.M., Read, M.E. Sub-nanosecond pulselength millimetre wave generation with a phase modulated quasi-optical gyrotron 87—24701
Manheimer, W.M., Ripin, B.H. High-power microwave plasma pulse compression 86—64042
Manheimer, W.M. *see* Antonsen, T.M. 87—24687
Manheimer, W.M. *see* Burke, J.M. 86—58854, 88—25789
Manheimer, W.M. *see* Finn, J.M. 87—24697
Manheimer, W.M. *see* Fliflet, A.W. 88—25790
Manheimer, W.M. *see* Giold, S.H. 86—21019
Manheimer, W.M. *see* Gold, S.H. 87—17639, 87—66828, 88—25809, 88—64189
Manheimer, W.M. *see* Granatstein, V.L. 88—60253
Manheimer, W.M. *see* Grossmann, J.M. 85—37821, 85—37825
Manheimer, W.M. *see* Hargreaves, T.A. 88—25801
Manheimer, W.M. *see* Kinkead, A.K. 85—55389
Manheimer, W.M. *see* Levush, B. 85—6649, 85—56726, 86—48537, 87—2135
Manheimer, W.M. *see* McCowan, R.B. 88—27004
Manheimer, W.M. *see* McDonald, S.W. 87—24686
Manheimer, W.M. *see* Read, M.E. 86—21023
Manhire, B., Jenkins, R.T., Outhred, H.R., Sutanto, D., Kaye, R.J., Evans, F.J. The cumulant method of power system probabilistic simulation: principles, mathematics and limitations 87—71615
Manhire, B. *see* Andersen, B.A. 86—32894
Manhire, B. *see* Embrey, K. 88—23380
Manhire, B. *see* Feng, X. 88—23415
Manho Chung *see* Moonsu Oh 88—53709, 88—60748
Manhoudt, G.H. *see* Pennings, E.C.M. 88—65348
Manhout, J.-P., Salvey, J. S-band bipolar microwave transistors a new approach for high power 87—37580
Manhout, J.P. *see* Lohy, D. 86—53062
Mani, G.S. EW radomes present rigorous challenges 85—41803
Mani, H., Joullie, A., Bhan, J., Schiller, C., Primot, J. The influence of supercooling on the liquid phase epitaxial growth of InAs$_{1-x}$Sb$_x$ on (100) GaSb substrates 87—73079
Mani, H., Joullie, A., Joullie, A.M., Girault, B., Alibert, C. Band-gap and spin-orbit splitting of the lattice-matched GaAsSb/InAs system 87—37940
Mani, H., Joullie, A., Karouta, F., Schiller, C. Low-temperature phase diagram of the Ga-As-Sb system and liquid-phase-epitaxial growth of lattice-matched GaAsSb on (100) InAs substrates 86—46328
Mani, H. *see* Benoit, J. 88—65486
Mani, H. *see* Bhan, J. 88—58561
Mani, H. *see* Joullie, A. 86—57441, 87—36767, 87—54349
Mani, H. *see* Karouta, F. 88—18692
Mani, L. *see* Chacko, M.J. 87—65209
Mani, R. *see* Geraniotis, E. 88—21935, 88—41514
Mani, R.G., Anderson, J.R. Study of the single-particle and transport lifetimes in GaAs/Al$_x$Ga$_{1-x}$As 88—57351
Mani, S. *see* Engels, E., Jr. 85—15165, 87—29488
Mani, S. *see* Lobkowicz, F. 85—43185
Mani, V., Sarma, V.V.S. Queuing network models for aircraft availability and spares management 85—22303
Mani, V.N., Dhanasekaran, R., Ramasamy, P. Epitaxial nucleation and growth kinetics of gallium arsenide in a chloride transport system 87—31543
Mani, V.N., Palaniappan, L., Gnanam, F.D., Ramasamy, P. Growth of SbSeI crystals by vertical Bridgman technique 88—374
Manias, S., Prasad, A.R., Ziogas, P.D. Three-phase inductor fed SMR convertor with high frequency isolation, high power density and improved power factor 87—64692
Manias, S., Prasad, A.R., Ziogas, P.D. A 3-phase inductor fed SMR converter with high frequent isolation, high power density and improved power factor 87—73303
Manias, S., Wiechmann, E.P., Ziogas, P.D. Effects of switching angle jittering on PWM techniques 86—45592
Manias, S., Wiechmann, E.P., Ziogas, P.D. Effects of switching angle phase shift on PWM techniques 88—6658
Manias, S., Ziogas, P. An SMR topology with suppressed DC link components and predictive line current waveshaping 87—73281
Manias, S., Ziogas, P.D. A novel sine wave in AC to DC converter with high frequency transformer isolation 86—12937
Manias, S., Ziogas, P.D. A novel sinewave in AC to DC converter with high-frequency transformer isolation 86—26136
Manias, S., Ziogas, P.D. An SMR topology with suppressed DC link components and predictive line current wave shaping 87—43238
Manias, S., Ziogas, P.D., Olivier, G. Bilateral DC to AC converter employing a high frequency link 86—45570
Manias, S., Ziogas, P.D., Olivier, G. An AC to DC converter with improved input power factor and high power density 86—46570
Manias, S., Ziogas, P.D., Olivier, G. Bilateral DC to AC convertor using a high frequency link 87—22520
Manias, S., Ziogas, P.D., Olivier, G. An AC-to-DC converter with improved input power factor and high power density 87—30777
Manias, S., Ziogas, P.D., Olivier, G., Prasad, A.R. Review of state of art high frequency PWM switched-mode power conversion techniques 88—69593
Manias, S. *see* Olivier, G. 87—78798, 88—62784
Manias, S. *see* Prasad, A.R. 88—30897, 88—55508, 88—75722
Manias, S. *see* Roy, G. 88—30910
Manias, S. *see* Ziogas, P.D. 85—9993
Maniat, L., Vatalaro, F. An antenna subsystem for a DBS individual receiver terminal 86—60019
Manichev, I.A. *see* Demchuk, M.I. 87—68590, 88—40188
Manichev, V.B. *see* Evstifeev, Yu.A. 87—73232
Manichev, V.B. *see* Norenkov, I.P. 88—24877
Manickam, N., Singhi, N.M. First distribution invariants and EKR theorems 88—43787
Manicke, U. Microelectronic implementation of subscriber circuits for digital telephone exchanges 86—59701
Manier, S.M. *see* Blue, P.W. 88—4793
Manieri, L.J. Digitizing instruments: making a fair comparison 87—28899
Maniet, R. *see* Gillain, P. 85—39245
Maniev, V.M. *see* Antyukhov, V.A. 86—60637
Maniev, V.M. *see* Bitsadze, G.S. 88—61155
Maniewski, R. *see* Nieminen, S. 85—43414
Maniewski, R. *see* Seppanen, M. 85—43337
Manifacier, J.-C. *see* Henisch, H.K. 86—1664
Manifacier, J.-C. *see* Moreau, Y. 87—11327
Manifacier, J.C., Chaoui, A., Moreau, Y., Dhouib, A., Calderer, J. Sprayed ITO on silicon solar cells 86—45716
Manifacier, J.C., Moreau, Y., Henisch, H.K. A tunable, current-controlled, light-emitting diode 87—38946
Manifacier, J.C. *see* Chaoui, A. 85—60439
Manifold, S.M. *see* Walls, W.A. 87—30602
Maniglia, A.J. *see* Ko, W.H. 88—68484
Manigrasso, R. Electric drives for traction purposes: organization, performance analysis and harmonic propagation problems 85—16294
Manigrasso, R., Superti Eurga, G. CAD methods for traction drives 87—72475
Manigrasso, R., Superti Furga, G. Cad methods for traction drives 88—18157
Manigrasso, R. *see* Farini, A. 86—71103, 88—69867
Manigrasso, R. *see* Fuga, F. 86—71102
Manika, I.P., Maniks, J.J., Teteris, J.A. Limits to the microhardness testing of amorphous films 88—70398
Manikanahally, D. *see* Crocker, M.J. 88—68593
Manikhin, A.I., Gol'dman, A.Yu., Savin, M.M., Nikitenko, Yu.A. A binary approach to design of adaptive control systems for magnetic suspension 88—55687
Manikhin, A.I. *see* Kalabukhov, O.R. 88—69496
Manikopoulos, C.N. *see* Sun, H. 88—40796
Maniks, J.J. *see* Manika, I.P. 88—70398
Manildi, A.B. Monolithic digital filter for 12 to 32 bit 87—45071
Manildi, A.B., Terepin, S. FSP 100 data stream processor 87—59583
Manimaran, R. *see* Outhred, H.R. 88—75092
Manini, P. *see* Cerofolini, G.F. 86—15035, 86—41686
Manion, M.L. *see* Powell, R.A. 87—11596
Manion, N. 11 kV overhead circuits—can the fault rate be reduced district view of the relevant problems 85—38527
Manion, S.J., Artaki, M., Emanuel, M.A., Coleman, J.J., Hess, K. Electron-energy-loss rates in Al$_x$Ga$_{1-x}$As/GaAs heterostructures at low temperatures 87—66946
Manione, R., Constantino, G.P. Graphic editor for parametric cells design 87—1646
Maniscalco, J.A., Bell, J.M. Industry perspectives on future directions in the fusion program 86—39394
Manischalchi, M. *see* Watanabe, G.T. 85—33868
Manishin, V.G., Pasmanik, G.A. Problem of suppression of interference losses in multichannel resonators with wavefront-reversing mirrors 85—18978
Manita, O.F. *see* Dyakin, V.V. 86—68376
Manita, O.F. *see* Kolezhuk, K.V. 88—26957
Manitius, A., Tran, H., Payre, G., Roy, R. Computation of eigenvalues associated with functional differential equations 87—58880
Manitius, A.Z. Feedback controllers for a wind tunnel model involving a delay: analytical design and numerical stimulation 85—26850
Manitius, K., Zabrodzki, J. A multi-stand system for carrying out a ballot of the type: yes, no and abstention 88—32361
Manitius, Z. Calculations of electric machines' parameter dispersion 86—33300
Manitt, J.P. Moisture protective coatings for copper thick film systems 85—28835
Manitt, J.P. Moisture protective coatings for copper thick film systems 85—28851
Maniv, S. Current leakage analysis in narrow gap semiconductor diodes 88—45302
Maniv, S., Shamay, M., Sinai, Y. Strain-induced current leakage in InSb photovoltaic detectors 88—29388
Manivannan, A., Aruchamy, A., Aravamudan, G., Subba Rao, G.V. Photoelectrochemical studies on p-CdCr$_2$Se$_4$ 87—60121
Manivannan, K., Eswaran, C. Direct synthesis approach for GIC digital filters 88—50259
Manivannan, K., Eswaran, C. Minimal multiplier realization of 2-D all-pass digital filters 88—56782
Manivannan, K., Eswaran, C. New GIC digital filter structures and their characteristics 88—66593
Manivannan, K. *see* Eswaran, C. 88—6980
Maniwa, S. *see* Nakaoka, M. 88—24990
Maniwa, T., Fukushima, Y., Nakamura, T. Reliability prediction of ETA (explosive transfer assembly) for the H-I launch vehicle 87—50532
Maniwa, T. *see* Tanimoto, Y. 87—77114
Maniwa, Y. *see* Furusawa, M. 85—20277
Manjeley, N.G. *see* Forino, A. 85—37976
Manjgaladze, P. *see* Bella, F. 88—48317
Manjiu Guo *see* Guo Manjiu
Manjkow, J. *see* Papanu, J.S. 88—13252
Manju, K. *see* Nakamura, K. 88—44938
Manjunath, D. *see* Jhunjhunwala, A. 88—41673

Manjunath, H.V., Ranganathan, V.T., Iyengar, B.S.R., Vithayathil, J. Design considerations for high switching frequency PWM inverter for UPS application using hybrid Darlington switches 86−45556
Manjunath, H.V., Ranganathan, V.T., Iyengar, B.S.R., Vithayathil, J. MOSFET-bipolar hybrid Darlington power switches−design, gate drive and protection circuits 87−38329
Manjunath, K.B. *see* Gopalan, T.V. 85−33137
Manjunath, K.B. *see* Sridharan, S. 88−68967
Manjunath, R. *see* Ratra, M.C. 88−55018
Mank, A., Gancarczyk, J. An apparatus for measurement of photoelectric receptor parameters 85−31488
Mank, G., Liehr, M., Salzborn, E., Poffel, W., Schartner, K.H. X-ray and VUV-spectroscopy on the Giessen ECR-ion source 88−74736
Mank, G. *see* Heil, R.D. 86−5841
Mank, G. *see* Liehr, M. 88−74715
Manka, A. *see* Calicchio, M. 88−29811
Mankamo, T., Perhonen, H., Pulkkinen, U., Kosonen, M., Vanhala, J. Experiences from the use of PRA methods in the re-evaluation of technical specifications 85−43754
Mankamo, T., Petersen, K.E., Porn, K., Ericsson, G. Experiences from the NORDIC benchmark analyses [nuclear safety] 85−48761
Mankbadi, R.R., Ayad, S.S. Small-scale solar pumping: the technology 88−69682
Mankbadi, R.R., Mikhail, S. Operation and economical feasibility of a turbine-generator microhydroplant 86−12723
Mankbadi, R.R., Mikhail, S.A. A turbine-pump system for low-head hydropower 86−19149
Manke, J.W. *see* Hemmaplardh, K. 86−50847
Mankelevich, Yu.A., Rakhimov, A.T., Suetin, N.V., Feoktistov, V.A., Filippov, S.S. Numerical analysis of a chain-reaction H_2-Cl_2 chemical laser 87−68348
Mankevich, S.K. *see* Balakshii, V.I. 85−62418
Mankiewich, P. *see* Timp, G. 87−60154, 87−66952
Mankiewich, P.M., Behringer, R.E., Howard, R.E., Chang, A.M., Change, T.Y., Chelluri, B., Cunningham, J., Timp, G. Observation of Aharanov-Bohm effect in quasi-one-dimensional GaAs/AlGaAs ring 88−39103
Mankiewich, P.M., Howard, R.E., Jackel, L.D., Skocpol, W.J., Tennant, D.M. Nanometer metal-oxide-semiconductor field-effect transistors: a flexible tool for studying inversion layer physics 86−35451
Mankiewich, P.M., Jackel, L.D., Howard, R.E. Measurements of electron range and scattering in high voltage e-beam lithography 85−34703
Mankiewich, P.M. *see* Behringer, R.E. 87−38304
Mankiewich, P.M. *see* Change, A.M. 88−39108
Mankiewich, P.M. *see* Glass, A.M. 87−31539
Mankiewich, P.M. *see* Howard, R.E. 86−9138, 86−35464, 87−25324, 87−67607
Mankiewich, P.M. *see* Jackel, L.D. 85−1433
Mankiewich, P.M. *see* Schubert, E.F. 88−39441
Mankiewich, P.M. *see* Skocpol, W.J. 86−53665, 86−63323
Man'kin, I.A., Filatov, V.A., Shkol'nikov, V.G. Space charge in nonstationary nonlinear theory 88−1327
Man'kin, I.A., Polyak, V.Ye. An approach to the analysis of the nonlinear interaction of electrons with a traveling wave 85−6665
Man'kin, I.A., Shkol'nikov, V.G. Numerical modeling of self-oscillations in a system comprising an electron beam and a forward electromagnetic wave with external feedback 85−6660
Man'kin, I.A., Shkol'nikov, V.G. Pulsed oscillatory processes in a traveling-wave oscillator with external feedback 86−21057
Man'kin, I.A., Shkol'nikov, V.G. Amplification of short pulses in a TWT 88−1326
Man'kin, I.A., Usherovich, B.L. The accuracy of calculating the space-charge field in microwave beam devices 88−19613
Man'kin, I.A. *see* Grishin, V.S. 87−66844
Man'kin, I.A. *see* Koktorin, Yu.F. 85−6664
Mankin, S.B. Method of temperature measurement with thermistor in bridge circuit with pulse-voltage supply 86−1385
Man'kina, N.N., Zhuravlev, L.S., Novikova, L.S. The corrosive properties of the OKh 14 MF steel in the steam-and-water channel of power blocks [nuclear power stations] 86−65826
Manklewich, P.M. *see* Skocpol, W.J. 88−13401
Manko, G.P. *see* Rvachev, V.L. 86−15828, 87−47068
Manko, H.H. Surface mounting and fine line boards. II 85−11719
Manko, H.H. Surface mounting and fine line boards 85−11744
Manko, H.H. New packaging techniques force a reexamination of cleaning methods 85−22223
Manko, H.H. Incoming inspection criteria 88−38925
Man'ko, M.A. Control of the spatial characteristics of heterolaser emission 87−7380
Man'ko, M.A., Makhsudov, B.I., Fam Van Khoy Investigation of the wavefront of planar stripe GaAlAs/GaAs-heterolasers 88−8230
Manko, M.A., Makhsudov, B.I., Mikaelyan, G.T., Pham Van Hoi Measurement and analysis of planar stripe-geometry GaAlAs/GaAs heterojunction laser wavefronts and their variation with pumping current 85−29839
Man'ko, M.A., Mikaelyan, G.T. Analog of the Franck-Condon principle for a heterojunction laser inhomogeneous over its length 86−63827
Man'ko, M.A., Mikaelyan, G.T. Analysis of gain-guided modes in active semiconductor waveguides 87−26411
Man'ko, M.A., Mikaelyan, G.T. Modes and mode conversion in active semiconductor waveguides 88−7944
Man'ko, M.A. *see* Bessonov, Yu.L. 88−8231
Man'ko, M.A. *see* Vu Van Lyk 88−8232
Man'ko, V.I. Quantum integrals of motion of time-dependent systems and the problem of measuring physical quantities 86−44079
Mankoff, D., Muehllehner, G. Multi-frame data acquisition for PET camera using an online microprocessor-based system 86−50492
Mankoff, D. *see* Karp, J.S. 86−50513
Mankoff, D.A., Muehllehner, G., Karp, J.S. The effect of detector performance on high count rate PET imaging with a tomograph based on position-sensitive detectors 88−61251
Mankoff, D.A. *see* Muehllehner, G. 88−61261
Mankofsky, A. *see* Drobot, A.T. 86−31955
Mankofsky, A. *see* Ko, K. 88−34385
Mankouski, K.E. *see* Shultz, R.D. 86−32627
Man'kov, I.I. *see* Rogalev, Yu.V. 88−16915
Man'kova, L.N. *see* Lysenko, V.S. 85−34681
Man'kovetskaya, S.E. *see* Novichenko, L.N. 87−63548
Mankovich, N.J. An image database structure for pediatric radiology 88−36535
Mankovich, N.J., Cho, P.S., Taira, R.K., Wong, A., Stewart, B.K., Huang, H.K. A general purpose optical disk system with a radiological imaging application 87−14953
Mankovich, N.J., Trambert, M.A., Huang, H.K. The architecture of a prototype multimodality image viewing station 85−4273
Mankovich, N.J., Valentino, D.J. 3-D imagery for surgeons 87−50282
Mankovich, N.J., Woodruff, T.J., Beumer, J., III The use of computerized tomographic (CT) scans for 3-D display and prosthesis construction 86−11955
Mankovich, N.J. *see* Huang, H.K. 87−14880
Mankovich, N.J. *see* Kangarloo, H. 88−36532
Mankovich, N.J. *see* Papin, P.J. 85−4277, 86−11947
Mankovich, N.J. *see* Stewart, B.K. 88−36534
Mankovich, N.J. *see* Takeuchi, H. 86−32272
Mankowski, M. *see* Frydrychowicz, J. 86−42013
Mankus, T.A. *see* Manacher, G.K. 88−31649
Mankvard, J. The optocoupler 86−28988
Manley, M.T. Clinical biomechanical assessment of the walking foot. [Segmented forceplate system]Rossmere, D. Dee, R 86−32374
Manley, P. *see* Maltais, F. 86−58166
Manley, T. *see* Shuchman, R. 86−6137
Manley, T.O., Perti, D. Helicopter-based high resolution C/STD observations in the marginal ice zone−field analysis and results on the Ocean Data Equipment Model 302 85−32020
Manly, S. *see* Dubois, R. 86−50321
Mann, A., Ruckert, J. A new concurrent slot assignment protocol for traffic information exchange 88−73833
Mann, A. *see* Orenstein, M. 88−47227
Mann, A.G. Active stabilization of crystal oscillator FM noise at UHF using a dielectric resonator 85−22695
Mann, A.J.S. The CEGB plant modelling system program PMSP 87−35810
Mann, A.K. *see* Iossel, Yu.Ya. 88−51042
Mann, B., Zierenner, U. Stereo car cassette recorder RA 8001 86−65087
Mann, B. *see* Giangiulio, A. 88−42949
Mann, B. *see* Jones, T.A. 86−50072
Mann, B. *see* Marsh, L. 85−38764
Mann, B.J. *see* Englesson, G.A. 85−53493, 86−65887
Mann, C., Davies, P. Configurable high current, high voltage power integrated circuits for control and drive of DC motors, stepper motors and other inductive loads 87−51232
Mann, C., Davies, P. Configurable high current, high voltage power integrated circuits for control and drive of DC motors, stepper motors and other inductive loads 88−71760
Mann, C. *see* Horacek, B.M. 86−5960
Mann, C.J., Lyall, R.G., Dudek, M.T. Design and characterisation of a linear power amplifier for an U6 GHz 16 QAM radio system 87−34420
Mann, C.J., Moore, M.T. Linear varactor upconverters for use in digital microwave radio 88−53167
Mann, D. The use of online plant models to improve the performance of large generating units 85−15849
Mann, D.P. *see* Deans, N.D. 85−5865
Mann, E.G., Denisov, S.A. Operating regimes of synchronous salient-pole machines in electromechanical energy stores 86−39731
Mann, E.G., Tiunchik, V.M. Electromechanical ring-type inertial energy-storage devices 86−51927
Mann, E.G. *see* Kirko, I.M. 88−23897
Mann, F.A. IEEE standard logic symbols, why use them? 88−50121
Mann, G. 3M Model 9165 facsimile unit 85−42193
Mann, G., Starke, M. Implementation of an integrated EDP-assisted quality assurance system 88−24593
Mann, G.M.W., Castle, R. Kinetics and processes of solute concentration at crevices in steam generators 85−38772
Mann, H. *see* Masny, Z. 87−810
Mann, H.M. *see* Rester, A.C. 86−50441
Mann, J., Lippmann, R., Berger, B., Raffel, J. A self-organizing neural net chip 88−70840
Mann, J. *see* Bosser, J. 85−48167, 86−31767, 88−54162, 88−54179
Mann, J. *see* Raffel, J. 88−56701
Mann, J.E. *see* Ziegler, N.F. 86−55913
Mann, J.R., Rhodes, F.M. A wafer scale DTW multiprocessor 87−19576
Mann, J.W. *see* Reith, L.A. 87−54309, 88−51474
Mann, L.D., Blair, D.G., Wellington, K.J. Flicker noise in GaAs MESFET X-band amplifiers in the temperature range 300K to 2K 87−6074
Mann, L.D. *see* Veitch, P.J. 88−9964
Mann, M.F.St.J. *see* Bedford, D.K. 85−2138
Mann, P. Fluid level detector 85−11448
Mann, P. *see* Wehn, N. 88−63653
Mann, P.C. *see* Calzonetti, F.J. 87−42339
Mann, R. *see* Kammeyer, K. 87−34346
Mann, R.C. Multi-sensor integration using concurrent computing 88−29299
Mann, R.W. *see* Brown, G.A. 88−54546
Mann, R.W. *see* Burgess, R.G. 88−61342
Mann, R.W. *see* Mansfield, P.K. 88−42171
Mann, S. *see* Oldroyd, A.R. 88−39978
Mann, S.E. The 30-meter-plus receiver 85−63497
Mann, T. *see* Fan, M. 88−54306
Mann, T.L., Morrison, J.G. Effects of display density and format type on control display unit format design 87−49574
Mann, T.L. *see* Colvin, J.C. 88−68232
Mann, T.L. *see* McManamy, T.J. 85−56243
Mann, W. *see* Ponce, J. 87−62376
Mann, W.A. *see* Ambats, I. 85−43251
Mann, W.R. *see* Pillsbury, R.D., Jr 86−48048, 88−65092
Mann, W.R. *see* Thome, R.J. 85−1941, 86−28767, 86−48049, 88−64001
Mann Cho *see* Byung Soo Lee 87−4518
Manna, A. *see* Brown, D. 86−47141
Manna, F. *see* Battiston, R. 85−59224
Manna, F. *see* Bove, A. 88−23013
Mannaa, A. *see* Khalifa, A.M.A. 86−61817
Mannaa, A.M., Dehlawi, F., Akyurt, M. Hardware development for a mobile educational robot 88−31333
Mannaerts, J.P. *see* Bevk, J. 86−66810
Mannami, K. *see* Kawabe, M. 87−25093
Mannami, M. *see* Kimura, K. 85−18070
Mannan, M. Automatic test generation for PALS 85−45006
Mannan, M. Software support for PAL testing 86−34671
Mannan, M. Instability−a CAD dilemma 87−31834
Mannan, M., Retlewski, P., Hasan, A. Failure analyzer for gate arrays 88−12345
Mannava, P.K., Ligomenides, P.A. Transmission reliability in the modified cut-through switching technique in computer communication networks 86−4337
Mannava, P.K. *see* Ligomenides, P.A. 87−62398
Mannava, R.K. *see* Ligomenides, P.A. 87−33863
Manneback, P. *see* Golub, G.H. 86−65037
Manneback, P.E., Murigande, C., Toint, P.L. A modification of an algorithm by Golub and Plemmons for large linear least squares in the context of Doppler positioning 85−47612
Manneberg, G., Kull, M., Lindquist, S. An all-optical amplifier for terahertz AM signals: a proposal 87−46578
Mannel, E. *see* Puseljic, D. 88−61100
Mannel, E. *see* Rogers, A. 87−41844
Mannel, E. *see* Ruchti, R. 85−37950, 85−43275, 87−41845, 88−68221
Mannell, R., Clark, J.E. Text-to-speech rule and dictionary development 88−21133
Mannella, R., Moss, F., McClintock, P.V.E. Postponed bifurcations of a ring-laser model with a swept parameter and additive colored noise 87−75180
Mannella, R. *see* Fronzoni, L. 87−65768
Mannella, R. *see* McClintock, P.V.E. 86−62405
Mannella, R. *see* Vogel, K. 87−68549
Mannelli, I. *see* Arnault, C. 87−14216
Mannelli, I. *see* Batley, R. 86−25127
Mannelli, I. *see* Burkhardt, H. 88−47997
Manner, E. *see* Lindenmeier, H. 86−43979, 88−9447
Manner, M.J. *see* Beucler, F.P. 85−18382

Manner, O., Baghai-Wadji, A., Ehrmann-Falkenau, E. Efficient modeling of transduction and reflection properties of finite aperiodic SAW transducers 87—1844
Manner, O., Ehrmann-Falkenau, E., Stocker, H. Analysis of electrode resistance effects in SAW filters on strongly coupling substrates 86—2531
Manner, R. Metastable states in asynchronous digital systems: avoidable or unavoidable? 88—38433
Manner, W. *see* Bailey, R. 85—15164
Manners, D. The alternative solution [for pin grid arrays] 86—7519
Manners, D.M. *see* Claridge, P.A. 88—15618
Mannersalo, K. *see* Lindell, I.V. 86—3636, 88—2459
Manneville, P. *see* Chate, H. 86—15429
Mannhart, J., Bosch, J., Gross, R., Huebener, R.P. Calculations of the Josephson current distribution in two-dimensional tunnel junctions 87—53920
Mannhart, J., Huebener, R.P. A magnetic field-effect transistor 87—1537
Mannhart, J., Huebener, R.P., Parisi, J., Peinke, J. Magnetic control and switching of current filaments in a semiconductor 86—47279
Mannhart, J., Parisi, J., Huebener, R.P. Novel cryoelectronic device concept based on magnetically controlled current flow in bulk semiconductors 87—25200
Mannhart, J., Parisi, J., Mayer, K.M., Huebener, R.P. A new cryoelectronic device family 87—67267
Mannhart, J. *see* Chaudhari, P. 88—39813
Mannheim, D., Smith, D. Putting capacitors to the vibration test 86—20861
Mannheimer, W.A. *see* Silveira, V.L.A. 86—44958
Manni, J.G. *see* Moulton, P.F. 88—65623
Manni, M.E. Technical writing—a profession that has arrived 85—39482
Manni, R. *see* Barbesino, C. 86—12315
Mannik, L., Brown, S.K. Laser Doppler velocimetry of particles in a plasma torch 86—36616
Mannik, L., Brown, S.K., Campbell, S.R. Phosphor-based thermometry of rotating surfaces 88—4668
Manninen, H., Pitkanen, M., Wiljasalo, M., Wiljasalo, S., Soimakallio, S. Visual detection and physical characteristics of roentgenographic systems. Investigations on chest imaging chains 85—38034
Manninen, H. *see* Soimakallio, S. 86—50486
Manninen, M., Ahola, R., Ailisto, H., Hakalahti, H., Heikkinen, T. Design of a scanning laser range finder for 3D robot vision 86—3386
Manninen, M., Moring, I. Active optical methods for range image formation 88—14830
Manninen, M. *see* Ailisto, H. 87—20995
Manninen, M. *see* Heikkinen, T. 87—49529
Manninen, O. *see* Vilkman, E. 87—19434
Manninen, S.O., Cooper, M.J., Cardwell, D.A. Gamma ray source line broadening and Compton line profile analysis 86—50382
Manning, B.W. *see* Aggarwal, M.L. 85—65123
Manning, C.D., Mohamed A Abdel Halim New dynamic inductance concept and its application to synchronous machine modelling 88—75588
Manning, C.D. *see* Abdel-Halim, M.A. 87—64549
Manning, C.D. *see* Hall, J.K. 85—61915
Manning, C.D. *see* Khan, M.Z.U. 88—69540
Manning, D.G. *see* Carter, C.R. 86—70065
Manning, F.R. Strategic importance of early manufacturing in new product introduction 86—105
Manning, F.W. *see* Kopp, M.K. 85—48360
Manning, G. Progress on construction and commissioning of the Spallation Neutron Source at the Rutherford Appleton Laboratory 86—5752
Manning, G. Aeronautical radio. I 87—69943
Manning, G. Aeronautical radio. II 87—70163
Manning, G. Aeronautical radio. III 87—70164
Manning, H.J., Barrett, M.P., Lenton, S.P. An ultrasonic caliper for borehole measurement 88—10647
Manning, H.L. *see* Terry, J.L. 87—14813
Manning, J., Olshansky, R., Fye, D.M., Powazinik, W. Strong influence of nonlinear gain on spectral and dynamic characteristics of InGaAsP lasers 85—46392
Manning, J. *see* Chang, J. 85—3915
Manning, J. *see* Olshansky, R. 85—62457, 85—62552, 86—42458
Manning, K.F.J. Software development for real time processing in acoustic systems 86—29938
Manning, L.G. *see* Ridgway, R.W. 88—51576
Manning, M. Cracking the security problem 85—63165
Manning, M.B., Dalton, B., Lancaster, R.W. XCTD sensors response characterization 88—48359
Manning, M.B., Moelter, M.J., Elbaum, C. Demountable piezoelectric transducer holder for use at low temperatures 87—56649
Manning, M.I. Effects on structural materials [air pollution] 88—10887
Manning, M.L. Fundamentals of transformer construction and design 87—73821
Manning, M.L. Fundamentals of transformer operation 88—7089
Manning, M.L. Fundamentals of insulating transformers 88—25590
Manning, M.R.W. *see* Fowler, K.R.G. 88—10472
Manning, P. *see* Buhl, P. 88—5194
Manning, P.A., Burgess, D.E., Watton, R. A linear pyroelectric array IR sensor 87—21101
Manning, P.A. *see* Burgess, D.E. 87—14341
Manning, P.A. *see* Liddicoat, T.J. 87—49541
Manning, P.A. *see* Watton, R. 88—29400
Manning, P.T. *see* Baxter, M.J. 88—48576
Manning, R. PIUS holds promise for nuclear's future 85—38713
Manning, R. *see* Fainberg, J. 86—24000
Manning, R.J., Bradley, P.J., Miller, A., Roberts, J.S., Mistry, P., Pate, M. Photoconductive response time of a multiple quantum well pin modulator 88—60141
Manning, R.J., Crust, D.W., Craig, D.W., Miller, A., Woodbridge, K. Transient-grating studies in GaAsGaAlAs multiple quantum wells 88—45538
Manning, R.J., Hill, J.R. Photoconductive response times of Si-on-sapphire damaged with Si^{28} ions 86—2910
Manning, R.J., Hill, J.R. Opto-electronic correlation measurements on damaged Si-on-sapphire using coplanar waveguides 86—48272
Manning, R.J. *see* Hutchinson, M.H.R. 85—62662
Manning, R.L., Ambler, A.P. High speed circuit simulation of million transistor circuits 86—663
Manning, R.L. *see* Ambler, A.P. 87—669
Manning, R.L. *see* Coleman, N. 87—1674
Manning, R.M. An inhomogeneous rain attenuation model for satellite link attenuation predictions 85—19138
Manning, R.M. A rain attenuation model for satellite link attenuation predictions incorporating the spatial inhomogeneity of rain rate 85—24817
Manning, R.M. An anisotropic turbulence model for wave propagation near the surface of the Earth 86—48558
Manning, R.M. A model for wave propagation in an anisotropic turbulent atmosphere 86—48571
Manning, R.M. A rain attenuation prediction model for satellite link availability using location dependent rain statistics 88—2576
Manning, R.M., Merat, F.L. The determination of atmospheric propagation parameters at optical and millimeter wavelengths via the statistical Fourier optical methods 86—48570
Manning, R.M. *see* Sitterle, J.J. 86—38306
Manning, S.A. *see* Bronte, J.J. 85—49364
Manning, T. *see* Balzano, Q. 86—68884
Manning, T.A. Recent changes in the coil winding equipment industry. I 86—40511
Manning, T.C. *see* Shanmugan, K.S. 87—40219
Manning, T.P. Field measurements using a cassette recorder 85—8897
Manninger, M. ASICs for signal processing. Analogue and digital functions in one chip 88—39682
Mannion, R. Getting started ... the practical way. IV 87—526
Mannion, R. Getting started—the practical way. III [3·5 MHz low-cost converter design] 87—5997
Mannisto, H. Digital multiplexing 87—62762
Mannix, C. Chip set combo transforms images at low cost 88—28013
Mannix, D. Slow scan television 88—60412
Mannkhin, Yu.A. *see* Kagan, Yu.Kh. 85—2140
Manno, I. *see* Denes, E. 85—4412, 85—37436, 87—20753
Manno, P.F. *see* Kwiat, K.A. 88—6337
Manno, S.J. Selectively record your μP's history 85—160
Manno, V.P., Golay, M.W. Nuclear power plant design innovation through simplification 85—48780
Manno, V.P. *see* Golay, M.W. 88—55127
Mannocchi, G. *see* Aglietta, M. 86—65378
Mannocchi, G. *see* Amendolia, S.R. 85—15169
Mannocchi, G. *see* Bagliesi, G. 88—48025
Mannocchi, G. *see* Battistoni, G. 86—50396, 87—8864
Mannocchi, G.P. *see* Albrizio, R. 88—74766
Mannocchi, G.P. *see* Baldini, R. 87—8865
Mannocchi, G.P. *see* Catanesi, M.G. 86—60606
Mannocci, M. *see* Coltelli, P. 88—9210
Mannoh, M., Yuasa, T., Asakawa, K., Shinozaki, K., Ishii, M. Low-threshold MBE GaAs/AlGaAs quantum well lasers with dry-etched mirrors 85—56638
Mannoh, M., Yuasa, T., Naritsuka, S., Shinozaki, K., Ishii, M. Pair-groove-substrate GaAs/AlGaAs multiquantum well lasers by molecular beam epitaxy 86—9825
Mannoh, M. *see* Naritsuka, S. 86—13762
Mannoh, M. *see* Nomura, Y. 85—22482
Mannoh, M. *see* Shinozaki, K. 85—50205
Mannoh, M. *see* Yuasa, T. 85—23433, 86—42521, 86—42608, 87—75097
Mannone, P. A VLSI device provides 144 kbps full duplex data transmission supporting ISDN basic access at the U reference point 87—28329
Mannone, P. The Mitel digital network interface circuit provides ISDN basic rate access at the U-reference point 88—3431
Mannone, P. *see* Jaffe, H. 86—4443
Manns, S. *see* Bucciarelli, L.L. 88—17468
Manns, T. *see* Engels, E., Jr. 87—29488
Mannsaker, J., Hansen, I. ITT 1240 hardware 85—36857
Mannsaker, J.E. System architecture of ITT 1240 85—36853
Mannschke, L.P. A multiplexer/coupler with tapered graded-index glass fibers and a GRIN-rod lens 86—2835
Mannschke, L.P. A planar integrated-optic star coupler with cascaded three-ports 87—18725
Mannschke, L.P. Manufacturing micro-optic devices with low insertion loss using autocollimated imaging 87—20534
Mannschke, L.P. A ball-bed mode mixer for fiber evaluation and micro-optic device assembly 87—46533
Mannsperger, H., Kalbitzer, S., Muller, G. Doping efficiencies of gas-phase and ion-implantation doped a-Si:H 87—25064
Mannsperger, H. *see* Bohringer, K. 85—45401
Mannsperger, H. *see* Muller, G. 86—41549, 86—47456
Mannucci, M. *see* Manfrida, G. 87—42654
Manny, M.P. *see* Tang, D.D. 87—17028
Mano, A., Ozawa, S. Zero excitation pulse model based on pitch synchronous analysis of LPC voiced residual 87—75757
Mano, A., Ozawa, S. Pitch synchronous mel inverse LSP analysis-synthesis technique of LPC voiced residual 88—53063
Mano, A. *see* Usa, S. 85—7842
Mano, F., Kitami, T., Komiya, R., Yoshida, T. Subscriber transmission systems for supporting I-series interface 88—9314
Mano, F., Kitami, T., Yoshida, T. Subscriber transmission system for supporting I-series interface 88—15236
Mano, F. *see* Ishii, H. 88—34574
Mano, F. *see* Kumozaki, K. 87—55939
Mano, F. *see* Tamaki, N. 88—46772
Mano, F. *see* Yamano, S. 88—3649
Mano, H. Sound analyzer meets today's and tomorrow's demands 87—50010
Mano, H. *see* Tachiuchi, T. 88—16275
Mano, H. *see* Urui, K. 85—36865
Mano, J. *see* Funada, Y. 87—10815
Mano, K., Ishige, S., Shirai, K. Phoneme recognition in connected speech using both static and dynamic properties of spectrum described by vector quantization 87—19595
Mano, K., Shirai, K. Extraction of phonemic information from frame-wise feature sequences 87—27246
Mano, K. *see* Arakawa, A. 88—62132
Mano, K. *see* Shirai, K. 86—48808, 87—47632, 87—69075
Mano, K. *see* Taniguchi, M. 86—41377
Mano, S., Katagi, T., Tsutsumi, T. Pattern synthesis of array fed reflector antennas 85—36122
Mano, S. *see* Chiba, I. 86—68924, 88—2828
Mano, S. *see* Katagi, T. 85—13255
Mano, S. *see* Numazaki, T. 88—14525
Mano, S. *see* Okimi, K. 85—3014
Mano, S. *see* Shindo, M. 85—28239, 86—7840
Mano, S. *see* Sunahara, Y. 87—26745
Mano, T. Non-commutator motor driving system using VVVF invertor 86—51980
Mano, T. No-commutator motor driving system by VVVF inverter 86—56686
Mano, T., Fujita, M., Saito, T., Kawato, N., Kakuta, T., Yuasa, K. A verifier tightly connected to synthesis expert system 88—25156
Mano, T., Maruyama, F., Hayashi, K., Kakuda, T., Kawato, N., Uehara, T. Knowledge-based expert system for hardware logic design 87—38555
Mano, T., Matsumura, T., Yamada, J., Inoue, J., Nakajima, S., Minegishi, K., Miura, K., Matsuda, T., Hashimoto, C., Namatsu, H. Circuit technologies for 16 Mb DRAMs 87—59486
Mano, T. *see* Nakajima, S. 85—35169
Mano, T. *see* Yamada, J. 85—17419, 85—22876, 86—41117, 87—52565
Mano, Y. *see* Fukui, M. 86—53746, 86—63399, 87—59088
Mano, Y. *see* Hirai, Y. 87—38402, 87—60222
Mano, Y. *see* Murata, K. 87—38026
Mano, Y. *see* Shiragasawa, T. 86—47740
Manoach, M. *see* Chen-Menaker, A. 86—32330
Manocha, A. *see* Maury, A. 87—45812
Manocha, A.S. *see* Rana, V.V.S. 88—39704
Manocha, A.S. *see* Yaney, D.S. 86—46853
Manoha, B., Nicollet, G. Thermal control of open circuit nuclear power stations 87—78277
Manohar, G.K. A case study of surface atmospheric electric field, point discharge current, wind and air temperature near a thermal power station 86—65926
Manohar, G.K., Ramana Murty, B.V. Influence of thermal power plant emissions on surface atmospheric electrical parameters 85—64768
Manohar, K.G., Dasgupta, K., Suri, B.M., Bhawalker, D.D. Dye laser wavelength stabilization: an active control by interferometric fringe detection 87—54269
Manohar, M. Edge detection in noisy images: an optimization approach 85—30280

Manohar, M. Edge detection via optimal clustering 85−30464
Manohar, M. *see* Gautier, N.K. 85−51700
Manohar, M. *see* Ravindran, S. 88−14777
Manohar, R., Mizuno, T. Effect of predetection filtering on baseband interference in FDM/FM systems 88−14433
Manohar, R., Ngai, T.Y. Application of iteration functions to elliptic partial differential equations 88−70272
Manohar, R. *see* Nayak, U.V. 86−49515
Manohar, S., Baudet, G. VLSI supercomputing 87−38494
Manohar, S., Baudet, G. A pragmatic approach to systolic design 88−70853
Manohar, S. *see* Baudet, G. 88−26450
Manohar, V.N., Chandorkar, R.K. Case study of conversion of a chemical plant from 60 Hz to 50 Hz power supply 87−72640
Manohara, K. *see* Gopalan, T.V. 85−33137
Manohara, K. *see* Sridharan, S. 88−68967
Manoharan, A. *see* Chen, C.F. 88−54521
Manoharan, L.C., Chandra Shekar, K.R., Muthuvel, S. Bit rate/bit error rate monitor 87−27781
Manoharan, R., Goodenough, J.B., Hamnett, A. High-performance carbon electrodes for acid methanol-air fuel cells 87−64787
Manoharan, R. *see* Shukla, A.K. 86−13024
Manoilenko, E.I. *see* Popov, Yu.V. 87−21758
Manoilov, V.E. On guaranteed electrical safety 86−57159
Manoilov, V.F. *see* Kudryachev, L.K. 85−61413
Manoilov, V.Ye. On guaranteed electric safety 87−58624
Manokhin, A.E. Identification of amplitude-frequency characteristics of multichannel acceleration vibration meters 88−42332
Manokhin, A.E. *see* Petrovich, V.I. 88−22849
Manokhin, V.I., Selivanova, L.M., Shustov, Yu.V. Method of increasing accuracy of alignment and calibration of inertial navigation systems given continuous rotation of gyroplatform about vertical axis 86−25359
Manokhin, V.N. *see* Kuz'minov, B.D. 87−78342
Manokovich, N.J. *see* Ho, B.K. 88−36533
Manolakis, D., Carayannis, G. Efficient implementation of the multiple LPC method for speech 87−19568
Manolakis, D., Carayannis, G. A lattice-ladder structure for multipulse linear predictive coding of speech 87−39689
Manolakis, D., Carayannis, G., Kalouptsidis, N. Fast design of direct and ladder Wiener filters with linear phase 85−6446
Manolakis, D., Carayannis, G., Zervas, V. Fast RLS algorithms for adaptive filtering: some engineering problems 87−69218
Manolakis, D., Ingle, V. On the multichannel solution of the 2-D FIR Wiener filtering problem 86−10453
Manolakis, D., Ling, F., Proakis, J.G. Multichannel lattice-ladder structures with applications to pole-zero modeling 85−17736
Manolakis, D., Ling, F., Proakis, J.G. Efficient time-recursive least-squares algorithms for finite-memory adaptive filtering 87−47691
Manolakis, D. *see* Carayannis, G. 86−16479, 86−59289
Manolakis, D. *see* Feng, M.W. 86−69027
Manolakis, D. *see* Kalouptsidis, N. 85−2797, 86−23011
Manolakis, D. *see* Kok, A.-L. 87−47835
Manolakis, D. *see* Ling, F. 86−16457, 86−62081, 87−7719 to 7720, 87−27456, 87−27514
Manolakis, D.G., Ingle, V.K. Fast algorithms for 2-D FIR Wiener filtering and linear prediction 87−39761
Manolakis, D.G. *see* Kok, A.L. 87−62298, 87−69353
Manolakis, D.G. *see* Yuan, X. 88−66752
Manolakoglou, N. *see* Birkle, M. 86−25450
Manolakoglou, N. *see* Friederich, H. 88−60953
Manolakos, E.S., Kung, S.Y. CORP−a new recovery procedure for VLSI processor arrays 88−63732
Manolea, G., Degeratu, P., Bitoleanu, A., Tolescu, S. Algorithm for the computation of DC and series excitation motor drive starting rheostat 87−51492
Manolea, G. *see* Degeratu, P. 87−58098, 88−61775
Manolea, G. *see* Saal, C. 87−58063
Manolescu, A., Burileanu, C., Niculiu, T., Toma, V. Nonlinear DC analysis of electronic circuits 87−10639
Manolescu, A. *see* Homentcovschi, D. 88−58914
Manolescu, A.M. *see* Homentcovschi, D. 88−58914
Manolescu, G., Misu, N., Breazu, F., Valcereanu, G. Adaptation of the WASP-III package for power generation system expansion planning in Romania 87−50715
Manolescu, G., Moraite, G. Use of the network equivalents under the conditions of a steady development of international interconnections 86−6262
Manolescu, G., Sevastru, A., Petrescu, A.M., Moraite, G. Reliability criteria in the dimensioning of the electric networks in the Romanian power system 85−15542
Manolescu, G. *see* Balan, G. 86−32943
Manolescu, G. *see* Breazu, F. 88−10817
Manolescu, N.I. *see* Ionescu, T.G. 88−49242
Manoli, L. *see* Vita, P. 88−34516
Manoli, S., Wuthnow, M., Schroder, D.C. Real time evaluation of an electrocardiogram using a personal computer 86−50587
Manoli, S. *see* Wuthnow, M. 85−48290
Manolikakis, G. DC-DC converter with high input to output isolation and very low standby consumption for telephone teleprinter or other long lines total isolation application 88−30831
Manolis, E. *see* Bulterman, D.C.A. 87−69657
Manoliu, J., Borland, J.O. A submicron dual buried layer twin well CMOS SEG process 88−39693
Manoliu, J. *see* Bastani, B. 88−7710
Manolopoulou, M. *see* Zamani, M. 86−50404
Manolov, E.D. *see* Vulkov, S.A. 85−6993
Manome, K., Emura, K., Yamazaki, S., Fujita, S., Takano, S., Shikada, M., Minemura, K. A 1.2 Gb/s CPFSK heterodyne detection transmission experiment with optimum system configuration for solitary laser diodes 88−47144
Manome, K. *see* Fujiwara, M. 88−67339
Manon, A. *see* Castaneda, J. 85−4981
Manoni, G. *see* Carpita, F. 88−9504
Manook, B.A. Measurement of the concentration of suspended solids based on optical variable pathlength 88−74623
Manookian, W.Z., Wilson, J.I.B. Interfacial problems in preparing a-Si:H FETs 86−63286
Manookian, W.Z., Wilson, J.I.B. Light-induced changes in the field-effect conductance of hydrogenated amorphous silicon 88−7323
Manookian, W.Z. *see* Al Sabbagh, S.K. 88−36001
Manookian, W.Z. *see* Al-Sabbagh, S.K. 88−65464
Manoranjan, V.S. Bifurcation studies in reaction-diffusion. II 85−22412
Manoranjan, V.S. *see* Eilbeck, J.C. 86−62107
Manory, R., Grossman, E., Avni, R., Grill, A. Silicon deposition from $SiCl_4$ in a cold RF plasma: the effect of doping gases on deposition rates, chlorine content and the morphology of the films 85−22544
Manory, R. *see* Avni, R. 87−73129
Manos, P. *see* Lien, J. 85−49880
Manoshkin, Yu.V. *see* Krestinin, V.V. 85−7383, 87−12401
Manot, B. *see* Benchimol, J.L. 87−36768
Manouni, A.el *see* el Manouni, A.
Manous, S. *see* Poss, D.L. 86−59915
Manoussakis, E., Svoboda, J.V., McKinnon, G.M., Petruzzielo, F. Use of microprocessor elements in simulation of digital avionic systems 87−50507
Manoussakis, E.C., Svoboda, J.V., McKinnon, G.M., Kovalcheck, H. Design of a digital avionic instrumentation system for general aviation flight simulation 87−29891
Manoussakis, E.C., Vegh, A.R. Development of a digital/analogue electronic flight instrumentation system (EFIS) simulation 87−42077
Manov, A.C. *see* Strashilov, V.L. 86−68139
Manowarda, M. Simulation program for an inverter loaded synchronous machine 85−32472
Manowarda, M. On surge voltage distribution in a spiral pancake winding [turbogenerators] 87−42880
Manowarda, M. Numeric calculation of current distribution in the damper cylinder of a large superconducting generator 88−55285
Manquais, P.Le *see* Le Manquais, P.
Manring, B. *see* Asmussen, J. 87−66504
Manring, B. *see* Jow, J. 88−29609
Manriquez, R. *see* Bushell, M. 85−24924
Manros, C.-U. Directory: the vital support 87−20127
Manross, G.G., Rice, R.E. Don't hang up! Or, adopting the intelligent telephone 1 86−4186
Manross, G.G., Rice, R.E. Don't hang up: organizational diffusion of the intelligent telephone 86−64569
Manry, M. Spatial light modulator constraints in optical processing 88−8021
Manry, M.T. Signal processing using implicit phase 85−36269
Manry, M.T. Compound filter using the circular harmonic expansion 88−3137
Manry, M.T. Compound circular harmonic filters 88−33845
Manry, M.T., Huddleston, C.T. Parameter estimation using the autocorrelation of the discrete Fourier transform 87−62015
Manry, M.T. *see* Khan, R.Z. 86−3930, 88−27896
Manry, M.T. *see* Li, J. 87−71208
Manry, M.T. *see* Lin Chun-Chau 86−3931
Manry, M.T. *see* Lue, H. 87−7730
Manry, M.T. *see* Lue, H.-C. 86−3926
Manry, M.T. *see* Thompson, P.J. 88−66583
Mansbridge, J., Joynes, G.M.S. A low cost optical altimeter for RPV applications 88−16846
Manseau, M. *see* Landry, M. 85−32653
Mansell, J.J. *see* Luderer, G.W.R. 87−76140
Mansell, J.R. *see* Washington, D. 86−27812
Mansell, J.R. *see* Woodhead, A.W. 86−67638
Mansell, T. In search of the equilibrium fuel cycle 85−53467
Manseur, B., Merrill, H.S., Spang, T.C., Vitella, M.E. Estimated voice transmission performance of equal access service 86−16810
Manseur, B., Spang, T.C. Transmission loss guidelines for cellular mobile carrier interconnection 87−3097
Mansfeld, F. Monitoring of atmospheric corrosion phenomena with electrochemical sensors 88−67760
Mansfel'd, G.D. *see* Boritko, S.V. 85−36277
Mansfeld, G.D. *see* Gulyaev, Yu.V. 88−7326
Mansfel'd, G.D. *see* Gulyayev, Yu.V. 86−68147, 88−19647, 88−71296
Mansfield, B. *see* Hall, D. 88−38021
Mansfield, C. Listen to your field service engineer [multiplexors] 85−19937
Mansfield, C. *see* Stine, R. 86−8682
Mansfield, C.R. *see* Rosocha, L.A. 85−1224
Mansfield, D.K. High power far-infrared lasers 87−26319
Mansfield, D.K., Horlbeck, E., Bennett, C.L., Chouinard, R. Enhanced, high power operation of the 119 μm line of optically pumped CH_3OH 86−9732
Mansfield, D.K. *see* Ma, C.H. 86−68786
Mansfield, E., Romeo, A. 'Reverse' transfers of technology from overseas subsidiaries to American firms 85−70
Mansfield, F. *see* Heitz, E. *(editor)* 86−66542
Mansfield, J. *see* Weaver, H.T. 87−31873
Mansfield, J.E. Current trends in the technology of electronic warfare 88−10668
Mansfield, P. Electrical resistance strain gauge−theory and practice: II 85−64142
Mansfield, P. Electrical resistance strain gauge−theory and practice. III 86−5481
Mansfield, P. Electrical resistance strain gauge. IV 86−44296
Mansfield, P. Imaging by nuclear magnetic resonance 88−23039
Mansfield, P. Knowledge-based measurement system tackles real world problems 88−29218
Mansfield, P., Chapman, B. Active magnetic screening of coils for static and time-dependent magnetic field generation in NMR imaging 86−64016
Mansfield, P., Ordidge, R.J., Coxon, R. Zonally magnified EPI in real time by NMR 88−36437
Mansfield, P. *see* Doyle, M. 86−60754
Mansfield, P.K., Fijan, R.S., Mann, R.W. Internal calibration of opto-electronic cameras 88−42171
Mansfield, R. Sequential Circuits Music Sequencer for Commodore 64 85−20426
Mansfield, R., Abboudy, S., Fozooni, P. Hopping conduction in n-type indium phosphide 88−50630
Mansfield, S.K. *see* Johnson, W.J. 85−25613
Mansfield, V. Encryption methods. II 86−3776
Manshadi, F. *see* Patterson, J.E. 88−52179
Manshadi, F. *see* Yeh, C. 85−41153
Mansi, L.S.A., Sweeting, M.N. The *UoSAT*-2 spacecraft telemetry and telecommand subsystems 88−9477
Mansi, M.V., Liddicoat, T.J., Richards, L.J. Thermal imaging with uncooled pyroelectric infrared detectors 88−29451
Mansi, M.V., Walls, I.A. Prediction of temperature differences in background scenery 88−30166
Mansi, M.V. *see* Liddicoat, T.J. 87−3484, 87−49541
Mansi, M.V. *see* Watton, R. 88−74481
Mansingh, A., Garg, A.K. Electrical properties of (*p*)Te-(*p*)Si isotype heterojunction 85−6731
Mansingh, A., Garg, A.K. Hopping transport in evaporated polycrystalline tellurium films 86−21109
Mansingh, A., Sreenivas, K., Sudersena Rao, T. Non-volatile memory behaviour of metal-ferroelectric ($BaTiO_3$ films)-semiconductor (Si)−MFS devices 87−53310
Mansingh, A. *see* Bhattacharya, D.K. 85−53818, 87−30957
Mansingh, A. *see* Sreenivas, K. 85−22526, 85−54482, 87−52208
Mansingh, A. *see* Sudersena Rao, T. 87−53311
Mansion, D. State of the art in transducers. XVII. Liquid conductivity measurements 85−4153
Mansion, D. Applications of junction or bipolar transistors 85−6903
Mansion, D. State of the art in transducer: pH and pX measurements 85−8822
Mansion, D. MOSFETs: field effect power transistors 85−12303
Mansion, D. Applications of power semiconductors 85−60315
Mansion, D. An application of power electronics: battery chargers 86−19380
Mansion, D. Inverters: all about their principles and uses 86−19381
Mansion, D. Applications of power semiconductors: graduators 86−45534
Mansion, D. For the building trade−the use of radio-controlled switches 87−11103

Mansion, D. Measurement sensors: the humidity of liquids and solids 87—29057
Mansion, D. Installation of optical fibre cables 87—34566
Mansion, D. Measurement sensors: conductivity of liquids 87—49687
Mansion, D. What's new in power electronics? I 88—33221
Mansion, D. What's new in power electronics? 88—37301
Mansion, D. ETD: a new generation of transistors 88—39394
Mansion, D. How can one save with the help of telecommunications? [teleconferencing] 88—41439
Mansion, D. Power electronics: maintenance of semiconductors 88—50847
Mansir, H., Burais, N., Nicolas, A. Eddy current calculations in nondestructive testing using crack-element 85—28279
Mansir, H., Burais, N., Nicolas, A. Modelling and simulation of eddy current nondestructive testing 86—40801
Mansir, H., Burais, N., Nicolas, L., Nicolas, A. 2D-1/2 numerical model application in eddy current nondestructive testing 88—6582
Mansir, H. *see* Burais, N. 86—42676
Mansir, H. *see* Grimsberg, R. 87—36840
Manske, R.A. *see* Bier, S.G. 88—68559
Mansky, L. Broadband phased-array antennas 85—13375
Mansmann, J., Schultz, W. A new SMARTpower IC simplifies DC motor control 87—51520
Mansmann, J.G., Wildi, E.J., Walden, J.P., Fujino, K., Hasegawa, Y. Flexible, high-voltage half-H bridge motion controller/driver 88—63509
Mansmann, J.G., Wildi, E.J., Walden, J.P., Fujino, K., Hasegawa, Y. ASIC like HVIC for interfacing to half-bridge based power circuits 88—70540
Mansmann, J.G., Wildi, E.J., Walden, J.P., Fujino, K., Hasegawa, Y. A flexible high voltage controller core for half 'H' N-channel bridge operation [motor control] 88—75568
Mansmann, J.G., Zaremba, D.L., Jr. An H-bridge configuration using MOS-SCRS and power MOSFETs 87—44602
Manso, M.E. *see* Moreira, A. 87—17633
Manson, A.C., Boerner, W.-M. Interpretation of high-resolution polarimetric radar target downrange signatures using Kennaugh's and Huynen's target characteristic operator theories 85—63742
Manson, A.H., Meek, C.E. Comparisons between Primrose Lake (54°N, 110°W) ROCOB winds (20-60 km) and Saskatoon (52°N, 107°W) MF radar winds (60-110 km): 1978-82 85—48474
Manson, A.H., Meek, C.E. Small-scale features in the middle atmosphere wind field at Saskatoon, Canada (52°N, 107°W): an analysis of MF radar data with rocket comparisons 88—41736
Manson, S.T. *see* Jones, K.W. 87—63577
Mansoor Sheik-bahae, Hoi-sing Kwok Picosecond CO_2 laser-induced selfdefocusing in InSb 88—27289
Mansor, D.J. *see* Stoller, R.A. 87—21175
Mansoulie, B. *see* Detoeuf, J.-F. 88—29857
Mansour, A. *see* Hassan, M.A.M. 88—36745
Mansour, A.E., Nour Eldin, H.A. Hierarchical and fast recursive state estimation with robust bad data pre-cleaning for large-scale power systems 88—36744
Mansour, A.F. *see* Abdel Rahman, A.N. 85—60433
Mansour, A.N. *see* Richard, P.D. 85—54509
Mansour, A.R. *see* Najjar, Y.S.H. 87—15505
Mansour, D. A highly parallel architecture for adaptive multichannel algorithms 87—27511
Mansour, D., Biing Hwang Juang A family of distortion measures base upon projection operation for robust speech recognition 88—66342
Mansour, D., Juang, B.H. The short-time modified coherence representation and its application for noisy speech recognition 88—72819
Mansour, D. *see* Hertz, D. 86—46994
Mansour, E.A.A. *see* Salama, M.M.A. 85—43592
Mansour, I.R.M. Improved modeling of DMOST 86—28348
Mansour, I.R.M. Influence of defects on the performance of p-n homojunction silicon solar cells 87—64827
Mansour, I.R.M. *see* El-Muradi, M.M. 87—53564
Mansour, J. *see* Engels, E., Jr. 87—29488
Mansour, J. *see* Lobkowicz, F. 85—43185
Mansour, J. *see* Simon, E. 88—61462
Mansour, J.M. Swing phase design—simulation of above-knee prostheses 87—77690
Mansour, J.M. *see* Marsolais, E.B. 85—48324
Mansour, K. *see* Boggess, T.F. 86—29245
Mansour, K. *see* Bohnert, K. 87—26331
Mansour, K. *see* Smirl, A.L. 85—62667
Mansour, M., Smith, B.V., Noaks, D.R. Active sonar signal simulation 88—60288
Mansour, M. *see* Kraus, F.J. 88—56091
Mansour, M.A., Schaufelberger, W., Cellier, F.E., Maier, G., Rimvall, M. The use of computers in the education of control engineers at ETH Zurich 85—60678
Mansour, M.A.Shimy *see* Shimy Mansour, M.A.
Mansour, M.M., Swift, G.W. Multi-microprocessor-based travelling wave relay 85—64999
Mansour, M.M., Swift, G.W. A multi-microprocessor based travelling wave relay—theory and realization 86—39242
Mansour, M.M., Swift, G.W. A multi-microprocessor based travelling wave relay—theory and realization [transmission line protection] 86—56403
Mansour, M.M., Swift, G.W. Design and testing of a multi-microprocessor travelling wave relay 87—30265
Mansour, M.M. *see* Swift, G.W. 86—5334
Mansour, M.N. *see* Shore, D.E. 86—32916
Mansour, M.O. *see* El-Sayed, M.A.H. 88—68783
Mansour, N.A., Tinga, W.R. Generalised nonlinear theory for one-port microwave active circuits 88—986
Mansour, N.A., Tinga, W.R. Nonlinear modelling applied to one-port microwave active circuits 88—987
Mansour, R.R., Macphie, R.H. Scattering at an N-furcated parallel-plate waveguide junction 85—61428
Mansour, R.R., MacPhie, R.H. An improved transmission matrix formulation of cascaded discontinuities and its application to *E*-plane circuits 87—7580
Mansour, R.R., Macphie, R.H. An improved transmission matrix formulation of cascaded discontinuities and its application to *E*-plane circuits 87—19251
Mansour, R.R., MacPhie, R.H. A unified hybrid-mode analysis for planar transmission lines with multilayer isotropic/anisotropic substrates 87—75503
Mansour, R.R., MacPhie, R.H. A unified hybrid-mode analysis for planar transmission lines with multilayer isotropic/anisotropic substrates 88—27556
Mansour, R.R., Tong, R.S.K., MacPhie, R.H. Simplified description of the field distribution in finlines and ridge waveguides and its application to the analysis of *E*-plane discontinuities 88—72635
Mansour, R.R. *see* MacPhie, R.H. 85—41769
Mansour, R.R. *see* Pramanick, P. 87—75508
Mansour, S.Y., Kelly, D.H., Koval, D.O. Diakoptical active-reactive dispatch of generation 85—21131
Mansour, S.Y., Kelly, D.H., Koval, D.O. Large power systems economic dispatch by network loss modelling 87—30104
Mansour, S.Y., Kelly, D.H., Koval, D.O. Optimal power flows using diakoptical loss models for large power systems 87—64028
Mansour, S.Y., Koval, D.O., Kelly, D.H. Problems associated with evaluation of large power systems active-reactive loss models 86—6288
Mansour, S.Y. *see* Kelly, D.H. 86—61084, 88—23378
Mansour, W.M. *see* Oliveira, A.R.E. 85—43623
Mansour, Y. *see* Chlamtac, I. 88—21408
Mansour, Y. *see* Fouad, A.A. 86—56329
Mansour, Z. *see* Alshaban, S. 86—35038, 88—38649
Mansour-Bahloul, F., Bielle-Daspet, D., Peyrelavigne, A. Microstructure effect on the HNO_3-HF etching of LPCVD boron-doped polycrystalline silicon 87—67109
Mansour-Bahloul, F. *see* Bielle-Daspet, D. 87—52203
Mansouri, A.-R., Malowany, A. Using vision feedback in printed-circuit board assembly 86—8645
Manspeaker, W.C. *see* Dunkle, R.M. 87—55579
Mansson, L.G. *see* Kheddache, S. 87—77628
Mansur, A. *see* Yalabik, N. 88—72892
Mansur, N.P. *see* Jacobovitz, G.R. 86—68626
Mansuria, M.S. Cooling efficient ceramic package 85—5791
Mansuripur, M. Disk storage: magneto-optics leads the way 85—18762
Mansuripur, M. Magnetization reversal, coercivity, and the process of thermomagnetic recording in thin films of amorphous rare earth-transition metal alloys 87—32869
Mansuripur, M. Introduction to information theory 87—54793
Mansuripur, M. Coercivity and its role in thermomagnetic recording 87—67699
Mansuripur, M. Analysis of astigmatic focusing and push-pull tracking error signals in magnetooptical disk systems 88—2070
Mansuripur, M. Magnetization reversal dynamics in the media of magneto-optical recording 88—65391
Mansuripur, M. Magneto-optical recording in thin amorphous films of rare-earth-transition-metal alloys 88—71938
Mansuripur, M., Pons, C. Diffraction modeling of optical path for magneto-optical disk systems 88—65140
Mansuripur, M., Ruane, M.F. Mean-field analysis of amorphous rare earth-transition metal alloys for thermomagnetic recording 86—53884
Mansuripur, M., Ruane, M.F., Horenstein, M.N. Magnetic properties of amorphous rare earth-transition metal alloys for erasable optical storage 85—50822
Mansuripur, M. *see* McDaniel, T.W. 88—51300
Mansurov, A.N. On the heterodyne holography method 85—7553
Mansurov, A.N. Interference of waves with different frequencies 88—66049
Mansurov, A.N., Shadrin, G.A. Use of parabolic equation for solving the problem of image reconstruction by the heterodyne holography method 88—72452
Mansurov, A.N. *see* Kliorin, N.I. 87—39810
Mansurov, Kh.M. Study of the properties of a nonlinear excitation compounding unit in synchronous machines 88—75591
Mansurov, L.G. *see* Berchenko, N.N. 87—45798
Mansurov, R.M., Stolov, E.I. Validity of multioutput digital circuit control by the method of signature analysis 87—27372
Mansurov, R.M., Stolov, E.L. Reliability of data transmission in computer networks with random errors 86—37180
Mansurov, S.I. Transients in an induction motor during changes of amplitude and frequency of supplies 88—55354
Mansurov, S.N., Salivon, V.N. A numerical method of finding a Chebyshev fraction [linear circuit synthesis] 87—44495
Mansurov, S.N. *see* Trifonov, I.I. 87—23954
Mansutti, A. Connectors for thermopiles. I 87—73852
Mansvetova, E.G. *see* Arzamastseva, G.V. 86—2589, 88—7791
Mant, G.R. *see* Bordas, J. 86—60563
Mantakas, C., Dagakis, K., Zacharopoulos, V. Method for the generation of M-ary constant-envelope PSK signals 85—57206
Mantakas, Ch. *see* Zacharopoulos, V. 86—11270
Mantao Jiang *see* Jiang Mantao
Mantas, J. A state-of-the-art report on image pattern recognition 86—30060
Mantas, J. An overview of character recognition methodologies 87—19870
Mantas, J. Methodologies in pattern recognition and image analysis—a brief survey 87—39918
Mantas, J. A fuzzy decision operator in recognising Greek hand-drawn characters 87—48165
Mantas, P.Q., Senos, A.M.R., Baptista, J.L. Varistor-capacitor characteristics of ZnO ceramics 86—27645
Mantay, M.K. Connectors in AT&T's FASTECH integrated packaging system 86—53208
Mantchev, N. *see* Stankov, A. 86—69883
Mantegna, R.N. *see* Boscaino, R. 88—71012
Mantei, A., Schreiber, C., Simmer, K.U., Sporing, K. Probability density of band-limited noise after filtering 87—47799
Mantei, T.D., Jbara, J.J. Low-pressure etching of GaAs with multipolar plasma confinement 87—53403
Mantei, T.D., Wicker, T.E. Low pressure plasma etching with magnetic confinement 85—50432
Mantei, T.D., Wicker, T.E., Kazmierzak, D. Plasma processing reactor with surface magnetic field confinement 86—26917
Mantei, T.D. *see* Montgomery, R.K. 86—34348
Mantei, T.D. *see* Wicker, T.E. 85—34852
Mantel, C. Market trends in application-specific ICs 85—12331
Mantel, J. *see* Perry, H. 85—43427
Mantel, S.J., Jr. *see* Lee, W. 87—43939
Mantell, J. Harnessing technology to measure flow 86—31129
Mantelman, L. Talking true SNA over async links—why not? 86—4270
Mantelman, L. IBM's Personal Computer: a great communicator 86—23441
Mantelman, L. AI carves inroads: network design, testing, and management 86—64629
Mantelman, L. Turtle geometry: unused AI tool opens a window on networking 86—64630
Mantelman, L. Orchestrating people and computers in their networks 88—3511
Mantelman, L. Upper layers: from bizarre to bazaar [OSI standards] 88—28360
Mantelman, L., Chessman, E., Shah, A., Evans, B., Ahmadi, M., Brown, J., Dews, S., Kanyuh, D., Moore, G., Percival, L., Weinen, J., Maney, D., Schaubach, C. Netview and Netview/PC: IBM's dynamic duo. II 87—48578
Manten, A.A. Trends in video teleconferencing 85—20381
Mantena, N.R. High power microwave transistors 86—53039
Mantenieks, M., Schatz, M. Performance capabilities of the 12-centimeter xenon ion thruster [ion engines] 85—31949
Manterfield, M.R. *see* Dunmur, D.A. 87—70760
Manterfield, R. Super services derived from digital revolution [Digital Derived Services Network] 88—59474
Manterfield, R.J. Specification and evolution of CCITT signalling system No. 7 87—76165
Manterfield, R.J. *see* Bekaert, R. 85—51916
Mantero, S. *see* Moody, G.B. 87—21582
Mantero, S. *see* Pinciroli, F. 87—14891
Mantese, J.V., Alcini, W.V. Platinum wire wedge bonding: a new IC and microsensor interconnect 88—64154
Mantese, J.V., Catalan, A.B., Hamdi, A.H., Micheli, A.L., Studer-Rabeler, K. Use of electron beam lithography to selectively decompose

metalorganics into patterned thin-film superconductors 88−64978
Manteuffel, T.A. *see* Faber, V. 86−62194
Mantha, B. *see* Sery, G. 85−35201
Mantha, B. *see* Smith, R.J. 85−50720
Manthani, S.R., Reddy, S.M. On CMOS totally self-checking circuits 85−40045
Manthey, H. *see* Ender, H. 85−49172
Manthey, M.J., Phillips, K. A unique hierarchy on the successive condensations of a digraph 88−49658
Manthey, W., Naumann, F. Elimination of disturbing factors in the use of ultrasonic measuring systems 85−37764
Manthey, W., Plontke, J. Microcomputer aided ultrasonic displacement measurement system 87−35203
Manthy, K.S. Joining the circle of in-house publishing—the token-ring local area network 87−48637
Manthy, K.S. Desktop publishing systems: where's the communication? 88−63128
Mantian Hu *see* Hu Mantian
Mantica, P.G., Montrosset, I., Tascone, R., Zich, R. Gaussian beam approach for the radiation from apertures 86−63963
Mantica, P.G. *see* Calderone, S. 86−42941
Mantie, A. *see* Henein, G.E. 88−14047
Mantilla, O.A., McLain, H.A. High-speed input/output device for controlled atmospheres 88−31522
Mantini, M.J. *see* Parsons, G.N. 86−62250
Mantle, M.M. *see* Pang-Ying Shih 88−68407
Mantlik, F. *see* Krett, V. 85−65084
Manto, G. *see* Bove, A. 88−23013
Manton, M.J., Le Marshall, J.F. Meteorological applications of satellite data for Australia 87−3147
Manton, M.R.S., Sawin, H., Scharfman, R.M., Sigal, C., Vayenas, C.G., Wei, J. Cogeneration of electric power and nitric oxide in a solid-electrolyte fuel cell 85−21791
Manton, R.G. Hybrid networks and their uses in radio-frequency circuits 85−20019
Manton, R.G. Channel combiners for radio-frequency transmitters 86−4807
Manton, R.G. Lessons from the past in antenna development 87−47375
Manton, R.G. *see* Baily, S.T. 88−40754
Manton, R.G. *see* Beeke, K.L. 88−40753
Manton, R.J. *see* Hyde, P.N. 88−46483
Mantorov, V.V., Sandomirskii, V.B., Sukhanov, A.A. Electrothermal capacitance instabilities in metal-insulator-semiconductor structures 87−74120
Mantorov, V.V., Sukhanov, A.A. Dynamic properties of a ballistic field-effect transistor 86−21546
Mantorov, V.V. *see* Sukhanov, A.A. 86−41832, 87−32514
Mantovani, C., Martinino, F. Acquisition of statistical data from communication exchanges and traffic supervision 87−40557
Mantovani, E. *see* Stokes, A.D. 86−51840
Mantovani, F. Active MESFET multipliers solve low signal levels 85−11553
Mantovani, G., Nannicini, M. Design and realization of a 140 Mbit/s 64QAM transceiver in the 4 GHz band 87−34399
Mantovani, G. *see* Callegari, G. 86−50323
Mantovani, J.C., Heirman, D.N. A spherical dipole source for use as a transfer standard between radiated emission test sites 86−3699
Mantovani, M., Screpanti, F., Galliani, G. Digitizing meteorological data 88−54744
Mantovani, S. *see* Bartiromo, R. 85−4219, 87−56969
Mantovani, S. *see* Nava, F. 86−63109
Mantravadi, M.K. *see* Chu, T.L. 87−72435, 88−62606
Mantsch, P. *see* Dahl, P. 86−44521
Mantsch, P. *see* Huson, F.R. 85−26567
Mantsch, P. *see* McInturff, A. 85−26566
Mantsch, P. *see* McInturff, A.D. 85−64386, 87−70937
Mantsch, P. *see* Strait, J. 87−74617, 88−54294, 88−68133
Mantsch, P.M. *see* Appel, J.A. 86−38720
Mantsch, P.M. *see* Fisk, H.E. 86−31827
Mantsch, P.M. *see* Johnson, M. 85−26646
Mantsch, P.M. *see* Lundy, R.A. 86−25059
Mantsch, P.M. *see* Niemann, R.C. 85−37848, 85−59034
Manturov, O.V. On the factorization of a Kronecker product of semisimple Lie algebra representations 85−54225
Mantush, T.L. *see* Vanyushev, B.V. 85−2422
Mantush, T.N. *see* Blok, A.A. 85−2421
Mantynen, P., Aikaa, O., Kankainen, T., Kaihola, L. Application of pulse-shape discrimination to improve the precision of the carbon-14 gas-proportional-counting method 87−77826
Mantynen, R. *see* Denzel, D. 86−50901
Mantz, A.W. Lead salt laser measurements of dispersion and attenuation for infrared fibers 85−18670
Mantz, A.W. *see* Valentin, A. 87−26376
Mantz, J. *see* Ackley, D.E. 88−65501
Mantz, J. *see* Shieh, C.L. 88−40202
Mantz, R. *see* Tacconi, E. 86−64280
Manuaba, A. *see* Suu, H.V. 85−12013, 86−47492
Manual, T. *see* Barnum, J. 86−17193
Manual Bruna, J. Analysis of compounds by means of UV/VIS/IR radiation 88−53922
Manuar, O. *see* Lettieri, T.R. 88−29552, 88−58723
Manucci, F. Expert system for telecommunications 85−30518
Manucci, F. Expert systems in the telecommunications field 85−30588
Manucci, F. *see* Barra, S. 87−20024, 87−40587
Manucci, F. *see* Bert, M. 87−13323
Manucci, F. *see* Giorcelli, S. 87−69545, 87−76036
Manuccia, T.J. *see* Calvert, J.M. 86−58797
Manuel, G. Think bubbles [magnetic bubble memories] 88−71957
Manuel, G.E. *see* Amundsen, M.J. 86−67266
Manuel, P. Modelling nonlinear conduction mechanisms in ZnO varistors 87−74338
Manuel, P. Research and development in cryoelectricity: the views of Electricite de France 88−55030
Manuel, P. *see* Ancelle, B. 88−52021
Manuel, T. Superfast ICs herald new supercomputer era 86−2367
Manuilov, B.D., Meleshin, A.S. Radiation from a flat flanged waveguide through a slit in a metallic screen of finite thickness 85−19184
Manuilov, B.D., Shablovskii, V.M. Excitation of an array of plane waveguides coated with a layer of dielectric of finite length 86−43057
Manuilov, B.D., Yakovenko, V.A. Integral characteristics of a finite array of plane waveguides with dielectric inserts 86−43049
Manuilov, M.B. *see* Esualov, S.M. 87−63982
Manuilov, M.B. *see* Lyapin, V.P. 86−22757, 87−59830
Manuilov, M.V. *see* Bondarenko, V.S. 85−56073
Manuilov, V.K. *see* Rabovitser, I.Kh. 85−60030
Manuilova, T.N. *see* Aizenberg, J.B. 85−39295
Manukhin, Yu.A. *see* Kagan, Yu.Kh. 87−35079
Manukhyan, E.M. Synthesis of sequential systems using DV flip-flops 85−6300
Manukonda, R. *see* Narayan, J. 88−13108
Manuk'yan, A.A. Determination of coordinates of local inhomogeneities on the surface of an object from the complex backscatter pattern 86−23950
Manukyan, E.N. *see* Manukyan, K.P. 85−49678
Manukyan, G.Yu. *see* Anisimov, V.N. 85−64045
Manukyan, K.P., Manukyan, E.N. Experimental-statistical research method on the sensitivity of complex objects [ICs] 85−49678
Manukyan, L.A., Demirchyan, S.K. Influence of active-material parameters on characteristics of low-power induction motors 86−33383
Manukyan, L.A. *see* Alikhanyan, K.A. 87−58069
Manukyan, L.A. *see* Kobzev, V.G. 88−38071
Manukyan, S.Kh. *see* Karapetyan, M.M. 87−66576
Manuliov, E.A. *see* Kogan, A.V. 85−37633
Manus, C. *see* Ferray, M. 88−34121
Manus, C. *see* L'Huillier, A. 88−45536
Manusov, V.Z., Mogirev, V.V., Shepilov, O.N. Investigation of USSR power system taking the random nature of the initial data into account 85−21072
Manusov, V.Z., Moiseev, S.M. Probability analysis of regimes in electrical systems based on inverted forms of nodal equations 85−64867
Manusov, V.Z., Moiseev, S.M. Study of the probability characteristics of unsymmetrical short-circuit currents 85−64872
Manusov, V.Z., Moiseev, S.M. Probability characteristics of short-circuit currents 86−6414
Manusov, V.Z., Moiseev, S.M. Increase of solution efficiency for systems of equations with a sparse matrix of coefficients 87−65271
Manusov, V.Z., Moiseev, S.M. Analysis of performance of power supply systems under stochastic variations of their passive and active parameters 88−68726
Manusov, V.Z., Moiseev, S.M., Perkov, S.D. Interval analysis in problems of calculation of short-circuit currents 88−23241
Manusov, V.Z., Ozernykh, I.L., Perkov, S.D. Calculating the steady-state processes in power systems under uncleariy defined conditions 87−4285
Manusov, V.Z., Ozernykh, I.L., Shepilov, O.N. Assessing the effectiveness of optimising reactive-power conditions in terms of probability 85−53265
Manusov, V.Z., Voldarskii, V.A. Finding the best routine-overhaul intervals for electrical plant under conditions of indeterminant data [power system maintenance] 85−59619
Manuszkiewicz, H. *see* Lipinski, L. 88−53768
Manuzio, G. *see* Beverini, N. 88−68181, 88−68183
Manwani, M.A. *see* Thakur, R.S. 87−72036
Manwaring, M.L. *see* Mittal, M. 86−67938
Manwaring, W. *see* Collins, J.C. 86−24876
Manwaring, W. *see* Komisarcik, K. 85−64436, 86−65323
Manwell, J.D. *see* Grattan, K.T.V. 88−7857
Man'yakov, P.K., Tlachala, V. Four-channel time-interval meter with picosecond resolution 87−70826
Manyenkova, N.I., Tsedilina, E.E. A comparison of the results of calculations of long-range radio links of the shortwave region by different methods 86−63981
Manyi, B. Some safety problems of damp-proof and explosion-proof apparatus with pressure-tight enclosures [switchgear] 86−71004
Manyilov, M.B. *see* Lyapin, V.P. 85−24908
Manykin, E.A. *see* Maimistov, A.I. 85−12973, 87−46489
Manykina, L.A. Principles of formalising and forecasting daily load-duration patterns by statistical methods based on time series 85−38431
Manykina, L.A. *see* Padalko, L.P. 88−5300
Manylov, V.I., Shendrik, V.N. High-current voltage resistor [for voltage pulse generators] 86−833
Manyukov, M.F. *see* Astakhov, N.V. 87−22334
Manyukov, M.F. *see* Zubrenkov, B.I. 88−37211
Manyukova, L.G. *see* Yanushkevich, E.P. 86−5518
Manz, B. Market for synthesizers has never looked brighter 85−10372
Manz, B. 3-MW wideband klystron powers agile radars 86−53297
Manz, B. IC connector assembly aids serviceability 87−17453
Manz, B. Fear of lightwaves proves shortsighted [RF connectors] 87−24534
Manz, B. SUPERCOMPACT gets schematic capture 87−52299
Manz, B. MIMIC's success lies in improved CAE tools 88−995
Manz, B. Tap real power with solid-state RF designs 88−50808
Manz, B. High-power question: will diamonds be the next GaAs? 88−56932
Manzano, F.A. *see* Hnilo, A.A. 86−3255, 87−54263
Manzano, P. New developments in colour television apparatus. I 85−63813
Manzano, P. New solutions for colour television equipment 86−24068
Manzano, P. New solutions in colour television receivers. III 86−30975
Manzano, P. TV via satellite transmission and its reception. I 86−43959
Manzano, P. TV transmission via satellite and Earth reception. II 86−49779
Manzano, P. TV satellite transmission and ground reception. III 86−55246
Manzano, P. Satellite transmission of TV signals and terrestrial reception. IV 86−59981
Manzano, P. The design of power supplies. I 87−16869
Manzano, P. Design of power supplies. II 87−16870
Manzano, P. A universal BFO for detecting SSB transmissions 87−37053
Manzano, P. A present day view of the market for microprocessors 87−44906
Manzano, P. Some notes on the impedance of loudspeakers 87−49392
Manzano, P. LCDs—technology and addressing techniques 87−56772
Manzano, P. A revision of the characteristics and applications of the thyristor 87−67245
Manzano, P. A review of the characteristics and applications of the thyristor. II 88−1643
Manzano, P. Power control with thyristors 88−30819
Manzel, R. *see* Kerwath, W.-R. 85−38703
Manzer, A.M. *see* Vinez, J.C. 87−50973
Manzer, D.G. *see* Ish-Shalom, J. 87−30689
Manzhi Feng *see* Feng Manzhi
Manzhos, V.N., Kokin, V.N., Belov, A.A., Kamchatnyi, N.I. Adaptive algorithm for space processing of signals in modules of a large-aperture antenna array 88−52303
Manzhos, V.N., Kokin, V.N., Kamchatnyy, N.I. A quasi-optimal algorithm for spatial processing of signals in an adaptive antenna array of large dimensions 88−40739
Manzi, D.J. *see* Kendall, B.R.F. 88−14357
Manzi, J.E. Consideration of management prudence in a rate case [nuclear power] 85−4775
Manzi, L.P. *see* Schemm, C.E. 88−9634, 88−40560
Manzini, S. Effect of Coulomb scattering in *n*-type silicon inversion layers 85−23585
Manzini, S., Queirolo, G. Conduction properties of silicon dioxide in oxide-nitride-oxide structures 87−53317
Manzini, S., Volonte, F. Charge transport and trapping in silicon nitride-silicon dioxide dielectric double layers 86−14960
Manzini, S. *see* Modelli, A. 88−19757
Manzione, L.T., Shepherd, L. New polymer process pares cost of public phone mountings 85−49350
Manzo *see* Bologna 88−28442
Manzo, F. *see* Cipriani, R. 86−61246
Manzo, G., Re, S., Gerardi, G., Fici, M., Giarrusso, S., Mistretta, O. Design performance of a high pressure parallel grid position sensitive gas scintillation proportional counter 85−43198
Manzo, G. *see* Celi, F. 85−48176

Manzo, G. *see* Lamb, P. 88—10237
Manzo, G. *see* Peacock, A. 85—43196
Manzo, J. Complexity, test, and the productivity challenge of the 90's 86—46061
Manzo, M.A., Gonzalez-Sanabria, O.D., Herzau, J.S., Scaglione, L.J. Teardown analysis of a ten cell bipolar nickel-hydrogen battery [space vehicle power] 85—48395
Manzo, M.A., Hoberecht, M.A. A 37.5-kW point design comparison of the nickel-cadmium battery, bipolar nickel-hydrogen battery, and regenerative hydrogen-oxygen fuel cell energy storage subsystems for low earth orbit [space station power] 85—48397
Manzo, M.A. *see* Gonzalez-Sanabria, O.D. 85—48396
Manzo, M.A. *see* Smithrick, J.J. 85—48443
Manzo, M.A. *see* Thaller, L.H. 86—33615
Manzoni, G. The measurement of distances by EDM and the estimation of its uncertainty 85—37766
Manzoni, G. *see* Invernizzi, A. 85—9461, 88—36810
Manzoni, G. *see* Paris, L. 86—50957
Manzoni, M. Electrostatic discharge protection in linear ICs 86—9278
Manzoni, M. Electrostatic discharges and bipolar integrated equipment 87—1714
Manzoul, M.A., Ashraf, M. Binary addition via an MVL-CCD carry-look-ahead circuit 87—52562
Manzoul, M.A., Serrate, H.A. Fuzzy systolic arrays 88—70733
Mao, B.-Y., Chang, P.-H., Chen, C.-E., Lam, H.W. The effects of oxygen dose on the formation of buried oxide silicon-on-insulator 88—1529
Mao, B.-Y., Chang, P.-H., Lam, H.W., Shen, B.W., Keenan, J.A. Microstructure of high-temperature annealed buried oxide silicon-on-insulator 86—41605
Mao, B.-Y., Chang, P.-H., Lam, H.W., Shen, B.W., Keenan, J.A. The effects of annealing temperature on the characteristics of buried oxide silicon-on-insulator 87—17822
Mao, B.-Y., Chen, C.-E., Matloubian, M., Hite, L.R., Pollack, G., Hughes, H.L., Maley, K. Total dose characterizations of CMOS devices in oxygen implanted silicon-on-insulator 87—32710
Mao, B.-Y., Lagowski, J., Gatos, H.C. Kinetics of thermal donor generation in silicon 85—11889
Mao, B.-Y., Matloubian, M., Chen, C.E., Sundaresan, R., Slawinski, C. The effect of post-oxygen-implant annealing temperature on the channel mobilities of CMOS devices in oxygen-implanted silicon-on-insulator structures 87—60219
Mao, B.-Y., Sundaresan, R., Chen, C.-E.D., Matloubain, M., Pollack, G. The characteristics of CMOS devices in oxygen-implanted silicon-on-insulator structures 88—51017
Mao, B.-Y. *see* Chen, C.-E. 85—54894, 86—14209
Mao, C. *see* Farina, F. 88—5097
Mao, C.C. *see* Murphy, T. 87—8854
Mao, F.L. *see* Hara, M. 87—46253
Mao, H. *see* Anassontzis, E. 86—32202
Mao, H. *see* Sakumoto, W. 85—43162
Mao, H.K. *see* Hemley, R.J. 87—77838
Mao, J. Optimal orthonormalization of the strapdown matrix by using singular value decomposition 86—43876
Mao, J. *see* An, T. 88—74311
Mao, K. *see* Lai, J.H. 86—21339
Mao, N.-F. *see* Sun, H.-C. 88—68305
Mao, R.S. *see* Grynberg, R. 85—560
Mao, R.S. *see* Jones, F.D. 85—665
Mao, S.-Y., Lin, P.-X. A test of nonlinear autoregressive models 88—73046
Mao, S.-Y. *see* Slawinski, C. 87—17823
Mao, W., Ciletti, M.D. DYTEST: a self-learning algorithm using dynamic testability measures to accelerate test generation 88—70718
Mao, W., Ling, X. Robust test generation algorithm for stuck-open fault in CMOS circuits 87—6911
Mao, Y.K. *see* Xiao, L.Y. 87—47308
Mao, Y.W. *see* Chang, C.Y. 86—1834
Mao, Z.-M., Fang, X.-S., Li, B.-H. Mode excitation theory and experiment of single-mode fiber directional coupler with strong coupling 86—48105
Mao, Z.J. *see* Jacobs, H.S. 87—44924
Mao Baohua *see* Zhu Bing 85—12001
Mao Bo *see* Shen Zhongxin 87—337
Mao Bor-Yen *see* Bor-Yen Mao
Mao Cheng-Hsin *see* Cheng-Hsin Mao
Mao Chunpu *see* Han Qiping 85—18587
Mao Dexiang *see* Lou Fengge 88—30024
Mao Dexing Fast algorithms for pitch and energy determination 86—48894
Mao Duli *see* Yang Lingyun 88—19578
Mao Er-Wang, Zhang Hung-Rei, Wang Wei-Yuan, Ye Liang, Fang Guo-Ping Localization effect of electrons in the InP-SiO$_2$ interface 87—24964
Mao Er-wang *see* Ye Liang 88—26047
Mao Guomin *see* Chen Kunji 87—38901
Mao Hanfen *see* Moo Sen 86—54111
Mao Hui-shun Estimation of energy loss $\mathrm{d}E/dX$ at main drift chamber of Beijing Spectrometer 87—29688
Mao Hui-shun *see* Ma Ji-mao 88—22911
Mao Jin-Chang *see* Yan Mao-Xun 88—69678
Mao Jinghuai *see* Dai Youngsheng 87—66562
Mao Jinghuai *see* Wang Fuchen 87—66559
Mao Kanghou Boundary value problems of antennas in metallic elliptic and hyperbolic cylinders 88—21021
Mao Nai-feng, Xia Yi-xuan, Cai Zhi-guo, Xu Jian-ming Ion optical characteristics of magnetic quadrupole multiplet microbeam-forming systems 87—8796
Mao Nai-feng *see* Li Zeng-hai 87—29403
Mao Nai-feng *see* Sun Chen-ren 86—65391
Mao Naifeng *see* Li Zenghai 88—36321
Mao Naifeng *see* Naifeng Mao
Mao Shaoqing *see* Li Zaiguang 87—61243
Mao Shi-song Statistical analysis of accelerated life testing-step-stress models under the exponential distribution case 86—13439
Mao Sujun *see* Huang Yizhuang 86—39608
Mao Tian *see* Ota, K. 88—72548
Mao Wei-Wei, Ling Xie-ting Robust test generation algorithm for stuck-open faults in CMOS combinational circuits 88—38438
Mao Wei-wei, Ruan Gen-hong, Ling Xie-ting A new test generation algorithm for functional level digital circuits 87—37098
Mao Weiwei, Ling Xie-ting Design and test generation algorithm for easily testable circuits 86—62512
Mao Wenyi *see* Bao Xuecheng 88—53872
Mao Xi Wei *see* Huai Qi Xu 87—74190
Mao Xianglei, Zhang Yuheng S-N transition magnetic field of superconductor under pulse magnetic field 86—68191
Mao Yu Hai *see* Yu Xiao Li 85—47590
Mao Yu-hai A high speed NMOS parallel multiplier 86—62515
Mao Yu-hai *see* Yan Ming-shen 88—59115
Mao Yu-hai *see* Yu-hai Mao
Mao Yu-kuan *see* Li Zhen-xing 86—3676
Mao Yufen *see* Xu Shunchao 88—72258
Mao Yukuan, Si Ko A new design for high efficient medium and small size reflector antenna 87—75609
Mao Yukuan *see* Guo Ying Jie 87—75407
Mao Yukuan *see* Yukuan Mao
Mao Yun-Yuan The digital lock-in and averaging techniques for recovering a signal from interfering noise 85—64081
Mao Ze-pu *see* Ma Chi-mao 85—48178, 86—18233
Mao Ze-Pu *see* Ma Ji-Mao 85—59199, 88—22911
Mao Zhen-lin *see* Liu Ji-ming 86—18219
Mao Zheng-min *see* Xu Yun 86—66975
Mao Zhenlin A wide-range magnetic spectrometer for electron scattering in medium energy range 88—68304
Mao Zhijun *see* Su Jiuling 86—67788
Mao Zhuhua *see* Zhuhua Mao
Mao-bei Chen *see* Lin-xing Chen 86—32118
Mao-ben Fan *see* Fan Mao-ben
Mao-chang Du *see* Du Mao-chang
Mao-da Tong, Wai-Kai Chen Hybrid analysis of a large-scale network by node-tearing 86—52603
Mao-dong Ye *see* Ye Mao-dong
Mao-Lui *see* Sheng-He Sun 86—18161
Mao-Min Chen, Ortiz, C., Lim, G., Sigsbee, R., Castillo, G. Effects of deposition and oxidation processes on magnetic and structural properties of iron oxide films 88—51225
Mao-Min Chen *see* Lee, Y.H. 85—23678, 86—53551
Mao-Min Chen *see* Su, J.L. 88—64944
Mao-qing Xie *see* Xie Mao-qing
Mao-san Liu *see* Liu Mao-san
Mao-xin Wei *see* Wei Mao-xin
Mao-Xun Yan *see* Yan Mao-Xun
Mao-yuan Jin *see* Jin Mao-yuan
Mao-zi Wang *see* Wang Mao-zi
Maobai Chen *see* Chen Maobai
Maocai Zhang *see* Zhang Maocai
Maochou Han *see* Han Maochou
Maodelli, F. *see* Benelli, G. 85—42541
Maoheng Sun *see* Sun Maoheng
Maohong Pan *see* Pan Maohong
Maojia Liu *see* Liu Maojia
Maojie Yang *see* Yang Maojie
Maolin Chen *see* Chen Maolin
Maolin Min *see* Min Maolin
Maolun Zhou *see* Zhou Maolun
Maoqian Wang *see* Wang Maoqian
Maoqiang Song *see* Song Maoqiang
Maor, D., Meron, M., Johnson, B.M., Jones, K.W., Agagu, A., Hu, B.-L. Measurement of plasma production and neutralization in gas neutralizers 87—77509
Maorong Huang *see* Huang Maorong
Maosan Liu *see* Liu Maosan
Maoseng Yen *see* Yen Maoseng
Maosong Yan *see* Yan Maosong
Maosong Yen *see* Monticelli, A. 86—46215
Maossholder, N. *see* Boese, F. 87—78416
Maotai, T. *see* Nakamura, E. 87—30192
Maoxin Wei *see* Wei Maoxin
Maoz, B., Badawi, H., Faguet, J., Pengelly, R.S. A fully-integrated, 0.5 watt, 2 to 6 GHz MMIC amplifier 88—32454
Maoz, B. *see* Pengelly, R.S. 88—56942
Maoz, J. *see* Kisliuk, M. 88—66202
Maozeng Lun *see* Lun Maozeng
Maozhao Xie *see* Xie Maozhao
Mapelli, F. Switched-mode power supplies with multiple outlets 86—52657
Mapelli, L. *see* Beer, A. 85—9043
Mapelli, M., Magni, D. RCRS : The communications network for research and development 87—34200
Mapes-Riordan, D., Leach, W.M., Jr. The design of a digital signal peak limiter for audio signal processing 88—74172
Maple, M.B. Novel types of superconductivity in f-electron systems 86—42159
Maple, M.B. *see* Miley, G.H. 88—51383
Maple, M.B. *see* Nellis, W.J. 88—64999
Maple, M.B. *see* Sun, K.J. 87—1908
Maple, M.B. *see* Torikachvili, M.S. 86—27959
Maple, M.B. *see* Vier, D.C. 88—13007
Maple, P. Mobile communications—a view of automated message handling facilities 86—4520
Maple, P. Mobile communications: a view of automated message services 86—23769
Maples, B.W. *see* Kwatra, S.C. 85—20149
Maples, G.C. *see* Waddington, J. 87—22119
Mapleston, D. Expanding the dynamic range of high-speed ADCs 86—57892
Mapleston, D. High-speed ADC driver has high stability 87—37408
Mapp, G.E., Manfield, D.R. Performance analysis of priority polling systems with complex cycles 87—48299
Mapper, D., Sanderson, T.K., Stephen, J.H., Farren, J., Adams, L., Harboe-Sorensen, R. An experimental study of the effect of absorbers on the LET of the fission particles emitted by Cf-252 [VLSI testing] 86—35772
Mapper, D. *see* Harboe-Sorensen, R. 87—31930
Mapper, D. *see* Sanderson, T.K. 88—25189
Mapper, D. *see* Stephen, J.H. 85—20801, 85—22884
Mapps, D.J., Mahvan, N., Akhter, M.A. The influence of nitrogen and other gases on the magnetic properties of bias-sputtered Co-Cr perpendicular films for computer memory applications 88—57948
Mapps, D.J., Mahvan, N., Warner, S. A combined transverse/polar Kerr-effect system for magnetic measurements on Co-Cr perpendicular orientation on computer discs 88—57960
Mapps, D.J., McBride, J.W., Roberts, G., White, P.J. Design optimization of rocker-switch dynamics to reduce pivot bounce and the effect of load current in modifying bounce characteristics 87—11102
Mapps, D.J., Watson, M.L., Fry, N. A double bifilar magneto-resistor for Earth's field detection 88—60884
Mapps, D.J., Watson, M.L., Wilton, D.T. Asymmetric biasing fields from mismatched current-carrying overlay conductors on magnetoresistive replay sensors 85—45999
Mapps, D.J. *see* Donnelly, T. 86—28690, 86—36046, 88—7796
Mapps, D.J. *see* McBride, J.W. 88—38819
Mapps, D.J. *see* White, P.J. 87—11101
Maps, J. *see* Webb, R.J. 85—60985
Maqusi, M. Nonlinear distortion in HRC cable television transmission 85—20359
Maqusi, M. Characterization of nonlinear distortion in HRC multiplexed cable television systems 85—58368
Maqusi, M. Performance of baseband digital data transmission in nonlinear channels with memory 85—62941
Maqusi, M. Noise loading analysis in FDM system 86—30081
Maqusi, M. Analysis and modeling of intermodulation distortion in wide-band cable TV channels 87—49333
Maqusi, M. *see* Van Etten, W. 86—54392
Mar, A., Xu, Y., Wade, G., Hu, E. Linewidth measurement using a translating phase mask 88—26478
Mar, A. *see* Yiping Xu 88—57755
Mar, G.N. *see* Shenderovich, I.M. 86—50753
Mar, H.A., Park, R.M. Observation of strain effects and evidence of gallium autodoping in molecular-beam-epitaxial ZnSe on (100) GaAs 86—66814
Mar, H.A. *see* Park, R.M. 85—35607, 85—44702, 86—26842, 86—34309, 87—5413, 88—1378, 88—38150, 88—63298
Mar, J., Bhargavan, K., Duvall, S., Firestone, R., Lucey, D., Nandagonkar, S.N., Wu, S., Yu, K.S., Zarbakhsh, F. EASE—an applications-oriented CAD system for process design 87—38463
Mar, J., Bhargavan, K., Duvall, S.G., Firestone, R., Lucey, D.J., Nandgaonkar, S.N., Wu, S., Yu, K.-S., Zarbakhsh, F. EASE—an application-based CAD system for process design 88—13480
Mar, J., Wei, Y.-P. Performance verification of circuits 85—1700
Mar, J.De La *see* De La Mar, J.

Mar, S. *see* Vila, R. 88−65885
Mar, S.C. *see* Liew, A.C. 86−51098
Mara, F.De *see* De Mara, F.
Mara, G. Acceptance tests on the second building stage [Dubai power plant] 88−17380
Mara, G. *see* Holler, F. 88−11040
Marabella, L. *see* Brock, J. 88−20762
Marable, W.P., Tang, C.M., Sprangle, P. Tapered wiggler analysis of high gain free electron laser oscillators 87−75156
Marable, W.P., Tang, C.M., Sprangle, P. Effects of particle loading on FEL simulations 88−40259
Marabotto, R. *see* Molfino, P. 88−68356
Maracas, D. *see* Alvarez, A.R. 86−47699
Maracas, G.N., Laidig, W.D., Wittman, H.R. Electrical characterization of the GaAs/Al$_x$Ga$_{1-x}$As interface by conductance DLTS 85−1366
Maracas, G.N. *see* Goronkin, H. 85−50212, 86−53355
Maracas, G.N. *see* Kola, S. 88−39505
Maracci, G. *see* Ferrari, G.M. 86−12199
Maracci, G.C. *see* Guzzi, R. 86−6094
Maradudin, A.A. *see* Chen, W. 88−34119
Maradudin, A.A. *see* Shen, T.P. 88−27543
Maradudin, A.A. *see* Stegeman, G.I. 86−68619
Maragos, P. Tutorial on advances in morphological image processing and analysis 87−47978
Maragos, P. Pattern spectrum of images and morphological shape-size complexity 87−62235
Maragos, P. Tutorial on advances in morphological image processing and analysis 87−69296
Maragos, P. Symbolic signal representation using nonlinear filtering 88−66707
Maragos, P. Morphology-based symbolic image modeling, multi-scale nonlinear smoothing, and pattern spectrum 88−73372
Maragos, P., Schafer, R.W. Morphological filters. I. Their set-theoretic analysis and relations to linear shift-invariant filter 87−75782
Maragos, P., Schafer, R.W. Morphological filters. II. Their relations to median, order-statistic, and stack filters 87−75783
Maragos, P. *see* Libeskind-Hadas, R. 88−41081
Maragos, P.A., Schafer, R.W. A unification of linear, median, order-statistics and morphological filters under mathematical morphology 86−16430
Maragos, P.A., Schafer, R.W. Morphological skeleton representation and coding of binary images 87−13065
Maragos, P.A., Schafer, R.W. Applications of morphological filtering to image analysis and processing 87−27643
Maragos, P.A., Schafer, R.W., Mersereau, R.M. Two-dimensional linear prediction and its application to adaptive predictive coding of images 85−25158
Maragoudakis, M., Gibson, J.D. Experiments on video teleconferencing algorithms at 56 kilobits/sec 87−62274
Marai, G. *see* Kovacs, G. 85−23157
Marais, G.H. Electrification of the city of Soweto 88−68840
Marakanov, V.V. *see* Frank, G.A. 86−1386
Marakhonov, V.I. *see* Boyarchuk, K.A. 88−65915
Marakhonov, V.I. *see* Petrov, M.P. 86−15521
Marakhonov, V.M., Gorokhov, V.P., Gusakov, V.V., Kolodin, B.Kh., Belokurov, V.P., Olesk, A.O. Optoelectronic sensors for linear and angular displacements 86−70147
Marakhonov, V.M. *see* Alferov, Zh.I. 87−33202
Marakhonov, V.M. *see* Gribov, A.A. 86−70059
Marakhonov, V.M. *see* Gusev, V.I. 87−3584
Marakhonov, V.M. *see* Mak, A.A. 87−75068
Marakhovka, I.I. *see* Belyi, V.I. 87−17960
Marakhovskii, V.B. *see* Varshavskii, A.I. 86−57900
Marakhovskii, V.B. *see* Varshavskii, V.I. 85−33142, 87−18191, 88−59421
Marakhovskiy, V.B. *see* Varashavskiy, V.I. 86−57792
Marakhtanov, M.K., Ponkratov, A.B., Khokhlov, Yu.A., Vyark, G.T., Yauk, Ya.Ya. Aluminum mirror for heliostats of a solar electric station 88−55244
Maral, G., Bousquet, M. Performance of regenerative/conventional satellite systems 85−25797
Maral, G., Bousquet, M. Performance of fully variable demand assignment SS/TDMA satellite systems 88−28764
Maral, G., Bousquet, M., Wattier, P. Selection of a time slot assignment scheme for a fully variable demand assignment SS/TDMA satellite system 86−17340
Maral, G., Bousquet, M., Wattier, P. Throughput gains obtained from dynamic reconfiguration of the switching mode allocation in a SS/TDMA satellite system 86−55265
Maral, G., Bousquet, M., Wattier, P. Performance of fully variable demand assignment SS/TDMA satellite systems 86−59851
Maral, G. *see* Bentayeb, S. 86−57724
Maral, G. *see* Matar, M.A. 86−845
Maramatsu, S. *see* Itoh, H. 88−32872
Maran, S.P. *see* Woodgate, B.E. 87−63871
Marancik, W. *see* Marken, K. 87−67815
Maranda, B. *see* Leung, C. 86−4476
Maranda, B.H., Thomson, D.J. A digital filter approach for treating density variations in the split-step algorithm of underwater acoustics 87−69237
Marandas, G. *see* Boutot, J.P. 86−5079
Maranesi, P., Pinola, L., Varoli, V. The dynamics of PWM current-mode DC/DC converters 87−73306
Maranesi, P., Pinola, L., Varoli, V. The incremental voltage control mode for PWM regulators 88−75763
Maranesi, P., Varoli, V. Time variant preamplification for low current measurements 85−11045
Maranesi, P., Varoli, V. Closed-form expressions of G$_{\mathrm{LOOP}}(j2\pi f)$ for PWM voltage regulators in DCM 87−503
Maranesi, P., Varoli, V. PWM regulators transfer functions by exact time-variant network analysis 87−73305
Maranesi, P., Varoli, V. PWM voltage converter cells as DC transformers 88−69583
Maranesi, P., Venturini, V. Norton amplifier-based charge sampler 85−43284
Maranesi, P. *see* Burgio, C. 86−61672, 87−16885
Maranesi, P. *see* Burkhardt, W. 85−33623
Maranesi, P.G., Tavazzi, V., Varoli, V. Two-part characterization of PWM voltage regulators at low frequencies 88−75720
Maranets, E.A. *see* Chalyi, G.V. 85−32740
Marangelli, B. *see* Fanelli, A.M. 85−63097
Marangoni, D. *see* Vassanelli, C. 85−59306
Marangos, J.P. *see* Baldwin, K.G.H. 85−29914
Marannino, P. Voltage profile optimization on the daily scheduling and in the VAR planning for an electric power system 86−18658
Marannino, P. *see* Cova, B. 87−77991
Marannino, P. *see* Franchi, L. 85−26998
Marannino, P. *see* Innorta, M. 86−56378, 86−61031, 88−10794
Marano, S., Carrieri, E. Layered dynamic bandwidth allocation in a tree metropolitan area network 88−52924
Marano, S., Volpentesta, A. Performance evaluation of Alberonet by simulation and theoretical analysis 87−55812
Maranon, E. Sensitivity analysis of combined block-circuit diagrams 87−44443
Maranov, A.V. *see* Bondarenko, V.M. 85−45751, 87−53611, 87−59101, 88−49942
Marans, J. *see* Salomon, M. 86−50332
Maranto, J. *see* Wysoki, J.A. 88−35567
Marantz, H.V. *see* Jackson, P.C. 85−31343
Marantz, J.D. Exploiting parallelism in VLSI CAD 87−46112
Maranzana Figini, M., Molinari, R., Somma-Riva, G. The parametrization of the electromyographic signal: an approach based on simulated EMG signals 85−4333
Maranzano, J.F. *see* Forest, B.A. 87−48688
Maras, A.M. Locally optimum detection in moving average non-Gaussian noise 88−72932
Maras, A.M., Davidson, H., Holt, A.G.J. Diversity for binary noncoherent frequency shift keying in impulsive reverberation noise 85−3518
Maras, A.M., Davidson, H.D. Resolution of binary signals for threshold detection in narrowband non-Gaussian noise 85−41901
Maras, A.M., Davidson, H.D., Holt, A.G.J. Diversity improvement for *M*-ary noncoherent frequency shift keying in impulsive reverberation noise 86−3745
Maras, A.M., Davidson, H.D., Holt, A.G.J. Weak-signal DPSK detection in narrow-band impulsive noise 86−3860
Maras, A.M., Davidson, H.D., Holt, A.G.J. Threshold performance of *M*-ary noncoherent frequency-shift keying in non-gaussian noise 86−64170
Maras, A.M., Katsaros, A. Performance of coded *M*-ary noncoherent frequency-shift keying for threshold communications 88−40782
Marasco, J. How to fix line glitches 86−54430
Marasek, K. *see* Skonieczka, R. 86−19067
Marash, V., Dutton, R.W. Submicron 2D MOS modeling 87−38178
Marash, V., Dutton, R.W. Methodology for submicron device model development 88−33211
Marasin, B.V. *see* Fot, N.A. 86−46415
Marasin, L.E. *see* Bublyaev, R.A. 87−46500
Marasin, L.E. *see* Deryagin, V.N. 87−18736
Marasonov, M.G. *see* Vernokovskii, V.V. 85−4150
Marathay, A.S. Noncoherent-object hologram: its reconstruction and optical processing 88−2394
Marathay, A.S. Nonimaging techniques for the extraction of noncoherent object information and its processing 88−45573
Marathe, B.R. *see* Arole, V.M. 88−75946
Marathe, B.R. *see* Kolhe, S. 87−45596
Marathe, H.Y., Rahman, S. A microcomputer model for photovoltaic energy system performance analysis 87−22184
Marathe, M.V., Smith, R.A. Performance of a MAP network adapter 88−66994
Maratkanova, L.V. *see* Rapoport, V.E. 86−33138
Maratos, N.G. Algorithm for design centering based on use of sensitivity information 88−24873
Maraun, M. *see* Akhmedov, F.A. 87−51456
Marayam, K., Lee, J.C., Hu, C. A model for the electric field in lightly doped drain structures 87−60469
Marazas, G.A. *see* Crouse, R.S. 85−28533
Marazov, O., Stoilov, S. Numerical solving of Boltzmann equation in copper vapour laser (CVL) discharge plasma 85−56538
Marazov, O.R., Stoilov, S. Effect of anomalous plasma resistivity (APR) in longitudinal discharge of copper vapour laser (CVL) 85−56541
Marazov, O.R. *see* Stoilov, S.Kh. 85−46338
Marazzi, C.A. A value analysis method for the evaluation of telecommunication systems bid proposals [management] 85−44455
Marazzini, S. *see* Corti, M. 88−60914
Marbach, C.B. AST-220 [terminal emulator] 87−76330
Marbach, C.B. The Xyplex/Mobius connection. 1 87−76332
Marbach, R.A. *see* Page, R.J. 85−43844
Marballi, K.R., Gopalakrishnan, K.R. Advances in nuclear electronics 88−74738
Marberg, J., Gafni, E. Optimal shout-echo algorithm for selection in distributed sets 86−30102
Marberg, J. *see* Gafni, E. 86−54593
Marberg, J.M., Gafni, E. An optimal shout-echo algorithm for selection in distributed sets 86−64389
Marberg, J.M., Gafni, E. Sorting in constant number of row and column phases on a mesh 87−36930
Marberg, J.M., Gafni, E. An $O(n^2m^{1/2})$ distributed max-flow algorithm 88−6374
Marbet, H. Capital and small letter printing with teleprinters 87−13289
Marbeuf, A. *see* Karouta, F. 87−23652
Marble, A.E., Zayezdny, A.M., Blanchard, R.A. Numerical smoothing—the basic theory and applications for signal processing 86−3906
Marble, A.E. *see* Crouse, J. 87−21518
Marble, D.R. Controllers maintain tight control during steam turbine testing 88−62201
Marble, W.J. *see* Hudson, M.J.B. 88−11024
Marbot, R. *see* Battaiotto, P. 88−60996
Marbot, R. *see* Berger, C. 88−22937
Marbot, R. *see* Hadjeris, L. 86−60723
Marbot, R. *see* Martin, E. 86−20754
Marbot, R. *see* Matricon, P. 85−840
Marbukh, V.V. Fully connected message-switching network with a large number of nodes, bypass routes, and a limited number of waiting places at nodes 86−37193
Marbukh, V.V. Phenomenological approach to reduced description of large systems. II. Large channel-switching networks 87−48251
Marc, B. *see* Dupire, M. 85−51922
Marc, B. *see* Touyarot, P. 86−30765, 87−20548
Marc, C. *see* Cameron, W.M. 85−59009
Marc, M. *see* Benson, S.V. 87−2143
Marc-Vergnes, J.-P. *see* Chan, M. 88−23037
Marca, J.R.B.De *see* De Marca, J.R.B.
Marca, J.R.Boisson De *see* Boisson De Marca, J.R.
Marcano O., A. *see* Garcia-Golding, F. 86−3309
Marcantonio, K.J. *see* Hull, R. 86−13784
Marcantonio, U.Di *see* Di Marcantonio, U.
Marcarino, P. *see* Crovini, L. 85−58921, 86−24820
Marcario, R.C.V., Grimm, F. An investigation study of services which could be implemented in UK Band I radio spectrum 86−37784
Marcati, M. *see* Biraghi, B. 88−55948
Marcatili, E. Improved coupled-mode equations for dielectric guides 86−68261
Marcatili, E.A.J. Dielectric tapers with curved axes and no loss 85−50983
Marcatili, E.A.J., Buhl, L.L., Alferness, R.C. Experimental verification of the improved coupled-mode equations 87−25939
Marcatili, E.A.J., Hardy, A. New frontiers in waveguide theory 88−45747
Marcatili, E.A.J., Hardy, A.A. The azimuthal effective-index method 88−65303
Marcatili, E.A.J. *see* Korotky, S.K. 86−9597, 86−36130, 86−63804
Marcato, E. Speech recognition technology 87−39714
Marcatte, V. *see* Lambert, O. 87−62557, 88−59539
Marcazzan, G. *see* Bonetti, R. 85−59206
Marceau, J., Berge, P., Malherbe, C., Talleu, P. Corrosion-erosion in French PWR secondary cycles 86−33012
Marceau, R. *see* Olivier, G. 88−62784
Marceau, R.J., Bourdages, A., Doyon, Y., Galipeau, R., Grenier, J. The Hydro-Quebec Regional Data Acquisition System (SADR) [transmission and distribution networks] 85−32123
Marceau, R.J., Labrecque, R., Jeanson, G. First tests on a prototype grain dryer heated by electromagnetic induction 88−62833
Marceau, R.J. *see* Ajersch, F. 88−62827
Marced, M.Angeles *see* Angeles Marced, M.
Marcel, F. *see* Berlinet, D. 85−57666
Marcel, F. *see* Levy, M. 88−8956
Marcel, V. *see* Beglin, P. 88−21447

Marcelet, F. *see* Andre, J.M. 87–29696
Marcelet, F. *see* Poumellec, B. 88–35809
Marcelin, J.P. *see* Beer, A. 85–9043
Marcelin, J.P. *see* Bourgeois, F. 85–42923, 87–37402
Marcelli, A. *see* Fadini, B. 85–36534
Marcelli, A. *see* Stizza, S. 85–50222
Marcelli, R. *see* D'Amico, A. 87–25786
Marcelli, R. *see* De Gasperis, P. 86–36059, 87–36780, 88–26688, 88–71952
Marcelli, R. *see* Righini, G.C. 88–40013
Marcellin, M.W., Fischer, T.R. Spectral properties of a finite field DFT 87–47862
Marcellin, M.W., Fischer, T.R., Gibson, J.D. Predictive trellis coded quantization of speech 88–66391
Marcellino, F.T. Get organized today with Argo's Helper [QRP station accessory for Argonaut 515 transceiver] 86–43709
Marcello, F.V.Di *see* Di Marcello, F.V.
Marcello, S. *see* Bussa, M.P. 87–21415
Marcello, S. *see* Caria, M. 85–43240, 88–29808
Marcello, S. *see* Macciotta, P. 86–50394
Marcelo Murmis, G., Xavier Radriguez, A. Generation of electricity by wind power 87–30465
Marcer, R.Alvarez *see* Alvarez Marcer, R.
March, A.R. Control of a nuclear power plant boiler using prediction techniques 85–65066
March, D. *see* Riley, P. 88–23560
March, D.L. *see* Kirsch, J.C. 88–33583
March, F. *see* Zaspel, A. 88–7140
March, H.H. Converter reduces shift-register count 85–33772
March, H.H. *see* Janesick, J.R. 85–43208
March, I. Voltage-controlled oscillator constitutes simple voltage-to-frequency convertor 85–17767
March, I. Triangle generator reads frequency directly 86–8052
March, J.-F. *see* Schuster, G. 85–47790
March, J.F., Azzam, M. A model co-ordination approach to hierarchical static state-estimation for power systems 86–70568
March, N., Tosi, M. *(editor)* Polymers, liquid crystals and low-dimensional solids 85–39465
March, N.H. *see* Butcher, P.N. *(editor)* 87–31125
March, N.J. *see* Alston, K. 85–33209
March, R., Cline, D., Joutras, D. A detector for relic monopoles trapped in magnetic ores 85–31737
March, R. *see* Moussouris, J. 86–52889
March, R. *see* Resvanis, L.K. 88–54421
March, R.H. *see* Williams, G.V.M. 88–64339
March, S.L. Analyzing lossy radial-line stubs 85–34151
March, S.L. Microwave circuit layout: a dynamic plot emerges 85–40233
March, S.L., Besser, L. Artwork generation and mask production for microwave circuits 85–6542
March, S.L. *see* Maury, M.A., Jr. 87–70504
March, S.L. *see* Pollard, R.D. 87–56498
March, W.F. Ocular glucose sensor 85–38135
March-Leuba, J., Fry, D.N. Stability tests in the Grand Gulf Unit 1 boiling water reactor 88–23699
March-Leuba, J., Wood, R.T., Otaduy, P.J., McNew, C.O. Stability tests at Browns Ferry Unit 1 under single-loop operating conditions 87–15487
March-Leuba, J. *see* Sweeney, F.J. 85–53491
Marchais, J.-C. Interest in high-performance ICs for fire-control radar for transport aircraft 86–59950
Marchak, Ya. *see* Bykovskii, N.E. 88–58515
Marchal, A.W. The Hydrorange acoustic system for seismic streamer tracking for INSMAP 86 88–9669
Marchal, B. A universal musical interface . . . or the 'multitone' computer. I 87–20806
Marchal, B. A universal musical interface. II. The percussion simulators 87–20807
Marchal, C. *see* Nadi, M. 88–61403
Marchal, D. The behaviour of vacuum circuit-breakers under normal and short-circuit currents 87–30861
Marchal, D. *see* Despouys, J.B. 88–58129
Marchal, D. *see* Genon, A. 86–39093
Marchal, D. *see* Legros, W. 88–24100
Marchal, G. *see* Maloufi, N. 86–53364
Marchal, G. *see* Suetens, P. 88–36541
Marchal, G. *see* Vergnat, M. 88–18731
Marchal, I. *see* Bouville, C. 86–16492
Marchal, P. Updating functional fault model for microprocessor internal buses 86–1126
Marchal, P., Nicolaidis, M., Courtois, B. Microarchitecture of the MC68000 and evaluation of a self checking version 86–34889
Marchand, A. *see* Guillot, M. 85–24102
Marchand, A. *see* Lahoubi, M. 85–24101
Marchand, D. *see* Kluzinski, C. 86–48520
Marchand, J., Boschat, F. A second generation of choppers on the RATP 85–60486
Marchand, J.F.P. An alterable programmable logic array 86–20443
Marchand, J.J., Chen, G., Pinard, P. Measurements and quantitative model for edge influence on bulk resistance for circular semiconductor samples 87–32232
Marchand, J.J. *see* Balland, B. 88–67995
Marchand, M. X-band flat array antenna 85–57162
Marchand, M. Making use of interactivity 86–49775
Marchand, P. 23 GHz digital transmission system DTS 10-64 87–34416
Marchand, P., Fernandez, E. 23 GHz radio equipments DTS 10-64 and FTD 23 87–34370
Marchand, P. *see* Bartalucci, S. 88–54333
Marchand, P. *see* Bernard, P. 85–26600
Marchand, P. *see* Evans, B.J. 88–61064
Marchand, P. *see* Fiebig, A. 88–61071
Marchand, Ph. Energie thermique des mers: evaluation pour la CCE (Thermal energy of the sea: evaluation for the CEC) 86–39622
Marchand, R., Boukbir, L., Falchier, P., Laurent, Y., Bonnaud, O., Roult, G., Favennec, P.N. InP passivation by PON 88–49881
Marchand, R., Capjack, C.E., James, C.R. Stimulated scattering and self-modulation of an intense laser beam in a plasma waveguide 85–41446
Marchandeau, R., Rountree, R.N., Duvvury, C. MOS integrated circuits: improvements in their ESD protection 87–46207
Marchandeau, R. *see* Perez, J. 85–54847
Marchant, A.B. Optical disk trade-offs 86–46022
Marchant, A.B. Retardation effects in magneto-optic readout 87–46605
Marchant, C.E. *see* Nati, S.F. 86–35917, 87–63000
Marchant, D.D. Ceramic materials for MHD electrodes 85–21835
Marchant, J.A. *see* Law, S.E. 85–51371
Marchant, P. Accelerometers 88–47685
Marchant, W., Dobson, C., Chakrabarti, S., Malina, R.F. Telescience—concepts and contributions to the extreme ultraviolet explorer mission 88–41273
Marchant, W.T. *see* Abrams, P.C. 87–63886
Marchaterre, J.F., Sevy, R.H., Lancet, R.T., Mills, J.C. Key asset—inherent safety of LMFBR pool plant 86–33016
Marchaterre, J.F. *see* Page, R.J. 85–43845
Marche, P.H.La *see* La Marche, P.H.
Marche, P.P. Next generation thermal imaging 88–67893
Marche, T.La *see* La Marche, T.
Marchegay, P. *see* Al Hossri, N. 88–38474
Marchegay, P. *see* Hossri, N.A. 87–37179
Marchegiano, J.E. Automatic calibration of instrument analyzing signals from scanned bar codes 85–47904
Marchenko, A.I. *see* Torchinskaya, T.V. 86–13059, 86–26283, 86–51903
Marchenko, A.V., Maslyaev, P.F. Optimization of the measurement of stochastic processes of interaction of ionizing radiation with matter 87–8838
Marchenko, B.G., Myslovich, M.V. Diagnosing the condition of rolling-contact bearings of electrical machines by using the third and fourth moments of their vibrations 87–22229
Marchenko, B.G., Osadchii, E.P., Protsenko, L.D. Using a model of rolling-bearing vibroacoustic noise for diagnostics 85–65209
Marchenko, B.G., Protsenko, L.D. Probability characteristics of a random sequence of independent rectangular pulses 88–3044
Marchenko, B.G. *see* Guzii, V.I. 87–19692
Marchenko, B.G. *see* Zvarich, V.N. 87–22216
Marchenko, I.E. *see* Yurchakevich, E.R. 86–26016
Marchenko, I.G. *see* Korshunov, F.P. 85–55799
Marchenko, I.I. *see* Zhezhelenko, I.V. 85–59759, 85–59761, 86–61153, 86–70698
Marchenko, L.A. *see* Nazarova, T.S. 88–42402
Marchenko, N.E. *see* Gumerova, N.I. 86–12438, 87–35647, 88–17115
Marchenko, R.I. *see* Didenko, P.I. 86–1824
Marchenko, R.I. *see* Glinchuk, K.D. 88–25872
Marchenko, S.N. *see* Gurari, M.L. 88–27317
Marchenko, S.N. *see* Vilisov, A.A. 86–29014
Marchenko, S.V. *see* Lisovskaya, T.P. 86–16519
Marchenko, V.A. *see* Ermolov, S.N. 86–70188
Marchenko, V.B. Detection of noise-contaminated polyharmonic signals using orthogonal filter systems 86–12134
Marchenko, V.F. *see* Gorshkov, A.S. 87–75487, 88–50039
Marchenko, V.F. *see* Vinyarskii, V.F. 85–11485
Marchenko, V.F. *see* Volyak, K.I. 87–2331, 88–34369
Marchenko, V.F. *see* Zhmurov, S.E. 87–17804, 88–42104
Marchenko, V.G. The field of open wide-aperture optical resonators formed by convex and concave mirrors 86–48639
Marchenko, V.G. *see* Ablekov, V.K. 87–26475
Marchenko, V.I., Motchenko, A.I. Synthesis of a DC drive by a reverse case of dynamics using the Lyapunov functions 88–37647
Marchenko, V.I. *see* Obukhov, S.G. 87–72474
Marchenko, V.M. *see* Biryukov, A.S. 85–62494, 86–36395
Marchenko, V.M. *see* Brodov, M.E. 85–2267
Marchenko, V.S. *see* Lezov, P.P. 88–43449, 88–69828
Marchenko, Ye.Ya. *see* Sushkova, L.T. 86–36893
Marchenko, Yu.A. *see* Safonov, L.P. 87–78501
Marchenkov, M.M., Padalko, L.P., Kernogo, V.P., Lebedev, T.P. Choice of efficient solutions in organising repair and operational servicing of equipment in power engineering works 87–35773
Marchenkov, V.V. *see* Abrosimov, N.K. 86–25155
Marchenkov, V.V. *see* Gorokhov, I.S. 85–20867
Marchent, B.G., Burrows, D.F. Hardware and architecture design of VLSI systems 86–58588
Marchertas, A.H. *see* Pfeiffer, P.A. 85–4770
Marchese, C.J. *see* Clarke, A.W. 85–48680
Marchese, H.L. *see* Ohta, T. 86–59794
Marchese, M. *see* White, E. 88–11809
Marchese, M.J. *see* Zinger, P.C. 88–70185
Marchese, R.T. *see* McFetridge, R.H. 86–25790
Marchese, V. *see* Bonicelli, T. 88–63825
Marchese, V. *see* Eriksson, T. 85–49031
Marchese, V. *see* Selin, K.I. 87–72280
Marchesi, C. *see* Balocchi, R. 85–59303
Marchesi, C. *see* Gallino, A. 85–20929
Marchesi, C. *see* Gandini, S. 88–54581
Marchesi, C. *see* Macerata, A. 87–21599
Marchesi, C. *see* Taddei, A. 85–9203, 85–53077
Marchesi, C. *see* Varanini, M. 87–21619
Marchesi, G. *see* Gallimberti, I. 86–28549
Marchesi, M. *see* Barabino, G.P. 85–23912, 85–33606
Marchesi, M. *see* Corana, A. 88–11883
Marchesi, R. *see* Fiorini, A.R. 87–55295
Marchesini, G. *see* Bisiacco, M. 86–1273, 87–45007
Marchesini, P. *see* Busetto, G. 87–14788
Marchesoni, F. Modeling of dye-laser photon statistics 86–29086
Marchesoni, F. Resonance frequencies of a ring fluxon oscillator 86–47998
Marchesoni, F. Rotating ring fluxon oscillators: gyroscopic effects 87–12070
Marchesoni, F. Linewidths for resonant ring fluxon oscillators coupled to a thermal bath 87–60852
Marchesoni, M., Mazzucchelli, M., Tenconi, S. A non conventional power converter for plasma stabilization 88–75742
Marchesoni, M. *see* Bertini, S. 88–44397
Marchesoni, M. *see* Carpita, M. 88–75771
Marchesoni, M. *see* Cesario, P. 88–69542
Marchetaux, J.-C., Doyle, B.S., Boudou, A. Interface states under LOCOS bird's beak region 87–67014
Marchetaux, J.-C. *see* Doyle, B.S. 87–32578, 87–45942 to 45943
Marchetaux, J.C., Doyle, B.S., Boudou, A., Merenda, P. Suppression of the lateral diffusion under the gate of an MOS transistor by argon implantation 86–21583
Marchetti, C. When will hydrogen come? 85–43675
Marchetti, C. Nuclear plants and nuclear niches: on the generation of nuclear energy during the last twenty years 86–12588
Marchetti, G. *see* Corsini, G. 85–42632 to 42633
Marchetti, G. *see* Sanjurjo, A. 88–18030
Marchetti, G.P. *see* DeGregorio, R. 87–30093
Marchetti, M., Morganti, F., Tizzi, S. Effects of curing stresses on composite structures for space antenna reflectors 87–12853
Marchetti, M., Morganti, F., Tizzi, S. Evaluation of the built-in stresses and residual distortions on cured composites for space antenna reflectors applications 88–2888
Marchetti, M. *see* Dvorko, I.M. 86–26926
Marchetti, M. *see* Lorenzini, E. 87–9351
Marchetti, P., Polis, J. Integrated circuit overlay removal by planar plasma etching 85–55936
Marchetti, P. *see* Bertotti, L. 87–78933
Marchetti, P.G., Merlo, U. Amplitude scintillations in a low elevation downlink from SIRIO satellite 86–69739
Marchetti, P.G. *see* Di Zenobio, D. 85–63527
Marchetti, P.G. *see* Kosmopoulos, S.A. 85–63625, 86–64173
Marchetti, P.G. *see* Merlo, U. 86–15871, 87–13648
Marchetti, R., Penco, E., Giuliani, G., Palange, E. A 35 ps, *Q*-switched, continuous-pumped neodymium:yttrium aluminum garnet laser using an electro-optic ring modulator 88–27103
Marchetti, R., Penco, E., Salvetti, G. A new type of corona-discharge photoionization source for gas lasers 85–18848
Marchetti, R., Penco, E., Salvetti, G. Sealed, miniaturised, corona-preionized high-repetition-rate TEA CO_2 laser using hydrogen buffered gas mixtures 86–22285
Marchetti, R. *see* Vietri, G. 85–51123
Marchetti, S., Simili, R. Simple efficient c.w. TE, RF, CO_2, laser with large cross-section 85–24457

Marchetti, S., Simili, R. Mode structure in wide-band waveguide radiofrequency CO_2 lasers 88—72273
Marchetti, S., Simili, R., Bernardini, M., Giorgi, M. Transverse photon drag detection of FIR radiation by free carriers in antimony thin films 87—63415
Marchetti, S., Simili, R., Bernardini, M., Giorgi, M. Detection of FIR radiation by photon drag of free carriers in semimetal thin film 88—53695
Marchetti, S., Simili, R., Giorgi, M. Line-tunable, high-efficiency, single-mode, mini-TEA CO_2 laser with corona preionization 86—22311
Marchetti, S., Simili, R., Giorgi, M. Helium-free operations in mini-TEA CO_2 lasers 87—26305
Marchetti, S., Simili, R., Giorgi, M. High power, helium-free, superatmospheric CO_2 mini-TEA laser 88—45352
Marchetti, S. *see* Bernardini, M. 85—29768, 85—35674, 86—42636, 87—12558, 87—26527, 87—68373, 88—2164, 88—45541
Marchetti, S. *see* Giorgi, M. 85—51117, 85—56525
Marchetti-Spaccamela, A. New protocols for the election of a leader in a ring 87—69725
Marchetti-Spaccamela, A., Vercellis, C. Efficient on-line algorithms for the knapsack problem 88—38102
Marchetto, F. *see* Baglin, C. 85—26605
Marchetto, F. *see* Biino, C. 85—48169
Marchetto, F. *see* Buchholz, J. 87—41837
Marchetto, F. *see* Cihangir, S. 88—47983
Marchetto, M. *see* Arossa, W. 85—15265
Marchevskii, F.N. *see* Borshch, A.A. 85—41504
Marchevskii, F.N. *see* Dovgii, B.P. 86—3237
Marchevskii, F.N. *see* Volyar, A.V. 87—74726
Marchevskii, F.N. *see* Zaporozhets, V.M. 88—26801, 88—72048
Marchevsky, J.G. *see* Kitaevich, Y. 88—36529
Marchevsky, R.M. *see* Zamansky, L.Ya. 88—291
Marchevsky, S., Chmurny, J. Two-dimensional non-recursive digital filters with small generating cores 85—17683
Marchevsky, S., Chmurny, J. Implementation of coders and decoders for digital filters based on residual numeral systems 86—27484
Marchevsky, S. *see* Chmurny, J. 85—25181
Marchi, A.De *see* De Marchi, A.
Marchi, E. Cooperative equilibrium 87—31389
Marchi, M. *see* Lanteri, M. 85—60368, 86—19402, 88—17790
Marchi Desenzani, P.De *see* De Marchi Desenzani, P.
Marchiando, J.F., Roitman, P., Albers, J. Boron diffusion in silicon 86—21098
Marchikhin, N.K. *see* Bushnin, Yu.B. 86—18249
Marchini, G. *see* Pasquini, V. 88—4192
Marchini, L. Capacitors for defence: mica soldiers on 85—1078
Marchini, L. The municipal connection. Power of, by and for the people 86—6457
Marchio, F., Menniti, P., Ferrari, P. High current source driver for automotive applications 86—46569
Marchio, F., Morelli, M. Monolithic voltage regulator for car alternator 88—69884
Marchionn, A. *see* Bocciolini, M. 87—63680
Marchionna, E., Martini, E., Panzeri, A. Dielectric resonator wide band tuning cavity for high performance filters 88—25434
Marchionni, A., Pelfer, P., Penzo, A., Rancoita, P.G. Polarimeter for high energy proton and electron beams in colliding machines 85—26663
Marchionni, A. *see* Bleichert, B. 86—18236
Marchionni, A. *see* Bocciolini, M. 87—63651
Marchionni, A. *see* Celletti, F. 85—9042
Marchionni, A. *see* Forino, A. 85—37976
Marchioro, A. *see* Battaiotto, P. 88—60996
Marchioro, A. *see* Benetta, R. 86—25149, 87—14218
Marchis, G.De *see* De Marchis, G.
Marchishin, I.V., Ovsyuk, V.N., Sevastianov, S.B. Investigation of radiation defects in hyperabrupt p-n junctions 88—50652
Marchisio, P. *see* Audisio, G. 88—3609, 88—21618
Marchisio, P. *see* Bert, M. 87—13321, 87—13323
Marchisio, P. *see* Bert, M.N. 86—43514
Marchisio, P. *see* Gallelli, S. 87—33904
Marchisio, R. *see* Manfredotti, C. 88—75724
Marchner, M. *see* Dikvall, T. 88—2630
Marchuk, A.N. *see* Sokolov, I.B. 87—9406
Marchuk, B.S., Serdobintsev, Yu.Ya., Drobot, S.D., Blokhin, A.K., Danchenkov, Ya.V. An automatic device for monitoring and sorting of flat springs 88—31234
Marchuk, G.I. Mathematical problems of siting thermal power stations with allowance for their effect on the environment 85—48848
Marchuk, V.F. *see* Khramov, N.Ya. 88—17253
Marchuk, V.M., Samoylenko, Yu.I. On the dynamics of a compensator of inductive load of a circuit 86—15856
Marchut, L. *see* Bethea, C.G. 86—38380
Marchut, L. *see* Chin, A.K. 86—15044
Marciak-Kozlowska, J. On the ballistic transport in submicron semiconductor devices 86—63221
Marciak-Kozlowska, J. *see* Slaby, C. 85—29067
Marciano, C. *see* Balestra, F. 85—37946
Marciano, C. *see* Bendiscioli, G. 85—26690
Marcille, G. *see* Feraud, R. 85—21331
Marcin, J., Garibian, E. Complete 12-bit data acquisition IC simplifies design 87—11269
Marciniak, A., Klyz, F. Programmable control system PC-4k for pumped-storage power station Zarnowiec 85—5007
Marciniak, M. Field distribution in inhomogeneous planar optical waveguide 87—60931
Marciniak, M., Mazurek, K., Piotrowski, T. A new method of measuring fluctuations of ground water level 88—15937
Marciniak, W. Modelling methods of semiconductor devices 85—18267
Marciniak, W., Madura, H. Comments on the Huang and Taylor model of ion-implanted silicon-gate depletion-mode IGFET 85—45723
Marciniak, W., Madura, H. A static model of BCMOS transistor with pseudo-linear approximation of semiconductor charge-voltage relation. I. Theory 86—28313
Marciniak, W., Madura, H. A static model of BCMOS transistor with pseudo-linear approximation of semiconductor charge-voltage relation. II. Experimental 86—28314
Marciniak, W. *see* Cwirko, R. 87—70358
Marciniak, W. *see* Skotnicki, T. 87—18149
Marciniak, Z., Ritter, J., Sehgal, S.K., Weiss, A. Torsion units in integral group rings of some metabelian groups. II 87—36598
Marck, F. Automatic processing of power dependences in the NHKG power plant 85—53241
Marcks, J. *see* Karakotsios, K. 88—25229
Marclay, E. *see* Gueret, P. 87—24796, 87—32288
Marclay, E. *see* Guert, P. 85—34571
Marco, A. Tactical communications systems concepts and applications 87—40760
Marco, C.L.De *see* De Marco, C.L.
Marco, F.De *see* De Marco, F.
Marco, F.Pioli Di *see* Pioli Di Marco, F.
Marco, G.E. *see* McCarthy, J.J. 87—69972
Marco, J.L.De *see* De Marco, J.L.
Marco, M. *see* Delgado, V. 87—38915
Marco, M.di *see* di Marco, M.
Marco, N.De *see* De Marco, N.
Marco, P. *see* Giraldez, A.E. 87—68780, 88—2571
Marco, P.Di *see* Di Marco, P.
Marco, P.G.di *see* di Marco, P.G.
Marco, R.P.Di *see* Di Marco, R.P.
Marco, R.R.Di *see* Di Marco, R.R.
Marco, S.Di *see* Di Marco, S.
Marco, U.di *see* di Marco, U.
Marco, V.R. *see* Young, D.M. 85—51726
Marco de Lucas, M.C. *see* Bustamante, E.G. 87—73597
Marcocchesi, P.S. *see* Amendolia, S.R. 86—5779
Marcoleta, E.F. *see* Gellon, H. 85—52273
Marcon, D. *see* Allali, L. 87—25607
Marcon, D. *see* Landrault, C. 87—726
Marcon, J.-P., Verriere, P., Michoux, H. Hydraulic testing. Behaviour of the reactor internal structure [Superphenix] 87—64310
Marconato, R. *see* Bourgin, F. 88—48459
Marconcini, A. *see* Cesari, S. 85—60377
Marconi, F. *see* Giavarini, A. 85—17815
Marconi, M.C., Martinez, O.E., Diodati, F.P. *Q* switching by self-focusing 85—56826
Marconi, M.C., Martinez, O.E., Diodati, F.P. Second threshold condition in the case of Q switching by self-focusing 87—26517
Marconi, M.C., Martinez, O.E., Diodati, F.P. Short pulse generation in solid state lasers by a novel passive technique 87—68427
Marconi, M.C. *see* Rocca, J.J. 88—65584
Marconicchio, F., De Cecca, A., Vernucci, A., Donati, M., Barelli, P., Serafini, A. The ITALSAT satellite on board baseband processor, concept and technologies 88—46994
Marconicchio, F., Morelli, G. A SS-TDMA telecommunication system for a small country—the ITALSAT programme 88—3946
Marcopoulos, N., Cornish, A.R.H. Energy integration in distillation systems 86—26451
Marcos, J.De *see* De Marcos, J.
Marcos, S., Macchi, O. Tracking capability of the least mean square algorithm: application to an asynchronous echo canceller 88—14401
Marcos, S., Macchi, O. Oversampling, speed and residual variance of an adaptive filter for a data signal 88—21258
Marcos, S., Macchi, O. Adaptive estimation of a time-varying array shape using the tracking properties of the LMS algorithm 88—66558
Marcos, S., Macchi, O., Pintaux, J.B. Timing jitter effects in an echo canceller for full-duplex data transmission 87—55845
Marcos, W. *see* Sheikh, A.U. 88—72555
Marcotte, O. On the chromatic index of multigraphs and a conjecture of Seymour (I) 87—16488
Marcotte, P. *see* Guelat, J. 86—52365
Marcou, J., Attia, R., Gremillet, N. Analysis of Bragg grating coupling between two channel waveguides intersecting at a right angle 87—7174
Marcoux, J., Orchard-Webb, J., Currie, J.F. DC evaluation of CMOS-compatible inverters using a buried load JFET 87—37257
Marcoux, J., Orchard-Webb, J., Currie, J.F. Complementary metal oxide semiconductor-compatible junction field-effect transistor characterization 88—33239
Marcoux, J. *see* Laneuville, J. 85—45904, 86—2393
Marcoux, L., Stedman, J.K. Electrochemical energy storage technology for future military spacecraft needs [space vehicle power] 85—48433
Marcoux, L.S. *see* Dagarin, B.P. 87—42144
Marcoux, P. Surface mount assemblies shrink circuitry 85—11709
Marcoux, P. Surface mounted technology: benefits versus problems 85—17986
Marcoux, P.J. *see* Kamins, T.I. 86—63319
Marcoux, P.J. *see* Perner, F. 87—24187
Marcoux, P.J. *see* Ray, G.W. 86—28440
Marcoux, P.P. The benefits of surface mount technology 85—44523
Marcoux, P.P. Design considerations for surface mount assemblies 86—53152
Marcoux, P.P. Getting started in surface mount 87—138
Marcoux, P.P. A surface mount factory is not expensive but getting it started could be 87—5248
Marcoux, P.P. Current activities in standardization of SMT components, land patterns and design guidelines 87—11199
Marcoux, P.P. Surface mount technology demands design for manufacturing 87—17542
Marcoux, P.P. Surface mount design and assembly considerations 87—73905
Marcoux, P.P. Process management to minimize the optical inspection dilemma 88—12827
Marcoux, P.P. *see* Hutchins, C.L. 88—57102
Marcovati, L. *see* Garavaglia, C. 86—16877
Marcovitch, O. *see* Lubezky, I. 87—44392
Marcovitz, A.B. *see* Barrett, A.J. 87—23055
Marcozzi, E., Tubaro, S. Motion compensated interpolation 88—28060
Marcu, D. An algorithm for finding the fundamental set of cycles with respect to a given spanning tree of a connected graph 85—6105
Marcu, D. On finding the Eulerian paths and circuits of a digraph 86—66684
Marcu, V., Tenne, R., Rubinstein, I. Electrochemical characterization of photoetching products of CdSe 86—67679
Marcu, V., Tenne, R., Yellin, N. Crystallographic effects on the photoelectrochemical etching of CdTe 87—60319
Marcu, V. *see* Tenne, R. 85—18129, 85—55693
Marcucci, P.A. *see* Mikasinovic, M. 87—57832
Marculescu, R. *see* Spineanu, G. 86—31397
Marcum, J.M. Policies, plans, and research and development investment in advanced materials in the major countries 88—6432
Marcum, R.B. *see* Kurtz, R.V. 85—8334
Marcus, B. Sofic systems and encoding data 85—57233
Marcus, B. *see* Karabed, R. 87—54908
Marcus, B. *see* Siegel, P. 85—24151
Marcus, B.H., Siegel, P.H. On codes with spectral nulls at rational submultiples of the symbol frequency 87—75710
Marcus, B.H. *see* Adler, R. 86—48737
Marcus, B.H. *see* Karabed, R. 88—45890
Marcus, C.M. Effect of low-frequency ambient magnetic fields on the control unit and RF head of a commercial SQUID magnetometer 85—4396
Marcus, C.M., Westervelt, R. Basins of attraction for electronic neural networks 88—31975
Marcus, D.I. *see* Yokell, M.D. 85—32078
Marcus, D.J. Bringing images down to Earth 87—8996
Marcus, F. *see* LeClercq, J. 85—15769, 85—43714, 86—18948
Marcus, G. *see* Leclercq, J. 86—56542
Marcus, J.S. KNET: a TCP/IP for the IBM/370 87—55805
Marcus, M. *see* Heffner, W.R. 85—52818
Marcus, M.A. Applications of polyvinylidene fluoride films 86—53848
Marcus, M.J. The regulatory point of view: ISDN in the United States 85—42101
Marcus, M.J. Recent US regulatory decisions on civil uses of spread spectrum 86—55162
Marcus, M.J. Technical deregulation: a trend in US telecommunications policy 87—33881
Marcus, M.J. Regulatory policy considerations for radio local area networks 87—69656
Marcus, M.W., Maria, G.A., Findlay, J.A. The Ontario Hydro state estimator 88—10764
Marcus, O.-W. *see* Giessler, W. 86—10797
Marcus, O.W. *see* Dermla, A. 88—52825
Marcus, P.M. *see* Wu, S.C. 86—13763
Marcus, R.B. The effect of semiconductor band bending on the electron beam induced carrier (EBIC) signal [n-n$^+$ junction] 85—40507
Marcus, R.B. Transmission electron microscopy of semiconductor materials and devices 86—21088
Marcus, R.B. Instrumental analysis of silicon materials and devices 87—17893

Marcus, R.B., Weiner, A.M., Abeles, J.H., Lin, R.S.D. High-speed electrical sampling by fs photoemission 86–67811
Marcus, R.B. *see* Dutta, N.K. 85–2286
Marcus, R.B. *see* Weiner, A.M. 88–13512, 88–39343
Marcus, R.R. *see* Fotowat-Ahmady, A. 85–48273
Marcus, S. Frequency-agile electro-optically Q-switched CO_2 laser for DIAL measurements 85–24469
Marcus, S., Stein, D.T. The effect of He^3 on CO_2 laser power 86–22297
Marcus, S., Stein, D.T. Piezoelectric *Q* switching of a CO_2 laser 87–26324
Marcus, S., Stein, D.T. The effect of $C^{13}O_2{}^{16}$ on the performance of a sealed-off pulsed CO_2 laser 88–65561
Marcus, S.I. *see* Hernandez-Lerma, O. 85–49430
Marcus, S.M. *see* Chollet, G. 87–47571
Marcus, S.M. *see* Ney, H. 86–36968
Marcuse, D. Computer simulation of laser photon fluctuations: Theory of single-cavity laser 85–7446
Marcuse, D. Computer simulation of laser photon fluctuations: single-cavity laser results 85–7447
Marcuse, D. Computer simulation of laser photon fluctuations: coupled-cavity lasers 85–35827
Marcuse, D. Computer simulation of laser photon fluctuations: DFB lasers 85–35828
Marcuse, D. Directional-coupler filter using dissimilar optical fibres 85–62292
Marcuse, D. Coupled mode theory of optical resonant cavities 86–22430
Marcuse, D. Coupling coefficients of coupled laser cavities 86–42599
Marcuse, D. Tilt, offset, and end-separation loss of lowest-order slab waveguide mode 87–18642
Marcuse, D. Directional couplers made of non-identical asymmetric slabs. I. Synchronous couplers 87–32967
Marcuse, D. Mode conversion in optical fibers with monotonically increasing core radius 87–32969
Marcuse, D. Trading coupling loss for modulation efficiency in electrooptic modulators 87–38856
Marcuse, D. Directional couplers made of non-identical asymmetric slabs. II. Grating-assisted couplers 87–46479
Marcuse, D. Influence of position of magnetooptic layer on differential phase shift of slab waveguide 88–1979
Marcuse, D. Bandwidth of forward and backward coupling directional couplers 88–26849
Marcuse, D. Launching light into fiber cores from sources located in the cladding 88–72032
Marcuse, D., Stone, J. Experimental comparison of the bandwidths of standard and dispersion-shifted fibers near their 'zero-dispersion' wavelengths 85–29602
Marcuse, D., Stone, J. Coupling efficiency of front surface and multilayer mirrors as fiber-end reflectors 86–48097
Marcuse, D. *see* Chraplyvy, A.R. 86–63822
Marcuse, D. *see* Miller, S.E. 85–2330
Marcuse, D. *see* Stone, J. 85–1986, 85–62287, 86–48098
Marcuse, H.R. *see* Zwijnenburg, A. 88–61244
Marcussen, B. The gas turbine as a prime mover for standby power applications 88–30591
Marcuta, C. *see* Goras, L. 85–28674
Marcuvitz, N. Quasi-particle method for propagation in inhomogeneous media 85–7612
Marcuvitz, N. *see* Lee, S. 86–63930
Marcuvitz, N. *see* Palocz, I. 86–78
Marcuzzi, E. *see* Frontin, S.O. 86–51836
Marcy, H.O. *see* Lyding, J.W. 88–60860
Marcyniuk, A. Formal and real accuracy of measurement 87–8494
Marcyniuk, A. What is the metrology being taught? 87–28895
Marcz, F. Three phases of post-storm events in ionospheric absorption 87–19179
Marcz, F. *see* Bencze, P. 85–64731
Marczak, A. *see* Kolek, A. 88–32685
Marczak, J., Rycyk, A., Szczurek, M. Influence of stimulated Mandelstam-Brillouin scattering on the time parameters of Nd:YAG laser pulse 87–39218
Marczak, J. *see* Denus, S. 86–36445
Marczewski, I. *see* Strzalkowski, S. 87–32513
Marczewski, W. The overlapped microstrip hybrid coupler design 88–50335
Marczewski, W., Niemyjski, W. The overlapped microstrip for MICs and MMICs 85–6490
Marczin, G. *see* Csabai, I. 87–53127
Marczonek, S. *see* Wiszniewski, A. 85–65309
Marczy, A. *see* Abrusan, G. 85–47426
Marczy, A. *see* Battistig, G. 86–23691, 88–60004
Marda, R.S. *see* Crowley, J.H. 85–53518
Mardaleishvili, I.R., Anisimov, V.M. Kinetic peculiarities of rhodamine 6G photodegradation in polymethylmethacrylate 87–26346
Mardani, R. *see* Farrier, D.R. 88–14745, 88–52416, 88–73147
Mardanshin, M.G. *see* Inogamov, A.A. 87–50844
Marder, A.R. *see* Stephenson, E.T. 86–63539
Marder, B. *see* Hofstadler, P. 86–14587
Marder, B.M. *see* Collins Clark, M. 88–25777
Marder, B.M. *see* Earley, L.M. 87–17631
Marder, B.M. *see* Miller, R.B. 88–36316
Marder, L.I. *see* Arzamastsev, D.A. 88–68790
Marder, M. *see* Kiriakidis, G. 88–24139
Marder, M.M., Surkov, M.N., Fedosov, V.P. Synthesis of sounding signals with low level of out-of-band radiation 88–35575
Mardesich, N., Garlick, G.F.J. Radiation damage of gallium arsenide production cells 88–37481
Mardesich, N., Gillanders, M. Integral diode solar cells 86–7033
Mardesich, N., Gillanders, M., Gavicchi, B. Production and characterization of high efficiency LPE AlGaAs space solar cells 87–4907
Mardesich, N. *see* Arnold, J.H. 87–9776
Mardesich, N. *see* Cavicchi, B.T 85–65460
Mardesich, N. *see* Gillanders, M. 86–7023, 88–37431
Mardesich, N. *see* Stofel, E.J. 86–7029
Mardesich, N. *see* Williams, R.D. 86–7046
Mardesich, N. *see* Zemmrich, D. 86–7048
Mardesich, N. *see* Zemmrich, D.K. 87–9778
Mardia, H.K. Adaptive multidimensional clustering for ESM 88–53333
Mardiguian, M. The parasitic radiation from fast logic circuits 85–57067
Mardiguian, M. Anti-parasitic measures in chopper power supplies. I 86–46531
Mardiguian, M. Interference suppression of switched-mode supplies 86–46534
Mardiguian, M. The problems of shielding at the future timing speeds 10-50 MHz 87–75475
Mardiguian, M. ESD testing, the need for a dual personal and material discharge simulation 88–2475
Mardiguian, M., White, D.R.J. ESD diagnostics and control [electrostatic discharge] 85–2586
Mardiguian, M., White, D.R.J. ESD diagnostics and control 85–13035
Mardiguian, M., White, D.R.J. Recent developments in the understanding of coupling paths of ESD through a metallic cabinet 86–15839
Mardiguian, M. *see* White, D.R.J. 85–7677, 86–3574
Mardirosyan, G.H. *see* Mishev, D.N. 87–57321
Mardling, R. *see* Hoare, R. 86–63856
Mardon, D., DeWitt, R.G., Sefton, R.E., Shimokura, S.H. Service capabilities of the ISDN network architecture 86–54744
Mardon, D.M. Technology planning for NYNEX 87–2787
Mardon, R. *see* Taille, G. 85–51920
Mardone, S.C. *see* Gong, K.F. 85–3523
Mardukhaev, I.N. *see* Duzhikh, F.P. 87–4546
Mardus, C. *see* Bragas, P. 86–69611
Mardynskii, Yu.S., Kondrashov, V.M., Denisenko, O.N., Zhukovskii, E.A., Ermakov, V.I., Kozlov, V.A. The Agat-P1 gamma-therapeutic apparatus with programmed control 86–25300
Mare, G.de *see* de Mare, G.
Mare, J.de *see* de Mare, J.
Mare, R.F.de la *see* de la Mare, R.F.
Mare, S. Non-intrusive testing using programme statistics 86–49792
Mareachen, R., Christesen, A., Poletto, G. Ferroresonance on 345 kV bus kills PT 87–4753
Marec, D. *see* Baratka, S. 86–68365
Marec, J. *see* Chollet, P. 88–12075
Marec, J. *see* Pavy, D. 88–65210
Marecek, V. *see* Chaloupka, J. 85–31438
Marechal, B., Froissart, M., Souza, M.N., Dawson, R.B. Distortionless bidimensional localization on a resistive plane: a pure hardware way 88–10250
Marechal, B., Tur, C.M., Silva Da Costa, M., Almeida, D.P., Barbosa, V.C. Proportional versus semiproportional region in gaseous detectors. A simple method of discrimination 86–32164
Marechal, J.C., Pernot, J.C., Encrenaz, P. A new 1.5K cryogenerator for radioastronomical use 87–20647
Marechal, L. Logic level FETs 85–18320
Marechal, L. The competitive role of power MOSFETs 85–34985
Marechal, L. The logic level FET at switching 85–35012
Marechal, L. Power MOSFET transistors 85–55855
Marechal, L. Designing in advanced CMOS [oscillators] 86–806
Marechal, L. Astable multivibrators concept with QMOS-circuits 86–62471
Marechal, L. Is the strengthening of LS/TTL by fast CMOS a reality? 87–10779
Marechal, L. The 'L^2FET', logic-level field effect transistor 87–25309
Marechal, L. The improved power-FET: COMFET in comparison with power MOSFETs 87–74288
Marechal, L. ASIC: circuit capture and the generation of a netlist 88–64690
Marechal, L., Woislawowicz, J. Bipolar transistor unit cell concept 88–13337
Marechal, L., Wolf, V. The development of monostable multivibrators using CMOS circuits 87–24004
Marechal, L.Le *see* Le Marechal, L.
Marechal, S. The movement towards interactive comfort 88–46563
Marechal, T. *see* Couprie, M. 88–7679
Mareche, J.F. *see* Ghanbaja, J. 87–11387
Marecki, J. Combined heat and power generating systems 88–62867
Maree, P.M.J. *see* Zalm, P.C. 85–33414, 87–52146
Mareels, I.M.Y. *see* Sethares, W.A. 88–59153
Mareev, E.A., Nemtsov, B.E. Linear interaction of waves in a magnetoactive plasma when periodic inhomogeneities are present 86–10111
Mareev, E.A. *see* Belikovich, V.V. 88–72547
Mareev, V.E. *see* Pozdnov, V.I. 85–40391
Mareeva, N.N. *see* Krylov, I.S. 87–56701
Marefat, K. *see* MacKenzie, B.T. 88–17167
Mareichev, A.V. *see* Fridberg, M.D. 86–22202
Marek, F. Computer technique in power system economics 85–15486
Marek, F. The use of an intelligent terminal for power system control in the NHKG industries 85–26951
Marek, F. The use of computers in the inventory of rotating electric machines, monitoring their failure rate and their repair 87–5110
Marek, F. Use of automated management systems in electric energy management 88–17042
Marek, F. Transputers and their practical use 88–56673
Marek, H.S. *see* Michel, C.G. 87–78919
Marek, I. Iterative methods for singular systems 87–36641
Marek, I., Zitny, K. A note on three-term recurrences and their numerical treatment 87–36670
Marek, I. *see* Janovska, D. 85–39649
Marek, J. Quantitative evaluation of LBIC signals at grain boundaries 86–2935
Marek, J. Analysis of spatial inhomogeneities in polycrystalline solar cells 86–7135
Marek, J., Dostal, L., Franc, M. Recording instruments manufactured at the Laboratory Instruments enterprise 88–67939
Marek, J., Kubecek, V., Hamal, K. Continuous Nd:YAG laser with light transmission by means of an optical fibre 86–48373
Marek, J.R., Gustin, R.F. Coordination principles for applying expulsion and backup current-limiting fuses for protecting distribution transformers 88–75164
Marek, J.R. *see* Martin, V.B. 88–24002
Marek, K. On deliveries of imported engineering and electrotechnical products 88–55911
Marek, M. The technology of working with live electrical equipment 86–25592
Marek, M. *see* Hrabanek, J. 86–45013
Marek-Sadowska, M. Global router for gate array 85–33850
Marek-Sadowska, M. Route planner for custom chip design 87–36899
Marek-Sadowska, M. Paid assignment for power nets in VLSI circuits 87–74359
Marek-Sadowska, M. *see* Dai, W.-M. 88–26425
Marek-Sadowska, M. *see* Jackson, M.A.B. 87–67493
Marek-Sadowska, M. *see* Li, J.-T. 85–1617
Marekha, A.S. Optimum filtering of phase-shift keyed signals with fadings 88–40948
Marel, G. *see* Bardin, G. 87–77536
Marelid, S. *see* Bergman, L.A. 88–52915
Marelli, E. *see* Barili, A. 88–69556
Marelli, G. *see* Arciprete, F. 87–33986
Marelli, L., Haskell, A., Gredel, J., Stanislas, M. European plans for handling off-line tasks of the ERS-1 86–12159
Maren, R.D.Van *see* Van Maren, R.D.
Marending, P. *see* Aepli, T. 87–2947
Marenkin, S.F. *see* Zdanowicz, W. 85–28979
Mar'enkov, A.A. *see* Turov, V.G. 86–37875
Marenny, A.M. *see* Hertzen, G.P. 87–29605
Marennyi, A.M. *see* Gertsen, G.P. 87–50183
Marentic, M.J. *see* Lee, J.Y. 87–8690
Marer, R.le *see* le Marer, R.
Mares, E.R. *see* Rochelle, A. 87–65016
Mares, J.A. Compact efficient YAG:Nd lasers pumped by semiconductor junction lasers or LED diodes 88–33976
Mares, J.A., Jacquier, B., Pedrini, C., Boulon, G. Fluorescence decays and lifetimes of Nd^{3+}, Ce^{3+} and Cr^{3+} in YAG 88–65615
Mares, J.A., Kubelka, J., Kvapil, J. About the luminescence properties of YAG:Nd, Ce and YAG:Nd single crystals and their relation to laser properties 87–7319
Mares, J.J., Kristofik, J., Smid, V., Deml, F. On space-charge-limited conduction in semi-insulating GaAs 88–71310
Mares, J.J., Kristofik, J., Smid, V., Zeman, J. On the DC conductivity in semi-insulating GaAs 87–11366
Mares, J.J., Smid, V., Kristofik, J., Stourac, L. Short-pulsed alloying of contacts on GaAs 85–55568
Mares, J.J. *see* Kristofik, J. 85–50218
Mares, J.J. *see* Kritofik, J. 85–55468
Mares, J.J. *see* Smid, V. 86–28056
Maresca, D. Automation of engine testing for quality assurance working environment and productivity 85–14625

Maresca, J.W., Jr., Georges, T.M., Carlson, C.T., Riley, J.P. Two states of real-time ocean wave-height mapping with HF skywave radar 86−65527
Maresca, M., Hungwen Li A VLSI implementation of polymorphic-torus architecture 88−70819
Maresca, M., Li, H. Morphological operations on mesh connected architecture: a generalized convolution algorithm 87−2632
Maresca, M. *see* Giordano, A. 85−6371, 86−1137, 86−17815, 86−49968, 87−39915
Maresca, R.L. A general method for designing low-temperature drift, high-bandwidth, variable-reluctance position sensors 86−65169
Maresca, R.L. A 400-watt, tristate switching controller for reciprocating linear motors 87−22413
Maresca, R.L. A 400-W tri-state switching controller for reciprocating linear motors 88−30743
Maresch, H. *see* Pfurtscheller, G. 85−38143
Mareschal, B. *see* Mladineo, N. 87−78038
Marescq, J.-P. *see* Labit, C. 88−27799
Marescq, J.P., Labit, C. Vector quantization in transformed image coding 87−19923
Marescq, J.P. *see* Labit, C. 87−33773
Mareske, A. Future flue gas cleansing in the Bewag power plants 87−64391
Mareske, A., Tillwicks, T. Daily load prognosis 86−32699
Maresov, A.N. *see* Berezin, I.V. 88−34302
Mareyen, M. *see* Germey, B.K. 85−56780
Mareyen, M. *see* Germey, K. 85−29933
Marfaing, J. *see* Cesari, C. 85−54488
Marfaing, Y. *see* Boudoukha, A. 86−8775
Marfaing, Y. *see* Cuniot, M. 86−27983
Marfaing, Y. *see* Lusson, A. 88−56249
Marfaing, Y. *see* Uzan, C. 85−6701, 86−8985, 88−33004
Marfin, V.P., Kiyashev, A.I., Rozenfel'd, F.Z., Izrail'son, V.M., Atayaants, B.A., Kagalenko, B.V., Meshcheryakov, V.P. Highly accurate contactless radio-wave level meter 87−63367
Marfin, V.P. *see* Karpukhin, N.I. 88−4347
Margadonna, D. *see* Scafe, E. 86−40711
Margagliano, A.F. *see* Weglein, R.D. 86−2564
Margail, J. *see* Auberton-Herve, A.J. 88−64779
Margail, J. *see* Cristoloveanu, S. 88−1456
Margail, J. *see* Jaussaud, C. 85−45514
Margail, J. *see* Stoemenos, J. 86−28053, 86−41705
Margala, J.-P. *see* Chapelet, A. 86−50711
Margalit, A., Reed, I.S., Gagliardi, R.M. Adaptive optical target detection using correlated images 85−58170
Margalit, M. Surface fitting and compression of two-dimensional scattered data 88−66525
Margalit, M.Y. Fundamental limitations on the performance of navigation systems 88−66602
Margalit, N. *see* Aker, W.E. 85−5359
Margalit, S. *see* Chen, T.R. 85−2278
Margalit, S. *see* Chen, Z.H. 85−45428
Margalit, S. *see* Izadpanah, S.H. 85−2298, 85−46380
Margalit, S. *see* Kapon, E. 85−2295, 85−18916, 85−24527, 85−24627, 86−42589
Margalit, S. *see* Katz, J. 85−12842
Margalit, S. *see* Lindsey, C.P. 85−7416
Margalit, S. *see* Mukai, S. 85−7423
Margalit, S. *see* Salzman, J. 85−51176, 85−56605
Margalit, S. *see* Smith, J.S. 86−7753
Margalit, S. *see* Yi, M.B. 85−29803, 86−28994
Margalith, E., Chuchem, D. A novel configuration for a supersonic-flow laser 86−3089
Margalith, E., Sutton, G.W. A theoretical analysis of stimulated Raman conversion 86−29229
Margan, E. Crossover distortion in class B amplifiers 87−63183
Marganitz, A. *see* Filbert, D. 85−31515
Margarino, A., Romano, A., De Gloria, A., Curatelli, F., Antognetti, P. A tile-expansion router 87−74356
Margaris, N., Petridis, V. PLL speed regulation of fractional horsepower series and universal motors 85−5127
Margaris, N., Petridis, V. Voltage pump phase-locked loops 85−28419
Margarit, D. *see* Fireteanu, V. 88−31209
Margarit, M. *see* Silard, A. 86−21537, 86−28303, 86−41776 to 41777, 87−25262, 87−74279
Margarit, M. *see* Silard, A.P. 87−6686
Margarit, M.N. *see* Silard, A.P. 87−67239
Margaritis, K., Bekakos, M.P., Evans, D.J. Pyramidical pipelining of AO cells for computing successive matrix powers 88−58279
Margaritis, K. *see* Evans, D.J. 87−68233, 88−26915 to 26916, 88−26919
Margaritondo, G. Present and future role of synchrotron radiation in heterojunction research 86−21241
Margaritondo, G. Controlling heterojunction band discontinuities. A surface physicist's approach 86−28008
Margaritondo, G., Brillson, L.J., Brusic, V., Chelikowsky, J.R., Grant, R.W., Rubloff, G.W. Semiconductor interfaces 87−11389
Margaritondo, G. *see* Bauer, R.S. 87−32314
Margaritondo, G. *see* Brillson, L.J. 87−1294, 87−53269
Margaritondo, G. *see* Cerrina, F. 87−38109, 88−48046, 88−48058
Margaritondo, G. *see* Chiaradia, P. 88−13020
Margaritondo, G. *see* Daniels, R.R. 85−55533
Margaritondo, G. *see* Davis, G.D. 85−34878, 87−17945 to 17946, 87−23703, 88−6500
Margaritondo, G. *see* Franciosi, A. 86−14936
Margaritondo, G. *see* Green, M.A. 88−47748
Margaritondo, G. *see* Kelly, M.K. 85−61762, 86−47395
Margaritondo, G. *see* Niles, D.W. 86−14889, 86−63083
Margaritondo, G. *see* Patella, F. 85−18135
Margaritondo, G. *see* Perfetti, P. 87−11472
Margaritondo, G. *see* Richter, H. 85−6842
Margaritondo, G. *see* Russo, B. 88−57367
Margaritondo, G. *see* Shaw, J.L. 88−44586, 88−64324
Margaritondo, G. *see* Stiles, K. 88−13008, 88−19741
Margaryan, A.L. *see* Panosyan, Zh.R. 87−26160
Margaryan, K.Zh. *see* Lorikyan, M.P. 86−5806
Margaryan, M.A. *see* Emtsev, V.V. 85−55440
Margaryan, Yu.L. *see* Kavalov, R.L. 85−26709, 85−59223, 87−17592
Margaryan, Zh.G., Movsisyan, G.L. New binary linear codes 85−51551
Margasahayam, P. *see* Trivedi, S.S. 88−48094
Margerum, E.A. *see* Lin, Z. 87−2621
Margerum, J.D. *see* Bak, C.S. 85−50336
Margerum, J.D. *see* Efron, U. 85−12663
Margerum, J.D. *see* Lim, H.S. 85−48440
Margeta, J., Baskovic, N. Optimal overload and storage during protection against large waves in the downstream areas [hydroelectric power stations] 85−9772
Margeta, J. *see* Mladineo, N. 87−78038
Margevicius, J. *see* Sucharczuk, M. 85−14314
Margheri, G., Russo, V. Fiber to fiber connections for medium and high power lasers 88−58138
Margheri, G. *see* Pluchino, F. 88−8383
Margheri, G. *see* Russo, V. 88−7875
Marghescu, I. Microprocessor based FSK detector 87−47484
Marghitu, V. *see* Neafu, V. 85−8988
Margineanu, I. *see* Saal, C. 86−6321, 87−16085
Margineanu, P. *see* Candea, R.M. 87−1225
Margineda, J. *see* Hernandez, A. 86−44409
Margineda, J. *see* Munoz, J. 88−29629
Margineda, J. *see* Represa, J. 86−52712
Margineda, J. *see* Rojo, M. 88−53843
Margineda, J. *see* Sanchez, M.C. 87−24415
Margiotta, A. *see* Calicchio, M. 88−29811
Margis, G. Electricity without borders, a new system: IFA 2000 87−50682
Margittai, A. *see* Houston, P.A. 87−74255
Margolese, D.I. *see* Prussin, S. 85−23429, 85−23637
Margolies, D.L. *see* Dassoulas, J. 85−53157
Margolin, A.D. *see* Shmelev, V.M. 88−20535, 88−27054
Margolin, A.M. *see* Biryukov, S.V. 87−24979
Margolin, B. Low-wattage switchers give their linear kin powerful competition 85−39905
Margolin, D.M. *see* Gorshkov, B.G. 86−22450
Margolin, G.G. *see* Guz', A.N. 87−10541
Margolin, J. Increasing the communication link between the connector manufacturers and their plater 88−38846
Margolin, M., Grois, I., Iyengar, M., Moore, J.E. Epoxyless polishless plastic connector for multimode fibers 87−12196
Margolin, M. *see* Corke, M. 88−35539
Margolin, M. *see* Essert, R. 87−12183
Margolin, M. *see* Grois, I. 86−65013
Margolin, M. *see* Johnson, L. 88−65247
Margolin, M. *see* Sellers, G.J. 88−13876
Margolin, Sh.M. Synthesis of valve electric drives invariant to a pulsating load 85−60457
Margolin, Sh.M. Effective protection of electric drive in stoppage regime 87−36187
Margolin, Sh.M. Power savings in continuous steel teeming plants 88−11516
Margolin, S.M. Reducing energy consumption in rectifier electric drives with cyclic loading 87−78981
Margolis, J.S. *see* Grant, W.B. 87−71291
Margolis, M., Hall, S.C. Application of an availability/cost optimization methodology to three power generating units 88−10940
Margolis, R.H. Magnitude estimation of loudness. III. Performance of selected hearing aid users 86−5990
Margolis, S.C. *see* Lewin, A.A. 85−20963
Margosian, J. Battlefield radar monitoring systems with the instantaneous frequency measurement receiver (IFMR) 85−8477
Margot-Marette, H. *see* Albert, J.C. 88−6579
Margozzi, P. A controlled wafer probing environment for R&D 87−6518
Margrave, J.L. *see* Badachhape, R.B. 86−58432
Margreve, O., Monseu, M. Current transformers for protection in the transitory state 88−55419
Marguerre, H. A new optical method for automated visual testing 88−10125
Marguerre, H. Optical preparation of image data with directional filter for automatic inspection 88−46188
Marguerre, H.-H. Frequency multiplication in the case of a constant phase relationship 86−1329
Marguerre, H.-H. The light-technical solution of visual inspection tasks with optical picture recording sensors 88−70150
Marguier, P.H.J. *see* Ceder, A. 85−54245
Margules, G.S., MacGregor, D.C., Kane, J.A., Livingston, A.R. Functional mechanisms of polymer-based in vivo reference electrodes 87−21515
Margules, G.S. *see* Miller, S.L. 86−38823
Margulies, A.E., Deluca, R.A., Miskolczy, G. Thermionic cogeneration in an industrial boiler application 86−61755
Margulies, N. *see* Beard, R.B. 87−63809
Margulies, S., Ozelis, J. A fast VUV light pulser for testing ring-imaging Cerenkov counters 86−50340
Margulies, T.S. *see* Blond, R.M. 85−43838
Margulis, A. Integrated single-sideband modulators implemented on soft substrate 86−8064
Margulis, A. Modular design of passive components improves system performance 86−53023
Margulis, F.S. *see* Bubman, D.R. 85−8292
Margulis, S.D., Nunez, F. Data acquisition system for sensor units. II. Analogue/digital convertor system 87−3516
Margulis, W., Grivitskas, V., Adomaitis, E., Dobrovolskis, Z., Krotkus, A. A simple technique to generate or gate microwave pulses with picosecond speeds 87−45289
Margulis, W., Osterberg, U. Four-photon fiber laser 87−61239
Margulis, W., Osterberg, U. Second-harmonic generation in optical glass fibers 88−40342
Margulis, W., Osterberg, U. Frequency-doubling in glass fibers 88−58688
Margulis, W., Osterberg, U., Stoltz, B., Gomes, A.S.L., Sibbett, W. An ultrafast differentiator and its use in picosecond laser pulse measurement 85−52882
Margulis, W., Persson, R. Coaxial electrical pulse shaper for picosecond electronics 85−64088
Margulis, W. *see* Baggs, M.R. 86−5072
Margulis, W. *see* Gomes, A.S.L. 87−12321
Margulis, W. *see* Krotkus, A. 88−58067
Margulis, W. *see* Osterberg, U. 86−68488, 87−26007
Margulova, T.Kh. Initial superheating of steam at nuclear power stations with water-moderated water-cooled reactors 87−64269
Margulova, T.Kh., Bursuk, L.M., Voronkova, V.V., Tyapkov, V.F. Structures of steel surfaces under the conditions of the condensate circuit of supercritical power-generating units and single-loop nuclear power stations107 Margulova, 85−4779
Margulova, T.Kh., Mamer, V.A., Tyapkov, V.F., Yurmanov, V.A., Bogdanov, N.I., Gromova, A.I., Belous, V.N., Baranov, V.N. State of corrosion of the condensate circuit of nuclear power stations with RBMK reactors over a period of outage [channel-type uranium-graphite boiling reactors] 86−45069
Margulova, T.Kh., Mamet, V.A., Fedulova, E.V., Yurmanov, V.A. The content of hydrogen peroxide and radioactive decomposition gases in the coolant of a nuclear power station with channel-type uranium-graphite boiling reactors when working at rated capacity 86−61281
Margulova, T.Kh., Titov, V.F. Improvement of the separation characteristics of steam generators of nuclear power stations with water-moderated water-cooled (VVER) reactors 85−65049
Margulova, T.Kh., Titov, V.F. Improving the operational reliability of heat-exchange tubes of steam generators of nuclear power stations with water-moderated water-cooled reactors 86−65881
Margulova, T.Kh., Zorin, V.M. Water-chemistry of the secondary loops of nuclear power stations with water-moderated water-cooled reactors 88−55132
Margulova, T.Kh., Zorin, V.M., Tyapkov, V.F., Yurmanov, V.A. The water treatment plant of nuclear power stations with RBMK-1500 reactors 85−4782
Margulova, T.Kh., Zverev, V.A., Kozlov, I.L. Oxygen water treatment of the secondary loops of nuclear power stations with water-moderated water-cooled reactors 86−61282
Margulova, T.Kh. *see* Luchkin, V.G. 87−42590
Margulova, T.Kh. *see* Siryapina, L.A. 85−48707, 86−32955
Marha, K., Charron, D. The distribution of a pulsed very low frequency electric field around video display terminals 86−5033
Marhefka, R.J., Aberegg, K. UTD interaction between plates for backscatter 86−42826
Marhefka, R.J., Chiang, K.C. UTD bistatic scattering from a finite cylinder 85−13093
Marhefka, R.J., Ebihara, W. UTD bistatic scattering from a cone frustum 88−2544
Marhenkel, H., Vollmer, H. The use of water power as a regenerative source of energy 86−70827
Marhic, M.E. Combinatorial star couplers for single-mode optical fibers 85−12630

Marhic, M.E., Birk, Y., Tobagi, F.A. Selective broadcast interconnection: a novel scheme for fiber-optic local-area networks 86−23483
Marhic, M.E., Selig, G.W., Bjelkhagen, H.I. Holographic 1XN couplers for single-mode fibers 88−13861
Marhic, M.E., Tobagi, F.A. Experimentation with a fibre optic implementation of Expressnet 88−35153
Marhic, M.E. *see* Altkorn, R. 88−58124
Marhic, M.E. *see* Birk, Y. 87−20554, 88−59702
Marhic, M.E. *see* Bjelkhagen, H.I. 88−20797
Marhic, M.E. *see* Nassehi, M.M. 86−23464
Marhic, M.E. *see* Pan, A. 87−32978
Marhic, M.E. *see* Raviv, G. 86−2758
Marhofer, M. An approach to modular test generation based on the transparency of modules 87−66089
Marhofer, M. *see* Gerner, M. 87−1100
Mari, B. *see* Segura, A. 86−33689, 86−40152
Mari, C.M., Gutierrez Monreal, F.J. Solid-state resistive and electrochemical sensors in gas analysis: a survey 87−21042
Mari, C.M., Terzaghi, G. Solid-state oxygen meter equipped with CeO_{z-x} thick-film electrode: determination of composition of CO/CO_2 gas mixtures 88−74377
Mari, C.M. *see* Gutierrez Monreal, F.J. 87−70612
Mari, F. *see* Bertone, F. 85−19607
Mari, J. *see* Haton, J. 87−61706
Mari, J.F., Roucos, S. Speaker independent connected digit recognition using hidden Markov models 86−3817
Maria, G. *see* Kim, J. 86−6248
Maria, G.A., Findlay, J.A. A Newtonian optimal power flow program for Ontario Hydro EMS 87−77934
Maria, G.A. *see* Marcus, M.W. 88−10764
Maria, L.De *see* De Maria, L.
Maria, R.-K., Pal, S.P., Branko, V., Igor, D. Characteristics of some TLDs for low dose measurements 85−38271
Maria, R.J.de *see* de Maria, R.J.
Maria, V.Di *see* Di Maria, V.
Mariak, F. Sensors with 'Wiegand' wire 87−14285
Mariam, F.G. *see* Badertscher, A. 85−64417
Mariam, F.G. *see* Wilson, S.L. 88−29827
Marian, A. Pre-programmed colour corrector for a slide scanner [DC 40L 40A] 85−37275
Marian, F. *see* Silverman, E. 88−62091
Marian, V. *see* Albert, H. 88−42833
Mariani, A. *see* Coppadoro, G. 88−67201
Mariani, E. Long, medium and short term scheduling in a hydro-thermal electric power system 86−18655
Mariani, E. Long, medium and short term scheduling of a hydro thermal power system 86−44869
Mariani, E., Vergelli, L. Commitment of spinning reserve in a hydro-thermal power system 88−42778
Mariani, E., Wiklund, L. Hierarchical organisation of control centres 85−53251
Mariani, E. *see* Ansart, J.P. 87−34210
Mariani, E.A. Terms and definitions for surface acoustic wave devices 86−2505
Mariani, F. *see* Neubauer, F.M. 87−77379
Mariani, G. *see* Falchi, E. 86−25204
Mariani, J. Speech technologies in Western Europe−a review. I. France and the UK 86−36977
Mariani, J. *see* Quenot, G. 87−19574, 88−70842
Mariani, L. Technical aids for handicapped: recent results, problems and perspectives 85−31863
Mariani, L. Numerical radiology: present position, problems and prospects 86−5904
Marianneau, G., Hauden, D., Gagnepain, J.J. Integrated oven controlled quartz crystal oscillator 87−31752
Mariano, D.L. *see* Massetti, M.A. 88−64712
Mariano, M. *see* Klir, G.J. 88−8640
Mariano, R. Prediffused networks [CMOS gate arrays] 86−28483
Mariano, R. *see* Hockney, R., Sr. 86−38907
Mariano, T.R. *see* Durfee, W.K. 88−61464
Mariano Aceves, M., Torres, A., Monico Linares, A., Prieto, A., Glaenzer, R., Worley, J. Analog basic building blocks for communication systems 87−52735
Marianov, V. *see* Rios, M. 86−43578
Marianowski, L.G. *see* Donado, R.A. 85−27624 to 27625
Marianski, B. *see* Rondio, J. 86−44565
Mariassy, P. *see* Csabay, O. 85−61754
Maribo, D., Sondergaard, N.A. Further studies of a low melting point alloy used in a liquid metal current collector 87−43063
Maribo, D., Sondergaard, N.A. Further studies of a low melting point alloy used in a liquid metal current collector 88−23953
Maric, I. Linearization of the measurement system characteristics by autocalibration and polynomial approximation 88−53527
Maric, S., Drinic, P., Cajavec, R., Luka, B. Microprocessor real-time emulation 88−38560
Maric, T. Foundation stone of the transmission line pole 88−61958
Maric, T., Jakelja, I. Distribution columns 87−78180
Maric, T. *see* Lakic, Z. 87−78122
Maricot, S. *see* Verriele, H. 86−4635
Marid, S.I., Grezhoi, I.P., Zaretskii, V.Z., Dolgonosov, N.S., Khobotov, E.N. Training aid for machine operators on 250 MW district-heating power units 86−39523
Marie, F. *see* Geiger, D. 85−64039
Marie, F. *see* Pelisse, F. 88−68351
Marie, G. *see* Arragon, J.P. 86−55403
Marie, K.S., Saffo, N.M., Abbosh, A.M., Mohammed, A.M. Microwave backscattering from a metallic cylinder and the effect of a concealing dielectric plate 86−29337
Marie, P. *see* Sallio, P. 87−27611
Marie, R., Rubino, G. An approximation for a multiclass ./M/1/FIFO queue imbedded in a closed queueing network 86−62007
Marie, R.A., Reibman, A.L., Trivedi, K.S. Transient analysis of acyclic Markov chains 88−285
Marie Haussonne Jean *see* Haussonne Jean Marie
Mariella, R.P., Jr., Steinhauser, S.W., Diebold, A.C. Dry process ultraviolet patterning of paracyclophane to polyparaxylylene 88−13077
Marien, J. *see* Sansen, W. 88−36516
Marien, K. *see* Prichard, H.M. 85−53106
Marien, K.-H., Pitz, E. Measurement of the absolute quantum efficiency of a charge-coupled device in the ultraviolet 88−4461
Marier, D. Hybrid energy systems 85−4862
Marier, D. Hydro project updates 85−4984
Marier, D. Hydro project updates 85−38882
Marier, D. Double and double again 85−60098
Maries, H. *see* Cocos, E. 85−39325
Maries, K. *see* Davis, B.W. 88−53265
Maries, K. *see* Martin, R.J. 87−11027
Marietta, M. *see* Milligan, T. 86−1194
Mariette, H. *see* Siegrist, T. 86−52445
Mariette, H. *see* Tenne, R. 87−66908, 88−33040
Marietti, P. *see* Bolle, G. 85−37623
Marietti, P. *see* Ciccarella, G. 87−59747
Marigodov, V.K. Comparison of traffic capacity of systems with parallel optimum predistortions and linear filtering 85−51525
Marigodov, V.K. Estimate of the effectiveness of control channels in systems with adaptive predistortion 86−16087
Marigodov, V.K. Gain-theoretic estimation of the efficiency of optimal linear signal filtering 88−52446
Marigodov, V.K., Ivashkov, S.V., Puzanov, M.V. Effectiveness of signal prediction with adaptation to noise situation 88−21178
Marigodov, V.K., Novozhilov, V.B., Ivashkov, S.V. Efficiency of nonlinear adaptive predistortion of signals 87−47722
Marigodov, V.K. *see* Ivashkov, S.V. 87−8430
Marigodov, V.K. *see* Krasnov, L.M. 85−13557
Marik, J., Matejka, R. A local, computer controlled telex network 88−66903
Marik, V., Zdrahal, Z. Expert systems−the tool for technical diagnostics 87−14081
Mariki, A., Ochi, E., Ogawa, K., Miyabe, H., Hirai, J. Simple operational message box and other voice message services 86−54822
Mariki, G.E., Yeh, C. Dynamic three-dimensional TLM analysis of microstriplines on anisotropic substrate 85−62867
Marikoda, G.I. *see* Geiderman, Zh.P. 86−25645
Marikova, E. *see* Surova, H. 85−38167
Marillac, M.Donker de *see* Donker de Marillac, M.
Marillaud, A. *see* Bernard, J. 86−65432
Marilleau, J. *see* Billardon, M. 87−2141
Mariller, C., Lequime, M. Fiber-optic 'white-light' birefringent temperature sensor 88−36033
Mariller, C., Papuchon, M. A simple and wide optical bandwidth TE/TM converter using Z propagating $LiNbO_3$ waveguides 86−9628
Mariller, F., Mattmann, J.P. Low-voltage system cables. Advantages of crosslinked polymers and the 'Ceander' construction 87−35648
Marimatsu, Y. *see* Mitsuda, A. 86−39555
Marimont, A.L. *see* Balakin, A.A. 86−36875
Marimont, D.H. *see* Baker, H.H. 88−3275
Marimont, Yu.I. *see* Belovolov, M.I. 88−41700
Marimont, Yu.I. *see* Kirik, Yu.M. 87−49292
Marimuthu, P. *see* Palamisamy, K.R. 86−33394
Marin, A. *see* Calicchio, M. 88−29811
Marin, A. *see* Incandela, J.R. 88−54417
Marin, C. *see* Mereanu, A. 87−58142
Marin, G. *see* Cramariuc, R. 87−59020
Marin, G. *see* Tanasescu, F.T. 85−60602, 87−56925
Marin, G.A. *see* Lawrence, G.R. 86−49334, 87−14961
Marin, J.-Y. *see* Tretout, H. 87−16762
Marin, M., Catedra, M.F. Hybrid techniques for computing the input impedance of a monopole on a disk 86−29576
Marin, M., Catedra, M.F. Input impedance of an off-axis monopole on a circular disk 86−42821
Marin, M., Catedra, M.F. A study of a monopole arbitrarily located on a disk using hybrid MM/GTD techniques 87−54694
Marin, M., Jambrina, J.F. Extension of image theory for analysis of a wire parallel to a circular cylinder 87−7585
Marin, M., Jambrina, J.F. Input impedance and coupling between wire antennas on a box over ground plane−measurements and theoretical results using hybrid MM/GTD techniques 87−27017
Marin, M.A. *see* Habib, M. 88−11277
Marin, M.Yu., Pil'skii, V.I., Polonskii, L.Ya., Pyatnitskii, L.N., Reingol'd, A.V. Laser initiation of discharges in weak electric fields 88−57244
Marin, M.Yu., Pil'skii, V.I., Polonskii, L.Ya., Pyatnitskii, L.N., Spektor, B.I. Formation of a plane plasma channel during optical breakdown and its use for switching electrodes 87−59946
Marin, N. *see* Voinigescu, S. 88−50403
Marin, O.J. *see* Mucino, V.H. 85−60144
Marin, P.C. Storage rings at Orsay 88−47740
Marin, P.C. *see* Level, M.P. 85−64394, 86−31931, 88−47964
Marin, P.C. *see* Zyngier, H. 86−25104
Marin, P.S., Braun, H.E., Davis, J.B. Reactor plant licence/lifetime extension 85−53486
Marin, R., Mira, J., Iglesias, M. A microcomputer system for automatic control of acoustic stimulation in nonstress foetus sensorial state evaluation test 86−32297
Marin, R., Ollero, A., Bernardez, J. Water turbine generator modelling and speed control in a small hydropower station 88−48814
Marin, R. *see* Garcia Cerezo, A. 86−44090
Marin, R. *see* Ollero, A. 88−5651
Marin, R. *see* Rios, F. 85−20657
Marin, R.M., Ferdj-Allah, L., Brun, G., Tedenac, J.C. Physical properties of phase $Ag_{19}Sb_{29}Te_{52}$ 85−40473
Marin, R.M., Tedenac, J.C., Brun, G. Preparation and properties of $AgTlTe_2$ 85−55508
Marin, R.S. *see* Brenner, R.P. 87−50330
Marin, S., Turcu, I. Experimental determination of the optical performances of solar power plant heliostats 87−64473
Marin, S. *see* Popescu, C. 85−53605
Marin, S.P. *see* Hickling, R. 86−50770, 88−30198
Marin, S.Santos *see* Santos Marin, S.
Marin, V.N. *see* Vasil'chenko, V.G. 87−8868
Marinaccio, R.E., Bergsma, D.B. Self-protection CM: present and future 87−39404
Marinaccio, R.E. *see* Moore, R.A. 86−59097
Marinace, J.C. Cryogenically-pumped, variable-pressure, chemical vapor deposition and vapor phase epitaxy reactor and process 85−44778
Marinari, C. *see* Ferrero, C. 86−11741
Marinca, St. On the influence of stray magnetic fields on the clamp-on AC current transducers 86−60233
Marincic, A., Benson, F.A., Tealby, J.M. Measurements of permittivity by the use of surface waves in open and closed structures 87−17302
Marincic, A., Benson, T.M., Farhat, K.S. Ray theory design of hyperbolic secant horn 86−42989
Marincic, A. *see* Mladenovic, M. 87−52816
Marincic, A. *see* Ratkovic, Z. 88−2906
Marincic, A.S. *see* Milovanovic, B.D. 86−31568
Marincic, N. Lithium batteries with liquid depolarizers 85−10094
Marincic, N. *see* Kane, P. 87−43342
Marincic, P., Milic, M. Elimination of harmonics in thyristor convertors 86−19372
Marincic, P., Vukadin, I. Transistor inverter for AC motor drives 86−70912
Marincola, P. *see* Cusani, R. 86−10885
Marine, W. *see* Cesari, C. 85−54488
Marinelli, A. Equipment for functional sound broadcasts. I 85−3563
Marinelli, A. How to install a personal loudspeaker 85−3802
Marinelli, A. Equipment for functional sound broadcasts. III 85−20305
Marinelli, A. Know your microphone better 86−17685
Marinelli, C., Jr. *see* Crossan, D. 88−18771
Marinelli, M. *see* Di Marcantonio, U. 85−18785
Marinelli, M. *see* Vitali, G. 85−12070
Marinelli, W.A. *see* Alaska, Y.A. 88−70260
Marinelli, W.J. *see* Allen, M.G. 88−27265
Marinello, G. *see* Visocekas, R. 85−52977
Marinenko, M.A. Statistically optimum estimation of a process on the basis of samples distorted by non-Gaussian noise 87−68809
Marinenko, M.A. *see* Marinenko, V.A. 88−27883
Marinenko, M.A. *see* Zhuravin, L.G. 85−36591
Marinenko, V.A., Marinenko, M.A., Tishin, P.I. Use of nonlinear filtering algorithms for the statistical analysis of geoelectric processing signals 88−27883
Mariner-Volpe, B. *see* Kydes, A.S. 86−12545
Marinero, E.E. Laser interactions with optical recording materials 88−13786
Marinero, E.E., Miller, D.C., Bell, A.E., Gupta, A., Payne, R.N., Notarys, H. Oxidation induced magnetic and structural changes in magneto-optical alloys 88−57896
Marinero, E.E. *see* Baum, T.H. 87−11694
Marinero, E.E. *see* Kung, A.H. 85−7511

Marinero, E.E. *see* Polasko, K.J. 85—34713
Marinero, E.E. *see* Rettner, C.T. 85—19024
Marinescu, A. A pulse-excited sinusoidal current source 85—33625
Marinescu, A., Catana, S. Direct numerical measurement of the proportion of voltage dividers of high tension 85—31547
Marinescu, A., Gaber, E., Filiseanu, V. Equipment for producing commutation supervoltage using cascaded transformers 88—62406
Marinescu, A. *see* Marinescu, E. 87—49990
Marinescu, D., Rego, V., Szpankowski, W. Modeling of an availability driven computer network architecture 88—3612
Marinescu, D.C. Reliability aspects of functional communication 88—21689
Marinescu, D.C., Rego, V., Szpankowski, W. Heterogeneous local networks supporting scientific and knowledge processing based upon a token passing ADMA system 87—34180
Marinescu, D.C., Rego, V., Szpankowski, W. Availability driven multiple access network architecture 87—55791
Marinescu, D.C. *see* Lin, C. 88—306
Marinescu, E. Improvement of the magnetoelastic properties of the Romanian cold-rolled silicon steel 86—2585
Marinescu, E., Marinescu, A. Industrial equipment based on magnetoelastic tensometry for the measurement of nonelectric quantities 87—49990
Marinescu, E. *see* Dinca, M. 88—17252
Marinescu, G. Influence of the up-dating rate on the overall resources consumption of the power objectives 85—38414
Marinescu, I., Giurgiu, V., Marinescu, M. Oscillating circuit-current supply for high-power laboratories 88—31983
Marinescu, I. *see* Giurgiu, V. 88—62504
Marinescu, M. Influence of pole arc and air gap geometry on the cogging torques of permanent magnet excited motors 88—43134
Marinescu, M., Marinescu, N. Anisotropy effects in permanent multipole magnets 85—24191
Marinescu, M., Marinescu, N. Numerical computation of torques in permanent magnet motors by Maxwell stresses and energy method 88—55283
Marinescu, M. *see* Marinescu, I. 88—31983
Marinescu, N., Cristescu, S., Bodea, M. βL-100 integrated circuit for analogue display on a LED array. I. Description of the circuit 86—11645
Marinescu, N. *see* Iordache, M. 85—33591, 87—64129
Marinescu, N. *see* Marinescu, M. 85—24191, 88—55283
Marinescu, O. *see* Alecu-Calusita, M. 87—58144
Marinescu, R. The use of ellipsometry measurements in process control during phosphorus-ion implantation of silicon 86—15028
Marinescu, R. *see* Silard, A. 85—10114
Marinetto, R. *see* Nilsson, A.O. 86—61435
Marini, A. *see* Calicchio, M. 88—29811
Marini, G. *see* Catanesi, M.G. 87—29686, 87—77548
Marini, G. *see* D'Agostini, G. 87—21466
Marini, G. *see* De Vincenzi, M. 86—65331
Marini, G. *see* Gasparini, F. 88—42440
Marini, L.D. Estimates from above and from below for the homogenized coefficients 87—52056
Marini, L.D., Savini, A. Accurate computation of electric field in reverse-biased semiconductor devices: a mixed finite-element approach 85—6878
Marini, L.D. *see* Brezzi, F. 86—13665, 88—44729
Marini, M. *see* Andretta, M. 85—40400, 87—1131
Marini, M. *see* Catelani, M. 87—70341, 88—15884
Marini, M. *see* Iuculano, G. 86—62384
Marini, P. ASIC: new frontier of electronics 87—44761
Marinichev, E.G., Sikarev, A.A. The maximum efficiency of frequency-time signal in an adaptive communication line 86—43114
Marinier, J.-P. *see* Kupecek, P. 86—15754
Marinier, J.P. *see* Babuel-Peyrissac, J.P. 86—36583
Marinier, J.P. *see* Bardin, C. 86—36584
Marinis, T.F., Reinert, R.C. Isothermal aging characteristics of external lead solder connections 86—14732
Marinis, T.F. *see* Deane, P.A. 87—66710, 88—56006
Marinis, T.F. *see* Dunn, D.S. 86—13474
Marinis, T.F. *see* Pongracz, D.J. 88—10101
Marinko, J. *see* Gafvert, U. 88—51089
Marinkovic, S. *see* Komljenovic, M. 87—49464
Marinkovic, V. *see* Ilic, R. 87—29664
Marino *see* Green, R. 85—64733
Marino, A. *see* Bizzarri, U. 85—56703, 87—2168, 87—68542
Marino, A. *see* Ciocci, F. 87—75149
Marino, A. *see* Fiorentino, E. 87—41806
Marino, A.A. Electrical stimulation in orthopaedics: past, present and future 85—53089
Marino, A.A., Deitch, E.A., Albright, J.A. Electric silver antisepsis 85—53088
Marino, A.M., Sicilian, J. Utility sponsored information and financial incentive programs: an analysis of economic efficiency 87—15193
Marino, C. *see* Pendelton, J.M. 87—17154
Marino, C. *see* Pendleton, J.M. 87—10905
Marino, D., Massaro, P.A. The punctual Pade approximants (PPA) as a digital filter design tool 86—27491
Marino, D.M. Phone-answering systems are constant and reliable 85—13989
Marino, G. *see* Cattaneo, G. 88—18579
Marino, J., Gilbert, B. Improving AM sound: the NRSC standard 88—15732
Marino, J.B. *see* Masgrau, E. 86—29753, 87—27330
Marino, J.B. *see* Nadeu, C. 85—57300, 87—47605
Marino, N. *see* Campisano, S.U. 87—67081
Marino, P. *see* Gawrys, G.W. 87—27826
Marino, P. *see* Izzo, A. 88—17638
Marino, P.J., Wood, D.A., Jr. AT&T Communications ISDN plans 86—16733
Marino, R. Hamiltonian techniques in control of robot arms and power systems 87—4298
Marino, R., Ilic-Spong, M. Stabilization and voltage regulation of electric power systems with (*P*, *Q*) load buses preserved 86—56384
Marino, R. *see* Bachman, M. 85—26527
Marino, R. *see* Ilic'-Spong, M. 87—51169
Marino, R.M. *see* Parker, J.K. 88—67485
Marino, S.J. *see* Tyan, Y.-S. 86—36550
Marino-Acebal, J.B., Marti-Ros, J. Adaptive prediction and bit-assignment in subband coding of speech 86—29825
Marino-Acebal, J.B. *see* Masgrau-Gomez, E. 87—47578
Marinoni, G. *see* Pera, L. 88—27338
Marinos, P.N., Kanopoulos, N. GaAs technology insertion in high performance digital signal processor design 87—5918
Marinos, P.N. *see* Frenzel, J.F. 85—17487
Marinos, P.N. *see* Kanopoulos, N. 85—33975, 85—49938
Marinos, P.N. *see* Kildiran, G. 87—37368
Marinos, P.N. *see* Vasanthavada, N. 86—46752, 87—831, 87—44999, 88—44260
Marinos, P.N. *see* Vesanthavada, N. 87—37237
Marinot, L. *see* Guerin, M. 87—41286
Marinov, C. Approximation of solutions of nonlinear systems 87—5643
Marinov, C.A. The delay time for a r.c.g. line 87—31670
Marinov, C.A., Neittaanmaki, P. Delay time for general distributed networks with application to timing analysis of digital MOS integrated circuits 87—5747
Marinov, C.A., Neittaanmaki, P. A theory of electrical circuits with resistively coupled distributed structures: delay time predicting 88—31913
Marinov, M.I., Syrtmadzhiev, A.D. Results of investigating the emergency conditions with an open safety valve of the VVER-440 reactor compensator 86—25744
Marinov, V.M., Donchev, D.S. Effect of operating conditions on the reliability of asynchronous motors in the chemical industry 88—18260
Marinova, A.M. *see* Korotchenkov, G.S. 85—34672, 85—34679
Marinovic, N. Explosion protected electrical apparatus in Yugoslavia and its relation to European Standards 85—16714
Marinovic, N. Explosion protection of electric devices 87—43909
Marinovic, N., Skrgatic, R., Katunaric, N., Musladin, S. A new medium-voltage switching unit for mines 86—33891
Marinovic, N., Zivkovic, R. Flame transmission testing of explosion-proof motors of Group II C 86—12772
Marinovic, N. *see* Roytman, L.M. 88—899, 88—6981, 88—8748
Marinovic, N.M., Eichmann, G. An expansion of Wigner distribution and its applications 86—16398
Marinovic, N.M., Oklobdzija, V.G., Roytman, L. VLSI architecture of a real-time Wigner distribution processor for acoustic signals 88—71777
Marinovic, N.M., Smith, W.A. Application of joint time-frequency distributions to ultrasonic transducers 86—70549
marinovic, N.M., Smith, W.A. Suppression of noise to extract the intrinsic frequency variation from an ultrasonic echo 87—3966
Marinovic, N.M. *see* Eichmann, G. 86—16531
Marinovic, N.M. *see* Kasparis, T. 87—69322
Marinowa, N. *see* Philippow, E. 85—55029, 85—55335
Marinucci, C., Gillis, P. Stress analysis of the NET-II toroidal field coil based on the SIN conductor concept 86—28757
Marinucci, C., Gillis, P. Effects of material constant variation on the global stress analysis of large toroidal field coils 86—48050
Marinucci, C., Horvath, I., Weymuth, P. Thermohydraulic analysis of the SIN conductor for the NET toroidal field coil 88—65069
Marinucci, C., Kwasnitza, K., Gillis, P., Vecsey, G. The SIN contribution to the NET toroidal field coil system studies 86—42185
Marinucci, C., Wassermann, C.U. Stress analysis of the SIN conductor for the NET TF-coil 87—67989
Marinucci, C. *see* Horvath, I. 85—1935
Marinucci, C. *see* Jakob, B. 88—65084
Marinucci, C. *see* Malavasi, G. 87—67986
Marinucci, C. *see* Vecsey, G. 85—56231
Marinucci, C. *see* Zichy, J.A. 85—56232, 86—53925
Marinucci, C., Weymuth, P. *(editor)* Proceedings of the 9th International Conference on Magnet Technology. MT-9 1985 86—42668
Marinyako, V.A. *see* Afinogenov, S.V. 88—24883
Mario, P.R.Di *see* Di Mario, P.R.
Mario Andreoni, A. *see* Viciana, J. 86—50949
Marioli, D., Manfredi, P.F., Massetti, P. On the feasibility of front-end electronics for microstrip vertex detectors under the operating conditions of large hadron colliders 88—54406
Marioli, D., Sardini, E., Taroni, A. Shape determination and robot arm control positioning by means of ultrasonics 88—42692
Marioli, D., Sardini, E., Taroni, A. Ultrasonic instrumentation: a microprocessor-based profile determination 88—48398
Marioli, D. *see* Baland, J.F. 88—48000
Marioli, D. *see* Caccia, M. 87—35341
Marioli, D. *see* Igiuni, A. 85—15171
Marion, A. Frequency synthesis: the development of techniques 86—44333
Marion, B. *see* Freen, P.D. 88—37562
Marion, D. *see* Audaire, L. 88—74477
Marion, J. Strengthened solid-state laser materials 86—9448
Marion, J. *see* Eimerl, D. 88—20751
Marion, J.E. Fracture of solid state laser slabs 86—63779
Marion, J.E. Development of high strength solid state laser materials 87—7311
Marion, J.E. Appropriate use of the strength parameter in solid-state slab laser design 87—75051
Marion, J.E. Fracture mechanisms and strengthening of slab lasers 88—20615
Marion, J.E. Fracture of solid state lasers 88—51784
Marion, J.E. *see* Krupke, W.F. 86—29101
Marion, J.E. *see* Summers, M.A. 87—46828
Marion, J.L. *see* Koucky, R.W. 87—42671
Marion, R. Human factors in the use of a multifunction telephone set 87—13485
Mariotti, L. A stabiliser for alternating current 86—67089
Mariotti, R., Buxton, W., Frankel, R., Hoff, L. Generic device controller for accelerator control systems 88—54125
Maripov, A.M., Ismanov, Yu.Kh., Toktosunov, R.T. Representation of optical images using genetic functions and the synthesis of stylized images 87—19912
Maripov, A.M., Ismanov, Yu.Kh., Toktosunov, R.T. Computer-modelling of the defocusing of contour images 87—19913
Maripuu, E. *see* Rikner, G. 85—53103
Marir, F., Shakaff, A.Y.Md., Holt, A.G.J. Two-dimensional convolution using number theoretic transforms without matrix transposition and without overlap 86—3970
Marir, F. *see* Boussakta, S. 88—41022
Maris, A.T., Potash, R.L. Ferry design for vehicle and passenger transportation in the 1980s 85—5460
Maris, O., Popa, S.D., Musa, G. A simple device for measurement of the secondary emission coefficient 87—6319
Maris, R.J. MAC64: measuring instrument package for the 'small purse'—a personal instrument with the Commodore 64 87—49458
Maris, T., Lygdis, A., Giannakopoulos, G., Vovos, N.A. Transient stability study of weak AC systems in the presence of HVDC links 88—5331
Maris, T. *see* Lygdis, A. 88—10706
Maris, Z. *see* Bratescu, G.G. 87—12531
Maris, Z. *see* Vasiliu, V. 85—18988
Mariscal-Rico, L. *see* Camacho-Penalosa, C. 87—52313
Marishichev, N.N. *see* Rabinovich, G.V. 85—8364
Marishkin, A.K., Mikhailyuta, O.V., Yur'ev, Yu.A., Novodran, A.N., Kupryakhina, S.Z., Ermilina, L.L. Electroslag repair welding of cracks in cast iron components of steel casting equipment 85—60611
Marisi, J. *see* MacDonald, P. 85—25410
Maristany, C.E. *see* de la Colina, O.N. 85—53723
Maritan, C.M., Berndt, L.P., Tarr, N.G., Bullerwell, J.M., Jenkins, G.M. Low pressure chemical vapor deposition of in situ boron-doped polysilicon 88—70348
Maritato, L. *see* De Stefano, S. 85—62234
Maritato, L. *see* Paterno, G. 87—67848
Maritato, P. *see* Adler, D. 88—71001
Mariton, M. Placement of failure-prone components on flexible structures: a degree of controllability approach 88—6331
Mariton, M., Dib, G., Drouin, M. On the use of a local area network in a decentralized control structure 86—43598

Mariton, M., Drouin, M. Real-time multitask systems and coordinated control 86−39751
Mariucci, L., Ferrazza, F., Della Sala, D., Capizzi, M., Evangelisti, F., Coscia, U. a-Si$_{1-x}$Ge$_x$:H alloys for solar cells 88−31010
Mariucci, L., Gislon, P., Coluzza, C., Frova, A. Effects of tunneling on *a*-Si:H Schottky barriers 88−7362
Mariucci, L. *see* Coluzza, C. 86−505
Mariucci, L. *see* Scaglione, S. 85−28234
Marjan, M. *see* Bougnot, G. 87−65523
Marjan, M. *see* Bougnot, G.J. 87−16600
Marjani, M. *see* Bukuroshi, K. 86−30412
Marjanov, M. *see* Braunovic, M. 88−12666, 88−42879
Marjoram, A.R., Vickery, P.J., McKenzie, D.C. A microcomputer data-acquisition system for ground-based reflectance measurements 86−24398
Marjoribanks, R.S. *see* Jaanimagi, P.A. 88−50572
Mark, *see* Ma, B.N.W. 87−62514
Mark, A.J. *see* Goodman, J. 86−51344, 87−5197
Mark, B. New-generation intelligent switches are resource-sharing and revenue-generating 85−63437
Mark, C.R., Cameron, W.M. Video-assisted remote operation of the TRIUMF cyclotron servicing system 85−20770
Mark, D.A. *see* Giodano, R. 86−33502
Mark, E.von *see* von Mark, E.
Mark, H.B., Jr. *see* McAleer, J.F. 87−65584
Mark, J., Bodtker, E., Tromborg, B. Measurement of Rayleigh backscatter-induced linewidth reduction 86−9917
Mark, J., Bodtker, E., Tromborg, B. Statistical characteristics of a laser diode exposed to Rayleigh backscatter from a single-mode fibre 86−9918
Mark, J., Bodtker, E., Tromborg, B. Rayleigh backscatter induced linewidth reduction for a semiconductor laser 86−48429
Mark, J. *see* Bodtker, E. 86−60366
Mark, J.G. *see* Tazartes, D.A. 88−74073
Mark, J.T., McNees, S.G. New high efficiency 500 kW tetrodes for short wave broadcast 88−64177
Mark, J.W. Fairness issues in computer communication networks 86−23501
Mark, J.W., Agnew, G.B. Adaptive reception of coded signals in a fading environment 87−69233
Mark, J.W., Field, J.A., Agnew, G.B., Wong, J.W. Welnet: a high performance integrated services local area network 86−54922
Mark, J.W., Yang, O.W.W. Design and analysis of a metropolitan area network: A two-center tree net 87−34181
Mark, J.W. *see* Agnew, G.B. 85−2919
Mark, J.W. *see* Bisognano, J. 86−25011
Mark, J.W. *see* Freeman, G.H. 88−27759
Mark, J.W. *see* Lee, H.W. 85−14165
Mark, J.W. *see* Li, S. 85−8036
Mark, J.W. *see* Li, S.-Q. 88−28152
Mark, J.W. *see* Li, S.Q. 87−40177
Mark, J.W. *see* Limb, J.O. 85−8219
Mark, J.W. *see* Ma, B.N.W. 88−41132, 88−66803
Mark, J.W. *see* San-Qi Li 86−30080, 88−41424, 88−53030
Mark, J.W. *see* Stuber, G.L. 87−20396, 87−33586, 88−2926, 88−21913
Mark, J.W. *see* Todd, T.D. 86−23191
Mark, J.W. *see* Yang, O.W.W. 87−28168, 87−40178
Mark, J.W.-K., Ho, D.D.-M., Brandon, S.T., Chang, C.-L., Drobot, A.T., Faltens, A., Lee, E.P., Krafft, G.A. Studies on longitudinal beam compression in induction accelerator drivers 87−41730
Mark, J.W.-K. *see* Ho, D.D.-M. 87−41732
Mark, M.B., Shapiro, J.H. Multipixel, multidimensional laser radar system performance 88−28975
Mark, R.G., Ripley, K.L. Ambulatory ECG monitoring: real-time analysis versus tape scanning systems 85−59294
Mark, R.G. *see* Albrecht, P. 87−21581
Mark, R.G. *see* Devlin, PH. 85−53062
Mark, R.G. *see* Ferguson, P.F., Jr. 88−10370
Mark, R.G. *see* Greenwald, S.D. 87−21603
Mark, R.G. *see* Moody, G.B. 85−9190, 85−59300, 87−21582, 88−10369
Mark, R.G. *see* Muldrow, W.K. 88−4963
Mark, R.H., Jr. Westinghouse use of artificial intelligence in signal interpretation 86−12638
Mark, T.D. *see* Orton, G.F. 85−59402
Mark-Markowitch, M. *see* Adam, G. 87−34924
Markakis, J., Ortale, C., Schnepple, W., Iwanczyk, J., Dabrowski, A. Mercuric iodide photodetectors for scintillation spectroscopy 85−42997
Markakis, J.M. High resolution scintillation spectroscopy with HgI$_2$ as the photodetector 88−29807
Markakis, J.M. Mercuric iodide photodetector-cesium iodide scintillator gamma ray spectrometers 88−68317
Markandey, V. *see* de Figueiredo, R.J.P. 88−52558
Markanova, T.K. *see* Fel'dman, B.N. 86−65947
Markanova, T.K. *see* Fel'dman, V.N. 87−42694
Markarenko, L.F. *see* Markevich, V.P. 87−11337
Markarov, A.N. *see* Sysoev, A.A. 85−9380
Markarov, G.I., Sozonov, A.P. Diffraction of electromagnetic waves at a rectangular wedge structure 86−3480
Markaryan, A.V. *see* Akopov, R.V. 85−49861
Markaryan, A.Zh. *see* Adzhemov, Ar.S. 88−66901
Markaryan, E.R. *see* Bagdasaryan, D.S. 87−70948
Markaryan, G.S. Estimation of the upper bound of error rate in linear section of a digital transmission system 87−68964
Markaryan, G.S. *see* Lev, A.Yu. 86−36936, 87−47497, 87−47517
Markaryan, Yu.L. *see* Kavalov, R.L. 86−50448
Markaryants, A.E. *see* Bass, V.I. 85−40655
Markaryants, E.A. *see* Bass, V.I. 85−40655
Markatos, S., Ayres, S., Kreit, D., Kerr, A., Youngquist, R.C., Giles, I.P. Optical fibre switch 88−33686
Markatos, S., Kerr, A., Giles, I.P. Electrically tunable optical fibre polished coupler 88−65278
Markatos, S., Zervas, M.N., Giles, I.P. Optical fibre surface plasmon wave devices 88−33609
Markatos, S. *see* Giles, I.P. 88−74464
Markatos, S. *see* Zervas, M.N. 88−65277
Markechko, M.I. Convex programming algorithm with a modified Lagrange function 85−54290
Markeev, A.M., Meshcherov, R.A., Nikulin, M.G., Rozanov, N.E. Ion acceleration by the quasistatic field of a modulated intense electron beam in a corrugated liner 87−41665
Markeev, A.M. *see* Airapetov, A.Sh. 88−16603
Markel, L.C. *see* Davis, R.T., Jr. 87−15215
Markel, M.H. Understanding what your consulting clients really want 85−44568
Markel, R. The Santec spectacular [hand-held radios] 86−23652
Markelis, A.V. *see* Anufriev, A.N. 87−46603
Markell, R.N. Modular solid state machine vision cameras 85−58580
Markelov, A.P. *see* Akkuratova, V.C. 85−8291
Markelov, I.N. Measurement information system for automation of scientific experiments 85−31301
Markelov, N.F. Shaft position determination for a restricted rotation angle 88−74587
Markelov, P.A. *see* Geranin, V.A. 86−10372, 86−43238, 88−25340
Marken, K., Hong, S., Marancik, W., Grabinsky, G., Pattanayak, D., Lewicki, F. Nb$_3$Sn composite with distributed internal Sn 87−67815
Marken, K.R. *see* Smathers, D.B. 85−56165
Markensteijn, L. *see* Vytopil, J. 88−60180
Marker, A. *see* Price, P.B. 87−29535
Marker, A.J., III Laser design characteristics as they relate to substrates for transmissive and reflective optics 87−39200
Marker, A.J., III, Cook, L.M. Advances in glass filter materials for laser fusion systems 85−41104
Marker, A.J., III *see* Cook, L.M. 85−41103
Markert, H., Kretzschmar, K., Rogler, W., Hauschildt, K.-R. Network polymers based on EPIC resins 87−53826
Markert, L., Hedtke, P., Kusek, J. General Dynamics Convair Division totally reconfigurable embedded computer 86−18479
Markert, L. *see* Hirashita, N. 88−43897
Markestein, T. *see* Burton, P. 86−51720
Marketkar, N. A semicustom video controller for personal computer graphics 87−8539
Marketova, G.I., Pavlova, T.N., Chistyakov, G.N. Volt-second characteristics of surge diverters for protecting communications apparatus from overvoltages 87−42537
Markevich, I. *see* Nesheva, D. 85−41239
Markevich, I.V. *see* Akhoyan, A.P. 85−29700, 88−8051
Markevich, I.V. *see* Andreev, Yu.V. 87−32271
Markevich, N., Gertner, I., Felsteiner, J. Low energy X-ray and γ spectroscopy using silicon PIN photodiodes 88−54414
Markevich, N., Gertner, I., Felsteiner, J. H$^+$ and He$^+$ spectroscopy using silicon PIN photodiodes 88−61133
Markevich, N.N. *see* Fridkin, V.M. 85−56403
Markevich, V.M. *see* Akhmadov, A.A.-B. 86−38403
Markevich, V.P., Markarenko, L.F., Murin, L.I. Some new features of thermal donor formation in silicon at $T<800$K 87−11337
Markewitz, P., Mussenbrock, K., Hansen, U. The emissions from power stations. The effects of a variable power station structure 88−30543
Markey, B.J. High-speed photodetector switching 85−51049
Markey, B.J. *see* Koepf, G.A. 85−7205
Markeyeva, Yu.M., Molchanov, O.A. Features of the propagation of VLF signals of artificial origin 85−30032
Markgraf, B. Poste Chateauguay−1000 MW USA-Canada tie 87−50758
Markgraf, W., Baumann, M., Arzt, P., Beyer, A. Inclusion of static capacitance-voltage measurement in MOS process control technology in the no.1 cycle 85−35195
Markgraf, W. *see* Beyer, A. 87−35182
Markgraf, W. *see* Hann, H. 85−34882
Markgraf, W. *see* Skorupa, W. 87−38087
Markham, B.L. The Landsat sensors' spatial responses 86−25396
Markham, B.L., Barker, J.L. Spectral characterization of the LANDSAT Thematic Mapper sensors 85−53143
Markham, B.L. *see* Li, S.T. 86−42971
Markham, D. *see* Toussaint, R. 87−25797
Markham, D.C. *see* Arbaugh, L.G., Jr. 85−24203
Markham, J. Applying semicustom CAD to full-custom design 86−15270
Markham, J. *see* Ambos, H.D. 85−53066, 88−10373
Markham, J. *see* Herrero, P. 88−48120
Markham, J.L. *see* Shiflett, C.C. 88−7238
Markham, J.L. *see* Sopori, B.L. 87−16030
Markham, K.C. Application of Kalman filtering to IR image destriping 85−51820
Markham, K.C. Some segmentation processes for application with a spoke filter 87−55276
Markham, M.F. *see* Aindow, J.D. 86−34419
Markham, R.J. *see* Taylor, M.W. 88−11414
Markhasin, A.S. Architecture of an integrated wide-area radio data network 87−19975
Markhauser, C.P. Quasi-digital NTSC color bar generator 88−60419
Markhvida, I.V., Tanin, L.V., Utkin, I.A. Experimental investigation of the correlation of subjective speckle fields 88−72450
Markiewicz, A., Fleming, R.J. Simultaneous thermally stimulated depolarization conductivity and luminescence in polyethylene 88−51083
Markiewicz, A., Wojciechowska, I. Calculation of the ultrasonic field distribution using data obtained in a holographic investigation of the amplitude distribution throughout an ultrasonic transducer 85−15454
Markiewicz, A. *see* Fleming, R.J. 85−41003
Markiewicz, H., Wroblewski, Z. Rebounds of contacts in a vacuum switchgear and their influence on the value of overvoltages and overcurrents in circuits 85−10063
Markiewicz, T. *see* Albrow, M.G. 88−29872
Markiewicz, T. *see* Bauer, G. 87−77572
Markiewicz, T. *see* Bettini, A. 87−29545
Markiewicz, W.D. *see* Jonas, P.A. 88−65077
Markiewicz, W.D. *see* Jones, H. 86−48017
Markiewicz, W.D. *see* Morrow, G.R. 87−41964
Markiewicz, W.D. *see* Zeitlin, B.A. 87−38716
Markiewicz-Wrzeciono, M. Optimal harmonic-suppression output filter for power amplifiers 85−17620
Markiewicz-Wrzeciono, M. Active receiving filters for multichannel radio telegraphy 88−14992
Markiewiez, T. *see* Bauer, G. 87−29544
Markiewitz, N. *see* Opfermann, J. 88−8042
Markiewitz, N.N. *see* Fridkin, V.M. 87−38897
Markin, A.S., Petukhov, V.A., Studenov, V.B. Thermal kinetic of the spectrum of a free-running YAG:Nd^{3+} laser with a three-mirror resonator 86−54120
Markin, A.S. *see* Babenko, S.M. 86−36450
Markin, A.V. Statistical calculation of the power characteristics of line-of-sight radio links 87−47183
Markin, A.V. Noise immunity of an FM radiocommunications system using a form of combined modulation 88−3877
Markin, D.L., Strongin, R.G. A method for solving multiextremal problems with nonconvex constraints, using a priori information about estimates of the optimum 87−31433
Markin, D.L. *see* Strongin, R.G. 87−52004
Markin, E.V. *see* Kalinichev, V.M. 86−61366
Markin, G.V. *see* Klassen, V.I. 88−40697
Markin, J. *see* DeJule, M. 85−8904 to 8905, 87−8547
Markin, S.V. *see* Skribanov, E.V. 85−58880
Markin, V.N., Gorodnyanskii, V.I. Adjusting and modernization of the system converting units to synchronous capacitor operation at the Sayano-Shushenskoe hydroelectric station 88−30601
Markin, V.V., Maslennikov, V.V., Sirotkin, A.P. A car radio without inductors 86−38026
Markin, V.V. *see* Demin, A.A. 87−44633
Markin, W.W., Maslennikow, W.W., Sirotkin, A.P. Non-inductive car radio receiver 86−11244
Markin, Yu.A. *see* Grach, I.M. 88−48592
Markina, G.N. *see* Zhul'kov, N.I. 85−15841
Markina, N.N., Naumov, A.P., Sumin, M.I. Equations for the variations of the radio-brightness temperatures of the atmosphere 86−32544
Marking, W. *see* Friedman, E. 86−669
Markishin, G.V. Application of optical-band phase systems to conveyor robots 86−30814
Markitalo, O. Hopes good for HDTV prelude for the 'nineties 88−41855
Markkula, M. Supplementary training at the Technical University 86−26531
Markkula, M. Continuous studies as a basis for professional development 87−5159

Markkula, M. Course planning from the standpoint of the individual engineer's career development 87−23059
Markkula, M. *see* Klus, J.P. 87−23167
Markl, A. *see* Zaczek, R. 87−41974
Markl, J. A method of Markov process factorisation and its use for the calculation of complex system reliability 86−13539
Markl, W. *see* Rummler, G. 85−85
Markle, D.A. The future and potential of optical scanning systems 85−7028
Markle, D.A. Submicron 1:1 optical lithography 86−63384
Markle, D.A. Deep UV lithography: problems and potential 88−13283
Markley, D. *see* Crocker, M.J. 88−68593
Markley, F.W. *see* Carson, J.A. 86−28765
Markley, R.A. *see* Carelli, M.D. 87−42057
Marklin, G. Acceleration to hypervelocities using minimum energy concepts 88−40526
Marklin, G.J. *see* Henins, I. 88−40527
Marklund, K., Sundstrom, B., Mieziewski, J. Interactive video at Lund University, Sweden 88−29144
Markman, D.J., Hartman, R.E. An automated antenna measurement system using the HP8510 87−68885
Markman, T. Providing intelligent control for dot matrix VF displays 86−60158
Marko, M. The new graph method for reliability computation 86−61967
Marko, M., Fuchs, P. Limitations of CSN 01 0102 as used in the reliability information systems 86−64151
Marko, M., Fuchs, P. Experiences with the application of the CSN 01 0102 standard 'Terminology of reliability in engineering' 87−31324
Marko, M. *see* Aichler, J. 86−65614
Marko, M. *see* Irena, C. 85−53011
Marko, R.A. *see* Cohen, E.J. 88−70818
Marko, S. Problems in the application of circulators 85−28689
Marko, S. *see* Janicek, F. 88−36928
Markoc, H. *see* Fischer, R. 86−35818
Markoc, H. *see* Mysyrowicz, A. 87−45673
Markoff, J. RISC chips 85−11278
Markoff, J., Robinson, J., Osgood, D. Homebrew chips 85−40893
Markoff, J., Robinson, P. The Macintosh office 85−19777
Markon, C., Strong, L. Development of land cover and terrain databases for the Arctic National Wildlife Refuge, Alaska, using Landsat and digital terrain data 87−4162
Markosky, L. *see* Byrum, K. 88−48020
Markosov, S.A. *see* Volynkin, V.M. 86−48495
Markou, A. *see* Anassontzis, E. 86−32202
Markou, A. *see* Batley, R. 86−25127
Markou, C. *see* Albrow, M.G. 88−29872
Markov, A.A., Chernyshov, E.E., Serebrennikov, B.O. Principles of data processing with a noise background of unknown intensity during an ultrasonic inspection when using the Doppler effect 86−57495
Markov, A.A., Gurvich, A.K. A method of measuring the conventional dimensions of defects at high scanning speeds 86−20132
Markov, A.A. *see* Gurvich, A.K. 88−6552
Markov, A.V., Mil'vidskii, M.G., Osvenskii, V.B. Influence of dislocations on the properties of semiinsulating GaAs crystals 87−12292
Markov, A.V., Mil'vidskii, M.G., Shifrin, S.S. Influence of dislocations on homogeneity of single crystals of gallium arsenide grown from a melt 86−399
Markov, A.V., Mil'vidskii, M.G., Yugova, T.G. Influence of substrate dislocations and microdefects on formation of a dislocation structure in a homoepitaxial layer 86−34335
Markov, A.V. *see* Kuznetsov, V.P. 86−54416
Markov, E.V. *see* Bogdankevich, O.V. 86−22362
Markov, F.V. *see* Ukhlinov, G.A. 86−31394
Markov, G.N. Organisation of an assembly process of electronic equipment using a conveyor 86−66613
Markov, G.N. Optimization of resistor selection for voltage dividers 87−32030
Markov, G.N. Selective assembly of precision multiparametric devices 88−63823
Markov, H., Altmann, W., Voss, P., Jasch, G., Senf, J. Electron beam strip evaporation coating plants for production-technological research and small-scale manufacture 87−16677
Markov, I.A. *see* Andreev, A.S. 88−50384
Markov, I.A. *see* Shishkin, V.G. 88−7783
Markov, J.D. *see* Dixon, R.C. 85−19789
Markov, K.G. Study of microstrip circulators at high pulse power 88−50342
Markov, L.A., Fox, J.R., Blank, J.H. Optimization techniques for two-dimensional placement 85−523
Markov, M.A., Zheleznykh, I.M. Large-scale Cherenkov detectors in ocean, atmosphere and ice 86−65375
Markov, M.A. *see* Alberini, C. 86−65387
Markov, M.M. *see* Komarov, Yu.A. 88−16077
Markov, M.S. Biophysical problems of power electronics influence on humans 86−70438
Markov, N.M., Prutkovskii, E.I., Korsov, Yu.G., Chavchanidze, E.K. Pilot steam turbine-gas turbine plant with gasification of coal in the cycle 86−56607
Markov, N.N. Accuracy in linear-dimension measurement in engineering 85−64281
Markov, N.N., Gipp, N.B. Computer simulation of the process of measurement of roundness deviations by the difference method 85−48092
Markov, N.N., Gipp, N.B. Systematic error in measuring deviations from rectilinearity in an axis 88−36212
Markov, N.N., Skripnik, A.I. Measured-parameter choice in engineering-component acceptance 88−4264
Markov, N.N., Vaikhanskii, S.M. Measurement of diameters of cylindrical surfaces taking deviations in shape into account 86−11700
Markov, N.N. *see* Belozertsev, A.N. 87−68669
Markov, P.I. *see* Kudinov, N.V. 85−7254
Markov, S.E. *see* Andrushko, L.M. 85−61414
Markov, S.N. *see* Krasil'nikov, S.B. 86−65156, 87−37608
Markov, V.A., Stryutskov, V.K. High-speed phase-difference converter 85−49017
Markov, V.A., Stryutskov, V.K. A self-synchroniser for an asynchronised synchronous generator 86−66052
Markov, V.A. *see* Kirakosov, V.G. 86−32863
Markov, V.A. *see* Labunets, I.A. 86−66066
Markov, V.A. *see* Semenov, K.A. 88−9421
Markov, V.B., Shishkow, V.F. Amplitude-phase characteristics of radiation restored by the volume holographic grating 86−10020
Markov, V.B. *see* Gusev, O.A. 86−44492
Markov, V.B. *see* Kirilenko, E.K. 87−33295, 87−68593
Markov, V.G. *see* Buzynin, A.N. 88−11948
Markov, V.I. *see* Ivanov, V.A. 85−6671
Markov, V.I. *see* Lebedev, E.A. 86−14824
Markov, V.S. *see* Samkharadze, T.G. 87−69812
Markov, V.V. *see* Bulyak, E.V. 86−5676
Markov, V.V. *see* Guk, I.S. 88−74647
Markov, V.V. *see* Kureichik, V.M. 86−46441
Markov, Yu.G. Evolution of spin of a symmetric satellite with a viscoelastic antenna about its mass center in a circular orbit 87−21712
Markov, Yu.N., Nesmelov, E.A., Nikitin, A.S., Aubakirov, P.G. Synthesis of multiband dielectric mirrors 88−2088
Markov, Z. The adjustment of automatic faulty-trunk detectors 85−13986
Markov, Z. Adjustment of automatic detector of malfunctioning components in central telephone terminals 85−42857
Markov, Z. The comparison of modern overvoltage protection components 88−36894
Markov, Z. *see* Petkovic, I. 88−57125
Markova, N.V., Silin, A.P. Electron-hole systems in semiconductor superlattices 85−29023
Markova, R.V. *see* Ader, A.I. 87−49707
Markova, R.V. *see* Alferov, Zh.I. 87−33202
Markova, R.V. *see* Gusev, V.I. 87−3584
Markova, S.V. *see* Isaev, A.A. 87−46768
Markova, S.V. *see* Kazakov, V.V. 85−18862
Markovac, V. *see* Anderson, J.E. 88−37983
Markovac, V. *see* Troyk, P.R. 88−18507
Markovets, V.V. *see* Asinovskii, E.I. 86−865, 88−25853
Markovic, A. *see* Bragas, P. 87−40749
Markovic, A. *see* Miric, B. 87−63027
Markovic, A. *see* Popovic, Z. 86−69070
Markovic, A. *see* Temerinac, M. 86−65041
Markovic, A. *see* Zivkovic, Z. 86−30970, 86−52700
Markovic, A. *see* Zivkovic-Dzunja, Z. 87−59194 to 59195
Markovic, M. *see* Popovic, Z. 85−51382
Markovic, O. *see* Miskin, L. 85−60359
Markovic, P. Reliably connecting a tester loadboard to a DUT interface 88−64642
Markovic, S. Resonance vibrations of steam turbine blades as a consequence of unreliability of their operation 88−43048
Markovic, S. Significance of maintenance of water-steam quality for the operation reliability of thermal power plants 88−75412
Markovic, V.V., Milovanovic, B.D. A simple numerical procedure for the characteristic parameters computational of MIC transmission lines 86−27636
Markovic, V.V., Milovanovic, B.D. Design of the high directivity couplers in the coupled suspended microstrip technique 88−56892
Markovich, L.M., Smorygo, L.N., Kuz'min, G.A., Kopylov, A.I., Babak, T.Z., Popov, A.V. A method for sealing oil-filled transformers that increases the service life of the seals 87−78723
Markovich, M.S. *see* Wright, R.A. 88−5587
Markovich, P. *see* Aron, J. 86−55920
Markovich, V. *see* Horkans, J. 85−23252
Markovics, J.M. *see* Abkowitz, M. 85−18093, 85−34517
Markovinovic, D. *see* Vujevic, D. 85−38474
Markovitch, D.P. *see* Sykas, E.D. 86−43595
Markovits, C. The 870 keV high intensity proton beam transfer line for the Injector II cyclotron of SIN 88−61049
Markovits, C. *see* Joho, W. 86−24904
Markovits, M., Nardi, E., Zinamon, Z. Electron flow in the pinch region of a relativistic electron-beam diode 85−34432
Markovitz, E.C. *see* Miles, R.B. 88−45596
Markovitz, M., Gottung, W.H., McClary, G.D., Riehute, J.R., Schulze, W.R., Jr., Sheaffer, J.D. General Electric's third generation VPI resin 86−63505
Markovitz, M. *see* Nardi, E. 88−71273
Markovitz, P. *see* Tang, D. 88−46644
Markovski, P., Todorov, T., Koleva, N. Influence of light absorption during recording on the characteristics of volume phase transmission gratings 87−75263
Markovski, P. *see* Todorov, T. 85−12996
Markovskii, V.M. *see* Pokhoriler, V.L. 85−4926
Markow, M. Swedish invention gives better power packs 85−553
Markow, Z. *see* Markowski, J. 86−40764
Markowich, P. *see* Polak, S.J. 87−45849
Markowich, P.A. A singular perturbation analysis of the fundamental semiconductor device equations 85−18266
Markowich, P.A. A nonlinear eigenvalue problem modelling the avalanche effect in semiconductor diodes 86−15124
Markowich, P.A., Ringhofer, C.A., Steindl, A. Computation of current-voltage characteristics in a semiconductor device using Arc-length continuation 85−12235
Markowich, P.A., Ringhofer, Ch.A. Stability of the linearized transient semiconductor device equations 87−74238
Markowich, P.A. *see* Ascher, U. 88−1611, 88−7557
Markowicz, M.S. Computer support of the quality function 85−10545
Markowitz, A. *see* Schuette, W.H. 88−42489
Markowitz, R. *see* Koffman, I. 88−41676
Markowski, C.A. *see* Markowski, E.P. 86−340
Markowski, E.P., Markowski, C.A. Some difficulties and improvements in applying linear programming formulations to the discriminant problem 86−340
Markowski, J., Markow, Z., Prajzner, A. TiN layers obtained by activated reactive evaporation method 86−40764
Markowski, J. *see* Kirczuk, C. 87−36791
Markowski, J. *see* Stuchly, M.A. 86−60306
Markowski, P.J. *see* Henkie, Z. 87−29225
Markowsky, G. Bounding signal probabilities in combinational circuits 88−663
Marks, A.M. Electrohydrodynamic equations of a charged aerosol generator 85−53845
Marks, B. *see* Schueler, C. 86−32597
Marks, B.L. A new factor in RHCs' long-term strategies [Centrex switch resurgence] 88−9352
Marks, F.D., Jr., Houze, R.A., Jr. Inner core structure of Hurricane Alicia from airborne Doppler Radar observations 87−76847
Marks, F.D., Jr *see* Bluestein, H.B. 88−47204
Marks, G.T., Pochowski, R.J. Cost reduction techniques for nonvolatile memory test 86−46066
Marks, H. PC-Mac link 88−59664
Marks, H.E. Regulation and deregulation in the United States and other countries [telecommunications] 85−30522
Marks, J., Robertson, R.E. Silicon dioxide deposition at 100°C using vacuum ultraviolet light 88−38230
Marks, J. *see* Bernstein, B. 86−65711, 87−21901
Marks, J. *see* Bernstein, B.S. 86−27656, 88−64827
Marks, J. *see* Bieler, C. 85−37924
Marks, J. *see* Braunschweig, W. 88−29874, 88−68282
Marks, J. *see* Winter, G.-G. 85−64493
Marks, J.M. *see* Hetzler, M.C. 88−21316
Marks, K.A. *see* Gusert, C. 85−18462
Marks, K.H. *see* Ultman, J.S. 88−68451
Marks, K.M., Goser, K.F. AI concepts for VLSI process modelling and monitoring 87−67395
Marks, K.M., Goser, K.F. An expert system shell for standardization of VLSI process data base and knowledge base 87−74372
Marks, L. New CAD systems offer variety and sophistication 85−1141
Marks, L. Computer-aided circuit simulation is providing the link to ATE 85−26184
Marks, L. Computers aid in ATE program generation 85−31319
Marks, L.A. Digital enhancement of the peripheral admittance plethysmogram 87−41915
Marks, L.E. *see* Jones, B.L. 86−30979
Marks, M. Large-area LCD modules simply controlled by RGB-signals 88−4552
Marks, M. Graphics capable LCD module 88−10074
Marks, N., Lieuvin, M. Design of the accelerator magnets for the ESRF 88−68135
Marks, N., Scrutton, P. Computer assisted engineering−enabling the total system solution 88−31504
Marks, N. *see* Gillespie, W.A. 87−41712
Marks, N. *see* Hughes, E.A. 86−31813
Marks, P.S. *see* Pohlmann, L.D. 86−12081
Marks, P.S. *see* Shelnutt, J.B. 86−70500

Marks, R.B. Application of the singular function expansion to an integral equation for scattering 86—63938
Marks, R.F., Moskowitz, P.A. Laser RIE process for etching of organic materials 85—6833
Marks, R.F. *see* Tiwari, S. 88—71345
Marks, R.F. *see* Wright, S.L. 86—52462, 87—24822, 87—74069, 88—60936
Marks, R.J., II. Linear coherent optical removal of multiplicative periodic degradations: processor theory 85—25178
Marks, R.J., II Multidimensional-signal sample dependency at Nyquist densities 86—37036
Marks, R.J., II, Atlas, L.E. Image recognition with inexact processing 87—19954
Marks, R.J., II., Atlas, L.E., Choi, J.J., Oh, S., Cheung, K.F., Park, D.C. Performance analysis of associative memories with nonlinearities in the correlation domain 88—65124
Marks, R.J., II, Atlas, L.E., Choi, J.J., Oh, S., Cheung, K.F., Park, D.C. Nonlinearity requirements for correlation based associative memories 88—65128
Marks, R.J., II., Atlas, L.E., Seho Oh, Cheung, K.F. Optical-processor architectures for alternating-projection neural networks 88—58297
Marks, R.J., II, Reightley, T. On iterative evaluation of extrema of integrals of trigonometric polynomials 86—7720
Marks, R.J., II., Shiao-Min Tseng Effects of sampling on closed form bandlimited signal interval interpolation 85—36240
Marks, R.J., II *see* Atlas, L.E. 87—69088
Marks, R.J., II *see* Cheung, K.F. 85—46762, 88—8807
Marks, R.J., II *see* Dadi, M.I. 88—14689
Marks, R.J., II *see* Goldburg, M. 85—57362
Marks, R.J., II *see* Oh, S. 88—58294
Marks, R.J., II. *see* Radbel, D. 85—46794
Marks, R.J., II *see* Salamat, F. 85—35559
Marks, R.P. Microcomputer justification for quality 85—10548
Marks, S. *see* Alonso, J.R. 88—54042
Marks, S. *see* Halbach, K. 86—25040
Marks, S. *see* Hoyer, E. 88—54457
Marks, S. *see* Tirsell, K.G. 87—29408
Marks, T. A critique of recent 15th Edition guides. [IEE Wiring Regulations] 85—10402
Marks, T., Jr. *see* Brown, S.K. 86—60413
Marks, T.J. *see* Lyding, J.W. 88—60860
Marks, W.L. Coal-fired industrial steam boilers—principle of automatic regulation of pressure for stability during load following 87—57874
Marks-Wojciechowska, Z. The bidirectional amplifier of IEEE-488 bus 88—63550
Marks-Wojciechowska, Z. *see* Kulesza, W. 86—12523
Marksberry, C.L., Saari, D.P. Development of a low cost heat storage furnace 87—36173
Markscheffel, E. *see* Juette, G. 86—71095
Markson, R. *see* Shuchman, R. 86—6137
Markstein, H. Modern platers and etchers offer improved process control [PCBs] 85—55288
Markstein, H. Card cages fundamental in PC board packaging 86—27746
Markstein, H.W. Data loggers become smarter 85—3911
Markstein, H.W. Square 25-thou posts/receptacles dominate US interconnection market 85—6611
Markstein, H.W. Materials handling accessories govern production efficiency 85—11751
Markstein, H.W. Pick-and-place swings toward surface mount 85—11753
Markstein, H.W. Laminates support technology advances while offering alternate choices 85—11756
Markstein, H.W. EMI shielding: a challenge for plastics 85—22249
Markstein, H.W. Automatic component insertion/placement systems ready for the automated factory 85—23226
Markstein, H.W. Airborne radar jammer is packaged for density and reliability 85—31094
Markstein, H.W. PCB demands pace production equipment market expansion 85—40330
Markstein, H.W. Desoldering strives for zero-defect status 85—40334
Markstein, H.W. Low TCE metals and fibers prove viable for SMT substrates 85—45309
Markstein, H.W. Military electronics: packaging for land, sea and air 85—61523
Markstein, H.W. Automation thrives as companies strive for SMT capability 86—8590
Markstein, H.W. New scope packages endure portable handling 86—11620
Markstein, H.W. Flat/ribbon cable first choice for system interconnection 86—14580
Markstein, H.W. Film thickness testers serve diverse measurement applications 86—24754
Markstein, H.W. Consumer electronics packaged for reliability and low cost 86—26635
Markstein, H.W. Choosing SMT and setting up a facility 86—47164
Markstein, H.W. Bare board test and inspection assures product reliability 86—58131
Markstein, H.W. Firing thick film hybrids 87—17562
Markstein, H.W. Making SMT assemblies testable 87—24584
Markstein, H.W. SMT reflow: IR or vapor phase? 87—37706
Markstein, H.W. Vacuum fills the voids in lamination 87—53018
Markstein, H.W. Conformal coatings seal out adverse environments 87—53030
Markstein, H.W. Designing electronics for high vibration and shock 87—65153
Markstein, H.W. Cooling large metal cabinets 87—65196
Markstein, H.W. Protective coatings for printed circuits 87—66748
Markstein, H.W. Electronic assemblies for resistance to vibration and shock 88—173
Markstein, H.W. Electroplating systems for PCB processing 88—1148
Markstein, H.W. Packaging military and commercial electronics 88—11754
Markstein, H.W. Packaging for high-speed logic 88—11757
Markstein, H.W. TAB leads as COB format 88—12769
Markstein, H.W. PCB connectors built for speed and density 88—38931
Markstein, H.W. Liquid cooling optimizes heat transfer 88—56012
Markstein, H.W. Designing SMT circuit boards 88—57063
Markstein, H.W. Chip directly on board 88—57116
Markstein, H.W. Hybrid circuits: an overview 88—57184
Markstrom, K.-A. *see* Lindquist, L. 85—19712
Marktscheffel, T., Lipp, H.M. Testing with a high time resolution. Program-controlled measuring setup with IEC bus 87—67327
Markulin, M., Milisa, A., Stahan, I. The development and production of medium-voltage circuit breakers at Rade Koncar 87—51408
Markulin, M., Milosevic, R. The development of medium-voltage vacuum circuit-breakers 85—32648
Markulin, M. *see* Naumovski, I. 86—71071
Markunas, A.L., Blank, G.L. Simulation of a brushless DC motor using a D-Q axis model 86—19297
Markunas, R.J. *see* Fountain, G.G. 88—57386, 88—64329, 88—71357
Markunas, R.J. *see* Hutchby, J.A. 86—19494, 87—4892
Markunas, R.J. *see* Lucovsky, G. 87—5481, 87—16694
Markunas, R.J. *see* Richard, P.D. 85—54509
Markunas, R.J. *see* Rudder, R.A. 87—23639
Markunas, R.J. *see* Vitkavage, D.J. 88—71354
Markus, A. *see* Podmaniczky, A. 88—60910
Markus, A.M., Udovenko, V.F., Rykov, V.A., Momot, V.I., Velichko, N.I. Apparatus for comprehensive study of radiation physics of solids 87—59034
Markus, A.M. *see* Udd, E. 88—47547
Markus, C. A view of the value added services business in the UK 88—14903
Markus, K. Shaped microwave cassegrain antenna 85—7740
Markus, M.M. *see* Kulikova, O.V. 87—66941
Markus, R.G. Electronic message management 86—23383
Markusch, D. Meaningful utilisation of transformer losses 88—49023
Markusch, D. *see* Ambrosch, H. 88—5792, 88—17792
Markushev, V.M., Zolin, V.F., Briskina, Ch.M. Luminescence and stimulated emission of neodymium in sodium lanthanum molybdate powders 86—63783
Markushev, V.M. *see* Aslanov, G.K. 87—68267
Markushev, V.M. *see* Kochikyan, R.V. 86—63864
Markvardt, G.G., Grigor'ev, N.P., Demin, M.G. Calculating balancing currents in traction network 86—7252
Markvart, T., Willoughby, A.F.W., Dollery, A.A. Silicon solar cells with improved radiation resistance 88—37495
Markvorsen, K. *see* MacGillivray, D.L. 87—27855
Markvorsen, K. *see* MacGillvray, D.L. 86—59467
Markwalder, J.-P., Monnard, M. Notico [computer-aided invoice processing] 88—14887
Markwardt, U. *see* Brunnee, C. 87—41318
Markworth, E. Transient oscillations in a cable network 87—22515
Markworth, E. Electricity supply in Brazil 87—35602
Markyalis, A.V. *see* Anufriev, A.N. 86—28926
Marlay, R.C. Trends in industrial use of energy 85—32828
Marlcelli, A. *see* Cordella, L.P. 87—48160
Marle, J.van *see* van Marle, J.
Marleau, R.S. *see* Nieniewski, M.J. 87—43504
Marlett, R. Unidirectional algorithm for automated test generation 87—1677
Marlett, R. An effective test generation system for sequential circuits 87—5604
Marlett, R. Automated test generation for integrated circuits 87—6812
Marlett, R., Pollock, S.R. Guaranteeing ASIC testability 88—64692
Marletta, G. *see* Latini, B. 85—61619
Marley, K. Speech analysis using pressure wave measurements 86—3818
Marley, N. Advanced channel control schemes for cellular radio systems and their implications for base-station design 88—28737
Marley, N., Brown, A. Developing data communications systems 88—21970
Marley, R.R. *see* Birrittella, M.S. 87—36977
Marlier, J. Factors favorable for the development of a videotex electronic mail system 86—37367
Marling, D. Build a dynamic duo [speaker/microphone for amateur radio] 86—37742
Marling, D.K. 120 watt thermoelectric generator 88—18091
Marlor, G.A. *see* Jarrett, S.M. 87—8687
Marlot, M. *see* Ganesan, K. 87—19536
Marlow, B.J. *see* Pendse, H.P. 88—29362
Marlow, B.K., Kemp, R., Greager, D.C. An image pre-processing chip for carcass identification in the meat processing industry 85—25147
Marlow, B.K., Kemp, R.A. An image capture for an analysis system for industrial applications 85—3837
Marlow, D.E., Dauncey, R.G. An approach to sequence switching using computerised telecontrol 86—71028
Marlow, D.T. *see* O'Donoghue, K.F. 87—55821
Marlow, K.W. *see* Glagola, B.G. 85—20860
Marlow, P. Low-cost teletext decoder. I 87—28768
Marlow, P. Low-cost teletext decoder. II 87—41193
Marlow, P. Microcomputers in TV sets 87—56351
Marlow, P. Using a VCR for sound recording 88—15842
Marlow, P. Add-on FM tuner for VCRs 88—60469
Marlow, W.J. Ada and air crew training devices 85—9245
Marmar, E.S. *see* Terry, J.L. 87—14813
Marmarou, A. *see* Lutz, H.A., III 87—21578
Marmarou, A. *see* Moulton, R.J. 87—21577
Marmarou, A. *see* Wist, A.O. 87—63741
Marmeggi, J.C. Photographic position-sensitive detection with polychromatic neutron beam and its applications 85—15234
Marmer, E.N. Sintering products in vacuum furnaces 86—13203
Marmet, N. *see* Lew, H. 87—26489
Marmolejo, J.A. Use of voice commands to provide a 'hands-free' information system for Space Station extravehicular activity 88—72879
Marmolejo, J.A. *see* Shepherd, C.K., Jr. 88—52381
Marmolin, H. Subjective MSE measures [picture processing] 86—64336
Marmulev, V.A. *see* Savich, N.A. 87—56310
Marmur, I.Ya., Novikov, Yu.B., Oksman, Ya.A. Photocapacitive effect involving blocked *p-n* junctions during absorption of light by free carriers 88—33857
Marmur, I.Ya., Novikov, Yu.B., Oksman, Ya.A. Photocapacitance effect in reverse-biased *p-n* junctions 88—57342
Marmur, I.Ya., Oksman, Ya.A. Photoactivity of alloyed tin-germanium contacts in the infrared part of the spectrum 86—1799
Marnane, W., Moore, W., Gautrin, E. Structured test of bit level systolic arrays 88—63664
Marnane, W.P., Moore, W.R., Gautrin, E. Structured test of bit level systolic arrays 88—33398
Marnane, W.P., Moore, W.R., Yassine, H.M., Gautrin, E., Burgess, N., McCabe, A.P.H. Testing bit-level systolic arrays 88—25265
Marneffe, P.A.De *see* De Marneffe, P.A.
Marnet, C. The present state of application of high temperature gas-cooled reactors and the trends of development 87—64320
Marnet, C., Kassebohm, B., Koch, H., Sponholz, H.J. NO_x-reduction in Lausward combined cycle plant 85—38865
Marnet, C., Kassebohm, B., Sponholz, H.-J., Koch, H. Reduction of NO_x in the Lausward combined cycle plant 85—43859
Maro, H. Viewdata in tourism: text and presentation 86—59590
Maro, T. *see* Kitakami, O. 88—51207
Marocchesi, P.S. *see* Amendolia, S.R. 85—37901
Marogy, B.Y.M. Application of GTO, thyristors in electrical multiple units 87—79114
Marohn, D. Planning energy and power supply systems in towns 87—78035
Marola, G. *see* Dalmazzo, R. 86—39841
Marolda, V.J., Jr. Underwater mateable connectors 88—44416
Marolt, B. Peak demand control 86—65632
Marom, E. Real-time image subtraction using a liquid crystal light valve 86—43321
Marom, E. Integrated optics switch array network decomposition 86—48207
Marom, E., Efron, U. Phase conjugation of low power optical beams using liquid crystal light valves 88—58255
Marom, E., Konforti, N. Programmable optical interconnects 87—47013

Marom, E., Konforti, N. Dynamic optical interconnections 87−61053
Marom, E., Ramer, O.G., Ruschin, S. Relation between normal-mode and coupled-mode analyses of parallel waveguides 85−18695
Marom, E., Ruschin, S. Light coupling measurements in three-guide multimode structures 86−2757
Marom, E., Soffer, B.H., Efron, U. Pixel-by-pixel array division by optical computing 85−25180
Marom, E. *see* Bornstein, A. 85−18664, 86−521
Marom, E. *see* Dunning, G.J. 87−19102, 87−54440
Marom, E. *see* Forber, R.A. 86−68311
Marom, E. *see* Hardy, A. 88−26834
Marom, E. *see* Konforti, N. 88−45226
Marom, E. *see* Owechko, Y. 87−47014, 87−54839, 88−58063
Marom, E. *see* Ruschin, S. 85−12582
Marom, E. *see* Soffer, B.H. 86−29256, 86−69099, 88−8325
Marom, G., Davidovitz, M., Mittelman, A., Roman, I. Fracture mechanisms in bending of unidirectional Kevlar-reinforced epoxy composites 85−477
Maron, D.E. Non-periodic frequency-jumped burst waveforms 88−14547
Maron, R.S. *see* Dobrov, V.A. 87−65913
Maron, V. *see* Schomel, J. 87−35747
Maron, Y., Coleman, M.D., Hammer, D.A., Peng, H.-S. Measurements of the electric field distribution in high-power diodes 86−70180
Maron, Y., Coleman, M.D., Hammer, D.A., Peng, H.S. Measurements of ion transverse-velocity distribution in the gap of an ion-beam diode 87−63615
Maron, Y. *see* Fastow, R. 85−28937
Maronchuk, Yu.E., Nevorov, V.P. Growth of gallium arsenide layers by liquid epitaxy from solution in an indium-gallium-arsenic melt 86−34315
Maronchuk, Yu.E., Polyanskaya, T.A., Yakusheva, N.A. Formation of epitaxial gallium arsenide layers from solution in a bismuth melt 85−22478
Marone, G. Stimulated Brillouin scattering in mid-infrared monomode fiber optics systems 88−65875
Marone, G. *see* De Bortoli, M. 88−67338
Marong, G., Sangiovanni-Vincentelli, A. Waveform relaxation and dynamic partitioning for the transient simulation of large scale bipolar circuits 86−41988
Marongiu, I. A simplified mathematical model of the disk rotor homopolar motor 86−39829
Marongiu, I. Eddy current losses in chopper-fed DC motors 87−43081
Maroon, G.N., McDonough, W.G., Maschek, T.J. Tactical flight management−total mission capability 85−9326
Maroon, R.P., Wheeler, W.R. Solder-free printed circuit mountable transformer 85−1091
Maros, J. *see* Kalavsky, D. 88−49193
Marosi, G. How to test the dynamic parameters of a DAC 85−26270
Marosvolgyi, G. *see* Lehr, F.-W. 86−11785
Marotel, G., Caret, G., Aubry, J.P. An oscillator for the GPS program 86−40955
Marotel, G. *see* Caret, G. 87−32786
Marotel, G. *see* Garet, G. 88−44087
Maroti, L. *see* Ezsol, G. 87−57843
Maroti, L. *see* Szabados, L. 87−57844
Maroti, P. *see* Laczko, G. 87−59266
Marotta, G. Duration and formant frequencies of Italian bisyllabic sequence 88−59084
Marotz, J. Holographic storage in sensitized polymethyl methacrylate blocks 85−56859
Marotz, J., Ringhofer, K.H. Reading volume gratings under the Bragg angle 88−8319
Marotz, J., Ringhofer, K.H., Rupp, R.A., Treichel, S. Light-induced scattering in photorefractive crystals 87−7455
Marotz, J. *see* Rupp, R.A. 88−20735
Marouani, D., Weiman, S.I. Severe accident scenarios following externally initiated events in a commercial nuclear power plant 88−75409
Marouf, E.A., Tyler, G.L., Rosen, P.A. Profiling Saturn's rings by radio occultation 87−20641
Maroughi, S.D. Loss of lock in long-loop phase-locked receivers in the presence of large interfering carrier 86−37709
Marougi, S.D. A simple low-frequency logarithmic converter using logarithmic pulsewidth modulation technique 86−1331
Marougi, S.D., Easa, A.-A.M. Frequency tracking characteristics of split-loop phase-locked receivers 87−33686
Marougi, S.D., Easa, A.A.-K.M. Performance of long-loop phase-locked receivers in the presence of CW interference and absence of noise 86−30614
Marougi, S.D., Easa, A.K.M. Acquisition behaviour of phase-locked loops employing an imbalanced phase detector in the absence of noise 85−54743
Marougi, S.D., Easa, A.K.M. Effect of CW interference on the synchronization capabilities of phase-locked loops incorporating time delay 88−50066
Maroulis, D., Alexandridis, N. A protocol for a star-bus LAN 85−63370
Maroulis, D. *see* Caroubalos, C. 88−68418
Marouni, H. *see* Shen, L.C. 88−16887
Marov, N.N. *see* Noskov, V.N. 88−51094
Marovic, D., Smolcic, V., Pintaric, J. Digital subscriber stage in the AXE 10 system 85−63440
Marowsky, G., Kanaev, A.V., Mikheev, L.D., Stavrovskii, D.B. Comparative analysis of wide-band excimer lasers with optical and electron pumping 85−51111
Marowsky, G., Nishida, N., Stiegler, H., Tittel, F.K., Wilson, W.L., Jr., Zhu, Y., Lighan, W.L. Efficient narrow spectral output in the blue-green region from an injection-controlled electron-beam excited XeF ($C \rightarrow A$) laser 86−9725
Marowsky, G., Nishida, N., Tittel, F.K., Wilson, W.L., Zhu, Y. Wideband tuning of the blue-green XeF($C \rightarrow A$) laser 85−56478
Marowsky, G. *see* Dietel, W. 88−58479
Marowsky, G. *see* Gierulski, A. 85−35855
Marowsky, G. *see* Guo Zhenhua 85−18838
Marowsky, G. *see* Kuhnle, G. 88−65778
Marowsky, G. *see* Nighan, W.L. 88−8136
Marowsky, G. *see* Stangl, B. 85−40801
Marowsky, G. *see* Tittel, F.K. 87−12363
Marowsky, G. *see* Voges, H. 88−65558
Marpinard, J.-C. *see* Capel, A. 88−61567
Marpinard, J.C. *see* Capel, A. 85−33663, 85−44873, 87−22589, 87−71251, 88−75743
Marpinard, J.C. *see* Salut, G. 86−7993
Marpinard, J.C. *see* Valentin, M. 86−12931
Marple, D.P., El Gamal, A. Area-delay optimization of programmable logic arrays 87−31859
Marple, D.P., Gamal, A.E. Optimal selection of transistor sizes in digital VLSI circuits 87−65992
Marple, M.T. *see* Kumar, S. 88−67328
Marple, S.L., Jr. Spectrum analysis: overview of classical and high resolution spectral estimation 85−57401
Marple, S.L., Jr. An extension of the fast algorithm for linear phase system identification 86−16446
Marple, S.L., Jr. Performance of multichannel autoregressive spectral estimators 87−19737
Marple, S.L., Jr. Transient signal enhancement by linear predictive eigenanalysis 88−73156
Marple, S.L., Jr., Friedlander, B. Sonar signal processing on the SAXPY MATRIX 1 parallel processor 88−41756
Marple, S.L., Jr. *see* Lo, J.T. 87−62110
Marquand, C.J. *see* Tassou, S.A. 87−9952
Marquardt, C.L. *see* Eckardt, R.C. 85−24624, 87−7433
Marquardt, C.L. *see* Schneider, I. 85−24514
Marquardt, G. Silicon liquids and insulation [power transformers] 88−62415
Marquardt, G., Braendle, K. Silicone-based coolants and the insulation of power transformers 88−30772
Marquardt, G., Russe, H. Performance of the reactor inspection of the inner surfaces of a WWER-440 type reactor pressure vessel with complete internal plating in the Greifswald nuclear power plant 'Bruno Leuschner' 87−35752
Marquardt, J. *see* Heine, W. 85−26462
Marquardt, K. Possible process combinations for waste water desalination. I 85−44361
Marquardt, K. *see* Schumbrutki, W. 87−58256
Marquardt, K. *see* Schumbrutzki, W. 86−66218
Marquardt, P., Nimtz, G. On electron confinement effects and the ultimate size reduction in semiconductor devices 88−19651
Marquardt, R. GTO-chopper for interurban traffic lines 88−11442
Marquardt, U. *see* Muller, B. 86−26904
Marque, C., Duchene, J.M.G., Leclercq, S., Panczer, G.S., Chaumont, J. Uterine EHG processing for obstetrical monitoring 87−29772
Marque, J.-P. *see* Coelho, R. 86−18080
Marque, J.P. Statistical behaviour of dielectric discharges on satellites: a new experimental approach 87−29853
Marqueen, T.J., Carbone, D.J., Ligammari, J. Coal gasification combined cycle systems−technical horizons 87−64442
Marques, A., Serra, D.A.B. Measurement of critical angle in SSTDs 85−20840
Marques, A. *see* Begalli, M. 85−20839
Marques, C.A. Controlling the temperature of furnaces with a microprocessor 85−44312
Marques, E. Protection against damage by electrostatic discharges 88−52060
Marques, F., Chambouleyron, I. Surface barrier SnO_2/SiO_x/c-Si (n) solar cells: optimization of the fabrication process 87−15990
Marques, F.C. *see* Chambouleyron, I. 86−13090
Marques, F.D.S. *see* Sequeira, C.A.C. 87−51427
Marques, G.D. Improvement on a three phase GTO converter with PWM by an asymmetrical pulse pattern 88−69578
Marques, J. *see* Jesus, J. 86−17025
Marques, J.A. *see* Verissimo, P.J. 88−35165
Marques, J.B. *see* Calvo, F. 88−65215
Marques, J.B. *see* Villuendas, F. 88−13837
Marques, J.S., Almeida, L.B. A background for sinusoid based representation of voiced speech 87−19564
Marques, J.S., Almeida, L.B. Quasi-optimal analysis for sinusoidal representation of speech 88−21156
Marques, J.S. *see* Trancoso, I.M. 88−66313, 88−66424
Marques, L. Surface mount assembly in high volume manufacturing 86−1503
Marques, R., Horno, M. Propagation of quasi-static modes in anisotropic transmission lines: application to MIC lines 86−10139
Marques, R., Horno, M. Dyadic Green's function for microstrip-like transmission lines on a large class of anisotropic substrates 87−19232
Marques, R., Horno, M. On the spectral dyadic Green's function for stratified linear media. Application to multilayer MIC lines with anisotropic dielectrics 87−61421
Marques, R., Horno, M., Medina, F. A new recurrence method for determining the Green's function of planar structures with arbitrary anisotropic layers 85−46606
Marques, R. *see* Guay, D. 88−30975
Marques, R. *see* Horno, M. 86−29548, 87−66467
Marques, R.E. *see* De Lima, E.P. 87−8867
Marques, R.Ferreira *see* Ferreira Marques, R.
Marques, T.E. A symptom-driven expert system for isolating and correcting network faults 88−41312
Marques de Sa, J.P., Abreu-Lima, C. A new ECG classifier based on linear prediction techniques 86−56124
Marques de Sa, J.P., Abreu-Lima, C., Correia, D.M., Almeida, J., Silva-Carvalho, F. Evaluation of a new program for ECG wave recognition and measurement 86−12002
Marques de Sa, J.P., Abreu-Lima, C., Marques dos Santos, J.C. Multigroup ECG classification with LPC coefficients 86−12003
Marques de Sa, J.P. *see* Abreu-Lima, C. 86−12001
Marques de Sa, J.P. *see* Pecas Lopes, J.A. 88−5243, 88−36746
Marques dos Santos, J.C. *see* Marques de Sa, J.P. 86−12003
Marquestaut, E. *see* Dordor, P. 86−18070, 88−70306
Marquet, A. *see* Carise, J.P. 86−64421
Marquet, B., L'Hostis, J.C. Televideotheque and animation from the notion of vote to the notion of game 86−49840
Marquet, B. *see* Lorig, B. 85−37297
Marquet, D. *see* LeBlanc, J.P. 87−30819, 88−30844
Marquet, P., Langlois, P. Multiplication of circuits by variable-rate encoding 88−21106
Marquette, D.D., Arrildt, W. Radiology film tracking in a distributed clinical network 86−50540
Marquez, E., Esquivias, L., Villares, P., Jimenez-Garay, R. Electrode-holding devices with an incorporated contact pressure regulating system, designed for the switching effect in amorphous materials 85−55488
Marquez, E., Jimenez-Garay, R., Alegria, A., Arruabarrena, A. Switching electrical power of bulk chalcogenide glassy semiconductors 87−60113
Marquez, E., Villares, P., Jimenez-Garay, R. Electrical conductivity and phenomenology of switching in the glassy alloy $Ge_{0.09}As_{0.20}Te_{0.71}$ 86−8815
Marquez, E., Villares, P., Jimenez-Garay, R. Pre-switching non-linear region and delay time in the $Cu_{0.15}As_{0.35}Se_{0.50}$ semiconducting glass 86−35347
Marquez, E., Villares, P., Jimenez-Garay, R. Bulk thermal switching in As-Se-Te semiconducting glasses with a coplanar point electrode configuration 88−1396
Marquez, E., Villares, P., Jimenez-Garay, R. Study of the electrothermal switching effect in bulk glassy semiconductors by a computer simulation method 88−25898
Marquez, E., Villares, P., Jimenez-Garay, R. On the Joule self-heating current increase corresponding to a non-switching voltage in bulk glassy semiconductors 88−32825
Marquez, E., Villares, P., Jimenez-Garay, R. On electronic conduction in the pre-switching region of glassy semiconducting alloys $As_{40}Se_{30}Te_{30}$ and $As_{20}Se_{50}Te_{30}$ 88−57324
Marquez, E. *see* Haro, M. 86−47323, 87−60108
Marquez, J. *see* Askenazy, S. 87−2264
Marquez, L. R&M 2000: cutting the tether 88−10670
Marquez, R.R. New information technologies: an educational challenge 85−13688
Marquez, R.R. Present and future of electronic publishing in Spain and Latin America 85−13733
Marquez-Montes, J. *see* Hernandez, C. 85−15334, 87−21629
Marquez-Reines, M. *see* Jamison, K.A. 87−26685
Marquina, M.A. *see* Alberdi, J. 88−22967
Marquina, M.A. *see* Anderhub, H. 87−21420
Marquis, D.L. *see* Lowney, S.D. 87−56162

Marquis, F., Dobiasch, P., Meystre, P., Wright, E.M. Slaved bistability and self-pulsing in a nonlinear interferometer 86−29232
Marquis, F., Enz, C.C. Modelization of first and second order oversampled sigma-delta modulators 88−12259
Marquis, F. *see* Savage, C.M. 88−39801
Marquis, P. The synchronization of clocks 87−52686
Marquis, S. *see* Miller, C.E., III 86−53153
Marquot, A. *see* Bocquet, C. 86−34874
Marr, D. *see* Thomas, C.D. 85−25879
Marr, G.V. *(editor)* Handbook on synchrotron radiation. Vol.2 88−31280
Marr, J.D. A selected bibliography on adaptive antenna arrays 87−33534
Marr, J.D., Long, T.N. Dynamic RF target source modeling for a seven-horn array 86−48662
Marr, J.J. *see* Battles, J.E. 86−66289
Marr, L. *see* Rock, D. 88−30111
Marr, M.R. *see* Jones, M.D. 85−42340
Marr, N.W. *see* Cretella, M.C. 86−34301
Marr, W.W., Walsh, W.J. A computerized system for establishing electric vehicle battery requirements 85−49185
Marr, W.W., Walsh, W.J. An electric-hybrid vehicle model for establishing optimal battery requirements 86−52007
Marra, A. *see* Bertoglio, O. 87−13276, 87−76192, 87−76226
Marra, L.J. The sharkbite threat to the TAT-8 cable system 88−47117
Marra, L.J. *see* Chu, T.-C. 87−20567
Marra, L.J. *see* Tek-Che Chu 86−49663
Marra, M.T. *see* Koga, R. 86−34846
Marra, R.A., Nakamura, Y., Fujitsu, S., Yanagida, H. Humidity sensitive electrical conduction of ZnO-Ni$_{1-x}$Li$_x$O heterocontacts 86−67721
Marra, T.R. F wave measurements: a comparison of various recording techniques in health and peripheral nerve disease 88−4946
Marra, W.C., Linnell, J.S., Denkin, N.M., Ogawa, K. Ft series G lightwave digital transmission system architecture and upgrade capability 88−4031
Marrakchi, A., Tanguay, A.R., Jr., Yu, J., Psaltis, D. Photorefractive incoherent-to-coherent optical converter: physical and materials considerations 85−12983
Marrakchi, A., Tanguay, A.R., Jr., Yu, J., Psaltis, D. Physical characterization of the photorefractive incoherent-to-coherent optical converter 85−35921
Marrakchi, A. *see* Psaltis, D. 85−12982
Marrakchi, G., Barbier, D., Guillot, G., Nouailhat, A. A deep level transient spectroscopy study of electron traps in *n*-type GaAs after pulsed electron beam irradiation 88−1365
Marraud, A. Antilaser safety spectacles 86−12055
Marraud, A., Couderc, H., Prado, B. 3D image synthesis with lenticular screens 87−62189
Marre, J.P. *see* Lenormand, R. 88−2841
Marrello, V. *see* Chen, M. 85−41100
Marriage, A.J., McIntosh, B. High speed thick film fuses 86−20986
Marrian, C.R.K., Colton, R.J., Snow, A., Taylor, C.J. A soluble polydiacetylene, P4BCMU, as a negative electron beam resist 87−67074
Marrian, C.R.K., Haas, G.A., Shih, A. Fast turn-on characteristics of tungsten-based dispenser cathodes. II 86−14783
Marrian, C.R.K., Shih, A. The poisoning and reactivation kinetics of uncoated tungsten-based dispenser cathodes exposed to water vapor 87−24665
Marrian, C.R.K., Shih, A., Haas, G.A. Ion scattering spectroscopy studies of barium and oxygen on tungsten and tungsten-based dispenser cathodes 86−14782
Marrian, C.R.K. *see* Colton, R.J. 88−13204
Marrian, C.R.K. *see* Greene, R.F. 87−66811
Marrian, C.R.K. *see* Haas, G.A. 86−14785 to 14786
Marrian, C.R.K. *see* Shih, A. 86−14788, 86−14803, 87−54354
Marrin, K. LISP development tools help programmers slash CAE-software production cycles 85−10930
Marrin, K. ATE sparks renewed interest in GPIB fast-slewing DC supplies 85−27500
Marrin, K. ECL PALs outpace their TTL equivalents 85−54771
Marrin, K. Link between PLDs and gate arrays slow in coming 86−52610
Marrin, K. PLDs slow advance of gate arrays in low-end designs 86−52771
Marrin, K. Plug-in boards transform PCs into floating-point workstations 86−52848
Marrin, K. Customizable serial bus brings low cost, high performance and reliability to control systems 86−52908
Marrin, K. Six DSP processors tackle high-end signal-processing applications 86−53700
Marrin, K. Microprocessor brings floating-point capability to 32-bit market [NEC V20] 86−57845
Marrin, K. Multiprocessor systems power demand for dual-port SRAMs 87−10835
Marrin, K. Semicustom approach to mixed analog/digital ICs stresses analog performance 87−11952
Marriner, G.R. Three phase static UPS−operation and reliability 88−30938
Marriner, J. The Fermilab antiproton stack tail system 85−26657
Marriner, J. Review of the physics, technology and practice of stochastic beam cooling 88−54277
Marriner, J. *see* Kells, W. 88−47886
Marriner, J. *see* Mills, F.E. 86−70257
Marriner, J. *see* Pasquinelli, R.J. 88−47900
Marriner, J. *see* Peterson, D. 88−54313
Marriner, J. *see* Petter, J. 88−54182
Marriot, A. Gas turbine type 10−a modern, environmentally-compatible industrial turbine 87−78526
Marriott, C. *see* Vallee, R. 88−72405
Marriott, D. *see* Bednarz, S. 88−61522
Marriott, P. The conversion game [protocol converters] 86−10805
Marriott, P. A liquid metal ion source analysis system 86−60530
Marriott, P. On-axis energy analysis of ^{69}Ga$^+$, Ga^{2+}, and Ga$_2$$^+$ ions emitted from a gallium liquid metal ion source 88−22905
Marriott, P. Angular resolved energy analysis of ^{69}Ga$^+$ ions from a gallium liquid metal ion source 88−36337
Marriott, P.W., Higgins, J.P. Managing nuclear plant aging 85−4761
Marriott, P.W., Smith, B.W. Using the living schedule to improve plant performance 85−4760
Marriott, V., Garza, C.M., Spak, M. Image reversal: a practical approach to submicron lithography 88−13266
Marriott, V., Jucha, B. A method for generating sloped contact holes using a cantilever resist structure 87−11905
Marriott, V. *see* Tipton, M. 87−11542, 87−32381
Marris, R. A no-tears indoor HF antenna 85−24948
Marris, R. Top band indoor receiving antenna 86−22850
Marris, R. An external ferrite loop antenna 86−36833
Marris, R. The mini-loop antenna 87−12818
Marris, R. LW rod loop DXer 87−39490
Marris, R. Duo-band loop antenna 87−75598
Marris, R. The RX6-30 mini-loop antenna 88−27634
Marris, R. A long range long wave receiver 88−47280
Marris, R.O. External ferrite loop antenna MkII 87−68874
Marris, R.Q. The 'DX80 loop antenna' 86−48683
Marris, R.Q. The 'Transist-a-Loop' antenna 87−54712
Marris, R.Q. Build the DX 160/80 loop antenna 87−68881
Marris, R.Q. The eightypole 88−40693
Marris, R.Q. Apartment HF TX antennas. II 88−72678
Marris, R.Q. Apartment HF TX antennas. III 88−72680
Marro, D. Does your PCB assembly line have eyes? 86−1553
Marro, D. Automatic visual test of surface mount assemblies 86−47197
Marrocchesi, P.S. *see* Amendolia, S.R. 85−9069, 85−15169 to 15170, 85−43179, 86−25148, 87−21426 to 21428
Marrocchesi, P.S. *see* Benetta, M. 85−43239
Marrocchesi, P.S. *see* Konoplyannikov, A. 85−42924
Marron, F. *see* Burns, J. 88−31944
Marron, F.Z. *see* Heightower, D.W. 87−684
Marron, J., Martino, A.J., Morris, G.M. Generation of random arrays using clipped laser speckle 86−29964
Marron, J., Morris, G.M. Image recognition in the presence of laser speckle 86−64344
Marron, J.C. Accuracy of Fourier-magnitude estimation from speckle intensity correlation 88−59221
Marron, J.C. *see* Cederquist, J.N. 88−46260, 88−73199
Marrone, G. *see* Cortina, R. 86−50977
Marrone, G. *see* Fini, G.P. 85−15642
Marrone, G. *see* Lambeth, P.J. 88−23542
Marrone, G. *see* Peixoto, C.A.O. 88−68884
Marrone, M.J. Polarisation holding in long-length polarising fibres 85−29557
Marrone, M.J., Davis, M.A. Low-temperature behaviour of high-birefringence fibres 85−56302
Marrone, M.J., Villarruel, C.A. Fiber in-line polarization rotator and mode interchanger 88−1927
Marrone, M.J., Villarruel, C.A., Frigo, N.J., Dandridge, A. Internal rotation of the birefringence axes in polarization-holding fibers 87−26008
Marrone, M.J. *see* Blaszyk, P.E. 87−12168
Marrone, M.J. *see* Bucholtz, F. 88−67827
Marrone, M.J. *see* Friebele, E.J. 86−48137
Marrone, M.J. *see* Kersey, A.D. 88−39943, 88−67808
Marroquin, J.L. Deterministic Bayesian estimation of Markovian random fields with applications to computational vision 87−62370
Marroum, M.-C. *see* Svenson, R.H. 88−16780
Marroux, O. *see* Kastalsky, A. 87−60475
Marrs, C.D., Porteus, J.O., Palmer, J.R. Nondestructive defect detection in laser optical coatings 85−35847
Marrs, C.D. *see* Moran, M.B. 88−65604
Marrs, J.M. *see* Solanki, R. 87−5500
Marrs, R.E. *see* Levine, M.A. 85−59138
Mars, D. *see* Bimberg, D. 87−1250
Mars, D. *see* Hasnain, G. 88−7329, 88−31806
Mars, D. *see* Lo, Y.H. 87−32519
Mars, D.E., Miller, J.N. An indium-free mount for GaAs substrate heating during molecular beam epitaxial growth 86−46336
Mars, D.E. *see* Lin, B.J.F. 87−32720
Mars, P., Narendra, K.S. Routing, flow control and learning algorithms [communication networks] 87−55451
Mars, P. *see* Burton, J. 88−46573
Marsac, J.P. Direct microwave demodulation 85−57953
Marsala, R.J. Hardware design of a microcomputer controlled diagnostic vacuum controller 85−6644
Marsalek, O. Comparison of various electrical heat systems 87−36260
Marsan, B., Fauteux, D., Vijh, A.K. Use of an intercalation oxide as a reference electrode in an all solid-state polymer electrolyte photoelectrochemical cell 88−24115
Marsan, M. *see* Chapman, R. 88−35402
Marsan, M.A., Albertengo, G., Benedetto, S. Performance of combined modulation and coding over nonlinear channels with ISI 86−29710
Marsan, M.A., Albertengo, G., Benedetto, S. On the performance analysis of combined coding and modulation schemes over real channels 86−54421
Marsan, M.A., Albertengo, G., Benedetto, S. Combined coding and modulation: performance over real channels 86−64180
Marsan, M.A., Albertengo, G., Benedetto, S. Performance evaluation of combined coding and modulation schemes for nonlinear channels 88−8683
Marsan, M.A., Albertengo, G., Neri, F., Canegallo, P. A voice and data local area network 86−30428
Marsan, M.A., Balbo, G., Bobbio, A., Chiola, G., Conte, G., Cumani, A. On Petri nets with stochastic timing 86−7639
Marsan, M.A., Balbo, G., Chiola, G., Conte, G. Generalized stochastic Petri nets revisited: random switches and priorities 88−307
Marsan, M.A., Benedetto, S., Zhang, Z. Encoded 16-PSK: a simulation study for the receiver design 88−45942
Marsan, M.A., Bruscagin, M. Multichannel ALOHA networks with reduced connections 87−55780
Marsan, M.A., Camarda, P. The effect of acknowledgment traffic on the performances of multichannel CSMA-CD protocols 86−10828
Marsan, M.A., Camarda, P., Neri, F. Multichannel protocols for real-time microcomputer networks 87−2900
Marsan, M.A., Chiola, G. Modeling discrete event systems with stochastic Petri nets 86−62052
Marsan, M.A., Chiola, G. On Petri nets with deterministic and exponential transition firing times 87−23512
Marsan, M.A., Chiola, G., Fumagalli, A. Timed Petri net model for the accurate performance analysis of CSMA/CD bus LANs 88−15060
Marsan, M.A., De Iacovo, R.D. Performance of 1-persistent multichannel CSMA/CD protocols 88−3311
Marsan, M.A., Signore, V. Timed Petri net performance models of fiber optics LAN architectures 88−3634
Marsan, M.A. *see* Benedetto, S. 88−66292
Marsan, M.Ajmone *see* Ajmone Marsan, M.
Marsch, H., Stelte, M. Radio on Westphalian railway buses 86−49487
Marsch, H. *see* Lower, G. 87−34056
Marschak, T. *see* Hurwicz, L. 88−56174
Marschalko, R. *see* Kelemen, A. 88−69807
Marschall, E. *see* Hoge, H. 87−19577, 88−72887
Marschall, E. *see* Ney, H. 86−69007
Marschall, J. New command centre of the Lech Power Works−planning and execution of command and control technology 86−12257
Marschall, N. Developments within the scope of the ESPRIT program−liquid crystal indicators with thin film silicon transistors 87−26098
Marschall, N. More information on large LCD displays 87−35156
Marschall, N. Silicon thin-film transistors for display control 87−41574
Marschall, N. Silicon-thinfilm transistors for liquid crystal display-drive 87−63456
Marschall, N. Silicon thin film transistors for the control of liquid crystal displays 87−63463

Marschall, N. The design of driving systems for large liquid crystal displays 87−70716
Marschall, N. *see* Senske, W. 87−18822
Marschall, P. *see* Jung, H. 87−68434, 87−74177
Marschall, S. *see* Ehlert, H.-H. 85−32597
Marscheider, C.J., Turner, J.M. RC640−a new FM mobile radio 87−8180
Marschik, D. *see* Hackworth, D.T. 87−26676
Marschner, E. *see* Lipsett, R. 86−47661
Marschner, E. *see* Shahdad, M. 85−39849
Marsden, A. Training for technological change−the wide implications 88−11672
Marsden, D. A Stirling cycle cryogenic cooler for infrared detectors and systems 87−4087
Marsden, H.I. *see* McGrath, P.B. 87−18369, 88−20175
Marsden, J.E. *see* Salam, F.M.A. 85−4553
Marsden, J.R. *see* Williamson, S.J. 85−43331
Marsden, K. Portable low-voltage tool transformers 86−61541
Marsden, P. *see* Flower, M.A. 85−15284
Marsden, P.K., Bateman, J.E., Ott, R.J., Leach, M.O. The development of high-efficiency cathode converters for a multiwire proportional chamber positron camera 87−21544
Marsden, P.K. *see* Flower, M.A. 88−61291
Marsden, P.K. *see* Ott, R.J. 88−61302
Marsden, P.K. *see* Webb, S. 88−61304
Marsden, R. *see* Oliphant, A. 88−4183
Marsden, R.P. Optical fibres for digital video interconnections in television studio centres 87−20535
Marsden, R.P. *see* Oliphant, A. 87−13935
Marsden, S. *see* Holmes-Siedle, A. 85−53104, 86−38696
Marsden-Smedley, L. Electric locomotives for heavy haul freight traffic in Australian conditions 87−51562
Marsh, A. Applications of the square count yield model 85−6987
Marsh, A. Wafer alignment performance through an MOS process 85−7071
Marsh, A. Lithographic performance of I-line optics 88−57571
Marsh, A. *see* Oakley, R.E. 85−40660
Marsh, A.B. *see* Ahrens, A.B. 85−47344
Marsh, A.B. *see* Ahrens, R.B. 85−20460
Marsh, A.C. Electron tunneling in GaAs/AlGaAs heterostructures 87−45651
Marsh, A.C., Inkson, J.C. Electron scattering from heterojunctions 85−18148
Marsh, A.C., Inkson, J.C. New physical phenomena in a AlGaAs heterojunction 85−18158
Marsh, A.C., Inkson, J.C. An empirical pseudopotential analysis of (100) and (110) GaAs-$Al_xGa_{1-x}As$ heterojunctions 86−21199
Marsh, A.C., Inkson, J.C. The electronic properties of GaAs/AlGaAs heterojunctions 86−41547
Marsh, A.C., Inkson, J.C. Scattering matrix theory of transport in heterostructures 87−6434
Marsh, B.J., Lack, G.L. Gears for pumped-storage units 85−5004
Marsh, C. *see* Hemment, P.L.F. 87−38102, 87−53297
Marsh, C. *see* Reeson, K.J. 87−11623, 87−38104
Marsh, C.D., Hutchison, J.L., Booker, G.R., Reeson, K.J., Hemment, P.L.F., Celler, G.K. TEM studies of high-dose oxygen implanted silicon annealed at 1405°C 88−33065
Marsh, C.D. *see* Davis, J.R. 87−60642
Marsh, C.D. *see* Reeson, K.J. 88−57444
Marsh, C.H., Jones, J.R. Passive-star-configured fibre optic LANs 88−47067
Marsh, D. Testing VLSI-based boards 85−34334
Marsh, D. Sequencing and timing requirements for VLSI testing 85−34341
Marsh, D. The fuse is still very much alive 87−66650
Marsh, D. Compact fuses fight back: with assurance of safety 88−11315
Marsh, D.G. *see* Fischer, J.H. 87−62756, 88−21840
Marsh, D.G. *see* Saari, V.R. 87−62754
Marsh, D.J. Digital speech technology−telecommunication applications 87−62489
Marsh, D.W. *see* Dowben, S.L. 87−6614
Marsh, G.C. *see* Field, A.W. 87−15293
Marsh, G.E., II. *see* Price, B.J. 85−49283
Marsh, H. Design: the mandatory subject for degree courses in engineering 86−33979
Marsh, H. Storyboarding with a PC: an integrated approach 87−43841
Marsh, H. *see* Janesick, J.R. 85−58569
Marsh, H.G. The increased use of personal computers for PCB design 87−45393
Marsh, H.G. CAD graphics subsystems [for PCBs] 87−59972
Marsh, H.G. Major role for PCs in PCB design 88−1113
Marsh, H.H., IV *see* Blouke, M.M. 88−16194
Marsh, H.J. *see* Shahid, M.A. 85−34828
Marsh, J. *see* Barsotti, E. 88−54403
Marsh, J. *see* Pothecary, I.J.W. 85−26889
Marsh, J.F., Azzam, M. MCHSE: a versatile framework for the design of two-level power system state estimators 88−61790
Marsh, J.F., Nunn, A.E.T., Michelson, D. The control of electrostatic atomization using a closed-loop system 88−58805
Marsh, J.H., Dickson, G., Claxton, P.A. Time-resolved photoluminescence system with subnanosecond resolution at wavelengths up to 1.65 μm 88−57300
Marsh, J.H., Roberts, J.S., Claxton, P.A. Photoluminescence from $In_{0.53}Ga_{0.47}As/InP$ quantum wells grown by molecular beam epitaxy 85−56419
Marsh, J.H. *see* Anjum, M. 85−18235
Marsh, J.H. *see* Kendall, P.C. 86−16013
Marsh, J.H. *see* Li Kam Wa, P. 85−41190, 87−12234
Marsh, J.H. *see* Roberts, J.S. 86−46324
Marsh, J.H. *see* Sealy, B.J. 85−45531
Marsh, J.O. The role of the IEE in the advancement of technical education in Britain up to 1924 88−43539
Marsh, J.O. *see* Davies, P.J. 86−19701
Marsh, J.R. *see* Anson, M. 87−59801
Marsh, J.S. Lloyd's mirror as an optical processor 86−16536
Marsh, K., Joshi, C., Janesick, J., Collins, S. Nondispersive X-ray spectroscopy and imaging of plasmas using a charge-coupled device 85−52996
Marsh, K. *see* Joshi, C. 88−16591
Marsh, K.A., Addison, R.C., Richardson, J.M. Probabilistic image reconstruction using experimental ultrasonic data 86−12213
Marsh, K.A., Richardson, J.M. The object function implicit in the CLEAN algorithm 87−69251
Marsh, K.A., Richardson, J.M. Probabilistic algorithm for phase retrieval 88−66642
Marsh, K.A. *see* Richardson, J.M. 85−10896
Marsh, K.L. *see* Knickelbein, M.B. 88−72262
Marsh, L., Mann, B., Liang, C.-X., Diab, S., Sheron, B. Steam generator tube rupture. A new licensing perspective 85−38764
Marsh, L.L., Lasky, R., Seraphim, D.P., Springer, G.S. Moisture solubility and diffusion in epoxy and epoxy-glass composites 85−22553
Marsh, L.L., Van Hart, D.C., Kotkiewicz, S.M. A dielectric loss investigation of moisture in epoxy-glass composites 85−37809
Marsh, L.L. *see* Seraphim, D.P. 86−14718
Marsh, L.M. *see* Bencomo, J.A. 85−38074
Marsh, L.M. *see* Morgan, T.J. 85−38075
Marsh, M. SMT challenges CAD-system speed and structure 85−61550
Marsh, M. *see* Price, H.G. 88−53980
Marsh, M.W. *see* Brown, A.K. 86−10215
Marsh, O.J. *see* Hunter, A.T. 85−55686
Marsh, O.J. *see* Robertson, G.D., Jr. 85−18056
Marsh, O.J. *see* Winston, H.V. 86−2213
Marsh, O.J. *see* Young, M.H. 85−23656
Marsh, P. The space business 86−21
Marsh, P. Biogas cogeneration system paralleled with main power supply 86−25961
Marsh, P.de *see* de Marsh, P.
Marsh, R. Some aspects of medical electronics 87−8886
Marsh, S.J., Kapetanakos, C.A. Studies of the electron-ring dynamics in a modified betatron for large ring displacements from the minor axis 88−61024
Marsh, S.J. *see* Agritellis, C. 85−37823
Marsh, S.J. *see* Dialetis, D. 87−70945
Marsh, S.J. *see* Floyd, L. 86−24884, 86−60407
Marsh, S.J. *see* Golden, J. 88−54195
Marsh, S.J. *see* Kapentanakos, C.A. 86−70291
Marsh, S.J. *see* Kapetanakos, C.A. 87−50033, 87−50095, 88−61028
Marsh, S.J. *see* Prakash, A. 86−24921
Marsh, S.P., Cronin, N.J., Reece, P.H. 183 GHz monolithic subharmonic mixer 88−25538
Marsh, S.P. *see* Cronin, N.J. 87−11071
Marsh, S.P. *see* Fowler, C.M. 88−43297
Marsh, S.P. *see* Goforth, J.H. 87−22671, 88−43309
Marsh, S.P. *see* Lindemuth, I.R. 88−37317
Marsh, S.P. *see* Sheppard, M.G. 88−43302
Marsh, S.P. *see* Williams, A.H. 85−23193
Marsh, W. *see* Blair, R. 85−15110
Marsh, W. *see* Seino, K. 86−60429
Marsh, W. *see* Webber, R. 88−54105
Marsh, W.J. *see* Patel, B.K. 86−66130
Marsh, W.J., Jr., Smith, H.S. Parallel phase shifters require special protection 87−78743
Marshak, A.H. On the inappropriate use of the intrinsic level as a measure of the electrostatic potential in semiconductor devices 85−34575
Marshak, A.H. Transport equations for highly doped devices and heterostructures 88−19677
Marshak, H., Brewer, W.D., Roman, P., Boettcher, M. ^{160}TbTb(sc): a new absolute nuclear orientation thermometer for use in high magnetic fields 88−29678
Marshak, I.S. Pulsed light sources 86−7291
Marshak, M. *see* Lobkowicz, F. 85−43185
Marshak, R.T. Corporate videotex from DEC 88−15039
Marshak, V.A. *see* Novichenko, L.N. 87−63548
Marshak, Yu.L., Verzakov, V.N. Investigating combustion of Berezovka coal in a tangential-fired furnace chamber with gas drying of fuel 86−12687
Marshakov, V.K., Trifonov, V.P. A quasi-optimal estimation of the temporal positions of discontinuous signals 85−51610
Marshal, D. *see* Rosen, J.M. 88−54656
Marshal, D.F., Jenkins, W.K. A fast quasi-Newton adaptive filtering algorithm 88−72989
Marshal, I.W. *see* Steele, R.C. 88−41694
Marshal, T.O., Christensen, P., Julius, H.W., Smith, J.W. The relative merits of discriminating and non-discriminating dosemeters 86−50641
Marshalek, R.G. Fiber-optic distribution networks in large-capacity Earth stations 87−28603
Marshalek, R.G. Optical communications link design for the tracking and data acquisition system 87−76790
Marshalek, R.G., Koepf, G.A. Comparison of optical technologies for intersatellite links 87−20448
Marshalek, R.G. *see* Cahana, D. 86−37808
Marshalek, R.G. *see* Koepf, G.A. 87−20451
Marshalek, R.G. *see* Nelson, R.D. 88−53295
Marshall, A. A low cost intelligent power actuator for automotive multiplex wiring systems 88−69901
Marshall, A., Colman, D., Collins, S. Power device design for a hybrid actuator 88−69660
Marshall, A., Hallam, K.R. Fluorine doping and etching reactions of Freon 12 in optical fibre manufacture 86−36231
Marshall, A., Irven, J., Pitt, N.J. Hydrogen and deuterium gas-in-glass effects in single-mode optical fibres 85−46161
Marshall, A. *see* Pitt, N.J. 86−9562
Marshall, A. *see* Stein, I.M. 87−57149
Marshall, A.C. *see* Beardsley, A. 85−47231
Marshall, A.C. *see* Davies, J.I. 88−43941, 88−58525, 88−63293
Marshall, A.C. *see* Hodson, P.D. 88−25445
Marshall, A.C. *see* Williams, P.J. 88−65671
Marshall, A.D., Proudler, G.J. Cryptographic key management for a store-and-forward messaging system 88−9077
Marshall, A.F. *see* Hoyt, J.L. 88−71326
Marshall, A.H., Day, C.W., Elliott, L.J. The acoustical design of a 4000-seat church 88−22347
Marshall, A.L. Monitoring building automation systems with personal computers 86−5020
Marshall, A.L. *see* Green, D.G. 85−33040
Marshall, B. The future of smart PICs 87−1657
Marshall, B. Surface mount devices choices for military system designers 87−58692
Marshall, B. Smart power technologies overview 88−7701
Marshall, B. *see* Allison, S.W. 88−42605
Marshall, B. *see* Cates, M.R. 85−37496
Marshall, B. *see* Orzechowski, T.J. 85−35411
Marshall, C. From PC to CAE workstation 85−54594
Marshall, C. Micro-controlled DC drives 87−9570
Marshall, C.B. A low-power integrable paging receiver architecture 85−63554
Marshall, C.B. Low-power integrable paging receiver architecture 86−64881
Marshall, C.B. A paging receiver architecture that uses a modulated local oscillator 86−64888
Marshall, C.B. A radio-paging receiver architecture and demodulator 87−34441
Marshall, C.H., III A one-dimensional measure of product quality [electronic equipment manufacture] 85−10532
Marshall, C.J. More bite for mailbox users 85−47143
Marshall, C.J. *see* Maude, T.I. 85−3054
Marshall, C.J. *see* Wilson, P.A. 85−25356
Marshall, D. Videomusic: a marriage of convenience between television and popular music 87−20719
Marshall, D.A. *see* van Wyk, J.D. 86−44897, 86−45565, 87−15236, 87−30778
Marshall, D.B. *see* Clarke, L.R. 87−372
Marshall, D.B. *see* Johnson-Walls, D. 85−61017
Marshall, D.B. *see* Khuri-Yakub, B.T. 85−6073
Marshall, D.F. *see* Jenkins, W.K. 88−903
Marshall, D.F. *see* Nayeri, M. 87−66417
Marshall, D.W. Midline spikes 88−29996
Marshall, E. *see* Kuech, T.F. 87−11641
Marshall, E. *see* Walsh, J. 88−50589
Marshall, E. *see* Wright, S.L. 87−74069
Marshall, E.D., Chen, W.X., Wu, C.S., Lau, S.S., Kuech, T.F. Non-alloyed ohmic contact to *n*-GaAs by solid phase epitaxy 85−61751
Marshall, E.D., Randolph, M.W., Wu, C.S., Lau, S.S. Numerical calculations of effective barrier heights of metal/Ge contacts formed by ion implantation 86−1820
Marshall, E.D., Wu, C.S., Pai, C.S., Scott, D.M., Lau, S.S. Metal-germanium contacts and germanide formation 86−28044
Marshall, E.D., Wu, C.S., Scott, D.M., Lau, S.S., Kuech, T.F. Pt and Pd silicides and Pd germanide as contact metallizations for GaAs 85−34633
Marshall, E.D., Zhang, B., Wang, L.C., Jiao, P.F., Chen, W.X., Sawada, T., Lau, S.S., Kavanagh, K.L., Kuech, T.F. Nonalloyed ohmic contacts to *n*-GaAs by solid-phase epitaxy of Ge 87−74108

Marshall, E.D. *see* Hsieh, Y.F. 88−38218
Marshall, E.D. *see* Lau, S.S. 86−21242
Marshall, E.D. *see* Sawada, T. 87−11447
Marshall, E.D. *see* Wang, L.C. 88−71445
Marshall, E.J., Dykes, J.E. Reduction in plant operating costs through computer evaluation of operator performance 86−32893
Marshall, E.M., Phillips, P.M., Walsh, J.E. The planar orotron: a tunable, moderate power, millimeter wave source 88−25823
Marshall, E.M., Phillips, P.M., Walsh, J.E. Planar orotron experiments in the millimeter-wavelength band 88−64195
Marshall, E.M. *see* Phillips, P.M. 88−27196
Marshall, E.M. *see* Walsh, J.E. 88−19607
Marshall, F.J. Commentary on the Aiken thin CRT 85−11857
Marshall, F.J., Hardy, D.A., Huber, A., Pantazis, J., McGarity, J., Holeman, E., Winningham, J.D. Calibration system for electron detectors in the energy range from 10 eV to 50 keV 86−32190
Marshall, F.J. *see* Brown, C.M. 87−46754
Marshall, F.W. *see* Brewer, S.T. 86−39475
Marshall, G. Computerised plant management 87−10108
Marshall, G.E. *see* Fowler, J.M. 85−63382
Marshall, H.W. *see* Parker, D.L. 87−63734
Marshall, I. A 5 V supply including momentary backup 85−17130
Marshall, I. A microvolt calibrator 88−30006
Marshall, I., Neilson, J.M. Mains interference in ECG recording 85−15327
Marshall, I.W. Low loss coupling between semiconductor lasers and single-mode fibre using tapered lensed fibres 86−42241
Marshall, I.W., O'Mahony, M.J. 10 GHz optical receiver using a travelling-wave semiconductor laser preamplifier 87−76753
Marshall, I.W., O'Mahony, M.J., Constantine, P.D. Optical system with two packaged 1·5 μm semiconductor laser amplifier repeaters 86−37872
Marshall, I.W., O'Mahony, M.J., Constantine, P.D. Measurements on a 206 km optical transmission system experiment at 1.5 μm using two packaged semiconductor laser amplifiers as repeaters 88−67394
Marshall, I.W., Spirit, D.M., O'Mahony, M.J. Picosecond pulse response of a travelling-wave semiconductor laser amplifier 87−75078
Marshall, I.W. *see* O'Mahony, M.J. 85−25912, 85−47503, 85−56619, 85−63716, 87−13698, 87−68448, 88−47105
Marshall, I.W. *see* Steele, R.C. 87−40881, 87−40973
Marshall, J. Communications in a flexible manufacturing system 85−63376
Marshall, J., Bernard, J., Racionzer, D. An architecture for image analysis workstations and clusters in PACS applications [medical application] 87−14878
Marshall, J., Clasper, R.N. Graphics in energy network control 85−48516
Marshall, J., Clasper, R.N. Computer-aided control of electrical supply operations 85−64797
Marshall, J., Hullmann, J. Encapsulated chip packaged on tape 86−19857
Marshall, J., Van Dyne, D. Integrating CAE, CAD and CASE 86−57547
Marshall, J. *see* Carroll, T.A. 85−5121
Marshall, J. *see* Docchio, F. 88−8385
Marshall, J.A. Wire wrap prototyping speeds PCB concept-design-production 85−11721
Marshall, J.A. Achieving consistency and improving quality in the screening area 85−61572
Marshall, J.A. The R&M contribution: profitability and conflict 86−256
Marshall, J.D., Meindl, J.D. An analytical two-dimensional model for silicon MESFETs 88−39511
Marshall, J.D., Meindl, J.D. A sub- and near-threshold current model for silicon MESFETs 88−39512
Marshall, J.E. *see* Macal, C.M. 88−17032
Marshall, J.F. New applications of tape bonding for high lead count devices 85−6631
Marshall, J.F. Tools for managing British Telecom's special services network 87−55587
Marshall, J.F., Adamson, J., Cole, R.V. Automatic cross-connection equipment (ACE) for private circuit digital networks 85−63486
Marshall, J.F., Adamson, J., Cole, R.V. Introducing automatic cross-connection into the KiloStream network 86−16771
Marshall, J.F., Cole, R.V. Automatic crossconnection equipment in British Telecom's KiloStream network 87−40546
Marshall, J.F., Gallagher, R.M., Ratti, A. RATES: an aid to private circuit testing 86−37320
Marshall, J.F., Hornsby, G.H., Price, G.R. ALE-testing to the customer interface 87−56466
Marshall, J.F., Kennard, D.E., Ratti, A., Gallagher, R.M. Remote testing of private circuits 86−30233
Marshall, J.F., Sheppard, R.P. New applications of tape bonding for high lead count devices 85−55939
Marshall, J.F.Le *see* Le Marshall, J.F.
Marshall, J.G. Minimizing impact of testing and maintenance on LaSalle County Station performance 86−51345
Marshall, J.G. The use of data-conferencing as an instructional technique 88−53057
Marshall, J.L. Scanning electron microscopy characterization of connector failures 88−64047
Marshall, J.L., Walter, S.R. Fatigue of solders 87−59011
Marshall, J.M. Excess carrier thermalisation phenomena in amorphous materials and devices 86−27904
Marshall, J.M., LeComber, P.G., Spear, W.E. Comments on the calculation of the extended state electron mobility in amorphous silicon 85−40465
Marshall, J.M., Street, R.A., Thompson, M.J. Electron drift mobility in amorphous Si:H 86−68383
Marshall, J.M., Street, R.A., Thompson, M.J., Jackson, W.B. Hole carrier drift-mobility measurements in a-Si:H, and the shape of the valence-band tail 88−39084
Marshall, J.M. *see* Barclay, R.P. 86−27945
Marshall, J.M. *see* Hepburn, A.R. 86−28344, 86−53663, 88−19995
Marshall, J.M. *see* Main, C. 87−61024
Marshall, J.W. *see* Coomber, D.B. 88−28786
Marshall, J.W. *see* Leimbach, W.B. 88−48853
Marshall, K. *see* Romesburg, H.C. 85−39618
Marshall, K.L. Laser damage resistant polysiloxane polymers as homeotropic alignment layers for liquid crystal devices 86−68345
Marshall, K.S. Controlled access services: or how to make money out of teletext 86−37434
Marshall, L. *see* Pigott, A. 87−55485
Marshall, L.R. High-power UV visible lasers for the laboratory: stimulated Raman scattering of excimer laser outputs 85−62479
Marshall, M. *see* Birch, R. 85−37941
Marshall, M.D. *see* Lew, H. 87−26489
Marshall, N.H. *see* Shah, V.N. 85−1890, 86−9446
Marshall, P. ⟨BEXTEL⟩: a private videotex system 87−40322
Marshall, P. INTELSAT: flexibility and experience for broadcasters 87−40849
Marshall, P. A guide to synchro selection 88−30750
Marshall, P. INTELSAT: synonymous with global broadcasting 88−46973
Marshall, P., Johns, R.A. Control of induction motors for energy saving 86−19285
Marshall, P., Johns, R.A. Energy saving in induction motor drives 86−66402
Marshall, P., Quinton, R. A DECnet to NetNorth mail bridge 88−46505
Marshall, P. *see* Pease, R.L. 88−26280
Marshall, P. *see* Summers, G.P. 87−32490
Marshall, P.E., Briggs, S.I. The function of an electronic mail-box system 85−30646
Marshall, P.E., Briggs, S.I. The organisation of electronic mailbox systems 86−16844
Marshall, P.J. Experience with a component OB unit 87−13934
Marshall, P.J. *see* James, A. 85−3704
Marshall, P.J. *see* King, P.A. 85−37277, 85−37432
Marshall, P.M., Santana, C.E. Simple technique cavity-stabilizes VCO 86−14481
Marshall, P.N. *see* Leonberger, F.J. 86−47757
Marshall, P.W. *see* Summers, G.P. 88−26224
Marshall, R. Television instruments from ShibaSoku 85−58342
Marshall, R. Good neighbourliness for personal computers [interference reduction] 87−75457
Marshall, R.A. Structure of plasma armature of a railgun 87−26693
Marshall, R.C. Clamp-on radio frequency chokes 87−26884
Marshall, R.C. *see* Clarke, B. 88−60555
Marshall, R.E. *see* Kushwaha, R.K. 86−50599
Marshall, R.J. *see* Goodin, R.D. 85−32680
Marshall, R.M. Automatic generation of controller systems from control software 87−37365
Marshall, R.W. *see* Henderson, J.D. 86−12595
Marshall, S., Chapman, R., Durrani, T.S., Scharf, L.L. Contour coding of images 87−19944
Marshall, S., Durrani, T.S., Chapman, R. A binocular stereo matching algorithm 85−51814
Marshall, S., Scharf, L.S. Data compression using image contours 87−13100
Marshall, S. *see* Magar, S. 86−8305
Marshall, S.A., Suits, B.H., Umlor, M.T., Zhang, Y.N. Imaging electromagnetic fields using the magnetic resonance absorption spectrum of a paramagnetic gas 88−32393
Marshall, S.B., Dewey, F.R. An overview of smart power technology for motion control 88−71759
Marshall, S.J., Munis, R.H. A proposed model for thermal image scene analysis 85−51744
Marshall, S.J. *see* Munis, R.H. 86−24374
Marshall, S.J. *see* Reid, G.T. 85−46967
Marshall, T. *see* Aronson, S. 88−61122
Marshall, T. *see* Khan, B.A. 87−18161
Marshall, T.C. *see* Cai, S.Y. 88−2305
Marshall, T.C. *see* Chen, S. 86−3448
Marshall, T.C. *see* Masud, J. 86−48449, 87−2184, 87−33222, 88−2296
Marshall, T.C. *see* Yee, F.G. 86−22416, 87−75143, 88−65749
Marshall, T.G. PALs simplify complex circuits 87−24035
Marshall, T.G. Real-number source-channel coding 87−54917
Marshall, T.G., Jr. Codes for error correction based upon interpolation of real-number sequences 87−7669
Marshall, T.G., Jr. Transform methods for developing parallel algorithms for cyclic-block signal processing 87−27538
Marshall, T.G., Jr. The polyphase transform and its applications to block-processing and filter-bank structures 87−69221
Marshall, T.G., Jr. Signal restoration viewpoints for estimating errors in discrete-time signals 88−3121
Marshall, T.G., Jr. Removing noise pulses from frequency constrained signals 88−8785
Marshall, T.O., Bartlett, D.T., Burgess, P.H. Current and future instrument and dosemeter designs to measure the new CRU radiation quantities 88−5026
Marshall, W.G., Leek, R., Pilkington, M.J., Hampson, N.A. A computer-controlled discharge unit for the testing of nickel-cadmium cells and batteries 86−33608
Marshall, W.J. *see* Lyon, T.L. 86−63860
Marshall, W.K. Detection and symbol synchronization for multiple-bit per photon optical communications 85−31069
Marshall, W.K. Word and frame synchronization with verification for PPM optical communications 87−39608
Marshall, W.K. Transmitter pointing loss calculation for free-space optical communications link analyses 87−62924
Marshall, W.K., Katz, J. Waveguide PIN junction electrooptic phase modulators: theoretical analysis and design criteria 85−56364
Marshall, W.K., Katz, J. Direct analysis of gain-guided phase-locked semiconductor laser arrays 86−68531
Marshall, W.K. *see* Katz, J. 86−3145
Marshall, W.K. *see* Lesh, J.R. 87−40958
Marshall, W.T., Morgan, S.P. Statistics of mixed data traffic on a local area network 86−23439
Marshall Ash, J., Janson, S., Jones, R.L. Optimal numerical differentiation using *N* function evaluations 85−28186
Marshall Lord *see* Lord Marshall
Marshall-of-Goring The 1985 Lord Nelson of Stafford lecture−electricity in the UK 86−32672
Marshar, J. Microcomputer automation of an X-ray diffractometer for application in thermal analysis 86−54283
Marshburn, T., Lui, I., Brown, R., Cheung, D., Lum, G., Cheng, P. DATAPATH: a CMOS data path silicon assembler 87−5623
Marshman, W. The information revolution 87−55483
Marsi, B. *see* Barbarito, M. 86−51054
Marsico, R., Freimark, B. Using weights to adjust catenary sag 87−15313
Marsico, R., Ryan, R.D., Retallack, R.L. AEP chainette structure development [transmission line towers] 86−12477
Marsico, R. *see* Scherer, H.N., Jr. 86−50952
Marsiglia, G. *see* Borchi, E. 86−16352
Marsik, J. Effect of dopants concentration on resolution and rate of light induced etching. I. Theoretical analysis 87−73979
Marsik, J. Effect of dopants concentration on resolution and rate of light induced etching. II. Application to n-GaAs 87−74018
Marsik, J., Huttel, I. Optimum picosecond pulses generated by harmonically excited semiconductor lasers 86−54145
Marsilia, A. Optical cables for telecommunication−dielectric and impregnated 85−31064
Marsilia, A., Gobbat, V. Post-war cable developments to reduce flame propagation 86−39167
Marsilia, A., Gobbato, V. Fire resisting cables: history and state of the art 86−65719
Marsing, H. *see* Jahnke, A. 88−65061
Marsland, C.J. *see* Al-Assadi, K.F. 88−7505
Marsland, C.R., Tassicker, O.J. Continuous on-line analysis of coal applied to a 4000 MW power plant 86−61384
Marsland, D.P., Balanis, C.A., Brumley, S.A. Higher order diffractions from a circular disk 88−41718
Marsland, J.S. A lucky drift model, including a soft threshold energy, fitted to experimental measurements of ionization coefficients 87−32258
Marsland, J.S., Woods, R.C. An approximate form of the 'lucky-drift' expression for ionisation coefficients used in evaluation of superlattice structures 87−24883
Marsland, J.S., Woods, R.C. Lucky drift models of multilayered structures and approximate forms of lucky drift expressions 88−20499
Marsland, J.S. *see* David, J.P.R. 86−9090
Marsland, M.G. *see* Jacobs, D.J. 87−68649
Marsland, R.A. *see* Madden, C.J. 88−56917
Marsland, S. *see* van Konynenburg, P. 88−51585

Marsland, T.P., Evans, S. Dielectric properties of cryopreserved tissue 86−56173
Marsland, T.P., Evans, S. Dielectric measurements with an open-ended coaxial probe 87−70758
Marslen-Wilson, W.D. Speech shadowing and speech comprehension 85−63001
Marslen-Wilson, W.D. Aspects of human speech understanding 86−29786
Marsman, H.G. The use of glass fibres for telecommunication in the limited company South Holland Electricity Service 87−62959
Marso, M. *see* Beneking, H. 87−24476
Marsolai, E.B. *see* Muccio, P.E. 88−61463
Marsolais, E., Massiello, A., Ko, W., Spear, T. Finger switch for a portable microprocessor system to restore walking in paraplegics 86−25316
Marsolais, E.B. Functional neuromuscular electrical stimulation of the paraplegic lower extremities 88−48203
Marsolais, E.B. Implementing trunk control in FNS walking systems 88−61474
Marsolais, E.B., Kobetic, H.J., Chizek, H.J., Mansour, J.M. Impact of feedback on neural stimulation in the paraplegic 85−48324
Marsolais, E.B., Kobetic, R. Experience with a helical percutaneous electrode in the human lower extremity 86−25277
Marsolais, E.B. *see* Barnicle, K. 88−61239
Marsolais, E.B. *see* Chizeck, H.J. 85−48339, 86−25314
Marsolais, E.B. *see* Edwards, B.G. 87−21681, 88−61240
Marsolais, E.B. *see* Kobetic, R. 88−61390 to 61391
Marsolais, E.B. *see* Simon, E. 88−61462
Marson, I. *see* Faller, J.E. 88−47392
Marstaller, R. *see* Altmann, W. 88−22536
Marsteller, T.F. *see* Walter, C. 88−6175
Marston, A., Burroughs, G., Chen, K., Desroches, A., Emerson, G., Hsu, J., Lee, R., Najami, F., Peebles, A., Peterson, K., Saperstein, B., Wangunhardjo, J., Wiemann, A., Wu, R. A 32 b CMOS single-chip RISC type processor 87−59602
Marston, C.F. Civil/military applications for RPV technology 86−44751
Marston, C.H. Two computer oriented thermodynamics projects [steam plant modelling] 85−38863
Marston, P.G. Superconducting magnet system for a space-based 100 MW MHD disc generator 88−68589
Marston, P.G., Hale, J.R. ICCS for DC applications 88−65058
Marston, P.G. *see* Brown, D. 88−68107
Marston, R. All about CMOS clock circuits 85−22973
Marston, R. Data file [optoelectronics] 85−24407
Marston, R. Data file [LED circuits] 85−26405
Marston, R. Data File [home security systems] 85−28012
Marston, R. Data file [alarm systems] 85−28013
Marston, R. Data File [preamplifier ICs] 85−28382
Marston, R. Data file 85−28383
Marston, R. Data File 85−28385
Marston, R. Data file [PLL chip] 85−28418
Marston, R. Data file [optoelectronic devices] 85−31532
Marston, R. Data file [7-segment driver techniques and circuits] 85−33753
Marston, R. Data File [Opto-coupler devices] 85−46261
Marston, R. Data file [timer ICs] 85−50011
Marston, R. Data file [555 timer IC] 85−55068
Marston, R. Data file [555 timer IC] 86−8053
Marston, R. FET principles, terminology and circuits 86−15167
Marston, R. Data file [JFET devices] 86−21605
Marston, R. Data file [VMOS power FETs] 86−28350
Marston, R. Data file [bipolar transistor principles and applications] 86−41761
Marston, R. Data file [common-collector transistor amplifier and its derivatives] 86−46592
Marston, R. Data file [oscillators] 86−52721
Marston, R. Data file . . . [waveform generator and shaping circuits] 86−57735
Marston, R. Working with voltage comparators 86−58018
Marston, R. Data file [audio power amplifiers] 87−528
Marston, R. The versatile 4007 [CMOS building block] 87−1750
Marston, R. Data file [transistor circuits] 87−5649
Marston, R. Analog delay lines 87−5734
Marston, R. Data file [electro-mechanical and electronic relay devices and circuits] 87−11108
Marston, R. Data file [relay output circuits] 87−17437
Marston, R. Data file 87−38893
Marston, R. Data file [IR alarms] 87−41527
Marston, R. Logic-gate fundamentals 87−44771
Marston, R. Data file [infra-red remote control system] 87−62574
Marston, R. Data file [LM10 op. amp.] 87−65881
Marston, R. Data File [LM 10 op. amp.] 87−65882
Marston, R. Working with flip-flops 87−66049
Marston, R. Data File [LM10 circuits] 87−73345
Marston, R. Datafile [sensors] 87−77252
Marston, R. Data file [PLL] 88−6705
Marston, R. Working with triacs and SCRs 88−7592
Marston, R. Using triacs and SCRs 88−11306
Marston, R. Data File [PLLs] 88−25063
Marston, R. Data File [PLLs] 88−25064
Marston, R. Data File [voltage converters] 88−32002
Marston, R. Working with monostable multivibrators 88−32154
Marston, R. Data file [audio processing ICs] 88−44065
Marston, R. Data File 88−44281
Marston, R. Using bargraph displays 88−47628
Marston, R. Working with OTA's 88−56487
Marston, R. Data file: OTAs for audio processing 88−56488
Marston, R. Data File 88−56755
Marston, R. Data file [IC audio processing circuits] 88−64685
Marston, R. Data File [power control] 88−70514
Marston, R.E. Automatic micropolariscope 86−11728
Marston, R.M. Squarewave generator circuits 85−641
Marston, T.U., Gelhaus, F., Burke, R. Advanced maintenance research programs 85−59901
Marsuoka, T. *see* Noguchi, Y. 85−2311
Marsy, F.M. *see* Charlier, J.R. 85−4266
Marszalec, E. Fibre optic vision sensor for objects identification by color and its application for robot control 86−22166
Marszalec, E. Optical fiber sensor for colour recognition in robotics 87−77247
Marszalec, E., Marszalec, J., Morecki, A. Theoretical and experimental investigations of optical fibre reflective sensors for robotics 88−60760
Marszalec, E., Marszalec, J., Romaniuk, R. Recognition of colours and collision avoidance in robotics using optical fiber sensors 88−16160
Marszalec, J. Optical fiber proximity sensor for robotics applications 87−77248
Marszalec, J. *see* Marszalec, E. 88−16160, 88−60760
Marszalec, J. *see* Romaniuk, R. 86−2805, 86−22167
Marszalek, K., Leja, E., Stapinski, T. The influence of technological parameters on dynamic characteristics of all solid state electrochromic devices 86−15523
Marszalek, K. *see* Leja, E. 85−4042, 85−34534
Marszalek, K. *see* Stapinski, T. 88−7315
Marszalek, M. New solutions of medium voltage network indoor substations 86−19337
Marszalek, W. On the nature of block-pulse operational matrices 85−329
Marszalek, W. Two-dimensional discrete Roesser's models for the Poisson equation 88−24682
Marszalkiewicz, I. Miniature batteries production control 87−78867
Marszalkiewicz, K. *see* Kordus, A. 87−4353, 87−43181
Marta, J.S. *see* Climaco, J.C. 88−5306
Martakos, D. *see* Meimaris, D. 87−53208
Martan, J. *see* Znamirowski, Z. 85−45757
Martarano, J.A. *see* Morley, L.A. 85−43594
Marte, M.A., Ritsch, H., Walls, D.F. Quantum statistics of a squeezed-pump laser 88−72244
Marte, M.A.M., Walls, D.F. Enhanced sensitivity of fiber-optic rotation sensors with squeezed light 88−16124
Marteau, C. *see* Beroual, A. 88−33419, 88−74577
Marteau, C. *see* Filippini, J.C. 86−50198, 87−49866
Marteau, C. *see* Hilaire, M. 88−33438
Marteau, P.F., Bailly, G., Janot-Giogretti, M.T. Stochastic model of diphone-like segments based on trajectory concepts 88−72839
Martel, C., Steedman, D. Network operations protocol 86−64680
Martel, C. *see* Carrier, C. 88−61264
Martel, C. *see* Schmitt, D. 87−41933, 88−48146
Martel, C.U., Vayda, T.P. Maximum finding in multiple access networks 88−35191
Martel, C.U. *see* Lawler, E.L. 87−16481
Martel, C.U. *see* Vayda, T.P. 87−8064
Martel, J.G. Choice of paper or synthetic cable; technical and economic considerations 85−64914
Martel, M. The case of the cracked caps 88−7159
Martel, M.L. Curing and solderability methods in PTF and SM attachment. I 86−14658
Martel, M.L. Curing and solderability methods in PTF and SM attachment. II 86−20927
Martel, M.L. A sticky solution [paste flux] 88−38893
Martel, M.L. A paste primer [for SMT] 88−57084
Martel, M.L. Quality case study: the case of the cracked capacitors 88−71234
Martel, R.A. *see* Perregaux, A.E. 88−13952
Martel, R.J. Luminance and chrominance contrast in emissive display 88−67976
Martelanc, T. Contemporary dilemmas in communications technology transfer 86−23227
Martelet, C. *see* Bataillard, P. 88−4389
Marteletto, C.E., Almeida, M.A., Diniz, J.H. Analysis of ground wire behaviour during successive short-circuit in transmission lines 88−55090
Martell, A., Aguilera, S., Safranova, N., Garcia, M. Characterization of single crystal silicon solar cells through illuminated I-V family curves 86−19471
Martell, A.A., Safronova, N.N., Sujanov, V.L., Maliarenko, A.M. High efficiency silicon crystal solar cells 87−72429
Martell, E., Galbraith, D., Munro, P., Rawlinson, J.A., Taylor, W.B. A flatness and calibration monitor for accelerator photon and electron beams 86−50638
Martell, P.H., Lopes, C., Worsdell, G., Bannister, G.P. The digital radio concentrator system−DRCS 87−55963
Martella, C., Versari, G. The S. Salvadore project−digital switching and CCITT N. 7 signalling in a metropolitan network 87−33993
Martella, G. *see* Fugini, M. 86−29738
Martella, M. *see* Bertotti, L. 87−78933, 88−5852, 88−37605
Martelli, A. *see* Barberis, L. 85−61891
Martelli, A. *see* Codogno, M. 88−40851
Martelli, A. *see* De Castro, E. 87−41932, 87−50224
Martelli, A. *see* D'Orta, P. 87−61699, 88−52368
Martelli, F. Radiative recombination associated with a two-dimensional space charge layer in silicon 85−61784
Martelli, F. *see* Mazure, C. 85−40544
Martelli, M., Tassoni, C. Determination of the degradation of the induction motor through analysis of current frequency 85−32484
Martelli, M., Tassoni, C. Network techniques applied to the research of asymmetrical induction motor characteristics roots 86−45414
Martelli, M., Tassoni, C. A general time-invariant model for asymmetrical three-phase induction machine simulation 86−70895
Martelli, M., Tassoni, C. A new approach to the dynamical analysis of synchronous machines 87−22279
Martelli, M. *see* Ciampolini, F. 87−42921
Martelli, M. *see* Filippetti, F. 88−55336
Martelli, T., Miclet, L., Tubach, J. REMORA: a software architecture for the collaboration of different knowledge sources in phonetic decoding of continuous speech 87−61665
Martellini, A. *see* Dominici, P. 88−30043
Martello, J.J. *see* Kalinowsky, S.A. 88−31192
Martello, S., Toth, P. Approximation schemes for the subset-sum problem: survey and experimental analysis 85−60864
Martello, S. *see* Camerini, P.M. 87−16474
Martellotti, G. *see* Calicchio, M. 88−29811
Martellotti, G. *see* Catanesi, M.G. 87−29686, 87−77548
Martellotti, G. *see* De Vincenzi, M. 86−65331
Martellotti, G. *see* Frenkel, A. 86−44593
Martellotto, N.A. 3BSDS−a switching system software development system 85−52193
Martellotto, N.A. *see* Wolfe, R.M. 85−52165
Martellucci, A. *see* Betti, S. 88−15452
Martellucci, S. *see* Bloisi, F. 88−58244
Martellucci, S. *see* Chester, A.N. *(editor)* 88−6125
Martelluci, A. *see* Betti, S. 88−51805
Martem'yanov, A.N. *see* Gerzon, S.A. 88−68311
Martem'yanov, I.N. *see* Sarkisov, A.A. 86−18245
Marten, B.L. *see* Perdieu, L.H. 88−1034
Marten, B.L. *see* Teat, W.H. 88−1207
Marten, H., Richter, D., Seeliger, D., Fromm, W.D., Neubert, W., Lajtai, A. New method for measurement of energy and angular distributions of prompt fission neutrons 88−29927
Marten, H.W., Hildebrand, O. EBIC profiling of bevelled samples: a precise method to determine the position of p-n junctions and doping gradients 85−40497
Marten, H.W. *see* Kimmerle, J. 87−26203
Marten, O. *see* Beyer, E. 86−10039
Marten, P. Fast determination of the mean in digital measurement systems 85−58506
Marten, P., Neumann, S. Infrared transmission link replaces the bus cable 86−43822
Marten, P. *see* Bohm, K. 85−62378, 87−8618
Martens, A., Kreckel, K., McHail, R. Resource measurement system 85−4425
Martens, B. *see* Schneegass, L. 86−67108, 88−29025
Martens, D. *see* Phillips, N.J. 87−12617
Martens, G. Measurement of pressure by photoelastic effects 85−35397
Martens, G. Photoelastic fiber-optic sensors for the measurement of force and pressure 87−8616
Martens, G. Fiber optic sensors 87−12213
Martens, G., Helzel, T., Kordts, J. Optical detection of respiration motion and heart beats for magnetic resonance imaging (MRI) applications 87−29742

Martens, G., Kordts, J., Weidinger, G. Improvements of the data link dependencies of fiber optic sensor systems 88−13806
Martens, G., Kordts, J., Weidinger, G. Improvements of the data link dependencies of fiber optic sensor systems 88−36041
Martens, G. *see* Helzel, T. 86−37867
Martens, G.O. *see* Jarmasz, M.R. 87−59735
Martens, G.O. *see* Liang, X. 88−74542
Martens, G.O. *see* Sadughi, S. 85−54986, 86−1203, 87−66410
Martens, G.O. *see* Zarowski, C.J. 88−46028
Martens, H. Local area networks: 19 firms in one go−many systems in a single network 87−69653
Martens, H., Prantl, G., Rosselet, A., Schepp, P. Lifetime predictions are improved by residual life analysis 87−50992
Martens, H.-J.von *see* von Martens, H.-J.
Martens, J. Recursive cyclotomic factorization−a new algorithm for calculating the discrete Fourier transform 85−2811
Martens, J.B. Two-dimensional convolutions by means of number theoretic transforms over residue class polynomial rings 85−2815
Martens, J.W.D., Voermans, A.B. Cobalt ferrite thin films for magnetooptical recording 85−29431
Martens, J.W.D. *see* Nederpel, P.Q.J. 85−52883
Martens, M. Iron-free voltage transformer 85−50065
Martens, M., Vernay, A. The SOT186 package: a solution to the problem inherent in TO220 packages 87−53481
Martens, P.A. *see* Battey, J.F. 88−25695
Martens, S. Switching power supply designs demand a new test approach 86−20309
Martens, S. Universal card test systems. I. Evolution in the wake of semiconductor development 87−20847
Martens, S. Universal card test systems. II. Combination testers and replacement emulation technique 87−49457
Martens, S.U. Utilizing a milled board CAD system for prototype circuit boards 86−8627
Martens, T.G.J.A., Schuddemat, J.P. A versatile PCM IC set for 8 mm video 85−20369
Martens, V. Vereins- und Westbank in Hamburg equipped with new EMS 12000 communication system 85−25540
Martens, V.Ya. *see* Kreindel, Yu.E. 86−27789
Martens, W. Static and dynamic testing of analogue, digital and hybrid components 86−26615
Martens, W., Kettner, M. Economic testing of complex switching ICs 87−17557
Martens, W. *see* Faruque, S.M. 87−66350
Martensson, E. *see* Allen, D. 88−54188
Martensson, I. Network management breakthrough in Sweden 88−52735
Martensson, L., Nystrom, B., Samuelsson, A. New exchange terminal circuit and MF-signalling equipment in AXE 10 88−15273
Martersteck, K.E., Anderson, L.G., Frank, R.J., Zislis, P.M. Communication software technology required for the 1990s 86−54650
Martersteck, K.E., Spencer, A.E., Jr. The 5ESS switching system: introduction 86−10893
Marth, H. *see* Spanner, K. 87−12011
Marth, P.C., Jr. *see* Macarthur, J.L. 88−10504
Marth, V.W. The second nuclear era [nuclear power plants] 85−38611
Marth, W. Development trends for fast breeder nuclear reactors 85−9635
Marth, W. Not an unknown technology. [Experiences with fast breeder reactor operations] 85−43810
Marth, W., Broomfield, T., Ferry, R., Mochizuki, K.-I., Nolan, J.E. Fast breeder operating experience and research and development requirements 85−15774
Marthinusen, R. The future of mobile communication in Norway: GSM system. BS/MSC interface 88−15373
Marthon, P. *see* Akos, G. 85−41536, 85−56916
Marthon, S. *see* Ermolieff, A. 87−17947
Marti *see* Renouiln, R. 87−20553
Marti, A.G., Echenique, P.M., Ritchie, R.H. Tunneling from a self-energy approach 87−24966
Marti, B. The evolution of videography 85−19743
Marti, C. *see* Thorel, P. 85−15223
Marti, F. Orbit studies for ion inflectors used in cyclotrons 88−54254
Marti, F., Blosser, H.G., Gordon, M.M. Effect of orbit centering and magnet imperfections on beam properties in a superconducting cyclotron 85−59071
Marti, F., Griffin, J., Taivassalo, V. Design of the axial injection system for the NSCL cyclotrons 86−25003
Marti, F., Miller, P. Magnetic field imperfections in the K500 superconducting cyclotron 85−64364
Marti, F. *see* Au, R. 85−64363
Marti, F. *see* Blosser, H. 86−25296
Marti, F. *see* Gordon, M.M. 86−24956
Marti, F. *see* Griffin, J. 85−58978
Marti, F. *(editor)* Tenth International Conference on Cyclotrons and their Applications (Cat. No. 84CH1996-3) 85−54032
Marti, H. *see* Maix, R.K. 86−68217
Marti, H.P. *see* Baynham, E. 86−48039
Marti, H.P. *see* Horvath, I. 85−1935
Marti, H.P. *see* Vecsey, G. 85−56231
Marti, J. *see* Pallas, R. 85−11052
Marti, J. *see* Pallas-Areny, R. 86−32334
Marti, K., Fuchs, E. Computation of descent directions and efficient points in stochastic optimization problems without using derivatives 87−5351
Marti, M., Siuda, K. The telephone network is being digitised 86−64573
Marti, M., Siuda, K. The trunk telephone networks going digital 86−69325
Marti, M., Siuda, K. The digitization of the public telecommunications networks 87−2728
Marti, M., Siuda, K. Digitisation of the Swiss public telecommunications networks 87−13213
Marti, M., Siuda, K. The digitisation of Swiss telephone networks 87−48471
Marti, O. *see* Gerber, C. 86−27824
Marti, R., Sistere, F. Buses in a microprocessor system. A description of the most commonly used buses with their functions and their signals 87−48619
Marti, R. *see* Soler, J. 88−797
Marti Arias, J. About the process of transmission by packets in communication systems of distributed computer networks 85−13655
Marti Arias, J.A. *see* Matos Gomez, J. 85−13887
Marti-Ros, J. *see* Marino-Acebal, J.B. 86−29825
Martial, M.F., Guinet, J., Hubert, J.C. Copper/alumina/copper substrates: how to build them and bonding quality 88−32698
Martic, D. *see* Matic, S. 87−8128, 88−14982
Martic, I. Automatic digital correction of measurement data based on *M*-point autocalibration and inverse polynomial approximation 88−53540
Martil, I., Gonzalez-Diaz, G., Sanchez-Quesada, F. Electrical transport properties of polycrystalline RF sputtered CdS thin films 85−28949
Martil, I., Gonzalez-Diaz, G., Sanchez-Quesada, F. Heat treatment of RF sputtered CdS films for solar cell applications 86−8791
Martil, I., Santamaria, J., Iborra, E., Gonzalez-Diaz, G., Sanchez-Quesada, F. $CuInSe_2$ thin films produced by RF sputtering in Ar/H_2 atmospheres 88−12038
Martil, I. *see* Iborra, E. 86−36308, 88−12963, 88−62617
Martil, I. *see* Santamaria, J. 88−12071, 88−18751, 88−64298
Martil De La Plaza, I., Gonzalez-Diaz, G., Sanchez-Quesada, F., Rodriguez-Vidal, M. Structural and optical properties of RF-sputtered CdS thin films 85−22539
Martin, A. New computer-controlled system dispatching centres for the South African Railways (SATS) 86−7246
Martin, A. Dispersion signatures—some results of laboratory and field measurements 87−34427
Martin, A. Electric propulsion for satellites 87−35474
Martin, A. Electrical propulsion of satellites 88−36638
Martin, A. Industrial photogrammetry for nuclear power plant services 88−62099
Martin, A. The influence of microprocessors on flow sensors 88−74369
Martin, A. *see* Arignon, M. 85−48171
Martin, A. *see* Clarke, J.R. 88−66174
Martin, A. *see* Lorenzo, S. 88−30915, 88−43318, 88−43323
Martin, A. *see* Orenzo, S. 88−48986
Martin, A. *see* Sanz, C. 87−5958
Martin, A. *see* Shaker, M. 88−31080, 88−43424
Martin, A.C., Oravec, T.V. Utility coal planning considerations 85−21294
Martin, A.F. *see* King, T.E.G. 85−63151
Martin, A.G. Special capacitors decouple DRAMs 85−61256
Martin, A.G. Decoupling for RAM 86−14179
Martin, A.G. Add-on amplifier and power supply for the Auto-Notch Filter 86−67051
Martin, A.G., Mille, N.R. Three 32-bit chips boost multiuser performance 87−18314
Martin, A.G. *see* Clark, D.L. 87−12413
Martin, A.J. The design of a self-timed circuit for distributed mutual exclusion 86−8179
Martin, A.J. Compiling communicating processes into delay-insensitive VLSI circuits 87−10752
Martin, A.J. A synthesis method for self-timed VLSI circuits 88−20081
Martin, A.J. *see* Burns, S.M. 88−44109
Martin, A.J. *see* Kelly, F.J. 88−66075
Martin, A.J. *see* Rich, E.L. 88−57212
Martin, A.L. Digital microwave and radio−a new system measurement technique 87−28399
Martin, A.L. Dispersion signatures, a statistically based, dynamic, digital microwave radio system measurement technique 87−48899
Martin, A.L. *see* Campbell, J.C. 85−19134, 87−48859
Martin, A.M., Weldon, J.W. Construction and testing of a compact pulsed homopolar generator power supply 87−22409
Martin, A.R. Energy management in industry−a practising viewpoint 86−39290
Martin, A.R. The management of integrated tactical CIS [command, control, communications and information systems] 88−21480
Martin, A.R., Bond, A., Lavender, K.E. Plans for an in-orbit test of a UK rare ion thruster 88−48301
Martin, A.R., Bond, A., Lavender, K.E., Harvey, M.S., Latham, P.M. A UK large diameter ion thruster for primary propulsion 88−48298
Martin, A.R., Cresdee, M.T. The use of electric propulsion on low Earth orbit spacecraft 88−48299
Martin, A.R., Dukeman, M. Measurement of device parameters using a symmetric fixture 87−70778
Martin, A.R., Dukeman, M. A four-port technique for measuring shielding effectiveness 88−14415
Martin, A.R., Harvey, M.S., Latham, P.M. Performance assessment of a UK rare gas ion thruster 88−48300
Martin, B. High speed teletext standard for cable television systems 85−25417
Martin, B. Managing faults [communications] 87−69695
Martin, B. Motorola DSP56000 signal processing features, applications, and tools 88−812
Martin, B. Measurement and regulation of output in micro-electronic systems. II 88−56306
Martin, B., Michaelsen, R., Pelzer, W. Charge state selection procedure at VICKSI 88−53977
Martin, B., Michaelsen, R., Sethi, R.C., Ziegler, K. A method for the energy calibration of a heavy ion accelerator 85−59050
Martin, B., Odell, A.N. Advanced resist processing for definition of high resolution interconnect 88−64474
Martin, B. *see* Bauer, T. 88−72085
Martin, B. *see* Busse, W. 86−55918
Martin, B. *see* Fenart, J.M. 87−2940, 87−20280
Martin, B. *see* Fisher, R.M. 87−16055
Martin, B. *see* Hager, H. 88−35983
Martin, B. *see* Moore, E.L. 87−441
Martin, B. *see* Oprandi, P. 87−8460
Martin, B. *see* Renner, D. 88−47763
Martin, B., Jr. Reduced vertical injection PNP bipolar transistor process 85−45651
Martin, B.G. *see* Andre, J.P. 86−42441
Martin, B.G. *see* Gentner, J.L. 88−65495
Martin, B.G. *see* Patillon, J.N. 86−2971
Martin, B.G. *see* Summers, C.J. 86−47343
Martin, B.R. The structure and funding of UK research−a statistical overview 87−23238
Martin, B.R., Wright, R.I. A practical method of common cause failure modelling 88−18533
Martin, B.R. *see* Hicks, D. 86−68322
Martin, B.W., Jr., Ritter, G.A., Sullivan, S.C. Sub-isolation diffusion guard ring for CTS cell [Complementary Transistor Switch] 85−28350
Martin, C. A mains-conductor two-way interphone 87−62541
Martin, C. Video technology in the computer industry: Video technology and hard disk backup 87−63110
Martin, C. The best use of dry batteries [charging circuit] 87−72261
Martin, C., Barbero, J., Caballero, J.E., Hernanz, M.L., Grijelmo, G., Gil, J., Torres, J. Electronically steerable antenna for ships with sea-multipath discrimination 88−34414
Martin, C. *see* Baumann, P. 88−53982
Martin, C. *see* Dube, L. 88−5591
Martin, C. *see* Fazan, P. 87−74131
Martin, C. *see* Guesdon, B. 85−59956
Martin, C.A. *see* Ramie, M.E. 88−56491
Martin, C.B. *see* Lancet, R.T. 88−75395
Martin, C.C. *see* Votaw, J.R. 87−50130, 88−61114
Martin, C.F. *see* Krabill, W.B. 88−9675
Martin, C.H. *see* Reilly, C.H. 86−64921
Martin, C.J. *see* Greiner, M.E. 87−49760
Martin, C.W. An operating experience evaluation at Northeast Utilities 87−64282
Martin, D. A low power stereophonic amplifier 86−67057
Martin, D. What is Ceraclad? [patterned circuit substrate material] 87−73919
Martin, D., Cliff, P. A pulse amplifier for nuclear instrumentation 88−50045
Martin, D., Floc'H, J.M., Lepeltier, P., Citerne, J. EMC dipole array−application to the realization of a shaped beam 88−2871
Martin, D., Rumin, N.C. Delay calculation in switch-level models of MOS circuits 87−46235
Martin, D. *see* Assmus, U. 86−23209
Martin, D. *see* Barazesh, B. 86−69506
Martin, D. *see* Begley, D.L. 87−26455
Martin, D. *see* Bendow, B. 85−41102
Martin, D. *see* Brown, D. 87−70669
Martin, D. *see* Chao, S.S. 85−44770
Martin, D. *see* Crisp, J. 86−31917
Martin, D. *see* Duyvestein, J.M.M. 86−13427
Martin, D. *see* Faist, J. 87−32928, 88−14053, 88−51801
Martin, D. *see* Hall, S.F. 85−9628

Martin, D. *see* Lepeltier, P. 88−2777
Martin, D. *see* Mary, L. 87−38480
Martin, D. *see* Paz, E. 87−26028
Martin, D. *see* Rolland, P.A. 87−37570
Martin, D. *see* Tsu, R. 86−34362, 87−38147
Martin, D. *see* Woodyard, J.R. 85−40459
Martin, D.A. Optical fiber coating evaluations for composite embedment applications 87−74819
Martin, D.B. *see* Fleisher, H. 86−27277
Martin, D.F. Digital signal processor chips for fast modems 87−7708
Martin, D.F., Mary, L., Barazesh, B. Targeted for speed, triple-bus DSP IC dispatches real numbers at 6.25 MIPS 86−46863
Martin, D.F. *see* Laborie, J.L. 87−17136
Martin, D.G. Primary sources of energy−Diesel generators for remote telecomms system 86−61645
Martin, D.H. Quasioptics for frequencies greater than 80 GHz 85−25914
Martin, D.H., Poulson, G.W. Absolute measurements of power in millimetre-wave and submillimetre-wave beams using photo-acoustic detection 86−38540
Martin, D.H. *see* Davis, B.W. 88−53265
Martin, D.J. The electronics and control technology domain of the Microelectronics Education Programme 88−6134
Martin, D.J. Radar 1935-45: ten years that changed the face of war 88−53355
Martin, D.J.R. Vehicle location in mines and metros 85−36931
Martin, D.J.R. The use of leaky feeders in underground radio communication 86−37693
Martin, D.J.R. *see* Davis, Q.V. 85−42495
Martin, D.L. 'Tray' type calorimeter for the 15-300 K temperature range: copper as a specific heat standard in this range 87−49986
Martin, D.L., Mildrum, H.F., Trout, S.R. Squareness ratio for various rare earth permanent magnets 86−22004
Martin, D.P. *see* Stansfield, E.V. 87−55015
Martin, D.P.A. *see* Hall, D.G. 87−44029
Martin, D.W. Computer-driven laser-videodisc imagery in science teaching 88−6144
Martin, D.W. *see* Begley, D.L. 88−51824, 88−65772
Martin, D.W. *see* Lee, B.G. 85−53176
Martin, D.W. *see* Roberts, S. 88−6516
Martin, E., Malicet, A., Kielbasa, R., Marbot, R. A new structure of sample and hold for ultra rapid applications 86−20754
Martin, E., Reynaud, R., Elleaume, P., Wambergue, C.-A., Devos, F. An optimized architecture of a digital filtering integrated processor and efficiency graphical valuation 87−10917
Martin, E. *see* Baumaire, A. 88−6573
Martin, E. *see* Bizais, Y. 87−29842
Martin, E. *see* Chicon, R. 86−48631
Martin, E. *see* Hernandez, A. 86−44409
Martin, E. *see* Munoz, J. 88−29629
Martin, E. *see* Navarro, A. 86−15993
Martin, E. *see* Pande, K.P. 87−37979
Martin, E. *see* Pons, F. 88−6572
Martin, E. *see* Reynaud, R. 86−14271
Martin, E. *see* Sanchez, M.C. 87−6015, 87−24415
Martin, E.A., Lippmann, R.P., Paul, D.B. Two-stage discriminant analysis for improved isolated-word recognition 87−61682
Martin, E.A., Lippmann, R.P., Paul, D.B. Dynamic adaptation of Hidden Markov models for robust isolated-word speech recognition 88−66346
Martin, E.A., Pande, K.P., diForte-Poisson, M.A., Brylinski, C., Colomer, G., Razeghi, M. Buried-channel insulated gate FETs on MOCVD grown InP/InGaAs/InP 88−13389
Martin, E.A. *see* Iliadis, A. 88−64354
Martin, E.A. *see* Lipmann, R.P. 88−66345
Martin, E.A. *see* Lippmann, R.P. 87−61681
Martin, E.A. *see* Paul, D.B. 88−66399
Martin, E.E. Balloon lofted sphere as a range dependent calibrated target for millimeter wave radar 88−22181
Martin, E.H. *see* Hill, W.A. 86−34987
Martin, E.H. *see* Sahai, R. 85−14689
Martin, E.J. Automated VOR ground check techniques 85−52456
Martin, E.J., Jr. A note on an error in the formulas for computing Fresnel zone locations and dimensions 86−3507
Martin, E.R. HDTV−a DS perspective 85−37167
Martin, E.R. DBS systems: perspectives from a profit seeking company 86−43964
Martin, E.R., Trout, R.E., Wilson, B.L., Ayres, R.L., Yoder, N.R. Control system for the NBS microtron accelerator 86−60408
Martin, E.R. *see* Ayres, R.L. 86−24883
Martin, E.R. *see* Blecker, M. 85−37170
Martin, E.R. *see* Penner, S. 86−24905
Martin, E.S. Frictionless, rotating electrostatic discharger [disc tile application] 85−35964
Martin, F. A digital stereo preamplifier 85−63891
Martin, F., Brodeur, P., Matte, J.P., Pepin, H., Ebrahim, N. Beat wave acceleration experiments at INRS-Energie 87−70906
Martin, F., Gauthier, J., Gulick, S., Laroche, F. Position and velocity sensing laser interferometer−fringe counter 88−74594
Martin, F., Willman, J.G. Video graphics system analyzes laser beam profiles 85−64035
Martin, F. *see* Aguirre, E. 85−27311
Martin, F. *see* Ebrahim, N.A. 87−41711
Martin, F.C., Reyes, W.A. Fourier transform infrared spectroscopy: its application to failure analysis 85−49347
Martin, F.C. *see* St. Peter, E. 85−22251
Martin, F.De *see* De Martin, F.
Martin, F.J. *see* Abraham, K.M. 86−66257
Martin, F.W. Substrates for PTF circuits 85−28793
Martin, F.W., Goloskie, R. Simultaneous compensation of 2nd-order parasitic aberrations in both principal sections of an achromatic quadrupole lens doublet 88−47826
Martin, F.X. *see* Burgot, J.Y. 87−48343
Martin, G. Inside on-site radiopaging 85−57676
Martin, G. The laser gyroscope 87−12641
Martin, G. The Open University and distance learning 87−23131
Martin, G., Franske, K. An examination of the validity of a common model used for the analysis of surface acoustic wave interdigital transducers 87−4181
Martin, G. *see* Gerhart, G. 88−29405
Martin, G. *see* Wilk, A. 87−46118
Martin, G.-M., Duseaux, M., Maluenda, J. The preparation of active layers for GaAs ICs: is there any problem left? 86−2353
Martin, G.D. Optimal convolutional self-orthogonal codes with an application to digital radio 86−22926
Martin, G.D. Implementation of nondifferential coding in QAM digital radio systems with forward error correction 87−40716
Martin, G.D. *see* Bates, C.P. 88−3836
Martin, G.E. Directional localization errors of eigenvector eigenvalue (EVEV) signal processors 87−55121
Martin, G.J. Out-of-plane laser gyro configurations and magnetic biases 85−24601
Martin, G.J. Non-planar gyros and magnetic biases 85−35819
Martin, G.J. Gyroscopes may cease spinning 86−42664
Martin, G.J., Bayer, B.E., Liang, J.T. Transformation of signal-dependent noise to signal-independent noise for color images 86−30021
Martin, G.J., Womack, K.H., Fischer, J.H. A high resolution CCD camera for scientific and industrial imaging applications 88−47576
Martin, G.J. *see* Myers, G.A. 87−29770
Martin, G.L. *see* White, K. 86−65253
Martin, G.M. *see* Andre, J.P. 86−42441, 87−77284
Martin, G.M. *see* Gentner, J.L. 88−65495
Martin, G.M. *see* Maluenda, J. 86−41528
Martin, G.M. *see* Patillon, J.N. 86−2971
Martin, G.M. *see* Raymond, A. 88−57319
Martin, G.M. *see* Schink, H. 86−58479
Martin, G.M. *see* Suchet, P. 87−67276
Martin, G.M. *see* Valster, A. 88−34007
Martin, G.N. *see* Graham, T.A. 85−7809
Martin, G.N.N. A rate 8/10 DC balanced code with local parity 85−46692
Martin, G.O. SF6 gas technology as used in medium voltage switchgear 85−21742
Martin, G.P. *see* Bellon, P. 88−31731
Martin, G.R. The NS32032−an ultrahigh-performance microprocessor 85−17505
Martin, G.R. Floating point support for the NS16000 family−the NS16081 85−17509
Martin, G.S., Mazzei, R., Bernaola, O.A., Bourdin, J.C., Grasso, C., Molinari de Rey, B. Solvent effect in nuclear track development 88−4846
Martin, G.San *see* San Martin, G.
Martin, H. Investigations of applications of contact materials 86−14598
Martin, H. Increase in operating efficiency in coal-fired power plants 88−43042
Martin, H., Hamann, G. Electrical equipment for the paper-making industry [automation] 85−39394
Martin, H., Stange, H.W. Use of contact materials in telecommunications 86−20877
Martin, H. *see* Boser, B.E. 88−50220
Martin, H. *see* Burlet, D. 88−22782
Martin, H. *see* Rodemerk, F. 88−37781
Martin, H. *see* Stange, H.W. 87−17427
Martin, H. *see* Wiehn, H. 86−45205
Martin, H.-D. Plant-oriented staff training for nuclear power plants 86−51226
Martin, H.-D., Spitalnik, J. Nuclebras and KWU collaboration on simulator training 86−39349
Martin, H.-D. *see* Fischer, H.D. 87−57744
Martin, H.-D. *see* Guttner, K. 86−51424
Martin, H.-E. Data communications: a basic technology in information management 85−30574
Martin, H.-E. Mixed and multicommunication with the Hicom office communication concept 87−3022
Martin, H.-E. Office communication and information management 87−7917
Martin, H.-E. Organisational assumptions for the introduction of new communication techniques in the office 88−9270
Martin, H.-E., von Schau, P. Pathways to ISDN 87−34301
Martin, H.C. *see* Henze, C.P. 87−77794, 88−55497
Martin, H.D. *see* Brand, W. 87−78400
Martin, H.E., von Schau, P. Implementation strategies for ISDN in the US and Europe 87−33941
Martin, H.F. *see* Gudzinowicz, B.J. 85−3828
Martin, H.L., Kumar, A., Velamuri, S.R., Lebby, G. On line monitoring and real time control of power systems 88−48511
Martin, H.L. *see* Hamel, W.R. 86−25845
Martin, H.L. *see* Kim, Y.M. 88−64628
Martin, H.L. *see* Zhang, C.N. 88−70851
Martin, H.L., Jr. Process controls for solderless contacts 88−19461
Martin, H.L., Sr., Narasimhaiah, C.C. A programmable interconnection network module 85−61239
Martin, H.R., Robinson, D. Kurtosis measurements on bearings at low speeds 88−29723
Martin, I. Making fast LANs cheaper 85−19810
Martin, I. *see* Wilson, R. 86−69402
Martin, I.M. *see* Buivan, N.A. 85−9116
Martin, J. The impact of advanced VLSI technology upon software 86−28510
Martin, J. Channelless cell arrays optimize functionality and performance of application specific integrated circuits 87−5810
Martin, J. System scale integration for the nineties: an overview 87−38470
Martin, J., Boucard, H., Jourdain, G. Linear recursive filter for a two path communication channel 88−8781
Martin, J., Kim, J. Microcomputer for the dynamics laboratory 86−52872
Martin, J., Raza, S.A., Jones, L. Channelless structure pushes back density limits of CMOS standard cells 85−62068
Martin, J., Sigward, P. Resistor insertion device built in an SF_6 gas puffer type breaking chamber 86−51847
Martin, J. *see* Argan, P. 85−26553
Martin, J. *see* Armstrong, P. 88−65280
Martin, J. *see* Bastien, D. 87−15491
Martin, J. *see* Blez, B. 87−78837
Martin, J. *see* Blight, R.E. 85−23129
Martin, J. *see* Dufournet, D. 87−78835
Martin, J. *see* Hornung, R. 87−59381
Martin, J. *see* Krotkov, E. 86−59374
Martin, J. *see* Lucas, R. 87−55237
Martin, J. *see* Osborne, R.L. 87−78057
Martin, J. *see* Petri, R.J. 87−36174
Martin, J. *see* Raza, S.A. 86−872
Martin, J., III *see* Ozguner, U. 87−4074
Martin, J.-L. *see* Intrand, A. 88−11454
Martin, J.-M., Guilbault, F. A new design for high performance HF curtain antennas 88−66195
Martin, J.-M., Jeandot, J.-L., Ribeyre, C., Selecki, D. 2-Mbit/s multiplexing system for sound-programme transmission 85−42702
Martin, J.-P., Beaulieu, M., Taras, P., Banville, F., Gascon, J., Ward, D., Radford, D.C., Andrews, H.R. Time-to-charge converters for fast encoding and readout ADCs 88−56716
Martin, J.-P. *see* Brebner, J.L. 86−6995
Martin, J.-P. *see* Bryman, D.A. 85−37900
Martin, J.-P. *see* Mes, H. 88−29877
Martin, J.A. Effects of tripropellant engines on Earth-to-orbit vehicles 86−32494
Martin, J.A., Auble, R.L., Erb, K.A., Jones, C.M., Olsen, D.K. Charge-state distributions of 100, 175, 275, and 352 MeV gold ions emerging from thin carbon foils 86−38689
Martin, J.A., Bradley, D.L. Assessment methodology for the detail control room review 85−43692
Martin, J.A., Clemans, D.W., Landis, D.M. New two-switch forward resonant topology 87−31718
Martin, J.A. *see* Hudson, E.D. 86−32040
Martin, J.A. *see* Jones, C.M. 86−38627, 88−47754
Martin, J.A. *see* Lee, I.Y. 88−47849
Martin, J.A. *see* MacConochie, I.O. 85−59376
Martin, J.A. *see* Olsen, D.K. 87−56948
Martin, J.A., Jr. *see* Soffer, L. 85−48724
Martin, J.C., Ozil, M., Le Corvec, R., Viginier, M. Implementation of the detailed billing service in the French telephone network 85−51961
Martin, J.C. *see* Battarel, G. 87−76225
Martin, J.C. *see* Herbert, H.G. 85−4252
Martin, J.D. *see* Seneviratne, A. 85−57326
Martin, J.E. Successful telecommunications projects−the problems for purchasers 86−69597
Martin, J.E., Fox, N.P. A cryogenic radiometer for the realisation of an absolute radiometric scale 86−24807
Martin, J.E., Fox, N.P., Key, P.J. A cryogenic radiometer for absolute radiometric measurements 86−4937
Martin, J.E., Quinn, T.J., Chu, B. Further measurements of thermodynamic temperature using a total radiation thermometer: the range −130°C to +60°C 88−68058
Martin, J.E. *see* Quinn, T.J. 85−48127, 86−24271, 87−29338

Martin, J.F. Front-line automated diagnostics facilitated by handheld terminals 85–20484
Martin, J.F., Hajek, P., Baker, L., Gylys-Morin, V., Fitzmorris-Glass, R., Mattrey, R.R. Inflatable surface coil for MR imaging of the prostate 88–74827
Martin, J.F. *see* Bernath, A. 86–65714
Martin, J.F. *see* Carbajo, J.J. 85–53944
Martin, J.F. *see* Karchin, P.E. 85–43241
Martin, J.F. *see* Ruokangas, C.C. 87–62209
Martin, J.F. *see* Schoenwald, J.S. 87–50600, 87–71464
Martin, J.G., Roebuck, C.A. Digitising and measurement of variable-frequency waveforms in thyristor drives [for traction] 87–5037
Martin, J.G. *see* Wattiez, P. 86–33222
Martin, J.Garcia *see* Garcia Martin, J.
Martin, J.Garcia San *see* Garcia San Martin, J.
Martin, J.J. EDF simulators [nuclear power plant simulators] 86–18945
Martin, J.J. Electrodiffusion or sweeping of ions in quartz 88–20187
Martin, J.J., Baudelet de Livois, X. The training of the staff of the nuclear power stations of the Electricite de France 85–16630
Martin, J.J., Cataldi, G.R. Diesel-electric locomotives to the year 2000 86–7276
Martin, J.J., Hwang, H.B., Bahadur, H. Radiation effects in the acoustic loss spectra of AT-cut quartz crystals 86–42028
Martin, J.J., Hwang, H.B., Wilson, T.M. A radiation growth study of acoustic loss related defects in alpha-quartz 87–32761
Martin, J.J. *see* Koehler, D.R. 85–56048
Martin, J.J. *see* Powell, R.C. 85–46366
Martin, J.J. *see* Wilson, T.M. 87–32760
Martin, J.L., Toben, M.P. Tin and tin-lead alloy electroplating in the electronic industry 88–63034
Martin, J.L. *see* Nobel, F.I. 87–1050
Martin, J.L. *see* Steeves, M.M. 88–65067
Martin, J.M. Power and temperature control in electric forehearths 85–27904
Martin, J.M. The telecommunications challenge 88–52679
Martin, J.M. *see* Belin, M. 88–32519
Martin, J.M. *see* Berthomieu, B. 87–23507
Martin, J.M. *see* Boyer, L. 86–13836
Martin, J.M. *see* Ceres, R. 86–17817
Martin, J.M. *see* Joshi, N.V. 86–22218, 88–20491
Martin, J.M. *see* Sarkar, A. 87–38757
Martin, J.P. *see* Bakken, J.A. 85–31696, 87–35350
Martin, J.P. *see* Burq, J.P. 87–35362
Martin, J.P. *see* Goyot, M. 88–22960
Martin, J.P. *see* Lecoq, P. 85–59166
Martin, J.P. *see* Mes, H. 85–9054
Martin, J.R., Burrows, R.K., Waters, M.C. The remote control and automatic operation of the CEGB/EDF 2000 MW HVDC Cross Channel Link 86–12412
Martin, J.R., Lamouche, D., Clechet, P. Fabrication of metallic thin films by autocatalytic deposition in liquid media 86–13795
Martin, J.R. *see* Lamouche, D. 86–464, 86–14946, 86–67753, 87–58951
Martin, J.R. *see* Stremsdoerfer, G. 86–63208
Martin, J.R. *see* Stricot, Y. 86–63113
Martin, J.R. *see* Verney, E. 86–8908
Martin, J.W., McKnight, M.E., Bentz, D.P. Thermographic imaging and computer image processing of defects in building materials 87–14170
Martin, K. Non-filtering applications of switched-capacitor circuits: A tutorial overview emphasizing technological constraints 85–17646
Martin, K. Application-specific processor brings high performance to DSP 87–10889
Martin, K. Measurement of acoustic output parameters from medical ultrasound devices with an RF power meter system 88–54508
Martin, K., Ozcolak, L., Lee, Y.S., Temes, G.C. A differential switched-capacitor amplifier 87–37022
Martin, K., Sun, M.-T. A state-variable digital biquad 85–17703
Martin, K., Sun, M.T. Adaptive filters implemented by a cascade of state-variable digital biquads 85–17732
Martin, K., Ward, S.A.L. Television detector vans 85–14433
Martin, K. *see* Altmann, G. 85–53730
Martin, K. *see* Haug, K. 85–17678
Martin, K. *see* Sun, M. 86–64227
Martin, K.E. The role of discrete structures and operations research in a computer science curriculum 85–22144
Martin, K.E. *see* Chartier, V.L. 87–35659
Martin, K.F. A two-dimensional force transducer 85–14768
Martin, K.F., Lockman, H. Force sensing in magnitude, direction, and position 88–9968
Martin, K.F., Su, M.-J. Feasibility of using simple sensors for in-process measurement 88–47433
Martin, K.J. *see* Jondral, F. 85–36145
Martin, K.P. *see* He, L.X. 86–67738, 88–14009
Martin, K.P. *see* Shafarman, W.N. 86–35294
Martin, K.P. *see* Syphers, D.A. 86–35381, 86–53415, 87–1227
Martin, K.W. Gain enhancement technique for differential pairs 87–31725
Martin, K.W., Sun, M.T. Adaptive filters suitable for real-time spectral analysis 86–34997
Martin, K.W. *see* Larson, L.E. 87–59722, 88–20154
Martin, K.W. *see* Lee, Y. 87–60682
Martin, K.W. *see* Lee, Y.-S. 88–50261
Martin, L. Phase distortions of multipath transfer functions 85–19129
Martin, L., Olsen, R.L., Tjelta, T. Initial analyses of multipath fading measurements for various geographical conditions in France 86–68769
Martin, L., Olsen, R.L., Tjelta, T. Co-index of refraction, meteorology and fading on line-of-sight radio paths 88–34333
Martin, L. *see* Criado, A.J. 87–12065
Martin, L. *see* Dugas, J. 88–7849
Martin, L. *see* Dupuis, P. 86–69607
Martin, L. *see* Hewitt, A. 88–34325
Martin, L. *see* Leclert, A. 85–19121
Martin, L. *see* Olsen, R.L. 86–69592, 88–34320
Martin, L. *see* Tjelta, T. 88–34319
Martin, L.C. *see* Bevensee, R.M. 86–16044
Martin, L.R., Bybokas, J., Osbrink, N.K. Wideband digitally tuned oscillator technology for electronic defense 88–63938
Martin, L.R., Hill, M.W. Optical measurement of aqueous kinetics at micromolar concentrations 88–22840
Martin, M. Test strategy development: a broad approach 88–50503
Martin, M. Test strategy development: a broader approach 88–70129
Martin, M. *see* Begley, D.L. 87–26454
Martin, M. *see* Bene, P. 88–56532
Martin, M. *see* Bonesini, M. 88–23001, 88–29823, 88–61141
Martin, M. *see* Boudjema, B. 85–6749
Martin, M. *see* Klotz, W.-D. 87–29419
Martin, M.-M. Multivariate analysis of electricity consumption for activity groups 88–10814
Martin, M.A. *see* Johns, A.T. 85–64976, 86–51138
Martin, M.D., Ketz, S.D. Packet radio alarm system on voice dispatch FM mobile radio channels 88–21976
Martin, M.I., Johnson, M.E., Mayberry, M.J., DeGroot, D.C. 100 MBS, 8 bit data acquisition and zero suppression system for the D0 detector 87–41405
Martin, M.J., Wickramasinghe, Y.A.B.D., Newson, T.P., Crowe, J.A. Fibre-optics and optical sensors in medicine 88–23040
Martin, M.J. *see* Auborn, J.J. 87–58279
Martin, M.J. *see* O'Dowd, M. 88–42482
Martin, M.J.C. *see* Forrest, J.E. 88–31392
Martin, M.M., Breheret, E., Meyer, Y.H. Spectral dynamics in dye lasers: a new picosecond source 86–15784
Martin, M.M., Meyer, Y.H. Scanning a 1-GHz pulsed dye laser line with a piezoelectric reflecting wedge 85–29886
Martin, M.M. *see* Meyer, Y.H. 87–7286, 88–45513
Martin, M.M. *see* Nenchev, M.N. 85–56892
Martin, M.Raul *see* Raul Martin, M.
Martin, M.T.Sanchez *see* Sanchez Martin, M.T.
Martin, N. An AR spectral analysis of non-stationary signals 86–29917
Martin, N. EPROMS, PALS, and surface mount: programming considerations 87–60015
Martin, N. *see* Fernandez, J. 87–55225
Martin, N.C., Downing, B.J. Effect of varactor *Q*-factor on tuning sensitivity of microwave oscillators, including reverse tuning 86–35085
Martin, N.J.D. Experimental 10.6 μm pulsed coherent laser rangefinder systems 88–28961
Martin, N.L. *see* Malik, J.M. 87–20871
Martin, N.M. Improvements to the microwave liquid crystal detector technique of near-field pattern measurement 88–35931
Martin, N.M. Improved cavity model parameters for calculation of resonant frequency of rectangular microstrip antennas 88–52283
Martin, O. *see* Veron, D. 88–20607
Martin, P. A buffer type charger for Ni-Cd batteries 85–10002
Martin, P. Some wind characteristics and applications of wind power on the east coast of the Arabian Peninsula 85–48666
Martin, P. An electronic circuit to generate 'random' and 'vibrato' effects in musical equipment 85–58476
Martin, P. Laser photoplotting as an integral part of CIM 87–37722
Martin, P. Some thoughts about the co-ordination of operating characteristics of turbines and condensers 88–69166
Martin, P. Optimal preventive maintenance in a health-care facility 88–74904
Martin, P., Bernard, M. Charge dynamics of an electret inside a medium and at the interface of two media subjected to γ-rays from a Co^{60} source 86–56055
Martin, P., Dinkel, J., Ducar, R., Kerns, C., Kerns, Q., Meisner, K., Miller, H.W., Reid, J., Tawzer, S., Wildman, D. Antiproton acceleration in the Fermilab Main Ring and Tevatron 88–47832
Martin, P., Guerin, C., Chereque, M., Sehabiague, B. The MAX project: a fault tolerant local area network architecture 86–37552
Martin, P., Meisner, K., Miller, H., Nicholls, G., Wildman, D. Performance of the RF bunch coalescing system in the Fermilab main ring 86–31900
Martin, P., Schmitz-Josten, P., Magerfleisch, J., Hausmann, G., Fichtner, D. Temperature control device for power station turbines 85–38807
Martin, P., Tsichritzis, D. Complete logical routings in computer mail systems 86–49192
Martin, P., Widmer, H.J. CAD changing the design job 88–31441
Martin, P. *see* Buenerd, M. 86–5842
Martin, P. *see* Cazes, R. 88–45588
Martin, P. *see* Games, A.M. 85–9634, 85–43836, 86–6527
Martin, P. *see* Knight, R.B.D. 87–12743, 87–14121
Martin, P. *see* Miege, S. 85–14283
Martin, P. *see* Thomas, F. 88–70871
Martin, P. *see* Wildman, D. 88–47865
Martin, P.A., Hess, K., Emanuel, M., Coleman, J.J. Deep-level transient spectroscopy studies of defects in GaAs-AlGaAs superlattices 87–11401
Martin, P.F., Gillespie, W.A., Kelliher, M.G. An electron spectrum and profile monitor for the UK free electron laser 86–11918
Martin, P.F. *see* Gillespie, W.A. 87–2165
Martin, P.F. *see* Pidgeon, C.R. 86–3223
Martin, P.H. Intelligence support to C^{3}CM 88–30215
Martin, P.J. *see* Binh, L.N. 85–56285, 86–2812
Martin, P.J. *see* Netterfield, R.P. 85–12541, 86–13807
Martin, P.M. The importance of battery maintenance in standby systems 86–19450
Martin, P.M., Bateman, A., McGeehan, J.P., Marvill, J.D. The implementation of a 16-QAM mobile data system using TTIB-based fading correction techniques 88–73819
Martin, P.M. *see* Anderson, H.M. 85–44787
Martin, P.M. *see* Emorine, O.M. 88–46011
Martin, P.N., Bernard, M. Comparison of the ionization in a flat electret-ionization chamber and of that resulting from a uniform polarization field 86–56054
Martin, P.R. New generation of telex exchanges 86–23368
Martin, P.S. Operational experience with superconducting synchrotron magnets 88–54035
Martin, P.S. *see* Bharadwaj, V. 88–47884
Martin, R. Variable pulse width piezoelectric ultrasonic transducer driver 85–17016
Martin, R. How to avoid mistakes [electrical equipment in hazardous areas] 85–28018
Martin, R. Baseefa-approved equipment. Its use in hazardous environments [electrical equipment safety] 85–33092
Martin, R. ER: a tool for modern business communications 86–4188
Martin, R. Noise measurement, noise assessment (annual survey) 86–31747
Martin, R. 'Dial an oil rig' mission for task force 86–54794
Martin, R. Portable digital NDT instrumentation 88–38309
Martin, R., Braunstein, R. Arsenic growth on the gallium arsenide surface during oxidation 88–26069
Martin, R., Vergara, L. Introduction to electronic warfare 87–12736
Martin, R. *see* Andrieux, B. 86–6481
Martin, R. *see* Arnal, J. 86–4386
Martin, R. *see* Bailey, R.B. 87–40351
Martin, R. *see* Chan, K.K. 86–68857
Martin, R. *see* Fliegel, F. 87–74492
Martin, R. *see* Koyanagi, M. 88–39703
Martin, R. *see* Rancourt, J. 88–11480
Martin, R. *see* Smith, B.J. 87–49468
Martin, R. *see* Turner, R. 88–34444
Martin, R.A. A low cost technology for high voltage drivers in a CMOS or NMOS process 87–60676
Martin, R.A., Buhler, S.A. Considerations for product reliability of high voltage integrated circuits 86–47821
Martin, R.A., Buhler, S.A., Lao, G. 850V NMOS driver with active outputs 85–50732
Martin, R.A., Chen, J.Y. Optimized retrograde N-well for one micron CMOS technology 86–2415
Martin, R.A., Chen, J.Y.-T. Optimized retrograde N-well for 1-μm CMOS technology 86–47807
Martin, R.A., Lewis, A.G., Huang, T.Y., Chen, J.Y. A new process for one micron and finer CMOS 86–47847
Martin, R.A., Yap, P.K., Hack, M., Tuan, H. Device design considerations of a novel high voltage amorphous silicon thin film transistor 88–39472

Martin, R.A. *see* Current, M.I. 86−2002, 86−2395
Martin, R.A. *see* Huang, T. 87−18132, 87−46024
Martin, R.A. *see* Huang, T.-Y. 87−38529
Martin, R.A. *see* Koyanagi, M. 87−32562, 87−45952, 87−46019
Martin, R.A. *see* Lewis, A.G. 87−25583, 87−38526, 87−46218, 87−60646, 88−13579
Martin, R.A. *see* Zhu, J. 88−26275
Martin, R.C. Selling techniques−cellular mobile service in large markets 87−3114
Martin, R.C., Ghoniem, N.M., Song, Y., Cable, J.S. The size effect of ion charge tracks on single event multiple-bit upset 88−25191
Martin, R.Cordero *see* Cordero Martin, R.
Martin, R.D. NetView and open network management improving the management of multi-vendor networks 87−62517
Martin, R.D. *see* Hewer, G.A. 87−47686
Martin, R.D. *see* Willett, M. 88−52877
Martin, R.Diaz *see* Diaz Martin, R.
Martin, R.G., Morente, J.A., Bretones, A.R. Arrays of Hertzian electric dipoles for non-sinusoidal signals 86−10181
Martin, R.G., Morente, J.A., Bretones, A.R. An approximate analysis of transient radiation from linear antennas 86−68834
Martin, R.G., Morente, J.A., Bretones, A.R. Array of matched, linear antennas fed by pulsed signals 87−12838
Martin, R.G., Morente, J.A., Salinas, A. Application of the monopulse technique to a planar array of nonlinearity loaded straight-wire coupled antennas 87−61515
Martin, R.G., Perez, C.C. Identification of radar targets excited by electromagnetic Gaussian pulses using the extended Prony method. Influence of incident angle 87−63026
Martin, R.G., Perez, C.C. Identification of radar targets by synthesizing the signal that excites one complex frequency of resonance of the target 87−70122
Martin, R.Gomez *see* Gomez Martin, R.
Martin, R.H. *see* Gallant, J.L. 85−59115
Martin, R.J., Harris, M.G. An instrumentation amplifier for the measurement of eye position 86−792
Martin, R.J., Herzog, W.R. 1/f optimization for a complementary metal oxide semiconductor focal plane array input circuit 88−51018
Martin, R.J., Maries, K., Poulson, G.W., Bowen, J.W., Wylde, R.J. Millimetre-wave quasi-optical components 87−11027
Martin, R.J., Upton, D.E. Boiler construction−the Grain experience 86−56619
Martin, R.J. *see* Bowen, J.W. 87−45204
Martin, R.J. *see* Davis, B.W. 88−53265
Martin, R.J. *see* Downey, P.M. 85−37621, 85−56443
Martin, R.J. *see* Karin, J.R. 86−58816
Martin, R.K. Networking horizons [hospitals] 88−9110
Martin, R.L. Use MOSFETs as active dummy loads 85−6145
Martin, R.L. Use of personal computers during gamma radiation testing of CMOS RAMs 86−15272
Martin, R.L., Way, T.C. Pictorial format displays for two-seat fighter-attack aircraft 88−30117
Martin, R.L. *see* Fliegel, F.M. 88−26637
Martin, R.L. *see* Guediri, F. 88−51107
Martin, R.L. *see* Jenkins, W.C. 88−25199
Martin, R.L. *see* Lim, T.S. 87−5785, 87−38524
Martin, R.L. *see* Melikian, G. 87−36168
Martin, R.L., Jr. *see* Rancourt, J.D. 88−8028
Martin, R.M. *see* Van de Walle, C.G. 87−1257, 88−19685
Martin, R.N., Newell, J.F. Design and construction of indoor 138 kV SF_6 gas insulated substation with underground oil-filled 138 kV feeders 86−26212
Martin, R.S. *see* van de Ven, E.P. 87−67169
Martin, R.W. Test results of simulated satellite slip ring experiments 85−63346
Martin, R.W., Bashein, G., Zimmer, R., Sutherland, J. An endoscopic micromanipulator for multiplanar transesophageal imaging 87−29748
Martin, R.W., Silverstein, F.E., Proctor, A.H. Back-face only electrical connections of thickness mode piezoelectric transducers 87−25736
Martin, S. VFD drivers offer more smarts, more drives and higher voltages 86−60148
Martin, S. *see* Bechstedt, U. 86−31865
Martin, S. *see* Berg, G. 85−59020
Martin, S. *see* Chang, K. 87−73781, 88−25464, 88−25514
Martin, S. *see* Duseaux, M. 86−405
Martin, S. *see* Kidwell, R.D. 88−14779
Martin, S.A., Prasuhn, D., Schott, W., Wiedner, C.A. A storage ring for the JULIC cyclotron 85−52949
Martin, S.A. *see* Meissburger, J. 85−64508
Martin, S.C. Some results of experiments in cochannel signal separation 85−30236
Martin, S.C., Backus, C.E. The effect of cell thickness on the irradiance vs. short-circuit current curve 86−40140
Martin, S.C. *see* Sanderson, R.W. 86−7147
Martin, S.H. Design and manufacture of the cabinet for the ICL Series 39 Level 30 system 86−13480
Martin, S.J., Butler, M.A. Wideband optical fiber magnetic field sensor 87−18680
Martin, S.J., Frye, G.C., Ricco, A.J., Zipperian, T.E. Measuring thin film properties using SAW devices: diffusivity and surface area 88−60989
Martin, S.J., Ricco, A.J. Sensing in liquids using acoustic plane mode devices 88−39788
Martin, S.J., Ricco, A.J., Ginley, D.S., Zipperian, T.E. Isothermal measurements and thermal desorption of organic vapors using SAW devices 87−49991
Martin, S.J., Schweizer, K.S., Ricco, A.J., Zipperian, T.E. Gas sensing with surface acoustic wave devices 86−55648
Martin, S.J., Schweizer, K.S., Schwartz, S.S., Gunshor, R.L. Vapor sensing by means of a ZnO-on-Si surface acoustic wave resonator 86−2547
Martin, S.J. *see* Butler, M.A. 86−55694
Martin, S.J. *see* Ricco, A.J. 86−50074
Martin, S.J. *see* Schwartz, S.S. 86−2551
Martin, S.L. Controller makers jump in 1-Mbit DRAM bandwagon 86−52909
Martin, S.L. Smart-power ICs get boost from new bipolar/MOS technologies 88−51026
Martin, S.L. The ISDN puzzle takes shape as the pieces fall into place 88−52700
Martin, S.P. *see* Corbex, C.H. 88−50778
Martin, T. The benefits of management systems 86−10625
Martin, T. The benefits of management systems 86−49098
Martin, T. The networking of mainframe and microcomputers 88−73607
Martin, T., Kobel, W.G., Rogers, S.K., Kabrisky, M., Mills, J.P. A distortion-invariant pattern recognition algorithm 87−62197
Martin, T., Stanley, C.R., Iliadis, A., Whitheouse, C.R., Sykes, D.E. Identification of the major residual donor in unintentionally doped InP grown by molecular beam epitaxy 85−49541
Martin, T. *see* Emery, L. 88−54456
Martin, T. *see* Iliadis, A. 86−62221
Martin, T. *see* Williams, G.M. 88−49805
Martin, T.H. Pulse charged gas breakdown 87−18410
Martin, T.H. *see* Cook, D.L. 87−43208
Martin, T.H. *see* Seaman, J.F. 85−4182
Martin, T.H. *see* Turman, B.N. 87−21311
Martin, T.H. *see* Rose, M.F. *(editor)* 85−22
Martin, T.L. *see* Huang, M.T. 85−50457
Martin, T.S., Wang, F., Chang, K. Electronically tunable and switchable filters using microstrip ring resonator circuits 88−71102
Martin, V. *see* Schnell, J.P. 87−12606
Martin, V.B., Marek, J.R. An economical coordinated scheme for complete transformer protection 88−24002
Martin, V.C. Read/write magnetic recording head with static bleedoff 85−45978
Martin, V.D. Versatile bench power supply 86−20290
Martin, V.D. All about frequency counters 86−50141
Martin, V.D. All about frequency counters. II 86−55773
Martin, V.D. A coordinate conversion and SWR nomogram 86−57532
Martin, V.D. Switching power supplies 86−67026
Martin, V.D. What's new in soldering 87−51856
Martin, V.D. Finding cable faults 87−55928
Martin, V.D. Soldering: old techniques & new technology 87−65190
Martin, V.D. Calibration−the quest for perfect measurements 88−47395
Martin, V.D., David, B.W. Heat-proofing your projects 86−40557
Martin, V.M., Sega, R.M., Durham, R. Fiber optic microwave power probe 87−41481
Martin, W. Technical transmission measurements and technical switching tests of KZV and PCMX with the PCM-measurement system K1151. I 85−3286
Martin, W. Determining the electrical and physical characteristics of flexible circuits based on polymer thick film compositions 87−11137
Martin, W., Flandrin, O. Detection of changes of signal structure by using the Wigner-Ville spectrum 85−51624
Martin, W., Flandrin, P. Wigner-Ville spectral analysis of nonstationary processes 86−29850
Martin, W. *see* Flandrin, P. 85−51653
Martin, W. *see* Hulpusch, G. 85−33199
Martin, W.A. Transformer core selection in switching power supplies 88−30926
Martin, W.E., Wieser, J. Highly sensitive microcomputer-controlled AC magnetometer with a phase locked data acquisition system 85−37433
Martin, W.E., Winfield, R.J. Nonlinear effects on pulsed laser propagation in the atmosphere 88−27248
Martin, W.E. *see* Caporaso, G.J. 87−8798
Martin, W.H. Retrofill vs. retrofit of PCB transformers 87−72219
Martin, W.N. *see* Blank, G.E. 87−14833
Martin, W.N. *see* Donnelly, T. 88−24934
Martin, W.N. *see* Roan, S.J. 87−39919
Martin, W.N. *see* Thomas, B.H. 85−36434
Martin, X. *see* Sanseverino, R. 88−48217
Martin, Y. In situ study of electromigration by Joule displacement microscopy [IC technology] 85−23893
Martin, Y. Photo-and Joule-displacement microscopy 87−49525
Martin, Y., Abraham, D.W., Wickramasinghe, H.K. High-resolution capacitance measurement and potentiometry by force microscopy 88−42247
Martin, Y., Wickramasinghe, H.K. Study of dynamic current distribution in logic circuits by Joule displacement microscopy 87−31788
Martin, Y., Wickramasinghe, H.K. Magnetic imaging by 'force microscopy' with 1000 Å resolution 87−63495
Martin, Y. *see* Royer, D. 86−68359
Martin Abreu, J.M. *see* Calderon Estevcz, L. 86−32604
Martin de Nicolas, A. *see* Ong, S. 88−12441
Martin Pascual, C. *see* Barbero, J. 86−64955
Martin Sanchez, J. *see* Rodellar Benede, J. 86−31692
Martin-Arcos, R. *see* Vergara-Dominguez, L. 86−30876, 87−27528, 87−55847
Martin-Laval, E. *see* Rossi, M. 85−63012
Martin-Lof, J. This is how telecommunications technology is being developed internationally 87−69442
Martin-Onraet, M. Quality of maintenance of the Creys-Malville power station 87−15444
Martin-Pascual, C. *see* Barbero, J. 87−12831
Martin-Pascual, C. *see* Fernandez-Diez, M.J. 86−48659
Martin-Pereda, J.A. Liquid crystals. III. New applications 85−12665
Martin-Pereda, J.A. Optical nonlinearities between glass and liquid crystal 85−51285
Martin-Pereda, J.A. Optical communications: a survey 87−20509
Martin-Pereda, J.A. Analysis of the state of the art in new materials 87−58906
Martin-Pereda, J.A., Lopez, F.J., Muriel, M.A., Oton, J.M. Photonic logic based on molecular reorientation of nematic liquid crystals 85−46487
Martin-Pereda, J.A., Muriel, M.A. Light level to electrical frequency conversion with hybrid optical bistable devices 85−52784
Martin-Pereda, J.A. *see* Muriel, M.A. 87−39240
Martin-Smith, P. *see* Prieto, A. 88−70730
Martina, F. Electric system for residential complex [wiring protection] 85−21193
Martina, M. *see* Prome, M. 85−59017
Martinache, M. Visual scanning and picture reading 88−35646
Martinaitis, A. *see* Jasinskaite, R. 86−58262
Martineau, L., Scaglia, P. CAD tools for system engineers−a multichip system project 85−17304
Martinec, R.C. *see* Deangelis, L.E. 86−45791
Martinec, T.L. Optimize phased-array T/R performance 85−64230
Martinek, J. *see* Kott, J. 87−64302
Martinek, P. *see* Moos, P. 87−881
Martinek, P. *see* Vostracky, Z. 86−19432
Martinek, S.J. Accurate laboratory boresight alignment of transmitter/receiver optical axes 87−41027
Martinelli *see* Bessette 85−46111
Martinelli, A. *see* Barbaliscia, F. 86−64911
Martinelli, A. *see* Corti, M. 88−60914
Martinelli, C. *see* Laurenti, A. 87−74639
Martinelli, E. *see* Alia, G. 85−11382
Martinelli, G. Long convolutions using number theoretic and polynomial transforms 85−19444
Martinelli, G., Burrascano, P., Orlandi, G. Simultaneous cancellation of two clutters by the extended lattice predictor 85−46823
Martinelli, G., Burrascano, P., Orlandi, G. L_1-norm algorithm for super-resolution in tracking radars 87−49144
Martinelli, G., Burrascano, P., Orland, G. Physical approach to signal processing: structurally passive digital circuits 87−69090
Martinelli, G., Orlandi, G. Linear prediction estimation of sinusoids in additive noise with very short data sequences 85−46873
Martinelli, G., Orlandi, G. Convergence improvement in the adaptive implementation of Pisarenko's method 87−47555
Martinelli, G., Orlandi, G., Burrascano, P. Reduction of computational cost in DFT implementation of FIR digital filters 85−40186
Martinelli, G., Orlandi, G., Burrascano, P. Yule-Walker equations and Bartlett's bisection theory 86−680
Martinelli, G., Orlandi, G., Burrascano, P. Spectral estimation by repetitive L_1-norm minimization 86−43250
Martinelli, G., Orlandi, G., Burrascano, P. Pole identification of ARMA processes by extended Levinson recursion 86−48918
Martinelli, G., Orlandi, G., Prina Ricotti, L. Characterization and estimate of nonstationary signals 85−36273

Martinelli, G., Orlandi, G., Ricotti, L.P., Ragazzini, S. Identification of stable nonstationary lattice predictors by linear programming 86–64272
Martinelli, G., Orlandi, G., Ricotti, L.P., Ragazzini, S. Excitation source identification in long term speech 87–47607
Martinelli, G. *see* Andriollo, M. 86–48046, 86–54241
Martinelli, G. *see* Burrascano, P. 87–178, 88–25334, 88–70198
Martinelli, G. *see* Carbonari, N. 88–31093
Martinelli, G. *see* Cardarilli, G.C. 87–66397, 88–722, 88–32339
Martinelli, G. *see* Colovini, L. 85–60125
Martinelli, G. *see* Galloni, R. 88–18045
Martinelli, G. *see* Garozzo, M. 88–18055
Martinelli, G. *see* Orlandi, G. 86–17431
Martinelli, G. *see* Ragazzini, S. 86–64224, 87–61707
Martinelli, J.R. *see* Modine, F.A. 85–50605
Martinelli, J.R. *see* Sonder, E. 87–32405
Martinelli, M. Fibre optic sensors 85–12568
Martinelli, M. Phase recovery in the interferometric fiber-optic sensors 88–7903
Martinelli, M. Fiber optics sensors: state of the art and outlook 88–22609
Martinelli, M., Barberis, A. Interferometric Michelson-type optical-fiber sensor: comparison between phase-modulation and frequency-modulation detection 85–35462
Martinelli, M., Barberis, A., De Agostini, A., De Sanctis, O. Fiber-optic interferometric detection of slow phenomena 87–26037
Martinelli, M., Ceserani, A., Polini, M. Fiber-optic vibrometer 86–2792
Martinelli, M., Rolla, P.A., Tombari, E. A method for dielectric loss measurements by a microwave cavity in fixed resonance condition 85–64244
Martinelli, M., Rolla, P.A., Tombari, E. A method for dynamic dielectric measurements at microwave frequencies: applications to polymerization process studies 86–5487
Martinelli, M., Rolla, P.A., Tombari, E. Microwaves measure complex permittivity 86–55821
Martinelli, M. *see* De Maria, L. 88–74449
Martinelli, R., Chatron, J.Y. A low-cost, reliable analog video display terminal design 85–42890
Martinelli, R. *see* White, J. 86–52624
Martinelli, R.M. The benefits of multi-loop feedback. II 88–63508
Martinelli, R.M. The benefits of multi-loop feedback–the basics. I 88–69506
Martinelli, R.M. The benefits of multi-loop feedback 88–75845
Martinelli, R.U., Enstrom, R.E. Reliability of planar InGaAs/InP photodiodes passivated with boro-phospho-silicate glass 88–26979
Martinen, H. *see* Hage, H. 88–40143
Martines, G., Sannino, M. Simultaneous determination of transistor noise, gain, and scattering parameters for amplifier design through noise figure measurements only 85–43089
Martines, G., Sannino, M. Accurate measurements of optimum noise parameters of microwave transistors 86–65266
Martines, G., Sannino, M. A method for measurement of losses in the noise-matching microwave network while measuring transistor noise parameters 87–32080
Martines, G., Sannino, M. State-of-the-art of computer-aided noise figure measurements for microwave transistor characterization in terms of noise, gain and scattering parameters 88–13441
Martines, G., Sannino, M. A computer-assisted noise parameter test set for the characterization of microwave transistors in terms of noise, gain and scattering parameters 88–50410
Martines, G., Sannino, M. A computer-controlled test-set for the complete characterization of GaAs low noise devices 88–60897
Martines, G. *see* Pospieszalski, M.W. 88–29611
Martinet, F. *see* Bondur, J.A. 86–58422
Martinet, M. *see* Roucairol, C. 85–31155
Martinetti, J., Katz, A. N-way microwave power splitter/combiner 85–23102
Martinex, J.E. *see* Edwards, D.R. 87–65214
Martinez, A., Abbundi, R.J., Houston, B., Davis, J.L., Allgaier, R.S. Effect of illumination and magnetic fields on the electron transport properties of $Pb_{0.75}Sn_{0.25}Te$ doped with indium 85–28980
Martinez, A., Chu, T.K., Allgaier, R.S. Magnetotransport and photoconductivity of IV-VI compound superlattices 87–66973
Martinez, A., Lozano, M., Barquillas, J., Carlosena, A. A variational model for transistors 87–45854
Martinez, A., Nance, S. Methodology for compiler generated silicon structures [VLSI layout] 85–1711
Martinez, A., Santiago, F., Davis, J.L., Houston, B., Drew, H.D. Decay kinetics of photoconductivity of PbSnTe doped with indium 86–22214
Martinez, A. *see* Abbundi, R.J. 85–28981
Martinez, A. *see* Bielle-Daspet, D. 87–52203
Martinez, A. *see* Chauvet, F. 85–42951
Martinez, A. *see* Chu, T.K. 87–32284, 87–65537
Martinez, A. *see* Davis, J.L. 85–39780
Martinez, A. *see* de la Colina, O.N. 85–53723
Martinez, A. *see* Dholakia, S. 86–67960
Martinez, A. *see* Dilhac, J. 87–50128
Martinez, A. *see* Dilhac, J.-M. 88–39057
Martinez, A. *see* Kliment, M. 86–67185
Martinez, A. *see* Torres, F. 85–15024
Martinez, A. *see* Valdivia, R. 86–56465
Martinez, A. *see* Vidaller, L. 86–30429, 87–55760
Martinez, A.B., Swaszek, P.F., Thomas, J.B. Locally optimal detection in multivariate non-Gaussian noise 85–30259
Martinez, A.B., Thomas, J.B. Finite length discrete matched filters 86–52929
Martinez, A.B. *see* Lee, M.S. 88–67493
Martinez, A.M., Dholakia, S., Bush, S. Compilation of standard-cell libraries 87–46074
Martinez, A.R. *see* Bertazzi, A. 87–11983 to 11986
Martinez, A.R. *see* Erickson, D.J. 88–49056
Martinez, A.R. *see* Freeman, B.L. 88–43298
Martinez, A.Robledo *see* Robledo Martinez, A.
Martinez, B., Labarta, A., Obradors, X., Cusido, J.A., Tejada, J. Texture function in γ-Fe_2O_3 magnetic tapes 86–15394
Martinez, B., Labarta, A., Obradors, X., Tejada, J. Particle orientation distribution in γ-Fe_2O_3 magnetic tapes by Mossbauer and hysteresis loop measurements 88–51212
Martinez, C. *see* Chang, J. 85–3915, 86–60183
Martinez, C. *see* Doub, A. 88–18060
Martinez, C. *see* Filter, W. 85–26726
Martinez, C. *see* Perotin, M. 87–70659
Martinez, C. *see* Such, V. 86–42673
Martinez, C.A. *see* Tripathi, N.K. 86–32632
Martinez, D., Lim, J.S. Implicit motion compensated noise reduction of video scenes 86–10520
Martinez, D., Richman, S.H. AT&T ACCUNET Packet Service performance in relation to data communications standards 86–16998
Martinez, D. *see* Bizzarri, B. 88–29626
Martinez, E., Romeo, M., Rosso, O. Communication between computers in a development ambience with microprocessors 86–43559
Martinez, E. *see* Galan, L. 88–57247
Martinez, E.C. *see* Hickernell, F.S. 88–6310
Martinez, F., Hussey, C.D. Enhanced ESI for prediction of waveguide dispersion in single-mode optical fibres 85–12561
Martinez, F., Hussey, C.D. ESI determination from Petermann mode-field diameter measurements and refractive index profile measurements on single-mode fibres 87–54078
Martinez, F., Hussey, C.D. (E)ESI determination from mode-field diameter and refractive index profile measurements on single-mode fibres 88–58090
Martinez, F., Wylangowski, C., Hussey, C.D., Payne, F.P. Practical single-mode fibre-horn beam expander 88–26761
Martinez, F., Wylangowski, G., Hussey, C.D., Payne, F.P. Design and implementation considerations for a practical self-aligned single-mode fibre-horn beam expander 88–45156
Martinez, F. *see* Fermann, M.E. 86–55866, 88–45079
Martinez, F. *see* Hussey, C.D. 86–15458, 86–22081
Martinez, F. *see* Jedrzejewski, K.P. 86–22087, 87–74770
Martinez, F. *see* Miguel, D. 87–21043
Martinez, F.A. *see* Hansborough, L.D. 87–41669, 87–50039
Martinez, G. *see* Erskine, D. 87–35169
Martinez, G. *see* Rodriguez, G. 87–78328
Martinez, G. *see* Schwarzblat, M. 85–59919
Martinez, H., Lanton, S. A reliable, low-cost approach to shaft position control 86–44417
Martinez, H.R. A new trend in medium voltage distribution: Insulated overhead lines 88–5371
Martinez, I., Eyer, A. Liquid bridge analysis of silicon crystal growth experiments under microgravity 86–66796
Martinez, I.Navarrina *see* Navarrina Martinez, I.
Martinez, J. Temperature sensors to protect electric motors 85–52742
Martinez, J., Fogarassy, E., Mesli, A., Siffert, P. Electrical characteristics of laser-annealed silicon diodes 87–45639
Martinez, J., Piqueras, J. Switching characteristics of polysilicon MISS devices 85–34989
Martinez, J., Sandoval, F. Versatile ramp generator uses 1K-bit RAM 87–10728
Martinez, J., Sandoval, F., Perez, F.G., Gomez, A.I. A new sequential four-rate window DLTS system 87–45574
Martinez, J. *see* Alvarez, R. 87–28205
Martinez, J. *see* Bergman, L.A. 88–52915
Martinez, J. *see* Ferrer, A. 88–42412
Martinez, J. *see* Forino, A. 85–37976
Martinez, J. *see* Garcia, B.J. 85–40536
Martinez, J.A. *see* Lara, A. 88–15936
Martinez, J.M. A quasi-Newton method with modification of one column per iteration 85–22384
Martinez, J.M. The protection method for solving nonlinear systems of equations under the 'most violated constraint' control 86–20003
Martinez, J.M. Solution of nonlinear systems of equations by an optimal projection method 86–57387
Martinez, J.M. Solving systems of nonlinear equations by means of an accelerated successive orthogonal projections method 87–5368
Martinez, J.M. The method of successive orthogonal projections for solving nonlinear simultaneous equations 87–36625
Martinez, J.M. Quasi-Newton methods with factorization scaling for solving sparse nonlinear systems of equations 87–44222
Martinez, J.M. An algorithm for solving sparse nonlinear least squares problems 88–18636
Martinez, J.M., De Sampaio, J.B. Parallel and sequential Kaczmarz methods for solving underdetermined nonlinear equations 86–62105
Martinez, J.Martinez *see* Martinez Martinez, J.
Martinez, J.P. *see* Balladore, J.L. 88–26128
Martinez, J.P. *see* Camon, H. 88–57550
Martinez, J.P. *see* Palma, M.S. 88–56897
Martinez, J.P. *see* Segura, A. 86–33689, 86–40152, 88–17980
Martinez, J.Perez *see* Perez Martinez, J.
Martinez, J.R., Bahr, A.J. Statistical detection model for eddy-current systems 85–6096
Martinez, K., Pearson, D.E. Algorithmic complexity, speed and architectural parallelism in low data-rate visual communication 85–46963
Martinez, K., Pearson, D.E. PETAL: a parallel processor for real-time primitive extraction 87–20996
Martinez, L., Poveda, A. Predicting magnitude and phase of switching regulator transfer functions 86–14005
Martinez, L., Poveda, A. Modelling and analysis of the Cuk convertor in the discontinuous conduction mode using the discrete impulse response method 87–4818
Martinez, L., Poveda, A. An averaged model for the Cuk converter in the discontinuous conduction mode 87–58212
Martinez, L., Poveda, A., Cabestany, J. Teaching switching DC-to-DC regulator design 87–30841
Martinez, L., Poveda, A., Miguel, J.M. Modelling and analysis of the Cuk convertor using the discrete impulse response method 86–34519
Martinez, L., Poveda, A., Ordinaga, J. Modelling, analysis and design of switching DC-DC regulators. II. Power stage design 86–46551
Martinez, L., Poveda, A., Ordinaga, J. Modelling analysis and design of switching DC-DC regulators. III 86–52670
Martinez, L., Poveda, A., Ordinaga, J., Miguel, J.M. Modelling, analysis and design of switching DC-DC regulators. Descriptive parameters. I 86–26152
Martinez, L. *see* Adeva, B. 88–42413
Martinez, L. *see* Bertran, E. 88–5786
Martinez, L. *see* Blanco, F. 87–50122
Martinez, L. *see* Briceno-Valero, J.M. 85–16910
Martinez, L. *see* Cabestany, J. 86–62787
Martinez, L. *see* Cerrada, M. 88–22968
Martinez, L. *see* Duran, I. 86–55800
Martinez, L. *see* Garcia, J. 88–17953
Martinez, L. *see* Higashi, H. 87–60299
Martinez, L. *see* Poveda, A. 88–5882
Martinez, M. CMOS logic with bipolar-enhanced I/O rivals fast TTL gates 85–29326
Martinez, M. On the electrification of rural Mexico 88–42845
Martinez, M., Villar, R., Llorente, F. Pattern prediction by the UTD for a fill-in antenna on a satellite 86–64072
Martinez, M., Waldo, S. As fast as TTL. 'CEMOS-II' family is TTL compatible 85–49811
Martinez, M. *see* Anderhub, H. 87–21420
Martinez, M. *see* Munoz Merino, E. 87–55029
Martinez, M. *see* Rodriguez, M. 85–13518
Martinez, M. *see* Toth, F. 85–55946
Martinez, M. *see* Young, C.T. 88–61608
Martinez, M.-C., Munoz, V., Such, V. The influence of magnetic characteristic type in the calculated electromagnetic field in solid steel plates 87–46305
Martinez, M.C. *see* Munoz, V. 87–70770
Martinez, M.C. *see* Such, V. 88–7790
Martinez, M.V., Stegemann, D. Identification of faults in turbomachines by spectral analysis of pressure signals 86–51591
Martinez, N. *see* Benedetti, M. 87–44675
Martinez, N.H. *see* Christiansen, C.F. 85–40723, 88–50052
Martinez, O.E. Linear measurement of ultrashort light pulses by phase-contrast optical sweep 85–29908
Martinez, O.E. 3000 times grating compressor with positive group velocity dispersion: application to fiber compensation in 1.3-1.6 μm region 87–32945
Martinez, O.E., Fork, R.L., Gordon, J.P. Theory of passively mode-locked lasers for the case of a nonlinear complex-propagation coefficient 85–46299

Martinez, O.E., Gordon, J.P., Fork, R.L. Negative group-velocity dispersion using refraction 85−7292
Martinez, O.E. *see* Heritage, J.P. 88−65859
Martinez, O.E. *see* Hnilo, A.A. 86−42494, 87−7288, 87−46804, 87−54263
Martinez, O.E. *see* Marconi, M.C. 85−56826, 87−26517, 87−68427
Martinez, P., Garay, J. Gain margin in feedback electronic systems 86−27028
Martinez, P., Garay, J., Carlosena, A. Stability of negative feedback systems 87−23810
Martinez, P. *see* Castro, M. 86−33220, 87−58335
Martinez, P. *see* Peire, J. 86−6665
Martinez, P.A., Carlosena, A., Barquillas, J. Loeb's criterion and 'latch-up' effect in second order oscillators with single OA 88−18969
Martinez, P.A., Dunn, K.W. Space Station data management system: a common GSE test interface for systems testing and verification 87−42043
Martinez, P.A., Lozano, M. Nonlinear distortion in current-feedback amplifiers 86−8015
Martinez, P.A., Pollan, T. A transconductance model in amplifier stages 85−55843
Martinez, P.A., Pollan, T. A transconductance model in amplifier stages. II. Systematic method of midband AC analysis for transistor amplifiers 86−774
Martinez, P.A.Martinez *see* Martinez Martinez, P.A.
Martinez, P.M., Nunez de Celis, F., Olias Ruiz, E., Dominguez Gutierrez, J.M. A digital power factor meter 87−41558
Martinez, P.M., Nunez de Celis, F., Ruiz, F., Gonzalez, J.C. New acquisition and control procedure of incident solar energy measurement in solar central receiver power plants 86−31691
Martinez, P.M. *see* del Valle, J. 88−43201
Martinez, P.M. *see* Olias Ruiz, E. 87−6633
Martinez, P.M. *see* Penalver, C.M. 85−65334
Martinez, P.M. *see* Sebastian, R. 88−16192
Martinez, R. Internet gateway design for Defense Data Network access 87−40442
Martinez, R., Archwamety, C., Nemat, M. Simulation and design of ACR-NEMA standard for fiber optics network image transfer 88−36567
Martinez, R., Chen, L.-S. Expert system tool for broadband cable plant design 88−67041
Martinez, R., Kennedy, T., Kam Siu, A. Ada model of the VHSIC parallel programmable processor for image processing 87−13089
Martinez, R., Son, C.W., Tao, J. Interconnection of Sytek LocalNet 20 networks through the defense data network using internet protocol gateways 87−55764
Martinez, R. *see* Bailey, D.L. 88−21505
Martinez, R. *see* Dallas, W.J. 88−36552
Martinez, R. *see* Downing, T.E. 88−24397
Martinez, R. *see* Ozeki, T. 88−36556
Martinez, R. *see* Rodriguez, M. 85−13519
Martinez, R. *see* Zach, F.C. 85−27701, 86−7187
Martinez, R.Cabanes *see* Cabanes Martinez, R.
Martinez, R.del Olmo *see* del Olmo Martinez, R.
Martinez, R.J., Allen, C., Kerr, C., Walker, P. High temperature electrically conductive adhesives 88−24822
Martinez, R.T. Image rotation 85−2885
Martinez, S. Uninterruptible power systems: state of the art and future trends 88−5777
Martinez, S., Carpio, J., Castro, M. Integrated magnetics: monophase inverter with place transformer. II 88−62450
Martinez, S., Castellanos, M., Ruiz, M., Avila, R., Mier, M. Short-term load forecast for the Mexican interconnected power system 88−23416
Martinez, S., Sebastian, R., Castro, M. A highly reliable integrated magnetic UPS 88−69541
Martinez, S. *see* Carpio, J. 88−62449
Martinez, S. *see* Castro, M. 88−17733, 88−30913
Martinez, S. *see* Moreno, L. 87−52353
Martinez, T. *see* Alberdi, J. 88−22967
Martinez, T. *see* Bui-Hai, N. 85−20669
Martinez, T.M. *see* Yates, G.J. 86−49980
Martinez, V., Mate, L., Pazos, J. Knowledge-based systems in teleteaching 88−62935
Martinez, V. *see* Vidaller, L. 87−55760
Martinez, Y., Pham Ngoc Dinh, A. A generalization of Tikhonov's regularizations of zero and first order 87−31464
Martinez Ayuso, J.A. *see* Ayerbe Garcia, A. 88−15226
Martinez Ayuso, J.A. *see* Fernandez, L.C. 87−55613
Martinez Ayuso, J.A. *see* Fernandez Gonzalez, L.C. 86−43137
Martinez Churiaque, F. *see* Mananes Perez, A. 88−42411
Martinez Corvalan, F. *see* del Valle Herrero, A. 87−4007
Martinez Darlington, H. Outline model for real polluted insulators 88−55052
Martinez de Aragon, A. *see* de Waard, J. 87−77873
Martinez Diaz, C. *see* Manana Vazquez, R. 85−52630
Martinez Duart, J.M. Application of silicides in microelectronics 88−6514
Martinez Garcia, S. AC voltage step stabilizers with shared current 87−10672
Martinez Martinez, J., Su Zuniga, J.N. The design of a tree network with capacity restrictions in the branches and a preselected root 85−57175
Martinez Martinez, P.A., Fernandez Escartin, V., Pollan Santamaria, T. An exact and simple method for finding the oscillation conditions of a feedback system 86−20344
Martinez Mas, A. *see* Burillo, V. 85−52279
Martinez Monerri, F. Predictive maintenance of dynamic process equipment. II 86−122
Martinez Monerri, F. Maintenance−a matter of the right principles. I 86−66578
Martinez Monerri, F. Inspection, acceptance tests, and maintenance. IV 87−31255
Martinez Palomanes, A. TV distribution techniques: survey and comparative analysis 87−56321
Martinez Sarandeses, M.J. *see* Gonzalez Soto, O. 86−64513
Martinez-Duart, J.M., Fernandez, M., Gonzalez, J.P., Denis, J., Albella, J.M., Climent, A., Fonash, S.J., Herrero, P., Rodriguez, A. The use of silicides in VLSI IC technology 85−29340
Martinez-Duart, J.M., Fernandez, M., Paule, E., Climent, A., Albella, J.M., Perriere, J., Siejka, J. Anodic oxidation of tantalum silicide 86−2032
Martinez-Duart, J.M. *see* Clement, M. 88−25977
Martinez-Duart, J.M. *see* Gomez-Aleixandre, C. 86−41364
Martinez-Duart, J.M. *see* Perez Casero, R. 88−19759
Martinez-Duart, J.M. *see* Perriere, J. 87−60326
Martinez-Gamba, I. *see* Douglas, J., Jr. 87−45852
Martinez-Herrero, R., Mejias, P.M., Bernabeu, E. Bistable behaviour in double-ring optical devices 88−65876
Martinez-Herrero, R., Sancha, S.G. Sampled object reconstruction from discrete intensity data 88−8844
Martinez-Herrero, R., Sancha, S.G. Uniqueness features in sampled complex-valued object reconstruction from discrete intensity data 88−66649
Martinez-Herrero, R. *see* Mejias, P.M. 85−56782, 88−42088
Martinez-Legaz, J.-E. Level sets and the minimal time function of linear control processes 87−23573
Martinez-Pastor, J., Segura, A., Valdes, J.L., Chevy, A. Electrical and photovoltaic properties of indium-tin-oxide/*p*-InSe/Au solar cells 87−78917
Martinez-Val, J.M. *see* Velarde, G. 86−39362, 88−62489
Martini *see* Bessette 85−46111
Martini, C. *see* Corana, A. 88−11883
Martini, E. *see* Marchionna, E. 88−25434
Martini, F.De *see* De Martini, F.
Martini, G. Analysis of a single-mode optical fibre piezoceramic phase modulator 87−68121
Martini, G. Optical fibre phase modulator: design and application 88−58168
Martini, G. *see* Donati, S. 88−7902
Martini, G. *see* Goria, R. 85−37798
Martini, G. *see* Lareau, A. 88−47590
Martini, G. *see* Rivetti, A. 87−35236
Martini, H. Light-valve projection for large-screen high-definition TV. I 87−70202
Martini, H. Light-valve projection for large screen high-definition television. II 87−76950
Martini, H. Large scale projection: HDTV with light valve 87−76968
Martini, H. Light-valve projection for large screen high-definition television. III 88−9722
Martini, L. *see* Degen, K.-H. 85−46264
Martini, M. *see* Carron, G. 88−53998
Martini, M. *see* Conte, M. 86−18214
Martini, P. Backbone networks 87−55500
Martini, P. Performance analysis of multiple token rings 88−8921
Martini, P. Performance comparison for HSLAN media access protocols 88−21730
Martini, P., Spaniol, O., Welzel, T. File transfer in high-speed token ring networks: performance evaluation by approximate analysis and simulation 88−73587
Martini, P., Welzel, T. Modelling and analysis of a high speed token ring backbone network for a realistic scenario 88−59720
Martini, P., Welzel, T. LAN interconnection by token rings: A performance analysis 88−9200
Martini, P., Welzel, T. The analysis of a token ring backbone 88−59696
Martini, R., Whichard, C., Smith, W.L., Taylor, M.W. Yield improvement by product wafer inspection of ion implant 87−60550
Martini, R.V. *see* O'Clock, G.D. 87−66768
Martini, R.V. *see* O'Clock, G.D., Jr. 87−53426
Martinich, D.E. *see* Gundaker, B.F. 88−31510
Martinino, F., Pugnaloni, A., Saitto, A., Tripodi, M. Error probability evaluation for a digital spread spectrum modem used in satellite communications 88−46956
Martinino, F. *see* Mantovani, C. 87−40557
Martinis, C.De *see* De Martinis, C.
Martinis, J.M., Clarke, J. Signal and noise theory for a DC SQUID amplifier 86−15425
Martinis, J.M., Clarke, J. Current noise measured in the DC SQUID 87−18564
Martinis, J.M., Devoret, M.H., Clarke, J. Experimental tests for the quantum behavior of a macroscopic degree of freedom: the phase difference across a Josephson junction 87−46417
Martinis, J.M. *see* Devoret, M.H. 85−1872, 85−29508
Martinis, J.M. *see* Esteve, D. 87−1918, 87−53916
Martinis, J.M. *see* Turlot, E. 88−20285
Martinis, U.De *see* De Martinis, U.
Martinkevich, V.E. *see* Moskalenko, A.A. 86−12777
Martino, A.J. *see* Marron, J. 86−29964
Martino, E. *see* Ferrero, C. 86−11741
Martino, F.De *see* De Martino, F.
Martino, J.P. Policy issues raised by direct broadcast satellites 85−3427
Martino, J.P. Looking ahead with confidence [research and development forecasting] 85−33077
Martino, M. *see* Craciun, V. 88−39250
Martino, O., Del Carril, A. The ACEC electric motor for mechanical pumping from oil wells 87−9532
Martino Arelli de *see* Arelli de Martino
Martinod, Y., Etienne, M., Peyriere, C. Electronic speed controller for electric vehicles 85−65570
Martinod, Y. *see* Peyriere, C. 85−65517
Martinoli, P., Leemann, C., Lerch, P. Vortex dynamics in two-dimensional arrays of superconducting weak links 87−60864
Martinoli, P. *see* Leemann, C. 87−25885
Martinoli, P. *see* Leemann, Ch. 85−29506, 86−42172
Martinoli, P. *see* Leingme, O. 87−18560
Martinoli, P. *see* Lerch, P. 87−74578
Martinot, H. *see* Lozes-Dupuy, F. 86−3189, 87−54348
Martinot, H. *see* Saint-Cricq, B. 88−45415
Martinot, H. *see* Vassilieff, L. 87−68527
Martinot, M. *see* Razeghi, M. 87−33143
Martinot-Lagarde, P., Sartene, R., Mathieu, M., Durand, G. What does inductance plethysmography really measure? 88−68415
Martinot-Lagarde, P. *see* Monkade, M. 87−60978
Martinovic, D. Teleconferencing systems 88−41442
Martinovic, K. *see* Ivkovic, I.Z. 88−33441
Martinovich, D.M. *see* Brown, T.V. 86−70451
Martinovich, V.V. *see* Karakozov, E. 87−16207
Martins, A.C. *see* Alves, J.C. 86−31456, 86−44326
Martins, A.G. *see* Climaco, J.C. 88−5306
Martins, A.G. *see* de Sa, L. 88−42005
Martins, D. *see* Bordry, F. 86−62444
Martins, H. *see* Liebes, S. 88−71236
Martins, J. Maintaining power systems efficiently 88−54940
Martins, J.A., de Carvalho Alves, J. Protocol architecture for a local area network 88−9235
Martins, J.M. *see* Gerald, J.A.B. 85−63430
Martins, J.M. *see* Piedade, M.S. 85−61312
Martins, M. Frequency response techniques applied to the design of additional stabilising signals for static VAr compensators in power systems 87−77953
Martins, M.A.G. Causes and production and circulation mechanisms of gases in oil-insulated electrical transformers 86−26093
Martins, M.M. Some results about the AOR iterative method 87−36646
Martins, N. Efficient eigenvalue and frequency response methods applied to power system small-signal stability studies 86−50834
Martins, N. Efficient eigenvalue frequency response methods applied to power system small-signal stability studies 86−56366
Martins, R., Carvalho, N., Fortunato, E., Macarico, A., Santos, M., Baia, I., Viera, M., Guimaraes, L. Effects of UV light on the transport properties of a-Si:H films during their growth 88−24775
Martins, R., Guimaraes, L., Carvalho, N., Andrade, A.M., Pereyra, I., Sanematsu, M.S. The role of ITO layer on the performances of amorphous silicon solar cells produced in a two consecutive decomposition and deposition chamber system 86−40144
Martins, R. *see* Pereyra, I. 86−35358
Martins, R.F.P. *see* Pereyra, I. 88−12961
Martins, R.F.P. *see* Sanematsu, M.S. 86−7841
Martins Aguiar, A.J.N. A collection of programs and filters for use with fuzzy sets 88−3061
Martins da Silva, A. *see* Guedes de Oliveira, P. 88−61368
Martins Neto, S. *see* Spadim, O. 87−15772
Martins-Camelo, L., Patenaude, Y., Seguin, G. Linear array beam shaping using Fletcher-Powell optimization 87−19299

Martins-Camelo, L., Tang, M., Chan, K.K., Zimcik, D.G. Reflector antenna with switchable shaped beams for a space-based SAR 86−43009
Martins-Camelo, L. *see* Chan, K.K. 88−34498
Martinson, D. *see* Belyaev, L.S. 88−36916
Martinson, T., Sphicopoulos, T., Gardiol, F.E. Nondestructive measurement of materials using a waveguide-fed series slot array 86−5488
Martinson, T.M., Kuester, E.F. An accurate model for arbitrarily shaped strip-fed microstrip antennas 88−2792
Martinson, T.M., Kuester, E.F. Accurate analysis of arbitrarily shaped patch resonators on thin substrates 88−32386
Martinsons, Ya.Ya. Simplification of the problem of covering of a finite set 86−27189
Martinsons, Ya.Ya., Fritsnovich, G.F. Technique for interactive solution of a class of logical and combinatorial problems 87−16980
Martinsteg, H. *see* Dillmann, H.-G. 87−78395
Martinuzzi, S. Influence and passivation of extended crystallographic defects in polycrystalline silicon 87−66883
Martinuzzi, S., Ammor, L., Sebbar, M., Mathian, G. Improvement of CGE polycrystalline silicon solar cells by hydrogen ion implantation and annealing in hydrogen gas flow 86−45712
Martinuzzi, S., Ghitani, H.E., Ammor, L., Pasquinelli, M., Poitevin, H. Improvements of polycrystalline silicon cells by backside hydrogenations 88−37540
Martinuzzi, S., Poitevin, H., Zehaf, M., Zurletto, C. Improvement of electron diffusion lengths in polycrystalline silicon wafers by aluminium 87−66884
Martinuzzi, S., Sebbar, M.A., Gervais, J. Compensation of *p*-type cast polycrystalline silicon by hydrogen ion implantation at 300°C 86−1982
Martinuzzi, S., Zehaf, M., Poitevin, H., Mathian, G., Pasquinelli, M. Influence of aluminium or copper diffusions on electronic properties of p-type cast polycrystalline silicon 87−6370
Martinuzzi, S. *see* Ammor, L. 86−33677, 86−41521, 88−18036, 88−37539
Martinuzzi, S. *see* Amzil, H. 86−41669, 88−62618
Martinuzzi, S. *see* Chandrasekhar, S. 86−13034
Martinuzzi, S. *see* Mathian, G. 85−45599
Martinuzzi, S. *see* Poitevin, H. 88−18081
Martinuzzi, S. *see* Zehaf, M. 86−35304, 86−41526
Martiny, I. Basic units for digital bipolar high-speed ICs 88−6735
Martiny, W. *see* Smith, A.W. 88−31240, 88−43507
Martiny, W.J. Making the choice between normal and hi-efficiency motors 85−21573
Martirosov, V.A. *see* Dashuk, P.N. 86−8708
Martirosov, V.E. *see* Belousov, N.N. 85−6235
Martirosov, V.Ye. Optimum algorithms for discrete signal reception 86−43253
Martirosov, V.Ye., Belousov, N.N. Comparative analysis of the noise immunity of quasicoherent demodulators of PSK signals 86−36900
Martirossian, S.S. *see* Khachatrian, G.Kh. 88−21086
Martirosyan, A.E., Papanyan, V.O. A compact sectional gas laser with longitudinal excitation 86−29077
Martirosyan, A.E. *see* Papanyan, V.O. 85−7349
Martirosyan, G.S. *see* Asatiani, T.L. 85−9099
Martirosyan, G.V. *see* Kizogyan, O.S. 87−7400
Martirosyan, R.M. *see* Abramyan, L.E. 87−34679, 87−34684
Martirosyan, R.M. *see* Aslanyan, A.M. 86−3685, 88−35627
Martirosyan, R.M. *see* Matveenko, L.I. 86−30929
Martirosyan, S.M., Kuleshov, V.I., Nersisyan, A.K. Standard measure for field distribution in an antenna aperture for the decimeter wavelength range 85−48035
Martirosyan, V.A. *see* Artemyan, G.L. 85−5101
Martirosyan, V.A. *see* Kanayan, S.N. 86−23593
Martirosyan, V.R. Iterative image restoration algorithm with variable width evaluation corridor 85−30290
Martirosyan, V.R. *see* Aganov, A.M. 87−2571
Martishchenko, L.G. *see* Varvaritsa, V.P. 87−36519
Martius, S. The scattering matrix of the negatively-fed transistor and its use in computer-aided circuit analysis/synthesis at microwave frequencies 86−67488
Martius, S. Noise parameters and scattering matrix of the negative feedback transistors and their use in the computer-assisted circuit analysis/synthesis in the microwave range 87−11054
Martius, S. Noise waves correlation matrix and the measurable noise values of F_{min}, Rho_0 and C_N in a two-port unit 87−65764
Martius, S. Network-CAD with scattering matrix and noise wave correlation matrix 88−31961
Martius, S. The 3 port noise wave correlation matrix of the transistor 88−44784
Martius, S. Computer aided reflection coefficient measuring−theory and application 88−53806
Martland, C.D. Analysis of the potential impacts of automation and robotics on locomotive rebuilding 87−64874
Martlew, B.G., Peters, D.G., Poole, D.E. A microprocessor based status control and interlock protection system for the SRS 88−54148
Martoch, J. *see* Krizek, V. 85−38683
Martoch, J. *see* Matal, O. 87−42605
Martoff, C.J. *see* Neuhauser, B. 87−77531, 88−29681, 88−29798, 88−61080
Marton, D., Hubler, A. Interface state density and capture cross section measurements on MOS structures by TSC 86−1823
Marton, J.P. *see* Pai, S.T. 85−34248
Marton, K. A simple proof of the blowing-up lemma 86−59178
Marton, K. Sequences achieving the boundary of the entropy region for a two-source are virtually memoryless 87−54782
Marton, K. On weak asymptotic isomorphy of memoryless correlated sources 87−54813
Marton, K. *see* Korner, J. 87−51990, 87−54796, 87−54814, 88−66250
Marton, M.B. *see* Isaac, R.D. 87−32378
Marton, V. *see* Crawford, T.M. 86−10683, 87−31309
Martone, R. *see* Albanese, R. 86−42762
Martos, A. *see* Hurley, C.A. 85−2276
Martos, A.Grando de *see* Grando de Martos, A.
Martovetskii, N.N. *see* Klimenko, E.Yu. 88−71987
Martovetsky, N.N. *see* Klimenko, E.Y. 88−64994
Martovetsky, N.N. *see* Klimenko, E.Yu. 86−47988, 87−46423
Martovitskii, V.P. *see* Chernov, A.A. 85−5973
Martsafei, V.V., Mel'nikova, T.N. Diffraction of electromagnetic waves at multiply connected screens by the iteration method 86−59031
Martsafei, V.V., Pavlenko, V.V., Tsalimov, G.F. The effect of shadowing of the aperture by the radiator on the electrodynamic characteristics of a single-mirror antenna 87−47339
Martsafei, V.V., Tsalimov, G.F. Electrodynamic characteristics of horn antennas 87−61483
Martsafey, V.V., Tsalimov, G.F. On the electrodynamic model of a receiving antenna 86−29605
Martsenitsen, S.I., Korol', V.I., Bershteyn, P.V., Tarnopol'skiy, I.L., Oreshkina, K.N., Kolchenko, G.F., Parikozhka, I.A. Optimization of the telegraph network for labor saving without additional capital investment 86−37346
Martsenyuk, V.P. *see* Stakhov, A.P. 86−34905
Martsinenko, Yu.N. *see* Shul'ga, Yu.I. 88−36764
Martsinovskii, A.M. *see* Babko-Malyi, S.V. 88−71272
Martsinovskii, A.M. *see* Ban'kovskii, N.G. 87−17662
Martsinyak, L.G. *see* Bulatov, O.G. 87−72243
Martsolf, J.D. *see* Heinemann, P.H. 88−35582
Martsulan, D.A. *see* Antonov, V.V. 88−64343
Marttila, R.J. Design principles of a new generator stator ground relay for 100% coverage of the stator winding 87−30503
Marttila, S., Vaatamoinen, H. Local optical fibre cable systems 87−34595
Marttinen, A. *see* Kortela, U. 85−38835
Martunas, Z. *see* Dienys, V. 87−45583
Martunas, Z. *see* Gal'dikas, A. 85−34547
Martunas, Z. *see* Krotkus, A. 86−67656
Martus, M.S. *see* Cherry, M.W. 87−65021
Martwick, F. *see* Leung, W.P. 85−21035
Marty, A. *see* Bailbe, J.P. 85−50500, 88−19936
Marty, A. *see* Blasquez, G. 86−63260
Marty, A. *see* Cazarre, A. 86−15568, 87−68308
Marty, A. *see* Rey, G. 86−15253
Marty, A. *see* Tasselli, J. 87−1494, 88−56597
Marty, G. HERMES−data transmission system of the International Union of Railways 88−73614
Marty, J. *see* Vampouille, M. 85−36272, 86−42611
Marty, J.S. Special tests with the HP 500 low oil content circuit breaker: severe tests passed with flying colours 86−51821
Marty, M., Baudrant, A., Rottini, W., Tkach, J. Analysis of $TaSi_2$/poly Si RIBE etching parameters and their electrical characteristics 86−15064
Marty, M., Passerat, A., Baudrant, A., Montier, M. Deposition and etching of tantalum silicide for interconnexions in VLSI 85−1760
Marty, P. ARTIS integrated services videocommunication and telecommunication cabled network 86−30180
Marty, P., Alemany, A., Barbet, J. A new equipment for fabrication of powders and granules: the electromagnetic pulveriser 87−340
Marty, P. *see* Metz, M. 88−69568
Marty, W., Witz, W. Computer-aided evaluation of systematic network load measurements 86−39118
Marty, W., Witz, W. Computer-aided evaluation of systematic system load measurements 86−65786
Marty, W. *see* Witz, W. 88−47434
Martyak, M.J.R. *see* Alferness, R.C. 86−68362, 88−25376
Martyakhin, V.A., Trifonov, V.I. Deep donor level in *n*-type $Bi_{1-x}Sb_x$ 85−61703
Mart'yanov, A.N. *see* Fedorov, S.Ye. 86−23930, 87−55139, 88−72715
Mart'yanov, A.N. *see* Martynova, T.A. 85−20207
Mart'yanov, A.R. *see* Glagolev, I.A. 87−35243
Mart'yanov, M.V., Popov, V.V. Method and results of numerical simulation of thermal unbalancing of water-cooled rotors in turbogenerators 85−60132
Mart'yanov, V.A. *see* Branzburg, E.Z. 87−78174
Martyn, H.-U., Zhou, J.-F. Monte Carlo simulation of a uranium calorimeter with proportional chamber readout 87−41865
Martyn, H.-U. *see* Bleichert, B. 86−18236
Martyn, R. *see* Higgins, M. 85−31104, 85−35562
Martynenko, A.F. *see* Kirsh, A.K. 86−6482
Martynenko, A.N. *see* Fedorchenko, I.M. 87−59937
Martynenko, L.G. *see* Shpagin, Yu.V. 85−62877
Martynenko, L.G. *see* Volkov, V.M. 87−40633
Martynenko, N.P., Kovtun, A.V., Zagorovskii, G.S. Automated design of panel devices for electrical power equipment using computer graphics 87−22199
Martynenko, O.G., Lemesh, N.I. Light guides with thermohydrodynamic gas lenses (TGL) 85−41130
Martynenko, O.G. *see* Kolpashchikov, V.L. 86−2707, 87−36824
Martynenko, O.N. *see* Brysina, I.V. 88−11795
Martynenko, S.I., Pushin, V.F. The influence of artificial nonadiabatic inhomogeneities on the refraction insertion of short radiowaves into the ionosphere waveguide 87−7531
Martynenko, S.V. *see* Aleshin, N.P. 86−538, 87−73173
Martynenko, S.V. *see* Glagolev, A.E. 86−20133
Martynets, V.G. *see* Kukarin, V.F. 87−8601
Martyniak, Z. The modern tendencies in organization and management of design units 88−43676
Martynov, A.A., Chizhikov, V.I. Natural modes of planar waveguides with arbitrary permittivity distribution 85−29590
Martynov, A.A., Pogosov, O.K., Chizhikov, V.I. Natural modes of a laminated-periodic planar waveguide 87−74690
Martynov, A.A., Pogosov, O.K., Chizhikov, V.I. TM modes of inhomogeneous planar waveguides 88−58199
Martynov, A.D. *see* Kanazeev, K.G. 87−35108
Martynov, A.I. *see* Tsybakov, B.S. 88−3294
Martynov, L.M. *see* Vol'man, V.I. 86−29529
Martynov, M.A. *see* Pavlyuk, V.A. 85−36130
Martynov, M.I. *see* Antipov, S.P. 86−5724
Martynov, N.V. *see* Gecha, V.Ya. 87−72155
Martynov, P.N. *see* Beznosov, A.V. 85−43710
Martynov, S.S. *see* Luchanskii, A.E. 88−54389
Martynov, V.A. Taking into account mutual displacement of toothed cores in calculating steady-state modes of synchronous machines using numerical methods 86−19238
Martynov, V.A. *see* Ivanov-Smolenskii, A.V. 85−43927
Martynov, V.A. *see* Sokolov, E.Ya. 86−12691
Martynov, V.B. *see* Vasilenko, G.V. 85−48844
Martynov, V.V. *see* Aristov, V.V. 86−58364
Martynov, V.V. *see* Popeko, L.A. 87−29533
Martynov, V.V. *see* Tokhov, S.V. 87−24957
Martynov, V.V. *see* Vorontsov, G.V. 86−42148
Martynov, V.Ye *see* Larik, V.Ye. 86−36862
Martynova, I.A. *see* Brailov, V.P. 86−45056
Martynova, M.I. *see* Zhidiyatov, A.M. 88−5555
Martynova, N.A. *see* Grebennikov, V.V. 86−554
Martynova, O.I., Paschewitch, W.I. Chemistry in the primary circuit of pressurized water reactors with special reference to alkalinization with potassium hydroxide (operating experience using the WWER-440 reactor type as an example) 86−51292
Martynova, T.A. Analysis of a cable line employing single-mode and multimode optical fibers (with a small number of modes) 87−62953
Martynova, T.A., Cherenkov, G.A. The effect of technological defects on losses in a fiber-optic cable 87−70041
Martynova, T.A., Mart'yanov, A.N., Oseledets, V.I., Cherenkov, G.A. Investigation of the transmission of an incoherent pulse signal along an optical cable 85−20207
Martynova, V.G. *see* Ioffe, A.A. 88−17930
Martynovich, E.F., Baryshnikov, V.I., Grigorov, V.A. Lasing in Al_2O_3 color centers at room temperature in the visible 85−41370
Martynovich, E.F., Baryshnikov, V.I., Grigorov, V.A. Room-temperature lasing in the visible region on color centers in Al_2O_3 86−22365
Martynovich, E.F., Baryshnikov, V.I., Grigorov, V.A. LiF-crystal laser media with extremely high F_2-center concentrations 86−36449
Martynovich, E.F., Baryshnikov, V.I., Grigorov, V.A., Shchepina, L.I. Miniature active elements for color-center lasers with an extremely low lasing threshold 88−65642
Martynovich, E.F., Tokarev, A.G. Lasing at ≈ 1 μm from color centers in Al_2O_3 at 300K 86−58910

Martynovich, E.F., Tokarev, A.G., Grigorov, V.A. Al_2O_3 color center lasing in near infrared at 300K 85-41369
Martynovich, E.F. *see* Grigorov, V.A. 87-75060
Martynovich, E.F. *see* Tokarev, A.G. 88-72296
Martynuska, A. Design computerization of steel support structures of power lines and outdoor substations 86-18853
Martynyuk, A.S., Sachkov, A.V. Precision photodetector with frequency output 86-70148
Martynyuk, A.S. *see* Lesnikov, E.V. 85-7331
Martynyuk, A.S. *see* Rybalko, V.K. 87-78478
Martynyuk, S.P. *see* Kirilenko, A.A. 88-25397
Martynyuk, S.S. Mathematical modeling of thermal processes in a superconducting winding 85-41079
Martynyuk, V.A. *see* Norenkov, I.P. 87-52290
Martynyuk, V.S. An asynchronized constant-frequency synchronous generator 85-43961
Martynyuk, Ya.V. *see* Bozhko, A.A. 88-33462
Martyr, D.R. Laser cutting-a new tool for shipbuilding 85-51327
Martyr, D.R., Holt, T. High power laser processing of materials 88-45602
Martyshevskii, Yu.V., Tislenko, V.N. Analysis of the characteristics of target loss in a dissector television tracking system with a dynamic Kalman's filter 87-56412
Martyshevskiy, K.N., Mushkov, V.P. Automatic monitoring of receiver frequency responses without interruption of communications 87-76636
Martyshevskiy, Yu.V. *see* Tislenko, V.I. 87-63025
Martyshin, A.Yu. *see* Sadikov, Kh.S. 88-47475
Martyukhin, K.V. *see* Ignatov, A.N. 88-70868
Martz, A. *see* Geist, P. 86-3276
Martz, A. *see* Kasinski, J.J. 86-9925, 87-12416
Martz, D.E., Johnson, L.O., Rich, B.L., Daniel, S.H. Field tests of a tissue-equivalent beta survey meter 86-56212
Martz, D.E., Rich, B.L., Johnson, L.O. A portable beta spectrometer for tissue dose measurement 86-56217
Martz, H.F., Bryson, M.C. A statistical model for combining biased expert opinions 85-22315
Martz, H.F., Duran, B.S. A comparison of three methods for calculating lower confidence limits on system reliability using binomial component data 85-54187
Martz, J. *see* Alpert, M. 86-59226
Martz, L.F. Air flow measurement techniques 86-11783
Martz, L.M. Application-level structure 87-40185
Martzloff, F., Wilson, P.F. Fast transient tests--trivial or terminal pursuit? 88-8526
Martzloff, F.D. Matching surge protective devices to their environment [varistors and fuses] 85-40260
Martzloff, F.D. The development of an IEEE guide on surge testing for equipment connected to low-voltage AC power circuits 86-18879
Martzloff, F.D. Varistor versus environment: Winning the rematch [surge protective devices] 86-51141
Martzloff, F.D., Gauper, H.A., Jr. Surge and high-frequency propagation in industrial power lines 87-4382
Martzloff, F.D., Gruzs, T.M. Power quality site surveys: facts, fiction, and fallacies 87-72267
Martzloff, F.D. *see* Guess, R.H. 85-53631
Martzloff, F.D. *see* Key, T.S. 87-43256
Martzloff, F.D. *see* Tetreault, M. 86-17175
Maru, H.C. *see* Dhar, H.P. 87-9725
Maru, H.C. *see* Donado, R.A. 85-27624 to 27625
Maru, H.C. *see* Patel, D.N. 85-32698
Maru, J. *see* Picton, T. 88-61353
Maru, T. *see* Tamura, Y. 88-21981
Maruani, A. *see* Charlot, D. 88-65879
Marubashi, K. *see* Kodokoro, T. 85-36049
Marubashi, K. *see* Shimizu, Y. 87-54555
Marubashi, R.P., Kassam, M.S., Simpson, R.C.E. A microprocessor based controller for a voice communication receiver 87-28436
Marubayashi, G. *see* Tachikawa, S. 85-13656, 88-46863
Marucco, J.F. *see* Poumellec, B. 88-35809
Marugg, K.E. *see* Beineke, T.A. 85-4850
Marugg, T.L. Alignment target 85-34734
Marugin, A.V., Kharchev, A.V. A study of the modulation characteristics of laser diodes 88-65712
Maruhashi, A. *see* Akisada, A. 86-60693
Maruhashi, A. *see* Inada, T. 85-38212
Maruhashi, T. *see* Chibani, A. 88-75828
Maruhashi, T. *see* Hatanaka, Y. 88-30784
Maruhashi, T. *see* Hino, H. 88-75839
Maruhashi, T. *see* Inoue, T. 88-69389
Maruhashi, T. *see* Kim, D. 86-33509
Maruhashi, T. *see* Kim, D.H. 87-15089
Maruhashi, T. *see* Kuroe, Y. 86-6795, 86-7907, 86-66078, 87-23911, 87-72483, 88-69338 to 69339, 88-70537
Maruhashi, T. *see* Nakaoka, M. 85-39915, 86-6898, 86-33511, 86-35625, 86-51773, 86-52675, 87-51350, 87-73321, 88-24990, 88-49050
Maruhashi, T. *see* Nishimura, T. 87-43327, 87-78681, 88-69388, 88-69487
Maruhashi, T. *see* Ogiwara, H. 86-39976, 88-75826, 88-75842
Maruhashi, T. *see* Omori, H. 86-12936, 88-11311, 88-70519, 88-75827
Maruhashi, T. *see* Savary, P. 85-65183, 86-7977, 86-33510, 86-61603, 87-52350, 88-11310
Maruhashi, T. *see* Yonemori, H. 88-48819
Marui, Y. *see* Nakazato, H. 87-24136
Maruizumi, T. *see* Tsukada, K. 87-63404, 88-47504, 88-53605
Marukado, K. *see* Hanai, T. 88-53461
Marukado, K. *see* Hashimoto, M. 85-58389
Marukado, K. *see* Katagiri, T. 86-65070
Marukawa, S. Electronic industry policy 85-84
Maruki, T. *see* Hirakata, S. 86-61790
Maruki, Y. *see* Sunaga, T. 85-60868
Marulin, A.P. *see* Pashagin, A.I. 86-541
Marulin, Yu.M. *see* Enin, A.S. 85-38556
Marullo, M.A. SCADA systems put new technology to good use 88-9896
Marulo, F., Beyer, T.B. NASTRAN application for the prediction of aircraft interior noise 88-23162
Marumo, H. *see* Ohtsubo, Y. 88-51322
Marumo, M. *see* Kaminaga, K. 87-30211
Marumo, M. *see* Watanabe, K. 86-39161
Marumoto, H. *see* Matsui, N. 85-5172
Marumoto, S., Kishimoto, K., Onaga, K. A heuristic algorithm for solving large scale multiconnection assignment problems 85-6107
Marumoto, S. *see* Amano, H. 86-11584
Marumoto, S. *see* Onaga, K. 86-30385
Marunchak, L.V. *see* Karpov, E.A. 88-38359
Marun'ko, S.V. *see* Boiko, B.T. 86-15033
Maruno, F. *see* Takashima, Y. 88-41479
Maruno, S., Isu, T., Ogata, H. Silicon epitaxial growth by the radical beam of glow-discharge decomposed silane 85-22471
Maruno, S., Morishita, Y., Isu, T., Nomura, Y., Ogata, H. Molecular beam epitaxy of InP using low-energy P^+ ion beam 87-44327
Maruno, S., Morishita, Y., Isu, T., Nomura, Y., Ogata, H. Molecular beam epitaxy of $GaAs_xP_{1-x}$ using low-energy P^+ ion beam 88-39063
Maruno, S. *see* Isu, T. 85-49576
Maruno, S. *see* Kawaguchi, T. 86-28956, 87-300, 88-26039
Maruno, S. *see* Morishita, Y. 88-38157, 88-63287
Maruno, T. *see* Nakamura, K. 87-34546, 87-59024
Maruno, Y. *see* Kudoh, Y. 88-45234
Marunyak, Ya.S. *see* Lutskiv, N.M. 86-26349
Maruo, H. *see* Miyamato, I. 88-2432
Maruo, S. *see* Inagaki, K. 88-55710
Maruo, T. High threshold voltage reproducibility for $WSi/Al_xGa_{1-x}As/GaAs$ MIS-like heterostructure FET 86-67868
Maruoka, A. *see* Jimbo, S. 85-60860
Maruoka, G. *see* Shibata, H. 87-77357
Maruotti, R.A. *see* Voci, C. 88-29943
Marusa, W.J., Jr. US Air Force organic MATE tester development 87-20895
Marusan, I.A. *see* Drozd, P.I. 85-42898
Marusarz, R. Teaching design methodology through a case study of an electronic energy management system 88-30327
Maruschak, A.P. A 1.2 MVA operational current source inverter for metal heat treatment 88-31230
Maruschchak, V.A. *see* Lagunova, T.S. 85-50200
Maruse, S. *see* Shimoyama, H. 85-23313
Marusev, V.I. *see* Fedorov, Yu.D. 88-29921
Marushchak, N.V. *see* Afonin, O.F. 88-57421
Marushchak, Ya.Yu. *see* Denis, B.D. 88-6062
Marushenko, V.I. *see* Beer, W. 85-64518
Marushige, T. *see* Kubota, H. 87-8678, 87-54122
Marushima, H. *see* Yana, K. 88-42245
Marushima, K., Dohmeki, H. Speed torque characteristics of a closed-loop stepping motor 87-30655
Marushita, Y. *see* Katagishi, T. 87-3294
Marushita, Y. *see* Takesada, H. 87-34747
Marushkin, V.M., Strelkova, K.S., Vasil'ev, V.N., Shkol'nik, G.T. Theoretical relations of the heat exchange processes in high-pressure feedheaters and low-pressure feedheaters of presentday steam turbine plants 88-11090
Marusic, A. *see* Tesnjak, S. 85-38894
Maruska, H.P. Dielectric processes in heavy oils. III. Evidence for cooperative behavior among polar species 88-51046
Maruska, H.P., Forster, E.O. Dielectric processes in heavy oils 85-40952
Maruska, H.P., Stevens, J.G. Technique for extracting dielectric permittivity from data obscured by electrode polarization 88-68001
Maruska, H.P. *see* Moustakas, T.D. 85-62441
Marusyak, N.V. *see* Kuprenyuk, V.I. 85-18858
Marusyak, V.I. *see* Gutsul, I.V. 86-14848
Maruta, R. Signal processors-programmable LSI devices for real time digital signal processing 85-8753
Maruta, R. Signal processor (a multiprocessor for digital signal processing) 85-8768
Maruta, R. Digital signal processing technologies-voice signal coding and processing 85-25131
Maruta, R., Nishitani, T. VLSI architecture for digital signal processing 88-785
Maruta, R., Tanaka, S., Okada, T. Digital terminals for linking terrestrial networks to digital satellite systems 85-58083
Maruta, R., Tanaka, S., Shigaki, S. INTELSAT TDMA system. III. Transmission subsystem-2-digital speech interpolation 87-8234
Maruta, R. *see* Hasegawa, S. 88-46448
Maruta, R. *see* Sakaguchi, H. 86-55090
Maruta, R. *see* Taka, M. 85-41843, 86-29694, 88-41445
Maruta, R. *see* Yukawa, A. 86-17063
Marutake, M. *see* Sasaki, Y. 88-33475
Marutani, M. *see* Maruyama, K. 86-71146
Marutani, T., Onuma, A. Gas-insulated switchgear 88-5802
Marutani, T. *see* Hama, H. 87-51405
Marutani, T. *see* Hayashi, K. 87-36061
Marutani, T. *see* Jogo, Y. 88-62522
Marutani, Y. *see* Nakai, T. 88-40449
Marutiak, D.J., Starbuck, M.B. AT&T common channel signaling services and products 87-40214
Maruvada, P.S. *see* Dallaire, R.D. 87-50755
Maruvada, P.S. *see* Krishnayya, P.C.S. 87-35609
Maruvada, P.S. *see* Varfalvy, L. 86-18818
Maruvada, P.Sarma *see* Sarma Maruvada, P.
Maruya, M., Miyahara, K., Iwamura, T. Electromagnetic induction type fused metal level meter and its application 86-31380
Maruya, Y., Ohga, J. A piezoelectric earphone utilizing vibration of its housing 86-6163
Maruyama, E. *see* Wakagi, M. 86-27929
Maruyama, F. *see* Mano, T. 87-38555
Maruyama, H. Magnetic levitation system transportation and wheel-on-rail system railways 85-49164
Maruyama, H., Fuse, M., Kurihara, K., Takeda, R., Nakamura, S. Core design and operating strategies for better daily load following performance in BWR cores 85-15759
Maruyama, H., Omatu, S. Restoration of observation image with colored noise 88-52590
Maruyama, H., Tanabe, F. Sensors applied to lamp manufacturing line 87-16146
Maruyama, H. *see* Kuwano, J. 88-16054
Maruyama, H. *see* Nakane, H. 86-29428
Maruyama, H. *see* Shimamura, M. 88-9909
Maruyama, H. *see* Shimizu, M. 86-46751
Maruyama, J. *see* Yamamoto, K. 87-20317
Maruyama, K. Extending of the audio-visual field by digitizing the professional tape recorder 86-55460
Maruyama, K. Global optimization with interval analysis [electronic switching systems] 87-40577
Maruyama, K., Makita, M., Takeda, S., Marutani, M. Technical trend of induction cooling range 86-71146
Maruyama, K., Nakano, K. Automatic measurement of screw pitch error by thermoplastic hologram 87-29282
Maruyama, K., Nakano, K. Automatic measurement of screw pitch error by thermoplastic hologram 87-47003
Maruyama, K., Ogura, N., Totsuka, S. Development of automatic measuring machine for lead error in threaded cutting tools 87-63512
Maruyama, K., Shimizu, E. Analysis of the characteristics of light emitting diode by ray tracing method 87-68301
Maruyama, K., Urabe, S., Yuki, S. Reference frequency switched PLL-FM modulator 87-37077
Maruyama, K., Yoshida, T., Kamiyama, M., Ichikawa, Y., Hama, T., Sakai, H., Uchida, Y. Fabrication and characteristics of large-area a-Si solar cells 87-9787
Maruyama, K. *see* Enomoto, R. 88-61123
Maruyama, K. *see* Ibe, O.C. 85-36466
Maruyama, K. *see* Ichikawa, Y. 88-5845
Maruyama, K. *see* Imanishi, A. 88-61124
Maruyama, K. *see* Kobashi, Y. 87-77229
Maruyama, K. *see* Sakai, H. 88-49157
Maruyama, K. *see* Sato, N. 85-42358
Maruyama, K. *see* Takigawa, H. 86-14923
Maruyama, K. *see* Tcha, D. 86-3715
Maruyama, K. *see* Yoshida, T. 88-37545
Maruyama, K. *see* Yoshikawa, M. 85-34490
Maruyama, M., Abe, S. Acquisition of polyhedral structure by extracting faces and recognizing vectors on faces based on stereopsis 88-34803
Maruyama, M., Yamashita, M., Maeda, H. Communication control subsystem for DIPS VLSI processor 85-3166
Maruyama, M. *see* Aono, K. 87-24259, 87-52624
Maruyama, M. *see* Ishizuka, H. 88-21770
Maruyama, M. *see* Iso, K. 88-42362
Maruyama, M. *see* Katoh, N. 86-44013
Maruyama, M. *see* Matsumoto, H. 87-67553
Maruyama, M. *see* Nishiyama, K. 87-31821
Maruyama, M. *see* Noguchi, A. 88-21855

Maruyama, M. *see* Sakai, H. 85−61006
Maruyama, M. *see* Takei, Y. 86−59448
Maruyama, M. *see* Yoshida, Y. 88−46719
Maruyama, N., Hara, M. High-resolution display 15 M-412 C 85−14644
Maruyama, N. *see* Okada, M. 86−5880
Maruyama, N. *see* Shimizu, Y. 87−33456
Maruyama, O., Ishigami, H. The hearing aid system divided into transmitting and receiving parts 88−30050
Maruyama, O. *see* Aiya, T. 86−30444
Maruyama, S. GaAs layers deposited on (001) $MgAl_2O_4$ by molecular beam method 85−44695
Maruyama, S., Iwanami, Y., Ikeda, T. A reduction method of tracking errors due to multipath waves in direct sequence spread spectrum systems 86−69661
Maruyama, S., Iwanami, Y., Ikeda, T. A reduction method of tracking errors due to multipath waves in direct sequence spread spectrum systems 88−15312
Maruyama, S., Takase, K., Hino, R., Izawa, N., Hishida, M., Shimomura, H. Experimental studies on the thermal and hydraulic performance of the fuel stack of the VHTR. I. HENDEL single-channel tests with uniform heat flux 87−57819
Maruyama, S., Takase, K., Hino, R., Izawa, N., Kawamura, H., Shimomura, H. Experimental studies on the thermal and hydraulic performance of the fuel stack of the VHTR. II. HENDEL multi-channel test rig with twelve fuel rods 87−57820
Maruyama, S. *see* Matsumura, I. 85−4307
Maruyama, S. *see* Nishizawa, J. 87−43237
Maruyama, S. *see* Ozawa, J. 86−39239
Maruyama, T. International Teleconference Symposium 85−52557
Maruyama, T. Future trends in international image communication networks 87−40124
Maruyama, T. Micro linear pulse motor 87−43118
Maruyama, T. Temperature compensated microwave pulsed oscillator using synthetic quartz crystal as a supporter of the resonator 87−66564
Maruyama, T., Ito, S. Read efficiency measurements for thin film heads 85−45990
Maruyama, T., Kawamura, Y., Kitagawa, N., Shinada, K., Hanada, N., Suzuki, Y. Wide operating voltage range and low power consumption EPROM structure for consumer oriented ASIC applications 88−63680
Maruyama, T., Sano, K., Inage, H., Masuda, M., Sugi, Y., Arai, Y. A zoom lens systems with new infrared autofocus mechanism 87−12283
Maruyama, T., Sasaki, S., Saito, Y. Potentiometric gas sensor for carbon dioxide using solid electrolytes 87−49722
Maruyama, T., Yamada, K., Tanaka, H., Ito, S., Urai, H., Kaneko, H. A yoke magnetoresistive head for high track density recording 88−57958
Maruyama, T., Yamauchi, S., Kagoroku, N., Matsuda, T., Taguchi, T., Kuwano, S. Capacity self controllable rotary type compressors for automotive air conditioners 85−5536
Maruyama, T., Yamazaki, M., Tamura, J., Murakami, T., Yamamoto, H., Yamaguchi, H., Hidaka, I., Nishinomiya, T. Systems and operational consequences at the International Teleconference Symposium 85−42774
Maruyama, T., Ye, X.-Y., Saito, Y. Electromotive force of a CO-CO_2 sensor in CO-CO_2-H_2-H_2O atmospheres and simultaneous determination of partial pressures of CO and CO_2 88−4399
Maruyama, T. *see* Ando, K. 86−31251, 87−3448
Maruyama, T. *see* Asada, T. 86−38091
Maruyama, T. *see* Ash, W.W. 88−10244
Maruyama, T. *see* Hamada, Y. 87−49351
Maruyama, T. *see* Hanahara, K. 86−59377
Maruyama, T. *see* Kobayashi, S. 87−52205
Maruyama, T. *see* Sakumoto, Y. 88−17219
Maruyama, T. *see* Sugawara, M. 88−19227
Maruyama, T. *see* Sumi, M. 85−62104
Maruyama, T. *see* Tamai, H. 86−63559
Maruyama, T. *see* Tonuma, T. 85−58350
Maruyama, T. *see* Tsuboi, M. 87−59940
Maruyama, T. *see* Tsuji, T. 85−27351
Maruyama, T. *see* Utagawa, H. 86−32838
Maruyama, T. *see* Utsumi, H. 88−11532
Maruyama, T. *see* Yamada, K. 86−68154, 88−64896, 88−64976
Maruyama, X.K., Buskirk, F.R., Neighbours, J.F. Microwave Cherenkov radiation as a diffraction phenomenon 87−56964
Maruyama, X.K., Penner, S., Tang, C.-M., Sprangle, P. Proposal for a free electron laser driven by the National Bureau of Standards' CW microtron 87−75109
Maruyama, X.K. *see* Cha-Mei Tang 88−65753
Maruyama, X.K. *see* Neighbours, J.R. 88−54144
Maruyama, X.K. *see* Piestrup, M.A. 88−68226
Maruyama, X.K. *see* Tang, C.-M. 88−45482
Maruyama, Y. INTAP's initiatives promoting OSI in Japan 87−48717
Maruyama, Y. Ultrahigh-density Bloch line memory nears application 88−1886
Maruyama, Y., Suzuki, N., Nakamura, Y., Mizuno, M. A new partial discharge measurement system for power cables 86−70677
Maruyama, Y., Suzuki, R., Konishi, S. A study of the write gate for Bloch line memory devices 88−64974
Maruyama, Y. *see* Enami, Y. 88−3440
Maruyama, Y. *see* Fujii, T. 88−21832
Maruyama, Y. *see* Fujino, S. 85−4662
Maruyama, Y. *see* Furuya, N. 85−36615
Maruyama, Y. *see* Ishida, Y. 86−9771
Maruyama, Y. *see* Itoh, Y. 86−30453
Maruyama, Y. *see* Koyama, N. 86−68179
Maruyama, Y. *see* Kurosawa, T. 87−2656
Maruyama, Y. *see* Purgalis, P. 87−14667
Maruyama, Y. *see* Suzuki, R. 88−51371
Maruyama, Y. *see* Umezaki, H. 86−22035
Maruyasu, T. Investigation of the tidal vortices at Naruto Strait by remote sensing 85−32006
Marvan, B. *see* Jirous, F. 87−22009
Marvanyi, G. Novelties in the development of Hungarian teletext services 88−3482
Marvart, T. *see* Barnard, J. 88−37497
Marvasti, F. Spectrum of nonuniform samples 85−2796
Marvasti, F. A comparison of digital switches from the point of view of developing countries—Iran as a study case 85−8274
Marvasti, F. Reflections on the Poisson sum formula and the uniform sampling theorem 85−13575
Marvasti, F. A note on 'Modulation methods related to sine wave crossings' 85−30144
Marvasti, F. A new method to compensate for the sample-and-hold distortion 85−63044
Marvasti, F. The reconstruction of a signal from the zero crossings of an FM signal 86−22887
Marvasti, F. Comments on 'A note on the predictability of band-limited processes' 87−27403
Marvasti, F., Jain, A.K. Zero crossings, bandwidth compression, and restoration of nonlinearly distorted band-limited signals 86−54544
Marvasti, F.A. Constant envelope signal generators 85−36290
Marvasti, F.A. Spectral analysis of random sampling and error free recovery by an iterative method 86−43273
Marvasti, F.A. Signal recovery from nonuniform samples and spectral analysis on radom nonuniform samples 87−7756
Marvasti, F.A. Signal recovery from nonuniform samples and spectral analysis on random nonuniform samples 87−27424
Marvel, O., Stickel, R., Baldwin, D.M., Pierce, J., Frary, S., Graf, C.P. Image synthesization for simulation, stimulation, and training 85−9272
Marvel, O. *see* Erickson, C. 85−20983
Marvel, O.E. *see* Albrecht, C.A. 88−3644
Marvelly, J.D. *see* Dunlop, G.R. 88−49012
Marven, C. Second generation DSP expands into new domains 86−14273
Marvik, O.A. A method for IC layout verification 85−1759
Marvik, O.A. NETEX. A hierarchical net list extractor 87−5856
Marvill, J.D. *see* Bateman, A. 87−69977
Marvill, J.D. *see* Martin, P.M. 88−73819
Marvin, A.C. The use of screened (shielded) rooms for the identification of radiation mechanisms and the measurement of free-space emissions from electrically small sources 85−19113
Marvin, A.C. Emission measurements in screened rooms in the frequency range 10 kHz to 200 MHz 85−30063
Marvin, A.C. The operation of antennas inside non-anechoic screened enclosures 87−47325
Marvin, A.C. Conducted and radiated interference [EMI] 88−20939
Marvin, A.C. Introduction to EMC phenomena 88−40605
Marvin, A.C., Darnell, M. A university approach to undergraduate, in-service, and continuing EMC education 85−51
Marvin, A.C., Steele, L. Improved techniques for the measurement of radiated emissions inside a screened room 86−22710
Marvin, A.C. *see* Darnell, M. 85−4105, 87−10077
Marvin, A.C. *see* Dawson, L. 88−34353
Marvin, A.C. *see* Steele, L. 87−12756
Marvin, D. Frequency-temperature performance determination in high stability TCXOs 85−62140
Marvin, D.C., Ives, N.A. Wide-range fiber-optic strain sensor 85−18644
Marvin, D.C., Ives, N.A., Leung, M.S. In/Pt ohmic contacts to GaAs 86−8875
Marvin, D.C., Ives, N.A., Leung, M.S. Interfacial structure of In/Pt/GaAs heterojunction ohmic contacts 87−11452
Marvin, D.C. *see* Rollins, J.G. 87−32604
Marvin, J.W. *see* Labovitz, M.L. 86−18554
Marvoka, M. *see* Shibata, A. 86−56946
Marvon Staszewski, G.G. *see* Bianchetti, M. 85−406
Marwedel, P. The MIMOLA design system: tools for the design of digital processors [in VLSI] 85−860
Marwedel, P. On the use of hierarchies in the MIMOLA hardware design system 87−65684
Marwick, A.D., Young, D.R. Measurements of hydrogen in metal-oxide-semiconductor structures using nuclear reaction profiling 88−44598
Marwick, A.D. *see* Koch, R.H. 87−59010
Marwood, C.T. Integrated control and monitoring systems—a growing requirement 88−36727
Marwood, W., Clarke, A.P. Three-dimensional systolic architecture for beamforming 85−30254
Marwood, W., Clarke, A.P. A self-repair design concept for signal processors 86−43911
Marwood, W., Clarke, A.P. Overhead penalties in dynamically reconfigurable arrays of processing elements 88−4123
Marx, B. Knowledgeman on a local network: application of production management 87−13463
Marx, B. *see* Humphries, M. 87−26304
Marx, D. *see* Kirchner, R. 85−37866, 86−60542
Marx, D. *see* Kuehl, T. 87−71058
Marx, E. Self-patch integrals in transient electromagnetic scattering 85−56990
Marx, E. Neighboring-patch integrals in transient electromagnetic scattering 85−56991
Marx, E. Free-field propagation of localized pulses 86−22645
Marx, E. Electromagnetic pulse scattered by a sphere 87−54519
Marx, E. Fields scattered by a dielectric strip on a dielectric half-space 88−2550
Marx, E. Electromagnetic scattering by a thick strip on a half-space 88−8451
Marx, E., Switzer, H., Waters, M. Use EDIF to create test vectors and verify your logic 87−44456
Marx, E. *see* Waters, M. 87−38335
Marx, E.R. EDIF: the standard for workstation intercommunication 86−20171
Marx, F., Henry, M. A four IC personal information retrieval terminal [videotex] 85−36693
Marx, G. *see* Hopfe, I. 87−32432
Marx, G. *see* Hopfe, V. 87−16685
Marx, G.E., Beaudet, P.R., Bradley, J.C., Malarkey, E.C., Fogerty, J.D., Beuerle, D.W., Skelly, B.W. Modulo (6 ± 5i) inner product computer 88−72189
Marx, G.J. Cable crimping: choosing the right equipment 87−15342
Marx, H.J. The use of successive approximation method in ADCs for digital signal processing 88−32271
Marx, I. *see* Belitz, H.-J. 85−1065
Marx, J. *see* Jackson, G. 85−4656, 85−4696, 85−5315
Marx, J. *see* Donaldson, R. *(editor)* 88−38
Marx, J.-P. *see* Deves, P. 88−22461
Marx, J.N. *see* Alonso, J.R. 88−54003
Marx, M. *see* Aronson, S. 88−61122
Marx, M.D. *see* Adams, M.R. 85−64467
Marx, N. With the PC/host to the 'office of the future' 85−30592
Marx, P., Forcier, B., Naseth, D. An overview of vacuum systems for multilayer PWB fabrication 86−58129
Marx, P., Naseth, D. Improving yields of multilayer boards 87−24579
Marx, R. *see* Duijn, J.H. 86−50350
Marx, R.E. *see* Johnson, H.C. 85−19269
Marx, S. State of the aft in the thick film technology 85−61592
Mary, B. The TV picture library: usages and constraints of a television-on-demand service 88−15813
Mary, D. *see* Roche, C. 85−30975
Mary, J.L. *see* Allen, D. 88−54188
Mary, L. Signal processors: compactness and performance 88−19197
Mary, L. Lower V.32 modem cost with new DSP techniques 88−59892
Mary, L., Barazesh, B., Laborie, J., Michalina, J. A fast 16/32 bit digital signal processor 87−52649
Mary, L., Barazesh, B., Michalina, J.C., Laborie, J.L. A true multiprocessor VLSI building block 87−27539
Mary, L., Michalina, J.C., Bertails, J.C. Third generation signal processors for telecom applications 87−37382
Mary, L., Picco, A., Martin, D. A fast 16/32 bit complex digital signal processor 87−38480
Mary, L. *see* Barazesh, B. 86−69506, 87−27466
Mary, L. *see* Bertails, J.C. 87−20318
Mary, L. *see* Invernici, J.C. 87−2973
Mary, L. *see* Martin, D.F. 86−46863
Maryama, T., Takagi, M., Noro, Y., Masuda, M., Ohtsu, H. Zoom lens systems with aspherical plastic lens 88−15783
Mar'yan, M.I. *see* Turyanitsa, I.I. 87−26054
Maryanka, Y. Digital communication channel evaluation 86−30447
Maryanka, Y. Using hypercube techniques as multi-channel communication networks 88−3608
Mar'yanovich, O.T. Optimal sample size for dependent components of random vectors in Monte-Carlo methods I. The two-component case 88−6360

Mar'yenkov, A.A. *see* Alishev, Ya.V. 86−37876
Maryka, S. *see* Butler, B. 88−48366
Maryniak, G.E., Tillotson, B. Design of a solar power satellite for construction from lunar materials 88−61515
Marynova, O.I., Zaitsev, N.A. Investigation of the kinetic mechanism for sodium hydroxide concentration during wetting of steam in a steam-turbine flow section 87−64394
Marysheva, T.N., Shevyakhov, N.S. Ultimate *Q* of piezoelectric crystal resonators 86−2502
Maryukov, M.A., Zubkov, A.I., Ivanova, E.A. Attachment to Elektronika OT-6 optical tester for measurement of losses in optical fibers that are not in connectors 86−68276
Marz, D. Hybrid splitter improves mixer IMD performance 87−31758
Marz, E. Trends in PCB relays 85−23270
Marz, M. *see* Carlson, D. 87−15853
Marz, R. On initial value problems in differential-algebraic equations and their numerical treatment 86−7698
Marz, R., Nolting, H.P. Spectral properties of asymmetrical optical directional couplers with periodic structures 88−2000
Marz, R. *see* Cremer, C. 87−40883
Marz, W. *see* Dinges, R. 85−59636
Marzaloni, M. *see* Sermasi, S. 86−38796
Marzan, J.M. *see* Rosenbaum, S.E. 88−38746
Marzan, L.P., Garcia, N. Border detection in images. II 87−13080
Marzan, L.Pedro *see* Pedro Marzan, L.
Marzari Chiesa, A. *see* Bisi, V. 87−14769
Marzari Chiesa, A. *see* Calicchio, M. 88−29811
Marzari Chiesa, A. *see* Giacomelli, G. 87−29609
Marzec, A., Tomala, Z., Kielak, W., Krol, K. Air-tight sealing of electronic networks and components by the cold bonding method 87−36496
Marzecki, J. Short-circuit calculations of an urban power network with the application of a computer 85−9497
Marzecki, J. Method of determining 110 kV/MV transformer-distribution station location taking into consideration its development 85−32558
Marzecki, J. Optimization of the power distribution network development with probability nature information about load increase 86−18787
Marzecki, J. *see* Kujszczyk, S. 86−61580
Marzendorfer, H. The new district heating station at Mellach and the environment 86−65915
Marzendorfer, H. The construction of environmentally friendly power plants in Austria 88−30564
Marzendorfer, M. Turbine and boiler protection with PROCONTROL P 85−15853
Marzetta, T.L., Burridge, R. Transient effects at a velocity discontinuity in up/down filtering 88−66530
Marzin, J.Y. *see* Gerard, J.M. 88−31803, 88−70330
Marzin, J.Y. *see* Goldstein, L. 86−430, 86−454, 86−13738
Marzin, J.Y. *see* Quillec, M. 86−46327, 87−38917
Marzo, C.De *see* De Marzo, C.
Marzo, J.L.Aparicio *see* Aparicio Marzo, J.L.
Marzo, M.Di *see* Di Marzo, M.
Marzocca, J. *see* Bernard, G. 88−49078
Marzocchi, G. Telecom applications of GaAs transistors in radio and fibre optic communication systems 87−31685
Marzocchi, G., Piacentini, G.F. Gallium arsenide: technology and application 87−53734
Marzok, U. *see* Unger, S. 88−14842
Marzola, L. *see* Maghenzani, R. 88−10162
Marzorati, A. *see* Brusasca, G. 87−29962
Marzotto, K.F. *see* Giordano, A.A. 86−48613
Marzotto, K.F. *see* Herman, J.R. 86−29380
Marzouk Ibrahim, M., Mahrous Mahmoud, S., Omar, A.S. Microwave oscillator design using waveguide-below-cutoff techniques 86−67483
Marzouk Ibrahim, M. *see* Mahmoud, S.M. 86−23134
Marzouki, L. *see* Jarry, G. 86−38757
Marzouki, M. *see* Guiguet, I. 88−39594
Marzouki, M. *see* Melgara, M. 88−39595
Marzulli, P. *see* Chelardoni, P. 86−7696
Marzulli, P. *see* Gheri, G. 87−36626
Marzuq, M.M. *see* Awad, A.M. 86−68948
Mas, A. *see* Cabestany, J. 88−12445
Mas, A.Martinez *see* Martinez Mas, A.
Mas, F. *see* Jermann, P.J. 88−62251
Mas, F.Dal *see* Dal Mas, F.
Mas, J. *see* Badier, J. 86−70290
Mas, P. *see* Ferry, R. 86−39364
Mas-Gallic, S., Raviart, P.A. A particle method for first-order symmetric systems 87−65439
Masa, H. Accident of automatic switching delay on the single-wire line (Fukuchiyama Line) 87−79020
Masa, Y. *see* Iwanaga, H. 88−1533
Masa, Y. *see* Kadota, Y. 86−1726
Masa, Y. *see* Tanaka, A. 87−65481
Masabayashi, H. *see* Saito, T. 87−73612
Masada, E. Application of magnetical levitation in Japan 85−32768
Masada, E. Present state and prospects of Maglev transport 87−58425
Masada, E., Fujisaki, K., Hayafune, K. Experimental evaluation of kinetic behavior of a short-stator-type magnetic wheel 87−16128
Masada, E., Fujisaki, K., Hayafune, K., Suzuki, S., Kawashima, M. Dynamic interaction between propulsion and suspension system in a Maglev vehicle 87−5058
Masada, E., Fujisaki, K., Kitamoto, M., Kawashima, M. Voltage-fed inverter drive for linear induction motors in railway traction 86−71101
Masada, E., Fujisaki, K., Tamura, M. Influences of voltage harmonics on dynamic behaviour of the single-sided linear induction motor 87−15792
Masada, E., Fujisaki, K., Xu Chongshu Voltage-fed inverter drive with single-sided linear induction motor for railway traction 87−43594
Masada, E., Hayafune, K. A harmonic control scheme for the active power filter 86−62722
Masada, E., Hiraiwa, Y., Hayafune, K., Tamura, M. The bond graph model of the electronic power converter 86−61655
Masada, E., Hiraiwa, Y., Vrionis, G., Xu, C. Bond graph model of electrical machines combined with power converters 87−43284
Masada, E., Kitamoto, M., Kato, J., Kawashima, M. Present status of Maglev development in Japan and HSST-03 project 85−44257
Masada, E., Koseki, T., Kawashima, M. Lateral behaviour of a magnetic wheel and its coordination with the Maglev control system 87−64910
Masada, E., Tamura, M. Feasibility of the Maglev transport in urban and regional applications 87−5045
Masada, E., Tamura, M. Numerical analysis of switching phenomena in power semiconductor devices 88−13366
Masada, E., Tamura, M., Nakajima, T. Simulation of switching processes in turn-off thyristors 88−71541
Masada, E., Tamura, M., Nakajima, T. Compensation of industrial load variation with superconducting magnetic energy storage 88−75115
Masada, E., Tobe, Y., Nakajima, T., Tamura, M. Numerical analysis of switching processes in turn-off thyristors 88−64549
Masada, E. *see* Fujisaki, K. 85−21900, 87−43593
Masada, E. *see* Hayafune, K. 86−1247, 88−49243, 88−62696
Masada, E. *see* Kim, D.-G. 88−18927
Masada, E. *see* Koseki, T. 88−49249, 88−62693
Masada, E. *see* Nakajima, T. 88−69617
Masada, E. *see* Ohira, Y. 87−64904, 88−55685
Masada, E. *see* Sakata, H. 86−70984, 88−26193
Masada, G.Y. *see* Amin, M. 85−4904, 86−6582
Masada, G.Y. *see* Dieck-Assad, G. 88−5518, 88−75451
Masada, G.Y. *see* Pena, R.T. 88−23759
Masago, H. *see* Mizuno, A. 88−29941
Masahiro, A. *see* Shimizu, H. 88−56766
Masahiro, U. *see* Hariya, E. 85−62842
Masahiro Yamamura *see* Hideo Miwa 87−24208
Masai, K. *see* Niu, T. 86−29272
Masai, T., Morita, S., Akiyama, I., Ohtsuka, K. Low NO_x combustion technology for pulverized coal fuel 86−39272
Masai, T. *see* Kurihara, N. 86−65925
Masai, Y. *see* Ohta, Y. 85−51774
Masaike, A. *see* Ishida, M. 86−56068
Masaike, A. *see* Konaka, A. 87−41862
Masaike, A. *see* Masuda, Y. 87−3861, 88−29752
Masakatsu Nomura *see* Tateno, A. 86−12775
Masaki, A. Wire length equations in various types of 2-D and 3-D system packaging 86−13505
Masaki, A., Yamada, M. Equations for estimating wire length in various types of 2-D and 3-D system packaging structures 88−179
Masaki, A., Yamada, M., Asano, M., Tanaka, H., Itoh, H., Hashimoto, N. Perspectives on hardware technologies for very-high-performance computers 85−35132
Masaki, A. *see* Hayashi, T. 85−54897, 86−34806, 88−6836
Masaki, A. *see* Ikeda, K. 87−59608
Masaki, A. *see* Itoh, H. 85−33859
Masaki, A. *see* Kamikawai, R. 86−1583, 86−13506
Masaki, A. *see* Tanaka, H. 86−46740, 87−59496
Masaki, A. *see* Yamagishi, M. 86−46723
Masaki, I. Modular multi-resolution vision processor 86−59363
Masaki, K., Miyamoto, S. Characteristic grooves on GaAs by anodization 86−28210
Masaki, K., Miyamoto, S. Carrier concentration and thickness measurements of n-type GaAs epitaxial layer by cell voltage in anodization 86−41703
Masaki, M. *see* Kamikawai, R. 88−24931
Masaki, N., Iida, T., Matsunaga, N., Go, T., Ohshima, I., Yoshida, T., Matsuzawa, K. 66 kV cubicle type gas insulated switchgear with self-diagnostic equipment 86−56924
Masaki, N., Matsuzawa, K., Yoshida, T., Ohshima, I. 72/84 kV cubicle type SF_6 gas-insulated switchgear with vacuum circuit breaker 86−56923
Masaki, N., Ohkawa, M., Matsuzawa, K., Yokokura, K., Ohshima, I. Overall switching surge phenomena associated with vacuum interrupters 86−56910
Masaki, N., Yoshida, T., Sato, R., Sato, I., Yoshikawa, H. Development of slip-on type cable joint for 66/77 kV C-GIS 88−55536
Masaki, N. *see* Matsuzawa, K. 85−16156
Masaki, R. *see* Ohmae, T. 86−66389, 87−16079
Masaki, S., Iwase, M., Morisaki, H. Schottky-barrier heights at granular-metal/Si interface 85−45450
Masaki, S. *see* Nakano, H. 85−25404
Masaki, T. *see* Hisano, A. 86−55849, 87−47995
Masaki, T. *see* Kinoshiro, H. 86−29273
Masaki, T. *see* Tejika, Y. 87−72597, 88−18218
Masaki, Y. *see* Kawai, A. 87−2741
Masaki, Y. *see* Sugano, N. 85−39040
Masakowski, L.M. *see* Novembre, A.E. 87−18229
Masalitin, G.K. *see* Ershov, A.M. 86−39248
Masalov, A.V. Spectral and temporal fluctuations of broad-band laser radiation 86−22471
Masalov, A.V. *see* Vasil-eva, M.A. 86−9954
Masalov, A.V. *see* Vasil'eva, M.A. 85−24663, 85−41474, 86−9801
Masalov, E.V. *see* Badulin, N.N. 87−76845
Masalov, S.A. *see* Gorshunov, B.P. 85−23084
Masalov, V.L. *see* Bun'kov, S.N. 85−6216, 87−29313, 88−70972
Masalov, V.L. *see* Konstantinov, V.I. 85−6212
Masalov, V.V. *see* Bakhtin, P.A. 86−2633
Masamori, I. *see* Yamashita, H. 88−40414
Masamoto, K. *see* Kitajima, T. 88−38385
Masamura, H., Hagiwara, Y., Nakamura, A., Kobayashi, T., Toyoma, H., Sakamoto, N. Integrated amplifier, model A-10TYPE IV 88−53485
Masamura, H., Hagiwara, Y., Nakamura, A., Sakamoto, N. Single channel amplifier Model M-50 87−49402
Masamura, K. *see* Tomikawa, Y. 86−53864, 86−68134
Masamura, T. Frequency offset receiver diversity for differential MSK 87−75687
Masamura, T. Spread spectrum multiple access system with intrasystem interference cancellation 88−53134
Masamura, T. *see* Hamamoto, N. 86−64905
Masamura, T. *see* Yamamoto, K. 87−34504
Masandilov, L.B., Rozankovski, I.V., Kadar, I. Two-frequency and step mode operation of induction motors controlled by inverse-parallel thyristor pairs 86−12803
Masanori, O., Takashi, T. Single chip CMOS dual-slope analog to digital converter 87−59653
Masanori Itoh *see* Naomichi Suzuki 85−28850
Masanori Odaka *see* Hideo Miwa 87−24208
Masao Sato *see* Kei Suzuki 88−31943
Masaoka, I. *see* Nakato, K. 85−35362
Masapati, G.H., White, G.M. Algorithms for the reduction of timed finite state graphs 88−66238
Masapati, G.H. *see* Omar, S.I. 87−10886
Masar, J.A. Fiber optic LAN is first network conforming to FDDI standard 88−22126
Masarati, P., Bianchi, G. Scientific, technological and economic cooperation between Selenia Spazio and the developing countries on present-day and future space telecommunications systems 85−20170
Masarati, P. *see* Colavito, C. 87−34391
Masarik, J. *see* Kubinec, P. 87−14739
Masarky, L.I. *see* Zherbin, E.A. 85−38255
Masat, F.E. A regional approach to computer education of teachers: a case study 85−22113
Masatani, Y. *see* Fujii, K. 85−4231, 85−43187
Masayuki, K. *see* Takuho, H. 88−62553
Masayuki, T. *see* Araki, K. 87−26919
Mascanzoni, D. Field equipment for determination of radioactivity in plant-root studies 86−44641
Mascarenhas, A. *see* Mahan, A.H. 88−58345
Mascarenhas, D. Uninterrupted transfer switch 87−22559
Mascarenhas, J.M.G.B. ATE user's view on design for maintainability 85−37467
Mascarenhas, S. *see* Campos, L. 86−56052
Mascarenhas, S. *see* Campos, L.L. 86−44566
Mascarenhas, S. *see* Crestana, S. 86−56051
Mascarenhas, S. *see* de Paula, M.H. 85−20976
Mascarenhas, V.B., Englehart, W.H. Characterization of polyolefin materials used as telecommunication cable jackets based on their toughness related properties 88−21892
Mascarl, F., Vindevoghel, J., Constant, E., Blondel, G., Magarshack, J. Monolithic microwave FET oscillator temperature-stabilised with a Schottky diode as a sensor 86−27576
Mascellani, P. *see* Cerutti, S. 85−64603
Maschek, T.J. *see* Maroon, G.N. 85−9326
Maschhoff, R.H. *see* Lee, K.H. 85−59387
Maschio, A., Piovan, R. DC thyristor switching elements for fusion experiments 87−72286

Maschio, A. *see* Benfatto, I. 87-15897, 87-22606, 88-69477
Maschio, A. *see* De Lorenzi, A. 87-22607
Maschke, A. *see* Fornaca, S. 88-54342
Maschke, A.W. Future accelerators using microfabrication technology 85-26534
Maschke, K., Merk, E., Czaja, W. An extended multiple-trapping model for the photoluminescence in a-Si:H 86-28973
Maschkowitz, F., Saavedra, F. Investigation of junctions between monomode and strip line optical waveguides 85-50943
Maschkowitz, F. *see* Holst, A. 87-38754
Maschmeyer, R.O. Optical performance of molded-glass lenses for optical memory applications 88-2078
Maschuw, R. *see* Gemmeke, H. 88-68204, 88-68208
Maschuw, R. *see* Giroginis, G. 87-3894
Masci, D. *see* Schroder, H. 86-9056
Masciangelo, S. *see* Adimari, M. 88-41109
Masciarelli, F. *see* Provost, P. 88-55514
Masciola, J.A. Emulation techniques and performance testing: the new direction 86-1129
Mascioni, M. Optical media in the point-of-purchase market 88-41878
Mascioni, M. Optical media in training 88-74157
Mascle, J.-P. Torsion matrix semigroups and recognizable transductions 86-66653
Mascolo, G. *see* Egiziano, L. 88-51075
Mascureau, J.de *see* de Mascureau, J.
Masding, P.W. *see* Bumby, J.R. 88-62713
Masdjed, H.F. Search for tachyons in cosmic rays at sea level 87-35361
Mase, A. *see* Yamazaki, S. 86-7035
Mase, H. *see* Kuramoto, S. 87-61079
Mase, H. *see* Shimizu, R. 86-2582
Mase, H. *see* Suzuki, Y. 85-25978
Mase, H. *see* Takeuchi, M. 87-23724
Mase, I. *see* Nakagawa, E. 88-53223
Mase, K., Hashiya, Y., Fujiwara, T. Reverse blocking type GTOs for current source type inverters 87-74280
Mase, K., Kawashima, N., Kajiwara, M. A time slot assignment updating system for an adaptive telecommunication network employing an SS/TDMA system 85-25206
Mase, K., Kawashima, N., Kajiwara, M. A time slot assignment updating scheme for an adaptive telecommunication network employing an SS/TDMA system 86-69204
Mase, K. *see* Akimoto, T. 87-33806
Mase, K. *see* Inoue, A. 85-42169
Mase, K. *see* Matsuda, H. 86-45543, 86-67855
Mase, K. *see* Tamamura, Y. 86-23412
Mase, K. *see* Yamamoto, H. 85-25591
Mase, K. *see* Yokoyama, M. 85-3321, 86-69196
Mase, T., Takei, H., Konagai, M., Takahashi, K. Amorphous silicon solar cells on textured aluminium substrate prepared by electrical etching 87-15992
Mase, T. *see* Osada, K. 88-62998
Maseda, Y. *see* Morioka, T. 88-10423
Masegi, K. *see* Aoki, K. 88-23346
Masek, A. *see* Laboutka, K. 88-11501
Masek, G.E., Knapp, L.M., Miller, E., Stronski, J.P., Vernon, W., White, J.T. Results from a magnetic-monopole search utilizing He proportional tubes 87-50159
Masek, J. Cryodestruction in surgery as viewed from five years experience 85-43417
Masek, K., Rohlena, K. Evaluation of the Cohen model of the CO_2 waveguide laser 87-12411
Masek, K. *see* Gavrilov, P.T. 87-68337
Masek, K. *see* Laska, L. 87-33115, 88-2160
Masek, K. *see* Rohlena, K. 85-51088, 88-58416
Masek, R.C. Intrinsic safety and the entity concept: an update 88-24506
Maseki, K. *see* Shimogaki, K. 85-5493
Maseki, K. *see* Sugiura, M. 86-13160
Masenas, C.J., Towler, F.J. Voltage reference 85-33645
Maseng, T. The spectrum of digitally phase and frequency modulated signals 85-41848
Maseng, T. The autocorrelation function for multi-*h* coded signals 85-46665
Maseng, T. Digitally phase modulated (DPM) signals 86-3859
Maseng, T. The power spectrum of digital FM as produced by digital circuits 86-16351
Maseng, T. Opening the knapsack by DFTs 87-27166
Maseng, T. On selection of system bit-rate in the mobile multipath channel 87-76581
Maseng, T., Trandem, O. Adaptive digital phase modulation 87-56012
Maser, D. *see* Wittig, G. 85-44813
Maser, K. Some notes on the special effects and models of the dopant diffusion in silicon 88-12924
Masera, G. *see* Benedetto, S. 88-8698
Masera, L. *see* Chiariglione, L. 85-13708, 85-30210, 85-37331, 85-42109, 86-16130
Masera, L. *see* Lettera, C. 86-37122, 86-54562, 87-47887, 87-48157
Masera, M. Uncertainty propagation in fault tree analyses using lognormal distributions 87-58731
Maseri, A. *see* Gallino, A. 85-20929
Maseri, A. *see* Morgan, M.J. 85-9131
Maserjian, J. *see* Fathauer, R.W. 88-63330
Maserjian, J. *see* Hwu, R.J. 88-71077
Maserjian, J. *see* Larsson, A. 86-11591
Maserjian, J. *see* Lewis, B.F. 85-382
Maserjian, J. *see* Lieneweg, U. 88-25526
Masetti, E. *see* Azzam, R.M.A. 88-29410
Masetti, G. *see* Mancini, P. 87-38287
Masetti, G. *see* Prioretti, P. 86-41995
Masetti, G. *see* Turchetti, C. 85-23805, 85-40748, 86-2206, 86-47580, 87-6882, 87-18163, 87-23832
Masgrau, E., Marino, J.B., Vallverdu, F. A continuously adaptive vector predictive coder (AVPC) for speech encoding 87-27330
Masgrau, E., Ruiz-Martinez, F., Marino, J.B. Performance comparison of 32 kbps ADPCM coders in noise-free and noisy environments 86-29753
Masgrau, E. *see* Lagunas, M.A. 85-52444
Masgrau-Gomez, E., Marino-Acebal, J.B. Adaptive vector predictive speech coding with sample-by-sample update at 16 kbps 87-47578
Mashade, M.B.El., Amaud, J. Accuracy of Fabry-Perot method of semiconductor laser gain measurement 87-54314
Mashade, M.B.El *see* El Mashade, M.B.
Mashakova, S.M. *see* Udartsev, A.M. 86-22432
Mashanov, A.V., Lobanova, V.N. Software of an automatic system for external comparison of time and frequency reproduction standard units 87-29314
Mashanskii, A.M. *see* Alekseev, S.V. 86-18675, 86-32659
Mashburn, D.N. *see* Lowndes, D.H. 88-50644
Mashburn, W.H. Techniques for motivating employees to conserve energy 87-72
Mashchenko, A.G. *see* Gusak, N.A. 85-12658, 85-41214
Mashchenko, A.I. *see* Amelin, G.P. 87-68002, 87-72334
Mashenkov, V.M., Khristolyubov, V.A., Osetinskii, P.S. Microelectronic KMP817KhA2 root-mean square voltage transducers 86-38361
Mashenkov, V.M., Kxristolyubov, V.A., Fedoseev, V.I. Instrument transducer of direct current power, type E7057 86-17945
Mashenkov, V.M. *see* Grishkov, O.V. 87-49708
Mashev, L. Diffraction efficiency of sinusoidal holographic gratings 85-7544
Mashev, L., Tonchev, S., Popov, E. Two dimensional grating beam-splitter and polarizer 86-2844
Mashev, L. *see* Golubenko, G.A. 86-63666
Mashev, L. *see* Popov, E. 85-29588, 85-46164, 86-2753, 87-25975, 87-32977
Mashev, L. *see* Savatinova, I. 88-65325
Mashevskii, A.G. *see* Konnikov, S.G. 88-25920
Mashevskii, N.N. *see* Kozlov, V.N. 88-30303
Mashey, J.R. RISC, MIPS, and the motion of complexity 86-53780
Mashey, J.R. RISC, MIPS and the motion of complexity 86-63431
Mashikian, M., Northrop, R., Bansal, R., Nikias, C. Detection. location and characterization of partial discharge sites in extruded dielectric cables 88-30382
Mashikian, M.S. Extruded medium voltage cable materials and practices in the USA, Europe and Japan 87-30208
Mashiko, K., Kobayashi, T., Miyamoto, H., Arimoto, K., Morooka, Y., Hatanaka, M., Yamada, M., Nakano, T. A 70 ns 256K DRAM with bit-line shield 85-22870
Mashiko, K., Morooka, Y., Yasuda, K., Kobayashi, T., Hatanaka, M., Yamada, M., Nakano, T. A CMOS dual port memory with serial read/write function for graphic systems 87-10872
Mashiko, K., Nagatomo, M., Arimoto, K., Matsuda, Y., Furutani, K., Matsukawa, T., Yamada, M., Yoshihara, T., Nakano, T. A 4-Mbit DRAM with folded-bit-line adaptive sidewall-isolated capacitor (FASIC) cell 88-6819
Mashiko, K., Nagatomo, M., Arimoto, K., Matsuda, Y., Furutani, K., Matsukawa, T., Yoshihara, T., Nakano, T. A 90 ns 4 Mb DRAM in a 300 mil DIP 87-59481
Mashiko, K., Nokusaka, Y., Akiyama, N., Shoji, T., Ishizaki, N., Kawarasaki, Y. Status of the JAERI-linac 87-14642
Mashiko, K. *see* Arimoto, K. 86-41127, 87-37285
Mashiko, K. *see* Hamano, H. 87-10876
Mashiko, K. *see* Kobayashi, T. 87-10859, 87-17089
Mashiko, K. *see* Miyamoto, H. 86-46835
Mashiko, K. *see* Nagatomo, M. 87-44845
Mashiko, K. *see* Yamada, M. 85-17408
Mashiko, T., Adachi, S. Shield effect of cylindrical mesh around cylindrical human model 87-47229
Mashiko, T., Yamada, S., Adachi, S. Plane wave scattering from an infinite planar dipole array buried in a lossy half-space 85-24923
Mashiko, T. *see* Ueno, K. 87-28688
Mashiko, T. *see* Yamada, T. 86-68909
Mashiko, Y. Steel industry [sensory measurements] 85-5809
Mashiko, Y., Morimoto, H., Koyama, H., Kawazu, S., Kaito, T., Adachi, T. A new VLSI diagnosis technique: focused ion beam assisted multi-level circuit probing 88-1763
Mashiko, Y., Watanabe, Y., Satoh, S., Tsujikado, K., Oikawa, S. Large-scale color LED display system 87-56766
Mashiko, Y. *see* Kohkawa, J. 86-24229
Mashiko, Y. *see* Koyama, H. 85-40648, 87-1345
Mashiko, Y. *see* Okamoto, T. 87-25167, 88-33079
Mashiko, Y. *see* Tsukamoto, K. 88-38526
Mashima, E.T. *see* Mimura, Y. 86-40353
Mashimo, M. *see* Tokuda, K. 87-77017
Mashimo, T., Murakami, E., Onda, N., Ozawa, S. Progressive picture display method using segment structure for two-level pictures 87-48005
Mashimo, T., Onda, N., Ozawa, S. A progressive coding method for multi-level images based on the division of nonuniform blocks 88-46277
Mashimo, Y. *see* Ochiai, O. 86-41188, 87-31747, 88-57854
Mashimoto, T. *see* Murakami, E. 87-19945
Mashin, A.I. *see* Khokhlov, A.F. 85-23652, 86-47329, 86-53360, 87-26157
Mashin, N.I. *see* Khokhlov, A.F. 86-53360, 87-26157
Mashinin, O.V. *see* Abramov, F.G. 85-22676
Mashinskii, S.V. *see* Kupershnidt, Yu.Ya. 86-45041
Mashinskii, V.M. *see* Belov, A.V. 85-12610, 85-56327
Mashinskii, V.M. *see* Gur'yanov, A.N. 87-53934
Mashinyan, L.Kh., Sokolova, E.M. A method of investigating a system consisting of a thyristor voltage regulator and induction motor taking electromagnetic processes into account 85-21856
Mashita, H. *see* Kamei, K. 86-2221
Mashita, M., Horiguchi, S., Shimazu, M., Mihara, M., Ishii, M. A novel method for gas temperature measurements in low-pressure OMVPE reactors 88-63314
Mashita, M. *see* Horiguchi, S. 87-36752, 88-24735
Mashita, M. *see* Kimura, K. 87-36746, 87-36757, 87-44322
Mashita, M. *see* McIlroy, P.W.A. 85-46418
Mashita, M. *see* Morizuka, K. 85-45659
Mashita, M. *see* Shimazu, M. 87-65494
Mashita, M. *see* Watanabe, M.O. 85-34602, 85-50241
Mashiyama, T., Yamamoto, K. Photodetector PD 164 PI for compact disk use 86-11608
Mashkevich, O.L. *see* Bochkov, A.V. 86-67651
Mashkin, V.A., Makhachashvili, K.A., Ignatenko, M.A. The effect of hydraulic resistance of finite insulation on the temperature field of transformer windings 87-22462
Mashkov, L.V. *see* Alekseev, B.V. 86-5656
Mashkov, V.A. *see* Bagraev, N.T. 86-28962
Mashkov, V.I. *see* Kremnev, R.S. 86-30313
Mashkova, N.S. Method for division of the address matrices for parallel switching of communication channels 87-48259
Mashkovtsev, B.M., Fal'kovskii, O.I. Choice of the parameters of coupled lightguides operating as a filter 87-18747
Mashkovtsev, B.M., Neikov, Yu.G. The parameters of a Y-junction from a bimode planar light guide to monomode light guides 87-54000
Mashtakov, O.N. *see* Zhuravlev, A.K. 87-39791
Mashtakova, V.A., Pirogov, Yu.A., Kovalev, S.V., Goloskokova, L.Yu., Babaev, V.G. Characteristics of the energy distribution of thermoelectrons of tungsten, molybdenum, and niobium single crystals 86-27780
Mashtakova, V.A. *see* Gostev, A.V. 88-19584
Mashtalir, V.P. *see* Zhitomirskii, M.Ya. 88-14753
Mashulam, S. Techniques combat problems [PC testing] 86-8594
Mash'yanov, V.G. *see* Buryak, S.F. 86-45519
Mash'yanov, V.G. *see* Gol'shtein, M.E. 86-39929
Mash'yanov, V.G. *see* Nekhamin, S.M. 87-9655
Masi, C. Signal generators for communications test 87-3628
Masi, C.G. Three emerging techniques for the nondestructive testing of semiconductors 85-61025
Masi, C.G. Testers advance the state of the art for optical fiber evaluation 87-68158
Masi, C.G. Converging technologies in communications test 87-69536
Masi, C.G. Testing optical ICs-challenge of the future 87-74944
Masi, C.G. Fast analog system joins family of integrated testers 87-77110
Masi, C.G. Specialized testers help prevent ESD damage to electronic equipment 88-15948
Masi, C.G. Spectrometric methods for semiconductor characterization 88-31899
Masi, C.G. Using attenuators to test high-power lasers 88-65822

Masi, C.G. Planning OTDR purchases 88−68047
Masi, C.G., Thompson, B.J. What is the capacitance of this capacitor? 88−68000
Masi, E., Mingozzi, E. Operating experience of traction units with power electronics equipment of Italian State Railways 87−31049
Masi, G.B.Di *see* Di Masi, G.B.
Masi, J.C. Supporting marketing with an interactive television network 87−28854
Masi, J.V., Dixon, D.S., Avoux, M. Development of a full performance composite connector with long-term EMI shielding properties 88−12694
Masi, J.V. *see* Barton, E. 86−44690
Masi, J.V. *see* Work, C.E. 87−23208
Masia, A. Image quality considerations for laser image recording 86−68655
Masia, R. *see* Amado, J.B. 86−38824
Masic, S. An analysis of dynamic characteristics of the induction motor supplied by the non-sinusoidal voltage 87−43037
Masic, S. *see* Corda, J. 87−22294
Maside, J.Alvarez *see* Alvarez Maside, J.
Masiello, R. *see* Burn, R.D., Jr. 88−10785
Masiello, R.D. Computers in power: a welcome invader 85−43545
Masiello, R.D. *see* Anderson, M.D. 87−43
Masiello, R.D. *see* Clark, S.L. 88−10777, 88−68785
Masiello, R.D. *see* Hurwitz, D.E. 88−74804
Masilamani, V., Chandrasekar, V., Sivaram, B.M., Sivasankar, B., Natarajan, S. Simultaneous dual band laser emission from two conformations of DAMC 86−68485
Masilamani, V., Docchio, F., Magni, V. The effect of back-reflection on the performances of N_2-lasers 86−15631
Masilamani, V., Pozzi, L., Docchio, F. An oscillator-amplifier distributed feedback dye laser system, pumped by a single TEA N_2 laser 85−41350
Masilamani, V. *see* Palanisamy, P.K. 88−58491
Masimov, A.Z. *see* Badalov, A.Z. 85−12039
Masin, V.J. *see* Carlson, N.W. 87−12473, 88−2336, 88−27180, 88−41648
Masin, V.J. *see* Evans, G.A. 88−65691
Masin, V.J. *see* Goldstein, B. 88−2236
Masington, N.J., Jr. Technology transfer−how real is the choice? 86−7436
Masini, C. *see* D'Innocenzo, N. 87−27996
Masini, G. Practical guide to the use of MOSFETs 85−18318
Masini, G. The current carrying capacity of MOSFET devices 85−40722
Masini, G. Power MOSFETS−drive characteristics 85−45677
Masini, G. Control circuits for power MOSFETs 85−61931
Masion, G. Practical use and optimisation of TD-CAM 87−13459
Masiukiewicz, A. Studies of correlations between ageing characteristics of quartz resonators with cut at working in fundamental and overtone 3 order vibrations 86−47940
Mask, B.J. *see* Sharber, J.R. 88−68629
Maskara, S.L. Progress in optical communications 87−34562
Maskara, S.L., Faruqui, M.N., Chowdhury, D., Bhattacharya, D. An experimental fibre-optic digital video link 87−56149
Maskara, S.L., Naidu, M.S., Sarkar, G.K. Analogue and digital matched filter correlators for spread spectrum systems using concatenated codes 87−3043
Maskara, S.L., Shanmugavel, S., Ravi, K.V. Spread spectrum communication system for speech and teleprinter signals using Gold codes 87−47521
Maskara, S.L. *see* Haribabu, K. 87−69885
Maskara, S.L. *see* Katakol, B.S. 86−16129, 86−30190, 87−47175, 87−55001, 87−75724
Maskara, S.L. *see* Madhusudhana Rao, G. 85−30895
Maskara, S.L. *see* Madhusudhanarao, G. 87−55967
Maskas, B., Abe, A., Akanuma, S., Grondalski, D., Hayashi, H., Kyu, S. The CVAX CQBIC−a CMOS 32-bit to 16-bit bus adapter chip 88−20133
Maskas, B.A. Development of the CVAX Q22-bus interface chip 88−70640
Maskell, S.J. RF susceptibility of an EEG and considerations for attenuating RFI in hospitals 86−3552
Maskell, W.C. Inorganic solid state chemically sensitive devices: electrochemical oxygen gas sensors 88−9949
Maskell, W.C., Steele, B.C.H. Solid state potentiometric oxygen gas sensors 86−70110
Maskell, W.C. *see* Jenkins, A.A. 86−40043, 87−30912, 87−43352
Maskevich, S.A. *see* Voronich, V.E. 87−68565
Maskrey, J.T. *see* Read, P.M. 88−47920
Maslak, A.S. *see* Garapov, E.F. 87−14698
Maslakov, A.I. *see* Ageev, V.P. 88−33092
Maslakov, A.I. *see* Butvina, L.I. 88−39902
Maslakov, A.I. *see* Kramarenko, A.S. 86−21684
Maslakova, N.A. *see* Vorob'yev, V.I. 86−30862
Masland, J.C. *see* Lipson, J. 85−42581
Maslaney, M.J. Parameters affecting the measurements of fiber optic cables 85−47542
Masleev, L.B., Nedashkovskii, V.N. Thermoelectric cooler based on TEMO-6 and TEB-023 modules 86−44320
Maslen, P. *see* Verrecchia, L. 85−36588
Maslenikov, D.S., Kostaninov, A.G., Osotov, V.N., Parylis, M.E., Greditor, A.M., Fominykh, Yu.A. On the thermographic testing of electrical engineering equipment [switchgear testing] 86−26197
Maslenkoov, I.P. *see* Ainbund, M.R. 85−9082
Maslenkov, I.P. *see* Ainbund, M.R. 85−11865
Maslenkov, I.P. *see* Petras, S.V. 88−19639
Maslennikov, D.S. *see* Bazykin, R.V. 87−43288
Maslennikov, K.N. *see* Aseev, V.G. 87−64569, 87−72088
Maslennikov, K.N. *see* Egorov, E.A. 88−55264
Maslennikov, K.N. *see* Glebov, I.A. 86−39691
Maslennikov, K.N. *see* Vozilkina, G.P. 87−72144
Maslennikov, M.Yu. *see* Sukmanov, V.I. 87−70733
Maslennikov, N.M. *see* Kliorin, N.I. 87−39810
Maslennikov, V.I., Metik, S.V. Interference immune recording of parameters of acoustic well logging 87−42207
Maslennikov, V.L. *see* Bazakutsa, P.V. 85−24638
Maslennikov, V.L. *see* Belyanko, A.E. 86−48073
Maslennikov, V.S., Milovzorov, V.P., Sharshunov, Yu.E. Torque generators in subordinate control systems of electrical motors 88−30665
Maslennikov, V.S. *see* Sharshunov, Yu.E. 85−47941
Maslennikov, V.V. Dynamic nonlinear distortions of signals in the input stages of the operational amplifiers of active filters 86−46967
Maslennikov, V.V., Sirotkin, A.P. The stability of second-order filters 88−25321
Maslennikov, V.V. *see* Demin, A.A. 87−44633
Maslennikov, V.V. *see* Markin, V.V. 86−38026
Maslennikov, Yu.V., Snigirev, O.V. Relaxation DC SQUIDs 87−60860
Maslennikov, Yu.V., Snigirev, O.V., Vasiliev, A.V. Integrated relaxation-oscillation-driven DC SQUIDS 88−13755
Maslennikov, Yu.V. *see* Kuz'min, L.S. 87−74604
Maslennikova, M.N. *see* Gabeskiriya, V.Ya. 85−43707
Maslennikow, W.W. *see* Markin, W.W. 86−11244
Masley, J.M. *see* Leon, J.S. 85−19329
Masley, J.M. *see* Pless, V. 87−33602
Maslii, V.N., Kulik, A.A. Variable scaler 86−27237
Maslii, V.N. *see* Kulik, A.A. 85−8894
Maslin, J. *see* Gowan, B. 86−38104
Maslin, N.M. Modelling in the HF network design process 88−46912
Masliwec, T. An experimental and theoretical evaluation of IR thermography for surveying the condition of bridge decks 88−68059
Masliy, V.N., Perepelko, Ye.V., Pustovarov, V.Ye., Spasibo, Ye.A. A controlled sawtooth generator 87−52448
Masloboev, Yu.P. *see* Il'chev, E.A. 85−40773
Masloboev, Yu.P. *see* Il'ichev, E.A. 87−6481
Maslosz, S., Thieme, H. Analog/digital converter with microcomputer coupling 86−52905
Maslov, A. Distribution of mechanical stresses in multichip devices 85−61588
Maslov, A.A., Sakharov, O.N., Simakov, A.V. A method of piecewise-linear approximation of the function 88−49738
Maslov, A.F., Liepin, U.R. Phased antenna array with adaptive control of amplitude distribution 87−2379
Maslov, A.F., Nesterov, K.P. A quasi-optimum algorithm for signal detection and the measurement of its parameters at the outputs of the elements of an antenna array operating in a nonhomogeneous medium in the presence of correlated interference 87−68898
Maslov, A.F., Nesterov, K.P., Zholobenko, A.B. Modelling a quasi-optimal algorithm for measuring amplitude and phase of signals at the output elements of antenna arrays 87−39509
Maslov, A.I. Automatic device for checking electrical resistance 88−47659
Maslov, A.I., Dmitriev, G.K., Chistyakov, Yu.D. Pulsed carbon-plasma source for production processes 86−40776
Maslov, G.N. *see* Koshelev, A.S. 85−20868, 87−29437
Maslov, M.A. *see* Batalov, A.A. 87−8791
Maslov, N.V. *see* Skripnik, Yu.A. 85−30277
Maslov, O.N. The effectiveness of angular diversity based on automatic control of the directivity of a short-wave receiving antenna 85−57123
Maslov, O.N. Modelling of the statistical properties of a decameter band radio signal 88−2570
Maslov, S.I. *see* Delektorskii, B.A. 85−48959
Maslov, S.I. *see* Orlov, I.N. 86−33441
Maslov, S.P., Kruzhkov, A.V., Kabanova, I.Yu., Evstishenko, V.S., Makhlina, G.A., Medvedeva, I.M. On the possibility of fine vibration grinding of glass entrance windows 85−18637
Maslov, V.A. *see* Belyanko, A.E. 86−48073
Maslov, V.A. *see* Glagolev, I.A. 87−35243
Maslov, V.E. *see* Lebedev, V.D. 85−48854, 86−19111
Maslov, V.K., Smirnov, V.A. Diffraction tomography in reconstructing marginal spatial frequency spectra for wave fields 87−3947
Maslov, V.K. *see* Vasil'ev, S.S. 87−2516
Maslov, V.N., Kuznetsov, G.F. Epitaxial growth of PbS films on Ge from aqueous solutions in an ion-exchange cell 85−16935
Maslov, V.P. *see* Karasev, M.V. 86−36562
Maslov, V.V., Dzyubenko, M.I., Kovalenko, S.N., Nikitchenko, V.M., Novikov, A.I. New efficient dyes for the red part of the lasing spectrum 88−27096
Maslov, V.V., Makarova, N.V., Silant'ev, V.A., Starostina, T.P., Tronin, B.A. Radiation resistance of electrical-insulation polyurethane molding compounds 85−40992
Maslov, V.V. *see* Dzyubenko, M.I. 85−41359
Maslov, V.V. *see* Kulakovskii, V.B. 85−4994
Maslov, Yu.N. Magnetic measuring equipment for electrical steels and alloys 88−53830
Maslov, Yu.N., Pisarenko, V.Ya., Tulepov, K.M., Maslova, E.P. Magnetizing devices for investigating the dynamic magnetic characteristics of magnetically soft materials 87−53875
Maslov, Yu.N. *see* Korkhin, V.V. 87−52918
Maslov, Yu.N. *see* Krokhin, V.V. 85−44058, 85−56928, 85−56930
Maslova, A.V., Petrishchev, O.N., Shpin', A.P. Calculation of the spatial distribution of the magnetic field of an angular magnetic head 86−2598
Maslova, E.P. *see* Maslov, Yu.N. 87−53875
Maslova, L.A., Chentsov, R.A. Some properties of memory elements based on a superconducting quantum interferometer 85−49863
Maslova, N.N. *see* Oplenskin, A.L. 87−51887
Maslova, T.I. *see* Radionova, L.Kh. 88−51168
Maslova, T.I. *see* Zhuravlev, I.A. 88−53831
Maslova, T.V. *see* Buzynin, A.N. 88−11948
Maslovets, F.K. Some proposals for development of devices simulating solar radiation reaching the Earth's surface [light sources] 86−45804
Maslovskaya, T.N. *see* Shpiganovich, A.N. 85−16534, 85−49242
Maslovskii, V.M. An MNOS degradation mechanism 88−57390
Maslovskii, V.M., Nagin, A.P., Chernyshev, Yu.R. Charge accumulation in an MNOS structure with carrier injection from the field electrode 86−35715
Maslovskii, V.M. *see* Gergel', V.A. 85−1422
Maslovskii, V.M. *see* Il'chev, E.A. 87−11467
Maslovskii, V.M. *see* Il'ichev, E.A. 87−6481
Maslovskiy, F.N. *see* Boyakhchyan, G.P. 85−33659
Maslovskiy, F.N. *see* Vanke, V.A. 85−13379
Maslowski, R., Rose, V. High-rise building decontamination after a furan incident [safety] 86−34001
Maslyaev, P.F. *see* Bregadze, Yu.I. 85−59169, 88−42583
Maslyaev, P.F. *see* Marchenko, A.V. 87−8838
Maslyanik, V.V. *see* Sirota, I.M. 85−43653, 86−6413, 86−12512
Maslyanik, V.V. *see* Yagudaev, B.M. 87−21970
Maslyk, E., Kolakowski, T. Selected problems of the operation and development of the 110 kV network of the Southern Power District 88−75133
Maslyuk, A.F. *see* Bondar, M.V. 86−48357
Maslyukov, A.P. *see* Dyumaev, K.M. 86−68605, 88−26741
Maslyukov, A.P. *see* Gromov, D.A. 85−56568, 86−9777
Maslyukov, Yu.S. *see* Aristov, A.V. 85−12825
Masmoudi, M. Numerical solution for exterior problems 87−44248
Masnari, N.A. *see* Fair, R.B. 85−1740
Masnari, N.A. *see* Trew, R.J. 85−40751
Masnari, N.A. *see* Vinal, A.W. 85−8800
Masny, J., Osinski, S., Teresiak, Z. A new contact and fire protection measure [power system protection] 86−12490
Masny, J., Teresiak, Z. On the reliability of shock-proof systems 86−7475
Masny, Z., Oliva, Z., Mann, H. DAVID5−A program for programmable analog-digital system simulation 87−810
Masoero, A., Rietto, M., Prudenziati, M., Morten, B. Flicker noise in thick-film (Cermet) resistors: the effect of the firing temperature 86−62958
Masoero, A. *see* Prudenziati, M. 85−55864
Masoero, G. *see* Arossa, W. 85−15265
Masoero Regis, M., Piovano, M., Tommazzolli, F. LV conductors in industrial installation 87−50810
Masoli, F. *see* Bottoni, G. 85−24060, 87−46308
Masoli, F. *see* Corradi, A.R. 85−18564, 87−46335
Masom, R.A. The development, proving and application of an in-line metal particle detector (MPD) 85−47921
Mason, A. The pay-per-view over-air addressing system specified for direct broadcasting by satellite 85−47644
Mason, A. Subscription television and teletext by means of over-air addressing and impulse pay-per-view 86−38000

Mason, A. The principles of the over-air addressed pay-per-view encryption system for direct broadcasting by satellite and for teletext 87−13345
Mason, A. *see* Chesarek, W. 88−37508, 88−69696
Mason, A. *see* Pern, F.J. 88−37571
Mason, A.G. A pay-per-view conditional access system for DBS by means of secure over-air credit transmissions having a short cycle time 85−3606
Mason, A.G. *see* Whitheead, D.G. 86−24364
Mason, A.R. *see* Wanlass, M.W. 88−37464
Mason, B. *see* Bennetts, B. 88−12761
Mason, B. *see* Sun, J. 86−11430
Mason, B.D. Automatic quality control of meteorological parameters derived from Meteosat imagery 87−77872
Mason, B.R. *see* Astle, J.M. 85−58331
Mason, B.R. *see* Bradshaw, D.J. 87−28814
Mason, C. Seven reasons why your business needs telecommunications 86−10769
Mason, C., Saeed, I. CMOS single chip micros with built-in features simplify design 87−5915
Mason, C. *see* Goldwasser, R. 88−63955
Mason, C.E. *see* Preston, R.C. 87−35438
Mason, C.P. Prospects for digital cellular systems 86−23781
Mason, C.P. Cellular radio international experiences 87−3116
Mason, C.P., Gruner, J.A., Petruzziello, M. Optimizing myoelectric signals vs. force in functional neuromuscular stimulation 88−48202
Mason, D., Brazeal, R.K. Integrated work management system for maintenance and outages 86−61347
Mason, D., Popelka, G.R. Comparison of hearing-aid gain using functional, coupler, and probe-tube measurements 86−60821
Mason, D.C. *see* Tailor, A. 86−65574, 88−5207
Mason, D.G., Packer, J.S. Closed-loop management of blood pressure in critically ill patients 86−44680
Mason, D.M. *see* Borden, J.M. 85−36156
Mason, F.M. *see* Andreatta, G. 85−28280
Mason, G.A. *see* Shultz, R.D. 85−5050
Mason, G.R. *see* Dubois, R. 86−50321
Mason, H. A strategy for product data exchange 86−64550
Mason, H. *see* Engelbrecht, R. 85−11369
Mason, H.L. What's new in control standards 86−16634
Mason, I.M. *see* Allington-Smith, J.R. 85−43197
Mason, I.M. *see* Cox, K.B. 88−59134
Mason, I.M. *see* Schwarz, H.E. 85−43225
Mason, I.R. *see* Lewis, M.F. 88−20396
Mason, J. Building EM systems 88−18103
Mason, J.C., Wilde, S.J., Opfer, G. Constrained minimax and least squares problems in antenna array pattern synthesis 87−61529
Mason, J.C. *see* Owen, P. 85−24917
Mason, J.H. The relevance of discharge measurements 85−32251
Mason, J.H. System engineers: an approach to operational excellence 87−57795
Mason, J.H., Livingston, B.K., Clarke, E.J. Application of submarine extended operating cycle programs to the enhancement of commercial nuclear power plant operation and maintenance 88−42974
Mason, J.H., Silva, F.R., Sens, M.A. DC salt-fog tests on glass and porcelain cap and pin insulators 88−75212
Mason, J.H., Wilkes, S., Adolfson, W.F. Configuration management: can the nuclear industry gain from US Navy experience? 85−4774
Mason, J.H. *see* Ai Ling Tan 85−1797
Mason, J.H. *see* Gleizer, H. 88−71860
Mason, J.H. *see* Robyn, J.R. 88−42954
Mason, J.J., Zaka, J. EMI/RFI shielding of plastic components by sputter deposited metallic coatings 87−5469
Mason, J.L., Anderson, W.J. Finite element solution for electromagnetic scattering from two-dimensional bodies 85−46552
Mason, J.L., Anderson, W.J. Transmission line interpretation of the finite element mesh for a wave propagation problem 86−3478
Mason, J.R.M. Minimization of addressing overheads for the encoding of digital edge pictures 85−46920
Mason, J.R.M. Contour recognition: a syntax-directed approach 87−27642
Mason, J.R.M., Woods, A.W. Efficient image coding based on image structure 85−51798
Mason, J.R.M. *see* Oddy, C.J. 85−57519
Mason, J.S., Chit, N.N. New approach to the design of FIR digital filters 87−59730
Mason, J.S. *see* Goatcher, J.K. 85−46740, 86−48845
Mason, J.S.D., Gu, Y. Perceptually-based features in ASR 88−27871
Mason, J.W. Mobile radio data 88−21971
Mason, L. EEPROM: the market and its growth potential 85−11267
Mason, L. EEPROM market growth accelerates as standards, second sources emerge 86−27316
Mason, L.G. An aggregate model for network modernization with constraints 85−13788
Mason, L.G. Equilibrium flows, routing patterns and algorithms for store-and-forward networks 85−57559
Mason, L.G. On the stability of circuit-switched networks with non-hierarchical routing 87−55416
Mason, L.G. *see* De Serres, Y. 88−59362
Mason, L.J. Error probability evaluation for systems employing differential detection in a Rician fast fading environment and Gaussian noise 87−33693
Mason, L.J. An error probability formula for *M*-ary DPSK in fast Rician fading and Gaussian noise 88−8663
Mason, L.J. Error probability for differential detection in fast Rician fading and Gaussian noise 88−40995
Mason, L.R. *see* Cross, R.W. 88−42982
Mason, L.W. *see* Jarossy, F.J. 88−8023
Mason, M. *see* Elliot, D.J. 86−21676
Mason, M. *see* Grattan, K.T.V. 87−41986
Mason, M.T. *see* Lavine, J.M. 85−6782
Mason, N.J. Metal-organic vapour phase epitaxy 88−6475
Mason, N.J., Newell, W.R. Predispersive electron gun for an electron monochromator 87−11276
Mason, N.J. *see* David, J.P.R. 86−9090
Mason, N.J. *see* Haywood, S.K. 88−38177, 88−49853
Mason, N.J. *see* Li Kam Wa, P. 85−18679, 85−41190, 87−12234
Mason, N.J. *see* Roberts, J.S. 85−10711
Mason, P. Some aspects of laser beam phase conjugation 87−12595
Mason, P., Buggy, T.W. Knowledge-based interpretation of passive sonar data 87−56288
Mason, P., Buggy, T.W. Knowledge-based segmentation of sonar data 87−63070
Mason, P. *see* Sharman, D.B. 87−56289
Mason, P.J. *see* Finlayson, D.M. 87−74006
Mason, P.V. Long-term performance of the passive thermal control systems of the IRAS spacecraft 88−36584
Mason, R. Integrated avionics for 'Nightbird' Harrier 87−71242
Mason, R. Computer conferencing: a contribution to self-directed learning 88−28529
Mason, R. Computer conferencing: its contribution to self-directed learning 88−53048
Mason, R. *see* Chan, C.H. 86−24412, 87−25577
Mason, R.C., Fertsch, M.T. A bit-modular cell library optimized for data-path applications 86−67998
Mason, R.C. *see* Fertsch, M.T. 86−68009
Mason, R.E. *see* Matthews, R.B. 88−36620
Mason, R.E.A. The CoSy computer conferencing system 87−27941
Mason, R.J. Simulated dynamics of plasma erosion opening switches 88−30963
Mason, R.L. *see* Keating, J.P. 86−11993
Mason, R.M., Williams, J.W., Ryl, P. Neyman-Pearson and Bayes interval estimates for sampling by attributes 85−22316
Mason, S. Microprogramming requirements and mainframe performance [NCR/32 chip set] 85−11130
Mason, S.A. *see* Stansfield, R.F.D. 85−15231
Mason, S.A. *see* Thomas, M. 85−15228
Mason, S.M. Objective waveform detection in electric response audiometry 86−18355
Mason, S.M., Adams, W. An automated microcomputer based electric response audiometry system for machine scoring of auditory evoked potentials 85−4325
Mason, T.I., Lewis, D.E. Multipoint video conferencing 88−21813
Mason, T.M., Sargeaunt, P.N. Synthetic aperture radar (SAR) for RPVs 88−15682
Mason-Smith, I. The NATO Terrestrial Transmission System (NTTS)—an overview 87−48450
Masoni, A. Advantages and limits of using a microcomputer online 88−48013
Masoni, A., Morando, M. Data acquisition system in the new generation of experiments 88−48012
Masoni, A. *see* Bussa, M.P. 87−21415
Masoni, A. *see* Macciotta, P. 86−50394
Masoni, S., Montanari, G.C., Motori, A., Pattini, G., Sandrolini, F., Simoni, L. Electrical and microstructural investigations on aging of an insulating composite material subjected to combined stresses 86−68115
Masoni, S. *see* Sandrolini, F. 85−35252
Masotti, L., Cavallini, M., Fabbrizzi, A., Rocchi, S., Castellini, G., Casini, A. Study and realization of some annular array transducers for ultrasound imaging systems 87−21801
Masoud, A.A.A. Comments, with reply, on 'Frequency determination of weak sinusoids buried in noise' by A.I. Abu-El-Haija 88−72935
Masoud, M.E., Abd-El-Hamid, S.S. New directional impedance relay for series compensated EHV long transmission lines—application to phase faults 86−61144
Masouka, P.M., Harris, J., Lowman, P.D., Jr., Blodget, H.W. Digital processing of orbital radar data to enhance geological structure: examples from the Canadian Shield 88−73212
Masraff, A. *see* Dowdell, C. 86−62602
Masri, K. *see* Boyeaux, J.P. 88−18076, 88−37511
Masri, S.F. *see* Hadjian, A.H. 87−78389
Masrur, M.A., El-Jamous, S.G., Ayoub, A.K. The polyphase commutator machine as a wind generator 85−15994
Masry, E. Closed-form analytical results for the rejection of narrow-band interference in PN spread-spectrum systems. I. Linear prediction filters 85−948
Masry, E. Closed-form analytical results for the rejection of narrowband interference in PN spread-spectrum systems. II. Linear interpolation filters 85−25704
Masry, E. Recursive probability density estimation for weakly dependent stationary processes 86−59182
Masry, E., Gyorif, L. Almost sure convergence rates for recursive probability density estimators of stationary processes 87−51943
Masry, E., Milstein, L.B. Performance of DS spread-spectrum receiver employing interference-suppression filters under a worst-case jamming condition 86−29859
Masry, E., Milstein, L.B. Effect of worst-case narrowband Gaussian jamming on a DS interference suppression filter 86−30574
Masry, E., Rao, R.R. On the choice of the time-out distribution in decentralized random access systems 86−54577
Masry, E. *see* Gingras, D.F. 88−46031
Mass, B. Power conditioning for flashlamps and arc lamps 87−39189
Mass, C. Transportation in graphs and the admittance spectrum 87−23470
Mass, J. A simulation study of rain attenuation and diversity effects on satellite links 88−3902
Massa, A. *see* Lugaresi, A. 88−55231
Massa, E. *see* Burkhardt, H. 88−47997
Massa, F. Some personal recollections of early experiences on the new frontier of electroacoustics during the late 1920s and early 1930s 85−37341
Massa, F.T., Leonard, T.M. Speech synthesis as a marketing tool in the financial community 87−56444
Massa, F.W. *see* Dieudonne, J. 86−17091
Massa, F.W. *see* Fletcher, J.S. 86−17090
Massa, G. *see* Crovetto, G. 88−43075
Massa, G. *see* Luoni, P. 88−42913
Massa, G.Di *see* Di Massa, G.
Massa, I. *see* Boccaccio, P. 88−29888
Massa, I. *see* Pengo, R. 85−59129
Massa, R., Scaglione, A. Experimental set-up for dynamic evaluation of optical parameters of liquid samples exposed to microwave radiation 88−42480
Massa, R.R. *see* Pampalone, T.R. 88−33101
Massa, V.F. *see* Addeo, E.J. 87−76138, 88−59853
Massad, S. *see* Roger, J.A. 88−17442
Massaglia, M. *see* Bielli, P. 88−2809
Massaglia, P.C. *see* Bielli, P. 87−33562
Massai, M.M. *see* Angelini, F. 87−41834, 88−61301
Massai, M.M. *see* Ballazzini, R. 85−4209
Massai, M.M. *see* Belazzini, R. 85−43206
Massai, M.M. *see* Bellazzini, R. 85−31796, 85−43205, 86−44577, 86−50335, 86−60581, 87−3899, 87−21433
Massai, M.M. *see* Bottigli, U. 86−25203
Massai, M.M. *see* Del Guerra, A. 86−50326
Massalitin, S.F. *see* Bezborodov, Yu.M. 88−38698
Massaloux, D. *see* Le Guyader, A. 88−66311
Massalski, H. Thyresch converters for plasma melting technology 88−37759
Massam, T. *see* Alberini, C. 86−65387, 87−35339
Massam, T. *see* Bari, G. 87−8843
Massam, T. *see* Basile, M. 85−43273, 86−5785
Massamba-Sita, H. *see* Guendouz, L. 85−57088, 86−36769
Massani, M. *see* De Gasperis, P. 88−26688
Massar, A.D.A., de Valk, J.P.J., Reijns, G.L., Bakker, A.R. Simulation of an image network in a medical image information system 87−57258
Massar, A.D.A. *see* Bakker, A.R. 87−29839
Massara, R.E. On the role of the approximation format in computer-aided circuit optimization 86−654
Massara, R.E., Al-Saqer, A.Y. On the source and treatment of dynamic range limitations in GIC-based active bandpass filter structures 86−57952
Massara, R.E., Al-Saqer, A.Y. On the optimal design of FDNR-derived bandpass active filters 87−863
Massara, R.E. *see* Al-Saqer, A.Y. 85−49989
Massara, R.E. *see* Green, A.D.P. 86−47874
Massara, R.E. *see* Winder, C.L. 87−45060
Massara, R.E. *see* Younis, A.T. 88−50254
Massari, G. Process of liberalization in telecommunications 86−37217
Massari, M. High-density memory storage 88−746
Massari, M. Dielectric type resonance oscillators 88−32382
Massari, M. Compact fibre optic systems 88−53262

Massari, M. *see* Lapraik, S. 86−20894
Massari, M. *see* Malcangi, M. 85−40328
Massari, M. *see* Oeding, D. 86−65779
Massari, M. *see* Saha, M.M. 86−65710
Massaro, E. *see* Costa, E. 85−52978, 86−38699
Massaro, E. *see* Piro, L. 87−63639
Massaro, G.G.G. *see* Becker, U. 88−22943
Massaro, K. Back-up power for digital switches 85−44161
Massaro, K. Guidelines clarify backup needs in UPS systems 85−60273
Massaro, M.J., Lane, R.F. A fast approach to test method CS03 of MIL-STD-462 88−14429
Massaro, P.A. *see* Marino, D. 86−27491
Massarotti, A. *see* Chiocca, D. 87−33492
Massarotti, A. *see* De Luca, A. 86−46184
Massarotti, A. *see* Griffin, J. 88−42386
Massart, T. *see* Cohen, A. 88−28805
Massatt, P., Rhodus, W., Rudnick, K. 2-D and 3-D characterizations of GPS navigation service 87−41116
Massaud, A.G. *see* Vieira F, X. 86−50882
Masse, D., Adlerstein, M.G., Holway, L.H., Jr. GaAs IMPATT sources 86−35099
Masse, D. *see* Adlerstein, M.G. 87−37538
Masse, D. *see* Wang, N.L. 88−19403
Masse, G. *see* Raymond, A. 85−34501
Masse, J.-C. *see* Carmichael, J.-P. 88−43767
Masse, P. Modelling of continuous media methodology and computer-aided design of finite element programs 85−22428
Masse, P. Beyond CAD: some application prospects for expert systems in the electrical industry 86−12
Masse, P., Morel, B., Breville, T. A finite element prediction correction scheme for magneto-thermal coupled problem during Curie transition 86−40301
Masse, P. *see* Breville, T. 86−42709
Masse, P. *see* Gliere, A. 88−52163
Masse, R.E. Theory and practice of writing processes for technical writers 85−22140
Masse, R.E. Theory and practice of editing processes in technical communication 85−44436
Masse, S. *see* Guberek, M. 86−60954
Massebeuf, M. *see* Bertin, F. 87−34658
Masseboeuf, C., Aveaux, M. Components from design to testing: the example of gate arrays 85−11181
Masseboeuf, E. *see* Sahlen, O. 87−54396
Massee, P., Rietjens, L.H.Th. Research on MHD generators, national and international 87−72454
Massee, P. *see* Merck, W.F.H. 85−21841
Masseli, K. *see* Kakoschke, R. 87−53731
Masseli, K. *see* Rangelow, I.W. 86−21413, 87−25122
Masselink, W.T., Braslau, N., LaTulipe, D., Wang, W.I., Wright, S.L. Electron velocity at high electric fields in AlGaAs/GaAs modulation-doped heterostructures 88−32890
Masselink, W.T., Braslau, N., Wang, W.I., Wright, S.L. Electron velocity and negative differential mobility in AlGaAs/GaAs modulation-doped heterostructures 88−12969
Masselink, W.T., Drummond, T.J., Klem, J., Kopp, W., Chang, Y.C., Ponse, F., Morkoc, H. Saturation in the transfer characteristics of (Al,Ga)As/GaAs modulation-doped field-effect transistors at 77K 85−18314
Masselink, W.T., Drummond, T.J., Klem, J., Kopp, W., Chang, Y.C., Ponse, F., Morkoc, H. The influence of donor neutralization on the transfer characteristics of MODFETs at 77K: theory and experiment 85−45696
Masselink, W.T., Fischer, R., Klem, J., Henderson, T., Morkoc, H. GaAs/AlGaAs multiquantum wells grown on nonpolar semiconductor substrates 85−39738
Masselink, W.T., Henderson, T., Klem, J., Rischer, R., Pearah, P., Morkoc, H., Hafich, M., Wang, P.D., Robinson, G.Y. Optical properties of GaAs on (100) Si using molecular beam epitaxy 85−22462
Masselink, W.T., Henderson, T.S., Klem, J., Kopp, W.F., Morkoc, H. The dependence of 77K electron velocity-field characteristics on low-field mobility in AlGaAs-GaAs modulation-doped structures 86−53641
Masselink, W.T., Ketterson, A., Klem, J., Kopp, W., Morkoc, H. Cryogenic operation of pseudomorphic AlGaAs/InGaAs single-quantum-well MODFETs 86−2151
Masselink, W.T., Klem, J., Henderson, T., Ketterson, A., Gedymin, J.S., Morkoc, H., Gleason, K.R. High-performance $In_{0.15}Ga_{0.85}As/Al_{0.15}Ga_{0.85}As$ quantum well modulated doped FETs 86−47624
Masselink, W.T., Kopp, W., Henderson, T., Morkoc, H. Measurement of the electron velocity-field characteristic in modulation-doped structures using the geometrical magnetoresistance method 86−21556
Masselink, W.T., Kopp, W., Henderson, T., Morkoc, H. Velocity-field characteristics of AlGaAs-GaAs modulation-doped structures 86−63092
Masselink, W.T., Pearah, P.J., Klem, J., Peng, C.K., Morkoc, H., Sanders, G.D., Yia-Chung Chang Absorption coefficients and exciton oscillator strengths in AlGaAs-GaAs superlattices 86−21206
Masselink, W.T. *see* Arnold, D. 85−6920
Masselink, W.T. *see* Chand, N. 85−6712, 85−41235
Masselink, W.T. *see* Drummond, T.J. 86−67874
Masselink, W.T. *see* Fischer, R. 85−1590, 85−6927, 85−12292, 85−54454, 85−55856
Masselink, W.T. *see* Gammon, D. 86−35403
Masselink, W.T. *see* Henderson, T.S. 86−53626
Masselink, W.T. *see* Hulin, D. 87−7434
Masselink, W.T. *see* Ketterson, A. 86−28322
Masselink, W.T. *see* Ketterson, A.A. 86−53633
Masselink, W.T. *see* Mazur, J.H. 86−13775, 86−26851
Masselink, W.T. *see* Migus, A. 87−33306
Masselink, W.T. *see* Naganuma, M. 87−1236
Masselink, W.T. *see* Pearah, P. 85−29008
Masselink, W.T. *see* Pearah, P.J. 85−56421, 86−53396
Masselink, W.T. *see* Ponse, F. 85−50531
Masselink, W.T. *see* Reynolds, D.C. 85−23499, 85−45424
Massello, J. *see* White, K.B. 88−35011
Masselot, C. *see* Dakyo, B. 88−69347
Masselot, C. *see* Durand, J. 88−68040
Masselot, C. *see* Kraif, C. 86−66007
Masselot, C. *see* Rolland, J.M. 88−69225
Massen, R. Sensor with coded apertures 87−63377
Massen, R. *see* Gassler, J. 88−34813
Massengill, L.W., Diehl-Nagle, S.E. Transient radiation upset simulations of CMOS memory circuits 85−17392
Massengill, L.W., Diehl, S.E., Browning, J.S. Dose-rate upset patterns in a 16 K CMOS SRAM 87−31880
Massengill, L.W., Diehl-Nagle, S.E., Wrobel, T.F. Analysis of transient radiation upset in a 2K SRAM 86−34784
Massengill, L.W., Glisson, T.H., Hauser, J.R., Littlejohn, M.A. Transient transport in central-valley-dominated ternary III-V alloys 87−1201
Massengill, L.W. *see* Ackermann, M.R. 87−31877
Massengill, L.W. *see* Brown, A.T. 87−31876
Massengill, L.W. *see* Xapsos, M.A. 88−25197
Masser, C.C. *see* Koucky, R.W. 87−42671
Masser, K.-H. 24 hours per day, 7 days a week [computer service centre operation] 88−59662
Massera, F. *see* Basile, M. 85−43273
Massery, D. Monitor communications between computers 85−8172
Massetti, M.A., Johnson, E.D., Mariano, D.L., Smith, L.D., Willmott, D.R., Gruver, M.R., Hedman, R.L., Owens, B.R., Russell, M.J. A CMOS-based mixed analog-logic standard cell product family 88−64712
Massetti, P. *see* Marioli, D. 88−54406
Massevich, A.G., Chepurnov, B.D., Fundora, M., del Pino, J., Kautzleben, H., Neubert, R., Grunwaldt, L., Fischer, H. The new 2nd-generation laser station at Santiago de Cuba 87−42210
Massey, C.D. *see* Lalezari, F. 87−54735
Massey, C.S. *see* Modestino, J.W. 87−12873
Massey, D.R., Higgins, D.G., Cawthorne, C.D. Design and performance evaluation of an advanced adaptive processor test-bed 87−54747
Massey, G.A., Bowersox, S.H. Organic nonlinear materials for laser-electron beam generation 88−8064
Massey, G.A., Bowersox, S.H., Ghamaty, S., Rahbar, A. Nonlinear photoemission from organic cathodes excited by a pulsed near-ultraviolet laser 88−19575
Massey, G.A., Imthurn, G.P. Imaging of modes in a silicon nitride optical waveguide by photoelectron microscopy 88−65301
Massey, H., Noyes, A., Shklair, D. Sounds natural [acoustic guitar emulation] 88−4246
Massey, J. Moving amongst the multitude [multi-user systems] 86−49294
Massey, J. Multi-media interactive video show 87−3320
Massey, J.L. Information theory: the Copernican system of communications 85−13444
Massey, J.L. Information theory, the Copernican system of communications 85−13453
Massey, J.L. An information-theoretic approach to algorithms 85−62949
Massey, J.L. Cryptography—a selective survey 86−54428
Massey, J.L. Cryptography—a selective survey 86−64212
Massey, J.L. Cryptography and system theory 87−47540
Massey, J.L. Probabilistic encipherment 88−27751
Massey, J.L. An introduction to contemporary cryptology 88−66302
Massey, J.L., Mathys, P. The collision channel without feedback 85−51517
Massey, J.L., Rueppel, R.A. Linear ciphers and random sequence generators with multiple clocks 87−69014
Massey, J.L., von Seeman, N., Schoeller, P. Hasse derivatives and repeated-root cyclic codes 87−54903
Massey, J.L. *see* Gubser, A. 87−54968
Massey, J.L. *see* Nguyen, Q.A. 87−54977
Massey, J.L. *see* Schaub, T. 87−54928
Massey, J.L. *see* Zhang, Z. 88−27760
Massey, J.L. *see* Zheng Zhang 86−64205
Massey, M.L. Epoxy resin laminating technology 85−40341
Massey, P. Talking data—what switch signalling means to you 88−9339
Massey, P. The DASS 2 route to integration [PABX] 88−21878
Massey, R.G. *see* Bean, K.E. 86−2019
Massey, R.G. *see* Hartzell, R.A. 86−28121
Massey, T.N. *see* Zendel, M. 87−41807
Massey, W.A. New stochastic orderings for Markov processes on partially ordered spaces 85−49445
Massey, W.A. Asymptotic analysis of the time dependent M/M/1 queue 85−54238
Massey, W.A. *see* Baccelli, F. 88−6354
Masshardt, M. Continuous adjustment of lighting in road tunnels 88−55713
Massia, G. *see* Billi, R. 87−19444
Massicotte, J.B., Wurtz, R.E., Benster, R.W., Klingenberg, E. A menu-driven user interface for a physician's imaging console 86−32403
Massicotte, J.B. *see* Wood, S.L. 86−32276
Massidda, S., Min, B.I., Freeman, A.J. Interface phenomena at semiconductor heterojunctions: local-density valence-band offset in GaAs/AlAs 87−66951
Massie, H.W., Jr. Time is running out for utilities nuclear plant life extension 88−10982
Massie, H.W., Jr. A comparative study of actual nuclear plant transients for several plants and implications for fatigue usage 88−23678
Massie, H.W., Jr., Katz, L.R. A systematic and cost effective approach to nuclear plant life extension 86−51324
Massie, H.W., Jr., Nath, R.J., Bonaca, M.V. Plant license/life extension (PLEX) 87−71859
Massie, L.D. Integrated technology advanced power system (ITAPS) 87−42182
Massie, L.D. *see* Barthelemy, R.R. 85−48432, 86−32458, 87−42125
Massie, S. Lead stress analysis of a surface-mountable relay 87−66735
Massiello, A. *see* Marsolais, E. 86−25316
Massiello, A. *see* Spear, T.C.L.M. 88−54636
Massies, J. III-V semiconductor-metal epitaxial structures 86−14943
Massies, J., Contour, J.-P. In situ deoxidation of GaAs substrates by HCl gas 87−38136
Massies, J., Contour, J.P. X-ray photoelectron spectroscopy study of the effects of ultrapure water on GaAs 85−55694
Massies, J., Contour, J.P. Substrate chemical etching prior to molecular-beam epitaxy: An X-ray photoelectron spectroscopy study of GaAs {011} surfaces etched by the H_2SO_4-H_2O_2-H_2O solution 85−61850
Massies, J., Lemaire-Dezaly, F. Auger electron spectroscopy and electron loss spectroscopy comparative study of vacuum annealing effects on InP surface 85−23698
Massies, J., Turco, F., Contour, J.P. A chemical etching process to obtain clean InP {001} surfaces 87−6593
Massies, J. *see* Contour, J.P. 86−2029, 86−2053, 87−73091, 88−13136, 88−39223, 88−50734
Massies, J. *see* Garcia, J.C. 87−73059
Massies, J. *see* Leroux, M. 86−47298
Massies, J. *see* Mbaye, A.A. 88−63328
Massies, J. *see* Saletes, A. 85−1298, 86−35594, 86−40142, 87−16000
Massies, J. *see* Turco, F. 87−65522, 88−18677, 88−38162, 88−49826
Massiet du Biest, B., Fric, J., Schwartz, A.J. Broadcast networking via single PSTN 'B' channels 88−67532
Massimi, M. *see* Ciccotti, M. 86−23616
Massimini, A. Smart power IC supplies quiet, linear brushless motor drive 88−49185
Massimini, A.O. Linear smart power IC for driving three-phase brushless DC motors 88−75637
Massimini, T. *see* Pace, E. 87−78994
Massin, J.-M. *(editor)* Remote sensing for the control of marine pollution 86−70533
Massin, M. Lubrication of semi-permanent connectors 86−14608
Massin, M. *see* Bouley, M. 86−14607
Massines, F. *see* Piche, L. 88−49929
Massing, S. *see* Heger, G. 85−6020
Massini, L. *see* Griffin, D.R. 85−48258
Massino, O.V. *see* Korchminskii, A.Ya. 86−18573
Massiot, J.F. *see* Meresse, J. 85−52211
Massman, L.H. *see* Davis, G.T. 85−42317
Massman, M. *see* Stevens, C. 88−42978
Massmann, P. *see* van Bommel, P.J.M. 86−11827
Massobrio, G. *see* Caviglia, D. 88−1618
Massof, R.W. *see* Sunness, J.S. 87−50229
Massoletti, D., Heikkinen, D.W. Ion source development at RTNS-II 85−59153

Massoletti, D.J. Oxide cathode lifetime improvements at RTNS-II 87−50118
Massoletti, D.J., Harter, G.A., Heikkinen, D.W. The use of molybdenum ion source electrodes at RTNS-II 87−50117
Massolo, P. *see* Hourani, E. 88−29926
Masson, C. *see* Paraschivoiu, I. 87−42748
Masson, D. *see* Buchanan, J.T. 87−34182
Masson, D. *see* Cherkassky, V. 88−67056
Masson, D. *see* Paquin, L. 86−472
Masson, D. *see* Pritty, D.W. 87−48706
Masson, D.B. *see* Pietila, D.A. 88−44538
Masson, G.M. *see* Yang, C.-L. 87−2410
Masson, G.S., Wise, T., Quin, P.A., Haeberli, W. A new source for polarized ^{6,7}Li negative ions 86−32146
Masson, G.S., Wise, T., Quin, P.A., Haeberli, W. Production of polarized ^{6,7}Li negative ions by electron transfer between fast Cs atoms and thermal polarized Li atoms 87−3864
Masson, I.M. *see* Robert, J.L. 86−47349
Masson, J. Digital filter banks for signal analysis and synthesis 88−21229
Masson, J., Picel, Z. Flexible design of computationally efficient nearly perfect MF filter banks 86−8392
Masson, J., Suppa, E.G. Space calibration of solar cells: the results from two European experiments on the Space Shuttle 85−60420
Masson, J. *see* Bogus, K. 86−45682
Masson, J. *see* Langlais, T. 87−48736
Masson, J.-C. *see* Arnaud, C. 88−36985
Masson, J.-P. The compartmented modular indoor substation: specially adapted standard type equipment 87−78838
Masson, J.-P. *see* Rousseau, J.-J. 88−60889
Masson, J.H., Pistole, C.O. A concept for a space station common module power management and distribution system 87−42088
Masson, J.M. *see* Vuong, T.H.H. 86−35413, 86−53423
Masson, J.P., Chantelot, J.D. Axial design of a single phase synchronous micromotor 87−51269
Masson, J.P. *see* Bues, M. 86−56926
Masson, P. *see* Michelin, J.L. 85−4417
Masson, R. Manufacturing system performance and management in some Scottish electronics companies 87−23265
Masson, R.J. User-vendor relationships in the Scottish electronics industry 87−65191
Masson, S. *see* Anderhub, H. 87−21420, 88−22984, 88−29843
Masson, T. One approach to instrumentation and the personal computer 87−63257
Masson, T. *see* Dickerson, B. 85−63566
Masson, T.D. Cellular radio: a new generator of measurement challenge 85−63592
Masson, T.D. Cellular radio brings a measurement challenge 86−49475
Massone, C.A. *see* da Silva Reis, H. 86−58873
Massone, C.A. *see* Dias Tavares, A. 88−45522
Massone, C.A. *see* Dias Tavares, A., Jr. 86−15603
Massone, C.A. *see* Oliveira dos Santos, B. 87−18879
Massone, L., Morasso, P., Zaccaria, R. Shape from occluding contours 85−46908
Massone, L. *see* Grattarola, A. 87−33783
Massoner, J. *see* Koroncai, A. 88−56440
Massonnet, D. Radar imaging: theory−ambiguities−trade-off between geometric and radiometric resolution 88−9648
Massonnet, P. *see* Dietl, H. 85−48166
Massopust, T.P., Kazmerski, L.L., Whitney, R., Starr, R. Compositional and electrical co-characterization of HgCdTe diodes by cross-sectional EBIC, AVC, and AES analysis 85−55763
Massopust, T.P. *see* Swarzlander, A. 86−52526
Massot, J.N. *see* Goure, J.P. 86−9508
Massoud, H.Z., Plummer, J.D., Irene, E.A. Thermal oxidation of silicon in dry oxygen. Accurate determination of the kinetic rate constants 85−61858
Massoud, H.Z., Plummer, J.D., Irene, E.A. Thermal oxidation of silicon in dry oxygen: growth-rate enhancement in the thin regime. II. Physical Mechanisms 86−21391
Massoud, H.Z. *see* de Lyon, T.J. 88−64275
Massoud, H.Z. *see* Mastrototaro, J.J. 87−63795
Massoud, H.Z. *see* Wilson, W.B. 86−35870
Massoudi, H., Damaskos, N.J., Uslenghi, P.L.E. Scattering by a composite and anisotropic circular cylindrical structure: exact solution 88−72522
Massoudi, H., Durney, C.H., Iskander, M.F. Limitations of the cubical block model of man in circulating SAR distributions 85−4370
Massoudi, H. *see* Hagman, M.J. 87−68688
Massoudi, H. *see* Tsai, C. 87−19122
Massoudi, M.S. *see* Bancel, P.L. 86−65943
Massoumi, G.R., Schultz, P.J., Lennard, W.N., Ociepa, J. Positron emission yields for encapsulated ^{22}Na sources 88−47921
Massouri, M.H. *see* Le Reverend, D. 88−69257
Massucco, S. *see* Invernizzi, A. 85−21219
Massue, J.P. *see* Pfohl, R. 87−29619
Masszi, F. Computer modelling of metal-semiconductor junctions 85−55566
Masszi, F., Masszi, N., Bohlin, K., Nylander, J., Tove, P.A. CAD studies of MESFET devices with a modified BAMBI 87−6748
Masszi, F., Nylander, J., Magnusson, U., Tove, P.A. A large-signal SOS MESFET model for nonlinear circuit analysis 87−6747
Masszi, F., Tove, P.A., Bohlin, K., Norde, H. Computer modeling and comparison of different rectifier (M-S, M-S-M, p-n-n$^+$) diodes 86−47516
Masszi, F., Tove, P.A., Bohlin, K., Norde, H., Nylander, J. A concise modelling concept of M-S junctions for computer-aided design 87−6465
Masszi, F. *see* Norde, H. 87−11732
Masszi, F. *see* Szekely, V. 85−10932, 86−35801
Masszi, F. *see* Tarnay, K. 86−67752
Masszi, F. *see* Tove, P.A. 88−26546
Masszi, N. *see* Masszi, F. 87−6748
Mast, H.U. *see* Petoussi, N. 86−50407
Mast, K.D.van der *see* van der Mast, K.D.
Mast, M., Gindele, K., Kohl, M. Ni/MgF$_2$ cermet films as selective solar absorbers 86−7174
Mast, M. *see* Kohl, M. 86−7172
Mast, V.C.Van der *see* Van der Mast, V.C.
Mastaglia, F.L. *see* Thickbroom, G.W. 87−14894
Mastai, A. Videotext in the context of office automation 86−59596
Mastalio, K.I. *see* Ellis, R.M. 86−33163
Mastalka, A. *see* Benes, J. 86−65328
Mastascusa, E.J. *see* Aburdene, M.F. 88−24395
Masten, J.J., Jr. *see* Knappenberger, J.R. 85−445
Master, M.J., Morton, C.H. A digital circuit performance analysis tool 85−42023
Master, M.J., Uman, M.A. Lightning induced voltages on power lines: theory 85−9516
Master, M.J., Uman, M.A., Beasley, W., Darveniza, M. Lightning induced voltages on power lines: experiment 85−9517
Master, M.J., Uman, M.A., Beasley, W.H., Darveniza, M. Voltages induced on an overhead line by the lightning stepped leader 86−64015
Master, M.J. *see* Dravida, S. 88−40765
Master, R.J.Le *see* Le Master, R.J.
Master, R.N., Young, S.P. Non-degradable I/O connections for MLC structures 85−28866
Mastera, J. Maximal achievable quality sound on a film 87−56439
Masterman, J. *see* Schultz, J.C. 87−23386
Masterman, P.H. *see* Tozer, T.C. 85−25847
Masterov, V.F., Khokhryakova, O.D. Galvanomagnetic effects in epitaxial InP:Yb films 87−66898
Masterova, O.A. *see* Khrushchev, Yu.V. 87−30066
Masters, B. *see* Pulido, M.A. 85−27161
Masters, B.N., Lewis, T.O. A note on the confidence interval for the availability ratio 87−65251
Masters, J.I. *see* Strong, L.H. 87−18710
Masters, L. The path to smart power ATE 88−22448
Masters, L.W. Meeting the smart power testing challenge 88−31464
Masters, P. The PBX: in lieu of a LAN or with a LAN 85−42351
Masters, R. Power Cutting keeps its flexibility 85−106
Masters, R. The CEGB moves forward on fast reactors 86−12583
Masters, R. Chernobyl has a less-than-expected impact on orders and future plans 87−57826
Masters, R. Finding a catalyst for co-operation [nuclear power] 87−78266
Masters, R.G. Chemical changes in chromium silicide thin films as a result of laser trimming as determined by SAM and XPS 85−45486
Masters, R.G. *see* Buono, J.A. 88−1244
Masters, R.W. *see* Kawakami, H. 85−24953
Masters, T. *see* Pollard, G. 85−63964
Masterson, B.P. *see* Tanner, C.E. 88−51978
Masterson, G.E. *see* Cotton, J.M. 85−45065
Masterson, J. *see* Schulze, K. 85−31861
Masterson, K.D. Photonic electric-field probe for frequencies up to 2 GHz 88−10013
Masterton, J. Digital techniques [RF systems design] 87−65991
Masterton, P.A., Ramsdale, P.A., Vance, I.A.W. Digital techniques for advanced radio 85−63570
Mastikhin, V.M., Nevskii, Yu.E., Sheloput, D.V. Wide-band acoustooptic spectrum-analyzer cell 87−74891
Mastikhin, V.M. *see* Bogdanov, S.V. 88−13956
Mastin, C.W. Implicit finite difference methods on composite grids 88−18655
Mastin, G.A., Ghiglia, D.C. Digital extraction of interference fringe contours 85−51682
Mastin, G.A., Harlow, C.A., Huh, O.K., Hsu, S.A. Methods of obtaining offshore wind direction and sea-state data from X-band aircraft SAR imagery of coastal waters 85−53187
Mastin, G.A. *see* Ghiglia, D.C. 87−27597
Mastny, V. *see* Hrabovsky, M. 86−51833
Maston, G. *see* Giles, D. 85−39544, 86−46762, 87−713
Mastop, W.J. *see* van Ingen, A.M. 85−24858
Mastovsky, J. *see* Rothhardt, L. 86−9326
Mastracci, C. Satellite communication technology on board and on ground systems: an overview of point to point systems perspective 88−53188
Mastragostino, M., Scrosati, B. Polydithienothiofene: a novel polymer electrode for lithium batteries 85−60383
Mastragostino, M. *see* Scrosati, B. 87−30908
Mastrangelo, C., Vogel, M. Non-contact optical technique to monitor buffing of magnetic disk coatings 85−1845
Mastrangelo, C.H. *see* Tai, Y.C. 88−39052
Mastrangelo, C.J. *see* Homola, A.M. 87−25806
Mastrangelo, M., Mastrangelo, V. Perturbation theory: a stochastic approach 88−49622
Mastrangelo, V. *see* Mastrangelo, M. 88−49622
Mastri, F. *see* Rizzoli, V. 88−31965
Mastrigt, R.van *see* van Mastrigt, R.
Mastro, P.D. A pilot FMS installation gives planners a chance to see alternatives in action. II 86−40446
Mastrobuoni, L. *see* de Michelis, F. 85−57924
Mastrocinque, G. Feasibility of satellite tracking with a dual-wavelength laser ranging system 86−30892
Mastrocola, V. *see* Medley, S.S. 86−5098
Mastrogiovanni, G. *see* Candiani, A. 87−51615
Mastroianni, A.R. *see* Derkach, D.J. 85−61323
Mastroianni, G. *see* Criscuolo, G. 87−36674, 87−52082, 88−49737, 88−49764
Mastroianni, J.R. Automotive applications of silicon-based sensors 86−50082
Mastroianni, M.J., Tarplee, M.C., Gilbert, L. Vacuum pump fluids for semiconductor processing 86−28097
Mastromarco, V., Neureuther, A.R., Toh, K. Printability of defects in optical lithography: polarity and critical location effects 88−44714
Mastromattei, R. New step motor provides improved acceleration and step response 88−69430
Mastromattei, R. A step motor design with improved acceleration and step response 88−75661
Mastromauro, F. Electrical installations in the food industry 85−10292
Mastromauro, F., Tommazzolli, F., Vezzani, P. MV switchboards for industrial applications 86−19417
Mastromauro, F., Tommazzolli, F., Vezzani, P. Low-voltage panels for industrial installations 86−40319
Mastronardi, G. *see* Acciani, G. 86−49966
Mastropietro, M. *see* Baker, R.E. 85−31769
Mastropietro, M. *see* Boella, G. 86−50371
Mastroserio, C. *see* Galeone, L. 85−54385
Mastrototaro, J.J., Massoud, H.Z., Pilkington, T.C., Ideker, R.E. A VLSI approach for cardiac multielectrode probe fabrication 87−63795
Mastrovito, A. *see* Bragagnolo, J.A. 88−37519
Mastrovito, E. *see* Eriksson, H. 87−731
Mastrullo, R., Mazzei, P., Vanoli, R., Vigo, P. Hot-wire anemometer calibration at low air velocities with variable temperature 85−15085
Mastrullo, R. *see* Manca, O. 88−47468
Mastubara, I. *see* Sasaki, S. 88−55039
Mastui, O. *see* Miyatake, S. 87−34970
Mastumoto, H. *see* Sato, I. 87−14653
Mastyaev, N.Z., Tregubov, V.A., Shirinskii, V.S. Optimum design of armoured DC electromagnets 87−47116
Mastyev, N.Z., Morozov, V.G., Tregybov, V.A., Shirinskii, V.S. The properties of single-axis electromagnetic levitation with additional magnetisation 87−7510
Masubuchi, K. *see* Akiyama, I. 87−20972
Masubuchi, M., Kawatani, R. Feasibility of maximum energy converting control of an ocean wave energy converter 85−9792
Masubuchi, Y., Kawata, S. Numerical analysis of target implosion in LIB ICF 88−62490
Masubuchi, Y. *see* Fujiwara, C. 87−55385
Masubuchi, Y. *see* Kawata, S. 88−61013
Masubuchi, Y. *see* Miyata, M. 86−62555
Masud, J., Marshall, T.C., Schlesinger, S.P., Yee, F.G. Gain measurements from start-up and spectrum of a Raman free-electron-laser oscillator 86−48449
Masud, J., Marshall, T.C., Schlesinger, S.P., Yee, F.G. Regenerative gain in a Raman free-electron laser oscillator 88−2296
Masud, J., Marshall, T.C., Schlesinger, S.P., Yee, F.G., Fawley, W.M., Scharlemann, E.T., Yu, S.S., Sessler, A.M., Sternbach, E.J. Sideband control in a millimeter-wave free-electron laser 87−33222
Masud, J., Yee, F.G., Marshall, T.C., Schlesinger, S.P. A Raman FEL at 2 mm wavelength 87−2184
Masud, J. *see* Yee, F.G. 87−75143
Masud, M., Sait, S.M. Universal AHPL−a language for VLSI design automation 87−5741
Masuda, A. *see* Chayahara, A. 86−66857
Masuda, A. *see* Fujisawa, H. 87−72535
Masuda, C. *see* Takahashi, H. 86−24806, 86−42394, 87−14576
Masuda, E. Japanese telecommunications takes on a brand new look 86−37220

Masuda, E. Evaluation of traffic characteristics of $n\times 64$ kbit/s calls in a time division switching network satisfying the sequence integrity between n time-slots 88−8899
Masuda, H., Ichikawa, K., Ohsawa, T. Advanced data processing system for geostationary meteorological satellite (GMS) 88−23178
Masuda, H., Ishii, A., Yamamuro, H. A microcomputer-based differential pressure transmitter 86−5297
Masuda, H., Shimidzu, N., Ohno, S. Imaging system based on photoelectrochemical reactions on semiconductor electrode. III. Properties of Fe_2O_3/aromatic compound 87−20910
Masuda, H., Toyabe, T., Haguwara, T., Ushiro, Y. High-speed three-dimensional device simulator on a super computer: CADDETH 85−18276
Masuda, H., Toyabe, T., Shukuri, H., Ohshima, K., Itoh, K. A full three-dimensional simulation on alpha-particle induced DRAM soft-errors 86−46843
Masuda, H., Yasuda, K., Takeda, M., Yoshida, A. Preparation of ZnSe films by RF sputtering 88−31845
Masuda, H. *see* Aoki, Y. 86−58624, 87−59089
Masuda, H. *see* Enomoto, R. 88−61123
Masuda, H. *see* Fujimoto, J. 87−14763, 87−63627
Masuda, H. *see* Hasegawa, H. 87−18343
Masuda, H. *see* Imanishi, A. 88−61124
Masuda, H. *see* Lee, P.M. 88−39724
Masuda, H. *see* Matsuo, H. 85−23821, 87−53694
Masuda, H. *see* Nishihara, T. 87−8084
Masuda, H. *see* Ohgo, M. 87−60525
Masuda, H. *see* Ohkura, Y. 87−60457
Masuda, H. *see* Okita, T. 88−43411
Masuda, H. *see* Shiosaki, T. 88−16983, 88−54815
Masuda, H. *see* Shukuri, S. 85−1586, 85−35007
Masuda, H. *see* Suzuki, Y. 88−70344
Masuda, H. *see* Toyabe, T. 86−21475, 87−46012, 88−70779
Masuda, H. *see* Yasuda, K. 85−34475, 85−41272, 85−56439
Masuda, I., Nishio, Y., Ikeda, T. High-speed logic circuits combining bipolar and CMOS technology 85−28495
Masuda, I., Nishio, Y., Ikeda, T. High-speed logic circuits combining bipolar and CMOS technology 87−52503
Masuda, I., Sugimoto, N., Yamamoto, T. Development of a custom LSI for industrial data communication 85−12412
Masuda, I. *see* Akiyama, T. 85−36336
Masuda, I. *see* Amano, S. 88−45396
Masuda, I. *see* Hagita, N. 85−36331, 85−41897
Masuda, I. *see* Hotta, T. 87−5742, 87−18265, 87−59327, 88−38547
Masuda, I. *see* Ikeda, T. 87−60526
Masuda, I. *see* Kawashima, M. 87−59362
Masuda, I. *see* Kubo, M. 88−33289
Masuda, I. *see* Kuboki, S. 86−8184, 86−20436
Masuda, I. *see* Miura, H. 87−63172
Masuda, I. *see* Naito, S. 85−36333
Masuda, I. *see* Nishio, Y. 85−33858, 87−59378
Masuda, I. *see* Odaka, K. 86−49019
Masuda, I. *see* Ogikami, K. 86−62600
Masuda, I. *see* Ogiue, K. 86−46822, 87−10863, 87−17082
Masuda, I. *see* Takahashi, T. 85−36332
Masuda, I. *see* Tanaka, T. 88−41101
Masuda, I. *see* Watanabe, A. 88−7674
Masuda, J., Ohtake, M., Haneda, T. Improvement in steam generator level control 87−22085
Masuda, J. *see* Honjoh, K. 88−18807
Masuda, J. *see* Saitoh, M. 88−70709
Masuda, J. *see* Sudoh, Y. 87−73832 to 73833, 88−23544
Masuda, K. Transient probability of complete system failure for an electronic switching system 87−20340
Masuda, K. An approximate solution of call loss probability when call is congesting 87−55384
Masuda, K. Simulator for spaceplane 88−5042
Masuda, K. Transient probability of complete system failure for an electronic switching system 88−59356
Masuda, K., Lopes, M.I., Doke, T. Long term stability of collected charge in tetramethylsilane 88−16642
Masuda, K. *see* Crawford, H.J. 87−41859
Masuda, K. *see* Doke, T. 85−43166, 85−59174
Masuda, K. *see* Fuke, A. 86−68471, 87−33091, 88−8145, 88−14079, 88−51732, 88−72279
Masuda, K. *see* Fukuda, Y. 86−41115
Masuda, K. *see* Hashiba, A. 85−18001
Masuda, K. *see* Kawamata, F. 86−50476
Masuda, K. *see* Kohda, S. 87−10867
Masuda, K. *see* Koizumi, S. 87−34873
Masuda, K. *see* Lopes, M.I. 88−74746
Masuda, K. *see* Maeda, H. 85−53601
Masuda, K. *see* Murakami, K. 85−1269
Masuda, K. *see* Nakamoto, A. 85−59183, 87−8842
Masuda, K. *see* Ogiro, K. 87−13964
Masuda, K. *see* Ohmi, T. 88−19799
Masuda, K. *see* Ohnaka, S. 88−2430
Masuda, K. *see* Sakai, S. 86−11644
Masuda, K. *see* Shibamura, E. 88−4807
Masuda, K. *see* Suzuki, S. 86−44562, 86−50375
Masuda, K. *see* Takita, K. 85−18084, 86−8793, 86−8821, 86−47305, 87−45598, 87−60084
Masuda, M. A brief report of Japanese SMES 85−49131
Masuda, M. Superconducting energy storage equipment 86−19526
Masuda, M. The conceptual design and economic evaluation of utility scale SMES 87−36180
Masuda, M. Superconducting energy storage goes underground 87−51490
Masuda, M., Betsudan, S., Kobayashi, S. Design and characteristics of a large Ku/C-Band Earth Station Antenna 86−16041
Masuda, M., Okamoto, K., Nishijima, H., Ono, K., Otsubo, H., Ostuka, S. Picture in picture system with a digital memory for VCRs 88−15827
Masuda, M., Shintomi, T. Conceptual design of 5 GWh SMES 86−45730
Masuda, M., Shintomi, T. The conceptual design of utility-scale SMES 87−72461
Masuda, M. *see* Aizawa, I. 86−11303
Masuda, M. *see* Akazaki, M. 85−20773
Masuda, M. *see* Akutagawa, N.K.T. 87−40379
Masuda, M. *see* Hayakawa, K. 88−69716
Masuda, M. *see* Imaide, T. 87−41200
Masuda, M. *see* Ishiguro, M. 87−28721
Masuda, M. *see* Ito, A. 88−51242
Masuda, M. *see* Izawa, I. 87−74506
Masuda, M. *see* Kamiyama, H. 86−52873
Masuda, M. *see* Kurafuji, Y. 86−29602
Masuda, M. *see* Maruyama, T. 87−12283
Masuda, M. *see* Maryama, T. 88−15783
Masuda, M. *see* Masuoka, F. 86−46841
Masuda, M. *see* Matsuzawa, K. 88−60091
Masuda, M. *see* Nishina, M. 87−9959
Masuda, M. *see* Noda, S. 87−9700
Masuda, M. *see* Ohba, S. 86−5037
Masuda, M. *see* Ohkubo, M. 85−2496
Masuda, M. *see* Ohno, K. 86−54929
Masuda, M. *see* Shintomi, T. 85−5217, 87−78968
Masuda, M. *see* Shiomi, S. 86−28634
Masuda, M. *see* Urasaki, S. 87−49213
Masuda, M. *see* Yoshihara, T. 88−69717
Masuda, M. *see* Yoshino, S. 88−33499
Masuda, N., Hara, M., Yasutsune, S.I., Yao, K., Noda, Y., Maeda, H., Inoue, Y., Hiyoshi, K. Air conditioners controlled with power electronics modulated devices 85−49208
Masuda, N., Shichinoe, D., Hongo, K., Kanno, H., Nakao, Y. A signal processor for digital-audio compact discs 85−42795
Masuda, N. *see* Hamano, H. 87−10876
Masuda, N. *see* Hasebe, N. 86−68937
Masuda, N. *see* Hayashi, T. 85−54897, 86−34806, 88−6836
Masuda, N. *see* Kassai, M. 88−201
Masuda, N. *see* Nagano, K. 85−36843
Masuda, N. *see* Sato, T. 87−70841
Masuda, N. *see* Tanaka, H. 86−46740, 87−59496
Masuda, N. *see* Umemoto, Y. 86−63296, 88−38520
Masuda, N. *see* Yamashita, T. 88−61952
Masuda, R. Multi-functional optical proximity sensor by using phase information 86−38374
Masuda, R. Multifunctional optical proximity sensor using phase modulation 87−49693
Masuda, S. Environmental concerns in Japan on the use of coal for power generation 86−33097
Masuda, S. Applications of electrostatics in Japan 88−34217
Masuda, S., Akutsu, K., Kuroda, M., Awatsu, Y., Shibuya, Y. A ceramic-based ozonizer using high frequency discharge 86−42780
Masuda, S., Akutsu, K., Kuroda, M., Awatsu, Y., Shibuya, Y. A ceramic-based ozonizer using high-frequency discharge 88−50568
Masuda, S., Chikama, T., Onaka, H. Polarization-preserving fiber-optic 2×2 directional coupler 87−1961
Masuda, S., Chikama, T., Touge, T. Polarization preserving fiber-optic 2×2 directional coupler (PPFDC) 87−12173
Masuda, S., Hosokawa, S. Performance of two stage type electrostatic precipitators 85−2487
Masuda, S., Hosokawa, S. Pulse energization system of electrostatic precipitator for retrofitting application 85−24757
Masuda, S., Hosokawa, S., Nakatani, H. Corona transmission line energized by very short pulse voltages as applied in electrostatic precipitators 86−29314
Masuda, S., Hosokawa, S., Tachibana, N., Ando, T., Matsumoto, Y. Fundamental behaviors of direct-coupled submicrosecond pulse energization in electrostatic precipitators 86−42774
Masuda, S., Hosokawa, S., Tachibana, N., Ando, T., Matsumoto, Y. Fundamental behavior of direct-coupled submicrosecond pulse energization in electrostatic precipitators 87−39318
Masuda, S., Itagaki, T., Hosokawa, S., Kawahigashi, H. Detection of extremely small charged aerosol particles in nanometer size range 86−44299
Masuda, S., Itagaki, T., Kosakada, M. Detection and size measurement of extremely small particles in nanometer and ionic size ranges 87−38612
Masuda, S., Kashiwabara, T., Fujisawa, T. On single layer routing with no wires passing between adjacent pins 85−11730
Masuda, S., Kashiwabra, T., Fujisawa, T. An algorithm for finding a maximal subset of nets which is Manhattan wireable 86−62328
Masuda, S., Kashiwabara, T., Fujisawa, T. On single layer routing with no wires passing between adjacent pins 86−67576
Masuda, S., Kashiwabara, T., Nakajima, K., Fujisawa, T. On the NP-completeness of a computer network layout problem 87−69423
Masuda, S., Kiss, E. On streamer discharges in ceramic-based ozoniser using high frequency surface discharge 88−25764
Masuda, S., Kitamura, Y. A monolithic continuous-time low-pass filter 86−63465
Masuda, S., Kitamura, Y. Design consideration of monolithic continuous time filters 86−67348
Masuda, S., Kitamura, Y. Design consideration of monolithic continuous time filters 87−66331
Masuda, S., Kitamura, Y., Ohya, S., Kikuchi, M. CMOS sampled differential push-pull cascode operational amplifier 85−22688
Masuda, S., Koazechi, S., Furukawa, M., Takeda, K., Kitajima, F., Kimura, K. A CMOS analog and digital master slice LSI 88−7736
Masuda, S., Koazechi, S., Mizuta, T., Kimura, K., Matsumoto, K., Kitamura, Y. A CMOS analog and digital master slice LSI 87−60687
Masuda, S., Koizumi, S. Production of ozone by high-frequency surface discharge at low temperature under pressure 88−25854
Masuda, S., Nakao, H. Control of NO_x by positive and negative pulsed corona discharges 87−38605
Masuda, S., Nakatani, H., Hosokawa, S. Modification in waveform of traveling pulse voltages due to corona production along transmission line 85−51373
Masuda, S., Nakatani, H., Yamada, K., Arikawa, M., Mizuono, A. Production of monopolar ions by traveling wave corona discharge 85−2486
Masuda, S., Nonogaki, Y. Bipolar structure of a back-discharge field in an electrostatic precipitator 87−3563
Masuda, S., Sato, M., Seki, T. High efficiency ozonizer using travelling wave pulse voltage 85−29376
Masuda, S., Sato, M., Seki, T. High-efficiency ozonizer using traveling wave pulse voltage 87−11990
Masuda, S., Shishikui, Y. Production of monopolar ions from streamer coronas induced by very short pulse voltage 85−18503
Masuda, S., Wang, J.-Z. Ozone free ionizers for production of monopolar and bipolar ions 88−29897
Masuda, S., Washizu, M., Iwadare, M. Separation of small particles suspended in liquid by nonuniform travelling field produced by three phase electric curtain device 86−42808
Masuda, S., Washizu, M., Iwadare, M. Separation of small particles suspended in liquid by nonuniform traveling field 87−61340
Masuda, S., Washizu, M., Nanba, T. Novel method of cell fusion in field constriction area in fluid integrated circuits 88−29940
Masuda, S., Washizu, M., Nanba, T. Novel methods of cell fusion and handling using fluid integrating circuit 88−33329
Masuda, S., Wu, Y. Removal of NO_x by corona discharge induced by sharp rising nanosecond pulse voltage 88−25765
Masuda, S., Yoneda, S., Kasai, T. Sampled-data charge processor [MOS technology] 85−55960
Masuda, S. *see* Aoyagi, Y. 85−51181, 85−54444
Masuda, S. *see* Aoyama, M. 88−34254
Masuda, S. *see* Dubard, J.L. 87−75331
Masuda, S. *see* Fujikawa, K. 88−18231
Masuda, S. *see* Iiyama, H. 86−38342
Masuda, S. *see* Inoue, T. 86−1246, 86−41230, 86−57944, 86−67321, 87−24321
Masuda, S. *see* Kashiwabara, T. 86−63400
Masuda, S. *see* Lin, P.-F. 87−69431
Masuda, S. *see* Miyairi, S. 86−65770
Masuda, S. *see* Moon, J. 87−38609
Masuda, S. *see* Mori, T. 87−37636
Masuda, S. *see* Naclerio, N.J. 87−65708
Masuda, S. *see* Nakano, K. 88−35750
Masuda, S. *see* Nishikawa, H. 85−16434
Masuda, S. *see* Nozaki, I. 87−61085
Masuda, S. *see* Oda, T. 88−14363, 88−55174
Masuda, S. *see* Rim, C.S. 88−31948
Masuda, S. *see* Tabata, V. 85−19083
Masuda, S. *see* Takagi, K. 86−14562, 87−1032, 88−25571
Masuda, S. *see* Washizu, M. 88−64688
Masuda, T. Interface device which displays the propagation of motor unit action potentials on a television screen 86−5950
Masuda, T. A reliable myoelectric signal detector based on the propagation characteristics of motor unit action potentials 87−4000

Masuda, T., Abe, N. Going beyond the VPS system to eliminate faulty soldering 87−43976
Masuda, T., Anbe, Y., Abe, N. Vapor phase soldering system: used more for high density mounting requirements 87−6227
Masuda, T., Imai, H., Korenaga, S. Status of a potassium vapor turbine power generation technology 86−25848
Masuda, T., Kajitani, M. Automatic calibration system for angular encoders 87−34903
Masuda, T., Kajitani, M. Error correction recording method for rotary magnetic scales 88−16449
Masuda, T., Miyano, H., Sadoyama, T. The position of innervation zones in the biceps brachii investigated by surface electromyography 85−38148
Masuda, T., Miyano, H., Sadoyama, T. A surface electrode array for detecting action potential trains of single motor units 86−5940
Masuda, T., Miyoshi, M. Visual information system with liquid-crystal TV door-phone for apartment houses 87−49365
Masuda, T., Negishi, A., Tanaka, K. Review of the sodium thermoelectric converter for aerospace power 87−42120
Masuda, T., Negishi, A., Tanaka, K. Solid thermoelectric converter 88−18089
Masuda, T., Yamada, O., Hamada, A. Two-wire remote control wiring devices with new multiplex transmission 87−64148
Masuda, T. *see* Fujiyama, Y. 85−52242
Masuda, T. *see* Hiroki, F. 87−21279
Masuda, T. *see* Ishii, H. 87−44169
Masuda, T. *see* Kajitani, M. 88−28004
Masuda, T. *see* Kunimoto, A. 88−51209
Masuda, T. *see* Matsuda, J. 86−67627, 87−60042, 87−68725
Masuda, T. *see* Matsushita, N. 88−27369
Masuda, T. *see* Nakajima, A. 87−4646
Masuda, T. *see* Ohsawa, N. 87−21058
Masuda, T. *see* Sadoyama, T. 85−64594
Masuda, T. *see* Tada, M. 87−44165
Masuda, T. *see* Uchida, S. 88−5435
Masuda, W., Maeda, Y., Shirafuji, Y. Subsonic multiple-jet aerodynamic window 85−51225
Masuda, W., Ogawahara, N., Tohyama, M. Gain characteristics of a supersonic flow CO chemical laser 87−61088
Masuda, W., Shirafuji, Y., Maeda, Y. Basic characteristics of a subsonic aerodynamic window 85−62640
Masuda, W., Yamada, H. Theoretical analysis of a 16 μm CO_2 downstream mixing gasdynamic laser 86−3079
Masuda, W., Yamada, H., Ogawahara, N. Numerical simulation of an N_2O downstream mixing gasdynamic laser 87−18881
Masuda, W., Yamada, H., Yamane, M. Gain characteristics of an N_2O gasdynamic laser 85−62506
Masuda, W. *see* Kanazawa, H. 85−2209, 86−3088
Masuda, W. *see* Tanji, M. 85−52548
Masuda, Y. Electro-optic properties of PLLZT ceramics 86−2464
Masuda, Y. Range limitation in the measurement of atmospheric wind and temperature by radio acoustic sounding system (RASS) 87−42235
Masuda, Y. Remote sensing of atmosphere by the use of acoustic waves 88−30161
Masuda, Y., Hiramatsu, S., Isagawa, S., Ishida, M., Ishikawa, Y., Ishimoto, S., Kohgi, M., Masaike, A., Morimoto, K., Nakajima, T. Dynamically polarized proton filter for a low energy neutron polarizer 87−3861
Masuda, Y., Ishimoto, S., Ishida, M., Ishikawa, Y., Kohgi, M., Masaike, A. Dynamically polarized proton filter as a neutron-spin polarizer using a ^{3}He-^{4}He heat exchanger 88−29752
Masuda, Y., Matsuda, M., Yokoyama, R. 100 MHz logic analyzer SL-4121 and its applications 88−9911
Masuda, Y., Yamazaki, T., Outa, Y., McCormick, M.E. Study of backward bent duct buoy [wave power generation] 88−43091
Masuda, Y. *see* Adachi, T. 87−35337
Masuda, Y. *see* Ando, E. 85−26406, 87−7181, 87−35152
Masuda, Y. *see* Ichijo, B. 87−14458
Masuda, Y. *see* Ishida, M. 86−56068
Masuda, Y. *see* Kazutoshi Sawada 86−31512
Masuda, Y. *see* Kitayama, Y. 88−67392
Masuda, Y. *see* Lin, B. 88−22144
Masuda, Y. *see* Matsubara, I. 86−56448, 88−53315
Masuda, Y. *see* Matuura, N. 86−23989
Masuda, Y. *see* Motohara, A. 88−70723
Masuda, Y. *see* Onodera, T. 88−18925
Masuda, Y. *see* Sawada, A. 85−37790
Masuda, Y. *see* Shimizu, K. 86−60196
Masuda, Y. *see* Sugawara, N. 86−43421
Masuda, Y. *see* Takahashi, K. 87−56261, 88−4098
Masuda, Y. *see* Tsujino, J. 86−18627
Masudome, K. Automatic microwave oven MC-6000 GS 86−66494
Masugata, K. *see* Kawano, Y. 88−62499
Masugata, K. *see* Matsuzawa, T. 86−25084
Masugata, K. *see* Nakamura, S. 85−15119
Masugata, K. *see* Yoshikawa, T. 85−15154, 85−20803
Masugi, M. Intelligent recorder: all functions microprocessor-controlled 87−49809
Masuhara, H. *see* Hiraoka, H. 88−39334
Masuhara, T. *see* Ando, H. 86−5045
Masuhara, T. *see* Aoki, M. 86−47858, 87−32691, 87−32694, 88−7610
Masuhara, T. *see* Hanamura, H. 86−67980
Masuhara, T. *see* Hanamura, S. 86−8192, 87−31806, 87−59499
Masuhara, T. *see* Minato, O. 85−28528, 87−59503
Masuhara, T. *see* Shibata, S. 85−33911
Masuhara, T. *see* Yamamoto, S. 86−14219, 86−20532
Masuhara, T. *see* Yano, K. 87−25329, 88−19985
Masui, H. *see* Itoh, S. 86−11304
Masui, H. *see* Iwai, T. 88−45132
Masui, H. *see* Narikawa, T. 85−570
Masui, J. *see* Takeda, K. 86−19801
Masui, K. Transformer coupling circuit for wire spark erosion without electrolytic affection 86−40327
Masui, K. High resolution thermal print head 87−74439
Masui, K. *see* Kawaguchi, T. 88−26039
Masui, K. *see* Kojima, T. 85−40118
Masui, M., Nagasaka, H. Effect of elongation on electrical conduction of polyethylene 88−51088
Masui, M. *see* Zahn, M. 87−43171
Masui, R., Takanaka, M. High accuracy density measurements and the present state of the density standards 87−63539
Masui, T. Proposition for improvement of SI 85−42828
Masui, T., Niimi, F., Iwase, M. A new approach to design for testability in an LSI logic synthesis system 86−27265
Masui, T. *see* Abe, T. 85−50401, 86−21119
Masui, T. *see* Kawai, M. 86−21695, 86−65121
Masui, T. *see* Okamoto, Y. 86−39313
Masui, T. *see* Tanaka, H. 87−48516
Masui, T. *see* Yoshitoshi, H. 86−39308
Masuishi, T. *see* Watanabe, T. 87−5844
Masukawa, S. *see* Miyairi, S. 86−45559, 87−15867
Masukawa, T., Nakabayashi, H. Applications of smart transmitters 87−35037
Masuko, H., Okamoto, K., Inomata, H., Shimada, M., Yamada, H., Niwa, S. Development and experiment of airborne microwave rain-scatterometer/radiometer system. IV. Microwave backscattering experiment of ocean surface 87−15068
Masuko, H., Okamoto, K., Yoshikado, S., Takasugi, T., Shimada, M., Yamada, H., Niwa, S. Measures of microwave back-scattering signatures of the ocean surface using X-band and Ka-band airborne scatterometer/radiometer system 86−6134
Masuko, H. *see* Fujita, M. 86−6119, 87−15067, 87−71317
Masuko, H. *see* Kozu, T. 88−4113
Masuko, H. *see* Miyata, Y. 85−51321
Masuko, H. *see* Okamoto, K. 87−15065, 87−15069
Masuko, H. *see* Okuyama, T. 88−53362
Masuko, H. *see* Yoshikado, S. 87−15066
Masuko, K. *see* Nagahashi, H. 85−57515
Masuko, M., Teraoka, M. Data processing and communication system for meteorological observation 86−37256
Masuko, S. Explosion-proof instrumentation from an engineering viewpoint 88−35771
Masuko, S., Kasahara, S. Utilization of a computer using programless language for radiation protection management 86−25333
Masuko, T., Satoh, Y., Hirama, M., Ohtsubo, A. Perpendicular oriented coated media with Fe fine particles 86−9407
Masuko, T., Satoh, Y., Hirama, M., Ohtsubo, A. A perpendicularly oriented coating of rice shaped iron particles 86−28682
Masuko, T. *see* Nagata, H. 88−28627
Masuko, T. *see* Ohtsubo, A. 85−18561, 87−25808, 87−46369, 88−51306
Masuko, Y. *see* Fujio, T. 85−20351
Masuko, Y. *see* Matsushita, M. 85−20166
Masulli, F. *see* Scotto, M. 88−36407
Masullo, M.R. *see* Ambrosio, M. 86−58949, 87−2166, 87−2173
Masullo, M.R. *see* Barbarino, G.C. 86−58951
Masullo, M.R. *see* Biagini, M. 85−56711
Masullo, M.R. *see* Patteri, P. 87−75176
Masullo, P.G. *see* Barbaliscia, F. 88−17474 to 17475
Masum Choudhury, A.N.M., Armiento, C.A. Formation of *p*-type GaAs layers using Mg^+ implantation and capless rapid thermal annealing 87−25068
Masum Choudhury, A.N.M., Armiento, C.A. Formation of device quality p-type layers in GaAs using co-implantation of Mg^+ and As^+ and capless rapid thermal annealing 88−44649
Masum Choudhury, A.N.M., Oren, M., Rothman, M.A., Shastry, S.K. A simple open-tube Zn-diffusion technique for GaAs and AlGaAs 88−12945
Masum Choudhury, A.N.M. *see* Oren, M. 87−60357
Masum Choudhury, A.N.M. *see* Yacobi, B.G. 88−50747
Masumder, J. *see* Li Lijun 88−27341
Masumi, T. *see* Murakami, M. 88−42222
Masumoto, H., Murakami, Y. Magnetic properties of high permeability alloys 'hardperm' in the Ni-Fe-Nb-Ta system 86−21948
Masumoto, H., Sakurai, Y., Kimura, H., Ogushi, T., Kanomori, Y. Active thermal control of an artificial satellite 88−10466
Masumoto, H. *see* Watanabe, K. 85−46015
Masumoto, K. *see* Mochizuki, K. 86−66800, 86−67688, 87−68513, 88−43856
Masumoto, M. *see* Yamashita, T. 86−47258
Masumoto, R. *see* Conway, J. 85−28441
Masumoto, R.T. Configurable on-chip RAM incorporated into high speed logic array 86−1064
Masumoto, S. *see* Itoh, H. 87−63681
Masumoto, T. *see* Kunimoto, A. 88−51209
Masumoto, T. *see* Minakawa, S. 88−57913
Masumoto, T. *see* Naohara, T. 88−64909
Masumoto, T. *see* Tsutsumi, M. 85−23143
Masumoto, T. *see* Zhang, J. 88−64904
Masumoto, Y., Shionoya, S., Okamoto, H. Ultrafast relaxation of excitons in GaAs-AlAs multi-quantum-well structures studied by resonant Rayleigh-type optical mixing 85−41472
Masumoto, Y., Tarucha, S., Okamoto, H. Tunneling dynamics of photogenerated carriers in semiconductor superlattices 86−47351
Masumoto, Y. *see* Hayashi, T. 85−9297, 86−55284, 88−36625
Masumoto, Y. *see* Hirao, K. 86−65480
Masumoto, Y. *see* Itoh, T. 86−44730
Masumoto, Y. *see* Yamashita, F. 87−70005
Masumura, S. *see* Arai, J. 87−77909
Masumy, S.A. *see* Joos, K. 88−20837
Masunaga, H., Ashida, M., Ishii, J. Gate array technology 85−61193
Masunaga, H. *see* Ohno, K. 86−895
Masung, L.S. *see* Gloeckler, G. 85−53162
Masuno, H. *see* Matsumoto, H. 85−57748
Masuo, K. *see* Kondo, M. 85−55211
Masuo, K. *see* Shimakawa, T. 85−38106, 87−8885
Masuo, R. *see* Maeda, C. 86−11758
Masuo, Y., Hotta, Y. Miniature capacity cast resin transformer 87−37610
Masuo, Y. *see* Haruta, Y. 87−71653
Masuo, Y. *see* Onishi, H. 85−39064
Masuoka, E.J. *see* Labovitz, M.L. 87−57421
Masuoka, F., Ariizumi, S., Iwase, T., Ono, M., Endo, N. An 80 ns 1 Mbit MASK ROM with a new memory cell 85−22880
Masuoka, F., Asano, M., Iwahashi, H., Komuro, T., Tanaka, S. A new flash E^2PROM cell using triple polysilicon technology 85−49881
Masuoka, F., Asano, M., Iwahashi, H., Komuro, T., Tanaka, S. A 256K flash EEPROM using triple polysilicon technology 86−8253
Masuoka, F., Asano, M., Iwahashi, H., Komuro, T., Tozawa, N., Tanaka, S. A 256-kbit flash E^2PROM using triple-polysilicon technology 87−66169
Masuoka, F., Momodomi, M., Iwata, Y., Shirota, R. New ultra high density EPROM and flash EEPROM with NAND structure cell 88−38538
Masuoka, F., Ochii, K., Masuda, M., Kobayashi, K., Kondo, T. A new high density full CMOS SRAM cell using polysilicon interconnection structure 86−46841
Masuoka, F. *see* Ariizumi, S. 87−17069
Masuoka, F. *see* Horiguchi, F. 86−8261, 87−17066, 88−38525
Masuoka, F. *see* Ochii, K. 86−14222
Masuoka, F. *see* Segawa, M. 87−17077
Masuoka, F. *see* Shirota, R. 88−70781
Masuoka, J. *see* Imazu, Y. 87−28949
Masurel, C. *see* Brillouet, M. 87−67522
Masurenko, I.P. *see* Tsvetyanskii, V.L. 86−52552
Masurier, D.W.le *see* le Masurier, D.W.
Masursky, H. *see* Strobell, M.E. 88−15582
Masut, R.A., Roth, A.P., Dubowski, J.J., Lenchyshyn, L.C. Characterisation of CdTe/GaAs heterojunctions with photovoltage measurements 87−11412
Masut, R.A., Sacilotti, M.A., Roth, A.P., Williams, D.F. InP (and GaAs) substrate stabilization by the presence of GaAs (and InP) in a metal-organic vapour-phase epitaxy system 88−31741
Masut, R.A. *see* Roth, A.P. 87−254, 87−11404, 88−32837
Masut, R.A. *see* Sacilotti, M. 86−35570
Masutani, M., Takagaki, N. Infrared zoom lens 87−33022
Masuya, H. *see* Awano, H. 88−44951
Masuya, H. *see* Tanaka, T. 87−18483, 88−26680
Masuya, H. *see* Yazawa, K. 85−18541
Masuya, S. *see* Terada, K. 88−6052
Masuyama, A. *see* Komuro, S. 85−1275
Masuyama, A. *see* Ochiai, Y. 85−40617, 86−35588, 86−67817, 87−38400
Masuyama, A. *see* Shiokawa, T. 86−21405

Masuyama, F., Setoguchi, K., Haneda, H., Nanjo, F. Findings on creep-fatigue damage in pressure parts of long-term service-exposed thermal power plants 86−33087
Masuyama, H. Fault-tolerant ability to double-node failures in double-loop computer networks 86−69428
Masuyama, H. An algorithm to obtain test data by path analysis 87−23504
Masuyama, H. Fault-tolerant ability to multi-node failures in double-loop computer networks 87−55793
Masuyama, H. Properties of personal identification systems using question-answer technique 88−2963
Masuyama, H. Multi-node failures in double-loop computer networks 88−35130
Masuyama, H. A study of parallel data transmission in double-loop computer networks with multi-node failures 88−59689
Masuyama, H., Ichimori, T. Optimum set of paths which pass all arcs of a graph 86−40631
Masuyama, I., Takumi, K., Jincho, M., Matsushima, Y., Iida, K. Evaluation of the parameters of ultrasonic inspection in ISI 86−18991
Masuyama, K., Hikasa, S. Office information communication network (KOINS) 88−9140
Masuyama, K. *see* Suzuki, Y. 86−1398
Masuzaki, M. *see* Kawasaki, S. 85−13022
Masuzawa, H., Ichino, Y., Chino, R. Accelerated test method for false alarm characteristics of auto-alarm receivers 86−26572
Masuzawa, H. *see* Tejima, T. 88−36171
Masuzawa, S., Izumi, T., Nakagawa, Y., Takahara, H., Kishioka, S., Mizutani, H., Miyazaki, H., Mori, K. Integrated communication network, 'Sharp Super Network' 87−69520
Masuzawa, T., Hagihara, K., Tokura, N. An optimal time algorithm for the k-vertex-connectivity unweighted augmentation problem for rooted directed trees 87−44125
Masuzawa, T., Hagihara, K., Wada, K., Tokura, N. The optimal time algorithm for the k-node-connectivity augmentation problem for directed ternary trees 85−54286
Masuzawa, T., Yamaguchi, M., Hagihara, K., Tokura, N. Communication-time tradeoffs for the k-dimensional grid computation DAG 86−30386
Masuzawa, T. *see* Hagihara, K. 86−69720
Masuzuka, N., Koike, S., Yoshida, N., Fukai, I. Transient analysis of three-dimensional electromagnetic field in through-hole 88−7141
Maswood, A.I. *see* Rashid, M.H. 86−45573, 86−57648, 87−43244, 88−69493
Masychev, V.I. Electrochemically tunable sealed-off CO-CO$_2$ laser 88−72278
Masychev, V.I., Sysoev, V.K. Spectral characteristics of sealed CO lasers with various isotope concentrations and room temperature cooling 85−2224
Masychev, V.I. *see* Abakumov, A.O. 86−50629, 86−70431
Masychev, V.I. *see* Aleinikov, V.S. 85−31870, 86−28855, 86−29062 to 29063, 86−63762, 88−68464
Masychev, V.I. *see* Alejnikov, V.S. 85−62335
Masychev, V.I. *see* Andreev, Yu.M. 86−22524
Masychev, V.I. *see* Artyushenko, V.G. 86−2749
Masychev, V.I. *see* Baikalov, P.I. 86−9519
Masychev, V.I. *see* Dianov, E.M. 86−22165
Masychev, V.I. *see* Vasil'ev, A.V. 86−9908
Masychev, V.J. *see* Artjushenko, V.G. 85−7233
Masyukov, V.A. Determination of the internal parameters of a two-section laser 85−2369
Masyurenko, Yu.A. *see* Nizhenskii, A.D. 85−20272
Masyutin, A.A. *see* Kludzin, V.V. 87−26111
Masyutina, N.S. *see* Zhul'kov, N.I. 85−15841
Maszara, W., Carter, C., Rozgonyi, G.A. Techniques for structural evaluation and delineation of shallow layers in Si VLSI substrates 85−23423
Maszara, W., Carter, C., Sadana, D.K., Liu, J., Ozguz, V., Wortman, J., Rozgonyi, G.A. Influence of rapid thermal annealing on shallow BF$_2$ implantation into pre-amorphized silicon 85−12159
Maszara, W., Sadana, D.K., Rozgonyi, G.A., Sands, T., Washburn, J., Wortman, J.J. Dynamic annealing phenomena and the origin of RTA-induced 'hairpin' dislocations 86−9003
Maszara, W. *see* Rozgonyi, G.A. 85−40833
Maszara, W. *see* Salih, A.S.M. 86−28114
Maszara, W.P., Rozgonyi, G.A. Kinetics of damage production in silicon during self-implantation 87−11602
Maszara, W.P., Rozgonyi, G.A., Simpson, L., Wortman, J.J. Temperature dependent amorphization of silicon during self-implantation 87−6554
Maszara, W.P., Todd, L.T., Jr. Optical properties of cathodochromic powder screens 85−62277
Maszczak, M. *see* Albanese, A. 88−51872
Mata, J. *see* Barreiro, F. 87−63633, 88−42414
Mata, J.M., Vijayan, G. Design and implementation of a procedural VLSI layout system 87−67511
Mata, J.Monteiro de *see* Monteiro de Mata, J.
Mata, N.H. *see* Moiola, J.L. 88−44090
Mata, R. *see* Matthews, L. 87−3610
Mata Medeiros Branco, T.da *see* da Mata Medeiros Branco, T.
Mata Mendez, O. *see* Maystre, D. 85−37011
Matachi, A. *see* Kuriki, S. 88−71978
Matachi, A. *see* Watanabe, M. 88−51384
Matacotta, F.C., Olzi, E., Cimberle, M.R., Ferdeghini, C., Siri, A., Rizzuto, C. High temperature superconducting materials 88−1894
Matacotta, F.C. *see* Barone, A. 88−7827
Matacotta, F.C. *see* Olzi, E. 86−47992
Mataga, P.A., Hutchinson, J.W., Chalmers, B., Bell, R.O., Kalejs, J.P. Effects of transverse temperature field nonuniformity on stress in silicon sheet growth 87−44287
Matair, S., Ramakrishnan, S. Stability study of an inverter controller for an MHD generator 85−16259
Mataix, J., de la Puente, J.A. Local area computer networks for industrial process control 87−13397
Matakov, V.I., Moskvichev, V.A. Subnanosecond fast-electron-beam generator 86−70309
Matal, O., Klinga, J., Varvarovsky, F., Zachar, J., Fratric, D. New Czechoslovak detector of leaking condenser tubes, applicable during both shutdowns and operation at reduced power of the power-production unit 87−35729
Matal, O., Kugler, V., Lochman, K., Martoch, J., Simo, T., Konarik, M., Sobotka, J., Tomes, V. Second Czechoslovak experimental steam generator 30 MW heated by liquid sodium. I. Design, assembly and putting into operation at BOR 60 87−42605
Matal, O., Lochman, K., Simo, T., Plsek, J., Konarik, M., Sobotka, J., Tomes, V. Thermal and hydraulic characteristics of the second Czechoslovak experimental 30 MW steam generator heated by liquid sodium 87−50963
Matal, O., Rybak, M., Sivek, J., Urbanek, M., Bahovec, J., Konarik, M., Sobotka, J. Algorithms for operational diagnostics of steam generators and volume compensators of the VVER type 87−15429
Matal, O., Urbanek, M., Rybak, M., Vorel, L., Grygar, J., Klimes, P., Hlinka, S. Steam generators and pressurizer diagnostic subsystems of the 1st and 2nd Unit of the nuclear power plant in Dukovany 88−55149
Matalon, E. *see* Agrawal, S. 88−9012
Mataloni, P. *see* Clementi, C. 86−63765
Mataloni, P. *see* Giacomini, S. 88−2194
Matanabe, T. *see* Abe, K. 88−16629
Matanic, D. World development in boiler manufacture and its effects on TPP construction in Yugoslavia 85−38812
Matano, M. *see* Yamashita, T. 85−35563
Matar, M.A., Maral, G. Digital PLL for non-harmonic signals 86−845
Matar, M.A. *see* El Mogahazy, A. 85−51654
Matar, M.A. *see* Mitkees, A. 85−36135
Matare, H.F. Carrier transport at grain boundaries in semiconductors 85−11875
Matare, H.F. Grain-boundary space-charge conduction 86−21100
Matare, J., Lenz, K. Efficient communications with a Teletex branch exchange 87−20119
Matarese, G. *see* Rogelstad, T. 85−54507
Matarese, J.R., Prange, M.D., Toksoz, M.N. Topographic correction of radar images 88−10536
Matarranz, A. *see* Leon, G. 88−3413
Matasic, J. Service and maintenance functions in the system ASB 501 88−3729
Matatko, B. *see* Pincik, E. 88−50677
Matausek, M. *see* Milisavljevic, B. 86−19268
Matbouly, S.A. *see* El-Khamy, S.E. 88−2587
Matchak, T. *see* Gluckman, M.J. 85−21442
Matchett, N. *see* Lipner, S.B. 86−23490
Matchett, N.D. The exploitation of unsecured and secured systems and what can be done about it 88−23227
Matczak, M.J. Single-hologram method for evaluating displacement field 88−8322
Matczak, M.J. Direct holographic determination of the rotation and strain fields by means of the fringe visibility method 88−8323
Matczak, M.J. Holographic determination of the surface shape by means of the fringe visibility method 88−8324
Matczak, M.J. Holographic fringe-contrast interferometry 88−72444
Mate, A., Nevai, P., Totik, V. Necessary conditions for weighted mean convergence of Fourier series in orthogonal polynomials 86−62092
Mate, E. Computer-aided isotope diagnostics 87−50287
Mate, J. Illumination in art gallery with metal-halide lamps 85−16377
Mate, J.-L. Specific microcontroller and integrated power technology: two revolutions in service integration of automobile electronic systems 88−18190
Mate, L. *see* Martinez, V. 88−62935
Mate, L.L. CAD Tool-Manager: an alternative system structure in electronic CAD 88−24888
Mate, L.L. *see* Sziray, J. 88−25081
Mateer, J.S. *see* Anderson, W.T., Jr. 85−23788
Mateescu, A., Popescu, V. Some criteria for equalization in data transmission over optical fiber systems 87−3206
Mateescu, S. *see* Comanescu, N. 88−62544
Mateeva, T., Sharlandjiev, P. The generation of a wigner distribution function of complex signals by spatial filtering 86−37136
Mateeva, T., Stoyanova, K. An astigmatic holographic optical element for parallel multichannel information processing 85−35902
Mateeva, T. *see* Sharlandjiev, P. 85−62686
Mateeva, Ts. *see* Sharlandjiev, P. 85−62683
Mateichenko, V.I. *see* Muravin, K.V. 86−36668
Mateicius, A. *see* Hrdy, V. 85−51997
Mateika, D. Substrates for epitaxial garnet layers: crystal growth and quality 85−54437
Mateika, D. *see* Haisma, J. 87−58940, 88−24713
Matej, S. Fast transform methods of image reconstruction from projections and their parallel implementation on SIMD-type computer 88−14834
Matejka, F. Type BQDV mixed-flow pump with control of operating parameters 88−43093
Matejka, F., Slais, J. Accelerated electric ageing of the insulation by increased voltage and frequency 87−18418
Matejka, R. *see* Marik, J. 88−66903
Matejka, T.J. *see* Atlas, D. 85−64737
Matejka, V. *see* Sieklik, J. 86−23674
Mateljan, T. *see* Corda, J. 87−22294, 88−17574
Matelska, M. Controlling software for system of ECTT exchanges 87−20362
Matelska, M., Kawolski, L., Lipowiec, C. Realization of services proffered by a telegraph-information science electronic exchange 87−20363
Maten, E.J.W.ter *see* ter Maten, E.J.W.
Mateos, F., Pastor, C., Fimia, A. Conditions to obtain holographic gratings with the photoresist AZ-1350 J 85−56871
Mateos, F. *see* Oliva, J. 86−36605
Mateos, J. *see* Gonzalez, A. 88−18276
Mateosian, R. The NS 32000 microprocessor family 85−797
Mateosian, R. NS32032 design decisions 85−854
Mateosian, R. Elegant peripheral support for NS16000 CPUs 85−11132
Mateosian, R. The virtual memory of the NS/32000 family of microprocessors 85−11274
Mateosian, R. NS32032: elegant guys finish first 85−11328
Mateosian, R. NS32032 bus use—a series 32000 system-friendly feature 85−11339
Mateosian, R. The NS16000 peripheral family 85−17245
Mateosian, R. NS16000: high level computation for personal computers 85−17248
Mateosian, R. NS16000; elegant memory management 85−17429
Mateosian, R. The NS16000 microprocessor family 85−17490
Mateosian, R. NS32032: 32-bit architecture, implementation, and memory bus 85−17527
Mateosian, R. Series 32000: a complete package of parts and support 85−45100
Mateosian, R. Distributed processing in Series 32000 systems design 85−45106
Mateosian, R. NS 32000—microprocessor family with elegant memory management 85−49911
Mateosian, R. NS32032: the 32-bit CPU of National's series 32000 family 86−27373
Mateosian, R., Montanari, R. Peripherals of the NS 16000 family 85−6352
Matera, F., Wabnitz, S. Nonlinear polarization evolution and instability in a twisted birefringent fiber 86−63669
Matera, F., Wabnitz, S. Polarisation evolution and instability in a twisted birefringent or spun nonlinear optical fiber 88−65227
Matera, F. *see* Andresciani, D. 88−1999, 88−45150
Matera, M., Buffa, R., Burlamacchi, P., Fini, L., Salimbeni, R. High repetition rate operation of a closed-cycle rare-gas halide laser 85−29777
Matera, M., Buffa, R., Fini, L., Salimbeni, R. Optical diagnostics in high power gas flow excimer lasers 86−15647
Matera, M., Burlamacchi, P., Buffa, R., Conforti, G., Fini, L., Salimbeni, R. A 1 kHz high power rare gas halide discharge laser 86−9769
Matera, M. *see* Buffa, R. 86−58897
Matera, M. *see* Pini, R. 86−15793
Materassi, A. *see* Benincasa, F. 87−15047
Materka, A., Kacprzak, T. Computer calculation of large-signal GaAs FET amplifier characteristics 85−33686
Materlik, G. *see* Buras, B. 86−60538
Materlik, G. *see* Funke, P. 86−60698
Materna, D.M., Ferendeci, A.M., Bhasin, K.B. Design of a GaAlAs travelling wave-Mach-Zehnder electro-optic modulator 88−51566
Materna, P. Design considerations for forced-flow superconductors in tokamak toroidal-field coils 85−1931
Materna, P. Comprehensive design procedure and spreadsheet for internally cooled cabled superconductors 85−56248
Materna, P., Chrzanowski, J., Homan, F. Passive coil system for PBX-M 88−65997

Materna, P. *see* Loesser, D. 85−2505
Materna, P. *see* Zatz, I.J. 85−2504
Maternia, Z., Slowko, W. Measurement methods of a low energy electron gun 86−21008
Maternia, Z., Slowko, W. Investigation of low energy electron gun with electrodes of flat, spherical and conical shapes 86−21009
Matershev, Yu.V. *see* Atakulov, Sh.B. 86−42401
Matersteck, K.E., DeMayer, B.R., Krause, P., Iffland, F.C., Heinmiller, W. Implementing the Illinois Bell/McDonald's ISDN trial: a technical overview 87−69543
Materu, P., Krishnan, R., Farzenehfard, H. Steady state analysis of the variable speed switched reluctance motor drive 88−43423
Materu, P. *see* Krishnan, R. 88−43176
Materu, P. *see* Tsai, F. 87−78795
Mates, P., Guldan, A., Bugar, J. A standard for controlling sensor tips of contact profile meters 87−70797
Matesi, D.V. *see* Harris, G.F. 88−42514
Matesi, D.V. *see* Weber, R.C. 88−48098
Matesich, A. *see* Lo, P. 87−21002
Mateu, A.J. Developing reliable and maintainable mil spec power supplies 87−59174
Mateu, G. *see* Campus, A. 86−2454
Matevosyan, A. Fast Fourier transform: matrix- and algebraic approaches 87−31468
Matevosyan, K.A. *see* Kanayan, S.N. 86−23593
Matevosyan, L.A. *see* Avdzhyan, K.E. 88−63369
Matevosyan, N.P. *see* Kanayan, S.N. 86−16818, 87−48482
Matevosyan, S.S., Khachatryan, D.M. Wideband quartz-crystal synchronization of microwave generators 88−70588
Matey, G., Umpleby, D. The development of a water tree retardant XLPE insulation 86−53857
Matey, G. *see* Campus, A. 85−15613, 85−54567
Matey, G. *see* de Bellet, J.J. 87−53760
Matey, G. *see* Filippini, J.C. 87−25643
Matey, J.R., Crandall, R.S., Brycki, B., Briggs, G.A.D. Bimorph-driven *x-y-z* translation stage for scanned image microscopy 87−46281
Math, N.N. *see* Savadatti, M.I. 87−39023
Mathad, G.S. Review of single wafer reactor technology for device processing 85−50428
Mathad, G.S. High/low pressure, high plasma density reactor technology: a comparison 88−13156
Mathad, G.S. *see* Chen, L. 85−11797
Mathaei, G.L. *see* Ikalainen, P.K. 86−58033
Mathai, A.M. *see* Kounias, S. 88−43812
Mathai, T. The world at your fingertips: Western Union's value-added services 85−19848
Mathams, R.F. *see* Coates, R. 88−30195
Mathana, T.M. *see* Gohar, M.K. 87−15298
Mathar, R. A note on the maximum points of the minimum of quasiconvex functions 86−19964
Matharu, P.S., Lawson, S.S. VLSI implementation of high speed digital filters 87−45120
Mathauer, V. Optimal picture representation. Btx coupled with video 87−27986
Mathavan, S.K. *see* Arpa, J. 85−65091
Mathay, L. Compiled RAM for expandable ASIC designs 88−19126
Mathay, L. Design of an expansible RAM 88−50138
Mathe, B., Panaite, V. Increase of the electric cable security by reliability tests 86−18826
Mathe, B. *see* Ghita, T. 87−50805
Mathe, B. *see* Onu, V. 88−55555
Mathe, J. *see* Haraszti, A. 86−31133
Mathe, S.S. *see* VanderLugt, A. 85−12681
Matheisel, Z. *see* Wilczynski, W. 85−8942
Matheisel, Zb. Electrical steel for the magnetic circuits of AI series induction motors developed in Poland 85−43995
Matheisen, A. Test results of the Dornier single cell cavity 88−54156
Matheisen, A. *see* Bensiek, W. 87−41695
Mathena, B.M. *see* Seiler, M.R. 85−2693
Mather, B.C. *see* Jenkins, W.K. 86−16566
Mather, B.C. *see* Munson, D.C., Jr. 86−17433
Mather, J.C. Electrical self-calibration of nonideal bolometers 85−3983
Mather, J.C. Making good solder joints 86−66609
Mather, J.C., Jennings, D.E. Michelson interferometer with separated inputs and outputs, double pass, and compensation 86−18559
Mather, J.C. *see* Hagge, J.K. 85−11742, 85−17968
Mather, J.C. *see* Hemmati, H. 86−22639
Mather, J.C. *see* Moseley, S.H. 85−43317
Mather, J.C. *see* Wooldridge, J.R. 87−59979
Mather, J.L. *see* Clarke, I.J. 87−13016
Mather, P.M. The use of colour in enhancing satellite imagery of the Earth 86−5173
Mather, R. Designing silicon sensors into today's pressure transducers 86−44297
Mather, R.A. Application of fault recording and monitoring equipment to high merit generation plant 85−32360
Matheron, G., Migny, P. A novel current injection Josephson logic cell with OR/AND personalization 85−54827
Matheron, G., Migny, P., Sie, O. A Josephson four-bit full adder using direct coupled functional gates 85−54826
Matheron, G. *see* Regent, A. 85−41064
Mathes, E. Computer-aided layout of VLSI integrated circuits 85−50635
Mathes, J.C. Three Mile Island: the management communication role 86−51203
Mathes, K.M. Thermal aging of electrical insulation—technology and standardization 86−68087
Mathes, K.N. Thermal aging of electrical insulation—technology and standardization 86−9334
Matheson, D.N. *see* Curtis, P.D. 87−35488
Matheson, L. *see* Collins, J. 85−25846
Matheson, R. Self-learn technique for ATE program generation 87−70375
Matheson, R. Second-generation PCB self-learn 88−12756
Matheson, R. Second generation PCB self learn 88−64116
Matheson, S. Non-volatile RAM has come 85−28526
Matheson, T.G. Development tool set lets any designer build silicon compilers 86−26981
Matheson, T.G., Christensen, C., Buric, M.R. A software environment for building core-microcomputer compilers 86−46486
Matheson, T.G. *see* Buric, M.R. 86−2325
Mathevon, G. *see* Potage, J. 87−39817
Mathevon, G. *see* Rochette, D. 88−46764
Mathew, A. *see* Schmitz, H. 86−6013
Mathew, A.V., Unnikrishnan, R. Simplified steady-state analysis of parallel resonant converters 88−75816
Mathew, A.V. *see* Unnikrishnan, R. 87−44099
Mathew, J., Alfredson, R.J. The condition monitoring of journal bearings using vibration and temperature analysis 87−22201
Mathew, J., Pasour, J.A. High-gain, long-pulse free-electron-laser oscillator 86−48450
Mathew, J. *see* Pasour, J.A. 87−75141
Mathew, J.G.H., Craig, D., Miller, A. Optical switching in a CdHgTe etalon at room temperature 85−24642
Mathew, J.G.H., Kar, A.K., Heckenberg, N.R., Galbraith, I. Time resolved self-defocusing in InSb at room temperature 85−29912
Mathew, J.G.H., Taghizadeh, M.R., Abraham, E., Janossy, I., Smith, S.D. Observation and analysis of critical slowing down in nonlinear visible interference filters 87−33310
Mathew, J.G.H. *see* Bigot, J.Y. 87−7436
Mathew, J.G.H. *see* Craig, D. 85−35863, 86−22485
Mathew, J.G.H. *see* Janossy, I. 86−22496, 87−26512
Mathew, J.G.H. *see* Ji, W. 86−42627
Mathew, J.G.H. *see* Kar, A.K. 85−51092
Mathew, J.G.H. *see* Miller, A. 85−56838
Mathew, J.G.H. *see* Smith, S.D. 85−24648, 85−56836, 85−56843, 86−3300, 86−54199, 87−33300, 87−39221
Mathew, J.G.H. *see* Taghizadeh, M.R. 87−33307
Mathew, J.G.H. *see* Walker, A.C. 85−41482, 88−33813, 88−51652, 88−65426
Mathew, J.G.H. *see* Wei Ji 87−33304
Mathew, M.Abraham *see* Abraham Mathew, M.
Mathew, R. *see* Belani, J. 87−11223
Mathew, S. *see* Friedman, S. 85−1254
Mathewes, J.K. *see* Howes, H.F. 85−17536
Mathews, B. S-parameters of wideband op amps and buffers 88−25029
Mathews, B., Wight, R. Comparing dioptric, catoptric, and catadioptric reconnaissance lenses tailored for silicon CCD detectors 85−3879
Mathews, B. *see* Asthana, A. 88−20134
Mathews, B. *see* Palazzo, F. 85−37481
Mathews, B.D. Nonlinearities in digital manifold phased arrays 87−12837
Mathews, B.D. Data acquisition hybrids save board space and reduce system design time 87−14220
Mathews, B.D. Make accurate measurements on video IC systems 88−32014
Mathews, B.E. *see* Barrett, A.J. 87−23055
Mathews, C. *see* Walk, R. 88−17905
Mathews, C.K. *see* Periaswami, G. 88−60707
Mathews, D. Direct-multiplexed liquid crystal data displays 86−50177
Mathews, D.M., Morris, D. A monotone-wall heat flow calorimeter 86−24811
Mathews, G.J. *see* Haight, R.C. 85−59141
Mathews, G.J. *see* Sale, K.E. 87−63620
Mathews, H., Alberti, S., Muggli, P., Perrenoud, A., Tran, M.Q. Design features and initial test results of an 8 GHz gyrotron oscillator 87−45521
Mathews, H. *see* Agosti, G. 88−64210
Mathews, H.-G. Development of a quasi-optical 120 GHz gyrotron 87−6326
Mathews, H.-G., Agosti, G., Holm, K., Kuse, D., Muggli, P., Tran, M.Q., Alberti, S., Perrenoud, A., Tran, T.M. A high power gyrotron oscillator at 8 GHz 88−25812
Mathews, H.-G., Beuscher, H., Krauss-Vogt, W. ECR-ion-source development at the Julich cyclotron 85−15134
Mathews, H.G., Minh Quang Tran The gyrotron—a key component of high-power microwave transmitters 87−73957
Mathews, J. Inspection and automation systems for test and assembly 85−5780
Mathews, J. Inspection and automation systems for test and assembly 85−30317
Mathews, J.D. The incoherent scatter radar as a tool for studying the ionospheric *D*-region 85−31990
Mathews, J.D. Incoherent scatter radar probing of the 60-100 km atmosphere and ionosphere 87−4129
Mathews, J.D., Breakall, J.K., Karawas, G.K. The discrete prolate spheroidal filter as a digital signal processing tool 86−27472
Mathews, J.D., Breakall, J.K., Sulzer, M.P. The Moon as a calibration target of convenience for VHF-UHF radar systems 88−41742
Mathews, J.D. *see* German, M.J. 86−69804
Mathews, J.D. *see* Rastogi, P.K. 88−53372
Mathews, J.D. *see* Ying, W.-P. 87−56245
Mathews, J.W., Erdelyi, C.K. Power supply voltage for future VLSI 87−1769
Mathews, J.W. *see* Griffin, W.R. 85−33781
Mathews, M.E. *see* Bohley, T.K. 88−60645
Mathews, M.V., Pierce, J.R. The computer as a musical instrument 87−41293
Mathews, N. *see* Nuspl, P.P. 87−76643
Mathews, P. *see* Thornton, G. 86−55146
Mathews, R. *see* Nichols, K.B. 88−38767
Mathews, R.G. *see* Chen, H.H. 85−33817, 86−47834
Mathews, R.G. *see* Wolf, W.H. 88−50935
Mathews, R.H. *see* Fetterman, H.R. 85−13362
Mathews, R.H. *see* Kushner, L.J. 88−71075
Mathews, T.A. Putting a utility's design change program in TOPFORM 87−57771
Mathews, T.F. Applying the electronic bare board test to PWBs 85−34317
Mathews, V.J., Cho, S.H. Improved convergence analysis of stochastic gradient adaptive filters using the sign algorithm 87−47658
Mathews, V.J., Lee, J. A fast recursive least-squares second order Volterra filter 88−72991
Mathews, V.J., Waite, R.W., Tran, T.D. Image compression using vector quantization of linear (one-step) prediction errors 87−62260
Mathews, V.J., Waite, R.W., Tran, T.D. Predictive vector quantization of images using a constrained two-dimensional autoregressive predictor 88−3244
Mathews, V.J., Youn, D.-H. Analysis of the short-time unbiased spectrum estimation algorithm 85−46768
Mathews, V.J., Youn, D.H. Spectral leakage suppression properties of linear and quadratic windowing 85−19445
Mathews, V.J., Youn, D.H., Ahmed, N. A unified approach to nonparametric spectrum estimation algorithms 87−39755
Mathews, V.J. *see* Cho, S.H. 88−66566
Mathews, V.J. *see* Tran, T.D. 88−46096, 88−73004
Mathews, V.J. *see* Youn, D.H. 85−2820, 86−14402, 86−29918
Mathewson, A. *see* Hobbs, L. 88−71553
Mathewson, A. *see* Lane, W.A. 87−38590
Mathewson, D.S. *see* Ables, J.G. 87−49212
Mathewson, J.M., II *see* Anderson, G.D. 85−3902
Mathewson, R. *see* Benetta, M. 85−43239
Mathey, C., Roux, J. Simulators in the nuclear sector 85−22143
Mathey, D.G. *see* Sheehan, F.H. 85−52317
Mathey, M. Control systems for Alsthom high-power steam turbines 86−45201
Mathialagan, A. Microprocessor based test on digital ICs 85−3855
Mathialagan, A. Automatic telephony: components 85−25598
Mathialagan, A., Chandramouli, B. Cellular arrays for binary-negabinary conversions 87−24070
Mathialagan, A., Chandramouli, B., Rath, G.S. Cellular arrays for negabinary-BCD conversions 85−30192
Mathialagan, A., Lakshmi Narasimhan, V., Rameshwaran, K. Personality card eliminator for digital IC tester 86−57744
Mathialagan, A., Venkatachalam, V., Bendigeri, G.P., Narasimhan, V.L. Microprocessor based digital Mach meter 86−11424
Mathialagan, A., Vijayaraghavan, P. Microprocessor based ignition controller for the automobile industry 87−31056
Mathialagan, A. *see* Bendigeri, G.K. 88−36087
Mathialagan, A. *see* Krishnamoorthy, R. 88−67644
Mathian, G., Pasquinelli, M., Martinuzzi, S. Photoconductance laser spot scanning applied to the study of polysilicon defect passivation 85−45599
Mathian, G. *see* Amzil, H. 86−41669
Mathian, G. *see* Martinuzzi, S. 86−45712, 87−6370
Mathian, G. *see* Poitevin, H. 88−18081
Mathian, G. *see* Zehaf, M. 86−35304, 86−41526
Mathias, C. *see* Cole, C. 88−9164

Mathias, E., Ketley, D., Morgan, C.R., Gush, D.P. Radiation: a cure for PTF inks. The advantages of solventless inks 86−53163
Mathias, G. New VDI/VDE regulations for acceptance and inspection of automatic control equipment on steam turbines 85−9702
Mathias, G. Pressure drop in the feedwater tank due to disturbances [thermal power stations] 85−38808
Mathias, G.E., Sandum, K.N., Barber, S. Early in-service experience of System X exchanges 85−30806
Mathias, H. Image quality from a non-engineering viewpoint 85−3564
Mathias, H. A proven method of establishing exposure indexes for video cameras 86−17619
Mathias, H. Gamma and dynamic range needs for an HDTV electronic cinematography system 88−15802
Mathias, H. Gamma and dynamic range needs for an HDTV electronic cinematography system 88−41841
Mathias, R.F., Cunningham, N.A. Frequency-scanning technique applied to air-defense radar 86−55369
Mathias, S. Low power DC/DC noise text fixture 85−31587
Mathie, A. Automation transforms calibration system 87−49440
Mathies, B. *see* Sabety, T.M. 85−1697
Mathieson, D. Taking control where there is a trace of heating 86−13183
Mathieson, E. Dependence of gain on count rate, due to space charge, in coaxial and multiwire proportional chambers 86−70329
Mathieson, E. Cathode charge distributions in multiwire chambers. 4. Empirical formula for small anode-cathode separation 88−68254
Mathieson, E., Gordon, J.S. Cathode charge distributions in multiwire chambers. II. Approximate and empirical formulae 85−20818
Mathieson, E. *see* Fraser, G.W. 87−63635
Mathieson, E. *see* Gordon, J.S. 85−20817
Mathieson, E. *see* Leake, J.W. 88−54422
Mathieson, E. *see* Thompson, J.R. 85−37929
Mathieson, T. *see* Kupperman, D.S. 88−11025
Mathieu, B., Ginestet, P. Unfurlable antenna reflector: validation of modelisation software by test of breadboard model 88−34519
Mathieu, B. *see* Dumont, P. 86−10177, 86−59130
Mathieu, C. *see* Guyomard, D. 87−58263
Mathieu, F.D. *see* Vilain, R.H. 85−32400
Mathieu, G. Computer technology in hospitals vs. quality and costs of health care 88−48258
Mathieu, G. *see* Smeets, G. 87−71224
Mathieu, J. *see* Hergli, R. 88−71841
Mathieu, M. Multiplexing concepts for audio-visual services in satellite radio broadcasting 85−25830
Mathieu, M. The application of sound/data multiplexing to broadcasting services 86−37989
Mathieu, M. Concepts of a multiplexing procedure for audiovisual services in DBS 86−55232
Mathieu, M. *see* Combescure, P. 86−36911
Mathieu, M. *see* Martinot-Lagarde, P. 88−68415
Mathieu, M. *see* Sabatier, J. 86−17590, 86−55402
Mathieu, M.A. An interpreter-based board test programming environment 85−11714
Mathieu, M.P. *see* Amadieu, J.L. 87−34006
Mathieu, P., Otis, G. High efficiency, tail-free pulses from TEA-CO$_2$ lasers 87−39008
Mathieu, P. *see* Barlaud, M. 88−21349
Mathieu, P. *see* Belanger, P.A. 88−72382
Mathieu, P. *see* Blanc-Feraud, L. 88−66718
Mathieu, P. *see* Lajoie-Mazenc, M. 85−27448
Mathieu, P. *see* Pace, P. 88−27070
Mathieu, P. *see* Yacoubi, E.M. 87−55213
Mathieu, P. *see* Yacoubi, S.E.M. 88−21282
Mathieu, P. *see* Yacoubi-S, E.M. 88−21248
Mathieu, P.A., Goyette, M., Kemp, F. The use of microcomputer for biofeedback experiments in rehabilitation 88−48208
Mathine, L.A. *see* Buchness, R.K. 86−31442
Mathiopoulos, P., Feher, K. Performance evaluation of a 512-QAM system in distorted channels 86−36902
Mathiopoulos, P., Feher, K. A new technique for system caused phase jitter cancellation 88−9013
Mathiopoulos, P., Feher, K. In-band pilot insertion at the Nyquist frequency for transparent signalling 88−45834
Mathiopoulos, P., Feher, K. Adjacent channel interference considerations for 1024- and 512-QAM systems 88−45851
Mathiopoulos, P., Feher, K. 512 and 1024-QAM system performance in the presence of cochannel interference 88−45868
Mathiot, D. Diffusion of doping elements in silicon: experimental aspects and simulation 85−18221
Mathiot, D., Pfister, J.C. Point defect kinetics and dopant diffusion during silicon oxidation 86−35573
Mathioudakis, K., Breugelmans, F.A.E. Use of triple hot wires to measure unsteady flows with large direction changes 85−42970
Mathis, B.W. Treadmill of communication: multis [multihospital organizations] 88−16804
Mathis, C. *see* Baze, J.M. 88−68105
Mathis, C. *see* Berger, C. 88−22937
Mathis, C. *see* Francois, B. 87−17918
Mathis, E.R. *see* Kesselman, J.J. 85−6317
Mathis, G. *see* Tittle, C.W. 85−59449
Mathis, G.L. Smoothing spectral gamma logs: a simple but effective technique 87−50541
Mathis, J.E., Garcia-Luna-Aceves, J.J. Survivable multiband networking 88−21406
Mathis, J.E. *see* Zaw-Sing Su 86−10830
Mathis, J.E. *see* Zaw-Swing Su 86−37538
Mathis, K.D., Isbert, J., Simon, M. The analysis of heavy ion induced light signals derived from a gas scintillation drift chamber 88−22929
Mathis, K.D., Simon, M., Henkel, M. A gas scintillation drift chamber for heavy ion detection 85−4220
Mathis, M., Bachmann, B., Gerhardt, W.F.C., Remde, H.E., Sander, B. Potential profile calculation in earthing systems, using the charge simulation method 87−35680
Mathis, M., Gimber, B. Earthing measurements in high-voltage substations 87−58131
Mathis, M. *see* Gerhardt, W. 88−55568
Mathis, M. *see* Gimber, B. 88−5727
Mathis, R. *see* Dorst, D. 87−68735
Mathis, R.F. Fiber-optic RF filter 88−26930
Mathis, R.F. *see* Betts, G.E. 86−68333
Mathis, R.F. *see* Yu, P.K.L. 88−72327
Mathis, S. *see* Gunzinger, A. 88−73280
Mathis, U. Transformers for low voltage tungsten halogen lighting 85−39309
Mathis, W., Voight, B. Applications of Lie series averaging in nonlinear oscillation 87−65924
Mathis, W. *see* Horneber, E.-H. 88−26535
Mathisen, K.O. Between research and practice: experiments with Telematics 87−7936
Mathisen, K.O. Field trials: what's the use? [Telematics] 87−76186
Mathisen, Y. KASKAD 8A−a major breakthrough in slip recovery drive technology 86−51949
Mathisen, Y. Improved slip power control adds paramount quality to the slip recovery drive 86−71089
Mathisen, Y. *see* Merridew, R. 85−32722
Mathiue, M. Technical evolution of audio-visual services during the 1980s−multiservice concepts 85−20386
Mathnur, M. *see* Woodford, D. 86−12398
Mathon, J.-C. Series 32000. A family tree 86−14239
Mathon, J.-C. The 32000 series: a 32-bit architecture effective for 8-, 16-, and 32-bit applications 86−20578
Mathon, J.-C. At the upper end of the performance scale: second generation 32-bit microprocessor 86−20594
Mathon, J.-C. Interfacing the 32081 as a floating point peripheral 86−20608
Mathon, J.-C. The type NS 32532 microprocessor−a minicomputer on a single board 87−52603
Mathon, J.-C. Endurability of the architecture for the NS-32332 87−59524
Mathon, J.-C. A 32 bit 30 MHz microprocessor for a Unix multiprocessor environment 87−66212
Mathon, J.C. Complete solutions with the Series 32000 [microprocessors] 85−45078
Mathon, J.C. A second generation 32-bit microprocessor 86−14245
Mathon, J.C. Series 32000 starter kit: an easy access to the 32-bit-world 86−20590
Mathon, J.C. CMOS−the way ahead for the series 32000 86−28501
Mathon, R. Lower bounds for Ramsey numbers and association schemes 87−23494
Mathon, R., Rosa, A. A new strongly regular graph 86−19909
Mathony, H.-J., Baitinger, U.G. CARLOS: an automated multilevel logic design system for CMOS semi-custom integrated circuits 88−38463
Mathov, M.J. How to select a LAN 88−28417
Mathu, F. *see* Bosch, W.A. 86−31342
Mathu, W.L.S. Computerised optical fibre characterisation 85−63707
Mathuda, T. *see* Shingo, Y. 86−49434
Mathuhisa, T., Yamashiki, T. Examination results of puffering pressure in GCB$_s$ arc extinguish-chamber 88−17777
Mathuhisa, T. *see* Kuzuma, Y. 88−17778
Mathumoto, H. *see* Endo, T. 88−51688
Mathuna, S.C.O., Moran, P.L. A single IC to evaluate the electrical, thermal and hermetic/corrosion resistant properties of IC packages 87−23354
Mathuni, J. *see* Fritzsche, H. 86−28476
Mathur, A. A methodology for the selection of frequencies for deep space telecommunications 86−30749
Mathur, A., Nguyen, T. Sequential ranging integration times in the presence of CW interference in the ranging channel 87−26850
Mathur, A. *see* Larose, M. 87−8124
Mathur, A. *see* Stanford, D.A. 87−20304
Mathur, A.E. *see* Saxena, S.C. 85−59982
Mathur, A.K. Development of superconducting turbogenerators 85−15982
Mathur, B. *see* Chang, C.S. 88−26326
Mathur, B. *see* Raffel, J.I. 85−28617, 85−35175
Mathur, B. *see* Sahai, R. 87−1775
Mathur, B. *see* Wyatt, P.W. 85−50755
Mathur, B.P., Kundu, N.N., Gupta, S.N. Quantitative evaluation of shape of image on photoresist of square apertures 88−39284
Mathur, B.P., Wang, H.T., Tsen, C.T., Walton, E. Variable scale edge detection of images 88−71780
Mathur, B.P. *see* Kundu, N.N. 87−11565, 87−25023
Mathur, B.P. *see* Terry, F.L., Jr. 85−34663
Mathur, B.S., Banerjee, P., Gupta, A.S., Saxena, M., Hanjura, A.K., Suri, A.K., Jain, C.L., Kumar, K., Sivaraman, M.R. Time transfer experiments with Indian Experimental Satellite 'APPLE' 86−49517
Mathur, B.S. *see* Banerjee, P. 86−44197, 87−14569, 88−16514
Mathur, B.S. *see* Saxena, G.M. 86−38499
Mathur, B.S. *see* Sen Gupta, A. 85−30035, 87−5724
Mathur, D.P. *see* Young, R.M. 87−11556
Mathur, G., Wheaton, M.L., Borrego, J.M., Ghandhi, S.K. Heat treatment of bulk gallium arsenide using a phosphosilicate glass cap 85−50351
Mathur, G. *see* Ghandhi, S.K. 85−39206
Mathur, G. *see* Look, D.C. 87−11346, 87−37892
Mathur, G. *see* Tenedorio, J.G. 88−63935
Mathur, I.C. *see* Yagnik, H.K. 85−7642
Mathur, K., Salkin, H.M., Nishimura, K., Morito, S. The design of an interactive computer software system for the frequency-assignment problem 85−20294
Mathur, K., Salkin, H.M., Nishimura, K., Morito, S. Applications of integer programming in radio frequency management 85−63779
Mathur, K. *see* Flowers, A.D. 87−23323
Mathur, M.C.A. Heat treating barium ferrite particles to improve their magnetic properties 85−35298
Mathur, M.N., Ramakrishnan, S. Project ERNET: perspectives, plan and approach of an academic and research network program in India 88−21711
Mathur, N. *see* Lobkowicz, F. 85−43185
Mathur, N.P., Conroy, P.W., Mavrikis, K.P. An overview and final resolution of potential systems interactions identified at Indian Point 3 plant 86−51384
Mathur, P.B. *see* Bhatt, D.P. 87−43348
Mathur, P.C. Growth of single crystals of group II-VI compound semiconductors and study of high temperature annealing effect on the electrical transport properties of as-grown crystals 87−73039
Mathur, P.C. *see* Dawar, A.L. 85−40553, 85−50322, 85−55579, 87−11381, 87−52207, 87−53227, 88−1455
Mathur, P.C. *see* Gandotra, V.K. 87−53220
Mathur, P.C. *see* Jagadish, C. 88−32797, 88−50634
Mathur, P.C. *see* Kulshrestha, K.K. 87−11357, 88−1369
Mathur, P.C. *see* Mehra, R.M. 85−28975, 85−34518, 86−27942, 87−74033
Mathur, P.C. *see* Saxena, R. 86−67661
Mathur, P.C. *see* Sharma, R.P. 85−34499
Mathur, P.C. *see* Sikka, P. 85−23443
Mathur, R., Kumar, A. Photoconductivity in amorphous thin films of Ge$_{22}$Se$_{78-x}$Bi$_x$ 86−63713
Mathur, R., Kumar, A. Photoconductivity in amorphous thin films of Ge$_{22}$Se$_{68}$Bi$_{10}$ 87−7203
Mathur, R., Kumar, A. Effect of electrodes and high fields on the electrical conductivity of evaporated germanium and tellurium thin films 87−37875
Mathur, R., Kumar, A. Photoconductivity in amorphous chalcogenide thin films: effect of incorporation of Bi, Sb and Te in Ge$_{22}$Se$_{78}$ binary alloy 87−46664
Mathur, R. *see* Husain, A. 88−39447
Mathur, R.K., Shah, A.H., Trainor, P.G.S., Popplewell, N. Dynamics of a guyed transmission tower system 87−71721
Mathur, R.K. *see* Dhariwal, S.R. 87−58330
Mathur, R.M. Electromagnetic levitation of rotating cylinders 85−19103
Mathur, R.M. *see* Bridges, G.E. 86−12245
Mathur, R.M. *see* Ciric, I.R. 85−7582, 87−39278
Mathur, R.M. *see* Ino, T. 86−6332
Mathur, R.M. *see* Iravani, M.R. 86−6275, 86−51476, 86−56296, 86−56707, 87−42317, 87−58017
Mathur, R.M. *see* Kalra, P.K. 88−23312
Mathur, R.M. *see* Krishna Murthy, K.A. 86−6284
Mathur, R.M. *see* Naidu, M. 86−12914, 88−23440
Mathur, R.M. *see* Nyati, S. 86−12329, 88−75723
Mathur, R.M. *see* Raghuveer, M.R. 85−56023

Mathur, R.M. *see* Sharaf, A.M. 88—5328
Mathur, R.M. *see* Wang, X. 88—69086
Mathur, R.P. Fault tolerant data network for use in space 88—21744
Mathur, R.P. *see* Childerhouse, M.L. 88—22165
Mathur, R.S. *see* Kanthimathinathan, T. 85—26865
Mathur, S.C. *see* Sharma, G.D. 86—26299
Mathur, S.P., Sinha, A.K., Sinha, A.K. Experimental study of a slotted telemetry antenna array with a shaped beam for satellite communication 87—19319
Mathur, S.P., Sinha, A.K., Sinha, A.K. Design of microstrip exponentially tapered lines to match helical antennas to standard coaxial transmission lines 88—66232
Mathur, S.P. *see* Jensen, G.A. 88—18208
Mathur, S.S. *see* Bhowmik, N.C. 85—53609
Mathur, S.S. *see* Kandpal, T.C. 86—61816
Mathur, S.S. *see* Sharan, S.N. 86—26300, 86—61430, 87—30953, 88—11379, 88—11381
Mathur, U. *see* Johannsen, K. 87—76681, 88—2704
Mathur, U. *see* Sion, E. 87—47312
Mathur, V. *see* Garcia, S. 87—1437
Mathy, F. *see* Bol, J.L. 86—25090
Mathys, F. Energy measuring installations with static meters in the very high voltage system 87—64039
Mathys, F. ZENPA central network supervisory system 88—14945
Mathys, L. *see* Bene, P. 88—56532
Mathys, L. *see* Bonesini, M. 88—23001, 88—29823, 88—61141
Mathys, M., Rayner, P.J.W. FDM/TDM transmultiplexer design using adaptive filters 88—66799
Mathys, P. Numerical control of variable speed asynchronous machines 88—11229
Mathys, P. Numerical control of asynchronous machines at variable speed. II 88—55356
Mathys, P. The effect of channel-exit protocols on the performance of finite population random-access systems 88—59372
Mathys, P., Flajolet, P. *Q*-ary collision resolution algorithms in random-access systems with free or blocked channel access 85—51827
Mathys, P., Koulischer, J. High performance modulator for transistor invertors 86—66171
Mathys, P. *see* Koulischer, J. 87—22819
Mathys, P. *see* Maggetto, G. 86—56844
Mathys, P. *see* Massey, J.L. 85—51517
Mathys, P. *see* Velaerts, B. 88—75618
Mathys, W. *see* Rossier, D. 88—17229
Mathyssek, K., Hormann, E. Parameter dependence in the mode partition noise and a new method for its evaluation 86—48424
Mathyssek, K., Keil, R., Klement, E. New coupling arrangement between laser diode and single mode fiber with high coupling efficiency and particularly low feedback effect 86—9536
Mathyssek, K., Wittmann, J., Keil, R. Fabrication and investigation of drawn fiber tapers with spherical microlenses 86—22132
Mathyssek, K. *see* Keil, R. 85—18717, 86—69794
Mathyssek, K. *see* Klement, E. 87—20532
Matias, V.R. *see* Kachan, A.D. 88—30580
Matiasovsky, K. *see* Silny, A. 85—21781
Matic, R.M., Goodman, J.W. Optimal pupil screen design for the estimation of partially coherent images 88—28041
Matic, S., Borojevic, P. The digital switching system for lower hierarchical levels of the telephone network 85—52200
Matic, S., Borojevic, P., Ilic, D., Protic, S., Martic, D. A procedure for planning switching centers in network groups of public telephone exchange 87—8128
Matic, S., Borojevic, P., Protic, S., Martic, D. A procedure for defining telephone traffic volume and distribution for network group planning 88—14982
Matic, S., Jankovic, D.I., Zivonjnovic, V.E. On d_{free} of orchard codes 87—54949
Matic, S. *see* Borojevic, P. 88—3757
Matick, R., Ling, D.T., Gupta, S., Dill, F. All points addressable raster display memory 85—31389
Matick, R. *see* Gupta, S. 85—14668
Matick, R.E. Carry-propagate address incrementer with self-timed interlocking enable circuits 85—6313
Matick, R.E. Less-than decoder 85—11194
Matick, R.E. Logic and decoder arrangement for controlling spill/wrap boundaries of a bit-addressable memory decoder 85—28538
Matick, R.E., Ling, D.T. Architecture implications in the design of microprocessors 85—833
Matick, R.E. *see* Chuang, S.C. 85—33973
Matienko, B.G. Optoelectronic commutator based on MOS-photodiode element 85—2142
Matiev, A.Kh. *see* Guseinov, G.D. 86—1753, 86—1756
Matijevic, E. *see* Arajs, S. 85—51385
Matijevic, E. *see* Xi-jing Fan 88—31863
Matilaine, J. *see* Crewson, W.F.J. 85—27590
Matilaine, J.L., Crewson, W.F.J. Solid-state 25 kJ/sec capacitor charging modulator 85—22661
Matilaine, J.L., Crewson, W.F.J. 100 kV solid-state repetitive spark-gap trigger generator 87—44712
Matilaine, J.L., Crewson, W.F.J. Compact, efficient, solid-state flashlamp modulator 88—24255
Matilaine, J.L. *see* Black, R.C. 87—37827
Matilaine, J.L. *see* Crewson, W.F.J. 87—45347
Matilla, S.L., Peran, J.R. Use of microprocessors in power electronics regulation. Minimal response systems 86—18709
Matilla, S.Lorenzo *see* Lorenzo Matilla, S.
Matilla-Montalvo, R. *see* Song, M.S. 86—1318
Matin, E., Boff, K.R., Donovan, R. Raising control/display efficiency with rapid communication display technology 88—29562
Matin, V.I., Sokhor, Yu.N., Em, A.I. Frequency starting of high-speed tracked transport vehicles with a linear synchronous motor fed from static converters 85—39259
Matin, V.I., Solnyshkin, N.I. Using analog ladder networks to calculate magnetic fields in multilayer structures 88—65940
Matin, V.I. *see* Kochetkov, V.M. 87—72503
Matinal, C. *see* Gaspar, M. 88—42843
Matino, H. Printhead structure 85—11802
Matino, H. Self-compensation circuits of light-emitting diode brightness 85—29728
Matino, H. Analysis of the holding current in CMOS latch-up 86—21817
Matis, H.S. *see* Bolton, R.D. 86—18254
Matis, H.S. *see* Sandberg, V.D. 85—37969
Matis, H.S. *see* Wilson, S.L. 88—29827
Matis, K.R., Modestino, J.W. Performance of selected predetection and postdetection nonlinear processing techniques in coded digital communication systems subject to impulsive or burst noise 86—29702
Matis, K.R., Modestino, J.W. Performance of selected coded direct-sequence receiver structures in pulsed interference 86—30604
Matis, K.R., Modestino, J.W. Interactive communication system simulation on a high-speed PC workstation 88—34895
Matis, K.R. *see* Modestino, J.W. 87—39668, 88—9018
Matise, B.K., Rogne, T.J., Gerhart, G.R., Graziano, J.M. Simulating the performance of imaging sensors for use in realistic tactical environments 86—31212
Matisov, B.G. *see* Gornyi, M.B. 88—29580
Matiss, I.G., Shtrauss, V.D. Multi-parameter dielectric relaxation spectrometry for quality control of composites 88—63417
Matiullah, Aslam, A.A., James, K., Durrani, S.A. A computer program for the development of a fast-neutron spectrometer based on electrochemically etched CR-39 detectors with radiators and degraders 88—23010
Matiullah, Durrani, S.A. A fast-neutron dosimeter with nearly flat dose equivalent response using CR-39 detectors with various combinations of radiators 87—29631
Matiullah, Durrani, S.A. Development of a passive fast-neutron spectrometer based on electrochemically etched CR-39 detectors with radiators and degraders 87—77561
Matiullah, Durrani, S.A. A cubical fast neutron dosemeter based on electrochemically etched CR-39 detectors with polymeric front radiators 88—23131
Matiullah, Durrani, S.A. Chemical and electrochemical registration of protons in CR-39—implications for neutron dosimetry 88—29904
Matiullah, Taylor, C., Durrani, S.A. An integrated-circuits based variable power supply for electrochemical etching 88—561
Matiullah *see* James, K. 88—4845
Matizen, E.V. *see* Kukarin, V.F. 87—8601
Matizen, L.L. *see* Vasil'chenko, V.P. 85—2156
Matizen, Yu.E., Troitskii, Yu.V. Formation of non-Gaussian light beams in a laser with an exit mirror characterized by a smooth amplitude inhomogeneity 87—26491
Matizen, Yu.E., Troitskii, Yu.V. Formation of nonGaussian light beams with the aid of a spatially inhomogeneous amplitude filter 88—20483
Matizen, Yu.E., Troitskii, Yu.V. Control of the profile of a laser output beam using an inhomogeneous interferometer 88—65810
Matkey, K. Determination of amplitude and phase in digital network analysis without knowing the frequency 87—70515
Matkey, K., Meckelburg, H.-J. A digital microwave network analyzer 85—14730
Matkey, K., Meckelburg, H. Computerized microwave measurement techniques 86—17804
Matkey, K. *see* Meckelburg, H.-J. 86—5496
Matkey, M., Meckelburg, H.J., Kampmann, M. Sensitivity improvement in digital microwave signal analysis 85—42928
Matkhanov, P.N., Nespaeva, T.D. Calculation of resonance smoothing filters with predetermined frequency and time characteristics 86—46958
Matkowsky, B.J. *see* Ben-Jacob, E. 86—68210
Matkowsky, B.J. *see* Knessl, C. 87—19981, 87—58777, 87—65300 to 65301, 88—14856, 88—18561
Matl, K. *see* Baumann, P. 88—53982
Matlak, V.V., Ilashchuk, M.I., Polyanko, O.S. Effect of heat treatment on the electrical properties of CdTe doped with Ge 85—11924
Matlashov, A.N., Zhuravlev, Yu.E., Valiev, I.V., Orlov, Yu.N., Platonov, S.A., Lipovich, A.Ya., Taratorin, A.M., Godik, E.E., Gulyaev, Yu.V. Dynamic mapping of the heart's magnetic field 87—50205
Matlashov, A.N. *see* Musin, R.F. 86—60299
Matlekovic, V. *see* Kustovic, I. 86—16800
Matley, C. BrightStar—and its formula for the success of 'Live Aid' 86—55410
Matley, W., Howser, P. Digital propagation simulators 87—12721
Matlin, M.D., York, A.M. New servo feedback method controls tape transport by monitoring deskew buffers 85—45971
Matloch, A. *see* Rucki, G. 87—70847
Matlock, J.H. Material defect factors affecting MOS device performance 85—1473
Matlock, J.H. *see* Wijaranakula, W. 87—17703
Matlock, L.T. *see* Heretz, G. 85—42872
Matlock, P. *see* Kuuttila, E.J. 86—2324
Matlock, R.S. *see* Brandell, B. 85—53116
Matloff, N., Fuller, G., Tendick, P. A prediction-based flow control policy for ISDN token rings 88—67119
Matloff, N., Pruitt, R. The asymptotic distribution of an estimator of the Bayes error rate 85—7913
Matloff, N. *see* Kowel, S.T. 88—1500
Matloff, N.S. A multiple-disk system for both fault tolerance and improved performance 87—58734
Matloubain, M. *see* Mao, B.-Y. 88—51017
Matloubian, M., Gershenzon, M. MOCVD epitaxial growth of single crystal GaN, AlN and $Al_xGa_{1-x}N$ 86—7800
Matloubian, M. *see* Bobbs, B. 86—36259
Matloubian, M. *see* Fossum, J.G. 88—7600
Matloubian, M. *see* Mao, B.-Y. 87—32710, 87—60219
Matloubian, M.M. *see* Sundaresan, R. 87—32365
Matmor, A. *see* Pasi, M. 86—44579
Matney, E., Baker, D. Determining valid component analog video signals with a 3-D vector representation 86—55443
Matoba, A., Oshiba, S., Horikawa, H., Imanaka, K., Kawai, Y. Cavity length dependence of 1.4 μm VIPS-LD 86—36538
Matoba, A. *see* Horikawa, H. 85—2279, 86—3172, 87—33148
Matoba, A. *see* Kawai, Y. 87—7377
Matoba, A. *see* Okayama, H. 88—2029, 88—65369
Matoba, A. *see* Oshiba, S. 86—42533, 87—68460
Matoba, H., Minami, E., Tanaka, T., Matsuoka, T., Kikuchi, S. Technology of modal analysis for precision instruments 86—11403
Matoba, K. *see* Higashi, K. 87—5676, 88—17071
Matoba, M., Doi, H. 24/36 kV tank-type oil circuit breaker 86—40013
Matoba, M., Hirose, T., Sakae, T., Kametani, H., Ijiri, H., Shintake, T. Three dimensional Monte Carlo simulation of the electron avalanche around an anode wire of a proportional counter 85—43230
Matoba, M., Urase, K., Ohgaki, H., Ijiri, H., Uehara, S., Fujiki, T., Koori, N., Sakae, T. Shape transition of the discharge ion distribution around an anode wire of a gas counter 88—61088
Matoba, M. *see* Ijiri, H. 87—77593
Matoba, M. *see* Kametani, H. 85—4207, 85—26716, 85—52963
Matoba, M. *see* Koori, N. 87—41876
Matoba, M. *see* Kurokawa, H. 85—49942
Matoba, M. *see* Ohgaki, H. 86—50395, 87—41886, 88—36355
Matoba, N. *see* Suzuki, M. 85—25597
Matoba, T., Saito, T., Kato, S., Ando, N. Photo diode array for optical encoder 88—40082
Matoba, T. *see* Nishiwaki, M. 85—31178
Matoba, T. *see* Sunahara, Y. 86—7309
Matoba, T. *see* Uesugi, Y. 87—68681
Matoike, A. *see* Fujimoto, M. 87—8071
Matoike, A. *see* Matsuo, R. 86—27302
Matolak, D.W. *see* Jackson, R.W. 88—19328
Maton, B. *see* Bonnot, J.F.P. 86—54480
Maton, G. Digital frequency meters and counters 85—43016
Maton, G. A tough test for mobile radios 87—8182
Matone, G. *see* Schaerf, C. 87—41802
Matono, T. *see* Sugiyama, M. 88—15748
Matonoha, K., Pacak, S., Dubsky, E. The influence of economical limitations upon the development of transmission networks in regions with a high density of electricity consumption 86—50955
Matori, I. *see* Ishikawa, M. 87—30157
Matorin, I.I., Pikovskii, A.S., Khanin, Ya.I. Multistability and autostochasticity in a laser with a delayed-response active medium subjected to periodic loss modulation 85—41304
Matos, A.R. *see* Vasconcellos, R.A. 88—69032
Matos, J.G.de *see* de Matos, J.G.
Matos, J.Gomes de *see* Gomes de Matos, J.
Matos, W. *see* Hockenbury, R.W. 87—5298

Matos Gomez, J., Marti Arias, J.A., Hernandez Luis, D., Arco Rios, P., Santos Marin, S., Ramas Alfonso, F. Computer networks: review of research work carried out at Las Villas Central University 85–13887
Matosky, M.T. *see* Simpson, H.M. 86–20654
Matousek, A. Power stations with magnetohydrodynamic generators and possibilities of their implementation in the Czechoslovak power system 88–17477
Matousek, A. *see* Sojka, J. 87–35233
Matousek, J. Mathematical analysis of creep damage to steam turbine rotors using the finite element method 85–53562
Matousek, M. Research activities in the Prague's branch of the Power Research Institute 88–31370
Matouskoff, G. *see* Fournier, E. 88–70188
Matov, O.R. *see* Volkov, V.A. 85–55524
Matovsek, M. *see* Konak, C. 87–68243
Matozaki, T. Medical applications of video technology 87–34844
Matozaki, T. Environmental siting and biohazards of NMR-CT 87–57133
Matranga, V. *see* DeHope, W. 85–50156
Matranga, V. *see* Ferguson, P. 85–23333
Matras, G. *see* Nafalski, A. 87–67771
Matras, P. *see* Przywara, G. 85–16025
Matre, K., Brekke, M., Pedersen, O.M. Indication of Doppler sampling on the video image of a linear scanner without modification of commercial equipment 86–11962
Matreci, R.J. Subharmonic frequency mixers for millimeter wave spectrum analysers 88–19373
Matrenko, A.V., Gazdaika, B.P. Automatic metal structure monitoring by the use of X-ray TV display 85–49645
Matrenko, A.V. *see* Gazdaika, B.P. 86–23055
Matricardi, V. *see* Gower, J. 85–49187
Matricardi, V.R. *see* Cohen, M.J. 85–65555
Matricciani, E. Orbital diversity in communication systems affected by rain 86–29407
Matricciani, E. Orbital diversity in resource-shared satellite communication systems above 10 GHz 87–56051
Matricciani, E., Mauri, M. Rain attenuation successive fade durations and time intervals between fades in a satellite-Earth link 86–54290
Matricciani, E., Mauri, M., Paraboni, A. Joint analysis of duration and rate of change of rain attenuation at 11.6 GHz 86–68741
Matricciani, E., Mauri, M., Paraboni, A. Dynamic characteristics of rain attenuation: duration and rate of change 87–62868
Matricciani, E., Paraboni, A. Instantaneous frequency scaling of rain attenuation at 11.6-17.8 GHz with SIRIO data 85–41601
Matricciani, E., Paraboni, A. Analysis of simultaneous attenuation measurements using the SIRIO beacons in the 12 and 18 GHz bands 87–62870
Matricciani, E. *see* Capsoni, C. 85–46565, 85–52415, 87–62882
Matricciani, E. *see* Carassa, F. 86–29404
Matricciani, E. *see* Giannone, B. 86–17307, 86–59836, 86–64929
Matricon, P., Marbot, R. The CAB real-time programmable processor 85–840
Matrinos, P.N. *see* Frenzel, J.F. 88–12341
Matronchik, A.Yu. *see* Gorbachev, L.P. 86–42844
Matrosov, N.I. *see* Buryak, V.P. 85–50864
Matrosov, V.N. *see* Alimpiev, A.I. 87–12437
Matrosov, V.N. *see* Kolyago, S.S. 86–48379
Matrosov, V.N. *see* Lisitsyn, V.N. 88–8160
Matrosov, V.N. *see* Tenenbaum, Ya.P. 87–15168
Matrosova, A.Yu. Constructing tests for networks of integrated circuits 86–57762
Matrynov, A.E. *see* Kolobkov, V.V. 86–6060
Matsakis, D. *see* Knowles, S.H. 85–51441
Matschek, W. RGB–connection for chroma 88–22273
Matscheko, G., Ribberfors, R. A Compton scattering spectrometer for determining X-ray photon energy spectra 87–41895
Matscheko, G., Ribberfors, R. A Compton scattering spectrometer for determining X-ray photon energy spectra 87–57099
Matschinsky, B.B. *see* Garfinkel, D. 88–28437
Matschke, S. Robotron DOPSY–use of the Robotron K 1630 microcomputer in radiotherapy 85–38191
Matscholl, P. *see* Erhard, A. 86–32611
Matsda, M. Packet exchange network applications at the Medical Data Transmission Center 87–69482
Matsello, V.V. Noise removal algorithm in graphic image processing 87–19632
Matsen, M.W. *see* Laman, F.C. 87–30904
Matsevityi, Yu.M., Barsukov, V.A., Goloshchapov, V.N., Kotul'skaya, O.V. Hydraulic calculation for the bleed annuli of a steam turbine 85–4937
Matshin, R.M., Nepogodin, I.A., Kurochkina, Ye.Ya. A facet-ray method for calculating the energy reflection characteristics of solids 86–36729
Matsievskii, S.A. *see* Kolesnikov, Yu.A. 87–77850
Matsiras, P.V. *see* Garfinkel, D. 88–28437
Matskevich, E.B. *see* Kruzhilin, G.N. 86–32957
Matskevich, G.V. *see* Balaban-Irmenin, Yu.V. 85–4783
Matskovskaya, Yu.Z., Savenchuk, N.A., Edel'shtein, Yu.G. Apparatus for an integrated evaluation of the image quality of visual electron-optical devices, operating at low illumination levels 86–11459
Matsnev, V.V., Smirnova, E.N., Gorelik, B.I. An investigation of carryover and an assessment of the freeboard height of boilers with a fluidised bed 85–15844
Matson, D.B. *see* Bradley, D.J. 85–17403
Matson, E.A. Bipolar field-effect transistor structure with a low saturation voltage 87–53489
Matson, E.A. *see* Belous, A.I. 85–11208
Matson, J.E., Nguyen, T.H., Lynnworth, L.C. Ultrasonic measurement of liquid flow using clamp-on Rayleigh wave transducers 87–70881
Matson, J.V. *see* Spear, K.F. 85–32341
Matson, M. Cable television: the role of the operator 85–8584
Matson, M. *see* Baker, C. 88–25276
Matson, M.D. Optimization of digital MOS VLSI circuits 86–8094
Matson, M.D. Macromodeling of digital MOS VLSI circuits 86–21888
Matson, M.D., Glasser, L.A. Macromodeling and optimization of digital MOS VLSI circuits 87–25554
Matson, M.J. Cable–a power behind the IT button 86–24115
Matson, M.J. Broadband ISDN: this year, next year, sometime, never? 87–7954
Matson, M.J. One man's meat is another man's poison [interactive video] 88–9811
Matson, R. *see* Cahen, D. 86–66346
Matson, R.J. Scanning electron microscope modifications for electron beam induced current analysis with applications to photovoltaic materials and devices 85–12714
Matson, R.J. Junction electron-beam-induced current techniques for the analysis of photovoltaic devices 88–62601
Matson, R.J., Herrington, C.R., Noufi, R., Powell, R.C. EBIC studies of junction formation and the role of oxygen in thin-film CdS/CuInSe$_2$ solar cells 87–16022
Matson, R.J., Noufi, R., Ahrenkiel, R.K., Powell, R.C., Cahen, D. EBIC investigations of junction activity and the role of oxygen in CdS/CuInSe$_2$ devices [solar cells] 86–66344
Matson, R.J., Noufi, R., Bachmann, K.J., Cahen, D. CdS induced homojunction formation in crystalline p-CuInSe$_2$ 87–32280
Matson, R.J., Noufi, R., Bachmann, K.J., Cahen, D. The type conversion of crystalline p-CuInSe$_2$ due to deposition of CdS 87–66969
Matson, R.J. *see* Ahrenkiel, R.K. 85–44166, 86–7000
Matson, R.J. *see* Buonaquisti, A.D. 85–40518
Matson, R.J. *see* Cahen, D. 87–16025
Matson, R.J. *see* Noufi, R. 86–66343, 87–66934, 87–66936, 88–62605
Matson, R.J. *see* Pern, F.J. 88–56285
Matson, R.J. *see* Singh, R. 88–7413
Matson, R.J. *see* Spitzer, M.B. 86–2025
Matson, R.J. *see* Tsuo, Y.S. 86–7132
Matson, R.J. *see* Vernon, S.M. 88–31040
Matson, R.J. *see* Yacobi, B.G. 85–11893, 85–23462
Matsu, R.L., Johnson, N.J.E. Vapor as a material for electronics 88–24572
Matsuba, I. Renormalization group approach to hierarchical image analysis 88–66726
Matsuba, I., Matsumoto, K. Transient behavior of spin-coated resist film thickness based on invariance of viscous fluid under similarity transformation 87–1361
Matsuba, I., Matsumoto, K., Kobayashi, K. Modeling of etching process by means of Kalman filter and channel length control 85–29163
Matsuba, I., Matsumoto, K., Kobayashi, K. Modeling of etching process via Kalman filter and channel length control 87–53696
Matsuba, I., Mokuay, K., Aoshima, T. Thermoelastic model of dislocations in wafers 87–45751
Matsuba, I. *see* Mokuya, K. 85–61821, 87–53424, 87–60257, 88–32966
Matsuba, T. *see* Ohuchi, M. 88–6754
Matsuba, Y. *see* Mizumata, H. 88–43037
Matsubara, A. *see* Saito, T. 87–48658
Matsubara, H. *see* Endo, T. 85–3071
Matsubara, H. *see* Goto, F. 85–18569
Matsubara, H. *see* Hagino, Y. 85–53191
Matsubara, H. *see* Koiwa, I. 86–58660, 86–63535
Matsubara, H. *see* Mitsui, T. 85–32176
Matsubara, H. *see* Murakami, T. 86–29139, 87–68456
Matsubara, H. *see* Nagasaki, S. 85–38513
Matsubara, H. *see* Osaka, T. 85–7137, 86–9404, 87–74519, 88–57926
Matsubara, H. *see* Otaki, K. 88–65724
Matsubara, H. *see* Otani, K. 85–64918
Matsubara, H. *see* Shima, A. 87–54323
Matsubara, H. *see* Tsukada, H. 86–58063
Matsubara, H. *see* Yamaguchi, Y. 87–44390
Matsubara, I. A study of a lesson planning system using graph theory 87–16313
Matsubara, I. A study of effective video teaching materials using a microcomputer in secondary education–applications of video superimposition using a microcomputer 88–15845
Matsubara, I., Fujii, K., Masuda, Y., Kitayama, Y., Okano, M., Kimura, Y. Evaluation results of performance requirements for composite fibre-optic ground wires 88–53315
Matsubara, I., Ishikawa, M., Fujii, K., Matsuura, T., Nagatomi, K., Okano, M., Masuda, Y., Kitayana, Y., Nishiyana, S., Ishikawa, M., Kimura, Y. Composite fiber-optic ground wire 86–56448
Matsubara, I. *see* Kawahira, H. 85–36892
Matsubara, I. *see* Kubota, S. 85–57923
Matsubara, I. *see* Noda, M. 88–36867
Matsubara, I. *see* Sasaki, S. 85–59767
Matsubara, I. *see* Wahab, M.A.A. 88–23545, 88–42883, 88–68990
Matsubara, I. *see* Yamamoto, K. 85–4646
Matsubara, K., Arai, T. EEPROM on-chip single-chip microcomputer 87–37327
Matsubara, K., Kawata, S., Minami, S. Optical chemical sensor based on surface plasmon measurement 88–47464
Matsubara, K., Kuno, H., Okuno, Y., Takaoka, H., Takagi, T. Thin film type thermoelectric devices using amorphous FeSi$_2$ prepared by ionized-cluster beam technique 85–21849
Matsubara, K., Yamaguchi, T., Tamura, R. Automatic measurement of magnetic domain and Bloch wall distributions on 3% Si-Fe sheet by means of Hall sensor 86–60326
Matsubara, K. *see* Arai, N. 86–26429
Matsubara, K. *see* Hosono, K. 85–16994
Matsubara, K. *see* Iino, A. 87–60947 to 60948
Matsubara, K. *see* Mameno, K. 85–16953
Matsubara, K. *see* Mikami, M. 88–65231
Matsubara, K. *see* Miura, K. 86–38861
Matsubara, K. *see* Ogai, M. 88–13825, 88–51482, 88–65209
Matsubara, K. *see* Ravikumar, K.G. 88–39992
Matsubara, K. *see* Takagi, T. 86–449
Matsubara, K. *see* Takaoka, H. 85–16995, 85–45436
Matsubara, M., Adachi, Y., Saito, K., Kawanishi, K. Thermomagnetic writing of hologram on the amorphous magnetic films and its applications to character recognition 85–2442
Matsubara, M., Kawakado, H., Ohta, T., Matsudaira, T., Kishibe, M. Report on the VIII CCITT general meeting (in Spain, October 1984) 86–4094
Matsubara, M., Saito, K., Kawanishi, K. Thermomagnetic writing characteristics of holograms on amorphous magnetic films and application to optical matched filtering 88–14308
Matsubara, M.M., Luk, J.S., Campbell, C.A. End-to-end performance objectives of the Datapac network 86–43376
Matsubara, M.M., Tilli, S. Problems and solutions for growing packet switched network traffic and topology 87–48446
Matsubara, M.M. *see* Banks, F.M. 88–67066
Matsubara, N. *see* Kobayashi, M. 85–4999
Matsubara, N. *see* Ogawa, Y. 87–21004
Matsubara, O., Fujioka, S., Itoh, K., Hata, H., Hiramatsu, S. High-luminous efficiency compact self-ballasted fluorescent lamp 'COSMOBALL ITTŌ-SEI' 86–66475
Matsubara, O., Yabuta, K., Sato, E., Takatori, H. A switched capacitor line equalizer for digital subscriber loop transmission 88–46773
Matsubara, S., Shohata, N., Mikami, M. Epitaxial growth of PbTiO$_3$ on MgAl$_2$O$_4$/Si substrates 86–46367
Matsubara, S. *see* Croteau, A. 88–24799
Matsubara, S. *see* Ikegaki, T. 86–7004
Matsubara, S. *see* Itoh, H. 86–40147, 88–32872
Matsubara, S. *see* Muramatsu, S. 86–20092
Matsubara, S. *see* Narui, H. 87–43439
Matsubara, S. *see* Shohata, N. 87–52150
Matsubara, S. *see* Takashima, M. 85–40403, 87–34789
Matsubara, S. *see* Tendyck, H. 88–69881, 88–69891
Matsubara, S. *see* Uematsu, T. 88–49835
Matsubara, T., Ohmichi, T., Hosaka, S., Nishihara, M., Shirasu, I., Miida, T. Development of mobile manipulator for maintenance and inspection in containment vessels of nuclear power plants 85–48796
Matsubara, T., Toyota, T., Fujiyama, A. Hot slab surface inspection by laser scanning method 87–47062
Matsubara, T. *see* Chigusa, Y. 88–58095
Matsubara, T. *see* Iida, T. 88–58096
Matsubara, T. *see* Ise, M. 85–13903, 87–34020
Matsubara, T. *see* Kasahara, J. 86–25377
Matsubara, T. *see* Nakata, T. 86–36665
Matsubara, T. *see* Takahashi, S. 86–58270
Matsubara, Y. *see* Sakiyama, K. 85–45691
Matsubara, Y. *see* Teshima, M. 86–60579
Matsubayashi, M. *see* Itoh, K. 87–34283
Matsubayashi, N. Optical systems for optical disks 85–58386
Matsubayashi, N. *see* Yoshizawa, A. 87–38725

Matsubayashi, Y. *see* Yashiro, T. 87−46347
Matsuda, A. Deposition technique for amorphous silicon−glow-discharge deposition of silane 85−33485
Matsuda, A. Deposition kinetics of silicon thin films by plasma CVD 87−5462
Matsuda, A. Plasma CVD using a triode reactor 87−10499
Matsuda, A. Growth processes of hydrogenated amorphous silicon 87−58908
Matsuda, A. Preparation of high quality amorphous Si-Ge alloys by radical-control techniques 88−6508
Matsuda, A. Film growth processes from glow-discharge plasma−amorphous Si and Si-based alloys 88−49869
Matsuda, A., Kaga, T., Tanaka, H., Tanaka, K. Influence of power-source frequency on the properties of GD a-Si:H 85−422
Matsuda, A., Kawakami, T. Observation of fluxon and antifluxon collision in a Josephson transmission line 85−46080
Matsuda, A., Koyama, M., Ikuchi, N., Imanishi, Y., Tanaka, K. Guiding principle in the preparation of high-photosensitive hydrogenated amorphous Si-Ge alloys from glow-discharge plasma 86−34383
Matsuda, A., Tanaka, K. Investigation of the growth kinetics of glow-discharge hydrogenated amorphous silicon using a radical separation technique 87−10483
Matsuda, A., Tanaka, K. Guiding principle for preparing highly photosensitive Si-based amorphous alloys 88−24770
Matsuda, A., Yagii, K., Kaga, T., Tanaka, K. Glow-discharge deposition of amorphous silicon from SiH_3F 85−423
Matsuda, A., Yagii, K., Koyama, M., Toyama, M., Imanishi, Y., Ikuchi, N., Tanka, K. Preparation of highly photosensitive hydrogenated amorphous Si-Ge alloys using a triode plasma reactor 86−13797
Matsuda, A., Yamaoka, T., Wolff, S., Koyama, M., Imanishi, Y., Kataoka, H., Matsuura, H., Tanaka, K. Preparation of highly photosensitive hydrogenated amorphous Si-C alloys from a glow-discharge plasma 87−23709
Matsuda, A. *see* Hayashi, S. 85−11952
Matsuda, A. *see* Komuro, S. 85−1275
Matsuda, A. *see* Kumata, K. 86−52514
Matsuda, A. *see* Matsuura, H. 85−61887
Matsuda, A. *see* Nitta, J. 87−46418
Matsuda, A. *see* Okushi, H. 86−28026
Matsuda, A. *see* Tanaka, K. 86−501, 87−23737
Matsuda, A. *see* Toyoshima, Y. 85−33478, 88−18720
Matsuda, A. *see* Watanabe, A. 85−52664
Matsuda, C. *see* Taniguchi, J. 87−40381
Matsuda, C. *see* Yoshizaki, M. 87−40128
Matsuda, E. *see* Kotani, M. 85−11969
Matsuda, F., Iwasaki, T., Ueda, M. A method of generating quickly Freeman chain code from edge coordinates using connecting types of segments 86−49025
Matsuda, F., Suzuki, K., Itoh, M., Hattori, S., Ueda, M. Deviation of parameters displaying object shape on binary image and its influence of object 88−28079
Matsuda, F. *see* Inokuchi, S. 85−36413
Matsuda, H. High-resolution high-transmission mass spectrometer 85−64510
Matsuda, H., Furukawa, S., Kaminishi, T., Minato, S. A new method for evaluating weak leakage gamma-ray dose using a $3''\phi\times3''$ NaI(Tl) scintillation spectrometer. II. Natural radioactivity distribution subtended to detector 85−31774
Matsuda, H., Furukawa, S., Kaminishi, T., Minato, S. A new method for evaluating weak leakage gamma-ray dose using a $3''\phi\times3''$ NaI(Tl) scintillation spectrometer. III. Application in different circumstances 85−59231
Matsuda, H., Furukawa, S., Kaminishi, T., Minato, S. A new method for evaluating weak leakage gamma-ray dose using a $3''\phi\times3''$ NaI (Tl) scintillation spectrometer. IV. A portable measuring and processing system 86−38706
Matsuda, H., Furukawa, S., Kaminishi, T., Minato, S. A new method for evaluating weak leakage gamma-ray dose using a $3''\phi\times3''$ NaI(Tl) scintillation spectrometer. VI. Measurement of high energy leakage gamma-rays and expansion of applicable energy range 88−74777
Matsuda, H., Kasahara, M. A new method of constructing SEC-DED codes with reduced numbers of codewords of weight 4 88−8694
Matsuda, H., Komiyama, T., Usui, Y., Takeuchi, M. Characteristics for high power GTOs 85−45669
Matsuda, H., Miyagoshi, T. Submap method for generating prime implicants of multi/valued logic functions 85−61230
Matsuda, H., Nishiguchi, T., Takano, O. Preparation of magnetic recording tape by electroless Co-P plating 86−36035
Matsuda, H., Nishikawa, M., Nanasawa, Y. NC die-sinking electrical-discharge machines 88−18254
Matsuda, H., Takano, O. Preparation of perpendicularly magnetized films by electroless plating method−undercoating 87−46322
Matsuda, H., Takano, O. Magnetic and electrical properties of electroless Co-Zn-P films 88−44961
Matsuda, H., Takeuchi, M., Tsunoda, Y., Mase, K., Hashiya, Y., Murakami, K. 2.5 kV-800 A monolithic reverse conducting gate turn-off thyristor 86−45543
Matsuda, H., Tokiwa, K., Kasahara, M., Namekawa, T. A new method of constructing binary linear codes 85−36200
Matsuda, H., Tsunoda, Y., Mase, K. 2.5 kV-800 A monolithic reversing conducting gate turnoff thyristor 86−67855
Matsuda, H. *see* Enomoto, S. 88−42591
Matsuda, H. *see* Hayakawa, M. 86−60328
Matsuda, H. *see* Kakimoto, N. 88−54884
Matsuda, H. *see* Matsuo, T. 85−64511
Matsuda, H. *see* Nishiki, Y. 86−51876
Matsuda, H. *see* Suzuki, Y. 85−10794
Matsuda, H. *see* Taguchi, N. 88−31244
Matsuda, H. *see* Tanaka, T. 88−11528
Matsuda, H. *see* Usui, Y. 87−38229
Matsuda, I. Development of copper-clad polyimide glass laminates 88−19480
Matsuda, I., Aihara, K., Sasaki, S. Measurement of the frequency stability of the highly stable quartz crystal oscillator 86−68129
Matsuda, I., Mizuno, T. High speed permanent-magnet type synchronous motor (PM motor) 88−23890
Matsuda, I., Ueki, Y., Oura, N., Kuramochi, N. Digital measurement of the *Q*-value of a −18.5° X-cut bar utilizing the radio frequency monitor 87−67649
Matsuda, I. *see* Endo, E. 87−57718, 88−75255
Matsuda, I. *see* Nagano, K. 85−36843
Matsuda, J. An approximation for the autocovariance function of the virtual waiting time in an M/G/1 and its applications 85−16856
Matsuda, J., Kubo, M., Iriguchi, C., Kato, K., Masuda, T. Monte Carlo simulation of energy broadening in electron beams 87−68725
Matsuda, J., Kubo, M., Iriguchi, C., Kato, K., Yamashita, T., Masuda, T. Generation of electron beams by low temperature field emission 86−67627
Matsuda, J., Kubo, M., Iriguchi, C., Kato, K., Yamashita, T., Masuda, T. Generation of electron beams by low-temperature field emission 87−60042
Matsuda, J. *see* Ichimura, Y. 86−56864
Matsuda, J. *see* Kawashima, K. 86−59446, 87−19987
Matsuda, K. Ion beam transportation technology 88−10205
Matsuda, K., Fujita, T., Ohya, J., Ishino, M., Sato, H., Serizawa, H., Shibata, J. Single longitudinal mode operation of long, integrated passive cavity InGaAsP lasers 85−46379
Matsuda, K., Fukumaru, F., Mizutani, Y., Konishi, M., Matsunaga, K. Large diameter ion beam implantation system 87−56988
Matsuda, K., Kamada, O., Ishizuka, S. Thick-film crystal growth of highly Bi-substituted garnet for optical isolators 88−31746
Matsuda, K., Kawai, T., Naitoh, M., Aoki, M. High energy ion implantation machine 85−12149
Matsuda, K., Kawai, T., Naitoh, M., Aoki, M. A high current ion implanter machine 85−34769
Matsuda, K., Kosugi, Y., Sakai, K., Horita, Y., Tsuda, T. A consideration of filters in the coding loop of hybrid MC/DCT coding scheme 88−46271
Matsuda, K., Kubo, M., Ogura, M., Shibata, J. Approach to high speed operation of InGaAs/InP monolithic PIN/amplifier 88−65528
Matsuda, K., Kubo, M., Ohnaka, K., Shibata, J. A monolithically integrated InGaAs/InP photoreceiver operating with a single 5 V power supply 88−45328
Matsuda, K., Kubo, M., Ohnaka, K., Shibata, J. A monolithically integrated InGaAs/InP photoreceiver operating with a single 5-V power supply 88−65510
Matsuda, K., Kubo, M., Tojo, M., Ohmaka, K., Shibata, J. Monolithic pin/amplifier photoreceiver 88−40073
Matsuda, K., Kumagai, K., Tanaka, K. Glow-discharge deposition of amorphous-microcrystalline mixed phase silicon (μc-Si:H)4−effect of ionic species 85−10793
Matsuda, K., Minemoto, H., Kamada, O., Ishizuka, S. Temperature-stabilized optical isolator for collimated light using $(BiLuGd)_3Fe_5O_{12}/(BiGd)_3(FeGa)_5O_{12}$ composite film 88−45255
Matsuda, K., Minemoto, H., Kamada, O., Ishizuka, S. Bi-substituted rare-earth iron garnet composite film with temperature independent Faraday rotation for optical isolators 88−51595
Matsuda, K., Minemoto, H., Kamata, O., Ishizuka, S. Optical isolator 88−41655
Matsuda, K., Minemoto, H., Toda, K., Kamada, O., Ishizuka, S. Low-noise LD module with an optical isolator using a highly Bi-substituted garnet film 87−40875
Matsuda, K., Suzuki, Y. Use of high current ion beam 85−12148
Matsuda, K., Tezuka, T., Sugiyama, H., Yamada, H., Arai, H. Heat-pump air conditioners with a frequency-control system 86−40310
Matsuda, K., Tsuda, T., Ito, T., Maki, S. A new motion compensation coding scheme for video conferences 85−13632
Matsuda, K., Tsuda, T., Itoh, T., Kawai, O. A study of a vector quantizer for sub-rate video codec 87−34229
Matsuda, K., Tsuda, T., Itoh, T., Maki, S. A new motion compensated coding scheme for video conferences 85−52566
Matsuda, K., Tsuda, T., Maki, S., Okazaki, T., Homma, T., Nishizawa, Y. Motion compensated 384 kb/s video codec for teleconferences 86−55471
Matsuda, K. *see* Ayukawa, M. 87−67134
Matsuda, K. *see* Eiju, T. 85−43372
Matsuda, K. *see* Fujita, T. 85−41392
Matsuda, K. *see* Hibino, K. 86−29257, 87−7457
Matsuda, K. *see* Itoh, T. 87−34802
Matsuda, K. *see* Maki, S. 87−17147
Matsuda, K. *see* Ming, M. 87−562
Matsuda, K. *see* Motokawa, M. 85−58687
Matsuda, K. *see* Nishizawa, Y. 86−17655
Matsuda, K. *see* Ohya, J. 86−58948
Matsuda, K. *see* Okada, Y. 87−19151
Matsuda, K. *see* Okazaki, T. 88−47308
Matsuda, K. *see* Saito, F. 86−65006, 86−65716
Matsuda, K. *see* Saito, S. 87−60378
Matsuda, K. *see* Sakiyama, K. 86−28500
Matsuda, K. *see* Takeya, N. 86−60390
Matsuda, K. *see* Toda, K. 87−54326
Matsuda, K. *see* Tojo, M. 88−65527
Matsuda, K.M. PVUSA: a central station RD&D project 88−37116
Matsuda, K.M. *see* Hester, S.L. 86−13063
Matsuda, M., Imatake, Y., Hatta, K., Narusawa, S., Nishioka, K., Inamoto, T., Fujimaki, M., Arikado, E. NEC SCADA-10, remote supervisory and control system for small scale plant 88−3471
Matsuda, M., Kanata, Y. Static characteristics and operating limits of phase and series cascade voltage regulator 85−39906
Matsuda, M., Kanata, Y. Dynamic characteristics of phase and series cascade voltage regulator and effects of ambient temperature 87−10679
Matsuda, M., Kanata, Y. Dynamic characteristics of phase and series cascade voltage regulator and effects of ambient temperature 87−73272
Matsuda, M., Kuriki, S. Telegraph-like noise in Y-Ba-Cu oxide thin-film DC SQUIDs 88−65010
Matsuda, M., Kuriki, S., Nagano, Y. Fabrication of NbN Josephson tunnel junctions and their application to DC-SQUIDs 87−7048
Matsuda, M. *see* Akatsuka, T. 85−38120
Matsuda, M. *see* Ishikawa, H. 87−68515
Matsuda, M. *see* Jaafer, F.B. 88−69042
Matsuda, M. *see* Kotaki, Y. 87−39100, 88−45411
Matsuda, M. *see* Kuriki, S. 87−67881, 88−71978
Matsuda, M. *see* Masuda, Y. 88−9911
Matsuda, M. *see* Miyashita, T. 88−26174
Matsuda, M. *see* Nishina, M. 87−9959
Matsuda, M. *see* Ogita, S. 88−51800
Matsuda, M. *see* Ohno, K. 88−10309
Matsuda, M. *see* Otonari, T. 87−78141
Matsuda, M. *see* Shimizu, K. 86−60196
Matsuda, M. *see* Soda, H. 87−68451
Matsuda, M. *see* Takeda, T. 88−23058
Matsuda, N., Miyano, M., Fujimura, E., Yamamoto, Y., Kunikata, T. WF-H coaxial cable 87−28346
Matsuda, N., Ryohnai, H., Mohri, N. 3-inch high recording density floppy disk 87−32858
Matsuda, N. *see* Nakayama, Y. 85−12493
Matsuda, N. *see* Nakayana, Y. 85−29458
Matsuda, N. *see* Sato, I. 87−41704
Matsuda, R. Clean wafer transportation system−magnetic suspension system 86−35786
Matsuda, R. PM stepping motors using a rare-earth magnet cut costs 88−5723
Matsuda, R., Nakagawa, M. Magnetic suspension control of linear guide carrier. I. Carrier construction and control method 85−29985
Matsuda, R., Nakagawa, M., Yamada, I. Multi input-output control of magnetically suspended linear guide 85−24221
Matsuda, R. *see* Hayashi, K. 87−55654
Matsuda, R. *see* Taki, K. 87−26102
Matsuda, R. *see* Todo, T. 86−4222
Matsuda, S. Expert system for flow instrument selection (EXFLOW) 87−56571
Matsuda, S. Instrument Specification Execution System for automatic design by personal computers 88−74252
Matsuda, S., Itoh, A., Tamura, T. Super-precision injection/compression moulding technique for plastic lenses 86−28934

Matsuda, S., Kimura, T., Haruyama, K., Kijima, T., Moriguchi, Y., Tamamura, R. The UV cut performance of cover glasses for solar cells of satellites 88–5898
Matsuda, S., Matsutani, T., Saga, T., Suzuki, A. Development of ultrathin Si solar cells 85–65459
Matsuda, S., Mori, Y., Shimodaira, M. Outgassing method using thermal balancer [for plastic encapsulation] 85–54154
Matsuda, S., Otoda, M., Mitsui, K., Kato, M., Hokuyo, S., Yoshida, S. Development of AlGaAs/GaAs solar cells with space qualifications 85–65456
Matsuda, S., Shirahata, K., Kawakami, A., Yoshida, S., Otoda, M., Hokuyo, S. Manufacturing status of GaAs solar cells for space applications 87–78931
Matsuda, S., Tsuji, M. Radiation damage in GaAs and ultrathin Si solar cells due to low energy electrons 87–78955
Matsuda, S. *see* Kasahara, H. 85–36653, 85–36748
Matsuda, S. *see* Kato, M. 87–9774
Matsuda, S. *see* Kishida, K. 85–16226
Matsuda, S. *see* Kondoh, T. 87–68309
Matsuda, S. *see* Matsuoka, M. 85–44111, 85–49038
Matsuda, S. *see* Nozaki, T. 86–43690
Matsuda, S. *see* Ohura, H. 88–33512
Matsuda, S. *see* Okumura, Y. 88–4773
Matsuda, S. *see* Sugano, M. 87–34114
Matsuda, S. *see* Sugimoto, H. 86–33593
Matsuda, S. *see* Suzuki, T. 85–37294
Matsuda, S. *see* Takata, N. 86–66351, 87–78954
Matsuda, S. *see* Tani, T. 86–45324
Matsuda, S. *see* Watakabe, Y. 85–18264, 86–58360, 87–1598
Matsuda, S. *see* Yoshida, S. 85–65450, 87–58326
Matsuda, T. The LCD challenge to cathode ray tubes 85–26421
Matsuda, T., Horie, N., Nabeyama, N., Fusi, L. New Bi-CMOS integrated circuits 85–45744
Matsuda, T., Ishii, T., Harada, K. Superficial image emphasis lithography 85–55617
Matsuda, T., Kawakami, A., Takahashi, S. A synthesis method for the integrator of noninteger order in the continuously variable form 85–6432
Matsuda, T., Kawakami, A., Takahashi, S. A synthesis method for integrator of noninteger order in continuously variable form 86–67304
Matsuda, T., Miyoshi, R., Yamaguchi, R., Moriya, S., Hosoya, T., Harada, K. Submicrometer electron-beam direct writing technology for 1-Mbit DRAM fabrication 85–35165
Matsuda, T., Niu, H., Maeda, M., Takai, M. Oxidation of Si by microwave-excited oxygen-plasma through protective Al coating 86–58403
Matsuda, T., Niu, H., Maeda, M., Takai, M., Kimura, S. Oxidation of Ai/Si by microwave excited O_2+N_2 mixture plasma 87–32427
Matsuda, T., Okuno, Y. Numerical analysis of gratings with profiles represented by superposition of sinusoidal waves 86–63960
Matsuda, T., Yamada, T., Morita, M., Yamamoto, S., Iwamoto, M. High homogeneous field superconducting magnet composed of 8 solenoid coils 86–48021
Matsuda, T. *see* Gambe, H. 85–13984
Matsuda, T. *see* Goto, S. 87–52543
Matsuda, T. *see* Ikeda, H. 87–35366
Matsuda, T. *see* Ishii, T. 86–41920
Matsuda, T. *see* Ishikawa, M. 86–34478, 86–58555, 87–59087, 88–57750
Matsuda, T. *see* Ito, H. 88–69279
Matsuda, T. *see* Itoh, R. 87–41842
Matsuda, T. *see* Kamae, T. 87–21432
Matsuda, T. *see* Kawabata, T. 85–7329
Matsuda, T. *see* Kawakami, A. 85–36878
Matsuda, T. *see* Kimura, M. 85–7592
Matsuda, T. *see* Mano, T. 87–59486
Matsuda, T. *see* Maruyama, T. 85–5536
Matsuda, T. *see* Mori, S. 86–41977
Matsuda, T. *see* Nagao, S. 86–58843
Matsuda, T. *see* Nakajima, J. 86–63925
Matsuda, T. *see* Niu, H. 87–41512, 88–24135
Matsuda, T. *see* Ohmae, T. 86–66389, 87–16079, 87–30644, 87–43532, 88–11417
Matsuda, T. *see* Okada, Y. 88–3459
Matsuda, T. *see* Okuno, Y. 85–7613, 87–47146
Matsuda, T. *see* Otsuka, J. 88–8370
Matsuda, T. *see* Oura, Y. 86–32823
Matsuda, T. *see* Saito, K. 86–51958, 88–37646
Matsuda, T. *see* Sawa, K. 88–40097
Matsuda, T. *see* Shibanuma, K. 87–12068
Matsuda, T. *see* Shikama, T. 85–23511
Matsuda, T. *see* Shingo, Y. 87–21941
Matsuda, T. *see* Shirahashi, A. 88–68216
Matsuda, T. *see* Takamoto, K. 86–53739, 87–74162
Matsuda, T. *see* Wanou, M. 87–39291
Matsuda, T. *see* Yamada, J. 85–22876
Matsuda, T. *see* Yamamoto, S. 86–28763
Matsuda, Y. The Pacific Basin experience [nuclear power stations] 85–15770
Matsuda, Y. Length-normalized two-level DP matching method for continuous speech recognition 85–36214
Matsuda, Y. Experience in the operation and maintenance of commercial nuclear power plants in Japan 85–43715
Matsuda, Y. Present status and perspectives of silica image fiber 86–17383
Matsuda, Y. Electric equipment for sewage treatment plant of Makurazaki City 86–19690
Matsuda, Y. Rechargeable lithium batteries 88–17889
Matsuda, Y., Asakura, T., Saijo, E., Schneider, K., Crane, J. Connector application and design (Japanese perspective) 88–7130
Matsuda, Y., Endo, M. Turbine flowmeter using reflex optical fibre sensor 86–31373
Matsuda, Y., Matsuoka, M., Naoe, M., Hoshi, Y. Role of oxygen on growth mechanism and composition change of Ba-ferrite films 86–9392
Matsuda, Y., Morita, M. Organic electrolyte solutions for rechargeable lithium batteries 87–78885
Matsuda, Y., Morita, M., Takata, K. Solvent mixing effects on the electrode characteristics of secondary Li/TiS$_2$ cells 85–16211
Matsuda, Y., Morita, M., Takata, K., Matsui, K., Uchiumi, S. Influences of tetrahydrofuran-dioxolane mixed electrolytes on the electrode characteristics of the Li/TiS$_2$ cell 86–33597
Matsuda, Y., Morita, M., Yamada, K., Hirai, K. Characteristics of sulfolane-based electrolytes for rechargeable lithium batteries 86–26267
Matsuda, Y., Morita, M., Yamashita, T. Conductivity of the LiBF$_4$/mixed ether electrolytes for secondary lithium cells 85–32692
Matsuda, Y., Nukuda, T., Morita, M. Activation of a Raney nickel electrode for alkaline hydrogen-oxygen fuel cells 85–60410
Matsuda, Y., Suehiro, K., Taniguchi, S. The Japanese approach to nuclear power safety 85–15715
Matsuda, Y., Tsukamoto, K., Inuishi, M., Shimizu, M., Asakura, M., Fujishima, K., Komori, J., Akasaka, Y. MeV-boron implanted buried barrier for soft error reduction in megabit DRAM 88–19169
Matsuda, Y., Yada, M., Matsuoka, M., Naoe, M. Sputter preparation of Mn-Zn ferrite thin film with soft magnetic properties 87–46340
Matsuda, Y. *see* Asakura, M. 88–19148
Matsuda, Y. *see* Chigusa, Y. 85–35523
Matsuda, Y. *see* Fujita, S. 85–10700, 85–44739, 85–44750
Matsuda, Y. *see* Fujiwara, K. 87–46547
Matsuda, Y. *see* Hombu, M. 85–27538, 86–12895
Matsuda, Y. *see* Horii, K. 85–42902, 86–4845, 88–29437
Matsuda, Y. *see* Kozono, T. 86–17848, 87–56520
Matsuda, Y. *see* Kuroda, T. 87–20971
Matsuda, Y. *see* Mashiko, K. 87–59481, 88–6819
Matsuda, Y. *see* Matsumoto, F. 86–49208
Matsuda, Y. *see* Matsuoka, M. 86–40768
Matsuda, Y. *see* Morita, M. 87–72382, 88–17869
Matsuda, Y. *see* Nagase, H. 85–27680
Matsuda, Y. *see* Nishimura, M. 86–64226
Matsuda, Y. *see* Nukii, T. 86–11660
Matsuda, Y. *see* Ohno, T. 88–51211
Matsuda, Y. *see* Onda, K. 87–72265, 88–18928
Matsuda, Y. *see* Saito, K. 86–51958
Matsuda, Y. *see* Shimizu, T. 85–42744
Matsuda, Y. *see* Shirahama, H. 88–75959
Matsuda, Y. *see* Suzuki, H. 88–51222
Matsuda, Y. *see* Taioka, T. 85–16528
Matsuda, Y. *see* Takata, K. 85–39179
Matsuda, Y. *see* Tanaka, S. 88–45148
Matsuda, Y. *see* Terakawa, S. 86–5046
Matsuda, Y. *see* Tsukamoto, K. 87–31903, 88–38526
Matsuda, Y. *see* Tsuno, K. 87–50216
Matsuda, Y. *see* Yamato, I. 88–75775
Matsudaira, M. *see* Yamano, M. 86–8705
Matsudaira, T. *see* Matsubara, M. 86–4094
Matsudaira, T. *see* Shimizu, Y. 86–29007
Matsudaira, T. *see* Shiobara, Y. 88–41370
Matsudo, K. *see* Ohmi, T. 88–63288
Matsudo, O. *see* Yonehara, H. 86–32064
Matsudo, T. *see* Karasawa, Y. 88–72554
Matsue, H. Vector correlation detection type interference canceller 88–20933
Matsue, H., Imai, N., Saito, Y. Digital radio modem for 100 km overwater spans 86–37620
Matsue, H., Murase, T. Vector correlation detection type interference canceller 88–52248
Matsue, H., Ohtsuka, H., Kikuchi, K. LS-200M digital microwave radio repeater 87–13586
Matsue, H., Ohtsuka, H., Murase, T. Digitalized cross-polarized interference canceller for multilevel digital radio 87–48901
Matsue, H., Ohtsuka, H., Murase, T. Fully digital cross polarization interference canceler for multi-level digital radio 88–9400
Matsue, H., Saito, Y. Characteristics of a 16 QAM carrier recovery phase locked loop with control mode selection function 85–47416
Matsue, H. *see* Saito, Y. 85–34066
Matsue, J., Katono, R., Sekiya, H., Takamatsu, M., Kurita, H. Development of a compact 30 kW Stirling engine 86–39545
Matsue, J. *see* Terada, F. 86–39558
Matsue, K. *see* Dal-Ho Im 87–73299
Matsue, K. *see* Tanabe, K. 87–37339
Matsue, M. *see* Yonemoto, E. 85–31222
Matsue, S. MOS LSI memories 85–40096
Matsue, S. Trends in NEC memories 87–37290
Matsueda, H. AlGaAs OEIC transmitters 88–22084
Matsueda, H., Hirao, M., Tanaka, T.P., Kodera, H., Nakamura, M. Integration of optical devices with electronic circuits for high speed communications 86–54060
Matsueda, H., Tanaka, T.P. Integrated optoelectronic devices 85–20192
Matsueda, H., Tanaka, T.P., Nakano, H. An optoelectronic integrated device including a laser and its driving circuit 85–2331
Matsueda, O., Matsuno, T., Shiba, K. Buildings and facilities of ARABSAT ground stations 86–43785
Matsueda, Y. *see* Shimizu, M. 85–44740
Matsufuji, S. *see* Imamura, K. 87–54959
Matsufuji, Y. *see* Itoh, T. 86–44730
Matsugi, Y. *see* Nakai, Y. 88–6841
Matsuguchi, M. *see* Sadaoka, Y. 87–65581, 88–16083, 88–42046
Matsuhara, M. Boundary element analysis of polarization holding fibers 85–12618
Matsuhara, M. Boundary element analysis of polarization holding fibers 86–68808
Matsuhara, M. Improved integral equation method for electromagnetic scattering problems 87–61371
Matsuhara, M. Improved integral equation method for electromagnetic scattering problems 88–45659
Matsuhara, M., Angkaew, T. Finite element analysis of three-dimensional electromagnetic fields by the use of vector shape functions 88–40468
Matsuhara, M., Angkaew, T., Kumagai, N. Finite element analysis of the waveguide eigenmodes–a novel method of employing transverse electromagnetic fields 87–54631
Matsuhara, M., Kumagai, N. Vector analysis of the arbitrary polarization holding fibers 86–22173
Matsuhara, M. *see* Angkaew, T. 87–39437, 88–14466
Matsuhara, M. *see* Fujii, Y. 86–42303, 87–53971
Matsuhara, M. *see* Inada, K. 85–12620
Matsuhara, M. *see* Kuramoto, M. 86–53007
Matsuhara, M. *see* Mitsuji, K. 86–68710
Matsuhara, M. *see* Toyoda, I. 86–68280, 87–54630
Matsuhara, M. *see* Yoshida, Y. 85–7280
Matsuhashi, M. *see* Ito, K. 87–41224
Matsuhasi, H. *see* Yoshimaru, M. 88–474
Matsuhira, N., Itoh, S., Utsunomiya, T. A low bit rate DPCM coding technique for image signals and application of tree encoding to this technique 87–39961
Matsuhiro, K. Blue color ECD has wide applications [electrochromic display] 86–54007
Matsuhiro, K. *see* Ando, E. 85–26406, 87–7181, 87–35152
Matsuhisa, T., Joyama, Y., Yamada, K., Nishiwaki, K., Yamashiki, T. Development of SF$_6$ gas circuit breaker arc chamber 86–61693
Matsuho, G. *see* Fukuda, K. 85–31102
Matsui, F. *see* Ogoshi, K. 86–42213
Matsui, F. *see* Otaka, T. 88–49312
Matsui, H., Murakami, T. Miniature potentiometer series mountable on printed circuit boards 86–1387
Matsui, H., Ohtsuki, H., Ino, M., Ushio, S. Effects of ion implantation doping on the formation of titanium silicide on the diffusion layers 87–11708
Matsui, H., Ono, K. A uniform focal spot X-ray tube with improved MTF and kW rating 86–11958
Matsui, H., Yokota, H., Tokunaga, Y. Mental model on telephone operation 88–21836
Matsui, H., Yoshimaru, M. Low temperature glass flow 85–61824
Matsui, H. *see* Adachi, R. 86–52074
Matsui, H. *see* Doi, K. 87–29744
Matsui, H. *see* Furuya, Y. 87–69601
Matsui, H. *see* Ikezawa, Y. 88–48752
Matsui, H. *see* Shimohara, K. 88–59871
Matsui, H. *see* Suzuki, M. 88–60185
Matsui, H. *see* Tamura, H. 88–71447
Matsui, H. *see* Yoshimaru, M. 88–474
Matsui, H. *see* Yoshitoshi, M. 85–3228
Matsui, I. *see* Asai, K. 88–61665
Matsui, I. *see* Saito, N. 86–25420
Matsui, I. *see* Shimizu, H. 85–31100, 86–65523
Matsui, J. The high potentiality of fiber optical technology 88–1947
Matsui, J. *see* Ishikawa, T. 86–60677
Matsui, J. *see* Kanamori, M. 87–45940
Matsui, J. *see* Kawase, Y. 88–48052
Matsui, J. *see* Kitano, T. 87–10362
Matsui, J. *see* Matsumura, T. 87–23593
Matsui, J. *see* Minato, I. 85–60946, 87–16568

Matsui, J. *see* Okada, K. 85−55631, 86−1868, 86−21328
Matsui, J. *see* Ono, F. 88−6433
Matsui, J. *see* Ono, H. 86−34284, 86−40703, 86−52439
Matsui, J. *see* Suzuki, K. 85−55957, 86−35501, 87−6886, 87−11967
Matsui, J. *see* Warwick, C.A. 87−74010
Matsui, K. A pulsewidth modulated inverter with parallel-connected transistors by using current showing reactors 86−45554
Matsui, K. Nagoya Railway−Model 5700 System 87−58390
Matsui, K. Project management for new products development 87−58648
Matsui, K., Kobayashi, J., Fukunaga, T., Ishida, K., Nakashima, H. Implantation energy dependence of compositional disordering in Si implanted GaAs/AlGaAs superlattices studied by secondary ion mass spectrometry 87−6533
Matsui, K., Kobayashi, J., Fukunaga, T., Ishida, K., Nakashima, H. Disordering of surface regions in Si-implanted superlattices of GaAs/AlGaAs 87−66944
Matsui, K., Matsuura, T., Fukasawa, S., Izawa, Y., Toba, Y., Miyake, N., Nagasawa, K. CMOS video filters using switched capacitor 14 MHz circuits 86−14365
Matsui, K., Matsuura, T., Fukasawa, S., Izawa, Y., Toba, Y., Miyake, N., Nagasawa, K. CMOS video filters using switched capacitor 14 MHz circuits 86−34966
Matsui, K., Nakamura, Y. Reduction of random keys by graph transformation 88−14595
Matsui, K., Sato, N. A modulation technique of PWM inverter using phase-locked loops 85−49011
Matsui, K., Takamori, T., Fukunaga, T., Narusawa, T., Nakashima, H. Ion-implantation induced damage in $Al_xGa_{1-x}As$ and superlattices studied by Rutherford backscattering 87−45763
Matsui, K., Takatani, S., Fukunaga, T., Narusawa, T., Bamba, Y., Nakashima, H. Damage profile in GaAs, AlAs, AlGaAs, and GaAs/AlGaAs superlattices induced by Si^+-ion implantation 86−58382
Matsui, K. *see* Fujii, T. 88−21832
Matsui, K. *see* Ishida, K. 87−7373, 87−12490, 87−75125
Matsui, K. *see* Kakehi, T. 87−31061
Matsui, K. *see* Kita, A. 86−40069, 87−43368
Matsui, K. *see* Kobayashi, J. 86−58297
Matsui, K. *see* Matsuda, Y. 86−33597
Matsui, K. *see* Nakamura, Y. 87−54881, 88−34573
Matsui, K. *see* Sakai, T. 87−49484
Matsui, K. *see* Takahashi, A. 86−26084
Matsui, K. *see* Takata, K. 85−39179
Matsui, K. *see* Uchida, Y. 88−33102
Matsui, K. *see* Watanabe, M. 86−42312
Matsui, M. Remarks on indirect speech acts 85−2778
Matsui, M. Connector design and construction emphasizes component integration 85−55236
Matsui, M., Fukao, T. A detecting method for active reactive negative-sequence power and its application 88−29578
Matsui, M., Hagiwara, M., Nakagawa, M., Hayashi, Y. Abnormal signal detection and cancellation by using adaptive digital filter 87−75840
Matsui, M., Hgiwara, M., Nakagawa, M. A novel canceller for an abnormal signal by using adaptive digital filter 87−39825
Matsui, M., Ohtani, T., Tsujimoto, J., Iwai, H., Suzuki, A., Sato, K., Isobe, M., Hashimoto, K., Saitoh, M., Shibata, H., Sasaki, H., Matsuno, T., Matsunaga, J., Iizuka, T. A 25-ns 1-Mbit CMOS SRAM with loading-free bit lines 88−6832
Matsui, M., Oka, S., Yamagishi, K., Kuroiwa, K., Tarui, Y. Photo-process of tantalum oxide films and their characteristics 88−49872
Matsui, M., Segami, M., Seong, S., Fukao, T. PWM thyristor inverter with one bypass GTO utilizing line and device commutations 88−70531
Matsui, M. *see* Fukao, T. 86−45549, 87−51336, 88−11297, 88−23900, 88−30691
Matsui, M. *see* Fukushima, H. 88−6528, 88−38268
Matsui, M. *see* Hayashi, T. 88−54694
Matsui, M. *see* Kawanishi, Y. 88−67641
Matsui, M. *see* Matsuzawa, T. 86−25084
Matsui, M. *see* Murasaki, N. 88−52070
Matsui, M. *see* Nakamura, S. 85−15119
Matsui, M. *see* Ohtani, T. 87−59505
Matsui, M. *see* Okamura, T. 88−23616
Matsui, M. *see* Pak, K. 87−32250
Matsui, M. *see* Sawabe, T. 88−32357
Matsui, M. *see* Sekimoto, K. 86−38084, 86−38110, 87−8449
Matsui, M. *see* Tarui, Y. 88−18755, 88−39576
Matsui, M. *see* Ueno, K. 88−55010
Matsui, M. *see* Yamashita, F. 87−29857, 87−70005
Matsui, M. *see* Yoshikawa, T. 85−15154, 85−20803
Matsui, N. Equivalent circuit analysis of high temperature solid electrolyte 86−40817
Matsui, N. Impedance analysis of lithium systems 87−72368
Matsui, N., Marumoto, H. Stepped voltage inverter using capacitors as auxiliary voltage sources 85−5172
Matsui, N., Sasaki, S., Ohsaki, T. VLSI chip interconnection technology using stacked solder bumps 87−74403
Matsui, N., Takeshita, T., Yura, M. One-chip microcomputer-based controller for the McMurray inverter 85−5166
Matsui, N. *see* Iwasa, S. 88−1885
Matsui, N. *see* Katazawa, O. 86−68186
Matsui, N. *see* Okamato, T. 87−35048
Matsui, N. *see* Sasaki, S. 88−7134
Matsui, N. *see* Shiraishi, H. 87−39118, 87−68519
Matsui, N. *see* Takeshita, T. 87−72075
Matsui, O., Awane, K. Basic principles of charge coupled devices and their application to area imagers 85−14439
Matsui, O. *see* Miyatake, S. 85−42912, 85−52662, 86−5043, 86−49979
Matsui, O. *see* Nagakawa, T. 86−11281
Matsui, S. A study on the development of electron beam equipment as thermal tool and application to micro processing 87−72630
Matsui, S. Some experimental studies on silicon wafer grinding−studies on water rotation grinding method. I 88−1534
Matsui, S., Mori, K. New selective deposition technology by electron beam induced surface reaction 85−10768
Matsui, S., Mori, K. New selective deposition technology by electron beam induced surface reaction 86−34382
Matsui, S., Mori, K. Direct writing onto Si by electron beam stimulated etching 88−12912
Matsui, S., Mori, K., Saigo, K., Shiokawa, T., Toyoda, K., Namba, S. Lithographic approach for 100 nm fabrication by focused ion beam 87−1369
Matsui, S., Mori, K., Shiokawa, T., Toyoda, K., Namba, S. Ion species dependence of focused-ion-beam lithography 88−13202
Matsui, S., Sagai, S., Morikiyo, T. Development of daily news presentation system−enhancement of DEMANDS 88−30308
Matsui, S., Takiguchi, H., Taneya, M., Yamamoto, O., Hayashi, H., Yamamoto, S., Yano, S., Hijikata, T. Low noise characteristics of V-channeled substrate inner stripe laser in single-longitudinal-mode operation 85−12838
Matsui, S., Takiguchi, H., Taneya, M., Yamamoto, O., Hayashi, H., Yamamoto, S., Yano, S., Hijikata, T. Low noise characteristics of VSIS lasers in single-longitudinal mode operation 85−24569
Matsui, S. *see* Ichihashi, T. 88−18756
Matsui, S. *see* Matsumoto, M. 86−9848, 86−9868, 87−54299
Matsui, S. *see* Morikiyo, G. 87−42369
Matsui, S. *see* Ochiai, Y. 88−19897, 88−47912, 88−64454
Matsui, S. *see* Onodera, T. 87−49899
Matsui, S. *see* Sawaragi, H. 88−26146
Matsui, S. *see* Sekihara, K. 85−43362, 86−32253
Matsui, S. *see* Shiokawa, T. 87−74164, 88−57539
Matsui, S. *see* Takahashi, M. 88−29120
Matsui, S. *see* Takiguchi, H. 85−24570
Matsui, S. *see* Taneya, M. 86−3123, 86−63824, 87−61132
Matsui, S. *see* Terano, T. 87−42371
Matsui, S. *see* Yao, T. 87−36736, 88−38191
Matsui, T. Logic simulation 86−14162
Matsui, T. Studies on the origin of irregular voltage characteristics for a tin microbridge 87−46413
Matsui, T., Ishizu, M., Hayashi, R. A voltage bias method for studying the AC Josephson effect at high frequencies and for application to mixers 87−18565
Matsui, T., Sugimoto, H., Ohishi, T., Ogata, H. Reactive ion etching of III-V compounds using C_2H_6/H_2 88−57466
Matsui, T., Takahashi, Y., Hasegawa, T. Performance analysis of go-back-*N* ARQ with limited receiving buffer 88−45826
Matsui, T. *see* Abe, K. 88−16629
Matsui, T. *see* Arai, R. 87−32918
Matsui, T. *see* Arima, N. 85−39145
Matsui, T. *see* Fukaya, H. 86−60031
Matsui, T. *see* Gamo, K. 85−18439
Matsui, T. *see* Hori, T. 88−29625
Matsui, T. *see* Minakuchi, D. 87−71692
Matsui, T. *see* Nagai, Y. 88−30996
Matsui, T. *see* Ohtsuka, K. 86−54055, 88−24718, 88−63310
Matsui, T. *see* Okuyama, T. 87−42949
Matsui, T. *see* Oshima, K. 85−63661, 87−76773
Matsui, T. *see* Ota, K. 85−20189
Matsui, T. *see* Otsuka, K. 88−12009
Matsui, T. *see* Saito, K. 87−43680, 87−64990
Matsui, T. *see* Sasamoto, H. 87−9574
Matsui, T. *see* Sugimoto, H. 88−14189, 88−58536
Matsui, T. *see* Sukegawa, T. 86−19648
Matsui, T. *see* Takeishi, M. 88−74556
Matsui, T. *see* Tokuda, K. 86−4820
Matsui, T. *see* Tokuda, Y. 87−68441, 88−14231, 88−20681
Matsui, T. *see* Toyoguchi, Y. 87−36106
Matsui, T. *see* Wake, M. 85−59028, 86−50389, 87−38709, 87−74623
Matsui, T. *see* Yakihara, T. 86−68213
Matsui, T. *see* Yamamoto, T. 85−39101
Matsui, T. *see* Yokoshima, I. 86−3694
Matsui, Y. Permanent magnets made from new rare-earth metal alloys 87−67787
Matsui, Y., Arai, T. Trial manufacture of a angular position detector utilizing a PSD and its application to a line tracer with a constant speed 86−24781
Matsui, Y., Hayashi, H., Takahashi, M., Kikuchi, K., Yoshida, K. (InAs)m(GaAs)n superlattices grown by molecular beam epitaxy 85−39773
Matsui, Y., Hayashi, H., Yoshida, K. Temperature dependence of electron mobility in $(InAs)_3(GaAs)_1$ superlattices 86−47340
Matsui, Y., Hayashi, H., Yoshida, K. Auger electron spectroscopy study of GaAs layer growth on InP substrate 87−44318
Matsui, Y., Hayashi, K., Kikuchi, K., Iguchi, S., Yoshida, K. Ultrauniform $In_xGa_{1-x}As$ layers on InP grown by molecular beam epitaxy 85−39732
Matsui, Y., Hyashi, H., Yoshida, K. Auger electron spectroscopy study of GaAs layer growth on InP substrate 86−62222
Matsui, Y., Ishino, M., Fujita, T., Serizawa, H., Kajiwara, T. A novel measurement technique of loss and facet reflectivity for semiconductor optical waveguides 87−54051
Matsui, Y., Kamimura, K., Sakurai, K., Kaminishi, S., Matsutani, T., Hirano, T., Suzuki, A. Ultrathin silicon solar cell assembly technology 87−4887
Matsui, Y., Mishiyama, N., Hayashi, H., Ono, K., Yoshida, K. InAs-GaAs superlattices as a new semiconductor grown by beam separation MBE method 88−56264
Matsui, Y., Yuuki, A., Morita, N., Tachibana, K. On the reaction kinetics in an mercury photosensitized CVD of a-Si:H films 88−444
Matsui, Y. *see* Nagashima, R. 88−10490
Matsui, Y. *see* Nishi, T. 87−4416
Matsui, Y. *see* Ohya, J. 88−20678
Matsui, Y. *see* Okuda, H. 85−35655
Matsui, Y. *see* Ono, M. 88−10512
Matsui, Y. *see* Sato, A. 86−14740
Matsui, Y. *see* Sato, H. 88−45420
Matsui, Y. *see* Yokoyama, T. 87−36073
Matsui, Y. *see* Yuki, A. 88−18728
Matsuike, T. *see* Nagasaki, S. 85−38513
Matsuita, A., Yamamoto, K., Yasui, K., Ikeda, T., Ikeda, M. Tests of biological processing of nitrogen compounds in desulphurized waste water [thermal power plants] 86−12653
Matsuka, S. *see* Saito, K. 85−10266
Matsukama, K. *see* Nakatani, M. 86−13080
Matsukata, J. Computer networking for large computers in universities 88−66958
Matsukawa, A. *see* Sano, T. 88−64922, 88−71904
Matsukawa, H., Wakahata, Y., Ito, M., Takada, A. A continuous very-large-area liquid-crystal color display 86−31507
Matsukawa, H. *see* Nakamura, T. 87−56759
Matsukawa, J. Protocol analysis technique and its application using personal computers 88−15094
Matsukawa, J., Sato, H., Endo, M. PCM music receiving terminal 87−3314
Matsukawa, J. *see* Miwa, M. 88−28865
Matsukawa, M., Aoyagi, T., Tsuneoka, M. JT-60 power supply operational experience 87−72285
Matsukawa, M. *see* Matsukawa, T. 87−9675, 87−22544
Matsukawa, M. *see* Shimada, R. 85−5212, 85−53767, 88−69643
Matsukawa, N., Morita, S., Nozawa, H. High performance EEPROM using low barrier height tunnel oxide 85−40107
Matsukawa, N., Morita, S., Shinada, K., Miyamoto, J., Tsujimoto, J., Iizuka, T., Nozawa, H. A high density single-poly Si structure EEPROM with LB (lowered barrier height) oxide for VLSI's 86−41131
Matsukawa, N. *see* Atsumi, S. 87−59489
Matsukawa, N. *see* Miyamoto, J. 87−5881
Matsukawa, N. *see* Mori, S. 88−38539
Matsukawa, N. *see* Nozawa, H. 85−6312, 85−49896, 86−41116
Matsukawa, N. *see* Ohtsuka, N. 88−6823
Matsukawa, N. *see* Shinada, K. 87−1436
Matsukawa, N. *see* Tsujimoto, J. 86−34819
Matsukawa, S. *see* Kuroda, I. 87−59575
Matsukawa, S. *see* Shiraki, K. 86−4139
Matsukawa, S. *see* Zoicas, A. 88−38554
Matsukawa, T., Inuishi, M., Mitsuhashi, J., Hirayama, M., Tsukamoto, K., Uoya, S., Yoshihara, T., Nakata, H. A highly reliable N-MOS process for one megabit dynamic random access memory 85−54892

Matsukawa, T., Kanke, M., Shimada, R., Yoshida, Y., Yamashita, K., Nakayama, T. Four giga joule flywheel motor-generator for JT-60 toroidal field coil power supply system 87−22543
Matsukawa, T., Kanke, M., Shimada, R., Yoshida, Y., Yamashita, K., Nakayama, T. A 215 MVA flywheel motor-generator with a 4 GJ discharge energy for JT-60 toroidal field coil power supply system 87−64520
Matsukawa, T., Tsuneoka, M., Omori, K., Matsukawa, M., Shimada, R., Fukuda, T., Sato, S., Yamanaka, Y., Hattori, K., Hayashi, S. Tests of the toroidal field power supply for JT-60 87−22544
Matsukawa, T., Tsuneoka, M., Shimada, R., Matsukawa, M., Omori, K., Hayashi, S., Takeda, M., Yamanaka, Y., Yamashita, K. Construction of power supply system for toroidal field coil of large fusion experimental facility JT-60 87−9675
Matsukawa, T. *see* Ajika, N. 88−19844
Matsukawa, T. *see* Ando, T. 88−64002
Matsukawa, T. *see* Arima, H. 87−25427
Matsukawa, T. *see* Eimori, T. 88−19975
Matsukawa, T. *see* Fujishima, K. 86−57836
Matsukawa, T. *see* Hirayama, M. 85−7110, 86−21389
Matsukawa, T. *see* Kobayashi, K. 88−20099
Matsukawa, T. *see* Kumanoya, M. 86−8259, 86−20530, 86−34792
Matsukawa, T. *see* Mashiko, K. 87−59481, 88−6819
Matsukawa, T. *see* Mitsuhashi, J. 85−50772, 87−53566, 88−1553
Matsukawa, T. *see* Nagatomo, M. 87−44845
Matsukawa, T. *see* Okamoto, T. 85−50272, 86−21346, 87−25167, 88−33079
Matsukawa, T. *see* Shimada, R. 88−69643
Matsukawa, T. *see* Tsukamoto, K. 85−34890, 85−50463, 87−31903
Matsukawa, Y. Generation of high brightness ion beam from insulated anode PED 88−58370
Matsukawa, Y., Sato, H., Tanabe, A. Culture pond (water quality) monitor system 88−42660
Matsukawa, Y. *see* Miyauchi, A. 88−65733
Matsukawa, Y. *see* Nakagawa, Y. 87−56939
Matsukawa, Y. *see* Takeko, S. 87−63142
Matsuki, A. *see* Oyama, T. 87−63783
Matsuki, H., Miyazawa, H., Murakami, K., Yamamoto, T. Miniaturization limit of a cloth inductor 88−71145
Matsuki, H., Murakami, K. A new cloth inductor using amorphous fiber 86−27652
Matsuki, H., Murakami, K. High quality soft heating method utilizing temperature dependence of permeability and core loss of low Curie temperature ferrite 86−28723
Matsuki, H., Murakami, K. Structure and characteristics of wire inductor 87−1016
Matsuki, H., Murakami, K., Satoh, T., Hoshino, T. An optimum design of a soft heating system for local hyperthermia 88−61417
Matsuki, H., Murakami, K., Yamamoto, T. Performance of miniaturized magnetic devices in cloth structure 87−18488
Matsuki, H., Murakami, K., Yamamoto, T. Preparation and characteristics of cloth inductor 87−66601
Matsuki, H. *see* Minami, M. 88−63686
Matsuki, H. *see* Sugimoto, S.A. 85−64053, 86−43286
Matsuki, H. *see* Yamamoto, T. 88−51336
Matsuki, J., Harada, M., Matsumoto, Y., Okada, T. Experimental study on the steady-state stability of the two machines connected to an infinite bus system 86−33251
Matsuki, J., Matsumoto, Y., Okada, T. Simulation of steady-state characteristics and loss of synchronism phenomena in two-machine infinite bus system 86−25471
Matsuki, J., Nagao, T., Okada, T., Uenosono, C. Simulation of steady state characteristics and loss of synchronism phenomena of a synchronous machine taking into account magnetic saturation effect 85−32452
Matsuki, K. *see* Yanagisawa, N. 86−71069
Matsuki, M. Advances in facsimile technologies 87−40306
Matsuki, M., Sato, H., Ozawa, M., Shimizu, T. High quality full-color recording system for plastic sheets 88−51648
Matsuki, M., Suzuki, R. A new vertical scanning technique for facsimile equipment which is controlled by occupancy of the line memory 85−63262
Matsuki, M. *see* Ichinose, S. 85−43030
Matsuki, M. *see* Kaminaga, K. 88−23481
Matsuki, M. *see* Kobayashi, T. 85−21197
Matsuki, M. *see* Ohshima, M. 85−62570, 86−58937
Matsuki, M. *see* Tsuruta, T. 88−40222
Matsuki, S., Ogino, K., Sakamoto, N. A gas target system for nuclear scattering experiments with broad range magnetic spectrograph 85−64499
Matsuki, T. *see* Shimada, Y. 85−12264
Matsuki, Y. *see* Kumabe, I. 88−68228
Matsuki, Y. *see* Yoshimo, S. 88−15258
Matsukiyo, H. *see* Yamamoto, H. 86−28980
Matsukoa, T. *see* Yoshikuni, Y. 87−12427
Matsukuma, K. *see* Morita, K. 87−58325
Matsukuma, K. *see* Saitoh, T. 88−37607
Matsumae, M. *see* Murakami, T. 86−44647
Matsumae, Y. *see* Sakata, T. 88−54730
Matsumae, Y. *see* Ueno, S. 86−781
Matsumara, K. *see* Hirokawa, S. 88−10306
Matsumara, M. *see* Kaya, H. 85−1482
Matsumara, M. *see* Takeuchi, Y. 86−41826
Matsumaru, H. *see* Mori, K. 87−20488
Matsumaru, H. *see* Sasano, A. 85−47861, 88−26301
Matsumaru, H. *see* Suzuki, Y. 86−45765
Matsumaru, K. *see* Ichikawa, T. 86−31337
Matsumaru, Y. *see* Kita, A. 87−78871
Matsumaru, Y. *see* Yamashita, J. 88−75903
Matsumi, C., Tokiwa, K., Kasahara, M., Namekawa, T. Notes on permutation error and its correction 87−54878
Matsumi, K. *see* Ohshida, N. 86−24314
Matsumi, K. *see* Tsubone, K. 88−64709
Matsumi, T. *see* Araki, T. 86−71143
Matsumi, Y., Toyoda, S., Hayashi, T., Miyamura, M., Yoshikawa, H., Komiya, S. Laser-induced fluorescence study of silicon etching process: detection of SiF_2 and CF_2 radicals 87−25109
Matsumori, T. *see* Makita, Y. 85−45533
Matsumori, T. *see* Mori, M. 88−6463
Matsumori, T. *see* Shigetomi, S. 85−40438
Matsumoto, A., Mori, S., Tanaka, K. DIPS computer complex 87−20245
Matsumoto, A., Sone, S. National project of developing a linear-motor driven metro system 87−79115
Matsumoto, A., Sone, S. Development of a linear-motored system in Japan 88−55672
Matsumoto, A., Yamada, T., Onkura, T. Development of an ultrathin solar battery clock, 'CRESCO' 85−58909
Matsumoto, A. *see* Kubo, K. 85−36794
Matsumoto, A. *see* Matsunaga, T. 86−49261
Matsumoto, A. *see* Nishina, N. 85−64211
Matsumoto, A. *see* Ohashi, N. 87−36031
Matsumoto, A. *see* Suzuki, Y. 88−11253
Matsumoto, A. *see* Watanabe, C. 85−43330
Matsumoto, E. *see* Fukuoka, Y. 87−72826, 88−1274
Matsumoto, E. *see* Mizukami, T. 86−4507
Matsumoto, E. *see* Nishihara, T. 87−8084
Matsumoto, F. The development of NTT intelligent building system 88−21768
Matsumoto, F., Fujita, Y., Hayashi, T. Modal analysis system for mechanical structures by Multi-shaker testing (LABTA/MA) 86−40803
Matsumoto, F., Watanabe, H., Matsuda, Y., Funabashi, A., Yamamoto, T., Uchida, H., Wada, A., Ochi, H., Yamamoto, A., Kamio, T., Teraoka, M., Tanigawa, Y., Yamazaki, T., Sawazaki, S. Compact thermal facsimile transceiver NEFAX-11 86−49208
Matsumoto, F. *see* Izki, A. 85−20760
Matsumoto, F. *see* Okayama, S. 88−57528
Matsumoto, G., Ikeda, Y., Ohokubo, K., Tamaki, M. Visualization of flows in steel pipes with real-time neutron radiography 87−20754
Matsumoto, G., Shimizu, K., Kobayashi, T. Living systems in the electromagnetic field 87−63850
Matsumoto, G., Teramura, M., Okubo, K., Ikeda, Y. A boron nitride scintillation converter for neutron radiography 85−10848
Matsumoto, G. *see* Endo, H. 85−31883, 87−57085
Matsumoto, G. *see* Hasegawa, I. 85−26773
Matsumoto, G. *see* Hirano, M. 87−11492, 87−67027
Matsumoto, G. *see* Kobayashi, T. 86−6003
Matsumoto, G. *see* Kudo, N. 86−25207, 88−15021
Matsumoto, G. *see* Kuriki, S. 87−1204, 87−63560
Matsumoto, G. *see* Shimizu, K. 86−6004 to 6005, 87−14422, 88−54503
Matsumoto, G. *see* Tsuchida, Y. 88−16710
Matsumoto, G. *see* Tsuda, S. 86−38792
Matsumoto, G. *see* Yamashita, M. 87−53765
Matsumoto, H. Recent precision distance measurements 86−5522
Matsumoto, H. Synthetic interferometric distance-measuring system using a CO_2 laser 86−38547
Matsumoto, H. TeV e^+e^- linear collider R and D. IV. R and D of the lasertron 87−14657
Matsumoto, H. Summary of the Honshi-Bisan Line system. AF track circuit 88−69844
Matsumoto, H., Cunha, W.C., Yamashita, M. The time complexity of response time estimation of multi-channel communication networks 88−8901
Matsumoto, H., Fujiwara, S., Ueda, H., Yoshida, K., Utsumi, Y., Igarashi, N. Multi-function terminal for new form of media 88−52813
Matsumoto, H., Fukuma, M. Numerical modelling of nonuniform Si thermal oxidation 85−34847
Matsumoto, H., Fukushima, Y., Horiba, S., Horikoshi, G., Kimura, Y., Mizuno, H., Saito, Y., Sato, I., Shidara, T., Takata, K., Takeda, S., Terabayashi, N., Yamazaki, Y., Yoshioka, M. RF breakdown studies on an S-band disk loaded structure 88−54060
Matsumoto, H., Hieda, T., Kohama, H., Maruyama, M. DIPS-V30S hardware system 87−67553
Matsumoto, H., Imai, H. Comparative study of various spectrum matching measures on noise robustness 87−19511
Matsumoto, H., Ito, A., Fujii, S., Ohashi, H. Error characteristics of the received packet on computer network experiment via the Japanese communication satellite CS-2 88−46585
Matsumoto, H., Kimura, T. Nonlinear excitation of electron cyclotron waves by monochromatic strong microwave: computer simulation analysis of the MINIX results 86−68755
Matsumoto, H., Kurosawa, T., Iwasaki, S. Verification of the accuracy of a CO_2 laser interferometer for distance measurement 88−68028
Matsumoto, H., Masuno, H., Egusa, M. CAPTAIN PLPS videotex adapter PC-CM301 for personal-computers 85−57748
Matsumoto, H., Miyamoto, K., Satoh, Y., Ishida, S. Comparison of impact ionization current between PMOS and NMOS 85−1405
Matsumoto, H., Nagaoka, Y., Fujimaki, S. Field test and performance evaluation of a compact cogeneration system utilizing a gas engine for air conditioning 86−39550
Matsumoto, H., Nakagawa, M., Yoneyama, M. Spoken word recognition of independent speakers using local-peak-weighted average dictionary 87−2465
Matsumoto, H., Shimizu, H., Watanabe, K. A switched-capacitor charge-balancing analog-to-digital converter 87−66276
Matsumoto, H., Shimizu, H., Watanabe, K. A switched-capacitor charge-balancing analog-to-digital converter and its application to capacitance measurement 88−16011
Matsumoto, H., Unno, M. MR-S Series intelligent servos and FREQROL-SF and SFJ Series intelligent spindle drives 88−17662
Matsumoto, H., Wakita, H. Vowel normalization by frequency warped spectral matching 87−2491
Matsumoto, H., Watanabe, K. Improved switched-capacitor algorithmic analogue-to-digital convertor 85−45118
Matsumoto, H., Watanabe, K. Switched-capacitor algorithmic digital-to-analog converters 86−67272
Matsumoto, H., Watanabe, K. A switched-capacitor digital capacitance meter 87−29243
Matsumoto, H., Watanabe, K. Spike-free switched-capacitor circuits 87−45027
Matsumoto, H., Watanabe, K. A switched-capacitor digital capacitance meter 88−4584
Matsumoto, H., Watanabe, K. Switched-capacitor frequency-to-voltage and voltage-to-frequency converters 88−19309
Matsumoto, H., Yamada, M., Fukushima, J., Kondoh, T., Kotani, N., Tosa, M. New filler-induced failure mechanism in plastic encapsulated VLSI dynamic MOS memories 86−14228
Matsumoto, H. *see* Ae, T. 88−28441, 88−46460
Matsumoto, H. *see* Fukushima, Y. 85−64418, 86−31986
Matsumoto, H. *see* Ichiko, T. 85−62030
Matsumoto, H. *see* Igarashi, N. 85−57747
Matsumoto, H. *see* Kakinuma, Y. 87−48621
Matsumoto, H. *see* Kaya, N. 86−6307, 86−68754
Matsumoto, H. *see* Kumesawa, T. 86−4846
Matsumoto, H. *see* Kurosawa, T. 88−58411
Matsumoto, H. *see* Matsumura, J. 85−48872
Matsumoto, H. *see* Miyamoto, K. 87−750
Matsumoto, H. *see* Miyao, M. 86−18227
Matsumoto, H. *see* Nagatomo, M. 86−29361
Matsumoto, H. *see* Nakano, A. 87−15994
Matsumoto, H. *see* Okuda, I. 87−51644
Matsumoto, H. *see* Saito, J. 88−45239
Matsumoto, H. *see* Sakai, H. 86−47963
Matsumoto, H. *see* Sato, I. 87−41704
Matsumoto, H. *see* Sato, Y. 85−9708
Matsumoto, H. *see* Satoh, S. 85−40071
Matsumoto, H. *see* Shimizu, H. 88−56766
Matsumoto, H. *see* Shinohara, K. 87−14676
Matsumoto, H. *see* Tajima, S. 85−842
Matsumoto, H. *see* Takeda, S. 86−5696
Matsumoto, H. *see* Takeshita, M. 87−46846
Matsumoto, H. *see* Tamura, Y. 88−21981
Matsumoto, H. *see* Wantanabe, K. 86−62648
Matsumoto, H. *see* Watanabe, K. 86−27390, 86−67453, 87−963, 88−12457
Matsumoto, H. *see* Yamamura, M. 87−70453
Matsumoto, H. *see* Yoshida, S. 88−37597
Matsumoto, I., Niimi, F., Iwase, M., Sugimoto, T., Takahashi, K. Hierarchical logic synthesis system for VLSI 86−62556
Matsumoto, I. *see* Fujishima, S. 86−15308
Matsumoto, I. *see* Hirayama, T. 86−63452
Matsumoto, I. *see* Mieno, F. 88−38179
Matsumoto, I. *see* Mitsumata, T. 86−19454
Matsumoto, I. *see* Nakano, M. 85−57857
Matsumoto, J., Ishigaki, H., Kamiyama, Y., Kishibe, M., Yamazaki, Y., Nagatomo, S., Matsushita, A., Ikeda, Y., Tanido, F., Takahashi, T., Hatori, Y., Yanahira, H., Takabatake, F., Morita, M. CCITT SG II, IV, VII, VIII, XI, XII, XV, XVI, XVII, XVIII final meeting

report (1984 February-June, Geneva) 85−42081
Matsumoto, J., Kitai, M., Kajitani, Y. On distance between the common trees in two graphs 86−62053
Matsumoto, J., Mays, L.W. Dual simplex method for GUB problems 85−28150
Matsumoto, J., Tamura, J., Kawakita, T., Endo, S., Morita, S. Studies on ISDN services by CCITT 88−28481
Matsumoto, J., Watanabe, Y. Individual traffic characteristics of queuing systems with multiple Poisson and overflow inputs 85−25001
Matsumoto, J., Watanabe, Y. Theoretical method for the analysis of individual traffic characteristics in alternate routing networks 85−25203
Matsumoto, J., Watanabe, Y. Dynamic routing-trends of routing control techniques 87−2678
Matsumoto, J. *see* Baba, N. 87−76486
Matsumoto, J. *see* Inada, T. 85−40654
Matsumoto, J. *see* Ota, S. 88−8989
Matsumoto, J. *see* Shao-Chin Lin 86−54071
Matsumoto, J. *see* Takahashi, M. 88−17470
Matsumoto, J.H., Collins, G., Hwang, W.C. Applicability of accelerated test data [spacecraft battery testing] 85−48399
Matsumoto, J.H. *see* Donley, S.W. 87−22700
Matsumoto, K. Microcomputer-based supervisory control system [for circuit breakers] 86−40030
Matsumoto, K. Expert systems for power systems 86−56346
Matsumoto, K. Complementary HEMT logic: problems of threshold voltage control and their solutions 88−12324
Matsumoto, K. Development of digital type protection and control gear for nonutility substation equipment 88−37346
Matsumoto, K. NEC's V series 16-bit MPU 88−56669
Matsumoto, K., Fujioka, K., Noda, T., Kuraoka, Y. Properties of very short variable-thickness bridge 87−38700
Matsumoto, K., Hashizume, N., Atoda, N. Characteristics of sub-half-micrometre-gate self-aligned GaAs FET by ion implantation 85−6925
Matsumoto, K., Hashizume, N., Atoda, N., Awano, Y. Effects of p-type barrier layer on characteristics of sub-micron gate self-aligned GaAs FET 86−2216
Matsumoto, K., Hayashi, Y., Hashizume, N., Yao, T., Kato, M., Miyashita, T., Fukuhara, N., Hirashima, H., Kinosada, T. GaAs inversion-base bipolar transistor (GaAs IBT) 87−18089
Matsumoto, K., Hayashi, Y., Hashizume, N., Yao, T., Kinosada, T. GaAs inversion-base bipolar transistor (GaAsIBT): Future transistor of completely new principle 87−25245
Matsumoto, K., Hayashi, Y., Nagata, T., Yoshimoto, T. GaAs inversion-base bipolar transistor (GaAs IBT) with graded emitter barrier 88−64532
Matsumoto, K., Hirai, H., Harada, K. Transient characteristics of ferroresonant circuit in AC failure 85−49735
Matsumoto, K., Hirai, H., Harada, K. Output voltage holding characteristics of ferroresonant circuit 85−49736
Matsumoto, K., Hirai, H., Harada, K. Filtering characteristics of ferroresonant circuit 85−54621
Matsumoto, K., Hirai, H., Harada, K. Analysis of magnetic frequency tripler by describing function method 86−41264
Matsumoto, K., Hiuga, T., Takada, K., Ichimura, H. $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics with ultra-low loss at microwave frequencies 87−53752
Matsumoto, K., Ishii, E., Yamagishi, H., Amano, N., Sugawara, M., Fukaya, H. A 700 MHz monolithic phased-locked demodulator 86−14075
Matsumoto, K., Ito, T., Numazawa, T., Hashimoto, T., Kuriyama, T., Nakagome, H. A fundamental study of a regenerator for an Ericsson magnetic refrigerator 87−32896
Matsumoto, K., Itoh, K., Tabuchi, T., Tsunoda, R. Flow patterns in various vertical reactors and MOVPE growth 87−10402
Matsumoto, K., Kinosada, T., Hayashi, Y., Hashizume, N., Nagata, T., Yoshimoto, T. GaAs inversion-base bipolar transistor (GaAs IBT) with various types of emitter barrier 88−57625
Matsumoto, K., Kinoshita, J., Suhara, H., Tanaka, A., Shiraishi, K., Morinaga, M. High-speed 1.55 μm GaInAsP/InP DFB laser with simple mesa structure 88−20643
Matsumoto, K., Kiuchi, T., Arai, T., Kosaka, H., Hashimoto, K., Tanaka, H., Fukuda, K., Demura, S., Mori, N., Yasuda, S. ESDI magnetic disk controller μPD7262 87−37422
Matsumoto, K., Kobayashi, N., Takada, K., Takamatsu, K., Ichimura, H., Takahashi, K. Dielectric properties of ceramic lead germanate derivatives 86−53880
Matsumoto, K., Konemura, K., Shimaoka, G. Crystal growth of ZnO by vapor transport in a closed tube using Zn and $ZnCl_2$ as transporting agents 85−352
Matsumoto, K., Kono, Y., Fukui, S. The application of knowledge engineering to power systems 87−15187
Matsumoto, K., Kurokawa, H., Mukaibayashi, T., Takahashi, Y., Machida, T., Neki, K., Kashimura, M., Nakayama, A., Kawanaka, N., Suzuki, S., Maeda, Y., Sugiyama, M. Omninet LAN protocol controller μPD72105 87−37421
Matsumoto, K., Kuwayama, T., Matsumoto, M., Taniguchi, N. Holographic optical elements using polyvinyl carbazole holographic material 87−12604
Matsumoto, K., Morishita, H., Sasaki, M., Nishine, S., Yokogawa, M., Sekinobu, M., Tada, K., Akai, S. LEC growth of 3 inch diameter undoped SI GaAs with good reproducibility using an improved hot zone 86−7750
Matsumoto, K., Nakamura, T., Yusa, A., Nagai, S. A new MOS phototransistor operating in a non-destructive readout mode 85−52772
Matsumoto, K., Nishino, M., Matsuo, N. Digital telephone set 85−47287
Matsumoto, K., Nishizeki, T., Saito, N. An efficient algorithm for finding multicommodity flows in planar networks 85−44610
Matsumoto, K., Nishizeki, T., Saito, N. Planar multicommodity flows, maximum matchings and negative cycles 86−52355
Matsumoto, K., Noda, T., Fujioka, K., Kuraoka, Y. A new operating method for RF-SQUID 88−13727
Matsumoto, K., Nukiyama, T. Hardware algorithm of an image processing VLSI 86−15215
Matsumoto, K., Ogura, M., Wada, T., Tao, T., Hashizume, N., Hayashi, Y. Heterojunction GaAs MIS-like FET 85−40778
Matsumoto, K., Ogura, M., Wada, T., Yao, T., Hashizume, N., Hayashi, Y., Endo, T., Yamazaki, H. n^+-GaAs gate self-aligned GaAs MIS-like FET 86−2223
Matsumoto, K., Ogura, M., Wada, T., Yao, T., Hayashi, Y., Hashizume, N., Kato, M., Endo, T., Inage, H. *p*-channel GaAs SIS (semiconductor-insulator-semiconductor) FET 85−50520
Matsumoto, K., Ogura, M., Wada, T., Yao, T., Hayashi, Y., Hashizume, N., Kato, M., Fukuhara, N., Hirashima, H., Miyashita, T. Complementary GaAs SIS FET inverter using selective crystal regrowth technique by MBE 86−41040
Matsumoto, K., Ogura, M., Wada, T., Yao, T., Hayashi, Y., Hashizume, N., Kato, M., Fukuhara, N., Miyashita, T., Hirasima, H. p^+-GaAs gate p-channel GaAs SIS FET self-aligned by ion-implantation 86−53691
Matsumoto, K., Ohkami, Y., Kida, T., Iida, T., Okamoto, K., Kinpara, A., Ohtomo, I. Space station utilization for assembly of large space antenna 87−33518
Matsumoto, K., Sakaguchi, T. Verification of operation sequence for substation switching equipment 86−26192
Matsumoto, K., Sakaguchi, T., Wake, T. Fault diagnosis of a power system based on a description of the structure and function of the relay system 85−59582
Matsumoto, K., Shimaoka, G. Crystal growth of ZnS and ZnSe by chemical transport using NH_4Cl as a transport agent 87−31481
Matsumoto, K., Shimaoka, G. Crystal growth of ZnO by chemical transport 88−31717
Matsumoto, K., Shinohara, S., Matsuo, N., Nunokawa, R. Digital telephone set 85−14067
Matsumoto, K., Tateishi, Y., Nakamura, T., Kashiwagi, T., Matsuto, Y. A demodulating LSI using the frequency-detection method for GMS signals 88−20040
Matsumoto, K., Uchida, K., Kakinuma, Y., Sakagami, S., Ito, A., Shikatani, M., Takahashi, H. Some experimental results on physical level protocol for computer network via Japanese communication satellite 85−25532
Matsumoto, K., Yonezu, K., Kosaka, H., Ueda, M., Kobatake, H., Nishizaka, T., Toyofuku, T., Demura, S. Communication control LSI family 86−34858
Matsumoto, K. *see* Amemiya, F. 86−10852
Matsumoto, K. *see* Eguchi, K. 85−60307, 86−34494
Matsumoto, K. *see* Fujioka, K. 87−38699
Matsumoto, K. *see* Furuhashi, T. 86−34857
Matsumoto, K. *see* Haruyama, T. 88−33576
Matsumoto, K. *see* Hashimoto, T. 88−51214
Matsumoto, K. *see* Higashihara, M. 85−65180
Matsumoto, K. *see* Horiuchi, T. 86−28758
Matsumoto, K. *see* Ito, A. 85−25531, 86−43795
Matsumoto, K. *see* Ito, H. 88−16451
Matsumoto, K. *see* Iwashita, M. 85−6369
Matsumoto, K. *see* Kanehori, K. 85−10092
Matsumoto, K. *see* Kato, S. 87−40397
Matsumoto, K. *see* Kinosada, T. 88−33144
Matsumoto, K. *see* Kishimoto, T. 87−72469
Matsumoto, K. *see* Kuzuhara, T. 87−32836
Matsumoto, K. *see* Masuda, S. 87−60687
Matsumoto, K. *see* Matsuba, I. 85−29163, 87−1361, 87−53696
Matsumoto, K. *see* Minato, O. 85−28528
Matsumoto, K. *see* Mitsunaga, T. 87−79226
Matsumoto, K. *see* Mizutamari, K. 86−39590
Matsumoto, K. *see* Mokuya, K. 85−61821, 87−53424
Matsumoto, K. *see* Nakamura, T. 87−56537, 88−29438
Matsumoto, K. *see* Nambu, K. 88−56214
Matsumoto, K. *see* Naoe, M. 88−51262
Matsumoto, K. *see* Nasu, S. 88−44953, 88−51184
Matsumoto, K. *see* Nishijima, S. 88−45019
Matsumoto, K. *see* Nishiya, T. 85−4561
Matsumoto, K. *see* Oda, O. 85−39716
Matsumoto, K. *see* Ogura, M. 85−40725
Matsumoto, K. *see* Ohkoshi, S. 87−13487
Matsumoto, K. *see* Sato, I. 87−41782
Matsumoto, K. *see* Sekigami, K. 87−79225
Matsumoto, K. *see* Shibanuma, K. 87−12068
Matsumoto, K. *see* Shimizu, A. 88−57456
Matsumoto, K. *see* Sugawara, M. 86−4872
Matsumoto, K. *see* Taguchi, S. 88−3860
Matsumoto, K. *see* Takahashi, H. 86−9324
Matsumoto, K. *see* Takahashi, T. 86−28019
Matsumoto, K. *see* Takamatsu, K. 86−47947
Matsumoto, K. *see* Takeo, M. 87−67929
Matsumoto, K. *see* Tanaka, Y. 87−67968, 88−51403
Matsumoto, K. *see* Temma, T. 86−8282
Matsumoto, K. *see* Tomikawa, T. 85−2890, 87−48007, 87−75867
Matsumoto, K. *see* Toyoshima, R. 87−5840
Matsumoto, K. *see* Wada, T. 85−40561
Matsumoto, K. *see* Yamafuji, K. 87−74554
Matsumoto, K. *see* Yamamoto, H. 85−57521
Matsumoto, K. *see* Yamamoto, M. 87−67928
Matsumoto, K. *see* Yamamoto, T. 87−45992
Matsumoto, K. *see* Yamasawa, K. 88−53631
Matsumoto, K. *see* Yamashita, T. 85−24244, 87−53915, 88−65052
Matsumoto, K. *see* Yanabu, S. 86−12958
Matsumoto, K. *see* Yokogawa, M. 86−1731
Matsumoto, M. Railway operation control systems in European countries 87−72512
Matsumoto, M. Trends of NEC PDP [plasma display panel] 88−53795
Matsumoto, M., Atarashi, T., Mitsui, S., Kobayashi, K. New multilayer printed wiring board with blind via-hole 86−1475
Matsumoto, M., Atarashi, T., Mitsui, S., Kobayashi, K., Asano, T. New multilayer PC board with blind via hole 85−34271
Matsumoto, M., Haeiwa, T. Fundamental design of vibrating sample magnetometers 88−9947
Matsumoto, M., Haibara, T., Katsuyama, Y., Tokuda, M., Tanifuji, T. Long-term reliability assurance for arc-fusion spliced fiber 87−8262
Matsumoto, M., Kanamori, H. Analysis of high-voltage waveforms in 3-phase 12-pulse type X-ray units 88−54450
Matsumoto, M., Morisako, A. Properties of FeAl soft magnetic thin film 86−68155
Matsumoto, M., Murata, N., Miyauchi, M. Practical optical fiber splicing techniques 87−34591
Matsumoto, M., Murata, N., Miyauchi, M., Kubota, A. Practical splicing techniques for optical fibers 87−8255
Matsumoto, M., Noguchi, S., Atarashi, T., Kuwata, H., Nakamura, H. Printed wiring board for surface mount technology 87−66705
Matsumoto, M., Noguchi, S., Hirai, O., Nakamura, H. Printed wiring board for surface mount technology 86−58140
Matsumoto, M., Ohnuki, H. High density and complexity multilayer printed board 86−1474
Matsumoto, M., Ohnuki, H., Atarashi, T., Yasui, S., Asano, T., Ito, M. Very large, high-density and complexity printed wiring boards for Supercomputer SX series and general purpose computer ACOS 1500 series 86−58141
Matsumoto, M., Okada, K., Asano, T., Shirakata, M. Multilayer printed wiring boards for high-bandwidth circuit 87−66704
Matsumoto, M., Sakai, Y., Nakane, K., Kotera, H. A study on telematic teleconference protocol for 64 kb/s digital network 87−33839
Matsumoto, M., Tachikura, M., Katagiri, T., Sato, M., Ide, A., Miyauchi, M. Fully automatic, high-speed fusion splice machine for single-mode optical fiber ribbon 88−45139
Matsumoto, M., Taneya, M., Matsui, S., Yano, S., Hijikata, T. Stable supermode operation in phase-locked laser diode arrays with three index waveguides 86−9848
Matsumoto, M., Taneya, M., Matsui, S., Yano, S., Hijikata, T. Phase-locked VSIS laser diode array with three index-waveguides 86−9868
Matsumoto, M., Taneya, M., Matsui, S., Yano, S., Hijikata, T. Single-lobed far-field pattern operation in a phased array with an integrated phase shifter 87−54299
Matsumoto, M., Tanigawa, H., Kotera, H., Sakai, Y. Multimedia teleconference system 88−28532
Matsumoto, M., Tsatumi, M., Kumagai, N. Radiation of millimeter waves from a leaky dielectric waveguide with a light-induced grating layer 88−20963
Matsumoto, M., Tsutsumi, M., Kumagai, N. Millimeter-wave radiation from two parallel corrugated dielectric slab waveguides 85−50023

Matsumoto, M., Tsutsumi, M., Kumagai, N. Bragg reflection characteristics of millimeter waves in a periodically plasma-induced semiconductor waveguide 86—48635
Matsumoto, M., Tsutsumi, M., Kumagai, N. Millimetre-wave radiation characteristics of a periodically plasma-induced semiconductor waveguide 86—54328
Matsumoto, M., Tsutsumi, M., Kumagai, N. Radiation of millimeter-waves from two parallel corrugated dielectric slab waveguides 86—62818
Matsumoto, M., Tsutsumi, M., Kumagai, N. Radiation characteristics of a dielectric slab waveguide periodically loaded with thick metal strips 87—39435
Matsumoto, M., Tsutsumi, M., Kumagai, N. Radiation of millimeter waves from two parallel corrugated dielectric slab waveguides 87—52789
Matsumoto, M., Tsutsumi, M., Kumagai, N. A simplified field analysis of a distributed IMPATT diode using multiple uniform layer approximation 88—63910
Matsumoto, M., Watanabe, T. Design of quaternary synchronous sequential circuits of dynamic memory type using CMOS transistors 88—19147
Matsumoto, M., Watanabe, T., Nagara, S. Design of quaternary switching circuits using MOS pass-transistors and capacitor memories 87—37195
Matsumoto, M. *see* Adachi, F. 86—23394
Matsumoto, M. *see* Arisawa, M. 85—3073, 85—36660
Matsumoto, M. *see* Fukaya, J. 85—17869
Matsumoto, M. *see* Haeiwa, T. 88—9948, 88—64890
Matsumoto, M. *see* Haibara, T. 86—28873, 86—28879, 88—7881
Matsumoto, M. *see* Hasegawa, T. 85—63650
Matsumoto, M. *see* Homma, N. 88—6867
Matsumoto, M. *see* Ikematsu, S. 85—39065
Matsumoto, M. *see* Imori, M. 88—56139
Matsumoto, M. *see* Kato, Y. 86—58756
Matsumoto, M. *see* Kawata, S. 88—61013
Matsumoto, M. *see* Kikuchi, A. 87—30641
Matsumoto, M. *see* Kobo, K. 86—54848
Matsumoto, M. *see* Kotani, M. 86—30309
Matsumoto, M. *see* Matsumoto, K. 87—12604
Matsumoto, M. *see* Mirosako, A. 86—35969
Matsumoto, M. *see* Miyauchi, M. 88—51480
Matsumoto, M. *see* Morisako, A. 86—9391, 87—5468, 87—32842, 87—32856, 87—46336, 88—1859, 88—57927, 88—57947
Matsumoto, M. *see* Nagasawa, S. 86—4629
Matsumoto, M. *see* Nakane, K. 86—11322
Matsumoto, M. *see* Nakayama, S. 88—20388
Matsumoto, M. *see* Noguchi, S. 88—50484
Matsumoto, M. *see* Otsu, Y. 86—30717
Matsumoto, M. *see* Saito, K. 88—72223
Matsumoto, M. *see* Satake, T. 86—49611
Matsumoto, M. *see* Sato, T. 85—27472
Matsumoto, M. *see* Suzuki, Y. 85—13820
Matsumoto, M. *see* Takahashi, H. 86—64906
Matsumoto, M. *see* Takashima, Y. 88—41479
Matsumoto, M. *see* Takeuchi, S. 87—56928
Matsumoto, M. *see* Tamura, S. 85—43376, 87—50281
Matsumoto, M. *see* Taneya, M. 86—63824, 87—61132
Matsumoto, M. *see* Tanigawa, H. 87—55543, 88—59857
Matsumoto, M. *see* Tomita, N. 86—55317
Matsumoto, M. *see* Tsukatani, M. 87—34877
Matsumoto, M. *see* Watanabe, T. 85—17337, 86—57807, 86—64505, 87—59331, 87—66037, 88—71800
Matsumoto, M. *see* Yamasaki, S. 88—39949
Matsumoto, M. *see* Yoshida, T. 86—61567
Matsumoto, N. Properties of the second order digital bandpass functions which are obtained by bilinear transformation 86—8386
Matsumoto, N. Properties of the second-order digital bandpass functions obtained by bilinear transformation 87—10979
Matsumoto, N. A criterion for aperiodic damping polynomials in a wide sense 87—16532
Matsumoto, N., Watanabe, Y., Mori, S. Symbolic design methodology for high-density macro-cell 88—70626
Matsumoto, N. *see* Furukawa, S. 85—28249
Matsumoto, N. *see* Iwasaki, T. 86—36488
Matsumoto, N. *see* Kagawa, T. 85—41245
Matsumoto, N. *see* Kamata, H. 86—16166, 86—60311
Matsumoto, N. *see* Kasukawa, A. 88—14185
Matsumoto, N. *see* Nishihara, A. 86—52962
Matsumoto, N. *see* Nokubo, J. 88—19140
Matsumoto, N. *see* Ogata, S. 87—71678
Matsumoto, N. *see* Takeda, K. 85—55467
Matsumoto, N. *see* Uchida, K. 86—65718
Matsumoto, N. *see* Yoshimasu, T. 87—6733
Matsumoto, O. *see* Miura, K. 86—36830
Matsumoto, O. *see* Takahashi, A. 87—68608
Matsumoto, R. Small-sized electromagnetic flowmeter containing detecting part compacted with concentrated magnetic field system 86—31371
Matsumoto, R. Smart sensor development concepts and application to the standard field bus 88—74344
Matsumoto, R., Hosoya, T. Remote diagnosis in a process 86—65115
Matsumoto, R. *see* Takaoka, Y. 85—40380
Matsumoto, R. *see* Ushio, T. 88—44080
Matsumoto, S. Real-time electronic color blackboard 85—26219
Matsumoto, S. Digital television. VII. Digital custom IC 86—38056
Matsumoto, S. INS and power facilities 87—62459
Matsumoto, S., Ishihara, I., Kaneko, H. Growth characteristics of oxide precipitates in heavily doped silicon crystals 85—50183
Matsumoto, S., Kawasaki, E., Kobayashi, H. A ZnS(Ag) scintillation detector for alpha particles using an optical fiber cable 88—48007
Matsumoto, S., Kimura, K., Fukuhara, H. Measurement of sound field characteristics and detectability of point focusing angle probes 85—10867
Matsumoto, S., Kobayashi, H. A new type hygrometer using a double ionization chamber with α-rays 87—42231
Matsumoto, S., Kouno, T. Surface flashover characteristics in nitrogen gas at cryogenic temperature using plane to wavy formed electrodes 86—28541
Matsumoto, S., Mizunoya, K., Hatou, H., Tomii, H. Anthraquinone-based dichroic dyes for achromatic black guest-host liquid crystal display 86—68340
Matsumoto, S., Murakami, H. Spectrum analysis on sub-Nyquist sampling structures for moving image signals 85—51783
Matsumoto, S., Murakami, H. Theoretical study on prediction efficiency for sub-Nyquist sampling structures 86—49021
Matsumoto, S., Murakami, H., Hatori, Y., Yamamoto, H. 15/30 Mb/s motion-compensated interframe, interfield and intrafield adaptive prediction coding—component coding based on CCIR Recommendation 604 86—30998
Matsumoto, S., Murakami, H., Kinuhata, K., Yamamoto, H. 15/30 Mbit/s universal TV codec 87—34790
Matsumoto, S., Murakami, H., Yamamoto, H. Coding performance of motion-compensated interframe, interfield, and intrafield adaptive prediction coding for composite and component TV signals 86—54446
Matsumoto, S., Nakagawa, I., Kondo, K., Kojima, N., Tanimura, N., Ishikawa, S. A video signal processing 20 ns 2 K×8 multi-functional memory 87—62139
Matsumoto, S., Nakamura, H., Eguchi, S., Fujita, S., Sasaki, A. Thermal nitridation of silicon in nitrogen plasma and nitrogen-hydrogen plasma 86—28224
Matsumoto, S., Nakamura, H., Kaneko, M., Eguchi, S. Thermal nitridation of silicon in nitrogen plasma 85—12215
Matsumoto, S., Ohno, T., Izumi, K. CMOS on local SOI using SIMOX technology 87—53702
Matsumoto, S., Ohshima, H. Water-proof flame-resistant filling compound for fiber optic cable 87—20571
Matsumoto, S., Sueno, T., Mikawa, K., Toda, M., Baba, H. New multi-processor control system of the main ring magnet power supply for the KEK 12 GeV PS 88—53992
Matsumoto, S., Suzuki, S. Temperature-stable Faraday rotator material and its use in high-performance optical isolators 86—58803
Matsumoto, S., Takeoka, Y., Takishima, S. Local area network technology applied to power plant computer systems 87—4296
Matsumoto, S. *see* Akiyama, A. 87—38068
Matsumoto, S. *see* Akizawa, M. 88—26279
Matsumoto, S. *see* Chichibu, S. 88—12943
Matsumoto, S. *see* de Castro, J.J.F. 87—25782
Matsumoto, S. *see* Hatoh, H. 86—31542, 88—42224
Matsumoto, S. *see* Hiroshima, Y. 85—20493, 85—50718
Matsumoto, S. *see* Horii, K. 85—42902, 86—4845, 88—29437
Matsumoto, S. *see* Hosoi, T. 85—40531
Matsumoto, S. *see* Ishihara, I. 85—1505
Matsumoto, S. *see* Iwane, M. 88—46279
Matsumoto, S. *see* Kasahara, K. 85—14906
Matsumoto, S. *see* Kato, S. 87—25098, 88—26035, 88—57429
Matsumoto, S. *see* Kinuhata, K. 87—41199
Matsumoto, S. *see* Kondo, S. 88—65502
Matsumoto, S. *see* Konishi, R. 88—27970
Matsumoto, S. *see* Korenaga, S. 88—62177
Matsumoto, S. *see* Kuroda, T. 87—20971
Matsumoto, S. *see* Mizuike, T. 85—63794
Matsumoto, S. *see* Mochizuki, A. 87—76974
Matsumoto, S. *see* Murakami, H. 85—8527, 85—14443, 87—34487, 87—62715
Matsumoto, S. *see* Nakagawa, I. 87—59478
Matsumoto, S. *see* Sakina, Y. 87—17967, 88—1528
Matsumoto, S. *see* Sasaki, H. 86—5755
Matsumoto, S. *see* Senda, K. 85—31398
Matsumoto, S. *see* Someya, H. 86—26144
Matsumoto, S. *see* Susa, M. 86—17972
Matsumoto, S. *see* Suzuki, S. 85—36889
Matsumoto, S. *see* Taneya, M. 86—3123
Matsumoto, S. *see* Terada, H. 88—32258
Matsumoto, S. *see* Tsuge, M. 88—52169
Matsumoto, S. *see* Uchida, M. 86—54053, 88—65525
Matsumoto, S. *see* Yamamoto, H. 86—49776
Matsumoto, S. *see* Yamamoto, H.-I. 85—8312
Matsumoto, S. *see* Yanabu, S. 87—35626
Matsumoto, S. *see* Yanagisawa, T. 86—5435, 86—50168
Matsumoto, S. *see* Yonehata, Y. 88—5956
Matsumoto, T. A chaotic attractor from Chua's circuit 85—10951
Matsumoto, T. Synchronization detector for magnetic card reader 85—44981
Matsumoto, T. LSI reliability in various environments 85—61995
Matsumoto, T. Bifurcations of the double scroll 86—52589
Matsumoto, T. The latest version of SHINKO induction melting furnace 86—57052
Matsumoto, T. Three dimensional transporter system using LIM 87—4730
Matsumoto, T. Reliability evaluation of LSI 87—53615
Matsumoto, T. FA development at thermal power plants 87—64349
Matsumoto, T. Chaos in electronic circuits 88—547
Matsumoto, T. INS experiment in Japan—technical infrastructure of Japan's information network system 88—3344
Matsumoto, T. Operational experience and user reaction to ISDN [INS experiment in Japan] 88—3345
Matsumoto, T. Clean transport system 88—11459
Matsumoto, T. Introduction of high-speed digital circuit services and their social impact 88—14904
Matsumoto, T. Trellis decoding of linear block codes in mobile data transmission 88—21997
Matsumoto, T. Simplified trellis decoding of linear block codes in mobile data transmission 88—21998
Matsumoto, T. Chase's second algorithm using received carrier level as CMI for decoding block codes in mobile data communication 88—41569
Matsumoto, T. Trellis decoding of linear block codes in digital mobile radio 88—72767
Matsumoto, T., Aizawa, O. Head phantom experiment and calculation for boron neutron capture therapy 88—68467
Matsumoto, T., Aizawa, O. Dose measuring system for boron neutron capture therapy 88—74868
Matsumoto, T., Chua, L.O., Ayaki, K. Reality of chaos in the double scroll circuit: A computer-assisted proof 88—70487
Matsumoto, T., Chua, L.O., Kobayashi, K. Hyperchaos: laboratory experiment and numerical confirmation 87—16836
Matsumoto, T., Chua, L.O., Komuro, M. The double scroll [nonlinear networks] 85—54625
Matsumoto, T., Chua, L.O., Komuro, M. The double scroll bifurcations 86—46516
Matsumoto, T., Chua, L.O., Komuro, M. The double-scroll 86—57593
Matsumoto, T., Chua, L.O., Komuro, M. Bifurcations of the double-scroll 86—57594
Matsumoto, T., Chua, L.O., Tokumasu, K. Double scroll via a two-transistor circuit 87—854
Matsumoto, T., Chua, L.O., Tokunaga, R. Chaos via torus breakdown [nonlinear circuit] 87—44513
Matsumoto, T., Hayashi, A. Three-dimensional position measurement of line-like object using defocusing of imaging system 87—70809
Matsumoto, T., Hirabayashi, K., Nakano, S. On generalized Feussner's principle in a two-graph 87—65363
Matsumoto, T., Iijima, T., Katsumata, Y., Ishida, T. Electrical and luminescent properties of In-doped ZnSe grown by low-pressure vapor-phase epitaxy 88—12006
Matsumoto, T., Imai, H., Okamoto, E. Proposal for identity-based key distribution systems 88—21077
Matsumoto, T., Ishii, M., Kawamura, T. Optoelectronic measurement of partial arcs on a contaminated surface 85—23993
Matsumoto, T., Iwashita, K., Imai, T. 400 Mb/s long-span optical FSK transmission experiment at 1.5 μm 86—49691
Matsumoto, T., Kanekawa, A., Shimizu, M., Fujii, K. Ion source with a grid electrode for continuous energy control 85—15150
Matsumoto, T., Kano, H. Endlessly rotatable fractional-wave devices for single-mode fibre optics 86—22085
Matsumoto, T., Kawade, T., Minamisawa, M. Low-speed large-capacity diesel engine generators 86—33077
Matsumoto, T., Kitai, M., Ohta, Y. Topological generation of symbolic network functions for general linear networks by signal flowgraph approach 85—22606

Matsumoto, T., Kobayashi, N., Ishida, T. Low pressure vapor phase epitaxy of high purity ZnSe using metallic zinc and selenium as source materials 87−36758
Matsumoto, T., Kojima, A., Ogawa, R., Iwata, K., Nagata, R. Deformation measurement of lumbar vertebra by holographic interferometry 88−42532
Matsumoto, T., Nagase, R., Kano, H. Proposal for a fiber-optic endlessly-rotatable fractional wave device and its applications to lightwave technologies 88−7879
Matsumoto, T., Nagashima, Y., Shirahata, R., Yoshida, S., Sato, M., Takesa, T. Experimental study of audio recording on the guard band in still video floppy 88−53500
Matsumoto, T., Nakanishi, H., Ishida, T. Chemical vapor deposition of $CuGaS_2$ using chloride sources 87−73141
Matsumoto, T., Nakano, S., Ohta, Y. On the finest classification of all the common trees in a two-graph: approach by a matroid with parity structure 87−65360
Matsumoto, T., Nozaki, T. A new monitoring system for the thermal neutron fluence rate and gamma dose rate in boron neutron capture therapy 88−54612
Matsumoto, T., Okumura, T., Uyama, N., Ishiwata, N. Design, fabrication and read-write characteristics of main-pole-driven perpendicular head 87−7014
Matsumoto, T., Russell, P., Mina, C., Van Ark, W., Banta, V. Airborne tracking sunphotometer 88−10543
Matsumoto, T., Shigeoka, K. Two 15.75 MVA diesel engine generators delivered to Ujung Pan-Dang, PLN, Indonesia 86−33180
Matsumoto, T., Shimizu, I., Onoe, S. Voice and control data transmission techniques for high-capacity land mobile communications system 87−48949
Matsumoto, T., Shimizu, I., Onoe, S., Horikawa, I. Voice and control data transmission for high-capacity mobile communication system 87−28411
Matsumoto, T., Shiono, N. Reliability problems for advanced VLSI 85−7019
Matsumoto, T., Takashima, Y., Imai, H. On seeking smart public-key-distribution systems 86−43185
Matsumoto, T., Takashima, Y., Imai, H. Crypto-key sharing among multiple users 87−54944
Matsumoto, T., Toriwaki, J., Yokoi, S., Fukumura, T. A border-following algorithm of three dimensional digitized binary pictures 85−19535
Matsumoto, T., Yoshida, S., Ishida, T. Growth of high-quality ZnSe layers in hydrogen plasma 86−57447
Matsumoto, T. *see* Aizawa, O. 86−70283
Matsumoto, T. *see* Arimura, T. 86−16668
Matsumoto, T. *see* Bhattacharya, P.K. 85−11930
Matsumoto, T. *see* Chaisawadi, A. 88−56808
Matsumoto, T. *see* Chua, L.O. 86−66979, 87−16463
Matsumoto, T. *see* Egashira, M. 88−60944
Matsumoto, T. *see* Fudo, H. 88−61851
Matsumoto, T. *see* Fujii, H. 85−35457
Matsumoto, T. *see* Fujino, K. 86−69826, 87−57384
Matsumoto, T. *see* Fujiwara, K. 88−42064
Matsumoto, T. *see* Fukinuki, H. 86−11057, 86−30820
Matsumoto, T. *see* Hibiya, T. 87−52100
Matsumoto, T. *see* Hidai, T. 87−41357
Matsumoto, T. *see* Iijima, H. 87−37275
Matsumoto, T. *see* Imai, H. 86−54443, 87−68998
Matsumoto, T. *see* Imai, T. 87−74734
Matsumoto, T. *see* Inoue, T. 87−24321
Matsumoto, T. *see* Ishikura, Y. 86−71046
Matsumoto, T. *see* Ishiuchi, H. 87−74320
Matsumoto, T. *see* Ishiwata, N. 88−51181
Matsumoto, T. *see* Ishizu, A. 86−31531, 87−3681, 88−42212
Matsumoto, T. *see* Iwashita, K. 86−30777, 86−30784, 86−63612, 87−56154
Matsumoto, T. *see* Jinno, M. 88−63605
Matsumoto, T. *see* Kanamori, S. 86−41325
Matsumoto, T. *see* Kato, T. 85−10679, 86−1708, 87−65515, 87−68266
Matsumoto, T. *see* Kato, Y. 85−936, 85−49776, 86−67303
Matsumoto, T. *see* Katsuyama, Y. 85−31029, 86−43856, 86−44484
Matsumoto, T. *see* Kawamura, T. 87−11979
Matsumoto, T. *see* Kubota, M. 87−70105
Matsumoto, T. *see* Kusunoki, S. 85−27830
Matsumoto, T. *see* Lange, A.E. 87−28708
Matsumoto, T. *see* Minaki, T. 86−5368, 88−60956
Matsumoto, T. *see* Mito, I. 85−46416
Matsumoto, T. *see* Miyazaki, S. 86−2277
Matsumoto, T. *see* Mizukami, T. 86−4507
Matsumoto, T. *see* Mohri, K. 88−48089
Matsumoto, T. *see* Murotsu, Y. 86−7554
Matsumoto, T. *see* Nagura, S. 88−61913
Matsumoto, T. *see* Nakamura, Y. 87−72838
Matsumoto, T. *see* Nakano, Y. 85−35745
Matsumoto, T. *see* Nashiyama, I. 87−57246
Matsumoto, T. *see* Nishimura, T. 85−52822
Matsumoto, T. *see* Nosu, K. 88−47100
Matsumoto, T. *see* Ohta, Y. 86−65672
Matsumoto, T. *see* Sato, K. 86−14225
Matsumoto, T. *see* Sato, S. 87−26994
Matsumoto, T. *see* Shigeoka, K. 86−33179
Matsumoto, T. *see* Shima, T. 86−5889
Matsumoto, T. *see* Shimada, S. 88−73946
Matsumoto, T. *see* Shiono, N. 86−41950
Matsumoto, T. *see* Shiratori, K. 86−58064
Matsumoto, T. *see* Sumiya, K. 85−24084
Matsumoto, T. *see* Suzuki, M. 85−2662, 86−3498, 86−69827
Matsumoto, T. *see* Takebe, T. 86−67378, 87−37470, 88−12515
Matsumoto, T. *see* Tanaka, S. 88−544
Matsumoto, T. *see* Togawa, Y. 87−10546
Matsumoto, T. *see* Tokunaga, R. 87−65777
Matsumoto, T. *see* Tsujii, S. 87−54855, 87−54942
Matsumoto, T. *see* Tsukiji, T. 87−25677
Matsumoto, T. *see* Usui, A. 85−18928, 85−41385
Matsumoto, T. *see* Watanabe, T. 87−67981
Matsumoto, T. *see* Yamaguchi, M. 87−48383
Matsumoto, T. *see* Yoshida, S. 86−7904
Matsumoto, T. *see* Yoshikawa, A. 85−6010
Matsumoto, T. *see* Yoshino, K. 88−16672
Matsumoto, W. *see* Sugitate, T. 86−44555
Matsumoto, Y. Communication equipment [railways] 88−31146
Matsumoto, Y., Higuchi, T., Mizuno, T., Sawada, S., Shinozaki, S., Ozawa, O. An optimized and reliable LDD structure for 1-μm NMOSFET based on substrate current analysis 85−34969
Matsumoto, Y., Nagao, Y., Sakae, T., Ishibashi, K., Katase, A. Ionization chamber for measurement of radon concentration in air 87−41870
Matsumoto, Y., Sugiyama, K., Sato, E.-I. Improvement of $CaFe_2O_4$ photocathode by doping with Na and Mg 88−57374
Matsumoto, Y., Taguchi, K., Ishida, K. The growth of InP/InGaAsP/InGaAs heterostructure on (100)InP substrate by LPE without meltback of underlying layers 85−16939
Matsumoto, Y., Takahashi, Y., Hasegawa, T. Analysis of interdeparture time and response time in asynchronous CSMA/CD-DFT system 88−46347
Matsumoto, Y., Takahashi, Y., Hasegawa, T. Performance comparison of two CSMA/CD systems with prioritized retransmission 88−73407
Matsumoto, Y., Takine, T., Takahashi, Y., Hasegawa, T. On gateway buffer size of local area network 88−9163
Matsumoto, Y., Teramura, S., Tsunoda, T., Yamada, T., Lewis, B.M. Full scale training simulator for a large coal-fired once-through type boiler and power station 87−71966
Matsumoto, Y., Watanabe, H., Ishihara, H., Makabe, M., Hattori, T., Kurihara, T., Ide, I., Mikami, H., Yuge, T., Ito, M., Yoshifuku, S., Mori, K. CGI visual system [computer generated image] 87−63874
Matsumoto, Y. *see* Akashi, Y. 86−58014
Matsumoto, Y. *see* Asano, H. 87−4460
Matsumoto, Y. *see* Borland, J. 88−33321
Matsumoto, Y. *see* Fujieda, S. 88−24796, 88−44601
Matsumoto, Y. *see* Fujii, A. 87−40816
Matsumoto, Y. *see* Fujii, S. 86−8243
Matsumoto, Y. *see* Furuya, N. 86−49344
Matsumoto, Y. *see* Hamakawa, Y. 87−22777, 88−17990
Matsumoto, Y. *see* Ishibashi, K. 85−26691
Matsumoto, Y. *see* Ishikawa, M. 87−72783
Matsumoto, Y. *see* Ishiuchi, H. 86−21570
Matsumoto, Y. *see* Iwai, H. 85−780
Matsumoto, Y. *see* Iwata, N. 85−28994
Matsumoto, Y. *see* Katase, A. 86−56049
Matsumoto, Y. *see* Kato, T. 85−14654
Matsumoto, Y. *see* Kikuchi, M. 86−59718
Matsumoto, Y. *see* Kizaki, H. 88−8988
Matsumoto, Y. *see* Kushibiki, J. 86−6156
Matsumoto, Y. *see* Masuda, S. 86−42774, 87−39318
Matsumoto, Y. *see* Matsuki, J. 86−25471, 86−33251
Matsumoto, Y. *see* Miyahara, Y. 88−20119
Matsumoto, Y. *see* Mizuno, T. 86−47612, 87−46020, 88−71591
Matsumoto, Y. *see* Mizuta, M. 87−36801, 87−65572, 88−19769
Matsumoto, Y. *see* Nakagawa, T. 87−45643, 87−67199, 87−67207
Matsumoto, Y. *see* Nakajima, S. 88−51344
Matsumoto, Y. *see* Owadano, Y. 87−61276, 88−40118
Matsumoto, Y. *see* Sawada, S. 85−50592
Matsumoto, Y. *see* Shimodaira, M. 87−40906
Matsumoto, Y. *see* Sone, K. 87−73285
Matsumoto, Y. *see* Suzuki, T. 88−15861, 88−53482
Matsumoto, Y. *see* Takagi, S. 86−24472 to 24473
Matsumoto, Y. *see* Takahashi, A. 86−57678
Matsumoto, Y. *see* Takahashi, K. 85−30229
Matsumoto, Y. *see* Takahira, A. 88−10463
Matsumoto, Y. *see* Takigawa, T. 86−9241
Matsumoto, Y. *see* Tamogami, M. 86−49209
Matsumoto, Y. *see* Taniguchi, K. 86−56084
Matsumoto, Y. *see* Tanimoto, M. 85−26675, 86−36401
Matsumoto, Y. *see* Tomie, T. 88−50770
Matsumoto, Y. *see* Tsuji, T. 88−54628
Matsumoto, Y. *see* Ukai, J.-I. 87−73482
Matsumura, A. *see* Fujimura, S. 87−21254, 88−60939
Matsumura, A. *see* Yuba, Y. 87−35202
Matsumura, E. *see* Akashi, Y. 86−58014
Matsumura, F., Fujita, M., Oida, C. Theory and experiment of magnetic bearing combining radial control and thrust control 88−62353
Matsumura, F., Maeda, S., Fujita, M., Fukuzono, H. Completely contactless linear DC motor using magnetic suspension 88−5711
Matsumura, F., Nakagawa, K., Kido, M. Theory and experiment of magnetic bearing for radial and thrust control 87−7039
Matsumura, F., Yoshimoto, T. System modeling and control design of a horizontal-shaft magnetic-bearing system 86−66030
Matsumura, F. *see* Doi, K. 88−40018, 88−41666
Matsumura, F. *see* Sato, A. 86−14740
Matsumura, H. The latest technology in Yagi Antenna's satellite TV reception systems 86−49794
Matsumura, H. Theoretical consideration on new reflection type X-ray lithography 87−25035
Matsumura, H. Catalytic chemical vapor deposition (CTL-CVD) method producing high quality hydrogenated amorphous silicon 87−36802
Matsumura, H. High-quality amorphous silicon germanium produced by catalytic chemical vapor deposition 88−6492
Matsumura, H. Catalytic chemical vapor deposition method to obtain high quality amorphous silicon and silicon-germanium 88−24772
Matsumura, H. High quality amorphous silicon prepared by catalytic chemical vapor deposition (CTL-CVD) method 88−56313
Matsumura, H., Ihara, H., Tachibana, H. Hydrofluorinated amorphous silicon made by thermal CVD (chemical vapor deposition) method 87−5476
Matsumura, H., Ihara, H., Tachibana, H., Tanaka, H. Highly photo-conductive amorphous silicon produced by thermal CVD method using intermediate species SiF_2 86−34374
Matsumura, H., Ihara, H., Uesugi, T. Impurity doping properties of hydrofluorinated amorphous silicon produced by intermediate species SiF_2 85−55664
Matsumura, H., Kawaguchi, Y. Analysis of interference characteristics of the broadcasting satellite transponder by computer simulation 87−28480
Matsumura, H., Kawaguchi, Y. Simulation analysis of the feeder-link interference considering the transponder characteristics 87−48875
Matsumura, H., Mizuno, H. Design of microwave power combiner with circular TM_{0m0} mode cavity 87−17319
Matsumura, H., Mizuno, H. Design of microwave power combiner with circular TM_{0m0} mode cavity 87−45195
Matsumura, H., Mizuno, H. Design of microwave combiner with waveguide ports 88−12577
Matsumura, H., Mizuno, H. Design of microwave power combiner with circular TM_{0m0} mode cavity 88−13418
Matsumura, H., Tachibana, H. Amorphous silicon produced by a new thermal chemical vapor deposition method using intermediate species SiF_2 86−7825
Matsumura, H., Tanaka, T. A new X-ray lithographic technique using total reflection of X-rays from a pattern plate 87−45737
Matsumura, H., Uesugi, T., Ihara, H. Photoconductive amorphous silicon-carbide produced by intermediate species SiF_2 and CF_4 mixture 85−28241
Matsumura, H., Uesugi, T., Ihara, H. Properties of amorphous silicon prepared by using intermediate species SiF_2 and H_2 gas mixture 85−44795
Matsumura, H., Uesugi, T., Ihara, H. Photo-conductive hydro-fluorinated amorphous silicon carbide produced by using intermediate species SiF_2 86−34380
Matsumura, H., Uesugi, T., Ihara, H. Photo-conductive amorphous silicon carbide prepared by intermediate species SiF_2 and CF_4 mixture 86−36311
Matsumura, H., Uesugi, T., Ihara, H. Amorphous-silicon (a-Si) preparation by using intermediate species SiF_2 and H_2 gas mixture 86−46381
Matsumura, H. *see* Hiruma, H. 85−56283
Matsumura, H. *see* Ihara, H. 87−6532
Matsumura, H. *see* Inoue, H. 86−28807, 86−53996
Matsumura, H. *see* Ishida, K. 86−42358, 87−32998
Matsumura, H. *see* Kajioka, H. 85−18694
Matsumura, H. *see* Katsuyama, T. 85−7210, 85−12573, 86−9542, 86−42208, 86−63606
Matsumura, H. *see* Lee, T.P. 85−56627
Matsumura, H. *see* Nakamura, O. 85−59789

Matsumura, H. *see* Nishiyama, Y. 85−28014
Matsumura, H. *see* Okai, M. 87−46856
Matsumura, H. *see* Sakano, S. 86−54054, 88−8085
Matsumura, H. *see* Satoh, S. 85−18677
Matsumura, H. *see* Tanaka, T. 85−50368
Matsumura, H. *see* Tsuji, S. 86−36510, 87−18963
Matsumura, H. *see* Tsuruta, S. 88−28999
Matsumura, H. *see* Uesugi, T. 86−2920, 86−13805
Matsumura, H. *see* Yamamoto, T. 87−59170
Matsumura, I., Maruyama, S., Ishikawa, Y., Hirano, R., Kobayashi, K., Kohayakawa, Y. The design of an open view autorefractometer 85−4307
Matsumura, J. A sequential computer control method of a thermal power plant with some equipment malfunctions 85−38824
Matsumura, J., Nigawara, S., Urushidani, H., Matsumoto, H. Steam turbine start up method based on predictive monitoring and control of thermal stresses 85−48872
Matsumura, K., Miwa, M., Kawai, S., Kurata, N., Kubo, K., Nakamura, S. Optical pulsed FM links 88−41659
Matsumura, K., Tomabechi, Y. Coupling characteristics of two rectangular dielectric wavèguides laid in different layers 86−68259
Matsumura, K., Tomabechi, Y., Suzuki, Y. A calculation method for phase constant of guided mode on curved rectangular dielectric waveguide 88−20991
Matsumura, K., Tomabechi, Y., Tsuchiya, N. Coupling characteristics of cross over arranged rectangular dielectric waveguides 88−72621
Matsumura, K., Ueda, T. Experimental study on the phase distribution around the dielectric waveguide end 85−11502
Matsumura, K., Ueda, T., Tomabechi, Y. An analysis of electromagnetic near field around the truncated end of a dielectric waveguide with rectangular cross section 86−3630
Matsumura, K., Ueda, T., Tomabechi, Y. An analysis of electromagnetic near field around a truncated end of dielectric waveguide with rectangular cross section 86−68810
Matsumura, K. *see* Iwabuchi, M. 86−46823
Matsumura, K. *see* Kosugi, K. 88−28869
Matsumura, K. *see* Mizonobe, T. 88−50564
Matsumura, K. *see* Ohke, T. 88−52269
Matsumura, K. *see* Oike, K. 86−32530
Matsumura, K. *see* Sugino, N. 88−41660
Matsumura, K. *see* Suzuki, Y. 88−8556
Matsumura, K. *see* Takamori, K. 88−43500
Matsumura, K. *see* Tanaka, H. 85−59631
Matsumura, K. *see* Tomabechi, Y. 86−68822, 87−61437, 88−38699, 88−40619
Matsumura, K.-I. *see* Ohnaka, S. 88−2430
Matsumura, M. Charge-coupled devices 85−61944
Matsumura, M. Thin film diodes and transistors 86−2119
Matsumura, M. Application of amorphous semiconductor to thin film transistors 86−2178
Matsumura, M. Assessment of long-term reliability of PWR plants based on power generation statistics 87−50932
Matsumura, M., Hirai, H., Kinoshita, H., Otsuka, A. Built-in resistor transistors 86−58454
Matsumura, M., Iwata, H., Inoue, T., Tsubomura, H. Photoelectrochemical cells for solar energy conversion equipped with MIS junction silicon electrodes 87−22757
Matsumura, M., Kamishita, T., Fujii, K. Analysis of jaw and tongue movements in the production of semivowel/j/ 88−52389
Matsumura, M., Oda, S. Thin film transistors and their applications 88−50848
Matsumura, M., Sakai, Y., Sugahara, S., Nakato, Y., Tsubomura, H. Photoelectrochemical hydrogen evolution using amorphous silicon electrodes having p-i-n or p-i-n-p-i-n junctions 86−26245
Matsumura, M., Sakai, Y., Yae, S., Nakato, Y., Tsubomura, H. Improvement of amorphous silicon solar cells by electrochemical treatments 87−36127
Matsumura, M., Sekine, S., Yue, J., Takeuchi, Y. Device physics of a-Si:H charge-coupled devices 88−26350
Matsumura, M. *see* Hirose, N. 85−34957
Matsumura, M. *see* Kanomata, T. 87−74265
Matsumura, M. *see* Katoh, Y. 86−53661, 87−23742
Matsumura, M. *see* Kuroda, I. 86−58455, 87−72830
Matsumura, M. *see* Murahashi, T. 85−27629, 86−40072
Matsumura, M. *see* Nara, Y. 85−12251, 85−40707
Matsumura, M. *see* Naruke, Y. 85−1611, 85−40732
Matsumura, M. *see* Oda, S. 88−39473
Matsumura, M. *see* Okada, H. 85−55810, 86−35729, 86−41966, 87−11798, 87−11800, 88−19979, 88−63626
Matsumura, M. *see* Okayasu, Y. 87−33027
Matsumura, M. *see* Sakai, Y. 88−11383, 88−37403, 88−75940, 88−75943
Matsumura, M. *see* Sekine, S. 88−64621
Matsumura, M. *see* Subiura, O. 86−26845
Matsumura, M. *see* Sugiura, O. 88−38237
Matsumura, M. *see* Takagi, Y. 85−6755
Matsumura, M. *see* Takahashi, T. 85−45687
Matsumura, M. *see* Takeuchi, Y. 86−2183
Matsumura, M. *see* Tanaka, T. 87−43404
Matsumura, M. *see* Uchida, Y. 85−50602, 86−21596, 86−21599, 86−67881, 87−17959, 88−1548
Matsumura, M. *see* Yoshida, T. 86−40083
Matsumura, M. *see* Yue, J. 88−57649
Matsumura, M. *see* Yue, J.H. 86−21269
Matsumura, M. *see* Zhang, H. 88−26077, 88−44773
Matsumura, N., Ishikawa, K , Saraie, J., Yodogawa, Y. Growth of ZnS_xSe_{1-x} by MBE on (100)GaAs substrates: effect of lattice-matching 86−7779
Matsumura, N., Ohshima, T., Saraie, J., Yodogawa, Y. Preparation of CdTe thin films on Ge substrates by molecular beam epitaxy 85−54458
Matsumura, N., Tsubokura, M., Saraie, J., Yodogawa, Y. MBE growth of high quality lattice-matched ZnS_xSe_{1-x} on GaAs substrates 88−31775
Matsumura, N. *see* Suehiro, Y. 86−15259
Matsumura, N. *see* Tsuji, S. 87−68514
Matsumura, N. *see* Yamashita, K. 87−59589, 88−51004
Matsumura, S., Omi, T., Yamaji, N., Ebata, Y. A 45° X cut $Li_2B_4O_7$ single crystal substrate for SAW resonators 88−51143
Matsumura, S., Renfors, M., Sikstrom, B., Wanhammar, L. LSI implementation of lattice wave digital filters 85−45189
Matsumura, S., Sakurai, K., Berezin, A.A., Hobson, R.M., Teii, S., Jen-Shih Chang Direct-current hollow-cathode glow-discharge plasma-enhanced-chemical-vapour-deposition technique for a-Si:H thin-film production 86−471
Matsumura, S., Teil, S. DC discharge PCVD method 87−10500
Matsumura, S. *see* Afghahi, M. 87−48048
Matsumura, S. *see* Mori, K. 86−12524, 87−35154
Matsumura, S. *see* Morii, K. 85−32593
Matsumura, S. *see* Nakamura, T. 86−33074
Matsumura, S. *see* Yamada, K. 86−2554, 86−7748
Matsumura, T. Compact disc player for automotive use 85−63902
Matsumura, T., Clark, R.F. AC-DC difference measurements on thermal voltage converters at NRC 87−14420
Matsumura, T., Clark, R.F. AC-DC difference measurements on thermal voltage converters at NRC 88−16382
Matsumura, T., Fukuda, T. Resistivity and Hall mobility measurement of semi-insulating GaAs 85−52843
Matsumura, T., Gambe, H., Murano, K. Implementation of a 32 kbit/s ADPCM codec using a general-purpose digital signal processor 86−43607
Matsumura, T., Gambe, H., Murano, K., Ohhata, M. Implementation of CCITT standard 32 kBPS ADPCM codec 86−55045
Matsumura, T., Gambe, H., Murano, K., Ohhata, M. VLSI DSP (MB8764) based adaptive speech codec 86−64797
Matsumura, T., Kito, Y. A numerical model of wall-stabilized arc sustained in the forced axial air flow 85−65376
Matsumura, T., Obokata, T., Fukuda, T. Two-dimensional microscopic uniformity of resistivity in semi-insulating GaAs 85−28959
Matsumura, T., Oppenlander, W.T., Schmidt-Harms, C.A., Stokes, A.D. A refined cybernetic model for circuit-breaker arcs 86−26228
Matsumura, T., Oppenlander, W.T., Schmidt-Harms, C.A., Stokes, A.D. Prediction of circuit-breaker performance based on a refined cybernetic model 87−22656
Matsumura, T., Sato, F., Shimura, A., Kitano, T., Matsui, J. Low indium-doped LEC GaAs crystals growth employing thermal stress analysis 87−23593
Matsumura, T., Sato, H., Nagai, Y., Yamamoto, N., Kakimoto, N. Cooking and preservation technologies for foods and applications 88−62800
Matsumura, T. *see* Gambe, H. 85−13984, 85−46754
Matsumura, T. *see* Ichiyanagi, K. 86−25940
Matsumura, T. *see* Inoue, J. 88−19154
Matsumura, T. *see* Kato, T. 85−5540
Matsumura, T. *see* Mano, T. 87−59486
Matsumura, T. *see* Nomura, N. 85−50676, 86−21307
Matsumura, T. *see* Obokata, T. 85−1297
Matsumura, T. *see* Sangen, M. 88−6013
Matsumura, T. *see* Sorimachi, Y. 88−26690
Matsumura, T. *see* Tomita, Y. 88−46738
Matsumura, Y. *see* Abe, T. 86−48123
Matsumura, Y. *see* Akama, Y. 86−48122, 88−58103
Matsumura, Y. *see* Inoue, K. 86−53757
Matsumura, Y. *see* Ohno, R. 86−49644
Matsunaga, A., Ohkawa, M., Sakurai, K., Koga, K. An analog speech scrambling system using the fast Fourier transform technique 87−69064
Matsunaga, A. *see* Yamamoto, H. 86−49776
Matsunaga, F. *see* Suzuki, H. 88−51222
Matsunaga, H. There's more beneath the surface of durable new membrane keyboards 85−55226
Matsunaga, H., Konushi, F. X-ray diffraction study of zirconia and yttria-stabilized cubic zirconia films on sapphire substrates 87−65561
Matsunaga, H. *see* Fukui, S. 85−58112
Matsunaga, H. *see* Onuki, M. 86−28267
Matsunaga, H. *see* Uesugi, M. 86−4006
Matsunaga, J. *see* Atsumi, S. 87−59489
Matsunaga, J. *see* Hashimoto, K. 86−41128
Matsunaga, J. *see* Kakumu, M. 86−47849, 88−7746
Matsunaga, J. *see* Kanzaki, K. 85−40934
Matsunaga, J. *see* Kinugawa, M. 86−47859, 87−25581, 88−71804
Matsunaga, J. *see* Maeda, T. 86−41721, 86−47496, 87−1461, 87−45819
Matsunaga, J. *see* Matsui, M. 88−6832
Matsunaga, J. *see* Momose, H. 85−54895
Matsunaga, J. *see* Nishi, Y. 85−40919
Matsunaga, J. *see* Nogami, K. 87−10860
Matsunaga, J. *see* Nozawa, H. 85−6312, 86−20563
Matsunaga, J. *see* Ohtani, T. 87−59505
Matsunaga, J. *see* Ohtsuka, N. 88−6823
Matsunaga, J. *see* Saitoh, M. 86−21594
Matsunaga, J. *see* Sakaurai, T. 87−17086
Matsunaga, J. *see* Sakurai, T. 85−22868
Matsunaga, J. *see* Sawada, K. 88−32193
Matsunaga, J. *see* Shibata, H. 88−7745
Matsunaga, J.-i. *see* Sakurai, T. 88−6877
Matsunaga, K. Weldability of copper alloy with YAG laser 86−15820
Matsunaga, K., Tohama, T., Kaga, A., Yonehata, Y., Tsutsumi, K. Recent trends in auxiliary power supplies and air-conditioning systems for trains 88−5954
Matsunaga, K. *see* Hashimoto, N. 88−14022
Matsunaga, K. *see* Hatada, K. 86−1602, 87−24657, 88−25756
Matsunaga, K. *see* Kim, W.S. 88−47652
Matsunaga, K. *see* Kono, S. 85−18052
Matsunaga, K. *see* Matsuda, K. 87−56988
Matsunaga, K. *see* Matsuoka, K. 85−38010
Matsunaga, M. Present state and future trends in precision machining for VCR production 85−177
Matsunaga, M., Iyama, Y., Takeda, F. An X-band 12 W GaAs monolithic transmit-receive switch 87−59868
Matsunaga, M., Mori, Y., Akeuoshi, K., Smith, R.D. Electrochromic displays and modules 86−49992
Matsunaga, M., Ooi, T. FA systems for automatic component insertion on printed circuit boards 86−58134
Matsunaga, M. *see* Asao, H. 85−61467, 87−7026, 87−45223
Matsunaga, M. *see* Tagawa, K. 86−28601, 87−25761
Matsunaga, N. Introduction of digital video signal processing techniques into VTR/TV 87−41248
Matsunaga, N. PLD (Programmable Logic Device) is changing logic design environment 87−73415
Matsunaga, N. Development of field-memory-only 1 M chips for applications to VTR/TV 88−32214
Matsunaga, N. Problems for materialization of ATM 88−41421
Matsunaga, N. High-speed exchange circuit system as the key to ATM development 88−41422
Matsunaga, N., Miyazaki, M., Umemoto, Y., Shigeta, J., Tanaka, H., Yanazawa, H. Gallium arsenide MESFET technologies with 0.7 μm gate-length for 4 kb 1 ns static RAM 88−20167
Matsunaga, N., Nakagawa, A., Takizawa, Y., Tsuchiya, M. 16-bit A/D·D/A converter 85−54955
Matsunaga, N., Takahashi, S., Hashimoto, N. Interface reaction of SiO_2 encapsulant with GaAs substrate and its effect on FET characteristics 85−55600
Matsunaga, N. *see* Iida, T. 88−24101
Matsunaga, N. *see* Masaki, N. 86−56924
Matsunaga, N. *see* Takano, Y. 85−40439
Matsunaga, N. *see* Tanaka, H. 87−59496
Matsunaga, N. *see* Umemoto, Y. 88−57825
Matsunaga, S., Kohda, M. Reduction of word and minimal phrase candidates for speech recognition based on phoneme recognition 87−61618
Matsunaga, S., Kohda, M. Speech recognition of minimal phrase sequence taking account of dependency relationships between minimal phrases 88−21142
Matsunaga, S., Nishi, M., Okamoto, M., Katayama, K. Characteristics of wind energy in Kitakyushu area 85−27143
Matsunaga, S., Shikano, K. Speech recognition based on top-down and bottom-up phoneme recognition 86−16169

Matsunaga, S., Shikano, K. Speech recognition based on top-down and bottom-up phoneme recognition 86−36958
Matsunaga, S., Shikano, K. Speech recognition based on top-down and bottom-up phoneme recognition 87−2492
Matsunaga, S.-I., Shikano, K. Speech recognition based on top-down and bottom-up phoneme recognition 87−12954
Matsunaga, T. Optical encoder for high precision measurement 86−24536
Matsunaga, T. Organelle and tissue sensors 87−77218
Matsunaga, T., Honda, Y., Yoshida, H., Nakano, M. 4×8 cross-point switch μPD22148CA 88−21866
Matsunaga, T., Ikeda, M. Experimental application of LD switch modules to 256 Mbit/s optical time switching 86−4639
Matsunaga, T., Kikuchi, K., Ikeda, M. Optical space division switching system using laser diode optical switches 87−76493
Matsunaga, T., Oyaizu, I., Uozumi, E., Matsumoto, A. System configuration of DIPS computer complex 86−49261
Matsunaga, T., Uchida, K., Noda, T. Propagation of electromagnetic waves in a concrete tunnel with a step-junction 88−45679
Matsunaga, T. *see* Aoki, Y. 86−34928
Matsunaga, T. *see* Noda, T. 88−45678
Matsunaga, T. *see* Sakitani, A. 86−68902
Matsunaga, T. *see* Tsuruho, S. 88−9114
Matsunaga, T. *see* Uchida, K. 85−46614, 85−62757, 86−29387, 86−42819, 87−39343, 87−47134, 87−54538, 87−75363, 87−75438, 88−2535, 88−20882, 88−20899, 88−66025
Matsunaga, Y., Oosawa, S., Iesaka, M., Manabe, S., Harada, N., Suzuki, N. A high sensitivity output amplifier for CCD image sensor 88−42166
Matsunaga, Y. *see* Endo, Y. 88−29441
Matsunaga, Y. *see* Gotoh, S. 86−5598
Matsunaga, Y. *see* Kotaki, H. 85−37292
Matsunaga, Y. *see* Kyono, N. 88−60806
Matsunaga, Y. *see* Suzuki, K. 87−23829
Matsunaka, N., Shibazaki, H., Matsuzawa, K., Hatakeyama, S. Performance improvement at Ibaragi satellite communication station, establishment No.3 86−55243
Matsunaka, N. *see* Matsuzawa, K. 86−59857
Matsunaka, N. *see* Satoh, T. 85−3401, 86−69734
Matsunami, H. Highly mismatched hetero-epitaxial growth of cubic SiC on Si 88−43898
Matsunami, H., Du, K.-Y., Okamoto, S., Yasuda, S., Yoshimoto, M., Fuyuki, T. Deposition of a-SiH by direct photo-decomposition of Si_2H_6 using vacuum ultraviolet light 88−18749
Matsunami, H., Fuyuki, T. InP and related materials−physical properties and application to solid state devices 86−22022
Matsunami, H., Nishino, S. Development and future of semiconductor SiC for user in heavy environment 87−37914
Matsunami, H. *see* Dohmae, S. 86−21406
Matsunami, H. *see* Fuyuki, T. 85−12212, 87−6485, 88−37470
Matsunami, H. *see* Kuroda, N. 88−18708
Matsunami, H. *see* Nishino, S. 85−44757, 87−31583, 87−52120
Matsunami, H. *see* Ozasa, K. 88−63311
Matsunami, H. *see* Saraie, J. 85−6012
Matsunami, H. *see* Shibahara, K. 85−23574, 87−18136, 87−23647, 87−25339, 87−58960, 88−26208, 88−43899, 88−44778
Matsunami, H. *see* Yoshimoto, M. 86−35398, 87−16673, 87−24845, 87−24884
Matsunami, M. *see* Tozune, A. 86−66111
Matsunami, N. *see* Horino, Y. 86−21249
Matsunami, N. *see* Nitta, S. 86−28057
Matsunami, S. *see* Yoshimura, M. 85−38110
Matsunami, T. *see* Maeda, T. 86−34802
Matsunanga, J. *see* Kakumu, M. 87−53739
Matsunari, S. *see* Ihara, A. 86−54643
Matsunawa, A., Katayama, S. Laser production of ultra-fine metallic and ceramic particles 87−5537
Matsunawa, A., Katayama, S. High speed photographic study of YAG laser materials processing 87−7429
Matsunga, T. *see* Kikuchi, K. 88−4044
Matsuno, H. Light emitting materials for discharge lamps; amalgam and metal halides 85−53913
Matsuno, H., Murayama, S. Statistical time lags in metal halide lamps 85−5490
Matsuno, H. *see* Murayama, S. 85−65601
Matsuno, H. *see* Ono, T. 85−5491, 85−27765
Matsuno, J. *see* Hanma, K. 86−11267
Matsuno, J. *see* Hori, Y. 87−13959
Matsuno, K. *see* Aida, K. 88−33905
Matsuno, K. *see* Murakoshi, Y. 86−36680
Matsuno, K. *see* Sano, T. 87−43696
Matsuno, K. *see* Soma, M. 86−2708
Matsuno, K. *see* Takahashi, M. 87−43697
Matsuno, S. Qualitative development of metallic materials 86−13827
Matsuno, S. *see* Kajino, F. 85−31743
Matsuno, S. *see* Okuda, T. 85−58444
Matsuno, T., Shimizu, T., Hagino, Y., Koga, M. Sea wave observation by marine radar 85−47589
Matsuno, T. *see* Amemiya, M. 87−76804
Matsuno, T. *see* Hagino, Y. 85−53191
Matsuno, T. *see* Inoue, K. 88−13435, 88−39525
Matsuno, T. *see* Kawai, A. 87−2741
Matsuno, T. *see* Lau, C.K. 88−39470
Matsuno, T. *see* Matsueda, O. 86−43785
Matsuno, T. *see* Matsui, M. 88−6832
Matsuno, T. *see* Nishii, K. 88−56273
Matsuno, T. *see* Shibata, H. 88−7745, 88−39474
Matsuno, T. *see* Shoji, K. 85−47592
Matsuno, Y. *see* Hagiwara, T. 86−8256
Matsunobu, K., Aki, F., Kadotani, K. An analysis of insulation ageing of generator stator windings 85−39005
Matsuo, A. *see* Takahashi, H. 86−41094
Matsuo, H. Formulation of FFT and WFT algorithms by the ideal 86−374
Matsuo, H. A study of detection of segment type features from continuous speech and application to continuous speech recognition systems 88−8710
Matsuo, H., Horiba, I., Iwata, A., Suzumura, N. An algorithm to reconstruct a three-dimensional shape from bi-directional projection images 87−48006
Matsuo, H., Horiba, I., Iwata, A., Suzumura, N. Filtered back projection method for corn-beam X-ray CT 88−61320
Matsuo, H., Kurokawa, F. Output characteristics of the digitally controlled DC-DC converter 85−44867
Matsuo, H., Kurokawa, F. A new multiple-output hybrid power supply 88−30832
Matsuo, H., Kurokawa, F., Maeda, M. Noise suppression and stability in the overcurrent limited mode of the switching power supply 88−12212
Matsuo, H., Kurokawa, F., Maeda, M., Tanaka, K. Analysis of the dynamic characteristics in the overcurrent limited mode of the DC-DC converter 88−75753
Matsuo, H., Saito, T. Irradiation behaviors of nuclear grade graphite in commercial reactor. II. Thermal and physical properties 85−48695
Matsuo, H., Yokomizo, G., Masuda, H., Hagiwara, T. One dimensional table look-up model for sub-μm MOS transistors 85−23821
Matsuo, H., Yokomizo, G., Masuda, H., Hagiwara, T. One-dimensional table look-up model for sub-μm MOS transistors 87−53694
Matsuo, H. *see* Chihara, K. 85−38131
Matsuo, H. *see* Fujita, H. 87−65556, 88−18745
Matsuo, H. *see* Fujiyama, H. 87−5461
Matsuo, H. *see* Hagiwara, T. 86−8256
Matsuo, H. *see* Lange, A.E. 87−28708
Matsuo, H. *see* Murano, H. 86−41892
Matsuo, H. *see* Nomura, T. 85−36110
Matsuo, H. *see* Sato, S. 87−26994
Matsuo, H. *see* Tohge, N. 88−25899
Matsuo, H. *see* Uesugi, K. 88−74907
Matsuo, H. *see* Yamashita, T. 88−26570
Matsuo, K., Egashira, M. Gas sensing properties of tin oxide sensors doped with noble metals 87−49713
Matsuo, K., Iisaku, S., Takizuka, T., Ono, K. High efficient error recovery protocol for satellite link (MN-SREJ) 85−14187
Matsuo, K., Iisaku, S., Takizuka, T., Ono, K. Highly efficient error recovery protocol for satellite link (MN-SREJ) 86−69197
Matsuo, K., Iisaku, S., Urano, Y. Evaluation of interworking methods between LAN and wide area networks (WAN) 87−8042
Matsuo, K., Sakaue, T., Abou, S., Chikaoka, K., Teramoto, M. Switched capacitor filter using frequency dependent impedance converters 86−67331
Matsuo, K., Taniguchi, K. A new control device for washing machines using a microcomputer and detectors 85−21969
Matsuo, K., Teich, M.C., Saleh, B.E.A. Noise properties and time response of the staircase avalanche photodiode 86−28997
Matsuo, K. *see* Iehisa, N. 86−29037
Matsuo, K. *see* Iisaku, S. 86−55264
Matsuo, K. *see* Sugimoto, O. 88−21653
Matsuo, K. *see* Suzuki, K. 87−27787
Matsuo, K. *see* Tabuchi, Y. 86−13168
Matsuo, K. *see* Teich, M.C. 87−7218, 87−8296, 87−8631
Matsuo, K. *see* Tomikawa, T. 85−2890
Matsuo, K. *see* Usaku, S. 86−37836
Matsuo, M. Experiences on leased international information network 88−41204
Matsuo, M. *see* Doi, Y. 87−32404
Matsuo, M. *see* Fukao, S. 85−58213
Matsuo, M. *see* Harada, K. 86−18354
Matsuo, M. *see* Kondo, S. 85−51735
Matsuo, M. *see* Shimizu, T. 88−44230
Matsuo, M. *see* Tomisawa, O. 88−70857
Matsuo, M. *see* Wakasugi, K. 86−23976, 86−70534, 87−4145, 87−63954, 87−77856
Matsuo, M. *see* Yamane, K. 85−20254, 85−30360, 87−8343
Matsuo, N., Hirofuji, Y., Kugimiya, K. Self-cleaning by silicon beam in molecular beam epitaxy 85−49575
Matsuo, N., Hongo, S., Tokunaga, Y. Users' knowledge and behavior for telephone systems 88−21552
Matsuo, N., Ohno, H., Hasegawa, H. Monolithic integration of GaAs photoconductive detectors and MESFETs with distributed coupling to optical fibers 85−2144
Matsuo, N., Okayasu, R., Kato, K. Design method for automatic-balancing anti-sidetone circuit 86−4375
Matsuo, N., Yuito, M., Tokunaga, Y. Introduction of interleaving in packet voice communications 88−46336
Matsuo, N., Yuito, M., Tokunaga, Y. Packet interleaving for reducing speech quality degradation in packet voice communications 88−46354
Matsuo, N. *see* Hirofuji, Y. 87−38022
Matsuo, N. *see* Iwasaki, T. 86−36488
Matsuo, N. *see* Kugimiya, K. 85−49566, 87−6598
Matsuo, N. *see* Matsumoto, K. 85−14067, 85−47287
Matsuo, N. *see* Noguchi, E. 86−51771
Matsuo, N. *see* Suzuki, M. 88−60185
Matsuo, N. *see* Yoshie, T. 88−1810
Matsuo, R., Harima, H. High-speed, high-density 256K-bit mask programmable ROMs compatible with 256K-bit EPROMs 85−54887
Matsuo, R., Harima, H., Shimazaki, M., Takahashi, H., Hata, T. A high-speed high-density 256Kbit MASK ROM 85−28543
Matsuo, R., Kaneko, M., Ando, R., Koyama, T. An ultrahigh-density 4 Mbit mask ROM 88−748
Matsuo, R., Kaneko, M., Fujimoto, M., Ando, R. A high-speed, high-density 1 M-bit mask ROM 85−54886
Matsuo, R., Kaneko, M., Fujimoto, M., Matoike, A., Kamimura, T. A Kanji-character generator using a high-density mask ROM 86−27302
Matsuo, S. Reactive sputter etching and reactive ion beam etching 85−18254
Matsuo, S. ECR plasma CVD process 85−44794
Matsuo, S. Reactive ion-beam etching and plasma deposition techniques using electron cyclotron resonance plasmas 86−47484
Matsuo, S., Ueda, M., Imura, T., Osaka, Y. Effect of hydrogen dilution on structure of a-Si:H prepared by substrate impedance tuning technique 88−49870
Matsuo, S. *see* Ito, O. 88−45060
Matsuo, S. *see* Miyagi, M. 87−38769
Matsuo, S. *see* Ono, T. 85−421, 85−12205, 85−22546, 86−41713, 86−53552
Matsuo, S. *see* Takahashi, C. 88−71439
Matsuo, S. *see* Wakita, K. 85−2303
Matsuo, T. Applications of integrated circuit technology to medical sensors 86−5885
Matsuo, T. ISFETs 87−77221
Matsuo, T. Study on medical electronics for 40 years [ISFETs] 88−35949
Matsuo, T., Esashi, M., Shibatani, K. Catheter-tip P_{CO_2} and P_{O_2} sensors 85−38018
Matsuo, T., Iwabuchi, M., Kanzaka, M., Haneda, H., Yamamoto, K. Heat transfer correlations of rifled tubing for boilers under sliding pressure operating condition 88−43033
Matsuo, T., Kobayashi, K., Aoto, K., Amano, Y., Higashimoto, T. Composite submarine cable containing optical fibers and pilot pairs 87−48837
Matsuo, T., Lipo, T.A. A rotor parameter identification scheme for vector controlled induction motor drives 85−27700
Matsuo, T., Lipo, T.A. A rotor parameter identification scheme for vector-controlled induction motor drives 85−53879
Matsuo, T., Matsuda, H. A computer program 'TRIO FIT' for design of a high performance mass spectrometer 85−64511
Matsuo, T., Nakajima, H. Characteristics of reference electrodes using a polymer gate ISFET 85−14745
Matsuo, T., Nakajima, H., Osa, T., Anzai, J. Parylene gate ISFET and chemical modification of its surface with crown ether compounds 86−55685
Matsuo, T. *see* Choi, S.-Y. 86−55681
Matsuo, T. *see* Esashi, M. 88−16678
Matsuo, T. *see* Izumi, T. 87−57148
Matsuo, T. *see* Kimura, I. 86−29377, 86−68758
Matsuo, T. *see* Kinomura, A. 88−68173
Matsuo, T. *see* Kitano, Y. 87−35887
Matsuo, T. *see* Nakano, H. 88−5758, 88−37207
Matsuo, T. *see* Nakatsuchi, Y. 88−4956
Matsuo, T. *see* Okumura, K. 87−73255
Matsuo, T. *see* Seo, H.D. 88−16788
Matsuo, T. *see* Shoji, S. 85−64139, 86−11933, 87−56889, 87−57057, 88−47494, 88−47496
Matsuo, T. *see* Takahashi, K. 87−14904, 87−63775
Matsuo, T. *see* Tonuma, T. 85−15139
Matsuo, T. *see* Ueda, R. 87−42945, 87−42964
Matsuo, T. *see* Watanabe, A. 85−52664
Matsuo, Y. Recent developments and future prospects in Common Channel Signaling system 85−14071
Matsuo, Y. No.7 signaling system and its applications 85−25254

Matsuo, Y. New telephone network services 85−30822
Matsuo, Y. Overseas trend of mobile radio telephone services 86−69649
Matsuo, Y., Kojima, J., Ichikawa, Y., Ohmagari, Y., Kudo, Y. Private paging system 87−48940
Matsuo, Y., Nakano, M. A discrete time feedback control of a thyristor reactive power compensator 85−48521
Matsuo, Y. *see* Arima, T. 86−43754
Matsuo, Y. *see* Fuda, Y. 86−53867
Matsuo, Y. *see* Gotoh, K. 85−14044
Matsuo, Y. *see* Kita, A. 86−40069, 87−43368
Matsuo, Y. *see* Kuwahara, M. 85−2970
Matsuo, Y. *see* Nakamo, M. 86−12278
Matsuo, Y. *see* Nakamura, Y. 87−51599
Matsuo, Y. *see* Nozawa, T. 88−71892
Matsuo, Y. *see* Shimizu, R. 86−2582
Matsuo, Y. *see* Tabata, Y. 88−52249
Matsuo, Y. *see* Tsushima, T. 86−11298
Matsuo, Y. *see* Yabumoto, M. 86−58664
Matsuo Michimasa *see* Michimasa Matsuo
Matsuoka, F. Electric control methods in matrix form in air conditioners 85−10237
Matsuoka, F. Electric control methods in matrix form in air conditioners 86−26430
Matsuoka, F. Holonics control of room air conditioners 88−6042
Matsuoka, F., Kameari, A. Calculation of three dimensional eddy current by FEM-BEM coupling method 88−52116
Matsuoka, F., Nagatomo, H. Dynamic response and electrical control for the air conditioner 88−62792
Matsuoka, F. *see* Hiruta, Y. 88−39166
Matsuoka, F. *see* Itagaki, M. 88−6049
Matsuoka, F. *see* Togashi, K. 85−5534
Matsuoka, F. *see* Toyoshima, Y. 88−71593
Matsuoka, F. *see* Yamazaki, K. 85−5528
Matsuoka, G., Ichihasi, M., Murakoshi, H., Yamamoto, K. Automatic electron beam metrology system for development of very large-scale integrated devices 87−38379
Matsuoka, G., Murakoshi, H., Yamamoto, K., Ichihashi, M. Precise linewidth measurement using the electron beam metrology system 88−18520
Matsuoka, G., Yokouchi, H., Okumura, M., Matsuzaka, T., Saitou, N., Nakamura, K. Digital processing of beam signals in a variably shaped electron beam lithography system 86−8936
Matsuoka, G. *see* Ichihashi, M. 86−53735
Matsuoka, G. *see* Matsuzaka, T. 88−13233
Matsuoka, G. *see* Saitou, N. 85−35046, 87−25010
Matsuoka, H., Okamoto, M. Recent development of grain-oriented silicon steel 87−46392
Matsuoka, H. *see* Inatomi, Y. 88−25204
Matsuoka, H. *see* Morimura, A. 86−11266
Matsuoka, K. Generalization of the differential measurement and its applications to an eye position sensor 85−38009
Matsuoka, K. Estimation of time-domain responses for variable-latency signals 86−70425
Matsuoka, K. Automatic design method of flat-type motors 88−23864
Matsuoka, K., Fujiwara, E. A hardware implementation of permuter 88−19065
Matsuoka, K., Minami, Y., Sakai, H. Inverters for general use 87−64706
Matsuoka, K., Nogami, K., Iwamoto, M., Uemura, T., Matsunaga, K. A method of detection and separation of fast and slow phases in nystagmus 85−38010
Matsuoka, K. *see* Fujiwara, E. 86−1018, 87−24057, 88−12334
Matsuoka, K. *see* Hamada, Y. 85−2508
Matsuoka, K. *see* Ogino, T. 86−7236
Matsuoka, K. *see* Umemori, T. 86−66439
Matsuoka, K. *see* Yamamoto, K. 85−30772
Matsuoka, M., Akiba, M., Kawai, M., Kitamura, S., Matsuda, S., Nagamura, H., Ohara, Y., Ohga, T., Watanabe, K. The JT-60 NBI power supply system 85−49038
Matsuoka, M., Arai, Y., Yoshida, Y. Etch rate distribution over silicon wafers in EPW solutions 88−57482
Matsuoka, M., Hoshi, Y., Naoe, M. High rate preparation of c-axis oriented AlN films by reactive sputtering 86−496
Matsuoka, M., Hoshi, Y., Naoe, M. Magnetostriction of Co-based alloy films for magnetic recording 86−2586
Matsuoka, M., Hoshi, Y., Naoe, M., Yamanaka, S. Deposition of ZnO films with good surface smoothness and high C-axis orientation by means of a targets-facing type of reactive sputtering method 85−10802
Matsuoka, M., Hoshi, Y., Naoe, M., Yamanaka, S. Preparation of Ba-ferrite films for perpendicular magnetic recording by RF target facing type of sputtering 85−16972
Matsuoka, M., Hoshi, Y., Naoe, M., Yamanaka, S. High-rate preparation of Co-Cr films on continuous tape substrates via a targets-facing type sputtering method (TFTS-method) 85−44773
Matsuoka, M., Kawai, M., Komata, M., Kitamura, S., Matsuda, S., Mizuhashi, K., Nagamura, H., Ohara, Y., Watanabe, K. 100kV, 80A, 10s power supply for a neutral beam injector using a series of gate turn off thyristors as a regulator switch valve 85−44111
Matsuoka, M., Matsuda, Y., Hoshi, Y., Naoe, M. Sputter deposition and magnetic properties of Mn-Zn ferrite films composed of (111) plane oriented crystallites 86−40768
Matsuoka, M., Naoe, M., Hoshi, Y. Ba-ferrite thin-film disk for perpendicular magnetic recording 85−46008
Matsuoka, M., Naoe, M., Hoshi, Y. Sputtering Ba-ferrite thin film disk 86−9408
Matsuoka, M., Naoe, M., Hoshi, Y. Sputter deposition and read/write characteristics of Ba-ferrite thin film disk 86−28677
Matsuoka, M., Naoe, M., Hoshi, Y. High rate preparation of C-axis oriented AlN films by reactive sputtering 87−52173
Matsuoka, M., Naoe, M., Hoshii, Y. Magnetostriction of Co-based alloy films for magnetic recording 87−53878
Matsuoka, M., Ono, K., Inukai, T. Perpendicular magnetic anisotropy of reactively sputtered cobalt nitride thin films 88−51204
Matsuoka, M. *see* Hagihara, Y. 85−49097
Matsuoka, M. *see* Hoshi, Y. 85−18551, 86−28629
Matsuoka, M. *see* Matsuda, Y. 86−9392, 87−46340
Matsuoka, M. *see* Naoe, M. 85−49594
Matsuoka, M. *see* Niimura, Y. 86−9383
Matsuoka, M. *see* Ota, M. 88−60839
Matsuoka, M. *see* Sumiyoshi, M. 86−1388
Matsuoka, N., Sakai, H., Tamura, H., Ito, H., Saito, T. The horizontally polarized deuteron beam at RCNP and measurements of the tensor analyzing power A_{xz} at 56 MeV 87−3845
Matsuoka, N. *see* Itaka, K. 88−62255
Matsuoka, N. *see* Sakai, H. 86−60586
Matsuoka, N. *see* Shimizu, A. 85−15101
Matsuoka, N. *see* Takatani, S. 87−24922
Matsuoka, O. *see* Iida, T. 88−10332
Matsuoka, O. *see* Ishigure, N. 88−42534, 88−54437
Matsuoka, S. Ultrasonic welding of Fe and Ni system amorphous alloys 85−5787
Matsuoka, S. Measuring systems for ISDN 88−21764
Matsuoka, S., Kanaji, H., Kuroda, K., Shirono, J. Wide dynamic range optical power measurement 86−31683
Matsuoka, S., Saito, T. High-level service for hotel 85−36841
Matsuoka, S., Takeda, M. For the key of office automation 85−36840
Matsuoka, S. *see* Hayakawa, J. 88−74185
Matsuoka, S. *see* Okamoto, K. 85−7285
Matsuoka, S. *see* Tamaru, S. 88−6073
Matsuoka, S. *see* Tanimoto, M. 87−48625
Matsuoka, T. Videotex and VRS 85−36685
Matsuoka, T. Videotex 85−47176
Matsuoka, T. Temperature range for DFB mode oscillation in 1.5 μm InGaAsP/InP DFB lasers 87−7371
Matsuoka, T. Electrical equipment of color coating line 88−18237
Matsuoka, T., Hato, M., Ulrych, T.J., Kawamura, T. Optimum gain curve for true amplitude recovery processing [geophysics] 87−33674
Matsuoka, T., Kobayashi, M. GO-FLOW: a reliability analysis methodology applicable to piping systems 85−48763
Matsuoka, T., Kuwata, J., Fujita, Y., Abe, A. Black Pr-Mn oxide dielectric material for AC thin-film electroluminescent display 88−72211
Matsuoka, T., Kuwata, J., Nishikawa, M., Fujita, Y., Tohda, T., Abe, A. A study of the crystallographic and luminescent characteristics of ZnS:Mn films prepared by an RF magnetron sputtering method for AC thin-film electroluminescent devices 88−51685
Matsuoka, T., Kuwata, J., Nishikawa, M., Fujita, Y., Tohda, T., Abe, A. Electric resistance change mechanism of indium-tin oxide film during deposition of dielectric oxide films by RF magnetron sputtering 88−71313
Matsuoka, T., Nagai, H. InP etchant for submicron patterns 87−25112
Matsuoka, T., Nagai, H., Suzuki, Y., Noguchi, Y., Wakita, K. Mode behavior improvement in DEB LDs by light phase control at the facet 85−18922
Matsuoka, T., Nagai, H., Yoshikuni, Y., Wakita, K. Verification of the light phase effect at the facet and its effect on DFB laser properties 86−3181
Matsuoka, T., Nashikawa, M., Tohda, T., Abe, A. A AC thin-film EL display with Pr-Mn oxide black dielectric material 87−3671
Matsuoka, T., Nishikawa, M., Fujita, Y., Tohda, T., Abe, A. High-contrast EL display panel 87−56769
Matsuoka, T., Tsuruga, Y., Yamazaki, T., Mitsutake, Y. 800P single line telephone 86−4365
Matsuoka, T., Ulrych, T.J. Phase estimation using the bispectrum 85−15414
Matsuoka, T., Ulrych, T.J. Information theory measures with application to model identification 86−68946
Matsuoka, T., Yamazaki, Y. Narrowband visual communication 87−34846
Matsuoka, T., Yoshikuni, Y., Motosugi, G. Dependence of single-longitudinal-mode probability on DFB laser facet structure 86−15704
Matsuoka, T., Yoshikuni, Y., Motosugi, G., Enya, M. Design and performance of high-power 1.5 μm DFB lasers 87−61165
Matsuoka, T., Yoshikuni, Y., Motosugi, G., Enya, M. Design and performance of high-power 1.5 μm DFB lasers 88−35471
Matsuoka, T., Yoshikuni, Y., Nagai, H. Verification of the light phase effect at the facet on DFB laser properties 86−29186
Matsuoka, T., Yoshikuni, Y., Nakano, Y., Kurumada, K. DFB laser diodes for 1.5 μm transmission 87−54306
Matsuoka, T. *see* Abe, A. 86−31238
Matsuoka, T. *see* Aida, K. 88−22111
Matsuoka, T. *see* Fujita, Y. 85−43048
Matsuoka, T. *see* Hashimoto, S. 85−3070
Matsuoka, T. *see* Iwashita, K. 85−31059
Matsuoka, T. *see* Kawada, H. 87−78927
Matsuoka, T. *see* Kawaguchi, H. 86−22383
Matsuoka, T. *see* Kuwata, K. 87−56770
Matsuoka, T. *see* Matoba, H. 86−11403
Matsuoka, T. *see* Nagai, H. 85−45595, 86−42558
Matsuoka, T. *see* Nakano, S. 87−36130
Matsuoka, T. *see* Ohnishi, M. 85−61005
Matsuoka, T. *see* Sakaki, Y. 86−63570, 87−18533, 87−32877
Matsuoka, T. *see* Suzuki, Y. 85−2323
Matsuoka, T. *see* Takahama, T. 87−22741
Matsuoka, T. *see* Tohda, T. 86−36350
Matsuoka, T. *see* Tsuda, S. 87−31579
Matsuoka, T. *see* Ulrych, T.J. 88−14661
Matsuoka, T. *see* Yanaka, K. 85−52022, 87−34091
Matsuoka, T. *see* Yoshida, J. 86−36478
Matsuoka, T. *see* Yoshikuni, Y. 85−7421
Matsuoka, T. *see* Yudasaka, M. 86−26876
Matsuoka, Y., Sugitani, S., Kato, N., Yamazaki, H. Effects of thin and high-carrier concentration active layer for GaAs MESFET performance 87−60496
Matsuoka, Y., Yamamoto, Y., Shimazoe, M., Yamada, K. Differential pressure/pressure transmitters applied with semiconductor sensors 86−5293
Matsuoka, Y., Yamamoto, Y., Shimazoe, M., Yamada, K. Differential pressure/pressure transmitters applied with semiconductor sensors 86−70103
Matsuoka, Y. *see* Hirayama, M. 85−22881, 86−27297
Matsuoka, Y. *see* Kato, N. 86−46840
Matsuoka, Y. *see* Nanishi, Y. 87−17724
Matsuoka, Y. *see* Nishihara, M. 86−11570
Matsuoka, Y. *see* Shibata, T. 88−74631
Matsuoka, Y. *see* Yamamoto, Y. 86−31370
Matsuoka, Y. *see* Yamasaki, K. 88−56601
Matsupin, G.P. *see* Nikitenko, A.G. 88−55682
Matsusaka, H. DC railway substation equipment for Indonesian State Railways (PJKA) 88−55690
Matsusaka, T. *see* Sasaki, K. 86−45306
Matsuse, J. *see* Shimamura, Y. 87−78140
Matsuse, K., Hashimoto, H., Kubota, H. Current source GTO inverter with energy rebound 86−6892
Matsuse, K., Kubota, H. Improved current source GTO inverter for high frequency induction motor drives 87−43227
Matsuse, K., Kubota, H. Digital control scheme of rotor flux in induction servo-motor with the deadbeat response 88−30752
Matsuse, K., Kubota, H. Improved current source GTP inverter-fed induction motor drives with PWM controlled thyristor converter 88−31082
Matsuse, K., Kubota, H. Deadbeat response of flux control of induction motor 88−69390
Matsuse, K., Kubota, H. PWM inverter with specified output voltage waveform using SI thyristor 88−69551
Matsuse, K. *see* Kubota, H. 85−53765, 86−6774, 86−12941, 86−40218, 86−45398, 86−66397, 87−30567, 88−23941
Matsuse, K. *see* Miki, I. 87−43038, 88−48969
Matsuse, K. *see* Pichetjamroen, V. 86−19388
Matsuse, K. *see* Viriya, P. 86−12935, 86−61649, 88−17730, 88−31083
Matsushiba, T. *see* Yoshida, S. 86−30568
Matsushige, K. *see* Yamashita, T. 88−13893
Matsushige, S. *see* Hirose, M. 87−43615, 88−55703
Matsushima, A., Itakua, T. Analysis of strip gratings by numerical solution of singular integral equation 86−63970
Matsushima, A., Itakura, T. Accurate numerical analysis of inductive windows in a rectangular waveguide by singular integral equations 86−42909
Matsushima, A., Itakura, T. Accurate numerical analysis of inductive windows in a rectangular waveguide by singular integral equations 87−73583
Matsushima, A. *see* Miura, Y. 88−56257
Matsushima, A. *see* Shitara, T. 88−4151, 88−60433
Matsushima, F. *see* Okude, S. 87−75271

Matsushima, H., Kimura, S., Kawaguchi, T. Robot system for large diameter pipe measurement 86—55839
Matsushima, H. *see* Kaneko, K. 87—62135
Matsushima, H. *see* Miyatake, T. 85—41985
Matsushima, H. *see* Ujita, H. 86—51276
Matsushima, I., Kasai, T., Yano, M. Single pulse switchout with an optical shutter 85—18980
Matsushima, I., Koyama, K., Tanimoto, M., Yano, M. Soft X-ray imaging by a commercial solid-state television camera 87—50202
Matsushima, I. *see* Kasai, T. 85—18761, 85—18894 to 18895
Matsushima, I. *see* Tomie, T. 88—50770
Matsushima, I. *see* Yaoita, A. 87—75854
Matsushima, J., Yoshida, S., Irino, E., Yamada, N., Yakeyasu, K. New mobile radiotelephone equipment for overseas markets 87—40747
Matsushima, J. *see* Kotani, H. 88—768
Matsushima, J. *see* Yamada, T. 88—32194
Matsushima, K., Saito, K., Yachiku, H., Hada, K.I. Electrical equipment for raw material handling facilities delivered to Baoshan Steel Plant, Shanghai, China 85—49221
Matsushima, K. *see* Goto, H. 85—37635
Matsushima, K. *see* Sokabe, N. 88—8102
Matsushima, K. *see* Tabuchi, Y. 87—5079
Matsushima, M., Kishi, H., Ishiwatari, T., Kawade, H. Aging properties of amorphous GdTbFeCo magnetic films and the effect of other elements added to them 88—1851
Matsushima, M., Otani, K., Omote, K., Fukui, Y., Matsushita, H., Sawa, S., Satomi, K., Kayahara, M. High-speed CMOS gate array 86—52807
Matsushima, M. *see* Oda, H. 88—33495, 88—33502
Matsushima, O. *see* Ariga, M. 88—19188
Matsushima, O. *see* Maehashi, Y. 87—37340
Matsushima, O. *see* Takai, T. 86—34856
Matsushima, R., Onda, K., Aoki, Y. A method for locating a vanishing point using properties of the Hough transformation 87—62225
Matsushima, T. Towards newer stage of facsimile development 86—4219
Matsushima, T., Ichimura, M., Take, T. Large-capacity and long-life sealed lead-acid batteries for telecommunications systems 88—30833
Matsushima, T., Ichimura, M., Ueda, T. Large-capacity and long-life sealed lead-acid batteries for telecommunications 88—24125
Matsushima, T., Nakajima, N., Tamura, M., Sueta, T. A tunable waveguide CO$_2$ laser with expanded tuning range 87—18885
Matsushima, T., Take, T., Ichimura, M., Ueda, T. Large-capacity and long-life sealed lead-acid batteries for telecommunications systems 87—72230
Matsushima, T., Tanaka, K., Okuda, Y., Sueta, T. AlN ceramics for 10.6 μm band hollow waveguide 88—65568
Matsushima, T. *see* Hibino, M. 87—8047
Matsushima, T. *see* Kato, I. 88—4249
Matsushima, T. *see* Ohura, Y. 87—30049
Matsushima, T. *see* Suzuki, J. 88—72966
Matsushima, Y., Akiba, S., Kushiro, Y. High reliability planar-type GaInAs/InP heterostructure avalanche photodiodes 88—67355
Matsushima, Y., Noda, Y. 1.55 μm range InGaAs/InP heterostructure avalanche photodiode 87—34574
Matsushima, Y., Noda, Y., Kushiro, Y. InGaAs/InP heterostructure APD in 1.5 μm range 85—51046
Matsushima, Y., Noda, Y., Kushiro, Y. Bias-temperature life tests for planar-type VPE-grown InGaAs/InP heterostructure APDs 86—2951
Matsushima, Y., Utaka, K., Sakai, K., Takeuchi, O. Room-temperature CW operation of MBE-grown GaInAs/AlInAs MQW lasers in 1.5 μm range 88—15446
Matsushima, Y. *see* Akiba, S. 85—2302, 87—39099, 88—40220
Matsushima, Y. *see* Kushiro, Y. 86—7815
Matsushima, Y. *see* Masuyama, I. 86—18991
Matsushima, Y. *see* Sakai, K. 85—16942
Matsushima, Y. *see* Usami, M. 88—45306
Matsushima, Y. *see* Utaka, K. 85—12851, 85—41391, 86—68534
Matsushita, A., Nagao, T., Morita, M. Trends of ISDN construction in foreign countries 86—54684
Matsushita, A. *see* Abe, S. 87—67706, 88—51346, 88—71881
Matsushita, A. *see* Ikeda, Y. 85—36890
Matsushita, A. *see* Kato, Y. 88—4536
Matsushita, A. *see* Matsumoto, J. 85—42081
Matsushita, A. *see* Mawatari, K. 86—64655
Matsushita, A. *see* Morita, T. 86—23633
Matsushita, A. *see* Umemoto, T. 86—19032
Matsushita, H. Timing verification 85—40013
Matsushita, H. *see* Enomoto, K. 85—61229
Matsushita, H. *see* Kawasaki, K. 86—20886
Matsushita, H. *see* Matsushima, M. 86—52807
Matsushita, H. *see* Murai, S. 87—52487
Matsushita, H. *see* Tomozawa, H. 88—62798
Matsushita, I. *see* Murano, H. 86—40556
Matsushita, K., Hariu, T., Fang, S.F., Shida, K., Gao, Q.Z. Plasma-assisted epitaxial growth of compound semiconductors for infrared application 88—435
Matsushita, K., Igarashi, S., Hariu, T., Shibata, Y. Doping properties of plasma-assisted epitaxial GaAs thin films 85—18230
Matsushita, K., Kitamura, H., Shimizu, E. Photocoupler systems using laser diodes 88—8002
Matsushita, K., Kobayashi, T., Hashimoto, S., Hayashi, H., Shinya, M., Sakai, H., Kinoshita, K., Ohta, T. 2400 IMS CCITT No.7 common channel interoffice signaling system feature transparency network 86—43658
Matsushita, K., Kobayashi, T., Hashimoto, S., Hayashi, H., Shinya, M., Sakai, H., Kinoshita, K., Ohta, T. 2400IMS CCITT No.7 common channel interoffice signalling system feature transparency network 86—43663
Matsushita, K., Kobayashi, T., Hashimoto, S., Sugawara, N., Moride, H., Sakai, H., Watanabe, Y., Yamawaki, K. APEX2400VL/NEAX2400UMG super-large capacity system [digital EPABX] 86—43688
Matsushita, K., Kobayashi, T., Hashimoto, S., Sugawara, N., Moride, H., Sakai, H., Watanabe, Y., Yamawaki, K. NEAX2400 UMG super-large capacity system 87—8113
Matsushita, K., Kobayashi, T., Moride, H., Sato, S., Saito, K., Sunaga, T., Oishi, I., Takami, H. Hotel system [EPABX] 86—43664
Matsushita, K., Kobayashi, T., Shinya, M. Evolution to ISDN in business communication networks 88—9264
Matsushita, K., Kobayashi, T., Takahashi, H., Shinya, M., Moride, H., Watanabe, Y., Nakanishi, Y., Fujioka, M. Technical trends in integrated information network and digital PBX APEX 2400 series 87—8114
Matsushita, K., Kurokawa, H., Takahashi, H., Fujioka, M. NEAX2400 IMS personal computer data interface board 87—8046
Matsushita, K., Sato, Y., Hariu, T., Shibata, Y. Low temperature and high deposition rate epitaxial growth of compound semiconductors by plasma-assisted epitaxy 85—5993
Matsushita, K., Sato, Y., Shida, K., Hariu, T., Shibata, Y. Application of plasma-assisted epitaxial GaSb to Photoelectronic devices 85—46281
Matsushita, K. *see* Enomoto, M. 85—56441, 87—54184
Matsushita, K. *see* Hariu, T. 86—7816, 86—13766, 87—23683
Matsushita, K. *see* Ishiguro, F. 87—4259
Matsushita, K. *see* Kajiki, Y. 88—46278
Matsushita, K. *see* Maeda, T. 87—71584
Matsushita, K. *see* Omatu, S. 88—48902
Matsushita, K. *see* Sasaki, Y. 85—28956
Matsushita, K. *see* Sato, Y. 85—16950
Matsushita, K. *see* Shimizu, E. 86—46885, 88—8778
Matsushita, K. *see* Sugimoto, H. 87—71522 to 71523
Matsushita, K. *see* Yamagami, T. 85—30757
Matsushita, K. *see* Yamauchi, S. 87—65507
Matsushita, K. *see* Yoshida, Y. 87—48389
Matsushita, M. Satellite broadcasting system 85—25824
Matsushita, M., Hasegawa, T. NHK's satellite broadcasting system and its operation 87—28527
Matsushita, M., Hasegawa, T. NHKs satellite broadcasting system 88—15404
Matsushita, M., Homma, K. Total network operation system architecture 88—46675
Matsushita, M., Homma, K., Ishii, H. Data communication implementation strategy for telecommunications management network 88—52742
Matsushita, M., Izumi, T., Masuko, Y. Digital sound system for satellite television broadcasting in Japan 85—20166
Matsushita, M. *see* Deguchi, F. 88—52860
Matsushita, M. *see* Dobashi, H. 85—36978
Matsushita, M. *see* Homma, K. 88—28463, 88—52914
Matsushita, M. *see* Minato, D. 86—43420
Matsushita, N., Yokoi, K., Masuda, T. Laser welding of thermocouple on heating tip for SMT 88—27369
Matsushita, N. *see* Fukamachi, H. 88—48201
Matsushita, N. *see* Ichie, M. 87—57173
Matsushita, S. Recent progress of integrated optoelectronic devices and their applications 86—48304
Matsushita, S., Hibino, K., Nakayama, T. Message handling system 85—25263
Matsushita, S., Kawai, K., Uchida, H. Fiber-optic devices for local area network application 85—62311
Matsushita, S. *see* Arika, I. 85—58344
Matsushita, S. *see* Hoshino, H. 86—53936
Matsushita, S. *see* Naganawa, H. 86—49216
Matsushita, S. *see* Nakayama, T. 87—69641
Matsushita, S. *see* Nogawa, S. 88—31849
Matsushita, T., Ishikawa, T., Oyanagi, H. Sagittally focusing double-crystal monochromator with constant exit beam height at the Photon Factory 86—60657
Matsushita, T., Suzuki, A., Okuda, M., Rhee, J.C., Naito, H. Reversible optical recording media with Ga-Se-Te system 86—2651
Matsushita, T., Takahashi, H., Mizue, T., Okad, H., Hamasaki, Y., Nishie, M. Fiber optic components for the FDDI LAN 88—35561
Matsushita, T. *see* Amemiya, Y. 88—42461
Matsushita, T. *see* Fukuoka, T. 88—22109
Matsushita, T. *see* Furusaki, T. 87—5436
Matsushita, T. *see* Hayashi, H. 88—20148
Matsushita, T. *see* Jiang, F.S. 88—26744
Matsushita, T. *see* Konagai, M. 86—7053
Matsushita, T. *see* Kume, H. 86—47261
Matsushita, T. *see* Maekawa, T. 88—38534
Matsushita, T. *see* Okuda, M. 88—26745, 88—45048
Matsushita, T. *see* Oyanagi, H. 87—35373
Matsushita, T. *see* Satow, Y. 88—29727
Matsushita, T. *see* Sumiyoshi, F. 86—36088
Matsushita, T. *see* Suzuki, S. 86—47262, 88—68209
Matsushita, T. *see* Takada, H. 87—49112
Matsushita, T. *see* Takasaki, F. 88—1334
Matsushita, T. *see* Tanikawa, K. 87—35785
Matsushita, T. *see* Tatsumi, K. 88—45257
Matsushita, T. *see* Tokumoto, M. 85—11971
Matsushita, T. *see* Yamagata, N. 88—41208
Matsushita, T. *see* Yazawa, A. 87—31939
Matsushita, Y. Report on the present situation of OSI diffusion activities in Japan 88—28247
Matsushita, Y., Aida, K. An evaluation of dynamic flow control based on a window mechanism 85—13939
Matsushita, Y., Aida, K. Virtual terminal 85—63338
Matsushita, Y., Nojima, M., Horiuchi, K., Hirano, K. Static induction thyristor 88—43291
Matsushita, Y., Sunata, T., Yukawa, T., Ugai, Y., Tamamura, J., Aoki, S. A 5-in active-matrix full-color LCD for displaying TV images 88—42213
Matsushita, Y., Wakatsuki, M., Saito, Y. Improvement of silicon surface quality by H$_2$ anneal 87—25042
Matsushita, Y. *see* Abiko, S. 87—17137
Matsushita, Y. *see* Gotanda, T. 87—48309
Matsushita, Y. *see* Ido, T. 88—71393
Matsushita, Y. *see* Nakamura, K. 87—41310
Matsushita, Y. *see* Ohtaki, R. 85—40434
Matsushita, Y. *see* Sawada, K. 88—57025
Matsushita, Y. *see* Shibata, H. 88—7745
Matsushita, Y. *see* Shimazaki, A. 85—40590
Matsushita, Y. *see* Sunata, T. 86—28365, 87—3668
Matsushita, Y. *see* Wakatsuki, M. 87—25041
Matsusue, N. *see* Ichikawa, Y. 88—2335
Matsusue, T. *see* Yoshimura, H. 88—19726
Matsuta, K. *see* Krebs, G.F. 88—54190
Matsuta, K. *see* Nojiri, Y. 86—70284, 87—3837
Matsuta, L.A. *see* Elizarov, A.S. 86—44318
Matsuta, L.A. *see* Vorobieva, N.V. 86—1721
Matsuta, M. Measurement of visual quality of paint coatings for automobile 85—5808
Matsutani, K. *see* Nagatomo, T. 87—64783
Matsutani, K. *see* Yamasaki, H. 85—21833
Matsutani, K. *see* Yoshikawa, K. 85—21533
Matsutani, M. *see* Suda, T. 88—41816
Matsutani, T., Saga, T., Kaminishi, S., Ogura, M., Hagihara, Y., Hirano, T., Suzuki, A., Ushirokawa, A. Connector integrated thin silicon solar cells: attached interconnectors by alternating current welding machine 88—5897
Matsutani, T. *see* Hagihara, Y. 85—49097
Matsutani, T. *see* Matsuda, S. 85—65459
Matsutani, T. *see* Matsui, Y. 87—4887
Matsutani, T. *see* Miura, T. 88—71402
Matsutani, T. *see* Utsumi, A. 88—68375
Matsutera, H., Hidaka, Y. Effects of ion implantation on growth induced magnetic anisotropy in garnet films 86—28632
Matsutera, H., Hidaka, Y. Interaction between vertical Bloch line and in-plane field 87—32891
Matsutera, H., Hidaka, Y., Gokan, H. Vertical Bloch line pair operation by in-plane field for Bloch line memory 87—25868
Matsutera, H., Mizuno, K., Hidaka, Y. Design and characteristics for vertical Bloch line memory using ring-shaped domain 88—51360
Matsutera, H. *see* Hasegawa, M. 87—25869
Matsutera, H. *see* Hidaka, Y. 85—24217
Matsutera, H. *see* Urai, H. 88—51366
Matsuto, Y. *see* Matsumoto, K. 88—20040
Matsutomo, T. *see* Fujita, K. 87—44307
Matsutomo, T. *see* Inoue, T. 86—52431
Matsuukar, T.K. *see* Flora, C. 85—31452
Matsuura, A. Technical developments in JNR 87—58415
Matsuura, A. *see* Sato, Y. 87—9915
Matsuura, A. *see* Yudasaka, M. 85—45408
Matsuura, E. *see* Ochiai, Y. 86—27840, 88—44540
Matsuura, F., Nakao, M., Ichimura, M. A new airconditioning system using a thermosiphon 85—16451
Matsuura, F., Suenaga, T. 'MACS' for telecommunications equipment room—Multi-unit Air Conditioning System 86—13186
Matsuura, F., Yoshimura, M., Hayashi, T. A new airconditioning system for switching equipment room 85—16450
Matsuura, F. *see* Suenaga, T. 85—65638

Matsuura, H. Provisions for saving power consumption in electric snow melting apparatus [railways] 86−7229
Matsuura, H., Hongo, K. Comparison of induced current and aperture field integrations for an offset parabolic reflector 87−47337
Matsuura, H., Kobayashi, K. Design automation system for VLSI processor equipment 85−704
Matsuura, H., Matsuda, A., Okushi, H., Tanaka, K. Dark current transport mechanism of *p-i-n* hydrogenated amorphous silicon diodes 85−61887
Matsuura, H., Nakamura, H., Ishida, T., Kaminishi, K. Thermally stable Schottky contact to n-GaAs using W-Al alloy and Al/W two layer metal 85−40519
Matsuura, H., Nakamura, H., Sano, Y., Egawa, T., Ishida, T., Kaminishi, K. Comparison of microscopic uniformity of recently developed semi-insulation substrates for GaAs LSI by using 60 μm×60 μm pitch MESFET array 86−35914
Matsu'ura, H., Nitta, T., Hirai, S., Takebayashi, Y., Tsuboi, H., Kanazawa, H. A large vocabulary word recognition system based on syllable recognition and nonlinear word matching 88−66378
Matsuura, H., Okushi, H. Schottky barrier junctions of hydrogenated amorphous silicon-germanium alloys 88−7317
Matsuura, H. *see* Doi, H. 86−14635
Matsuura, H. *see* Hongo, K. 86−64056
Matsuura, H. *see* Kato, N. 86−33499
Matsuura, H. *see* Matsuda, A. 87−23709
Matsuura, H. *see* Minato, T. 87−8638
Matsuura, H. *see* Morimoto, M. 88−41236
Matsuura, H. *see* Nagai, H. 88−53793
Matsuura, H. *see* Niita, T. 86−69001
Matsuura, H. *see* Nishiyama, K. 88−19055
Matsuura, H. *see* Nitta, T. 85−25064
Matsuura, H. *see* Okada, K. 87−31817
Matsu'ura, H. *see* Tsuboi, H. 87−27306
Matsuura, H. *see* Tsuboi, K. 87−30516
Matsuura, K. Dynamic behavior of a locally isolated metropolitan power system for application of superconducting magnet-inverter/converter unit 87−30083
Matsuura, K. Improvement of power system transient stability by a thyristor controlled thermoelectric converter 87−71482
Matsuura, K. Application of a superconducting magnet-inverter/converter unit to an interconnected local power area 88−23313
Matsuura, K., Yamasaki, T., Kishida, S., Taki, H., Tsurumi, I. Circuit for extension of an interrupt input of a personal computer PC8001mkII 87−24083
Matsuura, K., Yang, C. A new armor wire modelling in single-core AC submarine cable for calculation of transmission capacity 87−71698
Matsuura, K. *see* Hamada, Y. 85−2508
Matsuura, K. *see* Ikematsu, S. 85−39065
Matsuura, K. *see* Kume, M. 88−51232
Matsuura, K. *see* Maeda, Y. 87−48168
Matsuura, K. *see* Nishi, M. 87−24320
Matsuura, K. *see* Nishitani, H. 87−29745
Matsuura, K. *see* Nobuaki, K. 85−10048
Matsuura, K. *see* Tanuma, T. 88−13681, 88−31846
Matsuura, K. *see* Yabuta, K. 88−54519
Matsuura, M., Funada, F., Ishii, Y., Kozaki, S., Nakagawa, K., Wada, T. Very highly multiplexed twisted-nematic liquid-crystal display device 86−5402
Matsuura, M., Tanifuji, T., Yamamoto, Y. Drastic emission-spectra changes in a semiconductor laser owing to optical feedback from an optical connector 86−63830
Matsuura, M., Tanifuji, T., Yamamoto, Y. 42 km analog video signal transmission in single-mode fibers using a 1.3 μm edge-emitting LED 86−69781
Matsuura, M., Yamamoto, H., Yamamoto, Y. Design of selective connection for optical fiber cables considering subscriber cable length distribution 85−20216
Matsuura, M., Yamamoto, H., Yamamoto, Y. Design of selective connection for optical fiber cables considering subscriber cable length distribution 86−69765
Matsuura, M. *see* Funada, F. 87−3694
Matsuura, M. *see* Ishii, Y. 86−31247
Matsuura, M. *see* Kozaki, S. 88−53802
Matsuura, M. *see* Murakami, K. 88−438
Matsuura, M. *see* Nagagawa, K. 88−13949
Matsuura, M. *see* Nakagawa, K.I. 85−46219
Matsuura, M. *see* Nakamoto, H. 87−60942
Matsuura, M. *see* Takafuji, Y. 85−46220
Matsuura, M. *see* Take, H. 86−44364
Matsuura, M. *see* Tanifuji, T. 86−30781
Matsuura, M. *see* Yamada, H. 86−18324, 87−15116
Matsuura, M. *see* Yamamoto, H. 85−31060, 86−69766
Matsuura, N. Hybrid potentiometers coming into wider use 86−67519
Matsuura, N. Construction, performance and use of joystick controllers 87−66581
Matsuura, N. Requirements for intelligent sensors in total instrumentation 88−74255
Matsuura, N. *see* Kawabe, M. 85−1360, 85−45442
Matsuura, N. *see* Yoshida, Y. 86−59750
Matsuura, S. Ghost canceller control reference signals are inserted into TV signal 88−29045
Matsuura, S. Technology for high picture quality TV receivers 88−41815
Matsuura, S., Umebayashi, S., Okuyama, C., Oba, K. Characteristics of the newly developed MCP and its assembly 85−43200
Matsuura, S. *see* Higuchi, H. 85−47657
Matsuura, S. *see* Ishida, A. 87−26422
Matsuura, S. *see* Kitamura, M. 88−51339
Matsuura, S. *see* Murata, T. 87−14136, 87−49265
Matsuura, S. *see* Nishimura, Y. 86−58483
Matsuura, S. *see* Tanimoto, Y. 87−77114
Matsuura, S. *see* Terano, T. 87−42371
Matsuura, S. *see* Yagawa, G. 86−11726
Matsuura, T. Multi screen display systems—Multi Vision 86−31207
Matsuura, T., Jochi, S. Large-capacity converter-fed synchronous motors 85−53682
Matsuura, T. *see* Aoki, K. 85−57069
Matsuura, T. *see* Arishima, K. 85−42996
Matsuura, T. *see* Hirakawa, K. 88−21988
Matsuura, T. *see* Ishida, K. 86−51010
Matsuura, T. *see* Matsubara, I. 86−56448
Matsuura, T. *see* Matsui, K. 86−14365, 86−34966
Matsuura, T. *see* Murakami, S. 86−14995
Matsuura, T. *see* Nagata, S. 86−8106
Matsuura, T. *see* Nakayama, K. 85−61376
Matsuura, T. *see* Okada, T. 86−20116
Matsuura, T. *see* Onishi, T. 86−52746
Matsuura, T. *see* Sato, K. 88−60251
Matsuura, T. *see* Seki, K. 87−14134
Matsuura, T. *see* Tateishi, H. 87−67913
Matsuura, T. *see* Tsukamoto, T. 87−23818
Matsuura, T. *see* Yonehata, Y. 88−5956
Matsuura, Y., Takahata, K., Ihokura, K. Mechanism of gas sensitivity change with time of SnO_2 gas sensors 88−60946
Matsuura, Y. *see* Hiraga, K. 85−56091
Matsuura, Y. *see* Hirosawa, S. 87−18536, 87−25860
Matsuura, Y. *see* Kashiwabara, Y. 87−35826
Matsuura, Y. *see* Murakami, Y. 88−63684
Matsuura, Y. *see* Onodera, H. 85−24193
Matsuura, Y. *see* Sagawa, M. 85−24187, 86−21960, 86−42145, 87−60789
Matsuura, Y. *see* Yamamoto, H. 85−18543
Matsuura, Y. *see* Yamauchi, H. 85−45962
Matsuya, Y., Akazawa, Y., Iwata, A. High-linearity and high-speed CMOS 1-chip A/D, D/A converters. All-digital linearity error correction (LECS) 87−52667
Matsuya, Y., Uchimura, K., Iwata, A., Kobayashi, T., Ishikawa, M. A 16 b oversampling A/D conversion technology using triple integration noise shaping 87−59661
Matsuya, Y., Uchimura, K., Iwata, A., Kobayashi, T., Ishikawa, M., Yoshitome, T. A 16-bit oversampling A-to-D conversion technology using triple-integration noise shaping 88−19217
Matsuya, Y. *see* Kaneko, T. 88−63692
Matsuyama, H. *see* Mitsuoka, K. 88−51281
Matsuyama, I. *see* Ishihara, K. 85−44216
Matsuyama, I. *see* Shingyouchi, K. 86−22060
Matsuyama, K. Optical fiber materials 85−12598
Matsuyama, K., Asada, H., Konishi, S. Simulation of the vertical Bloch line motion at the stripe domain head 86−36069
Matsuyama, K., Nakamura, K., Asada, H., Suzuki, T., Fujimoto, K., Konishi, S. Controlling Bloch lines and domain chopping for multiple stripes aligned in parallel 88−71899
Matsuyama, K. *see* Kawahara, H. 88−51370
Matsuyama, K. *see* Kikuchi, Y. 86−49211
Matsuyama, K. *see* Konishi, S. 85−24216
Matsuyama, K. *see* Nakazawa, M. 86−21938
Matsuyama, K. *see* Ronan, G. 86−42151
Matsuyama, K. *see* Suzuki, T. 86−36068, 87−25866, 87−32839, 88−51369
Matsuyama, K. *see* Takemae, T. 86−18271
Matsuyama, K. *see* Umezawa, T. 86−61743
Matsuyama, M. *see* Kawashima, H. 87−60713, 88−71869
Matsuyama, M. *see* Miki, T. 85−26686, 87−50167
Matsuyama, M. *see* Sumiyoshi, F. 86−36088
Matsuyama, N. *see* Takahashi, K. 86−21929
Matsuyama, S. Latest newspaper page facsimile 87−40308
Matsuyama, S. *see* Kojima, K. 86−49213
Matsuyama, S. *see* Orihara, S. 86−2611
Matsuyama, S. *see* Umeda, T. 87−49849
Matsuyama, S. *see* Yoshimoto, R. 87−55657
Matsuyama, T. Expert systems for image processing: an overview 87−55325
Matsuyama, T. Vector quantization of optimally grouped sets and image/speech compression 88−45944
Matsuyama, T., Hide, I., Sawaya, K., Suzuki, M., Sasaki, M., Maeda, Y. Mass production of silicon sheet by the spin cast process 88−32763
Matsuyama, T., Phillips, T.-Y. Digital realization of the labeled Voronoi diagram and its application to closed boundary detection 85−36400
Matsuyama, T. *see* Chinen, K. 87−68178
Matsuyama, T. *see* Hide, I. 87−23613
Matsuyama, T. *see* Kojima, Y. 86−35365
Matsuyama, T. *see* Kume, K. 87−7846
Matsuyama, T. *see* Maeda, Y. 86−7131
Matsuyama, T. *see* Miura, S.I. 85−22299
Matsuyama, T. *see* Nakano, S. 88−17972, 88−37490
Matsuyama, T. *see* Nojima, H. 86−36312
Matsuyama, T. *see* Tamura, S. 85−43376, 87−50281
Matsuyama, T. *see* Tarui, H. 87−30978
Matsuyama, T. *see* Tsuda, S. 87−31578, 88−49150
Matsuyama, T. *see* Yokoyama, T. 87−9817
Matsuyama, Y. Joint time-spectral vector quantization and inverse filter set 87−19764
Matsuyama, Y. Variable region vector quantization, space warping and speech/image compression 87−61776
Matsuyama, Y. Image compression via vector quantization with variable dimension 88−27814
Matsuyama, Y. Variable region vector quantization 88−34711
Matsuyi, T. *see* Ohtsuka, H. 87−11912
Matsuyoshi, Y. *see* Otsuka, J. 88−8370
Matsuyuki, Y. *see* Kohda, J. 87−36636
Matsuyuki, Y. *see* Kohda, T. 87−72992
Matsuzaka, M. *see* Watanuki, T. 88−14087
Matsuzaka, T., Saitou, N., Okumura, M., Matsuoka, G., Ohyama, M., Nakamura, K. A high speed nanometric electron beam lithography system 88−13233
Matsuzaka, T. *see* Matsuoka, G. 86−8936
Matsuzaka, T. *see* Nakamura, K. 88−7539
Matsuzaka, T. *see* Saitou, N. 87−25010
Matsuzaka, Y. *see* Hirosawa, H. 88−4106
Matsuzaka, Y. *see* Yamanaka, M.D. 85−38348, 87−71327
Matsuzaki, A., Ikegami, H., Hatanaka, M., Kobayashi, H., Wakita, S. A color flat CRT and its application 87−14135
Matsuzaki, A., Ikeuchi, A., Taga, Y., Shirasaki, Y., Asakawa, K., Kojima, J. Relaying work of a submarine cable by MARCAS between Japan and Korea 86−55145
Matsuzaki, H., Ito, T., Ehara, Y., Sakai, T., Mckenny, P.J., Hammam, M.S.A.A. Internal discharge pulse measurement using a microcomputer 88−51061
Matsuzaki, H. *see* Izeki, N. 86−70212
Matsuzaki, H. *see* Yokozawa, M. 85−14902
Matsuzaki, N. *see* Ueda, K. 86−52879
Matsuzaki, O. *see* Hirosawa, H. 86−40925
Matsuzaki, O. *see* Honma, K. 86−57697
Matsuzaki, R. Exhaust of NO_x from high-temperature wind tunnels 88−30078
Matsuzaki, S. *see* Murotsu, Y. 86−7554
Matsuzaki, T., Sato, K., Suzuki, T., Terashima, M. High-density multilayer wiring substrate using copper thick film and thin film 86−14745
Matsuzaki, T., Tanikawa, Y., Miyazaki, M., Ueda, K., Sakao, T., Adachi, K., Yamashita, T., Yoshida, K., Ogisu, M., Tanaka, K., Suzuki, T., Nishijima, O. 8-bit dual microcomputer 86−52875
Matsuzaki, Y. *see* Akizuki, T. 85−59985
Matsuzaki, Y. *see* Kawasaki, M. 88−18729
Matsuzaki, Y. *see* Miyama, T. 86−9385
Matsuzaki, Y. *see* Torii, T. 87−43616, 88−53775
Matsuzama, T. *see* Yamamoto, S. 87−60322
Matsuzawa, A. A/D, D/A converter 87−73504
Matsuzawa, A., Inoue, M., Kanda, A., Sadamatsu, H. Ultra-high-speed 8-bit A/D converter 86−52901
Matsuzawa, A., Kanda, A., Kagawa, M., Yamada, H. An 200 Msps 8-bit A/D converter with a duplex Gray coding 88−843
Matsuzawa, A., Kanda, A., Kikuchi, K., Yamada, H. A study on accuracy and speed of a transistor with fine pattern emitter 87−60432
Matsuzawa, A., Nakatsugi, Y., Kanda, A., Yamada, H. A video-rate 8 bit parallel A/D converter using trench isolation 87−63149
Matsuzawa, A. *see* Inoue, M. 85−28591, 88−13557
Matsuzawa, A. *see* Sadamatsu, H. 85−50689
Matsuzawa, H., Akitsu, T. Output voltage waveform improvement of the coaxial Marx-type high-voltage generator 86−24464
Matsuzawa, H., Akitsu, T. High-pressure operation of a beam diode for relativistic electron beams 88−57259
Matsuzawa, H., Akitsu, T. High pressure operation of beam diodes for generating relativistic electron beams 88−58800
Matsuzawa, H., Akitsu, T., Suzuki, Y., Fuki, S. Periodic permanent magnet field-transported relativistic electron beams 87−33386
Matsuzawa, H. *see* Ishikawa, K. 87−46743, 88−40284
Matsuzawa, H. *see* Miyachi, T. 88−36356
Matsuzawa, H. *see* Yamamura, M. 87−18493
Matsuzawa, H. *see* Zahn, M. 85−23983, 85−40950
Matsuzawa, K., Fujiwara, E. Masking asymmetric line faults using semi-distance codes 88−70773

Matsuzawa, K., Matsunaka, N., Ogawa, A. Depolarization compensation network for earth station antennas of the INTELSAT system 86−59857
Matsuzawa, K., Nakamura, T., Ito, F., Masuda, M., Sugiyama, R., Makino, S. A small Earth-station antenna for the 14/11 GHz band INTELSAT Business Services (IBS) system 88−60091
Matsuzawa, K., Sekiguchi, N., Masaki, N., Nishikawa, H., Yoshida, T., Uchida, T., Nakagaki, S. Reduction in size and weight of medium voltage switchgear 85−16156
Matsuzawa, K., Sekiguchi, N., Takagi, K., Dezawa, S., Nishikawa, H., Sakuma, T. Development of metal-enclosed switchgear equipped with automatic dehumidifier 85−16157
Matsuzawa, K. *see* Fukui, C. 86−32714
Matsuzawa, K. *see* Kohda, S. 87−10867
Matsuzawa, K. *see* Kudo, H. 86−32851
Matsuzawa, K. *see* Masaki, N. 86−56910, 86−56923 to 56924
Matsuzawa, K. *see* Matsunaka, N. 86−55243
Matsuzawa, K. *see* Mori, T. 86−39996
Matsuzawa, K. *see* Ohura, Y. 86−65635, 87−30049
Matsuzawa, K. *see* Satoh, T. 86−69734
Matsuzawa, S. *see* Tanji, S. 86−36004
Matsuzawa, T., Ito, T., Tanuma, M. Three-dimensional photoresist image simulation on flat surfaces 86−8924
Matsuzawa, T., Ito, T., Tanuma, M., Hasegawa, N., Sunami, H. A three-dimensional photoresist image simulator: TRIPS-I 86−2258
Matsuzawa, T., Iwayanagi, T., Obayashi, H., Tomioka, H. Shorter-wavelength lithography utilizing MRS-type negative resists 85−1445
Matsuzawa, T., Moniwa, A., Hasegawa, N., Sunami, H. Two-dimensional simulation of photolithography on reflective stepped substrate 87−60224
Matsuzawa, T., Takahashi, A., Masugata, K., Ito, M., Matsui, M., Yatsui, K. Time-resolved measurement of energy and species of an intense pulsed ion beam 86−25084
Matsuzawa, T. *see* Hasegawa, N. 86−41666
Matsuzawa, T. *see* Ishii, K. 87−77657
Matsuzawa, T. *see* Itoh, T. 87−60258, 88−39545
Matsuzawa, T. *see* Moniwa, A. 87−60223
Matsuzawa, T. *see* Sunami, H. 88−71722
Matt, B.J. *see* Sherif, Y.S. 88−52892
Matt, D., Goyet, R., Lucidarme, J., Rioux, C. Longitudinal-field multi-air gap linear reluctance actuator 88−30741
Matt, D. *see* Goyet, R. 88−69813
Matt, E.E. *see* Loo, C. 87−3141
Matt, H.-J. *see* Domann, G. 87−34015
Matt, H.J. Basic concepts and possibilities for broadband networks 85−19669
Matt, H.J. B-ISDN system concept and technologies 87−34313
Matt, H.J. *see* Domann, G. 87−20059
Matt, K., Parzhuber, O., Ziemann, M. Investigation of semiconducting gas sensors with a partially automated measurement system 87−70616
Matta, K.F. *see* Kern, G.M. 87−13952
Mattachini, F. *see* Dinelli, G. 86−40961, 87−68727, 88−14356
Mattana, G. Quality as a factor in improving industrial concerns, recent concepts and experience 86−199
Mattana, G. TLC equipment industry in the evolution of quality methodologies: trends, tools and experiences 87−33961
Mattana, G., Bobbio, A., Giannelli, L., Zanoni, E. The reliability circle of electronic components 87−153
Mattana, G. *see* Brambilla, P. 87−32064
Mattano, N.N. The use of load-braking switches [circuit breakers] 86−19430
Mattano, N.N. Electrical distribution practice in the World's large cities. I 86−50986
Mattano, N.N. Distribution of electrical energy in various towns throughout the World. II 87−4374
Mattano, N.N. The distribution of electricity in various world capitals. III 87−9156
Mattano, N.N. Distribution of electricity in different cities of the World. IV 87−21917
Mattar, F.P. Transverse on-resonance reshaping in coherent probe and pump solitons asymptotic evolution in a three-level system 88−72408
Mattar, F.P. *see* Babuel-Peyrissac, J.P. 86−36583
Mattar, F.P. *see* Bardin, C. 86−36584
Mattar, F.P. *see* Teichmann, J. 85−46466
Mattar, J.A., Baruzzi, A.C.A., Diament, D., Szynkier, R.T., de Felippe, J., Jr., da Luz, P.L., Auler, J.O., Lage, S., Pileggi, F., Jatene, A. A clinical comparison between cardiac output measured by thermodilution versus noninvasive thoracic electrical bioimpedance 88−36471
Mattasoglio, A. Nixdorf presents its business communications line 87−62802
Mattasoglio, A. Data transmission. The 'Videotel' service relaunched by Sip, Seat and Commodore 87−69611
Mattasoglio, A. *see* Rossi, G.P. 85−19886
Mattathil, G., Huber, L. The basics of Basic Rate [ISDN] 88−46686
Mattatia *see* Adiata 87−15151
Mattatia, R. *see* Ernoult, M. 85−27004
Mattatia, R. *see* Garrigues, M. 85−59640
Mattauch, R., Crowe, T.W., Bishop, W.L. Frequency and noise limits of Schottky barrier mixer diodes 85−61457
Mattauch, R.J., Crowe, T.W. GaAs Schottky devices for submillimeter wavelengths 88−25489
Mattauch, R.J. *see* Bishop, W.L. 87−18080, 87−73757
Mattauch, R.J. *see* Crowe, T.W. 86−62829, 87−37548, 87−73765
Mattauch, R.J. *see* Faber, M.T. 86−8437, 86−8485, 86−20829
Mattauch, R.J. *see* Garfield, D.G. 88−63944
Mattauch, R.J. *see* Kattmann, K.M. 87−37550
Mattauch, R.J. *see* Lichtenberger, A.W. 85−61469
Mattauch, R.J. *see* McKinney, K. 85−61470
Mattauch, R.J. *see* Setzer, C.S. 85−50425
Mattauch, R.J. *see* Sherrill, G.K. 86−41738
Mattauch, R.J. *see* Siegel, P.H. 85−17878
Mattausch, H. *see* Zehner, B. 87−5968, 87−17269
Mattausch, H.-J., Matthiesen, F., Hartl, J., Tielert, R., Jacobs, E.P. A memory-based high-speed digital delay line with a large adjustable length 88−32294
Mattausch, H.J., Matthiesen, F., Hartl, J., Jacobs, E.P. A memory-based, arbitrarily adjustable CMOS digital delay circuit 88−6957
Matte, J.P. *see* Ebrahim, N.A. 87−41711
Matte, J.P. *see* Martin, F. 87−70906
Matteazzi, P. *see* Tiziani, A. 88−45587
Matteini, C. Analysis of monthly electric energy demand time series on the Italian network from January 1970 to June 1983 86−44919
Mattenberger, F., Veprek, S. Effect of adsorption of gases on the electrical conductivity of nanocrystalline silicon (nc-Si)-based selective gas sensors 87−45558
Mattens, W.C.M. *see* Gersdorf, R. 86−54272, 88−65978
Mattens, W.C.M. *see* Roeland, L.W. 88−65974
Matter, D. *see* Ghandhi, S. 87−5636
Matter, F.P. *see* Le Berre, M. 85−51252
Mattera, E. *see* Ansart, J.P. 87−34210
Mattera, L. *see* Baglin, C. 85−26605
Mattera, V.D. *see* Bethea, C.G. 86−38380
Mattera, V.D., Jr., Capasso, F., Allam, J., Hutchinson, A.L., Dick, J., Brown, J.M., Westphal, A. High-speed InP/Ga$_{0.47}$In$_{0.53}$As superlattice avalanche photodiodes with very low background doping grown by continuous trichloride vapor-phase epitaxy 87−21083
Mattera, V.D., Jr. *see* Antreasyan, A. 86−63721, 87−1504, 87−6868, 87−46233, 87−73406, 88−1646, 88−38756
Mattera, V.D., Jr. *see* Cheng, C.-L. 88−73921
Mattera, V.D., Jr. *see* Cheng, C.L. 88−33904
Mattera, V.D., Jr. *see* Chi, G.-C. 88−26976
Mattera, V.D., Jr. *see* Chi, G.C. 87−54181
Mattera, V.D., Jr. *see* Wiesenfeld, J.M. 87−53692
Mattern, D. *see* Roderburg, E. 87−21409
Mattern, E. *see* Ramaswamy, U. 85−11212
Mattern, F. *see* Nehmer, J. 87−69667
Mattern, K. *see* Maierhofer, J. 86−8083
Mattern, K.E., Edwards, C.W. Design considerations for GTO inverters in AC motor drive applications 85−65488
Mattern, K.E., Edwards, C.W. Design considerations for GTO inverters in AC motor drive applications 86−45354
Mattern, K.E. *see* Paice, D.A. 85−61909
Mattern, R.M. A cybernetic view of post-divestiture telecommunications regulation 86−49087
Mattern, W. The multi channel DTMF decoding with CMOS signal processor 87−39737
Mattern, W. Multifrequency communications channel decoder with the type TMS32010 signal processor circuit 87−55853
Mattern-Klosson, M., Luth, H. The Schottky-barrier of GaAs(110)-Sb studied by UV photoemission 86−14938
Mattern-Klosson, M., Luth, H. The Schottky barrier of Sn on GaAs (110) 86−21251
Matterne, L., van Meerbergen, J., Beenker, F., Mehra, V., Theunissen, J., Segers, R. A C-testable Booth multiplier, designed for a silicon compilation environment 88−25165
Mattes, B., von Drachenfels, H. A distributed catalogue system for an homogeneous computer linkage 88−9131
Mattes, W.W., Jr. Alloy 42 shows benefits over Kovar as IC carrier 87−52852
Mattes, W.W., Jr. Use of Alloy 42 as a substitute for Kovar as a ceramic carrier for microwave integrated circuits 88−1010
Matteson, R.P. Eliminating noise in RW-controller conversions 88−55977
Matteson, S. Ion implantation in III-V materials 85−55672
Matteson, S., Bowling, R.A. Experimental investigation of GaAs surface oxidation 87−11680
Matteson, S.E. *see* Macksey, H.M. 87−38269
Matteson, S.E. *see* Shih, H.D. 85−44723
Matteson, T.D. Airline experience with reliability-centered maintenance 86−25758
Matteson, T.D. *see* Crellin, G.L. 87−9281
Matteson, T.D. *see* Smith, A.M. 86−57171
Matteson, W.H., DeLucia, F.C. Millimeter-wave studies of the ^{13}CH$_3$F laser: the effects of buffer gases and the spectroscopy of the laser states 85−29750
Matteucci, G. *see* Frabboni, S. 86−14909
Matteucci, M., Scarano, G., Furgason, E.S., Pappalardo, M. Two-dimensional displacement analysis of acoustic transducer arrays 87−4184
Matteucci, M., Scarano, G., Furgason, E.S., Pappalardo, M. Two-dimensional displacement analysis of piezoelectric transducer array elements 87−25735
Matteucci, M. *see* Montero de Espinosa, F.R. 86−6175
Matteucci, M. *see* Pappalardo, M. 85−15286, 86−11968
Matteuzzi, C. *see* Navarria, F.L. 87−50149
Mattey, R. *see* Rosenblum, L. 88−48386
Matthaei, D. *see* Haase, A. 85−38091, 88−42516
Matthaei, E. *see* Lubben, T. 85−7487
Matthaei, G.L. *see* Dong Chul Park 85−54992
Matthaei, G.L. *see* Ikalainen, P.K. 86−8431, 87−6033, 87−59828, 87−66480, 87−73640, 88−38686
Matthaei, G.L. *see* Park, D.C. 85−17794
Matthaei, R. *see* Vetters, H.R. 86−20148
Matthaei, W. Electrical equipment for diesel-electric train units BM/BS 92 of the Norwegian State Railways (NSB) 85−32766
Matthaei, W. New motorcoach trains with three-phase main and auxiliary drives 86−19562
Matthaei, W. Industrial diesel locomotives with three-phase propulsion 88−69824
Matthai, J. *see* Heinig, K.-H. 86−28172
Matthai, J. *see* Scharff, W. 86−28410
Matthai, J. *see* Skorupa, W. 88−63297
Matthai, J. *see* Tillack, B. 86−47475
Matthai, J. *see* Voelskow, M. 86−41656
Matthan, J., Torvela, H., Leppavuori, S. Polymers in electronics 87−52223
Matthaus, C., Kruger-Sprengel, B., Glowacz, C., Hubner, U., Vierhaus, H.T. CMOS fault modeling, test generation and design for testability 88−71772
Mattheck, C., Munz, D. Investigation of leak-before-break behaviour of austenitic stainless steel components in nuclear power plants 86−65861
Matthei, K. *see* Amick, J.A. 85−49106
Mattheij, A.J.M., Vermij, L. Ablative materials as a new possibility for the design of miniature fuses 87−66664
Mattheij, A.J.M. *see* Vermij, L. 87−66666, 87−66670
Mattheij, R.M.M. Stable solution of boundary value problems of ordinary differential equations 87−5380
Mattheij, R.M.M. On the computation of solutions of boundary value problems on infinite intervals 87−52066
Mattheij, R.M.M., O'Malley, R.E., Jr. On solving boundary value problems for multiscale systems using asymptotic approximations and multiple-shooting 85−22421
Mattheij, R.M.M. *see* Smooke, M.D. 86−13689
Mattheis, R. *see* Heine, W. 85−60489
Matthes, H., Pfestorf, W. The negative ion sputter source MISS-585 86−38686
Matthes, H.G. Power semi-conduction controlled electrode protection for high power rectifiers in ECM processes [electrochemical machining] 85−65670
Matthes, M. *see* Schlemm, H. 87−17968
Matthes, W. Diagnostics and maintenance for multiple microprocessor systems. II 87−13404
Matthew Rhodes, F. Performance characteristics of the RVLSI technology 87−32732
Matthewman, A. Developments in membrane switch technology 86−47130
Matthewman, A. The indirect actuation of membrane switches 87−37626
Matthewman, A. Flexible EL technology 88−47647
Matthews, A. *see* Korotchenko, V. 86−7851
Matthews, A.A. Which way keywords [videotex] 87−28014
Matthews, A.D. Alarm communications over shared data transmission networks 88−59858
Matthews, A.L., Murphy, K., Safaai-Jazi, A., Claus, R.O. Acoustic fiber waveguide devices 87−57450
Matthews, A.L., Murphy, K.A., Rogers, R.E., Claus, R.O. Acoustic fiber waveguide coupler 88−58163
Matthews, B.S. *see* Horowitz, P. 87−13807
Matthews, D., Brown, S., Eckart, M., MacGowan, B., Nilson, D., Rosen, M., Shimkaveg, G., Stewart, R., Trebes, J., Woodworth, J. Status of the Nova X-ray laser experiments 87−12339
Matthews, D., Hagelstein, P., Rosen, M., Kauffman, R., Lee, R., Wang, C., Medecki, H., Campbell, M., Ceglio, N., Leipelt, G., Lee, P., Drake, P., Pleasance, L., Seppala, L., Hatcher, W., Rambach, G., Hawryluk, A., Heaton, G., Price, R., Ozarski, R., Speck, R., Manes, K.,

Underwood, J., Toor, A., Weaver, T., Coleman, L., DeMartini, B., Auerbach, J., Turner, R., Zagotta, W., Hailey, C., Eckart, M., Hazi, A., Whitten, B., Charatis, G., Rockett, P., Busch, G., Sullivan, D., Shepard, C., Johnson, R., MacGowan, B., Burkhalter, P. Soft X-ray laser experiments at the Novette laser facility 85−7350
Matthews, D., Rosen, M., Brown, S., Ceglio, N., Eder, D., Hawyrluk, A., Keane, C., London, R., MacGowan, B., Maxon, S., Nilson, D., Scofield, J., Trebes, J. X-ray laser research at the Lawrence Livermore National Laboratory Nova laser facility 87−46756
Matthews, D. *see* Keane, C. 88−27087
Matthews, D. *see* MacGowan, B.J. 88−2177
Matthews, D.L. Laboratory X-ray lasers: Future prospects and goals 88−2180
Matthews, D.L., Eckart, M., Eder, D., Hagelstein, P., Hazi, A., London, R., Macgowan, B., Maxon, S., Nilson, D., Phillips, T., Rosen, M., Scofield, J., Shimkaveg, G., Stewart, R., Trebes, J., Whelan, D., Whitten, B., Woodworth, J., Brown, S. Review of Livermore's soft X-ray laser program 87−12369
Matthews, D.L., Hagelstein, P.L., Rosen, M.D., Eckart, M.J., Ceglio, N.M., Hazi, A.U., Medecki, H., MacGowan, B.J., Trebes, J.E., Whitten, B.L., Campbell, E.M., Hatcher, C.W., Hawryluk, A.M., Kauffman, R.L., Pleasance, L.D., Rambach, G., Scofield, J.H., Stone, G., Weaver, T.A. Demonstration of a soft X-ray amplifier 85−24467
Matthews, D.L. *see* Burkhalter, P.G. 86−22299
Matthews, D.L. *see* Eder, D.C. 88−27042
Matthews, D.L. *see* Kauffman, R.L. 85−7353
Matthews, D.L. *see* Rosen, M.D. 85−24466, 87−33112, 88−14119
Matthews, D.L. *see* Wood, O.R., II 88−2178
Matthews, D.N. *see* Goldsmid, H.J. 88−22547
Matthews, D.S. *see* Rensch, D.B. 88−26333, 88−33249
Matthews, E.K. *see* Baustian, U. 88−36264
Matthews, E.W. *see* Price, K.M. 85−24985
Matthews, G.H. A decade in the industry of voice messaging 88−52781
Matthews, G.P., DeCarlo, R.A., Hawley, P., Lefebvre, S. Toward a feasible variable structure control design for a synchronous machine connected to an infinite bus 87−22256
Matthews, G.P., DeMarco, C., DeCarlo, R.A. A decentralized variable structure control design for two interconnected synchronous machines 88−5673
Matthews, G.S. *see* Florence, D.E. 87−51586
Matthews, H.-G. *see* Brautigam, W. 85−64431
Matthews, H.J., Hamilton, D.K., Sheppard, C.J.R. Surface profiling by phase-locked interferometry 86−70214
Matthews, I. Technique simplifies AM-to-PM measurements [for microwave links] 85−15015
Matthews, I. *see* Gibson, C. 88−56329
Matthews, I.P. *see* Rogers, K.D. 87−4048
Matthews, I.P. *see* Samuel, A.H. 88−68452
Matthews, J. A single-stage linear amplifier for 50 MHz 86−57685
Matthews, J. *see* Claus, R. 88−16639
Matthews, J. *see* Resvanis, L.K. 88−54421
Matthews, J. *see* Walker, P.J. 88−66871
Matthews, J.A.J. *see* Bingham, H.H. 88−74761
Matthews, J.A.J. *see* Dauncey, P. 88−57735
Matthews, J.C., Willmott, J.I., Jr. Stabilization of single layer and multilayer resist patterns to aluminum etching environments 85−12071
Matthews, J.C. *see* Kovall, G.A. 88−38250
Matthews, J.E., Reitz, P.R. Measurement and characterization of optical fiber designed for communication systems with LED sources 85−42568
Matthews, J.E. *see* Reitz, P.R. 87−34582
Matthews, J.E., III Keep your FO system quiet 88−9590
Matthews, J.E., III *see* Matti Hopiavuori, E. 88−20391
Matthews, J.G. The education and training of metrologists−an industrial viewpoint 88−6151
Matthews, J.R., Peters, B.F. Effective service life of variable depth sonar tow cable 88−47235
Matthews, J.R. *see* Ferguson, D.K. 87−76349
Matthews, J.R. *see* Wallen, R.D. 87−57205
Matthews, J.W., Erdelyi, C.K. Power supply voltages for future VLSI 87−53617
Matthews, K.N. *see* Fountain, T.J. 88−50181
Matthews, K.R., Leigh, G.M. A generalization of the Syracuse algorithm in $F_q[x]$ 87−36634
Matthews, L., Logenbaugh, R., Mata, R. Transpiration radiometer in fire characterization 87−3610
Matthews, L.E. *see* Amundsen, M.J. 86−67266
Matthews, L.K., Sierra, R., Bergan, N. Measurement of temperatures in fibrous insulators subjected to concentrated solar radiation 87−36165
Matthews, M.A. Sound generator for the STD Bus 85−52621
Matthews, M.L., Mertins, K. The influence of color on visual search and subjective discomfort using CRT displays 88−29564
Matthews, M.R. Optical fibre transmission 86−9603
Matthews, M.R., Cameron, K.H., Preston, K.R. Recent developments in the packaging of single-mode optical components and their potential impact on the future of single-mode technology 86−36197
Matthews, M.R., Cameron, K.H., Wyatt, R., Devlin, W.J. Packaged frequency-stable tunable 20 kHz linewidth 1.5 μm InGaAsP external cavity laser 85−24562
Matthews, M.R. *see* Cameron, K.H. 85−41414
Matthews, M.R. *see* Smith, D.W. 86−43852
Matthews, M.R. *see* Wyatt, R. 86−9834
Matthews, N.F. International/regional plans for terrestrial radionavigation systems−an IALA view 88−60329
Matthews, N.F., Grant, M.A., Blanchard, P., Robson, D. Optimising the tracking system for small aperture optical communications terminals 88−22171
Matthews, N.F. *see* Grant, M.A. 88−22164
Matthews, N.R. *see* Lynch, J.T. 85−23289
Matthews, P.A. Spread spectrum techniques in mobile radio 86−11003
Matthews, P.A. Capacity of wideband TDMA digital mobile radio cellular schemes 86−17244
Matthews, P.A. Teaching antennas & propagation to undergraduates why, who, what 88−43641
Matthews, P.A. Direct sequence spread spectrum receivers 88−73793
Matthews, P.A., Molkdar, D. Wideband measurements of the UHF mobile radio channel 87−47203
Matthews, P.A., Molkdar, D. Frequency coherence function and power delay profile statistics of the UHF mobile radio channel and their effect on system performance 88−28741
Matthews, P.A., Molkdar, D., Rashidzadeh, B. Measurement, description and modelling of the UHF terrestrial mobile radio channel 86−37798
Matthews, P.A., Rashidzadeh, B. Reception of wideband TDMA signals in a multipath environment 86−37795
Matthews, P.A., Rashidzadeh, B. A simulation study of wideband TDMA and TD/FDMA systems for digital cellular mobile radio 87−8213
Matthews, P.A. *see* Bayes, T. 86−64861
Matthews, P.A. *see* Rashidzadeh, B. 88−15383, 88−28155
Matthews, P.M. *see* Beton, P.H. 88−57591
Matthews, R. Hull−the lone survivor [telephone network] 85−42150
Matthews, R. Dr. Frankenstein's CB beam [antenna] 86−3674
Matthews, R. *see* Turner, C. 87−66738
Matthews, R.A. *see* Anderson, J.W. 86−4792
Matthews, R.A. *see* Latimer, R.H. 87−23088
Matthews, R.B., Chidester, K.M., Hoth, C.W., Mason, R.E., Petty, R.L. Fabrication and testing of uranium nitride fuel for space power reactors 88−36620
Matthews, R.B. *see* Dutt, D.S. 86−39500
Matthews, R.D. *see* Ayres, F.N.G. 88−74
Matthews, R.L. FLEXNET controller 86−23317
Matthews, R.R. *see* Clarke, A.W. 86−65876
Matthews, R.S., Irish, B.W. EGJUDGE: an expert system tool for protocol conformance testing 88−28438
Matthews, R.S., Muralidhar, K.H., Schumacher, M.K. Conformance testing: operational aspects, tools, and experiences 87−34215
Matthews, R.S. *see* McMillan, A.H. 87−40471
Matthews, S. *see* Kahan, O. 87−39193
Matthews, S.P.J. *see* Fletcher, R. 85−10613, 86−26769
Matthews, W.A. *see* Kondo, Y. 85−4452
Matthews, W.G. *see* MacTavish, G.C. 86−12725
Matthewson, D.K. The Saticon camera tube 85−6670
Matthewson, M.J., Kurkjian, C.R., Gulati, S.T. Strength measurement of optical fibers by bending 87−25971
Matthewson, P. *see* Jackson, M.C. 86−54495
Matthewson, P.W., Wilbur, S.R. An integrated services switching system based upon a single-buffered Banyan network 87−55920
Matthewson, R. *see* Amendolia, S.R. 85−37901, 85−43179, 86−5779, 87−21426 to 21428
Matthey, A.A. International legislation in relation to space radiocommunications 85−52313
Matthey, J., Kunzl, P., Brandtner, P., Vieli, R. Navigational safety system in Zurich airport 86−70513
Matthey, S. Hydro-blasting of turbine generator lube oil system cuts duration of flush by one-quarter [steam power stations] 85−21470
Mattheyses, R.M. *see* Stenstrom, J.R. 86−34470
Matthiae, G. *see* Battiston, R. 85−59224
Matthias, E. *see* Reif, J. 88−20755
Matthias, G. Encryption: no clear picture 86−17631
Matthias, G. Rainbow's end [cable TV service assessment] 86−31019
Matthias, G. In the shadow of the castle [Windsor cable TV network] 87−8437
Matthias, G. Capital cable [TV development in Belgium] 88−29100
Matthias, G. Lux Europa [Luxembourg television systems] 88−74092
Matthias, H.-B., Prost, J. Practical experience with an ultrasonic flowmeter 86−50762
Matthies, L., Szeliski, R., Kanade, T. Incremental estimation of dense depth maps from image sequences 88−73327
Matthies, U.-H. Amplitude and phase discriminators using sample-and-hold technique 85−6229
Matthies, V.S. Group theoretical invariants for investigations of errors in quantitative texture analysis 86−62080
Matthies, W. Service characteristics of DB's Integrated Text and Data Network (IN) 87−28325
Matthies, W. Introduction to IN technology 88−73689
Matthiesen, D.H., Wargo, M.J., Motakef, S., Carlson, D.J., Nakos, J.S., Witt, A.F. Dopant segregation during vertical Bridgman-Stockbarger growth with melt stabilization by strong axial magnetic fields 88−11962
Matthiesen, F., Ohletz, M. Test of digital transversal filters 86−47014
Matthiesen, F. *see* Grallert, H.-J. 85−6448
Matthiesen, F. *see* Mattausch, H.-J. 88−32294
Matthiesen, F. *see* Mattausch, H.J. 88−6957
Matthiesen, F. *see* Zehner, B. 87−5968
Matthiesen, U. *see* Drescher, A. 85−59220, 86−70324
Matthiessen, B. *see* Luthje, H. 87−25000, 88−13209
Matthijsse, P. The PCVD process for large scale production of telecommunication fibres 87−38800
Matthys, B. Considerations on token ring media interface circuits 88−35169
Matthys, D.R., Dudderar, T.D., Gilbert, J.A. Automated analysis of holointerferograms for the determination of surface displacement 88−47674
Matthys, D.R., Gilbert, J.A., Dudderar, T.D., Koenig, K.W. A windowing technique for the automated analysis of holo-interferograms 88−34149
Matthys, D.R. *see* Dixon Dudderar, T. 88−20788
Matthys, H. *see* Zaiss, A.W. 87−3937
Matthys, P., Renneboog, J., Auwaerts, L., Schoukens, J. Signal generation with minimal 'crest factor' 85−37551
Matthys, R. A high performance VHF crystal oscillator circuit 87−44669
Matthys, R.J. Survey of VHF crystal oscillator circuits 87−37062
Matti, H. Electric boilers save money and protect the environment 86−13174
Matti, H., Perron, C. Operation and maintenance for AXE10 87−3006
Matti, H., Perron, C. Operation and support for a digital telecommunications switching system 87−13506
Matti, J.P. Teloc 2000 D on motorcoach trains in Spain 85−21893
Matti Hopiavuori, E., DeVito, A., Matthews, J.E., III Study on arc-fusion splicing Ge-doped silica single-mode fibers manufactured by outside and inside vapor deposition processes 88−20391
Mattick, W. The high temperature reactor−an interim balance of development and operation 85−15754
Mattiello, J., Hetzel, F.W. Hematoporphyrin-derivative optical-fluorescence-detection instrument for localization of bladder and bronchus carcinoma in situ 87−8916
Mattijetz, D.R. *see* Patapoff, N.W., Jr. 85−60074
Mattingly, G. *see* Benson, K. 87−41439
Mattingly, G.E. Improving flow measurement performance: research techniques and prospects 85−37800
Mattingly, G.E. Fluid metering research at NBS: new research tools and new opportunities 86−5596
Mattingly, M. *see* Aina, L. 88−11969, 88−12936
Mattingly, M. *see* Aina, O. 87−24773
Mattingly, M. *see* Fathimula, A. 88−38755
Mattingly, M. *see* Fathimulla, M.A. 88−50875
Mattingly, S.S. *see* Stelling, C.B. 85−48253
Mattioli, G. *see* Caviglia, D. 88−1618
Mattioli, M. *see* Schaerf, C. 87−41802
Mattis, M., Friedrich, R., Voss, A. Procedures for reducing NO_x emission from fossil power stations in Baden-Wurttemberg (Germany), and their effects on energy costs 86−45178
Mattis, M., Friedrich, R., Voss, A. The cost and cost-effectiveness of clean air measures 88−61664
Mattis, M. *see* Friedrich, R. 85−38844
Mattis, R.E. *see* McDaniel, D.H. 87−21934
Mattis, W.E. An adaptive recursive filter for system identification 88−19292
Mattis, W.E. Adaptive transversal filter modeling and simulation for telecommunications 88−52452
Mattis, W.E. Microprocessor sequence revitalization 88−55881
Mattis, W.E., Uzunoglu, V. A high speed modem with unique recovery and equalization 87−47487

Mattison, D.R. A computer model of magnetic resonance imaging to optimize image contrast 87−29714
Mattison, E.M., Shen, W., Vessot, R.F.C. Measurement and interpretation of hydrogen maser quality parameters 86−36362
Mattison, E.M., Vessot, R.F.C., Bain, C., Wasserman, S., Whitesides, G. Surface interaction of atomic hydrogen with Teflon 88−20529
Mattison, E.M., Vessot, R.F.C., Jacobs, S.F. Properties of low-expansion materials for hydrogen maser cavities 86−36363
Mattison, E.M., Vessot, R.F.C., Shen, W. Single-state selection system for hydrogen masers 88−20524
Mattison, E.M., Vessot, R.F.C., Wei, S. Single-state selection system for hydrogen masers 87−26253
Mattison, E.M. *see* Vessot, R.F.C. 87−26251, 88−14062
Mattison, E.M. *see* Walsworth, R.L., Jr. 87−2049
Mattisson, S. Device parameter optimization by means of simulated annealing 87−465
Mattisson, S. *see* Seitz, C.L. 86−8090
Mattiussi, G.A. Titanium silicide formation by ion beam mixing and rapid thermal annealing 87−24927
Mattiussi, G.A., Whitton, J.L., Naem, A.A. The effect of implant and rapid thermal annealing temperatures on ion beam mixing of titanium silicide 87−66996
Mattiuzzo, L. *see* Irrera, F. 88−65837
Mattman, T. *see* Buchmann, L. 87−70983
Mattmann, J.P. *see* Mariller, F. 87−35648
Mattocks, P. *see* Kwok, H.S. 88−38228
Mattoe, C.A. *see* Fox, A. 87−10523
Mattord, T.J. *see* Erickson, L.P. 85−5979
Mattord, T.J. *see* Farley, C.W. 88−11998
Mattos, A.C.Fiore de *see* Fiore de Mattos, A.C.
Mattos, J.C.V. *see* Liang-Hui Chen 85−7460
Mattos, M.A.Da Frota *see* Da Frota Mattos, M.A.
Mattos, M.C. National hydrogen energy program in Brazil 86−51497
Mattos, O.R. *see* Barcia, O.E. 87−59012
Mattos, P. The transputer 85−17470
Mattos, P. The transputer 85−17539
Mattos, T.J.S. *see* Patel, N.B. 87−68490
Mattos, T.J.S. *see* Prince, F.C. 85−62581
Mattos-Shipley, H.G.De *see* De Mattos-Shipley, H.G.
Mattoso Maia, M. *see* Fairhurst, M.C. 86−3967
Mattox, J.R. *see* Hughes, E.B. 86−50440
Mattox, R.J. *see* Wilson, S.R. 88−71743
Mattrey, R.R. *see* Martin, J.F. 88−74827
Matts, D., Stonebridge, R., Shires, M., Holmes, J., Davison, J.E. Circulating fluidised bed combustion for industrial combined heat and power applications 87−22130
Matts, R.E. *see* Beterov, I.M. 87−26359
Matts, S. Micro control cuts precipitator costs 85−4497
Mattson, C.R. *see* Bouchier, F.A. 87−21316
Mattson, C.R. *see* Boyer, W.B. 87−21317
Mattson, H.F. *see* Janwa, H. 87−54907
Mattson, H.F., Jr. An improved upper bound on covering radius 87−68982
Mattson, H.F., Jr. *see* Cohen, G.D. 85−57231
Mattson, H.F., Jr. *see* Helleseth, T. 86−43150
Mattson, H.F., Jr. *see* Janwa, H. 87−68999
Mattson, R. *see* Good, H. 87−57822
Mattson, R.A. *see* Sones, R.A. 85−43373
Mattson, R.H. *see* Jain, S.C. 88−26206
Mattson, R.H. *see* Wilamowski, B.M. 86−63228
Mattson, R.J. Building better plants through quality management 88−62068
Mattson, R.J., Varnado, G.B. Nuclear power plant safety and reliability assurance 86−51370
Mattson, R.J. *see* Varnado, G.B. 85−49315
Mattsson, M. *see* Lyberg, M.D. 88−68061
Mattsson, O., Thylen, L. Optical communications. Signal processing with integrated optics 86−49572
Mattsson, S. Multipath fading on a space diversity link 86−69605
Mattsson, S. *see* Bjurman, B. 88−23008
Mattsson, T. *see* Jonnson, G. 86−24658
Mattthai, J. *see* Voelskow, M. 85−23408
Matuba, T. *see* Ohuchi, M. 87−700
Matuda, M. *see* Saito, Y. 87−14677
Matuda, N., Saito, Y., Anami, S., Fukuda, S., Shidara, T., Hanaki, H., Honma, H., Nakao, K., Kinbara, A., Tanaka, J. Measurements of secondary electron emission and cathodoluminescence of alumina microwave windows 88−32706
Matuda, N. *see* Nakao, K. 87−14678
Matuda, N. *see* Saito, Y. 86−14809, 88−32718
Matuda, N. *see* Tanaka, H. 87−14679
Matuillah, Durrani, S.A. A fast neutron spectrometer based on an electrochemically etched CR-39 detector with degrader and front radiator 88−23012
Matuk, C.A., Anderson, O.A., Owren, H.M., Paterson, J.A., Purgalis, P. Design and fabrication of a transverse field focussing (TFF) 180 keV negative ion accelerator 87−14666
Matuk, C.A. *see* Anderson, O.A. 86−31838, 88−47932
Matuk, C.A. *see* Purgalis, P. 87−14667, 88−68118
Matukas, I.P., Palenskis, V.P. Generation-recombination noise in silicon p^+-n-n^+ junctions with a strongly compensated n-type region 85−29019
Matukas, J., Palenskis, V., Pincevicius, A., Petrauskas, G., Smetona, S., Zukauskas, S. An investigation of the dependence of the volt and ampere characteristics and the noise properties of Schottky diodes on conditions with argon ion bombardment of a gallium arsenide surface 87−53470
Matukawa, T. *see* Sano, S. 86−41279
Matukhno, A.V. *see* Shumskii, A.L. 86−65756
Matukhnov, V.M., Stepanova, G.A., Pogibenko, A.V., Orehkov, M.V. Laser machining of eyes in microsurgical needles 86−18368
Matula, D.W. Determining edge connectivity in O(nm) 88−12136
Matulaitis, M.D. *see* Poon, J.E. 88−41274
Matulenene, I. *see* Gal'dikas, A. 85−34547, 86−58280
Matulenis, A. *see* Bareikis, V. 88−7335
Matulewicz, W. Digital simulation of synchronous machine 88−23892
Matulewicz, W., Kowalczyk, I., Zajczyk, R. Calculation of generator short-circuit currents in a small hydroelectric power plant at asymmetrical faults 88−11128
Matulewicz, W., Zajczyk, R., Kowalczyk, I. Symmetrical short-circuits in small hydropower stations 86−39610
Matulich, S. *see* Becker, C.M. 85−16663
Matulionis, A. *see* Bareikis, V. 87−24469, 88−32873
Matulis, A. *see* Kancleris, Z. 88−71300
Matulis, G. *see* Berkstresser, G.W. 88−14020, 88−56231
Matulis, Yu.Yu. *see* Mikul'skis, K.K. 86−20072
Matumoto, H. *see* Aiya, T. 86−30444
Matumoto, H. *see* Takata, M. 87−72548
Matumoto, K. *see* Naruki, K. 86−26387
Matumoto, M. *see* Kobayashi, M. 87−77477
Matumoto, M. *see* Yamada, A. 86−34424
Matumoto, T., Iinuma, T.A., Tateno, Y., Ikehira, H., Yamasaki, T., Fukuhisa, K., Tsunemoto, H., Shishido, F., Kubo, Y., Inamura, K. Automatic radiologic reporting system using speech recognition 88−16709
Maturi, B. *see* Balestrino, G. 88−11986
Maturi, S., Mayr, M., Ng, M., Wei, L., Wong, D., Ting, B. CLASS: an automatic IC layout system 87−38487
Matus, F. The L^2-optimal convolving functions in reconstruction convolution algorithms 87−69288
Matus, F. Discrete marginal problem for complex measures 88−49696
Matus, L.G., Summers, R.L. Convenient mounting method for electrical measurements of thin samples 86−62981
Matus, L.G. *see* Powell, J.A. 87−74039, 88−6443
Matus, L.G. *see* Segall, B. 87−1221
Matuse, K. *see* Viriya, P. 88−75059
Matusevich, A. *see* Fairfield, R.C. 85−57343
Matushevskii, G.V. *see* Volshanik, V.V. 86−45240
Matushikina, N.V. *see* Merport, E.I. 86−33262
Matushima, T., Kaneda, Y., Kumaki, A., Hashimoto, S., Ohteru, S. Blissymbol to Japanese conversion system 86−25258
Matushita, M. *see* Murayama, K. 86−40007
Matusiewicz, G.M. *see* Auret, F.D. 86−497
Matusik, F., Fovenyessy, A. 900 telephone channels on symmetrical cable 88−21905
Matusik, F.J. Oscillating inline sensor for continuous viscosity 86−44304
Matusmoto, S. *see* Kaneko, M. 86−21562
Matuso, T., Nakajima, H. Bioelectrodes 87−63720
Matusov, Yu.I. *see* Ermilov, I.V. 88−18445
Matusow, D. Bridging the gap between SNA and other networks 85−8154
Matusow, D.G. BTAM, VTAM, X.25: uneasy alliance 87−40349
Matusow, D.G. Creation of an effective network control system 87−55599
Matussek, P. *see* Eberle, H. 88−68300
Matusu, J., Burian, A., Sopko, B., Viragh, E. The properties of the miniature silicon photodiodes in a 14.7 MeV neutron field 88−58356
Matusu, J., Burian, A., Viragh, E. Properties of miniature silicon photodiodes in a field of fast neutrons 88−58357
Matusu, J., Novak, J. Constructions of interpolation curves from given supporting elements. II 87−205
Matuszak, E.A. *see* Vukanovic, V. 88−39215
Matuszczyk, T. *see* Wah, J. 88−53782
Matuszczyk, T. *see* Wahl, J. 87−70721
Matuszewski, A., Sotres, D. A basic statistical problem: confidence interval for the Bernoulli parameter 86−7607
Matuszewski, L. The analysis of intersections in sets of polygonal lines for integrated circuit layout design 86−2241
Matuszewski, L. The local checking of design rules for IC layouts described hierarchically 86−2244
Matuszewski, L. Fast algorithm for covering general polygons with rectangles 87−1109
Matuszewski, T., Sulocki, J. Selected problems from research of electrical properties of dielectric liquids in statical and dynamical conditions 88−26557
Matuszewski, T., Terlecki, J. Purification and investigation methods of electron transport process in degassed liquid hydrocarbons 85−56041
Matuszynski, T. Safe use of voltage indicators 85−31525
Matute, V. *see* Rossdeutscher, W. 88−61445
Matuura, N., Masuda, Y. Radio acoustic sounding system (RASS) for remote sensing of the atmosphere 86−23989
Matuyama, T. *see* Maeda, Y. 87−44296
Matveava, A.V. *see* Makarov, V.A. 87−68604
Matveenko, A.V., Medvedev, Yu.V., Pashkovskii, M.V. Nature of slow relaxation of the photoconductivity of epitaxial lead telluride films 87−46647
Matveenko, A.V. *see* Antonov, V.V. 86−63125
Matveenko, E.V. *see* Bogdankevich, O.V. 86−22357
Matveenko, E.V. *see* Kryukova, I.V. 88−27107
Matveenko, I.P. *see* Ivanov, A.N. 88−5462
Matveenko, L.I., Sagdeev, R.Z., Balebanov, V.M., Shevchenko, V.I., Kostenko, V.I., Grishmanovskii, V.A., Velikhov, V.E., Ignatov, S.P., Kanevskii, B.Z., Kogan, L.R., Kozlov, A.N., Kopelyanskii, G.D., Molodyanu, A.P., Molotov, E.P., Papatsenko, A.H., Romanov, A.M., Strukov, I.A., Timofeev, V.V., Shevchenko, A.V., Severnyi, A.B., Moiseev, I.G., Sorochenko, R.L., Tsivilev, A.P., Martirosyan, R.M., Aslanyan, A.M., Gulyan, A.G., Yatskiv, Ya.S., Golovnya, M.V. VLBI network at 18 cm wavelength 86−30929
Matveenko, L.I. *see* Armand, N.A. 86−37388
Matveenko, L.I. *see* Aslanyan, A.M. 88−35627
Matveenko, L.I. *see* Blinov, N.S. 86−4779
Matveenko, L.I. *see* Kogan, L.R. 85−8504, 86−23996
Matveenko, L.I. *see* Preston, R. 86−30928
Matveenko, L.I. *see* Preston, R.A. 86−55400
Matveenko, L.I. *see* Sagdeev, R.Z. 86−30748
Matveenko, V.A. *see* Kosyak, Yu.F. 86−56544
Matveenko, V.I. *see* Skribanov, E.V. 85−58880
Matveets, L.V. *see* Kulikov, V.A. 88−74365
Matveev, A.A. *see* Abagyan, A.A. 86−32975
Matveev, A.A. *see* Gutsalov, A.T. 87−57805
Matveev, A.A. *see* Krivotsyuk, V.I. 88−4274
Matveev, A.M. Parametric optimisation of an automatic control system with a transient controlled process 86−6558
Matveev, A.N. *see* Aleshkevich, V.A. 85−24639, 86−29212, 88−45553
Matveev, A.N. *see* Ivanov, A.V. 88−51486
Matveev, A.N. *see* Vorontsov, M.A. 86−63846
Matveev, A.V. Methods of monitoring the operating time of products to failure 85−10559
Matveev, A.V. *see* Danilevich, Ya.B. 86−19214
Matveev, A.V. *see* Dombrovskii, V.V. 88−43126
Matveev, A.Z. Noise of four-wave hypersonic wavefront-reversing mirrors under absolute instability conditions 86−9952
Matveev, A.Z. *see* Andreev, N.F. 87−33289
Matveev, A.Z. *see* Bespalov, V.I. 87−68606
Matveev, B.A., Petrov, V.I., Prokhorov, V.A., Stus', N.M., Talalakin, G.N. Features of growth and luminescence properties of epitaxial heterojunction structures based on $\mathrm{In}_{1-x}\mathrm{Ga}_x\mathrm{As}$ and $\mathrm{InAs}_{1-x}\mathrm{P}_x$ ($x<0.2$) solid solutions 87−36701
Matveev, B.A., Stus', N.M., Talalakin, G.N. Precision optical method for the oriented cutting of crystals [semiconductor technology] 85−34749
Matveev, B.A. *see* Aidaraliev, M. 88−27167, 88−27174
Matveev, B.A. *see* Zotova, N.V. 87−75111
Matveev, G.A., Lonchakov, A.T. Conduction in Ge:Sb subjected to strong magnetic fields 85−6698
Matveev, G.A., Tsidil'kovskii, I.M., Lonchakov, A.T. Hall effect in uniaxially deformed n-type Ge near a metal-semiconductor transition 87−60069
Matveev, G.A. *see* Tsidil'kovskii, I.M. 86−67657
Matveev, G.D. *see* Kachmin, V.A. 88−53476
Matveev, I.B. *see* Romanovskii, G.F. 86−26322
Matveev, I.N. *see* Aleksandrov, A.Yu. 87−2069
Matveev, I.N. *see* Ustinov, N.D. 85−52439, 86−68642
Matveev, I.V., Khalyavin, E.A., Bugorskii, S.B. Calorimeter for measurement of surface electromagnetic losses in superconductors 87−77356
Matveev, I.V. *see* Belousov, V.I. 86−13764
Matveev, M.N. *see* Ionov, A.N. 86−41519, 87−17684
Matveev, M.Yu. *see* Bratskii, A.A. 86−41051 to 41053
Matveev, N.V., Obysov, V.A. Ion source protection in the OGRA-4 plant 85−15123
Matveev, O.A. *see* Agrinskaya, N.V. 85−7311
Matveev, O.A. *see* Vakhmyanin, L.P. 86−66842
Matveev, O.V. *see* Leont'ev, D.I. 88−58004
Matveev, R.F. *see* Korshunov, I.P. 85−18709
Matveev, R.F. *see* Kozyr'kov, A.N. 87−13712

Matveev, S.N. *see* Il'yashenko, E.I. 85−7162, 85−56092
Matveev, S.V. *see* Danilenko, V.I. 88−36399
Matveev, S.V. *see* Danilenko, V.N. 86−38716, 87−8882
Matveev, S.V. *see* Misharin, V.V. 86−25106
Matveev, V.A., Ostrovskaya, I.L. Choosing the setting for the regulator of active power flow along an overhead line 86−65724
Matveev, V.A. *see* Berlin, I.B. 86−33185
Matveev, V.A. *see* Bespalov, V.A. 86−21279
Matveev, V.A. *see* Krivchenko, G.I. 85−27335
Matveev, V.F. *see* Klimov, G.P. 88−49624
Matveev, V.I. Evaluating cut-off temperature differences in thermal imaging devices 86−49981
Matveev, V.I. Estimating relative black-body radiation densities in the spectral ranges of infrared vision devices 87−3611
Matveev, V.I. Estimate of the temperature characteristic of a slot emitter 88−16543
Matveev, V.I. *see* Ivanov, A.N. 88−5462
Matveev, V.I. *see* Ksenzenko, A.Ya. 85−64046
Matveev, V.M. *see* Kazaryan, M.A. 85−19005
Matveev, V.M. *see* Zemskov, K.I. 85−2452
Matveev, V.N. *see* Gimel'shein, L.Ya. 85−54095
Matveev, V.P. *see* Koltun, M.M. 85−21799
Matveev, V.V. Integral-correlation 1/f-noise meter 86−70081
Matveev, V.V. *see* Zastrogin, Yu.F. 85−48094
Matveev, V.V. *see* Znatnov, E.V. 86−44614
Matveev, V.Yu. *see* German-Galkin, S.G. 85−60324
Matveev, Yu.N., Ochin, E.F. Nonlinear transformation of a video signal based on a histogram sliding-equalization algorithm 86−23131
Matveev, Yu.N. *see* Denisov, V.M. 85−26246, 85−62429
Matveev, Yu.V. Some properties of eigenfunctions of a differential-functional operator 85−54411
Matveeva, A.V. *see* Makarov, V.A. 88−65766
Matveeva, E.N. *see* Bel'zer, L.I. 88−36369
Matveeva, E.S. *see* Voishvillo, N.A. 87−68008
Matveeva, I.A., Shekhtman, L.A. Conversion of surface charge distributions by the electrostatic induction method 86−11690
Matveeva, L.A. *see* Brailovskii, E.J. 86−47513
Matveeva, L.A. *see* Gorbach, T.Ja. 88−7471
Matveeva, L.A. *see* Torchinskaya, T.V. 85−24416
Matveeva, L.A. *see* Walachova, J. 88−8183
Matveeva, N.K. *see* Deshevoi, A.S. 86−41611
Matveeva, N.Yu. *see* Amirkhanov, Kh.I. 87−66935
Matveeva, T.A. *see* Vysloukh, V.A. 86−15479
Matveevichev, A.P. *see* Isaev, I.P. 85−21640
Matveevskii, V.R. Improving the accuracy of phase displacement transducers 88−4367
Matveichuk, V.F. Admittance of measuring cell with a dielectric sample 88−4590
Matveikin, V.M. *see* Yakimets, I.V. 85−32538, 85−39059
Matvejev, V. *see* Cermak, J. 85−65082
Matveyev, I.N. *see* Ustinov, N.D. 86−30031
Matveyev, N.V. Characteristics of high-current electron-beam tubes in the electron-beam retardation state 88−64216
Matveyeva, O.V. Synthesis of large equivalent systems for frequency-hopping signals 88−8647
Matvienko, G.I. *see* Efremov, A.I. 87−30942
Matvienko, V.K. *see* Veovidin, I.D. 87−58153
Matvienko, V.M. *see* Bystritskii, V.M. 88−29791
Matvienko, V.M. *see* Krasik, Ya.E. 88−36363
Matvienko, V.N., Nosovskii, B.I., Gulakov, S.V., Belousov, Yu.V. Special features of the penetrating capacity in surfacing with a strip electrode 85−53978
Matvienko, V.N. *see* Gulakov, S.V. 87−43700
Matviichuk, A.S. *see* Skryshevskii, V.A. 85−12241
Matviichuk, Ya.N. A macromodel of nonlinear continuous radioelectronic systems 87−59121
Matviiv, V.I. *see* Dunets, B.V. 87−49981
Matviiv, V.I. *see* Gotra, Z.-Yu. 87−24281
Matviychuk, Ya.N. *see* Davimuka, S.A. 85−63954
Matwijec, L.M., Candris, A.S. Utilization of plant operating/reliability data to improve and simplify plant operations 87−9273
Matwijec, L.M. *see* Andre, G.R. 88−5454
Matwijec, T.A., Schwartz, M.A. Local digital switch features needed to support forward-looking integrated digital loop carrier systems 88−3750
Matwiyoff, N.A. *see* Vinitski, S. 88−16701
Matx, E.M. MICROCAMPUS−it's more than a delivery system 87−23099
Matyas, J. Generalization of discrete tracking filter for radar applications 85−3512
Matyas, J. Rapid approximation solution of a matrix equation 85−39603
Matyas, J. Statistical analysis of radar tracking filters 86−4729
Matyas, J. *see* Krug, W. 88−11895
Matyas, M., Jr. Detection of degradation processes in GaP:N LEDs by DLTS 87−2038
Matyas, M., Jr. Deep levels and processes in the course of degradation of GaP:N LEDs 87−12327
Matyas, M., Jr. *see* Pistora, J. 87−25941
Matyas, S.M. Public key registration 88−40844
Matyas, S.M., Meyer, C.H. Cryptographic key distribution methods without the aid of couriers 88−9016
Matyas, S.M. *see* Jueneman, R.R. 86−3761
Matyas, S.M. *see* Lennon, R.E. 85−7796
Matyas, S.M. *see* Meyer, C.H. 87−33630
Matyas, V. Determination of spectral components in discrete signals having a non-integer number of periods over the analyzed time interval 86−3891
Matyas, V., Zehnula, K. Ultrasonic emission measurements 85−32043
Matyash, V.I., Kuznetsov, V.D., Shal'da, L.M., Buryi, E.V. Movement by molten metal in the weld pool during pulsed arc welding in a longitudinal reversible magnetic field 85−27856
Matyash, V.I., Pakharenko, V.A. Special features of weld pool solidification during pulsed arc welding with electromagnetic action 85−16477
Matyi, R.J., Shichijo, H., Tsai, H.L. Patterned growth of gallium arsenide on silicon 88−49811
Matyi, R.J. *see* Deppe, D.G. 88−2216, 88−8175, 88−34022
Matyi, R.J. *see* Randall, J.N. 88−39363
Matyi, R.J. *see* Sakai, S. 88−18674, 88−31754
Matyi, R.J. *see* Saunier, P. 88−71609
Matyi, R.J. *see* Shichijo, H. 88−39644, 88−39656
Matyi, R.J. *see* Tran, L.T. 88−33368
Matyjasik, S. *see* Bazan, C. 87−63389
Matyna, V.A., Tereb, I.A. Optoelectronic pulse shaper with increased load capacity 88−32066
Matynova, T.I. Physical modelling of electroslag welding with DC 85−27858
Matys, J. Design and realisation of silicon solar cells 86−19499
Matys, J., Kejzlar, M., Slunsky, L. Prediction of threshold voltage changes in MIS transistors by extrapolation of an accelerated voltage temperature test 87−18148
Matys, J., Smidek, M., Novotny, K. Cooling of the substrates in a high-current implantation chamber 88−57453
Matys, S. *see* Sliwinska, D. 88−43408
Matysiak, H.S. The development of a low-cost multiplexer for digital networks 85−36829
Matysiak, R. Simplified automatic rural telephone exchanges for 200 to 400 lines, type UCW 86−4439
Matysiak, R. Village telephone development−experiences and perspectives 88−66891
Matysik, K.J. *see* Cosimini, G.J. 88−64975
Matyskiela, R. *see* Bush, G.B. 85−21018
Matyugin, S.N. *see* Bakhmet'yeva, N.V. 87−7530
Matyugin, S.N. *see* Benediktov, E.A. 85−13120
Matyugin, S.N. *see* Bochkarev, G.S. 88−27502
Matyugin, Yu.A. *see* Gol'dort, V.G. 86−36397
Matyugov, S.S. *see* Kalashnikov, I.E. 87−26777
Matyugov, S.S. *see* Yakovlev, O.I. 86−22688
Matyukhin, N.M. *see* Zhukov, A.V. 88−17297
Matyunin, Yu.V. *see* Kulish, A.K. 88−44276
Matyunin, Yu.V. *see* Yatsenko, A.A. 88−30302
Matyushchenkov, V.K. *see* Gorbachev, S.P. 85−50868
Matyushenko, V.I. *see* Gordon, E.B. 87−54242
Matyushenko, V.I. *see* Gordon, E.V. 85−51113
Matyushevskii, E.A. *see* Aksinenko, V.D. 85−23373
Matyushevsky, E.A. *see* Anisimov, Yu.S. 85−48227
Matyushevsky, E.A. *see* Averichev, S.A. 86−44522
Matyushevsky, E.A. *see* Shelaev, I.A. 85−26621
Matyushin, A.T. *see* Aksinenko, V.D. 85−23373, 88−32051, 88−56511
Matyushin, G.A. *see* Dyumaev, K.M. 86−68605, 88−26741
Matyushin, G.A. *see* Galagan, B.I. 86−15773
Matyushin, G.A. *see* Gromov, D.A. 85−56568, 86−9777
Matyushin, G.A. *see* Manenkov, A.A. 85−7507, 85−12938
Matyushin, O.T. Digital-analog synthesis of radio signals 85−7785
Matyushin, O.T. Optimization of discrete signal representation 88−3051
Matyushin, O.T., Syromyatnikov, A.N. Synthesis of multiphase signals 86−29884
Matyushin, V.T. *see* Aksinenko, V.D. 85−23373, 88−32051, 88−56511
Matyushkin, B.D. Evaluation of quantization errors in ascending digital systems 87−39782
Matyushkin, B.D., Vinogradov, A.Yu. Synthesis of quasi-optimum nonrecursive digital filters 87−52750
Matyushkin, B.D. *see* Goldenberg, L.M. 85−7890, 86−37084
Matyushkin, V.P., Sidorchuk, S.F., Tsyutsyura, D.I., Ogorodnikov, V.K. Residual conductivity of (AgInTe$_2$)$_{0.5}$(2HgTe)$_{0.5}$ 85−24387
Matyushonok, S.M. *see* Belyaev, S.N. 86−34800
Matz, E.M. *see* Downing, T.E. 88−24397
Matz, E.M. *see* Hamilton, D.J. 87−51793
Matz, E.M. *see* Prince, J.L. 86−194
Matz, R. Laser wet chemical etching of large amplitude, submicrometer gratings in GaAs 86−36251
Matz, R. Holographic photoetching of high-quality diffraction gratings in p-GaAs for distributed feedback lasers 88−33109
Matz, R. *see* Heise, G. 87−54442
Matz, R.T.J. *see* Simpson, E.M. 86−28674
Matzat, B.H. Computational methods in constructive Galois theory 88−70196
Matzdorf, H., Biederstaedt, H. PCM480S−a transmission system for extended usage of symmetrical carrier cables 87−76480
Matzdorf, H., Mockel, R. KODEK60-an optimal variant for the switch from an analog to a digital network 87−76523
Matzen, K. *see* McGuire, E.J. 87−7233, 87−12374
Matzen, N. An improved solution for secondary control of switched mode power supplies 87−10651
Matzen, N. An improved solution for secondary control of switched mode power supplies 87−44595
Matzen, N. *see* Greenland, P. 87−16861
Matzger, R. The system 12: a digital telecommunication exchange for Switzerland 87−40567
Matzie, R.A. *see* Andrews, M.G. 85−38731
Matzie, R.A. *see* Freeman, R.S. 86−19014
Matzing, L. SEM 610−a new barrier drive [level crossings] 88−43459
Matzke, D. *see* Shaw, C. 87−37364
Matzke, D.E. Comments on 'Observability requirements for three-dimensional tracking via angle measurements' by S.E. Hammel and V.J. Aidala 87−3249
Matzke, D.J. *see* Bosshart, P.W. 87−59617, 88−6901
Matzke, H. Detection and registration of extreme values 88−42301
Matzke, W.-E., Heinemann, B., Telschow, G. 2D-simulation of the parasitic capacitances of parallel connecting lines in integrated MOS-circuits in consideration of the program system TOSCA 88−31933
Matzkin-Bridger, A. An expanded beam lens connector for harsh environments 85−12631
Matzkin-Bridger, A. A military specification for fiber optic termini 88−7851
Matzkin-Bridger, A. A military specification for fiber optic termini 88−39955
Matzkin-Bridger, A. *see* Corke, M. 87−18691
Matzler, C. Applications of the interaction of microwaves with the natural snow cover 88−10565
Matzler, C. *see* Rott, H. 87−49177
Matzler, C. *see* Shuchman, R. 86−6137
Matznerova, H. An algorithm for designing the topology of one-layer hybrid ICs 87−32189
Matzopoulos, A.A., Kontoleon, J.M. Computer simulation of testing procedures for fault diagnosis in analog circuits 87−44473
Mau, C.S. *see* Wu, H.Z. 88−1221
Mau, E.E. Battery-powered communication [InfoMate 212A] 85−3255
Mau, K.Y. *see* Parten, M.E. 88−74324
Mau, T.K., Chiu, S.C., Baker, D.R. Coupling analysis for the ICRF resonant cavity launcher on DIII-D 87−61443
Mau-Phon Houng *see* Shen-Li Fu 85−29702, 85−61690
Mau-qin Li *see* Li Mau-qin
Mauboussin, A. *see* Berthomieu, B. 87−23507
Mauc, C. *see* Goy, P. 85−14969, 87−8724, 88−29291
Maucec, M. Optimal strategies of development of urban NN networks 87−64134
Maucec, M. Use of spacers for more reliable, and even compact, overhead lines 88−5374
Mauceri, J.G. Shuttle remote manipulator collision-avoidance system 86−38888
Mauch, K. Transistor inverters for medium power induction heating applications 87−43658
Mauch, K., Bond, E. Highly efficient DC-DC converters for rechargeable lithium batteries 87−30817
Mauch, K., Peabody, F. A compact thruster drive for industrial submarines 86−45427
Mauch, R.H., Menner, R., Schock, H.W. Comparison of ZnS:Mn AC TFEL devices prepared by manganese diffusion and coevaporation 88−36154
Mauch, R.H. *see* Menner, R. 88−37391
Mauch, S., Staufer, H. Optimal system management with remote control and tariffs. [Swiss power supply system] 86−18665
Mauche, C.W. *see* Gorenstein, P. 85−4245
Mauchel, D.J. A computer based small mains switch evaluation system 85−64006
Maucher, E. *see* Bluhm, H. 87−22615
Mauksch, S., Freitag, W., Dietrich, M. Design aspects of TE-cable testing devices based on a wide band TE-measuring system 86−65144
Mauksch, S. *see* Dietrich, M. 86−70213
Mauksch, T. Measurements on POCSAG receivers with radiocode test set SCUD 86−59792
Mauksch, T. Intelligent radiocommunication tester CMT 86−60123
Mauksch, T. Network-C tester CMT 87−56500
Mauksch, T. SSB measurements with radiocommunication tester CMT 88−34974
Mauksch, T. Radiocommunication tester CMT measures selective level 88−34975

Maucksch, T. Selective-call measurements with radiocommunication tester CMT 88−34976
Maucksch, T. Radiocommunication tester CMT for Radiocom 2000 and NMT 450/900 88−46851
Mauczok, R., Wernicke, R. Ceramic boundary-layer capacitors 85−45261
Maude, D.K. *see* Basmaji, P. 88−64257
Maude, D.K. *see* Chan, K.S. 88−39114
Maude, D.K. *see* Eaves, L. 87−66974
Maude, T. *see* Medina, M. 87−2855, 87−20139
Maude, T.I. Distribution lists in an X.400 message handling system 87−2820
Maude, T.I., Heaton, N.O., Gilbert, G.N., Wilson, P.A., Marshall, C.J. An experiment in group working on mailbox systems 85−3054
Maude, T.I., Pullinger, D.J. Software for reading, refereeing and browsing in the BLEND system 85−30644
Maude, T.I. *see* Pullinger, D.J. 85−3052
Maude, T.I. *see* Wilson, P.A. 85−25356
Mauder, C. Testing surface-mount boards: a growing need for testability standards 88−64078
Mauderli, W., Fitzgerald, L.T. Rotating laminar emission camera with Ge-detector: further developments 88−23045
Maudet, J.F. *see* Clement, P. 87−13991, 87−76291
Maudsley, A.A., Hilal, S.K., Simon, H.E. Electronics and instrumentation for NMR imaging 85−9158
Maudsley, S. *see* Lockett, S.J. 86−60764
Mauduit, B.De *see* De Mauduit, B.
Mauduit, C. On normal groups of any length substitutions 88−70224
Mauduit, J.C. *see* Mitonneau, A. 85−55975
Mauer, E., Schaerf, R. New applications of distance transformation methods for effective structural image analysis 87−55353
Mauer, G.F. *see* Garbini, J.L. 86−55721
Mauer, J. *see* Li, G.P. 88−26491
Mauer, J.L. *see* Tang, D.D. 87−17028
Mauermann, A., Tonn, A., Herrmann, D. Microelectronic control system for charging the coal bunkers in Hagenwerder power station 86−65940
Mauersberger, K., Hanson, D., Morton, J. Precision ozone calibration system based on vapor pressures of ozone 87−57369
Mauersberger, K. *see* Hilsenrath, E. 87−15058
Mauersberger, R. *see* Harth, R. 86−19090
Mauersberger, R. *see* Henssen, J. 85−60731
Mauersberger, W. Requirements of screen-oriented terminal devices for ISDN 86−24355
Mauersberger, W., Deutschmann, A. Telefax in ISDN 85−36655
Mauersberger, W., Mohr, P. On the problems of cathode ray displays for office communication 85−64026
Mauersberger, W., Pospisil, A. VISITEL−video communication for the telecommunication network of the future 86−59705
Mauersberger, W. *see* Blummel, B. 88−46423
Maufer, T.A. *see* Fuhr, P.L. 87−46882
Mauger, A. *see* Burgoin, J.C. 87−53261
Mauger, P. *see* King, P. 88−13222
Mauger, P. *see* King, P.L. 88−39298
Mauger, P.E., Shimkunas, A.R. Additive X-ray mask patterning 86−53515
Mauger, P.E. *see* Shimkunas, A.R. 87−11534
Mauger, R.H. System 12: architecture for change 85−25639
Maugeri, G. *see* Vita, P. 88−34515
Maugest, P. Power transistors and Darlingtons: special requirements for motor drive 85−6910
Maugest, P. Advances in transistorised bridge circuits. Example: converter for 600 V and 250 A 85−32589
Maugest, P. Improved transistorized bridge converters 85−33662
Maugest, P. Improved transistorized bridge converters 85−39112
Maugest, P., Payet-Burin, P. One smart chip for driving two motors 87−51282
Maugest, P., Perier, L. New design considerations for increasing switching frequencies in transistorized high-voltage converters 87−15908
Maugest, P., Perier, L. High-frequency switching on 380/440 V industrial networks 87−58184
Maugest, P. *see* Perier, L. 86−58449, 87−44591, 87−51518
Maughan, C.V. *see* Fenton, R.E. 87−78629
Maughan, R. *see* Blosser, H. 86−25296
Maughm, R.L. *see* Blosser, H.G. 85−64629
Maughn, J.N. Simulation studies for planning and operating interconnected transmission 88−42829
Maugin, G.A. *see* Attou, D. 87−46255
Mauguiere, F. *see* Bertrand, O. 88−36478
Mauguiere, F. *see* Giard, M.H. 85−53047
Mauhin, B. *see* Pierrat, L. 85−32474
Mauk, M.G., Barnett, A.M. High efficiency, thin-layer silicon solar cells with internal reflection 86−40166
Mauk, M.G., Barnett, A.M. Thin silicon solar cells with internal reflection and their fabrication by solution growth 87−4924
Mauk, M.G., Barnett, A.M. Demonstration of optical confinement in solution-grown thin-film silicon solar cells 88−24150
Mauk, M.G., Barnett, A.M. Demonstration of optical enhancement in solution-grown thin-film silicon solar cells 88−37447
Mauk, M.G. *see* Barnett, A.M. 86−13074, 86−40163
Mauk, P.H. *see* Sites, J.R. 88−37514
Mauksch, T. C-network mobile telephone: radiotelephone on the wire. Radiotelephony measuring techniques with the CMT test station of Rohde & Schwarz 87−48932
Maul, A. *see* Schlegel, K. 88−20893
Maul, J.L., Frenzel, H. Semiconductor dopant analysis by secondary ion mass spectrometry 88−16552
Maul, K.L., Muller, G. Monolith 70-390/7 Text television receiver. TV picture without flicker 87−76941
Maul, M. *see* Bickel, G. 86−22199, 88−4643
Maul, M. *see* Dremel, W. 87−49531
Maul, M. *see* Hausler, G. 86−22200, 87−49934
Maulat, C. *see* Barrault, M.R. 86−33568
Maulbetsch, J.S. *see* Chow, W. 85−15834, 86−32898
Mauldin, G.H. The perfluorocarbon liquid/plastic film capacitor technology and high voltage dielectric system 85−34217
Mauldin, G.H., Nunnally, W.C., Thompson, M.C., Sarjeant, W.J. The performance of the perfluorocarbon liquid/plastic film capacitor technology in repetitive discharge pulse power service 85−5348
Mauldin, G.H. *see* Thompson, M.C. 85−175, 85−44139
Mauldin, G.H. *see* Yen, S.P.S. 87−24499
Mauldin, L.E., III Planning and implementing a formal test program for spaceflight instruments 88−23154
Mauldin, L.E., III., Moore, A.S., Stump, C.W., Mayo, L.S. Application of a silicon photodiode array for solar edge tracking in the Halogen Occultation Experiment 87−15064
Mauldin, L.E., III., Moore, A.S., Stump, C.W., Mayo, L.S. Digital solar edge tracker for the Halogen Occultation Experiment 87−71354
Mauldin, L.E., III *see* Moore, A.S. 88−48325
Mauldin, W.T. *see* Finch, J.R. 86−12101
Maule, R. Design procedures and licensing requirements for unit no.5 at Altbach/Deizisau power station 87−64360
Maule, R. *see* Alt, W. 87−78466
Maule, R.A., Kandel, A. A model for an expert system for medium access control in a local area network 86−23475
Maulhardt, M., Davis, A.M., May, J. Numerical design of nonlinear adaptive filters 87−27457
Maulik, A. *see* Rakshit, S. 87−76767
Maulik, B.K. *see* Goldhirsch, I. 87−58848
Maulik, D. *see* Saini, V.D. 85−38145
Maulik, P.C. *see* Annaratone, M. 88−16730
Maull, R.S., Tannock, J.D.T., Hill, J.J. Designing quality into CIM 88−38016
Maumy, F., Dafif, O., Jecko, B. Transient behaviour of power lines in the presence of a real ground 87−9181
Maumy, F., Jecko, B., Dafif, O. Transient response of thin wire structures in the presence of the Earth 85−41587
Maumy, F., Jecko, B., Dafif, O. Time domain scattering by thin wire structures above a homogeneous ground 86−15942
Maun, J.-C. Comparison between identification methods of synchronous machine dynamic parameters 88−17569
Maun, J.-C. *see* Hanus, R. 85−21597
Maun, J.C. New procedure for the identification of dynamic parameters of the synchronous machine by the three phase short circuit test and extension to other tests 85−32465
Maun, J.C. Simulation of large turbo-alternator operations: an aid for machine protections studies and tests 87−42898
Maun, J.C., Baudrux, M., Monseu, M., Van Meenen, J. Methods of digital analysis used to establish or check correct operation of protection 86−51111
Maun, J.C., Becret, J.P., Van Miegroet, P. PEPERE: a simulation program of power system transients used to establish correct operation of network and machine protections 87−9118
Maun, J.C. *see* Kamabu, T. 87−30539
Maunder, C. Built-in test. A review 85−35050
Maunder, C. The Joint Test Action Group 87−1572
Maunder, C. JTAG, the Joint Test Action Group 87−16375
Maunder, C. Testing surface-mount boards: a growing need for testability standards 88−44445
Maunder, C., Beenker, F. Boundary-scan−a framework for structured design-for-test 88−18462
Maunder, C., Roberts, D., Sinnadurai, N. Chip carrier based systems and their testability 85−10510
Maunder, C., Roberts, D., Sinnadurai, N. Chip carrier based systems and their testability 85−33194
Maunder, E.A.W. *see* Belmont, M.R. 86−60169
Maundy, B. Designing with programmable logic arrays 88−12160
Maung, N., Williams, J.O. Effect of substrate autodoping on MOVPE-grown ZnS_xSe_{1-x} and ZnSe: analysis by photoluminescence (PL) and secondary ion mass spectrometry (SIMS) 88−31789
Maung, N. *see* Guanghan Fan 87−1194
Maung, N. *see* Yates, H.M. 87−68263
Maung, N. *see* Yulin Hua 88−39362
Maung, N.J. *see* Hua, Y.L. 87−41573
Maung, T. *see* Alvar, K.R. 88−18809
Maung Yin Khin *see* Khin Maung Yin
Mauntel, R.W. *see* Parrillo, L.C. 87−46217
Mauntel, R.W. *see* Wang, K.L. 87−44854, 87−59501, 88−6828
Maura, G. *see* Dvorko, I.M. 86−26926
Maurantonio, B.S. *see* Christ, M.H. 85−1472
Maure, D., Seguin, J.-N. The drying of moulded paste by infrared radiation and convection 88−62787
Maure, D. *see* Ton-That, Q.A. 88−62766
Maureau, C. The 'super cockpit' and beyond 88−16831
Maureira, H. *see* Cenanovic, M. 88−37010
Maurel, B. Industrial optical links: how the transmissions can be fitted to a fiber network with lower cost 86−65003
Maurel, B. *see* Calevo, R. 86−63676
Maurel, G., Le Moing, G., Mensch, B. Single isotopic probe for gastro-esophageal reflux diagnosis in children 87−77631
Maurel, G. *see* Fonroget, J. 88−54537
Maurel, J. *see* Monier, J. 88−26807
Maurel, O., Bonnet, C. Ada as a programming design language for a telematic services project 85−30668
Maurel, P. *see* Dmowski, L. 87−66972
Maurel, P. *see* Gauthier, D. 87−1270
Maurel, P. *see* Razeghi, M. 86−40740, 86−53374, 87−11400, 87−73149, 88−12972, 88−24749, 88−24751, 88−40229
Maurelli, G. *see* Burq, J.P. 87−35362
Maurer, A., Rehfus, E. Automated multi-function ultrasonic testing of heavy reactor components 87−71826
Maurer, A., Ulbricht, A., Wuchner, F. Effect of azimuthal dependence of radial Young's modulus on the mechanical behaviour of the European LCT coil 86−53924
Maurer, A. *see* Alberdi, J. 88−22967
Maurer, A.W. Meeting the private network challenge 85−51900
Maurer, A.W. ViPS enters the marketplace. II [virtual private service] 87−13253
Maurer, B., Glor, M., Luttgens, G., Post, L. Hazards associated with propagating brush discharges on flexible intermediate bulk containers, compounds and coated materials 88−27409
Maurer, C. Videotex experiment 85−3091
Maurer, C.A. *see* Schmid, P.E. 85−8108
Maurer, E. *see* Mendiola, J. 87−6936
Maurer, F. Realization of Comtex project−Phase B [electronic message handling service] 87−27938
Maurer, G., Motte, J.-P., Davene, J., Boisdon, C. DC power supply for a steel plant arc furnace 86−45844
Maurer, G. *see* Davies, G. 85−3794
Maurer, G. *see* Ong, K.W. 85−9174
Maurer, G.C. *see* Murphy, P.V. 86−56280
Maurer, H. Some remarks on videotex privacy and security 86−37438
Maurer, H. New possibilities with intelligent videotex terminals 86−59581
Maurer, H. The videotex-saga 86−64613
Maurer, H., Cheng, H. Teleprograms−the right approach to videotex . . . if you do it right 85−13859
Maurer, H. *see* Cheng, H. 85−57775
Maurer, H.A., Kongelbeck, K.S. Potential impact of VLSI technologies on guided missile design 86−58591
Maurer, H.A. *see* Becker, K. 88−17250
Maurer, H.A. *see* Runow, P. 86−19036
Maurer, J.H. What is value analysis/value engineering? 86−7492
Maurer, J.R. Technical trends in passive surface mount components 87−139
Maurer, J.R. Design and processing problems in soldering surface mount chip capacitors and resistors 88−32661
Maurer, K., Schroder, K., Schafer, E. Programmable auditory stimulus generator and electroacoustic transducers−measurements of sound pressure in an artificial ear and human ear canal 85−4284
Maurer, K. *see* Brand, J. 86−45601, 88−24017
Maurer, P. *see* Gerber, M. 87−79042, 87−79049
Maurer, P.M., Schapira, A.D. A logic-to-logic comparator for VLSI layout verification 88−70662
Maurer, P.M. *see* Komal, A. 86−14296
Maurer, R. *see* Loser, R. 88−42277
Maurer, R. *see* Place, J.D. 87−38825
Maurer, R.H., Suter, J.J. Total-dose hardness assurance for low Earth orbit 88−26390
Maurer, R.H., Uy, O.M., Chao, K. Environmental-stress screening of space-qualified printed circuit boards 88−64062

Maurer, R.H. *see* Suter, J.J. 87−32796, 88−20224
Maurer, R.H. *see* Uy, O.M. 88−16849
Maurer, W. The operation of the digital telephone switching system of the Deutsche Bundespost. II. Structural organisation internal accounting and personnel requirements 87−3000
Maurer, W. Limitations in the conductor design for modular stellarator coils 87−12082
Maurer, W. Design of a conductor for a superconducting coil of a modular stellarator reactor 88−51415
Maurer, W., Piosczyk, B. Design of the magnet system for a 150 GHz gyrotron 88−65985
Maurer, W., Schuchardt, I. Operation and maintenance concept for digital telephone exchanges 85−52186
Maurer, W. *see* Arendt, F. 85−1899, 86−27639
Maurer, W. *see* Blome, F. 88−53007
Maurer, W. *see* Friesinger, G. 88−65031
Maurer, W. *see* Herz, W. 87−67974
Maurer, W. *see* Hubener, J. 86−48068
Maurer, W. *see* Schauer, F. 88−26698
Maurer, W. *see* Stangl, G. 86−21318, 86−21624
Maurer, W. *see* Stengl, G. 86−8943, 86−21351, 86−35498
Mauri, A. *see* Fasce, F. 87−11763
Mauri, D. *see* Pfluger, P. 85−40971
Mauri, F. *see* Bressi, G. 87−29467
Mauri, G. *see* Bertoni, A. 86−21725
Mauri, M. Hourly variation of attenuation statistics at 11-12 GHz as seen with SIRIO 86−59835
Mauri, M., Paraboni, A., Tarducci, D. Depolarization measurements at 11.6 GHz on Earth-space paths using the SIRIO satellite 86−55238
Mauri, M., Paraboni, A., Tarducci, D. Depolarization measurements at 11.6 GHz for SIRIO satellite 87−7527
Mauri, M., Paraboni, A., Tarducci, D. Depolarization measurements and their use in the determination of dual polarization links performance 87−62869
Mauri, M., Paraboni, A., Wang, J. Attenuation measurements with the SIRIO satellite after two year's activity in the People's Republic of China 87−62878
Mauri, M. *see* Capsoni, C. 85−52415, 87−62882
Mauri, M. *see* Carassa, F. 85−20120, 87−62867
Mauri, M. *see* Fedi, F. 86−17285
Mauri, M. *see* Matricciani, E. 86−54290, 86−68741, 87−62868
Mauri, U. *see* Barili, A. 86−57655, 88−69556, 88−76015
Maurice, D. Colour coding systems or the European colour stakes 87−28798
Maurice, F. *see* le Contellec, M. 88−26295
Maurice, P. Mixed-mode teletex or tomorrow's electronic mail. I 85−47141
Maurice, P. The mixed mode teletex, or the electronic courier of tomorrow. II 86−10704
Maurin, F. On incomplete orthogonal arrays 86−34148
Maurin, F. Generalized handcuffed designs 88−11863
Maurin, G. *see* Albrow, M.G. 88−29872
Maurin, G. *see* Bauer, G. 87−29544
Maurin, O., Gourrier, S., Collet, A., Montiginoul, C., Giral, L., Schue, F. High resolution plasma developable resist 86−2077
Maurin, P. *see* Riu, J.P. 88−48596
Mauris, G. *see* Foulloy, L. 88−42691
Mauritzen, D.W. A computer aided design program for prewhitening filters for a bearing estimating system 86−8349
Mauritzen, D.W. Analysis of a hybrid bearing estimating system with noise 87−76899
Mauritzson, L., Benoni, G., Lindstrom, K., Willner, S. Imaging the form of the back with airborne ultrasound 86−32291
Mauro, F. *see* Lovisolo, G.A. 85−4354
Mauro, J. Image compression cuts imaging problems down to size 86−48965
Mauro, P. *see* Castro, O. 86−55574
Maury, A., Kim, S.C., Manocha, A., Oh, K.H., Kostelnick, D., Shive, S. Application of rapid thermal oxidation to the development of high dielectric strength polyoxides 87−45812
Maury, A. *see* Chen, M. 87−46220
Maury, F., Constant, G. Metal-organic chemical vapour codeposition of GaAs and Si_xC_{1-x} groups: growth of a new amorphous semiconductor 85−6014
Maury, F., Constant, G., Fontaine, P., Biberian, J.P. Some investigations on the chemisorption and thermal heterogeneous decomposition of the MOCVD adduct $ClMe_2GaAsEt_3$ 87−10438
Maury, F., El Hammadi, A., Constant, G. MOVPE of GaAs from the new adducts $[ClR_2Ga \cdot AsEt_2]_2CH_2(R=Me, Et)$ and $(C_6F_5)_{3-n}Me_nGa \cdot AsEt_3(n=0, 2)$ 85−10686
Maury, J. *see* Lemarquand, G. 86−26009
Maury, J.-P. Videotex policy in France 86−59575
Maury, J.-P. The electronic directory: direct access to 23 million subscriber numbers 86−69327
Maury, J.-P. Strategies and perspectives of videotex in France 88−52816
Maury, J.P. Electronic directory wins over subscribers 87−62544
Maury, M. *see* Perron, C. 86−50409
Maury, M., Jr. *see* Pollard, R.D. 87−56498
Maury, M.A., Jr., March, S.L., Simpson, G.R. LRL calibration of vector automatic network analyzers 87−70504
Maury, M.A., Jr., Muary, R.J., Simpson, G.R. Slip-fit pins improve WR-22 flange mating 86−1348
Maury, M.A., Jr., Simpson, G.R. Two-port verification standards in 3.5 mm and 7 mm for vector automatic network analyzers 85−14718
Maury, M.A., Jr., Simpson, G.R. Improved millimeter waveguide flanges improve components and measurements 87−976
Maury, S. *see* Carron, G. 88−53998
Maury, S. *see* Eaton, T.W. 86−32134
Maury, S. *see* Fiander, D.C. 86−32048
Maury, S. *see* Johnson, C.D. 86−32031
Maurya, S.L. *see* Chatterjee, C.K. 87−964
Maus, R., Garczorz, R. Centrifugal pumps in a flue gas desulphurization plant 85−59844
Maus, R.M. Provisioning products and services 88−52673
Mauser, S.F. *see* Brown, G.W. 85−9520
Mauser, S.F. *see* Carter, R.T. 87−51309
Mauser, W. Calculation of flood hydrographs using satellite-derived land-use information in the Dreisam Watershed/S-W Germany 85−64764
Maushart, R. The use of microelectronics is only just beginning 87−14946
Mausl, L. Will 1987 bring back a market explosion? Perspectives of the European semiconductor industry 86−66570
Mausl, R. Digital modulation signal transmission. IV. Basics of digital modulation methods 85−7804
Mausl, R. Methods of modulating signals for transmission. V. Delta modulation, difference pulse code modulation and PCM time multiplexed modulation 85−13456
Mausl, R. Modulating procedure for the transmission of signals. VI 85−51600
Mausl, R. Methods of digital modulation. III 86−54419
Mausl, R. Methods of digital modulation 86−59200
Mausl, R. Methods of digital modulation. I 86−64176
Mausl, R. Digital modulation methods. IV 87−2407
Mausner, E. Driver information system for tractors, electronic components and software structure 86−26393
Mauter, K. Zinc-alkaline primary batteries 86−26256
Mauthe, G. *see* Bachmann, B. 86−6938
Mauthe, G. *see* Edlinger, A. 86−51845
Mautref, M. The electrolytic cell as a non-destructive assessment of silicon materials for photovoltaics 86−35474
Mautref, M. The electrolyte-semiconductor structure as a nondestructive assessment of silicon materials for photovoltaics: examples on RAD sheets 87−9783
Mautref, M., Belouet, C., Beunas, A., Aucouturier, M., Groos, M. About the stability of the photovoltaic characteristics of hydrogenated solar cells made from RAD silicon ribbons 86−45720
Mautref, M. *see* Belouet, C. 88−32982
Mautref, M. *see* Dumas, J.-P. 86−40097
Mautz, J.R., Harrington, R.F. Electromagnetic penetration into a conducting circular cylinder through a narrow slot, TM case 88−58921
Mautz, J.R., Harrington, R.F., Hsu, C.G. The inductance matrix of a multiconductor transmission line in multiple magnetic media 88−66120
Mautz, J.R. *see* Arvas, E. 86−36646, 87−54515
Mautz, J.R. *see* Harrington, R.F. 85−51474
Mautz, J.R. *see* Hsi, S.W. 85−51349
Mautz, J.R. *see* Kabalan, K.Y. 87−39346, 87−54696
Mautz, J.R. *see* Taoyun Wang 88−49943
Mautz, J.R. *see* Wang, T. 88−27392, 88−58915
Mautz, J.R. *see* Xingchao Yuan 88−8392
Mavaddat, F. Architecture and layout of a speech recognition VLSI chip 87−17285
Mavaddat, F. Architecture and layout of a speech recognition VLSI chip 87−59675
Mavaddat, F., Cheng, S.K.S. Word recognition in a reduced linear prediction space 85−51564
Mavaddat, F. *see* Gahlinger, T. 87−31786
Mavaddat, F. *see* Holierhoek, H.P. 88−38490
Mavaddat, F. *see* Yeung, C. 87−25470
Mavaddat, R. Ray analysis of microbend fibre sensors 85−41108
Mavashev, Yu.A., Arushanov, G.M., Nechaeva, L.V., Shcherbina, D.M., Akilova, T.Yu. A spherical monitoring radiometer 86−65291
Maver, T.W. Concept design—a special educational challenge 86−33981
Mavi, H.S. *see* Ashokan, R. 87−1392
Mav'in, E.V., Novikov, L.S. Determining recording efficiencies for channel electron multipliers from the pulse-height distribution at the output from an unsaturated channel 86−27819
Mavlyankariev, B.A. Determination of the rational range of instruments 88−9854
Mavlyutov, M.M. *see* Kureichik, K.P. 86−46560
Mavor, J. IC design teaching in UK academic institutions 85−22160
Mavor, J. Exact design of highpass switched-capacitor filters of the LDI type [comment] 85−54999
Mavor, J. VLSI promises advancement for wave digital filters 85−61379
Mavor, J. Developments in VLSI design teaching at Edinburgh University 88−18401
Mavor, J., Grant, P.M. Operating principles and recent developments in analogue and digital signal processing hardware 87−63329
Mavor, J., Petrie, N., Lau, C.H. The design of a universal wave filter adaptor using dynamic CMOS techniques 85−62112
Mavor, J., Petrie, N., Reekie, H.M. Progress in digital wave filter design and implementation 85−45188
Mavor, J. *see* Asada, K. 87−59357
Mavor, J. *see* Asda, K. 87−25600
Mavor, J. *see* Carruthers, C. 87−38244, 88−1602
Mavor, J. *see* Chen, W. 88−44197, 88−56661
Mavor, J. *see* Lam, S. 88−51040
Mavor, J. *see* Reekie, H.M. 85−960
Mavor, J. *see* Taylor, J. 86−62685
Mavor, J. *see* Taylor, J.T. 85−920, 86−57945
Mavor, J. *see* Welbourn, A.D. 86−47762
Mavrakis, D.H. *see* Stephanou, G.J. 87−3250
Mavretic, A. *see* Ruane, M. 86−46657
Mavretic, A. *see* Zhou, R. 87−37372
Mavretic, A. *see* Zrillic, D. 85−63047
Mavrides, T.G. *see* Garfinkel, D. 88−28437
Mavrikis, K.P. *see* Mathur, N.P. 86−51384
Mavrin, I.I., Petrov, P.P., Stepko, T.A., Khristosenko, L.E. High-speed temperature sensor based on filamentary crystals of Si-Ge solid solution 87−77240
Mavrin, O.I., Petrov, P.P., Stepko, T.A., Khristosenko, L.E. Influence of gallium on the electrical conductivity of solid solutions of the Si-Ge system 87−1222
Mavrin, V.M. *see* Gulyaev, V.I. 88−16492
Mavrin, V.N. *see* Ryabov, A.S. 88−16091
Mavritsin, V.G. *see* Soroka, E.Z. 86−11273
Mavritskii, O.B., Petrovskii, A.N. Photorefractive effect during propagation of ultrashort laser pulses in $LiNbO_3$:Ti optical waveguides 86−53973
Mavritskii, O.B., Petrovskii, A.N. Self-stabilization of ultrashort pulses emitted by a neodymium phosphate glass laser 88−20604
Mavrogenes, G., Cho, Y., Khoe, T. Positron injection linac system for the Argonne Light Source 87−41693
Mavrogenes, G., Gallagher, W.J. Coaxial cavities with beam interaction 86−31968
Mavrogenes, G., Norem, J., Simpson, J. A pulse compression system for the ANL 20 MeV linac 87−41772
Mavrogenes, G. *see* Kustom, R.L. 88−61065
Mavrogenes, G.S. *see* Colton, E.P. 85−20768
Mavrogenes, G.S. *see* Iwashita, Y. 86−31991
Mavrogenis, N.T. *see* Wisted, J.M. 86−67971
Mavroides, J.G. *see* Brooks, R.C. 86−21245
Mavroides, J.G. *see* Chen, C.L. 86−35426
Mavromatis, H. *see* von Roos, O. 85−18151
Maw lin Yeh *see* Arora, A.S. 85−22946
Maw-Ling Wang, Chih-Kao Chou Application of modified Laguerre polynomials in analysis of stiff equations 85−5960
Maw-Tsuen Tsai Experience in scheduled maintenance [nuclear plants] 86−6490
Mawardi, O.K. Response time for a high-current superconducting switch 87−25903
Mawardi, O.K. Pulse shaping with multiple homopolar generators 88−43210
Mawardi, O.K., Ko, T.K. Current distribution in a moving spot flux pump 87−67990
Mawardi, O.K., Xu, S. Armature reaction in a flux pump 87−72074
Mawatari, A. *see* Saitoh, K. 87−1991
Mawatari, K., Ono, K., Tanaka, H., Matsushita, A., Yagi, G., Toda, I. Digital communication and communication processing 86−64655
Mawatari, K. *see* Yasuda, Y. 88−41197
Mawawa, G. *see* Bullot, J. 87−61021
Mawby, P.A., Snowden, C.M., Morgan, D.V. Numerical modelling of GaAs/AlGaAs heterojunctions and GaAs/AlGaAs heterojunction bipolar transistors 87−6681
Mawby, P.A. *see* Rezazadeh, A.A. 87−45889
Mawdsley, G.E. *see* Nishikawa, R.M. 88−10320
Mawfang Lee *see* Yu, B.C. 86−25237
Mawhinney, D.D. Material tracking using nondedicated transmitters 88−41751
Mawhinney, D.D., Kresky, T. Non-invasive physiological monitoring with microwaves 86−70409
Mawhinney, D.D., Milgazo, H.F., Kresky, T. Simple ECM simulators for personnel training 85−6204
Mawhinney, D.D. *see* Nowogrodzki, M. 85−9176
Mawie, H.Al *see* Al Mawie, H.

Mawira, A. Variability of worst-month quotient Q 86—11676
Mawira, A., Watson, P.A., Leitao, M.J. Project COST 205: precipitation studies 86—17284
Mawira, A. *see* DeBruijn, J. 87—54564
Mawira, A. *see* Fedi, F. 86—17288
Mawira, A. *see* van der Hoek, L. 85—25749
Mawjoud, S.A. *see* Atek, K.A. 85—26505
Mawst, L. *see* Botez, D. 88—33992, 88—72309
Mawst, L.J., Botez, D., Roth, T.J., Peterson, G., Yang, J.J. Diffraction-coupled, phase-locked arrays of antiguided, quantum-well lasers grown by metalorganic chemical vapour deposition 88—65676
Mawst, L.J., Botez, D., Roth, T.J., Yang, J.J. Diffraction-limited beam operation from quantum-well laser phase-locked array grown by metalorganic chemical vapour deposition 88—45416
Mawst, L.J., Costrini, G., Emanuel, M.A., Givens, M.E., Zmudzinski, C.A., Coleman, J.J. MOCVD of III-V compound epitaxial layers 87—36770
Mawst, L.J., Costrini, G., Zmudzinski, C.A., Givens, M.E., Emanuel, M.A., Coleman, J.J. Complementary self-aligned laser by metalorganic chemical vapour deposition 86—3138
Mawst, L.J., Givens, M.E., Emanuel, M.A., Zmudzinski, C.A., Coleman, J.J. Phase-locked shallow mesa graded barrier quantum well laser arrays 86—54130
Mawst, L.J., Givens, M.E., Emanuel, M.A., Zmudzinski, C.A., Coleman, J.J. Complementary self-aligned laser arrays by metalorganic chemical vapor deposition 87—18967
Mawst, L.J., Givens, M.E., Zmudzinski, C.A., Emanuel, M.A., Coleman, J.J. Near- and far-field observations of transient behavior in pulsed graded barrier quantum well lasers 87—18966
Mawst, L.J., Givens, M.E., Zmudzinski, C.A., Emanuel, M.A., Coleman, J.J. Optimization and characterization of index-guided visible AlGaAs/GaAs graded barrier quantum well laser diodes 87—68454
Mawst, L.J. *see* Givens, M.E. 87—33145
Mawst, L.J. *see* Zmudzinski, C.A. 86—58913
Mawst, L.J. *see* Zory, P.S. 86—42540, 86—63805
Mawston, I.G. *see* Frankland, D. 87—58292
Max, J., Diot, M., Bigret, R. Correlator spectrum analyser versus FFT spectrum analyser 87—61913
Max, J. *see* Boire, J.-Y. 87—50329
Max, J.J. *see* Curtins, H. 85—19173
Max, L.B. FM broadcast 88 to 108 MHz 4000 watt amplifier subsystem 86—52704
Max, L.B., Johnson, J.H. Solid-state module technology applied to NPB discriminator 87—14630
Max, N.L. Horizon mapping: shadows for bump-mapped surfaces 88—73240
Maxa, S. *see* Kalina, J. 86—71008
Maxam, G.L. Simulated direct-strike lightning testing at Sandia National Laboratories 86—32431
Maxcy, D.O., Maxcy, S.J. Computer/telephone pairing for long distance learning 87—23043
Maxcy, S.J. *see* Maxcy, D.O. 87—23043
Maxemchuck, N.F. The Manhattan Street Network 86—54915
Maxemchuk, N.F. Regular mesh topologies in local and metropolitan area networks 86—16874
Maxemchuk, N.F. Linear, unidirectional networks and random access strategies in fiber-optic local distribution systems 87—34145
Maxemchuk, N.F. Routing in the Manhattan Street Network 87—48599
Maxemchuk, N.F. Random access strategies for fiber-optic networks 87—56195
Maxemchuk, N.F. Distributed clocks in slotted networks 88—52638
Maxemchuk, N.F. Twelve random access strategies for the fiber optic networks 88—73919
Maxemchuk, N.F., Chang, J.-M. Analysis of the messages transmitted in a broadcast [local area networks] 85—19856
Maxemchuk, N.F., Dahbura, A.T. Optimal diagnosable system design using full-difference triangles 87—2431
Maxemchuk, N.F., Netravali, A.N. Voice and data on a CATV network 85—47686
Maxemchuk, N.F., Sabnani, K. Probabilistic verification of communication protocols 88—21725
Maxemchuk, N.F. *see* Mukherji, U. 88—67437
Maxemchuk, N.F. *see* Wong, L. 87—55782
Maxey, C.D., Whiffin, P.A.C., Capper, P., Easton, B.C. Temperature variations during MOVPE growth of $Cd_xHg_{1-x}Te$ 87—44334
Maxey, C.D. *see* Capper, P. 87—23654
Maxey, C.D. *see* Whiffin, P.A.C. 87—32307
Maxey, M.R. *see* Walker, M.D. 85—52909
Maxfield, B.W., Kuramoto, A., Hulbert, J.K. Evaluating EMAT designs for selected applications 88—16965
Maxfield, M. *see* Shacklette, L.W. 87—43365
Maxham, K.Y., Dugan, J.M., McDonald, M.A., Hogge, C.R., Jr. 1.13-Gbit/s lightwave transmission system 88—22090
Maxham, K.Y., Hogge, C.R., Jr., Clendening, S.J., Chen, C.T., Dugan, J.M., Sheem, S.K., Offutt, D.O. Rockwell 135-Mbit/s lightwave system 85—8415
Maxim, A. *see* Magureanu, R. 88—69378
Maxim, G., Bogdan, I., Furnica, V. The compensation of the components given by the subcarrier third harmonic in stereo coders 86—4399
Maxim, L.D. *see* Gretsky, N.E. 87—44016
Maxmin, J. Commercial opportunities in cable 86—24113
Maxon, S., Hagelstein, P., MacGowan, B., London, R., Rosen, M., Scofield, J., Dalhed, S., Chen, M. Calculation and design of a Ni-like Eu soft X-ray laser 88—40137
Maxon, S., Hagelstin, P., Reed, K., Scofield, J. A gas puff soft X-ray laser target design 85—29759
Maxon, S. *see* Keane, C. 88—27087
Maxon, S. *see* Matthews, D. 87—46756
Maxon, S. *see* Matthews, D.L. 87—12369
Maxson, D. *see* Bohnert, K. 87—26331
Maxson, D. *see* Dawson, M.D. 88—27097
Maxson, D.R. An Et^2 mass identifier for (n, charged particle) reaction measurements 85—59229
Maxson, M. *see* Salemi, S. 88—59627
Maxted, J.C., Robinson, J.P. Error recovery for variable length codes 86—29729
Maxumdar, M. *see* Yan, Y.-H. 88—6317
Maxwell, A. *see* Bene, P. 88—56532
Maxwell, A. *see* Bonesini, M. 88—23001, 88—29823
Maxwell, B.A. Radio transmission frequencies and standards 88—46917
Maxwell, C.D., Demetriades, J.T., Oliver, D.A., Demetriades, S.T. Consideration of optimal boundary configurations for linear MHD generators 85—16248
Maxwell, E. *see* Takayasu, M. 85—24776
Maxwell, E.L. *see* Flowers, E.C. 87—29938
Maxwell, G.D., Vervoordeldonk, R. An analysis of the relevance to linewidth control of various aerial image characteristics 87—11561
Maxwell, G.L. *see* Borcherdt, R.D. 86—32501
Maxwell, H. Absolute vibration velocity limit needed for pump test standard 86—66220
Maxwell, H.M. *see* Johnson, W.J. 85—25517, 85—25519
Maxwell, J. Switcher power densities change filter-capacitor needs 88—12179
Maxwell, J. Cracks: the hidden defect 88—63997
Maxwell, J. HF SMPS output filter capacitor application and mounting considerations 88—70510
Maxwell, J.A. *see* Campbell, J.L. 85—43315
Maxwell, K. High-speed dial-up modems 85—19922
Maxwell, K.J., Davis, J.A. Artificial intelligence implications for advanced pilot/vehicle interface design 86—18437
Maxwell, M.G. Three-dimensional color television 86—4828
Maxwell, M.S. The sequential filter imaging radiometer (SFIR)—a new instrument configuration for Earth observations 88—30144
Maxwell, P. Problems of the finite busbar 88—36786
Maxwell, P.C. Built-in self testing: an aid for testing complex systems 86—8088
Maxwell, P.C. *see* Raghemi-Azar, A. 87—599
Maxwell, R.A. *see* Bonesini, M. 88—61141
Maxwell, S., Hull, M.L. A compact, battery powered digital data acquisition system with high throughput 87—14221
Maxwell, S., Hull, M.L. A compact, battery powered digital data acquisition system with high throughput 88—74291
Maxwell, T.P. *see* Tusa, J. 88—16718
May, A.D. *see* Jamroz, W. 85—2357
May, A.D. *see* Mueller, R.E. 88—27258
May, A.D. *see* Stephan, G. 87—68336
May, B.A. Dual controllers optimize support for text and graphics 85—17599
May, B.R. Discrimination in the use of radar data adjusted by sparse gauge observations for determining surface rainfall 86—50744
May, B.R. Progress in the development of PARAGON 88—42661
May, C.A. *see* Dewilde, P. *(editor)* 85—16563
May, D. Charting the progress of chart recorders 86—24564
May, D. The role of BNFL in the future of nuclear power 88—5459
May, D. The transputer 88—70827
May, D., Kalis, G. Practical points for pH and redox monitoring 87—29346
May, D., Keane, C. Compiling occam into silicon 87—65736
May, D., Kingsmith, T., Pearson, I. The T414 transputer—the end of the beginning 86—8271
May, D., Shepherd, R. Occam and the transputer 85—45116
May, D., Shepherd, R. The INMOS transputer 88—12430
May, D., Shepherd, R., Keane, C. Communicating process architecture: Transputers and Occam 88—70826
May, D. *see* Homewood, M. 88—6904
May, D. *see* Qian Yunlong 88—68175
May, D.P., Baker, S.D. The polarized ^{3}He beam on the Texas A&M cyclotron 86—11815
May, D.P., Chapman, W., Derrig, G., Haenni, D.R., Horbowa, A., Laune, B., Reimund, J., Rogers, R.C., Smelser, P., Waterscheid, W., Youngblood, D.H. Status of the Texas A&M K500 superconducting cyclotron 85—58998
May, D.P., Rogers, R.C., Smelser, P., Mouchaty, G., Van Baalen, A., Bowman, P. Status of the Texas A&M ECR ion source 88—74722
May, E. *see* Dawson, J. 86—50424
May, E. *see* Nickel, J. 86—17737
May, E.J.P., Al-Charchafchi, S.H. The generation of augmented $1/f$ and $1/\Delta f$ noise in resistors by the injection of short duration pulses 87—52887
May, E.J.P., Aniagyei, H.M. $^1/_f$ noise in ferrites 86—67690
May, E.J.P., Mehdi, H.H. Modified state-space filter realisation 85—923
May, E.N. *see* Ambats, I. 85—43251
May, F. Videotelephone in digital telephone network 87—27897
May, F. Video-telephone for 64 kbit/s: Fewer data—better pictures 87—62533
May, F. Videophone in a digital telephone network 87—69567
May, F. Video telephone in the digital telephone network 87—70294
May, F. *see* Kummerfeldt, G. 87—34796
May, F. *see* Schrock, W. 88—59770
May, G. AE-80, a new electronic readout unit 86—24584
May, G. Batteries for standby power 86—51880
May, G. *see* Bergmann, D. 86—61377
May, G. *see* Jeng, M. 88—39484
May, G.J. Batteries for standby supplies 85—27609
May, G.J. Lead/acid and nickel/cadmium standby batteries 86—19460
May, G.J. Storage batteries for standby applications 86—26261
May, G.J. Standby power batteries; meeting market needs through technical innovation 88—62479
May, G.J., Turner, M. Sealed lead/acid batteries for standby power 85—65370
May, G.J., Turner, M. Battery requirements for large UPS systems 88—30997
May, G.L., Bainum, P.M., Ikeda, K., Nomura, T., Yamanaka, T., Akiba, R. *(editor)* Space Exploitation and Utilization. Proceedings of the First AAS/JRS Symposium 87—10029
May, G.L. *see* Morgenthaler, G.W. *(editor)* 88—70028
May, G.W. *see* Bowden, J.R. 87—15964
May, H., Schmid, W., Weh, H. Numerical magnetic field calculations using discretization methods 86—63891
May, H. *see* Becker, B. 86—10622
May, H. *see* Becker, D. 85—25648
May, H. *see* Dehnke, W. 87—66619
May, H. *see* Hassler, G. 88—55186
May, H. *see* Jiang, J. 88—75545
May, H. *see* Palka, R. 87—12683
May, H. *see* Shalaby, M. 88—43221
May, H. *see* Weh, H. 85—27395, 87—22306
May, H.S. Revitalisation and renovation of 66 kV overhead lines within NEEB 87—50788
May, I.C. *see* Haskard, M.R. 86—11587, 86—35892, 88—55886
May, I.Le *see* Le May, I.
May, J., Reyes, F., Aparici, J., Bitran, M., Alvarez, H., Olmos, F. A 45-MHz array for radio astronomy 85—20282
May, J., Zamastil, J. The ion implantation steps in the technology of high power semiconductor devices 88—7467
May, J. *see* Amendolia, S.R. 85—37901, 85—43179, 86—5779, 87—21426 to 21428
May, J. *see* Benetta, M. 85—43239
May, J. *see* Chang, P.-C. 88—8707
May, J. *see* Chang, P.C. 86—29794
May, J. *see* Irmscher, S. 87—4344
May, J. *see* Maulhardt, M. 87—27457
May, J. *see* Ruzinsky, M. 88—11378
May, J.E. Application of nucleation and growth theory to the development of industrial products 88—71631
May, J.E. *see* Cordaro, J.F. 87—25364
May, J.E. *see* Scholl, J.A. 87—39414
May, J.N. The performance assessment of sonar data highways using dynamic modelling techniques 88—60295
May, J.R. *see* Haubenreich, P.N. 85—1923
May, J.R. *see* Luton, J.N. 85—56230
May, J.T., Rhoads, H.S. Engineering education frontiers at the United States Air Force Academy 85—33010
May, J.W. *see* Winston, J. 88—19206
May, L. Analog interfaces 85—22951
May, M. *see* Brown, D. 88—68107
May, M. *see* Dugan, G. 86—32033 to 32034
May, M. *see* Gerig, R. 86—31894
May, M. *see* Lukas, W. 85—7594
May, M. *see* Wiederholt, L. 87—41087
May, P., Halbout, J.-M., Chiu, G. Picosecond photoelectron scanning electron microscope for noncontact testing of integrated circuits 87—60516

May, P., Halbout, J.-M., Chiu, G. Photoelectron scanning electron microscope (PSEM) for high speed noncontact testing 88—39626
May, P., Halbout, J., Chuang, C.T., Li, G.P. Waveform measurements in high speed silicon bipolar circuits using a picosecond photoelectron scanning electron microscope 88—39672
May, P., Halbout, J.-M., Chuang, C.T., Li, G.P. Waveform measurements in high-speed silicon bipolar circuits using a picosecond photoelectron scanning electron microscope 88—71750
May, P., Spiers, A.I. Dry etching of aluminum/TiW layers for multilevel metallization in VLSI 88—57740
May, P. *see* Chiu, G. 88—13507
May, P.G., Halbout, J.-M., Chiu, G.L.-T. Noncontact high-speed waveform measurements with the picosecond photoelectron scanning electron microscope 88—39030
May, P.G. *see* Grischkowsky, D.R. 88—40068
May, P.G. *see* Halbout, J.-M. 87—46700, 88—38479
May, P.G. *see* Ketchen, M.B. 87—26246
May, P.H. *see* May, R.D. 87—5707
May, P.J. Measurements of error statistics on digital transmission systems 85—57196
May, P.J. Error statistics and measurement for digital transmission systems 86—30229
May, P.J. *see* Blouke, M.M. 88—16197
May, P.L., Emslie, B.S. Oil free vacuum pumping system for plasma processes 88—13162
May, P.T. Statistical errors in the determination of wind velocities by the spaced antenna technique 88—23179
May, P.T., Fukao, S., Tsuda, T., Sato, T., Kato, S. The effect of thin scattering layers on the determination of wind by Doppler radars 88—41747
May, P.T. *see* Fukao, S. 88—41745 to 41746
May, R. The B7500 television transmitter range—design and system operation 86—17570
May, R. *see* Noye, J. *(editor)* 87—5132
May, R.A. *see* O'Clock, G.D., Jr. 85—39525
May, R.D., May, P.H. Solid-state radio frequency oscillator for optogalvanic spectroscopy: detection of nitric oxide using the 2-0 overtone transition 87—5707
May, R.G. *see* Claus, R.O. 85—64304
May, R.G., Jr. *see* Althouse, E.L. 85—8398
May, R.P. Application of neutron PSDs to small angle scattering 85—15217
May, R.S., Sorensen, J.M., Engle, R.E. Statistical treatment of safety valves during increasing-pressure transient events 88—62123
May, T.C., Scott, G.L., Meieran, E.S., Winer, P., Rao, V.R. Dynamic fault imaging of VLSI random logic devices 85—6252
May, T.C. *see* Fu, S.-W. 85—22882
May, W.A. *see* Whelan, E.P. 88—24746
May, W.E., Patel, M.K. Development and application of electronic circuit protection 88—30420
May, W.E. *see* Cassiday, H.M. 86—66607, 87—72807
May, Y.L., Ma, C. An ultrasonic scanner system used on an intelligent robot 86—5292
May Chang, Y. An investigation into the factors affecting infrared temperature measurements for building applications 88—4673
May Lau Kei *see* Kei May Lau
Maya, I. *see* Goodman, J. 88—10486
Maya, I. *see* Wetch, J.R. 88—61568
Maya, J., Grossman, M.W., Lagushenko, R., Waymouth, J.F. Energy conservation through more efficient lighting 85—21936
Maya, J. *see* Allen, G.R. 88—37728
Maya, J. *see* Lagushenko, R. 85—65602
Maya, J. *see* Moskowitz, P. 87—64943
Maya, L. Semiconducting amorphous film containing carbon nitrogen and boron 88—56294
Mayama, K. *see* Kinameri, K. 88—22434
Mayanagi, M., Takizawa, M., Uchida, T., Ehara, Y., Hoshikawa, M. Development of a digital optical rotary position transducer 88—61537
Mayanagi, M. *see* Watanabe, A. 85—26871
Mayans, R. *see* Rogers, W.L. 85—15292
Mayaram, K., Lee, J., Chan, T.Y., Hu, C. An analytical perspective of LDD MOSFETs 87—25316
Mayaram, K., Pederson, D.O. Circuit simulation in LISP 85—39870
Mayaram, K., Pederson, D.O. CODECS: an object-oriented mixed-level circuit and device simulator 87—65745
Mayaram, K., Pederson, D.O. Analysis of MOS transformer-coupled oscillators 88—18965
Mayaram, K. *see* Braun, D. 87—6842, 88—50942
Mayaram, K. *see* Gyurcsik, R.S. 85—17092
Mayaram, K. *see* Lee, J. 86—41800
Mayaram, K. *see* Sussman-Fort, S.E. 85—34958, 85—50471
Mayasaka, Y. *see* Oguchi, K. 88—4547
Mayauchi, E., Hashimoto, H. Maskless ion implantation technology for III-V compound semiconductors 85—45539
Maybank, S. Apparent area of a rigid moving body 87—62159
Maybank, S.J. Optical flow and the Taylor expansion 87—19876
Maybank, S.J. A second look at the least-squares algorithm for recovering information from optical flow 88—28136
Maybank, S.J. *see* Loizou, G. 87—47903
Maybaum, F.L., Duffield, H.C. Defense Data Network—an overview 87—40440
Maybeck, P.S., Suizu, R.I. Adaptive tracker field-of-view variation via multiple model filtering 85—58173
Maybeck, P.S., Suizu, R.I. Adaptive field of view expansion via multiple model filtering for tracking dynamic target images 86—10462
Maybeck, P.S. *see* Johnson, B.A. 88—67463
Maybeck, P.S. *see* Tobin, D.M. 88—46121
Maybee, J.S. *see* Harary, F. 86—7618
Maybell, M.J. Passive embedded VSWR requirements for matched closely spaced infinite arrays 85—13408
Maybell, M.J. *see* Johnson, D.L. 88—2751
Mayberry, J.P. *see* Laywine, C. 88—70223
Mayberry, M.C. Modeling of liquid phase epitaxy for magnetic bubble films 88—49803
Mayberry, M.C. *see* Hollman, R.F. 87—53903
Mayberry, M.J. *see* Martin, M.I. 87—41405
Mayberry, R.V. *see* Walton, L.A. 86—18998, 86—61308
Mayborg, C.C., Muse, R.R., Trommer, R.H., VanArsdall, M.L. Test probe [for keyboard switch] 85—23191
Mayboroda, L.A. *see* Batukhtin, V.D. 85—54337
Maycock, P.D. Photovoltaics: 1983 status—1990 forecast 85—32717
Maycock, P.D. The current PV scene worldwide 86—40105
Maydanovskiy, A.S. *see* Novikov, S.S. 85—634, 88—63570
Maydanovskiy, A.S. *see* Vladimirov, S.N. 88—38413
Maydell, U.M., Davis, W.A. Simulation of an interactive workstation for image display [of medical images] 86—32277
Maydell, U.M., Davis, W.A., Chang, T.-L., Eid, E., MacGregor, M. Integrated on line medical image management systems 88—42595
Maydell, U.M., Gill, P.S., Davis, W.A. Design criteria for an interactive image computer system 87—29018
Maydell, U.M. *see* Davis, W.A. 87—14962
Maydell, U.M. *see* Neilson, W.J. 86—10772
Maydell-Ondrusz, E., Hemment, P.L.F., Stephens, K.G. Processing of titanium films on silicon using a Q-switched ruby laser 87—24937
Maydell-Ondrusz, E.A. Transient electron beam annealing of arsenic implanted silicon 87—74172
Maydell-Ondrusz, E.A., Harper, R.E., Abid, A., Hemment, P.L.F., Stephens, K.G. Formation of titanium disilicide by electron beam irradiation under nonsteady state conditions 85—34638
Maydell-Ondrusz, E.A., Harper, R.E., Wilson, I.H., Stephens, K.G. Formation of $TiSi_2$ by electron beam annealing of arsenic implanted titanium films on silicon substrates 85—34629
Maydell-Ondrusz, E.A. *see* Harper, R.E. 85—33454, 85—33456
Maydell-Ondrusz, E.A. *see* Hemment, P.L.F. 85—18233
Maydell-Ondrusz, E.A. *see* Kilner, J.A. 85—45519
Maydell-Ondrusz, E.A. *see* Young, N.D. 87—60075
Mayeda, H., Honda, F. Trajectory control of robot manipulators compensating load effects by six-axis force sensor 88—42076
Mayeda, K. *see* Swierkowski, S. 86—47028
Mayeda, T., Komukai, T., Uemura, Y., Satoh, S. Some considerations on oscillation modes of power systems including induction motors 86—32655
Mayeda, T. *see* Yokoyama, A. 88—30230
Mayeda, W. A new property of planar graphs 86—337
Mayeda, W., Sano, K., Numata, J. A simple test for isomorphic graphs 85—297
Mayeda, W. *see* Komatsu, M. 86—16607, 87—48257
Mayer, A. A fresh look at insulation coordination [surge arresters] 85—64996
Mayer, A. Metallic oxide technology and voltage arrester for the protection of electrical insulation 87—35678
Mayer, A. Metal-oxide technology and overvoltage diverters for the protection of electrical insulators. II 87—50870
Mayer, A., Rudolph, R. Surge arresters with metal-oxide resistors for optimum overvoltage protection 86—32842
Mayer, A. *see* Gross, C.T. 87—46745
Mayer, A. *see* Michelotti, R.A. 86—31992
Mayer, A. *see* Rudolph, R. 85—32218
Mayer, A. *see* Shwartzman, S. 85—59531
Mayer, A. *see* Thornton, J. 88—57494
Mayer, A.J.W. Storage architectures 86—23375
Mayer, C. *see* Tehon, S.W. 87—71411
Mayer, C.-L. Electric operation at the Luxemburg Railways 85—27720
Mayer, C.B., Crescenzo, P.J., Fenton, D.A. Elimination of electromechanical drive system problems during the design process 85—5751
Mayer, C.B., Johnson, R.M., Gray, D.J. Solution of a serious repetitive vibration problem on a 4500 hp single-pinion synchronous motor ball mill drive [cement industry] 86—7351
Mayer, C.B. *see* Fenton, D.A. 85—16516, 86—7350
Mayer, C.B. *see* Johnson, R.M. 85—16292
Mayer, C.N. *see* Adams, G.M. 88—21503
Mayer, D. Forces between conductors carrying sinusoidal currents 86—65701
Mayer, D. Analysis of electric networks with hysteresis elements 87—16835
Mayer, D., Pav, M. Contribution to the compensation of a three phase nonlinear power consumer 88—48430
Mayer, D., Svoboda, J. Contribution to the calculation of inductance and magnetic field of iron-free coils 87—59923
Mayer, D., Svoboda, J. Contribution to the calculation of forces exerted on a reactor coil 88—32509
Mayer, D., Ulrych, B. Skin effect in the system of conductors of arbitrary sections 85—17886
Mayer, D., Ulrych, B. Skin effect in a conductor carrying current of general waveform 87—66574
Mayer, D., Ulrych, B. Algorithmisation of the theory of electromagnetic field. (A proposal for a new concept of undergraduate education) 88—6139
Mayer, D.A., Larsen, J.C. Tidal transport in the Florida Current and its relationship to tidal heights and cable voltages 87—47072
Mayer, D.C. Sharp bounds for the partition function of integer sequences 87—36620
Mayer, D.C., Vasudev, P.K., Schmitz, A.E., Kastris, R.E. A high-speed submicrometer CMOS/SOS process in SPEAR material 88—47864
Mayer, D.C. *see* Vasudev, P.K. 85—50777
Mayer, E., Ferrari, L.V. Torque transducers having signal transmission without rubbing contact 86—11535
Mayer, E.H. *see* Crispin, L.G. 86—61378
Mayer, E.J. *see* Juves, J.A. 87—30253
Mayer, F. Absorptive low-pass cables: state of the art and an outlook to the future 86—37690
Mayer, F. Video tone mixer equipment. The matching sound to the video picture 87—70282
Mayer, F.J., Maynard, R.L., Musinski, D.L., Schmerberg, N.W., Wixom, M.R. Recent developments in Microshell-tipped optical fibers as high-pressure shock detectors 87—21069
Mayer, F.J. *see* Benjamin, R.F. 85—35418
Mayer, G. On the convergence of powers of interval matrices. II 85—33354
Mayer, G. Enclosing the solution set of linear systems with inaccurate data by iterative methods based on incomplete LU-decompositions 86—7669
Mayer, G. BCI cycle life testing procedures for deep-cycle lead-acid batteries 86—66278
Mayer, G. On a theorem of Stein-Rosenberg type in interval analysis 87—16531
Mayer, G. Laser induced multiplication and visualization of free electrons in dense monoatomic gases 87—29502
Mayer, G. On the speed of convergence of the total step method in interval computations 87—36647
Mayer, G., Beck, S., Pasquinelli, R. Control of stochastic cooling and RF systems using interactive graphics 88—54164
Mayer, G., Hauchecorne, G., Kerherve, F. Laser-induced amplification and visualization of β-ray ionized tracks in dense gases 86—9923
Mayer, G *see* Hillmer, H. 87—6405, 87—24888
Mayer, G. *see* Pasquinelli, R.J. 88—47900
Mayer, G. *see* Peterson, D. 88—54313
Mayer, G. *see* Vasiliev, V.V. 86—40624
Mayer, H. Compact switching power supplies 85—33635
Mayer, H. *see* Barosi, N. 85—7048
Mayer, H. *see* Gehr, H.-L. 86—39379
Mayer, H. *see* Klimmek, U. 88—69121
Mayer, H.A. *see* Buczma, E. 88—26613
Mayer, H.E., Loebach, E.W. Improvement of overlay and focusing accuracy of wafer step-and-repeat aligners by automatic calibration [VLSI fabrication] 85—6786
Mayer, H.E., Loebach, E.W. An advanced wafer stepper for submicron fabrication 88—20054
Mayer, H.J. Pulse shape simulation for drift chambers with long drift paths 87—77540
Mayer, H.J. *see* Bittner, S. 87—29456
Mayer, H.P. Energy spread of ions from Ga liquid metal ion sources at low emission currents 86—25087
Mayer, H.R., Pfaff, G. Direct control of induction motor currents—design and experimental results 86—66083
Mayer, I. Solving steady-state currents and voltages in linear networks in the case of nonharmonic periodic feeding by means of operational calculus 85—17104
Mayer, J. Logic analyzers 86—31310
Mayer, J. Electronic cutting: post-treatment of digital recording—measuring method to establish cutting accuracy 87—34876

Mayer, J. Servo motor of increased performance provides new application possibilities 88−11246
Mayer, J., Robinson, J. Semi- and full automation enhance continuity test [on printed circuit boards] 85−55311
Mayer, J. *see* Deak, I. 86−12309
Mayer, J. *see* Fastow, R. 85−28937
Mayer, J. *see* Natkaniec, I. 86−5860
Mayer, J.B. *see* Smith, K.L. 87−9041
Mayer, J.H. Function and pulse generators 85−64166
Mayer, J.H. Spectrum analyzers 86−31309
Mayer, J.H. Counter/timers compete for higher frequency measurement, broader capabilities 86−31573
Mayer, J.H. Comprehensive analyzers ease the pain of LAN performance testing 86−59626
Mayer, J.H. Modems pack multiple functions on-board 87−69766
Mayer, J.H. Switching power supplies move into low-power applications 88−49032
Mayer, J.H. DRAM demand outraces supply as designers move to 1-Mbit parts 88−50131
Mayer, J.H. Logic analyzers preserve user investment with expandability, higher performance 88−67709
Mayer, J.K., Durocher, J.J.G., Smith, G.R. Behaviour of BeCu dynode photomultiplier tubes in high radiation fields and their use in fast neutron detection 88−68206
Mayer, J.K. *see* Smith, G.R. 88−68205
Mayer, J.W. Regrowth of implanted-amorphous Si: furnace to laser annealing 86−35556
Mayer, J.W. *see* Allen, L.H. 87−66979
Mayer, J.W. *see* Brat, T. 85−23555
Mayer, J.W. *see* Chen, S.H. 85−23554, 86−28042
Mayer, J.W. *see* Eizenberg, M. 85−6855, 85−29189
Mayer, J.W. *see* Galvin, G.J. 85−11910, 85−12094, 85−33378, 86−26856
Mayer, J.W. *see* Hung, L.S. 85−61749, 87−11582, 87−25157
Mayer, J.W. *see* Kavanagh, K.L. 86−14890
Mayer, J.W. *see* Rhodes, H.E. 87−17798
Mayer, J.W. *see* Saris, F.W. 85−34616
Mayer, J.W. *see* Wong, H. 88−39175
Mayer, J.W. *see* Zheng, L.R. 85−1387, 85−34635, 85−45449, 86−28037, 86−41586, 87−17801
Mayer, K. *see* Langenberg, K.J. 86−66880, 87−75387
Mayer, K.De *see* De Mayer, K.
Mayer, K.H. *see* Coulon, A. 87−4593
Mayer, K.M., Parisi, J., Huebener, R.P. Imaging of self-generated multifilamentary current patterns in GaAs 88−57314
Mayer, K.M. *see* Huebener, R.P. 88−44539
Mayer, K.M. *see* Mannhart, J. 87−67267
Mayer, K.M. *see* Parisi, J. 88−50616
Mayer, K.M. *see* Peinke, J. 88−39049
Mayer, L. The evolution of electric rail traction 85−39273
Mayer, L., Ventura, O. The evaluation of the feasibility of a 12 kV DC railway system 88−5977
Mayer, L. *see* Eveleth, W.T. 86−20954
Mayer, L.L., Ventura, O. An evaluation of the feasibility of a direct current traction system operating at 12 kV 88−62706
Mayer, M. Cutting maintenance on lead-acid batteries 85−16202
Mayer. M. Cutting maintenance on lead acid batteries 86−19468
Mayer, M.S. The computerized diagnostic rhyme test as a design tool for armored vehicle intercommunications systems 86−29801
Mayer, M.S., Fung, T.Y. Communications in the high noise environments of tracked combat vehicles 88−66456
Mayer, N. *see* Holoch, G. 85−47667, 86−69925
Mayer, N. *see* Holoch, V.G. 85−37198
Mayer, N. *see* Zemann, H. 86−31668
Mayer, R., Mosebach, H., Schroder, U., Weh, H. Inverter-fed multiphase reluctance machine with reduced armature reaction and improved power density 87−22310
Mayer, R., Mosebach, H., Weh, H. Axial-field synchronous machines with high torque 85−38973
Mayer, R., Orlik, B., Poschadel, J. Reduction of torque variation caused by stator slotting in inverter-fed permanent magnet excited synchronous machines 88−43164
Mayer, R., Parker, G.A. Optical considerations in a 3D laser tracking instrument 88−34191
Mayer, R. *see* Baumann, P. 88−53982
Mayer, R. *see* Berger, C. 88−22937
Mayer, R. *see* Kerdock, A.M. 86−43175
Mayer, R. *see* Parker, G.A. 87−35205
Mayer, R. *see* Weh, H. 87−43596
Mayer, R.C., Hsu, R.H. Modelling the gain of a diode-pumped solid state laser 88−45388
Mayer, R.G. *see* Lee, K.-L. 86−34967
Mayer, R.J. *see* Faulkner, T.R. 86−65208
Mayer, R.J. *see* Letham, L. 88−19223
Mayer, R.M. *see* Davies, T.S. 87−51130, 88−48841, 88−55329
Mayer, T. *see* Gussander, P.-A. 87−73238
Mayer, T.M. *see* Ameen, M.S. 88−33039
Mayer, T.M. *see* Heath, B.A. 86−9046
Mayer, T.M. *see* Kunz, R.R. 87−38133, 88−12050
Mayer, T.M. *see* Mizutani, T. 85−45575
Mayer, U. High speed simulation of digital design 87−65692
Mayer, U., Michal, R., Radbruch, J. The switching behavior of electrode materials based on metal filled polymers for general purpose switches 86−33566
Mayer, U. *see* Bursky, D. 88−34743
Mayer, U. *see* Gengenbach, B. 85−53781 to 53782
Mayer, W.G. *see* Dick, G.W. 87−1161
Mayer, W.G. *see* Himberger, D.E. 87−3951
Mayer, W.G. *see* Ngoc, T.D.K. 87−59038
Mayer, W.G. *see* Alippi, A. *(editor)* 88−498
Mayer, W.J. The state of the art of the high speed Maglev development TRANSRAPID in the Federal Republic of Germany 88−55679
Mayer, W.J. *see* Meins, J. 88−69832
Mayer-Kuckuk, T. *see* Berg, G. 85−59020
Mayer-Lindenberg, F. A shift register with fractional frequency division properties 86−57766
Mayerfeld, P. Semiconductor reliability: the burn-in question 88−6242
Mayergoyz, I.D. Solution of the nonlinear Poisson equation of semiconductor device theory 86−21482
Mayergoyz, I.D., Abdel-Kader, F.M. The analytical calculation of eddy current losses in steel laminations subjected to rotating magnetic fields 85−27372
Mayergoyz, I.D., Bloomberg, D.S. Analytical solution for side-fringing fields in perpendicular recording 86−63551
Mayergoyz, I.D., Bloomberg, D.S. Analytical solutions for the three-dimensional side-fringing field of magnetic recording heads 88−71929
Mayergoyz, I.D., Chari, M.V.K., D'Angelo, J. A new scalar potential formulation for three-dimensional magnetostatic problems 88−27430
Mayergoyz, I.D., D'Angelo, J., Crowley, C. Solution of three-dimensional boundary value problems for magnetostatics by a constrained Fredholm integral equation 85−51359
Mayergoyz, I.D., Doong, T. Hybrid boundary-volume Galerkin's method for nonlinear magnetostatic problems 85−46522
Mayergoyz, I.D., Emad, F.P. New analytical method for calculation of magnetic fields in slotted structures of electrical machines 87−22239
Mayergoyz, I.D., Emad, F.P. A new method for the calculation of magnetic fields in AC machines 87−30501
Mayergoyz, I.D., Emad, F.P., Sherif, M.A. Electromagnetic field analysis of unbalanced regimes of synchronous machines 88−75593
Mayergoyz, I.D., Friedman, G. Analytical investigation of eddy currents in nonlinear ferromagnetic media for weak magnetic fields 86−68679
Mayergoyz, I.D., Friedman, G. Generalized Preisach model of hysteresis 88−52006
Mayergoyz, I.D., Friedman, G. On the integral equation of the vector Preisach hysteresis model 88−58782
Mayergoyz, I.D., Korman, C. A parallel and globally convergent iterative method for the solution of the nonlinear Poisson equation of semiconductor device theory 88−7555
Mayergoyz, I.D. *see* Booske, J.H. 88−27198, 88−27206, 88−51839, 88−72503
Mayergoyz, I.D. *see* Destler, W.W. 86−68568
Mayergoyz, I.D. *see* Doong, T. 86−35966
Mayergoyz, I.D. *see* Emad, F.P. 87−30502, 87−42816
Mayergoyz, I.D. *see* Gaitan, M. 88−1452, 88−7398
Mayergoyz, I.D. *see* Granatstein, V.L. 85−62609
Mayerhofer, W., Hugel, H., Nowack, R. Pulsed e-beam stabilized supersonic CO laser 85−62515
Mayerhofer, W. *see* Nowack, R. 86−9767
Mayers, J., Cywinski, R., Jones, T.J.L., Williams, W.G. Neutron measurements on polarising filters at the Harwell linac 86−55958
Mayers, P. *see* Drewniak, J. 88−2849
Mayersak, J.R. An alternate view of munition sensor fusion 88−75026
Mayersohn, J. *see* Elsam, E. 87−69637
Mayes, B. *see* Bachman, M. 85−26527
Mayes, B.W. *see* Hackenburg, R. 85−15178
Mayes, L.J. A BASIC program for exact curve fitting 85−28165
Mayes, P. *see* Drewniak, J. 87−27043, 88−2867
Mayes, P. *see* Lampe, R. 85−13030, 85−19194, 85−54234, 86−67457
Mayes, P.E. Alternative source-field relations 86−42719
Mayes, P.E., Thomas, M.D., Smith, H.K. A Huygens microstrip patch antenna 88−2787
Mayes, P.E. *see* Harris, B.L. 86−10164
Mayes, P.E. *see* Smith, H.K. 87−26983, 88−40665
Mayes, P.E. *see* Szmurlo, T.E. 87−27041
Mayes, P.E. *see* Tanner, D.R. 88−2753
Mayet, L., Gavand, M., Montegu, B., Boyeaux, J.P., Laugier, A. Process optimization for high efficiency thin graded band gap window GaAs and GaAlAs solar cells 88−31038
Mayet, L., Gavand, M., Montegu, B., Laugier, A., Alcubilla, R., Therez, F., Gazaleh, Y. Improved liquid phase epitaxy techniques applied to high efficiency heterostructures GaAs solar cells 86−40128
Mayet, L. *see* Boyeaux, J.P. 88−18076, 88−37511
Mayet, L. *see* Gavand, M. 86−7157, 88−37612, 88−49854
Mayet, L. *see* Joly, J.F. 88−18050
Mayet, L. *see* Laugier, A. 87−18827
Mayet, L. *see* M'ghaieth, R. 88−32983
Mayet, L. *see* Zerdoum, R. 88−18051
Mayeux, A. *see* Akrout, C. 85−50290
Mayeux, D. *see* Daniels, R.G. 85−7075
Mayeva, O.I. *see* Dmitruk, N.L. 86−53481
Mayfield, D.E., Jr. Electric variable speed motor drives: troubleshooting considerations 88−76064
Mayfield, L.N., Jr. Automated 'end-of-the-line' testing with multiple test stations utilizing the 'IEEE-488' bus 86−38252
Mayhall, C.T. Modification units technology 85−40346
Mayhall, D.J., Yee, J.H., Alvarez, R.A., Byrne, D.A. Computational and experimental short pulse, high power microwave air breakdown in a rectangular waveguide 87−17642
Mayhan, J.T. Area coverage adaptive nulling from geosynchronous satellites: phased arrays versus multiple-beam antennas 86−64080
Mayhan, J.T. Spatial spectral estimation using multiple beam antennas 86−64089
Mayhan, J.T., Miro, L. Spatial spectral estimation using multiple beam antennas 88−8627
Mayhan, K.G. *see* Sarangapani, S. 88−54477
Mayhan, R.J. *see* Rokhlin, S.I. 85−54554
Mayhew, C.A. True three-dimensional animation in motion pictures 88−3200
Mayhew, D. The Sooper Loop 86−68879
Mayhew, G. Intermod: pure and simple [intermodulation] 86−29417
Mayhew, G. Evolution of the octopus [antenna multicoupler/combiner facilities] 86−29650
Mayhew, G.C. Multitone test techniques 87−41272
Mayhew, J.E.W. *see* Peek, S.A. 85−51697
Mayhew, J.E.W. *see* Pollard, S.B. 87−62156
Mayhew, J.E.W. *see* Porrill, J. 87−62165
Mayhew, M.J.E. Local area networks and applications 85−25500
Mayhue, L.T. *see* Doshi, P.K. 86−33011
Mayhugh, M. *see* Dayton, R. 88−61624
Mayhugh, M. *see* Yeates, D.B. 85−26754
Mayk, I. *see* Rubin, I. 88−21510
Maykin'kova, L.V. *see* Akhmetshin, A.M. 88−18786
Maykov, V.N. *see* Abramov, A.A. 88−65195
Maylotte, D.H. *see* Sharbaugh, A.H. 86−70749
Maymir-Ducharme, F. *see* Elrad, T. 87−40688
Maynard, C.D. *see* Choplin, R.H. 87−14957
Maynard, D.E. The hydro-electroencephalogram, a novel method of EEG recording 88−10359
Maynard, D.R., Webber, D.M. Monitoring the movements of snow crab (Chionoecetes Opilio) with ultrasonic telemetry 88−54753
Maynard, E.D., Jr. VHSIC−a test bed for advanced lithography 85−6986
Maynard, E.D., Jr. VHSIC database and database management system requirements 86−8081
Maynard, E.D., Jr. Microwave/millimeter wave monolithic integrated circuits (MIMIC) program 86−67497
Maynard, E.D., Jr. Microwave/millimeter wave monolithic integrated circuits (MIMIC) program 87−6156
Maynard, E.D., Jr. *see* Patterson, D.O. 86−58584
Maynard, G.S. The W-Q MW loop 86−10210
Maynard, J. Weather watch. I 86−69337
Maynard, J. Weather watch. II 86−69338
Maynard, J. Weather watch. III 86−69657
Maynard, K.J. *see* Boyd, R.T. 88−9775
Maynard, L.S., Lindler, D.K., Biedenbach, J.M. Operating a continuing education office−an administrative assistant's viewpoint 87−23160
Maynard, L.S. *see* Biedenbach, J.M. 87−23097
Maynard, M. *see* Howard, R. 87−37841
Maynard, N.C. *see* Basu, S. 88−53375
Maynard, P. *see* Fisher, D. 88−67084
Maynard, R. *see* Akkermans, E. 85−11389
Maynard, R.B., Moscony, J.J., Saunders, M.H. Ferric chloride etching of Invar 86−57490
Maynard, R.L. *see* Benjamin, R.F. 85−35418
Maynard, R.L. *see* Mayer, F.J. 87−21069
Maynard, S. *see* Bowers, J.E. 85−56608
Mayne, A.J. OSI and videotex 88−15044
Mayne, A.J. OSI and extensions 88−52831
Mayne, A.J. *see* Burrows, B.C. *(editor)* 88−11579
Mayne, D.Q., Polak, E. Algorithms for optimization problems with exclusion constraints 87−16515
Mayniel, H. *see* Maamoun, M. 87−51926
Mayo, A. Fast high order accurate solution of Laplace's equation on irregular regions 85−33362
Mayo, A. Rapid methods for the conformal mapping of multiply connected regions 86−19987
Mayo, A. *see* Dove, D. 88−14367

Mayo, B.J. Early development of electron guns and cathode-ray tubes for television 87—24674
Mayo, H.A. The 'powerbarge' hydroelectric plant 87—72049
Mayo, J. The AEA PK-232 multi-mode data controller 88—28634
Mayo, J.L. The no-baloney lunchbox [antenna tuner] 85—57165
Mayo, J.L. Portable RTTY operation 86—30279
Mayo, J.L. An amateur packet radio primer. I. Introduction 87—34340
Mayo, J.L. An amateur packet radio primer. III. Operating packet radio 87—40638
Mayo, J.L. An amateur radio packet primer. IV. Bulletin board operation 87—48852
Mayo, J.L. The Pac-Comm TNC-200 terminal node controller [amateur packet radio] 88—28635
Mayo, J.L. Amateur packet radio who needs it? You do! 88—28678
Mayo, J.M., Nievas, J., Pastor, A. Electrical power measurements: wattmeters 86—60268
Mayo, J.M., Pastor, A. Intelligent multimeters 85—58759
Mayo, J.M. *see* Arroyo, J.B. 87—52328
Mayo, J.S. The evolution toward universal information services 85—51899
Mayo, J.S. AT&T: management questions for leadership in quality 86—52192
Mayo, J.S. Materials for information and communication 87—13195
Mayo, J.S. Quality by design 87—16413
Mayo, J.S. Standards policy—barrier or enabler? [ISDN] 88—3672
Mayo, J.W., Hutchinson, P., Hayes, R., Ellis, R. A 2000 character DCEL display 85—14659
Mayo, J.W., Hutchinson, P., Hinsley, J.L., Alexander, P.W., Davies, M. An interactive 2000-character DCEL display system 87—3472
Mayo, L.G. A survey of forecasting models for rural electric cooperatives 86—39011
Mayo, L.S. *see* Mauldin, L.E., III. 87—15064, 87—71354
Mayo, M.D. *see* Chang, A.Y. 85—721
Mayo, M.J. Photodeposition: enhancement of deposition reactions by heat and light 86—46373
Mayo, R. Current probe used with spectrum analyzer for EMI measurements 87—75468
Mayo, R.N. Mocha Chip: a system for the graphical design of VLSI module generators 87—38449
Mayo, R.N. *see* Ousterhout, J.K. 85—1751, 85—33579
Mayo, W. *see* DeVerno, M. 88—37008
Mayo, W.R., Carter, J.R. Eddy current inspection of mildly ferromagnetic tubing 85—473
Mayo, W.T., Sankar, P.V., Ferrari, L.A. Color coding medical ultrasound tissue images with frequency information 87—19902
Mayor, M. *see* Rowlett, R. 86—10459
Mayoral, J. *see* Djordjevich, L. 85—37993, 86—56144
Mayordomo, J.G. Harmonics generated by static converters in power networks 88—5778
Mayordomo, J.Garcia *see* Garcia Mayordomo, J.
Mayorga, M.A., Ludeman, L.C. Improved spectral estimation based on extrapolated and smoothed data records 87—62086
Mayorga, R.V., Wong, A.K.C., Quintana, V.H. Linear programming via a general class of differentiable penalty functions 87—65375
Mayos, M., Putignani, M., Segalini, S. Electromagnetic NDE of surface decarburization on steels 88—56346
Mayotte, M. An engineering design management system 87—23301
Mayotte, M.E. Integrating applications in a design management system 88—44005
Mayotte, M.E. *see* Reese, P.S. 88—44003
Mayoud, M. Geodesic and metrologic techniques of LEP 86—11798
Mayoud, M. Applied metrology for LEP. I. Computing and analysis methods 87—41726
Mayoud, M. *see* Fischer, J.-C. 87—42226
Mayousse, C., Renvoise, M., Michel, J., Siret, F., Syries, L. 'Design and technology' optimisation for high yield monolithic GaAs X band low noise amplifiers 88—32455
Mayousse, C. *see* Kermarrec, C. 85—14208, 86—55416
Mayoux, C. *see* Filippini, J.C. 86—41999
Mayoux, C. *see* Gu, W. 86—68033
Mayoux, C. *see* Gu, W.Y. 87—18374
Mayoux, C. *see* Laurent, C. 85—29390
Mayoux, C. *see* Lopez, J. 87—25639, 88—24827
Mayoux, C. *see* Noel, S. 87—46270
Mayoux, C. *see* Sarlaboux, J. 85—29392
Mayr, B. *see* Sliwinski, P. 85—41806
Mayr, E. The compact line with insulating coating and its applications 86—23906
Mayr, E. *see* Goldmann, H. 85—42417
Mayr, F. Design and construction of the coal-fired boiler plant at Volklingen model power plant with particular reference to the associated gas turbine and to fluidized bed combustion 85—4866
Mayr, H. Signal power spectrum aspects in loudspeaker design 85—3797
Mayr, H. Theory of electrodynamic high-frequency loudspeakers 85—52572
Mayr, H. Phase-true frequency dividing networks of the series type 87—24308
Mayr, H. *see* Ellegast, H.H. 85—48226
Mayr, J. The FM data coder for the radio data service 86—43949
Mayr, J. FM data coder for the Radio Data System 87—13835
Mayr, J. Radio data system: generation and transmission of RDS signals 87—76532
Mayr, J. *see* Klotzsche, W. 86—60032
Mayr, M., Kastner, K., Kukla, R., Ludwig, R. High-vacuum-sputter roll coating for production of magnetic recording media with perpendicular magnetisation 87—46354
Mayr, M., Ludwig, R., Kastner, K., Kukla, R., Dalmann, B., Haberkorn, H., Hitzfeld, M. CoCr-sputtering in large scale roll coating systems 88—43927
Mayr, M. *see* Feuerstein, A. 86—2600, 88—51274
Mayr, M. *see* Hoffmann, H. 86—28594
Mayr, M. *see* Kukla, R. 87—44375
Mayr, M. *see* Ludwig, R. 87—46309
Mayr, M. *see* Maturi, S. 87—38487
Mayr, P. *see* Vetters, H.R. 86—20148
Mayr, R. Surface mounted electronic components—increased confidence in tiny chips 88—44426
Mayr, U. Current state and development trends in network management 88—36823
Mayr, U. *see* Dahl, H. 88—59631
Mayr, W., Philipp, A., Seeger, K. Detection of deviations from Ohm's law by a phase-resolved microwave harmonic mixing technique 86—31612
Mayr, W. *see* Leberl, F. 88—74021
Mayr, W. *see* Schwanda, G. 86—32382
Mayr, W. *see* Stoehr, H.G. 87—21663
Mayr, W. *see* Stohr, H. 86—32350
Mayr-Stein, H. Public card-telephone system—telephoning without coins 86—43464
Mayr-Stein, H., Uhlig, E. TN systems for rural communication 86—10923
Mayrargue, S. Parametric characterization of channel transfer functions during multipath fading events 85—41613
Mayrargue, S. Parametric characterization of a radio channel transfer function leading to BER evaluation 86—29368
Mayrargue, S. Defining a two-parameter signature for a multipath fading channel without using a model 86—55190
Mayrargue, S. ESPRIT and TAM (Toeplitz approximation method) are theoretically equivalent 88—73083
Mayrargue, S., Jouveau, J.-P. Comparison of five different methods for frequency estimation 87—55215
Mayrhauser, A.K.von *see* von Mayrhauser, A.K.
Mayrhofer, M. Analysis and graphical representation of a quality assurance system 85—54167
Mays, G. Computer-aided susceptibility testing 85—2600
Mays, J.A. 160 megapixels per second 2000 line display 86—17836
Mays, J.A. A high resolution monoscopic/stereoscopic display 88—16339
Mays, J.L. Hazardous waste management for power plants 86—33082
Mays, L. *see* Whittemore, M.J. 88—46788
Mays, L.W. *see* Matsumoto, J. 85—28150
Mays, M.A., Hori, K., Lazar, A.A. MAGNET's integrated network architecture 87—40433
Mays, M.A. *see* Lazar, A.A. 87—27716
Mays, M.E. *see* Anderson, W.N., Jr. 86—298
Mays, M.G. *see* Hunter, W.T. 88—68166
Mayschak, R. *see* Rosen, H. 86—9332
Maysilles, J.H. *see* McDonough, P.J. 88—67683
Mayson, C. *see* Muter, P. 86—43501
Mayson, D.J., Cavenor, M.C. Spectrum analysis in the undergraduate laboratory 87—49619
Maystre, D., Mata Mendez, O., Philippe, P., Valette, S. Optimization of a wavelength demultiplexer in fiber optics using gold echelette gratings 85—37011
Maystre, D. *see* Laude, J.P. 88—45261
Maystre, D. *see* Neviere, M. 86—9967
Maystre, D. *see* Philippe, P. 85—37002
Maystre, F. Performances of an integrating cell for index measurement in optical fibres 86—9501
Maystre, F., Betholds, A. Zero-birefringence optical-fiber holder 87—26009
Maystre, F., Gannage, P., Dandliker, R. High sensitivity Fabry-Perot optical fiber sensor for the measurement of mechanical force 88—67875
Maystre, F. *see* Dandliker, R. 85—41137
Maystre, F. *see* Meunier, J.-M. 87—46531
Maystrenko, V.A. *see* Zhilin, N.S. 87—17289
Maytal, B. *see* Alpert, D. 87—66242, 88—19207
Maytal, B. *see* Sidi, Y. 88—32230
Mayton, D.J., Winfree, W.P. Electromagnetic induction acoustics 88—52135
Maytrott, C. *see* Atmaram, G.H. 86—6641
Maytrott, C. *see* Healey, H.M. 87—4634
Mayuga, R. *see* Myers, G. 88—10404
Mayumi, S., Fujiwara, K., Nishida, S., Ueda, S., Inoue, M. Etch-back planarization technique for multilevel metallization 88—33082
Mayumi, S., Nishida, S., Fujiwara, K., Ueda, S. Etch-back planarization technique and its application to Al multilevel interconnections 86—53745
Mayumi, S., Shishino, M., Hata, Y., Ueda, S., Inoue, M. A novel Al edge cutting process for multilevel metallization 87—67148
Mayumi, S., Umemoto, T., Shishino, M., Nanatsue, H., Ueda, S., Inoue, M. The effect of Cu addition to Al-Si interconnects on stress induced open-circuit failures 88—1565
Mayumi, S. *see* Ozaki, H. 87—66998
Mayur, N., Evans, J., Lynch, C.A. An advanced training simulator for power system operators 87—15213
Mayur, N. *see* Daniels, H.A. 86—6235
Mayville, R.A. *see* Peirce, D.C. 86—7872
Mayville, R.A. *see* Reynolds, G.O. 86—3349
Mayweather, W.T., III *see* Christopher, L.A. 88—38630
Mazac, J. Networks from personal computers 86—10786
Mazaev, N.V. *see* Andreev, S.P. 85—7476
Mazaheri, G. *see* Bernstein, D. 85—15253
Mazakova, M., Sharlandjiev, P., Pantcheva, M., Spassov, G. Electron donors and heat treatment: their effect on the diffraction efficiency of dichromated gelatin reflection holograms 85—56857
Mazakova, M. *see* Sainov, S. 88—33782
Mazakova, M. *see* Sainov, S.H. 87—61247
Mazal, D.A. *see* Angelotti, J.I. 85—3865
Mazalerat, J.-M., Hamelin, J.-F., Ridard, J.-Y. Data processing systems for testing in nuclear power stations 88—11029
Mazanek, M., Cesky, T. Interpretation of radiometric measurements 87—21220
Mazanek, M. *see* Cesky, T. 86—70208
Mazanek, M. *see* Tysl, V. 86—50075
Mazan'ko, I.P., Udal'tsov, B.V., Tsar'kov, V.A. Effect of the capacitance of the external electrical circuit on the reactive oscillations in the symmetric discharge of an He-Ne laser 88—20582
Mazan'ko, I.P. *see* Abramov, V.P. 88—20581
Mazanko, I.P. *see* Borisova, M.S. 85—29871
Mazanova, V.Yu. *see* Mustafaev, R.I. 87—22187
Mazar, R., Felsen, L.B. Geometrical theory of diffraction for high-frequency coherence functions in a weakly random medium with inhomogeneous background profile 88—52184
Mazarakis, M.G., Leifeste, G.T., Clark, R.S., Ekdahl, C.A., Frost, C.A., Hasti, D.E., Johnson, D.L., Miller, R.B., Poukey, J.W., Prestwich, K.R., Shope, S.L., Smith, D.L. RADLAC-II accelerator beam experiments 88—54017
Mazarakis, M.G., Leifeste, G.T., Shope, S.L., Frost, C.A., Freeman, J.R., Poukey, J.W., Stygar, W.A., Ekdahl, C.A., Smith, D.L., Johnson, D.L., Hastl, D.E., Miller, R.B., Prestwich, K.R. Experimental investigation of beam generation, acceleration, transport, and and extraction in the RADLAC-II pulsed transmission line linear accelerator 87—41788
Mazarakis, M.G., Miller, R.B., Poukey, J.W., Adler, R.J. IBEX magnetic field extraction and propagation experiments of intense high-energy electron beams 88—16597
Mazarakis, M.G., Smith, D.L., Miller, R.B., Clark, R.S., Hasti, D.E., Johnson, D.L., Poukey, J.W., Prestwich, K.R., Shope, S.L., Richardson, R.D. RIIM accelerator beam experiments 86—25030
Mazarakis, M.G. *see* Armistead, D.J. 88—54022
Mazarakis, M.G. *see* Frost, C.A. 87—41789
Mazarakis, M.G. *see* Miller, R.B. 88—25769
Mazarakis, M.G. *see* Shope, S.L. 87—21355, 88—54026
Mazare, G. *see* Ansade, Y. 86—20478, 87—32659
Mazare, G. *see* Assael, J. 86—34988
Mazare, G. *see* Berger, J. 87—25496, 87—36904
Mazare, G. *see* El Tahawy, H. 85—33838, 86—67943, 87—24028, 88—25154
Mazare, G. *see* Tawfik, M.S. 86—57942, 87—24324
Mazaris, G.A. *see* Leon, R.P. 87—6404
Mazaruk, K. *see* Benzaquen, M. 88—32775
Mazataud, D. *see* Cavailler, C. 86—5084, 86—5092
Mazataud, D. *see* Mens, A. 86—24382
Mazavin, S.M. *see* Belov, A.V. 85—56327
Mazavin, S.M. *see* Gur'yanov, A.N. 87—53934
Maze, C. *see* Barton, D. 85—40930, 85—62090
Maze, G., Cardin, V., Poulain, M. Low-OH-absorption fluoride glass infrared optical fibres 85—1995
Maze, G., Cardin, V., Poulain, M. Reduction of OH-absorption in fluoride glasses 85—12534
Maze, G., Cardin, V., Poulain, M. Fluoride glass infrared fibers for light transmission up to 5 μm 85—18663
Maze, G., Cardin, V., Poulain, M. Fluoride glass infrared fibers in various glass forming systems 87—18708
Maze, G., Cardin, V., Poulain, M. Fluoride glass infrared optical fibers in medicine and biology 87—41950
Maze, G. *see* Abgrall, A. 87—18709
Maze, G. *see* Durteste, Y. 86—42316
Maze, G. *see* Monerie, M. 86—15466

Maze, G. *see* Poulain, M. 85−35373
Maze, G. *see* Ripoche, J. 86−62300, 88−22228
Mazel, A. *see* Bielle-Daspet, D. 87−52203
Mazel', A.G. *see* Dedyukh, R.I. 86−19664
Mazel, C. *see* Becker, M. 88−21537
Mazel, D.S., Hayes, M.H., III Reflections on Levinson's recursion [lattice filters] 88−66573
Mazel, D.S., Mielke, R.R. A new symbolic circuit analysis program suitable for classroom use 85−60696
Mazel, D.S. *see* Meilke, R.R. 86−57577
Mazel, D.S. *see* Zuckerwar, A.J. 87−8610
Mazel', R.E., Lappa, V.A., Talysheva, I.I. On the reliability of longitudinally-welded pipelines for conveying superheated steam for an 800 MW steam turbine unit 86−19096
Mazel', R.E., Sapronova, M.N., Talysheva, I.I. On the physical properties of welded joints of important equipment in power plants 87−57712
Mazeline, C. *see* Allen, D. 88−54188
Mazeline, C. *see* Asseo, E. 85−26681
Mazelis, B.L. *see* Lyashenko, I.N. 85−60234
Mazelsky, R., Fox, D.K. Development of large single crystals for electronic, electro-optic and acousto-optic devices 88−381
Mazelsky, R. *see* Singh, N.B. 88−63280
Mazen, S.A. *see* Ghani Awad, A.A. 85−18090
Mazen, S.A. *see* Wafik, A.A. 85−18555
Mazer, E. *see* Gahinet, P. 87−45436
Mazer, J.A., Linholm, L.W. An improved test structure and Kelvin-measurement method for the determination of integrated circuit front contact resistance 85−40832
Mazer, J.A., Linholm, L.W., Chern, J., Oldham, W.G. Comments with reply, on 'Determining specific contact resistivity from contact end resistance measurements' by J.G.J. Chern and W.G. Oldham 85−6748
Mazer, J.A. *see* Buchner, S.P. 88−26492
Mazer, J.A. *see* Lie, L. 86−28046
Mazerolle, D. *see* Dieulesaint, E. 87−53832
Mazeroue, D. *see* Dieulesaint, E. 88−39775
Mazess, R.B. *see* Vetter, J.R. 86−65414
Mazetis, G.R., Ebert, D.D. Pontryagin's optimal control principle applied to computer-assisted accident diagnostics in nuclear power plants 85−32290
Mazets, T.F. *see* Kolomiets, B.T. 87−45627
Mazette, T. Laying fibreoptic cables 86−49576
Mazgaj, W. *see* Drozdowski, P. 86−6750
Mazgon, S. Telecommunication services and facilities in Hungary to provide access to international databases 86−54647
Mazgon, S. Expression definitions of the Open Systems Interconnection (OSI) model 88−28377
Mazgon, S.K. Winding roads to an ISDN 86−64496
Mazharova, A.V. *see* Pelegov, Yu.F. 85−8249
Mazheika, L.Yu. *see* Kazhis, R.-I.Yu. 88−7774, 88−39781
Mazheika, L.Yu. *see* Kazhis, R.-I.Yu. 88−71861
Mazheika, R., Pozhera, R., Shirmulis, E., Tolutis, R.A. Photoconductivity of $Bi_{1-x}Sb_x$ alloys in the far-infrared spectral range 87−7201
Mazheikis, A.-P.A. *see* Verkyalis, I.Yu. 88−51700
Mazi, A.A., Wollenberg, B.F., Hesse, M.H. Corrective control of power system flows by line and busbar switching 86−50912
Mazi, A.A., Wollenberg, B.F., Hesse, M.H. Corrective control of power system flows by line and busbar switching 87−4271
Mazi, A.A. *see* El-Razaz, Z. 87−77950
Mazi, A.A. *see* Malik, N.H. 87−51201
Maziar, C.M., Klausmeier-Brown, M.E., Bandyopadhyay, S., Lundstrom, M.S., Datta, S. Monte Carlo evaluation of electron transport in heterojunction bipolar transistor base structures 86−63254
Maziar, C.M., Klausmeier-Brown, M.E., Lundstrom, M.S. A proposed structure for collector transit-time reduction in AlGaAs/GaAs bipolar transistors 87−1486
Maziar, C.M., Lundstrom, M.S. Caughey-Thomas parameters for electron mobility calculations in GaAs 86−53331
Maziar, C.M., Lundstrom, M.S. On the estimation of base transit time in AlGaAs/GaAs bipolar transistors 87−38202
Maziar, C.M. *see* Bandyopadhyay, S. 87−6642, 87−38173
Maziar, C.M. *see* Campbell, A.C. 87−74050, 88−57349
Maziar, C.M. *see* Garrod, S.A.R. 88−49410
Maziar, C.M. *see* Kesan, V.P. 88−39371
Maziar, C.M. *see* Schuelke, R.J. 86−13055
Maziarz, S. *see* Anderson, E. 87−4342, 88−5397
Maziarz, S. *see* Anderson, E.I. 85−9531
Maziasz, R.L., Hayes, J.P. Layout optimization of CMOS functional cells 87−67582
Maziewski, A., Kisielewski, M., Gornert, P., Brzosko, K. Unidirectional properties of $(YCa)_3(FeCoGe)_5O_{12}$ films 88−51256
Maziewski, A., Tekielak, M., Kubajewska, E. Spatial filter techniques analysis of magnetic domain grating for light switches 87−74889
Maziewski, A. *see* Gieniusz, R. 85−1836, 87−74888
Mazikov, V.V. *see* Bashilov, V.A. 87−74611
Mazilu, D. *see* Langbein, U. 88−8444
Mazilu, D. *see* Mihalache, D. 85−7537, 85−23087, 85−46454, 87−19048, 88−34120, 88−34380 to 34381, 88−45198
Mazilu, T. A self-adjusting waveguide-to-microstrip transition 87−66492
Mazin, M., Sano, J., Montrone, D.L., Cserhalmi, N.B. A modular memory building block approach for VLSI 86−2420
Mazin, M. *see* Henlin, D.A. 85−34021, 85−45130
Mazin, M.A., Pavelets, A.M., Sypko, S.A., Fursenko, V.D. Photodetector with broad spectral range based on polycrystalline cadmium telluride 86−14552
Mazin, M.A. *see* Ignatov, S.M. 85−9172
Mazin, V.D. *see* Davydov, A.B. 86−44775
Mazin, V.D. *see* Krotkov, I.N. 88−74221
Mazing, O.V. *see* Petrosyants, K.O. 87−52292
Mazing, V.E. *see* Aleshin, V.I. 87−68759
Mazing, V.E. *see* Bogomolov, N.M. 88−6559
Mazir, C.M., Lundstrom, M.S. Monte Carlo simulation of GaAs Schottky barrier behaviour 87−25203
Maziya, L.V., Popov, P.G., Strel'bitskii, E.K. Structure of a base computer-aided design system for electromechanical devices 88−17507
Maziya, L.V. *see* Krylov, O.A. 88−69314
Maziya, L.V. *see* Voskresenskii, A.P. 88−17591
Mazlack, L.J. *see* Samardar, M. 86−41088
Mazliah, J. *see* Naumann, S. 86−25264
Mazmanidi, E.I., Novichkov, S.G. Analysis of operating conditions for intermittent generation in a transistor converter with widened functional possibilities 87−64716
Mazmanishvili, A.S. The distribution of the time that the process at the output of an inertial detector, recording normal Markov noise, remains in a specified interval 86−48934
Mazmanishvili, A.S. Correlations of the distribution of readings of a Gaussian field in two-detector recording 86−60250
Mazmanishvili, A.S., Naumov, L.N. Noise immunity characteristics of a square-law detector with memory for the recording of signals in Markov noise 88−72955
Mazmanishvili, A.S. *see* Laskin, N.V. 86−37029
Mazmanishvili, A.S. *see* Lyubchik, L.M. 88−21207
Maznev, A.S., Rogov, A.N., Suslova, K.N. Switching stages in autonomous voltage inverters with an excess energy tap 85−39102
Maznev, A.S. *see* Kornev, A.S. 87−36018
Maznev, A.S. *see* Suslova, K.N. 85−39269
Maznik, S.M. *see* Grenaderova, L.A. 87−18552, 88−33577
Maznikin, N.S. *see* Teplyakov, D.I. 87−51091
Mazo, J.E. On binary differential detection for coherent lightwave communication 86−30754
Mazo, J.E. *see* Calderbank, A.R. 85−36183
Mazo, J.E. *see* Calderbank, R. 85−30172
Mazo, L. *see* Alliouat, M. 87−73158
Mazo, L. *see* Ashkinazi, G. 88−64498
Mazo, L. *see* Desgardin, G. 88−62776
Mazo Quintas, M. *see* Recucro Lopez, M. 85−12460
Mazokhin, V.N. *see* Devyatkov, N.D. 87−41996
Mazokhin, V.N. *see* Gelvich, E.A. 87−41995
Mazon, J.J. *see* Favre, J.C. 88−43754
Mazonas, B. *see* Howes, M.J. 86−58061
Mazonas, B. *see* Kitchen, J. 87−44671
Mazonas, B. *see* Watkins, D. 87−11065
Mazonson, S. Pay phones are a natural with STS [shared tenant services] 86−49352
Mazor, B., Morgan, N., Veeneman, D. Algorithm and hardware development for a 16 kb/s telephone codec 87−48749
Mazor, B., Pearlman, W.A. An optimal transform trellis code with applications to speech 86−10259
Mazor, B., Pearlman, W.A. A tree coding theorem for stationary Gaussian sources and the squared-error distortion measure 86−59215
Mazor, B., Veeneman, D. Medium bit-rate speech codec 88−73735
Mazor, B., Veeneman, D., Borkowski, D., Cao, T. ASET voice coding−algorithm and implementation 88−72863
Mazor, B., Veneman, D., Mintz, E. Adaptive subbands excited transform (ASET) coding [speech coding] 87−27341
Mazor, B. *see* Morgan, N. 87−20293
Mazor, B. *see* Veeneman, D.E. 87−61645
Mazor, I. *see* Davidson, M. 88−6303, 88−20050
Mazor, J., Galin, R. Monolithic controller builds PC network without toil or trouble 85−22960
Mazor, J.H. *see* Fischer, R. 85−54454
Mazor, S. Genesil−a real silicon compiler 86−9309
Mazor, S. *see* Johnson, S.C. 85−6992
Mazor, Yu.L., Petrenko, V.M. Recognition of noise-process spectrum type based on a maximum likelihood criterion 87−19688
Mazov, L.S. *see* Andronov, A.A. 86−29118
Mazover, V.V. *see* Trofimov, G.G. 86−6348, 87−71490
Mazoyer, J.-L. *see* Feuga, J.-R. 87−36246
Mazoyer, J.-L. *see* Orfeuil, M. 86−71122
Mazsuzaka, T. *see* Saitou, N. 85−35046
Mazuer, J. *see* Benbachir, K. 87−37916
Mazuer, J. *see* Chaussy, J. 85−35332
Mazuk, D. *see* Bing Chen 88−23802
Mazuk, S.M. *see* Allen, S.D. 85−415
Mazumdar, A.K. *see* Brugger, M. 85−37865
Mazumdar, D. *see* Bose, D.N. 86−35470
Mazumdar, H.S. *see* Biswas, S. 87−29599
Mazumdar, K.K. *see* Sen, A.K. 87−47196
Mazumdar, M., Sinha, B.K., Li, C.C. A comparison of several estimates of edge point in noisy digital data across a step edge 86−10555
Mazumdar, M., Wang, Y.P. On the application of Esscher's approximation to computation of generating system reliability and production costing indexes 86−18696
Mazumdar, M. *see* Li, C.C. 87−77413
Mazumdar, M. *see* Yan, J.-H. 87−23412, 88−6318
Mazumdar, R., Bagchi, A. A finitely additive white noise approach to filtering for two parameter diffusion processes 87−2538
Mazumdar, R. *see* Doubligeris, C. 88−52962
Mazumdar, R. *see* Douligeris, C. 88−35190
Mazumdar, S. *see* Lazar, A.A. 88−3421
Mazumder, B.C. *see* Saha, A.R. 85−895, 85−45209, 85−55080, 88−32286
Mazumder, G.G., Saha, P.K. A novel rectangular waveguide with double T-septums 86−22749
Mazumder, G.G., Saha, P.K. Rectangular waveguide with T-shaped septa 87−39441
Mazumder, G.G. *see* Saha, P.K. 87−73587
Mazumder, J. *see* Li, L.J. 85−51335
Mazumder, J. *see* Rockstroh, T.J. 85−48121
Mazumder, J. *see* Singh, J. 87−44396
Mazumder, M.K., Hiller, F.C. Particle analysis in the pulmonary tree by laser Doppler velocimetry 88−10331
Mazumder, M.K., Ware, R.E., Yokoyama, T., Rubin, B., Kamp, D. Measurement of particle size and electrostatic charge distributions on toners using E-SPART analyzers 88−27420
Mazumder, P. Evaluation of three interconnection networks for CMOS VLSI implementation 87−18339
Mazumder, P. Evaluation of on-chip static interconnection networks 87−38358
Mazumder, P. Circuit converts 7-segment code to decimal 87−52781
Mazumder, P. Parallel testing of parametric faults in a three-dimensional dynamic random-access memory 88−63674
Mazumder, P. A new strategy for octree representation of three-dimensional objects 88−73318
Mazumder, P., Patel, J.H. Methodologies for testing embedded content addressable memories 87−66195
Mazumder, P., Patel, J.H. A novel fault-tolerant design of testable dynamic random access memory 88−25220
Mazumder, P., Patel, J.H. Parallel testing of parametric faults in a DRAM 88−44176
Mazumder, P., Patel, J.H., Fuchs, W.K. Design and algorithms for parallel testing of random access and content addressable memories 87−66192
Mazumder, P., Patel, J.H., Fuchs, W.K. Methodologies for testing embedded content addressable memories 88−32206
Mazumder, P., Tartar, J. Universal seven segment code to decimal decoder 86−20674
Mazumder, P. *see* Fuchs, K. 88−63738
Mazumder, P. *see* Fuchs, W.K. 88−33345
Mazunder, P., Patel, J.H. An efficient built-in selftesting for random access memory 88−19155
Mazunin, V.P. *see* Kulesskii, R.A. 87−31010
Mazunov, V.A., Muftakhov, M.V., Khvostenko, V.I. Measurement of total negative-ion current with MI1201 mass spectrometer 86−60506
Mazur, A., Kerszenbaum, I., Frank, J. Maximum insulation stresses under transient voltages in the HV barrel type winding of distribution and power transformers 87−72220
Mazur, A., Kerszenbaum, I., Frank, J. Maximum insulation stresses under transient voltages in the HV barrel-type winding of distribution and power transformers 88−69457
Mazur, A. *see* Kerszenbaum, I. 88−62425
Mazur, A.P., Ungar, L.Y. Functional faults as an alternative to stuck-at faults for VLSI and ASIC based boards 88−57785
Mazur, A.S. An induction asymmetric thyristor-controlled drive with a capacitor 85−49141
Mazur, A.S. *see* Gerasimyak, R.P. 86−33742
Mazur, A.V. *see* Ryabov, A.S. 88−16091
Mazur, B., Lyons, R. Equalization of TDMA links using in-service impulse response measurement 85−7957
Mazur, B. *see* Nguyen, N. 86−24022
Mazur, B.A. *see* McMillen, G.R. 86−17342, 87−20444
Mazur, B.A. *see* Murthy, K.M.S. 86−54721
Mazur, E.I. Probabilistic analysis of test generator on shift register with feedbacks 87−44738
Mazur, E.I. Combinatorial estimation of quality characteristics of generator of locally trivial tests 88−625

Mazur, E.M., Perhay, M.J., Sentoff, M., Spencer, J.H. New voice and data features for Centrex 85−51877
Mazur, E.M., Perhay, M.J., Sentoff, M., Spencer, J.H. New voice and data features for Centrex 85−63209
Mazur, G.B., Menzies, R.W. Damping of harmonic resonances in static compensators by modulation of the TCR firing angle 88−68825
Mazur, G.B. *see* Fletcher, D.E. 88−68906
Mazur, H. Measurement in the GHz range, taming high frequencies. A prescaler for TV tuners makes it possible 85−6403
Mazur, J. Theoretical study of solid-state plasma waveguide circulator 86−58030
Mazur, J., Ostaszewska-Kitlinska, G., Zieniutycz, W. Experiments with field displacement microwave ferrite devices 85−1858
Mazur, J., Zagan, W. Headlight reflector calculation by the elementary reflection method 85−53905
Mazur, J. *see* Fischer, R. 85−55856
Mazur, J. *see* Mrozowski, M. 86−48634, 87−75546, 88−66136
Mazur, J. *see* Okoniewski, M. 88−50302
Mazur, J.H., Washburn, J., Ficher, R., Henderson, T., Klem, J., Masselink, W.T., Kopp, W., Morkoc, H. TEM combined with $\mathrm{Al}_x\mathrm{Ga}_{1-x}\mathrm{As}$ marker layers as a technique for the study of GaAs MBE growth 86−26851
Mazur, J.H., Washburn, J., Henderson, T., Klem, J., Masselink, W.T., Fischer, R., Morkoc, H. TEM investigation of polar-on-nonpolar epitaxy: GaAs-AlGaAs on (100) Ge 86−13775
Mazur, J.H. *see* Fathauer, R.W. 88−49813, 88−63330
Mazur, K. *see* Guadagna, L. 88−5071
Mazur, K.M. *see* Zenyuh, J.P. 88−4569
Mazur, N.I. *see* Kazakevich, O.Ya. 85−5392
Mazur, P. Colour TV set NEPTUN 505 85−63811
Mazur, P. Potential barrier at the NaCl-Si(111) interface 88−64352
Mazur, P., Djafari-Rouhani, B. Radiation losses from guided waves in optical fibers. II. General surface roughness 86−28827
Mazur, P. *see* Aronson, S. 88−61122
Mazur, P.M. *see* Lenz, W.J. 85−33000
Mazur, P.O. *see* Anassontzis, E. 86−32202
Mazur, P.O. *see* Cox, B. 85−64465
Mazur, P.O. *see* Fisk, H.E. 86−31827
Mazur, P.O. *see* Garbincius, P.H. 85−26602
Mazur, P.O. *see* Kuchnir, M. 87−70931
Mazur, P.O. *see* Rameika, R. 85−43186
Mazur, P.O. *see* Strait, J. 87−74617, 88−54294, 88−68133
Mazur, P.O. *see* Wagoner, D.E. 85−64464
Mazur, R.G. The effects of RF electromagnetic radiation on spreading resistance measurements [metal-semiconductor contacts] 85−55574
Mazur, R.G. Mapping silicon wafers by spreading resistance 88−7297
Mazur, V., Zrnic, D.S., Rust, W.D. Transient changes in Doppler spectra of precipitation associated with lightning 87−76848
Mazur, V. *see* Doviak, R.J. 87−63965
Mazur, V. *see* Pitts, F.L. 88−74925
Mazur, V.A. *see* Kakhramanov, K.Sh. 86−19513
Mazur, Yu.I. *see* Kosichkin, Yu.V. 86−21108
Mazur, Z. *see* Bieler, M. 88−54053
Mazura, P. Standardisation in constructional techniques for electronic equipment 85−5711
Mazura, P. Microprocessor construction systems for VMEbus and Multibus II 86−40545
Mazura, P. Bus-transfer. 19″ design system for Multibus II 86−66617
Mazura, P. High-frequency screening on 19″ setup systems. Improvement of the electromagnetic compatibility (EMV) of electronic appliances 87−54599
Mazura, P. To each application its own housing. Three housing series for commercial electronics 87−65205
Mazura, P. Cools and protects simultaneously. Housings for microcomputer technology 88−49524
Mazura, P. Electronics safely housed: new cabinet and console concepts for the controls 88−63042
Mazurczyk, V.J., Bergano, N.S., Wagner, R.E., Walker, K.L., Olsson, N.A., Cohen, L.G., Logan, R.A., Campbell, J.C. 420 Mb/s transmission through 203 km using silica-core fiber and a DFB laser 86−11123
Mazure, A.J. *see* Hinterlong, S.J. 86−70367
Mazure, C., Martelli, F., Gold, A., Grzesik, U., Chang, H.R., Koch, F. Subband resonance at Na^+-contaminated Si-SiO_2 interfaces 85−40544
Mazure, C. *see* Orlowski, M. 88−39475
Mazure, M.-L. Parallel addition of operators interpreted as inf-convolutions of convex quadratic forms 87−5564
Mazure, M.-L. Parallel substraction operator interpretation via deconvolution of convex quadratic forms 88−18601
Mazurek, B. Of development of electrical discharges in high voltage vacuum insulation. Selected problems 85−12449
Mazurek, B., Cross, J.D. An energy explanation of the area effect in electrical breakdown in vacuum 87−66804
Mazurek, B., Ranachowski, J. On the size effect in the testing of breakdown voltage of PE power cables 85−32184
Mazurek, B. *see* Cross, J.D. 87−37773, 87−37777, 88−38960, 88−38964
Mazurek, J. *see* Kus, A.J. 85−8501
Mazurek, K. *see* Marciniak, M. 88−15937
Mazurek, P., Brylowska, I., Subotowicz, M. Growth of the four-component thin InGaAsP layers by LPE method on InP substrate for EL-diodes 86−68404
Mazurek, P. *see* Scibior, H. 85−35609, 86−68388
Mazurek, W. *see* Cyraniak, M. 88−5377
Mazurenko, A.K., Nosik, L.P., Kubareva, I.S. Redundancy in microcomputer-based control systems [electric utility control] 85−48548
Mazurenko, A.K., Nosik, L.P., Serebryakova, L.V. Backup for protection and control systems based on microcomputers operating in real time 87−9650
Mazurenko, A.K. *see* Kulakov, V.P. 86−51779
Mazurin, O.V. *see* Altshuler, G.B. 88−33967
Mazurina, N.I. *see* Babaev, A.I. 88−61157
Mazurina, T.M. *see* Godlevskaya, S.V. 87−72792
Mazurkevich, V.N. *see* Gerasimovich, A.N. 86−19201
Mazurkiewicz, A., Chadrian, L., Burek, K. Boilers with fluidized bed furnaces and circulating bed combustion 88−75419
Mazurkiewicz, A. *see* Polaszek, E. 85−20924
Mazurkiewicz, J. Brushless motors 87−22236
Mazurkiewicz, J., Toms, J. Which adjustable speed technology is best for my application? 88−75987
Mazurkov, M.I. Optimization of the direct computation of circular convolutions of discrete signals 88−21192
Mazurov, A.I., Danilov, V.A., Novikova, L.I., Flerova, N.M. TV medical endoscopes 88−36442
Mazurov, N.V. *see* Gobrei, R.N. 87−30865
Mazurov, Vl.D., Krivonogov, A.I., Kazantsev, V.S., Sachkov, N.O., Beletskii, N.G. Committees in decision-making 85−7911
Mazurov, V.M., Karpov, V.S., Chinaev, P.I., Panarin, V.M., Malyutin, A.A., Shestakov, V.N. A system of automatic tracking of the joint using the arc as the sensing element 85−53984
Mazurov, V.P. Measure of resistance ratios 86−24672
Mazuruk, K. *see* Banzaquen, M. 87−11352
Mazuruk, K. *see* Benzaquen, M. 87−24785, 87−45580, 87−45597, 88−1371, 88−7309
Mazuruk, K. *see* Walsh, D. 88−32881
Mazus, J., Stachowski, W., Wieczorek, G. Experimental testing of Ferroresonance in a Set consisting of a circuit breaker and a 110 kV voltage transformer 85−44033
Mazutis, J., Phillips, J. COMNET: a broadband voice, video and data network for the Canadian House of Commons. I. The requirements 86−37532
Mazza, A. *see* Coppadoro, F. 87−79055
Mazza, C. Data processing systems at ESOC 87−71266
Mazza, D.J. *see* Arias, R.H. 87−34999
Mazza, G. *see* Bargigia, A. 86−68055, 87−30268, 88−43340
Mazza, G. *see* Bossi, A. 86−70729
Mazza, M. *see* Greenberg, R. 86−44129
Mazza, T. Power switching components: NEMA vs. IEC 86−66212
Mazzaferro, J. Selection of proper T1 transport solutions now will ease future transition to ISDN networks 87−76030
Mazzaldi, P. *see* Canali, C. 85−29543
Mazzanti, M. *see* Bene, P. 88−56532
Mazzanti, M. *see* Bonesini, M. 88−23001, 88−29823, 88−61141
Mazzarella, F. Note on the essential singularities of functions of one complex variable and on Picard's theorem 88−11900
Mazzarella, G., Panariello, G. Design of slot arrays for SAR applications 87−75612
Mazzarella, G., Panariello, G. On the evaluation of mutual coupling between slots 88−27662
Mazzarella, G., Panariello, G. Fast computation of mutual coupling in slot arrays 88−66222
Mazzarisi, A. *see* Landini, L. 86−11939, 88−4899
Mazzei, M.G. *see* Taddei, A. 85−9203, 85−53077
Mazzei, P. *see* Manca, O. 88−47468
Mazzei, P. *see* Mastrullo, R. 85−15085
Mazzei, R., Bernaola, O.A., Molinari de Rey, B. Compound nucleus cross section in Makrofol E irradiated with 55 MeV alpha particles 85−64483
Mazzei, R., Bernaola, O.A., Molinari de Rey, B., Cabrini, R. Replica method for evaluation of submicroscopic nuclear tracks in solid state track detectors 85−64487
Mazzei, R. *see* Martin, G.S. 88−4846
Mazzei, U. *see* Burattin, A. 86−23257, 86−23830, 87−40002
Mazzei, U. *see* D'Angelo, A. 85−2951, 85−51908
Mazzeo, A. *see* Fadini, B. 85−36534
Mazzeo, E.P., Dalmati, D.E., Rosso, E.A. A digital data processing system 85−2900
Mazzer, M. *see* Cerdonio, M. 87−74570
Mazzer, M. *see* Miotello, A. 86−63592
Mazzetti, C., Nucci, C.A., Flisowski, Z. Comparative analysis of lightning and nuclear electromagnetic pulses 88−72597
Mazzetti, C., Nucci, C.A., Ianovici, M., Rachidi, F. Frequency analysis of lightning stroke electromagnetic fields 88−8514
Mazzetti, C., Pompili, M. An approach to designing a wind-power station for rural electrification 86−33242
Mazzetti, C., Pompili, M. Partial discharges inception voltage of insulating oils in power transformers 87−25653
Mazzetti, C., Pompili, M. Volt-time characteristics of insulating oils stressed by lightning impulses 88−44901
Mazzetti, C., Pompili, M. Partial discharge inception voltage test for dielectric liquids 88−51048
Mazzetti, C. *see* Burattin, A. 86−23257, 87−40002
Mazzetti, C. *see* Carrus, A. 86−68082
Mazzetti, C. *see* Del Pistoia, A. 87−8079, 87−33903
Mazzetti, C. *see* del Pistola, A. 87−34247
Mazzetti, C. *see* Flisowski, Z. 86−12494, 86−56209, 87−42024
Mazzetti, C. *see* Honorati, O. 88−51090
Mazzetti, P. *see* D'Amico, A. *(editor)* 86−61842
Mazzi, G. *see* Al-Shurkri, S.M. 87−54039
Mazzi, G. *see* Campari, A. 86−22102
Mazzi, G. *see* Canali, C. 86−15455, 86−36224 to 36225
Mazzinghi, P. *see* Castagnoli, F. 87−41043
Mazzinghi, P. *see* Rivano, V. 85−2251
Mazzocca, G. *see* Willems, J.L. 86−11975
Mazzocca, G.F. *see* Taddei, A. 85−9203, 85−53077
Mazzochette, J. *see* Blacka, R. 88−44270
Mazzochette, J.B. An interference cancellation system for a hopping HF military communication network 86−30587
Mazzola, M.S., Molen, G.M. Investigation of a plasma loudspeaker 87−20794
Mazzola, M.S., Molen, G.M. Modeling of a DC glow plasma loudspeaker 87−70315
Mazzola, M.S. *see* Schoenbach, K.H. 88−57036
Mazzoldi, F. *see* Carcanc, C. 86−12906
Mazzoldi, P. *see* Canali, C. 85−18739, 85−46129, 86−36224, 86−48096
Mazzoldi, P. *see* Demichelis, F. 86−27895, 86−53323, 87−24808
Mazzoleni, B. Characteristics of components for high-voltage armoured stations 86−39907
Mazzoleni, B. *see* Bargigia, A. 86−51862
Mazzoleni, C., Pinna, G., Cobelli, F., Opasich, C., Riccardi, G., Specchia, G. Evaluation of precision and accuracy of a program for the analysis of 12 simultaneous ECG leads during exercise test 87−21611
Mazzoleni, C. *see* Pinna, G. 85−59245
Mazzolidi, P. *see* De Sario, M. 85−35482
Mazzolini, S. Cutting repair costs 87−66728
Mazzolini, S. Printed-circuit board production and accompanying quality assurance 88−50522
Mazzon, L., Vecchio, D. Bimode trolleybuses: results and perspectives 85−65530
Mazzone, A.M. Three-dimensional Monte Carlo simulations. II. Recoil phenomena [ion implantation] 85−23632
Mazzone, A.M. Defect distribution in ion-implanted silicon. A Monte Carlo simulation 86−58383
Mazzone, A.M. Theoretical problems in ion implantation and the Monte Carlo methods 87−1380
Mazzone, A.M. *see* Bianconi, M. 87−30933
Mazzone, A.M. *see* Cembali, F. 86−1998, 86−8992
Mazzone, A.M. *see* Garofalo, F. 87−24786
Mazzone, L. *see* Fischer, H.M. 87−21417
Mazzone, T.W. *see* Hebda, C.A. 88−73478
Mazzoni, M. *see* Buffa, R. 86−58897
Mazzoni, M.A. *see* Baroni, G. 85−9097, 87−29613
Mazzoni, O.S. Engineering education versus industry expectations: bridge the gap 88−62953
Mazzoni, R. CMOS, to stay leader 85−39972
Mazzoni, R. Operation Unix 85−54073
Mazzoni, R. Flanges, semiconductors and computer 86−28080
Mazzoni, R. *see* Miller, W. 85−20494
Mazzotti, C. *see* Baroni, M. 85−53044
Mazzotti, M. *see* Buzzi-Ferraris, G. 85−39669
Mazzucato, E. *see* Argan, P. 85−26553
Mazzucato, E. *see* Bardin, G. 87−77536
Mazzucato, M. *see* Anguilar-Benitez, M. 87−71031
Mazzucato, M. *see* Barichello, G. 87−29503
Mazzucato, M. *see* Checchia, P. 86−65330
Mazzucato, S. *see* Belli, M. 87−63752
Mazzucchelli, L. The role of CASE in electronic product development 88−11700
Mazzucchelli, M. *see* Bertini, S. 86−52006
Mazzucchelli, M. *see* Carpita, M. 88−30898

Mazzucchelli, M. *see* Cesario, P. 87−44590, 88−18129, 88−49065, 88−69542
Mazzucchelli, M. *see* Dalle Molle, D. 87−58097
Mazzucchelli, M. *see* Denegri, G.B. 85−44245
Mazzucchelli, M. *see* Franzo, G. 85−27703, 86−7186, 87−43007
Mazzucchelli, M. *see* Liberti, G. 88−62447
Mazzucchelli, M. *see* Marchesoni, M. 88−75742
Mazzullo, T. Improved autorouting makes old algorithm do new tricks 88−44437
Mbanu, A. *see* Ross, I.N. 85−53025
M'Barek, N. *see* Alimoussa, L. 86−40789
M'Baye, A. *see* Contour, J.P. 85−10107
Mbaye, A.A., Turco, F., Massies, J. Role of elastic strain and relaxation on the molecular-beam epitaxial growth of III-V alloy pseudomorphic layers 88−63328
Mbewe, D.J., Card, H.C., Card, D.C. A model of silicon solar cells for concentrator photovoltaic and photovoltaic/thermal system design 86−19500
Mboko, H. *see* Tosser, A.J. 87−53877
Mdivnishvili, M.O. *see* Barkhudarov, E.M. 86−15806
Mdzinarishvili, A.T. *see* Khvostov, V.S. 87−36013
Me, K.H. *see* Schutte, W. 88−54312
Mea, G.A.Della *see* Della Mea, G.A.
Mea, G.Della *see* Della Mea, G.
Meacham, G.B.K. Autostereoscopic displays—past and future 87−20949
Meachem, M.A. A new, low cost high precision digital gauge system 86−31479
Mead, C. A sensitive electronic photoreceptor 86−9693
Mead, C., Conway, L. Introduction to VLSI systems 86−40417
Mead, C., Wawrzynek, J. A new discipline for CMOS design: an architecture for sound synthesis 86−8093
Mead, C. *see* Lyon, R.F. 88−68473
Mead, C. *see* Nielsen, L. 87−77692
Mead, C. *see* Sivilotti, M. 86−8248
Mead, C. *see* Whitney, T. 87−32655
Mead, C.A. *see* Armour, I.A. 88−8343
Mead, C.A. *see* DeWeerth, S.P. 88−46322
Mead, C.A. *see* Lin, T.-M. 85−497, 86−46458
Mead, C.A. *see* Lyon, R.F. 88−71778
Mead, C.A. *see* Maher, M.A. 87−67606
Mead, C.A. *see* Maher, M.A.C. 87−11826
Mead, C.A. *see* Sivilotti, M.A. 87−25544, 87−67608
Mead, C.N., Clark, K.W., Platt, J.C., Thomas, L.J., Jr. ARGUS algorithm development: a decade of progress—results of final system evaluation and implementation in a CMOS environment 85−53069
Mead, D., Hine, J. Sapphire—the leading SOI technology 87−46204
Mead, D. *see* McManus, P. 85−14924
Mead, E.F. Building a corporate quality culture: a test case 85−54170
Mead, G. *see* Edwards, M.E. 88−29276
Mead, J.B. *see* McIntosh, R.E. 88−60239
Mead, J.W. *see* Asselmeier, A.E. 86−13595
Mead, N.S., Purves, D.W. Microwave packages and their integration 86−52291
Mead, R. *see* Ruchti, R. 85−37950, 85−43275, 87−41845
Mead, R.D., Baughcum, S.L., Fisher, C.H., Kushner, M.J., Ewing, J.J. A hybrid chemical/excimer laser concept 88−58465
Mead, R.T. *see* Keister, P. 86−13011
Mead, T.R. *see* Nistler, J.L. 87−11897
Mead, T.W., Childs, I. Scratch and dirt concealment within a CCD-based telecine 85−3764
Meade, D., Arredondo, C., Gonzalez-Santalo, J., Hernandez, J.M., Flores, E., del Valle, E., Sepulveda, F. Optimization of resources and shared-management in probabilistic risk analysis 85−48755
Meade, D. *see* Vujosevic, M. 85−54199
Meade, E. *see* Brownson, J. 88−4476
Meade, J. Winning small in voice recognition 86−22939
Meade, J.G. *see* Finnigan, P.F. 87−7964
Meade, W.R. Utility interests in cogeneration and small power production 85−59533
Meader, C.B., Kwatra, S.C., Stevens, G.H. Simulated performance of the NASA 30/20 GHz test transponder using multi-h phase coded modulation 86−64940
Meader, C.B. *see* Paul, H.I. 88−22030
Meador, W.E. *see* Harries, W.L. 86−29081
Meadors, H.C., Jr. *see* Gitlin, R.D. 88−46838
Meadors, H.C., Jr. *see* Ho, E.Y. 85−46675
Meadors, J.G. *see* Birchmeier, J.R. 85−9282
Meadors, J.G. *see* Shubert, K.A. 85−9246
Meadow, C.T., Tedesco, A.S. Telecommunications for management 86−13271
Meadowcroft, M. Design for testability of assembled PCBs 88−44447
Meadows, B. *see* Ashford, V. 86−50391, 87−41835
Meadows, B. *see* Hallewell, G. 88−68213
Meadows, B. *see* Johnson, R. 88−68277
Meadows, B. *see* Spencer, E. 88−61189
Meadows, B. *see* Va'Vra, J. 88−61103
Meadows, C., Mutchler, D. Matching secrets in the absence of a continuously available trusted authority 87−40366
Meadows, G. *see* Free, B. 86−14787
Meadows, G.A. Fabrication of slots in a cathode front surface using a pinhole ion lens 86−14789
Meadows, G.A. *see* Shuchman, R.A. 85−64697
Meadows, H.B. *see* Scott, J.F. 87−53840
Meadows, H.E. *see* Cerf, G.C. 88−507
Meadows, H.E. *see* Hakim, N. 88−4943
Meadows, P.J. *see* Quegan, S. 87−49178
Meadows, P.M., McNeal, D.R., Su, N.Y., Tu, W.W. Development of an implantable electrical stimulation system for gait applications in stroke and spinal cord injured patients 88−48235
Meadows, P.M., Su, N., Kannenberg, D.P., McNeal, D.R. Implantable gait simulation: a system overview 87−14942
Meadows, P.M., Winstein, C.J., Bowman, B.R. Weight transfer training using biofeedback and electrical stimulation 86−25266
Meadows, P.M. *see* Kannenberg, D.P. 87−14943
Meadows, P.M. *see* McNeal, D.R. 85−48325
Meadows, R., Parsons, L. Practical approach to satellite television reception 86−59811
Meads, D. Remote controller with high noise immunity 85−47155
Meads, P.F. *see* Younger, F.C. 88−47958, 88−61426
Meads, P.F., Jr. A new FFAG orbit code 86−31939
Meads, P.F., Jr., Wustefeld, G. An FFAG compressor and accelerator ring studied for the German spallation neutron source 86−31944
Meads, P.F., Jr. *see* Wustefeld, G. 88−54000
Meads, R.S. *see* Szczepanek, A. 86−10820
Meagher, B. *see* Lin, L.-J. 88−64240
Meagher, J.F. *see* Graham, J.H. 85−22204
Meagher, R.M. Videotex goes private and DEC leads the way 86−59563
Meaker, T.A. Product assurance: A structure for reducing risks in the future 86−60875
Meakin, A.D., Sewell, J.I., Wolovitz, L.B. Techniques for improving the efficiency of analysis software for large switched-capacitor networks 86−57951
Meakin, D. A new low temperature polysilicon CVD process 88−70357
Meakin, D., Papadopoulou, K., Friligkos, S., Stoemenos, J., Migliorato, P., Economou, N.A. Pressure dependence of the growth of polycrystalline silicon by low-pressure chemical-vapour deposition 88−24784
Meakin, D., Stobbs, M., Stoemenos, J., Economou, N.A. Low-temperature epitaxial growth of silicon by low-pressure chemical vapor deposition 88−38227
Meakin, D. *see* Karakostas, T. 88−43936
Meakin, D.B., Coxon, P.A., Migliorato, P., Stoemenos, J., Economou, N.A. High-performance thin-film transistors from optimized polycrystalline silicon films 87−60446
Meakin, D.B., Economou, N.A., Coxon, P.A., Stoemenos, J., Lowe, A., Migliorato, P. Low defect-density polycrystalline silicon for high performance thin film transistors 88−12035
Meakin, D.B. *see* Ahmed, W. 87−23651, 87−52202
Meakin, D.B. *see* Bryer, N.J. 88−42209
Meakin, D.B. *see* Dimitriadis, C.A. 88−32853
Meakin, D.B. *see* Hilsum, C. 88−74540
Meakin, D.B. *see* Jones, B.L. 87−16686
Meakin, D.B. *see* Migliorato, P. 88−13375
Meakin, J.D. Status of $CuInSe_2$ solar cells 86−19496
Meakin, J.D., Birkmire, R.W., DiNetta, L.C., Lasswell, P.G., Phillips, J.E. Thin film tandem solar cells based on $CuInSe_2$ 86−66341
Meakin, J.D. *see* Birkmire, R.W. 86−7151, 86−40136, 86−66339, 87−9857
Meakin, J.D. *see* Damaskinos, S. 88−37572
Meakin, J.D. *see* Hegedus, S.S. 87−51469
Meakin, J.D. *see* Lommasson, T.C. 88−37569
Meakin, J.D. *see* Rocheleau, R.E. 88−37534
Meakin, J.D. *see* Shea, S.P. 86−1730
Meakin, J.D. *see* Thornton, J.A. 86−7850
Meakin, J.D. *see* Coutts, T.J. *(editor)* 88−55884
Meakin, M. The LM3578 switching power regulator 86−57614
Meakin, M. Quad of quad op amps are application optimised 86−57680
Meakin, M. Multipurpose comparator for applications with the motor car 88−55700
Meal, D.V. *see* Eriksson, A.J. 85−27046, 86−6425 to 6426, 87−15373
Meal, D.V. *see* Geldenhuys, H.J. 86−6438
Meale, B.M. *see* MacDonald, P.E. 88−48699
Mealing, A.W., Jones, W.R. SEMAC—a microprocessor system for remote monitoring and control of engine generators 85−65162
Mealing, G.A.R. *see* Schwartz, J.L. 85−64543, 86−56201
Mealy, D. The basics of ASICs 88−71632
Mealy, G.L. Real time disturbance recognition in electric power systems 87−150
Mean, P. Structure of the perspectives for electricity consumption: the place of savings and of new uses 87−42314
Mean Park Kwang *see* Kwang Mean Park
Mean Shiea Lei *see* Lei Mean Shiea
Meana, A. *see* Lorenzo, E. 86−45298
Meandzija, B. Dynamic protocol definitions 86−49312
Meandzija, B. On the run-time specification of protocol architectures 87−28224
Meandzija, B. Design and automated generation of protocol architectures using Archetype 88−9182
Meandzija, B., Ho, W.P.-C. Towards truly open systems 88−21417
Meaney, D. *see* Feinberg, B. 88−54142, 88−61017
Meaney, P.M. *see* Schaubert, D.H. 86−54280
Meaney, T.F. *see* Feiglin, D.H. 85−38094
Means, R.H., Field, D.J. Next generation sound systems: the acoustic objectives 87−51594
Means, R.H. *see* Eargle, J.M. 85−3803
Meany, T.F. *see* Thian, C.Ng. 86−50536
Meares, L.G. New simulation techniques using SPICE 86−62380
Mearig, S.G. Thick liquid photoresist for improving image and plating resolution 86−58142
Mearig, S.G. *see* Currier, R.T. 86−8626
Mears, A.L. Very high performance integrated circuits 86−9268
Mears, A.L. VLSI applications 87−67368
Mears, C.A. *see* Hu, Q. 88−56927
Mears, C.L., Batchman, T.E. An evaluation of the quantum efficiency of optical heterodyne detectors 87−65943
Mears, J. To clear system bottlenecks drive backplanes with ECL 88−7214
Mears, J., Knorpp, K., Hanson, D. High density static RAM blends process and proven architecture 87−6891
Mears, J. *see* Hartwig, R. 86−9285
Mears, J.A. Tools for high speed logic design and analysis 87−65656
Mears, L.D., Brown, M.L. America considers the modular HTGR 86−12580
Mears, L.D., Dean, R.A. The design, safety and project development status of the modular high temperature gas-cooled reactor in the United States 88−30523
Mears, L.D., Russ, J.E., III Cogeneration application of the high temperature gas-cooled reactor 85−9652
Mears, R. *see* Barlow, A.J. 87−12167
Mears, R. *see* Reekie, L. 88−65873
Mears, R.J., Reekie, L., Jauncey, I.M., Payne, D.N. Low-noise erbium-doped fibre amplifier operating at 1·54 μm 87−75046
Mears, R.J., Reekie, L., Poole, S.B., Payne, D.N. Neodymium-doped silica single-mode fibre lasers 85−62542
Mears, R.J., Reekie, L., Poole, S.B., Payne, D.N. Low-threshold tunable CW and Q-switched fibre laser operating at 1.55 μm 86−29095
Mears, R.J., Varnham, M.P., Payne, D.N., Barlow, A.J. Polarisation control in resonant-ring fibre gyroscopes 86−2777
Mears, R.J. *see* Jauncey, I.M. 86−29096, 86−54124, 87−7347, 87−39045
Mears, R.J. *see* Payne, D.N. 87−46814
Mears, R.J. *see* Payne, F.P. 87−12112
Mears, R.J. *see* Reekie, L. 86−48382
Mears, R.J. *see* Schallen, E. 88−58177
Mease, N. *see* Benson, K. 87−41439
Measel, P. *see* Brucker, G.J. 87−31875, 88−24969
Measel, P.R. *see* Criswell, T.L. 85−22934, 88−26493
Measures, R.M., Glossop, N.D.W., Lymer, J., Tennyson, R.C. Development of a structurally imbedded fiber optic impact damage detection system for composite materials 88−67874
Meats, R.J. *see* Hampton, B.F. 88−37345
Meaudre, M. *see* Meaudre, R. 86−28150, 87−12297, 88−50617
Meaudre, R. The pre-exponential factor in the conductivity of undoped hydrogenated amorphous silicon 85−55484
Meaudre, R. Some problems encountered during the measurement of the activation energy of dark conductivity of undoped hydrogenated amorphous silicon films 87−53211
Meaudre, R., Meaudre, M., Jensen, P., Guiraud, G. Thermal-equilibrium processes and electronic transport in undoped hydrogenated amorphous silicon 88−50617
Meaudre, R., Mezhoudi, A. Conduction-band tail width and minimum metallic conductivity in a-Si_xN_{1-x}:H films studied by photoconduction and optical absorption 85−18101
Meaudre, R., Mezhoudi, A., Meaudre, M., Tardy, J. Effects of boron doping on electrical and optical properties of a-Si_xNi_{1-x}:a-Si_xN_{1-x}:H films prepared by DC sputtering 86−28150
Meaudre, R., Mezhoudi, A., Meaudre, M., Tardy, J. Photoelectronic and optical properties of B doped DC sputtered hydrogenated silicon nitride compounds 87−12297
Meazawa, S., Yazawa, S., Niwa, K., Ushiki, T., Takano, T., Wakai, Y., Baba, H., Suzuki, M., Koide, K. MIM LC-TV using new driving method 88−16305
Meca, F. Reduction of hillock growth in sputtering systems 88−13190

Mecea, V., Ghete, P. Thermocompensated ultrasonic hydrogen detector 85−4510

Mechali, J.D. The Riaba mini hydro scheme in Equatorial Guinea 88−69183

Mechergui, H. *see* Stantchev, I. 88−18976

Mecherle, G.S. Impact of laser diode performance on data rate capability of PPM optical communication 86−30841

Mecherle, G.S. Detection alternatives for pulse position modulation (PPM) optical communication 87−19378

Mecherle, G.S. Laser diode combining for free space optical communication 87−20530

Mecherle, G.S. Docking/berthing sensor using a laser diode rangefinder, CCD and video tracker 88−61535

Mecherle, G.S., Barry, J.D. Laser communication terminals with automatic video tracking 88−53297

Mecherle, G.S., Engleman, J.H. Considerations for accelerated laser diode life testing 87−75118

Mecherle, G.S. *see* Barry, J.D. 85−31071, 85−51166, 86−23925, 87−20452

Mechetin, A.M. *see* Afanas'ev, V.V. 85−24314

Mechetin, A.M. *see* Ageev, V.N. 88−39025

Mechetin, A.M. *see* Arkhipova, T.A. 85−23365

Mechetin, A.M. *see* Borisov, V.V. 86−49986

Mechetin, A.M. *see* Vysogorets, M.V. 86−1646

Mechetner, B.Kh. *see* Akulina, G.A. 86−36557

Mechev, V.S. Arc wandering in consumable electrode welding 85−60609

Mechev, V.S., Eroshenko, L.E. Parameters of the arc column close to the work in argon TIG welding 85−53962

Mechev, V.S., Eroshenko, L.E., Zhainakov, A.Zh., Slobodyanyuk, V.S., Samsonov, M.A., Engel'sht, V.S. Characteristic features of the columns of arcs running in argon with non-consumable electrodes tapered at different angles [arc welding] 85−32844

Mechev, V.S., Sychev, L.I., Asanov, D.S., Zhainakov, A.Zh., Slobodyanyuk, V.S., Samsonov, M.A., Engel'sht, V.S. Calculation of the welding arc characteristics in consumable electrode welding 85−5575

Mechev, V.S., Sychev, L.I., Slobodyanyuk, V.S., Zhainakov, A.Zh., Engel'sht, V.S., Samsonov, M.A. Change in characteristics of the welding arc during the formation of droplets in CO_2 welding with a consumable electrode 85−16478

Mechev, V.S. *see* Eroshenko, L.E. 86−1606

Mechkov, B.Ch. *see* Gospodinov, G.A. 85−39302

Mechler, M.V. Another look at P/AR 86−65150

Mechling, J.A. *see* Jones, K.M. 87−4033

Mechling, J.A. *see* Wong, T.Z. 86−60745

Mecholsky, J.J. *see* Hartouni, E. 88−6535

Mecholsky, J.J. *see* Wysocki, J.A. 88−58053

Mechterscheimer, G. *see* Frank, K. 88−57275

Mechtersheimer, G., Kohler, R. Multichannel pseudo-spark switch (MUPS) 87−37847

Mechtersheimer, G., Kohler, R., Meyer, R. High repetition rate, fast current rise, pseudo-spark switch 86−61687

Mechura, J. *see* Endrst, J. 88−67183

Mecke, H. *see* Fischer, W. 88−43694

Mecke, H. *see* Krampitz, R. 87−58146

Meckelburg, E. Ceramics application in the electronics industry 87−65577

Meckelburg, E. The protection of electronic components against corrosion 88−6268

Meckelburg, H. *see* Matkey, K. 86−17804

Meckelburg, H.-J. The Luneburg-Kline expansion determined from bandlimited scattering data 85−56994

Meckelburg, H.-J., Chaloupka, H. A computer controlled and error corrected wideband backscattering measurement technique 85−13109

Meckelburg, H.-J., Lipka, D. Fast Hartley transform algorithm 85−33372

Meckelburg, H.-J., Lipka, D. A decimation in frequency FFT algorithm for real-valued sequences 87−52084

Meckelburg, H.-J., Matkey, K. A high sensitivity microwave sampling system with adaptive timedrift compensation 86−5496

Meckelburg, H.-J. *see* Chaloupka, H. 85−56985

Meckelburg, H.-J. *see* Matkey, K. 85−14730

Meckelburg, H.J. *see* Matkey, M. 85−42928

Meckiff, C.C. *see* Boardman, J.T. 85−64864

Mecking, B.A. A large acceptance detector for electromagnetic nuclear physics at CEBAF 87−21398

Mecklenborg, R.A. *see* Sartor, M.A. 85−41531

Mecklenbraucker, W.F.G. *see* Claasen, T.A.C.M. 86−35004

Mecklenbrauker, W. A tutorial of non-parametric bilinear time-frequency signal representations 88−14739

Mecklenbrauker, W.F.G. *see* Claasen, T.A.C.M. 86−16687

Mecklenburg, A.C. Two-mirror, two-axis, rapid frame rate galvanometer scanning using a novel resonant scanner/dynamic focusing mechanism [of use in medical imaging systems] 88−35910

Mecklenburg, B. *see* Haimson, J. 88−61067, 88−61070

Mecklenburg, R. *see* Pfeifer, T. 85−8704

Mecklenburgh, J. Ventilators, alarms and resuscitators 85−20944

Meckler, G. Solar cooling system reduces summer utility demand and HVAC system life-cycle cost in commercial and institutional buildings 87−43662

Meclot, B. Planning of outages as part of the scheduling of operation for a series of nuclear power plants 86−19044

Meclot, B. Data bases in power stations 88−11028

Meclot, B., Glorian, D. Operating results of the French 900 MW nuclear power plants. The 1985 audit and the situation as at end September 1985 87−50944

Meclot, B., Glorian, D. The operation of the French park of 900 MW PWR nuclear power stations. Results in 1985 and overview at the end of September 1986 88−17280

Meclot, B., Lemagny, C., Lavogiez, M. A review of start-up operations on the first units of the 1300 MWe generation 86−61230

Meclot, B., Lemagny, C., Lavogiez, M. Assessment of the starting up of the 1300 MW class 86−65879

Mecocci, A. *see* Borghesi, P. 85−51810

Mecocci, A. *see* Cappellini, V. 85−51812, 86−30066, 87−55342

Mecozzi, A., Piazzolla, S., Sapia, A., Spano, P. Statistics of phase noise in single-mode semiconductor lasers: free-running, weak external feedback and injection-locking configurations 88−2240

Mecozzi, A., Trillo, S., Wabnitz, S. Spatial instabilities, all-optical limiting, and thresholding in nonlinear distributed-feedback devices 88−20742

Mecozzi, A., Trillo, S., Wabnitz, S., Daino, B. All optical switching and intensity discrimination by polarization instability in periodically twisted fiber filters 87−38787

Mecozzi, A., Trillo, S., Wabnitz, S., Stegeman, G.I. All-optical limiting, thresholding, and switching in a nonlinear DEB waveguide 88−45555

Mecozzi, A. *see* Sapia, A. 88−45457

Mecozzi, A. *see* Spano, P. 88−65659

Mecredy, R.C. Standard approach to plant modifications 88−42976

Mecrow, B.C., Jack, A.G. A three dimensional formulation for laminar eddy current flow in the stator cores of turbogenerators 87−30510

Mecrow, B.C., Jack, A.G. Turbogenerator electromagnetic design−the effect of rotor end-winding retaining ring material upon stator core end heating 88−11191

Mecrow, B.C. *see* Jack, A.G. 86−26022, 87−51145, 87−68717

Mecure, H.P. Flashover discharge propagation on polluted insulators 85−32212

Meczynska, H. *see* Bala, W. 86−67772

Meczynski, W. *see* Beghini, S. 86−5673

Meda, E. Macromodels for CAD applications in SPICE 85−28293

Meda, L. *see* Alessandrello, A. 88−22963

Meda, L. *see* Cerofolini, G.F. 85−12132, 85−50388, 86−15035, 86−21363, 86−41686

Meda, L. *see* Queirolo, G. 87−17955, 87−38086, 88−26037, 88−50614

Medak, M. Single phase rectifier 28 V/25 A with internal operating frequency 25 kHz 86−13974

Medan, Y., Bar-Itzhack, I.Y. Batch recursive data compression schemes for INS error estimation 86−23029

Medan, Y., Yair, E. Discrete spectral analysis of periodic time functions 87−62058

Medan, Y. *see* Chazan, D. 86−32381

Medanic, J., Ilic-Spong, M., Christensen, J. Discrete models of slow voltage dynamics for under load tap-changing transformer coordination 88−24003

Medanic, J. *see* Arnautovic, D. 88−30245

Medanic, J. *see* Cukalevski, N. 87−9091, 87−42347

Medanic, J. *see* Ilic-Spong, M. 86−70630

Medarde, M. *see* Vallet, M. 88−57919

Medbed', O.E., Rumyantseva, N.A., Shalimova, I.E., Stepanova, I.P. Ruthenium based resistive pastes for industrial applications in the range of 1 to 100 kohms 85−17997

Medcraft, B. The common carriers' perspective of the next decade 85−2997

Medcraft, D.W.F. Introductory lecture [UK data communication developments] 86−10673

Medcraft, D.W.F. Introduction [data communications] 88−73462

Medcraft, D.W.F. *see* Kelly, P.T.F. 86−37339

Medd, R.D. *see* Huber, A.F., II 88−30210

Medders, J.B. *see* Dyer, L.D. 85−23628

Meddi, F. *see* Baroni, G. 85−9097, 87−14785, 87−29613

Meddi, F. *see* Beuttenmuller, R.H. 87−29554

Meddles, A.D. *see* Worth, G.M. 85−48357

Meddour, A., Conrad, H. On the theory of HF-power oscillators 86−14034

Medecki, H. Alignment of a spectrometer for soft X-ray laser diagnostics 87−41896

Medecki, H. *see* Kauffman, R.L. 85−7353

Medecki, H. *see* Matthews, D. 85−7350

Medecki, H. *see* Matthews, D.L. 85−24467

Medecki, H. *see* Wang, C.L. 85−52995, 85−61653

Medeiros, D.J. *see* Jackman, J. 88−46551

Medeiros, E. Jitter accumulation in an optical fiber ring local area network 87−40043

Medeiros, E. *see* Giozza, W.F. 86−55318

Medeiros, F., Williams, N. A multi-octave millimeter wave focusing antenna 88−34475

Medeiros, J.C. Modified stop and wait scheme operating on a bursty channel 88−2918

Medeiros, J.C., Dawson, C. A proposal for an HF remote interactive computer system 86−30432

Medeiros, J.C., Dawson, C. Evaluation of a stop and wait scheme with HF data 86−54615

Medeiros, J.C., Dawson, C. An interactive HF computer link 88−46638

Medeiros, J.C.de *see* de Medeiros, J.C.

Medeiros, P. *see* Dodinot, B. 86−38826

Medeiros, P.de Tarso *see* de Tarso Medeiros, P.

Medeiros, W.H. *see* Hamilton, L.D. 88−75927

Medeiros Branco, T.da Mata *see* da Mata Medeiros Branco, T.

Medeiros Filho, F.C., Cole, R.S., Jayasuriya, D.A.R. Statistics of millimeter wave amplitude scintillation in an absorption region 85−19140

Medeiros Filho, F.C., Cole, R.S., Sarma, A.D. Millimetre-wave rain induced attenuation: theory and experiment 86−63984

Medeiros Filho, F.C., da Silva Mello, L.A.R., Cole, R.S. A new model for millimeter wave amplitude fluctuation distribution in an absorption band 87−28393

Medeiros Filho, F.C. *see* Pantoja, R.R. 87−27103, 88−14527

Medeiros Filho, F.C. *see* Sarma, A.D. 86−63948

Medelius, P.J. *see* Thomson, E.M. 88−74239

Medeot, N., Michelato, A., Zennaro, P. A general purpose data acquisition system 85−21001

Meder, E.G. An algorithm to determine wafer flatness 86−15231

Mederer, T. *see* Naunin, D. 85−65545

Mederer, W. How a video recorder works. VI. Tone processing 85−3730

Mederer, W. Sound recording in the VS 200 85−14476

Mederer, W. The way a video recorder works. VI. Sound reproduction 85−58380

Medernach, J.W., Wells, V.A. Characterization of the in situ HCl etch for epitaxial silicon 88−7496

Medernach, J.W., Wells, V.A., Witherspoon, L. Nitride extrinsic gettering for CMOS n/n^+ epitaxial devices 87−1747

Medernach, J.W., Wells, V.A., Witherspoon, L. An evaluation of extrinsic gettering techniques 87−18346

Medernach, J.W., Witherspoon, L.L. Study of extrinsic gettering of epitaxial substrates 87−46209

Medes, A. Wires plus switches equal digital circuits 88−63608

Medford, D.C. *see* James, M. 86−6497

Medford, G.T., Kolaczkowski, A.M. Identification of test candidates for investigating the survivability of electrical equipment during severe accidents 87−30337

Medgyesi, G. Electric energy system in Japan 85−53240

Medgyesi-Mitschang, L.N., Putnam, J.M. Electromagnetic scattering from axially inhomogeneous bodies of revolution 85−7609

Medgyesi-Mitschang, L.N., Putnam, J.M. Integral equation formulations for imperfectly conducting scatterers 85−35984

Medgyesi-Mitschang, L.N., Putnam, J.M. Electromagnetic scattering from electrically large coated flat and curved strips. Entire domain Galerkin formulation 87−75349

Medgyesi-Mitschang, L.N., Putnam, J.M. Electromagnetic scattering from ducts with irregular edges. I. Circular case 88−66023

Medgyesi-Mitschang, L.N., Wang, D.-S. Hybrid solutions at internal resonances 85−51394

Medgyesi-Mitschang, L.N., Wang, D.S.Y. Hybrid solutions for scattering from large bodies of revolution with material discontinuities and coatings 85−2525

Medgyesi-Mitschang, L.N., Wang, D.S. Hybrid solutions for large-impedance coated bodies of revolution 87−12698

Medgyesi-Mitschang, L.N. *see* Bornholdt, J.M. 88−45668

Medgyesi-Mitschang, L.N. *see* Huddleston, P.L. 86−54279

Medgyesi-Mitschang, L.N. *see* Putnam, J.M. 88−66024

Medgyesi-Mitschang, L.N. *see* Rogers, J.R. 86−22649

Medgyesi-Mitschang, L.N. *see* Wang, D.-S. 85−46547

Medgyesi-Mitschang, N., Putnam, J.M. Electromagnetic scattering from extended wires and two-and three-dimensional surfaces 86−22643

Medhani, R. *see* Ratner, A.M. 87−31209

Medhat, M. *see* Barakat, N. 87−18592

Medhat, S.S., Roach, J.P.A. ECAD−the future electronics lab! 88−11653

Medhin, N., Sambandham, M. Numerical solution of a system of random Volterra integral equations. I. Successive approximation method 88−43847

Medhin, N.G., Sambandham, M. Mixed min-max optimization problem with restrictions 88−63186
Medhurst, A. *see* Cook, K.G. 85−36062
Medhurst, H.T. *see* Kannari, F. 87−22625
Medhurst, P. *see* Davies, I. 85−45249
Medhurst, P. *see* Debney, B.T. 86−14536
Medhurst, P. *see* Holden, A.J. 86−62824
Medhurst, P. *see* King, J. 86−53063
Medhurst, P. *see* Oxley, C.H. 86−53676
Medhurst, P.L. *see* Bolbot, P.H. 88−64783
Medhurst, P.L. *see* Foster, D.J. 88−33387
Median, F. *see* Horno, M. 87−17308
Medianu, R. *see* Cojocaru, E. 87−2242, 87−33247
Medianu, R. *see* Draganescu, V. 88−14161
Medianu, R. *see* Gutu, I. 87−26306
Medianu, R. *see* Timus, C. 86−29207
Medianu, R. *see* Ursu, I. 88−19794
Mediavilla, A., Tazon, A. Nonlinear transient analysis of microwave oscillators 88−50408
Mediavilla, A., Tazon, A. Large signal transient optimization of microwave transistor oscillators 88−56905
Mediavilla, A., Tazon, A., Garcia, J.L. An improved transient characterization of three terminal microwave oscillators 88−7043
Mediavilla, A., Tazon, A., Garcia, J.L. Compact formulation for negative resistance microwave oscillators 88−38709
Mediavilla, A. *see* Tazon, A. 88−1003, 88−44354, 88−56906, 88−56979
Mediavilla, R. *see* Woods, J.W. 87−47902
Medic, I. On calculation of the coupled earthing electrodes interaction 86−51130
Medic, I. *see* Zelic, I. 86−51129
Medich, C.J. Combinational testing 88−12801
Medich, C.J. MDM Microsystems−test strategy for growth 88−55968
Medicherla, K. *see* Endrenyi, J. 88−54909
Medicherla, T.K.P. *see* Pasternack, B.M. 86−61070
Medici, G. *see* Costa, E. 85−52978
Medigue, G., Sorine, M. SM90 and signal processing 87−63296
Medikovskii, N.A., Turkovskii, V.G. Effect of a variable-resistance load on the operating conditions of networks 87−42441
Medin, M., Arai, Y., Inokuma, Y. General description of the Hitachi HCX5000 PBX 88−53089
Medin, M.W. *see* Foote, D.L. 88−67120
Medin, S.A. *see* Batenin, V.M. 86−61750
Medin, S.A. *see* Bityurin, V.A. 85−39216
Medina, A. The new surface mounted assembly technology and the components used 85−11777
Medina, D., Milutinovic, V. An overview and a selected bibliography of the VLSI/microprocessor based data modem design 86−23582
Medina, E.O.Robles De *see* Robles De Medina, E.O.
Medina, F., Baudrand, H., Horno, M. Dispersion characteristics of planar structures on biaxial substrates and layered media: application to microstrip and finline 88−32372
Medina, F., Horno, M. Upper and lower bounds on mode capacitances for a large class of anisotropic multilayered microstrip-like transmission lines 85−41661
Medina, F., Horno, M. Determination of Green's function matrix for multiconductor and anisotropic multidielectric planar transmission lines: a variational approach 86−10140
Medina, F., Horno, M. Matrix capacitance determination for a generalized multistrip line in a multilayered dielectric 87−75539
Medina, F., Horno, M. Capacitance and inductance matrices for multistrip structures in multilayered anisotropic dielectrics 88−20960
Medina, F. *see* Horno, M. 86−29548, 86−59121, 87−6050
Medina, F. *see* Marques, R. 85−46606
Medina, F. *see* Vazquez, J. 86−11335
Medina, F.D. *see* Guthrie, R.W. 85−51229
Medina, F.F.E. Efficiency of the two-stage RC low-pass band filter in comparison with the matched filter 85−49971
Medina, J.L., Velazquez, A., Serrano, A., Espinoza, J.A. Design methodology for microwave oscillators in the C band 86−4612
Medina, J.L. *see* Serrano, A. 87−20473
Medina, L.E. *see* Wong, B. 88−7235
Medina, M., Alonso, J.A., Ballester, J., Delgado, J. Implementation of a distributed CBMS on a minimum system 85−25369
Medina, M., Maude, T. An extended X.400 architectural model 87−2855
Medina, M., Maude, T., Smith, H. X.400 & group communication support 87−20139
Medina, M., Silva, J.M., Tudela, R., Gonzalez Soto, O. Protocol aspects to be considered in planning the ISDN 87−76129
Medina, M., Vinyes, J. Electronic mail: a survey of document transmission systems. I 87−20118
Medina, M. *see* Ahtiainen, A. 86−37541
Medina, M. *see* Apelqvist, G. 86−39457
Medina, M. *see* Delgado, J. 88−59536
Medina, M. *see* Vinyes, J. 87−55639
Medina, M.V., Sarabia, E.B. Status of the Mexican nuclear power program 87−50955
Medina, P. *see* Demay, Y. 87−36713, 88−11995
Medina, S., Helms, J.F. Designing intelligence into buildings [data transmission and wiring] 86−1426
Medina, V. *see* Azpiroz, J. 88−48178
Medina C., C.M. *see* Bernales P., V.M. 88−60812
Medina Lopez, M., Perez-Aranda Ortega, J.L. Intelligent network: flexibility in communications 88−14980
Medina-Alvarado, N., Drska, L., Hamal, K., Jelinkova, H. Laser spark for use in ophthalmology 88−30037
Medinger, J. *see* Canfield, P. 87−38265
Medinger, J. *see* Canfield, P.C. 88−20008, 88−39739
Medinnis, M. *see* Zweizig, J.G. 88−22996
Medinskaya, L.N. *see* Shorin, V.P. 86−70244, 88−37064
Medinskii, L.A. *see* Sharipov, A.M. 87−78599
Medioni, G., Jezouin, J.-L. An implementation of an active stereo range finder 87−70473
Medioni, G., Nevatia, R. Matching images using linear features 85−19517
Medioni, G., Yasumoto, Y. Corner detection and curve representation using cubic B-splines 86−59369
Medioni, G. *see* Chen, J.S. 87−2631, 87−69280, 88−3289
Medioni, G. *see* Cochran, S.D. 88−28124
Medioni, G. *see* Fan, T.-J. 88−34750
Medioni, G. *see* Fan, T.J. 88−46201, 88−73283
Medioni, G. *see* Huertas, A. 86−4050, 87−7827
Medioni, G. *see* Parvin, B. 88−28093
Medioni, G. *see* Ulupinar, F. 88−3287, 88−73309
Medioni, G. *see* Yasumoto, Y. 86−10560, 86−69129, 88−34800
Medioni, R. Your logicel, is it working properly? 87−24245
Medioni, R. *see* Spurny, F. 87−21693
Meditch, J.S., Lea, C.-T.A. A virtual time CSMA protocol for integrated voice-data 85−8222
Meditch, J.S., Lea, C.T.A. Stability and throughput in virtual time CSMA 86−16597
Meditch, J.S., Yin, D.H. Performance analysis of virtual time CSMA 86−54635
Meditch, J.S., Yin, D.H.-L. Priority virtual time CSMA 87−33844
Meditch, J.S., Yin, H.-Y. Stability conditions for a two-priority packet broadcast channel 85−57574
Meditch, J.S., Zhao, Y. Framed TDMA/CSMA for integrated voice-data local area networks 86−17028
Meditch, J.S. *see* Chen, M.S. 87−62606
Meditch, J.S. *see* Cunningham, G.A. 87−55802
Meditch, J.S. *see* Cunningham, G.A., III. 88−59363
Meditch, J.S. *see* Lea, C. 87−75963
Meditch, J.S. *see* Mukherjee, B. 88−289, 88−53031
Meditch, J.S. *see* Yin, D.H.L. 87−34146
Medlam, J.W.N., Harrison, J. The importance of optical fibre in local wideband communications 87−8335
Medland, A.J. *see* Ainscough, J. 85−39456
Medland, J.D. *see* Ashenford, D.E. 87−36733
Medland, J.D. *see* Kerr, T.M. 86−52464 to 52465
Medland, J.D. *see* Sangha, S.P.S. 87−58936
Medland, J.D. *see* Stewart, C.P. 86−2198
Medland, J.D. *see* Wood, C.E.C. 87−1388
Medley, M.W., Jr. Network synthesis CAD program applied to RF and microwave circuit design. I 87−37527
Medley, M.W., Jr. Network synthesis CAD program applied to RF and microwave circuit design. III 87−65646
Medley, M.W., Jr. Network synthesis CAD program applied to RF and microwave circuit design. II 87−66550
Medley, S.S., Dimock, D.L., Hayes, S., Long, D., Lowrance, J.L., Mastrocola, V., Renda, G., Ulrickson, M., Young, K.M. Periscope-camera system for visible and infrared imaging diagnostics of TFTR 86−5098
Medley, S.S. *see* Roquemore, A.L. 87−24725
Medlicott, P.A.C. Development of a lightweight, low cost flywheel energy storage system for a regenerative braking application 86−40258
Medlin, G.W., Adams, J.W. Optimal multirate communications filters with tuneable passbands 88−46088
Medlin, G.W., Adams, J.W., Leondes, C.T. Optimal coefficients for FDM-TDM transmultiplexers 87−28292
Medlin, G.W. *see* Adams, J.W. 88−60274
Medlin, R.E. *see* Berkowitz, D.G. 86−25527
Medlock, P.A. MECA74, an efficient implementation for finding all solutions of piecewise linear resistive networks 85−22621
Medlock, R.S. Cross correlation flow measurement 85−8993
Medlock, R.S. Sensors for mechanical properties 86−5250
Medlock, R.S. Cross correlation flow measurement 86−11770
Medlock, R.S. Review of modulating techniques for fibre optic sensors 86−38355
Medlock, R.S. The historical development of flow metering 86−60379
Medlock, R.S. Review of modulating techniques for fibre optic sensors 87−32950
Medlock, R.S. Recent advances in industrial measurement techniques 87−49698
Medlock, R.S. The present and future status of fibre optic sensors in industry 87−49699
Medlock, R.S. Fibre optic intensity modulated sensors 88−7895
Medlock, R.S. The present and future status of fibre optic sensors in industry 88−7907
Medlock, R.S. *see* Higham, E.H. 85−3940
Medlovic, D. *see* Croitoru, N. 88−39973
Medlycott, D.I. Unique low-cost mini hydroelectric plant 87−78548
Mednick, K. *see* Swartz, P.A. 86−657
Mednick, R. Office Information Network: an integrated LAN 86−54918
Mednick, R. *see* Hsing, T.R. 85−13999
Mednieks, I.B. A faster discrete Fourier transform algorithm using nonorthogonal rectangular periodic functions 87−27393
Mednikarov, B. *see* Poleshchuk, A.G. 86−58982
Mednikov, A.V. *see* Klimakov, A.P. 86−5833
Mednikov, E.I., Popov, A.N. Estimating the efficiency of the activities of a power-engineering establishment [power system management] 86−32681
Mednikov, E.P., Grigorov, V.P. Remote sampling of radioactive aerosols at atomic power stations 88−17246
Mednikov, M.I., Mulenkov, I.V., Papko, V.M., Yakovlev, V.N., Borodin, V.D. Standardized unitized high-vacuum computer-controlled electric furnaces 88−31197
Mednis, A. A method of solution of joint approximation problem of amplitude-frequency and phase-frequency responses for electrical filters with attenuation peaks 88−854
Mednis, A.M. A method for solution of the problem of joint approximation of the amplitude-frequency and phase-frequency characteristics of polynomial electric filters 88−38603
Mednis, S.A. *see* Abramov, A.G. 85−4429
Medoff, B.P. An inner product framework for image reconstruction 86−16567
Medoff, B.P. *see* Lis, S. 87−13783
Medoks, M.G. *see* Duving, V.G. 87−73914
Medovikov, A.S. Some design principles of interference range finders 87−3747
Medovikov, A.S. *see* Vinogradov, V.V. 86−59032
Medrano, C. *see* Gunter, P. 88−58683
Medrano, C. *see* Perret, R. 87−26526
Medrano, G., Violini, G. The ACIE international center and the transfer of nuclear technology in Latin America 86−39467
Medrick, T. An overview of new hipot testing requirements 86−57185
Medrzycka, E., Gregorowicz, Z. Digital generation of television test signals 85−31198
Medrzycka, E. *see* Gregorowicz, Z. 86−65063
Medsker, A.F. *see* Guilboard, D.K. 86−982
Medsker, L.R. An interactive decision support system for energy policy analysis 85−22177
Meduna, P., Vosecky, D. A new generation channel selector 87−13894
Medunina, O.N. *see* Weinger, A.M. 85−60147
Medve, T.J. *see* Chao, H.H. 87−10904, 87−60641
Medve, T.J. *see* Ong, S. 87−17152
Medveczky, L., Nagy, M., Somogyi, G. Nuclear track detector kit for use in teaching 87−14779
Medved', A.V. *see* Gulyaev, Yu.V. 85−45970, 86−35962
Medved', A.V. *see* Kryshtal', R.G. 87−46398
Medved, B. *see* Milanovic, M. 86−19371
Medved', N.V. *see* Bykov, A.M. 85−35497
Medved', O.E., Rumyantseva, N.A., Shalimova, I.E., Shaidakova, L.P., Stepanova, I.P. Effect of technological factors on parameters of low-value resistors 88−32481
Medved', O.E., Sirik, V.N., Razgulyaeva, L.K., Styatyugin, E.B., Galochkin, E.A., Grinin, G.N. Development of technological processes for production of mainframe-free microassemblies sealed by an encapsulation method 86−61935
Medved', O.E., Yakovlev, Ya.A. Laser adjustment of thick-film ruthenium resistors 85−34383
Medved', S.A. *see* Antipov, Yu.M. 85−9108
Medved, S.A. *see* Cerri, C. 85−20813
Medved, S.A. *see* Denisenko, A.A. 88−16659
Medved', S.A. *see* Krasnokutskii, R.N. 87−71018
Medved, V. *see* Bozicevic, J. 86−5476
Medvedchuk, V.A. *see* Khramov, N.Ya. 88−17253
Medvedeff, D.J. *see* Bissell, S.A. 88−53045
Medvedev, A.A. *see* Ksenofontov, A.P. 86−56421
Medvedev, A.A. *see* Nesterova, Z.V. 86−3307
Medvedev, A.I., Nosov, K.B., Dvorak, N.M. Controlling focusing of synchronous motors as function of electromagnetic moment given short circuits in network 86−26028
Medvedev, A.L. *see* Krasovitov, S.N. 88−12012
Medvedev, A.V. *see* Kirilenko, V.V. 85−1327 to 1328

Medvedev, A.Yu. *see* Klimakov, A.P. 86−5833
Medvedev, B.A., Parshkov, O.M., Silkina, T.G., Simonenko, G.V. Processes of amplification and laser action in alkali halide crystals with electronic color centers 85−24512
Medvedev, B.A., Silkina, T.G., Simonenko, G.V. Bleaching effect in alkali halide crystals with electron color centers 85−56808
Medvedev, B.K. *see* Altukhov, P.D. 87−66938
Medvedev, B.K. *see* Voronovskii, A.N. 86−47354
Medvedev, B.M. *see* Braginskii, A.P. 85−6049
Medvedev, B.M. *see* Kovalenko, A.P. 86−24463
Medvedev, B.M. *see* Makarov, S.B. 87−45099
Medvedev, D.K. *see* Babaev, I.K. 87−68356
Medvedev, D.K. *see* Belen'kii, A.M. 87−26299
Medvedev, E.I. *see* Shulakov, N.V. 88−48943
Medvedev, F.K., Olesk, A.O. Oxide semiconductor varistors−efficient absorbers of pulse overvoltages 88−19427
Medvedev, F.K. *see* Bobkov, Yu.V. 87−4458
Medvedev, I.A. *see* Rasulov, M.M. 86−32871
Medvedev, I.L. *see* Zazhirko, V.N. 86−26957
Medvedev, L.I. Improvement of the electrical equipment and control systems to the lock mechanisms of the Moscow Canal 88−49100
Medvedev, L.S. *see* Verbitskaya, E.M. 88−29384
Medvedev, M.N. Spectrometers with large-volume detectors (review) 85−26731
Medvedev, N., Vuillermoz, M., Kidin, N., Roberts, J. Radio-frequency arc discharge as a diagnostic and control element for combustion system instabilities 86−35940
Medvedev, P.P. *see* Kasharskii, E.G. 85−40270
Medvedev, S.V. *see* Gogolitsyn, Yu.L. 87−57137
Medvedev, V.A., Aleshin, N.P., Remizov, A.L., Vadkovskii, N.N. Calculation of tilted separate-combined piezoelectric transducers with equalized sensitivity 86−57496
Medvedev, V.A., Sviridenko, V.I., Rybkin, N.P., Gorbunova, V.G. The thermal conductivity of F-4 PTFE at 5-310 K 88−29677
Medvedev, V.A. *see* Rybkin, N.P. 87−70835
Medvedev, V.G. *see* Galanov, E.K. 86−22063
Medvedev, V.I. *see* Makarov, V.S. 86−20775
Medvedev, V.N. *see* Alimov, V.A. 86−37771
Medvedev, V.P. *see* Kuz'min, S.Z. 85−41911
Medvedev, V.S. Modernization of the guide bearings of the turbines of the Cascade of Vartsikhe hydroelectric stations 87−4609
Medvedev, V.S. Set of documents for overhauling RO400-960-11 turbines of the Inguri hydroelectric station 88−48805
Medvedev, V.S., Nesterov, V.V., Pervomaiskii, V.A. Measuring vibrations of the Earth's core by laser interferometer-deformograph with fibre optics 86−38924
Medvedev, V.S. *see* Leonov, A.P. 88−62672
Medvedev, V.V. Apparatus for complete checking of noise-factor meters 87−35109
Medvedev, V.V., Fetisov, Yu.K. Influence of the magnetic field orientation on the region of magnetic fields within which magnetostatic waves exist in ferrite films 88−39811
Medvedev, Yu.P. *see* Frolov, O.S. 86−1874
Medvedev, Yu.P. *see* Kobka, V.G. 85−28944
Medvedev, Yu.P. *see* Strunets, V.K. 87−58488
Medvedev, Yu.S. *see* Khentkovskii, G.V. 86−38937
Medvedev, Yu.V. *see* Akhmanaev, V.B. 87−23770
Medvedev, Yu.V. *see* Antonov, V.V. 86−63125
Medvedev, Yu.V. *see* Borzunov, N.G. 87−60080
Medvedev, Yu.V. *see* Danilov, G.N. 86−18088, 87−41346
Medvedev, Yu.V. *see* Matveenko, A.V. 87−46647
Medvedeva, G.S. *see* Kruglyanskii, I.M. 87−9658
Medvedeva, I.E. *see* Berezhnoi, A.A. 85−24256
Medvedeva, I.M. *see* Maslov, S.P. 85−18637
Medvedeva, I.V., Prut, V.V., Shibaev, S.A. Liner dynamics in megagauss magnetic field 88−40478
Medvedeva, L.A. *see* Kogan, V.V. 85−43934
Medvedeva, L.S. *see* Glazkov, A.I. 88−56736
Medvedeva, L.S. *see* Vinogradova, L.E. 88−42830
Medvedeva, L.S. *see* Zakharin, V.S. 85−54616, 85−54982
Medvedeva, L.V. *see* Dumarevskii, Yu.D. 88−4549
Medvedeva, S.I. *see* Murav'ev, V.B. 86−45853
Medvedicky, L. *see* Herec, I. 88−37707
Medvedko, A.S. *see* Dementyev, E.N. 86−60572
Medvedov, V.V. *see* Vlasov, M.N. 86−3511
Medvedovskaya, L.A. *see* Borodachev, A.S. 86−36617
Medvedovskii, A.B. *see* Nichiporenko, O.S. 87−17428
Medvetskii, S.P., Tsurkan, A.E. Spectral characteristics and detection properties of heterojunctions and silicon-based hybrid structures 87−24868
Medvid, A., Litaunieks, J. Peculiarities of magnetodiode effect in the gradient magnetic field 85−28935
Medvid', A.P., Krivich, A.P., Litaunieks, Yu.V., Prudents, V.E. A new system with rectifying V/I characteristics utilising a magnetic concentrated effect in a nonhomogeneous electric field 88−7281
Medvinskii, M.D., Ryk, V.I. Classification of ultrasonic flaw-inspection devices on the basis of electrical parameters 85−6060
Medvinskii, M.D. *see* Zhukov, O.N. 87−52228
Medvinskiy, A.A. The stability of tuned amplifiers 87−44637
Medykiewicz, R.A. A checklist for defining the contents of a new service manual 87−36410
Medyntsev, L.N. *see* Katikov, V.M. 87−44686
Mee, C.D. Physics of magnetic recording 87−65055
Mee, C.H.B. *see* Ji-kang, Z. 87−1136
Mee, C.H.B. *see* Zhang Ji-kang 86−52037
Mee, J.E. *see* Lin, A.L. 85−40917
Mee, P.B. *see* Smallen, M. 86−36000
Mee, P.B. *see* Thompson, J.A. 85−18548
Mee, R.W., Shah, A.K., Lefante, J.J. Comparing *k* independent sample means with a known standard 87−65226
Meech, S.R., Stubbs, C., Phillips, D. The application of fluorescence decay measurements in studies of biological systems 85−19064
Meedijk, V. Selecting the best resistor/capacitor. II 85−55202
Meeham, R. Why packaging can limit performance of digital-based products 85−16808
Meehan, C.M. Development of business opportunities for electric utilities in fiber optics in the United States 88−20384
Meehan, H. *see* Boser, O. 87−52908
Meehan, J. *see* VanHaeren, R. 86−19423
Meehan, J.J. *see* Patel, S.N. 86−3454
Meehan, K., Gavrilovic, P., Epler, J.E., Hsieh, K.C., Holonyak, N., Jr., Burnham, R.D., Thornton, R.L., Streifer, W. Donor-induced disorder-defined buried-heterostructure Al$_x$Ga$_{1-x}$As-GaAs quantum-well lasers 85−51177
Meehan, K., Gavrilovic, P., Holonyak, N., Jr., Burnham, R.D., Thornton, R.L. Stripe-geometry Al$_x$Ga$_{1-x}$As-GaAs quantum well heterostructure lasers defined by Si diffusion and disordering 85−24539
Meehan, K., Holonyak, N., Jr., Brown, J.M., Nixon, M.A., Gavrilovic, P., Burnham, R.D. Disorder of an Al$_x$Ga$_{1-x}$As-GaAs superlattice by donor diffusion 85−2293
Meehan, K. *see* Garvrilovic, P. 86−9830
Meehan, K. *see* Gavrilovic, P. 85−41382, 85−55517
Meehan, K. *see* Kaliski, R.W. 85−56423
Meehan, M.D. *see* Purviance, J.E. 88−32408
Meehan, P., Reidy, J. FFT techniques give birth to digital spectrum analyzer 88−67710
Meehan, P. *see* Coleman, B. 88−834, 88−63751
Meehan, P. *see* De Bont, F.M.J. 88−64677
Meehan, R. The package can make or break a system's performance [chip carriers] 85−54142
Meehan, S.J. *see* Cosentino, R.J. 86−41236
Meehan, W.J. Modeling the electric utility system 87−30128
Meehan, W.J. PC-based CAD used for substation drawings 88−43347
Meek, B. Trying to crack the bar code problem 85−7795
Meek, C.E. *see* Manson, A.H. 85−48474, 88−41736
Meek, D.D. Practical applications for voice recognition computer technology in the commercial manufacturing and distributing environment 85−19392
Meek, J.L., Ho, P.T.S. SHAPE: (A membrane shape-finding program for tension structures) 85−28157
Meek, S.C., Jacobsen, S.C., Fullmer, R.R. Control inputs to a multiple degree of freedom artificial arm 85−43439
Meek, S.C. *see* Fullmer, R.R. 85−43442
Meek, S.G. *see* Jacobsen, S.C. 85−43443
Meek, T.R. High speed digital radio communication within buildings 85−20054
Meeker, D. *see* Di Capua, M.S. 88−64196
Meeker, G.W. Signal processing advances in the Avelex video codec 86−55445
Meeker, L.J. *see* Campelli, C.A. 88−5049
Meeker, L.J. *see* Frazier, J.W. 88−68512
Meeker, W.Q., Jr. Planning life tests in which units are inspected for failure 87−31341
Meekeren, R.D.Van *see* Van Meekeren, R.D.
Meekison, C.D., Booker, G.R., Reeson, K., Hemment, P.L.F., Chater, R.J., Kilner, J.A., Arrowsmith, R.P. TEM, RBS and SIMS investigations of buried nitride layer structures in silicon formed by high-dose N$^+$ ion implantation 86−58393
Meekison, C.D. *see* Reeson, K.J. 86−41671, 87−11623, 87−38104, 87−60183, 88−57444
Meekison, D. *see* Hemment, P.L.F. 85−50288
Meeks, B.N. An overview of conferencing systems 86−23372
Meeks, B.N. Flash-Com [electronic mail/telecommunications software] 87−20111
Meeks, B.N. The wired society [telecommunications] 88−73429
Meeks, D.N. Re-normalizing the scattering parameters 86−24729
Meeks, E. *see* Rohatgi, A. 88−56304
Meeks, E.L. *see* Summers, C.M. 86−20065
Meeks, K.B. Networked medical education and health service in a geographically remote environment 85−63372
Meeks, S.W., Clarke, L., Auld, B.A. Tunable bulk acoustic reflection gratings in neodymium pentaphosphate 87−1859
Meeks, S.W. *see* Chen, S.E. 87−77473
Meeks, W.G., Eaton, D. Ulysses: international exploration of the Sun's poles 87−29878
Meel, J.van *see* van Meel, J.
Meelakantaswamy, P.S., Rajaratnam, A., Kisdnasamy, S., Das, N.P. Systematic errors in conductimetric instrumentation due to bubble adhesions on the electrodes: an experimental assessment 85−31570
Meeldijk, V. Latent defects result in multilayer ceramic capacitor failures 85−11601
Meeldijk, V. Selecting the best resistor/capacitor 85−45254
Meeler, J.R. Important measurements in power systems 85−15688
Meelhuysen, E.R. Wire preparation and connector assembly 87−1051
Meemamsi, G.B. C-DOT management & present status 87−69531
Meendermann, D. Colour test-image generator for amateur television applications 85−37329
Meendez, H.J. *see* Wang, K.L. 87−59501
Meenen, J.Van *see* Van Meenen, J.
Meeners, H. *see* Bilger, H. 87−57892
Meer, A.C.P.van *see* van Meer, A.C.P.
Meer, J.B.H.van der *see* van der Meer, J.B.H.
Meer, J.de *see* de Meer, J.
Meer, M.van der *see* van der Meer, M.
Meer, P. Efficient computation of two-dimensional Gaussian windows 88−52547
Meer, P., Baugher, E.S., Rosenfeld, A. Frequency domain analysis and synthesis of image pyramid generating kernels 87−69274
Meer, P., Baugher, E.S., Rosenfeld, A. Extraction of trend lines and extrema from multiscale curves 88−59247
Meer, P.M.van der *see* van der Meer, P.M.
Meer, P.Van Der *see* Van Der Meer, P.
Meer, S.van der *see* van der Meer, S.
Meer, V.V., Nesterov, V.I., Yakovlev, V.A. Transmission of digital data over long twisted-pair lines 85−25694
Meer, V.V., Nesterov, V.I., Yakovlev, V.A. DC differential amplifier with periodic zero adjustment 88−70567
Meerakker, J.E.A.M.van den *see* van den Meerakker, J.E.A.M.
Meerbaum, M.I. *see* Hassan, Y.A. 85−15777
Meerbaum, S. *see* Ong, K.W. 85−9174
Meerbergen, J.L.van *see* van Meerbergen, J.L.
Meerbergen, J.V. *see* Hellwig, K. 86−67240, 87−37346
Meerbergen, J.Van *see* Van Meerbergen, J.
Meerkotter, K. On the evaluation of roundoff noise in one-dimensional and multidimensional wave digital filters 87−17232
Meerkotter, K., Romeike, M. Wave digital Hilbert transformers 85−17711
Meerkotter, K. *see* Fettweis, A. 86−10348
Meerkov, S.M. *see* Bellman, R. 85−44656
Meerkov, S.M. *see* Cicero, J. 85−19558
Meerkov, S.M. *see* Jong-Tae Lim 86−16101
Meerkov, S.M. *see* Lim, J.-T. 86−59195, 86−64620, 87−55421, 88−21047
Meerman, W.C.P.M., van Rooy, T.L., Voss, M.C.M. Continuous skull-melting of glass 86−13851
Meerman, W.C.P.M. *see* Papanikolau, E. 88−43950
Meermans, R.A. Census of simulators for fossil fueled boiler and gas turbine plant operation training 87−71961
Meerovich, E.A. *see* Vasil'ev, K.M. 87−5562, 88−6587
Meerovich, G.A. *see* Kulakov, M.P. 85−12830
Meerovich, V.M., Sokolovskii, V.L. Design of core-type reactors without yokes 85−48995
Meersch, E.Vanden *see* Vanden Meersch, E.
Meerschaert, M.M., Cherry, W.P. Modeling the performance of a scanning radio communications sensor 88−59974
Meerson, E.E., Sinitsa, S.P. Dispersive charge transport in amorphous silicon nitride 88−7381
Meerson, E.E. *see* Gritsenko, V.A. 88−7382
Meerson, G.I. *see* Krutyanskii, M.M. 85−65649
Meerson, I.G., Nogin, V.S., Petrov, V.V., Saprykin, I.A. Production of perforated formed sections 85−65661
Meerten, J.A.Van *see* Van Meerten, J.A.
Meertens, H., van Herk, M., Weeda, J. A liquid ionisation detector for digital radiography of therapeutic megavoltage photon beams 85−37938
Meertens, H., van Herk, M., Weeda, J. An inverse filter for digital restoration of portal images 88−68379
Meertens, L. *see* Vitanyi, P.M.B. 85−39596
Mees, A. Flows in networks 87−40147
Mees, A., Sparrow, C. Some tools for analyzing chaos 88−286
Mees, A. *see* Lundy, M. 86−19960
Mees, A.I., Chapman, P.B. Homoclinic and heteroclinic orbits in the double scroll attractor 88−6632
Meese, G. Visions of space and time [using computer graphics for technical presentation] 86−61867

Meese, J.M. *see* Chambers, F.A. 86−66824
Meese, J.M. *see* Johnson, B.C. 86−66838
Meese, J.M. *see* Vojak, B.A. 86−29131
Meester, J.De *see* De Meester, J.
Meeten, G.H. *see* Arnold, D. 88−53818
Meeteren, A.van *see* van Meeteren, A.
Meeteren, H.P.Van *see* Van Meeteren, H.P.
Meetham, G.W. Coating requirements in gas turbine engines 86−25373
Meeuwsen, T.P.M. *see* Papanikolau, E. 88−43950
Meeuwsen, T.P.M. *see* Spierings, G.A.C.M. 85−18635
Meffert, B., Milewski, G. Aramid liners as armor augmentation 88−61725
Meffert, B. *see* Langer, H. 85−51706
Meffert, K. Basic safety considerations for measurement and control protective arrangements 87−65141
Meffert, K. Safety during failures: electronics in controls must meet higher demands 88−55918
Meffert, K. *see* Grigulewitsch, W. 86−57180
Mefod'ev, S.P. *see* Veretennikov, G.A. 86−39297
Megahed, I.Y. *see* Zaky, A.A. 85−56005, 88−33453
Megahed, M.M. *see* El-Khamy, S.E. 87−73565
Megahed, S. Lithium solid cathode batteries for commercial, industrial and electronic applications 86−26247
Megahed, S. Small batteries for conventional and specialized applications 87−72363
Megahed, S. *see* Sigmund, F. 86−19445
Megal, H., Heiman, A. Image coding system—a single processor implementation 86−30042
Megalinskii, V.R., Skhirtladze, G.I., Shupyatskii, A.B. Vertical profiles of tropical convective clouds radar echo zones 87−57364
Megargel, L.R. *see* Craley, D.E. 88−51710
Megargel, L.R. *see* Vezzoli, G.C. 88−8252
Megaw, J.H.P.C. Laser machining and laser heat treatment 85−32860
Megaw, J.H.P.C. Laser surface treatments 85−51326
Megaw, J.H.P.C., Hill, M., Osbourn, S.J. Girth welding of X-60 pipeline with a 10 kW laser 87−47061
Megdanis, A.C. *see* Arienzo, M. 86−46379, 87−5450
Meger, C.M., Pearson, D.W., Deluca, P.M., Jr., Wells, G.M., Redaelli, R., Cerrina, F. A comparison of three detectors for soft X-ray dosimetry 88−39336
Meger, R.A., Boller, J.R., Colombant, D., Commisso, R.J., Cooperstein, G., Goldstein, S.A., Kulsrud, R., Neri, J.M., Oliphant, W.F., Ottinger, P.F., Renk, T.J., Shipman, J.D., Jr., Stephanakis, S.J., Young, F.C., Weber, B.V. Application of plasma erosion opening switches to high power accelerators for pulse compression and power multiplication 85−4184
Meger, R.A., Boller, J.R., Commisso, R.J., Cooperstein, G., Goldstein, S.A., Kulsrud, R., Neri, J.M., Oliphant, F., Ottinger, P.F., Renk, T.J., Shipman, J.D., Jr., Stephanakis, S.J., Weber, B.V., Young, F.C. The NRL plasma erosion opening switch research program 85−1119
Meger, R.A., Neri, J.M., Oliphant, W.F., Ottinger, P.F., Renk, T.J. Coupling of a plasma erosion opening switch to loads 85−27672
Meger, R.A. *see* Hinshelwood, D.D. 87−30852, 87−43316
Meger, R.A. *see* Ottinger, P.F. 85−23195
Meger, R.A. *see* Stinnett, R.W. 87−17441
Megera, V.M. *see* Alymkulov, K.A. 85−5070
Megerle, C.A. Hermetically sealed connectors incorporating glass-to-metal seals 88−38849
Megerle, C.A., Gupta, R.K., Lewis, K.J., McVey, E.B., Kapur, V.K., Herron, D.C. Sampling and analytical determination of airborne tetramethyltin 86−6144
Megerle, C.A. *see* Wong, B. 88−7235
Megerle, R. *see* Taylor, R. 86−19165
Meggitt, B.T. Stress-birefringence in semiconductor wafers: mapping of defect structures 88−39179
Meggitt, B.T., Cormier, A.J. Stability requirements for multiple laser diode extended range interferometry 88−40426
Meggitt, B.T., Palmer, A.W. Extended range dual-wavelength FMCW interferometric signal processing scheme 87−46567
Meghea, A. *see* Barca, F. 87−9239
Megiddo, N. A note of degeneracy in linear programming 86−66749
Megie, G. *see* Flamant, P.H. 86−54232
Megie, G. *see* Pelon, J. 86−68508, 87−4133
Megie, G.J., Ancellet, G., Pelon, J. Lidar measurements of ozone vertical profiles 86−18561
Megier, J. *see* Hill, J. 88−5205
Megill, N.D. Performing automatic fault-detection verification of in-circuit tests 85−40297
Meglicki, Z., Heasell, E.L., Nassibian, A.G. Lateral analysis of conventional and field-induced junction solar cells 86−45655
Meglicki, Z., Nener, B.D., Prasad, K., Sharda, H., Faraone, L., Nassibian, A.G. The effect of photochemical surface Passivation on reverse current in Ti-GaAs Schottky diodes 88−44739
Meglicki, Z., Nener, B.D., Prasad, K., Sharda, H., Faraone, L., Nassibian, A.G. The effect of scanning electron beam annealing on the reverse current in Ti-GaAs Schottky diodes 88−50795
Megna, F.J. *see* Blacksin, J.M. 87−56482
Megnint, M.L., Allegre, M.J. Present design of tidal bulb-units based on the experience in the Rance tidal power plant and in river bulb-units 86−65978
Mego, T.J. Improved quasistatic CV measurement method for MOS 87−18326
Mego, T.J. Improved feedback charge method for quasistatic *CV* measurements in semiconductors 87−21227
Mego, T.J. Improved quasistatic CV measurement method for MOS 87−38321
Mego, T.J. MOS circuit testing: attention drawn to the capacitance 87−60651
Mego, T.J. Resolve 22 bits easily with charge-balance ADCs 87−73495
Mego, T.J. How to 'clean up' your CV measurements 88−36204
Megory-Cohen, I., Howell, T.D. Exact field calculations for asymmetrical finite-pole-tip ring heads 88−64929
Megow, W.F. The printed circuit laboratory: a vital link between engineering and manufacturing 88−19530
Megrelishvili, A.Sh. *see* Abesadze, T.S. 87−58145
Megret, M., Guyot, O. Computer modelling of low voltage protective devices and their incorporation in the 'EMTP' software programme 88−17039
Megson, G.M. *see* Evans, D.J. 88−18624, 88−70286
Megtert, S. *see* Peterman, D. 88−4872
Meguid, E.A.Abd El *see* Abd El Meguid, E.A.
Meguid, S.A. *(editor)* Impact Surface Treatment 88−49371
Megumi, K. *see* Kasano, H. 85−2137
Megumi, K. *see* Yamamoto, H. 87−74924
Meguro, H. *see* Mori, H. 88−56677
Meguro, K. *see* Nokubo, J. 86−34797, 88−19140
Meguro, M. *see* Katabuchi, K. 88−38833
Meguro, N., Tanigawa, S., Tokunaga, M., Harada, H. Study of composition and heat treatment for $Sm(Co\text{-}Fe\text{-}Cu\text{-}Hf)_z$ permanent magnets 86−22003
Meguro, N. *see* Tokunaga, M. 86−28606
Meguro, R. *see* Ogikami, K. 86−62600
Meguro, S., Ikeda, S., Nagasawa, K., Koike, A., Yasui, T., Sakai, Y., Hayashida, T. Hi-CMOS III technology 85−50721
Meguro, S., Ikeda, T., Sakai, Y. Scaled Hi-CMOS and Hi-BiCMOS technology 88−33378
Meguro, S., Komori, K., Sakai, Y. Evolution of Hi-CMOS technology 86−41946
Meguro, S. *see* Aoki, M. 86−47858, 87−32694
Meguro, S. *see* Fukuda, M. 87−37277
Meguro, S. *see* Ikeda, M. 87−38677
Meguro, S. *see* Ise, B. 88−56282
Meguro, S. *see* Katto, H. 85−50591, 86−41847
Meguro, S. *see* Komori, K. 86−46848
Meguro, S. *see* Kume, H. 88−38540
Meguro, S. *see* Kurihara, K. 86−58518
Meguro, S. *see* Minato, O. 87−59503
Meguro, S. *see* Scanlan, R.M. 85−56247
Meguro, S. *see* Shinya, M. 85−36337
Meguro, S. *see* Umeda, M. 85−36335
Meguro, S. *see* Yamamoto, S. 86−14219, 86−20532
Meguro, T., Ishihara, Y., Itoh, T., Tashiro, H. Low-temperature silicon epitaxial growth by CO_2 laser CVD using SiH_4 gas 86−46345
Meguro, T., Okabayashi, O., Itoh, T. Impurity doping during Si epitaxy by means of CO_2 laser CVD 88−19656
Meguro, T. *see* Doi, A. 88−56241
Meguro, T. *see* Itoh, T. 85−22498
Meguro, T. *see* Takeuchi, M. 88−13641
Meguro, T. *see* Yamanouchi, K. 85−61362, 86−2504, 87−1843, 87−12028, 87−60751, 88−1845, 88−51133
Meguro, Y. *see* Yoshikawa, Y. 88−15308
Megyeri, E. *see* Baka, I. 86−64883
Mehadji, K. *see* le Noane, G. 86−42343
Mehalic, M.A. Effects of computer architecture on DFT algorithm performance 85−7905
Mehalic, M.A., Chan, C.H., Mittra, R. Investigation of tapered multiple microstrip lines for VLSI circuits 88−70959
Mehalic, M.A., Rustan, P.L., Route, G.P. Effects of architecture implementation on DFT algorithm performance 85−54429
Mehallick, B.J. *see* Day, E. 87−72549
Mehandjiska-Stavreva, D. An interactive circuit design technique using optimization 88−12144
Mehaute, A.Le *see* Le Mehaute, A.
Mehdi, A.A.A. *see* Lockhart, G.B. 87−61558, 88−46875
Mehdi, D. *see* Hashim, G. 88−40990
Mehdi, H.H. *see* May, E.J.P. 85−923
Mehdi, I.S. Meeting the electric power needs for aircraft digital electronics 85−9351
Mehdi, I.S., Leong, P.J. Efficiently meeting electric power needs for future aircraft 86−38893
Mehdi, I.S., Reiquam, E.T. Improved secondary power system efficiency through expanded electrical power use 85−9352
Mehdi, I.S. *see* El-Sharkawi, M.A. 85−9922, 86−70940
Mehdi, Q.H. *see* Taylor, D.M. 86−8892
Mehdi, Z. Introduction of rationalised hydro turbine governors for operation up to 63 bar pressure 85−4990
Mehdi, Z. Advanced instrumentation upgrades hydropower 86−45236
Mehdi, Z. Governing and surging analysis in a double surge tank power house 88−69204
Mehdi, Z., Paliwal, R.K. A novel design of safety valve for liquid application in hydro power stations 88−11115
Mehdizadeh, M., Smilowitz, B. High speed varactor tuned notch filter 86−8445
Mehendale, S.C., Biswas, D.J., Harrison, R.G. Single mode multiline emission from a hybrid CO_2 laser 86−9763
Mehendale, S.C., Harrison, R.G. Synchronized dual-wavelength single-mode emission from a TEA CO_2 laser 86−22315
Mehendale, S.C., Harrison, R.G. Simultaneous generation of two independently tunable single-mode emissions from a hybrid TEA CO_2 laser 86−42476
Mehendale, S.C., Harrison, R.G. Spontaneous mode splitting in optically pumped molecular lasers due to the AC Stark effect 86−68463
Mehendale, S.C., Harrison, R.G. Theoretical analysis of instabilities in optically pumped molecular lasers 87−12398
Mehendale, S.C., Harrison, R.G., Vass, A. Pump intensity dependent cavity mode frequency shifting in a 12.08 μm NH_3 laser 86−48317
Mehendale, S.C. *see* Forysiak, W. 87−26502
Mehendale, S.C. *see* Gupta, P.K. 88−27025
Mehendale, S.C. *see* Harrison, R.G. 87−75008
Mehenni, N., Hadj Zoubir, N., Mahdjoubi, L., Benmalek, M. Optical, electrical and structural properties of CdS thin films suitable for efficient CdS-Cu_2S solar cells 86−35336
Mehenni, N. *see* Hadj-Zoubir, N. 86−40154
Meher, N., Chattopadhyay, A.K. A generalized approach to steady state commutation analysis of CSI/IM drive 87−30582
Meher, N., Chattopadhyay, A.K. Microprocessor-based closed loop control of a current source inverter-fed induction motor drive 88−48981
Meher, N. *see* Chattopadhyay, A.K. 87−72353, 88−30724
Mehl, B., Henderson, E. Electric power management and distribution for air and space applications 86−38892
Mehl, B., Pierce, G. A minimum interruption AC electric power generating system for avionics 86−18485
Mehl, C.R., Sartain, R.B., Halford, C.E. Automated electro-optical system for production testing 85−31339
Mehl, J.B. *see* Moldover, M.R. 88−29201
Mehl, M. *see* Encarnacao, J.L. 87−53651
Mehl, M.E., Noll, S.J. A VLSI support for GKS 85−6329
Mehlam, B. *see* Nyman, M. 86−31924
Mehler, M., Tun, S., Adatia, N. Direct far-field GO synthesis of shaped beam reflector antennas 86−48644
Mehler, M.J. Single and dual-Gregorian reflector antenna shaped beam far-field synthesis 87−47364
Mehler, M.J. Diffraction effects in direct GO far-field synthesis 88−14477
Mehler, M.J. Application of spherical wave expansions to direct GO far field synthesis 88−27616
Mehler, M.J., Maclean, T.S.M., Abbas, A.K. Input impedance of a circular microstrip disc antenna using mode matching 86−42988
Mehler, M.J., Westcott, B.S. Applications of generalised GO reflector synthesis to highly-shaped beam antennas 85−41721
Mehler, M.J. *see* Butcher, M.E. 85−42473
Mehler, M.J. *see* Khamas, S.K. 88−40681
Mehler, M.J. *see* Maclean, T.S.M. 88−43650
Mehler, M.J. *see* Thomas, D. 87−54559
Mehler, M.J. *see* Wu, Z. 87−47163, 88−40567, 88−58850
Mehlhorn, B. *see* Skibinski, G. 86−45023
Mehlhorn, K. About routing algorithms 87−414
Mehlhorn, K., Naher, S. A faster compaction algorithm with automatic jog insertion 88−44856
Mehlhorn, K., Preparata, F.P. Area-time optimal division for $T=\Omega((\log n)^{1+\epsilon})$ 86−46260
Mehlhorn, K., Preparata, F.P. Routing through a rectangle 86−52593
Mehlhorn, K., Preparata, F.P. Area-time optimal division for $T=\Omega((\log n)^{1+\epsilon})$ 87−38367
Mehlhorn, K., Preparata, F.P., Sarrafzadeh, M. Channel routing in knock-knee mode: simplified algorithms and proofs 86−67900
Mehlhorn, K., Schmidt, B.H. On BF-orderable graphs 87−16482
Mehlhorn, K. *see* Becker, M. 86−52599
Mehlhorn, K. *see* Furer, M. 88−1757
Mehlhorn, K. *see* Kaufmann, M. 87−23885
Mehlhorn, K. *see* Makedon, F. *(editor)* 88−32
Mehlhorn, T.A. *see* Gerber, R.A. 86−32102

Mehlhorn, T.A. *see* Johnson, D.J. 85−59105
Mehlhorn, T.A. *see* Slutz, S.A. 87−77510
Mehlhorn, W. *see* Skibinski, G.L. 87−4456
Mehliss, G. *see* Bendig, J. 88−7181
Mehlman, G. *see* Apruzese, J.P. 88−58454
Mehlman, G.C. *see* Scherrer, V.E. 88−40157
Mehmedovic, M. Identification of electric power system for parametering of LFC equipment 88−42740
Mehmedovic, M., Nemec, D., Bagaric, S., Logaric, Z. Joint reactive power control in a multimachine hydroelectric power plant 87−22159
Mehmedovic, M. *see* Zoricic, D. 86−61498
Mehmet Ali, M.K., Woodside, C.M., Hayes, J.F. Re-assembly buffer requirements in a packet voice network 88−59354
Mehmet-Ali, M., Hayes, J.H., Elhakeem, A.K. Traffic analysis of a local area network with a star topology 86−55019
Mehmet-Ali, M. *see* Sarikaya, B. 87−69433
Mehmet-Ali, M.K., Hayes, J.F., Elhakeem, A.K. Traffic analysis of a local area network with a star topology 88−59365
Mehmood, Z., Singer, D., Singhal, A., Wu, K. A design data management system for CAD 88−26436
Mehmood, Z., Singhal, A., Srinivas, N.C., Taylor, S.L., Wu, K. IDEAS−an integrated-design automation system 88−24930
Mehn, M. *see* Balogh, B. 85−29275
Mehndiratta, S.L. *see* Raja, N.S. 85−25562
Mehner, M. *see* Jungmeister, H.G. 85−47094
Mehnert, R. *see* Leonhardt, J.W. 85−61890
Mehnert, S. *see* Arnold, L. 88−59224
Mehnert, S. *see* Fey, P. 88−59223, 88−67096
Mehnert, W. *see* Brefeld, W. 85−31671
Mehra, A.C., Nanda, A.K. Rural electrification−-problems of extension under constraint of resources and solutions 85−15588
Mehra, A.K. Macro economic benefits of P&T network 88−34947
Mehra, D.K. *see* Sinha, S.N. 86−54330, 87−75632
Mehra, M., Rhodes, H. Properties of indium tin oxide films prepared using reactive RF magnetron sputtering 87−23741
Mehra, R. Control of tachyarrhythmias by electrical stimulation−techniques and mechanisms 85−4364
Mehra, R. *see* Santel, D. 88−4969
Mehra, R.K. *see* Lebow, W.M. 85−59642
Mehra, R.K. *see* Rouhani, R. 86−12362
Mehra, R.K. *see* Usoro, P.B. 85−5523
Mehra, R.M., Agarwal, S.C., Rani, S., Kumar, H., Mathur, P.C. Magnetoresistance measurements in amorphous Te_xSe_{1-x} films 85−28975
Mehra, R.M., Koul, S., Kumar, H., Mathur, P.C. Low-field DC conductivity in the bulk amorphous $Ge_xTe_{10}Se_{90-x}$ system 85−34518
Mehra, R.M., Kumar, H., Agarwal, S.C., Sikka, P., Mathur, P.C. Low temperature hopping conduction in amorphous Ge_xSe_{1-x} 86−27942
Mehra, R.M., Kumar, H., Koul, S., Sikka, P. Electrical transport properties of bulk amorphous Ge_xSe_{1-x} 85−18098
Mehra, R.M., Kumar, R., Mathur, P.C. Temperature dependence on DC and AC conductivity in amorphous Ge-Sb-Se films 87−74033
Mehra, S.K. *see* Majithia, J.C. 85−2926
Mehra, V. *see* Matterne, L. 88−25165
Mehra, V.K. *see* Grover, R.B. 85−43848
Mehra, Y.N. Engineering and research in the rehabilitation of the hard of hearing 88−68482
Mehrabanzad, S., Trbovich, N. Queueing network simulator 88−9174
Mehrabi, Y. *see* Bridge, B. 88−6569, 88−18802
Mehrabi, Y. *see* Harirchian, F. 88−43974
Mehrabian, R., Wadley, N.G. Needs for process control in advanced processing of materials 85−54551
Mehrad, F., Ajmera, P.K. Modeling of devices with position-dependent material properties 87−53459
Mehrad, F., Ajmera, P.K. Modelling of heterojunction bipolar devices 88−64533
Mehran, F. *see* Tao, B.P. 87−37374
Mehran, R. Computer aided design of integrated waveguide-fin line and waveguide-microstrip transitions 85−1008
Mehran, R. Integrated transmitter/receiver unit for a digital short-range radio communication system operating in millimeter wave region 87−20398
Mehran, R. An integrated and fading resistant mm-wave transceiver for digital short-range radio communication system 87−34401
Mehran, R., Ludewig, J., Szabo, L. Integrated Ka-band finline mixer/modulator 85−6517
Mehravari, N. TDMA in a random-access environment: an overview 85−13665
Mehravari, N. Poisson conflict resolution with feedback based on conflict intensity 86−64390
Mehravari, N. On Poisson contention resolution problem with feedback based on conflict intensity 88−45803
Mehravari, N., Berger, T. Poisson multiple-access contention with binary feedback 85−19550
Mehregany, M., Gabriel, K.J., Trimmer, W.S.N. Micro gears and turbines etched from silicon 88−19822
Mehregany, M., Gabriel, K.J., Trimmer, W.S.N. Integrated fabrication of polysilicon mechanisms 88−50943
Mehregany, M., Senturia, S.D. Anisotropic etching of silicon in hydrazine 88−33054
Mehrez, A. *see* Lugasi, Y. 85−38737
Mehrez, H., Greiner, A. A very high rate monolithic cascadable FFT processor 87−24264
Mehrez, H. *see* Greiner, A. 86−34873
Mehrgardt, S. Picture memory for flickerfree television 85−20314
Mehrgardt, S. Digital signal processing in video tape recorders 86−11299
Mehrgardt, S. Analogue signals from a digital processor. Software for the TMS320 32-bit signal processor 86−17879
Mehrgardt, S. Digital signal processing in video recorders too: a video processor saves space and lowers costs 86−60052
Mehrgardt, S. Digital signal processing in a videorecorder using an integrated single-chip video processor 86−69939
Mehrgardt, S. Flicker-free TV set design 87−41189
Mehrhoff, T.K. Comparison of continuous moisture monitors in the range 1 to 15 p.p.m. 86−5605
Mehring, M., Sixl, H. Molecular electronics: storage and transport 88−32694
Mehring, P., Aposporidis, E. Multi-level simulator for VLSI 88−71667
Mehring, P., Jud, W. NETASIM−an interactive CSSL-system with online-graphics and front-end for power electronics 85−32623
Mehrl, D.J., Lin, H.H., Korpel, A., Vogel, R.F. Design and evaluation of apodized piezoelectric transducers 88−10629
Mehrmann, A. *see* Steeb, H. 85−65440
Mehrotra, B., Stimmell, J. Properties of direct current magnetron reactively sputtered TaN 88−26100
Mehrotra, B.N., Larson, L.A. An FTIR and RGA study of the outgassing of photoresist during ion implant 87−11622
Mehrotra, D. Optimum R/T of music studio suited to Indian music 86−17555
Mehrotra, R., Grosky, W.I. An index mechanism for efficient model-based matching 87−13164
Mehrotra, R., Grosky, W.I., Kung, F.K. Recognizing two-dimensional objects 88−34818
Mehrotra, R., Mahajan, S.K., Batra, V.K., Chandra, K. Progress in automated DC measurements at NPL, India 87−14426
Mehrotra, R., Rai, S. An efficient approach for channel routing in VLSI 88−20085
Mehrotra, S., Austin, C.C., Kellis, J.T. A 1 Mbit/sec CMOS data separator and write precompensation circuit for floppy disk drives 86−67294
Mehrten, P.D. Statistical process control guidelines and procedures [PCB manufacture] 86−67595
Mehrtens, C. The ST from Atari programs EPROMs 87−746
Mehta, A.K. *see* Galluzzo, N.G. 87−78497
Mehta, B.R. *see* Kumar, S. 88−30999
Mehta, D., Garg, M.L., Singh, J., Singh, N., Cheema, T.S., Trehan, P.N. Precision measurements of X- and gamma-ray intensities in ^{192}Ir, ^{160}Tb, ^{169}Yb and ^{152}Eu decays 86−50378
Mehta, D.P., Moroz, J.G., Zietlow, D.C. Implementation of a computer controlled data acquisition system for performance evaluation of a heat pump 86−31276
Mehta, D.P., Moroz, J.G., Zietlow, D.C. The Earth-Coupled Heat Pump as a demand-side planning tool 87−4334
Mehta, F. A PWM-FM 140 watt 100 kilohertz multiple output offline switching power supply 87−78812
Mehta, G.K., Patro, A.P. 15 UD Pelletron of the Nuclear Science Centre−status report 88−47760
Mehta, H.S. An assessment of the probability of double-ended guillotine break in BWR recirculation piping 86−51379
Mehta, M., Desireddi, V., Ajmera, P.K. Data path components for RISC II using CMOS circuitry 86−20635
Mehta, M.J., Basu, B.K., Raj, M.M. A simple instrument for the measurement of small changes in ultrasonic velocity 88−22851
Mehta, P. *see* Bednarczyk, J. 88−18767
Mehta, P. *see* Darwish, M. 88−63794
Mehta, P. *see* Ganesan, K. 87−19536
Mehta, P. *see* Koch, W. 86−6755
Mehta, P.C. Recent trends in optical data processing 88−28014
Mehta, R.C. Low-frequency sensitive force-balance linear standard accelerometer 87−29305
Mehta, R.C., Deopa, N.S. Measurement and analysis of velocity and pressure distribution behind hydraulic turbine runners 87−14614
Mehta, R.D. *see* Bell, J.H. 86−38616
Mehta, S., Hodul, D. Process and equipment issues in rapid thermal oxidation (RTO) 88−44687
Mehta, S., Mittal, S., Haranahaljli, A., Ranadive, D. Blanket CVD tungsten interconnect for VLSI devices 87−1462
Mehta, S., Russo, C.J., Hodul, D. Characteristics of rapidly grown thin oxides 87−11662
Mehta, S. *see* Aitken, D. 87−53337
Mehta, S. *see* Hodul, D. 88−39276, 88−44618
Mehta, S. *see* Pathak, J. 88−70686
Mehta, S. *see* Weinberg, I. 86−7127
Mehta, S. *see* Wong, J. 85−28243, 86−21350
Mehta, S. *see* Yang, C. 87−67143
Mehta, S.C., Varadon, G.S. State-of-the-art of microelectronics in India 85−23862
Mehta, S.D. *see* Sachdev, S. 87−6618
Mehta, S.K. Characteristics of silicon solar cells with polysilicon on the front surface 86−61744
Mehta, S.K., Muraldiharan, R. Analytical model for threshold voltage of ion-implanted short-channel IGFETs 86−63317
Mehta, S.K. *see* Grover, R.B. 85−43848
Mehta, S.K. *see* Jain, S.C. 86−35298
Mehta, S.K. *see* Jain, V.K. 88−49143
Mehta, S.P., Petersons, O. Calibration of test systems for measuring power losses of transformers 87−30724
Mehta, S.P. *see* Petersons, O. 86−45483, 87−11009, 88−16397
Mehta, V. VLSI control for hard disks 85−17583
Mehta, V. *see* Koehler, J.A. 85−41594, 85−62770
Mehtra, H., Temple, V.A.K. Advanced light triggered thyristor 86−9120
Mehtre, B.M., Murthy, N.N., Kapoor, S., Chatterjee, B. Segmentation of fingerprint images using the directional image 87−69315
Mehtre, B.M., Murthy, N.N., Lipovscak, B., Chatterjee, B. Automatic cloud classification 87−4113
Mehuys, D., Lang, R.J., Mittelstein, M., Salzman, J., Yariv, A. Self-stabilized nonlinear lateral modes of broad area lasers 88−20651
Mehuys, D., Mittelstein, M., Salzman, J., Yariv, A. Saturable nonlinear dielectric waveguide with applications to broad-area semiconductor lasers 88−13921
Mehuys, D., Yariv, A. Coupled-wave theory of multiple-stripe semiconductor injection lasers 88−65816
Mehuys, D. *see* Drost, D.J. 85−15301
Mehuys, D. *see* Lindsey, C.P. 87−68466
Mei, D. *see* Tack, P.C. 88−35984
Mei, E.Y.C. *see* Gallinger, D.A. 88−53734
Mei, G. *see* Krakow, W.T. 88−50207, 88−70834
Mei, J.Y., Mei, P. A Monte Carlo simulation for the study of the influence of the thickness of the source in ^{3}H β-ray spectroscopy 88−61199
Mei, K. *see* Knapp, B. 88−33290
Mei, K.K., Cangellaris, A., Angelakos, D.J. Conformal time domain finite difference method 85−5927
Mei, K.K., Cangellaris, A.C. Applications of field singularities at wedges and corners to time domain finite difference or finite element methods of field computations 88−27388
Mei, K.K. *see* Cangellaris, A.C. 88−14375
Mei, K.K. *see* Fang, J. 88−917
Mei, K.K. *see* Kvam, T.M. 86−68714
Mei, K.K. *see* Lin, C.C. 85−13084, 87−57344, 88−72526
Mei, K.K. *see* Zhang, X. 88−34374, 88−72605
Mei, L. *see* Dutton, R.W. 85−1725
Mei, P. *see* Mei, J.Y. 88−61199
Mei, P. *see* Santos, P.V. 86−13091
Mei, P. *see* Venkatesan, T. 87−6525
Mei, Q. *see* Zhang, Q. 88−6320
Mei, S.-N., Lu, T.-M., Robert, S. Nonconformal Al via filling and planarization by partially ionized beam deposition for multilevel interconnection 88−1558
Mei, S.-N. *see* Ramayarananan, R. 87−38388
Mei, S.-N. *see* Wong, J. 87−36776, 88−44591
Mei, X. *see* Luo, J.Y. 88−68812
Mei, Y. *see* Zhou, Z. 87−18466
Mei, Z.-Y. *see* Sun, H.-C. 88−68305
Mei Chang, Wong, J., Wang, D.N.K. Low stress, low hydrogen, nitride deposition 88−44682
Mei Gee-Gwo *see* Gee-Gwo Mei
Mei Guang *see* Ding Liming 85−62642
Mei Huang *see* Huang Mei
Mei Liang-Mo *see* Liang-Mo Mei
Mei Liangom *see* Chen Lixin 87−11384
Mei Ma *see* Ma Mei
Mei Qi-Chu Argon-dye laser system for treatment of cancer 87−57219
Mei Qizhi *see* Qizhi Mei
Mei Wang Yuan *see* Wang Yuan Mei
Mei Wenyao A multifunction infrared photoelectric switch HGK and its application 88−4425
Mei Yu *see* Liu Shengkang 88−36297
Mei-Cheng Xi *see* Xi Mei-Cheng
Mei-li Chen *see* Chen Mei-li
Mei-li Hu *see* Hu Mei-li
Mei-Li Shih *see* Milonni, P.W. 85−35833
Mei-Ling Chen *see* Xing-an Guo 87−12421
Mei-Qi Shi, Ding-Hua Jiang The single-model bandwidth in a rectangular dielectric image waveguide 85−35473
Mei-Qi Shi, Ding-Hua Jiang Analysis of the propagation properties in an inverted strip dielectric guide 88−7008

Mei-Wen Wang, Yeh-Ren Kao, Huey-Liang Hwang, Cherng-Yuan Sun Growth and characterization of vacuum sublimed PbTe crystals 85–33396
Mei-Wen Wang *see* Yeh-Ren Kao 85–33451
Mei-xiang Sun *see* Sun Mei-xiang
Mei-xiang Wan *see* Wan Mei-xiang
Mei-Yi Wang *see* Wang Mei-Yi
Mei-Yun Yu *see* Yu Mei-Yun
Mei-zhen Shao *see* Shao Mei-zhen
Meibner, F.-W. The versatile B1042 desk-top multimeter 86–50144
Meibody Tabar, F., Sargos, F.M., Kauffmann, J.M., Mailfert, A. Field computation in a saturated high speed solid rotor synchronous motor: application to optimal design and performance forecast 87–22274
Meiburger, S.A. *see* Allen, D.N. 86–13395
Meichenin, D. *see* Auzel, F. 88–65616
Meichenin, D. *see* Breteau, J.M. 88–20627
Meichsner, J., Hille, N., Poll, H.-U. Microgravimetric determination of the etching rate of plasma etching 85–40642
Meichsner, J., Poll, H.-U. Wall coating in plasma etch reactors 88–13172
Meicun Zhao *see* Zhao Meicun
Meidan, R., Heiman, A., Bar-Ness, Y. Comments on 'Optimal design of PLL with two separate phase detectors' [and reply] 85–6231
Meidan, R. *see* Arielly, M. 86–29752
Meie, T. *see* Heinzmann, P. 87–28591
Meier, A. The SDA 4212–the 4211's successor [UHF prescaler] 88–44317
Meier, A.A. Distortion of the field of a point current source in an infinitely conducting plane created by a round foreign region [electrostatic measurement] 85–20576
Meier, A.A. Estimating the measurement error for smoothly varying quantities 85–47780
Meier, A.A. Voltage and current distribution in a uniform conducting grid in the form of an infinitely-long strip with grounded boundaries 88–42896
Meier, A.R. Technology is adding new dimensions to paging 85–42480
Meier, A.R., Knight, F.S. Is there a business case for ISDN? 86–54669
Meier, B. A 16 bit microcontroller with efficient event location 85–22916
Meier, B. A 300 watt broadband amplifier 85–33674
Meier, B. How does videotext work? 86–59608
Meier, B. The essential characteristics of the type 80286 microprocessor 87–31926
Meier, C.D. *see* Schwab, B.C. 85–59537
Meier, C.D. *see* Zunser, B.E. 86–50908, 87–30063
Meier, D. *see* Augustiny, N. 88–4901
Meier, D. *see* Brun, E. 85–24506
Meier, D.L., Greggi, J., Rohatgi, A., O'Keeffe, T.W., Rai-Choudhury, P., Campbell, R.B., Mahajan, S. Twin plane effects in dendritic web silicon [solar cells] 87–9765
Meier, D.L., Hwang, J.-M., Campbell, R.B. The effect of doping density and injection level on minority-carrier lifetime as applied to bifacial dendritic web silicon solar cells 88–31004
Meier, D.L., Hwang, J.M., Greggi, J., Campbell, R.B. Resistivity and thickness effects in dendritic web silicon solar cells 88–37460
Meier, D.L., Rohatgi, A., Campbell, R.B., Alexander, P., Fonash, S.J., Singh, R. Emitter formation in dendritic web silicon solar cells 86–7063
Meier, D.L. *see* Campbell, R.B. 87–9746, 87–22736, 88–31006
Meier, D.L. *see* Dawless, R.K. 88–49786
Meier, D.L. *see* Hopkins, R.H. 87–51461
Meier, D.L. *see* Jayaram, R. 88–1353
Meier, D.L. *see* Joardar, K. 88–69683
Meier, D.L. *see* Rohatgi, A. 86–7061, 86–61738, 87–4897
Meier, E.H., Nuesch, D.R. Registration of spaceborne SAR data to large scale topographic maps 87–2609
Meier, E.H. *see* Neusch, D.R. 87–63991
Meier, G. *see* Trommer, R. 86–36341
Meier, G.E.A. *see* Frungel, F. 86–5358
Meier, H. Fiber optics help cope with growth at Edmonton Tel 85–57688
Meier, H., Albrecht, W., Zimmerhackl, E., Hanack, M., Fischer, K. Photoconductivity of phthalocyaninato-μ-thiagermanium (IV) [PcGeS]x 86–28952
Meier, H., Widmer, A.E. Integrator for gas flow measurement 88–36286
Meier, H. *see* Gale, M.T. 85–56775
Meier, H. *see* Gueret, P. 87–24796
Meier, H. *see* Harder, C. 87–7353, 88–40209
Meier, H. *see* Harder, C.S. 88–41642
Meier, H. *see* Kleinknecht, H.P. 85–58956
Meier, H. *see* Muralt, P. 87–53229
Meier, H. *see* Van Zeghbroeck, B.J. 87–38270, 87–45284, 87–45935, 88–40108
Meier, H.J. *see* Bunthoff, D. 87–78465
Meier, H.P., Broom, R.F., Epperlein, P.W., van Gieson, E., Harder, C., Jackel, H., Walter, W., Webb, D.J. Problems related to the formation of lateral *p-n* junctions on channeled substrate (100) GaAs for lasers 88–51813
Meier, H.P., van Gieson, E., Broom, R.F., Walter, W., Webb, D.J., Harder, C., Jackel, H. Channelled substrate (100) GaAs MBE growth and lateral p-n junction formation of lasers 88–56267
Meier, H.P., Van Gieson, E., Walter, W., Harder, C., Buchmann, P., Webb, D., Moser, A. Low threshold current GaAs/AlGaAs GRIN-SCH lasers grown by molecular beam epitaxy on Si_3N_4 masked substrates 88–72313
Meier, H.P. *see* Broom, R.F. 87–1288
Meier, H.W. *see* Junker, E. 86–64703
Meier, I. Transport layer in the local network LOTUNET 8.1 86–37499
Meier, I. *see* Heinzmann, P. 86–22075
Meier, I. *see* Loffler, H. 86–64715
Meier, J. Fluorescent lamps–auxiliary electronic controls or conventional starting systems? 85–49194
Meier, J., Jacquet, B. Swiss technology and know-how applied in a new Canadian Hydro-Power Station 86–56654
Meier, J., Jacquet, B. Large Pelton turbines for Canada's Cat Arm scheme 87–4616
Meier, J., Jacquet, B. Cat Arm–new large Pelton turbines in North America 87–9417
Meier, J., Keppner, H., Bucher, E., Munz, P., Curtins, H., Shah, A.V., Paasche, S., Bloss, W.H. New stable microwave plasma passivated a-Si MIS cells with high open circuit voltage 88–55617
Meier, J., Lieber, W., Heinlein, W., Groh, W., Herbrechtsmeier, P., Theis, J. Time-domain bandwidth measurements of step-index plastic optical fibres 88–1975
Meier, J. *see* Boning, K. 85–64445
Meier, J. *see* Elfrath, K. 85–47090
Meier, J. *see* Gonska, H.H. 85–54340
Meier, J.F., Barrett, A.P., McKendree, F.J. Acoustic emission monitoring of PWB drilling 88–44469
Meier, J.K. A TRAC-PE1 analysis of loss-of-fluid test L6-7/L9-2 85–9668
Meier, J.V., Barnes, N.P., Remelius, D.K., Kokta, M.R. Flashlamp-pumped Cr^{3+}:GSAG laser 87–12432
Meier, K. The hidden local area network (LAN) 85–8230
Meier, K. *see* Jahnke, A. 88–65061
Meier, K.L., Kirchner, W.L., Willcutt, G.J. A compact reactor/ORC power source 87–43484
Meier, K.L. *see* Kirchner, W.L. 85–59911
Meier, M. *see* Feudel, T. 88–13112
Meier, M. *see* Menges, G. 87–50816
Meier, M.M. *see* Russell, G.J. 86–56013
Meier, M.S. *see* Alvar, K.R. 88–18809
Meier, P. *see* Brun, E. 87–46826
Meier, P. *see* Calviello, J.A. 87–986
Meier, P. *see* Cohen, L. 86–55184
Meier, P.F. *see* Derighetti, B. 87–12636
Meier, P.J. Integrated finline: the second decade. I 86–41306
Meier, P.J. Integrated finline: the second decade. II 86–53018
Meier, P.J. Printed-circuit Ka-band mixer with compact filter for step-tuned LO 87–6153
Meier, P.J., Calviello, J.A., Capello, A.J., Cohen, L.D., Bie, P.R. IC techniques slice cost of integrated receiver 86–23965
Meier, P.J., Calviello, J.A., Cappello, A.J., Cohen, L.D., Pomian, R.J., Bie, P.R. Integrated Ka-band front end with monolithic mixer 86–8480
Meier, P.J., Calviello, J.A., Cappello, A.J., Pomian, R.J., Cohen, L.D., Bie, P.R. Ka-band front end with monolithic, hybrid, and lumped-element ICs 86–47062
Meier, R. Sprecher and Schuh products in operation worldwide. Standards, specifications and approvals–[electric control equipment] 85–16178
Meier, R. Utilisation of waste heat in EWZ substations 85–48985
Meier, R., Kneubuhl, F.K., Coccioni, R., Wyss, H., Fischer, E., Schotzau, H.J. Investigations of nozzle materials in SF_6 circuit breakers 87–22651
Meier, R., Werner, D. Moulded polyester technique aids rapid completion in new approach to refinery cable installation 85–21239
Meier, R. *see* Hershcovitch, A. 86–32114
Meier, R. *see* Jager, K.W. 88–30943
Meier, R. *see* Jenni, W. 88–23543
Meier, R. *see* Ruegsegger, W. 85–53769
Meier, R.H., Randolph, C.A. Surveillance sensor test chamber: system design concepts of internal calibrator and of calibration sources 88–74416
Meier, R.J., Loh, Y.P. A 60 GHz beam waveguide antenna system for satellite crosslinks 88–22031
Meier, S. *see* Noll, T.G. 87–59791
Meier, S.E., Muller-Ecker, D., Muller, C.W. Best estimate analysis with thermal hydraulic codes including fluid-structure interactions 87–30327
Meier, T. *see* Heinzmann, P. 86–4616, 87–28552
Meier, T. *see* Huhnermann, H. 87–71060
Meier, T. *see* Tober, G. 88–63423
Meier, U. Controllers for multiple electric motor sets 88–62382
Meier, U., Hinken, J.H., Stenzl, W. A broadband FET amplifier in integrating waveguide technology with an E-plane microstrip insert 88–12612
Meier, U., Sameh, A. Numerical linear algebra on the CEDAR multiprocessor 88–40911
Meier, U., Weisert, T. Computer-aided development of a MESFET waveguide amplifier 88–12594
Meier, W. The Hasler electronic time measuring unit ELZE 86–50229
Meier, W. Interface adapter for the AXE10 system 87–3004
Meier, W. Interface matching for digital telephone exchanges 87–13517
Meier, W., Garverick, T. Dynamic RAM controller pushes system speed to 10 MHz–and beyond 85–40076
Meier, W. *see* Niemeyer, J. 85–20680, 86–17729, 86–60296
Meier, W.A., Bonfadelli, H. Comparative analysis of videotex pilot project studies in three European countries 87–62586
Meier, W.B. NSDP8400; a fast, expandable, multiple error detector and corrector 85–11263
Meier, W.D. Temperature monitoring circuit 85–31615
Meier, W.D. Data capture with a pocket computer 87–3782
Meier, W.J. *see* Batheja, P. 88–36994
Meier, W.R., Hogan, W.J., Hoffman, N.J., Murray, K.A., Olson, R.E. Inertial fusion power for space applications 87–42159
Meier-Credner, W.-D. *see* Hendrichs, W. 88–76026
Meier-Engelen, E. Multimode glass fibre splicing 85–41156
Meier-Hellstern, K.S. A fitting algorithm for Markov-modulated Poisson processes having two arrival rates 87–54774
Meier-Hirmer, R. *see* Scheurer, H. 86–15418
Meier-Kortwig, F.W., Dreher, I., Winklhofer, P. The first operational results and the operational behaviour of the heat supplying power station in Duisburg 87–78461
Meier-Schwegler, M.B. Computer support at the workplace of the electrical engineer 86–292
Meieran, E.S., Flinn, P.A., Carruthers, J.R. Analysis technology for VLSI fabrication 87–74377
Meieran, E.S. *see* May, T.C. 85–6252
Meieran, H.B. Mobilization of existing robotic and teleoperated mobile vehicles to mitigate the consequences of radiological emergencies; a TMI-2 reality and a Chernobyl scenario 87–22036
Meieran, H.B. A survey of mobile robots used for explosive ordnance disposal missions 88–61750
Meieran, H.B. *see* Silverman, E.B. 85–49369
Meierer, R., Tsironis, C. Optimum design of dual gate MESFET amplitude modulators 85–11115
Meierer, R. *see* El-Kamali, W. 87–11038
Meierhofer, F. How a video recorder works. V. User's controls and running control 85–8593
Meierhofer, F. The way a video recorder works. V. Control panel and regulating section 85–58379
Meierova, R.S., Fridberg, P.Sh. Electrical capacitance of a segment of a circular metallic tube with arbitrary wall thickness 87–54475
Meierova, R.S., Fridberg, P.Sh. Efficient method of calculating the capacitance of a ring-shaped capacitor 88–19433
Meierova, R.S. *see* Garb, Kh.L. 86–22751
Meifang Yu *see* Yu Meifang
Meifang Zhu, Fritzsche, H. Density of states and mobility-lifetime product in hydrogenated amorphous silicon, from·thermostimulated conductivity and photoconductivity measurements 86–35349
Meig, D.van der *see* van der Meig, D.
Meighan, R.M. *see* Enochs, J.S. 85–49074
Meighan, T.G., Alton, R.J. Electrical test and test result evaluations of TFTR toroidal field (TF) and poloidal field (PF) coils 85–1915
Meignant, D., Delhaye, E., Rocchi, M. A 0.1-4.5 GHz, 20 mW GaAs prescaler operating at 125°C 87–32725
Meignant, D. *see* Arnaud, O. 88–56910
Meignant, D. *see* Ducourant, T. 86–15180
Meigs, M.J. *see* Jones, C.M. 88–47754
Meigs, M.J. *see* Juras, R.C. 88–53984
Meigs, M.J. *see* Ziegler, N.F. 88–54082
Meihsl, Ch. *see* Pellaux, J.-P. 88–72077
Meihua Lian *see* Lian Meihua
Meij, C.J.Westerbaan van der *see* Westerbaan van der Meij, C.J.
Meij, D., Rensink, H. Memory oscilloscope: shift register on the input reduces the price 87–63443
Meij, J.P.de *see* de Meij, J.P.
Meij, R., Janssen, L.H.J.M., van der Kooij, J. Air pollutant emissions from coal-fired power stations 86–65928
Meij, S.H., Zeelenberg, C. A fast real-time algorithm for the detection of ventricular fibrillation 88–10392
Meijboom, A. Recent developments regarding protection of topographies of semiconductor products 88–57711

Meijden, M.A.M.M.van der *see* van der Meijden, M.A.M.M.
Meijer, A. Systems Network Architecture (SNA) and Open Systems Interconnection (OSI) 86—64476
Meijer, A. SNA and OSI—a future [Systems Network Architecture and Open Systems Interconnection] 86—64554
Meijer, C.H. *see* Wahlstrom, B. 85—21332
Meijer, E. Petri net models for the λ-calculus 87—23514
Meijer, F. Auxiliary power supply for railway vehicles 87—79147
Meijer, G.C.M. Thermal sensors based on transistors 87—29344
Meijer, G.C.M., van Gelder, R., Nooder, V., van Drecht, J., Kerkvliet, H. A three-terminal wide-range temperature transducer with microcomputer interfacing 87—29109
Meijer, G.C.M. *see* Boomkamp, A.J.M. 86—38750 to 38751
Meijer, G.C.M. *see* van Lienden, A.G. 88—18905
Meijer, H. *see* Adams, C.M. 88—40807
Meijer, H. *see* Chan, B. 86—36924
Meijer, H. *see* Chan, B.L. 88—41377
Meijer, H.A.J., van der Meulen, H.P., Ditewig, F., Wisman, C.J., Morgenstern, R. Laser stabilisation for velocity-selective atomic absorption 87—39024
Meijer, H.C. *see* Bosch, W.A. 86—31342
Meijer, H.C. *see* van Herwaarden, A.W. 86—44285, 86—55705
Meijer, J. A spatial mechanism for pilot laser alignment with four independently controlled degrees of freedom 88—40287
Meijer, J., Drews, D. The train security and automation system of the Amsterdam Metro after five years operation 86—26355
Meijer, J.C. Simulation replaces the solder pin [CAE and ATE possibilities] 85—20447
Meijer, J.C. Gallium arsenide in movement [ICs design] 85—23435
Meijer, J.C. Personal logic analyzer 85—37511
Meijer, J.C. CAD and the battle of the SMD substrates 85—55256
Meijer, J.C. The HP7000: a broad look at spectrum analysis 85—58628
Meijer, J.C. Know your 80386 86—14248
Meijer, J.C. Dormers for Palas [logic analysers] 86—44100
Meijer, J.C. Colour TV tubes for higher spheres 86—50705
Meijer, J.C. Complex waveforms being measured: operation of and working with the HP8770S system 86—60260
Meijer, J.C. PM 3050: with a wink at the book—techniques in an innovative oscilloscope series 86—60271
Meijer, J.C. Superlattices on silicon substrates 87—24829
Meijer, J.C. Synthetic fibres in accumulator acid: a medium for sensors and indicators in 'short wave transmissions' 87—25952
Meijer, J.C. The operation and applications of Intel's 29C48 and 29C53: working with integrated services digital networks (ISDN) 87—28321
Meijer, J.C. Dolch M128: a logic analyser for wide buses 87—56565
Meijer, J.C. Automatic testing with the Fluke 9100 series 87—70355
Meijer, J.C. Developments with logic cell arrays 88—6734
Meijer, J.C. Miniaturisation for millimeter waves 88—19362
Meijer, J.C. Intel's fat and lean years [Intel products and developments] 88—55892
Meijer, J.C. Flash memories close the gap between EPROM and EEPROM 88—56614
Meijer, J.C. Siemens give full throttle to car electronics 88—62722
Meijer, J.G. Bumper year for VHSIC and GaAs ICs 86—35741
Meijer, J.G. Symbiosis in silicon 86—35742
Meijer, J.H. *see* Goovaerts, H.G. 88—23088
Meijer, J.W. Jitter in digital networks 88—28620
Meijer, P.B.L. *see* Van den Hamer, P. 86—22047
Meijer, P.H.E., van Roggen, A. Polymer electronic devices 88—57702
Meijer, R.J., De Haas, A.P., Langerak, J.J., Oskamp, C.J., Smit, W., Voerman, M., Decowski, P., Griffioen, K.A., Van Nieuwenhuizen, G.J., Kamermans, R. Electronics for a Si-CsI(Tl)-photodiode multidetector system 88—29917
Meijer, R.J., Van Den Brink, A., Bakkum, E.A., Decowski, P., Griffioen, K.A., Kamermans, R. Light-particle detection with a CsI(Tl) scintillator coupled to a double photodiode readout system 87—63628
Meijer, R.J., Van Nieuwenhuizen, G.J., Van Den Brink, A., Decowski, P., Griffioen, K.A., Kamermans, R. A compact multidetector system for highly energetic charged particles 88—29828
Meijer, R.J., Ziph, B. Stirling power for waste heat recovery [ship propulsion] 86—33804
Meijer, R.J., Ziph, B., Godett, T.M. The STM4-120 Stirling engine for underwater application 86—40362
Meijere, J.L.F.de *see* de Meijere, J.L.F.
Meijering, E. Tariff structures and load management, a report 88—42775
Meijerink, B. Four-in-one analyzing recorder 86—38415
Meijerink, B. Signal generator for all waveforms 86—44330
Meijerink, J.A. Incomplete block LU-factorisation [summary form only given] 85—28170
Meijler, A.P. 'Automation in anesthesia, a relief?' Evaluation of a data acquisition and display system 87—21710
Meijnen, A.J. Development of a computer model for the selection of boiler plants from the viewpoint of a low energy consumption 86—25885
Meijs, N.van der *see* van der Meijs, N.
Meijwaard, J. *see* ter Haar Romeny, B.M. 87—14956
Meikle, S. *see* Dzioba, S. 88—12042
Meikle, S.G., Hatanaka, Y. Characteristics of the hydrogenated amorphous silicon-crystalline cadmium telluride heterojunction diode 88—25940
Meikle, S.G., Thompson, D.A. Rapid thermal annealing of ion implanted CdTe 87—60096
Meikleham, V.F. *see* Gibbons, M.D. 88—74412
Meikleham, V.F. *see* Jost, S.R. 88—431
Meiklejohn, I. Making the switch for better business [telephone systems] 85—25670
Meiklejohn, I. Get your business moving [electronic mail] 87—34059
Meiklejohn, W.H. Magnetooptics: a thermomagnetic recording technology 87—26103
Meiklejohn, W.H., Luborsky, F.E., Frischmann, P.G. On the origin of K_U in amorphous RE-TM magnetooptic recording materials 88—51159
Meiklyar, M.P., Sattarov, F.A., Skochilov, A.F. An investigation of secondary gratings in phase reflection holograms 88—72446
Meiklyar, P.V. *see* Sadykova, A.A. 85—46255
Meiklyar, V.P. *see* Kon'kin, A.L. 86—14469
Meiko, B.S. *see* Alekseev, V.V. 87—59810
Meiko, B.S. *see* Domrachev, V.G. 86—24459, 87—29287, 88—4344
Meikrantz, D.H. *see* Vinjamuri, K. 86—65884
Meiksin, Z.H., Thackray, P.C. Electronic design with off-the-shelf integrated circuits. Second edition 85—60649
Meilanov, R.P. Electromagnetic waves in randomly inhomogeneous thin films 86—15861
Meiler, B. *see* Ashkinazi, G. 88—64498
Meiler, B.L., Kropman, D.I., Levchenkova, A.A. Effect of low-energy electron irradiation in a scanning electron microscope on the parameters of semiconductor devices 88—13328
Meiler, J. Effective prefiltration of X-ray tube assemblies and its specification in aluminium equivalents 85—4285
Meiler, J. The X-ray dose for effective aluminium filtrations 85—53111
Meilhon, M. *see* Bui-Hai, N. 85—20669
Meili, H. *see* Locher, E. 87—64037
Meili, H.P. *see* Graf, H.P. 85—21741
Meili, H.P. *see* Schoetzau, H.J. 86—33548
Meili, H.P. *see* Schotzau, H.J. 86—51820
Meilikhov, E.Z. *see* Aronzon, B.A. 86—58251, 88—12940
Meilin Shi *see* Shi Meilin
Meilink, S.L. *see* Yan, B.-D. 88—1234
Meilink, S.L. *see* Yan, B.D. 86—62319
Meilke, R.R., Mazel, D.S. A direct formulation of symbolic network functions 86—57577
Meillon, T.A.de *see* de Meillon, T.A.
Meilun Liu *see* Liu Meilun
Meimaris, D., Katris, J., Martakos, D., Triberis, G.P. The effect of thermal annealing on the electrical conductivity of bulk Cd-Ge-As glass 87—53208
Meiming Sheng *see* Lan Jin 88—15147
Meinander, T. Short period undulators— design and performance 87—29410
Meinander, T., Sarakontu, M. Magnetic design and field measurements of a VUV-undulator for MAX-lab 88—68158
Meinander, T. *see* Eriksson, M. 88—29759
Meinardus, G. Remark on a lemma by R. Wong and J.P. McClure 86—7694
Meinardus, G. An approximation theoretic alternative to asymptotic expansions for special functions 87—31442
Meincai He *see* He Meincai
Meincke, J. *see* Emery, W.J. 87—71378
Meindl, G., Roess, E., Rossgotterer, R. Accessory for automatic winding and mounting of ferrite cores 88—39809
Meindl, J. *see* Lukaszek, W. 86—41962
Meindl, J.D. Ultra-large scale integration 85—12352
Meindl, J.D. Interconnection limits on silicon ultralarge scale integration 87—18287
Meindl, J.D. Chips for advanced computing 88—798
Meindl, J.D. Opportunities for gigascale integration 88—26410
Meindl, J.D. System limits on ultra large scale integration 88—71714
Meindl, J.D. Opportunities for gigascale integration (GSI) 88—71735
Meindl, J.D., Ford, A.J. Implantable telemetry in biomedical research 85—31799
Meindl, J.D. *see* Bakoglu, H.B. 85—40656, 86—20410, 86—41193, 87—44998, 87—59623
Meindl, J.D. *see* Bazuin, B.J. 85—48272
Meindl, J.D. *see* Bousse, L. 88—26505
Meindl, J.D. *see* Bowman, L. 86—44630
Meindl, J.D. *see* De, V.K. 88—64769
Meindl, J.D. *see* Dorman, M.G. 86—18358, 86—38788
Meindl, J.D. *see* Ford, A.J. 85—48270
Meindl, J.D. *see* Fotowat-Ahmady, A. 85—48273
Meindl, J.D. *see* Gardent, D.S. 85—34876
Meindl, J.D. *see* Gardner, D.S. 85—40663, 85—50459, 86—21460, 86—28445, 87—45821
Meindl, J.D. *see* Gross, S.J. 85—48269
Meindl, J.D. *see* Harame, D.L. 85—43335, 87—70564
Meindl, J.D. *see* Koepnick, J.M. 85—48271
Meindl, J.D. *see* Lewyn, L.L. 85—34970, 85—40901
Meindl, J.D. *see* Loh, W.M. 87—1282
Meindl, J.D. *see* McCarthy, A.M. 88—39285
Meindl, J.D. *see* Marshall, J.D. 88—39511 to 39512
Meindl, J.D. *see* Michalka, T.L. 86—67939, 87—1641
Meindl, J.D. *see* Moslehi, M.M. 87—60465
Meindl, J.D. *see* Pfiester, J.R. 85—40903
Meindl, J.D. *see* Scheuerlein, R.E. 88—765, 88—32197
Meindl, J.D. *see* Schmitt, J.M. 85—48266, 86—44636
Meindl, J.D. *see* Shapiro, F.B. 85—48268
Meindl, J.D. *see* Singh, H.J. 85—34810
Meindl, J.D. *see* Smith, M.J.S. 85—28415, 85—43334, 86—5891, 86—44626, 86—56128, 87—21513
Meindl, J.D. *see* Soo-il Chae 87—74379
Meindl, P. *see* Tatone, O.S. 88—43004
Meindl, X., Kreuzpointer, G., Tauber, R. Decoder IC for an automatic video program identification system (VPS) 87—13908
Meinecke, F. 16-bit microprocessor U8000. II 86—27360
Meinel, A.B. *see* Scholl, M.S. 88—60281
Meinel, C. *see* Budach, L. 87—73244
Meinel, C. *see* Fair, H. 88—66003
Meinel, C.P., Parks, K. Strategies to minimize ΔV costs of extraterrestrial resources 86—50665
Meinel, E.S. Origins of linear and nonlinear recursive restoration algorithms 86—59326
Meinel, E.S. Maximum-entropy image restoration: Lagrange and recursive techniques 88—28042
Meinel, G. *see* Sommer, G. 88—14836
Meinel, H. Integrated millimeter-wave systems and subsystems using finline and related E-plane technologies 86—27574
Meinel, H. *see* Jehle, F.X. 87—13788
Meinel, H.H. A survey of terrestrial millimeter-wave radio systems for commercial users 88—3848
Meinel, H.H. Millimeter-wave systems and applications in Europe 88—71089
Meinel, M.P. *see* Scholl, M.S. 88—60281
Meinel, W., Smith, G. Hermetic analog isolation amplifier 88—56494
Meineri, G. *see* Esposto, F. 87—62729, 88—8525
Meiners, G., Tantzen, D. 1100 kW HF generator for pipe seam induction welding 87—16205
Meiners, L.G. Electrical properties of insulator-semiconductor interfaces on III-V compounds 86—28069
Meiners, L.G. The effect of bulk traps on the InP accumulation-type MISFET 86—63321
Meiners, L.G. The effect of bulk traps on the InP accumulation type MISFET 87—18177
Meiners, L.G., Alford, D.B. Simple low-cost microwave plasma source 86—27798
Meiners, L.G., Clawson, A.R., Nguyen, R. InP metal-semiconductor field-effect transistors with mercury and cadmium gates 86—67857
Meiners, L.G. *see* Alford, D.B. 87—52180
Meiners, L.G. *see* Chang, H.L. 86—28208, 86—34359
Meiners, L.G. *see* Lee, P.Z. 88—57648
Meiners, L.G. *see* Sa, C.J. 86—63096
Meiners, R. PC boards layout CAD in practice 87—52989
Meinert, G., Gierke, E. A/D converter C 570 C or C 571 C used with U 880 microprocessor 88—19230
Meinert, R. *see* Bieleski, D. 85—49354
Meinertz, T., Finke, R., Kasper, W., Hofmann, T., Just, H. Real time analysis of Holter monitoring using a digital computer system with solid state memory. Evaluation of diagnostic accuracy and clinical feasibility? 86—18328
Meinerzhagen, B., Dirks, H.K., Engl, W.L. Quasi-simultaneous solution method: a new highly efficient strategy for numerical MOST simulations 86—21569
Meinerzhagen, B., Engl, W.L. Influence of thermal diffusion on submicron MOSTs 87—25327
Meinerzhagen, B., Engl, W.L. The influence of the thermal equilibrium approximation on the accuracy of classical two-dimensional numerical modeling of silicon submicrometer MOS transistors 88—50844

Meinguet, J. On the Davis-Kahan-Weinberger solution of the norm-preserving dilation problem 86−61994
Meinhardt, D. *see* Hohne, W. 87−4139, 87−29940
Meinhardt, J. On the use of microcomputer-controlled ventilators (status, problems, perspectives) 87−63845
Meinharth, H.-J. *see* Bluschke, A. 87−12048
Meininger, R.D., Cannon, C.P., Smyth, G.J. Data acquisition at TMI-2 leads to new preventive maintenance program [nuclear power stations] 85−59892
Meininger, R.D., Dinsel, M.R. Passive surveillance: a technique to characterize the condition of power and control circuits in a nuclear plant 86−51207
Meininger, R.D., Dinsel, M.R., Soberano, F.T. Three Mile Island techniques to detect degradation in electrical measurement and control circuits 86−51325
Meininger, R.D. *see* Phelps, R.L., Jr. 87−22050
Meinke, P. Communication by satellites for truck systems 87−13663
Meins, J. Results of further development of support magnets for electromagnetic levitation technology 86−45783
Meins, J. Long-stator drive's energy supply 87−64871
Meins, J., Miller, L., Mayer, W.J. The high speed Maglev transport system TRANSRAPID 88−69832
Meinshausen, G. *see* Husken, H.-G. 85−10264
Meintel, A.J., Jr., Will, R.W. Space teleoperation research 86−25351
Meinung, L., Weigt, W. PCM 30 implementation by the German State Railway. VI. Operation during electromagnetic interference using AC trains 85−24873
Meinzer, H.P. *see* Desaga, J.F. 88−61315
Meinzer, R.A., Michels, H.H., Tripodi, R. Chemical production of metastable magnesium atoms for laser pumping 86−3065
Meiqi Shi *see* Shi Meiqi
Meiqiao Cheng *see* Cheng Meiqiao
Meiqin Xiao *see* Xiao Meiqin
Meiqin Yu *see* Yu Meiqin
Meiqiong Yan *see* Yan Meiqiong
Meir, A., Moon, J.W. Survival under random coverings of trees 88−56130
Meir, P. Dc sensitive RCCBs [circuit breakers] 85−49046
Meir, P. Residual current devices−why bother? [circuit breakers] 86−19399
Meir, Y. *see* Blumenfeld, R. 87−480
Meire, D.L. *see* Joardar, K. 88−37510
Meirhaeghe, R.L.Van *see* Van Meirhaeghe, R.L.
Meiri, Z.A. *see* Ben-Arie, J. 87−48064
Meiring, F. *see* Steinbuch, M. 86−70835
Meirong Lin *see* Lin Meirong
Meirs, M., Pascaru, I., Silvermetz, D., Jones, D. 0-1695A/U−retrofit or replace? [frequency standard] 85−58817
Meirs, M. *see* McClelland, T. 88−22410 to 22411
Meirs, M. *see* Silvermetz, D. 86−38497
Meiru Shang *see* Shang Meiru
Meis, F.U. *see* Konig, W. 85−51339
Meisberger, F.E. *see* Bollmann, H. 88−36877
Meischner, P. *see* Schroth, A. 86−4734
Meisel, G. *see* Burghardt, B. 86−5464
Meisel, J. *see* Gilles, M.L. 87−35562
Meisel, K.-H. *see* Becker, P.-J. 86−48938
Meisel, P. Control of dry etching of wafers 85−12196
Meisel, R. Interfaces and connections−an ongoing task 87−79066
Meisel, S. *see* Kapur, V.K. 86−13077
Meisel, T. *see* Hezel, R. 85−1563
Meisel, W.S. Developing phoneme recognizers using expert knowledge and statistical analysis 87−7696
Meisel, W.S. Implications of large vocabulary recognition 87−61800
Meisel, W.S. A natural speech recognition system 88−66432
Meisels, R. *see* Kuchar, F. 85−12704, 86−35406, 86−47365
Meisenburg, R., Blitz, A. Wideband switching stations for videotelephony and videoconferencing 85−36847
Meisheng Chen *see* Chen Meisheng
Meisinger, A. Explosion-protected electrical installations designed to European standards 88−6200
Meisinger, A. Explosion protection in electrical installations: European standards 88−24507
Meisingset, A. The MetaNett: development of new methods and tools for database applications and electronic mapping 88−52733
Meisner, D.E. Fundamentals of airborne video remote sensing 86−38946
Meisner, D.E., Lindstrom, O.M. Design and operation of a color infrared aerial video system 85−59451
Meisner, G.P. *see* Torikachvili, M.S. 86−27959
Meisner, J.S., Nikolic, S., Tamura, T., Tamura, K., Frater, R.W.M., Yellin, E.L. Development and use of a remote-controlled mitral valve 87−8949
Meisner, J.W. *see* Bursch, P.M. 88−36608, 88−68585
Meisner, K., Edwards, H., Fitzgerald, J., Kerns, Q. A low level RF system for the Fermilab Tevatron 86−31901
Meisner, K. *see* Martin, P. 86−31900, 88−47832
Meisner, K. *see* Wildman, D. 88−47865
Meisner, K.G. *see* Bharadwaj, V. 88−47884
Meissburger, J., Berg, G.P.A., Hurlimann, W., Martin, S.A., Romer, J.G.M. Concepts of operation for the magnet spectrometer 'Big Karl' 85−64508
Meissburger, J. *see* Atencio, L.G. 86−25141
Meissen, W. Transient overloading of the mains supply 86−33480
Meissner, B. Zum Verhalten von Dehnungsmessstreifen-Wagezellen bei stossartiger Lastaufbringung (On the behaviour of restive wire strainweigh segments under intermittent load application) 85−48113
Meissner, D. *see* Bodechtel, J. 85−64709
Meissner, D. *see* McEvoy, A.J. 86−51877
Meissner, E. Novel type of fibre-optic ring resonator 87−53982
Meissner, E. *see* Munstedt, H. 87−43361
Meissner, H. Hybrid circuits from the Ceramic Works at Hermsdorf−modern components for microelectronics 85−28864
Meissner, H. Hybrid circuits for multivalent applications manufactured in the Kombinat VEB Keramische Werke, Hermsdorf 87−6290
Meissner, H. *see* Fuhrmann, B. 86−50076
Meissner, H.E., Toratani, H., Izumitani, T., Stokowski, S.E. Edge-cladding glasses for solid-state laser garnet crystals 88−2199
Meissner, H.E. *see* Toratani, H. 88−26742
Meissner, J. Calculation of the radiation losses of groove-guide *E*-plane bends 87−24393
Meissner, K.E. *see* Binari, S.C. 88−71091
Meissner, P., Jacob, M., Rassow, J. Infrared and visible thermoluminescence signals of Tm-doped CaF_2 measured by a semiconductor photodiode 88−61483
Meissner, P., Patzak, E. Investigation of linewidth and side-mode suppression for a DBR laser with integrated passive waveguide 86−36479
Meissner, P. *see* Gross, R. 88−47050
Meissner, P. *see* Kazovsky, L.G. 87−70053, 87−76736, 88−67402
Meissner, P. *see* Patzak, E. 85−41413, 86−22384
Meissner, P. *see* Sugimura, A. 86−22403, 86−29143, 87−2131
Meissner, P. *see* Wenke, G. 86−30783, 87−54369
Meissner, T., Stier, H. SIMATIC S data links 86−10798
Meissner, T. *see* Giessler, W. 86−10797
Meister, A.A. *see* Gerasimtschuk, V.A. 85−14576
Meister, B. A performance study of the ISO transport protocol 88−15134
Meister, B., Janson, P., Svobodova, L. File transfer in local-area networks: a performance study 86−4342
Meister, B. *see* Boxma, O.J. 86−64670
Meister, B.W., Janson, P.A., Svobodova, L. Connection-oriented versus connectionless protocols: a performance study 86−30091
Meister, B.W. *see* Boxma, O.J. 87−44111, 88−14862
Meister, D.E., Otto, J.B., Warner, D.L. Testing out of band signaling in No.1A ESS, No.4 ESS and 5 ESS switches 88−3755
Meister, E. *see* Hurd, R.A. 88−40643
Meister, E.C., Wild, U.P., Klein-Bolting, P., Holzwarth, A.R. Time response of small side-on photomultiplier tubes in time-correlated single-photon counting measurements 88−50608
Meister, G. High-accuracy, fast, mobile straightness testing in precision manufacture 86−24768
Meister, J.J. *see* Kalberer, R. 88−10630
Meister, P. Multiplier module for K1520 [microcomputer] 85−22975
Meister, S.G., Griffin, J.M. Satellite network management in a crowded spectral environment 86−17332
Meister, T. *see* Benna, B. 86−47549
Meister, T.F. *see* Benna, B. 88−19935
Meister, T.F. *see* Bohm, H.J. 88−71528
Meister, T.F. *see* Schaber, H. 88−39405
Meister, V.V., Rozval, Ya.B. An automatic ENG camera set-up system 85−26047
Meister, W. *see* Blockl, R. 85−17153
Meister, W. *see* Luschnig, W. 86−20651
Meistering, B., Nenz, H.J., Wizgall, M. Integration of services in System 12 85−47328
Meistering, B., Wizgall, M. System 12. On the way to an ISDN 85−3320
Meitav, A. *see* Peled, E. 85−16197
Meitian Wang *see* Wang Meitian
Meitzler, A.H. Comments on 'IEEE Standard on Piezoelectricity 176-1978' by T.R. Meeker 86−2469
Meitzler, C.R. *see* Al-Juwair, H. 87−50034
Meitzner, G. *see* Lytle, F.W. 87−35331
Meiwen Yu *see* Yu Meiwen
Meiwes, J. Investigations on acid stratification in lead-acid batteries 85−65428
Meiwes, J. Investigations on current distribution in batteries using a model with a one-dimensional distribution 86−26263
Meiwes, J. Investigations on current distribution in lead/acid-accumulators 86−40042
Meiwes, J. Current distribution in different types of lead-acid accumulators 87−4863
Meixenberger, C. *see* Degrauwe, M.G.R. 88−20115
Meixer, R.P. Software system analyzes I/Q linear detector 86−38212
Meixler, L. *see* Suckewer, S. 87−12344
Meixler, L.D. A high performance DC to 1 MHz analog fiber-optic telemetry link 85−8444
Meixler, L.D. Engineering aspects of the Princeton X-ray laser experiment 88−27088
Meixner, A.J. *see* Wild, U.P. 88−45062
Meixner, H. Passive infrared detector based on PVDF 87−70641
Meixner, H., Kleinschmidt, P. Plastic detects heat 86−31429
Meixner, H., Mader, G., Kleinschmidt, P. Infrared sensors based on the pyroelectric polymer polyvinylidene fluoride (PVDF) 86−55742
Meixner, H. *see* Freitag, R. 87−3618
Meixner, H. *see* Hanrieder, W. 87−32469, 88−58340
Meixner, H. *see* Mader, G. 85−11946, 85−50054, 87−45608, 87−73159
Meixner, H. *see* Winter, H. 88−68079
Meixner, R.P. Selecting power transistors for shipboard search radars 85−3500
Meixner, W.C. *see* Rao, R. 85−12628
Meiyerova, R.S., Popov, A.V., Khozioskii, S.A. Conversion of lower-order modes in smooth waveguide transitions 87−19260
Meiying Kong *see* Kong Meiying
Meiying Liang *see* Liang Meiying
Meiyue Li *see* Li Meiyue
Meizhen Zhang *see* Zhang Meizhen
Mejane, J.R., Quervel, Seveque, F. OPUS 4000 multiservice PABX networks 87−34302
Mejane, J.R. *see* Baudoin, M. 86−37670
Mejatty, M. *see* Khelifi, M. 85−56414
Mejedly, G. Atmospheric corrections of NOAA-AVHRR data verification of different methods by ground truth measurements 87−63966
Mejepineka, J. Applications of frequency transformations to the synthesis of linear networks 86−46512
Mejer, J., Machnowska, Z., Lewartowska, J. Application of the beta radiation gauge MMP-1 to the controlling of low-add-on impregnation in lick roller padding 86−60935
Mejia, A. *see* Couper, I.D. 88−69075
Mejia, L. *see* Baker, N. 85−53900
Mejia, S.R., Chau, T., McLeod, R.D., Kao, K.C., Card, H.C. Electron cyclotron resonance microwave-plasma etching 88−33027
Mejia, S.R., McLeod, R.D., Kao, K.C., Card, H.C. Electron-cyclotron-resonant microwave plasma system for thin-film deposition 86−34388
Mejia, S.R., McLeod, R.D., Pries, W., Shufflebotham, P., Thomson, D.J., White, J., Shellenberg, J., Kao, K.C., Card, H.C. Fabrication of a-Si:H films by microwave plasmas under electron cyclotron resonance conditions 86−34369
Mejia, S.R. *see* Herak, T.V. 88−24768
Mejia, S.R. *see* Pries, W. 86−46382
Mejias, P.M., Martinez-Herrero, R. Bistable fiber-optics interferometric sensor: a proposal 88−42088
Mejias, P.M., Martinez-Herrero, R., Bernabeau, E. Parametric dependence of the transmitted intensity in optical bistable Fabry-Perot devices 85−56782
Mejias, P.M. *see* Martinez-Herrero, R. 86−65876
Mejsnar, K. *see* Jelinek, F. 88−50348
Mejta, F. *see* Prochazka, K. 85−60222
Mejzak, R.S. New technology impacts on future avionics architectures 87−57293
Mejzlik, J. Medium speed data transmission by public telecommunications network 87−69575
Mejzlik, M. *see* Hammer, M. 87−35929
Mejzlik, M. *see* Liedermann, K. 87−51141
Mekada, N. *see* Seino, M. 88−47129
Mekaru, M.M., Waechter, B.M. Simulation model of space station operations in the space debris environment 86−50703
Mekhaeva, E.E. *see* Ratnikov, E.F. 86−51196
Mekhanikov, A.I. *see* Ol'khovskii, G.G. 85−4961, 88−37070
Mekhannikov, A.I. *see* Malyshev, V.M. 88−4290
Mekhantsev, E.B. *see* Kilmetov, R.S. 87−45846
Mekhtiev, A.Sh., Akopyan, E.A., Galandarov, G.A., Faradzhev, F.E. Investigation of the current-voltage characteristics of isoperiodic *p*-$Pb_{0.8}Sn_{0.2}Te$-*n*-$PbSe_{1-x}Te_x$ heterojunctions 86−63077
Mekhtiev, A.Sh., Nikolaev, M.I., Faradzhev, F.E., Akopyan, E.A., Galandarov, G.A., Aliev, T.I. Isoperiodic p-$Pb_{0.8}Sn_{0.2}Te$-n-$PbSe_{0.08}Te_{0.92}$ heterostructure prepared by the method of liquid phase epitaxy 87−24831
Mekhtiev, N.M. *see* Isaev, A.I. 87−46650

Mekinyan, R.S., Atonyan, G.A., Gyurdzhinyan, V.I. A system for automating the rapid testing of turbogenerator units at the Armyansk nuclear power stations 86−33258
Mekkaoui, A. *see* Rogers, K. 87−12179
Mekkaoui-Alaoui, I. *see* Charles, J.-P. 85−5384
Mekkaoui-Alaoui, I. *see* Charles, J.P. 85−60447
Mekler, K.I. *see* Chikunov, V.V. 86−1633
Meklkumyan, L.V. *see* Akopova, A.B. 87−29614
Mekonnen, G. *see* Su, L.M. 86−21512
Mekuria, F. *see* Fjallbrant, T. 88−59089
Mekuria, G. Swan Lake: a small hydro scheme for Ketchikan 85−9784
Mel-nikov, N.A. *see* Zel-dovich, B.Ya. 86−58974
Mela, P. *see* Bianchi, C. 88−76011
Melaku, A., Sadasivan, G. L_1-norm and other methods for sample allocation in multivariate stratified surveys 87−72955
Melaku, Y. *see* Krogh, O. 88−7479, 88−7488
Melamed, A.M. *see* Timchenko, V.F. 87−78032
Melamed, A.S. Performance analysis of Unix-based network file systems 87−40003
Melamed, A.S. *see* Woodland, H.K. 85−36571
Melamed, B., Walrand, J. On the one-dimensional distributions of counting processes with stochastic intensities 87−10248
Melamed, B., Yadin, M. Numerical computation of sojourn-time distributions in queuing networks 85−33274
Melamed, B. *see* Kiessler, P.C. 88−38054
Melamed, I.I. *see* Lovetskii, S.E. 88−49646
Melamid, A.E. *see* Bragin, B.N. 88−32712
Melamid, A.E. *see* Bryukhnevich, G.I. 86−8699
Melamud, A.E. *see* Banakh, V.A. 88−35594
Melan, E.H. Quality improvement in an engineering laboratory 87−65234
Melanchook, E. Logic analyzers: a special report 85−37422
Melanchook, E. Digital storage instruments: a special report 85−43029
Melanchook, E. Burn-in systems screen early failures and raise reliability confidence 85−44491
Melanchook, E. An update on component test handlers 85−47797
Melanchook, E. Innovations prepare memory testers for future demands 85−47821
Melanchook, E. IEEE 488-based power supplies: the universe expands 86−17743
Melanchook, E., Comerford, R. Instrumentation trends of 1984 85−58501
Melancon, C., Mitchel, G.R. Subnanosecond resistive high-voltage dividers for transient ground rise measurement in gas-insulated switchgear. Subnanosecond triple ladder 87−58253
Melancon, C., Trinh, N.G. Resonant overvoltages in HV cable testing 85−32185
Melancon, C. *see* Mitchel, G.R. 86−5362, 87−30278
Melancon, C. *see* Trinh, N.G. 87−30213, 87−71693
Melancon, P., Le Bel, J. A characterization of the frequency selective fading of the mobile radio channel 87−28420
Meland, E. *see* Olshansky, R. 85−62457, 86−42458
Meland, E. *see* Powazinik, W. 88−8214
Meland, E. *see* Su, C.B. 85−29804, 85−51162, 86−36497, 86−63834
melandrone, G. *see* Cappellani, F. 86−6097
Melani, B. *see* Ravaglia, R. 85−19606
Melani, M. *see* Cappellini, V. 85−53013, 87−949, 87−50291
Melanina, T.M. *see* Ilin, V.G. 85−56331
Melanson, G.S. *see* Sharif-Askary, J. 88−10788
Melas, A. *see* Fry, K.L. 86−46332
Melas, C.M. Variable configuration hybrid space and packet switching network 85−25518
Melas, C.M., Arnett, P., Beardsley, I., Palmer, D. Nonlinear superposition in saturation recording of disk media 88−44976
Melas, C.M. *see* Cioffi, J.M. 87−38662
Melashenko, I.P. *see* Al'tman, A.B. 85−40279, 86−41375
Melatti, L.R. *see* Elvik, H.J. 86−7551
Mel'bard, S.N., Krasil'shchikov, B.I., Ermolov, M.I., Tazlov, Ya.Ya. Systems for tracking the direction of electrode movement 85−53967
Melber, J.A. *see* Sager, G.R. 85−36573
Melbert, J.G., Sawicki, E. A self-adapting driver circuit for horizontal TV deflection 86−11263
Melbourne, W.G., Dixon, T.H., Davidson, J.M., Thornton, C.L. GPS-based geodesy in California, Mexico and the Caribbean 87−41091
Melbye, K.M. *see* Hasegawa, B.H. 85−38039, 86−11956, 87−29740
Melcarne, A. *see* Pluchino, F. 88−8383
Mel'chenko, E.N. *see* Krivov, M.A. 85−11943
Mel'chenko, S.V., Panchenko, A.N., Tarasenko, V.F. Electric-discharge XeCl laser emitting pulses of 1 μsec duration 85−24479
Mel'Chenko, S.V., Panchenko, A.N., Tarasenko, V.F. High-power Raman conversion of a discharge XeCl-laser 86−15640
Mel'chenko, S.V., Panchenko, A.N., Tarasenko, V.F. KrCl discharge laser with an output energy of 0.6 J 87−26318
Mel'chenko, S.V., Panchenko, A.N., Tarasenko, V.F. Stimulated Raman scattering conversion of radiation from an electric-discharge XeCl laser 87−26521
Mel'chenko, S.V. *see* Kumpyak, E.V. 88−25618
Mel'chenko, S.V. *see* Lomaev, M.I. 86−9738
Mel'chenko, S.V. *see* Tarasenko, V.F. 88−58443
Melcher, C.L. Correlation between thermoluminescence and radiation damage in bismuth germanate 85−43231
Melcher, C.L., Schweitzer, J.S. Gamma-ray detector properties for hostile environments 88−61623
Melcher, D. Switching type regulators 86−20752
Melcher, D. Switching regulators not only as supplies. II 86−33504
Melcher, D. Regulator with electrically adjustable output voltage 86−62430
Melcher, D., Salgo, R.C. Application of measuring loops in voltage regulators 86−46549
Melcher, F.R. *see* Giegler, D.P. 86−33018
Melcher, J., Lyon, D., Zahn, M. Flow electrification in transformer oil/cellulosic systems 88−55413
Melcher, J.R., Warren, E.P., Kotwal, R.H. Theory for finite-phase traveling-wave boundary-guided transport to tribo-electrified particles 88−27419
Melcher, J.R., Warren, E.P., Kotwal, R.H. Traveling-wave delivery of single component developer 88−27451
Melcher, J.R. *see* Ehrlich, R.M. 85−24761 to 24762, 87−38602
Melcher, J.R. *see* von Guggenberg, P.A. 87−19153
Melcher, J.R. *see* Zaretsky, M.C. 88−53827
Melcher, R. *see* Dacol, F. 85−31394
Melcher, R. *see* Utterback, S. 86−58535
Melcher, R.L. *see* Dacol, F.H. 86−17846
Melcher, R.L. *see* Ermert, H. 86−5107
Melchert, F. Detection and representation of measurement uncertainties 85−14569
Melchert, F. Deutscher Kalibrierdienst (DKD)−German Calibration Service−in the field of electricity: experience based on practical work 85−58778
Melchert, F. 'Deutscher Kalibrierdienst DKD' (German Calibration Service) in the field of electricity−experience based on practical work 86−24610
Melchert, F., Rinn, K., Rink, K., Salzborn, E. Beam losses in the storage ring due to charge changing collisions within a beam of Xe$^+$ ions 87−50019
Melchert, F. *see* Bliek, L. 85−47792, 85−58830, 86−24684
Melchert, F. *see* Braun, E. 85−64238
Melchert, W. DC/DC converters: high requirement profile already during development 86−46538
Melchior, H. Stable contact structures with diffusion barriers for integrated circuits 87−45826
Melchior, H. *see* Berger, H. 86−42317
Melchior, H. *see* Bleiker, C. 87−52578
Melchior, H. *see* Buchmann, P. 85−29647, 86−2845, 86−9594, 87−38818
Melchior, H. *see* Guekos, G. 85−47701
Melchior, H. *see* Hong, Z. 85−11446, 85−17750, 85−45149, 88−909
Melchior, H. *see* Hong Zhiliang 87−37478
Melchior, H. *see* Kaufmann, H. 86−54000
Melchior, H. *see* Loepfe, R. 88−67786
Melchior, H. *see* Schmid, P. 85−18820
Melchior, H. *see* Vogt, W. 85−50339
Melchior, H. *see* Werner, J. 87−53358, 88−27144
Melchior, H. *see* Zogg, H. 85−39722, 85−40528, 87−16644, 87−29126, 87−36739, 87−41525
Melchior, K. *see* Rueff, M. 88−73224
Melchior, K. *see* Warnecke, H.J. 88−3187
Melchior, K.-W. *see* Ahlers, R.-J. 88−4444
Melchior, K.W. *see* Warnecke, H.-J. 86−57235
Melchoir, H. *see* Baumert, J.-C. 85−46212
Melcot, B. How EdF brings its PWRs to a safe shutdown during blackout 87−57753
Meldem, C., Rouiller, J.-M. Design and installation of the heating system in an administration block 85−48884
Melder, W. *see* Rinker, U. 88−60988
Meldrum, C.B. *see* Rigby, E.B. 85−24098
Meldrum, R.D. *see* Clarke, G.K.C. 86−70520
Meldrum, S.J. *see* Camm, A.J. 85−38245
Mele, N., Gratta, G., Puleo, P., Triolo, G. The development of the Italian long-distance fiber-optic cable network ('project 80') 86−49670
Mele, T. *see* Nulman, J. 86−47426
Mele, T.C., Nulman, J., Krusius, J.P. Selective and anisotropic reactive ion etch of LPCVD silicon nitride with CHF$_3$ based gases 85−23688
Mele, T.C., Perera, A.H., Krusius, J.P. High resolution trilayer electron beam resist system employing P[MMA/MAA] and reliable reactive ion etch processes 88−64464
Mele, T.C., Scarpulla, J., Nulman, J., Krusius, J.P. Process integration issues for a 0.25 μm n-channel metal-oxide-semiconductor technology 86−67981
Mele, T.C. *see* Scarpulla, J. 88−39487
Melear, C. MC6805 family offers multi-function capability 85−17479
Melear, C. Measuring volumes with microprocessors 86−11432
Melear, C. Make MCUs work for you 86−62638
Melear, C. Low cost microcontrollers create new applications 86−62639
Melear, C. Small evaluation boards provide flexibility and economy 86−67262
Melear, C. Applications for microcomputers with E^{2}PROM 87−757
Melear, C. Programming techniques for single-chip microcontrollers 87−10922
Melear, C. System power using the MC68020: a 32 bit MPU 87−10925
Melear, C., Tietjen, D. High speed math using a floating point coprocessor 87−786
Meleard, S. Application of stochastic calculus to the study of regular Markov processes on [0,1] 87−10249
Melecrinis, S. *see* D'Orta, P. 87−61699, 88−52368
Meledin, V.G. *see* Belousov, P.Ya. 86−36540
Meledin, V.G. *see* Dubnistchev, Yu.N. 88−29702
Melehy, M.A. Roots and ramifications of a unified theory of electrical conduction in p-n junctions, heterojunctions, and solar cells 88−7337
Meleis, H., Le Fur, P. A novel architecture design for VLSI implementation of an FIR decimation filter 86−14409
Meleis, H. *see* Friedman, V. 88−50219
Melek, M. *see* Hawley, M. 85−38140
Melekhin, G.V., Moskvicheva, I.Yu., Stepanov, V.A., Chirkin, M.V. Stochastic self-excited oscillations in the glow discharge plasma of helium-neon lasers 86−68467
Melekhin, G.V., Stepanov, V.A., Chirkin, M.V. Mechanism of low-frequency fluctuations of the output power of gas-discharge lasers 85−51115
Melekhin, G.V. *see* Anishchenko, V.S. 87−73947
Melekhin, G.V. *see* Konenkov, N.V. 86−21083
Melekhin, V.N. *see* Zakirov, B.S. 88−6555
Melekhov, M.E. Comparison of standard means of measuring electric field strength at a frequency of 30 MHz 85−8918
Melekhov, M.E., Ryzhkov, I.I. Technique and apparatus for measuring strong electromagnetic fields 85−64216
Melekhov, O.K., Molodetskii, A.L. Service of MIRA-2D pulsed X-ray equipment in optimum regime 87−36829
Melen, J. Inspection of power apparatus and some of its main principles 87−9451
Melen, J. On job description of electrical equipment inspectors 87−31258
Melen, J. Inspection of electrical apparatus of lifting equipment 88−24222
Melen, R., Garetti, E., Perardi, F. Advanced switching techniques for future telecommunication services 87−27867
Melen, R., Turner, J. Distributed protocols for access arbitration in tree-structured communication channels 88−66784
Melen, R. *see* Balboni, G.P. 87−13211
Melen, R. *see* Cork, C. 88−54158
Melen, R. *see* Demichelis, C. 87−76035
Melen, R. *see* Emery, L. 88−54456
Melen, R. *see* Garetti, E. 87−7908
Melen, R. *see* Giorcelli, S. 87−76134
Melen, R.E. Design and performance of the Stanford Linear Collider control system 85−43142
Melen, R.E., Williams, S. A high-precision, wide dynamic range CCD based image acquisition system 88−16209
Melendes, B. *see* Kerblay, T.S. 88−2561
Melendez, E.M. Emerging ATE engineering design tools 85−31353
Melendez, J. *see* Takacs, P.Z. 86−60464
Melendez, L. A digital frequency adapter for a processor 86−24590
Melendez, L. EPROM memories 86−27305
Melendez, L. Burglar alarm controlled by a spectrum 86−41258
Melendez, L. Control of a lift with a microprocessor. I 86−51994
Melendez, L. Control of a lift by microprocessor. II 86−56997
Melendez, R. *see* Eppley, K. 86−32011
Melendez, W.A., Petersen, E.L. The upper layers of the ISO/OSI reference model. I 87−20223
Melendez, W.A., Petersen, E.L. The upper layers of the ISO/OSI Reference Model 87−20224
Melent'ev, L.A. Basic results and tasks of systems research in power engineering 87−21813
Melent'ev, L.A. Present-day scientific problems in energetics 87−64230
Melent'ev, L.A., Vartazarova, L.S. National-economic outlays in the energy sector 85−65025
Melent'ev, L.A. *see* Vartazarova, L.S. 86−70576
Melent'ev, N.N. *see* Enno, I.K. 88−68051
Melent'ev, V.A., Mityushina, I.M. The construction of ash and slag dumps for steam power stations as dams 86−45191
Melent'ev, Yu.I. *see* Kabakov, A.M. 86−51985
Melentjew, L.A., Popyrin, L.S. Basic problems and methods of studying district heating systems 85−43863
Melesani, L., Tenti, P. Three-phase AC/DC PWM converter with sinusoidal AC currents and minimum filter requirements 86−45578
Meleshev, A.M. Speech signals in ergatic systems 88−21124
Meleshin, A.S. *see* Manuilov, B.D. 85−19184

Meleshkin, V.N. Sensitivity of linear circuits to variations in the structure and parameters of elements 87–36935

Meleshkin, V.N., Petrukhina, V.V. Reconstruction of the structure and parameters of a passive network from the differential equations describing its state 87–5944

Meleshkin, V.V., Bulekov, A.N. The configuration and properties of thyristor DC current interrupters 85–59819

Meleshko, E.A., Oleinik, S.V. Pulse rise-time discriminator 87–41890

Meleshko, E.A., Oleinik, S.V. High-speed 10-bit analog-digital converter 88–16026

Meleshko, E.A., Oleinik, S.V., Palkin, Yu.Yu. Unit for linear amplification, gating, and adding of pulses for multidetector spectrometers 85–9111

Meleshko, E.A. *see* Kirillov, B.F. 86–60618

Meleshko, E.A. *see* Zelepukhin, M.V. 86–18247

Meleshko, I.Y., Smagin, A.P. Economic criterion of appraisal of the technical level of power transformers 88–75702

Meleshko, I.Yu. *see* Kontorovich, L.N. 87–58169

Meleshko, I.Yu. *see* Veovidin, I.D. 87–58153

Meleshko, Yu.P., Karpechko, S.G., Leont'ev, G.K., Nalivaev, V.I., Nikiforov, A.D., Smirnov, V.M. Radiation resistance of the piezoelectric ceramics TsTS-21 and TNV-1 87–38616

Meleshkov, S.I. *see* Argarkova, L.V. 86–70310

Melester, M.T. The design of an all digital phase-locked loop 88–70608

Melet, G. *see* Henry, J.-Y. 88–38794

Melev, V.G. *see* Ardyshev, V.M. 87–17864

Melezhik, P.N. *see* Koshparenok, V.N. 85–45948, 85–50030, 86–3623, 86–14458, 86–27563, 87–37517, 88–38695

Melezhik, V.A. *see* Kalashnikov, M.G. 87–63021

Melfi, A. *see* Gattozzi, A. 87–17459, 88–38839

Melfi, S.H., Whiteman, D. Observations of lower-atmospheric moisture structure and its evolution using a Raman lidar 86–25410

Melgara, M., Battu, M., Garino, P., Dowe, J., Marzouki, M. Fully automatic VLSI diagnosis in a CAD-linked E-beam probing system 88–39595

Melgara, M., Paolini, M., Roncella, R. An algorithm for asynchronous NMOS/CMOS network analysis in a CAD tool for physical fault simulation 85–23935

Melgara, M., Paolini, M., Roncella, R. An algorithm for asynchronous NMOS/CMOS network analysis 85–33589

Melgara, M., Paolini, M., Roncella, R., Morpurgo, S. Automatic faults generator at register transfer (RT)-level 85–22815

Melgara, M., Paolini, M., Roncella, R., Morpurgo, S. CVT-FERT: automatic generator of analytical faults at RT-level from electrical and topological descriptions 85–33829

Melgara, M. *see* Cocito, M. 88–39589, 88–64638

Melgara, M. *see* Hunger, A. 87–11828

Melgara, M. *see* Stamelos, I. 87–25477

Melgara, M. *see* Stamelos, J. 87–16357

Mel'gui, M.A., Piunov, V.D. Error caused by change in clearance during magnetic inspection by the localized-pulse method 85–6056

Mel'gui, M.A., Piunov, V.D., Tsukerman, V.L. IMA-4A pulsed magnetic analyzer 88–6544

Mel'gui, M.A., Shidlovskaya, E.A., Voronov, O.A. Possibility of nondestructive testing of 50RA steel parts 86–547

Melham, T. *see* Birtwistle, G. 87–32652

Melham, T. *see* Liblong, B. 86–13922

Melham, T.F. Abstraction mechanisms for hardware verification 88–39665

Melhardt, H.-J. *see* Buchholz, D. 87–35991

Melhem, R. Parallel Gauss-Jordan elimination for the solution of dense linear systems 87–73000

Melhem, R. *see* Guerra, C. 87–18280

Melhem, R. *see* Ramarao, K.V.S. 88–45796

Melhem, R.G., Ramarao, K.V.S. Multicolor reordering of sparse matrices resulting from irregular grids 88–63220

Melhem, S.A. *see* Heising, C.D. 88–23684

Melhus, I. *see* Jensen, O. 87–11061

Meli, F. *see* Grasso, G. 88–73972

Meli, J.A., Weinhous, M.S. Collection efficiency of an ionisation chamber in a pulsed swept beam: chamber size effects 87–8956

Meli, J.A. *see* Weinhous, M.S. 85–20975, 87–8957

Melia, J. *see* Caselles, V. 86–6123

Melichar, F., Svoboda, K., Hradil, M. Research and production of radiopharmaceuticals in CSSR and their future. III. Perspective of nuclear medicine and radiopharmaceuticals in CSSR 85–64564

Melichar, J. The use of heat loss of transformers for space and service water heating in a 400 kV distribution substation 87–4971

Melichar, M. *see* Tykal, M. 86–70218

Melichercik, J. *see* Papso, J. 87–59823 to 59825

Melicio, F. *see* Borges, B.V. 87–31716

Meliga, M., Morasca, S., Sordo, B., De Bernardi, C. Spectral cut-off behaviour of Ti:LiNbO$_3$ and semiconductor waveguides: analysis and experiment 88–51532

Meliga, M., Stano, A., Tamagno, S. Low temperature photo-CVD silicon nitride characterization 87–5444

Meliga, M. *see* Amato, G. 85–10104

Meliga, M. *see* De Benardi, C. 88–58184

Meliga, M. *see* De Bernardi, C. 87–32999, 88–10132

Meliga, M. *see* Morasca, S. 88–51497

Meligi, A.E. *see* Eggett, D.R. 85–4765

Melik, G. Simple but accurate method of induction motors modelling 88–48978

Melik-Davtyan, R.L. *see* Alekseev, A.M. 86–8819

Melik-Shakhnazarov, A.M., Moiceenko, A.S., Mel'nikov, I.G. Opto-electronic information measuring system for operative infrared analysis of geological objects 87–4117

Melik-Shakhnazarov, A.M. *see* Dmitriev, V.A. 86–38214

Melik-Shakhnazarov, V.A. *see* Zoninashvili, V.V. 86–31742

Melikechi, N. A two-wavelength dye laser with broadband tunability 87–54264

Melikhov, I.B. *see* Andreev, O.S. 85–49945

Melikhov, I.B. *see* Tsirelson, D.A. 85–8248

Melikhov, P.S. *see* Tereshchenko, A.I. 87–39363

Melikhov, V.S. *see* Gerasenov, N.Yu. 87–16735

Melikhov, Yu.M. The use of current thyristors in a magnetic-thyristor radio-pulse generator circuit 86–20365

Melikian, G., Khalifa, H.E., Martin, R.L. Thermal storage sizing methodology for solar cooling/power generation systems 87–36168

Melikishvili, Z.G. *see* Dzhibladze, M.I. 87–18941

Melikov, M.Z. *see* Andrikanis, L.I. 88–45644

Melikov, N.Yu., Balakin, V.A. Shaping of reference signals in laser gas analyzers with mechanical switching of the optical channels 85–47911

Meliksetyan, T.E. *see* Arutunyan, V.M. 85–12824, 87–75062

Meliksetyan, T.E. *see* Arutyunyan, V.M. 85–29783, 87–75026

Meliksetyan, T.E. *see* Karmenyan, A.V. 87–39022

Meliksetyan, V.A. *see* Panosyan, Zh.R. 85–34686, 86–28074

Melikyan, A.O. *see* Kryzhanovskii, B.V. 86–42632

Melikyan, V.Sh. *see* Arkhangel'skii, A.Ya. 85–6113, 87–52294

Melikyan, V.V. *see* Sarkisyan, A.G. 88–43362

Melin, D., Phillips, B. Package makes different LANs compatible 85–63358

Melin, G. *see* Briand, P. 85–28682

Melin, J. *see* Freeman, L.-E. 87–55997

Melin, J.O. Measuring radar cross section at short distance 88–9639

Melin, L. *see* Lyttkens, L. 87–21626

Melin, R.C. *see* Agraz-Guerena, J. 85–50722

Melina, K.N. *see* Venediktov, Yu.P. 87–58207, 88–31563

Melindo, F. Experiments and field trials of broadband services in Italy 88–28519

Melindo, F., Valbonesi, G. Network and system architecture: the integrated approach to ISDN in the UT line 87–13530

Melindo, F., Valbonesi, G. Network and system architectures: the integrated approach to ISDN in UT line 87–62453

Melindo, F. *see* Bigi, F. 86–17634, 86–43868, 86–49589, 86–54933

Melindo, F. *see* Chiarottino, W. 87–34303

Melindo, F. *see* De Bosio, A. 85–13707, 85–57625, 86–4115, 86–17086, 86–24085, 88–22065

Melindo, F. *see* Giorcelli, S. 85–3317, 85–52161, 85–57884

Melino, C. Average monopulse angle tracking response to two unresolved sources 88–15568

Melinte, D. *see* Melinte, S. 87–43416

Melinte, S., Melinte, D., Jeflea, A., Moise, M. On some characteristics of the Schottky solar cells 87–43416

Melinte, S. *see* Jeflea, A. 86–1751

Melion, H. Graphic controller chip set 88–32235

Meliopoulos, A.P., Bakirtizis, A.G., Kovacs, R.R., Beck, R.J. Bulk power system reliability assessment–experience with the RECS program 86–56362

Meliopoulos, A.P., Bakirtizis, A.G., Kovacs, R.R., Beck, R.J. Bulk power system reliability assessment experience with the RECS program 87–4270

Meliopoulos, A.P., Papalexopoulos, A.D. Interpretation of soil resistivity measurements: Experience with the model SOMIP 87–29246

Meliopoulos, A.P., Papalexopoulos, A.D., Webb, R.P., Blattner, C. Estimation of soil parameters from driven rod measurements 85–9539

Meliopoulos, A.P. *see* Cokkinides, G. 86–6651

Meliopoulos, A.P. *see* Feliachi, A. 86–6289

Meliopoulos, A.P. *see* Papalexopoulos, A.D. 88–23575

Meliopoulos, A.P. *see* Webb, R.P. 85–54055

Meliopoulos, A.P.S., Cokkinides, G.J., Contaxis, G.C. Computer aided instruction of power system security control functions 87–42357

Meliopoulos, A.P.S., Dunlap, J. Investigation of grounding related problems in AC/DC converter stations 88–75873

Meliopoulos, A.P.S. *see* Bakirtzis, A.G. 87–77984

Meliopoulos, A.P.Sakis *see* Sakis Meliopoulos, A.P.

Meliotes Arms, V. Computer and conferencing: models and proposals 88–53041

Melis, E. Technical information in the teletext service of the Hungarian Television 'Kepujsag' 87–69613

Melis, L. The third generation car telephone system in the Netherlands: a European System 85–52286

Meliss, M. Solar energy: the sun remains, as yet, unattainable 86–12737

Meliss, M. Regenerative energy sources 86–61206

Melissinos, A.C. *see* Reece, C.E. 86–50065

Melissinos, C.D., Tufts, D.W., Kirsteins, I. Very fast adaptive array processing 87–55193

Melissinos, C.D. *see* Tufts, D.W. 86–10415, 87–12972, 88–73140

Melititskaya, V.V. *see* Melititskii, V.A. 87–75813

Melititskaya, V.V. *see* Melititskiy, V.A. 88–46066

Melititskii, V.A., Akinshin, N.S., Rumyantsev, V.L. Some statistical characteristics of the phase of a non-Gaussian signal 87–56208

Melititskii, V.A., Akinshin, N.S., Rumyantsev, V.L. Effectiveness of using average power to distinguish non-Gaussian signals 88–21176

Melititskii, V.A., Rumyantsev, V.L., Akinshin, M.S. Average number of overshoots of a mix of nonGaussian process and normal noise 87–39792

Melititskii, V.A., Shlyakhin, V.M. Optimal identification of nonGaussian signals background by nonGaussian noise 87–39787

Melititskii, V.A., Shlyakin, V.M., Melititskaya, V.V. Statistical characteristics of the ratio of the envelopes of additive mixtures of narrow-band signals and harmonic-like interference 87–75813

Melititskiy, V.A., Akinshin, N.S., Melititskaya, V.V., Mikhailov, A.V. Statistical characteristics of a non-Gaussian signal envelope in non-Gaussian noise 88–46066

Melititskiy, V.A., Akinshin, N.S., Mikhaylov, A.V. Non-Gaussian signal probabilistic model and its characteristics 85–36164

Melititskiy, V.A., Akinshin, N.S., Mikhaylov, A.V. Probability distribution density of normalized radar range 86–30856

Melititskiy, V.A., Mikhaylov, A.V., Vikulov, A.V. Bearing error statistics for *m*-distributed signal amplitudes 87–47741

Melititskiy, V.A., Mosionzhik, A.I. A probabilistic model of non-Gaussian, periodically nonstationary radio signals 88–72551

Melkadze, T.G. *see* Gurgenidze, M.Z. 86–39772

Mel'kanovich, A.F. General theory of a linear reversible electroacoustic transducer with an arbitrary shape of the working surface 85–4514

Mel'kanovich, A.F. Determination of characteristics of electroacoustic transducers through measurement of their electrical impedances 85–15458

Mel'kanovich, A.F., Kushkulei, L.M., Arbit, I.I. Examination of the spectral and time characteristics of information signals of ultrasonic flaw detectors 86–57494

Mel'kanovich, A.F., Kushkulei, L.M., Arbit, I.I., Pyabus, G.V. Measurement of acoustic transducer characteristics 85–4515

Mel'kanovich, A.F. *see* Pyabus, G.V. 88–18784

Melke, J., Switaiski, B. Elastomer rail support systems: problems in dynamic testing 88–24527

Melkebeek, J.A. Dynamic models for voltage converter and frequency inverter fed induction machines 85–32494

Melkebeek, J.A. Small signal dynamic modelling of saturated synchronous machines 87–42868

Melkebeek, J.A. *see* Van den Bossche, A.P. 86–6756

Melkebeek, J.A.A. *see* Novotny, D.W. 86–12801

Melkemi, L., Tchuente, M. Complexity of matrix product on a class of orthogonally connected systolic arrays 87–44758

Melkonyan, L.Sh. *see* Davtyan, G.V. 87–63216

Melkonyan, S.V. *see* Arutyunyan, V.M. 87–11729

Melkonyan, S.V. *see* Harutyunyan, V.M. 87–7219

Melkov, G.A., Narytnik, T.N., Petrova, I.I., Solov'ev, D.A. Features of nonreciprocal effects in a mirror dielectric waveguide 88–12555

Melkov, G.A. *see* Zhitnyuk, V.S. 87–46397

Melkumov, G.A. *see* Ivanov, B.I. 87–3543

Melkumyan, L.V. *see* Akopova, A.B. 85–48189

Mell, H. *see* Beyer, W. 86–35363

Mell, H. *see* Pierz, K. 86–27920

Mell, J.M. YAESU FT-209RH 144 MHz FM transceiver 85−58013
Mellado, M. *see* Tirado, J.F. 85−65019
Mellana, J.-P., Hilty, K. Measurement of delay time fluctuations in digital transmission systems 88−59446
Mellano, W. *see* Amato, G. 85−10104
Mellano, W. *see* Berardi, L. 88−61550
Mellekh, E.M. *see* Burtsev, V.A. 86−44490
Mellema, S., Petler, J.S. Efficiency calibration of large volume liquid scintillation detectors 86−32161
Mellen, N., Convey, D. A high yield process for delicate wafers 87−25024
Mellen, N., Convey, D. A high yield optoelectronic wafer process 87−26223
Mellen, N. *see* Johnson, E. 85−10717
Mellen, R.H. *see* Middleton, D. 86−32562
Mellen, R.H., Sr. *see* Rajendran, S. 88−18220
Meller, A. Compliant pin technology 87−60021
Meller, A. *see* Aubert, J.-P. 88−5058
Meller, A.S., Khandokhin, P.A., Khanin, Ya.I. Theory of natural fluctuations of the intensity and frequency of radiation from multimode injection lasers 87−46892
Meller, P. *see* Alvarez, A.R. 85−50667, 86−47699
Meller, R.E. Thermodynamic mechanism for bunch lengthening 88−54209
Meller, T., Moser, B. Electronically controlled damping systems for cars 88−5997
Mellet, J. *see* Mohammed-Brahim, T. 85−43235
Mellet, R. *see* Joncour, M.C. 86−58254
Mellet, R. *see* Mircea, A. 87−259, 87−16591
Melli, T. *see* Montagna, M. 86−19668
Mellier, Y., Cailloux, M., Dupin, J.P., Fort, B., Lours, C., Picat, J.P., Tilloles, P. Evaluation of the performance of the 576384 Thomson CCD for astronomical use 86−38256
Mellier, Y. *see* Beal, G. 88−16202
Melling, G.F., Johnson, P.A. Supply considerations for thyristor applications and control of electrical loads 86−12945
Melling, G.F., Johnson, P.A. Electrical load improvement using electronic control 86−65651
Melling, H. *see* Moorhouse, S.W. 88−48338
Melling, H. *see* Richards, D.L. 88−48353
Melling, P.J. *see* Taghizadeh, M.R. 85−2017
Melling, R.J. *see* Brown, A.K. 87−47350
Melling, R.J. *see* Spencer, R.E. 87−49215
Mellinger, E. High density static RAM for in-situ data storage 87−37303
Mellis, D. *see* Hari, J. 88−16230
Mellis, D. *see* van der Meig, D. 88−53754
Mellis, D. *see* Vermolen, J. 86−55764
Mellis, J., Adams, G.R. Performance prospects for interferometric spectrum analysers 85−46232
Mellis, J., Adams, G.R., Ward, K.D. High-dynamic-range interferometric Bragg-cell spectrum analyser 86−31291
Mellis, J., Al-Chalabi, S.A., Barker, L.N. Characteristics of fibre-coupled optical isolators at 1.15 μm 88−35480
Mellis, J., Al-Chalabi, S.A., Cameron, K.H., Wyatt, R., Regnault, J.C., Devlin, W.J., Brain, M.C. Miniature packaged external-cavity semiconductor laser with 50 GHz continuous electrical tuning range 88−67352
Mellis, J. *see* Smith, A.L.S. 85−51084
Mellish, R.G. Medical equipment safety−a DHSS view and how to start 87−29826
Mellitt, B., Allan, J., Shao, Z.Y., Johnston, W.B. Software modelling for induced voltage calculations in AC railways 88−37701
Mellitt, B., Goodman, C.J., Shao, Z.Y., Johnston, W.B. Induced noise calculations in AC railways using CAD techniques 88−5974
Mellitt, B., Harris, F.W., Guieu, B., Harris, N.R. Inductive interference effects in the Hong Kong Island line signalling system 88−37673
Mellitt, B., Sujitjorn, S., Goodman, C.J., Rambukwella, N.B. Energy minimisation using an expert system for dynamic coast control in rapid transit trains 88−37698
Mellitt, B. *see* Allan, J. 85−65332, 88−37695
Mellitt, B. *see* Barnwell, P.O. 87−79128
Mellitt, B. *see* Bozkaya, H. 88−5972
Mellitt, B. *see* Mouneimne, Z.S. 88−76016
Mellitt, B. *see* Rambukwella, N.B. 87−79121
Mellitt, B. *see* Taufiq, J.A. 86−40241 to 40242
Mellitt, B. *see* Waters, C.D. 88−49228
Mellitt, B. *see* Murthy, T.K.S. *(editor)* 88−11606
Mellitzer, G. *see* Gosch, H. 88−23730
Mello, A.A. *see* Christensen, D.N. 85−28815
Mello, F.P.de *see* de Mello, F.P.
Mello, L.A.R.da Silva *see* da Silva Mello, L.A.R.
Mello, L.Silva *see* Silva Mello, L.
Mello, M.D. Drilling with Nd:YAG laser to achieve resultant flow characteristics [of aerospace components] 87−47040
Mello, M.D. Laser cutting of non-metallic composites 87−75287
Mello, R.W.de *see* de Mello, R.W.
Mello, S.M.N., Ghizoni, C.C., Miranda, L.C.M., Vargas, H. Photoacoustic characterization of photovoltaic cells 87−64819
Mello, T. *see* Zeghlache, H. 88−27229
Mello Ceresa, E. *see* Bottoni, G. 87−46308
Melloch, M.R., Bandyopadhyay, S., Datta, S., Noren, R., Lundstrom, M.S., Tan, K., Dungan, T., Reifenberger, R.G., Vaziri, M. Aharonov-Bohm effect in a molecular beam epitaxially grown double quantum well 86−53402
Melloch, M.R., Cooper, J.A., Jr., Qian, Q.-D. Investigation of minority carrier retention behind AlAs barriers 87−74067
Melloch, M.R., McMahon, C.P., Lundstrom, M.S., Cooper, J.A., Jr., Qian, Q.-D. Photocollection efficiency of GaAs/AlAs/GaAs p^+-i-n and n^+-i-p photodiodes 88−5867
Melloch, M.R., McMahon, C.P., Lundstrom, M.S., Cooper, J.A., Jr., Qian, Q.-D., Bandyopadhyay, S. Bias-dependent photoresponse of p^+ in GaAs/AlAs/GaAs diodes 87−33047
Melloch, M.R., Qian, Q.-D., Cooper, J.A., Jr. Long term storage of inversion holes at a superlattice/GaAs interface 87−24820
Melloch, M.R., Qian, Q.-D., Cooper, J.A., Jr. Effect of a buried superlattice on the dynamic storage of electrons at the AlGaAs/GaAs heterojunction 87−60131
Melloch, M.R. *see* Bandyopadhyay, S. 87−25192, 87−45998
Melloch, M.R. *see* Carpenter, M.S. 88−64316, 88−64396
Melloch, M.R. *see* Cooper, J.A., Jr. 86−35384, 86−63118, 87−44848
Melloch, M.R. *see* Datta, S. 86−14910, 86−35386, 87−6450
Melloch, M.R. *see* DeMoulin, P.D. 88−31037, 88−75938
Melloch, M.R. *see* Dungan, T.E. 87−45650, 88−38531
Melloch, M.R. *see* Gunshor, R.L. 87−23633
Melloch, M.R. *see* Klausemeier-Brown, M.E. 88−37553
Melloch, M.R. *see* Klausemeier-Brown, M.E. 88−64277, 88−71508
Melloch, M.R. *see* Kolodziejski, L.A. 88−1380
Melloch, M.R. *see* Qian, Q. 87−17759
Melloch, M.R. *see* Qian, Q.-D. 86−35389
Melloch, M.R. *see* Rancour, D.P. 87−74062
Melloch, M.R. *see* Studtmann, G.D. 88−39500
Melloch, M.R. *see* Studtmann, G.S. 88−33218
Melloch, M.R. *see* Tan, K.L. 86−35383
Melloch, M.R. *see* Wagers, R.S. 86−2559
Mellon, L. *see* Kasperski, R. 87−34167
Mellons, B. *see* Levine, P.D. 88−60941
Mellor, C. Optical coatings for high performance lighting applications 87−72572
Mellor, C.E., Plumb, J.L., Hope, L.L., Abdalla, M.I. Fabrication of electrode structures on very large electroluminescent displays 85−8909
Mellor, D. *see* Abouyannis, G.N. 86−35853
Mellor, D.J. A triggered vacuum gap 85−61622
Mellor, D.J. Improved computer-aided synthesis tools for the design of matching networks for wideband microwave amplifiers 87−5692
Mellor, D.J. Improved computer-aided synthesis tools for the design of matching networks for wide-band microwave amplifiers 87−17354
Mellor, D.J. Spark gaps for grid-cathode protection of pulsed travelling-wave tubes 87−45525
Mellor, D.J. CAD synthesis of interstage networks for multi-stage amplifiers with a wide range of topologies 88−71052
Mellor, D.J. *see* Allen, N.L. 88−23570
Mellor, D.J. *see* Jones, F.J. 88−17209
Mellor, J. A question of scale [VLSI] 85−35045
Mellor, P., Bailey, D. GB3PT, the first RTTY repeater 85−51964
Mellor, P.H. Voltage transients in power electronic controlled AC machines 88−17552
Mellor, P.H., Binns, K.J., Al-Taee, M. Ultrasonically modulated drive system incorporating permanent magnet machine 88−69756
Mellor, P.H., Turner, D.R., Roberts, D. Microprocessor based induction motor thermal protection 86−33402
Mellor, P.H. *see* Binns, K.J. 88−17644
Mellor, P.H. *see* Turner, D.R. 88−64836
Mellor, P.J.T. Depletion-FET gallium arsenide technologies for digital integrated circuits 85−45733
Mellor, P.J.T. Gallium arsenide depletion MESFET digital integrated circuits 87−32713
Mellor, P.J.T. Gallium arsenide integrated circuits for telecommunications systems 88−7755
Mellors, W. *see* Ross-Ross, P.A. 85−44478
Mellors, W.J. *see* Jarvis, P. 86−42200
Mellwig, K.P., Wilde, W. The multiterminals for the very busy 86−4383
Melman, M., Livny, M. Models of the Ethernet protocol using the DISS language 85−19870
Melman, P., Carlsen, W.J., Foley, B. Tunable birefringent wavelength-division multiplexer/demultiplexer 85−58094
Melman, P., Davies, R.W. Application of the Clausius-Mossotti equation to dispersion calculations in optical fibers 86−22123
Melman, P. *see* Dakss, M.L. 86−3290, 88−41640
Melman, P. *see* Davies, R.W. 88−1938
Melman, P. *see* Eichen, E. 85−2386, 86−3265, 86−48430, 87−68174
Melman, P. *see* Foley, B. 86−49679, 88−41638
Melman, P. *see* Nelson, W.H. 86−48420
Melman, P. *see* Newstein, M. 88−8212
Melngailis, J. Focused-ion-beam technology 87−17862
Melngailis, J. Focused ion beam technology and applications 87−74157
Melngailis, J. Focused ion beam microfabrication 88−64451
Melngailis, J., Ehrlich, D.J., Pang, S.W., Randall, J.N. Cermet as an inorganic resist for ion lithography 87−38389
Melngailis, J., Herndon, T.O., Shepard, M., Lezec, H. Planar vias through Si_3N_4 fabricated by focused ion beam implantation 88−57508
Melngailis, J., Musil, C.R., Stevens, E.H., Utlaut, M., Kellogg, E.M., Post, R.T., Geis, M.W., Mountain, R.W. The focused ion beam as an integrated circuit restructuring tool 86−35790
Melngailis, J. *see* Dubner, A.D. 88−12052
Melngailis, J. *see* Licini, J.C. 86−21278
Melngailis, J. *see* Musil, C.R. 86−53725, 87−1647
Melngailis, J. *see* Ro, J.S. 88−57543
Melngailis, J. *see* Shahidi, G.G. 85−42991, 87−26180
Melngailis, J. *see* Shedd, G.M. 87−23702
Melngailis, J. *see* Stein, J.A. 86−18044
Melngailis, J. *see* Warren, A.C. 85−50527, 85−55858
Mel'nichnikov, S.A. *see* Semenov, K.N. 86−25697
Mel'nichuk, K.V. *see* Gogolitsyn, Yu.L. 87−57137
Mel'nichuk, V.V. *see* Belous, A.I. 85−11208
Melnick, B.M. *see* Scott, J.F. 88−57038
Melnick, E.K., Porad, K.D. R&M design influence from spreadsheet analysis 88−55943
Melnicoff, R.M. Integrating voice systems with your phone and LAN 85−19840
Melnicoff, R.M. Speech recognition, voice response, and telephone management: benefits of combining technologies 86−4923
Melnicoff, R.M. *see* Lambert, A.C. 85−19408
Mel'nik, A.A. *see* Antosyak, V.G. 85−27855
Mel'nik, A.P., Nikirsa, D.D., Khibenkova, E.V. Calculating dispersed thermoelectric pile 88−5907
Mel'nik, A.S. Evaluation errors of the parameters of semiconductor device models 87−53453
Mel'nik, B.B., Titov, V.S. Analytical determination of the angular resolution of optoelectronic devices 85−56398
Melnik, D. *see* Landau, P. 87−66327
Mel'nik, I.A. *see* Arbit, L.G. 88−7773
Mel'nik, N.I. *see* Karpov, E.A. 88−38359
Mel'nik, N.N., Okonechnikov, A.P. Correlator of periodic exponential pulses 87−65959
Mel'nik, R.B. *see* Veis, A.N. 88−57330
Mel'nik, S.E., Mikhalev, A.S., Paromchuk, I.E., Sidoruk, S.N. Synthesis of forecasting interpolators for random number of nodes 88−49745
Mel'nik, V.A. *see* Lyashenko, I.N. 85−60234
Mel'nik, V.E., Bryukhomitskii, Yu.A. Bidirectional binary counter with variable pulse weight 85−9110
Mel'nik, V.G. Visual representation of compensating processes in a digital extremal AC bridge 85−20660
Mel'nik, V.G., Krokos, N.A., Savchenko, I.S. A quasilinear method of analysis of stationary signals in a two-phase generator 85−636
Mel'nik, V.G., Savchenko, I.S. A nonlinear model of a ring-type self-running oscillator of the second order 88−70494
Mel'nik, V.G. *see* Zhuravlev, Zh.P. 86−11638
Mel'nik, V.I. *see* Antonov, N.N. 86−48993
Mel'nik, V.L. *see* Volkov, V.M. 87−40633
Mel'nik, V.N. *see* Azerenkov, N.A. 87−19127
Mel'nik, V.S. *see* Kuts, P.S. 85−62205
Mel'nik, Yu.M. *see* Antyukhov, V.A. 86−60637
Melnikoff, S.O. *see* Chen Chao-qing 85−48179
Melnikoff, S.O. *see* Kwong, K. 85−64461
Mel'nikov, A.A. *see* Vashichev, B.N. 88−1491
Mel'nikov, A.G., Sapozhnikov, V.V., Sapozhnikov, Vl.V. Synthesis of self-checking checkers for codes with addition 87−33611
Mel'nikov, A.O. *see* Tkachenko, B.V. 87−26762
Melnikov, B.F. *see* Shur, A.A. 85−8533, 87−54689
Melnikov, B.G. Sensitivity of the optimum probability filters 86−43272
Mel'nikov, B.N. *see* Kozlov, E.V. 86−66020
Mel'nikov, B.S. *see* Gurtovtsev, A.L. 86−6446
Mel'nikov, E.M. *see* Khlopkin, N.S. 86−7222
Melnikov, G.D. *see* Brailovskii, E.J. 86−47513
Mel'nikov, G.N. *see* Vertiprakhov, A.I. 87−51666
Mel'Nikov, G.V. *see* Didenko, A.N. 88−64205
Mel'nikov, G.V. *see* Grigor'ev, V.P. 88−64207
Mel'nikov, G.V. *see* Grigor'yev, V.P. 86−32094
Mel'nikov, G.V. *see* Vintizenko, I.I. 88−19618
Mel'nikov, G.V. *see* Zherlitsyn, A.G. 86−58209
Mel'nikov, I.G. *see* Melik-Shakhnazarov, A.M. 87−4117
Mel'nikov, I.V., Semenov, E.N. Eddy-current structurescopy of annular objects in dynamic regime 86−542
Mel'nikov, I.V., Semenov, E.N. Application of a combined transducer for inspecting articles with large demagnetization factor 86−5194

Mel'nikov, I.V., Semenov, E.N. Some problems of the dynamic operating regime of eddy-current structure analyzers 87—52231
Mel'nikov, I.V., Stepanov, A.A., Shcheglov, V.A. Continuous-wave chemical HF laser initiated by a standing shock discontinuity 86—54094
Mel'nikov, I.V. *see* Gavrikov, V.F. 86—68450
Mel'nikov, I.V. *see* L'vov, V.I. 86—68470
Mel'nikov, K.P. *see* Lutov, M.F. 86—37646
Melnikov, L.A., Rabinovich, E.M., Tuchin, V.V. Quasi-periodic oscillations and chaos in a gas-discharge active mode-locked laser 88—51895
Mel'nikov, L.A., Savel'ev, I.I., Chetverikov, V.I. Dynamics of a ring gas laser with a circularly anisotropic resonator operating well above the threshold 85—18861
Mel'nikov, L.Yu. *see* Barmashenko, B.D. 86—36389, 88—51756
Mel'nikov, L.Yu. *see* Kochelap, V.A. 86—3062, 87—7274
Mel'nikov, N.A. *see* Zel'dovich, B.Ya. 86—29113
Mel'nikov, O.B. *see* Gavrilyuk, V.I. 88—29930
Mel'nikov, P.N. *see* Pekar', I.R. 87—65935
Melnikov, S.L. *see* Osinskii, V.I. 85—51029
Mel'nikov, V.B. Power supply of a plasma emitter with adjustable parameters 88—38386
Mel'nikov, V.I., Khokhlov, V.N., Duntsev, A.V. Ultrasonic waveguide sensor for acoustic monitoring of nuclear power plants 88—54788
Mel'nikov, V.I., Khokhlov, V.N., Osynin, G.B., Baidakov, A.G., Trusov, B.A., Kut'in, L.N. Development and study of an acoustic method of steam content measurement at the fuel assembly outlet of a reactor of an atomic heat generating station 87—42569
Mel'nikov, V.I., Suto, A. Effect of quantum noise and tunneling on the fluctuational voltage-current characteristics and the lifetime of the zero-voltage state in Josephson junctions 86—68209
Mel'nikov, V.I. *see* Ivlev, B.I. 86—68215
Mel'nikov, V.L. *see* Magazinnik, G.G. 85—60291, 85—60298, 86—19364
Mel'nikov, V.L. *see* Sokolov, B.V. 87—51347
Mel'nikov, V.M. Determination of the spectral width of the signal reflected from a multiple target 86—30857
Mel'nikov, V.M. Comparison of practical methods of measuring the spectral width of a remote sounding signal 86—38959
Mel'Nikov, V.M. A difference algorithm for determining the dispersion of the radio-echo from a multiple target 88—67448
Mel'nikov, V.M. *see* Ageev, V.P. 88—33092
Mel'nikov, V.N., Radynov, A.G. Cosmological expansion and measurements of physical quantities 86—44437
Mel'nikov, V.N. *see* Borisova, L.B. 86—44768
Mel'nikov, V.N. *see* Ivashchuk, V.D. 87—63210
Mel'nikov, V.N. *see* Kolosnitsyn, N.I. 86—44435
Melnikov, V.N. *see* Oganessian, Y.T. 85—59008
Melnikov, V.S. *see* Bortnik, I.M. 86—12335
Mel'nikov, V.S. *see* Kovalev, V.D. 87—42333
Mel'nikov, V.S. *see* Leizerovich, A.Sh. 86—39564
Mel'nikov, V.V. *see* Ershov, Yu.K. 86—22633
Mel'nikov, Yu.A. *see* Kudryavtseva, S.P. 88—40501
Mel'nikov, Yu.F., Pastukhov, A.A., Glukharev, Yu.D. Operating modes of traction motors for contacting electric locomotives in mines 85—16307
Mel'nikov, Yu.V. Modeling of the effects of wavefront distortions in a turbulent atmosphere on the ranging of radiation sources 86—48585
Mel'nikova, E.N. Determination of the transient response of a combined AGC circuit 86—34559
Mel'nikova, S.S. *see* Fel'dman, B.Kh. 85—11321
Mel'nikova, S.V., Anistratov, A.T. Electrooptical properties of some $ABCl_3$ crystals having the perovskite structure 85—24260
Mel'nikova, T.N. *see* Martsafei, V.V. 86—59031
Mel'nikova, Ye.N. *see* Zakharov, V.M. 87—44615
Melnychuck, P.W. Image chain model and information content of digital imaging systems 86—69178
Melnychuck, P.W., Shaw, R. Fourier spectra of digital halftone images containing dot-position errors 88—72457
Melnychuk, S.T. *see* Seidl, M. 87—77500
Melnyk, A.R. Observation of field and thickness independent hole mobility in amorphous As_2Se_3 86—27940
Melnyk, A.R. *see* Pai, D.M. 87—18820
Melnyx, A.R. *see* Abkowitz, M. 85—55483
Melo, E.B., Azevedo, M.T.M., Reis, L.A., Prorok, J.G. Software architecture of a TROPICO R telephony exchange 86—49393
Melo, I. *see* Kubinec, P. 87—14739
Melo, P.F.Frutuoso e *see* Frutuoso e Melo, P.F.
Melody, W.H. Examining the implications of changing information and communication structures: the UK PICT 88—34938
Melone, N.P. *see* Dickson, G.W. 85—19769
Melone, S. *see* Caciuffo, R. 87—71067
Meloni, A. Space technology: a union of disciplines once separate. Optical nerves 88—16813
Meloni, A. *see* Rosenberg, S. 86—44140
Meloni, H., Bulot, R. Acoustic and phonetic speech decoding in PROLOG 87—47602
Meloni, H., Bulot, R. A knowledge based system for acoustic and phonetic decoding of continuous speech 88—40874
Melot, J.P., Sloman, A.W., Penberth, M.J. Large data buffer for electron beam lithography 88—26126
Melotte, J.L.R. Stock location systems: the benefits and pitfalls of truck mounted radio terminals 86—55229
Melotte, M. An addressable controller for a large size display panel 86—38456
Meloy, J.D. *see* Clemmensen, J.M. 86—29476
Meloy, J.D. *see* Clemmenson, J.M. 86—29490
Mels, W.A. *see* Van Rooijen, J.J. 85—15163
Melsa, J. Digital signal processing boosts capacity, cuts costs 85—57212
Melsa, J.L., Ragland, R.J. A simple phase-reversal tone disabler 87—27494
Melsa, J.L. *see* Arora, A.S. 85—22946
Melsa, J.L. *see* Beatty, J.D. 87—59561
Melsa, J.L. *see* Kelly, D.P. 86—22964
Melsa, J.L. *see* Mills, J.D. 88—73732
Melse, A.L., de Haan, S.W.H. Reactive power handling with series-resonant converters 88—30799
Melsheimer, J., Tesche, B. Electron microscopy studies of sprayed thin tin dioxide films 86—52513
Melson, B. *see* Hess, D.W. 85—41705
Melter, R.A. You can (sometimes) tell an image by its cover 85—30341
Melter, R.A. The unfamiliar world of gray geometry 85—36428
Melter, R.A. Tessellation graph characterization using rosettas 86—57341
Melter, R.A. Some characterizations of city block distance 88—8833
Melter, R.A. *see* Werman, M. 87—47944
Melton, E.M. The evolution of maintenance contracts 86—136
Melton, G.C. *see* Culp, B.W. 88—57925
Melton, H.E., Jr. *see* Szabo, T.L. 88—54510
Melton, J.G. *see* Linton, T.W. 85—2507
Melton, L.A. *see* Peng-Heng Chang 88—33077
Melton, N.J. Update of PCB regulations 87—22496
Melton, R.B. *see* Busse, L.J. 85—10905
Melton, R.G. *see* Adams, N.J. 87—44183
Melton, R.L. Real-time adaptive velocity control 87—15815
Mel'tser, A.K., Faifman, A.B., Tsalyuk, M.V. Instrument panels ANK-A and ANK-M for acoustic logging 85—4431
Mel'tser, B.Ya. *see* Alferov, Zh.I. 85—61725, 86—21176, 87—33201
Mel'tser, M.M. *see* Sokolov, V.K. 87—9096
Mel'tyukhov, V.A. *see* Boiko, A.V. 87—9344
Meltz, G., Dunphy, J.R. Fiber optic sensors for the nondestructive evaluation of composite materials 87—12165
Meltz, G., Dunphy, J.R. Optical fiber stress wave sensor 88—42130
Meltz, G., Dunphy, J.R., Glenn, W.H., Farina, J.D., Leonberger, F.J. Fiber optic temperature and strain sensors 88—36031
Meltz, G., Morey, W.W., Glenn, W.H., Farina, J.D. In-fiber Bragg-grating sensors 88—65258
Meltz, G. *see* Dunphy, J.R. 87—36854, 87—56625, 88—67872
Meludin, V., Skok, S., Jakl, F., First, Z. Earthing grid characteristics improvement by experimental research 86—51136
Melus, J.L., Sanvicente, E., Magrina, J. Modelling and performance evaluation of multiprocessor based packet switches 88—59376
Melve, B., Hauge, M., Lundberg, A., Thaulow, C. Measurement of crack propagation speeds with optical fibers 87—73180
Melver, W.N. Technology transfer through nuclear training services 86—39381
Melville, H.J. *see* Bentley, A.M. 85—3216
Melville, P. Thermal resistance of SO and PLCC packages 87—10157
Melvin, C. *see* Nakasone, H. 88—72833
Melvin, D.K. Migrating the private corporate network toward an ISDN future 88—3686
Melvin, D.K. Development of ISDN products and services as a user and manufacturer 88—3785
Melvin, D.K. Intel looks toward ISDN for its voice and data network 88—28362
Melvin, G. *see* McKenzie, P. 88—49468
Melvin, J.D., Taylor, R. Networked data acquisition in the modern research and clinical hospital setting 88—36549
Melvin, J.D., Taylor, R.L. High-speed network software for RT-11 and VMS systems 88—35118
Melvin, J.D. *see* Thomas, J. 88—16627
Melvin, J.G. *see* MacDonald, R.D. 86—39363, 86—39496
Melvin, W.J. *see* Fischer, D.W. 85—25622
Melvoid, D. *see* Goepper, D. 86—12411
Melvold, D.J. HVDC convertor terminal costs and reliability correlations with procurement, design and maintenance practice 88—68894
Melvold, D.J., Endo, T., Lips, H.P. Effects of operating configurations of multi-terminal HVDC systems on DC filter performance 87—71485
Melvold, D.J. *see* Low, S.S. 88—69031
Melvold, D.J. *see* Tasinga, I.K. 86—9124
Melwig, B. Digital or higher definition [TV] 87—28747
Melwig, R. Characterisation of television on pictures 86—37147
Melwig, R. Colorimetry in HDTV: up-to-date solutions for a new system 87—34793
Melwig, R. Towards high-definition television 87—49249
Melwig, R., Nasse, D. Introducing HDTV at the time of digital TV: yes, but in what way? 88—4166
Melwig, R. *see* Childs, I. 87—49248
Melynets, G.I. *see* Avtjushkov, A.P. 88—7298
Melzer, F. Transistor inverter for the frequency control of three-phase asynchronous motors 85—53754
Melzer, H.D. *see* Heinitz, W.-D. 85—21009
Melzer, I. *see* Urwank, P. 86—1819
Melzer, J.E., Larkin, E.W. An integrated approach to helmet display system design 88—30109
Melzer, R. The experimental determination of modal dynamic parameters 88—63426
Melzer, R.W. Airway obstruction marking sphere policy study 87—71724
Melzner, F. *see* Hausler, R. 85—53158
Memberg, W.D. *see* Peckham, P.H. 88—61460
Memetov, S.A. *see* Ostapenko, A.M. 85—1614
Memier, M., Chassery, J.M. Boundary location optimisation by adjustment of a Gaussian detection operator 88—21344
Memmi, D. *see* Stern, P. 87—19554
Memming, R. *see* McEvoy, A.J. 86—51877
Memola Capece Minutolo, F. *see* Dillio, A. 85—51338
Memon, A.R., Islam, K. Industrial quality control and precision measurements 85—10530
Memoshkalenko, V.V. *see* Aleshin, V.G. 85—12012
Memoto, T. *see* Sawamoto, K. 87—29107
Men', A.V. *see* Bovkun, V.P. 85—8505
Men Lei Accumulating detection technique in infrared system—calculation and practice 88—42092
Men Li *see* Li Men
Men Shaoxiong, Lu Kecheng Pseudo-color display of laser modes 85—46442
Men Uk Khan *see* Khan Men Uk
Men Xiang-sheng *see* Zhou Zu-cheng 87—40990
Men Xianxin *see* Liu Tongyu 87—3470
Mena, I. *see* Adams, R. 88—68371
Mena, J.G., Salama, C.A.T. High-voltage multiple-resistivity drift-region LDMOS 86—67878
Mena, J.G. *see* Parpia, Z. 87—32522
Menadier, P.T. *see* Polenta, H.P. 87—3606
Menaker, M. *see* Katzir, Y. 86—9642
Menanteau, P. The economic and social constraints of rural electrification in the developing countries: should systems outside the general network be set-up? 87—15220
Menard, K. *see* Zheng, J.P. 87—68399
Menard, P. *see* Da Sylva, P. 86—43908
Menard, Y., Oudart, P. Design and performance assessment of an ultra stable calibration subsystem for a SAR and a scatterometer 88—5142
Menasce, D. *see* Amendolia, S.R. 85—15169
Menasce, D. *see* Bellini, G. 85—9066, 87—21421
Menasce, D. *see* Giammarchi, M. 87—3890
Menasian, S.C. Radio frequency direct conversion of migma power 88—75270
Mencaglia, A. *see* Brenci, M. 88—16177, 88—58136
Mencaglia, A. *see* Conforti, G. 88—74461
Mencaglia, A. *see* Scheggi, A.M. 88—33680
Mencaraglia, D., Amaral, A., Kleider, J.P. Admittance frequency dependence of Schottky barriers formed on DC triode sputtered amorphous silicon: hydrogen influence on deep gap state characteristics 85—61886
Mencaraglia, D., Kleider, J.P., Baixeras, J. Hydrogen influence on the optoelectronic properties of triode DC sputtered amorphous silicon: disorder effects on deep gap states characteristics 86—27899
Mencaraglia, D. *see* Arene, E. 85—16235
Mencel, M. Selection of parameters of a linearizing analog-to-digital converter 86—55595
Mencel, M. A binary rate multiplier in a linearizing analog-to-digital converter 88—19228
Menchaca-Rocha, A. *see* Viesti, G. 87—14730, 87—14757
Menchen, W.R. Development of a 0.1 kW thermoelectric power generator for military applications 87—43482
Menchi, C. *see* Caneschi, F. 86—43585
Menchi, E. *see* Arimondo, E. 85—24451, 85—41306, 87—61219, 87—75010
Mencinger, N. *see* Shukla, R. 85—54146
Mencinger, N.P., Carthy, M.P., McDonald, R.C. Use of wetting angle measurements in reliability evaluations of Au-Si eutectic die attach 86—15095
Mencinger, N.P. *see* Shukla, R.K. 85—62025
Menciotti, F. *see* Ananasso, F. 86—30739
Menciotti, F. *see* La Rocca, C. 86—4586
Mencke, H. *see* Anke, E. 85—5270
Mencke, H. *see* Hanisch, H. 86—51843
Mencke, K. *see* Tinge, J.T. 87—49992
Mencuccini, C. *see* Burattini, E. 86—60643

Mendas, I., Vujkovic Cvijin, P., Ignjatijevic, D., Milosevic, G. Amplitude modulation of the CW laser light in the TEM$_{mn}$ mode by means of a mechanical chopper 86—36367
Mendas, I. *see* Trtica, M. 85—12797
Mendat, L. *see* Kunze, D. 88—21896
Mende, F.F. *see* Pavlyuk, V.A. 85—46115
Mende, G., Wende, J. Breakdown field strengths of anodically and thermally grown metal/oxide/semiconductor structures on polycrystalline silicon 87—11479
Mende, G. *see* von Borany, J. 86—28219
Mende, H.H. *see* Borgermann, F.J. 85—24209
Mende, H.H. *see* Normann, N. 85—56949
Mende, H.H. *see* Schafer, H. 87—53880, 88—51153
Mende, M., Eigler, H. New recursive CCD sampled-data analogue filter 86—14329
Mende, U. Network analysis program with graphical input 86—57584
Mende, U. Solution of special problems in network analysis by means of Mason graphs 87—23870
Mendecki, J. *see* Friedenthal, E. 85—9227
Mendecki, J. *see* Sterzer, F. 85—20961, 86—12022, 87—8944
Mendel, C. *see* Pousse, A. 88—54588
Mendel, C.W., Jr., Quintenz, J.P., Mix, L.P., Zagar, D.M., Noack, R.L., Grasser, T., Webb, J.A. 15-cm hybrid ion diode on PBFA-I 88—29744
Mendel, C.W., Jr. *see* Cook, D.L. 87—43208
Mendel, C.W., Jr. *see* Miller, P.A. 85—16271
Mendel, E. *see* Beyer, K.D. 85—45771
Mendel, J.M. Optimal seismic deconvolution. An estimation-based approach 85—10363
Mendel, J.M. How to include prespecified horizons into minimum-variance deconvolution and maximum-likelihood deconvolution 86—18517
Mendel, J.M. Some modeling problems in reflection seismology 86—60926
Mendel, J.M. *see* Abatzoglou, T.J. 87—62013
Mendel, J.M. *see* Chi, C.-Y. 85—25095
Mendel, J.M. *see* Chi, C.Y. 85—57347
Mendel, J.M. *see* Chong-Yung Chi 86—16422
Mendel, J.M. *see* Dai, G. 86—64255
Mendel, J.M. *see* Giannakis, G.B. 87—61925, 87—61994, 88—70204
Mendel, J.M. *see* Goutsias, J. 86—64247, 87—62248
Mendel, J.M. *see* Hsueh, A.-C. 86—25394
Mendel, J.M. *see* Inouye, Y. 88—72981
Mendel, J.M. *see* Lele, S.G. 88—28026
Mendel, J.M. *see* Popoli, R.F. 88—34540
Mendel, J.M. *see* Swami, A. 88—73044
Mendel, J.T. High leverage GaAs integrated circuits for military systems 86—58626
Mendel, M. *see* Cooke, R. 88—29197
Mendel, R. *see* Carney, B. 88—63681
Mendel'baum, M.A., Es'kov, V.D. Thermionic converter in load-switching mode 85—44204
Mendel'baum, M.A., Savinov, A.P., Sinyavskii, V.V. Calculating the characteristics of thermionic electricity generating elements 85—39219
Mendeleev, G.A., Fedotova, A.S., Shchekina, A.S. A method for using computers to determine the coefficient of steam turbine condenser cleanliness 85—4927
Mendelsohn, A. High-speed microprocessor-based elevator systems 86—51989
Mendelsohn, A. *see* Pease, J. 87—41335
Mendelsohn, A.J., Harris, S.E. Proposal for an extreme-ultraviolet selective autoionization laser in Zn III 85—29774
Mendelsohn, J., Englund, D.C. Matched filtering for robotic vision systems 87—13107
Mendelsohn, J. *see* Gardner, G.Y. 88—21321
Mendelsohn, J.C. *see* Leib, K.G. 86—16535, 87—39931
Mendelsohn, M.P. Bringing Unix machines within an IBM network 85—63308
Mendelsohn, N.S. *see* Lakser, H. 88—70222
Mendelsohn, R. Clearing the air for cordless calls [radiofrequency interference and cordless telephones] 88—41542
Mendelsohn, R. *see* Ben-Zvi, Y. 86—49423
Mendelson, B., Silberman, G.M. Mapping data flow programs on a VLSI array of processors 87—60618
Mendel'son, O.E. *see* Bogacheva, N.D. 88—33509
Mendelson, Y. *see* Bornzin, G.A. 88—54533
Mendelson, Y. *see* Clermont, A. 88—54531
Mendelson, Y. *see* Lin, B. 88—54530
Mendelson, Y. *see* Peura, R.A. 85—38026
Menden, W., Hartmann, P. The government-sponsored program 'development of the magnetic levitation system TRANSRAPID' in the Federal Republic of Germany 87—64918
Mendenhall, W.P., Tyksinski, R.M. IBM's VLSI academic initiative—industrial design discipline in a university environment 85—39485
Menders, J. Reflectivity scaling in four wave stimulated Brillouin scattering 88—20763
Menders, J. *see* Brown, D.C. 86—36442
Mendes, A.C. Hydrodynamic coupling effects on energy-conversion efficiency of rocking floaters 86—65818
Mendes, G. *see* Cescato, L. 88—58697
Mendes, G.F., Cescato, L., Frejlich, J., Braga, E.S., Mammana, A.P. Plasma-etched depth measurement of films using the diffraction of a lamellar grating 85—12197
Mendes, G.F., Cescato, L., Frejlich, J., Braga, E.S., Mammana, A.P. Continuous optical measurement of the dry etching of silicon using the diffraction of a lamellar grating 85—34859
Mendes, G.F. *see* Cescato, L. 88—20779
Mendes, G.F. *see* Frejlich, J. 87—47012, 88—7529, 88—58694
Mendes, P.R.S., Santos, W.F.N. Heat-transfer and pressure drop experiments in air-cooled electronic-component arrays 88—49530
Mendez, A., Sunak, H.R.D. Measurement considerations for characterizing midinfrared fibers for telecommunication applications 87—70106
Mendez, A., Sunak, H.R.D. Measurement considerations for characterizing mid-infrared fibers for telecommunication applications 88—15468
Mendez, A., Sunak, H.R.D. Design of single-mode mid-IR heavy metal fluoride fibers for telecommunication systems 88—58112
Mendez, A. *see* Sunak, H.R.D. 87—18704, 88—58113
Mendez, A. *see* Fernandez, E. *(editor)* 88—31297
Mendez, A.J. A unified theory for the WORM sensitivity function 88—51428
Mendez, A.J. A unified theory for WORM media modelling 88—65162
Mendez, Ch.A., Sunak, H.R.D. Chromatic dispersion characteristics of single-mode mid-infrared fibers 88—13869
Mendez, E., Gonzalez, S., Kuhlman, F., Castelazo, I. Model development procedure for large scale power plant simulators 86—18916
Mendez, E. *see* Castelazo, I. 85—59851
Mendez, E. *see* Gonzales, S. 85—59850
Mendez, E. *see* Fernandez-Del-Busto, R. *(editor)* 85—54041
Mendez, E.E. Two-dimensional holes at high magnetic fields 86—53433
Mendez, E.E. Electronic mobility in semiconductor heterostructures 87—6421
Mendez, E.E., Calleja, E., Goncalves da Silva, C.E.T., Chang, L.L., Wang, W.I. Observation by resonant tunneling of high-energy states in GaAs-Ga$_{1-x}$Al$_x$As quantum wells 86—58302
Mendez, E.E., Esaki, L., Wang, W.I. Resonant magnetotunnelling in GaAlAs-GaAs-GaAlAs heterostructures 86—35401
Mendez, E.E., Wang, W.I. Temperature dependence of hole mobility in GaAs-Ga$_{1-x}$Al$_x$As heterojunctions 85—55514
Mendez, E.E., Wang, W.I., Ricco, B., Esaki, L. Resonant tunneling of holes in AlAs-GaAs-AlAs heterostructures 85—61718
Mendez, E.E., Washburn, S., Esaki, L., Chang, L.L., Webb, R.A. Low-temperature magnetotransport in InAs-GaSb quantum wells 86—47374
Mendez, E.E. *see* Beerens, J. 87—37957
Mendez, E.E. *see* Chang, L.L. 86—47367
Mendez, E.E. *see* Heiblum, M. 85—16934
Mendez, E.E. *see* Jusserand, B. 85—34558
Mendez, E.E. *see* Kash, J.A. 85—23504, 87—24871
Mendez, E.E. *see* Munekata, H. 87—6452
Mendez, E.E. *see* Tejedor, C. 86—8859
Mendez, E.E. *see* Vina, L. 86—47350
Mendez, E.E. *see* Wang, W.I. 85—1353, 85—50256, 86—1783, 86—8973, 87—1237, 87—74068
Mendez, E.E. *see* Washburn, S. 85—45435, 86—58305
Mendez, H.J. *see* Wang, K.L. 87—44854, 88—6828
Mendez, J. *see* Falcon, A. 86—30057, 86—54547
Mendez, J. *see* Hernandez-Tejera, F.M. 86—30061
Mendez, J.A. *see* Nieto-Vesperinas, M. 87—2585, 87—51932
Mendez, M.A. Evaluation of a myoelectric hand prosthesis for children with a below-elbow absence 86—32367
Mendez, M.de *see* de Mendez, M.
Mendez, N., Mora, F., Passariello, G., Lara, L., Miliani, P., Chang, O. Applying vowel sounds to command support systems for motor-impaired people 88—10403
Mendez, O.M. *see* Philippe, P. 85—37002
Mendez, O.Mata *see* Mata Mendez, O.
Mendez, P. A high fidelity intercom system 86—69973
Mendez, S.R. Defining, developing and operating an effective safety and health program 87—43916
Mendez, V.Perez *see* Perez Mendez, V.
Mendez Ch., A. *see* Sunak, H.R.D. 88—58123
Mendez Lecanda, E. *see* Roldan-Villasana, E.J. 85—60014
Mendez Rodriguez, J.A. *see* Sanchez Rodriguez, M.J. 86—23477
Mendez-Lecanda, E., Juarez-Romero, D., Rossano-Roman, M. Model of the flows and pressures on the air and flue gas path of a fossil-fuel power plant boiler 85—27306
Mendez-Lecanda, E. *see* Garcia-Zenteno, A. 88—10992
Mendez-Rosales, V.M. *see* Cruz, S.A. 87—73145
Mendez-Villamil, J. *see* Iturralde, E.L. 87—15455
Mendiboure, A., Delmas, C. Data processing system for the management of experiments on electrochemical generators 87—72375
Mendicino, P.A. Low cost hermetic sealing of microwave modules 85—28062
Mendicuti, F. Measurements of electrical birefringence by using a transverse-field Pockels cell as a compensator 88—51578
Mendieta, F.J., Sanchez, D. Digital laser transmitter with compensation against threshold, slope and modulation duty cycle variations 86—59921
Mendieta-Jimenez, J. *see* Peralta-Fabi, R. 88—47705
Mendillo, M. *see* Anderson, D.N. 87—54553
Mendiola, J., Jimenez, B., Alemany, C., Maurer, E. New transducer materials: ferroelectric composites 87—6936
Mendiratta, R.G. *see* Banasal, T.K. 88—19672
Mendiratta, V.B. Simulation of the scheduling algorithm in the Bell Labs Network 88—3619
Mendis, F.V.C., Tjhung, T.T., Selvan, B. A long wavelength WDM system for multichannel TV transmission on optical fibre 86—17628
Mendis, F.V.C., Tjhung, T.T., Selvan, B. 20 km single-mode optical fibre system for multichannel video 88—41631
Mendis, F.V.C. *see* Ko, C.C. 88—29427
Mendis, F.V.C. *see* Tjhung, T.T. 85—42720, 85—56296, 86—4638, 86—49838
Mendis, S.R. *see* Saadat, H.M. 88—23387
Menditto, P. *see* Baliga, B.J. 85—6703
Menditto, P. *see* Campbell, P.M. 85—50528, 85—50570
Mendleovic, D. *see* Croitoru, N. 87—18720
Mendlewicz, J. *see* Stanus, E. 87—57147
Mendlovic, D. *see* Croitoru, N. 88—1926, 88—13913, 88—20379
Mendlovic, D. *see* Dror, J. 88—58119
Mendola, C.La *see* La Mendola, C.
Mendolia, J., Lemoine, D. Electrical and optical properties of evaporated thin films of a-CdTe 87—11375
Mendonca, C. *see* Alvarez, F. 86—28148
Mendonca, G.V., Antoniou, A., Venetsanopoulos, A. Design of two-dimensional pseudorotated digital filters satisfying prescribed specifications 86—62785
Mendonca, G.V., Antoniou, A., Venetsanopoulos, A.N. Design of two-dimensional pseudorotated digital filters satisfying prescribed specifications 87—32009
Mendonca, J.T. *see* Moreira, A. 87—17633
Mendonca, J.T. *see* Sa, A.B. 85—51452
Mendonca-e-Moura, C. A synthesis method for quadratic N-port systems 87—482
Mendoza, A.Mendoza *see* Mendoza Mendoza, A.
Mendoza, D. New method to mate tunneling experiments with irregular form or in crystalline state materials: the 1T-TaS$_2$ case 88—71364
Mendoza, D. *see* Pickin, W. 88—26944
Mendoza, J. *see* Girijashankar, P.V. 88—75346
Mendoza, Q.C. *see* Little, W.R. 88—39926
Mendoza Mendoza, A. Low-cost automation of test equipment 85—58532
Mendoza-Alvarez, J. *see* Hausken, T.R. 88—33899
Mendoza-Alvarez, J.G., Coldren, L.A., Alping, A., Yan, R.H., Hausken, T., Lee, K., Pedrotti, K. Analysis of depletion edge translation lightwave modulators 88—72158
Mendoza-Alvarez, J.G., Gonzalez-Hernandez, J., Sanchez-Sinencio, F., Zelaya, O., Chao, S.S. Luminescence and particle size in microcrystalline CdTe thin films 88—31839
Mendoza-Alvarez, J.G., Torres D., G., Gonzalez-Hernandez, J. Photoluminescence and photoconductivity studies on a-Si:H 87—18825
Mendoza-Alvarez, J.G., Yan, R.H., Coldren, L.A. Contribution of the band-filling effect to the effective refractive-index change in double-heterostructure GaAs/AlGaAs phase modulators 88—33773
Mendoza-Alvarez, J.G. *see* Alvarez-F, O. 88—7320
Mendoza-Alvarez, J.G. *see* Cardenas, M. 85—10772
Mendoza-Alvarez, J.G. *see* Coldren, L.A. 88—7972
Mendoza-Alvarez, J.G. *see* Figueroa, J.M. 87—10510
Mendoza-Alvarez, J.G. *see* Zelaya, O. 88—457, 88—31836
Mendoza-Santoyo, F. *see* Bergquist, B.D. 87—49940
Mendrala, J.A. Electronic cinematography for motion-picture film 88—22330
Mendrela, E.A. Steady-state stability conditions of rotary-linear electric motors 86—45452
Mendrela, E.A. Theory of induction motors with two degrees of mechanical freedom 87—15751
Mendrela, E.A., Gierczak, E. Performance of rotary-linear induction motor with rotating-travelling field 85—9864
Mendrela, E.A., Gierczak, E. Electromagnetic properties of induction motor with spherical rotor 85—53709

Mendrela, E.A., Gierczak, E. Influence of primary twist on linear induction motor performance 86−45421
Mendrela, E.A., Gierczak, E. Influence of primary twist on linear induction motor performance 87−43103
Mendrela, E.A., Gierczak, E. Double-winding rotary-linear induction motor 87−51242
Mendrela, E.A., Kaminski, G. Electric motors with two degrees of mechanical freedom 86−39708
Mendrela, E.A. *see* Adamiak, K. 85−7600
Mendrela, E.A. *see* Gierczak, E. 85−60196
Mendrela, E.A. *see* Zawadzki, A. 88−55370
Mendrela, E.M. *see* Adamiak, K. 85−7600
Mendrik, J., Dijkxhoorn, J. Videoconferencing, an application of picture coding techniques 85−42776
Mendrul, N.G. *see* Kokhno, A.G. 88−72610
Mendygral, J. *see* Szymborski, J. 86−33631
Menear, J. Comprehensive monitoring of particulates in deionized water [wafer fabrication] 87−60252
Menear, S. *see* Bradbury, A. 85−24058
Meneghetti, J. *see* Reimers, R.M. 85−26734
Meneghetti, J.R. *see* Avery, R.T. 86−25025
Meneghini, C. *see* Baselli, G. 88−68340
Meneghini, G. *see* De Bernardi, C. 87−32999, 88−10132
Meneghini, G. *see* Roccucci, S. 86−12116
Meneghini, R. Application of the Lienard-Wiechert solution to a lightning return stroke model 85−24889
Meneghini, R., Atlas, D. Simultaneous ocean cross section and rainfall measurements from space with a nadir-looking radar 87−63969
Meneghini, R., Jones, J.A., Gesell, L.H. Analysis of a dual-wavelength surface reference radar technique 87−71295
Menegotti, U., Topi, M. Analysis of radar phase-coded waveforms using high intercept probability SAW compressive receiver 85−13581
Meneguette, M. A note on bordered isoclinal matrices 87−44242
Meneguette, M. *see* Favaro, M. 87−73020
Meneguzzo, A. *see* Albrow, M.G. 88−29872
Meneguzzo, A. *see* Bauer, G. 87−29544, 87−77572
Meneguzzo, A. *see* Bettini, A. 87−29545
Meneguzzo, A. *see* Busetto, G. 87−14788
Meneguzzo, A.T. *see* Bardin, G. 87−77536
Meneley, D.A. *see* Blahnik, C. 85−65075
Menemenlis, C., Nguyen, D.H., Shirmohammadi, D. Field optimization of nonuniform field gaps [dielectric strength] 85−40956
Menendez, A.Vilches *see* Vilches Menendez, A.
Menendez, E. Photovoltaic technology and its integration in the industry of the Argentine 88−72219
Menendez, I., Fernandez, M., Sacedon, J.L. Thermal nitridation of silicon dioxide films 88−39213
Menendez, J., Pinczuk, A., Gossard, A.C., English, J.H., Werder, D.J., Lamont, M.G. Light scattering determination of band offsets in semiconductor quantum wells 87−1254
Menendez, J., Pinczuk, A., Gossard, A.C., Lamont, M.G., Cerdeira, F. Light scattering in GaAs parabolic quantum wells 87−32318
Menendez, J. *see* Kisker, D.W. 88−31761
Menendez, M.A. Operational life testing: a tool to monitor early life reliability 86−13592
Menendez, M.L. *see* Pardo, L. 86−64156, 88−21046
Menendez, R.C. *see* Albanese, A. 88−73916
Menendez, R.C. *see* Frenkel, A. 88−4038
Menendez, R.C. *see* Tur, M. 88−47153
Menendez Perez, J.A.E. *see* Cuenca, M.A. 87−64395
Menendez-Valdes Alvarez, P. Laser propagation in the atmosphere. I. Coherence and atmospheric attenuation 86−54298
Menenti, M. *see* Nieuwenhuis, G.J.A. 87−21788
Meneses, C.A. *see* Diamant, A.M. 86−61889
Meneses, J., Santos, A., Lopez, C. VLSI as support of new digital architectures 87−16966
Meneses, J., Santos, A., Pozas, J., Lopez, C. LSI and VLSI digital architectures for speech processing 85−14721
Meneshian, M.A., Tsao, K.Y., Waggener, H.A. Low level impurity measurement in sputtered dielectric films using the atomic absorption spectrophotometer 86−21759
Meneshian, M.A. *see* Chang, S.L. 86−21758
Menet, O. *see* Fritsch, T. 86−19247
Menetrey, L.C. Command and control for coalition warfare 88−42714
Menetrier, M., Levasseur, A., Delmas, C., Audebert, J.F., Hagenmuller, P. New secondary batteries for room temperature applications using a vitreous electrolyte 85−21789
Menetrier, V. *see* Billaudel, P. 87−70594
Menexiadis, G. *see* Jarry, P. 88−858
Menez, J. *see* Alengrin, G. 87−12984
Menez, J. *see* Barlaud, M. 87−47787, 88−21251, 88−21281
Menez, J. *see* Charbonnier, R. 87−47758, 87−47789
Menez, J. *see* Galand, C. 85−25070, 87−47579, 87−62724
Menez, J. *see* Yacoubi, E.M. 87−55213
Menez, J. *see* Yacoubi, S.E.M. 88−21282
Menez, J. *see* Yacoubi-S, E.M. 88−21248
Menez, J. *see* Zerubia, J. 88−21153
Menezes, A.A., Jr., Da Costa, E.M., Da Silva F, J.I. Statistical applications of environmental data to overhead lines ampacity in Brazil 88−55037
Menezes, B.L., Jenevein, R.M. KYKLOS: a linear growth fault-tolerant interconnection network 86−37206
Menezes, B.R., Zanne, C., Aubry, J.F., Iung, C. A software realisation for the firing control of a thyristor converter to supply a brushless DC motor 88−69613
Menezes, C., Fortmann, C., Casey, S. GREG: A new hotwall-close-spaced vapor transport deposition system 85−44731
Menezes, C. *see* Cardenas, M. 85−10772
Menezes, C. *see* Falcony, C. 85−428
Menezes, C. *see* Felix-Valdez, J. 87−53182
Menezes, C.A., Sanchez-Sinencio, F., Sosa E., A., Vazquez-Lopez, C. Large grained CdTe layers: feasibility as an all-thin-film solar cell 85−33475
Menezes, E. *see* Fitzgerald, F.J. 87−50841
Menezes, S. Electrochemical formation of CuInSe$_2$ heterostructures for efficient and stable solar conversion 86−61746
Menezes, S. pH effects on CuInSe$_2$ surface properties [solar cells] 87−16042
Menezes, S. Electrolyte-induced changes in charge transport rates across the CuInSe$_2$ interface 88−26011
Menezes, S. Copper photoelectroplating using a n-CuInSe$_2$/acidic iodide based cell 88−75941
Menezes, S., Lewerenz, H.-J., Betz, G., Bachmann, K.J., Kotz, R. Heterojunction by photoelectrochemical surface transformation: n:CuInSe$_2$/p-CuISe$_3$Se$^\circ$ 85−34578
Menezes, S., Werner, A., Lewerenz, H.J., Thiel, F.A., Lange, P., Fearheiley, M., Morrison, C., Bedair, S., Breithaupt, B., Bachmann, K.J. Photoelectrochemical behavior of indium phosphide arsenide alloys in acidic electrolytes 85−12066
Menezes, S. *see* Haak, R. 88−37532
Menezes Pimentel, J.M. *see* da Silva, M.J.L. 85−37159
Meng, A.C.-C. AMPES: adaptive mission planning expert system for air mission tasks 88−68696
Meng, B. Design options increase for users of 256K dynamic RAMs 85−61247
Meng, B. High resolution A/Ds approach performance limits 85−61319
Meng, B. Speech recognition: not a typical engineering problem 85−62989
Meng, C.-I. *see* Fremouw, E.J. 85−53115
Meng, C.-I. *see* Huffman, R.E. 85−9260
Meng, C.I., Huffman, R.E. Preliminary observations from the auroral and ionospheric remote sensing imager 88−30148
Meng, C.I. *see* Huffman, R.E. 85−52306
Meng, F. *see* Li, P. 88−55343
Meng, G.H., Huang, J., Cheng, J.Z. An ultrasonic RF signal analysing system for human soft tissue characterization 88−48140
Meng, J. *see* Vanyai, P. 88−60008
Meng, J.D. *see* Llacer, J. 85−48229
Meng, Q., Yan, W., Wang, Z. 3D FEM for temperature field and magnetic field in lifting magnet 88−52081
Meng, Q. *see* An, T. 88−74311
Meng, R.L., Wang, Y.Q., Liu, C.S., Bensaoula, A., Chu, C.W., Hor, P.H., Ignatiev, A. Study of H_c enhancement in Co-modified γ-Fe$_2$O$_3$ films 87−67703
Meng, R.L. *see* Naughton, M.J. 87−53912
Meng, T.H., Jacobs, G.M., Brodersen, R.W., Messerschmitt, D.G. Asynchronous processor design for digital signal processing 88−73018
Meng, T.H., Lee, E.A., Messerschmitt, D.G. Least squares computation at arbitrarily high speeds 87−62008
Meng, T.H.-Y., Brodersen, R.W., Messerschmitt, D.G. Asynchronous logic synthesis for signal processing from high level specifications 88−27986
Meng, T.H.-Y., Messerschmitt, D.G. Implementations of arbitrarily fast adaptive lattice filters with multiple slow processing elements 87−19794
Meng, T.H.-Y., Messerschmitt, D.G. Arbitrarily high sampling rates adaptive filters 87−45074
Meng, T.H.H., Messerschmitt, D.G. An approach to programmable signal processor assemblers and simulators 87−19671
Meng, X.Y., Feng, Y.Y., Zhang, F.L., Gao, Y.M. A new software structure for track-while-scan radar data processing 88−15666
Meng, X.Y. *see* Wang, X.A. 87−36166
Meng, X.Z. *see* Fielding, J.P. 86−44746
Meng, Y., Zhang, X., Zhou, F., Li, X. Defect structure of (BaPb)TiO$_3$ PTC ceramics and its influence on the electrical properties 86−62269
Meng, Y. *see* Zhou, F. 87−52895
Meng, Z. *see* He, Z. 87−56815
Meng Ding-Zhong Relay protection−the first aid to improve the reliability of power system 85−64964
Meng Dingzhong A compromise between the integrity of transmission networks and stresses on large generating units. II 87−50735
Meng Dingzhong Basic compromise between integrity of transmission network and stresses on large generating units. I 87−50736
Meng Hui *see* Hui Meng
Meng Hwa Er, Cantoni, A. A new approach to the design of broad-band element space antenna array processors 85−62912
Meng Li *see* Li Meng
Meng Lu-zheng *see* Lu-zheng Meng
Meng Qing-hui *see* Zhou Jun-ming 86−63069, 87−24827
Meng Qingju, Liu Zhongyu, Zhang Hongwei, Feng Guochen, Gao Dingsan Numerical analysis of the stationary characteristics of semiconductor lasers 85−2300
Meng Shaoxian, Zhang Weiqing, Kang Yuying Investigation of amplified spontaneous emission in dye solutions with picosecond light pulses 85−46348
Meng Shaoxian, Zhang Weiqing, Kang Yuying Investigation of amplified spontaneous emission in dye solutions with picosecond light pulses 86−22334
Meng Wu Etching methods for SSNTDs 86−11853
Meng Wu Nuclear track code technique 86−11910
Meng Wu, Deng Hongmin, Liao Qingsheng, Lu Fengying Application of spark counter with automatic high-voltage switch to measurement of boron in agriculture 86−11866
Meng Wu, Shen Xinmao A highly sensitive method to display fingerprints 86−11903
Meng Wu, Sun Shengfen, Hao Xiuhong Two kinds of automatic measurement techniques in general survey of uranium mine by fission track method 86−11867
Meng Wu *see* Deng Hongmin 86−11905
Meng Wu *see* Zhang Pengfa 86−11863
Meng Wu *see* Wu Meng
Meng Xian-Yaun *see* Xian-Yaun Meng
Meng Xian-zhong, Wang Ji-mei The simulation of prearcing characteristics of fuse elements in the finite element method 87−66656
Meng Xian-zhong *see* Wang Ji-mei 87−66660
Meng Xiangti *see* Du Yongchang 85−18051
Meng Xiangti *see* Wu Yongsheng 87−74049
Meng Xiangti *see* Xiangti Meng
Meng Xiaofan Fabrication and properties of Nb$_3$Sn-Pb Josephson tunnel junctions 86−48000
Meng Xiaofan, Li Qi Study and fabrication of superconductive multilayer tunnel junctions 86−68198
Meng Xiaofan, Wang Xiewen Studies of all-niobium electrode Josephson tunnel junctions with amorphous silicon barriers 87−74565
Meng Xiaofan *see* Dai Yuandong 87−1910, 87−7044
Meng Xiaofan *see* Li Qi 86−68199
Meng Xiaofan *see* Luo Xiaolan 86−68197
Meng Xin-Min *see* Ye Bin Xin 86−24351
Meng Yibai TV receiver for receiving direct satellite broadcasting 87−76939
Meng Yue-cheng Adaptive least squares escalator algorithms 86−64235
Meng Zhi-qi *see* Liang Chang-hong 86−64045
Meng-Chih Su, Ortiz, S.R., Monts, D.L. Optogalvanic wavelength calibration in the 555-575 nm region using argon 87−41304
Meng-Chuan He *see* He Meng-Chuan
Meng-jie Xu *see* Xu Meng-jie
Meng-Kai Chen, Lindholm, F.A., Tae-Won Jung Non-quasi-static small-signal models for semiconductor junction diodes with extensions for transistors 87−74251
Meng-Lin Yu Data base for a VLSI computer-aided-design system 85−33594
Meng-Lin Yu Automatic random logic layout synthesis - A module generator approach 87−10827
Meng-Lin Yu, Kubitz, W.J. Linear-time heuristics for cell layout synthesis under constraints 86−40863
Meng-Lin Yu, Kubitz, W.J. A VLSI cell synthesizer with structural constraint considerations 86−41992
Meng-qi Wang *see* Wang Meng-qi
Meng-xia Xu *see* Xu Meng-xia
Menga, G., Bruno, G., Conterno, R., Actic Dato, M. Modeling FMS by closed queuing network analysis methods 85−16747
Menga, P. Accumulators−present and future 87−78893
Menga, P. *see* Bucciani, R. 85−65431
Menga, P. *see* Buccianti, R. 85−65512
Mengali, U. *see* Ananasso, F. 88−2936
Mengali, U. *see* Calia, N. 86−55179
Mengali, U. *see* Casiraghi, U. 87−34424, 88−34318
Mengali, U. *see* D'Andrea, A.N. 86−48717, 87−12998, 88−8667
Mengali, U. *see* D'Andrea, N.A. 86−10242, 86−16117, 86−64182, 87−33718

Mengel, F. Resolution limits of holographic mapping filters for geometric coordinate transformations 88−34136
Mengel, F., Chinlon Lin, Gade, N. Suppression of timing and energy fluctuations in a modelocked semiconductor laser by CW-injection 87−26423
Mengel, F., Gade, N. Monomode fiber dispersion measurement with a tunable 1.3 μm external cavity laser 86−2834
Mengel, F., Lin, C., Gade, N. Suppression of pulse fluctuations in a modelocked semiconductor laser by injection-locking 85−46405
Mengel, F. *see* Lassen, H.E. 85−24654
Mengel, F. *see* Lin, C. 85−18924, 85−18932
Mengel, P. *see* Doemens, G. 87−25007
Mengel, S.K., Morrison, D.B. *(editor)* Eleventh International Symposium on Machine Processing of Remotely Sensed Data with special emphasis on Quantifying Global Process: Models, Sensor Systems and Analytical Methods 86−13287
Mengelkamp, H.-T. On the energy output estimation of wind turbines 88−37125
Mengelt, K.R. *see* Rosenzweig, J.B. 86−5622
Menger, V.L., Thrope, G.B., Peckham, P.H., Keith, M.W., Stroh, K. Clinical assessment of the case neural prosthetic functional neuromuscular stimulation hand system 87−21679
Mengers, P. A new style of image processing 85−46891
Mengers, T.F. *see* Blue, T.E. 88−54440, 88−61319
Menges, G., Bolder, G., Rudolph, K., Meier, M. On-line calculation of cross-linking of XLPE cables 87−50816
Menges, G., Haupt, M. Process monitoring during extrusion of profiles trough two-dimensional size measurement with optical sensors 88−36229
Menges, H. Automatic circuit breakers taking a hold. II. Automatic fuse cut-offs are being used increasingly in industry 86−19414
Menges, H.R. Automatic units have gained a foothold. Use of automatic circuit breakers in industry 86−19413
Menges, H.R. Greater safety in industry through protective circuit breakers 87−58228
Menges, H.R. Greater safety in industry through protective circuit breakers 87−64206
Menges, R. *see* Kirchner, R. 85−37866
Menges, R. *see* Kuehl, T. 87−71058
Mengko, R. *see* Bouvier, G. 86−62776, 88−22513
Mengle Zhao *see* Zhao Mengle
Mengoli, G., Musiani, M.M., Pletcher, D., Valcher, S. Studies of Zn/ZnX_2/polyaniline batteries. I. X=Cl and Br 87−64779
Mengoli, G., Musiani, M.M., Pletcher, D., Valcher, S. Studies of Zn/ZnX_2/polyaniline batteries. II. X=I 87−64780
Mengoli, G., Musiani, M.M., Tomat, R., Valcher, S., Pletcher, D. On the use of pyrrole black in zinc-halogen batteries 86−13014
Mengoli, G. *see* Deslouis, C. 88−60863
Mengoli, G. *see* Ravaglia, R. 85−19606
Mengoni, P. *see* Donzelli, G.P. 88−12614
Menguturk, M., Gunes, D., Erten, M., Sverdrup, E.F. Multistage turbine erosion 87−35827
Menguy, C. *see* Mallet, P. 87−47084
Mengxia Tian *see* Tian Mengxia
Mengxia Xu Adaptive intraframe DPCM picture coding with prediction based on minimum slope direction 86−23107
Mengyang Liao *see* Liao Mengyang
Mengyun, Z. The dyadic Green's functions of microstrip antennas 85−11528
Mengzhuo Yang *see* Yang Mengzhuo
Menheere, W.M.M., Schoonenberg, G.C. Holec vacuum power switch with advanced opening pole prevents virtual current chopping 87−15928
Menichetti, E. *see* Baglin, C. 85−26605
Menichetti, E. *see* Biino, C. 85−48169, 88−22930
Menichetti, E. *see* Blumenfeld, H. 85−43184
Menichetti, E. *see* Checchia, P. 86−65330
Menichini, V. *see* Aristei, F. 87−12861
Menick, R.E. LORAN-C and the land-mobile environment 86−69858
Meniconi, M. *see* Barry, D.M. 86−67228, 87−24211, 87−37297
Menicucci, D. *see* Key, T. 88−37107
Menicucci, D.F. PVFORM−a new approach to photovoltaic system performance modelling 87−15605
Menicucci, D.F. Photovoltaic array performance simulation models 87−30972
Menicucci, D.F., Fernandez, J.P. Verification of photovoltaic system modeling codes based on system experiment data 86−6662
Menier, M.J. *see* Parkinson, J.R. 87−12783
Menigaux, L., Sansonetti, P., Brandon, J., Azoulay, R., Dugrand, L., Krauz, P. Buried GaAs/GaAlAs laser using dopant implantation as a mask for LPE regrowth 86−36515
Menigaux, L., Sansonetti, P., Brandon, J., Henoc, P. Buried GaAs/GaAlAs laser with ρ-dopant implanted stripe as a mask for liquid-phase epitaxy regrowth 87−75099
Menigaux, L. *see* Carenco, A. 85−2073
Menigaux, L. *see* Sansonetti, P. 87−46871
Menikoff, R. *see* Veeser, L.R. 88−42129
Menil, F. *see* Kayer, P. 87−14307
Meninger, M. Selection of an optimum digital line link in one-cable operation from the technical and economic viewpoints 86−10941
Meninger, M. Selection of an optimum digital link for local networks from the technical and economic viewpoint 86−59669
Meninger, M. Quantization of the stationary state probability in line code algorithm 86−68986
Meninger, M. Limit spectrum−a majorant of spectral characteristics of line codes 87−19728
Meninger, M., Tesarik, F., Petrasek, J., Rezabek, J. QCS line code for increasing transmission capacity of symmetric cables 85−47391
Menini, A. *see* Rauch, G. 86−65438
Menis, A. *see* Giadrossi, G. 87−30551
Menis, R. Stability analysis of diesel-alternator groups in parameter space 86−33347
Menis, R. *see* Blanchini, F. 88−5654
Menis, R. *see* Giadrossi, G. 87−58045
Menjo, H. *see* Sato, T. 88−16307
Menjoh, A. *see* Watanabe, T. 85−50327, 86−14966
Menk, G.E., Sadler, R.A., Balzan, M.L., Geissberger, A.E., Bahl, I.J., Lee, H. Microwave operation of heterostructure isolated-gate FETs 88−38764
Menke, Ch. *see* Leithner, R. 88−5535
Menke, K. *see* Krampe, D. 85−16128
Menke, K.C. *see* Alzner, E. 85−31823
Menkedick, M.H. Utilization of electrically erasable memories in single chip microcomputers for automotive electronics 86−46899
Menken, J.D. *see* Ramsey, J.W. 86−7534
Menkes, H.E. An adaptive AC input monitoring algorithm for microprocessor controlled parallel processing UPSs 88−30861
Menkes, H.E., Pohl, L.A. A microprocessor-controlled system battery plant: a new concept in central office power 85−65021
Menkes, H.E., Pohl, L.A. A new concept in CO power: a microprocessor-controlled system battery plant 85−65342
Menkus, B. More phone power at the desktop 87−76200
Menkus, B. Why not try 'audio teleconferencing'? 88−3439
Menkus, B. Image communications in electronic forms. 2 88−52886
Menkveld, S., Quinn, J., Ancheta, B. The use of FES in pediatric patients with hypotonia 86−56168
Menkyna, V. Necessary balance of electric load management 88−23309
Menlin Shi *see* Shi Menlin
Menlove, H. *see* Ensslin, N. 87−21450
Menlove, H.O., Swansen, J.E. A high-performance neutron time correlation counter 86−32187
Menn, M. Autonomous navigation for GPS via crosslink ranging 87−41080
Menn, R., Tueta, R., Gabelotaud, P., Pierson, G. Capacitively coupled flat electroluminescent panels: the importance and investigation of dielectric layer 85−4054
Menna, L.De *see* De Menna, L.
Menna, P., Mahan, A.H., Tsu, R. Determination of the void fraction in hydrogenated amorphous silicon carbon 88−33859
Menna, P. *see* Mahan, A.H. 88−58345
Menna, R. *see* Eron, M. 87−73681, 88−19409
Menna, R.J., Narayan, S.Y., Smith, R.T., Abrahams, M.S., Magee, C.W. Organometallic chemical vapor deposition of GaAs and AlGaAs for microwave applications 87−44342
Mennecier, P. *see* Dellery, B. 87−27436
Mennell, T.W. Designing switchboards without a standard 88−11313
Mennenga, H., Brott, R.-G., Lantow, H., Raetzke, J. Conductor pattern drawing machine 85−61578
Mennenga, H. *see* Kucklich, E. 87−59463
Menner, J. Surface component mounting 85−11781
Menner, R., Dimmler, B., Mauch, R.H., Schock, H.W. II-VI compound thin films for windows in heterojunctions solar cells 88−37391
Menner, R. *see* Arndt, W. 87−16026
Menner, R. *see* Dimmler, B. 88−37592
Menner, R. *see* Dittrich, H. 87−58955
Menner, R. *see* Kimmerle, J. 86−7014, 86−13043, 86−40127
Menner, R. *see* Mauch, R.H. 88−36154
Menner, R. *see* Schock, H.W. 88−17978
Mennicke, H. New ophthalmic combined argon YAG-laser system 87−29800
Mennie, D. Hybrid circuits: meeting tough challenges in tough environments 86−58188
Mennig, J. *see* Seifritz, W. 87−64270
Menniger, H., Beer, M., Lange, H. Surface imperfection induced electrical leakage paths in silicide Schottky diodes investigated by SEM/EBIC and AES 87−1303
Menning, M.D. *see* Turner, G.F. 87−77808
Menningen, M. *see* Guttormsen, M. 85−26729
Menningen, R.G. *see* Guenther, K.H. 85−12918
Menniti, P. *see* Marchio, F. 86−46569
Mennrath, P. *see* Hubert, P. 87−14804
Menocal, S.G., Lee, T.P., Leblanc, H.P., Vodhanel, R.S. A compact single-frequency laser package with 1 MHz linewidth and ±10 MHz frequency stability 88−8209
Menocal, S.G. *see* Albanese, A. 88−51872
Menocal, S.G. *see* Lee, T.P. 85−56627, 86−9841, 87−33161
Menocal, S.G. *see* Zah, C.E. 87−26395, 87−75089, 88−20638, 88−51806
Menon, M.K.R. Anatomy of Kerala power 88−10973
Menon, M.M., Landau, U. Modeling of electrochemical cells including diffusion, migration, and unsteady-state effects 88−17820
Menon, M.M., Tsai, C.C. Energy dissipation on electrodes during high-voltage vacuum breakdown 87−17606
Menon, M.M., Tsai, C.C., Whealton, J.H., Schecter, D.E. Heat loading on the components of multimegawatt ion sources 86−11828
Menon, M.M. *see* Combs, S.K. 85−64427
Menon, P.K.A., Cheng, V.H.L., Lin, C.A., Briggs, M.M. High-performance missile synthesis with trajectory and propulsion system optimization 88−68600
Menon, P.K.A. *see* Cheng, V.H.L. 87−77813
Menon, P.K.S. Pitch fibre ducts for expediting cable duct projects 87−13549
Menon, P.R. *see* Abramovici, M. 85−61182, 86−46658 to 46659, 87−632, 87−6793
Menon, P.R. *see* Levendel, Y. 86−67129, 87−663
Menon, R.K. Recent developments in laser velocimetry 88−22795
Menon, S., Ayalew, M., Tibbitts, S., Gabel, B., Tran, T., Keshlear, B. A high performance parallel 16×16 bit bipolar multiplier using standard cell design methodology 88−12351
Menon, S.G., Nagar, R.P. Effect of furnace operations on electrical systems 85−49200
Menon, S.G., Rao, B.B.V.R. Planning of distribution systems in developing countries 87−30118
Menon, S.G. *see* Chakravarthy, S.K. 87−22267
Menon, S.G. *see* Varangaonkar, V.D. 86−65749
Menon, T.V.G. Introducing a new concept in distance protection for transmission lines. I 86−65750
Menon, T.V.G. Introducing a new concept in distance protection for transmission lines. II 87−4339
Menon, T.V.G. A non-conventional approach to transformer differential relaying 87−43142
Menon Vinod *see* Vinod Menon
Menou, G. Overvoltages when switching medium voltage motors: a standardized test to compare circuit-breakers 87−78620
Menou, G. *see* Hennebert, J. 88−17789
Menova, A., Petkov, M., Tomajova, N. Investigation of some technological factors influencing the kinetics of anisotropic etching of silicon with the EDP-etchant 87−25106
Menovsky, A.A. *see* de Waele, A.T.A.M. 87−60865
Menow, D. *see* Bachus, E.-J. 88−60179
Menown, H., Pirrie, C.A., Nicholls, N.S. Advanced thyratrons as switches for the nineties 87−37849
Menown, H. *see* Fiander, D. 87−22632
Menown, H. *see* McDuff, G. 85−23381
Menown, J.S. *see* Green, M. 86−5427, 86−48230
Menozzi, G. Advanced PWB materials for surface mounted devices in aerospace applications 87−5233
Menozzi, G. High density interconnects−surface mount technology 87−72854
Menozzi, G. Large scale interconnects for aerospace applications 88−1275
Menozzi, G. Large scale interconnects for aerospace applications 88−24557
Menozzi, G. *see* Barbou, R. 88−1279
Mens, A., Cavailler, C., Launspach, J., Mazataud, D., Raze, G. Automatic recording of streak camera images 86−24382
Mens, A. *see* Cavailler, C. 86−5084, 86−5092, 86−5809, 86−24390
Mens, A. *see* Desvaud, J.L. 86−11502
Mens, A. *see* Launspach, J. 87−14189
Mens, A. *see* Lemonier, M. 86−5093
Mensa, D.L. *see* Fliss, G.G. 86−55347
Mensa, G., Montagna, R., Rusina, F. An approach to multistage vector quantization 86−29714
Mensa, G., Montagna, R., Rusina, F. Some results on multistage vector quantization performance 86−29819
Mensa, G., Montagna, R., Rusina, F. Comparison between vector and scalar quantization in variable rate subband coders 86−59205
Mensa, G., Montagna, R., Rusina, F. Comparison between vector and scalar quantization in variable rate subband coders [speech coding] 87−19618
Mensa, G., Montagna, R., Rusina, F. A speech coder for ISDN terminals 87−33957
Mensa, G., Montagna, R., Rusina, F. A speech coder for ISDN terminals 87−62449
Mensa, G. *see* Rusina, F. 87−48962

Mensa-Ababio, K., Nishimura, S., Hirano, K. Design of FIR digital filters using subfilters 86-62755
Mensa-Ababio, K. *see* Mitra, S.K. 88-6984
Mensah, K. The VLSI-to-substrate connection 87-17493
Mensah, K. Smear in multilayer boards: identification and evaluation 87-53051
Mensah, S. *see* Roy, N. 85-15789
Mensah, T. *see* Simpson, J.R. 88-45160
Mensch, B. *see* Maurel, G. 87-77631
Menschig, A. *see* Maile, B.E. 88-25943
Mensen, K. *see* Betts, R. 87-40555
Menshikov, A.L., Poljakov, V.N., Prikhodko, V.I. Measurement of point-like images with a linear CCD-camera 88-42172
Men'shikov, A.M. Methodological error in checking a dielcometric water-content meter by the use of water-content simulators 87-29369
Men'shikov, G.G. An algorithm of a binary approximation 86-54407
Men'shikov, N.M. *see* Kuleev, V.G. 88-485
Men'shikov, V.V. *see* Ivashkova, L.Yu. 88-53901
Men'shikova, E.D. *see* Buzlukov, V.A. 88-43040
Men'shikova, E.D. *see* Palagin, A.A. 88-55203
Men'shov, B.G., Khailov, N.N. Operation of synchronous electric drive given short-duration severe voltage reductions 86-6706
Men'shov, B.G., Tsvetkov, N.A., Egorov, A.V. Near-optimum control plans for preventing fault simulations in isolated power systems 87-15186
Menshov, B.G. *see* Shkuta, A.F. 86-40359
Men'shov, E.N., Nikolaenko, V.A., Tetnev, G.S. Television analyzer for oscillograms of short single pulses 86-14088
Mensi, A. *see* Belletti, S. 85-53090
Mensi, M. *see* Audhuy, M. 88-48227
Mensing, F. *see* Helmcke, J. 87-12654
Mensing, H.H., Katzmarek, W. Engineering services in the field of electric power systems 85-59645
Mensing, R.W. *see* Savy, J.B. 85-43771
Mensinga, J., Phillipson, J.T. Experience of a 760 kW variable frequency drive installation in Holland 86-7211
Menskii, M.B. Problems of quantum theory of continuous measurements 87-70337
Mensz, P.M., Wheeler, R.G. Magnetoconductance due to parallel magnetic fields in silicon inversion layers 87-37997
Mentael, T. *see* Schmidt, E. 86-54070
Mentall, J. *see* Hilsenrath, E. 87-15058
Mentel, J. *see* Roll, G. 87-14577
Menten, L. *see* Haug, O. 87-43290
Mentes, G. Horizontal pendulum with electrical recording 85-43461
Mentes, G. An intelligent digital data acquisition system for recording the tidal signal 87-21745
Mentes, G. Laboratory test of capacitive pendulums 87-21747
Mentes, G.A., Bhat, P.D. Analysis of high temperature limits on concrete nuclear structures 85-65118
Menteshashvili, G.E. *see* Kurpeshev, O.K. 88-4910
Menteur, M. *see* Bertrand, O. 88-5749
Mentges, J. *see* Bauch, H. 88-20354
Menth, A. *see* Gaia, F. 85-10301
Mentink, H., Neils, G.H., Carey, J.J. Nuclear plant life extension and critical components 86-25713
Mentley, D.E. Enhanced LCD flat panel displays 87-49840
Mento, D. *see* Kubo, H. 85-9239
Mento, R.P. *see* Lee, J.Y. 86-8181
Mentre, V., Consigny, H. An improved data reduction technique for heat transfer measurements using surface thermocouples or thin-films 87-71238
Mentzas, G., Assimakopoulos, B., Goumas, T., Capros, P., Samouilidis, J. An integrated framework for regional energy-economy planning 87-57601
Mentzas, G., Assimakopoulos, V., Goumas, T., Capros, P., Samouilidis, J.-E. An integrated framework for regional energy-economy planning: the modelling system 88-5309
Mentzer, M. *see* Ramsey, K.A. 88-51522
Mentzer, M.A., Hunsperger, R.G., Bartko, J., Zavada, J.M., Jenkinson, H.A. Ion implanted GaAs integrated optics fabrication technology 85-46198
Mentzer, M.A., Hunsperger, R.G., Sriram, S., Bartko, J., Wlodawski, M.S., Zavada, J.M., Jenkinson, H.A. Ion implanted optical waveguides in gallium arsenide 85-41200
Mentzer, M.A., Hunsperger, R.G., Sriram, S., Bartko, J., Zavada, J.M., Jenkinson, H.A. Guided wave device design and fabrication for monolithic integration in GaAs 85-29732
Mentzer, M.A., Naghski, D.H., Peng, S.T. Optical logic gate design considerations 88-51642
Mentzer, M.A. *see* Craley, D.E. 88-33908, 88-51710
Mentzer, M.A. *see* Hutcheson, L.D. 88-8087
Mentzer, M.A. *see* Vezzoli, G.C. 88-8252
Menu, E. *see* Andre, J.P. 86-42441
Menu, E.P., Moroni, D., Patillon, J.N., Ngo, T., Andre, J.P. High mobility of two-dimensional electrons in $Ga_{1-x}In_xAs/InP$ heterostructures grown by atmospheric pressure MOVPE 87-32305
Menu, E.P. *see* Andre, J.P. 86-46330, 87-77284
Menu, J.-P., Santucci, G. Will sophisticated integrated control systems be designed to be usable in flight? 87-57290
Menu, J.-P. *see* Amalberti, R. 87-57261
Menu, J.P., Amalbert, R. Organisation of displays in the field of view of the combat aircraft pilot 87-57291
Menu, J.P. *see* Amalberti, R. 87-57292, 88-61560
Menvielle, M. *see* Counil, J.L. 86-60921
Meny-you Chen *see* Chen Meny-you
Menyailenko, V.V. *see* Kopaev, Yu.V. 86-35526
Menyaylenko, V.V., Oganes'yants, L.G. Undamped breakers at the boundary of a distributed self-oscillating system 85-41666
Menyhard, M. *see* Czermann, M. 85-11947
Menyuk, C. *see* Levush, B. 88-45486
Menyuk, C. *see* Vitello, P. 88-25813, 88-64185
Menyuk, C.R. Nonlinear pulse propagation in birefringent optical fibers 87-38759
Menyuk, C.R. Stability of solitons in birefringent optical fibers. I. Equal propagation amplitudes 87-68130
Menyuk, C.R. Stability of solitons in birefringent optical fibers. II. Arbitrary amplitudes 88-33652
Menyuk, C.R., Chen, H.H., Lee, Y.C. Amplification and reshaping of solitons in optical fibers with suppression of dispersive waves 86-2761
Menyuk, C.R., Hilfer, G., Reintjes, J. Pump replication in stimulated Raman scattering using a crossed-beam geometry 88-72389
Menyuk, C.R. *see* Wai, P.K.A. 86-63668, 87-68135, 88-39880
Menyuk, N., Killinger, D.K. Atmospheric remote sensing of water vapor, HCl and CH_4 using a continuously tunable Co:MgF_2 laser 87-71292
Menyuk, N. *see* Force, A.P. 86-6093
Menyuk, N. *see* Killinger, D.K. 87-71358
Menyuk, N. *see* Lovold, S. 85-41365
Menzel, C. *see* Nelson, B.N. 88-10012
Menzel, D. *see* Bischoff, A. 86-46414
Menzel, E., Buchanan, R. Electron beam probing of integrated circuits 86-21709
Menzel, E., Buchanan, R. Some recent developments in low voltage E-beam testing of ICs 86-41886
Menzel, E., Buchanan, R. Non-contact testing of ICs using an electron probe 88-7719
Menzel, E., Buchanan, R. Noncontact testing of integrated circuits using an electron beam probe 88-39625
Menzel, E. *see* Kubalek, E. 86-220
Menzel, E.R., Hatfield, L.L., Agarwal, V.K. Fluorescence probes for study of insulator damage 87-25629
Menzel, E.R. *see* Hatfield, L.L. 88-64842
Menzel, E.R. *see* Jordan, K.J. 88-20576
Menzel, E.R. *see* Sinor, T.W. 88-19819
Menzel, E.R. *see* Zoledziowska, D.J. 88-20198
Menzel, G. *see* Dallman, A. 86-14229
Menzel, G. *see* Dallmann, A. 88-57779
Menzel, H.-J. Computer-aided construction of printed circuit boards 88-49969
Menzel, H.-J. *see* Greiner, T. 86-20292
Menzel, H.G. *see* Alberts, W.G. 85-26820
Menzel, H.G. *see* Dietze, G. 85-26825
Menzel, H.G. *see* Schuhmacher, H. 86-38850, 88-10235
Menzel, K. *see* Hein, K. 87-15527
Menzel, M.T. *see* Cooper, R.K. 88-54329
Menzel, M.T. *see* Warren, J.L. 86-32000
Menzel, N., Wittmaak, K. Modification of stationary xenon implantation profiles in silicon by low-energy postbombardment with inert-gas ions 85-45525
Menzel, R. On solving nonlinear least-squares problems in case of rankdeficient Jacobians 85-33330
Menzel, R. Timing control unit for enhancing vidicon linearity in pulsed laser spectroscopy with the OMA 1205 87-35016
Menzel, R. Optimising the drilling and etch-back parameters in flexible multilayer manufacture 87-37690
Menzel, R. An efficient algorithm for a class of equality-constrained optimization problems 88-18605
Menzel, S., Weber, J. Magnetic-field-enhanced reactive ion etching (MERIE) 88-64423
Menzel, S.P. An introduction to logic and fault simulation 87-10812
Menzel, S.P. *see* Pulver, M. 87-32670
Menzel, W., Barsch, R., Pilling, J. Evaluation of the resistance to partial discharges of plastic insulator surfaces 86-65738
Menzel, W., Callsen, H. 140-GHz finline components 85-23125
Menzel, W., Huder, B. Compact range for millimeter-wave frequencies using a dielectric lens 85-2651
Menzel, W. *see* Barth, H. 86-8492
Menzel, W. *see* Huder, B. 88-34419
Menzen, G. *see* Borgs, J.W. 87-67982
Menzenberger, T.L. Solid state relays reap SMT benefits 85-40286
Menzer, D. *see* Gutmann, R.J. 87-6121
Menzi, G. *see* Hintze, H. 86-66405
Menzies, G.D.M. New methods of surface area measurement and current density control in PCB manufacture 88-64084
Menzies, I.A. *see* Powell, J. 85-51336, 88-45597
Menzies, R.T. Doppler lidar atmospheric wind sensors: a comparative performance evaluation for global measurement applications from Earth orbit 86-70526
Menzies, R.T. Coherent and incoherent lidar—an overview 87-41044
Menzies, R.T., Flamant, P.H., Kavaya, M.J., Kuiper, E.N. Tunable mode and line selection by injection in a TEA CO_2 laser 85-12760
Menzies, R.T. *see* Ancellet, G.M. 87-4124, 87-34662, 87-68544
Menzies, R.T. *see* Flamant, P.H. 86-3019
Menzies, R.T. *see* Hinkley, E.D. 85-38340
Menzies, R.T. *see* Johnson, R.A. 85-38347
Menzies, R.T. *see* Kavaya, M.J. 86-18560
Menzies, R.W. *see* Gole, A.M. 85-9426, 85-43949, 85-60157, 87-42896
Menzies, R.W. *see* Gueth, G. 88-23333
Menzies, R.W. *see* Mahmoud, A.M.A. 86-6765, 86-56753
Menzies, R.W. *see* Mazur, G.B. 88-68825
Menzies, R.W. *see* Turanli, H.M. 86-12402
Menzilcioglu, O. *see* Arnould, E. 86-14282
Menzilcioglu, O. *see* Kung, H.T. 85-28554, 88-25114
Menzione, A. Heavy flavour tagging in CDF 86-11849
Menzione, A. Application of semiconductor detectors in high energy physics 88-54442
Menzione, A. *see* Amendolia, S.R. 85-9069, 85-15169 to 15170
Menzione, A. *see* Apollinari, G. 87-21436, 87-29489, 88-22966
Menzione, A. *see* Bedeschi, F. 86-50310, 88-48021
Menzione, A. *see* Bertolucci, S. 88-47987
Menzler, H.-P. *see* Hemme, H. 88-7950
Menzler, H.P., Hertel, P., Pape, H. Bisection algorithm to calculate hybrid modes of birefringent planar graded index waveguides 88-13902
Menzler, H.P. *see* Hertel, P. 88-7909
Meo, A.R., Mezzalama, M., Prinetto, P. An algebraic test generation procedure for sequential circuits 85-6253
Meo, E.A.De *see* De Meo, E.A.
Meola, K.D., Verma, K.K. End-customer management of hybrid networks 88-73482
Meot, F. *see* Dal'zotto, B. 86-21666
Mepham, S. *see* Cross, M.G. 87-3493
Meppeling, J., Remde, H. Electromagnetic compatibility in GIS substations 87-30855
Meppelink, J. Electromagnetic compatibility in SF_6-gas insulated switchgear installations 87-30856
Meppelink, J. *see* Konig, D. 88-49091
Meppelink, J. *see* Reynders, J.P. 87-60701, 88-49090
Meppellink, J. *see* Boggs, S.A. 88-43339
Mequio, C., Coursant, R.H., Pesque, P. Simulation of the acousto-electric response of piezoelectric structures by means of a fast Fourier-transform algorithm 85-15451
Mequio, C., Coursant, R.H., Tellier, J.M. Characterization of piezoplastics 88-44916
Mequio, C. *see* Coursant, R.H. 87-53819
Mequio, C. *see* Pesque, P. 85-15452, 86-6172
Mera, M., Mitsuhashi, K., Shimizu, H., Tsuruta, S. Multimedia communication terminal for broadband network 88-46434
Mera, M. *see* Tsuruta, S. 87-33974
Mera, N. *see* Flynn, J.K. 88-38515
Mera, T. *see* Hakata, H. 86-6715
Mera, T. *see* Miyazaki, M. 85-27710
Merabet, M. *see* Bose, T.K. 87-49890, 88-63393
Merabishvili, P.F., Kokhreidze, G.K. Electromagnetic phenomena in controlled three-phase rectifiers 87-9646
Merabti, M. *see* Hutchison, D. 87-28080
Meraghni, A. *see* Bouterfa, Y. 86-2422, 86-29957
Meragi, A.R. *see* Bridge, B. 88-6569, 88-18802
Meragi, A.R. *see* Harirchian, F. 88-43974
Merakos, L., Bisdikian, C., Exley, G.M. Throughput-delay characteristics of a stack algorithm for local area networks using CSMA and CSMA-CD channels 86-16986
Merakos, L., Georgiadis, L. Stability of interconnected random access networks 87-55554
Merakos, L., Georgiadis, L., Papantoni-Kazakos, P. A unified method for delay analysis of random multiple access algorithms 86-54398
Merakos, L., Georgiopoulos, M. Analysis of a multi-hop CDMA packet radio network 88-41516
Merakos, L., Kazakos, D. On retransmission control policies in multiple-access communication networks 85-30495

Merakos, L. *see* Exley, G. 87−40028
Merakos, L. *see* Georgiadis, L. 87−55405
Merakos, L. *see* Georgiopoulos, M. 85−42033, 86−10827, 86−69439
Merakos, L. *see* Srikanta Kumar, P.R. 85−57572
Merakos, L.F., Exley, G.M., Bisdikian, C. Interconnection of CSMA local area networks: the frequency division approach 87−69662
Merakos, L.F., Exley, G.M., Bisdikian, C. Interconnection of two CSMA local area networks via a bridge: throughput-delay characteristics 88−9170
Merakos, L.F. *see* Exley, G.M. 88−21623
Merakos, L.F. *see* Georgiadis, L. 87−75974
Meranda, D.G. *see* Kenchington, J.M. 88−10997
Merard, R., Quinque, C., Contre, M. Mobile and portable power lasers 88−40141
Merat, F., Wu, H. Generation of object descriptions from range data using feature extraction by demands 87−62305
Merat, F.L. *see* Chizeck, H.J. 86−25188
Merat, F.L. *see* Manning, R.M. 86−48570
Merat, F.L. *see* Sitterle, J.J. 86−38306, 88−66044, 88−74970
Merat, P., Gricourt, C. A modular, large format, two dimensional photon counting imaging system 88−67889
Meraw, D.F. *see* Norman, P. 88−75298
Meray, L. Electronic circuit for measuring the dead-time of nuclear detectors 88−4854
Merayo, L.A., Fernandez, A., Nunez, F.J. Architecture of the transputer family 88−56681
Mercadante, M. The Hewlett Packard company's approach to design for manufacturability 87−37741
Mercadante, R., Wheeler, P.N., Mix, M., Farley, J., Chandler, P.R. Control reconfigurable combat aircraft piloted simulation development 88−68523
Mercade Bailen, J. An instrumentation controller 88−9857
Mercade Bailen, J. New designs in analogue and digital oscilloscopes 88−53764
Mercader, L., Bara, J., Comeron, A. Earth stations to study signal propagation at 12, 20, and 30 GHz 88−60093
Mercader, L. *see* Benarroch, A. 87−13566
Mercader del Rio, L. The Spanish participation in the European propagation experiment with the Olympus satellite 86−3524
Mercado, A.R. 'Hi-tech' electric locomotive developments of the South African Transport Services 87−79100
Mercado, E. *see* Garces, F.F. 86−25521
Mercado, P.E. *see* Rivera, J.F. 85−4592, 85−32071, 85−43554
Mercado, R. Cost effective stress screening 86−13448
Mercado, S. *see* Mulas, P. 85−32369
Mercandalli, L.M., Dieumegard, D., Croset, M., Siejka, J. Recent progress in epitaxial growth of semiconducting materials on stabilized zirconia single crystals 87−10451
Mercandalli, L.M. *see* Croset, M. 85−1523
Mercandalli, L.M. *see* Pribat, D. 85−10676, 85−12217, 85−50412
Mercanti, A. *see* Valentini, G. 88−55221
Mercato, G.de *see* de Mercato, G.
Merce, A. An interrupter for symmetrical power supplies 87−16871
Merce, A. Basic ideas on oscilloscopes 87−21143
Merce, A. Basic principles of oscilloscopes. II 87−21144
Merce, A. Sequential illumination of lamps 87−22892
Merce, A. Automatic stabilisation in TV receivers 87−41191
Merce, A. Basic ideas on oscilloscopes. III 87−41562
Merce, A. A wobulator for the IF television band. A sweep generator for the adjustment and testing of video and sound filters in TV systems 87−49781
Merce, A. The fundamentals of oscilloscopes. IV 87−56736
Merce Guix, A. A sinusoidal and square wave LF generator having an ample frequency margin with high stability and low distortion levels 88−12240
Mercede, F. *see* Fischl, R. 86−50910, 86−56309, 86−65601, 86−70604, 87−4267
Mercer, B. The problem of providing adequate levels of maintenance for electronic equipment 85−105
Mercer, B. *see* Akam, B. 88−60262
Mercer, B. *see* Lerbert, F. 88−22195
Mercer, C. Review of surface mount technology as it applies to quartz crystal products 87−18445
Mercer, C. An update of surface mount packages for quartz crystal products 88−18496
Mercer, C.A. *see* Bartlett, A.W. 87−50894
Mercer, D. *see* Allison, J. 85−64456 to 64457
Mercer, D. *see* Apsimon, R.J. 85−43246, 86−50392, 86−65356, 87−41836
Mercer, J.A. Acoustic oceanography by remote sensing 86−44806
Mercer, J.B., Lowry, R.T., Leberl, F., Domik, G. Digital terrain mapping with STAR-1 SAR data 87−63928
Mercer, L.B. *see* Feldmann, R.J. 87−40960
Mercer, M.R. Logic elements for universally testable circuits 87−24120
Mercer, M.R., Underwood, B. Correlating testability with fault detection [VLSI testing] 85−39542
Mercer, M.R. *see* Aas, E.J. 87−66146
Mercer, M.R. *see* Gaede, R.K. 87−24121, 88−70719
Mercer, M.R. *see* Glover, C.T. 88−63655
Mercer, M.R. *see* Hwang, K.S. 86−40859, 87−24061, 87−24100
Mercer, M.R. *see* Kirkland, T. 87−65987
Mercer, M.R. *see* Park, E.S. 88−25124
Mercer, M.R. *see* Salick, J. 86−46746, 87−37212
Mercer, M.R. *see* Schell, E. 86−20493
Mercer, M.R. *see* Smith, S.P. 87−66109, 88−19093
Mercer, P. In switch-mode supplies cheap can cost you dear 85−39085
Mercer, P.A. Complete user flexibility in new multi-output power supplies 87−10683
Mercer, P.A. Discussion and comparison of alternative power supply systems 88−62466
Mercer, P.A., Bruce, D. Increased design flexibility applied to variations in output voltages in multi-output supplies reduces costs of nonstandard power-supplies 87−72299
Mercer, R. *see* Averbuch, A. 87−20775, 87−61680
Mercer, R.A., Edwards, W.L. Issues in the migration of military communications to an ISDN 87−40226
Mercer, R.L., Cohen, P.S. A method for efficient storage and rapid application of context-sensitive phonological rules for automatic speech recognition 87−39686
Mercer, R.L. *see* Bahl, L.R. 87−19441, 88−66343, 88−72811
Mercer, R.L. *see* Bahl, R.L. 88−72810
Mercer, R.L. *see* Cohen, P.S. 85−13512
Mercer, R.T. *see* Pullen, J.M. 88−31341
Mercer, S. *see* De Waal, A. 88−36193
Mercer, W.P. *see* Thompson, V.O.S. 88−75384
Mercereau, J.E. *see* Delayen, J.R. 86−32074, 87−63580
Mercereau, J.E. *see* Strayer, D.M. 87−68311
Mercereau, J.E. *see* Thakoor, S. 86−27552
Merceron, A. Fair processes [Petri nets] 87−23515
Merceron, A. *see* Lu, W. 86−57345
Merceron, T. *see* Antonious, M.S. 87−26170
Merceron, T. *see* Guyot, M. 85−12484
Mercey, B., Chippaux, D., Vizot, J., Deschanvres, A. Preparation, electrical properties and annealing of ZnGeAs$_2$ 86−21162
Mercey, B. *see* Poullain, G. 86−47285, 87−32229
Merchanskii, V.D., Orlov, A.Yu. Using solar energy in steam turbines 86−19100
Merchant, B.L., Nagal, A., Uberall, H. Eigenfrequencies of conducting spheroids and their relation to helicoidal surface wave paths 88−2521
Merchant, B.L., Nagl, A., Uberall, H. Resonance frequencies of conducting spheroids and the phase matching of surface waves 87−26736
Merchant, B.L. *see* Moser, P.J. 85−13073
Merchant, H., Greub, H., Schreiber, R., Donlan, B., McDonald, J.F. Wafer scale implementation of a GaAs systolic signal processor cell 87−13046
Merchant, H. *see* Greub, H. 87−60604
Merchant, J. Inter-frame image processing 87−13139
Merchant, J., Boyd, T.J. Flexible template matching for autonomous classification 87−13138
Merchant, J.W. Using spatial logic in classification of Landsat TM data 85−59413
Merchant, K. Test strategy for application specific ICs (ASICs) 88−7648
Merchant, P., Amano, J. Oxygen redistribution during sintering of Ti/Si structures 85−23546
Merchant, P., Cass, T. Comparative electromigration tests of Al-Cu alloys 85−6870
Merchant, P. *see* Chen, D.C. 85−50460, 86−47495
Merchant, P. *see* Ng, S.L.L. 87−67155
Merchant, P. *see* Wong, S.S. 87−45818
Merchant, P.P. *see* Chen, D.C. 87−6656
Merchant, S.M. Stockholder risk and utility pricing strategies [electricity supply industry] 85−21103
Merchant, S.N. Signal processing via COSHAD transform 87−2499
Merchant, S.N., Rao, B.V. Image data compression via COSHAR transform 85−30465
Merchant, V.E. Development of a new 20-kW CO$_2$ laser 85−56521
Merchant, V.E., Cervenan, M.R., Seguin, H.J.J. An industrial quality 20 kW infrared laser 87−68389
Merchel, K. An overview of solder resists 86−20960
Merchel, K. How to achieve process control in printed circuit board wet processing 88−38902
Merchenoir, A. *see* Wiart, A. 85−27438
Merchiers, L. Flameproof LV cubicles (Exd) suitable for installation in zone 1 88−37787
Mercier, C. *see* Forestier, M. 88−66841
Mercier, D. Rotary motors: low and medium capacity motors. I 87−9561
Mercier, D. Rotating electrical machines of low and medium power. II 87−16083
Mercier, D. *see* Posbic, J. 86−45283
Mercier, G., Cozannet, A., Vaissiere, J. Recognition of speaker-dependent continuous speech with KEAL-NEVEZH 88−72899
Mercier, G. *see* Bigorgne, D. 88−66404
Mercier, G. *see* Merlo, E. 87−19586
Mercier, G.E. *see* Miller, R.L. 86−67535
Mercier, H. *see* Colleter, P. 85−32101
Mercier, J. *see* Regolini, J.L. 88−38146
Mercier, J.-P. Maintenance of electromechanical equipment in quality organization under operating conditions 85−21320
Mercier, J.-P. Overview of maintenance experience in Electricite de France 86−18946
Mercier, J.-P. *see* Noel, R. 88−43015
Mercier, J.J. *see* Alali, R. 85−745
Mercier, J.P. Amplification in the industrial field 87−44618
Mercier, J.P., Callot, T., Fremann, J. French experience of NPP maintenance and backfitting 87−57828
Mercier, J.P. *see* Auvray, P. 86−8878
Mercier, J.S. Rapid flow of doped glasses for VLSIC fabrication 87−74384
Mercier, J.S., Calder, I.D., Beerkens, R.P., Naguib, H.M. Rapid isothermal fusion of PSG films 86−21651
Mercier, J.S., Madsen, L.D., Calder, I.D. Rapid isothermal fusion of BPSG films 87−11685
Mercier, J.S., Naguib, H.M., Ho, V.Q., Nentwich, H. Dry etch-back of overthick PSG films for step-coverage improvement 85−55902
Mercier, J.S., Naguib, H.M., Ho, V.Q., Nentwich, H., Leung, P. Step coverage improvement of PSG films for VLSI multilevel interconnection 85−40852
Mercier, M., Velleaud, G., Laurent, A. Magnetic diagnosis of low voltage cut-off 87−45483
Mercier, P. *see* Gatine, G. 87−15944
Mercier, P.R. *see* Chaker, M. 88−64447
Mercier, R., Chavel, P., Saget, J.C. Hybrid optical-digital texture processing based on Laws' energy measure 87−55286
Mercier, R. *see* Chavel, P. 85−51747
Mercier, R. *see* Dettwiller, L. 86−59323
Mercier, V. Study and implementation of a data acquisition system using cassette recorders 86−31271
Merck, E. *see* Deutsch, A.S. 87−44414
Merck, W.F.H., Massee, P. Electric and gas-dynamic performance of the Eindhoven blow-down experiment 85−21841
Merckel, G. *see* Skotnicki, T. 88−39440, 88−64483
Merckel, G.U. *see* Ballou, R.V. 85−48024
Merckle, J. *see* Sauter, D. 88−31536
Mercure, H. *see* Laporte, G. 88−55224
Mercure, H. *see* Mitchel, G.R. 87−30278
Mercure, H.P. Development of a novel measuring device: the dynamic current transducer 88−22541
Mercure, H.P. *see* Parpal, J.-L. 88−18996
Mercuri, R. *see* D'amico, A. 88−22528
Mercuri, R. *see* Righter, D. 86−31102
Mercurio, C. *see* Kuzmak, P. 87−40386
Mercy, D.V. Phase from amplitude [network response determination] 88−49938
Mercy, D.V. Amplitude from phase 88−56369
Mercy, J.M., Bousquet, C., Raymond, A., Robert, J.L., Gregoris, G., Beerens, J., Portal, J.C., Frijlink, P.M. Magnetic field induced metal-nonmetal transition in Ga$_{0.7}$Al$_{0.3}$As/GaAs heterojunctions under hydrostatic pressure 86−53434
Mercy, J.M., Jarosik, N.C., McCombe, B.D., Ralston, J., Wicks, G. Photoconductivity of confined donors in Al$_{0.3}$Ga$_{0.7}$As/GaAs quantum wells 87−2017
Mercy, J.M. *see* Robert, J.L. 85−29031
Merdinian, G., Miram, G., Jackson, R., Parker, R., Pershing, D. Ultralaminar 250 kV gun for fast-wave devices 86−47226
Mereanu, A., Marin, C., Modreanu, I., Stanciu, V. Series of dry low voltage charged regulation single and triphase autotransformers 87−58142
Mereanu, A. *see* Gudumac, M. 88−61849
Mered, C. *see* Courjon, D. 87−19911
Meredith, A.H., Emerson, D.J. Fade countermeasure experiments with Olympus 88−9512
Meredith, B.D., Murray, N.D., LaBaugh, R.J., Aanstoos, J.V. Evaluation of an experimental system for spaceborne processing of multispectral image data 85−36379
Meredith, C. Audio cartridge machine design 87−8481
Meredith, G.R. Prospect of new nonlinear organic materials 87−46434
Meredith, G.R. Appraisal of nonlinear organic optical materials 88−8293
Meredith, J. The role of manufacturing technology in competitiveness: Peerless Laser Processors 88−37960
Meredith, J.F. Exploiting the capabilities of flight management systems in solving the airport arrival problem 87−57318
Meredith, J.R. *see* Suresh, N.C. 85−54162

Meredith, J.W. Microelectronics reliability 88−70186
Meredith, R.W. *see* Bucca, P.J. 88−61653
Meredith, S. How much will a network cost? 85−47201
Meredith, S. Networks 86−10777
Meredith, S. Clearing the path [network installation] 86−10778
Meredith, W.D. The engineering of online process analysers 87−43932
Merek-Sadowska, M. Two-dimensional router for double layer layout 86−20195
Merekov, Yu.P. *see* Kishvaradi, A. 86−5827
Merel, P. *see* Eckes, U. 88−69863
Merelli, E. *see* Gregori, E. 88−52966
Merelli, E. *see* Lombardo, A. 88−67054
Merelli, J.-P. New vigilance on cos ϕ! [Power factor correction] 87−64082
Merelli, J.-P. New alert over cosine phi! II 87−78000
Merelli, J.P. Electricity: rephase to economise 88−17069
Meremson, Yu.Ya. *see* Golovin, E.S. 86−48665, 87−69940
Merem'yanin, Yu.I. Acoustic measurement of the water content of moving wood shavings 87−35249
Merenda, J.L., Neuf, D., Piro, P. 4 to 40 GHz even harmonic Schottky mixer 88−71094
Merenda, J.T. *see* Ronde, R.R. 87−40735
Merenda, M.J. *see* Irwin, M.R. 87−27821
Merenda, P. *see* Marchetaux, J.C. 86−21583
Merenkov, A.M., Panfilov, A.P. Method and algorithm for configuring the basic electrical circuit of a digital device using the base cells of matrix crystals 87−31778
Merenkov, A.P. On the development of mathematical modeling in systems energy research 87−21832
Merenkov, A.P., Bumagin, V.I., Oshchepkova, T.B., Sennova, E.V., Khramov, A.V. Automation of the multicircuit systems design with application of the program-computer complex DISNA 87−23823
Merenkov, A.P., Sennova, E.V. Development and methods for investigating and assuring the reliability of heat supply systems 85−65134
Merenyi, Gy. Fibre optics at INTERKAMA' 86 87−74717
Merenyi, R., Heller, W. Digital image enhancement techniques for nondestructive evaluation 87−47982
Meres, N.G. *see* Ballhaussen, P.C. 87−40944
Meresse, J., Massiot, J.F., Jossif, J., Trendel, R. MI 35 time-division switching system: distributed architecture, distributed software 85−52211
Merewether, D.E. Theory and application of the voltage divider shielded door seal 86−29488
Merewether, D.E. Theory and application of the voltage divider shielded door seal for use in EMP hardened communication facilities 86−36756
Merewether, F. *see* Alpert, M. 86−59226
Merewether, K., Mittra, R. Electromagnetic scattering from a crossed-dipole frequency-selective surface of finite width 88−2776
Merewether, K., Mittra, R., Cwik, T., Wu, T.K. Relative convergence of the spectral-Galerkin solution for the frequency response characteristics of the Jerusalem cross FSS [frequency-selective surface] 87−33506
Merezhin, N.I. *see* Denisenko, V.V. 85−61964, 87−410
Merezhko, V.P. *see* Bonesko, V.A. 86−39520
Merg Qi *see* Li Benren 85−40072
Mergeay, M. Case study: product development and commercialisation on an international basis at LMS, Belgium 88−133
Mergeay, M. *see* Vandeurzen, U. 88−24531, 88−67687
Mergel, D., Ney, H. Phonetically guided clustering for isolated word recognition 86−16210
Mergel, D., Paeseler, A. Construction of language models for spoken database queries 87−61700
Mergel, D. *see* Ney, H. 85−46733, 86−36968, 86−69007, 87−61697, 88−72888
Mergel, D. *see* Noll, A. 86−69006
Mergen, A.E. *see* Holmes, D.S. 88−31527
Mergiel, M. *see* Dabrowski, M. 85−52195, 87−28301
Mergiotta, A.P. *see* Giacomelli, G. 87−29609
Mergner, M. *see* Langmann, R. 86−40983, 87−78847
Mergui, A. Fast breeder reactors: an overwhelm of their present status and prospects 86−70790
Mergui, A., Escalona, J., Labat, G. Superphenix: an overview after the first months of operation 87−64314
Mergui, A. *see* Plessa, A. 86−18986
Merhari, L. *see* Bahna, Z. 88−26161
Merhart, F. *see* Klammer, O. 85−64793
Merhaut, J. Impulse measurement of horn-type loudspeaker drivers 86−49879
Merhav, N., Chazan, D. A stabilizing scheme for difference equations 86−29935
Merhav, N., Malah, D. Adaptive maximum entropy coding 87−47828
Merhav, S.J., Bresler, Y. On-line vehicle motion estimation from visual terrain information. I. Recursive image registration 87−35464
Merhav, S.J. *see* Bresler, Y. 87−33743, 87−35465
Merhej, S.J., Ashley, A.W. Synchronous motor driven reciprocating compressors—starting and operation on limited capacity utility system [oil recovery industry] 86−40207
Merhej, S.J., Ashley, A.W. Synchronous motor-driven reciprocating compressors—starting and operation on limited-capacity utility system 87−64554
Merhib, J. Piece by piece [PCB CIM] 87−59989
Merhib, J.D. CIM: a case study 88−25660
Meriadec, C. *see* Licoppe, C. 86−7770, 87−251, 88−6482
Meriakri, V.V., Murmuzhev, B.A. A broadband metal-dielectric strip waveguide for the millimeter band 86−41277
Meriakri, V.V., Murmuzhev, V.A., Sivov, A.N. Dispersion properties of a planar dielectric waveguide with an impedance substrate 88−72612
Meriakri, V.V., Parkhomenko, M.P., Ushatkin, Ye.F. An isolator in the short-wave part of the millimeter band for dielectric strip waveguides 87−66499
Merialdo, B. Speech recognition with very large size dictionary 87−61659
Merialdo, B. Multilevel decoding for very-large-size-dictionary speech recognition 88−52369
Merialdo, B. Phonetic recognition using hidden Markov models and maximum mutual information training 88−66360
Merialdo, B., Derouault, A., Soudoplatoff, S. Phoneme classification using Markov models 87−27321
Merialdo, B. *see* Derouault, A. 86−16263, 87−19425
Merialdo, B. *see* Derouault, A.-M. 85−36234
Meric, J., Scouarnec, C. Spectral interpretation of Ehrenfest's diffusion model 85−28094
Meric, J. *see* Darhouani, A. 87−18384
Meric, J. *see* Lacoste, R. 86−35929, 87−17830
Meriched, A. *see* Galiana, F.D. 87−71502
Merickel, M., Carman, C., Watterson, K. 3-D display of structural and functional MRI imagery 88−68386
Merickel, M.B., Carman, C.S., Adams, A.H. Utilization of local and global information for automated contour extraction in biomedical imagery 87−50302
Merickel, M.B., Carman, C.S., Brookeman, J.R., Mugler, J.P., III, Brown, M.F., Ayers, C.R. Identification and 3-D quantification of atherosclerosis using magnetic resonance imaging 88−36430
Meriem, J.-S. *see* Macchi, O. 88−66549
Meriem, T.B. Wavelength division multiplexing applied to local and trunk optical fibre networks 85−58123
Merienne, E. *see* Beaudoin, J.L. 87−16763
Merienne, E. *see* Thiebeaux, A. 85−14825
Merigliano, S. *see* Papeschi, G. 85−20885
Merigold, C. Improved test methods ease phase-noise measurement 85−43088
Merigot, A. *see* Devos, F. 85−22936
Merigoux, H., Darces, J.-F. X-ray handedness determination on finished doubly rotated quartz plates 85−56055
Merigoux, H., Darces, J.-F. Ψ angle in a triply rotated cut, determination and control 87−32797
Merilainen, P.T. Metabolic monitor 87−71096
Merilainen, P.T. A fast differential paramagnetic O_2-sensor 88−74788
Merillat, J., Stern, M., Levine, J., Weisman, H., Spear, J., Moore, E., Kadish, A., Fonger, J., Guzman, R., Guarnieri, T. Electrophysiological correlates of argon laser ablation of myocardium 88−23111
Meringdal, P. *see* Hauge, O. 86−12326
Meringdal, P. *see* Hausler, M. 87−58178
Merino, E.Munoz *see* Munoz Merino, E.
Merino, J.C. *see* Jimenez, J. 87−2021
Merino, J.M. AC induction motor coupled to a square law device. Simplified appraisal of energetic savings when motor is fed to operate at variable speed for variable flow conditions 88−17623
Merino, R., Aleixandre, V., Gomez, F.J. Linearisation of the optical transmission of signals in data acquisition 88−15439
Merino, R.Garcia *see* Garcia Merino, R.
Merino, V.Lopez *see* Lopez Merino, V.
Merinov, A.M., Ivantsov, V.A., Lapin, A.B., Gantimurov, Yu.I. Parametric stabilizers with a small stabilisation current 88−63501
Merinov, V.N. *see* Ivanov-Omskii, V.I. 86−1718
Merinsky, K. *see* Betko, J. 85−28964, 86−41538, 88−1358
Merinsky, K. *see* Lalinsky, T. 88−7623
Merisse, J.P. A/D and D/A convertors: principles and definitions 88−63760
Meritet, L. *see* Chadelas, R. 86−25144
Merk, E., Dunstan, D.J., Czaja, W. Multi-beam time-resolved spectroscopy in a-Si:H 86−36320
Merk, E., Dunstan, D.J., Czaja, W., Pfost, D., Vardeny, Z., Tauc, J. Comment on 'Optical bias control of dispersive relaxations in *a*-Si:H [and reply] 85−24374
Merk, E. *see* Maschke, K. 86−28973
Merk, R. *see* Case, M. 85−41438
Merke, W. *see* Kurtz, H.L. 88−48305
Merkel, B. The scintillating fibre detector in the UA2 upgrade programme 88−22946
Merkel, B. *see* Ansari, R. 88−22949
Merkel, B. *see* Ansorge, R.E. 88−29842
Merkel, E. *see* Baumgartner, P. 88−55680
Merkel, F. Insulation co-ordination in the low voltage area 86−58640
Merkel, G. *see* Bushell, M. 85−24924, 86−36754
Merkel, G. *see* Bushell, M.S. 85−2598
Merkel, G. *see* Fleetwood, R. 88−27570 to 27571
Merkel, P. *see* Kern, W. 86−26983
Merkel, R. *see* Grotzbach, M. 85−32624, 87−51381
Merkel, R. *see* Lorenz, L. 86−28283
Merkelo, H., McCredie, B.D., Veatch, MS., Zocher, A.G., Spanos, T. Semiconductor optoelectronic devices based on interference-induced carrier modulation 88−40069
Merker, H. *see* Busch, H.-J. 85−58530
Merker, L.H. Broadcast television on Ku-band satellites 87−49239
Merker, M. *see* Millward, D.G. 86−35774
Merker, M. *see* Morrison, P. 85−24865
Merker, O. ZX 81 a la carte. XIV. Forgo the picture screen—numerals display by 7-segment indicator 85−52816
Merker, S. Teleprinter as printer for Polycomputer PC880 85−51965
Merkey, P., Posner, E.C. Optimum cyclic redundancy codes for noisy channels 85−30177
Merkhalev, S.D., Solomonik, E.A., Ostapenko, E.I. Finding the insulation category of electrical equipment by HV testing 86−26676
Merkhalev, S.D. *see* Belkin, Ya.I. 86−44994
Merkhalev, S.D. *see* Davydova, L.I. 86−39188
Merkhalev, S.D. *see* Ostapenko, E.I. 87−71705
Merkhalev, S.D. *see* Vladimirskii, L.L. 86−25621, 86−65698
Merki, P. *see* de Weck, J.-P. 88−72557
Merki, U. *see* Muhlemann, K. 87−63465
Merkishin, G.V. Two-channel systems for measuring the coordinates of an object edge 86−5515
Merkishin, G.V. Parameters of an amplitude-modulated signal with reflections 86−29905
Merkishin, G.V. Isolation of the geometrical parameters of a reflecting surface in a multiple window optoelectronic system 88−53694
Merkle, F. *see* Its'hak Dinstein 85−26220
Merkle, F. *see* Sanz, J.L.C. 86−11477
Merkle, G., Heppner, J. IR absorption measurements and new FIR emission lines in CH_3OH by use of a frequency-tunable CW waveguide CO_2 laser 85−7378
Merkle, G., Heppner, J. Efficient far-infrared laser lines from CH_2F_2 pumped by a continuous-wave waveguide CO_2 laser 85−18853
Merkle, G. *see* Heppner, J. 85−2200
Merkle, G. *see* Laguarta, F. 86−68465
Merkle, L.D., Bass, M., Swimm, R.T. Multiple pulse laser-induced bulk damage in crystalline fused quartz at 1.064 and 0.532 μm 85−7489
Merklein, H.A. The outlook for energy supply, demand, and prices 88−5448
Merkling, R.M., Jr. *see* Barber, J.R. 85−29285
Merklinghaus, W., Mnich, P. The Maglev TRANSRAPID system on the way to application—test results 87−64927
Merkord, D.L. *see* Evans, T.M. 86−6029
Merkotun, N.N. *see* Molchanov, A.A. 88−38093
Merkotun, N.N. *see* Sharadkin, A.M. 87−55091
Merkt, U., Sikorski, Ch., Kotthaus, J.P. Spectroscopy of one-dimensional subbands on InSb 88−32948
Merkt, U. *see* Alsmeier, J. 88−57391
Merkt, U. *see* Horst, M. 85−23525
Merkulenko, I.D. *see* Konovalov, L.N. 88−21030
Merkulov, B.A. Methods of modulating welding current by periodic feed of electrode wire 86−26446
Merkulov, B.A., Zubchenko, A.S. Special features of melting of flux and stability of pulsed arc welding 85−39379
Merkulov, D.G. *see* Basov, N.G. 88−33934
Merkulov, I.V. *see* Natanzon, M.S. 87−22113
Merkulov, I.V. *see* Terzyan, A.A. 88−17651
Merkulov, L.A. Design of a nonlaminar electron beam in a linear induction accelerator 88−4737
Merkulov, V.A. *see* Korolev, A.N. 86−15549
Merkulov, V.A. *see* Krasnova, N.P. 86−8565
Merkulov, V.I. Synthesis of Kalman filters when using tracking meters 87−59745
Merkulov, V.I. A modified algorithm for the optimal control of radioelectronic tracking systems in the Letov-Kalman formulation 88−41748
Merkulov, V.I. *see* Kozhukhovskii, N.N. 85−51355
Merkulov, V.N. *see* Kopanishin, B.I. 87−46516
Merkulov, V.V., Popov, Yu.A. Diffraction at parallel half-planes reduced to a Riemann boundary-value problem 85−62752

Merkurev, V.G., Tsitsikyan, G.N. The electrodynamic forces of interaction of thin-wall rectangular buses passing current 85—60346
Merkur'ev, V.G. *see* Tsitsikyan, G.N. 86—27657, 87—4401
Merkuriev, V.V. *see* Beliaeva, N.N. 85—63837
Merkushev, O.M. *see* Vasilyev, B.D. 86—33840
Merkx, F. Womcodes constructed with projective geometries 85—57265
Merkx, F. *see* Cohen, G.D. 87—12900
Merla, K. *see* Pausch, G. 87—50174
Merlano, M. *see* Berardi, L. 86—58594
Merle, P. *see* Attal, J. 85—9388
Merle D'aubigne, Y. *see* Magnea, N. 87—36732
Merlette, A., Reymond, B. The COMFET—a thyristor that ignores itself 87—6699
Merletti, R., Biey, D., Biey, M., Prato, G., Orusa, A. On-line monitoring of the median frequency of the surface EMG power spectrum 85—38147
Merletti, R., Knaflitz, M. Suppression of stimulation artifacts from myoelectric evoked potential recordings 88—48160
Merli, M. *see* Carotta, M.C. 86—63015
Merli, M. *see* Susi, E. 88—50621
Merli, P.G. *see* Berti, M. 86—35306, 86—47457, 87—6535
Merli, P.G. *see* Finetti, M.A. 86—35420
Merli, P.G. *see* Gabilli, E. 85—29117
Merli, P.G. *see* Galloni, R. 86—51916
Merli, P.G. *see* Lulli, G. 85—29271, 88—24736
Merlin, A. Modern methods for expansion planning of EHV power systems 85—38453
Merlin, A., Buvat, R., Hautot, A., Meslier, F. Optimal development of an EHV network in the context of a plant mix with a highly differentiated cost structure 86—50939
Merlin, A., Cotto, G. The real time data transmission network for the control of the French power system 87—71593
Merlin, A. *see* Auge, J. 86—50899
Merlin, A. *see* Batut, J. 86—12368
Merlin, A. *see* Dodu, J.C. 87—4263
Merlin, J. *see* Manderscheid, T. 88—45353
Merlin, R. *see* Clarke, R. 87—36715
Merlin, R. *see* Gammon, D. 86—35403
Merlin, R. *see* Juang, F.-Y. 86—54005
Merlin, R. *see* Todd, J. 87—1264
Merlina, J. *see* Fujishima, S. 85—62160
Merlina, S., Peluso, G., Rossati, C., Sorokin, A. Pumping station for fresh water supply 86—19687
Merlina, S., Peluso, G., Rossati, C., Sorokin, A. Pumping station for fresh water supply 86—45271
Merlina, S. *see* L'Angiocola, E. 86—19685
Merlino, P. *see* Frouin, M. 88—69614
Merlino, R.L. *see* D'Angelo, N. 88—41744
Merlo, A. *see* Zublasing, R. 88—47636
Merlo, E., De Mori, R., Palakal, M., Mercier, G. A continuous parameter and frequency domain based Markov model 87—19586
Merlo, M. *see* Coccetti, S. 86—11264
Merlo, U., Fionda, E. Statistical behaviour of amplitude scintillations at X band in a satellite link 87—49015
Merlo, U., Fionda, E., Jiasheng Wang Ground level refractivity and scintillation in space-Earth links 88—66053
Merlo, U., Fionda, E., Marchetti, P.G. Amplitude scintillation cycles in a SIRIO satellite-Earth link 86—15871
Merlo, U., Fionda, E., Marchetti, P.G., Polikronakis, I. Amplitude scintillations: measurements and preliminary evaluation of effects on satellite links 87—13648
Merlo, U., Kosmopoulos, S. Performance evaluation of satellite digital communication systems under intense amplitude scintillations 88—3949
Merlo, U. *see* Basili, P. 87—62873
Merlo, U. *see* D'Auria, G. 87—50578, 87—77900
Merlo, U. *see* Marchetti, P.G. 86—69739
Merlo, X., Lanusse, A., Zavidovique, B. Optimal control of a robotic perception system 88—46134
Merlo, X. *see* Lamotte, E. 88—34190
Merlo, X. *see* Zavidovique, B. 86—4028
Merluzzi, R.A. *see* Colflesh, J.A. 86—6492
Mermel'shteyn, D.V. Optimization of the passband of the receiving channel of an eight-trunk radio-relay system 88—41528
Mermelstein, M. Amorphous metal-fiber optic magnetometer response-dipole rotation model 86—38344
Mermelstein, M.D. Fundamental limit to the performance of fibre-optic metallic glass DC magnetometers 86—18081
Mermelstein, M.D. All-fiber polarimetric sensor 86—48076
Mermelstein, M.D. High-birefringence fiber-optic polarimeter with submicroradian phase delay detectability 86—48103
Mermelstein, M.D. Magnetoelastic amorphous metal fluxgate magnetometer 86—50038
Mermelstein, M.D. Fiber-optic polarimetric DC magnetometer utilizing a composite metallic glass resonator 87—14281
Mermelstein, M.D., Askins, C., Dandridge, A. Stress-relieved magnetoelastic amorphous metal DC magnetometer 87—41591
Mermelstein, M.D., Dandridge, A. Directional characteristics of field-annealed magnetoelastic amorphous metal magnetometers 87—63371
Mermelstein, M.D., Dandridge, A. Low-frequency magnetic field detection with a magnetostrictive amorphous metal ribbon 87—77187
Mermelstein, M.D., Dandridge, A. Magnetostrictive metallic glass ribbon gradiometer 88—67741
Mermelstein, P. G.722: a new CCITT coding standard for digital transmission of wideband audio signals 88—35734
Mermelstein, P. *see* Berourti, M. 87—27333
Mermelstein, P. *see* Berouti, M. 85—19353
Mermelstein, P. *see* Daumer, W.R. 85—41840
Mermelstein, P. *see* Deng, L. 88—72815
Mermelstein, P. *see* Dumouchel, P. 88—72816
Mermelstein, P. *see* Gupta, V.N. 87—61679
Mermelstein, P. *see* Millar, D. 85—19401
Mermelstein, P. *see* Taka, M. 87—39708
Mermelstein, P. *see* Yatrou, P. 88—40783
Mermet, J. Towards integrated CAD of VLSI circuits with cascade 85—45752
Mermikides, M. *see* Amendolia, S.R. 86—5779, 87—21426 to 21428
Mermikides, M. *see* Benetta, M. 85—43239
Mermoz, H. *see* Bienvenu, G. 85—46812
Mero, T.N. *see* Russin, E.M. 88—48357
Meroham, O. *see* Kopeika, N.S. 87—12319
Merola, L. *see* Battiston, R. 85—59224
Merola, S. A view of US research networks 88—15071
Meron, M. *see* Johnson, B.M. 87—56991
Meron, M. *see* Jones, K.W. 87—56990, 87—63577
Meron, M. *see* Maor, D. 87—77509
Meroni, C. *see* Anzivino, G. 87—41861, 88—22961
Meroni, C. *see* Baland, J.F. 88—48000
Meroni, C. *see* Caccia, M. 87—35341
Meroni, C. *see* Igiuni, A. 85—15171
Meroni, E. *see* Amendolia, S.R. 85—15169
Meroni, E. *see* Bellini, G. 85—9066
Meroni, P. X.25: universal interface for packet switching data transmission networks 86—10771
Meroni, P. ITAPAC: National packet switching network 86—30511
Meroni, P. SDLC protocol and analogy with BSC protocol 86—49280
Meroni, P. Telematics and public telephone networks 86—54799
Meroni, P. Intelligent telephone: functions and performance 86—69490
Merono, J.M., Dorda, J.R., Tomas Balibrea, L.M., Iborra Garcia, A. A timer for automation applications 85—44948
Merow, M.C. *see* Liu, Z. 88—23374
Merport, E.I., Osika, L.K., Butenko, V.V., Vainzof, V.I., Matushikina, N.V. Automatic load shedding on a 210 MW turbogenerator unit with loss of excitation 86—33262
Merport, E.I. *see* Gol'dshtein, I.M. 87—21847
Merport, E.I. *see* Ornov, V.G. 86—25648
Merport, E.I. *see* Tenenbaum, Ya.P. 87—15168
Merrell, C.J. *see* Brooks, C.L. 86—61696
Merrell, G.B. *see* Sandquist, G.M. 86—25769
Merrell, J.E., Hoeft, L.O., Hofstra, J.S. Measured surface transfer impedance/shielding effectiveness of RFI/EMI backshell terminations for circular connectors 87—17470
Merrell, J.E. *see* Hoeft, L.O. 87—32139
Merrell, R.L. Application of GPS for transportation related engineering surveys 87—20633
Merrem, H.J. *see* Bolsen, M. 86—41650
Merrett, R.P. The role of depletion FET logic in GaAs ICs 85—33888
Merrett, R.P. Present and future scope for GaAs depletion MESFET logic 86—47873
Merrett, R.P. High-speed gallium arsenide for digital integrated circuits 87—53698
Merrett, R.P. Modeling of GaAs digital ICs 88—26550
Merrett, R.P., Thorp, S.C., Smith, P.J. A custom placed cell approach based on depletion MESFETs 86—41086
Merrett, R.P. *see* Smith, P.J. 86—41084
Merrett, R.P. *see* Welbourn, A.D. 85—17883
Merri, M. *see* Baselli, G. 87—29774
Merriam, S., Luczkow, W., McSorley, G. A rapid, non-destructive method for measuring connector surface transfer impedances 86—27683
Merridew, R., Laftman, L., Mathisen, Y. KASKAD 8A—a new slip recovery drive providing efficient and reliable speed control 85—32722
Merrien, J.Y. The reception of programmes broadcast from satellites 86—49809
Merrifield, B.C. *see* Roberts, J.B.G. 85—2821, 86—55360
Merrifield, B.C. *see* Simpson, P. 86—60900
Merrigan, M.A. Heat pipe design for space power heat rejection applications 87—42173
Merrigan, M.A., Keddy, E.S., Sena, J.T., Elder, M.G. Heat pipe technology development for high temperature space radiator applications [space nuclear power plants] 85—48438
Merrill, E.F. *see* Becnel, C.L. 86—39792, 86—70906, 87—64592
Merrill, H.M. Optimizing plant and system coal inventories 88—10961
Merrill, H.M. Optimizing plant and system coal inventories 88—55176
Merrill, H.M., Bhavaraju, M.P. Transfer capability objectives: a strategic approach 85—48540
Merrill, H.M., Feltes, J.W. Quick spreadsheet corporate models for strategic planning 87—4330
Merrill, H.S. *see* Manseur, B. 86—16810
Merrill, J.D. *see* Jacomb-Hood, A.W. 87—32100, 87—59889
Merrill, J.D. *see* Lang, R.J. 88—50377
Merrill, J.D. *see* Upton, M.A.G. 87—47399
Merrill, M.D., Becker, W. An 1802 based system for real-time processing of meteorological data 86—5135
Merrill, M.D., Petersen, K., Becker, W. A multistation meteorological data acquisition system 86—60184
Merrill, M.H. *see* Homeyer, W.G. 85—53134
Merrill, P.R. A 20 kW solid-state L-band transmitter for the RAMP PSR radar 88—41738
Merrill, R.B. *see* Liou, T.-I. 88—64554
Merrill, R.D. *see* Miller, E.K. 88—49405
Merrill, T.J. *see* Kaifer, R.C. 86—50358
Merrill, W., Lehtinen, B., Zeller, J. The role of modern control theory in the design of controls for aircraft turbine engines 85—20993
Merrill, W.Brewster *see* Brewster Merrill, W.
Merrill, W.C. Sensor failure detection for jet engines using analytical redundancy 86—24497
Merrill, W.C., DeLaat, J.C. A real-time simulation evaluation of an advanced detection, isolation and accommodation algorithm for sensor failures in turbine engines 87—4071
Merriman, P.C. *see* Cowper, R.L. 85—42608
Merriman, S.C. High quality digital video conferencing at 140 Mb/s 88—9299
Merrin, E.L. *see* Fein, G. 88—68405
Merris, X.Van *see* Van Merris, X.
Merrit, B. Network strategies 87—69636
Merritt, B. *see* Whitham, K. 85—5226, 88—20614
Merritt, B.T., Whitham, K. Infant mortality testing of high energy-density capacitors used on Nova 85—5346
Merritt, B.T. *see* Mihalka, A.M. 85—5238
Merritt, B.T. *see* Whitham, K. 85—2277
Merritt, C.R.B. Computed radiographic imaging using photostimulable phosphors 87—50276
Merritt, D.A. *see* Frisch, A.S. 87—77857
Merritt, D.A. *see* Strauch, R.G. 85—26897, 88—5178, 88—61641
Merritt, E.A. *see* Phizackerley, R.P. 86—60571
Merritt, F. *see* Bancroft, G. 88—5045
Merritt, F.R. *see* Logan, R.A. 85—22460
Merritt, F.R. *see* Nordland, W.A. 85—386
Merritt, F.S. *see* An Ji-Gang 88—48016 to 48017
Merritt, J. T-carrier chip set adapts to changing network needs 87—13209
Merritt, J.C. Evolution of a functional simulator system as an aid to test program set development 85—31372
Merritt, J.C., McCutcheon, J., Atkinson, R. A test program development system based on the HP-9000 family of computers 86—49943
Merritt, J.C., Monroe, F.E., Jr. Design of table-driven ATE models in a simulation environment 88—53557
Merritt, J.O. Visual-motor realism in 3D teleoperator display systems 88—4563
Merritt, J.O. Often-overlooked advantages of 3-D displays 88—74531
Merritt, K.W. *see* Biino, C. 86—38719
Merritt, M.W. Spatial and temporal analysis of weather radar reflectivity images 87—62256
Merritt, P.A., Attaar, M.H., Hordubay, T.D. Helium leak testing the Westinghouse LCP coil 85—1898
Merritt, P.A., Udavchak, D.L., Hampton, T.E. Winding of the Westinghouse LCP coil 85—1908
Merritt, P.E. *see* King, H.J. 85—29261
Merritt, R. Update on temperature monitoring and control equipment 85—15060
Merritt, R.B., Chenery, S.G. Quantitative CT measurements: the effect of scatter acceptance and filter characteristics on the EMI 7070 86—32264
Merritt, R.P. *see* Aspnes, J.D. 85—43543, 88—22430
Merritt, S.A. Phase-strip sequence estimation: a phase unwrapping/tracking algorithm 87—19773
Merritt, S.W., Cullen, D.E., Branciforte, E.J. Interaction mechanisms between acoustic waves and MESFET on GaAs 88—51109
Merritt, S.W., Cullen, D.E., Montress, G.K., Grudkowski, T.W. GaAs SAW/MESFET programmable tapped delay line 86—2562
Merritt, S.W. *see* Tanski, W.J. 88—26634, 88—39789
Merritt, S.Y. Design charts to relate transmission line parameters to flashover probability 88—75222
Merritt, S.Y., Pope, G.L. Programming and documentation for automated motor control 86—70867
Merritt, S.Y., Pope, G.L. Programming and documentation for automated motor control 87—78630

Merrkov, S.M. *see* Lim, J.-T. 85—57573
Merry, C.J. *see* Ackleson, S.G. 86—12181
Merry, C.J. *see* Edwardo, H.A. 87—4166
Merry, G.A. *see* Burde, D.H. 87—61069
Merry, G.A. *see* Tien Tsai Yang 87—61068
Merry, G.A. *see* Yang, T.T. 88—27010
Merry, J.B. *see* Brown, L.B. 87—34935
Merry, P., Heeler, A., Witte, H., Finke, R. A computer integrated production insula: design rules and standards 86—10834
Merry, S. Automated production testing of LAN cables 87—34328
Merry, S.L., Thew, M.T. Evaluation of a thermodynamic method for efficiency measurements on a low-pressure pump in water and mercury 85—14965
Merrymen, S. *see* Bernardes, J. 87—19164
Mersch, H. *see* Korner, H. 88—17362
Mersch, S. Overview of machine vision lighting techniques 87—51627
Mersch, S.H., Doles, J.E. Cylindrical optics applied to machine vision 86—15543
Merschen, B.A. Minimal quadrature formulae for the spaces H_2^R and L_2^R a unified interpolatory approach 85—39652
Merschoff, E.W. *see* Baker, E.T. 88—23636
Merse, W. PC-integration concept for SNA [Systems Network Architecture] 86—69401
Mersereau, K., Morris, G.M. Scale, rotation, and shift invariant image recognition 86—69102
Mersereau, K. *see* Kuhner, M.B. 87—77154
Mersereau, R.M. Iterative algorithms for deconvolution and reconstruction of multidimensional signals from their projections 85—57419
Mersereau, R.M. Hexagonal pixels arrays, and sampling 88—21310
Mersereau, R.M., Schafer, R.W., Barnwell, T.P., Smith, D.L. A digital filter design package for PCs and TMS320s 85—23052
Mersereau, R.M. *see* AuYeung, C. 87—19755
Mersereau, R.M. *see* Bevington, J.E. 87—55334, 87—62237
Mersereau, R.M. *see* Guessoum, A. 86—13721, 87—5385
Mersereau, R.M. *see* Katsaggelos, A.K. 86—16377, 86—16549
Mersereau, R.M. *see* Kim, C.-S. 88—73244
Mersereau, R.M. *see* Maragos, P.A. 85—25158
Mersereau, R.M. *see* Schafer, R.W. 85—11421
Mersereau, R.M. *see* Smith, M.J.T. 88—46303
Mersereau, R.M. *see* Yeung, C.A. 87—7857
Mersich, I., Major, L. Diagnostic methods of failures in analogue circuits 88—18841
Mersich, I., Major, L. Error diagnostic methods of analog circuits 88—24954
Merski, R., Parrish, D.M. Operations systems technology for new AT&T network and service capabilities 88—3341
Merski, R.F. *see* Diller, D.E. 87—55558
Mersten, G.S. *see* Vasanthavada, N. 87—831, 87—44999
Mersten, G.S. *see* Vesanthavada, N. 87—37237
Merta, F. *see* Binder, J. 86—11564
Merta, J. *see* Chmel, J. 86—63360, 88—12327, 88—19062
Merta, O., Hradek, V. Underground energy storage in the CSSR 88—31056
Merta, S. Equipment for heat regeneration of 220 MW turbo-generators in VVER-type nuclear power plants—high-pressure feed water heater, type VTO, 1300 m^2 88—42933
Merten, H. The industrial power plant design construction and operation 85—48822
Merten, H., Seiffert, H.-J. Reception module for the optical fibre short-distance transmission—performance parameters and technological realisation 86—23884
Merten, H. *see* Hable, W. 86—23885
Merten, K. Low-level simulation. Problems associated with the adaptation of numerical processes 87—5590
Merten, K., Mettenmeier, U. Quality in graphical data processing—subject evaluation or objective assessment of performance? 86—50778
Mertens, A., Klose, H., Tang, N. Ion beam contacting of silicon. II. Antimony in n-silicon 85—40517
Mertens, A. *see* Bollmann, J. 87—11620
Mertens, A. *see* Dvurechenskii, A.V. 87—6536
Mertens, G. *see* Mack, G. 85—59227
Mertens, G. *see* Tornow, W. 86—44553
Mertens, H. The overall structure and digital aspects of the EBU DBS system 85—3596
Mertens, H. The future evolution of broadcasting standards 85—37203
Mertens, H., Wood, D. The EBU C-MAC/packet system for direct broadcasting by satellite 85—20309
Mertens, H., Wood, D. The EBU C-MAC/packet system for direct broadcasting by satellite 85—37216
Mertens, H., Wood, D. Standards proposed by the EBU for satellite broadcasting and cable distribution 86—30945
Mertens, H., Wood, D. The standards proposed by the EBU for satellite broadcasting and cable distribution 86—37840
Mertens, H., Wood, D. The MAC/packet family: an overview 87—76931
Mertens, H. *see* Gressmann, R. 86—59833
Mertens, H.V. *see* Roeterdink, J.A. 88—65082
Mertens, J., Mortara, D. A new algorithm for QRS averaging 85—59296
Mertens, J. *see* Schluter, P. 85—53068
Mertens, J.-F., Zamir, S. Formulation of Bayesian analysis for games with incomplete information 85—54248
Mertens, K. *see* Claesen, L. 87—36919
Mertens, P. Nachweis von atomarem Wasserstoff und Kohlenstoff im vakuum-ultravioletten Spektralbereich mit einem frequenzverdreifachten Laser (Detection of atomic hydrogen and carbon in the vacuum ultraviolet spectral region with a frequency-tripled laser) 88—40168
Mertens, P., Legleitner, T., Ernst, G. DAX, a real time diagnostic expert system as integrating component in a test process 88—49505
Mertens, P., Vidic, U., Becker, H. The computer-controlled field ion microscope with atom-probe at the Hahn-Meitner-Institute 85—34447
Mertens, P. *see* Wouters, D. 87—11633
Mertens, R. The personal computer will become part of a network 86—16962
Mertens, R. Trends in crystalline solar cell technology 86—66355
Mertens, R., de Pauw, P., Eyckmans, M., Caymax, M., Nijs, J., Xiang, Q., Frisson, L. Improvements in multicrystalline silicon solar cells 86—40165
Mertens, R., Eyckmans, M., Cheek, G., Honore, M., Van Overstraeten, R., Frisson, L. Critical processing parameter optimization for screen printed semicrystalline silicon solar cells 86—13079
Mertens, R., Ghannam, M. Silicon bipolar transistors with amorphous and microcrystalline emitters 87—25242
Mertens, R., Nijs, J., Symons, J., Baert, K., Ghannam, M. Comparison of advanced emitters for high speed silicon bipolar transistors 88—13349
Mertens, R. *see* Baert, K. 88—18675
Mertens, R. *see* Beyne, E. 88—64132
Mertens, R. *see* Caymax, M. 88—18026
Mertens, R. *see* Cheek, C. 87—4923
Mertens, R. *see* De Pauw, P. 88—2105
Mertens, R. *see* Eyckmans, M. 88—18038
Mertens, R. *see* Ghannam, M. 85—40540, 85—50506, 86—35663, 87—17843, 87—18100
Mertens, R. *see* Kishore, R. 88—37566
Mertens, R. *see* Rodot, M. 87—72424
Mertens, R. *see* Symons, J. 87—25225, 88—19934, 88—26231, 88—44748
Mertens, R.P. *see* Anis, W.R. 85—38936, 86—13236
Mertens, R.P. *see* De Man, H.J. 85—18298
Mertens, R.P. *see* Ghannam, M.Y. 85—55585
Mertens, R.P. *see* Girisch, R. 86—19501, 86—71067, 88—13042
Mertens, R.P. *see* Girisch, R.B.M. 88—25985
Mertens, R.P. *see* Van Overstraeten, R.J. 86—61748, 88—19658
Mertes, H. *see* Wartmann, R. 85—49202
Mertikas, S., Field, C., Wells, D.E. Current issues in expressing uncertainty of position in GPS navigation 88—4139
Mertins, D. *see* Hartmann, J.D. 86—56048
Mertins, K. *see* Matthews, M.L. 88—29564
Mertzio, B. *see* Papamarkos, N. 87—10991
Mertzios, B. *see* Vachtsevanos, G. 86—62748, 87—33707, 87—37461
Mertzios, B.G. Block realization of 2-D, IIR digital filters 85—11438
Mertzios, B.G. On the roundoff noise in 2-D state-space digital filtering 85—34073
Mertzios, B.G. Direct convolution and the initial conditions of two-dimensional infinite impulse response digital filters 86—1288
Mertzios, B.G. Block parallel processing of 2-D digital signals 86—64267
Mertzios, B.G. Author's reply 'On the roundoff noise in 2-D state-space digital filtering 87—45083
Mertzios, B.G. Block-space invariance of two-dimensional digital filters 87—73564
Mertzios, B.G., Syrmos, V.L. Implementation of digital filters via VLSI array processors 88—38629
Mertzios, B.G., Venetsanopoulos, A.N. Combined error at the output of two-dimensional recursive digital filters 85—6442
Mertzios, B.G., Venetsanopoulos, A.N. Modular realization of multi-dimensional filters 85—34088
Mertzios, B.G., Venetsanopoulos, A.N. VLSI implementation of two-dimensional digital filters via two-dimensional filter chips 86—34998
Mertzios, B.G., Venetsanopoulos, A.N. Block realization of 2-D IIR digital filters based on the decomposition theorem 87—919
Mertzios, B.G. *see* Gnanasekaran, R. 87—69185
Mertzios, B.G. *see* Lewis, F.L. 87—65620
Mertzios, B.G. *see* Venetsanopoulos, A.N. 85—23046, 85—34069, 86—29854
Mertzios, V. Block parallel processing of 2-D signals filters based on the state-space model 87—47824
Mertzios, V., Venetsanopoulos, A. Modular implementation of M-D digital filters using bit-sliced M-D filter chips 87—44930
Mertzios, V.G. Block realization of 2-D half-plane IIR digital filters with matrix convolutions computable in 2-D FFT 85—46853
Mertzios, V.G., Syrmos, V.L. VLSI array processors' block implementation of IIR digital filters 88—32326
Mertzios, V.G., Venetsanopoulos, A.N. Design of circularly symmetric and fan 2-D half-plane recursive digital filters based on octagonal and quadrantal symmetries 85—46847
Mertzios, V.G., Venetsanopoulos, A.N. Walsh matrix implementation of M-D filters by the decomposition theorem 85—46848
Mertzois, B.G., Venetsanopoulos, A.N. Design of two-dimensional half-plane recursive digital filters with octagonal symmetry 86—48900
Mertzois, B.G., Venetsanopoulos, A.N. On the recursive and nonrecursive realization of multidimensional discrete systems 87—52755
Merwart, G. *see* Donat, P. 86—23730
Merwe, A.J.van der *see* van der Merwe, A.J.
Merwe, D.van der *see* van der Merwe, D.
Merwe, F.S.van der *see* van der Merwe, F.S.
Merwe, J.P.van der *see* van der Merwe, J.P.
Merwe, L.van der *see* van der Merwe, L.
Merwe, W.P.Van de *see* Van de Merwe, W.P.
Merwin, R. IF amplitude adaptive filtering 86—41198
Mery, C.P.dit *see* dit Mery, C.P.
Mery, C.Pierre Dit *see* Pierre Dit Mery, C.
Mery, P., Charpentier, C. Voyage inside a plume [cooling towers] 85—27179
Merz, A. Operating experiences with the flue gas desulphurisation device at the Zolling power plant 87—42262
Merz, A. Initial operating experience and results from the flue gas desulphurisation plant in the Leiningerwerk Unit 5 Zolling power station 88—30549
Merz, B. Half-cylindrical illuminance—an emerging parameter 87—9940
Merz, B. The usefulness of CRF and E/L ratios 87—9941
Merz, B. *see* Hausler, R. 85—53158
Merz, C.J. *see* Berkenblit, M. 85—12181
Merz, C.J. *see* Ray, A.K. 86—21430
Merz, C.J. *see* Reisman, A. 87—38126
Merz, D.L., Daw, E.H. Antenna tower waveguide measurements. Return loss and distance-to-fault measurements simplified 86—5499
Merz, E. Criteria to be met by future research and development on the back end of the fuel cycle 85—9645
Merz, F. *see* Hertenberger, R. 87—71007
Merz, F. *see* Schiemenz, P. 87—3854
Merz, G., Pumpe, G. Economical implementation of dedicated data circuits in public telecommunications networks—a comparison of the analog and digital approaches 85—8010
Merz, H. Nationwide introduction of the Bildschirmtext service in the Federal Republic of Germany 86—37402
Merz, J. A modified Newton algorithm for the adjustment of microdata with minimum information loss 86—7700
Merz, J.L., Yuan, Y.R., Vawter, G.A. Photonics for integrated circuits and communications 85—41199
Merz, J.L. *see* Bahir, G. 86—35338, 87—11362, 87—74110, 88—50710
Merz, J.L. *see* Caine, E.J. 85—18795
Merz, J.L. *see* Hong, J.M. 86—34302, 86—52470
Merz, J.L. *see* James, K.M. 85—34759, 87—25076
Merz, J.L. *see* Kasemset, D. 85—18081
Merz, J.L. *see* Kirillov, D. 85—12169
Merz, J.L. *see* Kobayashi, J. 87—38063
Merz, J.L. *see* Omura, E. 86—21125, 86—41672, 87—25090, 87—32387
Merz, J.L. *see* Pudensi, M.A.A. 85—49548
Merz, J.L. *see* Subbanna, S. 86—26830, 86—52463
Merz, J.L. *see* Vawter, G.A. 85—46197, 86—22181, 88—2218
Merz, J.L. *see* Wu, X.S. 85—50232, 86—67801
Merz, J.L. *see* Yao-Hwa Wu 86—21174
Merz, J.L. *see* Yuan, Y.R. 85—7312, 85—29644
Merz, J.L. *see* Yuen, A.T. 86—35337
Merz, J.L. *see* Zou, W.X. 87—74179
Merz, K.L. Existing seismic test data and its use [nuclear plants] 88—48632
Merz, K.L. *see* Keowen, R.S. 88—48650
Merz, L. Reactors without risk. Nuclear acceptance regulations for catastrophe-free nuclear power stations 87—4504
Merz, M. *see* Arreguit, X. 87—23967, 87—53718
Merz, M. *see* Krockel, H. *(editor)* 85—10339
Merz, P.-A. Digital data network for the transmission of 2400, 4800 and 9600 bit/s on fixed back-to-back coupled lines 88—14942
Merz, P.-A. *see* Burgin, S. 88—15263
Merz, R.A. *see* Christopher, D.M. 88—22467
Merz, S.S. An integrated high efficiency switched mode laser power supply 88—24057
Merz, W., Ankenbrandt, C., Koepke, K. Transition jump system for the Fermilab booster 88—54029

Merz, W., Pfeffer, H. The Fermilab D0 overpass power supply system 86−26142
Merz, W. *see* Chapman, L. 86−32058
Merz, W. *see* Dugan, G. 86−32034
Merz, W.E. *see* Chapman, L. 86−31789
Merzagora, N. *see* D'Angelo, E. 85−5404
Merzer, M. Aperture penetration−its importance, evaluation and measurement 86−29503
Merzer, M. *see* Friedlander, G. 86−29504
Merzetta, T.L., Parks, T.W., Chen, X.-K. FIR filters with minimum coefficient sensitivity 87−27483
Merzheevskii, V.A. *see* Posse, A.V. 86−61589
Merzlyakov, B.L. *see* Perminov, N.I. 85−43612
Merzlyakov, I.S. *see* Akulov, A.T. 86−39600
Merzlyakov, N.S., Popova, N.R. Use of discrete Fresnel transforms in digital reconstruction of holograms 88−58703
Merzlyakov, N.S. *see* Grinev, A.Yu. 85−36131
Merzlyakov, S.I. *see* Akimov, Y.K. 88−29822
Merzylyakov, A.S. *see* Voropayev, Yu.P. 85−7685
Mes, H., Anderson, H.L., Azuelos, G., Blecher, M., Bryman, D.A., Burnham, R.A., Carter, A.L., Depommier, P., Dixit, M.S., Gotow, K., Hargrove, C.K., Hasinoff, M., Kessler, D., Leitch, M., Macdonald, J.A., McKee, R.J., Martin, J.P., Navon, I., Numao, T., Poutissou, J.M., Poutissou, R., Schlatter, P., Spuller, J., Wright, C.S. Update on the TPC at TRIUMF 85−9054
Mes, H., Dixit, M.S., Godfrey, L., Hanna, D., Hargrove, C.K., Losty, M.J., Oakham, F.G., Carnegie, R.K., Dumont, J.J., Hemingway, R.J., McPherson, A.C., Payne, R., Bavaria, G., Jeremie, H., Lessard, L., Lorazo, B., Martin, J.-P. Design and tests of the *Z*-coordinate drift chamber system for the OPAL central detector at LEP 88−29877
Mes, H. *see* Bryman, D.A. 85−37900
Mes, H. *see* Kupers, G. 87−64327
Mesa, J.P., Petterssen, G. Peripherals for intelligent communication 88−41466
Mesaiha, N.W. Economic dimensioning of link systems with point-to-point selection and alternate routing 85−8255
Mesbah, G. *see* Chan, M.L. 87−30059
Mesch, H.G. *see* Patterson, R.E. 86−7049, 87−42135
Meschanov, V.P., Saliy, S.A., Shikova, L.V. Single-line filters with continuous variable wave resistance 85−6409
Meschcheryakov, A.G. *see* Onishchenko, V.Ya. 88−30447
Mescheder, U., Mund, F., Huber, H.-L. Linewidth metrology for X-ray masks with subhalfmicron feature size 88−19870
Mescheder, U., Weiser, G. Electro-optical effects on the absorption edge of a-Si:H 85−18094
Mescheder, U. *see* Luthje, H. 87−25000
Mescheder, U. *see* Mackens, U. 88−44445
Mescher, F.J.M. *see* Gross, U. 88−25859
Mescher, J.A., Grant, J.T. Scanning electron microscopy studies of impregnated tungsten dispenser cathodes 86−35265
Mescher, J.A. *see* Tomich, D.H. 86−14792, 87−37794
Meschi, C. *see* Flandrois, S. 88−61517
Meschini, M. *see* Battistoni, G. 85−43163
Meschke, M. *see* Sorber, J. 85−65281
Mescua, J. A linear-like power flow algorithm including TCUL representation 86−6272
Mescua, J. A decoupled method for systematic adjustments of phase-shifting and tap-changing transformers 86−6835
Mescua, J. *see* Song, J. 87−9568
Mescua, J. *see* Zahn, M. 87−18393, 87−25627, 87−38866, 88−64631
Mesdag, P.R., Berkhout, A.J. Two dimensional statistical analysis of synthetically focused images 86−10549
Mese, E.Dalle *see* Dalle Mese, E.
Mesecar, R., Wagner, J., Dillon, W., Page, O. A digital measurement and control system coupled with an undulating profiler 86−56266
Meseguer, C. The application of electrical heating in industry−some criteria governing decisions 85−10218
Meseguer, F. *see* Sidrach de Cardona, M. 86−26302
Meseguer, F. *see* Tejedor, C. 86−8859
Meseguer, J.M., Ribes Greus, A., Gomez Ribelles, J.L., Diaz Calleja, R. Dielectric γ relaxation in high and low density PE 87−25623
Mesentsev, N.A., Sheromov, M.A., Smirnykh, V.V., Sokolov, A.S., Sukhorukov, A.V., Tolochko, B.P., Ushakov, V.A., Vlasov, A.M. Experimental station for the study of the dynamics of structural changes using synchrotron radiation 86−60675
Mesentsev, N.A. *see* Kornyukhin, G.A. 85−56712
Mesenzhnik, Ya.Z. The conductivity of insulation under multifactor action 85−62132
Mesenzhnik, Ya.Z., Eremeev, G.V., Prut, L.Ya., Tyan, I.S. Effect of storage conditions and operating factors on electrical characteristics of polymer insulation of geophysical cables 85−64912
Mesenzhnik, Ya.Z., Korchagin, A.G., Prut, L.Ya., Tyan, I.S. Reliability of submerged electrical systems and methods of forecasting this reliability 87−4387
Mesenzhnik, Ya.Z., Osyagin, A.A. The influence of technological and operational factors on characteristics of power cables for oil production 85−59724
Mesenzhnik, Ya.Z., Osyagin, A.A. Predicting the technological quality of the insulation of power cables for oil production 86−33890
Mesenzhnik, Ya.Z., Prut, L.Ya., Kartashov, B.G. Reliability of submersible motor insulation 85−21548
Mesenzhnik, Ya.Z. *see* Kleiman, Yu.D. 88−44475
Mesenzhnik, Ya.Z. *see* Tareev, B.M. 87−25702
Mesereau, R.M. *see* Lagendijk, R.L. 87−62278
Meservey, R., Moodera, J.S. Performance of a magnetic susceptometer for thin films and surfaces 87−21035
Meservey, R. *see* Tedrow, P.M. 85−46032
Mesh, M.Ya. *see* Bykov, A.M. 87−46501
Mesh, M.Ya. *see* Gulyaev, Yu.V. 86−36191, 87−26017
Meshalkin, M.A. *see* Bespalov, V.G. 88−72420
Meshchanin, A.P. *see* Avvakumov, I.A. 88−61202
Meshchanov, G.I., Mironov, E.I., Finkel, E.E. Energy intensity of processes for radiation modification of polymer insulation 88−42855
Meshchanov, G.I., Peshkov, I.B., Svalov, G.G., Rohner, P., Ziemek, G. The manufacture of corrugated copper tubes with a Nb_3Sn layer [superconducting cables] 85−64922
Meshchanov, G.I. *see* Dikerman, D.N. 87−35728
Meshchanov, G.I. *see* Gnedin, A.A. 87−72086
Meshchanov, G.I. *see* Krupenin, N.V. 85−45266
Meshchanov, V.P., Chumayevskaya, G.G. An experimental-analytical method of designing radio systems 86−30149
Meshchanov, V.P., Loginov, V.M., Shikova, L.V. The design of low-pass filters based on coupled lines with unmatched loads 86−34942
Meshchanov, V.P., Metel'nikova, I.V., Fokeyev, L.C. Optimum synthesis of stepped phaseshifters of the 2nd class 85−1010
Meshchanov, V.P., Sality, S.A., Tsots, I.A., Shikova, L.V. Synthesis of stepped transition units of class II 85−57076
Meshchanov, V.P., Saliy, S.A., Fel'dshteyn, A.L., Shikova, L.V. Synthesis of stepped transmission lines with a TEM-mode 85−7684
Meshchanov, V.P. *see* Drobyshev, I.I. 88−957
Meshchanov, V.P. *see* Kats, B.M. 85−1011, 86−67484
Meshcherov, B.R., Tumanov, V.I. Analog system for orientation of single-crystal target in electron accelerator 88−36389
Meshcherov, R.A. *see* Airapetov, A.Sh. 88−16603
Meshcherov, R.A. *see* Markeev, A.M. 87−41665
Meshcherskiy, B.P. *see* Vlakhova, R.T. 87−47166
Meshcheryakov, A.I. *see* Al'tgauzen, A.P. 85−65613
Meshcheryakov, A.V. *see* Onishchenko, V.Ya. 88−48628
Meshcheryakov, A.V. *see* Popov, A.I. 86−56525
Meshcheryakov, S.P. *see* Antoshevskiy, V.S. 85−36485
Meshcheryakov, V.G. *see* Danilenko, V.I. 88−36399
Meshcheryakov, V.G. *see* Kuznetsov, Yu.V. 88−36336
Meshcheryakov, V.N. *see* Telichko, L.Ya. 85−5610, 86−45737, 86−56974
Meshcheryakov, V.P. *see* Katasonov, P.V. 88−55409
Meshcheryakov, V.P. *see* Marfin, V.P. 87−63367
Meshcheryakov, Ye.Ya. Limit relations for matching constant impedance networks 87−44507
Meshcheryakov, Ye.Ya. *see* Zavrazhnov, Yu.V. 85−63807
Mesher, S.N. A comparison of the reliability of silver compatible multilayer dielectric materials 88−50546
Mesheritskiy, A.V. *see* Kandyba, P.E. 85−29413
Meshkat, S. Microprocessor controlled industrial drives 87−51188
Meshkat, S. Digital signal processors provide advanced motion control 88−37237
Meshkat, S. Adaptive control performance improvement using digital signal processors 88−75572
Meshkat, S. Industrial adaptive positioning control 88−75622
Meshkat, S. Advanced motion control algorithms: feasibility and performance improvement using digital signal processors 88−75635
Meshkat, S. Microprocessor based AC drive control 88−75990
Meshkat, S., Ahmed, I. Using DSPs in AC induction motor drives 88−43183
Meshkat, S., Persson, E.K. Optimum current vector control of a brushless servo amplifier using microprocessors 85−27588
Meshkat, S. *see* Persson, E.K. 86−51948
Meshkat, S.N., Sakkas, C.M. Voronoi diagram for multiply-connected polygonal domains. II. Implementation and application 88−1713
Meshkauskas, I.I. *see* Visatskas, A.V. 88−27577
Meshkinpour, F., Ercegovac, M.D. A functional language for description and design of digital systems: sequential constructs 86−20203
Meshkov, A.M. *see* Vinnikov, A.Ya. 85−40421
Meshkov, A.N., Borisov, B.P. Investigation of the self-compression of a video pulse in a piecewise uniform wave system with a ferrite 85−19188
Meshkov, A.N., Shishko, V.I., Eremin, S.N. A high-power nanosecond pulse generator 85−22710
Meshkov, E.P. *see* Abramov, A.G. 85−4429
Meshkov, I.N., Sharapa, A.N., Shemyakin, A.V. Shaping a stationary tubular electron beam of high perveance in a longitudinal magnetic field 86−25081
Meshkov, I.N. *see* Derbenev, Ya.S. 85−26560
Meshkov, N. *see* Hoffmann, K.H. 88−37900
Meshkov, S.N. *see* Denisov, S.S. 85−65286
Meshkov, V.A. Method of summing independent random variables with polynomial distributions 88−35760
Meshkovskii, A.G. *see* Barmin, V.V. 86−5822
Meshkovskii, I.K. *see* Al'tshuler, G.B. 86−9906
Meshkovskii, I.K. *see* Zemskii, V.I. 87−26369
Meshkovskii, V.N. *see* Danilov, S.V. 88−39877
Meshkovsky, I.K. *see* Eremenko, A.S. 87−75034
Meshman, A.P. *see* Gagauz, I.B. 85−31720
Meshman, B. *see* Shi-kay Yao 87−11555
Meshrif, O. *see* El-Hennawi, H.A. 88−26767
Meshulam, R. On multi-coloured lines in a linear space 86−34141
Meshulam, R. *see* Linial, N. 88−70214
Meshulam, S. Testing surface-mounted devices on printed circuit boards 86−1571
Meshulam, S. Testing surface-mounted devices on printed-circuit boards 86−35217
Mesic, M. Some experiences in preparing for TS 110/x kV construction of Elektroprenos Zagreb 88−17796
Mesic, M. *see* Hebel, Z. 86−12350
Mesick, H.C. *see* Harris, M.M. 88−10570
Mesieh, A.A. Cross-polar performance of lens-corrected conical corrugated horns 85−7726
Mesirov, J.P., Sweet, M.M. Continued fraction expansions of rational expressions with irreducible denominators in characteristic 2 88−272
Mesiya, M.F. Fiber optics technology in TV transmission systems 86−49635
Mesiya, M.F. Implementation of a broadband integrated services hybrid network 88−35209
Mesiya, M.F. Implementation of broadband integrated services distribution network 88−41426
Meskauskas, A. *see* Kazlauskiene, V. 87−33042, 87−45634
Meskauskas, J. *see* Ivaska, V.P. 87−45191
Meskauskas, J.J. *see* Visackas, A.V. 86−28635
Mesker, O. *see* Singh, B. 87−74204
Mesker, O.R. *see* Singh, B. 88−63374
Meskhidze, R.N. *see* Dzhaparidze, T.D. 87−29012
Mes'kin, I.V. *see* Konstantinov, O.V. 88−45905
Mesko, B., Oreskovic, G. The application of numerical methods in designing large turbo-generators 87−51154
Mesko, B. *see* Gavric, L. 88−11205
Meslage, J. *see* Alabedra, R. 85−58105, 86−42419
Meslage, J. *see* Nguyen Duy, T. 86−9683
Meslage, J. *see* Orsal, B. 86−9684, 87−46695, 88−26978
Meslage, J. *see* Ouhayoun, M. 88−27069
Meslener, G.J. Chromatic dispersion induced distortion of modulated monochromatic light employing direct detection 85−7450
Mesli, A. *see* Barhdadi, A. 86−47407, 87−17793
Mesli, A. *see* Fogarassy, E. 85−60416
Mesli, A. *see* Martinez, J. 87−45639
Mesli, A. *see* Zundel, T. 86−58439
Meslier *see* Adiata 87−15151
Meslier, F. The use of computers for transmission network planning studies 85−38468
Meslier, F., Faugeras, J.F. New advances in the planning of the national grid at the Electricite de France: taking fuel costs savings and uncertainty into account 85−9456
Meslier, F., Michon, R., Parant, J.M. PRAO: a software giving the electricity distribution planning assistance 87−30178
Meslier, F., Perdrizet, M. Network study methods: from yesterday's deterministic approaches to present and future probabilistic methods 87−30110
Meslier, F. *see* Albouy, F. 88−61883
Meslier, F. *see* Blanchon, G. 87−77924, 87−78044
Meslier, F. *see* Ernoult, M. 88−42781
Meslier, F. *see* Hemmer, F. 88−17141
Meslier, F. *see* Merlin, A. 86−50939
Meslier, F. *see* Pavard, M. 88−68830
Meslin, T., Lienart, P. Operating experience analysis contribution to probabilistic risk assessment: development and use of EDF data collection systems 85−43763
Meslin, T. *see* Moroni, J.M. 87−64239
Meslin, Y. The turbo in your PC 87−17121

Mesloh, R.E. Thermal conductivity of filled plastics 87—5518
Mesmaeker, A.Kirsch-De *see* Kirsch-De Mesmaeker, A.
Mesmaeker, I.De *see* De Mesmaeker, I.
Mesmer, M. *see* Kamel, K. 87—13308
Mesmin, C., Bokshorn, Y. Environmental factors effecting the design of some MV/LV substation MV switchboards 85—60364
Mesnard, D.R. Flow measurement using field flow computers 88—29695
Mesnard, G. *see* Siblini, A. 85—43063
Mesnjankin, I. *see* Hadjiisky, M. 86—26764
Mesnyankin, E.P., Sedov, B.M., Tomashevich, Yu.V. Neodymium laser with an adjustable pulse length in single-frequency single-shot emission 86—29120
Mesqui, F., Kaeser, F., Fischer, P. Real-time, noninvasive recording and three-dimensional display of the functional movements of an arbitrary mandible point 87—57103
Mesqui, F. *see* Fischer, P. 87—57102
Mesrobian, A. Sizing synchronous AC generators to gas turbine drivers 87—72003
Mesropyan, E.A. Determination of upper limits of measurement range of numerical concentration of particles in photometrically counting analysers of disperse media 85—8990
Mess, K.-H. *see* Balewski, K. 87—74622
Mess, K.-H. *see* Horlitz, G. 85—59033
Mess, K.H. Quench protection at HERA 88—54284
Mess, K.H. *see* Bonmann, D. 88—68171
Messa, J.-P., Pettersson, G. Intelligent communication peripherals. MAP communication node 87—62620
Messager, P. *see* Hemmer, F. 88—17141
Messager, P. *see* Horvilleur, J. 85—9500
Messager, R. The importance of the institutional and administrative context for the development of urban heating systems: the case of Germany 85—43870
Messana, C. *see* Conte, G. 86—35357
Messaoudi, M., Duran, J. Preparation and properties of anthracene-doped Cs$_2$TCNQ$_3$ thin films 86—21169
Messaoudi, O. *see* Pompei, D. 88—66114
Messaz, C. *see* Fino, B. 87—48925
Messean, A. A generalization of Gauss-Marquardt algorithm for exponential families problems 88—56107
Messemer, G., Zehlein, H. The forming of a superconductor cable during the winding of a large toroidal field coil 85—1886
Messenger, B.S., Fisher, P.H., Woods, S.P. Firmware system design for a vector analyzer 88—29227
Messenger, L.W. *see* Upadhyay, A.K. 86—45555
Messenger, S. *see* Ikeman, H. 87—34587
Messenheimer, J.A. *see* Quint, S.R. 85—38161
Messer, B., Tributsch, H. Microwave photoelectrochemistry of n-WSe$_2$ 87—17855
Messer, G. On the calibration of vacuum meters 88—53929
Messer, G., Grosse, W. Development of vacuum metrology in the Physikalisch-Technische Reichsanstalt (PTR)/Bundesanstalt (PTB) 88—36274
Messer, G., Rohl, P., Grosse, G., Jitschin, W. High vacuum measured by the spinning rotor gauge: status report of the Bureau International des Poids et Mesures intercomparison 87—77450
Messer, G. *see* Grosse, G. 87—77454
Messer, G. *see* Jitschin, W. 87—56898, 88—36278
Messer, H. A unified approach to closed-loop time delay estimation systems 88—59139
Messer, H., Av-Shalom, A. A feasibility study of the synchronous and asynchronous operation of a SAW programmable correlator based on a SAW convolver 86—42073
Messer, H., Bar-Ness, Y. A unified approach to the design of voltage-controlled SAW delay lines 86—21937
Messer, H., Bar-Ness, Y. Closed-loop autocorrelator and its application to frequency discrimination 86—22856
Messer, H., Bar-Ness, Y. Closed-loop least mean square time-delay estimator 87—50580
Messer, H., Rockah, Y., Schultheiss, P.M. Estimation of source location and spectral parameters with arrays subject to coherent interference 88—21267
Messer, H. *see* Davidson, J. 86—28588, 87—60776
Messer, H. *see* Reid, G.T. 85—47987
Messer, H. *see* Rockah, Y. 88—73113
Messer, K.P. Problems of fuel cycle economics 85—9637
Messer, K.P. Achievements in nuclear energy in the Federal Republic of Germany 86—25723
Messer, K.P., Dibbert, H.-J. Fuel management for the RWE nuclear power plants 87—22057
Messerer, M.A. *see* Kuznetsov, V.P. 86—53349
Messerle, H.K. Background to electrical research in Australia 86—33994
Messerle, H.K. Advances in power technology 88—75256
Messerle, H.K. *see* Subba Rao, V. 88—48958
Messerli, E.J. *see* Luderer, G.W.R. 87—76140
Messerman, D.G. Influence of stratified structure of soil on modal parameters of an overhead transmission line 88—68986
Messerman, D.G., Perel'man, L.S. Calculating the modal parameters of multiconductor transmission lines 85—38518
Messerman, D.G., Perel'man, L.S. Propagation parameters for waves traveling along a long conductor above the Earth 87—35631
Messerman, D.G. *see* Kostenko, M.V. 88—23529
Messerman, D.G. *see* Shkarin, Yu.P. 88—17172
Messerman, D.G. *see* Zakruzhnyi, E.G. 88—17171
Messerschmid, U. Television standards for communication satellites— the D2-MAC/packet methods in the MAC system family 86—24013
Messerschmid, U. Television receiver of the 1990s 88—15768
Messerschmid, U., Sand, R., Wood, D. IRT demonstration of stereoscopic television for the EBU 87—13825
Messerschmid, U., Voigt, K. Digital sound broadcasting at VHF—modulating methods and channel distribution, opportunities and risks 85—37197
Messerschmidt, U. *see* Zoninashvili, V.V. 86—31742
Messerschmitt, D. *see* Batra, N. 85—19992
Messerschmitt, D.G. Digital signal processing in digital transmission 85—19475
Messerschmitt, D.G. Structured interconnection of simulation programs 85—42121
Messerschmitt, D.G. VLSI implemented signal processing algorithms 85—61314
Messerschmitt, D.G. Design issues in the ISDN basic customer access 86—64500
Messerschmitt, D.G. Design issues in the ISDN U-interface transceiver 87—13534
Messerschmitt, D.G. Asynchronous and timing jitter intensive data echo cancellation 87—20047
Messerschmitt, D.G. *see* Agazzi, O. 85—42107, 85—57827
Messerschmitt, D.G. *see* Chen, T.M. 88—59756
Messerschmitt, D.G. *see* Haou, A. 86—16276
Messerschmitt, D.G. *see* Haoui, A. 86—29796
Messerschmitt, D.G. *see* Hsu, W. 88—46105
Messerschmitt, D.G. *see* Hui-hung Lu 86—20727
Messerschmitt, D.G. *see* Lee, E.A. 86—14416, 87—73475 to 73476
Messerschmitt, D.G. *see* Lin, N. 86—55059
Messerschmitt, D.G. *see* Liu, M.-K. 88—4020, 88—59703
Messerschmitt, D.G. *see* Madisetti, V.K. 87—19799
Messerschmitt, D.G. *see* Meng, T.H. 87—62008, 88—73018
Messerschmitt, D.G. *see* Meng, T.H.-Y. 87—19794, 87—45074, 88—27986
Messerschmitt, D.G. *see* Meng, T.H.H. 87—19671
Messerschmitt, D.G. *see* Parhi, K.K. 87—37472, 87—62063, 87—66400, 87—66408, 88—890, 88—6975, 88—70932
Messerschmitt, D.G. *see* Tseng, C.-P.J. 87—13488
Messerschmitt, D.G. *see* Tzeng, C.-P.J. 86—23576
Messershmitt, D.G. *see* Liu, M. 86—55016
Messham, R.L., Tucker, W.K. Design of a safe facility for the metalorganic chemical vapor deposition of high-purity GaAs and AlGaAs 87—10399
Messham, R.L. *see* McGuigan, S. 87—10354
Messiaen, A.M. Antenna design for ion cyclotron and Alfven wave heating: introduction and summary 85—30105
Messiaen, A.M. *see* Lamalle, P.U. 87—39503
Messiaen, A.M. *see* Van Oost, G. 88—48572
Messias, A. *see* Lechuga, I. 86—50897
Messias, M. The pursuit of power supply approvals 88—62475
Messick, G.C., Ulrich, R.R., Pellegrino, J.M., Felock, R.D. Construction and performance of minibench acousto-optic signal processors 88—26906
Messick, L., Collins, D.A., Lile, D.L. A 64-bit 800-MHz insulated gate CCD on InP 87—18134
Messick, L., Collins, D.A., Nguyen, R., Clawson, A.R., McWilliams, G.E. High-power high-efficiency stable indium phosphide MISFETs 87—45280
Messick, L., Nguyen, R., Collins, D.A. Planar fully ion implanted high power InP MISFETs 88—39495
Messick, L. *see* Pande, K.P. 87—621
Messick, S. *see* Rehfuss, S. 87—3393
Messie, M. High-voltage design of gas insulated substations: how to guarantee reliability and continuity of service 87—78836
Messier, D. *see* Jenkins, L. 86—58090
Messier, J. *see* Kajzar, F. 87—12557, 88—20771
Messier, M.A. EMP hardening topology expert system (HARD TOP) 87—7545
Messier, R. *see* Blanco, J.R. 86—26910
Messier, R. *see* Das, A. 87—25529
Messier, R. *see* D'Souza, A.I. 87—74037
Messier, R. *see* Gildenblat, G.Sh. 88—70338
Messier, R. *see* Roy, R.A. 86—26913
Messiet, J. *see* Lahaye, J. 85—10080
Messina, A.R. *see* Salinas, D.O. 88—68833
Messina, G. Non-contact mask carrier 85—7012
Messina, G. Error management in robot environment 86—59694
Messina, G. Robot application process groups management in hazardous environments 88—67028
Messina, G. *see* Bizzarri, U. 85—56703, 87—2168, 87—68542, 88—29729
Messina, G. *see* Faro, A. 85—19883
Messina, J. *see* Filler, R. 88—20221
Messina, J.A. *see* Groves, R.A. 85—37443
Messina, R. *see* Pereira-Ramos, J.-P. 86—40045, 87—78856
Messina, R. *see* Sarradin, J. 88—5832
Messina, R. *see* Tranchant, A. 88—75906
Messineo, A. *see* Albrizio, R. 88—74766
Messing, G.L. *see* Sproson, D.W. 86—57492
Messing, T.G. Ask the right questions about batteries 85—32672
Messmer, H. *see* Clement, D. 87—3490
Messner, G. Non-conventional substrates 85—40323
Messner, G. Material considerations for surface mounting technology 86—26653
Messner, G. The role of discrete wiring in high-speed and high density environments 87—24605
Messner, G. Cost-density analysis of interconnections 88—1094
Messner, G. New production technologies for PCBs in the 1990's 88—44449
Messner, G., Nakahara, H. Additive process in the US—an update 85—40335
Messner, G. *see* Balde, J. 88—1122
Messner, R.A., Bailey, J.G., Szu, H.H. Adaptive novelty filtering for machine vision 88—46225
Messner, R.A., Szu, H.H. Image domain processing for real time invariant feature extraction 86—10531
Messner, R.A., Szu, H.H. Distorted character recognition via an associative neural network 87—62198
Messner, R.L. *see* Ash, W.W. 88—10244
Messner, R.L. *see* Blair, R. 85—15110
Messoloras, S., Newman, R.C., Stewart, R.J., Brown, A.R., Claybourn, M., Murray, R., Wilkes, J.G. The diffusion and precipitation of oxygen in annealed Czochralski silicon 88—64376
Messoloras, S. *see* Garcia, J.A. 88—53819
Messore, G.A., Vadacca, V., Venditti, P. Technology transfer: the heavy water reactor as a forerunner 86—39476
Messore, G.A., Villani, A. Use of a small nuclear power station for experimental purposes and for training of personnel 88—75279
Mestayer, P., Giovanangeli, J.-P., Chambaud, P. Ring wire anemometer. II. Measurement of small-scale turbulence 88—22798
Mestayer, P., Goutail, F., Rebattet, C. Improved Lyman-alpha hygrometer for small-scale atmospheric turbulence measurements. II. The O$_2$ filtering technique 88—23184
Mestayer, P., Rebattet, C., Goutail, F. Improved Lyman-alpha hygrometer for small-scale atmospheric turbulence measurements. I. Miniaturizing the sampling volume 86—25432
Mestayer, P. *see* Giovanangeli, J.-P. 88—22797
Mestdagh, D. Fiber-grating pulse compressor: performance with initially chirped pulses 88—26748
Mestdagh, D. *see* Haelterman, M. 87—68125
Mester, A., Scintei, N. Lifetime measurement of base minority carriers on bipolar transition—τ_{BF} and base transit time τ_F 86—2134
Mester, A. *see* Banches, E. 86—5480
Mester, A. *see* Ghita, I. 86—1666
Mester, J. *see* Souchkevitch, G.N. 88—54502
Mester, L., Radnoczi, F. Modular patient monitoring system 86—18286
Mester, R. Optimization of the D-1 DTTR standard by simulation techniques 87—20738
Mester, R., Franke, U. Adaptive threshold control in transform coding systems—a new approach towards stabilized reconstruction quality 87—47890
Mester, R. *see* Franke, U. 87—48027
Mester, R. *see* Hedtke, R. 88—35707, 88—47320
Mestergazi, O.A. *see* Gorlin, A.I. 86—32934
Mesterhazy, T. *see* Zakarias, L. 85—47425
Mesterton, A.P. *see* Rzhiga, O.N. 85—8474
Mesterton, A.P. *see* Savich, N.A. 87—56310
Mestha, L.K., Evans, P.D. Mechanism of torque production in an induction stepping motor 88—17674
Mestha, L.K., Evans, P.D. Optimisation of losses in PWM inverters 88—69550
Mestha, L.K. *see* Evans, P.D. 88—62445
Mestmacker, E.-J. The impact of deregulation on trade in services agreements and on telecommunication monopolies in Europe 87—20007
Mestmacker, E.J. Toward a new international telecom regime 88—41164
Mestras, J.P., Pereda, O., Tomas, J.G. Design of protocols: specification and formal description technics 88—52904
Mestras, J.P. *see* Tomas, J.G. 88—9219
Mestre, E.Vilar i *see* Vilar i Mestre, E.
Mestres, J. *see* Guillon, L. 87—2610

Mestres, N. *see* Fasol, G. 88−19715
Mestrovic, I. *see* Brekalo, K. 88−41967
Mestrovic, K. Three-pole metal-enclosed SF_6-insulated switchgear type K8D.6 for voltages from 123 kV to 145 kV 86−56861
Mestrovic, K. Research and development of dielectric properties of HV SF_6-insulated circuit breakers type K3AS 88−11326
Mestrovic, K. Research and development of three-pole SF_6-insulated switchgear type K8D.6 88−11327
Mestrovic, K., Naumovski, I. The calculation of pressure rise in SF_6-insulated high-voltage switchgear due to internal arc 88−30946
Mestvirishvili, A.N. *see* Avakov, S.N. 85−46183
Mesuda, E., Okada, Y., Shoji, T., Taya, M. Error rate jitter measuring equipment ME520A/B 87−14078
Mesyats, G.A. A cyclical explosive model of the cathode spot 86−8681
Mesyats, G.A. Use of a plasma erosion switch for shortening high-power, microsecond impulses 88−43303
Mesyats, G.A., Korolev, Yu.D. High-pressure volume discharges in gas lasers 87−18914
Mesyats, G.A., Koval, B.A., Ozur, G.E., Proskurovsky, D.I., Yankelevich, E.B. High-current pulsed sources of non-relativistic electrons for surface thermal treatment of materials 86−27788
Mesyats, G.A. *see* Barengol'ts, Yu.A. 87−6312
Mesyats, G.A. *see* Bugaev, S.P. 85−45210
Mesyats, G.A. *see* Bunkin, F.V. 85−56506, 86−3036, 86−36388, 86−63755, 87−2080
Mesyats, G.A. *see* Bunkon, F.V. 87−74971
Mesyats, G.A. *see* Bychkov, Yu.I. 88−8115, 88−14094
Mesyats, G.A. *see* Bykov, N.M. 86−27805
Mesyats, G.A. *see* Derzhiev, V.I. 87−68358
Mesyats, G.A. *see* El'chaninov, A.S. 85−56957, 86−8694, 86−57721, 88−68197
Mesyats, G.A. *see* Gorkovskii, V.P. 85−35704
Mesyats, G.A. *see* Korovin, S.D. 85−61627, 86−58208
Mesyats, G.A. *see* Koval', N.N. 87−12400
Mesyats, G.A. *see* Koval'chuk, B.M. 87−10729
Mesyats, G.A. *see* Kozyrev, A.V. 85−7386
Mesyats, G.A. *see* Kumpyak, E.V. 88−25618, 88−34187
Mesyats, G.A. *see* Vintizenko, L.G. 87−54221
Mesyats, V.G., Shkuratov, S.I. Role of a high-temperature wave in pulsed field emission 88−32710
Meszaros, A. *see* Kolesar, J. 88−49287
Meszaros, I., Gyuro, I., Somogyi, K. Computer aided modelling of VPE growth process of GaAs 87−73055
Meszaros, I. *see* Gyuro, I. 88−6449, 88−31744, 88−56958
Meszaros, S., Vad, K. Superconductive quantum-interferometer (SQUID) and its analytical applications 85−1866
Meszaros, S., Vad, K., Novak, D. SQUID-based residual-resistance meter for pure metals 87−1919
Meszaros, S., Verver, C.J., Douville, R.J.P., Hoefer, W.J.R. An integrated 18.75/37.5 GHz FET frequency doubler 88−71104
Meszaros, S. *see* Csabai, I. 87−53127
Meszaros, S. *see* Vad, K. 85−1945, 87−77612
Meta, R.J. *see* Lausen, P. 86−19670
Metag, V., Habs, D., Schwalm, D. Nuclear physics with a crystal ball 87−21400
Metag, V. *see* Novotny, R. 88−22924
Metag, V. *see* Stroher, H. 88−61196
Metail, J.P., Verbrugghe, E. Acoustic monitoring of generators 85−9603
Metail, J.P. *see* Bigret, R. 85−9600
Metalis, S. *see* LaLumiere-Grubbs, L. 88−30118
Metalis, S.A., Druss, F. An optoelectronic motion-sensing eye blink detector 86−18277
Metavikul, S. *see* Sasaki, A. 88−51697
Metawe, F.M. *see* Kotkata, M.F. 86−27939
Metaxaki-Kossionides, C. *see* Caroubalos, C. 88−68418
Metaxas, A.C. A unified approach to the teaching of electromagnetic heating of industrial materials 85−39451
Metaxas, A.C. Network analysis on radio frequency prototype industrial applicators 86−66491
Metaxas, R. The dynamic impedance of radio frequency heating generators 88−11494
Metaxas, R. RF and microwave energy hots up 88−49292
Metcalf, A.J. Installing and managing an in-house viewdata system 85−47160
Metcalf, B. *see* Husbands, C. 85−13961
Metcalf, B.D., Jou, L. Mechanically tunable single-channel wavelength demultiplexer 85−8396
Metcalf, B.D. *see* Husbands, C.R. 86−23461, 87−48653
Metcalf, B.D. *see* Katz, J.L. 88−41679, 88−73586
Metcalf, D., de Giovanni, P., Zachorowski, J., Leduc, M. Laser resonators containing self-focusing elements 88−14227
Metcalf, H., Jacques, J. SMT and JIT: the dynamic duo 88−32571
Metcalf, H.J., Phillips, W.D. Electromagnetic trapping of neutral atoms 86−70286
Metcalf, H.J. *see* Dong-Hai Yang 85−56584
Metcalf, H.J. *see* McNicholl, P. 86−3094
Metcalf, J., Owens, D. Reassessment of pressurized water reactor source terms 87−42611
Metcalf, J. *see* Mirsky, S. 86−65846
Metcalf, J.I. Interpretation of the autocovariances and cross-covariance from a polarization diversity radar 87−34646
Metcalf, M. Bipolar array IC builds high-voltage analog circuits nearing gigahertz speeds 86−2354
Metcalf, M. *see* Dorenbosch, J. 87−29472
Metcalf, R.J., Thomas, R.E. Development route for the C8K 8000-gate CMOS array 86−15260
Metcalf, W., Dunlap, W. Telecommunications for industrial automation systems using radio packet switching 87−69901
Metcalfe, G.R. The use of eddy current flaw detectors with meter display for measuring the conductivity of aluminium alloy structures 88−43955
Metcalfe, J. *see* King, J. 86−53063
Metcalfe, J.G. *see* Holden, A.J. 86−41356, 86−63432, 87−11781
Metcalfe, J.R. Lightweight, direct-radiating nickel-hydrogen batteries 87−22707
Metcalfe, M.J. *see* Laing, W.D. 86−39071
Metcalfe, R. *see* Burchett, P.R. 88−10999
Metcalfe, R.M., Meyer, N.D. Moving ahead with local nets 85−3123
Metcalfe, S. Developments in broadcast transmitter engineering 88−47272
Metcalfe, S. *see* Gibbons, M. 85−8586
Metchev, A. Automatic focusing of cameras. II. Precision considerations 86−38039
Metelev, A.V. *see* Gorbachev, Yu.I. 85−22005
Metelev, S.A. *see* Boiko, G.N. 86−36730
Metelitsa, L.M., Sabo, E.P., Tsveiba, G.G. Specimen holder for measuring the Hall coefficient and electrical conductivity of semiconductors 86−11680
Metelitsa, O.N. *see* Ivanov, O.M. 88−57159
Metelkin, V.N. *see* Avvakumov, S.Yu. 86−23070
Metel'nikova, I.V. *see* Meshchanov, V.P. 85−1010
Metel'skii, A.A. *see* Akbulatova, S.V. 88−28146
Metel'skii, A.N., Malyushin, N.A., Gamm, B.Z., Samartsev, A.K. Comprehensive study of transients during self-starting of pump equipment of a main oil pipeline 88−11545
Metel'skiy, G.B., Pshenichnikov, A.P., Solodov, P.P. The design of interstation communications for analog-digital urban telephone networks 86−30506
Meter, A.M.Van *see* Van Meter, A.M.
Meter, O.E.Van, Jr. *see* Van Meter, O.E., Jr.
Meter, R.G.Van *see* Van Meter, R.G.
Metersky, M.L., Ryder, J.L. A change in system design emphasis: from machine to man 88−61733
Metev, S. *see* Baleva, M. 85−39788
Metev, S.M. *see* Baleva, M.I. 86−46364
Metford, P.A.S., Haykin, S. Experimental analysis of an innovations-based detection algorithm for surveillance radar 85−25921
Metford, P.A.S. *see* Haykin, S. 87−69137
Meth, K.Z. *see* Aggarwal, S. 87−27720
Mether, N. *see* Chattopadhyay, A.K. 88−75977
Metherell, A.J.F., Speake, C.C., Chen, Y.T., Faller, J.E. Optimizing the shape of the attracting mass in precision measurements of *G* 85−63945
Metherell, A.J.F. *see* Speake, C.C. 85−63944
Methiwalla, A.E., Patel, S.C., Tipple, R.W. A network plan for special services 85−42177
Methiwalla, M. *see* Blauer, M. 86−64681
Methley, S.G. Optical receiver employing 850 nm feedback 88−60135
Methley, S.G., Moss, J.P. Limitations in optical system performance due to silicon PIN photodiode defects 88−58361
Methley, S.G. *see* Reeve, M.H. 88−41625
Methot, F. Constant impedance bandpass and diplexer filters 87−17207
Methven, N.E. Innovative rate making for utility services [public utilities] 85−21151
Methven, N.E. Innovative utility rates 86−70599
Methvin, D. LANs: toward OS/2 [IBM PS/2] 88−3562
Metik, S.V. *see* Maslennikov, V.I. 87−42207
Metikos-Hukovic, M. *see* Ceraj-Ceric, M. 85−61798
Metivier, M., Priouret, P. Convergence with probability $(1-\varepsilon)$ of stochastic algorithms. Application to the blind equalizer 86−64238
Metivier, P. *see* Stephan, B. 88−28960
Metivier, R.L. European microwave tubes: business and technology 88−38989
Metivier, Y. On recognizable subsets of free partially commutative monoids 86−66723
Metke, E., Herman, M. Mechanization of the in-service inspections of nuclear installations in the CSSR 86−61256
Metlenko, G.P., Safronova, S.A. Testing of the main circulating pump motor of a nuclear power station under grouped and individual self-starting conditions 86−39294
Metlik, I.V. *see* Varezhkin, A.V. 87−22058
Metlin, V.V. *see* Andreev, A.M. 88−37224
Metoki, N. *see* Hamada, Y. 85−2508
Metra, P., Vecillio, B. Three retardant an tree resistant synthetic insulation medium voltage cables 88−23513
Metra, P. *see* Bacon, P.E. 86−12452
Metra, P. *see* Ball, E.H. 87−15296
Metra, P. *see* Farneti, F. 86−70678
Metreaud, C.G. *see* Jarvela, R.A. 85−7062
Metroke, J. UPS performance [for computers] 85−15549
Metropoulos, N. *see* Seong-Ju Park 87−18005
Mets, R.L. A project-based approach to teaching technical communications 85−33022
Metscher, B.D. *see* Robinson, D.L. 88−14027, 88−22599
Metselaar, J.W. *see* Goovaerts, H.G. 86−5875, 87−57153
Metselaar, J.W. *see* van Oort, R.C. 87−74196
Metselaar, R., Thijs, P.J.A., Wolff, L.R. Properties of Al_2O_3-Cr_2O_3-Mo cermets for use as thermionic emitter materials 85−45351
Metselaar, R. *see* Gubbels, G.H.M. 86−7171, 87−43480
Metselaar, R. *see* Thijs, P.J.A. 86−57438
Metsik, M.S., Shcherbachenko, L.A., Kuznetsova, V.A., Morozov, V.N. Dielectric methods of determining the water film content in mica crystals 88−57845
Metsner, E.P. *see* Lebedev, I.V. 86−55903
Metsner, E.P. *see* Potapov, A.A. 86−24702
Metsner, Ye.P. A 35 GHz Gunn-diode oscillator with electronic frequency tuning 85−6536
Metsner, Ye.P. Analysis of the accuracy of automatic frequency control in a microwave oscillator 86−20353
Metsner, Ye.P. Automatic measurement of the passband of microwave resonators 86−27556
Metsugi, Y., Togawa, M., Sugimoto, T. Cathode ray tube for video projector 86−21063
Mette, W. *see* von Bally, G. 87−19053
Mettenmeier, U. *see* Merten, K. 86−50778
Metting, N.F. *see* Braby, L.A. 85−26822
Mettke, H. Convex cubic Hermite-spline interpolation 85−22357
Mettke, H. Convex interpolation by splines of arbitrary degree 86−52382
Mettlen, D. V-CONE, a new pressure measuring system for flow measurement 88−60962
Mettler, F.W. *see* Benaouda, A. 86−54713
Mettler, G.P. One more time, when is 't' really equal to zero? 86−262
Mettler, H., Pavlik, E. Automation and integration of test and design in electronics 86−11404
Mettler, K. *see* Wolf, H.D. 87−75117
Mettler, S.C. Reliability considerations for fiber optic connections 88−45118
Mettler, S.C. *see* Brinkmeyer, E. 85−12587
Mettler, S.C. *see* Cherin, A.H. 86−48107, 87−46523
Mettler, S.C. *see* Miller, C.M. 87−10019
Mettler, S.C. *see* Peckham, D.W. 85−29622
Mettout, B. *see* de Bellefon, A. 88−61082
Metwally, A.A. *see* Amer, A.H. 86−32713
Metwally, A.D. *see* Mahmoud, S.F. 85−15415
Metwally, A.D.M. *see* Mahmoud, S.F. 85−19220
Metwally, E.S.M. *see* Boghdady, W. 85−19862
Metwally, H.M.B. *see* Finch, J.W. 86−33359, 87−15717
Metwally, M. *see* Rashed, A.F. 88−43745
Metwally, M.S., Bahnas, Y.Z., Mikhamer, H.A. Microprocessor based hemofiltration system for renal insufficiency 86 -27383
Metwally, M.S. *see* Ayad, N.M.A. 85−46976
Metz, A. *see* Derigs, U. 86−40623, 86−46176
Metz, A. *see* Schlitter, J. 88−49713
Metz, C.E. *see* Chan, H.-P. 88−29968
Metz, C.E. *see* Chen, C.-T. 85−48234
Metz, C.E. *see* Chin-Tu Chen 88−21309
Metz, H.U. Battery state of charge measurement or estimation 88−49254
Metz, H.U. New battery technology 88−49255
Metz, J.-P. Paka built to burn gas from South China Sea 86−61326
Metz, M., Marty, P., Escaut, B. Static converters simulator 88−69568
Metz, M. *see* Boyer, S. 88−69573
Metz, M. *see* Courteix, A. 86−57894
Metz, M. *see* Farjon, A. 88−69778
Metz, P.C. *see* Carelli, J.A. 88−70695
Metz, P.D. *see* Leigh, R.W. 86−66352
Metz, R. High-power FET audio amplifier. I 85−28403
Metz, R. Build this high-power FET audio amplifier. II 85−44904
Metz, R.F. *see* Borum, J.C. 86−10898
Metz, R.N. Circuit transients due to arcs on a high-voltage solar array 87−43436
Metz, U. Assessment of the present state and future development of telephone switching systems 85−8251
Metz, W. Application of silicides to standard cells 86−41967
Metz, W. A new design concept for improved performance of UPS products 87−15904
Metz, W. *see* Crosthwait, D.L., Jr. 87−10652
Metz, W.A., Beam, E.A. LPCVD tungsten metallization for multilevel interconnect processes 86−28458

Metz, W.A., Beam, E.A. LPCVD tungsten metallisation for multilevel interconnect processes 87—6619
Metz, W.A., Szluk, N.J., Miller, G.W. A manufacturable selective tungsten process for applications in VLSI CMOS devices 86—41720
Metz, W.A., Szluk, N.J., Miller, G.W. Reproducibility and reliability of selective tungsten shunt and contact applications in CMOS LSI circuits 87—6925
Metz, W.A., Szluk, N.J., Miller, G.W., Hayworth, H.O. Effect of selective tungsten as a polysilicon shunt on CMOS ring-oscillator performance 85—55958
Metz, W.C. Autodoping of boron doped epitaxial layers for C-MOS devices 85—10750
Metz, W.C. *see* Greenberg, M. 85—43679
Metzdorf, H.J., Haas, R., Reuters, H., Beuker, H. A modular monitoring system 88—67685
Metzdorf, J. Calibration of solar cells. I. The differential spectral responsivity method 87—58310
Metzdorf, J., Holstenberg, H.-C., Wittchen, T., Kaase, H. Optical biasing in solar cell metrology: principle and applications 88—17960
Metzdorf, J., Kaase, H. Comparison of indirect and mismatch-corrected direct solar cell calibration procedures 86—40121
Metzdorf, J., Sperling, A., Haase, H., Kebler, F.R. Study of trap-induced nonlinearities in silicon solar cells by photoresponse measurements in the time domain 88—37581
Metzdorf, J., Wittchen, T., Kaase, H. Absolute indoor calibration of large-area solar cells 87—78949
Metzdorf, J. *see* Kaase, H. 88—49137
Metzdorf, J. *see* Hahn, D. *(editor)* 86—13308
Metze, G.M., Choi, H.K., Tsaur, B.-Y. Metal-semiconductor field-effect transistors fabricated in GaAs layers grown directly on Si substrates by molecular beam epitaxy 85—18448
Metze, G.M. *see* Goodhue, W.D. 86—54059
Metze, G.M. *see* Sulivan, P.W. 85—39728
Metze, G.M. *see* Sullivan, P.W. 85—45483
Metze, G.M. *see* Tsaur, B.-Y. 85—364, 86—7065
Metze, G.M. *see* Turner, G.W. 86—48286, 87—46706, 88—14057
Metze, G.M. *see* Windhorn, T.H. 85—2280, 86—15683, 87—38963, 87—46913
Metzendorf, H. Operator guidance for multifunctional terminal equipment: requirements and possibilities for realisation 85—25526
Metzendorf, H. A personal computer as an integrated communications system for office use 86—43684
Metzgar, E.H. Getting the news to the public in Truk: a telecommunications perspective 88—28184
Metzgar, S. *see* Anderson, F. 87—59420
Metzgen, H. New service for rapid national communication 87—76275
Metzger, A.E. *see* Fong, M. 88—36372
Metzger, A.E. *see* Haines, E.L. 85—20872 to 20873
Metzger, C. *see* Carron, G. 88—53998
Metzger, D. *see* Oleszek, G.M. 85—34797
Metzger, G. Electrically conducting organic materials 85—53801
Metzger, G., Vicaud, A. Study of the compatibility of polypropylene films with new impregnants for capacitors 85—29391
Metzger, G. *see* Paris, M. 85—16733
Metzger, H.-J. The integrated transmitter for analog measurement data transmission with current injection 86—24394
Metzger, H.-J. Analog interface for the collection of measurement data 86—70061
Metzger, H.-J., Friedrich, R. Monolithic fA-electrometer amplifier 87—44614
Metzger, J. Integrating A/D converter with VFC 85—11352
Metzger, J. Conditioning and transmitting sensor signals with integrated circuits 86—5190
Metzger, J. Analogue sensor-measured value transmission with impressed current 86—17925
Metzger, J. *see* Friedberg, H. 85—22671
Metzger, K. Parameter estimation of nonlinear continuous systems and its application to diagnosis of fractional-horsepower-motors 85—39046
Metzger, K. Examples of the probability density of intersymbol interference 87—34404
Metzger, K. On the probability density of intersymbol interference 87—39549
Metzger, K. Another algorithm for converting a low-pass function into bandpass form 88—63774
Metzger, K., Nowak, B. PC measuring instruments open a new era in measurement techniques 88—53533
Metzger, K., Valentin, R. An analysis of the sensitivity of digital modulation techniques to frequency-selective fading 86—4471
Metzger, K., Valentin, R. Equalization of two-path fading: an analysis for various digital modulation techniques 86—68781
Metzger, K. *see* Cornuelle, B. 85—59494
Metzger, K. *see* Dreetz, E. 87—22428
Metzger, K. *see* Filbert, D. 85—44077
Metzger, K. *see* Giloi, H.-G. 88—34329
Metzger, K. *see* Ristenbatt, M.P. 85—25746, 88—53126
Metzger, K. *see* Valentin, R. 85—25750, 86—22692, 86—69588, 88—52202, 88—52216
Metzger, M. *see* Ebbinghaus, G. 86—36342
Metzger, R. The System 12 a digital telecommunication exchange for Switzerland 87—62797
Metzger, R.A. *see* Barnett, K.A. 87—11527
Metzger, R.A. *see* Brault, R.G. 86—1891
Metzger, R.A. *see* Iyer, S.S. 85—23673
Metzger, R.A. *see* Streit, D. 85—23672
Metzger, R.M. Digital in-house communication 85—42355
Metzger, R.M. Cellular telephone—the NATEL of the future 85—47433
Metzger, R.M. Video conferences bridge distance and time 86—49866
Metzger, R.M., Panetta, C.A., Heimer, N.E., Bhatti, A.M., Torres, E., Blackburn, G.F., Tripathy, S.K., Samuelson, L.A. Toward organic rectifiers: Langmuir-Blodgett films and redox properties of the *N*-(4-*n*-dodecyloxyphenyl) and *N*-(1-pyrenyl) carbamates of 2-bromo-5-(2′-hydroxyethoxy)-TCNQ 87—60212
Metzger, R.M., Panetta, C.A., Miura, Y., Torres, E. Progress towards organic single-monolayer rectifiers 87—53578
Metzger, W. *see* Leip, G. 85—21420
Metzger, W. *see* Meyer, M. 85—33725
Metzger, W. *see* Schneider, H. 86—1685
Metzinger, C. *see* Canteloup, J. 88—1778
Metzinger, J. *see* Popeko, L.A. 87—29533
Metzl, R. *see* Ipri, A.C. 85—16933
Metzler, C. *see* Baynham, E. 86—48039
Metzler, D.H. *see* Flanagan, C.A. 85—46110
Metzler, D.P. *see* Cosic, C. 86—37578
Metzler, E.C. *see* Bouquet, F.L. 85—20981
Metzler, J.A. Improving the performance of private packet networks 87—55452
Metzler, J.C. Implementation of statistical process control: a people oriented approach 86—61962
Metzmacher, K.D. *see* Fiander, D. 87—22632
Metzmacher, K.D. *see* Grier, D. 85—5232
Metzner, G. *see* Pfeffermann, E. 88—23023
Metzner, J. *see* Bose, B. 86—68992
Metzner, J.H. The use of two-dimensional codes in the reconstruction of a correct file copy from multiple erroneous copies 87—54884
Metzner, J.J. A high efficiency acknowledgement protocol for the slotted Pierce ring 86—10822
Metzner, J.J. Reliable and efficient broadcast of files to a group of locally interconnected stations 87—39569
Metzner, J.J., Chang, D. Efficient selective repeat ARQ strategies for very noisy and fluctuating channels 85—46663
Metzner, J.J. *see* Wen, C.Y. 85—42010
Metzner, W., Wolf, E. The demand and development of systems for public land mobile telephone services 86—10988
Metzner, W., Wolf, E. Mobile telephone gets motoring 86—17235
Metzner, W., Wolf, E. A call for expanded mobile telephone service 86—43757
Meucci, M., Minguzzi, P., Tonelli, M., Baldacchini, G., Grassano, U.M. Evidence for Stark-induced modulation in a F_A(II) colour centre laser 86—58907
Meucci, M. *see* Baldacchini, G. 85—35723
Meucci, R. *see* Arecchi, F.T. 86—68464, 88—20561, 88—51897, 88—65803
Meucci, R. *see* Gadomski, W. 87—39016
Meulders, J.P. *see* Mandrillon, P. 85—64631
Meuldijk, D. New design concepts for switching regulators 85—10985
Meuldijk, D. *see* O'Sullivan, D. 85—10021
Meulebroeke, F.van de *see* van de Meulebroeke, F.
Meuleman, J.L. *see* Valster, A. 86—22372
Meuleman, L.J. *see* Khoe, G.D. 86—3178
Meuleman, L.J. *see* Versleijen, M.P.J.G. 87—68483
Meulemans, N. *see* Cohen, A. 88—28805
Meulemans, P. *see* Belmans, R. 88—49202
Meulemeester, F.M.de *see* de Meulemeester, F.M.
Meulen, C.J.Van der *see* Van der Meulen, C.J.
Meulen, E.C.van der *see* van der Meulen, E.C.
Meulen, G.C.J.van der *see* van der Meulen, G.C.J.
Meulen, H.P.van der *see* van der Meulen, H.P.
Meulen, J.H.P.van der *see* van der Meulen, J.H.P.
Meulen, P.S.van der *see* van der Meulen, P.S.
Meulenberg, A., Dozier, C.M., Anderson, W.T., Mittleman, S.D., Zugich, M.H., Caefer, C.E. Dosimetry and total dose radiation testing of GaAs devices 88—26178
Meulenberg, A. *see* Anderson, W.T. 88—50744
Meulenberg, A., Jr. Evidence for a permanent single-event upset mechanism 85—23880
Meulensteen, F. Ergonomics and safety at the workplace 87—65151
Meulensteen, F. Digital multimeter and oscilloscope combined 88—22674
Meuli, W.P. *see* Chiang, A. 85—12434, 85—49844
Meulstee, L. Earth current signalling: the history of the Power Buzzer 88—59502
Meunier, F., Volle, M. A macro-economic approach to the effects of new communications media 85—19585
Meunier, G., Abri, A. A model for the current interruption of an electric arc [circuit breakers] 85—27564
Meunier, G., Coulomb, J.L. Solution of 3D eddy currents and electrical circuit combined problems 88—8416
Meunier, G., Coulomb, J.L., Sabonnadiere, J.C. 2D and 3D finite element modelling of small electrical machines 85—32527
Meunier, G., Coulomb, J.L., Salon, S.J., Krahenbul, L. Hybrid finite element boundary element solutions for three dimensional scalar potential problems 87—26597
Meunier, G., Coulomb, J.L., Savalle, D. Use of formulae in finite element post processing 88—52028
Meunier, G., Shen, D., Coulomb, J.-L. Modelisation of 2D and axisymmetric magnetodynamic domain by the finite elements method 88—52004
Meunier, G. *see* Conraux, P. 88—52035
Meunier, G. *see* Coulomb, J.L. 85—24697, 85—24699, 86—36662, 86—42742
Meunier, G. *see* Du Terrail, Y. 88—2461
Meunier, G. *see* Euxibie, E. 88—7093
Meunier, G. *see* Feliachi, M. 86—42109, 86—63564, 87—46364
Meunier, G. *see* Hahn, S.-y. 88—52083
Meunier, G. *see* Logcais, E. 88—52000
Meunier, G. *see* Reyne, G. 88—51171
Meunier, G. *see* Savalle, D. 88—6412, 88—52026
Meunier, G. *see* Shen, D. 86—42688, 88—55401, 88—55404
Meunier, J. *see* Bareyt, C. 86—4583
Meunier, J. *see* Rancy, F. 87—40796
Meunier, J.-C. *see* Gamand, P. 88—32452
Meunier, J.-F. *see* Slobodrian, R.J. 86—25096
Meunier, J.-L., Drouet, M.G. Experimental study of the effect of gas pressure on arc cathode erosion and redeposition in He, Ar and SF_6 from vacuum to atmospheric 87—37792
Meunier, J.-L. *see* Drouet, M.G. 87—37781
Meunier, J.-M. Integrating sphere for far-field measurement in optical fibres 86—58771
Meunier, J.-M., Maystre, F., Robert, Ph. Optical fibres far-field measurement using an integrating sphere 87—46531
Meunier, J.-M., Robert, P. Numerical simulation of an integrating sphere used for optical fibres characterization 87—74719
Meunier, J.f. *see* Slobodrian, R.J. 86—70304, 87—3860
Meunier, J.L. *see* Drouet, M.G. 87—63470
Meunier, J.M., Hopkins, J.H., Leppard, S.F., Koch, M.P. Network planning tools for flexible, survivable networks 87—76144
Meunier, L.G. *see* Roberts, A.L. 87—59500
Meunier, M., Flint, J.H., Adler, D., Haggerty, J.S. A model for the laser-induced chemical vapor deposition of hydrogenated amorphous silicon 85—49610
Meunier, M. *see* Branz, H.M. 87—5471
Meunier, M. *see* Flint, J.H. 85—417
Meunier, M. *see* Kemp, M. 88—71495
Meunier, P. *see* Jauch, K. 87—74645
Meunier, P.-L. *see* Castera, J.-P. 87—33020
Meunier, P.-L. *see* Razeghi, M. 86—40740
Meunier, R. Cherenkov imaging of multiparticle events with large solid angle acceptance 85—43178
Meunier, R. *see* Alberdi, J. 88—22967
Meunier, R. *see* Alberini, C. 86—65387
Meunier, R. *see* Comby, G. 88—54418
Meunier, R. *see* Cottereau-Larson, E. 85—59118
Meunier, Y. *see* Tichler, J.W. 86—52585
Meur, G.Le *see* Le Meur, G.
Meur, J.-P.Le *see* Le Meur, J.-P.
Meur Le *see* Le Meur
Meurant, G. The block preconditioned conjugate gradient method on vector computers 85—22422
Meurant, G. *see* Concus, P. 85—33348, 87—23565
Meurer, D. *see* Fruth, B. 87—18377
Meuriot, G. T 20 process control system for thermal power plants a case study: the 2×300 MW plant of Port Klang—Malaya 87—78522
Meuris, C. *see* Baze, J.M. 88—68105
Meuris, C. *see* Devred, A. 86—47987
Meurisse, E. *see* Caseli, E. 87—41388
Meurs, F.A.van *see* van Meurs, F.A.
Meurs, R.H.van *see* van Meurs, R.H.
Meury, J.L. *see* Haraoubia, B. 88—53575
Meusel, B. *see* Herenz, A. 88—25622
Meusel, K.-H., Nicklisch, G. Time analysis module for logic analyser LA 32/20 87—63313
Meusel, K.-H., Piepiorra, F. Analysing software with a logic analysing system 86—44225
Meusel, K.-H. *see* Goetze, B. 86—24445
Meusel, K.-H. *see* Gotze, B. 85—20479, 86—31304, 88—15952
Meusel, K.H., Wissmann, F., Ambos, F. Analogue recording with a logic analyzer 87—56581
Meusel, K.H. *see* Gotze, B. 87—70374
Meusel, R., Beyer, H.J. Stereo control unit SR 2410 85—37240
Meusemann, B., Blomerius, J. Safety system structure and approval methodology of the Maglev plant in Emsland 87—64895
Meuser, R. *see* Dahl, P. 86—44521

Meuser, R. *see* Hassenzahl, W.V. 85−26565
Meuser, R. *see* Strait, J. 87−74617, 88−54294, 88−68133
Meuser, R. *see* Taylor, C. 85−59029 to 59030
Meuser, R.B. Effect of manufacturing errors on field quality of dipole magnets for the SSC 86−25063
Meuser, R.B. *see* Taylor, C.E. 85−26564
Meusgeier, N. From the international telephone numbering plan to the numbering plan for the ISDN era 88−14977
Meuter, R.F., Urbanowicz, C.F., Wright, L.J. California State University, Chico's master's degree in computer science-live, via satellite 87−23121
Meuter, R.F. *see* Urbanowicz, C.F. 86−60071
Meuter, W., Falsner, O.-L. Hicom: basis for basa [telephone system] 87−62523
Meuter, W. *see* Lies, G. 87−76095
Meuters, F. *see* Kreyss, G. 85−13007
Meuth, H. Design and fabrication of a cylindrical non-circular miniature laser lens 88−8264
Meuth, H., Archer, B.T., Hamilton, R.T., Lieberman, M.A. ECR helium-ion source for plasma diagnostics 88−74710
Meuth, H. *see* Fessenden, T.J. 88−54015
Meuwisse, C. *see* Jacquot, J.P. 86−25743
Meuwissen, A.M. *see* Roelofs, B.J.G.M. 88−64174
Meuwly, M., David, J., Bignens, R., Ramelet, J. Electricity supply to the town of Pully 85−21063
Mevel, J.-C. *see* Fernandez, J.-P. 88−48621
Mevenkamp, W. Modelling and BPM calculations of electrooptic devices on $LiNbO_3$ 87−54115
Mevenkamp, W., Voges, E. Modelling and beam propagation analysis of integrated electro-optic devices 87−7169
Mevenkamp, W. *see* Neyer, A. 85−62319, 86−42360, 87−54116, 87−74870
Mevenkamp, W. *see* Rottmann, F. 88−72145
Mevissen, J., Seal, R., Waters, L. Chaos: period-2 windows and band splitting 86−13958
Mewalt, R.A. *see* Smoot, G.F. 87−74624
Mewborn, S.C. A multi-task system for distribution engineering 87−30173
Mewborn, T.D. *see* Klofta, T.J. 86−9656
Mewburn-Crook, A. *see* Bullen, P.R. 87−51131
Mewissen, L. *see* Dekempeneer, E. 87−63691
Mewissen, L. *see* Kohler, R. 85−31759
Mewton, A.R. *see* Mah, G.H. 85−40061
Mexandeau, L. Communications and the monopoly of telecommunications 85−30527
Mexmain, J. *see* Thual, M. 88−31864
Mexmain, J.M. *see* Louis-Jacquet, M. 87−12376
Mey, G.De *see* De Mey, G.
Mey, I. *see* Desgardin, G. 85−39816
Mey, J. Metal bath with mains-frequency induction side-wall heating 85−16470
Mey, M. *see* Bottigli, U. 86−25203
Meyberg, W. *see* Berner, G. 85−50701
Meyberg, W. *see* Kusters, K.H. 88−6868
Meybodi, M.R. Algorithm for priority assignment in M/G/1 queueing systems with unknown characteristics 86−62011
Meydan, T. *see* Bushofa, B.M.F. 88−53627
Meydan, T. *see* Overshott, K.J. 85−26296
Meyder, R. *see* Leinemann, K. 86−32951
Meyenberg, H., Jucker, A., Schule, R., Stender, B. The tasks of the Federal Transport Office in connection with fixed electrical installations on railways 87−43562
Meyendriesch, B. Tacholess DC motor with digital control 87−43321
Meyer, Schatter, Wolfnagel Optoelectric fine wire thickness measuring equipment 85−43099
Meyer, A. A flexible approach to X.25 networking 85−47077
Meyer, A. Centralized computer of the alarm receiver 86−59407
Meyer, A., Papp, A. Metallography, X-ray microanalysis and X-ray topography for the technological development and process control of electronic devices. I. Metallography 86−179
Meyer, A., Papp, A. Metallography, X-ray microanalysis and X-ray topography for the technological development and process control of electronic devices. II. X-ray microanalysis and X-ray topography 86−34033
Meyer, A., Rohrer, H. High-speed electrical motors for variable-speed drives 87−22290
Meyer, A., Rohrer, H. Comparison of measurements between converter-fed and grid-fed synchronous motors 87−42885
Meyer, A., Rohrer, H., Weber, K.M. Variable high-speed electrical motors for large boiler feed pumps in power generation plants 87−78518
Meyer, A., Rohrer, H.J. Calculations and comparative measurements for converter-fed synchronous motors 85−32449
Meyer, A., Suter, J. Air-cooled turbogenerator for up to 200 MVA 87−15673
Meyer, A. *see* Franz, P. 87−42883
Meyer, A. *see* Kidd, R. 86−56257
Meyer, A. *see* Lorenzen, H.W. 87−30623, 87−43001
Meyer, A. *see* Schnell, P. 87−64060
Meyer, A.A. Solution of the electrical prospecting problem of a nonuniform thin vein with transverse conductance variability 87−21768
Meyer, A.De *see* De Meyer, A.
Meyer, A.U. *see* Poelzleitner, W. 86−11995
Meyer, B. The echo cancellation for the U interface of the ISDN 88−15192
Meyer, B., Freund, B. Some aspects of the unity of material and financial planning for Kombinats, dealing in design and installation of industrial plants 86−46001
Meyer, B. *see* Goltzene, A. 86−41524, 88−57447
Meyer, B. *see* Kullmann, U. 85−24063
Meyer, B. *see* Leroy, Y. 87−41626
Meyer, B. *see* Veron, D. 88−20607
Meyer, B.D. *see* Rolland, O.C. 87−75285
Meyer, B.E. Laser working on different plants 87−68668
Meyer, B.R. *see* Simpson, B.R.S. 88−29801
Meyer, B.U., Zuchner, K., Hellige, G. Mass-spectrometric analyser for measuring blood gas partial pressures in syringe samples 88−4892
Meyer, C. Centralized management of on-base information systems 86−54688
Meyer, C. Sequencer Plus Mark III 88−9841
Meyer, C., Perreault, D., Sze, D. A microcontroller based DTMF signal generator 88−41459
Meyer, C.-L. *see* Jager, K.W. 88−30943
Meyer, C.De *see* De Meyer, C.
Meyer, C.E., Walsh, L.A., Newton, R.A. Emergency response guidelines validation program 85−9660
Meyer, C.H., Matyas, S.M. Installation and distribution of cryptographic variables in an EFT/POS network with a large number of terminals 87−33630
Meyer, C.H. *see* Jueneman, R.R. 86−3761
Meyer, C.H. *see* Lennon, R.E. 85−7796
Meyer, C.H. *see* Matyas, S.M. 88−9016
Meyer, C.N., Meyer, R.A. Performance analysis of a base communications test system 86−54658
Meyer, C.R. *see* Bland, P.H. 88−36539
Meyer, C.R. *see* Borello, J.A. 88−4916
Meyer, C.R. *see* Chen, L.S. 85−38124
Meyer, C.R. *see* Schmitt, R.M. 85−9154
Meyer, C.S. *see* Schmiesing, J. 88−64775
Meyer, C.T. *see* Dissado, L.A. 88−51058, 88−71833
Meyer, C.T. *see* Filippini, J.C. 88−64840
Meyer, D., Kohli, A., Firth, H., Reis, H. Metallurgy of Ti-W/Au/Cu system for TAB assembly 85−61870
Meyer, D. *see* Herod, J.S. 85−48553
Meyer, D. *see* Keating, M. 88−20129
Meyer, D. *see* Lavigne, P. 86−20901
Meyer, D. *see* Stone, J.L. 86−65431
Meyer, D. *see* Wood, L. 87−47968
Meyer, D.C. A comparative reliability study of integrated circuits with suitable probability density function 88−11807
Meyer, D.E. Product applications for tape automated bonding 87−1128
Meyer, D.G. Digital control of loudspeaker array directivity 85−8647
Meyer, D.G. The lecture-workbook as an instructional tool [education] 85−33032
Meyer, D.G. Signal processing architecture for loudspeaker/array directivity control 86−11368
Meyer, D.G. *see* Mowle, F.J. 87−36381
Meyer, D.W. *see* Anderson, N.C. 85−1189
Meyer, E. Programmable logic devices. I 88−32153
Meyer, E. Cell synthesis in action 88−44144
Meyer, E. *see* Thompson, C.J. 87−29720, 87−50256
Meyer, E.-P. Induced longitudinal voltages with consideration of the finite lengths of the conductors and the current distribution in the earth wire 85−15660
Meyer, E.A. *see* Ballard, E.O. 86−32123
Meyer, E.A. *see* Rutkowski, H.L. 86−32107
Meyer, E.A. *see* Wilson, D.C. 87−50017
Meyer, E.L. Gate array layout. I. Automatic placement 85−61233
Meyer, E.L. Gate array layout. II. Interactive placement and expert systems 86−950
Meyer, E.L. Technical training for custom and semicustom integrated circuit design 86−7417
Meyer, E.L. Application-specific hardware accelerators: an overview 86−21717
Meyer, E.L. CAD for surface mount: still a no-via zone 86−41406
Meyer, E.L. Gate array testability: a customer perspective 86−62552
Meyer, E.L. On module generation 87−38434
Meyer, E.L. Champion ASIC technologies 87−66064
Meyer, E.L. Programmable logic overview 88−691
Meyer, E.L. Microprocessors in large-scale numerical applications 88−19198
Meyer, E.W. Electronics−the key to engine management 86−45795
Meyer, F. *see* Benzerhouni, K. 87−18884
Meyer, F. *see* Hubner, F.R. 85−47095
Meyer, F. *see* Schwebel, C. 87−10445
Meyer, F. *see* Stojadinovic, A. 86−6509
Meyer, F. *see* Zeger, J. 86−50451
Meyer, F.De *see* De Meyer, F.
Meyer, F.J., Pradhan, D.K. Consensus with dual failure modes 87−69426
Meyer, F.J. *see* Barker, J.R. 88−23331
Meyer, F.K., Linhart, H.L. New data on long term stabilization of polyethylene for telecommunication wire insulation 85−57908
Meyer, F.W. The ORNL ECR multicharged ion source 85−64423
Meyer, F.W., Hale, J.W. Operation of the ONRL ECR source 88−47938
Meyer, F.W. *see* Olsen, D.K. 87−56948
Meyer, F.W. *see* Snowdon, K.J. 88−61038
Meyer, G. Automatic analyzing equipment for monitoring of the principal cooling water circuits of thermoelectrical power plants 86−56317
Meyer, G. Automatic power control for semiconductor lasers 87−26398
Meyer, G. Temperature stabilization with Peltier elements. Laser diode characteristics under control 87−66441
Meyer, G., Karls, I. CAD-system for digital filter implementation 86−14380
Meyer, G., Rohr, M. Multimeter module with K-1520-interface 87−35137
Meyer, G. *see* Clabes, J.G. 85−55559
Meyer, G. *see* Hemmie, G. 86−31864
Meyer, G. *see* Horvath, I. 85−1935
Meyer, G. *see* Walk, R. 88−17905
Meyer, G.E. *see* Cai, J. 86−19937
Meyer, G.E. *see* Jin-yi Cai 88−38087
Meyer, G.G.L. A diagnosis algorithm for the BGM system level fault model [digital systems] 85−715
Meyer, G.G.L. Convergence properties of relaxation algorithms 85−22343
Meyer, G.G.L., Weinert, H.L. The effects of hardware faults on signal detector performance 85−51672
Meyer, G.G.L., Weinert, H.L. On the design of fault tolerant signal detectors 87−7727
Meyer, G.P. *see* Fletcher, D.B. 86−45989
Meyer, H. DC drives over the years 85−5408
Meyer, H., Jacob, H.-U., Klemm, R. Digital time module U1301 88−19246
Meyer, H., Schmatloch, W. Reliability of stator winding insulation in hydro generators 85−27379
Meyer, H., Schmatloch, W. A study on service reliability of stator winding insulation of hydroelectric generators 86−51576
Meyer, H. *see* Atrens, A. 85−21479
Meyer, H. *see* Berger, C. 88−22937
Meyer, H. *see* Hanke, D. 86−70444
Meyer, H. *see* Hill, B. 87−74885
Meyer, H. *see* Zimmermann, W. 86−32195
Meyer, H.-G. *see* Kohler, H.-J. 85−18613
Meyer, H.-G. *see* Krech, W. 87−46420
Meyer, H.-G. *see* Mikolajczak, B. 87−67903
Meyer, H.-G. *see* Riedel, M. 85−35333
Meyer, H.-J. *see* Baumgart, R. 86−5819, 87−50147, 87−71032, 88−48024, 88−61137
Meyer, H.E.De *see* De Meyer, H.E.
Meyer, Hg. Electromagnetic interference control in measuring systems 87−14073
Meyer, H.G., Mikolajczak, B., Seidel, P., Krech, W. Microwave-induced steps in the current-voltage characteristic of DC SQUIDs 87−67904
Meyer, H.G., Roatsch, T., Krech, W., Riedel, M. Stability behavior of the equilibrium states in networks with Josephson junctions and application to the many-contact SQUID 85−1873
Meyer, H.H. *see* Hubner, W. 85−16301
Meyer, H.J. *see* Kramin, J.R. 86−41784
Meyer, H.O. *see* Komisarcik, K. 85−64436, 86−65323
Meyer, H.O. *see* Votaw, J.R. 86−50501
Meyer, H.P. *see* Krimmel, E.F. 85−34740
Meyer, J. How to build a 2 and 10 meter repeater system on a shoestring budget 85−57936
Meyer, J. A conjecture of Chowla and Walum 86−19923
Meyer, J. Coding an extensive vocabulary by using the Huffman-code 88−21080
Meyer, J. A quiet revolution. EDIFACT−or the electronic exchange of trading data 88−67022
Meyer, J., El-Kaddah, N., Szekely, J. A new method for computing electromagnetic force fields in induction furnaces 87−79211
Meyer, J. *see* Anglaret 88−41995
Meyer, J. *see* Biedenbender, R.E. 86−277
Meyer, J. *see* Ford, J.E. 86−58865
Meyer, J. *see* Houtman, H. 85−51147, 87−26471, 87−33085
Meyer, J. *see* Lacourse, J. 88−16682
Meyer, J. *see* Leighton, W. 88−50382
Meyer, J. *see* Sedigh, K. 86−35713
Meyer, J. *see* Stuart, G.C. 87−33249
Meyer, J. *see* Willems, J.L. 86−11975
Meyer, J.-H. *see* Herenz, A. 88−25622
Meyer, J.-P. *see* Ansorge, R.E. 88−29842
Meyer, J.-P. *see* Pierrat, L. 87−78102
Meyer, J.E. *see* Blanch, P.M. 88−48750
Meyer, J.F. Performability modeling tools [for LAN evaluation] 86−23527
Meyer, J.F., Movaghar, A., Sanders, W.H. Stochastic activity networks: structure, behaviour, and application 86−7642
Meyer, J.F. *see* Le Lann, G. 86−49307

Meyer, J.J., Rey, P., Bousquet, A., Korol, S. An automatic intermittent light stimulator to record flicker perceptive thresholds in patients with retinal disease 85−4313
Meyer, J.J. *see* Aubard, J. 87−13998
Meyer, J.L. *see* Kapp, D.S. 88−30034
Meyer, J.M. *see* Lecoq, J. 85−59213
Meyer, J.R., Hoffman, C.A., Bartoli, F.J., Perez, J.M., Furneaux, J.E., Wagner, R.J., Koestner, R.J., Goodwin, M.W. Magnetotransport and far-infrared magneto-optical studies of molecular-beam epitaxially grown HgTe 88−64243
Meyer, J.R. *see* Bartoli, F.J. 86−67683
Meyer, J.R. *see* Dunn, A.R. 88−21322
Meyer, J.R. *see* Hoffman, C.A. 88−64288, 88−64292
Meyer, J.W. SAE AE-9B draft standard high speed token passing data bus for avionics applications 87−50512
Meyer, K. The standardization in electrical engineering at the Swiss Federal Railways (SBB) 86−13136
Meyer, K. *see* Ackermann, G. 87−15449
Meyer, K. *see* Barthel, R. 87−15440
Meyer, K. *see* Ladner, R. 88−28219
Meyer, K. *see* Lawton, R.A. 87−49441
Meyer, K.-D. *see* Bahde, C. 85−27794
Meyer, K.-D. *see* Karel, A. 85−60565
Meyer, K.De *see* De Meyer, K.
Meyer, K.E., Dykaar, D.R., Mourou, G.A. Characterization of TEGFETs and MESFETs using the electrooptic sampling technique 87−26238
Meyer, K.E., Mourou, G.A. Two-dimensional *E*-field mapping with subpicosecond temporal resolution [LSI/VLSI testing application] 85−50615
Meyer, K.E., Mourou, G.A. Two dimensional E-field mapping with subpicosecond resolution 87−24407
Meyer, K.E. *see* Kryzak, C.J. 87−23994
Meyer, K.E. *see* Mourou, G.A. 85−2083
Meyer, K.M.De *see* De Meyer, K.M.
Meyer, L., Jacobi, A., Jr. Safety objectives for containment protection 87−64304
Meyer, L. *see* Lipton, L. 85−8576, 85−14667
Meyer, L.C. Review of operating experience on Engineered Safety Features Actuating Systems 87−42600
Meyer, M. A design example of a semicustom IC 85−55880
Meyer, M. Mobile workstation for ASIC design on-site 87−23820
Meyer, M. The use of optical waveguides for signal-transmissions in the electric measuring technique 87−60907
Meyer, M. Use of optical waveguides for signal transmission in electrical measurement applications 87−63328
Meyer, M., Metzger, W. Simple measurement of the dynamic behavior of FM modulators (VCO) 85−33725
Meyer, M. *see* Finger, G. 88−29456, 88−74483
Meyer, M. *see* Studer, R.M. 86−56122
Meyer, M.B. Nuclear power plant cost underestimation: mechanisms and corrections 85−21299
Meyer, M.D., Agrawal, D.P. Adaptive lattice filter implementations on pipelined multiprocessor architectures 88−63817
Meyer, M.E. An integrated environment for test system development and execution 87−77117
Meyer, M.E., Sastry, A.R.K. Performance analysis of tandem burst-error links with applications to ISDN 85−62939
Meyer, M.J., Agrawal, P., Pfister, R.G. A VLSI FSM design system 85−1696
Meyer, M.J. *see* Agrawal, P. 85−22905
Meyer, M.P. *see* Yu, M.H. 85−52387
Meyer, N., Tendyck, H. Microcomputer chip set with expanded firmware BASIC interpreter 86−53793
Meyer, N., Tendyck, H. A 16-bit microcomputer for automotive applications 87−44886
Meyer, N. *see* Birchel, R. 86−52656
Meyer, N.D. How to design a nonrestrictive microcomputer policy 86−16927
Meyer, N.D. *see* Metcalfe, R.M. 85−3123
Meyer, O. Effect of laser mode partition noise on signal-to-noise-behaviour in fibre optic communication systems 87−25992
Meyer, O. *see* Vescan, L. 86−28141, 86−66820
Meyer, O.R. A perception of tomorrow's nuclear power plant control rooms 86−65847
Meyer, O.R. *see* Hanson, D.J. 88−75342
Meyer, P., Lewis, R. Strategies for complete PCB autorouting 87−73885
Meyer, P., Strube, H.W. Calculations on the time varying vocal tract 85−7828
Meyer, P., Wilhelms, R., Strube, H.W. An efficient vocal tract model running in real time 87−47573
Meyer, P. *see* Axer, K. 85−61284
Meyer, P. *see* Howell, R.H. 85−59144, 87−29418
Meyer, P. *see* Staenz, K. 87−63992, 88−5206
Meyer, P. *see* Wilhelms, R. 87−47586
Meyer, P.A. Ultrasound as a quality control tool 88−43726
Meyer, P.W. Newton's method in generalized Banach spaces 88−6383
Meyer, R. Automated universal hardness test. Small-load Vickers hardness test with depth measurement under test load 87−52234
Meyer, R. *see* Brenac, A. 88−19586
Meyer, R. *see* Chincholle, L. 85−40957
Meyer, R. *see* Gauthier-Manuel, B. 85−15091
Meyer, R. *see* Labrunie, G. 87−29202
Meyer, R. *see* Malkomes, M. 85−14732
Meyer, R. *see* Mechtersheimer, G. 86−61687
Meyer, R. *see* Muller, F. 88−64301
Meyer, R. *see* Skaggs, F. 85−45328
Meyer, R. *see* Smigielski, P. 86−10024
Meyer, R.A., Knight, D.D., Switick, D.M., Hooke, W.B. Development and application of a gas cooled reactor co-generation plant engineering simulation 85−53509
Meyer, R.A. *see* Adams, G.M. 88−21503
Meyer, R.A. *see* Borgs, J.W. 87−71050
Meyer, R.A. *see* Conry, S.E. 86−43455
Meyer, R.A. *see* Henry, E.A. 88−58513
Meyer, R.A. *see* Meyer, C.N. 86−54658
Meyer, R.A. *see* Zendel, M. 87−41807
Meyer, R.E. Electronic potting and encapsulating materials−polyurethane/polysulfide technology and applications 86−13484
Meyer, R.E., Ezekiel, S., Stowe, D.W., Tekippe, V.J. Passive fiber-optic ring resonator for rotation sensing 85−2020
Meyer, R.E. *see* Zarinetchi, F. 85−24292
Meyer, R.G. Intermodulation in high-frequency bipolar transistor integrated-circuit mixers 87−561
Meyer, R.G., Blauschild, R.A. A wide-band low-noise monolithic transimpedance amplifier 87−523
Meyer, R.G., Muller, R.S. Charge-control analysis of the collector-base space-charge-region contribution to bipolar-transistor time constant τ_T 87−38211
Meyer, R.G. *see* Fattaruso, J.W. 85−45208, 87−60680, 88−18995
Meyer, R.G. *see* Mack, W.D. 88−35560
Meyer, R.G. *see* Soo, D.C. 86−9311
Meyer, R.G. *see* Soyuer, M. 88−70605
Meyer, R.G. *see* Toh, K. 87−59212
Meyer, R.G. *see* Toh, K.-Y. 88−18935, 88−64560
Meyer, R.M. *see* Starr, P.J. 87−36480
Meyer, R.P. *see* Schneider, J.F. 88−5107
Meyer, R.R. Selection guide for electronic encapsulating techniques, resins 85−10502
Meyer, R.T. *see* Kreith, F. 85−5010
Meyer, R.X. Precision of mesh-type reflectors for large space-borne antennas 85−62894
Meyer, S. Introducing millimeter waves in the subscriber plant in France 85−52266
Meyer, S. The radio route to ISDN 87−76031
Meyer, S. A data structure for circuit net lists 88−70451
Meyer, S. *see* Dupuis, P. 85−19704
Meyer, S.M. The Soviet 'spy gaps' 86−69713
Meyer, S.P. *see* Angle, C.W. 85−43696
Meyer, T. *see* Beingessner, S.P. 87−63652
Meyer, T. *see* Buchholz, J. 87−41837
Meyer, T. *see* Cihangir, S. 88−47983
Meyer, T. *see* Nagy, G. 87−48114
Meyer, T.A. Employing an external contractor for a large reactor task 88−75372
Meyer, T.C. *see* Amendolia, S.R. 85−37901, 85−43179, 86−5779
Meyer, T.C. *see* Beingessner, S.P. 88−22945
Meyer, T.C. *see* Benetta, M. 85−43239
Meyer, T.C. *see* Konoplyannikov, A. 85−42924
Meyer, T.H. *see* Wei, P.S.P. 85−63740
Meyer, T.N. *see* Lee, A. 85−49657
Meyer, U. *see* Kankeleit, E. 85−37972
Meyer, V. *see* Wendel, P.L. 86−11506
Meyer, W. Steady-state locus-diagrams of the hpn- and hsz-components 86−18630
Meyer, W. Losses in SF_6-insulated ferromagnetic three-phase cables 86−39160
Meyer, W. Review of operation polarized targets 86−60521
Meyer, W. Forces on the phase-conductors and the enclosure of SF_6-insulated, ferromagnetic three-phase cables in steady-state 86−70665
Meyer, W., Kiessling, G. Calculating the power system response caused by current converters using space phasors 87−52326
Meyer, W., Klein, G. DLC/SDLC protocol implementation 86−4272
Meyer, W. *see* Bomsdorf, H. 85−9165
Meyer, W. *see* Brucker, P. 87−65386, 88−56161
Meyer, W. *see* Bruss, R. 86−60523
Meyer, W. *see* Horsemann, G. 85−44078
Meyer, W. *see* Jabbour, K. 87−64111
Meyer, W. *see* Kantz, D. 85−22871
Meyer, W. *see* Koch, P.J. 88−28303, 88−29432
Meyer, W. *see* Stein, N. 86−51725
Meyer, W. *see* Yoon, S. 86−7094
Meyer, W.G., Dick, G.W., Olson, K.H., Lee, K.H., Shimer, J.A. Integrable high voltage CMOS: device, process application 86−47867
Meyer, W.G. *see* Fair, R.B. 85−1495
Meyer, W.J. *see* Dawes, W.R., Jr. 87−32541
Meyer, W.K., Crook, D.L. A non-aging screen to prevent wearout of ultra-thin dielectrics 86−15278
Meyer, W.T. Determining the number of photoelectrons in a Cherenkov counter 86−5792
Meyer, W.T. *see* Crawley, H.B. 86−50431, 87−44968
Meyer, Y.H., Benoist D'azy, O., Martin, M.M., Breheret, E. Spectral evolution and relaxation oscillations in dye lasers 87−7286
Meyer, Y.H., Martin, M.M., Nesa, F., Breheret, E. Picosecond pulses from UV to IR using a spectro-temporal selection dye laser 88−45513
Meyer, Y.H. *see* Chauchard, E.A. 85−12958
Meyer, Y.H. *see* Martin, M.M. 85−29886, 86−15784
Meyer, Y.H. *see* Nenchev, M.N. 85−56743, 85−56892
Meyer auf der Heide, F. Nondeterministic versus probabilistic linear search algorithms 86−19940
Meyer Auf Der Heide, F. Simulating probabilistic by deterministic algebraic computation trees 86−52358
Meyer auf der Heide, F. *see* Lautemann, C. 85−60866
Meyer zu Schwabedissen, Ch. *see* Stockert, H. 87−57841
Meyer-Berkhout, U. *see* Benvenuti, A.C. 85−15254
Meyer-Clasen, B. Maintenance−a neglected area of management? [public utilities] 85−49308
Meyer-Clasen, B. Maintenance management 87−64051
Meyer-Clasen, B. Maintenance management and work planning−control functions of plant operation 88−10928
Meyer-Clasen, B. *see* Adams, H.W. 86−12418
Meyer-Clasen, B. *see* Hoensch, V. 86−56290
Meyer-Ilse, W. Soft X-ray imaging using CCD sensors 88−22654
Meyer-Ilse, W. *see* Germer, R. 86−38729
Meyer-Ilse, W. *see* Niemann, B. 86−60687
Meyer-ter-Vehn, J. *see* Unterseer, K. 85−15105
Meyere, P. *see* Crainic, E.D. 87−78070
Meyerhof, W.E. *see* Thieberger, P. 86−32116
Meyerhofer, D. A comparison of techniques for improving linewidth control over steps 86−21686
Meyerhofer, D. Simulation of microlithographic resist processing using the SAMPLE program 86−21697
Meyerhofer, D. Modeling of microlithographic processes: comparison of contrast enhancement techniques 87−11508
Meyerhofer, D. The optimum contrast enhancement layer in microlithography 88−26158
Meyerhofer, D. *see* White, L.K. 85−18415, 86−67932, 88−33097
Meyerhoff, H.J. Theoretical network channel planning for mobile and broadcast services 86−3735
Meyerhoff, H.J. Network planning and spectrum efficiency 86−23211
Meyerhoff, J. Novel microstrip filter structure 88−32394
Meyerhoff, M.E. Polymer membrane electrode-based potentiometric gas sensors 85−37616
Meyerhoff, S.L., Evans, A.G. Demonstration of the combined use of GPS pseudorange and Doppler measurements for improved dynamic positioning 88−9682
Meyerova, R.S., Popov, A.V. Low order modes transformation in smooth waveguide couplings 87−75529
Meyerova, R.S., Popov, A.V., Hoziosky, S.A. Low-order modes transformation in smooth waveguide couplings 88−20980
Meyerova, R.S. *see* Garb, Kh.L. 88−20984
Meyerowitz, A.D. *see* Huotari, R. 86−62098, 88−43818
Meyers, B. Gridless and gridded PC-board routing 88−12746
Meyers, B., Elmer, D. An overview of placement algorithms 88−44441
Meyers, B., Hoh, J. Specialized routing system for high density logic circuit cards 87−37147
Meyers, D. *see* Watts, M. 88−57559
Meyers, D.C., Kwong, D.L. Breakdown voltages of ion-implanted junctions 85−50243
Meyers, D.C. *see* Kwong, D.L. 85−45544, 86−8870, 86−21866
Meyers, D.J. *see* Leupold, H.A. 87−45494
Meyers, H.J. *see* Engelstad, B.L. 88−74825
Meyers, J. *see* Grigg, R. 87−14342
Meyers, J.A. Switching in polyacrylonitrile 86−28366
Meyers, J.A. *see* Nielsen, A.D. 87−75479
Meyers, J.C. *see* Russell, W.H. 85−42311
Meyers, J.F. *see* Cavone, A.A. 87−70486
Meyers, J.J. *see* Chamberlin, J.W. 87−48856
Meyers, J.M. Test technique for quickly locating conductive leaks in shielded enclosures 86−3595
Meyers, K.L. *see* Schneider, R.T. 87−47967
Meyers, M.H. Multipath fading characteristics of broadband radio channels 85−47419
Meyers, M.H. Multipath fading outage estimates incorporating path and equipment characteristics 85−47420
Meyers, M.H. *see* Fenderson, G.L. 86−22691
Meyers, M.H. *see* Lahlum, R.H. 88−53137

Meyers, M.R. Simulating a SMT factory 88−25712
Meyers, P. *see* Doty, M. 88−75519
Meyers, P.V. Polycrystalline CdS/CdTe/ZnTe n-i-p solar cell 88−24151
Meyers, P.V. Design of a thin film CdTe solar cell 88−37397
Meyers, P.V. Ametek's CdTe solar module development program 88−62607
Meyers, P.V. *see* Norian, K.H. 86−47306
Meyers, P.V. *see* Rohatgi, A. 88−56304
Meyers, P.V. *see* So, S.M. 86−36300
Meyers, P.W. *see* Wilemon, D.L. 86−7422
Meyers, R., Randazzo, E. Analytical spares screening evaluation technique (ASSET) 87−43963
Meyers, R.V. A real time signal analyzer 88−22204
Meyers, T.J. Interim consequences of deregulation in America 86−37222
Meyers, W.D. *see* Wagner, L.S. 88−21937
Meyerson, B.S. Low-temperature silicon epitaxy by ultrahigh vacuum/chemical vapor deposition 86−40726
Meyerson, B.S. Polycrystalline silicon, an overview 87−17694
Meyerson, B.S., Ganin, E., Smith, D.A., Nguyen, T.N. Low temperature silicon epitaxy by hot wall ultrahigh vacuum low pressure chemical vapor deposition techniques: surface optimization 87−258
Meyerson, B.S., Jasinski, J.M. Silane pyrolysis rates for the modeling of chemical vapor deposition 87−36792
Meyerson, B.S., LeGoues, F.K., Nguyen, T.N., Harame, D.L. Nonequilibrium boron doping effects in low-temperature epitaxial silicon films 87−32222
Meyerson, B.S., Olbricht, W. Phosphorus-doped polycrystalline silicon via LPCVD. I. Process characterization 85−10778
Meyerson, B.S., Scott, B.A. Enhanced photovoltaic devices via the use of large optical bandgap doped a-Si:H produced via H-CVD 85−12729
Meyerson, B.S., Yu, M.L. In-situ doped silicon via LPCVD; interactions of the dopant/silane/silicon surface system 85−10819
Meyerson, B.S. *see* Jasinski, J.M. 87−31560
Meyerson, B.S. *see* Kuech, T.F. 85−5991
Meyerson, B.S. *see* Nguyen, T.N. 87−46126
Meyerson, B.S. *see* Renier, M. 87−73137
Meyerson, B.S. *see* Srinivasan, G.R. 87−73132
Meyerson, B.S. *see* Stork, J.M.C. 88−39413
Meyerson, B.S. *see* Veuhoff, E. 86−1994
Meyerson, B.S. *see* Yu, M.L. 86−58228
Meyerstein, M.V. 'HIT'—a proposal for combining surface mount circuits with existing equipment practices 87−53064
Meyerzon, M.B. *see* Gordeyeva, I.V. 85−22275
Meyet, D. *see* Graindorge, P. 87−29089
Meygaard, H.van *see* van Meygaard, H.
Meyhack, U. Quality assurance using near infrared spectroscopy in the food, chemical and pharmaceutical industries 87−79260
Meylan, G. The electrical utility Societe de Forces Electriques de la Goule, Saint-Imier 85−21064
Meyling, R.H.J.Gmelig *see* Gmelig Meyling, R.H.J.
Meyn, C. A practical approach to graphics and menu design in the instructor/operator station 86−70057
Meynadier, M.-H., Tabatabaie, N., Nahory, R.E., Harbison, J.P. Very large photovoltaic effects in modulation-doped heterostructures 88−33855
Meynadier, M.H., Delalande, C., Bastard, G., Voos, M., Alexandre, F., Lievin, J.L. Size quantization and band-offset determination in GaAs-GaAlAs separate confinement heterostructures 85−50251
Meynadier, M.H. *see* Alexandre, F. 86−47356
Meynadier, M.H. *see* Andre, J.P. 86−46330
Meynadier, M.H. *see* Delalande, C. 86−67737
Meynard, T.A., Cheron, Y., Foch, H. Generalization of the resonant switch concept. Structures and performances 87−72305
Meynard, T.A., Cheron, Y., Foch, H. Generalization of the resonant switch concept. Structures and performances 88−37339
Meynard, T.A., Cheron, Y., Foch, H. Soft switchings in DC/DC converters: reduction of switching losses and of EMI generation 88−75799
Meynard, T.A., Cheron, Y., Foch, H. Generalization of the resonant switch concept structures and performances 88−75830
Meynart, R. A simple interferometric vibrometer based on a laser Doppler velocimeter 85−14763
Meynart, R. *see* Dudderar, T.D. 88−22846
Meynaud, P. Static compensators of reactive power: for a better quality of electric energy 87−9113
Meynaud, P. Large heat generation equipments, asynchronous motors and voltage off-peaks: suitable supply conditions are needed 87−21903
Meynaud, P. *see* Hemmer, F. 85−59697
Meyniel, H. A note about a theorem by Maamoun on decompositions of digraphs into elementary directed paths or cycles 86−19921
Meyr, H. LANs for industrial applications 88−3603
Meyr, H., Polzer, G. A simple method for evaluating the probability density function of the sample number for the optimum sequential detector 87−33694
Meyr, H., Popken, L., Mueller, H.R. Synchronization failures in a chain of PLL synchronizers 86−54410
Meyr, H. *see* Ascheid, G. 85−41832, 85−41931
Meyr, H. *see* Blischke, F. 87−14249
Meyr, H. *see* Bohmann, J. 86−70073
Meyr, H. *see* Moeneclaey, M. 88−66487
Meyr, H. *see* Oerder, M. 87−33594, 87−55841, 88−46098, 88−50264
Meyr, H. *see* Peters, R. 86−31719, 88−27891
Meyr, H. *see* Stahl, J. 87−49499, 87−55008, 87−61599
Meyrat, P. Pay TV: on the consumer's side 86−24120
Meyrier, A. *see* Bourgeois, F. 87−37402
Meyrueis, P., Pfeiffer, P. Principles of a switching extensive fiber optic network 86−4669
Meyrueis, P. *see* Liegeois, C. 86−42647, 88−34160, 88−34163
Meyrueis, P. *see* Pfeiffer, P. 85−30305, 86−11085
Meyrueix, P., Tantin, P., Chatrefou, D. Faraday optical current sensor: a good prototype with monomode optical fiber [power system measurement] 86−65792
Meyrueix, P. *see* Tremblay, G. 88−38863
Meys, R.P. A triple-through method for characterizing test fixtures 88−56858
Meystel, A. *see* Uzun, S. 88−3220
Meystre, P., Wright, E.M. Measurements-induced dynamics of a micromaser 88−45333
Meystre, P. *see* Filipowicz, P. 86−58853, 87−33282, 87−33326
Meystre, P. *see* Marquis, F. 86−29232
Meystre, P. *see* Reiner, G. 85−51253, 86−29231, 88−51932
Meystre, P. *see* Savage, C.M. 88−39801
Meystre, P. *see* Ujihara, K. 85−29919
Meystre, P. *see* Wright, E.M. 85−12954, 85−41468, 86−9524
Meyyappan, A. *see* Chen, C.H. 88−10648
Meyyappan, A. *see* Wade, G. 88−36695
Meyyappan, M., Kreskovsky, J.P., Grubin, H.L. Numerical simulation of an AlGaAs/GaAs bipolar inversion channel field effect transistor 88−57620
Meyyappan, M. *see* Kreskovsky, J.P. 88−1629, 88−7588
Meyzonnette, J.L., Remy, B., Saccomani, G. Imaging CO_2 laser radar with chirp pulse compression 88−28980
Meyzonnette, J.L. *see* Dansac, J. 87−20629
Meyzonnette, J.L. *see* De Corlieu, G. 86−30830
Mez, F. The refurbishment of hydro generators 88−11122
Mez, F. *see* Neidhofer, G. 85−21539
Mez, F. *see* Schroder, G. 88−30604
Mez, F. *see* Viktil, H. 88−23770
Meza, D. *see* Adley, J.M. 85−28890
Meza, P. Advanced generation integrated SLIC 85−18445
Meza, P.J., Gross, W. 'Standard Tiles': a new design method for high performance analog ICs 87−60633
Meza, P.J. *see* Tang, A.Y. 86−47548
Mezak, J.A., Mezak, S.A. Microwave subsystem design using schematic capture 87−59861
Mezak, S.A. *see* Mezak, J.A. 87−59861
Mezdrogina, M.M. *see* Andreev, A.A. 86−7011
Mezdrogina, M.M. *see* Golikova, O.A. 87−37903
Mezdrogina, M.M. *see* Terekhov, V.A. 85−34525, 87−26172
Mezei, F., Richter, D. Time-of-flight spin echo 86−5856
Mezei, F. *see* Rosta, L. 88−74688
Mezei, P. *see* Apai, P. 87−7275
Mezei, P. *see* Christiansen, J. 86−15639
Mezei, P. *see* Janossy, M. 88−33946
Mezenina, N.S. *see* Glibitskii, M.M. 87−32878
Mezenov, A.V., Soms, L.N., Stepanov, A.I. Thermooptics of solid-state lasers 88−45387
Mezenov, A.V. *see* Kornev, A.F. 85−2392
Mezentsev, A.F. *see* Beer, W. 85−64518
Mezentsev, A.N. *see* Lastov, A.I. 87−22061
Mezentsev, N.A., Pindiurin, V.F. Application of synchrotron radiation to medical diagnostics at Novosibirsk: status and prospects 88−10327
Mezentsev, N.A. *see* Anashin, V.V. 86−58721
Mezentsev, N.A. *see* Borodin, Yu.I. 86−60684
Mezentsev, N.A. *see* Dementyev, E.N. 86−60572
Mezentsev, V.P., Naval'yev, D.G. Mixers employing Schottky-barrier planar diodes 86−20384
Mezentseva, G.B. *see* Batyuk, I.I. 86−61140
Mezentseva, M.P. *see* Antonov, V.V. 86−63123
Mezentseva, N.G. *see* Levin, V.Ya. 85−62678
Mezera, D.F. *see* Chrisman, N.R. 87−29922
Mezey, G. *see* Fried, M. 85−12143
Mezey, G. *see* Khaibullin, I.B. 86−28167
Mezey, G. *see* Lendvay, E. 86−7729
Mezey, G. *see* Suu, H.V. 85−12013, 86−47492
Mezger, A. *see* Joho, W. 86−24904
Mezger, H.J. Power electronics for DC drives 86−56978
Mezger, K. *see* Gilles, E.D. 87−70110
Mezger, M.A. *see* Maloney, P.R. 86−35116
Mezger, P.G. 50 years of radio astronomy 85−3548
Mezgin, V.A. *see* Grach, I.M. 88−48592
Mezhebovskii, B.E. *see* Asnina, Zh.S. 85−18064
Mezhennyi, M.V. *see* Osvenskii, V.B. 87−1405
Mezheritskii, A.V. Energy losses in piezoelectric ceramic in presence of electrical excitation 86−2460
Mezheritskii, A.V., Kandyba, P.E. Local energy losses in an electrically-driven piezoelectric ceramic resonator 86−47924
Mezhevich, V.V. *see* Fomin, A.I. 86−29908
Mezhevov, V.S. *see* Arutyunyan, R.V. 87−61272, 87−68673
Mezhevov, V.S. *see* Babaev, I.K. 88−58441
Mezhevov, V.S. *see* Baranov, V.Yu. 85−12811, 87−12386, 88−58623
Mezhibovksii, G.L. *see* Koliushko, G.M. 87−5675
Mezhoudi, A. *see* Meaudre, R. 85−18101, 86−28150, 87−12297
Mezhoudi, M. *see* Grebel, H. 87−7097, 88−1941
Mezhov, V.E. *see* Vlasov, A.M. 87−65996, 87−66693, 87−69625
Mezhov-Deglin, L.P. *see* Borisenko, I.Yu. 88−67801
Mezhuyev, D.I., Zaslavskiy, A.M., Suchkov, S.G. Application of the Green's function method to calculate the characteristics of filters based on near-surface volume acoustic waves 86−68146
Mezhuyev, D.I. *see* Zaslavskiy, A.M. 86−21943
Mezhvov, V.S. *see* Kuntsevich, B.F. 87−68349
Mezi, L. *see* Dattoli, G. 88−58581
Mezin, Yu.S. *see* Zargar'yants, M.N. 85−24583
Mezinov, V.V., Gluskin, B.A., Glebova, I.Yu., Bordachenkov, A.M. A method of vibration-stability design of the brush-commutator assembly of an electric machine 88−37164
Mezinov, V.V. *see* Dridzo, M.L. 86−39820
Mezrich, J.L. *see* Kundel, H.L. 88−36460
Mezrich, R.S. Magnetic resonance imaging 86−50537
Mezrich, R.S. *see* Tobes, M.C. 88−36574
Mezrin, O.A., Troshkov, S.I. Diffusion of hot photoelectrons into a metal: effective loss mechanism in Schottky-barrier photodiodes 88−57371
Mezrin, O.A. *see* Bykovnikov, A.A. 85−23560
Mezrin, O.A. *see* Egorov, B.V. 87−46691
Mezrin, O.A. *see* Konstantinov, O.V. 85−45432, 86−27972, 86−53383, 87−30939, 87−45668
Mezrina, E.V. *see* Sheinkman, A.G. 88−30511
Mezza, S. *see* Scheggi, A.M. 85−35529
Mezzalama, M. *see* Camurati, P. 88−35824
Mezzalama, M. *see* Gai, S. 86−918
Mezzalama, M. *see* Lioy, A. 86−46784, 87−65975
Mezzalama, M. *see* Meo, A.R. 85−6253
Mezzalama, M. *see* Somenzi, F. 85−28457, 85−49827
Mezzetti, E. *see* Demichelis, F. 86−27895, 87−24808, 87−30949, 87−53212
Mezzetti, E.M. Conductivity dependence on the hydrogen concentration and thickness of α-Si:H films 88−12930
Mezzetti, E.Minetti *see* Minetti Mezzetti, E.
Mezzetti, S. *see* Fiorina, L. 85−31971
Mgaloblishvili, D.P. *see* Zemskov, V.S. 86−40698, 87−236, 87−10353
Mgebrishivili, N.N., Ivanov, S.Yu. Infrared moisture meter 85−9014
M'ghaieth, R., Gauthier, R., Chambonnet, D., Pinard, P., Mayet, L. Advances in EPR polycrystalline silicon ribbon for solar cells 88−32983
M'Ghaieth, R. *see* Chambonnet, D. 87−65473, 88−18028
Mgombelo, H.R., Gardiner, J.G. A novel realisation of signal dividers for mobile radio receiver distribution systems 85−63581
Mgombelo, H.R. *see* Prasad, R. 88−21010
Mhango, L.M.C. Some aspects of an electric pump drive system for cryogenic applications 88−18145
Mhango, L.M.C. Novel forms of fractional horse power inverter-fed AC drives 88−49195
Mhango, L.M.C. A new form of variable speed inverter drive for fuel pumping in passenger cars 88−69755
Mhar, J.I. *see* Smith, S.G. 87−59565
Mhaya, N. *see* Jerraya, A.A. 88−64636
Mheen, H.J.Talen-van der *see* Talen-van der Mheen, H.J.
Mheen, H.J.Thalen-van der *see* Thalen-van der Mheen, H.J.
Mheir El-Saadi, F. *see* Kaminska, B. 88−71746
M'hiri, R., Morgenstern, B., Ksouri, M. The visualization of ultrasonic fields 86−32614
Mhoon, R.B. Managing the corporate T1 network 87−76019
Mi Hangyu *see* Hangyu Mi
Mi Jeon Sun *see* Sun Mi Jeon
Mi Jie A Kalman type filter for discrete time distributed parameter system 85−36244
Mi Zhengyu, Zho Baoqing Some progress in techniques of MMW and sub MMW detection 88−29622
Mi-cong Yuan, Jie-gu Li A production system for LSI chip anatomizing 87−46090

Mi-Kyung Lee *see* Davis, L. 85—43398
Mia Jia-lin *see* Wang Yong-de 85—46749
Miake, Y. *see* Sugitate, T. 86—70366
Mialhe, P., Charles, J.P., Khoury, A., Bordure, G. The diode quality factor of solar cells under illumination 86—40082
Mialhe, P., Sissoko, G., Kane, M. Experimental determination of minority carrier lifetime in solar cells using transient measurements 87—58323
Mialhe, P. *see* Belorgeot, C. 88—24136
Mialhe, P. *see* Charles, J.-P. 85—5384, 86—19487, 86—40117
Mialhe, P. *see* Charles, J.P. 85—60447
Mialhe, P. *see* Khoury, A. 86—40119
Mialhe, P. *see* Pelanchon, F. 88—62600
Mialhe, P. *see* Sissoko, G. 88—20504
Miallier, D. *see* Sanzelle, S. 87—29661
Mialocq, J.C. *see* Bergher, M. 85—59043
Mian, G. *see* Benetazzo, L. 86—50025
Mian, G.A. *see* Cosi, P. 85—57307
Mian, G.A. *see* Delmonte, R. 87—19624
Mian, G.A. *see* Lepschy, A. 85—5931, 85—44637, 86—20154, 86—41233, 86—62779, 87—900, 87—55191, 87—75785, 88—25325, 88—32351, 88—56781, 88—56786, 88—72781
Mian, G.A. *see* Lepschy, A.M. 87—2398
Mian Li *see* Li Mian
Mian Zhou *see* Zhou Mian
Mian-heng Jiang *see* Scoles, K.J. 88—39220
Mian-heng Jiang *see* Jiang Mian-heng
Miangong Shi *see* Shi Miangong
Miani, F. Small-rating hydroelectric plant: legal aspects 86—6599
Miani, F. *see* Nattiv, M. 86—49466
Miano, G. *see* Albanese, R. 86—42762
Miano, G. *see* Autin, B. 87—56937
Miano, G. *see* Gnesotto, F. 86—42696
Mianowski, R.G., Sobczak, B.J. Differential pressure gauge indicator 86—24831
Mianowski, R.J., Tsao, K.Y., Waggener, H.A. Tungsten selective deposition by APCVD 87—5488
Miao, C.L., Ko, W.H. Joint angle sensors for closed-loop control [handicapped aid] 87—14846
Miao, C.L. *see* Barnicle, K. 88—61239
Miao, Lijie *see* Tang, Renyuan 86—45376
Miao, Y., Fan, M., Yan, W. Advanced two dimensional automatic triangular mesh generation for DE2D interactive software package 88—49733
Miao, Y. *see* Fan, M. 86—42708
Miao Bocai *see* Fan Changxin 88—1911
Miao Chen *see* Chen Miao
Miao Jia-lin *see* Wang Yong-de 85—46750
Miao Jiang *see* Jiang Miao
Miao Jing-feng Comparisons between the inverted microstrip line and microstrip line 85—24891
Miao Jingwei *see* Jiang Zengxue 88—10198
Miao Lijie *see* Tang Renyuan 87—51178
Miao Qinghai, Gao Guang, Cao Baocheng, Dai Guocai Wavelength dependence of the turn-off character in a-Si:H solar cells 87—30986
Miao Qinghai *see* Gao Guang 87—30985
Miao Rencai, Peng Jinghong, Huan Yixian Temperature measurement by parallel large shearing interferometry 88—74613
Miao Wang *see* Wang Miao
Miao Yixin *see* Yan Chen 85—7597
Miao Yubo *see* Zheng Yuhong 88—58324
Miao-Li Pai, Bezdek, J.C., Cannon, R.L., Cameron, W.L. Terrain mapping with MMW radar: an approach using sensor fusion and knowledge-based heuristics 87—49201
Miaogen Lu *see* Naifeng Mao 87—63690
Miaogen Xu *see* Xu Miaogen
Miaogen Ye *see* Ye Miaogen
Miaohe Shen *see* Shen Miaohe
Miaoqan Cai *see* Cai Miaoqan
Miaoting He *see* He Miaoting
Miaoulis, I.N., Mikic, B.B. Heat-source power requirements for high-quality recrystallization of thin silicon films for electronic devices 86—34349
Miaoulis, I.N., Mikic, B.B. Temperature distribution of silicon-on-insulator systems during recrystallization processing 86—34350
Miarka, S. *see* Jachimowicz, J. 87—78675
Miasik, J.J., Hooper, A., Moseley, P.T., Tofield, P.C. Electronically conducting polymer gas sensors 88—9974
Miazga, P. *see* Morawski, T. 85—17858
Mibuchi, Y., Nakahara, M., Abe, M., Takahashi, K., Hatase, K., Tanaka, K. Study on electric power system planning decision system 86—50930
Mibuchi, Y. *see* Shimojo, T. 86—50853
Mic Hruskovic *see* Mil Hruskovic 88—32035
Micali, S., Rackoff, C., Sloan, B. The notion of security for probabilistic cryptosystems 88—40839
Micali, S., Rackoff, C., Sloan, B. The notion of security for probabilistic cryptosystems 88—45920
Micali, S. *see* Awerbuch, B. 87—33852
Micali, S. *see* Blum, M. 85—19347
Micali, S. *see* Feldman, P. 86—22927
Micali, S. *see* Goldreich, O. 85—41864, 87—33644, 88—40824, 88—45822
Micali, S. *see* Goldwasser, S. 85—2760, 85—41861, 88—45915
Micalizzi, J. *see* Goldberg, J.H. 88—25715
Micallef, C.J. The microprocessor revolution in chart recorders 85—4037
Micallef, C.J. *see* Taguchi, M. 86—5134, 86—24403
Mican, S. *see* Voiculescu, E. 88—37245
Micand, B., Carlstedt, A. Modern DC motors for the Tyrak drive system 86—33413
Micanek, F., Liskutin, S., Riha, J. Industrial and power station boilers for combustion of waste wood 86—19107
Micarelli, A. *see* Cioffi, G. 87—416
Micca, G. *see* Fissore, L. 88—66383, 88—66398, 88—72791
Micca, G. *see* Kaltenmeier, A. 87—47545
Micca, G. *see* Laface, P. 87—61691, 87—75734, 88—40853
Micchelli, C.A. *see* Dahmen, W. 87—23541
Micchelli, C.A. *see* Dyn, N. 88—43815
Micchelli, C.A. *see* Edelman, A. 88—328
Micchellia, C.A. Smoothing and interpolation in a convex subset of a Hilbert space 88—63266
Micci, M.M. Analysis of electromagnetic propulsion of nonionized dipole gases 86—25372
Micci, M.M. *see* Zang, C.J. 85—31933
Micciarelli, A. *see* Corsi, N. 85—25522
Micciarelli, A. *see* Montemurro, R. 86—37309
Miccoli, G. *see* Ananasso, F. 88—14931
Miccoli, G. *see* D'Amico, A. 87—25786
Miccoli, G. *see* De Gasperis, P. 85—24095, 85—29478, 85—35323, 86—36059, 87—7027, 87—46399, 88—26688, 88—71952
Miccoli, G. *see* Ishak, W.S. 88—58000
Micek, S. *see* Sosin, Z. 86—70326
Miceli, J. *see* Blauer, M. 86—64681
Miceli, J.J., Jr. *see* Durnin, J. 88—27267
Miceli, R. *see* Boardman, J.T. 87—35596
Miceli, S., Papa, F. Operator for parameter identification of a contour element 87—13081
Miceli, W.J. *see* Bocker, R.P. 87—13095
Miceli, W.J. *see* Drake, B.L. 86—37137
Micelli, W. *see* Shamir, J. 86—54202
Micelmacher, G.V. *see* Alekseev, G.D. 88—61138
Michaca, R., Heising, C.R., Koppl, G. Summary of CIGRE Working Group 13.06 studies on the test and control methods intended to assure the reliability of high-voltage circuit-breakers 86—39979
Michael, A.E. Regulatory compliance—the real world 86—46548
Michael, A.E. Product safety compliance—an overview 88—24509
Michael, B. *see* Larsen, R. 85—38258
Michael, C.G. An improved airborne-Aitken nucleus counter 87—71343
Michael, D. *see* Green, J.B. 86—65430
Michael, D.H. *see* Collins, R. 86—62301
Michael, D.H. *see* Lugg, M.C. 88—43986
Michael, D.N. *see* Wogan, M. 88—36472
Michael, D.W., Kolenbrander, K., Lisy, J.M. New cavity design for a $LiNbO_3$ optical parametric oscillator 86—52722
Michael, G. *see* Wallgren, K. 88—65168
Michael, H.L., Yao, J.T.P. Criteria for promotion and tenure—present and future 88—24449
Michael, J. Low voltage drop current limit 85—17145
Michael, J. Improved IC input protection 85—44882
Michael, J. Simplified voltage level sensing 86—1322
Michael, J. Modified voltage regulator 86—40893
Michael, K., Sibul, L. The VLSI implementation of the adaptive lattice filter 85—17735
Michael, M. *see* Bibel, G.D. 88—36514
Michael, M. *see* Habibullah, B. 87—42540
Michael, M.R. *see* Habibullah, B.S. 86—6610, 86—45249
Michael, M.W., Weisbrod, S.L. Reduction in parasitic capacitance computation time through statistical modeling 85—40861
Michael, N.Y. Centralized vs geographically distributed microprocessor-based control and data acquisition: A cost comparison 85—9689
Michael, N.Y. Cost comparison between centrally located and geographically distributed microprocessor-based control and data acquisition systems 86—12678
Michael, N.Y. Analysis of control systems for life extension 87—78520
Michael, R.R. *see* Khoo, I. 87—39211
Michael, R.R. *see* Khoo, I.C. 86—42638, 88—34089, 88—51945, 88—65783
Michael, S. High-speed, high-accuracy integrated operational amplifiers 86—8027
Michael, S., Andresakis, P. Digitally controlled 'programmable' active filters 87—5963
Michael, S., Gariano, P., Jr. Micro and macromodeling of integrated operational amplifiers and their use in developing and evaluating new composite opamps 86—57689
Michael, S., Gariano, P., Jr. Optimization of high-speed, high-accuracy integrated operational amplifiers 86—57690
Michael, S., Gariano, P., JR. Applications of precision, high-slew rate op amps in active networks 86—57695
Michael, S., Gariano, P., Jr. A novel design of a sample and hold circuit utilizing composite op amps 87—10708
Michael, S., Mikhael, W.B. High frequency filtering and inductance simulation using new composite generalized immittance converters 86—62696
Michael, S., Mikhael, W.B. Inverting integrator and active filter applications of composite operational amplifiers 87—59197
Michael, S. *see* Cristi, R. 88—5710
Michael, S. *see* Mikhael, W.B. 87—59196
Michael, T.S. *see* Brualdi, R.A. 88—49667
Michael, W. *see* Shoemaker, G.H.N. 86—38710
Michael, W.T. *see* Avant, R.L. 86—7988
Michael, W.T. *see* Shortt, D.J. 86—12115, 87—71253
Michael King, W. Systems response to electrostatic discharge: applications of impulse waveform research toward evaluation of product performance 88—49509
Michaeli, A. Comments on 'First-order equivalent current and corner diffraction scattering from flat plate structures' by F.A. Sikta, et al 85—2534
Michaeli, A. Comments on 'plane-wave diffraction by a wedge—a spectral domain approach' 85—13070
Michaeli, A. Correction to 'Equivalent edge currents for arbitrary aspects of observation' 85—35968
Michaeli, A. Contribution of a single face to the edge diffracted field 85—35985
Michaeli, A. A new asymptotic high-frequency analysis of electromagnetic scattering by a pair of parallel wedges: closed form results 86—22654
Michaeli, A. High-frequency backscatter from a finned cylinder at grazing incidence—comparison of two theoretical methods 86—48553
Michaeli, A. Elimination of infinities in equivalent edge currents. I. Fringe current components 86—68695
Michaeli, A. Elimination of infinities in equivalent edge currents. II. Physical optics components 87—2352
Michaeli, A. Equivalent currents for second-order diffraction by the edges of perfectly conducting polygonal surfaces 87—39347
Michaeli, A. A uniform GTD solution for the far-field scattering by polygonal cylinders and strips 88—8440
Michaeli, A., Tiberio, R., Kouyoumjian, R.G. Comments on 'Calculation of the high-frequency diffraction by two nearby edges illuminated at grazing incidence' [by R. Tiberio and R.G. Kouyoumjian, with their reply] 86—36684
Michaelides, E.E., Shafaie, F.F. A numerical study of geothermal well flow with salts and noncondensables present 87—4603
Michaelides, N.G. 1 GHz millivoltmeter 87—35114
Michaelis, B. Opto-electronic measuring devices with integrated microcomputer 88—36236
Michaelis, B. *see* Banse, W. 85—4242
Michaelis, B. *see* Heimburger, T. 87—51855
Michaelis, B. *see* Holub, H. 87—3413
Michaelis, E.G. *see* Kernel, G. 86—44601
Michaelis, E.G. *see* Zavrtanik, D. 85—20814
Michaelis, J. Use of quantitative ECG analysis for early detection and prediction of coronary heart disease 85—64598
Michaelis, J., Lippold, R., Gluck, E., Scheidt, E., Schindler, W. Prognostic value of quantitative ECG analysis 85—9197
Michaelis, J.G. A remote controlled audio mixer using digital control 85—47745
Michaelis, M. Low-cost crystal tester 85—56049
Michaelis, M. Simple capacitance meter 86—18016
Michaelis, M. Folded coaxial dipole 87—2368
Michaelis, M. Semiconductor tester 88—11714
Michaelis, M.M., Bhagwandin, N., Cunningham, P. Flame focusing of laser beams and refractive fringe formation 85—29892
Michaelis, M.M., Notcutt, M., Cunningham, P.F. Drilling by gas lens focused laser 87—2244
Michaelis, M.M. *see* Cunningham, P.F. 87—19115
Michaelis, R. *see* Blain, T. 86—57560
Michaelis, W. *see* de Boer, H. 88—29200
Michaelis, W. *see* Heinrich, H.-J. 86—12196
Michaelis, W. *see* Lahmann, W. 86—12197
Michaels, H.G. Disaggregating end-use consumption from utility bills [electricity tariffs] 85—21140
Michaels, H.G. *see* Johnson, D.E. 86—25528
Michaels, I. Focus on high-resolution color CRTs 86—31492
Michaels, I. Focus on ZIF and LIF connectors 86—53117
Michaels, I. Time-domain reflectometers tackle fiber-optic cabling 86—68245
Michaels, I. Resistor networks 87—24490
Michaels, J. There's safety in standards [T1 networks] 88—41213
Michaels, J.F. Application of electromagnetic environment simulation to radar performance testing, operability assessment and training 86—17494

Michaels, L. Modular circular connectors for the industrial environment 88−12682
Michaels, L.A. *see* Wieselthier, J.E. 88−46342
Michaels, R. *see* Harigel, G. 87−26486
Michaels, R. *see* Saltzberg, B. 86−44663
Michaels, S.R. Watch for superposition errors in data-converter applications 85−864
Michaels, S.R. Test whether a noise source is Gaussian 87−29275
Michaelsen, R., Seidel, E. Modification of the VICKSI beam profile monitor system for application at low beam intensities 88−54081
Michaelsen, R. *see* Arndt, P. 88−53976
Michaelsen, R. *see* Busse, W. 86−55918
Michaelsen, R. *see* Martin, B. 85−59050, 88−53977
Michaelsen, R. *see* Renner, D. 88−47763
Michaelson, G.G. *see* Garratt, P.W. 85−46980
Michaelson, H.B. Teaching engineering students to communicate [engineering education] 85−5670
Michaelson, H.B. Teaching engineering students to communicate 85−5685
Michaelson, K. The TAU SPC-3000 antenna tuning unit 85−30124
Michaelson, K. The Tono Theta-9100E communications terminal: a user's review 86−23688
Michaelson, K. The Trio R-2000 86−30671
Michaelson, K. A user review of the Icom IC-R71E general coverage receiver 86−49454
Michaelson, K. ASTRID [for OSCAR] 86−59822
Michaelson, K. Icom IC-735 HF transceiver 87−3072
Michaelson, K. PW review: POCOMTOR AFR-2010 RTTY all-mode decoder 87−7984
Michaelson, K. FAX reception−the professional way 87−13314
Michaelson, K. A beginners' modem for RTTY 87−34252
Michaelson, K. The ICOM IC-48E 87−40754
Michaelson, K. Trio TS-440S all-band transceiver 87−40756
Michaelson, K. The Icom IC-28E 2m FM mobile transceiver 87−56008
Michaelson, K. The WSR 524 87−57368
Michaelson, K. The Icom IC-R7000 87−69892
Michaelson, K. Yaesu FT-767GX HF transceiver 87−69932
Michaelson, K. Icom IC-751A HF transceiver 87−76591
Michaelson, K. The MFJ-1274 TNC 2 packet radio 87−76592
Michaelson, K. The Trio TS-430S: an owners review 88−9443
Michaelson, K. Icom IC-761 HF transceiver 88−28715
Michaelson, K. MS 1 monitorscope 88−36127
Michaelson, K. The Spacetech WXSAT weather satellite receiving station 88−46968
Michaelson, K. The Kenwood TS-140S [HF transceiver] 88−67226
Michaelson, K. Alinco ALD-24E VHF/UHF dual band FM transceiver 88−73810
Michaelson, K. The Yaesu FT-736R transceiver: a user review 88−73812
Michaelson, P.F., Mains, E.F., Mischler, W.R., Philips, D.A. Use of Nb_3Sn tape for A 15 TESLA, 50 mm bore solenoid magnet system 86−42161
Michaelson, S.M., Lin, J.C. Biological effects and health implications of radiofrequency radiation 88−6098
Michaelson, S.M. *see* Roberts, N.J., Jr. 85−4376, 85−48344
Michaelson, S.M. *see* Williams, W.M. 85−4377
Michaescu, S. Sequential analysis of defects appearing during electrical machine flux production 87−78656
Michailov, A., Milev, D. A method for automatic speaker recognition with personal computers 88−40877
Michailov, B.P., Kadyrbaiev, A., Hutka, P., Kovac, P. The contribution to the investigation of structure superconducting Nb_3Sn phase with Zr addition in the multifilamentary superconductors 88−26691
Michailov, M.N., Trifonov, A.I., Troshev, T.M., Falomkin, I.V., Hristov, V.Y., Shcherbakov, Y.A., Yanev, T.B. Streamer spectrometer for the investigation of rare reactions with neutrons 85−52990
Michailov, N. Design of ring cavities for CW passively mode-locked dye lasers 88−45496
Michailov, N., Deligeorgiev, T., Tyutyulkov, N. Broadband tuned c.w. dye laser emission in xanthylium salt 87−46807
Michailov, V.P. *see* Demchouk, M.I. 85−62546
Michal, D.P. *see* Garber, I.D. 88−67354
Michal, H. *see* Gaul, H. 88−30847
Michal, R. *see* Gengenbach, B. 85−53781 to 53783
Michal, R. *see* Huck, M. 85−32640
Michal, R. *see* Jager, K.-W. 88−55525, 88−75857
Michal, R. *see* Mayer, U. 86−33566
Michal, R.J., Udd, E., Theriault, J.P. Derivative fiber-optic sensors based on phase-nulling optical gyro development 88−16132
Michal, R.J., Udd, E., Theriault, J.P. Utilization of acousto-optic frequency shifters in fiber-optic Sagnac sensors 88−40028
Michal, R.J., Udd, E., Theriault, J.P. Nonreciprocal effects due to the acousto-optic modulator used in fiber-optic sensors 88−45124
Michal, R.J. *see* Higley, S.E. 88−42145
Michal, R.J. *see* Otaguro, W.S. 87−41499
Michal, R.J. *see* Udd, E. 85−24294, 88−47547
Michal, T. *see* Jerzy, N. 87−43104
Michalec, R. *see* Mikula, P. 86−5708
Michalecki, R.A. Voice mail halts messaging hangups 85−42167
Michalek, J. Normal covariances 88−49639
Michalek, J. *see* Klima, P. 87−68250
Michalek, J.E. *see* Gupta, R.C. 85−54200
Michalek, K. *see* Leigh, R.W. 86−66352
Michalek, V. *see* Vrba, K. 85−26264
Michalev, M.A., Yordanov, O.I., Nachev, I.S. Statistics of the specular points on the ocean surface 87−75393
Michalicka, L. Some notions from the recent development of Czechoslovakian solar equipment for the heating of service water 88−11398
Michalik, D. *see* Hulin, I. 86−5953
Michalik, H. *see* Krahn, E. 86−69354
Michalik, K., Zieleniewski, W. Record of the power network 86−25573
Michalik, M., Shier, D.A. Simulation of intermittent ground faults in the model of medium voltage cable networks of low ground fault current 87−50780
Michalina, J. *see* Mary, L. 87−52649
Michalina, J.-C. *see* Barazesh, B. 88−56664
Michalina, J.C. *see* Barazesh, B. 87−44932
Michalina, J.C. *see* Laborie, J.L. 87−17136
Michalina, J.C. *see* Mary, L. 87−27539, 87−37382
Michalk, C. *see* Nauber, P. 86−53886
Michalka, T.L., Meindl, J.D. Modeling silicon consumption in a repairable wafer scale integration system 86−67939
Michalka, T.L., Meindl, J.D. Modeling delay as a function of cell size in a wafer scale system 87−1641
Michalka, T.L. *see* Gardent, D.S. 85−34876
Michalka, T.L. *see* Gardner, D.S. 85−40663, 85−50459, 86−21460, 86−28445
Michalke, M. Problems of computer aided design of complete three-phase drives 87−43501
Michalkiewicz, M. *see* Nowacki, Z. 86−61611
Michalna, J.C. *see* Barazesh, B. 86−69506
Michalon, A. *see* Anguilar-Benitez, M. 87−71031
Michalon-Mentzer, M.E. *see* Anguilar-Benitez, M. 87−71031
Michalopoulos, A.P. *see* Gueraud, R. 85−38634
Michalowicz, A. *see* Bussiere, A. 87−29510
Michalowicz, A. *see* Bystricky, J. 86−5671
Michalowicz, A. *see* Ditta, J. 86−5795
Michalowski, J. *see* Dulinski, W. 87−21431
Michalowski, R.W. *see* Remen, S.J. 88−5561
Michalowski, S. Progress towards a robotic aid for the severely disabled 88−61470
Michalowski, S.J., Leifer, L.J., Van der Loos, H.F.M. Computer configuration for a robotic manipulation aid 87−14917
Michalowski, S.J. *see* Leifer, L.J. 85−38187, 87−14916
Michalowski, S.J. *see* Van der Loos, H.F.M. 87−21638
Michalsk, K.A., Smith, C.E. Analysis of a horizontal two-element antenna array above a dielectric halfspace 85−57108
Michalska, M. *see* Helsztynski, J. 86−16110
Michalski, A. Analysis of the main sources disturbing electromagnetic flow measurement in rivers 87−77889
Michalski, A. Application of the weight vector to the problems of electromagnetic measurements of mean flow velocity in open channels 88−29706
Michalski, A., Sikora, J., Wincenciak, S. Optimal shape design of an electromagnetic flow gauge 88−53934
Michalski, A. *see* Chwaleba, A. 85−43133
Michalski, A. *see* Rosinski, A.T. 86−892
Michalski, B., Berger, W. Level measurement by transit time of ultrasonic waves 85−4164
Michalski, C. *see* Kulaszewicz, S. 87−46640
Michalski, G. *see* Kowalewicz, P. 85−43080
Michalski, K.A. On the efficient evaluation of integrals arising in the Sommerfeld halfspace problem 85−57105
Michalski, K.A. The mixed-potential electric field integral equation for objects in layered media 86−3634
Michalski, K.A. Missing boundary conditions of electromagnetics 86−68676
Michalski, K.A. On the scalar potential of a point charge associated with a time-harmonic dipole in a layered medium 88−27376
Michalski, K.A., Butler, C.M. Evaluation of Sommerfeld integrals arising in the ground stake antenna problem 87−27000
Michalski, K.A., Nevels, R.D. On the use of the Coulomb gauge in solving source-excited boundary value problems of electromagnetics 88−72471
Michalski, K.A., Zheng, D. Analysis of wire antennas of arbitrary shape residing in contiguous half-spaces 87−47326
Michalski, K.A. *see* Karunaratne, M.D.G. 85−35987, 86−3471
Michalski, K.A. *see* Karwowski, A. 87−75566, 88−21011
Michalski, L., Borowik, L. Continuous determination of the temperature at the inaccessible parts of electroheat plants [temperature measurement] 86−5559
Michalski, L., Grzegory, M. Non-linear PID temperature controller for electric furnaces 87−43652
Michalski, L. *see* Volltrauer, H. 87−16052
Michalski, M. *see* Kowalik, W. 87−74762
Michalski, R., Rotter, S. Up-to-date experience in the selection of rotors of synchronous motors 85−9858
Michalski, R. *see* Ceglineski, W. 85−9943
Michalski, R.A. *see* Cohen, M.F. 85−59960
Michalski, S., Sikorski, Z., Kolenda, C. Impulse fault location unit for PLK-11 type cable lines 88−10912
Michalski, S. *see* Hickiewicz, J. 85−9905, 87−42986
Michalski, W. An experiment with continuous-pulsed excitation of a conventional low-power CO_2 gas laser 86−68458
Michalski, W. Phenomena in a CO_2 discharge plasma during continuous-pulsed excitation 86−68459
Michalski, W. Power transmission system of machine-valve cascade with power control of inverter 87−42428
Michalski, W., Percak, H., Pienkowski, J. A laboratory model of a low power continuous-wave CO_2 molecular laser with frequency and output power stabilization 88−51746
Michalski, W. *see* Koczara, W. 86−19387, 87−22571
Michalski, Z. Design centering, tolerancing, and tuning an algorithm for linear networks 86−46507
Michalski, Z. *see* Klimkiewicz, W. 86−46954
Michalsky, J., Harrison, L., LeBaron, B. Empirical corrections to a rotating shadowband silicon cell pyranometer 88−18085
Michalsky, J.J., Berndt, J.L., Schuster, G.J. A microprocessor-based rotating shadowband radiometer 86−50109
Michalsky, J.J., Harrison, L., LeBaron, B.A. Empirical radiometric correction of a silicon photodiode rotating shadowband pyranometer 87−71359
Michard, J., Testud, G. Apparent accelerating time of an electrical network: contribution to its experimental determination 85−26943
Michau, J.C., Pichard, B., Soirat, J.P., Spiro, M., Vignaud, D. The performance of a UV sensitive multiwire proportional chamber filled with TMAE 86−44559
Michau, J.C. *see* Benvenuti, A.C. 85−15254
Michau, J.C. *see* Deiters, K. 88−68308
Michau, V., de Rougemont, F., Frey, R. Tunable and high-energy Q-switched operation of an alexandrite slave ring laser 86−42500
Michau, V., de Rougemont, F., Frey, R. Mirror number dependence in a prism- or grating-tuned ring laser cavity 86−63841
Michau, V. *see* de Rougemont, F. 85−56809
Michaud, A. *see* Tetu, M. 86−38500
Michaud, A. *see* Villeneuve, B. 85−17809, 85−23116
Michaud, F.D. Estimating thermal distortion of monochromator crystals 86−60666
Michaud, F.D. *see* Bartlett, R.J. 87−14817, 88−47821
Michaud, F.D. *see* Trela, W.J. 88−48051
Michaud, J.-G. *see* Lynch, D. 86−10846
Michaud, J.C. *see* English, G.W. 87−79082
Michaud, J.F. *see* Roche, D. 86−35533
Michaud, P. *see* Grimaldi, J.-L. 87−70252
Michaux, T., Driessens, E. An accurate current-injected modeling approach for switching DC-DC converters 87−73307
Michaux, T., Driessens, E. New high performances modeling and regulation method for DC-DC converters 88−69570
Micheel, H.J. Search coils with inductance coupling in the negative feedback loop as magnetic field probes of high sensitivity 87−56637
Micheels, R.H., Vayman, Z., Hanoka, J.I. Measurement of diffusion length gradients in hydrogen passivated silicon ribbon 85−34459
Michejda, J., Kim, S.K. A precision CMOS bandgap reference 85−28344
Michejda, J.A. *see* Weston, H.T. 88−56568
Michel, A. Current import and export in Switzerland. [electricity supply industry] 85−64784
Michel, A. The quantification of qualitative aspects: a problem of perception and communication 88−31534
Michel, A., Davenport, J.L., Clemson, C.S., Cain, W.E. Developments in circuit breaker technology 86−56929
Michel, A., Hollingworth, G. Ring main distribution−witnessing the evolutionary process [switchgear] 86−56917

Michel, A., Hollingworth, G. Ring main distribution—witnessing the evolutionary process 86—70990
Michel, A. *see* Clayton, S. 88—57418
Michel, A. *see* Gelpey, J.C. 87—53335
Michel, A. *see* Pogran, K.T. 88—22044
Michel, A.E. Diffusion modeling of the redistribution of ion implanted impurities 87—6562
Michel, A.E., Rausch, W., Ronsheim, P.A., Kastl, R.H. Rapid annealing and the anomalous diffusion of ion implanted boron into silicon 87—32388
Michel, A.E. *see* Arienzo, M. 86—46379, 87—5450
Michel, A.E. *see* d'Heurle, F.M. 88—44705
Michel, A.E. *see* Hodgson, R.T. 85—1449
Michel, A.E. *see* Rupprecht, H.S. 85—45562
Michel, A.E. *see* Sedgwick, T.O. 86—8974
Michel, A.N., Miller, R.K. Stability analysis of discrete-time interconnected systems via computer-generated Lyapunov functions with applications to digital filters 85—55041
Michel, A.N., Oppenheimer, E.P. Application of internal analysis techniques to the parameter tolerance problem for linear dynamical systems 87—36563
Michel, A.N., Vittal, V. Power systems transient stability analysis: Lagrangian formulation 85—53275
Michel, A.N., Vittal, V. On the mechanisms of transient instability of power systems: improved results 86—12242
Michel, A.N., Vittal, V. On the mechanism of transient instability of power systems 86—50772
Michel, A.N., Vittal, V. Stability and security assessment of a class of systems governed by Lagrange's equation with application to multi-machine power systems 86—56307
Michel, A.N. *see* Erickson, K.T. 85—17722, 85—34070 to 34071
Michel, A.N. *see* Vittal, V. 86—65591, 87—71621
Michel, B. Heat without detours [electric water heating] 85—49204
Michel, B. Electron-pion separation in a highly segmented electromagnetic calorimeter designed for the ALEPH experiment 88—22948
Michel, B. *see* Bers, K. 87—64339
Michel, B. *see* Kampfe, B. 88—12101
Michel, B. *see* Quenet, J.F. 87—42626
Michel, C. The multi-norm RGB colour chip 85—58314
Michel, C., Emling, H., Grosse, E., Azgui, F., Grein, H., Wollersheim, H.J., Gaardhoje, J.J., Herskind, B. Monte Carlo simulation of complex germanium detector systems and Compton suppression spectrometers 87—3917
Michel, C., Grosse, E., Noll, H., Dabrowski, H., Heckwolf, H., Klepper, O., Muller, W.F.J., Stelzer, H., Brendel, C., Rosch, W. Large solid angle detector for hard photons and neutral pions from nucleus-nucleus collisions below 100 MeV/u 86—38721
Michel, C., Raveau, B. Mixed-valence copper oxides can be used as electrodes for capacitors 87—52910
Michel, C. *see* Bouchikhi, B. 87—1334, 87—67010, 87—67012, 87—67020
Michel, C. *see* Dubots, P. 88—26695
Michel, C. *see* Emling, H. 86—70364
Michel, C. *see* Guiheneuc, P. 88—4961
Michel, C. *see* Haussonne, J.M. 88—31867
Michel, C. *see* Saran, M. 87—34940
Michel, C. *see* Wong, W. 87—50131
Michel, C.G., Vendura, G.J., Jr., Marek, H.S. The effect of crystal defects on the performance of GaAs solar cells 87—78919
Michel, C.G. *see* Schachter, R. 86—47330
Michel, D. *see* Landau, P. 87—66327
Michel, E.G., Oellig, E.M., Asensio, M.C., Miranda, R. Alkali-induced oxidation of silicon 88—26087
Michel, E.G. *see* Asensio, M.C. 88—13115
Michel, E.G. *see* Oellig, E.M. 87—60317
Michel, F., Chiarelli, G. Development studies for fast breeder reactor fuel 88—30519
Michel, G. Florida Power and Light Company Flagami substation photovoltaic project 86—39635
Michel, G. *see* Berge, J.M. 85—35140
Michel, G. *see* Dang, M. 87—824
Michel, H., Utner, F. MKT chip capacitors suitable for dip soldering 86—8531
Michel, H. *see* Reichelt, A. 85—14266
Michel, J. Higher education and industry: towards a new partnership for improving engineering education 86—40406
Michel, J. *see* Giakoumis, A. 85—49754
Michel, J. *see* Mayousse, C. 88—32455
Michel, J.P. 8-bit D/A and A/D video convertors 86—52892
Michel, J.P. 8 bit converters for video applications 87—10935
Michel, J.Saint *see* Saint Michel, J.
Michel, M. *see* Eggert, B. 85—27487, 87—22511
Michel, M. *see* Weber, J. 86—20262
Michel, N. *see* Repperger, D.W. 86—11929
Michel, P., Baschwitz, R. COGEMA's international experience in processing uranium ores 86—40360
Michel, P., Horninger, K., Muller-Schloer, C. Development of custom integrated circuits. II. Importance and function of the cell library 85—11154
Michel, P. *see* Birzele, P. 88—20091
Michel, P. *see* Buurma, G 87—59380
Michel, P. *see* Duzy, P. 88—57721
Michel, P. *see* Holzapfel, H.P. 87—16999
Michel, R., Benistan, G. Land and submarine cables and work at sea [HVDC link] 86—18725
Michel, R. *see* Bohme, H. 86—15306
Michel, R. *see* Shitz, S. 87—54803
Michel, R.J. Radiation effects in optical fiber 87—18700
Michel, W. Root-mean-square-meter with digital display for battery instruments 87—3643
Michel, W. Digital peak meter 87—49817
Michel, W.L. *see* Ungrin, J. 86—5647
Michel-Piper, I. *see* Eberle, H. 88—68300
Michelangeli, G.Benedetti *see* Benedetti Michelangeli, G.
Michelangeli, G.Beneditti *see* Beneditti Michelangeli, G.
Michelato, A. *see* Medeot, N. 85—21001
Michelato, P. *see* Acerbi, E. 85—58995
Michelberg, D. Logic cell array application example: keyboard controller 88—651
Michele, F. Circuit increases frequency to ×1000 86—14422
Michele, F. Voltage/current converter with adjustable conversion factor 86—52992
Michele, F. Two methods of automatic circuit board tests 88—50483
Michele, G.de *see* de Michele, G.
Michelet, J.P. *see* Thual, M. 88—31864
Michelet, R.W. Evaluating the half-bridge inverter circuit at high frequencies with CAE tools 88—11312
Michelet, R.W. Advantages of using real B-H loops in power supply SPICE simulations 88—24979
Michelet, R.W. Using CAE tools to evaluate the inverter section of the half bridge switcher 88—30930
Michelet, R.W. *see* Berkowitz, P.R. 85—32627, 85—57655, 86—51782
Micheletti, F.G. *see* Ricciardi, G. 88—40447
Micheletti, G., Todescato, P., Morandi, C., Omicciooli, A. On the design of easily testable LFSR counters for frequency division 88—12307
Micheletti, P.E. *see* Florian, J.R. 85—18398
Micheletti, R. Power measurement using a microprocessor based system 86—70730
Micheletti, R. *see* Barsotti, R. 86—45033
Micheletti, R. *see* De Carli, A. 88—69616
Micheletti, W.C., Chow, W., Aronson, J.T., Litherland, S.T. Cooling water treatment field testing for scaling control [power plants] 86—33123
Michelfelder, J. *see* Polsler, W.D. 85—14743
Micheli, A.L. *see* Mantese, J.V. 88—64978
Micheli, E.De *see* De Micheli, E.
Micheli, F., Boyd, I.W. Mechanisms of photon enhanced oxidation of silicon 87—25152
Micheli, F., Boyd, I.W. Laser microfabrication of thin films. I 87—25445
Micheli, F., Boyd, I.W. Laser microfabrication of thin films. II 87—36781
Micheli, F., Boyd, I.W. Laser microfabrication of thin films. III 87—36782
Micheli, F., Boyd, I.W. Photon-controlled oxidation of silicon 88—1524
Micheli, F. *see* Boyd, I.W. 87—38111
Micheli, G.De *see* De Micheli, G.
Micheli, M.de *see* de Micheli, M.
Micheli, M.P.de *see* de Micheli, M.P.
Micheli-Tzanakou, E. *see* Orfanidis, S.J. 88—54579
Micheli-Tzanakou, E. *see* Wolpert, S. 87—3927
Michelin, J.L., Masson, P. Strapdown inertial systems for tactical missiles using mass unbalanced two-axis rate gyros 85—4417
Michelini, A. *see* Badier, J. 86—70290
Michelini, A. *see* Costantini, F. 85—9038
Michelini, A. *see* Fischer, H.M. 87—21417
Michelini, R.C., Rossi, G.B. Interactive computer aided testing code for the identification of vibrating systems 87—3813
Michelini, R.C., Rossi, G.B. Computerised test-schema for the motion recognition and evaluation of a dynamic system 88—16488
Michelini, R.C., Rossi, Z.G.B. Computerized test-schema for high-accuracy measurements 87—3395
Michelis, B.De *see* De Michelis, B.
Michelis, F.de *see* de Michelis, F.
Michelizzi, C., Tarli, R., Arisi, S., Zavattarelli, R. Temperature monitoring of exposed superheater and reheater tubes of large fossil-fired boilers: a new permanent system with long life and high reliability characteristics 87—64423
Michell, A.K. Moisture measurement in gases—capacitative and cooled mirror measuring techniques 86—5607
Michell, J.A., Buron, A.M. A set of software tools for testing MOS digital circuits by data compression 86—14108
Michell, J.A. *see* Ruiz, G. 88—7750
Michell, J.A. *see* Solana, J.M. 86—14107, 86—27218
Michelotti, L. Aligning saver magnets with singular value decomposition 85—26541
Michelotti, L. Introduction to the nonlinear dynamics arising from magnetic multipoles 87—50060
Michelotti, L. Combing multipole data 88—54057
Michelotti, R.A., Tennant, R.A., Bultman, N.K., Uher, J.L., Brewton, R.J., Mayer, A. Materials considerations for a high power-density accelerator 86—31992
Michels, B. For use with high-speed digital systems: PCB connectors with optimum HF characteristics 88—57156
Michels, D. *see* Saks, N. 86—5111
Michels, D.J. *see* Bosiers, J.T. 86—47617
Michels, D.J. *see* Peckerar, M.C. 87—49505
Michels, H.H. *see* Meinzer, R.A. 86—3065
Michels, J. *see* Cha, C.-C. 88—60228
Michels, P.H. *see* Leung, E.M.W. 88—45027
Michels, P.H. *see* Parmer, J.F. 88—65995
Michelsen, C., Dreicer, J., Morgeson, D. Strategic Engagement Analysis Tool (SEAT) 88—75030
Michelsen, R.W. *see* Bennett, R.L. 86—49409
Michelson, A. Automatic optical inspection for PCB manufacturing 85—34321
Michelson, A.M., Tsang, W.L., Levesque, A.H. Performance results for a concatenated code on the DPSK channel 86—29749
Michelson, D. *see* Enegren, T. 86—31796
Michelson, D. *see* Marsh, J.F. 88—58805
Michelson, L.P. *see* Laxminarayan, S. 86—50589
Michelson, S. Improved sound for filmmakers using One Pass system 85—26106
Michenaud, J.P. *see* Locatelli, M. 88—53667
Michener, J.R. High precision electron beam positioning using computer image analysis for electron beam testing 88—39588
Michener, J.R. *see* Immorlica, A.A., Jr. 86—15178
Michenko, I.S., Mitrofanov, A.V., Shilov, Yu.M. An adaptive compensator of a single-wire communication line 86—48628
Micheron, F., Broussoux, D., Richard, B. X-ray image sensors using a photoconductor and an optical addressing or read-out technique 88—10035
Micheroni, V.J. *see* Harrington, E.A. 86—43433
Michette, A. *see* Cheng, P.C. 86—60686
Michev, T. *see* Vana, N. 85—38273
Michida, J. *see* Uchimura, K. 87—59283, 88—63582
Michie, R.B., Mitrovich, D., Felber, F.S., Vomvoridis, J. A slow-wave ECM with axial injection 85—2338
Michie, R.B., Vomvoridis, J. Generation of microwaves by a slow wave electron cyclotron maser with axial injection 85—23358
Michie, W.C. *see* Grant, M.A. 87—56167
Michiel, H., Davis, E.A., Adriaenssens, G.J. Tail-state distribution and extended-state mobility in a-Si:H 86—27908
Michiel, H. *see* Adriaenssens, G.J. 88—2099
Michiel, H. *see* Davis, E.A. 86—1743
Michiel, H. *see* Seynhaeve, G. 86—2930
Michiel, H. *see* Symons, J. 88—44748
Michieli, M. *see* Brambilla, M. 86—17027
Michiels, E. The Dutch interbank computer network 88—21615
Michiels, J. *see* Barbe, A. 85—47860
Michielsen, B.L. A new approach to electromagnetic shielding 86—15958
Michielsen, B.L. On the transition operator of a transmission line; crosstalk, irradiation and radiation problems 88—2651
Michigami, N., Satoh, H., Sasaki, T. Production and supply control system at Tokyo Gas Co. Ltd 85—33121
Michigami, T. *see* Sugitate, T. 86—44555
Michiguchi, Y., Horamoto, K., Nishi, M., Takahashi, F., Ohtaka, T., Okada, M. Development of signal processing methods for imaging buried pipes 87—42211
Michii, K. *see* Sato, H. 86—1180
Michijima, M. *see* Miyake, H. 87—57046
Michijima, M. *see* Oda, K. 87—50444
Michikami, O., Tanabe, K., Kato, Y., Takenaka, H. Nb and Nb-based A15 compound tunnel junctions fabricated using a new CF_4 cleaning process 85—56183
Michikami, O. *see* Asano, H. 85—41049, 86—42170, 86—48004
Michikami, O. *see* Katoh, Y. 88—1906, 88—13765, 88—58034
Michikami, O. *see* Tanabe, K. 85—18599, 86—15422, 86—36094
Michikawa, T. *see* Takami, Y. 87—41894
Michimasa Matsuo *see* Oshita, H. 88—4908
Michimori, M. *see* Inoue, K. 87—58974
Michioka, R. *see* Yamazaki, I. 87—2885
Michishita, A. *see* Kuita, T. 87—4415
Michishita, H. *see* Aiya, T. 86—30444
Michishita, S., Gappa, T. CMOS gate array with auto-diagnostic function 87—37160
Michler, W., Bernstorff, P., Rost, H.-P. The realisation of the new network management system in the new network control centres of PreussenElektra 88—48466

Michna, B. A universal LCD graphic controller 86−11449
Michniewicz, M. *see* Bieman, L.H. 88−53870
Michniewicz, M. *see* Harding, K.G. 88−52560
Michniewski, R. Improvement of the low voltage network availability in the power region of ZE Torun 88−5338
Michnowicz, J. *see* Popczyk, J. 86−18798
Michols, A.D. *see* Kozma, A. 87−63931
Michon, G.J. *see* Pimbley, J.M. 87−41372, 88−64663
Michon, J.-C. *see* Ladame, M. 86−23325
Michon, R., Fournier, D., Bouquet, G., Parant, J.M. PRAO−computer-aided network planning 88−17098
Michon, R. *see* Meslier, F. 87−30178
Michon, S., Magimel Pelonnier, V., Perez, J.C. Holography and image analysis to test IBM modules airproofness 88−31502
Michon, V. Interaction: from videotex to the three-dimensional picture 86−65058
Michopoulos, J.G. *see* Sih, G.C. 86−26952
Michotte, D. *see* Binon, F. 86−65395
Michoudet, C. *see* Jossinet, J. 86−11980
Michoux, H. *see* Marcon, J.-P. 87−64310
Michov, P. *see* Dimov, V. 88−22584
Michowski, K. Computer-aided design of thermistor networks for temperature compensation of crystal oscillator frequency using several nonlinear programming methods 86−57590
Michta, E. *see* Bolikowski, J. 87−4141
Micic, A. Microcomputer based generator of medical therapy currents 87−14914
Micinilio, J.P. *see* Hmurcik, L.V. 87−23045
Mick, B. ICOM IC-R7000 communications receiver 88−46845
Mick, J.R. Sharing memory resources with dual-port RAMs 86−52817
Mick, J.R. High-speed CMOS logic devices: the next generation 87−10920
Mick, J.R. FCT gives fast speed in CMOS logic 87−66070
Mick, J.R. FCT gives fast speed in CMOS logic 88−715
Mick, J.R., Miller, M.J. High-speed, high-drive CMOS technology enhances digital signal processing circuits 87−657
Mick, J.R., Miller, M.J. A powerful new architecture for a 32-bit bit-slice microprocessor 88−808
Mick, J.R., Waldo, S. Second generation bit-slice microprocessors: high performance computer ICs in CMOS technology 86−46871
Mick, J.R. *see* Miller, M.J. 86−62586
Mick, J.R. *see* Rajpal, S. 87−7654, 87−59672
Mickalonis, M. *see* Guthrie, T. 88−17476
Mickalova, L., Brichta, Z. Measurement of the deviation of the mains frequency 87−8705
Mickanin, W. *see* Mueller, M.J. 87−18233
Micke, T. *see* Pirsch, P. 87−66344
Micke, U. *see* Bakken, J.A. 85−31696, 87−35350
Mickecivius, S. *see* Galdikas, A. 86−58281
Mickel, L.S., Newman, E.E. Supporting the advanced technology airship 88−61520
Mickel, T.M. *see* Gutcheck, R.A. 86−60775
Mickelsen, R.A., Chen, W.S. Development of thin-film $CuInSe_2$ solar cells 87−72450
Mickelsen, R.A., Chen, W.S., Stanbery, B.J., Dursch, H., Stewart, J.M., Hsiao, Y.R., Devaney, W. Development of $CuInSe_2$ cells for space applications 87−9816
Mickelsen, R.A., Stanbery, B.J., Avery, J.E., Chen, W.S., Devaney, W.E. Large area $CuInSe_2$ thin-film solar cells 88−37501
Mickelsen, R.A. *see* Chen, S.W. 85−49090
Mickelsen, R.A. *see* Chen, W.S. 88−37590
Mickelsen, R.A. *see* Devaney, W.E. 88−56303
Mickelsen, R.A. *see* Stanbery, B.J. 88−37429
Mickelsen, R.A. *see* Stewart, J.M. 87−72452
Mickelson, A.R., Klevhus, O., Eriksud, M. Backscatter readout from serial microbending sensors 85−12580
Mickelson, A.R. *see* Chang, D.C. 88−27667
Mickelson, A.R. *see* Hjelme, D.R. 87−68492
Mickelson, A.R. *see* Weierholt, A.J. 88−7920
Mickelson, M.E., Larson, L.E., Fowler, J. Radiometric calibration procedures using the NBS MARBLE electronics package 86−50110
Mickens, R.E. Periodic solutions of second-order nonlinear difference equations containing a small parameter. IV. Multi-discrete time method 88−343
Mickevicius, R., Reklaitis, A. Impact-ionized electron-hole plasma instability in GaAs 85−45391
Mickevicius, R., Reklaitis, A. Electron transient response and impact-ionized plasma instability in GaAs at very high electric fields 85−55470
Mickevicius, R., Reklaitis, A. Negative dynamic differential conductivity in impact ionization conditions 86−58222
Mickevicius, R. *see* Gruzinskis, V. 88−33183, 88−39097, 88−71488
Mickle, M.H. *see* Chih-Tsong Chen 85−63080
Mickle, M.H. *see* Tan, F. 88−336
Mickle, M.H. *see* Hanham, R. *(editor)* 86−52121
Mickle, M.H. *see* Vogt, W.G. *(editor)* 85−26925
Mickleborough, L.L. *see* Parson, I.D. 87−57184
Micklesen, R.A. *see* Devaney, W.E. 87−16040
Miclet, L., Dabouz, M. Low bit rate transmission of speech by vector quantization of the spectrum 87−39704
Miclet, L., Vicard, D. A learning and decision method for the recognition of steady-state parts in continuous speech 87−47626
Miclet, L. *see* Bigorgne, D. 88−66404
Miclet, L. *see* Grenier, Y. 86−48863
Miclet, L. *see* Martelli, T. 87−61665
Miclet, L. *see* Tassy, A. 87−27313
Miclet, L. *see* Vicard, D. 87−19600
Miclos, S. *see* Lancranjan, I. 86−71118
Micocci, G., Mongelli, S., Rizzo, A., Tepore, A. Effects of exposure temperature on thermally stimulated currents in InSe single crystals 85−34542
Micocci, G., Rizzo, A., Tepore, A. Photoconductivity in halogenated and hydrogenated amorphous silicon films 85−12703
Micocci, G., Rizzo, A., Tepore, A. Trapping parameters in GaS_xSe_{1-x} solid solutions 85−61706
Micocci, G. *see* Di Giulio, M. 85−34623, 86−8877, 88−14004, 88−58049
Micollet, D., Courtois, B. Design methods of electron beam sensitive devices in NMOS and CMOS technologies 88−39688
Micollet, D. *see* Bisotto, S. 86−5415, 86−50166
Micollet, D. *see* Guiguet, I. 87−25501
Miconi, D. *see* Caratti, G. 86−33129
Miconi, M. *see* De Bonis, R. 85−19603
Micu, D. Asynchronous standard short-circuit rotor motors in controllable drives 88−69358
Micu, D., Cracea, I., Zaroni, R., Lapedatu, E. Selective protection against short-circuits of electric heating circuits of passenger cars, supplied by the CSFI 500/1000/$16^2/_3$;22 static frequency converter 88−62700
Micu, M. *see* Lapedatu, E. 88−62701
Miczaika, A. *see* Pochodzalla, J. 85−37905
Miczaika, T. *see* Burkhardt, H. 88−47997
Miczaika, Th. *see* Arnault, C. 87−14216
Miczo, A. What do you say when writing a text about test? 86−45969
Miczo, A. How do we know if the test is any good 88−55964
Miczo, A., Mohapatra, D., Perkins, S., Kaufman, K., Huang, K. The effects of modeling on simulator performance 87−44748
Miczulski, W. *see* Bolikowski, J. 87−4141
Midan, J.P. The SPOT-HRV instrument: an overview of design and performance 86−65500
Midavaine, E. *see* Dubois, A. 88−57821
Midavaine, T., Dangoisse, D., Glorieux, P. Observation of chaos in a frequency-modulated CO_2 laser 86−9928
Midboe, E.A. *see* Castellano, C.C. 85−5016
Middel, H. Cable designs at the West German Post Office 86−23904
Middelhoek, J. 25 years on. The manufacture of VLSI circuits 85−18371
Middelhoek, J. Another 25 years . . 85−35032
Middelhoek, J. *see* Oosterhoff, S. 85−50397
Middelhoek, M.G. GAARED: an interactive symbolic gate-array editor 85−55963
Middelhoek, S. Recent developments in integrated sensors 85−64145
Middelhoek, S. Silicon sensors, state of the art 87−8625
Middelhoek, S., Audet, S.A. Silicon sensors: full of promises and pitfalls 87−77208
Middelhoek, S., Hoogerwerf, A.C. Smart sensors−state of the art 85−52757
Middelhoek, S., Hoogerwerf, A.C. Smart sensors: when and where? 86−31403
Middelhoek, S., Kordic, S., de Bruin, D.W. Silicon: a promising material for sensors 85−37567
Middelhoek, S. *see* French, P.J. 88−74335
Middelhoek, S. *see* Lian, W.J. 86−50049, 86−55644
Middelhoek, S. *see* Sarro, P.M. 88−47533
Middelkoop, R. The influence of system parameters on the accuracy of a location system with direction finding stations 86−37952
Middelkoop, R. Angle-of-arrival measurements of radio waves in a land-tactical environment 88−4133
Middelkoop, W.C. *see* Brouzet, E. 88−47833
Middelveen, R. Double-stub tuning made easy by HP 41 program 87−6025
Midden, C.J.H., Daamen, D.D.L., Verplanken, B. Individual reactions to large-scale energy technologies 87−57742
Middendorf, E. The utilization of lead accumulators in rail vehicles 85−16300
Middendorf, E. The utilization of lead accumulators in rail vehicles. II 85−21785
Middendorf, M.J., Hausken, T. Observed physical effects and failure analysis of EOS/EDS on MOS devices 85−55981
Middendorf, W.H. The use of copper electrodes for the comparative tracking index test 85−55986
Middendorf, W.H. Life characteristics of medium size insulated wire subjected to short time, high current faults 85−59667
Middendorf, W.H. Effects of short-time, high-current faults on aged, insulated wire 86−47111
Middendorf, W.H. Insulation research and testing at the University of Cincinnati 87−46262
Middendorf, W.H., Stimper, K. Extraordinary electrotechnical standards in the USA [laws and economics] 85−10377
Middendorf, W.H. *see* Stimper, K. 85−1786, 88−64808
Middendorp, G.van *see* van Middendorp, G.
Middlebrook, R.D. Transformerless DC-to-DC converters with large conversion ratios 85−65365
Middlebrook, R.D. Topics in multiple-loop regulators and current-mode programming 86−7991
Middlebrook, R.D. Power filter damping 86−52996
Middlebrook, R.D. Modelling a current-programmed buck regulator 87−44562
Middlebrook, R.D. Topics in multiple-loop regulators and current-mode programming 87−65823
Middlebrook, R.D. Modelling a current-programmed boost regulator 87−65850
Middlebrook, R.D. Small-signal modeling of pulse-width modulated switched-mode power converters 88−56452
Middlebrook, R.D. *see* Cocconi, A. 85−5197
Middlebrook, R.D. *see* Dauhajre, A. 87−19159
Middlebrook, R.D. *see* Freeland, S. 87−72269
Middlebrook, R.D. *see* Hamamsy, S.-A.E. 86−34539
Middlebrook, R.D. *see* Lau, B.Y. 87−22566, 87−65855
Middlebrook, R.D. *see* Mahadevan, R. 86−56847
Middlehoek, J. *see* Hendriks, E.A. 88−33224
Middlehoek, S., Hoogerwerf, A.C. Classifying solid-state sensors: the 'sensor effect cube' 87−29095
Middlehoek, S. *see* Lian, W. 87−26215
Middleman, L. *see* Cuellar, E. 88−1932
Middleman, L. *see* Roberts, D. 88−13844, 88−47083
Middleman, L.M. *see* Gulati, S.T. 88−45114
Middleman, S. Factors that affect uniformity of plating of through-holes in printed circuit boards. II. Periodic flow reversal through the holes 86−62929
Middleman, S. Some aspects of productivity of a low pressure CVD reactor 88−6515
Middleman, S., Yeckel, A. A model of the effects of diffusion and convection on the rate and uniformity of deposition in a CVD reactor 87−10490
Middleman, S. *see* Sullivan, T. 85−55304
Middleman, S. *see* Yeckel, A. 87−66878
Middlestead, R.W., LeLevier, R.E., Smith, M.D. Satellite crosslink communications vulnerability in a nuclear environment 87−34482
Middleton, A. Noise and vibration testing of automotive components 88−37940
Middleton, A.H. Production line rotating machinery analysis 88−18455
Middleton, B. *see* Williams, E.W. 88−7789
Middleton, B.K. The status of theories of the digital magnetic recording process 85−29453
Middleton, B.K. Field distributions produced by heads of different geometries 88−44989
Middleton, B.K., Davies, A.V. Gap effects in head field distributions and the replay process in longitudinal recording 85−35313
Middleton, B.K. *see* Hudson, V.N. 86−38157
Middleton, B.K. *see* Loze, M.K. 86−36048
Middleton, B.K. *see* Noyau, R.H. 88−44987, 88−57973, 88−64928
Middleton, B.K. *see* Wright, C.D. 85−29448, 86−15377, 86−28664
Middleton, D. Threshold signal and parameter estimation in non-gaussian EMC environments 86−16486
Middleton, D. Effects of narrow-band filters on the output envelopes and phases of joint AM-FM inputs: an analytical extension of the Bedrosian-Rice formulation 86−69065
Middleton, D. Non-Gaussian random field models for telecommunications, scattering, and remote sensing 87−51942
Middleton, D. Threshold vector field detectors 87−55182
Middleton, D. Channel modeling and threshold signal processing in underwater acoustics: an analytical overview 87−69105
Middleton, D. Threshold vector field detectors: a formulation for EMC applications 88−3072
Middleton, D., Mellen, R.H. Wind-generated solitons: a potentially significant mechanism in ocean surface wave generation and surface scattering 86−32562
Middleton, F. *see* Hansen, R.W.C. 88−42369
Middleton, F.A. *see* Das, S. 85−47321
Middleton, F.A. *see* Hargrave, F. 86−54676
Middleton, J. Receiver commands high resolution [2382 spectrum analyzer] 86−17887
Middleton, J. Digital processing powers RF analyser. I 86−24438
Middleton, J. The 2382 spectrum analyzer. III. Analyzer's display traces RF spectrum 86−31300
Middleton, J. In praise of spectrum analyzers 86−31319

Middleton, J. Field strength prediction methods and data logging techniques in relation to mobile radio services 86−48595

Middleton, J. The effects of harmonic radiation from digital picture processing equipment on international distress services 87−12762

Middleton, J. Improved prediction for VHF/UHF mobile reception in urban areas 87−47206

Middleton, J. Guidelines for successful compatibility [EMC] 88−20948

Middleton, J., Waddell, J.B. Sensitivity analysis and design optimization of beveled p-n junctions 87−37937

Middleton, J. *see* Waddell, J.B. 87−6460

Middleton, J.F. Security and intruder alarms offer increased sensitivity and flexibility 87−51815

Middleton, J.R., Cathey, S.G. A circuit analysis program for computer workstations 87−52306

Middleton, K.M. *see* Daniel, C.D. 87−25062

Middleton, L., Lovelace, R.E. Use of monopolar electrodes in automatic EMG analysis with ANOPS computer 87−3993

Middleton, N.T., Austin, B.A. Criteria in the design of electronic equipment for the South African gold mining industry 85−39546

Middleton, N.T., Morgan, P.S. The philosophy and development of electronic control systems for use in a gold mining stope 85−42920

Middleton, N.T. *see* Timm, A.R. 85−42471

Middleton, P.L. *see* Atkinson, G.M. 87−38029

Middleton, P.L. *see* Kubena, R.L. 85−1584, 85−1599

Middleton, R. A review of ion sources for accelerator mass spectrometry 85−20787

Middleton, R.H., Cantoni, A. Electromagnetic damping for stepper motors with chopper drives 87−4745

Middleton, R.J. *see* Taghizadeh, M.R. 85−2017

Middleton, T. Recycling functional test vectors: Techniques and tools for pattern conversion 86−47732

Middleton, T. *see* Lee, S.D. 85−42870

Middleton, T.R. *see* Ditchek, B.M. 88−44779

Middleton-Williams, C. The compact disc−music of today, media of tomorrow 87−70329

Midford, T.A. Solid-state, broadband power amplifiers for electronic warfare applications (Hughes Aircraft Co., Torrance, CA, USA) 85−55152

Midford, T.A. *see* Perkins, W.H. 88−44361

Midgley, D. Limits of detection of ion-selective electrodes: theory and practice 88−4685

Midgley, D., Richardson, M.D. A program for signal flow graphs (an alternative to Mason's theorem) 86−7889

Midgley, D. *see* Bliss, D.N. 86−39667

Midgley, D. *see* Kent, A.S. 85−7166

Midgley, J.H. *see* Pannell, C.N. 88−47719

Midkiff, S.F. The systematic design of VLSI systolic arrays 85−61354

Midkiff, S.F. *see* Koe, W.-Y. 88−64764

Midler, A.S. *see* Serin, E.I. 87−58405

Midock, G.E. *see* Bukowski, J.M. 86−25931

Midorikawa, K., Okada, M., Tashiro, H., Namba, S. Measurements of X-ray dose required for multiatmospheric pressure CO_2 laser discharge 86−54074

Midorikawa, K., Shimizu, K., Tashiro, H., Namba, S. High-power, line-tunable $^{14}NH_3$ and $^{15}NH_3$ lasers 86−9724

Midorikawa, K., Tashiro, H., Aoki, Y., Nagasaka, K., Toyoda, K., Namba, S. Room-temperature operation of a para-H_2 rotational Raman laser 86−15604

Midorikawa, K., Tashiro, H., Namba, S. Comprehensive study of a CO_2 laser using electrochemical transformation of organic compounds 85−7370

Midorikawa, K. *see* Aoki, Y. 86−36380

Midorikawa, K. *see* Kubomura, H. 88−72461

Midorikawa, K. *see* Shimada, T. 86−22304

Midorikawa, K. *see* Tashiro, H. 85−29925

Midorikawa, M. *see* Yamaguchi, M. 88−71870

Midoun, A. *see* Bowes, S.R. 85−44224, 86−13111, 86−61602, 88−75973

Midoz, J. *see* Dorison, E. 86−51019

Midttun, A. *see* Burns, T.R. 86−61899

Midulla, R.J., Peterson, J.D. Design and first year operational history of pollution control systems at Seminole units 1 and 2 86−33100

Midvidy, W.I. *see* Richards, D.J. 87−9326

Midwinter, J. Digital optics and optical computing 86−54548

Midwinter, J. Status and future trends in terrestrial optical fiber systems in Europe 88−9547

Midwinter, J. *see* Halley, J. 87−24908

Midwinter, J. *see* Kaiser, P. 88−9546

Midwinter, J.E. Optical fiber communications−present and future. II 85−3472

Midwinter, J.E. Coherent optical communication 85−3477

Midwinter, J.E. Optical fiber communications−present and future. III 85−8443

Midwinter, J.E. Optical fiber communications−present and future. IV 85−25900

Midwinter, J.E. Optical fiber communications−present and future. V 85−42600

Midwinter, J.E. Optical fiber communications−present and future. VI 85−42604

Midwinter, J.E. Optical fiber communications−present and future. VII 85−47537

Midwinter, J.E. Current status of optical communications technology 85−63681

Midwinter, J.E. Optical fiber communications−present and future. VIII 85−63693

Midwinter, J.E. 'Light' electronics, myth or reality? 86−15591

Midwinter, J.E. Current status of optical communications technology 86−23869

Midwinter, J.E. Current status of optical communications technology 87−28605

Midwinter, J.E. Novel approach to the design of optically activated wideband switching matrices 88−8077

Midwinter, J.E. Optoelectronics and computing 88−35467

Midwinter, J.E. Optically activated optical switching 88−67422

Midwinter, J.E. *see* Bradley, P.J. 87−38891

Midwinter, J.E. *see* Halley, J.M. 86−48497

Midwinter, J.E. *see* Parry, G. 88−4040

Midwinter, J.E. *see* Selviah, D.R. 88−20474

Midwinter, J.E. *see* Wheatley, P. 87−7438, 87−26092, 87−26228, 88−2058, 88−8009

Midwinter, J.E. *see* Wheatley, P.P. 88−20464

Midwinter, T., Huch, M., Ivey, P.A., Saucier, G. Architectural considerations of a wafer scale processor 88−33362

Mie, H.K., Ma, X.S., Kao, K.C. Optimal choice of physical parameters of the SiC semiconductor coating for corona suppression 86−70708

Mie, P.S.Rao *see* Rao Mie, P.S.

Miecielica, M. High-voltage amplifier 85−587

Miecielica, M. Some problems of the ferroelectric hysteresis loop measurement in type PZT piezoceramics 86−47905

Miecielica, M., Zaloga, R. Piezoceramics ferroelectric hysteresis loop measurements 85−4075

Miecielica, M. *see* Zaloga, R. 88−10631

Mied, R. *see* Rosenblum, L. 88−48386

Mieda, M. *see* Murakami, Y. 88−33793

Mieda, M. *see* Takahashi, A. 88−65386

Mieda, Y. *see* Yoshida, T. 88−9701

Miedaner, H. Varistor connecting leads which are too long bring problems 85−6552

Miedzialowski, C. *see* Desai, C.S. 87−52074

Miedzinski, B., Jaworski, W. An auxiliary reed-type relay 86−20888

Miedzinski, B., Kristiansen, M. Analytical and experimental investigations of reed contact bouncing 88−50465

Miedzinski, B., Okraszewski, Z., Hajducka, D., Zolnierczyk, T. The effect of contact surface conditions on reed bouncing 85−50082

Miedzinski, B., Okraszewski, Z., Hajducka, D., Zolnierczyk, T. Working conditions effect on contact bounce 87−37632

Miedzinski, B., Okraszewski, Z., Szymanski, A. Improvement of operating parameters of excavator travelling system motors 86−19695

Miege, S., Baduel, R., Martin, P., Jouga, B. An optical fiber experimental network applied to computerized office operations. Characteristics and prospects 85−14283

Miegroet, P.van *see* van Miegroet, P.

Miehe, J.A. *see* Geist, P. 86−3276

Miehe, J.A. *see* Geoffroy, B. 88−45514

Miehe, J.A. *see* Kasinski, J.J. 86−9925, 87−12416

Miehe, J.A. *see* Knispel, G. 88−35894

Miekkala, U., Nevanlinna, O. Convergence of dynamic iteration methods for initial value problems 87−67357

Mielczarski, W. Observing the state of a synchronous generator. I. Theory 87−42835

Mielczarski, W. Observing the state of a synchronous generator. II. Applications 87−42836

Mielczarski, W., Wozniak, P. Robust observer of a synchronous generator 88−37201

Mielenz, E., Tretow, U., Krieger, W., Wirth, W. 110 kV XLPE-cable with 1600 mm^2 sectional area 88−23499

Mielert, J. *see* Czepluch, H. 85−34326

Mielke, J., Schwaiger, K.-H. RDS radio data system developments and results of experiments 86−43948

Mielke, J., Schwaiger, K.-H. Progress with the RDS system and experimental results 86−65044

Mielke, J., Schwaiger, K.H. Progress with the RDS system and experimental results 87−3266

Mielke, J.J., Daughtry, V.C. Considerations in choosing a power supply and UPS 86−70722

Mielke, N., Fazio, A., Liou, H.-C. Reliability comparison of FLOTOX and textured-polysilicon E^2PROMs 88−754

Mielke, N. *see* Verma, G. 88−50150

Mielke, R.R. *see* Mazel, D.S. 85−60696

Mielke, R.R. *see* Owens, T.M. 85−5298

Mielke, U. Clinical value of cerebral impedance measurement with 6 diagrams 86−44672

Mielke, W. D2-Mac packet. New approaches. Analog-digital TV system for satellite broadcasts 87−56318

Mielke, W. D2-MAC/packet decoder for satellite broadcasting reception 88−9736

Mielke, W. Satellite TV aerials: planar vs. parabolic 88−52284

Miellou, J.-C. Asynchronous iterations and order intervals 87−23561

Mielnik, R.J. *see* Conrad, T.R. 88−49506

Mielnik, T.C. *see* Catherall, D.A. 88−10801

Mien, V.D. *see* Bich, V.T. 88−445

Mienke, R. *see* Alner, G.J. 88−10288

Mieno, F., Furumura, Y., Maeda, M. Low pressure silicon epitaxy using Si_2H_6 87−23672

Mieno, F., Furumura, Y., Nishizawa, T., Maeda, M. Selective doped polysilicon growth. Effect of carbon on the selective doped silicon film growth 88−24762

Mieno, F., Nakamura, S., Deguchi, T., Maeda, M., Inayoshi, K. Low temperature silicon epitaxy using Si_2H_6 88−18683

Mieno, F., Shimizu, A., Nakamura, S., Deguchi, T., Haga, N., Matsumoto, I., Furumura, Y., Yamauchi, T., Inayoshi, K., Maeda, M., Yanagida, K. Novel selective poly- and epitaxial-silicon growth (SPEG) technique for ULSI processing 88−38179

Mieno, F. *see* Deguchi, T. 88−39676

Mieno, F. *see* Furumura, Y. 86−62227, 87−292, 87−66929, 88−56230

Mieno, F. *see* Sugii, T. 87−25239, 88−19925, 88−33160

Mier, E.E. The evolution of a standard Ethernet 85−19775

Mier, E.E. Long overdue, T1 takes off−but where is it heading? 85−63224

Mier, E.E. What to do (and not to do) with inside telephone wiring 86−4362

Mier, E.E. Comparing the long-distance carriers [telephony] 86−69320

Mier, E.E. Worldwide ISDN hydra keeps growing; consensus on universal specifications seems doubtful 87−20347

Mier, G. Co-extruded aluminium steel contact rail for electric railways 88−5981

Mier, G. *see* Baynham, E. 86−48039

Mier, J.M. *see* Bernecker, C.A. 86−52047

Mier, M., Gonzalez, J., Sierra, R. Software support tools for the energy control center for the Republic of Mexico 86−50907

Mier, M. *see* Gonzalez-Sustaeta, J. 87−78016

Mier, M. *see* Martinez, S. 88−23416

Mier-Jedrzejowicz, W.A.C. *see* Southwood, D.J. 85−53173

Mieras, H. Comments, with reply, on 'On foundations of radar polarimetry' by A.B. Kostinski and W.-M. Boerner 87−28646

Mieren Loovenstijn, J.H.van *see* van Mieren Loovenstijn, J.H.

Mieren Loovestijn, J.H.van *see* van Mieren Loovestijn, J.H.

Mierendorf, R.C. Insulation co-ordination for the future 87−11994

Mierendorf, R.C. Insulation coordination for the future 87−32767

Mierin', M.A., Novgorodtsev, A.B. Analysis of energy relationships during transients in inductively-coupled circuits 87−44504

Mierke, T. *see* Voigt, B. 88−49167

Miernik, J.W. Queueing analysis of rendezvous M/D+D/1 system 87−55428

Miernik, J.W., Woodside, C.M., Neilson, J.E., Petriu, D.C. Throughput of stochastic rendezvous networks with caller-specific service and processor contention 88−52949

Mierop, D.Van *see* Van Mierop, D.

Mierry, P.de *see* de Mierry, P.

Miers, D.R., Raj, D., Berthold, J.W. Design and characterization of fiber-optic accelerometers 88−42144

Miers, J.B. *see* Postlewaite, J.C. 88−40174

Miers, T.H. *see* Hirsch, V.A. 87−73744

Miers, T.H. *see* Vidano, R.P. 87−66567

Miers, T.H. *see* Williams, D.F. 88−63855

Miersch, E., Schettler, H., Wagner, O. High speed off-chip signal transmission 85−44877

Miersch, E.F. *see* Klein, K. 88−6898

Miersch, R. The city-taxi: 100 000 km test drive of a VW-Microbus with an ICE-electric hybrid 85−65535

Miersch, R., Schustel, S., Wirtz, R. Progression of a hybrid driveline system 88−5929

Mierzejewski, L., Szelag, A. Dynamic states of electrical traction drive system supplied by a direct current network 86−19557

Mierzejewski, L., Szelag, A. Mathematical model of electrical DC traction system 86−19558

Mierzowski, K. Facsimile systems spread throughout the office world 88−21575

Mierzowsky, G. A newly woven communications network 85−13714

Mierzowsky, G. The EMS Communications System integrates the flow of information 85−30829

Mierzwa, G. *see* Elster, K.H. 88−49417

Mierzwa, J., Wolisz, A. A multiple random access protocol for bus structured local area networks operating in real-time environment 86−10813

Mierzwiak, K.-H. Multiband mushroom antennas with a high degree of cross polarising neutralisation 87−61487

Mierzwinski, E.P. User-friendly touch controls for home appliances [domestic cookers] 86−7311

Mies, E. *see* Simpson, J.R. 88−45160

Mies, E.W., Soto, L. Characterization of the radiation sensitivity of single-mode optical fibers 86–42311
Mies, E.W. *see* Haber, J.B. 88–33633
Miess, S. *see* Bittleson, R. 86–16742
Miess, S. *see* Bittleston, R. 86–10835
Miessler, M. Effect of video amplifier rise time and CRT gamma on performance of a high-resolution monitor 85–64024
Miessler, M.H. *see* Redding, R.J. 88–60977
Mieszala, S. INTELMONITOR ESIW-M microprocessor visualization system 86–44180
Mieszczanek, J. 8 and 34 Mbit/s teletransmission digital systems 86–59410
Mieth, M., Barker, A., Corn, G. Plasma etching using SF_6 and chlorine gases 85–40615
Mieth, M., Barker, R.A., Packer, S.L. Photoresist thickness measurements using energy dispersive X-ray spectroscopy 85–29237
Mieth, S.L. Differential amplifier boasts broad-band benefits 85–61126
Miettinen, J. *see* Kortelainen, T. 88–23782
Miettinen, M., Hallikas, J., Asplund, D. Costs of district heating plants using wood and peat fuels 87–42651
Mietus, J.E. *see* Moody, G.B. 88–10369
Mieziewski, J. *see* Marklund, K. 88–29144
Mif, N.P. *see* Berger, V.P. 87–65128
Mifsud, J.-P. Optimising design: gate array and standard cells on a single chip 88–57715
Mifsud, M., Literowich, W., Milner, M. Energy-saving power bridge for children's artificial hands 86–5992
Mifsud, M., Milner, M. Two-channel miniature data-acquisition device 86–38790
Mifsud, M., Milner, M. Self-adaptive myoelectric processor 87–29818
Mifsud, M., Milner, M. A model of a powered upper extremity prosthetics research and development program 87–71175
Mifsud, M. *see* Naumann, S. 86–5991
Miftakhov, F.I. *see* Aprakin, A.S. 86–24491
Miga, M. If voltage aberrations are your microprocessor's problem 87–14513
Migachev, S.A. *see* Vladimirtsev, Yu.V. 85–51231, 85–56017
Migaki, K.W. *see* Karlson, D.C. 87–40721
Migal', V.P. *see* Lubyshev, D.I. 87–52147
Migalik, Ya.Yu. *see* Khmurny, Ya.A. 88–34569
Migani, G.C. Faults in power cables: location systems 86–56434
Migani, G.C. Electrical cubicles. Thermal, electrodynamic and arc phenomena in fault conditions 87–36058
Migani, G.C. Thermal, electrodynamic and flash-over phenomena in LV switchboards 87–51404
Migani, G.Carlo *see* Carlo Migani, G.
Migdalski, J. Mathematical model of the first magnetization of materials 85–18542
Migel', L.I. *see* Borodin, V.G. 87–68587
Migel, V.M. *see* Alekseev, V.N. 86–15670
Migel', V.M. *see* Borodin, V.G. 87–68587
Might, R. An evaluation of the effectiveness of project control systems 85–71
Might, R.J. Correction to 'An evaluation of the effectiveness of project control systems' (Aug. 84 127-137) 85–16676
Might, R.J. The role of structural factors in determining project management success 85–44457
Migita, M. *see* Kanehisa, O. 88–31782
Migitaka, M. *see* Ikegaki, T. 86–7004
Migitaka, M. *see* Shimoda, S. 88–39435
Migitko, I.A., Pilipenko, N.V., Khodunkov, V.P. Measuring nonstationary values of separateness and level of boiling-layer 88–53909
Migliaro, M.W. Considerations for selecting and sizing batteries 86–45649
Migliaro, M.W. Sizing batteries for generating stations 87–30901
Migliaro, M.W. Considerations for selecting and sizing batteries 87–43351
Migliaro, M.W. Maintaining stationary batteries 87–43397
Migliaro, M.W. Maintaining stationary batteries 87–78874
Migliaro, M.W., Brown, M.T., Spinner, J.W., Petrizzo, C.A. Electrical equipment life continuation: protecting the investment 87–78519
Migliaro, M.W., Spinner, J.W. Electrical equipment—when to repair/replace: a method beyond reliability 87–72108
Migliaro, M.W. *see* Brown, M.T. 86–44985, 87–9178
Migliavacca, R. The integrated approach to the intelligent building 87–76211
Miglio, B. Satellites versus fiber optic cables: The North Atlantic case 87–28522
Miglio, B. Satellites and fiber optics in the Pacific region 88–59485
Miglio, R. *see* Loggini, M. 88–75717
Miglioli, L. *see* Macchiarella, G. 87–66490
Miglioli, L. *see* Stracca, G.B. 87–37494
Migliora, C.G., Brandao, J.C.B., Costa, F.T. Simulation versus analytical methods for signatures 87–34364
Migliora, C.G., Chaves, M.B.F. Electromagnetic scattering by inhomogeneous dielectric cylinders 87–47154
Migliora, C.G., Chaves, M.B.F. Electromagnetic scattering by inhomogeneous dielectric cylinders 87–61347
Migliorati, B., Gay, P. Advanced cutting techniques: laser and fissuration cutting. II. Laser beam cutting 85–29972
Migliorato, P., Bryer, N.J., Coxon, P.A., Haws, S.A., Kean, R.S., Lowe, A.J., Thomes, D.W. Polycrystalline silicon MOSFETs for displays and large area electronics 88–64590
Migliorato, P., Meakin, D.B. Material properties and characteristics of polysilicon transistors for large area electronics 88–13375
Migliorato, P. *see* Bryer, N.J. 88–42209
Migliorato, P. *see* Coxon, P. 86–63277
Migliorato, P. *see* Hilsum, C. 88–74540
Migliorato, P. *see* Karakostas, T. 88–43936
Migliorato, P. *see* Meakin, D. 88–24784
Migliorato, P. *see* Meakin, D.B. 87–60446, 88–12035
Migliore, L.R. *see* Darchuk, J.M. 85–41537, 86–15821
Migliore, P.G. Straight-bladed Darrieus wind turbines—a protagonists view 85–53648
Migliori, A. *see* Swift, G.W. 87–43470
Migliori, S. *see* Galati, A. 86–6523
Migliorini, P. *see* Dondi, C. 85–58056
Migliorini, P. *see* Lombardi, P. 85–58057 to 58058, 87–62872, 87–62880
Migliorini, P.G. *see* Capsoni, C. 87–62883
Migliuolo, M., Castner, T.G. Novel tunable reentrant microwave cavity 88–32396
Migliuolo, M., Deri, R.J. Varactor resonator calibration for dielectric measurements 87–56811
Migliuolo, M. *see* Deri, R.J. 87–56810
Mignani, A.G. *see* Bacci, M. 86–42233, 88–16711
Mignani, A.G. *see* Baldini, F. 88–7908
Mignani, A.G. *see* Brenci, M. 85–62359, 87–25967, 88–10015, 88–42113, 88–58136, 88–67839
Mignani, A.G. *see* Conforti, G. 87–41953, 88–74461
Mignani, A.G. *see* Falciai, R. 87–32925
Mignani, A.G. *see* Scheggi, A.M. 86–68294, 87–29703, 87–68127, 88–33680, 88–36027
Migneco, E. *see* Agodi, C. 88–61132
Migneco, E. *see* Bellia, G. 85–15184
Mignee, J., Boillot, L. Short-circuit behaviour simulation of low-voltage circuit-breakers or limiters 86–56867
Mignerey, A.C. *see* McMahan, M.A. 87–29466
Mignogna, R.B. *see* Clark, A.V., Jr. 88–56352
Mignon Park RF hyperthermia system for deep-seated therapy 86–32352
Mignon Park *see* Jae H. Yoo 88–48216
Mignone, R. *see* Vernay, Y.J. 87–25500
Mignot, D. *see* Gertsch, F. 85–25895
Mignot, J.P., Wolfers, P., Joubert, J.C. A new series of materials for permanent magnets: the W ferrites $BaZn_{2(1-x)}(LiFe)_xFe_{16}O_{27}$ 86–9418
Mignot, J.P. *see* Collomb, A. 87–12042
Mignot, J.P. *see* Joubert, J.C. 86–15387
Mignot, L. *see* Planchard, A. 88–48092
Migny, P. *see* Feliachi, M. 87–46364
Migny, P. *see* Matheron, G. 85–54826 to 54827
Migozzi, J.-B. Progress in diffractive optics for HUD 87–12609
Miguaise, J. *see* Boidin, M. 86–71031
Miguaise, J.-F. *see* Boidin, M. 88–69820
Miguchi, N. *see* Arai, K. 85–30051
Miguchi, N. *see* Janischewskyj, W. 86–3567
Miguchi, Y., Kawamura, A., Hoft, R. Optimal pole assignment for power electronic systems 86–7884
Miguchi, Y., Kawamura, A., Hoft, R. Decoupling servo-control of three-phase PWM inverter for UPS application 88–30896
Miguchi, Y. *see* Hirose, S. 88–75770
Miguel, B. A converter for a video terminal 85–6163
Miguel, B. Rapid charging of Ni-Cd batteries 85–16127
Miguel, B. A voice operated switch 85–20420
Miguel, B. A standard time base 85–44930
Miguel, B. An optimised graphic equaliser 85–47760
Miguel, B. An optimised graphic equaliser. II 85–52586
Miguel, B. Measuring distances by ultrasound 85–58888
Miguel, B. Field strength and TV reception 85–63815
Miguel, B. 'Flanger': a unit to reproduce musical effects 86–55508
Miguel, B. The use of the logic probe 86–57747
Miguel, B. The use of registers in computers 87–17010
Miguel, B. Personal paging units which make the maximum use of the spectrum 87–40757
Miguel, B. Photovoltaic technology 87–58328
Miguel, D., Herrero, S., Moris, G.I., Pelli, R.F., Martinez, F. A multichannel digital temperature meter 87–21043
Miguel, E.de *see* de Miguel, E.
Miguel, E.K. Digital temperature compensation techniques for crystal oscillators 87–37058
Miguel, J.de *see* de Miguel, J.
Miguel, J.L.de *see* de Miguel, J.L.
Miguel, J.M. New positive-impedance convertor suitable for high-frequency application 85–40167
Miguel, J.M. New circuits for the realization of linear voltage-controlled resistors and conductors 86–57949
Miguel, J.M. *see* Martinez, L. 86–26152, 86–34519
Miguel, J.R.Dominguez de *see* Dominguez de Miguel, J.R.
Miguel, M.S. Pump noise in dye lasers: steady state properties and transient statistics 87–75039
Miguel, M.San *see* San Miguel, M.
Miguel, P.De *see* De Miguel, P.
Miguel, T.de *see* de Miguel, T.
Miguel Lacosta Berna, J. Electrical conductors in the face of fire. Chemical and optical characteristics 86–8540
Miguel-Lopez, J.M. Voltage-controlled conductance eases tuning 86–27495
Migukina, O.F. *see* Maleiko, L.V. 85–14779
Migulin, A.V. *see* Kubyshkin, A.P. 88–16905
Migulin, I.N., Uvarov, R.V., Akimov, A.N., Afanas'ev, P.V., Kondrashin, O.V. A two-clock class D thyristor amplifier 86–46589
Migulin, I.N., Uvarov, R.V., Akimov, A.N., Afanas'yev, P.V., Kondrashin, O.V. A regulated power supply for wire broadcasting transistor amplifiers 87–64687
Migulin, V.V. *see* Avdyushin, S.I. 85–13111
Migulin, V.V. *see* Boiko, G.N. 85–24823, 86–42845
Migulin, V.V. *see* Devyatov, I.A. 87–1916
Migulin, V.V. *see* Kaplunenko, V.K. 88–12357
Migulin, V.V. *see* Karpenko, A.G. 87–54483
Migulin, V.V. *see* Koshelets, V.P. 87–66030
Migulin, V.V. *see* Kuz'min, L.S. 85–6506
Migulin, V.V. *see* Vystavkin, A.N. 88–12320
Migunov, N.I., Sobolev, G.A., Khromov, A.A. Natural electromagnetic radiation in seismically active regions 86–36706
Migur, V.V. *see* Grigor'ev, E.T. 85–63922
Migus, A., Antonetti, A., Etchepare, J., Hulin, D., Orszag, A. Femtosecond spectroscopy with high-power tunable optical pulses 85–41458
Migus, A., Antonetti, A., Hulin, D., Mysyrowicz, A., Gibbs, H.M., Peyghambarian, N., Jewell, J.L. One-picosecond optical NOR gate at room temperature with a GaAs-AlGaAs multiple-quantum-well nonlinear Fabry-Perot etalon 85–24641
Migus, A., Antonetti, A., Orszag, A. Ultrafast lasers 87–46741
Migus, A., Hulin, D., Mysyrowicz, A., Antonetti, A., Peyghambarian, N., Gibbs, H.M., Masselink, W.T., Morkoc, H. An ultrafast GaAs all-optical logic gate 87–33306
Migus, A. *see* Etchepare, J. 85–41459, 87–26546
Migus, A. *see* Gibbs, H.M. 87–46585
Migus, A. *see* Hulin, D. 87–7434, 88–8015
Migus, A. *see* Ledoux, I. 86–58961
Migus, A. *see* Mysyrowicz, A. 87–45673
Migus, A. *see* Peyghambarian, N. 87–26542, 87–26548
Migus, A. *see* Thomazeau, I. 85–46476
Migwalla, E.L., Noorani, M.K.O. Rural automation—the Kenya experience 88–59494
Mihaescu, V., Lungu, M., Oprisan, M. DC converter for hydrogenerators static excitation in a wide variation range of the mains parameters 86–61658
Mihai, A. *see* Behar, A. 85–9004
Mihai, A. *see* Ionescu, C. 87–9962
Mihai, C. Dispersed structures for card index used to interactively design printed circuits 86–27695
Mihai, C. *see* Ionescu, C. 87–9962
Mihai, C. *see* Iordache, M. 85–33591
Mihai, D., Bitoleanu, A., Dumbrava, I. Algorithms and programs for polynomial approximations and applications in electrical engineering. II. Approximations through variable order polynomials 88–61776
Mihai, D. *see* Degeratu, P. 87–58098, 88–61775
Mihai, D. *see* Macarie, R. 87–54492
Mihai, I. *see* Bursuc, I. 85–44726
Mihai, I. *see* Petrascu, M. 87–8860
Mihai, I. *see* Zet, G. 85–44727, 86–53484
Mihail, D. *see* Focsa, V. 85–38919
Mihaila, A., Popescu, C., Budacu, A. Research studies on the utilisation of heat storage systems for different applications 87–64831
Mihaila, A., Predica, A., Budacu, A. Real operating cycles at a chemical heat storage installation 85–53840
Mihaila, M. Lattice vibrations in silicon by $1/f$ noise spectroscopy 86–67666
Mihaila, M. Mobility fluctuation $1/f$ noise in bipolar transistors 87–11751
Mihaila, M., Amberiadis, K., Van Der Ziel, A. $1/f,g\text{-}r$ and burst noise induced by emitter-edge dislocations in bipolar transistors 85–6906
Mihaileanu, C., Pavel, E. Energy measuring units. The present world-wide state-of-the-art 87–14054
Mihaileanu, C. *see* Turcu, I. 87–64475

Mihailescu, A. *see* Albert, H. 88–5335, 88–36730
Mihailescu, C. *see* Rotaru, T. 88–49989
Mihailescu, D., Pantelimon, M. Adverse electrical phenomena in rail traction using alternating-current motors 86–61794
Mihailescu, D. *see* Georgescu, G. 88–30732
Mihailescu, F. *see* Pavel, E. 88–61786
Mihailescu, F. *see* Sevastru, A. 86–6210, 87–50636
Mihailescu, I.N. *see* Craciun, V. 88–39250
Mihailescu, I.N. *see* Tutunaru, M. 87–75216
Mihailescu, I.N. *see* Ursu, I. 87–60355, 88–19794
Mihailescu, M., Raileanu, V. 330 MW steam turbine electrohydraulic control 85–4910
Mihailov, M.G. *see* Beshkov, G.D. 88–33075
Mihailov, M.G. *see* Pramatarova, L.D. 88–44659
Mihailov, M.N. *see* Khristova, B.G. 87–29833
Mihailov, P.D. *see* Donchev, D.S. 87–39535
Mihailov, S. *see* Taylor, R.S. 87–75217, 88–72010
Mihailovic, D. *see* Westland, D.J. 87–74048, 88–19708
Mihailovici, A. The self-excitation process stabilization for the rotating diode turbogenerator 85–21555
Mihailovici, A. Some situations of false operation of the homopolar voltage protection of the hydroelectric power station 6 kV busbar 85–38545
Mihajlo, S., Zorica, N. Performance of digital systems in the presence of noise and of harmful interference 85–24874
Mihajlov, A.I., Bolosin, I.A., Kuznecov, B.A. Programming techniques to ensure security of automated data and document banks in the Soviet Union 88–28269
Mihajlovic, A.R., Morgan, J. Multiprocessing fault-tolerant VLSI architecture of the mass-processing type 86–46904
Mihalache, C. *see* Tanasoiu, C. 85–20596
Mihalache, D. On *p*-polarized nonlinear guided waves 86–3314
Mihalache, D. Interaction of coherent radiation with some atomic systems 87–75252
Mihalache, D. Physics and applications of nonlinear guided waves 88–51947
Mihalache, D., Corciovei, A. Cnoidal waves in asymmetric three-layer dielectric structures 86–42299
Mihalache, D., Corciovei, A., Mazilu, D., Totia, H. On nonlinear electromagnetic waves guided by thin dielectric films 85–23087
Mihalache, D., Mazilu, D. TM-polarized nonlinear waves guided by asymmetric dielectric layered structures 85–46454
Mihalache, D., Mazilu, D. TM-polarized nonlinear slab-guided waves in saturable media 87–19048
Mihalache, D., Mazilu, D. Stability of TE_1 nonlinear slab-guided waves in saturable media 88–34380
Mihalache, D., Mazilu, D., Bertolotti, M., Sibilia, C. Exact solution for nonlinear thin-film guided waves in higher-order nonlinear media 88–34120
Mihalache, D., Mazilu, D., Bertolotti, M., Sibilia, C., Fedyanin, V.K. Nonlinear TE-polarized surface-guided waves in a dielectric 'antiwaveguide' 88–45198
Mihalache, D., Mazilu, D., Delion, D. Single soliton emission from a nonlinear asymmetric planar waveguide 88–34381
Mihalache, D., Mazilu, D., Totia, H. Bistable states of *s*-polarized nonlinear waves guided by an asymmetric three layer dielectric structure 85–7537
Mihalache, D., Totia, H. On Te-polarized nonlinear waves guides by dielectric layered structures 85–41681
Mihalache, D. *see* Langbein, U. 88–8444
Mihalache, M. Asynchronous motor internal parameter determination by using the catalogue data 87–58064
Mihalache, M. Synthesis of the induction motor equivalent circuit starting from the rated performance data 87–58085
Mihalache, M., Ghita, C. Rotary transducer of symmetrical components 85–60166
Mihalache, M. *see* Galan, N. 87–42865
Mihalakis, G. New technology for improvement of lenticular high gain screens 87–77335
Mihalasky, J. The impact of robots on product reliability 86–288
Mihalcea, E., Onu, V. Equivalence principles of tests combined with real operation stresses of high voltage circuit-breakers 86–51844
Mihalcea, I. *see* Cramariuc, R. 87–59020 to 59021, 88–56327
Mihalcea, I. *see* Tanasescu, F.T. 85–60602, 87–56925
Mihalczo, J. *see* Chiles, M. 88–61091
Mihalczo, J.T., Ragan, G.E., Blakeman, E.E. A portable measurement system for subcriticality measurements by the CF-source-driven neutron noise analysis method 88–60547
Mihalek, E. Neutral conductor potential analysis in TN (PME) low voltage overhead network during the single-phase short-circuit 86–51093
Mihalek, E., Caus, I., Rajic, Z. The simultaneous demand factor for power flow calculation in electrical radial network 85–32146
Mihalev, M. *see* Sirkova, I. 88–66057
Mihalic, R. *see* Zunko, P. 88–68879
Mihalic, S. *see* Crnosija, P. 85–44206, 86–66101, 87–30676
Mihalik, D., Babinsky, M., Budinsky, P. The various aspects of preparation and electrical properties of lightly Cr doped semi-insulating GaAs 86–63032
Mihalik, D. *see* Kolnik, S. 86–14853
Mihalik, J., Chmurny, J. A two-dimensional predictive coding system for video signals 86–48757
Mihalik, J., Chmurny, J. Optimisation of two-dimensional hybrid picture coding systems 88–14808
Mihalik, J., Chmurny, J. Hybrid image coding with vector quantizing 88–73230
Mihalik, J., Chmutny, J. Optimisation of one-dimensional hybrid picture coding systems 88–8692
Mihalik, J., Gamec, J. A bit synchroniser for digital transmission of a video signal 88–34941
Mihalik, J., Zavacky, J. A sampling circuit of a video signal 88–12539
Mihalik, J. *see* Chmurny, J. 85–36197, 85–63088, 86–54418, 87–12882, 87–33617
Mihalik, J. *see* Janicek, F. 88–36928
Mihalik, K.A. *see* Rinck, L.P. 85–9743
Mihalka, A.M. A programmable controller with overcurrent latch for constant primary peak current in capacitor charging FET switcher for Nova 85–5237
Mihalka, A.M., Burch, R.E., Merritt, B.T. An FET full bridge switcher for inductorless capacitor charging for Nova 85–5238
Mihalka, A.M. *see* Bulos, F. 88–54364
Mihalka, P., Jr. Programmable D/A convertors 88–70870
Mihaly, S., Bozsoki, I. An X-band scatterometer 87–77393
Mihaly, S. *see* Bozsoki, I. 87–63933
Mihaly, S. *see* Fejes, I. 85–63772
Mihara, K., Horiguchi, T., Seikai, S. Far-end measurement technique of chromatic dispersion in single-mode optical transmission lines 85–31065
Mihara, K., Tanaka, C., Uesugi, N. Design and characteristics of an optical fiber cable for emergency use 87–13738
Mihara, K., Tanaka, C., Uesugi, N. Design and characteristics of an optical fiber cable for emergency use 88–15443
Mihara, K., Uesugi, N., Tanaka, C. Relation between sheath thickness and allowable lateral load for small diameter optical cables 86–55306
Mihara, K. *see* Horiguchi, T. 85–31612
Mihara, K. *see* Tanaka, C. 87–34547
Mihara, M. *see* Horiguchi, S. 86–52496, 87–36752, 88–24735
Mihara, M. *see* Ishii, M. 87–39088
Mihara, M. *see* Kamon, K. 87–10416, 87–73070
Mihara, M. *see* Kanamoto, K. 87–52141
Mihara, M. *see* Kimura, K. 87–10446, 87–36746, 87–36757, 87–44322
Mihara, M. *see* Mashita, M. 88–63314
Mihara, M. *see* Naritsuka, S. 86–13762
Mihara, M. *see* Nomura, Y. 85–22482
Mihara, M. *see* Shimazu, M. 87–65494
Mihara, M. *see* Shinozaki, K. 85–50205
Mihara, M. *see* Yuasa, T. 85–23433
Mihara, S., Murao, Y., Kikuchi, M. WSi_2 interconnection technology for CMOS VLSIs 87–1791
Mihara, S. *see* Kyung-ho Park 87–60375
Mihara, S. *see* Watabe, H. 88–19136
Mihara, T. *see* Iwabuchi, M. 86–46823
Mihara, T. *see* Kaneda, S. 87–36738
Mihara, Y. Photographic materials for IR semiconductor laser 86–3261
Mihara, Y. *see* Gagliardi, C.A. 87–3841, 87–29397
Mihara, Y. *see* Uchiyama, T. 87–56986
Mihashi, Y., Nagai, Y., Seiwa, Y., Aoyagi, T., Kadowaki, T., Ikeda, K., Susaki, W. A novel self-aligned AlGaAs laser with bent active layer grown by MOCVD 86–48439
Mihashi, Y. *see* Ikeda, K. 87–12493
Mihashi, Y. *see* Kaneno, N. 87–26427
Mihata, M. *see* Otani, H. 85–55326
Mihatsch, P. *see* Charalambus, B. 87–9299
Mihelcic, J.M. Molded circuit interconnects 88–38920
Mihelcic, J.M., Shepard, A.T., Elarde, V.D. High-performance molded circuit interconnects 88–18497
Mihelcic, J.M. *see* Hriciga, A.L. 88–38936
Mihelcic, M., Wingerath, K. Three-dimensional simulations of the Czochralski bulk flow in a stationary transverse field and in a vertical magnetic field: effects on the asymmetry of the flow and temperature distribution in the Si melt 87–52095
Mihelic, F. *see* Zazula, D. 86–18357
Mihet, F.D. *see* Guzun, B.D. 88–5585
Mihira, K. *see* Yamamoto, H. 85–42775
Mihirig, A.M., Wvong, M.D. Application of catastrophe theory to transient stability analysis of power systems 87–71498
Mihirig, A.M. *see* Wvong, M.D. 87–4253
Mihkelsoo, V., Klementi, T. Excimer laser systems and their application 85–56488
Mihkelsoo, V. *see* Berik, E. 85–56565, 86–22467
Mihkelsoo, V. *see* Isaev, A. 88–51726
Mihkelsoo, V. *see* Kippasto, A. 88–51724
Mihkelsoo, V. *see* Klementi, T. 85–56490
Mihkelsoo, V. *see* Miidla, P. 88–51722
Mihlic, P. *see* Katic, N. 87–15257
Mihm, F.G. *see* Schmitt, J.M. 85–48266, 86–44636
Mihnea, A. *see* Cioaca, D. 87–59491, 88–6825
Mihoc, D., Ceaparu, M., Iliescu, S.S. The megawatt-frequency control problem through load change insensitive mixed control method 86–70572
Mihoko Okada *see* Okada, M. 86–50531
Mihov, M.K., Korenev, S.A., Balalykin, N.I., Enchevich, I.B. Intensity-regulated triode with a reflective electrode 87–37795
Mihov, M.P. *see* Dimitrov, D.A. 87–22364
Mihram, D. *see* Mihram, G.A. 85–42136, 88–41165
Mihram, G.A., Mihram, D. Tele-cybernetics: digital implications 85–42136
Mihram, G.A., Mihram, D. Tele-cybernetics: implications for the international marketplace 88–41165
Mihut, L. *see* Baltog, I. 87–26282
Mii, K., Manaka, S. Neurological care unit 86–5970
Mii, Y.J., Lin, T.L., Kao, Y.C., Wu, B.J., Wang, K.L., Nieh, C.W., Jamieson, D.N., Liu, J.K. Studies of molecular-beam epitaxy growth of GaAs on porous Si substrates 88–49810
Mii, Y.J. *see* Chen, H.Y. 88–39146
Miida, T. *see* Matsubara, T. 85–48796
Miida, T. *see* Ohmichi, T. 86–39397
Miida, Y. *see* Ukigai, M. 88–56727
Miidla, P., Mihkelsoo, V., Peet, V., Sorkina, R., Tamme, E., Treshchalov, A., Sherman, A. Theoretical simulation of physical processes in excimer discharge XeCl laser 88–51722
Miidla, P.Kh., Peet, V.E., Sorkina, R.A., Tamme, E.E., Treshchalov, A.B., Sherman, A.V. Theoretical and experimental investigations of an electric-discharge plasma of an XeCl laser 87–46760
Miike, H., Kurihara, Y., Hashimoto, H., Koga, K. Velocity-field measurement by pixel-based temporal mutual-correlation analysis of dynamic image 87–14624
Miike, H., Kurihara, Y., Koga, K. Improvement of a velocity-field measurement with pixel-based temporal mutual-correlation analysis of dynamic image 87–62221
Miike, H., Shimada, K., Ochiai, K., Hashimoto, H. Measurement of particle movement using time correlation analysis of dynamic images 86–48996
Miike, H. *see* Hashimoto, H. 85–59272
Miike, H. *see* Koga, K. 88–8849, 88–8853
Miille, J. Beyond DS1 [transmission rate standard] 88–41214
Mijalkovic, S., Stojadinovic, N. Multigrid method: An efficient numerical tool in VLSI process modeling 87–67401
Mijalkovic, S. *see* Stojadinovic, N. 85–45713
Mijat, N., Moschytz, G.S. Sensitivity limitations of some FLF-type active filters 86–46976
Mijatovic, S. The impact of investments into fixed assets on the quality of the economy of the electric power system 87–64023
Mijatovic, S. Significance of a harmonious setting up and implementation of the terms of reference in the electric power system 88–48517
Mijiyawa, M. Hybrid motion estimation in successive television pictures 87–48043
Mijnarends, H. Manufacturing electric motors 85–32421
Mijnarends, H. Measurements of harmonic distortion caused by convertors 86–70736
Mijnarends, H., Deleroi, W. The use of control models at power-electronic drives 88–69779
Mijnarends, P.E. *see* Zwart, P. 87–29530
Mijnheer, B.J. Variations in response to radiation of a nylon-walled ionization chamber induced by humidity changes 86–6009
Mijovic, B.J. *see* Bosan, D.A. 88–71265
Mijuskovic, D. Clock distribution in application specific integrated circuits 88–851
Mijuskovic, N. Computer programs for techno-economic analysis of distribution networks 88–75072
Mijuskovic, N., Milosevic, E. Optimal limits of feedback into the 10 kV Belgrade network 88–48552
Mijuskovic, N. *see* Nahman, J.M. 86–6383
Mika, K. In-house manufacturing of spare and replacement parts–the future challenge [CANDU maintenance] 88–75385
Mika, S. *see* Kardach, K. 85–40139
Mikado, T., Ogura, M., Chiwaki, M., Nakamura, T., Sugiyama, S., Noguchi, T., Yamazaki, T., Tomimasu, T. Slow positron production by the use of the ETL linac 87–14714

Mikado, T. *see* Kimura, M. 88–31216
Mikado, T. *see* Tomimasu, T. 86–32138, 87–21347, 88–30055
Mikado, T. *see* Yamazaki, T. 86–32139
Mikadze, A.Z. *see* Avakov, S.N. 85–29574
Mikadze, S., Kakubava, R.V. Standby redundant queueing system with waiting. I 85–60841
Mikael, W.B. *see* Hill, P.D. 85–61388
Mikaelian, R.A. *see* Bortnik, I.M. 86–51850
Mikaelson, E. *see* Dahlstrom, M. 85–19960
Mikaelyan, A.L., Vanin, A.F., Gulanyan, E.Kh., Prokopenko, S.A. Holographic disk for data storage 88–13784
Mikaelyan, A.L. *see* Arkhontov, L.B. 86–28895
Mikaelyan, A.L. *see* Bin'ko, G.F. 86–5729
Mikaelyan, G.T., Sverdlov, A.L., Sokolov, S.N. Spectroscopic properties of radiation emitted by injection heterolasers with a crescent-shaped active region 87–18974
Mikaelyan, G.T. *see* Manko, M.A. 85–29839, 86–63827, 87–26411, 88–7944
Mikaelyan, G.T. *see* Vu Van Lyk 88–8232
Mikailene, E.S., Frolova, F.P. Investigation of processes for obtaining heat resistant electroplatings for electric contacts. I. Heat resistance of two-layer Ni-Rh coating 88–50457
Mikalkevicius, M., Butkus, V. Polarization current relaxation and the volt Faraday characteristics of a space charge in an SnO_2-nSb_2S_3-Al system 87–17787
Mikalsen, D.J. *see* Yee, D.S. 86–20084
Mikami, A. Five-layer structure electroluminescent devices prepared by RF sputtering 87–54193
Mikami, A., Ando, K. Brightness distribution in RF sputtered ZnS:TbF_3 electroluminescent panels 85–26429
Mikami, A., Ando, K. Five layer structure electroluminescent device prepared by RF sputtering 85–51062
Mikami, A., Ando, K. Mechanism of high field conduction in AC thin film electroluminescent devices 86–2974
Mikami, A., Ando, K. Brightness distribution in RF-sputtered ZnS:TbF_3 electroluminescent panels 87–56748
Mikami, A., Ogura, T., Tanaka, K., Taniguchi, K., Yoshida, M., Nakajima, S. Tb-F emission centers in ZnS:Tb,F thin-film electroluminescent devices 87–61048
Mikami, A., Ogura, T., Taniguchi, K., Yoshida, M., Nakajima, S. Excitation processes of the Tb emission center in a ZnS:Tb,F thin film electroluminescent device 88–40090
Mikami, A. *see* Ogura, T. 86–44365, 86–58836
Mikami, A. *see* Tanaka, K. 87–68299
Mikami, A. *see* Yoshida, M. 87–3688
Mikami, H., Uchitomi, N., Toyoda, N. Analysis of planar channeling effects on the threshold voltage uniformity of GaAs MESFETs using stereographic projection 88–19787
Mikami, H., Uchitomi, N., Toyoda, N. Analysis of planar channeling effects on the threshold voltage uniformity of GaAs metal-semiconductor field-effect transistors using stereographic projection 88–64618
Mikami, H. *see* Matsumoto, Y. 87–63874
Mikami, H. *see* Sugata, S. 85–56078
Mikami, H. *see* Uchitomi, N. 88–25880
Mikami, I. *see* Nishi, K. 88–8335
Mikami, J. *see* Tagawa, K. 87–25761
Mikami, K. *see* Nagatomo, T. 88–49842
Mikami, M., Kokura, K., Matsubara, K., Kamikura, Y. High strength single mode fiber fully synthesized by new VAD process 88–65231
Mikami, M., Shimada, T., Seko, I. Color graphic display monitor for CAD 86–5068
Mikami, M., Shimada, T., Seko, I. Color graphic display monitor for CAD/CAM 86–44174
Mikami, M., Shimada, T., Seko, I. Color graphic display monitor for CAD/CAM 86–60157
Mikami, M. *see* Egami, K. 85–39772
Mikami, M. *see* Hokari, Y. 85–34967
Mikami, M. *see* Matsubara, S. 86–46367
Mikami, N., Ohba, R. Pole-zero analysis of voiced speech using group delay characteristics 85–19374
Mikami, N., Ohba, R. Fast algorithm for real-time formant extraction by a microprocessor 86–3809
Mikami, N., Ohba, R. Estimation of poles and zeros of voiced speech using group decay characteristics derived from spectral envelopes 87–2466
Mikami, N., Yokoo, K., Hitachi, H., Satoh, T. Ultra miniature relay EA2 88–50469
Mikami, N. *see* Nago, K. 87–66631
Mikami, N. *see* Yoshino, K. 87–38872
Mikami, O., Nakagome, H. InGaAsP/InP optical waveguide switch operated by a carrier-induced change in the refractive index 86–36177
Mikami, O., Okamura, M., Yamaguchi, E., Hirota, Y., Furukawa, Y. Current-drift suppressed InP MISFETs with new gate insulator 85–29211
Mikami, O., Okamura, M., Yamaguchi, E., Hirota, Y., Furukawa, Y. Current-drift suppressed InP MISFETs with a new gate insulator 85–45728
Mikami, O. *see* Furukawa, Y. 87–18179
Mikami, O. *see* Hirota, Y. 85–16970, 85–55812 to 55813, 85–57222, 86–52530
Mikami, O. *see* Kawamura, Y. 88–51802
Mikami, O. *see* MacBean, M.D.A. 87–60959
Mikami, O. *see* Mukai, T. 86–68548, 87–56125
Mikami, O. *see* Okamura, M. 87–60476
Mikami, O. *see* Uwai, K. 85–28213, 85–44751
Mikami, O. *see* Yamauchi, Y. 85–16931
Mikami, S. *see* Ohsawa, S. 86–42218, 87–25908
Mikami, T., Hirose, T. Introduction of the International Network Management Center–Its activity and system 88–52758
Mikami, T., Mori, M., Kutami, M. Color image scanning and printing technology 87–51676
Mikami, T., Takai, H., Hayashi, N. The development of multi-media terminals in NTT 86–10712
Mikami, T. *see* Abe, Y. 85–48208
Mikami, T. *see* Arai, T. 85–44477
Mikami, T. *see* Harada, R. 86–25206
Mikami, T. *see* Makino, H. 86–32366, 87–8952
Mikami, T. *see* Mitamura, Y. 88–36518
Mikami, Y. *see* Kobayashi, H. 87–33064
Mikami, Y. *see* Tanaka, S. 86–42444, 87–3685, 87–33062, 88–16333
Mikami, Y. *see* Yoshiyama, H. 88–31838
Mikamo, S. *see* Balka, L. 88–47985
Mikamo, S. *see* Hayashide, Y. 85–26687
Mikamo, S. *see* Wagner, R.G. 88–47989
Mikamo, S. *see* Yasuoka, K. 88–47988
Mikamoto, T. *see* Kobayashi, N. 86–26846
Mikamura, Y. *see* Shiosaki, T. 87–6975
Mikamura, Y. *see* Suzuki, T. 87–34628
Mikan, D.G., Jr., Ferrario, J.S. Package cracking concerns in the automated handling of SMCs 87–58686
Mikasa, M. *see* Gupta, A. 85–55178
Mikashvili, Yu.N. *see* Gogoberidze, M.I. 85–48653
Mikasinovic, M. Vibration analysis of the PHT piping system of Point Lepreau NGS 88–30509
Mikasinovic, M., Marcucci, P.A. Improved piping design, testing can reduce fluid transient damage 87–57832
Mikata, Y., Inoue, T., Takasu, S., Usami, T., Ohta, T., Hirano, H. Thermal cleaning of Si surface in ultra high vacuum 87–6599
Mikata, Y., Mori, S., Shinada, K., Usami, T. Low leakage current polysilicon oxide grown by two-step oxidation 86–15066
Mikata, Y. *see* Mori, S. 85–49895, 86–41977
Mikata, Y. *see* Shinada, K. 86–9028, 87–1436
Mikata, Y. *see* Yoshikawa, K. 85–49879
Mikavica, M. *see* Nesic, A. 88–2676
Mikawa, H., Nogami, T., Yashima, H. Batteries and electric double layer capacitors composed of activated carbon fiber electrode 86–6988
Mikawa, H. *see* Fujino, M. 85–35588
Mikawa, H. *see* Shirota, Y. 87–37920
Mikawa, H. *see* Yashima, H. 85–39186
Mikawa, K. *see* Matsumoto, S. 88–53992
Mikawa, R.E., Lenahan, P.M. Electron spin resonance study of interface states induced by electron injection in metal-oxide-semiconductor devices 86–41724
Mikawa, R.E. *see* Ackermann, M.R. 87–31877
Mikawa, T. *see* Ito, M. 87–66961
Mikawa, T. *see* Kaneda, T. 86–49594
Mikawa, T. *see* Miura, S. 87–26191, 88–20502, 88–41626, 88–47127
Mikawa, T. *see* Nakano, H. 85–13300, 85–13329, 86–22798
Mikawa, T. *see* Osaka, F. 85–1293, 85–55457, 86–8755, 86–21134, 86–22238, 86–41537, 86–42430, 86–47302, 87–11397
Mikawa, T. *see* Shirai, T. 85–14270
Mikawa, T. *see* Wada, O. 88–45295
Mikaye, K. *see* Sunata, T. 86–28365
Mikazuki, T., Kishigami, J., Koshimoto, Y. Design of negative pressure slider-type film heads for high-density recording 86–36003
Mikazuki, T. *see* Kishigami, J. 86–15402, 87–25840
Mikazuki, T. *see* Koshimoto, Y. 87–60801, 88–39806, 88–51299
Mikeev, M.Yu., Chuvykin, B.V. Investigation into inherent noise in continuous-discrete multiple-integration transducers 87–29054
Mikelaitis, P. A tutorial on ISDN customer call control. I 88–53019
Mikelaitis, P. A tutorial on ISDN customer call control. II 88–59794
Mikelaitis, P., Ellershaw, J.C. Integrated information access: a service evolution 88–59448
Mikelaitis, P.I., Ng, T.M.J. Design architecture of an ISDN access unit 87–27868
Mikelson, A., Yakubaitis, S. Signal change prediction based on its random readings 85–30270
Mikelson, A. *see* Bilinsky, I. 86–37037
Mikel'son, A.E. *see* Krumin', Yu.K. 86–7159
Mikelson, A.K. Selecting sampling mode in discrete signal processing 87–19674
Mikelson, A.K. *see* Bilinsky, I.Ya. 87–47805
Mikelsons, A. *see* Bekeris, J. 85–55989 to 55990
Mikenberg, G. Thin-gap gas chambers for hadronic calorimetry 88–29863
Mikenberg, G. *see* Bella, G. 87–29447
Mikenberg, G. *see* Dado, S. 87–29448
Mikenichev, A.I. *see* Domnitskii, V.M. 85–58678
Mikerov, A.G. *see* Belen'kii, Yu.M. 87–36186
Mikerov, A.K. *see* Zelenkov, G.S. 85–13218
Mikes, M. Skodaexport in year of 125th anniversary of foundation of Skoda Plzen 85–90
Mikes, M. *see* Alm, A. 85–23761
Mikhael, W.B., Hill, P.D. Performance evaluation of a real-time TMS32010-based adaptive noise canceller (ANC) 88–34348
Mikhael, W.B., Michael, S. Composite operational amplifiers: Generation and finite-gain applications 87–59196
Mikhael, W.B., Spanias, A., Wu, F. ARMA modelling by cascading a linear-predictor and a pole-zero structure 86–3920
Mikhael, W.B., Spanias, A., Wu, F. A two stage approach for adaptive prediction of ARMA processes 86–16445
Mikhael, W.B., Spanias, A.S. Performance enhancement of the frequency-domain LMS adaptive algorithm [adaptive filtering] 86–69091
Mikhael, W.B., Spanias, A.S. Comparison of several frequency-domain LMS algorithms 87–61849
Mikhael, W.B., Spanias, A.S. A fast frequency-domain adaptive algorithm 88–34689
Mikhael, W.B., Spanias, A.S., Kang, G., Fransen, L. A two-stage pole-zero predictor 86–48919
Mikhael, W.B., Spanias, A.S., Wu, F.H. An adaptive pole-zero predictor 86–64288
Mikhael, W.B., Wu, F. Optimum adaptive algorithms with applications to noise cancellation 85–2597
Mikhael, W.B., Wu, F.H. Fast gradient algorithms for block FIR adaptive digital filters 86–67340
Mikhael, W.B., Wu, F.H. Fast gradient algorithms for block FIR adaptive digital filters 87–7751
Mikhael, W.B., Wu, F.H. A fast block FIR adaptive digital filtering algorithm with individual adaptation of parameters 87–66419
Mikhael, W.B., Wu, F.H. Fast algorithms for block FIR adaptive digital filtering 88–6976
Mikhael, W.B., Wu, F.H. A fast block FIR adaptive digital filtering algorithm with individual adaptation of parameters 88–19284
Mikhael, W.B., Wu, F.H., Kazovsky, L.G. Adaptive filters with individual adaptation of parameters 85–17733
Mikhael, W.B., Wu, F.H., Kazovsky, L.G. Generation of optimum adaptive filtering algorithms with applications 85–19469
Mikhael, W.B., Wu, F.H., Kazovsky, L.G., Kang, G.S., Fransen, L.J. Adaptive filters with individual adaptation of parameters 86–67297
Mikhael, W.B. *see* Hill, P.D. 86–67423
Mikhael, W.B. *see* Michael, S. 86–62696, 87–59197
Mikhael, W.B. *see* Spanias, A.S. 87–69205
Mikhael, W.B. *see* Wu, F.H. 86–59310
Mikhael, W.B. *see* Yassa, F.F. 85–17720
Mikhaii, Z. *see* Kishvaradi, A. 86–5827
Mikhaii, Z. *see* Krumshtein, Z.V. 85–26724
Mikhaikov, V.I. *see* Shaternikov, V.E. 88–70372
Mikhaikov, V.N. Optical frequency conversion by light-induced free-carrier gratings 85–41498
Mikhail, A. *see* Sabisky, E. 86–7036
Mikhail, S. *see* Boles, A.D. 87–31084
Mikhail, S. *see* Howse, R. 86–19393
Mikhail, S. *see* Mankbadi, R.R. 86–12723
Mikhail, S. *see* Sargeant, O. 86–17808
Mikhail, S.A. *see* Mankbadi, R.R. 86–19149
Mikhail, S.L. The challenge of engineering education to meet the manpower needs of electrical technology in Africa 85–5697
Mikhail, S.S., McGranaghan, M.F. Evaluation of switching concerns associated with 345 kV shunt capacitor applications 86–51929
Mikhail, W.F. *see* Heller, W.R. 86–47710
Mikhailenko, A.A. Raising the accuracy of measuring the dielectric parameters of materials in high-frequency fields 88–4588
Mikhailenko, E.P. *see* Gusev, A.A. 86–33892
Mikhailenko, F.A. *see* Posokh, S.V. 85–24498
Mikhailenko, I.V. *see* Zhad'ko, I.P. 87–67224
Mikhailenko, L.P. *see* Kukhtetskii, S.V. 87–19157
Mikhailichenko, A.A. A sensor of the coordinates and current of an intense microwave-modulated electron beam 85–26554
Mikhailichenko, A.A. *see* Baidak, A.F. 86–11501
Mikhailichenko, A.A. *see* Balakin, V.E. 85–26580
Mikhailichenko, A.I. *see* Golovkova, S.I. 87–68271
Mikhailin, V.V. *see* Allsalu, M.-L.Yu. 87–68270
Mikhailiv, N.I. *see* Gorodyskii, M.V. 85–44301
Mikhaill, W.F. *see* Heller, W.R. 85–6269
Mikhailo, A.K. The energy criteria of a system consisting of a charging-discharge converter and a capacitive store 87–64830
Mikhailov, A.E., Parfenov, V.G., Savintseva, L.A. Thermal conditions and emission energy of solid-body lasers with various structural designs 87–61119

Mikhailov, A.E. *see* Dul'nev, G.N. 88−14163, 88−45381
Mikhailov, A.I. *see* Brovko, O.I. 86−5653
Mikhailov, A.I. *see* Shelaev, I.A. 85−26621
Mikhailov, A.K. The energy characteristics of a charge-discharge converter with a capacitive store 86−61590
Mikhailov, A.V. Calculating image contrast for multiplexable liquid-crystal data representation devices 86−15525
Mikhailov, A.V., Roshal, A.S., Leitan, V.A. A technique for analysing the field of magnets having ferromagnetic cores 85−56974
Mikhailov, A.V. *see* Abramyan, L.E. 87−34679
Mikhailov, A.V. *see* Bondarenko, S.V. 86−9951
Mikhailov, A.V. *see* Melititskiy, V.A. 88−46066
Mikhailov, B.I. *see* Bellavin, B.K. 85−12433
Mikhailov, D. *see* Borisov, M. 85−29403
Mikhailov, E. *see* Novakov, E.P. 86−20643
Mikhailov, E.A. *see* P'Yankov, V.A. 85−38373, 88−18781
Mikhailov, E.M. *see* Buss, V.A. 86−56772
Mikhailov, G.D., Golovkov, A.A. Synthesis of an active-passive plane-layered medium with a switchable reflection coefficient 88−13656
Mikhailov, G.N. *see* Berezhnoi, A.A. 85−18755
Mikhailov, I.A. A geometrical analysis of thick holograms 86−15801
Mikhailov, I.E., Gubin, M.F., Kudrevatykh, V.G. Use of equalizing racks in the outlet sections of draft tubes of hydroelectric and pumped-storage stations 85−60051
Mikhailov, I.E., Kuz'menko, A.I. Effect of the shape of the transition section on head losses in intakes of a pumped-storage station 87−4623
Mikhailov, I.F., Spalek, Yu.M., Federov, A.G. Thermal and structural deformation in the silicon-oxide system 87−38140
Mikhailov, I.I. Experience in the operation of 110 kV transmission lines with surface foundations [transmission line towers] 86−44996
Mikhailov, I.T., Perepelitsyn, O.P. Technology production of resistance strain gauge transducers based on heteroepitaxial silicon-on-sapphire structures 86−11551
Mikhailov, J.F. *see* Brailovskii, E.J. 86−47513
Mikhailov, L.A. Heating in a cyclically-loaded electrical machine 86−61510
Mikhailov, L.K. *see* Stel'makh, M.F. 85−24621
Mikhailov, L.P. Techniques for Soviet pumped-storage plant construction 86−45248
Mikhailov, L.P. *see* Karelin, V.Ya. 86−65949
Mikhailov, M.A. A *C-V* meter for semiconductor radiation detectors 88−22914
Mikhailov, M.D., Ozisik, M.N. Unified finite integral transform analysis 86−62003
Mikhailov, M.D., Ozisik, M.N. A method of accelerating the convergence of series solutions 87−10305
Mikhailov, M.D. *see* Kim, T.I. 86−41551
Mikhailov, M.G. *see* Ratcheva, T.M. 86−58265
Mikhailov, N. *see* Shekhtov, C. 88−34195
Mikhailov, N.M. The Logika I-310, Logika I-311, Logika I-312 control elements 88−12677
Mikhailov, O.I. *see* Goncharov, V.A. 87−29030
Mikhailov, O.P. A procedure for analyzing an electromechanical machine tool drive system 85−44207
Mikhailov, O.P. Prospects for development of automated electric drive for metal-cutting machine tools 86−19655
Mikhailov, O.P. Automated machine-tool electric drive development prospects 87−22925
Mikhailov, O.P., Khrapko, P.I. Inertial control of the electric drive for a machine tool feed 87−78997
Mikhailov, O.P., Lebedinskii, B.P. Parametric disturbances in the DC motors of machine-tool feed dries 85−49229
Mikhailov, O.P., Veselov, O.V. Promising developments in microprocessor drives [for machine tools] 85−10134
Mikhailov, O.P. *see* Dzhenteredzhyan, R.G. 87−43506
Mikhailov, S.I. *see* Anikeev, I.Yu. 85−41510, 87−46933, 87−75170, 88−51938
Mikhailov, S.I. *see* Glazkov, D.A. 88−20410
Mikhailov, S.Ya. *see* Kovarskii, L.G. 87−89
Mikhailov, V.A. Improvement of the reliability of wide-gap spark chambers operating in the storage regime 86−44587
Mikhailov, V.A. Geometrical analysis of stability for adaptive strategy of decentralized random multiple access 88−52631
Mikhailov, V.A., Khvostov, L.Ya. Prospects for development of programmed pacemakers and monitoring devices 88−36513
Mikhailov, V.A. *see* D'yakonov, G.I. 88−65643
Mikhailov, V.A. *see* Grigor'ev, V.N. 87−46822
Mikhailov, V.A. *see* Korotchenkov, G.S. 86−2045
Mikhailov, V.A. *see* Krindach, D.P. 88−27223
Mikhailov, V.A. *see* Rybko, A.N. 87−27689
Mikhailov, V.B. *see* Sidorenko, N.F. 86−24748
Mikhailov, V.D. *see* Gorinov, A.P. 86−38978
Mikhailov, V.I. *see* Adkhamov, A.N. 88−65579
Mikhailov, V.I. *see* Bulatova, S.V. 88−74760
Mikhailov, V.I. *see* Tarnizhevskii, M.V. 85−64863
Mikhailov, V.I. *see* Volkov, I.N. 86−70357
Mikhailov, V.M. Equivalent-current analysis of the magnetic field of ideal conductors 85−29987
Mikhailov, V.M. Calculation of a magnetostatic field by the use of equivalent currents or magnetic charges 86−22608
Mikhailov, V.M. Magnetostatic analogy of an ideal surface effect 88−20263
Mikhailov, V.M. On one quadrature for integral equations which describe the distribution of electromagnetic field sources 88−40453
Mikhailov, V.M., Movmyga, I.N. Distribution of current at the edges of the aperture of a solenoid containing a coaxial cylinder, under a pronounced skin-effect 88−72517
Mikhailov, V.M., Orel, A.I. On formulating a case of analysis of current distribution in long nonmagnetic conductors under transient conditions 87−30183
Mikhailov, V.M., Orel, A.I. About calculation of the current distribution in long nonmagnetic conductors under transient conditions 88−23478
Mikhailov, V.M., Rudenko, Yu.S. On the application of the Eulerian and Lagrangian points of view on motion in the analysis of pulse EM fields 88−20832
Mikhailov, V.M. *see* Bondina, N.V. 86−8534
Mikhailov, V.N. *see* Krylov, V.N. 88−33983, 88−34152
Mikhailov, V.P. *see* Demchouk, M.i. 85−62631, 86−3119
Mikhailov, V.P. *see* Demchuk, M.I. 85−28667, 85−29799, 85−41513, 85−56581, 86−9820, 86−15581, 86−29208, 87−7325, 87−68590, 88−39999, 88−40188, 88−63516
Mikhailov, V.P. *see* Demchuk, M.K. 86−54215
Mikhailov, V.P. *see* Demchyuk, M.I. 85−12833
Mikhailov, V.P. *see* Gilev, A.K. 86−70042
Mikhailov, V.S. Parameters of high-frequency transformer-type hybrid power splitter with random loads 85−28690
Mikhailov, V.S. *see* Cerri, C. 85−20813
Mikhailov, V.S. *see* Zhuk, I.P. 87−56774
Mikhailov, V.V. National and economic assessment of the regulation efficiency of electric power 85−43553
Mikhailov, V.V., Berkovich, T.S. Optimum distribution of limited power between plants of an industrial complex 85−4623
Mikhailov, V.V., Brezhnev, A.M., Dorofeev, G.B., Temirev, A.P. Magnetodielectric current transducers for relay protection and automation 88−55395
Mikhailov, V.V., Prous, V.R. Application of current transducers with magnetodielectric magnetic conductors to differential protection 88−5400
Mikhailov, V.V. *see* Varvarskii, V.S. 86−32657
Mikhailov, V.V. *see* Vdoviko, V.P. 86−9337
Mikhailov, V.V. *see* Zolotarev, N.A. 86−2603, 86−10076
Mikhailov, V.Yu. *see* Dmitriev, V.G. 87−12441
Mikhailov, V.Yu. *see* Zakharkin, B.I. 87−46847
Mikhailov, Yu.A. *see* Bogatenkov, I.M. 87−43168
Mikhailov, Yu.A. *see* Nesterin, V.A. 85−40271
Mikhailov, Yu.G. *see* Anepir, A.A. 85−48049
Mikhailov, Yu.I. *see* Taraeva, T.G. 86−35211
Mikhailov, Yu.V. *see* Binon, F. 86−65395
Mikhailov, Yu.V. *see* Denisenko, A.A. 88−16659
Mikhailov, Yu.V. *see* Kotov, V.I. 86−70358
Mikhailov, Yu.V. *see* Krasnokutskii, R.N. 87−71018
Mikhailov , V.P. *see* Demchuk, M.I. 86−63630
Mikhailova, E.D. Experimental design for simulation by multidimensional power-mode polynomials 85−44638
Mikhailova, E.D. Estimation of complexity of multidimensional model 88−38338
Mikhailova, G.N. *see* Kalinushkin, V.P. 87−73988
Mikhailova, G.N. *see* Kuzemchenko, T.A. 88−50618
Mikhailova, G.N. *see* Ursu, I. 88−19794
Mikhailova, G.N. *see* Varshava, S.S. 88−16092
Mikhailova, I.M. Modelling a network providing information to geographically-distributed users of scientific and technical programs 85−3163
Mikhailova, L.E. *see* Neumann, H. 88−12088
Mikhailova, L.L. *see* Bogatenkov, I.M. 87−30270, 87−30272, 88−23579
Mikhailova, M.P. *see* Andreev, I.A. 86−27973, 87−68289, 88−1414, 88−25949
Mikhailova, M.P. *see* Dmitriev, A.P. 87−45588
Mikhailova, M.V. Analysis of the square operating response of a selective impedance relay in a single-phase automatic reconnector for different compensation coefficients 87−42524
Mikhailova, N.G. *see* Bilenko, D.I. 86−34316
Mikhailova, N.S. *see* Terent'ev, V.V. 88−44826
Mikhailova, O.M., Petrosyants, K.O. Computer modeling of I^2L circuits 87−52476
Mikhailova, O.M. *see* Petrosyants, K.O. 87−52292
Mikhailova, T.P. *see* Balakhnin, A.E. 88−2345
Mikhailova, T.P. *see* Solomakha, D.A. 87−68561
Mikhailova, V.A. *see* Kalinichenko, S.P. 87−78696
Mikhailova, V.G. *see* Proshkin, E.G. 88−23182
Mikhailova, V.P. *see* Muchnik, G.F. 88−55578
Mikhailovich, A.M. *see* Vlasik, V.F. 86−25691
Mikhailovskaya, E.V. *see* Sharii, V.M. 86−8995
Mikhailovskaya, L.G. *see* Litsyn, S.N. 86−3779
Mikhailovskaya, R.V. *see* Zhernovskii, E.L. 87−72184
Mikhailovskii, A.I. *see* Ukraseev, M.A. 88−5921
Mikhailovskii, G.A. *see* Bluvshtein, I.G. 88−67620
Mikhailovskii, I.P., Epov, A.E. Field ionization of deep centers in thermal silicon dioxide in Si-SiO_2 structures 85−40548
Mikhailovskii, I.P., Epov, A.E. A model of field (tunnel) generation of positive charge in thermal silicon dioxide of Si-SiO_2 structures 86−28063
Mikhailovskii, S.S. *see* Gusak, P.M. 88−65590
Mikhailovskii, Yu.A. *see* Shvidler, A.B. 88−30760
Mikhailovskii, Yu.A. *see* Timchenko, B.S. 85−44048
Mikhailovskii, Yu.M. *see* Dakhov, A.I. 85−4923
Mikhailovsky, Y.A., Shvidler, A.B., Tarle, G.E., Tchornogotsky, V.M., Voevodin, I.D., Lyublin, I.Sh. Methods of temperature rise calculations of power transformer windings 86−51717
Mikhail'tsova, I.A. *see* Koronkevich, V.P. 85−56860
Mikhailushkin, A.I. *see* Andronatii, N.P. 85−5823
Mikhailyuk, G.D. *see* Lysenko, S.B. 87−19012
Mikhailyuk, Yu.P. *see* Lobkova, L.M. 86−3515
Mikhailyuta, O.V. *see* Marishkin, A.K. 85−60611
Mikhal', O.F. Refinement of the time-interval concept from fuzzy-set theory 88−53515
Mikhal'chan, V.S. Gradient adaptive corrector with optimal tuning step 85−13451
Mikhal'chan, V.S. Adjusting algorithm for an adaptive equalizer having optimum rate of convergence 85−61398
Mikhal'chan, V.S. A fast algorithm for training a harmonic corrector 86−29890
Mikhal'chenko, G.Ya. *see* Kobzev, A.V. 86−61591
Mikhal'chenko, V.G. *see* Novikov, S.I. 85−60029
Mikhal'chenko, V.I. *see* Shlee, V.R. 87−45177
Mikhalenko, A.A. *see* Akhvlediani, Z.G. 86−22364
Mikhalev, A.S., Sidoruk, S.N., Chushenkov, I.M. Accumulating angle-to-digit converter 88−16034
Mikhalev, A.S. *see* Mel'nik, S.E. 88−49745
Mikhalev, B.E. *see* Bezmenov, F.V. 88−16699
Mikhalev, I.A., Chernyshov, V.G. Spatial orientation of aircraft during execution of lateral manoeuvres 86−25358
Mikhalev, L.A., Ogarenko, O.V., Tischenko, V.A. Broadband dipole measuring antenna 86−44413
Mikhalev, P.S. *see* Kanunnikov, V.N. 87−50099
Mikhalev, V.L. *see* Lastochkin, Yu.A. 86−32099
Mikhalev, V.P. *see* Bashtovoi, V.G. 88−74357
Mikhaleva, L.F. *see* Porotikov, A.P. 88−70321
Mikhalevich, M.V., Rymaruk, V.I. Algorithms for determining saddle points in antagonistic games defined by binary preference relations 86−40617
Mikhalevich, V.G. *see* Veselovskii, I.A. 88−42688
Mikhalevich, V.G. *see* Volyak, K.I. 87−77882
Mikhalevich, V.S., Gupal, A.M., Bolgarin, I.V. Numerical methods of solving nonstationary and limit extremal problems without evaluating gradients 86−7674
Mikhalevich, V.S., Redkovskii, N.N., Antonyuk, A.A. Methods of minimization in a set of nonnegative definite matrices 88−6407
Mikhalevich, V.S., Redkovskii, N.N., Perekatov, A.E. Numerical methods of minimization of nonlinear functions on disjoint simplices 86−13675
Mikhalevich, V.S., Redkovskii, N.N., Perekatov, A.E. Minimization methods for functions on simple sets 87−52003
Mikhalevskii, V.S., Hasilev, V.Ya. Nonlinear interaction of soliton pulses in optical fibers 87−54057
Mikhalevskii, V.S., Khasilev, V.Ya. Interaction of solitons in fiber-optic waveguides 88−20364
Mikhalevskii, V.S. *see* Gal'chenko, G.A. 87−45185, 88−25392
Mikhalevskii, V.S. *see* Il'yushko, V.G. 85−12785
Mikhalevskii, V.S. *see* Kravchenko, V.F. 85−18869
Mikhalevskii, V.S. *see* Kuznetsov, V.A. 86−67459
Mikhalevskii, V.S. *see* Lerer, A.M. 85−11499
Mikhalevskiy, V.S. *see* Kuznetsov, V.A. 86−20806, 87−24400
Mikhalevskiy, V.S. *see* Lerer, A.M. 85−34131, 86−47041
Mikhalina, N.B. *see* Bal'kin, G.F. 86−37378
Mikhalina, N.B. *see* Zagashev, Yu.I. 87−62568
Mikhal'skii, V.M., P'yanykh, B.E., Sobolev, V.N. Power transistors in gate circuits of direct frequency converters for controlled alternating current drives 85−10011
Mikhal'tsevich, G.A. *see* Astashenko, P.P. 87−31598

Mikhamedyarov, R.D. *see* Mitsel'mager, E.Ye. 85−7794
Mikhamer, H.A. *see* Metwally, M.S. 86−27383
Mikhasev, Y.I. *see* Bukatova, I.L. 85−46807
Mikhatskii, A.Yu. Evaluating final-pulsation level in the response of an acoustoelectronic Fourier converter 88−54776
Mikhatskii, A.Yu., Palamarchuk, A.A. Measurement of the phase responses of dispersive delay lines 87−31771
Mikhaylenko, S.B. A method of forming gaps in the radiation pattern of a scanning phased antenna array 87−61524
Mikhaylov, A.A. *see* Tolmachev, V.I. 86−21932
Mikhaylov, A.V., Guseva, G.I., Zav'yalov, M.A., Roshal, A.S. Space-time characteristics of the nonlinear unstable states of a finite quasineutral electron beam 87−47104
Mikhaylov, A.V. *see* Melititskiy, V.A. 85−36164, 86−30856, 87−47741
Mikhaylov, G.D., Golovkov, A.A. A microwave reflect switch employing a switching element with a negative active component of the immittance 86−41344
Mikhaylov, G.D., Smirnov, Yu.V. Influence of spread of the electrical parameters of the controlled components of the phase shifters on the spectral characteristics of the field of an antenna array 86−36854
Mikhaylov, G.D. *see* Golovkov, A.A. 85−7628
Mikhaylov, G.D. *see* Karpukhin, V.I. 85−63058
Mikhaylov, I.A. Holographic optical elements for TV picture projection on large screens 86−60041
Mikhaylov, M.Yu. *see* Chaplin, A.F. 85−62927, 88−66229
Mikhaylov, S.I. *see* Basov, N.G. 88−58691
Mikhaylov, V.F. *see* Bleykhman, V.S. 87−55635
Mikhaylov, V.F. *see* Dikarev, A.V. 85−7788
Mikhaylov, V.N. *see* Arkhipov, V.K. 86−21066
Mikhaylov, V.Yu. Regular method of synthesizing quasiorthogonal ensemble or M-sequences 85−57248
Mikhaylyukov, V.N. *see* Abramovich, Yu.I. 88−66106
Mikheeiv, V.M. *see* Gleibman, E.M. 85−65048
Mikheev, A.F. The electrical parameters of a loop antenna with and without a ferrite core near a conducting surface 87−61502
Mikheev, A.F., Petrenko, B.I., Androsenko, V.Ya. Circuit-design optimization of multivibrators 88−19005
Mikheev, A.N. *see* Gimel'shein, F.Ya. 85−8818
Mikheev, G.M. *see* Angelov, I.P. 86−15677, 86−58950
Mikheev, G.M. *see* Venkin, G.V. 85−56803, 86−24443
Mikheev, I.V. *see* Kondrashov, A.V. 85−47980
Mikheev, L.D. Visible and UV photochemical lasers 88−27034
Mikheev, L.D. *see* Basov, N.G. 86−29065, 86−48326
Mikheev, L.D. *see* Bazhulin, S.P. 86−15623
Mikheev, L.D. *see* Marowsky, G. 85−51111
Mikheev, L.D. *see* Zuev, V.S. 85−2233, 85−18870, 85−35699, 88−20554
Mikheev, M.N., Belenkova, M.M., Vitkalova, R.N., Kogan, L.Kh., Anoprienko, S.S. An electromagnetic method of determining strain martensite in corrosion-resisting steels 87−355
Mikheev, M.N., Bida, G.V., Neizvestnov, B.M., Bobrova, S.V., Chepushtanova, V.V. Application of the differential magnetic structurescope DMS-2 in quality control of steel parts 85−10864
Mikheev, M.N., Gorkunov, E.S. Magnetic and thermoelectric methods of phase analysis (review) 87−16725
Mikheev, M.N., Kamardin, V.M., Bida, G.V., Aronson, E.V. Combining methods of magnetic inspection and statistical prediction of the mechanical properties of rolled steel stock 86−57498
Mikheev, M.N., Ponomarev, V.S., Morozova, V.M., Remez, N.V., Deordiev, G.I. Inspection of the quality of heat treatment of steel components on the basis of remagnetization losses 87−36836
Mikheev, M.N. *see* Bida, G.V. 85−6053, 85−49632
Mikheev, M.Yu., Chuvykin, B.V. Methods of building time-pulse converters with multiple integration 86−35048
Mikheev, M.Yu., Chuvykin, B.V. Investigation into double-level weighted functions 86−60209
Mikheev, M.Yu., Chuvykin, B.V. Noise resistance of integrating converters with dynamic-characteristic correction 86−67449
Mikheev, M.Yu., Chuvykin, B.V. Metrological characteristics of a sine-wave generator with linear pulsed feedback 88−9927
Mikheev, N.P. *see* Kryuchkov, S.V. 85−29015
Mikheev, P.A., Ershov, A.V. Fiber-optic observation system having image movement 85−24313
Mikheev, P.A., Puisha, A.E., Kuzovaya, V.L., Sadko, N.P. Contrast resolution function of flexible fiber elements 88−72045
Mikheev, P.A. *see* Erokhin, A.I. 85−51262
Mikheev, P.A. *see* Ershov, A.V. 88−58109
Mikheev, P.A. *see* Kovalev, V.I. 85−24668
Mikheev, P.A. *see* Kutasov, V.A. 85−46182
Mikheev, S.M. *see* Grozov, V.P. 87−75444
Mikheev, V.I., Osnovich, L.D. Magnetic field exciting end-type inductor generator 85−15972
Mikheev, V.P. Improvements to the current collectors of electric locomotives 87−5019
Mikheev, V.P. *see* Chunchin, V.A. 86−32797
Mikheev, V.V. *see* Aleksandrov, A.F. 85−13049
Mikheev, V.V. *see* Mytsyk, G.S. 87−72244
Mikheev, Yu.A., Raksina, F.P. Autodyne photoresistor detector 86−5323
Mikheev, Yu.I. *see* Gluzshtein, Yu.O. 86−33265
Mikheeva, E.P. *see* Devyatov, V.G. 86−14885
Mikheeva, L.V. *see* Kasatkin, V.V. 87−46682
Mikheeva, N.I. *see* Semenov, G.M. 85−52885
Mikheikina, E.V. *see* Voskanyan, N.V. 87−63243
Mikhelzon, V.M. *see* Kupershnidt, Yu.Ya. 86−45041
Mikheyenko, V.S. An interactive method of synthesizing a rational graph of a secondary communications network 86−37188
Mikheyev, A.F. The inductance of a frame antenna with a ferrite core 87−61478
Mikheyev, A.F., Androsenko, V.Ya. Electronic phase modulators for analog-digital converters 88−70869
Mikheyev, A.G., Rakitin, B.V. Noise from the underlying surface 87−63023
Mikheyev, P.A. *see* Brukhman, V.Ya. 86−28869
Mikhina, G.F. *see* Logvinenko, S.P. 87−3554
Mikhitar'yan, V.B. *see* Manashirov, O.Ya. 86−28978
Mikhkel'soo, V.T. *see* Berik, E.B. 86−63773
Mikhleev, A.M. *see* Aparin, V.M. 88−75866
Mikhlyaev, S.V. Operational change in parameters of image multiplication by means of Fourier optics 86−37118
Mikhnenko, V.M. *see* Dashevskii, M.Ya. 88−38123
Mikhnev, V.A. *see* Konev, V.A. 87−73169
Mikhnevski, N.D. *see* Belotserkovskii, A.V. 86−18524
Mikhnitskii, I.B. *see* Degtyarev, A.P. 87−50189
Mikhnov, S.A., Kononov, V.A., Uskov, V.I., Korik, O.E. Some features of Q switching of a ruby laser by a passive switch made of neutron-irradiated leucosapphire 88−27239
Mikhnov, S.A., Rakush, V.V., Khyuppenen, V.P., Asaenok, N.A. Possibility of increasing the efficiency of lasers in a LiF:F_2— crystal by perfecting the technology of radiation-induced coloring 85−41368
Mikhnov, S.A., Stratskevich, L.I., Khyuppenen, V.P., Shkadarevich, A.P. Stability of laser elements based on LiF:F_2^- under conditions of ultraviolet irradiation 85−7400
Mikhnov, S.A., Uskov, V.I., Korda, I.M., Cherenda, N.G., Bilan, O.N. Passive shutter of radiation-colored leucosapphire for a ruby laser 85−18992
Mikhnov, S.A. *see* Voitovich, A.P. 87−7326, 88−20601
Mikhotin, V.D. *see* Andreev, V.I. 85−31281
Mikhotin, V.D. *see* Golyshevskii, O.A. 86−47035
Mikhov, G.S. *see* Zlatarov, V.K. 85−17174
Mikhov, M. Modelling the processes in an ion source for metal ions 88−4787
Mikhov, M. Improving the parameters of a pulsing voltage generator supplying an electron gun 88−5782
Mikhov, M. *see* Enchevich, I. 85−52956
Mikhov, M.K. *see* Enchevich, I.B. 85−20785
Mikhov, M.K. *see* Korenev, S.A. 86−67621
Miki, A., Okamura, Y., Yamamoto, S. Optical waveguide lens measurement using an image processing system 88−40037
Miki, A., Okamura, Y., Yamamoto, S. Measurement of propagation properties of optical waveguide circuits using a TV camera system 88−51538
Miki, A. *see* Nagashima, M. 87−43405
Miki, A. *see* Okamura, Y. 87−18745
Miki, C. *see* Imae, M. 86−44439
Miki, C. *see* Tejima, T. 88−36171
Miki, C. *see* Urazuka, M. 88−16521
Miki, H. On the Leopoldt conjecture on the p-adic regulators 87−51973
Miki, H., Hayama, M., Kobayashi, K., Nakagawa, N., Otani, M., Onishi, Y. Dark current of hydrogenated amorphous silicon photo-diode 86−28998
Miki, H., Kawamoto, S., Horikawa, T., Maejima, T., Sakamoto, H., Hayama, M., Onishi, Y. Large scale and large area amorphous silicon thin film transistor arrays for active matrix liquid crystal displays 88−44769
Miki, H., Kinoshita, N. Automatic calibration system of a continuous gas analyser and its application example 86−65296
Miki, H. *see* Hayama, M. 87−26217, 88−12923, 88−24767
Miki, H. *see* Ishizu, A. 85−49604, 86−31531, 87−3681, 87−31576, 88−16321, 88−42212
Miki, H. *see* Kobayashi, K. 87−44384
Miki, H. *see* Sakamoto, H. 88−42215
Miki, H. *see* Sugano, T. 88−26048
Miki, I., Matsuse, K., Akiyama, Y. Soft wye-delta starting of induction motor by three-phase pre-excitation 87−43038
Miki, I., Matsuse, K., Nishiyama, S., Nassirharard, A. A method of determining equivalent circuit parameters of an induction motor fed for various inverters 88−48969
Miki, K., Eguchi, A. Study of connected digit speech recognition 88−27848
Miki, K., Takagi, T. Numerical solution of Poisson's equation with arbitrarily shaped boundaries using a domain decomposition and overlapping technique 87−16543
Miki, K. *see* Murakami, Y. 88−63684
Miki, K. *see* Nakamura, Y. 87−72838
Miki, K. *see* Ose, Y. 88−50601
Miki, K. *see* Takagi, T. 87−73950
Miki, M., Ohki, A. Current status of light water reactor and Hitachi's technical improvements for BWR 85−43815
Miki, M. *see* Irie, Y. 88−74664
Miki, M. *see* Saeki, H. 87−10748
Miki, M. *see* Sasaki, H. 86−5755
Miki, M. *see* Suzuki, S. 86−57007
Miki, M. *see* Uchida, S. 88−5435
Miki, N. Technologies for all solid state TV transmitter 88−35663
Miki, N., Kawabata, T., Kajiwara, N. World's highest power all-solid-state 50 kW VHF TV transmitter 87−3281
Miki, N., Miyanaga, Y., Sata, S., Nagai, N. Spectrum and pitch estimation of speech using a time-varying ARMA estimation algorithm 86−16238
Miki, N., Motoki, K., Nagai, N. A lattice filter model with accurate lip impedance for dynamic articuratory movement 87−61710
Miki, N., Saga, S., Miyanaga, Y., Nagai, N. ARMA spectral estimation using weighted model identification systems 86−48794
Miki, N., Saga, S., Motoki, K., Miyanaga, Y., Nagi, N. Area estimation from ARMA analysis based on a vocal-tract model 87−19590
Miki, N. *see* Haseyama, M. 88−8783, 88−70923
Miki, N. *see* Miyanaga, Y. 85−28655, 85−40188, 86−69002, 86−69041, 87−19739, 87−47569, 87−59738, 88−59051
Miki, N. *see* Motoki, K. 87−27238
Miki, N. *see* Nagai, N. 86−57984
Miki, N. *see* Ohshita, S. 85−2741
Miki, N. *see* Okita, Y. 88−3018
Miki, N. *see* Saga, S. 85−41881, 87−27237
Miki, N. *see* Serizawa, M. 88−45989
Miki, N. *see* Suzuki, M. 85−17684, 85−40193, 85−45163, 86−57978, 87−892, 87−5975, 87−45111, 88−12514, 88−38638
Miki, N. *see* Wakabayashi, H. 85−11423
Miki, N. *see* Watanabe, H. 85−7886, 85−13544, 85−63067, 86−16354, 86−69037
Miki, O. *see* Sato, K. 86−31368
Miki, R., Itoh, T., Kobayashi, K., Kimura, I., Yamamoto, S., Tsuchihashi, K. Standard 1/E spectrum neutron field installed in UTR-KINKI 87−21394
Miki, S. *see* Hakuta, K. 87−14611
Miki, S. *see* Ito, M. 86−6184
Miki, S. *see* Takahashi, M. 88−17470
Miki, S. *see* Yamada, T. 85−52155
Miki, T. Trends in information technologies [communications] 86−4132
Miki, T., Egawa, T. VLSI for Information Network Systems 87−1594
Miki, T., Hata, M. Performance of 16 kbit/s GMSK transmission with postdetection selection diversity in land mobile radio 85−3364
Miki, T., Hata, M. Directivity diversity for high-speed digital land mobile radio 86−69700
Miki, T., Ikeya, M. Theoretical response of electret dosimeter to ionizing radiation 85−43450
Miki, T., Ikeya, M., Matsuyama, M., Watanabe, K. Tritium detection using electret dosimeter 85−26686
Miki, T., Ikeya, M., Matsuyama, M., Watanabe, K. Electret dosemeters for tritium beta rays 87−50167
Miki, T., Ishida, J. Transmission technologies on HDTV 86−17605
Miki, T., Itoh, R., Kamae, T. Zigzag-shaped pads for cathode readout of a time projection chamber 85−43188
Miki, T., Nakamura, Y., Nakaya, M., Asai, S., Akasaka, Y., Horiba, Y. An 80-MHz 8-bit CMOS D/A converter 87−17172
Miki, T., Nakamura, Y., Nakaya, M., Asai, S., Akasaka, Y., Horiba, Y. An 80 MHz 8 b CMOS D/A converter 87−17182
Miki, T., Nakamura, Y., Nakaya, M., Horiba, Y. Influence of non-zero resistance of analog ground line in D/A converter 86−67277
Miki, T., Suda, H. A robust 16 kb/s voice transmission for digital land mobile radio 88−46940
Miki, T., Takahashi, K. Transmission quality of evolving digital telephone networks 86−37327
Miki, T., Takahashi, K. Transmission quality of evolving digital telephone networks 87−7973
Miki, T., Yamagata, J. Fiber optic transport systems for present and future local networks 87−28585
Miki, T. *see* Hata, M. 85−42493
Miki, T. *see* Hirono, M. 85−2732
Miki, T. *see* Hirose, S. 87−37332
Miki, T. *see* Ito, S. 88−53172, 88−73540

Miki, T. *see* Kamae, T. 87–21432
Miki, T. *see* Kishimoto, R. 85–57657
Miki, T. *see* Kubo, M. 88–24832
Miki, T. *see* Mori, I. 87–36030
Miki, T. *see* Nakatsuka, M. 87–50227
Miki, T. *see* Nakaya, M. 86–52906, 87–59638
Miki, T. *see* Ogino, T. 88–69108
Miki, T. *see* Okano, Y. 85–13744
Miki, T. *see* Okimi, K. 85–3014
Miki, T. *see* Suda, H. 88–41557, 88–66285
Miki, T. *see* Tanaka, M. 88–48672
Miki, T. *see* Tsuboi, T. 85–37283
Miki, T. *see* Yamakawa, T. 85–741, 85–28496, 86–2404, 86–40993, 87–24086, 87–52504
Miki, Y., Hongyo, T. System controller VO-100 C 85–14441
Miki, Y., Nagasawa, S. Video disc player VP-3000 86–55465
Miki, Y., Sakuma, E. Microcomputer-controlled etching system for reproducible point contact Josephson junctions 86–2626
Miki, Y., Sakuma, E. Frequency mixing of 50 GHz microwave and 4.25 THz FIR light by a Josephson point contact 87–74603
Miki, Y., Sakuma, E., Morimura, M. Point-contact-type Josephson harmonic-mixer for frequency measurement of FIR lasers 87–12548
Miki, Y., Sakuma, E., Morimura, M. Point-contact-type Josephson harmonic mixer for frequency measurement of far-infrared lasers 88–14256
Miki, Y. *see* Chigusa, Y. 85–40141
Miki, Y. *see* Fukui, K. 87–34741
Miki, Y. *see* Kaneko, H. 87–37358
Miki, Y. *see* Manabe, K. 87–49366
Miki, Y. *see* Ohno, Y. 88–20306
Miki, Y. *see* Sakuma, E. 88–27081
Mikic, B.B. *see* Miaoulis, I.N. 86–34349 to 34350
Mikic, O.M. Mathematical dynamic model for long-term distribution system planning 86–50841
Mikiel, W. *see* Ranachowski, J. 88–12129
Mikienko, W. *see* Sliwinski, G. 87–33081
Mikikechko, A.N. Interface for automatic recording and playback of experimental data with ES-9004 86–70063
Mikino, H. *see* Okikawa, S. 85–55933
Mikishev, V.D. *see* Alekseev, E.I. 86–48147
Mikitarian, L.S. *see* DeFrancesco, M.J. 86–30216
Mikkaichi, M. *see* Nakamura, T. 85–13224
Mikkela, O. Colorimetric problems in high-definition television 88–67552
Mikkelsen, J. Why build power stations if it is cheaper to save energy? 88–10946
Mikkelsen, J.C., Jr. Atomic deuterium passivation of boron acceptor levels in silicon crystals 85–40422
Mikkelsen, J.C., Jr., Wu, I.-W. Severe loss of dopant activity due to CHF_3+CO_2 reactive ion etch damage 86–63177
Mikkelsen, J.C., Jr. *see* Wu, I.W. 87–11426
Mikkelsen, J.C., Jr. *see* Wu, I.-W. 87–11604
Mikkelson, J.C., Jr. The metallurgy of oxygen in silicon 85–60941
Mikkelson, K. *see* Seaman, J.F. 85–4182
Mikkelson, K. *see* Shaw, L.L. 86–5080
Mikkelson, R.C. *see* Onstott, J.R. 88–13878
Mikkelson, R.E. *see* Guilboard, D.K. 86–982
Mikkelson, R.G. Military stabilized platforms for commercial broadcasting 88–47263
Mikkilineni, R. *see* Rama, G. 88–46484
Mikkilineni, R.P., Wilpon, J.G., Rabiner, L.R. A procedure to generate training sequences for a connected word recognizer using the segmental *k*-means training algorithm 88–72796
Mikkilineni, R.P. *see* Wilpon, J.G. 88–66892
Mikkilineni, R.V. *see* Koblentz, M.E. 87–40183
Mikkonen, R. *see* Erikkson, J.-T. 87–72462
Mikkor, M. Graphite aluminum- and silicon carbide-coated current collectors for sodium-sulfur cells 85–60395
Mikla, V.I. *see* Semak, D.G. 87–1218, 87–25911
Miklas, R. Accurate positioning servomechanisms for microelectronics developed in VUMA 85–50632
Miklaszewski, W. *see* Mizerski, J. 88–72342
Miklavaskaya, E.M. *see* Kazak, N.S. 86–48475
Miklavskaya, E.M. *see* Bokut', B.V. 86–9969
Miklavskaya, E.M. *see* Kazak, N.S. 86–54107
Mikleev, A.M. *see* Mal'tsev, G.I. 86–33559
Mikli, N., Grimwood, R. A new lightwave conductor system for installation in high voltage aerial cable lines 86–12461
Mikli, N., Hey, St., Haverkamp, W. A universal and economical connection system for SF_6-insulated circuit breaker systems 88–24078
Miklik, J. Measuring technique of porosity for Ni-Zn ferrites additionally compacted by isostatic pressing 86–13838
Miklos, A., Illenyi, A. Vibration sensor for diagnostic purposes 86–70116
Miklos, D. Linear binary codes with intersection properties 85–7800
Miklos, D., Nagy, I. Stability of current fed inverter 86–12891
Miklos, J. *see* Plato, P. 85–26814, 86–18392
Miklos, M.J., Rahaim, P.T. Wafer-aligning feature for a wafer-lifting device 85–5770
Miklos, P. *see* Olach, O. 86–27648
Miklyaev, M.S. Digital-to-analogue conversion and its use in electrical engineering problem applications 86–6680
Miklyaev, M.S., Gaintsev, Yu.V., Chubaryan, A.T., Semikov, A.P., Konnov, V.S. Determining the equivalent circuits and characteristics of asynchronous motors from factory test data 88–30695
Miklyaev, S.M. *see* Ilyushin, K.V. 87–22258
Miklyanev, M.S. Discrete-analog conversions and their application in electrical engineering 86–19699
Mikocki, S. *see* Poirier, J. 88–29819
Mikoda, M. *see* Setsune, K. 86–15334
Mikoda, M. *see* Takenaga, M. 86–2655
Mikoelov, A.V. *see* Gramolin, V.L. 85–8813
Mikol, D. Hierarchical aspect of local networks within industrial process production setups 85–13915
Mikol, T. S&L molds PBX to its own specifications 87–8121
Mikola, A. *see* Maentaka, K. 87–21608
Mikolaitis, G.S. *see* Leont'ev, G.E. 85–11049
Mikolaitis, I.I. *see* Babuk, G.V. 85–58303
Mikolajczak, B. Software modeling of logic circuits with respect to test generation 86–27234
Mikolajczak, B., Meyer, H.-G., Seidel, P., Tietz, U.-J., Kohler, H.-J. Theoretical investigations on series connections of Josephson junctions 87–67903
Mikołajczak, B. *see* Idzikowska, E. 88–796
Mikolajczak, B. *see* Meyer, H.G. 87–67904
Mikolajczak, P. *see* Schneider, P.-J. 85–2483
Mikolajuk, K., Kropacz, W.S. Canonical structures of DC-AC thyristor converters 86–33505
Mikolajuk, K., Kropacz, W.S. New approach to the design of thyristor and transistor switching circuits 87–31695
Mikolajuk, K., Kropacz, W.S. Synthesis of DC-AC thyristor converters 87–58205
Mikołajuk, K., Kropacz, W.S., Tobola, A. Realizability of passive switching circuits 87–844
Mikolajuk, K., Tobola, A., Kropacz, W. Forced commutation conditions of thyristors in synthesis of switched circuits 87–43182
Mikołajuk, K. *see* Kropacz, W. 85–28623
Mikołajuk, K. *see* Kropacz, W.S. 85–6415, 88–24950
Mikołaskova, M. *see* Rak, B. 86–55249
Mikolenko, D.A. *see* Zinov'ev, A.L. 88–35574
Mikoshiba, H., Abiko, H. Junction depth versus sheet resistivity in BF_2^+-implanted rapid-thermal-annealed silicon 86–41674
Mikoshiba, H., Abiko, H., Kanamori, M. Junction leakage current in BF_2^+-implanted, rapid-thermal-annealed diodes 87–6430
Mikoshiba, H., Homma, T., Hamano, K. A new trench isolation technology as a replacement of LOCOS 85–50748
Mikoshiba, H., Horiuchi, T., Hamano, K. Comparison of drain structures in n-channel MOSFETs 86–28332
Mikoshiba, H., Yoshino, A., Hamano, K. A novel CMOS process utilizing after-gate-implantation process 87–25585
Mikoshiba, H. *see* Horiuchi, T. 86–41846, 86–63288, 88–39356
Mikoshiba, H. *see* Sakamoto, M. 86–46856
Mikoshiba, K. *see* Kido, T. 86–32418
Mikoshiba, N. Developments in acousto-opto-thermo-electronics 86–2887
Mikoshiba, N., Morita, S., Ishigame, Y. Multilayer piezoelectric actuators for scanning tunneling microscope 88–13651
Mikoshiba, N., Nakamura, H., Tsubouchi, K. Nondestructive observation of defects in semiconductors with photoacoustic and photothermal-radiation microscopes 86–587
Mikoshiba, N., Nakamura, H., Tsubouchi, K. Nondestructive observation of microdefects in GaAs by photo-thermal-radiation technique 86–66888
Mikoshiba, N., Tsubouchi, K., Akutsu, Y. Nondestructive observation of microdefects in In-doped-GaAs by photo-thermal-radiation microscope 88–49931
Mikoshiba, N. *see* Imai, S. 85–56203 to 56204, 87–60861, 88–13741
Mikoshiba, N. *see* Koike, Y. 85–64092
Mikoshiba, N. *see* Minagawa, S. 86–2560, 86–9353
Mikoshiba, N. *see* Nakamura, H. 86–20141
Mikoshiba, N. *see* Ohmi, T. 88–32973
Mikoshiba, N. *see* Sato, K. 87–5425
Mikoshiba, N. *see* Tsubouchi, K. 86–9350, 88–19789
Mikoshiba, S., Shinada, S. An 8-in.-diagonal high-efficacy Townsend-discharge memory panel color TV display 85–14927
Mikoshiba, S., Shinada, S. A common-anode configuration of a Townsend-discharge memory panel for color-TV displays 87–8688
Mikoshiba, S., Shinada, S., Shira, S. High efficacy Townsend discharge memory panel for color TV display 85–14901
Mikoshiba, S. *see* Schauer, A. 85–14898
Mikoshiba, T. *see* Miyauchi, T. 86–67903
Mikoss, A.Ya. *see* Grekhov, V.V. 85–31302
Mikov, M.K. *see* Korenev, S.A. 88–24980
Mikryukov, A.M. *see* Gimel'shein, L.Ya. 88–61993
Miksch, M. Fatigue monitoring of power plant components 85–53446
Miksch, M. In-situ material fatigue evaluations for power plant components at representative locations 87–73214
Miksch, M. Monitoring fatigue of nuclear power plant components 88–75275
Miksch, M. *see* Streicher, V. 88–36939
Miksell, S., Quillin, R., Lowe, D. Network fault diagnosis: knowledge representation using parallel reasoning 88–28819
Miksiewicz, R. *see* Kluszczynski, K. 87–15746
Mikuchi, G.F. *see* Agrawal, A.K. 87–24424
Mikucki, G. *see* Stern, R.A. 86–16036
Mikucki, G.F. *see* Agrawal, A.K. 87–6034, 87–17306
Mikucki, M.P. *see* McMahon, R.R. 86–53150
Mikula, D.L. *see* Lockhart, C.N. 85–57575
Mikula, J. Setting up matrix equations for transformation two-ports and multi-ports 85–11392
Mikula, J. An economy connection of inductors with switched capacitors 86–14358
Mikula, J. Inductors with various types of transforms 86–46520
Mikula, J. Unity gain amplifier in the switched-capacitor connection 88–6669
Mikula, J. Synthesis of active *RC*-filters from the transfer function 88–12503
Mikula, J., Dostal, T. A design approach to switched capacitor networks, using MC graphs 86–27455
Mikula, J., Hajek, K. Nonsymmetric SC inductors and their frequency filters applications 87–73532
Mikula, J. *see* Dostal, T. 87–872, 88–50251
Mikula, M.B. *see* Baum, D.R. 88–36164
Mikula, P., Kulda, J., Chalupa, B., Michalec, R., Vrana, M., Sedlakova, L. Multipurpose double-crystal monochromator for thermal neutrons 86–5708
Mikul'chenko, O.I. *see* Zubchuk, V.I. 87–53723
Mikulec, M. Use of Rogowski-Chattock's potentiometer 88–63979
Mikulecky, H.W. A new approach to switching, fault protection, and overload monitoring of distribution transformers 88–75163
Mikulenis, A.A. Operating parameters of the LKhB40 lamps with a high-frequency supply 85–39299
Mikulenka, F. MA1061–a universal speech circuit for electronic telephone sets 88–20110
Mikulenok, A.V. *see* Georgobiani, A.N. 85–29695, 85–55521, 86–22207
Mikulic, D., Dabo, T., Mucic, I. Turbogenerator cooling system 86–61482
Mikulicic, V., Tomic, B. First level of probabilistic risk analysis 85–38716
Mikulicic, V. *see* Macek, M. 88–36826, 88–62096
Mikulik, J. *see* Sobczyk, T.J. 88–30715
Mikulka, V. Diesel-electric generating sets from CKD Praha group, Slavia Napajedla works 86–33170
Mikulski, J. *see* Gerson, I. 88–69882
Mikulski, J.J. DynaT*A*C cellular portable radiotelephone system experience in the US and the UK 86–43748
Mikul'skis, K.K., Matulis, Yu.Yu., Slizhis, R.P. Electrodeposition of bright Cu coatings from sulphate solutions in pulsed current electrolysis. II. (Influence of polypropylene glycol and capronic acid) 86–20072
Mikulyak, R.M. *see* van der Ziel, J.P. 85–12865, 85–46395, 86–22392, 86–36462, 86–36484, 87–7363, 87–39079
Mikulyak, S.P., Naprashik, M.V., Plis, V.I. Microprocessor traction drive controller of a main-line electric locomotive 87–5018
Mikumo, T. *see* Ogihara, M. 87–8846
Mikuni, A. *see* Isoyama, G. 85–26551
Mikuni, A. *see* Koide, T. 86–60465
Mikuni, A. *see* Maezawa, H. 88–22885
Mikuni, A. *see* Miyahara, Y. 85–26685, 88–4736
Mikuni, I. Observation of prosodical features in isolated words and words in context 86–59241
Mikuni, I. Speech synthesis by analyzing spectrum and generated prosodic parameters 86–59243
Mikuni, I. On interpolation of speech parameters in speech synthesis 86–59248
Mikuni, I., Motoyoshi, F. High speed speech processing unit using microprocessor 86–59240
Mikuni, I., Motoyoshi, F., Ohta, K. Syntax analyzer for Japanese speech synthesis system 88–59074
Mikuni, I., Ohta, K. Phoneme based text-to-speech synthesis system 87–27296
Mikuni, I., Ohta, K. Speech synthesis method using VCV and/or CVC phoneme environment 88–59069
Mikuni, I., Ohta, K. A text-to-speech conversion system to develop prosodic rules 88–59079
Mikuni, I., Ohta, K. A study on the generation rule of pitch control codes 88–59082
Mikuni, M. *see* Iwakuni, M. 86–8512
Mikuni, M. *see* Shima, T. 86–11017

Mikuni, M. *see* Tonuma, T. 85−58350
Mikuni, Y. *see* Iwasaki, H. 86−68844
Mikuriya, H., Kamiyama, T., Miyaoka, S., Yasuda, H., Fujimura, K., Awano, J., Ishii, A. Super GT VHS video cassette 85−58388
Mikuriya, K., Sato, M., Hanawaka, M., Ohya, A. Optical disk test system 87−41350
Mikuriya, K. *see* Yamamoto, M. 87−56510
Mikuriya, T., Ichikawa, F., Torao, A. Current state and needs of optical instrumentation in the steel manufacturing process 87−41312
Mikus, M. The stress and life time calculations of V1 nuclear power plant primary circuit main valve 87−64255
Mikus, O. *see* Bury, P. 88−1449
Mikusek, J., Roznov, T. The formation of the denuded zone in the process of production of semiconductor devices 87−67066
Mikushevich, E.E. *see* Godik, I.B. 85−15886
Mikuskova, H. *see* Kuric, S. 87−49569
Mikusova, D. *see* Liptak, P. 85−65083
Mikuta, L. Microelectronics in power plant control technology 86−45153
Mikutskii, G.V. *see* Izrailev, R.A. 86−27431
Mikutta, P.J. New industry standard IEEE 802.4 for LAN in industrial automation 86−10782
Mikuz, M. *see* Kernel, G. 86−44601
Mikyska, L. Determining the optimum air-intake height of natural-draught cooling towers 86−33063
Mikyska, L. Cooling towers in nuclear power stations 86−51201
Mikyska, L. Characteristic curves of resistance in natural-draught wet cooling towers 86−61314
Mikyska, L. Water consumption in circulatory cooling towers 87−57859
Mikyska, L. The effect of the constructional arrangement of a cooling tower on the results of the warranty test 88−30539
Mikyska, L. Performance tests on cooling towers 88−37044
Mikyska, Z. AC drives of machine tool feeds 88−24179
Mil', N.M. *see* Goldobin, I.S. 85−12745
Mil Hruskovic, Mic Hruskovic The calculation of a 'compromise' admittance of a signal source for an input RF amplifier 88−32035
Milacek, S. *see* Chura, V. 86−33379
Milacic, V.R., Majstorovic, V.D. EXMAS−knowledge based system for maintenance of complex mechanical systems 88−126
Miladinovic, B. Theory of mass service applied to the solution of problems encountered in the operation of telephone call boxes with intervention 85−63139
Miladinovic, B. New technical solutions in the offer of public telephone services aided by automated speech 88−41483
Milam, D. Measurement at Lawrence Livermore National Laboratory of thresholds of samples in the Balzers round-robin laser-damage experiment 85−12920
Milam, D. Technical and historical overview of the study at Lawrence Livermore National Laboratory of Porous antireflection coatings 86−28938
Milam, D., Peluso, S.E. Beam profiling in gigawatt 1064-nm lasers used in research on optical materials at Livermore 85−51232
Milam, D. *see* Guenther, K.H. 85−12917
Milam, D. *see* Lowdermilk, W.H. 85−12929
Milam, D. *see* Rainer, F. 85−7495, 85−7500, 85−29517
Milam, D. *see* Swain, J.E. 85−7502
Milam, D. *see* Yoldas, B.E. 85−41232
Milam, D. *see* Bennet, H.E. *(editor)* 87−51745
Milam, D. *see* Bennett, H.E. *(editor)* 85−5656, 86−52151
Milan, D. *see* Josserand, A. 87−42699
Milan, J.J. *see* Lamure, M. 88−28053, 88−66689
Milan, S. *see* Thomas, C. 87−56417
Milander, B.J. Enhancing local workstation capability and performance with mainframe services via high-speed LAN 85−47238
Milani, E. A new set up for the Z8003 microprocessor 85−822
Milani, E. *see* Cavill, P. 85−6351
Milani, E. *see* Daval, J. 88−51265
Milani, E. *see* Grant, D. 86−14565
Milani, E. *see* Huff, R.G. 85−774
Milani, E. *see* Madewell, J. 86−8215
Milani, E. *see* Scott, B. 86−1149
Milani, E. *see* Tavana, D. 85−33774
Milani, E. *see* Thomsen, G. 85−40149
Milani, H., Ribbens, D., Monfort, B. A local network in a hospital environment: dream or reality? 87−13455
Milani, H., Ribbens, D., Thiebaut, J.P., Ongaro, C., Monfort, B. Electronic mailing in a hospital environment 86−37369
Milani, M. *see* Chiaretti, G. 88−58562
Milani, M. *see* Lugiato, L.A. 85−24633
Milanich, A.I. *see* Aleksandrov, A.Yu. 87−2069
Milanich, A.I. *see* Baginskii, V.M. 86−29076, 87−2071
Milanich, A.I. *see* Gorban', I.S. 86−54096, 87−26286
Milanich, A.I. *see* Zubrilin, N.G. 85−56520
Milankovic, L. *see* Vujovic, C. 85−59820, 87−15376
Milano, D. Roland DG Compu-Music/CMU-800 85−3789
Milano, R.A. *see* Hong, C.S. 85−2348, 85−3445
Milanov, B. *see* Sokolov, E. 88−17590
Milanov, T. Some indicators of reliable electricity supply to consumers within urban distribution networks 87−64135
Milanov, T. Reliability of manipulation by means of switching apparatus and the dispatch aspects of operation of the electric power system in the consumption of the Electric Power Distribution of Belgrade 88−61783
Milanov, T., Stanojevic, D., Jurisevic, P. Voltage regulation at the consumption level of elektrodistribucija beograd 87−42332
Milanovic, B., Simic, R. Comparative economic analysis of the introduction of analogue and digital transmission systems into telecommunications networks 87−75991
Milanovic, M., Steinbach, A., Jezernik, K., Medved, B., Sustarsic, A. Microcomputer triggering unit for three-phase full-wave thyristor converter 86−19371
Milanovic, M. *see* Jezernik, K. 88−5709, 88−69816
Milanovic, P. Analysis of the coefficient of production utilization of transformed energy from the aspect of its application for vehicle drives with internal combustion engines and electrical vehicles 85−32758
Milanovic, R., Simic, R., Ostojic, D. Digital multiplex systems availability and calculation of spare capacity 87−69534
Milanovic, V., Tjapkin, D., Sasic, R. The influence of nonparabolicity on self-consistent treatment for GaAs-$Al_xGa_{1-x}As$ heterojunction 86−35410
Milanovic, V. *see* Tjapkin, D. 85−40488
Milanovic, Z. Possibility for long term use of natural gas in Zagreb 85−59855
Milanovich, F.P., Daley, P.F., Klainer, S.M., Eccles, L. Remote detection of organochlorides with a fiber optic based sensor. II. A dedicated portable fluorimeter 87−41629
Milanovich, F.P., Garvis, D.G., Angel, S.M., Klainer, S.M., Eccles, L. Remote detection of organochlorides with a fiber optic based sensor 86−68223
Milanovich, F.P., Hirschfeld, T.B., Wang, F.T., Klainer, S.M., Walt, D. Clinical measurements using fiber optics and optrodes 85−38067
Milanovich, F.P. *see* Hirschfeld, T.B. 87−71098
Milanovich, F.P. *see* Singleton, M.F. 88−40292
Milanovich, F.P. *see* Walt, D.R. 88−16719
Milavickas, L.R., Wuu, C.S. Calculation of proton build-up for fast neutrons 87−35451
Milawa, R.E., Lenahan, P.M. A comparison of ionizing radiation and hot electron effects in MOS structures 85−23580
Milazzo, V.A. The role of spatial resolution and spectral content in change detection 85−59411
Milazzoto, A. Integrated circuits for the motor car: an adapted bipolar technology 86−40260
Milazzotto, A. Smart controller improves electronic ignition performance 85−39281
Milazzotto, A. IC technology faces the automotive challenge 85−61955
Milbank, N. Energy levels for electrically heated dwellings 87−58468
Milberger, W.E. *see* Jones, F.B. 87−78808, 88−71596
Milberger, W.E. *see* Kerfoot, C.S. 87−72310
Milbergs, E. Does US electro-technology need an industrial policy or an environment conducive to growth? 85−10388
Milborrow, D.J. UK anticipates wide use of wind power generation 87−51125
Milborrow, D.J., Taylor, G.J. Performance of the CECG Howden-WTG wind turbine at Carmarthen Bay power station 85−48922
Milborrow, D.J., Taylor, G.J. Performance of the CEGB Howden-WTG wind turbine at Carmarthen Bay Power Station 87−51117
Milborrow, D.J., Taylor, G.J. Performance of the CEGB Howden-WTG wind turbine at Carmarthen Bay Power Station 87−57978
Milbrodt, M.A. *see* Watson, J.E. 87−18749
Milburn, C., Cervi, B. The application of programmable controllers for control and monitor of heat trace 88−23559
Milburn, G.J., Steyn-Ross, M.L., Walls, D.F. Linear amplifiers with phase-sensitive noise 87−52411
Milburn, H.B. *see* Hayes, S.P. 87−71370
Milburn, J., Porter, J., Tanabe, J., Caylor, R., Reimers, R. Design of a three channel septum magnet 86−25042
Milburn, J. *see* Halbach, K. 86−25041
Milburn, J.E., Tanabe, J.T., Renner, T.R., Chu, W.T. Raster scanning magnets for relativistic heavy ions 88−61233
Milburn, K. *see* Robertson, B. 88−73537
Milburn, R.H. *see* Laasanen, A.T. 85−52986
Milch, D., Hantler, S.L., Gail, H.R. NETDA: a design and analysis tool for SNA computer networks 87−40427
Milchberg, H., Skinner, C.H., Suckewer, S., Voorhees, D. Measurement of population inversions and gain in carbon fiber plasmas 86−15607
Milchberg, H., Skinner, C.H., Suckewer, S., Voorhees, D. In situ calibrations of grazing incidence vacuum monochromators for X-ray laser research 87−29695
Milchberg, H. *see* Skinner, C.H. 85−7354
Milchberg, H. *see* Suckewer, S. 85−7351, 87−12344
Mil'chenko, V.Yu. *see* Sachenko, A.A. 87−3568
Milchewski, K.D. A procedure for precalculation of the compensation current in the joint operation of 10 kV networks 86−18777
Mild, K.H. *see* Bostrom, R. 86−65265
Mild, K.H. *see* Stuchly, M.A. 87−50431
Milde, F. Computer-aided design of protective elements in low voltage networks 85−9486
Milde, F. Equivalent networks shorten computing time for investigations of transient phenomena in power systems with motors as main load 85−43567
Milde, G. PC peripheral requirements in industrial applications 87−14219
Milde, G.R.R. Design and electrical characterization of test fixtures for high-speed digital ICs 88−19017
Milde, H. The UC compandor system 88−9824
Milden, M.J., Badcock, C.C. Overview of nickel-hydrogen for space satellites [$Ni-H_2$ batteries] 85−48384
Milden, M.J., Harkness, J. Separator qualification for aerospace nickel-cadmium cells 85−53813
Milden, R.K. Small isolated PSU 87−31707
Mildener, M. *see* Foley, G.F. 86−25904
Mildenhall, D. Wide area, metropolitan area and broadband networks: a converging marketplace 85−30543
Milder, F.L. *see* Kung, R.T.V. 86−32379
Milder, F.L. *see* Sherman, C.W. 87−42016
Mildice, J.W., Wappes, L.J., Lindberg, P.M. High-frequency, high-voltage AC power for space vehicles 85−53129
Mildner, D.F.R. *see* Berliner, R. 85−15202
Mildner, G. *see* Bourgeois, F. 85−42923
Mildner, J., Hinz, W., Freyer, R. A review of information recording on thermoplastic materials 85−7549
Mildner, J. *see* Poidevin, C.O. 87−50974
Mildrum, H. *see* Strnat, K.J. 86−22018
Mildrum, H.F. Magnetization of 2-17 type Sm-Co transition metal sintered permanent magnets 87−25853
Mildrum, H.F., Umana, G.M. Elevated temperature behavior of sintered Nd-Fe-B type magnets 88−57990
Mildrum, H.F. *see* Harmer, R.S. 86−22009
Mildrum, H.F. *see* Li, D. 85−56083
Mildrum, H.F. *see* Martin, D.L. 86−22004
Mildrum, H.F. *see* Xiao, Y. 88−51190
Milea, L. *see* Moga, M. 88−61788
Miledin, V.K. *see* Dudulyaka, L.L. 85−65246
Mileikowsky, C. The microtron in X-ray lithography 87−50037
Milekovic, I. *see* Stojakovic, S. 88−30736
Milekovic, R. INTAL type frequency converters for induction melting and heating 88−31206
Milenin, N.K. The choice of the characteristics of linear filters in television devices with picture sampling 85−8578
Milenin, N.K. Modern matrix light-signal converters and color TV cameras based on them 86−24545
Milenin, N.K. Modern photoconductive pick-up TV tubes 87−6348
Milenkov, S.I., Rainov, R.I. Series of thyristor current regulators for electric drives of crane mechanisms 88−76071
Milenkovic, P. Vocal tract area functions from two-point acoustic measurements with formant frequency constraints 85−25055
Milenkovic, P. Glottal inverse filtering by joint estimation of an AR system with a linear input model 86−36965
Milenkovic, P.H., Muller, E.M. Two point acoustic reconstruction of sustained vowel area functions 86−29792
Milenkovic, P.H. *see* Muller, E.M. 86−29793
Milenkovic, R. *see* Kovacevic, J. 87−51661
Milenkovic, S. *see* Litovski, V. 88−32158
Miler, M., Morozov, V.N., Pletnev, V.A., Putlin, A.N., Semenov, A.S., Ctyroky, J. Higher-order Bragg diffraction by a periodic structure in a planar optical waveguide 88−26873
Miler, M., Slinger, C.W., Heaton, J.M. Off-axis holographic zone plates recorded and reconstructed by cylindrical wavefronts 85−2437
Miler, M., Sychugov, V.A., Tulaikova, T.V. Multichannel demultiplexer for optical communication lines 85−8435
Miler, M. *see* Skok, P. 87−74671
Miler, R.H. *see* Schonberg, R.G. 86−24916
Miles, A. Digital performance monitoring system 88−46438
Miles, A. *see* Bastock, M. 88−59408
Miles, A.L., Ramsdale, P.A. Nested channel method for voice and data communications 86−37802

Miles, A.R. The effect of machine geometry and materials on the starting torque of the shaded-pole induction motor 85−27426
Miles, A.R. The effect of machine geometry and materials on the starting torque of the shaded-pole induction motor 85−53702
Miles, A.R., Lequesne, B. Closed-loop dynamic response of a static Scherbius drive 87−22823
Miles, A.R. *see* Shi, C.L. 85−48334, 86−6702
Miles, A.R. *see* Sirivadhna, K. 87−22433
Miles, A.W., Vorhees, K.H. Piezoelectric touch screen for the masses 88−29546
Miles, E.E. *see* Anderson, P. 85−53909
Miles, G. *see* McMinn, S. 85−29251, 85−55876
Miles, G. *see* Zheng, L.R. 86−41586
Miles, J. The ELLA system for hierarchical design of complex systems 86−27280
Miles, J. ELLA−a CAE system for truly hierarchical IC design 86−46505
Miles, J. ELLA−not just a hardware design and description language 87−455
Miles, J.A.H. *see* Lakin, W.L. 86−37110
Miles, J.B. Should fiberoptics light up your LAN? 86−54877
Miles, J.B., Dunagan, S.E., Brown, J.L. Development and implementation of an aerodynamic holographic interferometry system 87−57273
Miles, J.C.H., Sinnaeve, J. The performance of different types of etched-track radon dosemeters in two international intercomparisons 87−29648
Miles, J.C.H. *see* Bartlett, D.T. 87−29645
Miles, J.C.H. *see* Homer, J.B. 87−21472
Miles, J.H. *see* Spearman, R. 86−54523
Miles, J.J. *see* Noyau, R.H. 88−44987, 88−57973, 88−64928
Miles, J.R., Ambler, A.P., Totton, K. Estimation of area overheads of testable VLSI circuits 88−38508
Miles, K. Migration of DECnet to OSI 86−64772
Miles, K.J. *see* Tentner, A.M. 88−75393
Miles, M.H. *see* McManis, G.E. 86−6974, 86−45634, 87−4858, 87−43339
Miles, M.J. An interactive statistical computer program for determining sample size and precision in communication performance measurements 85−19663
Miles, M.J., Seitz, N.B. Testing network performance: a statistical analysis 85−63168
Miles, R. How video recorders work 85−58371
Miles, R. Canon VM-E2 camcorder 88−22317
Miles, R. Panasonic NV-MC10 VHS-C camcorder 88−35701
Miles, R. Minolta 8100 8 mm camcorder, latest lightweight arrival 88−35702
Miles, R., Mitchell, D. Private network services on System X 88−66874
Miles, R. *see* Clark, C.W. 86−42485
Miles, R.B., Connors, J.J., Howard, P.J., Markovitz, E.C., Roth, G.J. Proposed single-pulse two-dimensional temperature and density measurements of oxygen and air 88−45596
Miles, R.B. *see* Russell, G. 87−70707
Miles, R.E., Howes, M.J. Large-signal equivalent-circuit model of a GaAs dual-gate MESFET mixer 85−45233
Miles, R.E. *see* Haigh, P.J. 88−19909
Miles, R.H., McCaldin, J.O., McGill, T.C. Superlattices of II-VI semiconductors 88−11984
Miles, R.H., Wu, G.Y., Johnson, M.B., McGill, T.C., Faurie, J.P., Sivananthan, S. Photoluminescence studies of ZnTe-CdTe strained-layer superlattices 86−53377
Miles, R.H. *see* Bauer, R.S. 88−31816
Miles, R.H. *see* McGill, T.C. 87−66968
Miles, R.O., Burns, W.K., Moeller, R.P., Dandridge, A. Optical feedback effects on superluminescent diodes 88−65935
Miles, R.O., Dandridge, A., Olsson, N.A. Low frequency characterization of 1.3 μm C^3 lasers 86−3168
Miles, R.O. *see* Dandridge, A. 85−56646, 87−12484
Miles, S. BiMOS integrated circuits in control applications 86−8144
Miles, T.O. *see* Holzheimer, T. 85−62908
Miles, T.S., Woodland, M.J. A simple circuit for producing vertical arrays of analogue signals and dot raster displays of nerve and muscle action potentials 86−56127
Miles, T.S., Woodland, M.J., Nordstrom, M.A., Veale, J.L., Turker, K.S. A circuit for improving the precision of the spike-triggered averaging technique 87−71138
Miles-McDermott, N.J. *see* Basford, K.E. 88−18567
Mileshkina, N.V. *see* Blazhnova, E.I. 87−37801
Miletic, D. Approximate calculation of power loss in nonregulated optical fibers 87−12205
Miletic, D. Approximative calculation of dispersion parameters and transmission function of monomode optical fibers with cascade changes of overturn index 88−58154
Miletic, M., Kobal, I., Mohar, T. Computerize tritium measurements with a liquid scintillation counter 88−22909
Miletic, M. *see* Borojevic, P. 88−3757
Miletta, J. *see* Bushell, M. 85−24924
Mileusnic, E. Failures on the breakers 87−43295
Mileusnic, E. Protection zone around temporary grounding 87−78189
Milev, D. *see* Michailov, A. 88−40877
Milev, I.Y. *see* Stankov, K.A. 87−46778, 87−46937
Mileva, A.A. *see* Pushkarova, R.M. 86−42068
Milevoj, L. *see* Vrdoljak, M. 86−58616, 86−67992
Milevskii, L.S., El'tsova, V.M., Garnyk, V.S., Sidorov, Yu.A. Inhomogeneous microdefect and dopant distributions in dislocation-free silicon single crystals 85−1273
Milevskii, R.A. *see* Fal'ko, I.I. 86−11555
Milevskiy, A.S. Lines of equal phase of a two-dimensional electromagnetic field and the conditions for their closure 87−68848
Milew, M.W. *see* Wassilew, W.I. 88−42006
Milewska, M., Bukat, K., Kroszczynska, B., Walczak, A. ITREM−an inland photoresist for printed circuits production 88−12788
Milewska, M. *see* Bukat, K. 85−54135, 85−56118
Milewski, A. Application of amorphous magnetic layers to velocity control of the SAW 85−1820
Milewski, A., Nowakowski, Z., Pawlowski, A. An automatic system for measuring the resonant frequency and the Q factor of microwave resonators 85−15006
Milewski, A. *see* Korneta, A. 88−50344, 88−60875
Milewski, A. *see* Lachowicz, H.K. 86−15408
Milewski, A. *see* Pawlowski, A. 88−56876
Milewski, G. *see* Meffert, B. 88−61725
Milewski, J.D. *see* Kranska, J. 87−78894
Miley, G.H., Locke Bogart, S., Cohn, D.R., Maple, M.B. Potential applications of high-temperature superconductors in magnetic fusion energy 88−51383
Miley, G.H. *see* Elsayed-Ali, H.E. 85−2379, 86−3064
Miley, G.H. *see* Gwi Tae Park 87−22030
Miley, G.H. *see* Perkins, L.J. 88−75269
Miley, G.H. *see* Prelas, M.A. 88−33917
Miley, G.H. *see* Zediker, M.S. 85−41320
Miley, H.S. *see* Arthur, R.J. 88−61112
Miley, H.S. *see* Brodzinski, R.L. 86−5837, 87−35348
Mileyko, T.T. *see* Kotikova, R.A. 85−63797
Milford, D. A route to fabrication on Texas instruments gate arrays using SL2000 88−32185
Milford, S. Connectorize! [digital mainframe block cross-connect system] 88−52737
Milgate, R., Simonton, R. Recent improvements in the particle performance of a Varian 350D ion implanter 87−53387
Milgate, R. *see* Kalbfus, C.R. 87−53391
Milgate, R. *see* Pollock, J. 85−35068
Milgazo, H.F. *see* Mawhinney, D.D. 85−6204
Milgazo, H.F. *see* Nowogrodzki, M. 85−9176
Milgram, A., Puretz, J. A bilevel resist for ion beam lithography 85−50354
Milgram, A.A., Puretz, J. A multilayer resist for direct write ion beam lithography 86−35534
Milgram, M. *see* Missakian, P. 87−19465
Milgram, M.S. The generalized integro-exponential function 85−49470
Milgram, P. A spectacle-mounted liquid-crystal tachistoscope 88−16265
Milgram, P., Van Der Horst, R. Field-sequential colour stereoscopy with liquid crystal spectacles 86−5423
Milgram, P., van der Horst, R. Alternating-field stereoscopic displays using light-scattering liquid crystal spectacles 86−60286
Milgrome, O. Broadband threshold detectors optimized for built-in test 88−47482
Milhailescu, I.N. *see* Gutu, I. 87−26306
Milhailov, V.P. *see* Demchuk, M.I. 86−9810
Milheim, W.D., Evans, A.D. Using interactive video for group instruction 87−65102
Milhiser, R.J. Integrated Living Schedule for nuclear plants 86−61241
Milhiser, R.J., Roy, R.L. Prudency/reasonability reviews for nuclear power plant rate cases 87−64290
Mili, L., Van Cutsem, T., Ribbens-Pavella, M. Hypothesis testing identification: a new method for bad data analysis in power system state estimation 85−21111
Mili, L., Van Cutsem, T., Ribbens-Pavella, M. Bad data identification methods in power system state estimation−a comparative study 86−18641
Mili, L., van Cutsem, T., Ribbens-Pavella, M. Decision theory for fault diagnosis in electric power systems 87−64035
Mili, L. *see* Van Cutsem, Th. 87−71608
Miliani, P. *see* Mendez, N. 88−10403
Miliares, E.S., Kelleher, P.J. Regain lost capacity with feedwater-heating alternatives 85−21469
Miliaris, E.S., Kelleher, P.J. Counter coal-conversion boiler derating 85−15858
Milias-Argitis, J., Zacharias, T., Hatziadoniu, C., Galanos, G.D. An algorithm for transient simulation of power electronics systems 87−73279
Milias-Argitis, J., Zacharias, T., Hatziadoniu, C., Galanos, G.D. Transient simulation of integrated AC/DC systems. I. Converter modeling and simulation 88−55462
Milias-Argitis, J. *see* Hatziadoniu, C. 88−54854
Milic, A.B. *see* Drndarevic, V.R. 86−44540
Milic, L. Digital signal processing and its application in telecommunications 87−47772
Milic, L. On the tolerances of filter bank characteristics 88−12481
Milic, L., Djuric, M. Sensitivity analysis of digital polyphase recursive filters and filter banks 87−924
Milic, L., Kamsek, U., Jocic, A. Analysis of filter bank transfer functions 87−24302
Milic, L.J. Some finite word-length effects in filter banks for spectrum analysers 85−37544
Milic, M. Methods of catastrophes in dynamic systems [transmission networks] 85−43575
Milic, M. Some methods of analyzing switched capacitor networks 86−8370
Milic, M. *see* Marincic, P. 86−19372
Milic, M.M. Nodal analysis of networks containing elements without a voltage-controlled description 88−56375
Milic, M.M., Simic, P.D. General linear nonstationary passive systems: derivation of the explicit state model 87−65758
Milic, M.M. *see* Novak, L.A. 87−495
Milicevic, A. *see* Filipovic-Grcic, B. 86−51095
Milicevic, D., Skrgatic, R., Zitkovic, P., Kujundzic, Z. Explosion-proof electric motors 85−21568
Milicevic, M. A microcomputer measuring device for petrol derivates 86−50246
Milicevic, M. *see* Litovski, V. 88−32158
Milich, G.A. *see* Kuzmak, S.D. 88−59119
Milich, T.J. *see* Hoffman, H.S., Jr. 85−4045
Milichenko, S.S. *see* Pokhodnya, I.K. 85−60597
Milichevich, E.P. *see* Kazanskii, A.G. 85−29696, 85−62437, 87−33030, 87−68252
Milies, G.W. Gain optimised radiator 85−46632
Milijanovic, R. *see* Arnautovic, D. 86−6593
Milikovsky, J. Quick-acting valves for nuclear power stations 88−36926
Milillo, G. *see* Fusco, L. 86−59319
Milimonfared, D., Parchemin, M., Rialland, J.F., Bonnefille, R. Transient temperature rise and rotor losses in self-controlled synchronous machines 87−9529
Milin, A.I., Zabelin, I.F., Prodan, A.S., Mozel, A.G. Digital line channel of primary DTS for a rural network 88−28547
Milina, V. *see* Mojzes, I. 87−11703
Milinazzo, F., Zala, C., Barrodale, I. On the rate of growth of condition numbers for convolution matrices 87−44096
Milinich, A.I. *see* Gorban, I.S. 85−24445
Milinkis, Ye.B. *see* Baklunov, Yu.A. 87−62955
Milinkovic, L., Ostojic, R., Fabrici, E. Asymmetric dee-voltage compensation of beam off-centering in the Milan Superconducting Cyclotron 86−24977
Milinkovic, L. *see* Acerbi, E. 85−58995
Milios, E. *see* Lee, S. 88−73260
Milios, E. *see* Nawab, H. 87−29023
Milios, E.E. Shape matching using curvature processes 88−66709
Milios, E.E., Nawab, S.H. Interpretation-guided signal processing via protocol analysis 86−16453
Milios, E.E. *see* Nawab, H. 87−69145
Miliou, A. *see* Ramaswamy, R.V. 88−65332
Milisa, A., Cosic-Dragan, A. Recovery voltage stress of the insulation of HV motors [machine protection] 85−32439
Milisa, A. *see* Cosic-Dragan, A. 86−12967
Milisa, A. *see* Markulin, M. 87−51408
Milisavljevic, B., Matausek, M., Vuckovic, V. Identification of an inverter-fed induction motor drive 86−19268
Militaru, P. Prevention of cascade failures of the HV line towers 85−15655
Militeev, A.N. *see* Lyatkher, V.M. 87−64492
Militeev, D.N. *see* Lyatkher, V.M. 87−64492
Militello, E. The effective use of VOICE INPUT and VOICE OUTPUT devices and systems as Man-Machine interface in industrial process control system 88−27864
Militeyev, A.N. *see* Levina, S.M. 87−78554
Militky, J., Cap, J. Application of the Bayes approach to adaptive L_{p} nonlinear regression 87−72954
Milito, R.A., Cansever, D. Dynamic scheduling of three queues in tandem 87−44114
Milito, R.A., Levy, H. Modeling and dynamic scheduling of a queueing system with blocking and starvation 88−31613
Milito, R.A. *see* Cansever, D.H. 88−46618
Militsyn, Yu.A. *see* Biryukov, A.S. 86−36395
Milius, H. *see* Harmsen, H. 87−48540
Milius, P.-B.P., Grabec, J. Absolute calibration of piezoelectric transducers used to record acoustic-emission signals 85−49643
Miliusyte, R. *see* Bareikis, V. 86−63244, 87−24469, 88−32873
Milivoje, A., Aleksandar, Z. Radio source azimuth estimation by maximum likelihood method 88−40989

Milivojevic, S.S., Riznic, J.R. Cumulative load factor: a proposal for estimating objective nuclear power plant operating efficiency 86−70772
Miljanic, P., Stojanovic, B., Bergeest, R., Klonz, M. Precision RMS voltage source for output voltages of adjustable waveshape 87−14358
Miljanic, P., Stojanovic, B., Bosnjakovic, P. The development of a high precision time-division power meter 86−24645
Miljanic, P. *see* Bosnjakovic, P. 86−24643
Miljanic, P. *see* Vukosavic, S. 88−69536
Miljanic, P. *see* Zupunski, I. 87−14380
Miljanic, P.N., Stojanovic, B. Systematic error of time-division wattmeters when voltage or/and current are distorted 87−14381
Miljanic, P.N., Stojanovic, B., Bergeest, R. Systematic error of time-division wattmeters when voltage and/or current are distorted 88−16396
Miljanic, P.N. *see* Kalic, D. 88−24207
Miljanic, P.N. *see* Zupunski, I. 88−16395
Miljevic, V.I. Characteristics of the hollow anode ion-electron source 86−32112
Miljevic, V.I. Hollow-anode discharge with axial-magnetic field as an electron beam source 88−47908
Miljkovic, M.R., Brajovic, V.J., Trifunovic, G.L. Frequency-temperature characteristics of AT crystal units 87−60718
Milker, R. Making printed circuit boards 86−14694
Milkov, J. The PW 'Axe' signal tracer 87−51845
Milkove, K.R., Sass, S.L. Ultrahigh-vacuum apparatus for the preparation of thin metal bicrystals containing grain boundaries 87−16628
Milkovic, M. Current gain high-frequency CMOS operational amplifiers 85−61124
Milkovic, M. VLSI high frequency CMOS operational amplifiers for communications applications 86−8025
Milkovic, M., Chu, S.T. Low output impedance 70 MHz gain-bandwidth CMOS operational amplifiers 86−57693
Milkovic, M. *see* Brown, D. 86−47843
Milkovic, M. *see* Ribner, D.B. 86−802, 86−14366
Milkovich, M.E. *see* Flannery, D.L. 88−59232
Milks, W.W. *see* Lum, P. 88−28243
Mil'kyavichene, Z.A., Sereika, A.P. Surface-acoustic-wave transducer made from a strain-sensitive cadmium sulfide film 86−6165
Mill, A. FT-209 modifications [HT transceiver] 88−15349
Mill, A.J. Filtered neutron beams 86−65450
Mill, A.J. Filtered neutron beams for cancer therapy 86−65451
Mill', B.V. *see* Kaminskii, A.A. 85−2261, 85−18892, 85−18902
Mill, C.S. *see* Keith, W.D. 86−60391
Mill, G. Navtex: ship messages in cleartext 88−53206
Mill, G. VHF marine radio. Telephoning at sea 88−60036
Mill, J. A caring system goes private [communication system] 85−36561
Mill, J. The lifeblood of the business world [telecommunications] 85−57591
Mill, J. Data on cellular: seconds out, round one 85−57987
Mill, M.D., Bradley, J.C. Determination of refractive index from multi-wavelength effective index data for slab and channel waveguides 85−46131
Mill, O. *see* Laxminarayan, S. 86−50589
Millan, E. *see* Gutierrez, J. 88−22553
Millan, F.R., Worner, D. Surface mounting and soldering techniques for SMD 87−53041
Millan, J., Rebollo, J.A., Garcia, E., Calderer, J. Intelligent power integrated circuits [and discrete devices] 88−1806
Millan, J., Villaronga, V., Morante, J.R., Serra-Mestres, F., Herms, A. Negative capacitance in switching MISS devices 85−40541
Millan, J. *see* Bafleur, M. 88−64514
Millan, J. *see* Herms, A. 85−61748
Millan, J. *see* Rebollo, J. 87−38314, 88−13400
Millan, J. *see* Villaronga, V. 87−17796
Millan, M.S., Ferreira, C., Pons, A., Andres, P. Application of anamorphic systems to directional pseudocolor encoding 88−46181
Millan, S. *see* Yzuel, M.J. 85−43375
Millane, R.P. Image reconstruction from the Hartley transform intensity 87−19865
Millane, R.P. Nonrecursive generation of image moments from the Hartley transform intensity 88−59187
Millanta, L. *see* Bini, M. 85−64612, 86−60839
Millanta, L.M., Forti, M.M., Maci, S.S. A broadband network for power-line disturbance voltage measurements 88−75226
Millar, A. Transmitter output zero indicator 86−24585
Millar, A. Optimising a multimode steam distribution system 86−51465
Millar, A.G., Kemp, I.J., Pringle, R.D. Microprocessor-based diagnostic testing of high voltage solid insulating systems 85−3875
Millar, A.G., Kemp, I.J., Pringle, R.D. The analysis of partial discharge activity by microprocessor-based instrumentation 85−29363
Millar, B. *see* Clermont, F. 87−27310
Millar, C. *see* Barnsley, P. 88−72354
Millar, C.A. A simple near-field scanning system for refractive index profiles and mode spot shape [single mode fibre characterisation] 85−29614
Millar, C.A., Ainslie, B.J., Brierley, M.C., Craig, S.P. Fabrication and characterisation of D-fibres with a range of accurately controlled core/flat distances 86−36150
Millar, C.A., Brierley, M.C., Mallinson, S.R. Exposed-core single-mode-fiber channel-dropping filter using a high-index overlay waveguide 87−38790
Millar, C.A., Mallinson, S.R., Ainslie, B.J., Craig, S.P. Photochromic behaviour of thulium-doped silica optical fibres 88−51441
Millar, C.A., Mallinson, S.R., Warnes, G.C. Cladding alignment of butted optical fibers using a diffraction alignment device (DAD) and its application to mode-spot concentricity-error measurement 86−2739
Millar, C.A., Miller, I.D., Ainslie, B.J., Craig, S.P., Armitage, J.R. Low-threshold CW operation of an erbium-doped fibre laser pumped at 807 nm wavelength 87−75045
Millar, C.A. *see* Bradley, L. 87−54026
Millar, C.A. *see* Brierley, M.C. 88−33659, 88−40172, 88−45380
Millar, C.A. *see* Miller, I.D. 87−61114
Millar, C.A. *see* Payne, D.B. 85−29608
Millar, C.A. *see* Reeve, M.H. 85−20235
Millar, C.A. *see* Warnes, G. 85−24268
Millar, C.A. *see* Wright, J.V. 88−72071
Millar, D., Mermelstein, P. Prevention of predictor mistracking in ADPCM coders [speech coding] 85−19401
Millar, J., Barnett, T.G. Rectifier utilises analogue switch 85−46801
Millar, J., Barnett, T.G. Low cost transient generator 85−54730
Millar, J., Barnett, T.G. Unipolar current source 86−734
Millar, J., Barnett, T.G. Programmable constant current generator 86−20279
Millar, J., Barnett, T.G. Isolated constant-current stimulation circuits for neuroscience applications 88−74856
Millar, J., Barnett, T.J. Programmable current source requires one chip 86−20692
Millar, J. *see* Barnett, T.G. 85−643, 85−17144, 87−23989, 87−59264
Millar, J.B., Clark, J.E. Current speech research in Australia 88−21130
Millar, J.B., Tong, Y.C., Blamey, P.J., Clark, G.M., Dowell, R.C., Seligman, P.M. Speech processing for electrical stimulation of the auditory nerve 86−48867
Millar, J.B., Tong, Y.C., Clark, G.M. Speech processing for cochlear implant prostheses 85−15352
Millar, P. *see* Sauerbrey, R. 87−61204
Millar, P.C. The design of recursive quadrature mirror filters for sub-band coders 85−25019
Millar, P.C. Recursive quadrature mirror filters—criteria specification and design method 85−45180
Millar, P.C. An 8-band subband coder which introduces very little signal delay 85−46701
Millar, P.C. A reduced delay 8-band sub-band coder 85−57816
Millar, P.C., Cameron, I.R., Greaves, A.J., McPeake, C.M. Phone-in competitions: a development and evaluation tool for voice-interactive systems 88−59058
Millar, P.C., Mack, R.M., Hanes, R.B. Low delay processing for 16 kbit/s speech coding 86−36987
Millar, P.C. *see* Golfin, N.G. 85−36210, 85−47778
Millar, P.C. *see* Hughes, P.M. 85−36811, 85−52129
Millar, R.M. Technology transfer—a Capenhurst perspective 87−72755
Millar, W. Interfacing the ADC0808 85−45124
Millar, W. *see* Boyd, I. 86−48883
Millar, W. *see* Hossain, S.Q.A.M.A. 86−29820
Millar, W. *see* Lowry, A. 87−61598
Millar, W.G. Integration at the National Engineering Laboratory 87−28173
Millard, B.R., Miller, D.S. The publicly accessible capability switchboard: an IPC extension for Herbert-II 86−49388
Millard, B.R. *see* Miller, D.S. 87−20270
Millard, D.L. An in-situ evaluation of a robotic safety system 88−62992
Millard, D.P., Sakis Meliopoulos, A.P. Transmission line model with EMP coupling 87−15244
Millard, G.H. Susceptibility of aeronautical navigational aids to interference from adjacent-band broadcast transmissions 85−47616
Millard, G.H. Intermodulation between VHF/FM broadcast transmitters and the protection of adjacent-band aeronautical services 85−47650
Millard, G.H., Thoday, R.D.C., Darlington, D.J. Aerial developments for television outside broadcast links 85−42715
Millard, J., Nissen, C. Geneva broadband network co-operation 87−76723
Millard, J. *see* Downs, M. 87−21113
Millard, J.K. A one-gigasample-per-second digitizing oscilloscope 88−60801
Millard, J.K. *see* Bohley, T.K. 88−60645
Millard, J.W. *see* Hoeft, L.O. 86−29448
Millard, R.K., Hutton, P., Pereira, E., Prys-Roberts, C. On using a self-tuning controller for blood pressure regulation during surgery in man 87−29788
Millard, R.K., Monk, C.R., Prys-Roberts, C. Self-tuning control of hypotension during ENT surgery using a volatile anaesthetic 88−36494
Millas, R.J., Queen, L.R., Weakley, T.L. Dynamic RAM dual refresh mechanism 85−22893
Millas, R.J. *see* Johnson, W.J. 85−25515 to 25517, 85−25519 to 25520, 85−25613
Millbank, P. Royal Princess proves innovative below decks [power supplies and generation] 85−16298
Mille, N.R. *see* Martin, A.G. 87−18314
Millea, A. Standard electronic watthour meter 87−56729
Millea, L. Frequency characteristics of bistable Fabry-Perot cavities 85−56833
Millea, L. On the magnetic field lines of DC polygonal circuits 87−47098
Millea, M.F. Gradual degradation of GaAs FETs under normal operation 87−1557
Millecchia, R. *see* Brown, P.B. 88−42468
Millecchia, R. *see* Franz, G.N. 85−48194
Millelsen, J.C. *see* Fu, C.Y. 86−15049
Millen, J.K. Covert channel capacity 87−61553
Millender, S. *see* Karalekas, N. 88−35843
Millender, S. *see* Karelekas, N. 87−20891
Millener, M.J. *see* Elliott, M. 85−2607
Millenson, E.J. Equal access changes the role of automatic dialers 85−42330
Miller, A. A review of methods to determine the low frequency end of spectra 85−46876
Miller, A. The simulation of local area network protocols 86−4349
Miller, A. Dosimetry for radiation processing 87−42033
Miller, A., Craig, D., Parry, G., Mathew, J.G.H., Kar, A.K. Optical bistability in $Cd_xHg_{1-x}Te$ 85−56838
Miller, A., Kovacs, A. Calorimetry at industrial electron accelerators 85−59194
Miller, A., Lewandowski, J., Badyda, K. The selection of the main parameters for a combined gas turbine-steam turbine power station featuring a pressurised fluidised bed boiler 88−5543
Miller, A., Muirhead, I.T., Lewis, K.L., Staromlynska, J., Welford, K.R. Optical bistability in molecular beam deposited $ZnSe/BaF_2$ multilayer interference filters 88−65450
Miller, A., Parry, G. Fast and sensitive nonlinear processes: bistability in CdHgTe 85−41486
Miller, A., Staromlynska, J., Muirhead, I.T., Lewis, K.L., Craig, D., Steward, G. Optical bistability in II-VI compounds 88−34110
Miller, A. *see* Blood, P. 85−41514
Miller, A. *see* Craig, D. 85−35863, 85−56816, 86−22485
Miller, A. *see* Janovsky, I. 88−4789
Miller, A. *see* Maly, W. 88−13532
Miller, A. *see* Manning, R.J. 88−45538, 88−60141
Miller, A. *see* Mathew, J.G.H. 85−24642
Miller, A. *see* Miller, T. 85−33043
Miller, A. *see* Staromlynska, J. 87−38877
Miller, A. *see* Ucer, S.B. 86−6067
Miller, A.A. Hot air leveling: today's requirements, tomorrow's potential 87−37729
Miller, A.C. *see* Gupta, T.K. 88−64383
Miller, A.C. *see* Powell, R.C. 88−16398
Miller, A.D. *see* Beard, R.B. 87−63809
Miller, A.D. *see* Borst, F.J. 88−42999
Miller, A.E., Stiglitz, M.R. Microwave component and device market: Summary and forecast 88−19351
Miller, A.E. *see* Lawler, J. 85−47761
Miller, A.H., Jr. Sizing a test data management system for an ASIC manufacturing environment 88−18461
Miller, A.J. Scanning acoustic microscopy in electronics research 85−53220
Miller, A.J. *see* Taleb, B. 87−10222
Miller, A.K. Trends in patterned-wafer inspection 87−16420
Miller, A.K. Trends in patterned-wafer inspection 87−38428
Miller, A.R. Power flow enhancement in the BLACKJACK 5 pulser (BLACKJACK 5') 85−5250
Miller, A.R. Introduction to semiconductors 85−12226
Miller, A.R., Vegh, E. Family of curves for the rough surface reflection coefficient 87−19170
Miller, A.R. *see* Dirvin, R.A. 86−64653
Miller, A.R. *see* Prestwich, K.R. 88−54014
Miller, A.R. *see* Wilkinson, G.M. 87−22673
Miller, B. High pressure sodium lamp report 85−5481
Miller, B. Fluorescent light: what are the effects? 85−10201

Miller, B. Market forces guide phone service pricing 86−16801
Miller, B. A history of the development of light sources. I 87−43620
Miller, B. A history of the development of light sources. II 87−43621
Miller, B. A lens primer for lighting directors 87−70214
Miller, B. Light source−of lenses and prisms: optimizing lens/camera performance 87−74899
Miller, B. A lens primer for lighting directors. II 87−74900
Miller, B. Lighting nomenclature/jargon explained 88−15721
Miller, B. Softlights and fluorescent light 88−24250
Miller, B. The value of loopback in D4 88−28560
Miller, B. Lighting nomenclature: controllers and modifiers 88−29058
Miller, B. Light source: nomenclature. III. Filters 88−40042
Miller, B. More about filters: color correction media 88−41821
Miller, B., Pykerman, K. Lighting for small studios [TV] 85−52461
Miller, B., Rosamilia, J.M. Maximum power spectroscopy for photovoltaic devices 85−12730
Miller, B., Taylor, S.S. A laser-wafer-trimmed precision wide-band amplifier with fast overload recovery 85−18446
Miller, B. *see* Beltram, F. 87−54182
Miller, B. *see* Ramasastry, J. 87−69994
Miller, B. *see* Rosamilia, J.M. 85−49063, 86−36343
Miller, B.C. Use of a general purpose tester for testing power supplies. I 85−49021
Miller, B.C. Use of a general purpose tester for testing power supplies. II 85−54660
Miller, B.C. Limiting logical PR neighborhood size 88−3819
Miller, B.E., Owen, R.E. A sub 10 ns low power bipolar 16×16 bit multiplier 86−67974
Miller, B.E. *see* Owen, R.E. 87−16972
Miller, B.H. *see* Dick, M.I. 87−48891
Miller, B.H. *see* Hodge, G.D. 87−20431
Miller, B.I., Koren, U., Capik, R.J. Planar buried heterostructure InP/GaInAs lasers grown entirely by OMVPE 87−2115
Miller, B.I., Koren, U., Capik, R.J., Su, Y.K. InGaAsP/InP high-power semi-insulating blocked planar buried-heterostructure lasers grown entirely by atmospheric organometallic vapor phase epitaxy 88−24699
Miller, B.I., Koren, U., Tucker, R.S., Einenstein, G., Bar-Joseph, I., Miller, D.A.B., Chemla, D.S. High-frequency GaInAs/InP multiple quantum well buried mesa electroabsorption optical modulator 88−33898
Miller, B.I., Schubert, E.F., Koren, U., Ourmazd, A., Dayem, A.H., Capik, R.J. High quality narrow GaInAs/InP quantum wells grown by atmospheric organometallic vapor phase epitaxy 87−10376
Miller, B.I. *see* Bar-Joseph, I. 87−45675, 88−26878
Miller, B.I. *see* Bowers, J.E. 88−14190
Miller, B.I. *see* Choi, K.Y. 88−37425
Miller, B.I. *see* Coldren, L.A. 85−24535
Miller, B.I. *see* Corzine, S.W. 88−27138
Miller, B.I. *see* Desurvive, E. 88−40101
Miller, B.I. *see* Eisenstein, G. 87−54363
Miller, B.I. *see* Koch, T.L. 85−2319, 88−4429
Miller, B.I. *see* Koren, U. 87−25938, 87−33006, 87−54108, 88−2052, 88−14183, 88−27143
Miller, B.I. *see* Shahar, A. 88−50355
Miller, B.I. *see* Tell, B. 87−31512, 88−44634
Miller, B.I. *see* Wood, T.H. 88−58233
Miller, B.I. *see* Zucker, J.E. 88−45214
Miller, B.M., Tsukerman, E.V., Chernyavskii, Yu.V. Properties of the correlation signal during nonlinear recording of a spatial holographic filter 86−36610
Miller, B.M. *see* Faulkner, T.R. 86−65208
Miller, C. Valved communications receivers. IV 86−37722
Miller, C. Visual alignment of IFTs 87−76539
Miller, C., Moller, K.D., Sontheim, B. Welding with light 88−34180
Miller, C. *see* Hogan, N. 88−54641
Miller, C. *see* Kalter, H.L. 86−8263
Miller, C.A. *see* Abegg, R. 85−37899
Miller, C.A. *see* Henderson, R.S. 87−63618
Miller, C.C. *see* Neal, T.P. 86−12596
Miller, C.E. The case of the curious Cossor 85−3661
Miller, C.E. A vintage Hi-Fi TV sound unit 85−3671
Miller, C.E. Vintage TV: the mysterious Mullard 85−8565
Miller, C.E. Cellular radio−the Vodafone system 85−20080
Miller, C.E. An interesting vintage communications receiver: revitalising a Marconi 1017 85−25700
Miller, C.E. Valved communications receivers. I. The National HRO 85−25716
Miller, C.E. Valved communications receivers. II. The R1155 85−30867
Miller, C.E. Solar thermal trough technology the Luz SEGS-I project 85−32398
Miller, C.E. Valved communications receivers. III. The R1155 85−42424
Miller, C.E. An anonymous communications receiver 85−57954
Miller, C.E. The strangest TV sets ever 85−63818
Miller, C.E. Vintage TV: the McMichael story 86−24076
Miller, C.E. Vintage TV: US sets of the 1950s 86−49816
Miller, C.E. A versatile valve monitor/S-meter 86−70163
Miller, C.E. Valved communications receivers 87−3069
Miller, C.E. Vintage TV: the Cossor 1210 87−8408
Miller, C.E. Valved communications receivers 87−76588
Miller, C.E. CT2-mobile telephones for the man in the street 87−76589
Miller, C.E. Valved communications receivers 87−76590
Miller, C.E. Valved communications receivers: the Hallicrafters Sky Buddy 88−9723
Miller, C.E. Valved communications receivers 88−15765
Miller, C.E. Vintage TV: the Ferguson 842T and 843T 88−15769
Miller, C.E. Valved communications receivers−the AR-77 88−59997
Miller, C.E. Valved communications receivers−the Collins TCS 88−60046
Miller, C.E. Low-power Band I transmitters [TV] 88−67543
Miller, C.E. Valved communications receivers: the BC-348 I 88−73781
Miller, C.E., III, Marquis, S. Integrated test equipment 86−53153
Miller, C.G. A modular testing system for packet switch networks 86−37202
Miller, C.G., Gnoffo, P.A., Wilder, S.E. Measured and predicted heating distributions for biconics at Mach 10 87−4068
Miller, C.H. *see* Stanton, L. 87−71101
Miller, C.K. Standards battles rage on 88−28408
Miller, C.M. Mechanical optical fiber splices 87−7136
Miller, C.M. Loose tube splices for polarization maintaining fibers 88−45136
Miller, C.M., DeVeau, G.F., Smith, M.Y. Single-mode fibre splicing 85−52372
Miller, C.M., Mettler, S.C., White, I.A. Optical fiber splices and connectors. Theory and methods 87−10019
Miller, C.M. *see* Anderson, J.M. 87−62928
Miller, C.M. *see* Derickson, D.J. 88−71125
Miller, C.M. *see* Sears, F.M. 88−39937
Miller, C.P. Manufacturing electrical contacts for switching devices and relays 88−44408
Miller, C.P. *see* Ellis, W.F. 85−17233
Miller, C.P. *see* Kalter, H.L. 85−17395, 86−20531
Miller, C.R. *see* Hayes, W.P. 86−20598
Miller, D. Through thick and thin, CAD tools keep pace with hybrid components 85−33571
Miller, D. A spatial representation system for mobile robots 86−4763
Miller, D. A 14 watt, 900-950 MHz low cost amplifier design 86−8021
Miller, D. NOAAs 2 m UFO [weather radio] 86−22667
Miller, D., Bujatti, M., Estreich, D. Low frequency oscillations in GaAs ICs 86−35908
Miller, D., Heer, C. Performance sensitivity for X-SAR 88−10519
Miller, D. *see* Bitterling, H. 88−66846
Miller, D. *see* Nelson, M.E. 85−20831
Miller, D. *see* Tzuang, C.-K.C. 87−45293
Miller, D. *see* Zahn, R.W. 87−57376
Miller, D.A. Oriented matroids from smooth manifolds 87−72935
Miller, D.A. *see* Isard, S.D. 86−48847
Miller, D.A.B. Optical bistability and differential gain resulting from absorption increasing with excitation 85−19022
Miller, D.A.B. Optical logic and the self electro-optic effect device (SEED) 85−41215
Miller, D.A.B. Multiple quantum well optical nonlinearities: bistability from increasing absorption and the self electro-optic device 85−41480
Miller, D.A.B. Novel optical modulators and bistable devices using the self-electro-optic effect in semiconductor quantum wells 87−2237
Miller, D.A.B. Physics and applications of quantum wells in optics 87−37949
Miller, D.A.B. Quantum wells for optical information processing 87−60975
Miller, D.A.B. Electric field dependence of optical properties of quantum well structures 87−74096
Miller, D.A.B. Electric field dependence of optical absorption in quantum well structures: physics and applications 88−7988
Miller, D.A.B., Chemla, D.S., Damen, T.C., Gossard, A.C., Wiegmann, W., Wood, T.H., Burrus, C.A. Electric field dependence of optical absorption near the band gap of quantum-well structures 85−55536
Miller, D.A.B., Chemla, D.S., Damen, T.C., Wood, T.H., Borrus, C.A., Jr., Gossard, A.C., Wiegmann, W. The quantum well self-electrooptic effect device: optoelectronic bistability and oscillation, and self-linearized modulation 86−22499
Miller, D.A.B., Chemla, D.S., Damen, T.C., Wood, T.H., Burrus, C.A., Gossard, A.C., Wiegmann, W. Optical-level shifter and self-linearized optical modulator using a quantum-well self-electro-optic effect device 85−18753
Miller, D.A.B., Henry, J.E., Gossard, A.C., English, J.H. Integrated quantum well self-electro-optic effect device: 2×2 array of optically bistable switches 87−7176
Miller, D.A.B., Weiner, J.S., Chemla, D.S. Electric-field dependence of linear optical properties in quantum well structures: waveguide electroabsorption and sum rules 87−7178
Miller, D.A.B. *see* Bar-Joseph, I. 87−45675, 88−26878
Miller, D.A.B. *see* Boyd, G.D. 87−54103
Miller, D.A.B. *see* Chang, T.Y. 88−33247
Miller, D.A.B. *see* Chemla, D.S. 86−3299, 87−38243
Miller, D.A.B. *see* Giles, C.R. 88−60140
Miller, D.A.B. *see* Haus, H.A. 86−42261
Miller, D.A.B. *see* Islam, M.N. 87−53954
Miller, D.A.B. *see* Koren, U. 87−54108
Miller, D.A.B. *see* Lentine, A.L. 88−45213
Miller, D.A.B. *see* Livescu, G. 88−45219, 88−58239
Miller, D.A.B. *see* Miller, B.I. 88−33898
Miller, D.A.B. *see* Silberberg, Y. 85−12875, 85−41452, 87−26543
Miller, D.A.B. *see* Smith, P.W. 85−56648
Miller, D.A.B. *see* Weiner, J.S. 85−34553, 86−9457, 86−15518, 87−26067
Miller, D.A.B. *see* Wood, T.H. 85−35545, 85−57207, 85−58704, 86−15524
Miller, D.B. Civil weather satellite systems 85−26906
Miller, D.B., Gambrell, D.L. Steep wavefront discharges in a coaxial electrode system 87−25666
Miller, D.B., Harrison, P.M. Measurement and modelling of switching transients in gas-insulated transmission lines 87−57643
Miller, D.B., Jones, S.T. PCB assembly using intelligent robots 85−1155
Miller, D.B., Spencer, E.M., Kroon, P.J., Netzel, P.C. Flexible gas-insulated cable for 230 kV, 345 kV and 500 kV 85−9504
Miller, D.C. *see* Brundle, C.R. 88−25706
Miller, D.C. *see* Dobrilla, P. 88−26068
Miller, D.C. *see* Marinero, E.E. 88−57896
Miller, D.D., Altschul, R.E., Polky, J.N. Decomposition and selection of the residue class core function [signal processing] 88−317
Miller, D.D. *see* Altschul, R.E. 87−66298, 88−2976
Miller, D.D. *see* Polky, J.N. 88−826
Miller, D.E. *see* Ciarlo, D.R. 88−2040
Miller, D.E. *see* Koplik, C.M. 88−68714
Miller, D.F. *see* Maginnis, P.T. 88−15123
Miller, D.G. A controller for laser processing [IC design] 87−25517
Miller, D.G. Rapid recognition of interconnect features 88−13186
Miller, D.G. *see* Binnie, D.M. 85−31693
Miller, D.J., Bujatti, M. Mechanisms for low-frequency oscillations in GaAs FETs 87−60458
Miller, D.J. *see* Edmends, J.S. 87−71006
Miller, D.L. III-V structures grown by molecular beam epitaxy for high speed devices 85−10730
Miller, D.L. MBE materials considerations for HEMT circuits 85−55977
Miller, D.L. Microwave landing system 85−64680
Miller, D.L. Lateral *p-n* junction formation in GaAs molecular beam epitaxy by crystal plane dependent doping 86−20032
Miller, D.L. Lateral *p-n* junction formation in GaAs molecular beam epitaxy by crystal-plane dependent doping 86−52473
Miller, D.L. Molecular beam epitaxy materials for high-speed digital heterostructure devices 87−24870
Miller, D.L., Asbeck, P.M. Be redistribution during growth of GaAs and AlGaAs by molecular beam epitaxy 85−34812
Miller, D.L., Asbeck, P.M. Plane-selective doped AlGaAs/GaAs double heterostructure light emitting diodes 87−46714
Miller, D.L., Chen, R.T., Eliott, K., Kowalczyk, S.P. Molecular-beam-epitaxy GaAs regrowth with clean interfaces by arsenic passivation 85−33440
Miller, D.I., Chen, R.T., Elliott, K., Kowalczyk, S.P. MBE GaAs regrowth with clean interfaces by arsenic passivation 85−40621
Miller, D.L., Sullivan, G.J. A simple source for uniform and reproducible deposition of the dopant silicon in III-V molecular beam epitaxy 88−11999
Miller, D.L. *see* Asbeck, P.M. 85−40712, 85−54861, 85−55162, 87−59875, 88−25451, 88−25475
Miller, D.L. *see* Chang, M.-C.F. 87−60416

Miller, D.L. *see* Chang, M.F. 86−41931, 87−10780, 88−33367
Miller, D.L. *see* Chen, R.T. 85−44698
Miller, D.L. *see* Chung, S. 87−38278
Miller, D.L. *see* Gupta, A.K. 85−28721
Miller, D.L. *see* Kowalczyk, S.P. 86−8990, 86−53530
Miller, D.L. *see* Lee, C.-P. 87−38264
Miller, D.L. *see* Lee, C.P. 86−47616
Miller, D.L. *see* Leung, T.L. 85−6602
Miller, D.L. *see* Przybysz, J.X. 88−13364
Miller, D.L. *see* Sheng, N.H. 85−50529, 85−50577, 86−41788, 87−31907, 87−66174, 88−38757
Miller, D.L. *see* Sullivan, G.J. 86−41747
Miller, D.L. *see* Wang, K.-C. 87−66444
Miller, D.L. *see* Wang, K.C. 85−61392, 86−35857, 87−31851, 87−73682, 88−15502, 88−19237
Miller, D.M., Muzio, J.C. Spectral fault signatures for single stuck-at faults in combinational networks 85−718
Miller, D.M. *see* Bate, J.A. 87−17044, 88−20112
Miller, D.M. *see* Dueck, G.W. 86−57758, 87−52497
Miller, D.M. *see* Hurst, S.L. 86−13274
Miller, D.P. The role of simulation in planning 88−31411
Miller, D.P. Evaluation of vision systems for teleoperated land vehicles 88−61739
Miller, D.P., Bixler, J.P. A taxonomy of obstacles as seen by an ultrasonic rangefinder 88−35596
Miller, D.R., Puthoff, R.L. Aileron controls for wind turbine applications 85−53655
Miller, D.R. *see* Gross, D. 86−230
Miller, D.R. *see* Haugdahl, J.B. 88−49876
Miller, D.R. *see* Kesan, V.P. 88−39371
Miller, D.S., Millard, B.R. A portable generic distributed operating system for workstations connected by a local area network 87−20270
Miller, D.S. *see* Millard, B.R. 86−49388
Miller, D.T. *see* Abramovici, M. 86−46658 to 46659, 87−632, 87−6793
Miller, D.W., Talnagi, J.W., Arndt, S.A., Rowe, G.S., Behbahani, A. The application of radiation detection noise as an in situ method of surveillance and performance verification of nuclear instrumentation channels for reactor protection systems 85−59952
Miller, D.W. *see* Aldemir, T. 87−29522, 87−41866
Miller, D.W. *see* Butler, P.C. 85−49075
Miller, D.W. *see* Chandrasekaran, B. 88−48691
Miller, D.W. *see* Christensen, R.N. 86−25802
Miller, D.W. *see* Hashemi, S. 86−25801
Miller, D.W. *see* Shepherd, G.G. 85−53156
Miller, D.W. *see* Slater, J.M. 88−74864
Miller, D.W. *see* Talnagi, J.W. 86−51271
Miller, D.W. *see* Tseng, T.T. 86−32979
Miller, E., Bender, S., Appert, Q., Saxman, A., Swann, T. Long-base free electron laser resonant cavity 86−22441
Miller, E. *see* Cabrera, B. 87−26607
Miller, E. *see* Masek, G.E. 87−50159
Miller, E.A. *see* Calmes, A.R. 88−67904
Miller, E.A. *see* D'Aiello, R.V. 88−5880
Miller, E.E. Data extraction from an automated mapping and facilities management system: specific vs. generic graphic software 88−10778
Miller, E.E. Data extraction from an automated mapping and facilities management system: specific vs. generic graphic software 88−54916
Miller, E.F. Spectrum/Orbit Utilization Program for geostationary satellites 85−31005
Miller, E.F., Heyward, A.O., Ponchak, D.S., Spence, R.L., Whyte, W.A., Jr., Zuzek, J.E. An allotment planning concept and related computer software for planning the fixed satellite service at the 1988 Space WARC 88−47007
Miller, E.F. *see* Bowen, R.R. 85−37164
Miller, E.F. *see* Whyte, W.A., Jr. 86−64948
Miller, E.J. *see* Cole, J.D. *(editor)* 86−57091
Miller, E.K. Electrical engineering and the computer 88−18353
Miller, E.K., Burke, G.J. Numerical modeling of objects near a penetrable interface [Eddy current testing] 85−10873
Miller, E.K., Deadrick, F.J. Some possible future directions in computational electromagnetic radiation and scattering problems 88−8457
Miller, E.K., Deadrick, F.J. Some aspects of the present status and future directions of computational electromagnetics 88−34213
Miller, E.K., Merrill, R.D., Cole, R.W. Computer movies for education 88−49405
Miller, E.K., Minden, G., Chakrabarti, S. Student development of computer-graphics based instructional modules for engineering education 88−84
Miller, E.K. *see* Breakall, J.K. 86−15868
Miller, E.K. *see* Burke, G.J. 85−13208
Miller, E.L. Gated-pulse stroboscopy for passivated device imaging 88−1764
Miller, E.L. *see* Bonn, R.M. 85−10465
Miller, E.M. New architecture adapts instrumentation to STD Bus 88−41949
Miller, E.M. *see* Kosel, P.B. 88−39735
Miller, E.S. Ideology, jurisdiction, and deregulation of the telephone network 87−20094
Miller, E.Y., Washburn, S. A sublattice of the Leech lattice 86−66699
Miller, F. Evaluate URD cable by life-cycle costs 88−42848
Miller, F.C. *see* White, M.H. 86−19776
Miller, F.D., Otto, G.V.E., Siegfried, E.M., Zeldin, P.E. ACE: a knowledge based maintenance analyzer 86−37342
Miller, F.D., Rowland, J.R., Siegfried, E.M. ACE: an expert system for preventive maintenance operations 86−40497
Miller, F.D. *see* Zeldin, P.E. 87−34244
Miller, F.J., Cook, H.P., Clark, C.Q. The use of computers in the maintenance of workforce competence 87−42392
Miller, F.S. *see* Hirschfeld, T.B. 87−71098
Miller, G., Corren, D., Armstrong, P., Franceschi, J. A study of an axial-flow turbine for kinetic hydro power generation 87−64458
Miller, G., Porst, A., Oppermann, K.G., Strack, H. Turn-off dynamics of a new very fast switching 1000 V, 50 A bipolar power transistor 87−45902
Miller, G., Porst, A., Strack, H. An advanced high voltage bipolar power transistor with extended RBSOA using 5 μm small emitter structures 86−47546
Miller, G., Porst, A., Strack, H. SIRET, a 1000 V bipolar transistor with no two-dimensional parasitic effects 88−26232
Miller, G., Porst, A., Strack, H. The stable or rugged avalanche injection regime of bipolar power transistors 88−44742
Miller, G. *see* Corren, D. 85−15919
Miller, G. *see* Grossenbacher, A. 85−55196
Miller, G. *see* Hoffert, M.I. 88−54695
Miller, G. *see* Ishimaru, A. 85−13404
Miller, G. *see* Porst, A. 87−38219
Miller, G.D., Refling, J.G., Roscioli, A.J., Somma, S.A., Kukielka, C.A., Olson, L.M. Engineering analysis activities in support of Susquehanna Unit 1 startup testing and cycle 1 operations 85−65092
Miller, G.D., Wehring, B.W. Multipurpose prompt gamma facility 87−21369
Miller, G.D. *see* Karim, M.A. 87−26499
Miller, G.E. Fiber optic control of jet aircraft engines 87−53999
Miller, G.E., Brown, T.E., Randolph, W.R. Voice controller for wheelchairs 86−18363
Miller, G.E. *see* Barnes, J.C. 88−65630
Miller, G.E. *see* Ishimaru, A. 86−22831, 86−43083, 87−27072
Miller, G.F. *see* Baker, C.T.H. *(editor)* 85−5968
Miller, G.L., Wagner, E.R. An optical rangefinder for autonomous robot cart navigation 88−60280
Miller, G.L. *see* Gazit, H. 88−12135
Miller, G.M., Williams, C.A. Compact high power transmitters for CO_2 laser systems 88−27230
Miller, G.R. *see* Filardi, R.E. 85−27893
Miller, G.R. *see* Lessing, P.A. 87−9724
Miller, G.S. *see* Rebeck, K.J. 85−26851
Miller, G.W. *see* Lahlum, R.H. 88−53137
Miller, G.W. *see* Metz, W.A. 85−55958, 86−41720, 87−6925
Miller, H. Hybrid approaches to chip interconnection offer many alternatives 85−55334
Miller, H., Vontobel, J., Holler, K. Uprating the Laufenburg Swiss/German power station with ten STRAFLO units 88−69210
Miller, H. *see* Crisp, J. 86−31917
Miller, H. *see* Kerns, C. 86−31773, 88−54132
Miller, H. *see* Kerns, Q. 86−31979
Miller, H. *see* Martin, P. 86−31900
Miller, H.C. The effect of doping on the voltage holdoff performance of alumina insulators in vacuum 85−59783
Miller, H.C. A coastal data system for long-term comprehensive measurements of nearshore processes 86−56264
Miller, H.C. Inductance formula for a single-layer circular coil 87−39334
Miller, H.C. *see* Jaitly, N.C. 88−5380
Miller, H.C. *see* Schuler, D.L. 85−32013
Miller, H.E. *see* Haubenreich, P.N. 85−1923
Miller, H.H., Hirschfeld, T.B. Fiber optic chemical sensors for industrial and process control 88−16143
Miller, H.H. *see* Hirschfeld, T.B. 87−71098
Miller, H.S., Chilton, G.G., Lyon, M.B. Analog pressure input adapter for Hewlett Packard monitors 88−54469
Miller, H.S. *see* Dwyer, R.A. 85−17308
Miller, H.Scott *see* Scott Miller, H.
Miller, H.V. FOXHOUND A airborne intercept radar 85−25937
Miller, H.W. *see* Bristol, S. 86−31916
Miller, H.W. *see* Martin, P. 88−47832
Miller, H.W. *see* Wildman, D. 88−47865
Miller, I. A custom data conversion subsystem for personal computers 85−45131
Miller, I.D., Mortimore, D.B., Urquhart, P., Ainslie, B.J., Craig, S.P., Millar, C.A., Payne, D.B. A Nd^{3+}-doped CW fiber laser using all-fiber reflectors 87−61114
Miller, I.D. *see* Millar, C.A. 87−75045
Miller, I.H., Horton, J.L., Scott, J.R., Charlebois, L.J. Field molded splice closure system for copper and fiber cables using low pressure molding 86−49657
Miller, I.J. *see* Alcock, A.J. 87−46978, 88−8132
Miller, I.M. *see* Brown, K.G. 87−39011
Miller, I.M. *see* Sidney, B.D. 88−27073
Miller, I.S., Shah, D.A., Antonia, R.A. A constant temperature hot-wire anemometer 87−41635
Miller, J. Programming monolithic microcomputer: the TNS 7000. I 85−17473
Miller, J. Helical antennas for 435 MHz 85−46640
Miller, J. Perfection plus [RTTY toner] 85−57700
Miller, J. Personal Composer [music processing package] 86−38160
Miller, J. New technologies aid videoconferencing 87−20749
Miller, J. Status of high energy chemical lasers 87−46783
Miller, J. Status of high energy chemical lasers 87−61096
Miller, J. Advances in chemical lasers 88−14073
Miller, J. Is there a future for genuinely local services? Some lessons from community radio 88−15726
Miller, J. Hybrid, on-card DC/DC converters 88−62470
Miller, J., Akademir, A. Hybrid, board-mounted DC/DC converters 87−72300
Miller, J., Tyce, R., Edwards, R. Sea Beam mapping systems 88−10587
Miller, J. *see* Gilgenbach, R.M. 87−17602
Miller, J. *see* Hueschen, M. 85−50576
Miller, J. *see* Kofol, S. 85−50501
Miller, J. *see* Lindsay, K. 86−52774
Miller, J. *see* Lo, Y.H. 87−32519
Miller, J. *see* McCafferty, J.D. 87−62162
Miller, J. *see* Nisbet, W.T. 85−28703
Miller, J. *see* Park, G.L. 85−15954
Miller, J.A., Hoffer, B.J., Zahniser, N.R. An improved calibration procedure for computer-based quantitative autoradiography utilizing a mathematical model for the non-linear response of camera and film 88−42509
Miller, J.A. *see* Chang, K. 88−28952
Miller, J.A. *see* Coltrin, M.E. 85−10810, 87−307
Miller, J.A. *see* Hegedus, S.S. 87−51469
Miller, J.A. *see* McFarland, M.A. 85−36576
Miller, J.A. *see* Newell, J.A. 87−76175
Miller, J.A. *see* Powers, J. 86−31660
Miller, J.B. *see* Backes, J.L. 85−3909
Miller, J.B. *see* Olson, L.O. 85−48460
Miller, J.B. *see* Reiersen, W.T. 85−1910
Miller, J.D. Finding roots of equations in given neighborhoods 87−73011
Miller, J.D., Satterfield, K.M. Iceberg detection by radar 86−60955
Miller, J.D. *see* Kacz, M. 85−4563
Miller, J.D. *see* Saad, A.M.K. 87−6055
Miller, J.D. *see* Weisenberger, J.M. 87−77687
Miller, J.E. HF satellite sound broadcasting−a preliminary assessment 85−37172
Miller, J.E. Satellite sound broadcasting around 1 GHz 85−37173
Miller, J.E., Hecht, H., Morris, S. Accounting for maintenance in a computer memory reliability prediction model 88−31558
Miller, J.E. *see* Clark, W.W., III 85−4440
Miller, J.E. *see* Whyte, W.A., Jr. 86−64948
Miller, J.E., Jr., Kulp, R.W., Orr, G.E. Adaptive probability distribution estimation based upon maximum entropy 85−39622
Miller, J.F., Lee, J., Christianson, C.C. Batteries for hybrid vehicles or other high-power applications 87--79031
Miller, J.F. *see* Bagwell, D.J. 87−59241
Miller, J.F. *see* Rodrigues, J.M.P. 85−29541, 86−42246, 87−53949
Miller, J.G. *see* Handley, S.M. 88−61712
Miller, J.G. *see* Hughes, M.S. 88−56364
Miller, J.G. *see* Johnston, P.H. 87−3963
Miller, J.H. *see* McRoy, S.A. 85−30756
Miller, J.J.H. On the inclusion of the recombination term in discretizations of the semiconductor device equations 86−35631
Miller, J.J.H. Optimal uniform difference schemes for linear initial-value problems 87−31456
Miller, J.J.H. Some numerical techniques for the solution of problems related to semiconductor devices 87−38176
Miller, J.J.H. On a Petrov-Galerkin method for the electrical and thermal behaviour of semiconductor devices in two dimensions 88−7550
Miller, J.J.H. *(editor)* Fundamental Research on the Numerical Modelling of Semiconductor Devices and Processes. Papers from NUMOS 1, First International Workshop on the Numerical Modelling of Semiconductors 88−6129
Miller, J.J.H. *see* Godunov, S.K. *(editor)* 88−24348
Miller, J.M. An alternative method for analyzing the double threshold detector 85−57360
Miller, J.M. Characterization of clutter and its use in maintaining CFAR operation 85−63728
Miller, J.M. *see* Brule, J.E. 86−40060
Miller, J.M. *see* Collins, C.C. 86−50605

Miller, J.M. *see* Park, G.L. 85−15950
Miller, J.N. Immunosensors 86−56097
Miller, J.N., Collins, D.M., Moll, N.J. Control of Be diffusion in molecular beam epitaxy GaAs 85−50378
Miller, J.N. *see* Bimberg, D. 87−1250
Miller, J.N. *see* Chang-Hasnain, C.J. 87−45641
Miller, J.N. *see* Dohler, G.H. 86−35415, 87−5397
Miller, J.N. *see* Hasnain, G. 87−12306, 88−31806
Miller, J.N. *see* Lin, B.J.F. 87−32720
Miller, J.N. *see* Mars, D.E. 86−46336
Miller, J.P., Austin, E.J., Booth, E.C., Gall, K.P., McIntyre, E.K., Whitehouse, D.A. Development of a NaI(Tl) detector with superior photon energy resolution for use above 100 MeV 88−68245
Miller, J.R. Telemetry decoder for Oscar-10 85−3090
Miller, J.R. Telemetry decoder for Oscar-10. II 85−8085
Miller, J.R. Empirical investigation of factors affecting the stability of cable-in-conduit superconductors 86−2646
Miller, J.R. Design of aggressive superconducting TFCX magnet systems 86−28755
Miller, J.R., Chaplin, M.R., Leber, R.L., Rosdahl, A.R. The LLNL HFTF−a flexible superconducting test facility for fusion magnet development 88−65081
Miller, J.R., Chaplin, M.R., Summers, L.T., Steeves, M.M., Hoenig, M.O. The initial filament strain state of cable-in-conduit superconductors and the relation of this strain to large-bore, high-field magnet design 87−67961
Miller, J.R., Kerns, J.A. Cable-in-conduit conductor optimization for fusion magnet applications 88−65097
Miller, J.R., Summers, L.T. The effects of various conductor components on Nb$_3$Sn filament prestrain in cable-in-conduit conductors 88−42864
Miller, J.R., Summers, L.T., Kerns, J.A. High-field superconducting magnets (12 T and greater) for fusion applications 86−58723
Miller, J.R. *see* Abele, J.R. 85−44440
Miller, J.R. *see* Henning, C.D. 85−1922, 88−65065
Miller, J.R. *see* Jacob, K. 85−1892
Miller, J.R. *see* Kalsi, S.S. 88−65996
Miller, J.R. *see* Kerns, J.A. 88−65101, 88−65103
Miller, J.R. *see* Lue, J.W. 85−1903
Miller, J.R. *see* Summers, L.T. 87−67962, 88−64848, 88−65104
Miller, J.R., Jr., Smith, P.L. Some characteristics of radar first echoes in the High Plains 87−50555
Miller, J.R., Jr. *see* Doneaud, A.A. 87−71348
Miller, J.S., Elliott, J.C. Instrument sensing line anomalies in BWRs 86−65849
Miller, J.S. *see* Bowden, W.L. 85−5354
Miller, J.S. *see* Robinson, L.B. 88−4466
Miller, J.S., Sr. *see* Van Brunt, M. 88−14413
Miller, J.W., III Mountain Bell: ISDN field trials and implementation plans 87−27862
Miller, J.W., III, Knapp, A.A. ISDN field trials 86−54756
Miller, K. Light measurement technology moves to the production line 85−31608
Miller, K. Call to the colors: progress toward a three-dimensional standard 85−48115
Miller, K. The role of professional institutions in response to future demands 86−61841
Miller, K. Measuring light output from displays 86−70038
Miller, K. *see* Brundage, P. 88−12753
Miller, K.A. Strategies for an electric utility industry in transition 86−12286
Miller, K.A. A unique exciter and RF subsystem for ABC's mobile satellite news gathering terminal−the ABSCAMP system 87−34814
Miller, K.A., Durwood, B.H. Everything you ever wanted to know about PLD (programmable logic device) testing 88−70742
Miller, K.J. Independent ground monitor coverage of Global Positioning System (GPS) satellites for use by civil aviation 87−41105
Miller, K.M. Self-absorption corrections for gamma ray spectral measurements of ^{210}Pb in environmental samples 87−71043
Miller, K.S., Raghavan, R., Rochwarger, M.M. Invariance in moving target detection 85−30347
Miller, K.T. *see* Kimura, H. 85−33402
Miller, L. Threat radar system simulations 86−69837
Miller, L. The Maglev transportation systems TRANSRAPID and ULIMAS 87−5066
Miller, L. An advanced nickel-cadmium battery cell design 87−22698
Miller, L. 4.5 inch diameter IPV nickel-hydrogen cell development program 87−22711
Miller, L. Large capacity Ni-H$_2$ battery cells 87−43389
Miller, L. The operating train TRANSRAPID 06 II 87−64870
Miller, L. TRANSRAPID 06 II: performance and characteristics 87−64920
Miller, L. Test summary for advanced hydrogen cycle nickel-cadmium cell 88−16857
Miller, L. *see* Knoll, H. 86−71109
Miller, L. *see* Meins, J. 88−69832
Miller, L. *see* Standlee, D.J. 87−43384
Miller, L.A. *see* Akulov, A.T. 86−39600
Miller, L.B. *see* Nelson, R.O. 86−56071
Miller, L.D. *see* Tom, C.H. 85−59519
Miller, L.E. Ultra-high reliability ultra-high speed silicon integrated circuits for undersea optical communications systems 85−37038
Miller, L.E. Improved specific energy Ni-H$_2$ cell 86−33620
Miller, L.E., French, R.H., Lee, J.S. Performance of frequency-hopped random MFSK in follow-on and partial-band noise jamming 87−39590
Miller, L.E., French, R.H., Lee, J.S. Comparison of parametric and nonparametric nonlinear diversity combining schemes for frequency-hopping FSK systems in partial-band noise jamming 88−21064
Miller, L.E., Lee, J.S. Effects of narrowband interference of digital (CPFSK) FM ratios 88−28673
Miller, L.E., Lee, J.S., Kadrichu, A.P. Probability of error analysis of a BFSK frequency-hopping system with diversity under partial-band jamming interference. III. Performance of a square-law self-normalizing soft decision receiver 86−69066
Miller, L.E. *see* Kwon, H.M. 88−27509
Miller, L.E. *see* Lee, J.S. 85−20014, 86−10333, 88−3813, 88−46848, 88−46860
Miller, L.G., Levinson, S.E. Syntactic analysis for large vocabulary speech recognition using a context-free covering grammar 88−66396
Miller, L.G. *see* Levinson, S.E. 88−72814
Miller, L.G. *see* Schmunk, R.E. 85−1794
Miller, L.J., Mohr, C.G., Weinheimer, A.J. The simple rectification to Cartesian space of folded radial velocities from Doppler radar sampling 87−71337
Miller, L.J. *see* Granger, D.D. 88−39319
Miller, L.L. *see* Cheney, R.E. 88−10509
Miller, L.M. *see* Givens, M.E. 88−63301
Miller, L.S., Parsons, C.L. The effect of microwave backscatter uncertainty on satellite radar altimeter accuracy 86−32558
Miller, M. *see* Agrawal, P. 86−20201
Miller, M. *see* Balka, L. 88−47985
Miller, M. *see* Brucker, G.J. 85−22808
Miller, M. *see* Datta, S. 86−14910, 87−6450
Miller, M. *see* Hahn, S.R. 88−47990
Miller, M. *see* Lewis, N. 87−13728
Miller, M. *see* Vucetic, B. 88−47261
Miller, M. *see* Winnewisser, G. 87−13805, 87−34699
Miller, M.A. Managing multi-vendor communication networks 87−55600
Miller, M.A. Nonuniqueness of inverse problems in macroelectrodynamics. Spherical and toroidal sources of electromagnetic fields (review) 87−68693
Miller, M.A. *see* Hutchinson, S.A. 87−37379
Miller, M.B. Linear fiber optic data bus for aircraft applications 88−41675
Miller, M.B., Lewis, N.E. The performance of linear fiber optic data buses 88−67438
Miller, M.B. *see* Lewis, N.E. 85−24282, 88−67883
Miller, M.C. Surface pressure measurements on a transonic spinning projectile 85−64658
Miller, M.D. *see* Hastie, D.R. 86−18567
Miller, M.E. *see* Schindler, M.J. 88−63947, 88−63965, 88−71119
Miller, M.E. *see* Tseitlin, N.M. 87−70168
Miller, M.G., Gibson, G.J. Expert system for test-incident scoring 88−56080
Miller, M.H. *see* Frederick, P.R. 85−48255
Miller, M.I., Fuhrmann, D.R. An EM algorithm for direction-of-arrival estimation for narrowband signals in noise 88−40922
Miller, M.I., Snyder, D.L. The application of maximum-entropy and maximum-likelihood for spectral estimation 87−55169
Miller, M.I., Snyder, D.L. An alternating maximization of the entropy/likelihood function for image reconstruction and spectrum estimation 87−55281
Miller, M.I., Snyder, D.L., Miller, T.R. Maximum-likelihood reconstruction for single-photon emission computed-tomography 85−43358
Miller, M.I., Snyder, D.L., Turmon, M. Iterative maximum-likelihood estimation of Toeplitz constrained covariances 87−44121
Miller, M.I. *see* Roysam, B. 88−66705
Miller, M.I. *see* Snyder, D.L. 87−48248, 88−41720
Miller, M.J. 16-bit CMOS slices−new building blocks maintain microcode compatibility yet increase performance 87−781
Miller, M.J. The CMOS sets a new accent on the bit-slice sector 87−37311
Miller, M.J., Ahamed, S.V. Digital transmission systems and networks. Vol.1. Principles 88−24389
Miller, M.J., Ahamed, S.V. Digital transmission systems and networks. Vol.2. Applications 88−24390
Miller, M.J., Demel, J.T. The class of 20001: the role of engineering graphics in 1997 88−24484
Miller, M.J., Mick, J.R. Application-specific CMOS memory 86−62586
Miller, M.J., Toth, F.L. High-speed FIFOs contend with widely differing data rates 86−2363
Miller, M.J., Waldo, S. 16-bit CMOS slices! Components for microprogrammable high performance systems 86−67977
Miller, M.J., Wheal, M.G., Stevens, G.J., Lin, S. The reliability of error detection schemes in data transmission 87−2445
Miller, M.J. *see* Aschoff, A.F. 86−33122
Miller, M.J. *see* Asenstorfer, J. 87−54983
Miller, M.J. *see* Barrett, R.A. 88−24444
Miller, M.J. *see* Dooley, B. 86−70814
Miller, M.J. *see* Hoskins, M.H. 87−32823
Miller, M.J. *see* Lin, S. 85−13483
Miller, M.J. *see* McGowin, C.R. 88−17400
Miller, M.J. *see* Mick, J.R. 87−657, 88−808
Miller, M.J. *see* Sharp, E.J. 87−46987
Miller, M.J. *see* Vyden, B. 85−7821
Miller, M.J. *see* Waldo, S. 86−1033
Miller, M.J. *see* Wood, G.L. 88−20734
Miller, M.J. *see* Wu, K. 85−42472
Miller, M.K. Image processing of FIM and IAP micrographs 87−20990
Miller, M.L. Microprocessor based UUT testing in a depot environment 87−21728
Miller, M.L., Nguyen, D.. Digital subscriber-loop performance using echo-cancellation with WAL I and WAL II coding 87−76417
Miller, M.L., Snyder, D.L. The role of likelihood and entropy in incomplete-data problems: Applications to estimating point-process intensities and Toeplitz constrained covariances 87−75828
Miller, M.L. *see* Cheh-Suei Yang 87−5301
Miller, M.L. *see* Yezerski, T.R. 87−9365
Miller, M.R. Attempts to apply thin film transistors to electroluminescent displays 85−52825
Miller, M.R., Schlam, E. Thin film electroluminescent display technology advances 85−8914
Miller, M.R., Schlam, E., Morton, D.C., Jung, C., Holly, R., Gielow, T., Tsang, F., Hope, L., Abdalla, M., Plumb, J. A large-area electroluminescent display with matrix addressing for full video 87−8680
Miller, M.R., Schlam, E., Robertson, J.B., Hatfield, J.J. Recent advances in electroluminescent displays applicable to future crew-station interfaces 86−18447
Miller, M.R. *see* Morton, D.C. 86−38461
Miller, M.R. *see* Singh, V.P. 88−26987
Miller, M.R. *see* Wagner, R.G. 88−47989
Miller, M.S., Cunningham, H., Chan Lee The Application Accelerator Illustration System 87−16803
Miller, M.S. *see* Edwardo, H.A. 87−4166
Miller, N. *see* Cramer, J.C. 86−33729
Miller, N. *see* Doser, M. 85−24188
Miller, N.E. CVD tungsten technology: a brief history 87−5497
Miller, N.E., Fedorov, A.P., Cherkesova, G.E. Some questions concerned with the control of fuel feed 87−42665
Miller, N.E., Smirnov, V.I. Reliability improvement of power supplies for feeding power to high-power regional power stations 86−32661
Miller, N.E., Smirnov, V.I. Technological interlocking [relay protection] 86−39204
Miller, N.E. *see* Walker, M.L. 85−40567
Miller, N.P., Young, W.R. Access charge strategies 85−2935
Miller, N.W. *see* Anderson, T.E. 88−62735
Miller, O. *see* Chang, C.A. 87−77151
Miller, P., Hoyt, C. Turning down laser noise with power stabilizers 87−7417
Miller, P. *see* Armbruster, B. 86−64533
Miller, P. *see* Bellamy, C. 85−57758
Miller, P. *see* Bloom, P. 87−40143
Miller, P. *see* James, F.J. 88−44829
Miller, P. *see* Kulkarni, S. 88−8025
Miller, P. *see* Marti, F. 85−64364
Miller, P.A., Dreike, P.L., Quintenz, J.P., Anderson, R.J., Crow, J.T., Mendel, C.W., Jr., Mills, G.S., Mix, L.P., Rosenthal, S.E., Seidel, D.B., Vandevender, J.P. Hybrid ion diode experiment on PBFA I 85−16271
Miller, P.A., Lyons, R.S., Weber, B.L. A compact direction-finding antenna for HF remote sensing 85−24959
Miller, P.A. *see* Bloom, P.D. 87−48798
Miller, P.A. *see* Cook, D.L. 87−43208
Miller, P.C. *see* Bates, B. 88−65382
Miller, P.D. *see* Olsen, D.K. 87−56948
Miller, P.E. *see* Kuo, S.P. 88−25816, 88−64214
Miller, P.E. *see* Tiong, K.K. 88−25817
Miller, P.F., Castor, K.G. Error correction coding for MIL-STD-1553B aircraft stores management systems 85−7823
Miller, P.J., Chen, H., Green, G.F., LaForge, D.H., Brugler, J.S., Jassawalla, J.S., Oyer, P.E., Portner, P.M. A totally implantable electromechanical left ventricular assist system 85−38229
Miller, P.J. *see* Brugler, J.S. 86−32378
Miller, P.J. *see* Hoeft, L.O. 88−16434
Miller, P.J. *see* Jassawalla, J.S. 85−31879

Miller, P.L., Blumenfrucht, S.J., Black, H.R. An expert system which critiques patient workup: modeling conflicting expertise 85–26745
Miller, P.R., Cowles, P.R. Implementation and use of a large near-field satellite antenna test facility 85–43455
Miller, P.R. *see* Cowles, P.R. 85–24943
Miller, P.R. *see* Crawford, K.E. 86–54712
Miller, P.R. *see* Kollmorgen, M.A. 87–69550
Miller, P.S. The MSU superconducting cyclotron program 85–58976
Miller, P.S. *see* Antaya, T.A. 85–59164, 85–64432
Miller, R. Characterisation of noncoherent ground clutter 85–52397
Miller, R. Videodisk—the industry in a nutshell 86–49856
Miller, R. EVT—the electronic verification of transmission of television commercials 87–8378
Miller, R. Encapsulation in non-hermetic PGAs 87–10183
Miller, R. Call accounting systems: the tools to cut costs 87–13483
Miller, R. Integrated Services Digital Network (ISDN): telecommunications in the future 87–40135
Miller, R. Automating mechanical design 87–51834
Miller, R. 2400 bps—is it the wave of the future? 87–69781
Miller, R. Effective technical presentations 88–63119
Miller, R., Prasanna-Kumar, V.K., Reisis, D., Stout, Q.F. Meshes with reconfigurable buses 88–44246
Miller, R., Stout, Q.F. The pyramid computer for image processing 85–30400
Miller, R. *see* Bulos, F. 86–25095
Miller, R. *see* Davis, B.W. 85–40225
Miller, R. *see* Engels, E., Jr. 87–29488
Miller, R. *see* Lee, F. 85–11153
Miller, R. *see* Liou, F.T. 88–64774
Miller, R. *see* Lobkowicz, F. 85–43185
Miller, R. *see* Lothrop, F. 86–31814, 88–54044
Miller, R. *see* Ly, T.A. 88–39661
Miller, R. *see* Rawat, B. 85–30933, 87–75548, 88–56877
Miller, R. *see* Reimers, R.M. 85–26734
Miller, R. *see* Schardt, M. 85–58575
Miller, R. *see* Shannon, J. 87–22793
Miller, R.A. *see* Troxell, J.R. 87–1567, 87–18126, 88–19994
Miller, R.B. RADLAC technology review 86–32062
Miller, R.B., Marder, B.M., Coleman, P.D., Clark, R.E. The effect of accelerating gap geometry on the beam breakup instability in linear induction accelerators 88–36316
Miller, R.B., Poukey, J.W., Shope, S.L., Mazarakis, M.G. Matching beams from relativistic electron guns into solenoidal transport systems 88–25769
Miller, R.B. *see* Frost, C.A. 86–31960, 87–41789
Miller, R.B. *see* Leifeste, G.T. 85–23359, 86–35270
Miller, R.B. *see* MacDoran, P.F. 85–25948, 86–55395, 88–9687
Miller, R.B. *see* Mazarakis, M.G. 86–25030, 87–41788, 88–16597, 88–54017
Miller, R.B. *see* Shope, S.L. 87–21355, 88–54026
Miller, R.B. *see* Trager, C. 88–25860
Miller, R.B. *see* Tuley, C.R. 86–51266
Miller, R.C., Gossard, A.C., Kleinman, D.A. Band offsets from two special $GaAs\text{-}Al_xGa_{1-x}As$ quantum-well structures 86–8860
Miller, R.C., Gossard, A.C., Sanders, G.D., Yia-Chung Chang, Schulman, J.N. New evidence of extensive valence-band mixing in GaAs quantum wells through excitation photoluminescence studies 86–21209
Miller, R.C., Kleinman, D.A. Excitons in GaAs quantum wells 85–34584
Miller, R.C. *see* Chand, N. 88–49796
Miller, R.C. *see* Cheng, C.-L. 88–73921
Miller, R.C. *see* Cheng, C.L. 88–33904
Miller, R.C. *see* Dawson, P. 86–35388
Miller, R.C. *see* Deimel, P.P. 86–22255
Miller, R.C. *see* Dupuis, R.D. 85–10709, 87–36798
Miller, R.C. *see* Gossard, A.C. 87–280
Miller, R.C. *see* Ota, Y. 88–3995, 88–45325
Miller, R.C. *see* Tsang, W.T. 86–52443, 87–10393
Miller, R.C. *see* Tu, C.W. 87–36718, 87–73088
Miller, R.C. *see* Wilson, B.A. 87–1253, 88–38208
Miller, R.D. Optical requirements for the fiber distributed data interface (FDDI) 87–69687
Miller, R.D., MacDonald, S.A. New materials for optical microlithography 88–7407
Miller, R.D. *see* Willson, C.G. 88–13240
Miller, R.E. Guidelines for selecting elastomeric silicone encapsulants 85–10500
Miller, R.E. A construction technique for self synchronizing finite state protocols 87–33841
Miller, R.E. The construction of self-synchronizing finite state protocols 87–75960
Miller, R.E. How electronic manufacturers used silicone elastomers to solve difficult coating problems 88–24551
Miller, R.E. UV cure conformal coatings key to processing ease 88–50509
Miller, R.E., Lundy, G.M. An approach to modeling communication protocols using finite state machines and shared variables 87–34152
Miller, R.E. *see* Buttgenbach, T.H. 88–71067
Miller, R.E. *see* Chang, K. 88–28952
Miller, R.E. *see* Choi, T.Y. 87–27675
Miller, R.E. *see* Ellison, B.N. 87–70167
Miller, R.E. *see* Lee, K.C. 85–4255
Miller, R.E. *see* Phillips, J.W. 88–24470
Miller, R.E. *see* Wengler, M.J. 86–2627, 87–20646
Miller, R.E. *see* Woody, D.P. 85–37152
Miller, R.E. *see* Yurke, B. 88–32412
Miller, R.F., Vincent, W.A. Cooperative integrated circuit design courses for electrical engineering technology students 87–58590
Miller, R.F. *see* Scheppe, W. 88–227
Miller, R.G. Automated testing of cable television converters 86–11421
Miller, R.H. Comparison of standing-wave and traveling-wave structures 87–35267
Miller, R.H., Clendenin, J.E., James, M.B., Sheppard, J.C. Nonintercepting emittance monitor 85–26664
Miller, R.H., Deruyter, H., Fowkes, W.R., Potter, J.M., Schonberg, R.G., Weaver, JN. RF phase focusing in portable X-band, linear accelerators 86–25029
Miller, R.H. *see* Eppley, K.R. 88–54339
Miller, R.H. *see* Koontz, R.F. 86–32042
Miller, R.H. *see* Loew, G.A. 87–41752
Miller, R.H. *see* Sheppard, J.C. 86–24866, 88–47923
Miller, R.J. Simulation of texture in SAR images over land 87–63058
Miller, R.J. A coherent model of radar weather clutter 88–60234
Miller, R.J., Cooper, D.W., Nagaraj, H.S., Owens, B.L., Peters, M.H., Wolfe, H.L., Wu, J.J. Mechanisms of contaminant particle production, migration, and adhesion 88–71379
Miller, R.J. *see* Cooper, D.W. 88–29638
Miller, R.J. *see* Kasinski, J.J. 86–9925
Miller, R.J. *see* Krakow, W. 85–22268
Miller, R.J. *see* Quegan, S. 87–49178
Miller, R.J.D., Min, L., Shragowitz, M.A. Efficient operation of a cavity dumped Q-switched and mode-locked YAG laser 87–54284
Miller, R.J.D. *see* Geist, P. 86–3276
Miller, R.J.Dwayne *see* Dwayne Miller, R.J.
Miller, R.K. *see* Michel, A.N. 85–55041
Miller, R.L. CD ROM and videodisc: lessons to be learned 86–60060
Miller, R.L. Power reactor decommissioning projects in the Federal Republic of Germany 88–75398
Miller, R.L., Mandelcorn, L., Mercier, G.E. Evaluation of capacitor impregnants 86–67535
Miller, R.L., Pieters, G.C., Hunsinger, B.J. Broadband generation of line acoustic waves 85–56067
Miller, R.L., Sayers, J.H. The US videodisc market: analysis and forecasts to 1990. An abridged executive summary 87–8455
Miller, R.L., Willhite, J.R., DiVenere, A. Direct optical signal injection in an ACT channel 88–51108
Miller, R.L. *see* Burkett, T.A. 85–6871
Miller, R.L. *see* Deininger, R.A. 87–56911
Miller, R.L. *see* Hunt, W.D. 87–25687, 87–67625
Miller, R.M., Ballard, C.D. Shaft grounding reduces ID fan main bearing failures 86–18915
Miller, R.M. *see* Hobbs, J.R. 86–34116
Miller, R.R., Sharp, J.K. Operational drifting buoys—peaks of plateaus? 88–48363
Miller, R.S. *see* Kaiser, R.S. 87–78369
Miller, R.T. Laser wire stripper effectively removes 'ML' polyimide for repeated solderability 85–34227
Miller, R.T. Codes that keep the message clear 85–62958
Miller, R.V. *see* Laczynski, E. 86–60277
Miller, R.W., Hsiung, H.L., Hunt, W.D., Doneghue, W.G., Hunsinger, B.J., Fliegel, F.M. Modeled and measured ACT based convolver performance 88–51110
Miller, R.W., van de Geijn, J. Modification of the fault logic circuit of a high-energy linear accelerator to accommodate selectively coded, large-field wedges 87–57216
Miller, S. Improving transfer linearity in PWM resonant converters 85–11492
Miller, S. The increasing sophistication of the analog and digital interface capabilities of modern data converters facilitate their use 86–1165
Miller, S. Ring bank mode speeds 16-bit micro operation 87–10914
Miller, S. Supporting C in MPU architectures 88–25235
Miller, S. Tips help increase AC drive up time. I 88–43412
Miller, S. Inverter troubleshooting tips 88–49051
Miller, S., Cautis, D. Optimally controlled DC brushless motor using Inductosyn feedback 85–3758
Miller, S. *see* Gerstenhaber, M. 87–44606
Miller, S. *see* Grant, D. 85–11361, 85–17564
Miller, S. *see* Kilgallon, M.J. 88–30053
Miller, S. *see* Polacek, M. 86–29641
Miller, S.A. Ultralow-loss communications in the mid-IR 87–8310
Miller, S.A. *see* Mullin, D.P. 87–18982
Miller, S.C. *see* Tanner, D.P. 87–9810
Miller, S.E. Present thrust of optical-fiber telecommunications research—an individual perspective 85–8421
Miller, S.E. On single-mode injection laser structures for reduced output fluctuations 86–22385
Miller, S.E. Integrated low-noise lasers 86–36475
Miller, S.E. Turn-on jitter in nearly single-mode injection lasers 86–42548
Miller, S.E. On low-power semiconductor laser design 87–68548
Miller, S.E. The effect of side modes with linewidth and intensity fluctuations in semiconductor lasers 88–65692
Miller, S.E., Marcuse, D. On fluctuations on transients in injection lasers 85–2330
Miller, S.F. *see* Cullen, M.F. 87–62212
Miller, S.G. Increasing drive uptime 86–61775
Miller, S.G. CMOS MULTIBUS I board reaches new applications 88–33399
Miller, S.H. Losses in ballasts and scope for capitalisation [discharge lamps] 88–37716
Miller, S.J. Cross-frequency correlation of intensity fluctuations in phase-changing media 88–52195
Miller, S.J., Finnemore, D.K. Temperature- and field-dependent quantum oscillations in superconductor—normal-metal—superconductor junctions 85–1877
Miller, S.K. *see* Alagaratnam, M. 86–47194
Miller, S.L., Biagi, K.R., Clem, J.R., Finnemore, D.K. Critical currents of cross-type superconducting-normal-superconducting junctions in perpendicular magnetic fields 85–35352
Miller, S.L., Krug, R., Wesner, W., Klement, P., Wilson, G.J., Feitler, D.A., Tillery, B.C., MacGregor, D.C. Carbon: the ideal material for cardiac pacing electrodes? 87–50417
Miller, S.L., MacGregor, D.C., Margules, G.S., Bobyn, J.D., Wilson, G.J. Theoretical justification for size reduction of porous-surfaced electrodes 86–38823
Miller, S.L. *see* Clem, J.R. 86–15438
Miller, S.L. *see* Finnemore, D.K. 85–50861
Miller, S.L. *see* Fleetwood, D.M. 87–32698
Miller, S.L. *see* Herron, J.M. 85–38055, 88–36548
Miller, S.L. *see* McWhorter, P.J. 87–32539
Miller, S.L. *see* Wilson, G.J. 87–50416
Miller, S.M., Morgan, D.P., Silverman, H.F., Karan, M.N., Dixon, N.R. A real-time evaluation system for a real-time connected-speech recognizer 87–61689
Miller, S.M. *see* Silverman, H.F. 87–61639
Miller, S.P. *see* Decker, W.F. 87–20269
Miller, S.P. *see* Souza, R.J. 86–64785
Miller, S.S. Heat exchanger tubeside pressure drop by microcomputer 85–43670
Miller, S.S. Replacement feedwater heaters: how to evaluate them 86–6461
Miller, S.S. Condenser vibration analysis by microcomputer [steam plant] 86–19103
Miller, S.S. Program simplifies sizing of air piping 87–51004
Miller, S.S. PC program calculates cleanliness of surface condensers 88–5548
Miller, S.S. PC program calculates cleanliness of surface condensers 88–23752
Miller, S.S. Microcomputer finds heat exchanger steam pressure, usage 88–30557
Miller, S.S., Nagrowski, J.S., DeMarinis, R.A. Inhouse condenser tube pulling facilitated with new equipment 85–9744
Miller, S.W. *see* Ayasli, Y. 85–1046, 85–1055, 85–17827 to 17828, 85–23123 to 23124
Miller, T. CLIPPER—a new performance standard 87–10926
Miller, T. Small motor drives expand their technology horizons 87–78992
Miller, T. Brushless reluctance-motor drives 88–18117
Miller, T. Brushless permanent-magnet motor drives 88–23959
Miller, T., Consigny, R. Computer-aided electrical network analysis 85–61054
Miller, T., Lucey, J.W., Miller, A. Interactive videodisc technology in the engineering curriculum [engineering education] 85–33043
Miller, T. *see* Baglee, D.A. 88–755
Miller, T. *see* Cross, C. 86–55912
Miller, T. *see* Jaggernauth, J. 87–34256
Miller, T.A. *see* DiMauro, L.F. 85–6841
Miller, T.B. *see* Hoberecht, M.A. 85–48390
Miller, T.C. Improved reliability for digital switching 87–40574
Miller, T.C. How to evaluate CAE equipment for PWB layout. I 88–25642
Miller, T.C. How to evaluate CAE equipment for PWB layout. II 88–32547

Miller, T.E. The design of a film mix theater for video applications 88—41849
Miller, T.J. Step motor controller options fit package to application 85—5126
Miller, T.J., Geyling, F.T. One-dimensional models for the co-drawing of preform rods in tubes 85—7238
Miller, T.J. *see* Grubb, J.P. 87—66794
Miller, T.J. *see* Smithgall, D.H. 87—12127
Miller, T.J.E. Single-phase permanent-magnet motor analysis 85—27386
Miller, T.J.E. Converter volt-ampere requirements of the switched reluctance motor drive 85—27539
Miller, T.J.E. Single-phase permanent-magnet motor analysis 85—53666
Miller, T.J.E. Converter volt-ampere requirements of the switched reluctance motor drive 86—13113
Miller, T.J.E., Bass, J.T., Ehsani, M. Stabilization of variable-reluctance motor drives operating without shaft position feedback 87—31038
Miller, T.J.E., Bower, P.G., Becerra, R., Ehsani, M. Four-quadrant brushless reluctance motor drive 88—69758
Miller, T.J.E., McGilp, M. PC CAD for switched reluctance drives 88—18147
Miller, T.J.E. *see* Bass, J.T. 86—45560, 87—4987, 87—58125
Miller, T.J.E. *see* Bose, B.K. 86—39747, 87—4982
Miller, T.J.E. *see* Ehsani, M. 87—64846
Miller, T.J.E. *see* Harris, M.R. 86—45387, 87—4983
Miller, T.J.E. *see* Ilic-Spong, M. 86—13128, 87—31037, 87—42833
Miller, T.J.E. *see* Richter, E. 85—27387, 85—53665
Miller, T.K., Alexander, S.T. An implementation of the LMS adaptive filter using an SIMD multiprocessor ring architecture 86—16449
Miller, T.K., Alexander, S.T., Faber, L.J. An SIMD multiprocessor ring architecture for the LMS adaptive algorithm 86—27476
Miller, T.K., Ardalan, S.H. A multiprocessor configuration for the adaptive fast Kalman algorithm 87—27540
Miller, T.K. *see* Civanlar, M.R. 87—47979
Miller, T.K., III, Bhuva, B.L., Barnes, R.L., Duh, J.-C., Lin, H.-B., Van den Bout, D.E. The HECTOR microprocessor 87—44920
Miller, T.K., III *see* Van den Bout, D.E. 88—12287
Miller, T.L. Teflon substrates for microwave circuitry 85—11703
Miller, T.L. *see* Atlas, D.S. 87—76793
Miller, T.L. *see* Blau, K.H. 88—27178
Miller, T.L. *see* Gindele, E.B. 87—40959
Miller, T.M. Surviving the unthinkable. III. [EMP protection for radio equipment] 85—62794
Miller, T.M. What you see is where you're at [receiver digital frequency display design] 85—63498
Miller, T.M. What you see is where you're at. II [Universal digital frequency display] 86—60267
Miller, T.M. *see* Spencer, W.D. 87—28674
Miller, T.R. *see* Miller, M.I. 85—43358
Miller, T.R. *see* Sampathkumaran, K.S. 88—16807
Miller, T.W. *see* Held, D.N. 88—60258
Miller, V., Stover, H.L. Submicron optical lithography: I-line wafer stepper and photoresist technology 85—35103
Miller, V. *see* Lee, S. 86—14996
Miller, V. *see* Stover, H.L. 85—6779
Miller, V.A., Neumann, M. A note on comparison theorems for nonnegative matrices 86—13677
Miller, V.A. *see* Bryukhnevich, G.I. 86—8699
Miller, V.C. *see* Valentine, K.H. 85—43204
Miller, V.D., Smith, E. Cross Tel pleased with intelligent remotes 87—40278
Miller, V.N. TVA's action plan for simulator configuration and validation 88—75327
Miller, V.S. *see* Lagarias, J.C. 85—49451
Miller, W. A shrewd plant layout 87—37693
Miller, W., Mazzoni, R. New architecture to improve the control of pixels in graphical applications 85—20494
Miller, W., Paradissis, P., MacDonald, M. A small packaged DC power plant 88—30869
Miller, W. *see* Bird, L. 88—26819
Miller, W. *see* Kaouri, H.A. 87—39735
Miller, W. *see* Kinney, W.I. 88—38541
Miller, W. *see* van der Voorde, F. 87—20531
Miller, W., Jr. *see* Heath, M. 87—53674
Miller, W.A., Anagnostopoulos, C.N., Fischer, J.R. An algorithm for characterization of parameter variation of wafers 87—1378
Miller, W.A., Olsen, L.C. Current transport in Boeing $CdS/CuInSe_2$ solar cells 86—13076
Miller, W.A. *see* Olsen, L.C. 86—7060, 87—4951
Miller, W.C. *see* Bayoumi, M.A. 85—11304, 85—20557, 85—22942, 85—23045, 85—34065, 85—40185, 86—1301, 86—10409, 86—16440, 86—58569, 86—62634, 86—63412, 87—890, 87—27461, 87—44755, 87—59536
Miller, W.C. *see* Cox, C.M. 87—42165
Miller, W.C. *see* Dibble, W.F. 85—5277
Miller, W.C. *see* Jullien, G.A. 87—47690, 87—66395
Miller, W.C. *see* Krishnan, R. 86—16379, 86—37018, 86—48917, 87—578, 87—19746, 87—27486, 87—59759, 87—62011, 87—66420, 88—63642
Miller, W.C. *see* Nagpal, H.K. 85—25190
Miller, W.C. *see* Taheri, M. 87—59469, 88—50174
Miller, W.E. *see* Berding, M.A. 88—29389
Miller, W.G., Mock, T.D. An introduction to EIA IS-15—standard baseband (audio/video) interface between NTSC television receiving devices and peripheral devices 87—20689
Miller, W.H. The design of a portable CAT scanner for utility pole inspection 86—60130
Miller, W.H. Design and implementation of a portable computerized axial tomography system for field use 88—68377
Miller, W.H., Brugger, R.M. Additional experimental tests of the Bonner sphere neutron spectrometer 85—52987
Miller, W.H., Serhal, A.S., Morris, E. Cold load prediction in electrically heated homes 87—72613
Miller, W.H. *see* Kunze, J.F. 87—22079
Miller, W.H. *see* Van-Minh Huynh 88—16505
Miller, W.H., Jr., Zakis, E. State-of-the-art techniques add new life to old drawings [nuclear plant engineering drawings] 88—109
Miller, W.J. Vapor deposited chrome-copper-chrome laminates for electromagnetic interference/radio frequency interference shields 88—2596
Miller, W.J., Happ, H.H. Voltage scheduling and control of power systems 86—61075
Miller, W.J., Happ, H.H. Generator voltage/VAr control cuts fuel bill 87—15159
Miller, W.L. *see* Crawford, J.D. 88—43008
Miller, W.M., Tsao, S.S., Pfeiffer, L. Technique for radiation effects measurements of SOI 87—32346
Miller, W.M. *see* Becker, D.J. 86—61631
Miller, W.M. *see* Myers, D.R. 88—44603
Miller, W.M. *see* Parrish, E.A., Jr. 87—13157
Miller, W.T. *see* Abu-El-Magd, M.A. 85—27052
Miller, W.T. *see* Kundel, H.L. 88—36460
Miller, W.T., III Video image stereo matching using phase-locked loop techniques [robot vision] 86—59355
Miller, W.T., III *see* LaCourse, J.R. 88—74854
Miller, W.W. *see* Gehrich, J.L. 86—44637
Miller, Z., Sudborough, I.H. A polynomial algorithm for recognizing small cutwidth in hypergraphs 88—300
Miller, Z. *see* Goldberg, M. 88—49650
Miller Maley, F. Compaction with automatic jog introduction 86—9265
Miller Maley, F. Toward a mathematical theory of single-layer wire routing [of VLSI] 88—44855
Miller Tate, P. *see* Affrossman, S. 88—64475
Miller-Jacobs, H.H. Color displays and the color deficient operator 85—8720
Miller-Jacobs, H.H. ACES: Airborne Communications Expert System—A proposed expert system for managing airborne military communications 86—43766
Milleret, G. PCBs destroying: the incineration process 88—1835
Millerin, C. *see* Konoplyannikov, A. 85—42924
Milles, G.A. Schematic to ATLAS 85—31352
Millet, A., Ramiarinjaona, C.L., Rialland, J.F. Determination of additional losses in solid rotor salient pole self-controlled synchronous machines by harmonic inductances 88—11210
Millet, V. *see* Laude, J.P. 88—45261
Milley, D.E. Institutionalized tracking sheets for document production 86—40473
Milley, D.E. *see* Figgins, T.L. 86—40474
Millham, E.H. Recirculation LSSD loop for AC testing 85—6284
Millhollan, M. *see* Murphy, R.J. 87—17022
Millhollan, M.S., Chiakang Sung A 3.6 ns ECL programmable array logic IC 86—8189
Millhollan, M.S., Chiakang Sung PAL units in the ECL technology 86—41017
Millhollan, M.S., Sung, C. A 3.6-ns ECL field programmable array logic device 86—20439
Millhollen, M.K. *see* Dutt, D.S. 86—39500
Millhouse, A.H. *see* Smend, F. 86—18243
Millian, K., Riss, J. Digital simulation of synchronous machines 87—9520
Millicker, D.J., Standley, R.D. 2 Gbit/s timing recovery circuit using dielectric resonator filter 87—66440
Millicker, D.J. *see* Stern, M. 87—49027
Millies-Lacroix, O.B. Experimental on-board processing payload for advanced communications satellite 86—32424
Millies-Lacroix, O.B. A multi-services digital network by satellite 87—48966
Millies-Lacroix, O.B. A multiservice digital network by satellite 88—28522
Millies-Lacroix, O.B., Berretta, G. Optical intersatellite and inter-orbit links—the critical aspects 88—67288
Milligan, A.J., Panjehpour, M. Manipulation of thermal profiles in tissue with LCF hyperthermia 88—68457
Milligan, D.K. *see* Ugwu, E.C.J. 86—47765
Milligan, G.E. FDDI emerges as a high-speed fiber LAN 88—60192
Milligan, M. *see* Augenstein, C. 86—55126
Milligan, M. *see* Fieselmann, B. 88—33022
Milligan, T. Nomographs aid the filter designer 86—41203
Milligan, T., Marietta, M. Nomographs enable filter versatility 86—1194
Milligan, T., McDonnell, J. Lenses can upgrade mm-wave antennas 87—12817
Milligan, V.R. *see* Newman, E.M. 86—43045
Milligen, F.van *see* van Milligen, F.
Milliken, B. *see* Iwasaki, H. 88—10269
Milliken, F.P. *see* Kirtley, J.R. 87—17762
Milliken, J.O. *see* Baker, G.E. 85—9746
Millikin, M.D. NT's Meridian DV-1. DP, OA and telephony in one 85—52107
Millikin, M.D. A token offering from IBM [networks] 86—16969
Millikin, M.D. PC networking heats up 87—69682
Millikin, M.D. Tempest in a teapot [OS/2 support] 88—46579
Millikin, M.D. The case for CAS [Intel Communicating Application Specification] 88—73509
Millington, A.D. *see* Findlay, W.J. 88—39433
Millington, D.E. Planning for high reliability electronic products [vehicle applications] 88—55708
Millington, J.P. Electro-organic chemistry, a technique for the manufacture of fine chemicals 86—40341
Millington, M.J. *see* Chung, P.S. 88—26775
Million, A., Di Cioccio, L., Gailliard, J.P., Piaguet, J. Molecular-beam epitaxy of $Cd_xHg_{1-x}Te$ at D.LETI/LIR 88—63321
Million, A. *see* Fontaine, C. 86—20064, 87—44310
Million, A. *see* Krause, M. 86—43954
Million, A. *see* Magnea, N. 87—36732, 88—432
Million, G. *see* Bouclier, R. 88—42439
Million, K. *see* Hantsch, H. 86—52077
Million-Brodaz, J.F. *see* Fabry, P. 88—74379
Million-Brodaz, J.F. *see* Kleitz, M. 87—35066
Milliren, B.T. *see* Bass, S.M. 87—52438
Milliren, B.T. *see* Emmons, D.A. 85—62146
Millis, H.L., Jr. Incremental address computation for array data in random access memories 86—1081
Millis, H.L., Jr. Parallel-by-bit arithmetic computational techniques 87—5819
Millis, H.L., Jr. An algorithm for evaluating polynomials using only additions and subtractions [signal processing] 88—330
Millman, A.F. Design and international product competitiveness 86—46016
Millman, B.M. *see* Campbell, J.L. 85—43315, 88—10236
Millman, D. *see* Wildman, P. 88—74299
Millman, G.H., Arabadjis, M.C. Propagation effects on the Doppler frequency shift of satellite transmissions 85—24839
Millman, G.H., Swanson, R.W. Comparison of HF oblique transmissions with ionospheric predictions 85—51436
Millman, M. *see* Jayadev, T.S. 85—35054
Millman, M.H. *see* Scott, H.A. 88—9287
Millman, S.E., Hoyt, R.F., Horne, D.E., Beye, B. Motion pictures on in-situ air bearing dynamics 87—25834
Millman, S.E. *see* Hoyt, R.F. 88—51325
Millner, A.R., Kaufman, D.L. Microprocessor control of photovoltaic systems [space vehicle power] 85—48417
Millner, A.R., Kaufman, D.L. Microprocessor control of photovoltaic systems 86—6657
Millner, J.I. The missing link? [amateur radio] 87—8178
Millner, R. Ultrasonic diagnostics-basis and methodical development 86—44652
Millner, R. *see* Richter, K.P. 85—43339, 87—64009
Millorit, M.M., Duchesne, B. Telecommunication links using optical fibres on SNCF 88—73968
Millot, J.P. *see* Chabrillac, M. 88—5476
Millot, J.P. *see* Leroy, C. 86—70786
Millot, P. *see* Grzesiak, F. 88—42195
Millott, L.J. Envelope detection of binary VSB data signals 85—57364
Millott, L.J. Cointensity spectra in nonlinear bandpass digital QAM systems 87—34337
Millour, C. New perspectives for GTO used as conventional thyristors with gate assisted turn-off technique 88—69558
Milloy, G. Maintenance support equipment for multi-national collaborative programmes 88—30223
Milloy, J.A. *see* Nason, R.R. 87—78116
Mills, A. *see* Kibasi, K.T. 85—37419
Mills, A.P., Jr. *see* Brown, B.L. 86—44531
Mills, B. Variation analysis applied to assembly simulation 88—31477
Mills, B.E. *see* Flaman, M.T. 86—51367
Mills, B.E. *see* James, R.B. 87—6600
Mills, B.Y. Australian contribution to the science of radioastronomy 88—60353
Mills, C.A. Cost-effective quality assurance 85—28069
Mills, C.M. *see* Ortendahl, D.A. 85—43383

Mills, D. Zero defects—a plan to achieve the impossible 88—223
Mills, D. Linking the test island to the manufacturing mainland 88—1135
Mills, D. A review of thin film resistors and their assembly problems. II 88—25722
Mills, D. *see* Leiner, B. 86—17029
Mills, D. *see* Leiner, B.M. 85—42256
Mills, D.H. Broadcasting and education 85—3577
Mills, D.L., Braun, H.-W. The NSFNET backbone network 88—66781
Mills, D.L. *see* Glass, N.E. 86—8905
Mills, D.M. Phase-plate performance for the production of circularly polarized X-rays 88—42368
Mills, D.M., Henderson, C., Batterman, B.W. A fixed exit sagittal focusing monochromator utilizing bent single crystals 86—60490
Mills, D.M. *see* Bilderback, D.H. 86—60662
Mills, D.M. *see* Jackson, P. 85—26593
Mills, D.M. *see* Pollock, V. 88—42003
Mills, D.R. *see* Schick, T. 85—42401
Mills, F. *see* Cole, F. 88—61425
Mills, F.E. Cooling of stored beams 87—21340
Mills, F.E. Cooled ion beams for physics experiments 87—56949
Mills, F.E. Status of the Fermilab antiproton source 88—74693
Mills, F.E., Bartelson, C., Gormley, M., Klen, J., Lee, G.N., Marriner, J., Misek, J.R., Rathbun, T.D., Satti, J.A., Sax, W. Fermilab Accumulator Ring ultrahigh vacuum system 86—70257
Mills, F.E. *see* Adney, J.R. 86—24941
Mills, F.E. *see* Cline, D.B. 86—24996, 87—75165
Mills, F.E. *see* Larson, D.J. 86—24997, 87—21341, 87—39150, 88—45485
Mills, F.E. *see* Rosenzweig, J.B. 86—5622
Mills, F.E. *see* Sundquist, M.L. 88—47850
Mills, F.W. *see* Peleato, J.M. 88—46830
Mills, G. Ramsey-Paris-Harrington numbers for graphs 86—19907
Mills, G. Easy money [conditional access TV] 88—41786
Mills, G.B., Garrett, S.L., Carome, E.F. Fiber optic gradient hydrophone 85—24290
Mills, G.D. *see* Alton, G.D. 86—25092
Mills, G.D. *see* Ziegler, N.F. 86—55913
Mills, G.S. *see* Miller, P.A. 85—16271
Mills, H.E. *see* Allison, J. 85—64456 to 64457
Mills, J. Towards the electronic aircraft 86—56233
Mills, J., Katsuki, J., Takayasu, G. Monolithic microwave IC high speed IC and power hybrid IC packages 86—52289
Mills, J. *see* Deshpande, S. 87—43370
Mills, J. *see* Murray, D.A. 86—32220
Mills, J. *see* Smith, L.A. 86—46017
Mills, J. *see* Taube, J.C. 88—68459
Mills, J.A., Delchar, T.A. Longitudinal emission computed tomography: a critical analysis 87—63753
Mills, J.C. *see* Lancet, R.T. 88—75395
Mills, J.C. *see* Marchaterre, J.F. 86—33016
Mills, J.D. A low bit rate time domain harmonic scaling—adaptive differential pulse code modulated system 86—23952
Mills, J.D., Melsa, J.L. Multiply occupied cells [speech codecs] 88—73732
Mills, J.D., Telang, V.P., Rohrs, C.E. A data and voice system for the general service telephone network 88—46486
Mills, J.D. *see* Rohrs, C.E. 87—27526
Mills, J.G. *see* Kapur, B.K. 87—57056
Mills, J.I., Kirol, L.D., Chappell, R.N. Advanced mechanical heat pump technologies for industrial applications 85—27816
Mills, J.I. *see* Bliem, C.J. 87—43673
Mills, J.I. *see* Kirol, L.D. 85—53847
Mills, J.I. *see* Van Haaften, D.H. 85—53953
Mills, J.M. Sensor to IBM PC interface 87—56671
Mills, J.P. *see* Hughes, K.D. 87—62144
Mills, J.P. *see* Martin, T. 87—62197
Mills, J.P. *see* Rogers, S.K. 88—67479
Mills, J.P. *see* Roggemann, M.C. 88—74043
Mills, J.P. *see* Ruck, D.W. 88—74044
Mills, J.P. *see* Tong, C.W. 88—28964
Mills, J.S.K., Azan, F. Design, fabrication, and applications examined for MM-wave GaAs beam-lead Schottky diodes 88—7052
Mills, J.S.K. *see* Jarry, B. 87—17347
Mills, J.W. Coming to grips with a RISC: a report of the progress of the LOW RISC Design Group 87—60519
Mills, K., Wheatley, M., Colella, R. Simulation of an international standard transport protocol 86—54941
Mills, K., Wheatley, M., Heatley, S. Prediction of transport protocol performance through simulation 87—20192
Mills, K. *see* Aronoff, R. 87—69659
Mills, K. *see* Colella, R. 86—23507, 86—54942
Mills, K. *see* Vinyes, J. 87—33860
Mills, M. *see* Ledwith, A. 85—34718
Mills, M. *see* Stritter, S. 87—44910
Mills, M. *see* Tung, L.J. 87—44804
Mills, M.D., Hogstrom, K.R., Fields, R.S. Determination of electron beam output factors for a 20-MeV linear accelerator 85—59341
Mills, M.K. Self inductance formulas for quadrupole loops used with vehicle detectors 86—3446
Mills, M.K. Vehicle detection sensitivity formulas for multi-turn rectangular loops 86—68681
Mills, M.K. Ombudsmen, expediters, and hosts: teaching management through telecommunications 87—10065
Mills, M.K. Computer alliances for international faculty development 88—53049
Mills, M.P. A return of the age of oil for the US electric supply system? 86—56351
Mills, M.P. Electric—energy for re-industrializing America 87—64987
Mills, P., Paige, E.G.S. Holographically formed, highly selective, infra-red filter in iron-doped lithium niobate 86—2903
Mills, P., Plastow, R. Single-mode operation of 1.55 μm semiconductor lasers using a volume holographic grating 85—56625
Mills, P.A. *see* Heaton, J.M. 85—7551
Mills, P.H., Fuchs, H., Pizer, S.M. High-speed interaction on a vibrating-mirror 3D displays 85—52669
Mills, P.H. *see* Mosher, C.E., Jr. 87—50400
Mills, P.J. *see* Vanderlinde, W.E. 86—9033
Mills, P.L. The design of bit parallel systolic filter algorithms 85—36296
Mills, R. Future environmental control systems for disabled persons 88—74895
Mills, R., Pitchford, N. Development of a linescan camera for 2-D high accuracy measurement 86—17629
Mills, R. *see* DeHainaut, C. 88—58719
Mills, R. *see* Ericsson, G. 85—53435
Mills, R.A., Bourke, R.D. Planetary programs 86—50671
Mills, R.B. CRTs give new look to cockpit of the future 85—64661
Mills, R.B. CAD/CAM drives display technology 87—8517
Mills, R.D. Using a small algebraic manipulation system to solve differential and integral equations by variational and approximation techniques 87—65431
Mills, R.H. *see* Quinn, E.L. 86—25726
Mills, R.J. The Instantaneous Fourier Transform 88—11947
Mills, R.L. *see* Mancha, S.D. 88—58676
Mills, R.M. Meaningful evaluation of B-MAC audio 87—76934
Mills, R.S. *see* Wangler, T.P. 86—60445, 88—47858
Mills, S.A., Ross, W.E. Dynamic magneto-optic correlator: real-time operation 88—40012
Mills, T., Rasmussen, R. A lower power op-conversion frequency synthesizer for AM/FM/WB/SW applications 86—8032
Mills, T.B. S-parameter to input impedance conversion program 87—59099
Mills, T.B. CMOS gate oscillator design 88—18990
Mills, T.C., Ortendahl, D.A., Hylton, N.M. Investigation of partial flip angle magnetic resonance imaging 86—50503
Mills, T.C., Ortendahl, D.A., Hylton, N.M., Carlson, J.W., Crooks, L.E., Kaufman, L. Variable flip angle excitation for reduced acquisition time magnetic resonance imaging 87—50250
Mills, T.N. *see* Henderson, A.R. 88—16760
Mills, W.C., Steele, N.C. Sub-multiplexing a 64 kbit/s channel 85—63434
Mills, W.H., Robbins, D.P. Continued fractions for certain algebraic power series 86—57337
Mills, W.H. *see* Lamken, E.R. 87—31405
Mills, W.J. *see* Forrester, J.H. 88—4055
Mills-Baker, P. *see* Bennett, S.J. 85—24461
Millson, D. Interlibrary loan protocols: an introduction and review of problem areas 88—52887
Millstead, G. Network management of the common channel signalling network 87—55533
Millstein, S.G., Heger, H., Hunter, G.A. Prosthetic use in adult upper limb amputees: a comparison of the body powered and electrically powered prostheses 86—60827
Millunzi, A.C. *see* Gavigan, F.X. 88—75331
Millward, A. Colour blindness—how it affects the engineer 88—100
Millward, A. Transformer core design alternatives 88—43250
Millward, D.G., Merker, M. Time dependent dose enhancement effects on integrated circuit transient response mechanisms 86—35774
Millward, G.W. Radio communication between manoeuvring platforms 85—42501
Millward, J. Disc based storage systems [video storage] 88—47327
Millward, J.D. Digital processing in film scanners 85—31208
Millward, J.D. Disc based storage systems 88—60421
Millward, J.D., Sanders, J.R. A brief history of telecine 87—28753
Milly, M. Measuring angle and angular velocity by means of one sensor 85—20729
Milly, M. A pulse controlled oscillator 88—44086
Milly, M. A synchronised PDM/number convertor 88—70947
Milman, A.S. Antenna pattern correction for the Nimbus-7 SMMR 86—42919
Milman, A.S. A cross antenna for passive microwave remote sensing 88—8621
Milman, A.S. Sparse-aperture microwave radiometers for Earth remote sensing 88—54743
Milman, A.S., Wilheit, T.T. Sea surface temperatures from the Scanning Multichannel Microwave Radiometer on Nimbus 7 86—32568
Mil'man, L.I. *see* Apakin, A.V. 88—23998
Mil'man, L.I. *see* Lur'e, A.I. 86—33455, 87—9628
Mil'man, S.I. *see* Gorokhovskii, I.R. 85—6554
Milne, A.D. Mixed analogue—digital ASICS 87—67470
Milne, A.P. *see* Levy, L.A. 88—39591
Milne, B. Emulators shift from design to production and field testing [of microprocessor-based systems] 85—10452
Milne, B. Testability 85—22216
Milne, B. DMMs bring laboratory precision to the production floor 85—52795
Milne, B. Grading test vectors: ingenuity adds polish to brute force 85—60782
Milne, B. Modeling and acceleration 86—26979
Milne, B. Digital scopes 86—38420
Milne, B. Forging links between board design and test 86—41401
Milne, B. Timing, not speed, counts the most when testing fast VLSI ICs 86—53702
Milne, B. Test instruments tackle fiber optics 86—55520
Milne, B. IC tester evaluates prototype ASICs 86—63347
Milne, B. Pin electronics tailors tester to CMOS ASICs 86—65106
Milne, B. Desktop VLSI tester needs no fixture wiring 87—1574
Milne, B. Plug-in card generates arbitrary waveforms 87—10231
Milne, B. Analog scopes forge ahead by taking advantage of digital technology 87—21114
Milne, B. Waveform digitizer blazes at 1 Gsample/s 87—28994
Milne, B. Digital storage scope hits 250 Msamples/s 87—49790
Milne, B. Precision IC performs 22-bit A-D conversions 87—52670
Milne, B. ASIC verification: new tester breed builds design security 87—53593
Milne, B. Digital storage oscilloscope automates most measurements 87—70676
Milne, B. Low-cost CAE software comes of age 87—73875
Milne, B. Program IEEE-488 systems with icon-based software 88—9860
Milne, B. Prototype verifier sets its sights on the latest VHSIC devices 88—22421
Milne, B. Focus on logic analyzers 88—22492
Milne, B. Analyzer gives a fresh view of time and frequency variations 88—22672
Milne, B. Design automation comes to electronic system packaging 88—31490
Milne, B. Routing your way through PC-board design tools 88—44435
Milne, B. Roll your own test system with PC XT, AT plug-in modules 88—47401
Milne, B. Get low-cost prototype silicon with ASIC development system 88—50093
Milne, B. Synthesize your ASICs from RTL behavioral blocks 88—56540
Milne, B. Verify your circuit designs with a modular simulator 88—56541
Milne, B. Verify at the system level with mixed-mode simulator 88—60790
Milne, D., Black, A., Wilson, J.I.B., John, P. Laser 'direct writing' of silicon *pn* junctions 88—25917
Milne, D., Ryan, H.M. Performance studies of polymeric insulation for use in switchgear—the influence of moisture 88—69639
Milne, D., Wilson, J.I.B., Black, A., John, P. Laser deposition of doped silicon 87—23743
Milne, D. *see* Cross, D. 87—25177
Milne, D. *see* Headley, A. 85—60361
Milne, D. *see* Ryan, H.M. 85—60351
Milne, D.M. Switch terminating equipment for MDR-2000 series digital radio 86—55189
Milne, E.A. *see* Morgan, M.A. 87—39348
Milne, G.J. A model for hardware description and verification 85—744
Milne, G.J. Behavioural description and VLSI verification 86—52617
Milne, G.J. Behavioural description and VLSI verification 86—53724
Milne, G.J. Towards verifiably correct VLSI design 87—32649
Milne, G.J. *see* Davie, B.S. 88—38500
Milne, G.J., Subrahmanyam, P.A. *(editor)* Formal Aspects of VLSI Design. Proceedings of the 1985 Edinburgh Workshop on VLSI 87—31145
Milne, I. Security in local area networking 86—54882
Milne, I. Caught in the nets [networking packages] 87—8016
Milne, J. Model railway track control. I 86—20755

Milne, J. Model railway track control. II 86−20758
Milne, J.D. *see* Yarranton, A. 86−42146
Milne, J.M., Reynolds, W.N. The non-destructive evaluation of composites and other materials by thermal pulse video thermography 85−49665
Milne, J.M., Reynolds, W.N. Application of thermal pulses and infrared thermal imagers for observing sub-surface structures in metals and composites 87−16764
Milne, K. Synthesis of power radiation patterns for linear array antennas 87−61509
Milne, K. Prediction of sea multipath fading characteristics 88−15559
Milne, K. *see* Brown, A.K. 85−42561
Milne, P. The CSIRONET mail system 85−47136
Milne, P.H. Offshore oil applications of sonar technology 87−76874
Milne, R. Using AI in the testing of printed circuit boards 85−6583
Milne, R. Functional reasoning for fault diagnosis expert systems 86−637
Milne, R. Resolving lexical ambiguity in a deterministic parser 86−54464
Milne, R. Design transformation and chip planning 87−32650
Milne, R.H., Fan, T.W. Electron beam modifications of InP surfaces 88−1535
Milne, R.M.T. A small adaptive array antenna for mobile communications 86−43085
Milne, R.W. *see* Routh, R.L. 86−69032
Milne, W.I., Robertson, P.A. Photoenhanced deposition of hydrogenated amorphous silicon thin films 87−23745
Milne, W.I. *see* Baker, S.D. 88−70335
Milne, W.I. *see* Eagle, D.J. 87−10482, 87−44391
Milne, W.I. *see* Robertson, P.A. 86−53494, 88−38256
Milne, W.I. *see* Takeuchi, Y. 86−41826
Milner, C. Use of laser photo-plotters in the generation of performance sensitive signal layers 87−37685
Milner, E.C. *see* Bachman, M. 85−26527
Milner, E.C. *see* Burleson, G.R. 86−60503
Milner, E.C. *see* Komjath, P. 88−49671
Milner, F.A. Mixed finite element methods for quasilinear second-order elliptic problems 85−49514
Milner, F.A. A primal hybrid finite element method for quasilinear second order elliptic problems 85−60919
Mil'ner, G.A. *see* Kosov, V.I. 86−18169
Milner, I.P., Watson, D.B. An autonomous wind powered generation system 86−39650
Milner, I.P. *see* Watson, D.B. 86−6744
Milner, J.A. *see* Basinger, R.G. 85−42382
Milner, J.D., Watters, J.J. A memory and testability cell for 1.25 micron CMOS gate arrays 86−1065
Milner, J.M. *see* Basinger, R.G. 86−10900
Milner, M. Critical and emerging issues in rehabilitation engineering 87−41989
Milner, M. *see* Knysh, B. 87−29817
Milner, M. *see* Mifsud, M. 86−5992, 86−38790, 87−29818, 87−71175
Milner, M. *see* Naumann, S. 86−5991, 86−25264
Milner, M. *see* Rothschild, N. 88−54659
Milner, M. *see* Sauter, W.F. 86−12028
Milner, M.O., Poole, M.E., Flynn, B.P., Neil, G.T. Polarization measurements on the Warkworth II satellite earth station antenna 88−22025
Milner, P.C. *see* Comizzoli, R.B. 87−16443
Milner, R.G., McKeown, R.D., Woodward, C.E. Study of spin relaxation by a charged particle beam in a polarized ^{3}He gas target 87−63619
Milner, S. *see* Autin, B. 88−54297
Milner, S. *see* Eaton, T.W. 86−32134
Milner, T.E., Hoffer, J.A. Long-term peripheral nerve and muscle recordings from normal and dystrophic mice 87−50341
Milner, T.E. *see* Day, G.W. 88−30426
Milner, W.T. *see* Lee, I.Y. 88−47849
Milner, W.T. *see* Olsen, D.K. 87−29399, 87−56948
Milner, W.T. *see* Ziegler, N.F. 88−54082
Milner-Brown, H.S. *see* Fisher, M.A. 87−3996
Milnes, A.G. Semiconductor heterojunction topics: introduction and overview 86−28007
Milnes, A.G. Heterojunctions: some knowns and unknowns 88−19698
Milnes, A.G. *see* Ai-zhen Li 85−40597
Milnes, A.G. *see* Cheng, H. 85−34627, 86−53397
Milnes, A.G. *see* Jeong, J. 87−74054, 87−74074, 88−24716, 88−64286
Milnes, A.G. *see* Leung, S. 85−45451
Milnes, A.G. *see* Liang Bingwen 87−60097
Milnes, A.G. *see* Mondal, J.P. 85−6521, 85−45234
Milnes, A.G. *see* Nozaki, S. 85−45452
Milnes, A.G. *see* Zhao, J.H. 88−56236
Milnikel, R., Wollenberg, R. Evaluation logic for incremental displacement measurement systems 85−26474
Milnikel, R. *see* Aretz, R. 88−24288
Milnikiewicz, J. *see* Kalisz, A. 87−47953
Miloh, T. *see* Pachter, M. 87−65309
Milojkovic, S. *see* Andjelic, Z. 88−52033
Milojkovic, S. *see* Babic, S. 88−52095
Milokostyy, I.V., Petrov, A.F. Estimation of message delay in systems with priority data processing 86−16677
Milon, J., Maitre, X., Rault, J.C. An analog echo canceller for two-wire digital transmission at 160 kbit/s 85−63485
Milon, J., Petit, J.-P. Analog echo canceller 86−10122
Milon, J. *see* Rault, J.C. 87−33956
Milonakis, A., Vlachos, S. Report on the occurrence of a crack in the low pressure rotor of a 300 MW turbine in Lavrion power station 86−25677
Milonas, V., Crewson, W.F.J. Protection of SCRs in capacitor-charging inverters 87−43274
Milone, A.Ferro *see* Ferro Milone, A.
Milone, D.M. *see* Bhasanvanich, D. 85−64898
Milone, F. *see* Crawford, C. 88−59840
Milonni, P.W., Ackerhalt, J.R., Mei-Li Shih Routes to chaos in the Maxwell-Bloch equations 85−35833
Milonni, P.W., Gibson, R.B., Taylor, A.J. Ultrashort pulse propagation in KrF laser amplifiers 88−72379
Milonni, P.W. *see* Shih, M.-L. 85−24430
Milor, L., Visvanathan, V. Efficient go/no-go testing of analog circuits 87−67596
Miloradov, I.A. *see* Ivashin, V.V. 86−48543
Milorca, S.L. *see* Combs, S.K. 85−64427
Milosavljevic, M., Bibic, N., Perusko, D., Nenadovic, T. Modification of WTi-Si barriers by low energy argon ions 87−11460
Milosavljevic, M., Jeynes, C., Wilson, I.H. Solid phase epitaxy of evaporated amorphous silicon films 85−5975
Milosavljevic, M., Jeynes, C., Wilson, I.H. Epitaxial (100) silicon films grown at low temperatures in an electron-beam evaporator 85−28218
Miloserdov, E.P. Finding the capacitive parameters of a system of conducting bodies from experimental data 86−3603
Milosevic, E. *see* Mijuskovic, N. 88−48552
Milosevic, G. *see* Mendas, I. 86−36367
Milosevic, O. *see* Kostic, P. 85−6821, 88−57006
Milosevic, O. *see* Stojiljkovic, Z. 87−31591
Milosevic, O. *see* Uskokovic, D. 85−33519
Milosevic, P., Lazic, A. Protocol designing by Petri nets model 88−3319
Milosevic, R. *see* Markulin, M. 85−32648
Milosevic, S. *see* Macan, J. 88−30810
Milosevic, V. The data transmission simulation procedure through a channel modelled on a digital processing oscilloscope−the eye patterns 85−57191
Milosevic, V. Concept to establish functional systems of radio connections for agricultural activities 88−60003
Miloshenko, V.E., Karmazin, V.M. A study of liquid helium-cooled electromagnetic supports 86−51568
Miloslavov, B.A. *see* Davydov, N.I. 85−37667
Miloslavskii, V.K. *see* Ageev, L.A. 87−25998
Miloslavskii, V.K. *see* Blokha, V.B. 86−54003
Milota, J. *see* Hodousek, V. 85−21584
Milotti, E. *see* Amendolia, S.R. 85−15169, 85−37901, 85−43179, 86−5779, 87−21426 to 21428
Milotti, E. *see* Benetta, M. 85−43239
Milovanov, A.F. *see* Arbuzov, Yu.D. 87−51449
Milovanov, N.P. *see* Zhiglinskii, A.G. 86−36544
Milovanov, O.S., Smirnov, I.A. Study of loading by beam of dual-resonator structure of linear electron accelerator 88−68112
Milovanov, S.A. *see* Bernashevskii, G.A. 88−25055
Milovanov, S.E. *see* Lun'kov, A.E. 88−74517
Milovanova, N.A. *see* Bordina, N.M. 88−17929
Milovanovic, B. *see* Mladenovic, M. 87−52816
Milovanovic, B.D., Marincic, A.S. A contribution to accurate power measurements at microwave frequencies 86−31568
Milovanovic, B.D. *see* Markovic, V.V. 86−27636, 88−56892
Milovanovic, G.V., Acharya, B.P., Pattnaik, T.N. On numerical evaluation of double integrals of an analytical function of two complex variables 87−23582
Milovanovic, G.V., Petkovic, M.S. On computational efficiency of the iterative methods for the simultaneous approximation of polynomial zeros 87−52016
Milovanovic, G.V., Wrigge, S. Least squares approximation with constraints 86−52381
Milovanovic, G.V. *see* Frontini, M. 87−52040
Milovanovic, G.V. *see* Gautschi, W. 85−39676, 86−62088, 86−62117, 88−6423
Milovanovic, G.V. *see* Petkovic, M.S. 87−5356
Milovanowic-Popovic, V., Dobnikar, B. Precise measurement of quartz crystal unit parameters using a computer-controlled measuring system 86−47935
Milovidov, S.P. *see* Blyumin, S.L. 88−63233
Milovskii, N.D. *see* Betin, A.A. 86−3252, 86−58966, 87−26460, 87−33278, 87−68319
Milovzorov, O.V. *see* Busurin, V.I. 85−64132, 86−11542
Milovzorov, V.P. *see* Maslennikov, V.S. 88−30665
Milovzorov, V.P. *see* Sharshunov, Yu.E. 85−47941
Milrod, J. *see* Schwemmer, G.K. 88−23185
Milroy, R.D. *see* Kushner, M.J. 85−18006
Mil'shtein, A.I. *see* Baier, V.N. 86−3214
Mil'shtein, B.G., Smagin, A.G. Metrological characteristics of a high-sensitivity frequency transducer for hydrostatic pressure change 85−4457
Mil'shtein, G.N., P'yanzin, S.A. Digital simulation of Kalman-Bucy filter and an optimal filter with discrete input data 86−16281
Mil'shtein, G.N., P'yanzin, S.A. Control and digital modeling of a Kalman-Bucy filter for systems having degenerate noise in the observations 88−59126
Milshtein, M. *see* Kastalsky, A. 88−26249, 88−57704
Mil'shtein, R.S. Measuring pulsed radiation from medical electron accelerators with a standard dosimeter 88−42584
Mil'shtein, R.S., Glezin, F.I., Gurvich, V.A. Measurement of the radiation characteristics of diagnostic X-ray equipment 86−18311
Mil'shtein, R.S. *see* Glezin, F.I. 88−68374
Mil'shtein, S. *see* Khattak, C.P. 86−52434
Mil'shtein, S.K., Parsey, J.M., Jr., Lang, D.V., Joy, D.C., Temkin, H. A low-stress low-temperature 'micro-soldering' technique for making electrical contacts to semiconductor crystals and thin film materials 86−41464
Milshtein, T., Netzer, D.W. Three-dimensional, primitive-variable model for solid-fuel ramjet combustion 86−56239
Milsom, J.D. Exact ray path calculations in a modified Bradley/Dudeney model ionosphere 85−24821
Milsom, J.D. Meteor trail detection rates using a monostatic pulse-Doppler HF radar 85−42658
Milsom, J.D. Questions for the short-term ionospheric forecaster 87−26801
Milsom, J.D. Outstanding problems in short-term ionospheric forecasting 87−54578
Milsom, J.D. *see* Gill, R.S. 87−28677
Milsom, J.D. *see* Pielou, J.M. 87−54558
Milsom, J.D. *see* Quegan, S. 86−54291, 86−59068
Milsom, J.D. *see* Rotheram, S. 85−41637
Milsom, R.F., Scott, K.J. RF simulation of complex layout by quasistatic boundary element method 88−19510
Milsom, R.F. *see* Clark, G. 86−68145, 87−1836
Milstain, Y. *see* Levy, J. 88−772
Milstead, R.M. Toward the private ISDN−a view of corporate integrated voice/data networks 85−42132
Milstead, R.M., Warwick, P.S. The digital PBX: current and future views of applications for information management 88−67195
Milstead, R.M. *see* Kelley, R.P. 85−42133
Milstein, F. *see* James, T.W. 88−33862
Milstein, J.B. MINP and other high efficiency silicon cells 86−40109
Milstein, J.B., Tsuo, Y.S. Research on crystalline silicon solar cells 86−7040
Milstein, J.B., Tsuo, Y.S., Osterwald, C.R., White, C.W. Hydrogen passivation of electrically active defects in crystalline silicon solar cells 86−7134
Milstein, J.B. *see* Rohatgi, A. 86−7061
Milstein, J.B. *see* Spitzer, M.B. 86−7059
Milstein, J.B. *see* Tsuo, Y.S. 85−16228, 85−60429, 86−45667
Milstein, L.B. Interference rejection to enhance the acquisition of a direct sequence spread spectrum waveform 88−21924
Milstein, L.B. Interference rejection techniques in spread spectrum communications 88−73783
Milstein, L.B., Davidovici, S., Schilling, D.L. Coding and modulation techniques for frequency-hopped spread-spectrum communications over a pulse-burst jammed Rayleigh fading channel 86−10257
Milstein, L.B., Davidovici, S., Schilling, D.L. Comparison of coded and uncoded performance of a meteor-burst communication system 88−2968
Milstein, L.B., Gevargiz, J., Das, P.K. Rapid acquisition for direct sequence spread-spectrum communications using parallel SAW convolvers 85−63512
Milstein, L.B., Iltis, R.A. Signal processing for interference rejection in spread spectrum communications 86−59763
Milstein, L.B., Schilling, D.L., Pickholtz, R.L., Sellman, J., Davidovici, S., Pavelchek, A., Schneider, A., Eichmann, G. Analysis of two protocols for meteor-burst communications 87−27728
Milstein, L.B., Schilling, D.L., Pickholtz, R.L., Sellman, J., Davidovici, S., Pavelchek, A., Schneider, A., Eichmann, G. Performance of meteor-burst communication channels 87−34342
Milstein, L.B., Schneider, A., Schilling, D.L., Pavelchek, A., Pickholtz, R.L., Sellman, J.B., Davidovici, S. Effect of HE differential propagation delay on FH communications 87−40683
Milstein, L.B. *see* Chatterjee, A. 86−9361
Milstein, L.B. *see* Cherubini, G. 87−40690, 88−3815, 88−46861
Milstein, L.B. *see* Davidovici, S. 85−14092

Milstein, L.B. *see* Gevargiz, J. 85−30891, 87−28373, 87−40670, 87−40737
Milstein, L.B. *see* Iltis, R.A. 85−14093, 85−30866, 85−30877, 85−42431
Milstein, L.B. *see* Li, K.H. 88−3811
Milstein, L.B. *see* Masry, E. 86−29859, 86−30574
Milstein, L.B. *see* Rui-Hua Dou 85−63516, 86−10961
Milstein, L.B. *see* Saulnier, G.J. 85−13155, 85−42450, 86−10337, 86−30581
Milstein, L.B. *see* Takawira, F. 87−40685, 88−21941
Milstein, L.B. *see* Wang, Y. 87−34363
Milstein, L.B. *see* Wang, Y.-C. 88−35351
Milstein, L.B. *see* Wright, D.A. 86−55160
Milstein, Y. *see* Levy, J. 87−52615 to 52616
Milster, T.D., Gardner, T.S. Modeling of a magneto-optic read path 88−65141
Milster, T.D., Seacat, R.H., III, Barrett, H.H., Landesman, A.L., Selberg, L.A. Localization of weak point sources of light 86−3942
Milster, T.D., Selberg, L.A., Barrett, H.H., Landesman, A.L., Seacat, R.H., III Digital position estimation for the modular scintillation camera 85−43354
Milster, T.D. *see* Paxman, R.G. 85−36344
Milsztajn, A. *see* Benvenuti, A.C. 85−15254
Miltat, J. Magnetization distribution in the vicinity of implantation boundaries in ferrimagnetic garnets supporting bubbles 86−15380
Miltat, J. *see* Trouilloud, P. 85−24077
Miltenberger, R.R. The effects of coupled output chokes on loop dynamics in multiple output converters 87−22563
Milthorpe, B.K., Rogers, G.J., Schindhelm, K. Microcomputer-based system for tensile testing of biological materials 88−42487
Milthorpe, B.K. *see* Schindhelm, K. 86−38817
Miltinovic, V. *see* Keirn, K. 86−47310
Milton, A.F., Barone, F.R., Kruer, M.R. Influence of nonuniformity on infrared focal plane array performance 86−5070
Milton, A.F. *see* Gibbons, M.D. 88−74412
Milton, A.F. *see* Longmire, M.S. 85−30237
Milton, A.F. *see* Parmentola, J.A. 88−61741
Milton, B., Fowler, M., Kuchar, J., Ronningen, R.M. Design of a beam phase measurement and selection system for the MSU K500 cyclotron 85−59073
Milton, B. *see* Blosser, H. 85−64630, 86−25296
Milton, B.F., Blosser, H.G. Starting time effects on the axial emittance of the MSU cyclotron 85−59072
Milton, C. EW systems require optimum use of MMICs for quality gains 88−3799
Milton, E.J. Principles of field spectroscopy 88−36656
Milton, G.W. Multicomponents composites, electrical networks and new types of continued fraction. II 87−65621
Milton, G.W. Multicomponent composites, electrical networks and new types of continued fraction. I 87−73217
Milton, J., Bruha, I., Upton, A.R.M., Madhavan, G. Design of a flexible syntactic pattern recognition system 88−54562
Milton, J.B. *see* Beehler, R.E. 88−74237
Milton, K.L. *see* Ludvigson, M.T. 86−12089
Milton, M. *see* Lindstrom, C. 88−72311
Milton, M.J.T., Woods, P.T. Pulse averaging methods for a laser remote monitoring system using atmospheric backscatter 87−63066
Milton, R. Fault finding in the field 86−9459
Milton, R. Think keysystem 88−35281
Milton, R. Pressure on mux 88−46791
Milton Feng *see* Kwok, S.P. 87−60497
Miltonberger, T., Muller, H. A true 2D edge detector 87−13133
Miltonberger, T.W., Cromarty, A.S., Lawton, D.T., Muller, H.E. Preliminary results of a model based image understanding system for detecting space object anomalies from inverse synthetic aperture radar (ISAR) images 87−20608
Milun, S. Quantities influencing the measured results of large earthing systems 86−51134
Milutinovic, J. *see* Forest, E. 88−61016
Milutinovic, V. A 4800 bit/s microprocessor-based CCITT compatible data modem 85−52126
Milutinovic, V. Impacts of GaAs technology on computer design 87−32642
Milutinovic, V. A comparison of suboptimal detection algorithms applied to the additive mix of orthogonal sinusoidal signals 88−52434
Milutinovic, V., Fura, D., Helbig, W. Impacts of GaAs on microprocessor architecture 86−46907
Milutinovic, V., Fura, D., Helbig, W. An introduction to GaAs microprocessor architecture for VLSI 86−58469
Milutinovic, V., Fura, D., Helbig, W., Linn, J. An integrated architecture-compiler approach to gallium arsenide microprocessor design 87−59599
Milutinovic, V., Lopez-Benitez, N., Hwang, K. A GaAs-based microprocessor architecture for real-time applications 87−59537
Milutinovic, V., Silbey, A., Fura, D., Keirn, K., Bettinger, M., Helbig, W., Heagerty, W., Zieger, R., Schellack, B., Curtice, W. Issues of importance in designing GaAs microcomputer systems 87−17104
Milutinovic, V. *see* Chow, P. 88−44202
Milutinovic, V. *see* Fura, D. 86−47822
Milutinovic, V. *see* Furht, B. 87−44817
Milutinovic, V. *see* Medina, D. 86−23582
Milutinovic, V. *see* Perunicic, B. 88−32179
Milutinovic, V. *see* Terry, J.M. 88−12387
Milutinovic, V. *see* Vaghar, A. 86−17102
Milutinovic, V. *see* Vlahos, H. 88−32246
Milutinovic, V.M. Generalised WPD procedure for microprocessor-based signal detection 85−25107
Milutinovic, V.M. A microprocessor-oriented algorithm for adaptive equalization 85−57629
Milutinovic, V.M. *see* McNeley, K.J. 86−46903
Milvang, O. An adaptive algorithm for color image quantization 88−3225
Mil'vidskii, M.G. *see* Avdeeva, V.P. 85−12880
Mil'vidskii, M.G. *see* Bezotosnyi, V.V. 85−29853
Mil'vidskii, M.G. *see* Dolginov, L.M. 85−398
Mil'vidskii, M.G. *see* Dolginov, M.L. 85−29854
Mil'vidskii, M.G. *see* D'yakonov, L.I. 87−38069
Mil'vidskii, M.G. *see* Enisherlova, K.L. 87−25116
Mil'vidskii, M.G. *see* Karataev, V.V. 87−1186
Mil'vidskii, M.G. *see* Karpov, S.Yu. 87−16632
Mil'vidskii, M.G. *see* Markov, A.V. 86−399, 86−34335, 87−12292
Mil'vidskii, M.G. *see* Sal'nik, Z.A. 85−49533 to 49534
Mil'vidskiy, R.K. *see* Koshelev, V.K. 86−37647
Milway, N.R.P., Abram, J. System X: build control. II. Data management 85−30804
Milyaev, G.V. *see* Ornov, V.G. 86−25648
Milyaev, G.V. *see* Tenenbaum, Ya.P. 87−15168
Milyaev, N.K. *see* Sutokhin, A.M. 87−9404
Milyaev, V.A., Nikitin, V.A., Prokhorov, A.M., Shirkov, A.V. Effect of internal and surface gettering on the lifetime of nonequilibrium carriers in silicon 86−58240
Milyaev, V.A. *see* Bulatov, E.D. 87−70780
Milyaev, V.A. *see* Makhmutov, R.Kh. 86−58404
Milyaev, V.A. *see* Zavaritskaya, V.A. 85−46246
Milyakh, A.N., Yushchenko, B.A., Kolesnichenko, A.F., Niskovskikh, V.M. Modelling dynamic processes in systems of magnetic pulse action on solidifying metal 85−32837
Milyauskas, A.A. *see* Kabelka, V.I. 86−25422
Milyavskii, Yu.S. *see* Averina, L.M. 86−48146
Milyavskii, Yu.S. *see* Luft, B.D. 86−28192
Milyayev, P.V. *see* Stryukov, B.A. 85−8308
Milykh, M.M., Struchev, V.F. Multichannel digital processing of broadband signals 86−37078
Milykh, V.I. Investigation into excitation mode of cryogenic motor with one pole coil disconnected 86−6781
Milykh, V.I. Calculation of electromagnetic field in a longitudinal section of an electric machine 86−45439
Milykh, V.I. Calculating eddy currents in a thin shell situated in a direct-current motor with cryogenic cooling 86−51638
Milykh, V.I. Synthesis of the magnetic field of electrical machines on the basis of plane-orthogonal analytical models 86−61465
Milykh, V.I. Bringing out energy from the excitation system of a direct-current cryomotor 87−4723
Milykh, V.I. Electromagnetic phenomena in the screens of a multipole excitation system for a DC superconducting motor 87−64610
Milykh, V.I. Plane-orthogonal theoretical models of magnetic fields in devices with a composite EM configuration 88−40462
Milykh, V.I. Analysis of currents in the superconducting shield of a direct-current cryomotor excitation winding 88−55367
Milykh, V.I. The electrodynamic processes in superconducting DC motor multipole excitation system screens 88−62374
Milykh, V.I., Klimov, Yu.A. Analysis of electrodynamic processes in the screen of the excitation system of a DC cryomotor 88−17635
Milykh, V.I. *see* Dan'ko, V.G. 86−33424
Milykh, V.I. *see* Grinchenko, N.G. 87−58100, 87−64989
Milyukov, V.V., Stadnik, I.P. Analysis of capacitance of two complex-shape plates 86−53082
Milyukov, V.V. *see* Stadnik, I.P. 85−51492, 86−10189
Milyus, P.-B.P. Measurement of the electromechanical coupling coefficient for piezoelectric testing transducers 85−45926
Milyushite, R. *see* Bareikis, V. 88−7335
Milyutchenko, I.A. *see* Malynyak, M.I. 85−3354
Milyutin, A.P. *see* Mamoshin, R.R. 85−60475
Milyutin, E.R. *see* Kazantseva, T.P. 85−2678
Milyutin, N.N. *see* Tsenter, B.I. 86−51881
Milyutin, Ye.R., Chudnov, A.M., Yaremenko, Yu.I. Utilization efficiency of adaptive algorithms in communication links with fading 86−64465
Milyutin, Ye.R., Nikitin, V.N. The use of a model of a bimultiplicative channel with a *K*-distribution to describe fades on line-of-sight paths 87−47182
Milyutin, Ye.R., Yaremenko, Yu.I. A method of calculating the attenuation and reliability of atmospheric optical data-transmission systems 86−23931
Milyutin, Ye.R. *see* Vaysleyb, Yu.V. 86−48602
Milyutkin, E.A., Rozhkov, V.A. Formation of rare-earth metal silicide films and properties of the silicide-silicon phase boundary 86−14933
Milyutkin, E.A. *see* Rozhkov, V.A. 85−24402, 85−34680
Milz, K. Contributions to the three-phase current technology, using the example of the auxiliaries of the locomotive, class 120 [power electronics] 85−44236
Milz, K. Contributions to the electrical equipment in the high-speed train ICE 86−40227
Mima, K., Takabe, H., Nakai, S. Pusherless implosion, pulse tailoring and ignition scaling law for laser fusion 88−62491
Mima, K. *see* Akiba, T. 87−75146
Mima, K. *see* Kuruma, S. 86−48446
Mima, K. *see* Ohigashi, N. 87−33216, 87−75145
Mima, K. *see* Zaidman, E. 86−31846
Mima, T. *see* Iwase, H. 87−2648
Mima, Y. *see* Hirayama, H. 87−73414
Mima, Y. *see* Hosono, Y. 87−59423, 88−19107
Mima, Y. *see* Kohzu, H. 86−57788
Mimaki, H. *see* Nakano, H. 86−64083, 87−27018
Mimaki, T., Sato, H., Tanabe, M. A study on the multi-peak properties of the level-crossing intervals of a random process 85−19296
Mimaki, T. *see* Kosuge, T. 87−72734
Mimaki, T. *see* Sato, H. 86−13634
Mimaroglu, T., Cooper, T. A real-time digital image sequence processor 85−4274
Mimashi, T. *see* Abe, F. 87−77578
Mimashi, T. *see* Snider, F. 88−48022
Mimault, J., Naudon, A., Slimani, T. Thickness measurements of thin films deposited onto flat substrates by analysis of the X-ray multiple-beam interference in the angular dispersive mode 87−49916
Mimick, F.P. *see* Leith, V.S. 85−29291
Mimikou, M., Kanelopoulou, S. Optimal firm hydro energy 87−42700
Mimikou, M., Nalbandis, J. Influence of reservoir inflows' persistence on storage capacity 88−75259
Mimila-Arroyo, J., Bourgoin, J.C. Photoluminescence and electrical properties of epitaxial GaAs grown by close space vapor transport 87−10469
Mimila-Arroyo, J., Castanedo, R., Chavez, F., Gonzalez, R., Navarro, G., Reynoso, A. Gallium arsenide field-effect transistor by close spaced vapor transport epitaxy 88−19990
Mimila-Arroyo, J., Legros, R., Bourgoin, J.C., Chavez, F. Photoluminescence and electrical properties of close space vapor transport GaAs epitaxial layers 86−8770
Mimila-Arroyo, J., Reynoso, J.A., Saucedo, E., Bourgoin, J.C. Characterization of growth and properties of spray-deposited SnO_2 films 85−16960
Mimila-Arroyo, J. *see* Chavez, F. 86−13780
Mimis, V. INMARSAT's future aeronautical satellite communications system 87−28470
Mimitsuka, T. *see* Yawata, K. 86−5392
Mimizuka, S. Application of the THYFREC-VT83S to dyeing machines [speed control] 86−13122
Mimoto, Y. *see* Hayashi, K. 87−55654
Mims, F.M., III Computer controlled light meter 85−3842
Mims, F.M., III Introduction to SMT 88−18491
Mims, F.M., III Hand-soldering SMCs 88−18493
Mims, F.M., III Conductive inks and adhesives 88−18494
Mims, F.M., III SMT project: IR remote on a keychain 88−20517
Mims, F.M., III SMT project: a business-card tone generator 88−22385
Mims, F.M., III SMT project: LED flasher 88−22709
Mims, F.M., III SMT project: light meter 88−22817
Mims, J. *see* Parlos, A.G. 88−61565
Mims, J.H. *see* Bradley, J.C. 88−73218
Mimura, A., Konishi, N., Ono, K., Ohwada, J., Hosokawa, Y., Ono, Y.A., Suzuki, T., Miyata, K., Kawakami, H. High-performance low-temperature poly-Si TFTs for LCD 88−39471
Mimura, A., Ohwada, J.-I., Hosokawa, Y., Suzuki, T., Kawakami, H., Miyata, K. A high-resolution active matrix using p-channel SOI TFTs 88−39733
Mimura, A., Oohayashi, M., Murakami, S., Momma, N. High-voltage planar structure using SiO_2-SIPOS-SiO_2 film 85−45655
Mimura, A., Oohayashi, M., Ohue, M., Ohwada, J., Hosokawa, Y. SOI TFTs with directly contacted ITO 86−35688
Mimura, A., Suzuki, T., Konishi, N., Suzuki, T., Miyata, K. Low-temperature polysilicon TFT with two-layer gate insulator using photo-CVD and APCVD SiO_2 88−57644

Mimura, A. *see* Ohwada, J. 88−16306, 88−19980
Mimura, A. *see* Terasawa, Y. 86−28302
Mimura, H. Optoelectrical properties of hydrogenated amorphous silicon-polycrystalline cadmium telluride heterojunctions 86−22216
Mimura, H., Hatanaka, Y. Electrical properties of p-type hydrogenated amorphous silicon-n-type crystalline gallium arsenide heterojunctions 85−50247
Mimura, H., Hatanaka, Y. Energy-band discontinuities in a heterojunction of amorphous hydrogenated Si and crystalline Si measured by internal photoemission 87−32282
Mimura, H., Hatanaka, Y. Reverse current characteristics of hydrogenated amorphous silicon-crystalline silicon heterojunctions 87−32310
Mimura, H., Hatanaka, Y. The use of amorphous-crystalline silicon heterojunctions for the application to an imaging device 87−61018
Mimura, H., Hatanaka, Y. Energy band discontinuities in a-Si:H/c-Si heterojunctions measured by internal photoemission 88−1430
Mimura, H., Hatanaka, Y., Nogmai, M. Amorphous silicon resistive sea for silicon vidicon targets 85−34437
Mimura, H. *see* Fukuchi, K. 85−38901
Mimura, H. *see* Hatanaka, Y. 85−34438, 86−31193, 87−28960
Mimura, T., Abe, M., Kobayashi, M. High electron mobility transistors 86−2157
Mimura, T., Abe, M., Shibatomi, A., Kobayashi, M. HEMT−1986 87−6740
Mimura, T., Abe, M., Shibatomi, A., Kobayashi, M. HEMT technology: potential and advances 87−6742
Mimura, T., Hiyamizu, S. The HEMT−a Fujitsu first 85−61924
Mimura, T., Nishiuchi, K., Abe, M., Shibatomi, A., Kobayshi, M. Status and trends of HEMT technology 85−55852
Mimura, T. *see* Abe, M. 85−40937, 87−6881, 87−46211, 87−46234, 88−7757, 88−70621
Mimura, T. *see* Awano, Y. 88−1682
Mimura, T. *see* Hikosaka, K. 85−55137
Mimura, T. *see* Joshin, K. 85−40777
Mimura, T. *see* Kajii, K. 87−59377, 88−51038
Mimura, T. *see* Kobayashi, N. 86−34808, 86−52833
Mimura, T. *see* Kuroda, S. 85−54900, 87−74296
Mimura, T. *see* Nishiuchi, K. 87−5883
Mimura, T. *see* Notomi, S. 88−19162
Mimura, T. *see* Shibatomi, A. 85−50739
Mimura, T. *see* Watanabe, Y. 87−17027, 87−59309
Mimura, Y. Infrared fibres 85−2016
Mimura, Y. The mechanism of overhang formation in diazide/novolak photoresist film by chlorobenzene soak process 86−35484
Mimura, Y., Kotaka, I. Junction fabrication technique by double-layer resist process 87−38694
Mimura, Y., Taniguchi, S., Mashima, E.T. How to obtain highest plant efficiency for RO desalination plant 86−40353
Mimura, Y. *see* Anzai, Y. 85−8737
Mimura, Y. *see* Nagata, K. 85−28490
Mimura, Y. *see* Nakai, T. 85−56299, 85−62278, 86−22061, 86−28775
Mimura, Y. *see* Nakano, J. 85−46099
Mimura, Y. *see* Tokiwa, H. 85−62279, 85−62313, 86−15462, 87−7142
Mimura, Y. *see* Ueki, M. 87−15104
Min, B.I. *see* Massidda, S. 87−66951
Min, B.J., Jarc, D.A. Considerations in testing and stabilizing frequency beating of a current source inverter 85−21715
Min, B.J., Jarc, D.A. A SCR power circuit suitable for variable voltage input squarewave inverters 85−27535
Min, B.K. *see* Lee, J.C. 86−8382
Min, H.B., Ra, J.B., Jung, K.J., Hilal, S.K., Cho, Z.H. Detector identification in a 4×4 BGO crystal array coupled to two dual PMTs for high resolution positron emission tomography 87−50255
Min, H.S., Ahn, D. Langevin noise sources for the Boltzmann transport equations with the relaxation-time approximation in nondegenerate semiconductors 86−1662
Min, J., Xiang, C.S. A new approach to 2-D Kalman filtering 87−62286
Min, K., Carlisle, J., Doughty, B., Jones, C., Rogers, C. A fast triangular transform and its applications 87−58899
Min, K., Chien, D., Li, S., Jones, C. Automated two speaker separation system 88−72822
Min, L. *see* Miller, R.J.D. 87−54284
Min, L.C., Elangovan, S. Output feedback controller for improved dynamic stability in power systems 85−26978
Min, L.Li *see* Li Min, L.
Min, M. A method for design of the time optimal third order phase locked loop 87−568
Min, M., Ronk, A., Sillamaa, H. Adaptive control of frequency and phase in vector analyzer 87−3536
Min, P.S. Diagnosis of on-board sensors in internal combustion (IC) engines 88−74276
Min, P.S., Ribbens, W.B. Detection of incipient sensor failures in internal combustion engines 88−67777
Min, S.G. *see* Zhang, H.K. 88−51665
Min, S.K. *see* Choe, B.D. 87−18861
Min, T.K., Dick, J.E. Recirculating emergency core coolant discharge modelling for long-term single unit containment analysis 85−65126
Min, Y. A PLA design for ease of test generation 85−17353
Min, Y. Generating a complete test set for programmable logic arrays (PLAs) 85−17354
Min, Y., Li, J. Strongly fault secure PLAs and totally self-checking checkers 88−63623
Min, Y., Li, Z. Pseudo-exhaustive testing strategy for large combinational circuits 87−10772
Min Byoung-Goo *see* Byoung-Goo Min
Min Byung Goo *see* Byung Goo Min
Min Chung Kang *see* Kang Min Chung
Min' Dao Tuet *see* Dao Tuet Min'
Min Gu *see* Wehnua Chen 88−58669
Min Han *see* Han Min
Min Ho Choi, Do Hyun Kim A study on compensation of frequency distortion of SCF by using prewarping procedure 86−41217
Min Ho Kang *see* Dong Hyuk Shin 86−42567
Min Ho Kang *see* Duk Soo Kim 86−5225
Min Ho Kang *see* Kyung Hyun Park 88−47048
Min Ho Park *see* Soon Chan Hong 85−5122
Min Hong Shick *see* Hong Shick Min
Min Hong Sung *see* Sung Min Hong
Min Hsu *see* Ta-liang Teng 87−15027
Min Hu *see* Hu Min
min Hu Chen *see* Chen min Hu
Min Huifang *see* Zou Yuanxi 86−21148
Min Jin *see* Jin Min
Min Jingxua *see* Chen Xiuhuan 86−49288
Min Jun Li, de Micheli, M., Ostrowsky, D., Papuchon, M. High-index low-loss waveguides on $LiNbO_3$ 88−51495
Min Kim Chang *see* Chang Min Kim
Min Koo Kim *see* Ha Jine Kimn 85−28162
Min Kyung Chon *see* Chon Min Kyung
Min Kyung Chong *see* Chong Min Kyung
Min Lee Jae *see* Jae Min Lee
Min Li *see* Li Min
Min Maolin *see* Wang Jingsheng 88−8007
Min Moon Il *see* Il Min Moon
Min Park *see* Jin Jang 86−56944
Min Qian *see* Qian Min
Min Ren Xiao *see* Ren Xiao Min
Min Sang Lyul *see* Sang Lyul Min
Min Sang Yul *see* Sang Yul Min
Min shin, M.E. *see* Veretennikov, G.A. 86−39297
Min Suck-Won *see* Suck-Won Min
Min Suk Ki *see* Suk Ki Min
Min Suk-ki *see* Suk-ki Min
Min Sung Choi *see* Jong Tae Park 87−45309
Min Sung Ki *see* Sung Ki Min
Min Szukwei *see* Chen Lingrong 88−20487
Min Thai Chan *see* Chan Min Thai
Min Tun Soe *see* Soe Min Tun
Min Wang *see* Wang Min
Min Xiao *see* Xiao Min
Min Xie Testing constant failure rate against some partially monotone alternatives 87−65253
Min Yang *see* Yang Min
Min Yang Kwang *see* Kwang Min Yang
Min Yinghua A programmable logic array fault model 86−41005
Min Yinghua Test generation for programmable logic arrays 86−62520
Min Yinghua A PLA with easy test generation 86−62521
Min Yu Li, Pearce, E.M., Narang, S. High temperature photonegative resists based on styrylpyridinium units 88−13246
Min Zhang *see* Zhang Min
Min Zhu, Doring, H. Mode competition of the gyrotron under high efficiency operating conditions 86−58206
Min Zhu *see* Zhu Min
Min Zhu Yue *see* Yue Min Zhu
Min-che Li *see* Li Min-che
Min-de Ding *see* Ding Min-de
Min-gong Fu *see* Fu Min-gong
Min-Goo Han *see* Sang-Bong Han 87−60973
Min-hang Bao *see* Bao Min-hang
Min-ho Kang Review and future course of specific research and development work in electrical and electronic fields 88−108
Min-Ho Kang *see* Man-Scop Lee 88−28900
Min-Ho Park Historical review, present status and future prospects of power electronics 85−55746
Min-Ho Park Technological trends in variable-speed electric motors 87−35892
Min-Ho Park, Choong-Yun Won Power converters and control theory for servo drive improvement 88−49048
Min-Ho Park, Chung-Yuen Won A study on time optimal position control of a CSI fed induction motor 88−37227
Min-Ho Park, Dong-Suk Hyun New equivalent circuit of a synchronous machine 86−51605
Min-Ho Park, Gyu-Ha Choe A new injection method of harmonic compensation current by active AC power filter 86−34985
Min-Ho Park, Gyu-Ha Choe Analysis of optimized injection method for active power filter of current injection type 87−15948
Min-Ho Park, Han-Seung Kim, Gyu-Ha Choe, Hae-Seung Yang A new control method for PWM AC chopper 88−32008
Min-Ho Park, Jin-O Kim, Kyung-Su Kim, Seung-Gi Jeong A study on the invertor-excited induction generator 86−26060
Min-Ho Park, Seung-Ki Sul A study on speed calculation and speed control based on the induction motor terminal quantities 87−51212
Min-Ho Park, Seung-Gi Jeong, Gi-Taek Kim Digitalization of the phase control circuit of a three-phase controlled rectifier 87−72266
Min-Ho Park, Seung-Ki Sul, Seung-Ki Jeong, Jae-Seung Cho Steady state analysis on the multiple induction motor drive with a current source inverter 85−44209
Min-Ho Park, So-Woong Jung Optimal starting torque control of wound rotor induction motor by microprocessor 85−21603
Min-Ho Park, Tae-Won Chun Analysis of PID control for microprocessor-based current source invertor-induction motor system 86−19282
Min-Ho Park, Tae-Won Chun, Seung-Gi Jeong The analysis and simulation of current source inverter-induction motor system using switching function representation 87−4717
Min-Ho Park *see* Dong-Seok Hyun 88−43170
Min-hua Jiang *see* Jiang Min-hua
Min-Hung Liaw *see* Shen-Li Fu 86−15184
Min-Hwan Kim, Hee-Yeung Hwang A study on the coarse-to-fine extraction method of function patterns by using the dynamic quantization of parameter space 88−34808
Min-jin Wu *see* Wu Min-jin
Min-Koo Han Power semiconductor devices 85−55796
Min-Koo Han *see* Il-Jung Kim 88−42242
Min-Koo Han *see* Jin Seok Park 87−32260
Min-Ren Yu *see* Yu Min-Ren
Min-Shyong Lin, Hen-Chang Chou Low pressure chemical vapor deposited tungsten silicide for GaAs ICs 88−13184
Min-Shyong Lin, Rey-Lin Chou, Kan-Sen Chou Physical properties of CdTe grown on Si by low pressure metalorganic chemical vapour deposition 87−10422
Min-Shyong Lin, Rey-Lin Chou, Kan-Sen Chou Effects of growth temperature and off oriented (100) Si substrate on properties of CdTe film grown by MOCVD 88−12017
Min-Shyong Lin, Tai-Yu Chou, Ching-Yi Wu The growth and interface study of PECVD SiO_xN_y on III-V semiconductors 86−13823
Min-Shyong Lin *see* Rey-Lin Chou 86−34308
Min-Sum Ouyang, Pin-Chieh Hsu Dose estimation of cobalt-60 teletherapy unit by mimi-acrylic phantom 88−74869
Min-ta Chin *see* Chin Min-ta
Min-Tau Lin *see* Sin-Horng Chen 88−34603
Min-Wen Chiang, Choma, J., Jr., Kao, C., Liao, J. Modeling gate modulation effects on FET electrical characteristics with arbitrary doping profiles 85−18354
Min-Wen Du *see* Chuen-Liang Chen 86−676
Min-xiong Chen *see* Chen Min-xiong
Min-Xiu Chen *see* Zhenzhou Lei 86−37718
Min-yan Guo *see* Guo Min-yan
Min-You Wu *see* Chen min Hu 86−698
Mina, A., Weldon, J.O., Hulsey, G. An improved high efficiency 500 kilowatt short wave broadcast transmitter with novel features 88−67536
Mina, C. *see* Matsumoto, T. 88−10543
Minacapelli, J.S. *see* Blake, W.C. 85−805
Minadeo, M.M., Smith, G.A. Polymer solder mask testing: a progress report 85−61575
Minadeo, M.M., Smith, G.A. Organic surface contamination testing revisited 88−64102
Minaev, A.A. *see* Sevast'yanov, B.K. 85−35729, 86−54115
Minaev, B.N., Konakov, Yu.P. Heat exchange in the gap between the inductor and the reactive bus of a linear induction motor as drive for high-speed transport systems 85−9872
Minaev, B.N. *see* Bocharov, V.I. 86−19304
Minaev, B.N. *see* Vinokurov, V.A. 88−5690
Minaev, E.K. *see* Polyakov, V.I. 86−61492
Minaev, E.T. *see* Ivanenko, V.N. 86−45763
Minaev, I.G. Capacitive gauge for determining the dielectric properties of gases and liquids 88−74349
Minaev, I.V., Rubtsov, S.V. Influence of fluctuations in signal wave phase on permissible accuracy of spatial tracking in optical lines of communication 86−59135
Minaev, I.V., Rubtsov, S.V. Evaluating effectiveness of modernising optical-electronic systems 88−20486
Minaev, M.I. Frequency modulation of microwave generators with additional external feedback 85−22701
Minaev, M.I. Phase stabilization of a synchronized microwave oscillator with supplemental external feedback 87−45251
Minaev, N.G. *see* Anguilar-Benitez, M. 87−71031
Minaev, N.G. *see* Boratav, M. 86−5801
Minaev, N.G. *see* Boratave, M. 86−50449

Minaev, P.V. *see* Shilin, N.V. 85−49057
Minaev, S.A. *see* Baev, V.K. 85−31675
Minaev, V.P. Perfection of methodology for assessment of the quality of products (quality rating) 87−51888
Minaev, V.P. Standardization and metrology in the service of the branch 88−29199
Minaev, V.P., Bezrukov, A.I., Fedotov, A.G. Aggregation and measurement classification in metrology 87−3366
Minaev, V.S. New glasses and some features of glass-formation in ternary telluride systems 85−1340
Minaev, V.S. *see* Savchenko, K.V. 86−26928
Minaev, Yu.N. Certifying software 86−24404
Minaev, Yu.P. *see* Azarov, V.V. 85−51230
Minaev, Yu.P. *see* Danileiko, Yu.K. 86−22463
Minaeva, K.A. *see* Strukov, B.A. 87−77917
Minagawa, A. *see* Ogawa, H. 87−73726, 88−25471
Minagawa, C. *see* Sakai, S. 86−11644
Minagawa, K., Morozumi, S., Nishiya, K., Hasegawa, J., Fujiwara, H. A fast calculation method of optimal operating strategy of energy storage unit 87−30887
Minagawa, K., Terano, T. Data recorders: unsurpassed champions in on-line event storage capabilities 85−47874
Minagawa, O. *see* Akaishi, M. 85−34282
Minagawa, S. Molecular electronic devices and semiconductor devices 86−27768
Minagawa, S., Ikenishi, M., Kawai, Y. Hotel two-way CATV system 87−3310
Minagawa, S., Nakamura, H., Sano, H. OMVPE growth of gallium indium phosphide on the {100} gallium arsenide using adduct compounds 85−49554
Minagawa, S., Okamoto, T., Niitsuma, T., Mikoshiba, N., Tsubouchi, K. Efficient ZnO-SiO_2-Si Sezawa wave convolver 86−9353
Minagawa, S., Okamoto, T., Niitsuma, T., Mitsutsuka, S., Tsubouchi, K., Mikoshiba, N. Sezawa wave correlator using monolithic $ZnO/SiO_2/Si$ structure 86−2560
Minagawa, S., Satoh, S., Nakatsuka, S., Kakibayashi, H. A sliding wafer-OMVPE scheme for fabricating subnanometer superlattices 88−43879
Minagawa, S., Shintani, K. Dislocation dynamics in anisotropic piezoelectric crystals 85−29383
Minagawa, S. *see* Kondow, M. 88−38163
Minagawa, T. *see* Sumi, M. 88−70836
Minagawa, T. *see* Usami, K. 87−10494
Minagawa, Y., Uemura, K., Inoue, M., Esaki, M., Fijii, M. A home information-network system 85−25256
Minagawa, Y. *see* Inoue, M. 86−10637
Minagawa, Y. *see* Kazunori, T. 87−55653
Minaguchi, D., Ginno, M., Itaka, K., Furukawa, H., Ninomiya, K., Hayashi, T. Heat transfer characteristics of gas-insulated transmission lines 86−39143
Minaguchi, D. *see* Tanizawa, K. 86−51021
Minaguchi, H. HiFi VTR 86−11309
Minaguchi, H., Nomura, T. An overview of recent technology of digital video recording 88−41876
Minaguchi, H., Obata, I. The list for standards of various VTRs 86−24160
Minahan, J.A., Green, M.J. Radiation damage in MINP cells 87−4941
Minahan, J.A., Trumble, T.M. Electron irradiated solar cells: cold crucible (Ga), float zone (Ga,B) and Czochralski (Ga,B) 86−7024
Minahan, J.A. *see* Garlick, G.F.J. 87−9777
Minai, A.A., Williams, R.D., Blake, F.W. A discrete heuristic approach to predictive evaluation of semicustom IC layout 87−67464
Minai, V.A. Validation of a propagation model for random communication networks using simulation 85−25214
Minai, Y. *see* Maeda, M. 87−18864
Minakata, M., Furukawa, Y. ArF excimer laser induced CVD of aluminum oxide films 86−57474
Minakata, M., Kumagai, K., Kawakami, S. Lattice constant changes and electro-optic effects in proton-exchanged $LiNbO_3$ optical waveguides 87−12106
Minakata, M., Sakano, T., Kawakami, S. Miniaturized directional coupler-type optical switches 88−65336
Minakata, M. *see* Hanaizumi, O. 86−36239
Minakata, M. *see* Miura, K. 88−65376
Minakata, M. *see* Okamura, M. 85−40530
Minakata, M. *see* Yamada, K. 87−71415
Minakata, R. Magnetic properties of Ni-Fe films prepared by a DC triode sputtering method 88−64889
Minakata, R., Kira, T., Yoshikawa, M. Magnetic properties of Permalloy films by high-rate triode sputtering 86−58668
Minakata, R. *see* Shiiba, K. 86−58688
Minakawa, A. *see* Muraguchi, M. 88−63960
Minakawa, H. *see* Sawase, K. 86−38140
Minakawa, M., Tomioka, H., Mutoh, K., Miura, H. Research on testing methods of sound level meters 87−4169
Minakawa, S., Masumoto, T. Warm consolidation of amorphous metallic powder composites for AC applications 88−57913
Minaki, T., Ikeda, K., Matsumoto, T., Isozaki, K., Chyo, S. A digital density meter 86−5368
Minaki, T., Matsumoto, T., Beijk, J., Kalis, G. pH analyzer with online self-diagnostic testing 88−60956
Minaki, T., Morioka, A., Cho, S., Shimizu, M. Personal pH meter model PH81/82/83 87−63409
Minakoshi, H., Sinno, K. Total electron content in the Asian mid-latitude region and its effect on Earth-space propagation 86−69737
Minakoshi, H. *see* Nishimuta, I. 86−36721
Minakov, A.A. Synthesis of an antenna with a circular aperture with a specified intensity distribution along the axis in the near zone 86−22813
Minakov, G.D. *see* Aulchenko, V.M. 87−21406
Minakov, M. *see* Batley, R. 86−25127
Minakov, N.V., Piskarev, V.V., Knyazev, V.A.., Ogandzhanyan, A.S. Seismic stability of air-tight cable bushings 87−64165
Minakov, V.F. *see* Kuzhekov, S.L. 86−61461
Minakova, I.E. *see* Garshenin, V.V. 88−8062
Minakova, I.E. *see* Kretulis, V.S. 88−50782
Minakova, I.I., Lebedinskii, S.A. Choice of coupling parameters in frequency-stabilizing systems 86−20355
Minakova, I.I., Minina, G.P., Sil'nov, B.A. Frequency characteristics in resonance at self-oscillation harmonics 85−39951
Minakova, I.I., Minina, G.P., Sil'nov, B.A. Synchronous operating modes of oscillators coupled at their harmonics via a tuned circuit 85−61148
Minakova, I.I., Panov, V.I., Simenova, B.G. A Gunn diode microwave generator stabilized by a dielectric disk resonator 88−7070
Minakova, I.I., Simeonova, B.G. A metal-insulator resonator in a three-circuit frequency-stabilization system 87−5709
Minakova, I.I. *see* Dudnik, E.N. 87−44654
Minakova, I.I. *see* Gracheva, I.Yu. 87−78586
Minakova, I.I. *see* Kirillin, K.L. 86−14041
Minakova, I.I. *see* Kuznetsov, Yu.I. 87−37055
Minakova, I.I. *see* Lebedinsky, S.A. 86−20351
Minakova, N.N., Skvirskaya, I.I., Ushakov, V.Ya. High-voltage characteristics of carbon-filled rubber material for bulk resistors 86−58073
Minakova, N.N. *see* Golitsyn, V.P. 86−47096
Minakovic, B. A study of linear beam amplification 85−61639
Minakuchi, D., Fujii, M., Inoguchi, H., Uno, H., Matsui, T., Toyoda, S., Gessei, I., Asai, S. Installation of 187 kV XLPE power cable along the Ohnaruto suspension bridge 87−71692
Minakuchi, K. *see* Ohmura, H. 87−62793, 88−3756
Minakuchi, K. *see* Yodoshi, K. 88−40238
Minakuchi, N. *see* Kuriyama, S. 86−55490
Minakuchi, Y., Yoshimine, K., Koizumi, T., Hagiwara, T. Contact pressure measurement by means of ultrasonic waves. On a method of quantitative measurement 85−52905
Minami, E. *see* Kurata, Y. 85−46234
Minami, E. *see* Matoba, H. 86−11403
Minami, E. *see* Satoh, H. 88−45246
Minami, E.R. *see* Wenzel, S.W. 88−61688
Minami, F., Era, K. Cavity detuning effects in the synchronously mode-locked CW dye laser 86−15658
Minami, H. Stringent demands on CD spindle motors 88−5721
Minami, H., Nakayama, K., Sato, T. Development of pipeline leak detection system by pressure wave system 86−17936
Minami, K. High-power microwave pulse generation utilizing superconducting cavities for energy storage 87−17384
Minami, K., Hirose, H. Computational fluid analysis of the extinguishing chamber of SF_6 gas circuit breaker 88−17776
Minami, K., Kawata, S. Prony's method based on eigenanalysis and overdetermined system approach 87−19811
Minami, K., Lou, W.R., Destler, W.W., Kehs, R.A., Granatstein, V.L., Carmel, Y. Observation of a resonant enhancement of microwave radiation from a gas-filled backward wave oscillator 88−71284
Minami, K., Saeki, K., Kubo, H., Ohtsuka, M., Awano, M., Takai, H. Quick extraction of microwave pulses from a cavity by a superconducting polycrystalline $BaPb_{1-x}Bi_xO_3$ thin film 87−68001
Minami, K., Saeki, K., Ohtsuka, M., Awano, M. Quick extraction of microwave pulses from a cavity by superconductive polycrystalline $BaPb_{1-x}Bi_xO_3$ thin film 88−13777
Minami, K., Yoshida, Y. Development of emergency-use stack gas monitor 87−77532
Minami, K. *see* Akiyama, M. 86−30531
Minami, K. *see* Destler, W.W. 88−50599
Minami, K. *see* Furukawa, S. 86−47566
Minami, K. *see* Hirose, H. 86−61560
Minami, K. *see* Inoue, Y. 86−8258, 86−34793
Minami, K. *see* Kashihara, J. 86−69356
Minami, K. *see* Kobayashi, O. 85−24227
Minami, K. *see* Onnagawa, H. 86−36267
Minami, K. *see* Saeki, K. 86−35069, 86−35071
Minami, M., Wakui, Y., Matsuki, H., Nagano, T. A new soft error immune static memory cell 88−63686
Minami, M. *see* Abe, K. 88−16629
Minami, M. *see* Iwamoto, S. 88−19186
Minami, N., Aikawa, Y., Sukigara, M. Phase transition type liquid crystal display device and its threshold voltage 85−64200
Minami, N., Aikawa, Y., Sukigara, M. Relaxation mechanism of phase transition type aligned liquid crystal image 86−28908
Minami, N., Nakanishi, K. Electrical characteristics of In_2Se_3 powder and additive effects of poly(vinylidene fluoride) 85−18784
Minami, N., Nakanishi, K. Electrical properties of In_2Se_3 particle system and characterization of its surface state 86−58277
Minami, N., Nishiyama, H. Flat package for crystal oscillator 85−54148
Minami, N. *see* Nakanishi, K. 87−45606
Minami, S. A stereophonic voice coding method for teleconferencing 87−34040
Minami, S. An acoustic echo canceller for pseudo stereophonic voice 88−46100
Minami, S., Kawasaki, T. A double talk detection method for an echo canceller 86−30452
Minami, S., Minoura, K., Yamamoto, H. Scanning optical system of the Canon laser beam printer 88−33839
Minami, S., Mori, T., Horiuchi, Y., Miyake, T. FDIC-101 maintenance, administration and diagnostic system [facsimile] 85−3081
Minami, S. *see* Hirano, K. 85−3080
Minami, S. *see* Inamori, K. 85−3078, 85−36663
Minami, S. *see* Kawata, S. 87−18692, 87−27635, 88−14782
Minami, S. *see* Kitagawa, Y. 88−74435
Minami, S. *see* Matsubara, K. 88−47464
Minami, S. *see* Nakamura, O. 88−41046
Minami, S. *see* Nishikawa, H. 88−11358
Minami, S. *see* Ohnishi, Y. 86−17211
Minami, S. *see* Yatsuda, Y. 85−17381, 85−35170
Minami, T. State of the art in image engineering 86−23132
Minami, T. Static electricity elimination using conductive fiber by dyeing 88−52068
Minami, T., Komano, M., Nanto, H., Takata, S. A new DC electroluminescent device using sintered ZnS:Mn phosphor-ceramics 87−38938
Minami, T., Miyata, T., Kitamura, K., Nanto, H., Takata, S. Low voltage driven MOCVD-grown ZnS:Mn thin-film electroluminescent devices using insulating $BaTiO_3$ ceramic sheets 88−58371
Minami, T., Nanto, H., Takata, S. Highly conductive and transparent ZnO thin films prepared by RF magnetron sputtering in an applied external DC magnetic field 85−54516
Minami, T., Nanto, H., Takata, S. Highly conducting and transparent SnO_2 thin films prepared by RF magnetron sputtering on Low-temperature substrates 88−43937
Minami, T., Sato, H., Nanto, H., Takata, S. Group III impurity doped zinc oxide thin films prepared by RF magnetron sputtering 86−20090
Minami, T., Sato, H., Nanto, H., Takata, S. Highly conductive and transparent silicon doped zinc oxide thin films prepared by RF magnetron sputtering 87−10497
Minami, T., Shinohara, K. Encoding of line drawings with a multiple grid chain code 86−48980
Minami, T., Yamaguchi, K., Fujino, N., Hamano, H., Suyama, M., Iguchi, K., Yamada, I. 200 Mb/s synchronous TDM loop optical LAN, suitable for multi-service integration 86−55311
Minami, T., Yamaguchi, K., Nakagami, T., Takanashi, H., Fujino, N., Hamano, H., Suyama, M., Iguchi, K., Yamada, I. A 200 Mbit/s synchronous TDM loop optical LAN suitable for multiservice integration 86−23458
Minami, T., Yamaguchi, K., Suzuki, H. High-speed optical loop network for flexible multi-service integration 86−69770
Minami, T. *see* Arai, H. 87−75726
Minami, T. *see* Kikuchi, T. 87−2452
Minami, T. *see* Kobayashi, K. 87−75891, 87−75896
Minami, T. *see* Komatsu, T. 87−75893, 87−75895
Minami, T. *see* Nakamura, O. 85−57513, 86−3992, 86−69162, 86−69351, 87−27616, 87−33803, 87−39959, 87−76270
Minami, T. *see* Nanto, H. 88−57336
Minami, T. *see* Okamoto, N. 85−2746, 85−30655
Minami, T. *see* San-oh, T. 87−75894, 87−75897
Minami, T. *see* Sato, H. 87−13270
Minami, T. *see* Sekiguchi, T. 87−75892
Minami, T. *see* Shinohara, K. 85−2745, 86−36944, 87−2451, 87−48002
Minami, T. *see* Takata, S. 86−41542, 88−31768, 88−38240, 88−40059
Minami, T. *see* Takeyama, A. 87−62631
Minami, T. *see* Tanaka, T. 87−76269
Minami, T. *see* Tohge, N. 88−25899, 88−71323
Minami, T. *see* Yamanishi, M. 85−56425

Minami, Y., Ohta, K., Maeda, M., Kitahara, C. Fiberoptic subscriber transmission equipment for the INS Model System 87−20490
Minami, Y. *see* Hayashi, T. 85−9297, 86−44732
Minami, Y. *see* Hoshi, Y. 87−34710
Minami, Y. *see* Kawahira, K. 87−58426
Minami, Y. *see* Matsuoka, K. 87−64706
Minami, Y. *see* Ohyama, N. 87−35401
Minamibayashi, S. *see* Tamagami, M. 86−4221
Minamida, I. *see* Tachigami, S. 85−18735, 86−2689
Minamimura, E. *see* Watanabe, K. 86−34914
Minamino, H. *see* Tendyck, H. 88−69891
Minamino, Y., Nitta, Y., Fujisawa, K., Kubo, H., Iwasaki, C., Minato, T., Tomita, K., Ishibitsu, K. Amorphous silicon solar cell on ceramic substrate 86−7038
Minamisawa, M. *see* Hayashi, Y. 87−78531
Minamisawa, M. *see* Matsumoto, T. 86−33077
Minamisono, T. *see* Gamo, K. 85−1532
Minamisono, T. *see* Krebs, G.F. 88−54190
Minamisono, T. *see* Nojiri, Y. 86−70284, 87−3837
Minamisono, T. *see* Takai, M. 86−21404
Minamitake, C. *see* Harikrishna, B.A. 86−24452
Minamitani, H. *see* Fujita, K. 87−35447, 88−10438, 88−68477
Minamitani, H. *see* Horikoshi, T. 87−7850, 88−8851, 88−16727, 88−61322
Minamitani, H. *see* Itakura, N. 88−54629
Minamitani, H. *see* Okada, E. 87−61294, 88−60927
Minamitani, T. *see* Bessho, K. 87−26647
Minamitani, T. *see* Enokizono, M. 88−72514
Minamitani, Y. *see* Okada, F. 88−51354
Minamiyashiki, T. *see* Hayashi, T. 87−62745
Minamoto, S. *see* Jyo, Y. 86−34984, 86−46616, 87−519, 87−10739, 87−25460 to 25461, 87−74340, 88−26375, 88−44283, 88−57712
Minamoto, S. *see* Nohara, K. 87−36639
Minamuno, H. *see* Tendyck, H. 88−69881
Minano, J.C., Almonacid, G., Luque, A. Toroidal CPC for static concentration [photovoltaic applications] 87−9840
Minano, J.C., Badia, J.M., Salas, T. Small concentrators for photovoltaic static concentration applications 88−18042
Minano, J.C., Luque, A. The theory of static concentration [photovoltaic applications] 88−24144
Minano, J.C. *see* Lorenzo, E. 88−17460
Minar, S., Vychodil, M. Optical processing of corundum ceramics for the surgery of joints 86−12025
Minard, R.A. Pressure transducers for hydraulic control 88−9952
Minard, R.A., Robinson, B.S., Bates, R.H.T. Full-wave computed tomography. III. Coherent shift-and-add imaging 85−20899
Minari, F. *see* Pichaud, B. 86−391
Minarik, R. Circuit for canceling local oscillator leakage through mixers 86−20378
Minarovjech, M., Klocok, L. TTL generator controlling a CCD image sensor of the L110C type 85−28493
Minarovjech, M. *see* Bartl, J. 86−70217
Minarsky, E. Some problems with pyrovidicon operation 86−60161
Minashin, M.E. Critical assembly of the world's first nuclear power station reactor 85−32323
Minashin, V.P. *see* Belovolov, M.I. 88−41700
Minashivili, I.A. *see* Antyukhov, V.A. 86−60637
Minashvili, I.A. *see* Bitsadze, G.S. 87−3891, 88−54407, 88−61155
Minashvilli, I.A. *see* Hlinka, V. 87−8837
Minasi, M.J. *see* Kydes, A.S. 86−12545
Minasian, R.A. Optimum design of a 4-Gbit/s GaAs MESFET optical preamplifier 87−46729
Minasian, R.A. Characterisation of wideband Gbit/s fiber optic amplifiers 87−49062
Minasian, R.A. *see* Scott, J.R. 88−22085
Minasiewicz, S., Hope, G.S., Malik, O.P. Probability technique for predict power demand of excavator group 85−27737
Minasiewicz, S., Hope, G.S., Malik, O.P. Probabilistic model of power demand for sequential conveyor systems 86−32695
Minasiewicz, S., Hope, G.S., Malik, O.P. Probability technique to predict power demand of excavator group 86−45530
Minasiewicz, S., Hope, G.S., Malik, O.P. Estimation of power demand in longwalls by using probability of distribution functions 86−45891
Minasiewicz, S., Hope, G.S., Malik, O.P. Probability distributions of active power demand: a design approach 86−65654
Minasiewicz, S., Hope, G.S., Malik, O.P. Sizing of impact-loaded transformers 87−43729
Minassian, V. Comparison of theory and practice for higher order modes in a small angle corrugated horn. II. Experimental results 88−2899
Minassian, V., Zhang, X.Z. Calculation of return loss and power converted to higher order modes in a corrugated horn 87−27109
Minassyan, G.E. *see* Abrahamyan, A.V. 87−21469
Minasyan, K.O. *see* Kabalyan, Yu.K. 88−54994
Minasyan, V.M. *see* Lopukhina, E.M. 86−12808
Minato, A., Someya, K., Miya, K., Tone, T. Theoretical and experimental study of eddy current and dynamic deformation of conducting plate 86−42760
Minato, A. *see* Ito, N. 87−48381
Minato, A. *see* Kitamura, A. 87−28334, 87−48386
Minato, D., Kurokawa, H., Takahashi, H., Fujioka, M., Suzuki, K. Personal computer data interface board 86−43553
Minato, D., Takahashi, H., Soga, Y., Hashimoto, S., Matsushita, M., Sasabuchi, H., Shinya, M. Data communication 86−43420
Minato, D. *see* Nozaki, T. 86−64456
Minato, I., Hashizume, H., Watanabe, H., Matsui, J. Growth defects and lattice strains in LEC-grown single crystals of InAsP 87−16568
Minato, I., Sakata, O., Fukano, T., Hashizume, H., Kitano, T., Watanabe, H., Kamejima, T., Matsui, J. Observation of defect structures in $InAs_xP_{1-x}$ single crystals by synchrotron X-radiation Laue topography 85−60946
Minato, K. *see* Komori, M. 88−36557
Minato, K. *see* Shibata, E. 87−72617
Minato, O., Masuhara, T., Sasaki, T., Matsumoto, K., Sakai, Y., Hayashida, T. A 20 ns 64K CMOS static RAM 85−28528
Minato, O., Sasaki, T., Honjo, S., Ishibashi, K., Sasaki, Y., Moriwaki, N., Nishimura, K., Sakai, Y., Meguro, S., Tsunematsu, M., Masuhara, T. A 42 ns 1 Mb CMOS SRAM 87−59503
Minato, O. *see* Hanamura, H. 86−67980
Minato, O. *see* Hanamura, S. 86−8192, 87−31806, 87−59499
Minato, O. *see* Ogiue, K. 85−40097
Minato, O. *see* Sakai, Y. 85−49887
Minato, O. *see* Yamamoto, S. 86−14219, 86−20532, 86−41093
Minato, O. *see* Yamanaka, T. 88−6872
Minato, S. *see* Matsuda, H. 85−31774, 85−59231, 86−38706, 88−74777
Minato, T., Matsuura, H., Shobu, M., Oguro, T. AM stereo signal generator 87−8638
Minato, T. *see* Kitamura, T. 86−28957
Minato, T. *see* Minamino, Y. 86−7038
Minato, T. *see* Yamaguchi, E. 87−73066
Minato, Y., Arimura, M., Kawaguchi, M., Akashi, T., Kishi, S., Tashiro, T., Ohi, S. A very high speed ECL 16 K RAM 87−31900
Minato, Y. *see* Arimura, M. 87−17087
Minatoguti, T. *see* Kunii, T. 88−12856
Minayev, M.I. Temperature stabilization of microwave oscillator frequency using an additional external feedback 85−61149
Minayev, M.I. Reduction of amplitude-to-phase conversion in an avalanche diode synchronized oscillator by using supplemental external feedback 86−41341
Minayeva, I.A. *see* Avdeyev, V.V. 86−29907
Minca, L. *see* Mirandola, A. 87−42558
Mincai He *see* He Mincai
Mincer, A.I., Freudenreich, H.T., Goodman, J.A., Tonwar, S.C., Yodh, G.B., Berley, D., Ellsworth, R.W., Gabriel, T.A., Bishop, B.L. Measurements of the response of a hadronic calorimeter to beams of pions and protons of 1-10 GeV/*c* momenta 85−43160
Mincer, A.I., Gabriel, T.A., Bishop, B.L., Berley, D., Ellsworth, R.W., Freudenreich, H.T., Goodman, J.A., Tonwar, S.C., Yodh, G.B. A Monte Carlo simulation of the response of a hadronic calorimeter to protons of momentum 3.5 to 200 GeV/*c* 85−64477
Mincer, A.I. *see* Dado, S. 87−29448
Mincer, P.N., Barnes, C.R. Recent improvement upon a technique for determining dynamic-crack propagation rates 87−59028
Minceva, N. *see* Hinov, C. 86−13969
Minchenko, A.I., Kravtsov, Yu.A. Fiber optic sensors 85−56342
Minchenko, A.I. *see* Bershtein, I.L. 85−29534
Minchenko, A.I. *see* Bruk, M.R. 87−74689
Minchenko, A.I. *see* Kravtsov, Yu.A. 85−19035
Minchenko, B.S. Image synthesis with the RATAN-600 radio telescope 85−8512
Minchenko, B.S. Azimuthal aperture synthesis of the Sun on the RATAN-600 radio telescope in the 'south plus periscope' mode 87−34688
Minchenko, L.I. *see* Dodonov, A.G. 86−14095
Minchev, D. *see* Parvanov, P. 87−43193
Minchev, G. *see* Ilieva, R. 87−61254
Minchev, G.M. *see* Pramatarova, L.D. 88−44659
Minciardi, R. *see* Aicardi, M. 86−26704, 86−49071, 87−2685, 87−55419, 88−43765
Minciardi, R. *see* Bartolini, G. 85−25208
Mincinopschi, G. *see* Stavarache, P. 87−51529
Minck, J. New trends in microwave measurement instrumentation 85−4092
Minck, J. Microwave measurement trends reflect new developments and technologies 85−15001
Minck, J. Checking microwave interface path deterioration automatically 85−47820
Minck, J. Microwave instrumentation in brief. I. High frequencies and built-in intelligence 86−24721
Minck, J. Microwave instrumentation in the Rapids. II. Millimeter-waves are frequently still problematic 86−31605
Minck, J. Programmable switch/attenuator modifications provide microwave test solutions 88−29607
Minck, J. *see* Gildea, D. 88−27731, 88−29280
Minck, J. *see* Hassun, R. 88−22420
Minck, J.L. Pulsed-microwave-signal peak-power measurement improves 85−4010.
Minck, J.L. Improved peak-output of pulsed microwave signals 85−14995
Minck, J.L. Design trends evaluated for passive components [for microwave technology] 86−53022
Minck, J.L. Trends in the design of passive microwave components 87−11017
Minck, J.L., Gildea, D. Complex modulation testing of components and systems accomplished using new tools 87−43954
Mindak, M., Szydlak, J. Examples of operating characteristics and power balance in pump cavity of CW Nd:YAG laser 85−12901
Mindak, M. *see* Jankiewicz, Z. 86−42505, 87−75070
Minde, S. *see* Hammerstad, E. 86−65554
Mindeeva, A.A. *see* Sergeev, A.G. 85−11258
Mindeli, G.V., Gersamiya, E.G., Tsintsadze, I.Sh., Gurgenidze, E.D. New wear-resistant steel for cutout dies [electric machine manufacture] 87−5212
Mindell, M.I. Wound-steel, 60 Hz toroidal transformers improve linear supply performance 85−60248
Minden, G. *see* Miller, E.K. 88−84
Minden, G.J. *see* Frost, V.S. 86−37225, 86−43893, 86−49333, 86−59633
Minden, G.J. *see* Holtzman, J.C. 86−30111
Minden, G.J. *see* Shanmugan, K.S. 87−40219
Minden, M.L., Casperson, L.W. Mode splitting and the coherent instability in high-gain lasers 85−24449
Minder, P. Operating safety of high voltage transformers [measurement transformers] 85−48621
Minder, R. *see* Toggweiler, P. 87−57961
Mindl, T., Schneider, S. Improvement of picosecond time-resolved, single-shot pump-probe experiments by indirect measurement of pulse energies 88−45518
Mindlin, A.J. *see* Bohacek, P.K. 88−59820
Mindlin, I.M. A method of analyzing amplitude-frequency modulation in linear selective circuits 87−47472
Mindlina, E.I. *see* Biragov, S.B. 86−59021
Mindlina, K.A. *see* Agrest, R.I. 86−38360
Mindock, M.A. *see* Christopher, D.M. 88−22467
Mindock, R.M. New solid state infrared (IR) source 88−26988
Mindra, P.V., Naidenko, A.I., Kuznetsov, A.A., Andrievskii, G.G. A pumping generator for a semiconductor laser 85−29829
Mindra, P.V. *see* Naidenko, A.I. 86−18121, 86−68598
Mindru, G. *see* Viorel, I.A. 87−42972
Mindt, W., Eberhard, P. Dual function sensors for cutaneous blood gas measurement 85−38020
Mindykowski, J. An adjustable photoresistance opto-isolator and its mathematical model 87−12318
Mindykowski, J. A multi-function opto-isolator converter 87−26204
Mindyuk, Ya.L. *see* Kuz'min, V.N. 86−44459
Mine, H. Technical innovations in combined environmental reliability tests specified by the serial issues of MIL-STD-781 88−31540
Mine, H. *see* Ara, M. 87−77354
Mine, H. *see* Ohno, K. 86−4075
Mine, H. *see* Sawa, I. 86−14584
Mine, I. *see* Miyahara, A. 86−65702
Mine, K., Yamada, M., Morimoto, Y., Karube, I., Nakahara, T., Samardzic, V., Jinnouchi, Y., Nagai, N. A rotating liquid pressure instrumentation by using optical technique and compensation with a computer 87−21274
Mine, K. *see* Nozaki, K. 88−11356
Mine, M. *see* Ito, T. 86−40048
Mine, P., Charpak, G., Santiard, J.-C., Scigocki, D., Suffert, M., Tavernier, S. Test of a BaF_2-TMAE detector for positron-emission tomography 88−61296
Mine, P. *see* Bouclier, R. 87−21422, 88−42439
Mine, P. *see* Hadjeris, L. 86−60723
Mine, P. *see* Peskov, V. 88−54409
Mine, S. *see* Ohyama, T. 85−59601
Mine, S. *see* Yonehata, Y. 85−60319
Mine, T. *see* Hanamiya, T. 86−24161
Mine, Y. Report from Shinyo Maru [ship] 88−69834
Mine, Y. *see* Kakihara, T. 86−55390
Mine, Y. *see* Tomozawa, A. 87−48382
Minear, S.E. *see* Lahn, T.G. 87−42093
Minechika, S. *see* Torazawa, K. 85−63899, 86−44067, 87−28877, 88−65390
Mineev, R.V., Proshkin, I.T., Shvarev, A.M. Controlling arc furnaces on the basis of generalized statistical criteria 86−45818
Minegishi, A. *see* Ikarashi, J. 88−46442
Minegishi, A. *see* Maeda, H. 85−36610
Minegishi, A. *see* Soma, M. 86−2708
Minegishi, K. *see* Mano, T. 87−59486
Minegishi, K. *see* Morie, T. 86−41125
Minegishi, K. *see* Nakajima, S. 85−35169, 85−50728

Minegishi, M. *see* Kobayashi, Y. 87−73636, 88−25382, 88−70986
Minegishi, S., Echigo, H., Ohmori, T., Sato, R. Frequency spectra of arc voltage due to electrical contacts on opening with arc discharge 86−3568
Minegishi, S. *see* Sugano, Y. 88−57517
Minegishi, Y. *see* Nakano, H. 88−2718, 88−40679, 88−52292
Minehara, E. The JAERI tandem accelerator facility 86−38628
Minehara, E. A compact high voltage isolation transformer for the 350 kV injector of the JAERI tandem accelerator 86−70958
Minehara, E., Abe, S., Yoshida, T., Sato, Y., Kanda, M., Kobayashi, C., Hanashima, S. On the production of the KrF^- and XeF^- ion beams for the tandem electrostatic accelerators 85−20789
Minehara, E., Billquist, P., Den Hatog, P., Kutschera, W. Two-dimensional field mapping and field correction for a high-resolution magnet with aberration compensation 87−14658
Minehara, E., Hanashima, S. JAERI negative ion injectors 88−54374
Minehara, E., Kutschera, W., Den Hartog, P., Billquist, P., Liu, Z. ANL high-resolution injector 86−55982
Minehara, E. *see* Hanashima, S. 86−55934, 88−53985
Minehisa, S., Nakajima, H., Sakabata, N., Shibuya, Y., Sera, T., Kitagawa, Y., Yatsuo, M., Kobori, T. A study of high-power electron beam welding: application to diesel engine parts 86−45859
Minella, M. *see* Pinciroli, F. 88−10352
Minelli, G. Current-measuring tongs 86−38475
Minelli, G. *see* Bonacini, C. 86−65967
Minelly, J.D., Hussey, C.D. Single-mode fibre Y-junction beam-splitter 87−74682
Minelly, J.D. *see* Hussey, C.D. 88−58082, 88−65276
Minelly, J.D. *see* Jedrzejewski, K.P. 86−22087, 87−74770
Minematsu, M., Ubukata, H., Kaneko, T., Fujii, H. Undercarpet Wiring System 87−28341
Minematsu, M. *see* Keneko, T. 86−59888
Minematsu, M. *see* Kishikita, Y. 88−28853
Minemoto, H. *see* Kamada, O. 87−63497
Minemoto, H. *see* Matsuda, K. 87−40875, 88−41655, 88−45255, 88−51595
Minemoto, T., Hara, K. Hybrid pattern recognition by features extracted from object patterns and Fraunhofer diffraction patterns: development of a more useful method 87−27562
Minemoto, T., Narano, J. Hybrid pattern recognition by features extracted from object patterns and Fraunhofer diffraction patterns 86−3959
Minemoto, T., Numata, S., Miyamoto, K. Optical parallel logic gate using spatial light modulators with the Pockels effect: implementation using three PROM devices 86−42362
Minemoto, T., Numata, S., Miyamoto, K. Optical parallel logic gate using light modulators with the Pockels effect: applications to fundamental components for optical digital computing 87−26076
Minemoto, T., Okamoto, K., Miyamoto, K. Optical parallel logic gate using spatial light modulators with the Pockels effect 85−56366
Minemoto, T., Tsuchimoto, I., Imi, S. Hybrid pattern recognition using the Fraunhofer diffraction pattern 85−7935
Minemura, H., Mori, S., Noguchi, M., Yoshizaki, R., Kondo, K., Fast, R., Kephart, R., Wands, R., Yamada, R., Aihara, K., Asano, K., Kamishita, I., Kurita, I., Ogata, H., Saito, R., Suzuki, T., Yamagiwa, T. Construction and testing of a 3 m diameter×5 m superconducting solenoid for the Fermilab collider detector facility (CDF) 85−56255
Minemura, H., Tsuboi, N., Sato, Y. Erasing characteristics of optical disks using induction heating 88−51431
Minemura, H. *see* Fast, R.W. 85−35364, 85−43266, 85−59167
Minemura, K., Shikada, M., Emura, K., Yamazaki, S., Honmou, H., Yamaguchi, M., Murata, S. Optical heterodyne detection technology for long span transmission 87−40911
Minemura, K., Shikada, M., Mito, I., Kobayashi, K. Optical heterodyne transmission systems using DFB/DBR laser diodes 87−13722
Minemura, K., Shikada, M., Mito, I., Taguchi, K., Takano, I. Optical devices and systems aspects in Gb/s range optical fiber transmission research 88−4017
Minemura, K., Takano, I., Shikada, M., Mito, I., Taguchi, K., Fujita, S., Henmi, N. High speed optical transmission technique 87−40910
Minemura, K. *see* Aoki, Y. 85−29900
Minemura, K. *see* Emura, K. 85−14251, 86−11103, 86−17366, 86−43860, 87−8271, 87−56156, 88−67404
Minemura, K. *see* Fujita, S. 88−67417
Minemura, K. *see* Henmi, N. 88−45455
Minemura, K. *see* Honmou, H. 87−13693
Minemura, K. *see* Kobayashi, K. 86−22412
Minemura, K. *see* Manome, K. 88−47144
Minemura, K. *see* Niwa, M. 85−14247, 85−50948
Minemura, K. *see* Shikada, M. 86−49695, 88−22087, 88−47103, 88−51810
Minemura, K. *see* Suzuki, A. 86−11121
Minemura, K. *see* Taguchi, K. 86−48267
Minemura, K. *see* Torikai, R. 86−9690
Minemura, K. *see* Yamazaki, S. 86−23849, 86−49693
Minemura, M. *see* Kawamura, R. 86−6411 to 6412
Minemura, M. *see* Shindo, S. 85−30863, 86−10653
Minemura, T. *see* Kajiyama, H. 88−11373
Minemura, Y. *see* Onodera, T. 87−62812
Minemura, Y. *see* Saegusa, M. 86−49618
Minenko, S.V. *see* Senchenko, V.R. 86−44236
Minenkov, V.R. *see* Apollonov, V.V. 85−24476, 86−15626, 87−74980
Minenkov, V.R. *see* Appollonov, V.V. 85−18875
Minenkov, Yu.E. *see* Tsirul'Nikov, L.M. 87−64400
Mineno, H., Okamoto, K., Uratsuka, S., Inomata, H., Nishio, F. Development of UHF band step frequency radar for the measurement of sea ice thickness 88−35584
Mineno, H. *see* Iguchi, T. 87−57399
Mineno, T. *see* Hoshino, Y. 87−3136, 87−28457
Mineo, A. *see* Iwamoto, K. 87−40913
Mineo, B. *see* Companion, J. 87−71124
Mineo, B.A., Cavalier, A., Companion, J., Heyman, J., Blalock, T., Klein, F.A. A portable, non-invasive ultrasonic bladder sensor for incontinence 87−71131
Mineo, B.A., Cavalier, A.R. An ultrasonic bladder sensor for persons with incontinence 88−54545
Mineo, J.A. *see* Vannicola, V.C. 88−60272
Mineo, K., Ugaki, M., Shinohara, S., Ogiuchi, T. Design of a micro-cassette tape recorder and dual button/dial switch used in advanced answering telephone sets 87−28231
Mineo, Y. *see* Ogino, T. 85−21333
Miner, C. *see* Benzaquen, M. 87−45580, 88−32775
Miner, C. *see* Blaauw, C. 85−44697, 86−7762
Miner, C. *see* Surridge, R.K. 88−57689
Miner, C.J. *see* Blaauw, C. 87−73073
Miner, C.J. *see* Hurd, C.M. 87−60142
Miner, C.J. *see* Mandeville, P. 88−31739
Miner, D.G. *see* Archer, D.W. 88−6903
Miner, D.G. *see* Bhavsar, D.K. 88−19201
Miner, D.G. *see* Fox, T.F. 88−70785
Miner, E.D. Voyager 2 and Uranus 86−17357
Miner, G. *see* Dearden, L. 87−6120
Miner, G.E. *see* Johnson, R.L. 87−3254, 87−19817
Miner, J. *see* Stotts, L.J. 86−14294
Miner, R.A. *see* Deer, B.C. 86−70503
Miner, W.H., Jr., Vitello, P., Drobot, A.T. Theory and numerical simulation of a TE_{111} gyroresonant accelerator 85−6648
Minerbo, G. *see* Spears, J.R. 88−61246
Minerbo, G.N. Radial inversion of TE measurements in a borehole 86−6079
Minerbo, G.N. *see* Stokes, R.H. 86−60443
Miners, K.B. *see* Tahiliani, V.H. 86−51724
Minervini, J., Bottura, L. Stability analysis of NET TF and PF conductors 88−65068
Minervini, J.V., Steeves, M.M., Hoenig, M.O. Experimental determination of stability margin in a 27 strand bronze matrix, Nb_3Sn cable-in-conduit conductor 85−62257
Minervini, J.V., Steeves, M.M., Hoenig, M.O. Calorimetric measurement of AC loss in ICCS conductors subjected to pulsed magnetic fields 87−74556
Minervini, J.V. *see* Dragomirecky, M. 87−46409
Minervini, J.V. *see* Hoenig, M.O. 86−48042
Minervini, J.V. *see* Pillsbury, R.D., Jr. 88−65092
Minervini, J.V. *see* Schultz, J.H. 86−48040
Minervini, J.V. *see* Steeves, M.M. 88−65067
Mines, G.L. *see* Bliem, C.J. 86−39595
Mines, J.A. Overview of the telecommunications management network 88−52741
Mines, J.A., Zuckerman, D.N. Integrating performance monitoring data with other alarm information to enhance digital transmission system maintenance 85−13760
Minestrini, M. *see* Benvenuti, C. 88−26739
Minet, J.-P. *see* Berote, G. 86−27886, 88−18003
Minet, J.-P. *see* Cossement, D. 86−40790
Minet, P., Rolin, P., Sedillot, S. Discussions about MAP adequacy to meet hard real-time communication 88−15143
Minet, R. *see* Thaw, C. 88−11755, 88−24576
Mineta, S., Yasunaga, N., Tarumi, N., Obara, A., Ikeda, M. Ceramic film preparation by high power CW CO_2 laser evaporation 87−59018
Mineta, Y. *see* Atsuta, N. 87−41627
Minetti, B. *see* Bressani, T. 85−43256, 88−61113
Minetti, B. *see* Macciotta, P. 86−50394
Minetti, B. *see* Puddu, G. 85−43245
Minetti, B. *see* Puddu, G.A. 85−37915
Minetti, B. *see* Bressani, T. *(editor)* 88−37846
Minetti Mezzetti, E. *see* Demichelis, F. 86−35342
Minetti-Mezzetti, E. *see* Demichelis, F. 86−35356, 86−53323
Mineyama, N., Kasai, Y., Fujii, Y. Environmental radiation monitoring system 88−42422
Mineyama, T. *see* Fukui, Y. 85−22927
Minford, W.J., Bogert, G.A., Stone, F.T. $Ti{:}LiNbO_3$ components for a fiber gyroscope 88−16131
Minford, W.J., DePaula, R., Bogert, G.A. Interferometric fiber optic gyroscope using a novel 3×3 integrated optic polarizer/splitter 88−67866
Minford, W.J., Lipson, J., Murphy, E.J., Rice, T.C., Linke, R.A. A six channel single mode wavelength multiplexer with a waveguide concentrator 85−3478
Minford, W.J. *see* De Paula, R.P. 88−42135
Minford, W.J. *see* Holmes, R.J. 87−68198
Minford, W.J. *see* Lipson, J. 86−23595
Ming, J.C. *see* Bhanu, B. 86−59371, 87−47938, 87−48162
Ming, L., Leijon, M.A.S., Bartnicki, A., Vlastos, A.E. Behaviour and effect of conducting spiral particles under AC voltage in a gas insulated electrode system 88−55258
Ming, M., Ogawa, Y., Matsuda, K., Kashiwakuwa, K. Automatic detector of chrominance distortion 87−562
Ming, O.-Y., Chu, C.-C., Lee, L.-S. A new simplified algorithm for multi-pulse linear predictive speech coding 85−41888
Ming, O.-Y., Shie, C.-J., Tseng, C.Y., Lee, L.-S. A Chinese text-to-speech system based upon a syllable concatenation model 87−27297
Ming, P. *see* Horvath, I. 87−41719
Ming, P. *see* Pasztor, G. 88−65049
Ming, W. *see* Fu, Y.-Q. 87−69388
Ming, Z. *see* Kang, S.Z. 88−67462
Ming Chang Phase object test using two-wavelength digital phase shifting holographic interferometry 88−72442
Ming Chang, Ching-Piao Hu, Philip Lam, Wyant, J.C. High precision deformation measurement by digital phase shifting holographic interferometry 86−18104
Ming Chen *see* Chen Ming
Ming Chie Chak *see* Chak Ming Chie
Ming Chung *see* Yu-Huei Jea 86−59610
Ming Ding *see* Ding Ming
Ming L. Liou *see* Lechleider, J.W. 87−40235
Ming Lee Wah *see* Wah Ming Lee
Ming Li *see* Li Ming
Ming Li Zhang *see* Yu Heng Zhao 88−57953
Ming Liaw, H., Rose, J.W., Nguyen, Ha.T. Characterization of silicon surface defects by the laser scanning technique 88−7440
Ming Lu *see* Lu Ming
Ming Pan *see* Pan Ming
Ming Qi *see* Qi Ming
Ming Shen *see* Shen Ming
Ming Tang, Niles, D.W., Hernandez-Calderon, I., Hochst, H. Photoemission study of the α-Sn/CdTe(110) interface growth 88−43908
Ming Tang, Shyh Wang Simulation studies of the dynamic behavior of semiconductor lasers with Auger recombination 87−61144
Ming Tang, Shyh Wang Kinetics of bifurcation and chaos in semiconductor lasers 88−2255
Ming Tang *see* Niles, D.W. 88−43907
Ming Wan-lin *see* Li Nai-gi 87−39259
Ming Wang *see* Wang Ming
Ming Yi *see* Xuanmin Yang 88−14248
Ming Yi *see* Yi Ming
Ming Yin *see* Yin Ming
Ming Yuan Dai *see* Dai Ming Yuan
Ming Zhang, Zhenming Chai, Yu Wei A new reconstruction algorithm based on Radon transform for diffraction tomography 87−77661
Ming Zhang *see* Zhang Ming
Ming Zhao *see* Lindquist, C.S. 88−48185
Ming Zhao *see* Zhao Ming
Ming-Chang You *see* You Ming-Chang
Ming-Chein Chang *see* Yean-Shan Hu 88−51021
Ming-Chiang Wu, Yu-hwa Lo, Shyh Wang Linewidth broadening due to longitudinal spatial hole burning in a long distributed feedback laser 88−45400
Ming-Chiang Wu *see* Ogura, M. 88−14180
Ming-chuan Tang *see* Tang Ming-chuan
Ming-Chwan Chow An application of the two-wire generic model for transmission equipment 85−25007
Ming-Deh A. Huang, Lieberherr, K.J. Implications of forbidden structures for extremal algorithmic problems 86−40669
Ming-Deng Liu *see* Fedynyshyn, T.H. 87−38118
Ming-duan Tang *see* Tang Ming-duan
Ming-Fa Tsai *see* Yung-Chang Chen 87−49190
Ming-Feng Chang *see* Fuchs, K. 88−63738
Ming-fu Gong *see* Gong Ming-fu
Ming-Fuei Chen *see* Hou-Lung Lee 88−61151
Ming-gen Cui *see* Cui Ming-gen
Ming-Her Chu *see* Jingshown Wu 87−47064
Ming-Hong Chan, Hung Tat Tsui Recognition of partially occluded 3-D objects by depth map matching 88−66655
Ming-Hong Chan *see* Hung-Tat Tsui 88−46229
Ming-Huei Lee *see* Pellechi, M. 87−78393

Ming-Huei Shieh, Hao-Hsiung Lin, Si-Chen Lee, Yuin-Lei Chiou An AlGaAs/GaAs oxide-stripe double-heterostructure laser 86−9852
Ming-Je Chen, Kung Yao On realizations of least-squares estimation and Kalman filtering by systolic arrays 87−39854
Ming-Jen Yang A Monte Carlo code for a time projection chamber 88−61165
Ming-Jer Chen, Ching-Yuan Wu A new method for computer-aided optimization of solar cell structures 85−60446
Ming-Jer Chen, Ching-Yuan Wu A structure-oriented model for determining the substrate spreading resistance in bulk CMOS latch-up paths and its application in holding current prediction 85−62096
Ming-Jer Chen, Ching-Yuan Wu A general structure-oriented 2-D model for determining the substrate resistance in bulk CMOS latch-up path and its applications 86−21857
Ming-Jer Chen, Ching-Yuan Wu An efficient two-dimensional model for CMOS latchup analysis 86−41961
Ming-jer Chen, Ching-yuan Wu An efficient method for calculating the DC triggering currents in CMOS latch-up 86−53829
Ming-Jer Chen, Ching-Yuan Wu Correlations between CMOS latch-up characteristics and substrate structure parameters 87−6888
Ming-Jer Chen, Ching-Yuan Wu A simplified computer analysis for *n*-well guard ring efficiency in CMOS circuits 87−74444
Ming-Jer Jeng *see* Jenn-Gwo Hwu 88−13052
Ming-Kwang Lee, Chih-Yuan Lu, Kun-Zen Chang, Chintay Shih On the semi-insulating polycrystalline silicon resistor 85−35107
Ming-Kwang Lee, Kun-Zen Chang Fabrication of 2 μm length polycrystalline silicon resistor with high-value resistance 86−21747
Ming-Liang Lin, Leiss, E., McInnis, B. Division and sign detection algorithms for residue number systems 85−33337
Ming-Qi Yang *see* Yang Ming-Qi
Ming-Ren S. Fuh, Burgess, L.W. Wavelength division multiplexer for fiber optic sensor readout 87−68015
Ming-Seng Kao *see* Jingshown Wu 88−65856
Ming-shen Yan *see* Yan Ming-shen
Ming-Shing Yu, Guey-Shya Chen, Chia-Chuan Hsiao, Chiu-Yu Tseng, Lin-Shan Lee A cascaded two-phase approach to isolated syllable recognition for Mandarin chinese speech 87−47597
Ming-Shong Lan *see* Elsley, R.K. 87−14104
Ming-Shyong Lin *see* Kan-Sen Chou 86−452
Ming-Tzong Shieh *see* Hsueh-Jyh Li 87−39505
Ming-Wen Chang *see* Wen-Sheng Perng 88−45227
Ming-Wen Wu *see* Molle, M.L. 86−16618
Ming-xi Cheng *see* Cheng Ming-xi
Ming-xin Qiu *see* Qiu Ming-xin
Ming-xing Wang *see* Wang Ming-xing
Ming-ya Huang *see* Huang Ming-ya
Ming-Yang Chern Image processing on a versatile VLSI array processor 87−13111
Ming-Yang-Chern *see* Shiuh-Yung Chen 88−46215
Ming-yew Wang *see* Wang Ming-yew
Ming-Zen Lin, Yeou-Chong Simon Yu, Chung-Yu Wu An environment-insensitive trilayer structure for Titanium silicide formation 87−18038
Ming-zhong Li *see* Li Ming-zhong
Mingalev, V.S., Orlova, M.I., Yevlashina, M.L., Krivelev, V.N., Mingaleva, G.I. The change in the conditions of transit of short-wave signals on a high-latitude path during the winter 88−72543
Mingalev, V.S. *see* Yevlashina, M.L. 87−39370, 87−75427
Mingaleva, G.I. *see* Mingalev, V.S. 88−72543
Mingaleva, G.I. *see* Yevlashina, M.L. 87−75427
Mingaliev, M.G., Petrov, Z.E., Filipenko, V.I., Cherkov, L.N. 'Sliding' technique with the RATAN-600 radio telescope 86−43922
Mingam, H., Tremintin, B., Pratx, J.-M., Gandemer, S. The quality of complex integrated circuits. I. Process development 88−73450
Mingam, H. *see* Vu, D.P. 85−1276
Mingay, M.J. *see* Wadsworth, S.D. 88−1286
Mingazin, A.T. A method of synthesizing digital filters with coefficients of finite length 85−55035
Mingazin, A.T. A nomogram for designing second-order Chebyshev digital filters 86−41247
Mingazin, A.T. A method of improving filter attenuation characteristics 87−45103
Mingazin, T.A. *see* Leikin, V.N. 86−18268
Mingbao Zhang *see* Zhang Mingbao
Mingchang Wang *see* Wang Mingchang
Mingchao Zhang *see* Zhang Mingchao
Mingchen He A simplified error model for accurate measurement of high-frequency transistor *S*-parameters 86−31610
Mingde Ma *see* Ma Mingde
Mingde Tu *see* Tu Mingde
Mingde Wu *see* Wu Mingde
Mingde Xu *see* Xu Mingde
Mingdeng Liu *see* Liu Mingdeng
Mingfang Ling *see* Ling Mingfang
Mingfu Li *see* Li Mingfu
Minggang Ma *see* Ma Minggang
Minggang Shen *see* Shen Minggang
Mingguang Li *see* Li Mingguang
Mingguang Yi *see* Yi Mingguang
Minghan Ye *see* Ye Minghan
Mingheng Zhang *see* Zhang Mingheng
Minghetti, B. *see* Normandon, P. 88−25975
Minghsien Wang, Cutler, M., Su, S. Yield analysis of WSI systolic arrays with two-level redundancy 88−63744
Minghua Qing *see* Qing Minghua
Minghuang Hong, J., Werner, M.J., Yao-hwa Wu, Shyh Wang Molecular-beam-epitaxy-grown single-longitudinal-mode GaAs-AlGaAs interferometric lasers on stepped-channelled substrates 86−15701
Minghui Chen *see* Chen Minghui
Minghui Dong *see* Dong Minghui
Mingjia Pi *see* Pi Mingjia
Mingkai Wang *see* Wang Mingkai
Mingle, J.O., Clark, S.J. Product liability versus product safety: integrating legal research into engineering design 88−31409
Mingli Dong *see* Dong Mingli
Mingliang Cai *see* Cai Mingliang
Mingliang Shi *see* Shi Mingliang
Mingo, A.C. *see* Kohli, R. 88−35241, 88−52976
Mingori, D.L. *see* Gibson, J.S. 86−59141
Mingozzi, E. *see* Masi, E. 87−31049
Mingqi Cheng *see* Sutton, M.A. 87−19672
Mingqian Wang *see* Wang Mingqian
Mingren Yu *see* Yu Mingren
Mingshan Chen *see* Chen Mingshan
Mingshan Zhu *see* Zhu Mingshan
Mingsheng Huang *see* Huang Mingsheng
Mingsqian Wang *see* Wang Mingsqian
Mingst, B.C. The importance of funding in decommissioning cost estimates 88−48723
Mingtai Gao *see* Gao Mingtai
Mingtian Fan *see* Fan Mingtian
Minguet, R., Palome, J., Simon, A. CREACEC: a computer tool applied to nuclear power unit core reloading 88−36924
Minguez, E. *see* Velarde, G. 86−39362, 88−62489
Minguzzi, P. *see* Meucci, M. 86−58907
Mingwu Fan *see* Fan Mingwu
Mingwu Lou *see* Lou Mingwu
Mingxi ZHao *see* ZHao Mingxi
Mingxiang Jiang *see* Jiang Mingxiang
Mingxiao Wang *see* Wang Mingxiao
Mingxin Chiu *see* Chiu Mingxin
Mingxin Qiu *see* Qiu Mingxin
Mingxing Dai *see* Dai Mingxing
Mingxiu Ma *see* Ma Mingxiu
Mingxuan Li *see* Li Mingxuan
Mingxue Pang *see* Pang Mingxue
Mingyao Li *see* Li Mingyao
Mingyao Lin *see* Lin Mingyao
Mingye Liu *see* Liu Mingye
Mingyi Chen *see* Chen Mingyi
Mingyu Che *see* Che Mingyu
Mingzhao Luo, Jeng-Hwa Yee, Hays, P.B. Image plane detector spectrophotometer: application to O_2 atmospheric band nightglow 88−74966
Mingzhen Wang *see* Gusten, H. 87−2095
Mingzhen Wnag *see* Wnag Mingzhen
Mingzhen Xu, Changhua Tan The frequency spectrum of reciprocal capacitance and its derivative in MOS systems 87−17817
Mingzhen Xu *see* Xu Mingzhen
Mingzheng Wo *see* Wo Mingzheng
Mingzhi Wei One-dimensional image-correlation analysis for self-calibration in aperture synthesis 88−29010
Mingzhou Zhao *see* Zhao Mingzhou
Mingzhu Shao *see* Shao Mingzhu
Minh, D.D. *see* Scholtyssek, B. 86−70002
Minh, L.Q., Chot, T., Dinh, N.N., Xuan, N.N., Binh, N.T., Phuoc, D.M., Binh, N.T. A new organic photoconductor in the near infrared region of diode lasers 87−74916
Minh, L.Q. *see* Chot, T. 88−39159
Minh, T.Ha *see* Ha Minh, T.
Minh Duc Tran *see* Tran Minh Duc
Minh Nguyen Effects of O_2 and SF_6 on the anisotropic etching of polysilicon 86−63201
Minh Nguyen Quang *see* Nguyen Quang Minh
Minh Pham-Dong *see* Hartmann, H.L. 85−47058
Minh Phong Bui *see* Kiss, P. 87−51978
Minh Quang Tran *see* Mathews, H.G. 87−73957
Minh Than Chan *see* Chan Minh Than
Minh Tien Tran *see* Tran Minh Tien
Minh Tuan Cao *see* Tuan Cao Minh
Minhang Bao, Yan Wang Analysis and design of a four-terminal silicon pressure sensor at the centre of a diaphragm 87−70605
Minhang Bao *see* Bao Minhang
Minhas, H.S., Roberts, S. The standardisation processes for cellular radio 87−56019
Minhua Ding *see* Ding Minhua
Minhua Fan *see* Fan Minhua
Minhua Jiang *see* Jiang Minhua
Minhua Lu *see* Lu Minhua
Minich, J. *see* Anderhub, H. 87−21420
Minichev, B.M., Ul'yanov, G.N. DC electrical machines for excavator and oil drilling rig drives 88−43530
Minichev, V.V. *see* Basin, S.E. 88−75614
Minielly, N. *see* Fisher, T.A. 86−18608
Miniet, J. Wave soldering chip carriers to flex 86−14757
Miniet, J. Method to affix and wave solder IC carriers on a flexible substrate 86−20944
Miniewicz, A., Samoc, A., Sworakowski, J. Polar molecular crystals: in search of effective non-linear molecular materials 88−58658
Minihold, R. Modulation-depth meter FAMA for avionics applications 88−36640
Minin, A.V., Prokhorov, Yu.N. An estimate of the parameters of speech signals using the method of least squares with limitations 87−75740
Minin, I.V., Minin, O.V. Wide-angle multicomponent diffraction microwave objective 88−4607
Minin, I.V. *see* Baybulatov, F.Kh. 86−68708
Minin, O.V. Removing some limitations in model variation problem concerning calculation of thermostat capacity 87−64963
Minin, O.V. *see* Baybulatov, F.Kh. 86−68708
Minin, O.V. *see* Minin, I.V. 88−4607
Minin, S.N. *see* Abakumov, B.V. 86−63761, 86−68452
Minin, V.A. *see* Zelenin, V.A. 86−26445
Minin, V.I. The mean square error of the spectral analysis of discretized signals 87−55086
Minin, V.P. *see* Sheinkman, A.G. 85−15740
Minin, V.T. *see* Emel'yanov, V.I. 86−6865
Minina, G.P. *see* Minakova, I.I. 85−39951, 85−61148
Minina, G.P. *see* Vasil'ev, A.N. 85−11086, 87−52435
Minina, I.V. *see* Chikin, E.V. 86−21011
Minina, N.Ya. *see* Lavrenyuk, M.Yu. 86−44617
Miniowitz, R. *see* Israel, M. 88−20962
Miniscalco, W.J., Andrews, L.J., Thompson, B.A., Quimby, R.S., Vacha, L.J.B., Drexhage, M.G. 1.3 μm fluoride fibre laser 88−27106
Miniscalco, W.J., Thompson, B.A. Impurity analysis of heavy metal fluoride glass fibres using selectively excited photoluminescence 87−18606
Miniscalco, W.J., Thompson, B.A. Detection of sub-p.p.m. impurity levels by selectively excited photoluminescence in fluoride glass optical fibers 88−1924
Miniscalco, W.J. *see* Wei, T. 88−477, 88−13845, 88−45121
Minish, W.O. Safety and security considerations in the application of programmable controllers 85−16009
Minitskaya, I.L. *see* Babadzhanov, L.S. 88−53856
Minjin Wu, Jie Liang Order model analysis 88−49645
Minjin Wu *see* Wu Minjin
Mink, J., Verbeek, B.H. Asymmetric noise and output power in semiconductor lasers with optical feedback near threshold 86−42520
Mink, J.W. Quasi-optical power combining of solid-state millimeter-wave sources 86−41333
Mink, J.W., Walden, E.J. Vacuum-formed protective cover for a circuit board 85−34329
Mink, J.W. *see* Cogan, K.J. 88−19338
Minkara, S. *see* Caldecott, R. 85−14977
Minker, M. *see* Ludloff, A. 85−59408
Minkh, V.A., Antonenko, A.I. Experimental study of features of electromechanical energy conversion in machines with combined winding 87−30504
Minkin, A.B. *see* Artemyev, A.N. 88−10229
Minkin, J.A., Chao, E.C.T., Blank, H., Dulong, F.T. Proton microprobe analysis of trace-element variations in vitrinites in the same and different coal beds 88−16551
Minkin, L.I. *see* Ter-Gazaryan, G.N. 87−9473
Minkin, M.A., Bel'chinskii, V.V. A ring bridge based on sections of mixed type 85−10956
Minkin, M.A., Malikov, V.V. Compensation of the effect of the distributed nature of the ballast resistance on the characteristics of a power adder 86−53027
Minkin, M.A. *see* Zayentsev, V.V. 85−55129
Minkin, M.M. *see* Arutyunyan, V.Sh. 87−9596
Minkin, M.M. *see* Belen'kii, Yu.M. 87−36186
Minkin, V.M., Rakhmanov, S.Ju., Lev, A.Ju., Odintsov, B.V. Transmission of two supergroup digital streams in a telephone channel of analog radio-relay links 88−59801
Minkin, V.M. *see* Guk, N.I. 86−37752
Minkin, V.M. *see* Kamensky, N.N. 87−34419
Minkina, W., Nikolajuk, D. Analog-to-digital converter systems for temperature measurements 88−67727
Minkina, W. *see* Biernacki, Z. 86−70118
Minkler, W.S., Rezach, B.D., Zolcinski, M.J., Zickler, J. Image communications−linking information management 88−73597
Minkner, R. Development trends in the technologies of high voltage components for AC and DC transmission lines and substations 88−69652
Minko, J.V. *see* Andriashin, A.V. 87−29690
Min'ko, L.Ya., Chumakov, A.N., Chivel', Yu.A. Influence of the laser pulse shape on plasma formation near absorbing targets 85−41539
Minkoff, J. Wideband operation of nonlinear solid state power amplifiers−comparisons of calculations and measurements 85−11058

Minkoff, J. The role of AM-to-PM conversion in memoryless nonlinear systems 85−30142
Min'kov, G.M. *see* Elizarov, A.I. 87−66897
Min'kov, G.M. *see* Germanenko, A.V. 85−18122, 86−58250, 87−32270
Minkov, I.M. Choosing the plate thicknesses of a stack to be used as a semitransparent mirror for a resonator 87−33245
Minkov, V., Hirsch, P. Potential energy savings based on reduction of pressure in central heating system 85−53551
Minkov, V., Krumpelt, M., Daniels, E., Asbury, J.G. Topping cycle fuel cells effective combined with turbines 88−75431
Minkova, S.A. *see* Brukhman, V.Ya. 86−28869
Minkovich, B.M. Theoretical synthesis of linear, equidistant antenna arrays with radiation patterns of special form 85−57115
Minkovich, V.P., Zadontsev, B.G., Grigor'yants, V.V., Tishchenko, R.P. Fabrication and studies of low-loss fiber waveguides with polymer coatings solidified by ultraviolet radiation 85−35502
Minkovich, V.P. *see* Tikhomirnov, S.I. 85−50953
Min'kovsaya, L.I., Anikanova, V.I. Automating the accounting of fuel on power stations at operator and station-accounts levels 87−9340
Minkovski, N.I. *see* Chaltakov, I.V. 88−40135, 88−51742
Minkovsky, N.I. *see* Chaltakov, I.V. 88−20559
Minn, S. *see* Nguyen, T.P. 85−23598
Minneci, G. *see* Chin, A.K. 85−56452
Minneci, G. *see* Koszi, L.A. 87−33209
Minneci, G. *see* Saul, R.H. 85−56449
Minneman, S. *see* Demasco, P. 88−52985
Minneman, S.L. A simplified Touch-Tone telecommunication aid for deaf and hearing impaired individuals 86−25274
Minneman, S.L. *see* King, S.J. 87−21639
Minneman, S.L. *see* Levine, S.H. 88−54666
Minner, T. *see* Bruckner, B. 88−47631
Minnett, P.J. *see* Leach, H. 85−59489
Minnett, P.J. *see* Thomas, I.L. 86−50741
Minnich, H.W., Bula, H.M. Manufacturing control system at IBM tracks product movement through semiconductor line 86−19822
Minnich, S.H. Small signals, large signals, and saturation in generator modelling 86−56702
Minnich, S.H., Dougherty, D.K. Calculation of generator simulation model constants using finite-element analysis 85−53663
Minnich, S.H., Schulz, R.P., Baker, D.H., Farmer, R.G., Sharma, D.K., Fish, J.H. Saturation functions for synchronous generators from finite elements 88−30684
Minnich, S.H., Tandon, S.C., Atkinson, D.R. Comparison of two methods for modeling large-signal alternating magnetic fields using finite-elements 85−13045
Minnich, S.H. *see* Sharma, D.K. 86−33289, 87−42856
Minnick, W.A. Testing a discrete component mix with multipurpose ATE−the final step in a statistical quality control strategy 86−4986
Minning, C.P. *see* Basiulis, A. 86−13590, 87−16422
Minnis, B.J. Direct frequency synthesizers for MTI radar 86−37947
Minnis, B.J. A printed circuit stub tuner for microwave integrated circuits 87−37555
Minnis, B.J. A 2-18 GHz multistage distributed amplifier with 40dB gain 87−45296
Minnis, B.J. Decade bandwidth bias T's for MIC applications up to 50 GHz 87−52806
Minnis, B.J. Novel variation of distributed amplifier for millimetre-wave operation 88−44350
Minnis, B.J., Nugent, D.M. Control and de-embedding software for 8510 network analyser 87−21015
Minnis, B.J. *see* Bates, R.N. 85−45244
Minnix, J.I., Inigo, R.M., McVey, E.S. A new sensor for machine vision 87−8624
Mino, A. *see* Kawakami. H. 86−51692
Mino, A.Di *see* Di Mino, A.
Mino, H. *see* Hara, K. 86−51483
Mino, M., Hashimoto, N., Hosokawa, Y., Kitamura, S., Sakakibara, K. VHS movie cameras NV-M1 and NV-M3 86−38089
Mino, N., Kobayashi, M., Konagai, M., Takahashi, K. ZnSe:Mn DC-electroluminescent cells using Di-π-cyclopentadienyl manganese as a new manganese source fabricated by plasma-assisted MOCVD 85−51038
Mino, N., Kobayashi, M., Konagai, M., Takahashi, K. Epitaxial growth of high quality ZnSe on Si substrates by molecular beam epitaxy and application to DC electroluminescent cells 85−60958
Mino, N., Kobayashi, M., Konagai, M., Takahashi, K. Plasma-assisted metalorganic chemical vapor deposition of ZnSe films 86−40738
Mino, N. *see* Horii, K. 86−4845
Mino, N. *see* Katagiri, H. 86−67740, 87−24856
Mino, N. *see* Kobayashi, M. 85−51060 to 51061, 87−5423
Mino, Y. *see* Hayashi, M. 85−56000
Minogue, P. *see* Byrne, M. 86−46988, 86−52895
Minoh, M., Araki, M., Sakai, T. Fair copy reproducing algorithm from roughly sketched diagrams 87−48129
Minoh, M., Sakai, T. An error detecting and correcting coding method for bi-level line drawings using the redundancy of the images 86−30038
Minoh, M., Sakai, T. Mesh-oriented line drawings theory (MOLD theory) 86−48976
Minoh, M., Sakai, T. An error detecting and correcting coding method for bilevel images of line drawings using the redundancy of the images 87−62215
Minoh, M. *see* Lin, X. 86−40842
Minoh, M. *see* Yamada, K. 87−20708
Minohara, S. *see* Fuse, T. 86−5878
Minokoshi, S. *see* Katayama, S. 88−12784
Minoli, D. ALOHA channels throughput degradation under dependent sources 87−33861
Minoli, D. The 1987-1992 outlook for fiber-optics use in the US telecommunications industry. I 88−9529
Minoli, D. The 1987-1992 outlook for fiber-optics use in the US telecommunications industry. II 88−9530
Minoli, D. On the fiber-optics outlook in the US discusses some issues affecting the technology. III 88−15440
Minoli, D. Part IV concludes series on the US outlook for fiber optics with forecasts for its use in LANs 88−35065
Minoli, D., Amoss, J.J. Transitioning to an intelligent ISDN-based plant−a datacom perspective 88−53038
Minomo, M., Yasaka, T. Development of 30/20 GHz satellite antenna structures 87−12823
Minomo, M. *see* Itanami, T. 86−68900, 87−27006, 87−33519, 87−47342, 88−73849
Minomo, M. *see* Kawakami, Y. 88−45757
Minomo, M. *see* Ohtomo, I. 87−7600
Minomura, S. *see* Hamanaka, H. 85−6808, 85−55685, 86−58387
Minomura, S. *see* Okayasu, Y. 88−1390
Minomura, S. *see* Tachikawa, M. 86−22217
Minondo, P. *see* Arnaud, O. 88−56910
Minondo, P. *see* Makram-Ebeid, S. 85−40746
Minoni, U., Sansoni, G., Sardini, E., Scarabottolo, N., Strada, R. A local area network for industrial measurement application 88−47176
Minoni, U., Sansoni, G., Scarabottolo, N. A fault tolerant microcomputer ring for data acquisition in industrial environments 88−60619
Minoni, U., Strada, R. Automatic instrumentation for industrial measurement: multilevel connection for a data acquisition network 86−17770
Minor, B.B. Electronic manuscript transmission via a local area network at Syracuse University 86−37375
Minor, J.L. *see* Shimer, S.E. 87−20965
Minor, S.D., Soderberg, G.L., Taylor, D. Technique for EMG fine wire connections 87−14895
Minor, T. *see* Dehrmann, K. 86−893
Minorikawa, H., Yoshinari, T. Direct ignition system (DIS) 87−16135
Minorikawa, K., Nagai, K., Maejima, H. Display LSI family 88−36145
Minorikawa, K. *see* Funabashi, T. 85−28604, 85−45897
Minorikawa, K. *see* Iwasaki, K. 86−2331
Minorikawa, K. *see* Katsura, K. 85−26415, 85−45896, 86−20601
Minorikawa, K. *see* Maejima, H. 85−33977
Minorikawa, K. *see* Yamaguchi, N. 85−40877
Minot, C., Le Person, H., Alexandre, F., Palmier, J.-F. Photoexcited carrier transport in GaAs/AlGaAs superlattices: a time of flight technique 86−21233
Minot, C. *see* Alexandre, F. 87−45891
Minot, C. *see* Le Person, H. 88−32866
Minot, C. *see* Palmier, J.F. 85−61747, 87−18082, 88−32862, 88−57627
Minot, C. *see* Sibbille, A. 88−33187
Minot, M.M. Hardware-software combo speeds IMD measurements 86−26605
Minot, M.M. Thermal characterization of microwave power FETs using nematic liquid crystals 87−6137
Minot, T. Workstation moves in on mainframes, tackling hefty gate arrays 85−33570
Minotani, K. Summary of facilities of subway Yamate Line and Seishin Extension Line of traffic bureau of Kobe City 86−66425
Minott, P.O. Design of a wide-angle all reflective triplet for an orbiting push-broom linear array scanner 87−29918
Minott, P.O., Abshire, J.B. Grating rhomb diode laser power combiner 87−68594
Minotti, M. *see* Distante, F. 86−24308, 87−1103
Minou, M. *see* Yamada, K. 85−51785
Minoura, A. *see* Yogo, H. 87−2462
Minoura, H., Negoro, T., Kitakata, M., Ueno, Y. Crystal growth of cadmium selenide by fused salt electrolysis and its photoelectrochemical properties 86−7822
Minoura, H., Negoro, T., Kitakata, M., Ueno, Y. Mechanism for CdSe deposition by fused salt electrolysis 87−36785
Minoura, H. *see* Suguira, T. 87−11494
Minoura, H. *see* Ueno, Y. 88−5819, 88−12957, 88−30973, 88−37352
Minoura, K. *see* Minami, S. 88−33839
Minoux, M. Optimal traffic assignment in a SS/TDMA frame: a new approach by set covering and column generation 87−40802
Minoux, M., Brouder, C. Models and algorithms for optimal traffic assignment in SS/TDMA switching systems 87−56057
Minoux, M. *see* Jaumard, B. 88−32333
Minoux, M. *see* Ribeiro, C.C. 85−28118
Minovskii, Yu.P. *see* Shpiganovich, A.N. 85−49242
Minowa, I. Influence of the DC bias to nonlinear distortion of contacts 88−19460
Minowa, I., Akiyama, J., Kanno, M. Application of two frequency non-linearity measuring method to contacts 86−31628
Minowa, I., Akiyama, J., Kanno, M. Application of two-frequency nonlinearity measuring method to contacts 87−52928
Minowa, I., Kanno, M. Measurement of contact resistance of electric contacts using SQUID galvanometer 85−34242
Minowa, I. *see* Kanno, M. 86−13462, 86−24745
Minowa, I. *see* Nakamura, M. 87−1033
Minowa, J., Fujii, Y. Wide-bandwidth, sharp-cut-off bandpass filter for WDM transmission 86−2904
Minowa, J., Fujii, Y. Subnanometer bandwidth interference filter for optical fiber communication systems 88−51649
Minowa, J., Hakamada, Y., Tokura, N., Kawase, M. Development of fiber-optic local area networks 85−57770
Minowa, J., Tokura, N., Nosu, K. Development of fiber-optic local area networks in Japan 85−63654
Minowa, J. *see* Fujii, Y. 85−14267, 85−56290
Minowa, J. *see* Hakamada, Y. 87−13733
Minowa, J. *see* Ishio, H. 85−8419
Minowa, J. *see* Oguchi, K. 86−64987
Minowa, J. *see* Sano, K. 85−3265, 86−43863, 86−64986
Minowa, M. Physics overview and status of LEP 88−22869
Minowa, M. *see* Fukuda, E. 88−46887
Minowa, M. *see* Kitamura, Y. 87−17021
Minowa, M. *see* Nakamura, H. 88−73747
Minowa, O., Shimazu, I. Highly reliable, nonflammable equipment for gas-insulated spot-network substations 88−11329
Minowa, T., Arai, Y. The Japanese CV-syllable positioning rule for speech synthesis 87−27286
Minowa, T. *see* Fujii, J. 88−62413
Minowa, T. *see* Katsuragawa, H. 87−71061
Minowa, T. *see* Miyoshi, K. 88−62545
Minowa, Y., Ito, H. SiO_2 films deposited on Si by dual ion beams 88−39221
Minowa, Y. *see* Yamanishi, K. 85−16992
Minozuma, F. Radio noise interference activities in Japan, historical reviews 86−3533
Minozuma, F. *see* Seki, Y. 86−3583
Minqxue Gao *see* Gao Minqxue
Minsart, G., Steyaert, R. New trends in the planning of MV cable supply systems 85−59648
Minsheng Shi *see* Shi Minsheng
Minsky, H. *see* Baker, C. 88−25276
Minsky, H. *see* Weste, N. 88−25275
Minson, A.A.C., Kivell, J.A., Fry, T.J. Tongonan I geothermal power development, Philippines 86−19140
Minsoo Suk, Hyun-Taek Chang Data compaction in the polygonal representation of images 87−33785
Minsoo Suk, Hyun-Taek Chang Display of color images with a limited set of colors 87−34983
Minsoo Suk *see* Hyun-Taek Chang 86−4054
Minster, I. Determination of the shear moduli of carbon epoxy composites by means of the bending test 85−39818
Minster, J.-F. *see* Wunsch, C. 86−12187
Minster, O., Granier, J., Potard, C., Eustathopoulos, N. Molding and directional solidification of solar-grade silicon using an insulating molten salt 87−51463
Mintchev, P.M. Optimum design of electromagnets by means of the goodness factor approach 88−52153
Minteanschi, B. *see* Ionescu, S. 88−42929
Minten, A. *see* Amendolia, S.R. 87−21426 to 21428
Minten, A. *see* Bonvicini, G. 87−41700 to 41701
Minter, J.B. A new modular card edge connector system 88−38850
Minter, R., Llewellyn, C., King, R. Prototype trains for the Central Line 87−79097
Min'Tkhay Chan *see* Chan Min'Tkhay
Minto, A.M.G. Some aspects of precautions against electric shock and earth faults in electrical installations 88−61969
Mints, A. Operator iterations with a random rounding error 87−10309
Mints, M.B., Shteiert, I.A. New modifications of photo-galvanic amplifiers of type F127 85−61129

Mints, M.Ya., Chinkov, V.N. Calibration of electromechanical measuring instruments using rectangular signals with variable off-duty factor 88−29502
Mints, M.Ya., Chinkov, V.N., Grib, O.G. Digital methods for measuring asymmetry of three-phase voltage system 85−48635
Mints, M.Ya., Chinkov, V.N., Grin', O.G. Balancing the currents of three-phase networks [transmission networks] 85−15556
Mints, M.Ya., Chinkov, V.N., Kravchenko, S.A. Optimum method choice in hardware analysis of random-process spectra 88−34673
Mints, N.Ya., Prilepskiy, Ye.D. Linear antenna arrays with maximum directive antenna gain for current-amplitude limitation 88−66227
Mints, R.G., Rakhmanov, A.L. Current-carrying capacity of twisted superconducting composites 88−71971
Mints, R.G. *see* Andrianov, V.V. 87−32902
Mints, R.G. *see* Majoros, M. 88−1887
Mints, R.G. *see* Polak, M. 87−46403
Mints, S.V. *see* Il'in, Ye.M. 86−37726
Mintyanskii, I.B. *see* Kaminskii, V.M. 86−27954
Mintz, D. *see* Hoffman, V. 88−18736
Mintz, E. *see* Mazor, B. 87−27341
Mintz, J.D. Failure analysis of polymeric-insulated power cable 85−27071
Mintz, M.J. *see* Benedetto, M.D. 86−70407
Mintz, R. *see* de Padua Paulo Filho, W. 86−10925
Mintz, R.B., Spooner, G.F., Hardtla, J.W. Explicit guidance for the next generation of air-to-surface missiles 86 −12062
Mintz, S. A history of the development and evolution of Sperry's UNISCOPE protocol 86−49302
Mintz, S. Hardware standards and the evolution of communications devices 86−49367
Mintz, S.J. The mechanics of making the typical telephone connection 86−64576
Mintzer, F. Filters for distortion-free two-band multirate filter banks 85−57352
Mintzer, F.C. *see* Anderson, K.L. 87−40297
Mintzer, F.C. *see* Chen, Y. 87−19935
Mintzer, L. Observation on distributed arithmetic designs of block digital filters 85−968
Mintzer, L. A CAD approach to digital signal processing 86−3932
Mintzer, L. A signal processing gate array 88−3134
Mintzer, L. Mechanization of digital signal processors 88−47462
Minuhin, V.B. Theory of playback process with soft magnetic underlayer 85−35306
Minuhin, V.B. Field of probe heads with ideal windings 85−46003
Minuhin, V.B. Usage of Laplace transform for analysis and synthesis of magnetic heads 85−46004
Minuhin, V.B. Characteristics of ideal probe heads with ideal windings in the presence of a permeable media underlayer 86−2595
Minuhin, V.B. Theoretical limits of characteristics of two-dimensional magnetic heads 86−36030
Minuhin, V.B. Dependence of readback output on medium thickness in the presence of a permeable underlayer. I. General theory 86−42114
Minuhin, V.B. Theoretical comparison of readback harmonic responses for longitudinal recording and perpendicular recording with probe head over a medium with permeable underlayer 87−18505
Minuhin, V.B. Wavelength responses of probe heads with ideal windings in the presence of a permeable media underlayer 87−25837
Minuhin, V.B. Usage of Laplace transform for analysis of magnetic heads 87−25838
Minuhin, V.B. Magnetic recording in the printing mode 87−60814
Minuhin, V.B., Lopez, O., Perlov, C. On demagnetization induced boosting of the short-wavelength in perpendicular recording 86−42116
Minuhin, V.B., Steinback, M. Dependence of readback output on medium thickness in the presence of a permeable underlayer. II. Wavelength responses of probe heads in the presence of a permeable underlayer 86−42115
Minulin, R.S. *see* Rapoport, V.E. 86−33138
Minulin, R.S. *see* Rogozhkin, V.V. 86−39270
Minullin, R.G. The azimuthal arrival angles of radiowaves reflected by the E_s layer 88−2560
Minuth, P.R. Clipper, 32-bit microprocessor for CAD/CAM applications 88−44179
Minuti, F. *see* Della Bruna, M. 85−25655, 85−47363
Minuto, A. *see* Gould, J.D. 88−29555
Minutolo, F.Memola Capece *see* Memola Capece Minutolo, F.
Minvielle, A. *see* Brown, A. 88−20049
Minwang Qiu *see* Qiu Minwang
Minxia Zhuang *see* Zhuang Minxia
Minxian Wu *see* Shaomin Zhou 88−13988
Minxian Wu *see* Xiangyang Yang 88−13980
Minyaev, N.A. *see* Rotinov, A.G. 87−15624
Minyan Yao, Ji Zhang, Caiyun Lou, Yili Guo A new Raman frequency-shift laser with intracavity arrangement for high conversion efficiency of the first order of Stokes 88−45497
Minyan Yao *see* Yao Minyan
Minyawi, N.M.H.El *see* El Minyawi, N.M.H.
Minying Feng *see* Feng Minying
Minyou Wang *see* Wang Minyou
Minyu Yi *see* Yi Minyu
Minzer, S.E. Broadband user-network interfaces to ISDN 88−3773
Minzer, S.E. Toward an international broadband ISDN standard 88−9283
Minzer, S.E. Broadband user-network interfaces to ISDN 88−59815
Minzer, S.E., Spears, D.R. Principles for defining a signaling protocol for complex calls in an ISDN 88−3297
Minzer, S.E. *see* Beckner, M.W. 87−76142
Minzer, S.E. *see* Wernik, M. 88−59839
Minzheng Wo *see* Wo Minzheng
Minzhulin, V.M. *see* Gruzdeva, N.I. 85−2098
Minzkiewicz, L.M. *see* Morrison, C.B. 86−22371
Mio, K. *see* Keneko, T. 86−59888
Mio, M. *see* Suzuki, Y. 85−6132, 86−62323, 86−67296
Mioc, S. *see* Raccah, P.M. 85−34498
Mioduszewska, A. *see* Grejcz, B. 88−15501
Mioduszewski, J. *see* Lewis, G. 88−44715
Mioduszewski, J. *see* Lewis, G.N. 86−38680
Miono, S. *see* Imaeda, K. 86−25126
Miono, S. *see* Okamoto, Y. 86−32197
Miossec, C. Adapting Electricite de France's nuclear power plants to the requirements of the grid 87−4511
Miossec, C., Rotival, M. Adaptation of nuclear power plants to the requirements of the grid 86−18968
Miossec, C. *see* Guesdon, B. 85−59956
Miotello, A., Mazzer, M., Cerdonio, M., Vitale, S. Thermal noise in a high inductance SQUID 86−63592
Miotello, A. *see* Cerdonio, M. 87−74570
Miotkowska, S. *see* Miotkowski, I. 86−66804, 87−44356, 87−65525
Miotkowski, I., Miotkowska, S. Composition and growth kinetics of $Cd_{1-x}Mn_xTe$ thin films by hot-wall epitaxy 86−66804
Miotkowski, I., Miotkowska, S. Diffusive vapour transport of $Cd_{1-x}Mn_xTe$ thin films 87−44356
Miotkowski, I., Miotkowska, S., Warminski, T. The growth of epitaxial $Cd_{1-x}Mn_xTe$ films by hot-wall evaporation 87−65525
Miple *see* Bedocs, L. 85−39323
Miquel, J.-C. High speed video 86−5087
Mir, M., McCleer, P.J. A microcomputer-based relay for protection of three-terminal lines 85−9552
Mir, M., McCleer, P.J. A new microcomputer-based approach for pilot differential protection of transmission lines 88−5382
Mir, R. *see* Bella, G. 87−29447
Mir, R. *see* Dado, S. 87−29448
Mir Akbar Ali, Ohlhaber, R.L. High index infrared glasses for integrated optics 85−62275
Mira, J., Varela, R., Rios, F., Delgado, A.E., Tojo, R. Analog processor implementation of a real-time harmonic profile estimator for use in clinical paediatrics 86−29939
Mira, J. *see* Barahona da Fonseca, J. 88−48182
Mira, J. *see* Garcia, I. 87−21566
Mira, J. *see* Lopez, O. 87−63801
Mira, J. *see* Marin, R. 86−32297
Mira, J. *see* Navarrina, I. 85−23006
Mira, J. *see* Rios, F. 85−20657, 86−11508
Mira, J. *see* Zapata, E.L. 86−14292
Mira, J.-J., Charbonneau, S. NPP operation and maintenance with French-built NPPs 88−30496
Mira, J.-J. *see* Guesnier, G. 87−64315, 88−30463
Mira, J.C. *see* Sebille, A. 88−68326
Mira, J.J. Action taken by Electricite de France to minimize human error 85−21324
Mirabel, J.M. *see* Rey, A. 87−1796
Mirabella, O. *see* Di Stefano, A. 86−59680, 86−69236
Mirabella, O. *see* Faro, A. 85−8189, 85−63426, 86−55008
Mirabella, R., Stout, T. Combining logic and layout simplifies PC-board design 85−54596
Mirabella, R.P. À CAE approach to printed circuit board and electromechanical design 86−66943
Mirabelli, G. *see* Ciaffoni, O. 87−62972
Mirabelli, G. *see* Ferrer, M.L. 87−13432
Mirabito, M.M., Morgenstern, B.L. Bibliography: new technology in video and related fields 86−43935
Miracky, R.F., Devoret, M.H., Clarke, J. Deterministic hopping in a Josephson circuit described by a one-dimensional mapping 85−35350
Miracle, M.J. *see* Densmore, W. 85−36872
Miraev, A.T. *see* Abdullaev, S.S. 85−50936
Miraglia, F.J., Holahan, G.M., Murphy, E. United States Nuclear Regulatory Commission integrated program for the resolution of Unresolved Safety Issues A-3, A-4, and A-5 regarding steam generator tube integrity 85−38798
Miraglia, J.A. *see* Bradley, M.E. 85−42894
Miralles, A., Cornet, A., Morante, J.R. Conduction mechanisms and temperature dependence of the electroluminescence in ZnO varistors 87−11079
Miralles, A., Herms, A., Bertran, E., Cornet, A., Morante, J.R. Effects of grain size and boundary states density in CdS polycrystalline solar cells devices 86−33685
Miralles, M. Industrial connectors 88−71159
Miralles, P. *see* Jeandon, J.-P. 88−15771
Miram, G. *see* Merdinian, G. 86−47226
Miram, G.V. Diagnostic techniques with a computer controlled beam analyzer 87−50100
Miranda, C.de *see* de Miranda, C.
Miranda, D.R. Radial springs for electro generator slot wedge compression control 88−69296
Miranda, E. The Southern California Edison productivity improvement program 86−13394
Miranda, H., El Nokali, M. Simple two-sections model for short channel MOS transistors in saturation 87−1535
Miranda, H. *see* El Nokali, M. 86−67876
Miranda, J. An analyser for logic signals with sixteen LEDs 85−47903
Miranda, J. An oscilloscope calibrator for voltage and frequency 85−58489
Miranda, J. Power supply for operational amplifiers 85−61090
Miranda, J. A speech processor 86−10290
Miranda, J. The characteristics and applications of the integrated circuit TDA 7000 86−24069
Miranda, J. An atmospheric humidity meter with adjustable threshold and hysteresis 86−31395
Miranda, J. Systems for controlling the accuracy of voltage limits and AC in a multimeter 86−44083
Miranda, J. Three way drum synthesizers 86−49901
Miranda, J. The measurement of harmonic distortion 86−55825
Miranda, J.C., Bembassat, A., Galindo, R. Analysis of the formulae for predicting the multipath dissipation and the comparison with the results of measurements of propagation carried out in Cuba 85−57016
Miranda, L.C.M. *see* da Silva, M.D. 88−22550
Miranda, L.C.M. *see* Faria, I.F., Jr. 87−66613
Miranda, L.C.M. *see* Mello, S.M.N. 87−64819
Miranda, L.C.M. *see* Netzelmann, U. 85−24163
Miranda, L.E. Introduction to Petri networks 88−56152
Miranda, M. A heart beat meter with a visual display 85−15306
Miranda, R. *see* Asensio, M.C. 88−13115
Miranda, R. *see* Garcia, N. 86−5525
Miranda, R. *see* Michel, E.G. 88−26087
Miranda, R. *see* Oellig, E.M. 87−60317
Miranda, R.F. *see* Kikuchi, D.T. 88−42177
Miranda, R.F. *see* Steele, R.D. 87−4016
Miranda, R.S., Jacobovitz, G.R., Brito Cruz, C.H., Scarparo, M.A.F. Positive and negative chirping of laser pulses shorter than 100 fsec in a saturable absorber 86−42616
Miranda, V. Fixed cost capacitated transhipment problems−some solving experiences on a minicomputer 87−4300
Mirande, W., Hoeschen, D. Power spectra of X-ray screen-film combinations 85−53034
Mirande, W., Hoeschen, D., Stargardt, A. Detective quantum efficiency of radiographic screen film systems 88−10339
Mirandola, A., Minca, L. Energy recovery by expansion of high pressure natural gas 87−42558
Mirandola, P. *see* Comellini, E. 88−17156, 88−17227
Miranyan, S.A. *see* Klement'ev, A.V. 86−24461
Mirauer, R. Evolving the semiconductor laser 86−49578
Miravalles, E. Negative losses in transformers with a tertiary winding 86−51689
Mirbach, H.J. An electronic geartrain 88−4621
Mirbagher, E. *see* Wegner, R. 87−64330
Mirbod, A., Dewan, S.B. Selection of commutation circuits for four-quadrant choppers 88−38382
Mirbod, A., El-Amawy, A. A novel microprocessor-based controller for a phase controlled rectifier connected to a weak AC system [power convertors] 86−45581
Mirbod, A., El-Amawy, A. A general-purpose microprocessor-based circuit for a three-phase controlled rectifier bridge 87−4796
Mirbod, A., El-Amawy, A. Performance analysis of a novel microprocessor-based controller for a phase-controlled rectifier connected to a weak AC system 87−43198
Mirbod, A., Eldridge, J. A high frequency variable voltage fed inverter 86−45546
Mirbod, A., Eldridge, J.M. A high frequency variable voltage-fed inverter [geophysical survey transmitter application] 87−15866
Mirbod, A. *see* Cox, M.D. 87−5092, 87−30787
Mirbod, A. *see* El-Amawy, A.A. 88−55447
Mirbod, A. *see* Kumar, B.S.A. 88−30884
Mirbod, S.A., Dunford, W.G. A capacitor bank charger using a high-frequency link resonant circuit 86−7946
Mircea, A. Epitaxy of III-V semiconductors 85−44744
Mircea, A., Mellet, R., Rose, B., Daste, P., Schiavini, G. Instrumental aspects of atmospheric pressure MOVPE growth of InP and InP:GaInAsP heterostructures 87−16591

Mircea, A., Mellet, R., Rose, B., Robein, D., Thibierge, H., Leroux, G., Daste, P., Godefroy, S., Ossart, P., Pougnet, A.-M. The growth and characterization of device quality $\mathrm{InP/Ga_{1-x}In_xAs_yP_{1-y}}$ double heterostructures by atmospheric-pressure MOVPE using trimethylindium 87–259
Mircea, A., Rose, B., Daste, P., Robein, D., Couchaux, B., Gao, Y., Carriere, C. Atmospheric pressure OMCVD growth of high-quality InP-based heterostructures without hydrogen 88–64254
Mircea, A. *see* Koppitz, M. 85–10689
Mircea, A. *see* Rose, B. 85–46396
Mircea, C. Digital computation of active torque and permanent drift angle for the mobile magnet magnetoelectrical instrument 87–60799
Mircea, E. Simulation of the dynamic conditions of electrical networks with the aid of REI and ETI equivalents 88–23463
Mirchandani, A. *see* Kumar, U. 88–57634
Mirchandani, A. *see* Sohie, G.R.L. 87–61962
Mirchandani, D. *see* Perros, H.G. 86–23486
Mirchandani, G., Gaus, R.C., Jr., Bechtel, L.K. Performance characteristics of a hardware implementation of the cross-talk resistant adaptive noise canceller 87–20101
Mirchandani, G., McGuire, G.A. Performance characteristics and speed-up rates of the NEC mPD7281 data flow processor in parallel processing 87–61981
Mirchandani, G., Ogden, D.D. Experiments in partitioning and scheduling signal processing algorithms for parallel processing 88–66579
Mirchandani, G. *see* Zinser, R.L., Jr. 86–14406
Mircheva, V. *see* Todorov, I. 85–54140
Mirdzhamalov, K. *see* Karpov, A.V. 88–34303
Mirea, M. *see* Haiduc, C. 87–30290
Mirecki, B. *see* Puchalska, I.B. 88–57966
Mirecki, T. EMS 4.0 pull together [expanded memory specification] 88–56624
Mirels, H. Performance of two coupled lasers 86–63842
Mirels, H. Saturation effects in coupled lasers with homogeneous gain 87–26254
Mirels, H. Effects of translational and rotational nonequilibrium on CW chemical laser performance 88–27011
Mirels, H., Chodzko, R.A., Bernard, J.M., Giedt, R.R., Coffer, J.G. Reverse wave suppression in unstable ring resonator 85–18969
Mirels, H. *see* Bernard, J.M. 86–36525, 88–14262
Miremadi, B.K. *see* Sears, W.M. 87–56653
Mirer, S.A. *see* Sarychev, V.A. 86–12085
Mirer, W. *see* Nyman, M. 86–31924
Mires, G.E. *see* Rusch, W.V.T. 88–2725
Miret, A., Newman, N., Weber, E.R., Liliental-Weber, Z., Washburn, J., Spicer, W.E. Aging of Schottky diodes formed on air-exposed and atomically clean GaAs surfaces: an electrical study 88–44738
Miret, J. A controllable DC/AC convertor 85–61089
Miret, J. A charger of 12 V lead-acid batteries 86–61609
Miretskii, B.P. *see* Bykovskii, V.F. 88–14082, 88–45342
Miretskii, V.O. *see* Gorodyskii, M.V. 85–44301
Mirgorodskaya, E.N. *see* Alyakna, Yu.Yu. 85–45939
Mirgorodskii, S.V. *see* Iskhakov, A.S. 87–58188
Mirgorodskii, V.I., Peshin, S.V. Effect of the nonmonomodal nature of piezotransducers on the dynamic range of the acousto-optic modulators of microwave spectrum analyzers 88–47491
Mirgorodskii, V.I., Peshin, S.V. Possibility of developing commutator switches for optical communication channels from bulk acoustooptic deflectors 88–67336
Mirgorodskii, V.I. *see* Avetisyan, A.A. 87–68225
Mirgorodskiy, V.I. *see* Kucha, V.V. 87–12280
Miri, A.M., Heinrich, C. The effect of short circuit current data on the dynamic load of busbar cables 86–32756
Miri, A.M., Schwab, A.J., Kopatz, M. Short-circuit forces and conductor movement in high-voltage switchgear plant with cable connections 88–49072
Miri, A.M., Stein, N. Short-circuit stresses and strength of high-voltage post insulators 88–42878
Miri, S. *see* Keyhani, A. 88–43171
Miri, S.M., Keyhani, A. Solution to the ferroresonant jump problem in three-phase power conditioning systems 88–55417
Miri, S.M. *see* Keyhani, A. 86–51609, 86–61495, 86–66126, 87–43172, 88–24019, 88–69443
Miriametro, A. *see* Coluzza, C. 86–505
Miric, B., Markovic, A., Bojovic, R., Kapkovic, J. Spectral moments of traffic Doppler signals 87–63027
Miric, I. *see* Vasiljevic, Lj. 85–37965
Mirick, W. *see* Bigg, D.M. 85–44804
Miridonov, S.V. *see* Bliznetsov, A.M. 88–51579
Miridonov, S.V. *see* Boyarchuk, K.A. 87–56248
Miridonov, S.V. *see* Miteva, M.G. 87–47004
Miridzhanyan, M.M. *see* Avetisyan, A.G. 88–53762
Mirimanyan, V.Kh., Simonyan, S.A. Use of the second and third field harmonics for excitation of analogous-pole induction generators 87–22320
Mirimanyan, V.Kh., Simonyan, S.A., Saratovkina, E.V. Calculation of excitation systems from the higher harmonics of the field of an analogous-pole induction generator 87–22321
Mirimanyan, V.Kh., Simonyan, S.A., Saratovkina, E.V. Calculation of the third field harmonic excited system in inductor generators with permanent magnets 88–69272
Mirimanyan, V.Kh. *see* Saratovkina, E.V. 86–39771
Mirimanyan, V.Kh. *see* Simonyan, S.A. 88–62357
Mirimanyan, V.Kh. *see* Stepanova, I.Yu. 85–16034
Mirimoto, M. *see* Hirabayashi, H. 86–69872
Mirimov, M.L. Protocol-realization-oriented model of network communications 87–40329
Mirinoyatov, M.M. *see* Imankulov, Z. 88–20552, 88–40136, 88–51749
Mirizzi, F. *see* Andreani, R. 88–32411
Mirk, K. *see* Peters, C. 86–25064, 88–68137
Mirk, K. *see* Taylor, C. 88–54037
Mirkamilov, D.M. *see* Bunkin, A.F. 85–53148
Mirkin, A.Z. Ways of improving the economy and reliability of process pipeline systems 88–70174
Mirkin, I.A. Machine for grinding the bubble-tube blanks of levels 85–21994
Mirkin, Ye.L. *see* Arkhipov, V.K. 86–21066
Mirkotan, S.F., Zhuravlev, S.V., Kosovtsov, Yu.N. Experimental investigation of a multiplicative model of multiple ionospheric reflections 85–7646
Mirkovic, M.D., Stojanovic, I.S. Algorithm for obtaining a self-synchronising *M*-ary code enabling data compression 87–33596
Mirkowski, J. *see* Wardaszko, T. 87–3394
Mirmira, B.K. *see* Tsai, J.P. 87–65680
Miro, F., Berthin, M., Muter, G., El Banna, M., Groves, C. Analog signal processor for cellular radio applications 86–69701
Miro, F. *see* Norrish, J. 85–45845
Miro, J. *see* Erice, M.C. 88–48512
Miro, J.E. *see* Frisch, W. 87–30328
Miro, J.M. *see* Puerta, A. 86–20710
Miro, J.Ma. *see* Puerta, A. 87–876
Miro, L. *see* Mayhan, J.T. 88–8627
Mirochnikoff, Y. Visioconferences and videocommunications. The image at the service of undertakings 87–28849
Miroglio, F. *see* Chiariglione, L. 86–4882, 86–24182
Mirokhin, I.V. *see* Abazov, V.M. 88–16758, 88–48224
Mirokhin, I.V. *see* Zrelov, V.P. 87–71017
Mirokov, M.M., Polivanov, V.G., Agafonov, A.V. Standardising the technical-economic operational characteristics of gas turbine plant 85–4963
Miroku, Y. *see* Shimizu, Y. 85–35281
Mirolyubov, A.V. *see* Chernyshev, V.N. 88–42769
Miron, A., Koo, D. Design of multiplierless FIR digital filters with two to the *N*th power coefficients 88–12518
Miron, C., Ogrutan, P., Wardegger, E. Two new Miller theorems 87–387
Miron, D. Contributions to the optimization of washing machine operation 87–51648
Miron, D., Cuciurean, V., Nicolae, D., Preotesescu, E., Plescan, E. Considerations regarding certain technologies and low power input devices for household applications 87–64982
Miron, D., Cuciurean, V., Niculae, D., Tuca, M., Turcin, V. Contributions to finding the constructional solutions and the automatic control elements afferent to microwave equipment for ensuring the magnetron and operating personnel protection 88–19590
Miron, D., Niculae, D. Contributions regarding the optimization of operating conditions for automatic washing machines 88–62797
Miron, D., Niculae, D. Contributions regarding industrial and food supply usage of microwave technology 88–62834
Miron, D., Niculae, D., Preotesescu, V. Contributions regarding the achievement of automation electronic elements for staple goods and the implications on their operation 86–7310
Miron, E. *see* Amit, M. 87–46779
Miron, E. *see* Lavi, S. 85–56561, 87–18926
Miron, J. *see* Czub, M. 87–44367
Miron, N. Laser interferometry by electro-optical phase shift control 87–54120
Miron, N., Petre, M. Method and equipment with laser verification of dial indicators 86–24586
Miron, N., Sporea, D. Stabilising a laser discharge current 85–18039
Mironas, A.S. *see* Brazis, R.S. 87–24764
Mironchik, V.G. *see* Dederer, F.A. 86–31302
Mironenko, A.F. *see* Kipnis, M.A. 86–559
Mironenko, A.I. *see* Padalko, A.G. 87–53290
Mironenko, A.V., Yanushkin, V.N., Kolyada, Yu.B. Digital scanning photoelectric compensating microscope 86–5152
Mironenko, A.V., Yanushkin, V.N., Kolyada, Yu.B. A digital balancing profilometer-profilograph 86–55835
Mironenko, I.G. *see* Vendik, O.G. 88–57853
Mironenko, L.A. *see* Anashin, V.V. 88–29871
Mironenko, S.I. *see* Zharikov, E.V. 88–27116
Mironenko, S.N., Nepomnyashchikh, A.I., Ikrami, D.D., Paramzin, A.S., Rakhimov, M.E. Production of lithium fluoride for thermoluminescent radiation detectors 86–54031
Mironenko, V.P. *see* Vishnevskii, L.V. 86–56712
Mironos, A.V. *see* Andriesh, A.M. 85–41176, 87–18572
Mironos, A.V. *see* Bykovskii, Yu.A. 85–41526, 86–9451, 87–75259, 88–26858, 88–27323
Mironos, A.V. *see* Gusak, N.V. 88–58702
Mironos, A.V. *see* Kazakevich, A.V. 87–68181
Mironov, A.A. *see* Zaitsev, D.B. 87–21128
Mironov, A.B. *see* Anikeev, I.Yu. 87–75170
Mironov, A.F. *see* Babkin, Yu.S. 88–34298
Mironov, A.F. *see* Govorov, V.S. 86–60205
Mironov, A.M., Sukhanov, Yu.S., Krankurs, L.G. Typical system for computer-aided design and optimisation of control programs for drilling of printed wire plates [PCBs] 86–47181
Mironov, A.N. *see* Andriashin, A.V. 87–29690
Mironov, A.S. *see* Tishcheninov, I.A. 86–39563
Mironov, A.V. The continuous dependence of solutions of a nonlinear integral equation on the control 85–49527
Mironov, A.V. Shifts in the frequency of a laser stabilized by saturated absorption in iodine 86–29069
Mironov, A.V. Calculation of the profile of the discrimination characteristic and frequency shift of a laser stabilized by saturated absorption 88–20722
Mironov, A.V. Calculation of the lens frequency shift of a He-Ne/$^{127}\mathrm{I}_2$ laser ($\lambda=633$ nm) stabilized by saturated absorption 88–27061
Mironov, A.V., Krylov, P.S. Device for measurement and regulation of temperature in branch of laser absorption cell 87–68567
Mironov, A.V., Sinitsa, S.A. Three-mode He-Ne/$^{127}\mathrm{I}_2$ laser with symmetric resonator 88–33947
Mironov, A.V. *see* Golikova, E.V. 87–68368
Mironov, A.V. *see* Krylov, P.S. 88–27238
Mironov, A.V. *see* Vlasov, A.N. 88–33949
Mironov, E.I. *see* Finkel, E.E. 85–17915
Mironov, E.I. *see* Meshchanov, G.I. 88–42855
Mironov, E.P. *see* Alekseev, V.N. 85–56591
Mironov, E.P. *see* Buchenkov, V.A. 86–29108
Mironov, F.S., Novototskii-Vlasov, Yu.F. Contribution of the Dember EMF to the capacitor photo-EMF 87–18812
Mironov, F.S., Novototskii-Vlasov, Yu.F. Specific features of photoconductivity and surface photovoltage in InSb due to deep bulk levels 87–46662
Mironov, G.A. *see* Borisenko, L.S. 86–32739
Mironov, I.F. *see* Titkov, A.N. 86–58246
Mironov, K.E. *see* Ivanov-Omskii, V.I. 86–1718
Mironov, L.V. *see* Molotilov, B.V. 85–44333
Mironov, M.A. Optimum integrated discrete processing of signals in the presence of partially colored observation noise 86–43252
Mironov, M.A., Yarlykov, M.S. Quasioptimum algorithms for the reception and processing of radio signals taken into consideration with anomalous tracking regimes 88–14707
Mironov, M.A. *see* Kondratenkov, G.S. 86–69078
Mironov, M.A. *see* Yarlykov, M.S. 85–41909, 86–30905, 87–49202, 88–9677
Mironov, N.P. *see* Afanas'yev, L.N. 87–76047
Mironov, O.A. *see* Kichigin, D.A. 85–55525
Mironov, O.M. Asymmetric short circuits in a superconducting synchronous generator 85–43946
Mironov, S.A. *see* Gusev, Yu.M. 85–18746
Mironov, S.A. *see* Voitenko, I.G. 85–18713
Mironov, S.M. *see* Goncharov, A.S. 85–49139
Mironov, S.V. *see* Alenitckiy, Y.G. 86–48051
Mironov, S.V. *see* Alenitskij, Y.G. 88–68103
Mironov, V.D., Garbuzov, V.G., Zhidkov, A.A., Senyagin, Yu.V. Particular means of improving performance of the system of control of a generating unit 85–59996
Mironov, V.D. *see* Afanas'ev, V.S. 87–26289
Mironov, V.D. *see* Koval', A.K. 86–48333
Mironov, V.E. *see* Bykovskii, Yu.A. 85–15124
Mironov, V.I. *see* Dolbilov, V.G. 87–41683
Mironov, V.L. *see* Banakh, V.A. 87–19027, 88–34336, 88–35594
Mironov, V.L. *see* Belen'kii, M.S. 85–46574
Mironov, V.L. *see* Belen'kiy, M.S. 88–22185
Mironov, V.S. Superconducting RF cable devices for testing radioelectronic equipment 87–64174
Mironov, Yu.M., Tarasov, V.A., Rozenberg, V.L. Fundamentals of analysis of electric fields in non-homogeneous baths for multi-electrode furnaces 85–60550
Mironov, Yu.V., Razina, N.S., Fomicheva, T.I. Analysis of transient processes in nuclear-reactor loops 87–22060
Mironov, Yu.V. *see* Slezinger, I.I. 87–3576

Mironova, A.I., Rozenberg, V.L., Zakharova, E.G. Technical and economic comparison of the installation circuits of large electric ore-smelting furnaces 85−65652
Mironova, A.M. *see* Skipetrov, V.V. 86−39699
Mironova, L.R. *see* Gruzdeva, N.I. 85−2098
Mironova, M.V. *see* Kolesnik, V.V. 87−32783
Mironova, N.I. *see* Strelkova, K.S. 86−33041
Mironova, N.I. *see* Tesis, A.M. 87−64389
Mironova, O.N. *see* Buryak, V.P. 85−50864, 85−62236
Mironova, T.V. *see* Kozlov, I.A. 86−35020, 86−47006
Mironowicz, W., Cierpisz, S. Automation of hard coal mines 85−16536
Mironychev, A.P. *see* Babkina, T.V. 88−33749
Mironyuk, A.G., Kostenko, V.T., Shevchenko, V.K., Pochtarenko, A.M. A programmable generator of analog signals of arbitrary form and its application as an EKG signal imitator 86−50582
Mironyuk, N.E., Popov, E.I. Causes of the difference between the design and experimental errors of two-stage current transformers 88−42243
Mironyuk, N.E. *see* Burtsev, G.A. 86−45475
Miropol'skii, M.S. *see* Aleksandrova, O.A. 86−1770, 86−46346, 86−70192, 87−44314
Miropol'skii, M.S. *see* Vatagin, V.P. 87−53447
Miropol'sky, Yu.A. *see* Beletsky, E.A. 85−65606
Mirosako, A., Matsumoto, M., Naoe, M. The effect of impurity gas on Mo-Cu-permalloy film prepared by RF sputtering 86−35969
Miroshchenko, S.I. *see* Grudinin, A.B. 86−63653
Miroshin, A.A., Ovcharenko, O.I., Osovitskii, A.N. Investigation of photolithographic methods of fabricating phase diffraction gratings 85−18748
Miroshinikov, I.P. *see* Bron, O.B. 87−64750
Miroshnichenko, A.A. *see* Kazakevich, O.Ya. 85−5392
Miroshnichenko, A.G. *see* Dan'ko, V.G. 87−4724
Miroshnichenko, A.S. *see* Bergner, Yu.K. 87−56703
Miroshnichenko, L.A. *see* Glibitskii, M.M. 87−32878
Miroshnichenko, S.I. A two-dimensional tunable cross-shaped SC-filter 87−10958
Miroshnichenko, S.I. *see* Belov, A.V. 88−20367
Miroshnichenko, S.I. *see* Bogoslovskiy, A.V. 87−45052, 88−7758, 88−44282
Miroshnichenko, S.I. *see* Grudinin, A.B. 85−2027, 87−26018
Miroshnichenko, S.P. *see* Negodenko, O.N. 86−34981
Miroshnichenko, V.K. Pulsed strength of symmetric cable with a monolithic polyethylene insulation of the quad 86−37689
Miroshnichenko, V.K. *see* Kalinin, N.D. 86−30544
Miroshnichenko, V.P. *see* Anisimov, S.N. 86−18246
Miroshnichenko, V.P. *see* Bolozdynya, A.I. 86−60613
Miroshnichenko, V.S. *see* Korneenkov, V.K. 86−29180, 86−62821
Miroshnik, I.V. *see* Drozdov, V.N. 87−31009
Miroshnik, I.V. *see* Drozdov, V.V. 85−65476
Miroshnikov, A.N. *see* Chaikovskii, V.I. 88−21200
Miroshnikov, I.P., Shingirei, N.P. Influence of micro-displacements on performance of contacts in circuit breakers 88−5791
Miroslav, M. Forecasts of the development of new telecommunications services 85−25281
Miroslaw, J. *see* Szponder, J. 88−56754
Mirouh, K., Gaboriaud, R.J., Desoyer, J.C., Fogarassy, E. TEM investigation of laser recrystallized thin films of amorphous silicon deposited on various substrates 86−40759
Mirov, B.M., Korol'kov, E.V., Kamenetskii, E.I. Automation of power supply scheduling in a metallurgical enterprise 85−27841
Mirov, B.M., Vardomskii, E.Yu., Oberemok, V.Z., Babkin, G.F. Automated information-measuring system for aerodynamic tests of motor vehicles at the I.A. Likhachev Moscow motor works 87−49476
Mirov, S.B. *see* Abrosimov, S.A. 87−26495
Mirov, S.B. *see* Basiev, T.T. 85−24523, 85−51227, 86−9808, 86−63780, 86−63782, 88−27115, 88−58664, 88−65634, 88−65655
Mirov, S.B. *see* Muscalu, G.L. 87−33248
Mirov, S.V. *see* Babushkin, A.V. 87−46819
Mirova, N.F. *see* Parfenov, B.M. 88−43522
Mirovitskaya, S.D. Estimating the optimal longitudinal periodicity in reading fiber diameter 85−58879
Mirovitskaya, S.D. Accuracy of a diffraction method of measuring cylinder diameter 86−44420
Mirovitskaya, S.D., Kudryavtsev, D.L. On the refraction of a narrow probing beam in a multilayered optical fiber 86−28863
Mirovitskaya, S.D., Kudryavtsev, D.L. Measurement of the refractive-index profile of optical fibers 87−54054
Mirovitskaya, S.D., Sarvin, A.N. On the measurement of optical fibre geometrical parameters 86−36214
Mirovitskaya, S.D., Tikhomirov, V.N. Diffraction ellipsometer for checking optical fibers 86−52570
Mirovitskaya, S.D. *see* Ketkovich, A.A. 87−56843
Mirovitskaya, S.D. *see* Lazarev, L.P. 86−9488, 86−38556, 86−47879, 87−32953, 87−63517, 88−33620
Mirovitskaya, S.D. *see* Vorontsov, A.A. 86−63957, 87−46544, 87−47150, 87−68761, 88−58829
Mirovitskaya, S.D. *see* Zavitnevich, Yu.V. 85−12589, 86−36211
Mirovitskaya, S.O. *see* Vorontsov, A.A. 88−27583
Mirovitskii, D.I., Rostovtseva, N.V., Serov, O.B. Use of multilayer structures to record thin phase holograms 88−27313
Mirovitskii, D.I. *see* Bondarev, L.A. 85−46165, 86−15495, 88−33712
Mirovitskii, D.I. *see* Evtikhiev, N.N. 86−561, 87−33338, 87−68307
Mirovitskii, D.I. *see* Zel'dovich, B.Ya. 85−7558
Mirovitskiy, D.I., Bondarev, L.A., Budagyan, I.F., Grigor'yants, V.V., Dubrovin, V.F., Smyk, A.F. Conversion of the mode structure of a circular optical waveguide 86−28865
Mirovitskiy, D.I. *see* Budagyan, I.F. 86−30815
Mirovitskiy, D.I. *see* Evtikhiev, N.N. 86−42654
Mirovitskiy, D.I. *see* Ponomarenko, V.I. 86−36701, 88−40548
Mirovskiv, V.G. *see* Vorsin, N.N. 88−74370
Mirovsky, Y., Tenne, R., Cahen, D., Sawatzky, G., Polak, M. Ternary chalcogenide-based photoelectrochemical cells. V. Surface analyses of the $CuInX_2$/aqueous polysulfide interface (X=S, Se) by X-ray photoelectron spectroscopy; absence of Se/S exchange in the $CuInSe_2/S_n^=$ system 85−60380
Mirovsky, Y. *see* Cahen, D. 85−21805
Mirovsky, Y. *see* Tenne, R. 86−6967
Mirowska, N., Misiewicz, J., Jezierski, K. Current transport study of metal-Zn_3P_2 rectifying contacts 85−29034
Mirowska, N., Szatkowski, J., Gumienny, Z. Photoelectric properties of undoped and Cd-doped Zn_3P_2-Mg junctions 88−33851
Mirowska, N. *see* Gumienny, Z. 88−29392
Mirowska, N. *see* Misiewicz, J. 86−71055
Miroysky, Y. *see* Cahen, D. 85−60379
Mirra, C., Sani, G. The phenomenon of flicker. Analysis of technical features of measurement and methods of limitation 88−4612
Mirra, C. *see* Comellini, E. 88−17156, 88−17227
Mirra, C. *see* de Michelis, F. 85−57924
Mirra, J., McNolty, F., Sherwood, W. Detection and ranking of culprit variables 86−57268
Mirra, J., McNolty, F., Sherwood, W. A general model for mixed exponential failure 87−44074
Mirra, J. *see* Sherwood, W. 88−56075
Mirri, D. *see* Filicori, F. 85−4011, 85−37548
Mirsagatov, M.A. *see* Andreev, I.A. 87−68289, 88−25949
Mirsagatov, S.A., Sabirov, K. Investigation of illuminance-voltage characteristics for thin-film-p-CdTe-n-CdTe-n-CdS structures 86−1790
Mirsagatov, Sh.A., Sabirov, K., Muzafarova, S.A. Spectral distribution of no-load voltage in pCdTe-nCdTe-nCdS film structures 87−54162
Mirsagatov, Sh.A., Sobirov, K., Muzafarova, S.A. Spectral distribution of open-circuit voltage in pCdTe-nCdTe-nCdS film structures 88−55621
Mirsagatov, Sh.A., Sultanov, A.I., Muzafarova, S.A. A bipolar phototransistor based on polycrystalline cadmium telluride 87−26195
Mirsagatov, Sh.A., Sushchenko, A.Ya., Muzafarova, S.A. Direct photoelectric method of determining the diffusion length of minority carriers 88−55622
Mirsaidova, Z. *see* Azimov, S.A. 85−44170
Mirsalehi, M.M., Gaylord, T.K. Content-addressable memory processing: multilevel coding, logical minimization, and an optical implementation 86−57812
Mirsalehi, M.M., Gaylord, T.K. Truth-table look-up parallel data processing using an optical content-addressable memory 86−63876
Mirsalehi, M.M., Gaylord, T.K. Comments on 'Direct implementation of discrete and residue-based functions via optimal encoding: A programmable array logic approach' by C.A. Papachristou 87−2430
Mirsalehi, M.M., Gaylord, T.K., Verriest, E.I. Integrated-optical Givens rotation device 86−54529
Mirsalehi, M.M. *see* Gaylord, T.K. 85−36372
Mirsalehi, M.M. *see* Guest, C.C. 85−7543, 85−11190
Mirshekar-Syahakal, D. Dispersion in shielded coupled coplanar waveguides 86−42881
Mirshekar-Syahkal, D., Jia, B. Analysis of bilateral finline couplers 87−52799
Mirshekar-Syahkal, D., Jia, B. Recent developments in characterisation of some finline structures 88−20995
Mirshekar-Syahkal, D. *see* Collins, R. 86−62301
Mirskaya, L.I. *see* Bukhantsov, E.I. 87−4725
Mirskii, G.I. *see* Gershenzon, E.M. 88−53839
Mirskikh, G.A., Syzranov, V.A. Dielectric resonators in nonreciprocal filters 85−23103
Mirskikh, G.A. *see* Lis, V.T. 87−17226
Mirsky, M.S. *see* Huggins, M.J. 86−18639
Mirsky, S., Cook, T., Metcalf, J. EPZ reduction at the Calvert Cliffs nuclear power plant 86−65846
Mirsky, S.M. *see* Cook, T.L. 87−42615
Mirtadzhiev, F.M. *see* Dianov, E.M. 87−74708
Mirtich, M.J. *see* Banks, B.A. 87−4943
Mirtich, M.J. *see* Kapoor, V.J. 86−63129
Mirtschink, C., Hertwig, W. The gateway for coupling the ESER and the 32-bit multiprocessor systems 88−59674
Mirtshev, T.P. *see* Chaltakov, I.V. 88−51742
Mirtskhulava, A.A. *see* Kantariya, R.V. 87−46681
Mirtsuda, H. *see* Hirane, Y. 86−6894
Mirtursunov, Sh.Z. *see* Akhmedov, F.A. 87−58318
Mirura, S. *see* Hoshi, A. 87−58206
Mirus, A.J. *see* Botsch, D. 85−52184
Miryuk, Yu.P., Platonov, L.M., Polunov, Yu.L. Pulsed voltage to DC voltage converter 85−10000
Miryuk, Yu.P., Polunov, Yu.L. Five-wire connections of parametric transducer bridges 88−29337
Miryuk, Yu.P., Polunov, Yu.L., Ushankov, V.P. Digital pressure gauge 87−70855
Mirza, J.S. Analysis of vowels using microcomputer 85−7845
Mirza, J.S. Vowel extraction using a microcomputer for acoustical investigations 87−47543
Mirza, J.S. An algorithm for automatic pitch computation for text-to-speech synthesis 88−52377
Mirza, J.S. Unexplained thumps in parallel-formant synthesis-by-rule 88−52378
Mirza, K.F. A review of radiation safety during the first twelve years of KANUPP operation 86−12621
Mirza, S.M. *see* Elaev, V.F. 87−12542
Mirzababaev, R.M. Photoelectric detectors of Mossbauer gamma radiation 87−63704
Mirzabaev, M., Rasulov, K., Amreeva, G., Komilov, A. Research on the light current-voltage characteristics of n-GaAs-p-GaAs-p-Al_x.$Ga_{1-x}As$ heterostructures in concentrated sunlight [solar cells] 86−19475
Mirzabaev, M., Rasulov, K., Komilov, A. Influence of a high level of illumination on the diode parameters A and I_0 of heterophotoconverters based on the system GaAs-AlGaAs 86−19483
Mirzabaev, M.M., Rasulov, K., Komilov, A., Tashkhodzhaeya, S. Research on the thermal characteristics of semiconductor heterostructures in concentrated sunlight 86−8831
Mirzabaev, M.M. *see* Bordina, N.M. 88−43381
Mirzabekyan, G.E. *see* Aleksanyan, Al.G. 85−35788
Mirzabekyan, G.E. *see* Avdzhyan, K.E. 88−63369
Mirzabekyan, G.Z., Chekalov, L.V. An equivalent circuit for an electrostatic precipitator 88−65970
Mirzabekyan, G.Z. *see* Perevodchikov, V.I. 88−52144
Mirzabekyan, G.Z. *see* Sukhoparov, Yu.D. 88−52143
Mirzabekyan, Zh.M., Alikhanyan, R.A. The capacitance of symmetrical cables with cordel-polystyrene insulation 87−12770
Mirzabekyan, Zh.M. *see* Alikhanyan, R.A. 88−46844
Mirzaev, A.T., Sharakhimov, M.Sh. Highly stable compact CO_2 laser with RF excitation 85−24475
Mirzaev, A.T. *see* Akhmadzhanov, T. 87−19024
Mirzaev, A.T. *see* Ishmukhamedov, B.N. 86−25415
Mirzaev, A.T. *see* Vil'danov, R.R. 86−60256
Mirzaev, A.T. *see* Zakirov, Sh.Kh. 86−68650
Mirzai, A.R., Lawson, S.S. Systolic wave digital filter structures suitable for VLSI implementation 85−50001
Mirzai, A.R., Lawson, S.S. Finite wordlength design of wave digital filters 86−62728
Mirzai, A.R., Lawson, S.S. Bit-level systolic adaptors for wave digital filters 86−67417
Mirzaian, A. Lagrangian relaxation for the star-star concentrator location problem: approximation algorithm and bounds 85−30717
Mirzaian, A. River routing in VLSI 87−38368
Mirzaian, A., Le Doeuff, R., Cherkaoui, M. Microprocessor control of three-phase cycloconverter for doubly fed induction machines 87−36028
Mirzaian, A., Le Doeuff, R., Cherkaoui, M. Microprocessor control of three-phase cycloconverter for doubly fed induction machines 87−36041
Mirzamani, S.J.O., Asher, G.M., Paul, R.J.A. Feasibility of passive damping from mixed-mu levitation 85−21901
Mirzamani, S.J.O., Paul, R.J.A. Guidance dynamics of mixed-mu levitators for maglev vehicles 86−45762
Mirzamani, S.J.Oraee *see* Oraee Mirzamani, S.J.
Mirzayev, A.T. *see* Vil'danov, R.R. 88−21327

Mirzazhanov, M.A. *see* Torchinskaya, T.V. 85−24416, 86−13059, 86−26283, 86−51903
Mirzbekyan, G.Z. *see* Kirilenko, I.I. 87−68690
Mirzev, Sh.M. *see* Khaidarov, R.A. 85−26705
Mirzoev, A.G., Fursov, P.V. Cables with plastic insulation for a voltage of 110 kV 87−57647
Mirzoev, A.G., Trost, L.E., Timonin, V.K. Thermal stability and conditions of conflagration of power cables containing impregnated paper insulation 88−54995
Mirzoian, K. *see* Williamson, S. 86−33389
Mirzoyan, G.A. *see* Zimin, E.F. 85−59421
Mirzoyan, R.G. *see* Varnavskii, O.P. 86−9796
Mis, D. *see* Sabo, C.J. 86−53225
Mis, D. *see* Visek, A.J. 87−29240
Mis, D.J. *see* Amato, T., Jr. 88−72586
Misak, J., Polak, V., Filo, J., Hatas, J. Use of computer codes to improve nuclear power plant operation 86−19046
Misak, J. *see* Polak, V. 88−62032
Misaki, A. *see* Imaeda, K. 86−25126
Misaki, A. *see* Okamoto, Y. 86−32197
Misaki, H. *see* Ariga, Y. 85−49082
Misaki, H. *see* Fujii, T. 85−49080
Misaki, H. *see* Fujiwara, K. 85−49081
Misaki, H. *see* Hamamoto, O. 86−40066
Misaki, H. *see* Horie, T. 86−40064
Misaki, H. *see* Ishikawa, T. 86−33635
Misaki, H. *see* Kanazashi, M. 86−40063
Misaki, H. *see* Kita, A. 85−49084, 86−40069
Misaki, H. *see* Kondo, S. 86−40053
Misaki, H. *see* Sato, K. 87−24965, 88−12361
Misaki, H. *see* Shimizu, M. 86−33634
Misaki, H. *see* Takata, T. 86−52839
Misaki, K. *see* Arai, M. 86−23611
Misaki, K. *see* Hayakawa, T. 86−4373, 88−21833
Misaki, N. *see* Saito, M. 87−14626
Misaki, T., Tsuboi, H. Computation of 3-dimensional eddy current problems by using boundary element method 86−42754
Misaki, T., Tsuboi, H. Techniques for boundary element analysis of three-dimensional eddy current distribution 88−52114
Misaki, T., Tsuboi, H., Kawakami, Y. An analysis of three-dimensional eddy current distributions by means of boundary element method 86−59013
Misaki, T. *see* Tsuboi, H. 85−4661, 88−52055, 88−52129
Misaki, T. *see* Uetake, K. 86−53564
Misaki, Y. *see* Hamasaki, K. 87−38698
Misakian, M. Calibration of flat 60-Hz electric field probes 85−37694
Misakian, M. High voltage divider and resistor calibrations 86−20860
Misakian, M. Measurement of electrical parameters near AC and DC power lines 88−53811
Misakian, M., McKnight, R.H., Fenimore, C. Calibration of aspirator-type ion counters and measurement of unipolar charge densities 87−41846
Misale, D. *see* Munshi, M.Z.A. 88−55609
Misamitani, H. *see* Fukuoka, Y. 88−47724
Misarek, M. Graphical-numerical method of calculation of additional losses in the rotor of self-controlled turbomotors 85−65206
Misawa, H., Hirakawa, K., Fujikawa, S. Laminates for high frequency and high speed digital applications 88−7182
Misawa, H., Ohseki, N., Shimizu, J., Umeki, Y., Kadota, Y., Kobayashi, M., Koyama, T., Kitamura, A. A 100 ps ECL gate array 87−31819
Misawa, K. *see* Arisawa, J. 87−63564
Misawa, K. *see* Miyatake, S. 85−42912, 85−52662, 86−5043, 86−49979, 87−34970
Misawa, K. *see* Nagakawa, T. 86−11281
Misawa, K. *see* Nakata, T. 88−30756
Misawa, K. *see* Yamane, M. 88−74622
Misawa, M. *see* Itanami, T. 87−27006, 87−33519
Misawa, M. *see* Tsukada, T. 88−15794
Misawa, M. *see* Watanabe, N. 88−36347
Misawa, N. *see* Hashimoto, Y. 87−47365
Misawa, S., Okumura, H., Yoshida, S. Influence of gallium sources on impurity doping in gas source MBE GaAs 87−65503
Misawa, S. *see* Chiba, T. 85−29674, 87−54085
Misawa, S. *see* Daimon, H. 86−67750
Misawa, S. *see* Diamon, H. 88−19992
Misawa, S. *see* Fujiwara, Y. 87−240
Misawa, S. *see* Iga, K. 86−4683, 86−54021, 87−18743
Misawa, S. *see* Kondo, Y. 87−1511, 87−45973
Misawa, S. *see* Oikawa, M. 85−2077
Misawa, S. *see* Okumura, H. 85−33453, 85−34550, 87−31511
Misawa, S. *see* Shinohara, M. 88−43886
Misawa, S. *see* Yamanaka, M. 87−32273, 87−53217
Misawa, S. *see* Yoshida, S. 85−40680, 87−11796, 87−58933, 88−38141, 88−44563
Misawa, T. *see* Morozumi, S. 85−20674
Misawa, T. *see* Nakanishi, T. 86−38391
Misawa, T. *see* Takamori, N. 87−43438
Misawa, Y. Properties of ZnO-B$_2$O$_3$-SiO$_2$ glasses for surface passivation 85−1513
Misawa, Y. Effects of additives on ZnO-B$_2$O$_3$-SiO$_2$ passivation glasses 85−22560
Misawa, Y., Homma, H., Sato, K., Momma, N. A self-aligning polysilicon electrode technology (SPEL) for future LSIs 88−39642
Misawa, Y., Kinjo, N., Hirao, M., Numata, S., Momma, N. A new multilevel interconnection system for submicron VLSI using multilayered dielectrics of plasma silicon oxide and low thermal expansion polyimide 87−25170
Misawa, Y., Kinjo, N., Hirao, M., Numata, S., Momma, N. A new multilevel interconnection system for submicrometer VLSI's using multilayered dielectrics of plasma silicon oxide and low-thermal-expansion polyimide 87−45820
Misawa, Y. *see* Kimoto, M. 88−19189
Misawa, Y. *see* Murakami, M. 86−37396
Misawa, Y. *see* Murakami, S. 86−8845, 87−1239, 87−53244, 87−67176
Misawa, Y. *see* Ono, T. 86−44219
Misawa, Y. *see* Tezuka, M. 87−40319
Misawa, Y. *see* Tomita, S. 86−49222
Miscalco, M.A. Microlog system adds accuracy to predictive maintenance program 87−72764
Miscalco, M.A. Wear particle analysis indicates machinery condition 87−72765
Miscault, J.-C.de *see* de Miscault, J.-C.
Miscetti, S. *see* Apollinari, G. 87−21436, 87−29489
Miscetti, S. *see* Bertolucci, S. 87−35353, 88−47987
Mischchenko, V.D. *see* Demin, B.N. 86−16289
Mischenko, E.N., Shinkarenko, G.V. Chromatographic testing of oil in the bushings of power transformers 86−45472
Mischerikow, K.-D. *see* Ediss, G.A. 87−45219
Mischerikow, K.-D. *see* Keen, N.J. 85−40240
Mischerikow, K.D. *see* Keen, N.J. 86−43928
Mischev, P. *see* Bozov, N. 86−70643
Mischke, J. Concept and status of the WA-350 reprocessing plant [radioactive waste] 85−9640
Mischke, R.E. *see* Bolton, R.D. 86−18254
Mischke, R.E. *see* MacArthur, D.W. 86−50268
Mischke, R.E. *see* Wilson, S.L. 88−29827
Mischke, S., Saunders, J.A., Owens, L. A versatile low-cost apparatus for cell electrofusion and other electrophysiological treatments 87−8888
Mischler, D. Adaptive prediction and quantisation in DPCM coding 88−59863
Mischler, W.R. *see* Michaelson, P.F. 86−42161
Miscione, A.M. *see* Azaren, D.J. 87−1772, 87−38474
Miscione, A.M. *see* Song, Y. 88−26511
Mise, K. *see* Ukita, H. 88−65453
Misek, J., Machac, J. The effect of the construction of the photodetecting PIN structure on the speed of photoresponse 87−46679
Misek, J. *see* Machac, J. 86−15566, 86−48277, 87−7328, 87−46674
Misek, J.E. *see* Griffin, J.E. 86−31978
Misek, J.R. *see* Griffin, J.E. 86−31977
Misek, J.R. *see* Mills, F.E. 86−70257
Misemer, D.K. *see* Grimmer, D.P. 88−32826
Misevra, V.I., Albegova, I.Kh., Aleksandrova, O.A., Zhilin, Yu.V., Kovalenko, L.G. High-factor frequency multiplier 88−32366
Misevra, V.I. *see* Barzhin, V.Ya. 85−61363
Misewich, J. *see* Glownia, J.H. 87−68335, 88−8133
Misezhnikov, G.S., Sel'skii, A.G., Shteinshleiger, V.B. On the focusing properties of an aperture antenna in an absorbing medium 87−19281
Misezhnikov, G.S. *see* Shteynshleyger, V.B. 88−10514
Mishachev, V.I. *see* Bokov, Yu.S. 86−58359
Mishachev, V.I. *see* Kas'yanov, Yu.S. 88−57546
Mishachev, V.I. *see* Veretennikov, V.A. 86−63155
Mishakin, V.V. *see* Konyukhov, B.A. 86−563
Mishandin, D.S. *see* Yefremov, V.Ya. 87−63114
Mishareva, N.I. *see* Lobkova, L.M. 86−3515, 86−63992
Misharin, V.V., Danilenko, V.N., Matveev, S.V., Stepanov, E.K. Measurement of internal-conversion coefficients of 122- and 136-keV gamma transitions in ^{57}Co decay 86−25106
Mishatkin, V.N. Telemetric geophysical information collection system 87−63961
Mishatkin, V.N. *see* Egorov, A.F. 87−77839
Mishchanchuk, N.S. *see* Telezhnikov, A.V. 86−18341
Mishchenko, A.M. *see* Gorokhov, E.B. 85−34658
Mishchenko, I.A., Gurzhi, M.G., Pushkarev, K.P. Calibration of semiconductor thermal transducers employed in the open atmosphere 88−53644
Mishchenko, I.A. *see* Andrusenko, A.M. 87−35189
Mishchenko, I.D. *see* Legkiy, V.N. 85−8857
Mishchenko, V.A. *see* Bobrovskii, A.N. 88−33939
Mishchenko, Yu.V. Choice of geometrical parameters of a double-beam laser interferometer 85−19066
Mishchenko, Yu.V. Methods for increasing the accuracy of remote measurements with twin-wave laser interferometers 87−3506
Mishchenko, Yu.V. Automatic laser interference refractometer for studying the dispersion of gases 88−42304
Misheloff, M.N. *see* Krieger, G. 88−26256
Misherghi, A.H. Integrated circuits for ISDN terminals and exchange equipment 85−42395
Mishev, D. Increase of the resolution of passive radiometric systems through joint processing with visible range data 85−48452
Mishev, D., Petrov, P., Ziman, Ya.L. Spectrostructural systems−next generation of orbiting instruments in the remote sensing methods 86−25453
Mishev, D.N., Mardirosyan, G.H. Possibility and realization for optimizing and increasing the efficiency of analogue geophysical recording with reference to the frequency range 87−57321
Mishima, H. *see* Hagiwara, E. 86−55251, 87−3140, 87−28475, 88−10459
Mishima, H. *see* Nakajima, S. 86−22886, 87−40785
Mishima, H. *see* Sakai, T. 87−3139, 88−3903
Mishima, H. *see* Yoshikawa, T. 86−23824
Mishima, O., Tanaka, J., Yamaoka, S., Fukunaga, O. High-temperature cubic boron nitride p-n junction diode made at high pressure 88−7357
Mishima, S. *see* Baba, H. 88−55492
Mishima, T., Hisadome, K., Sakuraba, I. Nonlinear susceptibility of cesium and sodium atoms for frequency upconversion from 10-μm atmospheric window to the visible 88−40326
Mishima, T. *see* Koyanagi, K. 86−42644, 87−12593, 87−54398, 88−8300, 88−72429
Mishima, T. *see* Morioka, M. 86−52494
Mishima, T. *see* Okamoto, A. 88−40356
Mishima, T. *see* Shiraki, Y. 87−36719
Mishima, T. *see* Uomi, K. 88−45468
Mishima, T. *see* Usagawa, T. 88−39403
Mishima, Y. Light water reactor power plant life extension programme in Japan 88−43014
Mishima, Y., Furukawa, S., Nakayama, Y. Electrical-discharge machining of multifacet electrodes with a single clamp operation 88−11530
Mishima, Y., Hirose, M., Osaka, Y., Ashida, Y. Substitutional doping of photochemically-deposited amorphous hydrogenated silicon 85−12129
Mishima, Y., Saito, I. Actual technique of spectrophotometry on luminous flux and chromaticity of discharge lamps. I. Photometric measurement 85−39292
Mishima, Y., Saito, I., Kikuchi, H. Actual technique of spectrophotometry on luminous flux and chromaticity of discharge lamps. II. Results of measurement 86−26399
Mishima, Y., Soeda, S., Yanagisawa, S., Asama, K. Photocurrent spectroscopy in a-Si:H diodes 86−28272
Mishima, Y. *see* Ashida, Y. 86−509
Mishima Araki, N. *see* Usagawa, T. 88−64600
Mishimia, T. *see* Uomi, K. 87−68435
Mishin, A.A. An algorithm support of the finite element method to simulate semiconductor devices 87−53442
Mishin, A.A., Borodin, M.S. A rapid algorithm for ordering the unknowns to solve combined equations with a sparse matrix 85−44594
Mishin, A.A. *see* Petrosyants, K.O. 87−52292
Mishin, A.V. *see* Khramtsovskii, I.A. 88−72127
Mishin, A.V. *see* Landa, K.A. 87−7101
Mishin, E.V. *see* Balaev, V.I. 85−2026
Mishin, G.I. *see* Grachev, L.P. 85−28891
Mishin, I.V., Drozhzhin, A.I., Antipov, S.A. Universal rig for studying a range of mechanical and electrical properties of filamentary crystals 87−73211
Mishin, M.I. *see* Kolerov, O.K. 86−5517
Mishin, S.A. *see* Grigorenko, A.N. 88−40311
Mishin, V.I., Lut, N.T. Analytical design of a thyristor drive with pulse control 87−78669
Mishin, V.I. *see* Dorofeev, S.N. 86−9787
Mishin, V.I. *see* Tereshin, O.N. 88−38790
Mishin, Yu.S. A method for describing a graph in the plane 87−16503
Mishina, K. *see* Kawachi, S. 86−11751
Mishina, M. *see* Fukui, Y. 88−10275, 88−47986
Mishina, M. *see* Hayashide, Y. 85−26687
Mishina, Ye.G. *see* Kotikova, R.A. 85−63797
Mishino, S. *see* Shibahara, K. 87−18136
Mishiyama, N. *see* Matsui, Y. 88−56264
Mishke, B.A. *see* Ageikin, V.A. 87−35215
Mishke, B.A. *see* Antonov, E.N. 87−68581
Mishkel', I.I. *see* Kadomskaya, K.P. 88−11116
Mishkin, N.A., Kulichikhin, V.V., Khomenok, L.A., Rozenberg, S.Sh., Bogachko, Yu.N., Taran, O.E., Remezov, A.N. Experience in the running of turboset type K-1200-240-3 made by the Leningrad machine factory 86−33252
Mishkin, N.A. *see* Seleznev, L.I. 87−64398
Mishkin, N.W. *see* Dineen, T.H. 87−69728
Mishkinis, J. *see* Kazlauskene, V. 88−39224
Mishkinis, R.A., Rutkovskii, P.F., Fedorets, V.N. Absorption of surface acoustic waves at a metallized gallium arsenide surface 87−25750
Mishkinis, R.A. *see* Alyakna, Yu.Yu. 85−45939
Mishkinis, R.A. *see* Anisimkin, V.I. 87−38640
Mishkinis, R.A. *see* Gulyaev, Yu.V. 86−35962
Mishkinis, Yu. *see* Kazlauskene, V. 86−63703
Mishkoy, G.K. *see* Dragalin, V.P. 85−54242
Mishnev, S.I. *see* Blinov, A.E. 85−26540, 86−18202
Mishnev, S.I. *see* Derbenev, Ya.S. 85−26619
Mishova, I.I. *see* Bizheva, L.T. 86−21923

Mishra, A. Three-dimensional analysis of a turbogenerator terminal box 87−72093
Mishra, A. A frontal-based ICCG solver for three-dimensional electromagnetic field problems 88−2464
Mishra, A.C., Parks, N.J. Beta spectroscopy with liquid scintillation systems: applications in dosimetry of ^{90}Sr and ^{90}Y 87−57245
Mishra, B. An efficient algorithm to find all 'bidirectional' edges of an undirected graph 85−33300
Mishra, B., Clarke, E.M. Automatic and hierarchical verification of asynchronous circuits using temporal logic 85−33747
Mishra, B. *see* Anantharaman, T.S. 87−10563, 87−18257
Mishra, B. *see* Browne, M.C. 87−10808
Mishra, D.S., Satsangi, P.S. Participation motivation in CEE: metagame analysis of conflicts 87−23125
Mishra, G.P. *see* Shrinet, V. 86−36664
Mishra, K.C., Patton, R.J., Dale, E.A. First-principles studies of color centers in fluorapatite crystal [fluorescent lamp phosphor] 87−61033
Mishra, L.N. *see* Srinivasan, V. 88−5605
Mishra, M., Lowther, D.A., Silvester, P.P. A preconditioned conjugate gradient frontal solver for three dimensional electromagnetic field problems 85−24701
Mishra, P. *see* Stritter, S. 87−44910
Mishra, P.K., Goyal, I.C., Ghatak, A.K., Sharma, E.K. Matrix method for determining propagation characteristics of absorbing waveguides 85−12597
Mishra, P.K., Sharma, A. Analysis of single mode inhomogeneous planar waveguides 86−42280
Mishra, P.K., Sharma, A., Labroo, S., Ghatak, A.K. Scalar variational analysis of single-mode waveguides with rectangular cross section 85−35466
Mishra, P.K. *see* Dubey, A.P. 87−61430
Mishra, P.K. *see* Sharma, A. 88−72105
Mishra, R., Soundararajan, J.S., Chakraborti, N.B. A hybrid Hadamard LPC scheme for picture processing 85−57534
Mishra, R.K. Microstructure of hot-pressed and die-upset magnequench magnets 87−67719
Mishra, R.K. Reticle and background 88−16188
Mishra, R.K., Chen, J.K., Thomas, G. Effect of annealing on the microstructure of sintered Nd-Fe-B magnets 86−42096
Mishra, R.K., Lee, R.W. Microstructure, domain walls, and magnetization reversal in hot-pressed Nd-Fe-B magnets 86−42093
Mishra, R.K. *see* Lin, I.-N. 86−63544
Mishra, R.N. Prospectus and problems of cybernetic instrumentation 87−14824
Mishra, R.N., Vasantha, M.K., Seshaphani, D. A low cost digital thermometer for data acquisition applications 85−37501
Mishra, R.N. *see* Mukherjee, S. 86−5603
Mishra, S., Srimani, P.K. A fault tolerant algorithm for mutual exclusion in computer networks 88−35182
Mishra, S. *see* Garg, K.L. 88−37715
Mishra, S.R. Site characteristics of absorber lined chambers 86−3590
Mishra, S.R., Kashyap, S. A multipurpose EM field measurement and antenna calibration facility 88−16387
Mishra, S.R., Kashyap, S., Balaberda, R. Input impedance of antennas inside enclosures 86−29588
Mishra, S.R., Kashyap, S.C. A multipurpose EM field measurement and antenna calibration facility 87−68860
Mishra, S.R., Kashyap, S.C. Measurement of EM field distribution in an absorber-line chamber 88−4616
Mishra, S.R., Pavlasek, T.J.F. Design of absorber-lined chambers for EMC measurements using a geometrical optics approach 85−2475
Mishra, S.R., Pavlasek, T.J.F. Absorber lined chambers for EMC measurements—a review 86−3587
Mishra, S.R. *see* Kashyap, S. 86−29461
Mishra, S.R. *see* Pavlasek, T.J.F. 85−62830, 88−8535
Mishra, U. *see* Jacomb-Hood, A.W. 87−32100
Mishra, U.C. *see* Lalit, B.Y. 87−21700
Mishra, U.C. *see* Ramachandran, T.V. 87−29673, 87−64358
Mishra, U.K., Beaubien, R.S., Delaney, M.J., Brown, A.S., Hackett, L.H. MBE grown GaAs MESFETs with ultra-high g_m and f_T 87−45283
Mishra, U.K., Beaubien, R.S., Delaney, M.J., Brown, A.S., Hackett, L.H. Low noise 0.1-μm GaAs MESFETS by MBE 88−39538
Mishra, U.K., Brown, A.S., Jelloian, L.M., Hackett, L.H., Delaney, M.J. High-performance submicrometer AlInAs-GaInAs HEMT's 88−26332
Mishra, U.K., Brown, A.S., Jelloian, L.M., Hackett, L.H., Delaney, M.J. High performance submicrometer AlInAs-GaInAs HEMTs 88−33245
Mishra, U.K., Jensen, J.F., Brown, A.S., Beaubien, R.S., Jelloian, L.M. Ultra-high speed AlInAs-GaInAs HEMT technology 88−39738
Mishra, U.K., Palmateer, S.C., Chao, P.C., Smith, P.M., Hwang, J.C.M. Microwave performance of 0.25-μm gate length high electron mobility transistors 85−34184
Mishra, U.K., Palmateer, S.C., Nightingale, S.J., Upton, M.A.G., Smith, P.M. Surface-oriented low-parasitic Mott diode for EHF mixer applications 85−55133
Mishra, U.K. *see* Brown, A.S. 88−50891
Mishra, U.K. *see* Chao, P.C. 86−20817, 86−62837
Mishra, U.K. *see* Liu, S.-M. 86−63341
Mishra, U.K. *see* Nightingale, S.J. 86−8477, 86−20831, 86−27602
Mishra, U.K. *see* Palmateer, S.C. 86−53043
Mishra, U.K. *see* Pospieszalski, M.W. 86−41810
Mishra, U.K. *see* Smith, P.M. 85−28722, 86−62840
Mishra, V. *see* Saraf, S.K. 88−47999
Mishra, V.M. Managing academia in the information age 86−64468
Mishriky, A.H., Girgis, G.A. Selim, H. Microcomputer implemented PWM inverter using a unique pattern of switching angles 86−45582
Mishriky, A.H., Girgis, G.A., Selim, H. Microcomputer implemented PWM inverter using a unique pattern of switching angles 87−43202
Mishta, V.V. An automatic regulator for a stable thyristor compensator at a 500 kV 'Luch' substation 87−78814
Mishuku, T. *see* Fujimoto, M. 88−49863
Mishuku, T. *see* Iida, H. 87−37902
Mishuku, T. *see* Sakata, I. 86−33651
Mishuku, T. *see* Yamanaka, M. 86−33650
Mishura, O.V. *see* Besekerskiy, V.A. 85−5952
Mishura, O.V. *see* Eliseev, A.A. 87−55063
Mishurnyi, A.A. *see* Karpov, S.Yu. 85−12883
Mishurnyi, V.A. *see* Aleksandrov, S.N. 85−56665
Mishurnyi, V.A. *see* Gonsales, K. 88−58201
Mishurnyi, V.A. *see* Kuchinskii, V.I. 87−33199
Mishustin, B.A. *see* Blokhina, N.A. 85−62920
Mishuta, Yu.M., Pronin, M.S. Finding the air-suction coefficient in a pulverised coal preparation plant 86−32903
Misiak, A. *see* Morozov, V.A. 86−50437
Misiak, K., Tomczyk, A. Concept of complex inspection system of power plant service 88−11044
Misiakos, K., Lindholm, F.A. Generalized reciprocity theorem for semiconductor devices 86−28251
Misiakos, K., Lindholm, F.A. Exact solution of three-dimensional transport problems using one-dimensional models 86−58437
Misiakos, K., Lindholm, F.A. Toward a systematic design theory for silicon solar cells using optimization techniques 87−15982
Misiakos, K., Lindholm, F.A. Minority-carrier accumulation at the base edge of a junction space-charge region under short-circuit conditions 87−72446
Misiakos, K., Lindholm, F.A. Analytical and equivalent-circuit models based on numerical solutions for amorphous silicon p/i/n solar cells 88−37423
Misiakos, K., Lindholm, F.A. Analytical and numerical modeling of amorphous silicon *p-i-n* solar cells 88−75939
Misiakos, K., Neugroschel, A. Lifetime and diffusivity determination from frequency-domain transient analysis 87−74146
Misiakos, K. *see* Lathrop, J.W. 86−7062
Misiakos, K. *see* Pao-Jung Chen 86−21188
Misiano, C., Simonetti, E., Fontana, M. High definition microwave integrated circuit (MIC) by reactive magnetron ion etching (RMIE) 88−13170
Misiano, C. *see* Varasi, M. 86−15547
Misiano, M. *see* Bottoni, R. 85−9198
Misic, S. *see* Petrovic, R. 87−69535
Misic, V.B. *see* Popovich, M.V. 85−932
Misiewicz, A. *see* Chmielniak, T. 88−30578
Misiewicz, J. The room temperature photoconductivity in Zn_3P_2 88−72204
Misiewicz, J., Krolicki, F. The growth of Zn_3P_2 crystals 87−73050
Misiewicz, J., Krolicki, F., Lewicki, M., Kasprzak, J.F. Growth of Zn_3P_2 crystals by gas-transport method 86−66794
Misiewicz, J., Sujak-Cyrul, B., Szatkowski, J., Sieranski, K., Krolicki, F. Optical and electrical study of dominant impurity level in Zn_3P_2 85−34530
Misiewicz, J., Szatkowski, J., Mirowska, N., Jezierski, K., Gumienny, Z., Krolicki, F. Solar energy conversion in metal-Zn_3P_2 contacts 86−71055
Misiewicz, J. *see* Mirowska, N. 85−29034
Misiewicz, J. *see* Szatkowski, J. 88−50676
Misik, A.M. *see* Romanova, I.D. 88−13003
Misiuk, A. *see* Beensh-Marchwicka, G. 87−45303
Misiuk, A. *see* Petrov, I. 85−22541
Misiuk, E. *see* Kwiatkowski, W. 85−41032
Misiura, L.Z. *see* Lewoc, J.B. 88−21591, 88−35185
Miske, S.A., Piwko, R.J., Jr., Tice, J.B., Whitacre, J.A. Control modeling and simulator studies for a static VAr compensator applied to a weak AC system incorporating an HVDC installation 86−50892
Miske, S.A., Jr. *see* Tucker, J.D. 86−44935
Mis'kevich, A.I. Kinetic model for a cadmium vapor laser with nuclear pumping 88−65597
Mis'kevich, A.I. *see* Kopai-Gora, A.P. 87−68566
Miskiel, E., Ozdamar, O. Computer monitoring of auditory brainstem responses 87−77665
Miskiel, E., Ozdamar, O. Real-time weighted averaging system for evoked potentials 88−48177
Miskiel, E. *see* Ozdamar, O. 88−36510
Miskin, J.D. Using variable-speed drives with 'sloppy' mechanical systems 88−69765
Miskin, L., Bajramovic, Z., Grubic, A. Research on possibility of breaking with earthing switch, 145 kV, in gas insulated substation 86−56915
Miskin, L., Markovic, O., Sadovic, S. Transferable reversible voltage effects on the testing of HV switches subject to possible short-circuits 85−60359
Miskinis, A. *see* Kazlauskiene, V. 87−45634
Miskinis, J. *see* Kazlauskiene, V. 87−33042
Misko, T.A., Rasset, T.L., Wine, J.W. A vector signal processor based on parallel GaAs microprocessors 88−19199
Misko, T.A. *see* Geideman, W.A. 88−6907
Miskolczi, J., Somlo, J. Expert system for test register based circuit diagnostics 88−71649
Miskolczy, G., Goodale, D., Moffat, A., Gentile, A. Design and construction of thermionic cogeneration burner module 85−53932
Miskolczy, G. *see* Goodale, D.B. 85−53855
Miskolczy, G. *see* Margulies, A.E. 86−61755
Miskovsky, N.M. *see* Chung, M. 85−37880
Miskowicz, J. *see* Zientkiewicz, J. 86−43838
Miskulin, M.S. *see* Hayden, J.T. 85−61914
Mislan, J.D. Comparison of failure mode criteria in electromagnetic environments 86−15917
Mislan, J.D. Comparison of failure mode criteria in electromagnetic environments 86−24744
Mismail, B. *see* Sutanto, D. 88−43205
Misono, N. *see* Kikuchi, Y. 85−63706
Misono, N. *see* Sawano, H. 88−28916
Misonoo, M. *see* Ishihara, H. 88−1599
Misonou, M., Hyodo, M., Nagayama, H., Kawahara, H. Effect of the texturized substrate on the performance of a-Si:H solar cells 87−9795
Misra, A. *see* Arya, A. 86−20488
Misra, A. *see* Kumar, A. 86−41038
Misra, D., Chen, K.-M. Responses of electric-field probes near a cylindrical model of the human body 85−52851
Misra, D., Heasell, E.L. A study of reactive ion etching (CF_4+O_2 plasma) induced deep levels in silicon 87−53406
Misra, D., Viswanathan, T.R. Circuit design for a CMOS magnetic field sensor 86−70133
Misra, D., Viswanathan, T.R., Heasell, E.L. A novel high gain MOS magnetic field sensor 87−3593
Misra, D. *see* Chen, K.-M. 86−70393
Misra, D.K. Application of personal computers in transmission line impedance problems 87−26894
Misra, D.K. A study on coaxial line excited monopole probes for in situ permittivity measurements 87−70765
Misra, D.K. A study on coaxial line excited monopole probes for in situ permittivity measurements 88−16070
Misra, D.K. A quasi-static analysis of open-ended coaxial lines 88−20970
Misra, D.K. In situ electric probe method for determining the dielectric properties of materials 88−60878
Misra, D.K., Chen, K.M. A microwave instrument for non-invasive monitoring of physiological movements 86−65427
Misra, D.S., Kumar, A., Agarwal, S.C. Intensity and temperature dependence of steady-state photoconductivity down to 8K and DOS distribution obtained from these measurements in a-Si:H 85−2131
Misra, D.S., Singh, V.A., Agarwal, S.C. Thermally stimulated current studies of the density of gap states in amorphous silicon 85−55443
Misra, D.S., Singh, V.A., Agarwal, S.C. Analysis of thermally stimulated currents in amorphous silicon 86−1745
Misra, D.S. *see* Kumar, A. 87−54169
Misra, J.C., Bera, G.C., Samanta, S. Induced electric and magnetic fields due to wave propagation in a tubular bone 88−57834
Misra, K.B. *see* Dakshina Murty, V. 85−16830, 85−33307
Misra, K.B. *see* Palaniswamy, K.A. 85−59592, 86−61044
Misra, M. *see* Sinha, N.P. 85−6936
Misra, N.K. *see* Mitra, A. 86−24298
Misra, N.K. *see* Sarma, Y.S. 85−1371, 85−6729, 86−20070
Misra, R., Chakravarty, B. To apply Jaeger's formula to ionospheric regions 85−2554
Misra, R. *see* Chakraborti, N.B. 87−39885, 87−75899

Misra, R.B. Loop optic design optimization study 87–8293
Misra, R.B. *see* Dhillon, B.S. 85–49405
Misra, R.B. *see* Schenk, K.F. 88–68798
Misra, R.C. *see* Johri, G.K. 88–10177
Misra, R.P., Pandey, S.B. Noise as a diagnostic tool for reliability 88–5657
Misra, R.P., Pandey, S.B. Reliability of tantalum capacitors 88–64000
Misra, R.P., Pandey, S.B. Early detection of failure in insulation 88–64814
Misra, S.C. *see* Kamboj, S. 88–16617
Misra, S.C. *see* Rao, P.S. 87–29468
Misra, S.C.K. Tin oxide-polycrystalline silicon photovoltaic devices 85–44187
Misra, S.C.K. Nonlinearity in gold-alkali halide-gold capacitors 87–74138
Misra, T., Jha, A.M., Pillai, N.S. Study of the antenna patterns for a *Ku*-band spaceborne wind scatterometer 88–2738
Missaggia, L.J. *see* Walpole, J.N. 87–46943
Missakian, P., Milgram, M., Zavidovique, B. A special architecture for dynamic programming 87–19465
Missakian, P. *see* Burg, B. 87–19895
Missan, J.S. Telecommunication power supplies for remote sites 85–30595
Missell, F.P. *see* Rezende, A.T. 88–51179
Misshaghi, K. *see* Aura, L. 87–31174
Missirian, C. *see* Costa, P. 87–16227
Missirlis, N.M. Convergence theory of extrapolated iterative methods for a certain class of non-symmetric linear systems 85–22396
Missirlis, N.M. A comparison of rates of convergence for the modified alternating direction preconditioning (MADP) method 85–60882
Missirlis, N.M. Scheduling parallel iterative methods on multiprocessor systems 88–329
Missiry, M.M.El *see* El Missiry, M.M.
Misskey, W.J. *see* Lee, T. 88–67034
Misskey, W.J. *see* Liaw, Y. 88–67159
Misskey, W.J. *see* Puri, D. 85–8180
Missland, P., Schuler, H.R., Jacot, M., Wavre, J.J. Management of a medium voltage network using an optical fibre transmission system 88–23469
Missoni, G. *see* Sanjurjo, A. 88–18030
Missous, M., Rhoderick, E.H. A simple method of modelling the *C-V* profiles of high-low junctions and heterojunctions 85–45431
Missous, M., Rhoderick, E.H. New way of plotting current/voltage characteristics of Schottky diodes 86–41733
Missous, M., Rhoderick, E.H., Singer, K.E. Schottky barriers on *p*-type gallium arsenide prepared by molecular beam epitaxy 86–35427
Missous, M., Rhoderick, E.H., Singer, K.E. Thermal stability of epitaxial Al/GaAs Schottky barriers prepared by molecular-beam epitaxy 86–47392
Missous, M., Rhoderick, E.H., Singer, K.E. The effects of vacuum conditions on epitaxial Al/GaAs contacts formed by molecular-beam epitaxy 87–10381
Missous, M., Singer, K.E. Low-temperature molecular beam epitaxy of gallium arsenide 87–36695
Missous, M., Singer, K.E. The electrical properties of In-doped and low-temperature-grown MBE GaAs 87–65532
Missous, M., Singer, K.E., Nicholas, D.J. Electrical properties of indium doped GaAs layers grown by MBE 87–45577
Missous, M. *see* Evans, J.H. 88–64261
Missous, M. *see* Poole, I. 88–25959
Missout, B. *see* Boscher, D. 85–58145
Missout, B. *see* le Noane, G. 85–58140
Missout, B. *see* Niquil, M. 86–64962, 87–70059
Misteri, F. *see* Wang, A.P. 88–56092
Mistree, F. *see* Muster, D. 88–37923
Mistretta, C.A. *see* Hasegawa, B.H. 85–38039, 86–11956, 87–29740
Mistretta, O. *see* Celi, F. 85–48176
Mistretta, O. *see* Manzo, G. 85–43198
Mistry, D.K., Shetty, H.V.K., Kotwal, P.P. Salient design features of brushless hydro-generators for mini/micro hydel schemes 88–43088
Mistry, D.M. Availability of transformer oil to revised IS: 335-1983 85–53728
Mistry, D.M. An integrated approach for cost saving and quality retention of transformer oil 86–19326
Mistry, D.M. Towing the standard for a better insulating oil 86–51675
Mistry, J.F. *see* Raj, P.A. 85–65164
Mistry, M. *see* Kerszenbaum, I. 88–62425
Mistry, N. *see* Bean, A. 86–48269
Mistry, N. *see* Bian, Z. 86–2958
Mistry, N. *see* Blucher, E. 85–43252, 86–70318
Mistry, N. *see* Kirchgessner, J. 86–24926
Mistry, P. *see* Li Kam Wa, P. 87–7096, 87–26550
Mistry, P. *see* MacBean, M.D.A. 87–60959
Mistry, P. *see* Manning, R.J. 88–60141
Mistry, P. *see* Powell, A.L. 87–53510
Mistry, P. *see* Roberts, J.S. 87–52110
Mistry, P. *see* Wheatley, P. 87–26092, 87–26228, 88–2058, 88–8009, 88–20475
Mistry, P. *see* Whitehead, M. 87–74052, 88–20448
Misu, A. *see* Kamata, N. 87–65504
Misu, N., Vladescu, A., Breazu, F. Development of the Romanian power plant structure in correlation with the energy sources available for the cogeneration of heat and power 86–6451
Misu, N. *see* Manolescu, G. 87–50715
Misu, T. *see* Akiyama, M. 85–25688, 85–52175, 87–2998
Misu, T. *see* Kushler, C.A. 86–25284
Misugi, T. *see* Hiyamizu, S. 86–28017
Misugi, T. *see* Yokoyama, N. 86–28035
Misulovina, E.L. The evolution of signaling systems between telephone offices 86–30507
Misumi, A. *see* Kitagawa, K. 86–18034
Misumi, H. *see* Nakamori, Y. 86–11736
Misurec, J., Brzobohaty, J. Synthesis of the four-port reflector 85–39889
Misutamari, H. *see* Akaishi, A. 86–69822
Misuyu, T. *see* Ohkawa, K. 88–6464
Misyak, A. *see* Gradets, I. 87–8873
Misyura, I.V. The anomalous behaviour of electroconductivity in lead selenide doped by manganese 88–1381
Misyura, N.N., Sologub, V.G. Scattering of a dipole field by two coaxial segments of finite length circular waveguide 86–62799
Misyura, U.N. *see* Lapta, S.I. 85–61416
Misyura, V.A. *see* Bondarenko, V.N. 88–20907
Miszczynska, D. *see* Gajda, J. 87–58605
Miszczynski, M. *see* Gajda, J. 87–58605
Miszkowski, N. *see* White, L.K. 85–50415, 88–71484
Mita, H. *see* Maehashi, Y. 86–34852
Mita, J., Koizumi, M., Kanno, H., Hayashi, T., Sekido, Y., Abiko, I., Nihei, K. Effects of annealing on ZnS:Tb, F electroluminescent thin films prepared by RF magnetron sputtering 87–54180
Mita, J., Koizumi, M., Kanno, H., Hayashi, T., Sekido, Y., Abiko, I., Nihei, K. ZnS:Mn thin film electroluminescent devices having doubly-stacked insulating layers 87–54195
Mita, J., Koizumi, M., Kanno, H., Hayashi, T., Sekido, Y., Abiko, I., Nihei, K. Difference in electroluminescent ZnS:Tb,F thin films prepared by electron-beam evaporation and RF magnetron sputtering 87–68272
Mita, J. *see* Hayashi, T. 88–16336
Mita, J. *see* Kobayashi, H. 85–41252
Mita, J. *see* Koizumi, M. 88–58374
Mita, J. *see* Sekido, Y. 87–8681
Mita, K. *see* Ando, M. 86–1566, 86–47176
Mita, M. Adaptive analysis of harmonic oscillation for biological signals 88–66496
Mita, N., Makishima, H. Electrostatic focused Pierce-type gun for deflection-modulated EBS amplifier 85–23360
Mita, N. *see* Ishibori, K. 86–27800
Mita, N. *see* Makishima, H. 85–11030
Mita, N. *see* Sakayori, M. 87–34478, 87–48991
Mita, N. *see* Shimokawa, K. 85–23361
Mita, O., Hata, M., Okamura, H. FACOM 1310 series CAPTAIN terminals 85–63268
Mita, S. Saitama Shintoshi Kotsu, Ina Line, new shuttle [rapid transit system] 86–66427
Mita, S., Hirano, Y., Izumita, M., Nagahara, S. Experiment on digital video recording using 1/2-inch metal particle tape 85–42769
Mita, S., Izumita, M., Doi, N. Signal detection method without increased noise for digital recording systems and its application to automatic equalizer 87–27416
Mita, S., Izumita, M., Doi, N., Eto, Y. Adaptive equalization techniques for digital video recording systems 88–35720
Mita, S., Izumita, M., Doi, N., Eto, Y. High density digital video recording techniques using nonlinear adaptive automatic equalizer 88–47346
Mita, S., Izumita, M., Doi, N., Eto, Y. Automatic equalizer for digital magnetic recording systems 88–52439
Mita, S., Izumita, M., Doi, N., Eto, Y., Kaneko, M. Experiments on automatic equalizer without increased noise for digital recording systems 88–47329
Mita, S., Izumita, M., Doi, N., Umemoto, M. Digital video recording techniques using 1/2 inch metal particle tape 86–11301
Mita, S. *see* Doi, N. 88–14596, 88–45954
Mita, S. *see* Eto, Y. 86–44036
Mita, S. *see* Umemoto, M. 86–38107, 87–49347
Mita, T. A partly-solved problem: sampling theorem for time-invariant linear systems 88–3021
Mita, T., Sakabe, A., Yokoo, T. Quantitative estimates of arc stability for CO_2 gas shielded arc welding 88–55987
Mita, T. *see* Nishiyama, K. 88–16729, 88–34710
Mita, T. *see* Yatsuboshi, R. 85–19852
Mita, Y. Photoconductive characterization of undoped, semi-insulating GaAs crystals 85–29687
Mita, Y. Extrinsic photoconductive characteristics of semi-insulating GaAs crystals 87–61017
Mita, Y. Defect characterization in semi-insulating GaAs crystals by means of recovery characteristics of bleached absorption (RCBA) method 88–58693
Mitachi, S., Fonteneau, G., Christensen, P.S., Lucas, J. Molar extinction coefficients of OH in fluoride glasses considering molecular water influence 88–1918
Mitachi, S., Ohishi, Y., Takahashi, S. Fabrication of low OH and low loss fluoride optical fiber 85–12552
Mitachi, S., Sakaguchi, S., Yonezawa, H., Shikano, K., Shigematsu, T., Takahashi, S. Relationship between scattering loss and oxygen content in fluoride optical fibers 86–22137
Mitachi, S., Terunuma, Y., Ohishi, Y., Takahashi, S. Reduction of impurities in fluoride glass fibers 85–12533
Mitachi, S. *see* Ohishi, Y. 85–12569, 85–35475, 86–2665
Mitaku, S. *see* Sakka, T. 88–16705
Mital, D.P. *see* Chin, T.C. 88–49017
Mital, N. *see* Malik, O.P. 85–43531
Mitama, M. *see* Nakayama, K. 85–61376
Mitamura, K. *see* Ichinokura, O. 87–22523
Mitamura, K. *see* Nishizawa, J. 87–43237, 88–75844
Mitamura, T., Fukazawa, Y., Kondo, M., Imai, H., Watanabe, Y. Material-handling equipment for clean environments 86–26607
Mitamura, T. *see* Kawabe, T. 86–17918
Mitamura, T. *see* Kobayashi, S. 87–36092
Mitamura, Y. Importance of electronics in artificial organs 88–5013
Mitamura, Y., Okamoto, E., Hirano, A., Mikami, T. Development of motor driven assist pump systems 88–36518
Mitamura, Y. *see* Makino, H. 86–32366, 87–8952
Mitani, E. Hotel 'Edmont' 86–65681
Mitani, E. *see* Kimura, S.-I. 88–39243
Mitani, E. *see* Tamura, M. 86–53526, 87–25091, 87–60284
Mitani, H. *see* Honda, M. 87–17085
Mitani, H. *see* Yokoyama, S. 86–25629, 86–51097
Mitani, I. *see* Andow, F. 85–64970
Mitani, I. *see* Muraoka, M. 85–4701
Mitani, K., Okazaki, S., Murai, F., Shiraishi, H. Contrast enhancement of positive EB resist with a surface-modified layer 88–57524
Mitani, K., Shima, N., Ikuta, H., Nagai, T., Nanba, H., Tabe, M. International network services [VANs] 87–2738
Mitani, K., Usukura, T., Akiba, K., Hasegawa, T. The architecture of new network components 85–52097
Mitani, K. *see* Kitamura, A. 88–46712
Mitani, K. *see* Nakazawa, K. 88–112
Mitani, K. *see* Nara, S. 87–48819
Mitani, K. *see* Sano, K. 86–33350
Mitani, K. *see* Tada, M. 88–8990
Mitani, K. *see* Taguchi, T. 87–2737, 87–2739
Mitani, M. *see* Goto, Y. 88–46076
Mitani, M. *see* Miyauchi, T. 86–67903
Mitani, M. *see* Yamaguchi, H. 86–35762
Mitani, N., Furusawa, T., Tsuchihashi, Y., Kitamura, Y., Kiriyama, Y., Rai, Y. A single chip 1/2″ frame transfer CCD color image sensor 85–52681
Mitani, N., Kitamura, Y., Kiriyama, Y., Furusawa, T., Tsuchihashi, Y., Rai, Y. Vertical color crosstalk suppression of frame transfer CCD imager with Cross-Gate structure 85–57522
Mitani, N. *see* Funusawa, T. 87–41375
Mitani, N. *see* Rai, Y. 87–14193
Mitani, S. *see* Akiyoshi, T. 87–21393
Mitani, S. *see* Maezawa, H. 86–60485
Mitani, S. *see* Murayama, I. 87–64518
Mitani, S. *see* Nakamura, K. 88–57951
Mitani, S. *see* Urakawa, T. 88–23987
Mitani, T. *see* Kurokawa, H. 88–57943
Mitani, T. *see* Saburi, A. 86–4579, 87–8232
Mitani, T. *see* Sato, M. 88–45232, 88–58261
Mitani, Y., Murakami, Y., Tsuji, K. Experimental study on stabilization of model power transmission system by using four quadrant active and reactive power control by SMES 87–71735
Mitani, Y., Ohta, M. Time series modeling for acoustic signals by a generalized adaptive function and its application to actual random noise data 87–19831
Mitani, Y., Tsuji, K., Ise, T., Murakami, Y. Fundamental study on electrical power system stabilization using superconducting magnetic energy storage 86–44899
Mitani, Y., Tsuji, K., Murakami, Y. Application of Superconducting Magnet Energy Storage to power system stabilizing control 87–30084
Mitani, Y., Tsuji, K., Murakami, Y. Design of power system stabilizer using superconducting magnet energy storage device by means of singular perturbation method 87–71480
Mitani, Y., Tsuji, K., Murakami, Y. Stabilization of series compensated system by superconducting magnet energy storage system 88–54886
Mitani, Y. *see* Ito, Y. 85–25495
Mitani, Y. *see* Satoh, T. 86–4149
Mitarai, G., Nishiumi, H., Yamada, Y., Takeda, K. Bi-FET operational amplifiers 85–17170

Mitarai, G. *see* Yamada, Y. 86−34570
Mitaray, S., Kuhn, G., Schumann, B., Tempel, A., Horig, W., Neumann, H. Growth, structure and optical properties of $Li_xCu_{1-x}InSe_2$ thin films 86−40750
Mitas, A. An automatic diagnostic tester of the 8080 processor-based microcomputer systems 87−73483
Mitas, A., Dyszkiekicz, A. A microcomputer-aided measurement system in cardiology 88−16744
Mitcham, A. *see* Reip, P.W. 87−26704
Mitcham, D. *see* Chu, S.N.G. 86−52448
Mitcham, D. *see* Kou-Wei Wang 88−57423
Mitcham, D. *see* Wang, K.-W. 88−50872
Mitcham, D.L. *see* Chu, S.N.G. 85−61837
Mitchel, G. *see* Trinh, N.G. 88−54999 to 55000
Mitchel, G.R., Malewski, R. Nanosecond resistive high-voltage probes for transient ground rise measurement in gas-insulated switchgear. I. Newi probes with wire-wound resistors 87−56645
Mitchel, G.R., Melancon, C. Subnanosecond protection circuits for oscilloscope inputs 86−5362
Mitchel, G.R., Mercure, H., Parpal, J.-L., Melancon, C., Vincent, C. Construction and performance of a 200 kV nanosecond risetime spark-gap and subnanosecond high voltage divider 87−30278
Mitchel, G.R. *see* Melancon, C. 87−58253
Mitchel, G.R. *see* Parpal, J.-L. 88−18996
Mitchel, G.R. *see* Trinh, N.G. 85−26436
Mitchell, A. *see* Coffman, T. 87−59488
Mitchell, A. *see* Esquivel, A. 88−38542
Mitchell, A. *see* Esquivel, J. 87−44853
Mitchell, A. *see* Gill, M. 88−33402
Mitchell, A. *see* Schweickardt, H. 88−18108
Mitchell, A.F. *see* Gould, C.A. 88−47186
Mitchell, A.J. *see* Barry, C.P. 86−5492, 86−70170
Mitchell, A.K.J., Delbos, M. EMP effect: towards the anti-nuclear shelter for electronics 88−14403
Mitchell, A.M.J. Shielding theory and practice 88−20945
Mitchell, A.M.J. EMC scenario and the specification of shielding 88−45734
Mitchell, A.R. *see* Sleeman, B.D. 88−56195
Mitchell, A.T., Huffman, C., Esquivel, A.L. A new self-aligned planar array cell for ultra high density EPROMs 88−38537
Mitchell, A.T. *see* Esquivel, A.L. 87−37282, 88−6874, 88−70768
Mitchell, B. British cellular radio ignores home-grown technology 85−14132
Mitchell, B. EP guide to electronics standards 86−19863
Mitchell, B. EE Valve debuts the 'dupletron' 86−20813
Mitchell, B. Paper paves the road to high-reliability design 86−40506
Mitchell, B. Automated component manufacture−some major requirements 86−66598
Mitchell, B. The European market emphasises the need for better oscillators 88−32424
Mitchell, B. A review of reactivity feedback, stability and related operating experience in fast power reactors from EBR-I to BN-600 88−37001
Mitchell, B. *see* Beyer, J. 88−42622
Mitchell, B.K. *see* Nightingale, S.J. 86−20831, 86−27602
Mitchell, C. Annunciator gives audible pulse count 86−57732
Mitchell, C. HPC−a high-performance 16-bit CMOS microcontroller in audio delay applications 88−4229
Mitchell, C. Comments on 'Existence of one-dimensional perfect binary arrays' 88−52314
Mitchell, C., Goodnere, R. Assembly considerations for devices processed with polyimide 85−40853
Mitchell, C., Rush, D., Walker, M. The security architecture of the secure mobile messaging demonstrator 88−67281
Mitchell, C., Wild, P. Switch reduction for bidirectional telephone systems 87−40001
Mitchell, C. *see* Berg, H.M. 86−14762
Mitchell, C. *see* Jedwab, J. 88−52313
Mitchell, C.A. Five-chip circuit converts RS-422 and RS-232-C lines 85−984
Mitchell, C.Izquierdo *see* Izquierdo Mitchell, C.
Mitchell, C.J., Piper, F.C. A classification of time element speech scramblers 86−16160
Mitchell, C.K. *see* Wellinghoff, J.B. 86−18759
Mitchell, C.M. *see* Fath, J.L. 88−31360
Mitchell, C.S. *see* Etrich, C.M. 88−72120
Mitchell, D. *see* Miles, R. 88−66874
Mitchell, D.C., Collar, B.E. CCITT Signalling System No.7: national user part 88−52695
Mitchell, D.F. *see* Roth, A.P. 87−11404, 88−32837
Mitchell, D.G. *see* Carney, G.F. 88−32697
Mitchell, D.H. Deep hole residual stress measurements in metallic specimens 85−48108
Mitchell, D.J. Measurement and calibration techniques used in computer partial pressure analysis 85−58936
Mitchell, D.L. High magnetic field research and facilities: a survey 88−40469
Mitchell, D.M. An analytical investigation of current-injected control for constant-frequency switching regulators 86−67016
Mitchell, D.M., Schoneman, G.K. On the selection of control-law coefficients for multi-loop PWM switching regulators 88−75764
Mitchell, D.M. *see* Schoneman, G.K. 87−73309, 88−30801
Mitchell, E.E., DeMoyer, R., Vranish, J. A new Metglas sensor 86−70104
Mitchell, E.E., Vranish, J. Magnetoelastic force feedback sensors for robots and machine tools−update 86−17959
Mitchell, E.W.J. *see* Hampshire, D.P. 85−56153
Mitchell, E.W.J. *see* Paoli, M.P. 86−56066
Mitchell, F. *see* Paddison, F.C. 86−43877
Mitchell, F.H., Jr., Mitchell, F.H., Sr. Introduction to electronics design 88−55887
Mitchell, F.H., Sr. *see* Mitchell, F.H., Jr. 88−55887
Mitchell, F.R.G. A small-bore flow detector for liquids 86−31388
Mitchell, G., Brady, R., Couillaud, B. High energy visible and UV picosecond pulses from a cavity dumped dye laser, pumped by a CW mode locked and Q-switched Nd:YAG laser 87−39028
Mitchell, G. *see* Couillaud, B. 85−62535
Mitchell, G. *see* Lai, B. 86−60688
Mitchell, G. *see* Stolen, R.H. 88−45074
Mitchell, G. *see* Wisoff, P.J.K. 85−56573, 86−63769
Mitchell, G.E. *see* Westerfeldt, C.R. 88−68174
Mitchell, G.E. *see* Wustenbecker, S. 87−41735, 88−61014
Mitchell, G.L. *see* Hartl, J.C. 88−42139
Mitchell, G.L. *see* Lenz, J.E. 85−24288
Mitchell, G.L. *see* Saaski, E.W. 88−42127, 88−68050
Mitchell, G.R. Options for the strategic management of technology 88−49447
Mitchell, G.R. Options for the strategic management of technology 88−55895
Mitchell, G.R. *see* Barsness, A.R. 85−17402
Mitchell, H.B., Wachtel, J.M. Generation of electron beams for gyrotron tubes 85−11844
Mitchell, H.B. *see* Wachtel, J.M. 87−66821
Mitchell, H.G. *see* Ganguli, G. 86−32082
Mitchell, H.J. *(editor)* 32-bit microprocessors 87−770
Mitchell, I. *see* Dangor, A.E. 87−70905
Mitchell, I.H. The design and testing of applications databases for a railway signalling system 88−37696
Mitchell, I.H. *see* Wheeler, C.B. 87−61305
Mitchell, J. Exploring the impact of new-generation microprocessors on ATE architecture 85−31344
Mitchell, J. Stepping a 16-bit address counter 86−20666
Mitchell, J. Future self-contained navigation systems 87−42117
Mitchell, J., North, R. Coal-fired power plant will meet strict requirements 88−48769
Mitchell, J., Walker, D.M. E-base exposure of optical resist for mask lithography 88−13224
Mitchell, J.B. Inverter power factor and noise 87−78614
Mitchell, J.B.A. *see* Jones, J. 88−60252
Mitchell, J.B.A. *see* Mitchell, R.E. 86−21006
Mitchell, J.B.A. *see* Sen, A. 86−55985
Mitchell, J.C. The impact of proposed radiofrequency radiation standards on military operations 85−46570
Mitchell, J.C. Development and application of new radiofrequency radiation safety standards 85−48347
Mitchell, J.D., Le, K.D., Day, J.T. Short-term, unit-outage coordination: a case study 87−78056
Mitchell, J.D. *see* Le, K.D. 87−42645
Mitchell, J.D., Jr. 500 kV line presents challenge 87−15340
Mitchell, J.F. ISDN strategies and 'the Davox difference' 87−40243
Mitchell, J.F. Let an autodialer do the 'walking' 88−73731
Mitchell, J.H., III *see* Magnusson, R. 87−68638
Mitchell, J.L. Microprocessor controlled battery charger 85−60332
Mitchell, J.L., Hallock, Z.R., Thompson, J.D. REX and GEOSAT: progress in the first year 88−10564
Mitchell, J.L. *see* Anastassiou, D. 86−49865
Mitchell, J.L. *see* Anderson, K.L. 87−40297
Mitchell, J.M. Wet Steam Turbines 86−33148
Mitchell, J.P. *see* Chan, L.C. 86−47149
Mitchell, J.P. *see* Cohen, H.M. 88−24549
Mitchell, J.P. *see* Kaplan, B.A. 87−52976
Mitchell, J.R., Turcotte, S.B., Benner, R.E., Grow, R.W. Optical probes for cathode characterization 88−38976
Mitchell, J.R. *see* Benner, R.E. 87−45491, 87−66810
Mitchell, J.R. *see* Berrington, D.B. 88−16565
Mitchell, J.S. Efficient machinery screening for improved on-line performance 85−16736
Mitchell, J.S. Condition monitoring for protection and cost effective maintenance 85−27318
Mitchell, J.S. *see* Chao, J.L. 87−25849
Mitchell, J.T. *see* Jones, C.M. 88−53960
Mitchell, J.W. Chemical analysis of electronic gases and volatile reagents for device processing 85−40586
Mitchell, J.W. *see* Magerlein, J.H. 87−60649
Mitchell, K., Potter, R., Ermer, J., Wieting, R., Eberspacher, C., Tanner, D.P., Knapp, K., Gay, R. High efficiency thin film tandem PV modules 88−31025
Mitchell, K., Rifai, R., Fabick, L. Performance modeling of thin film tandem PV modules 88−37411
Mitchell, K. *see* Andersen, B.R. 86−12382
Mitchell, K. *see* Chesarek, W. 88−37508, 88−69696
Mitchell, K. *see* Fabick, L.B. 88−37412
Mitchell, K. *see* Morel, D.L. 87−9786
Mitchell, K.W. Device aspects of multijunction photovoltaic module research 87−72437
Mitchell, K.W., Eberspacher, C., Cohen, F., Avery, J., Duran, G., Bottenberg, W. Progress towards high efficiency, thin film CdTe solar cells 87−9849
Mitchell, K.W., Eberspacher, C., Cohen, F., Avery, J., Duran, G., Bottenberg, W. Progress towards high efficiency thin film CdTe solar cells 88−37396
Mitchell, K.W., Fabick, L.B., Fairchild, C.E., Woolston, T., Canale, J., Pyle, B., Rumburg, J., Willett, D. Outdoor photovoltaic device performance testing 87−30962
Mitchell, K.W., Shing, Y.H., Grosvenor, V., Yan, P. Thin film Si:Ge:H single junction and tandem solar cells and corollary plasma diagnostics and thin film properties 87−9789
Mitchell, K.W., Tanner, D., Vasquez, S., Willett, D., Lewis, S. Device characterization and analysis of thin film silicon:hydrogen solar cells 87−9793
Mitchell, K.W., Touryan, K.J. Amorphous silicon alloys for solar cells 86−40094
Mitchell, K.W. *see* Berman, E. 88−17975
Mitchell, K.W. *see* Eskenas, K.L. 87−1219
Mitchell, K.W. *see* Fabick, L.B. 87−9803
Mitchell, K.W. *see* Gay, C.F. 88−48824
Mitchell, K.W. *see* Morel, D.L. 86−7057
Mitchell, L.C., Lide, D.A. End-to-end performance modeling of local area networks 87−13387
Mitchell, L.D. Perspectives in modal analysis 88−55959
Mitchell, L.W. *see* Iqbal, M.Z. 87−77541
Mitchell, L.W. *see* Thomas, J. 88−16627, 88−36381
Mitchell, L.W. *see* Wiescher, M. 88−47915
Mitchell, M. *see* Perry, S. 86−20215
Mitchell, M.A. Defect test structures for characterization of VLSI technologies 85−50651
Mitchell, M.K. *see* Sperduto, R.D. 88−73922
Mitchell, M.P., Branner, G.R. A novel low-noise downconverter system using a microstrip coupled transmission-mode dielectric resonator 87−52836
Mitchell, N. Computer aided tactics for air combat 88−54833
Mitchell, N., Salpietro, E. Plasma engineering for the Next European Torus 88−7833
Mitchell, N. *see* Coccorese, E. 86−28756
Mitchell, N. *see* Hicks, J.B. 87−78799
Mitchell, N. *see* Malavasi, G. 86−42184, 87−67986
Mitchell, N. *see* Salpietro, E. 87−67983
Mitchell, N.J. *see* Muller, H.G. 87−76855
Mitchell, N.S.J., Armstrong, B.M., Gamble, H.S. Interconnect RC delays in VLSI circuits 87−18286
Mitchell, N.S.J., Armstrong, B.M., Gamble, H.S., Wakefield, J. Low resistance polysilicon interconnects with self-aligned metal 86−53569
Mitchell, N.S.J., Gamble, H.S., Montgomery, J.H., Armstrong, B.M. A novel test structure for the accurate measurement of interconnect capacitance 87−18344
Mitchell, O.M.M. Implementing ISDN in the United States 86−59464
Mitchell, O.R., Grogan, T.A. Global and partial shape discrimination for computer vision 85−13612
Mitchell, O.R., Lyvers, E.P., Dunkelberger, K.A., Akey, M.L. Recent results in precision measurements of edges, angles, areas and perimeters 87−77415
Mitchell, O.R. *see* Akey, M.L. 85−30422
Mitchell, O.R. *see* Gorman, J.W. 88−41033, 88−46228
Mitchell, O.R. *see* Lema, M.D. 85−13594, 86−16547
Mitchell, O.R. *see* Rostampour, A.R. 88−66768
Mitchell, O.R. *see* Shih, F.Y. 88−28116, 88−59265, 88−73373
Mitchell, P. 16-bit MCU faces the 32-bit MPU 88−25257
Mitchell, P. Floating point and CMOS up data rates 88−46049
Mitchell, P. PCB simulators are no longer a novelty 88−57075
Mitchell, P., Ollier, E. TV rate readout unit for two-dimensional CCDs 88−47350
Mitchell, P.J. *see* Barton, R.T. 87−4869
Mitchell, P.J. *see* Bass, K. 88−69670

Mitchell, P.J. *see* Bickerstaffe, A. 86−66299
Mitchell, P.J. *see* Duffield, A. 86−6983
Mitchell, P.J. *see* Harman, N.F. 87−30895
Mitchell, P.J. *see* Jones, S.L. 88−43152
Mitchell, P.V., Layadi, A., VanderVen, N.S., Artman, J.O. Direct observation of magnetically distinct regions in Co-Cr perpendicular recording media using ferromagnetic resonance 85−45997
Mitchell, P.V. *see* Mountfield, K.R. 88−44947, 88−57900
Mitchell, P.W. *see* Riggs, M. 85−52493
Mitchell, R. *see* Hermann, A. 86−7111
Mitchell, R. *see* Hutchins, J.D. 88−65076
Mitchell, R. *see* Zweibel, K. 87−9854, 88−37575
Mitchell, R.A. Progress in force measurement at NBS 86−11731
Mitchell, R.A. *see* Peterson, R.W. 86−31116
Mitchell, R.E., Mitchell, J.B.A., McGowan, J.W. Studies of a thin-film field-emission cathode for use in merged electron-ion beam experiments 86−21006
Mitchell, R.E. *see* Odom, J.B. 87−29880
Mitchell, R.F.G. Lighting control circuit 85−16423
Mitchell, R.G. *see* Jagannath, H. 86−63879
Mitchell, R.H. The TH28DX. How to construct (or think about) four stacked Th7DX antennas on a 145 foot self-rotating tower 87−2354
Mitchell, R.H. The 302-BA(X) a 2-element 30 meter beam 88−8624
Mitchell, R.H. The forty meter Flame Thrower [7 MHz antenna] 88−27651
Mitchell, R.H., Dempsey, G.J., McCloy, D. Myoelectric control of a remote device 88−30044
Mitchell, R.H., Sharif, B.S., Cahill, S.J., Jenkins, J.G., McClure, B.G. Neonatal heart rate variability monitoring 88−48211
Mitchell, R.H., Weir, D.K. Automatic detection of ventricular fibrillation 87−8930
Mitchell, R.H. *see* Sharif, B. 87−63784
Mitchell, R.J. *see* Dahele, J.S. 87−61440
Mitchell, R.L. HCMOS microcomputing 85−13974
Mitchell, R.L. Overview of the electrofluid dynamic wind-driven generator 85−16274
Mitchell, R.L. Low cost multiple access networks realized by a high performance microcontroller 85−19839
Mitchell, R.L., Houghton, W. Network concepts simplify microcontroller design 85−52091
Mitchell, R.R. PC software for insulation design 86−63492
Mitchell, R.R. Theoretical analysis of dielectric recovery in SF_6 gas-blast arcs 87−22650
Mitchell, R.R. A deep breath method for noninvasive estimation of cardiopulmonary parameters 88−48082
Mitchell, R.R. *see* Cendes, Z.J. 87−47074
Mitchell, R.S. *see* Weigert, F.J. 88−1475
Mitchell, S. Market demand sees change in design criteria 86−26124
Mitchell, S. Purchasing considerations in power supply technology 87−10674
Mitchell, S., Harrison, T. Choosing the right power supply for the job 86−20280
Mitchell, S. *see* Ali, F. 88−71115
Mitchell, S.M. *see* Handerek, V.A. 88−45101
Mitchell, S.W. *see* Carr, P.H. 87−11062
Mitchell, T., Wagner, T. DMS-10: collaborating to customize technology [digital switch] 88−15285
Mitchell, T.B., Pust, L., Wigen, P.E. Anisotropic magnetic and magneto-optic behaviour of thin garnet films with high Q-values 88−51267
Mitchell, T.M., Steinberg, L.I., Shulman, J.S. A knowledge-based approach to design 85−39880
Mitchell, T.M., Steinberg, L.I., Shulman, J.S. A knowledge-based approach to design 86−9208
Mitchell, T.M. *see* Steinberg, L.I. 85−1693, 85−33582
Mitchell, W.B. Remote ground sense. Concept, need and implementation 88−47411
Mitchell, W.E. Industrial sensor technology 87−77266
Mitchell, W.F. Comparison of adaptive refinement techniques for elliptic problems 88−18659
Mitchell, W.J. *see* Bleisch, G.W. 85−3261
Mitchell, W.J. *see* Kovac, E.J. 87−34267
Mitchelmore, R. Large growth within magnetic tape markets [video tapes] 85−18570
Mitchelmore, R. Italy−then and now [broadcasting liberalisation] 85−31150
Mitchelmore, R. An Italian dream: the end of local TV broadcasting 85−31151
Mitchelmore, R. European cable: CIT predict slow but steady progress 86−4863
Mitchelmore, R. European studio cameras lead the world 86−38044
Mitchem, J.W. *see* Galford, J.E. 85−59957
Mitchener, J.C., Mahawili, I. Low pressure CVD-high quality SiO_2 dielectric films at high deposition rates 87−1439
Mitchener, J.C., Mahawili, I. LPCVD: forced-convection flow and the deposition of LTO, PSG, and BPSG dielectric films 88−451
Mitchner, M. *see* Currie Munce, A., Jr. 85−16249
Mitchner, M. *see* Kihm, K.D. 85−51378, 87−33391
Mitdank, R. *see* Haefner, H. 87−38944
Mitdank, R. *see* Rheinlander, B. 87−46715
Miteff, L. *see* Chakraborty, S. 85−53524
Mitenkov, F.M. *see* Kochetkov, L.A. 86−65859
Mitera, H. *see* Fujii, M. 85−56970
Mitescu, C.D. *see* Clerc, J.P. 85−494
Mitescu, I. Time range correction using cross filters with manual adjustment 85−61357
Mitev, A. *see* Kutsarov, S. 87−45142
Mitev, A.M. *see* Kutsarov, S.I. 86−20287
Mitev, J. *see* Ivantchev, M. 86−39061
Mitev, V., Simeonov, V., Ivanov, L., Arshinov, J., Bobrovnikov, S. Raman lidar measurements of atmospheric temperature profiles 86−17518
Mitev, V.M., Grigorov, I.V. Study of aftereffect of photomultiplier in photon-count mode 88−12907
Mitev, V.M., Kovachev, L.M. Soliton shaping by stimulated Raman process in silica optical fibers 87−74729
Miteva, M., Nikolova, L. Oscillating behaviour of diffracted light on uniform illumination of holograms in photo-refractive $\mathrm{Bi}_{12}\mathrm{TiO}_{20}$ crystals 88−58712
Miteva, M.G. Some possibilities for improving the holographic recording characteristics in $\mathrm{Bi}_{12}\mathrm{SiO}_{20}$ monocrystals 87−7453
Miteva, M.G., Miridonov, S.V. Anisotropic properties of volume holograms in $\mathrm{Bi}_{12}\mathrm{SiO}_{20}$ monocrystals 87−47004
Miteva, N.I. Ferromagnetic materials−development and improvement of the production technologies 85−1830
Miteva, V.I., Ivanov, K.P. Theory and operation of circular guide containing azimuthally magnetized semiconductor 85−11503
Miteva, V.I., Ivanov, K.P. Nonreciprocal effects in an azimuthally magnetised millimetre-wave solid-plasma circular guide 87−33472
Miteva, V.I., Ivanov, K.P. Wave propagation along circular guide containing azimuthally magnetized solid-plasma 87−75544
Miteva, V.I., Ivanov, K.P. Fundamental considerations in millimeter nonreciprocal component designs employing solid-plasma circular guide 88−7020
Miteva, V.I., Ivanov, K.P. Nonperiodic solid-plasma backward wave structure 88−34386
Miteva, V.I., Ivanov, K.P. An exact treatment of a millimeter-wave azimuthally magnetized solid-plasma circular guide 88−56847
Mitha, A. *see* Saad, A.M.K. 87−6055
Mithal, S. *see* Towsley, D. 87−55444
Mithani, D. Microprogrammable CPU design 85−45088
Mithani, D. Microprogrammable CPU design. II 85−54931
Mithani, D. Microprogrammable system architecture 87−31921
Mithani, D., Macavero, E. The design of microprogrammable CPUs 85−6353
Mithani, D., Moller, O. Microprogram sequencer handles a system's interrupts in real time 85−22911
Mithani, D. *see* Agrawal, O. 86−14242, 86−27202, 87−16989
Mitiche, A. On kineopsis and computation of structure and motion 86−43313
Mitiche, A. Three-dimensional space from optical flow correspondence 88−46154
Mitiche, A., Aggarwal, J.K. Image segmentation by conventional and information-integrating techniques: a synopsis 85−51699
Mitiche, A., Aggarwal, J.K. Multiple sensor integration/fusion through image processing: a review 86−43326
Mitiche, A., Benjamin, D. Document processing for communications 85−19354
Mitiche, A., Seida, S., Aggarwal, J.K. Interpretation of structure and motion from line correspondences 87−48209
Mitiche, A., Seida, S., Aggarwal, J.K. Using constancy of distance to estimate position and displacement in space 88−66633
Mitiche, A., Wang, Y.F., Aggarwal, J.K. Experiments in computing optical flow with the gradient-based, multiconstraint method 87−47936
Mitiche, A. *see* Vemuri, B.C. 86−64338
Mitiche, A. *see* Wang, Y.F. 87−39899
Mitin, A.A. *see* Bykov, V.N. 85−12903, 86−53972
Mitin, A.I. *see* Krasnopolskii, A.E. 86−40274
Mitin, I.V., Shodmonkulov, T.D. The problem of mathematical processing of experimental results from semiconductor nuclear radiation detectors 88−36373
Mitin, V. *see* Reggiani, L. 88−1337, 88−32744
Mitin, V.F., Tkhorik, Yu.A., Shvarts, Yu.M. Thermometric characteristics of highly doped and highly compensated germanium films 86−35300
Mitin, V.I., Fomicheva, O.F. Switching effects in MIS structures employing high-resistivity silicon and the oxides of rare-earth elements as the insulator 85−55593
Mitin, V.I. *see* Filipchuk, E.V. 85−21387
Mitin, V.V. Influence of the acoustic phonon scattering anisotropy on the distribution function and the electronic transport in n-Si 85−55444
Mitin, V.V. A negative differential conductivity due to recombination and impact ionization in semiconductors at low temperatures 86−27827
Mitin, V.V., Asche, M., Kostial, H. Recombination and impact-ionization peculiarities in many-valley semiconductors 86−41517
Mitin, V.V. *see* Asche, M. 85−18059, 85−28938, 85−50192
Mitin, V.V. *see* Gorbachuk, N.T. 85−14780, 85−23418
Mitin, V.V. *see* Gurevich, V.M. 86−26823
Mitin, V.V. *see* Ivastchenko, V.M. 85−1567
Mitin, Yu.Sa. *see* Bival'd, Yu.O. 88−48491
Mititelu, S. Optimality, minimax and duality in nonlinear programming 88−18603
Mitkees, A., Eweda, E.I., Matar, M.A., Hamad, G. A proposal for speed−accuracy trade−off in the LMS adaptive array 85−36135
Mitkees, A.A., Elmoghazy, A., Abdel-Halim, M., Taha, A.S.A. General computer program for choices of optical fiber link components−application to Cairo interoffice communication 85−37086
Mitkevich, E.A. *see* Bashenko, V.V. 86−40330
Mit'kin, M.I. *see* Belikov, I.B. 85−62425
Mit'kin, V.M. *see* Arkhipova, Z.L. 86−63791
Mit'kin, V.M. *see* Berezin, Yu.D. 85−24511
Mit'kin, Yu.A. Calculating the shape of a draw-plate for applying thin insulating layers to large workpieces of large relative length 87−6941
Mit'kin, Yu.A. *see* Bazhenov, O.A. 86−9330
Mitkova, M., Boncheva-Mladenova, Z. Selective solubility of some silver-chalcogenide glasses 87−53200
Mitkowski, W., Ogorzalek, M.J. Chaotic motion in a RC-ladder network with nonlinear feedback 88−56734
Mitkowski, W. *see* Ogorzalek, M.J. 88−50234
Mitlehner, H. Light-activated auxiliary thyristor for high-voltage applications 85−39116
Mitlitsky, F., Whitehead, J.C., Bernhardt, A.F., McWilliams, B.M. Fabrication of gate array interconnect structures using direct-write deposition processes 87−23736
Mitlitsky, F. *see* Bernhardt, A.F. 87−67599, 88−33394
Mitlitsky, F. *see* Herman, I.P. 85−50682
Mitlitsky, F. *see* McWilliams, B.M. 85−1731
Mitlitsky, F. *see* Whitehead, J.C. 87−46205
Mitnik, L.M. *see* Alekseeva, I.A. 85−48476
Mito, H., Sekiguchi, A. Induction heated plasma assisted chemical vapor deposition of SiN 86−62251
Mito, I. Epitaxial techniques for opto-electronics devices 85−33435
Mito, I. Optical devices applied to optical communication systems 88−28841
Mito, I., Inai, M., Matsumoto, T., Usui, A., Kobayashi, K. Low threshold current operation for 0.65 μm InGaAsP/GaAsP visible laser diode 85−46416
Mito, I., Inoue, T., Nishimoto, H., Murakami, T., Henmi, N., Kobayashi, K. Highly stable single longitudinal mode operation in $\lambda/4$ shift 1.5 μm DFB-DC-PBH LDs 88−65718
Mito, I., Kitamura, M., Murata, S., Yamaguchi, M., Nishimoto, H., Kobayashi, K., Kawaradani, M., Uehara, K. Highly reliable DC-PBH LD for long wavelength optical fiber communications 86−3166
Mito, I., Shikada, M. External waveguide loaded DFB-LDS for coherent system applications 88−65736
Mito, I. *see* Aoki, Y. 87−68612, 88−51455
Mito, I. *see* Emura, K. 85−14251, 86−11103, 86−17366, 86−43860, 87−8271, 87−56156, 88−67404
Mito, I. *see* Fujita, S. 88−67417
Mito, I. *see* Fujiwara, M. 88−67339
Mito, I. *see* Henmi, N. 88−45455, 88−53269
Mito, I. *see* Honmou, H. 87−13693
Mito, I. *see* Iwamoto, K. 87−40913
Mito, I. *see* Kaede, K. 87−12461
Mito, I. *see* Kato, Y. 85−35753
Mito, I. *see* Kitamura, M. 85−7438, 85−51169, 86−36505, 88−65663, 88−65684
Mito, I. *see* Kobayashi, I. 88−40223
Mito, I. *see* Kobayashi, K. 86−22412, 86−29159
Mito, I. *see* Minemura, K. 87−13722, 87−40910, 88−4017
Mito, I. *see* Murata, S. 86−42580, 87−12464, 87−26393, 87−46863, 87−68473, 88−51796
Mito, I. *see* Nishimoto, H. 87−26428, 88−20653
Mito, I. *see* Numai, T. 88−27159, 88−35475
Mito, I. *see* Ono, Y. 87−26227
Mito, I. *see* Shikada, M. 86−49695, 88−22087, 88−47103, 88−51810
Mito, I. *see* Sugou, S. 86−15705, 86−42579
Mito, I. *see* Suzuki, A. 87−38957
Mito, I. *see* Uehara, K. 86−58938
Mito, I. *see* Usui, A. 85−18928, 85−41385
Mito, I. *see* Yamada, H. 88−27145
Mito, I. *see* Yamaguchi, M. 85−18931, 87−38948, 88−45449

Mito, I. *see* Yamazaki, S. 85−35752, 86−23849, 86−49693
Mito, I. *see* Yanase, T. 86−22405
Mito, K. *see* Hiramatsu, O. 85−59277
Mito, K. *see* Kajiya, F. 85−38068, 87−77643, 88−54495
Mito, T., Fujita, J., Okada, S. Problems of measurement with thermocouples 88−16542
Mito, T. *see* Arai, R. 87−32918
Mito, T. *see* Doi, Y. 87−38707
Mito, T. *see* Haruyama, T. 88−33576, 88−39844
Mito, T. *see* Shintomi, T. 86−25062
Mito, T. *see* Tsuchiya, K. 88−45016
Mito, T. *see* Wake, M. 87−38709
Mito, T. *see* Yamamoto, A. 86−50263, 86−63598 to 63599, 87−63601, 88−39843, 88−65080
Mitobe, K. *see* Kasuya, K. 88−42403
Mitobe, S., Kohsiba, M., Suzuki, M. Theoretical determination of equivalent circuit parameters for reflective SAW metallic gratings 87−6967
Mitobe, S., Koshiba, M. Equivalent circuit model for positive/negative reflection-type SAW reflectors 88−51105
Mitobe, S., Koshiba, M., Suzuki, M. Finite-element analysis of periodically perturbed piezoelectric waveguides 85−29414
Mitobe, S., Koshiba, M., Suzuki, M. Finite-element analysis of periodically perturbed piezoelectric waveguides 87−53852
Mitobe, S., Koshiba, M., Suzuki, M. Theoretical determination of equivalent circuit parameters for reflective SAW metallic gratings 88−1843
Mitobe, S., Umehara, K. Electromagnetic interference and the considerations of countermeasures with general broadcast receivers 85−7669
Mitobe, S. *see* Koshiba, M. 85−18522, 87−12021, 88−13639
Mitoma, O. *see* Kawano, K. 86−28783
Mitome, H., Koda, T., Shibata, S. Double Doppler ranging system using FM ultrasound 86−23990
Mitome, H., Koda, T., Shibata, S. Modulation limit on FM signal caused by frequency characteristics of ultrasonic transmit-receive system 86−25465
Mitome, H., Kota, T., Shibata, S. An acoustic positioning system using demodulated signals of am FM ultrasonic wave 85−64780
Mitome, H. *see* Koda, T. 86−4751, 86−4757
Mitome, M. *see* Kanemasa, A. 86−17083
Mitome, M. *see* Sasada, T. 87−40194
Mitome, Y., Fushikida, K. Japanese speech synthesis system in a book reader for the blind 87−19487
Mitomi, O., Kawano, K., Ichihashi, Y. Highly reliable optical components 86−30826
Mitomi, O., Kawano, K., Nozawa, T., Yanagibashi, M. Reliability of optical components for use in submarine optical fiber transmission systems 87−70055
Mitomi, O., Kawano, K., Nozawa, T., Yanagibashi, M. Reliability of optical components for use in submarine optical fiber transmission systems 88−67393
Mitomi, O., Makishima, H., Hara, H. Target output circuits for deflection-modulated EBS amplifiers 85−23363
Mitomi, O., Nozawa, T., Kawano, K. Effects of solder creep on optical component reliability 86−15551
Mitomi, O., Nozawa, T., Kawano, K. Effects of solder creep on optical component reliability 87−10212
Mitomi, O. *see* Kawano, K. 85−35390, 85−56295, 86−2716, 86−48116, 87−12129, 87−18972
Mitomi, O. *see* Makishima, H. 85−23362
Mitomi, O. *see* Nozawa, T. 86−11063
Mitomi, T. *see* Hashiguchi, S. 88−36483
Mitonneau, A., Rocchi, M., Talmud, I., Mauduit, J.C., Henry, M. Direct experimental comparison of submicron GaAs and Si NMOS MSI digital ICs 85−55975
Mitra, A. Robust estimation in regression using an adaptive approach 88−56105
Mitra, A., Ghatak, S.K. An AC transducer system to detect small displacement and current using amorphous magnetic material 87−56630
Mitra, A., Ghatak, S.K. AC transducer system for determination of small displacement 87−77227
Mitra, A., Maity, A., Misra, N.K., Mukherjee, M.L., Ghatak, S.K. A simple and inexpensive temperature controller 86−24298
Mitra, A. *see* Sen, A.K. 86−63999, 87−47196, 88−72544
Mitra, A.D. *see* Chatterjee, C.K. 86−8033
Mitra, A.K., Sauer, M., JanBen, W. RF power amplifier with dedicated interlock and feedback controller 87−35290
Mitra, A.N. *see* Lobkowicz, F. 85−43185
Mitra, B., Chatterjee, A.K. Status report of the Cockroft-Walton accelerator of the Bose Institute, Calcutta 88−74690
Mitra, B. *see* Ganguly, A.K. 88−22975
Mitra, D. Some results from an asymptotic analysis of a class of simple, circuit-switched networks 87−34174
Mitra, D., Cieslak, R. Randomized parallel communications 87−20002
Mitra, D., Cieslak, R.A. Randomized parallel communications on an extension of the omega network 88−66848
Mitra, D., McKenna, J. Some results on asymptotic expansions for closed Markovian networks with state dependent service rates 86−26711
Mitra, D., Romeo, F., Sangiovanni-Vincentelli, A. Convergence and finite-time behavior of simulated annealing 86−52373
Mitra, D.P., Sen Gupta, S.P. Copper indium diselenide—a promising material for solar cells: an overview on the current trends 88−33875
Mitra, M. *see* Ghosh, P. 88−55027
Mitra, N. *see* Yarar, B. 87−59016
Mitra, P. *see* Chen, C.S. 86−10312
Mitra, R. *see* Paranjpe, S.K. 85−25523
Mitra, R.N., Singh, B.K., Biswas, T., Das Choudhury, N.K. A critical analysis of lateral Schottky barrier solar cells 85−5387
Mitra, S., Bhattacharya, S., Ghoshal, T.K. Representing variable width composite consonant text in character mode raster-scan VDU 85−42900
Mitra, S., Nutter, B.S., Krile, T.F., Brown, R.H. Automated method for fundus image registration and analysis 88−46144
Mitra, S., Tikku, V.K., Pradhan, N.K. Flammability and combustion tests on cables—a survey 88−55028
Mitra, S. *see* Bounds, B. 87−56543
Mitra, S. *see* Dah Jye Lee 88−59309
Mitra, S. *see* Dah-Jye Lee 88−41004
Mitra, S. *see* Dutta, A. 88−34868
Mitra, S. *see* Hardwicke, K. 86−25182
Mitra, S. *see* Heinrich, M.L. 87−41253
Mitra, S. *see* Nutter, B.S. 88−59302
Mitra, S. *see* Whiteside, S. 87−41957
Mitra, S. *see* Youngblood, R. 85−53425
Mitra, S.K., Damonte, A.J., Fujii, N., Neuvo, Y. Tunable active crossover networks 86−14352
Mitra, S.K., Fujii, N., Neuvo, Y., Damonte, A.J. Design of canonic active *RC* crossover filters with tunable characteristics 86−62699
Mitra, S.K., Grosen, M.D., Neuvo, Y. Design of fault-tolerant 1D FIR digital filters using outer product decompositions 87−942
Mitra, S.K., Islam, M.N. Transport properties of gallium arsenide thin films on glass substrates 87−1191
Mitra, S.K., Mensa-Ababio, K., Hirano, K. Theory and applications of all-digital *N*-path filters 88−6984
Mitra, S.K., Neuvo, Y., Vaidyanathan, P.P. Complementary IIR digital filter banks 86−8390
Mitra, S.K., Pyi, H.-S. An exact analysis of linear digital filters containing periodically operated switches 85−17721
Mitra, S.K., Regalia, P.A., Vaidyanathan, P.P. Bounded complex transfer function and its application to low sensitivity digital filter realization 86−62783
Mitra, S.K., Tian-Hu Yu Complementary two-dimensional digital filters 86−35013
Mitra, S.K., Vaidyanathan, P.P., Anderson, B.D.O. A general theory and synthesis procedure for low-sensitivity active RC filters 85−55010
Mitra, S.K., Yu, T. Image enhancement via transform amplitude sharpening 87−27652
Mitra, S.K. *see* Babic, H. 87−45108, 87−58901, 88−56811
Mitra, S.K. *see* Islam, M.N. 86−63037, 87−32252
Mitra, S.K. *see* Jarske, P. 87−56219, 88−34482, 88−50268, 88−66541, 88−74313
Mitra, S.K. *see* Krishna, K.S.V. 87−2067
Mitra, S.K. *see* Kundu, A. 85−46744, 87−47554, 87−69278
Mitra, S.K. *see* Lee, J.C. 87−61952
Mitra, S.K. *see* Nakamura, S. 85−61378
Mitra, S.K. *see* Neuvo, Y. 85−17705, 87−45087, 87−45105
Mitra, S.K. *see* Regalia, P.A. 86−67324, 86−67429, 87−31994, 87−33684, 87−45035, 87−45085, 88−15849, 88−25332, 88−32349, 88−56803
Mitra, S.K. *see* Renfors, M. 87−27482
Mitra, S.K. *see* Saramaki, T. 86−62756, 86−67430, 87−7794, 87−73551, 88−32335
Mitra, S.K. *see* Shentov, O. 88−66527
Mitra, S.K. *see* Sung, W. 87−19752, 88−8762
Mitra, S.K. *see* Sung, W.Y. 86−16364
Mitra, S.K. *see* Szczupak, J. 87−66405, 88−56392
Mitra, S.K. *see* Vaidyanathan, P.P. 85−17694, 85−17741, 85−34076, 85−45166, 86−1311, 86−20735, 86−35006, 86−41238, 86−62743, 87−10978, 87−27480, 87−45086, 88−32332
Mitra, S.K. *see* Viadyanathan, P.P. 85−941
Mitra, S.K. *see* Wang, Y. 88−73272
Mitra, S.K. *see* Yih, T.C. 88−900
Mitra, S.K. *see* Yu, T.H. 86−10363
Mitra, S.S. *see* Gedam, S.G. 85−62316
Mitra, T.J., Dharne, S.P., Lele, H.G., Ranganath, M.V., Grover, R., Sarode, D.N. Modelling of Rajasthan Atomic Power Plant-I for nuclear power plant simulator 85−32302
Mitra, T.K., Das, B.R., Bera, S.C., Dhara, P.C. Investigation on some novel laws of unipolar limb-lead electrocardiographic voltages by an electrical model of ECG 85−9179
Mitra, T.K., Dhara, P.C. Effect of number of standard ECG electrodes on electrocardiographic potential of Wilson Central Terminal by spin harmonic model of ECG 85−9180
Mitra, T.K., Dhara, P.C., Sikdar, B. Determination of maxima and minima of electrocardiographic potential by monopolar ECG mapping using polar co-ordinate system of electrode placement 88−4951
Mitra, T.K. *see* Bera, S.C. 86−11984
Mitra, U. *see* Nieminen, A. 88−66556
Mitra, U.N., Davies, P.W., Shukla, R.K., Multani, J.S. Material characterization of selectivity formed titanium nitride and silicide thin films 87−18291
Mitra, V., Ananda, S.A. Outage calculations in LOS digital microwave system and their overlay on existing analog route 87−76564
Mitrache, I. Transient phenomena (of relaxation) in electrochemical systems in the case of total current step-by-step variation 87−72356
Mitrache, I. Transient phenomena in electrochemical systems in the ease of step variation of the 'measured' electrode voltage 87−78854
Mitrache, I. The analysis of the electrode voltage step method 'measured' for fast electrode processes 88−36165
Mitrakos, D.K. Digital image analysis based on a two-dimensional slowly varying source model 88−3216
Mitrakos, D.K., Constantinides, A.G. Optimal block quantization with integrality constraints 85−46864
Mitrakovic, B. *see* Zivanic, J. 85−65278
Mitrakovic, D.V. *see* Clark, A.V. 88−49926
Mitran, D. *see* Ionescu, C. 88−62344
Mitrani, I., Adams, J.L., Falconer, R.M. A modelling study of the ORWELL ring protocol 87−40455
Mitrani, I. *see* King, P.J.B. 87−48601, 88−22062
Mitrani, I. *see* Robert, P. 88−41605
Mitrani, M.S., Foucault, J., Jolivet, J.C., Lebroch, H., Riou, A. Coding techniques for video transmission at 34 Mbit/s 87−13818
Mitrani, M.S. *see* Bayle, L.J. 87−2714
Mitraszewski, P. *see* Blinowska, K.J. 88−48149
Mitrea, S., Adascalitei, A. Upon the symmetrical third subharmonic response in the parallel ferroresonant circuit 88−31963
Mitrea, S., Cantemir, L. On the damping of lateral oscillations in electromagnetic levitation systems using U-shaped electromagnets andrails 86−7223
Mitreski, M. *see* Ristov, M. 87−58953
Mitrofan, G., Plomadeala, D. Multichannel sound signal level indicator 87−56589
Mitrofanov, A.V. Collimators for the vacuum ultraviolet and ultrasoft X-ray regions 86−2900
Mitrofanov, A.V. *see* Kalinikos, D.A. 87−65936
Mitrofanov, A.V. *see* Michenko, I.S. 86−48628
Mitrofanov, S.S. Automatic system for checking the accuracy of angle transducers 87−3570
Mitrofanov, S.S., Neverova, I.V., Petrov, V.P. Investigation of the accuracy of circular displacement converters 87−68288
Mitrofanov, S.S. *see* Kozin, A.L. 87−21032
Mitrofanov, S.S. *see* Latyev, S.M. 88−60691
Mitrofanov, S.Yu. *see* Khobin, V.A. 87−49480
Mitrofanov, V.P., Ponomareva, O.I. Use of torsion pendulum for measurement of dielectric losses 87−70762
Mitrofanov, V.P. *see* Braginsky, V.B. 86−57081
Mitrofanov, V.V. *see* Buyantuev, S.L. 88−49083
Mitrofanova, T.S. *see* Bondarenko, N.N. 87−24345
Mitroi, P., Bardas, C., Christodorescu, P., Chitian, A., Enache, A. 660 V compensating equipment for network supply drilling installations 88−61797
Mitrokhin, O.E., Strizhak, V.I., Usikov, Yu.I. Semiconductor corpuscular-radiation spectrometer with 6-keV energy resolution 87−8880
Mitrokhin, V.N. Cylindrical guided waves in a wedge-shaped waveguide 86−42908
Mitrokhin, V.N. Critical intrinsic cross sections and modes of conical waveguides 88−7016
Mitropol'skii, O.V. *see* Andreev, N.F. 86−15770
Mitropol'skii, O.V. *see* Andreev, Yu.M. 86−22524
Mitropol'skii, O.V. *see* Betin, A.A. 86−28777, 86−29239
Mitros, J.Cz. *see* Czerwinski, A.A. 86−2153
Mitroshina, A.S. *see* Amromin, A.L. 85−65295
Mitrou, N.M. Results on nonrecursive digital filters with nonequidistant taps 86−27474
Mitrou, N.M., Stassinopoulos, G.I., Protonotarios, E.N. Design of multistage separable two-dimensional digital filters with frequency domain specifications 87−47762
Mitrou, N.M., Stassinopoulos, G.I., Protonotarious, E.N. Frequency-domain separable decomposition of 2-dimensional systems 87−47783
Mitrovic, S. Passive tracking of a moving acoustic source 86−4752

Mitrovich, D. Magnetic field evolution and measurement of fast rise-time electron beams 88-72511
Mitrovich, D. *see* Czuchlewski, S.J. 88-47869
Mitrovich, D. *see* Michie, R.B. 85-2167
Mitrovtsii, I.M. *see* Bletskan, D.I. 86-47335
Mits, V.N. *see* Kolosyuk, V.P. 86-6314
Mitsai, A.D. *see* Zhmurko, V.A. 85-5283
Mitsai, L.I. *see* Pomerantsev, V.V. 88-54388
Mitsai, L.I. *see* Vershinina, S.P. 87-8855
Mitsche, J.V. *see* Fouad, A.A. 86-51561, 87-42344
Mitsche, J.V. *see* Price, W.W. 88-54912
Mitschel, H. First results of the starting operations of the large wind energy converter GROWIAN I 86-66010
Mitschke, F., Deserno, R., Mlynek, J., Lange, W. Transients in optical bistability: experiments with external noise 86-22494
Mitschke, F., Fluggen, N. Chaotic behaviour of a hybrid optical bistable system without a time delay 85-2401
Mitschke, F., Moller, M., Lange, W. Measuring filtered chaotic signals 88-59167
Mitschke, F. *see* Bowers, J.E. 86-54037
Mitschke, F. *see* Deserno, R. 87-54420
Mitschke, F. *see* Downey, P.M. 87-3608
Mitschke, F. *see* Koster, E. 85-12941
Mitschke, F. *see* Lange, W. 85-41492
Mitschke, F.M. Solitons in optical fibers: light pulses with surprising properties 88-33657
Mitschke, F.M., Mollenauer, L.F. Discovery of the soliton self-frequency shift 87-18661
Mitschke, F.M., Mollenauer, L.F. Stabilizing the soliton laser 87-26351
Mitschke, F.M., Mollenauer, L.F. Experimental observation of interaction forces between solitons in optical fibers 87-54025
Mitschke, H. The future of digital methods in colour television equipment 85-37270
Mitschke, H. A television receiver for several video signals 86-17578
Mitschke, H. Digital techniques in Digivision 3896 Multicontrol: picture within a picture 87-28765
Mitschke, H. Video recorder: picture from a store 88-53455
Mitsel'mager, E.E. Periodic phase-shift keyed locally optimal signals 86-23045
Mitsel'mager, E.E. Dispersion of systems of periodic phase-keyed signals with fixed number of blocks 87-19360
Mitsel'mager, E.E. Locally optimum phase-shift keyed signals 87-27406
Mitsel'mager, E.E., Mukhamedyarov, R.D. Optimality conditions for periodic phase-shift keyed signals 86-16315
Mitsel'mager, E.E., Mukhamedyarov, R.D. Variance of phase-shift keyed signal systems with a fixed number of blocks 87-47473
Mitsel'mager, E.E. *see* Mukhamedyarov, R.D. 85-2832
Mitsel'mager, E.Ye., Mikhamedyarov, R.D. An optimality criterion for binary amplitude-shift keyed signals 85-7794
Mitsen, K.V. *see* Golovashkin, A.I. 86-53914, 88-20314
Mitsenko, I.D., Legkii, V.N. Selection of efficient parameters for a photoreceiver channel having a reactive load 85-58714
Mitsenko, I.D., Legkiy, V.N. Optimal filtering in a multistage receiver 88-27951
Mitsenko, I.D. *see* Legkii, V.N. 85-7474, 86-63239
Mitsiadis, G. Generalized Wiener filtering in conventional radiology 85-53040
Mitsiadis, G., Venetsanopoulos, A. Wiener filtering for the tomographic reconstruction of radiographs 86-38782
Mitsiadis, G., Venetsanopoulos, A. Wiener filters for the restoration of radiographs 87-55253
Mitsiuishi, T. *see* Yoshida, H. 87-40766
Mitskevich, G.F. A unified series of automatic breakers 85-44132
Mitskevitch, G.F. Basic trends in the development of low tension equipment building 88-30949
Mitskus, M.A. *see* Paulavichyus, R.B. 88-12109
Mitskyavichyus, S. *see* Gal'dikas, A. 85-34547, 86-58280, 88-39086 to 39087
Mitson, R.B. Colour displays in fisheries echo-sounding and sonar 86-5437
Mitson, R.B. Problems of radio telemetry from wild animals 86-37918
Mitsubashi, T. *see* Hayashi, K. 85-37194
Mitsubori, S., Kasugaya, K. The digital audio terminal for CATV network 86-65086
Mitsubori, S., Kasugaya, K., Seki, M., Aizawa, H., Arai, N. Indoor unit for DBS receiving system: model NE-BST1100 87-49275
Mitsubori, S. *see* Watanabe, H. 85-58054
Mitsubuchi, M. *see* Koike, M. 86-34798, 87-31899
Mitsuda, A., Yamashita, Y., Marimatsu, Y., Sugitani, T., Saito, K., Yamashita, I. Stirling engine research and development in Japan 86-39555
Mitsuda, K., Kashihara, S., Suzuki, Y. 40-inch color CRT for high-definition TV 87-70424
Mitsuda, K. *see* Ashizaki, S. 88-41833
Mitsuda, S. *see* Endoh, Y. 86-5845
Mitsuda, S. *see* Mitsui, K. 85-62428
Mitsuda, Y., Yoshida, T., Akashi, K. The growth of diamond in MW low pressure plasma 88-12044
Mitsudome, H. *see* Nishimuta, I. 86-36720 to 36721, 88-53359
Mitsuhara, M. *see* Kawamori, Y. 87-43117
Mitsuhashi, G., Suzuki, H., Hanawa, Y., Ohtsuki, N., Torii, T. CIMS in semiconductor manufacturing [Computer Integrated Manufacturing System] 86-2275
Mitsuhashi, G. *see* Shingu, Z. 88-50743
Mitsuhashi, H., Mitsuishi, I., Kukimoto, H. MOCVD growth of ZnS_xSe_{1-x} epitaxial layers lattice-matched to GaAs using alkyls of Zn, S and Se 86-20093
Mitsuhashi, H., Mitsuishi, I., Kukimoto, H. Growth kinetics in the MOVPE of ZnSe on GaAs using zinc and selenium alkyls 87-10406
Mitsuhashi, H., Mitsuishi, I., Mizuta, M., Kukimoto, H. Coherent growth of ZnSe on GaAs by MOCVD 86-7805
Mitsuhashi, H. *see* Mitsuishi, I. 88-31811
Mitsuhashi, H. *see* Ushiota, H. 88-17814
Mitsuhashi, J., Matsukawa, T., Sugimoto, K., Kawazu, S. Hot carrier injection in submicron MOSFETs fabricated by rapid isothermal annealing 85-50772
Mitsuhashi, J., Muto, H., Ohno, Y., Matsukawa, T. Effect of p-SiN passivation layer on time-dependent dielectric breakdown in SiO_2 88-1553
Mitsuhashi, J., Nakao, S., Matsukawa, T. Mechanical stress and hydrogen effects on hot carrier injection 87-53566
Mitsuhashi, J. *see* Arima, H. 87-25427
Mitsuhashi, J. *see* Eimori, T. 88-19975
Mitsuhashi, J. *see* Matsukawa, T. 85-54892
Mitsuhashi, J. *see* Miyamoto, K. 87-750
Mitsuhashi, J. *see* Ohno, Y. 88-71371
Mitsuhashi, K., Shiozaki, K., Ohtake, K., Koba, M., Awane, K. Etch-back planarization technology for interconnection of stacked structure 88-71449
Mitsuhashi, K., Shiozaki, K., Yamazaki, O., Ohtake, K., Koba, M. Thermally stable and completely planarized multilevel interconnection with selective CVD-W via and $^{31}P^+/^{11}B^+$ implanted WSi_x/TiN/Si contact 88-64433
Mitsuhashi, K., Takashima, K., Ohtake, K., Shimizu, H., Miyata, S., Morishita, T., Miyajima, T., Koba, M., Awane, K. Planarization technology and its application to multilayer devices 86-41897
Mitsuhashi, K. *see* Kitamura, A. 88-16616
Mitsuhashi, K. *see* Mera, M. 88-46434
Mitsuhashi, K. *see* Saito, T. 86-31257
Mitsuhashi, K. *see* Shiozaki, K. 88-20102
Mitsuhashi, K. *see* Suzuki, N. 85-37259, 85-51708
Mitsuhashi, K. *see* Tsuruta, S. 86-31256, 87-33974
Mitsuhashi, M. *see* Suzuki, S. 88-22104
Mitsuhashi, S., Wakamatsu, K., Aihara, Y., Okihara, N. Relay using multilayer piezoelectric actuator 86-47129
Mitsuhashi, S. *see* Kodama, T. 85-10046
Mitsuhashi, T., Haga, K., Katsura, T. Construction of a synchrotron radiation (SR) position monitor by means of X-ray photoemission 88-54117
Mitsuhashi, T., Yoshida, K. A resistance calculation algorithm and its application to circuit extraction 87-59083
Mitsuhashi, T. *see* Hitotsumachi, S.H. 86-24158
Mitsuhashi, T. *see* Hiwatashi, T. 87-1635
Mitsuhashi, T. *see* Kanazawa, M. 88-60434
Mitsuhashi, T. *see* Katsura, T. 88-54104
Mitsuhashi, T. *see* Murakata, M. 87-36901
Mitsuhashi, T. *see* Sugimoto, M. 87-34740
Mitsuhashi, T. *see* Yamada, M. 86-57796
Mitsuhashi, T. *see* Yamakawa, T. 86-60450
Mitsuhashi, W., Mochizuki, H., Tamura, Y., Yamasaki, H. Velocity vector estimation of moving objects using sensor-array and linear-period-modulated signal 87-76875
Mitsuhashi, W. *see* Yamasaki, H. 86-55643
Mitsuhashi, Y. Optical disks 85-58437
Mitsuhashi, Y. Optical information processing systems, past, present and future 86-29982
Mitsuhashi, Y. Optical fibre sensors and actuators 86-36164
Mitsuhashi, Y. Standardization activities for optical disks in Japan 87-28824
Mitsuhashi, Y. Self-coupling effects of a semiconductor laser and its application 87-33204
Mitsuhashi, Y., Ishihara, S. Fiber-optic polarization interferometer for temperature sensing using a polarization rotating coupler 85-62365
Mitsuhashi, Y., Shimada, J., Kogure, S., Sakai, Y. Self-coupled optical pickup (II) and its application 85-41383
Mitsuhashi, Y. *see* Hiyama, M. 86-9867
Mitsuhashi, Y. *see* Ishihara, S. 87-18790
Mitsuhashi, Y. *see* Makita, Y. 87-10370
Mitsuhashi, Y. *see* Mori, M. 88-6463
Mitsuhashi, Y. *see* Nakamura, K. 85-7519, 88-65656
Mitsuhashi, Y. *see* Niwa, Y. 85-26085
Mitsuhashi, Y. *see* Takano, Y. 87-12502
Mitsuhashi, Y. *see* Tsuchida, H. 86-15693, 86-48397, 88-2237, 88-27235, 88-67809
Mitsuhashi, Y. *see* Watanabe, M. 85-7206, 86-22068, 87-68086
Mitsuhasi, H., Mitsuishi, I., Mizuta, M., Kukimoto, H. ZnSe epitaxial layers grown by MOCVD using dimethylzinc and diethylselenide 85-44756
Mitsuhasi, T. *see* Sugimoto, M. 85-20303
Mitsui, A. *see* Mushiga, M. 85-39144
Mitsui, H., Akahori, H., Inoue, Y., Yoshida, H. Combined stress degradation of thermal degradation and surface degradation due to discharge of epoxy micaceous insulations 87-6945
Mitsui, H., Inoue, Y., Kawahara, K., Yoshida, H. Non-destructive insulation diagnosis by color measurement 88-64834
Mitsui, H., Inoue, Y., Yoshida, H. Influence of mica tape application on insulation characteristics of high voltage rotating machinery coils 85-60123
Mitsui, H., Yoshida, H., Katsuki, K., Hashimoto, H. New ceramic insulation system for high temperature equipment 88-64869
Mitsui, H., Yoshida, K., Ishizaka, T., Yoshida, H. Degradation characteristics due to mechanical fatigue of epoxy micaceous insulations 86-35944
Mitsui, H., Yoshida, K., Yoshida, H. Voltage life characteristics of epoxy micaceous insulation systems under flexural stress 86-25974
Mitsui, H. *see* Akahori, H. 85-38966
Mitsui, H. *see* Hashizume, T. 86-68048
Mitsui, H. *see* Ishikawa, Y. 86-70868
Mitsui, H. *see* Isono, H. 86-28542
Mitsui, H. *see* Yoshida, H. 87-30491
Mitsui, K. In-process measurement of surface roughness and its applications 86-24763
Mitsui, K. On electronic clinical thermometers 88-4880
Mitsui, K. Present status of surface flaw detection techniques 88-31881
Mitsui, K., Kawashima, Y., Nakamura, I. The observation of Cherenkov light from the decay of ^{40}K 85-37922
Mitsui, K., Ozawa, N., Kohno, T. Development of a high resolution in-process sensor for surface roughness by laser beam 86-38548
Mitsui, K., Sakai, M., Kizuka, K. Development of a high resolution sensor for surface roughness 87-70576
Mitsui, K., Yoshida, S., Oda, T., Kato, M., Yukimoto, Y., Mitsuda, S. A high quality AR coating for AlGaAs/GaAs solar cells 85-62428
Mitsui, K. *see* Hayafuji, N. 87-31549
Mitsui, K. *see* Kato, M. 87-4891, 87-9774
Mitsui, K. *see* Matsuda, S. 85-65456
Mitsui, K. *see* Mizuguchi, K. 86-56951
Mitsui, K. *see* Nakamoto, A. 85-59183, 87-8842
Mitsui, K. *see* Nishizawa, J. 87-43237, 88-75844
Mitsui, K. *see* Ochi, S. 88-18703
Mitsui, K. *see* Shimokawa, R. 87-9799
Mitsui, K. *see* Taguchi, S. 88-3860
Mitsui, K. *see* Tsujita, S. 86-52838
Mitsui, K. *see* Yoshida, S. 85-65450
Mitsui, M. Trial production of automatic inspecting system with image processing equipment 87-44034
Mitsui, M. Magnetic field analysis on transformer 87-72203
Mitsui, M. *see* Nagatomo, T. 87-64783
Mitsui, N. *see* Nakazato, M. 87-79075
Mitsui, N. *see* Tsukamoto, S. 87-15262
Mitsui, S. *see* Atarashi, T. 88-50520
Mitsui, S. *see* Hattori, R. 88-27176
Mitsui, S. *see* Hayashi, K. 87-73797
Mitsui, S. *see* Kadowaki, Y. 87-73776
Mitsui, S. *see* Matsumoto, M. 85-34271, 86-1475
Mitsui, S. *see* Sadaoka, Y. 87-65581, 88-35955
Mitsui, S. *see* Sonoda, T. 88-43883
Mitsui, T. 6 GeV synchrotron radiation project in Japan 86-60534
Mitsui, T. A modified version of Urabe's implicit single-step method 88-18656
Mitsui, T., Gomi, T., Ito, T., Ushitani, S., Yamaguchi, M. Development of composite fibre-optic electric-power umbilical cable and optical feedthrough for deep ocean mining 85-58132
Mitsui, T., Hosoe, K., Usami, H., Miyamoto, S. Development of fiber-optic voltage sensors and magnetic-field sensors 87-35035
Mitsui, T., Kobayashi, T., Shimizu, H., Nagasaki, S., Matsubara, H., Kuno, M., Komatsubara, H., Okada, T. Morphological study of treeing phenomena in PE and XLPE 85-32176
Mitsui, T., Tsuji, K., Miyamoto, S. Electrostatic monitor utilising electro-optical effect and its application example 86-65171
Mitsui, T. *see* Ihara, S. 85-37604
Mitsui, T. *see* Kitagawa, T. 86-68171
Mitsui, T. *see* Nakamura, E. 86-39144
Mitsui, T. *see* Takada, H. 88-45082
Mitsui, Y. A quasi-millimeter wave GaAs high power FET 86-28358

Mitsui, Y. Super-low-noise GaAs FETs 86−47072
Mitsui, Y. A quasi-millimeter wave GaAs high-power FET 87−52826
Mitsui, Y. *see* Kadowaki, Y. 87−11051
Mitsui, Y. *see* Kobiki, M. 86−27626
Mitsui, Y. *see* Maemura, K. 86−46775, 86−52745, 87−10814
Mitsui, Y. *see* Morimoto, H. 87−38302
Mitsui, Y. *see* Sasaki, Y. 86−53680
Mitsui, Y. *see* Takagi, T. 86−8488
Mitsui, Y. *see* Takano, S. 85−49860
Mitsuishi, A. *see* Ichikawa, Y. 85−52768, 88−2163
Mitsuishi, A. *see* Inoue, Y. 86−62243
Mitsuishi, A. *see* Nakashima, S. 85−11891, 86−40753
Mitsuishi, I., Mitsuhashi, H., Kukimoto, H. Effects of lattice mismatch on crystallographic properties of ZnS grown on GaP and GaAs by MOCVD 88−31811
Mitsuishi, I. *see* Mitsuhashi, H. 86−7805, 86−20093, 87−10406
Mitsuishi, I. *see* Mitsuhasi, H. 85−44756
Mitsuishi, I. *see* Yasuda, T. 88−12061, 88−24702
Mitsuishi, S. Technology begins catching up for relays mounted on PC boards 85−34251
Mitsuishi, S. Miniaturization and high sensitivity are key words for PC board relays 86−27670
Mitsuishi, S. Recent developments in printed circuit board relay technology 88−1064
Mitsuishi, S. Power relays for PCBs and differing load currents 88−25614
Mitsuishi, T., Muneta, T. Supervisory and test control program design for medium capacity land mobile radio telephone system 85−20067
Mitsuishi, T. *see* Nikawa, Y. 86−5877
Mitsuishi, T. *see* Okabe, K. 87−6286
Mitsuishi, T. *see* Sasaki, Y. 88−19659
Mitsuishi, T. *see* Shimanuki, Y. 87−2808
Mitsuishi, T. *see* Suzuki, T. 86−4543
Mitsuishi, T. *see* Tajima, J. 86−69626
Mitsuishi, T. *see* Yamao, Y. 87−3068
Mitsuji, K., Matsuhara, M., Kumagai, N. Approximate Green's function in the area constructed by two material media with plane boundary 86−68710
Mitsuka, K. *see* Sato, G. 86−60739
Mitsumata, H. *see* Oikawa, S. 85−38098, 87−7845
Mitsumata, T., Hoshihara, N., Iwaki, T. Studies on alkaline nickel-iron storage batteries. V. Feasibility of using nickel-iron storage batteries in stationary applications 86−33591
Mitsumata, T., Iwaki, T. Studies on alkaline nickel-iron storage batteries. II. Effects of additives on the charging and self-discharge behavior of alkaline iron electrodes 86−26259
Mitsumata, T., Iwaki, T., Rukuda, M. Studies on alkaline nickel-iron storage batteries. I. High utilization of alkaline iron electrodes 86−13013
Mitsumata, T., Kawano, H., Matsumoto, I., Yanagihara, N., Iwaki, T. Studies on alkaline nickel-iron storage batteries. IV. Batteries using foamed nickel electrodes and electrodeposited iron electrodes 86−19454
Mitsumata, T., Mori, M., Takahashi, K., Kitamura, E., Iwaki, T. Studies on alkaline nickel-iron storage batteries. III. Batteries constructed from sintered nickel electrodes and reduced iron electrodes 86−26260
Mitsumori, Y. *see* Miyazaki, M. 85−20468
Mitsumoto, K., Mori, H., Fujita, T., Goto, S. AI approach to VLSI routing problem 85−18420
Mitsumoto, K. *see* Fujita, T. 87−60571
Mitsumoto, S. *see* Shibuya, M. 85−23787
Mitsumoto, T., Nakajima, M., Aoki, Y., Arai, E. Acceleration characteristics of the TIT 3.4-MeV/u ^{1}H booster 87−14645
Mitsumoto, T. *see* Satoh, K. 88−53983
Mitsunaga, K., Kameya, M., Kojima, K., Noda, S., Kyuma, K., Hamanaka, K., Nakayama, T. CW surface-emitting grating-coupled GaAs/AlGaAs distributed feedback laser with very narrow beam divergence 87−60960
Mitsunaga, K., Kanamoto, K., Nunoshita, M., Nakayama, T. Influence of growth temperature on GaAs/AlGaAs single quantum well structure grown by MBE 85−39744
Mitsunaga, K., Kojima, K., Noda, S., Kameya, M., Kyuma, K., Hamanaka, K., Nakayama, T. Surface-emitting grated-coupled lasers 88−65542
Mitsunaga, K., Kyuma, K. Grating-coupled surface-emitting semiconductor lasers 88−14210
Mitsunaga, K., Noda, S., Kojima, K., Kameya, M., Kyuma, K., Hamanaka, K., Nakayama, T. GaAs/AlGaAs distributed feedback transverse junction stripe laser grown by molecular beam epitaxy 87−61139
Mitsunaga, K., Ota, J., Kojima, K., Noda, S., Kyuma, K. AlGaAs laser diodes grown by molecular-beam epitaxy 87−12494
Mitsunaga, K. *see* Fujiwara, K. 86−58300
Mitsunaga, K. *see* Kameya, M. 87−12467
Mitsunaga, K. *see* Kojima, K. 86−3129, 86−36511, 86−63820, 87−33142, 87−54302
Mitsunaga, K. *see* Noda, S. 86−29127, 86−36477, 86−63802, 87−39108, 88−2229
Mitsunaga, K. *see* Ohta, J. 87−46725, 87−54329, 88−34000
Mitsunaga, M., Kim, M.K., Kachru, R. Degenerate photon echoes: simultaneous storage of multiple optical data 88−58059
Mitsunaga, M., Kubodera, K., Kanbe, H. Effects of hyperfine structures on an optical stimulated echo memory device 86−48501
Mitsunaga, T., Nonaka, R., Matsumoto, K. Rotary compressor for 180 Hz inverter air conditioner 87−79226
Mitsunaga, Y. *see* Abe, T. 85−18678, 86−28828, 88−1940
Mitsunaga, Y. *see* Hayashi, A. 88−73942
Mitsunaga, Y. *see* Ishida, Y. 85−20217
Mitsunaga, Y. *see* Koga, H. 86−4636
Mitsunaga, Y. *see* Kuwabara, N. 86−17401
Mitsunari, K. *see* Okuno, Y. 87−31822
Mitsuno, T. *see* Shibata, T. 85−49878
Mitsunobu, S. *see* Yamamoto, A. 87−63601
Mitsuoka, K., Kumagai, A., Narishige, S., Hanazono, M., Sakakibara, M. Composite type magnetoresistive sensor composed of Ni-Co and Permalloy films 87−60838
Mitsuoka, K., Kumagai, A., Narishige, S., Hanazono, M., Sakakibara, M. Magnetoresistive sensors using Ni-Co films with auxiliary pole of Ni-Fe films 88−42039
Mitsuoka, K., Narishige, S., Hanazono, M., Sugita, Y. Magnetic domain structures of multilayered Permalloy films for magnetic recording thin film heads 88−64893
Mitsuoka, K., Narishige, S., Takagi, M., Hanazono, M., Kawakami, K. Magnetic properties in multiple Permalloy films 85−62186
Mitsuoka, K., Sudo, S., Narishige, N., Hanazono, M., Sugita, Y., Koike, K., Matsuyama, H., Hayakawa, K. Magnetic domains of Permalloy films for magnetic recording thin film heads observed by spin-polarized SEM 88−51281
Mitsuoka, K. *see* Hanazono, M. 87−67759
Mitsuoka, K. *see* Narishige, S. 86−58666
Mitsuoka, T. *see* Toki, M. 87−52426
Mitsuoka, Y. *see* Saito, Y. 85−20805
Mitsuoka Teruyoshi *see* Teruyoshi Mitsuoka
Mitsusada, K. *see* Umemoto, Y. 86−63296, 88−38520, 88−57825
Mitsuta, T. *see* Wada, Y. 88−1761
Mitsutake, Y. *see* Matsuoka, T. 86−4365
Mitsutsuka, S. *see* Minagawa, S. 86−2560
Mitsuya, A. *see* Murotsu, Y. 87−77706
Mitsuya, E. *see* Hosaka, K. 85−30359
Mitsuya, S. *see* Miyazaki, S. 88−46567
Mitsuya, Y. Thin film hydrodynamic lubrication of flying heads in magnetic disk storages 88−33539
Mitsuya, Y., Takanami, S. Technologies for high recording density in large-capacity fast-access magnetic disk storage 88−57961
Mitsuya, Y. *see* Kogure, K. 85−1851
Mitsuya, Y. *see* Ohkubo, T. 88−51324
Mitsuya, Y. *see* Otani, K. 87−1895
Mitsuyasu, H. *see* Toba, Y. *(editor)* 86−56259
Mitsuyasu Tamotsu *see* Tamotsu Mitsuyasu
Mitsuyu, T., Ohkawa, K., Yamazaki, O. Photoluminescence properties of nitrogen-doped ZnSe layers grown by molecular beam epitaxy with low-energy ion doping 87−10372
Mitsuyu, T. *see* Adachi, H. 86−15300, 86−46368, 86−54019, 88−24798
Mitsuyu, T. *see* Ohkawa, K. 87−23682, 88−31778
Mitsyn, G.V. *see* Abazov, V.M. 88−16758, 88−48224
Mittag, K., Brandelik, A. Matching problems in pulse power radial transmission lines 87−21935
Mittag, M.J. Electronic industry overview: the People's Republic of China 87−16317
Mittal, A. *see* Reddy, G.N. 87−66432
Mittal, A.P., Chatterjee, J.K. Simple method for analysis of circulating current in dual convertor operating with offset voltage control 85−5193
Mittal, D. C-DOT DSS packaging 87−69830
Mittal, J.K., Bhadani, P.K., Singh, B., Abhinandan, L., Bhatnagar, R. Design and performance of a 20 watt copper vapour laser 88−45356
Mittal, J.K. *see* Singh, B. 85−7477
Mittal, K.K., Venetsanopoulos, A.N. Buffer analysis in random multiple access broadcast communication systems 86−24008
Mittal, M., Manwaring, M.L. ELSVIC: Electronic simulation of standard cell VLSI designs using splines 86−67938
Mittal, M.L. *see* James, M.I. 85−53833
Mittal, S. *see* Mehta, S. 87−1462
Mittal, S. *see* Nemiroff, M. 88−26062
Mittal, S.K. *see* Chu, J.K. 87−1794
Mittal, S.K. *see* Gupta, P.P. 85−60814, 86−13567
Mittal, S.K. *see* Shamshi, M.A. 87−70794
Mitteldorf, J., Wilemski, G. Film thickness and distribution of electrolyte in porous fuel cell components 85−5369
Mittelholtz, D.K. *see* Carpenter, D.C. 87−69231, 88−41798
Mittelman, A. *see* Marom, G. 85−477
Mittelmann, H.D., Cadzoe, J.A. Continuity of closest rank-*p* approximations to matrices 87−75787
Mittelmann, H.D., Weber, H. Multi-grid solution of bifurcation problems 85−33347
Mittelmeier, H. *see* Esper, F.J. 87−35440
Mittelstadt, W.A. *see* Taylor, C.W. 86−56295
Mittelstein, M., Arakawa, Y., Larsson, A., Yariv, A. Second quantized state lasing of a current pumped single quantum well laser 87−26387
Mittelstein, M., Salzman, J., Venkatesan, T., Lang, R., Yariv, A. Coherence and focusing properties of unstable resonator semiconductor lasers 85−51156
Mittelstein, M. *see* Derry, P.L. 88−65667
Mittelstein, M. *see* Lang, R.J. 87−33227
Mittelstein, M. *see* Larsson, A. 86−22374, 86−63817
Mittelstein, M. *see* Mehuys, D. 88−13921, 88−20651
Mittelstein, M. *see* Salzman, J. 85−24551, 87−33228
Mittelstein, M. *see* Wang, H. 87−75087
Mittenentzwei, H.W. Design and properties of highly blocking Si-power switching transistors 86−9107
Mitter, H. *see* Chroboczek, J.A. 86−53352
Mitter, N. Derivation of confidence intervals by the maximum likelihood method 87−5261
Mitter, N. Confidence areas with the binominal distribution according to the maximum-likelihood method 87−72876
Mitter, S.K. *see* Gelfand, S. 88−31683
Mitter, S.K. *see* Gelfand, S.B. 86−52374
Mitterauer, J. Field emission and field ionization in a liquid metal cesium field-effect source 85−37884
Mitterauer, J. Field emission electric propulsion: emission characteristic of slit emitters 87−21739
Mitterauer, J. Field emission electric propulsion: emission site distribution of slit emitters 87−42190
Mitterauer, J. Field emission electric propulsion: emission site distribution of slit emitters 88−30127
Mitterauer, J. Liquid metal ion sources as thrusters for electric space propulsion 88−42627
Mitterauer, J. *see* Stangl, B. 85−40801
Mitterer, G., Schuocker, D., Klement, E. Electric equivalence of dispersive optical bistability 88−58647
Mitterer, G., Thiemann, N., Schuoker, D., Klement, E. Optical adder for residue numbers 88−58289
Mitterer, H., Morgenroth, O. The EWSD service integrated digital exchange 85−47327
Mitterer, H., Steigenberger, H. EWSD−the ISDN switching system 85−47375
Mitterer, H., Steigenberger, H. EWSD exchange systems in the ISDN 87−34306
Mitterer, H., Steigenberger, H. EWSD−the ISDN switching system 88−9362
Mitterer, H. *see* Steigenberger, H. 85−19944
Mittig, W. *see* Bertrand, P. 88−68007
Mittiga, A. *see* Capizzi, M. 87−45555
Mittla, M.L. *see* Gowda, G.P. 85−5393
Mittleman, S.D. *see* Anderson, W.T. 88−50744
Mittleman, S.D. *see* Meulenberg, A. 88−26178
Mittlestein, M. *see* Salzman, J. 85−62621
Mittmann, U. The rebuilding of class 275 vehicles for the S-Bahn Berlin (West) 86−51984
Mittnik, S. Model reduction with alternatives to the standard Hankel matrix 88−43761
Mittova, I.Ya., Malykhina, T.S., Ponomareva, N.I. Thermal oxidation of GaAs in the presence of SbCl$_3$ and BiCl$_3$ 87−45789
Mittova, I.Ya., Pukhova, V.V. Thermal oxidation of In$_2$S$_3$/GaAs structures 87−45788
Mittova, I.Ya., Pukhova, V.V., Semenov, V.N., Verevkina, Zh.A. Oxidation of GaAs with a PbS layer on its surface 88−39204
Mittra, D.K., Singh, A.K. Thermistor based pilot relaying scheme for protection of coal face electrical drives 87−51688
Mittra, R. Some recent developments on iterative techniques for solving electromagnetic scattering problems 87−75398
Mittra, R., Chan, C., Castillo, S. Some aspects of active array antenna system design for satellite applications 86−68931
Mittra, R., chan, C.H. Iterative approaches to the solution of electromagnetic boundary value problems 86−59006
Mittra, R., Habashy, T.M. Theory of wave-front-distortion correction by phase conjugation 85−12949
Mittra, R. *see* Castillo, S.P. 87−26891
Mittra, R. *see* Chan, C. 85−19208
Mittra, R. *see* Chan, C.-H. 88−40620
Mittra, R. *see* Chan, C.H. 87−47159, 87−47252, 88−2831, 88−20879, 88−25487, 88−58912
Mittra, R. *see* Chang, A.H. 87−28667
Mittra, R. *see* Cwik, T. 85−13269, 85−13271, 86−48655, 87−2284, 87−26749, 87−47153, 88−66033
Mittra, R. *see* Cwik, T.A. 88−27471, 88−40530
Mittra, R. *see* Farr, E. 85−36096
Mittra, R. *see* Farr, E.G. 86−42903
Mittra, R. *see* Galindo-Israel, V. 87−47372, 88−2857, 88−8585
Mittra, R. *see* Gedney, S.D. 87−26868

Mittra, R. *see* Habashy, T.M. 87−26739
Mittra, R. *see* Hall, R.C. 86−42835, 87−26752, 88−34287, 88−66027 to 66028
Mittra, R. *see* Halpern, B. 86−43048
Mittra, R. *see* Hurst, M.P. 85−13096, 88−9618
Mittra, R. *see* Jorgenson, R.E. 88−2534
Mittra, R. *see* Kastner, R. 85−13272, 87−52803
Mittra, R. *see* Kitazawa, T. 85−13182, 85−62862, 85−62865, 86−64028
Mittra, R. *see* Ko, W.L. 85−2637, 88−2865, 88−66026
Mittra, R. *see* Mehalic, M.A. 88−70959
Mittra, R. *see* Merewether, K. 87−33506, 88−2776
Mittra, R. *see* Ohta, H.H. 85−13341
Mittra, R. *see* Pantic, Z. 87−19235, 87−73592
Mittra, R. *see* Pantic-Tanner, Z. 88−66124
Mittra, R. *see* Peterson, A.F. 85−13102, 87−26734, 87−26753, 88−8434
Mittra, R. *see* Ramahi, O.M. 87−27030, 88−2772
Mittra, R. *see* Ray, S. 85−7695
Mittra, R. *see* Schutt-Aine, J.E. 86−22746, 88−40612
Mittra, R. *see* Smith, C.F. 88−2530
Mittra, R. *see* Sultan, M.F. 85−13031, 85−35953
Mittra, R. *see* Webb, K.J. 86−10148
Mittra, R. *see* Yang, R. 85−62714
Mittra, R.C. *see* Hall, R.C. 86−3473
Mitu, G. *see* Muller, I. 87−78241
Mitui, M., Tokumaru, T. Mountability and reliability of plated external electrode type multilayer ceramic chip capacitors 88−50439
Mityagin, M.V. *see* Abdulsabirov, R.Yu. 87−26356
Mityagin, M.V. *see* Dubinskii, M.A. 87−54282, 88−51783
Mityagin, Yu.A., Murav'ev, A.V., Murzin, V.N., Noedrin, Yu.N., Pavlov, S.A., Stoklitskii, S.A., Trofimov, I.E., Chebotarev, A.L., Shastin, V.N. The modal composition of the radiation from a longwave germanium hot hole infrared laser 87−68430
Mityagin, Yu.A., Murzin, V.N., Stoklitskii, S.A., Trofimov, I.E., Chebotarev, A.P. Radiation spectra of a submillimetric laser in cyclotron hot hole transitions in germanium 88−51785
Mityagin, Yu.A. *see* Andronov, A.A. 88−14165
Mityagin, Yu.V. *see* Andronov, A.A. 88−8163
Mityakov, N.A. *see* Boiko, G.N. 85−24823, 86−36730, 86−42845
Mityakov, S.N. *see* Babichenko, A.M. 85−36010
Mityakov, S.N. *see* Belyaev, P.P. 88−34299
Mityakov, V.G., Federov, V.B. Comparison of phase masking methods in holographic recording of binary code transparencies 85−51298
Mityakov, V.G. *see* Fedorov, V.B. 87−49768
Mityashev, B.N. *see* Bubennikov, A.N. 86−35852, 86−40833
Mityashev, M.B. *see* Vinichenko, Yu.P. 86−48695
Mityashin, N.P. *see* Kots, B.E. 86−59016
Mityugov, V.V. *see* Krest'yaninov, S.S. 88−4665
Mityukhlyaev, V.B. *see* Belyaev, S.A. 85−14805
Mityukhlyaev, V.B. *see* Bogdankevich, O.V. 85−41255
Mityushin, A.I. *see* Gagarin, A.G. 85−26503
Mityushina, I.M. *see* Melent'ev, V.A. 86−45191
Mityushkin, K.G. *see* Mamikonyants, L.G. 87−50647
Mitz, A. The 4+1 tone decoder 88−41895
Mitzkus, A. *see* Hilpert, J. 88−68083
Mitzner, K.M. *see* Hall, R.C. 88−66027 to 66028
Mitzscherlich, P. *see* Fan, T.Y. 87−75065, 88−65620
Mitzscherlich, P. *see* Huber, G. 88−40176 to 40177
Mitzscherlich, P. *see* Petermann, K. 87−68413
Mitzutani, K. *see* Nakayama, J. 86−68735
Miu, D.K., Bogy, D.B. Theoretical and experimental investigation of the dynamic flying characteristics of 3370-type sliders in 5-1/4 inch disk drives 87−25832
Miu, D.K., Bouchard, G., Bogy, D.B., Talke, F.E. Dynamic response of a Winchester-type slider measured by laser Doppler interferometry 85−24158
Miu, L. *see* Goncharov, I.N. 88−33553
Miu, W.S., Fung, Y.S. Pulsed current electrodeposition of rhodium 86−52508
Miu Haiping *see* Wang Pengfei 86−9775
Miura, A., Kazama, K., Nishimura, Y. Combustion characteristics of heavy oil 87−35783
Miura, A., Yamanaka, K., Hashimoto, A. High-resolution optical voltage sensor using optical waveguide circuit 85−18751
Miura, A., Yamanaka, K., Hashimoto, A. An electrooptical modulator (optical waveguide) IC−in an optical link used for voltage sensor isolation 86−5192
Miura, A. *see* Adachi, T. 85−36667
Miura, A. *see* Asano, H. 87−30878
Miura, A. *see* Kosuge, Y. 85−3084
Miura, A. *see* Nakajima, A. 87−4646
Miura, A. *see* Nakazima, A. 87−4768
Miura, A. *see* Nakazima, J. 87−4417, 87−4848
Miura, A. *see* Ohnishi, K. 85−3237
Miura, A. *see* Tanbara, M. 85−36658
Miura, A. *see* Yamaguchi, M. 85−41088
Miura, C. *see* Kozawa, T. 85−758, 85−17239
Miura, C. *see* Mogaki, M. 88−24895
Miura, C. *see* Tsukizoe, A. 87−60554
Miura, D. *see* Suehiro, Y. 88−70628
Miura, G., Takano, A. Phase-locked-loop speed control of motors by PID feedback of phase difference 88−37208
Miura, H. Overview of YAG laser soldering systems 88−38899
Miura, H. Glass fibre tube for lead/acid batteries 88−55594
Miura, H. Laser applications−soldering 88−57127
Miura, H., Koga, T. A test of the stability of the two-dimensional recursive digital filter 85−6449
Miura, H., Koga, T. A test of the stability of the two-dimensional recursive digital filter 86−67363
Miura, H., Masuda, I., Sato, M. A CMOS-CCD signal processor for skew compensation 87−63172
Miura, H., Ogawa, S., Miyasaka, T. A 12 GHz low noise converter for two band reception 85−3644
Miura, H., Okino, K. The transmission characteristics of high power CW YAG laser light through optical fibers 88−72063
Miura, H. *see* Enomoto, H. 87−75901
Miura, H. *see* Hamabe, K. 87−4552
Miura, H. *see* Manabe, K. 87−49366
Miura, H. *see* Minakawa, M. 87−4169
Miura, H. *see* Nishimura, A. 87−73213
Miura, H. *see* Ogawa, S. 85−37208
Miura, H. *see* Okino, K. 86−8606, 87−16398
Miura, H. *see* Sekiguchi, H. 85−43876
Miura, H. *see* Shirakawa, H. 85−63719
Miura, H. *see* Uchida, A. 88−46568
Miura, I., Kaizu, H., Oowada, A. Transient test system for heavy duty engine test procedure 86−61793
Miura, I., Yamazuki, T., Shimizu, A., Inoue, M., Hosono, K., Itahashi, T., Saito, T., Katayama, I., Fukiwara, M., Kadota, Y., Fuki, M., Kondo, M. A high energy version of the RCNP ring cyclotron 85−59097
Miura, I. *see* Itahashi, T. 88−68146
Miura, I. *see* Saito, T. 85−59089, 86−32006
Miura, I. *see* Shimizu, A. 85−15101
Miura, I. *see* Torikai, K. 86−60119
Miura, I. *see* Yamazaki, T. 85−59067, 86−24894, 88−42357
Miura, K. Hardware algorithms in scientific computations−super-computers vs. special purpose systems 86−15216
Miura, K. Electromagnetic flowmeter for fused metal 86−38336
Miura, K. Reducing the size and extending the life of aluminum electrolytic capacitors 87−17405
Miura, K. Aluminium electrolytic capacitors 87−52905
Miura, K., Hasegawa, H., Matsubara, K., Kawakami, K. The structure of Planet-A, a Halley's Comet explorer 86−38861
Miura, K., Ichikawa, M., Betsudan, S., Kurafuji, Y., Sato, S. 64 m antenna design for the Usuda deep space center of Japan 86−68895
Miura, K., Ichikawa, M., Urusaki, S., Sato, S., Matsumoto, O. The design of the 64 m antenna system for deep-space projects 86−36830
Miura, K., Minakata, M., Kawakami, S. Ridge-type optical frequency shifters 88−65376
Miura, K., Miyagi, M., Kawakami, S. Study of vectorial properties of optical-fiber modes using a fiber resonator 85−56319
Miura, K., Nakazuru, T., Chikada, Y. FX: a CMOS-implemented digital spectro-correlator system for radio astronomy 87−70169
Miura, K., Natori, M. 2-D array experiment on board a space flyer unit [solar cell arrays] 87−4886
Miura, K., Ochiai, T., Kameyama, Y., Uoya, S., Yamazaki, T. A new two-layer photoresist 87−11896
Miura, K., Okada, Y., Fukushima, I., Yoshida, N., Hirano, M. HiFi VCR system 85−3736
Miura, K. *see* Arai, T. 87−20805
Miura, K. *see* Chikada, Y. 87−28718, 88−9692
Miura, K. *see* Hayata, K. 88−34375, 88−72618
Miura, K. *see* Hiro, M. 85−63869
Miura, K. *see* Kimoto, M. 88−19189
Miura, K. *see* Kobayashi, K. 88−2536
Miura, K. *see* Mano, T. 87−59486
Miura, K. *see* Morie, T. 86−41125
Miura, K. *see* Nakajima, S. 85−50728, 86−47606
Miura, K. *see* Nakazuru, T. 86−11198
Miura, K. *see* Ohsaki, H. 88−1536
Miura, K. *see* Takagi, K. 87−50105
Miura, K. *see* Takagi, M. 87−14127
Miura, K. *see* Tanaka, S. 88−43426
Miura, K. *see* Tatsumi, Y. 87−8751
Miura, K. *see* Yamada, J. 86−11297, 86−15325
Miura, K. *see* Yamaguchi, H. 88−67007
Miura, K. *see* Yamamoto, S. 86−47116
Miura, K. *see* Yoneyama, M. 88−71340
Miura, K.E. *see* Nakajima, S. 85−35169
Miura, M. Pulse-train signal processing system combined with universal arithmetic modules and microcomputer 86−5169
Miura, M. An easily expansible parallel multiplier based on negative-base binary system 86−62661
Miura, M. A study on 4-pole parametric induction motor 88−11228
Miura, M. Multilayer ceramic chip capacitors still shrinking 88−25585
Miura, M., Komatsu, Y., Kitamura, M., Higashiyama, N., Fukaya, H. A 130 V_{P-P} AC head switch IC 86−1447
Miura, M., Koyama, J., Higashiyama, N., Fukaya, H. PST tuner IC (AM tuner, FM tuner) 86−4904
Miura, M., Sakamoto, Y., Watanabe, T., Murakami, K. Output characteristics of a four-pole parametric induction motor affected by the size of common magnetic circuits 88−17593
Miura, M., Tanaka, K., Noro, Y. Formation of Sendust films by DC opposite sputtering method 86−35979
Miura, M., Tanaka, K., Noro, Y. Magnetic and crystallographical characteristics of Sendust films formed by the DC opposite sputtering method 87−6998
Miura, M., Yoneda, S., Fukui, Y., Kasai, T. A bilateral optocirculation circuit with three ports 88−8059
Miura, M. *see* Chiba, N. 88−40978
Miura, M. *see* Fukaya, H. 86−4798
Miura, M. *see* Ito, S. 87−76947
Miura, M. *see* Kikuchi, S. 87−22331
Miura, M. *see* Kobayashi, V. 85−17790
Miura, M. *see* Nakata, T. 87−3724, 87−21211
Miura, M. *see* Sakamoto, Y. 88−75647
Miura, M. *see* Sekimoto, H. 86−42045, 87−6957, 87−32803, 88−57848
Miura, M. *see* Utsumi, A. 88−68375
Miura, M. *see* Yamada, M. 87−25801
Miura, N. HgTe-CdTe superlattices 87−6441
Miura, N. Measurement techniques in magnetic fields 88−4596
Miura, N. Circuit assembly innovation by insulated metal substrate technology 88−25742
Miura, N., Fuura, Y., Yamagishi, M., Takeda, M. Polyimide based thick film carbon resistors for an 'IMST' system 85−55187
Miura, N., Goto, T., Nakao, K., Takeyama, S., Sakakibara, T., Herlach, F. Megagauss magnetic fields−generation and application to magnetism 86−36671
Miura, N., Kato, H., Yamazoe, N., Seiyama, T. A proton conductor oxygen sensor operative at lower temperature 85−20575
Miura, N., Mizuno, H., Yamazoe, N. Humidity sensor using antimony phosphate operative at a medium temperature of 150-250°C 88−60985
Miura, N., Nakao, K. Computer simulation of megagauss field generation 88−40476
Miura, N., Sato, H., Narita, H., Takaki, M. Automatic meter reading system by power-line-carrier communications 87−50902
Miura, N., Worrell, W.L. Sensing characteristics of a solid-state ammonia sensor at ambient temperatures 88−74383
Miura, N., Yashima, I., Ozawa, Y., Yamazoe, N., Seiyama, T. Application of a proton conductor to a humidity sensor operative at medium temperature 86−5195
Miura, N. *see* Fujino, S. 86−38301, 87−70296
Miura, N. *see* Goto, T. 88−40477
Miura, N. *see* Herlach, F. 86−48544
Miura, N. *see* Kobayashi, F. 88−14725
Miura, N. *see* Maeda, Y. 85−18076
Miura, N. *see* Nakao, K. 86−22636
Miura, N. *see* Okamoto, K. 85−31575
Miura, N. *see* Sakaki, H. 85−23501
Miura, N. *see* Serizawa, K. 88−10307
Miura, N. *see* Taki, H. 86−8785
Miura, N. *see* Yamada, K. 88−39048
Miura, N. *see* Yamada, N. 87−6394
Miura, N. *see* Yamazoe, N. 86−55699, 88−16053, 88−22568
Miura, R. *see* Hamamoto, N. 87−28490
Miura, R. *see* Otsu, Y. 87−48996
Miura, R. *see* Suzuki, R. 87−40812
Miura, R. *see* Tsukada, H. 87−72623
Miura, S. Fabrication of high power water-cooled magnets 86−59017
Miura, S., Hamaguchi, H., Mikawa, T., Fujii, T., Aoki, O., Wada, O. High-speed GaInAs monolithic PIN/FET receiver 88−47127
Miura, S., Hoshi, A., Nakagawa, Y., Sai, K. High-power water-cooled magnets in Tohoku University 87−54499
Miura, S., Kuwatsuka, H., Mikawa, T., Wada, O. Planar, embedded InP/GaInAs p-i-n photodiode with very high-speed response characteristics 87−26191
Miura, S., Kuwatsuka, H., Mikawa, T., Wada, O. Planar embedded InP/GaInAs p-i-n photodiode for very high-speed operation 88−20502
Miura, S., Machida, H., Wada, O., Nakai, K., Sakurai, T. Monolithic integration of a pin photodiode and a field-effect transistor using a new fabrication technique−graded step process 85−35658

Miura, S., Mikawa, T., Fujii, T., Wada, O. High-speed monolithic GaInAs pinFET 88−41626
Miura, S., Okamoto, K., Sato, S., Andoh, S., Ohnishi, H., Hamakawa, Y. Green color ACTFEL with sputtered ZnS:TbF$_3$ 85−12736
Miura, S., Wada, O. Analysis of capacitance of planar AlGaAs/GaAs pin photodiode 86−48270
Miura, S., Wada, O., Makiuchi, M., Nakai, K. Optoelectronic integrated AlGaAs/GaAs p-i-n/field-effect transistor with an embedded, planar p-i-n photodiode 86−58848
Miura, S., Wada, O., Nakai, K. A novel planarization technique for optoelectronic integrated circuits and its application to a monolithic AlGaAs/GaAs p-i-n FET 87−38955
Miura, S., Wakao, M., Futagawa, N. *L*-band transponder of ETS-V for Experimental Mobile Satellite System 86−23827
Miura, S. *see* Fokushima, T. 87−46132
Miura, S. *see* Hase, Y. 87−28458
Miura, S. *see* Hirose, Y. 85−38099
Miura, S. *see* Iida, H. 86−50521
Miura, S. *see* Ishikawa, T. 86−48011, 87−52250
Miura, S. *see* Kanno, I. 86−18305
Miura, S. *see* Kobayashi, Y. 87−59613
Miura, S. *see* Kondo, K. 86−55255, 86−64926
Miura, S. *see* Machida, H. 87−28564
Miura, S. *see* Makiuchi, M. 85−56457
Miura, S. *see* Morii, Y. 85−52524
Miura, S. *see* Muto, Y. 87−53926
Miura, S. *see* Nakagawa, Y. 86−42202, 87−54498, 88−65072
Miura, S. *see* Nobuhara, H. 88−65515
Miura, S. *see* Noto, K. 88−39819
Miura, S. *see* Ohmori, S. 85−63604
Miura, S. *see* Okamoto, K. 87−26218, 88−72227
Miura, S. *see* Okubo, H. 88−59938
Miura, S. *see* Sato, Y. 87−9915
Miura, S. *see* Takahama, T. 88−74332
Miura, S. *see* Takahashi, Y. 88−28548
Miura, S. *see* Takano, H. 86−48019
Miura, S. *see* Tomimitsu, Y. 88−19243
Miura, S. *see* Wada, O. 85−51069, 86−9707, 88−45295
Miura, S. *see* Wakitani, M. 85−14951
Miura, S. *see* Watanabe, J. 88−16342
Miura, S. *see* Yamamoto, S. 86−65351, 87−8905
Miura, S.I. Theoretical analysis of regularly arranged texture structures by using the topology space of torus surface 85−22335
Miura, S.I., Matsuyama, T., Nagao, M. Structural analysis of regularly arranged texture images 85−22299
Miura, T. Evaluation of speech intelligibility 88−2979
Miura, T., Kase, M., Matsutani, T., Imaoka, K. Trench-isolation technology using Al ion implantation in a SiO$_2$ layer 88−71402
Miura, T., Umeda, T., Egami, K., Nishijima, Y., Tsuji, Y., Tsuda, K., Tsukakoshi, N. Development of OCR address reading/coding system 85−36365
Miura, T., Watanabe, T., Ono, N., Ishino, K. Size reduction of an indoor EMC test site 86−3589
Miura, T. *see* Hamada, H. 86−32601
Miura, T. *see* Hanada, K. 88−1068
Miura, T. *see* Hyugaji, M. 86−485, 86−26896
Miura, T. *see* Momosaki, A.G. 88−46892
Miura, T. *see* Ogura, Y. 85−7839
Miura, T. *see* Okabe, K. 86−31068, 87−20777
Miura, T. *see* Semba, H. 88−50468
Miura, T. *see* Shimauchi, M. 87−18893
Miura, T. *see* Takahashi, M. 88−23196
Miura, T. *see* Tamogami, M. 86−49209 to 49210
Miura, T. *see* Tsukagoshi, T. 88−53634
Miura, T. *see* Umemoto, T. 87−66633
Miura, Y., Seto, K., Sokai, K., Nishimoto, N., Shinkai, H. A 275 kV 300 MVA coil-group packed-assembly transformer (a core-demountable transformer with its own transportation system) 87−9632
Miura, Y., Takemoto, K., Kaji, M., Iguchi, S., Hara, D., Oji, M., Matsushima, A., Kakino, Y., Senda, Y. Development of highly uniform GaAs epitaxial wafers with a three-inch diameter 88−56257
Miura, Y., Takemoto, K., Takebe, T., Shirakawa, T., Murai, S., Tada, K., Iguchi, S., Hara, D., Nishida, Y., Akai, S. Mass production of 3-in diameter VPE GaAs wafers with excellent uniformity for microwave ICs 88−50985
Miura, Y., Tamamoto, H., Narita, Y. A built-in testing for functional testing in semiconductor random access memories 87−24182
Miura, Y., Tamamoto, H., Narita, Y. A built-in concurrent testing for semiconductor random access memories by concurrently testing cells on a word line 87−66187
Miura, Y., Tamamoto, H., Narita, Y. A built-in test for functional testing in semiconductor random access memory 88−19145
Miura, Y. *see* Harumoto, Y. 86−6838
Miura, Y. *see* Hikishima, N. 86−65071
Miura, Y. *see* Kabayama, Y. 86−39899
Miura, Y. *see* Kitaji, S. 85−42721
Miura, Y. *see* Kobayashi, T. 85−56207
Miura, Y. *see* Metzger, R.M. 87−53578
Miura, Y. *see* Suzuki, M. 87−8485
Miura Takao *see* Takao Miura
Miura-Mattausch, M., Dorda, G. 1D analytical treatment of hot-electron effects in short-channel MOSFETs 86−21602
Miura-Mattausch, M., Schwerin, A.V., Weber, W., Werner, C., Dorda, G. Gate currents in thin oxide MOSFETs 87−67258
Miura-Mattausch, M. *see* Hansch, W. 86−67864
Miushina, S., Sugiura, T., Hamamura, Y. Multifrequency microwave radiometry for noninvasive body temperature measurement 86−32247
Mivu, V. *see* Semedrea, M. 86−33060
Miwa, B.A. *see* Schlecht, M.F. 88−17725
Miwa, H., Murakami, K., Ried, J.M., Klepper, J.R. Attenuation attraction from quadrature-detected phase of an ultrasonic echo in bio-tissue characterization 85−64552
Miwa, H., Murakami, K., Shiba, A., Igarashi, Y., Shimura, T., Hayashi, H. Removing spectrum scalloping and frequency dependent reflection factors in ultrasonic bio-tissue characterization 85−46958
Miwa, H., Sato, M., Sakakibara, S., Takashima, K. Closed-loop mach number control in a blowdown transonic wind tunnel 87−14975
Miwa, H. *see* Chihara, K. 85−38131
Miwa, H. *see* Fujimoto, M. 87−8071
Miwa, H. *see* Ichida, N. 85−38082
Miwa, H. *see* Iwabuchi, M. 86−46823
Miwa, H. *see* Muratomi, Y. 88−51320
Miwa, H. *see* Sudou, R. 88−65149
Miwa, H. *see* Tani, T. 87−13973
Miwa, H. *see* Uno, Y. 85−13826
Miwa, I. *see* Murase, H. 85−32645
Miwa, I. *see* Yoshida, T. 87−30721
Miwa, J., Kido, K. Speaker-independent word recognition for large vocabulary using preselection and nonlinear spectral matching 87−27316
Miwa, J. *see* Makino, S. 85−25067
Miwa, K., Oda, M., Fukumura, T. Information theoretical discussion of formation and verification process of hypothesis 87−75674
Miwa, K. *see* Abe, H. 88−51119
Miwa, M. The present status of underground telecommunication civil engineering at NTT 85−19999
Miwa, M. Historical trends and future image in conduit systems 86−10938
Miwa, M., Aoyama, S., Sugita, M., Matsukawa, J., Nakata, R. DPCM optical video transmission equipment with wavelength division multiplexing 88−28865
Miwa, M., Yamagata, T. 400 Mb/sec bidirectional optical video transceiver equipment with wavelength division multiplexing 88−28862
Miwa, M. *see* Ishihara, H. 85−63476
Miwa, M. *see* Kitaji, S. 88−28864
Miwa, M. *see* Matsumura, K. 88−41659
Miwa, M. *see* Takahashi, M. 88−50470
Miwa, M. *see* Tsuchiya, Y. 87−54387
Miwa, M.H. What's new in conduit construction? 88−15304
Miwa, S. Construction of optical fiber network system running through Japan 86−4646
Miwa, S., Imado, F. Calculation of the clutter spectrum in a semi-active radar homing head 85−52394
Miwa, S., Imado, F. Simulation of clutter spectrum in a bistatic radar receiver 86−17428
Miwa, S., Imado, F. Clutter effect on the guidance of a semi-active radar homing missile 86−59927
Miwa, T. *see* Aoki, J. 88−10415
Miwa, T. *see* Hori, M. 85−1435
Miwa, T. *see* Solomonow, M. 86−56135
Miwa, T. *see* Suzuki, S. 88−10417
Miwa, Z. Maglev type LIM transport system 87−36223
Miwa, Z. *see* Yamada, H. 88−54627
Miwa Hideo *see* Hideo Miwa
Miwada, K., Yamamoto, H., Igarashi, S., Abe, H., Togashi, A., Tanahashi, K., Kamata, T. Third generation CCD linear sensor 86−38285
Miwada, K., Yamamoto, H., Igarashi, S., Tanahashi, K., Kamata, T., Togasi, A. CCD linear image sensor incorporating peripheral circuits 87−34975
Miwada, K., Yamamoto, H., Itoh, H. CCD linear image sensor for auto-focus 88−22640
Miwazawa, S., Nakanura, F., Yamada, N. A new method for developing the control scheme of a CVVF cycloconverter 87−4795
Mix, D.F., Kramer, J.A., Overman, K.C. Robust matched filter design 86−48960
Mix, D.F. *see* Overman, K.C. 85−36429
Mix, L.P. *see* Allen, G.R. 86−58995
Mix, L.P. *see* Cook, D.L. 87−43208
Mix, L.P. *see* Dreike, P.L. 85−4062
Mix, L.P. *see* Mendel, C.W., Jr. 88−29744
Mix, L.P. *see* Miller, P.A. 85−16271
Mix, L.P. *see* Olsen, J.N. 85−4185
Mix, M. *see* Mercadante, R. 88−68523
Mixon, D.A. *see* Novembre, A.E. 88−44720
Mixon, M.S. Defense satellite communications: present and future in the United States and Australia 87−76704
Miya, J., Hori, M. Morphological and functional measurement in human: particularly for heart and blood circulation system 86−5881
Miya, K. Footprints in seeking prosperity of satellite communications 86−43774
Miya, K., Hashizume, H. Application of *T*-method to AC problem based on boundary element method 88−52111
Miya, K., Ogawa, Y., Hamada, T., Watanabe, T., Tagata, K. Electro-magneto-structural analysis of toroidal coils using finite element method with application of composite theory 86−28768
Miya, K., Yanagi, H., Hashizume, H., Hamaoka, Y. Study on the prediction of quench occurrence in superconducting coils 88−65093
Miya, K. *see* Minato, A. 86−42760
Miya, K. *see* Miyata, K. 88−26649, 88−51170
Miya, K. *see* Turner, L.R. 88−52124
Miya, K. *see* Yanagi, H. 87−15476, 87−46426
Miya, N. *see* Shimada, R. 85−53767
Miya, S., Niinuma, T., Kawata, A., Suzuki, S. Performance and durability of metal video tape containing graphite fluoride 86−35997
Miya, T., Nakahara, M., Hanawa, F., Ohmori, Y. Newly developed fluorine doping techniques for VAD process 86−9556
Miya, T. *see* Sato, S. 86−5675
Miya, T. *see* Suda, H. 86−9557
Miyabayashi, M. *see* Adams, A.T. 87−26893, 87−61412
Miyabayashi, M. *see* Perini, J. 88−12654
Miyabe, H., Kawanaka, H., Kuwabayashi, J., Yoshida, S. Voice message communications control program 87−13272
Miyabe, H. *see* Kawanaka, H. 88−21566
Miyabe, H. *see* Mariki, A. 86−54822
Miyabe, H. *see* Morisawa, T. 85−25265
Miyabe, H. *see* Nakajima, S. 87−13271
Miyabe, H. *see* Nomura, R. 86−30525
Miyabe, H. *see* Tokura, K. 88−9116
Miyabe, H. *see* Yamada, T. 85−3083, 85−36666
Miyabe, M. *see* Asaumi, S. 87−32362
Miyabe, M. *see* Kohara, H. 88−13281
Miyabe, T. *see* Wakui, G. 85−4120
Miyabo, K. *see* Yono, H. 87−69644
Miyabo, T. *see* Yamada, M. 87−18986
Miyachi, I., Kawada, H., Shiomi, S., Saito, K., Kawamura, Y., Takahashi, Y., Moriya, T. Seismic analysis and test on transformer bushings 86−51707
Miyachi, I., Ozaki, Y., Ichida, Y., Tanabe, T., Ogawa, Y., Ozawa, J., Imataki, M. Insulation coordination for UHV SF$_6$ insulated installations and transmission lines by application of high performance metal oxide surge arresters 86−51106
Miyachi, I. *see* Morita, T. 86−26229, 86−33574
Miyachi, I. *see* Naganawa, H. 86−28546
Miyachi, I. *see* Nagata, M. 85−45917
Miyachi, K. *see* Fukuda, N. 87−16697
Miyachi, K. *see* Hasegawa, M. 88−50461
Miyachi, K. *see* Kim, M. 86−6766, 87−64600
Miyachi, K. *see* Ohishi, K. 86−6792, 86−26070, 87−43056, 87−43533, 88−43350
Miyachi, K. *see* Ohnishi, K. 85−44218, 87−4988
Miyachi, K. *see* Oishi, K. 85−48964
Miyachi, K. *see* Onishi, K. 86−26035
Miyachi, K. *see* Sawa, K. 86−1430, 86−12840, 87−1028, 87−58223, 88−7105, 88−12662
Miyachi, K. *see* Tamaki, K. 86−51670, 87−30631, 87−43057
Miyachi, K. *see* Ueda, Y. 86−6775
Miyachi, N. *see* Terada, Y. 88−6560
Miyachi, T., Ohkawa, S., Emura, T., Nishimura, M., Nitoh, O., Takahashi, K., Kitamura, S., Kim, Y., Abe, T., Matsuzawa, H. A thick and large active area Si(Li) detector 88−36356
Miyachi, T. *see* Watanabe, E. 88−61076
Miyachi, T. *see* Yoshida, K. 86−25101
Miyachika, E. *see* Kuwabara, K. 88−24992, 88−70534
Miyada, Y. *see* Sugawara, M. 88−19227
Miyadai, T. *see* Tazuke, Y. 87−14312
Miyade, H. *see* Ishi, T. 85−43156
Miyadera, K. *see* Kuraishi, Y. 85−30220
Miyadera, Y. *see* Yokoyama, T. 85−55836
Miyagaki, H. *see* Kurihara, N. 86−65925
Miyagaki, K. *see* Ishiuchi, H. 87−74319
Miyagaki, K. *see* Shiozaki, O. 86−2091 to 2092
Miyagaki, K. *see* Wakamatsu, S. 87−76535
Miyagaki, Y. Some theorems on the number of linear allocations 85−41820
Miyagaki, Y. Theoretical evaluation of soft decision gain for block FEC in a land mobile radio channel 88−28722
Miyagaki, Y., Konishi, K. Performance of matched filter detection for multiphase DPSK signal in satellite-aircraft multipath channel 86−23078
Miyagaki, Y., Konishi, K. Performance of matched filter detection for multiphase DPSK signal in satellite-aircraft multipath channel 87−69995
Miyagaki, Y. *see* Morinaga, N. 85−14278, 85−14424, 85−19451, 85−25712, 85−37077
Miyagaki, Y. *see* Nakagawa, K. 87−12649, 87−60715
Miyagaw, I. *see* Hara, M. 85−37805

Miyagawa, J. *see* Tamura, H. 87−14713
Miyagawa, M. *see* Sawahata, T. 88−23862
Miyagawa, M. *see* Yoneda, Y. 86−1900
Miyagawa, T. *see* Yoshino, Y. 87−68674
Miyagawa, Y. Dependence of spatial correlation function of rainfall rate on elevation angle 88−45696
Miyagawa, Y. *see* Fukada, T. 88−7219
Miyagawa, Y. *see* Saito, T. 87−33805
Miyagi, H. Transient stability of the power system with the effect of the automatic voltage regulator 85−26973
Miyagi, H., Bergen, A.R. Stability studies of multimachine power systems with the effects of automatic voltage regulators 86−39037
Miyagi, H., Bergen, A.R. Transient stability analysis including voltage regulator effects [power systems] 86−65643
Miyagi, H., Hoshino, H., Kimura, T., Noda, K. Pseudo heterodyne type optical fiber gyro stabilization by higher order waves comparison 86−68283
Miyagi, H., Yamashita, K. Construction of a non-Lure type Lyapunov function for multimachine power systems 87−35534
Miyagi, H. *see* Kawai, M. 86−26384
Miyagi, H. *see* Kimura, T. 86−9474
Miyagi, H. *see* Miyahara, Y. 88−47479
Miyagi, H. *see* Tsukada, K. 88−47504, 88−53605
Miyagi, H. *see* Uezato, K. 87−9511
Miyagi, H. *see* Yamashita, K. 88−5255
Miyagi, K., Honda, K., Shirono, J., Otake, M. Real-time correlator 86−28927
Miyagi, K., Otani, A. Investigation of optimum conditions of Ti thermal diffusion in 128° rotated Y-cut LiNbO$_3$ for slab type optical waveguides 87−53947
Miyagi, K. *see* Kwanao, Y. 85−26281
Miyagi, K. *see* Nakao, Y. 85−45912
Miyagi, M. Complex propagation constants of bent hollow waveguides with arbitrary cross section 85−24904
Miyagi, M. Waveguide-loss evaluation in circular hollow waveguides and its ray-optical treatment 85−50927
Miyagi, M. Research and development of mid-infrared waveguides 87−60932
Miyagi, M. Consideration on realization of low-loss total reflection-type hollow-core fiber at mid-infrared 88−58117
Miyagi, M. Relation between predictions of geometrical-optics and wave-optics methods for the modal attenuation constant in an overmoded bent hollow slab waveguide 88−65319
Miyagi, M., Fukunishi, S. Tracking guide for optical disks formed by photodarkening of As-Se-S-Ge amorphous film 86−4865
Miyagi, M., Harada, K., Aizawa, Y., Kawakami, S. Transmission properties of circular dielectric-coated metallic waveguides for infrared transmission 85−18667
Miyagi, M., Hiratani, Y., Taniguchi, T., Nishida, S. Aluminum anodizing technique for fabricating optical thin-film waveguides: a proposal 87−68017
Miyagi, M., Iwasawa, A., Funakoshi, N. Concentric pregrooved disk fabricated by a beam scanning method 88−33594
Miyagi, M., Iwasawa, A., Yamazaki, H. Pregrooved disk formed by dry etching technique 88−45049
Miyagi, M., Matsuo, S., Nishida, S. New formalism of curvature losses of leaky modes in doubly clad slab waveguides 87−38769
Miyagi, M., Nii, K., Nishida, S. Uniform bend loss of the TE$_{0q}$ mode in circular waveguides with small surface impedance and large surface admittance 86−10133
Miyagi, M., Nishida, S. Failure of scalar analyses in dielectric optical waveguides with perturbed refractive-index profile 85−7227
Miyagi, M., Nishida, S. Vector analyses of propagation constants in dielectric optical waveguides with perturbed refractive-index profile 85−56312
Miyagi, M., Shimada, Y., Hongo, A., Nishida, S. Electrically deposited germanium-coated circular metallic hollow waveguides for infrared radiation 87−18734
Miyagi, M., Shimada, Y., Hongo, A., Sakamoto, K., Nishida, S. Fabrication and transmission properties of electrically deposited germanium-coated waveguides for infrared radiation 86−63631
Miyagi, M., Shimada, Y., Nishida, S., Hongo, A. Electrically deposited germanium-coated circular metallic hollow waveguides for infrared radiation 87−60905
Miyagi, M., Wagatsuma, Y., Hongo, A., Nishida, S. Output power characteristics of thin film-coated waveguide CO$_2$ lasers 87−33105
Miyagi, M. *see* Hanaizumi, O. 85−7261, 85−35469, 86−36239
Miyagi, M. *see* Hiratani, Y. 85−56329
Miyagi, M. *see* Hongo, A. 87−7259, 87−74723
Miyagi, M. *see* Karasawa, S. 88−13900
Miyagi, M. *see* Miura, K. 85−56319
Miyagi, M. *see* Saito, M. 88−33643
Miyagi, M. *see* Shimizu, K. 86−17958
Miyagi, M. *see* Wagatsuma, Y. 88−72280
Miyagi, T. *see* Sudo, T. 86−14177
Miyagi, T. *see* Yoshihara, K. 85−55925
Miyagi, Y. *see* Horiba, I. 87−29755
Miyagishi, O. *see* Kawashima, I. 85−14068
Miyagishi, O. *see* Nakano, S. 88−8975, 88−15208
Miyagishi, O. *see* Ohkoshi, S. 85−14065
Miyago, M. *see* Shimizu, M. 87−16037
Miyago, M. *see* Sugawara, K. 87−16036
Miyagoshi, T. *see* Matsuda, H. 85−61230
Miyaguchi, H., Hasegawa, K., Sawa, S., Saji, S. PCM audio ICs for 8 mm video 85−20370
Miyaguchi, S. New distance defined from the Hamming distance 86−43184
Miyaguchi, S., Hirano, M. Evaluation criteria for encipherment and authentication algorithms 87−27198
Miyaguchi, S., Shiraishi, A., Shimizu, A. Fast data encipherment algorithm FEAL-8 88−66279
Miyaguchi, S. *see* Naemura, K. 85−25034
Miyaguchi, S. *see* Shimizu, A. 88−2965
Miyahara, A., Mine, I., Abe, M., Watanabe, A., Sakou, E., Nukiyama, M. Development and field test on a distribution line carrier communication system 86−65702
Miyahara, A. *see* Naiyan, W. 87−16065, 87−21372 to 21373
Miyahara, A. *see* Nakazawa, M. 86−21938
Miyahara, D. Store communication system for eating house (OKI restaurant POS system) 88−34916
Miyahara, H. Network access protocol 88−41320
Miyahara, H., Iida, N., Watanabe, T. An improved selective sampling method 87−35327
Miyahara, H., Momose, T., Watanabe, T. Pressure control of a pressurized proportional counter for $4\pi\beta$-γ coincidence counting−effects of pressure variation and study for a nonflow type system 85−31717
Miyahara, H., Watanabe, M., Watanabe, T. Gas amplification in coaxial proportional counters 86−18241
Miyahara, H., Watanabe, M., Watanabe, T. Gas amplification of proportional counters with cathodes of rectangular cross section 87−3898
Miyahara, H. *see* Nishida, T. 85−42017, 86−43370, 86−69435, 88−21921, 88−52655
Miyahara, H. *see* Oie, Y. 87−55432
Miyahara, H. *see* Shimojo, S. 88−34798
Miyahara, H. *see* Sugano, M. 87−48283
Miyahara, H. *see* Yokohira, T. 87−69406
Miyahara, J., Kato, H. Computed radiography utilizing photo-stimulated luminescence 85−38088
Miyahara, J., Takahashi, K., Amemiya, Y., Kamiya, N., Satow, Y. A new type of X-ray area detector utilizing laser stimulated luminescence 86−60570
Miyahara, J. *see* Amemiya, Y. 88−42461
Miyahara, K., Mukaida, M., Hohkawa, K. Abrikosov vortex memory 86−8200
Miyahara, K., Mukaida, M., Hohkawa, K. A new superconducting memory−Abrikosov vortex memory 88−12384
Miyahara, K., Mukaida, M., Tokumitsu, M., Kubo, S., Hohkawa, K. Abrikosov vortex memory with improved sensitivity and reduced write current levels 87−67868
Miyahara, K., Takahashi, H., Kuramoto, M., Haga, H. Development of JUPITER system based on the SUMINET-3200 fiber optic LAN at the Mizushima Factory of Kawasaki Steel Co. Ltd 88−59679
Miyahara, K. *see* Aihara, K. 87−52513
Miyahara, K. *see* Ashihara, R. 87−36096
Miyahara, K. *see* Fujita, S. 85−45048
Miyahara, K. *see* Hirata, S. 87−7350
Miyahara, K. *see* Kubo, S. 88−39817
Miyahara, K. *see* Maruya, M. 86−31380
Miyahara, K. *see* Ohata, T. 87−12482
Miyahara, K. *see* Okamoto, M. 87−60844
Miyahara, K. *see* Yamauchi, Y. 85−11227
Miyahara, K. *see* Zhang, Q.F. 85−29485
Miyahara, M. Perception of correlation in spatial-temporal image fields and physical factors related to HDTV picture quality−assessment words; natural, smooth, continuous and stable 86−55421
Miyahara, M., Kotani, K. Block distortion in orthogonal transform coding−analysis, minimization, and distortion measure 85−25029
Miyahara, M., Nakagawa, M., Mukai, M., Hayama, H. Physical factors related to the HDTV picture quality−brilliance and gloss 87−49266
Miyahara, M., Nazuka, E., Yoshida, Y., Nakagawa, M. Colour image coding based on Munsell specification system 86−29995
Miyahara, M., Tanaka, T., Horita, Y., Nakagawa, M. Zone-adaptive orthogonal transform coding−improvements in reproduction of image contours 86−31002
Miyahara, M. *see* Hayakawa, K. 87−14671
Miyahara, M. *see* Himono, Y. 86−4647
Miyahara, M. *see* Nakagawa, M. 87−39886
Miyahara, M. *see* Takahashi, N.S. 88−7993
Miyahara, N. Short TAT technology for custom LSI development 87−37106
Miyahara, N., Hamaguchi, S., Ishikawa, K., Horiguchi, S., Aoki, M. A composite CMOS gate array with 4K RAM and 128K ROM 86−979
Miyahara, N., Ishikawa, K., Hamaguchi, S., Horiguchi, S., Aoki, M. A composite CMOS gate array with 4K RAM and 128K ROM 86−47804
Miyahara, N., Yano, T., Horiguchi, S., Suzuki, M. Advanced family of bipolar and CMOS master-slices 86−34670
Miyahara, N. *see* Ishitani, T. 87−66293
Miyahara, N. *see* Sudo, H. 87−74927
Miyahara, N. *see* Yano, T. 87−31825
Miyahara, S., Kobayashi, S. A thickness meter using the resonance of microwaves 85−48099
Miyahara, S., Murakami, K., Yamamoto, T. Properties of differential-type Si-ISFET 88−71604
Miyahara, S. *see* Beonio-Brocchieri, F. 88−62036
Miyahara, S. *see* Kobayashi, S. 86−5505, 86−38609, 86−50220
Miyahara, T., Araki, S., Takata, N., Hirosaki, Y., Taira, T. Rotating-speed control systems for large-capacity fans used in power plants 86−33575
Miyahara, T., Kawakami, K. Fine iron particles having super high coercivity 88−51219
Miyahara, T. *see* Koide, T. 86−60465
Miyahara, T. *see* Oshima, M. 88−64408
Miyahara, Y. A plan for an FEL experiment in the SOR-RING 85−56713
Miyahara, Y. A new formula for the lifetime of a round beam caused by the Touschek effect in an electron storage ring 86−25072
Miyahara, Y. Calculation of pressure distribution in an electron storage ring and comparison with monitored pressure and beam lifetime 86−38664
Miyahara, Y. Free electron laser 87−2209
Miyahara, Y. Biochemical FETs 87−77222
Miyahara, Y. Photoionization of residual gases in electron storage rings 88−4711
Miyahara, Y. Investigation of trapped ions with a clearing electrode 88−22863
Miyahara, Y., Asaoka, S., Isoyama, G., Mikuni, A., Nishimura, H., Seki, M., Soda, K., Suga, S., Taniguchi, M. Design study of intense synchrotron radiation light source Super SOR 85−26685
Miyahara, Y., Asaoka, S., Mikuni, A., Soda, K. Equilibrium phase instability in the double RF system for Landau damping 88−4736
Miyahara, Y., Morigami, T., Horiguchi, Y., Yoshihara, S., Matsumoto, Y., Aoki, K. EIA RS-232C driver/receiver μPD4711C/GS 88−20119
Miyahara, Y., Moriizumi, T., Ichimura, K. Integrated enzyme FETS for simultaneous detections of urea and glucose 85−47916
Miyahara, Y., Tsukada, K., Miyagi, H. Field-effect transistor using a solid electrolyte as a new oxygen sensor 88−47479
Miyahara, Y. *see* Hasegawa, K. 87−56346
Miyahara, Y. *see* Isoyama, G. 85−26551
Miyahara, Y. *see* Moriizumi, T. 86−56086
Miyahara, Y. *see* Sukegawa, T. 86−19648
Miyahara, Y. *see* Teravaninthorn, U. 88−29330
Miyahara, Y. *see* Watanabe, K. 88−29747
Miyahira, R.T. Long distance multimode fiber optics systems experience at Hawaiian Telephone Company 85−47544
Miyaho, N. *see* Ishikawa, H. 85−30827, 87−3021
Miyai, H. *see* Ohyama, Y. 85−19379
Miyai, K. *see* Nakahara, K. 86−51538
Miyai, K. *see* Takami, S. 86−11634
Miyai, Y., Yoneda, K., Oishi, H., Uchida, H., Inoue, M. Thin silicon dioxide using the rapid thermal oxidation (RTO) process for trench capacitors 88−33043
Miyai, Y. *see* Bonifield, T. 88−71452
Miyai, Y. *see* Okuda, Y. 88−13248
Miyai, Y. *see* Yoneda, K. 88−6869
Miyairi, H., Inada, T., Eguchi, M., Fukuda, T. Growth and properties of InP single crystals grown by the magnetic field applied LEC method 87−23602
Miyairi, H., Inada, T., Obokata, T., Nakajima, M., Katsumata, T., Fukuda, T. Inhomogeneity of resistivity in In-doped dislocation-free semi-insulating LEC GaAs 86−21136
Miyairi, H. *see* Ozawa, S. 86−52433, 88−11961
Miyairi, H. *see* Yamashita, K. 85−24143
Miyairi, K. Very low frequency response of polyethylene terephthalate films 86−34404
Miyairi, K. Low frequency dielectric response of PET and PVDF films 86−68125
Miyairi, K., Yazawa, K. Recovery voltage in dielectric absorption of capacitors and consideration by equivalent circuit 85−34219
Miyairi, K., Yazawa, K. Recovery voltage in dielectric absorption of capacitors and consideration by using an equivalent circuit 87−52902
Miyairi, S., Iida, S., Nakata, K. A new method for reducing harmonics of rectifier circuits by switching taps of interphase reactor 86−33468

Miyairi, S., Iida, S., Nakata, K., Masukawa, S. New method for reducing harmonics in output currents of current source inverter with interphase transformer 86−45559
Miyairi, S., Iida, S., Nakata, K., Masukawa, S. New method for reducing harmonics involved in input and output of rectifier with interphase transformer 87−15867
Miyairi, S., Masuda, S., Kurashina, K. Countermeasures against lightning and results on crossing facilities on Oh-ito line 86−65770
Miyaji, F. *see* Okazaki, N. 87−17078
Miyaji, K. Recent trends of flat panel display technology 87−63265
Miyaji, K. *see* Fujioka, H. 88−63011
Miyaji, K. *see* Ohishi, K. 87−9575
Miyaji, K. *see* Takahashi, H. 86−24806, 86−42394, 87−14576
Miyaji, M. *see* Hirose, Y. 86−56998
Miyaji, M. *see* Takahashi, T. 86−48291
Miyaji, N. *see* Feuerstein, H. 86−65893
Miyaji, N. *see* Saigusa, T. 88−74390
Miyaji, T. *see* Kaifu, N. 86−69868
Miyaji, Y. *see* Sugawara, M. 88−19227
Miyajima, A. *see* Sasaki, H. 87−23910, 88−12177
Miyajima, D. *see* Shirako, G. 85−62850
Miyajima, H. Simulation of recognition process for one-dimensional networks 88−56549
Miyajima, H., Otani, Y., Varga, I., Chikazumi, S., Nakao, K. Magnetic image effect in superconducting magnet and magnetization measurement 87−60869
Miyajima, H., Yamada, T., Wakimoto, K., Arimoto, A., Hasegawa, K. A CMOS microprocessor peripheral LSI 85−17572
Miyajima, H. *see* Inaba, N. 88−74355
Miyajima, H. *see* Ohtani, Y. 87−1914
Miyajima, H. *see* Otani, Y. 87−35036, 87−56632
Miyajima, J. *see* Nakamura, T. 85−13936
Miyajima, M. *see* Sasaki, S. 87−50146
Miyajima, R. *see* Bergen, S.A. 86−40442
Miyajima, T., Ishido, M. Power devices: GTO thyristors and industry trends 86−47557
Miyajima, T. *see* Ishido, M. 85−45665, 88−7591
Miyajima, T. *see* Itamasu, N. 87−8395
Miyajima, T. *see* Kioi, K. 88−40084
Miyajima, T. *see* Koma, A. 85−44708, 85−54470
Miyajima, T. *see* Mitsuhashi, K. 86−41897
Miyajima, T. *see* Morishita, T. 85−45476
Miyajima, T. *see* Nakagawa, T. 85−29203
Miyajima, T. *see* Tokunoh, F. 85−61910
Miyajima, Y. A study on the number of spare fibers in submarine optical fiber cable 85−31062
Miyajima, Y., Amaike, M., Kawata, O., Negishi, Y. Acoustic emission in optical fiber cutting and its application for fiber cut-end inspection method 88−65216
Miyajima, Y., Ishihara, K. Reliability designing method for submarine optical fiber cable 85−25896
Miyajima, Y., Kawata, T., Negishi, Y. Considerations on group delay fitting equations for dispersion-shifted fibres 88−13803
Miyajima, Y., Ohnishi, M., Kawata, O. Strain required in proof test for high-strength fiber splices 85−50929
Miyajima, Y., Ohnishi, M., Kawata, O., Ishihara, K., Negishi, Y. Fiber strength assurance for deep-submarine optical-fiber cable using the proof-testing method 85−52342
Miyajima, Y., Ohnishi, M., Nagishi, Y. Chromatic dispersion measurement over a 120 km dispersion-shifted single-mode fibre in the 1.5 μm wavelength region 87−12110
Miyajima, Y. *see* Amaike, M. 87−7156
Miyajima, Y. *see* Ishihara, K. 86−30825
Miyajima, Y. *see* Kawata, O. 85−46146, 86−17412
Miyajima, Y. *see* Kimoto, H. 86−11062
Miyajima, Y. *see* Negishi, Y. 86−23875, 88−35499
Miyajima, Y. *see* Ogai, M. 86−49647
Miyajima, Y. *see* Ohnishi, M. 85−12619, 86−68243, 87−28615, 88−35497
Miyajima, Y. *see* Tsutsumi, S. 87−20480
Miyakawa, C., Haneda, K., Goto, K. Preparation of Sr ferrite fine particles by hydrolysis of metal actylacetonates and their magnetic properties 87−25789
Miyakawa, C. *see* Haneda, K. 88−51252
Miyakawa, H. Research trends on satellite telecommunications 85−3408
Miyakawa, H. The future of new electronic media 85−47041
Miyakawa, H., Shishido, S. Outlook of future utilization of radiowave in Japan 85−52460
Miyakawa, H. *see* Aizawa, K. 86−31004, 86−54554, 87−19941, 87−75855
Miyakawa, H. *see* Arakawa, K. 85−36387, 86−70415, 87−893, 87−29783
Miyakawa, H. *see* Fujii, T. 85−36879
Miyakawa, H. *see* Fukasawa, A. 85−17747
Miyakawa, H. *see* Kamitake, T. 85−19280
Miyakawa, H. *see* Kawata, Y. 87−41638
Miyakawa, H. *see* Morishima, S. 87−19497
Miyakawa, H. *see* Saito, T. 86−29994, 86−49022, 87−19919
Miyakawa, H. *see* Saitoh, T. 85−30361, 85−51761, 86−10492, 86−69118 to 69119
Miyakawa, J. *see* Isogawa, T. 88−9115, 88−21667
Miyakawa, K. *see* Niiyama, W. 86−24794
Miyakawa, M. 1∼10 GHz microwave applicators for medical applications 85−17783
Miyakawa, M. Analysis of incomplete data in competing risks model 85−39583
Miyakawa, M. Optimum decision trees—an optimal variable theorem and its related applications 86−19897
Miyakawa, M. *see* Kako, F. 87−16849
Miyakawa, M. *see* Shimbo, M. 85−40633
Miyakawa, T. Analysis of nonexponential capacitance transients in Schottky diodes. I 87−74247
Miyakawa, T. *see* Morimoto, J. 86−13734
Miyakawa, T. *see* Suzuki, S. 88−22104
Miyakawa, T. *see* Yamazaki, M. 88−1423
Miyakawa, Y. *see* Ide, T. 85−42746
Miyakawa, Y. *see* Tsukada, K. 85−48636
Miyakawi, M., Ogura, S. Efficient, damage resistant $LiNbO_3$ acousto-optic waveguide deflector 86−9636
Miyake, A. *see* Fujiwara, H. 86−42121
Miyake, H. Externally wound, internal-rotor type shaded-pole motor 85−39042
Miyake, H. Faults in CTC B system of the San-in Line (Fukuchiyama-Igumi) and their countermeasures 88−11455
Miyake, H. The D subminiature connector: trends and advances 88−12691
Miyake, H., Fukaya, N., Okabe, Y., Sugano, T. High-tolerance uni-lateral single-flux-quantum logic gate 85−45015
Miyake, H., Fukaya, N., Okabe, Y., Sugano, T. Proposal of unilateral single-flux-quantum logic gate 85−54831
Miyake, H., Kokura, S., Suwa, M., Onuki, J., Okikawa, S. A ball forming process for the aluminium ball bonding of semiconductor device 86−27770
Miyake, H., Nakamura, T., Fujikawa, M., Fujino, T., Aizawa, K., Sakiyama, M., Ishibashi, M., Koyama, I. Microwave dielectric devices for mobile communications 85−58012
Miyake, H., Oda, K., Michijima, M. Portable and high-sensitive apparatus for measurement of environmental radon using CR-39 track detector 87−57046
Miyake, H., Yuba, Y., Gamo, K., Namba, S., Shiokawa, T. Defects induced by focused ion beam implantation in GaAs 88−57437
Miyake, H. *see* Oda, K. 87−50444
Miyake, H. *see* Sugano, T. 85−56221
Miyake, H. *see* Uegaki, A. 86−35174
Miyake, H. *see* Yokozuka, T. 87−78660
Miyake, J. *see* Kadota, H. 86−20536, 87−59606, 88−6900
Miyake, J. *see* Kodata, H. 86−14214
Miyake, K. A study on satellite circuit assignment and dimensioning methods for a domestic telephone transit network 85−3428
Miyake, K. Heavy traffic limit theorem for virtual waiting time of *GI/G/1* queue and its application 86−10604
Miyake, K. An analysis for loss system with finite sources which require several channels simultaneously 87−2401
Miyake, K. Study on satellite circuit assignment and dimensioning methods for a domestic telephone transit network 87−7877
Miyake, K. Analysis for loss system with finite sources which require several channels simultaneously 88−14563
Miyake, K. Traffic study on different bit rate calls carried by a trunk group with trunk modularity 88−59452
Miyake, K., Kimura, S.I., Warabisako, T., Sunami, H., Tokuyama, T. Microwave plasma stream transport system for photo-assisted plasma oxidation of silicon surfaces 85−12207
Miyake, K., Suzuki, H., Yamamoto, S. Heat transfer and thermal stress analysis of plastic-encapsulated ICs 86−35775
Miyake, K., Watanabe, Y., Ohsaki, E. Effects of parameters on the phase-to-phase flashover characteristics of UHV transmission lines 88−23483
Miyake, K., Yokoyama, M., Nakajima, I. Packet-switched network planning system 88−34840
Miyake, K. *see* Abe, K. 88−16629
Miyake, K. *see* Abe, Y. 86−8281
Miyake, K. *see* Hemmi, Y. 87−63624
Miyake, K. *see* Homma, T. 87−57021
Miyake, K. *see* Kaneko, H. 86−63687, 88−31837
Miyake, K. *see* Kawai, H. 85−31699
Miyake, K. *see* Kimura, S. 85−45609, 85−61855
Miyake, K. *see* Kobayashi, H. 88−61145
Miyake, K. *see* Konaka, A. 87−41862
Miyake, K. *see* Kubota, M. 86−52880
Miyake, K. *see* Kuribayashi, S. 86−64641
Miyake, K. *see* Nakajima, I. 87−48282
Miyake, K. *see* Oostra, D.J. 85−55695
Miyake, K. *see* Sunata, T. 86−31543, 87−3668 to 3669
Miyake, K. *see* Suzuki, T. 85−40975
Miyake, K. *see* Tachi, S. 86−9051
Miyake, K. *see* Togawa, M. 87−32210
Miyake, K. *see* Yokoyama, M. 88−41145, 88−67018
Miyake, K. *see* Yokoyama, S. 86−25629, 86−51097
Miyake, M. Oxidation-enhanced diffusion of ion-implanted boron in silicon in extrinsic conditions 85−34813
Miyake, M., Aoyama, S. Transient enhanced diffusion of ion-implanted boron in Si during rapid thermal annealing 88−50699
Miyake, M., Fujino, T., Fujiwara, K. Simplified Viterbi decoder for 8PSK system using Ungerboeck codes 87−27200
Miyake, M., Fujino, T., Fujiwara, K. Performance of a Viterbi decoder using simplified digital metric calculation 87−68970
Miyake, M., Fujino, T., Fujiwara, K. Compression of path metrics in Viterbi decoders 88−45949
Miyake, M., Fujino, T., Fujiwara, K., Kasahara, M. Performance of Viterbi decoders using compressed path metrics 88−59033
Miyake, M., Fujino, T., Umeda, Y., Yamazaki, E. A study of a coded 8PSK modem with a Viterbi decoder using simplified metric calculation 85−42345
Miyake, M., Fujino, T., Umeda, Y., Yamazaki, E., Fujiwara, K. Performance of a coded 8PSK modem with a Viterbi decoder using simplified metric calculation 86−22922
Miyake, M., Fujino, T., Umeda, Y., Yamazaki, E., Fujiwara, K. Performance of a coded 8PSK modem with a Viterbi decoder using simplified metric calculation 87−48756
Miyake, M., Kitajima, M., Urano, A. HF digital voice terminal 88−46872
Miyake, M., Kobayashi, T., Deguchi, K., Kimizuka, M., Horiguchi, S., Kiuchi, K. Sub-half-micrometer p-channel MOSFETs with 3.5-nm gate oxide fabricated using X-ray lithography 87−53520
Miyake, M., Kobayashi, T., Horiguchi, S., Iwadate, K., Kurihara, K. Subquarter-micrometer p-channel MOSFETs with 80 nm S/D junctions 88−7618
Miyake, M., Takeuchi, K., Yamamoto, K., Shinmyo, S., Ogawa, M., Yamauchi, M. Digital Radio Multiple Access Subscriber System (DRMASS) 88−28725
Miyake, M., Tsukamoto, H., Fujii, T., Taniguchi, I. Bombardment damage on a silicon surface by reactive ion etching and its recovery effect by NF_3 gas 86−58401
Miyake, M. *see* Deguchi, K. 86−41984, 87−45732
Miyake, M. *see* Fujino, T. 87−34514, 88−21843
Miyake, M. *see* Hashimoto, S. 86−70793
Miyake, M. *see* Horiguchi, S. 86−47870
Miyake, M. *see* Horiuchi, T. 87−25030
Miyake, M. *see* Murakami, K. 88−46979
Miyake, M. *see* Nishino, T. 85−50870, 86−36097
Miyake, M. *see* Takenaka, I. 87−69811
Miyake, M. *see* Takeuchi, S. 86−49461
Miyake, M. *see* Yamakawa, A. 86−52534
Miyake, M. *see* Yoshizawa, M. 85−45546
Miyake, N. *see* Matsui, K. 86−14365, 86−34966
Miyake, N. *see* Yamakido, K. 88−59872
Miyake, R. *see* Nakabu, S. 85−37689
Miyake, R. *see* Uemura, S. 85−14899, 85−43051
Miyake, R. *see* Yoshimura, M. 85−14480
Miyake, S., Ohno, H., Ishihara, H., Hosoi, S., Okamoto, T., Nagashima, T., Uehara, K., Imai, T., Fujii, T., Sakamoto, K., Ikeda, Y., Saigusa, M. Development of 2 GHz, 1 MW klystron for plasma heating 85−55396
Miyake, S. *see* Fukushima, K. 87−33758
Miyake, S. *see* Maeda, H. 88−65075
Miyake, S. *see* Murakami, M. 88−42222
Miyake, S. *see* Okamoto, T. 86−53296
Miyake, S. *see* Tosaka, N. 85−54420
Miyake, S. *see* Tsukada, E. 88−14551, 88−40699, 88−40758
Miyake, T. *see* Deguchi, T. 88−39676
Miyake, T. *see* Katayama, H. 88−65389
Miyake, T. *see* Minami, S. 85−3081
Miyake, T. *see* Mizoshiri, I. 85−15066
Miyake, W. *see* Mukai, T. 86−24265
Miyake, W. *see* Tsuruda, H. 87−51537
Miyake, Y., Inoue, S., Inui, M., Kubo, S. An evaluation of image quality for quantized continuous tone image 86−59320
Miyake, Y., Kasahara, K. Optical components for optical fiber communication 87−3190
Miyake, Y., Ozeki, T., Inui, M., Kubo, S. Tone correction of digital half tone obtained by ordered dither method 85−57488
Miyake, Y., Shimokawa, Y.M., Nakanishi, Y., Hamakawa, Y. Global radiation model and angular distribution of the diffuse irradiance [solar cells] 87−51478

Miyake, Y., Tamato, Y., Hanashima, M., Kubo, S. An evaluation of image quality for quantized color images with different information capacities 85−57429
Miyake, Y. *see* Adachi, A. 88−47054
Miyake, Y. *see* Cao, M. 88−58535
Miyake, Y. *see* Isoya, A. 85−34784
Miyake, Y. *see* Kikuchi, R. 86−5743
Miyake, Y. *see* Kimura, F. 85−30420, 87−48094
Miyake, Y. *see* Kinoshita, H. 85−25152
Miyake, Y. *see* Nakajima, T. 87−29928
Miyake, Y. *see* Shimokawa, R. 86−40084, 87−36131, 87−36141, 87−64799 to 64800
Miyake, Y. *see* Takei, T. 85−8428
Miyake, Y. *see* Takeshita, T. 87−58862
Miyake, Y. *see* Tanimoto, M. 88−14818
Miyake, Y. *see* Uebayashi, T. 86−6491
Miyake, Y. *see* Yaguchi, H. 88−47696
Miyake, Y. *see* Yamashita, J. 86−68549
Miyaki, K. A new chromakey technique for actual touch indication in Newscorp 86−38117
Miyaki, S. *see* Isobe, S. 85−31405
Miyakita, H. *see* Nishimura, K. 85−42370
Miyakogawa, T. *see* Naito, H. 85−4033
Miyakogawa, T. *see* Takahashi, M. 87−70406
Miyakoshi, K., Yoneno, K., Kaneko, K., Ara, K., Yamaura, S., Okuno, H. Multi-sync video projector DP-5200A 88−53411
Miyakoshi, K. *see* Kurokawa, Y. 87−34757
Miyakoshi, K. *see* Tomoda, K. 86−24087
Miyakoshi, K. *see* Yoneno, K. 88−15795 to 15796
Miyakoshi, Y. Sound progress in the car 88−29160
Miyakubo, Y. *see* Murakami, T. 86−44647
Miyama, J. Integrated light-extinction smoke sensor units 85−14808
Miyama, K. *see* Sakaniwa, K. 88−20934, 88−46106
Miyama, K. *see* Susumago, I. 86−52172
Miyama, T., Inoue, A., Matsuzaki, Y., Fujii, T. Structure and magnetic properties of evaporated Co-Mn films 86−9385
Miyama, T., Nada, T., Inoue, T., Takahashi, S., Konno, M. Investigation for Tonpilz piezoelectric transducers with acoustic matching plates 88−57873
Miyama, T. *see* Ikematsu, M. 88−34140 to 34141
Miyama, T. *see* Inoue, T. 88−23202, 88−57872
Miyama, T. *see* Shimizu, S. 88−39795
Miyama, T. *see* Uenaka, H. 86−58670
Miyamae, S., Kiga, T., Ikebe, H., Suzuki, K. NO_x and unburned carbon simulation technologies on pulverized coal-firing boiler. II. Evaluation of NO_x formation and NO_x control technology for foreign coals 88−5520
Miyamato, I., Maruo, H., Arata, Y. Beam absorption mechanism in laser welding 88−2432
Miyamichi, J. Sign structures of 3×3 stable matrices and their generalization to higher order matrices 87−72891
Miyamichi, J., Murata, M. Computer solution of many piece apictorial jigsaw puzzle using contour information 87−69344
Miyamichi, J. *see* Kobatake, H. 87−63759
Miyamori, T. *see* Okamoto, K. 88−44229
Miyamoto, A. *see* Fujii, K. 88−29829
Miyamoto, A. *see* Itoh, R. 87−41842
Miyamoto, A. *see* Shirahashi, A. 88−68216
Miyamoto, F. *see* Nakajima, H. 86−66098
Miyamoto, H., Israel, I., Miyamoto, H., Mori, S., Sano, A., Sakurai, Y. Approach to a powered orthosis for paralyzed lower limbs 86−44708
Miyamoto, H., Mashiko, K., Morooka, Y., Arimoto, K., Yamada, K., Nakano, T. Test pattern considerations for fault tolerant high density DRAM 86−46835
Miyamoto, H., Torii, T., Gomi, K., Sano, A., Mori, S., Sakurai, Y. Basic study on a powered orthosis for paralyzed lower limbs 86−12033
Miyamoto, H., Yamagata, T., Mori, S., Kobayashi, T., Satoh, S., Yamada, M. A fast 256×4 CMOS DRAM with a distributed sense and unique restore circuit 88−6837
Miyamoto, H., Yamanaka, M., Kihara, A. 6-inch color viewfinder tube 87−70426
Miyamoto, H. *see* Arimoto, K. 86−41127, 87−37285
Miyamoto, H. *see* Hida, H. 86−2222
Miyamoto, H. *see* Ikarashi, J. 88−46442
Miyamoto, H. *see* Mashiko, K. 85−22870
Miyamoto, H. *see* Miyamoto, H. 86−44708
Miyamoto, H. *see* Murata, Y. 86−4225
Miyamoto, H. *see* Ohata, K. 85−17867, 86−15281
Miyamoto, I., Nishijima, S., Okada, T., Yoshiwa, K., Iwata, A. Study of magnetic shielding with superconducting materials 86−48622
Miyamoto, I. *see* Kaneko, Y. 88−45233
Miyamoto, I. *see* Nishijima, S. 87−67814
Miyamoto, I. *see* Shiokawa, T. 86−21405
Miyamoto, I. *see* Watada, A. 88−51592
Miyamoto, J., Horowitz, M.A. A single-chip functional tester 87−60690
Miyamoto, J., Horowitz, M.A. A single-chip LSI high-speed functional tester 88−6715
Miyamoto, J., Tsujimoto, J., Matsukawa, N., Morita, S., Shinada, K., Nozawa, H., Iizuka, T. An experimental 5-V-only 256-kbit CMOS EEPROM with a high-performance single-polysilicon cell 87−5881
Miyamoto, J. *see* Matsukawa, N. 86−41131
Miyamoto, J. *see* Momose, H. 85−35073
Miyamoto, J. *see* Nozawa, H. 85−49896
Miyamoto, J. *see* Ohtsuka, N. 88−6823, 88−6882
Miyamoto, J. *see* Tsujimoto, J. 86−34819
Miyamoto, J.-I., Saito, S., Momose, H., Shibata, H., Kanzaki, K., Iizuka, T. A high-speed 64K CMOS RAM with bipolar sense amplifiers 85−22865
Miyamoto, K. Contact/noncontact measurement of surface roughness 86−24762
Miyamoto, K. Sapporo Municipal Transportation Bureau power signal station 86−40232
Miyamoto, K., Kobayashi, Y., Nakagawa, H., Kohno, T., Ozawa, N., Musha, T. Non-contract high precision optical surface measuring instrument 87−29281
Miyamoto, K., Nakagawa, O., Mitsuhashi, J., Matsumoto, H. The effect of long-term stress on filler-induced failure 87−750
Miyamoto, K., Nakamura, Y. Maintenance and operation equipment for the D70 Digital Switching System 86−17151
Miyamoto, K., Sugimoto, T., Nakaya, H. Voltage control of DC substation and its effect 87−58183
Miyamoto, K. *see* Hirasawa, K. 85−26125
Miyamoto, K. *see* Inada, T. 87−38096
Miyamoto, K. *see* Ishigaki, Y. 85−49036
Miyamoto, K. *see* Izumi, H. 85−65523
Miyamoto, K. *see* Kawanobe, T. 86−14766
Miyamoto, K. *see* Kohno, T. 88−29308
Miyamoto, K. *see* Matsumoto, H. 85−1405
Miyamoto, K. *see* Minemoto, T. 85−56366, 86−42362, 87−26076
Miyamoto, K. *see* Nakashima, K. 87−74633
Miyamoto, K. *see* Nigata, M. 85−38003
Miyamoto, K. *see* Oda, N. 88−47525
Miyamoto, M., Abiru, T., Ohashi, T., Yamauchi, R., Fukuda, O. Gaussian profile dispersion shifted fibers made by VAD method 86−36241
Miyamoto, M., Nishide, K., Abiru, T., Uehara, T., Yamauchi, R., Wada, A., Yamada, T., Fukuda, O., Inada, K. Fully synthesized VAD single mode fibers with long-length, high-strength and extremely low-core-eccentricity 88−65212
Miyamoto, M., Sumi, Y., Komaki, S., Narushima, K., Ishimaru, H. Aluminum alloy ultrahigh vacuum system for molecular beam epitaxy 87−23657
Miyamoto, M. *see* Chen, J.R. 86−20048
Miyamoto, M. *see* Kosaka, K. 86−9555
Miyamoto, M. *see* Sugawara, Y. 86−2819
Miyamoto, M. *see* Wada, A. 88−45140
Miyamoto, M. *see* Yamauchi, R. 87−7109
Miyamoto, M. *see* Yoshioka, H. 87−5054
Miyamoto, N. Adaptability of Al-alloy ultrahigh-vacuum system of semiconductor fabrication 86−491
Miyamoto, N. Lattice strain of selectively grown silicon epitaxial layers 87−31529
Miyamoto, N. *see* Abe, T. 88−56243
Miyamoto, N. *see* Harada, Y. 88−39831, 88−51388
Miyamoto, N. *see* Hirano, M. 87−11492, 87−67027
Miyamoto, N. *see* Honda, H. 87−44339, 88−56296
Miyamoto, N. *see* Suemitsu, M. 85−5994
Miyamoto, R. *see* Ando, H. 87−66251
Miyamoto, R.T. *see* DiPaolantonio, J.A. 86−57284
Miyamoto, S., Asayama, Y., Oi, K., Ikebe, Y. Enhancement of laser radar images based on optimization of a generalized histogram entropy 86−69840
Miyamoto, S., Imasaki, K., Yoshinouchi, A., Ozaki, T., Higaki, S., Fujita, H.K., Saito, M., Ozeki, R., Nakai, S., Yamanaka, C. Power increase of inverse pinch ion diode using fast opening switch 85−1222
Miyamoto, S., Nakayama, K. Similarity measures based on a fuzzy set model and application to hierarchical clustering 86−64334
Miyamoto, S., Oi, K., Naito, M., Kobayashi, M. Optimization formulation of image enhancement based on a class of piecewise linear gray-scale transformations and application to laser radar pictures for atmospheric measurement 85−58241
Miyamoto, S., Oi, K., Naito, M., Shimizu, A. Enhancement of laser radar images by a class of piecewise linear transformations of gray levels based on entropy criteria 86−25436
Miyamoto, S., Okumura, Y., Tsunemi, H., Nakagawa, M. A high background rejection method in a proportional counter using field-adjusting electrodes as guard cathodes 85−37980
Miyamoto, S., Saito, M., Kimura, K., Tsunemi, H., Kitamoto, S. A low background gas scintillation proportional counter 88−29837
Miyamoto, S., Yugami, N., Imasaki, K., Nakai, S., Yamanaka, C. Pulsed power compression research by vacuum opening switch at ILE, Osaka 88−30796
Miyamoto, S. *see* Akiba, T. 87−56934
Miyamoto, S. *see* Amano, N. 85−45029
Miyamoto, S. *see* Ando, H. 86−5370
Miyamoto, S. *see* Asayama, Y. 87−19966
Miyamoto, S. *see* Ihara, S. 85−37604
Miyamoto, S. *see* Kosaka, M. 87−47725
Miyamoto, S. *see* Masaki, K. 86−28210, 86−41703
Miyamoto, S. *see* Mitsui, T. 86−65171, 87−35035
Miyamoto, S. *see* Mori, K. 85−36769
Miyamoto, S. *see* Nakamura, E. 86−39144
Miyamoto, S. *see* Nishida, T. 86−40860, 86−62571, 87−59308
Miyamoto, S. *see* Ohigashi, N. 87−33216, 87−75145
Miyamoto, S. *see* Ozaki, T. 86−11808
Miyamoto, S. *see* Satoh, T. 87−41567
Miyamoto, S. *see* Shimizu, T. 87−36914, 88−25137
Miyamoto, S. *see* Shirai, S. 88−16325
Miyamoto, S. *see* Suzuki, Y. 86−45765
Miyamoto, S. *see* Takada, H. 88−45082
Miyamoto, S. *see* Takamine, Y. 88−70726
Miyamoto, S. *see* Tsuruta, S. 87−28131
Miyamoto, S. *see* Yoshioka, S. 87−59485, 88−6845
Miyamoto, T. Rigorous analysis of dielectric rod waveguides with flat cross-section 87−24396
Miyamoto, T. Propagation characteristics of various kinds of thin-film two-parallel optical waveguides for optical integrated circuits 88−65360
Miyamoto, T., Hirose, M., Takeshita, M. Picture-in-picture digital color television receiver 88−9720
Miyamoto, T., Kondo, K., Suzuki, T., Asakawa, Y., Ichikawa, A. Single DSP 8 Kbps speech codec 87−28240
Miyamoto, T., Momoda, M. Numerical analysis of a thin film waveguide by mode-matching method−propagation characteristics of an embedded waveguide 85−56309
Miyamoto, T., Sato, I., Ando, Y. Lubrication performance of melamine cyanurate composite lubricant for thin film disk media 88−57935
Miyamoto, T., Yasuura, K. Accurate numerical analysis of an elliptically-cored Optical fiber for polarization preservation, using mode-matching method 86−15498
Miyamoto, T., Yasuura, K. Accurate numerical analysis of an elliptically cored optical fiber for polarization preservation, using mode-matching method 87−7079
Miyamoto, T. *see* Egawa, Y. 87−72924
Miyamoto, T. *see* Enomoto, H. 88−56134
Miyamoto, T. *see* Henmi, T. 88−53409
Miyamoto, T. *see* Ieda, M. 88−55412
Miyamoto, T. *see* Ito, O. 88−45060
Miyamoto, T. *see* Kamo, Y. 86−58669
Miyamoto, T. *see* Kimura, M. 85−2385, 86−41772
Miyamoto, T. *see* Kurita, S. 86−38275
Miyamoto, T. *see* Mizumoto, H. 86−48090
Miyamoto, T. *see* Nakamura, Y. 87−51599
Miyamoto, T. *see* Ono, T. 85−20276, 86−4755
Miyamoto, T. *see* Sato, I. 87−60802
Miyamoto, T. *see* Tago, A. 86−63552
Miyamoto, T. *see* Takemoto, M. 87−62746
Miyamoto, T. *see* Takesita, M. 87−34754
Miyamoto, T. *see* Tomokage, H. 85−55426, 85−55948, 86−67749
Miyamoto, T. *see* Yasumoto, K. 88−1986
Miyamoto, Y., Cao, M., Furuya, K., Suematsu, Y. GaInAsP/InP single quantum-well lasers by OMVPE 87−39117
Miyamoto, Y., Cao, M., Shingaj, Y., Furuya, K., Suematsu, U., Ravikumar, K.G., Arai, S. Fabrication of quantum-box structure with p-n junction and optical guide structure 88−45447
Miyamoto, Y., Furuya, K. Organometallic vapor phase epitaxy of quaternary alloy semiconductor for diode lasers 88−6469
Miyamoto, Y., Sakai, H., Tanikawa, K. Breakdown in HgCdTe metal insulator semiconductor (MIS) detectors 87−14344
Miyamoto, Y., Watanabe, C., Nagashima, M., Furuya, K., Suematsu, Y. Fabrication of GaInAsP/InP heterostructure for 1.5 μm lasers by OMVPE 87−54345
Miyamoto, Y., Watanabe, C., Nagashima, M., Furuya, K., Suematsu, Y., Tohmori, Y., Arai, S. OMVPE grown GaInAsP/InP BH laser on p-type substrate 86−26850
Miyamoto, Y. *see* Abe, Y. 85−48208
Miyamoto, Y. *see* Asada, M. 85−35742, 87−7366
Miyamoto, Y. *see* Cao, M. 88−58535
Miyamoto, Y. *see* Deto, H. 87−41742
Miyamoto, Y. *see* Honda, S. 88−60921
Miyamoto, Y. *see* Ichinose, M. 86−3529, 86−59046
Miyamoto, Y. *see* Ishihara, K. 87−67222
Miyamoto, Y. *see* Iwakane, T. 88−69723
Miyamoto, Y. *see* Kajihara, N. 88−57347

Miyamoto, Y. *see* Nagashima, M. 86−15724, 86−42576
Miyamoto, Y. *see* Nishizawa, J. 88−64541
Miyamoto, Y. *see* Sugou, S. 85−401, 85−10677, 85−44754
Miyamoto, Y. *see* Tago, N. 85−57920
Miyamoto, Y. *see* Tanigawa, T. 85−39277
Miyamoto, Y. *see* Wasa, Y. 88−53854
Miyamoto, Y. *see* Watanabe, C. 87−1556
Miyamoto, Y. *see* Yamamoto, S. 87−34049
Miyamoto, Y. *see* Yamamoto, T. 86−8777
Miyamoto, Y. *see* Yang, S. 86−9872
Miyamura, M., Uchiyama, T., Tsukakoshi, O., Komiya, S. Reactive ion beam etching of Si and SiO$_2$ with an electron cyclotron resonance ion source 85−18257
Miyamura, M. *see* Matsumi, Y. 87−25109
Miyamura, M. *see* Sanada, S. 87−11966
Miyamura, O. *see* Burnett, T.H. 87−8866
Miyamura, S., Murase, S., Nishikawa, S. Computer network status control for various communications networks 85−42292
Miyamura, T. *see* Fukushima, T. 87−5882
Miyamura, Y. *see* Horigome, S. 88−65148
Miyamura, Y. *see* Nakao, T. 88−45238
Miyanaga, H., Kobayashi, Y., Konaka, S., Yamamoto, Y., Sakai, T. A 1.1 ns access time 4 Kb bipolar RAM using super self-aligned technology 85−49898
Miyanaga, H., Konaka, S., Kobayashi, Y., Yamamoto, Y., Sakai, T. A 0.85-ns 1-kbit ECL RAM 87−745
Miyanaga, H., Konaka, S., Yamamoto, Y., Sakai, T. A 0.85 ns 1Kb bipolar ECL RAM 85−40104
Miyanaga, H. *see* Vamamoto, Y. 85−55758
Miyanaga, H. *see* Yamamoto, Y. 85−40885, 87−8104
Miyanaga, H. *see* Yamanaka, N. 87−8130, 87−17013, 88−15292
Miyanaga, M. *see* Miyazaki, Y. 87−50464
Miyanaga, N. *see* Kinoshita, K. 87−57039
Miyanaga, N. *see* Stapf, R.O. 87−29507
Miyanaga, S. *see* Sato, K. 85−3238
Miyanaga, Y., Miki, N., Nagai, N. ARMA digital lattice filter based on a linear prediction theory 85−40188
Miyanaga, Y., Miki, N., Nagai, N. Adaptive identification of a time-varying ARMA speech model 86−69002
Miyanaga, Y., Nagai, N., Miki, N. ARMA digital lattice filter with white Gaussian input 85−28655
Miyanaga, Y., Nagai, N., Miki, N. ARMA digital lattice filter with white Gaussian input 86−69041
Miyanaga, Y., Nagai, N., Miki, N. Refined ARMA digital lattice filter 87−19739
Miyanaga, Y., Nagai, N., Miki, N. ARMA digital lattice filter for signal processing 87−47569
Miyanaga, Y., Nagai, N., Miki, N. ARMA digital lattice filter based on new criterion 87−59738
Miyanaga, Y., Nagai, N., Miki, N. Identification of speech production model with parsimonious ARMA parameters 88−59051
Miyanaga, Y., Nagai, N., Nagata, K. Parallel processing methods for parametric modeling of stochastic signals 88−21212
Miyanaga, Y., Tochinai, K. A signal processing method for non-stationary stochastic signals using ARMA digital lattice filter 88−46077
Miyanaga, Y. *see* Haseyama, M. 88−8783
Miyanaga, Y. *see* Miki, N. 86−16238, 86−48794, 87−19590
Miyanaga, Y. *see* Okita, Y. 88−3018
Miyanaga, Y. *see* Serizawa, M. 88−45989
Miyanaga, Y. *see* Watanabe, H. 85−7886, 85−13544, 85−63067, 86−16354, 86−69037
Miyanami, K. *see* Satoh, M. 87−63228
Miyanishi, M. *see* Aoki, S. 87−14768
Miyanishi, Y. *see* Tsuji, Y. 87−14861
Miyano, H. *see* Masuda, T. 85−38148, 86−5940
Miyano, H. *see* Sadoyama, T. 85−64594
Miyano, K. *see* Abe, K. 88−4802
Miyano, K. *see* Cao, R. 88−13009
Miyano, K. *see* Chin, K.K. 86−63101, 87−11444, 88−13021
Miyano, M., Hashizume, S., Umebachi, S. High-frequency MOSFET series 86−58480
Miyano, M. *see* Matsuda, N. 87−28346
Miyano, N., Suzuki, Y., Chiba, T. A high-efficiency paraboloid reflector antenna 86−64100
Miyano, N. *see* Suzuki, Y. 87−39458
Miyano, S. The lexicographically first maximal subgraph problems: P-completeness and NC algorithms 88−38088
Miyano, Y. Police 85−2972
Miyano, Y. Current situation of Japanese police communication and its prospect 85−25291
Miyano, Y. *see* Nakano, Y. 88−44873
Miyanohana, Y. *see* Furusawa, M. 85−20277
Miyanoto, S. *see* Akiba, T. 87−75146
Miyao, H., Higaki, M., Kamata, Y. Influence of AC and DC field on streaming electrification of transformer oil 88−52064
Miyao, H. *see* Honda, K. 87−53946
Miyao, H. *see* Ito, Y. 87−54290
Miyao, H. *see* Kuroda, K. 86−31459
Miyao, H. *see* Taniguchi, A. 86−31458, 88−13790
Miyao, H. *see* Umesaki, K. 86−28781
Miyao, J. *see* Kikuno, T. 86−69466
Miyao, M., Hagino, M. The state of alkali metals on semiconductor surfaces and application of photocathode to intense electron source 86−27779
Miyao, M., Ishigami, Y., Ohta, M., Hagino, M. Crystal growth in InGaAs by molecular beam epitaxy 85−385
Miyao, M., Moniwa, M., Ichikawa, M., Ishizaka, A., Doi, T., Sunami, H., Tokuyama, T. Nucleation control and epitaxial alignment in silicon-on-insulator structure during solid phase growth 85−44747
Miyao, M., Moniwa, M., Kusukawa, K., Warabisako, T., Murakami, E., Sinke, W. Formation of Si-on-insulator structure by lateral solid phase epitaxy 88−38211
Miyao, M., Moniwa, M., Warabisako, T., Sunami, H., Tokuyama, T. Formation of Si-on-insulator structure under solid phase growth 86−13770
Miyao, M., Ohkura, M., Tokuyama, T. Characterization of SOI double Si active layers through fabrication of elementary devices 86−8748
Miyao, M., Polman, A., van Kemp, R., Sinke, W. Electron and ion beam-stimulated solid phase regrowth of phosphorus-implanted silicon 87−25045
Miyao, M., Yoshioka, M., Kamei, T., Sato, I., Takata, K., Fukushima, Y., Matsumoto, H., Shidara, T., Shintake, T., Mizuno, H., Kuroda, H., Nishimura, H., Nakano, N., Takeda, S. Application of photocathode to high current short pulse electron sources 86−18227
Miyao, M. *see* Fukushima, Y. 85−64418, 86−31986
Miyao, M. *see* Hagino, M. 85−1214
Miyao, M. *see* Kusukawa, K. 88−19982, 88−50669
Miyao, M. *see* Moniwa, M. 85−54445, 88−6481, 88−49798
Miyao, M. *see* Murakami, E. 88−18705, 88−70310
Miyao, M. *see* Nagai, T. 86−13759
Miyao, M. *see* Nomura, T. 85−33434, 85−39775, 86−26819, 87−60151, 88−70309
Miyao, M. *see* Ohkura, M. 85−44745, 85−54453
Miyao, M. *see* Takeda, S. 86−5696
Miyao, M. *see* Tamura, M. 86−8901
Miyao, M. *see* Tokuyama, T. 86−7810
Miyao, M. *see* Warabisako, T. 87−52134, 88−7657
Miyaoka, S. High-density storage possible with optical disk recording 85−35557
Miyaoka, S., Fukumoto, H., Sasaki, S. Nuclear power plant reliability data collection system in Japan 85−21398
Miyaoka, S., Odaka, M., Ogiue, K., Ikeda, T., Suzuki, M., Higuchi, H., Hirao, M. A 7 ns/350 mW 64K ECL compatible RAM 87−59493
Miyaoka, S., Odaka, M., Ogiue, K., Ikeda, T., Suzuki, M., Higuchi, H., Hirao, M. A 7-ns/350-mW 64-kbit ECL-compatible RAM 88−6835
Miyaoka, S., Shiraishi, T., Sasaki, R. Grey-scale image coding by nonuniform block decomposition 88−8846
Miyaoka, S. *see* Aoki, Y. 86−28921
Miyaoka, S. *see* Mikuriya, H. 85−58388
Miyaoka, S. *see* Nakane, Y. 85−50897
Miyaoka, S. *see* Odaka, M. 86−34816
Miyaoka, S. *see* Ogikami, K. 86−62600
Miyaoka, S. *see* Ogiue, K. 87−10863, 87−17082
Miyaoka, S. *see* Sato, N. 85−29440
Miyasaka, K., Ueno, S., Kajitani, Y. On the minimum number of edges of flow networks with the minimum edge capacity sum 86−62343
Miyasaka, K. *see* Kajitani, Y. 87−44161
Miyasaka, K. *see* Saga, M. 85−49328
Miyasaka, K. *see* Takemae, Y. 86−8264
Miyasaka, M. *see* Nishida, Y. 87−56711
Miyasaka, N. *see* Li, X. 88−36839
Miyasaka, S. *see* Kikuchi, M. 87−71426
Miyasaka, T. *see* Miura, H. 85−3644
Miyasaka, T. *see* Ogawa, S. 85−37208
Miyasaka, Y., Hoshino, S., Takahashi, S. ZnO/SiO$_2$/Si diaphragm bulk acoustic wave composite resonators 85−18520
Miyasaka, Y., Hoshino, S., Takahashi, S. Temperature compensated ZnO/SiO$_2$/Si thin film resonator for VHF voltage controlled oscillator 87−1862
Miyasaka, Y., Hoshino, S., Takahashi, S. Advances in structure and fabrication process for thin film acoustic resonator 88−51149
Miyasaka, Y. *see* Croteau, A. 88−24799
Miyasaka, Y. *see* Shohata, N. 87−52150
Miyasaki, A. Personal computer and software in air conditioning system design 85−53941
Miyasaki, Y. *see* Ishikubo, I. 88−15757
Miyasako, T. The ultrasonic vehicle profile classifier 86−49740
Miyasato, K. *see* Kuwabara, M. 86−12427
Miyasato, T. Encoding of telewriting signals by a ring-shaped bit assignment to movement vectors 86−30307
Miyasato, T. Videotex conversion from Captains to Prestel 86−69375
Miyasato, T., Hatori, Y. Inter-videotex conversion from PRESTEL to CAPTAIN 88−3486
Miyasato, T., Hatori, Y., Kaneko, M. Algorithm for the construction of Huffman codes with the minimum variance of the word length 85−62977
Miyasato, T., Hatori, Y., Nakao, K., Obana, S. Inter-videotex conversion for CAPTAIN 86−30328
Miyasato, T. *see* Mizokawa, Y. 86−47424, 87−67003
Miyasato, T. *see* Urano, Y. 86−4243
Miyase, H. *see* Tamae, T. 88−29753
Miyashita, H., Adachi, T., Ueda, K. An automatic cell pattern generation system for CMOS transistor-pair array LSI 86−62541
Miyashita, H., Okamoto, K. Lamp annealing of ion implanted GaAs 86−28155
Miyashita, H. *see* Okamoto, K. 87−53341
Miyashita, H. *see* Okuno, N. 87−8458
Miyashita, H. *see* Onozawa, A. 87−46051
Miyashita, K., Takahashi, T., Kawamata, S., Kanai, H., Seki, T. Integrated magnetic rotary encoders 86−5286
Miyashita, K., Takahashi, T., Kawamata, S., Kiwaki, H., Ishizaki, K. Magnetic rotary encoder with sinusoidal output 88−17665
Miyashita, K., Takahashi, T., Kawamaua, S., Tamura, K., Seki, T. Absolute magnetic rotary encoder 86−44305
Miyashita, K., Takahashi, T., Yamanaka, M. Features of a magnetic rotary encoder 88−53624
Miyashita, K. *see* Ichimiya, R. 87−14521
Miyashita, K. *see* Onnagawa, H. 85−1346, 86−36267, 86−36352
Miyashita, O., Fujimaki, T. Operation and dimming control of HID lamps with solid-state PWM chopper 88−69912
Miyashita, O. *see* Fujimaki, T. 85−48957, 86−70922
Miyashita, S., Yoshizaki, K., Hashimoto, Y., Sekine, H., Tachikawa, K. Effects of titanium addition to the Nb$_3$Sn wires fabricated by the internal tin diffusion process 87−67816
Miyashita, S. *see* Carroll, J.T. 88−22998
Miyashita, S. *see* Fukui, Y. 88−10275, 88−47986
Miyashita, S. *see* Hayashide, Y. 85−26687
Miyashita, S. *see* Yoshizaki, K. 85−56156
Miyashita, T. Glass optical guided-wave technology 87−38842
Miyashita, T., Betsui, K., Tochiki, Y., Komenou, K. Ion implantation condition for 2 μm period ion-implanted propagation tracks 86−68183
Miyashita, T., Uchida, T., Nagata, S. Stereoscopic display using double guest-host liquid-crystal cells 88−16360
Miyashita, T., Yoshida, H., Matsuda, M. Drawing fine patterns on *N*-octadecylacrylamide Langmuir-Blodgett multilayers: a new class of ultrathin resists 88−26174
Miyashita, T. *see* Betsui, K. 85−24088, 87−60791
Miyashita, T. *see* Himeno, A. 88−33821
Miyashita, T. *see* Kanamori, T. 85−12537, 85−29583
Miyashita, T. *see* Kasahara, Y. 87−65110
Miyashita, T. *see* Kawabata, T. 87−78788, 88−30864, 88−75772
Miyashita, T. *see* Kawachi, M. 88−45210
Miyashita, T. *see* Kobayashi, M. 87−70046
Miyashita, T. *see* Matsumoto, K. 86−41040, 86−53691, 87−18089
Miyashita, T. *see* Ohashi, M. 86−28717
Miyashita, T. *see* Ohishi, Y. 85−35475
Miyashita, T. *see* Satoh, Y. 85−12501, 85−46020, 87−32883
Miyashita, T. *see* Schwetlick, H. 88−10642, 88−59117
Miyashita, T. *see* Shibata, N. 86−52477
Miyashita, T. *see* Uchida, T. 87−8697
Miyashita, T. *see* Ujiie, H. 86−50202
Miyashita, Y. Recent information of electrical measurement techniques—voltages and current measuring techniques 88−9856
Miyashita, Y. An extended Petri net for generating minimum full AFL including G^λ-type Petri net languages 88−38085
Miyashita, Y., Itoh, H., Shimomura, T. Void formation in XLPE at high temperatures 86−68126
Miyashita, Y. *see* Kato, H. 87−25711, 87−78144, 88−30388, 88−68952
Miyashita, Y. *see* Shimada, J. 88−22325
Miyaska, E. Measurement of the critical masking interval 87−35511
Miyata, A. Omega navigation system—phase variation of Omega 87−76886
Miyata, A. *see* Ikeda, Y. 87−3640
Miyata, H. *see* Fukui, Y. 88−47986
Miyata, H. *see* Hayashide, Y. 85−26687
Miyata, H. *see* Ishikura, Y. 86−71046
Miyata, H. *see* Kajikawa, T. 85−16269
Miyata, H. *see* Nakamura, T. 87−56759
Miyata, K. Development of three-dimensional wake field analysis program by boundary element method 87−14689

Miyata, K. Three-dimensional wake field analysis by boundary element method 88−54271
Miyata, K., Fukai, I. A cylindrical reflector antenna pattern computation by boundary element method 88−2764
Miyata, K., Fukai, I. Radiation pattern computation of an open-ended parallel plate waveguide antenna with a cylinder near the aperture 88−2766
Miyata, K., Fukai, I. Radiation pattern analysis of an offset cylindrical reflector antenna by boundary element method 88−8565
Miyata, K., Miya, K. Evaluation of electro-magnetic force caused of a ferromagnetic component due to magnetization 88−26649
Miyata, K., Miya, K. Magnetic field and stress analysis of saturated steel 88−51170
Miyata, K., Suzuki, M. Cross-polar properties of a front-fed parabolic antenna fed by a double-choked circular waveguide−an experimental study 85−24965
Miyata, K., Suzuki, M. Feed-strut scattering effects on small parabolic antenna secondary patterns 86−16042
Miyata, K., Suzuki, M. Near-axis cross polarization of a small parabolic reflector with periodic-surface struts 86−64071
Miyata, K., Suzuki, M. Field analysis of an open-ended parallel-plate waveguide−BEM solution and experiment 86−68883
Miyata, K. *see* Agui, T. 86−29733
Miyata, K. *see* Ikeda, T. 87−53666
Miyata, K. *see* Ishikawa, J. 87−56982
Miyata, K. *see* Kiuchi, A. 85−14418
Miyata, K. *see* Kodaka, H. 86−15417
Miyata, K. *see* Kubo, M. 88−33289
Miyata, K. *see* Mimura, A. 88−39471, 88−39733, 88−57644
Miyata, K. *see* Murakami, S. 88−13054
Miyata, K. *see* Nishioka, H. 85−58447
Miyata, K. *see* Ohwada, J. 88−19980
Miyata, K. *see* Sato, I. 87−41704
Miyata, K. *see* Sudo, Y. 85−48693
Miyata, K. *see* Sugawara, Y. 86−47781, 87−32676
Miyata, K. *see* Terasawa, Y. 86−28302
Miyata, K. *see* Yoshida, H. 85−46047
Miyata, M. Predictive encoder without local decoder 86−16146
Miyata, M. Upper bound of non-uniform quantizing noise in a recursive circuit 86−62746
Miyata, M. Dynamic behavior of a recursive circuit having a non-uniform quantizer 86−66986
Miyata, M. Tokyu Railway−VVVF inverter control car 87−36207
Miyata, M., Asano, Y. Random noise generator using an all-pass digital filter 87−16921
Miyata, M., Kishigami, H., Okamoto, K., Kamiya, S. The TX1 32-bit microprocessor: performance analysis, and debugging support 88−50180
Miyata, M., Masubuchi, Y., Murai, K., Yoshimura, M. Automatic logic synthesis from H^2DL description 86−62555
Miyata, M., Tsuboi, H. Nonequilibrium Hall MHD generation experiments with an inlet shock wave preionization (Effects of the shock wave angle on the performance) 85−21842
Miyata, M., Watanabe, T. Test results of VVVF-inverter-controlled electric car [railcars] 86−7234
Miyata, M. *see* Hashimoto, H. 88−48995
Miyata, M. *see* Ikawa, Y. 86−47803
Miyata, M. *see* Okamoto, K. 88−44229
Miyata, N., Akiyoshi, S. Preparation and electrochromic properties of RF-sputtered molybdenum oxide films 86−481
Miyata, N., Kitahata, H. Preparation and properties of antimony-doped tin oxide films deposited by RF reactive sputtering 85−61003
Miyata, S., Yan Heum Park, Soeda, Y., Itoh, R., Tasaka, S. Effect of plasma treatment on photovoltaic properties in copper phthalocyanine 88−14007
Miyata, S. *see* Hirai, H. 87−60445
Miyata, S. *see* Kimoto, M. 88−19189
Miyata, S. *see* Koike, M. 86−34798, 87−31899, 88−19139
Miyata, S. *see* Maehashi, Y. 86−34852
Miyata, S. *see* Mitsuhashi, K. 86−41897
Miyata, S. *see* Ohtake, K. 87−44846
Miyata, S. *see* Seo, I. 86−53849
Miyata, S. *see* Terada, H. 88−32258, 88−44199
Miyata, T. R&D of optics for high power CW CO_2 lasers in the Japanese National Program 87−46949
Miyata, T., Watanabe, S. New type of SIP reed relay (RRF41A series) 86−47132
Miyata, T. *see* Andou, M. 87−806
Miyata, T. *see* Haruta, K. 87−40296, 88−21567
Miyata, T. *see* Ichige, K. 85−61331, 87−804
Miyata, T. *see* Ito, I. 87−29190
Miyata, T. *see* Itoh, Y. 87−66273
Miyata, T. *see* Kawata, K. 86−29203
Miyata, T. *see* Minami, T. 88−58371
Miyata, T. *see* Nakazawa, A. 86−17854
Miyata, T. *see* Sakai, S. 87−49447
Miyata, T. *see* Sasaki, K. 87−59129
Miyata, T. *see* Sharma, S.K. 88−50221
Miyata, T. *see* Takahashi, T. 85−437, 85−28250, 85−39791
Miyata, T. *see* Takata, S. 88−31768, 88−38240
Miyata, T. *see* Tashiro, Y. 88−70865
Miyata, T. *see* Terakado, T. 85−61330
Miyata, T. *see* Terakado, Y. 85−871
Miyata, T. *see* Tsukamoto, K. 85−870, 85−61336, 87−805, 87−52666
Miyata, T. *see* Uehara, K. 85−45119
Miyata, Y., Takekoshi, R., Takazawa, H. Technique for estimating salt air corrosion rate of outside plants 88−21489
Miyata, Y., Yoshimura, S., Masuko, H. Laser machining and some applications 85−51321
Miyata, Y. *see* Hotta, S. 87−3695
Miyata, Y. *see* Kato, K. 85−58053
Miyata, Y. *see* Tanaka, S. 87−56347
Miyatake, C. *see* Kuroiwa, S. 86−31155
Miyatake, H., Hama, H., Kamiya, T., Yoshii, M., Shinozuka, T., Fujioka, M. A high-speed target-rotation system (TARO) for the study of short-lived nuclei 86−50293
Miyatake, H., Nomura, T., Kawakami, H., Tanaka, J., Oyaizu, M., Morita, K., Shinozuka, T., Kudo, H., Sueki, K., Iwata, Y. INS gas-filled recoil isotope separator 87−71051
Miyatake, H. *see* Biwa, T. 88−20150
Miyatake, H. *see* Fujishima, K. 86−57836
Miyatake, H. *see* Hidaka, H. 88−19146
Miyatake, H. *see* Kubono, S. 87−3915
Miyatake, H. *see* Kumanoya, M. 86−20530
Miyatake, H. *see* Kusunoki, S. 88−64374
Miyatake, H. *see* Morita, K. 87−70968
Miyatake, H. *see* Shimizu, M. 88−71588
Miyatake, H. *see* Tatsuguchi, K. 87−8486
Miyatake, K. *see* Shimizu, I. 88−41570
Miyatake, M., Tsurufuji, S., Iida, M., Mori, N. A voice activated telephone 87−13491
Miyatake, N. *see* Kawabata, H. 86−42388
Miyatake, N. *see* Sasakawa, Y. 88−33791
Miyatake, O., Kuroda, K. State and tendency of standard distribution apparatus 87−64138
Miyatake, S., Nagakawa, T., Kosaza, H., Misawa, K., Okuno, M., Takii, K., Matsui, O., Awane, K. Operation and characteristics of a CLIP imager 86−5043
Miyatake, S., Nagakawa, T., Misawa, K., Kosaza, H., Sakamato, S., Ogawa, S., Fujino, K., Yamano, T., Iikawa, K., Nakai, J., Matsui, O., Awane, K. A CCD imager on three types of P-wells 85−52662
Miyatake, S., Nagakawa, T., Misawa, K., Kosaza, H., Sakamoto, S., Ogawa, S., Fujino, K., Yamano, T., Iikawa, K., Nakai, J., Matsui, O., Awane, K. A CCD imager on three types of p-wells 85−42912
Miyatake, S., Nagakawa, T., Misawa, K., Kosaza, H., Sakamoto, S., Ogawa, S.-I., Takii, K., Matsui, O., Awane, K. A shallow flat p-well structure for interline-transfer CCD image sensors 86−49979
Miyatake, S., Nagakawa, T., Misawa, K., Kosaza, H., Sakamoto, S., Ogawa, S., Yamano, T., Iikawa, K., Nakai, J., Takii, K., Mastui, O., Awane, K. A 490(V)×510(H)-element CCD image sensor using a shallow flat p-well 87−34970
Miyatake, S. *see* Kaya, N. 86−6307, 86−68754
Miyatake, S. *see* Nagakawa, T. 86−11281
Miyatake, T., Matsushima, H., Ejiri, M. Extraction of roads from topographical maps using a parallel line extraction algorithm 85−41985
Miyatake, T. *see* Kakumoto, S. 85−50660
Miyatake, T. *see* Sugita, K. 86−19453
Miyatake, T. *see* Yamafuji, K. 87−74554
Miyatsuji, K., Hihara, H., Hamaguchi, C. Single quantum well transistor with modulation doped AlGaAs/GaAs/AlGaAs structures 85−61942
Miyatsuji, K., Tanimoto, H., Hamaguchi, C. Negative differential mobility and drift velocity overshoot in single quantum well of AlGaAs/GaAs/AlGaAs heterostructure 87−24876
Miyatsuji, K. *see* Hamaguchi, C. 85−55848, 87−24891
Miyatsuji, K. *see* Hasegawa, A. 87−53192, 88−32745
Miyatsuji, K. *see* Hihara, H. 85−45439
Miyauchi, A., Touge, T., Matsukawa, Y. Chirping model of modulated DFB LD 88−65733
Miyauchi, A. *see* Miyauchi, M. 88−3219
Miyauchi, A. *see* Nishimoto, H. 87−40950, 88−53270
Miyauchi, A. *see* Oda, S. 86−27926, 86−40771
Miyauchi, A. *see* Shibata, N. 87−32264
Miyauchi, A. *see* Touge, T. 85−42621
Miyauchi, E., Arimoto, H., Bamba, Y., Takamori, A., Hashimoto, H. Computer control of maskless ion implanter with Au-Si-Be LM ion source for III-V compound semiconductors 85−34778
Miyauchi, E., Hashimoto, H. Application of focused ion beam technology to maskless ion implantation in a molecular beam epitaxy grown GaAs or AlGaAs epitaxial layer for three-dimensional pattern doping crystal growth 86−63166
Miyauchi, E., Hashimoto, H. Maskless ion implantation system for three-dimensional fine doping structures in III-V compound semiconductors 87−53363
Miyauchi, E., Morita, T., Takamori, A., Arimoto, H., Bamba, Y., Hashimoto, H. Maskless ion beam writing of precise doping patterns with Be and Si for molecular beam epitaxially grown multilayer GaAs 86−35550
Miyauchi, E. *see* Arimoto, H. 85−29118, 85−52958, 86−65312, 86−70305, 87−25089, 87−56972, 88−44639
Miyauchi, E. *see* Bamba, Y. 85−29116, 87−11536
Miyauchi, E. *see* Brillouet, F. 87−74077
Miyauchi, E. *see* Hashimoto, H. 85−23645, 85−34831, 87−38079, 87−38093
Miyauchi, E. *see* Ishida, K. 87−12490, 87−53246
Miyauchi, E. *see* Morita, T. 87−1394, 87−38078, 87−50081, 87−53359, 87−60275, 87−74009
Miyauchi, E. *see* Sandhu, A. 88−44636
Miyauchi, E. *see* Takado, N. 87−61145, 88−39234
Miyauchi, E. *see* Takamori, A. 85−377, 85−60968, 86−53436, 87−38137
Miyauchi, H. *see* Ohsawa, Y. 86−39019, 87−30025
Miyauchi, H. *see* Otani, K. 85−64918
Miyauchi, H. *see* Sunayama, M. 85−3505
Miyauchi, H. *see* Ushigome, M. 88−53436
Miyauchi, H. *see* Yamanaka, M. 87−73929
Miyauchi, K. Overview of large-capacity satellite communication 86−55257
Miyauchi, K. Non-contact type thermometer: its fundamental principle and a new infrared radiation thermometer based on digital operation treatment 87−35229
Miyauchi, K., Kudo, T. Thin-film lithium secondary cells 85−21786
Miyauchi, K., Nakazawa, S., Taga, C. Applications of infrared moisture gauge and hints toward its use 87−63572
Miyauchi, K. *see* Kanehori, K. 85−10092
Miyauchi, K. *see* Kawabe, U. 87−60866
Miyauchi, K. *see* Kudo, T. 88−13200
Miyauchi, K. *see* Saito, S. 87−28471
Miyauchi, M., Matsumoto, M., Ide, A., Tachikura, M., Haibara, T., Nakayama, S. A study on minimizations of spare length in an arc-fusion splicing for optical fibers 88−51480
Miyauchi, M., Miyauchi, A. An adaptive selection algorithm of detecting methods for picture tracking system of moving targets 88−3219
Miyauchi, M., Setsune, K., Hirao, T., Kagawa, K., Yasui, J. Hydrogenation of polysilicon TFTs by silicon nitride 88−44785
Miyauchi, M. *see* Haibara, T. 88−7881
Miyauchi, M. *see* Ishihara, K. 87−67222
Miyauchi, M. *see* Ishikawa, S. 86−43874
Miyauchi, M. *see* Ishikura, A. 87−18590 to 18591
Miyauchi, M. *see* Kato, Y. 85−56280, 86−58756, 87−60951
Miyauchi, M. *see* Katsuyama, Y. 88−47119
Miyauchi, M. *see* Kawasaki, N. 88−39948
Miyauchi, M. *see* Matsumoto, M. 87−8255, 87−34591, 88−45139
Miyauchi, M. *see* Nakashima, S. 86−40753
Miyauchi, M. *see* Nakayama, S. 88−20388
Miyauchi, M. *see* Niiyama, S. 88−50437
Miyauchi, M. *see* Ooyanagi, T. 87−68159
Miyauchi, M. *see* Setsune, K. 87−18129
Miyauchi, M. *see* Shirai, M. 88−7880
Miyauchi, M. *see* Tsukamoto, K. 87−66336
Miyauchi, M. *see* Watanabe, S. 85−1048
Miyauchi, M. *see* Yamagishi, H. 86−21598
Miyauchi, M. *see* Yamasaki, S. 88−39949
Miyauchi, M. *see* Yonezawa, M. 87−66592
Miyauchi, N., Maei, S., Morimoto, T., Hayashi, H., Yamamoto, S., Yano, S., Hijikata, T. Degradation analysis of (AlGa)As high optical power VSIS laser diode at 820 nm region 86−9869
Miyauchi, N. *see* Hayakawa, T. 85−18937
Miyauchi, N. *see* Hayashi, H. 86−42573
Miyauchi, N. *see* Kawanishi, H. 87−54336, 88−65701
Miyauchi, N. *see* Yamamoto, O. 87−33183, 87−68528
Miyauchi, N. *see* Yamamoto, S. 85−29801
Miyauchi, S., Fueki, A., Kushihi, Y., Abiko, H., Sorimachi, Y. Schottky barrier formation between polypyrrole and indium 87−53284
Miyauchi, S., Sakai, R., Kimoto, T., Nagao, T., Tomura, K., Nakao, K. Trends of international videotex 88−9099
Miyauchi, S. *see* Goto, E. 86−41895
Miyauchi, S. *see* Harris, K.L. 88−7717, 88−20046
Miyauchi, S. *see* Hassel Shearer, M. 86−35485
Miyauchi, S. *see* Izumiya, T. 88−1696
Miyauchi, S. *see* Shearer, M.H. 86−8932
Miyauchi, S. *see* Sorimachi, Y. 85−32244, 88−5404, 88−25724, 88−26690
Miyauchi, T. Constructing office networks using PBX and push-button telephone equipment 88−3722

Miyauchi, T., Hongo, M., Mitani, M., Mikoshiba, T. Laser repair technology for opaque defects on photolithographic masks for ICs 86-67903
Miyauchi, T., Kira, T., Yoshikawa, M. Barkhausen noise in yoke type MR heads. II. Inverse effect of magnetostriction 88-26669
Miyauchi, T., Kira, T., Yoshikawa, M. Inverse effect of magnetostriction in yoke type MR heads 88-57956
Miyauchi, T., Yamamoto, N., Higuchi, H. Application of sintering method to prepare perfectly densified and oriented $CuInS_2$ crystals 88-63283
Miyauchi, T. *see* Horinaka, H. 87-61008
Miyauchi, T. *see* Kira, T. 85-56119
Miyauchi, T. *see* Nakai, K. 87-2263
Miyauchi, T. *see* Sasada, T. 85-58445
Miyauchi, T. *see* Shiiba, K. 86-58688, 88-26668
Miyauchi, T. *see* Suzuki, K. 88-74620
Miyauchi, T. *see* Yamaguchi, H. 85-29142, 86-35762
Miyauchi, Y. *see* Terao, M. 85-50895, 87-38727
Miyaura, T. *see* Yokota, K. 85-61001
Miyauthi, F. *see* Kusumoto, S. 86-51816
Miyauti, F. *see* Nakajima, M. 86-51817
Miyawaki, K. *see* Nakahara, K. 88-21987
Miyawaki, M. *see* Handa, Y. 85-29549
Miyawaki, M. *see* Takahashi, M. 86-32283
Miyawaki, N. *see* Horiguchi, F. 87-17066
Miyawaki, S. *see* Ueda, H. 88-32729
Miyawaki, Y., Asano, T., Fujita, M., Shimada, I. Ion-implanted low noise dual-gate GaAs MESFET 86-67875
Miyawaki, Y. *see* Hayashi, Y. 86-11059, 86-11094, 86-30822, 87-8261
Miyayama, M., Yatabe, H., Nakamura, Y., Yanagida, H. Chlorine gas sensing using ZnO/SiC hetero-contact 88-35977
Miyayama, M. *see* Nishi, T. 88-26596
Miyayama, M. *see* Ogata, T. 86-31387
Miyayama, M. *see* Ohara, Y. 86-26923
Miyazaki, A. *see* Ichida, H. 86-26052
Miyazaki, A. *see* Itoh, R. 86-71057
Miyazaki, A. *see* Koga, T. 85-17127, 87-23872, 87-36951
Miyazaki, A. *see* Maekawa, Y. 87-28492, 88-3941, 88-52206, 88-60104
Miyazaki, C. *see* Mori, S. 88-45604
Miyazaki, E., Sakamoto, Y. A flat color TV display with horizontal addressing and vertical deflection 85-20510
Miyazaki, E., Sakamoto, Y. A flat TV display with a line cathode. II. A flat CRT with horizontal addressing and vertical deflection 88-29542
Miyazaki, E. *see* Sakamoto, Y. 85-26023, 85-43050
Miyazaki, H., Shirakabe, K., Yasui, K., Yamaguchi, Y., Ono, Y., Sugama, S., Kosuge, K., Nishida, N. Built-in type POS scanner using holographic deflector 85-19054
Miyazaki, H., Watanabe, M., Hagane, H., Motoda, Y. DP-3000 connected speech recognizer 87-33656
Miyazaki, H. *see* Izumi, S. 87-21452
Miyazaki, H. *see* Masuzawa, S. 87-69520
Miyazaki, H. *see* Motoda, Y. 87-27234
Miyazaki, H. *see* Yabe, H. 86-20660
Miyazaki, H. *see* Yamamoto, N. 86-58537, 87-6620
Miyazaki, I. *see* Harada, K. 86-67031, 87-59137
Miyazaki, J. Construction of inter-company INS and the main ideas for modem selection 87-69471
Miyazaki, J., Watanabe, M., Kinoshita, N. TA series modems 88-41462
Miyazaki, J. *see* Fujishima, S. 85-62160
Miyazaki, J. *see* Machida, E. 86-11972
Miyazaki, J. *see* Nakamura, T. 88-3534
Miyazaki, K., Hasama, T., Yamada, K., Fukatsu, T., Eura, T., Sato, T. Efficiency of a capacitor-transfer-type discharge excimer laser with automatic preionization 87-12366
Miyazaki, K., Sakai, H., Sato, T. Generation of continuously tunable coherent vacuum-ultraviolet radiation in Cd vapor 85-7535
Miyazaki, K., Sakai, H., Sato, T. Coherent VUV generation by resonantly-enhanced nonlinear frequency mixing in CD vapor 87-26514
Miyazaki, K., Sato, T. Extreme ultraviolet lasers—towards the X-ray laser 85-62482
Miyazaki, K., Toda, Y., Hasama, T., Sato, T. Efficient and compact discharge XeCl laser with automatic UV preionization 85-29776
Miyazaki, K. *see* Aratoh, S. 85-49698
Miyazaki, K. *see* Azuma, H. 85-31906
Miyazaki, K. *see* Hasama, T. 87-54227
Miyazaki, K. *see* Hasui, K. 85-42378
Miyazaki, K. *see* Kikkawa, W. 85-34336
Miyazaki, K. *see* Mochizuki, K. 88-43856
Miyazaki, K. *see* Nakamura, Y. 85-31904, 85-31917
Miyazaki, K. *see* Sasaki, S. 85-59767
Miyazaki, K. *see* Terao, K. 85-32000
Miyazaki, K. *see* Yamada, K. 86-36524, 86-68425, 88-40127
Miyazaki, K. *see* Yokoi, S. 86-3979
Miyazaki, K. *see* Yukihira, K. 86-22708
Miyazaki, M. Automatic accent-phrase extraction method for compound words using semantic dependent relationships between words 85-30228
Miyazaki, M. The role of packaged new electronic media in the telecommunication society 85-47718
Miyazaki, M. Reading rules of numerals for a Japanese text to speech system 85-63020
Miyazaki, M., Hirata, A., Naito, Y., Ejima, K., Mera, T. New application of thyristor motor drive system 85-27710
Miyazaki, M., Ishii, M., Kako, H., Ikebuchi, K. An electronic control system for carburettors 85-32775
Miyazaki, M., Kuroiwa, A., Kudor, T. High performance vector control drive system by microprocessor-based current source inverter 86-7220
Miyazaki, M., Obata, S., Hirando, H., Mitsumori, Y., Satake, N., Hidaka, T. Outline of laboratory automation supporting system 85-20468
Miyazaki, M., Ooyama, Y. Linguistic processing in a Japanese text-to-speech system 86-48786
Miyazaki, M., Ooyama, Y. Dictionary structure for Japanese text-to-speech system 86-48787
Miyazaki, M., Shibata, I., Okada, K., Ito, K., Ogawa, S. A new protective film for magneto-optical TbFeCo media 87-68220
Miyazaki, M., Taketoh, K., Yoshido, T., Nishihiro, A., Tanaka, K., Tezuka, K. Uninterruptible power system with a high-speed flywheel [computer system application] 86-40185
Miyazaki, M., Yashiro, K., Ohkawa, S. Edge-guided magnetostatic mode in a ridged-type waveguide 85-46016
Miyazaki, M. *see* Hakata, H. 86-6715
Miyazaki, M. *see* Ikehara, S. 86-48785
Miyazaki, M. *see* Imoto, K. 87-46572, 87-70034, 88-9518
Miyazaki, M. *see* Ishida, O. 86-67474, 87-27095
Miyazaki, M. *see* Isota, Y. 87-73522
Miyazaki, M. *see* Kinoshita, T. 88-589
Miyazaki, M. *see* Kotera, N. 86-35910, 88-20164
Miyazaki, M. *see* Matsunaga, N. 88-20167
Miyazaki, M. *see* Matsuzaki, T. 86-52875
Miyazaki, M. *see* Ohta, T. 87-66460, 88-25509
Miyazaki, M. *see* Sano, M. 88-64669
Miyazaki, M. *see* Shirai, S. 88-16325
Miyazaki, M. *see* Tanaka, H. 87-59496
Miyazaki, M. *see* Yashiro, K. 85-35325
Miyazaki, N., Tsubuku, S., Noda, M. FETEX-150 digital switching system in Hong Kong 85-3273
Miyazaki, N. *see* Taguchi, A. 86-43588
Miyazaki, N. *see* Taya, A. 86-33829
Miyazaki, R., Cho, T., Shono, K. Two-way CATV system for Sangawa, Kagawa Prefecture 87-3306
Miyazaki, S. Measurement of body motion 87-50210
Miyazaki, S., Hirata, H., Hirose, M. Radical beam deposition—a new approach of thin-film growth 85-44793
Miyazaki, S., Hirata, H., Ohkawa, S., Hirose, M. Growth kinetics of amorphous and microcrystalline silicon studied by using radical beam 86-34372
Miyazaki, S., Ihara, Y., Hirose, M. Resonant tunneling through amorphous silicon/silicon nitride double barrier structures 87-24967
Miyazaki, S., Ishida, A. A capacitive transducer for continuous measurement of vertical foot forces 85-26746
Miyazaki, S., Ishida, A. Traffic-alarm-sounds monitor for the hearing handicapped drivers 86-32343
Miyazaki, S., Ishida, A. Traffic alarm sound monitor for aurally handicapped drivers 87-35431
Miyazaki, S., Ishida, A., Iwakura, H., Takino, K., Ohkawa, T., Tsubakimoto, H., Hayashi, N. Portable limb-load monitor utilizing a thin capacitive transducer 86-25173
Miyazaki, S., Kokawa, M., Shingai, S. Network model of failure propagation process in a plant 85-28066
Miyazaki, S., Mitsuya, S., Takagi, H., Shigematsu, Y., Watanabe, T. The MNA-P computer network architecture 88-46567
Miyazaki, S., Murayama, N., Hirose, M. Doping effects in $a\text{-Si:H}/a\text{-Si}_{1-x}N_x\text{:H}$ superlattices 86-27992
Miyazaki, S., Nakata, T., Matsumoto, T. Si very high-speed prescaler 86-2277
Miyazaki, S., Nishiyama, N. Scheduling to minimize total penalties due to earliness and tardiness 86-7488
Miyazaki, S., Otsuka, K. Actuators utilizing shape memory alloys and their applications to robotics 88-5810
Miyazaki, S. *see* Hayashi, T. 88-19722
Miyazaki, S. *see* Hirose, M. 85-11999, 87-16702, 88-25933, 88-32871
Miyazaki, S. *see* Kokawa, M. 85-5845
Miyazaki, S. *see* Nakata, T. 86-8472, 86-27629
Miyazaki, S. *see* Shiratori, K. 86-58064
Miyazaki, S. *see* Tsukude, M. 87-38307, 88-26298
Miyazaki, S. *see* Watanabe, S. 85-1049, 85-23120
Miyazaki, S.-I. *see* Watanabe, S. 85-17824
Miyazaki, T. JNR system of education and training in school 85-45
Miyazaki, T. Experiment of multicolor printing by color matrix 85-16512
Miyazaki, T. Microelectronic technology and aging of the labour force 88-62843
Miyazaki, T., Fukui, T., Takano, K., Oguchi, Y., Santoh, T., Nishide, K., Takasu, Y. New write-once optical media using azulenium dye 88-45043
Miyazaki, T., Nakajima, K. Program production and transmission equipment for teletext 86-69367
Miyazaki, T., Nishida, Y., Kawamata, S. Some remarks on the relation of thunderbolts with radar echoes of thunderclouds 85-63736
Miyazaki, T., Yamaguchi, M., Ozaki, A., Inoue, M., Yamada, T. Automatic welding in the overhead position for the bottom shell plate of ship's hull 86-13204
Miyazaki, T., Yoshioka, S., Shirai, Y., Kanekama, N., Sata, T. Acoustic emission in pulsed laser drilling 85-56905
Miyazaki, T. *see* Arai, Y. 86-39039
Miyazaki, T. *see* Hata, R. 86-70692
Miyazaki, T. *see* Horigome, T. 85-20511
Miyazaki, T. *see* Kawakami, K. 88-74182
Miyazaki, T. *see* Komura, S. 88-48034
Miyazaki, T. *see* Koshita, Y. 86-36327
Miyazaki, T. *see* Mizunami, T. 87-46817
Miyazaki, T. *see* Nagai, Y. 85-62838
Miyazaki, T. *see* Nakamura, T. 85-35153, 86-9109
Miyazaki, T. *see* Nishida, Y. 85-62837
Miyazaki, T. *see* Ohtsu, M. 87-33197, 88-65689
Miyazaki, T. *see* Sasaki, F. 88-53435
Miyazaki, T. *see* Suzuki, T. 87-25173
Miyazaki, T. *see* Takebayashi, T. 87-28241
Miyazaki, T. *see* Teramachi, Y. 87-75116
Miyazaki, T. *see* Yawata, K. 86-5392
Miyazaki, T. *see* Yoshioka, S. 86-13208, 86-19660
Miyazaki, Y. Electromagnetic shield properties of conducting composite plastic plate at the junction between cavity and flange 86-3581
Miyazaki, Y. Scattering and radiation analysis of electromagnetic waves for automobile bodies with windows using perturbed eigenmodes 86-68756
Miyazaki, Y., Bhandari, R. Optical integrated switch and modulator using mode conversion induced by magnetostatic surface waves in three-dimensional waveguides 86-2609
Miyazaki, Y., Goto, N. Integrated optical exchange for multiple signal fiber transmission systems using three dimensional surface acoustic waveguides 86-69786
Miyazaki, Y., Goto, N. Integrated optical signal processors consisting of collinear acousto-optic switches 88-51608
Miyazaki, Y., Hara, K. Reliability control of industrial electron devices 88-37965
Miyazaki, Y., Inoue, H., Shiozaki, J., Higuchi, Y., Fujioka, M., Kawaguchi, K., Miyanaga, M., Aburano, T. Reduction of radiation dose to the worker in preparing the radiopharmaceutical solution by a simple shielding equipment 87-50464
Miyazaki, Y., Takano, H. Adaptive spatial filter for image transmission by optical fiber bundles 85-57520
Miyazaki, Y., Taki, K. Waveguide-type optical isolator using magneto-optic effects 88-65446
Miyazaki, Y. *see* Bhandari, R. 85-12675, 85-18532, 86-15528
Miyazaki, Y. *see* Doi, K. 88-43504
Miyazaki, Y. *see* Goto, N. 85-18531, 85-35564, 86-15536, 86-22176, 86-42393, 87-12274, 87-19932, 87-33019, 88-14783, 88-20472, 88-47118, 88-65404
Miyazaki, Y. *see* Hayami, S. 87-5796
Miyazaki, Y. *see* Henderson, R. 86-25382
Miyazaki, Y. *see* Ishizuka, M. 88-11768
Miyazaki, Y. *see* Kalantari, K. 88-28894
Miyazaki, Y. *see* Manabe, K. 88-45053
Miyazaki, Y. *see* Nakano, Y. 88-13955
Miyazaki, Y. *see* Okabayashi, M. 88-57014
Miyazaki, Y. *see* Oura, N. 86-42053
Miyazaki, Y. *see* Taki, K. 88-40016
Miyazaki, Y. *see* Tanaka, M. 87-33362
Miyazaki, Y. *see* Yamada, H. 86-27673
Miyazaki, Y. *see* Yamaga, M. 86-36167, 87-18952
Miyazawa, E. *see* iwahara, M. 87-4760, 88-13683
Miyazawa, E. *see* Iwahhara, M. 85-32607
Miyazawa, E. *see* Shinya, K. 86-62795, 88-55448
Miyazawa, H. A location system for TV ghost sources 85-31180

Miyazawa, H., Kawano, K. Three-dimensional analysis based on the linear segment method for Ti-diffused LiNbO$_3$ optical directional couplers 88−65335
Miyazawa, H., Yamazaki, S. Measurement and improvement for TV ghost interference 85−26001
Miyazawa, H., Yamazaki, S. The study of the ghost problem in TV reception 86−4832
Miyazawa, H. *see* Kawano, K. 85−56295, 86−48116
Miyazawa, H. *see* Matsuki, H. 88−71145
Miyazawa, H. *see* Murakawa, M. 87−47028
Miyazawa, H. *see* Okamoto, K. 85−18681, 85−24644
Miyazawa, H. *see* Ota, S. 88−22159
Miyazawa, H. *see* Sunami, H. 85−40899
Miyazawa, H. *see* Toba, H. 88−22073
Miyazawa, H. *see* Yanagawa, H. 88−33716
Miyazawa, I., Tanji, M., Aso, A., Shikata, Y., Yamaguchi, T., Ohtsuka, T., Nishiyama, K., Kamisaki, T., Itoh, J. EWS interface for NEC gate array 86−34451
Miyazawa, I. *see* Ishihara, M. 88−6844
Miyazawa, K., Okada, H., Abe, K., Okada, M. Development of application programs for distributed processing equipment 86−49113
Miyazawa, K. *see* Awa, S. 87−56624
Miyazawa, K. *see* Ishizaki, M. 88−71065
Miyazawa, K. *see* Ito, K. 85−36731
Miyazawa, K. *see* Kajiura, K. 87−41332
Miyazawa, K. *see* Kasuga, T. 88−15717
Miyazawa, K. *see* Kimura, K. 88−6820
Miyazawa, K. *see* Shimohigashi, K. 87−59484
Miyazawa, K. *see* Tsuboi, M. 87−45237
Miyazawa, M. Telematic services 85−63342
Miyazawa, M. OSI electronic mail protocols for personal computers 88−15007
Miyazawa, M. Outline of the Space Station program 88−36588
Miyazawa, M., Kawada, K., Kinoshita, K. Design concepts for a local area packet communication system 87−8054
Miyazawa, M., Kawada, K., Kinoshita, K., Ozawa, K. Design concepts for a local area packet communications system 86−49265
Miyazawa, M., Ozawa, K., Yokota, N. Expansion methods for the optical LAN system 88−46583
Miyazawa, M. *see* Fujita, K. 88−67065
Miyazawa, M. *see* Ikeda, H. 87−24210
Miyazawa, M. *see* Kobayashi, N. 88−37054
Miyazawa, S. Response to 'Comment on 'Domain inversion effects in TiLiNbO$_3$ integrated optical devices'' 86−48205
Miyazawa, S. Characteristics of semi-insulating GaAs crystal for GaAs ICs 87−1746
Miyazawa, S. Fundamental defects in GaAs: present and prospective in GaAs microelectronics technology 87−53187
Miyazawa, S. Effect of dislocation on GaAs FET threshold voltage 88−1689
Miyazawa, S., Honda, T., Watanabe, K. Homogeneity improvement of LEC-grown, semi-insulating GaAs by heat-treatment 85−33404
Miyazawa, S., Hyuga, F. Proximity effect of dislocations on GaAs MESFET threshold voltage 86−41811
Miyazawa, S., Nakamura, F., Yamada, N. Effective approximations suitable for the control algorithm of microprocessor-based cycloconvertor 88−49039
Miyazawa, S., Usui, Y. Measurements of transient cutting force by means of Fourier analyzer 86−5543
Miyazawa, S., Wada, K. Mechanism for the threshold voltage shift of a GaAs field-effect transistor around dislocations 86−47562
Miyazawa, S., Watanabe, K., Osaka, J., Ikuta, K. Study on fundamental defects and their effect on GaAs device properties 88−57585
Miyazawa, S. *see* Hoshikawa, K. 86−52423
Miyazawa, S. *see* Inagaki, R. 86−24604
Miyazawa, S. *see* Ishii, Y. 85−12210
Miyazawa, S. *see* Nanishi, Y. 85−34741, 87−17724
Miyazawa, S. *see* Ohno, M. 85−12190
Miyazawa, S. *see* Shikano, K. 85−33377
Miyazawa, S. *see* Yamaguchi, A. 88−18447
Miyazawa, T. *see* Chikada, Y. 87−28718, 88−9692
Miyazawa, T. *see* Maeda, K. 88−48562
Miyazawa, Y., Hemmi, M., Chiba, T., Kase, M. Multicharged heavy ion source for the RIKEN linear accelerator 87−35320
Miyazawa, Y. *see* Kase, M. 85−58993
Miyazawa, Y. *see* Odera, M. 85−15096, 85−20775, 85−64358
Miyazawa, Y. *see* Yasaki, N. 85−39119
Miyazawaa, H. *see* Yanagawa, H. 88−51442
Miyazi, M. *see* Manabe, T. 87−77077
Miyazoe, Y. *see* Takahashi, A. 87−68608, 88−27282
Miyazono, S. *see* Isozaki, T. 87−4521
Miyazono, S. *see* Kurihara, R. 87−78354
Miyazono, T. *see* Goto, Y. 88−46076
Miyazu, T. *see* Ogura, H. 85−46829
Miyazu, Y. Selection of optimum altitude and track on flight planning 87−57307
Miyazwa, M., Kuboki, M. Correction and accuracy of 2^n-equal distance division of long-distance transmission lines 87−50746
Miyo, T. *see* Kato, S. 87−34259
Miyokawa, H. *see* Tateda, M. 88−22124
Miyokawa, K., Owoc, R. CCD electronic imaging technology revolutionizes surgical procedures 88−4276
Miyoo, M. *see* Zhu, Z. 88−12005
Miyoshi, A. *see* Higuchi, H. 85−47657
Miyoshi, H., Manabe, H., Makishi, M., Ishihara, J., Iwata, C., Kikuchi, H., Kawakami, M. Commercial application of CCITT Signalling System No.7 in the NEAX61 86−64455
Miyoshi, H., Satoh, K. Angle of energy flux of tsunami. II. Another use of navigation computer 88−41774
Miyoshi, H. *see* Kuramochi, N. 88−22727
Miyoshi, H. *see* Ohigashi, N. 86−48444
Miyoshi, K., Nomura, S., Teshima, M., Minowa, T. Substation equipment for large buildings and factories 88−62545
Miyoshi, K. *see* Harada, K. 85−18197
Miyoshi, K. *see* Honma, K. 86−35972
Miyoshi, K. *see* Kubota, T. 87−67778
Miyoshi, K. *see* Murayama, K. 88−12094
Miyoshi, K. *see* Takasawa, Y. 86−17716
Miyoshi, M., Kaneda, Y. Inverse control of room acoustics using multiple loudspeakers and/or microphones 87−19779
Miyoshi, M., Kaneda, Y. Inverse filtering of room acoustics 88−34643
Miyoshi, M., Kano, M., Yamaji, H., Okumura, K. A novel measurement method of VLSI pattern linewidth 86−58583
Miyoshi, M., Kanoh, M., Yamaji, H., Okumura, K. A precise and automatic very large scale integrated circuit pattern linewidth measurement method using a scanning electron microscope 86−53738
Miyoshi, M., Kazama, Y., Tada, O., Nagura, Y., Amano, N. Speed up techniques of logic simulation 86−20505
Miyoshi, M., Norimatsu, K., Okumura, K. Effect of the electron-irradiation-induced-contamination of the etching process of a photoresist 87−45794
Miyoshi, M., Tsujikado, K., Fukumura, S. Large-scale color LED stock-information display board 87−56767
Miyoshi, M. *see* Masuda, T. 87−49365
Miyoshi, M. *see* Mochida, Y. 85−15936
Miyoshi, M. *see* Nakamura, M. 88−40451
Miyoshi, M. *see* Takamine, Y. 88−70726
Miyoshi, M. *see* Yamaji, H. 85−62001
Miyoshi, N., Tachibana, Y., Kawasaki, T., Kishi, M. Automatic visual inspection system for empty medicinal capsules 86−4005
Miyoshi, N. *see* Satoh, Y. 86−30977
Miyoshi, R. *see* Matsuda, T. 85−35165
Miyoshi, S. Fixed and variable coils have dual design requirements 85−34221
Miyoshi, S. *see* Aoki, A. 87−74195
Miyoshi, S. *see* Ebata, M. 85−43834
Miyoshi, S. *see* Inami, Y. 85−47936
Miyoshi, S. *see* Kariya, T. 86−62993
Miyoshi, S. *see* Kondoh, T. 88−36401
Miyoshi, S. *see* Nakashima, Y. 86−25118
Miyoshi, S. *see* Saito, T. 87−73612
Miyoshi, S. *see* Tsubouchi, D. 88−43160
Miyoshi, S. *see* Yoshioka, M. 85−41568
Miyoshi, T. JNR Konosu railway power district 87−79026
Miyoshi, T., Aoyagi, Y., Segawa, Y., Namba, S. Temperature dependence of decay time of photoluminescence from GaAs/Ga$_{0.6}$Al$_{0.4}$As multi quantum well structures 85−46254
Miyoshi, T., Aoyagi, Y., Segawa, Y., Namba, S., Nunoshita, M. Transient characteristics of photoluminescence from GaAs/Ga$_{0.7}$Al$_{0.3}$As single quantum well structure 85−29704
Miyoshi, T., Aoyagi, Y., Yamada, A., Segawa, Y., Namba, S., Sano, N. Effect of electric field on transient characteristics of luminescence from GaAs/Ga$_{0.6}$Al$_{0.4}$As multi-quantum-well structures 86−53404
Miyoshi, T., Goto, H., Kimura, H. Transmission characteristics of optical waveguides with multi-quantum-well structures 87−1951
Miyoshi, T., Kimura, H., Ogawa, M. Electric field dependence of eigenstates in quantum wells with arbitrary potential distribution 87−60161
Miyoshi, T., Kondo, T., Saito, K., Adachi, T., Kato, H., Ori, T. Development of a simple displacement sensor by means of optical method 88−42102
Miyoshi, T., Saito, K. Development of power spectrum measuring system for estimating the characteristics of grinding wheel surface 85−52862
Miyoshi, T., Shinhama, T. Fully computer-aided synthesis of a planar circulator 86−41296
Miyoshi, T., Sumiya, M., Omorim, H. Analysis of an induction heating system by the finite element method combined with a boundary integral equation 87−79212
Miyoshi, T. *see* Arai, T. 85−44477
Miyoshi, T. *see* Lu, H. 88−74582
Miyoshi, T. *see* Namba, Y. 87−6643
Miyoshi, T. *see* Ohzawa, Y. 85−34285
Miyoshi, T. *see* Sakamoto, K. 86−21652
Miyoshi, T. *see* Ueda, J. 85−23820, 87−6634
Miyoshi, Y., Yamato, K., Mizoguchi, R., Yanagida, M., Kakusho, O. Analysis of speech signals of short pitch period by a sample-selective linear prediction 87−75743
Miyoshi, Y., Yamato, K., Yanagida, M., Kakusho, O. A precise estimation of pole frequencies by approximate reconstruction of the autocorrelation matrix 86−36982
Miyoshi, Y., Yamato, K., Yanagida, M., Kakusho, O. Analysis of speech signals of short pitch period by the sample-selective linear prediction 87−19567
Miyoshi, Y., Yamato, K., Yanagida, M., Kakusho, O. Analysis of speech signals of short pitch period by a two-stage sample-selective linear prediction 88−8712
Miyoshi, Y. *see* Hosokawa, T. 86−35932
Miyoshi, Y. *see* Nakatani, N. 87−48378
Miyoshi, Y. *see* Nakazawa, H. 85−43096
Miyoshi, Y. *see* Sekiya, Y. 85−62124
Miyoshi, Y. *see* Uchihara, Y. 87−49423
Miyoshi, Y. *see* Ueno, R. 87−48377
Miyoshi, Y. *see* Watanabe, A. 87−25728
Miyoshu, M. *see* Komatsu, F. 88−39593
Miyuashita, T., Hamaguchi, T., Ogura, H. Three-dimensional imaging with a multifrequency holographic method 87−27656
Mizan, M. *see* Ballato, A. 85−62163, 86−42055, 86−63522, 87−32798, 87−67683, 88−20189
Mizarene, V.I. *see* Snitko, V.Yu. 86−31385
Mize, J.P. *see* Benedetto, J.M. 86−35690
Mizell, G. *see* Loiacono, G.M. 86−36444
Mizera, E. *see* Auleytner, J. 88−44745
Mizera, E. *see* Zagozdzon-Wosik, W. 85−23750, 88−71755
Mizera, P.F., Kolasinski, W.A., Gorney, D.J., Roeder, J.L. An auroral X-ray imaging spectrometer 86−32537
Mizeraczyk, J. Comparison of the electron energy distribution functions (0-40 eV range) in helium in transverse and longitudinal hollow-cathode discharges used for lasers 85−18880
Mizeraczyk, J. Axial distributions of the plasma parameters of a longitudinal discharge in helium in hollow cathodes used for lasers 87−54231
Mizeraczyk, J., Neiger, M., Steffen, J. Comparison of He-Cd$^+$ white-light laser oscillations in longitudinal and transverse hollow-cathode tubes 85−12784
Mizeris, R., Kalesinskas, V., Grigas, I. Switching of ferroelectrics at superhigh frequency and its utilization in technology 86−42012
Mizerski, J., Stenholm, S., Miklaszewski, W. Theory of a weakly saturated free-electron laser 88−72342
Mizetskaya, I.B. *see* Dubrovin, I.V. 85−11964
Mizetskii, P.A. *see* Oleinik, G.S. 85−11962
Mizia, J., Adamiak, K., Eastham, A.R., Dawson, G.E. Finite element force calculation: comparison of methods for electric machines 88−55340
Mizia, J. *see* Adamiak, K. 88−55347
Mizia, J. *see* Dawson, G.E. 87−42849, 87−64556
Mizier, M.-O. Laboratory study of consumers' requirements 86−19639
Mizier, M.-O. Whereabouts are French optics [trend in optics related industries] 86−28769
Mizier, M.-O. The environment; a fragmented market tied to legislation 86−49910
Mizier, M.-O. Metrology. a journey to the boundaries of knowledge 86−60107
Mizier, M.-O. Chemical measurements: how about fibre optics in industry? 87−25987
Mizier, M.-O. US NDT turns to the age of the expert system 87−44428
Mizier, M.-O. Monitoring to optimise fermentation plants 87−49993
Mizier, M.-O. Faster X-radiography with dry films 87−57048
Mizier, M.-O. Neutronography−a method of NDT waiting for the hardware 88−24842
Mizier, M.-O. What's new in vibration analysis: vibrate, listen, vibrate 88−53864
Mizier, M.-O. A reflection on the RNE [National Network of Tests]: quality via production engineering 88−56047
Mizier, M.-O. Digitisation of IR thermograms: choose the best point for higher resolution 88−60763
Mizier, M.-O. To optimise blast furnaces: the benefit of real-time measurement 88−60937
Mizier, M.-O. Measurements on rotating machinery. One solution: telemetering 88−67695
Mizier, M.O. Environmental testing gives improved product quality 85−5762
Mizier, M.O. Proper sampling for correct analysis 85−39397
Mizier, M.O. Ultrasonic non-destructive testing: on detection and measurement 85−59528
Mizier, M.O. Look after your low power transformers 85−60243
Mizier, M.O. Complex parts: NDT aided by information technology 87−5551
Mizier, M.O. Measurement in biotechnological processes 87−14832
Mizier, M.O. Biosensors, biochips: tomorrow's reality? 87−53084

Mizier, M.O. Soon woven fibre optics for weighing? 87−77232
Mizier, M.O. YAG laser beam cluster: see its profile in real time 88−51734
Mizier, M.O. Thermometers based on fluorescence 88−53653
Mizin, V.M. *see* Kokurin, Yu.L. 87−54281
Mizin, V.M. *see* Vernigor, E.M. 86−68594
Mizin, V.S. *see* Ivanov, V.I. 87−77184
Mizobuchi, A., Chida, K., Tsujikawa, H., Itoh, S. New hybrid ceramic vacuum chamber lined with thin metal 85−15104
Mizobuchi, A. *see* Nakanishi, T. 87−41660
Mizobuchi, A. *see* Noda, A. 85−15117
Mizobuchi, A. *see* Sato, K. 86−31985
Mizobuchi, A. *see* Takeuchi, N. 88−2890
Mizobuchi, A. *see* Tokuda, N. 86−24991
Mizobuchi, A. *see* Ueda, N. 85−15097, 86−24908, 87−8802, 87−14673, 87−41770, 87−50016
Mizobuchi, K. *see* Fujioka, K. 87−41965
Mizobuchi, K. *see* Sampei, Y. 88−39953
Mizobuchi, Y. *see* Manabe, K. 87−49366
Mizoe, J.E. *see* Kamada, T. 85−43429
Mizoguchi, A. *see* Ando, M. 88−19137
Mizoguchi, A. *see* Morita, A. 85−3798
Mizoguchi, A. *see* Yamaguchi, Y. 87−44390
Mizoguchi, H. *see* Ueno, F. 88−24987
Mizoguchi, K. *see* Nakashima, S. 86−40753
Mizoguchi, K. *see* Nishizawa, T. 87−46278
Mizoguchi, M. *see* Hirano, T. 86−62879
Mizoguchi, R., Kakusho, O. Knowledge engineering and acoustics and signal processing 87−12950
Mizoguchi, R., Kakusho, O. Quantitative analysis of the similarities between data using MDS-kNN 87−47623
Mizoguchi, R., Kakusho, O. Speech recognition using knowledge engineering techniques 87−75749
Mizoguchi, R., Kakusho, O. Speech recognition and expert systems 88−14621
Mizoguchi, R., Kakusho, O., Kinoshita, M. Word recognition system for unspecified speakers based on interrelated phoneme templates 86−68999
Mizoguchi, R., Kitano, M., Fujino, N., Nishiyama, S., Kakusho, O. A word recognition system with speaker adaptation based on nonsupervised learning 87−27248
Mizoguchi, R., Tsujino, K., Kakusho, O. A continuous speech recognition system based on knowledge engineering techniques 87−19561
Mizoguchi, R. *see* Fujino, N. 87−69070
Mizoguchi, R. *see* Hori, M. 88−59104 to 59105
Mizoguchi, R. *see* Miyoshi, Y. 87−75743
Mizoguchi, R. *see* Nomura, Y. 86−69021
Mizoguchi, R. *see* Tsujino, K. 88−52393
Mizoguchi, R. *see* Yamashita, Y. 86−48822, 88−72786
Mizoguchi, S., Sugimoto, Y., Taguchi, M., Sadamatsu, H., Hirota, T., Nishitani, K., Tanii, Y. BI-CMOS tracking servo LSI for 8 mm VCR 88−74167
Mizoguchi, S. *see* Sugimoto, Y. 85−869
Mizoguchi, S. *see* Tahara, M. 88−28686, 88−46888
Mizoguchi, T., Akutsu, N., Akimitsu, M. Iron-oxygen-based perpendicular magnetic thin films 87−67710
Mizoguchi, T., Sakai, I., Inomata, K. Nd-Fe-B-Co-Al based permanent magnets with improved magnetic properties and temperature characteristics 86−53882
Mizoguchi, T., Sakai, I., Niu, H., Inomata, K. Magnetic properties of Nd-Fe-B magnets with both Co and Al addition 88−51186
Mizoguchi, T., Toyoda, N., Kanazawa, K., Ikawa, Y., Terada, T., Mochizuki, M., Hojo, A. A GaAs 4K bit static RAM with normally-on and -off combination circuit 85−54898
Mizoguchi, T. *see* Akutsu, N. 87−32833, 88−51157
Mizoguchi, T. *see* Ikawa, Y. 85−22802
Mizoguchi, T. *see* Kameyama, A. 87−24130
Mizoguchi, T. *see* Kuroda, H. 88−48761
Mizoguchi, T. *see* Moriguchi, K. 88−75503
Mizoguchi, T. *see* Uchitomi, N. 85−40782, 87−25163
Mizoguchi, T. *see* Udagawa, Y. 87−32641
Mizoguchi, T. *see* Yusa, A. 86−50112, 86−65125
Mizoguchi, Y. *see* Murakami, D. 86−55424
Mizoh, Y., Hatanaka, H., Inoue, K., Kittaka, M., Kawamata, T. High-performance VHS video tape 86−36042
Mizokami, Y. Current conditions and future trends of semiconductor manufacturing process 86−52232
Mizokawa, S. *see* Takahashi, M. 86−43706
Mizokawa, Y., Komoda, O., Miyasato, T., Hasegawa, S., Tokumura, M., Nakamura, S. ESCA compositional profiles and electrical properties of diamond-like carbon film/Si MIS structure 87−67003
Mizokawa, Y., Miyasato, T., Komoda, O., Hasegawa, S., Tokumura, M., Nakamura, S. ESCA compositional profiles and electrical properties of diamond-like carbon film/Si MIS structure 86−47424
Mizokoshi, Y. *see* Nagao, A. 85−8246
Mizomoto, M. *see* Uchiyama, H. 86−38780
Mizon, R. *see* Pandya, R. 86−54810
Mizonobe, T., Matsumura, K., Yasuoka, Y., Igarashi, Y., Hiroe, T., Nakajima, T., Ohnishi, O. Reliability of NEC hybrid IC 88−50564
Mizonov, N.V. *see* Ogloblin, B.G. 87−4528
Mizoshiri, I., Fujii, M., Oba, K., Miyake, T. Body temperature estimation by a Kalman filter 85−15066
Mizoshiri, I., Ishida, S. Acoustical imaging and processing of peripheral artery using a 20 MHz ultrasound system 88−16708
Mizoshiri, I., Mukai, A., Katsume, H. Left ventricular edge detection from M-mode echocardiogram 88−10335
Mizoshiri, I. *see* Ishida, S. 86−25218
Mizoshiri, I. *see* Nakano, T. 85−9128
Mizoshita, Y., Aruga, K., Yamada, T. Dynamic characteristics of a magnetic head slider 86−35994
Mizota, A. *see* Kakisu, Y. 86−65428
Mizota, M., Uehara, S.I., Maeda, Y. A simple Mossbauer spectrometer using a microcomputer 85−43299
Mizota, Y. *see* Hiyama, T. 85−36925, 86−64850
Mizota, Y. *see* Ogai, M. 86−9553
Mizota, Y. *see* Okagawa, S. 86−42334
Mizote, M., Kogo, H., Ariga, Y., Nakamura, G. Development of an electronic spot detection system 88−49553
Mizouchi, S. *see* Isida, K. 86−51011
Mizrahi, E.M. Neonatal electroencephalography: clinical features of the newborn, techniques of recording, and characteristics of the normal EEG 86−70413
Mizrahi, V., Osterberg, U., Krautschik, C., Stegeman, G.I., Sipe, J.E., Morse, T.F. Direct test of a model of efficient second-harmonic generation in glass optical fibers 88−72014
Mizrahi, V., Osterberg, U., Sipe, J.E., Stegeman, G.I. Test of a model of efficient second-harmonic generation in glass optical fibers 88−45546
Mizrokhi, Yu.N. *see* Glukhov, N.A. 85−6061
Mizrukhin, L.V. *see* Kraitchinskii, A.N. 86−27850
Mizsei, J. Semiconductor chemical sensors 88−35920
Mizsei, T., Toth, I. Computer-aided design of regional power transmission development 85−43597
Mizu-Moto, T. *see* Yin, J. 88−38675
Mizu-Uchi, K. VAN business and packet exchange network 87−69474
Mizuarai, Y. *see* Okino, M. 86−43909
Mizubayashi, H. *see* Okuda, S. 85−14611
Mizue, T. *see* Matsushita, T. 88−35561
Mizugaki, K. *see* Kawarada, H. 85−23553
Mizugaki, Y. An approach to planning a robotic collision-free path in configuration space using octree encoding 88−41120
Mizugami, A. *see* Kishi, Y. 85−61091
Mizugashira, S., Higuchi, H., Ajiki, T. Improvement of moisture resistance by ion-exchange process [surface mount devices] 88−1766
Mizugashira, S. *see* Koyama, H. 88−57776
Mizuguchi, H. *see* Tanimoto, Y. 87−148
Mizuguchi, J. Charge carrier generation and charge carrier separation in organic photoreceptors−with a major focus on the exciton dissociation processes in phthalocyanine compounds 88−26934
Mizuguchi, K., Hayafuji, N., Ochi, S., Mitsui, K., Kato, M., Murotani, T., Yukimoto, Y., Fujikawa, K. MOCVD GaAs growth on Ge(100) substrate 86−56951
Mizuguchi, K., Hayafuji, N., Ochi, S., Murotani, T., Fukikawa, K. MOCVD GaAs growth on Ge (100) and Si (100) substrates 87−10428
Mizuguchi, K. *see* Hayafuji, N. 87−10413, 87−31549
Mizuguchi, K. *see* Kajikawa, Y. 87−26185
Mizuguchi, K. *see* Kato, M. 87−4891
Mizuguchi, K. *see* Ochi, S. 87−10432
Mizuguchi, K. *see* Yoshida, N. 87−25333
Mizuguchi, M., Ogawa, T., Kameo, K. 405 Mbit/s single-mode optical fiber transmission system 85−47510
Mizuguchi, M. *see* Ogawa, T. 85−20223
Mizuguchi, S. *see* Tanno, M. 86−53748
Mizuguchi, Y. *see* Nomoto, S. 87−26978
Mizuguchi, Y. *see* Watanabe, F. 85−63617, 87−27005
Mizugutch, Y., Momoto, S., Watanabe, F., Yamada, M. A multi-focal reflector antenna for multi-beam application 86−68899
Mizuhara, K. *see* Itakura, Y. 87−21776
Mizuhara, N. *see* Foote, D.L. 88−53091
Mizuhara, O. *see* Jindal, R.P. 87−59213
Mizuhara, O. *see* Lumish, S. 88−47110
Mizuhara, Y.M. *see* Garcia, R.F. 88−38999
Mizuhashi, K. *see* Matsuoka, M. 85−44111
Mizuhashi, K. *see* Okumura, Y. 85−26222
Mizuhashi, M. *see* Kamimori, T. 87−74863
Mizuhashi, M. *see* Nagai, J. 87−18762
Mizui, J. *see* Sato, M. 86−50998
Mizui, K., Hagiwara, M., Nakagawa, M. A robust and data compressed coding scheme using interpolation error 87−33640
Mizui, K., Hagiwara, M., Nakagawa, M. Modulo-PCM with multi-quantizer [speech coding] 87−61737
Mizui, K., Hagiwara, M., Nakagawa, M. A variable bit rate modulo-PCM (VBR-MPCM) 88−8676
Mizui, K., Hagiwara, M., Nakagawa, M. Modulo-PCM with multi-quantizer and its improvement 88−45991
Mizui, K., Nakayama, M., Toyoshima, Y. FATEC A70/A50 multipurpose communication equipment 85−2957
Mizuide, S. *see* Sekine, H. 87−58109
Mizuike, T., Ito, Y. Optimum frequency assignment for reduction of cochannel interference 87−20470
Mizuike, T., Ito, Y. Burst scheduling algorithm for SS/TDMA systems 87−28478
Mizuike, T., Ito, Y. Optimization of frequency assignment for reduction of cochannel interference 88−40585
Mizuike, T., Ito, Y., Muratani, T. Optimization of frequency assignment [satellite communications] 85−14200
Mizuike, T., Matsumoto, S. Time series analysis on international television transmission traffic 85−63794
Mizuike, T. *see* Mizuno, T. 85−42530
Mizuishi, K., Tokuda, M., Fujita, Y. Fluxless and substantially voidless soldering for semiconductor chips 88−63053
Mizuishi, K. *see* Hirao, M. 87−26404
Mizuishi, K. *see* Nakamura, S. 88−45051
Mizuishi, K. *see* Tsuji, S. 85−18952
Mizukami, H., Ikeda, M. Data transmission characteristics of communication lines for a power circuit 86−23540
Mizukami, H. *see* Morimoto, M. 86−69373
Mizukami, K., Sikorski, J. Three algorithms for calculating surrogate constraints in integer programming problems 85−54292
Mizukami, M. Semiconductor diffusion systems [IC manufacture] 86−35782
Mizukami, M. *see* Ikuzaki, K. 87−59686
Mizukami, M. *see* Ishii, K. 88−51332
Mizukami, M. *see* Nakamura, K. 85−13825
Mizukami, N. *see* Ishigohka, T. 88−55289
Mizukami, N. *see* Ninomiya, A. 88−65059
Mizukami, N. *see* Shimooka, T. 88−24010
Mizukami, N. *see* Yamamoto, M. 87−22459, 88−69286
Mizukami, S. *see* Yamagishi, H. 87−78904, 88−17973
Mizukami, S. *see* Yamaguchi, M. 88−33860
Mizukami, T., Matsumoto, E., Kasugai, T., Tsuboi, T., Matsumoto, T., Nakano, M. Mobile data terminal 86−4507
Mizukami, T. *see* Fukuda, M. 86−22945
Mizukami, T. *see* Ikeda, H. 87−24210
Mizukami, T. *see* Nakayama, K. 86−64196
Mizukami, T. *see* Suzuki, S. 85−22875
Mizukami, Y. *see* Hayakawa, T. 88−21833
Mizukami, Y. *see* Nanba, M. 85−48519
Mizukami, Y. *see* Ohnishi, M. 88−48244
Mizukami, Y. *see* Yukawa, A. 87−59660
Mizukata, K. *see* Tsunemi, H. 88−53720
Mizukawa, T. *see* Nakamura, M. 87−48840
Mizukawa, T. *see* Omori, H. 85−27827
Mizuki, I., Yamamoto, Y., Yoshino, T., Baba, N. Electrochemical incorporation of electroluminescent Mn activator into porous anodic Al_2O_3 films on Al 88−45288
Mizuki, J. *see* Kawase, Y. 88−48052
Mizuki, K. *see* Yamashita, S. 86−42378
Mizuki, M. *see* Kajikawa, T. 87−22174
Mizuki, N. Cancellation of false targets in ATCRBS at the Sendai airport 86−4731
Mizuki, N. Recent improvements of secondary surveillance system 88−68604
Mizuki, T. *see* Enatsu, M. 88−411
Mizuki, T. *see* Shimizu, M. 87−16037
Mizuki, T. *see* Sugawara, K. 87−16036
Mizukoshi, A. *see* Ozawa, J. 86−39239
Mizukoshi, A. *see* Shirakawa, S. 86−39236
Mizukoshi, T. Feed pump control at Tabata yard for the Shinkansen 86−66065
Mizukoshi, T. Electric facilities of Kawagoe electric railway depot 86−66410
Mizukoshi, Y. *see* Saito, T. 88−16707
Mizuma, M. *see* Okayasu, K. 85−57932
Mizuma, T., Sagisaka, Y., Neri, K., Sekine, Y. Harmonic analysis of synchronous machine with AC/DC converter. I. Harmonic voltage characteristics of AC/DC converter 86−33469
Mizuma, T., Sagisaka, Y., Neri, K., Sekine, Y. Harmonic analysis of synchronous machine with converter load. II 86−39719
Mizumachi, K. Automatic license plate identification number 87−75924
Mizumachi, M. Air traffic control and expert systems 88−42628
Mizumachi, M. *see* Motoyama, S. 87−34678
Mizumachi, Y. *see* Ieiri, T. 88−54161
Mizumachi, Y. *see* Ogata, A. 86−31776
Mizumachi, Y. *see* Tejima, M. 86−31777
Mizumaki, H. *see* Yokomachi, Y. 85−58446
Mizumata, H., Yamaji, T., Matsuba, Y. Studies on the structure and the foundation for the thermal/nuclear power plants 88−43037
Mizumoto, A. *see* Osada, Y. 86−42403

Mizumoto, H., Miyamoto, T. Fabrication of thin-film optical waveguides by ion-exchange 86−48090

Mizumoto, M., Inoue, H. Development of a magnetic liquid seal for clean robots 87−38673

Mizumoto, M. *see* Chiba, S. 88−4861

Mizumoto, M. *see* Sugimoto, M. 87−21507

Mizumoto, S., Nawafune, H., Kawasaki, M., Kinoshita, A., Araki, K. Mechanical properties and reliability of copper films deposited from electroless plating baths containing glycine and potassium hexacyanoferrate(II) 86−62930

Mizumoto, S. *see* Harada, K. 85−30924

Mizumoto, T. Electric facilities of Higashi-Osaka line (Kinki Railway Co.) 87−58388

Mizumoto, T., Kawaoka, Y., Naito, Y. Waveguide-type optical isolator using the Faraday and Cotton-Mouton effects 87−18776

Mizumoto, T., Naito, Y. Waveguide-type optical attenuator 86−2733

Mizumoto, T., Oochi, K., Harada, T., Naito, Y. Measurement of optical nonreciprocal phase shift in a Bi-substituted $Gd_3Fe_5O_{12}$ film and application to waveguide-type optical circulator 86−48113

Mizumoto, T., Tsuchida, M., Banno, J., Naito, Y. Stress birefringence in YIG and Bi:YIG thin films 85−35296

Mizumoto, T., Yamazaki, H., Naito, Y. Phase-matched waveguide using the artificial anisotropic structure and its application to mode converter 85−17802

Mizumoto, T., Yamazaki, H., Naito, Y. Phase-matched waveguide using the artificial anisotropic structure and its application to a mode converter 85−34128

Mizumoto, T. *see* Dong Il Kim 87−46576

Mizumoto, T. *see* Hayashi, K. 86−70226

Mizumoto, T. *see* Naito, Y. 86−53890, 87−54509, 88−8450

Mizumoto, T. *see* Suriyathumrong, S.K. 88−20422

Mizumoto, Y., Iwata, S. Function fits to full-energy peak efficiency curves of Ge(Li) detectors 86−32189

Mizumoto, Y., Kusakabe, T., Iwata, S. Correction for full energy peak efficiency to disc source of Ge(Li) detector 87−3903

Mizumoto, Y., Kusakabe, T., Iwata, S. Ratio of peak to total efficiencies for germanium detectors 87−50169

Mizumoto, Y. *see* Sasaki, A. 85−5033

Mizumura, A. *see* Ohshima, T. 87−46002

Mizumura, M., Sei, H., Konishi, T., Sakai, M. Dielectric resonator bandpass filters for microwave communication systems 87−8172

Mizunami, T., Miyazaki, T., Takagi, K. Short-pulse ultraviolet fiber Raman laser pumped by a XeCl excimer laser 87−46817

Mizunami, T., Takagi, K. Multiple-order Stokes pulse generation by nitrogen-laser-pumped fiber Raman laser 86−42501

Mizunami, T., Takagi, K. Two-photon absorption of excimer-laser radiation in optical fibers 88−65263

Mizunami, T. *see* Takagi, K. 86−14562, 87−1032, 88−25571

Mizunashi, H. *see* Hagimoto, E. 86−34053

Mizuno, A., Clements, J.S., Davis, R.H. Use of an electron beam for particle charging [electrostatic precipitators] 85−24763

Mizuno, A., Clements, J.S., Davis, R.H. A device for the removal of sulfur dioxide from exhaust gas by pulsed energization of free electrons 85−32037

Mizuno, A., Clements, J.S., Davis, R.H. A method for the removal of sulfur dioxide from exhaust gas utilising pulsed streamer corona for electron energization 86−68053

Mizuno, A., Fukuma, M. Decrease in charge of sharp-edged ellipsoidal particles by self-discharge 85−40977

Mizuno, A., Gunji, T. Basic experiment on the dynamics of a bell type micromanometer 87−77103

Mizuno, A., Hori, Y. Destruction of living cells by pulsed high-voltage application 88−68325

Mizuno, A., Ito, H. An electrostatic precipitator using a ferroelectric pellet layer for particle collection 87−39323

Mizuno, A., Kamase, Y. A high voltage pulse source for electron beam generation using field emission 87−43258

Mizuno, A., Nakashima, T., Masago, H., Hasegawa, K. Development of a soft-landing type cell sorter using an upward nozzle−tentative report 88−29941

Mizuno, A., Naruse, A., Shimomura, H. Technology for cutting power generation costs [hydroelectric power stations] 86−6603

Mizuno, A., Otsuka, M. Development of charge to radius ratio measuring apparatus for submicron particles 85−3927

Mizuno, A. *see* Clements, J.S. 87−38606

Mizuno, B., Nakayama, I., Aoi, N., Kubota, M. Plasma doping into the side-wall of a sub-0.5 μm width trench 88−19801

Mizuno, F., Kato, M., Koizumi, T., Takehana, Y., Sugawara, K. Automatic end-point detection of spray etching in application to mask making 85−61806

Mizuno, F., Okamoto, Y., Kato, M., Sugawara, K. Loading effect of ashing rate observed in Cr mask fabrication 86−15220

Mizuno, F. *see* Fujita, M. 88−51011

Mizuno, F. *see* Shiozawa, K. 87−60667

Mizuno, H. On the survey system of electric load curves 86−39053

Mizuno, H. On the survey system of electric load curve 86−61055

Mizuno, H. TeV e^+e^- linear collider R and D. II. Cathode life and η-measurements of several metals 87−14655

Mizuno, H. Vacuum characteristics of the RF-cavity for TRISTAN main ring 88−29736

Mizuno, H., Akemoto, M., Sakai, S., Yamazaki, Y., Higo, T., Morozumi, Y., Takata, K. Vacuum characteristics of the RF cavity for TRISTAN Main Ring 88−61050

Mizuno, H., Verver, C.J., Douville, R.J., Stubbs, M.G. Propagation in broadside-coupled suspended-substrate stripline in E-plane 86−10142

Mizuno, H. *see* Akutsu, H. 85−16382

Mizuno, H. *see* Aoki, T. 86−11484

Mizuno, H. *see* Ebina, K. 88−2080

Mizuno, H. *see* Fukushima, Y. 85−64418, 86−31986

Mizuno, H. *see* Hagio, M. 85−50572

Mizuno, H. *see* Higo, T. 86−31987, 88−61047

Mizuno, H. *see* Hiroshima, Y. 85−50718

Mizuno, H. *see* Horii, K. 86−4845

Mizuno, H. *see* Ishimaru, H. 86−18200, 88−36301, 88−54045

Mizuno, H. *see* Kudo, A. 86−39900

Mizuno, H. *see* Matsumoto, H. 88−54060

Mizuno, H. *see* Matsumura, H. 87−17319, 87−45195, 88−12577, 88−13418

Mizuno, H. *see* Miura, N. 88−60985

Mizuno, H. *see* Miyao, M. 86−18227

Mizuno, H. *see* Momose, T. 86−24928

Mizuno, H. *see* Nakajima, M. 86−2389

Mizuno, H. *see* Nishino, T. 87−17573

Mizuno, H. *see* Omatu, S. 85−51805

Mizuno, H. *see* Takeda, S. 86−5696

Mizuno, H. *see* Terakawa, S. 86−5046

Mizuno, K. Recent progress in submillimeter wave engineering 85−23107

Mizuno, K. Submillimeter-wave semiconductor devices 86−1374

Mizuno, K., Ajikata, T., Hieda, M., Nakayama, M. Quasi-optical resonator for millimetre and submillimetre wave solid-state sources 88−56911

Mizuno, K., Aomine, T. Magnetic hysteresis of thin film DC SQUIDs 88−20276

Mizuno, K., Kishi, M. An optimization of the decimation filter used in short time DFT Hilbert transformers 88−59174

Mizuno, K., Kubozono, H. Application merits of fiber-optic process densitometer 87−41555

Mizuno, K., Nishida, Y. Laser-driven particle accelerators 88−4710

Mizuno, K., Pae, J., Nozokido, T., Furuya, K. Experimental evidence of the inverse Smith-Purcell effect 87−63579

Mizuno, K., Suga, S., Urai, H. Block replicate gates for ion-implanted bubble devices 87−32887

Mizuno, K., Urai, H. Operation temperature ranges for ion-implanted bubble devices with 1 μm bubbles 86−28716

Mizuno, K. *see* De Groot, J.S. 88−65536

Mizuno, K. *see* Kaplan, C.A. 88−53090

Mizuno, K. *see* Kuriki, S. 88−13763

Mizuno, K. *see* Matsutera, H. 88−51360

Mizuno, K. *see* Nagai, A. 86−31460

Mizuno, K. *see* Onozato, Y. 88−46595

Mizuno, K. *see* Pae, J. 88−27275, 88−40254

Mizuno, K. *see* Suto, S. 86−24724

Mizuno, K. *see* Takenoshita, H. 86−15137

Mizuno, K. *see* Uesugi, Y. 87−68681

Mizuno, K. *see* Urai, H. 85−24205, 88−51366

Mizuno, M. Network security in business society 86−69280

Mizuno, M. An overview of researches and applications on spread-spectrum mobile communications 87−40758

Mizuno, M., Hoshi, T., Kuwata, A., Sakurai, Y., Tokuume, T. DMA controller μPD71071 for V-series 86−34853

Mizuno, M., Imai, S., Tsukada, M., Hida, E., Naka, K.-I. A microcomputer system for spatio-temporal visual receptive field analysis 85−37992

Mizuno, M., Ishikawa, H., Nokubo, K. Digital gas turbine control system: CSI-7500 87−64433

Mizuno, M., Moriyama, E., Saruwatari, T. Diversity improvement in FH-MFSK land mobile radio 86−69698

Mizuno, M., Nogami, H. Error rate performance of frequency hopping mobile radio equipment in the presence of narrow-band interference 85−47440

Mizuno, M., Nogami, H., Kadokawa, Y. Configuration and basic performance of SSFH land mobile communication equipment [spread spectrum frequency hopping] 85−25775

Mizuno, M., Sekizawa, S. Comparative experiments on the error performance of frequency-hopping and bit-interleaving in fading channels 87−12714

Mizuno, M. *see* Furusawa, H. 86−39164

Mizuno, M. *see* Hamazaki, K. 85−15766

Mizuno, M. *see* Harumoto, Y. 87−71747

Mizuno, M. *see* Ikeda, K. 86−22493

Mizuno, M. *see* Kobayashi, M. 87−35692

Mizuno, M. *see* Maruyama, Y. 86−70677

Mizuno, M. *see* Moriyama, E. 87−28430

Mizuno, M. *see* Okabe, Y. 88−64156

Mizuno, M. *see* Okamura, T. 88−23616

Mizuno, M. *see* Sekizawa, S. 86−10967

Mizuno, M. *see* Tajima, H. 87−49410

Mizuno, M. *see* Wada, M. 87−31604

Mizuno, M. *see* Yamamura, T. 87−57811

Mizuno, S., Iinuma, K. Ordering predictive coding of digital image 86−10501

Mizuno, S., Kimura, T., Kondo, M., Hashiguchi, N. Development of odd-shaped components inserter 88−50531

Mizuno, S., Usubuchi, T. Predictive MH coding for fingerprint pictures 86−29996

Mizuno, S. *see* Kojima, M. 87−44180

Mizuno, S. *see* Omachi, T. 86−23169, 87−7849

Mizuno, S. *see* Shimizu, H. 86−62259

Mizuno, T. Space development 85−4394

Mizuno, T. Formal description and conformance testing for protocols 85−63343

Mizuno, T. MOSFET circuits yield higher BV_{DSS} 86−67858

Mizuno, T. MOSFET provides glitchless power backup 87−36955

Mizuno, T., Eguchi, M., Arita, T. Random burst allocation in the CS-2 TDMA demand assignment satellite communication system 86−43797

Mizuno, T., Gomi, M. Magneto-optical properties of Bi-substituted garnet films prepared by pyrolysis 87−38653

Mizuno, T., Higuchi, T. Research on magnetic bearing control systems−compensation for unbalance using exogenous signals synchronized with rotation 87−15655

Mizuno, T., Higuchi, T., Aikawa, N. Analysis on response of magnetic bearing system to external forces−comparison between optimal regulator system and independently controlled system 88−7793

Mizuno, T., Higuchi, T., Matsumoto, Y., Saitoh, Y., Sawada, S., Shinozaki, S. High speed and highly reliable trench MOSFET with dual-gate 88−71591

Mizuno, T., Ideguchi, T., Ichihashi, T., Katsuyama, K., Ban, K., Kanbara, E. Design and implementation of LAN system with high level protocols 86−43565

Mizuno, T., Ishikawa, T. High frequency operation of metal-halide lamp controlled by microcomputer 88−37724

Mizuno, T., Kadrichu, A., Prasanna, S., Kazekami, Y., Hayashi, S., Shindo, Y. Development of software for intersystem coordination 86−59853

Mizuno, T., Kumagai, J., Matsumoto, Y., Sawada, S., Shinozaki, S. New degradation phenomena by source and drain hot-carriers in half-micron P-MOSFETs 87−46020

Mizuno, T., Matsumoto, Y., Sawada, S., Shinozaki, S., Ozawa, O. A new degradation mechanism of current drivability and reliability of asymmetrical LDDMOSFETs 86−47612

Mizuno, T., Prasanna, S., Muratani, T., Ohkawa, M., Mizuike, T. Frequency band segmentation as a means of increasing efficient use of the geostationary satellite orbit 85−42530

Mizuno, T., Sawada, S., Maeda, S., Shinozaki, S. Oxidation rate reduction in the submicrometer LOCOS process 88−26058

Mizuno, T., Yabashi, S., Ishikawa, T. A fluorescent lamp ballast based on current-boost chopper circuit 85−5488

Mizuno, T., Yabashi, S., Ishikawa, T. An analysis of transistor inverter for discharge lamp ballast 87−43633

Mizuno, T., Yabashi, S., Mizutani, T. Fluorescent lamp ballast based on transistor inverter 87−5073

Mizuno, T., Yabashi, S., Nagaya, H., Ishikawa, T. Measurement of efficacy of HID lamp at high frequency operation 86−19592

Mizuno, T. *see* Arita, T. 87−34474

Mizuno, T. *see* Hashimoto, O. 87−38235

Mizuno, T. *see* Higuchi, T. 85−30014, 87−78702, 88−5649

Mizuno, T. *see* Kato, H. 87−65169

Mizuno, T. *see* Manohar, R. 88−14433

Mizuno, T. *see* Matsuda, I. 88−23890

Mizuno, T. *see* Matsumoto, Y. 85−34969

Mizuno, T. *see* Nakakawaji, T. 87−34213

Mizuno, T. *see* Nishimura, H. 86−26400

Mizuno, T. *see* Sawada, S. 86−21826

Mizuno, T. *see* Suga, H. 88−19758

Mizuno, T. *see* Suzuki, J. 86−9615

Mizuno, T. *see* Yoshizaki, M. 87−40128

Mizuno, Y., Bito, F., Fujita, K., Sumetani, T. High speed auto-charging system for condenser bank 88−5912
Mizuno, Y., Kogame, Y., Wada, M., Kurokawa, H., Hishida, H., Watanabe, Y., Mizuno, Y. Body surface isopotential maps of P wave in normal subjects and patients with pneumoconiosis 86−11997
Mizuno, Y., Kondo, S., Shimizu, N., Kosaki, M., Horii, K. Breakdown by partial discharge of polyethylene films-liquid nitrogen composite system 87−6942
Mizuno, Y., Nagao, M., Kosaki, M., Shimizu, N., Horii, K. Interaction of partial discharge streamer in cryogenic fluids with polymeric films 88−44928
Mizuno, Y., Shimizu, N., Horii, K. Breakdown of polyethylene films-liquid nitrogen composite system 86−68091
Mizuno, Y., Shimizu, N., Horii, K. Breakdown of polyethylene film-liquid nitrogen composite systems 88−26569
Mizuno, Y., Tsuge, K., Shimizu, N., Horii, K. Study of electrical breakdown of polymer film by partial discharge in liquid dielectrics 85−45913
Mizuno, Y., Tsuge, K., Shimizu, N., Kosaki, M., Horii, K. Lichtenberg figures in liquid and supercritical helium 85−29351
Mizuno, Y. *see* Horiba, I. 87−29755
Mizuno, Y. *see* Kuita, T. 87−4415
Mizuno, Y. *see* Mizuno, Y. 86−11997
Mizuno, Y. *see* Yoshiike, N. 85−24254
Mizunoya, K. *see* Kawasaki, K. 88−16361
Mizunoya, K. *see* Matsumoto, S. 86−68340
Mizunuma, M. *see* Nishizuka, N. 86−1424, 86−14007, 86−14579
Mizunuma, Y., Ohgihara, T., Nakano, H., Okamoto, T., Murakami, Y. A 13-GHz YIG-film tuned oscillator for VSAT applications 88−71126
Mizuo, S., Higuchi, H. Linear rate oxidation of silicon for oxidation effect investigation 85−34832
Mizuochi, H. *see* Watanabe, H. 88−72325
Mizuochi, T. *see* Izutsu, M. 88−58245
Mizuono, A. *see* Masuda, S. 85−2486
Mizusaki, J., Amano, K., Yamauchi, S., Fueki, K. Response and electrode reaction of the zirconia oxygen gas sensors 85−37555
Mizusaki, T. *see* Itoh, M. 85−48133, 87−3738, 87−41594
Mizusako, H. *see* Ariga, H. 88−46796
Mizusawa, J., Nakajima, A., Izumi, N. Teleconferencing system applied to public telephone switched network 87−48473
Mizusawa, J., Shigematsu, N. Wide area service control algorithm applied to public switched telephone network 87−76223
Mizusawa, J., Shigematsu, N., Itoh, H. Virtual private network control system concept 88−66873
Mizusawa, J., Tanaka, Y. Service integrate internetworking system between public switched telephone network and packet switched public data network in Japan 86−37341
Mizusawa, J. *see* Sato, K. 87−76231
Mizusawa, M. *see* Numazaki, T. 88−14525
Mizusawa, M. *see* Ogata, M. 86−30708
Mizusawa, M. *see* Urasaki, S. 87−49213
Mizusawa, Y. *see* Ichihara, K. 88−64951
Mizushima, H. *see* Kawakami, T. 85−61892
Mizushima, I., Kuwano, H., Hamasaki, T., Yoshii, T., Kashiwagi, M. Effect of interfacial oxide on solid-phase epitaxy of Si films deposited on Si substrates 88−31753
Mizushima, I., Ohori, K., Itoh, K., Kuwano, H. MOSFETs in polycrystalline Si recrystallized with the process of SSIC−seed selection through ion channeling 88−19968
Mizushima, I. *see* Saito, Y. 85−34466
Mizushima, I. *see* Tanaka, H. 85−59631
Mizushima, K. *see* Fujiwara, H. 86−42121
Mizushima, K. *see* Horiuchi, M. 88−63063
Mizushima, K. *see* Ohuchi, M. 87−700, 88−6754
Mizushima, S., Kimura, Y. Application of ductile electroless copper deposition on printed circuit boards 86−13791
Mizushima, T. *see* Tsutsumi, K. 88−72131
Mizushima, Y. *see* Amemiya, Y. 86−8880
Mizushima, Y. *see* Murase, K. 86−1937
Mizushima, Y. *see* Ogino, T. 86−1795
Mizushima, Y. *see* Sakaue, M. 86−9281
Mizushima, Y. *see* Sawaki, A. 87−74695
Mizushima, Y. *see* Tamama, T. 85−18359
Mizushima, Y. *see* Urisu, T. 85−35711
Mizushina, S. Power combining methods for microwave solid-state devices 86−27538
Mizushina, S., Hamamura, Y. Noninvasive body temperature measurement 86−5921
Mizushina, S., Oh-ishi, H., Hamamura, Y. A three-band microwave radiometer for noninvasive temperature measurement 85−20907
Mizushina, S., Xiang, Y., Sugiura, T. A large waveguide applicator for deep regional hyperthermia 86−60814
Mizushina, S. *see* Sugiura, T. 85−38220, 87−63767
Mizushina, S. *see* Yong Xiang 88−2748
Mizushina, Y., Ueno, S., Horinouchi, A. Magnetic levitation type transfer system for wafer 'LIM LINER 3000' 88−26181
Mizuta, C. *see* Shima, T. 86−62373
Mizuta, H., Yamaguchi, K., Takahashi, S. Surface potential effect on gate-drain avalanche breakdown in GaAs MESFET's 88−13423
Mizuta, H. *see* Tanoue, T. 88−71506
Mizuta, H. *see* Yanokura, E. 88−20010
Mizuta, M., Fujieda, S., Jitsukawa, T., Matsumoto, Y. AlN on GaAs and InP for application to MIS structure−low temperature growth of AlN using TMAl and hydrazine 87−65572
Mizuta, M., Fujieda, S., Matsumoto, Y. A model of the surface state distribution for AlN/GaAs system 88−19769
Mizuta, M., Fujieda, S., Matsumoto, Y., Kawamura, T. Low temperature growth of GaN and AlN on GaAs utilizing metalorganics and hydrazine 87−36801
Mizuta, M., Iwamoto, T., Moriyama, F., Kawata, S., Kukimoto, H. AlGaAs growth using trimethyl and triethyl compound sources 85−10690
Mizuta, M. *see* Fujieda, S. 88−24796, 88−44601
Mizuta, M. *see* Iwamoto, T. 85−5988, 85−35743
Mizuta, M. *see* Mitsuhashi, H. 86−7805
Mizuta, M. *see* Mitsuhasi, H. 85−44756
Mizuta, M. *see* Tachikawa, M. 85−23436
Mizuta, M. *see* Tanaka, S. 85−34581
Mizuta, M. *see* Yasuda, T. 85−44801
Mizuta, S. *see* Ariki, Y. 88−59106
Mizuta, T. *see* Masuda, S. 87−60687
Mizutamari, K., Matsumoto, K., Uno, H. An automatic inspecting system for emergency generator facilities delivered to Kokusai Denshin Denwa Co. 86−39590
Mizutame, M., Sugiyama, S., Ikuta, S., Fujiwara, S., Sano, N. Some considerations of laser machining system used in an electric company 87−7477
Mizutani, A. *see* Wakasugi, K. 86−23976, 87−63954, 87−77856
Mizutani, F. *see* Ito, S. 87−7117, 88−65211
Mizutani, H., Kimura, R., Hamamoto, H. Detection of disorder of FO valve injection pressure in a marine diesel engine using sound 88−36692
Mizutani, H., Tanaka, M. State determination analysis of transistor networks by modified nodal equation 87−65773
Mizutani, H. *see* Hattori, N. 88−9132
Mizutani, H. *see* Masuzawa, S. 87−69520
Mizutani, H. *see* Osaka, T. 87−74519, 88−57926
Mizutani, H. *see* Ueda, T. 87−15498
Mizutani, H. *see* Yonehara, T. 88−18707
Mizutani, J. *see* Ninomiya, H. 87−70700
Mizutani, K., Toda, K. Analysis of Lamb wave propagation characteristics in rotated Y-cut X-propagation $LiNbO_3$ plates 85−56077
Mizutani, K., Toda, K. Analysis of Lamb wave propagation characteristics in rotated Y-cut X-propagation $LiNbO_3$ plates 87−1826
Mizutani, K., Toda, K. A frequency to voltage converter using Lamb waves 87−38639
Mizutani, K., Toda, K. Ultrasonic modem by phase shift keying 88−13645
Mizutani, K., Toda, K. A differential phase shift keying demodulator using a shear horizontal wave device 88−32056
Mizutani, K., Toda, K. A differential phase shift keying modulation by an ultrasonic method 88−46754
Mizutani, K. *see* Otonari, T. 87−78141
Mizutani, K. *see* Toda, K. 85−18529, 86−32605, 87−38641, 88−13652, 88−26635, 88−71875
Mizutani, M., Murakami, M. Performance of a new wind tunnel in Aichi Institute of Technology 88−36597
Mizutani, M., Tsuboya, H., Umezawa, Y. High-speed data modem with protocol converter PMD 9600 85−25615
Mizutani, M. *see* Ushikoshi, K. 86−27424
Mizutani, N. *see* Inoue, M. 88−23465
Mizutani, N. *see* Nakajima, T. 87−71652
Mizutani, R. *see* Inagaki, K. 87−20491
Mizutani, R. *see* Kakunou, H. 86−43479
Mizutani, S., Fujii, Y., Ohtake, T. Current status on truck, bus, and agricultural vehicle electronics in Nippondenso 87−51608
Mizutani, S., Ohtake, T. Automotive electronics in Japan−the next five years 86−52021
Mizutani, S., Ohtake, T. The strategies of engine control ECU at Nippondenso 87−72537
Mizutani, S., Tamaki, K. Power MOS device and its future applications 87−74336
Mizutani, S. *see* Aida, T. 87−63525
Mizutani, S. *see* Murayama, M. 88−69908
Mizutani, S. *see* Shirasaki, S. 87−43609
Mizutani, S. *see* Taki, K. 87−26102
Mizutani, T., Arai, K., Oe, K., Fujita, S., Imamura, Y., Yanagawa, F. AlGaAs/GaAs MESFET IC with Ni buried gate technology 85−45877
Mizutani, T., Arai, K., Oe, K., Funita, S., Yanagawa, F. n^+ self-aligned-gate AlGaAs/GaAs heterostructure FET 85−55811
Mizutani, T., Dale, C.J., Chu, W.K., Mayer, T.M. Surface modification in plasma-assisted etching of silicon 85−45575
Mizutani, T., Fujita, S., Hirano, M., Kondo, N. Circuit performance of complementary heterostructure MISFET inverter using high mobility 2DEG and 2DHG 87−32722
Mizutani, T., Fujita, S., Yanagawa, F. Complementary circuit with AlGaAs/GaAs heterostructure MISFETs employing high-mobility two-dimensional electron and hole gases 86−15156
Mizutani, T., Fujita, S., Yanagawa, F. Complementary circuit with AlGaAs/GaAs heterostructure MISFETs using high mobility two dimensional electron and hole gases 86−53693
Mizutani, T., Hasumi, K., Nakamura, M., Hujigaya, Y. QFP placement and solder reflow system 88−25708
Mizutani, T., Hirano, M., Fujita, S., Maezawa, K. A high-speed static frequency divider employing n^+-Ge gate AlGaAs/GaAs MISFETs 88−38754
Mizutani, T., Hirose, K. High mobility GaInAs thin layers grown by molecular beam epitaxy 85−33422
Mizutani, T., Ieda, M. Electrical conduction in solid dielectrics 87−25703
Mizutani, T., Ikeda, S., Ieda, M. Influence of chemical structure on electrical conduction in insulating polymers 86−21924
Mizutani, T., Kanno, I., Hikita, M., Ieda, M., Sawa, G. Pre-breakdown currents due to filamentary thermal breakdown in polyimide films 88−1829
Mizutani, T., Kato, M., Sato, O., Cullum, F.A. Improved power transistorized uninterruptible power supply 85−64881
Mizutani, T., Shimizu, T., Kuroki, K., Hoshi, T. Power transistorized uninterruptible power supply 85−6157
Mizutani, T., Suzuoki, Y., Hikita, M., Yoo, K.M., Ieda, M., Ishino, I. High field conduction and carrier traps in polyethylene copolymerized with various monomers 88−51081
Mizutani, T., Yamamoto, F., Yokota, T., Saito, K., Nakahata, Y., Sawaoka, A. Image furnace design for space experiments 85−49203
Mizutani, T. *see* Arai, K. 86−9152, 86−41801, 86−53692
Mizutani, T. *see* Baba, T. 85−1587, 87−1238, 87−6448
Mizutani, T. *see* Cai, G.-X. 86−68100
Mizutani, T. *see* del Alamo, J.A. 87−45938, 88−7305, 88−7599
Mizutani, T. *see* Fujita, S. 86−67884, 87−46187, 87−59867, 87−73405
Mizutani, T. *see* Hirose, K. 86−53683, 87−37943
Mizutani, T. *see* Ieda, M. 85−35242, 87−67648, 88−24828, 88−26616, 88−64867
Mizutani, T. *see* Ikegami, T. 87−25594
Mizutani, T. *see* Inoue, M. 87−18814, 88−72216
Mizutani, T. *see* Iwata, S. 85−1533
Mizutani, T. *see* Kawamoto, A. 88−26617, 88−63392
Mizutani, T. *see* Kobayashi, N. 85−50461
Mizutani, T. *see* Maezawa, K. 86−67731, 87−1521, 87−38306
Mizutani, T. *see* Mizuno, T. 87−5073
Mizutani, T. *see* Muramatsu, K. 85−52133
Mizutani, T. *see* Niki, N. 86−70404
Mizutani, T. *see* Ochiai, S. 85−56029, 86−68099
Mizutani, T. *see* Ohata, K. 85−17867
Mizutani, T. *see* Okamura, T. 88−23616
Mizutani, T. *see* Sugeta, T. 87−32644
Mizutani, T. *see* Suzuoki, Y. 85−50808, 86−15304, 87−53195, 87−53577
Mizutani, T. *see* Takai, Y. 85−50304
Mizutani, T. *see* Yamasaki, K. 85−35193
Mizutani, W. *see* Komura, M. 88−26079
Mizutani, W. *see* Okayama, S. 88−57528
Mizutani, Y., Goto, Y. Area decomposition type load frequency control under generation rate constraint 86−39016
Mizutani, Y., Makita, K. A new EPROM cell with a side-wall floating gate for high-density and high-performance device 86−46850
Mizutani, Y., Makita, K. Characteristics of a new EPROM cell structure with a sidewall floating gate 87−59453
Mizutani, Y. *see* Kuriki, S. 85−31781, 87−38689
Mizutani, Y. *see* Matsuda, K. 87−56988
Mizutani, Y. *see* Nakajima, Y. 86−24019, 86−37135, 87−41249
Mizuuchi, K. *see* Nakai, R. 85−33401
Mizuuchi, T. *see* Uo, K. 85−32808
Mizyuk, L.Ya. *see* Briskin, A.M. 86−24441
Mizyuk, L.Ya. *see* Dub, P.B. 87−56639, 88−16088
Mizyuk, L.Ya. *see* Zybov, V.N. 85−52715
Mizyurin, S.R., Bocharov, V.V., Reznikov, S.B., Smirnov, S.V. Invariant control in independent DC power systems [DC generator voltage regulators] 85−61075
Mizyurin, S.R., Okhon'ko, V.B., Serikov, V.A. Lumped high voltage windings with few slots per pole and phase 87−78588

Mizyurin, S.R., Reznikov, S.B., Bocharov, V.V., Aleshechkin, V.A., Smirnov, S.V., Kondakov, L.I., Tokar', I.I. Combined independent electricity supply system for fully-electrified transport facility 86–7253
Mizyurin, S.R., Sineva, N.V., Ivannikov, Yu.A. An induction motor as an electromechanical filter for periodic perturbations in an AC/pulse power conversion system 87–58194
Mizzi, A. *see* Begni, G. 85–64650
Mjakov, V.N. *see* Abramov, A.A. 85–62298
Mjelde, K.M. Incremental resource allocation in an event tree with small transition probabilities 86–52323
Mkheidze, G.P. *see* Zavorotnyi, S.I. 86–58888
Mkhitaryan, E.M. *see* Denisyuk, Yu.N. 87–61196
Mkhitaryan, S.A. Electrographic devices for digital and analog-digital recording of seismic processes 86–44204
Mkhitaryan, S.A. *see* Begushin, G.K. 87–63916
Mkhitaryan, Z.H. *see* Harutyunyan, V.M. 87–7219
Mkpadi, M.C. *see* Andrews, G.E. 86–33177
Mkrtchyan, A.K. *see* Kvochka, V.I. 88–74409
Mkrtchyan, G.G. *see* Bagdasaryan, D.S. 87–70948
Mkrtchyan, L.B. *see* Saakyan, E.S. 87–49381
Mkrtchyan, M.A. *see* Arutyunyan, V.Sh. 88–32053
Mkrtchyan, S.O. An implicator element base for digital LSI 86–34711
Mkrtchyan, S.O., Avetisyan, A.M., Tatevosyan, V.V. Forecasting the reliability of resistive microcircuits based on tantalum 88–38775
Mkrtichan, A.A. Optimisation of parameters in systems used for electrification of electrophotographic machines 87–16215
Mkrtichan, A.A. *see* Terent'ev, V.V. 88–44826
Mkrtumov, A.S., Polyukhova, I.R., Sheftel', E.N., Grigorovich, V.K., Evdokimov, A.V., Eryomin, N.M., Sheikhetov, V.I. Enhancing wear resistance of magnetic video heads 88–74165
Mladejovsky, M. Hierarchical-level CAE system features snap and simplicity 87–59071
Mladejovsky, M. Innovative software gives fast response 88–12145
Mladen, R. *see* Zdenko, P. 88–35223
Mladenov, D.I., Stoilova, K.P., Stoilov, T.A. Some problems in realization of automated operative control of the movable objects class 86–37956
Mladenov, D.I., Stoilova, K.P., Stoilov, T.A. Software support of an automated control system for the movable objects class 86–37958
Mladenov, D.I., Stoilov, T.A., Stoilova, K.P. Hardware support of an automated control system for the movable objects class 86–37957
Mladenov, D.I., Velkov, F.I., Halacheva, M.D. Contemporary automated systems for operative control of vehicles 86–37955
Mladenov, G. *see* Dimitrova, R. 88–44708
Mladenov, G.M., Braun, M., Emmoth, B., Biersack, J.P. Ion beam impact and penetration of polymethyl methacrylate 86–8927
Mladenov, G.M., Sabchevski, S.P., Titov, A.A. Investigation of technological electron optical systems by means of numerical simulation of electron beams 86–40326
Mladenov, G.M., Seyfarth, H. General problems of high resolution lithography 87–17879
Mladenov, L.C. *see* Stoyanov, D.V. 85–20248
Mladenov, V.M. *see* Kolev, L.V. 88–70482
Mladenovic, M., Marincic, A., Milovanovic, B. Microwave multilayered dielectric loss loaded resonators: Analysis of condition by method of transversal resonances admittance 87–52816
Mladineo, N., Margeta, J., Brans, J.P., Mareschal, B. Multicriteria ranking of alternative locations for small scale hydro plants 87–78038
Mlakar, F. Quality as a condition for success 85–49359
Mlakar, J., Kostevc, D., Majcen, J. Design of microwave FET oscillators with feedback 88–1022
Mlakar, J. *see* Kostevc, D. 86–31119, 88–968
Mlebedev, A. *see* Epifanov, A.P. 87–64620
Mlejnek, F. *see* Dlabola, F. 88–67153
Mleziva, J. *see* Kott, J. 87–64302
Mlikovsky, J. Czechoslovak valves for nuclear power engineering 87–35724
Mlinar, J.W. Paper strips containing modular reaction cells 86–44464
Mlinar, J.W. Paper strips containing modular reactive cells 86–55883
Mlinar, M. *see* Brunner, W. 85–11543
Mlinar, M. *see* Parker, A.C. 85–748
Mlodzianowksi, J.J., Utamchandani, D., Culshawe, B. A simple frequency domain multiplexing system for optical point sensors 87–68105
Mlodzianowski, J., Uttam, D., Culshaw, B. A multiplexed system for analogue point sensors 86–48192
Mlodzianowski, J., Uttamchandani, D., Culshaw, B. A frequency domain approach to the multiplexing of intensity based optical fibre sensors 88–22614
Mludek, D. *see* Einert, E. 86–23479
Mlynek, B. Experiences gained with the 110 kV metal clad substation with SF_6 filling 86–71009
Mlynek, D., Lewin, G. Making allowance for the effect of ageing in creep tests—illustrated by the example of HDPE 87–44412
Mlynek, J. The digital optical computer 88–33812
Mlynek, J. *see* Deserno, R. 87–54420
Mlynek, J. *see* Koster, E. 85–12941, 85–29920
Mlynek, J. *see* Lange, W. 87–33328
Mlynek, J. *see* Mitschke, F. 86–22494
Mlyner, J. *see* Lange, W. 85–41492
Mlynski, D.A., Sung, C. Improved Boolean decision variable approach for layout compaction [IC design] 86–67945
Mlynski, D.A., Sung, C.-H. Layout compaction 87–53646
Mlynski, D.A. *see* Baitinger, U.G. 86–28513, 87–23826, 88–6782
Mlynski, D.A. *see* Dietz, R. 87–66135
Mlynski, D.A. *see* Hillner, H. 86–67947
Mlynski, D.A. *see* Keller, F.V. 86–67946
Mlynski, D.A. *see* Weis, B.X. 87–24153, 87–67498, 88–38317
Mlynski, D.A. *see* Winter, K. 87–37215, 88–667
Mlynski, D.A. *see* Wipfler, G.J. 86–62367
Mnatsakanov, T.T. Applicability limit of the diffusion approximation in the theory of multilayer semiconductor structures 88–39110
Mnatsakanov, T.T., Rostovtsev, I.L., Filatov, N.I. The Einstein relation in semiconductors with strong electron-hole scattering 85–28926
Mnatsakanov, T.T., Rostovtsev, I.L., Filatov, N.I. Study of the numerical algorithm for modelling high-power semiconductor structures in the conducting state 86–28250
Mnatsakanov, T.T., Rostovtsev, I.L., Filatov, N.I. Use of a computer simulation to investigate the influence of nonlinear physical effects of the current-voltage characteristic of silicon multilayer structures 88–19657
Mnatsakanov, T.T., Rostovtsev, I.L., Filatov, N.I. An efficient algorithm for physical-topological modeling of bipolar semiconductor devices with allowance for the nonlinear effects of heavy doping and high injection level 88–26228
Mnatsakanov, T.T., Rostovtsev, I.L., Philatov, N.I. Investigation of the effect of nonlinear physical phenomena on charge carrier transport in semiconductor devices 87–53456
Mnatsakanov, T.T., Tugusheva, T.Ye. Unique features of the volt-ampere characteristic in the presence of dual injection in silicon multilayer structures having a narrow base region 86–21238
Mnatsakanov, T.T. *see* Dzhafarov, E.T. 88–50826
Mnatsakanov, T.T. *see* Dzhafarov, Z.T. 86–21467
Mnatsakanov, T.T. *see* Kuz'min, V.A. 86–21468
Mnatsakanov, T.T. *see* Zubrilov, A.S. 86–67718
Mnatsakanyan, E.A. *see* Kolesnikov, S.A. 87–8574
Mnatsakanyan, G.G. *see* Danilov, M.E. 87–53089
Mnatsakanyan, M.S. *see* Gasparyan, V.R. 87–64510
Mnatsakanyan, T.A. *see* Abramyan, A.S. 88–3048
Mnatsakanyan, T.A. *see* Kazaryan, R.A. 87–76770
Mneney, S.H. Freeze-frame television for rural information services 87–49304
Mneney, S.H., Prasad, R. Frequency assignment for narrowband services using a dominant carrier in SCPC satellite links 87–27118
Mneney, S.H., Prasad, R. Intermodulation distortion in SCPC/FDMA system in the presence of a dominant carrier 87–62900
Mneney, S.H., Verlijsdonk, A.P. Audio-visual broadcast to rural areas over narrowband satellite channels 85–8535
Mneney, S.H. *see* Venetsanopoulos, A.N. 85–34069
Mnich, P. *see* Merklinghaus, W. 87–64927
Mnich, R.J. *see* Brandt, R.J. 87–73888, 88–71185
Mnikh, V.A. *see* Antonenko, A.I. 86–6698
Mnoyan, V.I. *see* Algazinov, E.K. 87–45266
Mnukhin, A.G., Konevskii, B.I. Planning experiment in investigating switching surges in electrical power network 86–6337
Mnukhin, A.G., Konevskii, B.I. Experimental planning in investigating network switching surges 86–25546
Mnukhin, A.G., Likhachev, S.A., Volobuev, A.I., Gol'dfel, L.L., Kornienko, A.Kh., Zavolod'ko, Yu.K. Investigating heat resistance of OPNR-6 nonlinear mining surge limiters subject to action of linear voltage 86–26468
Mnukhin, A.G. *see* Kolosyuk, V.P. 87–36056
Mnukhin, A.G. *see* Konevskii, B.I. 87–42523, 88–43519
Mnuskin, V.E. *see* Dorofeev, S.N. 86–9785, 86–9787
Mnuskin, V.E. *see* Zhil'tsov, V.I. 86–54106
Mnusskikh, M.E., Mal'gavka, V.V. Compensation for the backlash effect in the automatic control systems of a 300 MW power unit 86–18904
Mnyama, D. *see* Won, M.C. 85–51712
Mo, D. *see* Eglash, S.J. 87–60406
Mo, D. *see* Spicer, W.E. 85–1394
Mo, I. ITT 5500 BCS—a fully networked voice and data communications system 87–76176
Mo, I. *see* Jensen, B.E. 85–51892
Mo, J.N. *see* Cunningham, R.A. 85–37904
Mo, L., Johansson, J.U. Comparison of dielectric materials for RFI capacitors 88–32503
Mo, T., Schmugge, T.J. A parameterization of the effect of surface roughness on microwave emission 87–71367
Mo, T., Wang, J.R., Schmugge, T.J. Retrieval of surface roughness parameters from dual-frequency measurements of radar backscattering coefficients 88–5125
Mo, T. *see* Wang, J.R. 88–9620
Mo, Y.W. *see* Davis, G.D. 87–23703, 88–6500
Mo, Z.L., Lightner, M.R. A two parameter delay mode for switch level simulation 85–33862
Mo Dang, He Xingfei Ellipsometric spectra and damage profiles of ion implanted silicon 86–58378
Mo Dang *see* Hong Ying 87–17902
Mo Dang *see* Jiang Ren-rong 88–7450
Mo Dang *see* Pan Shihong 85–55555, 86–28020
Mo Fu-yan *see* Li Chang-li 86–30448
Mo Hwang Young *see* Young Mo Hwang
Mo Jialing *see* Ding Xiaoqing 88–22780
Mo Mu *see* Mu Mo
Mo Nam Sung *see* Sung Mo Nam
Mo Ogai *see* Okagawa, S. 86–42334
Mo Peigen, Li Shouchun, Li Yuexin, Gao Jijin, Li Shiling Preliminary study on the doping of GaAs by neutron transmutation 85–12119
Mo Peigen, Wu Ju, Li Shouchun, Zhan Qianbao, Yang Jinhua Preliminary study on the role of dislocation in undoped semi-insulating GaAs crystals 87–6374
Mo Peigen *see* Zou Yuanxi 86–21148
Mo Peigen *see* Peigen Mo
Mo Shanxiang A discussion of double tori connections between two skew pipelines 85–33371
Mo Tse Chin *see* Tse Chin Mo
Mo Yuanlong, Guo Xingui, Lang Dunyu, Sun Jiahong, Li Jiayin, Liu Shenggang An experimental 75 GHz gyrotron 85–55377
Mo Yuanlong *see* Wu Jianqiang 88–8090
Mo-Shing Chen *see* Wei-Jen Lee 86–70564
Mo-shing Chen *see* Whei-min Lin 86–39021
Moa, T. *see* Anguilar-Benitez, M. 87–71031
Moacanin, J. *see* Nagasubramanian, G. 86–41623, 86–63067
Moacanin, M.A. *see* Clarke, J.E. 87–52516
Moacanin, M.A. *see* Rowe, D.A. 85–55164
Moacanin, M.A. *see* Shen, E.K. 86–20833
Moakes, P. Flushed with success [bathroom furniture manufacturer] 88–59602
Moalic, J. *see* Leboutet, A. 85–3448
Moalic, J.P. *see* Coron, N. 85–37975
Moam, E.M. The 'new' local communications: office networks and private cable 86–43404
Moan, G.D. *see* Price, E.G. 88–43009
Moan, S.Le *see* Le Moan, S.
Moarcas, H.I. *see* Profirescu, M.D. 85–23754
Moat, R.L. ACTS baseband processing [satellite system] 87–40810
Moatadid, A. *see* Nougier, J.P. 86–21487, 86–63224
Moats, R. *see* Dohler, G. 85–50160, 88–25803, 88–25834, 88–38995, 88–39014
Moats, R. *see* Frost, V. 88–21928
Moaveni, M.K. Application of finite differences to the analysis of diffraction gratings embedded in an inhomogeneous and lossy dielectric 87–2292
Moaveni, M.K., Rizvi, A.A., Kamran, B.A. Analysis of diffraction gratings embedded in inhomogeneous and lossy dielectric 88–27491
Moaveni, S., Shakerin, S. Computer integrated laboratory experiments for an instrumentation and measurement class 88–18382
Moawad, D.A. The steady state stability studies using the high accuracy automatic control theorem 86–61005
Moawad, D.A., Atout, M.M. The design of HVDC link control systems using the domain separation method 86–61009
Moawad, R. *see* Hassan, M. 85–64670
Moayer, B., Fu, K.S. A tree system approach for fingerprint pattern recognition 86–54537
Moayeri, N., Neuhoff, D.L. Decision trees for vector quantizer codebook searching 88–66318
Moayeri. N., Neuhoff, D.L., Stark, W. Performance analysis of a fast vector quantization scheme 87–54887
Moayeri, N., Neuhoff, D.L., Stark, W.E. Fast vector quantizers 86–64204
Moazed, A.R., Terry, R.A. Nonlinear elastic-plastic analysis of ignitor TF coils and their support structure 85–2497
Moazed, K.L., Nguyen, R., Zeidler, J.R. Ohmic contacts to semiconducting diamond 88–64317
Moazzami, R. *see* Fong, Y. 88–44685
Mobarak, A., Sedrak, M.F., El Telbany, M.M.M. On the direction sensitivity of hot-wire probes 86–44250
Mobarak, A. *see* Heikal, H.A. 86–39628
Mobarak, M.A., Sharaf, A.M., Hill, E.F. Application of a direct-search optimization technique in optimal load flow solution 86–6274
Mobarek, A. *see* Rautenberg, M. 85–53568

Mobarka, A., Azzam, A. Computer aided analyses of a voltage-fed high frequency thyristor inverter with series-parallel load 86−61648
Mobasher, M. Investigation of neutron spectrometers as fusion plasmas diagnostic methods 87−50194
Mobasser, B. The ISDN packet mode bearer service 87−33971
Mobasser, B. *see* Rathier, G. 85−52231
Mobasseri, B. Introducing a simulation capability to the communication theory courses 88−24475
Mobasseri, B.G. A developmental micro image processing workstation for research and instruction 87−23211
Mobasseri, B.G. Pyramid and quadtree architectures in point pattern segmentation and boundary extraction 87−33819
Mobasseri, B.G. Integrating a microcomputer-based imaging workstation into the electrical engineering curriculum 88−37876
Mobasseri, B.G. Stochastic quadtree and image segmentation 88−59301
Mobasseri, B.G. Soft-linked quadtree: a cascaded ring structure using flexible linkage concept 88−73358
Mobbs, C.I. Microwave switched filter banks 85−22977
Mobbs, C.I. Microwave switched multiplexers 87−40059
Mobbs, C.I. Matched four port hybrid filters 87−73620
Mobbs, C.I. The use of matched four-port filters to realize switched multiplexers having low amplitude and group delay ripple 88−25385
Moberg, R. Techniques of EEG monitoring 87−57187
Moberg, R. EEG and evoked potential monitoring: an industry perspective 88−10398
Moberly, R.V., Polden, N.R.P., Price, C.D.E. Getting UK ISDN going 85−51924
Mobilia, J. *see* Imhof, W.L. 85−57031
Mobius, A. *see* Dammertz, G. 88−19596
Mobius, A. *see* Wiesener, K. 88−17823
Mobius, E., Gloeckler, G., Hovestadt, D., Ipavich, F.M., Klecker, B., Scholer, M., Arbinger, H., Hofner, H., Kunneth, E., Laeverenz, P. The time-of-flight spectrometer SULEICA for ions of the energy range 5-270 keV/charge on AMPTE IRM 85−53169
Mobius, G. Temperature measurement with long-term stable nickel thin-film temperature sensors 87−35221
Mobius, J. *see* Barth, S. 87−34760
Mobius, K. *see* Eberle, T. 85−52229
Mobius, K.-H., Blatt, K. The source for negative sodium ions at the Heidelberg MP-tandem accelerator 85−4196
Mobius, K.-H. *see* Jansch, H. 87−3836
Mobius, K.-H. *see* Kramer, D. 87−3866
Mobius, K.-H. *see* Tungate, G. 87−3839
Mobius, K.H. *see* Jansch, H. 87−29426
Mobley, F.F. *see* Bythrow, P.F. 88−30163
Mobley, F.F. *see* Potemra, T.A. 85−9257
Mobley, J.D., Cassidy, M., Dickerman, J. Organic acids can enhance wet limestone flue gas scrubbing 86−56600
Mobley, J.P. *see* Kriewall, T.J. 86−12038
Mocanu, C.I. Some difficulties within the framework of relativistic electrodynamics 86−29332
Mocanu, C.I. Some difficulties within the framework of relativistic electrodynamics. II 86−29343
Mocanu, C.I., Nemoianu, C., Toma, I., Vasiliu, M. New model of deflection coils for industrial accelerators 85−37827
Mocanu, M. *see* Munteanu, C. 86−18839
Mocci, F. *see* Fanni, A. 86−12420
Mocci, F. *see* Locci, N. 85−65178, 86−12839, 87−22765, 88−5613, 88−60855, 88−75792
Mocci, U., Tonietti, A. Methods for planning telecommunication networks (project COST 201) 85−19605
Mocci, U. *see* Candeo, S. 88−47058
Moccia, A., Vetrella, S. An integrated approach to geometric precision processing of spaceborne high-resolution sensors 86−50734
Moccia, A. *see* Vetrella, S. 87−57326
Moccia, G., Bona, M.Di, Cetronio, A. Deep level transient spectroscopy investigation of sputter deposited refractory metal/GaAs Schottky barriers 88−7368
Mocella, M.T. The fine-tuning of plasma desmearing 87−11175
Mocella, M.T., Jenkins, M.W., Sawin, H.H., Allen, K.D. Parametric characterization of plasma etching processes 86−35607
Mocella, M.T., Thompson, B.E., Sawin, H.H. Directional plasma etching of polysilicon in $SF_6/CFCl_3$ discharges 87−18013
Mocella, M.T. *see* Jenkins, M.W. 86−47479
Mocenigo, J.M., Tow, D.M. Managing a network that won't sit still 85−3007
Mocenigo, M. Real time control of a large electric power system 86−18656
Mocerino, G. *see* Fucito, M. 85−47322
Moceyunas, P. *see* Bostick, D. 88−25132
Moceyunas, P.H. *see* Hachtel, G.D. 88−24907
Moceyunas, P.H. *see* Lightner, M.R. 86−34480
Mochalov, A.I. *see* Nikolaev, I.V. 88−13024
Mochalov, A.V. *see* Kostenko, M.V. 88−75049
Mochalov, I.V. *see* Andryunas, K. 86−29109, 86−42641
Mochalov, I.V. *see* Basiev, T.T. 88−58664
Mochalov, I.V. *see* Berenberg, V.A. 88−34126
Mochang Wang *see* Wang Mochang
Mochel, M.E. *see* Humphreys, C.J. 87−6522
Mocheshnikov, N.I. *see* Boldyshev, V.F. 88−54012
Mocheshnikov, N.I. *see* Bulyak, E.V. 86−5676
Mocheshnikov, N.I. *see* Guk, I.S. 88−74647
Mochida, K. *see* Komiyama, K. 88−59096
Mochida, S. *see* Watanabe, Y. 86−38987
Mochida, T. *see* Naitoh, Y. 87−2740
Mochida, Y., Kawano, S., Takahata, T., Miyoshi, M. Performance of the heat exchangers of a 100-kW (gross) OTEC plant 85−15936
Mochida, Y., Murano, K. VLSI for speech processing 87−765
Mochida, Y., Murano, K., Tsuda, T., Gambe, H., Fujii, S. A high performance LSI digital signal processor for communication 85−46753
Mochida, Y., Ohta, K., Moriya, T. ISDN-oriented transmission network 87−20351
Mochida, Y., Tsuda, T. DSP applications 88−16019
Mochida, Y. *see* Fudemoto, I. 87−20353
Mochida, Y. *see* Fujimura, N. 88−41463
Mochida, Y. *see* Kawashima, M. 85−13932
Mochida, Y. *see* Taniguchi, T. 87−62720, 87−69754
Mochida, Y. *see* Tsuda, T. 87−27468
Mochida, Y. *see* Wyndrum, R.W., Jr. 87−40108
Mochihara, H., Ishiai, Y., Mori, K., Seyama, M., Kanai, T. The development of a cooling, heating and hot water supply system utilizing a heat pump 87−51646
Mochiji, K., Kimura, T. X-ray exposure characteristics of diazo-type photoresist using synchrotron radiation 87−53621
Mochiji, K., Kimura, T., Obayashi, H. Spectral sensitivity of resist by X-ray excited ion mass analysis 85−34695
Mochiji, K., Kimura, T., Obayashi, H., Obayashi, H., Maezawa, H. Soft X-ray spectral characterization of resist using synchrotron radiation 86−1889
Mochiji, K., Soda, Y., Kimura, T. Sensitivity improvement of X-ray resist by overlaying oxygen blocking film 86−41642
Mochiji, K., Soda, Y., Kimura, T. Oxidation effect on an X-ray induced reaction of a poly-olefinsulfone-type resist 88−57531
Mochiji, K. *see* Kudo, T. 88−13200
Mochiji, K. *see* Okamoto, H. 86−67781
Mochikawa, H. *see* Takahashi, I. 85−27702, 86−39801, 87−15737
Mochikawa, H. *see* Takashi, I. 85−53875
Mochiki, K., Hasegawa, K. Charge integrating type position-sensitive proportional chamber for time-resolved measurements using intense X-ray sources 85−37935
Mochiki, K. *see* Bordas, J. 86−60563
Mochiki, K. *see* Hasegawa, K. 87−29537
Mochiku, T. *see* Iguchi, I. 88−51389
Mochiku, T. *see* Kasai, Y. 88−13704
Mochimaru, M. Low distortion hybrid class-BD amplifier 88−50044
Mochimaru, S., Sasaki, H., Inukai, S. Reducing impurity gases in miniature metal halide lamps 85−65598
Mochinaga, Y. *see* Koyama, Y. 87−58137, 87−58389
Mochinaga, Y. *see* Yonemitsu, M. 86−40230
Mochizai, H. *see* Taguchi, T. 87−2737
Mochizuki, A. A new series of the Shinkansen EMU train made its debut 86−13140
Mochizuki, A. New production model EMU, Series 100 for the Shinkansen 87−58418
Mochizuki, A., Gondo, H., Watanuki, T., Saito, K., Ikegami, K., Okuyama, H. Nematic-cholesteric LCD using hysteresis behavior 86−31519
Mochizuki, A., Gondo, H., Watanuki, T., Saito, K.., Ikegami, K., Okuyama, H. New nematic-cholesteric LCD using hysteresis behavior 87−3680
Mochizuki, A., Iwasaki, M., Yamagishi, Y., Gondo, H., Yamaguchi, H. A nematic-cholesteric bistable liquid crystal display for projectors 87−77145
Mochizuki, A., Matsumoto, S., Sugihara, S. A compact color-video camera 87−76974
Mochizuki, A., Saito, K., Ikegami, K. Liquid crystal materials for storage-type LCDs driven by CMOS LSIs 85−64195
Mochizuki, A., Salto, K., Ikegami, K., Narusawa, T., Okuyama, H. Study of liquid crystal materials for storage-type LCDs driven by C-MOS LSIs 85−37683
Mochizuki, A. *see* Koike, Y. 88−29535
Mochizuki, A. *see* Ochiai, Y. 88−64454
Mochizuki, A. *see* Shinohara, S. 86−54229
Mochizuki, A. *see* Sugawara, N. 86−43421
Mochizuki, D. *see* Hayashi, M. 88−50965
Mochizuki, D. *see* Tanimoto, J. 86−27363
Mochizuki, E. *see* Tsukakoshi, T. 86−32526
Mochizuki, F. Selection and application of explosion-proof devices for explosion-proof instrumentation−safety barrier 88−31427
Mochizuki, H., Kodama, Y., Nakano, T., Ema, T., Yabu, T. A 70 ns 4 Mb DRAM in a 300 mil DIP using 4-layer poly 87−59509
Mochizuki, H. *see* Harada, H. 87−45828
Mochizuki, H. *see* Himeno, S. 88−39927
Mochizuki, H. *see* Izumi, S. 87−21452
Mochizuki, H. *see* Kobayashi, T. 86−65717
Mochizuki, H. *see* Mitsuhashi, W. 87−76875
Mochizuki, H. *see* Ogata, S. 87−71678
Mochizuki, J., Tachibana, K., Okada, Y., Ninomiya, H. A microprocessor-based brushless servomotor controller capable of very low speed drive 86−6824
Mochizuki, J., Takahashi, M., Hata, S. Unpositioned workpieces handling robot with visual and force sensors 86−47205
Mochizuki, J., Takahashi, M., Hata, S. Unpositioned workpieces handling robot with visual and force sensors 87−41469
Mochizuki, J. *see* Asano, T. 87−48174
Mochizuki, K. Degree of polarization in jointed fibers: the Lyot depolarizer 85−1974
Mochizuki, K. Photoelectrical properties of CdS_xSe_{1-x} with controlled deviation from stoichiometry 85−34486
Mochizuki, K. Optical fiber transmission systems using stimulated Raman scattering: theory 85−62325
Mochizuki, K., Edagawa, N., Iwamoto, Y. Amplified spontaneous Raman scattering in fiber Raman amplifiers 87−12124
Mochizuki, K., Fujise, M., Kuwazuru, M., Nunokawa, M., Iwamoto, Y. Optical fiber dispersion measurement technique using a streak camera 87−32968
Mochizuki, K., Fujise, M., Suzuki, H., Watanabe, M., Koishi, M., Tsuchiya, T. Direct measurement of chromatic dispersion in single-mode fibres using streak camera 85−48116
Mochizuki, K., Hayashi, H., Senju, Y. Scan converter for high quality TV system 86−24092
Mochizuki, K., Kitajima, Y., Takayanagi, F., Ohi, M., Endou, T. SV-series solid tantalum chip capacitor 86−58080
Mochizuki, K., Masumoto, K. Growth of CdTe single crystals by THM (travelling heater method) and its repetition effect 86−66800
Mochizuki, K., Masumoto, K. *I-V* characteristics of CdTe single crystals 86−67688
Mochizuki, K., Masumoto, K. Simultaneous control of the composition *x* and the deviation *y* from stoichiometry in ternary solid solution semiconductor $(Pb_{1-x}Cd_x)S_{1-y}$ 87−68513
Mochizuki, K., Masumoto, K., Miyazaki, K. Melt growth of CdTe single crystals with controlled deviation from stoichiometry 88−43856
Mochizuki, K., Namihira, Y., Kuwazuru, M., Nunokawa, M. Influence of hydrogen on optical fiber loss in submarine cables 85−35434
Mochizuki, K., Okada, Y., Hayashi, H., Shibano, M., Senzyu, Y., Kogoshi, T., Yamada, A., Shimoyana, T. Scan-converter for high quality picture TV system 88−53434
Mochizuki, K., Onodera, H., Igaki, K. Photoconductivity of CdS_xSe_{1-x} with controlled deviation from stoichiometry 85−56412
Mochizuki, K., Sato, I. Friction and wear characteristics of flexible disk media 87−1896
Mochizuki, K., Sato, I., Arai, R. High sensitive detection of head-disk media contact using frequency mixer 87−60820
Mochizuki, K., Sato, I., Hayashi, T. Impulse force detection of head-disk media contact using a small piezoelectric transducer 88−57983
Mochizuki, K., Shibazaki, O. Stoichiometry control of CdS_xSe_{1-x} and its effects on photoelectrical properties 85−39717
Mochizuki, K., Yamamoto, S., Wakabayashi, H., Iwamoto, Y. Evolution of optical submarine cable systems 88−47114
Mochizuki, K., Yoshida, T., Igaki, K., Shoji, T., Hiratate, Y. Growth of In-doped CdTe from Te excess solution and its characteristics as a γ-ray detector 86−7743
Mochizuki, K., Zinjian, Yi., Chu, T.L. Growth of CdTe thin films by direct reaction of Cd and Te vapors under hydrogen flow 85−6009
Mochizuki, K. *see* Edagawa, N. 87−39032, 88−27300
Mochizuki, K. *see* Fujiyasu, H. 85−45427, 87−5421
Mochizuki, K. *see* Hanai, M. 85−4641
Mochizuki, K. *see* Iwaibana, K. 85−58349
Mochizuki, K. *see* Kaplan, C.A. 88−53090
Mochizuki, K. *see* Kuwazura, M. 87−8306
Mochizuki, K. *see* Kuwazuru, M. 86−22377, 88−33641
Mochizuki, K. *see* Namihira, Y. 87−12114, 87−34549, 87−40886, 88−41653, 88−53274
Mochizuki, K. *see* Nguyen, L. 86−44901
Mochizuki, K. *see* Ozeki, M. 88−18690, 88−18715
Mochizuki, K. *see* Ryu, S. 88−15454, 88−41628
Mochizuki, K. *see* Ryusawa, S. 87−21872
Mochizuki, K. *see* Shoji, T. 85−60945
Mochizuki, K. *see* Sunada, K. 88−53408
Mochizuki, K. *see* Yamamoto, H. 85−58139
Mochizuki, K.-I. *see* Marth, W. 85−15774
Mochizuki, M. *see* Hasui, K. 85−57327

Mochizuki, M. *see* Hatta, H. 85−51870
Mochizuki, M. *see* Ikawa, Y. 85−22802
Mochizuki, M. *see* Kamatani, Y. 86−34737, 87−59682
Mochizuki, M. *see* Kameyama, A. 88−19250
Mochizuki, M. *see* Kawakami, H. 86−40001
Mochizuki, M. *see* Komatsu, T. 86−5601
Mochizuki, M. *see* Konishi, T. 86−55423
Mochizuki, M. *see* Mizoguchi, T. 85−54898
Mochizuki, M. *see* Onoda, K. 87−40387
Mochizuki, M. *see* Sano, S. 87−17419, 88−14451
Mochizuki, M. *see* Shimizu, S. 85−22801
Mochizuki, M. *see* Tanaka, K. 86−50864
Mochizuki, M. *see* Tateno, H. 87−28566
Mochizuki, M. *see* Toyida, N. 86−20440
Mochizuki, M. *see* Toyoda, N. 86−8191
Mochizuki, S., Arakawa, K., Yashiro, T. Evaluation of temperature conductivity in optical fiber cables 86−49651
Mochizuki, S., Arakawa, K., Yashiro, T. A method for estimation of temperature conductivity in optical fiber cables 88−7878
Mochizuki, S., Iida, N., Omi, K., Ito, S., Naemura, M., Mukai, F. An electronic filing system using ultra-micro film (UMF) 85−25257
Mochizuki, S., Iio, K., Sakamoto, H., Udaka, M., Kawagishi, K. Inverter control for room air conditioners using a single microprocessor 88−6041
Mochizuki, S. *see* Arakawa, K. 85−23177, 86−11095
Mochizuki, S. *see* Sugita, Y. 85−94
Mochizuki, T. A method of 3-channel detail enhancement and its effect [colour TV cameras] 87−8421
Mochizuki, T. Digitalization of videotex communication network 87−48546
Mochizuki, T. Characteristics of laser plasma X-rays and their application to X-ray lithography 88−1487
Mochizuki, T., Hanabe, K., Ueda, T. Digital videotex system 85−25403
Mochizuki, T., Hatori, M. A study on the automatic canceling of FM multipath distortion by an adaptive digital filter 85−36896
Mochizuki, T., Hatori, M. Automatic cancelling of FM multipath distortion using an adaptive digital filter 85−51455
Mochizuki, T., Hirohashi, T., Tsumura, T., Sasaki, I. A multiple-output 400 kHz switching power supply using a new ferrite material H63A 88−55451
Mochizuki, T., Honma, K., Handa, K., Akinaga, W., Ohata, K. Low noise amplifiers using two dimensional electron gas FETs 86−8510
Mochizuki, T., Igarashi, Y. Data networks in Japanese National Railways−present and future 85−25290
Mochizuki, T., Kodama, R., Yamanaka, C., Aritome, H. Laser plasma X-ray source for lithography 88−13235
Mochizuki, T., Ohnishi, K. Circuit operation and analysis of automatic beam optimizer (ABO) 87−6343
Mochizuki, T., Sasaki, I., Murakawa, K. A high frequency core loss automatic measuring system 87−29260
Mochizuki, T., Soma, K., Ohoba, K. Development of diagnostic device for deteriorated XLPE cables on line 88−30373
Mochizuki, T. *see* Arimoto, A. 87−61270
Mochizuki, T. *see* Fujita, Y. 87−76976
Mochizuki, T. *see* Handa, K. 86−62465
Mochizuki, T. *see* Irisa, T. 86−56783
Mochizuki, T. *see* Isayama, T. 87−27887
Mochizuki, T. *see* Ishichi, H. 86−46855
Mochizuki, T. *see* Itami, M. 87−17263
Mochizuki, T. *see* Iwamoto, T. 85−49978
Mochizuki, T. *see* Kamada, A. 86−28704
Mochizuki, T. *see* Murase, N. 87−21060
Mochizuki, T. *see* Najafi, K. 85−59352
Mochizuki, T. *see* Nakamura, K. 87−26267
Mochizuki, T. *see* Onishi, H. 85−39064
Mochizuki, T. *see* Oonishi, H. 87−35642
Mochizuki, T. *see* Sonoda, T. 86−5289
Mochizuki, T. *see* Suguro, K. 86−28034
Mochizuki, T. *see* Uchida, S. 88−55035
Mochizuki, T. *see* Ueda, R. 85−9997
Mochizuki, T. *see* Uehara, T. 87−63163
Mochizuki, T. *see* Wakui, K. 85−8572
Mochizuki, T. *see* Watanabe, T. 85−6968, 86−14966
Mochizuki, Y. *see* Ikoma, T. 85−55465
Mochizuki, Y. *see* Nonaka, M. 88−56767
Mochizuki, Y. *see* Usami, K. 87−10494
Mochon, J. *see* Gutierrez, F.J. 88−22841
Mochon Munoz, J. *see* Gutierrez Monreal, F.J. 85−14752
Mochrie, B.N. *see* Robinson, C.M., Jr. 86−33108
Mocinic, Z. OMT−terminal for exploitation and maintenance of electromechanical exchanges 87−40592
Mocinic, Z. *see* Zimmer, M. 85−30547
Mock, J.E. Geothermal electric development activities in the United States 85−27329
Mock, J.E. *see* Kenkerenath, D.C. 86−18926
Mock, M.S. Analysis of a discretization algorithm for stationary continuity equations in semiconductor device models. II 85−6879
Mock, M.S. Analysis of a discretization algorithm for stationary equations in semiconductor device models. III 85−23729
Mock, M.S. Basic theory of stationary numerical models [for semiconductor devices] 87−67190
Mock, P. Digital processors up efficiency 85−11312
Mock, P. Add DTMF generation and decoding to DSP-μP designs 85−36735
Mock, P., Tillack, B., Reinboth, R. Origin of defects during Si crystal growth on a SiO_2 layer 88−70328
Mock, P. *see* Tillack, B. 86−41657, 86−47475
Mock, P.M., Trew, R.J., Neece, R.T. Sensitivity of GaAs IMPATT diodes to variations in design parameters 88−38772
Mock, R. *see* Sanford, T.W.L. 88−32714, 88−42377, 88−54384
Mock, R. *see* Winter, H. 88−68079
Mock, T.C. *see* Chamberlin, J.W. 87−48856
Mock, T.D. Integrated multimedia system for home control: the consumer electronics bus (CEBus) 87−40421
Mock, T.D. *see* Miller, W.G. 87−20689
Mockaitis, A. *see* Schluter, P. 85−53068
Mockapetris, P., Postel, J. A perspective on name system design 86−10824
Mockapetris, P.V. The domain name system [electronic mail] 85−25350
Mockbee, B. *see* Seeley, G.W. 88−29971
Mockel, F. EPROM-programmer for KC 85/2 and KC 85/3 87−73446
Mockel, F. Test memory for the the UB8820M 88−6849
Mockel, R. *see* Bahl, A. 85−40208
Mockel, R. *see* Matzdorf, H. 87−76523
Mocker, G. A model for maximum-likelihood peak-sequence-detection in digital magnetic recording 88−47340
Mocker, G. *see* Oehme, W.F. 88−57974
Mocker, M. *see* Ziep, Θ. 86−8789
Mockett, P. *see* Bernstein, D. 85−15253
Mockett, P.M. *see* Dubois, R. 86−50321
Mockridge, J.N.A. Polymer technology in hydrophone transducer materials: an overview 86−52541
Mockros, L.F. *see* Karr, S.G. 86−25166
Mocks, L. Tensional forces in partial conductors and field spacers of a vertical dual bundle 88−10870
Mocks, L. The stress and lifespan of power cables under the effects of wind-induced galloping 88−10871
Mocozuki, T. *see* Ariizumi, S. 87−17069
Mocsary, J., Christ, M. Reducing switching voltages of medium-voltage fuses 88−62507
Moczala, H. Low power brushless DC linear motors 86−19302
Moczala, H. Small electric motors 86−19309
Moczko, F. *see* Lawrowski, Z. 88−75718
Mod, G., Radler, B., Toth, J. VSP field procedures 85−59441
Modak, H.V., Parmeswaran, S., Laxmi, M. Analysis of noise produced in a power generating station 86−65955
Modak, S.K., Patkar, V.N. Telephones and user behaviour−important findings 88−34987
Modarres, H., Lomax, R.J. Hierarchical design rule checking of VLSI systems 85−18429
Modarres, H., Lomax, R.J. A formal approach to design-rule checking 87−74360
Modarres, H., Raam, S., Lai, J.-H. Floorplanning of hierarchical layout in ASIC environment 88−70625
Modarres, H. *see* Dezfuli, H. 85−38712
Modarres, M. A method of predicting availability characteristics of series-parallel systems 85−39587
Modarres, M., Dezfuli, H. A truncation methodology for evaluating large fault trees 85−39590
Modarres, M., Roush, M., Hunt, R.N., Pearce, R. An integral approach to analysis of potential plant improvement 87−64218
Modarres, M., Roush, M.L., Nouri, F.R. A probabilistic cost-based method for evaluation of operational improvements of nuclear reactors 86−39303
Modarres, M. *see* Dezfuli, H. 88−6361
Modarres, M. *see* Hunt, R.N.M. 87−9126, 88−5450
Modarres, M. *see* Lois, E. 86−25707
Modarres, M. *see* Rathbun, D. 88−10986
Modarres, M. *see* Roush, M.L. 85−43853
Modarress, D. *see* Azzazy, M. 87−14621, 87−50002
Modarress, D. *see* Tan, H. 85−51717, 87−54443
Modavis, R.A., Love, W.F. Multiple-wavelength system for characterizing dispersion in single-mode optical fibers 85−29632
Modavis, R.A. *see* Bhagavatula, V.A. 86−22108
Modavis, R.A. *see* Emig, K.A. 86−49648
Moddel, G., Johnson, K.M., Handschy, M.A. Photoaddressing of high speed liquid crystal spatial light modulators 88−33785
Moddel, G., Su, F.-C., Vanier, P.E. The effect of deposition procedure on the conductivity of hydrogenated amorphous silicon multilayer films 87−16703
Moddel, G.R. *see* Gronet, C.M. 85−29070
Moddemeijer, J. On estimation of entropy and mutual information of continuous distributions 87−55230
Moddemeijer, R. Estimation of entropy and mutual information of continuous distribution [EEG signals] 85−59315
Moddemeijer, R. From maximum likelihood to an entropy estimate 87−68925
Moddemeijer, R. An information theoretical delay estimator 88−58999
Mode, R.L. Photovoltaic applications for transportation related systems and facilities 87−43583
Modebadze, O.E. Configuration and possible interactions of structural elements in boron-bismuth-oxide glassy semiconductors 87−45618
Modeev, Yu.I. *see* Gorbachev, A.A. 88−60655
Modeiski, J., Hinken, J.H. 35 GHz varactor analogue phase modulator in integrating waveguide technology 86−58050
Model, A.M., Savitskiy, A.Yu. Diffraction of the H_{10}-mode of a rectangular waveguide at an array of circular inductive rods 88−7015
Model, A.M., Stuzhin, V.A., Shkarinov, Yu.S. A multitrunk system for HF multiplexing of antenna-waveguide feeders 85−36139
Model', A.M. *see* Antonenko, V.M. 87−45174
Model, M.J. *see* Barzegar, F. 88−30863
Model, R. The engineering works at KW Riedersbach II 87−78492
Modelli, A., Manzini, S. High-field drift velocity of electrons in silicon inversion layers 88−19757
Modelli, A., Ricco, B. Electric field and current dependence of SiO_2 intrinsic breakdown 85−50798
Modelli, A. *see* Ghidini, G. 87−17831
Modelski, J. Analysis of propagation constant of rectangular waveguide with longitudinally magnetized ferrite rod 87−75545
Modelski, J. Applications of integrated waveguides in microwave technique 88−25516
Modelski, J. Ku-band continuous phase modulator with hyperabrupt varactor diode 88−50331
Modelski, J., Henze, F. Polarisation independent band pass filter with slits of finite thickness in integrating waveguide technology (INWATE) 88−56889
Modelski, J., Wiackowski, J., Henze, F. S-band dual-gate MESFET continuous phase shifters 88−50398
Modelski, J. *see* Maj, S. 88−25433
Modelski, J.W. *see* Maj, S. 85−20701
Modemann, G. Quality assurance for the maintenance of nuclear power plants 85−59886
Modena, C. *see* Guarnieri, M. 86−27650
Modena, G., Coleman, A., Usai, P., Coverdale, P. Subjective performance evaluation of the 7 kHz audio coder 87−40505
Modena, G. *see* Coleman, A. 87−62710
Modena, G. *see* Decina, M. 88−40855
Modena, I. *see* Carelli, P. 86−22048
Modena, M. *see* Donati, V. 85−56925
Modenov, V.I., Sveshnikov, A.G. A projection method of solving nonself-conjugate boundary-value problems in waveguide theory 86−48642
Modenov, V.P. Differentiation with respect to a parameter when solving transcendental equations of electrodynamics 86−29308
Modenov, V.P. Binary iterative corrector process for calculating complex roots of transcendental equations 86−57370
Modenov, V.P. The Galerkin method for non-self-adjoint boundary value problems in waveguide theory 87−33489
Modenov, V.P. Solution of the dispersion equations of waveguide theory by the method of parameter differentiation 87−47269
Modenov, V.P. The resonant properties of a dielectric cylinder in a circular waveguide 87−66502
Modenov, V.P., Magataev, A.V. Numerical modeling of anomalously small damping of electric waves in a planar corrugated waveguide 85−46610
Modenov, V.P., Slepyan, G.Ya. Calculation of the natural waves of a circular azimuthal-ridged waveguide with losses in the walls taken into account 85−57096
Modenov, V.P. *see* Borshchevskiy, V.V. 86−20789
Modera, M. *see* Sherman, M. 86−65299
Modesitt, B. *see* Liebes, S. 88−71236
Modesti, M., Saracco, R., Serio, F. Evaluation of the CCITT SDL in the specification, design and documentation of large industrial telecommunication systems 86−49165
Modesti, S. *see* Chiaradia, P. 88−4869
Modesti, S. *see* Evanfelisti, F. 86−35423
Modestino, G. *see* Paterno, G. 85−35345, 85−46068, 85−56192
Modestino, J.W., Azadegan, F. Rate-distortion performance of 2-D DPCM for Gaussian autoregressive sources 88−34594
Modestino, J.W., Bechtel, G. Coding options for the degraded optical PPM channel 85−30212

Modestino, J.W., Bollen, R.E., Prabhu, R.P. Analytical model for evaluation of symbol error probability for digital transmission over the two-wire loop 85−42333
Modestino, J.W., Eyuboglu, M.V. Simulated performance of an adaptive multielement integrated receiver structure in impulse or burst noise 87−75464
Modestino, J.W., Eyuboglu, V.M. The performance of an adaptive multi-element integrated receiver structure in impulsive or burst noise 85−41779
Modestino, J.W., Eyuboglu, V.M. Integrated multielement receiver structures for spatially distributed interference channels 86−59180
Modestino, J.W., Farvardin, N., Ogrinc, M.A. Performance of block cosine image coding with adaptive quantization 85−36350
Modestino, J.W., Harrison, D.D., Farvardin, N. Robust adaptive buffer-instrumented entropy-coded quantization of stationary sources 88−34592
Modestino, J.W., Massey, C.S., Bollen, R.E., Prabhu, R.P. Modeling and analysis of error probability performance for digital transmission over the two-wire loop plant 87−12873
Modestino, J.W., Matis, K.R. Interactive communication system simulation on a high-speed PC workstation 88−9018
Modestino, J.W., Matis, K.R., Bechtel, L.K. Convolutional code performance in impulsive or burst noise channels 87−39668
Modestino, J.W., Sargrad, D.H., Bollen, R.E. Use of coding to combat impulse noise on digital subscriber loops 88−52342
Modestino, J.W., Sheldon, R.J. Robust adaptive buffer-instrumented entropy-coded quantization of stationary sources 87−54954
Modestino, J.W. *see* Azadegan, F. 85−13636
Modestino, J.W. *see* Bechtel, G. 87−56186
Modestino, J.W. *see* Bollen, R.E. 85−57812
Modestino, J.W. *see* Farvardin, N. 85−57210, 86−48765, 87−27179
Modestino, J.W. *see* Matis, K.R. 86−29702, 86−30604, 88−34895
Modestino, J.W. *see* Schaub, T. 87−33636
Modestino, J.W. *see* Zhang, J. 88−66747
Modestino, W.M. Voice store and forward (VS&F) implementation strategy 86−4213
Modgil, S.K., Virk, H.S. Annealing of fission fragment tracks in inorganic solids 86−5820
Modgil, S.K. *see* Sandhu, A.S. 87−29662
Modgil, S.K. *see* Virk, H.S. 87−41879
Modi, H.R. Practical power supply testing 86−27059
Modi, M.D. Screening of plastic electronic housings by metal spraying 85−2587
Modine, F.A., Lowndes, D.H., Martinelli, J.R., Sonder, E. Laser fabrication of electrodes on zinc oxide varistors 85−50605
Modine, F.A., Wheeler, R.B. Fast pulse response of zinc-oxide varistors 87−60512
Modis, T. *see* Bourquin, M. 85−9047
Modis, T. *see* Kremer, P. 88−64137
Modla, R.N. *see* Blazhkevich, B.I. 87−3502
Modler, H. *see* Wolfelschneider, H. 88−68401
Modlin, D.N., Ravich, G. Applications of laser microsurgery in water scale integrated circuit manufacturing 87−46093
Modlin, D.N., Tiller, W.A. Apparatus for producing controlled positive or negative corona discharge for semiconductor materials processing 85−1522
Modlin, D.N., Tiller, W.A. Effects of corona-discharge induced oxygen ion beams and electric fields on silicon oxidation kinetics. I. Ion beam effects 85−55714
Modlin, D.N., Tiller, W.A. Effects of corona-discharge-induced oxygen ion beams and electric fields on silicon oxidation kinetics. II. Electric field effects 85−61856
Modlin, D.N. *see* Falster, R.J. 85−23613
Modlin, E.A. *see* Bair, C.H. 88−65632
Modlinski, U. *see* Lehnert, M. 88−60951
Modlitba, P. Voltage stability in the transmission network of a power system 88−17102
Modlo, R.J., Moore, R.J., Olshefski, F.J., Williams, W.F. Bubble heat sink 85−28055
Modolo, J.A., Anderson, G.W., Kub, F.J., Mack, I.A.G. Wafer level high-frequency measurements of photodetector characteristics 88−74398
Modolo, J.A. *see* Anderson, G.W. 88−25025, 88−65460
Modolo, J.A. *see* Saks, N.S. 85−23160, 87−32340
Modone, E., Parisi, G., Roba, G. Ultra low-loss optical fibres for long wavelength systems 85−52324
Modone, E., Parisi, G., Roba, G. Ultra low-loss optical fibres for long wavelength systems 86−4621
Modone, E., Parisi, G., Sordo, B. Experimental determination of time constant for reversible diffusion of H_2 in optical fibers 88−1943
Modone, E., Parisi, G., Sordo, B. Experimental determination of time constant for reversible diffusion of H_2 in optical fibres 88−58073
Modone, E. *see* Anelli, P. 86−17365, 86−42332, 86−49650
Modone, E. *see* Braglia, M. 86−64974, 87−32933
Modone, E. *see* Chigo, G. 86−36120
Modone, E. *see* Cocito, G. 86−52515, 88−7845, 88−20337, 88−39891, 88−51438 to 51439
Modone, E. *see* Ghigo, G. 85−35481, 86−53942, 87−1934, 87−12108, 87−38803
Modoyan, A.A. *see* Kobzarenko, L.N. 86−33135
Modreanu, I. *see* Mereanu, A. 87−58142
Modrusan, M., Gockenbach, E., Brunisholz, R. A universal impulse generator for testing metal oxide arresters 86−56502
Modrusan, M. *see* Gockenbach, E. 86−12393
Modry, R. *see* Reynders, J.P. 87−60701, 88−49090
Modrzejewski, A., Slepowronski, M., Warchol, S. Growth of $(Y_{1-x}Ce_x)_2Co_{17}$ single crystal compounds 86−7724
Modschiedler, K. *see* Behrens, R. 86−34055
Modugno, E.J., Johnson, G.W., Cohen, A.O. A hybrid parallel-serial approach to nonlinear filtering 86−16464
Mody, B. Contextual analysis of the adoption of a communications technology: the case of satellites in India 87−76686
Mody, H.K., Greenwood, A. An analytical and experimental study of post-arc phenomena in vacuum 87−22659
Modzelewski, J., Szaraniec, W. The measurements of static curves of the high power vacuum tubes 88−25776
Modzhuk, M.D. Metallurgical special features of electroslag welding a model of a rotor of 25KhN3MFA steel 88−62820
Moe, C.D. *see* Stubbs, D.P. 85−45995
Moe, C.D. *see* Whisler, J.W. 85−45996
Moe, D. *see* Price, H. 86−69702
Moe, G. *see* Kalisz, A. 87−47953
Moe, H.J., Veluri, V.R. Shielding design for the proposed Advanced Photon Source at Argonne 88−54386
Moe, O. *see* Haugen, A.T. 87−72024
Moe, R.L. *see* Abbott, J.L. 86−60967
Moe, W.R., Morton, L.E., Printz, G.W. ACCUNET Switched 56 is providing switched digital transmission now 86−10917
Moe, W.R. *see* Litofsky, B. 86−54770
Moebus, D., Lueder, E. Optimization of circuits using a combination of deterministic and statistical search 87−65628
Moehring, M.A., Ferraro, R.F., Klepper, J.R. An approach to identification of Doppler waveforms through real time pattern recognition techniques 88−61330
Moehring, M.A. *see* Klepper, J.R. 87−3970
Moelands, A.P.M. Modular system development of I^2C and D^2B [Inter IC bus and Domestic Digital Bus] 85−21912
Moelands, A.P.M.M. The I^2C bus−an interconnect structure integrated circuits 85−17993
Moeller, C.R. Space-time logic 87−5806
Moeller, D. *see* Dean, M. 85−11199
Moeller, D.J. *see* Burnham, J.B. 88−30584
Moeller, D.W., Kotra, J.P. Commentary on nuclear power plant control room habitability−including a review of related LERs (1981-3) 86−19023
Moeller, J., Kubler, B. Safe switching. Development aims and tendencies in medium-voltage switchgear 88−11318
Moeller, J.von *see* von Moeller, J.
Moeller, K. *see* Schaffner, J. 87−59871
Moeller, K.D., Heaney, J.B., Stewart, K.P. Noise tube sources for mm wave FT spectroscopy 88−25787
Moeller, K.D. *see* Williams, G.P. 88−25050
Moeller, M., Kausche, H., Guenzel, E., Juergens, W., Stetter, W. Enhanced stability of amorphous silicon pin solar cells by doping profiles 86−35566
Moeller, M. *see* Plattner, R. 87−16019
Moeller, R.P., Burns, W.K., Frigo, N.P. Scale factor accuracy and stability in an open loop fiber optic gyroscope 88−67867
Moeller, R.P. *see* Burns, W.K. 85−7241, 85−18702, 85−62341, 86−63638, 87−68108
Moeller, R.P. *see* Eknoyan, O. 86−48160, 86−48214, 86−48221, 86−58758, 88−26877
Moeller, R.P. *see* Miles, R.O. 88−65935
Moeller, R.P. *see* Villarruel, C.A. 85−63657
Moeller, R.P. *see* Wang, C.C. 85−2038
Moeller, W. Hybrid thick film power supplies 86−702
Moeller, W.-D., Sandweg, G. A highly regular peripheral processor 86−34885
Moeller, W.D., Sandweg, G. The peripheral processor PP4−A highly regular VLSI processor 85−17483
Moeller-Johnson, G. The importance of rheology in screen-printing ink. Newtonian vs. shear-thinning 88−57160
Moelling, D.S. *see* Gallucci, R.H.V. 88−10804
Moelter, M.J. *see* Manning, M.B. 87−56649
Moen, D.N. *see* Benning, C.S. 85−46760
Moen, G. Reliability growth through teamwork 86−278
Moen, G. *see* Roach, B. 87−76854
Moen, H. Stretch cables and budgets with Datel-Intern 85−8048
Moen, J. *see* Thaniyavarn, S. 85−50981, 87−33005
Moen, V.A. *see* Sears, W.M. 87−56653
Moenandir, W. Indonesian telecommunications development: an overview 86−16649
Moeneclaey, M. A fundamental lower bound on the performance of practical joint carrier and bit synchronizers 85−7774
Moeneclaey, M. Synchronizability of a general class of PCM formats, including NRZ, Manchester, and Miller coding 85−7812
Moeneclaey, M. Two maximum-likelihood symbol synchronizers with superior tracking performance 85−13440
Moeneclaey, M. The influence of four types of symbol synchronizers on the error probability of a PAM receiver 85−14094
Moeneclaey, M. The asymptotic cycle slip rate for a synchronization loop with arbitrary phase-detector characteristic 85−22719
Moeneclaey, M. The matched filter and square synchronizer for NRZ-PAM 86−16109
Moeneclaey, M. The influence of phase-dependent loop noise on the cycle slipping of symbol synchronizers 86−29671
Moeneclaey, M. A simple bound on the tracking performance of practical synchronizers 86−64183
Moeneclaey, M. Timing recovery in the presence of a residual echo signal 87−76416
Moeneclaey, M. The influence of cycle slipping on the error probability of a PAM receiver 88−8661
Moeneclaey, M., Bruneel, H. Efficient ARQ scheme for high error rate channels 85−7803
Moeneclaey, M., Bruneel, H., Bruyland, I., Chung, D.-Y. Throughput optimization for a generalized stop-and-wait ARQ scheme 86−43355
Moeneclaey, M., Bruyland, I. Two adaptive maximum-likelihood synchronizers for the Miller-coded waveform 85−19308
Moeneclaey, M., Bruyland, I. The joint carrier and symbol synchronizability of continuous phase modulated waveforms 87−27154
Moeneclaey, M., Bruyland, I. Two close to optimum maximum-likelihood synchronizers for the delay-modulated waveform 87−47488
Moeneclaey, M., Starzak, S., Meyr, H. Cycle slips in synchronizers subject to smooth narrow-band loop noise 88−66487
Moeneclaey, M. *see* Bruneel, H. 86−43356
Moenich, J. *see* Colton, E.P. 85−20768
Moenich, J. *see* Nielsen, R. 88−54064
Moenich, J. *see* Wehrle, R. 88−54065
Moens, L., Valenduc, G. Assessment of impacts of telematics onto industrial structures 88−66812
Moens, M. *see* Hubin, A. 87−16003
Moeny, W.H. *see* Roache, P.J. 85−2462
Moeny, W.M., Lampson, A.I. Field distortion control of glow discharges 85−1781
Moeny, W.M., von Dadelszen, M. Planar & radial UV-sustained glow discharge opening switches 87−11111
Moeny, W.M., von Dadelszen, M. UV-sustained glow discharge opening switch experiments 87−17449
Moeny, W.M. *see* Roache, P.J. 85−2463
Moeny, W.M. *see* von Dadelszen, M. 87−17590
Moeny, W.M. *see* Young, C.M. 87−17450
Moerdler, M. *see* Boult, T.E. 88−46216
Moerdler, M.L., Boult, T.E. The integration of information from stereo and multiple shape-from-texture cues 88−73345
Moerdyk, D.M. Computer image generators for testing infrared strategic defence seekers 88−75023
Moerl, L. ArF laser induced lift-off process 87−25123
Moerner, W.E. The spectroscopic search for single-photon materials 85−46117
Moerner, W.E. Laser light-induced physical processes in optical materials. Persistent spectral hole-burning 86−48074
Moerner, W.E. Molecular electronics for frequency domain optical storage: Persistent spectral hole-burning−a review 86−48484
Moerner, W.E., Levenson, M.D. Can single-photon processes provide useful materials for frequency-domain optical storage? 85−51251
Moerner, W.E., Macfarlane, R.M., Lenth, W. Frequency domain optical storage: The importance of photon-gated materials 87−60880
Moerner, W.E. *see* Bjorklund, G.C. 85−24689
Moerner, W.E. *see* Lenth, W. 86−58971, 87−46431
Moers, F.V., Hebert, T., Hese, A. Theory and experiment of CW dye laser injection locking and its application to second harmonic generation 86−54103
Moers, F.van *see* van Moers, F.
Moers, F.von *see* von Moers, F.
Moers, H., Rapp, C.J. Point Beach 1 steam generators replaced well ahead of schedule [nuclear power stations] 85−32287
Moersch, G., Lueder, E., Kallfass, T., Koger, K. High-voltage TFTs for addressing of light valves and EL displays 85−20675
Moersch, G. *see* Lueder, E. 86−2867, 86−50169
Moersch, G. *see* Spachmann, J. 88−16322

Moes, R.J. The CD-ROM/CD-I puzzle: where do the pieces fit? 88−22324
Moeschberger, M.L. *see* Klein, J.P. 87−5283
Moeschke, B. *see* Chwaleba, A. 85−43469
Moeschke, B. *see* Wlodarski, W. 86−5295
Moeskjaer, H., Pedersen, H., Sorensen, F.M. Rerouting equipment for digital transmission systems 88−35330
Moet, A. *see* Jonkers, A.G.M. 88−26522
Moezel, B.van der *see* van der Moezel, B.
Moezzi, S. *see* Weymouth, T.E. 88−73308
Moffat, A., Takaoka, T. An all pairs shortest path algorithm with expected running time $O(n^2 \log n)$ 86−19942
Moffat, A. *see* Miskolczy, G. 85−53932
Moffat, A.J., Quaglia, A., Bajcar, R.C. Application of magneto-optic modulators to advanced avionic displays 86−12107
Moffat, B. Television engineering research in the BBC, today and tomorrow 88−35649
Moffat, K., Bilderback, D., Schildkamp, W., Volz, K. Laue diffraction from biological samples 86−60680
Moffat, K., Carter, D. Evaluate model types before simulating logic circuits 88−38445
Moffat, K. *see* Bilderback, D. 88−42460
Moffat, N.M.J. *see* Brown, D.J. 88−50825
Moffat, R.J. *see* Anderson, A.M. 87−72848
Moffatt, A.M. *see* Lo, K.L. 86−50893, 88−61791, 88−61840
Moffatt, D., Runt, J., Safari, A., Newnham, R.E. V_2O_3 composite thermistors 87−52894
Moffatt, D. *see* Giniewicz, J.R. 87−60703
Moffatt, D. *see* Hu, K.A. 87−73801
Moffatt, D.L., Chun-yue Lai Natural resonance estimation 86−18480
Moffatt, D.L., Chun-Yue Lai Natural resonance estimation 86−23038
Moffatt, D.L., Lai, C.Y., Lee, T. Time-domain electromagnetic scattering by open ended circular waveguide and related structure 85−7702
Moffatt, D.L., Lee, T.C. Time-dependent radar target signatures, synthesis and detection of electromagnetic authenticity features 85−58182
Moffatt, D.L. *see* Fok, F.Y.S. 88−8437, 88−28927
Moffatt, D.L. *see* Kennaugh, E.M. 85−51406, 86−36765
Moffatt, D.L. *see* Kim, H.T. 86−22809
Moffatt, S. A 100 mA class ion implanter for large scale production of buried oxide SOI wafers 87−53334
Moffatt, W.L. *see* Wang, G.N. 85−10304
Moffeit, K.C. Status of the SLC 88−36310
Moffeit, K.C. *see* Bulos, F. 86−25095
Moffet, A.T. *see* Rogers, A.E.E. 85−25962
Moffett, D.R., Taylor, D. Process characterization of dry film solder mask lamination 88−38922
Moffett, D.W., Allan, J.B. Electrical design of the SBS BF1 solar array 88−36622
Moffett, J.W. *see* Ackenhusen, J.G. 87−40262
Moffett, M.B., Powers, J.M., McGrath, J.C. A ρc hydrophone 86−70545
Moffett, R. Development of an advanced thermal hydraulics model as applicable to full scope power plant simulators 88−17236
Moffett, R.H. Echo and delay problems in some digital communication systems 87−76579
Moffett, S.D. Nuclear fuel assembly identification using computer vision 86−25807
Moffett, S.D. *see* Titzler, P.A. 86−19803
Moffitt, K.W. *see* Rogers, S.P. 88−16349
Mog Lee Kyung *see* Kyung Mog Lee
Moga, M., Buta, A., David, G. The ranging within optimal efficiencies of low charged ventilation and exhaust installation drives by replacing the drive motor 85−21861
Moga, M., Buta, A., Ivascu, C., Milea, L. Experimental determination of steady state voltage dependent power characteristics of complex consumers 88−61788
Moga, M. *see* Kilyeni, S. 87−9522
Mogab, C.J. *see* Butherus, A.D. 86−9031
Mogab, C.J. *see* Chi, G.-C. 85−56131
Mogab, C.J. *see* DiLorenzo, J.V. 86−47307
Mogab, C.J. *see* Vasile, M.J. 86−28627
Mogahazy, A.El *see* El Mogahazy, A.
Mogaki, M., Miura, C., Terai, H. Algorithm for block placement with size optimization technique by the linear programming approach 88−24895
Mogami, T., Morimoto, M., Okabayashi, H. Via-hole filling with molybdenum by RF bias sputtering 85−34889
Mogami, T., Morimoto, M., Okabayashi, H., Nagasawa, E. SiO_2 planarization by two-step RF bias-sputtering 85−50414
Mogami, T., Okabayashi, H., Kajiyana, K., Uda, K., Morimoto, M., Hoshino, H. Mo-silicides bias-sputtering and its application to thermally-stable, via-hole-filled contact formation 88−20101
Mogami, T., Okabayashi, H., Nagasawa, E., Morimoto, M. Planarized molybdenum interconnections using via-hole filling by bias sputtering 86−28435
Mogami, Y., Moriuchi, S., Baba, N., Shoman, T. Optimization algorithm of measurement locations based on random optimization method 88−9970
Mogami, Y., Moriuchi, S., Shoman, T. A numerical solution of Davison's method for matrix Riccati differential equation with constant coefficient 87−52070
Mogami, Y. *see* Baba, S.A. 87−72574
Mogavero, C., Nervo, G., Paschetta, G. Mixed recursive echo canceller (MREC) 87−34228
Mogavero, C., Nervo, G., Pashchetta, G. Mixed recursive echo canceller (MREC) 87−62728
Mogavero, C. *see* Ambrosio, R. 87−34000
Mogavero, C. *see* Brosio, A. 86−4361, 86−30475, 87−12964
Mogavero, C. *see* Lotito, N. 85−42061
Mogavero, R. *see* Favier, Ch. 85−37459
Mogensen, F., Hodgkinson, T.G., Smith, D.W. FSK heterodyne system experiments at 1.5 μm using a DFB laser transmitter 85−47504
Mogensen, F., Olesen, H., Jacobsen, G. FM noise suppression and linewidth reduction in an injection-locked semiconductor laser 85−56632
Mogensen, F., Olesen, H., Jacobsen, G. Locking conditions and stability properties for a semiconductor laser with external light injection 86−3149
Mogensen, F. *see* Damsgaard, H. 88−65235
Mogensen, F. *see* Saito, S. 86−15708
Mogensen, G. TV-transmission on optical fibres 85−37200
Mogensen, G. Installation practice for optical fibre cables 87−70051
Mogensen, G. State of the art and trends in general fibre optic networks and in broadband networks 87−76105
Mogensen, G. *see* Viereck, P. 88−60152
Moggridge, J. V-SAT market takes off 87−34464
Moggridge, J. Networking strategies from private to public 87−40339
Moghadam, F.K. Material and processing technologies of polyimide for advanced logic double metal devices 88−19840
Moghadam, J. *see* Katz, L. 88−90
Moghaddam, M. *see* Chew, W.C. 87−73625
Moghaddamjoo, A. Eigenstructure variability of the multiple-source multiple-sensor covariance matrix with contaminated Gaussian data 88−34644
Moghaddamjoo, A. Step signal detection via clustering analysis with Gaussian contamination 88−46299
Moghaddamjoo, A., Kirlin, R.L. Robust adaptive Kalman filtering with unknown inputs 87−7785
Moghaddamjoo, A. *see* Kirlin, R.L. 86−10404, 86−43221, 87−7717, 87−69219
Moghazy, A.El *see* El Moghazy, A.
Moghazy Ali El *see* Ali El Moghazy
Moghbeli, F., He, D., Allcock, G., Hall, D.R. Impedance matching in radio-frequency discharge excited waveguide lasers 85−12790
Moghe, C.S. *see* Raghavan, S.V. 85−25557
Moghe, S., Andrade, T., Sun, H. A low cost GaAs monolithic LNA for TVRO applications 85−55174
Moghe, S., Andrade, T., Sun, H., Huang, C. A manufacturable GaAs MMIC amplifier with 10 GHz bandwidth 85−1051
Moghe, S., Holden, T. High performance GaAs *C*-band and *Ku*-band MMIC oscillators 87−73789
Moghe, S. *see* Ali, F. 88−19370, 88−71115
Moghe, S. *see* Genin, R. 87−32091
Moghe, S. *see* Lee, K.W. 88−19413
Moghe, S. *see* Lockie, D. 87−998
Moghe, S. *see* Podell, A. 87−999, 88−19372
Moghe, S. *see* Ramachandran, R. 87−59882, 88−63949
Moghe, S. *see* Turner, E. 88−63948
Moghe, S.B., Genin, R. A low-cost, 3-7 GHz, 1/2 Watt MMIC GaAs amplifier 86−67499
Moghe, S.B., Genin, R. A low cost, 3-7 GHz, 1/2 watt MMIC GaAs amplifier 87−6158
Moghe, S.B., Genin, R. A high-yield, 3-7 GHz, 0.5-W push-pull GaAs MMIC amplifier 87−32071
Moghe, S.B., Holden, T.J. High-performance GaAs MMIC oscillators 88−25463
Moghe, S.B., Sun, H.-J., Andrade, T., Huang, C.C., Goyal, R. A monolithic direct-coupled GaAs IC amplifier with 12-GHz bandwidth 85−17826
Moghe, S.B., Sun, H.-J., Andrade, T., Huang, C.C., Goyal, R. A monolithic direct-coupled GaAs IC amplifier with 12 GHz bandwidth 85−23122
Moghe, S.B. *see* Osbrink, N.K. 85−40242
Moghe, S.B. *see* Ramachandran, R. 88−25452, 88−25476
Moghram, I.S., Tylavsky, D.J. Electric field of a transmission line over multilayered media 87−33468
Moghrom, I.S. *see* Wait, J.R. 88−45740
Mogi, A. *see* Kikuchi, Y. 85−63706
Mogi, A. *see* Suzuki, H. 87−8328
Mogi, C. *see* Hasegawa, F. 88−32930
Mogi, S., Yokoyama, R., Morita, T. Multi-stage optimization of generation mix considering system reliability 87−57589
Mogi, S. *see* Adachi, R. 86−52074
Mogi, Y. *see* Itoh, S. 86−11304
Mogilatov, V.S., Goroshko, N.V. Generation of a field from a source grounded in a cased borehole 87−77830
Mogilev, G.P., Kozina, N.I., Ivanova, N.M., Berger, P.A. Type Sh2104 shunt-reactor protection cabinet 87−9623
Mogilevskaya, L.Ya., Grinberg, G.S., Khotuntsev, Yu.L. A computer study of the fluctuation properties of varactor frequency multipliers allowing for recombination and hysteresis losses 86−35051
Mogilevskaya, L.Ya. *see* Grinberg, G.S. 87−52402
Mogilevskaya, L.Ya. *see* Leonov, V.G. 88−71524
Mogilevskaya, L.Ya. *see* Vitvitskiy, V.G. 85−6534
Mogilevski, B.M., Shirn, G.A. Accelerated life tests of ceramic capacitors 88−63995
Mogilevskii, D.I. *see* Zhivilova, L.M. 86−6572
Mogilevskii, G.V. *see* Ershov, Yu.K. 87−42938
Mogilevskii, G.V. *see* Nikitenko, A.G. 85−21196
Mogilevskii, V.M. *see* Zhuravlev, Zh.P. 86−11638
Mogilevsky, B.M., Shirn, G.A. Surge current failure in solid electrolyte tantalum capacitors 86−62866
Mogiliev, G.P. *see* Zasypkin, A.S. 85−38574
Mogil'ner, L.Yu., Sakhranov, A.V., Urman, N.S. Passage of a limited ultrasound beam through a plane layer of contacting liquid in inclined incidence and pulsed radiation 87−23775
Mogil'ner, L.Yu. *see* Aleshin, N.P. 86−52565
Mogil'nikov, V.S., Oleinikov, A.M. Calculating the parameters of a two-layer induction-motor rotor for small slips 85−43982
Mogil'nikov, V.S., Oleinikov, A.M. Impedances of electrically and magnetically conducting bodies of rectangular cross-section 85−53705
Mogil'nitskii, V.G. *see* Ioffe, Yu.S. 87−9660
Mogil'nyi, B.V. *see* Polyakov, A.L. 88−53642
Mogirev, V.V. *see* Batyuk, I.I. 86−61140
Mogirev, V.V. *see* Manusov, V.Z. 85−21072
Moglestue, C. Influence of coupled plasmon-polar optical phonon modes on the mobility of electrons in GaAs 85−11925
Moglestue, C. Monte-Carlo particle model study of the influence of gate metallisation and gate geometry on the AC characteristics of GaAs MESFETs 85−12286
Moglestue, C. A Monte Carlo particle model study of hot electron injection 85−50497
Moglestue, C. Monte Carlo particle simulation of a GaAs MESFET with a gate trench sloping towards the source 86−2158
Moglestue, C. A Monte Carlo particle study of the intrinsic noise figure in GaAs MESFET's 86−21568
Moglestue, C. Hot, tepid and temperature electrons in bulk GaAs 86−35318
Moglestue, C. Monte Carlo particle simulation of the hole-electron plasma formed in a *p-n* junction 86−41570
Moglestue, C. Self-consistent calculation of electron and hole inversion charges at silicon-silicon dioxide interfaces 86−47415
Moglestue, C. A self-consistent Monte Carlo particle model to analyse semiconductor microcomponents of any geometry 86−53579
Moglestue, C. Channel mobility in silicon MOSFETs 87−6756
Moglestue, C. *see* Murray, S.J. 86−9067
Mognard, N.M., Campbell, W.J. Comparison of sea surface wind speed fields by Seasat radar altimeter, scatterometer, and scanning multichannel microwave radiometer, with an emphasis on the Southern Ocean 86−6114
Mognaschi, E.R., Savini, A. Dielectrophoresis of lossy dielectrics 85−29349
Mognaschi, E.R., Savini, A. Dielectrophoresis of lossy dielectrics 86−2447
Mognetti, F. *see* Innorta, M. 85−27151
Mogolesko, F.J., Hanley, D.W., Roberts, K.P., Horan, D.S., Grazio, R.E. The BECo experience with State mandated generating unit performance standards 87−9270
Mogolesko, F.J. *see* Dykes, A.A. 86−51310
Mogolesko, F.J. *see* Grazio, R.E. 86−51412
Mogollon, H.M. The Agua Prieta Hydro Project in Mexico 88−69211
Mogollon, L. *see* Joshi, N.V. 85−18113, 88−20491
Mogri, S. *see* Goepper, D. 86−12411
Mogridge, L. *see* Williams, D.R. 85−65137
Mogro-Campero, A. Changes of electrical properties of implanted buried oxide in silicon by high-temperature annealing 87−32348
Mogro-Campero, A. Ion implantation for carrier lifetime control in silicon technology 87−60308
Mogro-Campero, A., Chang, M.F., Benjamin, J.L. Resistance changes in silicon by MeV proton implantation 88−32753
Mogro-Campero, A., Love, R.P. Carrier lifetime reduction by ion implantation into silicon 85−18065
Mogro-Campero, A., Love, R.P. Carrier lifetime reduction in silicon by proton implantation through MOS structures 85−23587
Mogro-Campero, A., Love, R.P. Carrier lifetime reduction in silicon 85−40611

Mogro-Campero, A., Love, R.P. Near-surface effects of gold in silicon 87−1400
Mogro-Campero, A., Love, R.P., Chang, M.F., Dyer, R.F. Shorter turn-off times in insulated gate transistors by proton implantation 85−45703
Mogro-Campero, A., Love, R.P., Chang, M.F., Dyer, R.F. Localized lifetime control in insulated-gate transistors by proton implantation 87−25283
Mogro-Campero, A., Love, R.P., Chang, M.F., Dyer, R.F. Temperature behavior and annealing of insulated gate transistors subjected to localized lifetime control by proton implantation 87−38316
Mogro-Campero, A., Love, R.P., Jones, S.J. Carrier lifetime reduction in silicon by high-energy neutron irradiation 86−47275
Mogro-Campero, A., Love, R.P., Lewis, N., Hall, E.L. Silicon-on-insulator by oxygen implantation with a stationary beam 85−40522
Mogro-Campero, A., Love, R.P., Lewis, N., Hall, E.L., McConnell, M.D. Buried oxide in silicon by oxygen implantation into scanned wafers 86−35559
Mogro-Campero, A., Love, R.P., Lewis, N., Hall, E.L., McConnell, M.D. High-temperature annealing of implanted buried oxide in silicon 87−1393
Mogro-Campero, A., Love, R.P., Schubert, R. Drastic changes in the electrical resistance of gold-doped silicon produced by a hydrogen plasma 86−8736
Mogro-Campero, A. *see* Ashok, S. 86−2118
Mogro-Campero, A. *see* Bunker, S.N. 87−53364
Mogro-Campero, A. *see* Giewont, K. 87−11434
Moguel, K.D. *see* Felten, J.J. 87−65213
Mogueva, O.V. *see* Vlasova, V.V. 86−1095
Mogul, J.C., Rashid, R.F., Accetta, M.J. The packet filter: an efficient mechanism for user-level network code 88−21654
Mogul, J.C. *see* Kent, C.A. 88−59351
Mogyorosi, P., Piglmayer, K., Kullmer, R., Bauerle, D. Laser-induced chemical etching of silicon in chlorine atmosphere. II. Continuous irradiation 88−44533
Mogyorosi, P. *see* Bunkin, F.V. 85−45570
Mogyorosi, P. *see* Szil, E. 86−10031
Moh, W. Applications of SMD (surface mounted devices) in smaller organisations 88−44459
Moh Teng-Sheng *see* Teng-Sheng Moh
Mohamad, A.S. *see* Nahas, M.N. 88−37123, 88−62282
Mohamad, K., Isobe, S., Takemoto, M., Usui, M., Benitani, T. New software approach to improve a 3-phase PWM-inverter output characteristics 87−4813
Mohamad, W.F., Dawood, A.S. Vacuum deposition and evaluation of constituent layers of Cu_2S/CdS solar cell 87−78923
Mohamad, W.F., Dawood, A.S. Improved efficiency of Cu_2S/CdS solar cell 88−31007
Mohamadein, A.L. Self-excited electro-magnetic coupling: comparison between different designs 87−51181
Mohamadein, A.L., Al-Bahrani, A.H., Al-Ohaly, A. Dynamic performance of a group of induction motors using load-angle approach 87−22386
Mohamadein, A.L., Al-Ohaly, A., Al-Bahrani, A. On the choice of phase-balancer capacitance for induction motors FED from single-phase supply 88−5685
Mohamadein, A.L., Hassan, S.A., El-Shanawany, M.M. A slotted variable reluctance three phase linear stepping motor 86−33438
Mohamadein, A.L., Hassan, S.A., El-Shanawany, M.M. Torque production, static and dynamic step angles in an induction motor modified as a stepping motor 87−51270
Mohamadein, A.L. *see* Hassan, S.A. 85−43941, 85−48942
Mohamadi, F., Lyon, D.L. Interference issues affecting Ku-band small aperture satellite systems 86−59859
Mohamadi, F., Lyon, D.L. Effects of solar transit in *Ku*-band VSAT systems 88−67291
Mohamadi, F., Lyon, D.L., Murrell, P.R. Effects of solar transit in Ku-band VSAT systems 87−40817
Mohamadi, F., Lyon, D.L., Murrell, P.R. Effects of solar transit on Ku-band VSAT systems 88−53212
Mohamed, A., Jasmon, G.B. Realistic power system security algorithm 88−36777
Mohamed, A.R. *see* El-Sharkawy, M.A. 87−52747
Mohamed, C.S. *see* Kotkata, M.F. 86−27939
Mohamed, E.A., El-Sharkawy, M.A., Amer, A.H. Excitation control designs of local synchronous generators 87−78651
Mohamed, E.A., Swift, G.W. Power system self-excitation online security assessment 87−77992
Mohamed, E.A., Swift, G.W. A new application of multi-class pattern recognition to power systems 88−23304
Mohamed, E.A., Swift, G.W. Converter station blocking and system overvoltages on northern system 88−23561
Mohamed, H. *see* Abdel, H. 85−7651
Mohamed, I.A., Al-Naima, F.M., Al-Khiro, Th.N. Nonlinear programming approach for the design of a PSC motor using random search techniques 87−15747
Mohamed, J.L. *see* Phillips, C. 87−58876
Mohamed, M.R. *see* Mwandosya, M.J. 85−60160
Mohamed, N.J. Beam forming with nonsinusoidal coded waveforms 86−64063
Mohamed, N.J. Magnetic lines of force of a large-current radiator 88−8393
Mohamed, N.J. Lines of force for a Hertzian electric dipole 88−8589
Mohamed, N.J. Two-dimensional beamforming with nonsinusoidal signals 88−14530
Mohamed, N.J. *see* Harmuth, H.F. 86−64062
Mohamed, N.M. *see* El-Deek, M. 85−5541
Mohamed, O.I., Takaoka, T., Watanabe, K. A simple linear temperature-to-frequency converter using a thermistor 88−9969
Mohamed, S.A., Ballance, J.W. 19 GHz digital point-to-multipoint radio system for local distribution 86−23690
Mohamed, S.A. *see* McFarlane, D.A. 88−28730
Mohamed A Abdel Halim *see* Manning, C.D. 88−75588
Mohamed Salih, P.E. *see* Vasu, E. 88−47416
Mohammad, I.F. *see* Finlayson, D.M. 87−74006
Mohammad, S.N. An alternative method for the performance analysis of silicon solar cells 87−43431
Mohammad, S.N., Rogers, C.E. Theory of electrical transport and recombination in polycrystalline semiconductors under optical illumination 88−57289
Mohammad, S.Noor *see* Noor Mohammad, S.
Mohammad, S.Norr *see* Norr Mohammad, S.
Mohammad Hassan Khandani, S., Rose, D.J. Options in planning global energy strategies 86−12544
Mohammad Madihian *see* Honjo, K. 88−64513
Mohammad Taheri, M. *see* Mushekai-Syahkal, D. 88−2656
Mohammad-Djafari, A., Demoment, G. Maximum entropy diffraction tomography 87−29754
Mohammad-Djafari, A., Demoment, G. Maximum entropy Fourier synthesis with application to diffraction tomography 87−47877
Mohammad-Djafari, A., Leroy, J. New instrument for noninvasive measurement of the His-Purkinje system signal 85−43403
Mohammadi, A., Inganas, O., Lundstrom, I. Properties of polypyrrole-electrolyte-polypyrrole cells 86−61711
Mohammadi, M. *see* Bauer, G. 87−29544, 87−77572
Mohammadian, A.H. Integral equation formulation for printed antennas 88−963
Mohammadian, A.H. Time-dependent dyadic Green's functions for rectangular and circular waveguides 88−66135
Mohammed, A. *see* Trivedi, S.S. 87−57066
Mohammed, A.-K.A. *see* Abdulla, S.A. 88−5156
Mohammed, A.A., Corbett, S.J. Thick film metallizations and performance of a power hybrid module on aluminum nitride substrates 86−53263
Mohammed, A.M. *see* Marie, K.S. 86−29337
Mohammed, F.A. *see* Ayad, N.M.A. 85−46976
Mohammed, I.A. *see* Al-Ma'Sarawy, S.M. 86−70914
Mohammed, J., Simmons, R. Qualitative simulation of semiconductor fabrication 87−38059
Mohammed, K., Capasso, F., Allam, J., Cho, A.Y., Hutchinson, A.L. New high-speed long-wavelength $Al_{0.48}In_{0.52}As/Ga_{0.47}In_{0.53}As$ multiquantum well avalanche photodiodes 85−64147
Mohammed, K., Capasso, F., Allam, J., Cho, A.Y., Hutchinson, A.L. New high-speed long wavelength $Al_{0.48}In_{0.52}As/Ga_{0.47}In_{0.53}As$ multiquantum well avalanche photodiodes 86−48284
Mohammed, K., Capasso, F., Logan, R.A., Van Der Ziel, J.P., Hutchinson, A.L. High-detectivity $InAs_{0.85}Sb_{0.15}/InAs$ infra-red (1.8-4.8 μm) detectors 86−31428
Mohammed, K. *see* Capasso, F. 85−12722, 85−34556, 85−62430, 86−1784, 86−21229, 86−35385, 86−47362, 86−53375, 86−53403, 87−6426, 87−7204, 87−11409
Mohammed, K. *see* Kasemset, D. 85−18081
Mohammed, K. *see* Pudensi, M.A.A. 85−49548
Mohammed, K. *see* Yuan, Y.R. 85−7312
Mohammed, K.A. *see* Lanchester, P.C. 85−49739, 85−52888
Mohammed, M.El Hassan Ben *see* El Hassan Ben Mohammed, M.
Mohammed, M.El-Hassan Ben *see* El-Hassan Ben Mohammed, M.
Mohammed, M.T., Taha, W.A. Characteristics of Si-solar cell and improvement related to SnO_2:F surface coating 85−49103
Mohammed, O.A. A virtual work-magnetic vector potential method for the calculation of three dimensional forces on magnetized ferrous cores 85−62199
Mohammed, O.A. Utilizing three dimensional magnetic field solutions in the calculation of forces on current carrying conductor segments 85−62735
Mohammed, O.A. Determination of saturated transformer winding inductances from three dimensional finite element field solutions 85−65307
Mohammed, O.A. Electromagnetic field modeling of implantable telemetry systems 86−32322
Mohammed, O.A. A numerical model for an implantable telemetry system: coil design and system analysis through electromagnetic field coupling 87−8550
Mohammed, O.A. Computational verification of the three dimensional finite element formulation in the presence of three components of excitation current densities 87−12668
Mohammed, O.A. Finite element analysis of implantable telemetry systems 87−14835
Mohammed, O.A. Three dimensional calculation of eddy current losses in metallic structures using complex magnetic vector potential 87−19138
Mohammed, O.A. Numerical imposition of Neumann and Dirchlet boundary conditions for three dimensional magnetic field computation 87−54474
Mohammed, O.A. Computation of thick-film stripline characteristic parameters from numerical solution of the Helmholtz complex wave equation 87−54643
Mohammed, O.A. Numerical determination of the performance of magnetically coupled coils in medical telemetry systems 87−56549
Mohammed, O.A. Finite element analysis of thick-film hybrid micro-circuits 88−7018
Mohammed, O.A. A numerical design and analysis tool for implantable telemetry systems by finite elements 88−9890
Mohammed, O.A. CCETS−computer code for evaluation of implantable telemetry 88−48145
Mohammed, O.A. Design of radio frequency powered coils for implantable stimulators 88−61457
Mohammed, O.A. A miniature DC-DC converter for medical implants 88−63522
Mohammed, O.A. An inverse technique for the design of electromagnetic devices 88−64923
Mohammed, O.A. Fast solution techniques in 3D electromagnetic field problems 88−65945
Mohammed, O.A., Batina, W.P. Computer-aided design tool for implantable telemetry systems 86−60770
Mohammed, O.A., Batina, W.P. A method for pacemaker's coil design using a numerical model 87−57239
Mohammed, O.A., Demerdash, N.A. A 3-D finite element perturbational method for determining saturated values of transformer winding including experimental verification 86−39892
Mohammed, O.A., Demerdash, N.A. An extremely fast technique for nonlinear three dimensional finite element magnetic field computations 88−52044
Mohammed, O.A., Demerdash, N.A., Nehl, T.W. Nonlinear vector potential formulation and experimental verification of Newton-Raphson solution of three dimensional magnetostatic fields in electrical devices 86−56684
Mohammed, O.A., Salinger, J.D. A new technique for transformer design in power electronics applications using nonlinear magnetic field solutions 87−73312
Mohammed, O.A., Salinger, J.D. A miniature DC-DC converter for energy producing implantable devices 88−54639
Mohammed, O.A., Salinger, J.D., Jones, W.K., Batty, J.R. A miniature DC-DC converter for energy producing implantable devices 88−48240
Mohammed, O.A. *see* Demerdash, N.A. 85−35971, 87−7018
Mohammed, O.A. *see* Garcia, L.F. 88−45624, 88−65946
Mohammed, O.A. *see* Mundulas, J.M. 88−48898
Mohammed-Brahim, T., Benmalek, M. Polarization effects in mercuric iodide crystals used for nuclear detection 85−52980
Mohammed-Brahim, T., Friant, A., Mellet, J. Structure MIS effects on polarization of HgI_2 crystals used for γ-ray detection 85−43235
Mohammed-Brahim, T., Hamouli, D. Surface problems of mercuric iodide crystals used as X- and gamma-ray detectors 86−50342
Mohan, A., Kak, S.K., Raghunath Digital phase and frequency programmable sinewave synthesizer 87−56714
Mohan, C., Lindsay, B. Efficient commit protocols for the tree of processes model of distributed transactions 85−47228
Mohan, C., Shanker, K. A numerical study of some modified versions of controlled random search method for global optimization 88−24649
Mohan, C., Shanker, K. Reliability optimization of complex systems using random search technique 88−70175
Mohan, C. *see* Blake-Knox, M. 87−40184
Mohan, C.S. *see* Raju, V. 85−42386, 88−28252
Mohan, G. *see* Singh, B. 88−55305
Mohan, M., Banerjee, P.K., Pasricha, P.K., Reddy, B.M. Estimation of antenna gain degradation using height profiles of C_n^2 86−10190

Mohan, M., Reddy, B.M. Scintillation studies of transionospheric signal 88−66071
Mohan, M. *see* Banerjee, P.K. 87−47224
Mohan, M. *see* Sarkar, A. 88−61648
Mohan, N., Undeland, T.M., Ferraro, R.J. Sinusoidal line current rectification with a 100 kHz B-SIT step-up converter 85−10017
Mohan, N. *see* Hayes, J.G. 88−55513
Mohan, N. *see* He, J. 88−30381
Mohan, N. *see* Henze, C.P. 87−22584
Mohan, N.Krishna *see* Krishna Mohan, N.
Mohan, P., Balasubramanian, R., Rao, K.S.P. A new Fourier method for evaluating generation system reliability indicies 87−4212
Mohan, P.V.A. Active filter design using cascaded identical low-order (≥2) filter sections 86−14356
Mohan, P.V.A. Predistortion of Friend's single amplifier biquad 86−62693
Mohan, P.V.A. New structures for MOSFET-C filters 87−73541
Mohan, P.V.A. Active compensation of op-amp inverting amplifiers using NIC 88−56467
Mohan, P.V.A., Ramachandran, V., Swamy, M.N.S. Nodal voltage simulation of active *RC* networks 86−1234
Mohan, P.V.A., Ramachandran, V., Swamy, M.N.S. Parasitic-compensated single amplifier SC biquad equivalent to Fleischer-Laker SC biquad 86−46975
Mohan, P.V.Ananda *see* Ananda Mohan, P.V.
Mohan, R., Brewster, L.J. Intersection of shaped radiation beams with arbitrary image sections 87−57212
Mohan, R., Chui, C. Energy and angular distributions of photons from medical linear accelerators 86−5979
Mohan, R., Nevatia, R. Perceptual grouping with applications to 3D shape extraction 88−28110
Mohan, R. *see* Brewster, L. 87−57221
Mohan, S. An approach for the relative calibration of radar imagery 86−60927
Mohan, S., Chih-Min Lin, Kryskowski, D. Stack algorithm speech encoding with fixed and variable symbol release rules 86−3800
Mohan, S., Komandur, S.M. Performance of a multiprocessor-based parallel stack algorithm speech encoder 87−27350
Mohan, S., Komandur, S.M. Performance of a multiprocessor-based parallel stack algorithm speech encoder 87−39691
Mohan, S., Qian, J., Rao, N.L. Efficient point-to-point and point-to-multipoint selective-repeat ARQ schemes with multiple retransmissions: a throughput analysis 88−66956
Mohan, S., Sharma, Y.K., Agarwal, R.S. Thermal noise in single injection solid state diode with thermal free carriers at high fields 85−34912
Mohan, S., Sood, A.K. A multiprocessor architecture for the (M, L)-algorithm suitable for VLSI implementation 87−18213
Mohan, S. *see* Garg, N.K. 86−69313, 87−75980, 88−8908
Mohan, S. *see* Gautam, V.K. 85−1551
Mohan, S. *see* Kehtarnavaz, N. 88−46232
Mohan, S. *see* Mohan Rao, G. 88−53916
Mohan, S. *see* Sriraman, R. 86−64203
Mohan, S. *see* Vembar, M. 87−55318, 88−72740
Mohan, S.A. *see* Das, B.N. 85−41658, 85−51351, 85−51466
Mohan, S.B., Adiga, B.S. Fast algorithms for implementing RSA public key cryptosystem 85−57225
Mohan, S.R. *see* Ramamurthy, K.G. 88−11820
Mohan Anand *see* Anand Mohan
Mohan Jha Rakesh *see* Rakesh Mohan Jha
Mohan Rao, G., Mohan, S. Vacuum emissivity meter for thermal emittance measurements of coatings 88−53916
Mohan Rao, G.R. *see* White, L.S. 85−794
Mohan Rao, G.R. *see* White, L.S., Jr. 85−22861
Mohan Rao, Y. Radiation characteristics of four waveguide monopulse feed 86−22846
Mohan Saha, M., Eriksson, L. The fault locator: the relay's electronic bloodhound 87−21981
Mohan Sastry, C.K., Nath, M.C. Profile of BHEL to-day in design and manufacturing of hydro-generator 88−43090
Mohan-Ram, S.V.S. *see* Richardson, J. 88−69767
Mohana Rao, A.S. *see* Kumar, A.R. 86−59955
Mohanakrishnan, G. *see* Lacourse, J. 85−13173
Mohanan, P., Aanandan, C.K., Nair, K.G. A circularly polarized corrugated flanged feed horn−its design and development 85−19255
Mohanavelu, K.S., Moorty, P.V.R. Satellite antenna beam optimization through interactive computer program using personal computers 88−58933
Mohanavelu, K.S. *see* Murthy, S.N. 87−62898
Mohankrishnan, N. *see* Shridhar, M. 85−15316
Mohanram, K.R. *see* Nagappan, K. 85−59621
Mohanta, S. *see* Nath, N.G. 87−41899
Mohanty, A.K., Dash, P.K. Steady state performance and dynamic stability of CSI fed permanent magnet motor 88−5659
Mohanty, A.K., Iyengar, K.N., Ajitanand, N.N. Automatic scanning of enlarged fission tracks in Lexan polycarbonate 87−21493
Mohanty, A.K. *see* Iyengar, K.N. 87−14786
Mohanty, B.C. *see* Galgali, R.K. 88−6440
Mohanty, B.C. *see* Gumaste, J.L. 88−6439
Mohanty, B.P., Todd, T.D. Connection-based media access for multichannel local and metropolitan area networks 88−9119
Mohanty, B.P., Todd, T.D. Connection-based media access for multichannel local and metropolitan area networks 88−52922
Mohanty, H., Bhattacharjee, G.P. A distributed algorithm for the shortest path problem 87−40034
Mohanty, K.M. *see* Todd, J. 87−1264
Mohanty, M. *see* Venkataraman, S. 88−49618
Mohanty, P.K. *see* Puntambekar, P.N. 87−12408, 88−14085
Mohanty, R.K. *see* Joenathan, C. 85−46493
Mohanty, S. *see* Das, N.C. 86−35706
Mohanty, S.D. *see* Das, N.C. 86−9159
Mohapatra, D. *see* Miczo, A. 87−44748
Mohapatra, S. *see* Potts, J.E. 87−31506
Mohapatra, S.K. *see* Cheng, H. 87−36735, 88−1379
Mohapatra, S.K. *see* DePuydt, J.M. 88−18682, 88−31776
Mohapatra, S.K. *see* Smith, T.L. 88−12952
Mohapatra, T. *see* Acharya, B.P. 87−23583
Mohar, B. A common cover of Graphs and 2-cell embeddings 86−34154
Mohar, B. The enumeration of akempic triangulations 87−23487
Mohar, B. Simplicial schemes 87−23491
Mohar, B. Nonorientable genus of nearly complete bipartite graphs 88−43776
Mohar, R. *see* Rihar, M. 88−5805
Mohar, T. *see* Miletic, M. 88−22909
Moharam, M.G. *see* Delavaux, J.-M.P. 85−24333
Moharam, M.G. *see* Gaylord, T.K. 85−50988
Moharam, M.G. *see* Glytsis, E.N. 87−60963
Moharam, M.G. *see* Knoesen, A. 86−9456, 88−72102
Mohareb, S.F. *see* Attia, M.F. 85−37743
Moharil, S.V. *see* Deshmukh, B.T. 86−48258
Moharil, S.V. *see* Kathuria, S.P. 88−45291
Moharir, P.S. Efficient computation 85−33266
Moharir, P.S. Extending the scope of Golub's method beyond complex multiplication 85−49494
Moharir, P.S. Predictive deconvolution. II 86−29871
Moharir, P.S. Predictive deconvolution. I 86−37035
Moharir, P.S., Kenkata Rao, K., Varma, S.K. Barker towers 85−13473
Moharir, P.S., Varma, S.K., Venkatarao, K. Ternary pulse compression sequences 85−57373
Moharir, P.S., Venkata Rao, K., Varma, S.K. Energy efficient synthesis of ambiguity surface [radar signals] 85−47561
Moharir, P.S., Venkata Rao, K., Varma, S.K. Monogenic function range resolution radar 87−76828
Moharir, P.S. *see* Venkata Rao, K. 86−22996
Moharram, A.H., Panayotatos, P., Yeh, J.L., Lalevic, B. The effect of Be and Cr electrode deposition rate on the performance of MIS solar cells 86−13049
Moharram, A.H., Panayotatos, P., Yeh, J.L., Lalevic, B., Cosandey, F. Dependence of structural and compositional characteristics of chromium metal films as a function of deposition rate during the fabrication of metal/insulator/semiconductor solar cells 86−19504
Mohd. Hani Ahmad Fadzil b. Hj. *see* Ahmad Fadzil b. Hj. Mohd. Hani
Mohebati, A., King, T.A. Remote detection of gases by diode laser spectroscopy 88−40432
Mohebbi, S. *see* Vemuri, S. 87−71626
Mohebi, M., Aiello, P.F., Reali, G., Soileau, M.J., van Stryland, E.W. Self-focusing in CS_2 at 10.6 μm 85−56824
Moher, M.L., Lodge, J.H. A time diversity modulation strategy for the satellite-mobile channel 88−45838
Moher, M.L. *see* Lodge, J.H. 87−48980, 88−46981
Moher, T.G. Videocassette course development using microcomputer graphics 85−54054
Moherie, M., Alard, F. Birefringence and polarisation dispersion measurements in high-birefringence single-mode fibres 87−38736
Mohibullah, Khan, A.A. Rewirable water fuse protection for semiconductor devices 88−38854
Mohibullah, M. *see* Beg, M.S. 86−8403
Mohibullah, M. *see* Jamil-Asghar, M.S. 87−4761
Mohideen, U., Gururaja, T.R., Cross, L.E., Roy, R. Ultra-low dielectric constant porous silica thick films for high-speed IC packaging 88−39561
Mohideen, U., Gururaja, T.R., Cross, L.E., Yarborough, W., Das, A., Yamamoto, J., Roy, R. Ultra-low dielectric permittivity ceramics and composites for high speed IC packaging applications 87−74402
Mohindra, N.K. *see* Smith, M.J. 85−52453
Mohindra, N.V. *see* Korgaonkar, A.V. 88−61243
Mohindra, R.B. *see* Gorman, A.D. 86−60929
Mohindra, V.K. *see* Walker, R.A.P. 86−50360
Mohiuddin, K. *see* Petkovic, D. 86−37157, 87−44042
Mohiyadeen, M.S. *see* De, G. 88−19004
Mohl, D. Stochastic cooling for beginners. I 85−37852
Mohl, D. Stochastic cooling for beginners. II. Description in frequency domain 85−37853
Mohl, D. Stochastic cooling 87−63606
Mohl, D. Phase space cooling in storage rings 88−61029
Mohl, D. *see* Allen, D. 88−54188
Mohl, D. *see* Asseo, E. 85−26681
Mohl, D. *see* Chanel, M. 85−37831
Mohl, D. *see* Conte, M. 88−42353
Mohl, L.M., Kotzin, M.D. Integrating secure communications into 800 MHz trunked systems 87−69974
Mohl, R. *see* Janocha, H. 86−53135
Mohler, C.L. *see* Griffin, J.W. 86−18411
Mohler, J.H., Abney, L.D., Tze-Show Chow Measurement of pyrotechnic ignition energy by thermography 87−14165
Mohler, J.H. *see* Abney, L.D. 87−14167, 88−4475
Mohler, R. *see* Lu, N. 86−46859
Mohler, R.L., Roth, S.S. LDD sidewall spacers without reactive ion etch 85−40915
Mohler, R.L., Spielberg, A.C. Improved isolation process for CMOS technology 85−35182
Mohler, R.L. *see* Dash, S. 85−35186
Mohler, R.L. *see* Lu, N.C. 87−10855
Mohler, R.R., Bugnon, F.J. A nonlinear eigenstructure generator 88−4136
Mohler, R.R., Hwang, C.S. Nonlinear data observability and information 88−58991
Mohler, R.R., Kolodziej, W.J., Bond, R.L. Observability in space-based data processing 87−7786
Mohler, R.R., Tang, Z. On identification of non-Gaussian time series 87−61924
Mohler, R.R. *see* Bugnon, F.J. 87−56302, 88−67449
Mohler, R.R. *see* Hwang, C.S. 85−51669
Mohler, R.R. *see* Kolodziej, W.J. 85−2803, 86−54459
Mohler, R.R. *see* Pacut, A. 88−44301
Mohler, R.R. *see* Tang, Z. 85−8453
Mohlin, K.-G. Navtex−one of the cornerstones in future safety at sea 86−17531
Mohlin, T., Carlsson, L., Blom, A.F. An X-ray radiography study of delamination growth in notched carbon/epoxy laminates 85−480
Mohlin, T. *see* Johannesson, K.-A. 87−17388
Mohlmann, C. *see* Ludewigt, K. 87−26314
Mohlmann, G.R. Perspectives for optically nonlinear polymers in optoelectronic applications 88−58054
Mohmeyer, K.U. *see* Hoffeins, H. 86−65942
Mohn, E. *see* Hjort, N.L. 87−57432
Mohn, N.C. *see* Gabrielli, F. 86−32902
Mohn, U. Modern environmental technology in power plants 85−15813
Mohn, W.R. Your MMC product will stay put 88−12097
Mohn, W.R., Vukobratovich, D. Recent applications of metal matrix composites in precision instruments and optical systems 88−45039
Mohn, W.R. *see* Niskanen, P. 88−63389
Mohnhaupt, A. *see* Kitamura, T. 86−12036
Mohnke, A., Schuckel, G. Tempering of surface wave transducers in layered structures 87−18461
Mohnke, A. *see* Schuckel, G. 86−9374
Mohnkern, G.L. Maximum likelihood estimation of magnitude-squared coherence 88−27901
Mohr, A. Influence of the direction-dependent cross-stability of ferrite permanent-magnet materials on the dimensioning of highly utilized electric motors 86−56697
Mohr, A., Utsch, B. Technical and economical evaluation of new permanent magnet materials operating in DC motors 85−16048
Mohr, A., Utsch, B. Manufacture and use of calibrating magnets for magnetic measurements 87−77377
Mohr, A. *see* Genusov, A. 88−70830
Mohr, A. *see* Jondral, F. 87−55314
Mohr, C. *see* Whiteside, A. 87−65157
Mohr, C.G., Vaughan, R.L. Processing and display of multi-dimensional thunderstorm measurements 85−53179
Mohr, C.G. *see* Fankhauser, J.C. 87−71309
Mohr, C.G. *see* Miller, L.J. 87−71337
Mohr, D.L. *see* Debenham, P.H. 86−25043
Mohr, D.L. *see* Penner, S. 86−24905
Mohr, D.L. *see* Wilson, M.A. 86−32055, 88−47791
Mohr, E. Eigenvalue problems arising at transient reactions in parallel cables without side paths 86−6361
Mohr, E. *see* Harder, K. 85−63855
Mohr, E.-G. *see* Cerva, H. 87−74208
Mohr, E.G. *see* Beinvogl, W. 86−58549
Mohr, E.G. *see* Kuesters, K.H. 88−70769
Mohr, E.G. *see* Segner, J. 86−58417
Mohr, E.G. *see* Strunk, H.P. 88−33066
Mohr, F., Kiesel, P. Thermal sensitivity of sensing coils for fibre gyroscopes 86−2776
Mohr, G.C. Robotic telepresence 87−43925

Mohr, H. Electronic music circuits (EMUFs)—under CP/M control 86—60086
Mohr, H. How viable are alternative energy sources? 88—30439
Mohr, H. *see* Tanzer, D. 86—14990
Mohr, J. *see* Ehrfeld, W. 88—39249, 88—39301
Mohr, K. *see* Lepecki, W. 86—39443
Mohr, L. Josephson logic and memory devices 85—12517
Mohr, M. Production testing: a difficult bet 87—5216
Mohr, M. Why and how much to invest in card testing? 87—11169
Mohr, P. *see* Mauersberger, W. 85—64026
Mohr, R. Customer satisfaction and increased productivity result from a comprehensive corrective action system 86—26668
Mohr, R. Precompilation of syntactical descriptions and knowledge directed analysis of patterns 86—64354
Mohr, R. *see* Muller, Y. 85—36443
Mohr, R. *see* Ross, R. 88—37439
Mohr, R. *see* Yang, J. 87—16008, 88—31011, 88—49151
Mohr, R. *see* Yasng, J. 87—22776
Mohr, R.J. Evaluation technique for EMI seams 88—14414
Mohr, R.J. *see* Rosich, R.K. 88—51996
Mohr, R.W. Quality, productivity, and the competitive position 87—58702
Mohr, S.H. Study of low-cost laser scanning of microimages 85—35936
Mohr, T.O. *see* Buchmann, P. 87—25565
Mohr, W. Nonlinear distortion by demodulation of angle-modulated signals with a phase-locked loop 88—8656
Mohr, W. *see* Fischer, H.M. 87—21417
Mohr, W. *see* Lechner, P. 87—10874, 87—17098
Mohran, H. *see* Momoh, J.A. 88—23386
Mohrhauer, H. Availability of enrichment services 85—9639
Mohri, A. DX Antenna emphasizes the future in satellite reception 86—49501
Mohri, A. *see* Kawata, M. 85—8689
Mohri, A. *see* Tsuzuki, T. 87—52451, 88—34242
Mohri, K. Review on recent advances in the field of amorphous-metal sensors and transducers 85—26295
Mohri, K. Application of amorphous alloys to sensors and transducers 87—49738
Mohri, K., Humphrey, F.B., Yamasaki, J., Kinoshita, F. Large Barkhausen effect and Matteucci effect in amorphous magnetostrictive wires for pulse generator elements 86—28707
Mohri, K., Humphrey, F.B., Yamasaki, J., Okamura, K. Jitter-less pulse generator elements using amorphous bistable wires 85—24220
Mohri, K., Jinnouchi, T., Kawano, K. Accurate mechanocardiogram sensors using amorphous star-shaped core multivibrator combined with a magnet 88—54467
Mohri, K., Kondo, T. Mechanocardiograph due to amorphous wire-core multivibrator magnetometer 86—65401
Mohri, K., Kondo, T., Sugino, H., Yamasaki, J., Yoshino, K. Noncontact linear displacement sensors using amorphous-core multivibrators for mechanocardiography 86—32227
Mohri, K., Kondo, T., Yamasaki, J. Quick-response magnetometers using amorphous wire cores and mechanocardiographs 87—49737
Mohri, K., Mukai, Y., Nakano, M., Yasuda, K. Torque sensor using amorphous star-shaped core magnetic field sensor 88—53636
Mohri, K., Mukai, Y., Yasuda, K., Takayama, K. New torque sensors using amorphous star-shaped cores 88—53625
Mohri, K., Nakano, M., Makai, Y., Yoshida, Y. Detections of secondary current and torque of induction motors using amorphous microcore field sensors 87—22330
Mohri, K., Shigematsu, S., Yoshino, K. On flux reversal in amorphous-core multivibrator bridge circuits for sensors 88—16447
Mohri, K., Shiraogawa, M., Dezaki, Y., Nose, T. Facsimile receiver 88—3464
Mohri, K., Yamasaki, J., Satoh, Y., Harada, M. New torque sensors using amorphous magnetostrictive ribbons with slits 85—3970
Mohri, K., Yoshino, K., Matsumoto, T. Mechanocardiograph sensors using amorphous star-shaped core multivibrators 88—48089
Mohri, K., Yoshino, K., Okuda, H., Malmhall, R.K. Highly accurate rotation-angle sensors using amorphous star-shaped cores 87—21030
Mohri, K. *see* Furuhata, T. 86—69940
Mohri, K. *see* Iizuka, K. 85—27406, 85—53677
Mohri, K. *see* Kinoshita, F. 88—33517
Mohri, K. *see* Manabe, T. 88—33516
Mohri, K. *see* Nakano, M. 88—53641
Mohri, K. *see* Watatani, Y. 85—20371
Mohri, K. *see* Yamasaki, J. 85—24079, 87—18542, 87—25765, 88—33543
Mohri, K. *see* Yoshida, Y. 85—23746, 86—6904, 86—63257, 86—70975
Mohri, K. *see* Yoshino, K. 88—16448, 88—16672, 88—53635
Mohri, M. Vacuum in space 88—63324
Mohri, M., Tajima, Y., Tanaka, H., Yoneda, T., Kasahara, M. Rechargeable batteries with hydrogen storage alloys 86—45645
Mohri, M. *see* Yoneda, T. 88—17881
Mohri, N., Sato, M., Saito, N., Yoshikawa, Y. Study on the differential actuator 88—48948
Mohri, N. *see* Matsuda, N. 87—32858
Mohri, N. *see* Saito, N. 88—54811
Mohri, R., Watanabe, K. Circuit and packet switching system architecture for an ISDN 88—3775
Mohri, R. *see* Egawa, T. 87—76149
Mohri, Y. *see* Sorimachi, H. 86—14563
Mohring, D. *see* Kowollik, G. 86—57012
Mohring, H.-D., Bauer, G.H., Bilger, G., Nebel, C.E. Effective p^+-doping of a-Si:H and a-SiC:H layers by plasma assisted boron diffusion 87—17934
Mohring, H.-D., Schubert, M.B., Schumm, G., Bauer, G.H. Electronic and optical effects of boron doping by plasma assisted diffusion in a-SiC:H 88—24777
Mohring, H.-D. *see* Bauer, G.H. 86—42414, 87—9794
Mohring, H.-D. *see* Bilger, G. 86—28145
Mohring, H.-D. *see* Schubert, M.B. 88—17982
Mohring, H.-J. *see* Ebeling, F. 88—68178
Mohring, U., Fleischmann, R. Chemical heat convertor with an absorption principle and a low intrinsic heat requirement for utilising industrial waste heat 86—66364
Mohrle, M. *see* Korn, M. 88—20663
Mohrle, W. *see* Erhard, A. 86—32611
Mohrle, W. *see* Wustenberg, H. 86—34414
Mohrmann, K.H. Coding of video signals for digital transmission 88—9763
Mohrs, W. *see* Geisselhardt, W. 87—67399
Mohsen, A. Representation of the electromagnetic fields of a dipole above an inhomogeneous half space 85—36083
Mohsen, A. Desktop-configurable channeled gate arrays 88—63641
Mohsen, A., Kung, R.I., Simonsen, C.J., Schutz, J., Madland, P.D., Hamdy, E.Z., Bohr, M.T. The design and performance of CMOS 256K bit DRAM devices 85—22873
Mohsen, A. *see* El Gamal, A. 88—70689
Mohsen, A. *see* Franceschetti, G. 86—29583
Mohsen, A.A. *see* Mahmoud, S.F. 86—22642
Mohsen, A.M. *see* Fu, S.-W. 85—22882
Mohsen, M.F.N. *see* Haque, M. 86—20009, 86—40684
Mohsenian, N., Delph, T.J., Bolle, D.M. Finite element analysis applied to gyroelectrically loaded waveguiding structures 86—10172
Mohsenian, N., Delph, T.J., Bolle, D.M. Analysis of waveguiding structures employing surface magnetoplasmons by the finite-element method 87—47256
Mohsini, R.A. *see* Rajamannar, G. 88—31406
Mohssine, M. *see* Etiemble, D. 87—53691, 88—13564
Mohtai, T. *see* Nakamura, E. 88—55002
Mohwald, H. *see* Munstedt, H. 87—43361
Mohyla, I. *see* Fiala, V. 86—45643
Moi, K., Borresen, H.E. Electric Operation of the Norwegian State Railways in 1985 86—66433
Moi, L., Allegrini, M., Bicchi, P., Gozzini, S., Xu, J.H. Characteristics and applications of broadband very long cavity dye-laser 88—8258
Moi, L. *see* Liang, J. 85—12898
Moibenko, A.N. *see* Vetrov, P.B. 87—29407
Moiceenko, A.S. *see* Melik-Shakhnazarov, A.M. 87—4117
Moieni, P. *see* Apostolakis, G. 87—51823
Moieni, P. *see* Frank, M.V. 87—4507
Moin, A.A., Chen, T. A very high-speed reconfigurable systolic array processor 87—52661
Moin, M.D. *see* Davydova, N.A. 85—56405
Moin, M.D. *see* Kozlovskii, S.I. 85—28941, 86—1672, 87—18805
Moinan, S., Brooke, M., Choma, J., Jr. BITPAR: process-derived bipolar transistor parameterization 86—47775
Moinereau, D. *see* Arnaud, C. 88—36985
Moing, G.Le *see* Le Moing, G.
Moing, J.Y.Le *see* Le Moing, J.Y.
Moini, R. *see* Herault, J. 88—21016
Moinian, S., Choma, J., Jr. The frequency response of bipolar transistor noise figure [common emitter amplifiers] 86—34567
Moiola, J.L., Mata, N.H. A prototype modular pulse programmer for experiments in nuclear magnetic resonance 88—44090
Moir, B. *see* Jones, C. 88—28181
Moir, B.R. Post-divestiture telecommunications policy making 87—33876
Moir, D.C., Builta, L.A., Starke, T.P. Time-resolved current, current-density, and emittance measurements of the PHERMEX electron beam 86—31807
Moir, D.C., Ruhe, J.R., Armstrong, W.T. Pulsed magnetic field for PHERMEX-injected circular accelerator 88—42376
Moir, D.C. *see* Carlson, R.L. 87—35275
Moir, D.C. *see* Downey, S.W. 87—6308
Moir, D.C. *see* Hughes, T.P. 88—54203
Moir, D.C. *see* Kauppila, T.J. 88—47928
Moir, D.C. *see* Saunders, J.D. 88—47941
Moir, I. Managing data networks on an international scale 87—40341
Moir, K. *see* Chan, K.K. 86—44689, 87—4026
Moir, T.J., Vishwanath, T.G., Campbell, D.R. Real-time self-tuning deconvolution filter and smoother 87—39773
Moir, T.J. *see* Barrett, J.F. 86—19887, 87—61877
Moir, T.J. *see* Vishwanath, T.G. 86—48864, 87—37467
Moirez, J. *see* Ciccotelli, J. 85—33531
Moisan, E., Comon, P. Variable weightings for lattice filters 88—21262
Moisan, G. *see* Coquille, R. 87—65463
Moisan, G. *see* Deffin, P. 85—57813
Moisan, J.-Y. *see* Gravey, P. 87—20539
Moisan, J.Y., Gravey, P., Lever, R., Bonnel, L. Improvement of photothermoplastic devices for their application to optical switching 86—36602
Moisan, J.Y., Lever, R., Andre, B. Corona charging of photothermoplastic devices in optical switching applications 88—34144
Moisan, J.Y. *see* Gravey, P. 88—58722
Moisan, M., Chaker, M., Zakrzewski, Z., Paraszczak, J. The waveguide surfatron: a high power surface-wave launcher to sustain large-diameter dense plasma columns 88—12569
Moisan, M. *see* Arnal, Y. 88—13157
Moisan, M. *see* Beauchemin, D. 86—58197
Moisan, M. *see* Heidenreich, J.E. 87—25120
Moisan, M. *see* Heidenreich, J.E., III 87—38131
Moisan, M. *see* Moutoulas, C. 85—29740, 88—51760
Moisan, M. *see* Paquin, L. 86—472
Moisan, M. *see* Paraszczak, J. 86—21408
Moisan, M. *see* Pavy, D. 88—65210
Moisan, N., Floc'h, J.-M., Citerne, J. Simulation of the transient behaviour of microstrip line sections using a digital filtering technique 87—24410
Moisan, N., Floc'h, J.M., Citerne, J. Transient behaviour of microstrip lines via digital techniques 87—17301
Moise, F. An integrated communication system at Corning France 87—13304
Moise, J. *see* Kiraly, R.J. 88—36521
Moise, J.C., Butler, K., Carriker, J.W., Smith, W. Left ventricular assist system based on an electrohydraulic energy converter 86—32377
Moise, J.C., Butler, K.C., Wampler, R., Fujimoto, L., Smith, W. Left ventricular assist device system considerations 85—38228
Moise, M. *see* Melinte, S. 87—43416
Moise, N.L. *see* Pollack, S.A. 87—26348, 87—26354
Moiseanu, A. *see* Stoia, D. 85—9920, 87—43066
Moiseenko, A.A. *see* Akopova, A.B. 87—29602
Moiseenko, A.S. *see* Baranov, V.A. 87—14796
Moiseenko, I.F. *see* Aprelev, M.V. 85—9114
Moiseenko, N.F. *see* Aleksin, V.P. 86—58235
Moiseenko, V.I., Peruvkhin, S.N., Pogorelov, L.M., Unger, A.P. Allowing for constraints in the problem of static evaluation of the state of an electric power system 88—68740
Moiseenko, V.V. *see* Gremenok, V.F. 87—11411
Moiseenko, V.Yu. *see* Logutko, A.L. 88—31068
Moiseev, A.A. *see* Voronov, S.A. 86—18258
Moiseev, A.V. *see* Sidorchuk, Yu.I. 85—51546
Moiseev, B.A. *see* Kaznovskii, A.S. 87—6685
Moiseev, D.V. *see* Malyshev, V.V. 85—43498
Moiseev, E.M. *see* Semenov, V.M. 85—5580
Moiseev, I.G. *see* Matveenko, L.I. 86—30929
Moiseev, K.B. Deicing short transmission lines 86—39175
Moiseev, O.N. *see* Komolov, V.I. 86—18502
Moiseev, S.M. *see* Beliaeva, N.N. 85—63837
Moiseev, S.M. *see* Manusov, V.Z. 85—64867, 85—64872, 86—6414, 87—65271, 88—23241, 88—68726
Moiseev, S.S. *see* Zaslavskii, G.M. 87—39314
Moiseev, V.N. Linear problem of synthesizing an electric field by selecting the potentials of the electrodes creating the field 87—61310
Moiseev, V.N. *see* Kolechitskii, E.S. 88—58773
Moiseev, V.N. *see* Landa, P.S. 85—41430
Moiseev, V.V., Naimark, S.I. Reception of an optical half-tone image by a multielement threshold photodiode converter 88—65478
Moiseeva, N.M. *see* Savchenko, B.A. 85—4142
Moisey, V. *see* Boonzaier, D.A. 88—53316
Moiseyenko, Yu.N. The synthesis of optimal signal-processing devices in a low-altitude radio altimeter 86—17530
Moiseyenko, Yu.N. *see* Yarlykov, M.S. 86—30905
Moiseyev, M.A. *see* Yergakov, V.S. 88—974
Moiseyev, V.V., Potapov, V.I., Sokolovskiy, A.A. Experimental study of a mode content stabilizer 87—70591
Moiseyev, Yu.G. *see* Shestopalov, A.M. 85—36167
Moish, Yu.V. *see* Valuev, N.P. 87—56842
Moisio, O.A., Nurmi, R.T. Digital screening with irrational angle values 85—57434
Moiskalenko, A.V. *see* Asnis, L.N. 86—10037
Moison, J.-M. *see* Barbouth, N. 87—6589
Moison, J.M., Bensoussan, M. Surface defects induced by pulsed-laser processing of semiconductors and their low-temperature annealing 85—29135

Moison, J.M., Bensoussan, M., Houzay, F. Epitaxial regrowth of an InAs surface on InP: an example of artificial surfaces 87−269

Moison, J.M., Licoppe, C., Nissim, Y.I., Houzay, F. CW laser processing of semiconductor surfaces 86−47468

Moison, J.M. *see* Houzay, F. 85−44717, 86−14948, 87−36711

Moisset, J.P. *see* Azzis, D. 85−11491

Moissev, V.I. *see* Stakhov, A.P. 86−34905

Moissonnier, A. *see* Bonicelli, T. 88−69511

Moissonnier, A. *see* Huart, M. 87−72282

Moisyuk, B.N. *see* Bredikhib, A.N. 86−35176

Moize de Chateleux, W.L.F.H.A. *see* Klaassens, J.B. 87−78797, 88−55458

Moizhes, B.Ya. Explanation for the anomalously low work function of AgO-Cs photocathodes 85−45350

Moizhes, B.Ya. *see* Krasin'kova, M.V. 87−45489

Moizhes, V.M. *see* Zinchenko, V.F. 86−25647

Moizumi, J. *see* Abe, K. 88−15971

Moizumi, J. *see* Arai, T. 86−49790

Mojica, D.A. *see* Krause, P.C. 87−42934

Mojkowski, J. The prospects of satellite television in Poland 88−22252

Mojola, O.O., Onasanya, O.E. Performance testing of a Savonius windmill rotor in shear flows 85−9813

Mojumder, M.A. An empirical theory of i_{sc} and v_{oc} in the $Zn_zCd_{1-z}S/Cu_2S$ solar cell 87−43433

Mojzes, I. Fast alloying technique for improved ohmic contacts to *n*-GaAs 85−18261

Mojzes, I., Szentpali, B., Kovacs, B., Gottwald, P., Biro, S., Elschner, H., Stenzel, R., Paszlack, M., Lalinsky, T., Kordos, P. Measuring and modeling of DC characteristics of ion-implanted MESFET's 88−60871

Mojzes, I., Veresegyhazy, R., Milina, V. Thermal dissociation of InP covered with metallic contact layers 87−11703

Mojzes, I. *see* Gyuro, I. 86−14502

Mojzes, I. *see* Jaroli, E. 87−37977

Mojzes, I. *see* Kazi, K. 88−56981

Mojzes, I. *see* Kovacs, B. 87−1284

Mojzes, I. *see* Lalinsky, T. 85−34622

Mojzes, I. *see* Szendrenyi, B.B. 88−60899, 88−74574

Mojzes, I. *see* Veresegyhazy, R. 86−53459

Mojzis, M. Accurate foil resistors 85−61474

Mojzis, M. Fast acting measuring phase shift convertor 86−14429

Mojzis, M. Measurement of the rolling forces by elastomagnetic sensing units 86−24787

Mojzis, M. The measurement of rolling forces with elastomagnetic sensors 86−31354

Mojzis, M. Measurement of nonlinearity of the volt-ampere characteristics of LEDs 87−18856

Mojzis, M. Multichannel temperature measuring equipment with a built-in microcomputer 87−49976

Mojzis, M. Accurate measurement of temperature by means of resistors and AC electric variables 88−10153

Mojzis, M. A new series of pressure standards 88−36270

Mojzis, M., Sterbinsky, L. Equipment for pre-balancing of measurement transducers with strain gauges 86−50027

Mojzis, M., Sterbinsky, L. Diaphragm vacuum gauge with linear characteristics 86−60375

Mojzis, M. *see* Orendac, M. 87−21216

Mok, D.S. A graphical simulation software for predicting IEEE 802.5 token-ring performances 87−48678

Mok, D.S. How much does a LAN cost, really? 88−3505

Mok, F. *see* Paek, E.G. 87−38887

Mok, F. *see* Psaltis, D. 85−12673

Mok, F. *see* Yu, J. 88−59267

Mok, J.L. *see* Gunasingham, H. 85−3861

Mok, S.K., Shanthikumar, J.G. A transient queueing model for business office with standby servers 87−34027

Mok, T.D., Solomon, C.W., Strasilla, U. Monolithic high-speed modem filters 86−57963

Mok, T.S., Parker, E.A. Crosspolarisation from plane and hyperbolic offset frequency-selective reflectors 86−48675

Mok, T.S., Parker, E.A. Gridded square frequency-selective surfaces 86−59134

Mok, T.S. *see* Parker, E.A. 87−19340

Mok Fai *see* Fai Mok

Mokaddis, G.S., Elias, S.S., Labib, S.W. Probabilistic analysis of a two-unit system with a warm standby subject to preventive maintenance and a single service facility 87−58750

Mokari-Bolhassan, M.E. Tapered-magnitude lossy bandpass networks 85−54613

Mokari-Bolhassan, M.E., Smart, D., Trick, T.N. A new robust relaxation technique for VLSI circuit simulation 86−41940

Mokari-Bolkhassan, M.E., Kang, S.M. VLSI device characterization for accurate delay measurements under transmission line effects 87−67495

Mokari-Bpolhassan, M.E., Kang, S.M. Analysis and correction of VLSI delay measurement errors due to transmission-line effects 88−33291

Mokashi, A.R., Daud, T., Kachare, A.H. Simulation analysis of a novel high efficiency silicon solar cell 87−9762

Mokashi, A.R., Daud, T., Kachare, R.H. Identification of some key parameters limiting the performance of high-efficiency silicon solar cells 87−36137

Mokashi, A.R. *see* Leipold, M.H. 86−45715

Mokebe, J. *see* Gibbon, G.J. 88−22482

Mokeddem, A., Hugli, H., Pellandini, F. Evaluation of criterion based clustering procedures for generating multiple template references in speaker independent speech recognition 85−36232

Mokeddem, A., Hugli, H., Pellandini, F. Criterion based clustering techniques applied to speaker independent speech recognition 85−46741

Mokeddem, A., Hugli, H., Pellandini, F. New clustering algorithms applied to speaker independent isolated word recognition 87−27315

Mokeev, A.N. *see* Zemskov, A.I. 85−16277

Mokeev, S.F. Testing of basic power station equipment at working voltage 88−36905

Mokeev, S.F., Rybin, G.V., Suetin, G.A. Practical application of an automated brushless excitation system for TVV-500-2 turbogenerators 86−61455

Mokeev, V.K., Bukharin, E.N., Ipatov, B.V., Ochirov, R.D. Estimating the errors in forecasting the minimum breakdown voltages of insulation on the basis of the normal law of distribution [winding insulation breakdown] 85−15992

Mokerov, V.G., Nikiforova-Denisova, S.N., Ovcharenko, E.N., Panasyuk, V.P., Smirnov, V.I., Timoshnikov, Yu.A., Chernov, I.P. Effect of small doses of γ rays on the structure of microdefects and on the electrophysical properties of silicon single crystals and epitaxial layers 87−6361

Mokerov, V.G. *see* Altukhov, P.D. 87−66938

Mokerov, V.G. *see* Galiev, G.B. 85−29121, 87−38080

Mokerov, V.G. *see* Ignat'ev, A.S. 87−37288

Mokerov, V.G. *see* Panasyuk, V.N. 86−1873, 86−35797

Mokerov, V.G. *see* Smirnov, V.I. 87−17808

Mokerov, V.G. *see* Voronovskii, A.N. 86−47354

Mokhariwale, N.R., Rao, T.V. Digital microwave radio relay systems 87−76569

Mokhariwale, N.R. *see* Kulkarn, M.G. 88−34946

Mokhariwale, N.R. *see* Kulkarni, M.G. 86−69885

Mokhles, N.A., Saleh, E.H. Reliability analysis of a *k*-out-of-*N*:F repairable system with dependent units 88−70177

Mokhnach, A.V. *see* Aushev, V.E. 87−3863

Mokhnach, A.V. *see* Zaika, N.I. 87−3862

Mokhoff, N. Flat-panel technologies vie to displace CRT in terminals 85−4039

Mokhoff, N. Magnetic bubble memories making a comeback 85−12500

Mokhoff, N. AI techniques aim to ease VLSI design 85−33562

Mokhoff, N. LANs team up to widen the network connection 85−36713

Mokhoff, N. Concurrent computers make scientific computing affordable 85−40110

Mokhoff, N. CMOS achieves balance of speed, power and density 85−45855

Mokhoff, N. Complete systems now possible with 32-bit chip sets 85−55871

Mokhoff, N. AT&T's DMI integrates voice and data communications 86−4261

Mokhoff, N. Gallium arsenide challenges silicon in high-speed systems 86−47293

Mokhoff, N. DEC's 32-bit bus spawns new industry for VAX-compatible systems 86−52850

Mokhoff, N. LAN designs multiply as vendors struggle for stability 86−54879

Mokhoff, N. Vendors and users unite on data communications standards 86−54880

Mokhoff, N. Fiber optics points way to speed divergent networks 87−13366

Mokhoff, N. Video palette raises color ante to 1024 separate hues 87−74415

Mokhoff, N. Enhanced Ethernet controller recognizes up to six stations 87−76333

Mokhoff, N. Transceiver does away with central hub in StarLAN 87−76334

Mokhoff, N. Five-chip token-passing set operates LANs at 100 Mbits/s 88−9533

Mokhoff, N. Multiple-bus exchange ICs speed interbus communications 88−25293

Mokhosoev, M.V. *see* Semenov, A.P. 86−53287, 88−36343

Mokhov, E.N., Ramm, M.G., Roenkov, A.D., Vol'fson, A.A., Tregubova, A.S., Shul'pina, I.L. Appearance of structural defects in epitaxial films of silicon carbide 88−38176

Mokhov, E.N., Usmanova, M.M., Yuldashev, G.F., Makhmudov, B.S. Doping of silicon carbide with subgroup IIIa elements during crystal growth from the vapor phase 86−34313

Mokhov, E.N. *see* Poltinnikov, S.A. 87−31702

Mokhov, E.N. *see* Veinger, A.I. 85−34545

Mokhov, E.N. *see* Vodakov, Yu.A. 85−34597, 86−1752, 88−25923

Mokhov, N.V., Cossairt, J.D. A short review of Monte Carlo hadronic cascade calculations in the multi-TeV energy region 86−44495

Mokhov, N.V. *see* Baishev, I.S. 87−50163

Mokhov, V.M. *see* Andreev, I.N. 88−29566

Mokhov, V.N., Vainshtein, V.L., Kudryavtsev, V.N., Stanislavlev, A.V. Apparatus and short-circuit indicating circuits [distribution networks] 86−25566

Mokhov, Ye.N. Design of an amplifier stage with emitter correction 88−6676

Mokhov, Ye.N. PSK signal processing by microprocessor 88−46068

Mokhsen, A.Taufik *see* Taufik Mokhsen, A.

Mokhtari, A., Fini, L., Chesnoy, J. Efficient frequency mixing of a CW femtosecond laser synchronously pumped by a frequency doubled Nd:YAG laser 87−39219

Mokhtari, E.H. *see* Besson, J.M. 87−73991

Mokhtari, S., Sing, J., Wollenberg, B. A unit commitment expert system [power system control] 88−54918

Mokhtari, S., Singh, J., Wollenberg, B. A unit commitment expert system 88−10793

Mokhtarian, F. Multi-scale description of space curves and three-dimensional objects 88−73322

Mokhtarian, F., Mackworth, A. Scale-based description and recognition of planar curves and two-dimensional shapes 86−43308

Mokhtarian, F. *see* Goshtasby, A. 87−7830

Mokhun', I.I., Protasevich, V.I. A method of producing matched optical filters for selected frequencies of a Fourier spectrum 85−12690

Mokhun', I.I., Roslyakov, S.N. Qualitative characteristics of an image reconstructed from a reference-free hologram 86−22557

Mokhun, I.I., Roslyakov, S.N. Real-time optical scale-invariant transformation 87−39872

Mokin, V.A. Operational testing of condensing installations of power units at the Kostrom regional power plant 87−4540

Mokin, V.A. *see* Borisova, E.V. 86−61369

Mokin, Yu.I. On the solution of integral equations 85−54426

Mokin, Yu.I. Computation of the logarithmic potential in a neighborhood of a boundary curve 86−57407

Mokin, Yu.I. Algorithm for calculating surface currents 87−23567

Mokin, Yu.I. Multigrid method for integral equations 87−58892

Mokina, I.A. *see* Andreev, V.M. 86−48279

Mokina, I.A. *see* Gorelenok, A.T. 85−62448, 86−54148

Mokka, R. Increasing the output of the boiling water reactors TVO 1 and TVO 2 in Finland 87−9303

Mokka, R. *see* Legath, E. 85−53461

Mokkapati, C. *see* Lloyd, F.H. 87−51566

Mokkarala, V.R., Fan, A., Apte, R. A unified approach to simulation and timing verification at the functional level 86−20501

Moknoff, N. LAN standards breed a multitude of smart boards 86−59628

Mokobotskii, S.I. *see* Solomakha, M.A. 88−55159

Mokrane, A. *see* Cohen, P. 87−39945

Mokrani, K., Soliman, S.S. Reed-Solomon codes over fading dispersive channels 88−72773

Mokrauz, I. *see* Drzazga, W. 87−53144, 87−60062

Mokris, I. *see* Chmurny, J. 87−69267

Mokrisch, P. *see* Grewal, V. 87−67133

Mokros, J. Assessing science skills 85−54053

Mokros, J. Ring laser in angle metrology 87−41606

Mokrov, V.B. *see* Borovskii, A.V. 88−14072

Mokrushina, E.V. *see* Kamshilin, A.A. 85−56881

Mokryshev, V.N. *see* Bezmenov, F.V. 85−5572

Mokuay, K. *see* Matsuba, I. 87−45751

Mokuno, K. A report on the INS experiment 86−59514

Mokuno, K. *see* Hatori, M. 87−13230

Mokuya, K., Matsuba, I., Aoshima, T. Characteristics of the transient wafer temperature distribution in a furnace for semiconductor fabrication processes 87−60257

Mokuya, K., Matsuba, I., Aoshima, T. Characteristics of the transient wafer temperature distribution in a furnace for semiconductor fabrication processes 88−32966

Mokuya, K., Matsuba, I., Matsumoto, K. Transient model of wafer temperature in a furnace of semiconductor fabrication process 87−53424

Mokuya, K., Matsuba, I., Matsumoto, K., Yoshinaka, A. Transient model of wafer temperature in a furnace for semiconductor fabrication progress 85−61821

Mokwa, W., Dobos, K., Zimmer, G. Palladium-gate MOS devices for arsine detection 88−22565

Mokwa, W., Kohl, D., Heiland, G. An arsine monitoring device using an SnO_x thin film 86−55709

Mokwa, W. *see* Dobos, K. 88−54766

Mol, A.W.J.C.de *see* de Mol, A.W.J.C.

Mol, C.de *see* de Mol, C.

Mol, C.R. *see* van Meurs, F.A. 88−29982

Mol, G.N. *see* Broer, D.J. 86−42335

Mol, H.A., van Zeijl, P.T.M. SAW delay line oscillator with extended tuning range 88−63558
Mol, W.G.J. *see* Pfennings, L.C.M.G. 86−8193
Mol, W.G.L. *see* Pfennings, L.C.M.G. 86−20441
Mola, A. *see* Bizzarri, U. 87−2168, 88−29729
Molaire, M.F. The influence of melt viscosity on the writing sensitivity of organic dye-binder optical-disk recording media 87−53944
Molaire, M.F. Influence of melt viscosity on the writing sensitivity of organic dye-binder optical-disk recording media 88−33582
Molajo, A.O., Bowes, R.J., Fananapazir, L., Slaven, Y., Wilkinson, K., Blane, J., Bennett, D.H. Comparison of two positive fixation transvenous ventricular pacing leads 86−38828
Molak, B. The echo of the Chernobyl accident in Yugoslavia 87−78276
Molan Zhang *see* Zhang Molan
Molander, B. *see* Landau, J. 87−13310
Molander, W.A. *see* Elton, R.C. 87−46755
Molchanov, A.A., Bazilevich, L.K. Computer analysis of two-dimensional model of MIS structure with a short channel 85−45688
Molchanov, A.A., Makarov, S.M., Telot, Kh. Modeling of digital devices using multivalued logic and nomograms 87−44716
Molchanov, A.A., Reznikov, I.F., Reznikova, I.A. Path activation in logic devices 86−8136
Molchanov, A.A., Reznikov, I.F., Reznikova, I.A. The connection between tests for multiple and single errors 86−20158
Molchanov, A.A., Sharadkin, A.M., Shcherban, A.A., Khaitman, A.G. Simulation of the required accuracy characteristics of the communication channels for solution of the linear programming problems 87−2390
Molchanov, A.A., Sharadkin, A.M., Shcherban, A.A., Khaitman, A.G. Simulation of the required accuracy characteristics of communication channels when solving multicriterion problems of linear programming under conversational conditions 87−54772
Molchanov, A.A., Sharadkin, A.M., Shcherban, A.A., Khaitman, A.G., Merkotun, N.N. Simulation of accuracy characteristics of channels in solution of discrete linear programming problems 88−38093
Molchanov, A.A., Zinchenko, I.F. A method for formal representation of analytic transformations 87−31673
Molchanov, A.A. *see* Afinogenov, S.V. 88−24883
Molchanov, A.A. *see* Sharadkin, A.M. 87−55091, 88−52442
Molchanov, A.A. *see* Volkogon, V.P. 87−53608
Molchanov, A.G. The theory of active media in excimer lasers 88−51758
Molchanov, A.N. *see* Doroshev, V.D. 86−11768
Molchanov, A.V., Selifanova, E.N., Voronova, E.A. Construction of a base labour-participation factor as a function of the organization of the labour-production process 88−37896
Molchanov, D.N. *see* Baranov, V.Yu. 88−27047
Molchanov, I.N., Galba, E.F. On finite element methods for the Neumann problem 85−60916
Molchanov, I.N., Zubatenko, V.S., Nikolenko, L.D., Yakovlev, M.F. A program complex for solving systems of linear algebraic equations 85−28172
Molchanov, M.I. *see* Zakharov, M.A. 86−21001
Molchanov, O.A. *see* Markeyeva, Yu.M. 85−30032
Molchanov, O.A. *see* Shchekotov, A.Yu. 86−36735
Molchanov, S.N. *see* Tsarapkin, D.P. 87−44666
Molchanov, S.S., Moroz, E.M., Shorin, K.N. Damping of coherent phase oscillations of electrons in a synchrotron 86−32097
Molchanov, S.V. *see* Anferov, V.P. 88−42022
Molchanov, V.A. *see* Dvoinishnikov, V.A. 85−48644
Molchanov, V.I., Pyatchanin, S.V., Prokopenko, Yu.V. A dielectric microwave resonator with air gap 87−66486
Molchanov, V.N. *see* Alferov, S.E. 87−4410
Molchanov, V.N. *see* Sklyarov, V.F. 87−71702
Molchanov, V.N. *see* Udod, E.I. 87−36483
Molchanov, V.Ya. *see* Magdich, L.N. 85−46229
Molchanov, Yu.A., Sbitnev, S.A. Calculation of magnetic-field nonuniformity in annular specimens with single-turn magnetization 88−26651
Molchanova, I.A. *see* Kagan, M.B. 86−51898
Molchanova, O.G. *see* Konovalov, V.E. 87−37837
Molcho, J. *see* Dotan, Y. 86−29222
Moldaschl, H., Zeggel, W. Gradual commercialization of advanced PWR tight lattice cores 88−17324
Moldavskaya, V.M. *see* Lebedeva, E.L. 85−62432
Moldenhauer, D. *see* Langner, A. 85−27264
Moldner, G. *see* von Walter, P. 85−42922
Moldoff, R. A co-ordinated approach to small hydro development 85−60062
Moldovan, A.G. *see* Tower, J.R. 86−5058, 86−70047, 87−20935
Moldovan, C. *see* Catuneanu, V.M. 88−49575
Moldovan, D.I. A VLSI algorithm and architecture for subgraph isomorphism 85−12388
Moldovan, D.I. ADVIS: a software package for the design of systolic arrays 85−33835
Moldovan, D.I. Tradeoffs between time and space characteristics in the design of systolic arrays 86−62577
Moldovan, D.I. ADVIS: a software package for the design of systolic arrays 87−23840
Moldovan, D.I. Towards a computerized optimal design of VLSI systolic arrays 87−59339
Moldovan, D.I., Fortes, J.A.B. Partitioning and mapping algorithms into fixed size systolic arrays 86−26991
Moldovan, D.I., Tung, Y.-W. Bit serial techniques in VLSI parallel processing 86−20659
Moldovan, D.I. *see* Barad, H. 86−27255
Moldovan, D.I. *see* Chow, E.T. 85−62055
Moldovan, N. *see* Kim, C.S. 88−71000
Moldovan, R. *see* Beica, T. 85−56372
Moldovanova, M., Assenov, R. Peculiarities in the temperature dependence of the Hall coefficient in tin telluride: mobility 86−1716
Moldovanu, E. *see* Rezlescu, N. 85−41013
Moldover, M.R., Trusler, J.P.M., Edwards, T.J., Mehl, J.B., Davis, R.S. Measurement of the universal gas constant R using a spherical acoustic resonator 88−29201
Moldover, M.R. *see* Berg, R.F. 86−60388
Moldovyan, N.A., Radautsan, S.I., Raylyan, V.Ya., Zhitar, V.F., Arama, E.D. Photovoltaic effect and space charge limited currents in $CdInGaS_4$ single crystals 87−26175
Mole, A. *see* Hills, H.K. 85−8566
Mole, G. Three-phase coupling unit for partial discharge tests on cables 88−17166
Mole, P.J. The numerical simulation of silicon-on-insulator MOS devices 87−6758
Mole, P.J. MOS device modelling for silicon integrated circuits 87−38550
Mole, P.J. 2D device modelling 87−74239
Mole, P.J., Griffin, S.A. Measurement of Centaur/Orbiter multiple reaction forces in a full-scale test rig 86−60883
Mole, P.J., Samarakone, N., Smith, D.E.H. CMOS-SOS technology 87−67571
Mole, P.J. *see* Murray, S.J. 86−9067, 87−6641
Molella, A.P. *see* Finn, B.S. 85−16552
Molen, A.Vander *see* Vander Molen, A.
Molen, G.M., Kuhlman, J.M., Nam, S.H., Ruf, E.G. A 250 kV gas-flow spark gap 87−17586
Molen, G.M., Ruf, E.G., Kuhlman, J.M., Bernardes, J.S. Gas-flow switch recovery experiments 85−5297
Molen, G.M. *see* Barrett, D.M. 85−5233
Molen, G.M. *see* Kuhlman, J.M. 87−17587
Molen, G.M. *see* Mazzola, M.S. 87−20794, 87−70315
Molen, G.M. *see* Reddy, R.M. 87−17585
Molenaar, J. *see* Doting, J. 88−49550
Molenda, J., Stoklosa, A., Znamirowski, W. Transport properties of ferrous oxide $Fe_{1-y}O$ at high temperature 87−74023
Molenda, O. *see* Georgiev, G. 88−36423
Molendijk, H. Selection of temperature sensors 88−22529
Molenkamp, L.W. *see* Roozeboom, F. 88−14201, 88−40230
Moles, M.D.C., Donnelly, D.W. Ultrasonic fast-scan blister detection system 88−37009
Moleschi, R. Ontario Hydro's experience with fossil fuelled generating plants' life cycle assessments 88−10941
Molesdale, P. Low wattage SON lamps 85−60519
Molesdale, P.D. *see* Denbigh, P.L. 85−39290, 88−49271
Molesini, G. Reflection holographic gratings for optical filtering 85−7552
Molesini, G., Quercioli, F. Pseudocolor contouring based on light-in-flight holography 86−54226
Molesini, G., Quercioli, F. Distance sensing via spectrographic coding 88−4645
Molesini, G., Quercioli, F. Rainbow contouring by holographic multiplexing 88−40372
Molesini, G., Quercioli, F., Ronchi, L., Tiribilli, B. Holographic implementation of holographic moire inspection 86−15799
Molesini, G., Quercioli, F., Tiribilli, B. Optical proximity sensors 87−70642
Molesini, G. *see* Francini, F. 88−10134
Molesini, G. *see* Quercioli, F. 85−56851, 86−9974, 86−9986, 87−19093, 88−47679
Molesini, G. *see* Righini, G.C. 85−56360, 87−38846, 88−39983
Molette, P., Jouan, J. JEOS: the JANUS Earth Observation Satellite 87−20157
Molevich, N.E., Oraevskii, A.N. Molecular long-wavelength lasers and their future prospects (review) 85−24480
Molfino, P., Repetto, M., Bixio, A., Dal Mut, G., Marabotto, R. Design of an axisymmetric permanent magnet structure for magnetic resonance tomography 88−68356
Molfino, P. *see* Bozzo, R. 85−56007
Molfino, P. *see* Fernandes, P. 88−52012
Molfino, P. *see* Girdinio, P. 85−53674, 85−55984, 86−40683, 87−47085, 88−33418, 88−52038, 88−65972
Molho, N. *see* Bassini, R. 86−44632, 88−74858
Molho, N. *see* Groppi, F. 86−38809
Moli, G.Le *see* Le Moli, G.
Molica Colella, O.F., Lambrarella, L., Luvison, A. New technologies for hospital automation−the automated radiology 87−71093
Molica Colella, O.F. *see* Lambarelli, L. 87−69651
Moliere, M. *see* Fritsch, T. 86−19247
Molin, A. *see* Hagberth, R. 85−27172
Molin, B.A. On MOS transistor model accuracy 87−45974
Molin, N.-E. *see* Ek, L. 86−9991
Molin, S. *see* Wilcox, D. 87−59658
Molin, Yu.N. *see* Sagdeev, R.Z. 85−31835
Molin Gu *see* Gu Molin
Molina, E.A., Barasssi, A., Gomez, G. A system for the distribution of mean and sidereal time 85−40158
Molina, J. Fractional division frequency synthesizer used for digital modulation 85−54749
Molina, J., Calvo, M., Besada, J.L. Design of a meniscus lens corrected corrugated horn as optimum feeder for a Cassegrain antenna 87−47435
Molina, J. *see* Calvo, M. 87−27105
Molina, L.T., Grant, W.B. FTIR-spectrometer-determined absorption coefficients of seven hydrazine fuel gases: implications for laser remote sensing 85−15437
Molina Garza, J. *see* Elgin, J.N. 87−26473
Molinar, G., Bianchi, L. Metrological characterization of Manganin gages calibrated against the mercury melting line 85−20616
Molinar, G.F. *see* Legras, J.C. 85−37794, 88−47715
Molinar, G.F. *see* Maghenzani, R. 88−10162
Molinar, G.F. *see* Sharma, J.K.N. 87−56655
Molinari, A., Manca, M. MC 240-a remote multiplexer−concentrator for local applications 85−47351
Molinari, A., Moruzzi, G., Colombo, S. MC-240: an ISDN-compatible digital remote concentrator 86−43693
Molinari, A. *see* Tiziani, A. 88−45587
Molinari, A.M. *see* Franchi, R.M. 86−23572
Molinari, C. *see* Bellini, S. 88−3948
Molinari, D. *see* Baer, R.L. 86−2522
Molinari, E., Bachelet, G.B., Altarelli, M. Green function approach to realistic calculations of the electronic structure of semiconductor interfaces 85−50260
Molinari, F. *see* Preston, C. 86−37125
Molinari, G., Petriccione, M. Steam power unit-gas power unit connection in large power stations with cogenerative output for district heating 85−32350
Molinari, G. *see* Allen, D. 88−54188
Molinari, G. *see* Asseo, E. 85−26681
Molinari, G. *see* Bollini, D. 86−65332
Molinari, G. *see* Bozzo, R. 85−56007
Molinari, G. *see* Girdinio, P. 85−53674, 85−55984, 86−40683, 88−33418, 88−52038
Molinari, G. *see* Gotelli, G. 88−52009
Molinari, G., Vivani, A. *(editor)* Conference Record. Eighth International Conference on Conduction and Breakdown in Dielectric Liquids (Cat. No. 84CH2055-2) 85−49263
Molinari, G.G. *see* Girdinio, P. 87−47085, 88−65972
Molinari, J. *see* Porter, R.J. 87−27606, 88−8815
Molinari, J. *see* Preston, C. 87−8561
Molinari, M., Perinati, A., Piacentini, G.F. Microwave application: state of the art in thin- and thick-film chip technologies and trends 85−28707
Molinari, M. *see* Tacchi, T. 85−28434
Molinari, R. *see* Figini, M.M. 85−9177
Molinari, R. *see* Maranzana Figini, M. 85−4333
Molinari de Rey, B. *see* Martin, G.S. 88−4846
Molinari de Rey, B. *see* Mazzei, R. 85−64483, 85−64487
Moline, D. *see* Fowler, D. 85−11551
Moline, M. *see* Chartier, W. 88−44462
Molinero, A. *see* Duran, I. 86−55800
Molinero, V.Gomez *see* Gomez Molinero, V.
Molines, J.L. *see* Brody, C.J. 88−1243
Molinet, F. Synthesis of the diffraction coefficients in GTD classification, valid domain, numerical examples 85−46555
Molinet, F. Extension of geometrical theory of diffraction to imperfectly conducting bodies 88−34282
Molinet, F. *see* Clair, D. 87−26992, 88−34404
Molinet, F. *see* Muller, G. 88−58779
Molinet, J.L. *see* Aguilo, J. 86−53826
Molinet, J.Lluis *see* Lluis Molinet, J.
Molino, N.M. *see* Frey, D.A. 86−33166
Molins, R. *see* Petit, B. 85−45594
Molis, Z. A complex code for solving transition processes at large electric power systems 87−57682
Moliton, A., Duroux, J.L., Ratier, B., Froyer, G. pn^+ junction in an implanted electroactive polymer: poly(paraphenylene) 88−39188
Moliton, A. *see* Makovicka, L. 86−56053
Moliton, J.-P. *see* Bahna, Z. 88−26161
Molitor, M. *see* Jiang, X.L. 88−29646
Molitor, M. *see* Pfeifer, T. 87−70790
Molitor, P. Layer assignment by simulated annealing 86−20177

Molitor, P. On the contact-minimization-problem 87−73223
Molitor, P. *see* Becker, B. 87−65725
Molitor, P. *see* Hotz, G. 86−46463, 86−66919, 88−70408
Molitoris, J.J. *see* Perry, T.S. 87−21441
Molkanov, L.I. *see* Alexeev, V.L. 85−37970
Molkdar, D. *see* Matthews, P.A. 86−37798, 87−47203, 88−28741
Molkenstruck, W. *see* Reibold, R. 87−35524
Molkenthin, J., Pisarski, A., Sr., Stouky, J. Productivity improvement during unplanned major maintenance outages 85−9609
Molkenthin, P.P. *see* Sergent, J.E. 85−61596
Molko, H. HCMOS low-power logic ICs that set the standard 86−52775
Mol'kov, A.N., Mol'kov, S.A. Restriction of the intensity of control actions of a system of automatic control of frequency and active power 88−30284
Mol'kov, S.A. *see* Mol'kov, A.N. 88−30284
Mol'kov, V.B. *see* Kotserzhinskii, B.A. 88−25500
Moll, G. TV transmission: program distribution via glass fibres. I 88−15731
Moll, G. TV transmission: program distribution via glass fibres. II 88−22311
Moll, G. Broadcast TV transmission in future digital networks 88−29031
Moll, I. Interference effects in wideband optical transmission systems 85−52352
Moll, I. Space filtering in spectrometry of coherently excited optical fibre 87−25991
Moll, J. Vacuum process technology 85−5551
Moll, J. *see* Hui, J. 85−34980, 85−55828, 86−2377, 86−47490
Moll, J.L. *see* Cham, K.M. 85−45864
Moll, J.L. *see* Kamins, T.I. 86−63319
Moll, J.L. *see* Kit Man Cham 87−18256
Moll, J.L. *see* Peng, K.-L. 85−12295
Moll, J.L. *see* Sodini, C.G. 85−6931
Moll, K. VERIVERT K subsynchronous converter cascades 88−11407
Moll, L. Aerial measuring techniques: measuring the model 87−61451
Moll, M. *see* Srini, V.P. 88−25280
Moll, N. Heterojunction bipolar transistors−a review 86−63264
Moll, N., Dolfi, D. Thermooptic coupler for multimode optical fibers 85−50902
Moll, N., Fischer-Colbrie, A., Heuschen, M. Pulsed-doped AlGaAs/InGaAs pseudomorphic MODFETs 88−33244
Moll, N., Hueschen, M.R., Fischer-Colbrie, A. Pulse-doped AlGaAs/InGaAs pseudomorphic MODFETs 88−63901
Moll, N. *see* Hueschen, M. 85−50576, 88−38753
Moll, N. *see* Kofol, S. 85−50501
Moll, N.J. *see* Miller, J.N. 85−50378
Moll, N.J. *see* Seaward, K.L. 87−60328
Moll, R.A. *see* Czyscon, J. 87−23068
Moll, S. Match generator to gas turbine at varying ambient temperature 87−9396
Moll, S. *see* Trautman, E. 88−16494
Molla, M., Islam, S.M.A. Photoconduction and photoelectret state in semiconductors 86−58819
Mollakarimi, C. *see* Wiskerchen, M.J. 88−42600
Mollard, M. A new family of perfect 3-D codes over GF(q) 85−7798
Mollard, M. *see* Jaeger, F. 86−13645
Mollard, P. *see* Champenois, G. 87−43122, 88−69342
Mollard, P. *see* Rousset, A. 87−46337
Mollard, R., Coblentz, A., Fossier, E. Contribution of infrared strobophotogrammetry in movements analysis−applications 87−57101
Mollat du Jourdin, P. Syracuse military satellite communication system 88−73852
Mollat du Jourdin, P. *see* Luginbuhl, P. 86−59861
Molle, D.Dalle *see* Dalle Molle, D.
Molle, M.L. Modelling the delay in 'moving server' random access protocols 87−19993
Molle, M.L. The 'moving server' paradigm−a unified approach to the delay analysis in a surprising by broad class of random access protocols 87−55397
Molle, M.L. An old problem with a new twist−the helical window token ring [LAN] 88−41379
Molle, M.L., Kleinrock, L. Virtual time CSMA: why two clocks are better than one 86−4076
Molle, M.L., Ming-Wen Wu Prioritized-virtual-time CSMA: head-of-the-line priority classes without channel overhead 86−16618
Molle, M.L., Sohraby, K., Venetsanopoulos, A.N. Space-time models of asynchronous CSMA protocols for local area networks 87−75965
Molle, M.L. *see* Economopoulos, P. 85−8151
Molle, M.L. *see* Guardalben, G.V. 87−27723
Molle, M.L. *see* Myers, K.I. 87−28147
Molle, M.L. *see* Polyzos, G.C. 86−54620, 87−55408, 88−8907, 88−14855, 88−59669
Molle, M.L. *see* Roche, J.-L. 87−28151
Molle, M.L. *see* Sohraby, K. 85−42289, 87−33849, 87−40005, 87−62401, 88−9177
Molledo, A.G. Optical losses study in static and quasi-static new cross compound parabolic concentrators 86−33696
Molledo, A.G. *see* Almonacid, G. 85−21814
Molledo, A.G. *see* Lorenzo, E. 86−6640
Mollen, T.A., Liu, C.H., Fang, D.J. A study of C band equatorial scintillation in the Asian sector 88−58862
Mollenauer, J.F. Networking for greater metropolitan areas [MANs] 88−35074
Mollenauer, J.F. Metropolitan area networks: where may standards meet 88−46643
Mollenauer, J.F. Standards for metropolitan area networks 88−52854
Mollenauer, L.F. Color center lasers 86−36452
Mollenauer, L.F. Color center lasers: a brief review 87−39062
Mollenauer, L.F., Gordon, J.P., Islam, M.N. Soliton propagation in long fibers with periodically compensated loss 86−42260
Mollenauer, L.F., Smith, K. Demonstration of soliton transmission over more than 4000 km in fiber with loss periodically compensated by Raman gain 88−72042
Mollenauer, L.F., Stolen, R.H., Islam, M.N. Experimental demonstration of soliton propagation in long fibers: loss compensated by Raman gain 85−46168
Mollenauer, L.F. *see* Downey, P.M. 87−3608
Mollenauer, L.F. *see* Islam, M.N. 87−68134, 88−2205
Mollenauer, L.F. *see* Mitschke, F.M. 87−18661, 87−26351, 87−54025
Mollenauer, L.F. *see* Vieira, N.D., Jr. 85−41364
Mollenhauer, E. *see* Lattig, S. 86−10792
Mollenhoff, K. New low-loss HRC fuse-links of size 00 85−5282
Mollenhoff, K. Electrical fuses. V. Load switches with DO fuses 85−10043
Mollenhoff, K. New specifications for diazed-(D)-fuses 85−16144
Moller, A. Industrial aspects of hybrid production 87−24646
Moller, A.R. Use of zero-phase digital filters to enhance brain-stem auditory evoked potentials (BAEPs) 88−61354
Moller, B., Schulz, P. Practical studies for continuous temperature measurement in steel melts 87−70836
Moller, C. Texas Instruments microcomputers 85−848
Moller, C. Resource sharing [data switches] 88−41178
Moller, C.R. *see* Kershaw, R.N. 86−8306
Moller, D.P.F., Barnikol, W.K.R., Popovic, D., Thiele, G., Hennig, E., Bucherl, E.S. Evaluation of hemodynamic parameters for adaptive control of the artificial heart by simulation of the vascular system 86−12034
Moller, D.P.F., Tsuchiya, K. Mathematical and mechanical circulatory simulators applied to heart replacement systems 85−31881
Moller, G. Calculation of magnetizing-current of polyphase machines with a multiple frequency supply voltage 87−35879
Moller, G. *see* Deimel, P.P. 88−45313
Moller, H.J., Podbielski, R. Electrical properties of grain boundaries in fine grained polycrystalline silicon 85−40432
Moller, H.J. *see* Podbielski, R. 86−47286
Moller, H.M. A reduction strategy for the Taylor resolution 86−62135
Moller, H.M., Mora, F. Computational aspects of reduction strategies to construct resolutions of monomial ideals 87−65281
Moller, K., Stosser, B., Strnad, A., Weinmann, T. Stress on large transformers from multiple reignition 86−61551
Moller, K. *see* Binz, T. 87−78844
Moller, K. *see* Blom, C.E. 88−1647
Moller, K. *see* Haupt, M. 87−72327
Moller, K. *see* Stein, W. 86−51704
Moller, K. *see* Voigt, B. 88−49167
Moller, K. *see* Wriedt, S. 87−30999
Moller, K.D., Zoeller, R.G., Ugras, N.G., Zablocky, P., Bleaney, J.B., Stewart, K.P., Boucarut, R.A. Noise tube sources for the far IR and millimeter region 88−60775
Moller, K.D. *see* Heaney, J.B. 88−24257
Moller, K.D. *see* Miller, C. 88−34180
Moller, L. Rules for the electricity supply to power electronic convertors 86−6851
Moller, L., Olsson, G. Operational experiences from WTS-3 wind turbine, Maglarp, Sweden 87−51118
Moller, L., Olsson, G. Operational experiences from WTS-3 wind turbine, Maglarp, Sweden 87−57979
Moller, L. *see* Bergeal, J. 86−39052
Moller, L. *see* Charles, P. 87−15880
Moller, L. *see* Dehe, A. 88−68745
Moller, L. *see* Ostberg, O. 86−44157
Moller, M. *see* Grabmaier, J.G. 85−21807
Moller, M. *see* Karg, F. 87−1209
Moller, M. *see* Kausche, H. 86−45699
Moller, M. *see* Mitschke, F. 88−59167
Moller, M.J. New starting relay improves single-phase performance 86−39661
Moller, M.J. New electronic start relay gives better single phase motors 86−39778
Moller, M.Juel *see* Juel Moller, M.
Moller, O. *see* Mithani, D. 85−22911
Moller, P.E., Macphie, R.H. On the graphical representation of electric field lines in waveguide [junction] 85−34150
Moller, P.J. *see* Jian-Wei He 88−7486
Moller, T., Gurtler, P., Roick, E., Zimmerer, G. The experimental station SUPERLUMI: a unique setup for time- and spectrally resolved luminescence under state selective excitation with synchrotron radiation 86−60669
Moller, U. Television back-projector Superscreen 37 CS 5600: television like cinema 87−49262
Moller, U. *see* Frey, L. 87−18877
Moller, U. *see* Geisselhardt, W. 87−67399
Moller, V. *see* Dueck, G. 87−7662
Moller, W. Living with the laser 88−50510
Moller, W. *see* Baumann, P. 86−15140
Moller, W. *see* Block, W. 87−44001
Moller, W. *see* Dwersteg, B. 88−51414
Moller, W.D. *see* Dwersteg, B. 86−32076
Moller Olsen, E. Supplying electrical power to computer based systems 86−12893
Moller-Nielsen, P. *see* Greenstreet, M. 87−6853, 88−1723
Moller-Nielsen, P. *see* Staunstrup, J. 87−67387
Molleron, C. *see* Guenin, J.P. 85−52321
Mollerstrom, L. Hybrid microelectronics design−the Intergraph solution 87−24647
Mollet, R.E. Overcurrent protection of high power semiconductors with high speed fuses 86−67566
Molley, P.A. *see* Stalker, K.T. 88−27946, 88−28966
Mollier, J.-C., Olivier, M. Study of a passive frequency source at 24 GHz 85−4098
Mollier, J.C. *see* Cretin, B. 86−31364
Mollier, J.C. *see* Escotte, L. 88−71111
Mollier, J.C. *see* Hu, Y. 86−41332
Mollier, P. *see* Boudon, G. 87−59415
Mollin, R.A. Diophantine equations and class numbers 86−66708
Mollison, M. Blind and buried via fabrication 87−37711
Mollmann, K.-P., Sichie, D., Zajnudinov, S. Doping of PbTe with Ga during growth from the vapour phase 87−17903
Mollmann, K.-P. *see* Herrmann, K.H. 86−9660
Mollmann, K.P., Happ, M. Inhomogeneous electric-field quenching of persistent photoconductivity in strongly indium doped lead tin telluride 86−41563
Mollmer, B. User experiences derived from the ISDN pilot project in Mannheim, Germany 88−53008
Mollmer, B., Wegener, H.-U. ISDN starts officially 87−48329
Mollmer, F., Hatzinger, G. Fast optical couplers transmit data at 1 Mbit/sec 88−45317
Mollo, G.E. *see* Cruz, J.C. 87−77105
Mollo, R.A. *see* Canelos, J. 87−23226
Mollo-Christensen, E., Huang, N.E., Bliven, L.F., Long, S.R. The Harp probe: an in situ Bragg scattering sensor 87−77885
Mollo-Christensen, E. *see* Shuchman, R. 86−6137
Molloi, S. *see* Hasegawa, B.H. 85−38039, 86−11956
Molloi, S. *see* Wilson, C.R. 85−38051
Mollon, J.D., Cavonius, C.R. Derivation of a uniform colour space from discriminative reaction times [CRT displays] 86−5117
Mollon, J.D., Cavonius, C.R. The discriminability of colours on CRT displays 86−38272
Molloy, C. Introducing short-wave listening. II 85−31181
Molloy, J.A. *see* Ritter, R.C. 88−22860
Molloy, M.K. Collision resolution on the CSMA/CD bus 85−46990
Molloy, M.K. Collision resolution on the CSMA/CD bus 85−63298
Molloy, M.K. Fast bounds for stochastic Petri nets 86−7645
Molloy, M.K. Living on the leading edge of Ethernet use 87−28193
Molloy, M.K. Structurally bounded stochastic Petri nets 88−310
Molloy, M.K. *see* Barnett, B.L. 86−43567
Molloy, M.K. *see* Barnett, L. 87−40489
Molloy, M.K. *see* Gouda, M.G. 85−25542, 86−37211
Molloy, M.K. *see* Stephenson, M. 87−34192
Molloy, M.K. *see* Tsaur, J. 86−54603
Molly, J.-P. Design of the DFVLR 25 m wind energy converter. First operating results 85−43902
Molly, J.P. Design aspects of wind energy converters [wind power plants] 85−38939
Molmans, H.A.H., Spijker, J.G. An integrated combo codec IC 87−28239
Molnar, A.J. *see* Wolff, F.H. 85−16000, 86−13125
Molnar, B. Single-ended switching-mode tuned amplifiers 85−54704
Molnar, B. EP 512 SPC electronic PABX 86−43645
Molnar, B. EP512 SPC electronic PABX 86−49381
Molnar, B. PABX family type EP 88−9334
Molnar, B., Dietrich, H.B. Comparison of isothermal anneal techniques for Be or Si implanted SI InP 87−11594

Molnar, B., Kelner, G., Ramseyer, G.L., Morrison, G.H., Shatas, S.C. Comparison of heat-pulse and furnace isothermal anneals of Be implanted InP 85–18209
Molnar, B. *see* Redl, R. 85–6168, 86–52663 to 52664
Molnar, C.E., Ting-Pien Fang, Rosenberger, F.U. Synthesis of delay-insensitive modules 86–8092
Molnar, C.E. *see* Rosenberger, F.U. 88–70656
Molnar, G., Nagy, J. Multiplexing spectroscopy AD converters 86–1141
Molnar, I. Resistance and temperature-rise calculations of point and line contacts 88–57028
Molnar, I., Varga, A. Examination of the static moment of stepping motors 87–9612
Molnar, J., Varga, L. Development and manufacturing results of heavy-current accessories [electric connectors and support] 86–46078
Molnar, J. *see* Berecz, I. 87–63250, 87–63688
Molnar, J. *see* Juckenack, D. 87–3599
Molnar, K., Lakatos, J. DC power packs of electronic equations 87–30767
Molnar, K. *see* Chatterjee, A. 86–47717
Molnar, K. *see* Friedman, M. 85–29312
Molnar, K.J. *see* Ho, C.-Y. 86–2423, 86–20630
Molnar, K.L. *see* Staver, D.A. 87–59422
Molnar, K.L.J. Op amp clamping 86–8357
Molnar, K.L.J. Versatile exponential time-function generator using two sample-hold circuits 86–44327
Molnar, K.L.J. *see* Loffler, G. 87–70468
Molnar, L. *see* Einarsson, G. 88–21366
Molnar, L. *see* Krett, V. 86–65865
Molnar, L.L., Gazso, L., Demeny, F. Contactorized alarm system for cable pressurizers 86–64844
Molnar, M.R., Booth, T.A. A fiber optic/CCD system for automated capture of drawings 85–58600
Molnar, O.V. *see* Fel'dman, V.N. 87–42694
Molnar, R. The manufacture of medium voltage transformer is 25 years old in Csepel 86–26101
Molnar, R.K., Bruell, S.C. Sensitivity of operational formulae 88–41124
Molnar, S.von *see* von Molnar, S.
Molnar, T. *see* Halasz, S. 86–13106
Molo, F., Perinati, A. Technological aspects of the 565 Mbit/s system for coaxial cable 85–42412
Molo, F. *see* Barbieri, G.F. 87–56328
Molo-Oka, T. *see* Fujita, M. 85–35115
Molochko, F.I. Optimum level of recovery of low-temperature heat in industrial plants 87–9241
Molochko, F.I., Privalova, Z.A. Obtaining additional electric power from steam-turbine sets by using heat stores 88–48794
Molodaya, N.T. *see* Papernov, L.Z. 85–37361, 87–49226
Molodetskii, A.L. *see* Melekhov, O.K. 87–36829
Molodezhnikova, L.I. *see* Loginov, V.S. 88–52155
Molodozhentsev, A.Yu. *see* Dinev, D.Kh. 87–41664
Molodtsov, A.D. *see* Bogomolov, A.M. 86–6505
Molodtsov, S.N. Thermomechanical calculations of a water-cooled xenon lamp anode 85–16395
Molodtsov, S.N. A statistical analysis of nonlinear resonant systems with wideband random actions 87–54788
Molodtsov, V.S. Optimality conditions in the design of closed-loop electrical networks 85–64870
Molodtsov, V.S. The optimal conditions of a complex-closed electric network 86–50963
Molodtsov, V.S., Shcherbinin, A.I. Structural and parametric optimisation of electrical networks 86–6318
Molodtsov, V.S. *see* Isotov, M.E. 87–4411
Molodtsov, V.S. *see* Karavayev, V.V. 88–40669
Molodyakov, S.A. Control of data characteristics of photodetector based on charged-coupled device for image input to computer 88–36073
Molodyakov, S.A. *see* Esepkina, N.A. 87–14340
Molodyan, I.P. *see* Bezhan, N.P. 87–33194
Molodyan, I.P. *see* Gitsu, D.V. 86–54147
Molodyanu, A.P. *see* Matveenko, L.I. 86–30929
Molodykh, E.I. *see* Borovich, B.L. 85–18865
Molodykh, E.I. *see* Bulavin, R.E. 85–12803
Molokanov, A.G. *see* Abazov, V.M. 88–16758, 88–48224
Molokovskiy, S.I. *see* Zaft, M.P. 85–56962
Moloney, J.V. Solitons in optical bistability 85–41494
Moloney, J.V. Two-dimensional transverse solitary waves as asymptotic states of the field in a bistable optical resonator 86–22489
Moloney, J.V. Modulational instability of two-transverse-dimensional surface polariton waves in nonlinear dielectric waveguides 88–13923
Moloney, J.V. Theory of nonlinear waveguides: stationary and propagating waves 88–72113
Moloney, J.V., Ariyasu, J., Seaton, C.T., Stegeman, G.I. Stability of nonlinear stationary waves guided by a thin film bounded by nonlinear media 86–42623
Moloney, J.V., Uppal, J.S., Harrison, R.G. Origin of chaotic relaxation oscillations in an optically pumped molecular laser 88–27064
Moloney, J.V. *see* Aceves, A. 88–33738
Moloney, J.V. *see* Adachihara, H. 88–27296
Moloney, J.V. *see* Ariyasu, J. 86–68620
Moloney, J.V. *see* Etrich, C.M. 88–72120
Moloney, J.V. *see* Forysiak, W. 88–65563
Moloney, J.V. *see* Gubbels, M. 87–38776
Moloney, J.V. *see* Gubbels, M.A. 88–13918
Moloney, J.V. *see* Jones, C.K.R.T. 86–63871, 87–32994
Moloney, J.V. *see* McLaughlin, D.W. 85–35886
Moloney, J.V. *see* Quarzeddini, A. 88–72407
Moloney, J.V. *see* Stegeman, G.I. 86–22478, 86–68619
Moloney, J.V. *see* Thylen, L. 87–18674
Moloney, J.V. *see* Uppal, J.S. 88–14105
Moloney, J.V. *see* Wright, E.M. 87–1936, 88–66155
Moloney, M. *see* Ketterson, A. 85–55829, 86–28322
Moloney, M.J. Justifying the simple diode equation 87–18060
Moloney, M.J., Ponse, F., Morkoc, H. Gate capacitance-voltage characteristic of MODFET's: its effect on transconductance 86–9139
Molotilov, B.V., Mironov, L.V. Modern electrical steels 85–44333
Molotkov, N.V. *see* Rabovitser, I.Kh. 85–60030
Molotkov, S.N. *see* Kopaev, Yu.V. 86–35526
Molotkov, V.I., Nefedov, A.P., Poberezhskii, L.P. Estimating the effects of a magnetic field on plasma conductivity measurement by the circuit quality factor method 85–39215
Molotkov, V.I. *see* Barmenko, Yu.O. 88–53564
Molotov, E.P. *see* Armand, N.A. 86–37388
Molotov, E.P. *see* Aslanyan, A.M. 88–35627
Molotov, E.P. *see* Matveenko, L.I. 86–30929
Molotov, P.E., Neifel'd, Ya.Ya. Calculation of the stationary electric field of an electroconvection converter 88–55466
Mols, G., Corson, C., Lee, K. The solid-state transmitter for the AN/SPS-40 radar system 86–17490
Mols, G.E. *see* Vaughan, D.R. 86–31995
Mols, P.P.G., van Steenwijk, J.A. Accurate equivalent circuit model for small and large signal modulation behaviour of a laser diode up to Gigahertz range 88–45459
Molt, R. *see* Braun, R.-P. 87–28595, 88–67424
Molt, R. *see* Grosskopf, G. 88–34102, 88–47128, 88–65729
Moltedo, L., Noferini, A. An implementer's view of CGM in GKS environment 87–61574
Molteni, E., Mosca, W., Stanghellini, C. Special capacitors for synthetic high voltage test circuits 85–39161
Molteno, P.G. *see* Schneider, S. 85–59092, 85–64409
Molter, K. *see* Schmoranzer, H. 86–60672
Molter, L.A. *see* Donnelly, J.P. 88–33725
Molter, M. *see* Belton, D.J. 88–56330
Molter, M. *see* van den Bogert, W. 88–24583
Molter, M.J. *see* Belton, D.J. 88–24582
Molter, W. *see* Jamil, K. 87–29665
Molter-Orr, L.A., Haus, H.A. N×N coupled waveguide switch 85–7263
Molter-Orr, L.A., Haus, H.A. Multiple coupled waveguide switches using alternating $\Delta\beta$ phase mismatch 85–46120
Moltmann, B. Functional testing of modules of the Audatec system at site 85–31321
Moltmann, B., Barge, W. The process mastering system audatec controlling power station Lubbenau 86–65800
Moltmann, B. *see* Barge, W. 88–69085
Moltner, J., Chaudhuri, S.K. Geometrical optics backscattered field from dielectric spheroids with evaluation of the ring caustic field 87–75344
Moltoft, J. Statistical analysis of data from electronic component lifetests (a tutorial paper) 88–11701
Moltoft, J. *see* Rimestad, L. 87–31360
Moltoft, J., Jensen, F. *(editor)* Reliability Technology: Theory and Applications. European Reliability Conference - REL-CON '86 87–31139
Moltz, D.M. *see* Blonnigen, F.B. 87–70986
Molva, E. *see* Pautrat, J.L. 86–8773
Molva, R., Diaz, M., Ayache, J.M. Observer: a run-time checking tool for local area networks 86–69462
Molyavko, V.I. *see* Movchan, V.V. 88–19006
Molyneaux, R.F., Kalinowski, J., Albicki, A. Ternary signaling and the scan path employed for self-test control 87–60692
Molyneux, J.W. Shield against EMI 86–54300
Molyneux, L. *see* Stephenson, A. 87–71273
Molyneux Child, J.W. Metal-loaded gasketing reduces RFI problems 86–48610
Molyneux Child, J.W. EEC shielding regulations 86–68788
Molyneux Child, J.W. Using EMI/RFI shielding gaskets 87–12728
Molyneux-Child, J.W. Shielding to meet new RFI/EMI regulations 85–13152
Molyneux-Child, J.W. EMI/RFI shielding revisited 87–54594
Molz, J.L. *see* Koepf, G.A. 85–30119
Molzahn, D. *see* Sial, M.A. 87–29641
Molzen, W.W., Gerber, P.D., Schweighart, A.M., Wordeman, M.R., Viswanathan, R.G., Wilson, A.D. e-beam lithography for a fully scaled half micron NMOS technology 86–2444
Molzen, W.W., Rosenfield, M.G., Kwietniak, K.T., Chiong, K.G., Wilson, A.D., Hohn, F.J. Contrast and sensitivity trade-offs of resist processing in electron beam lithography at 0.5 μm and below 88–64456
Molzen, W.W. *see* Ng, H.Y. 87–67126
Molzen, W.W. *see* Rosenfield, M.G. 87–38024
Molzen, W.W. *see* Wordeman, M.R. 85–50765, 86–21824
Molzon, W. *see* Akesson, T. 86–18235
Momal, F. *see* Amat, J. 87–48224
Mombauer, H. High technology opens new markets for telecommunication 85–20194
Mombauer, H. Inhouse communication 85–42255
Mombello, E.E., Ratta, G., Rivera, J.F. Study of internal stresses in transformers engendered by transient atmospheric overvoltages. Models and complementary algorithms for the application of EMTP 88–11270
Mombello, E.Esteban *see* Esteban Mombello, E.
Momen, T. *see* Akiyama, T. 87–4428
Momenan, R., Wagner, R.F., Loew, M.H., Insana, M.F., Garra, B.S. Characterization of tissue from ultrasound images 88–61249
Momenan, R. *see* Insana, M.F. 87–42283
Momii, S. Circuit generates frequency difference 86–57719
Mominee, D. *see* Grime, L.A. 86–61296
Mominur Rahman, M., Hassan, A., Imamuddin, M., Azharul Islam, S.M. Effect of magnetic field on the electrical parameters of the unijunction transistor with theoretical explanation 88–1639
Momiyama, F. *see* Tanaka, S. 87–51597
Momiyama, K. *see* Ozeki, T. 86–36009
Momma, K., Kawasaki, R., Murota, K., Tohyama, H. Enhanced service cordless telephone system using multi-channel-zone-access scheme 86–64583
Momma, K. *see* Hattori, T. 87–69987, 88–35394
Momma, K. *see* Kawasaki, R. 86–49341
Momma, K. *see* Suzuki, H. 85–3372, 85–3375, 85–30941
Momma, N. *see* Ikeda, T. 87–53666
Momma, N. *see* Mimura, A. 85–45655
Momma, N. *see* Misawa, Y. 87–25170, 87–45820, 88–39642
Momma, N. *see* Murakami, S. 86–8845, 87–1239, 87–53244, 87–67176
Momma, N. *see* Naito, M. 87–1431
Momma, N. *see* Saito, R. 85–34816, 87–46125, 88–39715
Momma, N. *see* Watanabe, A. 86–47746
Mommertz, K.H., Keck, R., Kessler, F., Sablotny, R., Stelzer, R. Development and construction of a measuring van for the steel industry 85–14601
Mommertz, K.H. *see* Keck, R. 88–20820
Momo, F., Adriani, O., Gualtieri, G., Sotgiu, A. Generalised Anderson coils for magnetic resonance imaging 88–64003
Momo, F. *see* Sotgiu, A. 88–20849
Momo, M. *see* Galati, G. 86–17448
Momoda, M. *see* Miyamoto, T. 85–56309
Momodomi, M., Horiguchi, F., Ogura, M., Kozuka, E. A circular output protection device using bipolar action 88–1765
Momodomi, M. *see* Hieda, K. 86–8239
Momodomi, M. *see* Kobayashi, T. 86–67033
Momodomi, M. *see* Masuoka, F. 88–38538
Momodomi, M. *see* Oowaki, Y. 86–47851
Momodomi, M. *see* Shirota, R. 88–70781
Momoh, J.A. An expert system investigation for voltage collapse estimation 88–48458
Momoh, J.A. Non-linear corrective optimization technique for power systems 88–48513
Momoh, J.A., Mohran, H. Static model for voltage collapse estimation 88–23386
Momoh, J.A., Wollenberg, B. Quadratic model for voltage reduction during an emergency 85–48555
Momohara, T. *see* Tanaka, H. 87–7651
Momoi, H. *see* Kobayashi, M. 88–38657
Momoi, S. *see* Hayashi, N. 85–36662
Momoi, S. *see* Takahashi, I. 85–3076
Momoi, Y. *see* Aoyagi, J. 86–38952
Momono, K. *see* Nakamura, K. 85–24133
Momoo, K. *see* Kashihara, T. 88–47332
Momosaki, A.G., Miura, T. Propagation tests of 6 GHz 140 Mb/s digital radio system in Peru 88–46892
Momose, H., Cham, K.M., Drowley, C.I., Grinolds, H.R., Fu, H.S. 0.5 micron BICMOS technology 88–39651
Momose, H., Saitoh, M., Shibata, H., Maeda, T., Sasaki, H., Satoh, K., Ohtani, T. Performance of CMOS circuits with LDD-type NMOSFETs for high density static RAMs 85–50737
Momose, H., Shibata, H., Saitoh, S., Miyamoto, J., Kanzaki, K., Kohyama, S. 1.0-μm n-well CMOS/bipolar technology 85–35073
Momose, H., Wada, T., Kamohara, I., Isobe, M., Matsunaga, J., Nozawa, H. A p-type buried layer for protection against soft errors in high density CMOS static RAMs 85–54895
Momose, H. *see* Machida, H. 88–4539
Momose, H. *see* Miyamoto, J.-I. 85–22865
Momose, H. *see* Saitoh, M. 86–21594

Momose, K. *see* Takagi, H. 85–36842
Momose, M. *see* Tamagawa, S. 88–60096
Momose, M. *see* Uozumi, T. 88–21023
Momose, T., Narushima, K., Kanazawa, K., Mizuno, H., Watanabe, H., Ishimaru, H. Operational characteristics of the TRISTAN accumulation ring vacuum system 86–24928
Momose, T., Suetsugu, Y., Ishimaru, H. Characteristics of the DC separator in the TRISTAN main ring 88–36317
Momose, T., Suetsugu, Y., Shintake, T., Mori, K., Ishimaru, H. Aluminium alloy DC separators using heat pipes for a e^+e^- collider. TRISTAN 88–54298
Momose, T. *see* Ishimaru, H. 86–18200, 88–36301, 88–54045
Momose, T. *see* Kato, Y. 87–29378
Momose, T. *see* Miyahara, H. 85–31717
Momose, T. *see* Oide, K. 86–32140
Momot, D.E. *see* Shul'ga, Yu.I. 88–36764
Momot, T.G. *see* Sichkar, V.N. 88–55899
Momot, V.I. *see* Markus, A.M. 87–59034
Momot, V.Ya., Shapirshtein, Ya.A. Electrical heating of fluid medium 86–33858
Momota, H., Sato, K.I., Yamada, S., Ogasawara, T., Kubota, Y., Makiura, T., Yasukochi, K., Satow, T., Iwamoto, M., Toyoda, K., Onishi, T., Koyama, K., Tsukamoto, O., Yoda, T. Feasibility of poloidal superconducting coils for a medium size tokamak 85–46104
Momota, H. *see* Satow, T. 85–62270
Momota, H. *see* Toyoda, K. 85–41090
Momota, M. *see* Koga, K. 88–8853
Momoto, S. *see* Mizugutch, Y. 86–68899
Mompin Poblet, J. Surface mounted components: towards a new revolution in fabrication 87–6205
Momsen, B.F. *see* Bliss, H.E. 85–53468
Momtaz, R.S. *see* Hamed, M. 86–6389, 87–30155
Mon, G. A fluidic volumetric-flow, mass-flow density and viscosity meter 87–14628
Mon, G., Wen, L., Ross, R., Jr. Encapsulant free-surfaces and interfaces: critical parameters in controlling cell corrosion [photovoltaic modules] 88–37557
Mon, G., Wen, L., Ross, R.G., Jr., Adent, D. Effects of temperature and moisture on module leakage currents [photovoltaic modules] 87–9831
Mon, G.R., Moore, D.M., Ross, R.G., Jr. Solar-cell interconnect design for terrestrial photovoltaic modules 85–27660
Mon, G.R., Orehotsky, J., Ross, R.G., Jr., Whitla, G. Predicting electrochemical breakdown in terrestrial photovoltaic modules 86–13061
Mon, G.R., Ross, R.G., Jr. Electrochemical degradation of amorphous-silicon photovoltaic modules 87–9826
Mon, G.R., Ross, R.G., Jr. Amorphous-silicon module intercell corrosion 88–5849
Mon, G.R., Wen, L., Ross, R.G., Jr. Corrosion of a-Si cells and modules 88–37544
Mon, G.R., Whitla, G., Ross, R., Jr., Neff, M. The role of electrical insulation in electrochemical degradation of terrestrial photovoltaic modules 86–33654
Mon, G.R. *see* Ross, R.G. 88–69697
Mon, J.P. Amplitude distortion and frequency diversity on a 1 GHz bandwidth during multipath fading 86–29391
Mon, J.R. Amplitude distortion on a 1 GHz bandwidth during multipath propagation: frequency diversity 86–29363
Mon Xian-qiang The generation of an extremal tree 85–44598
Mon-Song Chen, Boorstyn, R. Throughput analysis of code division multiple access (CDMA) multihop packet radio networks in the presence of noise 86–17219
Mon-Song Chen *see* deSouza, O. 86–30594
Monacelli, P. *see* Bleichert, B. 86–18236
Monacelli, P. *see* Calicchio, M. 88–29811
Monacelli, P. *see* Dorenbosch, J. 87–29472
Monaco, A. Cultural profile of the modern electronics engineer 86–66558
Monaco, C. Greenhouse climatic control system design: preliminary considerations 85–37409
Monaco, F.A. Basic qualification concepts for instrumentation and control systems 87–15496
Monaco, G.Del *see* Del Monaco, G.
Monaco, J.L.Del *see* Del Monaco, J.L.
Monaco, R., Pagano, S., Costabile, G. Anomalous RF induced steps in long resonant Josephson tunnel junctions 88–1909
Monaco, R. *see* Costabile, G. 88–20289, 88–65016
Monaco, R. *see* Kautz, R.L. 85–35344
Monaco, R. *see* Soerensen, M.P. 85–1879, 85–56193
Monaco, S. *see* Velsko, S.P. 88–51946
Monaco, V. *see* Bava, G.P. 86–28347
Monaco, V.A. *see* Filicori, F. 86–53573, 87–6122
Monaghan, J.F. *see* Brosnan, T.D. 86–50883
Monaghan, R. *see* Carroll, A. 86–32046, 88–54314
Monaghan, R. *see* Leonhardt, W. 88–54317
Monaghan, R. *see* Sandberg, J. 88–54318
Monaghan, R. *see* Sims, W.P. 88–54315
Monaghan, R. *see* Stillman, P. 88–54319
Monaghan, R. *see* Walker, J.C. 88–54316
Monaghan, T. Toroidal transformers 87–32117
Monahan, D. *see* Ahlgren, D.J. 88–61236
Monahan, E.M. *see* Cooper, R.O. 85–28845
Monahan, G.L., Jr. Air Force standardizing avionics 86–18426
Monahan, J.F. Accuracy in random number generation 86–26753
Monahan, K., Gates, D., Mah, W., Richardson, B., Wilcox, J. SEM metrology: effects due to topography and composition [IC technology] 85–29245
Monahan, K. *see* Blanco, M. 88–26112
Monahan, K. *see* Smith, I.R. 87–11558
Monahan, K.M. Automatic endpoint diagnostics and precision linewidth control in the GCA Waferetch 606 (TM) triode etcher 85–7049
Monahan, K.M., Bernard, D.A., Blanco, M. Process latitude modeling for submicron G- and I-line lithography 86–15010
Monahan, K.M., Blanco, M.A. Subnanometer-precision SEM measurements of proximity effects in contrast-enhanced lithography 88–13238
Monahan, K.M., Lim, D.S. Nanometer-resolution SEM metrology in a hostile laboratory environment 87–11522
Monahan, K.M., Spence, C. Submicrometer metrology of patterns in resist 88–7671
Monahan, K.M. *see* LaBrie, J.J. 88–19873
Monahan, M.A. *see* Patterson, R.H. 85–30303
Monahan, P., Gallizzi, E. Distributed DataFlow Simulation System 85–63378
Monahan, T. *see* Winter, J.J. 87–32243
Monahan, W.J. *see* Berube, D.T. 86–33102
Monai, G. *see* McCafferty, J.D. 87–62162
Monaka, T. *see* Ishida, T. 85–50532
Monakhov, A.A. *see* Belyaev, Yu.N. 86–44120
Monakhov, A.S. An advanced water-chemical operation of steam generators in nuclear power stations 86–25695
Monakhov, A.S., Kotenkov, V.N., Shagiev, N.G., Voronov, V.N., Dik, F.P. Using thermodynamic methods to assess the effectiveness of complexing agents in thermal power engineering 86–33035
Monakhov, A.S., Zverev, V.A., Luchkin, V.G., Sotnikov, A.F. The basis of chelant water treatment for the steam generators of two-loop nuclear power stations 85–15739
Monakhov, A.S. *see* Zverev, V.A. 85–48703
Monakhov, V.M. *see* Chadin, A.V. 85–28039
Monakhov, V.V. *see* Romanov, O.V. 85–45580
Monakhov, Yu.I. *see* Vishnyakov, K.S. 88–68454
Monakhova, E.A. Prevention of dead states during information transfer in computing systems with programmable structure 87–2867
Monakov, A.A., Ostrovityanov, R.V. Spectral characteristics of the angular noise in a direction finder with a frequency-modulated signal 88–22235
Monakov, A.A., Ostrovityanov, R.V., Khramchenko, G.N. Taking into account nonlinearity in problems of statistical analysis of signals in a single-pulse direction finder 87–61860
Monakov, A.A. *see* Ostrovityanov, R.V. 87–19716
Monaldo, F. *see* Dobson, E. 88–10563
Monaldo, F.M. Measurements of directional wave spectra by the Shuttle synthetic aperture radar 86–32577
Monaldo, F.M. A practical methodology for estimating wave spectra from the SIR-B 87–71389
Monaldo, F.M. The production of real time wave spectra from the SIR-C SAR 88–10576
Monaldo, F.M., Beal, R.C. Comparison of ocean wave energy measured by the Seasat synthetic aperture radar with SAR surface wave imaging theories 86–6135
Monaldo, F.M., Jackson, F.C. The response of SAR imagery to azimuth travelling ocean surface waves as determined from Shuttle SAR imagery 88–10583
Monarchie, D.L. *see* Riederman, N.H. 85–14936
Monari, L. *see* Benvenuti, A.C. 85–15254
Monashkin, M.R. *see* Bingham, A.H. 88–64045
Monastyrnyi, E.A., Patrushev, G.Ya., Petrov, A.I., Pokasov, V.V. Time spectra of intensity fluctuations on a path with reflections 86–10086
Monastyrnyi, E.A. *see* Isakova, A.I. 88–48320
Monastyrnyy, E.A., Patrushev, G.Ya., Pokasov, V.V. Experimental investigations of the effect of a fluctuating wind on the time-dependent characteristics of a light wave 87–26804
Monastyrski, M.A. *see* Degtyareva, V.P. 86–5075
Monastyrskii, M.A. *see* Il'in, V.P. 85–28916
Monastyrskii, Z.Ya., Savolyuk, A.M. Compensation for the effect of technological errors in coaxially-cylindrical capacitance sensors of level on the precision of measurement 86–38612
Monastyrskii, Z.Ya. *see* Grinevich, F.B. 85–20609
Monavon, M., Leroy, M. Numerical simulation of cruiser or aircraft lightning 87–73032
Monberg, E.M., Gault, W.A., Simchock, F., Dominguez, F. Vertical gradient freeze growth of large diameter, low defect density indium phosphide 87–65464
Monberg, E.M. *see* Clemans, J.E. 87–23591
Monberg, E.M. *see* Gault, W.A. 86–52420
Monbrun *see* Bessette 85–46111
Moncalvo, A., Rizzotto, G., Valbonesi, G. ECBM—low-cost echo canceller in a silicon boutique for terminals, PBXs and CO access 87–13535
Moncalvo, A. *see* Barbiani, A. 85–14245, 86–17177, 86–59886
Moncalvo, A. *see* Bortoli, M.De. 85–57577, 86–43867
Moncalvo, A. *see* Brosio, A. 85–8392, 85–20220, 86–16923, 88–41404
Moncalvo, A. *see* Chiarottino, W. 87–34303
Moncalvo, A. *see* Corsi, N. 85–8161, 85–13938
Moncalvo, A. *see* De Bortoli, M. 86–4620, 86–17363, 87–34539, 87–62937, 88–4037, 88–4050, 88–22066, 88–67338, 88–67414
Moncalvo, A. *see* de Bosio, A. 86–4115, 86–17086, 86–24085
Moncalvo, A. *see* Fausone, A. 86–64439, 87–48349
Moncalvo, A. *see* Panarotto, G. 86–43864
Moncalvo, A. *see* Tosco, F. 87–34610
Moncelet, J.L. *see* Bernard, J.J. 85–29627
Moncet, J.-L. *see* Kabal, P. 88–66369
Moncet, J.L. *see* Dubois, E. 86–43304, 86–54558
Monch, H. *see* Berger, C. 88–22937
Monch, J.-P., Suchaneck, G., Albert, M., Schade, K. Optical emission spectroscopy in plasma-chemical vapour deposition 88–63377
Monch, W. Some aspects of surface science related to MBE 85–28227
Monch, W. On the oxidation of III-V compound semiconductors 86–47481
Monch, W. On the present understanding of Schottky contacts 87–53288
Monch, W., Haury, H. Evolution of heavy fuel engine 85–15909
Monchalin, J.-P. Heterodyne interferometric laser probe to measure continuous ultrasonic displacements 85–35948
Monchalin, J.-P., Heon, R. Laser ultrasonic generation and optical detection with a confocal Fabry-Perot interferometer 87–10528
Monchalin, J.-P., Heon, R., Muzak, N. Evaluation of ultrasonic inspection procedures by field mapping with an optical probe 87–65586
Monchares, V.Ya., Sitnyanskii, A.I. Increase of operational reliability of turbine components at the Vilyui-2 hydroelectric station 87–4607
Moncharmont, J. *see* Codazzi, D. 87–70870
Monchaud, S. Microprocessor tasks for a laser range finding peripheral 87–75275
Monchaud, S. Contribution to range finding techniques for third generation robots 88–67451
Monchaud, S., Legruyer, E., Prat, R., Noureddine, F., Shi, J. Calibration and interpretation problems for range pictures in a wide-field scanning triangulation range finder for machine vision 87–49530
Monchaud, S., Prat, R. Accuracy of an active triangulation based range finder with a laser and solid state camera 86–17849
Monchaud, S. *see* Kas, I. 88–34197
Monchaud, S. *see* Shi Jie 88–43140
Monchaud, S. *see* Shi-Jie 88–36079
Monchinsky, V.A. *see* Anishchenko, N.G. 85–52942
Monchinsky, V.A. *see* Shelaev, I.A. 85–26621
Monclavo, A. *see* Brosio, A. 88–46715
Monclus, S. *see* Bouche, J. 87–34025
Moncorge, R., Auzel, F., Breteau, J.M. Excited state absorption and energy transfer in the infrared laser material $MgF_2:Ni^{2+}$ 86–3120
Moncorge, R., Benyattou, T. Excited-state absorption measurements in the Ni^{2+} doped MgO and MgF_2 vibronic laser systems 88–33974
Moncorge, R., Benyattou, T. Excited-state-absorption and laser parameters of V^{2+} in MgF_2 and $KMgF_3$ 88–58506
Moncorge, R., Benyattou, T. Excited-state absorption of Ni^{2+} in MgF_2 and MgO 88–58507
Moncorge, R., Benyattou, T., Vivien, D., Lejus, A.M. Ni^{2+} doped $LaMgAl_{11}O_{19}$: a potential vibronic laser system near 1.1 μm 86–68498
Moncorge, R., Boulon, G., Vivien, D., Lejus, A.M., Collongues, R., Djevahirdjian, V., Djevahirdjian, K., Gagnard, R. Optical properties and tunable laser action of Verneuil-grown single crystals of $Al_2O_3:Ti^{3+}$ 88–65633
Moncorge, R. *see* Auzel, F. 85–7401
Moncorge, R. *see* Breteau, J.-M. 86–9821
Moncrief, E.C., Schroder, R.M. Spares management for improved maintenance 87–57782
Moncrief, E.C., Shroder, R.M. Managing spares for improved availability [Nuclear Power Stations] 87–71837
Moncton, D.E. *see* Shenoy, G.K. 88–47803
Mond, B., Chandra, S., Durga Prasad, M.V. Constrained games and symmetric duality 87–65326
Mond, B. *see* Chandra, S. 86–19962
Mond, B. *see* Weir, T. 87–23528, 87–31425
Mondal, A., Pramanik, P. Effect of bath parameters on chemically deposited thin films of CuSe 85–10782
Mondal, A. *see* Biswas, S. 86–34351
Mondal, A. *see* Chaudhuri, S. 87–36744

Mondal, J.P. An experimental verification of a simple distributed model of MIM capacitors for MMIC applications 87−45233
Mondal, J.P. Frequency normalization of constant power contours for MESFETs 88−56924
Mondal, J.P. Lumped and distributed scaling of MESFETs 88−71057
Mondal, J.P., Chen, T.-H. Propagation constant determination in microwave fixture de-embedding procedure 88−38723
Mondal, J.P., Milnes, A.G., Oakes, J.G. Theoretical analysis for microwave T- and π-type attenuator circuits using MESFETs 85−45234
Mondal, J.P., Milnes, A.G., Oakes, J.G., Wang, S.-K. Phase shifts in single- and dual-gate GaAs MESFETs for 2-4 GHz quadrature phase shifters 85−6521
Mondal, J.R. An analytical model for MIM capacitors 87−24498
Mondal, K. *see* Hayes, W.P. 86−20598
Mondal, K. *see* Kershaw, R.N. 86−8306
Mondal, M., Bhattacharya, S., Ghatak, K.P. On the gate capacitance of MOS structures of Kane-type semiconductors under magnetic quantization 87−45696
Mondal, M., Chattopadhyay, N., Ghatak, K.P. Theoretical analysis of the oscillatory gate capacitance in *n*-channel inversion layers on ternary chalcopyrite semiconductors under magnetic quantization 88−71356
Mondal, M., Ghatak, K.P. Effect of magnetic quantization on the gate capacitance of MOS structures of ternary semiconductors 85−50311
Mondal, M., Ghatak, K.P. Effect of a quantizing magnetic field on the gate capacitance of MOS structures of Kane-type semiconductors 86−35460
Mondal, M. *see* Ghatak, K.P. 87−1344, 88−64337
Mondal, N. *see* Dawson, J. 86−50424
Mondal, T.B. *see* Kumar, K.B. 87−11743
Mondardini, M. *see* Amos, N. 87−21405
Monde, M. *see* Uehara, H. 85−15939
Mondel, R.H. A simplified coupling network for MF directional arrays 86−681
Mondelaers, W. *see* Berkvens, P. 85−26547
Mondelli, A., Chernin, D., Drobot, A., Reiser, M., Granatstein, V. Frequency scaling of linear super-colliders 87−41708
Mondelli, A. *see* Bailey, V. 88−54020
Mondelli, A. *see* Bailey, V.L., Jr. 88−54089
Mondelli, A. *see* Chernin, D. 88−47786
Mondelli, A. *see* Drobot, A.T. 86−31955
Mondelli, A. *see* Roberson, C.W. 86−18204
Mondelli, A.A., Chernin, D.P. Plasma-focused cyclic accelerators 86−32071
Mondelli, A.A. *see* Ko, K. 88−34385
Monden, H., Iwasaki, J. The drive for independent development in NEC's microprocessor technology 85−33956
Monden, H. *see* Ono, H. 88−19194
Monden, K. *see* Ishida, T. 87−29247
Monden, M. *see* Hatakeyama, M. 85−19946
Monden, M. *see* Ishino, F. 86−64637, 87−33937
Monden, M. *see* Terada, Y. 88−6560
Monden, Y., Komatsu, T., Arimoto, S. Statistical design of nearly linear-phase ARMA filters 85−19446
Monden, Y. *see* Nagaoka, H. 85−60833
Monderer, B., Lakhani, A.A. Measurement of the quasi-static *C-V* curves of an MIS structure in the presence of charge leakage 85−50318
Monderer, B., Lazar, A.A. Detection of speech signals at the output of a cochlear model 88−34619
Monderer, B., Lazar, A.A. Speech signal detection at the output of a cochlear model 88−66348
Monderer, B. *see* Horn, E.N. 87−61764
Mondino, P.L. JET power supplies. A review after one year of operation 85−39120
Mondino, P.L., Bonicelli, T., Huart, M., Santagiustina, A. The development of the JET poloidal field power supplies to reach the nominal flux swing capability 87−72279
Mondino, P.L., Claesen, R., Dobbing, J.A., Baigger, P.A. Design, commissioning and early operation of the power supply and protection system for the extraction grid of the JET neutral injectors at 160 kV 87−72290
Mondino, P.L. *see* Basile, G.L. 85−49030
Mondino, P.L. *see* Bertolini, E. 87−43194, 87−72274
Mondino, P.L. *see* Bonicelli, T. 88−63825, 88−69511
Mondino, P.L. *see* Claesen, R. 85−49029, 87−9677, 87−43195, 87−72291
Mondino, P.L. *see* Eriksson, T. 85−49031
Mondon, F. Electrochemical deposition of cadmium sulfide thin films from organic solution. I. Sulfur reduction and cadmium-polysulfide complex formation 85−44761
Mondor, D. *see* Psimenatos, N. 85−41844
Mondron, P. *see* Hattery, G.R. 86−62313
Mondry, M.J., Caine, E.J., Kroemer, H. A GaP decomposition source for producing a dimer phosphorus molecular beam free of gallium and tetramer phosphorus 85−44696
Mondry, M.J., Kroemer, H. Heterojunction bipolar transistor using a (Ga,In)P emitter on a GaAs base, grown by molecular beam epitaxy 85−45653
Monds, F. Business of electronic product development 85−5717
Monds, F.C., Morton, G.J.G., Jones, M.R. Vigilant−a portable, range discriminating radar system for outdoor security 87−20623
Moneda, F.H.De la *see* De la Moneda, F.H.
Monegato, G. Quadrature formulas for functions with poles near the interval of integration 86−66783
Monegato, G., Pennacchietti, V. Quadrature rules for Prandtl's integral equation 86−57390
Monego, P.J. Photoplotting solutions to low-cost CAD 85−45299
Monem, S.A. Analysis of SAR azimuth resolution using phasor approach 85−9311
Monemar, B. *see* Bergman, P. 87−12310
Moneo, J.R. de F., Abbad, F., Rosell, J.I. A comparative analysis of the behaviour of an image digitizer system with coherent and incoherent light 87−62171
Moneo, J.R.de F. *see* Abbad, F. 86−38060
Moneo, J.R.de F. *see* Ros, D. 85−19529
Monerie, M. Theory of single mode propagation on optical fibre 86−9503
Monerie, M. System considerations on future 2.5 μm fluoride glass fibre links 87−8265
Monerie, M. Systems incorporating very long fluoride glass fibre optic links 88−41671
Monerie, M., Alard, F., Maze, G. Fabrication and characterisation of fluoride-glass single-mode fibres 86−15466
Monerie, M., Durteste, Y. Direct interferometric measurement of nonlinear refractive index of optical fibres by crossphase modulation 87−74673
Monerie, M., Durteste, Y., Alard, F. Direct interferometric measurement of nonlinear refractive index of silica and fluoride glass optical fibres 88−45147
Monerie, M., Durteste, Y., Alard, F. Direct interferometric measurement of nonlinear refractive index of silica and fluoride glass optical fibres 88−45166
Monerie, M., Simon, J.-C. Optical amplification 86−49581
Monerie, M. *see* Auge, J. 86−37915
Monerie, M. *see* Durteste, Y. 85−62652, 86−42316
Monerie, M. *see* Francois, P.L. 87−38751
Monerri, F.M. Maintenance after a good start. Design and material faults 87−5187
Monerri, F.Martinez *see* Martinez Monerri, F.
Monestrol, G.de *see* de Monestrol, G.
Monet-Descombey, C. *see* Zyngier, H. 86−25104
Moneuse, M. *see* Conraux, P. 88−52035
Money, D.G. *see* Ponsford, A.M. 88−15523
Money, J. *see* Chang, T. 87−24628
Monfort, B. *see* Milani, H. 86−37369, 87−13455
Monfort, P. Adaptive multiservice multiplexer for medium-capacity transmission supports 85−3266
Monfort, Y., Bloyet, D., Villegier, J.C., Duret, D. Nb metallurgical transformations occurring in the microbridge area of an RF SQUID during its critical current adjustment 85−62250
Monfort, Y. *see* Robbes, D. 88−20295, 88−29596
Monforte, J. A dynamic phase meter for program material 88−60505
Monfroglio, A. Satisfaction of bonds in parallel programmable logic 87−31826
Monfroy, G., Sivananthan, S., Chu, X., Faurie, J.P., Knox, R.D., Staudenmann, J.L. Molecular beam epitaxial growth of a novel strained-layer superlattice system: CdTe-ZnTe 86−66806
Monfroy, G. *see* Sivananthan, S. 88−49830
Mong, K.L., Jotwani, N.D. A simple technique for video image transmission 87−49299
Mong, K.T., Sculli, D. Replacing units whose components have normal life distributions 86−40569
Mong, S.K. *see* Alvarado, F.L. 85−27018
Mong, Y. *see* de Mori, R. 85−36215
Mong Hung Bui *see* Bui Mong Hung
Mong Son Le *see* Son Le Mong
Monga, J.C., Bhawe, B.D. Optimization considerations in the design of active night viewing systems 85−64037
Monga, J.C., Gupta, P.D., Bhawalkar, D.D. Design of multiwavelength thin-film polarizers for high-power laser systems 85−7472
Monga, J.C., Uppal, J.S., Bhawalkar, D.D. Collimation of the output beam from an asymmetric unstable ring resonator 85−35812
Monga, J.C. *see* Bhawe, B.D. 85−56429
Monga, J.C. *see* Uppal, J.S. 85−62630, 86−15665, 86−22360, 86−29182, 86−54169, 87−26352
Monga, O., Deriche, R. A new three dimensional boundary detection 87−48164
Monga, O., Keskes, N. A hierarchical algorithm for the segmentation of 3-D images 87−48163
Monga, O., Wrobel, B. Image segmentation: towards a methodology 88−14811
Monga, O. *see* Boissonnat, J.D. 88−66765
Monga, O. *see* Cocquerez, J.P. 87−75928
Monga, O. *see* Gagalowicz, A. 87−13112, 87−48092
Monga, O. *see* Gambotto, J.P. 86−4055
Monga, O. *see* Wrobel, B. 88−21355
Monga, T.N., Symington, D.C., Lowe, P., Elkin, N. Load bearing and suspension characteristics of airsplint as a temporary prosthesis 86−12027
Monge, R. *see* Anguilar-Benitez, M. 87−71031
Mongeau, B. *see* Lewandowski, J. 87−7447, 88−10040
Mongeau, P. *see* Gredin, L. 87−22506
Mongeau, P. *see* Snow, W.R. 87−19161
Mongeau, P.P. *see* Cope, D.B. 85−5330
Mongeau, P.P. *see* French, R.H. 87−22623
Mongelli, M. *see* Castellano, M. 87−41858
Mongelli, M. *see* De Marzo, C. 87−29473
Mongelli, S. *see* Micocci, G. 85−34542
Mongelluzzo, R. *see* Gagliardi, F. 86−12421
Mongera, A. *see* Antolini, R. 85−4324
Mongia, R.K., Bhat, B. Accurate resonant frequencies of cylindrical dielectric resonators using a simple analytical technique 85−45215
Mongia, R.K., Bhat, B. Effective dielectric constant technique to analyse cylindrical dielectric resonators 87−52798
Mongia, R.K., Bhat, B. Simple equations quickly design cylindrical DRs 88−948
Mongiardo, M., Bardati, F., Solimini, D., Tognolatti, D. Production of thermal images by processing of radiometric signals 88−4925
Mongiardo, M. *see* Bardati, F. 86−11965, 86−32301, 86−60748, 87−8926, 87−54715, 87−77660, 88−23064, 88−36469
Mongiardo, M. *see* Bonsignori, R. 88−10609
Mongiardo, M. *see* Cesky, T. 87−75555
Monginoul, C. *see* Schue, F. 88−26155
Mongkolsmai, D. *see* Geschwind, H. 88−23107
Mongon, J. *see* Fagnan, D.A. 88−37118
Monham, K.L., Burgess, J.W., McTiernan, P.G. The development of long-wavelength optical receivers 85−31019
Monham, K.L., Hepher, M.R., Challans, J.C. An optical transceiver for interack communications 88−73977
Monham, K.L., McTiernan, P.G., Debney, B.T., Hankey, J. High speed detectors for fibre optic communications 86−37893
Monham, K.L., Plastow, R., Carter, A.C., Goodfellow, R.C. 1.3 Gbit/s transmission over 107 km of dispersion-shifted monomode fibre using a 1.55 μm multimode laser 85−58091
Monham, K.L. *see* Hankey, J. 85−31026
Monham, K.L. *see* Moseley, A.J. 87−38966
Monham, K.L. *see* Plastow, R. 85−42575
Monham, K.L. *see* Sussmann, R.S. 85−41273
Monhor, D. On the optimality conditions for general convex programs with subdifferentiable constraints 85−16875
Moni, M. *see* Seshagiri, N. 88−21718
Monica, G.Della *see* Della Monica, G.
Monich, A.V. *see* Rozenov, V.I. 87−50776
Monich, G. Graphical evaluation of operational restrictions for simultaneously working transmitters using closely spaced antennas with matching units 86−36783
Monich, G. Antenna elements for improved shipboard HF direction-finding 87−76878
Monich, G., Kappen, F. The reflection and formation changes of a short pulse on elongated dipoles 87−61490
Monich, G., Kraft, U. Beam forming on helical antennas 85−24915
Monich, G. *see* Kappen, F.W. 87−47362
Monich, G. *see* Kraft, U. 86−64092, 87−33496, 87−54674
Monich, N.V. *see* Demchuk, M.K. 86−54215
Monici, M., Boniforti, R., Buzzigoli, G., De Rossi, D., Nannini, A. Fibre-optic pH sensor for seawater monitoring 88−36677
Monici, M. *see* De Rossi, D. 88−10025
Monico Linares, A. *see* Mariano Aceves, M. 87−52735
Monien, B., Sudborough, I.H. Bandwidth constrained NP-complete problems 86−52356
Monien, B., Sudborough, I.H. Min Cut is NP-complete for edge weighted trees 86−66724
Monier, J., Maurel, J. In situ automatic verification kit for optical seals 88−26807
Monier, L. *see* Barth, R. 88−71701
Monier, L.M. *see* Fisher, A.L. 85−11309
Moniez, M. *see* Ansari, R. 88−22949
Monin, A. *see* Bennis, O. 88−21265, 88−47200
Monin, A.A., Shakin, V.N. Methods of increasing the efficiency of simulated programming models of data networks 87−62396
Monin, A.A. *see* Pashkeev, S.D. 86−45316
Monin, A.A. *see* Pashkeyev, S.D. 88−34526
Monin, J., Kogan, E. High TB metal reflective array compressor on quartz 86−28589
Monin, J. *see* Brunetton, R. 87−1994
Monin, J.-F. *see* Groz, R. 87−62593
Monin, J.-F. *see* Jard, C. 86−64726, 86−69459
Monin, J.-L., Vauglin, I., Sibille, F. A 32×32 HgCdTe/CCD infrared camera for the 2-5 μm range 88−74487
Monin, J.L., Vauglin, I., Sibille, F., Audaire, L. A new infrared camera for the 2-5 μm range 87−35078

Monin, M.A. The correctness of the reflection characteristics of radio-absorptive materials 86—36717
Moning, R., Hill, G. Fiber optic high speed data bus 86—11135
Moning, R. *see* Dietl, H. 85—48166
Moninger, W.R. ARCHER: a prototype expert system for identifying some meteorological phenomena 88—53356
Moninger, W.R., Kropfli, R.A. A technique to measure entrainment in cloud by dual-polarization radar and chaff 87—63951
Moniot, R. *see* Hummel, R. 87—62362, 88—28091
Moniuk, M. *see* Klimek, C. 86—47939
Moniuszko, A., Sikora, W. Jointing problems of telecommunication cables with pressure control of water-tightness 86—49440
Moniwa, A., Matsuzawa, T., Ito, T., Sunami, H. A three-dimensional photoresist imaging process simulator for standing-wave effect environment 87—60223
Moniwa, A. *see* Matsuzawa, T. 87—60224
Moniwa, A. *see* Ohgo, M. 87—60525
Moniwa, M., Kusukawa, K., Murakami, E., Warabisako, T., Miyao, M. Influence of Si film thickness on growth enhancement in Si lateral solid phase epitaxy 88—49798
Moniwa, M., Miyao, M., Tsuchiyama, R., Ishizaka, A., Ichikawa, M., Sunami, H., Tokuyama, T. Preferential nucleation along SiO_2 steps in amorphous Si 85—54445
Moniwa, M., Miyao, M., Warabisako, T., Kusukawa, K., Murakami, E., Shukuri, S. Formation of Si-on-insulator structure by lateral solid phase epitaxial growth with local p-doping 88—6481
Moniwa, M. *see* Kusukawa, K. 88—19982, 88—50669
Moniwa, M. *see* Miyao, M. 85—44747, 86—13770, 88—38211
Moniwa, M. *see* Murakami, E. 88—18705, 88—70310
Moniwa, M. *see* Tamura, M. 86—35539
Moniwa, M. *see* Warabisako, T. 87—52134
Moniz, G. *see* Ham, D.O. 88—48296
Monjardet, B. *see* Barthelemy, J.P. 88—56119
Monjaret, J.L. *see* Galperin, M.D. 87—57465
Monjau, D., Winkler, J. MHDL/F—a language to describe complex digital circuits 88—63460
Monje, C.C. Connector systems for flat cables 88—71157
Monje Garcia, J.M. Digital signal processing in radar systems: review of techniques in use to surveillance radars 85—52421
Monjes, J.A., Throop, A.L., Thomas, S.R., Peebles, A., Quin-Zin, Z. Design and prototype results of a far-infrared interferometer for MFTF-B 85—7562
Monji, M. Inter-company data communication network construction 87—69469
Monjo, Y., Tamura, H., Niikura, T. Video-matte—a new method of video synthesis developed by NHK 86—38055
Monjo, Y. *see* Iwata, A. 86—69924
Monjoin, C. *see* Algalarrondo, D. 86—37230
Monjoin, C. *see* Bunelle, C. 88—8953
Monjoin, C. *see* Craveur, J. 87—76163
Monju, Y. *see* Fukutsuka, T. 85—50860
Monju, Y. *see* Horiuchi, T. 87—67933
Monju, Y. *see* Uo, K. 87—74640
Monk, A. Electronics advances flowmeter technology 87—41417
Monk, A.D. *see* Guy, R.F.E. 85—41801
Monk, A.D. *see* Wyllie, C.B. 85—42563
Monk, C.R. *see* Millard, R.K. 88—36494
Monk, C.W., Jr. Very high speed integrated circuits (VHSIC) technology for digital signal processing applications 86—9269
Monk, D. Fiber optics: new communications security and flexibility for the army 85—63680
Monk, D.H. *see* DeGroot, L.E. 85—3538
Monk, J.L., Keith, A.C., Albano, R.A., Samuels, B.C., Riley, P.E., Blaha, F.C., Cricchi, J.R. A 3 μm pitch multilevel interconnect system for VLSI devices 88—71808
Monk, P. *see* Hill, C.A. 88—20538
Monk, P.B. *see* Falk, R.S. 86—66768
Monk, R.G. Condition monitoring in the process industries 88—41994
Monkade, M., Fuliang, Z., Martinot-Lagarde, P., Durand, G. Fast write and erase surface resistance induced nematic liquid crystal display 87—60978
Monkawa, H. The Lami Coil is finally adapted to mass production 88—1056
Monkel, A. *see* Gerritsen, F.A. 86—32453
Monkel, A. *see* van Ingen Schenau, H.A. 85—37545
Monkhouse, R. *see* Orr, T. 85—8637
Monkowski, J. *see* Tressler, R.E. 85—12140
Monkowski, J.R. Role of particulate contamination in device yield and reliability 85—1470
Monkowski, J.R., Heck, D., Baginski, T.A., Kenney, D., Tressler, R.E. Interaction between point defects and oxygen in silicon 85—55447
Monkowski, J.R., Monkowski, M.D., Tsong, I.S.T., Stach, J. Hydrogen/chlorine distributions in silicon dioxide: detection and model 85—1530
Monkowski, J.R. *see* Baginski, T.A. 86—8928, 86—41641, 86—63147
Monkowski, J.R. *see* Flemish, J.R. 88—57475
Monkowski, J.R. *see* Ruggles, G.A. 86—63191
Monkowski, J.R. *see* Tressler, R.E. 85—1528
Monkowski, M.D. *see* Monkowski, J.R. 85—1530
Monks, A.S. Developing a high-tech business plan 86—26688
Monks, W. *see* Semon, W. 88—50414
Monllor, C. *see* Abiri-Jahromi, H. 85—57082
Monllor, C. *see* Angenieux, G. 85—28491
Monllor, C. *see* Chilo, J. 85—7057, 85—54834, 85—57083, 86—48053
Monma, C.L., Sheng, D.D. Backbone network design and performance analysis: a methodology for packet switching networks 87—13386
Monma, C.L. *see* Golumbic, M.C. 85—5906
Monma, G.L., Wei, V.K. Intersection graphs of paths in a tree 87—5329
Monma, K. The multi-turn adjustment trimmer potentiometer 87—66579
Monma, M. *see* Hayasaka, E. 85—58136
Monma, M. *see* Naito, F. 85—63482
Monma, M. *see* Otsuka, F. 85—37085
Monma, M. *see* Suzuki, M. 87—54658
Monmeneu, J. *see* Ferreira, C. 85—12692
Monn, M.G. *see* Gluckman, M.J. 85—21442
Monnard, M. *see* Markwalder, J.-P. 88—14887
Monne, J. *see* Jouvet, D. 87—19546
Monnee, P., Herben, M.H.A.J. Multiple-beam groundstation reflector antenna system: a preliminary study 87—54714
Monnekes, J. *see* Harder, K. 85—63855, 88—52817
Monnet, F. *see* Gardes, D. 86—60576
Monnet, J.P. *see* Auzinger, W. 88—6388
Monnet, M. *see* Zeta, A. 86—44450
Monnie, D.I. *see* Whitacre, R.F. 86—51397
Monnier, B., Morel, J., Ricard, B. Expert system for assistance in diagnosis of faults in a turbo-alternator unit: how should knowledge be represented? 87—58050
Monnier, B. *see* Ricard, B. 88—42751
Monnier, E. *see* Amendolia, S.R. 87—21426
Monnig, K. *see* Brors, D.L. 85—40651
Monnig, K.A. *see* Brors, D.L. 85—10818
Monno, B. *see* Klein, H. 87—17516
Monnom, G., Paparoditis, C., Gaucherel, Ph., Cavalieri, S., Rideau, A. Influence of stoichiometry on the physical properties of microcrystalline-amorphous GaAs films 86—63038
Monnom, G. *see* Cavalieri, S. 88—7453
Monnot, M. Access to the geostationary satellite orbit 85—20158
Monnot, M. Access to the geostationary satellite orbit 85—42528
Monod, P. *see* Esteve, D. 87—53916
Monod-Broca, A., Cichowlas, A. Protection of a microcomputer network against fraud 87—34158
Monopoli, T.J. Testing the fiber link 87—34597
Monori, P. The application of transmitters made by the MMG automation works at Unit III and IV of the Paks nuclear power plant 85—32313
Monori, P. Questions of output control in nuclear power plant units 86—39300
Monosov, Ya.A. *see* Koledov, V.V. 88—30185
Monostori, L. Signal processing and decision making methods of state supervision systems in mechanical engineering 86—31164
Monoszon, N.A. *see* Balbekov, V.I. 85—26562
Monoszon, N.A. *see* Chernoplekov, N.A. 87—67940
Monot, A. *see* Bourdy, C. 85—26409
Monov, V.V. *see* Popchev, I.P. 88—23371
Monozon, N.A. *see* Chovanec, F. 87—37829
Monreal, F.J.Gutierrez *see* Gutierrez Monreal, F.J.
Monro, D.M. *see* Fernando, G.M.X. 87—2654
Monroe, C.A. *see* Sanders, C.W. 88—23345
Monroe, D. Hopping in exponential band tails 85—23392
Monroe, D. *see* Zwick, H. 86—65463
Monroe, F.E., Jr. *see* Merritt, J.C. 88—53557
Monroe, L., Paul, C.R., Colvin, D.H. Lumped circuit modeling of transmission lines 86—29508
Monroe, S.E., Jr. *see* Gregory, D.A. 88—26887
Monroe, S.E., Jr *see* Juday, R.D. 88—45263, 88—59268
Monroy, A. *see* Barla, K. 87—18316, 88—13576
Monsar, O.A. *see* Bogachkov, N.I. 87—18862
Monsch, J.M. *see* Coumaros, D. 88—48218
Monsen, P. Adaptive signal processing for radio communications 85—25137
Monsen, P. Modern HF communications, modulation and coding 87—13577
Monser, G. Design considerations for broadbanding phased array elements 86—54381
Monser, G.J. Altitude tests reveal stripline antenna faults 85—2661
Monser, G.J. Design considerations for broadbanding phased-array elements beyond two octaves 87—47403
Monserrat, K.J., Davey, S.T., Lyons, M., Hockley, M., Burt, M.G., Mace, D.A.H. InAs/GaAs strained-layer superlattices 87—24910
Monseu, M. Evaluation of characteristics and performance of power system protection relays and protective systems 86—51110
Monseu, M. Evaluation of characteristics and performance of power system protection 87—57684
Monseu, M. *see* Margreve, O. 88—55419
Monseu, M. *see* Maun, J.C. 86—51111
Monseu, P. *see* de Rubinat, J.M. 88—35038
Monshaw, V.R. *see* Mancino, V.J. 86—59831
Monson, C.S. *see* Costello, K.W. 86—65639
Monson, J.E., Ash, K.P., Jones, R.E., Jr., Heim, D.E. Self-heating effects in thin-film heads 85—24137
Monson, J.E., Iwasaki, S. Effects of a finitely permeable back layer on auxiliary pole reproduction of perpendicular recording 85—46006
Monson, J.E. *see* Heim, D.E. 87—46362
Monson, K.E. *see* Stewart, S.H. 87—32606
Monson, P. *see* Steen, W.M. 87—44359
Monson, R., Elachi, C. Earth resources research using the Shuttle Imaging Radar system 85—25938
Monssen, F.J. The use of the Visicalc spreadsheet in the analysis of the RC lead and lag networks 87—5577
Monstakov, V.V. *see* Bazarov, B.A. 87—30770
Monster, G.J. *see* Verhoeven, A.G.A. 87—15898
Mont, M.A. *see* Hakim, N. 88—4943
Monta, H. *see* Itoh, S. 88—41099
Monta, H. *see* Kirisawa, K. 86—69423
Monta, K., Fukutomi, S., Itoh, M., Tai, I. Development of a computerized operator support system for boiling water reactor power plants 88—48675
Monta, K., Naito, N., Sugawara, M., Sato, N., Mori, N., Tai, I., Fukumoto, A., Tsuchida, M. Computerized operator support system with new man-machine interface for BWR power plants 85—21337
Monta, K. *see* Sueoka, Y. 85—48702
Montacie, C. *see* Bimbot, F. 88—72799
Montacie, C. *see* Chollet, G. 88—72895
Montag, G. *see* Morgner, M. 85—15043
Montagna, M., Melli, T., Cerro, R.L. The use of steady-state simulators for the optimization of energy supply systems 86—19668
Montagna, M. *see* Cova, B. 87—77991
Montagna, M. *see* Granelli, G.P. 86—70802, 88—36837, 88—75073
Montagna, M. *see* Innorta, M. 88—10794
Montagna, R., Nebbia, L. A fast adaptive echo canceller for time variant telephone channels 85—36784
Montagna, R., Nebbia, L. A fast adaptive echo canceler with delay estimation for time variant telephone circuits 85—41651
Montagna, R., Nebbia, L., Pirani, G., Rusina, F. A 16 kbit/s speech codec on a single chip DSP 85—7827
Montagna, R., Omologo, M. Some results on multipulse linear predictive coding 87—39712
Montagna, R., Omologo, M. Some results on multipulse linear predictive coding 87—61576
Montagna, R. *see* Babini, G. 88—46657
Montagna, R. *see* Damosso, E. 87—62845
Montagna, R. *see* Lazzari, V. 88—67258
Montagna, R. *see* Mensa, G. 86—29714, 86—29819, 86—59205, 87—19618, 87—33957, 87—62449
Montagna, R. *see* Rusina, F. 87—48962
Montagne, E. *see* Suros, R. 87—65407
Montagu, J.I. Achieving optimal high resolution in galvanometric scanning systems 87—18789
Montagu, J.I. Tunable resonant scanners 88—51645
Montagu-Pollock, H. Hardness testing at submicrometre depths 87—44418
Montague, B.W. Emittance growth from multiple scattering in the plasma Beat-Wave Accelerator 86—5701
Montague, B.W. The evolution of particle accelerators 87—41733
Montague, B.W., Schnell, W. Multiple scattering and synchrotron radiation in the plasma beat-wave accelerator 86—5617
Montague, B.W. *see* Bovet, C. 86—31912
Montague, B.W. *see* Johnsen, K. 88—47772
Montague, D.F., Holton, G.A. Risk assessment of mixed-waste sites 88—63113
Montague, T.J. *see* Horacek, B.M. 86—5960
Montalan, D. *see* Segui, Y. 85—23709
Montalbano, G.C., Schiais, R.A. Systems engineering for automation in electronics manufacturing 86—151
Montalbano, J.F., Casalaina, R.V. Installation and maintenance of lead acid stationary batteries of generating stations 87—30902
Montalbetti, M. Electricity and safety 86—52205
Montalbetti, M. Technology in the service of security 87—14333
Montalbetti, M. Automated manufacture is already a reality 87—43972
Montalbetti, M. Flexible automated assembly lines for electronic equipment 87—72810
Montalbetti, M. Visible electrical wiring installations 88—30351
Montaldi, L. *see* Manfredotti, C. 86—27902, 87—24807
Montalenti, P. *see* Brusaglino, G. 85—44162
Montalti, F. *see* Esposto, F. 87—40889
Montalvo, A. An infinite impulse response structure for echo cancellers 87—33724
Montalvo, A. *see* Gulak, P.G. 88—21107

Montalvo, A. *see* Levy, A.V. 85−33303
Montalvo, J.A.Prieto *see* Prieto Montalvo, J.A.
Montan, S., Stromblad, L.-G. Spectral characterization of brain tumors utilizing laser-induced fluorescence 88−61281
Montan, S. *see* Andersson, P.S. 87−71398, 88−8365
Montanari *see* Bessette 85−46111
Montanari, F. NS 32000 multiprocessing 85−40115
Montanari, F. Coprocessor: extension of CPU 86−14261
Montanari, G. *see* Abbiate, J.C. 85−3217
Montanari, G. *see* Baudelot, F. 85−25514
Montanari, G. *see* Callens, P. 85−3263
Montanari, G. *see* Leotard, R. 85−36813
Montanari, G.C., Cacciari, M. Application of statistical methods for the analysis of progressive tests on insulating materials (p. 519) 85−35246
Montanari, G.C., Cacciari, M. A probabilistic insulation life model for combined thermal-electrical stresses 85−56026
Montanari, G.C., Cacciari, M. Progressively-censored aging tests on XLPE-insulated cable models 88−71850
Montanari, G.C., Loggini, M. Voltage-distortion compensation in electrical plants supplying static power converters 86−70815
Montanari, G.C., Loggini, M. Voltage-distortion compensation in electrical plants supplying static power converters 87−42644
Montanari, G.C., Loggini, M., Belli, R. A study of harmonic-filters contribution to reduction of the voltage distortion in electrical plants having nonlinear loads 86−70656
Montanari, G.C., Motori, A., Pattini, G., Sandrolini, F. A contribution to the investigations of aging mechanisms in XLPE cables 87−25721
Montanari, G.C., Pattini, G. Thermal endurance evaluation of insulating materials: a theoretical and experimental analysis 86−42014
Montanari, G.C., Pattini, G., Simoni, L. Investigation on the combined-stress behavior of XLPE insulated cables 86−70688
Montanari, G.C., Pattini, G., Simoni, L. Long-term behavior of XLPE insulated cable models 87−71669
Montanari, G.C., Pattini, P., Simoni, L. Voltage endurance of XLPE insulated cable models 85−32183
Montanari, G.C. *see* Cacciari, M. 86−13544, 87−58724
Montanari, G.C. *see* Loggini, M. 85−43511, 86−70971, 88−75717
Montanari, G.C. *see* Masoni, S. 86−68115
Montanari, G.C. *see* Sandrolini, F. 85−35252
Montanari, G.C. *see* Simoni, L. 86−47908, 86−68075
Montanari, I. *see* Borghi, C.A. 85−16246
Montanari, M. *see* Guidotti, G. 88−14392
Montanari, R. *see* Mateosian, R. 85−6352
Montanari, T.T. Chebyshev acceleration of the method of Cimmino 85−28164
Montanari, U. Projects for research in informatics: situation in technologically advanced countries 86−43423
Montanari, U. *see* Degano, P. 86−27026
Montanaro, J. *see* Wolrich, G. 85−22932
Montanaro, S.E. Antenna system for the broadcasting service in the band 1605-1705kHz 87−19305
Montandom, E., Szentkuti, B. The rationale of earthing and EMC requirements for the Swiss PTT's digital exchanges 88−2636
Montandon, E. Lightning protection of repeaters of the Swiss PTT 86−55175
Montandon, E. Development of the hybrid earthing at the PTT from 1976 to 1986 86−64018
Montandon, E. *see* Vogelsanger, E. 86−56477
Montane, I. MIW-F-x51: the intelligent microcontroller 87−17117
Montane, I. MIW-F-x51: a more intelligent 8051. II 87−17119
Montane, I. The development system for 8051. II 87−17122
Montane, I. A development system for 8051. III 87−31932
Montane, P. Control of the peninsular power grid [Spain] 85−48514
Montanella, F. *see* Cimbrico, P.L. 86−25993
Montaner, J.A. *see* Ferrero, J.M. 87−21570
Montanes, V. Conversion of units [computer program] 85−14573
Montanet, L. *see* Anguilar-Benitez, M. 87−71031
Montano, P.A. *see* Ramanathan, M. 88−42453
Montano Asquerino, J.C., Aparicio Lopez, R. Formulation and measurement of reactive power 85−31558
Montano Gella, L., Domingo Tardos Solano, J., Sagues, C. Direct drive in robots 88−62642
Montante, J.M. An overview of surface mount technology for microcircuit assembly 85−60773
Montanvert, A. Medial line: graph representation and shape description 87−48127
Montanvert, A., Chassery, J.M. Architecture of discrete binary pictures: geometrical tools 88−14813
Montanvert, A., Chassery, J.M., Charles, C. Binary image decomposition applied to a submarine sweeping pattern problem 88−14812
Montardy, A.de *see* de Montardy, A.
Montaron, B. On incidence matrices of finite projective planes 86−40602
Montarou, G. *see* Alard, J.P. 88−10243
Montasser, A.A., Attia, A.O., Ibrahim, A. Accurate transient performance of a practical inductive load solar cell system 87−42735
Montasser, A.A. *see* Attia, A.O. 87−42734
Montasser, K., Yamada, H., Morita, S., Hattori, S. C-Si-O(B) thin films—a possible X-ray mask substrate candidate 87−52188
Montasser, S. *see* Ali, G.AE-F. 86−42399
Montchenault, G.Hamel de *see* Hamel de Montchenault, G.
Monte, G.Dal *see* Dal Monte, G.
Monte, M.M. *see* Ikalainen, P.K. 87−6033
Monte, R.Dal *see* Dal Monte, R.
Monte, S.Dal *see* Dal Monte, S.
Monte, S.Del *see* Del Monte, S.
Monte, U.De *see* De Monte, U.
Monte-Genest, G. *see* Plamondon, R. 86−4283
Montealegre, J.R. *see* Woodside, C.M. 86−69243
Montealegre, R. *see* Woodside, C.M. 85−8142
Monteau, P.A. Notes on new technologies. IV. Teleconferencing 85−42772
Montecchi, F. Lowpass to highpass transformation in VIS switched-capacitor filters 85−28629
Montecchi, F. Switched-capacitor pseudo N-path filters with improved noise characteristics in the pass-band 86−1253
Montecchi, F. Bilinear design of high-pass switched-capacitor ladder filters 86−57946
Montecchi, F. *see* Chiappano, G. 87−62861
Montecchi, F. *see* Espinosa Flores-verdad, G. 88−63783
Montecchi, F. *see* Fulop, T. 88−12498
Montecchi, F. *see* Maloberti, F. 85−17679, 85−34049, 86−14347
Monteen, L.D. *see* Purucker, S.L. 85−43591, 86−12273
Montefusco, A., Testa, A., Tommazzolli, G.F. Electrical installations in premises with an explosion risk 88−24505
Montegari, F.A. *see* Banker, D.C. 85−22739, 85−33649
Montegu, B. *see* Boyeaux, J.P. 88−18076, 88−37511
Montegu, B. *see* Gavand, M. 88−37612, 88−49854
Montegu, B. *see* Laugier, A. 87−18827
Montegu, B. *see* Mayet, L. 86−40128, 88−31038
Monteil, A. *see* Boulon, G. 88−14135
Monteil, A. *see* Garapon, C. 88−45386
Monteil, Y. *see* Tromson Carli, A. 85−60973
Monteil, Y. *see* Vaille, M. 88−24802
Monteillet, A. *see* Lenoir, F. 88−46806
Monteiro, E. An X.25 interface implementation 88−8919
Monteiro, E. *see* Fernandes, F.B. 88−9020
Monteiro, M. Analysis of, and prospects for the use of optical fibres in the transmission network of the post office [optical links] 85−14238
Monteiro, R. *see* Trunk, J. 88−47061, 88−47069
Monteiro, S.N., Le May, I. Case studies of international cooperation and exchange in post-graduate engineering programs 87−23163
Monteiro, S.N. *see* Le May, I. 87−23149
Monteiro de Mata, J. ALLENDE: a procedural language for the hierarchical specification of VLSI layouts 86−20196
Monteith, C.R., Jr. TOU metering is mandated by PUC 88−48502
Monteith, D. *see* Purviance, J. 88−71050, 88−71059
Monteith, D., Jr Using SPICE 2 in computer-aided design of energy conversion electronics 87−37000
Monteith, D.O., Jr. Reliability considerations for power system design 85−60824
Monteith, D.O., Jr., Shaw, B.S. Using PC-based SPICE for power system design and analysis 88−75061
Monteith, W. Economic optimisation of energy production from anaerobic digestion of whey 87−42568
Monteith, W. *see* Beattie, W.C. 85−64840
Monteith, W. *see* Bridges, B. 87−42418
Monteith, W. *see* Irwin, G.W. 87−4325
Monteith, W. *see* McIlroy, C.D. 85−36323, 85−36449
Montejano-Carrizales, J.M. *see* Lastras-Martinez, A. 88−13034
Montel, M. *see* Tarby, S. 88−62098
Monteleon, V.J. Distributed C^3 test bed and user interactions 87−76081
Monteleone, R. Laser power supplies: smaller and better 87−75192
Monteleoni, B. *see* Bocciolini, M. 87−63651, 87−63680
Monteleoni-Conforto, B. *see* Forino, A. 85−37976
Montelione, J. Overview—the use of array processors in combination with PCs and supermicros for performing high speed signal processing in CAM 86−46889
Montella, C. *see* Barral, G. 86−19439
Montella, L. Global competition and EEC policy in telecommunications: an Italian perspective 85−7987
Montelmacher, P. *see* Portella, M.T. 87−54275, 87−75237
Montelongo, S., Hunt, D.N. Workstation control of a pulse height analyzer 85−43296
Montemayer, V.J., Deck, R.T. Optical bistability with the waveguide mode 85−51255
Montemerlo, M.D. *see* Holcomb, L.B. 87−29863, 87−57279
Montemurro, P. *see* McNerney, A. 87−41812
Montemurro, P. *see* Sanders, R. 88−61068
Montemurro, P.A. *see* Nawrocky, R.J. 85−27525
Montemurro, R., Corsi, N., Micciarelli, A. OSI interworking of public networks for data communication 86−37309
Montemurro, R. *see* Burgassi, M. 87−33902, 87−48495
Montemurro, R. *see* Corsi, N. 85−25522
Montemurro, R. *see* Giorcelli, S. 85−3317, 85−52161, 85−57884
Montenegro, E.C., Oliver, A., Aldape, F. Parametric determination of a Si(Li) detector efficiency curve using $K\beta/K\alpha$ branching ratios 86−32184
Montenegro, G.N.Di *see* Di Montenegro, G.N.
Montenegro, G.Negri Di *see* Negri Di Montenegro, G.
Montenegro, H. *see* Lorente, H. 87−66607
Montenegro, J.F. *see* Algarabel, P.A. 87−74507
Montepetit, M.J., Deslauriers, G., Haccoun, D. A branching process analysis of the stack algorithm over a bursty channel [sequential decoding] 87−55002
Montero, C.Lopez *see* Lopez Montero, C.
Montero, E. Physics of failure mechanisms in semiconductor devices: analysis procedures 85−29173
Montero, J.M. *see* Rispoli, F. 88−34477
Montero, M. *see* Krenzinger, A. 88−17472
Montero, M. *see* Lorenzo, E. 86−45298, 87−57966, 88−17437, 88−17460
Montero de Espinosa, F. *see* San Emeterio Prieto, J.L. 88−71864
Montero de Espinosa, F.R., Matteucci, M., Pappalardo, M. Optimization of dispersive quarter wave slotted matching plates in linear transducer arrays 86−6175
Montero de Espinosa, F.R., Pavia, V., Gallego-Juarez, J.A., Pappalardo, M. Fractured piezoelectric ceramics for broadband ultrasonic composite transducers 87−71447
Montero de Espinosa, F.R., Ramos, A., Pappalardo, M. Wide band linear array for ultrasonic imaging 86−25464
Montero de Espinosa, F.R., San Emeterio, J.L., Sanz, P.T., Ramos, A. Broad-band ultrasonic transducers based on fractured piezoelectric ceramics 88−13653
Montero de Espinosa, F.R *see* Ramos, A. 87−21795, 87−57449
Montero de Espinosa, F.R *see* Ramos-Fernandez, A. 87−63999
Montero de Juan, F.J. Comprehensive fuzziness 86−66686
Montero-Ocampo, C. *see* Fabry, P. 88−74376
Montes, A. *see* Barroso, J.J. 86−1615, 87−24685
Montes, C., Pellat, R. Inertial response to nonstationary stimulated Brillouin backscattering: damage of optical and plasma fibers 88−2001
Montes, H. *see* Boyer, L. 86−13836
Montes, H. *see* Josseaux, P. 85−45485
Montes, J. *see* Cristobal, G. 87−47945
Montes, M. *see* Schmitz, A.E. 88−63764
Montes, M.C. *see* Lee, J.Y. 87−60220
Montesalvo, M. *see* Schiff, D. 86−35876
Montesano, C.E. *see* Garcia Pino, A. 87−49216
Montesano, C.E. *see* Pino, A.G. 88−2805
Montessoro, P.L. *see* Gai, S. 88−70722
Monteverde, R. Latex small balls on the wafer: for calibration of surface contaminants detectors 86−15198
Montfoort, A. Experiences and user requirements with regard to the reliability of synthetic cables 87−9170
Montfoort, A. *see* Koningstein, J.A. 88−24095
Montfoort, A. *see* Paulissen, L.M.M. 86−51004
Montfort, B. Industrial economies run on electricity 86−12296
Montfort, B., Lederer, P. Generation planning at Electricite de France—a sharper focus for the coming decades 86−61095
Montfort, J., Voute, A. The cooling system for nuclear power stations. Design criteria and methods 87−50946
Montfort, R. Effects of parameter variations on induction-machine group transients 87−22387
Montfort, R. *see* Robert, J. 85−32610
Montginoul, C. *see* Buiguez, F. 86−1974
Montginoul, C. *see* Eranian, A. 87−67032
Montginoul, C. *see* Holil, B. 85−35101
Montginoul, C. *see* Schue, F. 87−25019
Montginoul, C. *see* Serre, B. 85−29107

Montgomery, A.A., Finn, K.E. The use of visible lip information in automatic speech recognition 87−47610

Montgomery, B.G. *see* Johnston, W.A., Jr. 85−27879

Montgomery, B.L., Abrahams, J. Synchronization of binary source codes 87−27180

Montgomery, B.L., Abrahams, J. On the redundancy of optimal binary prefix-condition codes for finite and infinite sources 87−39646

Montgomery, B.L., Kumar, B.V.K.V. Nearest-neighbor non-iterative error correcting optical associative memory processor 87−39938

Montgomery, B.L., Kumar, B.V.K.V. On the average codeword length of optimal binary codes for extended sources 87−47515

Montgomery, B.L., Kumar, B.V.K.V. On the average codeword length of optimal binary codes for extended sources 87−54896

Montgomery, B.L., Kumar, B.V.K.V., Diamond, H. A general minimum distance decoding procedure for binary linear block codes 87−54911

Montgomery, C.G., Dicke, R.H., Purcell, E.M. *(editor)* Principles of microwave circuits 88−62871

Montgomery, C.M. *see* Girling, I.R. 85−29899

Montgomery, D., Ryan, J.P. Military microwave fiber optics market forecast 88−918

Montgomery, D.B. Qualification of large superconducting magnets for fusion systems 85−1912

Montgomery, D.B. Superconducting qualification program for TFCX and Alcator DCT magnetic systems 86−28766

Montgomery, D.B. Status of the development of large magnets for fusion devices 86−42183

Montgomery, D.B., Becker, H., Besen, M., Childs, R., Diatchenko, N., Fertl, K., Gwinn, D., Humphries, D., Hutchinson, I., Lipschultz, B., Pierce, N., Pillsbury, R., Schultz, J.H., Vieira, R., Wolfe, S. Engineering features of the Alcator C-Mod tokamak 88−65989

Montgomery, D.B. *see* Furth, H.P. 88−65090

Montgomery, D.B. *see* Schultz, J.H. 85−1932, 85−56241

Montgomery, D.C. The motor rewind issue—a new look 85−21566

Montgomery, D.C. The effect of nonnormality on variables sampling plans 86−204

Montgomery, D.C., Storer, R.H. Economic models and process quality control 87−44020

Montgomery, D.C. *see* Schwartz, T.F. 85−43918

Montgomery, D.R. *see* Wheelwright, E.J. 86−13094

Montgomery, G.J. The B-1B Central Integrated Test System Expert Parameter System 86−70498

Montgomery, G.P., Jr. Efficient calculation of liquid-crystal-display viewing characteristics 85−24343

Montgomery, G.P., Jr., Vaz, N.A. Contrast ratios of polymer-dispersed liquid crystal films 87−38868

Montgomery, G.P., Jr. *see* Vaz, N.A. 87−68213 to 68214

Montgomery, H. The final jump [satellites for land mobile communications] 85−63598

Montgomery, H. Airfone: down but not out 86−30460

Montgomery, J. *see* Littman, M. 88−34070

Montgomery, J.D. Fiber optic gyroscope review and market forecast 85−24296

Montgomery, J.D. Microwave equipment US production forecast 87−10227

Montgomery, J.D. Fiber optic gyro markets and applications 88−16137

Montgomery, J.D. The elusive GaAs MMIC market 88−25507

Montgomery, J.D., Dixon, F.W. Microwave fibre optics forecast 86−4660

Montgomery, J.D., Dixon, F.W. Noncommunication fibre optic worldwide market forecast 88−36059

Montgomery, J.D., Glasco, J. Fiber optic sensor long-range market forecast 87−26031

Montgomery, J.D., Glasco, J., Dixon, F.W. Precision fiber optic sensor market forecast 87−12158

Montgomery, J.D., Ryan, J.R. Integrated optoelectronic circuit forecast 88−40102

Montgomery, J.H. *see* Mitchell, N.S.J. 87−18344

Montgomery, J.H. *see* Wilson, A. 87−24943

Montgomery, J.P., Davey, K.R. The solution of planar periodic structures using iterative methods 86−59025

Montgomery, J.P., Kuster, E.J., Weaver, E.E., Moore, R.L., Wells, T.B. RCS impulse response of targets utilizing frequency domain data 86−18091

Montgomery, J.P. *see* Cooke, W.P. 87−27038

Montgomery, M. *see* Eckhouse, S. 88−54018

Montgomery, M. *see* Ware, K. 87−21384

Montgomery, M.B. *see* Jaron, D. 87−41908

Montgomery, N.W. Triple-frequency stacked microstrip element 85−11521

Montgomery, P., Townsend, D. Strategic forecasting and telecommunications planning 87−65135

Montgomery, P. *see* Bergquist, B.D. 87−21243

Montgomery, P.C., Bergquist, B.D. Contrast enhancement of ESPI vibration patterns by speckle averaging in a video frame store 87−20997

Montgomery, P.C., Fillard, J.P. Study of microdefects in near-surface and interior of III-V compound wafers by dark-field transmission microscopy 88−57404

Montgomery, P.C., Rowland, A.C. Optical metrology at Loughborough University 88−2443

Montgomery, P.C., Tyrer, J. The use of electronic speckle pattern interferometry (ESPI) as an inspection tool 85−49370

Montgomery, P.C. *see* Bergquist, B.D. 87−49940

Montgomery, R.B. *see* Craig, R.A. 88−66088

Montgomery, R.H. Services and tariffs with ISDN 88−28469

Montgomery, R.J. Bipolar technology in high performance VLSI ASIC gate arrays 87−18307

Montgomery, R.K., Mantei, T.D. UV laser deposition of metal films by photogenerated free radicals 86−34348

Montgomery, R.M., Watkins, J.W. 2-D phased array processing in bulk wave acoustic media 88−72693

Montgomery, R.O. *see* Bechler, E.W. 88−23682

Montgomery, R.O. *see* Lyon, W.F. 87−57295

Montgomery, S. Measurement system's buses, windows, and icons simplify programming and operation 86−44094

Montgomery, S. Plain English commands IEEE-488 interface 87−14088

Montgomery, S. User interfaces and artificial intelligence 87−56507

Montgomery, S. Test Windows and TestBASIC: the shortest path to a completed test program 87−77121

Montgomery, S. Specifying digitizers for system support 88−60824

Montgomery, S., Dash, M. Computer-integrated testing meets the just-in-time challenge 86−24287

Montgomery, S. *see* Courtney, D. 88−51475, 88−65253

Montgomery, T.T. *see* Glasstetter, S.R. 87−36411

Montgomery, V., Dinan, J.H. Characteristics of cadmium telluride surfaces prepared by pulsed laser irradiation 85−55732

Montgomery, W. *see* Oliver, J.A. 86−61524

Montgomery, W.A. *see* Kulzer, J.J. 85−51835

Montgomery, W.H. The structure of telecommunications regulation and markets in Canada 85−30523

Montgomery, W.P. Empiricism in telecommunications regulatory policy 87−33878

Montgomery, W.P. *see* Beckner, J. 85−63223

Montgomery, W.P. *see* Selwyn, L.L. 87−69562

Month, L. *see* Chaney, S.R. 85−16273

Month, M. *see* Antillon, A. 86−31933

Monti, C. *see* Giussani, A. 87−71798, 88−17256

Monti, C.M., Pierobon, G.L. Block codes for linear timing recovery in data transmission systems 85−57227

Monti, C.T. Automatic handling systems for hybrid wire bonding 88−1298

Monti, G. *see* Rebuffat, L. 86−51076

Monti, M., Sandrin, P., Gonot, J.P. Pumped-storage: peak generation or operating reserve? 85−5002

Monti, M. *see* Batut, J. 88−68788

Monti, M. *see* Ea, K. 86−56394, 87−4471

Monti, R., Russos, G.P. Non-intrusive methods for temperature measurements in liquid zones in microgravity environments 85−31613

Monticelli, A., Murari, C.A.F., Wu, F.F. A hybrid state estimator: solving normal equations by orthogonal transformations [power systems] 86−32629

Monticelli, A., Pereira, M.V.F., Granville, S. Security-constrained optimal power flow with post-contingency corrective rescheduling 87−42353

Monticelli, A., Wu, F.F. A method that combines internal state estimation and external network modeling [interconnected power systems] 85−32085

Monticelli, A., Wu, F.F. Network observability: identification of observable islands and measurement placement 85−48537

Monticelli, A., Wu, F.F. Network observability: theory 85−48538

Monticelli, A., Wu, F.F. Observability analysis for orthogonal transformation based state estimation [power systems] 86−50787

Monticelli, A., Wu, F.F. Observability analysis for orthogonal transformation based state estimation [power systems] 86−56306

Monticelli, A., Wu, F.F., Maosong Yen Multiple bad data identification for state estimation by combinatorial optimization 86−46215

Monticelli, A. *see* Pereira, M.V.F. 87−50661

Monticelli, A. *see* Wu, F.F. 87−71572, 88−54903

Monticelli, A.J. *see* Stott, B. 88−30314

Monticelli, D., Wright, J., Small, B., Geczy, B. 200-MHz pnp transistors spawn fast analog chips 86−67041

Monticelli, D.M. A quad CMOS single-supply op amp with rail-to-rail output swing 87−16890

Monticelli, D.M. A quad CMOS single-supply opamp with rail-to-rail output swing 87−16917

Monticelli, R. Vanguard analogue integrated circuits 86−28380

Monticone, E. *see* Manfredotti, C. 87−29527, 88−10252, 88−75724

Montie, E.A. *see* Van den Hamer, P. 86−22047

Montier, M. 3D integration—technological key points and possible applications 87−46244

Montier, M. SOI material and processing towards 3D integration 88−71370

Montier, M. *see* Lane, W.A. 87−38590

Montier, M. *see* Marty, M. 85−1760

Montiginoul, C. *see* Maurin, O. 86−2077

Montignac, G. *see* Castets, A. 88−47245

Montijano, J.I. *see* Calvo, M. 87−36648

Montijo, B.A. Digital filtering in a high-speed digitizing oscilloscope 88−59135

Montille, G.de *see* de Montille, G.

Montillo, F.J. *see* Bhatia, H.S. 85−1453, 85−7010, 85−12081, 85−18405

Montillot, P., Lanzo, J., Rigaud, B., Chauveau, N., Carriere, R., Morucci, J.P. ECG signal and heart rate superimposed on video image 86−56091

Montmayeul, R. *see* Bozec, J. 87−78312

Montmayeul, R. *see* Copin, B. 85−27180

Montner, S.M., Lehr, J.L., Oravez, W.T. Quantitative evaluation of a dual energy CT system 87−63743

Montois, J. Tests of TV equipments based on component separation 87−28791

Montois, J. Wobbulation and synthesis of frequencies in a wide band (10MHz—40GHz) 87−29152

Montoliu, F.Climent *see* Climent Montoliu, F.

Montolivo, E. Relative complexity of binary sequences 85−30207

Montolivo, E. Relative complexity of binary sequences 85−36193

Montolivo, E. *see* Di Porto, A. 86−19885

Montonen, J. *see* Katila, T. 88−36492

Montor, K. *see* Kiser, J. 85−33044

Montoriol, G. *see* Versnaeyen, C. 88−56941

Montoya, F. High resolution color graphic displays for strong demands 86−70034

Montoya, F. Microprocessor-controlled TV monitor 87−34779

Montoya, F., Piepers, M. Colour recognition in video signals without movement indicators 85−26019

Montoya, J.R.Azor *see* Azor Montoya, J.R.

Montoya-Vitini, F. *see* Ramos-Fernandez, A. 85−53233

Montoye, R.K. *see* Hauge, P.S. 85−28473

Montoye, R.K. *see* Oklobdzija, V.G. 86−2430, 86−47809

Montpetit, M.J., Deslauriers, G., Haccoun, D. The average number of computations of the stack algorithm in a bursty channel 88−45837

Montree, A. *see* Giling, L.J. 87−23599

Montrees, G.K. *see* Loboda, M.J. 88−51111

Montress, G.K., Parker, T.E., Callerame, J. A miniature hybrid circuit SAW oscillator using an all quartz packaged resonator 87−1851

Montress, G.K., Parker, T.E., Loboda, M.J. Extremely low phase noise SAW resonator oscillator design and performance 88−51112

Montress, G.K. *see* Loboda, M.J. 87−73779, 88−25467

Montress, G.K. *see* Merritt, S.W. 86−2562

Montress, G.K. *see* Parker, T.E. 86−42085, 88−57877

Montrezza, A. *see* Devecchi, D. 86−658

Montrieux, M., Gys, L. ITT 5400 BS, a business communication system 85−13755

Montrieux, M. *see* Baroncini, V. 85−51937

Montrimas, E., Balciunas, J., Fung Cho, Do Van Anh The photodischarge mechanism for multicomponent electrophotographic chalcogenide films based in arsenic sesquiselenide 86−54028

Montrimas, E., Jankauskas, V. The charge transfer in the system of amorphous layers of selenium-phosphorus-tellurium 86−58269

Montrimas, E. *see* Gaidelis, V. 85−56410

Montrimas, E. *see* Juska, G. 88−25905

Montrimas, E. *see* Kalade, J. 86−28060, 86−53473

Montrimas, E.A., Kaminskas, A.J., Jankauskas, V.A. Defect-fatigue mechanism in selenium-based electroradiographic layers 86−36303

Montroll, A. *see* Macomber, S.H. 88−8205

Montrone, D.L. *see* Mazin, M. 86−2420

Montrosset, I. *see* Baralis, E. 87−33167

Montrosset, I. *see* Bava, G.P. 86−9973, 86−54135, 87−33266, 87−39128, 87−54414, 88−40210

Montrosset, I. *see* Calderone, S. 86−42941

Montrosset, I. *see* Daniele, V. 85−57087

Montrosset, I. *see* Ghione, G. 85−2639, 85−36085

Montrosset, I. *see* Mantica, P.G. 86−63963

Montrosset, I. *see* Strake, E. 88−72106

Montrucchio, G. *see* Giannini, M. 87−18204

Montry, G.R. *see* Bloomquist, D.D. 87−17672

Monts, D.L. *see* Meng-Chih Su 87−41304

Montussaint, D.de *see* de Montussaint, D.

Monty, A. The ATLAS project—communication between driver, automobile and environment 87—72553
Monty, A.B. The ATLAS and CARMINAT projects: communication between driver, automobile and environment 87—79186
Monty, R.M., Silverstein, L.D., Frost, K., Boyle, L. A color matrix display image simulation system for human factors research 88—16317
Mony, G. *see* O'Shaughnessy, D. 86—3808
Monzel, J.A. *see* Torku, K.E. 87—24197
Monzel, J.M. *see* Wu, D.M. 88—13536
Monzingo, R.A., Au, S.P. Evaluation of image response signal power resulting from I-Q channel imbalance 87—55075
Monzon, J.C. Three-dimensional scattering by an infinite homogeneous anisotropic circular cylinder: a spectral approach 87—61356
Monzon, J.C. Excitation of surface waves on a unidirectionally conducting screen by an arbitrary phased line source parallel to it 88—45670
Monzon, J.C., Damaskos, N.J. Two-dimensional scattering by a homogeneous anisotropic rod 87—12693
Monzon, J.C., Damaskos, N.J. On an integral equation for 2-D anisotropic rod scattering 87—33417
Monzon, J.E., Guillen, S.G. Current defibrillator: new instrument of programmed current for research and clinical use 86—18360
Monzyk, J. *see* Biswas, A. 86—6153
Moo, C.S. *see* Chen, C.S. 87—58060
Moo, S.P. *see* Ng, K.H. 88—10448
Moo Jung Chu, Sang Soo Lee Thermo-optic and electro-optic tuning sensitivities of the second-harmonic generation in KH_2PO_4 crystal measured by diverging beam technique 85—41464
Moo Lee Kyung *see* Kyung Moo Lee
Moo Park Hyung *see* Hyung Moo Park
Moo Sen, Mao Hanfen Infrared absorption of water in phosphate laser glasses 86—54111
Moo Sung Kim, Suk-ki Min The ternary (Ga-In-Al) melt incorporated effects on the AlGaAs growth by MOCVD 86—52529
Moo Sung Kim, Suk-ki Min, Chun, J.S. The gettering effects of Ga-In-Al ternary melt bubbler on growth rate and solid composition of MOCVD AlGaAs 86—26837
Moo Sung Kim *see* Jae Shin Cho 86—400
Moo-Je Cho *see* Seug-Young Hwang 85—21744
Moo-Woong Kim *see* Myung-Chul Shin 87—64033
Moochalla, S.S., Aubert, D.E. 20 GHz lumped-element GaAs FET driver amplifier 85—40250
Moodenbaugh, A.R. *see* McCallum, R.W. 87—59017
Moodera, J.S., Francavilla, T.L., Wolf, S.A. Upper critical field measurement and penetration depth determination for superconducting NbCN films 87—67824
Moodera, J.S. *see* Meservey, R. 87—21035
Moodie, J., Vickers, M.A. Some considerations of start up in the design of fluidized bed boilers 85—59987
Moodley, Y.D. *see* de Meillon, T.A. 88—35341
Moody, B.L., Hensley, D.A., Bennett, J.W. Built-in-test software for an Ada avionics hot bench 88—5068
Moody, D. *see* Riviere, A.C. 87—78800
Moody, F.A. *see* Chamberlin, J.W. 87—48856
Moody, G. Modems win approval [BT tests] 85—169
Moody, G.B., Mark, R.G. How can we predict real-world performance of an arrhythmia detector? 85—9190
Moody, G.B., Mark, R.G., Bump, M.A., Weinstein, J.S., Berman, A.D., Mietus, J.E., Goldberger, A.L. Clinical validation of the ECG-derived respiration (EDR) technique 88—10369
Moody, G.B., Mark, R.G., Zocola, A., Mantero, S. Derivation of respiratory signals from multi-lead ECGs 87—21582
Moody, G.B., Muldrow, W.K., Mark, R.G. A noise stress test for arrhythmia detectors 85—59300
Moody, G.B. *see* Greenwald, S.D. 87—21603
Moody, G.B. *see* Muldrow, W.K. 88—4963
Moody, G.J. Mechanistic studies of ion-selective electrodes 85—59244
Moody, H.G. The teleconferencing dream deferred 87—69572
Moody, H.J., Wegrowicz, L.A. Antenna and system designs for mobile communication satellites 88—28818
Moody, H.J. *see* Kidd, A.M. 86—59855, 87—34468
Moody, H.J. *see* Rao, K.S. 87—26939, 87—61457
Moody, J. *see* Chiou, H.-D. 85—23629
Moody, J. *see* Rode, V. 87—22419, 87—51249
Moody, J.H., Follen, S.M. Common cause modeling of reactor trip breaker configurations 85—48812
Moody, J.H. *see* Fleming, K.N. 85—48758
Moody, J.W. Oxygen in Czochralski crystals and melts—a review 87—16576
Moody, J.W. *see* Craven, R.A. 87—10885
Moody, J.W. *see* Dyson, W. 85—10744, 85—23427
Moody, J.W. *see* Fraundorf, G. 85—60940
Moody, J.W. *see* Shimura, F. 86—21115
Moody, L.E. *see* Kelly, G.W. 85—43435 to 43436
Moody, M. *see* Sultan, N. 85—13297
Moody, M.H. A high reliability battery management system 87—22705
Moody, M.H. *see* Sultan, N. 85—41712
Moody, M.V., Chan, H.A., Paik, H.J. Superconducting gravity gradiometer for space and terrestrial applications 87—29914
Moody, M.V., Chan, H.A., Paik, H.J., Stephens, C. A superconducting penetration depth thermometer 85—47967
Moody, M.V. *see* Chan, H.A. 85—48468, 85—64694
Moody, M.V. *see* Parke, J.W. 85—42989
Moody, P., Lloyd, C. ZX81: Jupiter Ace: Spectrum programmable joystick controller 85—11139
Moody, R. *see* Ledwith, A. 85—34718
Moody, R.A. *see* Goodall, F.N. 85—55616, 86—36625
Moody, R.V., Patera, J. Computation of character decomposition of class functions on compact semisimple Lie groups 87—51980
Moody, S.E. Evaluation of laser technologies for on-aircraft wind shear detection 88—28976
Moody, S.E., Kimura, W.D. The role of atomic absorption in xenon fluoride lasers 87—61100
Moody, S.E. *see* Kimura, W.D. 86—68429, 87—26268, 87—33079
Moody, T., Joost, M., Rodman, R. A comparative evaluation of speech recognizers 88—72872
Moody, T. *see* Joost, M.G. 86—48810
Moody, T.J. *see* Phelps, R.F. 88—24478
Moody, T.S. *see* Rodman, R.D. 88—72871
Mooers, C. *see* Partridge, C. 88—28289
Moog, B. MIDI: musical instrument digital interface 86—55507
Moog, J.J. *see* Castanie, F. 88—42561
Moog, J.J. *see* Sitbon, S. 88—23093
Moog, R.A. Digital music synthesis 86—55498
Mooi, B. *see* van den Berg, R. 87—57061
Mooi, F.A. *see* Karemaker, J. 86—32256
Mooij, B.De *see* De Mooij, B.
Mooij, D.B.de *see* de Mooij, D.B.
Mooij, J.E., van Wees, B.J., van der Zant, H.S.J. Networks of superconducting islands loose coupled via Josephson junctions 87—25892
Mooij, J.E. *see* Panhuzen, R.A. 87—74588
Mooij, J.E. *see* Schellingerhout, A.J.G. 87—25891
Mooij, J.E. *see* van de Leur, R.H.M. 88—38135
Mooij, J.E. *see* van der Wel, W. 85—58833, 86—53416, 88—53823
Mooij, J.E. *see* Van Houten, H. 88—32913
Mooij, J.E. *see* van Wees, B.J. 86—2642
Mooij, J.M. *see* Tesink, K. 85—13748
Mook, G. *see* Komrakov, E. 85—44821
Mook, G. *see* Morgner, W. 87—381, 87—65601
Mook Yang Joon *see* Joon Mook Yang
Mookerjee, P., Gold, Y.I. Determining the updating interval of a round robin sequence for token passing mobile networks 86—4539
Mookken, T. *see* Jenevein, R.M. 88—66807
Moolen, P.van der *see* van der Moolen, P.
Moolenbeek, R. *see* Cooperman, M. 86—4451, 86—49382, 88—59900, 88—59949
Moon, A. *see* Macaulay, B. 88—5994
Moon, B. Biosensors: chemical sensing with light 88—60704
Moon, B.K. *see* Yung, S.I. 87—43435
Moon, C.G. *see* Kiersztyn, S.E. 86—7257
Moon, C.W. Error analysis for dimensional measurement using computer vision techniques 88—60773
Moon, D. Developing standards smooth the integration of programmable factory floor devices 86—16918
Moon, D.C. *see* Shin, K.C. 87—16616
Moon, D.L. Image quality for discrete-element displays: variables, metrics and measurements 88—67971
Moon, F., Hull, J.R., Berry, G.F. Superconductivity: as temperatures rise, so do demands on MEs 88—64997
Moon, F.C. *see* Hara, K. 86—58728
Moon, F.H. Distortion in CATV signals—an overview 88—27982
Moon, H., Lee, D., Jhun, T. Major conversion to coal best option for oil-designed units 85—4946
Moon, J. Adapting diesels for hazardous zones 85—15823
Moon, J. Fourth Sulzer set running at Guernsey power station 88—69131
Moon, J., Castle, G.S.P., Masuda, S. High efficiency ozone generation using a helical strip-line electrode and a fast rising pulse voltage 87—38609
Moon, J. *see* Jeng, M. 88—39484
Moon, J.-D., Castle, G.S.P. Ozone generation using a saw tooth disk electrode and a pulse corona discharge 88—25855
Moon, J.-H., Koh, J.-S., Kim, S.D., Kim, J.K. Spatial-temporal prediction algorithm with pel recursive motion compensation 88—45938
Moon, J.B. *see* Lagu, R.K. 87—35393
Moon, J.E. *see* Chung, J. 88—39712
Moon, J.E. *see* Kaiser, R.S. 87—78369
Moon, J.J., Carley, L.R., Katti, R.R. Density dependence of noise in thin metallic longitudinal media 88—71920
Moon, J.J. *see* Carley, L.R. 88—57964
Moon, J.W. *see* Lakser, H. 88—70222
Moon, J.W. *see* Meir, A. 88—56130
Moon, P.R. Limit-cycle suppression by diagonally dominant Lyapunov functions in state-space digital filters 85—17746
Moon, R. *see* Saxena, R. 87—10434
Moon, R.L. *see* Kellert, F.G. 86—42455
Moon, R.L. *see* Saxena, R.R. 88—49859, 88—63295
Moon, R.M. A review of current and proposed reactor upgrades [for neutron scattering] 85—64442
Moon, S.J. Signal to noise ratio for digital transmission of uniform random signals via block codes 88—27810
Moon, S.J. *see* Omura, J.K. 87—20426
Moon, W., Carswell, A., Tang, R., Dilliston, C. Radon transform wave field separation for vertical seismic profiling data 86—54497
Moon, W., Tang, R. On the hydrodynamic correction of Seasat-ALT data and geodynamic applications 86—6140
Moon, W., Ushah, A. Application of 2-D Hilbert transform in the interpretation of remotely sensed potential field data 87—57352
Moon, Y.H., Park, Y.M., Lee, K.J. Observable island identification for state estimation using incidence matrix [power systems operation] 88—30228
Moon, Y.H., Park, Y.M., Yang, H.S., Lee, K.J., Lee, K.J. Observable island identification for state estimation using incidence matrix 87—71510
Moon, Y.S., Kwan, S.K., Li, W.T. A heuristic algorithm for designing topological layout of Ethernet networks 88—28423
Moon Byung-Soo *see* Byung-Soo Moon
Moon Charn Riew, Do Sun Bai An economic attributes acceptance sampling plan with three decision criteria 85—5811
Moon Cheol Paek, Kyoung Ik Cho, Sung Hae Song An analysis of pattern shift in the epitaxial growth of silicon on (111) substrates 85—393
Moon Gi Kang, Byeong Gi Lee A generalized vocal tract model for pole-zero type linear prediction [speech processing] 88—72851
Moon Hee Han, Byung Woo Kim, Byung Sun Yoo, Jeong Ho Lee Comparison of radiation exposures from coal-fired and nuclear power plants 88—30449
Moon Ho Lee A simple matrix factorization approach to fast Hadamard transform 88—6426
Moon Ho Lee Weighted Hadamard transform image coding 88—46170
Moon Ho Lee, Cheul Kee Yang Piezoelectric properties of the pseudo-quaternary system PMN-PCN-PT-PZ 86—68071
Moon Ho Lee *see* Young Seok Lim 88—46177
Moon Hwe Hur, Jai Ki Kim Tail reduction of the output pulse of spark array preionized compact TEA-CO_2 laser 88—45360
Moon Hyun Cho, Si Whan Kim, Jong Soo Choi The enhancement of range resolution using analytic signal magnitude with attenuation compensation 85—26919
Moon Il Min *see* Il Min Moon
Moon Jae-Duk *see* Jae-Duk Moon
Moon Jung Chung, Toy, E.J., Gupta, A. A highly parallel computer in wafer scale integration 87—67572
Moon Key Lee *see* Jon Hoon Park 88—44871
Moon Key Lee *see* Jong Tae Park 87—1177, 87—45309, 88—7291
Moon Key Lee *see* Yong Jae Lee 87—25213, 87—32470
Moon Kim Mal *see* Mal Moon Kim
Moon Park Young *see* Young Moon Park
Moon Soo Kim, Tomabechi, N. Fault-tolerant digital filters using pulse-train residue arithmetic circuits 88—19283
Moon Soo Oh *see* Hyun Jae Lee 88—45087, 88—67817
Moon Yiu-Sang *see* Yiu-Sang Moon
Moon Young Hyun *see* Young Hyun Moon
Moon Young-Deuk *see* Young-Deuk Moon
Moon Young-Hyun *see* Young-Hyun Moon
Moon Yung-Hyun *see* Yung-Hyun Moon
Moon-han Kim *see* Young-moon Hwang 87—35963
Moon-Ho Lee *see* Sang-Ho Sho 85—57391
Moon-hyun Chun, Chang-kyung Sung Parametric effects on the void fraction measurement by capacitance transducers 87—3799
Moon-Hyun Chun, Jong-Bae Choi Parametric effects of capacitance transducers on void fraction measurements: dynamic test results 86—25825
Moon-Hyun Chun, Jong-Ryul Park, Se-Kyung Lee Parametric effects on the liquid-film-thickness measurement by an ultrasonic method 85—472
Moon-Jung Chung, Makedon, F., Sudborough, I.H., Turner, J. Polynomial time algorithms for the min cut problem on degree restricted trees 85—35108

Moon-Soo Park, Jun-Am Hwang, Young-Yun Chun Flicker noise effect on sensitivity of PIN-(GaAs)FET fibre-optic receiver 87–56131
Moon-Soo Yoon *see* Sang-Hyan Kim 88–58015
Moona, R. *see* Srinivas, M.K. 88–18874
Mooney, C.T. Electronic grade adhesives, reliability and performance 86–13594
Mooney, C.T. *see* Bolger, J.C. 85–23888, 88–19570
Mooney, D.B. *see* Dorler, J.A. 85–6286
Mooney, D.B. *see* Jarvela, R.A. 85–7062
Mooney, D.L. *see* Sanchez, E.T. 85–52299
Mooney, E. Electronic transactions 86–4312
Mooney, F.W. Terrestrial evaluation of the GPS Standard Positioning Service 87–34673
Mooney, H.P., Evans, J.W. A complete relational DBMS for an EMS product 88–10786
Mooney, H.P., Evans, J.W. A complete relational DBMS for an EMS product 88–54921
Mooney, J. *see* Silvermann, J. 87–6661
Mooney, J.B., Lamoreaux, R.H. Spray pyrolysis of CuInSe$_2$ 86–57459
Mooney, J.B., Sher, A., Radding, S.B., Abernathy, C.R. Pb$_{1-x}$Cd$_x$S films for solar cells 86–7152
Mooney, J.G. *see* Sasiela, R.J. 86–49016
Mooney, J.M. A comparison of the performance limit of Schottky barrier and standard infrared focal plane arrays 87–20933
Mooney, J.M., Dereniak, E.L. Comparison of the performance limit of Schottky-barrier and standard infrared focal plane arrays 87–41385
Mooney, J.M., Silverman, J. The theory of hot-electron photoemission in Schottky-barrier IR detectors 85–24397
Mooney, J.M., Silverman, J., Weeks, M.M. PtSi internal photoemission; theory and experiment 88–29409
Mooney, J.M. *see* Shepherd, F.D. 87–77135
Mooney, O. Design of an HF link simulator 85–63536
Mooney, O.J. Implementation of an HF ionospheric channel simulator, using a digital signal processor 85–30916
Mooney, P.M. Photodiode array for monitoring individual lasers in a laser array 85–41269
Mooney, P.M., Fischer, R., Morkoc, H. Transient capacitance study of electron traps in AlGaAs grown with As$_2$ 85–34494
Mooney, P.M., Solomon, P.M., Theis, T.N. Charge trapping in GaAs/AlGaAs modulation doped FETs 86–2228
Mooney, P.M. *see* Eizenberg, M. 87–32326
Mooney, P.M. *see* Kleinhenz, R. 85–40668
Mooney, P.M. *see* Kuech, T.F. 87–65489
Mooney, P.M. *see* Nathan, M.I. 85–61920, 87–6746, 88–7340
Mooney, R. *see* Shin, Y. 87–59285
Mooney, V. *see* Carmichael, T.W. 85–38181
Moons, E. *see* Pieters, J.F. 86–4381, 86–47666
Moonsu Oh, Yongduk Kim, Manho Chung Effects of the second harmonic and the duty cycle on the scale factor of a fiber-optic gyroscope with gated two-harmonic phase modulation 88–53709
Moonsu Oh, Yongduk Kim, Manho Chung Open-loop fiber-optic gyroscope using intensity-modulated source and phase modulation 88–60748
Moont, S.E. Databases, bulletin boards and information retrieval: promises and pitfalls (or should I buy a modem?) 86–30299
Moopenn, A., Langenbacher, H., Thakoor, A.P., Khanna, S.K. A programmable binary synaptic matrix chip for electronic neural networks 88–32260
Moopenn, A. *see* Daud, T. 88–38523, 88–50540
Moopenn, A. *see* Lamb, J.L. 88–7518
Moopenn, A. *see* Thakoor, A.P. 87–25366, 88–19121, 88–44732
Moor, B.De *see* De Moor, B.
Moor, H.H.C.de *see* de Moor, H.H.C.
Moor, R.A. *see* Driscoll, M.M. 87–67686
Moor, S.R. *see* Troughton, D.J. 85–30797
Mooradian, A. Use of spatial time-division repetition rate multiplication of mode-locked laser pulses to generate microwave radiation from optoelectronic switches 85–2384
Mooradian, A. Laser linewidth 85–46409
Mooradian, A. *see* Harrison, J. 85–2283, 86–68561, 87–7329
Mooradian, A. *see* Johnson, B.C. 87–12452
Mooradian, A. *see* Abraham, N.B. *(editor)* 86–52127
Mooradian, A.J. The Canadian nuclear power program 85–59876
Mooradian, A.J. Nuclear power—looking ahead 87–78336
Moorby, P.R. *see* Goel, P. 85–22778
Moorcroft, D.R., Schlegel, K. E region coherent backscatter at short wavelength and large aspect angle 88–34309
Moorcroft, D.R., Schlegel, K. Evidence for non-Maxwellian ion velocity distributions in the *F*-region 88–53352
Moorcroft, D.R. *see* Ruohoniemi, J.M. 85–63733
Moore, A. Message passing on Multibus II 87–10910
Moore, A., Anderson, K. An implantable chronic pressure sensor 86–56129
Moore, A., Anderson, K. Physiological sensors for chronic implantation 87–14937
Moore, A.E. *see* Friefeld, J.M. 85–60097
Moore, A.H., Hobbs, J.R., Hasaballa, M.S.B. A Monte Carlo method for determining confidence bounds for reliability and availability of maintained systems 86–34080
Moore, A.H., Scott, M.D., Davies, J.I., Bradley, D.C., Faktor, M.M., Chudzynska, H. High mobility InP epitaxial layers prepared by atmospheric pressure MOVPE using trimethylindium dissociated from an adduct with 1,2-bis(diphenyl phosphino)ethane 87–10389
Moore, A.H. *see* Crowder, G.E. 85–5839
Moore, A.H. *see* Harter, H.L. 86–13553
Moore, A.H. *see* Hobbs, J.R. 85–22309, 86–34116
Moore, A.H. *see* Moseley, A.J. 87–13696
Moore, A.H. *see* Scott, M.D. 86–53678, 87–18845
Moore, A.H. *see* Woodruff, B.W. 85–22310
Moore, A.L. Meeting user requirements: a networking perspective 88–28238
Moore, A.P., Elston, R.W., Burrows, D.J. Solder modelling for surface mounting technology 88–56017
Moore, A.P., Elston, R.W., Burrows, D.J. Computer modelling of package/substrate assemblies for solder joint reliability [SMT] 88–71233
Moore, A.R., Hong-sheng Lin The determination of diffusion length and surface barrier width from surface photovoltage measurements in CdSe and amorphous Si films 87–60072
Moore, A.R., Hong-sheng Lin Improvement in the surface photovoltage method of determining diffusion length in thin films of hydrogenated amorphous silicon 87–60110
Moore, A.R., Kane, D.E. Intensity dependence of diffusion length in amorphous silicon by surface photovoltage measurements 85–12062
Moore, A.R., Sharrock, M.P. Magnetic media for the digital television tape recorder 87–20736
Moore, A.R. *see* Carlson, D.E. 85–1335
Moore, A.R. *see* Catalano, A. 86–20100
Moore, A.R. *see* Epstein, K.A. 86–68372
Moore, A.S., Laney, V.S., Mauldin, L.E., III Sun sensor boresight alignment testing for the Halogen Occultation Experiment [stratospheric remote sensing] 88–48325
Moore, A.S. *see* Mauldin, L.E., III. 87–15064, 87–71354
Moore, B. What is computer integrated manufacturing? 88–31471
Moore, B. Evaluation of linear semi-custom circuits 88–71645
Moore, B., Ritmanich, W. Consider the tradeoffs when evaluating linear-semicustom ICs 88–33272
Moore, B. *see* Rosner, W. 88–71587
Moore, B. *see* Walton, A.J. 85–45859
Moore, B.A. Method 1018 moisture measurement: the evolution of analytical correlation 87–56916
Moore, B.N. *see* Rosenbluth, M.N. 86–3215
Moore, B.T. *see* Buehler, M.G. 86–35887
Moore, C., McAuliffe, R. An effective way to design and implement a local network 86–16928
Moore, C. *see* Eidson, S. 86–64804
Moore, C. *see* Gerig, R. 86–31894
Moore, C. *see* Ng, A. 85–14299
Moore, C.A., Moore, R.D. Pilot-aircraft interface: the voice channel 88–66452
Moore, C.A., Moore, R.D., Ruth, J.C. Applications of voice interactive systems—military flight test and the future 86–18415
Moore, C.A., Rocca, J.J., Collins, G.J., Russell, P.E. Large area continuous electron beam for semiconductor processing 85–12103
Moore, C.A., Ruth, J.C. Use of voice integrated with aircraft cockpit displays 85–15380
Moore, C.A. *see* Davis, G.P. 85–1500
Moore, C.A. *see* Emery, K.A. 85–49605
Moore, C.A. *see* Moore, R.D. 86–12108
Moore, C.A. *see* Simpson, C.A. 86–69031, 87–50524
Moore, C.A. *see* Solanki, R. 85–54514
Moore, C.A. *see* Yu, Z. 88–1477
Moore, C.B., Vonnegut, B. Measurements of the electrical conductivities of air over hot water 88–60864
Moore, C.B. *see* Baum, C.E. 88–58826
Moore, C.C., Gibson, J.D. Self-orthogonal convolutional coding for the DPCM-AQB speech encoder 85–2757
Moore, C.D., Topolski, T.A. Polar coordinate alignment of the magnet stands in the BO overpass region of the Fermilab main ring 88–54309
Moore, C.D. *see* Campbell, G.L. 85–4233
Moore, C.D. *see* Kohli, J.C. 85–5206
Moore, C.D. *see* Nerem, A. 85–5207
Moore, C.F. *see* Atencio, L.G. 86–25141
Moore, C.F. *see* Burleson, G.R. 86–60503
Moore, C.H. *see* Golden, J. 85–33943
Moore, C.J. Medical image processing: the characterization of display changes using histogram entropy 87–41935
Moore, C.J. Radiotherapy area-dose rate quantification and display 87–57224
Moore, C.J.L. *see* Audas, R.D. 86–473
Moore, C.J.L. *see* Brodie, D.E. 85–6719
Moore, C.J.L. *see* Turner, R.D. 85–20473
Moore, C.R. *see* Freedman, D.J. 86–54371
Moore, D. Overcoming the power of static 85–33146
Moore, D. *see* Cooper, A.J. 85–33455
Moore, D. *see* El-Masry, N. 88–39079
Moore, D. *see* Katsuyama, T. 88–5875, 88–33890
Moore, D. *see* Sahin, A.S. 87–73113
Moore, D. *see* Shafi, M. 85–20041
Moore, D.B. *see* Dydyk, M. 85–61435
Moore, D.F., Dietrich, H.P., Kleinsasser, A.W., Harper, J.M.E. Highly selective argon-oxygen ion beam etching process for Pb alloys 85–62254
Moore, D.F. *(editor)* Solid State Devices 1986. Sixteenth European Solid State Device Research Conference (ESSDERC) 87–74044
Moore, D.J. *see* Katsuyama, T. 87–12333
Moore, D.J. *see* Shafi, M. 86–16120, 86–30562
Moore, D.L., Lainoff, S.M., Prather, W.A., Quilici, M.D. Decisionmaking, plant risk management, and microcomputers [nuclear power plants] 87–9269
Moore, D.L. *see* Prassinos, P.G. 88–42942
Moore, D.M. *see* Mon, G.R. 85–27660
Moore, D.O. Ultrasonic impact grinding 88–5229
Moore, D.R., Tekippe, V.J. Wavelength-dependent coupling in single-mode fused biconical taper couplers 88–13858
Moore, D.R. *see* Corden, M.J. 85–64462
Moore, D.R. *see* Leach, D.C. 85–33533
Moore, D.S. *see* Kirk, C.P. 85–29239
Moore, D.S. *see* Turner, T. 86–58955
Moore, D.T. *see* Wooley, C.B. 87–26074
Moore, D.W. *see* Bayliss, C.R. 87–78733
Moore, D.W. *see* Cater, A.R. 86–39069
Moore, E. *see* Merillat, J. 88–23111
Moore, E.A. *see* Moskaluk, P. 85–36722
Moore, E.G. *see* Keisling, M.D. 85–63975
Moore, E.Goddard *see* Goddard Moore, E.
Moore, E.L., Goldsmith, P.F. Optiguide: a modular approach to beam waveguide 88–19315
Moore, E.L., Martin, B., Woelcken, K. The BRUTUS hierarchical design rule check program 87–441
Moore, E.L. *see* de Paula, R.P. 85–24278
Moore, E.L. *see* Goldsmith, P.F. 85–13331, 85–37742, 88–25366
Moore, E.L. *see* Perez De Paula, R. 87–12146
Moore, F. Solid state device considerations 86–52844
Moore, F.G. *see* Kremer, R.E. 88–32792
Moore, F.L. *see* van Dyck, R.S., Jr. 86–4942, 86–44536
Moore, F.R. High performance computer system design via VLSI technology, system design and programming capability 86–20409
Moore, F.R. The dysfunctions of MIDI 88–47383
Moore, F.W. Remote visual inspection of nuclear fuel pellets with fiber optics and video image processing 87–41344
Moore, G. Acoustic thermometry: a sound way to measure temperature 85–4138
Moore, G. Bug key with 528-bit memory [Morse communication] 85–8063
Moore, G. Local area networks—running rings round computers 85–8170
Moore, G. Better handling boosts yields 85–23236
Moore, G. Value-added network services. Jumping on the vanwagon 85–25315
Moore, G. Electronic ballast standards 85–27757
Moore, G. 'Sellindge to Les Mandarins—the power exchange 85–32136
Moore, G. Logic analysers. Wheedling out the bugs 85–37519
Moore, G. Single-frequency lasers. A light at the end of the tunnel [optical communication equipment] 85–46388
Moore, G. Fluidised beds—clearing the air [power station air pollution] 86–12530
Moore, G. Data loggers—modern recorders 86–38291
Moore, G. Geothermal energy. A natural resource 86–39266
Moore, G. Looking down on nature [earth-resources satellites] 86–50656
Moore, G. UPSs for the small business 86–56827
Moore, G. The changing face of modems 87–8095
Moore, G. Time for tide? [tidal power schemes] 87–22165
Moore, G. European spaceplanes: Hermes, Sanger or Hotol? 87–57262
Moore, G. Visual display units—cause for concern? 87–63849
Moore, G. An end to the paper chase? [electronic data interchange] 87–76247
Moore, G. Following the tracks of disease [PET] 87–77629
Moore, G. Ocean thermal energy conversion 88–11145
Moore, G. Space-age television 88–47257

Moore, G. Defect correction from a Galerkin viewpoint 88–56179
Moore, G., Weber, R. Evolution of the FDDI connector 88–35176
Moore, G. *see* Barrett, J.W. 88–49739
Moore, G. *see* Mantelman, L. 87–48578
Moore, G.A.B. The introduction of asynchronous electronic communication for distance education in developing countries: a case study in Thailand 88–53050
Moore, G.C. *see* Indelicato, G.J. 86–54496
Moore, G.E., Jr., Seymour, R.S., Bloomquist, D.R. Manufacturing thin-film discs 86–58679
Moore, G.F. The electronic ballast: where does the user stand? 86–7286
Moore, G.F. An off-spec fuel: can your boilers burn it economically? 86–51180
Moore, G.F. Photovoltaic systems—operational characteristics and costs 88–11144
Moore, G.F. Photovoltaics—current status and potential 88–62621
Moore, G.I., Stacey, F.D., Tuck, G.J., Goodwin, B.D., Roth, A. A balance for precise weighing in a disturbed environment 88–67632
Moore, G.J. *see* Anderson, D.W. 87–21543
Moore, G.P. *see* Childers, D.G. 87–21574
Moore, G.R. Radio alarms in the mobile radio environment 85–39504
Moore, G.S. *see* VanderLugt, A. 85–12681
Moore, G.T. High-gain small-signal modes of the free-electron laser 85–12887
Moore, G.T. High-gain small-signal modes of the free-electron laser. II. Effect of electron energy spread 85–46423
Moore, G.T. High-gain small-signal modes of the free-electron laser 86–22422
Moore, G.T. High-gain and large-diffraction regimes of the FEL 87–2192
Moore, G.T. Modes for gain maximization of the free electron laser in the low-gain, small-signal regime 87–2197
Moore, G.T. Frequency chirping of the free-electron laser 88–45474
Moore, G.T. *see* Fang Hong-lie 85–41417
Moore, G.T. *see* Gea-Banacloche, J. 85–2177, 88–2292
Moore, G.T. *see* Prasad, S. 85–18963, 85–56690
Moore, J. The continuing relevance of the bipolar power transistor 85–6894
Moore, J. Upgrading of nuclear reactor display systems 87–15471
Moore, J., Fagan, K.P. A flexible response to test problems at millimetre-wave frequencies 87–56265
Moore, J. *see* Essert, R. 87–12183
Moore, J. *see* Johnson, L. 88–65247
Moore, J. *see* Lo, Y.T. 88–66224
Moore, J.A. Fiber finds a niche in process control 88–45094
Moore, J.A. *see* Choi, J.O. 87–38390
Moore, J.A. *see* Hockenbury, R.W. 87–50040
Moore, J.A. *see* Kim, S.Y. 86–35518
Moore, J.A. *see* Steckl, A.J. 85–50370
Moore, J.A. *see* Tarro, R.M. 86–1978
Moore, J.B., Teo, K.L. Smoothing as an improvement on filtering in high noise 87–13034
Moore, J.E. *see* Corke, M. 87–18691
Moore, J.E. *see* Margolin, M. 87–12196
Moore, J.G. *see* Buchau, J. 85–51438
Moore, J.H. Protocol failures in cryptosystems 88–66306
Moore, J.H., Simmons, G.J. Cycle structure of the DES with weak and semi-weak keys 88–40815
Moore, J.H. *see* Brickell, E.F. 88–40814
Moore, J.M. *see* Abbott, J.L. 86–60967
Moore, J.McMahon *see* McMahon Moore, J.
Moore, J.O. *see* Eldridge, J.M. 87–53407
Moore, J.O. *see* Lee, M.H. 85–29653
Moore, J.P. The federal government's role in high-tech foreign trade 86–26681
Moore, J.R., Vian, J.L. Four-dimensional trajectory optimization with risk minimization for real time mission replanning 87–77702
Moore, J.R. *see* Lee, J.Y. 87–8690
Moore, J.R. *see* Yopps, T.E., Jr. 86–70505
Moore, J.S. The culture of the nuclear power industry after 30 years or 'the way people think things are' 85–4803
Moore, J.S. *see* Baratte, H. 88–13097
Moore, J.S. *see* O'Brien, R.R. 85–55781
Moore, J.T. Manufacturing surface mounted boards 87–37720
Moore, J.T. Tricks of the trade 88–12755
Moore, J.W. Assembly and installation of a pair of superconducting buses for the Large Coil Test Facility 85–1948
Moore, J.W. Space Shuttle: The operational space transportation system 86–50660
Moore, J.W., Hines, M., Harris, E.M. Compensation for resistance in series with excitable membranes 85–9182
Moore, J.W. *see* Moskaluk, P. 85–36722
Moore, K., Hayward, R., Nilles, J., Rope, E., Tricoles, G. Phase switched interferometer for nearfield detection of buried objects 88–4144
Moore, K.B. *see* Steadman, B.W. 88–42506
Moore, K.D. Interconnection failures in circuit assemblies 88–64065
Moore, K.E., Haertel, T.J., Tagart, S.W. Component requalification guidelines 86–51393
Moore, K.E. *see* Tally, C.W. 86–51220
Moore, K.J. *see* Brand, G.F. 88–27521
Moore, L. Procedures and problems in establishing a maritime Loran-C chain 88–60330
Moore, L. *see* Bai, M.W. 88–31496
Moore, L. *see* Johns, M.D. 87–56710
Moore, L.F., Rockingham, A.P. An overview of alternative energy development in Canada: cogeneration moves to the forefront 86–12543
Moore, L.J. A tutorial: cathodic protection in large industrial plants 86–40320
Moore, L.K., Plung, D.L. Getting an anthology published with the IEEE Press 85–44574
Moore, M. Private and public messaging 85–57724
Moore, M. Heat sinks for gate arrays 88–56014
Moore, M., Gee, K. The Atalis real-time image processor 88–60424
Moore, M. *see* Armstrong, R.D. 85–65419
Moore, M. *see* Kempers, G. 86–26351
Moore, M.B. *see* Walton, A.J. 85–31312
Moore, M.G. University distance education of adults 88–18367
Moore, M.I., Thomson, P.J., Shirtcliffe, T.G.L. Spectral analysis of ocean profiles from unequally spaced data 88–42658
Moore, M.J., Mortimer, B.C. Bounds for byte-oriented error-correcting codes with application to teletext systems 86–30316
Moore, M.J. *see* Mortimer, B.C. 88–15032, 88–40811
Moore, M.M. *see* Gupta, O.R. 85–5796, 85–22256
Moore, M.M. *see* Shearer, D.R. 86–60766
Moore, M.T. *see* Mann, C.J. 88–53167
Moore, M.W., Carter, S.F., France, P.W., Williams, J.R. Absorption and scattering measurements on a low loss ZrF_4-based fibre 88–65230
Moore, M.W. *see* Carter, S.F. 88–20324
Moore, M.W. *see* Day, C.R. 88–39910
Moore, M.W. *see* France, P.W. 85–56294, 87–18707, 87–60901, 88–58114
Moore, P. Inspecting the Interspec [interface for ZX81 and Spectrum] 85–40134
Moore, P. A performance monitor for model aerials 86–10220
Moore, P., Page, D.M. Global civil satellite navigation systems: an airline operator's view 85–3534
Moore, P., Page, D.M. World wide navigation into the 21st century—an airline view 87–41130
Moore, P., Page, D.M. Airliner equipment for effective navigation—European radionavigation and commercial aircraft operation 88–60311
Moore, P. *see* Childs, J.R. 87–16131
Moore, P. *see* Harrison, D.S. 87–38443
Moore, P.A. High-performance integrated audio-frequency gyrator filters 85–49988
Moore, P.A. A high-performance low-power VHF receiver front end 85–63531
Moore, P.D., Cannon, R.L. Knowledge-based analysis of millimeter wave polarization and range data 88–67899
Moore, P.D. *see* Wallace, T.V. 86–55378
Moore, P.D.R. Tools for the programme manager 88–49457
Moore, P.G. Containment of risk in business 87–51807
Moore, P.R. *see* Brammer, R.C. 88–74784
Moore, P.R. *see* Helliwell, J.R. 86–60678
Moore, R. Safe batteries charging ahead 85–65418
Moore, R. *see* Douglass, J. 88–60770
Moore, R. *see* Driscoll, M. 87–73367
Moore, R. *see* Hefner, C. 86–28467
Moore, R. *see* Landy, C.F. 88–17620
Moore, R. *see* Varga, A. 88–72808
Moore, R.A., Marinaccio, R.E. Advancing EW system strategies and supporting technologies 86–59097
Moore, R.A. *see* Driscoll, M.M. 86–2567, 86–14523
Moore, R.A. *see* Haynes, J.T. 86–14487
Moore, R.A. *see* Krishnaswamy, S.V. 86–2569
Moore, R.A. *see* McAvoy, B.R. 86–2568, 86–42083
Moore, R.A. *see* Salvo, H.L., Jr. 88–51147
Moore, R.A. *see* Smith, P.S. 87–2385
Moore, R.B., Gulick, S. The transfer of continuous beams and storage ring beams into electromagnetic traps 88–61030
Moore, R.B. *see* Backe, H. 88–36398, 88–61201
Moore, R.B. *see* Bollen, G. 87–54262
Moore, R.B. *see* Buchmann, L. 86–24925
Moore, R.B. *see* Crawford, J.E. 87–57000
Moore, R.B. *see* Gloge, D.C. 85–20222
Moore, R.C., Jenkins, R.E. Toward very large scale integration applications in space 85–28303
Moore, R.D. Data compression in teleradiology 85–31818
Moore, R.D. Future lithography equipment requirements manufacturing perspective 85–62040
Moore, R.D., Moore, C.A. Pilot/vehicle interface design system (PIVIDS) 86–12108
Moore, R.D. *see* Chen, T.M. 86–15082
Moore, R.D. *see* Moore, C.A. 86–18415, 88–66452
Moore, R.E. Problem detection, isolation, and notification in systems network architecture 86–54766
Moore, R.E. Utilizing the SNA alert in the management of multivendor networks 88–52850
Moore, R.F., Gibson, A.J. Distributed computer systems—message switching 85–63456
Moore, R.G. Assignable audio—the realisation of a sound idea [mixing system] 87–14009
Moore, R.J. Rotatable spoke fluoroscopic test object 85–38050
Moore, R.J. *see* Modlo, R.J. 85–28055
Moore, R.K. Radar sensing of the ocean 85–53183
Moore, R.K. Effect of pointing errors and range on performance of dual-pencil-beam scatterometers 86–25399
Moore, R.K. The NATO research study group on speech processing: RSG10 87–61804
Moore, R.K. Some trade-offs in modest-resolution radars for space 87–63929
Moore, R.K., Frost, V.S., Westmoreland, H., Frank, D., Hemmat, M. Determining the vertical pattern of a spaceborne SAR by observation of uniform targets 87–56252
Moore, R.K., Hemmat, M. Determination of the vertical pattern of the SIR-B antenna 88–74013
Moore, R.K. *see* Atlas, D. 88–16906
Moore, R.K. *see* Beet, S.W. 88–66351
Moore, R.K. *see* Gogineni, S. 85–31092
Moore, R.K. *see* Hesany, V. 88–9626
Moore, R.K. *see* Russell, M.J. 86–16180
Moore, R.K. *see* Swanson, R. 88–61626
Moore, R.K. *see* Zoughi, R. 86–43895
Moore, R.L., Wells, T.B., Dean, A.S. Microwave and millimeter impedance measurements of electrically thin materials 86–18074
Moore, R.L. *see* Hardy, J.E. 86–31710
Moore, R.L. *see* Montgomery, J.P. 86–18091
Moore, R.L. *see* Porter, S.T. 86–26603
Moore, R.L. *see* Wells, T.B. 86–38523
Moore, R.L. *see* Woods, J.W. 85–63879
Moore, R.S. *see* Stephenson, E.J. 85–59080
Moore, S. Wherever I plug in my terminal . . 85–25596
Moore, S. Monolithic video multiplexers direct 300-MHz data in 300 ns 87–69860
Moore, S. Eliminate the guesswork in analog-switch error analysis 88–19463
Moore, S. Selecting analog switches 88–64034
Moore, S., Carroll, K. CMOS D-A converter with 12-bit memory recalls commands 86–8311
Moore, S.E. A dual-gate MESFET mixer using a simplified experimental design approach 88–19371
Moore, S.E., Gilchrist, B.E., Galli, J.G. Microwave sampling effective for ultrabroadband frequency conversion 86–53024
Moore, S.P. Truth in transformer losses 86–39914
Moore, S.W. Solar absorber selective paint research 86–19519
Moore, S.W. Progress on solar absorber selective paint research 86–19520
Moore, T. Automating the distribution network 85–9485
Moore, T. Oil's new rival-coal-water slurry for utility boilers 85–15703
Moore, T. Robots join the nuclear workforce [nuclear power stations] 85–32276
Moore, T. The retrofit challenge in NO_x control [coal fired power stations] 85–32334
Moore, T. Achieving the promise of FBC [fluidised bed combustion] 85–59984
Moore, T. Artificial intelligence: human expertise from machines 85–64818
Moore, T. Groundwater: examining a resource at risk 86–32587
Moore, T. The titanium solution of turbine blade reliability 86–39575
Moore, T. Pioneering the solid-state power plant 86–45255
Moore, T. Pumped hydro: backbone of utility storage 86–51513
Moore, T. Network access and the future of power transmission 86–61119
Moore, T. Breaking new ground in seismic research 87–22023
Moore, T. The plasma torch revolutionizing the foundry fire 87–31088
Moore, T. The Smart House: wired for the electronic age 87–50769
Moore, T. Opening the door for utility photovoltaics 87–64802
Moore, T. Marketing electrotechnology to industry 87–64986
Moore, T. Exploring the frontiers of materials 88–31704
Moore, T. Pump efficiency monitoring in the water industry 88–47722
Moore, T. Exploring the limits of power transfer 88–68778
Moore, T., Garner, S. Autoprobing on the L200 functional tester 86–31150
Moore, T., Garner, S. Auto-probing on the L200 functional tester 86–46068

Moore, T. *see* Ashkenazi, V. 87−3134
Moore, T. *see* Gregory, D. 87−16982
Moore, T. *see* Grover, W.D. 88−67433
Moore, T. *see* Tejwani, P. 87−14417, 88−16378
Moore, T. *see* Wolf, L. 88−8797
Moore, T.A. Applications of linear minimum mean-square optimisation techniques in video coding 87−7866
Moore, T.C. Fire-retardant tapes protect cable 86−57155
Moore, T.C., Britt, C.O., Wade, C.G. Power efficient double-resonance NMR probe for electromagnets 88−27462
Moore, T.E. *see* Grover, W.D. 87−75459, 88−45853, 88−46805
Moore, T.G., Jr. *see* Mak, S.T. 85−3341
Moore, T.J., McKinley, R.L. Research on speech processing for military avionics 87−27352
Moore, T.J., McKinley, R.L. Speech research at the Armstrong Aerospace Medical Research Laboratory 88−66449
Moore, T.J. *see* McKinley, R.L. 86−29800, 87−69756, 88−66448
Moore, T.L. *see* Fugitt, J.A. 87−35295, 88−54118
Moore, T.L. *see* Proctor, I.D. 88−47762
Moore, T.M. *see* Randall, J.N. 88−39363
Moore, T.N., Jeswiet, J., Nshama, W., Ten Grotenhuis, R.L. Development of advanced sensors for industrial robots 87−63411
Moore, T.P., de Geus, A.J. Automatic timing characterization for large regular structures 86−665
Moore, T.P., de Geus, A.J. Simulated annealing controlled by a rule-based expert system 86−27276
Moore, T.W. *see* Jaron, D. 85−38217, 87−41908, 88−5050
Moore, T.W. *see* Redding, R.J. 88−46879
Moore, T.W. *see* Reddy, B.R.S. 88−10301
Moore, V.A. Experience in the review of utility control room design review and safety parameter display system programs 85−43693
Moore, V.A. Report on vertical hydro-turbine-generator alignment practice 86−70826
Moore, V.S. *see* Davis, J.W. 85−6358
Moore, W. *see* Delgado-Frias, J. 88−63741
Moore, W. *see* Maly, W. 88−64734
Moore, W. *see* Marnane, W. 88−63664
Moore, W., Maly, W., Strojwas, A. *(editor)* Yield Modelling and Defect Tolerance in VLSI 88−62905
Moore, W., McCabe, A., Urquhart, R. *(editor)* Systolic Arrays. First International Workshop 87−36329
Moore, W.B. Engineering management in action: infrastructure and fiscal planning for communities impacted by rapid growth 87−43867
Moore, W.B., Stinnett, R.W., McDaniel, D.H. Supermite vacuum interface design 87−18392
Moore, W.B. *see* Adams, R.G. 85−5322
Moore, W.B. *see* Stinnett, R.W. 87−17441
Moore, W.B.S. *see* Turman, B.N. 85−5323
Moore, W.E. Load management at Ophir council using a parallel processor 86−65649
Moore, W.E., Gasko, W.F., Stowe, D.W. Mass production of fused couplers and coupler based devices 87−12192
Moore, W.E., Spector, M., Best, V.D. Infrared search and track system development 86−17478
Moore, W.G. *see* Hooper, G.D. 85−43937
Moore, W.H. Implementation of a computer-controlled monitoring system at the Princeton AVF cyclotron 85−59090
Moore, W.H. *see* Oh, S. 86−32041
Moore, W.H. *see* Yoon, M. 88−54231
Moore, W.J., Newman, H.S., Webb, D.C. Minimization of the noise temperature of the free-electron bolometer mixer 86−5313
Moore, W.J.M. *see* Arseneau, R. 85−16084
Moore, W.J.M. *see* Kusters, N.L. 85−8923
Moore, W.J.M. *see* Schwitz, W. 85−58797, 86−24636
Moore, W.R. A review of fault-tolerant techniques 86−35842
Moore, W.R. A review of fault-tolerant techniques for the enhancement of integrated circuit yield 86−63381
Moore, W.R., Bawa, V. Testability of a VLSI systolic array 86−21804
Moore, W.R., Bawa, V. Testability of a VLSI systolic array 86−34934
Moore, W.R., Damper, R.I. Applications of built-in-test equipment within large systems 86−65111
Moore, W.R., Mahat, R. Fault-tolerant communications for wafer-scale integration of a processor array 85−45087
Moore, W.R., Yassine, H.M. Silvar-Lisco user notes. An introduction 88−530
Moore, W.R. *see* Delgado-Frias, J.G. 88−7677 to 7678, 88−33347, 88−33363
Moore, W.R. *see* Evans, R.J. 88−39709
Moore, W.R. *see* Marnane, W.P. 88−25265, 88−33398
Moore, W.T., Devine, R.L.S., Maigne, P., Houghton, D.C., Baribeau, J.-M., Denhoff, M.W., Jackman, T.E., Kornelsen, E.V., SpringThorpe, A.J., Mandeville, P. The growth of gallium arsenide on Si(100) by molecular-beam epitaxy 88−31740
Moore, W.T. *see* Baribeau, J.-M. 88−38204
Moore, W.T. *see* Lettington, A.H. 87−49545
Moore, W.T. *see* Rao, T.S. 88−63290
Moore-Barton, D. Inspection maintenance and testing 85−33107
Moorehead, J.M. *see* Tong, P.R. 88−68016
Moorehead, R.J., II, Rajala, S.A. Motion-compensated interframe coding 86−10513
Mooren, A.L.van der *see* van der Mooren, A.L.
Mooren, J. *see* Woltjer, R. 86−21219
Mooren , J. *see* Woltjer, R. 85−23524
Moorer, J.A., Abbott, C., Nye, P., Borish, J., Snell, J. The digital audio processing station: a concept in audio postproduction 86−60076
Moorer, J.A., Berger, M. Linear-phase bandsplitting: theory and applications 86−37033
Moorer, J.A. *see* Borish, J. 85−58431, 86−17697, 86−55482
Moores, B. Dynamic programming in transformer design 87−9631
Moores, B.M. Digital X-ray imaging 87−35389
Moores, B.M., Dovas, T., Pullan, B., Booler, R. A prototype digital ionographic imaging system 85−26762
Moores, B.M. *see* Faulkner, K. 86−65423
Moorey, G.G. *see* Cooper, D.N. 87−3153
Moorey, G.G. *see* Cooper, D.N. 88−35439
Moorey, R.A. *see* Roberts, G.V. 86−70660
Moorhead, A.E. The conference approach to engineers' report writing 86−13363
Moorhead, A.E. Legal implications of a proposal: a frozen document 86−40463
Moorhead, I.R. Human colour vision and natural images 86−5116
Moorhead, J. *see* Averbuch, A. 87−61680
Moorhead, M.D. *see* Shearman, E.D.R. 88−15678
Moorhead, M.D. *see* Wyatt, L.R. 86−65531
Moorhead, R.J., II, Rajala, S.A., Cook, L.W. Image sequence compression using a pel-recursive motion-compensated technique 88−3151
Moorhouse, S.W., Melling, H. Deployment and recovery of oceanographic moorings through drifting sea ice 88−48338
Mooring, A. *see* Osuch, C.E. 87−11881
Moorjani, K. Random magnets 87−1879
Moorkerjee, P., Campo, L., Bar-Shalom, Y. Estimation in systems with a semi-Markov switching model 88−38061
Moorman, G.J. *see* St. John, R.H. 87−42069
Moorman, M.J. *see* Lewandowski, J.J. 86−44624
Moors, F. Seismic behaviour of very high voltage current transformers 85−32549
Moors, M. *see* Lemaitre, L. 86−32362
Moortgat-Pick, W., Schiffel, R. Basic electronics circuits. Series: A6. Noise reduction in audio transmissions. I 85−20394
Moortgat-Pick, W., Schiffel, R. Basic electronics circuits. Noise reduction in sound transmissions. III 85−26113
Moortgat-Pick, W., Schiffel, R. Basic electronics circuits: noise reduction in sound transmissions. IV 85−31143
Moortgat-Pick, W., Schiffel, R. Basic electronics circuits: radio stereo transmission (VHF stereophony) 85−31144
Moortgat-Pick, W., Schiffel, R. Basic electronics circuits: radio stereo transmission (VHF stereophony). II 85−31145
Moortgat-Pick, W., Schiffel, R. Basic electronics circuits: radio stereo transmission (VHF stereophony). III 85−37179
Moortgat-Pick, W., Schiffel, R. Basic electronics circuits: TV stereo- and two-tone transmission. I 85−37180
Moortgat-Pick, W., Schiffel, R. TV stereo- and two-tone transmission. III 85−37225
Moortgat-Pick, W., Schiffel, R. Basic electronic circuits: TV stereo- and two-tone transmission. II 85−47625
Moortgat-Pick, W., Shiffel, R. Basic electronics circuits: noise reduction in sound transmission. II 85−30049
Moorthi, V.R., Dehiya, R.S. Significance of area control error in load frequency control [power system interconnection] 86−44880
Moorthy, G.Rama *see* Rama Moorthy, G.
Moorthy, K.S. Product line competition 88−31364
Moorthy, L.Rama *see* Rama Moorthy, L.
Moorthy, P.A.Krishna *see* Krishna Moorthy, P.A.
Moorthy, S.A.Srinivasa *see* Srinivasa Moorthy, S.A.
Moorthy, T.S.R. *see* Swaminathan, G. 87−73823
Moorty, M.Sainath *see* Sainath Moorty, M.
Moorty, P.V.R. *see* Mohanavelu, K.S. 88−58933
Moorwood, A. EEPROMs come of age with control and interface integration 86−1056
Moorwood, A. Implementing an Ethernet node with the DP839X 87−5935
Moorwood, A. Finding flexible upgrade paths for DRAM board design 87−10880
Moorwood, A.F.M. *see* Finger, G. 88−29456, 88−74483
Moorwood, A.P. E^{2}PROMs of the 2nd generation 86−52820
Moos, P. Synthesis of active RC networks with switched capacitors 86−46962
Moos, P., Dostal, T. Energy and power in a network loop with a switched capacitor 86−14359
Moos, P., Dostal, T. Note on the energy transfer through branches with switched capacitors 87−59132
Moos, P., Laipert, M., Kadlec, J., Trnka, J. Compensated switched-capacitor N-path filters 88−56764
Moos, P., Martinek, P. Synthesis of SC-filters with generalised converters 87−881
Moos, P., Muller, Z., Stehno, Z. A design approach to the switched-capacitor filter with attenuation poles by means of oriented graphs 87−59718
Moos, P., Riha, J., Holy, Z. Adaptive filtering of moving spectrum signals 86−48896
Moos, P., Trezzi, M., Vlcek, M. On modulation process in SC structures 87−883
Moos, P. *see* Kadlec, J. 86−46508
Moose, L., Jr. *see* Nance, R.E. 87−62601
Moose, P.H., O'Dwyer, J.M. A model for impulsive power-line radio disturbance due to gap-type discharges 87−26810
Moose, R.L. Passive range estimation of an underwater maneuvering target 87−40998
Moose, R.L., Caputi, M.J. A convergence analysis of a passive underwater tracking system with nonlinear feedback 87−20631
Moose, R.L., Dailey, T.E. Adaptive underwater target tracking using passive multipath time-delay measurements 86−11180
Moose, R.L., Godiwala, P.M. Passive depth tracking of underwater maneuvering targets 86−11182
Moose, R.L., Sistanizadeh, M.K., Skagfjord, G. Adaptive estimation for a system with unknown measurement bias 87−34663
Moose, R.L., Sistanizadeh, M.K., Skagjord, G. Adaptive state estimation for a system with unknown input and measurement bias 87−69118
Moose, R.L., Jr. *see* Nance, R.E. 88−66783
Moosemiller, J.P. AT&T's CONVERSANT I Voice System 86−48818
Moosman, K. How to test flexural fatigue, endurance, ductility of flexible PWBs 88−32617
Moosmuller, H. Determination of gas concentrations and temperature in the exhaust of a power plant with a CW chemical HF laser 86−56269
Moossy, J. *see* Vries, J.K. 86−50477
Moote, J. Tips for choosing, operating component insertion equipment 88−25665
Moote, S. *see* Kupnicki, R. 85−30995
Mopsik, F.I. *see* Broadhurst, M.G. 88−26621
Mopsik, F.I. *see* De Reggi, A.S. 88−29572
Mopty, Boisdon, Amiet, M. Compact 450 V, 1 kA chopper using transistors 86−26121
Mopty, Y. *see* Boidin, M. 86−46532
Moquin, J.F. *see* Blake, J. 88−39183
Moquist, G. *see* Blom, R. 88−14919
Mor, A., Gavril, S. Electromagnetic energy absorption by a moving conductor plane 88−20873
Mor, A. *see* Gavril, S. 88−5693, 88−38296, 88−52178, 88−58774
Mor, E.A. *see* Drits, M.S. 88−30709
Mor, F. The repair and adjustment of video equipment. V 85−8600
Mor, F. The repair and adjustment of video equipment. IV 85−14495
Mor, F. The repair and adjustment of video equipment. VI 85−20376
Mor, F. Repair and adjustment of video equipment. VII 85−47722
Mor, F. Principles of operation of BETA type apparatus 85−63866
Mor, F. The power supply stage of the Grundig VB 140, Beta system [video tape recorder] 86−11313
Mor, F. The sound stage, VHS-200, in the mono version of the Grundig VHS system 86−24165
Mor, F. The 'Timer Tn-3' unit of the Grundig VB 140 [video tape recorder] 86−31038
Mor, F. The supply stage in the 2×4 mono/1600 [VCR] 86−44032
Mor, F. The 'VB140' low frequency (audio) circuit [for VCR] 86−49850
Mor, F. The video module in the Grundig VS-200/220 models [VTR] 87−20735
Mor, F. The colour module in Grundig VS-200/220 recorders. The signal route for recording and replay in the PAL and ME-SECAM systems, and the comb filter to reduce crosstalk 87−49354
Mora, A.C.Rotger *see* Rotger Mora, A.C.
Mora, F. An algorithmic approach to local rings 86−62134
Mora, F. *see* De Benedetti, M.T. 86−48782
Mora, F. *see* Escalona, O. 86−70416
Mora, F. *see* Giallorenzo, M. 88−74846
Mora, F. *see* Lara-Estrella, L.O. 88−43619
Mora, F. *see* Mendez, N. 88−10403
Mora, F. *see* Moller, H.M. 87−65281
Mora, F.A., Passariello, G., Lara, L.O. Some considerations about biomedical engineering education in Latin America: the Simon Bolivar University case 88−36410
Mora, F.A. *see* Vellejo, C. 85−48292
Mora, J. *see* Kettler, D.J. 85−59887
Mora, M. *see* Acerbi, E. 85−58981

Morabit, M.El *see* El Morabit, M.
Morabito, J.M. *see* Giffels, C.A. 88−26371
Morach, C. 'ELAZI 2000' — An easily built universal tester. Voltage-proof continuity and phase tester with acoustical and optical indication 87−14366
Morad, A.H. *see* Abdulla, W.H. 88−28049
Morad, R., Palkovich, A. The design and use of secondary shielding in MRI systems−experiments from 4 years of operation 88−68361
Morad, R., Palkovich, A., Duby, T., Evans, D. Way of improving the stability and homogeneity of MRI magnets 88−68360
Moradi-Araghi, A. *see* Cunningham, D.B. 87−8783
Moraes, G. *see* Orecchio, D. 85−26159
Moraes, I. *see* Gokhale, D.D. 87−9459, 87−73840
Moraes, L.F.M.De *see* De Moraes, L.F.M.
Moraes, R.C.B. *see* Fragozo, J.C. 88−28687
Moraga, C. On a case of symbiosis between systolic arrays 85−11306
Moraga, C. On some applications of the Chrestenson functions in logic design and data processing 86−16520
Moraga, C. *see* Krieb, C. 88−6625
Moraga, L.A. *see* Kremer, G. 85−58889
Morai, R. *see* Anis, H. 88−27416
Morais, P.C., Koche, N.M.L., Tronconi, A.L., Skeff Neto, K. Microvibration sample magnetometer: a force-type measurement 85−37733
Morais, S.A. *see* Berneryd, S. 86−6825
Moraite, G. Automatic control system for limiting power systems failures extension, in case of severe disturbances 88−48473
Moraite, G., Botgros, M. Aspects of behaviour of groups of generators under asynchronous conditions 86−6754
Moraite, G., Botgros, M. Aspects of the behaviour of generating units in asynchronous operating conditions 87−51136
Moraite, G. *see* Manolescu, G. 85−15542, 86−6262
Moraitis, C.S., Buchlin, J., Reithmuller, M.L. Improved autocorrelation analysis of fringe images for laser speckle velocimetry 87−70889
Moraitis, C.S., Maistros, J.G. A microcomputer system for real time digitized image compression 86−31314
Moraitis, D., Alland, S. Effect of radar frequency on the detection of shaped (low RCS) targets 86−17444
Moral, A. *see* Josa, J.M. 86−45894
Moral, A.del *see* del Moral, A.
Moral, R.Del *see* Del Moral, R.
Moralee, D. CRTs display advantages in defence 85−4041
Moralee, D. How to manage a more logical approach 85−17449
Moralee, D. Enclosures. Keeping an open mind [electrical and electronic equipment] 85−33177
Moralee, D. Paving the way to all-digital broadcasting 85−52462
Moralee, D. Electric motor controllers 87−22677
Moralee, D. 30 years of professional video recording 88−15819
Moralee, D. Band III: dead or alive? [mobile communications] 88−46921
Moralee, D. Revolutionary technology for semiconductor engraving 88−50730
Morales, A. *see* Hubert, P. 87−14804
Morales, A.J. Digital bidirectional bus switch 85−22958
Morales, H. *see* Bachrach, R.Z. 88−47747
Morales, J., Mugica, F., Alanis, R., Ramos, J.C., Laurencio, M., Lorencez, C. On the development of a mathematical model for a BWR reactor system 85−59970
Morales, J. *see* Hubert, P. 87−14804
Morales, J. *see* Ramos, J.C. 88−75353
Morales, J. *see* Valero, J.L. 86−17816
Morales, O.J. FFT hardware accelerator 88−74325
Morales, P.J. Advanced electronic data delivery and training technology: an integrated approach 88−36717
Morales, S. A phonic switch operable by any sound to actuate a flash. A switch with an extremely short response time 87−45345
Morales Andres, G., Villen Altamirano, M. System 12: traffic overload control 85−25645
Morales-Acevedo, A. Optimum concentration factor for silicon solar cells 85−39209
Morales-Acevedo, A. A simple model of MOS transistors on large-grain polycrystalline silicon 85−40766
Morales-Acevedo, A. Optimization of the surface impurity concentration of passivated emitter solar cells 86−71059
Morales-Acevedo, A. On the optimum surface dopant concentration in high efficiency solar cells 87−16047
Morales-Acevedo, A. An improved simple procedure for calculating the open-circuit voltage of passivated emitter silicon solar cells 88−31021
Morales-Acevedo, A. Theoretical model of MIS solar cells on polycrystalline silicon 88−37541
Morales-Moreno, F., Holubowicz, W., Pasupathy, S. Performance of trellis encoded tamed frequency modulation 88−72768
Morales-Moreno, F., Pasupathy, S. Matched encoders in combined convolutional encoding and memory-systems 87−54940
Moralev, V.M. *see* Sheremet, O.G. 85−43462
Moran, A.L. *see* Hoover, J.R. 85−63473
Moran, B.L. *see* Bornzin, G.A. 88−54533
Moran, C.W., Jr. *see* Block, M.L. 85−11801
Moran, D. Application of tactical satellite communications on the modern battlefield 85−30993
Moran, D. *see* Aguilar, L. 87−20020
Moran, D.D. *see* Levinson, N.S. 87−43855
Moran, D.E. *see* Rudd, D.W. 88−56041
Moran, D.S. *see* Roberts, A.L. 87−59500
Moran, E., Moya, R.P. A real-time steam generator simulation for full-scope CANDU nuclear training simulators 88−75302
Moran, F. *see* Knight, U.G. 85−43562
Moran, G. A remark on embedded bipartite graphs 87−72938
Moran, J. *see* Gevargiz, J. 87−3049, 87−40737
Moran, J.A., Jr. *see* Aabo, T. 85−15612
Moran, J.E. *see* Mosher, D.L. 87−451
Moran, J.H. *see* Lambeth, P.J. 88−23542
Moran, J.M. *see* Rogers, A.E.E. 85−25962
Moran, J.R. *see* Ramler, J.R. 86−23290
Moran, K.P. *see* Frisch, A.S. 87−77857
Moran, K.P. *see* Strauch, R.G. 85−26897, 88−5178, 88−61641
Moran, L. Improving VLSI test engineer productivity through software 85−33825
Moran, L., Ziogas, P., Joos, G. Analysis and design of a 3-phase current source solid-state VAr compensator 87−78787
Moran, L., Ziogas, P., Joos, G. Analysis and design of 3-ϕ synchronous solid-state VAr compensator 88−30902
Moran, L., Ziogas, P., Joos, G. Analysis and design of a novel 3-ϕ solid-state power factor compensator and harmonic suppressor system 88−54869
Moran, L.L. How to evaluate pole-top power-factor-improvement gear 85−64928
Moran, L.L. New ideas for power poles 87−35676
Moran, M.A. *see* Conroy, C.S.G. 88−32285
Moran, M.B., Marrs, C.D. Influence of surfactants on a nonflowing dye laser 88−65604
Moran, M.J. Detector development for γ-ray diagnostics of D-T fusion reactions 85−59201
Moran, M.J. Recent measurements of coherent transition radiation 87−56930
Moran, M.J., Dahling, B.A., Piestrup, M.A., Berman, B.L., Kephart, J.O. Measurement of X-ray dielectric constants with coherent transition radiation 87−14485
Moran, M.J. *see* Piestrup, M.A. 88−13212, 88−68226
Moran, N. Mercury claims equality and demands equal treatment 85−51944
Moran, P. *see* Hudson, A. 86−8646
Moran, P.J. Auxiliary electrode method for determination of ohmic resistance 87−21195
Moran, P.J. *see* Guanti, R.J. 87−3712
Moran, P.J. *see* Hankey, D.L. 85−6622
Moran, P.J. *see* Kelly, R.G. 87−43354 to 43355
Moran, P.J. *see* Perry, D.M. 85−43136
Moran, P.J. *see* Phillips, L.C. 86−40038
Moran, P.J. *see* Robinson, G.M. 85−24154
Moran, P.L. *see* Barrett, J.J. 85−28844, 87−25516, 87−32663
Moran, P.L. *see* Mathuna, S.C.O. 87−23354
Moran, P.L. *see* Walton, A.J. 87−52722
Moran, P.R. Eigen-representations, data compression, and transmission for medical images and related structures 86−32280
Moran, P.R. *see* Halbach, R.E. 87−50307
Moran, P.R. *see* Wall, B.E. 86−70401
Moran, P.R. *see* Wolfman, N.T. 85−53033, 87−8906
Moran, R. *see* Wolfman, N.T. 85−53033
Moran, S., Hairfield, S. Recovery of overvolted spark gaps 85−27127
Moran, S., Hairfield, S. High pressure spark gap recovery after overvolted breakdown 87−17588
Moran, S. *see* Gold, Y.I. 85−19575, 88−21368, 88−73592
Moran, S. *see* Korach, E. 87−62404
Moran, S. *see* Roll, Y. 85−9242
Moran, T.J., Crane, R.L., Andrews, R.J. High-resolution imaging of microcracks in composites 85−39824
Moran, T.J. *see* Bhagat, P.K. 85−6086
Moran, T.J. *see* Lee, D.A. 85−6036
Morancais, D., Reynolds, M.L. Computer simulation of laser ranging on ESR-1: design of the retroreflectors 87−49188
Morand, A., Bolomey, J.C. A model for impedance determinations and power deposition characterization in three-electrode configurations for capacitive radio frequency hyperthermia. I. Impedance determinations 87−41984
Morand, A., Bolomey, J.C. A model for impedance determinations and power deposition characterization in three-electrode configurations for capacitive radio frequency hyperthermia. II. Current flow and power deposition 87−41985
Morand, C. *see* Alarja, J. 86−18250, 86−32165
Morand, C. *see* Pastor, C. 85−15189
Morand, R. *see* Bakken, J.A. 87−35350
Morandi, C., Piazza, F., Capancioni, R. Robust 1-D equivalent of phase-correlation image registration algorithm 86−43295
Morandi, C., Piazza, F., Capancioni, R. Digital image registration by phase correlation between boundary maps 87−33742
Morandi, C., Piazza, F., Dolcetti, A. Image registration using Fermat transforms 88−52508
Morandi, C. *see* Alliney, S. 86−48977, 87−55331
Morandi, C. *see* De Castro, E. 87−41932, 87−50224, 88−3172
Morandi, C. *see* Fantini, F. 85−45002, 85−45778, 85−55982, 86−35871
Morandi, C. *see* Micheletti, G. 88−12307
Morandi, R. *see* Costantini, P. 85−33336, 85−54339
Morandin, M. *see* Bressani, T. 85−43256
Morandin, M. *see* Gasparini, F. 88−42440
Morandin, M. *see* Macciotta, P. 86−50394
Morando, A.P. *see* Cascone, V. 87−71635, 88−18156
Morando, M. Data acquisition systems in intermediate energy physics 88−48011
Morando, M. *see* Beghini, S. 86−5673
Morando, M. *see* Masoni, A. 88−48012
Morange, E., Roubault, J. Qualification story [nuclear electrical equipment] 87−64251
Morange, E. *see* Fremont, P. 86−19010
Morano, R.A. *see* Leonardi, J. 87−23169
Morant, A. Cellular brings on a new 'Battle of Britain' 85−14146
Morant, A. Autotesting for ground stations 85−14185
Morant, A. A tool for business rather than an expensive gimmick [cellular radio] 85−57990
Morant, A. A chain of PBXs can boost efficiency 87−8122
Morant, A. ISDN in Europe: trying it out in Germany 87−40150
Morant, A. Cellular telephones: moving with the times 87−76578
Morant, A. Testing the instruments of tomorrow 88−4284
Morant, A.J. Hot market for a cold climate [Norway's telecommunications] 85−63204
Morant, A.J. Fiber optics making strides in Europe 86−69778
Morant, A.J. Data error correction 88−15082
Morant, A.J. Data communications−annual review 88−41179
Morant, M. The behaviour of vacuum circuit-breakers under low inductive and capacitive currents 87−30860
Morant, M. *see* Legros, W. 88−24100
Morant, M.J. Integrated circuit design in an industrially-oriented M.Eng. course 85−22121
Morant, M.J. Prospects of support for CAD and microelectronic fabrication for undergraduate courses 86−7425
Morant, M.J. Introduction to silicon wafer processing 87−11939
Morant, M.J. Review of bipolar and MOS device technologies 87−11950
Morant, M.J. *see* Buchanan, D.A. 88−13154
Morant, M.M., Legros, W.P. Switching impulse breakdown in SF_6 85−29370
Morante, J.R. Comment on the paper entitled 'Characterization of the interface states at AlGaAs Schottky barriers with a thin interface layer' [by J.R. Morante et al., with reply] 85−34628
Morante, J.R., Herms, A., Samitier, J., Cornet, A., Lora-Tamayo, E. Optical and thermal cross-section of interface states from photocapacitance measurements 87−17818
Morante, J.R., Samitier, J., Herms, A., Cornet, A., Cartujo, P. Analysis of the edge region photocapacitance at constant bias in Te-doped $Al_{0.55}Ga_{0.45}As$ 87−1202
Morante, J.R. *see* Herms, A. 85−61748
Morante, J.R. *see* Millan, J. 85−40541
Morante, J.R. *see* Miralles, A. 86−33685, 87−11079
Morante, J.R. *see* Perez, A. 88−13029
Morante, J.R. *see* Samitier, J. 88−13440
Morante, J.R. *see* Villaronga, V. 87−17796
Morar, J.F. *see* Himpsel, F.J. 86−34311
Morar, J.F. *see* Hollinger, G. 86−47482
Morar, J.F. *see* Hughes, G. 86−2048
Morar, J.F. *see* Jordan, J.L. 86−63212
Morar, J.F. *see* Karlsson, U.O. 87−1324, 87−1329, 88−19760
Morar, J.F. *see* Landgren, G. 85−12192
Morar, J.F. *see* Rieger, D. 87−17813
Morar, R., Dascalescu, L. Modelling and simulation of convertor-fed electric motor drives for industrial robots employed with corona electrostatic separators 87−22837
Morar, R., Iuga, A., Dascalescu, L. Numerical simulation of electrostatic and electrodynamic separation of materials 88−27401
Morar, R. *see* Dascalescu, L. 88−11243, 88−48997
Morar, R. *see* Iuga, A. 85−41562
Morard, J.-L. The evolution of private network architectures and its effects on Tymnet's business strategies 87−48664
Morariu, M. *see* Forje, A. 86−63234

Morariu, S. Computerized hydropower planning in Latin American countries 87−78544
Moraru, A. A method for determination of turbogenerator armature leakage reactance 86−6714
Moraru, A. Multiwinding transformer characterisation 88−55410
Moraru, A., Anghel, F. Self oscillations of the interleaved coil pairs 87−36000
Moraru, A., Anghel, F. High-frequency resonance voltage distributions in interleaved transformer coils 88−30770
Moraru, A., Anghel, F. Natural oscillations of two-conductor self-interleaved transformer sections pair 88−43254
Moraru, A., Panaitescu, A. On the operating characteristics of a linear induction motor with U-shaped armature 86−6803
Moraru, A., Panaitescu, A. Operating characteristics calculation of the linear induction motor with U shaped armature 87−15793
Moraru, A. *see* Sogi, A. 86−33346
Moraru, D., Stoian, M., Teodorescu, V., Dragan, M., Bacu-Colfescu, M. Aspects regarding the design of the first thermal solar plant installed in Romania 85−53608
Moraru, D. *see* Tanasescu, F.T. 85−32390
Moras, J.A. *see* Hodge, M.H. 88−47062
Morasca, S., Sordo, B., De Bernardi, C., Meliga, M. Refractive indices of semiconductor films measured by waveguide cutoff spectroscopy 88−51497
Morasca, S. *see* Canali, C. 86−15455, 86−36225, 87−74806, 88−58183
Morasca, S. *see* Cinguino, P. 87−38739, 87−74810, 88−20399
Morasca, S. *see* De Benardi, C. 88−58184
Morasca, S. *see* De Bernardi, C. 87−18602, 87−32999, 87−54050, 87−74816, 88−10132, 88−26845, 88−51535, 88−65311
Morasca, S. *see* Meliga, M. 88−51532
Morasky, T.M. *see* Oxley, J.H. 86−33118
Morasso, P. *see* Grattarola, A. 87−33783
Morasso, P. *see* Massone, L. 85−46908
Moratz, T.J. *see* Kushner, M.J. 88−51720
Moravec, F., Pelikan, M. Horizontal Bridgman growth of GaAs single crystals 85−33381
Moravec, F., Stepanek, B. Influence of temperature conditions in horizontal Bridgman furnace on crystal growth of GaAs 87−52091
Moravec, F., Tomm, Y. A comparative study on the growth of GaSb 87−44282
Moravec, H.P., Elfes, A. High resolution maps from wide angle sonar 86−4762
Moravec, J. Display-processor-based circuitry links any monitor to a host 85−6381
Moravec, T.J. *see* Kompelien, D. 88−1256
Moravec, T.J. *see* Sainati, R. 88−39615, 88−44106, 88−50119
Moravek, J., Pietrik, I., Slavik, O., Stubna, M., Sujak, P., Burclova, J., Kapisovsky, V. Improvement of the radiation safety of nuclear power plants operation 88−17263
Moravska, E. *see* Adamchuk, Yu.V. 85−52985
Moravski, E.I. *see* Borodyanskii, M.E. 87−29031
Moravvej-Farshi, M.K., Green, M.A. Novel NMOS transistors with near-zero depth conductor/thin insulator/semiconductor (CIS) source and drain junctions 87−1523
Moravvej-Farshi, M.K., Green, M.A. Operational silicon bipolar inversion-channel field-effect transistor (BICFET) 87−6708
Moravvej-Farshi, M.K., Green, M.A. Effects of interfacial oxide layer on short-channel polycrystalline source and drain MOSFETs 87−38274
Moravvej-Farshi, M.K., Green, M.A. Novel self-aligned polysilicon-gate MOSFETs with polysilicon source and drain 88−1670
Moravvej-Farshi, M.K., Guo, W.L., Green, M.A. Improvements in current gain and breakdown voltage of silicon MIS heterojunction emitter transistors 87−18091
Moravvej-Farshi, M.K. *see* Guo, W.L. 88−57621
Moraw, G. The Durnrohr high voltage direct current short-coupling 85−15569
Moraw, G. Short-circuiting problems with switchgear 86−6926
Moraw, G. Control technique for high-voltage switchgear plant 87−4837
Moraw, G. Diagnosis and replacement policy in Austrian high voltage substations 87−51322
Moraw, G., Hofbauer, F. Uprating of existing substations by the use of thermo-resistant aluminium alloy conductors 88−55552
Moraw, G., Wagner, E. The realization of and experience from the interconnection between the different power plant systems in Durnrohr 88−36800
Moraw, G. *see* Diendorfer, G. 87−21951
Moraw, G. *see* Hofbauer, F. 88−55567
Moraw, G. *see* Hofer, S. 87−4851
Moraw, G. *see* Kannngiesser, K.W. 86−50972
Moraw, G. *see* Richter, W. 87−15826
Moraw, G. *see* Zbiral, G. 85−53731
Morawek, W., Gollerthan, U., Schwab, W., Schmidt, K.-H. Correlation technique with a new two-dimensional position sensitive detector 87−71002
Morawetz, M. *see* Buchmann, C. 86−38297
Morawiec, J., Auleytner, J., Wielunska, D. X-ray and electron microscopy studies of bismuth implanted silicon crystals after pulsed laser annealing 88−71398
Morawska, Z. Developments in East European soldering materials 85−10482
Morawska, Z., Magierski, A., Wasenczuk, A. New soldering alloys for dip soldering of electronic components 85−54137
Morawska, Z. *see* Magierski, A. 85−16779
Morawski, A., Hikin, B. A CAD design program for analysis of electro-thermal coupling in high power RF bipolar transistors 87−18109
Morawski, D. *see* Titel, W. 87−63286
Morawski, J. The influence of commutation in the rectifier system on the active power and the graphic value of the velocity of the automotive alternator 86−39745
Morawski, K. Standards and precise measurement 88−22713
Morawski, K. *see* Gassowski, W. 85−39899, 88−22741
Morawski, R.Z. Reconstruction of measurement signals with discontinuities 87−3362
Morawski, R.Z., Podgorski, A. Simple algorithm for online calorimeter calibration 85−37464
Morawski, T., Zborowska, J. Four state reflective microwave phase shifters 88−25406
Morawski, T., Zborowska, J., Miazga, P. Multi-octave phase modulators 85−17858
Morawski, T. *see* Gwarek, W.K. 88−56904
Morawski, T. *see* Zborowska, J. 86−47049, 88−50327
Moray, G., Temesvari, G. Lee algorithm on cellular automata [PCB wiring design] 88−64077
Morbieu, B., Mandle, J. True air speed measurement with a coherent laser radar 87−3248
Morbieu, B., Mandle, J. Airspeed measurement with a CO_2 lidar 87−76871
Morby, J. Sound management, potential customers lure venture capitalists to start-ups 85−5706
Morcerf, L.A., Jr., Kontson, K.R., Clema, J.K. A concept for the application of artificial intelligence technology to battlefield spectrum management 88−23231
Morch, M. *see* Balas, K. 88−46970
Morched, A. *see* Shahrodi, E.B. 86−33072
Morched, A.S., Kundur, P. Identification and modelling of load characteristics at high frequencies 87−43299
Morchin, W.C. Antenna sidelobe requirements for the three PRF's of an AEW radar 88−15551
Morcom, C.J. *see* Bell, R.T. 86−24386
Morcom, R. *see* Windram, M.D. 85−3586, 85−37185, 86−17546, 87−13831
Morcos, A., Taylor, H.S. Quality assurance considerations for nuclear plant modifications 88−48652
Morcos, A.B.C., Potenziani, E., II, Leupold, H.A. Permanent-magnet structures for the production of transverse helical fields 87−25855
Morcos, A.B.C. *see* Leupold, H.A. 87−19014
Morcos, M.M., Srivastava, K.D., Anis, H. An approach to breakdown probability calculations for particle contaminated GITL systems 85−29371
Morcos, M.M. *see* Anis, H. 85−24016
Morcos, T.C., Strnat, K.J., Calvert, J.L. Measurement of forces between magnets in passive bearing systems employing rare-earth magnets 86−26008
Mord, A.J., Endsley, N.H., Ramberg, E., Reitsema, H.J. Electronic image alignment: implementation and applications to imaging system design 85−57495
Mord, A.J. *see* Endsley, N.H. 85−30325
Mord, A.J. *see* Reitsema, H.J. 85−38356
Mordach, V.P. Functional diagnosis of value converters by logic analysis of control vector conditions and input and output signals 85−32604
Mordach, V.P. *see* Cheknet, E.M. 88−18135
Mordaunt, W.S. Motor controls benefit from power module advances 85−11009
Mordecai, B.A., Walsh, A.B. Metropolitan area networks: technology issues for maintenance operations 88−3596
Mordechai, S. *see* Burleson, G.R. 86−60503
Mordike, B.L. Lasers and the processing of engineering materials 88−43850
Mordike, B.L. *see* Bergmann, H.W. 87−19118
Mordinova, Yu.A. *see* Khokhlov, A.F. 87−74178
Mordkoff, H. Selecting ultrasonics for level monitoring 86−70542
Mordkovich, V.N., Sukhodreva, I.M., Cheryukanova, L.D. Deformation profiles in implanted layers of gallium arsenide 85−34803
Mordon, S., Zoude, E., Brunetaud, J.M. Noncontact temperature measurement with a zirconium fluoride glass fiber 88−67880
Mordon, S.R., Cornil, A.H., Brunetaud, J.M. Temperature measurement with a zirconium fluoride glass fiber 87−35028
Mordon, S.R., Cornil, A.H., Buys, B., Sozanski, J.P., Brunetaud, J.M., Moschetto, Y. Development of controlled Nd:YAG laser for medical applications 88−14322
Mordon, S.R., Rotteleur, G., Buys, B., Sozanski, J.P., Brunetaud, J.M., Moschetto, Y. Robotized scanning laser handpiece for dermatology 88−54613
Mordovets, N.A., Shul'man, A.Ya. Frequency dependence of the nonlinear response of a Schottky-barrier metal-semiconductor contact 88−1628
Mordovets, N.A. *see* Kotel'nikov, I.N. 88−1008
Mordowicz, D., Zemel, A., Zussman, A., Eger, D., Goldstein, Y. Photoelectromagnetic effect in *p*-type HgCdTe layers grown by liquid phase epitaxy 88−26932
Mordowicz, D. *see* Eger, D. 85−50198
Mordowitz, V.S. *see* Zagar, G.J. 85−63679
Mordt, H.E. Intelligent instrument as VLSI-circuit? 86−17746
Mordt, H.E., Malvig, K. Analogue network simulator for power breaker testing 87−78817
Mordukhovich, A.M. *see* Novikov, I.I. 88−41982
Mordvinova, Yu.A. *see* Khokhlov, A.F. 86−47329, 87−26157
Mordvova, V.I., Shtarev, N.N., Sivertsev, V.F. Wideband high-speed phase difference-voltage converter 86−17912
Mordyuk, V.S. *see* Burkhanov, G.S. 85−39301
More, E.A., Laird, R.K. Emerging communications technology paradigms 86−43384
More, G. Regulators mold cellular market 85−8330
More, J.J. *see* Coleman, T.F. 85−28173 to 28174
More, K. *see* Holland, O.W. 86−2016
More, R.A. Toward an integrated generic model for the organizational development and adoption of new industrial products: an overview 86−7459
More, R.A. Patterns of market research timing for new industrial products 86−13413
More, R.M. X-rays from high-density plasmas 88−51729
More, R.M., Warren, K.H., Zinamon, Z. Damage to multilayer mirrors in a hostile environment 88−2333
Morean, O. *see* Brown, J.L., Jr. 86−59273
Moreau, A. *see* Asse, A. 88−75524
Moreau, B. *see* Sein, E. 87−20453
Moreau, C. *see* Ronis, M. 87−31194
Moreau, D. *see* Girard, A. 87−50478
Moreau, D. *see* Lecordier, J.C. 85−52734
Moreau, D. *see* Thakor, N.V. 87−35423
Moreau, G., Robert, C. Beam variations in a multiple-pass cavity 85−64741
Moreau, G. *see* Fenner, G.E. 87−9633
Moreau, G.de *see* de Moreau, G.
Moreau, J.-P. *see* Liabot, M. 87−15195
Moreau, J.P., Rustan, P.L. A study of lightning initiation based on VHF radiation 88−58823
Moreau, J.V. *see* Jain, A.K. 87−75885
Moreau, M. *see* Galand, J. 87−50832
Moreau, N., Dymarski, P., Fritsch, J.G. Multipulse encoders with long-term vectorial prediction: an algorithm, an encoding procedure, the contribution of the Ada language 88−21105
Moreau, N. *see* Barral, H. 87−17134
Moreau, N. *see* Gueguen, C. 87−19372
Moreau, R. High speed analogic measurement 85−28483
Moreau, R. Automated pulse-width determination system 85−48109
Moreau, R. High performance, fully programmable power supply system 85−53760
Moreau, R. Technical development of the on-board atomic clocks 86−25363
Moreau, R. Technical evolution of on-boat clocks 86−37959
Moreau, W. *see* Lyons, C. 88−33099
Moreau, W.M. Sensitivity enhancement of sulfone-modified novolak resist 85−12080
Moreau, W.R., Ryan, S.G., Beuzenberg, S.J., Syme, R.W.G. Charge density in circuits 85−44420
Moreau, Y., Manifacier, J.-C., Henisch, H.K. Minority-carrier injection into relaxation semiconductors 87−11327
Moreau, Y. *see* Henisch, H.K. 85−34625, 86−1664
Moreau, Y. *see* Manifacier, J.C. 86−45716, 87−38946
Moreaux, M. *see* Pleinevaux, P. 88−73543
Morecki, A. *see* Marszalec, E. 88−60760
Morehead, F.F. *see* Ghez, R. 85−6809
Morehead, F.F. *see* Hodgson, R.T. 85−12101
Morehouse, C.C. *see* Keely, C.A. 88−50489
Morehouse, C.C. *see* Opfer, J.E. 86−58675
Morehouse, J.H. Thermally regenerative hydrogen/oxygen fuel cell power cycles 88−62584
Moreines, H. *see* Brauer, I. 88−27400
Moreira, A., Mendonca, J.T., Manso, M.E. Wave-particle interaction in an orbitron configuration 87−17633
Moreira, I. *see* Guerra, F. 87−58140
Moreira, J.C., Bottura, C.P. Optimal design of the McMurray inverter via mathematical programming 86−6914
Moreira, J.C., Neto, F.H.S., Bottura, C.P. Analysis, implementation and comparison of forced commutation inverters circuits topologies 86−46571
Moreira, J.M. *see* Algarabel, P.A. 87−74507

Moreira, R. *see* Comolet, R. 86−33247
Moreira, R.L. *see* Latour, M. 88−49894
Moreira Santos, A.H., de Souza, Z., Tiago Filho, G.L. State-of-the-art of the small hydro in Brazil 88−62236
Moreis, E. *see* Eichhorn, P. 86−51529, 87−30449
Morel, A. *see* Poloujadoff, M. 87−36251
Morel, B. *see* Andre, M. 88−2463
Morel, B. *see* Masse, P. 86−40301
Morel, C. LAN gateways: new opportunities for PC-to-host connectivity 88−3514
Morel, C., Passi, R.M. Use of adaptive polynomials for real-time data editing 87−63945
Morel, C. *see* Passi, R.M. 88−60298
Morel, D.L. Performance aspects for thin-film-silicon-hydrogen solar cells 87−72417
Morel, D.L. The effect of measurement methodology on the evaluation of efficiency and stability in thin film Si:H or a-Si:H devices 88−5843
Morel, D.L. Progress on high efficiency thin film solar cells 88−62612
Morel, D.L., Mitchell, K., Wieting, R., Potter, R., Eberspacher, C., Tanner, D., Fairchild, C. Energy-based performance and evaluation of thin film Si:H/copper indium diselenide tandem solar cells and modules 87−9786
Morel, D.L., Rumburg, J.P., Gay, R.R., Turner, G.B., Mitchell, K.W. The effect of module design on energy delivery performance of thin film silicon:hydrogen power modules 86−7057
Morel, D.L. *see* Ullal, H.S. 86−7054
Morel, G. *see* Vogrig, R. 87−10098, 87−16328
Morel, J. *see* Chan Chan Hew Wai 87−64516
Morel, J. *see* Monnier, B. 87−58050
Morel, J. *see* Perez-Mendez, V. 87−21438
Morel, J. *see* Ricard, B. 88−42751
Morel, J.E. *see* Lorence, L.J., Jr. 86−36298
Morel, M. *see* d'Alche, P. 87−57167
Morel, P. *see* Lamouroux, B. 85−46153
Morel, P. *see* Nussbaum, G.H. 86−60810
Morel, P.A. *see* Smith, A.D. 86−19020
Morel, R. The challenge of a document delivery experiment: Eurodocdel 85−63269
Morel, R. *see* Holt, D. 87−70470
Moreland, D. *see* Cox, F. 87−34953
Moreland, D.J., Hobson, C.A., Lalor, M.J., Clegg, D.B. Real-time high accuracy measurements utilizing line-scan image sensors 87−49937
Moreland, J. Modeling graphics improves design of spacebound payloads 87−57269
Moreland, J. *see* Duffield, C.L. 86−53870
Moreland, K.W. *see* Sablatash, M. 87−34083, 88−9097
Morelee, D. Chip memories are made of this 85−17374
Morell, A., Eranian, A., Peron, B., Beuzelin, P. Study of plastification of PVA by PEG [ferrite fabrication] 88−39798
Morell, A. *see* Jeantils, H. 88−31865
Morell, C. *see* Baines, J.T.M. 86−60568
Morell, W., Bertholdt, H.O., Operschall, H., Frohlich, K. Decontamination−state of technology and current development objectives 86−65855
Morelli, A. *see* Battiston, R. 85−59224
Morelli, D. *see* Wojta, D. 88−70125
Morelli, E. *see* Frontera, F. 85−48172
Morelli, G. *see* Marconicchio, F. 88−3946
Morelli, J. Create compact systems with blind-mating connectors 85−40288
Morelli, M. *see* Gariboldi, R. 87−23936, 87−52346
Morelli, M. *see* Hrassky, P. 88−69885
Morelli, M. *see* Marchio, F. 88−69884
Morellini, L. *see* Ventura, J.C. 87−50414
Morello, A. Optical fibre cables: introductory notes 86−48089
Morello, A., Hosokawa, K., Cookson, A.H., Silver, D.A. Supertension cables for transmission of large power. I. Present state-of-the-art 88−54968
Morello, A., Hosokawa, K., Cookson, A.H., Silver, D.A. Supertension cables for transmission of large power. II. Considerations on the near future 88−54974
Morello, A. *see* Amato, P. 88−29019
Morello, C. *see* Aglietta, M. 86−65378
Morello, C. *see* Alberini, C. 86−65387
Morello, G. *see* Genova, F. 87−73101
Moren, B. Mass storage controllers and Multibus II 88−6864
Morency, D.G., Scheuerlein, R.E. Bit line offset circuit 85−40083
Morency, D.G. *see* Parent, R.M. 87−59482
Morency, D.G. *see* Scheuerlein, R.E. 85−22878
Morenkov, A.D. *see* Aleshin, V.A. 87−77843
Morenkov, A.D. *see* Belov, A.N. 86−25409
Moreno, A., Lagunas, M.A. Envelope/phase representation in signal modeling 87−47818
Moreno, A., Lagunas, M.A., Vallverdu, F. Parametric envelope in LPC speech coders 86−29811
Moreno, A. *see* Iturralde, E.L. 87−15455
Moreno, A. *see* Lagunas, M.A. 85−46858, 86−16372, 86−29919
Moreno, A. *see* Villaseca, I. 85−40204
Moreno, C.Rivero *see* Rivero Moreno, C.
Moreno, E. Comments on 'Linear feedback models for polarization and magnetization' 87−11991
Moreno, E., Rey, C. Calculation of the driving-point impedance of a two-terminal network by the dual variational method 88−38325
Moreno, E., Rivas, J., Rey, C. Development and modification of the dual finite element method: calculation of conductor resistances 86−27640
Moreno, E. *see* Ares, F. 88−40722, 88−58961
Moreno, E. *see* Rivas, J. 85−24099, 86−24717
Moreno, E.G., Alcubilla, R., Prat, L., Castaner, L. Radiation damage evaluation on AlGaAs/GaAs solar cells 88−69685
Moreno, E.G. *see* Prat, L. 86−67719
Moreno, E.Garcia *see* Garcia Moreno, E.
Moreno, F.J. MTBF specification in a multiple use environment 88−56072
Moreno, F.J., Reinert, D.L. Fault isolation methodology for supportability 86−4606
Moreno, F.M., Pasupathy, S. Optimal concatenation of trellis codes and generalized MSK signals 85−41835
Moreno, J.H. Proposal for the systematic design of arrays for matrix computations 87−73001
Moreno, J.H., Lang, T. A multilevel pipelined processor for the singular value decomposition 87−55135
Moreno, J.H., Lang, T. Design of special-purpose arrays for matrix computations: preliminary results 88−25115
Moreno, J.M. *see* Bernabeu, E. 87−12133
Moreno, L. Saving fuel when driving with the engine acting as a brake 86−52013
Moreno, L., Salerno, M. Adaptive equalization structures in high capacity digital radio: predicted and observed outage performance 85−20045
Moreno, L., Villa, J.R., Yunta, R., Martinez, S. An improved inverter bridge for high-power applications 87−52353
Moreno, L. *see* Cellerino, G. 86−30633
Moreno, L. *see* D'Avella, R. 87−76611
Moreno, M. *see* Pigini, A. 86−12508
Moreno, M.Cruz *see* Cruz Moreno, M.
Moreno, M.Fernandez *see* Fernandez Moreno, M.
Moreno, O. Discriminants and the irreducibility of a class of polynomials in a finite field of arbitrary characteristic 88−38076
Moreno, O., Carbonera, C. Constructive approach to primitive roots [coding] 87−54988
Moreno, P., de la Rosa, R., Naredo, J.L. Computation transmission line transients in the frequency domain and its comparison with the method of the characteristics 87−78127
Moreno, P. *see* Naredo, J.L. 87−35625
Moreno de Ayala, O. Discriminants and the irreducibility of a glass of polynomials 87−65280
Moreno Villalobos, P. *see* Silva Farias, J.L. 87−76520
Moreno-Marin, J.C., Valles-Abarca, J.A., Gras-Marti, A. Secondary effects in ion milling 86−35587
Moreno-Pecero, G. *see* Rascon-Chavez, O.A. 87−23084
Morente, J.A. *see* Gomez, R. 86−3647
Morente, J.A. *see* Gomez Martin, R. 85−13217, 86−29563, 86−36844
Morente, J.A. *see* Martin, R.G. 86−10181, 86−68834, 87−12838, 87−61515
Morenth, A., Halzl, J., Dudas, Gy., Bede, G., Ferenczy, G. Nuclear heat prospects in Hungary 85−38670
Morenza, J.L. *see* Andreu, J. 88−12072
Morenza, J.L. *see* Andujar, J.L. 87−45625
Morenza, J.L. *see* Aranda, J. 85−24261
Morenza, J.L. *see* Bertran, E. 88−24140
Morenza, J.L. *see* Delgado, J.C. 88−63352
Morenza, J.L. *see* Garcia-Cuenca, M.V. 85−1307, 86−8783, 86−8794, 88−75945
Morenza, J.L. *see* Lousa, A. 85−39811
Morenza, J.L. *see* Sardin, G. 88−12929
Morenza, J.L. *see* Varela, M. 87−52135
Morenzoni, E., Oba, K., Pedroni, E., Taqqu, D. Performance of microchannel plates in high magnetic fields 88−22972
Morenzoni, E. *see* Andree, M. 85−20795
Morenzoni, E. *see* Bonani, G. 85−20797
Morenzoni, E. *see* Hofmann, H. 85−20791
Morenzoni, E. *see* Nessi, M. 85−20864
Morenzoni, S. *see* Arignon, M. 85−48171
Morera, J. The 6809 microprocessor 87−66229
Morera, J.M. Techniques for testing video units 88−15799
Morera, J.M. The production and elimination of EMI 88−38610
Morera Julio, L. Measuring circuits in electronic weighing systems 85−14868
Morera Julio, L. Metrology aspects of electronic weighing systems 85−15053
Moresco, L.L. *see* Lau, J.H. 88−65005
Moresi, A.G., Fink, H. The security dimension in the IDA-EFTPOS network in Norway 87−33965
Moret, B. *see* Segui, Y. 85−23709
Moret, B.M.E., Shapiro, H.D. On minimizing a set of tests 86−7662
Moret, B.M.E., Thomason, M.G. Boolean difference techniques for time-sequence and common-cause analysis of fault-trees 85−49381
Moret, I. On the behaviour of approximate Newton methods 87−10324
Moret, I. On solving operator equations by multipoint iterative methods 87−36629
Moret, I., Omari, P. Iterative solution of integral equations by a quasi-Newton method 88−18662
Moret, J.-M. *see* Dutoit, M. 88−13048
Moret, J.M. *see* Dutoit, M. 85−45455
Moret, R. *see* Di Lascio, M.A. 87−42350
Moret, R. *see* Rashid, K. 86−50813, 87−35593
Moret, R. *see* Talaat, H. 87−30663
Moret, V. *see* Hernandez, C. 86−18292
Moreth, R. *see* Kocherscheidt, G. 86−7183
Moreton, G.E. An advanced development laboratory for switchgear research 85−16151
Moreton, G.E. *see* Harris, A.F.W. 88−37336
Moretti, A. Analysis of partial discharges in oil-paper dielectrics 85−7109
Moretti, A. Small-rating hydroelectric plant. Technical solutions and electromechanical aspects 86−6601
Moretti, A. Low *Q* accumulator storage ring stacking/bunching cavity 88−54351
Moretti, A. *see* Bramanti, A. 85−16047
Moretti, A. *see* Carelli, G. 88−8095
Moretti, A. *see* Carrara, G. 86−39831, 87−43023, 87−43072
Moretti, A. *see* Griffin, J.E. 86−31977 to 31978
Moretti, A. *see* Inguscio, M. 86−63749
Moretti, A. *see* Ioli, N. 85−2215, 86−15620, 86−48324, 86−58872, 88−27077
Moretti, D.J. *see* Chilbert, M. 88−74779
Moretti, G.S. The use of EDIF to produce standard parts libraries 86−46031
Moretti, M. Fiberoptic sensors evolve into medical products 87−74713
Moretti, P. *see* Amendola, A.M. 85−53428
Moretti, P.M. *see* Sethuram, R.B. 85−32112
Moretti, R., Serio, F. Integrated software environment in telecommunications 85−52142
Moretto, L.G. *see* McMahan, M.A. 87−29466
Moretto, L.G. *see* Pantaleo, A. 88−61131
Moretto, R. *see* Coluzza, C. 86−505
Moreu, E. *see* Uceda, J. 86−4740
Moreu, P., Calvo, J.L. Reliable distribution networks for controlling industrial systems 85−30679
Moreu, P. *see* Franquelo, L.G. 88−48564
Morev, A.V., Golovkov, A.S., Voronin, E.F., Kozub, G.M., Chuiko, A.A. Effect of chemical modification of the surface of zinc oxide on the electrophysical properties of electrophotographic material 86−67675
Morev, V.P. On determining TV picture distortions from aircraft 87−34848
Morey, D.N., Esteve, T.H., Rumancik, J.A. Innovative technology to reduce outage time [nuclear power stations] 87−78298
Morey, M.A. Memory-driver chip controls MOSFET gate 86−53620
Morey, T. Test power MOSFETs with a DVM 85−50519
Morey, W.W., Angello, L.C. Diagnostics from imaging inside gas turbine combustors 87−49534
Morey, W.W. *see* Meltz, G. 88−65258
Morf, K. The use of optical fibres in electrical power systems 87−4464
Morf, K., Doser, B. New insulation coordination for line traps enhances reliability of PLC transmission 88−23562
Morf, M., Ang, P., Krishnakumar, A.S. Eigendecompositions in adaptive signal processing 85−2859
Morf, M. *see* Delosme, J.-M. 88−34631
Morf, M. *see* Stirling, W.C. 85−13546
Morf, M. *see* Su, G. 86−64252
Morf, R. *see* Knop, K. 86−4841
Morfee, P.J. *see* Bradley, D.A. 85−65357
Morfequ, B.H. *see* El-Khamy, S.E. 88−40790
Morfitt, D.G. *see* Ferguson, J.A. 85−57033
Morford, B. A lightweight 5 kW, 1000 KHz regulated power supply 87−44588
Morgado, E., Almeida, R.M., Guimaraes, L. Large optical gap photoconductive a-Si:N:H by RF glow-discharge in SiH_4-Ar-N_2 86−36307
Morgado, E., Bustarret, E. Gap-states studies in a-Si:N:H by photothermal deflection spectroscopy and photoconductivity 88−14018
Morgado, E., Guimaraes, L. Disorder effects of nitrogen incorporation in amorphous Si:H:N alloys 86−27841
Morgado, R.E. *see* MacArthur, D.W. 88−22993
Morgado, R.J.R. *see* Duarte Vieira, J.M. 87−64609
Morgalovskiy, V.P. *see* Postnikov, I.I. 85−12461
Morgan, A., Shapiro, V. Box-bisection for solving second-degree systems and the problem of clustering 87−65413
Morgan, A.E., Broadbent, E.K., Reader, A.H. Formation of titanium nitride/silicide bilayers by rapid thermal anneal in nitrogen 87−11713
Morgan, A.E., Broadbent, E.K., Sadana, D.K. Reaction of titanium with silicon nitride under rapid thermal annealing 87−18031
Morgan, A.E., Chen, T.-Y.J., Reed, D.A., Baker, J.E. Measurement of boron segregation at the SiO_2/Si interface using SIMS 85−12020
Morgan, A.E. *see* Belton, D.J. 85−1724
Morgan, A.E. *see* Broadbent, E.K. 87−5486, 87−60221, 88−71464

Morgan, A.E. *see* Delfino, M. 86−21498, 87−11613, 87−38091, 87−74109, 88−7404, 88−50650
Morgan, A.E. *see* Sadana, D.K. 88−1725
Morgan, A.E. *see* van der Putte, P. 87−23704, 87−58996
Morgan, A.G. *see* Drake, T.E. 88−29782
Morgan, A.N. Improved power transistor performance by hollow emitter construction−switching power supply applications 87−11756
Morgan, A.N. Improved power transistor performance by hollow emitter construction 87−38225
Morgan, A.V., Dias, F.E. The CANDU nuclear reactor and process heat. Application at the Bruce nuclear power development 85−38671
Morgan, B.A. The future of desktop publishing in technical communications 88−63129
Morgan, B.L. *see* Airey, R.W. 86−21082, 88−4490
Morgan, C. The Kurzweil 250 Digital Synthesizer 86−55504
Morgan, C. Getting the most out of programmable instruments: standard interfaces and new system software eases the ATE engineer's task 87−77107
Morgan, C. *see* Jayne, M.G. 87−51575, 88−18179
Morgan, C. *see* Strait, J. 88−54294
Morgan, C.A., Bird, W.L., Weldon, W.F. A 10-MJ active rotary flux compressor for driving xenon flashlamps [direct energy conversion] 85−5253
Morgan, C.A. *see* Bird, W.L. 85−5245
Morgan, C.D. *see* Ray, S.R. 86−65439
Morgan, C.E. *see* Grasso, L.J. 88−12282
Morgan, C.F. *see* Kidd, A.M. 87−34468
Morgan, C.Grey *see* Grey Morgan, C.
Morgan, C.R. *see* Mathias, E. 86−53163
Morgan, C.R. *see* Wilson, D.C. 86−26184
Morgan, D. High standards set for phone ringers 85−13997
Morgan, D. Phone chip makes special-effects sounds 85−15455
Morgan, D. DAC settling time improvements 85−54948
Morgan, D. MAP conformance testing [Manufacturing Automation Protocol] 86−64775
Morgan, D. Create a simple but capable speakerphone and autodialer 88−53067
Morgan, D., Chui, K.-T., Clouser, J., Nadkarni, S., Strouble, R. The CVAX CMCTL−a CMOS memory controller chip 88−19160
Morgan, D., Ragland, R. Lumped element filters for electronic warfare systems 86−57919
Morgan, D. *see* Kloesz, G. 86−10853
Morgan, D. *see* Reuss, R.H. 85−29194, 86−35659
Morgan, D. *see* Riemenschneider, P. 86−35486
Morgan, D.A.G. *see* Cloete, J.H. 88−34396
Morgan, D.A.G. *see* du Toit, C.F. 88−2714
Morgan, D.E. *see* McMillan, A.H. 86−49319
Morgan, D.F. *see* Gregson, V.G. 87−7482
Morgan, D.G. NATCS−navigation aided target control system for multiple drone applications 85−37127
Morgan, D.G. *see* Gering, J.M. 87−24843
Morgan, D.J. *see* Athey, R.E. 86−33020
Morgan, D.J. *see* Joyce, H. 87−29907
Morgan, D.K. The CVAX CMCTL−a CMOS memory controller chip 88−70750
Morgan, D.L., Jr. *see* Kansa, E.J. 85−5954
Morgan, D.O., Smith, W.E. Mapping the Suwannee River: a GIS helps cope with recurrent flooding 85−15429
Morgan, D.P. Some new developments in SAW transducer analysis 85−45945
Morgan, D.P. Rayleigh wave transducers 87−1868
Morgan, D.P. Nonlinear chirp radar waveforms with improved tolerance to Doppler shifts 87−53872
Morgan, D.P. Spatially-variant coupling design for co-directional mode-converting bandpass filters 87−54151
Morgan, D.P., Leary, K.W. A dynamic programming-based DUR recognizer implemented on Analog Devices' DSP 87−27290
Morgan, D.P., Silverman, H.F. An investigation into the efficiency of a parallel TMS320 architecture: DFT and speech filterbank applications 86−16448
Morgan, D.P., Silverman, H.F. An event-synchronous signal processing system for connected-speech recognition 88−66403
Morgan, D.P. *see* Miller, S.M. 87−61689
Morgan, D.P. *see* Silverman, H.F. 87−61639
Morgan, D.R. Finite limiting effects of a band-limited Gaussian random process with applications to A/D conversion 87−61971
Morgan, D.R. Two-dimensional normalization techniques 87−69114
Morgan, D.R. Comments, with reply, on 'On a specific performance limitation of partially adaptive antennas' by K. Krucker 88−14519
Morgan, D.R. Finite limiting effects for a band-limited Gaussian random process with applications to A/D conversion 88−66474
Morgan, D.R. PAVE PACE: system avionics for the 21st century 88−68554
Morgan, D.R., Aridgides, A. Discrete-time distortion analysis of quantized sinusoids 85−46783
Morgan, D.R., Aridgides, A. Adaptive sidelobe cancellation of wide-band multipath interference 85−62881
Morgan, D.R., Aridgides, A. Interpolation and extrapolation of an ideal bandlimited random process 87−33678
Morgan, D.R., Cassarly, W.J. Effect of word-length truncation on quantized Gaussian random variables 87−7731
Morgan, D.R., Sones, R.A., Barnes, G.T. Performance characteristics of a dual-energy detector for digital scan projection radiography 88−10321
Morgan, D.R. *see* Aridgides, A. 85−46791
Morgan, D.R. *see* Barnes, G.T. 86−11959
Morgan, D.R. *see* Kratzer, S.G. 87−13015
Morgan, D.R. *see* Sones, R.A. 85−43373
Morgan, D.T. Advanced technology silicon-germanium thermoelectric generator 88−18092
Morgan, D.V., Eisen, F.H. Ion implantation and damage in GaAs 86−8996
Morgan, D.V., Rezazadeh, A.A. Current transport mechanism in n-p-n GaAs/AlGaAs heterojunction bipolar transistors 88−57613
Morgan, D.V., Thomas, H., Anderson, W.T., Thompson, P., Christou, A., Diskett, D.J. High-temperature metallisation systems for transient annealing of GaAs 88−1681
Morgan, D.V. *see* Anderson, W.T. 88−64625
Morgan, D.V. *see* Mawby, P.A. 87−6681
Morgan, D.V. *see* Muhammad, A.J. 85−23596 to 23597
Morgan, D.V. *see* Nagle, J. 88−13506
Morgan, D.V. *see* Palmstrom, C.J. 86−9062
Morgan, D.V. *see* Rezazadeh, A.A. 87−45889
Morgan, D.V. *see* Williams, R.H. 88−32971
Morgan, D.V. *see* Howes, M.J. *(editor)* 86−7372
Morgan, E. Magnetohydrodynamics on a tabletop 87−51487
Morgan, E.J. Meteor burst communications: an update 88−46883
Morgan, E.L., Young, R.C., Smith, M.D., Eagleson, K.W. Proposed application of automated biomonitoring for rapid detection of toxic substances in water supplies for permanent space stations 88−4950
Morgan, F. *see* Adams, R.G. 85−5322
Morgan, F. *see* Turman, B.N. 85−5323
Morgan, F.A. Flexible workstation with custom graphics saves time and money [energy management] 88−75096
Morgan, F.D., Kunar, L.N.S. Stability factors of Darlington transistors 85−1575
Morgan, F.D., Madden, T.R., Bennett, B.R. An instrument system for low-frequency (10^{-3}-10^3 Hz) impedance measurements 87−14457
Morgan, G. Use of an elliptical aperture to control saturation in closely-coupled, cold iron, superconducting dipole magnets 86−25055
Morgan, G. Automated control units for advertising on cable 87−3307
Morgan, G. The Euro MAC entry 87−70171
Morgan, G. The new revolution in television 88−9487
Morgan, G. *see* Dahl, P. 86−25050, 86−44521, 87−74618, 88−68131
Morgan, G. *see* Kahn, S. 86−25054
Morgan, G. *see* Strait, J. 87−74617, 88−68133
Morgan, G. *see* Thompson, P.A. 86−25056, 87−21342, 88−54288
Morgan, G. *see* Wanderer, P. 88−29730, 88−68136
Morgan, G.B. Dielectric resonators for circuits at short millimeter wavelengths 87−6021
Morgan, G.B., Singh, D. Integrated circuit, high Q filters and resonators for microwave and millimetre wave systems 86−41313
Morgan, G.B., Singh, D. Integrated circuit narrowband dielectric filters for *D*-band 87−59827
Morgan, G.B. *see* Eastment, J.D. 87−11070
Morgan, G.B. *see* Osborne, M.A. 86−27580
Morgan, G.B. *see* Singh, D. 85−22978, 87−45210 to 45211, 88−12565, 88−25421
Morgan, G.H. *see* Bleser, E.J. 85−48153
Morgan, G.H. *see* Cottingham, J.G. 85−59040
Morgan, G.H. *see* Gupta, R.C. 86−25053, 88−51410 to 51411
Morgan, G.H. *see* Hassenzahl, W.V. 87−70940
Morgan, G.H. *see* Lee, Y.Y. 88−54006
Morgan, G.J. *see* Nailer, A.J. 85−63549
Morgan, G.L. *see* Hill, N.W. 85−43201
Morgan, H. Modems−smaller, faster, and more affordable than ever 86−10880
Morgan, H. Centrex picks up speed 88−73623
Morgan, H., Pethig, R., Stevens, G.T. A proton-injecting technique for the measurement of hydration-dependent protonic conductivity 86−31585
Morgan, H. *see* Boehme, F. 86−69501
Morgan, H.G. An historical look at the introduction of electricity to the mining industry 86−19692
Morgan, H.G. Springfields' 20 MN versatile multiaxial loading rig 87−44417
Morgan, H.L. A passive remote control [automotive application] 86−57004
Morgan, J. *see* Bieging, J.H. 85−25961
Morgan, J. *see* Mihajlovic, A.R. 86−46904
Morgan, J. *see* Timmins, P.A. 86−66045
Morgan, J.D. High voltage testing 88−55950
Morgan, J.D., Abdellah, M. Time to breakdown of covered electrodes in SF_6 and SF_6-gas mixtures 85−35233
Morgan, J.D., Abdellah, M. Impulse breakdown of covered cylinders in SF_6 and SF_6-gas mixtures 88−71842
Morgan, J.D., Abdellah, M.A., Ferracane, F. Statistical analysis of breakdown in transformer oil 85−35217
Morgan, J.D., Tranter, W.H. Industry-university cooperation with emphasis on a machines and drives laboratory 86−52170
Morgan, J.H. Integration's three facets: signals, equipment, people 85−13699
Morgan, J.H. Bringing up T-1 communications 85−57767
Morgan, J.T. *see* Evans, D. 88−39837
Morgan, J.T. *see* Ho, J.C. 87−21936
Morgan, K. *see* Cennini, P. 86−50312
Morgan, K. *see* Gutierrez, P. 86−65334
Morgan, K. *see* Ibrahim, H. 87−55548
Morgan, K.A. Conduit for use in hazardous areas 87−71723
Morgan, K.E. Evolution in the design and project management of online production control computerised laboratory systems for electromagnetic compatibility 85−2609
Morgan, K.E. Production control computers and the electromagnetic environment [steel industry] 87−12753
Morgan, M. MODEL−an HDL for IC design 87−1663
Morgan, M. IC design tools on PC based machines 87−67478
Morgan, M., Hunter, J. Silicon compiler achieves process independence 86−63348
Morgan, M., Jansen, F., Grammatica, S., Kuhman, D., Mort, J. Transport properties of a-Si:H prepared by RF and DC glow discharge 85−1337
Morgan, M. *see* Gallino, A. 85−20929
Morgan, M. *see* Grammatica, S. 85−1336
Morgan, M. *see* Sinclair, M. 86−32425
Morgan, M. *see* Steemers, H. 87−24905
Morgan, M.A. Response to comments regarding SEM representations [singularity expansion method] 85−24799
Morgan, M.A., Fisher, D.L., Milne, E.A. Electromagnetic scattering by stratified inhomogeneous anisotropic media 87−39348
Morgan, M.A., Welch, B.E. The field feedback formulation for electromagnetic scattering computations 87−26733
Morgan, M.C. *see* Lu, C.Y. 87−74383
Morgan, M.D.L., Peacock, A.J., Gourlay, A.R., Denison, D.M. The application of optical contour mapping to the recumbent patient 86−32292
Morgan, M.D.L. *see* Peacock, A.J. 86−32293
Morgan, M.G., Florig, H.K., Nair, I., Lincoln, D. Power-line fields and human health 85−43449
Morgan, M.G. *see* Florig, H.K. 87−51654, 88−48250
Morgan, M.J. Lagrangian formulation of a transmission line 88−66113
Morgan, M.J., Croom, M., Chierchia, S., Maseri, A. A flexible system for intelligent display of electrocardiographic, pressure and nuclear medicine data recorded over a period of several hours 85−9131
Morgan, M.J. *see* Davis, J.R. 87−57082
Morgan, M.J. *see* Kapauan, A.A. 87−40207
Morgan, M.J. *see* Leung, W.H. 88−59711
Morgan, M.K.M. Sceptre II a powerful, low-cost workstation 85−1642
Morgan, M.L. The role of gallium arsenide in highly parallel symbolic multiprocessors 87−60605
Morgan, M.W. A comprehensive approach to technical training using interactive video 87−13992
Morgan, N. Talking chips 85−5637
Morgan, N. An automated, menu screen generation software tool for VLSI ATE programming and operation 87−34951
Morgan, N., Mazor, B. Development of a 16-kb/s speech codec for telephone applications 87−20293
Morgan, N. *see* Mazor, B. 87−48749
Morgan, N.H., Gevins, A.S. Ignorance-based signal estimation given multiple noisy realizations 87−27429
Morgan, N.H. *see* Gevins, A.S. 88−66484
Morgan, N.T. *see* Coppola, R. 88−10360
Morgan, P. The business potential of VANS 86−23330
Morgan, P. Cost savings using low current 7-segment displays 86−44363
Morgan, P. An easy-to-build all-band vertical antenna: a driven, phased array that needs no radials 87−75614
Morgan, P. *see* Gonzalez, L. 85−4246
Morgan, P., III *see* Myers, B. 86−2407
Morgan, P.F.A. Highlights in the history of telecommunications 86−40599
Morgan, P.F.A. Highlights in the history of telecommunications 87−31120
Morgan, P.F.A. Highlights in the history of telecommunications 88−34900

Morgan, P.S. *see* Middleton, N.T. 85–42920
Morgan, R. Using automated systems for high volume coil winding 87–11087
Morgan, R. *see* Graham, I.G. 86–16968, 86–43186
Morgan, R. *see* Murphy, N.E. 86–17928
Morgan, R.A. Plasma etching in semiconductor fabrication 85–60647
Morgan, R.A., Hopf, F.A., Peyghambarian, N. Dual-frequency Nd:YAG laser for the study and application of nonlinear optical crystals 88–27125
Morgan, R.A. *see* Bertele, O.V. 86–33364
Morgan, R.A. *see* Park, S.H. 88–65869
Morgan, R.B., Scott, D.S. Generalizations of Davidson's method for computing eigenvalues of sparse symmetric matrices 85–33356
Morgan, R.B., Scott, D.S. Generalizations of Davidson's method for computing eigenvalues of sparse symmetric matrices 86–62145
Morgan, R.C. *see* Babuska, I. 86–20006
Morgan, R.E. *see* Chi, J.W.H. 87–42178
Morgan, R.E. *see* Given, R.W. 85–53135
Morgan, R.G., Brescianini, C., Paull, A., Morris, N.A., Stalker, R.J. Shock induced ignition in a model scramjet 87–77748
Morgan, R.J. *see* Turbes, C.C. 85–48307
Morgan, R.L. *see* Cox, H.L., Jr. 88–51529, 88–72098
Morgan, S. The ISDN way ahead 85–2954
Morgan, S.B. A video training package for PCB production line operatives 88–11668
Morgan, S.B. *see* Beaujean, A. 87–43981
Morgan, S.B. *see* Beaujean, D.A. 88–43614
Morgan, S.B. *see* Lea, D.A. 88–11661
Morgan, S.F. Aeration of industrial effluent 86–13246
Morgan, S.P. Window flow control on a trunked byte-stream virtual circuit 88–66242
Morgan, S.P. *see* Fraser, A.G. 85–2915
Morgan, S.P. *see* Karol, M.J. 87–40029, 88–21377
Morgan, S.P. *see* Marshall, W.T. 86–23439
Morgan, T. *see* Frazier, M. 86–65704
Morgan, T. *see* Jenkins, L. 86–58090
Morgan, T. *see* Uttley-Moore, W.J. 87–4086
Morgan, T.A. *see* Gaertner, J.P. 87–78362
Morgan, T.A. *see* Rodin, M.E. 88–11002
Morgan, T.E. Spiral antennas for ESM 85–57124
Morgan, T.E. Spiral antennas for ESM 87–27044
Morgan, T.E. K-band spiral antenna 87–47351
Morgan, T.E. 18-40 GHz spiral antenna 88–34474
Morgan, T.J., Bencomo, J.A., Marsh, L.M. Description and characterization of a commercial digital radiographic system 85–38075
Morgan, T.J. *see* Bencomo, J.A. 85–38074
Morgan, T.J. *see* Eschrich, T.C. 85–35708
Morgan, T.L. *see* Bentley, R.E. 86–50055
Morgan, T.S. Hi-tech metering serves Duke Power customers 87–78218
Morgan, T.W., Pehlert, W.K., III Integrated Services Digital Networks terminal adapter model using Networks II.5 88–9297
Morgan, T.W. *see* Basu, M. 87–55767
Morgan, T.W. *see* Pitchai, A. 88–67017
Morgan, T.W. *see* Raguhuram, A. 88–41366
Morgan, T.W. *see* Shahnasser, H. 88–18377
Morgan, V.T. Instrumentation and data handling on a model overhead power transmission line 85–15641
Morgan, V.T. Some factors which influence the continuous and dynamic thermal ratings of overhead-line conductors 88–55042
Morgan, W., Fassett, B. Update ESP control with feedforward concepts 86–56631
Morgan, W., Fassett, B. Upgrade precipitator controls to avoid retrofit or replacement 87–56890
Morgan, W.A. Taking the cure for fiber fever: IBM's 3044 Channel Extender 86–59880
Morgan, W.A. Minimize IM distortion in GaAs FET amplifiers 87–17370
Morgan, W.A., Glendenning, L. Surviving clos encounters with LANs and fiber optics 86–54861
Morgan, W.A. *see* Stephan, K.D. 87–75620
Morgan, W.A., Jr., Stephan, K.D. Inter-injection locking–a novel phase control technique for monolithic phased arrays 88–27678
Morgan, W.D. *see* Ryde, S.J.S. 88–10328
Morgan, W.F. *see* Beebe, D.D. 87–49485
Morgan, W.L. Satellite locations–1984 85–15366
Morgan, W.L. Transition to one micron technology. I(a). From VLSI to ULSI 85–40788
Morgan, W.L. Micro earth stations 85–47480
Morgan, W.L. Data compression 85–57384
Morgan, W.L. CSSB/AM [satellite communications] 85–58063
Morgan, W.L. The Olympus family 85–64655
Morgan, W.L. Echo control 86–10126
Morgan, W.L. TV: searching for a standard 86–59982
Morgan, W.L. Intelsat VA 88–10470
Morgan, W.L. Intelsat VA (IBS) [satellite relay systems] 88–28780
Morgan, W.L., Burnett, J.R. Concepts for world-class VLSI manufacturing plants 85–40792
Morgan, W.L. *see* Vizas, C.J., II 87–28526
Morgan, W.R. *see* Baer, R.E. 86–45051
Morgan, W.V. *see* Wang, C.L. 87–8858
Morgan-Collins, K. Cables for hazardous atmospheres 85–38509
Morgane, P.J. *see* Austin, K.B. 87–50360
Morganti, F. *see* Marchetti, M. 87–12853, 88–2888
Morganti, F. *see* Stella, D. 87–12859
Morganti, M. *see* Devecchi, D. 86–658
Morganti, M. *see* Geagea, J. 87–72817
Morganti, M. *see* Guidorizzi, S. 87–34290
Morganti, S. *see* Dorenbosch, J. 87–29472
Morgen, B. *see* Brown, D. 85–11708
Morgen, D.H., Schwartz, M.A., Olson, J.W. The *SLC* 96 subscriber loop carrier system: maintenance and operation 85–30754
Morgen, D.H. *see* Greco, G.J. 85–20231
Morgenfruh, B. *see* Oesingmann, D. 87–72154, 88–69401
Morgenroth, O., Rothamel, H.J., Wieland, U. Capabilities of a modern ISDN system 87–48423
Morgenroth, O., Schlurmann, A. ISDN common channel signalling system passes the test [CCITT common channel signalling system No.7 in Germany's ISDN pilot project] 88–67104
Morgenroth, O. *see* Arnold, R. 88–46660
Morgenroth, O. *see* Mahar, T. 88–9292
Morgenroth, O. *see* Mitterer, H. 85–47327
Morgenrother, K., Werner, P. On the principles of limiting absorption and limit amplitude for a class of locally perturbed waveguides. I. Time-independent theory 88–58923
Morgensen, G. *see* Andersen, O.R. 86–49653
Morgenshtern, L.S. *see* Tangribergenov, T.B. 87–15401
Morgenstein, D.L. *(editor)* Photonics dictionary. Optical industry and systems purchasing directory 1987. Book 3. 33rd edition 88–24
Morgenstein, D.L. *(editor)* Photonics design and applications handbook. Optical industry and systems purchasing directory 1987. Book 2. 33rd edition 88–26
Morgenstern, B. *see* M'hiri, R. 86–32614
Morgenstern, B.L. *see* Mirabito, M.M. 86–43935
Morgenstern, C., Gaskarow, D.W. Predicting the quality attributes and reliability parameters of products 87–23421
Morgenstern, D. *see* Baringhaus, L. 88–63151
Morgenstern, E.-M. Modulation methods for high-speed data transmission 87–39588
Morgenstern, F.H. Kalkar nuclear power plant (SNR-300)–a sodium-cooled fast breeder reactor prototype 87–78272
Morgenstern, G. Improved digital transmission using the principle of 'maximum-likelihood-decoding' 85–46685
Morgenstern, G. Boundary layer and volume effects in semiconductor technique 86–27832
Morgenstern, G. Power-density spectra of HDB2- and HDB-3-coded signals 86–29712
Morgenstern, G. The power-density spectra of some $nB(n+1)B$ block coded signals 86–64190
Morgenstern, G. On the distribution of spectral lines in the case of signal sequences generated by feedback shift registers 87–24081
Morgenstern, G., Wellhausen, H.-W. Three- and multi-level line codes for digital signal transmission 87–39625
Morgenstern, G. *see* Weidner, G. 87–45784
Morgenstern, G. *see* Zaumseil, P. 86–28165
Morgenstern, H. *see* Bohne, W. 86–5798
Morgenstern, I. Neural networks and chip design 87–73425
Morgenstern, I. Simulated annealing for spin-glass-like optimization problems 88–43800
Morgenstern, I., Wurtz, D. Simulated annealing for 'spin-glass-like' optimization problems 88–631
Morgenstern, J. *see* Heintz, J. 87–65277
Morgenstern, J.L. *see* King, D.C. 86–35509
Morgenstern, L. *see* Kopchok, G. 88–16777
Morgenstern, R. *see* Meijer, H.A.J. 87–39024
Morgenstern, T. Battery supplied CMOS-RAM and EPROM-modules for the K 1520 85–33912
Morgenstern, T., Kuhne, H., Kokovin, G.A., Testova, N.A., Titov, A.A. Suppression of epitaxial silicon layer doping with boron in the presence of hydrogen chloride 87–38065
Morgenstern, T. *see* Kokovin, G.A. 86–20035
Morgenstern, T. *see* Kuhne, H. 88–6457
Morgenstern, V. *see* Benedetti, M. 88–56350, 88–74264
Morgenstern, V. *see* Kerlin, T.W. 88–23685
Morgenstern, V.M. *see* Benedetti, M. 86–34423, 88–74289
Morgenstern, W., Hirsch, F. IEC recommendations for mechanical design of overhead power transmission lines 88–68970
Morgenthaler, F.R. Control of magnetostatic waves in thin films by means of spatially nonuniform bias fields 86–22023
Morgenthaler, F.R. An overview of electromagnetic and spin angular momentum mechanical waves in ferrite media 88–32821
Morgenthaler, F.R. *see* Borgeaud, M. 85–56127
Morgenthaler, F.R. *see* Rappaport, C.M. 86–60813, 87–71163
Morgenthaler, F.R. *see* Vlannes, N.P. 85–50849
Morgenthaler, G.W., May, G.L. *(editor)* Aerospace Century XXI. Proceedings of the 33rd Annual AAS International Conference 88–70028
Morger, E. *see* Wagli, P. 87–46540 to 46541
Morger, P. *see* Irion, G. 85–21443
Morgera, S.D. Linear, structured covariance estimation: an application to pattern classification for remote sensing 86–43332
Morgera, S.D. On discrete stochastic congruences in communications: the one- and two-dimensional problems 87–12881
Morgera, S.D. Two-dimensional discrete stochastic congruences in communications 87–47823
Morgera, S.D., Datta, L. Optimal feature selection. I. Theory 85–30388
Morgera, S.D., Forbes, Z.P. Long correlation random field image models 88–66724
Morgera, S.D., Garg, N.K. A distribution function approach to point target resolution 86–37090
Morgera, S.D., Krishna, H. An iterative method for restoring noisy images 87–19958
Morgera, S.D., Krishna, H. Generalized Levinson/Szego complex recurrences for a class of second-order nonstationary stochastic processes 87–69200
Morgera, S.D., Krishna, H. Generalized Levinson/Szego complex recurrences for a class of second-order nonstationary stochastic processes 88–3122
Morgera, S.D., Noor, F. An eigenvalue recursion for Hermitian Toeplitz matrices 88–63138
Morgera, S.D., Reuben, K.A., Cole, C. A microprocessor-based acoustic telemetry system for tide measurement 86–44810
Morgera, S.D. *see* Balla, P.C. 86–37009
Morgera, S.D. *see* Datta, L. 85–30389, 87–7819, 87–47848
Morgera, S.D. *see* Krishna, B. 87–58864
Morgera, S.D. *see* Krishna, H. 85–22290, 87–19961, 87–27209, 87–61836, 88–332, 88–8684, 88–63139, 88–72920
Morgera, S.D. *see* Soleyamani, M.R. 86–43274
Morgera, S.D. *see* Soleymani, M.R. 87–54972, 87–61579, 87–61594
Morgernstern, V. *see* Benedetti, M. 88–27966
Morgeson, D. *see* Michelsen, C. 88–75030
Morghabel, A.W., Palumbo, W.J. Macrocells on silicon 87–38345
Morgner, M., Montag, G. Evaluation of surface residual tensions of mechanically processed workpieces by means of the point-pole method 85–15043
Morgner, W. Material property sensors in nondestructive testing 88–31901
Morgner, W., Mook, G. An automatic approach to optimize multifrequency eddy current testing 87–65601
Morgner, W., Mook, G., Stockigt, H. Physical properties and their relevance to nondestructive testing 87–381
Morgner, W., Schiebold, K.-H., Krause, H. Ultrasonic high-temperature materials evaluation–a solved problem? 87–52246
Morgon, A. *see* Berger-Vachon, C. 88–48231
Morgott, H. *see* Chadwick, P.N.R. 85–39111, 85–39121
Morgovskii, L.Ya. *see* Shilov, A.L. 88–36367
Morgul, A., Grant, P.M. A wideband adaptive filter using 'SAW' devices 85–62173
Morgul, A., Grant, P.M., Cowan, C.F.N. Wideband hybrid analog/digital frequency domain adaptive filter 85–902
Morguleva, E.Ya. *see* Vaisfel'd, D.N. 88–4958
Morgulis, M.A. *see* Bolovinstsev, Yu.M. 88–67555
Morgulis, M.A. *see* Bolovintsev, Yu.M. 87–34721, 88–67554
Morgun, A.I. *see* Zinov'ev, V.G. 87–52113
Morgun, G.M. *see* Kashcheev, S.B. 85–2591
Morgun, O.N. *see* Kropotov, A.Yu. 88–29936
Morgun, V.A. *see* Baranetskii, N.V. 85–49000
Morgun, V.P. *see* Anastasjuk, N.V. 85–63872
Morgun, Yu.F. *see* Agashkov, A.V. 85–46372
Morgunov, V. *see* Galaktionov, Yu. 87–8841
Morgunov, V.I. *see* Gusev, E.A. 85–49626
Morhac, M. Precise deconvolution using the Fermat number transform 86–43211
Morhac, M. Error-free deconvolution and its application in signal processing 88–14735
Morhange, J. *see* Gibbs, H.M. 87–75254
Morhange, J.-F. *see* Hirlimann, C. 86–68586
Morhange, J.F. *see* Ojima, M. 86–68615
Morhange, J.F. *see* Park, S.H. 88–65869
Mori, A. *see* Kadoya, K. 88–19448
Mori, A. *see* Sean, H. 85–55213
Mori, A. *see* Yokoi, K. 88–19449
Mori, C., Aoyama, T., Watanabe, T. Use of carbon fiber as resistive anode wire for a position sensitive proportional counter 86–60549
Mori, C., Aratani, T., Watanabe, T., Yoshida, M. Direct measurement of radioactivity of ^{14}C gaseous samples with position-sensitive proportional counter 87–77523
Mori, C., Fujii, Y., Watanabe, T. Radioactivity measurement of ^{3}H-labeled gas with position-sensitive proportional counter. I. New principle

of elimination of end effect and making of partially resistive anode wire 87—50123
Mori, C., Fujii, Y., Watanabe, T. Radioactivity measurement of ^{3}H-labeled gas with position-sensitive proportional counter. II. Characteristics of the counter and activity measurement 87—50124
Mori, C., Kumanomido, H., Watanabe, T. Application of a background-compensated Geiger-Muller counter to a survey meter 85—31690
Mori, C., Nakamoto, M., Uritani, A., Watanabe, T. Position sensitive proportional counter for the measurement of tritium labelled gas movements 85—37936
Mori, C., Uritani, A., Watanabe, T. Multielement position sensitive proportional counter for measurement of tritium labeled gas movement 88—54393
Mori, C., Watanabe, T. Dependence of position signal on pulse height and gas gain for ^{3}H β-rays observed with position sensitive proportional counter 85—64455
Mori, E. *see* Ina, T. 87—10364
Mori, E. *see* Iwamatsu, S. 87—15106
Mori, E. *see* Kaneko, S. 87—77914, 88—16979, 88—16986
Mori, E. *see* Kanoi, M. 86—39255
Mori, E. *see* Maehara, N. 88—16951
Mori, E. *see* Okuyama, K. 85—9964
Mori, E. *see* Tsukioka, H. 86—51685
Mori, E. *see* Ueha, S. 85—35280, 86—18618, 86—50760, 88—13654
Mori, F. *see* Boragno, C. 85—20620
Mori, H. Interactive compaction router for VLSI layout 85—1675
Mori, H. FG sensor increases revolution accuracy of precision micromotors 87—3581
Mori, H. LSI design 87—25456
Mori, H. Design of world loop networks and effectiveness evaluation of dynamic routing 87—34603
Mori, H. Electric facilities (total system) [for the Honshi-Bisan Line] 88—69841
Mori, H., Ando, S., Wakahara, Y., Norigoe, M. Performance evaluation of general purpose microprocessors applied to large scale international exchanges 85—52201
Mori, H., Hagimura, K., Imai, T. Optically coupled high-voltage pnpn switches 86—35151
Mori, H., Ikeda, Y. Virtual circuit switched network—an approach to integrated services transparent network using packet switching technology 85—25294
Mori, H., Ogasawara, M., Yamamoto, M., Tachikawa, M. New hydride vapor phase epitaxy for GaP growth on Si 88—6445
Mori, H., Okana, K., Okada, K., Nakamura, K. Hotel visual information system with interactive cabletext 87—3309
Mori, H., Ouchi, H., Mori, S. A WSI oriented two dimensional systolic array for FFT 87—27462
Mori, H., Sumi, N., Meguro, H., Kunioka, M., Tatsuki, M. The devices and mounting technology and the design and simulation systems of the MELCOM EX series 860, 870 and 880 computers 88—56677
Mori, H., Takagishi, S. Morphology of GaAs epitaxial layers grown by MOCVD 85—16938
Mori, H., Takagishi, S. Influence of H_2 overpressure on the properties of GaAs grown by low-pressure MOCVD 85—22472
Mori, H., Tamura, Y. VAR allocation using probabilistic load flow 86—61017
Mori, H., Tamura, Y. Application of Kalman filter to the nodal injection correlation in stochastic load flow 87—9056
Mori, H., Tamura, Y. Comparison of approaches to meter placement in power system static-state estimation 87—71759
Mori, H., Watanabe, Yu. Networking technologies 88—41200
Mori, H. *see* Ackzell, L. 87—40520
Mori, H. *see* Arai, M. 86—43613
Mori, H. *see* Fujita, T. 87—60571
Mori, H. *see* Fujiwara, T. 88—72091
Mori, H. *see* Hamano, E. 85—18035
Mori, H. *see* Hirano, M. 86—42176, 87—52507
Mori, H. *see* Hyon Soo Lee 86—53777
Mori, H. *see* Iizuka, K. 85—8471
Mori, H. *see* Kamon, K. 86—7792, 86—34331
Mori, H. *see* Kidokoro, T. 87—12718
Mori, H. *see* Koseki, Y. 87—69837
Mori, H. *see* Lee, H.S. 85—55920
Mori, H. *see* Mitsumoto, K. 85—18420
Mori, H. *see* Morita, T. 86—23633
Mori, H. *see* Morita, Y. 88—61265
Mori, H. *see* Nagaoka, H. 88—20121
Mori, H. *see* Nakatani, Y. 85—60574
Mori, H. *see* Nakazoe, J. 86—20337, 87—10697
Mori, H. *see* Oku, S. 86—7769
Mori, H. *see* Sakuraba, J. 85—48970
Mori, H. *see* Shimada, T. 87—55655
Mori, H. *see* Sugita, M. 87—3313
Mori, H. *see* Takagishi, S. 86—66817
Mori, H. *see* Takahashi, S. 86—71133
Mori, H. *see* Takebayashi, T. 87—28241
Mori, H. *see* Taniguchi, K. 86—61512
Mori, H. *see* Udaka, M. 85—49149
Mori, H. *see* Yanase, T. 88—57005
Mori, H. *see* Yano, S. 87—66034
Mori, H. *see* Yasuda, A. 88—42228
Mori, H. *see* Yorino, N. 86—61001
Mori, I., Asano, N. Microprocessor application to NTT power plant 86—61612
Mori, I., Ikebe, H. Techniques to prevent telecommunications power system fires 87—23286
Mori, I., Iwata, R., Abe, A. Cross-polarization analysis of dual frequency band corrugated conical horns 86—64146
Mori, I., Miki, T., Koyama, Y. Converter-charger for portable VTRs 87—36030
Mori, I., Saito, K., Asahina, K. Whole body X-ray CT scanner, TCT-900S 87—57108
Mori, I., Sugihara, K., Itoh, C., Tabata, M., Shinozaki, T. An electron beam image projection system with automatic wafer handling 86—21314
Mori, I. *see* Abe, A. 88—2900
Mori, I. *see* Ohya, K. 86—11829, 86—50438
Mori, I. *see* Price, R. 86—69733
Mori, J. *see* Okubo, K. 85—39276
Mori, J. *see* Sumi, M. 88—70836
Mori, J.M. *see* Lamb, J.E., III 88—26121
Mori, K. Exponentially decreasing error model in approximating measured magnetic field of a body 88—68012
Mori, K., Hanafusa, A., Umezo, Y. Characteristic improvement of amorphous silicon solar cell for indoor use 87—36132
Mori, K., Kitano, T., Nakanisi, H., Matsumura, S., Higuchi, T. Faulty equipment detection method using radiated electromagnetic fields [power equipment] 86—12524
Mori, K., Kurozawa, T. A method of the variable transformation for the time series analysis 87—176
Mori, K., Matsumaru, H. A reliable fiberoptic network: the autonomous decentralized loop network 87—20488
Mori, K., Matsumura, S., Kobayashi, S. A laser-addressed LCD doped with chiral smectic material 87—35154
Mori, K., Miyamoto, S., Nohmi, M., Ihara, H. On-line maintenance in autonomous decentralized loop network: ADL 85—36769
Mori, K., Ogura, A., Yoshida, M., Terao, H. Atomic layer epitaxy of uniform GaAs on 3-inch substrate in low pressure MOCVD system 87—23688
Mori, K., Ohta, E., Ino, M., Tani, K. Degradation of photoresponse time of a-Si:H and correlation with N_1 measured by low frequency C-V method 86—27903
Mori, K., Yamaguchi, S., Hosono, T. Transmission characteristics of one-dimensional image fiber—strong-coupling case 85—18728
Mori, K., Yamaguchi, S., Hosono, T. Transmission characteristics of one-dimensional image fiber—strong coupling case 87—53960
Mori, K., Yamaguchi, S., Hosono, T. Focusing characteristics of cylindrical Luneburg lens—numerical analysis in wave optics 87—68741
Mori, K., Yoshida, M., Usui, A. MO-ALE growth of GaAs using $Ga(C_2H_5)_2Cl$ and AsH_3 88—64250
Mori, K., Yoshida, M., Usui, A., Terao, H. GaAs growth by atomic layer epitaxy using diethylgalliumchloride 88—24700
Mori, K. *see* Akatsuka, T. 88—29049
Mori, K. *see* Baglee, D.A. 88—755
Mori, K. *see* Chaki, E. 85—4423
Mori, K. *see* Chikawa, Y. 86—14772
Mori, K. *see* Fukuda, K. 85—31102
Mori, K. *see* Goto, K. 88—45258
Mori, K. *see* Hamajima, K. 86—33075
Mori, K. *see* Hosono, T. 85—41135, 85—50972, 87—53963
Mori, K. *see* Ieiri, T. 88—54161
Mori, K. *see* Ikeda, H. 87—24210
Mori, K. *see* Iwamoto, T. 85—5988, 85—35743, 87—38939
Mori, K. *see* Kawada, E. 88—48318
Mori, K. *see* Kokubun, M. 85—9878
Mori, K. *see* Kondo, T. 88—685
Mori, K. *see* Kurosawa, A. 86—27388, 87—59086
Mori, K. *see* Maeda, T. 86—47496, 87—1461
Mori, K. *see* Masuzawa, S. 87—69520
Mori, K. *see* Matsui, S. 85—10768, 86—34382, 87—1369, 88—12912, 88—13202
Mori, K. *see* Matsumoto, Y. 87—63874
Mori, K. *see* Mochihara, H. 87—51646
Mori, K. *see* Momose, T. 88—54298
Mori, K. *see* Murakami, A. 86—63541
Mori, K. *see* Nakanishi, K. 86—26800
Mori, K. *see* Ochiai, Y. 88—19897
Mori, K. *see* Okazaki, A. 86—34740, 88—50073
Mori, K. *see* Okudaira, M. 86—54563
Mori, K. *see* Orimo, M. 86—291
Mori, K. *see* Saito, T. 87—28976
Mori, K. *see* Sawaragi, H. 88—26146
Mori, K. *see* Shiokawa, T. 87—74164
Mori, K. *see* Suda, Y. 88—29390, 88—42159
Mori, K. *see* Suzuki, H. 88—70345
Mori, K. *see* Suzuki, K. 85—26217, 85—31380
Mori, K. *see* Tanatsugu, N. 86—6049
Mori, K. *see* Tsukamoto, T. 86—5356
Mori, K. *see* Ueda, N. 88—46160
Mori, L. Classification of fluorescent lamps by chromaticity and colour rendering property 85—39321
Mori, L. Quantitative evaluation of the subjective brightness of lighting environments 87—22893
Mori, L. *see* Akiyama, J. 88—37725
Mori, L. *see* Laurenti, A. 87—74634
Mori, L. *see* Tominaga, M. 85—55209
Mori, M. Quadrature formulas obtained by variable transformation and the DE-rule 85—49504
Mori, M., Fujimoto, N., Fukushima, T. 810M optical transmission system 88—28835
Mori, M., Hamatsu, M. A method of code synchronization in a spread-spectrum receiver using a SAW convolver 86—69587
Mori, M., Kohno, A., Iwase, M. Measurement of electrical contact resistances in sliding contacts for current collection 85—64236
Mori, M., Komiyama, T., Itoh, M., Urabe, S. Simplified approach for predicting lifetime on manifold header of IHX in elevated temperature design for HTGR 87—78349
Mori, M., Kumehara, H., Suda, H., Harada, S., Muto, E. Cutting accuracy of steel plate with CO_2 laser—on surface roughness of cut section 85—46510
Mori, M., Makita, Y., Okada, Y., Ohnishi, N., Mitsuhashi, Y., Tanaka, H., Matsumori, T. Liquid-phase epitaxy of heavily Mg-doped GaAs: formation of a new near-band-edge emission exclusively pertinent to acceptor impurities 88—6463
Mori, M., Okasaka, S. Onboard satellite switch controller for SS-TDMA 86—55086
Mori, M., Ono, T., Kawai, M. Functional reliability of an onboard memory system with considerations of cosmic ray induced soft errors 88—50148
Mori, M., Tanaka, T., Shimoda, Y. On-board IF switch and controller for multi-beam communications satellite 87—48990
Mori, M., Tanaka, T., Shimoda, Y., Kihata, Y. On-board IF switch and controller for multi-beam communications satellite 87—34477
Mori, M., Tanaka, T., Yatsuo, T. New complementary MOS-gate bipolar transistors 88—33161
Mori, M., Yatsuo, T. A high voltage GaAs power static induction transistor 88—20011
Mori, M. *see* Daicho, Y. 86—61168
Mori, M. *see* Funamoto, O. 88—37996
Mori, M. *see* Higashino, T. 86—43591, 88—21386, 88—52910
Mori, M. *see* Inoue, H. 85—30653
Mori, M. *see* Kawagishi, K. 86—6903
Mori, M. *see* Kobori, H. 87—8487, 87—60994, 88—33787
Mori, M. *see* Konishi, N. 86—28992
Mori, M. *see* Makita, Y. 87—10370
Mori, M. *see* Mikami, T. 87—51676
Mori, M. *see* Mitsumata, T. 86—26260
Mori, M. *see* Murakami, T. 87—26099
Mori, M. *see* Ogawa, T. 85—20223
Mori, M. *see* Okano, K. 87—2842
Mori, M. *see* Ono, T. 88—12376
Mori, M. *see* Sukegawa, T. 88—72213
Mori, M. *see* Taira, K. 86—42385
Mori, M. *see* Teshima, M. 86—60579
Mori, M. *see* Yamamura, T. 87—57811
Mori, M. *see* Yanokura, E. 88—20010
Mori, M. *see* Yasuda, N. 86—42382
Mori, M. *see* Yoshitoshi, H. 86—39308
Mori, N. Preventive and corrective actions against degradation 85—38788
Mori, N. Yellow-emitting powder-type plastic electroluminescent lamps 88—53798
Mori, N., Nakamura, N., Taniguchi, K., Hamaguchi, C. Magnetophonon resonance at high electric and magnetic fields in small n^+nn^+ GaAs structure 88—25939
Mori, N., Shirai, J., Kudo, T., Arakawa, T., Hara, S. Sanyo Information Network System 85—63350
Mori, N., Suzuki, J., Kawamura, M., Hasegawa, N., Tokumaru, T., Tsukawaki, K., Yoshinaga, M., Ohashi, N., Date, T. High-capacitance series and ultra-thin series multilayer ceramic chip capacitors 87—45324
Mori, N. *see* Fukumoto, A. 85—21379
Mori, N. *see* Kudo, T. 88—41347
Mori, N. *see* Matsumoto, K. 87—37422
Mori, N. *see* Miyatake, M. 87—13491
Mori, N. *see* Monta, K. 85—21337
Mori, N. *see* Morishita, S. 86—51048
Mori, N. *see* Naito, N. 88—30453
Mori, N. *see* Sakakibara, A. 85—15632
Mori, N. *see* Suzuki, I. 87—73812
Mori, N. *see* Tamai, M. 86—37495
Mori, N. *see* Togo, Y. 85—38628
Mori, N. *see* Tsunekawa, H. 88—10422
Mori, N. *see* Yamamoto, N. 86—58537, 87—6620
Mori, R. *see* Kamada, M. 87—19950, 88—49756
Mori, R. *see* Katagishi, K. 87—29756
Mori, R. *see* Sekita, I. 88—14794
Mori, R. *see* Takeuchi, H. 87—24366
Mori, R. *see* Toraichi, K. 85—10635, 85—10637, 86—22872, 86—57384, 87—19762, 87—19803, 87—52044, 87—52753, 87—61937, 88—18634, 88—59252, 88—63211

Mori, R.De *see* De Mori, R.
Mori, S. CDF superconducting solenoid 86-11803
Mori, S., Akatsu, T., Miyazaki, C. A laser measurement system for precise and fast positioning 88-45604
Mori, S., Chee-Yee Chong Numerical solutions to Witsenhausen's problem 86-3740
Mori, S., Chee-Yee Chong A multitarget tracking algorithm-independent but non-Poisson cases 86-4710
Mori, S., Chong, C., Tse, E., Wishner, R.P. Tracking and classifying multiple targets without a priori identification 86-49713
Mori, S., Ishibashi, T., Ihara, S., Kurebayashi, K., Kimura, Y. Development of a fault-locating system using OPGW 86-56447
Mori, S., Itoh, M., Murakami, J. 32-bit microprocessors and ASIC microcontrollers 88-70807
Mori, S., Kato, H., Kuwano, H. Platinum doped MOS device 85-40765
Mori, S., Kato, K. Seismological observation and telecommunications systems 86-37258
Mori, S., Majumdar, G., Kamitani, Y., Iwamoto, H. A new 100A, 500 V power MOSFET module with unprecedented DI/DT, DV/DT endurance 88-24993
Mori, S., Matsuda, T., Yanase, T., Mikata, Y., Sato, M., Shinada, K., Yoshikawa, K., Nozawa, H. Reliable CVD inter-poly dielectrics for advanced E&EEPROM 86-41977
Mori, S., Matsukawa, N., Kaneko, Y., Arai, N., Shinagawa, T., Suizu, Y., Hosokawa, N., Yoshikawa, K. Novel process and device technologies for submicron 4-Mb CMOS EPROMs 88-38539
Mori, S., Sakakura, T. Line filtering and its application to stroke segmentation of handprinted Chinese characters 85-30417
Mori, S., Sato, M., Mikata, Y., Yanase, T., Yoshikawa, K. Poly-oxide/nitride/oxide structures for highly reliable EPROM cells 85-49895
Mori, S., Shito, T., Saito, T., Moriguchi, M., Taoda, K. An external commutated invertor of reducing harmonics in output AC line currents 86-26158
Mori, S., Suwa, I., Wilmore, J. Hierarchical capacitance extraction in an IC artwork verification system 85-45822
Mori, S., Tamura, K., Tan, T. Life evaluation of thermal power plant in-service exposure 88-48762
Mori, S., Tanaka, K. DIPS computer complex loop interface for system controls 86-49263
Mori, S., Tanaka, K., Hoshiko, T. System control processor for DIPS computer complex 86-49262
Mori, S., Wilmore, J.A. Resistance extraction in a hierarchical IC artwork verification system 86-28428
Mori, S., Yasuhisa, N., Sato, M., Yoshikawa, K., Nozawa, H. Reliability aspects of 100 Å inter-poly dielectrics for high density VLSIs 87-25474
Mori, S., Yoshida, H., Uchiyama, N. The development of new copper ball bonding-wire 88-64159
Mori, S. *see* Abe, I. 85-37318
Mori, S. *see* Abe, K. 88-16629
Mori, S. *see* Asai, H. 85-39862, 86-66899
Mori, S. *see* Asano, K. 88-46426
Mori, S. *see* Asano, Y. 87-29494, 87-77538 to 77539
Mori, S. *see* Atsumi, S. 87-59489
Mori, S. *see* Chalid, A. 87-39601, 88-27807
Mori, S. *see* Chee-yee Chong 86-11155
Mori, S. *see* Chong, C.-Y. 87-3238, 88-9667, 88-45836
Mori, S. *see* Chong, C.Y. 85-3480
Mori, S. *see* Fast, R. 85-24250
Mori, S. *see* Fast, R.W. 85-35364, 85-43266, 85-59167, 86-50261
Mori, S. *see* Fukui, Y. 88-10275, 88-47986
Mori, S. *see* Furusawa, Y. 88-38475
Mori, S. *see* Hikawa, H. 86-46632, 86-67113, 87-73369
Mori, S. *see* Hirai, S. 88-61429
Mori, S. *see* Honda, T. 87-69042, 88-34578
Mori, S. *see* Horio, Y. 86-820, 86-8358, 86-20698, 86-62710, 86-67320, 86-67335, 87-59720
Mori, S. *see* Ikeda, C. 88-38613
Mori, S. *see* Inaba, N. 85-39955, 86-67070, 87-65776, 88-6635
Mori, S. *see* Jayamanne, N. 87-40813, 88-46976
Mori, S. *see* Kamitani, Y. 87-44592
Mori, S. *see* Katsumata, T. 87-63829
Mori, S. *see* Kazuma, S. 85-19938
Mori, S. *see* Kishi, T. 85-41837
Mori, S. *see* Kobayashi, T. 85-21197, 85-43605, 85-48591, 85-59719, 85-59730
Mori, S. *see* Kondo, K. 86-25115
Mori, S. *see* Luan, Z. 87-69558, 88-46335
Mori, S. *see* Matsumoto, A. 87-20245
Mori, S. *see* Matsumoto, N. 88-70626
Mori, S. *see* Mikata, Y. 86-15066
Mori, S. *see* Minemura, H. 85-56255
Mori, S. *see* Miyamoto, H. 86-12033, 86-44708, 88-6837
Mori, S. *see* Mori, H. 87-27462
Mori, S. *see* Nagakata, N. 88-56448
Mori, S. *see* Nagata, M. 88-60817
Mori, S. *see* Nakawa, Y. 86-60811
Mori, S. *see* Nikawa, Y. 86-5877, 86-5985, 86-18375, 86-25294, 86-44697, 86-60812, 86-64132, 87-77678, 88-36505
Mori, S. *see* Noda, S. 87-51202
Mori, S. *see* Ohtsuka, N. 88-6823
Mori, S. *see* Otsuka, E. 88-61431
Mori, S. *see* Oyaizu, I. 86-64683
Mori, S. *see* Rokushima, K. 88-20872, 88-45196
Mori, S. *see* Saito, S. 86-8257
Mori, S. *see* Sasase, I. 85-19317, 85-25012, 85-41846, 86-10243, 86-23759, 87-12999, 87-59208, 87-68926, 88-25035, 88-38402, 88-45871, 88-46867
Mori, S. *see* Sato, M. 85-49900
Mori, S. *see* Satoh, T. 87-41567
Mori, S. *see* Sawa, S. 88-51537
Mori, S. *see* Seki, H. 85-606, 86-14312, 86-62649, 86-67454, 87-5919
Mori, S. *see* Shinada, K. 86-9028
Mori, S. *see* Shinohara, K. 87-2451
Mori, S. *see* Skarnulis, A.J. 87-17677
Mori, S. *see* Sueoka, O. 85-37861
Mori, S. *see* Takahashi, Y. 86-12021
Mori, S. *see* Takigawa, K. 86-39638
Mori, S. *see* Tanaka, T. 85-58343
Mori, S. *see* Watanabe, H. 87-57226
Mori, S. *see* Yashima, H. 87-27148, 88-2938, 88-72726
Mori, S. *see* Yoshikawa, K. 85-49879, 87-24128
Mori, S. *see* Zhang, N. 85-22729
Mori, S. *see* Zheng, N. 85-33726, 86-14070, 86-62496
Mori, T. The history and activities of Electronics Industries Association of Japan 85-16841
Mori, T. Thick-film network resistors offer wider variety of values 85-23151
Mori, T. Progress of magnetic recording materials 86-9395
Mori, T. Radio pager 88-21990
Mori, T., Aono, K., Sakai, H., Hasegawa, K., Yamada, H., Takemoto, T. A micro-programmable realtime image processor 87-17163
Mori, T., Chuzawa, T. New contactors for electronic systems 88-7117
Mori, T., Fukuma, N., Kuwahara, M. On trace bounds for the solution to the discrete Riccati equation 87-52071
Mori, T., Ibaragi, O., Kon, T., Shinozaki, K. Relationship of equipment grounding system configurations to ESD immunity 88-14341
Mori, T., Iida, T. Japan's space development programs for communications: an overview 87-56045
Mori, T., Kokame, H. Convergence conditions for perturbed matrices 87-31379
Mori, T., Nagata, K., Ichikawa, Y. Information Display Pager 85-52281
Mori, T., Nishihara, H., Kimura, I., Hayashi, S.A., Kobayashi, K., Yamamoto, S., Nakagawa, M. Measurement and analysis of neutron spectra in lithium fluoride and polytetrafluoroethylene piles 86-18992
Mori, T., Ohnishi, H., Imamura, K., Muto, S., Yokoyama, N. Resonant tunneling hot-electron transistor with current gain of 5 87-25227
Mori, T., Okado, H. A new commutation interruption method for low voltage contactors 85-16164
Mori, T., Sakamoto, S., Fujioka, K., Ikeda, Y., Suzuki, T. A GaAs FET low-noise amp module for DBS receivers 86-35097
Mori, T., Tajima, S. Trial manufacture of a primary aluminium battery 86-13006
Mori, T., Uchida, T., Nakagaki, S., Matsuzawa, K., Sekiguchi, N., Kubota, T., Horie, T., Nishikawa, H. Response analysis of metal-enclosed switchgear shaken by ground oscillation 86-39996
Mori, T., Wada, Y., Murai, Y., Okada, H., Masuda, S. A new commutation-interruption method for low-voltage contactors 87-37636
Mori, T. *see* Aono, K. 87-24259, 87-52624
Mori, T. *see* Arai, K. 88-67810
Mori, T. *see* Fuji, M. 86-53273
Mori, T. *see* Fujii, Y. 87-3591, 88-33546
Mori, T. *see* Fukuchi, H. 86-37846
Mori, T. *see* Furukawa, S. 87-2721
Mori, T. *see* Haga, A. 87-2316
Mori, T. *see* Hamaguchi, C. 85-55848
Mori, T. *see* Hara, Y. 86-44366
Mori, T. *see* Hirano, K. 85-36665
Mori, T. *see* Honji, A. 88-55616
Mori, T. *see* Ichimaru, K. 85-59180
Mori, T. *see* Kahara, T. 88-17918
Mori, T. *see* Komura, I. 86-580
Mori, T. *see* Kondo, Y. 88-28206
Mori, T. *see* Kosugi, M. 85-3082
Mori, T. *see* Minami, S. 85-3081
Mori, T. *see* Nagata, K. 85-8325
Mori, T. *see* Oda, T. 86-36814
Mori, T. *see* Okada, A. 87-62630
Mori, T. *see* Ono, T. 86-47488
Mori, T. *see* Rajan, P.K. 85-28085
Mori, T. *see* Saito, K. 88-26675
Mori, T. *see* Saitoh, M. 87-45718
Mori, T. *see* Sano, S. 86-10763
Mori, T. *see* Seki, K. 86-60475
Mori, T. *see* Shibata, K. 85-38108
Mori, T. *see* Shimoseko, S. 86-37851
Mori, T. *see* Takai, Y. 85-50304
Mori, T. *see* Tanaka, Y. 88-19133
Mori, T. *see* Tanimoto, M. 87-76987
Mori, T. *see* Tsuboi, T. 85-30552
Mori, T. *see* Urasaki, S. 85-25812
Mori, T. *see* Watanabe, A. 85-52664
Mori, T. *see* Yamada, H. 88-32244
Mori, T. *see* Yamamoto, M. 85-27466
Mori, T. *see* Yokoyama, N. 88-33184
Mori, T.T. *see* Dybdal, R.B. 87-49158
Mori, W. *see* Katsouleas, T. 85-26629
Mori, W.B., Joshi, C., Dawson, J.M., Lee, K., Forslund, D.W., Kindel, J.M. Studies of the plasma droplet accelerator scheme 86-31836
Mori, W.B. *see* Bingham, R. 86-5616
Mori, W.B. *see* Joshi, C. 87-70904, 88-27246
Mori, W.B. *see* Katsouleas, T. 86-5611, 87-12518
Mori, Y. MOCVD growth of semiconductor thin film 85-33486
Mori, Y. Asahi Glass approach pursues potential of electrochromic display modules 86-5387
Mori, Y. Construction of new tramcar tracks [insulators for electrification] 86-66421
Mori, Y., An, H., Endo, K., Yamauchi, K., Sugiyama, K. Designing a new apparatus for measuring particle sizes of the order of a nanometer by light-scattering 88-50966
Mori, Y., Ikegami, K., Igarashi, J., Kishiro, J., Kubota, C., Takagi, A., Takasaki, E., Fukumoto, S. Optically pumped polarized H^- ion source at KEK 85-15140
Mori, Y., Ikegami, K., Takagi, A., Fukumoto, S. KEK optically pumped polarized H^- ion source 86-32120
Mori, Y., Jufuku, T., Iida, M., Nomura, A., Ichiura, N., Nakamura, T. Architecture of high-speed 22 bit floating-point digital signal processor 87-17140
Mori, Y., Nagae, Y., Kaneko, E., Kawakami, H., Hashimoto, T., Shiraishi, H. Multi-colour laser-addressed liquid crystal projection display 88-47637
Mori, Y., Nakamura, F., Watanabe, N. High electron mobility in the selectivity doped heterostructures grown by normal pressure metalorganic chemical vapor deposition 86-62246
Mori, Y., Shibata, J., Kajiwara, T. Picosecond-switching optical bistability in a TM-wave injected BH laser 87-26547
Mori, Y., Shibata, J., Kajiwara, T. High switching-speed optical RS flip-flop constructed of a TM-wave injected semiconductor laser 87-46989
Mori, Y., Shibata, J., Kajiwara, T. Optical polarization bistability with high switching speed in a TM wave injected buried heterostructure laser 88-20631
Mori, Y., Shibata, J., Sasai, Y., Hase, H., Serizawa, H. A new InGaAsP/InP heterobipolar laser transistor 85-46296
Mori, Y., Shibata, J., Sasai, Y., Serizawa, H., Kajiwara, T. Operation principle of the InGaAsP/InP laser transistor 86-9705
Mori, Y., Shibata, J., Sasai, Y., Serizawa, H., Kajiwara, T. A novel emission power control of the InGaAsP/InP laser transistor 86-54152
Mori, Y., Shibata, J., Serizawa, H., Kajiwara, T. Laser transistor 86-58935
Mori, Y., Shibuya, I., Kakuta, A. High sensitive organic photoconductors for laser beam printer use 87-54157
Mori, Y., Takagi, A., Ikegami, K., Fukumoto, S. Development and status of ion sources at KEK 87-14716
Mori, Y., Takagi, A., Ikegami, K., Fukumoto, S. The cusp H^- ion source at KEK 88-4779
Mori, Y., Takagi, A., Ikegami, K., Fukumoto, S., Ueno, A. Recent progress in optically pumped polarized ion sources 86-70302
Mori, Y., Takagi, A., Ikegami, K., Fukumoto, S., Ueno, A., Levy, C.D.P., Schmor, P.W. Recent progress on the optically pumped polarized H^- ion source at KEK 87-77507
Mori, Y., Takagi, A., Ikegami, K., Fukumoto, S., Ueno, A., Levy, C.D.P., Schmor, P.W. Radiation trapping in an optically pumped thick sodium target 88-54371
Mori, Y., Yamamoto, K., Imada, H. Transparent glass touch switch 85-14913
Mori, Y. *see* Akimoto, K. 88-32847
Mori, Y. *see* Alton, G.D. 88-61056
Mori, Y. *see* Ando, E. 87-35152
Mori, Y. *see* Andou, H. 86-21795
Mori, Y. *see* Fukumoto, S. 86-24909, 87-41748, 88-53999
Mori, Y. *see* Hijikata, K. 87-4970, 88-75953
Mori, Y. *see* Hiramatsu, S. 85-48156, 87-3843
Mori, Y. *see* Hirata, S. 87-7350, 87-68433
Mori, Y. *see* Honma, H. 87-24355, 87-66389
Mori, Y. *see* Iga, K. 87-33154

Mori, Y. *see* Ikeda, M. 85−2299, 85−7431, 85−46415, 86−15681, 86−36456, 86−54162, 87−16597, 87−54291, 88−45427
Mori, Y. *see* Imaiida, S. 86−49221
Mori, Y. *see* Ishibashi, A. 86−8837, 88−64606
Mori, Y. *see* Ishida, A. 88−10319
Mori, Y. *see* Jufuku, T. 86−68008
Mori, Y. *see* Kakuta, A. 86−2912, 86−42406
Mori, Y. *see* Kamada, M. 87−6410, 87−17753, 87−25341, 87−38250, 87−60165, 88−13028
Mori, Y. *see* Kawai, M. 87−28474
Mori, Y. *see* Kihara, M. 88−36305
Mori, Y. *see* Matsuda, S. 85−54154
Mori, Y. *see* Matsunaga, M. 86−49992
Mori, Y. *see* Nagae, Y. 87−8685
Mori, Y. *see* Nakabasami, T. 85−4640
Mori, Y. *see* Nakamura, T. 86−44678
Mori, Y. *see* Niwa, Y. 85−26085
Mori, Y. *see* Ogawa, J. 88−20512
Mori, Y. *see* Ohata, T. 87−12482
Mori, Y. *see* Shibata, J. 85−24561
Mori, Y. *see* Shimamura, Y. 87−64192
Mori, Y. *see* Shimomura, A. 87−12420
Mori, Y. *see* Takagi, A. 86−32121
Mori, Y. *see* Takakuwa, H. 85−29215, 86−53636
Mori, Y. *see* Tamamura, K. 87−53345
Mori, Y. *see* Tanaka, K. 86−41317
Mori, Y. *see* Utsumi, I. 88−73019
Mori, Y. *see* Watanabe, N. 87−319
Mori, Y. *see* Yamada, Y. 86−25867
Mori, Y. *see* Yamanaka, M. 85−39787
Mori, Y. *see* Yanadori, M. 86−191
Mori, Y. *see* Yuasa, K. 88−41260
Mori, Y.H. *see* Ohyama, T. 88−7842
Moriai, H. *see* Kamata, K. 85−56150, 87−67818
Moriai, H. *see* Shintomi, T. 86−25062, 86−44519
Moriai, H. *see* Tada, N. 87−7042
Moriai, S., Makino, S., Kido, K. Phoneme recognition in continuous speech using phoneme discriminant filters 87−19597
Moriai, S., Makino, S., Kido, K. Phoneme recognition based on output unification of phoneme discriminant filters 88−72788
Moriarty, G. Differential game theory applied to a model of the arms race 85−33276
Moriarty, G. Technological change and its effects on broadcasting 85−37155
Moriarty, G. The ABC working with AUSSAT 87−63117
Moriarty, G. Australia pioneers B-MAC for television broadcasts by satellite 88−28793
Moriarty, J.A. *see* Krishnamurthy, S. 85−55535
Moriarty, J.K., Jones, R.C., Dinkledine, T.L. A new linear line driver/receiver IC for automotive applications 87−64933
Moriarty, J.K., Jr., Jones, R.C., Dinkledine, T.L. A serial bus transceiver for the automotive environment 88−50989
Moribe, M., Hashimoto, Y., Maeda, M., Itoh, K., Ogawa, S. Bit-error reduction in magneto-optical disks 88−65395
Moribe, M. *see* Nakajima, M. 86−42219
Moribe, S. *see* Tanigaki, Y. 88−71441
Moribe, T. Building management system 87−51642
Moribe, T. *see* Tajima, K. 87−43166
Moribe, Y. *see* Kameyama, T. 87−25792
Moricca, M. *see* Cennini, P. 86−50312
Morice, P.B. Britain and European engineering education 88−55868
Morice, Y. A decade of experience with solar powered microwave radio relay systems 85−8320
Morice, Y. *see* Aloo, C.R.S. 86−55180
Moriceau, H. *see* Ferrand, B. 86−63546
Morich, B. The information network of the MKW [power system communications] 88−54893
Morichev, I.E. *see* Danilov, V.V. 86−28912
Morichev, I.E. *see* Vladimirov, F.L. 85−12668, 85−18760, 86−22190, 86−28915, 86−36533, 88−20451, 88−26896
Moricz, F., Xianliang Shi Approximation to continuous functions by Cesaro means of double Fourier series and conjugate series 87−58834
Moride, H. *see* Matsushita, K. 86−43664, 86−43688, 87−8113 to 8114
Moridi, S., Sari, H. Analysis of four decision-feedback carrier recovery loops in the presence of intersymbol interference 85−57944
Moridi, S., Sari, H. Effect of loop delay on the pull-in range of generalized second-order phase locked loops 88−6708
Moridi, S. *see* Hari, H. 87−34365
Moridi, S. *see* Sari, H. 86−55170, 86−64499, 86−69068, 87−28400, 87−40651
Morie, T., Minegishi, K., Nakajima, S., Miura, K. Electrical characteristics of isolation-merged vertical capacitor (IVEC) cell 86−41125
Morie, T. *see* Nakajima, S. 85−35169, 85−50728
Morier-Genoud, F. *see* Faist, J. 88−51801
Moriette, P. *see* Conte, M.M. 85−38793
Morieux, Y.V.H. *see* Sutherland, E. 88−66813
Morigaki, K. *see* Hirabayashi, I. 86−28146
Morigami, T., Tsubota, T., Kawada, R., Horiguchi, Y. High speed CMOS standard logic IC 87−31823
Morigami, T. *see* Miyahara, Y. 88−20119
Moriguchi, F., Takeishi, K. D70 Digital Switching System Software design 86−17152
Moriguchi, K., Mizoguchi, T. Preventive maintenance and monitoring system of hydroelectric generating equipment 88−75503
Moriguchi, K. *see* Hidai, T. 85−57933
Moriguchi, M., Kurosawa, A. Mini uninterruptible power supply (clean UPS) 87−43212
Moriguchi, M., Kurosawa, A., Watanabe, H. Clean UPS (mini uninterruptible power supply) 88−37313
Moriguchi, M. *see* Mori, S. 86−26158
Moriguchi, M. *see* Yokota, Y. 86−61700
Moriguchi, Y. *see* Matsuda, S. 88−5898
Morihiro, Y. Satellite digital communication system for new business uses 85−30959
Morihiro, Y., Kinuhata, K. Video transmission via communications satellite 88−15416
Morihiro, Y., Nakashima, H., Kato, S. Satellite digital communication service (SDCS) 87−48983
Morihiro, Y., Nakashima, H., Kato, S., Fujimoto, N. Satellite digital communications service (SDCS) 87−34469
Morihiro, Y., Nishida, M., Shiratani, Y. A new car radio with recording and playback functions 87−13881
Morihiro, Y., Okasaka, S., Nakashima, H., Ohnuki, M. A dynamic channel assigning and routing satellite aided digital networks−DYANET 88−46983
Morihiro, Y. *see* Nakashima, H. 86−59850
Morihiro, Y. *see* Tanaka, R. 86−23813, 88−14870
Morii, H. *see* Nishikawa, K. 88−38635
Morii, K., Matsumura, S., Harumoto, Y., Kawagoe, E., Tominaga, S., Kuwahara, H., Yano, M., Yamamoto, Y. Development of totally metal enclosed SF$_6$ gas insulated HVDC converter station 85−32593
Morii, M., Imamura, K. A theorem that GF (2^{4m}) has no self-complementary normal bases over GF (2) for odd m 85−28133
Morii, M., Kasahara, M. A note on decoding method for Goppa codes 88−59030
Morii, S. *see* Hiraoka, S. 87−19445
Morii, S. *see* Kumura, T. 87−61726
Morii, S. *see* Niyada, K. 86−69024, 87−75752
Morii, S. *see* Okada, A. 88−11477
Morii, S. *see* Wada, S. 87−60040
Morii, T. *see* Itamasu, N. 87−8395
Morii, Y., Miura, S., Yoshida, R., Ohta, M., Koide, K., Takeuchi, K. A new master control system for NHK's local stations 85−52524
Moriizumi, H. *see* Yashiro, T. 87−46347
Moriizumi, K. *see* Gamo, K. 85−1532, 85−18439, 85−45577
Moriizumi, K. *see* Kato, T. 87−11918
Moriizumi, K. *see* Saitoh, K. 86−53740
Moriizumi, K. *see* Takeuchi, S. 88−39295
Moriizumi, T. Biosensor−living body and electronics 88−16674
Moriizumi, T. Langmuir-Blodgett films as chemical sensors 88−74802
Moriizumi, T., Miyahara, Y. Monolithic multifunction ENFET biosensors 86−56086
Moriizumi, T., Unno, Y., Shiokawa, S. New sensor in liquid using leaky SAW 88−57888
Moriizumi, T. *see* Hidaka, R. 87−64008
Moriizumi, T. *see* Miyahara, Y. 85−47916
Moriizumi, T. *see* Nomura, T. 85−53211, 87−60769
Moriizumi, T. *see* Shiokawa, S. 86−70256, 87−3973, 88−16945
Moriizumi, T. *see* Sriyudthsak, M. 88−74803
Moriizumi, T. *see* Teravaninthorn, U. 88−29330
Moriizumi, T. *see* Yokoshi, N. 85−64141
Moriizumi, T.A. *see* Takatsu, I. 87−71085
Morijiri, M., Fuyama, M., Hanazono, M. Preferential etching of Cr and Cu for Cr-Cu-Cr trilevel metal film patterning 88−71407
Morijiri, M. *see* Fuyama, M. 87−77330
Morikawa, A., Nishine, K., Nagamoto, T. Optical-fibre-based gear coupling abrasion detector 86−38351
Morikawa, A. *see* Nishikata, Y. 88−65385
Morikawa, D. *see* Britton, R. 88−9878, 88−47402
Morikawa, E. Study of thin gate oxide formation by ultra-clean oxidation technology 88−7491
Morikawa, G., Yoshioka, K., Amano, Y., Nishi, O., Morita, K., Yoshida, M., Suzuki, S. Graded index (GI) optical fiber cables for public telecommunications 85−37084
Morikawa, H. Spectral estimation of speech corrupted by colored noise 88−34611
Morikawa, H., Fujisaki, H. A speech analysis-synthesis system based on the ARMA model and its evaluation 87−19569
Morikawa, H., Fujisaki, H. Noise reduction of speech signal by adaptive Kalman filtering 88−27823
Morikawa, H., Kakinuma, T., Yamamato, M., Aoki, K. Japan's CS-2 pilot program 88−67303
Morikawa, H., Ota, Y., Kiuchi, H. Atomic hydrogen maser standard 86−29655
Morikawa, H., Shimizu, T., Endo, I. Quantization and its evaluation of transmission characteristics of fading channel in the adaptive receiving system based on the Kalman filter 85−13438
Morikawa, H. *see* Fujisaki, H. 87−27288
Morikawa, H. *see* Ishihara, T. 88−37502
Morikawa, H. *see* Kajimura, T. 86−1372
Morikawa, H. *see* Ohmori, S. 85−63604
Morikawa, J. *see* Nihei, H. 87−21366
Morikawa, J. *see* Ota, K. 85−15120
Morikawa, K. *see* Kita, T. 88−15227
Morikawa, K. *see* Okano, H. 85−2765, 85−51555
Morikawa, K. *see* Suzuki, T. 87−25866
Morikawa, M. *see* Sasaki, K. 86−67844
Morikawa, M. *see* Taguchi, T. 87−5443
Morikawa, M. *see* Yoshida, I. 88−71580
Morikawa, O. Compact disc 86−69974
Morikawa, S. *see* Hirai, K. 87−6131
Morikawa, S. *see* Kumai, W. 87−78143
Morikawa, T., Sato, T., Imae, M., Kiuchi, H., Ohta, Y., Kurihara, N. The time and frequency standard of the K-3 VLBI system 86−31115
Morikawa, T., Tozawa, H., Maeda, H., Takahashi, T. Studies on feeders and experimental feeder facilities in Fiscal 1984 86−51976
Morikawa, T. *see* Hama, S. 88−4658
Morikawa, T. *see* Imae, M. 86−44439
Morikawa, T. *see* Kuroiwa, H. 86−69869
Morikawa, T. *see* Manabe, K. 86−66440
Morikawa, T. *see* Nakagiri, K. 85−58814
Morikawa, T. *see* Oda, O. 87−58422
Morikawa, T. *see* Ohta, Y. 85−62468
Morikawa, T. *see* Urabe, S. 85−58812
Morikawa, T. *see* Urazuka, M. 88−16521
Morikawa, T. *see* Yoshimura, K. 86−38569
Morikawa, Y., Hamada, H., Shintani, N. A fast algorithm for the sine transform based on successive order reduction of the Tchebycheff polynomial of the first kind 86−34110
Morikawa, Y., Hamada, H., Watabu, K. A fast computation algorithm of the two-dimensional cosine transform using Tchebycheff polynomial transform 86−20019
Morikawa, Y., Hamada, H., Watabu, K. A fast computation algorithm of the two-dimensional cosine transform using Chebyshev polynomial transform 87−44268
Morikawa, Y., Hamada, H., Yamane, N. A fast algorithm for the cosine transform based on successive order reduction of the Tchebycheff polynomial 85−39607
Morikawa, Y., Hamada, H., Yamane, N. A fast algorithm for the cosine transform based on successive order reduction of the Chebyshev polynomial 87−232
Morikawa, Y., Tsuji, Y., Tanaka, T. Measurements of horizontal air-solid two-phase flow using an optical fiber probe. Particle velocity and concentration 86−65300
Morikawa, Y. *see* Yamamoto, T. 86−4420
Morikawa, Y. *see* Yamane, N. 85−57508, 86−49023, 87−7847, 87−63344, 88−28007, 88−73232
Morikawa, Y. *see* Yoshimura, M. 85−38107
Morikawa, Y. *see* Yoshioka, M. 86−17739
Moriki, H. *see* Nishimura, T. 85−58055
Moriki, H. *see* Terada, Y. 88−53412
Moriki, K., Morinaga, M., Iga, K. LPE growth of Ga$_x$In$_{1-x}$As$_y$P$_{1-y}$/InP double heterostructure with thick active layer ($\lambda_g = 1.5\text{-}1.6\ \mu m$) 85−7433
Moriki, K., Nakahara, H., Hattori, T., Iga, K. Single transverse mode condition of surface emitting injection lasers 87−61167
Moriki, K., Nakahara, H., Hattori, T., Iga, K. Single transverse mode condition of surface-emitting injection lasers 88−40200
Moriki, K. *see* Chailertvanitkul, A. 85−35755
Morikiyo, G., Suzuki, M., Takahashi, M., Matsui, S., Ohya, T., Shinohara, Y. Advanced management information system 'DEMANDS'−development of decision support system pilot model 87−42369
Morikiyo, T. *see* Matsui, S. 88−30308
Morikua, M. *see* Kato, S. 87−28513
Morikura, M., Enomoto, K., Kato, S. Design method of general-purpose and high speed digital correlator LSI 88−56726
Morikura, M., Enomoto, K., Kubota, S., Kato, S. Improvement of unique word detection performance in low CNR condition 87−23999
Morikura, M., Kato, S. Study on control interval of onboard master clock [SS-TDMA] 87−56082
Morikura, M. *see* Atsugi, T. 86−64952
Morikura, M. *see* Fukuma, H. 88−21390
Morikura, M. *see* Kato, S. 87−34470, 87−48984
Morikura, M. *see* Kohri, T. 87−28488, 88−44216
Morikura, M. *see* Umeda, Y. 87−23998
Morikura, M. *see* Yoshikawa, T. 86−17347
Morikura, S., Tanaka, T., Kubo, K. Optical repeater for 32 Mb/sec loop LAN 88−41334
Moril, S., Niyada, K., Fujii, S., Hoshimi, M. Large vocabulary speaker-independent Japanese speech recognition system 86−16213
Morillon, P. *see* Coulon, A. 88−60164
Morim, I. *see* Iida, Y. 86−62991

Morimatsu, Y. Development of sensors corresponding to process needs 86–38330
Morimatsu, Y. Flow instrumentation engineering by optical transmission 87–35007
Morimitsu, T. *see* Naruse, H. 87–56838
Morimitsu, T. *see* Nomura, Y. 87–56837
Morimitsu, T. *see* Tsujimura, T. 87–50603
Morimiya, O. *see* Suzuki, S. 87–60043, 88–32700
Morimoto, A., Gokan, H., Yoshimi, K. New fabrication technique for magnetic bubble circuits with submicron dimensions 85–12504
Morimoto, A., Kataoka, T., Shimuza, T. Annealing studies on hydrogenated amorphous silicon-tin films 86–21155
Morimoto, A., Kobayashi, T., Sueta, T. Active mode locking of lasers using an electrooptic deflector 88–34087
Morimoto, A., Shimiu, T. Synthesis and characterization of amorphous Si-Zn-S alloy films 87–5455
Morimoto, A., Takamori, S., Shimizu, T. New type of amorphous alloy; Si-ZnS 86–27937
Morimoto, A. *see* Amano, K. 88–20444
Morimoto, A. *see* Gokan, H. 87–58982
Morimoto, A. *see* Kobayashi, T. 88–39994
Morimoto, H., Fujiwara, S., Onose, Y., Koyama, M., Itado, M., Nanba, Y., Ohi, Y. High grade facsimile FO-2715GM 86–54828
Morimoto, H., Hirobe, T., Katayama, M., Nanbu, H., Oka, H., Shiozaki, N., Izawa, H., Inui, M., Takemoto, T. Mass production technology in a roll-to-roll amorphous silicon solar cell process 87–16009
Morimoto, H., Izu, M. Mass production technology in a roll-to-roll process [solar cell fabrication] 86–7019
Morimoto, H., Kato, T., Saitoh, K., Sasaki, Y., Shibata, H., Kato, T., Namba, S. Microfabrication using focused ion beam system 85–12092
Morimoto, H., Onoda, H., Kato, T., Sasaki, Y., Saitoh, K., Kato, K. Unique resist profiles with Be and Si focused ion beam lithography 86–35500
Morimoto, H., Onoda, H., Sasaki, Y., Mitsui, Y., Ishihara, O., Kato, T. A GaAs metal-semiconductor field-effect transistor with a mushroom gate fabricated by mixed exposure of focused ion beams 87–38302
Morimoto, H., Sasaki, Y., Onoda, H., Kato, T. Detection of alignment signals for focused ion beam lithography 85–40564
Morimoto, H., Sasaki, Y., Onoda, H., Tsukamoto, K., Kato, T. Application of focused ion beam to microlithography in semiconductor device fabrication 87–17869
Morimoto, H., Sasaki, Y., Saitoh, K., Watakabe, Y., Kato, T. Focused ion beam lithography and its application to submicron devices 87–38051
Morimoto, H., Sasaki, Y., Watakabe, Y., Kato, T. Characteristics of submicron patterns fabricated by gallium focused-ion-beam sputtering 85–23696
Morimoto, H., Tsukamoto, K., Shinohara, H., Inuishi, M., Kato, T. Submicrometer-gate MOSFETs by the use of focused-ion-beam exposure and a dry development technique 87–38015
Morimoto, H. *see* Aihara, R. 87–11537, 88–47910
Morimoto, H. *see* Arima, H. 87–25427
Morimoto, H. *see* Goto, F. 87–78882
Morimoto, H. *see* Hirobe, T. 86–8658
Morimoto, H. *see* Hosono, K. 88–64452
Morimoto, H. *see* Kashiwaki, T. 85–6790
Morimoto, H. *see* Kato, T. 85–29259, 86–8948, 86–11813, 86–41664, 88–7420, 88–33016
Morimoto, H. *see* Mashiko, Y. 88–1763
Morimoto, H. *see* Morimoto, Y. 88–43372
Morimoto, H. *see* Nagahama, K. 88–32419
Morimoto, H. *see* Nishioka, K. 87–45808
Morimoto, H. *see* Onoda, H. 88–19867
Morimoto, H. *see* Saitoh, K. 88–57541
Morimoto, H. *see* Sasaki, Y. 86–53680, 87–60259, 88–64596
Morimoto, H. *see* Yoshioka, N. 88–64444
Morimoto, I. *see* Iida, Y. 88–44517
Morimoto, I. *see* Takeuchi, S. 86–49461
Morimoto, I. *see* Tsuburaya, H. 85–8314
Morimoto, J. Ion bombarded surfaces of CdS single crystals 85–1521
Morimoto, J., Ueda, H., Miyakawa, T. Characterization of CdS single crystals made by modified Piper-Polich method 86–13734
Morimoto, J. *see* Lu, Y.-C. 88–33038
Morimoto, K., Kitagawa, M. Electrical conduction in undoped CdS at low temperatures 86–14860
Morimoto, K., Nishimura, T., Nii, M. Effects of presentation modes of VDT on preference and fatigue 87–49522
Morimoto, K., Watanabe, M., Takeshita, T. Effects of cycle-aging on magnetic properties of Sm(Co, Fe, Cu, Ni, Zr)$_{7.6}$ magnets 87–53897
Morimoto, K., Watanabe, M., Takeshita, T. Magnetic properties and microstructures of Sm$_2$Co$_{17}$ type magnets produced by cycle-aging 88–51194
Morimoto, K., Yasuda, R. Testing for power factor meter using a personal computer 88–29577
Morimoto, K. *see* Hayashi, M. 88–50965
Morimoto, K. *see* Ishida, M. 86–56068
Morimoto, K. *see* Itoh, S. 88–14021, 88–19581, 88–26966
Morimoto, K. *see* Kondo, M. 88–12786
Morimoto, K. *see* Masuda, Y. 87–3861
Morimoto, K. *see* Murakami, Y. 85–35589
Morimoto, K. *see* Nishimura, T. 86–18281, 87–50434
Morimoto, K. *see* Pykosz, T.L. 86–31255
Morimoto, K. *see* Shimizu, H. 86–58079
Morimoto, K. *see* Sunada, K. 86–65048, 87–34768
Morimoto, K. *see* Yasuda, T. 85–44801
Morimoto, M. Results from Nobeyama Radio Observatory (NRO)—a progress report 86–30922
Morimoto, M., Asao, M., Nohama, M., Matsuura, H., Samejima, T., Enomoto, M. Conference communication system 88–41236
Morimoto, M., Mukai, T., Ishibashi, T., Mukai, H., Shonaka, A., Mizukami, H. Private database system 86–69373
Morimoto, M., Sato, S., Sumito, K., Oshitani, K. Single-chip microcomputer control of the PWM inverter 88–43501
Morimoto, M., Suzuki, J., Takemoto, H., Shibata, K., Tanaka, S. Shimadzu cardiovascular X-ray diagnostic systems 85–38104
Morimoto, M., Yamamoto, Y., Suda, H., Yamada, Y. The products summary of SAW devices 88–39786
Morimoto, M. *see* Akiyama, S. 86–24539
Morimoto, M. *see* Chikada, Y. 87–28718, 88–9692
Morimoto, M. *see* Fushimi, S. 87–25751, 88–39782
Morimoto, M. *see* Hirabayashi, H. 86–29431
Morimoto, M. *see* Kaifu, N. 86–69868
Morimoto, M. *see* Levy, G.S. 87–28712
Morimoto, M. *see* Mogami, T. 85–34889, 85–50414, 86–28435, 88–20101
Morimoto, M. *see* Nagaswa, E. 87–45760
Morimoto, M. *see* Okabayashi, H. 85–12225
Morimoto, M. *see* Wakamatsu, K. 87–66632
Morimoto, M. *see* Watanabe, T. 88–39784 to 39785, 88–39787
Morimoto, M. *see* Yamamoto, Y. 87–1839
Morimoto, M. *see* Yanagisawa, I. 88–46569
Morimoto, S., Tsuchiya, K. A flexible electrogoniometer applying electroconductive rubber 87–8894
Morimoto, S. *see* Iwasaki, J. 86–34851, 88–19130
Morimoto, S. *see* Kuriki, K. 85–64675
Morimoto, S. *see* Kuwahara, K. 85–31937
Morimoto, S. *see* Nishii, J. 88–26783
Morimoto, S. *see* Sato, T. 86–25426
Morimoto, S. *see* Shimizu, Y. 85–31912
Morimoto, S. *see* Sugimoto, H. 88–75751
Morimoto, S. *see* Uematsu, K. 86–25370
Morimoto, S. *see* Yamaguchi, T. 85–35166
Morimoto, T., Chiba, M. Characteristics of luminescence from InSb magneto-infrared-emitting diode 85–24408
Morimoto, T., Chiba, M. d^{-2} thickness dependence of emission from InSb magneto-infrared-emitting diode 86–48292
Morimoto, T., Inoue, T., Kawamura, Y., Yamada, K. A He-Ne laser position-detector for recording jaw movements: principle of operation and application in animal experiments 85–15298
Morimoto, T., Nishimura, M. Improvement of positioning accuracy in ship's hybrid navigation system 85–20281
Morimoto, T. *see* Imanishi, A. 88–61124
Morimoto, T. *see* Kawanishi, H. 88–65701
Morimoto, T. *see* Miyauchi, N. 86–9869
Morimoto, T. *see* Takahashi, Y. 88–50528
Morimoto, T. *see* Yamada, S. 85–15114
Morimoto, T. *see* Yamamoto, O. 87–33183, 87–68528
Morimoto, T. *see* Yamamoto, S. 85–29801
Morimoto, Y. Transition phenomena in blocking oscillator 86–52723
Morimoto, Y. Metastable oscillation modes observed by numerical analyses in forced van der Pol oscillator 87–16936
Morimoto, Y. Noise effects on metastable oscillation modes in forced van der Pol oscillator 87–52442
Morimoto, Y. Newly found oscillatory behaviour of quasi-periodic oscillations 87–52443
Morimoto, Y., Hayashi, T., Maeda, Y. Mobile solar energy hydrogen generating system 87–42728
Morimoto, Y., Komatsu, K., Ushirogawa, A. Design and fabrication of low loss single-mode optical fiber connector 85–7217
Morimoto, Y., Morita, S., Seri, T. Inverter for factory automation 85–39108
Morimoto, Y., Ohya, Y., Abe, K., Yoshida, T., Morimoto, H. Computer simulation of the discharge reaction in lead-acid batteries 88–43372
Morimoto, Y. *see* Iida, H. 85–28433
Morimoto, Y. *see* Komatsu, K. 88–39897
Morimoto, Y. *see* Kurata, K. 88–33699
Morimoto, Y. *see* Mine, K. 87–21274
Morimoto, Y. *see* Nishimura, S. 85–31175
Morimoto, Y. *see* Sawahata, T. 88–23862
Morimoto, Y. *see* Takahama, K. 85–394
Morimoto, Y. *see* Unehara, S. 88–23930
Morimoto, Y. *see* Yamanaka, Y. 88–5469
Morimura, A., Matsuoka, H., Fujimoto, M., Kitamura, Y. A digital color video camera using a single-chip solid-state image sensor 86–11266
Morimura, A. *see* Asano, H. 87–4460
Morimura, A. *see* Oku, K. 87–30735
Morimura, M. Sensing technology. I 86–50058
Morimura, M. Recent works at NRLM relating to the precision measurement and fundamental constants 87–14065
Morimura, M. Current conditions and future perspectives of 3-dimensional nanotechnology 87–25411
Morimura, M. 3-dimensional nano-metrology 88–33322
Morimura, M. *see* Miki, Y. 87–12548, 88–14256
Morimura, S. *see* Konishi, T. 87–63747
Morimura, T. *see* Hayashi, T. 86–44732
Morimura, T. *see* Kudoh, M. 86–52988
Morimura, T. *see* Yamamoto, R. 86–67561
Morimura, Y. *see* Sakaguchi, H. 86–55090
Morimura, Y. *see* Yamasaki, T. 88–37274
Morimura, Y. *see* Yokoi, H. 88–17782
Morin, C. *see* Charles, P. 86–12910
Morin, D. *see* Nissim, Y.I. 86–40762
Morin, E., Ramachandran, G., Scott, R.N., Parker, P.A. A microprocessor based system for evoked potential analysis 86–56160
Morin, F. An accurate four-electrode AC conductimeter 85–14981
Morin, F. Active matrix LCD 86–5413
Morin, F. *see* Hilsum, C. 88–74540
Morin, F. *see* Le Contellec, M. 87–6696
Morin, F. *see* Lebosq, Y. 86–28127
Morin, F. *see* Richard, J. 86–5433, 86–50167
Morin, G. Service restoration following a major failure on the Hydro-Quebec power system 87–50752
Morin, M. *see* Galiacy, D. 87–13258
Morin, M. *see* Guesnier, G. 87–64315
Morin, M. *see* Power, G.A. 88–53391
Morin, P. *see* Hoang Tran-Duc 87–9315
Morin, R., Gagnon, C., Bramfitt, J.E. The new IEEE-404 test specification for joints highlights the importance of connector selection 87–71720
Morin, R., Hendrickx, S. State of progress in the 900, 1300 and 1400 MWe pressurized water reactor construction programme; present situation with commissioning of 900 MWe units 85–32318
Morin, R., Hendrickx, S. State of advancement of the construction program for 900, 1300 and 1400 MWe pressurized water reactor power stations 86–25763
Morin, R.L., Schumacher, P.M., Sirr, S.A., Crass, J.R. Evaluation of a new video based medical image processing system 85–9144
Morin, S.J. A comparison of digital modulation techniques for meteor burst communications 88–28823
Morin, T. RENAN project: a new way towards users 87–2779
Morin, T. The user dimension in RENAN ISDN field trials 87–27762
Morin, T. The RENAN project: a move towards and with the user 88–15186
Morin, T. *see* Chapman, R. 86–32495
Morin, T.J., Hawley, M.C. Time dependent solution of the fully coupled Boltzmann and macroscopic balance equations for a two component self-sustained microwave plasma 85–31952
Morin, T.L. *see* Evans, G.W. 86–70741
Morin, V. *see* Konczykowska, A. 86–14540
Morinaga, A. Frequency stabilization of dye laser on iodine by background-free first derivative signal 85–2252
Morinaga, A. *see* Helmcke, J. 87–12654, 87–14443
Morinaga, A. *see* Kurosawa, T. 87–46973
Morinaga, A. *see* Tanaka, K. 86–5540
Morinaga, H. *see* Haberstock, G. 87–14794
Morinaga, H. *see* Ratzinger, U. 88–22864
Morinaga, H. *see* Tokumaru, M. 88–74142
Morinaga, M., Chailertvanitkul, A., Iga, K. Analysis of semiconductor multilayer and its application to surface emitting lasers 86–42575
Morinaga, M., Chailertvanitkul, A., Iga, K. Analysis of semiconductor multilayer and its application to surface emitting lasers 87–54307
Morinaga, M. *see* Hirayama, Y. 88–45409
Morinaga, M. *see* Matsumoto, K. 88–20643
Morinaga, M. *see* Moriki, K. 85–7433
Morinaga, M. *see* Suzuki, N. 88–45323
Morinaga, M. *see* Yamamota, S. 88–35332
Morinaga, N., Katayama, M. Trends of digital satellite communications 85–36986
Morinaga, N., Ke-Rang Wu Trends of land mobile radio communications 86–37768
Morinaga, N., Miyagaki, Y., Namekawa, T. Optimum receiver. V. [optical communication] 85–37077
Morinaga, N., Namekawa, T., Miyagaki, Y. Optimum receivers. I [optical communication] 85–14278

Morinaga, N., Namekawa, T., Miyagaki, Y. Optimum Receivers. II 85—14424
Morinaga, N., Namekawa, T., Miyagaki, Y. Optimum receivers. III 85—19451
Morinaga, N., Namekawa, T., Miyagaki, Y. Optimal receivers. IV 85—25712
Morinaga, N. *see* Hata, M. 85—20215, 86—69767
Morinaga, N. *see* Hou, X.-Y. 88—15507
Morinaga, N. *see* Katayama, M. 85—63626, 86—69722, 88—15397
Morinaga, N. *see* Kusao, H. 85—63526
Morinaga, N. *see* Murai, H. 88—41598
Morinaga, N. *see* Namekawa, T. 85—20199
Morinaga, N. *see* Takahashi, N. 85—47986, 86—70139
Morinaga, N. *see* Xiu-Ying Hou 87—40765, 88—53326
Morinaga, N. *see* Yamauchi, Y. 87—2670
Morinaga, S., Sugiura, Y., Muto, N., Okuda, H., Nandoh, K., Fujii, H., Yajima, K. Microprocessor control system with I/O processing unit LSI for motor drive PWM inverter 85—27506
Morinaga, S. *see* Nihei, H. 86—6797
Morinaga, T. *see* Horikoshi, J. 87—26768, 88—41568
Morinaga, Y. *see* Hiroo, I. 86—51043
Morinaka, A., Oikawa, S. Heat-mode lithography with dye deposited films 88—57527
Morinaka, A. *see* Oikawa, S. 85—19071
Morineau, R. *see* Chemseddine, A. 85—12660
Moring, I., Ailisto, H., Heikkinen, T., Kilpela, A., Myllyla, R., Pietikainen, M. Acquisition and processing of range data using a laser scanner based 3-D vision system 88—53594
Moring, I., Hakalahti, H. A scale-independent method for object recognition and visual positioning in nonoptimal conditions 87—48169
Moring, I. *see* Hakalahti, H. 85—46901
Moring, I. *see* Manninen, M. 88—14830
Moring, W. Concepts of system clocking in digital TV receivers 86—55418
Moring, W. The chrominance demodulation in TV decoder with scan line coupling 87—49291
Moring, W. *see* Johanndeiter, M. 87—56355
Moringa, N. *see* Yamauchi, Y. 85—30501
Morini, A. *see* Andriollo, M. 86—48046, 86—54241
Morini, A. *see* Carbonari, N. 88—31093
Morini, A. *see* Colovini, L. 85—60125
Morini, M. Transmitters and receivers for local networks using optical fibre transmission 85—20246
Morini, M. Fiber optics transducers developments 85—26324
Morini, M. Practical application of optoisolators in industrial automation 86—28982
Morini, M. Industrial application of ultrasonic vibrations 87—21803
Morino, A. Design methodology for VLSI in Japan 86—9253
Morino, A., Kawanishi, H. Placement and routing algorithms for VLSI layout design 87—23848
Morino, K. *see* Naemura, K. 88—3533
Morino, S. *see* Fujikawa, K. 88—18231
Morino, Y. *see* Takase, A. 88—9306
Morinobu, S. *see* Fujita, Y. 85—4239
Morioka, A. *see* Minaki, T. 87—63409
Morioka, A. *see* Okada, T. 87—68884
Morioka, A. *see* Oya, H. 86—6101
Morioka, C. *see* Ho, B.K. 88—36533
Morioka, K. *see* Ryu, H. 86—40228
Morioka, K. *see* Watanabe, T. 88—31453
Morioka, M., Mishima, T., Hiruma, K., Katayama, Y., Shiraki, Y. MBE and OM-VPE growth on In-alloyed GaAs 86—52494
Morioka, M., Tada, K., Akai, S. Development of high-quality InP single crystals 88—386
Morioka, M. *see* Harada, K. 85—61096
Morioka, M. *see* Kuwahara, K. 85—31937
Morioka, M. *see* Shimizu, A. 88—57456
Morioka, M. *see* Shiraki, Y. 87—36719
Morioka, T., Maseda, Y., Oho, T. Removal of surface deposits and intrinsic stains of teeth with fiber optics of Nd-YAG laser 88—10423
Morioka, T., Saruwatari, M. Determination of nondiagonal component $n_{2B\perp}$ of nonlinear refractive index in polarisation-maintaining fibres utilising optical Kerr modulation scheme 88—13801
Morioka, T., Saruwatari, M., Takada, A. Ultrafast optical multi/demultiplexer utilising optical Kerr effect in polarisation-maintaining single-mode fibres 87—49033
Morioka, T. *see* Kato, T. 85—4838
Morioka, T. *see* Ogino, T. 88—62046
Morioka, T. *see* Okamoto, K. 86—30780
Morioka, T. *see* Tsunoda, T. 85—59954
Morioka, T. *see* Wakayama, N. 88—30450
Morioka, Y. *see* Ishikura, Y. 86—71046
Morioka, Y. *see* Ito, K. 86—60481
Morioka, Y. *see* Sato, S. 86—5675
Morioki, T. High functional modem 87—69769
Morioli, D. *see* Franceschini, G. 86—5581
Moriondo, A. *see* Togliatti, G. 85—64706
Moris, G.I. *see* Miguel, D. 87—21043
Morisada, I. *see* Hashikawa, Yu. 85—58387
Morisaki, H., Ono, H., Yazawa, K. Photoelectrochemical properties of single-crystalline n-SiC in aqueous electrolytes 85—12063
Morisaki, H., Ono, H., Yazawa, K. Electrochemical studies of granular metal films and their application for stabilizing semiconductor photoelectrodes 87—9702
Morisaki, H. *see* Masaki, S. 85—45450
Morisaki, M., Ogura, M., Hase, N., Kajiwara, T. InGaAsP/InP multiquantum-well structure grown by MOCVD 85—28995
Morisaki, M. *see* Ban, Y. 85—424, 85—44753
Morisaki, M. *see* Ogura, M. 85—5989
Morisaki, M. *see* Uno, T. 88—40221
Morisaki, N. *see* Yamada, E. 85—48956
Morisaki, S. *see* Baba, N. 85—1949
Morisaki, S. *see* Kamada, O. 87—49682
Morisaki, T. *see* Takado, H. 88—38607 to 38608
Morisako, A., Matsumoto, M. Ba-ferrite films prepared by RF diode sputtering 86—9391
Morisako, A., Matsumoto, M., Naoe, M. Preparation and properties of Ba-ferrite films by RF diode sputtering 87—5468
Morisako, A., Matsumoto, M., Naoe, M. Recording characteristics of BaM thin films 87—32842
Morisako, A., Matsumoto, M., Naoe, M. Ba-ferrite thin film rigid disk for high density perpendicular magnetic recording 87—32856
Morisako, A., Matsumoto, M., Naoe, M. Influences of sputtering gas pressure on microtexture and crystallographic characteristics of Ba-ferrite thin films for high density recording media 87—46336
Morisako, A., Matsumoto, M., Naoe, M. Preparation and properties of Ba-Ferrite films by RF diode sputtering 88—1859
Morisako, A., Matsumoto, M., Naoe, M. Read/write characteristics of Ba-ferrite sputtered disk 88—57927
Morisako, A., Matsumoto, M., Naoe, M. Sputtered Mn-Al-Cu films for magnetic recording media 88—57947
Morisako, A., Naoe, M. Preparation of double layer hexagonal ferrite films for high-density longitudinal magnetic recording media 85—16973
Morisako, A. *see* Matsumoto, M. 86—68155
Morisawa, M. *see* Fujita, M. 88—26874
Morisawa, T., Sasaoka, M., Miyabe, H. System design for voice storage service 85—25265
Morise, K. *see* Tsunekawa, H. 88—10422
Morishige, Y. *see* Hibiya, T. 86—13761, 86—42101
Morishima, H. *see* Niwa, T. 87—21465
Morishima, M. Present and future of mobile communication 88—67247
Morishima, N. The role of the ITU and radio regulations [satellite communications] 87—28472
Morishima, N., Maeda, H., Kodama, S. A robust control of induction motor drives by nonlinear state feedback 88—75617
Morishima, N. *see* Takeuchi, M. 87—59050
Morishima, S., Harashima, H. An isolated word speech recognition system based on both signal and symbol processing 88—21139
Morishima, S., Harashima, H., Miyakawa, H. A proposal of a knowledge based isolated word recognition 87—19497
Morishima, S. *see* Watanabe, T. 88—69676
Morishima, T. *see* Kuno, Y. 88—52011
Morishita, A. *see* Iijima, Y. 87—8418
Morishita, E., Sugihara, M., Inaba, T., Nakamura, T., Maeyama, Y. A highly efficient scroll compressor 85—5535
Morishita, H. *see* Matsumoto, K. 86—7750
Morishita, H. *see* Nonogaki, S. 86—63005
Morishita, H. *see* Yokogawa, M. 86—1731
Morishita, I. *see* Deguchi, K. 85—30441, 85—36386, 85—51789, 87—3531
Morishita, I. *see* Kashiwabara, S. 85—31977
Morishita, K. Measurement of refractive-index profile of single-mode optical fibers by the propagation-mode near-field method 85—52881
Morishita, K. Index profiling of three-dimensional optical waveguides by the propagation-mode near-field method 87—7123
Morishita, K. Recent trends in building engineering development for advanced telecommunications facilities 87—40125
Morishita, K. Wavelength-selective optical-fiber directional couplers using dispersive materials 88—33662
Morishita, K., Murayama, K. Transition of SF_6 gas insulated equipment 88—17775
Morishita, K., Yataki, M.S., Gambling, W.A. In-line optical fibre filters using dispersive materials 87—40882
Morishita, K., Yataki, M.S., Gambling, W.A. Wavelength-insensitive couplers using dispersive materials 87—60929
Morishita, M., Abe, S., Nojiri, A., Shinozaki, K. Application of conductive polymers to secondary battery 88—55583
Morishita, M., Azukizawa, T., Kanda, S., Tamura, N., Yokoyama, T. A new Maglev system for magnetically levitated carrier system 87—5061
Morishita, M., Yokoyama, K., Okada, Y., Itoi, S., Fujimura, R., Shibano, M., Kobayashi, R., Orimo, T., Kurokawa, Y., Fujii, A., Ito, H., Kuroda, A., Sumoto, T. MUSE system high definition television receiver 85—58348
Morishita, M. *see* Azukizawa, T. 87—5062
Morishita, M. *see* Fujimura, R. 86—24091
Morishita, M. *see* Iwaibana, K. 85—58349
Morishita, M. *see* Kawamata, Y. 86—69368
Morishita, M. *see* Nakajima, A. 87—4646
Morishita, M. *see* Nakazima, J. 87—4848
Morishita, M. *see* Nishi, H. 88—22271
Morishita, M. *see* Okochi, K. 85—51987
Morishita, M. *see* Sawabe, E. 88—15035
Morishita, M. *see* Suzuki, N. 85—51708
Morishita, M. *see* Tomoda, K. 85—58563
Morishita, S. A new lightning surge protector for the D70 switching system 85—52144
Morishita, S., Sato, M. New operational system on a main distribution frame 85—52169
Morishita, S., Tsujimoto, K., Yasui, M., Mori, N., Inoue, T., Shimojima, K., Naito, K. Galloping phenomena of large bundle conductors. Experimental results of the field test lines 86—51048
Morishita, S. *see* Ebata, Y. 85—35273
Morishita, S. *see* Kodama, T. 87—12022
Morishita, S. *see* Sato, H. 86—15321
Morishita, T., Miyajima, T., Kudo, J., Koba, M., Awane, K. Three dimensional thermal analysis for laser annealing and its application to the design of the SOI structures 85—45476
Morishita, T. *see* Kawata, A. 88—34639
Morishita, T. *see* Kondo, M. 85—55211, 86—56435
Morishita, T. *see* Kudo, J. 85—16991
Morishita, T. *see* Mitsuhashi, K. 86—41897
Morishita, T. *see* Wakihara, M. 87—78879
Morishita, Y., Maruno, S., Gotoda, M., Nomura, Y., Ogata, H. Observations on intensity oscillations in reflection high-energy electron diffraction during gas source molecular beam epitaxy of InP 88—63287
Morishita, Y., Maruno, S., Isu, T., Nomura, Y., Ogata, H., Kuramoto, K. Electrical and optical properties of InP grown by MBE using P^+ ion beam 88—38157
Morishita, Y., Sasaki, M. Development of 200 W TWTs for broadcast satellites 85—28912
Morishita, Y., Sasaki, M., Kimura, T., Kubo, H., Tsutaki, K., Koike, T., Iwanami, Y. A 12 GHz, 150 W traveling-wave tube amplifier for broadcasting satellites 86—62999
Morishita, Y., Sasaki, M., Sugimori, K., Uchida, M., Kazui, K. A 12 GHz, 150 W traveling wave tube for broadcasting satellites 86—58212
Morishita, Y. *see* Ishimaru, K. 85—3229
Morishita, Y. *see* Maruno, S. 87—44327, 88—39063
Morisod, R. *see* Durisch, W. 88—43096
Morison, J. *see* Beck, S. 87—9022
Morison, J. *see* Burke, S.P. 88—48336
Morison, J.D., Peeling, N.E., Thorp, T.L., Whiting, E.V. EASE: a design support environment for the HDDL ELLA 87—65732
Morison, R., Otto, S. The scattered decomposition for finite elements 87—58877
Morison, W.G. Large scale fuel channel replacement program 87—9312
Morison, W.G. Chernobyl: safety design comparisons with Ontario Hydro reactors 87—9314
Morison, W.G. Engineering for safety [nuclear power stations] 87—78410
Morison, W.G. The CANDU nuclear power system 88—62103
Morison, W.G., McPhedran, M.T., Fenton, E.F. Utilization of computers in the control of Ontario Hydro nuclear plants 88—48744
Morison, W.G., Penn, W.J., Talbot, K.H., Murdoch, B.J. Pickering NGS Unit 1—ready for service 88—37004
Morisseau, C., Gallou, C., Christophe, F. Dynamic behaviour of an adaptive array algorithm 87—47396
Morisseau, D., Lewiner, J. New possible measurements for the prevention of electrostatic discharges 88—27407
Morisseau, D. *see* Koontz, J. 86—51306
Morissette, S. *see* Adoul, J. 87—61769
Morissette, S. *see* Adoul, J.P. 86—16194
Morissette, S. *see* Boutin, N. 87—24300
Morissette, S. *see* Paillard, B. 87—61597
Morissette, S. *see* Soumagne, J. 87—20814, 87—47536
Morisue, M., Hosoya, H. Simulation technique to design a Josephson CAM 88—13731
Morisue, M., Isahi, K., Kaneko, M. Dynamic threshold characteristics of Josephson switching gates 85—54830
Morisue, M., Isaji, K., Kosaki, Y. A novel adder by using the unidirectional CIL 85—54829
Morisue, M., Kanasugi, A. A novel computer approach for nonlinear oscillations 86—66985
Morisue, M., Kaneko, M., Hosoya, H. A content addressable memory circuit using Josephson junctions 87—66175
Morisue, M., Kasahara, H., Araki, K. An approach for analysis of chaos in Josephson autonomous circuit 87—65750
Morisue, M., Kojima, T. Simulation for large scale distributed parameter networks 88—56413
Morisue, M., Ochi, K., Nishizawa, M. JCTL: a Josephson complementary ternary logic circuit 88—70732
Morisue, M., Shimizu, H., Fukuzawa, H. A Josephson associative memory circuit 87—66176

Morisue, M. *see* Araki, K. 87−31671, 87−67875, 88−20302, 88−38486
Morisue, M. *see* Kanasugi, A. 85−18615
Morisue, M. *see* Katori, K. 87−67874
Morisue, T. A new formulation of the magnetic vector potential method for three dimensional magnetostatic field problem 86−42740
Morisue, T. A few formulation of the magnetic vector potential method in 3-D multiply connected regions 88−52105
Morisue, T., Fukumi, M. 3-D eddy current calculation using the magnetic vector potential 88−8419
Morisue, T., Fukumi, M. 3-D magnetostatic field calculation using the magnetic vector potential and boundary integral equation method 88−52088
Morisue, T., Fukumi, M. 3-D eddy current calculations using the magnetic vector potential 88−52104
Morisue, T. *see* Bessho, K. 86−29321
Morisue, T. *see* Kikuchi, A. 85−41895, 87−30641
Morita, A. There is no limit to creativity−The development of magnetic recording technology in Japan 85−24112
Morita, A. Semiconducting black phosphorus 86−41506
Morita, A., Mizoguchi, A. Two-way unidirectional condenser microphone 85−3798
Morita, A. *see* Eda, N. 87−36093
Morita, A. *see* Iijima, T. 86−19443, 87−4856
Morita, A. *see* Ohgushi, K. 88−29076, 88−60497
Morita, A. *see* Sano, T. 88−64922, 88−71904
Morita, A. *see* Tomimuro, H. 85−1033, 85−25741
Morita, E., Kasahara, J., Kawado, S. Transmission electron microscopic observation of microdefects in Zn^+-implanted GaAs 86−15030
Morita, E. *see* Kato, Y. 86−40247
Morita, H. Changes in physical properties and electrochromic characteristics of atmospheric-evaporated tungsten-oxide films (AETOF) 85−56266
Morita, H. Coloration and decoloration in atmospheric-evaporated tungsten-oxide films (AETOF) utilizing lithium ions 85−56267
Morita, H. Improved counter-electrode used in two-dimensional electrochromic writing board 85−58771
Morita, H. Operating switches are being made compatible with PCBs 88−64025
Morita, H., Hosokawa, T., Fujinami, M. Short beam-path electron optical system for high-throughput submicron lithography 86−21663
Morita, H., Yajima, K., Sakata, S., Nakamura, H. Measurement of three dimensional shape by means of projected encoded patterns capable of correcting dot-errors 88−52589
Morita, H. *see* Inoue, M. 87−18814, 88−72216
Morita, H. *see* Kanoh, K. 88−31428, 88−67004
Morita, H. *see* Kitada, S. 85−51782
Morita, H. *see* Nakamura, T. 87−41245
Morita, H. *see* Nakano, H. 85−39203
Morita, H. *see* Shimazu, N. 87−32614, 88−7403, 88−64471
Morita, H. *see* Shimizu, M. 88−71588
Morita, H. *see* Tsukamoto, K. 88−38526
Morita, H. *see* Watanabe, T. 87−63251
Morita, H. *see* Yamamoto, M. 88−33511
Morita, I., Okitsu, H. AC excited synchronous generator system for non-storage fluid energy 86−6726
Morita, I. *see* Hashizume, M. 85−9189
Morita, I. *see* Sumi, T. 86−52835
Morita, K. An estimation method for rain attenuation distribution in microwave multi-relay links−compound lognormal distribution model 85−2578
Morita, K. Satellite communication 85−47466
Morita, K. An estimation method for rain attenuation distribution in microwave multirelay links−compound lognormal distribution model 86−69591
Morita, K., Inamura, T., Nomura, T., Tanaka, J., Miyatake, H., Fujioka, M., Shinozuka, T., Yoshii, M., Hama, H., Taguchi, K., Sueki, K., Hatsukawa, Y., Furuno, K., Kudo, H. An ion-guide isotope separator on-line at INS 87−70968
Morita, K., Ishiguro, M. Minimum redundancy array considered for the phase correction 86−68855
Morita, K., Saitoh, T., Uematsu, T., Kida, Y., Kokunai, S., Matsukuma, K. Optimization of high-efficiency n^+-p-p^+ back-surface-field silicon solar cells 87−58325
Morita, K., Shibata, C. A computer-based total control system for hydroelectric power stations and dams 88−75505
Morita, K. *see* Chikada, Y. 87−28718
Morita, K. *see* Hosoya, Y. 85−2552
Morita, K. *see* Kanzawa, T. 88−35629
Morita, K. *see* Kato, S. 87−56049
Morita, K. *see* Kawai, M. 87−28474
Morita, K. *see* Kubono, S. 87−3915
Morita, K. *see* Miyatake, H. 87−71051
Morita, K. *see* Morikawa, G. 85−37084
Morita, K. *see* Murase, T. 86−30569
Morita, K. *see* Nakatani, M. 86−13080
Morita, K. *see* Oyama, A. 88−74191
Morita, K. *see* Saitoh, T. 88−37607
Morita, K. *see* Yamamoto, H.-I. 85−8312
Morita, K. *see* Yasohama, K. 87−67831
Morita, K.-I. *see* Chikada, Y. 88−9692
Morita, K.-I. *see* Ishiguro, M. 87−28721
Morita, K.-I. *see* Kasuga, T. 86−68766
Morita, M., Aritome, S., Tanaka, T., Hirose, M. Fluorine-enhanced photo-oxidation of silicon under ArF excimer laser irradiation in an O_2+NF_3 gas mixture 87−6574
Morita, M., Aritome, S., Tsukude, M., Hirose, M. A new SiO_2 growth by fluorine-enhanced thermal oxidation 85−50436
Morita, M., Aritome, S., Tsukude, M., Murakawa, T., Hirose, M. Low-temperature SiO_2 growth using fluorine-enhanced thermal oxidation 85−61844
Morita, M., Hanaizumi, H., Fujimura, S., Tsubaki, H. Reduction method for pulse noises using statistical t-test−improvement of the noise detection algorithm 88−14821
Morita, M., Hayashida, H., Matsuda, Y. Effects of crown ether addition to organic electrolytes on the cycling behavior of the TiS_2 electrode 88−17869
Morita, M., Imamura, S., Tamamura, T. Dry-developable resist systems using electron beam-induced graft polymerization 85−18195
Morita, M., Imamura, S., Tanaka, A., Tamamura, T. A new silicone-based negative resist (SNR) for two-layer resist system 85−12085
Morita, M., Kubo, T., Ishihara, T., Hirose, M. Fluorine-enhanced thermal oxidation of silicon 85−45607
Morita, M., Matsuda, Y. Effect of solvent blending on cycling characteristics of lithium 87−72382
Morita, M., Tanaka, A., Onose, K. Methacrylate silicone-based negative photoresist for high resolution bilayer resist systems 86−35520
Morita, M. *see* Horaguchi, K. 88−6024
Morita, M. *see* Horie, H. 86−36051
Morita, M. *see* Iida, Y. 85−638, 87−52867, 88−44517
Morita, M. *see* Matsuda, T. 86−48021
Morita, M. *see* Matsuda, Y. 85−16211, 85−32692, 85−60410, 86−26267, 86−33597, 87−78885
Morita, M. *see* Matsumoto, J. 85−42081
Morita, M. *see* Matsushita, A. 86−54684
Morita, M. *see* Ogawa, A. 87−28455
Morita, M. *see* Ohigashi, N. 85−2186, 86−48444, 87−33216, 88−34058
Morita, M. *see* Ohmi, T. 88−43864
Morita, M. *see* Oshima, K. 88−62822
Morita, M. *see* Sato, K. 85−18220
Morita, M. *see* Sugita, A. 85−34755
Morita, M. *see* Takata, K. 85−39179
Morita, M. *see* Tanaka, A. 85−18385, 85−34701
Morita, M. *see* Ueda, A. 88−55291
Morita, M. *see* Ueda, H. 88−32729
Morita, M. *see* Yamamoto, S. 86−28763
Morita, N. Numerical methods based on the integral equation for electromagnetic wave problems 86−3490
Morita, N. Multi-purpose color CCD broadcast camera 88−53719
Morita, N., Hamasaki, T. A method of forming a hot zone inside the human body in electromagnetic hyperthermia therapy 86−5984
Morita, N., Hamasaki, T., Kumagai, N. An optimal excitation method in multi-applicator systems for forming a hot zone inside the human body 86−60741
Morita, N., Ishida, S., Fujimori, Y., Ishikawa, K. Pulsed laser processing of ceramics in water 88−56319
Morita, N., Kagami, S., Fukai, I. Comments on 'Application of boundary-element method to electromagnetic field problems' [and reply] 85−41547
Morita, N., Tanaka, T., Kumagai, N. Radiation from a circular bend of step-index single-mode fibers 85−50971
Morita, N., Tanaka, T., Kumagai, N. On radiation from a relatively sharp bend of step-index single-mode optical fibers 86−15500
Morita, N., Tanaka, T., Kumagai, N. Radiation from a circular bend of step-index single-mode fibers 87−53961
Morita, N., Tanaka, T., Kumagai, N. On radiation from a relatively sharp bend of step-index single-mode optical fibers 87−53967
Morita, N., Tanaka, T., Kumagi, N. Electromagnetic radiation from circular bends in step-index single-mode fibers 86−68286
Morita, N. *see* Baba, N. 85−52197, 87−76486
Morita, N. *see* Kawakita, S. 87−10111
Morita, N. *see* Lin Lihuang 87−12551
Morita, N. *see* Matsui, Y. 88−444
Morita, N. *see* Nishimura, E. 85−18729, 85−40216, 86−2741
Morita, N. *see* Sen, A. 88−74871
Morita, N. *see* Suzuki, K. 85−3389
Morita, N. *see* Tanaka, T. 87−38836, 88−13797
Morita, R., Kondo, T., Kaneda, Y., Sugihashi, A., Ogasawara, N., Umegaki, S. Multiple-reflection effects in optical second-harmonic generation 88−65854
Morita, R., Kondo, T., Kaneda, Y., Sugihashi, A., Ogasawara, N., Umegaki, S., Ito, R. Dispersion of second-order nonlinear optical coefficient d_{11} of 2-methyl-4-nitroaniline (MNA) 88−65853
Morita, R., Maekawa, T., Wakamatsu, S. Development of a cascading heat process solar system 87−43710
Morita, R. *see* Ogasawara, N. 86−3161
Morita, R.R. *see* Steiglitz, K. 86−14283
Morita, S. Planning of power generation system 87−71922
Morita, S. Evolution of operating environments for new communication service control 88−15131
Morita, S., Hattori, S., Ieda, M. Functional organic thin film by plasma polymerization 85−10808
Morita, S., Katsuyama, T., Ito, K., Hayami, H. Elastic basket switching−a new integrated switching system for voice and high-speed burst data 87−76487
Morita, S., Katsuyama, T., Ito, K., Hayami, H. 'Elastic basket switching' application to distributed PBX 88−3752
Morita, S., Kimura, A., Takahashi, H., Kuwabara, N. High accuracy pressure sensor FP101 88−74391
Morita, S., Suzuki, H., Hara, K., Sakai, S. A visual-sound speaker system 87−77045
Morita, S., Toda, K. Characterization of SnO_2/Pb_2CrO_5 thin film/metal photovoltaic device 86−28981
Morita, S. *see* Aiyer, C.R. 88−64446
Morita, S. *see* Aritaka, N. 87−40590
Morita, S. *see* Fudemoto, I. 87−20035
Morita, S. *see* Gangal, S.A. 87−58985
Morita, S. *see* Hasui, K. 85−63445, 86−69502
Morita, S. *see* Hattori, S. 87−11885
Morita, S. *see* Himori, S. 87−49387
Morita, S. *see* Hori, M. 85−1435, 86−53511, 87−60229
Morita, S. *see* Imai, S. 85−56203 to 56204, 87−60861
Morita, S. *see* Katsuyama, T. 87−40582
Morita, S. *see* Kido, T. 86−38053
Morita, S. *see* Koike, Y. 85−64092
Morita, S. *see* Kondo, K. 86−17153
Morita, S. *see* Masai, T. 86−39272
Morita, S. *see* Matsukawa, N. 85−40107, 86−41131
Morita, S. *see* Matsumoto, J. 88−28481
Morita, S. *see* Mikoshiba, N. 88−13651
Morita, S. *see* Miyamoto, J. 87−5881
Morita, S. *see* Montasser, K. 87−52188
Morita, S. *see* Morimoto, Y. 85−39108
Morita, S. *see* Nagano, I. 86−68760
Morita, S. *see* Nagashima, Y. 87−3454, 87−77104
Morita, S. *see* Nishimura, K. 85−42370
Morita, S. *see* Nogami, K. 87−10860
Morita, S. *see* Nomura, M. 88−55697
Morita, S. *see* Nozawa, H. 85−49896, 86−41116
Morita, S. *see* Nozawa, T. 87−48369, 87−76772
Morita, S. *see* Ogata, S. 87−71678
Morita, S. *see* Saito, Y. 87−20079
Morita, S. *see* Sakaurai, T. 87−17086
Morita, S. *see* Sakurai, T. 88−6877
Morita, S. *see* Sasada, Y. 87−18107
Morita, S. *see* Sawada, K. 88−32193
Morita, S. *see* Shigematsu, K. 88−24695
Morita, S. *see* Shinada, K. 87−1436
Morita, S. *see* Suzuki, K. 88−74620
Morita, S. *see* Tamano, J. 85−34863, 86−14989
Morita, S. *see* Tawata, M. 87−67041
Morita, S. *see* Toda, K. 87−53292, 87−54154
Morita, S. *see* Tsujimoto, J. 86−34819
Morita, S. *see* Uchida, Y. 88−33102
Morita, S. *see* Yamada, H. 88−57523
Morita, S. *see* Yoneda, T. 86−1917, 87−6517
Morita, T. Automated systems for present and future automobiles 87−79157
Morita, T., Arimoto, H., Miyauchi, E., Hashimoto, H. Novel methods for measuring diameters of focused ion beams 87−50081
Morita, T., Arimoto, H., Miyauchi, E., Hashimoto, H. Alignment accuracy of focused ion beam implantation 87−60275
Morita, T., Carlsen, B.W., Kutz, J.P. Load-follow operation with the MSHIM control system 88−42985
Morita, T., Kobayashi, J., Takamori, T., Takamori, A., Miyauchi, E., Hashimoto, H. Thermal diffusion of buried beryllium and silicon layer in GaAs doped by focused ion beam implantation 87−74009
Morita, T., Matsushita, A., Furukawa, S., Mori, H., Ikeda, Y., Fujioka, M. A trend of ISDN exchange and signal technology 86−23633
Morita, T., Miyachi, I. Classification of interrupting characteristics by thermal arc model 86−26229

Morita, T., Miyauchi, E., Arimoto, H., Takamori, A., Bamba, Y., Hashimoto, H. Geometrical design of an alignment mark for maskless ion implantation in GaAs 87−1394
Morita, T., Miyauchi, E., Arimoto, H., Takamori, A., Bamba, Y., Hashimoto, H. Geometrical design of an alignment mark for focused ion beam implantation in GaAs using Monte Carlo simulation of ion trajectories 87−38078
Morita, T., Takamori, A., Arimoto, H., Miyauchi, E., Hashimoto, H. Alignment signal from a mark deformed by molecular beam epitaxial overgrowth for focused ion beam implantation 87−53359
Morita, T., Tanaka, M., Watanabe, Y., Ono, K., Nakazawa, Y. UHF two-port SAW resonator 86−28586
Morita, T., Tsutsumi, M., Nagami, K. Switching capabilities of SF_6 gas circuit breaker, isolator and earthing switch 85−10049
Morita, T., Tsutsumi, M., Shiga, S., Iwai, H., Miyachi, I. New breaking test methods for circuit-breakers and disconnectors of 3-phase enclosed GIS 86−33574
Morita, T. *see* Akagi, Y. 87−5556
Morita, T. *see* Arimoto, H. 86−65312, 87−25089
Morita, T. *see* Bae, S.H. 87−71568.
Morita, T. *see* Bamba, Y. 87−11536
Morita, T. *see* Brillouet, F. 87−74077
Morita, T. *see* Chihara, K. 86−32286
Morita, T. *see* Hashimoto, H. 87−38079
Morita, T. *see* Hata, Y. 87−79177
Morita, T. *see* Ikeda, K. 85−20997
Morita, T. *see* Inagaki, R. 86−24604
Morita, T. *see* Ishida, K. 87−12490, 87−53246
Morita, T. *see* Miyauchi, E. 86−35550
Morita, T. *see* Mogi, S. 87−57589
Morita, T. *see* Nagura, K. 85−51763, 86−69155
Morita, T. *see* Ohkubo, M. 85−2496
Morita, T. *see* Ohnishi, H. 88−48559
Morita, T. *see* Okumura, H. 87−57554
Morita, T. *see* Pounds, C.G. 85−10050
Morita, T. *see* Przybyla, H. 87−8444
Morita, T. *see* Suzuki, M. 85−59625
Morita, T. *see* Takado, N. 88−39234
Morita, T. *see* Takamori, A. 85−60968, 86−53436
Morita, T. *see* Tanaka, M. 85−22976, 85−61366, 87−32817
Morita, T. *see* Terasono, M. 88−15015
Morita, T. *see* Yokoyama, R. 88−10795, 88−54920
Morita, Y. Two-element cylindrical antenna in a warm plasma 86−54299
Morita, Y., Egashiba, S. The sleeve monopole antenna in a warm plasma 85−2646
Morita, Y., Egashira, S. The sleeve monopole antenna in a warm plasma 85−24937
Morita, Y., Egashira, S. The sleeve monopole antenna in a warm plasma 86−68869
Morita, Y., Egashira, S., Yoshida, Y. Radiation characteristics of a two-element ring antenna in a plasma 85−41740
Morita, Y., Hosier, K.E., Lorenz, V., Kaufman, L., Mori, H., Hoffman, J. A low background X-ray fluorescence system for microsphere quantitation 88−61265
Morita, Y., Ishikawa, K., Yoneda, K., Oishi, H., Terakawa, S., Yoshida, M., Inoue, M. Doping of trench capacitor cell with As SOG for 4 megabit DRAM's 88−20149
Morita, Y., Iwata, S., Itoh, H. Linear low-density polyethylene for cable sheath 87−30238
Morita, Y., Konishi, H. Zinc-air batteries (button type) for hearing aids 87−35445
Morita, Y., Oki, Y., Tsutsumi, Y. Application of microcomputer to WHM test equipment 87−63447
Morita, Y., Umeda, T., Kimura, Y. Phase transformation at high temperature and coercivity of Sm(Co, Cu, Fe, Zr)7-9 magnet alloys 88−51192
Morita, Y. *see* Abe, K. 88−4802
Morita, Y. *see* Araki, K. 87−30204
Morita, Y. *see* Carroll, J.T. 88−22998
Morita, Y. *see* Egashira, S. 86−29411
Morita, Y. *see* Fukui, Y. 88−10275, 88−47986
Morita, Y. *see* Hagihara, M. 86−6366
Morita, Y. *see* Hioki, T. 88−41871
Morita, Y. *see* Iwami, Y. 88−50797
Morita, Y. *see* Kato, H. 88−28852
Morita, Y. *see* Kikuchi, Y. 88−41201
Morita, Y. *see* Shimazu, K. 85−34895
Morita, Y. *see* Takagi, M. 88−61647
Morita, Y. *see* Toyama, T. 86−38097, 87−49355
Morita, Y. *see* Yamamoto, H. 87−74924
Moritan, N. *see* Yamane, S. 85−39041
Moritani, A., Hamaguchi, C. High-speed ellipsometry of arsenic-implanted Si during CW laser annealing 85−39720
Moritani, H. *see* Onodera, S. 85−39357
Moritani, H. *see* Shimakawa, T. 85−38106
Moritani, J. *see* Hayami, S. 87−5796
Moritani, Y. *see* Fujino, T. 87−34514
Moritani, Y. *see* Murakami, K. 88−46979
Morito, A. *see* Kamemaru, S. 87−61006
Morito, H. *see* Fukaya, H. 88−25251
Morito, H. *see* Kawata, K. 87−51593
Morito, K. *see* Kinoshita, S. 88−51807
Morito, M., Tabei, Y. Study of voice recognition system in noisy environment 87−47563
Morito, M., Yamada, K., Fujisawa, A., Takeuchi, M. A single-chip speaker independent voice recognition system 87−17133
Morito, M. *see* Bedi, A. 88−8720
Morito, M. *see* Iizuka, H. 86−64219
Morito, M. *see* Yazu, T. 86−48804
Morito, S. *see* Mathur, K. 85−20294, 85−63779
Moritoki, K. *see* Yamaguchi, K. 88−29435
Moritoki, M. *see* Fukutsuka, T. 85−50860
Moritsu, K. *see* Watanabe, T. 87−67981
Moritsugu, S., Inada, N., Goto, E. Symbolic Newton iteration and its application 88−70259
Moritz, Rill, Schatter Optoelectrical measuring instrument for the determination of wire-thicknesses 85−64343
Moritz, A. *see* Ermer, W. 86−41663
Moritz, E. *see* Aasheim, P. 88−69198
Moritz, G. Function-oriented interface for coordinates measuring instruments 87−14543
Moritz, G. Microcomputer aided acquisition of measuring values in the high-power testing field of the institute 'testing field of electric high-power techniques' 87−20846
Moritz, G., Klos, F., Langenbeck, B., Youlun, Q., Zweig, K. Measurements of the SIS magnets 88−68150
Moritz, G. *see* Gilbert, W. 85−64388
Moritz, G. *see* Kynast, E. 86−51857
Moritz, H. Optical single layer lift-off process 85−45492
Moritz, H. Optical single layer lift-off process 86−1946
Moritz, H., Pfeiffer, G., Stolz, H.J. Trench fill process 85−12359
Moritz, K. *see* Kugler, K.-J. 85−31673
Moritz, P.S., Thorsen, L.M. CMOS circuit testability 86−2428
Moritz, P.S., Thorsen, L.M. CMOS circuit testability 86−47810
Moritz, T. Mud slide fells 500 kV tower 85−15652
Moritz, T., Schafer, P. Preparation of Pb(Te, Se) films by simultaneous evaporation of PbTe and Se 85−54473
Moritz, W. Protection class II [safety of electrical equipment in the GDR] 85−22200
Moritz, W.E. *see* Stone, J.R. 88−25709
Moriuchi, N., Shirai, S., Iwayanagi, T. Optimized material for bottom layer of trilevel resist system 87−11907
Moriuchi, N. *see* Iwayanagi, T. 87−53327
Moriuchi, S. *see* Asai, K. 86−18591
Moriuchi, S. *see* Fuyuki, T. 85−12212
Moriuchi, S. *see* Mogami, Y. 87−52070, 88−9970
Moriuchi, S. *see* Mukai, M. 88−13570
Moriuchi, S. *see* Yamamoto, Y. 87−5464, 88−37523
Moriwaki, K., Ishiyama, S., Takizawa, K., Kobayashi, F., Sekine, S., Hinataze, Y. A test system for high density and high speed digital board 87−37122
Moriwaki, K. *see* Furukawa, N. 86−71036, 88−17836
Moriwaki, K. *see* Hatayama, K. 87−37209
Moriwaki, K. *see* Hayashi, T. 87−38432, 88−686
Moriwaki, K. *see* Murakami, T. 86−28736, 86−58710
Moriwaki, M. *see* Yamashita, A. 88−45951
Moriwaki, M.M. *see* Shanfield, Z. 85−23733, 86−35319, 86−35443, 88−25988, 88−26204
Moriwaki, N. *see* Hanamura, S. 87−59499
Moriwaki, N. *see* Minato, O. 87−59503
Moriwaki, S. *see* Tokumaru, Y. 86−37934
Moriwaki, T. Fluorescent lamp manufacturing machine which consumes less energy 87−16143
Moriya, A. *see* Saito, T. 87−27414
Moriya, H., Hiraishi, M., Yamauchi, K. Clean wafer transportation system−rolling contact current collector 86−35785
Moriya, H. *see* Yamagata, N. 88−41208
Moriya, K. Automatic maintenance system for signal protection equipment 86−33792
Moriya, K. *see* Kishimoto, T. 85−16798
Moriya, K. *see* O'Hara, T. 88−37441
Moriya, K. *see* Tsunetsugu, H. 86−28390
Moriya, M. *see* Asano, Y. 87−29494, 87−77538 to 77539
Moriya, S., Ozeki, T. Development of automatic Charpy impact testing system 86−13900
Moriya, S. *see* Kuwashima, H. 88−48791
Moriya, S. *see* Matsuda, T. 85−35165
Moriya, S. *see* Yamaguchi, R. 87−1586
Moriya, T. A view of a biocomputer from the standpoint of molecular electronics 85−11823
Moriya, T., Honda, M. Adaptive transform coding of speech using vector quantization 85−19386
Moriya, T., Honda, M. Adaptive transform coding of speech by means of vector quantization (ATC-VQ) 85−41871
Moriya, T., Honda, M. Adaptive transform coding of speech by means of vector quantization (ATC-VQ) 86−48805
Moriya, T., Honda, M. Speech coder using phase equalization and vector quantization 87−27263
Moriya, T., Honda, M. Medium-band speech coding using phase equalization and vector quantization 87−55027
Moriya, T., Honda, M. Transform coding of speech with weighted vector quantization 87−61756
Moriya, T., Honda, M. Transform coding of speech using a weighted vector quantizer 88−40863
Moriya, T., Hondo, M. Adaptive transform coding of speech using vector quantization 86−69000
Moriya, T., Itoh, H. Selective CVD of tungsten and its applications to MOS VLSI 87−5484
Moriya, T., Murano, K., Gambe, H. Digital signal processing 87−17113
Moriya, T. *see* Hazuki, Y. 86−41709, 87−1790, 87−45787
Moriya, T. *see* Ikegami, T. 86−24790
Moriya, T. *see* Itoh, H. 86−47749, 87−23730, 88−19852
Moriya, T. *see* Iwabuchi, S. 87−25169
Moriya, T. *see* Kiryu, S. 85−48265, 88−42682
Moriya, T. *see* Miyachi, I. 86−51707
Moriya, T. *see* Mochida, Y. 87−20351
Moriya, T. *see* Okumura, K. 86−21755
Moriya, T. *see* Shibata, T. 85−49878
Moriya, T. *see* Shima, S. 85−40662
Moriya, T. *see* Suguro, K. 87−32450, 87−67042
Moriya, T. *see* Toyama, M. 86−57476 to 57477
Moriya, T. *see* Tsunashima, Y. 86−41985
Moriya, Y., Iwata, Y., Sakurada, H. New type of ionospheric scintillation at L-band 86−68759
Moriya, Y., Ota, T. Measurements of broadcasting satellite (BS-2a) antenna pattern over the Pacific Ocean by simple measurement method 87−77708
Moriya, Y. *see* Himono, Y. 86−4647
Moriyama, A. *see* Okada, M. 86−26877
Moriyama, E. Code acquisition performance of frequency hopping spread spectrum communication equipment for land mobile radio 87−28431
Moriyama, E., Ikegami, T., Kadokawa, Y. Configuration and basic performance of direct sequence spread spectrum land mobile communication equipment 85−30938
Moriyama, E., Mizuno, M., Saruwatari, T. Configuration and basic performance of advanced frequency-hopping spread spectrum communication equipment for land mobile radio 87−28430
Moriyama, E. *see* Mizuno, M. 86−69698
Moriyama, F. *see* Mizuta, M. 85−10690
Moriyama, H. *see* Sukegawa, O. 88−53801
Moriyama, H. *see* Yoshie, T. 88−1810
Moriyama, I. *see* Ohno, Y. 86−41668
Moriyama, J. *see* Yamanouchi, C. 85−63940
Moriyama, K. *see* Odanaka, S. 87−67306
Moriyama, S. Mechanisms for precise positioning 85−48087
Moriyama, S. Expectation for nanometer measurement technology in electronics industry. II. Measurement technology 87−25416
Moriyama, S., Ohmi, K. The microcomputer software for interference analysis of feeder-links for broadcasting-satellite service 88−60099
Moriyama, S., Ozasa, S., Saitou, N. Yaw corrected precision *X-Y* stage for high-throughput electron-beam lithography systems 85−29076
Moriyama, S., Sugawara, T. An efficient circuit simulation method based on the new latency concept combined with circuit decomposition 85−17095
Moriyama, S., Sugawara, T. An efficient general purpose circuit simulator exploiting Jacobian latency 86−57570
Moriyama, S., Uchida, F., Seya, E. Reflection coefficient correction technique for an optical fiber displacement sensor 88−22622
Moriyama, S. *see* Itoh, S. 88−13774
Moriyama, T., Fujii, S., Abe, K., Kobayashi, M. Mass flowmeter using heat transfer for dense phase solid gas two phase flow 86−44477
Moriyama, T., Yamazaki, E., Yanagisawa, S. MIND: a Mitsubishi Electric Group information network 87−40378
Moriyama, T. *see* Kosaka, K. 86−9555
Moriyama, T. *see* Takahashi, T. 86−51651
Moriyama, Y. An optical video disc system for retrieving digital data and reproducing still picture with sound 85−3735
Moriyama, Y., Ishida, J., Ishikawa, H., Ohki, K. Digital multimedia information multiplexer 86−55112
Moriyama, Y. *see* Ishida, J. 86−17109
Moriyama, Y. *see* Watanabe, M. 86−31521
Moriyama, Y. *see* Yoshioka, N. 88−50562
Moriyasu, M., Hiramoro, S., Hoshinouchi, S., Ohmine, M. Adaptive control for high-speed and high-quality laser cutting 87−7478
Moriyasu, M., Hiramoto, S., Hoshinouchi, S., Omine, M. A high-speed, high-quality cutting laser with adaptive control 87−7464
Moriyasu, M. *see* Hiramoto, S. 86−7336
Moriyasu, S., Uenosono, C. An analysis on the characteristics of a synchronous machine connected to a DC-link 86−33326

Moriyuki, T. *see* Kojima, T. 86–29344, 87–68740
Morizet-Mahoudeaux, P., Gaillard, P. Expert system use in signal processing: user aid in spectral density estimation methods choice 88–27939
Morizet-Mahoudeaux, P. *see* Fond, A. 86–50472
Morizet-Mahoudeaux, P. *see* Groult, M. 86–65402
Morizono, M. Relationship between hardware and software for an era of new media 85–47030
Morizot, G. *see* Rilly, G. 86–61812
Morizuka, K., Asaka, M., Iizuka, N., Tsuda, K., Yoshida, J., Akagi, J., Kobayashi, T., Ashizawa, Y., Azuma, M. Self-aligned AlGaAs/GaAs HBTs and 35 ps LCML ring oscillators fabricated by Mg and P double implantation 87–25247
Morizuka, K., Nozu, T., Tsuda, K., Azuma, M. Collector-top GaAs/AlGaAs heterojunction bipolar transistors for high-speed digital ICs 86–35654
Morizuka, K., Obara, M., Tsuda, K., Asaka, M., Tamura, H., Mashita, M., Yoshida, J., Hojo, A. Planar GaAlAs/GaAs heterojunction bipolar transistors 85–45659
Morizuka, K. *see* Yoshida, J. 86–9100
Morizumi, Y. *see* Tsutaki, K. 86–8695
Morjan, I. *see* Ursu, I. 87–60355
Mork, B. *see* Mairs, D.D. 88–55415
Mork, B.A., Trusler, S.M. Solar-powered repeater eliminates mobile-radio blackout 88–41571
Mork, H. Modern terminating equipment, ERINET 88–52705
Mork, J., Christiansen, P.L., Lassen, H.E., Tromborg, B. Evolution of solitons from chirped and noisy pulses in single-mode fibres 87–46462
Mork, J., Tromborg, B., Christiansen, P.L. Bistability and low-frequency fluctuations in semiconductor lasers with optical feedback: a theoretical analysis 88–40211
Morkans, A.A. Automatic Transmission Loss Checker 85–3869
Morkel, A., Syme, J. The electronics manufacturing industry in Western Australia: technological innovation in a middle economy 87–10149
Morkel, P. *see* Birks, T.A. 88–72007
Morkel, P.R. All-fibre, diode-pumped recirculating-ring delay line 88–51443
Morkel, P.R. An all fibre, diode-pumped recirculating-ring delay line 88–65283
Morkel, P.R., Farries, M.C., Payne, D.N. Losses in fibre laser cavities 88–20691
Morkel, P.R., Farries, M.C., Poole, S.B. Spectral variation of excited state absorption in neodymium doped fibre lasers 88–65646
Morkel, P.R. *see* Farries, M.C. 88–51773, 88–58644
Morkel, P.R. *see* Lin, J.T. 88–45395
Morken, C. ISDN is here, will soon be there, and now the question is if and when it will be everywhere 88–41399
Morken, K. *see* Lyche, T. 88–49740
Morkoc, H. Modulation doped $Al_xGa_{1-x}As/GaAs$ field effect transistors (MODFETs): analysis, fabrication and performance 85–28731
Morkoc, H. High speed GaAs based devices on Si substrates 87–46034
Morkoc, H., Chen, J., Reddy, U.K., Henderson, T., Luryi, S. Observation of a negative differential resistance due to tunneling through a single barrier into a quantum well 86–63072
Morkoc, H., Henderson, T., Kopp, W., Peng, C.K. High-frequency noise of $In_yGa_{1-y}As/Al_xGa_{1-x}As$ MODFETs and comparison to $GaAs/Al_xGa_{1-x}As$ MODFETs 86–53031
Morkoc, H., Peng, C.K., Henderson, T., Kopp, W., Fischer, R., Erickson, L.P., Longerbone, M.D., Youngman, R.C. High-quality GaAs MESFETs grown on silicon substrates by molecular-beam epitaxy 85–55833
Morkoc, H., Unlu, H., Zabel, H., Otsuka, N. Gallium arsenide on silicon: a review 88–32976
Morkoc, H. *see* Agarwala, S. 88–71546
Morkoc, H. *see* Aksun, M.I. 87–25266, 87–45167, 87–45279, 87–45282, 88–25488
Morkoc, H. *see* Arch, D.K. 87–18131
Morkoc, H. *see* Arnold, D. 85–6919 to 6920, 85–18133, 85–45681, 85–50341
Morkoc, H. *see* Arnold, D.J. 85–6519
Morkoc, H. *see* Arora, V.K. 87–53181, 87–53228, 87–60089
Morkoc, H. *see* Bajaj, K.K. 87–74088
Morkoc, H. *see* Bean, R.C. 86–66828
Morkoc, H. *see* Chand, N. 85–6712, 85–18291, 85–23739, 85–41235, 85–50492, 85–61896, 86–2121, 86–35651, 86–36330, 86–47518, 86–53391, 87–25312
Morkoc, H. *see* Chen, H.Z. 88–2275, 88–8180, 88–14192, 88–18680, 88–34084, 88–40242, 88–40247
Morkoc, H. *see* Chen, J. 88–7569, 88–39378, 88–39404
Morkoc, H. *see* Coleman, P.D. 86–35636
Morkoc, H. *see* Das, M.B. 85–12290
Morkoc, H. *see* Derry, P.L. 88–51812
Morkoc, H. *see* Dobbelaere, W. 88–33896, 88–65368
Morkoc, H. *see* Drummond, T.J. 85–1084, 85–50323, 86–67874
Morkoc, H. *see* Erickson, L.P. 85–5979
Morkoc, H. *see* Fischer, R. 85–1590, 85–6927, 85–12292, 85–54454, 85–55856, 85–61897, 86–2159, 86–9282, 86–28275, 86–28357, 86–41322, 86–46320, 86–47552, 86–54131, 86–63251, 87–25489, 87–73708
Morkoc, H. *see* Fischer, R.J. 86–41809, 87–6076
Morkoc, H. *see* Gammon, D. 86–35403
Morkoc, H. *see* Gering, J.M. 87–24843
Morkoc, H. *see* Grinberg, A.A. 85–18300
Morkoc, H. *see* Henderson, I. 86–47565
Morkoc, H. *see* Henderson, T. 85–16947, 87–17351, 87–45278, 88–39524
Morkoc, H. *see* Henderson, T.S. 86–53626
Morkoc, H. *see* Hickmott, T.W. 85–50340, 86–47378
Morkoc, H. *see* Houdre, R. 88–1377
Morkoc, H. *see* Hulin, D. 87–7434
Morkoc, H. *see* Ihm, Y.-E. 88–18678
Morkoc, H. *see* Iyengar, V. 88–57691
Morkoc, H. *see* Ji, G. 88–12986
Morkoc, H. *see* Kalem, S. 88–71302
Morkoc, H. *see* Kan, S.C. 88–64276
Morkoc, H. *see* Kash, J.A. 85–23504, 87–24871
Morkoc, H. *see* Ketterson, A. 85–40764, 85–55829, 86–28322
Morkoc, H. *see* Ketterson, A.A. 86–21572, 86–53633, 87–24066
Morkoc, H. *see* Klem, J. 85–1375, 86–8826, 87–52152, 88–1375, 88–63336
Morkoc, H. *see* Klem, J.F. 88–63335
Morkoc, H. *see* Liu, S.-M.J. 86–53635
Morkoc, H. *see* Liu, S.M. 86–2166, 86–21564
Morkoc, H. *see* Look, D.C. 85–61917, 87–60501
Morkoc, H. *see* Masselink, W.T. 85–18314, 85–22462, 85–39738, 85–45696, 86–2151, 86–21206, 86–21556, 86–47624, 86–53641, 86–63092
Morkoc, H. *see* Mazur, J.H. 86–13775, 86–26851
Morkoc, H. *see* Migus, A. 87–33306
Morkoc, H. *see* Moloney, M.J. 86–9139
Morkoc, H. *see* Mooney, P.M. 85–34494
Morkoc, H. *see* Munns, G. 88–18696
Morkoc, H. *see* Naganuma, M. 87–1236
Morkoc, H. *see* Narozny, P. 87–1717
Morkoc, H. *see* Neumann, D.A. 86–14921
Morkoc, H. *see* Norris, G.B. 85–45679, 85–61719, 86–53398
Morkoc, H. *see* Nozik, A.J. 87–26155
Morkoc, H. *see* Otsuka, N. 86–66809
Morkoc, H. *see* Paslaski, J. 88–45293
Morkoc, H. *see* Patil, M.B. 88–64602
Morkoc, H. *see* Pearah, P. 85–1372, 85–29008
Morkoc, H. *see* Pearah, P.J. 85–56421, 86–53396
Morkoc, H. *see* Peng, C.K. 87–32069, 88–415, 88–7339, 88–64516, 88–71347
Morkoc, H. *see* Ponse, F. 85–50531
Morkoc, H. *see* Priddy, K.L. 87–38281
Morkoc, H. *see* Prost, W. 86–53642
Morkoc, H. *see* Reddy, U.K. 86–63249
Morkoc, H. *see* Reynolds, D.C. 85–23499, 85–45424, 86–42415
Morkoc, H. *see* Roblin, P. 87–73684, 88–63903
Morkoc, H. *see* Rockett, A. 86–41678, 86–53342
Morkoc, H. *see* Sela, I. 87–11603
Morkoc, H. *see* Shewchuk, T.J. 85–28989, 86–8828, 86–62845
Morkoc, H. *see* Shih-Ming Liu 86–21619, 87–45967
Morkoc, H. *see* Shum, K. 88–1428
Morkoc, H. *see* Song, J.J. 87–24853, 88–19716
Morkoc, H. *see* Tsen, K.T. 87–74090
Morkoc, H. *see* Unlu, H. 88–32448, 88–39517
Morkoc, H. *see* Unlu, M.S. 88–19679
Morkoc, H. *see* Valk, B. 86–68517, 87–2113
Morkoc, H. *see* Wennberg, A.K.M. 87–6432
Morkoc, H. *see* Whiteside, C.F. 86–53627, 86–63330, 87–6716, 88–25926
Morkoc, H. *see* Wolak, E. 87–53232
Morkoc, H. *see* Won, T. 87–17752, 88–12970, 88–13351, 88–25931, 88–32414, 88–50809, 88–64517, 88–71518
Morkoc, H. *see* Yu, P.W. 86–47355, 87–66947
Morkoc, H. *see* Zhang, X.N. 86–67849
Morkoc, H. *see* Zhum, E.J. 85–29198
Morkoc, J.S. *see* Fischer, R. 86–41322
Morkov, H. *see* Drummond, T.J. 85–50262
Morkov, H. *see* Wei, H.P. 85–23494
Morkovin, V.G. *see* Akimov, Yu.A. 85–4030
Morkovina, N.I., Shinakov, Yu.S. A postdetector algorithm for resolution of an unknown number of signals 87–69159
Morkowski, S. Outline of the physical phenomena in the vacuum interrupters 88–12868
Morkrid, L. *see* Qiao, Z.-G. 87–57060, 88–10365
Morl, L. *see* Krell, L. 85–52902
Morlais, J. Functions and characteristics of local networks adapted to industrial applications 86–23449
Morlan, P.W., Jr. Color polarizers for liquid crystal displays 85–8902
Morland, R.J. Very large scale integration (VLSI) and computer aided design (CAD) [in Alvey Programme] 87–11929
Morland, R.J. Very large scale integration (VLSI) computer aided design (CAD) and man/machine interface (MMI) displays 88–7680
Morlang, A.A. Polyoptimal synthesis of industrial power networks 87–42450
Morlang, A.A. Multioptimisation of the structure of distribution networks for the oil industry of Western Siberia 88–49316
Morlec, E. *see* Jouffroy, J.C. 85–3215
Morlet, D., Rubel, P., Arnaud, P., Willems, J.L. An improved method to evaluate the precision of computer ECG measurement programs 88–68412
Morlet, D., Rubel, P., Forlini, M.C., Arnaud, P. The spatial area as a new function for precise delimitation of the waves in 3-lead ECGs 85–9215
Morley, A.R. *see* Atkins, N.K. 88–15667
Morley, D. Tradanet–an end to heaps of invoicing paperwork? 85–36566
Morley, D. International considerations [VANS] 86–54776
Morley, G. *see* Noble, P. 85–4485
Morley, J.C. Tracking data [communications] 87–48789
Morley, J.F. *see* Piner, E.W. 87–49589
Morley, J.G. *(editor)* High performance fibre composites 88–69978
Morley, L.A. The Standards Department and its relationships to the IEEE standards process 86–66646
Morley, L.A., Kohler, J.L., Smolnikar, H.M. A model for predicting motor load for an armored face conveyor drive 88–31256
Morley, L.A., Martarano, J.A., Trutt, F.C. Coordination-free ground fault detection for mine distribution systems 85–43594
Morley, L.A., Novak, T., Trutt, F.C. Sensitive ground-fault relaying 86–45020
Morley, L.A. *see* Kohler, J.L. 86–6286, 87–29994
Morley, L.A. *see* Novak, T. 85–27108
Morley, L.A. *see* Tomlinson, J.N. 86–32760, 87–42478
Morley, L.A. *see* Trutt, F.C. 86–45886
Morley, L.A. *see* Yenchek, M.R. 87–78199
Morley, M. 'Lamps ain't wot they used to be' 88–6001
Morley, P. Developing the international connection 86–54868
Morley, P.E. *see* Howard, M.D. 86–42060
Morley, P.E. *see* Smythe, R.C. 86–42035
Morley, R.E. *see* Engebretson, A.M. 87–19480
Morley, R.E., Jr. Breaking the frequency barrier 87–50407
Morley, R.E., Jr., Engebretson, A.M., Trotta, J.G. A multiprocessor digital signal processing system for real-time audio applications 86–43218
Morley, R.E., Jr., Engel, G.L., Sullivan, T.J., Natarajan, S.M. VLSI based design of a battery-operated digital hearing aid 88–74885
Morley, T. Radial wave propagation and distortionless signalling 88–58994
Morley, T.D. *see* Anderson, W.N., Jr. 85–331
Morley, T.D. *see* Barnsley, M.F. 86–699
Morling, R. State machine system design. II 86–8209
Morling, R.C.S. A practical guide to gate array realisation 88–6755
Morling, R.C.S. An overview of ASIC design methodology 88–50079
Morlinger, R. MD 110–an advanced office communications system 86–37675
Morlinger, R. *see* Bjorling, S. 85–30819
Morlinger, R. *see* Linder, G. 88–8979 to 8980
Morlo, H. Enhancement of the axial resolution power in ultrasonic testing by directionally emitted signals 87–36843
Morlo, H. *see* Crostack, H.-A. 85–38366, 88–31888
Morlock, S. *see* Thompson, W. 87–11532
Morlock, U., Kelsch, M., Bauser, E. Extremely flat layer surfaces in liquid phase epitaxy of GaAs and $Al_xGa_{1-x}As$ 88–24719
Morlon, P. *see* de la Plaza, A. 85–28637
Mormile, D.J. *see* Stegmann, G.C. 85–53571
Mormile, P. *see* Bloisi, F. 88–58244
Mormile, P. *see* Delfino, G. 86–22533
Mornington-West, A.R. Audio and acoustic performance strategies for new high quality television services 87–76927
Moro, J.R. *see* Decker, F. 87–43447
Moro, L. *see* Capizzi, M. 86–45707
Moro, L. *see* De Bernardi, C. 88–51535, 88–65311
Moro, L. *see* Prudenziati, M. 86–35127, 88–1224
Moro, M. *see* D'Andrea, A.N. 87–12998
Moro, M. *see* D'Andrea, N.A. 87–33718
Moro, P. *see* Candeo, S. 88–4051
Morocco, T.D. ISDN implementation over copper cable 87–40149
Morocz, I. The importance of technical diagnosis 86–31104

Morocz, I., Benko, M. Investigating the three power storage proportional signal transmission with frequency function 86−66897
Moroda, N., Naitoh, T. High speed auto loader for LASER marker 88−13490
Moroda, N., Yoshinami, H., Sugiyama, M., Kasahara, Y., Sato, T. Package automatic function test system [PCB testing] 88−11712
Moroder, L. Overvoltage protection for antenna installations 87−49254
Moroder, L. *see* Hasse, P. 85−21261
Morodomi, A., Aida, T. Measured results of details of arc voltage waveforms in breaking Ag contacts 87−66636
Moroga, K. *see* Hasegawa, M. 87−25869
Morohashi, M., Sawaki, N., Akasaki, I. Measurement of electron mobility in p-Si by time-of-flight technique 85−55436
Morohashi, M., Sawaki, N., Akasaki, I. Electron mobility and drag effect in p-type silicon 85−55437
Morohashi, S., Hasuo, S. All refractory Nb/Yb-YbO$_x$/Nb Josephson junction 87−25886
Morohashi, S., Hasuo, S. I-V characteristics of Nb/TaO$_x$/Nb Josephson junctions 88−13767
Morohashi, S., Hasuo, S., Yamaoka, T. Self-aligned contact process for Nb/Al-AlO$_x$/Nb Josephson junctions 86−28734
Morohashi, S., Shinoki, F., Shoji, A., Aoyagi, M., Hayakawa, H. High quality Nb/Al-AlO$_x$/Nb Josephson junction 85−56167
Morohashi, S. *see* Imamura, T. 86−42165
Morohashi, S. *see* Kotani, S. 87−38688, 87−67867
Morohoshi, S. *see* Umemura, S. 87−1030
Moroishi, K. Selection and utilization of digital switches 87−1037
Morokawa, S. *see* Watanabe, H. 86−31514
Morokhov, P.V. *see* Gornov, M.G. 85−4202
Morokhovets, M.A. *see* Akulovich, N.I. 85−23653
Morokhovets, M.A. *see* Voronov, I.N. 85−40431, 85−61842
Morokhovets, M.A. *see* Yurova, E.S. 87−17906
Morokuma, T., Konho, T. Earthquakes and the feeder system of Shinkansen. I 86−65501
Morokuma, T., Konuo, T. Earthquakes and the feeder system of the Shinkansen Line 86−66430
Moromisato, J. *see* Braunschweig, W. 88−29874, 88−68282
Moromisato, J.H. *see* Ash, W.W. 88−10244
Moron, P. *see* Delgado, V. 87−38915
Moron, Z., Szczepanik, Z. The four-electrode conductivity meter−a basic instrument in industrial measurements of electrolytic conductivity 85−37720
Moroney, M.J. *see* MacKenzie, F.D. 85−37149
Moroney, P., Gilhousen, K., Paik, W. The VideoCipher I scrambling system 85−30997
Moroney, W. *see* Armstrong, A. 86−20838
Moroney, W. *see* Chu, A. 87−59886
Morong, W.H. A coherent DSP-based high-frequency testing engine 86−38253
Moroni, A., Iori, I., Yu, L.Z., Prete, G., Viesti, G., Gramegna, F., Dainelli, A. Position sensitive and Bragg curve spectroscopy detector system 85−4236
Moroni, A. *see* Bassini, R. 85−37944, 88−47993
Moroni, A. *see* Bonetti, R. 85−59206
Moroni, A. *see* Salmieri, L. 87−8850
Moroni, D. *see* Andre, J.P. 87−16593, 87−77284
Moroni, D. *see* Menu, E.P. 87−32305
Moroni, D. *see* Wolny, M. 88−1650
Moroni, J.M., Mosneron-Dupin, F., Villemeur, A., Meslin, T. Simulator-based study of nuclear plants operators behaviour under abnormal conditions 87−64239
Moroni, L. *see* Amendolia, S.R. 85−15169
Moroni, L. *see* Bellini, G. 85−9066, 87−21421
Moroni, L. *see* Giammarchi, M. 87−3890
Moroni, R. *see* Bertolini, R. 88−17616
Moroni, R. *see* Dalle Molle, D. 87−58097
Moronvalle, C. *see* Bourbin, Y. 88−58205
Moroo, J. *see* Kobatake, H. 87−19952
Morooka, H. *see* Ikawa, N. 88−4377
Morooka, I. *see* Kabe, A. 85−23209, 88−25736
Morooka, K., Yano, O., Takata, N., Hirosaki, Y., Kubota, H. The service life of power-distribution switchboard appliances 87−15935
Morooka, M. *see* Tomokage, H. 86−67749
Morooka, R. *see* Ide, M. 85−58562
Morooka, T., Kawabata, K., Ueno, M., Chiba, T., Kawashima, R., Bornemann, W., English, W.J. A direct radiating array antenna with frequency reuse multiple contoured beams 88−2842
Morooka, T. *see* Shoki, H. 86−68849
Morooka, T. *see* Ueno, M. 86−68851
Morooka, T. *see* Yoshimoto, S. 86−64920, 87−28477
Morooka, Y. *see* Hamano, H. 87−10876
Morooka, Y. *see* Ito, T. 85−55648, 87−53324
Morooka, Y. *see* Mashiko, K. 85−22870, 87−10872
Morooka, Y. *see* Miyamoto, H. 86−46835
Moropoulos, C. *see* Gastouniotis, C. 85−4461
Moros, E. *see* Hynynen, K. 86−56179, 86−60744
Moros, M.M., Anis, H. On the inter-phase energization overvoltages due to random pole closures 88−23491
Morosanov, S.A., Smol'skiy, S.M. Single-frequency oscillations in ring transistor self-excited oscillators 87−16935
Morosanov, S.A., Smol'skii, S.M. Switching transistor autodynes 87−45130
Morosawa, K., Takeuchl, M., Kaneko, F., Nagasaka, H. Photoelectrochemical properties of single crystalline Cu$_2$O 85−1431
Morosawa, T., Shibayama, A., Murashita, T., Fujinami, M. A high-speed patterning controller for the EB60 electron beam lithography system 87−38376
Morosawa, T. *see* Shimazu, N. 87−32614, 88−7403, 88−64471
Morosi, S. *see* Gobbi, P.G. 85−24599
Morosin, B. *see* Ginley, D.S. 88−20266
Morosov, A.I. *see* Eliseenko, A.V. 88−29239
Morosov, V.A., Rodionova, N.V. Field nonuniformity reduction inside a spherical magnetic shield 86−15959
Morotomi, N. *see* Kobo, K. 86−54848, 87−13329
Morou, G.A. *see* Whitaker, J.F. 88−25534
Morova, A.G. *see* Golubkov, V.V. 85−49227
Morowski, B.D. Control of modifications and configuration maintenance in two-unit plants 88−62067
Moroyama, K. *see* Hasegawa, K. 87−56346
Moroz, A.S., Talanchuk, P.M. On dependence of polycrystalline thin metal-oxide film conductivity on oxygen pressure 86−27881
Moroz, A.V. Approximate methods of solving the scalar problem of wave scattering by nonhomogeneous plasma bodies 86−3539
Moroz, A.V. Diffraction of plane TM-wave by smoothly nonhomogeneous elliptical plasma cylinder 86−3541
Moroz, B.S. *see* Ovsyanik, V.P. 87−50412
Moroz, E.M., Shorin, K.N. Control of the dynamics of vertical electron oscillations in a synchrotron on the basis of the accelerated bunch 87−35282
Moroz, E.M., Shorin, K.N. Deformation of resonances of betatron oscillations under conditions of long-range focusing 87−70972
Moroz, E.M., Shorin, K.N. Critical energy and damping of synchrotron oscillations in a compact racetrack 88−54091
Moroz, E.M. *see* Molchanov, S.S. 86−32097
Moroz, I.N. *see* Didenko, A.Ya. 86−60612
Moroz, I.P. Improving noise immunity of receivers used in frequency-domain electromagnetic sounding 85−26880
Moroz, I.P. Physical modeling of magnetotelluric fields 85−31975
Moroz, I.P. Technical principles of physical modeling in geoelectrics 85−64683
Moroz, J.G. *see* Mehta, D.P. 86−31276, 87−4334
Moroz, L.G. *see* Antyukhov, V.A. 86−60637
Moroz, L.V. *see* Kanchukovsky, O.P. 85−29038
Moroz, N.V. *see* Ptashchenko, A.A. 87−54199
Moroz, R.R. *see* Bladyko, V.M. 87−67777
Moroz, S.E. *see* Borisov, V.I. 87−996
Moroz, V.A. *see* Kol'dyaev, V.I. 87−67078
Moroz, Yu.I. *see* Vdovin, S.S. 88−44089
Moroz, Yu.I. *see* Zirka, S.Ye. 86−20375, 86−46642
Morozenko, Ya.V. *see* Dmitriev, V.A. 86−21236, 86−22262, 87−33068, 87−35155
Morozenko, Ya.V. *see* Ivanov, P.A. 86−21179, 88−25919
Morozenkov, A.A. *see* Belen'kii, A.M. 87−26299
Morozhenko, V.A. *see* Malyutenko, V.K. 88−8044
Morozik, V.P. *see* Vendik, O.G. 85−46114
Morozkin, V.P., Fedoseev, A.M., Barabanov, Yu.A., Novella, V.N. Using a microprocessor component base to realize programmed protective apparatus 87−9216
Morozkin, V.P., Tokarev, S.B. Calculating the hydraulic friction losses in DC motors filled with liquid dielectric 85−65270
Morozkin, V.P. *see* Kiselev, V.I. 88−30239
Morozov, A.F. *see* Ivanov, A.A. 86−70064
Morozov, A.G. *see* Zelepukhin, M.V. 86−18247
Morozov, A.I. Features of the measurement of capacitances and dielectric losses in insulation at working voltage 86−39249
Morozov, A.I. *see* Burgrova, A.I. 88−74687
Morozov, A.I. *see* Koledov, V.V. 88−30185
Morozov, A.I. *see* Kulakov, M.A. 86−60990, 87−42272
Morozov, A.K. Optimal processing of recurrent signals in a channel with multibeam propagation 87−33696
Morozov, A.K., Litsarev, N.A. An adaptive antenna system for separating signals coming from different directions 87−61523
Morozov, A.K., Penin, P.I. Features of the optimal reception of digital data in channels with reflections 87−75810
Morozov, A.L. *see* Dorozhkin, L.M. 86−47942
Morozov, A.M. Orthogonal transformation of logic functions 88−38468
Morozov, A.N. Statistical description of a mechanical measurement system containing an oscillatory link 88−4652
Morozov, A.N. *see* Andreev, Yu.M. 85−24667
Morozov, A.N. *see* Borisov, V.M. 88−58433
Morozov, A.N. *see* Gostev, V.I. 86−20240, 87−69177, 88−6636
Morozov, A.N. *see* Voevodin, F.B. 86−15774
Morozov, A.N. *see* Voevodin, V.G. 88−72126
Morozov, A.V. *see* Boreisho, A.S. 86−3027
Morozov, A.V. *see* Klimovskii, I.I. 87−2077
Morozov, B.A. *see* Gorbunov, N.V. 88−15107
Morozov, B.V., Morozova, L.A., Kostin, V.V. Measurement of the relative shift between two semicylindrical rods during lathe machining 88−4624
Morozov, E.A. *see* Komin, S.N. 88−20171
Morozov, E.A. *see* Lesnikov, E.V. 85−7331
Morozov, E.M. *see* Frolov, K.V. 87−64534
Morozov, G.N. *see* Kirillin, V.A. 87−15622
Morozov, I.I. *see* Davydenko, R.I. 88−4785
Morozov, K.P. The determination of moisture discharge voltage of insulators by considering their natural wetting and polluting 88−42880
Morozov, M.M. *see* Bocharov, G.A. 85−44137
Morozov, M.P. *see* Kushtuev, A.I. 87−28392
Morozov, M.P. *see* Lobanova, I.N. 85−8254
Morozov, N.A. *see* Saukov, A.I. 86−5851
Morozov, N.B. *see* Strakhov, S.V. 88−50014, 88−55470
Morozov, N.I., Vyalkov, A.V. The 8ANCh-25 strain-measuring apparatus 88−47687
Morozov, N.R. Reservation of the protections of 0.4 kV in-house needs networks of power stations 87−64130
Morozov, N.V. *see* Klementov, A.D. 85−18890, 86−22327, 86−29044, 87−26301, 87−68384, 88−27075
Morozov, P.A., Morozova, S.P., Lisyanskii, B.E. Methods of video display in an instrument for measuring laser divergence 86−42614
Morozov, P.A., Morozova, S.P., Malysheva, T.P. Device for measuring the space distribution of CO$_2$-laser strength in the far zone 85−7486
Morozov, P.A. *see* Kaptskii, Ya.I. 88−63791
Morozov, P.A. *see* Lisyanskii, B.E. 86−44314
Morozov, P.A. *see* Morozova, S.P. 86−44315
Morozov, S.F. *see* Kalinin, A.V. 85−10652
Morozov, S.G. *see* Spiridonov, N.S. 87−67272
Morozov, S.K. *see* Gutsev, D.F. 87−4500
Morozov, S.V. *see* Lonskii, A.P. 86−46639
Morozov, V., Putilin, A. Waveguide holograms for matched filtering systems 88−45568
Morozov, V.A., Nazimov, A.B. Approximate solution of one class of ambiguously solved operator equations 87−16526
Morozov, V.A., Stegailov, V.I., Lizurej, G., Zhuravlev, N.I., Misiak, A., Prazak, F., Adam, I., Gradec, I., Churakov, A.K. Anomalous deviations of the centers of gravity of the time distributions of gamma-gamma coincidences with measurement by semiconductor detectors 86−50437
Morozov, V.A., Stegailov, V.I., Yashin, S.N., Zinov, V.G. Effect produced by the charge collection time upon the time and energy resolution of semiconductor detectors 86−65340
Morozov, V.A. *see* Musin, R.F. 86−60299
Morozov, V.B. *see* Klemin, A.I. 87−35746
Morozov, V.G. *see* Mastyev, N.Z. 87−7510
Morozov, V.I. *see* Alimov, V.A. 86−37771
Morozov, V.M. *see* Kalenova, V.I. 86−12086
Morozov, V.M. *see* Zubov, Yu.G. 88−4714
Morozov, V.N. Theory of the dynamics of semiconductor injection lasers 88−51811
Morozov, V.N., Nabiev, R.F., Popov, Yu.M., Shidlovskii, V.R. Width of the emission line of injection lasers operating in a quasisingle-frequency regime 88−65809
Morozov, V.N., Shidlovskii, V.R. Noise and nonlinear distortions of signals in fiber-optic systems (review) 85−20213
Morozov, V.N. *see* Bablumyan, A.S. 85−19057, 86−22171, 86−22555
Morozov, V.N. *see* Balagurov, A.Ya. 87−33332, 87−46551
Morozov, V.N. *see* Bessonov, Yu.L. 85−56652 to 56653, 85−62604, 86−36500 to 36501, 86−48408, 87−12491, 88−8231
Morozov, V.N. *see* Borodkin, A.A. 87−18868
Morozov, V.N. *see* Buachidze, E.E. 86−28890
Morozov, V.N. *see* Buachidze, Z.E. 86−22187, 87−1975, 87−54055, 88−26853
Morozov, V.N. *see* Evtikhiev, N.N. 88−58383
Morozov, V.N. *see* Gerashchenko, O.A. 87−8761
Morozov, V.N. *see* Hofman, M. 87−12140
Morozov, V.N. *see* Metsik, M.S. 88−57845
Morozov, V.N. *see* Miler, M. 88−26873
Morozov, V.N. *see* Vasil'ev, P.P. 85−56651, 85−62625, 86−9860, 86−42550
Morozov, V.N. *see* Zolotarev, A.I. 85−62691
Morozov, V.P. *see* Basiev, T.T. 88−58664
Morozov, V.P. *see* Karpushko, F.B. 86−9797
Morozov, V.P. *see* Karpushko, F.V. 85−35732
Morozov, V.S. *see* Kirilenko, I.I. 87−68690
Morozov, V.S. *see* Krivov, M.A. 85−11943
Morozov, V.S. *see* Romanova, I.D. 88−13003
Morozov, V.S. *see* Vereshchagin, I.N. 85−35226
Morozov, V.S. *see* Vereshchagin, I.P. 87−7490, 87−19155, 87−33376, 88−20844

Morozov, V.V. *see* Arutyunyan, E.A. 86−28832
Morozov, V.V. *see* Kamyshan, A.N. 86−18972
Morozov, Ye.V. Regeneration and the criterion for stationarity of multichannel queues connected in tandem 87−62407
Morozov, Yu.Yu. *see* Kirichenko, N.I. 85−41450
Morozov, Z.N. *see* Arutyunyan, R.V. 87−54236
Morozova, A.N. *see* Grishkov, O.V. 87−29077, 87−49708
Morozova, E.A. *see* Danilov, V.V. 86−28912
Morozova, E.A. *see* Myl'nikov, V.S. 86−2873, 86−15527
Morozova, E.A. *see* Vladimirov, F.L. 86−36533
Morozova, G.P. *see* Belov, V.V. 87−12032
Morozova, I.S. *see* Glebov, L.B. 88−20418
Morozova, L.A. *see* Karyakin, V.L. 85−22727
Morozova, L.A. *see* Morozov, B.V. 88−4624
Morozova, M.M. *see* Gorelik, D.O. 86−44797
Morozova, M.M. *see* Vinogradova, T.S. 86−44796
Morozova, N. *see* Kausinis, S. 87−3769
Morozova, N.D. *see* Solodov, S.E. 88−45275
Morozova, N.K. *see* Kostomarov, D.V. 87−31486
Morozova, N.V. *see* Babayan, R.R. 87−17569
Morozova, O.I. *see* Bakhvalov, Yu.A. 87−22852
Morozova, S.L. *see* Korolev, A.N. 86−15549
Morozova, S.P., Morozov, P.A., Korneva, T.G. Use of random-access memory for image analysis in energy-photometry systems 86−44315
Morozova, S.P. *see* Lisyanskii, B.E. 86−44314
Morozova, S.P. *see* Morozov, P.A. 85−7486, 86−42614
Morozova, T.I., Antonov, V.I. An experimental investigation of the influence of oil volume on the dielectric strength of transformer insulation 87−43157
Morozova, V.D. *see* Shakhtarin, B.I. 87−44698, 87−65947
Morozova, V.I. *see* Radautsan, S.I. 86−15556
Morozova, V.M. *see* Mikheev, M.N. 87−36836
Morozowich, M. Determination of the overload safe operating area (OLSOA) of Darlington modules 86−47531
Morozowich, M. A method to determine overload safe operating area 86−58456
Morozowich, M., Bonkowski, R.L. Design alternatives for a 500 ampere 20 kilohertz transistor switch 85−65395
Morozumi, M. *see* Iwaoka, A. 88−28874
Morozumi, S. Toric-wavefront testing holographic interferometry for concave gratings 85−2430
Morozumi, S. Active matrix addressed liquid-crystal displays 86−31536
Morozumi, S. Active matrix LCD displays find new applications in consumer products 86−44361
Morozumi, S. Liquid crystal displays—their past, present and future 87−70710
Morozumi, S. LCD applications to the television set 88−53429
Morozumi, S., Kurihara, H., Ohshima, H., Takeshita, T., Hasegawa, K. Completely integrated a-Si:H linear image sensor with poly Si TFT drivers 85−47862
Morozumi, S., Kurihara, H., Takeshita, T., Oka, H., Hasegawa, K. Completely integrated contact-type linear image sensor 86−5056
Morozumi, S., Oguchi, K., Araki, R., Sonehara, T., Aruga, S. Full-color TFT-LCD with phase-change guest-host mode 86−31530
Morozumi, S., Oguchi, K., Misawa, T., Araki, R., Ohshima, H. 4.25-in. and 1.51-in. B/W and full-color LC video displays addressed by Poly-Si TFTs 85−20674
Morozumi, S., Ohta, T. A 9-inch MIM-LCD 87−35149
Morozumi, S., Ohta, T., Araki, R., Sonehara, T., Kubota, K., Ono, Y., Nakazawa, T., Ohara, H. A 250×240-element LCD addressed by lateral MIM 85−14905
Morozumi, S., Ohta, T., Araki, R., Sonehara, T., Kubota, K., Ono, Y., Nakazawa, T., Ohara, H. A 250×240 element LCD addressed by lateral MIM 85−64201
Morozumi, S., Sonehara, T., Kamakura, H., Ono, T., Aruga, S. LCD full-color video projector 87−8544
Morozumi, S. *see* Aruga, S. 88−16309
Morozumi, S. *see* Minagawa, K. 87−30887
Morozumi, S. *see* Sato, Y. 88−39858
Morozumi, T., Nakajima, M., Ogawa, K., Yuta, S. Attenuation correction method using the ratio of two projections calculated without and with the attenuation for SPECT 85−4300
Morozumi, T. *see* Kusaba, R. 87−41960
Morozumi, T. *see* Ukigai, M. 88−56727
Morozumi, Y. *see* Higo, T. 88−61047
Morozumi, Y. *see* Mizuno, H. 88−61050
Morozvich, A.N. *see* Mukhametov, V.N. 86−11613
Morphet, F.N., Payne, R.W. Combined moving target detection and synthetic aperture radars 87−40988
Morphet, F.N. *see* Hogben, R.R. 88−54705
Morpurgo, S. *see* Hunger, A. 87−11828
Morpurgo, S. *see* Melgara, M. 85−22815, 85−33829
Morpurgo, S. *see* Stamelos, I. 87−25477
Morpurgo, S. *see* Stamelos, J. 87−16357
Morra, F., Jr., Brashear, J.P., Stone, A. Tight gas analysis system 86−39281
Morra, F., Jr. *see* Brashear, J.P. 86−39280
Morra, M. *see* De Bernardi, C. 87−74816, 88−26845, 88−51535, 88−65311
Morra, M.M. *see* Steeves, M.M. 88−65067
Morre, R.A. *see* Krishnaswamy, S.V. 85−61154
Morreale, J. *(editor)* 1985 SID International Symposium. Digest of Technical Papers 86−26501
Morreale, J. *(editor)* 1987 SID International Symposium. Digest of Technical Papers. First Edition 88−11595
Morrel-Samuels, P. *see* Krauss, R.M. 88−35700
Morrell, A., Charman, W.N. A bichromatic laser optometer 88−16685
Morrell, A.M., Yamazaki, E. Future development of cathode-ray tubes 85−14894
Morrell, B.E. Building a management architecture for network control 88−21457
Morrell, C. *see* Baines, J. 87−35375
Morrell, D.R. *see* Nelson, B.E. 87−10771
Morrell, J.E., Kendall, P.G., Cornfield, G. The application of the UIE flickermeter to controlling the level of lighting flicker 88−17226
Morrell, J.E. *see* Kendall, P.G. 85−59680
Morrell, J.K. *see* Barone, A.M. 85−28301
Morrell, M. *see* Laycock, P.J. 88−41519
Morrell, R. *see* Smith, K. 86−67254, 87−38588
Morresi, R. *see* Angelotti, J.I. 85−3865
Morrett, K.E. *see* Bergeron, D.L. 85−6805
Morrillon, F. *see* Duchateau, F. 85−26972
Morris, A. Metal halides for interiors 85−27769
Morris, A., Repperger, D.W. Adaptability of muscle function with the use of computer aided assistive devices 86−70436
Morris, A. *see* Schindler, M.J. 88−25454, 88−25478
Morris, A. *see* Tajima, Y. 85−55166
Morris, A. *see* Titus, W. 87−32099
Morris, A.H. *see* Kasper, G.M. 88−41842
Morris, A.M. Strategic and commercial determinants in the choice of cable systems 85−3722
Morris, A.M. *see* Katzin, P.J. 88−19391
Morris, A.M. *see* Schindler, M.J. 86−35118, 87−32089, 87−59890
Morris, A.S. Direct digital control of the electric arc furnace 86−57041
Morris, A.S. Principles of measurement and instrumentation 88−55888
Morris, B.A. *see* Young, E.H. 87−49631
Morris, B.J. Photochemical organometallic vapor phase epitaxy of mercury cadmium telluride 86−40728
Morris, B.J. Photochemical organometallic vapor phase epitaxy of mercury cadmium telluride 87−10466
Morris, B.J. *see* Ballingall, J.M. 86−52451, 87−5403
Morris, B.J. *see* Peterman, D.J. 88−43870
Morris, B.J. *see* Wroge, M.L. 87−23658, 88−64384
Morris, C., Field, J.R., Wittig, S. Comprehensive life extension evaluated for three-unit station 88−30555
Morris, C., Mancini, J. A low cost approach to factory testing using HITS 88−35834
Morris, C.E., Richards, M.A., Hayes, M.H. Iterative deconvolution algorithm with quadratic convergence 87−27590
Morris, C.E., Richards, M.A., Hayes, M.H. A generalized fast iterative deconvolution algorithm 87−62029
Morris, C.E., Richards, M.A., Hayes, M.H. Fast reconstruction of linearly distorted signals 88−66475
Morris, C.E. *see* Richards, M.A. 87−27442
Morris, C.L., Amann, J.F., Boudrie, R.L., Tanaka, N., Seestrom-Morris, S.J., Bland, L.C., Seidl, P.A., Kiziah, R., Greene, S.J. A range-nuclear-interaction absorber for rejecting muons at EPICS 85−59225
Morris, C.L., Atencio, L.G., Idzorek, G.C., Morris, S.L. Two-dimensional beam image monitor 88−54086
Morris, C.L., Riekhof, G.G. Collecting attribute data using voice recognition 88−2978
Morris, C.L. *see* Atencio, L.G. 86−25141
Morris, C.L. *see* Burleson, G.R. 86−60503
Morris, C.L. *see* Kallne, E. 87−57040
Morris, D. Shielded four-conductor magnetic field assembly 85−4127
Morris, D. Winchester witch doctors 85−29439
Morris, D. Phase retrieval in the radio holography of reflector antennas and radio telescopes 85−57159
Morris, D. Correction to 'Phase retrieval in the radio holography of reflector antennas and radio telescopes' 86−22785
Morris, D. Gathering and analysing alarm and traffic data helps to create better network management 87−69460
Morris, D., Hein, H., Steppe, H., Baars, J.W.M. Phase retrieval radio holography in the Fresnel region: tests on the 30 m telescope at 86 GHz 88−27316
Morris, D., Peters, R.W. CMOS chips gain EE memory 85−28430
Morris, D., Teyssedou, A., Lapierre, J., Tapucu, A. Optical fiber probe to measure local void fraction profiles 88−16116
Morris, D. *see* Baars, J.W.M. 87−56308
Morris, D. *see* Mathews, D.M. 86−24811
Morris, D.C. Temporary reluctance to grow [local area networks in healthcare industry] 88−9109
Morris, D.E. *see* Welch, J.J. 85−20862
Morris, D.I. *see* McClernon, M.F. 86−32895
Morris, D.I. *see* Rodriguez, G.D. 87−51439
Morris, D.J. Rolls-Royce barge-mounted PWR maximizes prefabrication 86−51282
Morris, D.J. Rural optical communications at 2, 8 and 34 Mbit/s 88−60205
Morris, D.J., Quigley, M.P. Optical systems for remote areas 88−41614
Morris, D.R. Universal signal; routing card 86−49948
Morris, D.S. In-circuit, functional or emulation—choosing the right test solution 86−60109
Morris, D.S. The MOD investigation into back-driving or node-forcing 88−35833
Morris, D.S. Backdriving-and how to control it 88−63659
Morris, D.T. The correction of ultrasonic image analysis features for their depth dependence 88−48109
Morris, E. *see* Miller, W.H. 87−72613
Morris, E. *see* Vigil, O. 88−7567
Morris, E.L. The energy programme of the USA 85−48664
Morris, E.L. *see* Ifeachor, E.C. 86−60781, 86−60790
Morris, E.L. *see* Jervis, B.W. 86−50596
Morris, F.W. Potential interference from terrestrial sources into direct broadcast satellite home receiving systems 85−37219
Morris, G. *see* James, J.R. 85−24946
Morris, G. *see* Rizk, M. 87−39468
Morris, G. *see* Rizk, M.S.A.S. 85−41787, 86−10216
Morris, G. *see* Thomas, H.J. 85−61463
Morris, G.A. *see* Jurgens, R.F. 88−67502
Morris, G.A., Jr. Can an engineer live up to the professional practices document 85−44390
Morris, G.C. *see* Danaher, W.J. 85−40454, 85−60419
Morris, G.C., Jr. *see* Snowden, D.P. 86−38520
Morris, G.D. *see* Levine, B.F. 85−20740
Morris, G.E. *see* Burke, T.F. 85−28730
Morris, G.M. Image correlation at low light levels: a computer simulation 85−2873
Morris, G.M. Optical computing by Monte Carlo methods 85−36376
Morris, G.M., Isberg, T.A. Pattern recognition using photon-limited images 86−69172
Morris, G.M., Wernick, M.N., Isberg, T.A. Image correlation at low light levels 85−51721
Morris, G.M., Wernick, M.N., Isberg, T.A. Image processing at low light levels 86−3941
Morris, G.M. *see* Chrien, T.G. 85−35900
Morris, G.M. *see* Doo Jin Cho 88−51927
Morris, G.M. *see* Isberg, T.A. 86−64343
Morris, G.M. *see* Marron, J. 86−29964, 86−64344
Morris, G.M. *see* Mersereau, K. 86−69102
Morris, G.W. *see* Blamire, M.G. 87−74561, 87−74600, 88−26725
Morris, G.W. *see* Evetts, J.E. 88−29813
Morris, H. Measuring temperature with platinum resistance sensors 85−20469
Morris, H. *see* Robinson, C.N. 87−28977, 87−56523
Morris, H.B. *see* Henry, P.M. 87−38934
Morris, H.H., III, Luders, H., Lesser, R.P., Dinner, D.S., Klem, G.H. The value of closely spaced scalp electrodes in the localization of epileptiform foci: a study of 26 patients with complex partial seizures 86−50568
Morris, H.M. A/D and D/A converters link digital controls to an analog world 85−28580
Morris, H.M. Reliable position sensing a must for advanced automation techniques 85−31588
Morris, H.M. Microstepping a linear motor 85−44019
Morris, H.M. Microcomputers put trains back on the track 86−7225
Morris, H.M. Silicon capacitive pressure sensors vie with piezoresistive sensors 87−8771
Morris, H.M. Industrial enclosures are not just boxes 87−72819
Morris, I.D. *see* Gregg, J.F. 88−10111
Morris, J. The new locator system 85−14144
Morris, J. The digital dimension [digital dispatching systems] 85−20059
Morris, J. Computing [National grid conversions] 86−43729
Morris, J. Accuracy with packets [cellular telephones] 87−3118
Morris, J. Mobile digital communications: it's time has finally come 88−3892
Morris, J., Kenward, G. Contention control critical in mobile radio datacomm system 85−63538
Morris, J. *see* Arya, R.R. 87−16031
Morris, J. *see* Carlson, D.E. 88−62613
Morris, J. *see* Catalano, A. 88−37604
Morris, J. *see* Flinn, D.G. 85−27054
Morris, J.A. Economics versus reliability: substation loading 86−61570
Morris, J.A., Pollock, C.R. A digital fiber-optic liquid level sensor 87−68093

Morris, J.A., Yakymyshyn, C.P., Pollock, C.R. Fiber optic fuel level sensors 88—4361
Morris, J.A. *see* Tortoreli, M. 88—17129
Morris, J.A.G. *see* Apsimon, R.J. 85—43246, 86—5811, 86—25138, 86—50392, 86—65356, 87—41836
Morris, J.B. The reality of system simulation in VHDL using standard integrated circuit models 88—57789
Morris, J.B. *see* Hiserote, J. 86—34730
Morris, J.D. *see* Novotny, D.R. 85—14604
Morris, J.E. Microelectronics at SUNY-Binghamton 87—58587
Morris, J.E., Sackman, G.L. Graduate laboratory courses 88—24488
Morris, J.F. Better, cheaper in-core thermionic energy conversion (ICTEC) with pre-1973 ultralloys 85—53857
Morris, J.F. Aspects of Cs, Ba Knudsen ultrahigh-temperature TEC 87—42124
Morris, JF., Jacobson, D.L. Thermionic energy conversion for space-power and terrestrial-topping applications 85—65466
Morris, J.F., Jacobson, D.L. TEC and ultra-alloys for high-power space systems 86—32490
Morris, J.F., Jacobson, D.L. Material considerations for ultrahigh-temperature thermionic conversion in space nuclear power 87—42123
Morris, J.F., Kern, F.J., Richards, E.F. Distribution automation for the Association of Missouri Electric Cooperatives 87—78027
Morris, J.F. *see* Jacobson, D.L. 88—61575
Morris, J.H., Satyanarayanan, M., Conner, M.H., Howard, J.H., Rosenthal, D.S.H., Smith, F.D. Andrew: a distributed personal computing environment 86—37463
Morris, J.H. *see* Levatter, J.A. 85—1225
Morris, J.M., Mallory, C.C. Performance of a random threshold multisample decision rule for known signals against a class of additive amplitude-bounded dependent noise 87—55184
Morris, J.R. *see* Thomsen, S. 88—16757
Morris, J.V., Latto, I.P. An electropneumatic instrument for measuring and controlling the pressures in the cuffs of tracheal tubes: 'The Cardiff Cuff Controller' 85—64537
Morris, J.V. *see* Apsimon, R.J. 85—43246, 86—5811, 86—25138, 86—50392, 86—65356, 87—41836
Morris, J.W. *see* Frear, D. 88—43749
Morris, J.W. *see* Jenkins, E.L., Jr. 88—21325
Morris, J.W., Jr., Dalder, E.N.C. Cryogenic structural materials for superconducting magnets 86—36108
Morris, J.W., Jr. *see* Dietderich, D.R. 85—56155
Morris, J.W., Jr. *see* Frear, D. 87—23804, 87—59013, 87—65180
Morris, J.W., Jr. *see* Glazer, J. 85—50866
Morris, J.W., Jr. *see* Grivas, D. 87—23335
Morris, J.W., Jr. *see* Johnson-Walls, P.E. 85—56166
Morris, J.W., Jr. *see* Quan, L. 87—59014
Morris, J.W., Jr. *see* Summers, L.T. 85—43619
Morris, J.W., Jr. *see* Wu, I.W. 85—7168
Morris, K. *see* Bard, E. 88—6601
Morris, K.A. Tactile sensing aids assembly 86—17955
Morris, L.K. *see* Kansa, E.J. 85—5954
Morris, L.R. Structural considerations for large FFT programs on the TI TMS 32010 DSP microchip 86—14290
Morris, L.R. Software engineering for an IBM-PC TI-Speech realtime digital speech spectrogram production system 87—55042
Morris, L.R., Barszczewski, P. Algorithms, hardware, and software for a DSP microcomputer-based multi-electrode cochlear implant system 88—68486
Morris, L.R., Barszczewski, P. Design and evolution of a powerful pocket-sized DSP speech processing system for a cochlear implant and other hearing prosthesis applications 88—72860
Morris, L.R., Barszczewski, P. A programmable signal processing/stimulation system for a multi-electrode cochlear implant. I. Hardware/software for a DSP microcomputer-based speech processor with realtime formant, pitch, and vocal tract parameter estimation 88—73159
Morris, L.R., Braszczewski, P., Bosloy, J. Algorithm selection and software time/space optimisation for a DSP micro-based speech processor for a multi-electrode cochlear implant 87—61711
Morris, M. *see* Chambers, J. 86—52288
Morris, M. *see* Le-Ngoc, T. 88—3826
Morris, M. *see* Soo, D.C. 86—9311
Morris, M.B., McIlrath, T.J., Snyder, J.J. Fizeau wavemeter for pulsed laser wavelength measurement 85—12927
Morris, M.B. *see* Bonin, K.D. 85—7514
Morris, M.D. *see* Chiu, T.-Y. 88—33385, 88—39640
Morris, M.D. *see* Horton, P.R. 87—62599
Morris, M.D. *see* Lum, R.M. 88—43933
Morris, M.D. *see* Swartz, R.G. 87—19019
Morris, M.E., Wu, T.T. Admittance of thin, coaxially-driven infinite monopole antennas 85—13342
Morris, M.J., Zavitz, H.J. A new high capacity TDMA radio system 88—59988
Morris, N., Patel, K.K., Sealy, B.J., Gill, S.S. Ion implanted p^+ layers for device applications 85—18214
Morris, N., Sealy, B.J. Theoretical modelling of electrical activation in ion-implanted GaAs 88—57317
Morris, N.A. *see* Hooker, R.J. 87—4053
Morris, N.A. *see* Morgan, R.G. 87—77748
Morris, O.J., Constantinides, A.G. Segmented filtering: a new technique for image restoration 85—51815
Morris, O.J., de J Lee, M., Constantinides, A.G. Graph theory for image analysis: an approach based on the shortest spanning tree 86—37127
Morris, O.J., Lee, M.J., Constantinides, A.G. A unified method for segmentation and edge detection using graph theory 87—27640
Morris, O.J. *see* Biggar, M.J. 88—34749
Morris, P. *see* Davies, P. 87—10650, 87—23899
Morris, P. *see* Gibson, M.J. 85—14242, 85—25860, 85—58143
Morris, P.A., Handwerker, C.A., Coble, R.L., Gabbe, D.R., Howard, R.T. Processing of low-alpha-particle emitting ceramics 86—13846
Morris, P.A. *see* Borison, A.B. 85—27006
Morris, P.B., Gupta, R.R. OMEGA navigation signal characteristics 87—70157
Morris, P.B., Schmid, M.G. An accurate temperature controller for linear accelerators 85—20959
Morris, P.B. *see* Creamer, P.M. 86—4769
Morris, P.B. *see* Gupta, R.R. 87—70159
Morris, P.I. *see* Lucas, J.M. 85—59794
Morris, R. Loopstick technology 88—8599
Morris, R. *see* Baggott, M. 85—38924
Morris, R. *see* Sugarman, A. 85—4767
Morris, R.B. Interface chips set up fast-moving dialogue between drive, controller 85—61953
Morris, R.C. Crystal growth and the future of solid state lasers 88—2209
Morris, R.C., Chin, T., Kafri, O., Long, M., Heller, D.F. Athermal Nd:BEL lasers 87—7309
Morris, R.C. *see* Chin, T. 87—46834
Morris, R.C. *see* Lai, S.T. 87—12428
Morris, R.C. *see* Stokowski, S.E. 88—65621
Morris, R.C. *see* Walling, J.C. 86—22349
Morris, R.E., Grutsch, R.J. The upcoming boom in cogeneration 86—12284
Morris, R.F. *see* Fry, F.J. 87—71167
Morris, R.J., Whiting, G. The transistor—a proven 325 kVA switch 85—6909
Morris, R.J., Whiting, G. The transistor—a proven 325 kVA switch 85—23755
Morris, R.K. New insight into the LIPS-II GaAs solar panel performance 87—9780
Morris, R.K., Chang, K. Development and applications of gallium arsenide-on-germanium heterostructure solar cells for space 87—77796
Morris, R.K., Grier, N.T. Ground testing of array modules for the photovoltaic array space power (PASP) experiment 88—36631
Morris, R.K. *see* Adams, C.D. 88—37458
Morris, R.K. *see* Chang, K.I. 88—37428
Morris, R.L. Clinical engineering in Egypt 85—48204
Morris, R.L., Pennington, P.J. Integrated SCADA and load management system 85—4583
Morris, R.O. The navigation package on board ship 88—35602
Morris, R.W., Richards, C.J., Wall, M.R. Predictive power system management 86—50940
Morris, R.W. *see* Brannon, P.J. 86—28779
Morris, S. Digital Video Interactive—a new integrated format for multi-media information 88—47349
Morris, S., Baril, B. Bridging the gap between CAE and testing 85—60753
Morris, S. *see* Barnes, P. 88—13454
Morris, S. *see* Dwyer, R. 86—21794
Morris, S. *see* Miller, J.E. 88—31558
Morris, S. *see* Suda, T. 88—46603
Morris, S.A., Hutchens, C.G. Implementation of Mason's model on circuit analysis programs 86—50768
Morris, S.A., Hutchens, C.G. Normalized time response families for thin disk transducers 87—4187
Morris, S.A. *see* Hutchens, C.G. 86—2574, 87—1821
Morris, S.E. *see* Peach, R.C. 86—42062
Morris, S.L. *see* Morris, C.L. 88—54086
Morris, T. More applications for metal halides 86—13155
Morris, T. Experience with prepayment meters 86—39066
Morris, T. *see* Lockard, J.W., Jr. 86—60835
Morris, T.D., Chan, C.H. VLSI solution to triangulation formulae 87—63526
Morris, T.D. *see* Cook, C.G. 88—38580
Morris, T.W. *see* Eiseman, S.E. 86—50425
Morris, V.B., Jr. *see* Boenning, R.A. 85—61560
Morris, W. *see* Veloric, H. 85—1748
Morris, W.D., Hill, R.H., Karweit, M. Towed Ocean Sensor System (TOSS) 88—42672
Morris, W.G MegaStream & the move to optical fibres 87—8334
Morris, W.G., Bakhru, H., Haberl, A.W. Microbeam analysis of microelectronic circuits 86—47685
Morris, W.G., Katz, W., Bakhru, H., Haberl, A.W. RBS analysis with a ¼ μ beam 85—29263
Morris, W.G. *see* Chu, S.D. 86—35660
Morriseey, J.M., Walcott, J.S. Superposition of voltage contrast on optical image 85—45767
Morrisey, J., Cobb, J. Automatic visual testing equipment designed for loaded PCB inspection 85—34303
Morrish, A.H. *see* Pollard, R.J. 87—46334
Morrish, A.J. Active frame flyback circuit for CRT 85—11477
Morrish, A.J. EHT and line scan regulator circuit 85—17140
Morrish, A.J. *see* Ling, C.J. 85—14419
Morrish, J.R. *see* Parent, R.M. 87—59482
Morrish, M.F.G. Industrial applications [digital control] 85—4585
Morrison, A. *see* Hsu, G. 86—508
Morrison, A.R. An overview of some basic design features of Koeberg nuclear power station highlighting how regulatory requirements can influence design 86—51194
Morrison, B. Military computer industry faces challenging future 85—54909
Morrison, C. *see* Figueroa, L. 85—24576, 86—15585, 88—8202
Morrison, C. *see* Menezes, S. 85—12066
Morrison, C. *see* Niesen, J. 87—75126, 88—14050
Morrison, C.B., Bedair, S.M., Bachmann, K.J. $In_xGa_{1-x}As$ photodetector for the 1.7-2.0 μm spectral region 85—64155
Morrison, C.B., Botez, D., Zinkiewicz, L.M. 150 mW quasi-CW fundamental-mode operation from modified twin-channel laser 87—75093
Morrison, C.B., Minzkiewicz, L.M., Burghard, A., Figueroa, L. Narrow-beam high-power twin-channel laser with reduced sidelobes 86—22371
Morrison, C.B., Zinkiewicz, L.M., Burghard, A., Figueroa, L. Improved high-power twin-channel laser with blocking layer 85—35761
Morrison, C.B., Zinkiewicz, L.M., Burghard, A., Figueroa, L. Improved high power twin channel laser with blocking layer 85—51196
Morrison, C.B., Zinkiewicz, L.M., Niesen, J., Figueroa, L. High-power superluminescent diode with reduced coherence length 86—2979
Morrison, C.B., Zinkiewicz, L.M., Niesen, J., Figueroa, L. High power superluminescent diode with reduced coherence length 86—42587
Morrison, C.B., Zinkiewicz, L.M., Niesen, J., Figueroa, L. High power superluminescent diode with reduced coherence length 87—12331
Morrison, C.B. *see* Figueroa, L. 87—12478
Morrison, C.R. *see* Bartlett, K.A. 88—50115
Morrison, C.R. *see* Bostick, D. 88—25132
Morrison, C.R. *see* Hachtel, G.D. 86—57565
Morrison, D. May the power be with you. II. [Microcomputer systems] 85—65311
Morrison, D. Nine-station intercom 87—55617
Morrison, D. *see* Bacvarov, D.C. 86—39243
Morrison, D.A. *see* Kretsch, K.P. 87—34265
Morrison, D.B. *see* Mengel, S.K. *(editor)* 86—13287
Morrison, D.G. A switching system for the UK videoconferencing network 85—52570
Morrison, D.G. *see* Parke, I. 88—9770
Morrison, D.G. *see* Reid, G.M. 85—58402
Morrison, D.H., D'Cruz, J.R. The application of the PBX and the LAN in the integrated office 85—8177
Morrison, D.J. Designing to meet radio frequency interference regulations 85—19170
Morrison, D.J. The impact of EMC requirements on the design process 86—15973
Morrison, D.J. Conducted emissions and susceptibility [EMI measurements] 88—20942
Morrison, D.J., Ward, P. Introductory review [EMC] 88—20937
Morrison, D.L., Green, T.R.G., Shaw, A.C., Payne, S.J. Speech-controlled text-editing: effects of input modality and of command structure 85—7838
Morrison, D.R. *see* Twerdochlib, M. 88—11180
Morrison, D.S. Designing for electromagnetic compatibility 87—26880
Morrison, E.F. Technical advances in Type-C picture processing 86—69948
Morrison, E.F. Technical advances in 'Type C' picture processing 87—13985
Morrison, F. *see* Engberg, E. 88—15839
Morrison, G.E.S. *see* Baum, R.A. 85—15392
Morrison, G.H. *see* Molnar, B. 85—18209
Morrison, G.H. *see* Smith, H.E. 87—25081
Morrison, G.R. *see* Chapman, J.N. 85—11872
Morrison, H.D., Garside, B.K., Reid, J. Dynamics of the optically pumped midinfrared NH_3 laser at high pump power. I. Inversion gain 85—2207
Morrison, H.D., Garside, B.K., Reid, J. Dynamics of the optically pumped midinfrared NH_3 laser at high pump power. II. Raman gain and AC Stark shifts 85—2208
Morrison, H.D., Garside, B.K., Reid, J. Gain dynamics in pulsed 12-μm NH_3 lasers 85—41312
Morrison, H.D., Garside, B.K., Reid, J. Modeling of high-pressure 12-μm NH_3 lasers 85—51083

Morrison, H.D., Reid, J., Garside, B.K. 16-21-μm line-tunable NH_3 laser produced by two-step optical pumping 85−2194
Morrison, H.D. *see* Sinclair, R.L. 85−46318
Morrison, H.F. *see* Zollinger, R. 88−5183
Morrison, H.V. *see* Chang, Y.C. 86−43023, 87−26943
Morrison, I. *see* Jaros, M. 87−1247
Morrison, I. *see* Spencer, R.E. 87−49215
Morrison, I.C. *see* Tebble, N.J. 85−52451
Morrison, I.F. *see* Johns, A.T. 85−32230
Morrison, I.F. *see* Tao, H. 87−30280
Morrison, I.F. *see* Yang, Q. 86−18780
Morrison, I.S. *see* Cowley, W.G. 87−76708
Morrison, J. *see* Lawton, W. 87−27579
Morrison, J.B. *see* Apsley, N. 87−24790
Morrison, J.D. *see* Pulver, M. 87−32670
Morrison, J.G. *see* Mann, T.L. 87−49574
Morrison, J.M. How hybrids can help the designer 85−28869
Morrison, K. *see* Mak, S. 86−21869
Morrison, L. Data security on X.25 networks 86−69195
Morrison, L. Low temperature solder developments 87−65183
Morrison, L.F., Yang, Q., Gale, P.F. Fault location on high voltage transmission lines using solid state disturbance recorders 88−69080
Morrison, L.J. *see* Gallegos, F.R. 86−31781
Morrison, M. *see* Iskander, M.F. 88−88
Morrison, M.D. *see* Iskander, M.F. 88−49409
Morrison, M.E. *see* Harvey, A.R. 88−65748
Morrison, P., Tigner, J., Frederick, D., Merker, M., Leavy, J. Charge transfer effects for medium energy bremsstrahlung spectra 85−24865
Morrison, P.R. *see* Waldow, S.M. 88−10419
Morrison, P.W. The challenge of VLSI manufacturing in a particle-free clean room 88−71728
Morrison, P.W., Yevak, R.J. Clean rooms for VLSI fabrication 86−1925
Morrison, R. *see* Roeger, B. 87−53024
Morrison, R.E., Duggan, E. Converting data into information [power system harmonic analysis] 88−48620
Morrison, R.E., Warburton, K., Singh, A., Young, D.J. The application of shunt compensation on AC railways 88−5973
Morrison, R.E. *see* Buxton, P.H. 85−59682
Morrison, R.E., Jr. Continuing engineering education office management−a position 87−23159
Morrison, R.J., McHugh, S., Purohit, M.V. A semileptonic electron trigger for recording $B^0\bar{B}^0$ events 88−68303
Morrison, R.J. *see* Bharadwaj, V.K. 85−31695
Morrison, R.J. *see* Foley, K.J. 88−68313
Morrison, R.J. *see* Karchin, P.E. 85−43241
Morrison, R.T. *see* Laine, J.L. 86−61078
Morrison, S.R. Problems and potential in the semiconductor/electrolyte approach to solar conversion 86−45671
Morrison, S.R. Mechanism of semiconductor gas sensor operation 87−56656
Morrison, S.R. Selectivity in semiconductor gas sensors 88−22569
Morrison, S.R. *see* Praet, A. 87−9737
Morrison, S.R. *see* Ranjith Divigalpitiya, W.M. 86−66327
Morrison, S.R. *see* Sears, W.M. 87−56653, 88−35954
Morrison, T. *see* Heald, S.M. 86−60642
Morrison, T.I., Lien, N.C., Heald, S.M., Fareria, L.S., Scrofani, J. UHV double crystal monochromator design 88−42452
Morrison, T.P. An adaptable computer control system for the Daresbury recoil separator 87−8792
Morrison, T.P. *see* Burrows, J.D. 85−20816
Morrison, T.P. *see* Butler, P.A. 86−5838
Morrison, T.P. *see* James, A.N. 88−48033
Morrison, W.J., Makan, F.F. DC distribution−voltage drop criteria 85−64887
Morrisroe, G.C. An application of intelligent tutoring systems to air traffic control training 88−49419
Morriss, B., Palermo, C.J., Carpenter, J.B., McRae, D. Survivability−present and future 86−23289
Morriss, K.A. Portable instruments for the 15th Edition IEE regulations — quality safety and performance 87−15397
Morrissay, C.A.S., Vian, A., Bressane, J.M., Brochado, A.C. DC alternative for the 8 GW/2400 km transmission from the Amazon Basin to the southeast of Brazil 86−12385
Morrissey, B. *see* Moser, M.R. 85−16660
Morrissey, D.J., Nolen, J.A., Jr., Tiedje, J.M. Radiotracers from heavy-ion fragmentation 85−59262
Morrissey, J.F. *see* Cote, O.R. 88−34326
Morrissey, L. Dedicated graphics processors aid high-performance applications 88−32249
Morrissey, S. *see* Spada, T. 87−17502
Morrissey, S.J., Chu, R.W. Legibility of video display units during off-angle viewing 88−36403
Morroka, T. *see* Kawabata, D. 87−27085
Morrone, M.C., Owens, R.A. Feature detection from local energy 88−14798
Morrow, A.J., Van Dewoestine, R.V. Progress in the OVD process [optical fibres] 86−58786
Morrow, A.J. *see* VanDewoestine, R.V. 87−7112
Morrow, D.L. *see* Daughtrey, H.T. 88−5493
Morrow, G.R., Phillips, D., Markiewicz, W.D., Murray, F.S. Operating experience of superconductive magnets for mobile magnetic resonance imaging systems 87−41964
Morrow, G.R., Rosner, C.H. Superconducting magnets for magnetic resonance imaging applications 87−74627
Morrow, G.W. Qualification testing of General Electric 50 Ah nickel-cadmium cells with new separator and new positive-plate processing 87−22696
Morrow, G.W. NOAA 26.5 Ah LEO characterization test [Ni-Cd batteries] 87−22704
Morrow, G.W. Qualification testing of General Electric 50 A h nickel-cadmium cells with Pellon 2536 separator and passivated positive plates 88−16854
Morrow, L.D. *see* Chou, Q.B. 86−19087
Morrow, R.A. Stoichiometric structures of defects in high-purity GaAs grown by the liquid encapsulated Czochralski method 88−63278
Morrow, R.E. *see* Schuss, J.J. 88−2868
Morrow, R.J. Electromagnetic environment synthesis a tool for ESM system development and support 85−24884
Morrow, R.J. Electromagnetic environment synthesis−a tool for ESM system development and support 85−58199
Morrow, R.J. Simulators [signal processing] 86−11516
Morrow, R.K., Jr. Ntty grtty RTTY 85−3026
Morrow, R.K., Jr. Hunt the Auto-Fox [radio direction-finding] 85−63504
Morrow, S.B. *see* Hoeberling, R.F. 88−49055
Morrow, T. *see* Auger, R. 85−42671
Morrow, T. *see* Cunningham, D.G. 85−29766, 86−48344
Morrow, W. Composite EMI/RFI shielding: selection guidelines for OEM applications 86−59099
Morrow, W. Keeping in touch with health care personnel [radio communication] 88−60034
Morscheck, H.W. Between Utopia and reality−telecommunication strung between technical possibilities and practical realities 88−28194
Morse, A.R., Fannin, H.W. The impact of R&M 2000 on MCAIR integrated logistic support 88−10687
Morse, B. Economic and practical views on vapour phase 87−37700
Morse, C.E. *see* Gorman, P.H. 85−63443
Morse, D. *see* Bensiek, W. 87−41695
Morse, D. *see* Littauer, R. 85−26582
Morse, D.L. *see* Luong, J.C. 88−33767
Morse, E.A. *see* Hoeberling, R.F. 88−49055
Morse, E.C., Pyle, R.V. Operation of a quasioptical electron cyclotron maser 85−56463
Morse, F.A. Status of the commissioning of the Los Alamos Neutron Scattering Center, LANSCE 86−55996
Morse, G. Calculating CRCs by bits and bytes 86−68968
Morse, G., Casey, M. The Canadian Hydrographic Service experiment in Electronic Chart distribution 88−5192
Morse, J. PLC-controlled variable speed drive system slashes energy costs 87−64763
Morse, J.D., Navon, D.H. Optimized design of a merged bipolar MOSFET device 86−21574
Morse, J.D., Pocha, M.D. Characteristics and modeling of high voltage photoconductive switching devices 87−43309
Morse, J.D. *see* Jack, C.M. 86−54771
Morse, J.D. *see* Wang, C.L. 88−54427
Morse, J.S. *see* Cundy, V.A. 86−55630
Morse, M.S., O'Brien, E.M. Development and testing of a computer regulated, hand controlled, quasi-real time vocal prosthesis 86−5996
Morse, M.S., O'Brien, E.M. Research summary of a scheme to ascertain the availability of speech information in the myoelectric signals of neck and head muscles using surface electrodes 87−19414
Morse, O. *see* Verderber, R. 88−31190
Morse, O. *see* Verderber, R.R. 86−45801, 86−45807
Morse, P.H.N. Patent law upholds state trade-secret laws to protect technology from illegal use 85−10376
Morse, R. Videotex in Europe 85−36682
Morse, R. *see* Resvanis, L.K. 88−54421
Morse, R. *see* Wang, Y. 88−36568
Morse, R.B. A game plan for managing the merger of mixed network 87−48577
Morse, R.C. Teletext in Europe 85−3097
Morse, R.C. Videotex USA 1983-1984 85−25443
Morse, R.C. Bildschirmtext in Germany and Austria 86−10736
Morse, R.R. *see* Yen Wang 88−54686
Morse, T.C. *see* Russell, R.W. 87−49540
Morse, T.F., Digiovanni, D., Wang, C.Y., Cipolla, J.W., Jr. Laser enhancement of thermophoretic deposition processes 86−42276
Morse, T.F. *see* Mizrahi, V. 88−72014
Morse, W.D. *see* Kazimierczuk, M.K. 87−73324, 87−73326, 88−17749, 88−24068
Morsell, A.L., Anderson, S.L., Shields, H. High-energy excimer lasers using advanced thyratron switches 88−20565
Morselli, M.G. *see* Brusasca, G. 86−6591
Morselli, M.G. *see* Giraud, C. 88−11150
Morsey, M.S. *see* Badr, M.A. 87−42892
Morshchikhin, B.E. Reducing sensitivity of photoelectric shaft-to-code converter for the action of destabilising factors 87−29053
Morshchinin, E.V. *see* Klistorin, I.F. 88−63714
Morshnev, S.K., Fantsesson, A.V. Coherent fiber-optic communications (review) 86−30804
Morshnev, S.K., Ryabov, A.S., Frantsesson, A.V. A fiber thermo-optical attenuator 86−42298
Morshnev, S.K., Ryabov, A.S., Frantsesson, A.V. Fiber lightguides for sensors employing a sharp bend 88−2008
Morshnev, S.K. *see* Ryabov, A.S. 88−16091
Morshnev, S.K. *see* Zatykin, A.A. 85−50939
Morshuis, P.H.F. *see* Kreuger, F.H. 88−74579
Morsi, H.W., Reich, W. A new 32 GHz radio continuum receiving system for the Effelsberg 100-m telescope 86−65038
Morsi, M. *see* Griffeth, N. 85−8224
Morsi, M.F. *see* Abdel-Hamid, R.H. 87−30540, 87−72121
Morsky, J., Sappala, J. Electricity supply quality in network planning 88−17097
Morsky, J., Seppala, J. Integrated control and planning of several voltage levels with special reference to electricity supply quality 85−59708
Morstin, K., Kawecka, B., Edwards, A.A., Booz, J. Numerical estimates of the response functions of microdosimetric proportional counters exposed to neutrons 85−26818
Morstin, K. *see* Kawecka, B. 85−26819
Morstin, K. *see* Schmitz, Th. 86−38849
Morsy, M.A. *see* Shehata, S.A.M. 87−43084
Morsy, M.N. *see* El-Sayed, El-D.M. 85−27798
Mort, J. Xerographic photoreceptors 85−18780
Mort, J. Amorphous tetrahedrally bonded materials for macroelectronics 86−63050
Mort, J. *see* Carasco, F. 85−50297, 86−35468
Mort, J. *see* Chen, I. 87−25219
Mort, J. *see* Grammatica, S. 85−1336
Mort, J. *see* Morgan, M. 85−1337
Mort, J. *see* Steemers, H. 87−17853, 87−24905
Mort, M.S. Static performance modeling of spatially sampled staring imagers 86−69186
Mort, M.S., Srinath, M.D. State space approach to constrained recursive deconvolution of a noisy image sequence 88−66723
Mort, N. *see* Buckley, J.A. 88−37697
Mort, N. *see* Tooke, R.W. 88−11113
Mortara, D. *see* Mertens, J. 85−59296
Mortara, D. *see* Schluter, P. 85−53068
Mortara, M.E. *see* Robinson, J.P. 87−62666
Mortari, G.P. *see* Cennini, P. 86−50312
Mortazavi, A.R. *see* Chen, K. 86−66823
Mortazavi, B. *see* Pleinevaux, P. 88−73543
Mortazavi, P., Shu, D. Thermal conductance of a metallic interface in a vacuum 86−31764
Mortazavi, P., Woodle, M., Rarback, H., Shu, D., Howells, M. High flux photon beam monitor 86−60660
Mortazavi, P. *see* Rarback, H. 86−60650
Mortazawi, A. *see* Kesan, V.P. 88−50354
Morten, B., Prudenziati, M., Sacchi, M., Sirotti, F. Phase transitions in Ru based thick-film (cermet) resistors 88−44495
Morten, B. *see* Masoero, A. 86−62958
Morten, B. *see* Prudenziati, M. 86−14738, 86−35127, 86−53220, 87−29098, 87−56620, 88−1224
Morten, B. *see* Singh, A. 85−34382, 85−45336, 86−8659, 86−14931, 88−42080
Mortensen, A.N. *see* Johnson, G.L. 88−61997
Mortensen, C.E., Hopkins, D.G. Tiltmeter measurements in Long Valley caldera, California 88−30146
Mortensen, C.L. *see* Edmonds, P.D. 88−61326
Mortensen, E. Facsimile: its link in the electronic office 85−57730
Mortensen, E. Trends in electronic mail and its role in office automation 86−30289
Mortensen, E. Innovations in telecommunication networks and online information retrieval in the business environment 87−55580
Mortensen, E. Fax: a simple technology in a complex world 87−76264
Mortensen, H.C. The future district heating supply in the central part of Greater Copenhagen 88−55170
Mortensen, N.P.K. Stability and pointing accuracy of a tactical satellite communications antenna 87−47353
Mortensen, P. Gallium arsenide in Japan 85−28950
Mortensen, R. DPBX-LAN internetworking 88−67033
Mortensen, R.D., Dodds, D.E. Expanding delay protocol ring access method 87−27696
Mortezaie, M., Hu, C.P. Phase tracking measurement of MM-wave mixers 87−14504
Mortezaie, M., Wade, G. Fresnel zone plate and Fresnel phase plate patterns for acoustic transducers 86−12220
Morthorst, T.J. *see* Hof, T.E. 88−39051

Mortier, R. Functional testing of digital cards: an exacting but worthwhile technique 85−11124
Mortier, R. Functional simulator-tester link: a bridge to be consolidated in CAD/CAM 87−14086
Mortime, J.T. *see* Grandjean, P.A. 86−60815
Mortimer, B.C., Moore, M.J., Sablatash, M. The design of a high-performance error-correcting coding scheme for the Canadian Broadcast Telidon system based on Reed-Solomon codes 88−15032
Mortimer, B.C., Moore, M.J., Sablatash, M. A high performance error-correcting scheme for the Canadian broadcast Telidon system based on Reed-Solomon codes 88−40811
Mortimer, B.C. *see* Moore, M.J. 86−30316
Mortimer, J.T. *see* Sweeney, J.D. 86−65397
Mortimer, S. The application of an advanced computer stability program for the calculation of the dynamics of industrial power systems 87−21879
Mortimer, S.H. *see* Beale, M.I.J. 86−21320
Mortimer, S.H. *see* Brown, A.G. 86−21830, 88−57577 to 57578
Mortimer, S.H. *see* Willis, H. 88−26160
Mortimore, D.B. Low-loss 8×8 single-mode star coupler 85−46138
Mortimore, D.B. Wavelength-flattened fused couplers 85−62295
Mortimore, D.B. Wavelength-flattened 8×8 single-mode star coupler 87−12111
Mortimore, D.B. A wavelength flattened 8×8 single-mode star coupler 88−65241
Mortimore, D.B. Fiber loop reflectors 88−72026
Mortimore, D.B., Wright, J.V. Low-loss joints between dissimilar fibres by tapering fusion splices 86−36147
Mortimore, D.B. *see* McDonna, A.P. 85−3444, 85−37066
Mortimore, D.B. *see* Miller, I.D. 87−61114
Mortini, Breizouxa, Gaujour, Gussoni, W. Superficial assembly technologies 86−14671
Mortini, P., Brizoux, M., Gaujour, M. The impact of surface assembly on new generations of equipment 85−50097
Mortini, P., Brizoux, M., Gaujour, M. The impact of surface mounting on the new generations of equipment 86−26649
Mortini, P., Brizoux, M., Gaujour, M.N., Willingshofer, K.-H. The future belongs to the SMDs 86−28378
Morton, A. *see* Dorning, P. 88−60070
Morton, A.C. *see* Drucker, H. 88−3710
Morton, A.R., Clark, M.J. Electronic tuning of magnetron oscillators using PIN diodes 85−61629
Morton, B. Double layer poly for EPROM interconnect 88−32212
Morton, B. *see* Ferguson, D.K. 87−76349
Morton, C.H. *see* Dravida, S. 88−40765
Morton, C.H. *see* Master, M.J. 85−42023
Morton, C.H. *see* Prakash, M.N. 86−16995, 87−33462
Morton, D., Brook, D. On load frequency response testing of electrical machines 86−33427
Morton, D. *see* Bergey, P. 85−31814
Morton, D. *see* Brook, D. 88−37241, 88−48999
Morton, D. *see* Freeman, J.M. 86−26067
Morton, D. *see* Sanford, T.W.L. 86−55980
Morton, D.C., Miller, M.R., Schlam, E. Time response characteristics of TFEL displays 86−38461
Morton, D.C. *see* Miller, M.R. 87−8680
Morton, D.C. *see* Singh, V.P. 88−26987
Morton, D.L. *see* Harrison, W.H. 86−50628
Morton, D.M. *see* Hamilton, S.E. 86−57557
Morton, D.W. *see* Curry, R.D. 87−37080
Morton, E.H. SENTRAX II[−an integrated security display and control system 85−129
Morton, E.J. *see* Keevil, S.F. 87−41947
Morton, G. Integrated pressure sensors in acoustics 87−8587
Morton, G., Tandeske, D. Pressure switches−an introduction 88−12671
Morton, G., von Randow, R., Ringwald, K. A greedy algorithm for solving a class of convex programming problems and its connection with polymatroid theory 85−44626
Morton, G.J.G. *see* Monds, F.C. 87−20623
Morton, I. Programmable array logic 85−44966
Morton, J. Multi-host computing 86−64791
Morton, J., Ely, R.W.J., Wooldridge, A.B. Ultrasonic inspection of gas-cooled reactor standpipes 86−61276
Morton, J. *see* Mauersberger, K. 87−57369
Morton, J.J. Spectral shaping of radio frequency waves 87−19381
Morton, J.L. *see* Normark, W.R. 88−5201
Morton, J.L. *see* Schoebel, K. 85−49998
Morton, J.L. *see* Sleep, N.H. 85−4982
Morton, J.S. Circuit breaker and protection requirements for DC switchgear used in rapid transit systems 85−27580
Morton, J.S. Circuit breaker and protection requirements for DC switchgear used in rapid transit systems 86−12963
Morton, J.S. Horizontal isolation vacuum and SF$_6$ circuit breakers in 15 kV class distribution switchgear 86−56930
Morton, K.W. *see* Barrett, J.W. 88−49739
Morton, L.E. *see* Moe, W.R. 86−10917
Morton, N. The Poynting vector distribution in a simple transformer 87−52916
Morton, P. *see* Brown, G. 88−47962
Morton, P. *see* Shapiro, J. 86−13253
Morton, P.G. Modal balancing of flexible shafts without trial weights 85−48930
Morton, P.G., Johnson, J.H., Walton, M.H. The influence of partial grooving on the dynamic characteristics of hydrodynamic bearings 88−17514
Morton, P.G., Keogh, P.S. Thermoelastic influences in journal bearing lubrication 87−22211
Morton, P.L. Free electron laser research 85−24598
Morton, P.L., Pellegrin, J., Raubenheimer, T., Ross, M. Betatron phase advance measurement at SPEAR 88−54276
Morton, P.L., Pellegrin, J.L., Raubenheimer, T., Rivkin, L., Ross, M., Ruth, R.D., Spence, W.L. A diagnostic for dynamic aperture 86−24957
Morton, P.L. *see* Bane, K.L.F. 87−41780
Morton, P.L. *see* Ruth, R.D. 86−18207
Morton, R. NS 1000 navigation processor 86−55396
Morton, R. *see* McAllister, G. 88−28969
Morton, R.G. *see* Draggoo, V.G. 87−46637
Morton, R.G. *see* McAllister, G.L. 88−8137
Morton, S.G. A fault-tolerant, bit-parallel, cellular array processor 87−37201
Morton, S.G. Smart memories beat bottleneck blues 88−70755
Morton, S.G., Abreu, E. The dynamically reconfigurable CAP Array Chip I 87−5913
Morton, S.G., Abreu, E., Tse, F. ITT CAP−toward a personal supercomputer 86−27219
Morton, S.G. *see* Das, S. 85−47321
Morton, S.G. *see* Jenkins, D.R. 86−46664
Morton, S.K., Popham, S.J. Algorithm design specification for interpreting segmented image data using schemas and support logic 88−3176
Morton, T. Combining millimeter-waves and electro optics. The dual mode seeker approach 88−61734
Morton, T.P. Millimeter wave communications in urban environment 85−8295
Morucci, J.P. Ambulatory medicine−present perspectives and trends 88−61213
Morucci, J.P. *see* Chauveau, N. 86−56147, 88−42571
Morucci, J.P. *see* Darmana, R. 88−61405
Morucci, J.P. *see* Montillot, P. 86−56091
Morucci, J.P. *see* Planes, J.G. 85−9187
Morucci, J.P. *see* Rigaud, B. 88−42493
Morunov, K.A. *see* Bosamykin, V.S. 88−25850
Moruzzi, G. *see* Inguscio, M. 87−26280
Moruzzi, G. *see* Ioli, N. 85−2215, 86−15620
Moruzzi, G. *see* Molinari, A. 86−43693
Moruzzi, G. *see* Mukhopadhyay, I. 88−27031
Moruzzi, J.L. *see* Barlow, K.J. 88−64398
Moruzzi, J.L. *see* Parr, D.T. 88−16172
Moruzzi, R. *see* Farini, A. 86−71103
Moruzzi, V.L. *see* Finstad, T.G. 86−41598
Morvaj, Z. A dynamical model of the electric power system 85−38420
Morvaj, Z. A mathematical model of an electric power system for dynamic state estimation 85−43530
Morvaj, Z. Dynamic state estimation of the electric power system 86−32644
Morvan, A., Chaudel, Y. Teletex, a new transmission service 85−42185
Morvan, D. Telecommunications and microcomputers: the strategic choices implemented in ISO standards on microcomputers 87−13447
Morvan, D., Amouroux, J. Purification of metallurgical silicon by a multiphase plasma process. Physical and chemical characterisation of the photovoltaic material 86−40716
Morvan, D. *see* Amouroux, J. 86−35530, 88−18013
Morvan, J. *see* Algalarrondo, D. 86−37230
Morvic, M. *see* Kordos, P. 86−11086
Morvic, M. *see* Kudela, R. 86−57449, 87−52132
Morvic, M. *see* Malacky, L. 88−9976
Morvic, M. *see* Novak, J. 88−8057
Morvic, M. *see* Pincik, E. 88−50677
Mory, S. *see* Konig, R. 87−39165
Mory, S. *see* Rosenfeld, A. 86−58855
Morz, G., Beis, K., Eckardt, H., Mahr, U. A feed system with monopulse matching for the TV-SAT ground station 87−54761
Morz, G. *see* Speldrich, W. 87−54763
Morzhakov, A.A., Shirshin, S.I. Calculation of the spectrum of real sequences using the fast odd discrete Fourier transform algorithm 87−55089
Morzhakov, A.A. *see* Shirshin, S.I. 87−75812
Morzov, V.V. *see* Kamyshan, A.N. 85−43708
Morzuch, W. Dynamic stability of rotors in dipolar asynchronous motors 85−53690
Morzuch, W. Dynamics of squirrel cage rotors of asynchronous motors 86−33397
Morzuch, W. Vibration of squirrel-cage induction motor rotors 87−4713
Morzuch, W. Dynamic deflections of squirrel-cage induction motor rotors 87−35938
Morzuch, W. Parametric vibrations of cage rotors in two-pole asynchronous motors 87−58091
Mos, G.J. *see* Kits, K.S. 87−71142
Mos, L.S. *see* Gerasimenko, Yu.N. 86−39727
Mosard, G.R. Modeling in systems analysis 85−33059
Mosashvili, Z.I. *see* Abesadze, T.Sh. 86−10063
Mosat, V. *see* Fecko, S. 87−21913
Mosavi, R.K. Comparison of laser and waterjet systems for industrial applications 87−39270
Mosbach, K. *see* Danielsson, B. 88−36424
Mosburger, J. *see* Fehr, M. 88−11519
Mosby, J.D. *see* Law, H.-F.S. 86−28425
Mosby, W.J. *see* Thornton, R.L. 88−72138
Mosca, G. *see* Pinciroli, F. 86−50585
Mosca, L. *see* Berger, C. 88−22937
Mosca, R. *see* Gombia, E. 85−61758
Mosca, R. *see* Passerini, B. 88−30880
Mosca, W. Standards covering safety 85−33113
Mosca, W. *see* Bargigia, A. 86−68055
Mosca, W. *see* Cesari, S. 85−60377, 88−69665
Mosca, W. *see* Farneti, F. 86−51025
Mosca, W. *see* Molteni, E. 85−39161
Moscat, A. *see* Adrados, J.P. 88−11402
Moscatelli, S. *see* Cannat, J. 87−48068
Mosch, W. The electrical breakdown of polymer insulation from a technical view-point 86−63499
Mosch, W., Dietrich, M., Lemke, E., Hauschild, W. Statistical design of large UHV electrodes in air 87−14234
Mosch, W., Eberhardt, M., Petzold, F. Partial discharge phenomena in polymers before channelling and during channel increasing 85−18496
Mosch, W., Eberhardt, M., Petzold, F. Partial discharge phenomena before the inception and during the growth of electrical trees in polymers 85−23998
Mosch, W. *see* Eberhardt, M. 86−47917
Mosch, W. *see* Hauschild, W. 85−27576, 85−65372
Mosch, W. *see* Lemke, E. 85−10447, 86−68040
Moschandreas, D.J. *see* Relwani, S.M. 88−15970
Moschchinskii, Yu.A. *see* Bespalov, V.Ya. 85−32450
Moschella, U. *see* Passerini, B. 88−30880
Moschetto, Y. *see* Ledee, R. 87−63830
Moschetto, Y. *see* Mordon, S.R. 88−14322, 88−54613
Moschetto, Y. *see* Plancot, M. 87−57227
Moschetto, Y. *see* Richaume, A. 88−68497
Moschetto, Y. *see* Sozanski, J.P. 88−61433
Moschim, E., Ding, H., Destrez, A., Attal, G. Influence of LED optical characteristic variations on performance of a plastic optical fiber transmission link 88−73933
Moschini, G. *see* Belli, M. 87−63752
Moschini, G. *see* Cherubini, R. 86−44538, 88−61135
Moschini, G. *see* Tuniz, C. 85−31764
Moschini, P. *see* Pons, M. 86−58419
Moschopoulos, P.G., Canada, W.B. The distribution function of a linear combination of chi-squares 85−33282
Moschuring, H., Wolff, I. Inhomogeneous open-ended resonators as microwave sensor elements 85−20698
Moschuring, H., Wolff, I. The measurement of inhomogeneities and of the permittivity distribution in MIC substrates 87−66566
Moschuring, H. *see* Gronau, G. 85−11537, 86−68918
Moschwitzer, A. Interaction of microelectronics and informatics 88−13528
Moschwitzer, A., Forste, T., Nebe, M. Why CMOS for VLSI? 87−25567
Moschwitzer, A. *see* Albrecht, W. 85−17083
Moschwitzer, A. *see* Krauss, M. 86−15263
Moschwitzer, A. *see* Rottler, O. 86−63450
Moschwitzer, A. *see* Schuffny, R. 85−18362
Moschytz, G.S. Elements of four-port matrix theory as required for SC network analysis 87−59128
Moschytz, G.S., Mulawka, J.J. Direct analysis of stray-insensitive switched-capacitor networks using signal flow graphs 86−46968
Moschytz, G.S., Mulawka, J.J. New methods of direct closed-form analysis of switched-capacitor networks 86−66996
Moschytz, G.S. *see* Christen, E. 85−23015
Moschytz, G.S. *see* Fischer, G. 85−926, 85−17663, 85−55015, 86−1232
Moschytz, G.S. *see* Gerber, A. 85−31850
Moschytz, G.S. *see* Hokenek, E. 85−17677
Moschytz, G.S. *see* Kalin, A. 87−10963
Moschytz, G.S. *see* Kelin, A. 87−66352
Moschytz, G.S. *see* Mijat, N. 86−46976
Moschytz, G.S. *see* Mulawka, J.J. 85−28331, 86−13960
Moschytz, G.S. *see* Sigg, R.P. 88−25324
Moschytz, G.S. *see* Uvacek, B. 88−74882
Moschytz, G.S. *see* von Grunigen, D.C. 86−41219
Moscicka-Grzesiak, H., Gruszka, H., Stroinski, M. Influence of electrode curvature of predischarge phenomena and electric strength at 50 Hz of a vacuum gap 88−38961
Moscicka-Grzesiak, H. *see* Gruszka, H. 86−8680

Moscicka-Grzesiak, H. *see* Krolikowski, Cz. 87−72343
Mosco, V. *see* Pike, R. 87−2807
Moscony, J.J. *see* Maynard, R.B. 86−57490
Moscoso, L. *see* Berger, C. 88−22937
Moscovitch, M. *see* Horowitz, Y.S. 87−57256
Moscovitz, H.S. *see* Hayes, W.P. 86−20598
Moscovitz, H.S. *see* Kershaw, R.N. 86−8306
Mosebach, H. *see* Asper, H.K. 87−36177
Mosebach, H. *see* Mayer, R. 85−38973, 87−22310
Mosebach, H. *see* Weh, H. 85−27395, 85−39004
Moseev, G.I. *see* Frolov, K.V. 87−64534
Moseev, G.I. *see* Popyrin, L.S. 86−70819
Moseev, V.V., Anaskin, I.F., Stoyanov, P.A., Tikhonov, D.D. Electron-optical column of an electron microscope 85−6677
Moseev, V.V. *see* Moseeva, N.M. 85−6676
Moseeva, N.M., Anaskin, I.F., Moseev, V.V. Electron energy analyzer for a transmission electron microscope 85−6676
Moseeva, N.M., Anaskin, I.F., Stoyanov, P.A. Lanthanum-hexaboride cathode for an electron microscope 85−6636
Mosekilde, E. *see* Szymkat, M. 87−31679
Mosekilde, L. *see* Jensen, F.T. 85−4288
Mosel, H.-J. Home communication systems 86−64443
Mosel, H.-J., Roth, D. Broadband ISDN in the home environment 86−54677
Moseley, A.J., Hankey, J., Debney, B.T., Monham, K.L., Stone, L.G., Cooper, P.D. GaInAs PIN−GaAs IC preamplifier receiver for high data rate long wavelength optical fibre systems 87−38966
Moseley, A.J., Scott, M.D., Moore, A.H., Wallis, R.H. High-efficiency, low-leakage MOCVD-grown GaInAs/AlInAs heterojunction photodiodes for detection to 2.4 μm 87−13696
Moseley, A.J., Scott, M.D., Williams, P.J., Wallis, R.H., Davies, J.I., Riffat, J.R. Exciton electroabsorption at room temperature in InGaAs/InP multiquantum-well structures grown by atmospheric-pressure MOCVD 87−53235
Moseley, A.J., Urquhart, J., Hodson, P.D., Riffat, J.R., Davies, J.I. InGaAs/InP SAGM Avalanche photodiodes incorporating a pseudo-quaternary superlattice graded heterojunction grown by atmospheric pressure MOCVD 88−2115
Moseley, A.J., Urquhart, J., Riffat, J.R. High-speed GaInAs/InP multiquantum well avalanche photodiodes grown by atmospheric-pressure MOCVD 88−33870
Moseley, A.J. *see* Humphreys, D.A. 88−40066
Moseley, A.J. *see* Scott, M.D. 87−18845
Moseley, A.J. *see* Sussmann, R.S. 85−56431
Moseley, G. CMOS Manchester code converter for local area networks 85−25544
Moseley, G. Synchronize fault and SOE recorder time codes precisely [power system appl.] 88−17223
Moseley, G. *see* Rauh, G. 85−52087
Moseley, H., Davison, M., Allan, D. Beam divergence of medical lasers 85−59344
Moseley, P., McGeehin, P. Solid state gas sensing−a moving technology 88−22526
Moseley, P.T., Williams, D.E., Norris, J.O.W., Tofield, B.C. Electrical conductivity and gas sensitivity of some transition metal tantalates 88−44561
Moseley, P.T. *see* McAleer, J.F. 86−44244, 86−44291
Moseley, P.T. *see* Miasik, J.J. 88−9974
Moseley, P.T. *see* Williams, D.E. 88−35939
Moseley, P.T., Tofield, B.C. *(editor)* Solid state gas sensors 88−55808
Moseley, R. Engineering workstation aids logic array design 85−10941
Moseley, S.H., Kelley, R.L., Mather, J.C., Mushotzky, R.F., Szymkowiak, A.E., McCammon, D. Thermal detectors as single photon X-ray spectrometers 85−43317
Moseley, S.H., Kelley, R.L., Schoelkopf, R.J., Szymkowiak, A.E., McCammon, D., Zhang, J. Advances toward high spectral resolution quantum X-ray calorimetry 88−61205
Moseley, S.H. *see* Dragovan, M. 85−52716
Moseley, S.H. *see* McCammon, D. 86−50329, 88−36396
Mosely, J., Humblet, P.A. A class of efficient contention resolution algorithms for multiple access channels 85−30143
Mosely, J.D. NAPLPS chip sets, though scarce, satisfy limited US videotex demand 85−36676
Moser, A. *see* Meier, H.P. 88−72313
Moser, A.T., Pierce, T.D. Optimization of an arrhythmia classification decision rule based on a fixed parameter set over an augmented MIT-BIH arrhythmia database 85−9206
Moser, B. *see* Langen, B. 86−4244
Moser, B. *see* Meller, T. 88−5997
Moser, F. *see* Sa'ar, A. 86−68231, 87−18711, 88−58121
Moser, H. Testing methods−testing techniques [PCBs] 85−33136
Moser, H.-G. *see* Grassmann, H. 85−31700
Moser, H.G. *see* Grassmann, H. 85−37906, 85−43183, 85−59175
Moser, H.O. Lattice design considerations for compact storage rings 88−47805
Moser, H.O., Dragt, A.J. Influence of strongly curved large-bore superconducting bending magnets on the optics of storage rings 87−56960
Moser, H.O., Krevet, B., Dragt, A.J. Nonlinear beam optics with real fields in compact storage rings 88−36319
Moser, H.O., Krevet, B., Dragt, A.J. Nonlinear beam optics with real fields in compact storage rings 88−47851
Moser, H.O., Schempp, A. Cluster ion acceleration with the radiofrequency quadrupole 87−56957
Moser, H.O. *see* Ehrfeld, W. 88−39249
Moser, H.O. *see* Krevet, B. 88−47905
Moser, H.P. The short circuit behaviour of transformer insulating material 87−36001
Moser, H.P., Dahinden, V., Kirch, H.J., Schneider, E. New aspects on Transformerboard insulation 86−70962
Moser, H.P. *see* Dahinden, V. 86−12882
Moser, J. One thousand word recognizer expands applications for voice input 86−48812
Moser, J. Regular maintenance of overhead distribution lines as a condition in fire protection 87−50823
Moser, J., Smolak, A. Fuel supply for the Voitsberg 3 thermal power station 85−9736
Moser, J. *see* Janicijevic, Lj. 85−29947
Moser, J.M. *see* Westerkamp, J.J. 85−48311
Moser, J.R. Peripheral cable-shield termination: the system EMC kernel 86−36751
Moser, J.R. Low-frequency low-impedance electromagnetic shielding 88−72573
Moser, K., Brechter, M., Prettl, W. Photoconductive infrared excitation spectrum of GaP diode wafers and application as an infrared imaging system 88−26938
Moser, K., Eisfeld, W., Penzenstadler, W., Prettl, W. High-speed infrared-to-visible up-conversion by free-to-bound transitions in GaP light emitting diodes 86−15586
Moser, K., Eisfeld, W., Prettl, W. High-speed photoconductivity of GaP light-emitting diodes at liquid-nitrogen temperature 85−51064
Moser, K., Eisfeld, W., Werling, U., Wahl, S., Prettl, W. High-speed photoconductivity and infrared to visible up-conversion in GaP light-emitting diodes 85−7325
Moser, K., Prettl, W. Saturation behavior of extrinsic photoconductivity in GaP light emitting diodes at high infrared intensities 86−36355
Moser, K., Wahl, S., Eisfeld, W., Prettl, W. Infrared spectral distribution of photoconductivity and up-conversion in GaP light emitting diodes 85−51065
Moser, K. *see* Bock, W. 87−2041
Moser, K.-D. Screening [electrical component testing] 85−22228
Moser, K.-D. Transistors for microwaves. I. Bipolar transistors 86−8454
Moser, K.-D. Transistors for microwaves. II. Field effect transistors 86−14495
Moser, K.D. Diodes 85−29187
Moser, K.D. Coaxial vectorial network analyser for 40 GHz 88−35877
Moser, K.M. *see* Shure, D. 85−38072, 87−41951
Moser, L.M. In situ controlled MCL judgement and selective amplification by hearing aids 88−16783
Moser, M. A construction method for binary sequences with low anticyclic autocorrelation sidelobes 86−59190
Moser, M. GADD−a tool for graphical animated design and debugging 88−8938
Moser, M.R. The transition from technical work to managerial work 88−31356
Moser, M.R. The first-time RD&E manager 88−31382
Moser, M.R., Morrissey, B. Achievement recognition in a research and development unit 85−16660
Moser, M.R., Plante, M.S. Linking R&D with the strategic management process of the firm 87−58606
Moser, P.J., Uberall, H., Brown, S.H., D'Archangelo, J.M., Merchant, B.L., Nagl, A., Yoo, K.B. Complex eigenfrequencies of axisymmetric objects: physical interpretation in terms of resonances 85−13073
Moser, R., Stover, J. Generation of pseudo-random sequences for spread spectrum systems 86−3774
Moser, R. *see* Owens, D.R. 88−75236
Moser, R. *see* Shattuck, D.M. 87−64384
Moser, R.L. High-voltage, high-power architecture considerations 86−38896
Moser, R.L., Griesbach, C.R. Generalized control and protection for series resonant-based converters 85−49027
Moser, R.L. *see* Griesbach, C.R. 86−39950
Moser, U. *see* Dietl, H. 85−48166
Moser, W. Pumping water using photovoltaic energy 85−48893
Moser, W. *see* Kampel, P. 88−23726
Moser, W.O.J. The number of subsets without a fixed circular distance 87−10263
Moser, W.R., Briere, D.S., Correia, R., Rossetti, G.A., Jr. Kinetics of iron-promoted silicon nitridation 87−32421
Moses, A.J. Effects of magnetic properties and geometry on flux harmonics and losses in 3-phase, 5-limb, split-limb, transformer cores 88−55403
Moses, A.J., Jones, R.M. Application of ferromagnetic magneto resistive sensors in mapping of steel structures 88−43987
Moses, A.J., Sakaida, A. Effect of distorted flux density on three phase transformer cores assembled from high quality electrical steels 87−18530
Moses, A.J., Shirkoohi, G.H. Iron loss in non-oriented electrical steels under distorted flux condition 88−57908
Moses, C.J. *see* Eggleston, A.W. 85−39208
Moses, D., Colaneri, N., Heeger, A.J. Alkali vapor phase doping of polyacetylene 86−53535
Moses, D., Sinclair, M., Heeger, A.J. Carrier photogeneration and mobility in polydiacetylene: fast transient photoconductivity 87−61025
Moses, D.L., Lanning, W.D. Analysis and evaluation of recent operational experience from the Fort St. Vrain HTGR 86−39427
Moses, F.L. *see* Halpin, S.M. 86−69288
Moses, G.A. *see* Corradini, M.L. 86−6518
Moses, G.A. *see* Peterson, R.R. 87−14665
Moses, H.E. A solution of the time-dependent inverse source problem for three-dimensional electromagnetic wave propagation 85−51410
Moses, H.E., Prosser, R.T. Initial conditions, sources, and currents for prescribed time-dependent acoustic and electromagnetic fields in three dimensions. I. The inverse initial value problem−acoustic and electromagnetic 'bullets', expanding waves, and imploding waves 86−48522
Moses, J., Sigmon, M. A test for optical fiber coating strippability 88−26822
Moses, K.G. ICRF power capacity of water-filled waveguides 88−19310
Moses, K.G. *see* Trow, J.R. 88−10196
Moses, K.M. *see* Kramer, D. 87−48748, 88−9361
Moses, R., Stoica, P., Fredlander, B., Soderstrom, T. An efficient linear method of ARMA spectral estimation 87−62091
Moses, R.L., Beex, A.A. A comparison of ARMA numerator estimators 86−3907
Moses, R.L., Beex, A.A. A comparison of numerator estimators for ARMA spectra 87−19665
Moses, R.L., Beex, A.A. Instrumental variable adaptive array processing 88−52297
Moses, R.L., Cadzow, J.A., Beex, A.A. A recursive procedure for ARMA modeling 86−23012
Moses, R.L., Carl, J.W., Jr. Autoregressive modeling of radar data with application to target identification 88−60229
Moses, R.L., Liu, D. Determining the closest stable polynomial to an unstable one 88−70195
Moses, R.L., Liu, D. On non-negative definiteness of estimated moving average autocovariance sequences 88−73058
Moses, R.L. *see* Carriere, R. 88−60230
Moses, R.L. *see* Smith, R.N. 85−25138
Moses, R.W. Improved signal processing for compact disc audio systems 88−47371
Moses, R.W., Heighway, E.A., Christian, R.S., Dragt, A.J. Scaling laws for aberrations in magnetic quadrupole lens systems 88−54324
Moses, W.W. *see* Derenzo, S.E. 88−61259
Moses, W.W. *see* Huesman, R. 88−61273
Moses, Y., Dolev, D., Halpern, J.Y. Cheating husbands and other stories: a case study of knowledge, action, and communication 87−12863
Moses, Y., Tuttle, M.R. Programming simultaneous actions using common knowledge: preliminary version 87−33853
Moseson, R.S. Packet radio, how to work it (not how it works). II. Conclusion 86−69572
Mosetti, F. Filter devices for numerical series analysis: a review of the periodicities analysis 87−39725
Mosetti, F., Purga, N. The least squares method as a filter: the related power in the spectrometry 87−21787
Mosey, D. How Canada has controlled the spent fuel storage problem 85−38727
Moshak, N.N. *see* Amosov, A.A. 86−23178
Moshchalkov, V.V. *see* Brandt, N.B. 85−11940
Moshchenko, S.P. *see* Al'perovich, V.L. 86−9661
Moshchinskii, Yu.A., Anfinogentov, O.N. Calculating the eddy-current losses in laminated ferromagnetic cores 85−41036
Moshchinskii, Yu.A., Pogosyan, A.S. Use of phase surface method to determine moment at which synchronous reluctance motor becomes synchronous 86−6704
Moshchinskii, Yu.A. *see* Anfinogentov, O.N. 85−19090
Moshchinskii, Yu.A. *see* Astakhov, N.V. 87−22334
Moshchinskii, Yu.A. *see* Bespalov, V.Ya. 85−65245, 88−23856, 88−43190
Moshel', N.V. *see* Gritsenko, N.I. 88−64342

Moshell, J.M., Hughes, C.E., Lacy, L.W., Lewis, R.L. Action graphics: an interactive spreadsheet-based animation system for simulation and training 88−75028
Mosher, C. *see* Pizer, S.M. 88−48228
Mosher, C.C., Hower, G.L., Shamash, Y. The Power Professorship Program at Washington State University [educational courses] 88−43631
Mosher, C.E., Jr., Sherouse, G.W., Chaney, E.L., Rosenman, J.G. 3D displays and user interface design for a radiation therapy treatment planning CAD tool 88−74870
Mosher, C.E., Jr., Sherouse, G.W., Mills, P.H., Novins, K.L., Pizer, M., Rosenman, G., Chaney, E.L. The virtual simulator [radiation therapy] 87−50400
Mosher, D. *see* Apruzese, J.P. 88−58454
Mosher, D. *see* Cabrera, L.F. 86−37565
Mosher, D. *see* Camarcat, N. 86−20366
Mosher, D. *see* Grossman, J.M. 88−30797
Mosher, D. *see* Grossmann, J.M. 88−30961
Mosher, D. *see* Scherrer, V.E. 88−40157
Mosher, D. *see* Sutton, S. 87−8683
Mosher, D. *see* Watrous, J.J. 88−42381
Mosher, D.L., Moran, J.E. The SILC silicon compiler: a designer's view 87−451
Mosher, R.E. Evolution of subscriber loop systems−the history of ISSLS technical issues 87−40519
Moshey, E. *see* Hill, K.W. 85−52983
Moshey, E.A. Mechanical design highlights of TFTR X-ray diagnostics 85−4250
Moshfeghi, M. Ultrasound reflection-mode tomography using fan-shaped-beam insonification 86−46401
Moshfeghi, M., Hansted, P.D. Ultrasound reflection tomography of cylindrical rods 86−5926
Moshfeghi, M., Hanstead, P.D. Three-dimensional acoustic images of cylindrical objects 87−377
Moshier, W.C., Tu, D.-W., Davis, G.D. Oxygen contamination of Ge during thermal evaporation for Ohmic contacts to GaAs 88−50751
Moshin, M. *see* Affrossman, S. 88−64475
Moshin, V.I., Kharshiladze, N.Sh. Photoelectric control of the dependence of the electrical parameters of semiconductor structures on their mode of operation 85−41278
Moshinskii, A.E. *see* Gromov, V.I. 85−49764
Moshkalev, S.A. *see* Batishche, S.A. 86−3315
Moshkin, E.A., Sloarzh, A.M., Fainberg, E.V. Centralised fault-clearance automatic-control system for the 500 kV Urals power pool 86−32811
Moshkin, V.I. *see* Lazarenko, I.P. 88−13598
Moshkov, A.V. The electromagnetic field of a loop antenna situated in a cold, multicomponent, magnetically active plasma (ionosphere) 87−68847
Moshkov, A.V. *see* Aksenov, V.I. 88−72478
Moshkov, A.V. *see* Ivanov, A.V. 87−35492
Moshnikov, I.S. *see* Acharya, Y.B. 85−48471
Moshnikov, I.S. *see* Ermakov, V.I. 87−21087
Moshnikov, O.S., Kolesnichenko, V.N. Cherenkov radiation as a means of radio isotope diagnosis of eyeball tumors 86−65418
Moshnikov, V.A. *see* Dedegkaev, T.T. 86−66846
Moshnikov, V.A. *see* Valatska, K. 86−63160
Moshnina, E.N. *see* Popov, P.A. 86−16346
Moshnyaga, V.G. A combined algorithm for modeling time change for LSI functional-logic simulation systems 86−46443
Moshnyaga, V.G., Tikhomirova, E.M., Frolkin, V.T. Dynamic hierarchic modeling of large scale integrated circuit digital devices 87−31777
Moshnyaga, V.G. *see* Frolkin, V.T. 87−53607
Moshnyaga, V.T., Golant, K.M., Veselago, V.G. Surface effects in the conductivity and photoconductivity of the magnetic semiconductor $CdCr_2Se_4$ 85−11973
Moshrefzadeh, R., Svensson, B., Mai Xu, Seaton, C.T., Stegeman, G.I. Chirped gratings for efficient coupling into nonlinear waveguides 87−68028
Moshrefzadeh, R. *see* Fortenberry, R.M. 87−7073, 88−33730
Moshrefzadeh, R. *see* Xu Mai 86−2843
Moshrezadeh, R., Xu Mai, Seaton, C.T., Stegeman, G.I. Efficient grating couplers for polymer waveguides 87−60892
Moshtev, R., Manev, V., Puresheva, B., Pistoia, G. The $NaCrS_2$ cathode material. IV. Effect of vanadium substitution on its physical properties and electrochemical performance in secondary Li cells 86−66301
Moshtev, R. *see* Podhajecky, P. 85−44150
Moshtev, R.V., Manev, V., Nassalevska, A., Pistoia, G. Optimization of the efficiency and cycling performance of $Na_{0.1}CrS_2$ electrodes in nonaqueous secondary lithium cells 85−39188
Moshtev, R.V. *see* Pasquali, M. 87−30905
Moshtev, R.V. *see* Pistoia, G. 85−49068, 85−53811
Mosier, R.G. Root neighborhoods of a polynomial 86−66756
Mosig, J. *see* Assailly, S. 88−20999
Mosig, J. *see* Roudot, B. 88−40659
Mosig, J.R. Green's functions for microstrip antennas in multilayered substrates 88−960
Mosig, J.R. Conjugate gradient method applied to electromagnetism 88−20823
Mosig, J.R. Arbitrarily shaped microstrip structures and their analysis with a mixed potential integral equation 88−32385
Mosig, J.R., Gardiol, F. Analytical and numerical techniques for the analysis of microstrip antennas 86−10178
Mosig, J.R., Gardiol, F.E. Polarization state and input impedance of arbitrarily shaped microstrip antennas 85−11506
Mosig, J.R., Gardiol, F.E. Radiation of an arbitrarily shaped microstrip antenna 85−51494
Mosig, J.R., Gardiol, F.E. General integral equation formulation for microstrip antennas and scatterers 86−29595
Mosig, J.R., Gardiol, F.E. The effect of parasitic elements on microstrip antennas 86−43031
Mosig, J.R., Gardiol, F.E. Asymptotic and numerical techniques for evaluating Fourier and Hankel transforms in electromagnetics 86−63904
Mosig, J.R., Gardiol, F.E. Solving the microstrip antenna problem with a method of moments: several numerical experiments 88−40704
Mosig, J.R., Roudot, B., Gardiol, F. An integral equation technique to study coupling between adjacent patch antennas 88−7035
Mosig, J.R., Sarkar, T.K. Electromagnetic fields from a horizontal electric dipole above a lossy dielectric backed by an imperfect ground plane 86−29571
Mosig, J.R., Sarkar, T.K. Comparison of quasistatic and exact electromagnetic fields from a horizontal electric dipole above a lossy dielectric backed by an imperfect ground plane 86−48633
Mosig, J.R. *see* Barlatey, L. 88−40701
Mosig, J.R. *see* Hall, R.C. 88−27688
Mosig, J.R. *see* Roudot, B. 88−27600
Mosimann, P. *see* Lang, T.A. 85−10289
Mosin, M.F. *see* Krut', N.S. 86−32755
Mosin, Yu.M. *see* Sotnikov, V.E. 86−13896
Mosina, G.N. *see* Argunova, T.S. 88−20509
Mosinger, H. Vibration analysis in machine construction 88−11186
Mosionzhik, A.I. *see* Melititskiy, V.A. 88−72551
Moskal, S., Sobota, J. Selected stability problems of pulverized coal combustion on the example of the BB-1150 boiler 88−69161
Moskal, T.E., Childerson, M.T., Carter, H.R. THEDA-2 code verification with data from model tests of a once-through steam generator 85−4794
Moskalenko, A.A., Kulakov, G.T., Korobskii, V.A., Kulakov, A.T., Martinkevich, V.E. Digital-analogue adjustment complex based on microcomputer 86−12777
Moskalenko, A.A. *see* Sushchuk-Slyusarenko, I.I. 85−27850
Moskalenko, A.I. *see* Borisov, V.A. 86−70106
Moskalenko, A.V. *see* Asnis, L.N. 88−8759
Moskalenko, D.V. *see* Vakker, R.A. 87−66447
Moskalenko, G.A. *see* Shidlovskii, A.K. 87−64711
Moskalenko, I.V. *see* Klimenko, E.Yu. 88−71987
Moskalenko, M.A. Finding range over which laser with passive modulation of resonator Q-factor exhibits single giant pulse 87−26459
Moskalenko, S.A. A method for calculating the probability of interruption of tracking in radio measurement systems 87−34644
Moskalenko, S.A. Aggregating the models of search-tracking measures for multistep procedures of signal searching and measurement reliability checking 87−41440
Moskalenko, S.A. *see* Katikov, V.M. 87−44686
Moskalenko, V.I., Ostrovskaya, E.L., Roitberg, A.Kh. Equipment for working inspection and testing of stators for induction motors of up to 100 kW capacity 85−48961
Moskalenko, V.N., Kudryavtsev, E.P. Statistical estimation of electrodynamic durability of busbar lines in switchgear for electrical installations 88−5799
Moskalenko, V.V., Lisitsyn, K.V., Kustov, V.P. Testing the applications of pulse end seals in fast−turning pumps for nuclear power plants 86−61221
Moskalev, L.L. *see* Gurevich, V.M. 85−11887 to 11888
Moskalev, V.A. *see* Knizhnik, E.I. 87−21344
Moskalev, V.M. *see* Balakshii, V.I. 85−12684
Moskalev, V.N. *see* Deryagin, A.V. 85−24080
Moskalik, J.M. *see* Antaya, T.A. 88−74718
Moskalik, J.M. *see* Lawton, D. 85−58986
Moskalik, L.M. *see* Bliznyuk, Yu.A. 88−67666
Moskalik, L.M. *see* Kazaryan, A.A. 88−74363
Moskaluk, P., Moore, J.W., Moore, E.A. CHYMNET, a new wave of communication: computerized conferencing 85−36722
Moskalyuk, V.A., Timofeev, V.I., Shovkun, I.D. A distributed model of microwave field-effect transistor 87−53451
Mosko, J.A. An introduction to wideband, two-channel, direction-finding systems. II 85−3542
Mosko, J.D. *see* Liu, Y.J. 88−21144
Mosko, M., Novak, I., Quittner, P. On the analytical approach to the real space electron transfer in GaAs-AlGaAs heterostructures 88−32895
Mosko, S.W. *see* Jones, C.M. 86−38627, 88−47754
Mosko, S.W. *see* Olsen, D.K. 87−56948
Moskoff, G.R. Field experience with the NEAX 2400 IMS telephone system 85−42160
Moskoff, G.R. Options for call accounting 86−54787
Moskovkin, V.A. *see* Vilisova, M.D. 87−36702
Moskowicz, S. Precise measurement of phase shift in the vicinity of $\pi/2$ radians 88−22736
Moskowitz, A. *see* Thompson, W. 87−11532
Moskowitz, B.E., Rogers, J. Analysis of a microwave cavity detector coupled to a noisy amplifier 88−29911
Moskowitz, G.D. *see* Hillstrom, H.J. 85−43445, 86−60833
Moskowitz, G.D. *see* Triolo, R.J. 85−43444, 85−48283, 86−56131, 87−57238
Moskowitz, H. Risk preference, multiple attributes, and multiple criteria in Bayesian acceptance sampling plans 86−210
Moskowitz, H., Wallenius, J. Conditional versus joint probability assessments 85−278
Moskowitz, I. *see* Waaben, S. 85−65413
Moskowitz, L. Knowledge-based circuit design 86−34735
Moskowitz, L. The LDA−an integrated diagnostics tool 86−62504
Moskowitz, M. *see* Fong, Y.S. 85−31810
Moskowitz, P., Whitney, F., Maya, J. Efficacy increases in fluorescent lamps under axial and transverse magnetic fields 87−64943
Moskowitz, P.A. Graded step crossing by laser chemical vapor deposition [microelectronic circuitry fabrication] 85−11798
Moskowitz, P.A., Davidson, A. Laser-assisted dry process soldering 85−60759
Moskowitz, P.A., Yeh, H.L., Ray, S.K. Thermal dry process soldering 86−67611
Moskowitz, P.A. *see* Marks, R.F. 85−6833
Moskowitz, P.D., Fthenakis, V.M., Hamilton, L.D., Lee, J.C. Public health issues in photovoltaic energy systems: an overview of concerns 87−43915
Moskowitz, P.D., Fthenakis, V.M., Hamilton, L.D., Lee, J.C., Bulawka, A. Gas health and safety hazards and controls associated with the production of thin-film photovoltaic cells 87−9842
Moskowitz, P.D., Fthenakis, V.M., Kalb, P.D. Preventing and controlling accidental gas releases 88−75935
Moskowitz, P.D. *see* Fthenakis, V.M. 85−10106, 87−51473, 88−31020, 88−75928
Moskowitz, P.D. *see* Hamilton, L.D. 88−75927
Moskowitz, P.D. *see* Lee, J.C. 87−22752
Moskowitz, P.D. *see* Wilenitz, I. 86−26305
Moskowitz, R. Integrating voice and data. II. Here comes the ISDN 85−63167
Moskowitz, R.A. Making micro messages fly [modems] 85−30765
Moskowitz, R.A. TCP/IP: stairway to OSI 86−54876
Moskowitz, S. *see* Wolf, J. 85−4967
Moskvichev, N.N. *see* Chernyshev, V.K. 88−43308
Moskvichev, V.A. *see* Matakov, V.I. 86−70309
Moskvicheva, I.Yu. *see* Melekhin, G.V. 86−68467
Moskvin, A.I. *see* Rogozhkin, V.V. 86−39270
Moskvin, G., Sorochinsky, V. USSR−future use of terrestrial and space radio navigation systems 88−60337
Moskvin, G.I., Sorochinsky, V.A. Integrated navigation and electronic chart display systems 88−35621
Moskvin, G.I., Sorochinsky, V.A. Integrated navigation and electronic chart display systems 88−60304
Moskvin, G.I. *see* Zurabov, Y.G. 87−41144
Moskvin, P.P. *see* Gorelenok, A.T. 87−53243
Moskvin, P.P. *see* Kuznetsov, V.V. 85−44694, 88−6459, 88−38161
Moskvitin, V.D. Statistical determination of the characteristics of the group transmission time in channels and trunks 85−7683
Moskwa, J. *see* Fitting, D.W. 87−3965
Mosl, H. An angiography installation for use in neuroradiology 85−9166
Mosland, O.P. *see* Finnset, T. 88−17153
Mosleh, A., Apostolakis, G. The development of a generic data base for failure rates 85−43769
Mosleh, A., Bier, V.M., Apostolakis, G. A critique of current practice for the use of expert opinions in probabilistic risk assessment 88−36944
Mosleh, A., Dorre, P. Comments on 'event-based multiple malfunction model' [and reply] 88−49589
Mosleh, A. *see* Fleming, K.N. 85−43730
Moslehi, B. Analysis of optical phase noise in fiber-optic systems employing a laser source with arbitrary coherence time 87−12125
Moslehi, B. *see* Brroks, J.L. 87−68107
Moslehi, B. *see* Jackson, K.P. 85−35465
Moslehi, B. *see* Tur, M. 85−41138
Moslehi, G.B., Self, S.A. Electromechanics of precipitated particulate layers 85−24748

Moslehi, K. *see* Sherkat, V.R. 85−60058, 88−11138

Moslehi, M.M. Rapid thermal/plasma processing for in-situ dielectric engineering 88−44686

Moslehi, M.M. Single-wafer optical processing of semiconductors: thin insulator growth for integrated electronic device applications 88−71404

Moslehi, M.M., Fu, C.Y., Saraswat, K.C. Thermal and microwave nitrogen plasma nitridation techniques for ultrathin gate insulators of MOS VLSI 86−41976

Moslehi, M.M., Fu, C.Y., Saraswat, K.C., Bruce, R. Low temperature direct nitridation of silicon in nitrogen plasma generated by microwave discharge 86−20109

Moslehi, M.M., Fu, C.Y., Sigmon, T.W., Saraswat, K.C. Low-temperature direct nitridation of silicon in nitrogen plasma generated by microwave discharge 86−2038

Moslehi, M.M., Han, C.J., Saraswat, K.C., Helms, C.R., Shatas, S. Compositional studies of thermally nitrided silicon dioxide (nitroxide) 86−9029

Moslehi, M.M., Sarasvat, K.C., Shatas, S.C. Rapid thermal growth of thin insulators on Si 87−11661

Moslehi, M.M., Saraswat, K.C. Thermal nitridation of Si and SiO_2 for VLSI 85−35162

Moslehi, M.M., Saraswat, K.C. Studied of trapping and conduction in ultrathin SiO_2 gate insulators 85−50324

Moslehi, M.M., Saraswat, K.C. Ultrathin thermal silicon nitride and nitroxide gate insulators for VLSI 85−50326

Moslehi, M.M., Saraswat, K.C. Formation of MOS gates by rapid thermal/microwave remote-plasma multiprocessing 87−74148

Moslehi, M.M., Saraswat, K.C. Microwave plasma LPCVD of tungsten in a cold-wall lamp-heated rapid thermal processor 88−38261

Moslehi, M.M., Shatas, S.C., Saraswat, K.C. Thin SiO_2 insulator grown by rapid thermal oxidation of silicon 86−21381

Moslehi, M.M., Shatas, S.C., Saraswat, K.C. Rapid thermal oxidation and nitridation of silicon 87−17990

Moslehi, M.M., Shatas, S.C., Saraswat, K.C., Meindl, J.D. Interfacial and breakdown characteristics of MOS devices with rapidly grown ultrathin SiO_2 gate insulators 87−60465

Moslehi, M.M., Wong, M., Saraswat, K.C., Shatas, S.C. In-situ MOS gate engineering in a novel rapid thermal/plasma multiprocessing reactor 88−7754

Moslehi, M.M., Wright, P.J., Saraswat, K.C. Submicrometer IGFET fabrication by rapid thermal processing 88−33213

Moslehi, M.M. *see* Crabbe, E. 88−7585

Moslehi, M.M. *see* Han, C.J. 85−34833

Mosley, A. Liquid crystals and optical storage 85−51007

Mosley, A., Nicholas, B.M., Gass, P.A. Surface alignment of liquid crystals by rubbed polymer layers 87−26096

Mosley, A. *see* Gass, P.A. 88−16357

Mosley, A. *see* Van Ewyk, R. 87−3653

Mosley, A. *see* van Ewyk, R.L. 87−14386

Mosley, D.R. A 'C' compiler for the MC68HC11 86−46900

Mosley, E.C. DOBS keeps the echo out of the LATA switched access network 86−68798

Mosley, J.D. JEDEC standards for sub-5 V chips to guide future submicron VLSI designs 85−50611

Mosley, J.D. Custom cable assemblies can improve device reliability, save time and money 86−35169

Mosley, J.D. Process techniques promise price cuts for plasma- and EL-display drivers 86−50152

Mosley, J.D. Lab/benchtop power supplies offer a wide range of functions 86−61584

Mosley, J.D. Advances in flat-panel-display technology improve display features and cut prices 87−3652

Mosley, J.D. Expert systems as engineering tools will broaden productivity/creativity options 87−23817

Mosley, J.D. Self-calibrating 16-bit A/D converter guarantees no missing codes to 50 kHz 87−37394

Mosley, J.D. Artificial-intelligence techniques boost utility of CAE/CAD tools 87−44455

Mosley, J.D. Static RAMs 87−46049

Mosley, J.D. Manufacturers of fast CMOS logic families take sides in packaging controversy 87−51859

Mosley, J.D. Standardization of an 80386 32-bit bus remains uncertain despite IBM's entry 87−59519

Mosley, J.D. Surface mount connectors 88−1188

Mosley, J.D. Silicon microstructures let manufacturers implement a variety of sensors on chip 88−22531

Mosley, J.D. Sophisticated hardware and software beget efficient machine-vision systems 88−52505

Mosley, J.D. Multilayer backplanes require careful design specs 88−57062

Mosley, J.M. *see* Dorler, J.A. 85−6286, 85−28349

Mosley, K. The aluminium/air fuel cell−a description and its present development status 88−5838

Mosley, K. The economics of the aluminium/air cell as a private car power source in New Zealand 88−5964

Mosley, K.E. Factors affecting the design and operation of redox batteries 86−71037

Mosley, L.E., Paesler, M.A. Electronic contribution to the recrystallization growth velocity asymmetry in doped silicon 85−40603

Mosley, V.V.W., Bronder, J., Wenk, A. Digital signal processing utilizing a generic instruction set 85−8475

Moslow, J. Emergency reporting system for small communities 85−42172

Mosner, J. *see* Stiehler, T. 85−52989

Mosneron-Dupin, F. *see* Moroni, J.M. 87−64239

Mosneron-Dupin, F. *see* Schektman, N. 85−43785

Mosnier, A. Analysis of the stability of bunched beams in a linear accelerator with multiple passes taking into account the effects of the cavities 87−63599

Mosnier, A., Aune, B. Feedback system analysis for beam breakup in a multipass multisection electron linac 87−41792

Mosnier, A., Aune, B., Bergere, R., Cavedon, J.M., Damsin, P., Djidi, K., Godin, A., Juillard, M., Koechlin, F., Leconte, P., Leray, S., Veyssiere, A. Superconducting RF development at Saclay for a 2-4 GeV electron facility 88−54005

Mosolov, A.E. *see* Larionov, V.P. 86−6021

Mosrin, P. *see* Bougault, R. 87−77542

Moss, B. *see* Bensiek, W. 87−41695

Moss, B.C., Scruby, C.B. Investigation of ultrasonic transducers using optical techniques 88−61683

Moss, B.C. *see* Drain, L.E. 86−29282

Moss, B.C. *see* Scruby, C.B. 87−16749

Moss, B.F., Rocco, R.E., Ross, T.K., Pien, C.C. TFTR poloidal field coils and umbrella structure, preassembly and installation 85−2502

Moss, C.E., Dowdy, E.J., Lucas, M.C. Bismuth germanate scintillators: applications in nuclear safeguards and health physics 86−32175

Moss, C.E. *see* Dowdy, E.J. 87−42031

Moss, C.E. *see* Hsu, H.H. 85−43193

Moss, C.E. *see* Koehler, P.E. 88−29884

Moss, C.M. Fluxless fusion process for PCBs 85−40362

Moss, D. Gold metalization enriches silicon FETs 86−20842

Moss, D.E. *see* Troxell, J.R. 85−12134

Moss, D.J. *see* Taylor, B. 86−70647

Moss, E. *see* Kuke, A. 86−48124

Moss, E.P. *see* Tiwald, T.E. 87−10611, 88−1458

Moss, F., Kondepudi, D.K., McClintock, P.V.E. Branch selectivity at the bifurcation of a bistable system with external noise 86−13615

Moss, F., McClintock, P.V.E. Measurements of two-dimensional densities for a bistable device driven by colored noise 86−11777

Moss, F. *see* Fronzoni, L. 87−65768

Moss, F. *see* Jaffe, J.M. 85−30842

Moss, F. *see* James, M. 88−51893

Moss, F. *see* Kondepudi, D.K. 87−391

Moss, F. *see* McClintock, P.V.E. 86−62404 to 62405

Moss, F. *see* Manella, R. 87−33240

Moss, F. *see* Mannella, R. 87−75180

Moss, F. *see* Payne, P.A. 86−56285

Moss, F. *see* Vogel, K. 87−68549

Moss, G.A. *see* Abegg, R. 85−37899

Moss, G.L., Garrod, S.A.R. Analysis and design for EET freshman 88−24492

Moss, H.H., Kurty, M.W., Riffe, D.J. Reliability analysis of a tension leg platform 85−5619

Moss, J. *see* Chu, P.J. 86−30473

Moss, J. *see* Felske, K.E. 86−61988

Moss, J. *see* Haller, G.M. 88−61187

Moss, J. *see* Lo, C.C. 88−61177

Moss, J.D. Noncontinuous dither excitation of drop-on-demand ink jet printer 85−6458

Moss, J.F. AM-AM and AM-PM measurements using the PM null technique 87−66512

Moss, J.F. *see* Blair, G.M. 88−1014, 88−25508

Moss, J.P. A microprocessor controlled regenerator for band-limited optical fibre systems 85−58085

Moss, J.P., Popple, G.W. A microprocessor controlled regenerator for multimode optical fibres 85−63720

Moss, J.P. *see* Betts, R.A. 86−30776

Moss, J.P. *see* Cochrane, P. 87−28574

Moss, J.P. *see* Hall, R.D. 85−58092

Moss, J.P. *see* Methley, S.G. 88−58361

Moss, L. *see* Bernstein, D. 85−15253

Moss, L.J. *see* Ash, W.W. 88−10244

Moss, M.L. The new urban telecommunications infrastructure 86−40486

Moss, M.L. *see* Carey, J. 85−57645

Moss, N. Planning, implementing and operating war headquarters communications systems 88−16996

Moss, N. *see* Goebel, J.H. 87−20938, 87−49556

Moss, N.N. *see* McKelvey, M.E. 88−67805

Moss, R. *see* Bachman, M. 85−26527

Moss, R.D. *see* LeVert, F.E. 87−78443

Moss, R.H. Adducts in the growth of III-V compounds 85−5992

Moss, R.H., Spurdens, P.C. New approach to growth of abrupt heterojunctions by MOVPE 85−5978

Moss, R.H., Spurdens, P.C. Growth of $Ga_xIn_{1-x}As$ and $Ga_xIn_{1-x}As_yP_{1-y}$ using preformed adducts 85−10687

Moss, R.H., Spurdens, P.C., White, E.A.D. Growth of (Ga,In)As/InP superlattice by adduct MOVPE 86−13767

Moss, R.H. *see* Corson, M.S. 87−47892

Moss, R.H. *see* Nelson, A.W. 85−35759, 86−40730

Moss, R.M. *see* Clarke, K.C. 87−37239

Moss, R.W. *see* Reising, J.M. 86−12099, 86−44743

Moss, S.C., Smith, D.D., Cooper, D.E. Picosecond photoconductive sampling measurements of the scattering parameters of high speed field effect transistors 88−38747

Moss, S.C. *see* Boggess, T.F. 86−29245

Moss, S.C. *see* Boggess, T.F., Jr. 85−51246

Moss, S.C. *see* Cooper, D.E. 86−42428, 87−26239

Moss, S.C. *see* Smirl, A.L. 85−62667

Moss, S.D. FSL: a fast structured logic design methodology for high speed GaAs digital integrated circuits 87−10770

Moss, S.J. Polymers in plasmas 88−7676

Moss, S.J., Ledwith, A. *(editor)* Chemistry of the semiconductor industry 88−6096

Moss, T.E. *see* Hall, E.H. 87−57886

Moss, T.R. *see* Sayles, R.S. 85−9846

Moss Smith, J. Electronic devices and the fertile mind of man 88−38046

Mossadegh, R. *see* Bruce, A.J. 85−18627, 85−56268

Mossadegh, R. *see* Tran, D.C. 88−60751

Mossard, J.M. *see* Baruthio, J. 85−59308

Mossau, B. *see* Kammler, W. 86−31305

Mossbauer, R.L. *see* Kraus, H. 86−38693

Mossbauer, R.L. *see* Nienhaus, G.U. 87−63630

Mossberg, T.W. *see* Babbitt, W.R. 86−43283, 87−46430, 88−33596

Mossberg, T.W. *see* Carlson, N.W. 85−2411

Mosscrop, D.R. *see* Baartman, R. 87−41815

Mosscrop, D.R. *see* Yuan, D.H. 88−4776

Mosse, C.A., Roberts, S.P. Microprocessor-based time-of-flight respirometer 87−35381

Mosser, V., Sizmann, R., Koch, F., Ziegler, J., Maier, H. Quantum physics of the surface layer capacitance for narrow-gap HgCdTe 88−64350

Mosser, V. *see* Weiss, D. 87−45663

Mossig, H. PCBs for SMD. Metal core boards: low thermal expansion coefficient and good heat conduction 87−37655

Mossner, B. *see* Esche, H.J. 88−24977

Mosso, M. *see* Podcameni, A. 88−34456

Mossom, P.W. *see* Deane, R.A. 88−63477

Mossotto, C., Intorrella, M. Getting reading for ISDN in Italy 88−46691

Mossotto, C., Perucca, G., Romagnoli, M. ISDN activities in Italy 86−59466

Mossotto, C. *see* D'Atri, M.L. 87−48348

Most, A.S. *see* Lundahl, T. 87−50284

Mostacciuolo, A. Transmission problems encountered when testing memory devices in parallel on memory ATE 87−41353

Mostafa, A.A., Krowne, C.M., Zaki, K.A. Numerical spectral matrix method for propagation in anisotropic layered media 87−75498

Mostafa, A.A., Krowne, C.M., Zaki, K.A. Higher order modes of single and coupled microstrips in isotropic dielectric media by spectral matrix method 88−2667

Mostafa, A.A., Krowne, C.M., Zaki, K.A. Higher order modes and crystallographic axis angular dependence of propagation in anisotropic PBN using a spectral matrix method [microstrip line] 88−25361

Mostafa, A.A., Krowne, C.M., Zaki, K.A. Numerical spectral matrix method for propagation in general layered media: application to isotropic and anisotropic substrates 88−27558

Mostafa, A.A. *see* Krowne, C.M. 88−70958

Mostafa, A.E. Nonlinear oscillatory systems 86−67085

Mostafa, A.El-Samie *see* El-Samie Mostafa, A.

Mostafa, A.E.S., Nashed, M. Nonlinear oscillatory systems using distorted time scale 85−17201

Mostafa, K.Y. *see* El-Sayed, M.A. 85−9789

Mostafa, M.M. *see* Gombos, G. 88−1448

Mostafa, M.M.F., Iung, C. On the modelling of a self-controlled synchronous motor drive 86−33757

Mostafa, M.M.F., Iung, C. A new dynamic model of a self-controlled synchronous motor drive 86−70892

Mostafa, M.M.F., Louis, J.P., Iung, C., Le Doeuff, R. An analytical study of the self-controlled synchronous motor performance 87−42886

Mostafa, R., Faure, E., Razek, A. Study and implementation of a photovoltaic-electromechanical energy conversion chain [photovoltaic power systems] 85−38933

Mostafa, S.A. *see* Ibrahim, M.M. 87−28691

Mostafa, T.M. *see* Elsherbiny, M.M. 86−45680
Mostafavi, H. *see* Lele, S.G. 87−39956
Mostafavi, M., Bolomey, J.-C. Correction scheme for continuous rotation of the test antenna using fast near-field measurement techniques 85−62882
Mostafavi, M., Bolomey, J.-C. Correction of continuous rotation in near field antenna testing 86−59129
Mostafavi, M., Bolomey, J.-C., Picard, D. Far-field accuracy investigation using modulated scattering technique for fast near-field measurements 85−41690
Mostafavi, M., Bolomey, J.C. A numerical scheme to compensate for the effect of continuous rotation of test antenna in fast near-field measurements 86−48670
Mostafavi, M., Picard, D., Fine, G., Bolemey, J.C. Error considerations in cylindrical near-field scan using the modulated scattering technique 88−2840
Mostafavi, M. *see* Bolomey, J.-C. 85−36079, 88−72661
Mostafavi, M. *see* Cown, B.J. 88−2715, 88−45758
Mostafavi, M.T. A switching model for testing MOS combinational logic circuits at the transistor level 88−63658
Mostafavi, T., Vishin, S. A 1-micron VLSI implementation and design of a parallel Hough transformer 88−50208
Mostavan Qamaruzzaman, A., Rezavidi, A., Guastavino, F. Field testing experience of solar electrical energy to water pumping in Indonesia 86−45293
Mostefaoui, R., Chevallier, J., Jalil, A., Pesant, J.C., Tu, C.W., Kopf, R.F. Shallow donors and *D-X* centers neutralization by atomic hydrogen in GaAlAs doped with silicon 88−71409
Mosteller, R.C., Frey, A.H., Suaya, R. 2-D compaction: a Monte Carlo method [IC layout] 87−67528
Mostenicky, I. *see* Lalinsky, T. 88−7623
Mostepanenko, V.M., Potapov, S.V. Prospects for improving voltage standards based on the Josephson effect 87−56777
Mostepanenko, V.M. *see* Tarbeev, Yu.V. 87−56456
Mostert, H. *see* Visser, K. 85−54102
Mostert, P. Nuclear reactors in the East and West 87−9292
Mosteshar, S. Satellite programming: copyright issues 87−40853
Mostia, W.L., Jr. Safety aspects of analyzer house installations 85−65671
Mostinskii, I.L. *see* Kalyazin, A.L. 88−69709
Mostinskii, I.L. *see* Lamden, D.I. 87−15623
Mostinskii, I.L. *see* Zeigarnik, Yu.A. 87−72071
Mostovcy, I.M. *see* Kuvshinskii, N.G. 85−29701
Mostovnikov, V.A. *see* Batishche, S.A. 86−3315, 86−54123
Mostovoi, N.D. *see* Ivanov, A.A. 88−16252
Mostovoi, Y.A., Khakhan, O.V., Erozolimskii, B.G. An integral counting technique of recording small variations in the intensity of a particle flux 88−4818
Mostovoi, Ya.A. *see* Akhmedov, R.B. 86−32935
Mostovoi, Yu.A. *see* Vlasov, A.E. 88−42927
Mostovyak, I.V. General parameters and equivalent circuits of power compatibility networks for line consumers of electric power [distribution networks] 85−59672
Mostovyak, I.V. Theory of the design of non-steady-state multiphase circuits with predetermined electrical power characteristics 87−5567
Mostovyak, I.V. Probability characteristics of multiphase balanced circuits under random variation of the parameters of the elements 87−16777
Mostovyak, I.V., Zoshchenko, A.V. Analogues of time-variable reactive elements 88−75731
Mostovyak, I.V. *see* Shidlovskii, A.K. 86−3560, 87−78104
Mostow, J. *see* Lam, M.S. 85−39982
Mostrom, M.A. *see* Peratt, A.L. 85−1018
Mostrom, U., Ytterbergh, C., Bergstrom, K. Eye lens dose in cranial computed tomography with reference to the technical development of CT scanners 87−41927
Mostyko, V.S. A high-frequency switch 86−35041
Mostyko, V.S., Ivanov, K.V. A summer for pulsed radio signals 86−42077
Mostyn, G.Y. Power fail detection IC responds quickly to AC and DC power deviations 88−30417
Mosunov, V.B. Analysis of dynamic properties of adaptive linear amplifier 87−44627
Mosyagin, V.V., Tkachenko, Yu.P. Pulse power amplifier with enhanced dynamic response 86−57681
Mosyagina, M.S., Rozenberg, I.M. Indication of current time in a light-beam oscillograph 86−44784
Mosyagina, M.S. *see* Begushin, G.K. 87−63916, 87−63918
Mosyagina, M.S. *see* Borisevich, E.S. 86−44793
Moszczynski, M. Computer simulation of the helicopter measurement of the radiation pattern of VHF/UHF antennas 86−29570
Moszczynski, S. Comparative analysis of grid losses by means of a model and structural indicators of energy systems 88−75135
Moszczynski, S. *see* Pienkos, J. 88−1738
Moszkowicz, M., Karlic, A., Szalbierz, Z., Szczygielski, J. Control of energy switch-offs [distribution networks] 85−21183
Moszkowski, B. A temporal logic for multilevel reasoning about hardware 85−40143
Moszynski, M., Allemand, R., Cormoreche, E., Laval, M., Odru, R., Vacher, J. Further study of scintillation counters with BaF$_2$ crystals for time-of-flight positron tomography in medicine 85−20892
Moszynski, M., Johnson, A., Klamra, W., Lindblad, T. Time pickoff methods for BGO crystals in Ge-BGO Compton suppression spectrometer systems 87−3916
Moszynski, M., Lindblad, T. Determination of the scintillation light yield for NaF 88−29833
Moszynski, M. *see* Allemand, R. 85−4316
Moszynski, M. *see* Klamra, W. 87−29499, 88−29881
Mota, A. *see* Santos, D.M. 87−28939
Mota, F.A., Velasco, F.R.D. A method for the analysis of ambiguous segmentations of images 87−19854
Mota, P., Rognon, J.P., Hoang Le-Huy Digital position servo system: A state variable feedback system 85−27585
Mota-Palomino, R., Hernandez-Cortes, J. Power system security evaluation by matrix modification techniques 87−77951
Mota-Palomino, R., Quintana, V.H. A penalty function-linear programming method for solving power system constrained economic operation problems 85−21130
Mota-Palomino, R., Quintana, V.H. Sparse reactive power scheduling by a penalty function-linear programming technique 87−4256
Mota-Palomino, R. *see* Quintana, V.H. 86−65671
Motai, A. Japanese strategies on OSI 88−21468
Motailo, S.G., Semenov, Yu.A., Flyagin, A.E. A rank algorithm for detecting a signal packet on the basis of a trend test 87−27394
Motakef, S. *see* Matthiesen, D.H. 88−11962
Motaleva, N.V. *see* Romanov, O.V. 85−29050
Motamedi, M., Briskman, R.D. Implementation of GEOSTAR RDSS spread spectrum receiver 88−47241
Motamedi, M. *see* Poon, T.-C. 88−14746
Motamedi, M. *see* Yoon, G. 88−8268
Motamedi, M.E. Acoustic accelerometers 87−46287
Motamedi, M.E., Kilcoyne, M.K., Asatourian, R.K. Large-scale monolithic SAW convolver/correlator on silicon 86−9352
Motamedi, M.E. *see* Asatourian, R.K. 86−2543
Motarygina, G.V. *see* Kachmin, V.A. 85−26035
Motazavi, P. *see* Shu, D. 86−60495
Motazedi, M., Buck, T. A high density solution for the transportation of high speed digital signals 86−46099
Motchenko, A.I. *see* Marchenko, V.I. 88−37647
Motegi, M., Fujiwara, H., Kondo, M. Optical fiber submarine telecommunication systems 87−28561
Motegi, M. *see* Yamaguchi, K. 86−17414, 86−43825
Motegi, N. *see* Hatakoshi, G. 88−51826
Motegi, N. *see* Okajima, M. 85−35796
Motegi, R., Takeuchi, S., Sato, T., Chubachi, N., Takeuchi, M. Remote measurement method of acoustic velocity in liquids by a pair of leaky acoustic waveguides 88−60991
Motegi, S. *see* Kohno, M. 85−10477
Motet, G. *see* Le Moing, J.Y. 88−50154
Moteyunas, R.V. *see* Kabelka, V.I. 86−25422
Motghare, S.J., Kolte, A.M., Dhuley, C.V., Karpatal, A.G. Samarium doped potassium-niobate−a new piezoelectric sensor 87−53804
Moth, F.T. *see* Barclay, D.J. 85−26418
Moth, K. Broadband switching−requirements and technologies 88−41711
Moth, K., Jacobsen, S.B. Considerations on the use of ATD on the subscriber line 88−9326
Moth, K., Pedersen, L.A. Time switching of gigabit/s highways 87−76436
Mothersole, D., Moyer, B. Basic barrel shifter algorithms 87−24240
Mothersole, D., Trissel, D. Interrupt stack mechanism 87−24239
Mothersole, D. *see* Holden, K. 87−31942
Mothersole, D. *see* MacGregor, D. 85−798
Mothersole, D.S. The M68000−the evolution of a true 32-bit architecture 85−17492
Mothersole, P.L. Developments in broadcasting technology and their effect on TV receiver design 87−20669
Mothersole, P.L. Evolution of the domestic receiver−direct sync to processor control 87−28771
Mothersole, P.L. Evolution of the domestic receiver−direct sync to processor control 87−49283
Mothersole, P.L. Evolution of the domestic receiver−the coming of colour 87−49284
Mothersole, P.L. Evolution of the domestic receiver−future trends. III 87−70211
Motienko, Yu.F. *see* Evgen'eva, G.G. 86−11437
Motin, E.A. Excerpt from resolution of the Scientific and Technical Council of the All-Union Scientific Research and Technological Planning Institute for Electrical Machines (Protocol No.6, 25 June 1987) 88−55274
Motin, E.A. *see* Petrov, V.M. 86−45336
Motin, J. *see* Bertrand, O. 86−38743
Motiramani, H.D. *see* Lal, P.K. 86−12372
Motisuke, P. *see* Decker, F. 87−43447
Motisuke, P. *see* Muller, N. 85−12718
Motiwala, Y. *see* Anderson, W.L. 87−71463, 88−10659
Motkov, V.A. *see* Aksenov, E.T. 86−28892
Motlagh, M.R.J. *see* Bowron, P. 88−50257
Motley, A.J. Interference from European television transmitters and the possibility of a UK VHF cordless telephone service 85−20098
Motley, A.J. Advanced cordless telecommunications service 87−69922
Motley, A.J., Al-Salihi, F.A. Simulation of advanced cordless telephones 86−37792
Motley, A.J., Keenan, J.M.P. Personal communication radio coverage in buildings at 900 MHz and 1700 MHz 88−60035
Motley, A.J. *see* Palmer, D.A. 86−37736, 87−13557
Motley, A.J. *see* Swain, R.S. 88−3879
Motley, R.W., Greene, G.J. Arc inhibitors for lower hybrid waveguide arrays 86−1337
Motley, R.W. *see* Olson, L. 85−992
Motlis, J. *see* Anders, G.J. 87−30199, 87−50811
Moto-Oka, T. Introduction: design tools for logic systems 85−40011
Moto-oka, T., Naemura, K. Outline of standardization for open systems interconnection 85−63326
Moto-Oka, T., Watanabe, K. Ellipsometric characterization of semiconductor surface layers 86−8728
Moto-Oka, T. *see* Fujita, M. 87−619
Moto-Oka, T. *see* Hayashi, T. 85−33928
Motobayashi, T., Satoh, S., Murakami, H., Sakai, H., Ishihara, M. A silicon counter array for ^{2}He detection 88−74748
Motobayashi, T. *see* Ando, Y. 87−21386
Motobayashi, T. *see* Kawakami, T. 86−49215, 87−8474
Motobayashi, T. *see* Kubota, S. 87−41831, 88−68253
Motobayashi, T. *see* Shimizu, T. 86−50393
Motoda, H. *see* Yamada, N. 85−27247
Motoda, Y., Watanabe, M., Hagane, H., Miyazaki, H. DP-3000 connected speech recognizer 87−27234
Motoda, Y. *see* Miyazaki, H. 87−33656
Motohara, A., Fujiwara, H. Design for testability for complete test coverage 85−18388
Motohara, A., Fujiwara, H., Nishimura, K., Shirakawa, I. A parallel scheme for test-pattern generation 87−37213
Motohara, A., Murakami, M., Urano, M., Masuda, Y., Sugano, M. An approach to fast hierarchical fault simulation 88−70723
Motohara, A. *see* Fujiwara, H. 87−44774, 88−56599
Motohashi, K. *see* Asato, T. 86−6364
Motohashi, K. *see* Yamada, H. 88−64767
Motohashi, M. *see* Yamada, S. 88−64772
Motohashi, S. *see* Iida, K. 87−71711
Motohashi, Y., Shibata, T. A theoretical analysis of hydraulic bulge test on a linear strain-rate-hardening material 87−59031
Motohashi, Y., Yamazaki, A., Shibata, T. A circular-die hydraulic bulge deformation of Zn-Al eutectoid-base alloy and the comparison of the experimental results with theoretical solutions 87−59032
Motohiro, T., Taga, Y. Geometrical factors or argon incorporation in SiO$_2$ films deposited by ion beam sputtering 85−22543
Motohisa, J.-I., Hirakawa, K., Sakaki, H. Significance of low field mobility and its carrier concentration dependence in characteristics of high electron mobility transistors 88−20012
Motohisa, J.-I. *see* Sakaki, H. 88−39504
Motoi, K., Saito, A. Analysis of gas drift phenomenon for gas-filled telephone cable based on nonlinear difference equation 87−76502
Motoike, J. *see* Yoda, H. 87−28859
Motoishi, K. On a redundancy control by a discrete cosine transform 87−54947
Motoishi, K. *see* Nakatsu, M. 87−75841
Motoishi, K. *see* Shinohara, T. 87−27195
Motoiu, C., Alexe, F., Blaga, P., Muscu, M. Studies concerning the thermal diagram and operating parameters of the experimental central tower solar plant with hot water storage 88−11146
Motojima, K., Kobayashi, T., Kozaki, S. Electromagnetic scattering by perfectly conducting rectangular cylinders 87−2295
Motojima, K., Kobayashi, T., Kozaki, S. Electromagnetic scattering of cylindrical wave by four conducting rectangular cylinders−comparison with experimental results 87−61372
Motojima, O. *see* Horiuchi, T. 87−67933
Motojima, O. *see* Kita, H. 86−28759
Motojima, O. *see* Uo, K. 85−32808, 87−74640

Motokane, E. Design engineers take second look at flat panel displays 88−53774
Motokawa, M., Kaminaka, N., Matsuda, K., Kubo, S. Rotation sensor using thin-film magnetoresistive elements (MR) 85−58687
Motoki, K., Miki, N., Nagai, N. A digital model for the radiation part in consideration of real utterance 87−27238
Motoki, K. *see* Miki, N. 87−19590, 87−61710
Motoki, T., Inoue, H., Toshima, H. 65 MW bulb turbine for Japan's Tadami project 87−4618
Motoki, T. *see* Osano, S. 88−74968
Motoko-kwete *see* Dauwe, C. 87−8847
Motomitsu, T., Hattori, M., Ohtsuki, F., Yamane, H., Koga, H. Induced voltages in subscriber lines caused by mains power distribution 85−3248
Motomitsu, T., Hattori, M., Yamane, H., Koga, H. Interference with digital transmission signal due to lightning surges induced in paired cables 86−4465
Motomitsu, T., Ideguchi, T., Kanamori, H. Lightning surge test circuit design method for telecommunication equipment 88−14412
Motomitsu, T., Koga, H., Ohtsuki, F. Test surge waveform based on multiple lightning surge characteristics [telecommunication equipment] 85−49337
Motomitsu, T. *see* Hattori, M. 85−3247, 85−63410
Motomitsu, T. *see* Koga, H. 85−63493
Motomitsu, T. *see* Kuwabara, N. 86−4170, 87−42465, 88−16369, 88−72589
Motomitsu, T. *see* Yamane, H. 85−3331, 88−44403
Motomura, K. *see* Haruta, K. 88−52630
Motomura, K. *see* Tonuma, T. 85−58350
Motomura, M. *see* Itoh, M. 87−3738
Motomura, T. *see* Saito, T. 86−31257
Motomura, T. *see* Watanabe, T. 85−13524
Motomura, Y. *see* Tamai, H. 86−63559
Motonaga, S. Status report on the Riken ring cyclotron 86−31949
Motonaga, S. *see* Kohno, I. 86−50994
Motoo, K. *see* Kotani, M. 88−36418
Motoo, K. *see* Onishi, N. 87−3194
Motooka, T., Gorbatkin, S., Lubben, D., Greene, J.E. UV-laser photolysis of trimethylaluminum for Al film growth 86−20080
Motooka, T., Greene, J.E. A model for the low-temperature growth of epitaxial Ge and Si films from GeH_2 and SiH_2 radicals produced by UV photolysis of GeH_4 and SiH_4 86−40737
Motori, A. *see* Masoni, S. 86−68115
Motori, A. *see* Montanari, G.C. 87−25721
Motori, A. *see* Sandrolini, F. 85−35252
Motori, G. *see* Bozzo, R. 85−35250
Motorin, I.V. *see* Bayanov, V.I. 87−33128
Motorin, S.V. *see* Lisitsyn, V.A. 86−44278
Motorin, V.E. *see* Roizin, N.M. 88−74163
Motoshima, K. *see* Fujii, Y. 85−46193
Motoshkin, V.V., Slobodyan, S.M. Spectral properties of varifocal membrane mirror 86−2899
Motosugi, G., Itaya, Y., Yoshida, J., Suzuki, M. Optoelectronic devices for the F-1.6 G system [optical links] 87−56116
Motosugi, G., Saruwatari, M., Suzuki, M. Distributed feedback lasers and laser modules for the F-1.6G system 87−62984
Motosugi, G., Yoshikuni, Y., Ikegami, T. Single-longitudinal-mode condition for DFB lasers 85−35763
Motosugi, G., Yoshikuni, Y., Itaya, Y. Spectral characteristics of a DFB laser under high-speed direct modulation 85−2317
Motosugi, G. *see* Fukano, H. 86−63258
Motosugi, G. *see* Fukuda, M. 88−27158, 88−72319
Motosugi, G. *see* Hagimoto, K. 88−47136
Motosugi, G. *see* Hata, S. 85−7332, 85−46279
Motosugi, G. *see* Itaya, Y. 85−62566, 87−68472
Motosugi, G. *see* Iwashita, K. 86−30777, 86−63612
Motosugi, G. *see* Kawaguchi, H. 87−33141
Motosugi, G. *see* Matsuoka, T. 86−15704, 87−61165, 88−35471
Motosugi, G. *see* Toba, H. 88−67366
Motosugi, G. *see* Yasaka, H. 87−75088
Motosugi, G. *see* Yoshikuni, Y. 85−7421, 85−46390, 87−12427, 87−54333
Motoszko, J. *see* Kowalski, A. 88−60199
Motovilov, N.V., Kostyrev, M.L. Electronic excitation of squirrel-cage induction generators 85−21604
Motovilov, N.V. *see* Kostyrev, M.L. 85−39096, 87−58076
Motoya, K., Nishizawa, J. Tunnett 86−2109
Motoyama, A. *see* Imai, S. 88−13741
Motoyama, H., Ametani, A. Development of a linear model for corona wave deformation and its effects on lightning surges 88−13610
Motoyama, H. *see* Nagaoka, N. 88−5320
Motoyama, H. *see* Toka, K. 87−14077
Motoyama, J. *see* Kawada, M. 88−16086
Motoyama, J. *see* Tsutsumi, S. 85−46959
Motoyama, M. *see* Nishikawa, T. 86−53114
Motoyama, S., Mizumachi, M. The DME-based navigation for aircraft 87−34678
Motoyama Shin-ichi *see* Shin-ichi Motoyama
Motoyoshi, F. Hash addressing chip 85−6391
Motoyoshi, F. *see* Mikuni, I. 86−59240, 88−59074
Motoyoshi, K. Project evaluation and decision making in new product development 87−58647
Motrich, A.V. Operation of fixing devices at large contact resistances of frozen ground 86−51120
Motrich, A.V., Shalyt, G.M. Analysis of the electric field and change of current in a inhomogeneous frozen ground with an overhead line conductor falling on it 86−39178
Motrishita, T., Yoshida, K., Awata, H. Transvector control of induction motor with current table 86−7212
Motro, M.Ya. *see* Etkin, V.B. 88−53928
Motschmann, U., Sauer, K., Baumgaertel, K. Whistler wave amplitude oscillation and frequency modulation in the magnetospheric cavity 85−24812
Motsiff, W.T. *see* Leipold, W.C. 85−18476
Motsokhein, B.I. *see* Kogan, A.I. 88−43524
Mott, C.A., Skellern, D.J. A strategy for the design of digital satellite communication links using interactive link budgeting software 87−3165
Mott, C.A., Skellern, D.J. The design of digital satellite communication links using interactive link budgeting software 87−70003
Mott, C.L. *see* Burdeaux, D.C. 87−35166
Mott, D. The Network EMS system 86−43993
Mott, D.B., Buchner, S.P. Comparison of interface positive charge generated in metal-oxide-silicon devices by high-field electron injection and X-ray irradiation 88−13036
Mott, D.G. Servicing the Grundig GSC100 chassis 85−3653
Mott, D.G. Workshop decoder alignment system 85−37289
Mott, D.G. Panoramic spectrum display 85−37534
Mott, D.J. Image noise reduction on the EMI 7070 CT scanner by the reduction of the noise resident in the CT wedge profiles 85−15302
Mott, D.J. Recent developments in medical X-ray CT equipment and applications 86−38783
Mott, D.L. Rain-induced cross polarization: calculations at wavelengths from 1 to 30 millimeters 85−7635
Mott, G. Temperature dependence of ultrasonic parameters. [Nondestructive inspection of nuclear materials] 85−17034
Mott, G. Advanced logic simulators deliver breakneck speed in multiuser environments 86−46668
Mott, G., Hall, R.B. The utility of hardware accelerators in the design environment 86−21718
Mott, G., Newkirk, J. Eliminating failures in the field 87−10208
Mott, G. *see* Macomber, S. 86−2300
Mott, G.P. A computational supernode for electronic design verification 87−725
Mott, J., Young, J., Bertch, W., King, R.W. Pattern-recognition software for plant surveillance 87−71848
Mott, J.H. An algebraic method for the construction of families of sequences with good Hamming cross-correlation properties 88−52357
Mott, J.H., Dudgeon, J.E. A simplified information set decoding algorithm for the (7,4) Hamming error-correcting code 87−12918
Mott, J.S., Roskind, J.A. An object-pass filter for image processing 87−19890
Mott, J.S. *see* Macomber, S.H. 87−75074
Mott, L.P., DeBell, G.W. Thin film coatings for high energy laser optical systems 87−39183
Mott, N.F. The pre-exponential factor in the conductivity of amorphous silicon 85−23465
Mott, N.F. On the oxidation of silicon 87−38143
Mott, N.F. *see* Kaveh, M. 87−32220
Mott, R. A GaAs monolithic 6-GHz low-noise amplifier for satellite receivers 87−73748
Mott, R. Planning and managing change in the trunk network 88−9041
Mott, R. *see* Potukuchi, J. 88−19389
Mott, R.C. *see* Potukuchi, J.R. 85−58042
Mott, R.J. Transmission planning 87−76188
Mott, R.W.De *see* De Mott, R.W.
Motta, F. *see* Alberini, C. 86−65387, 87−35339
Motta, F. *see* Bari, G. 87−8843
Motta, F. *see* Basile M. 86−5785
Motta, R.F. *see* Fujishin, E. 85−45867
Motta, S.La *see* La Motta, S.
Motta Pires, P.S.da *see* da Motta Pires, P.S.
Mottahedeh, R. *see* Pooke, D. 88−32949
Motte, A.V., Apinis, G.A. Reducing the voltage of neutral conductor displacement of an electrical circuit 85−15637
Motte, D.L. The numerical computation of the minimal projection 88−49742
Motte, F. Low-temperature annealing of the BR3 reactor vessel 85−59929
Motte, J.-P. *see* Maurer, G. 86−45844
Motte, P.de La *see* de La Motte, P.
Motte, R., Burns, R.S., Calvert, S. An overview of current methods used in weather routeing 88−31126
Motte, S. *see* Sakai, T. 88−42211
Motte, S. *see* Tanaka, H. 88−16320
Motteler, H. Technology of a warning service 85−52276
Motteler, H. Sequences in the offering of direct dial numbers within a decade and the grouping of intermediate dialling stages 88−28267
Motter, J.W., McGinley, J.P. Validation of end-use load data from direct metering projects 88−69077
Motter, M.A. *see* McRee, G.J., Jr. 86−57539
Mottershead, C.T. Maximum entropy beam diagnostic tomography 86−24860
Mottershead, C.T., Lawrence, G.P., Channell, P.J., Schweitzer, L.B. Simulation of beam loss in the Los Alamos proton storage ring 88−47893
Mottershead, C.T. *see* Klatt, R. 87−35308
Mottet, S., Changenet, A., Viallet, J.E., Dudda, E., Accard, A., Blondeau, R., Krakowski, M. Analysis and modelling of 1.3μm laser diodes 88−58569
Mottet, S., Le Mouellic, C. GaAs MESFET anomalies related to minority carrier injection into SI substrate 86−2197
Mottet, S., Rouger, J.M., Perichon, A. Optical scanning microscopy [IC testing] 87−18283
Mottet, S., Viallet, J.E. Hot electron transient behaviour 87−6459
Mottet, S., Viallet, J.E. Simulation of I-I-V devices semi-insulating materials 87−6761
Mottet, S., Viallet, J.E., Boisrobert, C., Scavennec, A. Photodetectors for 1.3 μm-1.55 μm fiber optic transmissions: state of the art 88−67783
Mottet, S. *see* Caquot, E. 86−2095
Mottet, S. *see* Rouger, J.-M. 85−50517
Mottet, S. *see* Viallet, J.E. 87−7223
Mottier, F.M. *see* Glomb, W.L., Jr. 85−62375
Mottier, F.M. *see* Waters, J.P. 86−48095
Mottier, P., Valette, S., Jadot, J.P. Broad band Bragg deflector for optical waveguides on silicon substrates 86−36280
Mottier, P. *see* Gidon, P. 85−41202
Mottier, P. *see* Lucas, C. 88−74413
Mottier, P. *see* Valette, S. 85−2064, 87−54093
Mottine, J.J., Reagor, B.T. The effect of lubrication on fretting corrosion at dissimilar metal interfaces in socketed IC device applications 85−50115
Mottl, J. Description of a program for nonlinear programming: the centroid program 85−28141
Mottl', V.V. Recognition of a stream of random events 86−37117
Mottl, V.V., Muchnik, I.B. Recognition of a flow of random events: main models and techniques 87−48010
Mottl, V.V. *see* Kovalev, V.N. 85−44314
Mottonen, J. *see* Jaakola, T. 88−26552
Mottram, D.A.J. *see* Denbigh, P.L. 85−32784
Mottram, D.A.J. *see* Mucklejohn, S.A. 87−58440
Mottram, K.G. *see* de Boer, B.T. 85−57904
Mottram, S.W. *see* Brockbank, R.G. 88−9520
Motulevich, G.P. *see* Antonova, E.A. 87−1911
Motulevich, V.P. *see* Gudkov, V.I. 86−4930
Motuzko, F.Ya., Trubitsyn, A.V. Electric current through a human body as a function of the parameters of a three-phase network for large insulation admittances 86−40875
Moty, E.A., Khalil, T.M. Computerized signal processing techniques for the quantification of muscular activity 87−63771
Moty, K. *see* Klingman, E. 85−32660, 85−39023
Motyagin, V.A. *see* Belov, N.N. 86−29215
Motyl, A.P. *see* Aver'yanov, N.A. 86−17749
Motyl', D.N. *see* Zelikson, D.L. 87−32111
Motz, D.A. The Cheng Cycle: principles and applications 87−4581
Motz, F., Roth, W. Process computer systems aid decisions in power plant control and monitoring 85−15694
Motz, F. *see* Czerny, M. 88−23724
Motz, G. *see* Boettcher, H. 85−15168
Motz, H. *see* Luchini, P. 86−63837
Motz, P.R. Automotive electronics: microprocessors 'under the hood' 85−16375
Motz, P.R., Vincent, W.A. Automotive electronics: designing custom ICs for a harsh environment 85−27750
Mou, Z.J., Duhamel, P. Fast FIR filtering: algorithms and implementations 88−14720
Mou, Z.J., Duhamel, P. A unified approach to the fast FIR filtering algorithms 88−73007
Mou Hu, Mouftah, H.T. Fault-tolerant systems using ternary decision circuits 86−3787
Mou Hu *see* Hu Mou
Mou Xingfu *see* Shan Qizhe 86−9975
Mou-Yan, Z., Unbehauen, R. On the approximate factorization of 2-D polynomials 87−44191
Mou-yan, Z., Unbehauen, R. Generalized ladder synthesis by subnetwork removal 87−44506
Mou-yan, Z., Unbehauen, R. Approximate factorization of multivariable polynomials 88−40968
Mou-yan Zou *see* Zou Mou-yan
Mouat, M. *see* Kost, C.J. 88−53996
Mouaziz, Z. *see* Grattan, K.T.V. 88−36044, 88−42114
Mouchart, J., Villela, G., Dutois, F., Pointu, B. Utilisation of amorphous hydrogenated silicon in the realisation of mirrors for high energy lasers at $\lambda=10.6$ μm 88−51875
Mouchart, J. *see* Bernard, J.J. 86−17374

Mouchaty, G. *see* May, D.P. 88−74722
Moucka, L. *see* Anisimov, Yu.S. 87−23788
Moudda-Azzem, T. *see* Gervais, A. 87−44294
Mouden, A. *see* Rannou, A. 87−29651
Mouden, A. *see* Tymen, G. 87−29652
Moudiotis, G. Development of CCITT standards for packet data networks in the period 1980-1984 86−4258
Moudiotis, G. Development of CCITT standards for packet data networks 87−13357
Moudiotis, G. *see* Gardner, A. 85−3185
Mouel, B.Le *see* Le Mouel, B.
Mouel, J.L.Le *see* Le Mouel, J.L.
Mouellic, B., Santiard, J.C., Pia, M.G., Chemarin, M., Fay, J., Larsen, B., Brom, J.M., Escoubes, B. A stack of two-dimensional multiwire proportional chambers as part of an electromagnetic calorimeter 88−22920
Mouellic, B. *see* Baglin, C. 85−26605
Mouellic, C.Le *see* Le Mouellic, C.
Mouftah, H.T. CMOS integrated circuits for multivalued logic 85−33780
Mouftah, H.T., Gangji, N., Nair, A.N. Design and performance study of a microprocessor-based two-wire full duplex baseband modem 85−47301
Mouftah, H.T., Garba, A.J. VLSI implementation of a 5-trit full adder 85−891
Mouftah, H.T., Heung, A.N.C., Wong, L.M.C. QTC-1: a CMOS ternary computer 85−17331
Mouftah, H.T., Krause, E.A. Computer-aided design and performance evaluation of communications controllers with mixed traffic 88−35092
Mouftah, H.T., Kun, R., Hoffer, D. A distributed energy management and security system 87−42366
Mouftah, H.T., Shanmugan, K.S. Computer aided techniques for communications systems engineering 87−69503
Mouftah, H.T. *see* Abo-Taleb, A. 85−42007, 85−42019, 86−4087, 87−40008
Mouftah, H.T. *see* Adhem, S.M.I. 88−39666
Mouftah, H.T. *see* Bhatia, S. 88−9173
Mouftah, H.T. *see* Chew, B.P. 87−66038
Mouftah, H.T. *see* Cho, Y.H. 88−70770
Mouftah, H.T. *see* Diawuo, K. 87−52563
Mouftah, H.T. *see* Ermarkaryan, A. 88−32170
Mouftah, H.T. *see* Heung, A. 85−17330, 85−44974
Mouftah, H.T. *see* Hu, M. 87−59311
Mouftah, H.T. *see* Ilyas, M. 85−19557, 85−19859, 85−47222, 86−30397, 86−64380, 87−28160, 87−34154
Mouftah, H.T. *see* Kurose, J.F. 88−34897
Mouftah, H.T. *see* Lo, W.F. 86−4086, 86−16611, 86−49064, 87−75972, 88−3822
Mouftah, H.T. *see* Mou Hu 86−3787
Mouftah, H.T. *see* Rozon, C. 87−44810, 88−63628, 88−70735
Mougel, B. *see* Mouis, M. 87−24470, 88−19998
Mougeot, A. *see* Bardin, G. 87−77536
Mougey, J. *see* Grunder, H.A. 88−42341, 88−47775
Mougharbel, A.W., Housten, T.D. Static-RAM size adapts to your standard-cell design 86−40824
Mougharbel, A.W., Palumbo, W.J. Macro based design in the ASIC environment 87−44768
Moughton, J., Evans, B., White, D. An experimental ISDN X.25 terminal adaptor 88−59806
Mouginot, A., David, J.-M. An artificial intelligence programming environment for the diagnosis of electronic components 88 −37694
Mouh Duh Young *see* Young Mouh Duh
Mouhab, N. *see* Roussy, G. 88−62830
Mouhoub, M., Bolon, Ph. Comparison of noise reduction performances of order filters 88−21345
Mouhssine, R., Berger-Vachon, C., Genin, J. Cochlear prosthesis Chorimac-analysis of the discriminative possibilities of the prosthesis channels for elementary phonemes 87−29814
Mouillet, A., Eid, G. Stator windings for DC brushless motors with controlled power electronics 85−32514
Mouillet, A. *see* Eid, G. 87−43131
Mouillet, A. *see* Kant, M. 87−22440
Mouis, M., Dolfus, P., Mougel, B., Pone, J.-F., Castagne, R. Monte Carlo simulation of the effects induced by real-space transfer in a HEMT 87−24470
Mouis, M., Dollfus, P., Mougel, B., Pone, J.-F., Castagne, R. Monte Carlo study of the effects induced by real-space transfer in the TEGFET 88−19998
Mouis, M., Pone, J.-F., Hesto, P., Castagne, R. Aspect ratio phenomena in the high electron mobility transistor 86−63339
Mouis, M., Pone, J.E., Castagne, R. 2-D particle modelling of the InP MISFET 85−6957
Mouis, M., Pone, J.F., Corat, J.P., Castagne, R. 2-D particle modelling of the InP MISFET and comparison with Si MOSFET 85−50545
Moukarzel, I.K., Vidallon, C.M. Combined Newton and first order approximation for large residual nonlinear, least Pth and P-norm optimization problems with Hessian approximation 87−23533
Moukarzel, I.K., Vidallon, C.M. Gradient approximation method for circuit optimization 87−31661
Moukarzel, I.K., Vidallon, C.M. Gradient approximation method for circuit optimisation 88−49954
Moukarzel, I.K. *see* Vidallon, C.M. 87−31660
Moukhtar, G.A. *see* Hussein, I. 88−60335
Moul, B.A. ISDN−developments in Asia 85−42141
Moul, D.A. Security during safety-related emergencies at nuclear power plants 85−38645
Moulaert, G. *see* Lecat, A. 85−60360
Moulaert, G. *see* Lienart, P. 88−55572
Moulavi-Kakhki, M. *see* Ashworth, D.G. 85−40606
Mould, A.J. *see* Smith, R.A. 86−11157
Mould, R.F. *see* Souchkevitch, G.N. 88−54502
Moulden, B. *see* Kingdom, F. 87−70409
Moulden, T.H., Scott, M.A. Walsh spectral analysis for ordinary differential equations. I. Initial value problems 88−56191
Moulder, J.C., Capobianco, T.E. Detection and sizing of surface flaws with a SQUID-based eddy current probe 87−52239
Moulder, J.C. *see* Cardenas-Garcia, J.F. 87−31619
Moulder, J.C. *see* Fortunko, C.M. 85−22569
Moulder, J.C. *see* Schramm, R.E. 85−20488, 85−33550
Moulder, J.F., Hammond, J.S. See the structure; save the material 85−61021
Moulder, J.F., Hammond, J.S., Smith, K.L. Using angle resolved ESCA to characterize Winchester disks 86−58673
Moulding, M.R. Fault tolerant systems in military applications 88−73627
Moule, D. *see* Collar, A. 85−41407
Moule, D.J. *see* Armistead, C.J. 87−54318
Moule, D.J. *see* Collar, A.J. 88−45450
Moule, D.J. *see* Rashid, A.A.M. 88−4061
Moule, D.J. *see* Renner, D. 85−41415
Moulik, K. Time multiplexing of analogue components of colour television signals of the MAC type 87−70186
Moulin, B. *see* Aumarechal, J. 86−51995
Moulin, C. *see* Fort, J. 87−46803
Moulin, D. *see* Games, R.A. 88−32289
Moulin, D. *see* Tonon, G. 85−28701
Moulin, G. *see* Barbou, R. 88−1279
Moulin, M. *see* Gouali, M. 86−30832, 87−3196
Moulines, E. *see* Charpentier, F. 88−72846
Mouliot, M. *see* Hamelin, J.-F. 88−30457
Moulis, R. *see* Hanulak, E. 87−64249
Moullec, L. Automatic test of an electronic product: application to a telephone as example 87−56469
Moullion, M. Automatic customization for single-layer gate arrays 85−33760
Moullion, M. Automatic customisation for single-layer gate arrays 87−5825
Moullion, M. Automatic customisation for single layer gate arrays 87−52529
Moulsley, T.J. HF data transmission in the presence of interference 85−30911
Moulsley, T.J., Goodman, D.J., Holmes, P.R. Optimum coding for the transmission of speech parameters 87−47637
Moulsley, T.J., Goodman, D.J., Holmes, P.R. Model of error generation in tamed frequency modulation 88−52326
Moulsley, T.J., Lo, P., Haddon, J., Weaver, G., Vilar, E. The efficient acquisition and processing of propagation statistics 85−37500
Moulsley, T.J., McCarthy, K.P. Model of HF interference for application to data transmission 86−22709
Moulsley, T.J. *see* Goodman, D.J. 88−52339
Moulsley, T.J. *see* Hewitt, A. 86−30644
Moulsley, T.J. *see* Vilar, E. 85−36016, 85−57017
Moulthrop, A.A., Muha, M.S. Superconducting stepper motors 88−55387
Moulthrop, A.A. *see* Chiao, R.Y. 85−35336
Moulton, A. *see* Upadhyay, S.S. 86−32289
Moulton, A.S. The EDIF electronics design standard 87−40463
Moulton, G. Dig for the roots of oscillator noise 86−57707
Moulton, G.A. *see* Jordan, J.R. 86−50023
Moulton, J.R. Thermal target projector for MRTD testing and vehicle identification training 87−70460
Moulton, P.F. Recent advances in solid-state laser materials 85−18911
Moulton, P.F. An investigation of the Co:MgF$_2$ laser system 86−22350
Moulton, P.F. Spectroscopic and laser characteristics of Ti:Al$_2$O$_3$ 86−29103
Moulton, P.F. Tunable paramagnetic-ion lasers 86−68515
Moulton, P.F. Survey of tunable solid state lasers 87−46837
Moulton, P.F. Tunable solid-state lasers targeted for a variety of applications 88−2202
Moulton, P.F., Manni, J.G., Rines, G.A. Spectroscopic and laser characteristics of Er,Cr:YSGG 88−65623
Moulton, P.F. *see* Harrison, J. 88−27268, 88−45595, 88−65795
Moulton, P.F. *see* Lovold, S. 85−41365
Moulton, R. *see* Cole, R. 86−37542
Moulton, R.J., Marmarou, A., Ward, J.D., Lutz, H.A., III, Ronan, J., Young, H.F. Computer assessment of neurologic status utilizing power spectrum analysis of the electroencephalogram 87−21577
Moulton, R.K. *see* Ross, F.E. 85−47237
Moulu, J. *see* Wilbrod, J.H. 85−63638
Mouly, C.Chandra *see* Chandra Mouly, C.
Mouly, J.-C., Neirynck, J. Leapfrog: a programme for synthesis, analysis and optimization of RC-active leapfrog filters 85−934
Mouly, J.-C., Neirynck, J. Exhaustive determination of biquad cells with infinite *Q* by a Prolog program 86−57926
Mouly, J.-C. *see* Kossa, G. 87−864
Mouly, J.C., Neirynck, J. Exhaustive search of infinite *Q* biquad cells by a Prolog program 86−67327
Mouly, J.C., Neirynck, J. A Prolog program for the exhaustive search of noninteractive tunable biquads 86−67328
Mouly, J.C., Neirynck, J., Tarpin, F. *RC*-active biquad design by a Prolog program 85−55001
Mouly, J.C., Neirynck, J., Tarpin, F. Using Prolog to help non-numerical circuit design and analysis problems 87−65751
Mouly, M. *see* Le Guyader, A. 87−19523
Mouly, M. *see* Thomas, R. 88−73816
Mouly, M. *see* Verhulst, D. 85−3368
Mouly, M.C.C., Prasad, P.S.K.S., Prasad, V.V.R., Bhaskar, K.U. Certain design aspects of truncated corner reflector deployed in a localizer antenna system 87−75655
Mouly, M.C.Chandra *see* Chandra Mouly, M.C.
Mouly, R., Duceux, D. A modern auxiliary vehicle: the self-powered tractor [rail vehicles] 86−66442
Mouly, V. *see* Subrahmanyam, V. 85−32477
Mouly, V.S.R.K. *see* Subrahmanyan, V. 85−9862
Mound, M.G. *see* Dimmler, K.J. 85−22856
Mouneimne, Z.S., Mellitt, B. Modelling of inverter-controlled asynchronous drives for system simulation in DC railways 88−76016
Mouneimne, Z.S. *see* Rambukwella, N.B. 87−79121
Mouneimne, Z.S. *see* Sturland, R.W. 88−5979
Mounet, R. *see* Hirlimann, C. 86−68586
Moung Kim Jae *see* Jae Moung Kim
Mounguengi, A. *see* Roger, J.A. 86−40111
Mounir Boukadoum, A. Mate asynchronous μP and synchronous IC 85−34012
Mounsey, H. *see* Openshaw, S. 87−20757
Mounsey, P. Voice networks−different problems demand different solutions 86−49176
Mount, R. *see* Burton, J. 88−9573
Mount, R.D., Edwards, D.M., Greenough, C. Data integration for improved process and device modelling 86−9070
Mount, R.D. *see* Greenough, C. 87−6649
Mount, R.P. *see* Bakken, J.A. 85−31696
Mount-Campbell, C.A. *see* Reilly, C.H. 86−64921
Mountain, D.C. *see* Cheng Hsiao 88−17038
Mountain, D.C. *see* Denton, F.T. 88−42750
Mountain, D.J., Galloway, K.F., Russell, T.J. The effect of postoxidation anneal on the electrical characteristics of thin oxides 87−60195
Mountain, N. US subcarrier system for Europe [stereo sound carrying] 85−58270
Mountain, R. *see* Ruchti, R. 85−37950, 85−43275
Mountain, R.J. *see* Baumbaugh, B. 88−61097
Mountain, R.J. *see* Puseljic, D. 88−61100
Mountain, R.J. *see* Rogers, A. 87−41844
Mountain, R.J. *see* Ruchti, R. 87−41845, 88−68221
Mountain, R.W. *see* Burke, B.E. 88−16200
Mountain, R.W. *see* Chiang, A.M. 87−19898, 87−59622
Mountain, R.W. *see* Delaney, M.A. 87−67864
Mountain, R.W. *see* Geis, M.W. 85−34719, 86−41875
Mountain, R.W. *see* Lenth, W. 85−24395
Mountain, R.W. *see* Melngailis, J. 86−35790
Mountain, R.W. *see* Silversmith, D.J. 85−50783
Mountain, R.W. *see* Tsaur, B. 87−32702
Mountain, R.W. *see* Tsaur, B.-Y. 85−12361, 85−50668
Mountanos, W.P. Long distance transmission of multiple high quality video channels over single optical fibres 85−3612
Mountfield, K.R., Mitchell, P.V., Artman, J.O. Microstratification in Co-Cr thin films 88−57900
Mountfield, K.R., Mitchell, P.V., Lee, J.-W., Demczyk, B.G., Artman, J.O. Magnetic anisotropy of Co-Cr thin films as a function of substrate temperature during deposition 88−44947
Mountfield, K.R. *see* Lee, J.-W. 88−57946, 88−71884, 88−71923
Mountford, J.D., Wood, A.J., Okura, G.A. System studies for the Hawaiian Deep Water Cable Project 86−12322
Mountford, S.J., Penner, R., Bursch, P. Pilot command interfaces for discrete control of automated nap-of-Earth flight 86−18454

Moupfouma, F. Improvement of a rain attenuation prediction method for terrestrial microwave links 85−24819
Moupfouma, F. Model of rainfall-rate distribution for radio system design 85−24822
Moupfouma, F. More about rainfall rates and their prediction for radio systems engineering 88−15316
Moupfouma, F. Rain induced attenuation prediction model for terrestrial and satellite-Earth microwave links 88−21944
Moupfouma, F., Spanjaard, N. Rain effects on microwave communications in equatorial and tropical regions 87−34374
Moura, D. The interfaces between alternative supplies of energy and distribution of electrical energy in isolated rural areas 86−12428
Moura, J.M.F. Linear and nonlinear stochastic filtering 88−14738
Moura, J.M.F., Baggeroer, A.B. Phase unwrapping of signals propagated under the Arctic ice crust: a statistical approach 88−52420
Moura, J.M.F. *see* Barroso, V.A.N. 88−21038
Moura, J.M.F. *see* Lemos, J.M. 87−47788
Moura, J.M.F. *see* Lourtie, I.M.G. 85−57399, 86−16459, 88−73106
Moura, J.M.F. *see* Rendas, M.J.D. 88−73107
Moura, J.M.F. *see* Ribeiro, M.I. 87−62092, 88−73053
Mourad, S., Hughes, J.L.A., McCluskey, E.J. Effectiveness of single fault tests to detect multiple faults in parity trees 87−65999
Mourad, S. *see* McCluskey, E.J. 88−19076, 88−32129
Mourad, S. *see* Nanya, T. 88−70635
Mourad, S. *see* Wang, L. 87−66145
Mouradi, A., Rajouani, A., Najim, M. Unlimited vocabulary synthesis system for Arabic language 85−51576
Moure, C. *see* Duran, P. 85−40979, 87−6934
Mourente, P. A plasma switch synchronous closing operations in high-voltage networks 85−27569
Mourente, P. A plasma switch intended for synchronous closing operating on high-voltage networks 86−1448
Mourey, B., Hareng, M. Liquid crystal displays. I. Directly multiplexed twisted nematic 88−10084
Mourey, B., Hareng, M., Dumont, B., Desseine, J., Figlarz, M. A new electrochromic material: hexagonal WO_3 86−2866
Mourey, B. *see* le Pesant, J.P. 86−5431
Mourey, B. *see* Magarino, J. 88−10085
Mourey, M., Vaterkowski, J.L. New design of a dual-mode quartz crystal oscillator 85−29404
Mourgues, G. *see* Andrieux, J.C. 87−61830
Mouri, H. *see* Sunada, K. 87−49276, 88−9721
Mouri, K. *see* Nishiyama, T. 88−51296
Mouri, Y. *see* Tokuda, K. 87−77017
Mourier, C. *see* Revellin, G. 85−20343
Mourier, G. High power gyrotrons in the 100 GHz to 150 GHz frequency range 86−47239
Mourier, G., Faillon, G., Garin, P. A 100 GHz gyrotron−results and future prospects 87−24680
Mourier, G. *see* Bensimhon, A. 85−55360, 86−21021
Mourier, G. *see* Carmel, Y. 85−11496, 86−11462
Mourier, G. *see* Garin, P. 88−25796, 88−38997
Mourier, G. *see* Guidee, P. 88−64209
Mourier, J. *see* Bossart, R. 88−54173
Mouries, G. Evolution of dry type power capacitors 86−51874
Mouries, G., Krauss, G. Activities with passive [components] 87−59919
Mourik, G.J.Van *see* Van Mourik, G.J.
Mourik, J.G.R.van *see* van Mourik, J.G.R.
Mouris, J.F. *see* Hoffmann, C.R. 85−59076, 86−31805
Mouritzen, J. Experience with a flame monitoring device in accordance with the correlation principle on coal fired power station boilers 87−9358
Mourjopoulos, J., Clarkson, P.M., Hammond, J.K. Dereverberation of speech using optimum control 85−51580
Mourjopoulos, J. *see* Clarkson, P.M. 85−37344
Mourou, G. High speed circuit testing using ultrafast optical techniques 88−38730
Mourou, G., Strickland, D., Williamson, S. How pulse-compression techniques can be applied to high-energy laser amplifiers 87−39216
Mourou, G. *see* Donaldson, W.R. 87−18852
Mourou, G. *see* Maine, P. 88−20628, 88−40173
Mourou, G. *see* Nees, J. 86−68330
Mourou, G. *see* Norris, T. 85−41353
Mourou, G. *see* Strickland, D. 86−9963, 86−22530
Mourou, G. *see* Valdmanis, J.A. 86−42365, 86−42665, 86−63889
Mourou, G. *see* Whitaker, J.F. 87−32038
Mourou, G.A. Picosecond electro-optic sampling 87−25906
Mourou, G.A. Electron device probing in the femtosecond time scale 87−46031
Mourou, G.A. Electro-optic sampling: device embodiments and possibilities 88−39344
Mourou, G.A. Impact of ultrafast optics in high-speed electronics 88−40003
Mourou, G.A., Meyer, K.E. Subpicosecond electro-optic sampling using coplanar strip transmission lines 85−2083
Mourou, G.A. *see* Bado, P. 85−62537, 88−65638
Mourou, G.A. *see* Duling, I.N., III. 85−41354
Mourou, G.A. *see* Dykaar, D.R. 85−56180, 87−29041, 87−67860, 88−39832
Mourou, G.A. *see* Hsiang, T.Y. 88−7004
Mourou, G.A. *see* Kryzak, C.J. 87−23994
Mourou, G.A. *see* Meyer, K.E. 85−50615, 87−24407, 87−26238
Mourou, G.A. *see* Sobolewski, R. 87−46421, 88−12560
Mourou, G.A. *see* Whitaker, J.F. 86−68961, 88−12556, 88−34376, 88−71504
Mourou, G.A. *see* Williamson, S. 87−26147
Mourou, G.A., Bloom, D.M., Lee, C.-H. *(editor)* Picosecond Electronics and Optoelectronics. Proceedings of the Topical Meeting 87−22988
Mouroulis, P., Failes, M., McMahon, G.W. Dual ring resonator hydrophone 87−29985
Mousa, A.M. Effect of height of structure on the striking distance of a downward lightning flash 86−6428
Mousa, A.M., Srivastava, K.D. Safety against lightning for linemen working on de-energized power lines 86−34002
Mousa, A.M., Srivastava, K.D. Effect of shielding by trees on the frequency of lightning strokes to power lines 88−75198
Mousa, M.A., Gomaa, E.A., El-Khouly, A.A., Aly, A.A.M. Electrical conduction in γ-irradiated and unirradiated Fe_2O_3 85−18110
Mousa, M.S. *see* Latham, R.V. 86−41469
Mousavinezhad, S.H. *see* Blachman, N.M. 86−40666
Moussa, A.A. *see* El-Adl, E.H. 87−14762
Moussa, C. A new method for calculation and graphic description of the cascade-broadband matching network 88−72603
Moussa, H.A., Badr, M.A., El-Serafi, A.M. Power system damping enhancement by two-axis supplementary control of synchronous generators 85−48535
Moussa, H.A. *see* Badr, M.A. 88−43178
Moussa, H.A. *see* Bashawih, A.S. 87−21886
Moussa, M.A.K. An automatic layout system for linear arrays 87−46170
Moussa, N.B. *see* Blasquez, G. 87−70593
Moussa, N.E.Ben *see* Ben Moussa, N.E.
Moussa, P., Geronimo, J.S., Bessis, D. Julia sets and localization properties of iterated families of algebraic integers 85−10568
Moussa, W. *see* Kelkar, S. 88−55500
Moussa, W.M. *see* Kelkar, S.S. 88−44747
Moussas, Ch. *see* Tzannes, M.A. 85−46857
Moussavi, M., Onaral, B., Sun, H.H. Linear and nonlinear dynamics of Pt electrode as a function of frequency, AC amplitude and DC bias [biological application] 88−68349
Moussavi, M., Onaral, B., Tsao, Y.Y., Sun, H.H. An automated instrument for high precision interfacial impedance measurement in milli-Hz range 88−16683
Moussavi, M. *see* Onaral, B. 88−48097
Moussavi, M.K., Pickholtz, R.L. An approximate analysis of integrated voice/data multiplexing with voice blocking and limited waiting room (buffer) for data 85−42117
Mousseau, K.J. Microwave engineering: do it right and don't worry about the weather 86−17232
Mousseau, K.J. Digital microwave radio: determining first Fresnel zone clearances 86−49467
Mousshine, R. *see* Berger-Vachon, C. 87−57230
Moussouris, J., Crudele, L., Frietas, D., Hansen, C., Hudson, E., March, R., Przybylski, S., Riordan, T., Rowen, C., Van't Hof, D. A CMOS RISC processor with integrated system functions 86−52889
Moussouris, J. *see* Hansen, C. 87−44912
Moussouris, J. *see* Rowen, C. 86−57871
Moustafa, H.R. *see* Mady, Kh.A. 87−52195
Moustafa, S. *see* Elimam, A.A. 88−69227
Moustafa, S.M.A. Solar energy programme at Kuwait Institute for Scientific Research 85−9566
Moustafa, S.M.A. Integrated solar thermal electric complexes 85−9803
Moustafa, S.M.A., El-Mansy, H., Elimam, A., Zewen, H. Operational strategies for Kuwait's 100 kW_e/0.7 MW_{th} solar power plant 85−60081
Moustaizis, S. *see* Doucet, H.J. 87−8805
Moustaizis, S. *see* Garate, E.P. 86−54061, 87−75148
Moustakali-Mavridis, I. *see* Hadjoudis, E. 87−46428
Moustakas, S. The standardization of IEEE 802.3 compatible fiber optic CSMA/CD local area networks: physical topologies 87−40362
Moustakas, S., Goerne, J. IEEE 802.3 draft standard for the fibre optic interrepeater link: a technical description and its application in fibre optic CSMA/CD active star LANs 88−35143
Moustakas, S., Witte, H.-H. Token passing protocol for voice transmission over fiber-optic star-configured local area networks 85−52077
Moustakas, S., Witte, H.-H., Bodlaj, V., Kulich, V. Passive optical star bus with collision detection for CSMA/CD-based local-area networks 85−42583
Moustakas, S. *see* Lauenstein, J. 87−20253
Moustakas, T.D. Photovoltaic properties of amorphous silicon produced by reactive sputtering 86−48256
Moustakas, T.D., Maruska, H.P., Friedman, R. Properties and photovoltaic applications of microcrystalline silicon films prepared by RF reactive sputtering 85−62441
Moustakas, T.D., Weitz, D.A., Prestridge, E.B., Friedman, R. Structural studies of microcrystalline silicon films produced by sputtering 86−26916
Moustakas, T.D. *see* Deckman, H.W. 88−39104
Moustakas, T.D. *see* Wronski, C.R. 86−7052
Moustakides, G. *see* Basseville, M. 85−36293
Moustakides, G.V. Robust detection of signals: a large deviations approach 86−29863
Moustakides, G.V., Kassam, S.A. Minimax equalization for random signals 85−63050
Moustakides, G.V., Thomas, J.B. Optimum detection of a weak signal with minimal knowledge of dependency 86−48922
Moustakides, G.V., Thomas, J.B. Robust detection of signals in dependent noise 87−39768
Moustakides, G.V. *see* Basseville, M. 86−59274
Moustakides, G.V. *see* Botto, J.-L. 87−33717
Moustier, C.de *see* de Moustier, C.
Moustier, M. *see* Bareyt, B. 87−72281
Moutafis, T.E. *see* Kung, R.T.V. 86−32379
Moutet *see* Bessette 85−46111
Mouthaan, A.J. Integrated cascade of photovoltaic cells as a power supply for integrated circuits 85−10960
Mouthaan, A.J. Buried injector logic, a vertical IIL using deep ion implantation 88−12329
Mouthaan, A.J. A case study on the organisation and structure of north-south university cooperation schemes in Subsaharan Africa 88−62960
Mouthaan, T., Vertregt, M. A vertically integrated dynamic RAM-cell: buried bit line memory cell with floating transfer layer 87−17067
Mouthuy, T. *see* DeWulf, J.P. 87−21468, 88−22985
Mouthuy, Th. *see* Binon, F. 86−65395
Mouthuy, Th. *see* Binon, F.G. 88−54405
Moutinho, H.R. *see* Dhere, N.G. 87−9861, 88−1368, 88−31859
Mouton, A. CMOS LSI modem technology enhances the role of the digital PBX 85−14014
Mouton, A. Changing trends of model IC's 85−14019
Mouton, A. CMOS LSI modem technology evolves into voice and data networks 85−17224
Mouton, A. CMOS LSI integration enhances voice and data networks 85−19920
Mouton, A. The impact of CMOS LSI integration on voice and data networks 85−19965
Mouton, A. New ICs for voice and data PBXs 85−19991
Mouton, A. LSI modem semiconductors 86−28414
Mouton, A., Rionda, P. The impact of CMOS technology on data transmission 85−19905
Mouton, J.-M. *see* Bedrani, M. 88−9118
Mouton, T. *see* Lesk, M. 86−64758
Mouton Al *see* Al Mouton
Moutonnet, D. Image of diffusion length with a photoelectrochemical technique: application to n-InP material 87−17721
Moutonnet, D. Maskless photoassisted etching of N-type $Ga_{0.47}In_{0.53}As$ in basic solutions 87−53396
Moutonnet, D. Photochemical pattern on p-type GaAs 88−26078
Moutonnet, D. Preferential photoelectrochemical etching in n-InP 88−50726
Moutonnet, D. Photoelectrochemistry of III-V semiconductors: application to localized etching 88−64400
Moutonnet, D. Surface orientation effect on photoelectrochemical etching in n-TYPE InP 88−64417
Moutonnet, D. *see* Rolland, A. 88−65503
Moutoulas, C., Moisan, M., Bertrand, L., Hubert, J., Lachambre, J.L., Ricard, A. A high-frequency surface wave pumped He-Ne laser 85−29740
Moutoulas, C., Moisan, M., Zakrzewski, Z. Optical gain of a surface wave sustained He-Ne plasma column 88−51760
Moutoulas, C. *see* Christensen, C.P. 87−39001
Mouttapa, I. *see* Herment, A. 88−46307
Moutter, S.P., Campbell, G.J. Prevention of homopolar generation in steam turbines by reducing residual magnetism 88−23753
Moutter, S.P., Gough, P.T. Spectral decomposition and extrapolation of variations in electricity loading 86−61094
Moutter, S.P. *see* Bodger, P.S. 87−57585
Mouttet, C. *see* Bacal, M. *(editor)* 87−5154
Mouurou, G. *see* Jackson, T. 88−3789
Mouwen, A.G. *see* van Ommen, A.H. 88−71387
Movaghar, A. *see* Le Lann, G. 86−49307
Movaghar, A. *see* Meyer, J.F. 86−7642

Movaghar, B. Theory of high-field transport in semiconductor superlattice structures 87−45661
Movaghar, B., Leo, J., MacKinnon, A. Electron transport in multiple-quantum-well structures 88−39112
Movaghar, B. *see* Bloor, D. 88−27304
Movahed-Ezazi, M. *see* Kao, W. 87−38450
Movahed-Ezazi, M.H. *see* Kao, W.H. 85−1754
Movall, P. *see* Pohm, A.V. 87−70572
Movall, P.E. *see* Vittal, V. 87−15127
Movchan, L.T. *see* Bunyak, A.M. 86−56419
Movchan, S.A. *see* Anisimov, Yu.S. 85−48227, 87−14745, 87−29693, 87−63670
Movchan, S.A. *see* Zanevskii, Yu.V. 88−36370
Movchan, S.P. *see* Abdushukurov, D.A. 85−59187
Movchan, V.V., Molyavko, V.I. Calculating the dispersion properties of a loop delay system 88−19006
Movchet, J. *see* Chaumette, P. 86−60522
Movmyga, I.N. *see* Mikhailov, V.M. 88−72517
Movsesyan, S.Zh. *see* Astakhov, N.V. 87−22334
Movsesyan, S.Zh. *see* Bespalov, V.Ya. 85−65245, 88−43190
Movsesyan, V.M. *see* Gasparyan, Yu.M. 88−18516
Movshev, A.K. *see* Grebenshchikov, A.V. 86−5526
Movshev, V.G. *see* Karlov, N.V. 87−33108
Movshevich, B.Z. Pulse shaper with a coaxial capacitor 86−32199
Movshevich, B.Z., Belova, L.A., Kryl'tsov, M.Yu., Shirokov, E.A. High-power square-pulse generator 88−25053
Movshevich, B.Z., Kopelovich, E.A. Heavy-duty pulse converter for the stabilized charging of capacitance energy-storage devices 87−58346
Movshevich, B.Z., Kryl'tsov, M.Yu. Generator of high-voltage pulses with uniform tops 87−37070
Movshevich, B.Z., Smorgonskii, A.V. Maximum rate of increase of voltage in coaxial pulse-shaping lines 85−51471
Movshevich, B.Z. *see* Verkhovskii, S.Ya. 86−14059
Movshovich, A.M. Analysis of the principle governing the switching of the initial phases of the subcarriers of the SECAM system 85−58304
Movshovich, M.Ye., Al'ter, L.Sh. Effect of intense harmonic noise on FM radio receivers 86−38025
Movshovich, M.Ye. *see* Belitskiy, R.I. 88−74107
Movshovich, M.Ye. *see* Zhil'berberg, Ya.Ye. 87−47754
Movsin, V.Ye. Estimate of the systematic errors of a reflectometer 85−28695
Movsisyan, G.L. *see* Margaryan, Zh.G. 85−51551
Movsisyan, L.M. Distribution of space charge density along a charged particle bunch in the quasi-static mode of its interaction with the synchronous harmonic of the VHF field 87−12775
Mowafi, O. *see* Selman, V. 86−10816, 87−8063
Mowafi, O.A., Chao, K., Roy, R.R. Design and performance analysis model for large-scale computer networks 87−8062
Mowat, J. *see* Noyes, R.J. 85−48561
Mowatt, L. *see* Johnson, L. 88−38933
Mowbray, K.W. *see* Paul, E.L. 86−41437
Mowchenko, J. *see* Tran, A. 88−38358
Mowchenko, J.T. GAP: a Geometry Analysis Program for IC design rule checking 87−36926
Mowchenko, J.T., Ma, C.S.R. A new global routing algorithm for standard cell ICs 87−66134
Mower, M.M. *see* Chen, S. 87−57150, 88−4970
Mower, R.D. The emergence of airborne video techniques as an alternative for accessing tropical environments−a historical perspective 86−18537
Mower, T.M., Iwasa, Y. Experimental investigation of AC losses in cabled superconductors 86−47975
Mowers, C.R. *see* Gardner, T.J. 87−34135
Mowery, D.C. Technology's effects on employment in the future economy 88−55802
Mowery, R.A., Jr. The potential of flow injection techniques for on-stream process applications 86−5574
Mowery, R.A., Jr. Determining the calorific value of natural gas using a silicon micromachined process gas chromatographic analyzer 87−41333
Mowforth, P.H., Jelinek, J., Jin, Z.P. An appropriate representation for early vision 86−37169
Mowforth, P.H., Jelinek, J., Jin, Z.P. An appropriate representation for early vision 87−55271
Mowforth, P.H., Jin, Z.P. Implementation for noise suppression in images 86−54540
Mowill, J., Strom, S. An advanced radial component industrial turbine engine 85−4975
Mowle, F.J., Meyer, D.G., Swain, P.H. NTU computer engineering program 87−36381
Mowle, F.J. *see* Neudeck, G.W. 87−23212
Mowrey, R. *see* Picton, T. 88−61353
Mowris, R.J. *see* Wallman, P.H. 87−72603
Mowry, D.B. *see* Charlton, T.E. 87−34813
Mowry, G.S., George, P.K., Lee, J. Electrical characteristics of comparable inductive and magnetoresistive thin film heads 85−29460
Mowry, G.S., George, P.K., Loeffler, K.M., Belk, N.R. Thin-film magnetoresistive heads for narrow-track Winchester applications 87−25796
Mowry, G.S. *see* Belk, N.R. 85−45987, 86−28650, 86−28689
Moxham, B.J. *see* Leendertz, J.A. 86−38746
Moxley, J.C., Bauer, P.A. The in-house SSFI experience at Carolina Power and Light's H.B. Robinson plant 88−62131
Moxnes, E. Interfuel substitution in OECD-European electricity production 87−22018
Moxness, R. Power from Canada: new imperatives and constraints 85−21126
Moxon, B.C. A multiprocessor-based sensor fusion software architecture 88−60569
Moxon, J. Powerful protection for when lightning strikes 87−78204
Moy, D., Basavaiah, S., Chuang, C.T., Li, G.P., Hackbarth, E., Brodsky, S.B., Polcari, M.R. Effects of processing conditions on the characteristics of platinum silicide Schottky barrier diodes 88−39368
Moy, D., Basavaiah, S., Protschka, H., Wang, L.K., d'Heurle, F., Wetzel, J., Brodsky, S., Volant, R. Use of thin titanium salicides for submicron VLSI CMOS 88−71796
Moy, D. *see* Chen, C.L. 88−6809
Moy, D. *see* Chuang, C.-T. 87−10805
Moy, D. *see* Davari, B. 88−71795
Moy, D. *see* Oh, C.S. 88−64781
Moy, D. *see* Sai-Halasz, G.A. 88−39721
Moy, D. *see* Taur, Y. 87−46194, 88−26502
Moy, D. *see* Wang, L.K. 87−25580
Moy, D. *see* Wong, C.Y. 88−71429
Moy, G., Kenahan, T., Prater, B., Summerhill, D. Continuous measurement of pollutants 87−14606
Moy, J.-P., de Cachard, J., Chaussat, S. CCD for SWIR photodiode multiplexing 88−74478
Moy, J.P., Chabbal, J.J., Chaussat, S., Rebondy, J., Veyrier, J., Villard, M. Multiplexed linear array of photodiodes for high resolution imaging around 1.6 μm 88−4486
Moy, J.P., Chabbal, J.J., Chaussat, S., Veyrier, J., Villard, M. Buttable arrays of 300 multiplexed InGaAs photodiodes for SWIR imaging 87−49553
Moy, J.P., de Cachard, J., Chaussat, S., Chabbal, J., Poisson, M.A. Performance of a multiplexed linear array of 300 InGaAs photodiodes 88−42169
Moy, J.P. *see* di Forte-Poisson, M.A. 88−58368
Moy, K.J., Grant, T.J. An experimental test station for multistage depressed collectors 85−58543
Moy, L.L., Carroll, D.R., Jirberg, R.J. On the effectiveness of onboard processing [communication satellite] 86−64943
Moy, M.S. Use a coupler and short to check transmitter VSWR 86−38528
Moy, P.H., Sanyal, A., Liau, I.S. Impact of components on surface mount process 86−14717
Moy, R., Blomgren, G.E., Jones, S.D. Methyldichlorophosphine/phosphorus oxychloride liquid cathode in lithium cells 86−61704
Moya, O., Vargas, L. A method for real-time security optimization of power systems 86−70616
Moya, R.P. *see* Moran, E. 88−75302
Moyaert *see* Longueville 87−11249
Moyaert, W. *see* Longueville, J. 88−32676
Moyaki, K. *see* Tanabe, H. 86−14768
Moyal, M. *see* Biran, J. 87−51281
Moyce, J. *see* Hutt, P.R. 87−50901
Moyenin, P. Laser applications in diabetes 88−48219
Moyer, B. PLA minimization via selective output inversion 88−32146
Moyer, B., MacGregor, D. Barrel shifter control mechanisms 87−24241
Moyer, B., MacGregor, D., Thompson, B. Separation of exception recognition, prioritization, and state maintenance 87−24237
Moyer, B., Volpigno, M. New PAL(R) device architecture extends design flexibility 87−59432
Moyer, B. *see* MacGregor, D. 85−798
Moyer, B. *see* Mothersole, D. 87−24240
Moyer, B. *see* Parrott, C. 88−44193
Moyer, C., Natenapit, M., Arajs, S. Filtration of submicron particles by spheres in HGMS 87−26728
Moyer, C. *see* Haque, M.F. 88−72520
Moyer, C. *see* Worth, G.M. 85−48357
Moyer, C.A. *see* Arajs, S. 85−51385
Moyer, C.D., Escher, J.S., Pirastehfar, H., Palais, J. Frequency division multiplexing using high radiance 800-nm light-emitting diodes [CATV systems] 85−37064
Moyer, D.D. *see* Chrisman, N.R. 87−29922
Moyer, J.C. *see* Russel, R.W. 86−8028
Moyer, L.R., Rugger, D.A. *Ku*-band atmospheric attenuation model 87−34639
Moyer, M.B. Automatic FCAW joins mining bit mountings [flux-cored arc welding] 85−53988
Moyer, M.D. *see* Biegelsen, D.K. 86−7812
Moyer, M.D. *see* Fennell, L.E. 85−10673
Moyer, M.D. *see* Johnson, H.M. 85−50334
Moyer, R.D. Techniques for measuring the effective source reflection coefficient of two-resistor power splitters 87−49902
Moyer, R.S., Lipson, J., German, M.G., Kaufman, S., Hall, P.M., Coyle, R.J. Stability of welding techniques used in single-mode laser packages 88−67429
Moyer, S.F. *see* Ross, D.G. 86−47774
Moyers, J.C., Holcomb, R.S. Nuclear alkali metal Rankine power systems for space applications 87−42184
Moyes, A.J., Murrell, A.E. Electric motor drives for high inertia impactor crushers 85−10158
Moyes, I. A sandwich-type surface layer structure for connectors 87−45360
Moylan, M.F., Balkey, K.R. Assessment and implementation of reactor vessel life extension 88−23679
Moylan, P.J. *see* Pota, H.R. 85−32081
Moylan, T. *see* Donohoe, M. 86−64523
Moylan, W.J. Current-limiting fuses: their limitations 86−45621
Moyle, B.D., Ellul, R.E., Calvert, P.D. Second-harmonic generation by composite materials 87−33272
Moyle, B.D., Hughes, J.F. Particle charging and absolute measurement of charge to mass ratio 85−24752
Moyle, B.D., Hughes, J.F. Powder coating−corona versus tribo charging 85−44765
Moyle, J. *see* Cheung, J.T. 86−67727
Moyle, J.K., Cheung, J.T., Ong, N.P. Spin-orbit scattering time and dephasing time of carriers in two-dimensional HgTe-CdTe superlattices and heterojunctions 87−53251
Moynagh, P.B., Rosser, P.J., Calligarro, R.B. Rapid thermal dielectrics for gate applications in VLSI 88−64795
Moynagh, P.B. *see* Brown, A.A. 88−64393
Moynagh, P.B. *see* Rosser, P.J. 87−6609
Moynault, J.M. *see* Occelli, R. 85−51247
Moyne, C. *see* Amazouz, M. 88−22823
Moynet, G., Dupraz, M. Progress of the sites and prospects: re-adjustment of the programmes [nuclear plants] 88−48657
Moynet, G., Sol, J.C. The economic performances of the French nuclear programme 86−6477
Moynihan, A. *see* Ho You, A. 87−79174
Moynihan, C.T. *see* Bansal, N.P. 85−18628
Moynihan, C.T. *see* Boehm, L. 88−58052
Moynihan, C.T. *see* Bruce, A.J. 85−18627, 85−56268
Moynihan, C.T. *see* Schroeder, J. 85−1950
Moynihan, J.F. Early automatic telephony in Australia 86−16798
Moynihan, R.A. Life cycle cost analysis of satellite communications systems 85−31009
Moynihan, R.L. Phased arrays for airborne ECM: the rest of the story 87−33545
Moynihan, T.M., Ackermann, R.A. Test results for a Stirling-engine-driven heat-actuated heat pump breadboard system 85−53948
Moyssiadis, C. *see* Chadjipantelis, T. 86−34139
Moz, L.S., Pekne, V.Z., Staroverova, T.Ya. Vertical synchronous motors for pump stations of irrigation systems 86−33334
Mozalevskaya, V.A., Dam'e, V.N., Shavrin, N.V., Frolov, V.M., Ponkratov, V.P., Sapranova, E.A. Small chemical current sources using lithium anodes and electrolyte based on thionyl chloride 87−43338
Mozalevsky, I.A. *see* Balbekov, V.I. 85−26562
Mozden, T. *see* Whiteside, F. 87−17072
Moze, O. *see* Pareti, L. 86−21950
Mozel, A.G. *see* Milin, A.I. 88−28547
Mozer, A. Development of nonconventional high voltage current measuring systems with higher accuracy and reliability 88−61995
Mozer, A., Pilkuhn, M.H. Physical description of intensity saturation effects of GaInAsP/InP light emitting diodes 86−2988
Mozer, A., Pilkuhn, M.H., Gobel, E.O. The relevance of extrinsic effects in GaInAsP devices 85−45398
Mozer, A. *see* Wunstel, K. 87−7358
Mozer, A.P. Influence of optical pulse shape on the bit rate distance product of fiber transmission systems 86−64959
Mozer, A.P. Optical fiber communication systems and their physical limitation effects 86−64989
Mozer, A.P. Chirp free transmission conditions with directly modulated semiconductor lasers 88−67400
Mozer, A.P., Hausser, S., Pilkuhn, M.H. Quantitative evaluation of gain and losses in quaternary lasers 85−62596
Mozer, A.P., Schilling, M., Winstel, K., Luz, G., Schemmel, G., Losch, K., Hildebrand, O. High performance 1.3 μm single model lasers: realization and properties 87−33152
Mozer, C. Total quality control: a route to the Deming Prize 85−10540
Mozer, F.S., Mozer, T.F. Algorithms drive time-domain speech synthesis 86−29763
Mozer, I. *see* Csabai, I. 87−53127
Mozer, T.F. *see* Mozer, F.S. 86−29763
Mozes, J. *see* Frank, A. 85−23908
Mozetic, I. *see* Lavrac, N. 85−38146
Mozgalevskii, A.V. *see* Voevodskaya, M.G. 86−11397

Mozgovoy, Yu.D. *see* Kanavets, V.I. 88–1328
Mozhar, V.I. *see* Bladyko, V.M. 88–70485
Mozharovskii, A.M. *see* Varnavskii, O.P. 85–35730, 86–9796, 87–2105, 87–75048
Mozhegov, N.A. Error stabilization in volume measurement by the gasdynamic method 87–3801
Mozhegov, N.A. Pneumatic-metric measurement of material volumes in sealed containers 87–14619
Mozhegov, N.A., Kosornkov, V.P., Kozlov, V.V. Photoelectric device for determination of the packing density of circular timber materials 86–17886
Mozin, I.V. *see* Ageev, A.I. 88–47779
Mozin, I.V. *see* Balbekov, V.I. 85–26562
Mozin, I.V. *see* Ivkin, V.G. 87–63340
Mozina, J. Some prospects for pulsed laser manufacturing processes 88–40448
Mozley, R. *see* Bernstein, D. 85–15253
Mozo, J. New equipment for complex modulation 88–4508
Mozo Villapun, F. Evolution of telephone network operation, requirements and restraints 88–9040
Mozok, G.M. *see* Strikha, V.I. 88–4580
Mozol', P.E. *see* Baidullaeva, A. 85–6714, 86–68374, 86–68377
Mozol', P.E. *see* Lisitsa, M.P. 85–41467
Mozol', T.F. *see* Fedorchenko, I.M. 86–40806
Mozsary, G. Microprocessor-based solar cell measuring and analyzing instrument 86–17763
Mozsary, G. Pulse transmission and measurement data acquisition for watthour meters 88–15967
Mozumder, P., Strojwas, A. Statistical control for VLSI fabrication processes 88–64744
Mozumder, P. *see* Shyamsundar, C.R. 88–44813
Mozumder, P.K., Shyamsundar, C.R. Statistical control of VLSI fabrication processes 88–6255
Mozumder, P.K., Shyamsundar, C.R., Strojwas, A.J. Efficient modeling techniques for VLSI process control applications 86–67942
Mozumder, P.K., Shyamsundar, C.R., Strojwas, A.J. Statistical control of VLSI fabrication processes. A framework 88–44812
Mozumder, P.K., Strojwas, A.J. Statistical control for VLSI fabrication process 88–33353
Mozumder, P.K., Strojwas, A.J., Bell, D. Statistical process simulation for CAD/CAM 88–71685
Mozumder, P.K. *see* Shyamsundar, C.R. 86–67941
Mozychenko, A.D. Equivalent conversion of multiterminal circuits by means of autotransformers 85–28291
Mozzhukhin, V.B. *see* Udod, E.I. 87–36483
Mozzi, R. *see* Ayasli, Y. 85–1055, 85–17827 to 17828, 85–23123 to 23124
Mozzi, R. *see* Tajima, Y. 85–55166
Mozzi, R.L. *see* Ayasli, Y. 85–1046
Mozzi, R.L. *see* Lamarre, P.A. 88–64437
Mozzo, M.A., Jr. Industrial cogeneration 87–4579
Mozzochi, C.J. On the difference between consecutive primes 87–16496
Mozzochi, C.J. *see* Iwaniec, HJ. 88–49694
Mpawenayo, P., Demichelis, F., Rava, P., Tagliaferro, A., Tresso, E., Kaniadis, G. Semiconductor properties of amorphous C-Sn thin films 87–37911
Mpawenayo, P. *see* Demichelis, F. 87–24808, 87–53212
Mpawenayo, P. *see* Rava, P. 88–7319
M'Pherson, P.K. System evaluation: life-cycle cost effective analysis and assessment procedures 87–31275
Mrabeut, T., Krawczyk, S.K. Effect of electron beam irradiation on the effective interface barrier heights and the effective metal-semiconductor work function difference in MOS structures 86–41620
Mrabeut, T. *see* Krawczyk, S. 85–23567
Mrabeut, T. *see* Krawczyk, S.K. 85–40521, 85–40539
Mrasek, H. *see* Brekow, G. 85–33537
Mraz, G.J. Development of design criteria for a high pressure vessel construction code 87–79268
Mraz, J., Klimes, M., Plavka, J. Insulation transformer for small accelerators 85–65298
Mraz, M.A. A programmable logic CAD station 85–17311
Mraz, M.A. *see* Bright, W. 85–11135
Mraz, Z. Speed control of a transistor-inverter-fed synchronous motor 85–32448
Mraz, Z., Kolacny, J. The application of a phase lock loop when controlling a thyristor rectifier 86–2142
Mraz, Z., Pham Gia Dung Torque of an induction machine supplied from a frequency converter 87–72140
Mrazek, B.E. BC Rail's advanced train control system 88–5968
Mrazek, F.C. *see* Fee, D.C. 87–43413
Mrdakovic, D., Pavselj, D. Local network–concepts and distribution [local area computer networks] 85–30727
Mrdakovic, D., Tomsic, M., Vidmar, M. Basic characteristics of distributed multimicrocomputer network DMS-860 86–30383
Mrha, J. *see* Fiala, V. 85–44157, 86–45643
Mrha, J. *see* Jindra, J. 87–78886
Mrha, J. *see* Krejci, I. 88–5829
Mrha, J. *see* Musilova, M. 88–5828
Mrha, J. *see* Petrovic, S. 87–30910
Mrha, J. *see* Podhajecky, P. 85–44150
Mridha, M. *see* Ask, P. 87–63717
Mrig, L., Rummel, S., Waddington, D. Long-term stability performance testing of amorphous silicon modules under natural sunlight 88–5846
Mrig, L., Rummel, S., Waddington, D., Deblasio, R. Outdoor stability performance of amorphous silicon modules 88–69702
Mrig, L. *see* DeBlasio, R. 88–5873
Mroczka, J. Temperature stabilisation of light-emitting diode radiation 88–33891
Mroczkowski, J.A. *see* Doyle, O.L. 85–34491
Mroczkowski, R.S. *see* Brockman, I.H. 88–64048
Mroczkowski, R.S. *see* Whitley, J.H. 88–38835
Mroczkowski, S., Dorain, P. Preparation of $Rb_2NaYF_6:Ce^{3+}$ and $Cs_2NaYF_6:Ce^{3+}$–a prospect for tunable lasers in the blue-green wavelength 86–9800
Mrohs, M.F. Solar electric devices (photovoltaics) in product design 87–74931
Mromlinski, L.R. Transportation problem as a model for optimal schedule of maintenance outages in power systems 86–6255
Mromlinski, L.R. *see* Malko, J. 88–75230
Mrotek, E.N. *see* Delaney, W.C. 85–49184
Mrowinski, D. Auditory evoked cortical magnetic fields in clinical diagnosis 85–20916
Mrowka, J. The role of metrology in quality securing systems 85–37385
Mroz, C.A. Saving time and power with a static CMOS clock controller 86–41190
Mroz, C.A., Niewierski, W. Advanced clock controller cuts power needs, size of static CMOS systems 85–6395
Mroz, T. Analog standards cells–the optimized solution 87–6852
Mrozek, B., Mrozek, Z. Approximation of magnetization curve of induction motor using spline function 86–19274
Mrozek, Z. *see* Mrozek, B. 86–19274
Mroziewicz, B. Semiconductor quaternary compounds in technology of optoelectronic devices 85–16905
Mroziewicz, B. Light sources in monolithic circuits for integrated optics 85–51070
Mroziewicz, B. Development trends in semiconductor lasers 85–56639
Mroziewicz, B. Device applications of GaAs 87–38169
Mroziewicz, B. *see* Darek, B. 85–2158
Mroziewicz, B. *see* Lewandowski, W. 88–56247
Mroziewicz, B. *see* Malag, A. 86–15132
Mroziewicz, B. *see* Piotrowska, A. 87–38892
Mroziewicz, B. *see* Stareev, G. 87–74758
Mrozowski, M. General solutions to Maxwell's equations in a bianisotropic medium: a computer oriented, spectral domain approach [waveguide theory] 86–54325
Mrozowski, M. An efficient algorithm for finding zeros of a real function of two variables 88–40458
Mrozowski, M., Kitlinski, M. Two-dimensional power flow distribution in ferrite microstrip lines magnetized perpendicularly to the ground plane 85–57077
Mrozowski, M., Mazur, J. General analysis of a parallel-plate waveguide inhomogeneously filled with gyromagnetic media 86–48634
Mrozowski, M., Mazur, J. Full-wave analysis of a rectangular waveguide containing layers of ferrite media 87–75546
Mrozowski, M., Mazur, J. Coupled mode analysis of waveguiding structures containing bianisotropic media 88–66136
Mrozowski, M. *see* Okoniewski, M. 87–33471
Mrozynski, G. Transient field of earth fault currents 87–30256
Mrozynski, G. Current distribution in a sphere by feeding time variant currents on the surface from a coil of arbitrary shape 87–75556
Mrozynski, G. *see* Baum, E. 86–41374
Mrozynski, G. *see* Bersiner, L. 86–4614, 87–40542
Mrozynski, G. *see* Ehrich, M. 86–29449
Mrozynski, G. *see* Heumann, M. 86–15593
Mrstik, B.J. *see* Dietrich, H.B. 86–2011
Mrugowsky, H. Experimental determination of region saturation curves of synchronous machines 85–43944
Mrugowsky, H. Experimental analytical determination of the cross-section characteristics of synchronous machines 86–19239
Mruk, I. *see* Lech, M. 85–58885, 85–58955
Mrusek, R., Just, D., Bryngdahl, O. Halftone pattern and carrier composition 88–59225
Mruzek, M.T. *see* Fast, R.W. 88–11734
Mrykhin, S.D. *see* Figurnov, E.P. 87–37614
Mrzel, J. The Vidmar's similarity theory and criterial programming in the power engineering 86–39032
M'Saad, M. *see* Landau, I.D. 87–61909
Msciwojewski, E. *see* Grabowski, A. 85–5008
Mshvelidze, G.G. *see* Dzhibladze, M.I. 85–2266
Mshvenieradze, B.B. *see* Rurua, A.A. 87–49478
M'Sirdi, K.N. *see* Landau, I.D. 87–61909
M'sirdi, N. *see* Jaidane-Saidane, M. 88–21261
M'Sirdi, N.K., Landau, I.D. Adaptive evolutionary spectrum analysis for narrow band signals 87–62130
M'Sirdi, N.K., Tjokronegoro, H.R., Landau, I.D. An RML algorithm for retrieval of sinusoids with cascaded notch filters 88–73090
Mtingwa, S. *see* Kells, W. 88–47886
Mtingwa, S. *see* Pasquinelli, R.J. 88–47900
Mu, C., Shao, Z., Kapp, O.H. Three dimensional reconstruction from noisy projections 88–52545
Mu, G.G., Wang, X.M., Wang, Z.G. The application of computer-generated oriented speckle screen to image processing 88–34780
Mu, G.G., Wang, X.M., Wang, Z.Q. A new type of holographic encoding filter for correlation–a lensless intensity correlator 88–34166
Mu, G.G., Wang, Z.G., Chen, D.Q. A new technique for pattern recognition using Fresnel hologram and extended source 88–20774
Mu, G.G., Wang, Z.Q., Gong, Q., Song, Q.W., Wu, F.X. White-light image processing using oriented speckle-screen encoding 85–57499
Mu, T.-C., Ogawa, H., Itoh, T. Characteristics of multiconductor, asymmetric, slow-wave microstrip transmission lines 87–19249
Mu, T.C., Ogawa, H., Itoh, T. Characteristics of coupled slow-wave microstrip lines 86–3614
Mu, T.C., Ogawa, H., Itoh, T. Characteristics of multiconductor, asymmetric, slow-wave microstrip transmission lines 87–7579
Mu, X. *see* Jiang, Z. 88–54718
Mu, X.C., Climent, A., Fonash, S.J. A study of low temperature Pd and Ni silicides formed on dry etched silicon surfaces 85–23541
Mu, X.C., Fonash, S.J. High-barrier Schottky diodes on p-type silicon due to dry-etching damage 86–2107
Mu, X.C., Fonash, S.J., Oehrlein, G.S., Chakravarti, S.N., Parks, C., Keller, J. A study of $CC1F_3/H_2$ reactive ion etching damage and contamination effects in silicon 86–47472
Mu, X.C., Fonash, S.J., Rohatgi, A., Rieger, J. Comparison of the damage and contamination produced by CF_4 and CF_4/H_2 reactive ion etching: the role of hydrogen 86–47462
Mu, X.C., Fonash, S.J., Singh, R. Observation of boron acceptor neutralization in silicon produced by CF_4 reactive ion etching or Ar ion beam etching 86–63176
Mu, X.C., Fonash, S.J., Yang, B.Y., Vedam, K., Rohatgi, A., Rieger, J. Ar ion beam and CCl_4 reactive ion etching: a comparison of etching damage and of damage passivation by hydrogen 86–15045
Mu, X.C. *see* Fonash, S.J. 88–57472
Mu, Xing-hua *see* Sun, Yu-shi 86–42736
Mu Gongqin *see* Deng Renliang 85–56730
Mu Guo-guang *see* Guo-guang Mu
Mu Guoguang *see* Wang Xuming 88–40043
Mu He *see* He Mu
Mu Mo *see* Huang Hong-ci 86–62175
Mu Sheng Wei *see* Dong Chul Park 85–54992
Mu Tian *see* Tian Mu
Mu Tin-rong The elastic boundary conditions of a flexural circular plate transducer supported by a thin cylindrical shell 86–70539
Mu-hua Chen *see* Chen Mu-hua
Mu-Shiang Wu, Azuma, A., Shiosaki, T., Kawabata, A. Low-loss epitaxial ZnO optical waveguides on sapphire by RF magnetron sputtering 88–1983
Mu-ting Pang *see* In-hoon Choi 88–14208
Mu-Yue Hsiao Fault tolerant design in VLSI technology 86–21744
Muaddi, J.A., Izzard, M., Dennis, J.K., Bell, J.F.W. The design and application of a decrement 'Q' meter as a non-destructive adhesion test for coatings 85–33549
Muammar, R.H. *see* Gupta, S.C. 85–58008
Muary, R.J. *see* Maury, M.A., Jr. 86–1348
Muasher, M.J., Ince, F. Detection and monitoring of the 1983 Nowruz oil spill using AVHRR data 86–12200
Muat, R. Low noise oscillator design. II. Choosing devices for quiet oscillators 85–11075
Muat, R. Designing oscillators for spectral purity 85–17189
Muat, R. Low-noise oscillator design. III. Computer analysis aids oscillator designers 85–28411
Mubarak, A.M., El-Dessouky, H.T. Design of waste heat boiler for desalination-gas turbine cogeneration plant 86–40354
Mubarak, F. *see* Agrawal, O. 87–73401, 88–19034
Mucchietto, F. Transmissions on optical fibers 86–30756
Mucchino, C. *see* Fornari, R. 88–18053
Mucchino, C. *see* Rakovics, V. 87–74175
Mucci, R. *see* Arnold, J. 85–3481
Mucci, R. *see* Gish, H. 86–4709, 87–47685
Muccini, M. *see* de Ferra, P. 85–2948, 85–47100
Muccio, P. *see* Barnicle, K. 88–61239
Muccio, P. *see* Simon, E. 88–61462

Muccio, P.E., Marsolai, E.B. Experience with ankle-foot orthoses and paraplegic subjects using functional neuromuscular stimulation 88–61463
Muccioli, J.P., Awad, S.S. The electromagnetic environment of an automobile electronic system 88–10090
Much, G. *see* Hill, B. 87–74885
Mucha, J. A mining digital dilatometer 87–41483
Mucha, J.A. The gases of plasma etching: silicon-based technology 85–40639
Mucha, J.A. *see* Chang, C.-P. 87–65549
Mucha, J.A. *see* Flamm, D.L. 87–44389, 88–7495
Mucha, J.A. *see* Ibbotson, D.E. 85–12184, 85–40613, 88–12063
Mucha, J.A. *see* Selamoglu, N. 87–67099, 88–39238
Mucha, J.P., Daehn, W., Gross, J. Self test in a standard cell environment 87–32688
Mucha, J.P. *see* Grabinski, H. 86–47726
Mucha, J.P. *see* Ohletz, M.J. 88–19075
Muchel, F. *see* Muller, O. 87–29806
Muchiev, S.G. *see* Gribkov, V.L. 85–18574
Muchino, I.A., Rivera, J.F. The development of algorithms for the analysis of emergency conditions in transmission networks 86–18783
Muchkapskii, L.A., Dyuzhin, A.T., Ilyukovich, A.M. Self-checking sine-voltage generator 85–64163
Muchnik, G.F., Agabekyan, E.M., Ivanov, A.G. Study of the characteristics of a magnetic-liquid slope-angle meter 88–74591
Muchnik, G.F., Domanin, M.G., Astakhov, A.Yu. Application of the universal Feigenbaum theory for an oscillatory circuit with a nonlinear capacitor 87–73252
Muchnik, G.F., Mikhailova, V.P. Computer-aided cluster analysis of array of data on chemical current sources 88–55578
Muchnik, G.F. *see* Demirchyan, K.S. 87–58762, 88–62586
Muchnik, G.F. *see* Lidorenko, N.S. 87–36163, 88–24166
Muchnik, I.B. *see* Mottl, V.V. 87–48010
Muchnik, M.L. Production of an intense beam of indium ions through two-frequency stepwise laser ionization 85–15125
Muchnik, R.G. *see* Baev, V.P. 88–20297
Muchnik, V.Ya. *see* Malyshev, V.V. 86–33837
Muciaccia, M.T. *see* Catanesi, M.G. 87–29686
Muciaccia, M.T. *see* De Vincenzi, M. 86–65331
Mucic, I. *see* Mikulic, D. 86–61482
Muciek, A. A least squares method for analysis of pair comparison measurements 85–37407
Muciek, A. Estimation of values of groups of inductance standards 86–24694
Muciek, A. Scientific research in National Bureau of Standards 88–22399
Muciek, A. Estimation of equivalent circuits parameters of air-core inductance standard 88–24009
Muciek, A. *see* Free, G.M. 87–14478
Muciek, A. *see* Muciek, J. 87–14374, 87–14479, 88–16426
Muciek, J. Basic parameters and construction of dissipation factor standards 88–22750
Muciek, J., Muciek, A. A selective AC bridge balance indicator 87–14374
Muciek, J., Muciek, A. A comparison of low frequency models of inductance standards 87–14479
Muciek, J., Muciek, A. A comparison of low-frequency models of inductance standards 88–16426
Mucino, V.H., Marin, O.J. Real-time simulation of flexible rotor systems with reduced matrices [power plant machines] 85–60144
Muck, M., Hedbabny, H.J., Rogalla, H. Tunnel junctions with Nb$_3$Ge base electrode 87–67891
Muck, M., Rogalla, H. Radiation from Nb$_3$Ge nanobridges: experiments and comparison with theory 88–13713
Muck, M., Rogalla, H., David, B. DC-SQUID operation above 20K 85–29501
Muck, M., Rogalla, H., David, B., Heiden, C. Response of Nb$_3$Ge microbridges to microwave irradiation 86–2638
Muck, M., Rogalla, H., Heiden, C. A microwave operated fast superconducting switch 87–74592
Muck, M., Rogalla, H., Heiden, C. Relaxation oscillator for switching and local oscillator applications 88–18994
Muck, M., Rogalla, H., Heiden, C. Relaxation oscillators made of bridge-type Josephson contacts 88–58024
Muck, M. *see* Rogalla, H. 85–56185, 88–20291
Mucke, K.H. Nickel-surfaces on steel and nickel/cobalt: actual problems in the production of semiconductor elements 85–40653
Muckenheim, W. Seven ways to combine two excimer lasers 88–8119
Muckenheim, W. Estimating the bandwidth of pulsed dye lasers 88–40160
Muckenheim, W., Lokai, P., Burghardt, B. Empty waves do not induce stimulated emission in laser media 88–45336
Muckenheim, W., Ruckle, B. Excimer laser with narrow linewidth and large internal beam divergence 88–20541
Muckenheim, W. *see* Klopotek, P. 88–14089
Muckenheim, W. *see* Lokai, P. 88–2369
Muckenheim, W. *see* Muller-Horsche, E. 88–58471
Muckenheim, W. *see* Ruckle, B. 87–68367
Muckenheim, W. *see* Szatmari, S. 87–74997
Muckenhuber, R. Mixed integral number linear optimisation—a modern tool for the expansion planning of electrical power systems 85–38458
Muckenhuber, R. Lightning strokes on the radio masts of electrical switching stations, and their effects 85–53350
Muckett, S.J., Warwick. M.E., Davis, P.E. Thermal aging effects between thick-film metallizations and reflowed solder creams 86–47218
Muckett, S.J. *see* Stein, M.A. 87–66760
Mucklejohn, S.A., Jones, B.F., Mottram, D.A.J., O'Brien, N.W. The chemical composition of plasmas generated in high pressure discharge lamps containing tin and sodium halides 87–58440
Mucklejohn, S.A., O'Brien, N.W. Thermochemical parameters for use in modelling metal halide lamps 87–16153
Mucklejohn, S.A. *see* Jones, B.F. 85–16387
Mucklejohn, S.A. *see* O'Brien, N.W. 87–58441
Muckli, W. Introducing strategy for integrated office communication systems 88–73492
Mucklin, G.P. Comparison of IEC, NEMA an UL motor control equipment standards 87–43325
Mucklin, G.P. Comparison of IEC, NEMA and UL motor control equipment standards 87–78849
Mucko, E. Ignition piezoelectric transducers 85–1806
Mucko, E. Unimorphic piezoelectric transducers for sonic signalling devices 85–4508
Mucko, J. *see* Dmowski, A. 86–13962
Mucko, V. Rade Koncar's fuse links 2NVO 00, 6-100 A with low power dissipation 86–33556
Mucsi, S., Csomori, P. Communication systems in a distributed intelligence process control system 85–52053
Muczynski, J. *see* Grabowski, A. 88–75541
Muda, Y. Wave form compilation type voice synthesis method and its application 88–34612
Mudaliar, M.M., Chadrasekharaiah, H.S. Dynamic digital simulation of multi-terminal HVDC systems using a novel modular converter model 86–12401
Mudaliar, M.M., Chandrasekharaiah, H.S. Dynamic digital simulation of HVDC systems using a novel modular converter model 86–12383
Mudaliar, M.M., Chandrasekharaiah, H.S. Computation of three phase thyristor bridge converters 87–58198
Mudaliar, M.M. *see* Chandrasekharaiah, H.S. 88–68888
Mudaliar, S. *see* Lee, J.K. 88–58833
Mudares, M. *see* Barker, J.R. 86–1696
Mudares, M.A.L. *see* Saxena, A.K. 86–8766
Mudd, C. *see* Walker, E.C. 88–29939
Mudd, J. *see* Wood, I.C. 85–36814
Mudd, L.D. Mains frequency square-wave generator 86–14047
Mudd, M.J. *see* Guha, M.K. 86–61334
Mudd, M.S.J. *see* Birch, M.J. 86–41942
Mudd, M.S.J. *see* Saul, P.H. 86–47783, 87–59690, 88–12477, 88–44076, 88–56495
Mudd, M.S.J. *see* Taylor, D.G. 85–63714, 87–40968
Mudd, M.S.J. *see* Wood, I.C. 85–36783, 86–11141, 86–37917
Mudduveerappa *see* Raveendra, K.S. 85–48563
Muder, D.J. A new upper bound on the density of sphere packings in three dimensions 87–54930
Mudge, J.C., Clarke, R.J., Potter, R.J., Smith, G.J., Watson, C.R. Speaker-dependent word-recognition—a case study of a custom VLSI chip development 85–37537
Mudge, J.C. *see* Paltridge, M.L. 85–33856
Mudge, J.C. *see* Wardle, C.L. 85–692
Mudge, J.L. *see* Atherton, R.W. 86–46072
Mudge, P.J. *see* Williams, S. 85–49662
Mudge, T.N. Vision algorithms for hypercube machines 86–34063
Mudge, T.N., Turney, J.L., Volz, R.A. Automatic generation of salient features for the recognition of partially occluded parts 87–55305
Mudge, T.N. *see* Dolezal, R.M. 87–14542
Mudge, T.N. *see* Gottschalk, P.G. 87–62310
Mudge, T.N. *see* Olukotun, O.A. 87–66715
Mudge, T.N. *see* Turney, J.L. 85–46907, 85–57473
Mudla, B.G. *see* Gritsenko, V.I. 86–11518
Mudler, J. Technique for stemming and processing the flood of hypotheses in probability orientated speech recognition 87–2484
Mudler, J., Paulus, E. Development and test of expectation analysis for automatic speech recognition 85–36224
Mudler, J., Paulus, E. Expectation-based speech recognition 88–72901
Mudra, J. Analysis of changes of partial discharges magnitudes and reliability of insulator HV switchgear 87–78177
Mudra, J., Benes, O., Olsarova, V. Design of insulation of apparatus and busbars for a three-pole 145 kV metal-clad SF$_6$ switchgear 86–71003
Mudra, J. *see* Benes, O. 85–35227
Mudrack, H., Reinhold, A., Quintenz, R. ISDN—a challenge for branch exchange switching technology 85–30839
Mudrak, E.I. *see* Malyshev, V.V. 86–33837
Mudrik, M., Croitoru, N. Calculation of the bidimensional electric potential in a polycrystalline semiconductor Schottky junction 87–1308
Mudrik, M. *see* Amirhaghi, S. 87–64825, 88–37537
Mudrik, M. *see* Croitoru, N. 88–1617
Mudron, J. *see* Macko, P. 85–18139
Mudroncik, D. *see* Novotny, M. 88–30279
Mudrow, A. *see* Wilson, D. 87–17107
Mudry, F. *see* Aizawa, T. 88–18791
Mudunuri, B.Krishna *see* Krishna Mudunuri, B.
Mud'yugin, B.G. *see* Boldyshev, V.F. 88–54012
Muehe, C.E. *see* Rabinowitz, S.J. 85–47579
Muehiner, D.J. *see* Chi, G.C. 87–54181
Muehl, T. *see* Blazek, V.J. 87–41954
Muehlbacher, M. More about the 2.3 GHz divide-by-100 scaler 88–12547
Muehle, G. Trends in PABX technology in the USA 86–69514
Muehle, G. *see* Ahmad, K. 87–34288
Muehleisen, C. *see* Devlin, T. 88–47995
Muehlenweg, C.A. Calibration of current sensors for pulsed power systems 85–5243
Muehlhauser, J., Attig, R., Jackson, D. Status of MHD heat and seed recovery testing at the Coal Fired Flow Facility 85–53837
Muehlhauser, J.W., Foote, J.P., White, M.K. Current status of MHD heat recovery/seed recovery development 86–33705
Muehlhoff, H.-M., Murkin, P., Kuesters, K.H., Orlowski, M., Mueller, W. Analysis and optimization of submicron MOSFETs with gate bird's beaks 88–71577
Muehlhoff, H.-M. *see* Coon, D.D. 85–37630
Muehlhoff, H.M. *see* Kuesters, K.H. 88–70769
Muehlhoff, L. *see* Bozso, F. 85–49547
Muehllehner, G., Karp, J.S. A positron camera using position-sensitive detectors: PENN-PET 86–65411
Muehllehner, G., Karp, J.S. Advances in SPECT and PET 88–61255
Muehllehner, G., Karp, J.S., Mankoff, D.A., Beerbohm, D., Ordonez, C.E. Design and performance of a new positron tomograph 88–61261
Muehllehner, G. *see* Karp, J.S. 85–59266, 86–50513
Muehllehner, G. *see* Mankoff, D. 86–50492
Muehllehner, G. *see* Mankoff, D.A. 88–61251
Muehlner, D.J. *see* Chi, G.-C. 88–26976
Muehlner, D.J. *see* Nelson, T.J. 86–63575, 88–7806
Mueksch, M.C. A splash and sheet erosion model from Landsat data 85–64728
Mueksch, M.C. Detection of biomass by an empiric albedo and spectral reflectance model in the Sahara Desert from Landsat-imagery 86–18605
Mueksch, M.C. Detection of environmental noises between a vegetation canopy and a radiometric sensor 88–68652
Muelen, E.C.van der *see* van der Muelen, E.C.
Muelenaere, P.De *see* De Muelenaere, P.
Mueller, A.C. *see* Anne, R. 87–63694
Mueller, B. *see* Koenig, D. 88–30950
Mueller, C. *see* Wilson, J.W. 88–15589
Mueller, C.E., Adams, G. Laser gyro land navigation system performance predictions and field results 85–38311
Mueller, C.E. *see* Divakaruni, S.P. 85–9313
Mueller, C.J. *see* Page, R.J. 85–43844 to 43845
Mueller, C.K., Hilderbrand, P.H. Evaluation of meteorological airborne Doppler radar. II. Triple-Doppler analyses if air motions 87–71322
Mueller, C.K. *see* Hildebrand, P.H. 87–71321
Mueller, C.T., Garmire, E. Photorefractive effect in LiNbO$_3$ directional couplers 85–18741
Mueller, C.T., Garmire, E. Photorefractive effect in lithium niobate directional couplers 85–29550
Mueller, C.T., Garmire, E. Time-dependent photorefractive effects in LiNbO$_3$ directional couplers 85–46200
Mueller, C.T., Garmire, E. Coupling characteristics of LiNbO$_3$ directional couplers 86–2661
Mueller, D. *see* Cynar, L. 86–45997
Mueller, D.L. *see* Eriksson, L.O. 88–26238
Mueller, E. *see* Barth, K. 86–11950
Mueller, E. *see* Strand, T.C. 86–11719
Mueller, E.A., Larkin, R.P. Insects observed using dual-polarization radar 87–71304
Mueller, E.A. *see* Jameson, A.R. 87–70115
Mueller, E.H., Barnett, A.M. Improved energy conversion efficiency of GaAs solar cells for space based on multilayer top contacts 87–58331
Mueller, E.H., III *see* Barnett, A.M. 85–65452
Mueller, F.-E. QPSK-modulators designed by CAD methods 87–31765

Mueller, F.M. Superconductor landscape: view from Los Alamos 88—43395
Mueller, G., Holliday, R., Schulze, G. A message handling gateway between EARN/BITNET and DFN 86—69451
Mueller, G.O. *see* Mach, R. 88—42204
Mueller, G.P. *see* Knudson, A.R. 86—35702
Mueller, H., Chapel, S. New EPRI planning tools to assist utilities in managing fuel costs for power generation 87—64108
Mueller, H.A. *see* Fancher, R.B. 86—50840
Mueller, H.M. *see* Yu, F.T.S. 86—3972
Mueller, H.P. *see* Lightner, M.R. 86—34480
Mueller, H.R. *see* Keller, H. 86—43577
Mueller, H.R. *see* Meyr, H. 86—54410
Mueller, H.R. *see* Zafiropulo, P. 88—35236
Mueller, J. *see* Cassel, D.G. 87—21416
Mueller, J. *see* Groh, K.H. 88—48303
Mueller, J. *see* Pisharody, M. 86—50315
Mueller, J. *see* Thomsen, S. 88—16757
Mueller, J.E. *see* Stever, S.D. 86—70160
Mueller, J.J., Levit, L.B., Petersen, H. A 4-channel charge multiplexer monolithic integrated circuit (QMUX) for use in large scale ADC systems 86—47673
Mueller, J.L. Nimbus-7 CZCS: electronic overshoot due to cloud reflectance 88—30171
Mueller, K.D., Olderdissen, U. Digital programmable clock pulse shaper 85—22970
Mueller, K.D. *see* Koerner, S. 85—22969
Mueller, K.H., Stelter, T., Ponse, F., Weidlich, H. Synchrotron lithography for sub-half-micron T-gates in GaAs-FET 87—25302
Mueller, M. Technical standards: the market and radio frequency allocation 88—35631
Mueller, M.B. Monitoring for network management 87—8058
Mueller, M.J., Mickanin, W. Functional laser trimming of thin film resistors on silicon ICs 87—18233
Mueller, M.P. *see* Gahrn, V. 88—30629
Mueller, M.S., Werner, J.-J. Adaptive echo cancellation with dispersion and delay in the adjustment loop 85—57348
Mueller, O., Edelstein, W.A. Low-noise preamplifier design for NMR 87—31732
Mueller, O., Vatis, D., Edelstein, W., Bottomley, P. RF technology for NMR imaging spectroscopy 87—21557
Mueller, O. *see* Schwarz, J. 88—69653
Mueller, O.M. *see* Hayes, C.E. 85—64560
Mueller, P. *see* Ceglio, N.M. 87—12524
Mueller, P.F. *see* Reynolds, G.O. 87—12633
Mueller, P.W., Lozano-Garcia, D.F., Hoffer, R.M., Bartolucci, L.A. Evaluation of the information content of a Shuttle Imaging Radar-B multiangle data set 86—18546
Mueller, R. *see* Baier, E. 85—28531
Mueller, R. *see* Baier, E.K. 85—22872
Mueller, R. *see* Besold, R. 87—3514
Mueller, R.E., May, A.D. Propagation of a saturating laser beam through methane 88—27258
Mueller, R.E. *see* Stephan, G. 87—68336
Mueller, R.H., Wasilenko, S., Brothers, W.S., Fulton, J.M. Sorting out the roles of high- and low-loss fiber 88—7865
Mueller, R.J. *see* Ware, R.H. 86—38941
Mueller, R.K., Robbins, W.P. Scanning laser acoustic microscope using surface acoustic waves and digital image processing 86—6152
Mueller, R.K., Robbins, W.P., Soumekh, B., Zhou, Z., Skaar, T., Rudd, E. High resolution imaging with scanning light acoustic microscopy using digital image processing 87—4172
Mueller, R.K., Robbins, W.P., Zhou, Z.Q., Rudd, E. High resolution backprojection imaging with a scanning laser acoustic microscope 87—71419
Mueller, R.K., Soumekh, B. Theory of image reconstruction in laser scanned acoustic microscopy 87—4171
Mueller, R.K. *see* Robbins, W.P. 88—75007
Mueller, R.K. *see* Rudd, E.P. 87—29973
Mueller, R.K. *see* Soumekh, M. 86—10547
Mueller, R.K. *see* Kaveh, M. *(editor)* 86—7389
Mueller, R.L. Air mass 1.5 global and direct solar simulation and secondary reference cell calibration using a filtered large area pulsed solar simulator 87—16029
Mueller, R.L. The calculated influence of atmospheric conditions on solar cell I_{sc} under direct and global solar irradiances 88—37410
Mueller, R.N., Howard, J.L., Sikorra, C.F., Swegle, A.R. Calibration and evaluation tests of strain gages for use on structure exposed to cryogenic and reentry temperatures [space vehicles application] 86—60244
Mueller, R.O., Stavrou, J. Utility ownership of the wood resource as an option for secure fuel supply 85—27152
Mueller, R.S. Microwave radiation from a magnetic dipole in an azimuthally magnetized ferrite cylinder 86—64064
Mueller, R.S. Reflection of electromagnetic plane waves from a moving ferrite surface 87—68746
Mueller, R.S. Oblique transmission of electromagnetic waves through a magnetized ferrite slab 88—52181
Mueller, S.P., Polak, J.F., Kijewski, M.F., Holman, B.L. Collimator selection for SPECT brain imaging: the advantage of high resolution 87—50270
Mueller, T., Sun, J., Karkalik, F., Kessler, K. Low-cost GPS/INS guided stand-off weapon study 88—68681
Mueller, T. *see* Bhargava, B. 88—35157
Mueller, T. *see* Feitisch, A. 88—45505
Mueller, T.A. *see* Gruber, G.J. 85—6080
Mueller, T.R., Wong, D.F., Liu, C.L. An enhanced bottom-up algorithm for floorplan design 88—24918
Mueller, V.C. *see* Mackowski, M.J. 85—53130
Mueller, W. Basic MODAMP MMIC circuit techniques 87—17380
Mueller, W. *see* Frankowski, G. 85—59320
Mueller, W. *see* Hahn, S.R. 88—47990
Mueller, W. *see* Kuesters, K.H. 88—70769
Mueller, W. *see* Muehlhoff, H.-M. 88—71577
Mueller, W. *see* Risch, L. 88—56629
Mueller, W. *see* Schulz, H. 85—43824
Mueller, W. *see* Vendelin, G. 87—994
Mueller, W.C. *see* Vendelin, G.D. 88—19369
Mueller-Hellmann, A. *see* Becker, W. 85—5187
Mueller-Roemer, F. Development and use of broadcast satellites in the Federal Republic of Germany 86—64923
Muellers, P. *see* Chase, D. 86—29750
Muellner, F.E., Holland, H.W. Improved nuclear power plant operation and maintenance through safety system status monitoring 86—25735
Muench, F.J. Application considerations and comparisons of current limited fuses applied at transformers and sectionalizing points 88—68927
Muench, F.J., Jr., Wright, G.A. Fault indicators: Types, strengths and applications 85—27136
Muench, R.A. Bringing operating plant service technology to Europe 86—39333
Muenchausen, R.E., Keller, R.A., Nogar, N.S. Surface second-harmonic and sum-frequency generation using a noncollinear excitation geometry 87—33276
Muenier, M., Deves, P. DEDALE: an expert system for analog circuit maintenance 88—1783
Muennemann, F., Ayter, S., Auld, B.A. Computation of eddy current signals and quantitative inversion with realistic probe models 85—10883
Muennemann, F., Dombro, L., Long, J. A 20 GHz, high efficiency dual mode TWT for the ACTS program 87—40809
Muennemann, F., Dombro, L., Long, J. Dual-mode 20-GHz downlink TWT for the ACTS satellite 88—57266
Muennemann, F. *see* Auld, B.A. 85—6095
Muennemann, F.G. *see* Auld, B.A. 85—6094
Muenzel, J. *see* Rabbel, V. 87—57012
Mues, M. *see* Benzold, K.-H. 86—45756
Mues, M. *see* Bezold, K.-H. 87—31047
Mueser, R. Identifying technical innovations 86—19784
Muething, G.F., Jr. Loosely versus tightly coupled instrument systems 85—14626
Muething, R. Calibration/standards. Vernier technique speeds ASIC tester calibration 88—41959
Muething, R., Saikley, C.R. Integrated pin electronics: a path toward affordable testing of high-pin count ASIC devices 88—25082
Muething, R. *see* Saikley, C.R. 88—19019
Mufel, V.B. *see* Vishnyakov, V.A. 87—41717
Muffat-Joly, M. *see* Renault, G. 88—16721
Mufid-Zade, N.A. *see* Dzhuvarly, Ch.M. 85—60235
Mufson, S. *see* Bower, C.R. 87—14732
Mufson, S. *see* Calicchio, M. 88—29811
Mufson, S.L., Heinz, R.M. The detection of solar neutrinos in a water Cerenkov counter 88—47973
Muftakhov, A.M. *see* Sapel'nikov, V.M. 85—58820, 86—67090
Muftakhov, M.V. *see* Mazunov, V.A. 86—60506
Muftic, D., Ilijanic, V. Electrical requirements for the head of new 400 kV towers 86—70701
Muftic, O., Anzulovic, B., Domazet, Z., Mandic, I. Dynamic analysis of manipulator for ultrasonic welding control 88—43699
Muftic, S. Security mechanisms for computer networks. Current results of the CEC COST-11 ter project 88—59619
Muftic, S., Babic, G. Security features of the ENERGONET-PS1 network 88—21415
Mugasheva, F.Kh. *see* Kungurova, O.L. 87—2072
Mugeraya, S., Prabhakar, B.R. Measurement of resistivity and dielectric constant of beach-sand minerals 86—36647
Mugeraya, S., Prabhakar, B.R. Charging characteristics of particles in electrostatic separators 86—42778
Muggli, P. *see* Agosti, G. 88—64210
Muggli, P. *see* Mathews, H. 87—45521
Muggli, P. *see* Mathews, H.-G. 88—25812
Muggli, P. *see* Perrenoud, A. 87—24421
Muggli, P. *see* Tran, M.Q. 87—24700
Muggli, R.Z., Andersen, M.E. Raman micro-analysis of integrated circuit contamination 85—50655
Mugica, F. *see* Morales, J. 85—59970
Muginova, G.D., Siraya, T.N. Selection of the parameters of testing procedures for instruments with significant random error 88—4261
Mugler, D.H., Splettstosser, W. Difference methods and round-off error bounds for the prediction of bandlimited functions from past samples 85—63029
Mugler, D.H., Splettstosser, W. Linear prediction from samples of a function and its derivatives 87—55079
Mugler, J.P., III *see* Merickel, M.B. 88—36430
Mugnier, J., Dordet, Y., Pouget, J., Valeur, B. A photometric approach to fluorescent solar concentrators. Role of diffuse reflectors and spectral sensitivity of solar cells 87—36134
Mugwanya, D.K., Van Ness, J.E. Mode coupling in power systems 87—57485
Muh, H. *see* Stabler, K. 87—57891
Muha, M.S. *see* Moulthrop, A.A. 88—55387
Muha, V., Pavesic, N., Gyergyek, L. An automatic visual fault identification on hybrid circuits 87—45464
Muha, V. *see* Rihar, M. 88—5805
Muhamad, M.Rasat *see* Rasat Muhamad, M.
Muhammad, A.J., Morgan, D.V., Guile, A.E. The effect of overlap of ohmic contacts on the characteristics of a MIM structure having a single discrete shallow trap level 85—23596
Muhammad, A.J., Morgan, D.V., Guile, A.E. Contact overlap in MIM structures with distributed traps 85—23597
Muhammad Ali, A.S. *see* Al-Araji, S.R. 86—29479
Muhammed, N. *see* Ambler, A.P. 87—669
Muhammed, N. *see* Coleman, N. 87—1674
Muheim, J. BBC's PARTNERBUS—a communication bus linking computers in local area networks 85—63278
Muhi, P. *see* Gutlbauer, F. 88—6058
Muhkopadhyay, P. *see* Walsh, J. 87—7386
Muhl, R. *see* Kraus, G. 85—40374
Muhl, T., Blazek, V., Schmitt, H.J., Schmid-Schonbein, H. Measuring system with fiber sensors for the recording and Fourier-analysis of dermal microcirculation oscillations 88—16715
Muhlack, L. *see* Grosspietsch, K.E. 87—59466
Muhlbach, A. *see* Peinke, J. 85—40427, 87—53171
Muhlbach, G. Two comparison methods for solving certain systems of linear equations 85—54367
Muhlbach, G., Reimers, L. Linear extrapolation by rational functions, exponentials and logarithmic functions 87—44201
Muhlbach, G. *see* Gasca, M. 87—58857
Muhlbach, L. Ergonomic videophone terminals 87—69751
Muhlbach, L., Kellner, B. On the audio quality in video telephony—results of experimental investigations 87—62538
Muhlbach, L. *see* Kellner, B. 86—11327
Muhlbach, L. *see* Romahn, G. 86—11326, 87—40273
Muhlbacher, M. A 2.3 GHz prescaler (: 100) 85—52809
Muhlbacher, M. 3.7 GHz frequency divider—1:8 pre-divider with smart modules 86—35045
Muhlbauer, A. *see* Erdmann, W. 87—22901
Muhlbauer, A. *see* Fenzl, H.J. 85—16907
Muhlbauer, A. *see* Kozeny, J. 87—79209
Muhlbauer, A. *see* Nacke, B. 88—49291, 88—69929
Muhlbauer, A. *see* Schafer, J. 86—19615
Muhlbauer, K. *see* Ermer, W. 86—41663
Muhlbaure, A. *see* Erdmann, W. 86—26416
Muhlberger, W. Increase of measurement precision using reflection factor measurements by implementation of a computer 85—15003
Muhldorfer, B. *see* Wirth, H. 87—21410
Muhle, E.-E. *see* Gobrecht, E. 88—5544, 88—11089, 88—37052
Muhle, H. Photovoltaic power supplies. Constructional features, applications and prospects 87—15595
Muhle, H. Photovoltaic current supply—structure, possibilities and prospects 87—15601
Muhlemann, K. A 30-V row/column driver for flat-panel liquid crystal displays 88—51006
Muhlemann, K., Merki, U. A 30 V row/column driver for flat-panel liquid crystal displays 87—63465
Muhlemann, K. *see* Fenger, C. 88—45224
Muhlemeier, B. *see* Parisi, J. 86—55588
Muhlemeier, B. *see* Penner, K. 86—28733
Muhlenbeck, J. *see* Unger, K.-D. 85—32853
Muhlenbein, H., Warhaut, S. Concurrent multigrid methods in an object-oriented environment—a case study 86—26971
Muhlenbroich, P. Double track: how function generators meet increasing demands 85—58734
Muhlenbroich, P. A modular signal generator concept for communications applications 88—22663
Muhler, G. Offset and drift performance of operational amplifiers 87—44631
Muhlethaler, B. *see* Ramjoue, A. 86—23568
Muhlethaler, H.-P. *see* Ebert, K. 85—26932
Muhlethaler, P. *see* Jacquet, P. 88—3588, 88—8905, 88—15140, 88—59386

Muhlethaler, R. Swiss and international standards for reaction of cables to fires 88−68950
Muhlethaler, T. Third generation. Eight new CD players under test 87−14021
Muhlethaler, T. The sold patent [audio power amplifiers] 87−14027
Muhlethaler, T. Final miniaturisation? [Hitachi DP-P100 compact disc record player] 87−20784
Muhlethaler, T. The Becker-Mexico-auto receiver/CD-player from Germany 87−20788
Muhlethaler, T. Active or passive [crossover networks] 88−877
Muhlethaler, T. Tom Thumb [The smallest CD-player in the world] 88−4236
Muhlethaler, T. Seven appliances connected to a single input [audio equipment] 88−9827
Muhlethaler, T. Digital jukebox [CD player] 88−22364
Muhlethaler, T. Infrared control goes to school [infrared remote control units] 88−29089
Muhlethaler, T. Not for diving [Sony-Sports-Pack SPK-MB TV camera] 88−41851
Muhlfeld, R., Regel, P., Geyer, G. 'Texture descriptions' for the classification of phonetic characteristics 87−2480
Muhlfeld, R. *see* Niemann, H. 85−2771
Muhlfelder, B., Beall, J.A., Cromar, M.W., Ono, R.H. Very low noise, tightly coupled, DC SQUID amplifiers 87−12071
Muhlfelder, B., Beall, J.A., Cromar, M.W., Ono, R.H., Johnson, W.W. Well coupled, low noise, DC SQUIDs 85−62245
Muhlfelder, L. *see* Keigler, J.E. 86−60853
Muhlhans, R. *see* Novotny, R. 88−22924
Muhlhaus, J., Roberts, I.A. Air-gap flux in a generator with rotor shorted turns 88−11192
Muhlhaus, J., Ward, D.M., Lodge, I. The detection of shorted turns in alternator rotor windings by measurement of circulation stator currents 86−33355
Muhlhaus, J. *see* Hargis, C. 86−33310
Muhlhauser, H. *see* Ludemann, J. 85−9701
Muhlheim, M.D., Murphy, G.A. Causes and effects of vital instrumentation and control power supply bus failures 88−17272
Muhlheim, M.D. *see* Murphy, G.A. 85−43732
Muhlhoff, A., Muller, G. A selective metallization method for p-InGaAsP mesa structures on p-InP, based on electroplating 88−57499
Muhlhoff, H.-M., Murkin, P., Orlowski, M., Weber, W., Kusters, K.H., Muller, W., Rogers, C.M., Wendt, H. Sub micron p-MOSFETs under static and swap stress 88−7614
Muhlhoff, H.-M. *see* Kircher, R. 87−6757
Muhlhoff, H.-P. *see* Orlowski, M. 88−7611
Muhlhoff, H.M. *see* Binder, H. 87−31904
Muhlhoff, H.M. *see* Kusters, K.H. 88−6868
Muhlich, A. *see* Etzkorn, H. 86−9549
Muhlich, A. *see* Klein, K.-F. 88−72051
Muhlich, A. *see* Lieber, W. 86−36243
Muhling, E., Schumacher, U., Paretzke, H.G. Thermonuclear fusion product diagnostics by nuclear track detectors 85−20838
Muhlpforte, H. *see* Simmel, W. 86−46051
Muhlthaler, U., Schuler, P. Copper-Ceramic compounds for power electronics (direct bonding) 86−46394
Muhn, H. Wave propagation in screened striplines with periodic strip interruptions 85−24896
Muhonen, J. *see* Cressman, P.J. 87−46596
Muhong Yan *see* Yan Muhong
Muhr, G. Fibre-optic V-24 interface 85−57844
Muhr, G. Linear-CMOS: economic and dynamic 86−15254
Muhr, G. European standardization of information technology and telecommunications 86−43403
Muhr, J. *see* Sarkany, E. 87−41356
Muhs, H.P. MM-wave antenna 86−22810
Muhs, J. *see* Corke, M. 87−76811
Muhs, J.D. Coupling limitations of asymmetric multimode couplers 88−45100
Muhs, J.D., Corke, M., Prater, R.L., Sweeney, K.L. Fiber optic holography with fringe stabilization and tunable object and reference beam intensities 88−14304
Muhs, J.D., Leilabady, P.A. Multiple beam fiber optic holography with fringe stabilization 88−39942
Muhs, J.D. *see* Johnson, L.M. 88−45119
Muhua, C. Corrugated conical horns with partly ring loaded corrugations for frequency-reuse and multibands applications 87−27110
Mui, D. *see* Chen, J. 88−7569
Mui, D.S.L. *see* Arora, V.K. 87−53181, 87−53228, 87−60089
Mui, M.C. *see* Ammirato, V.J. 87−9279
Mui, P., Georganas, N.D. Packet-voice performance evaluation of two multiple access protocols with the use of an 8086-based real-time simulator 85−19849
Mui, P. *see* Teo, E.H. 87−20181, 87−28157
Mui, S.Y., Gallager, D. A robust HF modem 86−30485
Muigg, P. Computer-aided reflector calculation 86−33852
Muilu, M. *see* Leppavuori, S. 85−28788
Muilwijk, D. On spectrum efficiency of radio transmission schemes for cellular mobile radio 85−20087
Muir, A. Towards a digital communications future 86−43408
Muir, A. The design of a high quality digital transmission network 86−69309
Muir, A. British Telecom plans for a digital future 87−2754
Muir, A. Going public−merger plans for private circuits 88−59423
Muir, A., Hart, A. The conversion of a telecommunications network from analogue to digital operation 87−55633
Muir, A. *see* Haigh, B. 88−9531
Muir, A.W. Transmission planning [British Telecom] 86−10697
Muir, G. *see* Fitzgerald, A.G. 87−12045
Muir, J. *see* Arnault, C. 87−14216
Muir, J. *see* Burkhardt, H. 88−47997
Muir, J.A. *see* Weisz, S.Z. 85−16984
Muir, P.F., Neuman, C.P. Pulsewidth modulation control of brushless DC motors for robotic applications 85−65274
Muir, P.F., Neuman, C.P. Pulse-width modulation control of brushless DC motors for robotic applications 86−6799
Muir, P.H., Enright, W.H. Relationships among some classes of implicit Runge-Kutta methods and their stability functions 88−6413
Muir, P.H. *see* Enright, W.H. 87−23570
Muir, R.A., Chabries, D.M., Christiansen, R.W. Frequency domain compensation for failed elements in linear sonar arrays 87−28701
Muir, R.A., Stirling, W.C. A novel approach to time-varying spectral probability estimation 87−62041
Muir, R.A., Stirling, W.C. Decision- and classification-directed methods in nonstationary signal analysis 88−73036
Muir, R.W. *see* Bornstein, D.A. 85−40857
Muir, R.W. *see* Cadwallader, R.W. 85−40890
Muir, R.W. *see* Daly, E.A. 85−40856
Muir, S., Hutchison, D., Shepherd, D. Arca: a local network file server 85−63289
Muir, S.J. *see* Armitage, R. 87−20114
Muir, S.J. *see* Hutchison, D. 87−27918
Muir, T.C., Saavedra, J. Integrated planning system for hydro development in Ecuador 85−38905
Muir, T.L., Lichtenberg, L. Evaluation of diamond scribed alumina substrates 88−57164
Muir, T.L. *see* Lichtenberg, L.R. 86−53265
Muira, M. *see* Kuroiwa, T. 86−58752
Muirden, D. *see* Bramer, M.A. 88−61998
Muirhead, A.D. *see* Senior, J.M. 85−35389, 86−36205
Muirhead, C.M. *see* Colclough, M.S. 87−53918, 88−20312
Muirhead, C.M. *see* Harrop, S. 88−65022
Muirhead, I.J. *see* Kuhn, D.J. 86−61439, 87−42733, 87−43186
Muirhead, I.T. *see* Miller, A. 88−34110, 88−65450
Muirhead, K. *see* Fusco, L. 87−42267
Muise, R.W., Schonfeld, T.J., Zimmerman, G.H., III Experiments in wideband packet technology 87−20081
Muiser, C.F. *see* Waumans, R.J.R. 86−44977
Muizelaar, J.P. *see* Wist, A.O. 87−63741
Muizhnieks, A.R., Platonov, V.I., Platonova, L.A., Yakovich, A.T. Effects of external magnetic-field patterns on the characteristics of a centrifugal conduction pump 88−34261
Muizhnieks, A.R., Yakovich, A.T. Numerical study of MHD flow in a conduction centrifugal pump based on an axisymmetrical mathematical model. I. Model and computational procedure 86−66361
Mujahid, A. *see* El-Shobokshy, M.S. 85−27643
Mujahid, A.M., Alamoud, A.R.M. An easily designed and constructed photovoltaic pyrheliometer 88−42655
Mujin Liu *see* Liu Mujin
Muka, E. *see* Firth, R.R. 88−72456
Mukae, H., Tsuji, T., Gouda, T., Nishida, S. Stabilizing control for overvoltages in a separated power system with heavy load and large shunt capacitance 87−50659
Mukae, K. Zinc oxide varistors with praseodymium oxide 88−7075
Mukae, K., Tsuda, K., Shiga, S. Zinc oxide-praseodymium oxide elements for surge arrestors 88−75217
Mukaeda, S. *see* Furukawa, O. 88−26573
Mukaeda, S. *see* Yamashita, Y. 88−25587
Mukaev, R.Yu. *see* Urakseev, M.A. 86−56833
Mukahanov, O.A., Semenov, V.K. Production of single flux quantum pulses in Josephson-junction lines with resistive and inductive coupling 88−13750
Mukai, A. *see* Mizoshiri, I. 88−10335
Mukai, E. *see* Ishigohka, T. 88−69287
Mukai, E. *see* Muta, I. 87−42917, 88−48921 to 48922
Mukai, F. *see* Mochizuki, S. 85−25257
Mukai, H. Trends in VLSI development in Japan 85−23839
Mukai, H. The outline of LSI memories 85−40095
Mukai, H. *see* Morimoto, M. 86−69373
Mukai, H. *see* Okuno, K. 87−67972, 87−74641
Mukai, H. *see* Seidu, K. 85−48536
Mukai, H. *see* Shen, S.S. 87−67971
Mukai, H. *see* Takahashi, Y. 87−67954
Mukai, H. *see* Tanikawa, A. 87−65369
Mukai, K. *see* Chinriki, H. 87−45813
Mukai, K. *see* Fukumoto, M. 88−59940
Mukai, K. *see* Hinode, K. 87−74217
Mukai, K. *see* Kaga, T. 85−35008
Mukai, K. *see* Kusaka, T. 87−32437, 87−38113, 88−33220
Mukai, K. *see* Nishida, T. 86−15091
Mukai, K. *see* Nishioka, Y. 86−47779, 87−37991, 87−59920, 87−74408
Mukai, K. *see* Ohji, Y. 88−1464
Mukai, K. *see* Owada, N. 86−28450
Mukai, K. *see* Shinriki, H. 88−71819
Mukai, K. *see* Shrinriki, H. 88−19845
Mukai, M., Moriuchi, S., Futamata, J., Takatsu, Y., Itabashi, Y., Tanaka, K., Ishikawa, F. Unified modeling and simulation system for modern bipolar technologies 88−13570
Mukai, M. *see* Kikuchi, M. 86−59718
Mukai, M. *see* Miyahara, M. 87−49266
Mukai, M. *see* Ogawara, T. 86−57891
Mukai, M. *see* Yamamoto, H. 86−59752
Mukai, N. *see* Furuta, K. 88−34175
Mukai, N. *see* Hakuta, K. 87−14611
Mukai, N. *see* Yanagisawa, T. 86−5435, 86−50168
Mukai, O. Incircuit tester for the age of high density 88−44419
Mukai, R., Kobayashi, K., Nakano, M. Interconnects on integrated circuits improved by excimer laser planarization for multilevel metallization 88−71742
Mukai, R., Sasaki, N., Iwai, T., Kawamura, S., Nakano, M. Single crystalline SOI square islands fabricated by laser recrystallization using a surrounding antireflection cap and successive self-aligned isolation utilizing the same cap 86−15248
Mukai, R., Sasaki, N., Nakano, M. Study of the laser-recrystallized film with a control of grain boundary location by using surrounding antireflection cap method 87−23699
Mukai, R., Sasaki, N., Nakano, M. High-aspect-ratio via-hole filling with aluminum melting by excimer laser irradiation for multilevel interconnection 87−38156
Mukai, R., Sasaki, N., Nakano, M. Plugging of Al films into submicron diameter via holes by excimer laser irradiation 88−13192
Mukai, R. *see* Kawamura, S. 85−49843
Mukai, R. *see* Sasaki, N. 85−18191, 85−50780
Mukai, S., Itoh, M., Watanabe, M., Itoh, H., Yajima, H. Buried-heterostructure diode lasers with in-situ-grown self-aligned GaAs mask for Zn diffusion 87−61150
Mukai, S., Kaneko, Y., Watanabe, M., Itoh, H., Yajima, H. Laser beam scanning using a local deflector integrated with an effective mode filter 88−20690
Mukai, S., Lindsey, C., Katz, J., Kapon, E., Rav-Noy, Z., Margalit, S., Yariv, A. Fundamental mode oscillation of a buried ridge waveguide laser array 85−7423
Mukai, S., Takabe, H., Watanabe, H., Itoh, H., Yajima, H. Transverse beam deflection in a semiconductor laser 87−7345
Mukai, S., Tsunekawa, Y., Takabe, Y., Yajima, H. Very low-threshold separate-confinement-heterostructure laser prepared by liquid phase epitaxy 85−62598
Mukai, S., Watanabe, M., Itoh, H., Yajima, H. Local beam deflector integrated in a diode laser cavity 87−46569
Mukai, S., Watanabe, M., Itoh, H., Yajima, H., Hosoi, Y., Uekusa, S. Beam scanning and switching characteristics of twin-striped lasers with a reduced stripe spacing 86−36490
Mukai, S., Yajima, H., Tsunekawa, Y., Takabe, Y. Monolithic integration of a lens inside a diode-laser cavity for beam convergence 85−56612
Mukai, S., Yajima, H., Watanabe, M., Itoh, H., Takabe, Y., Tsunekawa, Y. A semiconductor laser with a converging output beam 85−41378
Mukai, S. *see* Hiyama, M. 86−9867
Mukai, S. *see* Izadpanah, S.H. 85−2298
Mukai, S. *see* Ogura, M. 87−61151
Mukai, S. *see* Suzuki, Y. 87−46859
Mukai, S. *see* Takano, Y. 87−12502
Mukai, S. *see* Watanabe, M. 87−26242, 87−39203, 87−54328, 88−27288, 88−34010, 88−45063
Mukai, T., Furukawa, T. Magnetic properties and microstructures of Fe-Cr-Co-base cold-rolled magnets 87−67718
Mukai, T., Inoue, K., Saitoh, T. Signal gain saturation in two-channel common amplification using a 1.5 μm InGaAsP travelling-wave laser amplifier 87−46862
Mukai, T., Inoue, K., Saitoh, T. Homogeneous gain saturation in 1.5 μm InGaAsP traveling-wave semiconductor laser amplifiers 87−68445
Mukai, T., Miyake, W. Transmission characteristics and fringing field effect of a 270° spherical electrostatic analyzer 86−24265
Mukai, T., Otsuka, K. New route to optical chaos: successive-subharmonic-oscillation cascade in a semiconductor laser coupled to an external cavity 86−9865

Mukai, T., Saitoh, T. 5.2 dB noise figure in a 1.5 μm InGaAsP travelling-wave laser amplifier 87–39093
Mukai, T., Saitoh, T., Mikami, O. 1.5 μm InGaAsP Fabry-Perot cavity type laser amplifiers 86–68548
Mukai, T., Saitoh, T., Mikami, O. 1.5 μm InGaAsP Fabry-Perot cavity-type laser amplifiers 87–56125
Mukai, T., Shigeta, J., Segawa, T., Ikeda, S., Wakamatsu, S. Present status and future direction of solar cell manufacturing technology in Japan 87–43469
Mukai, T. *see* Inoue, K. 87–39101, 88–2225
Mukai, T. *see* Ito, K. 88–31210
Mukai, T. *see* Kawano, K. 87–18972
Mukai, T. *see* Kawashima, T. 86–64939
Mukai, T. *see* Kido, T. 87–63729
Mukai, T. *see* Komori, M. 88–36557
Mukai, T. *see* Kuwahara, M. 85–2970
Mukai, T. *see* Morimoto, M. 86–69373
Mukai, T. *see* Otsuka, K. 87–75115
Mukai, T. *see* Saitoh, T. 87–39094, 87–68494, 88–58566
Mukai, T. *see* Takahira, A. 88–10463
Mukai, Y. *see* Mohri, K. 88–53625, 88–53636
Mukai, Y. *see* Nakano, M. 88–53641
Mukaibayashi, T. *see* Matsumoto, K. 87–37421
Mukaibo, D. Nuclear experience, prospects and plans: Japan 88–5439
Mukaibo, T. Role of nuclear energy and future prospect 86–6485
Mukaibo, T. Are the energy options limited? [Japan] 86–12553
Mukaibo, T. Nuclear experience, prospects, and plans–report from Japan 88–42935
Mukaida, H. *see* Okumura, H. 87–31511
Mukaida, M. *see* Kubo, S. 88–39817
Mukaida, M. *see* Miyahara, K. 86–8200, 87–67868, 88–12384
Mukaida, M. *see* Okamoto, M. 87–60844
Mukaide, N. *see* Kitamura, M. 88–51339
Mukaidono, M. *see* Iguchi, Y. 87–37192, 87–59329, 88–12333
Mukaigawa, H. *see* Takemura, Y. 87–56359
Mukaihata, T. *see* Ford-Livene, C. 88–53520
Mukailov, N.S. *see* Stepanov, G.V. 85–34656
Mukaimura, H. *see* Okamoto, Y. 88–74186
Mukainaru, M. *see* Gokan, H. 86–28207, 88–57503
Mukainaru, M. *see* Kawahara, H. 88–51370
Mukaiyama, T., Yokota, Y., Ogawa, H., Kuroi, H. Progress in development of containment and surveillance systems at JAERI 88–47353
Mukaiyama, T., Yokota, Y., Yamamoto, Y., Ogawa, H., Ichihashi, Y., Kuroi, H. Development of containment and surveillance systems at the Japan Atomic Energy Research Institute (JAERI) 87–70271
Mukalaf, A. *see* Furness, A. 85–20931
Mukanov, Kh.K. *see* Taurbaev, T.I. 87–45612
Mukasa, K. Magnetic head 86–21983
Mukasa, K. *see* Kanai, Y. 88–52086
Mukashev, B.N., Chokin, K.Sh., Kusainov, Zh.A., Nusupov, K.Kh., Tokmoldin, S.Zh A study of the distribution of low-energy ions implanted in silicon 86–63172
Mukashev, B.N., Kusainov, Zh.A., Nusupov, K.Kh., Smirnov, V.V., Tokmoldin, S.Zh. The ellipsometric determination of the damage to implanted layers in silicon 85–40600
Mukashev, B.N., Tamendarov, M.F., Kolodin, L.G., Smirnov, V.V., Tokmoldin, S.Zh. Hydrogen passivation of defect states on the surface and in the bulk of silicon 87–6579
Mukashev, F.A. *see* Taurbaev, T.I. 87–45612
Mukawa, A. *see* Tanaka, N. 87–77620
Mukawa, N., Hashimoto, H., Kato, Y., Okubo, S. 384 kbit/s video codec 88–46733
Mukawa, N., Kato, Y., Okubo, S. 384-kbit/s video codec 88–46737
Mukawa, N., Kuroda, H. Uncovered background prediction in interframe coding 86–23115
Mukawa, N., Kuroda, H., Okubo, S. TRIDEC 6.3: a 6.3-Mbit/s interframe coding system for video teleconferencing 85–14505
Mukawa, N., Suzuki, Y., Kuroda, H., Yoshimura, H. A study of VLSI logic design for DPCM coding 87–17019
Mukawa, N. *see* Kato, Y. 87–34850, 88–3150, 88–41098
Mukawa, N. *see* Kuroda, H. 85–14445 to 14446, 85–20335, 85–31224, 85–31226, 85–47665, 87–62712
Mukerjee, A.K. *see* Bhatnagar, M.C. 87–72063
Mukerjee, A.K. *see* Chander, M. 88–62266
Mukerjee, A.K. *see* Khanna, V. 85–8709
Mukerjee, A.K. *see* Purshotham, M. 85–8881
Mukerjee, A.K. *see* Sastry, O.S. 85–53824, 85–60428
Mukerjee, M.K. *see* Saha, H. 88–62277
Mukerjee, R. *see* Bhagwandas 86–62027
Mukerjee, S.D. *see* Capani, P.M. 87–11440
Mukerji, S.K. Theoretical investigation of eddy current loss in rectangular sections of solid iron due to saturation 86–58701
Mukerji, S.K. *see* Khan, A.S. 88–1852, 88–5697
Mukha, V.A. *see* Apanasevich, P.A. 87–19034
Mukha, V.P. *see* Sovpel', V.B. 85–28327, 86–6748, 87–16839
Mukha, Yu.P. Measuring computer complex for automation of experiments 87–28924
Mukha, Yu.P. *see* Shilin, A.N. 88–4372
Mukhachev, L.F., Popova, V.I., Tyurin, S.V. A Poisson pulse-train generator 85–22711
Mukhachev, N.K. *see* Borzhkovskii, V.F. 85–26233
Mukhamadiev, R.E. *see* Saidov, M.S. 88–55623
Mukhamadzhanov, M.A. *see* Askar'yan, G.A. 88–45515
Mukhamedyarov, R.D., Mitsel'mager, E.E. Block structure of optimum pulse and periodic phase-manipulated signals 85–2832
Mukhamedyarov, R.D. *see* Mitsel'mager, E.E. 86–16315, 87–47473
Mukhamedzhanov, E.Kh., Le Kong Kui Proportional detector for energy analysis of photoelectrons with X-ray diffraction 86–44574
Mukhamedzhanov, V.S. A digital model of a multiwinding transformer with controlled sources of voltage 88–24005
Mukhamet-Galeeva, S.Sh. *see* Bystritskii, V.M. 86–5725
Mukhametov, V.N., Leusenko, A.E., Morozvich, A.N. Programmable digital sine-wave generator 86–11613
Mukhamet'yanov, M.G. *see* Urakseev, M.A. 85–47942, 86–5221
Mukhametzyanov, F.Kh. *see* Knishevskaya, L.V. 87–45161
Mukhanov, O.A., Semenov, V.K., Likharev, K.K. Ultimate performance of the RSFQ logic circuits 87–66031
Mukhanov, O.A. *see* Kaplunenko, V.K. 88–12357
Mukhanov, O.A. *see* Koshelets, V.P. 87–66030
Mukhanov, O.A. *see* Likharev, K.K. 88–12460
Mukhanov, O.A. *see* Litikov, I.P. 88–63588
Mukhanov, O.A. *see* Vystavkin, A.N. 88–12320
Mukhedkar, D., Houle, J.-L. A survey of distributed data acquisition systems for health care 88–42593
Mukhedkar, D. *see* Blondeau, P. 86–71130
Mukhedkar, D. *see* de Payrebrune, M. 88–47015
Mukhedkar, D. *see* Dessaint, L. 86–66001
Mukhedkar, D. *see* Dessaint, L.A. 86–6958, 87–4793
Mukhedkar, D. *see* Ethier, M. 86–71129, 87–58466
Mukhedkar, D. *see* Fortin, J. 86–65789, 88–54878
Mukhedkar, D. *see* Gaba, G. 88–42475
Mukhedkar, D. *see* Greiss, H. 88–23571
Mukhedkar, D. *see* He Dayu 86–60998
Mukhedkar, D. *see* Kosztaluk, R. 85–21713
Mukhedkar, D. *see* Lagace, P.J. 87–72193, 87–78748
Mukhedkar, D. *see* Lefebvre, S. 86–12389
Mukhedkar, D. *see* Lin, H. 88–69070
Mukhedkar, D. *see* Loeloeian, M. 86–18887
Mukhedkar, D. *see* Maamarbachi, O. 86–56077
Mukhedkar, D. *see* Mahseredjian, J. 86-–50947
Mukhedkar, D. *see* Nagar, R.P. 86–18886
Mukhedkar, D. *see* Saliah, H.H. 85–32157, 86–18813
Mukhedkar, D. *see* Sanso, B. 85–22203
Mukhedkar, D. *see* Sarmiento, H.G. 88–55063
Mukhedkar, D. *see* Sobral, S.T. 86–39210
Mukhedkar, D. *see* Velazquez, R. 85–27114
Mukhedkar, D. *see* Villas, J.E.T. 87–71670
Mukhedkar, D. *see* Wang, W. 85–22194, 85–59806
Mukhedkar, D. *see* Wen Wang 85–32622, 86–39237
Mukherjee, A., Bassiouni, M.A. A VLSI chip for efficient transmission and retrieval of information 87–52688
Mukherjee, A., Mukherjee, P.K. Investigation of surge propagation in interconnected system by Bergeron-Schnyder technique 86–61043
Mukherjee, A., Venkatesh, Y.V. Implementation of a prototype cellular logic array processor 86–34824
Mukherjee, A., Venkatesh, Y.V. Digital color reproduction on color television monitors 87–7810
Mukherjee, A. *see* Bedeschi, F. 88–48021
Mukherjee, A. *see* Bhattacharya, K. 88–5381
Mukherjee, A. *see* Chakravorti, S. 86–18864
Mukherjee, A. *see* Mukherjee, M.K. 86–42782, 87–39330
Mukherjee, A. *see* Mukherjee, P.K. 88–23488
Mukherjee, B., Bock, H., Vana, N. Determination of the decay characteristic of residual gamma dose in the core of a TRIGA Mk-II reactor by lithium fluoride thermoluminescence dosimeter powder 87–63860
Mukherjee, B., Duftschmid, K.E. Re-estimation of low level gamma ray doses detected by lithium fluoride thermoluminescence dosemeters 86–50643
Mukherjee, B., Meditch, J.S. The p_i-persistent protocol for unidirectional broadcast bus networks 88–289
Mukherjee, B., Meditch, J.S. A new voice-data integrated protocol for unidirectional broadcast bus networks 88–53031
Mukherjee, B., Vana, N. Self-extinction of luminescence signal in LiF thermoluminescence dosimeters 85–38272
Mukherjee, B. *see* Bock, H. 86–42352
Mukherjee, B. *see* Vormwald, K. 86–50915
Mukherjee, B.K., Wiederick, H.D., Maffei, N., Prasad, E.S. Dielectric properties and aging of modified lead titanate ceramics 88–57841
Mukherjee, B.N., Maiti, S.S. Q-procedure for solving likelihood equations in the analysis of covariance structures 88–56108
Mukherjee, D. *see* Bartlett, S.L. 88–32538
Mukherjee, D. *see* Biswas, S. 86–34351
Mukherjee, D. *see* Collette, J.P. 87–4570
Mukherjee, D. *see* Kadhim, N.J. 88–32814
Mukherjee, D. *see* Saha, H. 88–37102, 88–62277
Mukherjee, D.K. Coal-fired power station with pressurized fluidized bed combustion–Brown Boveri's design concept 86–61315
Mukherjee, D.K., Tindall, P.B. Control system design for a retrofitted turbocharged PFBC system for 80 MW Port Washington power plant, unit 5 87–71952
Mukherjee, I. *see* Mukherjee, P. 87–3918
Mukherjee, M. *see* Deb, G.K. 85–63478, 86–29489
Mukherjee, M.K., Mukherjee, P.K. Electric fields in a charged toner layer on a photoreceptor and X-ray imaging [medical xerography] 85–43371
Mukherjee, M.K., Mukherjee, P.K., Ghosh, B., Mukherjee, A., Chakraborty, D. Sensitivity of xeroradiographs using pre-deposited charged toner layer on photoreceptor 87–39330
Mukherjee, M.K., Mukherjee, P.K., Mukherjee, A., Ghosh, A.K. Electrophotography using temporary dielectric layer 86–42782
Mukherjee, M.K. *see* Saha, H. 88–37102
Mukherjee, M.L. *see* Mitra, A. 86–24298
Mukherjee, N. *see* Basak, D.K. 85–15257
Mukherjee, N.P. *see* Bhattacharya, P. 87–51957
Mukherjee, P., Sen, P., Mukherjee, I., Samanta, C. On-line neutron response of a Ge-NaI(Tl) anti-Compton spectrometer 87–3918
Mukherjee, P., Sheik-Bahaei, M., Kwok, H.S. New method of measuring relaxation times in semiconductors 85–40436
Mukherjee, P., Sheik-Bahaei, M., Kwok, H.S. Pulse-duration-dependent-free-carrier-absorption in semiconductors 86–27884
Mukherjee, P. *see* Bhandari, R.K. 85–20774, 86–25077
Mukherjee, P. *see* Shirazi, B. 88–71811
Mukherjee, P.K., Mukherjee, A., Chakravorti, S. A modified method for more efficient transient calculation 88–23488
Mukherjee, P.K., Ray, N. Analysis of travelling waves in interconnected system employing Schnyder-Bergeron technique 87–57553
Mukherjee, P.K. *see* Bhattacharya, K. 88–5381
Mukherjee, P.K. *see* Mukherjee, A. 86–61043
Mukherjee, P.K. *see* Mukherjee, M.K. 85–43371, 86–42782, 87–39330
Mukherjee, P.K. *see* Roy, C.K. 88–69464
Mukherjee, P.R. *see* Ghosh, P. 88–55027
Mukherjee, S. Indoor loop aerial for short waves 85–36102
Mukherjee, S., Amato, M., Wacyk, I., Rumennik, V. LDMOS and LIGTs in CMOS technology for power integrated circuits 88–39727
Mukherjee, S., Chang, T., Pang, R., Knecht, M., Hu, D. A single transistor EEPROM cell and its implementation in a 512K CMOS EEPROM 86–46845
Mukherjee, S., Chou, C.J., Shaw, K., McArthur, D., Rumennik, V. The effects of SIPOS passivation on DC and switching performance of high voltage MOS transistors 87–46016
Mukherjee, S., Harmeyer, E., Streibl, B. 3D-structural analysis of toroidal field (TF) magnet for ASDEX Upgrade 88–65984
Mukherjee, S., Hoft, R., McCormick, J. Digital measurement of the efficiency of inverter-induction machines 88–23945
Mukherjee, S., Mishra, R.N., Agarwal, R.K. A laboratory type electronic paper moisture meter 86–5603
Mukherjee, S. *see* Jain, R.K. 88–48015
Mukherjee, S. *see* Ohashi, T. 85–54461
Mukherjee, S.D. Vertical sidewall reactive ion etching (RIE) of GaAs and $Al_xGa_{1-x}As$ ($x=0.76$) using $BCl_3/CCl_2F_2/He$ at equal rates 88–13149
Mukherjee, S.D., Woodard, D.W. Etching and surface preparation of GaAs for device fabrication 86–9040
Mukherjee, S.D., Zwicknagl, P., Lee, H., Rathbun, L., Eastman, L.F. As_2-ambient activation and alloyed-ohmic-contact studies of Si^+-ion-implanted $Al_{0.3}Ga_{0.7}As/GaAs$ modulation-doped structures 86–28355
Mukherjee, S.D. *see* Capani, P.M. 86–28312, 86–58320
Mukherjee, S.D. *see* Ohashi, T. 86–8803
Mukherjee, S.D. *see* Zwicknagl, P. 86–2226, 86–53448
Mukherjee, S.G. *see* Biswas, G. 85–27149
Mukherjee, S.K. The Lagrangian relaxation method for solving power generation unit commitment problem 87–71571

Mukherjee, S.N. *see* Dubey, G.C. 87−295
Mukherjee, S.P., Sharan, L.K. Estimation of failure probability from a bivariate normal stress-strength distribution 86−7570
Mukherjee, S.P. *see* Lai, C.D. 86−40589
Mukherji, A. Remote control application of a programmable controller 85−4805
Mukherji, K.C. *see* Deshmukh, N.K. 87−68716
Mukherji, P., Landsman, B., Whitescarver, J., Ajaz-Ur-Rahman Rana, Kerr, E., Giaimo, J.J. Computer-mediated communications and developing countries 88−21715
Mukherji, P. *see* Whitescarver, J. 88−59608
Mukherji, S., Choudhury, G., Palchoudhury, M. Telemetering, telecontrol and communication systems for interconnected HV networks 85−15505
Mukherji, U. A schedule-based approach for flow-control in data communication networks 87−34150
Mukherji, U. A periodic scheduling problem in flow-control for data communication networks 87−40487
Mukherji, U., Maxemchuk, N.F., Wu, C.W., Swartzwelder, J.C. Transmission format and receiver logic for random access strategies in a fiber-optic network 88−67437
Mukherkee, N.L. *see* Hahn, O.J. 86−32924
Mukhibov, N., Orlov, V.K., Trusunov, A.T., Khasanov, G., Eshkobilov, N.B. Ultraviolet nitrogen laser with two active regions 88−20548
Mukhin, B.N. *see* Aleksandrov, M.V. 88−40683
Mukhin, S.I. *see* Pan, V.M. 85−62266
Mukhin, S.P. *see* Kolodin, V.A. 87−29070
Mukhin, S.V. *see* Zhukov, S.V. 85−57378
Mukhin, V.A. *see* Shuster, Ya.B. 85−34335
Mukhin, V.M., Gorodinskii, M.S., Kovalev, A.E., Il'in, S.V., Gulyaev, B.A. Heat-engineering characteristics of infrared electric heaters 87−72593
Mukhin, V.S. *see* Gletnev, G.P. 87−50670
Mukhin, V.S. *see* Pletnev, G.P. 87−57871
Mukhin, V.V. *see* Gizatullin, R.M. 88−33938
Mukhina, L.L. *see* Komolova, L.F. 85−11922
Mukhina, V.I. *see* Bryukhanov, V.M. 87−72582
Mukho, S., Van, M. A recipe for managing major power plant projects within budget and ahead of schedule 86−61349
Mukhopad, Yu.F. *see* Chekmarev, Yu.D. 86−1051
Mukhopadhyay, A. A solution to the polynomial Hensel-code conversion problem 86−62131
Mukhopadhyay, A. A solution to the polynomial Hensel code conversion problem 87−47508
Mukhopadhyay, A., Alagar, V.S. Exact computation of the characteristic polynomial of an integer matrix 87−65285
Mukhopadhyay, A.K., Das, N.C. Microprocessor-based PHESS meter 87−42933
Mukhopadhyay, A.K., Ghosh, P., Das, N.C. Microprocessor based optimum speed measurement and the protection against overspeed 87−58106
Mukhopadhyay, A.K. *see* Das, N.C. 87−35210
Mukhopadhyay, A.K. *see* Kar, S.C. 87−57689, 88−35821
Mukhopadhyay, A.K. *see* Pan, S.K. 85−34036
Mukhopadhyay, A.K. *see* Sarkar, G. 88−38383
Mukhopadhyay, B.K., Pandey, K.N. A short-terminated nonresonant slotted dielectric-filled waveguide array 85−13373
Mukhopadhyay, D., Choudhury, A. High-field microwave incremental conductivity of cadmium selenide at 77K 86−21143
Mukhopadhyay, I., Lees, R.M., Johns, J.W.C. Analysis of CH$_3$OH far infrared laser lines optically pumped by sequence band and isotopic CO$_2$ lasers 88−2161
Mukhopadhyay, I., Lees, R.M., Johns, J.W.C. Torsional refilling transitions in TEA-pumped CH$_3$OH FIR lasers with associated high-resolution FIR spectra 88−27030
Mukhopadhyay, I., Lees, R.M., Lewis-Bevan, W. Identification of the high efficiency 127 μm FIR laser line of ^{13}CD$_3$OH 88−65799
Mukhopadhyay, I., Lees, R.M., Lewis-Bevan, W., Johns, J.W.C., Strumia, F., Moruzzi, G. Applications of high resolution spectroscopy to the identification of far-infrared laser emission from optically pumped ^{13}CH$_3$OH 88−27031
Mukhopadhyay, K., Odukwe, A.O. An appraisal of photovoltaic power system for rural development in context of available energy resources in Nigeria 87−42715
Mukhopadhyay, M. *see* Biswas, B.N. 86−53040
Mukhopadhyay, N.K. *see* Taki, G.S. 87−70978
Mukhopadhyay, P., Saxena, S.C. Biomedical engineering education in developing countries 88−36412
Mukhopadhyay, P. *see* Pande, V.N. 86−5949, 86−11985, 86−18334
Mukhopadhyay, P. *see* Walsh, J. 87−17643
Mukhopadhyay, P.K., Raychaudhuri, A.K. Easy to build four-terminal AC bridge 87−14284
Mukhopadhyay, P.K., Raychaudhuri, A.K. A simple vibrating reed apparatus for use at low temperatures 87−56917
Mukhopadhyay, S. Measuring instruments and measurement systems—a technology trend study 88−15915
Mukhopadhyay, S., Basuray, A., Datta, A.K. New coding scheme for addition and subtraction using the modified signed-digit number representation in optical computation 88−51617
Mukhopadhyay, S.B. *see* Crawshaw, A.M. 86−12324
Mukhopadhyay, S.C. *see* Rao, K.V.N. 85−5130
Mukhortov, V.M. *see* Biryukov, S.V. 87−24979
Mukhtarov, Ch.K. *see* Borovskii, A.V. 85−56508, 87−74972, 88−14072
Mukoh, A. *see* Isogai, M. 86−36268
Mukoh, A. *see* Shikata, S. 85−2097
Mukoh, A. *see* Umeda, T. 86−28916, 86−68346, 88−13950
Mukohda, B. *see* Seki, Y. 86−3583
Mukohjima, H. *see* Okamura, I. 88−49006
Mukohjima, H. *see* Okumura, I. 88−75660
Mukohzaka, N. *see* Hara, T. 87−12260
Mukomel, E.A. *see* Nikitin, A.A. 88−58751
Mukosiej, J. Possibilities and problems of energy saving in electric machines 86−61483
Mukosiej, J. Measurement of average temperature of induction motor frame surface using thermocouples 87−22349
Mukosiej, J. Equivalent thermal network of totally-enclosed induction motors 87−42996
Mukosiej, J. Problems of thermal resistances measurement of equivalent thermal networks of electric machines 88−17549
Mukovnikov, K.V. *see* Gorbatyuk, A.V. 87−60384
Mukovnikov, K.V. *see* Grekhov, I.V. 88−71511
Mukoyama, K. *see* Nishino, I. 87−72851
Mukoyama, S. *see* Shimano, T. 88−47957
Mukoyama, T. Dead-time effect in multi-channel pulse-height analyzer 85−59209
Mukoyama, T. *see* Watanabe, Y. 86−70333
Mukoyoshi, N. The Signal Corps mission area within the Japan Ground Self Defense Force 85−42088
Muksutov, A.D. *see* Sapel'nikov, V.M. 86−67090
Mukumoto, K., Fukuda, A. Data collecting system with unattended sensors via meteor burst channel 85−63263
Mukumoto, K., Fukuda, A. An approximate analysis of tandem queues with dependent service times 87−72900
Mukumoto, K., Nagashima, N., Fukuda, A. Centralized data collection systems via meteor burst 85−36547
Mukumoto, K. *see* Fukuda, A. 87−36573, 88−56098
Mukumoto, K. *see* Sotelo, W. 88−34865, 88−52323
Mukumoto, M. *see* Nishihata, M. 86−30995
Mukun Wang *see* Wang Mukun
Mukunashi, H. *see* Sato, M. 85−36881
Mukunashi, H. *see* Yuto, M. 85−63709
Mukunda, N. *see* Simon, R. 87−54378
Mukunda, R. *see* Albuquerque, J.P.A. 87−8392
Mukunda, R. *see* Kadrichu, A. 88−9502
Mukunda, Rao, M. *see* Dixit, P.S. 86−58796
Mukunda Rao, M. Recent trends in optical time domain reflectometry 87−35214
Mukunda Rao, M. Photonics and electronics 88−41617
Mukunda Rao, M. *see* Cisternino, F. 86−15451, 86−42313
Mukunda Rao, M. *see* Dhanapal, S. 86−37880, 87−68511
Mukunda Rao, M. *see* Jha, B.B. 87−62968
Mukunda Rao, M. *see* Jhunjhunwala, A. 85−25559, 87−70052
Mukundan, T.R., Emanuel, P. Thermal loading of induction motors through frequency modulation 86−51618
Mukundan, T.R., Makwana, B.P., Singh, C., Vakaskar, D.C. Optimisation of induction motor design using orthogonal array 88−62339
Mukundan, T.R., Rao, M.S. Application of PAM motors for energy conservation 88−43159
Mukuta, H. Overhead cable disconnection fault 87−78153
Mul, F.F.M.de *see* de Mul, F.F.M.
Mulacova, M. Contactless semiconductive switches produced at VUSE [Czechoslovakia] 87−74278
Mulady, J. The test trend is 'integration' 86−49930
Mulady, J. Final test [ATE] 87−46099
Mulak, G. Influence of the hologram size bounding on the diffracted wave amplitude 86−15812
Mulak, G. The boundary diffraction wave in holographic imaging 87−61259
Mulaka, J., Konczykowska, A., Bon, M. Switched-capacitor biquad with low influence of finite gains 88−868
Mulan Qui *see* Qui Mulan
Mular, A. *see* Carriere, K. *(editor)* 85−39443
Mulas, P., Mercado, S. Research on the availability and environmental aspects of geothermal electric power plants in Mexico 85−32369
Mulawka, J. Synthesis of the networks with current amplifiers 86−46959
Mulawka, J. Switched-capacitor realizations of a multiple-feedback network [active RC filters] 86−46960
Mulawka, J., Pakulak, A. Application of switched-capacitor technique to realization of phase-locked loop 85−654
Mulawka, J.J. Synthesis of switched-capacitor networks in the p-domain 86−57922
Mulawka, J.J. Some properties of passive switched-capacitor networks 86−66995
Mulawka, J.J., Bober, J.S. On a class of SC structures for inductor simulations 85−49973
Mulawka, J.J., Moschytz, G.S. Method of simplified analysis of switched-capacitor networks 85−28331
Mulawka, J.J., Moschytz, G.S. A by-inspection analysis of SC networks using direct topological rules 86−13960
Mulawka, J.J., Nalecz, M. Design of strays-insensitive switched-capacitor two-ports 87−845
Mulawka, J.J., Pakulak, A. Switched-capacitor implementations of phase-locked loops 85−11107
Mulawka, J.J., Pakulak, A. A switched-capacitor frequency divider 85−49974
Mulawka, J.J. *see* Biernacki, R.M. 85−22990
Mulawka, J.J. *see* Moschytz, G.S. 86−46968, 86−66996
Mulawka, J.J. *see* Pakulak, A. 85−49788
Mulazzani, M. Reliability and safety in electronic interlocking 87−58758
Mulazzani, M. *see* Kopetz, H. 86−62948
Mulcahy, D.E. *see* Hoffmann, C.R. 85−23811
Mulcahy, J.A., Bruning, A. Design of direct cooled electromagnetic stirrers 86−45846
Mulcahy, J.L. *see* Zweig, G. 87−17523
Mulcare, D. *see* Larsen, W. 86−18434
Mulcare, D.B. *see* Lala, J.H. 85−8087
Mulcey, P., Pybot, P., Vendel, J. Calibration tests of a laser fluorescent particle spectrometer 88−48041
Mulchandani, R. *see* Sharda, N.K. 87−4792
Mulchay, D.E. *see* Hoffman, C.R. 85−14796
Mulder, A.J. *see* van Alste, J.A. 86−27386
Mulder, B.J., van der Schee, R. A piezoelectric microbalance 85−37588
Mulder, C.A.M. *see* Staals, A.A. 87−46351
Mulder, D.R. Service innovation within ISDN 87−76114
Mulder, G.B.J., Krooshoop, H.J.G., Nijhuis, A., ten Kate, H.H.J., van de Klundert, L.J.M. A high-power magnetically switched superconducting rectifier operating at 5 Hz 87−67991
Mulder, G.B.J., Reuvekamp, E.M.C.M., van de Klundert, L.J.M. The application of heat drains in superconducting solenoids for AC purposes 87−38713
Mulder, G.B.J., ten Kate, H.H.J., Krooshoop, H.J.G., van de Klundert, L.J.M. Efficiency aspects in superconducting rectifiers 88−49068
Mulder, G.B.J., ten Kate, H.H.J., Nijhuis, A., van de Klundert, L.J.M. A fast operating magnetically controlled switch for 1 kA 86−27669
Mulder, G.B.J., ten Kate, H.H.J., Nijhuis, A., van de Klundert, L.J.M. Switching multifilamentary superconductors in transverse and longitudinal fields 86−53911
Mulder, G.B.J., ter Avest, D., ten Kate, H.H.J., Krooshoop, H.J.G., van de Klundert, L.J.M. Experimental results of thermally controlled superconducting switches for high frequency operation 88−65110
Mulder, G.B.J. *see* de Reuver, J.L. 85−56144
Mulder, H. *see* Beerlage, M.J.M. 87−14869
Mulder, H. *see* de Groot, J. 87−14818
Mulder, H. *see* de Leeuw, D.M. 88−57268
Mulder, H.M. *see* Bandelt, H.-J. 87−5330
Mulder, J., Liljegren, G. Equipment for optical projection in the entertainment industry 87−68241
Mulder, M.C. *see* Graube, M. 85−19780
Mulder, R.J. SOPHO S100, a small but powerful junior [ISDN switch] 85−57892
Mulder, R.J., Zwinkels, A.C. SOPHO S250/1000, a proven concept [business communication systems] 85−57891
Mulder, R.J. *see* Havermans, G.M.J. 87−69853, 88−3734
Mulder, R.J. *see* van Gelder, J. 86−23634
Mulder, T. *see* Pathak, J. 88−70686
Mulders, J.H. A European radionavigation plan—a Netherlands view 88−60320
Mulders, J.J.L., Steeman, P.A.M., Kemper, A.H., Steenhuysen, L.W.G. Electronic improvement of interferometric measurement of dye laser wavelengths 85−64315
Mulders, J.J.L., Steenhuysen, L.W.G. The performance of dyes and dye mixtures of rhodamine 6G/rhodamine 560 and of styryl 8/styryl 9 for single mode CW ring laser operation 85−56572
Mulders, M.A. Remote sensing in soil science 88−23
Muldoon, W.J. *see* White, J.L. 87−73313
Muldrew, D.B. *see* Gross, S.H. 85−13115
Muldrow, W.K., Mark, R.G., Long, W.J., Moody, G.B. CALVIN: a rule based expert system for improving arrhythmia detector performance during noisy ECGs 88−4963
Muldrow, W.K. *see* Moody, G.B. 85−59300
Mulenkov, I.V. *see* Mednikov, M.I. 88−31197
Mulera, T. *see* Conti, M. 87−41854
Mulera, T. *see* Del Guerra, A. 86−50326
Mulera, T. *see* Waltham, C.E. 87−41864

Mulera, T.A. *see* Del Duerra, A. 87–63660
Mulera, T.A. *see* Fujieda, I. 85–43248, 86–50353
Mulera, T.A. *see* Lehmer, R.D. 85–43227
Mulertt, C. Power conversion system protection in microseconds by PYROBREAKERS 85–38579
Mulertt, C., Benouar, M. Current limiting protection of power systems using a state of the art pyrotechnique device 85–27132
Mulertt, C., King, J.A. Current limiting by pyrobreakers in microseconds: a new concept of protection 85–5337
Mulet, P. *see* Goret, P. 88–68252
Mulev, S.N. *see* Proskuryakov, V.M. 87–20158
Muley, T. Yet more applications for ion beams 88–7274
Mulford, J.O., Strich, R.R. The influence of military requirements and standards on second generation LANs 85–13952
Mulford, T.J. *see* Craig, W.E. 88–23631
Mulgaonkar, R., Gable, S. Real-time digital disk and high speed network in image processing 88–52903
Mulgrew, B. Kalman filter techniques in adaptive filtering 87–55068
Mulgrew, B., Cowan, C.F.N. Kalman filter techniques in adaptive filtering 86–10464
Mulgrew, B., Cowan, C.F.N. An adaptive IIR channel equaliser: a Kalman filter approach 87–27450
Mulgrew, B., Cowan, C.F.N. An adaptive Kalman equalizer: structure and performance 88–14682
Mulgrew, B. *see* McLauchlin, S. 87–62097
Mulgrew, B. *see* McLaughlin, S. 87–27136, 88–46877
Mulgrew, B. *see* Panda, G. 87–19656, 87–27517
Mulhaupt, G. Worldwide census of synchrotron radiation facilities 86–60399
Mulhaupt, G., Hoberg, H.-G., Klotz, W.-D., Lehr, H., Maier, R., Weihreter, E., Kuske, P. Properties of the BESSY low emittance beam 87–21303
Mulhaupt, G. *see* Klotz, W.-D. 87–29419
Mulhaupt, G. *see* Kuske, P. 85–58960, 87–21304
Mulhaupt, G. *see* Weihreter, E. 86–24965
Mulholland, G. *see* Koepke, K. 86–31897
Mulholland, J.E., Pitale, L.A. Microwave engineering—preparing for the future 88–24473
Mulholland, R.J. *see* Pitstick, G.M. 87–19657
Mulholland, T.P. Assessing the financial impact of dry film imaging automation 86–27735
Mulikov, V.F. *see* Babaev, I.K. 88–58441
Muljadi, E., Schiferl, R., Lipo, T.A. Induction machine phase balancing by unsymmetrical thyristor voltage control 85–53703
Mulkens, H. *see* Alner, G.J. 88–10288
Mulkins, D.F. An integrated probe/sensor design for future distributed air data system applications 88–68561
Mulla, A.D. *see* Savadatti, M.I. 87–39023
Mulla, H., Vaughan, J.F. Application of speech recognition and synthesis to PABX services 85–47320
Mulla, H.D. *see* Jakatdar, P. 86–54679
Mullagalieva, F.G. *see* Azimov, S.A. 86–60597
Mullagalieva, F.G. *see* Muminov, R.A. 87–41821
Mullaney, D. *see* Helmich, R.C. 85–2506
Mullaney, K. *see* Whalley, A.M. 88–5895
Mullani, N. *see* Hartz, R. 85–42925
Mullani, N. *see* Wong, W. 87–50131
Mulle, J.A. *see* Dittrich, K.R. 85–54609, 87–65671
Mullee, G.R. Operational lessons learned during decommissioning 87–57765
Mullee, G.R., Dick, R. Human factors planning for nuclear plant decomissioning 86–51301
Mullen, C.R. *see* Neff, J.A. 87–22739
Mullen, D.M. Specify motors by starting duty, not running duty [plant electric systems] 85–38963
Mullen, D.T. *see* Hernandez, R.J. 85–65603
Mullen, E.G., Gussenhoven, M.S., Hardy, D.A., Aggson, T.A., Ledley, B.G., Whipple, E. SCATHA survey of high-level spacecraft charging in sunlight 86–38860
Mullen, G.L., Neiderreiter, H. Optimal characteristic polynomials for digital multistep pseudorandom numbers 88–11944
Mullen, G.L. *see* Agarwal, A.K. 88–43788
Mullen, J. Unlimited vocabulary speech synthesis with low data rates 85–14557
Mullen, J. As the die size shrinks—performance improves 85–17414
Mullen, J. Speech synthesis IC for low-cost applications 85–47774
Mullen, J. VLSI for OEMS 86–1178
Mullen, J. Single chip TAC simplifies network design 86–43533
Mullen, J.P., MacKenzie, E., Basu, S., Whitney, H. UHF/GHz scintillation observed at Ascension Island from 1980 through 1982 85–51439
Mullen, J.R. UNIX and networking: a separate peace 87–40488
Mullen, M.F., DiPalo, A.J. A Handbook for Value-Impact Assessments of NRC regulatory actions 85–43792
Mullen, M.F. *see* Little, W.W. 86–25710
Mullen, P.A. *see* Hutchinson, J.M.R. 86–60544
Mullen, R.W. Olympic communications: a foreshadow of tomorrow's world 85–8009
Mullen, R.W. Telephone—home's friendliest computer 85–51954
Mullendore, A.W. Chemical vapor deposition of boron-based refractory solids 86–57465
Mullendore, A.W. *see* Campbell, A.N. 88–44562
Mullendore, R.A. Electronics enhances new substation operations 85–39075
Mullens, J.A. ESTATE: an expert nuclear plant status monitor and display 88–75349
Muller, A., Bor, Z. Picosecond generation by distributed feedback dye lasers 85–12817
Muller, A., Craciunoiu, F. Comparative analysis of defect generation and leakage currents in pre and post diffusion oxidated mesa junctions 87–67115
Muller, A., Djuric, N., Dunn, G.H., Belic, D.S. Absolute detection efficiencies of microchannel plates for 0.1-2.3 keV electrons and 2.1-4.4 keV Mg^+ ions 86–38708
Muller, A. *see* Bierbrauer, L. 88–57009
Muller, A. *see* Bor, Z. 87–7281
Muller, A. *see* Gellermann, W. 87–39037
Muller, A. *see* Grosspietsch, K.E. 87–67379
Muller, A. *see* Schmidt, H. 88–32485
Muller, A. *see* Seitz, P. 85–43370
Muller, A. *see* Szabo, G. 85–56574
Muller, A.E. The analysis and interpretation of system disturbances [computer power supply disturbances] 86–39917
Muller, A.J. *see* Psota-Kelty, L.A. 88–64064
Muller, B. Computer-aided production of work schedules for the evaluation of the operational production process in the steel industry 85–16468
Muller, B. The telefax service: quality of reproduction, availability and number of participants have improved 86–4202
Muller, B. A flexible IOM concept for ISDN telecommunication components 86–49141
Muller, B. Applications of modern power semiconductors 87–79104
Muller, B. Communications devices cope with digital transmission 88–3772
Muller, B., Marquardt, U., Stauden, T. Preparation and properties of CVD-doped polycrystalline silicon layers 86–26904
Muller, B., Ripp, O. VLSI chips for basic access in the IOM architecture 87–828
Muller, B., Straumann, W. Hasler alarm management system 85–30657
Muller, B., Wallstab, S., Endriss, H. The chipgenerator concept—a new approach to full custom CMOS IC design 86–35921
Muller, B. *see* Albrecht, H.-J. 86–18195
Muller, B. *see* Baechler, U. 85–39251
Muller, B. *see* Emanuel, P. 88–4287
Muller, B. *see* Konig, D. 87–72340
Muller, B. *see* Krefter, K.-H. 88–17794
Muller, B. *see* Ritter, H.C. 88–19156
Muller, B. *see* Schaltegger, P. 87–65255
Muller, B. *see* Wallstab, S. 86–27376
Muller, C. Cheap chronometry by means of a computer 86–31670
Muller, C., Lippens, C., Vercheval, J., Ackerman, M., Laurent, J., Lemaitre, M.P., Besson, J., Girard, A. Grille spectrometer experiment on first Spacelab payload 85–64739
Muller, C. *see* Engler, J. 87–35340
Muller, C. *see* Ganssauge, E. 87–14770
Muller, C. *see* Hahle, E. 87–35578
Muller, Ch. *see* Ganssauge, E. 87–63679
Muller, Ch. *see* Haas, F. 88–54375
Muller, C.H., III, Lowenthal, D.D., DeFaccio, M.A., Smith, A.V. High-efficiency, energy-scalable, coherent 130-nm source by four-wave mixing in Hg vapor 88–72417
Muller, C.H., III, Lowenthal, D.D., Kangas, K.W., Hamil, R.A., Tisone, G.C. 2.0-J Ti:sapphire laser oscillator 88–51782
Muller, C.H., III *see* Stetch, D.J. 87–26269
Muller, C.H.F. *see* Behling, R. 87–15335
Muller, C.W. *see* Meier, S.E. 87–30327
Muller, D. Gate array circuits—an alternative to microprocessor circuits 86–27247
Muller, D. Excimer lasers in medicine 87–35433
Muller, D., Kotew, W. The application of descriptive languages for circuit design aid 87–31652
Muller, D., Nicolas, L. 3D post-processing for the boundary integral equations method: the example of the PHI3D package 88–52027
Muller, D., Svrluga, R. Excimer lasers offer promise in surgical applications 85–64625
Muller, D. *see* Amendolia, S.R. 87–21426 to 21428
Muller, D. *see* Gauthier, M. 85–39181, 85–60400
Muller, D. *see* Pohl, A. 87–78761
Muller, D.-S. *see* Budig, P.-K. 87–22200
Muller, D.E., Preparata, F.P. Toward a switching theory of CMOS circuits 88–28163
Muller, D.F. *see* Caro, R.G. 88–10428
Muller, D.J., Willis, P.A. Analyses of integrated MHD/steam plant 85–53644
Muller, D.R. *see* Hayes, J.J., Jr. 86–19024
Muller, E. Calculating the correlation function of stochastic methods from experimental data 85–19455
Muller, E., Jost, R. Stored-program controllers: quick-diagnosis avoids expensive down times 88–29247
Muller, E., Jost, R. Intelligent process observer 88–47407
Muller, E. *see* Ciobanu, S. 86–39302
Muller, E. *see* Fleischer-Reumann, M. 85–26333
Muller, E. *see* Hubricht, G. 85–31701
Muller, E. *see* Huning, H. 88–9940
Muller, E. *see* Rother, D. 88–34328
Muller, E.k. *see* Bauch, A. 87–14567, 88–16517
Muller, E.M., Milenkovic, P.H., MacLeod, G.E. Perioral tissue mechanics during speech production 86–29793
Muller, E.M. *see* Milenkovic, P.H. 86–29792
Muller, F. New radiopaging and mobile telephone services in Switzerland 85–20083
Muller, F. VACUBAND—high voltage insulation 86–28558
Muller, F. Teletex—technology of the equipment. I 86–30291
Muller, F. Teletex technology of terminal devices. II 86–37352
Muller, F. Personal computer and the telecommunication services of the Deutsche Bundespost 87–27794
Muller, F. The introduction of digital optic transmission technology by the Swiss Federal Railways (SBB) 87–43561
Muller, F. Liquid crystal display in advance 87–63455
Muller, F. Natel C, the new mobile telephone system in Switzerland 88–9449
Muller, F., Heck, G. Influence on the availability of large generators from corrosion on water-cooled copper windings 88–43142
Muller, F., Hegenbarth, M. Teletex—a challenge to microcomputers. I 85–19715
Muller, F., Hegenbarth, M. Teletex—a challenge for micros? II 85–30645
Muller, F., Kohler, H.-J. Microwave-induced constant voltage steps at 0.1 V from a series array of Josephson tunnel junctions 88–51392
Muller, F., Lange, H.-A. ZUB 122—a new automatic train control and information system at the Stuttgarter Strassenbahnen AG 88–11440
Muller, F., Petrova-Koch, V., Zachau, M., Koch, F., Grutzmacher, D., Meyer, R., Jurgensen, H., Balk, P. Resonance spectroscopy of InGaAs/InP quantum well sub-bands 88–64301
Muller, F., Wolf, M. Dependence of the sheet resistivity and current noise behavior of the grain size and volume fraction of conducting material in thick-film resistors experiments 88–57169
Muller, F. *see* Ash, W.W. 88–10244
Muller, F. *see* Baland, J.F. 88–48000
Muller, F. *see* Bonz, M. 85–32755
Muller, F. *see* Clerc, J.F. 85–14930, 85–14944
Muller, F. *see* Perrin, A. 86–5424
Muller, F. *see* Ruile, W. 87–60758
Muller, F. *see* Wolf, M. 86–14729
Muller, F.E. PSK-modulators designed by CAD methods 88–6700
Muller, G. New medium voltage load cut-out switch equipment for grid and transformer stations [switchgear] 85–39133
Muller, G. Quality improvement by vacuum laminating of complex multilayer boards 86–1500
Muller, G. Gas tight, encapsulated, medium-voltage switchgear 86–19410
Muller, G. DVS 310—a switching system for broadband data 86–30533
Muller, G. Video tapes—cassettes from the supermarket 86–31034
Muller, G. Re-developed systems for basic and routine testing of the pressure vessels of new generation boiling- and pressurized-water reactors 86–49964
Muller, G. Mission, environment and projects of the European Networking Center 86–55030
Muller, G. Aspects of automated materials testing 87–44433
Muller, G. 'Multi snap' wiring gets there quicker 88–57022
Muller, G. Central control of technical equipment in buildings 88–75152
Muller, G., Bauer, B. Integrated control, supervisory and measuring system for motor control centres 88–55300
Muller, G., Beck, B. New equipment for logging photogrammetric data 87–70481
Muller, G., Hartl, E., Honsberg, M. Low-threshold InGaAsP ridge-waveguide laser fabricated by a new contacting system 86–48393
Muller, G., Honsberg, M. Fabrication and characteristics of MCRW GaAs/GaAlAs lasers on semiinsulating substrate 85–56647
Muller, G., Kalbitzer, S., Mannsperger, H. A chemical-bond approach to doping, compensation and photo-induced degradation in amorphous silicon 86–41549
Muller, G., Mannsperger, H., Kalbitzer, S. Substitutional doping of amorphous silicon a comparison of different doping mechanisms 86–47456

Muller, G., Molinet, F. EM reflectivity of a continuous random inhomogeneous medium with cylindrical symmetry 88—58779
Muller, G., Padamsee, H. High-temperature annealing of superconducting cavities fabricated from high purity niobium 88—54347
Muller, G., Rupp, R., Volkl, J., Wolf, H., Blum, W. Deformation behaviour and dislocation formation in undoped and doped (Zn,S)InP crystals 86—392
Muller, G. *see* Beyer, K. 85—9514
Muller, G. *see* Gebhardt, A. 88—41809
Muller, G. *see* Gillert, H. 86—24405
Muller, G. *see* Gorn, M. 86—40143
Muller, G. *see* Guggisberg, S. 88—30283
Muller, G. *see* Haas, E. 85—38637
Muller, G. *see* Hartl, E. 87—33168
Muller, G. *see* Heinrich, M. 88—58522
Muller, G. *see* Jung, F. 88—10312
Muller, G. *see* Kneisel, P. 87—67993
Muller, G. *see* Kunst, M. 88—57290
Muller, G. *see* Lengeler, H. 85—59039
Muller, G. *see* Mannsperger, H. 87—25064
Muller, G. *see* Maul, K.L. 87—76941
Muller, G. *see* Muhlhoff, A. 88—57499
Muller, G. *see* Neagoe, V.E. 85—38158
Muller, G. *see* Scholch, H.P. 86—47386
Muller, G. *see* Thumm, M. 85—55387
Muller, G. *see* Winterling, G. 87—45622
Muller, G.A. *see* Barkley, H.J. 88—19595
Muller, G.A. *see* Kasparek, W. 88—19314
Muller, G.A. *see* Thumm, M. 87—17330, 87—24425
Muller, G.A. *see* Wilhelm, R. 87—37821
Muller, G.C.-J. EML single-pole metal-clad air-insulated medium-voltage circuit-breakers 87—22642
Muller, G.C.J. Gas-insulated, medium-voltage switch disconnector packages for transformer substations 86—33530
Muller, G.C.J. Advanced GIS switch disconnector for transformer substations 87—58165
Muller, G.J. Development trends and market potential of biomedical laser application 87—29799
Muller, G.J. *see* Senz, R. 87—63856
Muller, G.O., Mach, R. Thin film electroluminescence displays 86—44358
Muller, G.O., Mach, R. Direct experimental evaluation of the electron impact excitation cross section of Mn^{2+} in ZnS 86—53350
Muller, G.O., Mach, R. Physics of electroluminescence devices 88—33888
Muller, G.O., Neugebauer, J., Mach, R., Reinsperger, U. Excited state interaction in the dopant system in ZnS:Mn electroluminescence devices 88—36155
Muller, G.O. *see* Mach, R. 85—35644, 88—36152
Muller, G.S., Pauw, C.K. Acoustic noise cancellation 87—19778
Muller, H. Online FASTBUS processor for LEP 87—14635
Muller, H. Development trends in printed-circuit board engineering 88—38861
Muller, H. Earthing and overvoltage protection for electrical installations 88—55062
Muller, H., Burgin, S. VZS branching circuit for 2400, 4800 and 9600 bit/s 88—14943
Muller, H., Fichtner, K. The new generation of DC machines of the electrical engineering industry of the GDR 86—56771
Muller, H., Fuchs, J. Planning and construction of the Voitsberg 3 thermal power station 85—9712
Muller, H., Nobis, R., Schmitz, W. Microprocessor-based station control system for new and existing switchgear 86—12987
Muller, H., Quenzel, H. Information content of multispectral lidar measurements with respect to the aerosol size distribution 85—31080
Muller, H., Rautenberg, P. Optical transmission systems in power generation 87—49044
Muller, H., Thomas, P. Activated transport in amorphous semiconductors. I. The theoretical approach 85—6683
Muller, H., Thoss, W. Combined buildings for medium-voltage transformer stations of 110 kV/MV to 7-field 110 kV 85—21754
Muller, H. *see* Bruijn, M.P. 85—54475
Muller, H. *see* Fenz, P. 85—50216
Muller, H. *see* Griese, W. 86—32800, 88—10890
Muller, H. *see* Kunz, U.H. 86—51632
Muller, H. *see* Leithner, R. 88—5535
Muller, H. *see* Liptak, G. 85—56038
Muller, H. *see* Miltonberger, T. 87—13133
Muller, H. *see* Williams, P.J.S. 88—53345
Muller, H. *see* Wisshak, K. 87—3896
Muller, H.-G., Gasser, T. Nonparametric estimation of spectral densities and their derivatives: integrated mean squared error, choice of window width and applications 87—19634
Muller, H.-G. *see* von Courbiere, R. 86—66264
Muller, H.-J. *see* Erlenhof, A. 85—48986
Muller, H.-J. *see* Jahn, D. 86—12981
Muller, H.A., Opitz, U. Planning of concert hall acoustics: sparks fly in the Philharmonic 85—31636
Muller, H.C. Principles of urban network design [distribution networks] 85—15592
Muller, H.D. *see* Haydl, W.H. 85—41283
Muller, H.D. *see* Korber, W. 87—31518
Muller, H.D. *see* Smith, R.S. 87—25069
Muller, H.E. *see* Miltonberger, T.W. 87—20608
Muller, H.G., Lachlan-Cope, T.A., Mitchell, N.J. On the structure of background winds near the summer mesopause 87—76855
Muller, H.G., Munchow, E. New-generation UPS system steps up performance 87—15881
Muller, H.J. The development of private communication networks with lightwave conductors 88—73490
Muller, H.J. *see* Erlenhof, A. 85—60263
Muller, H.J. *see* Konig, D. 87—72340
Muller, H.J. *see* Krefter, K.-H. 88—17794
Muller, H.K. Broadband matching of a complex load applied to a reflection amplifier using an IMPATT diode 86—8468
Muller, H.M. Excess current protection in power transistors by base control 87—52340
Muller, H.R. *see* Keller, H. 86—54931
Muller, H.R. *see* Zurfluh, E.A. 88—73654
Muller, I. The linear IC tester, type 19680 87—24620
Muller, I., Gherghicescu, V., Mitu, G. Solutions relating to the preparation and combustion of lignite from the Sfintu Gheorghe coal basin 87—78241
Muller, J. Thin film—a key technology for sensors 86—50045
Muller, J. Ataturk 2400 MWe hydropower station 87—9418
Muller, J. Manufacture of sensors by use of the thin-film-technique 87—70588
Muller, J. Cable policy in Europe: the role of transborder broadcasting and its effects on CATV 88—4200
Muller, J. From 'raisin picking' to regulated competition [telecommunications deregulation] 88—14885
Muller, J. Important steps in network development [ISDN in the USA and Japan] 88—21784
Muller, J. Post liberalization: cosmetic repairs and missed opportunities 88—52678
Muller, J. Extensive reorganisation of telecommunications is not feasible 88—52680
Muller, J. Thin and thick-film technologies for sensory analysis 88—60682
Muller, J. Status and development of foundations for high voltage transmission line towers 88—69015
Muller, J., Schirl, G. The role of software technology in the development of a process information system for nuclear power plants 87—15461
Muller, J. *see* Behr, J.-P. 85—14053
Muller, J. *see* Girard, L. 86—10927
Muller, J. *see* Gleine, W. 88—72151
Muller, J. *see* Haussler, W. 88—50711
Muller, J. *see* Longree, M.A. 87—49488
Muller, J. *see* Uhde, K. 88—72226
Muller, J.-A. *see* Gotze, W. 87—78049
Muller, J.-C. *see* Adekoya, W.-O. 87—45556
Muller, J.-E., Ablassmeier, U., Schelle, J., Kellner, W., Kniepkamp, H. A double-conversion broad band TV-tuner with GaAs ICs 85—58360
Muller, J.-E. *see* Albrecht, H. 88—44347
Muller, J.-E. *see* Boeck, G. 88—26359
Muller, J.-J. The irresistible increase in digital networks [telecommunications] 88—34936
Muller, J.-M. *see* Cosnard, M. 87—60685
Muller, J.B. A 'software' multiscalar for Mossbauer effect spectrometry and other purposes 85—43313
Muller, J.C. Evolution of a DSS in a general purpose language 86—109
Muller, J.C., Ababou, Y., Barhdadi, A., Courcelle, E., Unamuno, S., Salles, D., Siffert, P., Fally, J. Passivation of polycrystalline silicon solar cells by low-energy hydrogen ion implantation 87—15993
Muller, J.C., Adekoya, W.O., Grob, A., Siffert, P., Correra, L., Rizzoli, R., Pedulli, L. Silicon solar cells obtained by unanalyzed ion implantation and rapid thermal annealing 86—45704
Muller, J.C., Barhdadi, A., Abadou, Y., Siffert, P. Hydrogen ion passivation of multicrystalline silicon solar cells 87—72422
Muller, J.C., Courcelle, E., Salles, D., Siffert, P. Multiple-beam ion implantation setup for large scale treatment of semiconductors 85—34798
Muller, J.C. *see* Ababou, Y. 86—41525
Muller, J.C. *see* Adekoya, W.O. 87—24986, 87—53157, 87—72425, 88—63306, 88—71386
Muller, J.C. *see* Barhdadi, A. 87—17793
Muller, J.C. *see* Chaussemy, G. 86—45706
Muller, J.C. *see* Courcelle, E. 85—55442, 86—7088
Muller, J.C. *see* Goltzene, A. 86—41524
Muller, J.C. *see* Krynicki, J. 86—28169, 87—53416
Muller, J.C. *see* Li, J.-C. 87—9821
Muller, J.C. *see* Pedulli, L. 86—35538
Muller, J.C. *see* Toulemonde, M. 86—66354
Muller, J.C. *see* Zundel, T. 86—58439, 88—18007
Muller, J.E. *see* Elbel, Th. 85—64106
Muller, J.E. *see* Lustfeld, H. 86—25008
Muller, J.L. *see* Burais, N. 86—42697
Muller, J.L. *see* Grimsberg, R. 87—36840
Muller, J.N. *see* Malovec, P. 87—63492
Muller, J.W. The selective sampling method made easy 87—77526
Muller, K. Microcomputer-controlled investigation of magnetic defects in bubble storage materials. I 85—56138
Muller, K. Microcomputer controlled investigation of magnetic defects in bubble memory materials. II 86—9426
Muller, K. Impregnating technologies in the manufacturing of electrical machinery: an up to date assessment 86—70848
Muller, K. Design and control of a micro-domain memory. I 87—53890
Muller, K. Installation and test of a bubble memory control unit using a simulation store 87—60837
Muller, K. Multisystem overhead lines 87—64186
Muller, K. Reliability of UPS configurations 88—30876
Muller, K., Hollig, E. Development of a uniform technique for assembling glass-fibre cable installations in the West German Post Office network 86—23916
Muller, K. *see* Boos, K.V. 87—15315
Muller, K. *see* Brandenburg, G. 88—61186
Muller, K. *see* Fuchs, D. 85—38077
Muller, K. *see* Greinacher, C.F.C. 85—4267, 86—18296
Muller, K.-B. *see* Bruggemann, H. 85—59798
Muller, K.-B. *see* Bruggemann, W. 85—48603
Muller, K.-D. SNA as the basis of a nonhierarchical network 87—69640
Muller, K.-H., Burghause, H. Overlay measurements for X-ray lithography 85—34709
Muller, K.-H., Handstein, A., Eckert, D. Initial magnetization curve of sintered Nd-Fe-B magnets 87—74501
Muller, K.-H., Handstein, A., Schneider, J., Eckert, D. The dip in demagnetization curves of sintered Nd-Fe-B permanent magnets 87—74502
Muller, K.-H., Tischer, P., Windbracke, W. Influence of absorber stress on the precision of X-ray masks 86—35503
Muller, K.-H. *see* Arden, W. 88—26117
Muller, K.-H. *see* Kluwe, A. 87—25006, 87—38038
Muller, K.-P. *see* Hasse, P. 87—71733
Muller, K.A. Insulator with magnetic impurities for suppressing Josephson currents 85—29498
Muller, K.B. Classical and modern cables for high voltages and transmission powers 87—42468
Muller, K.D. *see* Kurz, R. 88—61083
Muller, K.D. *see* Schmitz, Th. 86—38849
Muller, K.D. *see* Rodd, M.G. *(editor)* 88—11590
Muller, K.E., Peterson, B.L. Practical methods for computing power in testing the multivariate general linear hypothesis 85—5892
Muller, K.G. Change in quality assurance 87—31304
Muller, K.G. *see* Ehrich, H. 86—35254
Muller, K.H. Performance improvement on existing steam turbines. I. Performance improvement through the use of new LP stages and new exhaust diffusors 88—43055
Muller, K.H. *see* Schafer, M. 87—13744
Muller, K.H. *see* Thompson, P. 88—26141
Muller, K.P. Computer-assisted hardware planning 88—42832
Muller, K.P., Pelka, J. Redeposition in ion milling 88—26082
Muller, K.P., Weigmann, U., Burghause, H. Simulation of focused ion beam milling 87—25438
Muller, K.P. *see* Bruenger, W.H. 85—34708
Muller, K.P. *see* Heuberger, A. 88—26144
Muller, K.P. *see* Pelka, J. 88—33031
Muller, L. *see* Koeppen, H. 87—10514
Muller, M. Developing digital electronics: efficiency is a must. [CAD with digital workstations] 85—22750
Muller, M. PALAS: personal logic analyser 85—47885
Muller, M. Real time analysis of 68000 systems 85—54920
Muller, M. Intelligent studio devices through microprocessor control. II. Hardware 85—63830
Muller, M. Small and efficient [logic analyser] 85—64062
Muller, M. New measurement strategies for higher efficiency in digital electronics 86—5146
Muller, M. The use of a broad-band piezo-pressure probe based on PVDF, in research on converging-shock-waves in water 86—9347
Muller, M. Laser cutting in metal machining. Features, possibilities, comparisons 88—58757
Muller, M. EPROM programming device 88—70761
Muller, M. *see* Angert, N. 85—15137
Muller, M. *see* Autrata, R. 86—53313
Muller, M. *see* Demassieux, N. 88—70886
Muller, M. *see* Dias Tavares, A. 88—45522
Muller, M. *see* Hartmann, E. 86—57023, 87—43640
Muller, M. *see* Klabunde, J. 87—41760
Muller, M. *see* Neury, C. 88—69193
Muller, M.W., Murdock, E.S. Williams-Comstock type model for sawtooth transitions in thin film media 88—57929

Muller, M.W., Roblin, P., Rode, D.L. Proposal for a terahertz Zener oscillator 85−34932
Muller, M.W. *see* Davis, G.A. 85−22505
Muller, M.W. *see* Roblin, P. 87−10724
Muller, N., Abramovich, M., Decker, F., Iikawa, F., Motisuke, P. Electroluminescence of polycrystalline CdSe thin film photoelectrodes: A sensitive probe for surface recombination 85−12718
Muller, N., Uebelhart, H. 'Lithium power module': memory content 'held for life' 86−56398
Muller, N., Uebelhart, H. Lithium power modules for better memory back-up 88−44042
Muller, N., Uebelhart, H., Swartz, J.F. Lithium cells keep CMOS RAM alive during line outages 88−50133
Muller, N. *see* Henkel, H. 87−53756
Muller, N. *see* Henkel, H.-J. 87−25646
Muller, N. *see* Hofmann, H.P. 85−54643
Muller, N. *see* Prada, R.B. 87−78017
Muller, N.J. ADPCM offers practical method for doubling T1 capacity 87−33906
Muller, N.J. Surveying the software that manages telecommunications 87−40082
Muller, N.J. Enhanced data switches may outshine LAN, PBX alternatives 87−62611
Muller, N.J. DCS gives telco revenues a boost [digital cross-connect systems] 88−46424
Muller, N.J. *see* Sutton, W.B. 87−62545
Muller, O. VISULAS YAG−the therapeutic laser instrument for ophthalmology 87−29812
Muller, O., Muchel, F. Observations on the optical construction of a Q-switched Neodymium YAG laser for ophthalmology 87−29806
Muller, O., Scilla, G., Fernquist, R. Compositional analysis of pattern-plated Permalloy films 85−7141
Muller, O. *see* Blaha, E. 87−29805
Muller, P. The first Swiss telephone controller 85−51950
Muller, P. Application of microprocessor based test sets in comprehensive testing of line protection equipment in the field 85−65009
Muller, P. Heat rate improvement in conventional power plants with topping desuperheaters 86−65935
Muller, P. Devices and systems for positioning and navigation of land vehicles 86−69845
Muller, P. Investigations on special linear mixed integer 0-1 optimisation problems 87−44179
Muller, P. Localizing faults in power networks with INDACTIC 65C 88−36812
Muller, P., Chapoulie, R., Guibert, P., Schvoerer, M. Radiation damage in borosilicate glasses by α irradiation: application of thermostimulated luminescence 88−71994
Muller, P., Indermuhle, J., Jarmann, R. Special mast foundations for a 132 kV line of the BKW 86−25616
Muller, P., Kulendik, B., Bures, L. A programmable test unit for line and feeder protection 85−31298
Muller, P., Riehle, F., Tegeler, E., Wende, B. Measurement of the spectral efficiency of energy dispersive Si(Li) detectors below 5 keV photon energy using BESSY as a standard source 86−60569
Muller, P. *see* Bruckner, W. 86−32883
Muller, P. *see* Ceglio, N.M. 88−45191
Muller, P. *see* De Mesmaeker, I. 86−65105
Muller, P. *see* Hawryluk, A.M. 88−2331
Muller, P. *see* Kuhne, M. 88−2330
Muller, P. *see* Novotny, M. 88−30279
Muller, P. *see* Riegger, H. 86−70801
Muller, P. *see* Stearns, D.G. 88−2332
Muller, P. *see* Vytopil, J. 85−14059
Muller, P.J. *see* Wilson, B.C. 86−44695
Muller, R. Electro-technical aspects of block heat and power plants 85−9682
Muller, R. Coal treatment as an alternative to environmental protection measures in power stations 85−48824
Muller, R. The resonator matrix, a new device for optical communication to handle a system of many closely spaced carriers 86−4667
Muller, R. Magnetic tape development 86−47957
Muller, R. Video-assisted film production with 80-bit line code on cinefilm 87−8443
Muller, R. Gasification of coal: application in combined gas and steam turbines 87−50986
Muller, R. Models of electrical arrangements with distributed parameters and problems of their computation 87−60394
Muller, R. Variable speed drives 87−78998
Muller, R. Variable speed drives 88−18112
Muller, R. Magnetic film. Developments in coating technology 88−57978
Muller, R. Arc-melted CuCr alloys as contact materials for vacuum interrupters 88−62526
Muller, R., Glas, P. Bistability, regular self-pulsing, and chaos in lasers with external feedback 85−24610
Muller, R., Glas, P. A theoretical study on irregular emission properties in lasers coupled to a long external resonator 88−45491
Muller, R., Horner, G. Chemosensors with pattern recognition 86−55632
Muller, R., Lange, E., Hinterstocker, A. Multidimensional sensors for gas analysis 86−55650
Muller, R., Lengauer, T. Linear algorithms for two CMOS layout problems 88−697
Muller, R. *see* Andres, C. 88−52639
Muller, R. *see* Bauer, T. 88−72085
Muller, R. *see* Borner, M. 88−33907
Muller, R. *see* Cirkel, H.-J. 88−24056
Muller, R. *see* Fasold, D. 85−50985
Muller, R. *see* Franke, R. 85−4660
Muller, R. *see* Freiberg, A. 87−53558
Muller, R. *see* Glas, P. 87−68618
Muller, R. *see* Karthe, W. 87−54041
Muller, R. *see* Kerker, L. 85−32832
Muller, R. *see* Lengauer, T. 88−38459, 88−56156
Muller, R. *see* Lortscher, M. 88−43440
Muller, R. *see* Mackenthun, D. 88−4121
Muller, R. *see* Mader, H. 85−6898
Muller, R. *see* Roudier, T. 85−51704
Muller, R. *see* Vollmer, H. 86−35832
Muller, R. *(editor)* 1000 Begriffe fur den Praktiker. Elektroinstallation (1000 concepts for the practical engineer. Electro-installation) 85−44381
Muller, R.A. *see* Bourdet, G.L. 87−7266, 87−21251, 87−61192, 87−68326, 88−8267, 88−20571, 88−45508
Muller, R.A. *see* Kare, J.T. 88−74493
Muller, R.A. *see* Welch, J.J. 85−20862
Muller, R.J. *see* Botha, C.J. 85−49536
Muller, R.J. *see* Snyman, H.C. 85−39763
Muller, R.O., Seipp, H.G. Condensers and other heat exchangers 85−21482
Muller, R.S. Integrating sensors and electronics−new challenges for silicon 85−52751
Muller, R.S. From ICs to microstructures: materials and technologies 88−39658
Muller, R.S. *see* Bhattacharyya, A. 87−45961
Muller, R.S. *see* Comer, A.E. 86−9372
Muller, R.S. *see* Eun Sok Kim 88−61685
Muller, R.S. *see* Fan, L.-S. 88−50944
Muller, R.S. *see* Fan, L.S. 85−52907
Muller, R.S. *see* Goicolea, J.I. 86−50092, 86−55691
Muller, R.S. *see* Hijab, R.S. 86−55670
Muller, R.S. *see* Howe, R.T. 85−52752, 86−50243, 86−55654
Muller, R.S. *see* Kim, E.S. 87−49732, 88−1839
Muller, R.S. *see* Meyer, R.G. 87−38211
Muller, R.S. *see* Polla, D.L. 85−52685, 86−50050, 86−50090, 86−55744, 86−68151
Muller, R.S. *see* Tai, Y.C. 86−55702, 88−39052
Muller, R.S. *see* Uozumi, K. 87−9045
Muller, R.S. *see* Yu-Chong Tai 88−74381
Muller, R.W. Radio-frequency quadrupole accelerator structures 85−52917
Muller, R.W., Bolle, J., Keller, R., Kopf, U., Liesem, H., Spadtke, P., Schonlein, A. Heavy-ion RFQ accelerator MAXILAC achieves 45 keV/AMU 87−41677
Muller, R.W., Kopf, U., Keller, R., Spadtke, P., Bolle, J. Status of the heavy-ion RFQ linac 'MAXILAC' 87−41653
Muller, R.W. *see* Angert, N. 87−50046
Muller, R.W. *see* Brown, I.G. 86−50266
Muller, R.W. *see* Klabunde, J. 87−41760
Muller, S. Dortmund University's fully automatic H-Bahn system−problems, solutions and initial experience 85−27733
Muller, S. Single chip microprocessor Type 883D with Tiny-BASIC-MP interpreter 85−40123
Muller, S. Cost-benefit analysis of various drive constructions for the H-Bahn system 88−11443
Muller, S., Schafer, J.H., Uhlenbusch, J. Optimization of a cascaded metal tube CW CO_2 laser 85−56551
Muller, S., Uhlenbusch, J. Influence of turbulence and convection on the output of a high-power CO_2 laser with a fast axial flow 87−54233
Muller, S. *see* Brauer, G. 88−65152
Muller, S. *see* Schultheiss, E. 88−33600
Muller, S.H. Application of satellite remote sensing in weather forecasting 87−71360
Muller, S.H., Beekman, P.J. A test of commercial humidity sensors for use at atomic weather stations 88−61644
Muller, T. LP_{11} cut-off wavelength of single-mode fibres−dependence on specimen length and radius of curvature in the bending method 86−22149
Muller, T. *see* Albrow, M.G. 88−29872
Muller, T. *see* Alner, G.J. 88−10288
Muller, T. *see* Cennini, P. 86−50312
Muller, T. *see* Kochsmeier, G. 86−22151
Muller, Th. A microvertex detector for experiment UA1 at the CERN Sp$\bar{p}$S collider 87−21425
Muller, U. Comments on manufacture of printed circuit boards 85−34305
Muller, U. Circuit board production with the additive process 85−40314
Muller, U. Itemized billing for Swiss telephone subscribers 87−27895
Muller, U. Protection interval for amplitude modulated vestigial sideband colour TV standards. I 87−41168
Muller, U. Protection interval for amplitude modulated vestigial sideband colour TV standards. II 87−49230
Muller, U. The fully additive technique for the production of multilayer circuit boards 87−66742
Muller, U., Franke, W. A universal stepping-motor interface 85−60214
Muller, U., Schenkel, M. A cost-effective measuring system: digital storage CRO and PC 88−74243
Muller, U. *see* Hamisch, J. 88−20542
Muller, V. Regulated DC voltage or current supply with high effectiveness 86−57638
Muller, V., Dittrich, A. Experiences with the U8032C arithmetic Processor 86−27359
Muller, V., Dittrich, A. Adaptive speed control of a DC drive by microcomputer 86−71081
Muller, V., Dittrich, A. Digital speed control of converter direct current drives 87−43513
Muller, V., Dittrich, A. Simulation of control circuits of the drive techniques by means of the digital simulation system DS-88 88−43403
Muller, V. *see* Kaschel, J. 87−15857
Muller, W. Processing for quality [multilayer PCBs] 85−23249
Muller, W. A method for the calculation of 3D eddy currents 85−24738
Muller, W. Light-emitter-digital display modules, VQB26-VQB28 85−26426
Muller, W. Numerical field calculation as a tool for constructing and optimizing electrical devices 86−63921
Muller, W. Electricity supply as an economic factor 87−57477
Muller, W. A quantum chemical study of BaO/W cathode surfaces 88−71268
Muller, W. Television equipment from the Oberspreewerk 88−74125
Muller, W., Arens, I. The influence of mode switching on voltage stability and current ripple control of a pulsed TWT 86−8698
Muller, W., Deppe, H., Kantz, D., Beinvogl, W., Griessing, J., Hebbeker, H. A 256 kbit dynamic RAM in 2 μm polycide gate technology with laser redundancy 85−6324
Muller, W., Geisel, H. Calculating the efficiency of induction coils with the aid of numerical field computations 87−5087
Muller, W., Knoblauch, A. A method for numerical calculation of 3D eddy currents 86−42752
Muller, W., Rubel, H., Schroder, B., Geiger, J. Substitutional doping and photovoltaic application of RF magnetron sputtered a-Si:H 86−51911
Muller, W. *see* Berner, G. 85−50701
Muller, W. *see* Croll, A. 87−23595
Muller, W. *see* Egger, H. 85−12776
Muller, W. *see* Fritsch, U. 88−71809
Muller, W. *see* Higelin, G. 88−71806
Muller, W. *see* Hollway, D.L. 85−20679
Muller, W. *see* Kantz, D. 85−22871
Muller, W. *see* Knoblauch, A. 86−42753
Muller, W. *see* Knorr, W. 86−39870
Muller, W. *see* Kusters, K.H. 88−6868
Muller, W. *see* Muhlhoff, H.-M. 88−7614
Muller, W. *see* Novender, W.-R. 85−5041
Muller, W. *see* Ohlmeyer, H. 88−69126
Muller, W. *see* Pichler, G. 87−7248
Muller, W. *see* Pribyl, W. 88−12374
Muller, W. *see* Schlemm, A. 86−67225
Muller, W. *see* Spirlet, J.C. 85−59119, 85−59122
Muller, W. *see* Stein, W. 86−51704
Muller, W. *see* Taschner, G. 87−826, 87−10952
Muller, W.B. Polynomial and one-way functions 88−45882
Muller, W.C. *see* Grillenberger, T. 85−9669
Muller, W.F. Propagation of interference impulses 85−46588
Muller, W.F. Majority gate for reducing the false alarm rate in process monitoring via stochastic signals 86−17767
Muller, W.F., Lubenow, H. Interference pulse in communication channels 88−34536
Muller, W.F.J. *see* Michel, C. 86−38721
Muller, W.G. Aluminium tank for railway transformers 88−11431
Muller, Y., Mohr, R. Planes and quadrics detection using Hough transform [picture processing] 85−36443
Muller, Z. *see* Moos, P. 87−59718
Muller-Clostermann, B. *see* Beilner, H. 88−49630
Muller-Ecker, D. *see* Meier, S.E. 87−30327
Muller-Gronau, W. *see* Beyer, A. 85−12497, 85−20481
Muller-Gronau, W. *see* Fritsch, K. 88−18452
Muller-Hellmann, A. Research projects on the field of development of railbound vehicles for public passenger rapid transit 86−26353
Muller-Hellmann, A. *see* Girnau, G. 88−55681
Muller-Hellmann, A. *see* Van Wyk, J.D. 87−10669
Muller-Horsche, E., Haarer, D., Scher, H. Transient current spectroscopy in polymeric films 88−1399
Muller-Horsche, E., Muckenheim, W., Basting, D. Preionization method for excimer lasers 88−58471
Muller-Horsche, E. *see* Szatmari, S. 87−74997

Muller-Reinke, R., Untiet, M.F.W. An application to online scheduling of the optimal daily unit commitment and economic dispatch in electric power distribution 87−4318
Muller-Rochholz, J.F.W. *see* Heuer, H. 86−50631
Muller-Romer, F. Satellite broadcasting in the German Federal Republic 85−8522
Muller-Romer, F. Satellite broadcasts in the Federal Republic of Germany 85−14161
Muller-Romer, F. Satellite broadcasting in the FRG 85−14389
Muller-Romer, F. High definition television (HDTV)−research, development and experiments in a Federal Republic (BRD) 87−70199
Muller-Romer, F. Satellite broadcasting−ideas for further action 88−47256
Muller-Rossow, K. Ensuring the technical quality of TV transmitters 85−37239
Muller-Schloer, C. *see* Horbst, E. 87−1590
Muller-Schloer, C. *see* Michel, P. 85−11154
Muller-Vogt, G. *see* Lauck, R. 86−52421
Muller-W., T. *see* Hellwagner, H. 87−66097
Muller-Wichards, D., Gulzow, V. Two potential theoretic methods to calculate the contour of an adaptive test section 86−32442
Muller-Zahn, K.H. Automation of powèr station units using the Audatec system 85−60031
Mullerova, I. Image formation in a raster electron microscope with regard to the signal/noise ratio of the processed signal 86−67647
Mullerova, I., Lenc, M., Florian, M. A small area semiconductor detector for backscattered electrons 87−63673
Mullerova, O. Use of non-causal filters for determining the basic tone of speech 87−19429
Mullett, C. Design of high frequency saturable reactor output regulators 87−32122
Mullett, C. *see* Yamada, T. 86−66198
Mullett, C.E. The role of the power source in system design 85−28361
Mullett, C.E. The role of the power source in system design 86−20298
Mullett, C.E. New amorphous materials improve high-frequency saturable reactor output regulators 87−30733
Mullett, C.E. Performance of amorphous materials in high-frequency saturable reactor output regulators 87−32120
Mullett, C.E. Evaluating approaches to multi-output power converter designs 88−75848
Mullett, C.E., Hiramatsu, R. An improved parallel control circuit for saturable reactor output regulators in high-frequency switched-mode converters 86−66146
Mullett, C.E., Hiramatsu, R. Recent advances in high frequency mag amps 87−78806
Mullett, C.E., Mammano, R.A. Using an integrated controller in the design of mag-amp output regulators 87−59173
Mullett, C.E., Nathasingh, D.M. Amorphous magnetic materials offer advantages for HF supply filters 88−64882
Mullett, C.E. *see* Mammano, R.A. 88−25001
Mullett, J. Planning for successful installation, operation and possible future growth when buying a LAN 88−35069
Mulley, W., Holmes, G.M. Man/machine information transfer system 85−9342
Mullhi, J.S., Ang, M.L., Lees, F.P., Andrews, J.D. The propagation of faults in process plants. V. Fault tree synthesis for a butane vaporiser system 88−63098
Mullick, S.K., Reddy, B.R.K. Channel characterization using bispectral analysis 88−34538
Mullick, S.K., Topkar, V.A. A Wigner distribution based receiver 88−40970
Mullick, S.K. *see* Gupta, R. 85−41905
Mullick, S.K. *see* Ramakrishna, R.S. 85−30466
Mullie, J. *see* Dinh, S.T. 86−11941
Mullie, J. *see* Fonroget, J. 88−54537
Mulligan, F.J., Lubell, M.S. A design study of a hybrid transport system with brightness enhancement remoderation for the HFBR slow positron beam at Brookhaven National Laboratory 88−29768
Mulligan, J.B. Minimizing quantization errors in digitally-controlled CRT displays 86−70028
Mulligan, J.B. *see* Arbtin, E. 86−33017
Mulligan, J.H., Jr., Jian-Le Jiang Coupled transmission line transients in VLSI systems 86−28455
Mulligan, M.G., Ketchum, J.W. Minimum distance and bandwidth of multi-amplitude CPFSK signals 87−54847
Mulligan, M.G., Wilson, S.G. An improved algorithm for evaluating trellis phase codes 85−30176
Mulligan, R.J. *see* Saito, H. 86−21022
Mulligan, W.J. *see* Byerly, J.L. 85−55376
Mulligan, W.J. *see* Danly, B.G. 85−40396, 86−21020
Mulligan, W.J. *see* Kreischer, K.E. 85−55364 to 55365
Mulligan, W.J. *see* Woskoboinikow, P. 85−29753
Mulligan, W.J. *see* Woskoboinikow, P.P. 87−37816
Mullin, D.P., Miller, S.A., Hanson, C.M. $\mathrm{In}_x\mathrm{Ga}_{1-x}\mathrm{As}_y\mathrm{Sb}_{1-y}$: a mid-infrared source and detector material 87−18982
Mullin, F.J., Reed, W.C., Scholly, C. Fiber/metallic distribution plant concept 88−22151
Mullin, F.J. *see* Angel, C.E. 86−47121
Mullin, F.J. *see* Campbell, E.R. 88−22154
Mullin, J.B. Melt growth of III-V compounds 86−34295
Mullin, J.B. Characterisation of III-V compounds 86−34427
Mullin, J.B., Giess, J., Irvine, S.J.C., Gough, J.S., Royle, A. Interdiffused Multilayer Processing (IMP) in alloy growth 88−460
Mullin, J.B., Irvine, S.J.C., Giess, J., Royle, A. Recent developments in the MOVPE of II-VI compounds 86−7774
Mullin, J.B., Irvine, S.J.C., Tunnicliffe, J. MOVPE of narrow gap II-VI compounds 85−10698
Mullin, J.B., Royle, A., Giess, J., Gough, J.S., Irvine, S.J.C. On the electrical properties and Hall effect behaviour of MOVPE $\mathrm{Cd}_x\mathrm{Hg}_{1-x}\mathrm{Te}$ 87−11353
Mullin, J.B. *see* Giess, J. 86−7784
Mullin, J.B. *see* Irvine, S.J.C. 85−10695, 85−49569, 85−49607, 86−7802, 87−10419, 87−65538, 87−73083, 88−13067, 88−31759
Mullin, J.B. *see* Shenai-Khatkhate, D.V. 87−10390
Mullin, J.B. *see* Tunnicliffe, J. 85−10701
Mullin, J.H. *see* Feyder, F.J. 86−45235
Mullin, J.L. *see* Seitz, W.R. 88−16716
Mullin, J.P., Byers, D.C., Ambrus, J.H., Loria, J.C. NASA's space energy technology program [space vehicle power] 85−48431
Mullin, J.P., Loria, J.C., Brandhorst, H.W., Jr. The NASA photovoltaic technology program 85−64672
Mullin, M. Alphanumeric keyboards 86−20881
Mullin, M. Logic analyzers 86−24420
Mullin, M. Focus on logic-level optocouplers [product report] 86−28985
Mullin, M. Programmable DC power supplies 86−34506
Mullin, M. High-density CMOS gate arrays 86−34673
Mullin, M. *see* McFarlane, J.R. 88−54762
Mullin, R., Kaye, M.E., Diduch, C.P. Implementation and evaluation of digital and analog controllers for a motor-alternator 88−55302
Mullin, R.C., Smith, R.L. Electrical wiring. Commercial. Sixth edition. Based on the 1987 national electrical code 88−18370
Mullin, R.C., Stinson, D.R. Pairwise balanced designs with block sizes $6t+1$ 88−11857
Mullin, R.C. *see* Lamken, E.R. 87−31405
Mullinax, B. Fiber optics in the subscriber loop 86−55300
Mullinax, B. Fiber optics in the subscriber loop 86−64798
Mullinix, B.S. Residential fiber optic subscriber loops: information pipeline or technology pipedream? 87−28575
Mullins, B.W., Romberger, A.B. Real time laser damage detection in bulk materials by Strehl intensities 86−29218
Mullins, B.W. *see* Romberger, A.B. 85−35376
Mullins, D. *see* Fasang, P.P. 88−71689
Mullins, D.R. *see* Pepper, J. 87−49411
Mullins, M. Fault-finding on RCD-protected installations. I 86−45597
Mullins, M. Fault-finding on RCD-protected installations. II 86−61178
Mullins, T.D. *see* Allen, Z. 87−4485
Mullis, C.T., Demeure, C.J. The Jury matrix and a Newton-Raphson procedure for MA spectral factorization 88−3129
Mullis, C.T., Scharf, L.L. Internal projections for rank reduction in linear dynamical systems 87−13043
Mullis, C.T. *see* Demeure, C.J. 88−73008
Mullis, C.T. *see* Feyh, G. 88−3093, 88−63136, 88−70193
Mullis, R. An expert system for VLSI tester diagnostics 85−37452
Mullot, G.M. *see* Bourdet, G.L. 87−7266, 87−61192, 87−68326, 88−8267, 88−20571, 88−45508
Mullowney, P.E. Navy technology requirements for unmanned airborne vehicles 87−15011
Mul'menko, M.M. *see* Ivanov, A.V. 87−78773, 88−24033
Mulner, H., Stogerer, J.K. Modern videotex services and interactive telesoftware 86−37447
Mulombe, N., Kahlert, J., Piscalar, W., Seehausen, G. 8.8 Gbit/s travelling-pulse word generator 87−52449
Mulombe, N. *see* Seehausen, G. 87−17201
Muloslavskii, V.K. *see* Ageev, L.A. 88−20417
Mulot, J.Y. *see* Raymond, A. 88−57319
Mulot, J.Y. *see* Robert, J.L. 88−64315
Mulqueen, J.T. Once-languishing public packet nets begin to emerge from backwater 86−64628
Mulqueen, J.T. Small firms fight for huge legal office automation market 87−8018
Mulqueen, J.T. DEC bumps AT&T to third place in a year of mixed results 87−20025
Mulqueen, J.T. 1987 market survey: computer sales a drag, but LANs, T1 muxes shine 87−27737
Mulqueen, J.T. The data communications 100 88−18540
Mulrooney, T.J. Inexpensive microprocessor testing of custom integrated circuits on wafers, packages, and boards 87−31286
Mulrooney, T.J. *see* Alles, D.S. 87−38372
Multani, J. *see* Jillie, D. 88−7516
Multani, J. *see* Yang, C. 87−67156
Multani, J.S. *see* Chu, J.K. 87−1794
Multani, J.S. *see* Mitra, U.N. 87−18291
Multani, J.S. *see* Shukla, R.K. 87−67174
Multani, M. Computer-aided materials processing for silicon diffused impurity bipolar-circuit technology 85−62062
Multer, H. *see* Dostert, K. 87−20031
Multer, I. Balance of plant problems connected to steam generator performance 85−38787
Multer, I. Exploring the safety of Ignalina 87−57824
Multon, B., Glaize, C. Optimisation of the size of the supply convertors feeding reluctance machines 87−58051
Mulukutla, S.S., Gulachenski, E.M. Considerations in maintaining process continuity during voltage dips while protecting motors 88−62331
Mulvaney, G.T. Inspect fossil-plant piping hangers on planned basis 88−55179
Mulvaney, S.P. *see* Scott, D.M. 86−18475
Mulvanny, P. *see* Humphris, C.W. 88−16870
Mulvey, M., Fox, S.G., Mallet, C.T. Submarine optical cable networks in the future 88−47188
Mulvey, P., Sheftic, R. Information flow on the factory floor: a network for automation [MAP] 86−69394
Mulvey, T. *see* Mair, G.L.R. 85−37883, 86−20980
Mulvey, V.M. *see* Kim, M.E. 87−32682
Mulvihill, R.J. Design-safety enhancement through the use of hazard and risk analysis 88−62984
Mulyarchik, S.G. Properties of linear algebraic equations system in computer simulation of solid state structures 87−67177
Mulyarchik, S.G., Shevkun, I.M. Influence of modes of storage of matrix-equation coefficients on the speed of physicostructural-modeling programs 87−10598
Mulyarchik, S.G., Shevkun, I.M. Dynamic methods for construction of algebraization regions in modeling diffusion processes in semiconductors 87−11725
Mulyarchik, S.G., Solov'ev, V.G. Automatic formation of equations in numerical modelling of components of integrated circuits 85−17078
Mulyarchik, S.G., Solov'ev, V.G. Computational models of universal programs for physical-structural modeling [semiconductor devices] 87−53444
Mulyarchik, S.G., Solov'ev, V.G. Estimation of currents in physical-structural simulation programs 87−53452
Mulyarchik, S.G., Solov'ev, V.G. Program package for two-dimensional modeling of solid-state microelectronics structures 88−26191
Mulyarchik, S.G., Solov'ev, V.G. Calculating the parameters of electrical models in programs for two-dimensional numerical modeling of bipolar semiconductor structures 88−50814
Mulyarchik, S.G. *see* Abramov, I.I. 85−18272
Mulyarchuk, S.G., Solov'ev, V.G. Calculation of currents in simulation of microelectronic semiconductor structures 87−67213
Mumford, B. *see* Chiang, C. 87−67139
Mumford, D. The problem of robust shape descriptors 87−62371
Mumford, D., Shah, J. Boundary detection by minimizing functionals. I 86−10554
Mumford, F.J. *see* Holness, M.H. 87−46251
Muminov, A.I. Methods of experimental investigation of nuclear high-spin states with heavy ions 85−31650
Muminov, I. *see* Katsavets, N.I. 85−56413
Muminov, M.I. *see* Kostyukov, N.S. 85−32206
Muminov, R.A., Akhmedov, F.A., Kasymova, T.M., Litmanovich, V.M., Akhmedova, M.M. Diffusion of dopants along the grain boundaries in polycrystalline silicon 86−21186
Muminov, R.A., Bogomolova, T.A., Leiderman, E.A., Mullagalieva, F.G., Rykova, N.P., Yafasov, A.Ya. Semiconductor detectors for telescope systems 87−41821
Muminov, R.A., Tsvang, L.D. Position-sensitive thermal neutron detector 86−44544
Muminov, R.A., Tsvang, L.D. High-efficiency semiconductor thermal-neutron detectors 88−29794
Muminov, R.A., Zaveryukhin, B.N., Krevchik, V.D., Ismailov, Kh.Kh., Shamagdiev, A.Sh. Temperature intervals of Si(Li)p-i-n detector use 85−52962
Muminov, R.A. *see* Akhmedov, F.A. 87−51456, 87−58318
Muminov, R.A. *see* Aronov, D.A. 86−60590
Muminov, R.A. *see* Azimov, S.A. 85−44170, 86−51897, 87−14719
Muminov, R.A. *see* Gaibov, A.G. 85−48182
Muminov, R.A. *see* Zaveryukhin, B.N. 86−70314

Mumma, C.H.Goodman *see* Goodman Mumma, C.H.
Mummert, V.S. *see* Ash, G.R. 85—3006
Mummert, V.S. *see* Cochrane, J.I. 86—16686
Mummery, G.B., Wilmer, P.C., Boocock, P.M. An operational overview of CEGB and SSEB fuel element performance 86—19019
Mumolo, E. Identification of an all-pole model of speech by a least-squares homomorphic algorithm 85—51579
Mumolo, E. Identification of an autoregressive model of the vocal tract by an iterative algorithm based on the gradient method 86—3805
Mumolo, E., Pierucci, P. Evaluation of a connected speech recognizer in speaker-pooled mode using a telephone-band input voice in Italian language 88—3003
Mumprecht, E., Gantenbein, D., Hauser, R. Timers in OSI protocols—specifications versus implementation 88—59712
Mun, J. Compound semiconductor integrated circuits 88—71824
Mun, J. *see* Barker, G.K. 86—53781, 87—32005
Mun, J. *see* Bland, S.W. 85—18365, 86—41083, 87—32555, 88—57701
Mun, J. *see* Harrold, S.J. 86—34986
Mun, J. *see* Kitching, S.A. 86—21348
Mun, J. *see* Lee, W.S. 85—18823, 86—29016, 87—53705
Mun, J. *see* Wood, D. 87—11814
Mun, J. *see* Wood, D.W. 86—41852
Mun, J. *(editor)* GaAs integrated circuits 88—55814
Mun, M. *see* Kutsuwa, T. 86—57802, 87—44756, 87—66250
Mun, S.K., Choyke, P., Duerinckx, A., Wang, P., Fahey, F., Benson, H., Elliott, L.P. Development of PACS at Georgetown University Radiology Department 86—32410
Mun, S.K., Stauffer, D., Zeman, R., Benson, H., Wang, P., Fahey, F., Allman, R. Comprehensive digital imaging network project at Georgetown University Hospital 88—29980
Mun, S.K. *see* Choyke, P.L. 87—29739
Mun, Y.S. *see* Nathan, A. 87—29112
Mun Chong Chee *see* Chee Mun Chong
Mun Jeong Hea *see* Hea Mun Jeong
Mun Seong Ki *see* Seong Ki Mun
Mun Soo Yun *see* Kyokane, J. 86—47914
Muna-kata, S. Ziv-Lempel data compression algorithms 86—3862
Munakata, C., Honma, N. Saturation of AC surface photovoltages due to photocapacitances in a strongly-inverted oxidized p-type silicon wafer 87—54168
Munakata, C., Honma, N. Frequency-dependent photovoltage-generating areas in a strongly-inverted oxidized p-type silicon wafer 88—14006
Munakata, C., Honma, N., Hayakawa, H. Excitation-power-density dependent AC surface photovoltages in radiation-damaged Si wafer 85—11880
Munakata, C., Nishimatsu, S. Analysis of AC surface photovoltages in a depleted oxidized p-type silicon wafer 86—63022
Munakata, C., Nishimatsu, S., Honma, N., Yagi, K. AC surface photovoltages in strongly-inverted oxidized p-type silicon wafers 85—23400
Munakata, C. *see* Honma, N. 86—58233, 88—25871, 88—71299
Munakata, C. *see* Kimura, S. 87—75220, 88—27247, 88—44798
Munakata, C. *see* Kinameri, K. 88—22434
Munakata, C. *see* Shimizu, H. 87—45701
Munakata, I., Yamada, K., Yoshida, S., Shirakawa, T. An advanced multi-layer technology in thick film hybrid circuits 86—14746
Munakata, I. *see* Ozawa, T. 86—62974
Munakata, T. *see* Katoh, J. 86—6378
Muncal, R.J.H. An introduction to digital technology. III. Digital memory systems. Multivibrators 85—896
Muncal, R.J.H. Acquiring the metering characteristics of relays for maintaining the impedance of electrical power transmission lines 85—43662
Muncaster, P.W. Precision TIG welding 88—37968
Munce, A.C. *see* Imaino, W. 87—65610
Munce, A.C., Jr., Crawforth, L., Imaino, W., Wang, S., Lehman, L. Determination of case depth in small sintered parts using ultrasonic waves 87—71467
Munce, A.Currie, Jr. *see* Currie Munce, A., Jr.
Munch, N., von Faber, E. A method for determining the evolution diagram in the global analysis of nonlinear dynamic networks 87—59125
Munch, P.A., Iwazumi, T., Brown, A.M. Photoelectric caliper for noncontact measurement of vascular dynamic strain in vitro 86—11937
Munch, R.E. The ESOC flight dynamics activities 87—71192
Munch, U. Installation of systems within switchboard cabinets 88—11766
Munch, U., Bunzel, E., Kunckel, K.-H., Oswald, B., Paulig, E., Schubert, P. Magnetic circuit computation by example of the field curve determination of DC machines 86—33416
Munch, U., Bunzel, E., Kunckel, K.-H., Oswald, B., Paulig, E., Schubert, P. Designing electrical machines by means of no polyoptimization 86—56688
Munch, U. *see* Bunzel, E. 86—7582, 86—13611, 86—18636
Munch, U. *see* Fischer, S. 88—17496, 88—69264
Munch, U. *see* Kunckel, K.-H. 86—52400
Munch, U. *see* Oswald, B. 86—18634, 86—19262
Munch, U. *see* Paulig, E. 87—58110
Munch, U. *see* Schubert, P. 86—19206
Munch, W.von *see* von Munch, W.
Munchmeyer, D., Ehrfeld, W. Accuracy limits and potential applications of the LIGA technique in integrated optics 88—51544
Munchmeyer, D. *see* Becker, E.W. 86—53741
Munchmeyer, D. *see* Ehrfeld, W. 87—25435, 88—39249, 88—39301
Munchmeyer, F. Instruments for measuring surface shape 88—36211
Munchow, E. *see* Muller, H.G. 87—15881
Munck, J.C.de *see* de Munck, J.C.
Muncner, L. *see* Vrbensky, J. 86—19031
Mund, E.H. Accelerators in the nuclear fuel cycle 85—43139
Mund, E.H. *see* Deville, M.O. 88—11913
Mund, F. *see* Mackens, U. 88—64445
Mund, F. *see* Mescheder, U. 88—19870
Mund, K. *see* David, E. 88—16784
Munda, G.De *see* De Munda, G.
Munday, D.J. *see* Alner, G.J. 88—10288
Munday, D.J. *see* Ansorge, R.E. 88—29842
Munday, E. Noise reduction using frequency-domain nonlinear processing for the enhancement of speech 88—59055
Munday, E. *see* El-Agamy, M.A. 85—7801, 86—22901
Munday, E. *see* Serrat-Fernandez, J. 85—30918
Munday, J. *see* Barnes, P. 88—13454
Munday, J.R., Fitton, B. Frequency—temperature stability in mobile phones 88—35384
Munday, P.J. Mobile errors [error correction] 87—2453
Munday, P.J. Clock recovery and synchronisation for a digital cellular radio test bed 87—13633
Munday, P.J. *see* Cheeseman, D. 87—8214
Munday, P.J. *see* Frazer, E.L. 86—37788, 87—56004
Mundel, A.B. Group testing 85—22269
Mundel, G. *see* Lenz, M. 85—10986
Mundell, A.R.G., Mabey, D.G. Pressure fluctuations caused by transonic shock/boundary-layer interaction 87—3792
Mundemann, F., Hahn, W. Algorithmic specification of MOSFET's for multi-level computer design languages 86—20176
Munder, H. *see* Esser, N. 88—13015
Mundinger, L.P. CoCo's counter 85—57698
Mundry, E. Trends, options and problems in nondestructive testing of corroded objects 88—38303
Mundt, H. *see* Hoffmann, H. 88—23255
Mundulas, J.M., Mohammed, O.A., Roig, G.A. Improvements in radio frequency generator monitoring 88—48898
Mundy, D.L. Implementation of a preventative maintenance program for transmission, distribution, and substations 86—65664
Mundy, D.L. Maintenance: oil the wheel before it squeaks 87—51812
Mundy, G. *see* Hodges, C. 86—50313
Mundy, G. *see* Young, C.C. 86—50316
Mundy, J.L. *see* Cyrluk, D. 88—3272
Mundy, J.L. *see* Swain, M.J. 86—59359
Mundy, J.L. *see* Thompson, D.W. 87—62303
Mundy, J.N. *see* Hoff, H.A. 85—31485
Mundy, L. *see* Kutner, M.L. 85—14382
Mundy, L.G. *see* Vanden Bout, P.A. 86—4780
Mundy, R.A. *see* Lipner, M.H. 87—71947
Mune, T. *see* Ishizaki, Y. 87—48380
Munekata, H., Esaki, L., Chang, L.L. Carrier densities in InAs-Ga(Al)Sb(As) quantum wells 87—74075
Munekata, H., Mendez, E.E., Iye, Y., Esaki, L. Densities and mobilities of coexisting electrons and holes in GaSb/InAs/GaSb quantum wells 87—6452
Munekata, H., Smith, T.P., III, Fang, F.F., Esaki, L., Chang, L.L. Electrons and holes in InAs-Ga(Al)Sb(As) quantum wells 88—32858
Munekata, H. *see* Yoshino, J. 87—65497
Muneki, K., Edamatsu, K., Komuro, A. Automated visual inspection method for printed capsules 85—30315
Munemori, J. *see* Yoshizaki, M. 87—40128
Munera, H.A. Actual and perceived low-probability hazards from hydro and nuclear electric power generation 85—32333
Muneta, T. *see* Mitsuishi, T. 85—20067
Muneyama, E. *see* Yoshida, S. 88—44563
Muneyasu, M. *see* Hinamoto, T. 85—966, 86—10367, 86—35009, 86—67360, 86—67383, 87—32018
Muneyuki, M. State-of-the-art railway traction motors 86—56993
Muneyuki, M., Jizo, Y. Up-to-date technology for traction motors 88—5953
Munford, A.G. Moments of a filtered binary process 87—27378
Munford, A.G. *see* Lewis, S.M. 87—5289
Munford, U. *see* Lessenich, H.R. 85—54610
Munford, W.J. *see* Murphy, E.J. 85—2056
Mungall, A.G. Frequency and time—national standards 86—38565
Mungall, A.G., Daams, H., Boulanger, J.-S. Performance of the three NRC 1-meter CsVI primary clocks 86—5458
Mungall, A.G. *see* Vanier, J. 85—31288
Mungenast, J.E. The smart starter a low cost, energy saving motor control 87—51163
Mungenast, J.E. Semiconductor fault anticipation—a key to optimum pulse power circuits 88—70157
Mungenast, J.E. Pulse power electronics—a new market for tomorrow 88—70552
Munger, C. *see* Thieberger, P. 86—32116
Munger, U., Tomljenovic, J. A new 600 kW medium-wave transmitter 85—3621
Mungir Li *see* Li Mungir
Mungovan, E. Specifying LV cables 86—47108
Mungroo, A. *see* Schue, F. 88—26155
Mungyer, S. *see* Oblozinsky, P. 87—41848
Munhoz, D.T.R. *see* Nicia, A.J.A. 88—65731
Muni, B.P., Saxena, S.N., Venkatesh, V. GTO and transistor inverters for AC motors 88—43157
Munich, D.P. *see* Studtmann, G.D. 88—39500
Munich, D.P. *see* Studtmann, G.S. 88—33218
Munich, M.J., Brambilla, M., Brinkschulte, H., Derflet, H., Eckhartt, D., Leuterer, F., Magne, R., Schmitter, K.H., Vien, T., Woyna, F.V., Zouhar, M. The lower hybrid RF heating system for the ASDEX Tokamak 85—32809
Munich, S. Monolithic modem chip eases μP's phone access 85—8242
Munich, S. Using single-chip modems 85—17215
Munich, S. The effects of integrated CAE/CAD on the design cycle 88—38879
Munich, S. *see* Tang, B. 86—57544
Munier, B., Roziere, G., Prieur, P., Rougeot, H. Solid-state 1024 pixel linear X-ray detector [for radiological imaging] 88—42161
Munier, B., Roziere, G., Rougeot, H. X-ray sensitive, 1024 pixels linear detector performance and application 88—10294
Munier, D. Satellite navigation and position-fixing. I. The various systems 86—43918
Munier, D. Navigation and position fixing by Satellite. III. GPS receiver architecture 86—59966
Munier, J. Identification of correlated and distorted wavefronts 88—21211
Munier, J., Delisle, G.Y. Spatial analysis in passive listening using adaptive techniques 88—21003
Munier, J., Delisle, G.Y., Grenier, D. The localisation of partially correlated sources at short range 88—21269
Munier, J., Lacoume, J.L. Simultaneous estimation of spectral lines and of a superimposed continuous spectral density 85—57402
Munier, P. *see* Rodriguez, V. 88—68619
Munikoti, R., Dhar, P. Highly accelerated life testing (HALT) for multilayer ceramic capacitor qualification 87—66596
Munikoti, R., Dhar, P. Low-voltage failures in multilayer ceramic capacitors: a new accelerated stress screen 88—63994
Munilla, I. *see* Bertran, E. 88—21581
Munir, N., Alsammarae, A. Vibration monitoring and analysis of rotating machinery [software package] 88—47684
Munir, Q., Weber, H.P. Fiberoptic sensor in a resonant optoacoustic cell 85—24307
Munir, Q., Weber, H.P., Battig, R. Opto-acoustic fiber sensor 85—50962
Munir Ahmad Khan Nuclear energy in Pakistan 85—27166
Munis, R.H., Marshall, S.J. Emittance: a little understood image deception in thermal imaging applications 86—24374
Munis, R.H. *see* Marshall, S.J. 85—51744
Munits, N.M. Corrosion-proofing armored power cables 85—32174
Munitz, A., Burshtein, Z., Bamberger, M. Semiconductor surface doping by electron beam melting of thin evaporated layers 85—61839
Munk, B.A. On stabilization of the bandwidth of a Dichroic surface by use of dielectric slabs 87—2341
Munk, B.A., Coveyou, T.J. Composite materials: reactively loaded radomes 87—39467
Munk, B.A., Coveyou, T.J. Composite materials: reactively loaded radomes 87—68907
Munk, B.A. *see* Lin, S.J. 86—64127
Munk, B.A. *see* Ng, K.T. 86—43072, 87—27069, 88—66216
Munk, K. *see* Hubler, E. 86—68120
Munk, R. *see* Dederichs, H. 85—21739
Munk, W. *see* Cornuelle, B. 85—59494
Munkevitss, M.E. *see* Aizstrauts, E.V. 87—11996
Munkholm, C., Yuan, P., Luo, S., Walt, D.R. Fiber optic biosensors for in vivo and in vitro measurements of clinically important species 88—54532
Munkholm, C. *see* Walt, D.R. 88—16719
Munley, A.J., Railton, R., Fisher, J., Barclay, R.P.C. Infant respiration monitoring—evaluation of a simple home monitor 86—11928
Munley, A.J. *see* Railton, R. 88—74855

Munley, F. Magnetic field of a solenoid of arbitrary cross-sectional shape 85−56971
Munn, J., Wheatley, D. Save space with thin film resistors 87−32184
Munn, J. *see* Ambuter, B. 86−52708
Munn, J. *see* Winkler, J. 87−40429
Munn, J.E. *see* Rose, D.B. 88−52849
Munn, R. Molecular electronics 88−71258
Munn, R.W. Molecular electronics—a new technology 85−12086
Munn, R.W. Molecular electronics 88−7435
Munn, R.W. Theory of molecular opto-electronics: from the molecule to the crystal 88−58659
Munn, R.W. *see* Hurst, M. 86−48485 to 48486, 87−26516, 87−61231
Munnich, K.O. *see* Kromer, B. 86−32185
Munnix, S., Bimberg, D. Simulation of electron beam induced current at GaAs/AlGaAs heterojunctions under forward bias 88−25915
Munns, A.G., Twiney, R.C., Whatmore, R.W. Piezoelectric composites with 3-1-1 connectivity 86−53851
Munns, D. Mixed analogue-digital simulator for VLSI design 88−13456
Munns, G., Houdre, R., Morkoc, H. Molecular beam epitaxial growth of GaAs on Si 88−18696
Munns, G. *see* Chen, J. 88−39404
Munns, G. *see* Houdre, R. 88−1377
Munns, G. *see* Unlu, M.S. 88−19679
Munns, G. *see* Valk, B. 87−2113
Munns, G. *see* Won, T. 87−17752, 88−12970, 88−25931
Munoglu, S. *see* Fortini, A. 87−6438, 87−37964
Munoz, C., Sanz, A., Garcia, N. Mathematical analysis of image transmission errors 86−30056
Munoz, C. *see* Azpiroz, J. 88−48178
Munoz, C. *see* Garcia, N. 87−33778
Munoz, C. *see* Sanz, A. 86−10500
Munoz, E. *see* Aguilera, S. 85−13521, 87−19483
Munoz, E. *see* Borrajo, A. 86−32239
Munoz, E. *see* Calleja, E. 86−42454
Munoz, E. *see* Gonzalez-Bris, C. 85−6899
Munoz, E. *see* Rodriguez, M. 85−13518 to 13519
Munoz, E. *see* Santos, A. 86−29827
Munoz, E.Garcia *see* Garcia Munoz, E.
Munoz, G., Heacox, D., Wintersheimer, R. Resolving maintenance aid/data collection paradoxes 88−68579
Munoz, G. *see* Heacox, D. 88−61729
Munoz, J., Margineda, J., Zamarro, J.M., Martin, E. A five-port reflectometer using a three probes scheme 88−29629
Munoz, J. *see* Emaldi, L.M. 86−19620
Munoz, J. *see* Rojo, M. 88−53843
Munoz, J.Casanova *see* Casanova Munoz, J.
Munoz, J.J.D. *see* Balsalobre, F.S. 87−70480
Munoz, J.M. *see* Acuna, A.U. 86−63772
Munoz, J.M. *see* Costela, A. 88−14129
Munoz, J.M. *see* De Francisco, C. 86−38524, 87−74511
Munoz, J.Mochon *see* Mochon Munoz, J.
Munoz, J.P. Digital decks: a revolution in the audio field 88−4232
Munoz, M.Amores *see* Amores Munoz, M.
Munoz, M.C. *see* Lopez de Ceballos, I. 86−63196
Munoz, P. *see* Rodriguez, M. 85−13518
Munoz, R. *see* Albrow, M.G. 88−29872
Munoz, R.C. *see* Sham, T.K. 86−70376
Munoz, R.P. *see* de Lemus, P.R. 88−14804
Munoz, R.R., Stroud, C.E. Automatic partitioning of programmable logic devices 88−692
Munoz, R.R. *see* Stroud, C.E. 87−37232
Munoz, V., Decroix, D., Chevy, A., Besson, J.M. Optical and photoelectronic properties of zinc phosphide (Zn_3P_2) relevant to photovoltaic conversion 88−18000
Munoz, V., Gonzalez, J., Chevy, A. Effect of surface damage on the photoconductivity response of zinc phosphide 87−12300
Munoz, V., Martinez, M.C., Such, V. Improved systems for the measurement of hysteresis loops: DC and AC characterisation 87−70770
Munoz, V. *see* Decroix, D. 87−44303
Munoz, V. *see* Martinez, M.-C. 87−46305
Munoz, V. *see* Such, V. 86−42673, 88−7790
Munoz Aguilar, J.P. Laser video disc player. II 88−15831
Munoz Cases, J.J. *see* Rivero Moreno, C. 86−39351
Munoz H, G. *see* Camacho Q, A. 88−51670
Munoz Merino, E., Pardo, J.M., Santos, A., Borrajo, A., Martinez, M. Text-to-speech systems for Spanish applications 87−55029
Munoz Perez, J., Fernandez Palacin, A. Estimating the quantile function by Bernstein polynomials 87−72981
Munoz Ruiz, E., Pacios, M.L., Garcia-Arroyo, A. Building a science and technology system—priorities in Spain's R & D 87−72745
Munoz-Bustamante, C. *see* Balliet, L. 85−30849, 85−42252
Munoz-Bustamante, C. *see* Bhansali, M. 85−11047, 85−22653 to 22654
Munoz-Rodriguez, D. Digital pair gain system offering B+D capabilities in POTS [plain ordinary telephone system] 85−63247
Munoz-Rodriguez, D. Multiple criteria for hand-off in cellular mobile radio 87−27680
Munoz-Rodriguez, D., Cattermole, K.W. Hand-off procedure for fuzzy defined radio cells 87−69953
Munoz-Yague, A. *see* Castagne, J. 88−71410
Munoz-Yague, A. *see* Fontaine, C. 86−453, 86−62220, 87−37891, 87−58926
Munoz-Yague, A. *see* Prom, J.L. 88−26057
Munoz-Yague, A. *see* Siskos, S. 85−388
Munro, A.M. *see* Bennett, J.C. 85−41809
Munro, D., Warren, C.S., Hunt, J.D. Dynamic management of military communications systems 85−63219
Munro, E. Computer programs for the design and optimization of electron and ion beam lithography systems 87−74167
Munro, E. Finite difference programs for computing tolerances for electrostatic lenses 88−57282
Munro, E. *see* Smith, M.R. 87−39309
Munro, E.W. Design criteria for antennas used in high capacity, point-to-point microwave and satellite communications systems 85−24951
Munro, I.H. *see* Van Der Laan, G. 87−50199
Munro, J.J., III *see* Link, R. 88−18822
Munro, J.L. *see* Scott, J.B. 86−25257
Munro, N. *see* Sa da Costa, J.M.G. 85−64791
Munro, N. *see* Yang, T.-C. 88−10705
Munro, P., Rawlinson, J.A., Fenster, A. Therapy imaging: limitations of imaging with high energy X-ray beams 88−23113
Munro, P. *see* Martell, E. 86−50638
Munro, S. Centrex for added value 87−69802
Munroe, G. *see* Earnshaw, J.C. 85−48248
Munroe, J.M. The packaging design equation 87−65208
Munroe, R.A. Method for curing and holding semiconductors for organic encapsulation 85−29105
Munser, H., Glaser, G., Rasim, W., Kaulfuss, G., Kluge, H. The district heating test station in the Department of Energy Conversion—an effective multivalent experimental installation 85−27277
Munser, H., Oehme, P., Reetz, B., Schmidt, G. Heating with nuclear power stations in the German Democratic Republic—an energy-economic, ecological, and social necessity 87−15437
Munser, H., Rasim, W., Frohlich, K.-P. The investigation of unsteady state conditions in heating supply systems 85−27276
Munser, H., Singula, W. Heat supply concepts for industrial conurbations with a view to reducing primary energy consumption 85−60021
Munser, H. *see* Herrmann, D. 85−43680
Munsey, B.D. *see* Skutnik, B.J. 85−12622, 87−74820
Munshi, A.M. Fire hazards in LT switchgear 86−12952
Munshi, M.Z., Nicholson, P.S. Demonstration of medium temperature, one atmosphere reversible H_2/O_2 fuel and steam electrolysis cell operation using polycrystalline $H_3O^+\beta/\beta''$-Al_2O_3 87−58308
Munshi, M.Z.A., Owens, B.B. Performance of polymer electrolyte cells at +25 to +100°C 88−49120
Munshi, M.Z.A., Tseung, A.C.C. The effect of additives on the anodic behaviour of cadmium in KOH solutions 87−4868
Munshi, M.Z.A., Tseung, A.C.C., Misale, D. The behaviour of polyvinyl alcohol at the planar $Cd/Cd(OH)_2$ electrode interface 88−55609
Munshi, M.Z.A., Tseung, A.C.C., Parker, J. The dissolution of iron from the negative material in pocket plate nickel-cadmium batteries 86−13015
Munshi, M.Z.A., Tseung, A.C.C., Parker, J., Dawson, J.L. Effect of an organic additive on the impedance of cadmium in alkaline solution 86−13016
Munshi, P., Bhatnagar, R., Ram, K.S. Steam generator transient studies using a simplified two-fluid computer code 85−38708
Munson, D.C., Jr. An introduction to strip-mapping synthetic aperture radar 87−63044
Munson, D.C., Jr., Case, G.R. Error spectrum shaping for quantization of FIR digital filter coefficients 85−17697
Munson, D.C., Jr., O'Brien, J.D. An analysis of artifacts due to Fourier domain interpolation 88−3241
Munson, D.C., Jr., Sanz, J.L.C. Phase-only image reconstruction from offset Fourier data 86−59333
Munson, D.C., Jr., Sanz, J.L.C. Phase-only image reconstruction from offset Fourier data 87−27608
Munson, D.C., Jr., Sanz, J.L.C., Jenkins, W.K., Kakuzu, G., Mather, B.C. A comparison of algorithms for polar-to-cartesian interpolation in spotlight mode SAR 86−17433
Munson, D.C., Jr., Ullman, E.A. Support-limited extrapolation of offset Fourier data [synthetic aperture radar] 87−28659
Munson, D.C., Jr. *see* Bovik, A.C. 86−16552, 86−23113, 86−54550, 87−27601, 87−47898
Munson, D.C., Jr. *see* Diethorn, E.J. 86−59309, 86−59311, 86−62758, 86−67396, 87−69211
Munson, D.C., Jr. *see* Higgins, W.E. 85−4304 to 4305, 87−33744
Munson, D.C., Jr. *see* Jenkins, W.K. 86−16566
Munson, J. *see* Cutler, V. 85−31007
Munson, J.B. Electrostatic discharge protection measures for membrane keyboards 85−6569
Munson, K.J. *see* Carruth, R.C. 87−42584
Munson, M. *see* Vemuri, S. 86−50905
Munson, R. Exporters: give a lot, get a lot 85−9797
Munson, R. Deregulation and the power struggle [electricity supply industry] 88−54902
Munson, R.E. Conformal microstrip communication antenna 87−39475
Munson, R.E. Advances in microstrip antenna technology for microwave and millimeter wave applications 87−61469
Munson, R.E. Conformal microstrip antennas 88−40731
Munstedt, H., Kohler, G., Mohwald, H., Naegele, D., Bitthin, R., Ely, G., Meissner, E. Rechargeable polypyrrole/lithium cells 87−43361
Munster, E., Neye, K.J. Influence of foil sublayer on diagonally evaporated metallic thin film magnetic tapes 87−12049
Munster, M. *see* Huning, G. 85−32034
Munster, R.J.van *see* van Munster, R.J.
Munte, H.-J. *see* Titel, W. 87−63286
Muntean, V. RF transformer for wideband antenna accommodation 88−32507
Munteanu, C. The environmental impact of intense electric fields on 750 kV installations. Protective measures for the maintenance and operation personnel of 750 kV installations 87−14945
Munteanu, C., Draghicescu, C. Aspects of using live line technologies on 750 kV OH/lines in Romania 88−48589
Munteanu, C., Mocanu, M., Diaconu, I. The design concept of high voltage OHELs, considering the live line work experience in Romania [power overhead lines] 86−18839
Munteanu, C. *see* Draghicescu, C. 88−17795
Munteanu, F. *see* Dumitrache, I. 86−66102
Munteanu, M. *see* Pascu, M.L. 86−3402
Munteanu, R. Static ferromagnetic frequency converter with industrial applications 87−43279
Munteanu, R., Costea, C. Sequential sampling voltmeter for monitoring the voltage variations in electric supply networks 86−61203
Munteanu, R., Simion, E., Tarnovan, I., Topa, V. Numerical analysis of variable reluctance incremental motors 88−48925
Munteanu, R., Tarnovan, I. Automatic meter with programmed tariffs of electrical energy consumption 87−21991
Munteanu, R. *see* Jufer, M. 87−30702
Munteanu, S., Dragan, G., Lungu, I., Dragan, L. The calculation of atmospheric overvoltages during lightning strokes on protection wires with regard to impulse corona discharge 88−61963
Munteanu, V., Lucanu, M. Contextual capacity of the transmission channels 88−34522
Munteanu, V. *see* Antoniu, G. 86−31559
Munter, E.A. *see* Kahn, D.A. 87−73847
Munter, H. Bildschirmtext application for sales control+information system+logistic aid 85−13833
Munter, H. The office desk in five years 86−10647
Munter, H. The car phone: from luxury to utility 87−8085
Munter, H. No communications without standardisation? 87−40391
Munter, H. New ideas. The stratified OSI model 88−28388
Munter, P.J.A. *see* Kordic, S. 88−53620
Muntwyler, U. Technical features of the solarmobile 85−49153
Muntwyler, U. Solar power supply installations in developing countries 86−45254
Muntwyler, U. The 1986 Tour de Sol [solar vehicles] 87−4994
Muntyan, S.V. *see* Datskov, V.I. 86−44454
Muntz, E.P. *see* Gundersen, M.A. 87−43304
Muntz, E.P. *see* Jafroudi, H. 85−4383
Muntz, R.R. *see* de Souza e Silva, E. 88−73397
Muntzing, L.M. Creation of the International Nuclear Safety Advisory Group 86−39448
Munur, M., Walther, H., Schar, B. The Teletex/Telex conversion facility in the T200 telex and data exchange 87−13296
Munyakin, V.G. *see* Lebedev, V.I. 88−61341
Munz, D. *see* Bruckner, A. 85−49402
Munz, D. *see* Mattheck, C. 86−65861
Munz, H., Hans, P. The ERS-1 scatterometer system simulator and its relevance for ground processing design 87−57377
Munz, H. *see* Hans, P. 87−56556
Munz, M., Kujawski, A. Simulating chaos in lasers 87−33352
Munz, P. The MIS solar cells 85−21802
Munz, P., Schultheiss, R. MIS solar cells with highly doped base materials 86−7143
Munz, P. *see* Bucher, E. 86−58317
Munz, P. *see* Keppner, H. 87−9822
Munz, P. *see* Meier, J. 88−55617
Munz, P. *see* Sheng, Y.Q. 85−24311, 86−24772, 86−24779

Munz, R.J. *see* Szente, R.N. 87—53103, 88—57241
Munz, W.-D. Surface coating by sputtering 85—426
Munz, W.D. Facilities for the measurement and maintenance of video and audio equipment, and VTRs, in the ZDF production centre 85—47721
Munz, W.D. Reactive sputtering of nitrides and carbides 87—16663
Munz, W.D., Harm, H. In-service measurement system in TV-transmission centre of ZDF 85—25979
Munz, W.D., Heimbach, K.-J., Roll, K. The deposition of transparent electrically conductive ITO films on water containing flexible substrate 85—10799
Munz, W.D. *see* Hoffmann, H. 86—28594
Munz, W.D. *see* Kopacz, U. 88—12025
Munz, W.D. *see* Roll, K. 85—18545 to 18546
Munzel, F., Scherner, U. Ground stations for the German satellite communication system 86—43778
Munzel, H., Lux, J., Schulz, R. A- and B-parameter dependent submicron stepper performance of positive type photoresist 88—26153
Munzel, H. *see* Bimberg, D. 85—55466
Munzel, H. *see* Sapotta, H. 87—38958
Munzenberg, G., Armbruster, P., Berthes, G., Hessberger, F.P., Hofmann, S., Reisdorf, W., Schmidt, K.-H., Schott, H.-J. The experimental work at the velocity filter SHIP—results and plans 87—71048
Munzenberg, G. *see* Armbruster, P. 88—36393
Munzenmayer, K. *see* Santry, D.C. 87—77525
Munzer, H., Carli, W., Hartung, P., Jakob, H., Nocker, H., Rohrer, L., Schnitter, H., Assmann, W., Maier, H.J., Machlitt, N., Steffens, H. Major maintenance of the Munich MP-tandem 88—47764
Munzer, H., Carli, W., Hartung, P., Rohrer, L., Schnitter, H., Assmann, W. The 'portico' in the Munich MP-tandem 86—38644
Munzer, K.A. *see* Claeys, D.E. 86—45711
Munzer, K.A. *see* Grasser, H.L. 88—18035
Munzer, K.A. *see* Hecht, H.D. 86—13081
Munzing, H. 12 pulse rectifiers for DC variable speed drives 85—39082
Muoi, T. *see* Chen, B. 87—49082
Muoi, T.V. Direct detection and coherent lightwave technology in broadband communication network 88—41684
Muoi, T.V., Chen, B.U. LED sources for integrated transmitter and receivers at 200 Mbit/s 88—14048
Muoi, T.V. *see* Chen, B.U. 87—34580
Muoi, T.V. *see* Cook, M.P. 87—18871
Muoi, T.V. *see* Cooke, M.P. 87—20497
Muoi, T.V. *see* Hartmann, H. 87—69689
Muoi, T.V. *see* Karande, H. 88—44765
Muoi, T.V. *see* Personick, S.D. 85—37284
Muoi, T.van *see* van Muoi, T.
Muoi Tran Van *see* Tran Van Muoi
Muollo, R. *see* Curry, J. 85—6861
Muqiu Wang *see* Wang Muqiu
Mur, G. Optimum choice of finite elements for computing three-dimensional electromagnetic fields in inhomogeneous media 88—52018
Mur, G., de Hoop, A.T. A finite-element method for computing three-dimensional electromagnetic fields in inhomogeneous media 86—42678
Mur, G., Hamels, D., Kwee, S.S.R. Calculation and measurement of magnetic fields and losses in and around conducting or magnetic screens for large power transformers 87—36002
Mur, M. *see* Brand, C. 87—21430
Mura, A. *see* Fanni, A. 87—50924
Mura, S. *see* Enomoto, K. 85—61229
Mura Kami Shunichi *see* Jiang Xiang-qi 86—34340
Mura-Matsu, K. *see* Nakagawa, Y. 85—12471
Murabayashi, F. *see* Nakamura, S. 85—35249, 86—28565, 88—26605
Murabayashi, F. *see* Nishio, Y. 87—59378
Muraca, P. *see* Bellezza, F. 88—49218
Muraca, P. *see* Carotenuto, L. 88—5606
Murad, M.A. *see* Fayoumi, A.H. 85—7947
Murada, T. *see* Leu, D. 86—66735
Muradov, I.G. Single-phase transformerless power supply for pulsed laser 88—63515
Muradov, N.S., Kasimov, Z.A., Sokiryanskaya, L.S. Progressive die with economical strip layout 87—35878
Muradyan, A.M. *see* Barzali, F.D. 86—6504
Muradyan, A.Z. *see* Arutyunyan, V.Sh. 87—9596, 88—32053
Muradyan, A.Zh. Bistability in nondegenerate phase conjugation in a Fabry-Perot etalon filled with resonant gas 85—24650
Muradyan, A.Zh. *see* Ambaryan, A.Sh. 87—12415
Muradyan, A.Zh. *see* Arutyunyan, V.M. 85—41465, 85—46473, 85—56835
Muradyan, C.Ch. *see* Akopova, A.B. 87—29602
Muradyan, G.V., Adamchuk, Yu.V., Shchepkin, Yu.G., Voskanyan, M.A. Multiplicity spectrometer for measuring neutron cross sections 86—5848
Muradyan, G.V. *see* Adamchuk, Yu.V. 85—52985
Muradyan, L.Kh. Dynamics of self-action of partially coherent pulses in single-mode fiber lightguides 88—51487
Muradyan, L.Kh. *see* Arutyunyan, V.M. 85—46473
Muradyan, L.Kh. *see* Vysloukh, V.A. 86—63771, 87—75200, 88—20368
Muradyan, R.D. *see* Airapetyan, G.A. 88—62305
Muradyan, S.G. *see* Dzhugaryan, A.G. 86—51198
Muradyan, S.G. *see* Gevorkyan, A.A. 86—32933
Muragi, B.D., Zope, J.K. Nonlinear *I-V* behaviour & threshold switching in disordered Sb-Se-Te system 87—60109
Muragi, B.D., Zope, J.K. Electrical transport properties of amorphous semiconducting Sb-Se-Te system 87—74028
Muragi, B.D. *see* Zope, M. 88—71315
Muraguchi, M., Enoki, T., Yamasaki, K., Ohwada, K. A 20 GHz band monolithic low noise amplifier using GaAs advanced SAINT-FET 86—67494
Muraguchi, M., Hirota, T., Minakawa, A., Ohwada, K., Sugeta, T. Uniplanar MMICs and their applications 88—63960
Muraguchi, M., Ohwada, K. A Ku-band GaAs monolithic voltage controlled oscillator 87—59869
Muraguchi, M. *see* Fukai, Y.K. 88—33241
Muraguchi, M. *see* Osafune, K. 87—37151
Muraguchi, Y. *see* Goto, M. 85—34704
Murahara, M. Photo processing by excimer laser 88—39572
Murahara, Y. *see* Yoshida, Y. 85—11416, 86—67302
Murahashi, T., Sato, K., Matsumura, M., Urushibata, H. The development of a 1 kW molten-carbonate fuel-cell stack 86—40072
Murahashi, T., Sato, K., Urushibata, H., Matsumura, M. The development of a molten-carbonate fuel cell 85—27629
Murahashi, T. *see* Aragane, J. 88—55614
Murahata, M. *see* Gokan, H. 87—58982
Murahlidhar, K.H., Sundareshan, M.K. Adaptive routing and flow control in large communication network: a hierarchical scheme for multiobjective optimization 85—7975
Murai, A. *see* Horiuchi, Y. 86—9736, 86—58874
Murai, A. *see* Nishi, Y. 88—40128
Murai, A. *see* Ohigashi, N. 87—33216
Murai, A. *see* Sokabe, N. 86—9735, 88—8102
Murai, A. *see* Zumoto, N. 87—68364
Murai, F., Okazaki, S., Saito, N., Dan, M. The effect of acceleration voltage on linewidth control with a variable-shaped electron beam system 87—38383
Murai, F. *see* Fujita, M. 88—51011
Murai, F. *see* Kudo, T. 88—13200
Murai, F. *see* Mitani, K. 88—57524
Murai, F. *see* Okazaki, S. 87—38395
Murai, F. *see* Saitou, N. 86—35507
Murai, F. *see* Suga, O. 88—39318
Murai, F. *see* Tamaki, Y. 87—1715, 88—7584
Murai, H., Oka, I., Endo, I. Spectrum analysis of output signals of nonlinear satellite transponders 85—63074
Murai, H., Oka, I., Morinaga, N. Spectrum analysis for digital phase modulated signals at the output of the satellite transponders 88—41598
Murai, I. *see* Sawamura, T. 86—25327, 86—60397
Murai, J. Research networks [electronic mail] 88—9064
Murai, J., Kato, A. Researches in networks development of JUNET 88—66957
Murai, J. *see* Asami, T. 87—20232
Murai, K. *see* Furuya, H. 88—43852
Murai, K. *see* Hara, Y. 87—4809
Murai, K. *see* Miyata, M. 86—62555
Murai, K. *see* Shimada, R. 85—49041, 85—53767
Murai, K. *see* Shimanuki, Y. 86—26813
Murai, K. *see* Shirahama, H. 88—75959
Murai, K. *see* Suga, H. 85—55449, 88—7394
Murai, M., Horii, N., Hatta, H., Takumi, K., Chiba, K., Yamaguchi, H. C&C-NET LOOP subsystem 85—52059
Murai, M., Oikawa, M., Akiba, K., Kasahara, H., Oka, M., Shinoda, T. C&C-NET STAR subsystem 85—52061
Murai, M. *see* Enomoto, E. 85—36557
Murai, M. *see* Horii, N. 87—28096
Murai, M. *see* Kohashi, T. 85—63323
Murai, M. *see* Shimpo, S. 85—50633
Murai, M. *see* Suzuki, S. 87—64916
Murai, M. *see* Tomago, A. 86—36041
Murai, R. *see* Tokita, K. 86—47256
Murai, S. Remote sensing 86—6146
Murai, S., Matsushita, H., Enomoto, K. Logic simulation programs 87—52487
Murai, S., Tada, K., Akai, S., Suzuki, T. Characterization of semi-insulating GaAs crystal with low dislocation density 85—49539
Murai, S., Takagi, M. Global environmental monitoring and role of remote sensing 88—16943
Murai, S. *see* Enomoto, K. 86—14144, 86—62558
Murai, S. *see* Harada, Y. 86—35645
Murai, S. *see* Hattori, S. 88—3217
Murai, S. *see* Miura, Y. 88—50985
Murai, S. *see* Muroi, K. 87—37362
Murai, S. *see* Nakai, R. 85—33401
Murai, S. *see* Ogihara, T. 86—20200, 87—65713
Murai, S. *see* Suzuki, T. 87—44306
Murai, S. *see* Tada, K. 85—55926
Murai, S. *see* Takebe, T. 85—55971, 86—9171, 86—53358
Murai, T., Kagawa, Y. Electrical impedance computed tomography based on a finite element model 85—48279
Murai, T. *see* Kagawa, Y. 87—4170
Murai, T. *see* Liang, Y.C. 87—38845, 88—26833
Murai, T. *see* Murayama, K. 86—22597
Murai, T. *see* Noto, K. 87—53927
Murai, T. *see* Tada, K. 85—35393, 87—46488
Murai, Y., Hosono, I., Tsunehiro, Y. Stability of PWM inverter fed induction motor 86—39760
Murai, Y., Kajita, T., Yoshida, T. Performance improvement of three-phase induction motors driven through asymmetrically controlled thyristors 87—9539
Murai, Y., Kawase, Y., Ohashi, K., Nagatake, K., Okuyama, K. Torque ripple improvement for brushless DC miniature motors 88—23966
Murai, Y., Kawase, Y., Watanabe, T. Switching current transients and reduction method on three phase reversible induction motors 88—31081
Murai, Y., Kubota, T., Kawase, Y. Leakage current reduction for a high-frequency carrier inverter feeding an induction motor 88—23944
Murai, Y., Ohashi, K., Hosono, I. New PWM method for fully digitized inverters 86—39959
Murai, Y., Ohashi, K., Hosono, I. New PWM method for fully digitized inverters 88—11292
Murai, Y., Watanabe, T., Iwasaki, H. Waveform distortion and correction circuit for PWM inverters with switching lag-times 86—39957
Murai, Y., Watanabe, T., Iwasaki, H. Waveform distortion and correction circuit for PWM inverters with switching lag-times 88—11291
Murai, Y. *see* Ito, H. 87—15648
Murai, Y. *see* Kawase, Y. 88—40495
Murai, Y. *see* Mori, T. 87—37636
Murai, Y. *see* Onuki, T. 85—13056, 87—43090
Murai, Y. *see* Shitara, T. 88—4151, 88—60433
Murai, Y. *see* Toya, H. 86—19420, 86—21913, 87—24660
Murai, Y. *see* Yoshiyasu, H. 86—40024, 87—9689
Muraida, G.T., Pressman, L. Microwave hardware developed for commercial communications satellite programs 85—3415
Muraire, R. *see* Chtirichavili, G. 85—16731
Muraishi, K. *see* Iwata, K. 86—32591
Muraishi, T. *see* Nagao, K. 87—54686
Muraishi, T. *see* Sugiyama, Y. 88—15353
Muraka, S.P. Recent advances in silicide technology 86—9061
Murakama, T. *see* Nakajima, Y. 86—24019
Murakamai, T. *see* Nomura, K. 88—29307
Murakami, Kishii, Inamura PPM control for electronic parts 85—22274
Murakami, A., Hosaka, K., Fukushima, M., Maeda, M., Tsuya, N. An amorphous magnetostrictive delayline cordless digitizer 88—64968
Murakami, A., Yagawa, F., Fukushima, M., Mori, K. Magnetostrictive amorphous ribbons for a digitizer 86—63541
Murakami, A. *see* Asakura, H. 88—16657
Murakami, A. *see* Balka, L. 88—47985
Murakami, A. *see* Hayashide, Y. 85—26687
Murakami, A. *see* Hirakawa, K. 87—70194
Murakami, A. *see* Ikeno, M. 85—3913
Murakami, A. *see* Noguchi, T. 87—34988
Murakami, A. *see* Suzuki, T. 88—51164
Murakami, A. *see* Wagner, R.G. 88—47989
Murakami, C. *see* Sonehara, N. 88—15014
Murakami, D., Danmoto, K., Kamatani, Y., Ohkubo, T., Mizoguchi, Y., Henmi, S. 1.5 V IC series for card-size radios 86—55424
Murakami, E., Mashimoto, T., Onda, N., Ozawa, S. Proposal of line element chain coding 87—19945
Murakami, E., Moniwa, M., Kusukawa, K., Miyao, M., Warabisako, T., Wada, Y. Seed shape dependence of Si solid phase epitaxy 88—18705
Murakami, E., Moniwa, M., Kusukawa, K., Miyao, M., Warabisako, T., Wada, Y. Seed shape dependence of Si solid-phase epitaxy: preferential facet growth 88—70310
Murakami, E., Onda, N., Ozawa, S. Proposal on line element chain coding 86—16542
Murakami, E. *see* Ishibashi, K. 87—7055
Murakami, E. *see* Kimura, S. 85—45609, 85—61855, 86—41791
Murakami, E. *see* Kimura, S.-I. 88—39243
Murakami, E. *see* Kusukawa, K. 88—19982, 88—50669
Murakami, E. *see* Mashimo, T. 87—48005
Murakami, E. *see* Miyao, M. 88—38211
Murakami, E. *see* Moniwa, M. 88—6481, 88—49798
Murakami, F. *see* Kazunori, T. 87—55653
Murakami, F. *see* Okubo, K. 88—18239
Murakami, G., Nishi, K. Packaging technology of LSIs 88—33288
Murakami, H. Applications of satellite communications in JNR 85—3412

Murakami, H. On the equivalent noise charge (ENC) of a CR-(RC)^n prefilter into a gated integrator system including the $1/f$ noise source 85−37966
Murakami, H. Video conference 85−47732
Murakami, H. Signal & communication facilities of the Shinkansen 85−65498
Murakami, H. The attitude-control performance with the thruster operation 86−38862
Murakami, H. Digital television. IX. High efficiency coding of television signals 86−48775
Murakami, H. Application of microelectronics to signalling system and establishment of technology for security 86−51992
Murakami, H. Multiple FIR digital filters on a complex integer residue ring 87−914
Murakami, H. Multiple FIR digital filters on a complex integer residue ring 88−12513
Murakami, H. Multiple FIR filters on a finite ring 88−52424
Murakami, H., Hirata, M. Power supply unit of pulsed plasma engine 85−31927
Murakami, H., Ichimura, S., Shimizu, H., Kudo, I., Atoda, N. Synergistic enhancement of direct synchrotron radiation etching of a resist by a low-energy oxygen beam 88−26075
Murakami, H., Ishimaru, K. Loudness loss design for a telephone network 87−7974
Murakami, H., Iwami, T., Yasanuga, S. Automatic positioning system for electron beam welding 86−7339
Murakami, H., Kaneko, R., Sega, S. A pulse discharge panel with internal memory for a color TV display 87−28961
Murakami, H., Kaneko, R., Toyonaga, R., Sega, S. An 8-in. diagonal pulse discharge panel with internal memory for a color TV display 85−14926
Murakami, H., Kaneko, R., Toyonaga, R., Sega, S. A color TV display using 8-inch pulse discharge panel with internal memory 85−26002
Murakami, H., Katoh, T. Planar pulse discharge panel for a TV display 85−37483
Murakami, H., Kitada, H., Katoh, T., Koike, J. Planar pulse discharge panel with internal memory for a colour TV display 87−34746
Murakami, H., Matsumoto, S., Hatori, Y., Yamamoto, H. 15/30 Mbit/s universal digital TV codec using a median adaptive predictive coding method 87−62715
Murakami, H., Matsumoto, S., Sato, G., Yamazaki, N., Yamamoto, H., Muratani, T. 15 Mbps digital TV transmission via INTELSAT satellite 85−8527
Murakami, H., Matsumoto, S., Yamamoto, H. Algorithms for construction of variable length code with limited maximum word length 85−14443
Murakami, H., Sato, G., Matsumoto, S., Hirabayashi, T., Yamamoto, H., Donald, W.W., Bachmann, E. Field test results of multi-channel digital TV transmission at 15 and 30 Mb/s through an INTELSAT satellite using a PSK/FDMA system 87−34487
Murakami, H., Shimizu, T., Yamamoto, H. Test motion pictures for subjective evaluation of bitrate reduction coding 85−8575
Murakami, H., Takahashi, K., Ishimaru, K., Kitawaki, N. Loudness loss design for evolving digital networks 86−37328
Murakami, H., Toyama, N., Takahashi, T. The Richardson constant in metal-silicon contacts 87−18062
Murakami, H., Yamamoto, H. Theoretical comparison between DPCM and transform coding regarding the robustness of coding performance for variation of picture statistics 85−19516
Murakami, H. *see* Doke, T. 85−59174
Murakami, H. *see* Hara, K. 85−27870, 88−11531
Murakami, H. *see* Hirasima, Y. 88−22938
Murakami, H. *see* Hirata, M. 85−31926, 85−31930, 85−59398
Murakami, H. *see* Izutsu, M. 88−65377
Murakami, H. *see* Kaneko, A. 86−30926
Murakami, H. *see* Kawata, A. 88−34639
Murakami, H. *see* Kinuhata, K. 87−41199
Murakami, H. *see* Kokubun, K. 85−1812, 86−24828, 87−74476
Murakami, H. *see* Komuro, M. 85−20786
Murakami, H. *see* Kozu, T. 86−36815
Murakami, H. *see* Kurihara, N. 86−29653
Murakami, H. *see* Lange, A.E. 87−28708
Murakami, H. *see* Matsumoto, S. 85−51783, 86−30998, 86−49021, 86−54446, 87−34790
Murakami, H. *see* Motobayashi, T. 88−74748
Murakami, H. *see* Muranaga, K. 86−37849, 86−38863
Murakami, H. *see* Nakamoto, A. 85−59183, 87−8842
Murakami, H. *see* Nakayama, H. 85−37190
Murakami, H. *see* Niu, K. 85−15118
Murakami, H. *see* Ono, M. 85−64331, 86−70114
Murakami, H. *see* Sato, N. 86−37601, 87−7975
Murakami, H. *see* Sato, S. 87−26994
Murakami, H. *see* Shimada, S. 85−51945, 87−34031
Murakami, H. *see* Shimoseko, S. 86−37851
Murakami, H. *see* Takahashi, T. 87−18061
Murakami, H. *see* Toda, Y. 85−31916
Murakami, H. *see* Toyama, N. 85−34914
Murakami, H. *see* Yamamoto, H. 86−49776
Murakami, H. *see* Yasukawa, H. 87−19218
Murakami, H. *see* Yasunaga, S. 87−31096
Murakami, J., Nagai, K. Errors caused by Yule-Walker algorithm in maximum entropy method 86−48956
Murakami, J., Sakurai, M. Stable tap weight adaptation algorithms for in IIR ghost canceler 85−41647
Murakami, J., Sakurai, M. Suppression of tap weight fluctuation in an IIR zero forcing ghost canceler 86−15909
Murakami, J., Tempaku. J., Ito, T. CMOS LSI controller with superimposing function for CRTs 85−37475
Murakami, J. *see* Kusunoki, I. 88−5719
Murakami, J. *see* Mori, S. 88−70807
Murakami, J. *see* Obara, M. 85−42213
Murakami, J. *see* Ohzeki, K. 85−42220
Murakami, J. *see* Sakurai, M. 85−3699, 85−37269, 86−64298, 86−69044
Murakami, J. *see* Tsumagari, T. 88−8426
Murakami, K. Conductive plastic potentiometers in wider use as sensors 86−67520
Murakami, K. Calculation of probability distribution of rain fade duration with lognormal Markov process model 87−47189
Murakami, K. Contactless potentiometers are noiseless, frictionless and more 87−66580
Murakami, K., Aibara, T. Improvement of noise attenuation of autoassociative memory using two-stepped association procedure 87−12865
Murakami, K., Doi, K., Aihara, T. Bilevel representation method for continuous tone pictures using a probabilistic assignment of fixed patterns 88−8824
Murakami, K., Enami, K., Yagi, N. A proposed universal signal-processing system 87−70286
Murakami, K., Hontsu, S., Ishii, J. Transient analysis and TDR-measurement of a class of nonuniform transmission-lines 88−58906
Murakami, K., Ito, H. Lupica-Ace high-efficacy three-band fluorescent lamps: improvement in both luminous efficacy and color rendition 85−53914
Murakami, K., Katoh, M., Kato, Y. High-speed time division switching technique for broadband ISDN 88−15196
Murakami, K., Matsuura, M., Inàki, Y., Yamamoto, T. Construction of an RF ion plating system 88−438
Murakami, K., Miyake, M., Fuji, T., Moritani, Y., Fujino, T., Ito, K., Takahata, F. FEC combined burst-modem for business satellite communications use 88−46979
Murakami, K., Muro, H., Nojiri, H., Nakamura, M. Development of semiconductor integrated sensors for automotive application 88−69886
Murakami, K., Nakagawa, S., Yoshimoto, M., Asai, S., Akasaka, Y., Nakajima, Y., Horiba, Y. A digital processor for decoding composite TV signals using adaptive filtering 87−8413
Murakami, K., Ohzeki, K., Sueoka, T. Computer-control of TV color camera 87−8420
Murakami, K., Shima, K., Aibara, T. A note on bilevel representation method of continuous tone images 85−30363
Murakami, K., Shimizu, H., Yamamoto, T. Characteristics of humidity sensor−frequency characteristics of RC time constant 86−31339
Murakami, K., Tanaka, M., Ikeda, R. Laser trimming of polymer thick film resistor 86−53229
Murakami, K., Tohmiya, Y., Takita, K., Masuda, K. Time-resolved and space-resolved Si lattice-temperature measurements during CW laser annealing of Si on sapphire 85−1269
Murakami, K., Wakui, K. Battery maintenance system using a microcomputer 85−32688
Murakami, K., Watanabe, T. A prototype parametric motor made for ultra high-speed rotation 86−70857
Murakami, K., Yamamoto, T. Tunnel MIS switching device with silicon nitride thin film 87−67201
Murakami, K., Ye, D.-B., Yamamoto, T. Integrated hydrogen leak detector with a tunnel MIS structure 88−35967
Murakami, K. *see* Akahoshi, H. 87−1085
Murakami, K. *see* Eda, N. 87−36093
Murakami, K. *see* Enami, K. 85−52714, 87−20709, 87−27619, 88−25264
Murakami, K. *see* Fujino, T. 87−34514, 88−21843
Murakami, K. *see* Furukawa, S. 86−47566
Murakami, K. *see* Hamanaka, T. 86−4662
Murakami, K. *see* Hojo, H. 88−52173
Murakami, K. *see* Horiuchi, T. 86−63927, 88−12201
Murakami, K. *see* Horizaki, K. 87−67806
Murakami, K. *see* Ichida, N. 85−38082
Murakami, K. *see* Ichinokura, O. 86−39890, 87−4759, 87−22523, 88−12205 to 12206, 88−63500
Murakami, K. *see* Ikehara, S. 86−48785
Murakami, K. *see* Intoh, K. 86−48788, 87−69051
Murakami, K. *see* Katoh, M. 88−59933
Murakami, K. *see* Kikuchi, S. 85−27378, 87−22331, 88−55377
Murakami, K. *see* Kirimoto, T. 88−15660
Murakami, K. *see* Koshimizu, H. 87−5558, 87−44438, 88−4308
Murakami, K. *see* Machida, E. 86−11972
Murakami, K. *see* Matsuda, H. 86−45543
Murakami, K. *see* Matsuki, H. 86−27652, 86−28723, 87−1016, 87−18488, 87−66601, 88−61417, 88−71145
Murakami, K. *see* Miura, M. 88−17593
Murakami, K. *see* Miwa, H. 85−46958, 85−64552
Murakami, K. *see* Miyahara, S. 88−71604
Murakami, K. *see* Nakajima, H. 85−2069
Murakami, K. *see* Nakanishi, Y. 85−2132
Murakami, K. *see* Numazawa, S. 87−2268
Murakami, K. *see* Ohnishi, K. 86−5039
Murakami, K. *see* Ohzeki, K. 87−63143
Murakami, K. *see* Okanuma, S. 85−27467, 87−26651, 87−67807, 88−52171
Murakami, K. *see* Okui, M. 88−4184
Murakami, K. *see* Saito, T. 87−27877
Murakami, K. *see* Sakamoto, Y. 85−27415, 86−33386, 86−39759, 86−70899, 87−30554, 88−17594, 88−55349, 88−75647
Murakami, K. *see* Seki, K. 88−11484, 88−19910, 88−25894, 88−51268, 88−67766, 88−74342
Murakami, K. *see* Shimazu, A. 88−6971
Murakami, K. *see* Shimizu, Y. 87−60762, 88−44940
Murakami, K. *see* Shimoe, T. 87−76492
Murakami, K. *see* Sueoka, T. 87−8422
Murakami, K. *see* Taguchi, A. 86−43588
Murakami, K. *see* Takahashi, T. 86−27889, 86−28019
Murakami, K. *see* Tsukui, T. 88−17652
Murakami, K. *see* Wakui, K. 85−8572
Murakami, K. *see* Yamada, Y. 87−14330
Murakami, K. *see* Yamaguchi, K. 88−73683
Murakami, K. *see* Yamaguchi, M. 87−18531, 87−25851, 87−67773, 88−55080, 88−57986
Murakami, K. *see* Yamamoto, T. 88−51336
Murakami, K. *see* Yamanouchi, C. 85−63940
Murakami, K. *see* Yoshimoto, M. 87−20713
Murakami, K.-y., Intoh, K., Fujita, K. Voice inquiry system in a public telephone network 88−52772
Murakami, M. Pb alloy counterelectrode for Nb/Pb Josephson junctions 85−29494
Murakami, M. Trend of new power device technology. V 87−78196
Murakami, M., Alessandrini, E.I., Kim, K.K. Au/Ti resistors used for Nb/Pb-alloy Josephson junctions. I. Electrical stability 85−1870
Murakami, M., Childs, K.D., Baker, J.M., Callegari, A. Microstructure studies of AuNiGe Ohmic contacts to *n*-type GaAs 87−1292
Murakami, M., Hirakawa, K. System level, functional level and logic level simulation 85−40012
Murakami, M., Katsumata, Y., Fujii, Y. FACOM 2750 office terminal 85−36542
Murakami, M., Kikuchihara, H. Test generation for LSI circuits using extended nine-valued method 86−62560
Murakami, M., Kim, K.K. Au/Ti resistors used for Nb/Pb-alloy Josephson junctions. II. Thermal stability 85−1871
Murakami, M., Misawa, Y., Imai, K., Tezuka, M. Videotex terminals 86−37396
Murakami, M., Miyake, S., Masumi, T., Ando, T., Fukami, A. Ferroelectric liquid-crystal cells using stable and switchable twisted states 88−42222
Murakami, M., Nishihara, K., Takabe, H. Efficient shell implosion and target design [pulsed power generation] 88−62492
Murakami, M., Price, W.H. Thermally stable, low-resistance NiInW ohmic contacts to *n*-type GaAs 88−1435
Murakami, M., Price, W.H., Yih-Cheng Shih, Braslau, N., Childs, K.D., Parks, C.C. Thermally stable ohmic contacts to *n*-type GaAs. II. MoGeInW contact metal 88−7364
Murakami, M., Price, W.H., Yih-Cheng Shih, Childs, K.D., Furman, B.K., Tiwari, S. Thermally stable Ohmic contact to *n*-type GaAs. I. MoGeW contact metal 88−7363
Murakami, M., Raider, S.I., Yogi, T. Strain-free Nb Josephson junction device electrodes 85−7178
Murakami, M., Yig-Cheng Shih, Price, W.H., Braslau, N., Childs, K.D., Parks, C.C. Thermally stable, low resistance ohmic contacts on *n*-type GaAs 88−57379
Murakami, M., Yogi, T. Strain in evaporated Nb thin films 85−24225
Murakami, M. *see* Callegari, A. 85−55549
Murakami, M. *see* Hotate, K. 88−67870
Murakami, M. *see* Iida, H. 86−50521
Murakami, M. *see* Kanno, I. 86−18305
Murakami, M. *see* Mizutani, M. 88−36597
Murakami, M. *see* Motohara, A. 88−70723
Murakami, M. *see* Muraoka, M. 86−21772
Murakami, M. *see* Muto, S. 88−58330
Murakami, M. *see* Nakajima, K. 88−53787
Murakami, M. *see* Okada, M. 88−70342
Murakami, M. *see* Saburi, A. 87−48385

Murakami, M. *see* Seki, K. 87—14134
Murakami, M. *see* Takahashi, M. 86—61792
Murakami, M. *see* Tanimoto, M. 86—31006, 86—54559, 88—41024
Murakami, M. *see* Tezuka, M. 87—40319
Murakami, M. *see* Usukura, T. 85—52062
Murakami, N. *see* Sakai, T. 88—71582
Murakami, N. *see* Yamasaki, M. 86—33520
Murakami, N. *see* Yamashita, S. 86—42378
Murakami, R. *see* Shimada, R. 85—62979, 87—7667, 88—14592
Murakami, S., Kagami, T., Sugawara, Y. Investigation of instability in multi-layer dielectric structures 88—50741
Murakami, S., Matsuura, T., Ogawa, M., Uehara, M. Laser step alignment of a wafer stepper 86—14995
Murakami, S., Misawa, Y., Momma, N. Investigation of leakage currents in a zinc borosilicate glass passivated p-n junction using a gate-controlled diode 86—8845
Murakami, S., Misawa, Y., Momma, N. Polarization induced instability in a glass passivated p-n junction 87—1239
Murakami, S., Misawa, Y., Momma, N. The effects of hydrogen annealing on reverse current-voltage characteristics of a zinc borosilicate glass passivated p-n junction 87—53244
Murakami, S., Misawa, Y., Momma, N. Surface field reduction for planar semiconductor devices using oxygen doped amorphous silicon 87—67176
Murakami, S., Miyata, K., Tsuruoka, M., Kobayashi, Y. Characterization of zinc borosilicate glass/silicon interface 88—13054
Murakami, S., Nakamura, H., Kudoh, O. Plasma-nitridated Ti contact system for VLSI interconnections 87—67603
Murakami, S. *see* Endo, J. 86—40767, 88—51223
Murakami, S. *see* Fukagawa, Y. 88—11831, 88—52623
Murakami, S. *see* Hisaki, T. 85—31193
Murakami, S. *see* Ichinose, K. 87—66180
Murakami, S. *see* Ikeda, K. 87—9678
Murakami, S. *see* Kayano, S. 87—10864
Murakami, S. *see* Koga, S. 87—66634
Murakami, S. *see* Mimura, A. 85—45655
Murakami, S. *see* Nakane, K. 86—11322
Murakami, S. *see* Okubo, K. 87—40388
Murakami, S. *see* Ooka, H. 87—44802
Murakami, S. *see* Saeki, K. 86—27763
Murakami, S. *see* Saito, S. 86—55323
Murakami, S. *see* Shimamura, K. 86—4837
Murakami, S. *see* Tsubouchi, K. 85—26079
Murakami, S. *see* Watanabe, K. 85—52560
Murakami, S. *see* Yamaguchi, Y. 87—44390
Murakami, S. *see* Yoshino, Y. 87—68674
Murakami, S.-I. *see* Sakai, J. 88—12004
Murakami, T. Design of the pregroove-shape on an optical disc based on the light diffraction analysis 85—20364
Murakami, T. New media and copyright 85—47039
Murakami, T. Inception of INS experience Model System sets in service [ISDN] 85—51865
Murakami, T. The prototype Information Network System 86—10926
Murakami, T. System of Citizen Bio·Sports 86—20662
Murakami, T. A call control method based on reservation 86—69218
Murakami, T. Digital image analysis of inline hologram for measuring the particle size and location 88—10128
Murakami, T., Asai, K., Ito, A. Bandwidth compression of video signals by means of vector quantization 86—59288
Murakami, T., Asai, K., Itoh, A. Vector quantization method for color images 86—31005
Murakami, T., Asai, K., Itoh, A. Design method of symmetric vector quantiser 86—64327
Murakami, T., Asai, K., Itoh, A. Vector quantization of color images 87—19920
Murakami, T., Asai, K., Itoh, A. Progressive vector quantization of color images 88—46291
Murakami, T., Fukuda, T., Umemoto, T., Muro, I., Miyakubo, Y., Nitta, Y., Matsumae, M., Ide, M., Suzuki, Y., Tamegai, T. Computerized single probe system using a cadmium telluride detector 86—44647
Murakami, T., Ito, M., Enomoto, Y., Moriwaki, K. New phenomena in boundary Josepshon junction arrays 86—28736
Murakami, T., Itoh, A., Asai, K. Dynamic mult-stage vector quantization of images 85—30362
Murakami, T., Itoh, A., Asai, K. Dynamic multi-stage vector quantization of images 87—2562
Murakami, T., Itoh, M. External description of a communication protocol and its property 88—52909
Murakami, T., Kasagi, J., Harada, H., Inamura, T. Performance of a neutron multiplicity filter composed of six liquid scintillation detectors 86—18239
Murakami, T., Kitahara, K., Sunahata, A. Development of digital circuit multiplication equipment 88—41453
Murakami, T., Ohtaki, K., Matsubara, H., Yamawaki, T., Saito, H., Isshiki, K., Kokubo, Y., Kumabe, H., Susaki, W. High-power AlGaAs laser with a thin tapered-thickness active layer 86—29139
Murakami, T., Ohtaki, K., Matsubara, H., Yamawaki, T., Saito, H., Isshiki, K., Kokubo, Y., Shima, A., Kumabe, H., Susaki, W. A very narrow-beam AlGaAs laser with a thin tapered-thickness active layer (T^3 laser) 87—68456
Murakami, T., Suzuki, M., Moriwaki, K. Some phenomena in a boundary Josephson junction (BPB) array 86—58710
Murakami, T., Taira, K., Mori, M. Magnetooptic erasable disk memory with two optical heads 87—26099
Murakami, T. *see* Enomoto, Y. 85—35439, 86—31423, 86—53904, 86—55736, 86—60257
Murakami, T. *see* Fukinuki, T. 87—2600
Murakami, T. *see* Gong, W.G. 88—47998
Murakami, T. *see* Hashimoto, T. 87—41264
Murakami, T. *see* Inukai, T. 86—46369, 86—58711
Murakami, T. *see* Ishikawa, M. 85—56887
Murakami, T. *see* Ito, H. 88—69279
Murakami, T. *see* Ito, K. 88—55290
Murakami, T. *see* Kasagi, J. 85—59212
Murakami, T. *see* Kawasaki, K. 86—20886
Murakami, T. *see* Kobori, H. 87—8487, 87—60994, 88—33787
Murakami, T. *see* Kondo, F. 85—30836
Murakami, T. *see* Kubo, T. 86—38118, 87—77030
Murakami, T. *see* Kubota, S. 87—41831, 88—68253
Murakami, T. *see* Maruyama, T. 85—42774
Murakami, T. *see* Matsui, H. 86—1387
Murakami, T. *see* Mito, I. 88—65718
Murakami, T. *see* Nagaoka, H. 88—20121
Murakami, T. *see* Nakayama, T. 88—61850
Murakami, T. *see* Nishimura, T. 88—69388
Murakami, T. *see* Otaki, K. 88—65724
Murakami, T. *see* Shima, A. 87—54323
Murakami, T. *see* Suzuki, M. 86—26878, 86—28735, 86—58708 to 58709
Murakami, T. *see* Taira, K. 86—42385
Murakami, T. *see* Taniguchi, T. 87—37761
Murakami, T. *see* Toyooka, S. 87—35191
Murakami, T. *see* Uehara, K. 86—58938
Murakami, T. *see* Yamada, S. 85—15114
Murakami, T. *see* Yamashita, K. 86—57026
Murakami, T. *see* Yasuda, M. 87—64764
Murakami, T. *see* Yoshimori, M. 88—29935
Murakami, Y. Seabed surveying and cable burying equipment (SEAB) for the new cable ship Koyo Maru 85—31051
Murakami, Y. A method of formulation and structure of circuits composed of switches-S and linear RLC elements 86—62413
Murakami, Y. Submarine optical fiber cables for deep sea use 87—3188
Murakami, Y. Superconducting magnet energy storage (SMES) 87—58345
Murakami, Y. A method for the formulation and solution of circuits composed of switches and linear *RLC* elements 87—59127
Murakami, Y., Furuyama, S., Hasegawa, Y., Morimoto, K. Sensitization of poly-N-vinylcarbazole derivative with benzo (thia) pyrylium salts having monomethine group 85—35589
Murakami, Y., Honda, N., Yuki, Y. Optical fiber cable systems for emergency use 88—13874
Murakami, Y., Imai, T., Inoue, K., Hattori, K., Matsuura, Y., Hayashi, M., Miki, K., Torimaru, Y. A 185 K×6 field memory for TV/VTR pictures 88—63684
Murakami, Y., Ise, T., Fujita, Y. Controlled characteristics of a superconducting AC coil by pulse width modulated current 88—69719
Murakami, Y., Itoh, S. A bandpass filter using YIG film grown by LPE 86—8433
Murakami, Y., Kawata, O., Furukawa, S., Yabuta, T. Field trial results for submarine optical fiber cables with repeaters 85—25872
Murakami, Y., Kimura, H. Basic discussion on low temperature power electronics 88—26305
Murakami, Y., Mieda, M., Katayama, H., Takahashi, A., Ohta, K., Katoh, S. Relation between signal quality and groove shape in magneto-optical disk. I 88—33793
Murakami, Y., Noguchi, K., Uesugi, N., Ishihara, K., Negishi, Y. Optical fiber loss increase in the infrared wavelength region due to hydrogen molecules induced by electrolysis 85—35516
Murakami, Y., Ogawa, Y. Inversion in electrical and electromagnetic investigation 88—10495
Murakami, Y., Ohgihara, T., Okamoto, T. A 0.5-4.0 GHz tunable bandpass filter using YIG film grown by LPE 87—73635
Murakami, Y., Ohgihara, T., Okamoto, T. A 0.5-4.0-GHz tunable bandpass filter using YIG film grown by LPE 88—25386
Murakami, Y., Ohuchi, N., Yamamoto, J. Analyses and measurements of AC loss of a 0.5 MJ pulsed magnet 86—53932
Murakami, Y. *see* Chiba, J. 87—54561
Murakami, Y. *see* Endo, K. 85—53142
Murakami, Y. *see* Fukuoka, T. 88—22109
Murakami, Y. *see* Haginomori, E. 85—65386
Murakami, Y. *see* Hayashi, M. 88—50965
Murakami, Y. *see* Hiroki, S. 88—74507
Murakami, Y. *see* Hotta, Y. 85—7668, 85—62826
Murakami, Y. *see* Ihara, S. 85—37604
Murakami, Y. *see* Ise, T. 85—38451, 86—40178, 87—72460
Murakami, Y. *see* Katsuki, K. 88—60807
Murakami, Y. *see* Kuma, T. 88—41894
Murakami, Y. *see* Masumoto, H. 86—21948
Murakami, Y. *see* Mitani, Y. 86—44899, 87—30084, 87—71480, 87—71735, 88—54886
Murakami, Y. *see* Mizunuma, Y. 88—71126
Murakami, Y. *see* Nakamura, K. 86—13451
Murakami, Y. *see* Negishi, Y. 85—37024
Murakami, Y. *see* Ohgihara, T. 88—50365
Murakami, Y. *see* Ohta, K. 88—33789
Murakami, Y. *see* Ohuchi, N. 85—35363, 87—67960, 88—45023
Murakami, Y. *see* Sunata, T. 86—31543, 87—3668 to 3669
Murakami, Y. *see* Takahashi, A. 88—65386
Murakami, Y. *see* Uenoya, T. 87—12194
Murakami, Y. *see* Uesugi, N. 87—8292
Murakami, Y. *see* Ugai, Y. 85—20672, 86—18037
Murakami, Y. *see* Yoshizawa, N. 85—42585
Murakata, M., Tanaka, A., Yamada, M., Mitsuhashi, T. A standard cell placement algorithm with predictive row width equalisation 87—36901
Murakawa, H. *see* Tokumasu, S. 85—62719
Murakawa, K. *see* Mochizuki, T. 87—29260
Murakawa, K. *see* Rikukawa, H. 87—7000, 88—57918
Murakawa, M., Miyazawa, H., Sakai, S., Ohkawa, K. High speed laser-gas-cutting of stainless steel plate with reduced dross height 87—47028
Murakawa, M. *see* Tamahashi, K. 87—5446, 87—16662
Murakawa, T. *see* Morita, M. 85—61844
Muraki, A. *see* Ishii, S. 88—46570
Muraki, A. *see* Yanagisawa, I. 88—46569
Muraki, K. *see* Koishihara, S. 86—70683
Muraki, K. *see* Watanabe, Y. 86—67550
Muraki, S., Sugie, N. Speech prosthesis system for laryngectomees using 'electro-palatograph' and a small keyboard 86—32369
Muraki, S., Sugie, S. Speech prosthesis system for laryngectomees using 'electropalatograph' and a small keyboard 87—57231
Muraki, S. *see* Koyama, T. 87—29816
Muraki, T. *see* Ando, T. 87—13055
Muraki, Y. *see* Fukui, Y. 88—10275, 88—47986
Muraki, Y. *see* Hayashide, Y. 85—26687
Muraki, Y. *see* Nakamoto, A. 85—59183, 87—8842
Murakoshi, H. *see* Matsuoka, G. 87—38379, 88—18520
Murakoshi, N. *see* Watanabe, E. 87—52754
Murakoshi, T. *see* Sakai, A. 88—56321
Murakoshi, Y., Takahashi, M., Sano, T., Matsuno, K. Study on electromagnetic forming. II. Tube compression with a field shaper 86—36680
Murakoshi, Y. *see* Sano, T. 87—43696
Murakoshi, Y. *see* Takahashi, M. 87—43697
Muraldiharan, R. *see* Mehta, S.K. 86—63317
Muraleedharan, K.A. *see* Varadakumari, G. 85—7602
Muraleedharan Nair, S.K. Technical notes on electronic meter routine tester, tone detector unit and coupling of SAX boards 87—14111
Muralev, A.B. *see* Sokolov, V.M. 86—65867
Murali, A.V. *see* Cumming, J.B. 88—29879
Murali, K.R., Gopalam, B.S.V. Electrical conduction in zinc phosphide 87—32253
Murali, K.R., Gopalam, B.S.V. Growth of cadmium phosphide films by hot wall epitaxy 87—73054
Murali, K.R., Gopalam, B.S.V., Sobhanadri, J. Growth and optical properties of $CuGaSe_2$ thin films 86—34367
Murali, K.R., Gopalam, B.S.V., Sobhanadri, J. Preparation and properties of zinc phosphide thin films 86—46376
Murali, K.R., Jayachandran, M. Growth morphology and optical properties of flash evaporated zinc phosphide films 87—52193
Murali, K.R., Vaya, P.R., Sobhanadri, J. Growth of zinc phosphide thin films by hot wall epitaxy 86—7796
Murali, N. *see* Pathak, L. 85—21023
Murali, N.M. Pattern of an undergraduate program in BME suitable for developing countries 86—52186
Murali, N.M. Maintenance management of biomedical equipment in hospital—a model for developing countries 86—56223
Murali, T., Rao, B.V. Class of recursive sequential regression algorithms 85—2795
Murali, T., Rao, B.V. Improved convergence performance of RSER algorithms with modified gradient filtering 85—13543
Murali, T., Rao, B.V. On convergence properties of adaptive algorithms for signal processing 85—30279
Murali, T., Rao, B.V. Some implementational aspects of digital adaptive filters 85—45162
Murali, T., Rao, B.V. A class of modified adaptive recursive filter algorithms 85—55045

Murali, T., Rao, B.V. A class of recursive maximum-likelihood algorithms 86—3881
Murali, T., Rao, B.V. An improved recursive LMS algorithm using a modified gradient filter 86—3882
Murali, T., Rao, B.V. Modified RLMS and SHARF algorithms for rapid convergence 86—52959
Murali, T., Rao, B.V. A sequential regression based algorithm for estimating sinusoids in white noise 87—69095
Murali, T.P. *see* Warrier, K.G.K. 85—33522
Murali, V., Murarka, S.P. Kinetics of ultrathin SiO_2 growth 87—1412
Murali, V., Murarka, S.P. Effect of the dissolved oxygen concentration on the growth of thin oxide films on silicon 87—25110
Murali, V., Murarka, S.P. Kinetics of rapid thermal oxidation of (100) Si 88—71427
Murali Dhar, C., Pillai, P.K.C. Thermocompensated capacitor with barium titanate ($BaTiO_3$)/polyvinylidene fluoride (PVDF) composite 87—32114
Muralidhar, K.H. A hierarchical policy for timer assignments in IEEE 802.4 network 86—23214
Muralidhar, K.H. Performance management—measures, analysis, control, and optimization 87—28186
Muralidhar, K.H., Pimentel, J.R. Performability analysis of the token bus protocol 87—62682
Muralidhar, K.H., Sundareshan, M.K. A two-level adaptive scheme for combined routing and flow control in computer communication networks 86—16993
Muralidhar, K.H., Sundareshan, M.K. On the decomposition of large communication networks for hierarchical control implementation 87—20046
Muralidhar, K.H., Sundareshan, M.K. Combined routing and flow control in computer communication networks: a two-level adaptive scheme 87—34121
Muralidhar, K.H. *see* Matthews, R.S. 87—34215
Muralidhar, K.H. *see* Sundareshan, M.K. 88—9193, 88—21500
Muralidhara, H.S. *see* Beard, R.E. 87—4201
Muralidharan, M.R. *see* Mahabala, H.N. 85—25566
Muralidharan, R., Chexal, V.K. Increasing diesel start time for a boiling water reactor (BWR/6) using the new emergency core cooling system approach 87—72096
Muralidharan, R. *see* Jain, S.C. 86—53594
Muralidharan Nair, S. *see* Madhava Panicker, P.R. 86—32536
Muralikrishna, R.V., Sastry, C.V.K.S., Vittal Murty, K.P.R. Remote sensing of lower atmosphere by acoustic techniques 86—65513
Muralt, A. *see* Sigg, R.P. 88—25324
Muralt, P. GaAs pn junction studied by scanning tunneling potentiometry 87—24816
Muralt, P. Semiconductor interfaces studied by scanning tunneling microscopy and potentiometry 87—37965
Muralt, P. Semiconductor interfaces studied by scanning tunneling microscopy and potentiometry 88—7356
Muralt, P., Meier, H., Pohl, D.W., Salemink, H.W.M. Scanning tunneling microscopy and potentiometry on a semiconductor heterojunction 87—53229
Muralt, P., Pohl, D.W., Denk, W. Wide-range, low-operating-voltage, bimorph STM: application as potentiometer 87—12006
Muramatsu, A. Ultra-high-speed information processing in analysis and control by large scale computer system 86—27352
Muramatsu, I. *see* Makabe, E. 86—65196
Muramatsu, I. *see* Saito, F. 86—65716
Muramatsu, K. Facsimile network system in RCP 87—69600
Muramatsu, K., Wakabayashi, K., Mizutani, T., Ooi, M., Oshitani, M. PCM Multifunctional Terminal Equipment 85—52133
Muramatsu, K. *see* Ikehara, M. 85—40181
Muramatsu, K. *see* Nishiuma, M. 86—57677
Muramatsu, K. *see* Suzuki, S. 87—59618, 87—63134, 88—9716
Muramatsu, K. *see* Tsukada, H. 86—58063
Muramatsu, K. *see* Tsumaki, N. 88—7722
Muramatsu, M. Higher integration comes to switches, bringing hybrid, digital advantages 86—1442
Muramatsu, M., Lunazzi, J.J. Advantages of a derivative technique in performing speckle correlations 85—2428
Muramatsu, M. *see* Kyuwa, N. 88—21915
Muramatsu, M. *see* Lunazzi, J.J. 88—1187
Muramatsu, S., Nakamura, N., Matsubara, S., Itoh, H., Shimada, T. Preparation of high purity a-Si:H films and their light soaking effects 86—20092
Muramatsu, S. *see* Ikegaki, T. 86—7004
Muramatsu, S. *see* Itoh, H. 86—40147
Muramatsu, S. *see* Kume, H. 86—47260
Muramatsu, S. *see* Uchida, H. 86—50497
Muramatsu, T., Sagawa, S., Nago, K., Yamamoto, T., Yasue, H., Kadono, M., Tsuchimoto, S., Yoshikawa, M. Fe-Al-Si film head for digital audio tape recorder 85—58443
Muramatsu, T., Yamamoto, T., Yasue, H., Sagawa, M., Tsuchimoto, S., Yoshikawa, M. Narrow track head utilizing electron-beam evaporated Fe-Al-Si film 86—58661
Muramatsu, Y. Development of multicontroller to construct the multipoint measuring control network 88—74250
Muramatsu, Y. *see* Kagawa, T. 86—58267
Muramatsu, Y. *see* Mada, H. 86—38546
Muramatsu, Y. *see* Onodera, T. 87—62812
Muramatsu, Y. *see* Shimizu, O. 87—60937
Muramoto, H. *see* iwahara, M. 87—4760, 88—13683
Muramoto, H. *see* Kawamura, T. 86—51853
Muramoto, K. *see* Nakagawa, A. 86—9168
Muramoto, S. Low temperature deposition using ECR plasma and its application 85—61009
Muramoto, S. *see* Itsumi, M. 86—41710
Muramoto, T., Nomura, Y., Sato, Y. FETEX-3000 series digital PBX 87—34281
Muranaga, K., Sakurada, K., Oikawa, Y. Language independent test generation (LITG) 86—47731
Muranaga, K., Tanaka, T., Murakami, H., Satoh, M., Kozono, S.-I. The experiment of developing satellite control technique 86—38863
Muranaga, K., Tanaka, T., Murakami, H., Satoh, M., Kozono, S.I. The satellite control and monitoring for the mission experiments 86—37849
Muranaga, K. *see* Hashimoto, K. 87—48993
Muranaga, K. *see* Otsu, Y. 86—37814
Muranaga, K. *see* Shimoseko, S. 86—37851
Muranaka, K. *see* Sugawara, M. 87—34750, 88—19227
Muranaka, M. *see* Kubo, T. 85—13785
Muranaka, M. *see* Sakakibara, Y. 86—49214
Muranaka, N., Imanishi, S. Constructions of up-down-type and shift-register-type counters using ternary flip-flop circuits 85—39956
Muranaka, N., Imanishi, S. Construction of up-down-type and shift-register-type counters using ternary flip-flop circuits 86—67164
Muranaka, N., Imanishi, S. Constructions of ternary arithmetic circuits with the three's complement representation 88—32159
Muranaka, N. *see* Ninomiya, K. 86—44733, 87—29850, 88—60765
Muranaka, R. Effective utilization and management of research reactors 85—9654
Muranaka, S., Bando, Y., Takada, T. Influence of substrate temperature and film thickness on the structure of reactively evaporated In_2O_3 films 88—6513
Muranaka, T. *see* Nishino, A. 86—1401
Murander, P. Network planning in practice 87—27812
Muranishi, A. *see* Kitazawa, T. 86—29512
Muranishi, H. *see* Hirabayashi, K. 87—70420
Muranishi, H. *see* Suzuki, H. 88—12901
Muranishi, M. *see* Ishida, Y. 86—42569
Murano, H., Hashimoto, K., Matsuo, H., Ueki, I., Tanahashi, T., Hiki, Y., Yano, S., Kuno, K., Yabe, K., Dasai, T., Ozawa, T., Nagahashi, Y. LSI technology for the SX system 86—41892
Murano, H., Narita, Y., Nanba, K., Watari, T., Nishimori, H., Hagihara, T., Okano, M., Tohkaichi, T., Tamura, T., Nomura, H., Aoyama, T., Matsushita, I., Nakakita, S. Packaging and cooling technology for the SX system 86—40556
Murano, H. *see* Watari, T. 86—13490
Murano, K. Applications of PLZT light shutters 87—12263
Murano, K. Application of echo canceler 88—3697
Murano, K., Himuro, M., Watanabe, Y., Tonosaki, M. A video projector using a PLZT light shutter array 86—54022
Murano, K., Kuwahara, H., Watanabe, T., Ohta, K., Gambe, H., Gotohda, T., Takaoka, H. A processor VLSI for multiplexing and circuit termination functions—Mux processor 87—31947
Murano, K., Soejima, T., Iguchi, K., Tsuda, T., Ohhata, M. Design considerations for broadband access system components 88—46433
Murano, K., Tsuda, T., Yamasawa, M. Subscriber line transmission system over copper pair cable 85—25603
Murano, K. *see* Asharif, M.R. 87—19821, 88—46104
Murano, K. *see* Fukuda, M. 86—23574
Murano, K. *see* Kuwahara, H. 86—30210, 87—13536
Murano, K. *see* Matsumura, T. 86—43607, 86—55045, 86—64797
Murano, K. *see* Mochida, Y. 85—46753, 87—765
Murano, K. *see* Moriya, T. 87—17113
Murano, K. *see* Ohta, K. 86—55055
Murano, K. *see* Takebayashi, T. 87—28241
Murano, K. *see* Tatsuki, K. 88—26556
Murano, K. *see* Toyoda, J. 88—32493
Murano, L. *see* Koplik, C.M. 88—68714
Murano, M., Makino, T. Zinc oxide varistor characteristics at steep front discharge current 87—1010
Murano, M. *see* Yanabu, S. 86—68066
Muranov, A.S. An algorithm for optimal discrete distribution of energy resource in multichannel detection 87—69153
Muranov, A.S. The efficiency of optimal power distributions for multichannel detection 87—75814
Muranova, G.A., Perveev, A.F. Fabrication of thin-film waveguides by the sputtering of a target by means of a neutral ion beam 88—13922
Murans, J. *see* Henderson, R. 87—41841
Muranushi, Y., Kishi, T., Nagai, T. Characteristics of trivanadium heptaoxide V_3O_7 as cathode material of secondary lithium battery 86—33594
Murao, K., Kohda, T. Intermittency with 1/*f* power spectrum in one-dimensional discrete dynamical systems 85—51463
Murao, K., Kohda, T. 1/*f* noise in discrete dynamical systems 86—3593
Murao, K., Suzuki, K. Anomalous voltage-controlled negative resistance in Pt-insulator-conductive polymer-Au junctions 86—8903
Murao, K. *see* Kohda, T. 87—170, 88—11834
Murao, M., Iwashimizu, Y. Measurement of acousto-elastic effect by spectrum analysis of ultrasonic waves 86—34411
Murao, T. *see* Hirai, K. 86—28933
Murao, T. *see* Ono, S. 87—76979
Murao, T. *see* Yamamoto, Y. 87—13911
Murao, Y. *see* Akimoto, H. 86—6511
Murao, Y. *see* Mihara, S. 87—1791
Murao, Y. *see* Narita, Y. 85—35178, 85—49894
Murao, Y. *see* Sugimoto, J. 86—61254
Muraoka, H., Itoh, F. Noise property of perpendicular magnetic recording 86—36024
Muraoka, K., Kawamura, Y., Ohtsubo, Y., Sugawara, S., Tamamushi, T., Nishizawa, J. Characteristics of the high speed SI thyristor and its application as the 60 kHz, 100 kW and the efficiency of more than 90% inverter 87—22911
Muraoka, K. *see* Furuyama, T. 88—63683
Muraoka, K. *see* Nishizawa, J. 85—40717, 86—12922, 86—47556, 88—71544
Muraoka, K. *see* Okada, T. 85—2202, 86—9734
Muraoka, K. *see* Takigawa, K. 86—4538
Muraoka, M., Iida, H., Kikuchihara, H., Murakami, M., Hirakawa, K. ACTAS: an accurate timing analysis system for VLSI 86—21772
Muraoka, M., Mitani, I., Inagaki, J. Microprocessor-based fault locator 85—4701
Muraoka, M., Yamada, M., Igarashi, K. New static distance relay RYL 1S for power transmission systems 85—38578
Muraoka, S. *see* Takahashi, K. 88—51295
Muraoka, T., Tsuji, T., Yano, S. New electronic counting scale ECS-LK series featuring minimized count errors 86—18157
Muraoka, T. *see* Uesako, H. 85—37686
Muraoka, T. *see* Yamada, T. 88—57962
Muraoka, Y., Sakaguchi, T., Kikuchi, S. Data communication processing system 85—25267
Muraoka, Y., Watanabe, K., Itoh, M. Communication processing services in INS model system 86—37288
Muraoka, Y. *see* Ishida, M. 86—1245, 86—27457
Muraoka, Y. *see* Kato, Y. 86—39934
Murari, B. Recent developments and trends in intelligent power IC technologies 87—1631
Murari, B. *see* Bertotti, F. 85—7059
Murari, B. *see* Contiero, C. 88—20138
Murari, C. *see* Baraldi, P. 88—61338
Murari, C.A.F. *see* Monticelli, A. 86—32629
Murari, K., Goyal, V. Cost analysis of a two-unit warm standby reliability system with two types of repair facilities 86—7568
Murari, K. *see* Al-Ali, A.A. 88—49578
Murari, K. *see* Goyal, V. 85—5846 to 5847, 86—34087
Murarka, I.P. Interim results and status update on EPRI's solid waste environmental studies 87—63987
Murarka, S.P. Transition metal silicides—low resistivity alternatives for polysilicon and metals in integrated circuits 85—6859
Murarka, S.P. Interactions in metallization systems for integrated circuits 85—23717
Murarka, S.P. Codeposited silicides in very-large-scale integration 86—63213
Murarka, S.P. Self-aligned silicides for VLSI applications—are they alternates for metals? 87—18290
Murarka, S.P. Self-aligned silicides or metals for very large scale integrated circuit applications 87—25160
Murarka, S.P. Growth of ultra-thin oxides on silicon—a review of experimental data and theoretical models 88—71426
Murarka, S.P. Diffusion barriers—for thin film metallizations 88—71444
Murarka, S.P., Chang, C.C., Adams, A.C. Stability of polycrystalline silicon-on-cobalt disilicide-silicon structures 88—13004
Murarka, S.P., Fraser, D.B., Sinha, A.K., Levinstein, H.J., Lloyd, E.J., Liu, R., Williams, D.S., Hillenius, S.J. Self-aligned cobalt disilicide for gate and interconnection and contacts to shallow junctions 88—13176
Murarka, S.P., Vaidya, S. Cosputtered cobalt silicides on silicon, polycrystalline silicon, and silicon dioxide 85—22525

Murarka, S.P., Williams, D.S. Dopant redistribution in silicide-silicon and silicide-polycrystalline silicon bilayered structures 88−26044
Murarka, S.P. *see* Knoell, R.V. 85−28219
Murarka, S.P. *see* Liu, R. 87−17950
Murarka, S.P. *see* Murali, V. 87−1412, 87−25110, 88−71427
Murarka, S.P. *see* Steckl, A.J. 87−1377
Murasaki, K. *see* Machida, S. 88−3462
Murasaki, N., Matsui, M., Fujibayashi, K. Electromagnetic wave generation from electrostatic discharge between charged human's body and earthed electrode 88−52070
Murase, A., Imamura, K. Location of mobile subscriber station on land mobile radio with MSSC 85−42486
Murase, A., Imamura, K. Long-term mean distribution of signal strength at call-setup in land mobile radio system using simulcasting 85−42489
Murase, A., Imamura, K. Design of paging channel in mobile radio communication 86−30101
Murase, A., Imamura, K. Vehicle location in cellular mobile radio systems 86−30664
Murase, A., Imamura, K. Location of mobile subscriber station on land mobile radio with MSSC 86−69627
Murase, A., Imamura, K. Idle-signal casting multiple access with collision detection (ICMA-CD) for land mobile radio 87−76580
Murase, A., Imamura, K. Idle-signal casting multiple access with data-slot reservation (ICMA-DR) for packet radio communications 88−3881
Murase, A. *see* Imamura, K. 85−20066, 86−69680, 87−28410, 87−48948
Murase, H., Ohshima, I., Aoyagi, H., Miwa, I. Measurement of transient voltages induced by disconnect switch operation [gas insulated switchgear] 85−32645
Murase, H., Wakahara, T., Umeda, M. Online hand-sketched-figure recognition through top-down processing involving connection rules 85−36339
Murase, I. *see* Nitta, S. 86−28057
Murase, K. I-interface of G4 facsimile connecting with ISDN 88−21573
Murase, K., Amemiya, Y. Barrier heights of junctions between amorphous Si-Ge-B and crystalline GaAs 85−34562
Murase, K., Ishida, S., Takaoka, S., Okumura, T., Fujiyasu, H., Ishida, A.E., Aoki, M. Superconducting behavior in PbTe-SnTe superlattices 86−53370
Murase, K., Kogure, O. Application of polymethacrylates to high-performance positive E-beam resists 86−1919
Murase, K., Mizushima, Y. Microfabrication technology using multicomponent amorphous alloy 86−1937
Murase, K., Suzuki, M. High-barrier rectifying junctions with amorphous silicon alloy electrodes and their application to FET's for LSI's 87−17789
Murase, K., Yoshida, R., Iwasaki, T. Airborne type visible and thermal infrared radiometer 87−42248
Murase, K. *see* Adachi, T. 88−15867
Murase, K. *see* Fujiyasu, H. 87−5420
Murase, K. *see* Harada, K. 85−18197
Murase, K. *see* Ishibashi, K. 87−32257, 87−66917, 87−74016, 88−19724
Murase, K. *see* Le Hong Shon 87−53257
Murase, K. *see* Sakaue, M. 86−63314
Murase, K. *see* Suzuki, M. 85−40938, 86−63307
Murase, K. *see* Takaoka, S. 86−53371, 87−1242
Murase, K. *see* Tamama, T. 85−18359
Murase, M., Naitoh, M. BWR loss of coolant integral tests with two bundle loop. I. Thermal-hydraulic characteristics in parallel channels 85−48694
Murase, M. *see* Usuki, A. 87−53265
Murase, N., Ueno, K., Mochizuki, T. Milliwatt power consumption type electromagnetic flowmeter 87−21060
Murase, S., Koizumi, M., Sumiyoshi, Y., Osaki, O., Hamajima, T., Sato, Y., Ogiwara, H., Noto, K., Watanabe, K., Muto, Y. Titanium bronze processed Nb$_3$Sn conductor performance of 12 T superconducting magnet for 30 T Hybrid magnet 85−46113
Murase, S., Shiraki, H., Tanaka, M., Koizumi, M., Maeda, H., Takano, I., Aoki, N., Ichihara, M., Suzuki, E., Noto, K., Watanabe, K., Muto, Y. Properties and performance of the multifilamentary Nb$_3$Sn with Ti addition processed by the Nb tube method 85−62217
Murase, S. *see* Koizumi, M. 87−12087
Murase, S. *see* Kumakura, H. 86−36087
Murase, S. *see* Miyamura, S. 85−42292
Murase, S. *see* Nishikawa, S. 85−25269
Murase, S. *see* Sekine, Y. 85−53890
Murase, S. *see* Shiraki, H. 85−24223
Murase, S. *see* Wada, H. 85−35331
Murase, S. *see* Wake, M. 88−45018
Murase, S. *see* Yamada, Y. 87−7040
Murase, T. A unified analysis of multipath degradation in multi-level modulation radio systems 85−14106
Murase, T. Analysis using waveform factor of multipath degradation in multi-level modulation radio system 85−36914
Murase, T. Analysis using waveform factor of multipath degradation in multi-level modulation radio system 85−42456
Murase, T. A unified analysis of multipath degradation in multilevel modulation radio systems 86−69574
Murase, T., Endo, S., Koizumi, T. Heat pipe cooling system 'POWERKICKER' for power semiconductor devices 86−2144
Murase, T., Endo, S., Koizumi, T. Heat pipe cooling system 'POWERKICKER' for power semiconductor devices 87−45844
Murase, T., Koizumi, T., Ishida, S. Heat pipe heat sink—'HEAT KICKER' for cooling of semiconductors 87−45845
Murase, T., Morita, K. Analysis of multipath outage in the presence of thermal noise and interference on multi-level modulation systems 86−30569
Murase, T. *see* Hashimoto, N. 87−48624
Murase, T. *see* Ichikawa, H. 88−3843, 88−21922
Murase, T. *see* Imai, N. 87−40719
Murase, T. *see* Matsue, H. 87−48901, 88−9400, 88−52248
Murase, T. *see* Nishihara, M. 88−37980
Murase, T. *see* Nojima, T. 86−55171
Murase, T. *see* Ohsako, M. 87−8173
Murase, T. *see* Wakabayashi, T. 85−63646
Murase, Y. *see* Homma, Y. 85−59210, 87−29684, 88−42420
Murase, Y. *see* Nakagome, K. 85−8526
Murashima, H. *see* Maeda, S. 85−63835
Murashima, S., Takeshita, H. Key sharing method of cryptographic numbers with multi group 88−40802
Murashima, S. *see* Inoue, A. 85−19176
Murashima, S. *see* Nanaka, Y. 86−63910
Murashita, J. *see* Yamamoto, Y. 87−22450
Murashita, M. *see* Saitoh, H. 87−14723
Murashita, T., Shibayama, A., Fujinami, M. A solid state electron detector for the EB60 electron beam lithography system 88−1480
Murashita, T. *see* Morosawa, T. 87−38376
Murashko, N.V., Lisovskii, V.K. A new issue of the regulations for the technological design of substations 86−66149
Murashkovskii, V.A. *see* Eingorn, I.Ya. 85−44051
Murashkovskii, V.A. *see* Vdovin, Yu.A. 85−48074
Murashov, A.S. *see* Zav'yalov, M.A. 85−40392
Murashov, V.V. *see* Kadaner, G.I. 85−1952
Murasugi, K. *see* Ohara, Y. 88−31497
Murasugi, T. *see* Suga, M. 86−45780
Muraszkiewicz, R. Cellular array architecture for relational database implementation 88−70653
Muraszko, J.T. *see* Hollis, J.B. 87−48964
Murata, A., Itoh, A., Kawanishi, K., Koshizuka, N., Okuda, T., Ando, K. Preparation of BiNdLu-substituted iron garnet films and their magneto-optic properties 86−7765
Murata, A., Itoh, A., Kawanishi, K., Koshizuka, N., Okuda, T., Ando, K. Optical birefringence in BiNdLuAlIG thin film waveguides 86−9483
Murata, A., Koshizuka, N., Okuda, T., Ando, K., Itoh, A., Kawanishi, K. Guided-wave properties and mode conversions in (BiNdLu)$_3$(FeAlLu)$_5$O$_{12}$ films 86−28805
Murata, A., Takazawa, H., Iitaka, H., Kajikawa, T. Transient response of closed cycle OTEC power system and some guides for plant design 87−22172
Murata, A., Takazawa, H., Kajikawa, T. Experimental study of transient modeling of closed cycle OTEC power system 87−22171
Murata, A. *see* Amano, Y. 88−12904
Murata, A. *see* Kajikawa, T. 87−22170, 87−22180
Murata, A. *see* Koshizuka, N. 86−9485
Murata, A. *see* Sudo, M. 87−3700
Murata, A. *see* Takazawa, H. 87−22169
Murata, E., Yamashita, K., Yamaguchi, T., Shibukawa, C., Yui, H. Bus type local network system using coaxial cable 85−25528
Murata, F., Kato, K., Hashimoto, S. Development of BWR computerized operator support system for emergency conditions 85−21414
Murata, F. *see* Hashimoto, S. 86−70793
Murata, F. *see* Ito, T. 87−71841
Murata, F. *see* Yoshitoshi, H. 86−39308
Murata, H. Nuclear power development in Japan 85−59872
Murata, H. Transistor invertor drive crane 86−19697
Murata, H. Traffic characteristics of control signals in an ISDN switching system 86−23627
Murata, H. Recent developments in vapor phase axial deposition 87−7113
Murata, H. Handbook of optical fibers and cables 88−55810
Murata, H., Hashimoto, M. Development of system for tracking of moving target using image sensor 85−42661
Murata, H., Hashimoto, M., Uchida, M. The development of an ultrasonic measuring system for the tracking of a moving target. I. Methodology and theory 87−50604
Murata, H., Hashimoto, M., Uchida, M. The development of an ultrasonic measuring system for the tracking of a moving target. II. Experiment and results 87−50605
Murata, H., Hidaka, S. Measurement of directivity of ultrasonic transducers 88−48397
Murata, H., Inao, S., Ogai, M. Hydrogen problems and longterm reliability of fiber cables 87−38807
Murata, H., Kimura, M. Optical fibre radiation thermometer applications 86−31377
Murata, H., Mamiki, T., Fueta, A., Shin, K. Cable communication systems for developing countries 85−8042
Murata, H., Ogai, M., Tachigami, S. Optical cables and connection technologies for multi-service subscriber systems 88−67420
Murata, H., Okano, M., Yamane, S. Small capacity remote monitoring equipment and its application 86−65135
Murata, H., Otsuka, A., Serizawa, K., Uchiyama, T., Fujioka, T. Chemically-pumped iodine laser and its application to optical power transmission 86−3060
Murata, H., Sumida, S. Relative-refractive-index-difference dependence of intrinsic loss for GeO$_2$-doped graded index silica fiber 86−9530
Murata, H. *see* Azuma, Y. 87−63544
Murata, H. *see* Ban, Y. 87−36751
Murata, H. *see* Harada, Y. 87−64605, 88−75615
Murata, H. *see* Inao, S. 87−28624
Murata, H. *see* Kimura, M. 85−41131
Murata, H. *see* Kitamura, A. 87−34309, 87−48386
Murata, H. *see* Koike, M. 87−31899
Murata, H. *see* Kumesawa, T. 86−4846
Murata, H. *see* Sumida, S. 85−12575, 85−42584, 87−7110
Murata, H. *see* Tachigami, S. 85−12627, 87−8290
Murata, H. *see* Yamamura, T. 87−8301
Murata, H. *see* Yashiro, T. 87−38838
Murata, I. Improving keyboard switches for more comfortable entry 85−11645
Murata, I. *see* Ikeda, Y. 86−40243
Murata, J., Sagara, F., Kishimoto, K. Establishment of electric power system load characteristics by GMDH 86−50854
Murata, J. *see* Sagara, S. 85−48522, 87−30113, 87−57587 to 57588, 88−42819
Murata, J. *see* Shimohigashi, K. 87−59484
Murata, K. Theoretical studies of the electron scattering effect on developed pattern profiles in X-ray lithography 85−23615
Murata, K. Preconditioned conjugate gradient, conjugate residual methods 87−23572
Murata, K. Hologram filters for optical image processing 88−34159
Murata, K., Kawata, H., Nagami, K., Hirai, Y., Mano, Y. Studies of energy dissipation in resist films by a Monte Carlo simulation based on the Mott cross section 87−38026
Murata, K., Kotera, M., Nagami, K., Namba, S. Monte Carlo modeling of the photo and Auger electron production in X-ray lithography with synchrotron radiation 86−8923
Murata, K., Kyser, D.F. Monte Carlo methods and microlithography simulation for electron and X-ray beams 88−57562
Murata, K. *see* Ghosh, A. 88−73198
Murata, K. *see* Harada, K. 85−64853, 86−13092, 86−52677, 86−61618, 87−23925, 87−64717, 87−73318, 88−24959, 88−30257
Murata, K. *see* Hoshino, Y. 87−3136, 87−28457
Murata, K. *see* Inoue, H. 87−77022
Murata, K. *see* Ishii, Y. 85−24678, 88−34158
Murata, K. *see* Ito, Y. 87−79023
Murata, K. *see* Kamemaru, S. 85−25163
Murata, K. *see* Kawata, H. 85−34860
Murata, K. *see* Koyanagi, M. 88−13729
Murata, K. *see* Maeda, J. 85−13606, 86−69148, 87−7839
Murata, K. *see* Ninomiya, K. 88−60765
Murata, K. *see* Ogawa, T. 86−33640, 87−36116 to 36117
Murata, K. *see* Ohtsuka, N. 86−9870
Murata, K. *see* Onodera, H. 85−39037
Murata, K. *see* Otsu, Y. 87−48996
Murata, K. *see* Sato, R. 85−56858, 86−36591
Murata, K. *see* Senda, M. 86−18306
Murata, K. *see* Sounai, A. 86−61723, 87−15961, 87−78897, 88−17919
Murata, K. *see* Sugasawa, Y. 86−68944
Murata, K. *see* Suzuki, K. 87−8235
Murata, K. *see* Tsuchihashi, H. 86−18802
Murata, K. *see* Yamada, H. 87−42023
Murata, M. How Suwa Seikosha brought color LCD TV into being 85−31167
Murata, M. Commercial videotex service (CAPTAIN) in Japan—for the visual information age 86−59611
Murata, M., Hirao, Y. Safety and high reliability of medical equipment [CT scanners] 85−64562

Murata, M., Itoh, S. Ceramic sensors speed and spread uses of microprocessors for automation 85–47945
Murata, M., Kobayashi, K., Tamai, S., Shimaya, Y., Sato, M., Hashikawa, M. Automatic welding machine with laser sensor 86–13211
Murata, M., Shoji, M., Sanada, K., Bonkohara, M., Nishino, S., Takekawa, K. Memory card 88–19141
Murata, M., Takagi, H. Mean waiting times in nonpreemptive priority M/G/1 queues with server switchover times 87–40454
Murata, M., Takagi, H. Two-layer modeling for local area networks 87–62684
Murata, M., Wakino, K. Ceramic sensors 85–20599
Murata, M. *see* Fuda, Y. 86–53867
Murata, M. *see* Fukunaga, T. 88–59032
Murata, M. *see* Hamabe, R. 85–2782, 86–69408 to 69409, 87–2733, 88–21633, 88–59639
Murata, M. *see* Hida, N. 86–11740
Murata, M. *see* Ito, N. 85–52428
Murata, M. *see* Kamei, H. 88–56256
Murata, M. *see* Kashihara, H. 85–52407, 87–28686, 88–52543
Murata, M. *see* Miyamichi, J. 87–69344
Murata, M. *see* Nishida, T. 86–43370, 86–69435
Murata, M. *see* Tajima, J. 88–46321
Murata, M. *see* Takagi, H. 86–64669, 88–28359
Murata, M. *see* Tamura, T. 88–61394
Murata, M. *see* Tanaka, K. 85–35544
Murata, M. *see* Tojo, T. 86–11738
Murata, M. *see* Toyoda, M. 86–38016
Murata, M. *see* Wakino, K. 86–35942
Murata, N., Hoshino, M., Yamakawa, S. High-speed fusion splice packages using internal heat sources 85–12562
Murata, N. *see* Itoh, H. 85–35517
Murata, N. *see* Katagiri, T. 85–50904
Murata, N. *see* Matsumoto, M. 87–8255, 87–34591
Murata, N. *see* Ohshima, H. 87–66609, 88–21889
Murata, N. *see* Tsuruho, S. 86–30523
Murata, R. SAW devices and their application 85–45936
Murata, S. Tape transport system design of helical scanning VTRs 86–38090
Murata, S. International teletex terminal equipment, OKI TELETEX TERMINAL OKITEX 2000 86–49196
Murata, S., Kawabe, R., Sano, K., Fujii, T., Hashimoto, T. Development of the flexible transient analysis computer program FOSTER 88–75320
Murata, S., Mito, I., Kobayashi, K. Frequency modulation and spectral characteristics for a 1.5 μm phase-tunable DFB laser 87–26393
Murata, S., Mito, I., Kobayashi, K. Over 720 GHz (5.8 nm) frequency tuning by a 1.5 μm DBR laser with phase and Bragg wavelength control regions 87–46863
Murata, S., Mito, I., Kobayashi, K. Spectral characteristics for 1.5 μm DBR laser with frequency-tuning region 87–68473
Murata, S., Mito, I., Kobayashi, K. Tuning ranges for 1.5 μm wavelength tunable DBR lasers 88–51796
Murata, S., Mito, I., Shikada, M., Kobayashi, K. Narrow spectral linewidth DFB laser with a monolithically integrated optical waveguide 86–42580
Murata, S., Yamazaki, S., Mito, I., Kobayashi, K. Spectral characteristics for 1.3 μm monolithic external cavity DFB lasers 87–12464
Murata, S. *see* Hattori, K. 85–42187
Murata, S. *see* Kasahara, K. 86–42461
Murata, S. *see* Kitagawa, H. 88–57518
Murata, S. *see* Kitamura, M. 85–7438, 86–36505
Murata, S. *see* Minemura, K. 87–40911
Murata, S. *see* Mito, I. 86–3166
Murata, S. *see* Shikada, M. 88–47103
Murata, S. *see* Sugou, S. 88–65529
Murata, S. *see* Torazawa, K. 85–63899, 86–44067, 87–28877, 88–65390
Murata, S. *see* Yamagishi, M. 86–46723
Murata, S. *see* Yamaguchi, M. 85–18931
Murata, S. *see* Yamazaki, S. 87–76735
Murata, S. *see* Yoshiyasu, H. 86–40024, 87–9689
Murata, T. Use of resource-time product concept to derive a performance measure of timed Petri nets 86–57349
Murata, T., Kazumi, M., Matsuura, S., Kondo, K., Saiki, Y. Practical TV ghost canceller using 2 stage CCD transversal filter 87–49265
Murata, T., Nakagawa, I., Matsuura, S., Kubota, S. A consumer use flicker free color monitor using digital signal processing 87–14136
Murata, T., Tsuchiya, T., Takeda, I. A new approach for constructing a vector-oriented control theory by state space method 88–43200
Murata, T., Tsuchiya, T., Takeda, I. Vector control for induction machine by state feedback 88–69371
Murata, T. *see* Inose, T. 85–57745
Murata, T. *see* Izumi, K. 86–6796
Murata, T. *see* Leu, D.-J. 85–22336
Murata, T. *see* Lu, M. 88–853
Murata, T. *see* Niita, T. 86–69001
Murata, T. *see* Nitta, T. 85–25064
Murata, T. *see* Ohtsuki, M. 87–34087
Murata, T. *see* Sakata, T. 88–54730
Murata, T. *see* Tamura, H. 85–52663, 88–41048
Murata, T. *see* Tamura, J. 86–12792 to 12793, 86–61499, 87–72112, 88–69321
Murata, T. *see* Yamaguchi, K. 85–56435, 86–5113, 88–29435
Murata, Y. Industrial scales transformed from analog to digital 87–49805
Murata, Y., Kobayashi, S., Oohara, M., Tanihata, R., Sasaguri, J., Nemoto, H., Abe, K., Nagatomi, K., Nagashima, K. New digital key telephone systems DK-16/DK-32/DK-64 86–64825
Murata, Y., Oohara, M., Iida, I., Miyamoto, H., Nishiyama, K. K-706B facsimile relay broadcasting equipment 86–4225
Murata, Y., Watanaba, T., Sudo, O. Process computer system for boiling water reactor nuclear power plants 88–43000
Murata, Y. *see* Hirata, K. 86–12636
Murata, Y. *see* Inoue, A. 86–70691
Murata, Y. *see* Kasuga, T. 88–15717
Murata, Y. *see* Kawasaki, R. 88–21826, 88–41457
Murata, Y. *see* Kobara, K. 86–43666
Murata, Y. *see* Nakamura, K. 88–60486
Murata, Y. *see* Suda, T. 86–35595
Murata, Y. *see* Yamada, H. 88–64767
Murataev, A.A. Sensor of small voltage deviations in an alternating-voltage circuit [voltage regulators] 86–31350
Murataev, A.A. *see* Ostrovskii, A.S. 86–25671
Muratani, T., Inagaki, K., Tamura, J., Takahata, F. Transmission performance regulations on international digital lines 86–64448
Muratani, T., Ito, Y. Efficient use of geostationary satellite orbit 87–56059
Muratani, T., Ito, Y., Kobayashi, H. Study of interference models for equitable and efficient use of the geostationary orbit 85–20114
Muratani, T., Ohkawa, M., Watanabe, T., Satoh, G., Yamada, M., Baba, N., Yasukawa, K., Koga, K., Furuta, O. Site diversity experiments in 14/11 GHz satellite link with low elevation angles 86–49519
Muratani, T., Yokoyama, M., Abe, M. Conference preparatory meeting on CCIR WARC-ORB (Geneva, 1984) 86–4788
Muratani, T. *see* Koga, K. 86–17338, 86–29741, 87–47492
Muratani, T. *see* Mizuike, T. 85–14200
Muratani, T. *see* Mizuno, T. 85–42530
Muratani, T. *see* Murakami, H. 85–8527
Muratani, T. *see* Shinonaga, H. 87–20443
Muratomi, Y., Miwa, H., Tani, T., Ikenaga, A., Shimegi, H. Simultaneous measurement of head-disk spacing and reproduced output in flexible perpendicular magnetic recording disk drive 88–51320
Muratore, F., Palestini, V. Performance of 12PM3 modulation methods in digital land mobile radio with discrimination detection 86–69676
Muratore, F., Palestini, V. Modulation methods in digital mobile-radio with discrimination detection 87–8184
Muratore, F., Palestini, V. Features and performance of 12PM3 modulation methods for digital land mobile radio 87–68930
Muratore, F., Palestini, V. Up-link filtering in a regenerative satellite communications system 88–41587
Muratore, F., Palestini, V. Up-link filtering and a regenerative satellite communications system 88–46995
Muratore, F., Palestini, V. Features and performance of 12PM3 modulation methods for digital land mobile radio 88–60032
Muratore, F., Palestini, V. A software package for the simulation of TDMA mobile radio channels 88–60033
Muratore, F., Palestini, V. Burst transients of a narrowband TDMA mobile radio system 88–67244
Muratore, F., Palestini, V. Burst transients and channelization of a narrowband TDMA mobile radio system 88–73828
Muratore, F., Palestini, V., Zingarelli, V. 30/20 GHz satellite with complete coverage of Italy 86–37810
Muratore, F., Palestini, V., Zingarelli, V. 30/20 GHz satellite system with complete coverage of Italy 86–55275
Muratore, F. *see* D'Aria, G. 86–30662, 87–68941, 88–3841, 88–21948
Muratore, F. *see* Giorio, E. 86–3743, 86–23695
Muratore, J.F. *see* Carleton, H.R. 87–71470
Muratori, G. *see* Puddu, G.A. 85–37915
Muratori, M. *see* Canavero, F. 86–32549
Muratov, A.A. *see* Shcherba, A.A. 86–46624
Muratov, L.I. *see* Borisov, B.P. 86–37603
Muratov, V.A. Electromagnetic processes in the discharge circuit of the power supply of apparatus for the electroerosive dispersion of metal 86–6886
Muratov, V.A. *see* Shidlovskii, A.K. 88–18240, 88–35972
Muratov, V.M. *see* Kapishnikov, N.K. 86–834, 87–6352, 87–30271, 87–65934, 88–32064
Muratov, V.M. *see* Rybalov, A.M. 87–56968
Muratova, R.I. *see* Tarnopol'skiy, V.L. 88–3447
Muratova, T.M., Teplyakov, D.I. Experimental SES-5: prediction of the solar steam generator's transient conditions 88–62261
Muratra, K. *see* Sugasawa, Y. 85–5899
Murau, P. Characteristics of an X-Y addressed electrophoretic image display (EPID) 85–14933
Murau, P.C. Recent advances with alphanumeric electrophoretic image devices (EPID) 86–5426
Murauskas, E.Ya. *see* Bumyalis, A.-V.I. 86–68607
Muravchenko, V.L. Analysis of the operation of a distributed amplifier with regulated supply 86–14030
Muravchik, C.H., Loffler, H.E. Estimation of the power distribution function 88–27902
Muraveiskaya, A.A. *see* Shabashev, O.K. 85–26225
Muravenko, S.V. *see* Grushin, V.F. 87–4008
Murav'ev, A.A. *see* Das'ko, A.D. 85–29782
Murav'ev, A.V., Nozdrin, Yu.N., Pavlov, S.A., Shastin, V.N. Directional stimulated emission in a Ge hot-hole laser 87–75069
Murav'ev, A.V. *see* Andronov, A.A. 88–8163
Murav'ev, A.V. *see* Belousov, V.L. 85–74
Murav'ev, A.V. *see* Mityagin, Yu.A. 87–68430
Murav'ev, E.I. *see* Vinogradov, P.Yu. 85–44102
Murav'ev, I.I. *see* Berdnikov, A.A. 88–58435
Murav'ev, I.I. *see* Bunkin, F.V. 87–54241
Murav'ev, I.I. *see* Bunkon, F.V. 87–74971
Murav'ev, O.A. Development of mathematical methods of investigating transients in surge tanks of hydroelectric stations 87–57943
Murav'ev, O.A. *see* Arshenevskii, N.N. 85–27334
Murav'ev, S.I. *see* Vityazev, V.V. 85–11432, 87–45072
Murav'ev, S.V., Gorbunov, A.G. A method for determination of forced loads in accelerated testing of electric-machine bearing assemblies 85–43925
Murav'ev, S.V. *see* Apollonov, V.V. 85–62503, 86–15747, 88–53592, 88–60697
Murav'ev, S.V. *see* Baranov, A.M. 86–50447
Murav'ev, S.V. *see* Gol'dberg, O.D. 86–39776
Murav'ev, V.B., Medvedeva, S.I., Davletbaev, E.N. Automation and mechanization of electroplating processes in the electrical-equipment industry 86–45853
Murav'ev, V.V. *see* Belousov, V.I. 86–13764
Murav'ev, V.V. *see* Bogodaev, N.V. 88–14307
Murav'ev, V.V. *see* Knyazeva, L.P. 88–25502
Murav'ev, V.V. *see* Vasil'ev, N.A. 87–16922
Murav'eva, G.I. *see* Afonin, A.V. 86–5318
Murav'eva, M.I. *see* Danilov, S.V. 88–39877
Murav'eva, N.V. Compensation of reactive power at coal mines in conditions of non-sinusoidal currents and voltages 88–55765
Muraveva, T.M. *see* Rodchenkova, V.V. 87–18925
Muraviev, A.V. *see* Belousov, V.L. 85–5888
Muravin, G.B., Simkin, Ya.V., Erminson, A.L., Lezvinskaya, L.M. Possibilities of acoustic-dynamic inspection of materials 88–70382
Muravin, G.B. *see* Erminson, A.L. 87–52227
Muravin, K.V., Mateichenko, V.I., Gorbachev, G.S. Magnetic circuits of electromagnetic switches 86–36668
Muravitskii, M.A., Gulyuk, A.M., Lozovenko, A.E. Charging control for energy-storage capacitors 85–27502
Muravjev, A.V. *see* Andronov, A.A. 88–14165
Muravjov, A.V. *see* Andronov, A.A. 86–29118
Muravko, Yu.S. *see* Nezhentsev, Yu.N. 88–43062
Muravlev, O.P. Development of the accuracy theory and practical methods of quality control for electrical machines 86–51550
Muravlev, O.P. Electrical machine quality control theory and practice 87–64573
Muravlev, O.P., Chashchin, D.I. Estimate of manufacturing accuracy of induction motors in terms of results of vibration measurements 88–62356
Muravlev, O.P., Shapkina, O.F. A model for the technology of manufacture of induction motors 88–37217
Muravlev, V.A. *see* Vikhorev, V.S. 87–78596
Muravnik, L.V. *see* Alya'bev, S.I. 88–41927
Muravnik, L.V. *see* Alyab'yev, S.I. 87–75704
Muravskii, B.S., Rubtsov, G.P., Chernyi, V.N. Surface-barrier instability of the current in gallium arsenide Schottky-barrier structures 85–55557
Murav'yev, S.I. *see* Vityazev, V.V. 86–27478, 86–35019, 87–45102
Muravyev, V.M. *see* Ageyev, A.I. 85–50890
Murawski, E. *see* Berlicki, T.M. 85–23599, 85–34400, 86–53486
Murawski, L. AC conductivity in binary V_2O_5-P_2O_5 glasses 85–18102

Murawski, L. Polaronic hopping conduction in vanadium and iron phosphate glasses 87—45620
Murawski, L. *see* Stizza, S. 85—50222
Muray, A., Isaacson, M., Adesida, I. AlF_3—a new very high resolution electron beam resist 85—1432
Muray, A., Scheinfein, M., Isaacson, M., Adesida, I. Radiolysis and resolution limits of inorganic halide resists 85—34723
Muray, A., Thompson, D. Simulations of optical lithography test structures: Murray daggers and contact arrays 87—11566
Muray, A. *see* Adesia, I. 85—29258
Muray, A. *see* Isaacson, M. 85—55636
Muray, A. *see* Liauw, L. 88—1597
Muray, A. *see* Richardson, N. 88—39575
Muray, A.J., Muray, J.J. Microfabrication with ion beams 86—28102
Muray, J.J. Future of ion beam lithography 85—18205
Muray, J.J. *see* Ando, M. 88—57537
Muray, J.J. *see* Csonka, P.L. 85—56987, 85—57969, 86—55187 to 55188
Muray, J.J. *see* Muray, A.J. 86—28102
Muray, J.J. *see* Stengl, G. 86—41652
Muray, J.J. *see* Strengl, G. 87—25037
Murayam, Y. *see* Endo, T. 85—58835
Murayama, A. *see* Hatoh, H. 88—42224
Murayama, A. *see* Ishida, M. 88—38522
Murayama, F., Uehara, T. Verification of system, functional, logic design 85—40014
Murayama, H. Read/write evaluation considering peakshift characteristics for perpendicular recording 86—21987
Murayama, H., Ichiyama, Y. Read/write evaluation considering peakshift characteristics of perpendicular recording 86—28667
Murayama, H., Ishii, T. The Engineering Test Satellite-V 87—57265
Murayama, H., Muta, K., Kojima, T. 1.55 μm dispersion shifted single mode fiber 88—51478
Murayama, H., Nakamaru, K., Yamada, S., Ueda, T., Kasai, R., Omura, M., Yamaguchi, T. ETS-V system [Japan communication satellite] 86—64944
Murayama, H., Tsutsui, O., Yamada, S., Kasai, R., Ishii, T. The development of engineering test satellite-V (ETS-V) 88—10462
Murayama, H. *see* Kawabe, S. 88—44207
Murayama, H. *see* Kazama, Y. 88—70710
Murayama, H. *see* Muta, K. 86—48142
Murayama, H. *see* Noguchi, Y. 88—55208
Murayama, H. *see* Nohara, N. 85—43365, 87—50259
Murayama, H. *see* Tanaka, E. 87—29721
Murayama, H. *see* Tomitani, T. 85—43366
Murayama, H. *see* Tsujisawa, T. 87—67766
Murayama, I., Uchida, K., Ishikawa, M., Kunii, N., Mitani, S. Magnetic motor starter with super magnet 87—64518
Murayama, I. *see* Isobe, S. 85—5376
Murayama, I. *see* Ozaki, R. 86—19434
Murayama, K., Aono, T., Okano, T., Baba, H., Sakanushi, Y., Nakatsubo, T. Development of an urban CATV amplifier 88—60453
Murayama, K., Fuita, S., Hoppoh, Y., Yamashita, T., Suzuki, K. Distributed minicomputer network system at the Dai-Tokyo Fire & Marine Insurance Co. Ltd 87—2873
Murayama, K., Kagawa, Y., Murai, T. Use of microcomputer for finite element analysis of unbounded electrical and magnetic fields 86—22597
Murayama, K., Kawamura, H., Matushita, M., Nakashima, K. 120/168/204 kV SF_6 gas insulated switchgear 86—40007
Murayama, K., Ninomiya, T. Photoluminescence decay affected by hopping in band tail in amorphous semiconductors 86—28974
Murayama, K., Ohkawa, K. VAN and power facilities 87—62458
Murayama, K., Yamamoto, Y., Sugano, T., Hani, K., Nakajima, H., Miyoshi, K. Composite materials: CFRP for space applications and high-performance printed-circuit boards 88—12094
Murayama, K. *see* Ikegami, H. 88—9698
Murayama, K. *see* Kawada, H. 86—40008
Murayama, K. *see* Morishita, K. 88—17775
Murayama, K. *see* Shimada, S. 86—5294
Murayama, K. *see* Yamasaki, T. 88—37274
Murayama, M. The situation of automotive electronics in Japan 87—79167
Murayama, M., Mizutani, S. Automotive electronics and 'Kei', 'Haku', 'Tan' and 'Shou' 88—69908
Murayama, M., Yamada, K. New international telecommunications center 85—47309
Murayama, M. *see* Den, H. 87—78120
Murayama, M. *see* Hirano, Y. 86—34712
Murayama, M. *see* Ito, S. 86—34713
Murayama, M. *see* Nakajima, H. 86—66098, 88—17520
Murayama, M. *see* Okada, K. 87—31817
Murayama, M. *see* Ooka, H. 87—44802
Murayama, M. *see* Shingo, Y. 86—49434, 87—21941
Murayama, M. *see* Yasumoto, K. 87—75551, 88—20981
Murayama, M. *see* Yasuura, K. 86—48567, 86—68716, 88—8430
Murayama, N. Signal transmission in process control systems under the environment of electromagnetic noises 85—2590
Murayama, N. *see* Hirose, M. 87—16702
Murayama, N. *see* Miyazaki, S. 86—27992
Murayama, N. *see* Ono, H. 88—19194
Murayama, N. *see* Shoji, M. 88—33494
Murayama, N. *see* Wakao, M. 88—73821
Murayama, R., Hamada, N. Time-domain analysis of networks containing lossless transmission lines by waveform relaxation method 88—49987
Murayama, R. *see* Kubota, J. 88—38288
Murayama, S., Matsuno, H., Watanabe, Y., Ono, T., Hosoya, K., Hirota, T. Compact lamp with two interior fluorescent tubes 85—65601
Murayama, S. *see* Kato, Y. 88—39305
Murayama, S. *see* Matsuno, H. 85—5490
Murayama, S. *see* Ono, T. 85—27765
Murayama, T. Crossing trouble communicator 86—52001
Murayama, T. Materials used in organic photoreceptors for PPC 87—54156
Murayama, T., Ihara, A., Yamada, T. Power-saving transistor inverter, the THYFREC-VT85E, for medium-capacity pumps and blowers 87—58200
Murayama, T., Sakamoto, H., Oyaizu, M., Tagishi, Y., Seki, S. Fast Spin State Interchange Control System 87—3840
Murayama, T. *see* Endo, K. 85—40417
Murayama, T. *see* Hanahara, K. 88—56201
Murayama, T. *see* Hirasawa, M. 86—27830
Murayama, T. *see* Kikuchi, Y. 85—63706
Murayama, T. *see* Kobayashi, T. 86—9565
Murayama, T. *see* Ohmori, C. 87—57027
Murayama, T. *see* Sugawara, Y. 86—2819
Murayama, T. *see* Yamauchi, R. 85—24329, 87—1941
Murayama, T. *see* Yuuki, M. 88—11739
Murayama, Y., Ando, T. Magnetoconductive properties of 2D Landau electrons in heterostructure devices: self-consistent screening model 86—53425
Murayama, Y., Endo, T., Koyanagi, M. SQUID galvanometer for measurements of the quantized Hall resistance 87—63384
Murayama, Y., Nishiyama, A., Suzuki, H. Cellular mobile telephone 86—10982
Murayama, Y., Yoshida, H. FIP driver IC μPD6340G 88—20120
Murayama, Y. *see* Endo, T. 86—24688
Murayama, Y. *see* Katayama, Y. 86—53667
Murayama, Y. *see* Kato, H. 85—43599
Murayama, Y. *see* Kawada, H. 88—24082
Murayama, Y. *see* Kinoshita, J. 86—21612, 87—11789, 87—14466, 88—16417
Murayama, Y. *see* Nagashima, T. 86—41475
Murayama, Y. *see* Ohtoshi, T. 85—29850, 87—54343
Murayama, Y. *see* Sakamoto, Y. 88—13740
Murayama, Y. *see* Tsujikawa, K. 88—53794
Murayama, Y. *see* Yamaguchi, K. 86—58920
Murayama, Y. *see* Yanabu, S. 88—55541
Murayama, Y. *see* Yoshihiro, K. 86—24689, 86—53325, 86—53474, 87—11790
Murayama Seizo *see* Seizo Murayama
Murcek, R.J. *see* Tarpy, R.M. 85—26744
Murcek, R.J. *see* Yassa, F.F. 86—54525 to 54526
Murch, A.R. *see* Bates, R.H.T. 87—73355
Murch, G. The effective use of colour in information displays 85—20668
Murch, G., Virgin, L. Resolution and addressability: how much is enough? [CRT display] 86—31234
Murch, G., Virgin, L., Beaton, R. Resolution and addressability: how much is enough? 87—3451
Murch, G. *see* McCormick, J. 85—8721
Murch, G. *see* Virgin, L. 87—3473
Murch, G.M. Human factors and flat panels challenge the CRT 87—56753
Murch, G.M., Beaton, R.J. Matching display resolution and addressability to human visual capacity 88—22702
Murch, G.M., McCormick, J. Greater clarity with colour [CROs] 85—20644
Murch, G.M. *see* Taylor, J.M. 86—70023
Murch, M.G. *see* Lucas, W. 88—11522
Murcia, M.de *see* de Murcia, M.
Murcray, D.G. *see* Murcray, F.H. 87—77862
Murcray, F.H., Murcray, F.J., Murcray, D.G., Pritchard, J., Vanasse, G., Sakai, H. Liquid nitrogen-cooled Fourier transform spectrometer system for measuring atmospheric emission at high altitudes 87—77862
Murcray, F.J. *see* Murcray, F.H. 87—77862
Murdick, S., Grover, A. Using college credit standards to evaluate training programs 87—23083
Murdocca, M.J., Huang, A., Jahns, J., Streibl, N. Optical design of programmable logic arrays 88—51621
Murdocca, M.J. *see* Jahns, J. 88—72183
Murdoch, A. *see* Price, W.W. 88—54912
Murdoch, B.J. *see* Morison, W.G. 88—37004
Murdoch, B.J. *see* Talbot, K.H. 88—75290
Murdoch, G.G., Carter, D.A. How to choose and install your AC drive 85—5406
Murdoch, J.B. Extension of the configuration factor method to strip sources [strip light sources] 85—5486
Murdoch, T.W. 30 amp and 50 amp switchmode rectifier utilize minimum rack space 86—61623
Murdoch, T.W. Through water wireless communications 88—3429
Murdock, E. *see* Brug, J.A. 88—64949
Murdock, E.S. *see* Muller, M.W. 88—57929
Murdock, E.S. *see* Opfer, J.E. 86—58675
Murdock, M. *see* Scholfield, C.N. 85—11005, 85—48197, 87—63706
Murdock, S., Scott, J. Meridian DV-1: tailor-made for telemarketing 87—55542
Murdza, G.E. *see* Poirier, J.L. 86—4742
Mure-Ravaud, A., Rougny, R. The effect of neutron irradiation on the temporal characteristics of a graded-index optical fibre 86—48127
Mure-Ravaud, A. *see* Goure, J.P. 86—9508
Mureck, R.J. *see* Yassa, F.F. 87—5942
Murek-Sadowska, M. *see* Kuh, E.S. 87—53645
Murelli, U., Rizzi, L. Low-power versatile power plant 87—30807
Murello, A.F., Avery, L.R. Study of antistatically coated shipping tubes using static decay and triboelectric tests 87—51866
Mureramanzi, S., Tien, H.T. Photoelectrochemical methods for the utilization of solar energy 86—51875
Mures, Tg. *see* Cretu, E.V. 88—62679
Muresan, D. New automatic thermal load control diagram for the 420 t/h lignite fuelled boilers with fan mills 88—62137
Muresan, L.V. *see* Dion, A.R. 86—22782
Muret, P. The contribution of broad interface state bands to the capacitance of metal/semiconductor diodes 86—58323
Muret, P. Admittance spectroscopy of interface states in metal/semiconductor contacts 88—32934
Muret, P. The influence of interface states upon the admittance of metal-semiconductor diodes 88—39139
Muret, P., Deneuville, A. Constant emission rate and constant capture rate capacitance spectroscopies applied to the determination of the properties of the states localized at Ag/Si and Au/Si interfaces 86—21254
Murfin, J.L. *see* Johnson, R.H. 88—54615, 88—54617
Murfin, J.L. *see* Preece, A.W. 87—50266, 88—16759
Murga, V.V. *see* Denishchik, Yu.S. 87—75194
Murgai, A. Oxygen incorporation in Czochralski silicon 86—34293
Murgai, S. Impurity incorporation in Czochralski silicon grown for VLSI 85—359
Murganov, B.P. Equations for the flow system of a turbine in the presence of disturbances in steam flow rate 87—4588
Murganov, B.P., Radzhabli, K.T. A model of the turbogenerator with a system of antiemergency control for study of the dynamic stability 87—4670
Murganov, B.P. *see* Esipovich, A.Kh. 88—54861
Murgas, J. *see* Vesely, V. 86—50828
Murgatroyd, I.J. *see* Kerr, T.M. 86—52465
Murgatroyd, I.J. *see* McLean, T.D. 86—1732
Murgatroyd, P.N. Electromagnetic fields around power system inductors, and possible methods of reducing them [pacemaker interference] 85—39080
Murgatroyd, P.N. Optimal designs for multilayer air-cored toroidal inductors with circular windows 88—75690
Murgatroyd, P.N., Belahrache, D. Economic designs for single-layer toroidal inductors 86—8533
Murgatroyd, P.N., Belloufi, M. Simple demountable Helmholtz coils 88—52072
Murgatroyd, P.N., Carmichael, A.T., Thomas, S.J.P. Improved differential optical position detector for magnetic suspension systems 85—64133
Murgatroyd, P.N. *see* Carmichael, A.T. 87—2278
Murgatroyd, R.A. NDT programs for nuclear components in the UK 85—48779
Murgatroyd, R.A., Seed, H. Implications of the results of the defect detection trials 85—54566
Murgesan, S. The pulse length multiplier 85—28608
Murguchi, M., Enoki, T., Yamasaki, K., Ohwada, K. A GaAs Advanced SAINT FET with asymmetric n^+ layers and its application to a 20 GHz band five-stage monolithic low noise amplifier 87—24464
Murguia, J.E. Schottky base edge leakage in Si permeable-base transistors 88—13323
Murguia, J.E., Ewing, W.S. Statistical characterization of a large PtSi focal plane array 88—29455
Muri, M. *see* Forrer, J. 85—22717
Muriel, C. Voltage references—a measure of analogue performance 86—40881
Muriel, M.A. Pulse propagation in optical fibers 87—18652
Muriel, M.A., Horche, P.R. Integrated optics. II. Couplers for waveguides 88—1948

Muriel, M.A., Martin-Pereda, J.A. Optical multistability and oscillations in hybrid optical bistable systems with short delay times 87–39240
Muriel, M.A. *see* Horche, P.R. 88–2037, 88–60159
Muriel, M.A. *see* Lopez-Amo, M. 88–60160
Muriel, M.A. *see* Martin-Pereda, J.A. 85–46487, 85–52784
Murigande, C. *see* Manneback, P.E. 85–47612
Murillo, G. *see* Al-Dakkak, O. 88–46007
Murin, D.I. *see* Gulidov, E.N. 86–35525
Murin, L.I. *see* Markevich, V.P. 87–11337
Murin, Yu.A. *see* Abashidze, L.I. 86–60633
Murina, T.A., Rozanov, N.N. Periodic states with fractional frequencies in hybrid bistable systems 87–33269
Murina, T.A. *see* Altshuler, G.B. 87–60921
Murina, T.M. *see* Bagdasarov, Kh.S. 86–15673, 88–27127, 88–72304
Murina, T.M. *see* Batunina, A.V. 88–36255
Murina, T.M. *see* Georgescu, S. 85–12836, 87–33136
Murina, T.M. *see* Vadkovskaya, T.N. 88–65811
Murina, T.M. *see* Zabolotskii, S.E. 86–7868
Murina, T.M. *see* Zhekov, V.I. 85–2268, 86–63781
Murio, D.A. Automatic numerical differentiation by discrete mollification 87–65415
Murio, D.A. *see* Leung, A.W. 87–36669
Murison, R. *see* Rashid, A.M. 88–34035
Murison, R.F., Houghton, A.J.N., Goodwin, A.R., Collar, A.J., Davies, I.G.A. CW performance and life of 1.3 μm InGaAsP/InP lasers emitting at high facet power densities 87–54320
Murison, R.F. *see* Antell, G.R. 85–8849
Murison, R.F. *see* Rashid, A.A.M. 88–4061, 88–20652
Murkin, P. *see* Muehlhoff, H.-M. 88–71577
Murkin, P. *see* Muhlhoff, H.-M. 88–7614
Murkin, P. *see* Orlowski, M. 88–7611
Murkin, P.A. Characterization of a small dimension CMOS process 85–45905
Murkin, R. *see* Parks, M.A.N. 88–60388
Murkisch, A. The video mixing unit–study of an operator's working position 86–65074
Murkisch, A. Construction of video mixing units taking account of requirements made by an operating technology orientated on TV picture creation 88–29093
Murkisch, A. Technical conversion of the layout oriented operating technology of picture mix equipment 88–47299
Murkisch, A. *see* Clemens, J. 85–37287
Murko-Jezovsek, M., Brecel, F. AES analysis of reed switch contact surfaces and gas chromatographic analysis of filling gases 87–73209
Murley, P.C. *see* O'Brien, R.R. 85–55781
Murley, T.E. Implementation of safety goals in NRC's regulatory process 85–43734
Murley, T.E. The regulatory challenge of operating reactors 88–62062
Murlygin, B.N. *see* Sedel'nikov, E.S. 86–38929
Murmis, G.Marcelo *see* Marcelo Murmis, G.
Murmuzhev, B.A. A phase-shifter using a dielectric strip waveguide with a movable metal plate 86–14472
Murmuzhev, B.A. Calculation of the parameters of a strip dielectric waveguide phase-shifter 86–20760
Murmuzhev, B.A. A millimeter-wave dielectric stripline waveguide attenuator 86–47056
Murmuzhev, B.A. *see* Gigoyan, S.S. 88–956
Murmuzhev, B.A. *see* Meriakri, V.V. 86–41277
Murmuzhev, V.A. *see* Meriakri, V.V. 88–72612
Murnane, M.M., Falcone, R.W. High-power femtosecond dye-laser system 88–72380
Murnane, M.M. *see* Kapteyn, H.C. 88–2179
Murnick, D.E. Laser applications in nuclear physics: present and future 86–18198
Murnick, D.E., Ulrich, A. Heavy ion beam pumped lasers 85–62498
Murnick, D.E. *see* Myers, E.G. 87–3873
Muro, H. *see* Murakami, K. 88–69886
Muro, I. *see* Murakami, T. 86–44647
Muro, K. *see* Zhu, L.D. 86–8839
Muro, S., Hasegawa, T. Flow control algorithms in information communication systems 87–27681
Muro, S., Oie, Y., Hasegawa, T. Asymptotic behavior of collision resolution time of d-ary symmetrical tree algorithm 86–16100
Muro, S., Oie, Y., Hasegawa, T. Tree type collision resolution algorithms in multiple access communication protocols 87–27774
Muro, S., Oie, Y., Kawano, H., Hasegawa, T. Tree algorithms for random access channels in local area networks 87–27726
Muro, S. *see* Oie, Y. 86–16612, 86–69217, 86–69427, 87–69419
Muro, S. *see* Shen, Z. 85–13675, 86–23496
Muro, S. *see* Zaiming Shen 87–13411
Murochi, S. *see* Fukuda, S. 87–36102
Muroga, S. Logic design of VLSI electronic circuits–tutorial 86–21845
Muroga, S. *see* Bryant, P.K. 87–11951
Muroga, S. *see* Cutler, R.B. 87–37172
Muroga, S. *see* Ging-Shung Yu 85–889
Muroga, S. *see* Hung Chi Lai 86–34733
Muroga, S. *see* Kambayashi, Y. 85–40028, 86–62536
Muroga, S. *see* Lai, H.C. 87–31800, 88–38462
Muroga, S. *see* Nakagawa, T.-T. 85–40031
Muroga, S. *see* Sung Je Hong 85–40030
Muroga, S. *see* Xiang, X. 87–44798
Muroga, S. *see* Young, M.-H. 87–5585
Muroga, S. *see* Young, M.H. 85–54818
Muroi, H., Tanaka, T. Calendar time switch 86–53115
Muroi, K., Kitta, M., Ogihara, T., Murai, S. A hierarchical logical design rule check program for scan design circuit 87–37362
Muroi, M. *see* Kuroda, Y. 87–30879
Muroi, N. *see* Higo, T. 87–41621, 88–67986
Muroi, N. *see* Ishii, H. 88–22444, 88–35883
Muroi, T., Nakagawa, M. Injection synchronization to a system with branching phenomena 85–17200
Muroi, T., Nakagawa, M. Speaker-independent word recognition–using partial linear expansion and weighted average templates 86–43203
Muromachi, M. *see* Shibata, T. 85–49878
Muromov, S.V. *see* Kazanskiy, L.S. 88–8625
Muromtsev, V.I. *see* Safonov, S.D. 86–67099
Muron, D.J. *see* Allen, G.R. 87–21301
Muron, D.J. *see* Filter, W.F. 87–18684, 87–20980
Muron, D.J. *see* Lockwood, G.J. 87–21139, 88–9899
Muron, O., Sikorav, J. Modelling of reverberators and audioconference rooms 87–20776
Murooka, M. *see* Takuma, T. 86–6327
Murooka, M. *see* Yasui, M. 88–48598
Murooka, Y., Hidaka, K. 5.0 nanosecond surface discharge development 85–18500
Murooka, Y., Yamashita, H. Prebreakdown phenomena observations 87–32749
Murooka, Y. *see* Hidaka, K. 85–37697, 85–45911, 87–3704, 87–25689
Murooka, Y. *see* Tanaka, M. 88–51050
Murota, J. Deposition mechanism and electrical characteristics of CVD polysilicon 86–7847
Murota, J. *see* Ishii, H. 86–7826
Murota, J. *see* Nakayama, S. 87–11612
Murota, J. *see* Ohmi, T. 88–18710
Murota, K. Spectrum efficiency of GMSK land mobile radio 86–17249
Murota, K. Menger-decomposition of a graph and its application to the structural analysis of a large-scale system of equations 87–44126
Murota, K. Homotopy base of acyclic graphs–a combinatorial analysis of commutative diagrams by means of preordered matroid 87–44127
Murota, K., Fujishige, S. Finding a homotopy base for directed paths in an acyclic graph 87–44128
Murota, K. *see* Habuka, T. 85–47298
Murota, K. *see* Hirono, M. 85–2732
Murota, K. *see* Iri, M. 86–34107, 86–40677, 86–52375 to 52376, 86–66755, 87–165
Murota, K. *see* Momma, K. 86–64583
Murota, K. *see* Nishii, O. 88–6411
Murota, K. *see* Shimizu, I. 88–41570
Murota, M. *see* Ando, M. 87–26931
Murotani, K. *see* Maeda, T. 87–72331
Murotani, K. *see* Nanba, M. 85–48519
Murotani, M., Yamamoto, H., Okasaka, S. Multibeam communication system 86–55258
Murotani, M. *see* Saito, Y. 85–14125
Murotani, T. *see* Hayafuji, N. 85–44799, 87–10413, 87–31549
Murotani, T. *see* Inoue, Y. 86–8258, 86–34793
Murotani, T. *see* Kajikawa, Y. 87–26185
Murotani, T. *see* Kato, M. 87–4891
Murotani, T. *see* Mizuguchi, K. 86–56951, 87–10428
Murotani, T. *see* Nagahama, K. 85–50571, 88–32419
Murotani, T. *see* Ochi, S. 87–10432, 88–18703
Murotani, T. *see* Yoshida, N. 87–25333
Murotsu, Y., Okubo, H., Mitsuya, A., Terui, F. Tendon control of flexible structures–a hardware demonstration 87–77706
Murotsu, Y., Yonezawa, M., Okada, H., Matsuzaki, S., Matsumoto, T. A study on first-order-second-moment method in structural reliability 86–7554
Murov, Yu.M. *see* Bezruk, L.I. 87–15324
Murov, Yu.M. *see* Kondratenko, V.Yu. 87–15325
Murowinski, R., Skalare, A., Johansson, J., Kollberg, E. Integrated slot line antenna with SIS mixer for focal plane imaging applications 88–34412
Muroya, K. *see* Kako, F. 87–16848
Muroyama, S., Sakakibara, K. An operating frequency range reduction method in a series resonant converter 86–27078
Muroyama, S., Sakakibara, K. Operating frequency range reduction in a series resonant converter 87–36958
Muroyama, S. *see* Sakakibara, K. 86–67034, 88–18923
Muroyama, S. *see* Yamashita, T. 86–70658
Murozono, A. *see* Iwata, T. 86–10886
Murozono, I. *see* Terakawa, S. 86–5046
Murozono, M., Kita, Y., Takakura, H., Kubota, M., Hamakawa, Y. A study of optimum operation by voltage mode control for solar photovoltaic systems 87–58324
Murozono, M. *see* Hirabayashi, M. 85–53615
Murozono, M. *see* Kita, Y. 87–4636, 87–35847
Murozono, M. *see* Suyama, N. 87–36133, 88–37595
Murphey, R.K. *see* Tieman, D.G. 87–14855
Murphree, J.S. *see* Anger, C.D. 87–57363
Murphree, J.S. *see* Babey, S.K. 87–29934
Murphy, A. Electronic mail as an online interface 87–34069
Murphy, A. *see* Pietrogrande, P. 86–71051
Murphy, A. *see* Sussmann, R.S. 85–41273
Murphy, A.S., Wiseman, J.A. Optical digitizing stylus 85–31483
Murphy, A.T., Desal, B.C., Young, F.J. High density impedance controlled connectors 85–11698
Murphy, A.T., Somerville, J.A. Thick film planar filter connector for control of EMI 86–57924
Murphy, A.T., Young, F.J., Vandegriff, H.R., Curilla, J.P. ICONSIM interconnection simulation 88–536
Murphy, A.T., Young, F.J., Vandegriff, H.R., Curilla, J.P. ICONSIM: computer aided interconnection simulation 88–632
Murphy, B. *see* Andreas, E.L. 87–71344
Murphy, B. *see* Benhamou, E. 88–35173
Murphy, B.D. *see* Whealton, J.H. 88–47875
Murphy, B.J. How to use a modem: getting your Apple on-line 86–10768
Murphy, B.J., Griffiths, J.W.R., Hardman, V.J., Lu, G.J., Parish, D.J., Rodgers, C., Siddiqui, M.H. Multi-media applications over a wide area network 88–67136
Murphy, B.J., Kleckner, J.E., Tam, K.K. STA: a mixed-level timing analyzer 86–27275
Murphy, B.T. Beyond silicon–gallium arsenide? 87–38496
Murphy, B.T. *see* Aupperle, E.M. 85–30562
Murphy, C., Coats, A., Conway, J., Colditz, P., Rolfe, P. Doppler ultrasound signal analysis based on the TMS320 signal processor 88–42508
Murphy, C. *see* Namjoo, M. 88–44228
Murphy, C. *see* Pathak, S. 86–8250, 86–20538
Murphy, C.A. *see* Ahmadi, H. 88–52634
Murphy, C.E. IC replaces mechanical-interlock switches 87–52938
Murphy, C.R. A comparison of predicted versus actual failure rates for a hybridized system 88–7234
Murphy, C.R., Kashar, L. Analysis of fractures in half-size crystal can relay moveable contact arms 85–55230
Murphy, C.R., Kashar, L. Analysis of fractures in half-size crystal can relay moveable contact arms 86–14603
Murphy, C.R., Lanier, L.G. Demonstrated field failure rate for custom hybrids 85–28876
Murphy, C.T. *see* Anassontzis, E. 86–32202
Murphy, C.T. *see* Cox, B. 85–64465
Murphy, C.T. *see* Rameika, R. 85–43186
Murphy, C.T. *see* Wagoner, D.E. 85–64464
Murphy, D., Burton, P., Coombs, R., Tarassenko, L., Rolfe, P. Impedance imaging in the newborn 87–50323
Murphy, D., Colditz, P., Valimaki, I., Rolfe, P. Improvements to the coherent averaging of the impedance plethysmograph 87–57181
Murphy, D., Rolfe, P. Algorithms for electrode positioning and configuration in impedance imaging 87–57182
Murphy, D. *see* Habboosh, A. 88–53382
Murphy, D. *see* Wilkinson, J.S. 88–58386
Murphy, D.F. *see* Raleigh, M. 88–42379
Murphy, D.F. *see* Tarassenko, L. 86–32244
Murphy, D.J. *see* Budnitz, R.J. 85–22150
Murphy, D.M. Multichannel scaler with fast channel advance 85–59211
Murphy, D.R., Whale, H.A. Digital telecommunications in New Zealand 85–47001
Murphy, D.V. *see* Brueck, S.R.J. 85–50453
Murphy, D.W. Insertion compounds: relationship of structure to electrochemistry 86–66304
Murphy, D.W.A. A brief overview of the rare earth industry 86–52327
Murphy, E. How does fiber measure up? 85–63687
Murphy, E. *see* Miraglia, F.J. 85–38798
Murphy, E.B. *see* Powell, M.S. 87–33570
Murphy, E.F. The development of rehabilitation engineering 85–43440
Murphy, E.J. Interconnections for optical and electronic devices: a novel, near-term packaging challenge 86–48308
Murphy, E.J. Fiber-waveguide interconnection technology 88–1953
Murphy, E.J. Fiber attachment for guided wave devices 88–72021
Murphy, E.J., Munford, W.J., Rice, T.C. Integrated optics processing: uses of an EDTA etch solution 85–2056
Murphy, E.J., Ocenasek, J., Sandahl, C.R., Lisco, R.J., Chen, Y.C. Simultaneous single-fibre transmission of video and bidirectional voice/data using $LiNbO_3$ guided-wave devices 88–73923
Murphy, E.J., Rice, T.C. Self-alignment technique for fiber attachment to guided wave devices 86–68257
Murphy, E.J., Rice, T.C., Harvey, G.T., Read, P.H. Permanent low loss coupling of single mode fiber arrays to waveguides 85–2052

Murphy, E.J., Rice, T.C., McCaughan, L., Harvey, G.T., Read, P.H. Permanent attachment of single-mode fiber arrays to waveguides 86−2726
Murphy, E.J. *see* Bogert, G.A. 87−18759
Murphy, E.J. *see* Lipson, J. 86−23595
Murphy, E.J. *see* Minford, W.J. 85−3478
Murphy, F. *see* O'Colmain, D. 88−11658
Murphy, F.H., Sanders, R. Understanding the future of the United States' electricity markets 87−77975
Murphy, F.H., Saraf, S., Soyster, A.L. The replication of multi-year solutions using single period models of electric utility capacity expansion planning 86−32703
Murphy, F.H., Sen, S., Soyster, A.L. Electric utility expansion planning in the presence of existing capacity: a nondifferentiable, convex programming approach 87−35594
Murphy, F.H. *see* Lev, B. *(editor)* 85−37
Murphy, F.J. *see* Kramer, E. 86−41158
Murphy, F.J. *see* Lawton, P. 87−31051
Murphy, F.M. *see* Fielding, S.J. 85−25862
Murphy, G. *see* McWright, G. 88−33766, 88−51547
Murphy, G.A., Casada, M.L., Johnson, M.P., Muhlheim, M.D., Rooney, J.J., Turner, J.H. Survey and evaluation of system interaction events and sources 85−43732
Murphy, G.A. *see* Muhlheim, M.D. 88−17272
Murphy, G.P. *see* Hanna, S.M. 87−67736
Murphy, G.W. *see* Trinoskey, P.A. 88−36974
Murphy, H. Star-modulated, variable frequency AC drives bring higher performance 87−78974
Murphy, H., Drake, R., Tester, J., Zyvoloski, G. Economics of a conceptual 75 MW hot dry rock geothermal electric power-station 86−19142
Murphy, H.G. AC motor controls: some system design pointers 88−55277
Murphy, H.G., Gilmore, T.P. Trends in AC drive technology 85−16282
Murphy, J. Critics watch AT&T's plans 85−19588
Murphy, J. *see* Ross, D.F. 87−71881
Murphy, J.A. Personal view on standardization in probabilistic risk analysis methods, current status and a view towards the future 85−48751
Murphy, J.A. Aperture efficiencies of large axisymmetric reflector antennas fed by conical horns 88−66190
Murphy, J.A., Padman, R., Hills, R.E. An experimental submillimetre heterodyne array receiver 88−60352
Murphy, J.A. *see* Barker, R.W. 87−20658
Murphy, J.A. *see* Padman, R. 88−14496
Murphy, J.B., Pellegrini, C. Generation of high-intensity coherent radiation in the soft-X-ray and vacuum-ultraviolet region 85−24589
Murphy, J.B., Pellegrini, C. Free electron lasers for the XUV spectral region 85−56696
Murphy, J.B., Pellegrini, C., Bonifacio, R. Collective instability of a free electron laser including space charge and harmonics 85−35806
Murphy, J.C. *see* Wetsel, G.C., Jr. 87−70810
Murphy, J.D. Infrared detector materials research−a viewpoint 87−32254
Murphy, J.D., Zeidler, J.R. III-V transistors for mm-wave applications 88−19399
Murphy, J.D. *see* Murphy, R.A. 87−66545
Murphy, J.E. Effects of cleaning processes on solid tantalum chip capacitors 88−32502
Murphy, J.E., Sakata, A.T., Smith, B.E. Substation control and monitoring are computerized 85−5285
Murphy, J.L., Helman, D.R., Hitchner, L.E. Managing digital images in a network environment 88−52585
Murphy, J.L. *see* Taylor, D.J. 85−1916
Murphy, J.M.D. *see* Egan, M.G. 86−66172
Murphy, J.M.D. *see* Kavanagh, R.C. 88−69766
Murphy, J.M.D. *see* Roche, P.J. 88−69802
Murphy, J.N. Overview of Bureau of Mines Coal Mine Research 85−5614
Murphy, J.S.G. *see* Kernohan, R.M. 85−37991
Murphy, J.W., Newman, T.E., Woodbury, W.F., Worrall, D.P. Intelligent network control of BOC 800 service−the service management system 87−40197
Murphy, K., Kay, J. Automatic identification and information systems 88−9429
Murphy, K. *see* Matthews, A.L. 87−57450
Murphy, K.A. *see* Flax, A. 88−51492
Murphy, K.A. *see* Matthews, A.L. 88−58163
Murphy, K.D. *see* Clark, R.P. 85−65432
Murphy, K.J., Humphry, J.A. A highly reliable computer-based interlock and alarm system 86−6510
Murphy, K.J., Humphry, J.A. A highly reliable computer-based interlock and alarm system 86−25738
Murphy, K.R., Shilling, N.Z., Pennline, B.H. Low cost in-duct scrubbing system will be tested at Muskingum River 86−60979
Murphy, K.V. Current trends in electronic mail security 88−73526
Murphy, K.W. A data, broadband fiber for local access systems 85−14308
Murphy, K.W. Media tradeoffs in FDDI applications 85−47243
Murphy, K.W. A Data broadband fiber for local access systems 86−23862
Murphy, K.W. Design standards for fiber optic LANs 86−37886
Murphy, K.W. Trade-offs in multimode fiber design 87−74746
Murphy, K.W. Integrated optics on glass 88−33764
Murphy, K.W. Recent developments in integrated optics on moldable glass 88−33768
Murphy, K.W. Recent developments in the optimization of multimode fibre design for local networks 88−35538
Murphy, K.W. *see* Reitz, P.R. 87−34582
Murphy, L. *see* Alzner, E. 87−21702
Murphy, L. *see* Wang, Y. 88−36568
Murphy, L.A. *see* Kunz, H.R. 88−62582
Murphy, L.E., Pennotti, R.J. Managing corporate data networks 88−21593
Murphy, L.L. *see* Horii, S.C. 87−18521, 88−23146
Murphy, L.L. *see* Yen Wang 88−54686
Murphy, L.M. Linear feature detection and enhancement in noisy images via the Radon transform 87−19879
Murphy, L.M. *see* Hall, G. 88−66613
Murphy, M.E. Steam generators designed to be compatible with local coals 88−23755
Murphy, M.J. *see* Connolly, W.C. 86−5396
Murphy, M.J. *see* Stokstad, R.G. 86−44578
Murphy, M.P. Application of a hybrid programmable filter as a matched filter 88−3817
Murphy, M.P. Air Force Logistics Command's very high speed integrated circuits (VHSIC) insertion program 88−68670
Murphy, M.R. *see* Lau, C.L. 86−53050
Murphy, M.S., Owens, F.J. Optimum design of running Fourier transform filter banks 88−27867
Murphy, M.S. *see* Owens, F.J. 88−34698
Murphy, M.W., Franklin, D.E., Palylyk, R.A. A nondestructive testing technique for wood poles 87−50846
Murphy, N., Ottenburger, U. Operator communication and monitoring subsystem with integrated alarm processing 86−56604
Murphy, N.E., McMullan, J.T. Use of an optical isolator as an analogue controller 88−33876
Murphy, N.E., McMullan, J.T., Hughes, D.W., Morgan, R. Construction of a simple online pressure transducer calibrator 86−17928
Murphy, O. *see* Goloskie, D. 85−59208
Murphy, O.J. *see* Appleby, A.J. 86−6996
Murphy, P.G. *see* Allison, J. 85−52971, 85−64456 to 64457
Murphy, P.H. Acceptance testing and quality control of gamma cameras, including SPECT 88−16702
Murphy, P.J. *see* McGrath, F.J. 88−990
Murphy, P.J. *see* O'Sullivan, C.T. 87−57028
Murphy, P.J. *see* O'Sullivan, T. 88−16658
Murphy, P.V., Hubschi, K. Subminiature hearing aid microphones 86−56188
Murphy, P.V., Maurer, G.C. Piezoelectric polymer film transducers for communications 86−56280
Murphy, P.V. *see* Davies, G. 85−3794
Murphy, P.V.Ramana *see* Ramana Murphy, P.V.
Murphy, R. Imaging: good medicine for hospitals' ills 86−44726
Murphy, R. *see* Kuca, J. 85−52136
Murphy, R. *see* Le Vine, D. 88−5180
Murphy, R. *see* Piasetsky, J. 87−40936
Murphy, R.A. Quest for the 200-GHz transistor 87−17352
Murphy, R.A. Permeable base transistor 87−25238
Murphy, R.A., Murphy, J.D. Performance and producibility of the GaAs permeable base transistor 87−66545
Murphy, R.A. *see* Chen, C.L. 87−45226, 88−13005, 88−19408
Murphy, R.A. *see* Geis, M.W. 87−74240
Murphy, R.A. *see* Hollis, M.A. 86−47545, 88−13329
Murphy, R.A. *see* Nichols, K.B. 86−63267, 88−38767
Murphy, R.A. *see* Potember, R.S. 87−53222
Murphy, R.A. *see* Srini, V.P. 85−19864
Murphy, R.C. Avionics and navigation techniques for very long endurance aircraft 86−43920
Murphy, R.E., Lau, R. Very high resolution interactive medical display system 86−32271
Murphy, R.H. Reliability demonstration for the UK-Belgium fibre optic submarine communications system 87−28633
Murphy, R.H. *see* Goodwin, A.R. 85−35802
Murphy, R.J., McFarlane, T., Sporck, C., Rapp, K., Smolen, R., Collins, W., Ramus, R., Millhollan, M., Readdie, J. A bipolar-CMOS field programmable array 87−17022
Murphy, R.J., Needham, C.D., Wright, J.J. Module cap etch quality monitor 85−10521
Murphy, R.S. Solderability: the key to successful surface mount assembly 88−44474
Murphy, S. Laser drilling: capabilities and trends 87−61295
Murphy, S. *see* Voldman, S. 88−38532
Murphy, S.A. ISDN−a customer need or vendor desire 88−3653
Murphy, S.A., Dunn, M.J. Chemical decontamination of nuclear plants: lessons learned 85−48700
Murphy, S.L., Udaya Shankar, A. A verified connection management protocol for the transport layer 88−66961
Murphy, T., Chang, Z., Mao, C.C., Tai, Y.S., Wang, S., Wu, Y.R., Xu, S.W., Zhao, C.Z., Goloskie, D., Harton, J., Oh, S., Pless, I.A., Wadsworth, B.F., Yamamoto, R.K. Hadron showers in iron and muon identification 87−8854
Murphy, T. *see* Brown, R. 86−23693
Murphy, T.J. Vibration monitoring−a system approach 87−50009
Murphy, T.J. *see* Strand, A. 88−65917
Murphy, W.C. *see* Jui-teng Lin 85−12355
Murphy Hoye, M.C. Automation of electronics testing and data analysis for process control 85−5775
Murphys, N. *see* Whalley, A.M. 88−37457
Murphys, R.L. Comparing the efficiency of the internet protocols to DECNET 88−52959
Murr, A., Schon, A.E. Economic, computer-supported experiments for determining contact material combinations for socket connections, switches, keys and keyboards 85−23181
Murr, E. Testing of CTC80 onboard equipment [railways] 87−72802
Murr, L.E., Hare, A.W., Eror, N.G. Shock-compression fabrication of high-temperature superconductor/metal composite monoliths 87−67840
Murr, L.E., Hare, A.W., Eror, N.G. Introducing: the metal-matrix high-temperature superconductor 88−7811
Murray, A. Technology now 88−4983
Murray, A. Solar power sources 88−43378
Murray, A., Campbell, R.W.F., Julian, D.G. Characteristics of the ventricular fibrillation waveform 87−21595
Murray, A., Lord, N. Super Octet [electronic drum pad] 86−44069
Murray, A. *see* Dean, E.M. 86−60715
Murray, A. *see* Glaria, A.P. 86−25230
Murray, A. *see* Hill, W.E. 88−36509
Murray, A. *see* Poslad, S.J. 87−77599
Murray, A.F. CMOS design technique to eliminate the stuck-open fault problem of testability 85−1732
Murray, A.F. The GATEWAY integrated circuit design exercise 86−7430
Murray, A.F., Butler, Z.F., Smith, A.V.W. VLSI neural networks 88−33364
Murray, A.F., Denyer, P.B. Testability and self-test in NMOS and CMOS VLSI signal processors 85−45086
Murray, A.F., Denyer, P.B., Donaldson, B. A CMOS cell library for bit-serial signal processing 85−62111
Murray, A.F., Smith, A.V.W. Asynchronous arithmetic for VLSI neural systems 87−73396
Murray, A.F., Smith, A.V.W. Asynchronous VLSI neural networks using pulse-stream arithmetic 88−56576
Murray, A.F., Smith, A.V.W., Butler, Z.F. Bit-serial VLSI neural networks 88−32261
Murray, A.F. *see* McGregor, M.S. 87−37150, 87−66156
Murray, A.P. Waterless diesel fuel processor for fuel cell systems 88−17925
Murray, A.P. *see* Good, J.A. 86−48026
Murray, B. Choosing the right surface-mount adhesive 85−11776
Murray, B. An integrated decoder for MAC-packet TV signals 87−34807
Murray, B.A. *see* Byrne, J.V. 88−1119, 88−69303, 88−74397
Murray, B.E. *see* Farrant, W.S. 86−70615
Murray, B.G., Reid, A., Sneddon, J.D. Vibration based condition monitoring in the Ninian Field 87−22951
Murray, C. Techniques of wafer lapping and polishing 86−15056
Murray, C. Mass flow controllers: assuring precise process gas flows 86−21335
Murray, C. Controlling static in wafer fabrication 86−21703
Murray, C. Airborne particle monitoring approaches 0.1 μm [semiconductor industry] 86−53752
Murray, C. IC handlers for thermal testing 87−36472
Murray, C. Measurement tools for overlay registration 87−49947
Murray, C. Process specific chemical vapor deposition 87−52197
Murray, C. On-site gas purity analysis 87−60240
Murray, C., Carr, W. Meridian DV-1: a fast, functional and flexible data voice system 87−33914
Murray, C., Roberts, R. Alternative concepts in cleanrooms 87−25056
Murray, C. *see* Jones, J., Jr. 86−62151
Murray, C.M. Tunnelling via DX centres in n-AlGaAs/GaAs modulation doped field effect transistors 87−67257
Murray, C.N., Jamet, M. Development of a deep water high speed retrievable instrument sledge 88−23190
Murray, D. Resourceful debugger sifts through faults in IEEE-802.3 LANs 85−25493

Murray, D. Communications watch dog 85−45200
Murray, D. *see* Flaherty, E. 87−74169
Murray, D. *see* Russell, R.W. 87−49540
Murray, D. *see* Bevan, N. *(editor)* 85−47183
Murray, D.A., Harrison, E., Mills, J. Electromechanical dynamometers for human muscle function testing 86−32220
Murray, D.B. *see* Bryant, G.W. 87−74237
Murray, D.J. *see* Rene, R.M. 86−64249
Murray, D.M. The adjustment and integration of accelerometer data using steady-state feedback gains 85−64087
Murray, D.M. The relationship between terminal state constraints and penalties for the discrete-time LQP problem associated with the adjustment of accelerometer data 87−63528
Murray, D.N., Enslow, P.H., Jr. An experimental study of the performance of a local area network 85−13910
Murray, D.R. *see* Kotecha, H.N. 85−22813
Murray, D.W. Model-based recognition using 3D structure from motion 87−62157
Murray, D.W. Preliminary field evaluation of solid state cameras for security applications 88−47316
Murray, D.W., Buxton, B.F. Scene segmentation from visual motion using global optimization 87−47900
Murray, D.W., Castelow, D.A., Buxton, B.F. From an image sequence to a recognized polyhedral object 88−52517
Murray, D.W., Williams, N.S. Detecting the image boundaries between optical flow fields from several moving planar facets 86−59339
Murray, D.W. *see* Boardman, K.D. 88−17158
Murray, D.W. *see* Castelow, D.A. 88−52519
Murray, E. Videotex puts your finger on the pulse of technology 86−16868
Murray, E.M., Sugano, T., Asada, K. The characterization of the variability of silicon wafers by leakage current measurements 86−35292
Murray, F., Carin, R., Bogdanski, P. Determination of high-density interface state parameters in metal-insulator-semiconductor structures by deep-level transient spectroscopy 87−24958
Murray, F.S. *see* Morrow, G.R. 87−41964
Murray, G.E. Application concept an integrated expert system and video disc for maintenance and training 88−35828
Murray, G.F. Status of broadcasting on AUSSAT 87−63115
Murray, H. The characterization of liquid developers for continuous tone electrography 86−42788
Murray, H. High current density, cryogenically cooled sliding electrical joint development 87−37622
Murray, H. Characterization of liquid developers for continuous tone electrography 88−8408
Murray, H. *see* Huff, J. 86−40073
Murray, H.G., Smith, P.R., Kirk, D.L., Symonds, E.M. Isolation and analysis of the human fetal electrocardiographic waveform in labour 88−54585
Murray, H.S. *see* Huff, J.R. 85−21794
Murray, H.S. *see* Springer, T.E. 86−40074
Murray, J. Five mils and below [PC manufacture] 85−17961
Murray, J. Automation in PCB making 85−28791
Murray, J. Challenges in drilling [of PCBs] 85−28796
Murray, J. Simple soldering concepts 85−54133
Murray, J. Plating. I. Electroless copper 85−55274
Murray, J. Desmearing options 86−1505
Murray, J. The latest in drilling machines 86−8587
Murray, J. Etching at its finest [PCM manufacture] 86−14654
Murray, J. The hole is greater than the sum of its parts 86−41417
Murray, J. Oxides: a spectrum of choices [PCB fabrication] 86−41420
Murray, J. Microwave cookery [microwave circuit board fabrication] 86−41422
Murray, J. The microdrilling minefield 86−53159
Murray, J. Less electroless [PCB fabrication] 87−17503
Murray, J. Shrinking lines squeeze processes 87−17504
Murray, J. Rethinking coverage contours [radio system planning] 87−20375
Murray, J. Meet CAM, the new hired hand [PCB manufacture] 87−37694
Murray, J. Looking into the SMD solder joint...deeply 87−53003
Murray, J. Streamlining boards 87−59956
Murray, J. Temperature and pressure switches safeguard critical on/off control 88−4353
Murray, J. One-way etch 88−7153
Murray, J. Tiny tips: how small can they get? 88−7154
Murray, J. Today's substrates 88−25657
Murray, J. The revolution that is [PCB photolithographic imaging] 88−32576
Murray, J. Automated wet processing: a subcontinent of automation 88−38891
Murray, J. Signal conditioners pack high performance in small I/O modules 88−42016
Murray, J. New developments in level sensing techniques 88−42321
Murray, J. New Multibus II enclosure 88−49523
Murray, J. Developments in multibus spur new growth 88−50068
Murray, J. Indispensable 88−57083
Murray, J. Blind buried vias 88−57085
Murray, J. Object ID sensors output online results 88−67885
Murray, J. Routes to hi-rel copper 88−71196
Murray, J., Cheng, E. Systems architecture and silicon compilation: an educational experience 87−58589
Murray, J., Renton, R. Creativity and technology: industrial design education for manufacturing industry—the Napier experience 88−62915
Murray, J. *see* Lahn, T.G. 87−42093
Murray, J. *see* Rosenburg, A.M. 88−28270
Murray, J. *see* Tuck, J. 86−14653
Murray, J. *see* Weng, W.T. 88−54275
Murray, J.A. Precise timing as a system 87−41063
Murray, J.A. *see* Arlett, P.L. 85−14677
Murray, J.A. *see* Swindle, R.I. 86−49103
Murray, J.D. *see* Wright, A.E. 87−63100
Murray, J.E., Griffith, D.C. The line driven switcher as a black box load 86−34533
Murray, J.E., Powell, H.T., Woods, B.W. Optimized flashlamp pumping of disc amplifiers 87−39191
Murray, J.E. *see* Griffith, D.C. 87−30842
Murray, J.E. *see* Griffith, D.G. 85−64876
Murray, J.G. *see* Norris, M.E. 88−69054
Murray, J.J., Brown, K.L., Fieguth, T. The completed design of the SLC final focus system 88−54268
Murray, J.J. *see* Erickson, R. 88−47841
Murray, J.J. *see* Fieguth, T.H. 85−26616
Murray, J.J. *see* Fischer, G.E. 88−47840
Murray, J.J. *see* Gavra, Z. 87−3920
Murray, J.P. Considerations in the choice of propagation models for land mobile radio planning and simulation 88−72562
Murray, K. *see* Orth, C.D. 88−68598
Murray, K.A. *see* Meier, W.R. 87−42159
Murray, K.M. Electron trajectories through a linear wiggler calculated with a three-dimensional orbit tracing program 86−3224
Murray, K.M. *see* Stapor, W.J. 86−35704
Murray, L. *see* Buckley, R.W. 88−18001
Murray, M. Program calculates best-fit 1% resistors 85−50002
Murray, M. BASIC program linearizes thermistors 87−52878
Murray, M.A. *see* Whittaker, T.J.T. 85−53600
Murray, M.H., Bolden, S. Data acquisition and control using the Apple II 85−14635
Murray, M.T. *see* Shepherd, R.K. 86−12024
Murray, N. *see* Byrne, D. 86−12023
Murray, N. *see* Husain, A. 86−37143
Murray, N.D. *see* Meredith, B.D. 85−36379
Murray, N.M.F. *see* Yu, Y.L. 85−4331
Murray, N.W., Lieberman, M.A. Stochasticity and resonances in the two beam accelerator 87−70921
Murray, P.K. *see* Bijleveld, J.H.M. 86−60651
Murray, P.Zsombor *see* Zsombor Murray, P.
Murray, R. *see* Maguire, J. 87−38062
Murray, R. *see* Messoloras, S. 88−64376
Murray, R.C., Guzy, D.J. Seismic Design Margins Program: overview and status 88−75338
Murray, R.D. The SECV's experience with computer-based control centres 86−61016
Murray, R.F. *see* Larson, C.L. 88−42984
Murray, R.G. *see* Thomson, M.G.R. 87−38373
Murray, R.J. A signal separation adaptive nulling system for military radio 86−64858
Murray, R.R., Arnold, H.W., Cox, D.C. 815 MHz radio attenuation measured within a commercial building 87−26783
Murray, R.R. *see* Arnold, H.W. 88−46922
Murray, R.R. *see* Cox, C.D. 86−69693
Murray, R.R. *see* Cox, D.C. 85−3009, 86−4531, 86−15874, 86−36703
Murray, R.T. Fibre optic sensors for the chemical industry 87−32949
Murray, R.T., Cox, E.R., Smith, D.E., Wright, P.G. Fibre optic sensors for automobiles 86−52023
Murray, R.T., Cox, E.R., Smith, D.E., Wright, P.G. Fibre optic sensors for automobiles 87−68057
Murray, R.T., Cox, E.R., Wright, P.G., Smith, D. Fibre optic sensors in process control 86−5268
Murray, R.T. *see* Allen, S. 88−72423
Murray, R.T. *see* Ramsden, J.C. 88−39912
Murray, R.W. *see* Cabrera, C.R. 87−60120
Murray, S., Avenell, J. Videodisc research and development at Unipart 86−38103
Murray, S. *see* Barker, J.R. 85−34909, 86−47382
Murray, S.J., Duncan, N.N. Hot carrier effects in N-channel silicon on sapphire transistors 87−32577
Murray, S.J., Mole, P.J. Towards a physical model of carrier mobility for device simulation 87−6641
Murray, S.J., Mole, P.J., Moglestue, C. A study of carrier mobility models for accurate device simulation 86−9067
Murray, S.S. *see* Chappell, J.H. 88−4811
Murray, S.S. *see* Garcia, M.R. 86−50367
Murray, S.S. *see* Grindlay, J.E. 86−50370
Murray, S.S. *see* Pfeffermann, E. 88−23023
Murray, T.J. *see* Dempsey, R.W. 88−24106
Murray, T.L. The promise and problems of ISDN−a state regulator's perspective 88−3657
Murray, T.M. *see* Rogers, V.C. 86−25718
Murray, T.M., Jr., Pinckley, M.C. The utilization of stand-alone microprocessor units to control energy intensive systems 87−30071
Murray, T.M., Jr. *see* Mabelitini, D. 86−5890, 86−56090
Murray, T.M., Jr. *see* Wade, T.K. 87−21576
Murray, W. *see* Frenkel, R.B. 86−19441, 86−65241
Murray, W. *see* Gill, P.E. 85−308, 85−5942, 85−28139, 88−63190
Murray, W., Jr. *see* Ladjadj, M. 87−5836
Murray, W.A.S. 'If you want to know the time . . .' 87−21259
Murray, W.E. Space station electrical power distribution system development 86−32476
Murray, W.E. Video display terminals: radiation issues 86−50636
Murray, W.H. Drawing circuits 86−636
Murray, W.J. Short term barriers to PV industry development 85−39194
Murray, W.J. The British Telecom digital transmission network 85−57650
Murray, W.R., Rolph, W.D., III. An optimal real-time digital processor for the electric activity of muscle 85−64602
Murray-Rochard, A. The requirement for a new NATO Identification System 86−23985
Murray-Sheelley, R. *see* Armstrong, D.A. 88−68026
Murray-Shelley, R. *see* Armstrong, A. 88−60922
Murrel, S. Computer communication systems design affects group performance 86−37361
Murrell, A.E. *see* Moyes, A.J. 85−10158
Murrell, D.L. *see* Elliott, C.R. 87−16641
Murrell, D.L. *see* Nelson, A.W. 85−46391
Murrell, H.C. *see* Ungar, A. 85−54393
Murrell, P.R. *see* Mohamadi, F. 87−40817, 88−53212
Murri, R. *see* Augelli, V. 85−61674, 86−27898, 86−42405, 88−18064
Murri, R. *see* Bilenchi, R. 85−416, 85−60980
Murri, R. *see* Bruno, G. 86−47288
Murri, R. *see* Kiess, H. 87−1184
Murri, R. *see* Manfredotti, C. 87−24807
Murri, W.J. *see* Pearson, L.H. 87−373
Murrieta S, H. *see* Camacho Q, A. 88−51670
Murrihy, M. *see* McKiterick, M. 88−9580
Murrill, P.W. Gulf States succeeds where others have failed 85−75
Murrmann, W. A logical analyser accessory for PCs 87−49606
Murrow, D. *see* Bueb, C. 88−71079
Murry, H.F. Communications network modeling figure of merit 85−42020
Murry, H.F. 100-percent probability of intercept? 88−42722
Murry, N.S. The use of shaft shear strains to determine support loads 85−58897
Murshudly, M.N. *see* Abdullayev, A.G. 87−70600
Murtagh, A.J., Tanglao, R. Man-machine interface for DMS-100 86−55125
Murtagh, F. A guide to computer communications and data networks for astronomers 87−40336
Murtagh, R. *see* Clarke, L.P. 87−3981
Murtas, G.P. *see* Albrizio, R. 88−74766
Murtas, G.P. *see* Bagliesi, G. 88−48025
Murtas, G.P. *see* Baldini, R. 87−8865
Murtas, G.P. *see* Battistoni, G. 86−50396
Murtas, G.P. *see* Catanesi, M.G. 86−60606
Murtha, S.J. Loads and fatigue evaluation of Hamilton Standard WTS-4 wind turbine 86−33238
Murtha, T. Japan bets on fiber [for digital telecommunication] 85−19626
Murthi, K.H., Kuschwaha, R.K., Gupta, M.M., Prasad, K. Development and applications of a multi-channel PISA processor in the diagnosis of ischemic heart disease 86−56161
Murthi, K.H. *see* Kushwaha, R.K. 86−56163
Murthi, M.Rama *see* Rama Murthi, M.
Murthy, A. On the bandwidth of cascaded amplifiers 86−34584
Murthy, A.R.Vasudeva *see* Vasudeva Murthy, A.R.
Murthy, C.A., Majumder, D.D. Clusters−some ideas on a theoretical framework 85−30450
Murthy, C.A., Majumder, D.D. On classification of bounded line classes 87−48139
Murthy, C.A., Pal, S.K., Majumder, D.D. Representation of fuzzy operators using ordinary sets 88−11860
Murthy, C.B. *see* Bhave, S.K. 86−45230
Murthy, C.Krishna *see* Krishna Murthy, C.
Murthy, C.N.S. *see* Raveendra, K.S. 85−48563
Murthy, C.R., Tripathi, P.C., Raja Rao, A. Neutral grounding of utility turbogenerator 88−5647

Murthy, C.R.L., Dattaguru, B., Rao, A.K. Application of pattern recognition concepts to acoustic emission signals analysis 87−73186
Murthy, C.R.L. *see* Rao, A.K. 86−34428
Murthy, D.N.P., Nguyen, D.G. Optimal development testing policies for products sold with warranty 88−206
Murthy, D.N.P., Nguyen, D.G. An optimal repair cost limit policy for servicing warranty 88−49467
Murthy, G.S.K. *see* Challappa, S. 85−4812
Murthy, G.S.K. *see* Korgaonkar, A.V. 88−61243
Murthy, G.S.Krishna *see* Krishna Murthy, G.S.
Murthy, G.S.R.K. *see* Rao, V.J. 85−44186
Murthy, G.T. *see* Likhite, S.D. 85−43078
Murthy, H.A., Haykin, S. Bayesian classification of surface-based ice-radar images 88−36673
Murthy, H.A. *see* Yegnanarayana, B. 87−61652
Murthy, H.A. *see* Yegnanaryana, B. 88−27866
Murthy, H.N. *see* Katti, R.A. 85−26834
Murthy, H.S.N., Reddy, D.R., Reddy, P.S. Stabilization of multidimensional recursive digital filters 85−34084
Murthy, H.S.N., Reddy, P.S. On 2-D partial fraction decomposition 85−51626
Murthy, H.S.N., Reddy, P.S. On the proof of stabilization of two-dimensional recursive filters via discrete Hilbert transform 87−896
Murthy, H.Sundara *see* Sundara Murthy, H.
Murthy, I.K.L.N. *see* Chattopadhyay, R. 86−52734, 87−17214, 87−17217
Murthy, I.S.N. *see* Reddy, B.R.S. 85−38153, 86−50572, 87−50366, 88−23096, 88−48168
Murthy, J.Sree Rama *see* Sree Rama Murthy, J.
Murthy, K.A.Krishna *see* Krishna Murthy, K.A.
Murthy, K.B.S., Sunta, C.M., Khatri, D.T., Prasad, G.E. Energy measurement of exo-electrons 85−37937
Murthy, K.M.S. Computer simulation of communication link between satellite and aircraft incorporating time-varying Rician channel 86−43793
Murthy, K.M.S., Gordon, K.G. Techno-economic analysis of shared VSAT networks 87−40819
Murthy, K.M.S., Mazur, B.A. Software architecture and associated problems in a transportable, modular communication system simulation library: MCSLIB 86−54721
Murthy, K.P.N., Shenoy, S.R. Monte Carlo evidence for non-Arrhenius barrier dependence of short metastable lifetimes 88−14240
Murthy, K.Rani *see* Rani Murthy, K.
Murthy, K.R.S. *see* Raju, V. 88−28252
Murthy, K.R.Sridhara *see* Sridhara Murthy, K.R.
Murthy, K.S.N. *see* Kuppuraju, S.B. 86−19047
Murthy, K.S.R.C., Ramkumar, K., Satyam, M. Electrical properties of PVC-graphite thick films 85−6024
Murthy, K.S.R.C., Satyam, M. Curing and thermal cycling processes in PVC/graphite thick films 86−13847
Murthy, K.S.R.C., Satyam, M. Trimming studies on polymer thick-film resistors 87−53071
Murthy, L.G.K. *see* Ghosh, A.K. 85−21390
Murthy, M.J.K. *see* Rao, D.N. 88−27499
Murthy, M.J.Kesava *see* Kesava Murthy, M.J.
Murthy, M.K. *see* Fahr, A. 85−6074
Murthy, M.L.R., Cutting, J.C., Owens, W.R., Sheth, P.R. Part-load studies on subsonic and supersonic MHD/steam power plants 85−53641
Murthy, M.L.R. *see* Lawit, R.L. 85−15957
Murthy, M.Narasimha *see* Narasimha Murthy, M.
Murthy, M.R.C. Installation of old turbogenerators 88−18268
Murthy, M.S.S., Gupta, D.P., Raja Rao, A., Kumar, S.M., Vasudeva, M.S. National HVDC Experimental Line Project—a mission-oriented R&D project in the energy sector 87−50753
Murthy, M.V. *see* Murthy, S.S. 88−5601
Murthy, N.N. *see* Mehtre, B.M. 87−4113, 87−69315
Murthy, N.S. *see* Shacklette, L.W. 85−65423
Murthy, N.SSatya *see* Satya Murthy, N.S.
Murthy, P.K., Hill, K.C., Thiele, G.A. A hybrid-iterative method for scattering problems 87−12689
Murthy, P.K., Thiele, G.A. Nonuniform currents on a wedge illuminated by a TE plane wave 87−2287
Murthy, P.K. *see* Kaye, M. 86−22648
Murthy, P.K. *see* Penno, R. 88−2529
Murthy, R. *see* Edwards, L. 87−52880
Murthy, S. EEPROM programs in a flash 87−44826
Murthy, S.N., Garg, V.K., Mohanavelu, K.S., Sayeenathan, S. Interference assessment for siting satellite TTC station 87−62898
Murthy, S.N. *see* Chadda, V.K. 87−2559
Murthy, S.Ramana *see* Ramana Murthy, S.
Murthy, S.S., Jha, C.S., Singh, B.P., Vidyashankar, C.R., Nagamani, C., Tandon, A.K. Some studies on design and voltage regulation of capacitor self-excited induction generators 86−33406
Murthy, S.S., Murthy, M.V. Experimental studies on a solar thermal-power plant 88−5601
Murthy, S.S., Nagaraj, H.S., Kuriyan, A. Design-based computational procedure for performance prediction and analysis of selfexcited induction generators using motor design packages 88−23913
Murthy, S.S., Satyanarayana, K.V.V., Singh, B.P., Nagamani, C. Suitability of using normally designed induction motors as capacitor self-excited induction generators 87−43039
Murthy, S.S. *see* Berg, G.J. 86−6764, 86−61518
Murthy, S.S. *see* Fenton, R.E. 87−43587
Murthy, S.S. *see* Singh, B. 85−21626, 87−43719, 88−62754
Murthy, S.S. *see* Singh, E. 87−22382
Murthy, S.S. *see* Tandon, A.K. 85−21622, 86−61517
Murthy, S.V. Automatic power saving circuit for big AC plants [air conditioning] 88−76051
Murthy, T.G.K., Laxminarayan, S. Health care technology and third world nations 87−63714
Murthy, T.G.Krishna *see* Krishna Murthy, T.G.
Murthy, T.K.S., Korber, J., Mellitt, B. *(editor)* Computers in Railway Operations 88−11606
Murthy, T.N.V. *see* Sastry, V.U.K. 86−66698
Murthy, T.S. *see* Cherian, S. 86−57017
Murthy, U.M.S. *see* Natarajan, T.S. 86−31593
Murthy, V.K. A regular layout VLSI matrix multiplier 85−49963
Murthy, V.K. Exact parallel matrix inversion using para-Hensel codes with systolic processors 88−58286
Murthy, V.K., Propst, J., Huss, R., Haywood, L.J. ECG waveform characterization by discrete cosine transform 85−9209
Murthy, V.K. *see* Chernick, M.R. 85−51727, 88−31618, 88−66239
Murthy, V.K. *see* Horne, C.J. 85−53074
Murthy, V.R., Roa, K.N. Optical properties of III-V semiconductors from a new dispersion relation 88−25889
Murthy, V.R. *see* Seetharamaiah, P. 87−24255
Murthy, V.S. *see* Natarajan, T.S. 85−32954
Murthy, V.S. *see* Sridharan, S. 88−68967
Murthy, Y.V.V.S. *see* Durga Prasad, N.V.P.R. 85−10027, 85−27541
Murti, R. *see* Sharma, S. 85−6001
Murti, V.G.K. Applications of the generalized impedance converter in electrical instrumentation 85−6435
Murti, V.G.K. *see* Prasad, K.S. 87−59736
Murti, V.G.K. *see* Rahman, M. 85−20691
Murti, V.G.K. *see* Reddy, H.C. 86−62786
Murti, V.G.K. *see* Rehman, M. 86−18068
Murti, V.G.K. *see* Sankaran, P. 87−30719
Murto, T., Rapeli, J., Leppavuori, S. Laser processing techniques for custom IC fabrication 87−11930
Murtonen, M.T. Compatibility and commonality of future international public land mobile telecommunications systems 88−3891
Murtuza, M., Lee, J.C., Tan, R., Schroen, W.H., Bednarz, G. Flux penetration and pressure cooker fail mechanism in plastic IC packages 86−61951
Murtuza, M. *see* Groothuis, S. 86−13500
Murty, A.S.R., Verma, A.K. Inverse normal and lognormal distributions for reliability design 86−40593
Murty, A.S.R. *see* Verma, A.K. 87−36537
Murty, B.V. Fast response reversible brushless DC drive with regenerative braking 85−27691
Murty, B.V., Jacovides, L.J. A critical evaluation of AC motor drives for traction 86−40255
Murty, B.V.Ramana *see* Ramana Murty, B.V.
Murty, K. *see* Erdos, P. 87−36600
Murty, K. *see* Gifford, D.J. 85−24634
Murty, K.G. A correction to a result in linear programming 88−56162
Murty, K.G., Kabadi, S.N. Some NP-complete problems in quadratic and nonlinear programming 88−11889
Murty, K.G. *see* Fredricksen, J.T. 86−52330
Murty, K.G. *see* Sung-Jin Chung 87−16475
Murty, K.P.R.Vittal *see* Vittal Murty, K.P.R.
Murty, K.V.R. *see* Jain, P.K. 87−53121
Murty, K.V.R. *see* Singh, V.P. 88−39005
Murty, M.R. *see* Erdos, P. 87−36600
Murty, M.V.R.K., Shukla, R.P. A simple method for detecting vibration on a platform 86−63880
Murty, N.Srinivasa *see* Srinivasa Murty, N.
Murty, S.Narayana *see* Narayana Murty, S.
Murty, S.S. *see* Gelinas, R.J. 87−26353, 88−14142
Murty, V.Dakshina *see* Dakshina Murty, V.
Murty, V.R., Subba Rao, K., Rama Rao, J. On the variation of escape peak intensity in xenon proportional counters 85−20828
Murty, V.V.S. *see* Ahuja, R.K. 87−51981
Murty, Y.S.N. Studies on development of an analog MTI system for a S-band track while scan radar system 85−47602
Murty, Y.V., Simonsen, K.A., Taniguchi, Y., Adachi, T. Heat generation in connector alloys 88−38266
Murty, Y.V.V.S., Dubey, G.K., Shinha, R.M.K. A ROM based equidistant digital pulse firing scheme for three-phase thyristor converters 86−61606
Murty, Y.V.V.S., Dubey, G.K., Sinha, R.M.K. Fault diagnosis in three-phase thyristor converters using microprocessor 85−27504
Murty, Y.V.V.S., Smolinski, W.J. Design and testing of a digital distance relay based on the TMS320 digital signal processor 87−30274
Murty, Y.V.V.S., Smolinski, W.J. Digital filters for power system relaying 88−36890
Murty, Y.V.V.S., Smolinski, W.J. Design and implementation of a digital differential relay for a 3-phase power transformer based on Kalman filtering theory 88−75693
Murty, Y.V.V.S., Smolinski, W.J., Sivakumar, S. Design of a digital protection scheme for power transformers using optimal state observers 88−49024
Murugaraj, P. *see* Kutty, T.R.N. 88−71829
Murugesan, S. IC forms an edge-sensitive R-S flip-flop 87−10773
Murugesan, S. Multiplexer limits complement data 87−10775
Murugesan, S. Pulse-delay circuit has dual-edge trigger 87−37090
Murugesan, S., Goel, P.S. Fault-tolerant spacecraft attitude control system 88−36595
Murugov, V.M., Okutin, G.P., Pankratov, V.I., Polyanitsa, Yu.A. High-voltage broadband voltage divider 86−14436
Murugov, V.M. *see* Zaretskii, A.I. 86−15624
Muruhashi, T. *see* Kuroe, Y. 87−16814
Murukami, Y. *see* Sunata, T. 86−28365
Murukesapillai, K. Electromagnetic wave generation utilizing plasma instabilities 88−26996
Muruyama, H. *see* Bamba, T. 85−14816
Murveit, H., Brodersen, R.W. An integrated-circuit-based speech recognition system 87−19422
Murveit, H., Weintraub, M., Cohen, M., Bernstein, J., Rudnicky, A. Lexical access with lattice input 87−61698
Murveit, H. *see* Kavaler, R.A. 87−37163
Murviet, H., Weintraub, M. 1000-word speaker-independent continuous-speech recognition using hidden Markov models 88−66361
Mury, R. Digital coding of speech and music signals and their qualitative assessment by computer 86−36942
Mury, R. Digital coding of speech and music signals and their qualitative assessment by computer 86−43201
Murygin, A.I. A critical estimate of the relative mass of a magnetic system for contactless machines 87−42768
Murza, L.P. Synthesis of an invariant Dicke radiometer 86−50107
Murza, L.P. Invariant detection of targets using a correlation radiometer 88−40942
Murzakhanova, A.Z. *see* Chashchin, S.P. 87−18751
Murzakov, A.G., Glukharev, A.Yu. Investigation of a device for the parametric starting of an asynchronous motor 88−17580
Murzakov, A.G. *see* Shakaryan, Yu.G. 88−11504
Murzansky, J.P. A serviceable unitary molded cable connector 85−23200
Murzin, A.G., Prilezhaev, D.S., Fromzel, V.A. Some features of laser excitation of ytterbium-erbium glasses 85−56594
Murzin, A.G. *see* Buchenkov, V.A. 86−29108
Murzin, A.G. *see* Lunter, S.G. 85−2264
Murzin, A.G. *see* Mak, A.A. 87−68414
Murzin, V.N. *see* Alekseev, V.I. 86−22425
Murzin, V.N. *see* Andronov, A.A. 88−8163, 88−14165
Murzin, V.N. *see* Mityagin, Yu.A. 87−68430, 88−51785
Murzov, N.V. *see* Artemkina, L.V. 86−24255
Musa, D.I. *see* McElroy, R.K. 87−78053
Musa, D.I. *see* Villacis, E. 86−61101
Musa, G., Baltog, A., Popescu, A., Betiu, N., Mustata, I. Possible high power laser construction using a new discharge type-heated cathode discharge in the copper vapours continuously evaporated from the anode 88−33921
Musa, G. *see* Maris, O. 87−6319
Musa, G. *see* Nastase, L. 86−4856
Musa, J.D. *see* Aupperle, E.M. 85−30562
Musa, L., Smith, M.S. Microstrip Rotman lens port design 87−33569
Musaazi, M.K., Johnson, R.B.I., Cory, B.J. Multimachine system transient stability improvement using transient power system stabilizers (TPSS) 87−30048
Musabaeva, L.I., Lisin, V.A., Polishchuk, P.F., Chakhlov, V.L., Koshkovsky, V.V. Small-size betatron for electron therapy of superficial tumors and its clinical testing 88−30039
Musaelyan, A.N. *see* Airapetyan, G.A. 88−62305
Musaev, H.A., Rekus, G.G., Seidov, F.I., Panasenkov, M.A., Chirkov, M.T., Kotov, B.B., Volkov, I.N. Determination of electric and magnetic losses in asynchronous motors on parameters of substitution scheme 88−62354
Musaev, M.A. *see* Basov, N.G. 88−58692
Musaev, M.A. *see* Kovalev, V.I. 85−19032
Musaev, M.M., Khodzhaev, L.K. Use of spectral conversion to obtain polynomial approximating structures 86−37027

Musaev, M.M., Khodzhaev, L.K. A spectral method of polynomial approximation for digital signal processing 88−21162
Musaev, S.A. *see* Veliyulin, E.I. 86−31331
Musaev, T.Sh. *see* Kolotov, O.S. 88−42255
Musakhanova, N.M. *see* Levinshtein, M.B. 85−64237
Musallam, A. *see* Jain, S.C. 88−26206
Musallam, A. *see* Wilamowski, B.M. 86−63228
Musatov, A.L., Korinfskii, A.D. Photoelectron spectra of InGaAsP photocathodes with negative electron affinity 87−1139
Musatov, A.L. *see* Izeal'yants, K.R. 88−44589
Musatov, A.L. *see* Kogan, Sh.M. 87−6315
Musatov, A.L. *see* Korinfskii, A.D. 85−45388
Musatov, A.L. *see* Turchinskiy, V.M. 85−34427
Musatov, I.A., Kol'tsyna, G.I. On improving production techniques and quality of television sound 88−22260
Musatov, I.A., Solodov, V.I. Ways to improve the technology and configuration of central TV presentation facilities 88−60385
Musatov, K.A., Rudenko, V.M., Filatov, V.V. Force characteristics of a superconducting suspension 87−38705
Musatti, A. *see* Schreiber, F.A. 86−49296
Musavi, M.T., Narasimhamurthi, N. Bounding the short term phase plots of inter-machine swings for determining first swing stability 85−59536
Musavi, M.T., Nekovei, A.R., Andle, J.C. An MC68000 based system for controlling a six joint robotic arm 88−48998
Musavi, M.T. *see* Shirvaikar, M.V. 88−52599
Musazzi, S. *see* Kim, J.S. 88−14285
Muscalu, G.L., Gaceff, S., Nemes, G., Stratan, A., Ghita, L., Ghita, C. Optical coatings for high power lasers at 1.06 μm 87−2223
Muscalu, G.L., Gaceff, S., Nemes, G., Stratan, A., Ghita, L., Ghita, C. Considerations concerning the realization and testing of optical coatings for high-power lasers at 1.06 μm 88−26927
Muscalu, G.L., Gaceff, St., Ghita, L., Ghita, G. Effect of dispersion on the spectral characteristics of multilayer thin films 85−62424
Muscalu, G.L., Gaceff, St., Nemes, G., Stratan, A., Fenic, C., Dabu, R., Lancranjan, I., Basiev, T.T., Mirov, S.B. Optical coatings for multiwavelength solid state lasers and laser beam testing experiments 87−33248
Musch, H. *see* Bendick, W. 88−10939
Musch, H. *see* Fabritius, H. 86−45206
Musch, S. On the application of effective wage for the stimulation of the increase of efficiency of workers in flexible automated production areas 86−46054
Muscher, H. *see* Pfalzgraf, B.W. 86−55812
Muschick, E. Discoveries of fundamentals of electrical energy transmission techniques until 1883 and first decisions of its application 87−15226
Muschick, E. Electric power transmission techniques in deciding for three-phase current and a supplementary decision model 87−30143
Muschick, E. Decisions over development, support and rationalization of the grid operation 87−57603
Muschick, M. *see* Gosch, H. 88−23730
Muschick, M. *see* Steinbauer, E. 85−53266
Muschick, R.P. Revalidation program for nuclear standby diesel generators 85−43697
Muschitello, M. *see* Corsi, F. 88−57798
Muschitiello, M. *see* Canali, C. 88−33375
Muschler, G. *see* Harms, S.E. 87−8903
Muschter, F., Schmidt, W., Seidel, H.-P., Wilhelm, U. Selecting and designing geared motors corresponding to loads 87−42772
Muschter, L. Simulation of the real power switcher behaviour for computing inner overvoltages 87−58225
Musci, M. *see* Bilenchi, R. 85−416, 85−60980
Musci, M. *see* Curcio, F. 88−12083
Musci, M. *see* Gianinoni, I. 86−34368
Musclow, R.R. *see* Sultan, N. 85−47453
Muscroft, J. New turbines from old 88−37053
Muscroft, J. *see* Hobson, G. 85−15726
Muscu, M. *see* Motoiu, C. 88−11146
Muse, R.R. *see* Mayborg, C.C. 85−23191
Museliani, T.G. *see* Aburdzhaniya, A.K. 85−64189
Muselikova, L. *see* Jez, J. 88−42761
Musella, F. *see* Fabriani, L.M. 88−17448
Musenich, R. *see* Penco, R. 88−26733
Muser, D. *see* Hohn, J. 88−9690
Musfeldt, H. *see* Barber, D. 88−54002
Musfeldt, H. *see* Bialowons, W. 85−26627
Musfeldt, H. *see* Degele, D. 85−26601
Musgrave, B. Going for speed [modems and multiplexors] 87−40525
Musgrave, B. Network management: keeping the connection 88−3519
Musgrave, B. Integrating the PBX into ISDN 88−21751
Musgrave, B. Stacking up LANs 88−35080
Musgrave, G. Testability−an important part of design 86−19811
Musgrave, G. *see* Ambler, A.P. 88−32150
Musgrave, G. *see* Cosgrove, S.J. 88−38511
Musgrave, R. *see* Jerse, T.A. 88−60632
Musgrove, A. *see* Stocks, K. 85−15489
Musgrove, A.R.de L *see* de L Musgrove, A.R.
Musgrove, A.R.deL. The optimization of hybrid energy conversion systems using the dynamic programming model−RAPSODY 88−69172
Musgrove, A.R.deL., Maher, K.J. Optimum cogeneration strategies for a refrigeration plant 88−30545
Musgrove, A.R.Del *see* Del Musgrove, A.R.
Musgrove, C.L. *see* Davis, L.E. 88−11646
Musgrove, P. *(editor)* Small Wind Energy Conversion Systems. Proceedings of the BWEA One Day Conference 87−16290
Musgrove, P.J. Wind energy conversion: recent progress and future prospects 87−42739
Mush, B.S., Al'tman, L.S. Signal processing in quasiholographic systems as an inverse problem 85−36276
Mush, B.S., Kuznetsova, Yu.V. Practical application of Wiener-Kolmogorov optimum filtering operator in quasiholographic systems 85−7898
Musha, T., Sekine, M., Suganuma, T., Tomita, Y., Hagisawa, T., Irabu, T., Kiuchi, E. Estimation of the velocity field in a cloud 85−52396
Musha, T. *see* Aoki, M. 86−25239, 88−4957
Musha, T. *see* Iwama, T. 86−55370, 87−76839
Musha, T. *see* Kohno, T. 88−29308
Musha, T. *see* Miyamoto, K. 87−29281
Musha, T. *see* Noguchi, Y. 85−35262
Musha, T. *see* Ogata, M. 85−46827, 86−49704
Musha, T. *see* Ogawa, H. 87−56250
Musha, T. *see* Ogura, H. 85−46829
Musha, T. *see* Okamoto, Y. 86−50579 to 50580
Musha, T. *see* Sekine, M. 85−46824, 85−63735, 87−54548
Musha, T. *see* Tatsukawa, S. 85−20255, 86−11166
Musha, T. *see* Yagi, S. 85−31470
Musha, T., Suzuki, T., Ogura, H. *(editor)* Noise and Clutter Rejection in Radars and Imaging Sensors. Proceedings of the 1984 International Symposium 85−49266
Mushamalirwa, D., Germay, N., Steffens, J.C. A 2-D finite element mesh generator for thermal analysis of underground power cables 88−55004
Musheg'yants, Kh.A. *see* Smirnov, V.P. 85−17899
Mushekai-Syahkal, D., Mohammad Taheri, M. Unified approach to determination of modes in cylindrical cavities axisymmetrically loaded with dielectrics 88−2656
Mushenko, S.V., Kazandzhyan, Kh.O. Numerical solutions of integral equations describing electromagnetic phenomena in screened microstrip lines 85−17771
Mushenko, S.V., Kazandzhyan, Kh.O. Voltage and current waves in multi-conductor shielded microstrip lines 86−36770
Mushenko, S.V., Kazandzhyan, Kh.O. The transfer matrix for a section of a multiconductor stripline 86−59124
Mushenko, S.V., Kazandzhyan, Kh.O., Labyntsev, V.A. Integral equations for the axial current and surface charge in uniform screened multiconductor strip transmission lines 88−38666
Mushenko, S.V., Labyntsev, V.A. Power losses in stripline conductors 87−37495
Musher, S.L. *see* Brodskii, I.I. 85−31296
Mushev, R.K. Discharge quencher for Geiger counters 86−60624
Mushiage, M. *see* Ishida, Y. 86−42569
Mushiage, M. *see* Tanaka, H. 85−29851, 85−35741, 86−63832
Mushiake, Y. Self-complementary antennas 86−42979
Mushiake, Y. *see* Horiguchi, S. 85−7724, 85−13382, 85−41773
Mushiake, Y. *see* Maeda, T. 87−7590, 87−54653, 88−58936
Mushiake, Y. *see* Sawaya, K. 87−61320, 88−40678
Mushiake, Y. *see* Yabe, H. 85−28687
Mushiga, M., Takakura, H., Okahara, A., Mitsui, A. Cubicle type SF_6 gas insulated switchgear for Nippon Benkan Kogyo Co. Ltd 85−39144
Mushing, A., Evanson, D. Performance testing of high speed A/D converters 88−38590
Mushinskii, V.P. *see* Karaman, M.I. 87−2015
Mushinsky, B. *see* Ripps, D. 85−54911, 85−61248
Mushkin, M., Bar-David, I. Benefiting from hidden memory in interleaved codes 87−54989
Mushkov, V.P. *see* Martyshevskiy, K.N. 87−76636
Mushlin, R. *see* Biegl, C. 87−57128
Mushlin, R. *see* Foxvog, D. 87−57129
Mushlin, R. *see* Karsai, G. 87−57127
Mushotzky, R.F. *see* Moseley, S.H. 85−43317
Musial, W.D., Cromack, D.E. Influence of Reynolds number on performance modeling of horizontal axis wind rotors 88−62286
Musialowski, Z., Grobelny, M. Sparse admittance matrix approach to computer-aided analysis of the linear time-varying networks in the frequency domain 86−13959
Musialowski, Z.S. Spectral analysis of the active linear time-varying networks with the aid of a computer program 87−860
Musialowski, Z.S. Large-signal frequency analysis of the balanced two-diode microwave mixer 88−50391
Musiani, B. *see* Goldhirsh, J. 87−15048, 87−57385
Musiani, M.M. *see* Deslouis, C. 88−60863
Musiani, M.M. *see* Mengoli, G. 86−13014, 87−64779 to 64780
Musiari, F. Plasma displays 87−77326
Musiari, F. The NEC gate-array family ECL-4 88−654
Musiari, F. Gate arrays in BiCMOS technology 88−656
Musiari, F. Graphics display controller 88−56658
Musiari, F. Microcomputer with PLL 88−60394
Music, M. *see* Zavrtanik, D. 85−20814
Music, O. *see* Sabanovic, A. 87−22586, 87−58215
Music, W.D. Recursive prediction and estimation of periodic nonstationary signals 87−55238
Musich, P.J. *see* Killorin, E.H. 87−2924 to 2925, 87−62670
Musicus, B.E., Johnson, R.W. Multichannel relative-entropy spectrum analysis 86−69062
Musicus, B.R. Fast MLM power spectrum estimation from uniformly spaced correlations 86−23025
Musicus, B.R. Comments on 'Dice, entropy and likelihood' by B. Roy Frieden 86−62015
Musicus, B.R., Kabel, A.M. Maximum entropy pole-zero estimation 87−19810
Musicus, B.R. *see* Jay Kuo, C.-C. 87−65446
Musicus, B.R. *see* Jeong, H. 87−60578
Musicus, B.R. *see* Song, W.S. 88−29305
Musienko, A.A. *see* Fot, N.A. 86−55855
Musienko, O.G. *see* Gol'dshtein, A.F. 87−72589
Musienko, Yu.V. *see* Denisov, D.S. 87−50165, 87−63665
Musierowicz, K. *see* Laniecki, W. 87−4770
Musierowicz, K. *see* Lorenc, J. 87−42518
Musikant, S. Developments in new optical materials 87−18576
Musikhin, S.A., Novikov, V.F., Borsenko, V.N. Use of coercive force as an indicator parameter in nondestructive measurement of mechanical stresses 88−70391
Musikhin, S.F. *see* Bakueva, L.G. 87−37933
Musikhin, V.A., Pribytkov, A.V., Semiokhin, I.A. System for synchronization of radiation of three LTIPCh lasers with external devices 88−65775
Musikowski, H.-D. *see* Scheibe, H.-J. 87−30762
Musil, C.R., Bartelt, J.L., Melngailis, J. Focused ion beam microsurgery for electronics 86−53725
Musil, C.R., Bartelt, J.L., Melngailis, J. Focused ion beam microsurgery for integrated circuit customization or repair 87−1647
Musil, C.R. *see* Melngailis, J. 86−35790
Musil, G. A remote power-feeding system with converters fed with constant current used for optical fiber systems 86−61641
Musil, G., Schuller, F. A flexible, modular power-feeding system for digital optical waveguide transmission 88−30871
Musil, J. Microwave plasma: its characteristics and applications in thin film technology 86−13824
Musil, R.J., Wenger, S., Scherer, K. Practical considerations concerning impulse voltage testing of form-wound coils for rotating machines 88−48867
Musil, R.J. *see* Reckleff, J.G. 88−75548
Musil, R.L. *see* Leitgeb, W. 87−51495
Musil, R.von *see* von Musil, R.
Musil, V. Problems of multicriteria optimisation in designing integrated circuits 85−28492
Musil, V. Problems of optimum determination of manufacture parameters in producing ICs with centering and tolerances 87−1624
Musil, V., Fusek, L. Adaptive delta modulation coder 87−54842
Musilli, C. *see* Casalboni, M. 85−31709
Musilova, M., Jindra, J., Mrha, J., Novak, P., Garche, J., Wiesener, K. Limitations in the use of plastic-bonded electrodes in sealed nickel-cadmium cells and their reasons. II. Button cells 88−5828
Musilova, M. *see* Fiala, V. 85−44157, 86−45643
Musilova, M. *see* Jindra, J. 87−78886
Musilova, V. *see* Sikula, J. 85−1568, 87−54196
Musin, A.Kh., Aver'yanov, V.N., Mamaev, A.I., Ishchenko, O.I. An active leakage current transducer for continuous monitoring of bushing insulation 87−35694
Musin, G.A. *see* Zagorovsky, K.O. 88−60383
Musin, I.A. *see* Fatkhutdinov, A.Sh. 86−5217
Musin, R.F., Morozov, V.A., Matlashov, A.N. Modulated meter for strength of weak quasistatic electric fields 86−60299
Musin, V.V. *see* Kletsel, M.Ya. 88−23568
Musina, N.Yu. *see* Tsitsikyan, G.N. 87−4401
Musinski, D.L. *see* Mayer, F.J. 87−21069
Musiol, G. *see* Pausch, G. 87−50174
Musits, B.L. *see* Brennemann, A.E. 88−74393
Musiyachanko, V.F. *see* Strunets, V.K. 87−58488
Musiyachenko, V.A. Microwave controlled amplifier-attenuator using a tunnel diode 88−25519
Musiyachenko, V.F. Cold resistance of welded joints in VS4 high strength steel 88−55984
Musk, R.W. *see* Armistead, C.J. 87−7359

Muskens, G. *see* Bouwman, H. 87−76300
Musket, R.G., Thomas, I.M., Wilder, J.G. Enhanced adhesion at oxide/oxide interfaces by ion beam stitching 88−26924
Musla, A.K. *see* Gupta, S.D. 88−61731
Musladin, S. *see* Marinovic, N. 86−33891
Muslakov, V.P. *see* Gerasimova, L.A. 85−55474
Muslu, M., Shultz, R.D. Energy management by current activated solid state power interrupter 88−23395
Muslu, M., Shultz, R.D. Optimum operation of electric power distribution systems with load control alternatives: minimum cost analysis 88−23396
Musmann, G. *see* Neubauer, F.M. 87−77379
Musmann, H.G., Pirsch, P., Grallert, H.-J. Advances in picture coding 85−51737
Musoke, A. *see* Finch, J.W. 86−33359
Musolf, D.M., Carey, J.J. Monticello study points to technical feasibility 87−22028
Musolin, A.K. Computer design of secondary power supply systems and sources for radio electronic devices 87−23914
Musolino, L.S., Conrad, T.R. Early life reliability monitoring of AT&T-C&ES manufactured electronic components 88−18458
Musolino, L.S., Conrad, T.R. Simplified Weibull modeling of component early life reliability 88−56081
Musolino, L.S. *see* Conrad, T.R. 88−49506
Musorin, A.I. *see* Barzali, F.D. 86−6504
Musorin, A.I. *see* Kamyshan, A.N. 86−18972
Muspratt, M.A. Environmental influences on managing research organisations 88−49425
Mussa, R. *see* Biino, C. 88−74742
Mussali, Y. *see* McKinley, R.S. 88−36682
Mussalli, Y.G., Fritsch, T.J. Artificial intelligence techniques to diagnose and solve heat exchanger and cooling water systems problems 87−71950
Mussalli, Y.G. *see* Chow, W. 85−15834, 88−62172
Musseau, O., Leray, J.-L., Patin, Y., Coic, Y.-M. An experimental facility for the study of effects of heavy ion irradiation on logic microcircuits 88−681
Mussel, K.M. Automation of the information-reference service 88−3437
Mussell, M.J. Trachea noise biofeedback device to help reduce bronchospasm in asthmatics 87−4017
Mussell, M.J., Williams, G. Equipment to condition inspired air over a wide temperature and humidity range for a hyperventilation challenge for asthmatics 87−3924
Musselman, D. *see* Fernandez-de-Castro, J.J. 88−51260
Musselman, D. *see* Nyenhuis, J.A. 87−25781
Musselman, J.A. *see* Franks, D.T. 86−43345
Musselman, R.P. Shear stress cleaning of printed wiring boards and assemblies 86−58155
Musselman, R.P., Yarbrough, T.W. The fluid dynamics of cleaning under surface mounted PWAs and hybrids 87−11209
Musselman, T.P., Tsusaki, D.A. Evolving T1 network sets the pace for communications 88−41411
Mussenbrock, K. *see* Markewitz, P. 88−30543
Mussenden, G.A. Method of obtaining three tightly regulated levels out of two pulse-width modulation power trains using pulse-position modulation 85−33646
Mussenden, G.A. *see* Dobberstein, E.A. 85−40294
Musser, D.P. *see* Uppal, P.N. 87−73097, 88−24706
Musser, D.R., Narendran, P., Premerlani, W.J. BIDS: a method for specifying and verifying bidirectional hardware devices 88−39358
Musser, J. *see* Bower, C.R. 87−14732
Musser, J. *see* Cabrera, B. 88−4831
Musser, J. *see* Calicchio, M. 88−29811
Musser, J.M., Daigle, J.N. Derivation of asynchronous code division multiple access (CDMA) throughput 86−69438
Musset, G. Experience from simulator training of the operating team for a coal-fired power plant 88−69152
Musset, G. *see* Hillenbrand, J. 87−35828
Musset, P. *see* Catanesi, M.G. 87−29686
Musset, P. *see* Giacomelli, G. 87−29609
Mussett, S.G. *see* Hanna, D.C. 88−33945
Mussett, S.G. *see* Shepherd, D.P. 87−54222
Mussia, J.P.Delta *see* Delta Mussia, J.P.
Mussigmann, U., Rueff, M., Schmutz, M. Fractal based algorithms for texture analysis 88−59266
Mussigmann, U. *see* Warnecke, H.J. 88−3187
Mussil, V.V. *see* Savchenko, K.V. 86−26928
Mussino, F. Evolution of the receiving and distribution installations of television signals: from terrestrial broadcasting to satellite broadcasting 86−59994
Mussino, F. Reception and distribution techniques for DBS signals in community antenna installations 87−3264
Mussio, P. *see* De Ros, Y. 86−12146
Mussio, P. *see* Della Ventura, A. 87−77874
Mussio, P. *see* Garribba, S. 86−259
Mussio, P. *see* Garribba, S.F. 86−34077
Musslewhite, R.C. *see* Jackson, M.C. 88−69514
Mussman, J.W. The inductive bending process in tube manufacture 87−9949
Mussmann, S.M. GPIB serves as test tool during design 88−4283
Musso, A. *see* Bressani, T. 85−43256
Musso, A. *see* Chiavassa, E. 86−50325
Musso, A. *see* Macciotta, P. 86−50394
Musso, A. *see* Puddu, G. 85−43245
Musso, A. *see* Puddu, G.A. 85−37915
Musson, B.G., Stevens, J.R. Acoustic excitation for modal response measurements 85−58891
Musson, D. Prestel−improving the 'top' and 'bottom' lines of the UK's public national videotex service 86−37417
Musson, T.A. Status of R&M training 86−92
Musson, T.A. Design rules for reliability and maintainability in electronics 88−38018
Musson, T.A., Linton, L., Hoffman, D. What design automation is needed for R&M?−workshop discussion 88−38019
Musstopf, G. Electronic communication: flop or opportunity? 88−52779
Musstopf, G. Telefax and computers 88−59547
Musta, T.N. *see* Andreev, S.I. 88−1903
Mustaev, P.T. *see* Galkin, G.N. 87−51451, 88−25925
Mustafa, C. *see* Granger, C. 86−18766
Mustafa, G.M. Matrices of circuits with transformers and algebraic methods for their analysis 85−32539
Mustafa, G.M. Computer-aided analysis of three-phase circuits [transmission network calculations] 86−6313
Mustafa, G.M. On structural elements of electric circuits 87−36862
Mustafa, G.M. Ideal phase regulator as an element for representation of electric machines in analysis of systems with rectifier converters 87−78603
Mustafa, G.M. A method for approximate analysis of pulse-modulated inverters with sinusoidal output current 88−55433
Mustafa, G.M., Fedotov, Yu.B. The method of integral equations for machine analysis of transients in converter devices [power system analysis] 85−43557
Mustafa, M. *see* Ahmad, S. 85−50423
Mustafa, M.A. Using a microprocessor for the online detection of a boundary optimum 88−48949
Mustafa, M.A., Craven, A.J. Digital control of DC drives 88−55665
Mustafa, M.A. *see* Manassah, J.T. 86−42626
Mustafa, N. *see* Harris, N.D.C. 86−52177
Mustafa Zayed, M. Automatic Arabic speech recognition 87−33669
Mustafaev, A. *see* Abakumov, A.A. 88−57291
Mustafaev, E.Kh. Asymptotically efficient estimation of a signal in unknown additive noise 86−22865
Mustafaev, E.Kh., Nevel'son, M.B. Behavior of moments of arbitrary order of multivariate stochastic approximation processes 87−27122
Mustafaev, E.Kh. *see* Nevel'son, M.S. 86−38555
Mustafaev, M.I. *see* Belyanskii, P.V. 86−43927
Mustafaev, R.I., Gusein-zade, G.Yu., Mazanova, V.Yu. Wind-energy characteristics of the Apsheron peninsula, Azerbaidzhan SSR 87−22187
Mustafaev, R.I., Krut'ko, E.G. A model of the human body in the zone of influence of an EHV overhead line 85−54094
Mustafaev, R.I., Listengarten, B.A., Ledakov, V.G. Modelling and investigation of dynamics of a wind-motor electric generator 88−5620
Mustafaev, Yu.M. *see* Bakirov, M.Ya. 87−64811
Mustafaeva, S.N., Abdullaev, G.B. Photostimulated polarization and depolarization in metal-GaSe-metal thin film structures 85−12061
Mustafaeva, S.N., Asadov, M.M. High field kinetics of photocurrent in GaSe amorphous films 87−2018
Mustafaeva, S.N. *see* Asadov, M.M. 87−32242
Mustafaeva, S.N. *see* Guseinov, G.D. 86−40047
Mustafin, F.D., Mustafina, R.M., Korolev, M.I. Probability estimation of truth in the digital information perception by a logic analyzer 88−74301
Mustafin, K.S. Aberrations of holograms on a planar substrate of finite thickness 88−14302
Mustafin, K.S. *see* Gorodetskii, A.A. 87−26563
Mustafin, K.S. *see* Kostyshin, M.T. 86−3333
Mustafin, R.Kh. *see* Malikov, R.F. 88−27320
Mustafin, T.A. Structural method of increasing the accuracy of a fast ADC 88−4319
Mustafin, T.A. *see* Polonnikov, D.Ye. 86−41172
Mustafin, V.M. *see* Shcherbakova, G.A. 86−39982, 86−39986, 87−42495
Mustafin, V.R. *see* Kleiman, Yu.D. 88−12713, 88−44475
Mustafin, Yu.I. *see* Dibrov, G.D. 85−58900
Mustafina, L.T., Kutikova, N.P., Frantsuzova, N.B. Testing of a hologram analyzer having a one-component optical system for hologram conjugation 86−15810
Mustafina, R.M. *see* Mustafin, F.D. 88−74301
Mustagaev, Yu.M. *see* Bakirov, M.Ya. 87−43423
Mustaman, M., Karim, A., Stumpf, F.B. Effect of spherical scatterers on the driving-point impedance and directivity pattern of a sonar transducer at an air-water surface 86−38982
Mustapha, G.M. Computer analysis of three-phase circuits 86−66915
Mustapha Raja Hassan, R. Studies of excimer laser systems 86−36422
Mustaphi, K.K., Zimering, R. Relay setting considerations and operational experience of a long 500 kV transmission line 88−55081
Mustata, I. *see* Musa, G. 88−33921
Mustata, I. *see* Nastase, L. 86−4856
Mustata, O. *see* Eremia, M. 86−56415
Musteikis, S. *see* di Sciascio, F. 88−24284
Mustel, Ye.R. *see* Baglikov, V.B. 88−38593
Mustel', Ye.R. *see* Dianova, V.A. 85−14374
Muster, D., Mistree, F. The decision-support problem technique in engineering design 88−37923
Muster, G. Electrostatic powder coating of moulded plastic parts 86−71158
Muster, J. *see* Budig, P.-K. 87−22391
Muster, W.J., Kubler, J., Nylund, K., Benz, H. Advanced composite insulations for superconducting magnets 88−45034
Musterle, E. Hicom-Server and COMTEL 3510 on ECS 10000 88−59787
Musterle, E. Data communication through terminal adapter and server 88−59788
Mustetsov, N.P. *see* Lagutin, M.F. 85−29786
Musto, F. Systems engineering and the control of production systems 86−46036
Mustow, S.N. Maglev at Birmingham airport 85−44269
Musullugil, C. *see* Arulanantham, R. 86−20603, 86−52891
Musumeci, L. *see* Barberis, G. 87−69449, 88−59844
Musumeci, L. *see* Giorcelli, S. 85−3317, 85−52161, 85−57884
Musumeci, P.C. *see* Brown, G.M. 86−45039
Musumeci, P.C. *see* Williamson, D. 88−70911
Musumeci, S. *see* Bellone, S. 86−21554, 86−41842
Musumeci, S. *see* Caruso, A. 88−50885
Musumeci, S. *see* Ferla, G. 87−25331
Musura, S. Application of network planning to the analysis of electric power plant implementation 87−22006
Muswick, G. *see* Andrews, L.T. 85−31827
Musya, T. *see* Akiyama, H. 86−19635
Musyankov, S.I. *see* Petushkov, A.A. 88−36364
Muszalski, Z. Generation of high voltage impulses in the sliding contact of an electric machine. I 87−35900
Muszalski, Z. Generation of high voltage impulses in the sliding contact of an electric machine. II 87−35901
Muszynska, A. *see* Bently, D.E. 86−50022, 86−57195, 86−66603
Muszynska, A. *see* Laws, W.C. 87−64540
Muszynska, D., Posadowski, W. Investigation of electrical properties of titanium thin films doped with nitrogen, deposited by magnetron sputtering method 86−7830
Muszynski, R. Dependence of overload capacity of synchronized induction motors on system parameters 85−21634
Mut, G.Dal *see* Dal Mut, G.
Muta, H. *see* Yoshida, K. 88−37665
Muta, I. Characteristics of superconducting synchronous generator with electromagnetic shield coil control 85−9850
Muta, I. Characteristics of electromagnetic shield coil control for superconducting synchronous generator 87−42915
Muta, I. Preliminary experiments for possibility of brushless superconducting synchronous generator excited by magnetic flux pump 87−42916
Muta, I. Research and development of superconducting AC generators in Japan 88−48891
Muta, I., Furuta, M., Yagi, M. Equivalent circuit synthesis for superconducting synchronous machines 85−43945
Muta, I., Iguchi, M. DC motor control by model following controller 87−30589
Muta, I., Mukai, E. Steady-state characteristics of 20 kVA experimental superconducting synchronous generator by finite-element method 87−42917
Muta, I., Mukai, E. Transients of magnetic fields on windings in superconducting synchronous generator 88−48921
Muta, I., Tsukizi, H., Mukai, E., Furukawa, T. Preliminary experiment for brushless superconducting synchronous generator with magnetic flux pump 88−48922
Muta, I. *see* Furukawa, T. 88−48975
Muta, I. *see* Ishigohka, T. 88−69287
Muta, K., Kashiwazaki, A., Kohketsu, M., Kawazoe, H. Control of radiation induced defects of pure silica fiber prepared by VAD process 88−476
Muta, K., Kashiwazaki, A., Nakane, F. Defects and radiation characteristics of optical fiber 87−60935
Muta, K., Murayama, H., Nakane, F., Kojima, T Single mode optical fiber 86−48142

Muta, K., Nakane, F., Kojima, T. Development of fully synthetic single mode fiber 88−51477
Muta, K. *see* Kashiwazaki, A. 88−478
Muta, K. *see* Kawazoe, H. 87−7066 to 7067
Muta, K. *see* Murayama, H. 88−51478
Muta, K. *see* Watanabe, Y. 86−42285
Muta, K. *see* Yokota, K. 87−38049
Muta, S., Ohki, H. Micropower quaternary logic circuits using CMOS devices 86−41965
Muta, T. *see* Enpuku, K. 85−62253
Muta, T. *see* Yanagawa, T. 85−13719
Mutabdzija, R. Reverse current and resistance discontinuity distribution analysis in silicon P-N diodes 87−45867
Mutabzija, R. Comparative analysis of two types of marginal oscillators as detectors 87−44701
Mutabzija, R. Extension of the ramp-type limiter based Robinson oscillator analysis 87−52431
Mutaftschiev, B. *see* Cesari, C. 85−54488
Mutafyan, M.I. *see* Evdokimov, V.N. 87−53138
Mutafyan, S.A. *see* Tashchyan, M.Z. 88−42018
Mutagi, R.N. Circuit simplifies FSK-channel detection 86−22878
Mutalibov, A.N. *see* Atokishiev, T.S. 86−32744
Mutascio, V. Selecting power supplies for burn-in systems 87−28909
Mutava, D.M. A Zambian experience with radio farm forums 88−31344
Mutch, K.M. Determining object translation information using stereoscopic motion 87−19853
Mutch, K.M., Thompson, W.B. Analysis of accretion and deletion at boundaries in dynamic scenes 85−41954
Mutch, K.M. *see* Sullivan, G.A. 87−16813
Mutch, K.M. *see* Thompson, W.B. 85−36411, 85−57470
Mutchler, D. *see* Meadows, C. 87−40366
Mutchler, G.S. *see* Bachman, M. 85−26527
Muteki, T. *see* Takaki, T. 87−63803
Muter, G. *see* Miro, F. 86−69701
Muter, P., Mayson, C. The role of graphics in item selection from menus 86−43501
Mutesidi, K.N. *see* Zhukov, S.F. 87−78190
Mutgatroyd, P.N. The Brooks inductor: a study of optimal solenoid cross-sections 86−68686
Muth, G.C. *see* Felice, D.B. 85−1132
Muth, L. A theory of mutual impedances and multiple reflections in an N-element array environment 86−64074
Muth, L.A. Theory of mutual impedances and multiple reflections in an N-element array environment 86−16054
Muth, L.A. Interelement interactions in phased arrays: theory, methods of data analysis, and theoretical simulations 87−7628
Muth, L.A. Displacement errors in antenna near-field measurements and their effect on the far field 87−47292
Muth, L.A. Displacement errors in antenna near-field measurements and their effect on the far field 88−66160
Muthu, C. *see* Shanmugasundaram, A. 88−18184
Muthukannan, S., Be Nguyen Analysis and measurement of ESD performance of interconnect cables 87−17422
Muthuvel, S. *see* Manoharan, L.C. 87−27781
Mutikainen, R., Salmi, J. Fabrication of thin film DC-SQUIDs 85−46100
Mutikainen, R., Salmi, J., Knuutila, J. Ion beam oxidation of Nb-based Josephson junctions 87−12076
Mutikainen, R. *see* Knuutila, J. 88−13715, 88−16453, 88−65017
Mutin, J.C. *see* Eddajibi, A.H. 88−31869
Mutluay, H.E., Fahmy, M.M. Analysis of N-D general-support IIR filters 85−23047
Mutluay, H.E., Fahmy, M.M. Adjustable digital filters 85−51644
Mutluay, H.E., Fahmy, M.M. Analysis of *N*-D general-support filters 86−8380
Mutluay, H.E., Fahmy, M.M. Frequency-domain design of *N*-D digital filters 86−20734
Mutluay, H.E., Fahmy, M.M. Frequency domain design of *N*-D digital filters 86−62763
Muto, A. *see* Uchida, K. 86−42381
Muto, E. *see* Mori, M. 85−46510
Muto, H. *see* Hiramatsu, K. 87−9901
Muto, H. *see* Mitsuhashi, J. 88−1553
Muto, H. *see* Suzuoki, Y. 85−50808, 86−15304
Muto, H. *see* Ueda, Y. 85−17905, 87−52917
Muto, J. *see* Terada, M. 86−68484
Muto, K. Fiber-optic sensors 86−70111
Muto, K. *see* Nakahara, K. 86−51538
Muto, M., Kato, T., Ito, T., Ishikawa, H. $ZrSi_2$ for LSI contact system 86−21458
Muto, M. *see* Clark, A.J. 85−38323
Muto, M. *see* Hattori, T. 85−23568
Muto, M. *see* Suzuki, T. 85−40552, 86−47416
Muto, M. *see* Tamae, T. 88−29753
Muto, N. NEC signal and power semiconductor devices 86−2090
Muto, N. *see* Morinaga, S. 85−27506
Muto, S. Portable insulation tester. II 88−75210
Muto, S., Ando, A., Ichikawa, A., Ito, H., Inaba, H. Characteristics of plastic fiber dye lasers 87−68406
Muto, S., Ando, A., Yoda, O., Hanawa, T., Ito, H. Dye laser by sheet of plastic fibers with wide tuning range 87−61109
Muto, S., Ando, A., Yoda, O., Hanawa, T., Ito, H. Tunable laser by sheet of dye-doped plastic fibres 88−27130
Muto, S., Hiyamizu, S., Yokoyama, N. Transport characteristics in heterostructure devices 87−24474
Muto, S., Ichikawa, A., Ando, A., Ito, C., Inaba, H. Trial to plastic fiber dye laser 86−68489
Muto, S., Imamura, K., Yokoyama, N., Hiyamizu, S., Nishi, H. Subpicosecond base transit time observed in a hot-electron transistor (HET) 85−50489
Muto, S., Inata, T., Ohnishi, H., Yokoyama, N., Hiyamizu, S. Effect of silicon doping profile on I-V characteristics of an AlGaAs/GaAs resonant tunneling barrier structure grown by MBE 86−67732
Muto, S., Inata, T., Sugiyama, Y., Nakata, Y., Fujii, T., Hiyamizu, S. Negative differential resistance by $In_{0.53}Ga_{0.47}As/In_{0.52}Al_{0.48}As$ resonant tunneling barriers grown by MBE 88−32863
Muto, S., Inata, T., Sugiyama, Y., Nakata, Y., Fujii, T., Ohnishi, H., Hiyamizu, S. Quantum well width dependence of negative differential resistance of $In_{0.52}Al_{0.48}As/In_{0.53}Ga_{0.47}As$ resonant tunneling barriers grown by MBE 87−37953
Muto, S., Shiba, F., Iijima, Y., Hattori, K., Ito, C. Solid thin film energy transfer dye lasers 86−42498
Muto, S., Shiba, F., Iijima, Y., Hattori, K., Ito, C. Solid thin-film energy-transfer dye lasers 87−68398
Muto, S., Shiba, F., Sano, S., Ito, C., Inaba, H. Thin film energy transfer dye lasers in spectral region of near ultraviolet to violet 85−29793
Muto, S., Shiba, F., Sano, S., Ito, C., Inaba, H. Thin-film energy-transfer dye lasers in spectral region of near ultraviolet to violet 87−54261
Muto, S., Shiba, H., Ito, C., Inaba, H., Inaba, H. Thin film dye lasers operating by radiative energy transfer 86−63792
Muto, S., Takauchi, T., Uchida, H. Tunable, guided mode selective, compact dye laser constructed on KDP prism 88−65608
Muto, S., Uchida, H., Nakamura, K. Characteristics of thin film energy transfer dye laser with DFB oscillator-amplifier system 87−26344
Muto, S., Uchida, H., Nakamura, K. Characteristics of thin-film energy-transfer dye laser with DFB oscillator-amplifier system 88−14124
Muto, S., Uchida, H., Nakamura, K., Ito, C., Inaba, H. DFB oscillator-amplifier system of thin film energy transfer dye laser 86−68490
Muto, S., Uchida, H., Takauchi, T. Thin film dye laser integrated with DFB oscillator, amplifier and mode filter on anisotropic crystal prism 87−61108
Muto, S., Yamamoto, H., Ichikawa, A., Murakami, M., Ito, H. Variable retardation plate by using bulk plastics with graded birefringence 88−58330
Muto, S. *see* Fujii, T. 86−66836
Muto, S. *see* Futatsugi, T. 87−38214, 87−45906, 88−39417
Muto, S. *see* Hiyamizu, S. 87−44329
Muto, S. *see* Imamura, K. 87−6666, 87−6679, 87−25250, 87−74254, 88−33171, 88−57611, 88−71606
Muto, S. *see* Inata, T. 87−24886, 87−37951, 87−74078, 88−19723
Muto, S. *see* Ishikawa, K. 87−46743, 88−40284
Muto, S. *see* Mori, T. 87−25227
Muto, S. *see* Sano, S. 86−41279, 87−17419, 88−14451
Muto, S. *see* Sasa, S. 86−8991, 87−6449, 87−6727
Muto, S. *see* Shiba, F. 85−62538
Muto, S. *see* Shibatomi, A. 88−13330
Muto, S. *see* Sugiyama, Y. 88−32835
Muto, S. *see* Tamura, H. 87−37974
Muto, S. *see* Yamamoto, N. 85−18143
Muto, S. *see* Yokoyama, N. 85−50503, 86−21522, 86−53611, 88−33184
Muto, S. *see* Yoshikawa, A. 88−33864, 88−38241, 88−70319
Muto, T. Some problems on reliability technology in electronic equipment 86−252
Muto, T. Trends in hybrid integrated circuits 86−67607
Muto, T. Some reliability problems around surface mounted devices 87−23432
Muto, T. Electromigration and reliability of electron devices 88−13177
Muto, T. Considerations on electromigrations around hybrid ICs 88−71256
Muto, T. *see* Kamiyama, Y. 86−38564
Muto, T. *see* Tofukuji, N. 85−26874
Muto, Y. Superconducting magnets for very high fields: status in Japan 86−9444
Muto, Y., Nakagawa, Y., Noto, K., Miura, S., Hoshi, A., Watanabe, K., Kido, G., Ichikawa, H., Fujioka, T., Sato, Y., Osaki, O., Takano, H. General survey of the Tohoku Hybrid Magnet System 87−53926
Muto, Y. *see* Chinen, K. 87−68178
Muto, Y. *see* Murase, S. 85−46113, 85−62217
Muto, Y. *see* Nakagawa, Y. 86−42202
Muto, Y. *see* Noto, K. 85−41087, 85−41091, 85−46107, 87−12081, 87−53911, 87−53927, 88−39819
Muto, Y. *see* Okajima, M. 85−35796
Muto, Y. *see* Togano, K. 87−38682
Muto, Y. *see* Umemoto, E. 88−41346
Muto, Y. *see* Watanabe, K. 87−53928, 87−53930, 87−67826
Mutoh, H. *see* Aikawa, T. 87−38657
Mutoh, K. *see* Minakawa, M. 87−4169
Mutoh, M. Development of high-duty beam channel for tagged photons at the 1.3-GeV Tokyo Electron Synchrotron 88−29746
Mutoh, M., Sakamoto, K., Kawahata, K., Kondoh, N. A remote control door system 88−69883
Mutoh, M. *see* Iwata, T. 86−44552
Mutoh, M. *see* Kurihara, A. 87−14641
Mutoh, M. *see* Takahashi, S. 87−14791
Mutoh, M. *see* Watanabe, K. 86−3063
Mutoh, N., Fujino, M., Kusabayashi, S., Yokoyama, M. Enhancement of drift mobility in photoconducting polymer by adding low-molecular-weight component 87−46644
Mutoh, N., Nagase, H., Sakai, K., Ninomiya, H. High responses digital speed control system for induction motors 86−6771
Mutoh, N., Nagase, H., Sakai, K., Ninomiya, H. High-response digital speed-control system for induction motors 86−45418
Mutoh, N., Ueda, A., Nando, K., Ibori, S. Tripless control methods for general purpose inverters 88 −75619
Mutoh, N., Ueda, A., Sakai, K., Hattori, M., Nagato, Y. Stabilizing control methods for suppressing oscillations of induction motors driven by PWM invertors 86−12827
Mutoh, N. *see* Kakuda, N. 86−21820
Mutoh, N. *see* Teranishi, N. 86−47618, 87−25284
Mutoh, T. *see* Sire, G. 85−611
Mutoh, T. *see* Uo, K. 85−32808
Mutoh, Y. *see* Shimizu, S. 85−21989
Mutone, G.A., Andersen, T.S., Klein, F.F., Hanson, J.P., Hughes, P.S., Hofer, D.A. Hybrid computer simulation of variable speed wind turbine generator 85−27368
Mutou, M. *see* Fukushima, Y. 85−64418, 86−31986
Mutou, M. *see* Takeda, S. 86−5696
Mutou, M. *see* Yoshida, K. 86−25101
Mutrakov, E.A. *see* Khodyreva, M.A. 88−25717
Mutsaers, C.A.H.A. *see* de Leeuw, D.M. 88−57268
Mutsaers, C.M.J. *see* Vollenbroek, F.A. 88−26163
Mutschler, P., Stein, M. Rectifier apparatus for direct current drives 87−58357
Mutschler, P., Voits, M. Features of μ-processor based industrial drive systems 88−69790
Mutschler, P. *see* Best, J. 86−71104
Mutschler, S. Networks are more needed than ever−LAN standards 88−28366
Mutschler, S. Software in the PC network 88−35108
Mutschler, S. Electronic post: LAN-Mail 88−73508
Mutsuddi, N. Transfer of technology and development 87−23140
Mutsukura, N., Katoh, Y., Machi, Y. Photochemical vapor deposition of hydrogenated amorphous silicon films from hydrogen diluted monosilane 87−16669
Mutsukura, N., Machi, Y. Morphology of hydrogenated amorphous silicon films by photochemical vapor deposition 86−34361
Mutsukura, N., Machi, Y. Photo-chemical vapor deposition of hydrogenated amorphous silicon films 87−5438
Mutter, K. *see* Hutzli, M. 85−27313
Mutterer, M. *see* Baum, W. 88−61089
Mutterer, M. *see* Grimm, P. 88−22928
Muttik, P.K. Reactive power compensation for thyristor drives and equipment 88−43430
Muttik, P.K. *see* Irokawa, S. 88−69005
Muttitt, G. *see* Peterherych, S. 87−57379
Mutton, J.E. *see* Prance, H. 86−2634, 86−42171
Mutton, J.E. *see* Prance, R.J. 85−24240, 86−31555, 86−63596
Muttoo, S.K., Lal, S. A reversible code over $GF(q)$ 86−36927
Mutuda, S. *see* Tsunoda, S. 85−19884
Mutyala, B.R. *see* Paesano, P.C. 87−71865
Mutzabauch, P. *see* Dumler, F. 85−64547
Mutze, K. Instruments and techniques−development trends of the eighties. I 86−24435
Mutze, K. Impact of precision mechanics and optics on intelligent measurement 86−60367
Mutze, K. Integration of precision optics, mechanics and microelectronics−the basis of intelligent measuring instruments and systems 88−15929
Mutze, K. *see* Degenkolbe, E. 87−41331
Mutze, S. *see* Voelskow, M. 86−41656
Mutzig, J.-P., Daniel, J.-P., Esnault, D., Nedelec, M. 20 GHz receive only electronically steerable antenna 85−41706
Mutzig, J.-P. *see* Daniel, J.-P. 85−41774
Mutzig, J.P. *see* Daniel, J.P. 86−68920
Mutzig, J.P. *see* Demeure, L. 88−40744

Mutzner, J. Analysis of household use of electricity in Switzerland [domestic appliances] 85−16455
Mutzner, J. Swiss electricity tariffs 86−18664
Mutzner, J. Characteristic data on combined heat and power generation plants 88−62139
Muu Le Dung *see* Le Dung Muu
Muu Le Trong *see* Le Trong Muu
Muukari, P., Nettamo, K. Total energy management for integrated pulp and paper mills 86−7343
Muurman, T. *see* Sairio, E. 85−42778
Muynck, P.De *see* De Muynck, P.
Muys, P. *see* Maes, L. 85−56553
Muyu Zhao *see* Zhao Muyu
Muzafarov, D.A. *see* Loshkarev, V.P. 86−33278
Muzafarova, S.A. *see* Anorov, N. 86−21183
Muzafarova, S.A. *see* Mirsagatov, Sh.A. 87−26195, 87−54162, 88−55621 to 55622
Muzak, N. *see* Monchalin, J.-P. 87−65586
Muzalevskii, V.E. *see* Aleksandrov, A.F. 85−13049
Muzaparov, S.V. *see* Abdurakhmanov, K.P. 88−62589
Muzdeka, G., Ostojic, D., Radojevic, Z., Rajkovic, N. Operation of large turbogenerators with stabilized proportional control 85−32429
Muzdeka, G., Radojevic, Z., Rajakovic, N. The selection of optimum parameters of suburban distribution systems 87−9153
Muzdeka, G. *see* Djuric, M. 86−50891
Muzdeka, G. *see* Duric, M. 86−33348
Muzdeka, G. *see* Ostojic, D. 88−30235
Muzek, Z. Development of power use in area of Zagreb city in the period from 1961 to 1978 85−4543
Muzek, Z. Review of thermal heating from NPPs in the world 85−15721
Muzek, Z. Characteristics of condensing turbine operation for 1000 MW nuclear power plants 87−78255
Muzek, Z., Kunaj, H. Comparison of specific costs for electric power production in TPP 88−17348
Muzek, Z. *see* Corak, D. 86−39076
Muzhang Chen *see* Chen Muzhang
Muzhdaba, V.M. *see* Kapshin, Yu.S. 87−37602
Muzhen Huang *see* Huang Muzhen
Muzhitskii, V.F. Transverse tangential component of the magnetic field of a defect 88−43960
Muzhitskii, V.F. Calculation of magnetostatic stray fields induced by surface defects of finite depth 88−70376
Muzhitskii, V.F., Fedosenko, Yu.K., Voropaev, S.I., Gerasimov, E.N., Shcheglov, A.M. Type GSP VS-11P electromagnetic structurescope 85−49648
Muzhitskii, V.F., Karabchevskii, V.A. Spectral density of the signal of the transducer of a magnetic field generated by a surface defect 88−70390
Muzhitskii, V.F., Zhavoronkov, V.G., Vlasov, V.S., Shirokov, V.I., Shaposhnikov, V.I. Eddy-current equipment for inspecting the soundness of the surface of square section blanks 88−43961
Muzi, M., Jeutter, D.C., Smith, J.J. Computer-automated impedance-derived cardiac indexes 86−32225
Muzio, J.C. *see* Aitken, R.C. 87−16976
Muzio, J.C. *see* Hurst, S.L. 86−13274
Muzio, J.C. *see* Lui, P.K. 87−10811
Muzio, J.C. *see* Miller, D.M. 85−718
Muzio, J.C. *see* Serra, M. 86−57811, 87−17046, 88−658
Muzio, P.Lo *see* Lo Muzio, P.
Muzukin, V.A., Vasilyuk, I.F., Shapovalov, V.A. Selecting high-power semiconductor devices for connection in series 88−64632
Muzutani, T. *see* Niki, N. 85−19532
Muzychenko, A.D. Equivalent conversion of circuits by a topographical method 85−17060
Muzychenko, A.D. The quality characteristics for electric energy 87−30033
Muzychenko, A.D. Coordination of the operating conditions of multiphase power sources and energy consumers 87−58209
Muzychenko, A.D. Characteristics of balancing circuits and their criteria 87−73249
Muzychenko, A.D. Synthesis of circuits for coordinating the operating conditions of two-terminal and multi-terminal networks where the latter have more than three phases 88−12143
Muzychenko, A.D. The qualitative criteria of electric energy 88−23418
Muzychenko, A.D., Trofimenko, A.P. Conditions of electromagnetic compatibility of an induction-capacitance converter with a circuit at minimum rated power of the elements 85−10009
Muzychenko, V.P. *see* Fesechko, V.A. 87−53609
Muzychuk, O.V. Statistical characteristics of a single-circuit parametric amplifier when the pump is amplitude-modulated by noise 86−40931
Muzychuk, O.V. *see* Malakhov, A.N. 85−291
Muzyk, U. The 'Tempest'−mains filter with special application 87−37436
Muzyk, U. Network noise filters for network components 87−66313
Muzyka, N.R. *see* Fot, N.A. 86−46415
Muzykin, V.A., Vasilyuk, I.F., Shapovalov, V.A., Zagorskii, V.T., Shevchenko, V.M. Investigation of disconnection processes and an analysis of failures of power thyristors 87−25261
Muzykin, Yu.D., Popova, I.M. A method of measuring the velocity pattern in a three-dimensional liquid flow 86−55890
Muzzin, G. *see* Canali, C. 88−7046
Mwanakatwe, M., Willis, M., Evans, B.G., Coakley, F., Mahmoud, M. CODE: a Ka-band Co-operative Data Experiment for Olympus 88−9510
Mwandosya, M.J., Subrahmanyam, V., Mohamed, M.R. Stability analysis of a variable frequency induction motor using *D*-decomposition method 85−60160
Mwangi, E., Xydeas, C. Voiced-unvoiced-silence classification for speech using fuzzy set theory 86−29815
Mwangi, E., Xydeas, C.S. The use of phoneme-like templates in isolated word recognition without time alignment 87−47606
Mwenechanya, J.M. Technology advance and electrical engineering curriculum at the University of Zambia 88−62959
Myachin, V.E. *see* Arutyunov, E.N. 86−21377
Myachin, V.E. *see* Vasil'ev, M.G. 86−58942
Myae, E.A. *see* Ado, Y.M. 86−31902
Myagkov, A.D. *see* Kovalev, Yu.Z. 88−5920
Myagkov, I.V. *see* Davydov, Yu.G. 87−48465
Myagkov, I.V. *see* Deshevoi, A.S. 86−41611
Myagkov, I.V. *see* Stoma, S.A. 88−33550
Myakas, V.I. *see* Tass, O.A. 86−25858
Myakinin, V.A., Tikhonova, N.S. Influence of thermal self-interaction on the coherence of radiation pulses in a homogeneous medium 86−9921
Myakinin, V.A. *see* Agrovskii, B.S. 86−29409
Myakinin, V.A. *see* Vorob'ev, V.V. 88−2347
Myakinin, V.S. *see* Novoselov, Yu.B. 87−22949
Myakin'kova, L.V. *see* Aleshin, V.I. 87−68759
Myakin'kova, L.V. *see* Bogomolov, N.M. 88−6559
Myakin'kova, L.V. *see* Kapranov, B.I. 87−36828
Myakov, V.N. *see* Abramov, A.A. 86−2748, 86−28834
Myakushin, V.A. *see* Lint, K.E. 87−68575
Myalitsin, L.A. *see* Volenko, V.V. 86−29206
Myalitsin, V.K. *see* Buzulutskov, A.F. 86−32160, 86−60592
Myall, J.O. *see* Hanson, C.L. 85−1914
Myall, J.O. *see* Summers, L.T. 88−65104
Myall, J.V.W. The design of production terminal equipment for digital optical-fibre submarine cable systems 86−69753
Myashkauskas, A. *see* Kazlauskene, V. 86−63703, 88−39224
Myasin, E.A. *see* Kalinin, V.I. 85−61444
Myasin, Ye.A., Panas, A.I. Steady-state condition of a microwave self-excited generator of wide-band stochastic oscillations 85−1244
Myasnikov, A.G. *see* Drabovich, Yu.I. 86−7965
Myasnikov, A.N. *see* Alekseev, K.P. 85−2244
Myasnikov, A.Yu. *see* Akulintsev, V.M. 87−38986
Myasnikov, E.N. *see* Bogolyubov, A.A. 86−10102
Myasnikov, I.A. *see* Sukharev, V.Ya. 87−53149
Myasnikov, O.G. *see* Kruglikov, V.K. 87−16464
Myasnikov, V.I. *see* Kazarinov, Yu.M. 85−13737
Myasnikov, V.N. Analysis of circuits with atypical connections of operational amplifiers 87−16894
Myasnikov, V.N. A stability criterion for frequency-independent circuits 87−31665
Myasnikov, V.N. Noise and temperature drift of operational-amplifier negative impedances 87−44638
Myasnikov, V.N. The analysis of networks with operational amplifiers 87−52310
Myasnikov, V.N. Design of linear circuits using microcircuits 88−49983
Myasoedov, G.B. *see* Chernyshev, E.P. 88−38370
Myasoedov, V.E. Plotting the electromagnetic characteristics when transmitting power through a magnetic frequency divider 85−16117
Myasoedov, V.E. Characteristics of supply sources of plants for painting parts by the electrodeposition method 87−9966
Myasoedov, V.E., Ratyni, A.K. A method of investigating the stability of an inductive parametric periodic-current generator 87−4803
Myasoedov, Yu.N. *see* Romanov, O.V. 85−12068
Myasoyedova, E.I. *see* Guseva, L.S. 85−16394
Myatt, A. *see* Hanak, J.J. 87−16034, 87−42131, 88−37482
Myatt, A.J., Spragg, D.A., Ballingall, R.A., Blenkinsop, I.D. Flexible electronic control and correction system for use with IR focal plane arrays 88−47566
Myatt, A.J. *see* Blenkinsop, I.D. 88−47565
Myatt, J. The effect of diagnostic type X-rays on CMOS circuitry 85−38247
Myatt, M.M. Computer mapping expedites transmission siting 86−6297
Myazdrikov, O.A. *see* Shigorin, V.P. 85−48059
Myazitova, L.Sh. *see* Radzievskii, V.G. 88−34350
Myazitova, L.Sh. *see* Radziyevskiy, V.G. 88−72948
Myburg, G., Swanepoel, R. The influence of substrate temperature on the deposition rate and optical properties of a-Si:H thin films prepared by RF-glow discharge 87−31569
Myburg, G., Swanepoel, R. The influence of preparation parameters on the deposition rate, density and optical properties of thin hydrogenated amorphous silicon films prepared by RF glow discharge 87−58984
Myburg, G., Swanepoel, R. On the uniformity of thin a-Si:H films prepared in an RF-glow discharge system 88−70355
Mycielski, A. *see* Wojtowicz, T. 86−8820
Mycielski, J. *see* Bimberg, D. 86−21221
Mycielski, W. *see* Turlo, J. 85−55481
Mycynek, V.G., Fockens, P. TV multichannel sound−reception and decoding 85−3792
Mydill, M. A generic procedure for evaluating VLSI test system timing accuracy 88−15959
Mydlik, M. *see* Brezansky, P. 86−1328, 86−4245 to 4246
Mydosh, B.L. *see* Brackett, W.E. 85−65610
Mydske, G. How a major European business company meets today's technological challenges 87−48323
Myears, D.W. *see* Herrero, P. 88−48120
Myeong Kim Nak *see* Nak Myeong Kim
Myer, D. RF power amplifiers in MRI 86−70388
Myer, R. *see* Johnson, A.K. 87−76616
Myer, T.H. The MHS recommendations, structure and implementation perspective [message handling] 85−19721
Myerberg, D.Z. *see* David, Y. 85−64530
Myerburg, R.J. *see* Luceri, R.M. 87−21665
Myerowitz, P.D. *see* Swanson, D.K. 85−38052
Myers, A., Cartwright, R.A., Bonnell, J.A., Male, J.C., Cartwright, S.C. Overhead power lines and childhood cancer 86−32386
Myers, A. *see* Pinarbasi, M. 88−25912
Myers, A. *see* Rowley, A.T. 87−29263
Myers, A.C. Voice communication: tying the technologies together 86−55212
Myers, B. Transistors: a biased approach. I 85−23742
Myers, B. Transistors: a biased approach. II 85−28333
Myers, B., Bohm, M.A. A digital/linear combined cell family approach 87−5631
Myers, B., Hoh, J. A specialized router for high density digital boards 87−6216
Myers, B., Morgan, P., III An automated analog CMOS design method using a standard cell approach 86−2407
Myers, B. *see* Laczko, F. 87−5917
Myers, C. On the use of linear programming for spectral estimation 87−19736
Myers, C. Symbolic representation and manipulation of signals 87−62131
Myers, C. *see* Nordon, P. 85−37784
Myers, C.H. PCs move into project management 87−72776
Myers, C.O. Kern River cogeneration project 87−30370
Myers, C.O. *see* Normand, J. 88−11103
Myers, D. Japan's INS system probes the present for clues to future services 85−42099
Myers, D. Teletraffic engineering faces enormous opportunities in the information age 86−16723
Myers, D., Inan, C. Telecommunication carriers to spend $23.634 billion in 1985 85−36521
Myers, D. *see* Fawcett, K. 87−31970
Myers, D. *see* Gonia, P. 88−35544
Myers, D. *see* Inan, C. 85−42043
Myers, D. *see* Riordan, C. 87−9801
Myers, D.E. Machine vision for process control 87−10207
Myers, D.E. *see* Carr, J.R. 85−59410
Myers, D.G. Developments in digital image processing equipment 87−29002
Myers, D.J., Ivey, P.A. A design style for VLSI CMOS 85−62114
Myers, D.J. *see* McGrath, D.S. 86−14184
Myers, D.K., Danziger, A.S., Soulanille, T.A. Radiation tolerant memory selection for the Mars Observer Camera 88−25200
Myers, D.K., Herzog, W., Phy, W., Coppage, F. Ionizing radiation effects on copper-clad polyimide 85−17949
Myers, D.R. Ion-implantation doping of strained-layer superlattices 85−55674
Myers, D.R., Arnold, G.W., Zipperian, T.E., Dawson, L.R., Biefeld, R.M., Fritz, I.J., Barnes, C.E. Zinc-implantation-disordered (InGa)As/GaAs strained-layer superlattice diodes 86−67791
Myers, D.R., Biefeld, R.M., Gourley, P.L., Wiczer, J.J., Zipperian, T.E., Fritz, I.J., Barnes, C.E., Osbourn, G.C. Characterization of ion-implantation doping of strained-layer superlattices. II. Optical and electrical properties 87−25075
Myers, D.R., Picraux, S.T., Doyle, B.L., Arnold, G.W., Biefeld, R.M. Characterization of ion-implantation doping of strained-layer superlattices. I. Structural properties 87−25074
Myers, D.R., Stein, H.J., Tsao, S.S., Arnold, G.W., Hughes, R.C., Miller, W.M., Jones, R.V., Datye, A.K. Characterization of buried-nitride silicon for integrated circuit applications 88−44603

Myers, D.R. *see* Bulman, G.E. 85—56444, 86—11590, 86—48261
Myers, D.R. *see* Emery, K.A. 87—9769
Myers, D.R. *see* Picraux, S.T. 85—45537
Myers, D.R. *see* Tsao, S.S. 88—33200
Myers, D.R. *see* Yages, G.J. 88—4462
Myers, D.T. *see* Guinther, D.W. 86—46776, 87—10822
Myers, E., Ozturk, M.C., Wortman, J.J., Hren, J.J. Low-temperature extended defect removal following low-energy ion implantation 88—64225
Myers, E. *see* Sadana, D.K. 85—12160
Myers, E.D. Faster and cheaper 88—35266
Myers, E.G., Murnick, D.E., Lowry, M.M., Calaprice, F.P. ^{6}Li$(\alpha,\gamma)^{10}$B with an optically pumped polarized lithium vapor target 87—3873
Myers, E.G. *see* Fox, J.D. 87—56956
Myers, E.V. *see* Jarvis, C.S. 88—9808
Myers, F. *see* Eddison, I. 87—73669
Myers, F.A. Performance parameters examined for millimeter-wave solid-state devices 85—11563
Myers, F.A. Applying GaAs MMICs 87—52824
Myers, F.A. Monolithic microwave integrated circuits 87—73709
Myers, F.A. *see* Singh, J.K. 88—25512
Myers, G. CAD-integrated vision and robotics: data-driven automated SMT board assembly 88—38889
Myers, G., Broderick, D., Skolnik, B., Johnson, D., Mayuga, R. A QRS-synchronized programmable endocardial stimulator 88—10404
Myers, G. *see* Ismail, M. 86—793
Myers, G.A., Martin, G.J., Magid, N.M., Barnett, P.S., Schaad, J.W., Weiss, J.S., Lesch, M., Singer, D.H. Power spectral analysis of heart rate variability in sudden cardiac death: comparison to other methods 87—29770
Myers, G.A. *see* Daeubler, N.K. 86—25894
Myers, G.H. FDA regulation of diagnostic ultrasound 87—3956
Myers, G.J., Yu, A.Y.C., House, D.L. Microprocessor technology trends 87—24244
Myers, G.L., Thrush, L.L., Limanowski, J.J. The role of the human factors designer in an integrated computer system 88—28615
Myers, J. Developments in the control and monitoring of flameproof motor starters and switchgear 85—43939
Myers, J., Abramowitz, H. Power interface circuits for motor drives 87—44597
Myers, J., Abramowitz, H. Power interface circuits for motor drives 87—64849
Myers, J. *see* Danielson, M.J. 86—11544
Myers, J. *see* Goodman, W. 85—39554
Myers, J. *see* Ingaki, T. 85—49670
Myers, J. *see* Scheps, R. 88—65651
Myers, J. *see* Troullinos, G. 86—32631, 87—57503, 88—54852
Myers, J.A. *see* Lancaster, J.T. 87—71754
Myers, J.E. *see* Goodman, W.A. 85—11789
Myers, J.G. *see* Garrett, D.L. 87—72192
Myers, J.T. Reorganization of Army information systems 86—43424
Myers, K., Schonacher, D., Larsen, D. Digital subs for analog in today's environment 86—69586
Myers, K.I., Molle, M.L. An adaptive permit-based congestion control technique 87—28147
Myers, K.J. *see* Fiete, R.D. 88—23061
Myers, L. Are you ready for meet point billing? 85—46997
Myers, L. Cellular hurdles billing barriers 86—23756
Myers, L. Verification problems with meet point billing 87—55471
Myers, L., Spencer, M.G. Improvement in resolution and reproducibility using the polymethylmethacrylate/polymethylacrylic acid bilayer system 87—11852
Myers, L.T. *see* Glagola, B.G. 85—20860
Myers, M. MDM Microsystems—a five-year test strategy proposal 88—57149
Myers, M.A. ΔI vs. ΔY: a quantitative analysis of the trade-offs between higher capital investment and higher yield in PCB testing 85—34338
Myers, M.A. The economic impact of ATE process management networks on just-in-time manufacturing methods 88—25705
Myers, M.C. *see* Raleigh, M. 88—42379
Myers, M.S. Innovative techniques for research and development financing 86—13406
Myers, N. Computer based event timer system 88—48682
Myers, P.W. *see* Rozner, J.D. 85—16506, 86—33385
Myers, R. CAD/CAM for printed circuit boards 85—45298
Myers, R.A. VLSI manufacturing as tea ceremony—Possible foundations of Japanese chip quality 87—67423
Myers, R.A. *see* Aviram, A. 85—29445
Myers, R.L. CAD interfaces with CAM for PCB manufacturing 85—61551
Myers, R.L. Design-to-ATE link restrains testing cost 86—20934
Myers, R.L. Integrating design and the automated factory for printed circuit boards 88—44444
Myers, R.L., Vernon, D. Field experiences using dilution probe techniques for continuous source emission monitoring 86—44465
Myers, S. Trends in standardization of local networks 85—57778
Myers, S. Possible parameters of 1 TeV×1 TeV Two-Beam Accelerator 86—5706
Myers, S. Effect of reactive feedback on the transverse mode coupling instability using the few-particles model and simulation 86—24970
Myers, S. Beam-beam simulation for colliding bunchlets in CLIC 88—54235
Myers, S. Synchro-betatron resonance excitation in LEP 88—54267
Myers, S., Olsen, R., Wilson, I. Hardware for the LEP transverse feedback system 88—54169
Myers, S., Vancraeynest, J. Simulation of instabilities in the presence of beam feedback 85—37841
Myers, S. *see* Hofmann, A. 86—31930
Myers, S.R. Vertical compatibility—an integrated approach to TEST 88—29261
Myers, T. A second generation of bit-slice microprocessors 86—52882
Myers, T., Jain, S. Use of PRA to support the Toledo Edison integrated living schedule program 85—43790
Myers, T.H., Giles-Taylor, N.C., Yanka, R.W., Bicknell, R.N., Cook, J.W., Jr., Schetzina, J.F., Jost, S.R., Cole, H.S., Woodbury, H.H. Properties and applications of CdTe/sapphire epilayers grown by molecular beam epitaxy 85—33427
Myers, T.H. *see* Gibbons, M.D. 88—74412
Myers, T.H. *see* Jost, S.R. 88—431
Myers, T.R. A portable digital speech processor for an auditory prosthesis 85—48337
Myers, W.V. Latching analog comparator circuit 85—6459
Myerscough, J.J. *see* Bene, P. 88—56532
Myerscough, J.J. *see* Bonesini, M. 88—23001, 88—29823, 88—61141
Myerscough, P.B. Role of simulation in training nuclear power station operating engineers in the CEGB 85—15711
Myerson, K.R. *see* Foy, D.M.A. 87—29712
Mygind, J., Bindslev, Hansen, J., Clarke, J., Ovsyannikov, G.A., Svensmark, H. Period three generation on microwave-induced constant-voltage steps of Josephson tunnel junctions 87—67880
Mygind, J., Pedersen, N.F. On the behaviour of a two dimensional Josephson tunnel junction in the weakly nonlinear regime 85—56194
Mygind, J. *see* Bindslev Hansen, J. 85—62255, 87—25883
Mygind, J. *see* Hansen, J.B. 87—74576
Mygind, J. *see* Kofoed, B. 85—46087
Mygind, J. *see* Soerensen, M.P. 85—1879, 85—56193
Myhre, D.L. *see* Shih, S. 86—18616
Mykietyn, E. *see* Belohoubek, E. 87—6059
Mykietyn, E. *see* Fathy, A. 87—45269
Mykietyn, E. *see* Johnson, H.C. 85—19269
Mykietyn, E. *see* Lan, G. 87—6093, 87—45270
Mykkanen, C.F. *see* Blinde, D.R. 88—45631
Myklebust, J., Geisler, M., Prieto, T., Weiss, R. Distributed data acquisition for biomechanics research 88—48096
Myklebust, J.B. *see* Chilbert, M. 88—74779
Myklebust, K. The Telematic network: an outline 86—16712
Myland, J.C., Oldham, K.B. Membrane-covered oxygen sensors: an exact treatment of the switch-on transient 85—3956
Myler, H.R., Thompson, W.E. Knowledge-based intelligent tracking [visual tracking] 86—49719
Myler, H.R., Thompson, W.E., Flachs, G.M. Knowledge base enhancement of visual tracking 86—16551
Myles, A. Application of power system stabilisers on the Anglo-Scottish interconnection. British system operation experience 88—48479
Myles, A.J.W. Sound level measurement and IEC 804 85—63991
Myles, R.J. *see* Blakley, J.R. 88—21148
Myllykangas, A. *see* Hirvensalo, J. 85—47356
Myllykangas, A. *see* Rahko, K. 85—51884
Myllyla, R., Ahola, R., Kopola, H., Kostamovaara, J., Voho, P. Applications of laser diodes and position sensitive detectors in determining mechanical misalignments of linear motions and off-line compensation performed by cartesian coordinate robots 87—19110
Myllyla, R. *see* Ahola, R. 86—3407, 86—65027, 87—49935 to 49936
Myllyla, R. *see* Heikkinen, T. 87—49529
Myllyla, R. *see* Kopola, H. 87—29326, 88—22618, 88—36038
Myllyla, R. *see* Kostamovaara, J. 86—1160, 87—21018
Myllyla, R. *see* Moring, I. 88—53594
Myl'nikov, A.V. *see* Iskhakov, Sh.Kh. 87—70686
Myl'nikov, G.D. *see* Bobrovskii, A.N. 88—33939
Myl'nikov, M.Yu. *see* Genkin, V.N. 86—48072
Mylnikov, V. Liquid crystal light valves with organic polymeric photoconductors 88—33781
Myl'nikov, V.S., Groznov, M.A., Morozova, E.A., Soms, L.N., Vasilenko, N.A., Kotov, B.V., Pravednikov, A.N. Efficient reversible phase recording of optical information by a structure consisting of an organic polymer photoconductor and a liquid crystal 86—2873
Myl'nikov, V.S., Ivanov, A.M. Holographic characteristics of a twist-effect LC light modulator with an organic polymer photoconductor 88—26898
Myl'nikov, V.S., Morozova, E.A., Vasilenko, N.A., Kotov, B.V., Pravednikov, A.N. Space-time modulation of light by a liquid crystal-organic polymer photoconductor structure 86—15527
Myl'nikov, V.S. *see* Danilov, V.V. 86—28912
Mylnikov, V.S. *see* Groznov, M.A. 88—72166
Myl'nikov, V.S. *see* Ivanov, A.M. 88—20452
Myl'nikov, V.S. *see* Vladimirov, F.L. 86—36533
Mylvaganam, K.S. Coaxial line to stripline directional coupler 87—37506
Mylvaganam, K.S. Low frequency ultrasonic contrapropagating transit time system for gas flowmetering 88—16991
Mymrikova, N.N. *see* Algazinov, E.K. 85—1245
Mynard, J.E., Richmond, C.J., Knowler, C., Pasztor, E., Peart, R.F., Yao, M.F., Hemment, P.L.F., Stephens, K.G. Progress report on the 400 keV research implanter at the University of Surrey 85—34774
Myodo, O., Yagishita, K., Ohta, M., Kurahashi, K. A large screen color display using array of liquid-crystal display modules 85—14908
Myogadani, T., Tanaka, S. Mode field diameter. Measurement in far field pattern method and characteristics 87—46530
Myogadani, T., Tanaka, S., Suetsugu, Y. Polarization fluctuation in single mode fiber cables 86—36238
Myogadani, T. *see* Suganuma, H. 86—36236
Myohga, O., Igarashi, H., Kawahata, H. High-resolution magnetic scale device with Fe-Co-Mn-C alloy hard magnet and magneto-resistance element 86—17961
Myohga, O., Igarashi, H., Kubo, Y. Magnetic properties of a new hard magnet alloy $(Fe_{40}Co_{40}Mn_{20})_{98.6-x}C_xSi_{1.4}$ $(x \sim 0.4)$ 85—56088
Myoi, Y., Hishii, M., Yoshida, H., Nagai, H., Tabata, N. The application of an unstable resonator to a high-pressure CW CO_2 laser 85—35813
Myoi, Y. *see* Tabata, N. 85—56549
Myojin, S. *see* Takata, N. 85—4896
Myojin, T. *see* Tokumasu, S. 85—62719
Myojo, M. *see* Sangen, M. 88—6013
Myokan, I. *see* Shindo, M. 85—28239, 86—7840
Myong Kim Jong *see* Kim Jong Myong
Myono, T., Hasegawa, M., Tanaka, O. Mask pattern check program (MASPAC) 85—61999
Myooi, T. *see* Ohishi, K. 87—9575
Myoung Park Chun *see* Chun Myoung Park
Myoung Sam Ko *see* Jin Yang Park 88—49135
Myoung-Joong Yoon *see* Jae-Yong Lee 87—78458
Myoung-Sam Ko, Wook-Hyun Kwon, Jang-Gyu Lee, Sang-Uk Lee, Soon-Hak Kwon A study on the design of an educational robot system—-speed and position controller of DC servomotor 85—21657
Myoung-Sam Ko *see* Wook-Hyun Kwon 87—72814
Myrabo, H.K., Hoimyr, T., Skjervold, J.E., Stromman, E., Lillesaeter, O. Analyzing field recorded videograms: equipment and method 87—28826
Myrashov, A.G. *see* Zhukov, Yu.P. 85—64338
Myrcik, C. An improved control structure for field orientation controlled induction motor drive 87—15719
Myreeva, Z.I. *see* Shchepina, L.I. 87—26365
Myren, P.O. Operating and maintenance functions [ITT 1240 system] 85—36859
Myrick, D.L., Throckmorton, D.A. Comprehensive analysis of Shuttle Orbiter leeside surface infrared imagery obtained during atmospheric entry 87—14169
Myring, W.J. *see* Aitken, T.W. 86—38650
Myron, D.D., Zrudsky, D.R. Implant uniformity improvement using advanced scanning techniques 87—60278
Myron, D.D. *see* Zrudsky, D.R. 87—67086
Myron, H.W. *see* Janssen, J.J.M. 87—61346
Myron, H.W. *see* Long, A.P. 86—47283
Myron, H.W. *see* McFadeen, C. 85—40486
Myron, H.W. *see* Newson, D.J. 86—67724
Myron, H.W. *see* Powell, T.G. 85—50301, 86—53669
Myron, H.W. *see* Reijers, H.T.J. 86—36679
Myron, H.W. *see* Rikken, G.L.J.A. 85—34580, 86—53409
Myron, H.W. *see* van Kleef, R.P.A.R. 85—24770
Myrvaagnes, R. VHSIC program moves on in Phase 2 86—34647
Mysak, I.S., Botvinov, V.P., Finkevich, A.A. An experimental study of the performance of a 300 MW generator under load surges 85—15837
Mysak, I.S. *see* Prokopenko, A.G. 88—62192
Mysen, B.O. *see* Rubin, M. 85—20794
Mysenkov, A.I. *see* Asmolov, V.G. 88—5468
Mysh, A.G. Seismographs with a zero constant 86—44781
Myshalov, P.I. *see* Batishche, S.A. 86—54123
Myshatina, V.A. *see* El'kind, Yu.M. 86—33330
Myshenko, V.V. *see* Kopylov, A.A. 85—56466

Myshenskiy, A.N. *see* Kuperman, G.M. 85−6236
Myshinskii, G.V. *see* Avdeev, S.P. 86−60600
Myshkin, V.V. *see* Sannikova, T.A. 88−17506
Myshlyaev, V.N., Malyshev, I.V., Kolesnikov, S.V. Linearizing the resistance of MDS resistors 87−74127
Myshlyavkin, V.I. *see* Shcherbakov, B.Ya. 86−56032
Myskja, A. Planning of the telecommunication network: a challenge for educational institutions? 87−31245
Mysko, S.N. *see* Alexandrov, V.V. 85−7917, 86−23140
Myslik, J. Contribution to network analysis by the transfiguration method 86−6315
Myslik, J. Diakoptical circuit analysis at the change of branch impedances 88−24860
Myslik, V. *see* Kubecek, V. 88−71380
Myslik, V. *see* Machac, P. 87−33162
Myslik, V. *see* Svorcik, V. 88−39059
Myslik, V. *see* Szendiuch, I. 88−57173
Myslin, D.A. Finding the protective zones of lightning conductors by means of a microcalculator 86−39227
Myslinski, P. High-efficiency single-frequency CW ring dye laser 87−2218
Myslinski, P. Integrated acousto-optic mode locker 87−19018
Myslinski, P. Rapid scanning autocorrelator for measurements of ultrafast laser pulses 87−46961
Myslivets, S.A., Lukinykh, V.F., Popov, A.K., Slabko, V.V. Interference of ninth-order resonance processes and seventh-order nonresonance processes during generation of the seventh harmonic of neodymium-laser emission in mercury vapor 86−9957
Myslivets, S.A. *see* Lukinykh, V.F. 85−24657, 88−2376
Myslovich, M.V. *see* Marchenko, B.G. 87−22229
Mysore, S. Connector loss and reflection coefficient variations with wavelength 88−39933
Mysore, S. *see* Ng, A. 85−14299
Mysore, S. *see* Paz, E. 87−26028
Mysore, S.M. Error analysis of chromatic dispersion measurement technique at 1300 nm and 1550 nm 87−70077
Mysore, S.M., Pedersen, P., Cleveland, J.R. Chromatic dispersion measurements and related system power penalties 87−26027
Mysore, S.M. *see* Grace, M.K. 87−68152
Mysson, P. *see* Denis, A. 88−37990
Mysyrowicz, A., Hulin, D., Migus, A., Antonetti, A., Gibbs, H.M., Peyghambarian, N., Markoc, H. High-speed phenomena in GaAs multiple-quantum-wells 87−45673
Mysyrowicz, A. *see* Claude, M.L. 85−41488
Mysyrowicz, A. *see* Gibbs, H.M. 87−46585
Mysyrowicz, A. *see* Hulin, D. 87−7434, 88−8015
Mysyrowicz, A. *see* Migus, A. 85−24641, 87−33306
Mysyrowicz, A. *see* Peyghambarian, N. 87−26542, 87−26548
Myszkorowski, K. *see* Kaoki, E. 88−23861
Myszkowski, R. A multivibrator-based random number generator 87−44995
Myszkowski, R., Podlejski, K. Generator of random pulse train of Poisson type 85−33720
Myszkowski, R., Podlejski, K. An attempt of defining a metrological model of the man-machine system 86−44081
Myszkowski, R. *see* Hiler, G. 86−59354
Myszkowski, R. *see* Podlejski, K. 85−58493
Mythili, R. *see* Singh, P. 87−50045
Mytnik, I.S. *see* Guda, L.A. 86−24492
Mytri, V.D., Shivaprasad, A.P. Improving the dynamic range of a CVSD coder 86−43160
Mytri, V.D., Shivaprasad, A.P. Constant factor incremental delta modulator 86−52732
Mytri, V.D., Shivaprasad, A.P. Hybrid constant factor incremental delta modulators 87−2404
Mytri, V.D., Shivaprasad, A.P. Implementation of a modified CVSD coder 87−33601
Mytskikh, V.A., Achapovskaya, A.M., Dorofeichik, A.N. Structure of the operation and control personnel and its influence on reliability of a power system 88−10695
Mytskikh, V.A. *see* Achapovskaya, A.M. 86−26525
Mytsyk, G.S. Transformation of parameters of multiphase signals based on the principle of quasi-single-phase modulation 87−30761
Mytsyk, G.S., Chesnokov, A.V., Mikheev, V.V. Synthesis of three-phase converters with improved converted-energy quality 87−72244
Mytsyk, I.A. *see* Zdesenko, Yu.G. 87−71037
Myuller, M. *see* Belyaev, L.S. 88−36916
Myung, J.-S. *see* Oliner, A.A. 86−11688
Myung Chan Kyu *see* Chan Kyu Myung
Myung Chul Shin Design and fabrication of VTR audio signal processor IC 88−47330
Myung Chul Shin, Young Wook Jang, Young Saeng Kim, Jin Soo Ko Design and fabrication of digital tuning analog component IC 87−49267
Myung Chul Shin, Young Wook Jang, Young Saeng Kim, Jin Soo Ko, Chan Kyu Myung, Sung Ki Min Design and fabrication of teletext bit slicer IC 87−2841
Myung Chul Shin *see* Young Wook Jang 87−46165
Myung Hwan Oh *see* Eun Dong Kim 86−9179
Myung Hwan Oh *see* Gun Yong Sung 88−19423
Myung Hyun Yoon, Hee Cheon No Direct numerical technique for mathematical programming for optimal control of xenon oscillation in load following operation 86−6522
Myung Jin Bae, Ik Joo Chung, Souguil Ann The extraction of nasal sound by using G-peak in continued speech 88−45979
Myung Jin Chung *see* Jee Hong Kim 88−11051
Myung Jin Chung *see* Young'Gill Kim 88−43685
Myung Jong Lee A method for realization of fault locator by improving the signature analyzer 85−37515
Myung Jong Lee, Souguil Ann A study on the image restoration in the defocused image 86−3974
Myung Ki Kim *see* Soon Heung Chang 85−22280, 85−28108
Myung Oh Plans and improvements in the Korean national communications system 85−42085
Myung Oh Information age in Korea 86−54642
Myung Oh Korean telecommunications development strategies 87−55461
Myung Sung-Ho *see* Sung-Ho Myung
Myung-Chul Shin Technological trends of digital relaying 86−65768
Myung-Chul Shin, Chul-Hwan Kim A study on the digital relaying techniques by real-time symmetrical components of power system 88−42797
Myung-Chul Shin, Moo-Woong Kim Analysis method for very quiet power systems using phase coordinate limits 87−64033
Myung-Ho Lee Computer systems for ECG data processing 86−5946
Myung-Ho Lee *see* Hyung-Hoon Kim 86−70424
Myung-Hwan Oh Sensor engineering and the new technological age. III. Sensors for measurement instrumentation and automobiles 87−63376
Myung-Hwan Oh *see* Chol-Kon Chee 85−11588
Myung-Hwan Oh *see* In Jae Chung 85−55191
Myung-hwan Oh *see* In-jae Chong 88−60837
Myung-Hwan Oh *see* Myung-Sik Kim 86−8528
Myung-jong Yoon Examination of and prospects for power electronics 88−18913
Myung-Joong Yoon *see* Sung-Soo Hong 87−35949
Myung-Joong Youn AC motor drive systems 85−60465
Myung-Joong Youn *see* Jung-Ho Ko 88−11308
Myung-Joong Yuon *see* Ok-Kyun Cho 87−78679
Myung-Ki Kim, Young-Deuk Moon Implementation of D-algorithm by using PROLOG 86−62551
Myung-Kyo Lee, Chang-Lee Hong Effect of electrical properties of ternary system PZT by hydrothermal reaction temperature 87−74463
Myung-Kyu Lee *see* Doo-Soo Ahn 86−62390
Myung-Ouk Kim *see* Sang-Sam Choi 85−14806
Myung-Sai Chung *see* Tae-Bong Eom 87−18903
Myung-Sam Ko *see* Kwang-Bae Kim 86−56765
Myung-Sik Kim, Myung-Hwan Oh Co_2O_3 doping effects on the electrical properties of ZnO varistor 86−8528
Myung-suk Jo *see* Burk, D.E. 87−11720
Myung-Whan Oh Sensor engineering and the new technological age. II. Sensors used in domestic electrical goods 86−66511
Myung-Whan Oh Sensor engineering and the new technological age. I. Sensors used in industry 87−29061
Myunghwan Kim *see* Ho Sung Kim 88−14801
Myunghwan Kim *see* Ja Young Koo 86−48990
Myungjin Bae, Inseop Lee, Souguil Ann An effective storage method during a sampling of speech signals 88−45981
Myungjin Bae, Jaeyeol Rheem, Souguil Ann A study on the energy extraction using G-peak from the speech production model 88−45980
Myungwhan, C. *see* Lee, K.J. 87−62512
Myzgin, E.A. *see* Belyaev, S.V. 85−26920
Myzin, A.L. *see* Arzamastsev, D.A. 88−68790
Myznikov, K.P., Soloviev, L.D., Yarba, V.A. IHEP accelerating and storage complex (UNK) 85−31661
Myznikov, K.P. *see* Ageev, A.I. 88−47779
Myznikov, K.P. *see* Ageyev, A.I. 85−50890, 88−45015
Myznikov, K.P. *see* Andreyev, N.I. 85−26650, 86−53933
Myznikov, K.P. *see* Balbekov, V.I. 85−26562
Myznikov, K.P. *see* Gertsev, K.F. 88−65034
Myznikov, K.P. *see* Vasilev, A.A. 86−38661
Myznikov, V.P., Preobrazhenskii, V.B., Uspenskii, B.G. Recording channels for seismic-wave probing 86−44778
Myznikov, Yu.F. *see* Aleksandrov, A.Yu. 87−12358, 87−74982, 88−58439
Myznikov, Yu.F. *see* Basov, N.G. 85−18872, 85−51114, 85−56533, 86−9757, 86−15643, 86−22320, 87−18897
Mzhavanadze, R.N. *see* Artyukhin, N.I. 87−62397
Mzhavia, D.A. *see* Baranov, V.A. 87−14796

N. Donaldson, N.de *see* de N. Donaldson, N.
Na, S.-J., Park, S.-W. Velocity-controlled shape-tracing system using eight optical sensors 88−74444
Na, S.-J. *see* Park, S.-W. 88−50456
Na Guen Sik *see* Guen Sik Na
Na Man Ho *see* Man Ho Na
na Ranong, C. *see* Simcock, A.L. 87−34125
na Ranong, C. *see* Simock, A.L. 88−3540
Na Shuzhen *see* Wang Dewu 88−68354
Na Zhao-feng *see* Zhao-feng Na
Naab, A. Development strategy of the DBP for the telecommunication system: the use of optical fibre systems in the subscriber area 87−28623
Naaman, L., Bovik, A. Censored order statistic filters 88−34835
Naaman, L., Bovik, A.C. Optimal order statistic filters with coefficient censoring 88−66522
Naaoka, M. *see* Ogiwara, H. 86−39976
Naase, S. *see* Gabusi, J. 86−32029
Naata, T. *see* Ieda, M. 85−35242
Naats, I.E. *see* Kostin, B.S. 85−4446
Naba, T. *see* Akimitsu, J. 85−58841
Nabae, A., Ogasawara, S., Akagi, H. A novel control scheme of current-controlled PWM inverters 86−39963
Nabae, A., Ogasawara, S., Akagi, H. A novel control scheme for current-controlled PWM inverters 87−4788
Nabae, A. *see* Akagi, H. 85−5343, 85−9854, 86−6768, 86−39961, 86−45494, 86−67011, 86−71076, 87−22580, 87−45024, 88−50238
Nabae, A. *see* Kohata, M. 88−68838
Nabae, A. *see* Ogasawara, S. 86−6727, 86−45461, 87−9639, 87−30515, 87−42793, 88−24067, 88−69281
Nabae, A. *see* Peng, F.Z. 87−66338, 88−31213
Nabae, A. *see* Yamada, U. 87−30081
Nabarro, D. Radiopaging—a cost effective alternative to cellular radio 88−67272
Nabatian, D., Nguyen, P.H. The effect of mechanical properties of thick film inks on their ultrasonic wire bondability 88−1300
Nabatnikov, A.A. *see* Anisimov, Yu.N. 86−32854
Nabatov, A.S. *see* Savich, N.A. 87−56310
Nabavi, C. Choosing a computer board 85−22923
Nabel, E., Heidt, H., Stade, J. Comparison of microfocus X-ray units 86−46397
Nabel, E. *see* Erhard, A. 88−43958, 88−63397
Nabel, E. *see* Heidt, H. 87−5550
Naber, J.F., Hopkins, F.K. Edge illumination of a silicon photodiode at ultraviolet wavelengths 87−26188
Naber, J.F. *see* Singh, H.P. 88−73920
Naber, R.J. Electrical method of determining absolute distortion in a 1× wafer stepper independent of stage precision 88−13585
Nabereghnykh, A.I. *see* Panfilov, E.N. 86−66507
Naberhuis, S. *see* Birecki, H. 85−51009, 86−2878
Naberhuis, S. *see* Brug, J.A. 88−64949
Nabeshima, H., Gochiyo, Y., Hayakawa, T. On the Tsuruga experimental optical fibre cable system 86−11087
Nabeshima, H., Kitamura, A., Sakurai, S., Yamada, Y., Gochio, Y. Studies on transmission characteristics of optical-fiber-applied composite overhead ground wires 86−49619
Nabeshima, H., Sakurai, S., Yamada, Y., Yoshida, S., Yanase, M., Kamo, H., Kouno, S., Adachi, K. Research into methods of laying long optical fibre cables 87−28608
Nabeshima, H., Sakurai, S., Yamada, Y., Yoshida, S., Yanase, M., Kamo, H., Kouno, S., Tujimoto, I. Research into optical fibre cable connection methods 87−26049
Nabeshima, H. *see* Tanaka, K. 86−50864
Nabeshima, I. Notes on the analytical results in flow shop scheduling. XXVI. Generalization of job-base results in part XXIV 86−26585
Nabeshima, I. Solvable cases in the m-machine flow-shop problem with separated sequence-independent setup times 86−26586
Nabeshima, T., Harada, K., Hiramatsu, R., Kohchi, T., Komatsu, S. On the control of magnetic amplifier for high-frequency DC-to-DC converter 86−59020
Nabeshima, T. *see* Harada, K. 87−513, 87−58210, 87−73311, 88−5769, 88−38378, 88−56453
Nabeshima, Y. *see* Ohtsuka, T. 88−22092
Nabeshima, Y. *see* Tanaka, K. 86−50864
Nabeta, E. *see* Yasuhara, T. 86−2837
Nabeta, O. *see* Ichikawa, Y. 88−5845
Nabeta, O. *see* Sakai, H. 88−49157
Nabeta, O. *see* Yoshida, T. 88−37545
Nabetani, S. *see* Yatsuda, Y. 85−17381, 85−35170
Nabeyama, N. *see* Matsuda, T. 85−45744
Nabholz, U. *see* von Bockh, P. 86−39561
Nabielsky, J. Interfacing to the 10 Mbps Ethernet: observations and conclusions 85−8141
Nabiev, M.A., Azizov, B.M., Mamedov, F.I. Analysis of the coercive force of ferromagnetic materials 85−56080
Nabiev, M.A. *see* Mamedov, R.K. 86−63235
Nabiev, R.F., Obidin, A.Z., Pechenov, A.N., Popov, Yu.M. Spectral characteristics and kinetics of radiation emitted by a streamer semiconductor laser 88−20660
Nabiev, R.F. *see* Akhmediev, N.N. 88−52182
Nabiev, R.F. *see* Lavrushin, B.M. 86−9804, 88−65644
Nabiev, R.F. *see* Morozov, V.N. 88−65809
Nabih El Tarazi, M. Iterative methods for systems of first-order differential equations 85−28191
Nabijovici, A. The optimal dimensioning of the medium-low pressure bypass installation of steam turbine schemes 85−9704
Nabijovici, A. Optimisation method for thermal load distribution in intermediate superheating stages in nuclear power station schemes with saturated steam 87−57760
Nabijovici, A. Effects of gliding parameters operation on supply pumps installation economics 88−5415
Nabity, J.C., Stavola, M., Lopata, J., Dautremont-Smith, W.C., Tu, C.W., Pearton, S.J. Passivation of Si donors and *DX* centers in AlGaAs by hydrogen plasma exposure 87−45572
Nabity, J.C. *see* Dautremont-Smith, W.C. 87−11347
Nabity, J.C. *see* Pearton, S.J. 87−60105
Nabity, J.C. *see* Stavola, M. 86−48260
Nablo, S.V. *see* Aaronson, J.N. 85−58973
Nabok, A.V. *see* Shirshov, Yu.M. 85−23593
Naboka, B.G. *see* Samoilenko, B.F. 85−16068
Naboka, V.M., Lavrov, Yu.E. Experimental determination of the telephone-harmonic coefficient and voltage-curve sinusoidality distortion coefficient for hydroelectric generators 87−72019
Naboko, I.M. *see* Golub, V.V. 85−18841
Nabol'nev, S.Ya. *see* Balun, A.I. 88−43144
Nabors, C.D., Kozlovsky, W.J., Byer, R.L. Efficient second harmonic generation of a diode-pumped CW Nd:YAG laser using an externally resonant cavity 88−65870
Nabors, C.D. *see* Kozlovsky, W.J. 88−20743, 88−65835
Nabout, A., Nour Eldin, H.A. Polar vector representation of curves in image processing and pattern recognition 88−46314
Naby, A.Abdel *see* Abdel Naby, A.
Naby, M.Abdel *see* Abdel Naby, M.
Nacaroglu, A. *see* Demokan, M.S. 85−2328
Naccache, D. *see* Dhez, P. 85−7352
Naccache, N. *see* Royale, J. 87−65705
Naccarato, E. *see* Graupe, D. 85−38180, 85−53086
Naccarella, T., Jr. *see* Gopalan, K. 86−54486
Nacer, S. *see* Cazarre, A. 87−68308
Nach, P. Now—conferences by video link 87−27883
Nachbar, H.U. *see* Lauch, J. 88−44088
Nacher, P.J. *see* Dupont-Roc, J. 86−11822
Nacher, P.J. *see* Laloe, F. 86−11820
Nacher, P.J. *see* Leduc, M. 86−58901
Nachetoi, V.G. *see* Bumagin, G.I. 88−49162
Nachev, I., Velchev, N. Electron mobility of (100) silicon inversion layers—the Born approximation for electrical neutral scattering 85−12027
Nachev, I.S. *see* Michalev, M.A. 87−75393
Nachev, I.S. *see* Petrova, R.S. 86−21600
Nachev, N.S., Karapeev, P.A., Khristov, Kh.D. Long pulses former with an optimal form for power thyristor control 85−6238
Nachlas, J.A., Binney, B.A., Gruber, S.S. Aging acceleration under multiple stresses 86−284
Nachlas, J.A., Seward, L.E., Binney, B.A. Multiple-stress assembly-level stress screening 86−57250
Nachman, M. *see* Chaudron, G.-A. 88−20949
Nachman, M. *see* LeBlanc, M. 88−2592
Nachshon, S. Side-to-side interconnection for a double-sided metal-core SMT board 87−52972
Nachshon, Y., Tittel, F.K. A new blue-green XeF (C→A) excimer laser amplifier concept 85−12764
Nachshon, Y. *see* Tittel, F.K. 85−12771
Nachtkamp, J. *see* Bunder, J. 85−9459
Nachtmann, L. New generation of computers—the new chips 87−10887
Nachtmann, L. This is how a modem works 87−20177
Nachtmann, L. Modern data espionage—eavesdropping on computers 87−20683
Nachtmann, L. The 68020 card for the IBM PCs 87−59517
Nachtmann, L. Evolution of the processors 87−59550
Nachtmann, L. The fast microprocessor. [32-bit microprocessor Am2900] 87−66199
Nachtmann, L. The new chip generation. Semicustom integrated circuits 87−73388
Nachtmann, L. No speed limit [transputers] 88−32221
Nachtmann, L. The Mega ST becomes a workstation 88−32222
Nachtmann, L. The challenge [Intel vs. Motorola chips] 88−44180
Nachtmann, L. Transputer card gives rapid Unix performance 88−44182
Nachtmann, L. The 8086 microprocessor. The CPU seen by bit 88−56640
Nachtsheim, S. The Intel design automation system 85−1757
Nachtwei, G. *see* Herrmann, R. 85−45395
Nachtwei, G. *see* Kraak, W. 86−27874
Nachtwei, G. *see* Schuring, T. 88−71312
Nachyllo, M. *see* Kowalski, K. 85−9915
Naciri, M. *see* Crappe, M. 85−32446, 86−51585
Naciri, Y. *see* Blasquez, G. 87−70593, 88−35989
Nack, P., Panagiotopoulos, G. Substrate voltage bump test for dynamic RAM memory devices 85−33907
Nacke, B., Muhlbauer, A. Numerical simulation of induction heating in bar heaters 88−49291
Nacke, B., Muhlbauer, A. Multiple induction heating 88−69929
Nacke, B. *see* Kozeny, J. 87−79209
Nacke, H. Sumptuary calculation for statistical revisions and analyses applied to the investigation of insulating materials and insulators 86−21918
Nackman, L.R., Pizer, S.M. Three-dimensional shape description using the symmetric axis transform. I. Theory 85−41958
Naclerio, N.J., Lumley, J.M., Evetts, J.E., Somekh, R.E. Millimetre wavelength detection using Nb/NbO$_x$/Pb alloy tunnel junctions 85−56202
Naclerio, N.J., Masuda, S., Nakajima, K. Via minimization for gridless layouts 87−65708
Naclerio, N.J. *see* Rim, C.S. 88−31948
Nada, J. *see* Okamoto, K. 85−18681
Nada, M. *see* Hohsho, Y. 85−63957
Nada, S. *see* Anis, H. 85−32214
Nada, S.A. *see* Anis, H. 86−45003
Nada, T. *see* Inoue, T. 88−10623, 88−10626, 88−57872
Nada, T. *see* Miyama, T. 88−57873
Nada, T. *see* Sugiuchi, K. 87−71439
Nadahara, S., Kambayashi, S., Watanabe, M., Nakakubo, T. Micro area stress around trench structure 88−20100
Nadakumar, V. *see* Petersen, D.A. 88−58040
Nadal Arino, J. Changes in telecommunications regulations 88−14882
Nadali, C. *see* Babare, A. 86−56806
Nadalke, L.P. *see* Ivanitskaya, N.A. 88−68795
Nadalsky, M., Allen, D., Bien, J. Design considerations for a servo optical projection system 87−77735
Nadan, J.S. A glimpse into future television 85−26014
Nadan, J.S. Frame stores and advanced signal processing in future television receivers 86−49818
Nadan, J.S., Jackson, R.N. Signal processing for wide-screen television: the smart receiver 85−3652
Nadan, M.K., Tewary, V.K. Effect of *p-n* coupling on the open circuit voltage decay in a *p-n* junction device 85−55526
Nadareishvili, V.S. *see* Chigvinadze, Dzh.G. 86−17774
Nadas, A. Estimation of probabilities in the language model of the IBM speech recognition system 85−2774
Nadas, A. Optimal solution of a training problem in speech recognition 85−46723
Nadas, A., Nahamoo, D. Automatic speech recognition via pseudo-independent marginal mixtures 87−61734
Nadas, A., Nahamoo, D., Picheny, M.A. Speech recognition using noise-adaptive prototypes 88−72817
Nadas, A., Nahamoo, D., Picheny, M.A. Adaptive labeling: normalization of speech by adaptive transformations based on vector quantization 88−72818
Nadas, A. *see* Averbuch, A. 87−20775, 87−61680
Nadas, A. *see* Gopalakrishnan, P.S. 88−66338
Nadasi, A. *see* Gonda, P. 88−62936
Nadasy, G. *see* Toke, G. 85−60193
Naday, I., Schafer, W. A new processing method and gain stabilisation for scintillation position-sensitive detectors 85−15211
Naday, I., Strauss, M.G., Sherman, I.S., Kraimer, M.R., Westbrook, E.M. Detector with charge-coupled-device sensor for protein crystallography with synchrotron X-rays 88−4865
Naday, I. *see* Apathy, I. 85−37434
Naday, I. *see* Kurz, R. 85−43215
Naday, I. *see* Schafer, W. 85−15213
Naday, I. *see* Strauss, M.G. 87−56535, 88−42424
Nadazdy, V. *see* Pincik, E. 88−50677
Nadd, B. *see* Peter, J.M. 88−57640, 88−64584
Nadd, B.C. *see* Peter, J.M. 88−26320
Nadd, B.C. *see* Saby, B. 88−5989
Nadeau, D. *see* Doyon, R. 88−38648
Nadeau, D. *see* Kent, R. 87−15062
Nadeau, F., Bussiere, J.F., Van Drunen, G. On the relation between ultrasonic attenuation and fracture toughness in type 403 stainless steel 85−33544
Nadeau, M.J. *see* Acarlar, M.S. 88−67430
Nadeau, R. *see* Bonneau, G. 87−63777
Nadeau, R.A. *see* LeBlanc, A.R. 87−57177
Nadeau, R.A. *see* Savard, P. 86−44677, 87−57206

Nadebaum, P.R. Desalination of remote area water supplies by wind powered electrodialysis 87−51684
Nadel, J.I., Warner, H.D. A human factors evaluation of the visual system component development program (VSCDP) eye-tracking system 88−68528
Nadel, L.A., Lint, M.G., Ribel, N.E. Autotransformer protection complex 87−9622
Nadel, L.A. *see* Doni, N.A. 87−9206
Nadel, L.D. *see* Lawson, D. 86−25180
Nadel, S.J. Durability of Ag based low-emissivity coatings 88−2085
Nadel, S.J. *see* Bernardi, R.L. 85−28238
Nademlinskii, Yu.L. *see* Grigor'ev, A.N. 87−49479
Naden, J.M., Reed, G.T., Weiss, B.L. Analysis of prism-waveguide coupling in anisotropic media 86−42277
Naden, J.M., Weiss, B.L. Optical properties of planar waveguides formed by He^+ implantation in $LiNbO_3$ 86−2736
Naden, J.M., Weiss, B.L. Wavelength dependent properties of He^+ implanted optical waveguides in LiNbO 88−26846
Naden, J.M. *see* Jones, R.E. 88−74442
Naden, J.M. *see* Tudor, M.J. 88−74443
Naden, J.M. *see* Weiss, B.L. 87−25961, 87−46495, 87−54040, 88−51531
Nadenenko, A.V. *see* Bokut, B.V. 85−12963, 86−9969
Nadenenko, A.V. *see* Kazak, N.S. 86−48475, 86−54107
Nadenenko, L.V., Svyatogo, V.V., Brikman, G.A. Influence of radiation-pattern width on the operating stability of line-of-sight links 86−17195
Nadenenko, L.V. *see* Kalinin, A.I. 88−60013
Nadergulov, I.U. *see* Ivanov, V.T. 88−40460
Naderi, F.M. ACTS: the first step toward a switchboard in the sky 88−53235
Naderi, F.M. *see* Yan, T.Y. 87−34509
Naderi, H. Design of electron beam welded constructions 85−16486
Nadesan, J.C.Botejue *see* Botejue Nadesan, J.C.
Nadeski, K., Pontius, J. Developments in micrographics, video technology, and 'fair use', 1983 85−26083
Nadeu, C., Bertran-Salvans, M., Sole, J. Spectral estimation with rational modeling of the log spectrum 86−29915
Nadeu, C., Bertran-Salvans, M., Sole, J. Autoregressive log spectrum estimation 86−29944
Nadeu, C., Lleida, E., Marino, J.B. Frame reduction in LPC isolated word recognition 87−47605
Nadeu, C., Lleida, E., Santamaria, M.E. Trace segmentation in a LPC-based isolated word recognition system 86−29812
Nadeu, C., Marino, J.B. Speech communication with computers 85−57300
Nadeu, C. *see* Bertran-Salvans, M. 87−19819
Nadezhdinskii, A.I., Stepanov, E.V., Zasavitskii, I.I., Kosichkin, Yu.V., Shotov, A.P. Determination of the parameters of frequency fluctuations of a pulse-periodic diode laser 85−56654
Nadezhdinsky, A.I. *see* Artjushenko, V.G. 88−39909
Nadhamuni, S., Aravena, J.L. Complexity and performance of computational arrays 88−50129
Nadi, M., Tosser, A.J., Marchal, C. New interstitial hyperthermia using insulated wires at 27 MHz 88−61403
Nadiev, D.S. *see* Andronov, A.M. 86−7594
Nadin, C. BS 196: the versatile British Standard 88−7127
Nadinic, B. A new method for determination of expansion curves in turbines with wet steam in nuclear power plants 87−42583
Nadinic, B. Calculation of emission of ecologically important elements and chemical compounds from Plomin I and II for different desulfurations 87−78483
Nadir, M.T. Positional transduction: an alternative to code 86−48903
Nadira, R., Lebow, W.M., Usoro, P.B. A decomposition approach to preventive planning of reactive volt ampere (VAR) source expansion 87−42404
Nadira, R., Schick, I.C. Modeling and simulation of an HVAC refrigeration system 87−72619
Nadira, R. *see* Lebow, W.M. 85−59642
Nadiradze, L.A. *see* Gverdtsiteli, T.A. 87−34934
Nadjo, L. *see* Braun, C.M. 87−11498
Nadkarni, A.P., Vastola, K.S. SCAM: the silent channel access method 86−54621
Nadkarni, A.P., Vastola, K.S. An analysis of the silent channel access method 86−64748
Nadkarni, A.V. *see* Chanson, S.T. 86−10774
Nadkarni, D.M. *see* Iyengar, K.N. 87−14786
Nadkarni, G.S. *see* Bhosale, S.A. 87−74139
Nadkarni, R.A., Brewer, J.M. Applications of IC in environmental analysis 87−57411
Nadkarni, S. *see* Morgan, D. 88−19160
Nadkerni, A.M. Electric motors for machine tool applications 88−62811
Nadkhin, A.I. *see* Gordon, E.B. 86−29060
Nadler, C.J. What is antistatic flooring? 86−3434
Nadler, G. *see* Chignell, M.H. 88−31447
Nadler, G. *see* Peterson, J.G. 88−31446
Nadler, G. *(editor)* 1987 International Congress on Planning and Design Theory. Plenary and Interdisciplinary Lectures 88−24360
Nadler, M. *see* Choon Lee 88−46247
Nadler, M. *see* Lee, C. 88−3159
Nadler, M. *see* Letellier, P. 85−52102
Nado, B. *see* Peters, J.-M. 88−57641
Nadobenko, A.I. *see* Lobkova, L.M. 86−3515, 86−63992
Nadolny, A.J., Zareba, A. Two kinds of acceptor-related photoconductivity in $Cd_{1-x}Mn_xTe$ 85−35581
Nadolny, A.J. *see* Franz, R. 86−63017
Nadolski, J. Replacing LSTTL with high speed CMOS 86−881
Nadolski, J. CMOS replaces LSTTL. Design criteria for the replacement component parts of LSTTL circuits with fast HCT logic 86−27199
Nadolski, J., Kalish, A. Using Advanced CMOS Logic in a VME data bus system 88−712
Nadolski, J. *see* Austin, W.M. 88−587, 88−4168
Nadolski, J. *see* Funk, R. 87−66067
Nadon, D. Interconnecting computers, peripherals, and instruments 85−47249
Nadon, D.J., Purviss, J.R., III Personal computers as controllers 86−17751
Nador, L. The effects of traffic overloads in automatic telephone networks 88−46466
Nador, P. Data communication: the gateway to use information technologies for planned socio-economic development 88−21521
Nador, T. *see* Janko, O. 87−42499
Nadrah, J., Likar, I. Screening tests 85−10531
Nadrah, J. *see* Likar, I. 87−52904
Nadratowski, J. *see* Ignaczak, A. 88−3441
Nadtochii, V.M., Kislitskii, B.V., Biber, L.A., Karpova, G.I., Ordinyan, N.A., Romanov, A.A., Feodoridi, P.I., Shteinshneider, A.V. Vibration testing of modernised hydraulic generators in the V.I. Lenin Volzhsk regional power plant 87−4654
Nadtochii, V.M. *see* Geller, R.L. 85−5056, 86−33267
Nadtochii, V.M. *see* Gol'denberg, S.I. 86−25981
Nadtochii, V.M. *see* Kislitskii, B.V. 87−9470, 87−9485
Nadtochiy, A.A., Udalov, N.N. Synthesis of a synchronization system for a channel with multibeam propagation 88−40944
Nadtoka, I.I. A theoretical grouped approach to analysis of load balancing of single-phase power users 87−57552
Nadtoka, I.I. *see* Kayalov, G.M. 87−42448
Nadtoka, V.I. *see* Kayalov, G.M. 87−42448
Nadue, C. *see* Bertran-Salvans, M. 86−29947
Nadvornik, P. The influence of rain on the range of airborne interception radars operating in the SHF band 86−49716
Nadworny, M. An implementation of PISCES on the FPS-164 88−1787
Nadyrov, I.I. *see* Sokolov, E.Ya. 87−71934
Nadyrov, R.G. *see* Suleimanov, N.T. 85−2024
Nae, C. *see* Goldenblum, A. 87−4888
Nae Ho Kim *see* Hyun Shik Kang 87−22743
Naecker, P.A. To name me is to know me [VAX Distributed Name Service] 88−59628
Naeem, A. *see* Arora, V.K. 85−28993, 85−40498
Naegele, D. *see* Munstedt, H. 87−43361
Naegele, T. Circuit an logic simulation gets faster and better 86−618
Naegeli, A.H., Grau, J. Hardware system design for a vector analyzer 88−29495
Naegler, R.J. MOSFETs and microprocessors−advances in technology for uninterruptible DC plants [switched mode power supplies] 86−57644
Nael, M. Home networks, will they be usable? 88−3495
Naem, A.A., Boothroyd, A.R. CW laser annealed small-geometry NMOS transistors 85−12315
Naem, A.A., Smith, D.A. Accuracy of the four-terminal measurement techniques for determining contact resistance 87−21200
Naem, A.A., Tay, S.P., Calder, I.D. Properties of atmospheric and high pressure oxide capacitors with laser-recrystallized polysilicon electrodes 86−63128
Naem, A.A. *see* Mattiussi, G.A. 87−66996
Naemura, K., Miyaguchi, S. The trend of standardization for data encryption 85−25034
Naemura, K., Morino, K. Recent trends on OSI standardization 88−3533
Naemura, K. *see* Moto-oka, T. 85−63326
Naemura, M. *see* Mochizuki, S. 85−25257
Naemura, S., Ichinose, H., Kato, Y., Ueda, H., Kogo, A., Ohsawa, K., Ishizaki, S., Kitayama, H., Yukino, M. High-resolution and high-speed printing head using 1/8 duty multiplexed ferroelectric liquid-crystal shutter array 88−13951
Naemura, S., Ichinose, H., Kitayama, H., Ishizaki, S., Ohsawa, K., Tani, C. Multiplexed ferroelectric liquid-crystal printing head 88−40009
Naemura, S., Kubota, K., Sugama, S., Kato, Y., Nishida, N., Sakabe, T., Naganuma, M. High-resolution large-screen display system for teleconference 85−14909
Naemura, S., Nakagawa, T.Y. Applications for miscellaneous imaging devices 88−53779
Naemura, S. *see* Hirai, Y. 87−70456
Naemura, S. *see* Kubota, K. 86−31241
Naemura, S. *see* Saito, T. 86−31257
Naer, V.A., Belozorova, L.A., Spivak, V.S., Khirich, A.Ya. Cascade thermoelectric microrefrigerators 85−44203
Naeser, J. *see* Olesen, P. 87−72488
Naess, H.K. Tools for ASIC [application-specific integrated circuits] 87−46056
Naess, H.K. Systems in silicon 87−74349
Naessl, R. *see* Mair, E. 87−48661
Naeve, A., Eklundh, J. On projective geometry and the recovery of 3-D structure 87−62322
Naeve, A. *see* Svensson, L. 87−75941
Nafalski, A., Janowski, T., Stryczewska, H., Wac-Wlodarczyk, A. Application of magnetic amorphous ribbons for transformer cores 86−39903
Nafalski, A., Stryczewska, D., Wac-Wlodarczyk, A., Matras, G. Utilization of amorphous magnetic materials for cores in electronic components 87−67771
Nafalski, A. *see* Janowski, T. 85−23081
Nafarieh, A. *see* Keller, J.M. 88−8820
Naff, J.T., Douglas, J.W. A 3 kV, 3 Ω, fast rise-time pulser 87−22604
Naff, J.T. *see* Frazier, G.B. 87−22796
Naff, J.T. *see* Lam, S.-K. 85−5221
Naffah, N. Multimedia data base on local networks 88−3635
Naffah, N., Karmouch, A. Agora−an experiment in multimedia message systems 86−54673
Naffah, N. *see* Georganas, N. 88−15058
Naffah, N. *see* Georganas, N.D. 86−30390, 86−54995
Nafikov, Yu.I., Yampol'skiy, V.G. Restoration of input signals parameters using system response 87−55144
Nafisi, A., Campbell, P. Composite iron powder materials for the armature of axial-field permanent magnet machines 86−39823
Nafisi, A. *see* Datta, S.K. 88−24396
Nafornita, M. New points of view regarding the definition of reactive power 86−25511
Nafpaktitis, D., Naunin, D. Control strategy for the run-up of an inverter-fed synchronous motor with voltage valves 86−33327
Nafpaktitis, D., Naunin, D. Starting-up performance of a voltage-inverter-fed synchronous machine using pulsed currents 87−42887
Nafpaktitis, D., Naunin, D. Control of the run-up of a synchronous machine fed by a voltage source inverter with a DC link capacitor 88−30673
Naft, J. *see* Braunberg, G. 88−55941
Naft, J. *see* Pecht, M. 86−53156, 87−45401
Naftulin, A.B. *see* Kondakov, A.Yu. 87−78502
Naftulin, A.B. *see* Lagun, V.P. 85−4930
Naftulin, S.M. *see* Averin-Lavrov, I.M. 86−57628
Nag, B.R. $Ga_{0.47}In_{0.53}As$−the material for high-speed devices 85−6711
Nag, B.R. Two-dimensional electron-gas (2-DEG) devices 85−61930
Nag, B.R., Ahmed, S.R. Threshold field and peak-valley velocity ratio in short samples of InP at 300 K 87−53179
Nag, B.R., Ahmed, S.R., Deb Roy, M. Submicron electron transplant in silicon at 300 and 77K 85−23407
Nag, B.R., Ahmed, S.R., Deb Roy, M. Electron drift velocity in $Ga_{0.47}In_{0.53}As$ at very high fields 86−21141
Nag, B.R., Ahmed, S.R., Deb Roy, M. High-field autocovariance coefficient, diffusion coefficient and noise in InGaAs at 300 K 87−37900
Nag, B.R., Ahmed, S.R., Roy, M.D. Electron velocity in short samples of $Ga_{0.47}In_{0.53}As$ at 300K 86−63033
Nag, B.R., Deb Roy, M. Submicron electron transport in GaAs at 77K 85−1300
Nag, B.R., Roy, M.D. Position dependence of average electron velocity in a submicrometer GaAs channel 86−1694
Nag, B.R. *see* Ahmed, S.R. 86−14865
Nag, B.R. *see* Bhattacharyya, K. 86−47071, 87−17353
Nag, B.R. *see* Bose, D. 88−50653
Nag, B.R. *see* Bose, M. 85−11989
Nag, H., Schalkoff, R.J. A generalized two pass approach to image geometric transform implementation: theory and ramifications 88−52601
Nag, R., Austin, S.C., Fallside, F. Using hidden Markov models to define linguistic units 87−19594
Nag, R., Wong, K.H., Fallside, F. Script recognition using hidden Markov models 87−27644
Nag Sarkar, T.K. *see* Singh, G. 86−33197
Naga, M.El *see* El Naga, M.
Naga, N.M.El *see* El Naga, N.M.
Naga, S.M. *see* Sallam, E.H. 87−332
Nagabhooshanam, M., Ramchandar Rao, S., Hari Babu, V. Ionized impurity scattering in CdTe:Cl:In 85−1310
Nagabhushana, G.R. *see* Asokan, T. 87−52888, 88−7079, 88−32484, 88−69062
Nagabhushana, G.R. *see* Balachandra, T.C. 88−19573

Nagabhushana, G.R. *see* Srinivasa, K.V. 85−35231, 86−9319, 87−37774
Nagabhushana Rao, K., Pandey, N., Gangopadhyay, D.K. Storage and control unit for meteor burst communication system 87−48905
Nagabhushanam, G. *see* Acharya, D. 87−23275
Nagabhushanam, M. *see* Pratap, K.J. 88−32776
Nagabuchi, H. A study on reference signals in subjective quality evaluation of low-bit-rate speech codings 87−7697
Nagabuchi, H. Talker-dependency of quality in low-bit-rate speech coding 88−52386
Nagabuchi, H. Performance improvement of spoken word recognition system in noisy environment 88−59102
Nagabuchi, H. *see* Kinoshita, K. 85−20075
Nagabuchi, H. *see* Kitawaki, N. 88−40857
Nagabuchi, H. *see* Watanabe, T. 87−13479, 88−9310, 88−52388
Nagabuchi, H. *see* Yamada, A. 88−50628
Nagae, A. *see* Teramoto, M. 85−17656
Nagae, H. *see* Endo, A. 85−62817
Nagae, H. *see* Noda, S. 87−9700
Nagae, K. *see* Sekigami, K. 87−79225
Nagae, M. Charge transfer and coherent charge propagation in metal-insulator junctions 88−19774
Nagae, T. *see* Ichimaru, K. 85−59180
Nagae, Y., Kaneko, E., Mori, Y., Kawakami, H., Hashimoto, T. Full-color laser-addressed smectic liquid-crystal projection display 87−8685
Nagae, Y., Kawakami, H., Kaneko, E. Light pen and readout functions in thermally addressed smectic liquid crystal display 85−14907
Nagae, Y., Kawakami, H., Kaneko, E. Smectic liquid-crystal flat display with light-pen and readout functions 85−43045
Nagae, Y., Kawakami, H., Kaneko, E. Thermally addressed liquid-crystal flat display with laser light pen 86−31245
Nagae, Y. *see* Mori, Y. 88−47637
Nagae, Y. *see* Ohwada, J. 88−16306
Nagaenko, M.G. *see* Boldyshev, V.F. 88−54012
Nagaets, N.V., Teslenko, V.A., Tsidelko, V.D. Simulating microprocessor data-acquisition system errors 88−67702
Nagafuchi, H. *see* Ishii, R. 87−24356
Nagafuchi, S. People mover at Birmingham airport 86−66426
Nagafuji, M. *see* Kazama, Y. 88−70710
Nagafuji, T. *see* Harada, K. 88−50475
Nagafuji, T. *see* Inomata, N. 86−25955
Nagagawa, K., Shinomiya, T., Tsubota, K., Ishii, Y., Matsuura, M. Unsymmetrical switching characteristics of surface-stabilized ferroelectric LCD 88−13949
Nagahama, K., Nakanishi, M., Sasaki, Y., Hosono, K., Morimoto, H., Katoh, T., Hirano, R., Murotani, T., Kawagishi, A. Super low noise HEMT using focused ion beam lithography 88−32419
Nagahama, K., Nishimura, T., Hayafuji, N., Murotani, T., Fujikawa, K. InP high power MISFET 85−50571
Nagahama, K. *see* Hayafuji, N. 85−44799
Nagahama, K. *see* Hayashi, K. 87−73797
Nagahama, K. *see* Sasaki, Y. 88−63975, 88−71625
Nagahama, Y., Kameo, K., Watanabe, K. Centralization of maintenance and operation of digital networks 87−20352
Nagahama, Y., Kurosu, H., Awaji, K. Enhancement of FETEX-150 and ISDN application 87−20350
Nagahama, Y. *see* Furuyama, T. 88−63683
Nagahama, Y. *see* Ohsawa, T. 87−59510, 88−6822
Nagahara, D. *see* Kitahara, N. 88−38112
Nagahara, S., Kawai, T. Evaluation techniques for TV pictures. X. Measurement of TV cameras 85−26022
Nagahara, S. *see* Eto, Y. 86−44036
Nagahara, S. *see* Homma, A. 87−14790
Nagahara, S. *see* Mita, S. 85−42769
Nagahara, T. *see* Inagaki, Y. 88−5318
Nagahara, T. *see* Shirao, Y. 85−16845
Nagahara, Y. *see* Shibata, A. 86−56946, 87−9734
Nagahashi, H., Masuko, K., Nakatsuyama, M., Nishizuka, N. A display method of pseudo gray levels by microcomputer 85−57515
Nagahashi, H. *see* Nishizuka, N. 86−1424, 86−14579, 88−50443, 88−64007
Nagahashi, Y., Honda, M., Kimura, T., Ishikawa, Y. A fast static MOS RAM family 87−31896
Nagahashi, Y. *see* Honda, M. 87−17085
Nagahashi, Y. *see* Murano, H. 86−41892
Nagahata, Y. *see* Ueno, H. 88−62523
Nagahori, T. *see* Kato, S. 87−25098, 88−26035
Nagahshi, H. *see* Nishizuka, N. 86−14007
Nagai, A., Ejiri, Y. The design of submersible electrode of a branching unit for an optical submarine cable system 87−34625
Nagai, A., Kubozono, H., Suzuki, T. Somatic cell counting instrument 85−26171
Nagai, A., Mizuno, K., Kubozono, H., Tanaka, M. Optical fiber process density meter 86−31460
Nagai, A. *see* Ejiri, Y. 88−9557
Nagai, A. *see* Hinohara, K. 86−47131
Nagai, A. *see* Shoji, M. 88−33494
Nagai, A. *see* Tokokawa, T. 88−12670
Nagai, A. *see* Yokokawa, T. 87−24524, 87−37637
Nagai, B. *see* Okada, Y. 87−19151
Nagai, H. Laser material processing 86−19840
Nagai, H. LPE growth of InP and related alloys 87−16624
Nagai, H., Matsuoka, T., Noguchi, Y., Suzuki, Y., Yoshikuni, Y. InGaAsP/InP distributed feedback buried heterostructure lasers with both facets cleaved structure 86−42558
Nagai, H., Noguchi, Y., Matsuoka, T. Thermal deformation of surface corrugations on InGaAsP crystals 85−45595
Nagai, H., Tsujikawa, K., Yamamoto, J., Hiroi, M., Shimizu, M., Noda, M. Chip in glass fluorescent indicator module 87−70432
Nagai, H., Yamada, Y., Suga, S., Takahashi, K. The memory board using on-chip cache CD bubble devices 86−36079
Nagai, H., Yamagami, T. Development of the D70 Digital Switching System 86−17147
Nagai, H., Yamaguchi, M., Hiroi, M., Shimizu, M., Matsuura, H., Saeki, H., Suehiro, J., Tofuku, K., Uchimura, T., Satonaka, M. Large scale, high resolution graphic fluorescent indicator module 88−53793
Nagai, H., Yamanishi, M., Kan, Y., Suemune, I. Field-induced modulations of refractive index and absorption coefficient in a GaAs/AlGaAs quantum well structure 86−67714
Nagai, H., Yamanishi, M., Kan, Y., Suemune, I., Ide, Y., Lang, R. Exciton-induced dispersion of electroreflectance in a GaAs/AlAs quantum well structure at room temperature 87−24880
Nagai, H. *see* Asahi, H. 85−41388
Nagai, H. *see* Eura, T. 88−14103
Nagai, H. *see* Hiramoto, S. 87−75276
Nagai, H. *see* Hirata, M. 87−59597, 88−51003
Nagai, H. *see* Hishii, M. 86−58875
Nagai, H. *see* Imamura, M. 85−20859
Nagai, H. *see* Isogawa, T. 88−9115
Nagai, H. *see* Kan, Y. 87−74094
Nagai, H. *see* Kawaguchi, Y. 85−10680, 85−39726, 86−52488, 87−23679, 88−43888
Nagai, H. *see* Kikushima, K. 88−20647
Nagai, H. *see* Kondo, S. 87−10448, 88−24734, 88−65502
Nagai, H. *see* Kuboi, O. 85−407, 85−61007
Nagai, H. *see* Matsuoka, T. 85−18922, 86−3181, 86−29186, 87−25112
Nagai, H. *see* Myoi, Y. 85−35813
Nagai, H. *see* Noguchi, Y. 85−2311
Nagai, H. *see* Nojima, S. 86−1789
Nagai, H. *see* Oishi, M. 86−54153
Nagai, H. *see* Saito, H. 85−56636, 86−22373, 87−12460
Nagai, H. *see* Suzuki, R.O. 87−53910
Nagai, H. *see* Suzuki, Y. 85−2323
Nagai, H. *see* Tabata, N. 85−56549
Nagai, H. *see* Takahashi, K. 85−18594
Nagai, H. *see* Tsujikawa, K. 88−53794
Nagai, H. *see* Yamada, H. 88−6902
Nagai, H. *see* Yoshida, H. 87−32715
Nagai, J., Kamimori, T., Mizuhashi, M. Transmissive electrochromic device 87−18762
Nagai, J., Okazaki, S., Nishi, K. World's largest hydro-generator runs−805 MVA hydro-generator for Guri Powerhouse No.2 85−4995
Nagai, J. *see* Kamimori, T. 87−74863
Nagai, K. A study on carriers in the insulator and at the semiconductor-insulator interface of an MIS structure 87−1333
Nagai, K. Fourier domain reconstruction of ultrasonic 2-D and 3-D images using exact inverse scattering solution 87−4200
Nagai, K. Pruning the decimation-in-time FFT algorithm with frequency shift 87−5386
Nagai, K. Measurement of time delay using the time shift property of the discrete Fourier transform (DFT) 87−8749
Nagai, K. Fourier domain reconstruction of ultrasonic cross-sectional images 87−27657
Nagai, K., Hayashi, Y. Effect of semiconductor thickness on capacitance-voltage characteristics of an MOS capacitor 85−34651
Nagai, K., Hayashi, Y. Diffusion length measurement by using an MIS structure under light irradiation−mainly on the measurement of minority carrier diffusion length 85−40416
Nagai, K., Hayashi, Y. Error estimation of a charge sheet model in calculating the drain current of a thin gate oxide MOSFET 88−26318
Nagai, K., Hayashi, Y. Static characteristics of 2.3-nm gate-oxide MOSFETs 88−71557
Nagai, K., Nakajima, H., Yamamoto, S., Umise, K., Oda, E., Taniji, Y., Nakashiba, Y. Broadcast-quality CCD color camera SP-3A 87−70245
Nagai, K., Nishino, T., Ikeda, K. Automatic visual inspection for HIC bare-boards 87−44017
Nagai, K., Sekigawa, T., Hayashi, Y. Capacitance-voltage characteristics of semiconductor-insulator-semiconductor (SIS) structure 85−55615
Nagai, K. *see* Hayashi, Y. 86−33648, 87−64794
Nagai, K. *see* Horiuchi, H. 87−7159
Nagai, K. *see* Ikeda, S. 87−70242, 88−41857
Nagai, K. *see* Kanamori, M. 86−35912, 88−13179
Nagai, K. *see* Kawamura, T. 86−45527, 86−51080
Nagai, K. *see* Kawanami, H. 86−57448, 87−36755, 87−64797
Nagai, K. *see* Kusumoto, S. 88−27163
Nagai, K. *see* Manabe, K. 87−49366
Nagai, K. *see* Minorikawa, K. 88−36145
Nagai, K. *see* Murakami, J. 86−48956
Nagai, K. *see* Nakajima, H. 87−41204
Nagai, K. *see* Nakashima, K. 86−37381
Nagai, K. *see* Nishino, T. 87−17573
Nagai, K. *see* Ogiro, K. 87−13964
Nagai, K. *see* Tadauchi, M. 86−23400, 88−33393
Nagai, K. *see* Takei, K. 85−12514
Nagai, K. *see* Yamamoto, S. 88−31222
Nagai, M., Shimizu, M., Ohgi, N. Sensitive liquid sensor for long distance leak detection 85−62368
Nagai, M. *see* Eiju, T. 85−43372
Nagai, M. *see* Hayata, K. 88−13909, 88−65305, 88−72619
Nagai, M. *see* Kondo, T. 88−45968
Nagai, M. *see* Kuzushita, H. 88−26793
Nagai, M. *see* Nakatsuka, M. 85−48696
Nagai, M. *see* Shimizu, M. 86−11571
Nagai, M. *see* Sugahara, M. 85−56210, 86−2630
Nagai, N., Suzuki, K., Maeda, K. Trends in power-distribution technology 88−61912
Nagai, N., Suzuki, M. Complex wave digital filter for the analysis of complex signals 87−27491
Nagai, N., Suzuki, M. Complex wave digital filter for the analysis of complex signals. II 87−45107
Nagai, N., Suzuki, M., Suzuki, M., Miki, N. A synthesis of a generalized wave digital filter based on a distributed-constant network 86−57984
Nagai, N. *see* Haseyama, M. 88−8783, 88−70923
Nagai, N. *see* Kawai, T. 87−53368
Nagai, N. *see* Kawashima, I. 85−14068, 85−47064
Nagai, N. *see* Miki, N. 86−16238, 86−48794, 87−61710
Nagai, N. *see* Mine, K. 87−21274
Nagai, N. *see* Miyanaga, Y. 85−28655, 85−40188, 86−69002, 86−69041, 87−19739, 87−47569, 87−59738, 88−21212, 88−59051
Nagai, N. *see* Motoki, K. 87−27238
Nagai, N. *see* Nagasaki, Y. 88−17648
Nagai, N. *see* Nakamura, M. 86−13899
Nagai, N. *see* Nakano, S. 88−8975, 88−15208, 88−59841, 88−67090
Nagai, N. *see* Ohura, Y. 86−65635
Nagai, N. *see* Okita, Y. 88−3018
Nagai, N. *see* Saga, S. 85−41881, 87−27237
Nagai, N. *see* Sakagami, I. 87−45015
Nagai, N. *see* Serizawa, M. 88−45989
Nagai, N. *see* Suzuki, M. 85−17684, 85−40193, 85−45163, 86−57978, 87−892, 87−5975, 87−45111, 88−12514, 88−38638
Nagai, N. *see* Wakabayashi, H. 85−11423
Nagai, N. *see* Watanabe, H. 85−7886, 85−13544, 85−63067, 86−16354, 86−69037
Nagai, R. *see* Katto, H. 85−50591
Nagai, R. *see* Oishi, K. 86−34811
Nagai, R. *see* Sakai, Y. 85−49887
Nagai, S., Takeuchi, S., Yamashita, M. Design of self-diagnosis system for nuclear instrumentation 87−41888
Nagai, S. *see* Higuchi, H. 88−22099
Nagai, S. *see* Ichimaru, Y. 85−59309
Nagai, S. *see* Komura, I. 86−580
Nagai, S. *see* Matsumoto, K. 85−52772
Nagai, S. *see* Nakano, H. 88−67680
Nagai, S. *see* Nakaoka, M. 88−49050
Nagai, S. *see* Okayasu, T. 87−41887
Nagai, S. *see* Savary, P. 88−11310
Nagai, S. *see* Sawada, F. 88−35861
Nagai, S. *see* Shiomi, T. 85−15365, 85−30972, 86−50658
Nagai, S. *see* Yamashita, K. 87−47037
Nagai, S. *see* Yonemori, H. 88−48819
Nagai, T. Surveys of the continental shelf and hydrographic survey vessel 'Takuyo' 85−32001
Nagai, T., Machiya, K., Kikuchi, H., Nomura, T., Miyao, M., Hagino, M. GaAs grown on GaP substrate by molecular beam epitaxy 86−13759
Nagai, T., Nakamura, T. Test equipment for maximum demand meter using personal computer 86−11431
Nagai, T., Yamamoto, K., Kobayashi, I. SiC thin film thermistor 86−1391
Nagai, T. *see* Furusawa, T. 86−62265
Nagai, T. *see* Iikawa, T. 87−43989
Nagai, T. *see* Ikawa, T. 86−52270
Nagai, T. *see* Jirobou, A. 86−39537
Nagai, T. *see* Mitani, K. 87−2738
Nagai, T. *see* Muranushi, Y. 86−33594
Nagai, T. *see* Nakamura, T. 85−38584
Nagai, T. *see* Nomura, T. 85−33434, 85−39775, 86−26819
Nagai, T. *see* Sakai, T. 86−61939
Nagai, T. *see* Sakakibara, K. 85−42738
Nagai, T. *see* Seto, J. 86−63536

Nagai, T. *see* Takeuchi, S. 85−43287, 86−46619
Nagai, V.I. A comprehensive standby protection unit for autotransformers 85−9962
Nagai, V.I. Parameter optimisation of active filters for symmetric components 85−49976
Nagai, Y., Kato, S. CS-3 system and the technical prospects of its successor [satellite communications] 85−20137
Nagai, Y., Miyazaki, T., Edano, Y., Kokubu, S., Nishida, Y., Kawamata, S. Amplitude distribution of the electric field emitted from lightning discharges 85−62838
Nagai, Y., Tomokuni, Y., Hirachi, K. 48 V 50 A switching regulator unit 87−30808
Nagai, Y., Tomokuni, Y., Matsui, T. Optical-type hydrometer for lead-acid batteries and its applications 88−30996
Nagai, Y. *see* Kamikubota, N. 86−50444
Nagai, Y. *see* Kimura, M. 87−21152
Nagai, Y. *see* Matsumura, T. 88−62800
Nagai, Y. *see* Mihashi, Y. 86−48439
Nagai, Y. *see* Nishigaki, T. 86−64900
Nagai, Y. *see* Nishimura, C. 88−51198
Nagai, Y. *see* Okabe, T. 85−54854, 87−21178
Nagai, Y. *see* Okazaki, T. 88−16728
Nagai, Y. *see* Senda, M. 88−33506
Nagai, Y. *see* Shirai, K. 86−41157, 88−13523
Nagai, Y. *see* Yamamoto, K. 87−34504
Nagaike, M., Ichiyanagi, T. Three-dimensional electromagnetic analysis by the sub-space synthesis method 88−34382
Nagaikin, A.S. *see* Razgonyaev, Yu.V. 87−30433
Nagaishi, H. *see* Sumiyoshi, F. 86−32775
Nagaishi, H. *see* Zhang, Q.F. 85−29485
Nagaishi, K. *see* Nakamura, Y. 85−42964
Nagaitsev, A.P. *see* Budagov, Yu.A. 85−64459
Nagaitsev, V.A. *see* Belyi, N.G. 88−75684
Nagakata, N., Mori, S., Kano, K., Mori, S., Iida, T. PWM control ICs for switch-mode power supplies 88−56448
Nagakawa, T., Miyatake, S., Kosaza, H., Misawa, K., Okuno, M., Iikawa, K., Sakamoto, S., Ogawa, S., Matsui, O., Awane, K. A 580×500-element CCD imager with a shallow flat P well 86−11281
Nagakawa, T. *see* Miyatake, S. 85−42912, 85−52662, 86−5043, 86−49979, 87−34970
Nagaki, J.A. Development of a multilevel secure local area network 86−10819
Nagaki, J.A., Van Ausdal, A.W. Integration of digital, voice, and video data on a multilevel secure fiber optic network 86−30401
Nagaki, T. *see* Odaka, K. 87−14035
Nagakubo, K. *see* Arima, T. 86−43754
Nagakubo, K. *see* Kuki, T. 87−48941
Nagakubo, K. *see* Nakahara, K. 88−21987
Nagakubo, M., Naoe, M. Synthesis and magnetic properties of iron nitride thin films by double ion beam sputtering 88−64903
Nagakubo, M. *see* Suzuki, Y. 86−13801
Nagakubo, Y. *see* Atsumi, S. 85−35179
Nagakubo, Y. *see* Hashimoto, K. 86−41128
Nagakubo, Y. *see* Yoshikawa, K. 85−45610
Nagakura, I. *see* Sato, S. 86−60458
Nagakura, K. *see* Hakoda, K. 87−27295
Nagakura, M. *see* Arai, S. 88−51191
Nagakura, M. *see* Yamamoto, H. 86−47953, 87−25771, 87−53881, 88−51245
Nagakura, S. *see* Otsuka, N. 86−66809
Nagakusa, S. *see* Nishiura, M. 88−74469
Nagal, A. *see* Merchant, B.L. 88−2521
Nagal, N. Network models for stationary stochastic processes and wave digital filters 86−35010
Nagalingam, S.J. *see* Root, B.J. 86−28451
Nagamachi, M. *see* Ito, K. 85−9230
Nagamachi, M. *see* Tsuji, T. 87−42015, 88−42579, 88−54628
Nagamachi, S. Chopper controllers for electric vehicles 85−32747
Nagamani, C. *see* Doradla, S.R. 85−27712, 86−33745
Nagamani, C. *see* Murthy, S.S. 86−33406, 87−43039
Nagamatsu, A. *see* Isomura, S. 86−58284
Nagamatsu, G. *see* Itoh, T. 87−17871
Nagamatsu, G. *see* Kaifu, K. 87−38403
Nagamatsu, G. *see* Kawazu, R. 86−35519
Nagamatsu, G. *see* Nakamura, K. 86−3411
Nagamatsu, G. *see* Namariyama, Y. 85−62492
Nagamatsu, G. *see* Yamashita, Y. 85−34874, 86−21680, 88−13272
Nagamatsu, H.T., Whang, H.C. Theoretical and experimental investigations of the flow field for asymmetric dual-flow interrupter nozzles 87−22653
Nagamatsu, K. *see* Kondo, M. 88−12786
Nagamatsu, M. Scheduling bipartite graphs 85−49455
Nagamatsu, M. Vertical channel routing algorithms and the number of tracks needed to route channels 86−13931
Nagamatsu, M. On the 2-layer channel routeing 86−20163
Nagamatsu, M. On upper bounds of channel width required in 2-layer and 3-layer channel routings 88−13525
Nagamatsu, M., Fujimoto, Y. On upper bounds of channel width required in multiple-layer channel routing 88−13526
Nagamatsu, M. *see* Kikuchi, K. 85−37062
Nagamatsu, Y. *see* Nakamura, K. 85−18798, 87−1571
Nagame, Y. *see* Itahashi, T. 87−71065
Nagami, A., Kobayashi, S., Hara, A., Tokushige, K., Enomoto, S., Hosokawa, F., Terayama, K. Video memories 86−34795
Nagami, A. *see* Ishimoto, S. 85−61283, 86−14212
Nagami, H., Wakao, M. Premises radio systems in Japan 88−9389
Nagami, K. *see* Kawata, H. 85−34860
Nagami, K. *see* Morita, T. 85−10049
Nagami, K. *see* Murata, K. 86−8923, 87−38026
Nagami, K. *see* Yokota, H. 87−45547
Nagamine, F. *see* Nakahara, K. 85−44288
Nagamine, F. *see* Shimokawa, R. 85−44181, 86−13053, 86−45673, 87−36131, 87−64798
Nagamine, H. *see* Tanaka, Y. 88−19133
Nagamine, K. Epitaxial growth of silicon by plasma chemical vapor deposition at a very low temperature of 250°C 87−65509
Nagamine, K. *see* Brown, D. 88−68107
Nagamine, K. *see* Enami, Y. 88−3440
Nagamine, T. *see* Ariyama, H. 87−62531
Nagamine, T. *see* Egami, N. 85−52645
Nagamine, T. *see* Konaka, A. 87−41862
Nagamine, T. *see* Sakai, Y. 87−62529
Nagamiya, S. *see* Crawford, H.J. 87−41859
Nagamiya, S. *see* Doke, T. 85−43166
Nagamiya, S. *see* Krebs, G.F. 88−54190
Nagamiya, S. *see* Sugitate, T. 86−70366
Nagamochi, H., Ibaraki, T. Max-flow min-cut theorem for the multi-commodity flows in certain planar directed networks 88−38083
Nagamochi, H., Ibaraki, T. An efficient feasibility testing of the multi-commodity flow problem in certain planar directed networks 88−49935
Nagamochi, H., Ibaraki, T., Hase-Gawa, T. On the multicommodity flow problem in certain planar directed networks 87−44441
Nagamori, K. *see* Ono, F. 86−30901
Nagamori, S. Getting the most effective use from brushless DC motors 86−12843
Nagamori, S. *see* Kawaguchi, K. 87−40380
Nagamori, S. *see* Kenjo, T. 86−40370
Nagamoto, S., Ueki, K., Shirasawa, T., Konishi, M. Remote-control system for gas water-heaters, using computer data transmission technology 85−25529
Nagamoto, S., Ueki, K., Shirasawa, T., Konishi, M. Application of digital data transmission technology to remote control system of gas water heater 85−39337
Nagamoto, S. *see* Saka, T. 87−48372
Nagamoto, T. *see* Morikawa, A. 86−38351
Nagamune, A. *see* Hojo, H. 88−52173
Nagamune, A. *see* Pathak, P.H. 88−34454
Nagamura, E., Aida, T. High speed measurement of three dimensional shape and section of object using PSD camera 88−22790
Nagamura, E. *see* Nakashima, W. 88−29246
Nagamura, H. *see* Matsuoka, M. 85−44111, 85−49038
Nagamura, J. *see* Noto, K. 87−53927
Nagamuthu, N., Sid-Ahmed, M.A., Ahmadi, M. Design of 2-D recursive digital filters with constant group delay characteristics 86−8385
Naganathan, S., Sharaf, A.M. Microprocessor control of wind driven squirrel cage induction generator 86−66006
Naganathan, S. *see* Natarajan, K. 88−5619
Naganathan, S. *see* Sharaf, A.M. 87−30468, 87−30588
Naganawa, H., Atsumi, H., Oride, K., Yoshimura, T., Takaku, S., Matsushita, S., Kida, K., Wada, M., Ogata, T., Adachi, K., Iguchi, F. Supervisory control system for water supply in Kumamoto City 86−49216
Naganawa, H., Ohno, H., Iio, M., Miyachi, I. DC interruption by spiral arc in SF_6-N_2 mixture 86−28546
Naganawa, H., Tadano, H., Hatta, K., Shimizu, T., Yoshino, A., Nakatsugawa, M., Yoshida, F., Senoo, T., Hayashi, H., Ishikawa, K. Remote supervisory control equipment RISAC-M2/Mini 87−63240
Naganawa, H., Tadano, H., Hayashi, T., Fujie, T., Wakamiya, S., Suzuki, S., Kumagi, K., Onodara, K. Arakawa dam control system 87−3507
Naganawa, H. *see* Kubota, S. 87−64084
Naganawa, H. *see* Yamanoi, M. 88−37374
Naganawa, N. *see* Fujiwara, H. 86−42121
Naganawa, T. *see* Nishino, Y. 85−3225
Nagane, K. *see* Daishido, T. 86−37966, 87−28717
Nagane, Y. *see* Wakao, M. 88−73821
Nagano, H. Recent subjects in cryogenics 85−62237
Nagano, H. *see* Doi, H. 85−47966
Nagano, H. *see* Ito, Y. 85−25495
Nagano, H. *see* Itoh, K. 86−8737
Nagano, H. *see* Nakano, I. 85−53150
Nagano, H. *see* Satoh, T. 86−4149
Nagano, H. *see* Yamasumi, K. 86−14795
Nagano, I., Mambo, M., Fukami, T., Kawahata, K. Electromagnetic field distribution on the ground excited by a ducted downgoing whistler wave 85−24834
Nagano, I., Mambo, M., Fukami, T., Morita, S. Analysis of the collision frequency in the lower ionosphere from simultaneous measurements of VLF signal and Langmuir probe current by a rocket 86−68760
Nagano, I. *see* Mambo, M. 85−24853, 85−36009, 86−68751, 86−68763, 87−12707
Nagano, I. *see* Okada, T. 87−68884
Nagano, J. *see* Kamoto, T. 86−23844
Nagano, J. *see* Kuriyama, Y. 87−66985
Nagano, K., Masuda, N., Matsuda, I., Komaki, S., Kamada, T., Yoshida, Y., Asoh, T. Telephone switching system for OCC network 85−36843
Nagano, K., Saitoh, S., Yoshikawa, M., Shimada, A., Yotsui, Y., Watanabe, T., Kuki, M. Installation of 150 kV oil-filled submarine cable for Ionian Islands 87−30236
Nagano, K., Tamura, A., Hasegawa, K., Tezuka, A., Uenoyama, T., Nishii, K., Tanpo, T., Onuma, T. High-speed and low-power dissipation GaAs digital ICs 86−57746
Nagano, K. *see* Inagaki, K. 87−20491
Nagano, K. *see* Onuma, T. 86−15282
Nagano, K. *see* Suzuki, T. 88−15861, 88−53480
Nagano, K. *see* Takekoshi, E. 85−59179
Nagano, K. *see* Tamura, A. 85−54782
Nagano, K. *see* Voyatzakis, Y. 87−15356
Nagano, M. *see* Fujita, H. 87−65556, 88−18745
Nagano, M. *see* Konishi, T. 86−55423
Nagano, M. *see* Okada, K. 88−39304
Nagano, M. *see* Teshima, M. 86−60579
Nagano, N. *see* Endo, S. 87−49271
Nagano, O. *see* Nakamura, K. 85−17378
Nagano, O. *see* Suzuki, N. 85−3239
Nagano, S., Ebine, H. A compact dual-channel NNSS position fixing system, TOSNAV-709 86−23998
Nagano, S., Hirota, M. Ship speed control to minimize fuel consumption. V. Effects of winds and waves 85−60479
Nagano, S., Sugata, K., Takigawa, T. An economic load dispatch guidance system for a large cogeneration plant 86−33114
Nagano, S., Tari, M., Inohara, T., Koyanagi, E. Evaluation of field insulation of turbine-generators with higher thyristor excitation 87−30495
Nagano, S. *see* Watanabe, M. 87−72383
Nagano, S. *see* Yoshida, K. 86−70869
Nagano, T. Induced voltages on buried coaxial cable by direct lightning strokes 85−3335
Nagano, T. Decrease in induced voltage on buried coaxial cable due to direct lightning stroke by earthing of metallic sheath 85−3336
Nagano, T. Measurement of lightning currents with different signs by magnetic links 85−4064
Nagano, T. Induced voltages on buried coaxial cable by direct lightning strokes 86−69558
Nagano, T. Decrease in induced voltage on buried coaxial cable due to direct lightning stroke by earthing of metallic sheath 86−69559
Nagano, T. Measurement of lightning currents with different signs by magnetic links 86−70528
Nagano, T., Kimura, S., Yatsuo, T., Fukui, H. Increase in sustaining voltage of gate-turnoff thyristors by an innovative floating gate structure 87−60440
Nagano, T. *see* Ikeda, T. 87−53666
Nagano, T. *see* Kobayashi, Y. 86−63440
Nagano, T. *see* Minami, M. 88−63686
Nagano, T. *see* Nakai, M. 86−2384
Nagano, T. *see* Nakamura, M. 88−6530
Nagano, T. *see* Saito, R. 87−46125
Nagano, T. *see* Watanabe, A. 86−47746, 88−7674
Nagano, T. *see* Yatsuo, T. 85−18310
Nagano, Y. Shimadzu optical power meter LW-100 88−29519
Nagano, Y., Tahara, N. Voltage application indicator using liquid crystal element 88−16298
Nagano, Y. *see* Kondo, H. 87−61915
Nagano, Y. *see* Matsuda, M. 87−7048
Nagano, Y. *see* Tahara, N. 85−28753, 88−53807
Naganuma, K. *see* Ishida, Y. 85−29785
Naganuma, M., Song, J.J., Kim, Y.B., Masselink, W.T., Morkoc, H., Vreeland, T., Jr. High-spectral-resolution pulsed photoluminescence study of molecular-beam-epitaxy-grown GaAs/Al$_x$Ga$_{1-x}$As multi-quantum-well structures using a very-low-power tunable pulsed dye laser 87−1236
Naganuma, M. *see* Naemura, S. 85−14909
Naganuma, M. *see* Shibutani, Y. 88−63405
Naganuma, M. *see* Stolz, W. 88−43885
Naganuma, Y., Abe, K. Manufacture of thin Al tube containing optical fiber for OPT-GW 85−37004
Naganuma, Y. *see* Torikai, K. 86−60119
Naganuma, Y. *see* Yasui, M. 87−78158
Naganyuk, S.V. *see* Simonov, N.A. 88−67556
Nagao, A., Umemoto, T., Kato, M., Kimura, T., Mizokoshi, Y. A character packet assembly and disassembly unit for KDD 85−8246
Nagao, A. *see* Haneda, H. 88−43199

Nagao, A. *see* Itoh, S. 88—13774
Nagao, A. *see* Uchino, K. 88—33477
Nagao, E. Actions and proposals for international VAN [International VAN Co.] 88—41185
Nagao, F. *see* Kaneko, H. 88—31837
Nagao, H., Iijima, H., Kubo, M., Otsuka, Y. Transmissive photo-interrupter GP1A08 with high sensitive optical IC 85—51071
Nagao, H., Kumata, K. Modulated light type light detector IS440 with optical IC 87—35099
Nagao, H., Nagasako, I., Noguchi, T. Microwave devices for satellite TV broadcasting 87—3284
Nagao, H., Ohtsuka, Y. Photo coupler PC904 with optical-IC 86—54002
Nagao, H., Watanabe, K., Kakuta, U., Ohbata, N., Sando, S., Nakano, T. Microwave modules for 12/14 GHz business satellite communication 86—58066
Nagao, H. *see* Kodama, T. 85—10046
Nagao, H. *see* Kudoh, M. 86—52988
Nagao, H. *see* Shigemasa, J. 85—12754
Nagao, H. *see* Uchida, S. 88—5435
Nagao, H. *see* Yamamoto, R. 86—57904, 86—67561
Nagao, K., Hasegawa, T., Nakagawa, M. A delay lock loop for polyphase sequences in spread spectrum communication 87—40669
Nagao, K., Muraishi, T. RW101A/RW102A self-supporting antenna 87—54686
Nagao, K., Shiotari, Y., Sueda, A., Saito, T., Uchida, K., Takeda, S., Fukushima, Y., Hirasawa, M., Yamamoto, T. Super integration 86—2421
Nagao, K. *see* Hagimoto, E. 86—34053
Nagao, K. *see* Saito, T. 87—37359
Nagao, M. Artificial intelligence and communication 86—59420
Nagao, M. Toward a flexible pattern analysis method 87—48076
Nagao, M. Shape recognition by Human-like trial-and-error random processes 87—75905
Nagao, M., Fukatsu, K., Nakano, T., Harada, K. High frequency transistor inverter with CT 88—12204
Nagao, M., Fukuma, M., Ohsachi, N., Kosaki, M., Ieda, M. Electrical breakdown of polypropylene film in high temperature region 86—68051
Nagao, M., Kosaki, M., Ieda, M. Electrical breakdown of polypropylene film with DC, AC and impulse voltage 87—18382
Nagao, M., Kosaki, M., Sugiyama, I., Ieda, M. Dielectric breakdown of polypropylene film in high temperature region 85—29357
Nagao, M., Machitani, Y., Nakano, T. Characteristics of MOSFET PWM inverter with high carrier frequency 88—62459
Nagao, M., Nakajima, S. On the relation between the Hough transformation and the projection curves of a rectangular window 88—3194
Nagao, M., Nakano, T., Harada, K. Analysis of PWM power amplifier by the state space averaging method 86—27112
Nagao, M., Noguchi, T., Yoshimura, H., Inahata, H., Imatani, T. 30 GHz band SIS receivers using closed cycle refrigerators 88—15720
Nagao, M., Sano, K., Kojima, M., Iwasaki, H., Narhara, A., Kitamoto, T. Improvement in durability of CoCr film with carbon protective layer 88—57938
Nagao, M., Yamaguchi, F., Tokumaru, K., Sugiyama, I., Kosaki, M., Ieda, M. DC breakdown of polypropylene films in high-temperature region [power capacitors] 86—45627
Nagao, M. *see* Hoshiai, F. 87—66702
Nagao, M. *see* Kasaki, M. 85—32190
Nagao, M. *see* Kosaki, M. 86—70694
Nagao, M. *see* Miura, S.I. 85—22299
Nagao, M. *see* Mizuno, Y. 88—44928
Nagao, M. *see* Nishimoto, T. 86—16948
Nagao, M. *see* Sakamoto, H. 88—74819
Nagao, M. *see* Shimizu, N. 87—1811
Nagao, M. *see* Takahasi, H. 85—36539
Nagao, M. *see* Tokoro, T. 87—6943
Nagao, S. Technical view of electronic charts 88—16289
Nagao, S., Higashitani, K., Akasaka, Y., Nakata, H. Crystalline film quality in reduced pressure silicon epitaxy at low temperature 85—49550
Nagao, S., Higashitani, K., Akasaka, Y., Nakata, H. Application of selective silicon epitaxial growth for CMOS technology 85—50751
Nagao, S., Higashitani, K., Akasaka, Y., Nakata, H. Application of selective silicon epitaxial growth for CMOS technology 87—25562
Nagao, S., Matsuda, T., Nakamura, H., Koike, S. GaAlAs infrared light-emitting diodes for optical fiber communications 86—58843
Nagao, S. *see* Anami, K. 85—49890
Nagao, S. *see* Hine, S. 85—52679
Nagao, S. *see* Kotani, H. 88—39694
Nagao, S. *see* Okamoto, T. 88—33079
Nagao, S. *see* Sakamoto, K. 87—52137
Nagao, S. *see* Sawa, K. 88—40097
Nagao, S. *see* Yoshimoto, M. 87—66167
Nagao, T., Agui, T., Nakajima, M. A region extraction method using a distance function between images 86—10493
Nagao, T., Hatamura, Y., Takeuchi, T. Development of a tool-holder type FM-transmitting torque-thrust-temperature sensor for small drills 88—16080
Nagao, T., Uchida, N., Asada, M. Steady state stability after system fault clearance 86—18739
Nagao, T. *see* Ida, Y. 88—9986
Nagao, T. *see* Kyuma, K. 85—7260
Nagao, T. *see* Matsuki, J. 85—32452
Nagao, T. *see* Matsushita, A. 86—54684
Nagao, T. *see* Miyauchi, S. 88—9099
Nagao, T. *see* Ninomiya, K. 86—44758
Nagao, T. *see* Ota, S. 88—8989
Nagao, T. *see* Sakata, T. 88—54730
Nagao, T. *see* Shige-eda, Y. 85—19645
Nagao, T. *see* Tani, Y. 85—4119
Nagao, T. *see* Uchida, N. 88—10782
Nagao, T. *see* Yoneyama, M. 88—71340
Nagao, Y., Imamura, O. Optical head for photomagnetic disk drives 86—2898
Nagao, Y., Tanaka, F., Imamura, N. Dynamic characteristics of TbFeCo magneto-optical disk with CLV method 86—63555
Nagao, Y. *see* Hirakawa, K. 87—79094
Nagao, Y. *see* Imamura, N. 86—28918, 87—1890
Nagao, Y. *see* Itoh, S. 85—55931
Nagao, Y. *see* Katase, A. 86—56049
Nagao, Y. *see* Matsumoto, Y. 87—41870
Nagao, Y. *see* Ota, C. 87—1889
Nagao, Y. *see* Tanaka, F. 85—29441, 86—63554
Nagaoka, A. *see* Kawamura, R. 85—37701
Nagaoka, A. *see* Ohno, H. 86—51007
Nagaoka, A. *see* Ono, H. 88—55009
Nagaoka, A. *see* Ueno, K. 88—55010
Nagaoka, C. *see* Ohtoshi, T. 87—54343
Nagaoka, H. The Mullis-Roberts-type approximation for continuous-time linear systems 87—467
Nagaoka, H., Monden, Y., Arimoto, S. An approach to the continuous-time stability criterion of polynomial matrices via orthogonal polynomial matrices 85—60833
Nagaoka, H., Oshio, K., Mori, H., Murakami, T., Esaki, T., Tominaga, J., Yamauchi, T. CMOS ICs for character display on screen series 88—20121
Nagaoka, H., Oshio, K., Uyeno, T., Yano, N., Ghoto, K., Hiruta, Y. CMOS IC series for character display on screens 87—31976
Nagaoka, H. *see* Handa, S. 88—52592
Nagaoka, I. *see* Kodama, K. 85—18981
Nagaoka, I. *see* Nakano, S. 87—36130
Nagaoka, M. Recent improvements in VOR system [VHF omnidirectional range] 87—56298
Nagaoka, M. *see* Uchitomi, N. 87—25163
Nagaoka, N., Ametani, A. A transient calculation method on a distributed parameter line using *Z*-transform 85—534
Nagaoka, N., Ametani, A. A two-conductor model for lightning surge calculation 87—30243
Nagaoka, N., Fujii, S., Ametani, A. An analysis of operational characteristics of high frequency inverters by EMTP 88—70536
Nagaoka, N., Motoyama, H., Ametani, A. Lightning surge calculations including corona effects using a two-conductor model 88—5320
Nagaoka, N., Yamamoto, M., Ametani, A. Surge propagation characteristics of a POF cable [power cables] 86—44973
Nagaoka, N. *see* Numano, T. 86—63483
Nagaoka, O. *see* Yamamoto, M. 86—70524
Nagaoka, R., Uesugi, N. Thick film hybrid IC 88—38946
Nagaoka, S. Distribution of relative vertical distances of pairs of aircraft 85—31093
Nagaoka, S. MNPS and its concept used in the North Atlantic area [Minimum Navigation Performance Specification] 85—31123
Nagaoka, S. Evaluation of height estimation accuracy of a radar for navigation accuracy measurements 85—42655
Nagaoka, S. An experiment for estimation of systematic errors of a height finding radar for navigation accuracy measurement 85—47615
Nagaoka, S. A method for estimating biases in the measurement system of a height finding radar 86—11154
Nagaoka, S. Characterizing height keeping error distribution based on indirect observation [aircraft navigation] 86—55389
Nagaoka, S. Estimation of the probability of vertical overlap of proximate pairs of aircraft 87—34668
Nagaoka, S. Systematic error factors of a height finding radar for navigation accuracy measurement 87—34677
Nagaoka, S. A method for estimating biases in the measurement system of a height finding radar 87—40991
Nagaoka, S. Height estimation of a cruising aircraft by using an air traffic control radar 87—70808
Nagaoka, S. Lateral overlap probability of air traffic over a position reporting fix 88—30132
Nagaoka, S. *see* Fukuda, M. 86—1878
Nagaoka, S. *see* Hamasaki, K. 87—38698
Nagaoka, S. *see* Nishi, I. 87—70058
Nagaoka, Y., Hirata, A. Recording and reproducing equipment 85—37312
Nagaoka, Y. *see* Hirata, A. 87—34830
Nagaoka, Y. *see* Matsumoto, H. 86—39550
Nagaoka, Y. *see* Nakamura, O. 85—57513, 86—69162
Nagaoka, Y. *see* Ono, S. 87—76979
Nagaoka, Y. *see* Sunohara, M. 88—22371
Nagaoka, Y. *see* Tanaka, Y. 88—45256
Nagaoka, Y. *see* Yamamoto, Y. 87—13911
Nagaosa, M., Kaneko, Y. Guangapolo Power Station in Ecuador 87—57951
Nagaosa, M., Yoneda, H., Shinohara, S. Power generating facilities of three hydro-power plants for the Tamil Nadu State Electricity Board, India 88—75513
Nagappan, K., Mohanram, K.R., Ramalingam, K. New approach to symmetrical three phase short circuit computation in power systems 85—59621
Nagar, M.R. *see* Kaushik, A.R. 86—64845
Nagar, R.P., Velazquez, R., Loeloeian, M., Mukhedkar, D., Gervais, Y. Review of analytical methods for calculating the performance of large grounding electrodes. I. Theoretical considerations 86—18886
Nagar, R.P. *see* Desai, T. 85—38562
Nagar, R.P. *see* Menon, S.G. 85—49200
Nagar Katti, A. Practical analysis of ECPM motors with torque roll-off due to armature reaction 88—75602
Nagar Katti, A., Lordo, R.E. Reluctance type resolver with unwound rotor and harmonically graded airgap 87—51165
Nagara, S., Smith, S.G., Denver, P.B., Keightley, M. New channel routing algorithm for bit-slice applications 88—12296
Nagara, S. *see* Matsumoto, M. 87—37195
Nagara, S. *see* Smith, S.G. 88—56580
Nagaraj, H.S. *see* Miller, R.J. 88—71379
Nagaraj, H.S. *see* Murthy, S.S. 88—23913
Nagaraj, K. A novel switched-capacitor rectifier 86—725
Nagaraj, K. High-resolution switched-capacitor algorithmic digital-to-analogue convertor 86—1150
Nagaraj, K. New CMOS floating voltage-controlled resistor 86—52940
Nagaraj, K. A novel parasitic insensitive switched-capacitor technique for realizing very large time constants 88—70502
Nagaraj, K., Satyam, M. Load-coupled regenerative switching circuits—a new family 85—23069
Nagaraj, K., Singhal, K. Variable-length shift register 85—39986
Nagaraj, K., Singhal, K. High-CMR stray-insensitive switched-capacitor differential input stage for A/D convertors 86—20695
Nagaraj, K., Singhal, K., Viswanathan, T.R., Vlach, J. Techniques for reducing the finite gain effect in switched-capacitor circuits 86—57962
Nagaraj, K., Singhal, K., Viswanathan, T.R., Vlach, J. Switched-capacitor circuits with reduced sensitivity to finite amplifier gain 86—67337
Nagaraj, K., Singhal, K., Wiswanathan, T.R., Vlach, J. Reduction of finite-gain effect in switched-capacitor filters 85—55000
Nagaraj, K., Turner, R.E. Precision switched-capacitor attenuator 87—45037
Nagaraj, K., Viach, J., Viswanathan, T.R., Singhal, K. Switched-capacitor integrator with reduced sensitivity to amplifier gain 87—5955
Nagaraj, K., Viswanathan, T.R., Singhal, K., Vlach, J. Switched-capacitor circuits with reduced sensitivity to amplifier gain 87—59710
Nagaraj, K., Vlach, J.K. Parasitic-tolerant components simulation type switched-capacitor filters using unity-gain buffers 88—32316
Nagaraj, K., Wong, S.L., Salama, C.A.T. Comments on 'Wide dynamic range four-quadrant CMOS analog multiplier using linearized transconductance stages' [and reply] 87—66443
Nagaraj, K. *see* Chari, M.A. 87—65854
Nagaraj, K. *see* Raghavendra, S. 85—3017
Nagaraj, K. *see* Ramkumar, K. 85—17230, 85—54817
Nagaraj, K. *see* Viswanathan, T.R. 86—53787, 86—67353
Nagaraj, Y.R. *see* Sriram, R. 87—57672
Nagaraja, G. *see* Kumar, K.G. 85—25570
Nagaraja, G.R. *see* Rao, K.V.N. 85—53313
Nagaraja, H.S. *see* Vijaya Bhaskar, K. 87—22930
Nagaraja, H.V. *see* Udupa, A.H. 85—3304
Nagarajan, A. *see* Gartner, H.M. 85—12356
Nagarajan, R. *see* Likhite, S.D. 85—43078
Nagarajan, R. *see* Wahab, A.A. 85—26200, 86—15242, 86—47682
Nagarajan, R.M. Functional characterization of positive optical resists 87—11901
Nagarajan, R.M., Lee, B.R., Rask, S.D. Electrical and SEM metrology analyses of pattern dimension accuracy and process control in direct write electron beam lithography 88—19874
Nagarajan, R.M., Rask, S.D. Electron beam/optical hybrid lithography for the production of gallium arsenide monolithic microwave integrated circuits (MIMICs) 88—64798

Nagarajan, R.M., Rask, S.D., King, M.R., Yard, T.K. Sub-half micrometer gate lift-off by three layer resist process via electron beam lithography for gallium arsenide monolithic microwave integrated circuits (MIMICs) 88−64797

Nagarajan, R.M., Rask, S.D., Lee, B.R. Direct-write electron beam lithography for integrated circuits: submicron image reversal process of novolac-diazo resist and its stability towards composite metallization in bipolar gate arrays for VLSI 88−13558

Nagarajan, V. Life cycle support for training simulators [nuclear power plants] 85−54071

Nagarajan, V. New approach to improved detection and tracking performance in track-while-scan radars. III. Performance prediction, optimisation and testing 87−28642

Nagarajan, V., Chakravarthy, C.V. A simulation study of computer communication protocols in the presence of unsymmetric traffic 85−30506

Nagarajan, V., Chidambara, M.R., Sharma, R.N. A new solution to the combinatorial problems in multi-target tracking 86−23941

Nagarajan, V., Chidambara, M.R., Sharma, R.N. New approach to improved detection and tracking performance in track-while-scan radars. I. Introduction and review 87−28640

Nagarajan, V., Chidambara, M.R., Sharma, R.N. New approach to improved detection and tracking performance in track-while-scan radars. II. Detection, track initiation and association 87−28641

Nagarajan, V., Chidambara, M.R., Sharma, R.N. Combinatorial problems in multitarget tracking—a comprehensive solution 87−28643

Nagarajan, V., Nordqvist, G. Field performance of 565 Mbit/s optical fibre line system 87−62965

Nagarajan, V., Sharma, R.N., Chidambara, M.R. An algorithm for tracking a maneuvering target in clutter 85−14332

Nagarkar, M. *see* Mahalingam, M. 85−6628, 87−36511

Nagarkar, M. *see* Mahalingham, M. 86−13508

Nagarkar, V.V., Balwe, T.K., David, S.K. Microprocessor controlled high density multiwire proportional chambers for two dimensional angular correlation of positron annihilation 87−21458

Nagarsenker, B.N., Nagarsenker, P.B. Distribution of LRT for testing the equality of several 2-parameter exponential distributions 85−60847

Nagarsenker, P.B. *see* Cole, K.N. 87−58725

Nagarsenker, P.B. *see* Nagarsenker, B.N. 85−60847

Nagaru, S. *see* Watanabe, T. 86−57807

Nagarwalla, H.E. *see* Gopalan, M.N. 85−44547, 86−7558, 86−13580 to 13581

Nagasaka, C. Exceptional values of the Dedekind symbol 87−16495

Nagasaka, D.M., Raghuveer, M.R. Signal reconstruction in high voltage engineering 88−30246

Nagasaka, D.M., Raghuveer, M.R. The application of constrained signal reconstruction methods in high voltage impulse measurement 88−42241

Nagasaka, H., Katoh, M., Abe, N., Aoki, H., Kagawa, T. Thermal hydraulic behavior in upper plenum during refill-reflood phase of BWR LOCA. II. Characteristics of residual two-phase pool in upper plenum 86−51274

Nagasaka, H. *see* Ishikawa, M. 87−26425

Nagasaka, H. *see* Itoya, S. 88−5465

Nagasaka, H. *see* Masui, M. 88−51088

Nagasaka, H. *see* Morosawa, K. 85−1431

Nagasaka, H. *see* Ojima, M. 87−60107

Nagasaka, H. *see* Takeuchi, M. 85−56404, 87−23724

Nagasaka, K. *see* Aoki, Y. 86−36380

Nagasaka, K. *see* Koizumi, T. 85−20621

Nagasaka, K. *see* Midorikawa, K. 86−15604

Nagasaka, K. *see* Tashiro, H. 85−29925

Nagasaka, M. Dry etching equipment and etching characteristics—single slice plasma etching system 86−35781

Nagasaka, N. Experimental results from the trial production of PM type linear pulse motors with rare-earth magnets 87−15794

Nagasaka, N. A suggestion of the novel but useful inductor motors with rare-earth-cobalt magnet 87−51271

Nagasaka, N. Similitude law and design possibility of a novel type inductor motor with rare-earth magnet 88−43235

Nagasaka, N., Kabashima, T. A study on the relationship between gap geometry and thrust force of PM-type linear pulse motor 88−55382

Nagasaka, S., Fushiki, K. Mobile telephone market is brisk with increasing number of subscribers and participants of new telecommunication business 87−28428

Nagasaka, S. *see* Kumagai, N. 86−24937

Nagasaka, S. *see* Zaike, K. 85−58763, 86−51162

Nagasaka, T., Nakagawara, H., Ban, K., Koyama, M., Sonobe, T. The influence of oxide formation on the solder acceptance of thick-film copper conductors 88−64133

Nagasaka, T. *see* Saito, T. 85−64347

Nagasaka, Y. *see* Kawaguchi, N. 86−5568

Nagasaki, H. *see* Asada, H. 86−58932

Nagasaki, H. *see* Saito, K. 85−10266, 86−7323

Nagasaki, H. *see* Udea, D. 86−58481

Nagasaki, I. Charge-enhanced membranes for water filtration 88−64370

Nagasaki, S., Matsubara, H., Yamanouchi, S., Yamada, M., Matsuike, T., Fukunaga, S. Development of water-tree-retardant XLPE cables 85−38513

Nagasaki, S. *see* Mitsui, T. 85−32176

Nagasaki, T. *see* Kikuchi, M. 87−71426

Nagasaki, Y., Itomi, K., Nagai, N. Reducing sizes of brushless DC motors for precision control—for VTR use 88−17648

Nagasako, I. *see* Nagao, H. 87−3284

Nagasako, I. *see* Ueno, S. 86−4821

Nagasako, S. *see* Shimada, Y. 85−28857

Nagasako, S. *see* Utsumi, K. 85−50634

Nagasawa, C. *see* Kaneki, T. 86−64102

Nagasawa, E., Okabayashi, H., Iida, Y. A highly stable Al-Si contact to Mo-silicided shallow junctions 87−25171

Nagasawa, E., Okabayashi, H., Iida, Y. A highly stable Al-Si contact to Mo-silicided shallow junctions 87−45825

Nagasawa, E. *see* Mogami, T. 85−50414, 86−28435

Nagasawa, E. *see* Okabayashi, H. 85−12225

Nagasawa, H., Sato, J., Endo, Y. Supervision and control system for power and environmental equipment at the NHK broadcasting center 88−30323

Nagasawa, H., Shimada, Y. The Earth station for satellite communication systems 87−8237

Nagasawa, H. *see* Nakama, F. 85−32763

Nagasawa, I. District heating and cooling system using heat pumps 85−48838

Nagasawa, K., Hoshi, Y., Ohki, Y. Effect of oxygen content on defect formation in pure-silica core fibers 87−53937

Nagasawa, K., Hoshi, Y., Ohki, Y. Effect of oxygen content on defect formation in pure-silica core fibers 88−45146

Nagasawa, K., Hoshi, Y., Ohki, Y., Yahagi, K. Improvement of radiation resistance of pure silica core fibers by hydrogen treatment 86−22136

Nagasawa, K., Hoshi, Y., Ohki, Y., Yahagi, K. Radiation effects on pure-silica core optical fibers by γ-rays: Relation between 2 eV band and non-bridging oxygen hole centers 86−42286

Nagasawa, K., Hoshi, Y., Yahagi, K. Induced loss characteristics in silicone clad pure silica core fiber under gamma radiation—relation between the NBOHC and the 2.0 eV band 85−35526

Nagasawa, K., Kanda, T. Meteor observation system using SIT TV camera 87−41267

Nagasawa, K., Ohki, Y. Structural inhomogeneity in Ge-doped silica core of optical fibers made by the VAD method 87−7145

Nagasawa, K., Ohki, Y., Hama, Y. Gamma-ray induced 2 eV optical absorption band in pure-silica core fibers 87−68010

Nagasawa, K., Tanabe, M., Yahagi, K. Gamma-ray-induced absorption bands in pure-silica-core fibers 85−24297

Nagasawa, K., Todoriki, T., Fujii, T., Ohki, Y., Hama, Y. The 1.52 μm absorption band in optical fibers induced by hydrogen treatment 87−18649

Nagasawa, K., Tohmon, R., Ohki, Y. Effect of cladding material on 2-eV optical absorption in pure-silica core fibers and method to suppress the absorption 87−38772

Nagasawa, K. *see* Agawa, T. 86−12550

Nagasawa, K. *see* Kashihara, H. 88−52543

Nagasawa, K. *see* Komori, K. 86−46848

Nagasawa, K. *see* Matsui, K. 86−14365, 86−34966

Nagasawa, K. *see* Meguro, S. 85−50721

Nagasawa, K. *see* Nakanushi, T. 87−72207

Nagasawa, K. *see* Yamamoto, S. 86−14219, 86−20532

Nagasawa, K. *see* Yokomachi, Y. 88−26786

Nagasawa, M., Aoki, M., Yoshida, Y., Kato, M. Role of packet switching networks in future telecommunications network—a proposal of high speed packet switching network 86−37304

Nagasawa, M., Hiramatsu, Y., Takami, K. Packet switching network access protocols for multimedia packet communications 86−16625

Nagasawa, M., Hiramatsu, Y., Takami, K. Packet switching network access protocols for multimedia packet communications 86−64657

Nagasawa, M. *see* Takase, T. 86−14337, 87−45013

Nagasawa, N. *see* Ueda, M. 88−40307

Nagasawa, S., Furukawa, H., Kashima, N. Multicore fiber connector with a plastic-molded ferrule 88−26809

Nagasawa, S., Furukawa, H., Satake, T., Kashima, N. A new type of optical switch with a plastic-molded ferrule 88−9594

Nagasawa, S., Kashima, N. Structural design of optical-fiber fanout connector for fiber-ribbon cable termination 87−60946

Nagasawa, S., Kobayashi, H., Matsumoto, M., Satake, T. Optical fiber cable jointing techniques for optical subscriber lines 86−4629

Nagasawa, S., Sankawa, I. Reliability in V-groove optical fiber mass splices—improvement of splice loss temperature characteristics 85−50907

Nagasawa, S., Sankawa, I. Reliability of V-groove optical fiber mass splicing—improvement of splice loss temperature characteristics 86−28867

Nagasawa, S., Sankawa, I., Satake, T., Kashima, N. Small-size push-on type optical fiber connector 87−62997

Nagasawa, S., Satake, T., Sankawa, I., Arioka, R. Optical-fiber fanout connector for 10-fiber ribbon cable termination 87−7139

Nagasawa, S., Tsuge, H., Wada, Y. Planariation technology for Josephson integrated circuits 88−71975

Nagasawa, S. *see* Chikada, Y. 87−28718, 88−9692

Nagasawa, S. *see* Kumaki, S. 87−34976

Nagasawa, S. *see* Miki, Y. 86−55465

Nagasawa, S. *see* Oda, H. 86−43776

Nagasawa, S. *see* Okubo, H. 88−59938

Nagasawa, S. *see* Sankawa, I. 85−29605, 86−36140, 87−1942, 87−7138

Nagasawa, S. *see* Satake, T. 85−46192, 86−28812, 86−55308, 87−7137, 87−8256, 87−34592, 87−76807

Nagasawa, S. *see* Wada, Y. 88−6745, 88−12383, 88−44171, 88−63673

Nagasawa, S. *see* Yamane, M. 88−74622

Nagasawa, S. *see* Yoshida, K. 85−3464

Nagasawa, T., Watanabe, K. An interface circuit for capacitive sensors 88−22520

Nagasawa, T. *see* Takahashi, T. 86−56169

Nagasawa, T. *see* Yoshida, S. 87−4466

Nagasawa, Y. Ground characteristic of a metal plane on the floor 86−68800

Nagasawa, Y., Fujiwara, T., Ujiie, H. Electromagnetic noise from an automobile and its noise currents on the automobile body surface 88−40601

Nagasawa, Y., Kikuchi, J., Sato, R. Experiment on searching for electromagnetic wave sources by using a synthetic aperture technique 86−42810

Nagasawa, Y., Kikuchi, J., Sato, R. Experiment on searching for electromagnetic wave sources by using a synthetic aperture technique 87−69098

Nagasawa, Y., Sato, R. A proposal for the decisional method of the position of the absorbing clamp on detecting the induction power line noise from attached machinery and tools 86−31627

Nagasawa, Y., Sato, R. A method for determining the absorbing clamp position in the detection of power line induced noise 87−49908

Nagasawa, Y. *see* Kikuchi, J. 86−3572, 86−23987, 87−19178, 87−47230, 88−40528

Nagasawa, Y. *see* Kitamura, T. 85−14653

Nagasawa, Y. *see* Naito, F. 85−63482

Nagasawa, Y. *see* Nemoto, Y. 87−28485

Nagase, A., Iwanami, Y., Ishihara, J., Ikeda, T. An application of ferrite by-product surface waveguides 87−17299

Nagase, H., Kuranaga, H., Dango, Y., Yoneda, E. Fiber optic subscriber loop testing system and broad band supervisory equipment 86−4626

Nagase, H., Kuranaga, H., Yoneda, E. Fiber-optic subscriber testing system 86−49608

Nagase, H., Matsuda, Y., Ohnishi, K., Ninomiya, H., Koike, T. High-performance induction motor drive system using a PWM inverter 85−27680

Nagase, H., Nishimura, H., Uchihashi, K., Shiomi, T. Study of electronic ballast for high intensity discharge lamps 88−49269

Nagase, H. *see* Asatani, K. 86−37239

Nagase, H. *see* Harata, Y. 85−33965, 87−37166

Nagase, H. *see* Mutoh, N. 86−6771, 86−45418

Nagase, H. *see* Nishimura, H. 86−26400

Nagase, H. *see* Teshima, S. 88−70737

Nagase, K., Funatsu, K. A fuel injection system for diesel engines with injection pressure control 88−47553

Nagase, K. *see* Hayakawa, M. 85−30814

Nagase, M., Komiya, H. Exclusive gas detector trends in semiconductor manufacturing 86−31379

Nagase, R., Shintaku, T., Sugita, E. Effect of axial compressive force for connection stability in PC optical fibre connectors 87−32934

Nagase, R. *see* Matsumoto, T. 88−7879

Nagase, R. *see* Shintaku, T. 87−54065

Nagase, T. Parallel operation between cogeneration power system and conventional commercial power system 88−48779

Nagase, T. *see* Kubota, K. 87−9052

Nagase, Y. *see* Asakura, H. 88−16657

Nagase, Y. *see* Kobayashi, S. 87−50198

Nagashima, A. *see* Kawaguchi, N. 86−5568

Nagashima, A. *see* Utsumi, T. 86−21721

Nagashima, E. *see* Furuichi, S. 88−59515

Nagashima, H. *see* Fukuda, K. 86−13679

Nagashima, H. *see* Kuranaga, H. 88−28207, 88−46582

Nagashima, H. *see* Nagashima, Y. 85−3887, 85−31385, 87−3454, 87−35217, 87−75015, 87−75226, 87−77104, 88−41044, 88−49755

Nagashima, H. *see* Tamaribuchi, K. 85–3441, 85–31028
Nagashima, H. *see* Ueha, S. 88–33473
Nagashima, I. *see* Sumi, M. 88–70836
Nagashima, I. *see* Takai, T. 88–53224
Nagashima, K. Characteristics of ASE obtained from dye mixtures of rhodamine 6G and rhodamine B 86–36438
Nagashima, K. Improvement of images reconstructed from computer-generated holograms using an iterative method 86–58987
Nagashima, K. Improvement of images reconstructed from computer-generated holograms made by the iterative method 86–68639
Nagashima, K. Output characteristics of Q-switching dye lasers 87–7283
Nagashima, K. *see* Goto, H. 85–42612, 86–55298, 87–40914
Nagashima, K. *see* Hayano, S. 88–19249
Nagashima, K. *see* Kobara, K. 86–43666
Nagashima, K. *see* Murata, Y. 86–64825
Nagashima, K. *see* Sawano, T. 88–46837
Nagashima, K. *see* Suzuki, S. 86–49425, 88–4042, 88–22104
Nagashima, M., Miki, A., Tsutsumi, Y., Ishii, K., Akimaru, S. Effects of mixing reactant gases on phosphoric acid fuel cell performance 87–43405
Nagashima, M., Miyamoto, Y., Furuya, K., Suematsu, Y., Watanabe, C., Yang, S. Mass transported 1.55 μm GaInAsP BH laser grown by OMVPE 86–15724
Nagashima, M., Miyamoto, Y., Watanabe, C., Suematsu, Y., Furuya, K. 1.55 μm GaInAsP/InP buried heterostructure lasers with multiple p-n current blocking layer entirely grown by low-pressure OMVPE 86–42576
Nagashima, M. *see* Manabe, T. 87–77077
Nagashima, M. *see* Miyamoto, Y. 86–26850, 87–54345
Nagashima, M. *see* Takeuchi, N. 85–16496
Nagashima, M. *see* Yang, S. 86–9872
Nagashima, N. *see* Mukumoto, K. 85–36547
Nagashima, R., Kajiwara, K., Matsui, Y., Komori, H., Seki, T., Yoshikawa, K. Thermal analysis of an electrothermal hydrazine thruster for spacecraft 88–10490
Nagashima, S. Feeder return wire leakage detector 88–31141
Nagashima, S. Train access alarm in tunnel 88–31142
Nagashima, S., Ogura, I. Epitaxial growth of Se films deposited on UHV-cleaved KI irradiated by electrons 85–22468
Nagashima, S. *see* Akiyama, Y. 85–8621
Nagashima, S. *see* Oguchi, K. 88–4547
Nagashima, S. *see* Takamine, Y. 88–70726
Nagashima, T., Fujii, T., Hara, M., Honda, M., Iida, K., Ikeda, Y., Imai, T., Kimura, H., Nakamura, T., Saigusa, M., Sakamoto, K., Sawahata, M., Shirakata, H., Suzuki, N., Uehara, K. JT-60 radio frequency heating system and testing of 1 MW-10 sec klystron 85–1237
Nagashima, T., Imai, T., Uehara, K., Fujii, T., Sakamoto, K., Saigusa, M., Ikeda, Y., Kojima, Y., Murayama, Y., Yoshioka, Y., Konishi, T., Sato, H., Ohrui, R. Super-high-power klystron for the JT-60 86–41475
Nagashima, T. *see* Kimura, H. 85–30117
Nagashima, T. *see* Miyake, S. 85–55396
Nagashima, T. *see* Okamoto, T. 86–53296
Nagashima, T. *see* Sakamoto, K. 87–19154
Nagashima, T. *see* Tatsuta, T. 86–51008
Nagashima, T. *see* Watanabe, H. 86–13814
Nagashima, Y. Status of TRISTAN 88–42340
Nagashima, Y., Karasaki, Y., Nagashima, H. An experimental study of a mode estimation of He-Ne laser beam using least squares approximation 87–75015
Nagashima, Y., Karasaki, Y., Saito, T., Nagashima, H. A data-input unit of the direct-looking equipment for the light-intensity distribution 85–3887
Nagashima, Y., Karasaki, Y., Saitoh, T., Nagashima, H., Sugiura, Y., Tarukawa, K. A data input unit for CCD camera light intensity distribution direct-look studies 85–31385
Nagashima, Y., Morita, S., Kobayashi, Y., Nagashima, H. A measuring system for light-intensity distribution using time series average 87–77104
Nagashima, Y., Morita, S., Nagashima, H. Study of an image processing unit of the measuring system for light intensity distribution 87–3454
Nagashima, Y., Nagashima, H. Measurement of He-Ne laser beam using direct looking apparatus for light intensity distribution 87–35217
Nagashima, Y., Nagashima, H. A mode estimation of He–Ne laser beam using least squares approximation 87–75226
Nagashima, Y., Nagashima, H. A method for choosing the initial approximations for simultaneous determination of the zeros of a polynomial 88–49755
Nagashima, Y., Nakatani, Y., Hisaki, T. The recognition of human area in video signal 88–21335
Nagashima, Y., Owa, S., Tsubono, K., Hirakawa, H. Composite antennas for low-frequency gravitational radiation 88–27607
Nagashima, Y., Terauchi, M., Nagashima, H. A random pattern method for gray pictures in a high-speed processing time 88–41044
Nagashima, Y. *see* Abe, K. 88–16629
Nagashima, Y. *see* Hisaka, T. 86–10933
Nagashima, Y. *see* Hisaki, T. 85–31193
Nagashima, Y. *see* Iwahori, J. 86–65329
Nagashima, Y. *see* Kobayashi, M. 86–44560
Nagashima, Y. *see* Matsumoto, T. 88–53500
Nagashima, Y. *see* Ogihara, M. 87–8846
Nagashima, Y. *see* Takasaki, M. 86–31869
Nagashima, Y. *see* Uebayashi, T. 88–29903
Nagashima, Y. *see* Yorino, N. 86–61001
Nagasu, M. Influence of the ghost disturbance for teletext reception 87–69610
Nagasu, M. *see* Koshida, N. 85–49062, 87–11497
Nagasu, M. *see* Takeuchi, H. 86–43510
Nagasubramanian, G., Di Stefano, S., Moacanin, J. Determination of the Si-conducting polymer interfacial properties using A-C impedance techniques 86–41623
Nagasubramanian, G., DiStefano, S., Moacanin, J. Effect of counterions on the formation of ohmic contact between p-Si and poly(pyrrole) film. An AC impedance analysis 86–63067
Nagasubramanian, G. *see* Wheeler, B.L. 85–12065
Nagasubramanian, G. *see* Williams, R.M. 87–9875
Nagasundaram, C., Eswar Reddy, N.C. Noise reduction by microprocessor based recursive digital filter 87–24348
Nagaswa, E., Okabayashi, H., Morimoto, M. Mo- and Ti-silicided low-resistance shallow junctions formed using the ion implantation through metal technique 87–45760
Nagaswami, V. *see* Fay, B. 87–11518
Nagata, A., Hayashi, K., Hanano, T., Izumi, O. Effects of Zr, Hf and Ta additions on properties of in situ Cu-20% Nb-Sn superconductors 86–2617
Nagata, A., Watanabe, K., Noguchi, T. Split type superconducting magnet for stress effect measurement of superconducting materials 87–53929
Nagata, A. *see* Kamata, K. 87–67818
Nagata, A. *see* Koga, K. 86–17338
Nagata, A. *see* Sato, M. 85–36881
Nagata, A. *see* Tatebayashi, K. 86–41243
Nagata, A. *see* Yagishita, W. 86–55489
Nagata, A. *see* Yamada, J. 88–60494
Nagata, D. *see* Hamada, Y. 85–2508
Nagata, E. *see* Tsukioka, M. 86–68381
Nagata, F. *see* Kakibayashi, H. 85–22470
Nagata, F. *see* Kawabe, U. 87–60866
Nagata, H. Hair moisture meter HC-100 86–31743
Nagata, H., Inagaki, K., Nakamura, T. Construction of Tokyo Earth station 88–28769
Nagata, H., Masuko, T., Asano, M., Shimoichi, T., Makita, F., Takegawa, K., Kano, T. Construction of Okinawa Earth station 88–28627
Nagata, H. *see* Kobayashi, K. 87–75896
Nagata, H. *see* Osaka, T. 87–11262
Nagata, H. *see* Yamamoto, H. 88–51173
Nagata, J. *see* Tateno, H. 88–16985
Nagata, K., Ishii, D., Mori, T., Oyagi, T., Seo, T. Slim digital pagers 85–8325
Nagata, K., Kobayashi, K., Yuki, S. Control techniques and power saving effects of intermittent operation in radio units 87–69985
Nagata, K., Nakajima, O., Ishibashi, T. Surface damage of reactive ion beam etched GaAs 86–63197
Nagata, K., Nakajima, O., Nittono, T., Ito, H., Ishibashi, T. Self-aligned AlGaAs/GaAs HBT with InGaAs emitter cap layer 87–25228
Nagata, K., Nakajima, O., Nittono, T., Ito, H., Ishibashi, T. Improved AlGaAs/GaAs HBT performance by InGaAs emitter cap layer 87–52828
Nagata, K., Nakajima, O., Yamauchi, T., Nittono, T., Ito, H., Ishibashi, T. Self-aligned AlGaAs/GaAs HBT with low emitter resistance utilizing InGaAs cap layer 88–26221
Nagata, K., Nakajima, O., Yamauchi, Y., Ishibashi, T. A new self-aligned structure AlGaAs/GaAs HBT for high speed digital circuits 86–53605
Nagata, K., Nakajima, O., Yamauchi, Y., Ito, H., Nittono, T., Ishibashi, T. High-speed performance of AlGaAs/GaAs heterojunction bipolar transistors with nonalloyed emitter contacts 88–33166
Nagata, K., Nakano, J., Mimura, Y., Kodaka, I., Kubo, S., Yanagawa, F. A 4.2-ps logic gate using new Pb-alloy Josephson IC technology 85–28490
Nagata, K., Schmitt, H., Stathakis, K. Electrical, optical and switching measurements on $(Pb,La)(Zn,Nb,Zr,Ti)O_3$ electro-optic ceramics 87–1804
Nagata, K. *see* Aritome, H. 86–25157
Nagata, K. *see* Doi, M. 87–77056
Nagata, K. *see* Hasebe, N. 88–29797
Nagata, K. *see* Ishibashi, K. 87–32257, 87–66917
Nagata, K. *see* Ishibashi, T. 87–46160, 87–46176
Nagata, K. *see* Kobayashi, K. 85–3386
Nagata, K. *see* Miyanaga, Y. 88–21212
Nagata, K. *see* Mori, T. 85–52281
Nagata, K. *see* Nakajima, O. 86–9103, 86–28290, 87–18084, 87–45903, 88–26219
Nagata, K. *see* Nakano, J. 85–46099
Nagata, K. *see* Sugisaka, H. 88–75518
Nagata, K. *see* Takeuchi, H. 87–12246
Nagata, K. *see* Utsunomiya, T. 86–48216, 86–54009
Nagata, K. *see* Yamada, N. 88–45046
Nagata, K. *see* Yamauchi, Y. 87–73398, 88–56607
Nagata, K. *see* Yuki, S. 87–28412
Nagata, M. Retrieval for remote sensing image database with multimedia user interface 85–64715
Nagata, M. Multiprocessor architecture for local area network node with distributed database management 86–4333
Nagata, M. Transmission of speech information by sound system 88–2981
Nagata, M. The calculation procedure of illuminance distribution in an interior of finite width and infinite length by Monte Carlo simulation 88–11485
Nagata, M., Miyachi, I., Yokoi, Y. Breakdown characteristics of high-temperature air 85–45917
Nagata, M., Mori, S., Satoh, T. Intelligent recorder μR100T, μR180T series 88–60817
Nagata, M., Nakamura, H. Liquid crystal shutters for printers 87–7185
Nagata, M., Ohkura, K., Isojima, S., Watanabe, M., Umeda, M., Kimura, Y. Development of a large high-current-density Nb_3Sn superconductor made by solid-liquid diffusion method 85–56244
Nagata, M., Ohtaka, M., Kobayashi, T. Wide frequency-modulation operation of semiconductor lasers using a composite-optical cavity 87–61166
Nagata, M., Ohtaka, M., Kobayashi, T. Wide frequency-modulation operation of semiconductor lasers using a composite-optical cavity 88–47028
Nagata, M., Takada, K. Signal restoration of distorted kinesiographic measurement 87–29708
Nagata, M., Takada, K., Sakuda, M. GMDH correction modeling of distorted signals recorded by mandibular kinesiograph 87–29700
Nagata, M. *see* Ariki, Y. 88–45996
Nagata, M. *see* Hagiwara, H. 88–32313
Nagata, M. *see* Hariwara, H. 88–879
Nagata, M. *see* Hasegawa, K. 87–56346
Nagata, M. *see* Inohira, S. 86–21648, 88–71751
Nagata, M. *see* Isaka, K. 86–6002, 86–6360, 86–32809
Nagata, M. *see* Katagiri, K. 85–46025
Nagata, M. *see* Kato, M. 85–23744
Nagata, M. *see* Kikumoto, Y. 87–55656
Nagata, M. *see* Kimura, M. 85–40048
Nagata, M. *see* Kobori, Y. 86–17652
Nagata, M. *see* Kosaka, T. 87–63039
Nagata, M. *see* Kowase, Y. 86–2411
Nagata, M. *see* Nakamura, T. 85–35153, 86–9109
Nagata, M. *see* Nakazato, K. 85–40884, 86–8194
Nagata, M. *see* Nishio, K. 88–12506
Nagata, M. *see* Okabe, T. 85–54854
Nagata, M. *see* Okada, Y. 86–47527
Nagata, M. *see* Sato, Y. 88–39858
Nagata, M. *see* Shinmi, T. 85–23752, 87–53479
Nagata, M. *see* Tsuchimoto, S. 88–42075
Nagata, M. *see* Umeda, M. 85–41093
Nagata, M. *see* Watanabe, K. 86–35445, 87–32413, 88–7582
Nagata, N. Remote control of pole switches using optical fibres 87–35620
Nagata, N. *see* Niu, K. 85–15118
Nagata, R. *see* Kakunai, S. 88–72433
Nagata, R. *see* Kikuta, H. 87–56833
Nagata, R. *see* Matsumoto, T. 88–42532
Nagata, S. Thermal fluctuations in Pb-Ag-Pb (SNS) Josephson junctions in magnetic fields 86–2631
Nagata, S., Fujita, E., Ebisu, S., Taniguchi, S. Optimum design of detection coil system for vibrating sample magnetometer 87–35051
Nagata, S., Inoue, A., Yoshida, M. Automatic recognition system for logic circuit diagrams 85–49836
Nagata, S., Matsuura, T., Endo, H. Automatic recognition system for logic circuit diagrams 86–8106
Nagata, S., Ogawa, T., Adachi, K., Hotta, S., Yoshiyama, M. Twisted-nematic liquid-crystal full-color display panel with reduced rotary dispersion 86–31513
Nagata, S., Ohno, Y., Kasuga, Y., Kaga, Y., Sato, H. Development of high temperature solid oxide electrolyte fuel cells 85–49088

Nagata, S., Shirakawa, K., Shirafuji, J. Effect of light-soaking on electronic properties of glow-discharged hydrogenated amorphous silicon 87−24766
Nagata, S., Taniguchi, M., Yamaguchi, M. Simple data link for plastic fibers 88−41661
Nagata, S., Taniguchi, S. Optimum design of detection coil system for vibrating sample magnetometer 87−35067
Nagata, S., Yasuda, M., Hasegawa, T., Yoshida, T., Fukuda, T. Acceptable contrast of teletext picture 86−4242
Nagata, S. *see* Chikamura, T. 88−44768
Nagata, S. *see* Enokizono, M. 88−49907
Nagata, S. *see* Hotta, S. 87−3695
Nagata, S. *see* Miyashita, T. 88−16360
Nagata, S. *see* Nishiuma, M. 88−18953
Nagata, S. *see* Ohno, Y. 88−5836
Nagata, S. *see* Shirafuji, J. 85−56409, 86−9654, 86−40770, 87−17731
Nagata, S. *see* Tanaka, S. 87−56347
Nagata, S. *see* Teshima, T. 86−59723
Nagata, S. *see* Ueda, I. 85−26798
Nagata, S. *see* Yoshida, T. 87−34085
Nagata, T. Power factor control equipment for electrical shovel 86−19696
Nagata, T., Tamura, H., Ishibashi, K. Detection of an ellipse by use of a recursive least-squares estimator 85−57487
Nagata, T., Watanabe, M., Hiratsuka, S. Reliability and durability of thin film thermal printing head 88−57166
Nagata, T. *see* Fudemoto, I. 87−20353
Nagata, T. *see* Higashi, Y. 85−38100
Nagata, T. *see* Matsumoto, K. 88−57625, 88−64532
Nagata, T. *see* Notomi, S. 88−19162
Nagata, T. *see* Shimizu, N. 87−1811
Nagata, T. *see* Umeda, T. 88−13950
Nagata, T. *see* Vamamoto, M. 88−19128
Nagata, T. *see* Yu, F.T.S. 88−42014
Nagata, Y. A study on estimating the positions and wave forms of sound sources by using a sensor array 88−8777
Nagata, Y., Akaiwa, Y. Analysis for spectrum efficiency in single cell trunked and cellular mobile radio 88−28703
Nagata, Y., Fukazawa, T., Aoi, T. Magnetic properties of magnetoresistive element annealed in magnetic field 88−39793
Nagata, Y., Fukazawa, T., Wada, K., Tosaki, Y., Aoi, T. Yoke type magnetoresistive heads with suppressed Barkhausen noise 88−57957
Nagata, Y., Ohnishi, K., Koyashiki, T. Integrated services fiber-optic subscriber equipment 86−49607
Nagata, Y., Ohnishi, K., Kurosawa, M., Koyashiki, T. Integrated service fiber optic subscriber equipment 86−4624
Nagata, Y., Ohnishi, K., Watanabe, R., Kawase, M. A fiber-optic broadband subscriber system 85−31032
Nagata, Y., Suzuki, N., Washio, M. Call-by-call activation technique for fiber-optic subscriber transmission units 88−22079
Nagata, Y., Watanabe, R., Kawase, M. Fiber-optic broadband subscriber system 86−10652
Nagata, Y. *see* Abe, M. 87−19781
Nagata, Y. *see* Akaiwa, Y. 86−55224, 87−68928
Nagata, Y. *see* Fukazawa, T. 87−60808
Nagata, Y. *see* Kamoto, T. 86−4453
Nagata, Y. *see* Kitami, T. 86−4623, 86−49606
Nagata, Y. *see* Kobori, K.I. 85−27822
Nagata, Y. *see* Nomura, T. 88−72431
Nagata, Y. *see* Yoshikawa, K. 87−35192, 88−4653
Nagatake, K. *see* Murai, Y. 88−23966
Nagatani, H. *see* Takeoka, Y. 88−45235
Nagatani, K., Kinouchi, Y. High speed file storage system using VLSI memories 86−8242
Nagatani, M., Yoshimura, H., Tsuchiya, T., Suzuki, Y. Digital signal processors for decoding/encoding color TV signals 87−20687
Nagatani, M., Yoshimura, H., Tsuchiya, T., Suzuki, Y. Digital signal processors for encoding, decoding color TV signals 87−20712
Nagatani, M. *see* Horiguchi, S. 87−59535
Nagatani, M. *see* Karatsu, O. 85−40830
Nagatani, M. *see* Kawasaki, Z. 87−39410
Nagatani, M. *see* Kubota, S. 88−2971
Nagatani, M. *see* Kuji, N. 86−53727
Nagatani, M. *see* Nakai, T. 87−75476
Nagatani, M. *see* Yoshimura, H. 85−676, 87−59559
Nagatani, R. Magazine packaging ideal for resistor network insertion 86−26646
Nagatani, R. Resistor networks: progress and future prospects regarding automatic assembly 87−32180
Nagato, K., Kawamoto, A., Sato, T., Yorozu, T. Compositional dependence of recording noise in amorphous rare-earth-transition-metal magneto-optical disks 88−64941
Nagato, K., Ogawa, T. Atmospheric ion mobility spectra near the ground 88−68632
Nagato, K., Satoh, T., Itoh, M., Asanuma, M. The effects of Sm on amorphous Gd-Fe thin films 87−74495
Nagato, K. *see* Kawamoto, A. 88−64940
Nagato, Y. *see* Mutoh, N. 86−12827
Nagatomi, K. *see* Kobara, K. 86−43666
Nagatomi, K. *see* Matsubara, I. 86−56448
Nagatomi, K. *see* Murata, Y. 86−64825
Nagatomo, H., Oguchi, T., Sugiura, A. Recurrent pulse response of radio interference measuring apparatus employing an average detector 85−36022
Nagatomo, H. *see* Matsuoka, F. 88−62792
Nagatomo, H. *see* Oguchi, T. 85−36048
Nagatomo, H. *see* Sugiura, A. 85−43091, 85−62829, 87−2308
Nagatomo, M. Cooperation of multidisciplinary research activities for SPS 86−19173
Nagatomo, M. 10 MW satellite power system: a space station mission beyond 2000 87−51107
Nagatomo, M., Kaya, N., Matsumoto, H. Engineering aspects of the Microwave Ionosphere Nonlinear Interaction Experiment (MINIX) with a sounding rocket 86−29361
Nagatomo, M., Kyotani, Y. Feasibility study on linear-motor-assisted take-off (LMATO) of a winged launch vehicle 88−16866
Nagatomo, M., Mashiko, K., Yoneda, M., Kotani, N., Uoya, S., Osaki, S., Hirayama, M., Matsukawa, T. A high density 4 M DRAM process using folded bitline adaptive side-wall isolated capacitor (FASIC) cell 87−44845
Nagatomo, M. *see* Kaya, N. 86−6307, 86−68754
Nagatomo, M. *see* Kuriki, K. 86−6025
Nagatomo, M. *see* Mashiko, K. 87−59481, 88−6819
Nagatomo, M. *see* Satoh, S. 85−49893
Nagatomo, M. *see* Sonoyama, S. 86−25342
Nagatomo, M. *see* Tsukamoto, K. 87−31903
Nagatomo, S. *see* Gamo, K. 87−67090
Nagatomo, S. *see* Matsumoto, J. 85−42081
Nagatomo, S. *see* Sakai, S. 88−9910
Nagatomo, T., Hatooka, Y., Omoto, O. Epitaxial growth of GaN films by reaction ion plating 87−281
Nagatomo, T., Ichikawa, C., Omoto, O. All-plastic batteries with polyacetylene electrodes 87−43359
Nagatomo, T., Kakehata, H., Ichikawa, C., Omoto, O. Large-scaled polyacetylene batteries 85−65420
Nagatomo, T., Kakehata, H., Ichikawa, C., Omoto, O. Polyacetylene battery with polymeric solid electrolyte 85−65425
Nagatomo, T., Kohama, K., Mikami, K., Omoto, O. Growth of GaN films on sapphire substrates by low pressure metalorganic vapor-phase epitaxy−effect of surface treatment 88−49842
Nagatomo, T., Mitsui, M., Matsutani, K., Omoto, O. Nonaqueous secondary batteries using poly(3-methylthiophene) as the cathode-active material 87−64783
Nagatomo, T., Omoto, O. Carrier transport mechanisms based on the short-circuit photocurrent versus open-circuit voltage characteristics of spray-deposited SnO_2/SiO_2/n-Si solar cells 87−72399
Nagatomo, T., Omoto, O. Preparation of $BaTiO_3$ films by RF sputtering and their crystallographic, dielectric and optical properties 88−24797
Nagatomo, T., Taoda, Y., Hirano, S., Omoto, O. Doping characteristics of magnetron-sputtered amorphous Si:H films 86−28159
Nagatomo, Y. *see* Toyooka, K. 86−46804
Nagatomo, Y. *see* Yoshioka, S. 87−59485, 88−6845
Nagatsu, A. *see* Anbo, S. 87−40354, 87−65159, 88−21488
Nagatsu, C. *see* Narahara, A. 86−25703
Nagatsu, M. *see* Ke-Xun Sun 87−33089
Nagatsu, T. *see* Suzuki, T. 86−4543
Nagatsuka, A. *see* Kawakami, T. 87−41595
Nagatsuka, T., Shimomura, T., Oishi, Y. Contrast improvement by the use of polarizers for liquid-crystal displays 86−31511
Nagatsuka, T. *see* Kawaguchi, T. 87−300
Nagatsuma, T., Enpuku, K., Iwakura, H., Yoshida, K. Flux-flow-type Josephson linear amplifier with large gain and wide linear range 86−9437
Nagatsuma, T., Enpuku, K., Yoshida, K., Irie, F. Flux-flow-type Josephson oscillator for millimeter and submillimeter wave region. II. Modeling 85−18609
Nagatsuma, T. *see* Yoshida, K. 85−56201, 87−67858, 87−74594
Nagatsuyu, H. *see* Yata, M. 88−56225
Nagatuka, A. *see* Kawakami, T. 88−12561
Nagaya, H. *see* Mizuno, T. 86−19592
Nagaya, K., Karube, Y. A rotary eddy-current brake or damper consisting of several sector magnets and a plate conductor of arbitrary shape 87−79056
Nagaya, K., Kojima, H., Karube, Y., Kibayashi, H. Braking forces and damping coefficients of eddy current brakes consisting of cylindrical magnets and plate conductors of arbitrary shape 85−16309
Nagaya, K. *see* Ando, A. 86−12717
Nagaya, K. *see* Furudera, M. 86−45219
Nagaya, M., Kimijima, M., Nakanishi, H. Insertion system of different shaped parts 85−10484
Nagayama, H. *see* Misonou, M. 87−9795
Nagayama, H. *see* Tsuji, K. 86−17613
Nagayama, K. Printed circuit board automatic punching system 87−32172
Nagayama, K. *see* Tomita, S. 85−30550, 86−10932
Nagayama, S. *see* Shoji, K. 86−50008
Nagayama, S. *see* Yamazaki, S. 87−22778
Nagayama, T. Inside the optical power meter 88−4534
Nagayama, T. Structure of a luminous power measuring instrument 88−36254
Nagayama, T., Shibuya, J., Kawakita, T. Pen-touch-type electro-magnetic transparent touch panel 86−31228
Nagayama, T. *see* Haga, I. 88−60098
Nagayama, T. *see* Osanai, M. 86−5353
Nagayama, Y. *see* Arimura, T. 86−16668, 86−59477
Nagayama, Y. *see* Hamada, N. 86−10715
Nagayama, Y. *see* Naito, Y. 85−31979
Nagayama, Y. *see* Nakashima, K. 86−37381
Nagayama, Y. *see* Tadauchi, M. 86−23400
Nagayama, Y. *see* Yamada, M. 88−6842
Nagayashi, H. *see* Kazama, T. 86−61566
Nagayasu, M. *see* Kawashima, M. 85−52347
Nagayoshi, A. *see* Endo, H. 88−60510
Nagayoshi, H. Transformers for underground distribution system 87−71654
Nagayoshi, H., Itabashi, M. Temporary transformer for construction work 87−43164
Nagayoshi, H., Shinozaki, T. Advanced underground transformers 87−71655
Nagayoshi, H. *see* Kazama, T. 86−61565
Nagchoudhuri, D. *see* Bhattacharyya, A.B. 85−40739
Nagdaev, E.N. *see* Volkov, S.I. 87−12330
Nagdajev, J.N., Hoppner, K., Scharff, W. TEM cross-section investigations of SOI structures 88−32954
Nagdy, N.M. *see* Rumpel, D. 87−64016
Nagehban-Hag, M., Shu-Park Chan Signal flow graph analysis of switched capacitor filters 86−1263
Nagel, B. *see* Eichler, H.J. 85−51085
Nagel, D. *see* Chaker, M. 88−23016
Nagel, D.C. *see* Chambers, A.B. 86−18422, 86−25356
Nagel, D.J. Plasma sources for X-ray lithography 86−8955
Nagel, D.J. Laser-plasma sources for X-ray lithography 86−25158
Nagel, D.J. *see* Pepin, H. 87−38371
Nagel, F., Szanto, J., Adam, J., Peter, I. Sodium loss of metal-halide lamps containing NaI 88−37714
Nagel, F. *see* Qu, M. 88−61381
Nagel, F.J., Gierig, H. Experiences with the arc furnace cooling system of Thyssen Niederrhein AG at Oberhausen 85−10256
Nagel, G., Benz, K.W. Travelling heater growth of GaSb under reduced gravity during the first Spacelab-mission 85−33384
Nagel, G. *see* Benz, K.W. 85−44682
Nagel, G. *see* Walte, F. 86−46410
Nagel, G.D. *see* Schulte, R.P. 85−59617
Nagel, H. Monolithic pressure sensors of the cross-voltage principle 85−64097
Nagel, H. Image sequences−ten (octal) years−-from phenomenology towards a theoretical foundation 87−48214
Nagel, H. *see* Gorgenyi, I. 85−22737
Nagel, H. *see* Helling, K. 88−69447
Nagel, H.-H., Enkelmann, W. An investigation of smoothness constraints for the estimation of displacement vector fields from image sequences 87−7822
Nagel, H.D. Limitations in the determination of total filtration of X-ray tube assemblies 88−36446
Nagel, H.H. Recent developments in the analysis and interpretation of image sequences 87−62316
Nagel, J. Photonic switching and automatic cross-connect systems 87−62992
Nagel, J. *see* Schweizer, E. 86−5721
Nagel, J.A., Gray, J.R. Digitizing the AT&T Communications network 87−40165
Nagel, J.H. Progresses in fetal monitoring by improved data acquisition 85−31839
Nagel, L.W. *see* Kull, G.M. 85−50495
Nagel, N.-H., Enkelmann, W. Towards the estimation of displacement vector fields by 'oriented smoothness' constraints 85−30365
Nagel, P. Computer controlled orthogonal filter in switched capacitor technology 87−23884
Nagel, P. Orthogonal filter approximation of transfer functions 87−66307
Nagel, P.M. *see* Altschul, R.E. 87−44075
Nagel, S.R. Aging in glass fiber lightguides 85−35520
Nagel, S.R. Review of the depressed cladding single-mode fiber design and performance for the SL undersea system application 85−37021
Nagel, S.R. Optical fiber−the expanding medium 87−49051
Nagel, S.R. Reliability issues in optical fibers 87−74782
Nagel, S.R., Fleming, J.W., Sigel, G.H., Thompson, D.A. *(editor)* Optical Fiber Materials and Properties Symposium 87−72706

Nagel, U. *see* Entschladen, H. 85−7754
Nagel, W. Integrated measured value detection system for wide-area acquisition of information 88−35872
Nagel, W. *see* Grondkowski, R. 87−65143
Nagel, W.H. Continuous level measurements 86−38431
Nagel', Yu.A. *see* Dombrovskii, L.A. 88−14340
Nageli, H. The new alarm-clock equipment WA 490 85−47314
Nageli, H. The new wake-up call system WA 490 86−30264
Nageli, H. The new alarm-clock equipment WA 490 87−28257
Nagels, P. Electrical properties of non-stoichiometric amorphous $CdGeAs_2$ 86−53367
Nagels, P., Tichy, L., Triska, A., Ticha, H. Physical properties of $(GeS_2)_x(Bi_2S_3)_{1-x}$ glasses 86−27944
Nagels, P. *see* Smeets, J. 86−40791, 86−51920, 88−17986
Nagels, P. *see* Tichy, L. 85−23469
Nagem, R.J., Shueh, S.B. Method to reduce track misregistration on dual actuator DASD 85−28028
Nagendra Rao, P.S. An extremely simple method of determining optimal conductor sections for radial distribution feeders 85−59668
Nagendra Rao, P.S. Direct method of determining optimum generation schedules 88−23281
Nager, J. *see* Loh, R. 86−60916
Nageshwara Roo, K. *see* Devinarayan, M.V. 87−76570
Nageswara Rao, K. *see* Bapeswara Rao, V.V. 85−54222
Naghavi, A. 20K-gate array clears path to systems on silicon 86−34666
Naghdy, F. *see* Sanders, D.A. 88−17649
Naghski, D.H. *see* Craley, D.E. 88−51710
Naghski, D.H. *see* Mentzer, M.A. 88−51642
Nagi, A.A., Gheorghe, V.N., Mandache, C.M., Gheorghiu, O.C. On stimulated emission and absorption due to protons in town water 85−56464
Nagi, M. *see* Jackson, B. 85−61568
Nagi, M. *see* Mak, S.C. 86−14506
Nagi, N. *see* Miki, N. 87−19590
Nagi, S.K. *see* House, J.R. 86−14679
Nagibin, Yu.T. *see* Dul'nev, G.N. 88−14163
Nagibina, I.M., Aleksandrov, S.A., Sitnik, D.N. Investigating spatial structure of interference field 86−9977
Nagihara, S., Suzuki, S., Boh, R., Kinoshita, H. Development of a 16-channel heat flow measuring system and its test application on the deep sea floor 87−50545
Nagin, A.P., Tyul'kin, V.M. Degradation in the tunnel layers of thermally grown SiO_2 85−45466
Nagin, A.P. *see* Maslovskii, V.M. 86−35715
Naginaev, V.N. *see* Veitsman, L.Yu. 88−37671
Nagineviciene, L., Vitkute, A. Evaluation of deflections of component forms in coordinate measurements 87−3764
Naginevicius, R.V. *see* Varasinskiene, A.G. 87−21893
Nagirner, I.I. *see* Gamburg, E.A. 88−74162
Nagishi, Y. *see* Miyajima, Y. 87−12110
Nagl, A. *see* Merchant, B.L. 87−26736
Nagl, A. *see* Moser, P.J. 85−13073
Nagl, V., Valehrachova, D., Csabay, O., Valicek, J., Prejda, M. Stability of insulating layers of MIS structures fabricated by deposition technologies 88−32938
Nagl, V. *see* Csabay, O. 86−14953, 86−67765
Nagle, A.W. *see* Shteingart, S. 86−20504
Nagle, D.E. *see* Wilson, S.L. 88−29827
Nagle, J. Congestion control in IP/TCP internetworks 85−30672
Nagle, J., Hersee, S., Krakowski, M., Weil, T., Weisbuch, C. Threshold current of single quantum well lasers: the role of the confining layers 87−12457
Nagle, J., Hersee, S., Razeghi, M., Krakowski, M., De Cremoux, B., Weisbuch, C. Properties of 2D quantum well lasers 87−2129
Nagle, J., Morgan, D.V. Silicon nitride for gallium arsenide integrated circuits 88−13506
Nagle, J., Weisbuch, C. The physics of the quantum well laser 87−75132
Nagle, J., Weisbuch, C. Design rules of quantum well lasers 88−40216
Nagle, J., Weisbuch, C. Design rules for very-low threshold quantum well lasers 88−45467
Nagle, J., Weisbuch, C. Optimization of GaInAs/GaInAsP/InP and GaInAs/AlInAs/InP quantum well lasers 88−58568
Nagle, J. *see* Brum, J.A. 87−2121
Nagle, J. *see* De Cremoux, B. 88−58563
Nagle, J. *see* Fretwurst, E. 87−29551
Nagle, J. *see* Razeghi, M. 88−24749
Nagle, J. *see* Weisbuch, C. 88−27165
Nagle, J.B. On packet switches with infinite storage 87−40011
Nagle, J.G. The importance of self-awareness in persuasive communications 85−39470
Nagle, J.G. Creative problem-solving in technical publications 86−40451
Nagle, J.G. The making of a magazine: how a professional journal finds its voice 88−63131
Nagle, J.P. A comparison between $CF_4+8\%O_2$ and NF_3 for the dry etching of submicron features in SiN_x on GaAs 88−7506
Nagle, J.P., Hing, L.A., Kerr, T.M., Summers, J.G. A Mott mixer diode 86−53044
Nagle, M. Electronic currency traffic [with Btx] 87−48541
Nagle, P.R. *see* Jones, H.S., Jr. 87−679
Nagle, R.E. Use of interactive graphic devices in the acquisition, processing and display of environmental satellite data 85−31998
Nagle, T. *see* Kocher, T. 88−32680
Nagler, M. *see* Goldstein, M.D. 88−49502
Nagler, M. *see* Hamann, C. 85−16238
Nagler, M. *see* MacDonald, D.B. 85−12073
Nagler, M. *see* Stover, H.L. 85−6779
Nago, K., Mikami, N., Onodera, T., Yokoo, K., Kamo, Y., Kojima, K. Miniature telecom relays (MR602, 604) 87−66631
Nago, K. *see* Muramatsu, T. 85−58443
Nago, S. *see* Sakamoto, T. 87−36709
Nago, Y. *see* Sano, I. 86−32586
Nagoaka, A. *see* Ikari, M. 87−63520
Nagornaya, L.L., Cherkasov, A.S. Spectrometric features of tungstates 88−4816
Nagornaya, N.N. *see* Puida, S.K. 87−52314
Nagornov, V.N., Luhn, K., Schroter, I. Selection of an optimum generator power with incomplete information 87−64217
Nagornov, V.N., Wagner, T. Long range prediction of the level and structure of the energy consumption in an electrical energy system 87−64034
Nagornov, V.S. *see* Polyakov, V.G. 85−51734
Nagorny, L.Ya., Ostapenko, A.G. Simulation of complex electron circuits applying graph decomposition 85−44831
Nagornyi, A.S. *see* Rydnitskii, L.M. 88−17595
Nagornykh, Yu.I. *see* Akimov, V.V. 85−9085
Nagorskii, V.D., Chernov, S.V. A selection procedure for an electromagnetic suspension system 87−51550
Nagorskii, V.D., Sharendo, N.O., Shcherbakov, N.I. Effect of stiffness of spring suspension on stability of multipoint electromagnetic suspension 85−39258
Nagorskiy, P.M. Perturbations of the electron concentration in the ionosphere induced by ground-level explosions 87−39379
Nagorskiy, P.M. *see* Drobzhev, V.I. 87−39378
Nagorskiy, P.M. *see* Kiselev, V.F. 87−39376
Nagorsky, H.A., Amatuni, A.T., Harutiunian, W.M. Resonance acceleration of charged particles by a surface wave arising at total internal reflection 85−26636
Nagou, K. EMRs most suitable for communications equipment 86−35159
Nagoya, A. *see* Shiokawa, S. 88−21669
Nagpal, H.K., Miller, W.C., Jullien, G.A., Shridhar, M., Sid-Ahmed, M.A. Signal processing operations in robotic vision 85−25190
Nagpal, K., Sims, C. Reduced order adaptive filtering 86−69093
Nagpal, K., Sims, C. Linearized reduced order filtering 88−3083
Nagpal, K., Sims, C. Linearized reduced-order filtering 88−34665
Nagpal, K., Sims, C.S. Problems in adaptive tracking 87−7749
Nagpal, K.C. *see* Agnihotry, S.A. 86−7838
Nagpal, K.C. *see* Major, S. 87−6380
Nagpal, K.M., Helmick, R.E., Sims, C.S. Reduced-order estimation. I. Filtering 87−61852
Nagpal, K.M. *see* Helmick, R.E. 87−61853
Nagpaul, P.S., Bhatnagar, D.K. Multilevel monitoring system for a central research and development agency 85−33060
Nagra, A., Spittle, A.H. Satellite based multipoint videoconferencing 85−14192
Nagra, A., Temine, J.P., Viale, E. Multipoint videoconferencing using conditional replenishment codecs 85−14500
Nagrath, I.J., Kothari, D.P. Modern power system analysis 86−57124
Nagrath, I.J. *see* Sinha, A.K. 85−4609
Nagrelas, A.A. *see* Kitra, S.P. 85−39070
Nagrial, H.M., Shami, A.M. Operation of induction generators for windmill applications 87−42755
Nagrial, M.H. A nonlinear programming approach to the design of wind power system 85−32410
Nagrial, M.H. Computer-aided design optimization of polyphase induction motors 86−39757
Nagrial, M.H., Dixon, L.C.W. Optimization of wind power plants using recursive quadratic programming 86−33243
Nagrial, M.H., Lawrenson, P.J. Optimum steady-state and transient performance of reluctance motors 87−51182
Nagrial, M.H., Soliman, H.M. Power flow solution using the modified quasilinearization method 86−38994
Nagrial, M.H. *see* Qureshi, M.S. 87−42566
Nagrowski, J.S. *see* Miller, S.S. 85−9744
Nagsarkar, T.K. *see* Dutta, N.K. 87−57678
Naguchev, O.Yu *see* Dimitrov, S.K. 86−22626
Naguchev, O.Yu. *see* Gorshkov, V.S. 87−17594, 88−36326
Naguchev, O.Yu. *see* Gorskhov, V.S. 86−67626
Naguchev, O.Yu. *see* Kuklinskii, B.D. 88−38979
Naguchi, Y. *see* Kanoh, K. 86−69714
Naguib, G. *p*-adic number theory 88−49663
Naguib, H.M., Jang, C., Klemme, T.F., Wong, K., Rangappan, A., Yao, W.W., Fulks, R.T. The evaluation of planarization techniques for double level metallization in 1.2 micron CMOS technology 87−67602
Naguib, H.M. *see* Ahmed, T. 88−13586
Naguib, H.M. *see* Calder, I.D. 86−9006, 86−21299
Naguib, H.M. *see* Ho, V.Q. 85−55740
Naguib, H.M. *see* Jang, C. 87−67165
Naguib, H.M. *see* Mercier, J.S. 85−40852, 85−55902, 86−21651
Nagulin, Yu.S. *see* Arutyunov, V.A. 87−14143
Nagumo, F. Application of solid state image sensor for TV camera 87−70240
Nagumo, F. *see* Shinoda, K. 88−9742
Nagumo, F. *see* Yamagata, K. 85−37472
Nagumo, M. *see* Yashiro, K. 85−7125
Nagumo, Y. *see* Yamazaki, T. 88−28887
Nagura, K., Sato, K., Maekawa, H., Morita, T., Fujii, K. Partial contour processing using curvature function−assembly of jigsaw puzzle and recognition of moving figures 85−51763
Nagura, K., Sato, K., Maekawa, H., Morita, T., Fujii, K. Partial contour processing using curvature function-assembly of jigsaw puzzle and recognition of moving figures 86−69155
Nagura, M. *see* Hayakawa, Y. 88−372, 88−38129
Nagura, M. *see* Tsujino, J. 87−71468
Nagura, M. *see* Ueda, N. 88−46160
Nagura, O. *see* Shibuya, A. 88−75517
Nagura, R. *see* Kuwano, R. 86−5101
Nagura, R. *see* Ono, H. 88−54751
Nagura, S., Matsumoto, T., Watanabe, S., Ikeda, K., Tanaka, H., Hibino, M. An advanced mapping system for power-distribution systems 88−61913
Nagura, T. *see* Nakazima, T. 85−53412
Nagura, Y. *see* Miyoshi, M. 86−20505
Nagvajara, P. *see* Karpovsky, M. 88−19080
Nagy, A. *see* Greene, G.J. 88−19323
Nagy, A.G. Radial etch rate nonuniformity in reactive ion etching 85−1514
Nagy, A.G. Sidewall tapering in reactive ion etching 85−45589
Nagy, A.G. Anisotropic organic reactive ion etch producing minimal sidewall deposition 87−25125
Nagy, B. Automation with an accent of quality 88−26481
Nagy, B., P. Absolute calibration of vibration sensors by ESPI method 86−24502
Nagy, B.M. NTDS network controller (N^2C)−Linking NTDS with Milstar 87−40834
Nagy, D. Fabrication of FR-4 pin-grid arrays 87−11154
Nagy, D., Chang, S.-S., Rose, K. VLSI designs for VLSI workstations 86−53774
Nagy, E. Reconstruction of isolated muons at the SSC 88−74763
Nagy, F. *see* Beck, F. 85−26532
Nagy, F. *see* Peceli, G. 87−24349
Nagy, F.J. The fermilab accelerator controls networking system 86−60428
Nagy, G., Seth, S. Hierarchical representation of optically scanned documents 85−30415
Nagy, G., Seth, S., Einspahr, K., Meyer, T. Efficient algorithms to decode substitution ciphers with application to OCR 87−48114
Nagy, G. *see* Dusco, C. 88−26960
Nagy, I. The application of switched-condenser concept in power electronics 86−62445
Nagy, I. The influence of saturation on the dynamics of synchronous machines 88−62323
Nagy, I. DC-DC converters with series commutation 88−75795
Nagy, I., Ruzsanyi, T., Bacsanyi, C. Current source medium frequency transistor inverter 88−69584
Nagy, I., Tersoly, A. Transmission line for transport of medium frequency power 88−61926
Nagy, I. *see* Ezsol, G. 87−57843
Nagy, I. *see* Miklos, D. 86−12891
Nagy, J., Neukamm, G. Finite-element analysis applied to solving the Helmholtz equation [planar microwave structures design applications] 87−11030
Nagy, J. *see* Molnar, G. 86−1141
Nagy, J. *see* Neukamm, G. 88−32406
Nagy, J.A. *see* Bende, I. 85−44031
Nagy, J.L., Leisztner, L., Hangos, K.M. Investigation of the steady state measurement process [for chemical analysis] 88−47390
Nagy, L. Taking the load conditions into account in theoretical examinations of power supply inverters provided with bang-bang control 88−62440
Nagy, L., Avar, Z. Application possibilities of analog and microcomputer-controlled pulse-width modulation voltage inverters in the building industry 88−30812
Nagy, L., Ivanics, L. Error analysis of digital angular velocity and acceleration measuring methods 88−30667

Nagy, L., Jakab, L. The application of bang-bang control for converters of uninterruptible AC power supply systems 86—61625
Nagy, L. *see* Ivanics, L. 88—23843
Nagy, M. *see* Fetyko, J. 85—65477
Nagy, M. *see* Medveczky, L. 87—14779
Nagy, M.B. *see* Wong, R.Y. 85—25189
Nagy, P. *see* Bogosi, G. 86—12889
Nagy, P.B., Adler, L. Attenuation of reflected and transmitted ultrasonic waves through a rough interface 88—49927
Nagy, P.B., Jungman, A., Adler, L. Measurements of backscattered leaky Lamb waves in composite plates 88—24839
Nagy, P.G. The development of our design technology 87—23299
Nagy, S. Electronic pulse weigher and mass controller 86—55859
Nagy, S. *see* Chepigin, V.I. 87—14740
Nagy, S. *see* Karai, J. 88—75493
Nagy, T.A. Technical education for employees of Borg-Warner 87—23177
Nagy, W.J. *see* Fu, J.S. 88—38535
Nagy, W.J. *see* Lee, K.H. 88—26512
Nagy, Z. *see* Kiss, L. 86—12307
Nagy, Z. *see* Sziray, J. 86—20450, 88—25081
Nagyne Ficza, M. *see* Pasztor, G. 86—5207
Naha, S. *see* Lopez-quelle, M. 88—42437
Nahabit, R.J. What every buyer should know about conductors 88—7073
Nahabit, R.J. What to look for when comparing resistors 88—7078
Nahabit, R.J. Understand insulators to buy components better 88—7768
Nahabit, R.J. Everything you should know about batteries 88—11347
Nahalka, D. The MHB 2114 static memory 85—33915
Nahamoo, D. Clustering acoustic prototypes with self organizing distortion measures 87—19507
Nahamoo, D., Pan, S.X., Kak, A.C. Synthetic aperture diffraction tomography and its interpolation-free computer implementation 85—9151
Nahamoo, D. *see* Averbuch, A. 87—20775, 87—61680
Nahamoo, D. *see* Gopalakrishnan, P.S. 88—66338
Nahamoo, D. *see* Nadas, A. 87—61734, 88—72817 to 72818
Nahar, N., Stumpf, F.B. Instructional laboratory experiment on the effect of sound reflection on the driving-point impedance loop of a small sonar transducer 87—42276
Nahar, N.M., Ramana Rao, B.V. Harnessing solar energy through saline water 87—58341
Nahar, R.K. Design and development of a Cu_2O-Al_2O_3-Al moisture transducer 87—29371
Nahar, R.K., Devashrayee, N.M. On the fabrication of thin film MICs from substrate cleaning to pattern delineation 85—6621
Nahar, R.K., Devashrayee, N.M. On the specular reflectivity of RF sputtered AlSi alloy thin films 86—47494
Nahar, R.K., Devashrayee, N.M., Khokle, W.S. Diffusivity of Al in Ti and the effect of Si doping for very large scale integrated circuit interconnect metallization 88—57507
Nahar, R.K., Khanna, V.K., Khokle, W.S. On the origin of the humidity-sensitive electrical properties of porous aluminium oxide [sensor application] 85—26308
Nahar, R.K., Khanna, W.K., Khokle, W.S., George, P.J. A Cu-Al_2O_3-Al moisture sensor for high humidities 87—70587
Nahar, R.K. *see* Khanna, V.K. 86—65304, 87—56608
Nahar, S., Sahni, S. A time and space efficient net extractor 87—6836
Nahar, S., Sahni, S. Time and space efficient net extractor 88—24865
Nahar, S., Sahni, S. Fast algorithm for polygon decomposition 88—50937
Nahar, S., Sahni, S., Shragowitz, E. Experiments with simulated annealing 86—21342
Nahar Singh *see* Sood, R.K. 87—46448 to 46449, 87—50382
Nahas, I.El *see* El Nahas, I.
Nahas, M.N. Analysis of composite failure mechanisms using acoustic emission and ultrasonic scanning techniques 85—33534
Nahas, M.N., Mohamad, A.S., Akyurt, M., El-Kalay, A. A windmill with cam-articulated blades 88—62282
Nahas, M.N., Mohamad, A.S., Akyurt, M., El-kalay, A.K. Wind energy: an engineering survey 88—37123
Nahass, R.M. *see* Berman, S.M. 87—64939
Nahata, P. Manchester code encoder circuit 85—7808
Nahata, P. Programmable clock divider 85—28614
Nahata, P. *see* Awsienko, O. 85—28472, 85—40154
Nahata, P. *see* Hall, A.E. 85—22966
Nahata, P. *see* Jackson, T. 85—29482
Nahemow, M.D., Humphries, S., Jr. Electron-beam direct drive for RF accelerator cavities 88—47837
Naher, S. *see* Lengauer, T. 86—21846, 87—24068
Naher, S. *see* Mehlhorn, K. 88—44856
Nahimira, Y., Wakabayashi, H. High-stability optical fibre loss measuring equipment using comparison method 85—20738
Nahm, K. *see* Wolfe, W.L. 87—60874
Nahm, K.B. *see* Lusk, A. 87—74791
Nahm Choon-Woo *see* Choon-Woo Nahm
Nahman, J., Jelovac, D. High-voltage/medium(low)-voltage substation earthing systems 87—35980
Nahman, J., Salamon, D. Earthing system modelling by element aggregation 86—25637
Nahman, J., Salamon, D. Analytical expressions for the resistance of rodbeds and of combined grounding systems in nonuniform soil 86—51125
Nahman, J., Salamon, D. Interpretation of ground resistivity data obtained from single driven rod tests 86—51135
Nahman, J., Salamon, D. Analytical expressions for the resistance of rodbeds and of combined grounding systems in nonuniform soil 86—65766
Nahman, J.M. Iterative method for steady state reliability analysis of complex Markov systems 85—49382
Nahman, J.M. Modeling simultaneous outages for bulk-power system reliability-analysis 86—39003
Nahman, J.M. Approximate expressions for steady-state reliability indexes of Markov systems 87—5285
Nahman, J.M. Comment on 'Multistate Markov models and structural properties of the transition-rate matrix' 88—31548
Nahman, J.M., El-Morshedy, A. Comments on 'Modelling of substation grounding grids' [and reply] 87—64658
Nahman, J.M., Mijuskovic, N. Reliability modeling of multiple overhead transmission lines 86—6383
Nahman, N.S. Software correction of measured pulse data 86—59295
Nahman, N.S., Kanda, M., Larsen, E.B., Crawford, M.L. Methodology for standard electromagnetic field measurements 86—24723
Nahman, N.S. *see* Kanda, M. 86—15911, 86—17730
Nahon, G. The growth of videotex in France beyond the forecasts 86—37415
Nahon, G. Telebanking via videotex in France—when the critical mass of terminals is reached 86—59572
Nahon, G. It's not just an electronic phone book 87—8009
Nahon, G. Vive la France et Minitel! 88—3485
Nahon, G. *see* Grenier, J. 87—76293
Nahory, R.E., Tabatabaie, N. Resonant tunneling devices 88—33175
Nahory, R.E. *see* Downey, P.M. 85—37621, 85—56443
Nahory, R.E. *see* Farrell, H.H. 88—49828
Nahory, R.E. *see* Lo, Y.H. 88—71019
Nahory, R.E. *see* Meynadier, M.-H. 88—33855
Nahory, R.E. *see* Tamargo, M.C. 86—52468, 88—418
Nahotko, M. *see* Gajewski, K. 88—5733
Nahra, H.K. *see* Banks, B.A. 87—4943
Nahum, A.E. *see* Bielajew, A.F. 85—48362
Nahum, A.E. *see* Rogers, D.W.O. 85—48363
Nahvi, M., Rahnemoon, M., Hartl, P. A model for correction of water vapor error in satellite microwave ranging 88—5122
Nahvi, M.J. An expert system approach to determination of tropospheric error in microwave ranging 88—60296
Nahvi, M.J. *see* Hartl, P. 87—49179
Nai, C.C. *see* Hill, D. 87—57504
Nai, R.A. Dielectric sphere diffracted fields of a dielectric loaded double-flare multimode conical horn antenna 87—12850
Nai Zhou *see* Zhou Nai
Nai-cheng Shen *see* Shen Nai-cheng
Nai-feng Mao *see* Mao Nai-feng
Nai-gi Li *see* Li Nai-gi
Nai-guo Yao *see* Yao Nai-guo
Nai-hua Sun, Han-kuei Chen A GTD approach to the study of field pattern of TV reflector antennas 86—64070
Nai-Jian Zhang *see* Zhang Nai-Jian
Nai-Kuan Tsao The equivalence of decimation in time and decimation in frequency in FFT computations 87—58896
Nai-min Ho *see* Ho Nai-min
Naibo, Z., Jinyun, L. Medium and small masonry arch dams in China 85—38913
Naicai Zeng *see* Zeng Naicai
Naida, G.A. *see* Dobrynin, A.V. 88—13614, 88—20227
Naidenko, A.I., Mindra, P.V., Andrievskii, G.G., Kuznetsov, A.A. Device for time referencing of pulses from semiconductor laser detector 86—18121
Naidenko, A.I., Mindra, P.V., Bobrikov, S.A., Andrievekii, G.G. Photodetector for semiconductor-laser pulses 86—68598
Naidenko, A.I. *see* Mindra, P.V. 85—29829
Naidenko, V.I. Electrodynamic theory of a metal probe 86—54242
Naidenko, V.I. Theory of dielectric pickup parallel to the axis of a periodic structure 88—26647
Naidenov, A.V. *see* Irodionov, A.E. 88—43101
Naidenov, Kh.I. Results and conclusions of the interactive use by VSHI 'V. Kolarov', Plovdiv, Bulgaria of the AGRIS and INIS database through telex network 86—54696
Naidenov, V.O. *see* Smirnov, A.N. 86—70332
Naidenov, V.O. *see* Volle, V.M. 88—71540
Naidenova, I.A. *see* Levitas, B.N. 87—3545
Naidich, E.I. *see* Makhsudov, B.I. 88—34050
Naidich, M.G. *see* Bida, E.M. 87—42826
Naidich, M.G. *see* Kochkin, V.A. 85—9832
Naidich, V.I. *see* Kuz'minykh, Yu.V. 85—31976
Naidovskii, A.V. *see* Brzhezitskii, V.A. 86—11667, 87—72186, 88—57019
Naidu, B.Srinivasulu *see* Srinivasulu Naidu, B.
Naidu, D.S., Rao, A.K. Application of the singular perturbation method to a steam power system 85—43875
Naidu, K.H. *see* Sridharan, K.S. 87—50399
Naidu, K.Harish *see* Harish Naidu, K.
Naidu, M., Mathur, R.M. Unit connection of HVDC converters 86—12914
Naidu, M., Mathur, R.M. Dynamic analysis of a diode rectifier unit connection scheme for HVDC transmission 88—23440
Naidu, M., Swift, G.W. Dynamic analysis of a current transformer during faults 87—43144
Naidu, M.S. *see* Maskara, S.L. 87—3043
Naidu, M.S. *see* Raghavender, D. 88—20181, 88—51066
Naidu, M.S. *see* Siddagangappa, M.C. 85—1779
Naidu, M.S. *see* Thomas, J. 88—51065
Naidu, M.S. *see* Venkateshaiah, G.R. 88—51067
Naidu, P.Appala *see* Appala Naidu, P.
Naidu, P.S., Krishna, V.V. Improved maximum likelihood spectrum for direction of arrival (DOA) estimation 88—73152
Naidu, P.S., Reddy, Y.V. Modeling of the sea surface for daylight imagery studies 88—68642
Naidu, P.S. *see* Krishna, V.V. 85—2438, 86—22546, 87—39255
Naidu, P.S. *see* Reddy, Y.V. 85—58520
Naidu, R.S., Gopalan, M.N. Analysis of systems subject to inspection and repair: a state-of-the-art survey 85—5857
Naidu, R.Subramanyam *see* Subramanyam Naidu, R.
Naidu, R.Subramanyan *see* Subramanyan Naidu, R.
Naidu, R.V., Mahapatra, S. Fault tolerance in N-MOS random access memories with dynamic redundancy methods 88—38521
Naidu, S.R., de Lima, F.N. A frequency-dependent transmission line model for electromagnetic transient studies 86—12373
Naidu, S.R., de Tarso-Mederos, P., Srivastava, K.D. Volt-time curves for a coaxial cylindrical gap in SF_6-N_2 mixtures 88—26588
Naidu, S.R., Neto, A.F.C. The stray-capacitance equivalent circuit for resistive voltage dividers 86—5439
Naidu, S.R. *see* de Tarso Medeiros, P. 87—25671
Naidu, S.R. *see* Neilson, J.B. 88—44913
Naidyuk, Yu.G., Koshkin, I.V., Lysykh, A.A. Nonlinear effects in electrical conductivity of germanium point contacts due to electron-phonon interaction 87—24752
Naief, A.K. *see* Harba, M.I.A. 86—32318, 88—23079
Naier, M. *see* Dippold, M. 86—30751
Naifeng Mao, Chenren Sun, Shuyang Lin, Hancheng Sun, Miaogen Lu, Guojian Si Magnetic field shaping of an iron-core double-focusing low-energy β spectrometer 87—63690
Naifeng Mao *see* Mao Naifeng
Naiff, K.L.C. *see* Rich, D.A. 86—1061
Naiheng, Y. *see* Venkataraman, J. 86—10143
Naihua Sun *see* Sun Naihua
Naijian Guo *see* Guo Naijian
Naik, D. *see* Ostowari, C. 85—27362
Naik, I.K. Planar and channel waveguides fabricated by nitrogen ion implantation in fused silica 85—29546
Naik, I.K. Annealing behavior of GaAs ion implanted with p-type dopants 87—66906
Naik, J.M., Doddington, G.R. High performance speaker verification using principal spectral components 87—19529
Naik, J.M., Doddington, G.R. Evaluation of a high performance speaker verification system for access control 87—61782
Naik, J.M. *see* Childers, D.G. 86—29791
Naik, J.M. *see* Yegnanarayana, B. 85—36237
Naik, K., Joseph, J. An iterative method for performance evaluation of a distributed packet switching computer network 85—30507
Naik, K.B. Estimation of critical inductance for DC separately excited motor fed by load-dependent chopper 86—39811
Naik, K.B., Dubey, G.K., Jain, V.K. Commutation failure in chopper circuits 85—60316
Naik, K.B., Dubey, G.K., Jain, V.K. Steady state and dynamic response analysis of a chopper controlled DC separately excited motor 86—33421
Naik, K.B., Dubey, G.K., Jain, V.K. Design modelling and stability analysis of a current limit controlled chopper fed DC separately excited motor 86—45451

Naik, K.B., Jain, V.K., Dubey, G.K. The improvement of performance of a chopper controlled DC separately excited motor during discontinuous conduction mode in closed loop operation 85−5124
Naik, K.B., Pandey, S.D. Dynamic modelling of a chopper fed DC series motor 87−58105
Naik, K.B., Panesar, M.S. Analysis and performance of a chopper fed DC separately excited motor under regenerative braking operation 87−43053
Naik, K.B. *see* Bhim Singh 88−69370
Naik, K.B. *see* Saxena, N.S. 86−6784
Naik, R.A. *see* Prabhakaran, R. 87−63514
Naik, S. Continuing engineering education programs in India 87−23192
Naik, S. *see* Sadana, D.K. 88−1725
Naik, S.M., Wakefield, G.H. On the application of autoregressive models to the representation of planar curves 88−66533
Naik, S.M. *see* Paliwal, K.K. 87−69069
Naikeng Bao *see* Bao Naikeng
Naiki, K., Banno, T., Iketsu, Y. Electromagnetic interference reducible 12-inch color display tube 88−53800
Naiki, K., Banno, T., Suetsugu, H. 15-inch flat face very high resolution color display tube 87−70435
Naiki, K., Kato, S., Aibara, N. 10-inch color display tube for desk-top display terminal 87−70434
Naiki, K., Kato, S., Shishido, A., Aibara, N. 21-inch flat face high resolution color display tube 88−53799
Naiki, K., Katoh, S. Portrait type 17-inches flat-face C-CRT 88−50603
Naiki, K., Shishido, A., Yanai, Y., Doke, H. Development of superposed electric field lens gun 87−66812
Naiki, K., Shishido, A., Yanai, Y., Doke, H. Development of a superposed electric field lens gun 88−39020
Naiki, K. *see* Hayashi, S. 85−20505
Naiko, G.G. *see* Tyapkin, Yu.K. 85−25077
Nail, G. *see* Maddox, H. 86−12404
Nail, M. *see* Gex, F. 86−1653
Nailen, R.L. Microprocessors provide custom motor protection 85−15999
Nailen, R.L. Try surge-comparison testing for electrical troubleshooting 86−51161
Nailen, R.L. A user's view of motor repair standards and specifications 88−17539
Nailen, R.L. Can field tests prove motor efficiency 88−62318
Nailer, A.J. Ten metres−our most versatile band 87−8156
Nailer, A.J., Morgan, G.J. Safeguarding the GLA 1000 linear amplifier 85−63549
Naili, M. *see* Cagan, V. 86−18082
Naill, R.F., Sant, R.W. Electricity markets in the 1990s: feast or famine? 85−21099
Naill, R.F. *see* Ford, A. 87−64062
Naillon, M., Coursant, R.H., Besnier, F. Analysis of piezoelectric structures by a finite element method 85−15453
Nailor, P. *see* Harigel, G. 87−26486
Nailu Li *see* Li Nailu
Naiman, M.L. *see* Faaland, R.W. 87−12545, 88−14253
Naiman, M.L. *see* Terry, F.L., Jr. 85−34663
Naiman, M.L. *see* Vasquez, R.P. 85−29131
Naimanov, O.S. The best inlet steam pressure to the turbines of geothermal power stations 86−39592
Naimanov, O.S. Features of the selection of initial steam pressure of geothermal power stations and one and two evaporation stages 87−15571
Naimanov, O.S., Gel'fer, V.E., Santuryan, G.R., Oganesyan, Ts.R., Akopyan, L.S. An eight-year maintenance period of the 200 MW power block in the Razdan regional power station 88−62141
Naimanov, O.S. *see* Avrutskii, G.D. 86−33141
Naimark, G.V. Multigap controlled discharger 88−57276
Naimark, G.V. *see* Avrutskii, V.A. 85−32587
Naimark, S.I. Linear model of multielement MOS integrated photodiode optical signal convertors 85−29730
Naimark, S.I. Problem of the information content of multi-element MOS integral photodiode optical signal converters 85−35657
Naimark, S.I. *see* Kagan, Yu.Kh. 85−2140, 87−35079
Naimark, S.I. *see* Moiseev, V.V. 88−65478
Naimi, M., Trehel, M. An improvement of the Log(n) distributed algorithm for mutual exclusion 88−8915
Naiming He *see* He Naiming
Naimpally, S. Digital TV 86−69889
Naimuddin, S. *see* Hasegawa, B.H. 85−38039, 86−11956, 87−29740
Naimushin, M.P. *see* Knyazev, S.T. 86−43061
Nain, P., Georganas, N.D., Stewart, W.J. Analysis of a hybrid multiple access protocol with free access of new arrivals during conflict resolution 87−55436
Nain, P., Georganas, N.D., Stewart, W.J. Analysis of a hybrid multiple access protocol with free access of new arrivals during conflict resolution 88−66789
Nain, P., Ross, K.W. Optimal priority assignment with constraint 85−54246
Nain, P., Ross, K.W. Optimal multiplexing of heterogeneous traffic with hard constraint 86−64381
Nainer, A. *see* Canton, G. 86−3829
Naiping Keng *see* Yun, D.Y.Y. 85−61050
Naiquan Liu *see* Liu Naiquan
Naiquan Lui *see* Lui Naiquan
Nair, A.N. *see* Mouftah, H.T. 85−47301
Nair, B.R., Sen, P.C. Voltage clamp circuits for a power MOSFET PWM inverter 85−27537
Nair, B.R., Sen, P.C. A novel power MOSFET switching-mode poser supply 86−726
Nair, B.R., Sen, P.C. Voltage clamp circuits for a power MOSFET PWM inverter 88−11295
Nair, C.G.Krishnadas *see* Krishnadas Nair, C.G.
Nair, E.M.S. *see* Ajith Kumar, P.T. 87−19060
Nair, E.V., Ghosh, A. A fundamental approach to the study of the mechanics of ultrasonic machining 86−6180
Nair, G. *see* Ahuja, B.K. 88−21841
Nair, G. *see* Biswas, S. 85−44548
Nair, I. *see* Barzilai, Z. 87−24124
Nair, I. *see* Morgan, M.G. 85−43449
Nair, K.G. *see* Aanandan, C.K. 87−7599
Nair, K.G. *see* Jose, K.A. 87−26730, 88−2504
Nair, K.G. *see* Mohanan, P. 85−19255
Nair, K.G.M., Magudapathy, P. Ion optics of a 2 MV tandem accelerator 88−74652
Nair, K.G.M. *see* Thampi, N.S. 88−74655
Nair, K.G.Sasidharan *see* Sasidharan Nair, K.G.
Nair, K.Narayanan *see* Narayanan Nair, K.
Nair, L.G., Dasgupta, K. Amplified spontaneous emission in narrow-band pulsed dye laser oscillator−theory and experiment 86−22335
Nair, M.T.S. *see* Nair, P.K. 88−2101 to 2102, 88−5877, 88−14013, 88−32798, 88−55632
Nair, N.K. *see* McDonough, C.M. 88−10944
Nair, P.K., Campos, J., Nair, M.T.S. Opto-electronic characteristics of chemically deposited cadmium sulphide thin films 88−32798
Nair, P.K., Nair, M.T.S. Solar-assisted chemical deposition of highly photosensitive CdS thin films 88−2101
Nair, P.K., Nair, M.T.S. Prospects of chemically deposited CdS thin films in solar cell applications 88−5877
Nair, P.K., Nair, M.T.S., Campos, J. Photocurrent response in chemically deposited CdS thin films 88−2102
Nair, P.K., Nair, M.T.S., Campos, J. Chemical deposition of highly photosensitive CdS thin films and their prospects in thin film solar cells 88−55632
Nair, P.K., Nair, M.T.S., Campos, J., Sansores, L.E. A critical discussion of the very high photoconductivity in chemically deposited cadmium sulfide thin films: implications for solar cell technology 88−14013
Nair, P.N. *see* Krishnan, A. 85−48799
Nair, P.N.Kesavan *see* Kesavan Nair, P.N.
Nair, P.P., Gopal, M. Sensitivity-reduced design for a nuclear pressurized water reactor 88−30446
Nair, P.P. *see* Gopal, M. 88−36934
Nair, P.Pratapachandran *see* Pratapachandran Nair, P.
Nair, P.S., Patki, A.V. APPLE: structure 85−26833
Nair, P.S.C. Static three phase simulator−a new development 87−30177
Nair, R. Hydro-turbine and generator design relationships. I. Combined equations, conventional machines 86−61415
Nair, R. Hydro-turbine and generator design relationships. II. Bulb and rim units 86−61416
Nair, R. A simple yet effective technique for global wiring 87−37102
Nair, R. MLG−A case for virtual grid symbolic layout without compaction 88−26433
Nair, R., Bruss, A., Reif, J. Linear time algorithms for optimal CMOS layout 86−21847
Nair, R., Clements, J.S., Finney, W.C., Davis, R.H. Positive pulsed streamers for electron energization 86−42007
Nair, R., Hong, S.J. The 'diamond' chip−an alternative rectilinear gate-array 87−44791
Nair, R. *see* Berstis, V. 86−62557
Nair, R. *see* Bruss, A. 85−45874
Nair, R. *see* Hauge, P.S. 88−24896
Nair, R. *see* Hong, S.J. 85−1649
Nair, R. *see* Neff, C.A. 87−25556
Nair, R.A. Symmetrical dielectric loading on *E*- and *H*-plane walls of a rectangular horn for pattern shaping 88−8590
Nair, S.K., Sriram, A.R., Vaidya, M.D. Modified method for fibre-optic plate to metal sealing 86−53307
Nair, S.K.Muraleedharan *see* Muraleedharan Nair, S.K.
Nair, S.Muralidharan *see* Muralidharan Nair, S.
Nair, V. *see* Goronkin, H. 85−23804
Nair, V. *see* Tehrani, S. 88−50884
Nair, V.K., Tasm, G., Curless, J.A., Kramer, G.D., Peffley, M.S., Tsui, R.K., Atkins, W.K. Superior low-noise GaAs MESFETs with graded channel grown by MBE 87−1531
Nair, V.N., Pregibon, D. A data analysis strategy for quality engineering experiments 87−5250
Nair, V.R.K. *see* Pande, K.P. 85−1581
Nair, V.V. *see* Basu, D. 87−29892
Nairn, D.G., Salama, C.A.T. Algorithmic analogue/digital convertor based on current mirrors 88−44249
Nairn, D.G., Sedra, A.S. Circuit and design techniques for fully-differential switched-capacitor filters 86−67332
Nairn, D.G., Sedra, A.S. Auto-SC, an automated switched-capacitor ladder filter design program 88−63784
Nairn, D.G. *see* Eaton, G.V. 87−37460
Nairn, D.G. *see* Roberts, G.W. 86−46974
Nairn, G. Searching for subscribers on the airwaves [teletext] 87−13332
Nairne, D.G. *see* Eaton, G.V. 87−66346
Naisbitt, G., Waryold, J. Protecting boards from damage 86−1522
Naisen Zhang *see* Zhang Naisen
Naish, P.J. Remote load control and automatic meter reading system 87−42386
Naish, P.L.N. A 'piggyback' microphone preamp for the Icom IC25 88−41564
Naishadham, R. Numerical evaluation of complex natural resonances of an infinite perfectly conducting circular cylinder 87−54541
Naishadham, R., Pearson, L.W. Numerical evaluation of complex resonances of an elliptic cylinder 85−51395
Naitan You *see* You Naitan
Naito, A. *see* Fukamachi, H. 88−48201
Naito, A. *see* Hoshimiya, N. 88−61456
Naito, A. *see* Ichie, M. 87−57173
Naito, F., Goto, Y., Nagasawa, Y., Sato, R., Chiba, R., Monma, M., Iwata, R. Modal analysis of the leakage fields on a multiconductor transmission line above ground 85−63482
Naito, G. *see* Aota, M. 87−57382
Naito, H., Miyakogawa, T., Tohara, M. Thermal array type recorders with intelligent functions 85−4033
Naito, H., Okamoto, S., Shiro, I., Fujita, M. SIR-B experiments in Japan: surface activity−sensor calibration experiment. Sarobetsu wild-land test site 88−53358
Naito, H., Tadakuma, S. Model reference adaptive control-based armature current control for DC motors in the discontinuous current mode 87−9573
Naito, H., Teramine, T., Okuda, M. Light-induced effect of transient hole transport in a-As_2Se_3 thin films 88−33846
Naito, H. *see* Fujita, M. 88−53364, 88−74014
Naito, H. *see* Hirasawa, K. 85−13207
Naito, H. *see* Matsushita, T. 86−2651
Naito, H. *see* Okuda, M. 88−45048
Naito, H. *see* Tadakuma, S. 85−32594
Naito, H. *see* Yazawa, A. 87−31939
Naito, K. Existence and compactness theorems for solutions of semilinear equations with nonlinear perturbations 86−13704
Naito, K. *see* Crabtree, I.M. 85−43635
Naito, K. *see* Fukuta, M. 87−43330
Naito, K. *see* Kawamura, T. 86−51080
Naito, K. *see* Lambeth, P.J. 88−23542
Naito, K. *see* Low, S.S. 88−69031
Naito, K. *see* Morishita, S. 86−51048
Naito, K. *see* Shibuya, M. 88−55043
Naito, K. *see* Ueda, M. 85−43637
Naito, K. *see* Uehara, H. 86−17155
Naito, K. *see* Yasui, M. 88−69020
Naito, M. The opening of sensory measurement 85−8805
Naito, M. S-VHS-C takes mere video-recording to creative, image-making expression−GR-S55U camcorder 88−29114
Naito, M., Homma, H., Momma, N. A practical model for growth kinetics of thermal SiO_2 on silicon applicable to a wide range of oxide thickness 87−1431
Naito, M., Ikeda, T., Koide, K., Taniguchi, T. Interfacing of magnetic fields analysis with stress analysis capabilities through universal file 86−42722
Naito, M. *see* Baba, H. 88−55492
Naito, M. *see* Kobayashi, M. 85−42895
Naito, M. *see* Miyamoto, S. 85−58241, 86−25436
Naito, M. *see* Okuno, H. 88−51343
Naito, M. *see* Ono, K. 86−3435
Naito, M. *see* Saito, R. 85−34816
Naito, M. *see* Sakaki, Y. 87−60821
Naito, M. *see* Takamori, K. 88−43500
Naito, M. *see* Takei, G. 87−65174
Naito, M. *see* Yorinaga, M. 86−52064
Naito, N., Kakuda, N., Wada, T. Development characteristics of photoactive polyimide 86−28101
Naito, N., Kakuda, N., Wada, T. Development characteristics of photoactive polyimide 87−53587

Naito, N., Sakuma, A., Shigeno, K., Mori, N. Real-time expert system for nuclear power plant failure diagnosis and operational guide 88−30453

Naito, N. *see* Kakuda, N. 86−21820

Naito, N. *see* Monta, K. 85−21337

Naito, N. *see* Ogino, T. 88−62046

Naito, S. DC SQUID microwave-induced characteristics and magnetic field response, derived using the Stewart-McCumber model 85−41050

Naito, S. Current and voltage measurement using a SQUID 85−52829

Naito, S., Fujinawa, O. Polytonic fault-free combinational circuits for alternate-data-retry 88−12330

Naito, S., Masuda, I. Analysis of handwriting characteristics and optical character recognition for defined-writer samplings 85−36333

Naito, S., Rosenfeld, A. Shape from random planar features 88−46157

Naito, S., Watanabe, S., Kanazaki, M. Multicolored LCD instrument panel [automobile display panel] 87−14392

Naito, S. *see* Akiyama, T. 85−36336

Naito, S. *see* Hagita, N. 85−36331

Naito, S. *see* Higashino, Y. 88−26722

Naito, S. *see* Sampei, Y. 88−13823, 88−39953

Naito, S. *see* Takahashi, T. 85−36332

Naito, S. *see* Tanaka, T. 88−41101

Naito, S. *see* Tatsumi, Y. 87−65552

Naito, S. *see* Uehara, G. 88−13764

Naito, T., Oshima, H. Power inversion adaptive array antenna. II 85−24973

Naito, T., Uemura, S., Watanabe, O., Kanai, K. Thin-film magnetic heads for electronic still cameras 87−7013

Naito, T. *see* Hara, T. 86−42684

Naito, T. *see* Inoue, M. 88−29602

Naito, T. *see* Ishii, K. 86−4427

Naito, T. *see* Kato, S. 86−39126, 86−50991

Naito, T. *see* Kumagai, S. 85−22337

Naito, T. *see* Kurokawa, S. 86−60404

Naito, T. *see* Nozaki, T. 86−43690, 86−64456

Naito, T. *see* Oshima, H. 86−64142

Naito, T. *see* Sengoku, M. 85−36642

Naito, T. *see* Tsuzuki, K. 85−36559

Naito, W. *see* Kakuishi, M. 87−20037

Naito, Y., Hori, T., Iwasaki, H., Esaki, H. Effect of nitrogen distribution in nitrided oxide prepared by rapid thermal annealing on its electrical characteristics 87−67006

Naito, Y., Mizumoto, T. Effect of doping carbon in an electromagnetic wave absorber, rubber ferrite 86−53890

Naito, Y., Mizumoto, T. Effect of doping carbon in an electromagnetic wave absorber rubber ferrite 87−54509

Naito, Y., Oguma, T. Development of production engineering for miniaturizing of fluorescent lamps 87−16145

Naito, Y., Tomoda, Y., Uchiyama, A., Ohkura, Y., Nagayama, Y., Takahashi, Y. Geomagnetic observations at the Sagami Trough by use of a new type of three-component ocean bottom magnetometer 85−31979

Naito, Y., Yin, J., Mizumoto, T. Electromagnetic wave absorbing properties of carbon-rubbers doped with ferrite 88−8450

Naito, Y. *see* Aoyama, S. 88−46795

Naito, Y. *see* Araki, K. 86−59114

Naito, Y. *see* Dong Il Kim 87−46576 to 46577

Naito, Y. *see* Fuse, G. 88−19166, 88−64391

Naito, Y. *see* Hori, T. 87−17942, 88−26016

Naito, Y. *see* Kim, D.I. 85−17801

Naito, Y. *see* Miyazaki, M. 85−27710

Naito, Y. *see* Mizumoto, T. 85−17802, 85−34128, 85−35296, 86−2733, 86−48113, 87−18776

Naito, Y. *see* Nakanishi, M. 87−13647

Naito, Y. *see* Suriyathumrong, S.K. 88−20422

Naito, Y. *see* Urano, K. 85−49238

Naito, Y. *see* Yin, J. 88−38675

Naitoh, H., Hirano, M., Tadakuma, S. Microprocessor-based adjustable speed DC motor drives using model reference adaptive control 86−40212

Naitoh, H., Tadakuma, S. Model reference adaptive control based DC motor speed controller 86−6793

Naitoh, H., Tadakuma, S. Microprocessor-based adjustable-speed DC motor drives using model reference adaptive control 87−51503

Naitoh, H. *see* Borojevic, D. 87−43059

Naitoh, H. *see* Hsiao, C.J. 87−72272

Naitoh, H. *see* Takahara, M. 88−39892

Naitoh, H. *see* Takigawa, S. 88−14178

Naitoh, I. *see* Itoh, S. 87−55310, 88−8848, 88−73231

Naitoh, K. *see* Kishino, K. 87−76156

Naitoh, M., Umeno, M. MOCVD growth of InP using red-phosphorus and hydrogen plasma 88−412

Naitoh, M. *see* Kawai, T. 87−53368

Naitoh, M. *see* Matsuda, K. 85−12149, 85−34769

Naitoh, M. *see* Murase, M. 85−48694

Naitoh, M. *see* Shimizu, H. 85−49173

Naitoh, M. *see* Suehiro, Y. 88−70628

Naitoh, T., Takeuchi, S. Avalanche transistor circuit for generating pulses of fast rise(fall) time, high amplitude, and variable-pulse-width 86−52728

Naitoh, T. *see* Asai, S. 86−58694

Naitoh, T. *see* Kurata, Y. 85−46234

Naitoh, T. *see* Moroda, N. 88−13490

Naitoh, Y., Nakano, K., Takahashi, Y., Andoh, T., Satoh, H., Mochida, T., Tomita, T., Kojima, S. C&C-VAN industry oriented information service 87−2740

Naitoh, Y. *see* Okamoto, Y. 88−74186

Naitou, H. *see* Ohtsuka, T. 88−22092, 88−53307

Naitou, H. *see* Tateishi, H. 87−37048

Naitou, T. *see* Chikama, T. 88−53253

Naixian Duan *see* Duan Naixian

Naixiang Ma *see* Ma Naixiang

Naixuan Wang *see* Wang Naixuan

Naixun Tang *see* Tang Naixun

Naixun Yu *see* Yu Naixun

Naiyan, W., Kubota, Y., Miyahara, A. Compact and high efficient electron beam accelerator 87−21372

Naiyan, W., Kubota, Y., Miyahara, A. Investigation of low-current-density nanosecond electron beam diode 87−21373

Naiyan, W., Ono, T., Kawamura, T., Miyahara, A. Numerical calculations for the electrode design of a relativistic electron beam diode 87−16065

Naizhen Fei *see* Fei Naizhen

Najafi, B., Theofanous, T.G., Rumble, E.T., Atefi, B. Incorporation of phenomenological uncertainties in safety analysis−application to LMFBR core disruptive accident energetics 85−43842

Najafi, B. *see* Chu, B. 85−43784

Najafi, H. Techniques for implementation of ISDN terminals 85−13751

Najafi, K. Sensor-system interface: the influence of on-chip electronics 87−70538

Najafi, K., Wise, K.D. An implantable multielectrode array with on-chip signal processing 87−21561

Najafi, K., Wise, K.D. Implantable multielectrode array with on-chip signal processing 87−21575

Najafi, K., Wise, K.D., Mochizuki, T. A high-yield IC-compatible multichannel recording array [neural activity probe] 85−59352

Najafi, K. *see* BeMent, S.L. 86−44660, 86−50600, 87−63796

Najafi, K. *see* Wise, K.D. 85−38173

Najafi, S.I., Ramaswamy, R.V., Lagu, R.K. An improved method for fabricating ion-exchanged waveguides through electrolytic release of silver ions 86−2720

Najafi, S.I., Srivastava, R., Ramaswamy, R.V. Wavelength-dependent propagation characteristics of Ag^+-Na^+ exchanged planar glass waveguides 86−58742

Najafi, S.I., Suchoski, P.G., Jr., Ramaswamy, R.V. Silver film-diffused glass waveguides: diffusion process and optical properties 87−25959

Najafi, S.I. *see* Belanger, M. 88−33769

Najafi, S.I. *see* Lagu, R.K. 85−12543, 86−9592

Najafi, S.I. *see* Ramaswamy, R.V. 85−46128, 86−68254

Najafi, S.Iraj *see* Iraj Najafi, S.

Najami, F. *see* Marston, A. 87−59602

Najar, S., Sedeek, K., Lalande, F., Carchano, H. The production of doped amorphous GaAs by co-sputtering with Mo 86−27953

Najarian, M.T. Consolidated Automated Support System: opportunity for a new way of doing business 86−38238

Najarian, M.T. CASS revisited−a case for supportability 87−20890

Najarian, R.J. *see* Crow, R.B. 85−38312

Najda, S.P. *see* Kuchar, F. 85−12704

Najdek, Z., Konik, S. Technological progress in Telkom-Teletra plant 85−19591

Najem, Z. *see* Ismaeel, A.A. 88−19042

Najim, M., Salhi, M., Aboutajdine, D., Rajouani, A., Zyoute, M. Reconstruction of Arabic long vowels using time varying linear prediction technique 88−66408

Najim, M. *see* Aboutajdine, D. 87−47817

Najim, M. *see* Haourai, A. 87−29758

Najim, M. *see* Mouradi, A. 85−51576

Najim, M. *see* Rajouani, A. 88−2996

Najim, M. *see* Youlal, H. 87−47826, 88−27880

Najjar, F.E., Radulescu, D.C., Chen, Y.-K., Wicks, G.W., Tasker, P.J., Eastman, L.F. DC characterization of the AlGaAs/GaAs tunneling emitter bipolar transistor 87−60412

Najjar, F.E., Radulescu, D.C., Chen, Y.K., Wicks, G.W., Tasker, P.J., Eastman, L.F. Characterization of the AlGaAs/GaAs tunneling emitter bipolar transistor 88−39420

Najjar, F.E. *see* Chen, Y.K. 88−25449

Najjar, F.E. *see* Enquist, P.M. 86−67834, 87−45890

Najjar, F.E. *see* Ramberg, L.P. 87−24480, 87−32298

Najjar, F.E. *see* Schaus, C.F. 86−42460, 86−52497

Najjar, H.F. UHF SATCOM architecture for tactical mobile users 86−59860

Najjar, H.F. Application of ISDN to interconnect heterogeneous switched networks 87−40619

Najjar, M. *see* Tse, E.K. 88−21847

Najjar, W., Jezouin, J.-L., Gaudiot, J.-L. Parallel execution of discrete-event simulation 88−19094

Najjar, W., Jezouin, J.-L., Gaudiot, J.-L. Parallel discrete-event simulation 88−24875

Najjar, Y.S.H. Gibbs function as a correlating performance parameter for fuels used in gas turbines 86−45050

Najjar, Y.S.H., Aldoss, T.K. Performance of a gas turbine engine using two methods of control 88−23764

Najjar, Y.S.H., Badran, A.A. The solar gas turbine for pump and electric generator drive 87−15596

Najjar, Y.S.H., Mansour, A.R. Gas-turbine total energy systems 87−15505

Najjar, Y.S.H. *see* Aldoss, T.K. 86−39653, 87−78572

Najlepszy, F. Traction drives principles 86−19574

Najm, E. A verification oriented specification in LOTOS of the transport protocol 88−21426

Najm, E., Budkowski, S., Gilot, T., Lumbroso, L. General presentation of SCAN. A distributed systems modelling and validation tool 86−69232

Najm, F. *see* Burch, R. 88−71789

Najm, F. *see* Hajj, I. 87−67574

Najmann, K. *see* Battjany, S. 85−23886

Najmann, K. *see* Gruber, H. 85−44519 to 44520

Najmann, K. *see* Jung, E. 85−18410

Najmann, K. *see* Klein, W. 85−17232, 85−17401

Najzer, M. *see* Ilic, R. 87−29664

Najzer, M. *see* Ravnik, M. 86−39479

Nak, M. *see* Suda, H. 85−18680

Nak Myeong Kim *see* Jun Kyun Choi 86−59652

Nak Sam Chung, Joon Shin, Jeong Hwan Kim Measurement of the characteristics of waveguide components utilizing a coaxial dual six-port automatic network analyzer 86−24735

Naka, K. *see* Yokoyama, K. 85−31809

Naka, K.-I. *see* Mizuno, M. 85−37992

Naka, M. *see* Iida, T. 86−10197

Naka, M. *see* Nakayama, K. 87−17282

Naka, M. *see* Yamamoto, H. 85−57521

Naka, S. *see* Higuchi, K. 88−33530

Naka, S. *see* Okuda, I. 87−51644

Naka, T. *see* Fujita, H. 86−41935

Naka, T. *see* Kimura, M. 85−41131

Naka, T. *see* Shinoda, T. 88−4553

Naka, T. *see* Yamanaka, C. 87−26325

Naka, Y. *see* Nakaiwa, M. 87−30352

Naka Hajime *see* Jae-Duk Moon 86−46623

Nakaaki, I. *see* Saito, N. 86−27891, 87−6386

Nakaaki, M. *see* Takekoshi, M. 88−10059

Nakaba, J. *see* Tamaribuchi, K. 85−3441

Nakaba, J. *see* Yasunobu, K. 85−65177

Nakabasami, T., Asahi, K., Sugiyama, K., Sasaki, K., Ijiri, Y. Development of XLPE cable with new laminated waterproof layer 85−43606

Nakabasami, T., Karasaki, T., Sekii, Y., Kitai, S. Investigations for commercial use of 275 kV XLPE cables and development of extrusion type molded joint 85−59731

Nakabasami, T., Katsuta, G., Kobayashi, T., Tomono, H., Harashima, I., Mori, Y., Onda, M., Kajiki, I. Installation of 154 kV cross-linked polyethylene insulated cable for Higashi Ohgishima line of Tokyo Electric Power Co. Inc 85−4640

Nakabasami, T., Sasaki, K., Sugiyama, K., Ishitobi, M. Development of XLPE cable with new laminated waterproof layer 85−32181

Nakabayashi, H. *see* Masukawa, T. 87−35037

Nakabayashi, K. *see* Sone, T. 86−28405, 87−53586

Nakabayashi, K. *see* Takagi, S. 87−37193, 88−12294

Nakabayashi, M. *see* Manabe, S. 85−55416, 86−21069

Nakabayashi, M. *see* Terada, Y. 88−6560

Nakabayashi, S., Teramoto, M., Kawakita, K., Shimoda, M. C&C satellite office and networks [computers and communications] 86−64454

Nakabayashi, S. *see* Fujishima, A. 86−41624

Nakabayashi, S. *see* Ishihara, O. 87−48391

Nakabayashi, S. *see* Terashima, T. 87−48388

Nakabayashi, T. *see* Tada, K. 87−46488

Nakabayashi, Y. Outline of research and development for coal oil mixture and coal water supply in Electric Power Development Company Ltd 87−4489

Nakabayashi, Y. The development of the flue gas denitrification technology 87−35786

Nakabayashi, Y. *see* Kozasa, S. 85−3077

Nakabu, S., Nukii, T., Miyake, R., Awane, K. Development of a pocket-sized and high resolution liquid crystal display unit using a press-formed MO substrate (metal-based organic film substrate) 85−37689

Nakabu, S. *see* Nukii, T. 86−11660

Nakabushi, H. Development of compact SOR ring 88−42445

Nakach, A. Influence of betatron oscillations on the proton beam polarization 85−52941

Nakach, A. *see* Aniel, T. 85−48154

Nakach, A. *see* Bystricky, J. 85−52940

Nakach, A. *see* Koch, H.R. 88−74695

Nakache, L.C.J.M. Optical fiber transmission on satellites and orbital stations 87—20536
Nakada, A. *see* Tada, H. 86—7507
Nakada, H. C-MOS crystal oscillators with low power requirements 86—2487
Nakada, H. *see* Ando, T. 87—13055
Nakada, H. *see* Hirosaki, B. 85—34086
Nakada, H. *see* Kawasaki, Z. 87—39410
Nakada, H. *see* Kobayashi, H. 86—49130
Nakada, H. *see* Sato, K. 88—52395
Nakada, I. *see* Ishida, T. 87—29247
Nakada, K. *see* Ikuno, H. 87—68762
Nakada, K. *see* Ito, N. 85—52428
Nakada, K. *see* Kashihara, H. 85—52407, 87—28686, 88—52543
Nakada, K. *see* Kurihara, M. 85—44232
Nakada, K. *see* Nakamura, K. 85—24345
Nakada, K. *see* Okada, T. 86—28693
Nakada, K. *see* Omura, T. 86—28692
Nakada, K. *see* Tanaka, S. 86—17956
Nakada, M. New installation of a substation at a narrow area of urban district 86—66118
Nakada, M., Saitoh, M., Toki, K., Gokan, H. Change in birefringence in polycarbonate substrates under operating environments 88—45038
Nakada, M. *see* Furukawa, T. 88—45059
Nakada, M. *see* Hata, T. 87—39969, 88—46280
Nakada, M. *see* Itoh, A. 88—51249
Nakada, M. *see* Nakamura, Y. 86—5008
Nakada, M. *see* Nishikawa, S. 86—54854
Nakada, M. *see* Okada, M. 87—60992, 88—58269
Nakada, M. *see* Yamada, K. 88—65154
Nakada, S. *see* Ogawa, M. 85—35643
Nakada, T. Automatic inspection of integrated circuit masks 88—37936
Nakada, T., Kunioka, A. Efficient ITO/Se heterojunction solar cells 85—5375
Nakada, T., Kunioka, A. Electrical characteristics in indium tin oxide (ITO)/selenium heterojunction diodes 85—18155
Nakada, T., Kunioka, A. Polycrystalline thin-film TiO_2/Se solar cells 86—7009
Nakada, T., Kunioka, A. Fabrication and characterization of titanium dioxide (TiO_2)/selenium thin film solar cells 86—33678
Nakada, T., Kunioka, A. Fabrication and characterization of titanium dioxide (TiO_2)/selenium thin-film solar cells 87—58316
Nakada, T. *see* Oguchi, K. 88—57549
Nakada, T. *see* Sano, M. 86—6365
Nakada, T. *see* Takahashi, S. 88—12058
Nakada, T. *see* Yata, M. 88—56225
Nakada, W., Kou-Chang Hsieh, Suzuki, M., Ono, M., Adachi, S. Cosecant-beam horn array antenna 88—45785
Nakada, Y. *see* Ogawa, Y. 86—11455
Nakadan, Y., Koga, Y. Recent progress in Cs beam frequency standards at the NRLM 85—58804
Nakadan, Y., Koga, Y. Recent progress in Cs beam frequency standards at the NRLM 86—24654
Nakadan, Y. *see* Ohshima, S. 87—14058, 88—74549
Nakadate, S. Shearing heterodyne interferometry using acoustooptic light modulators 86—2881
Nakadate, S. Vibration measurement using phase-shifting time-average holographic interferometry 87—21229
Nakadate, S. Vibration measurement using phase-shifting speckle-pattern interferometry 87—21230
Nakae, T. *see* Kitamura, M. 88—15763
Nakagaki, S. *see* Matsuzawa, K. 85—16156
Nakagaki, S. *see* Mori, T. 86—39996
Nakagaki, S. *see* Taguchi, T. 87—2737, 87—2739
Nakagami, K. Battery driven fork-lifts for cold storage warehouses 88—5958
Nakagami, S. *see* Iwabuchi, M. 87—59498
Nakagami, T., Sakurai, T. Optical and optoelectronic devices for optical fiber transmission systems 88—35487
Nakagami, T. *see* Hamada, O. 87—27465
Nakagami, T. *see* Horimatsu, T. 85—37056, 86—11100, 86—64988
Nakagami, T. *see* Minami, T. 86—23458
Nakagami, T. *see* Sakurai, T. 87—46727
Nakagami, T. *see* Tomimori, K. 87—20484
Nakagami, T. *see* Touge, T. 85—42621
Nakagami, T. *see* Wada, O. 86—68408
Nakagawa, A. A time-and temperature-dependent two-dimensional simulation of GTO turnoff process. II. Inductive load case 85—55801
Nakagawa, A. Numerically predicated on-resistances for 450-V GaAs power SITs operated in the bipolar mode 86—28336
Nakagawa, A. Optimal control of above-knee prosthesis 88—68476
Nakagawa, A. Numerical experiment for 2500 V double gate bipolar-mode MOSFETs (DGIGBT) and analysis for large safe operating area (SOA) 88—71579
Nakagawa, A., Imamura, K., Furukawa, K. 1800 V bipolar-mode MOSFETs (IGBT) 88—13398
Nakagawa, A., Navon, D.H. A time- and temperature-dependent 2-D simulation of the GTO thyristor turn-off process 85—1578
Nakagawa, A., Ohashi, H. 600- and 1200-V bipolar-mode MOSFETs with high current capability 85—55744
Nakagawa, A., Ohashi, H., Kurata, M., Yamaguchi, H., Watanabe, K. Non-latch-up 1200 V 75 A bipolar-mode MOSFET with large ASO 85—55857
Nakagawa, A., Ohashi, H., Muramoto, K. Non-latchup Bipolar-Mode MOSFETs with large-current capability 86—9168
Nakagawa, A., Ohashi, H., Tsukakoshi, T. High voltage bipolar-mode MOSFET with high current capability 85—40775
Nakagawa, A., Watanabe, K., Yamaguchi, Y., Ohashi, H., Furukawa, K. 1800 V bipolar-mode MOSFETs: a first application of silicon wafer direct bonding (SDB) technique to a power device 87—46000
Nakagawa, A., Watanabe, K., Yamaguchi, Y., Tsukakoshi, T. High voltage, new driver IC technique based on silicon wafer direct-bonding (SDB) 88—70541
Nakagawa, A., Yamaguchi, Y., Watanabe, K. Improved bipolar-mode MOSFETs (IGBT) with self-aligning technique and wafer bonding (SDB)—why is the bipolar-mode MOSFET SOA large? 88—19940
Nakagawa, A., Yamaguchi, Y., Watanabe, K., Ohashi, H. Safe operating area for 1200-V nonlatchup bipolar-mode MOSFETs 87—38289
Nakagawa, A., Yamaguchi, Y., Watanabe, K., Ohashi, H., Kurata, M. Experimental and numerical study of non-latch-up bipolar-mode MOSFET characteristics 86—47605
Nakagawa, A., Yamaguchi, Y., Watanabe, K., Ohashi, H., Shimbo, M. 1800 V non-latch-up bipolar-mode MOSFETs (IGBT) fabricated by silicon wafer direct bonding 87—25330
Nakagawa, A. *see* Amemiya, Y. 88—42461
Nakagawa, A. *see* Atsuta, M. 88—19941
Nakagawa, A. *see* Eda, K. 87—18097
Nakagawa, A. *see* Inada, M. 87—25251, 88—26220
Nakagawa, A. *see* Matsunaga, N. 85—54955
Nakagawa, A. *see* Ogura, T. 88—19951
Nakagawa, A. *see* Ohashi, H. 88—39482
Nakagawa, A. *see* Watanabe, K. 86—67895
Nakagawa, A.T. *see* Kamikaw, N.T. 85—42571
Nakagawa, B. *see* Ting, J. 86—50189
Nakagawa, C. *see* Uramoto, T. 88—26521, 88—69872
Nakagawa, E., Mase, I., Kishi, K., Hirata, N. Operation support software of 'MOMO-1' [Marine Observation Satellite-1] 88—53223
Nakagawa, E. *see* Suzuki, M. 86—68771
Nakagawa, F., Aoki, K., Takahashi, T., Ueno, E., Honda, S. A satellite-communication system for the Ministry of Home Affairs' Fire Defense Agency 86—30709
Nakagawa, F. *see* Fukui, A. 87—20102
Nakagawa, F. *see* Kanemasa, A. 88—45732
Nakagawa, H., Katoh, T., Kadokura, E., Ishii, K. Design of new control system for the KEK 12 GeV PS 86—24881
Nakagawa, H., Kurosawa, I., Takada, S. A high speed Josephson 2-bit ALU circuit fabricated with Nb/Al-oxide/Nb junctions 87—24131
Nakagawa, H., Kurosawa, I., Takada, S. A Josephson 2-bit arithmetic logic unit 88—6749
Nakagawa, H., Kurosawa, I., Takada, S., Hayakawa, H. Josephson 4-bit digital counter circuit made by Nb/Al-oxide/Nb junctions 87—66028
Nakagawa, H., Nakaya, K., Kurosawa, I., Takada, S., Hayakawa, H. Nb/Al-oxide/Nb tunnel junctions for Josephson integrated circuits 86—36095
Nakagawa, H., Ohkoshi, A. A new high-resolution Jumbotron 87—3469
Nakagawa, H., Okamura, K. Analysis of work surface configuration utilizing microcomputer 86—49921
Nakagawa, H., Zukotynski, S. On the weak-field magnetoresistance of holes in Ge and Si 85—1277
Nakagawa, H. *see* Aoyagi, M. 85—24231
Nakagawa, H. *see* Endo, M. 88—7531, 88—44723, 88—50766
Nakagawa, H. *see* Fukushima, Y. 86—55495
Nakagawa, H. *see* Kaminaga, K. 87—25658
Nakagawa, H. *see* Kita, T. 87—3311
Nakagawa, H. *see* Kosaka, S. 85—54824
Nakagawa, H. *see* Kurosawa, I. 85—45059, 88—13732
Nakagawa, H. *see* Miyamoto, K. 87—29281
Nakagawa, H. *see* Nakanishi, M. 88—16454
Nakagawa, H. *see* Nakano, A. 86—50865
Nakagawa, H. *see* Niemeyer, J. 86—58714
Nakagawa, H. *see* Ohigashi, N. 85—2186, 86—48444
Nakagawa, H. *see* Sakamoto, Y. 88—13740
Nakagawa, H. *see* Seki, K. 86—60475
Nakagawa, H. *see* Umeki, T. 86—46479, 88—38563
Nakagawa, I. Frequency analysis of MUSE signal 87—47924
Nakagawa, I., Kojima, N., Noda, T., Shinkawa, K., Furuhata, T. Development of HDTV receiving equipment based on band compression technique (MUSE) 87—20692
Nakagawa, I., Matsumoto, S., Hirahata, S., Kojima, N., Tanimura, N., Oishi, K., Wakimoto, H., Christopher, T.J., Willis, D.H., Knight, S.P., Stewart, R.G. A 1 Mb field memory for TV pictures 87—59478
Nakagawa, I. *see* Matsumoto, S. 87—62139
Nakagawa, I. *see* Murata, T. 87—14136
Nakagawa, I. *see* Sugiyama, M. 88—15748
Nakagawa, J., Hikita, M., Kuwamoto, Y., Hagiya, A., Iwama, A., Kimura, H. Handheld telephone for 800 MHz-band cellular radio systems 87—76619
Nakagawa, J. *see* Honma, S. 85—61860
Nakagawa, J. *see* Nakazato, K. 86—8194
Nakagawa, J. *see* Watanabe, M. 88—12095
Nakagawa, K. Power control system for Kyoto Municipal Traffic Bureau 85—26982
Nakagawa, K. Analysis of a half-wave dipole antenna above a two-layered earth 86—68840
Nakagawa, K. Very high speed Giga-bit/s optical fiber transmission technology 87—3186
Nakagawa, K. Analysis of two parallel nonstaggered vertical dipole antennas above a lossy ground 87—19285
Nakagawa, K., Aoyama, K. Fiber optics in Japan 88—22119
Nakagawa, K., Aoyama, K., Yamada, J., Yoshikai, N. Field experiments on the F-1.6G optical fiber trunk transmission system 87—40941
Nakagawa, K., Iwashita, K., Ohara, M., Horiguchi, S. 1.6 Gb/s optical transmission experiment with monolithic integrated circuits 85—20221
Nakagawa, K., Kanaya, F. A new geometric capacity characterization of a discrete memoryless channel 88—66252
Nakagawa, K., Narimatsu, H., Yamahata, H., Suzuki, N., Koumoto, Y., Fujii, T., Uno, T., Kuwata, T., Nakagawa, S., Sekiguchi, H., Tokunaga, K., Maemura, K. 32-bit microprocessor V70 88—19192
Nakagawa, K., Negishi, Y. Optical fiber transmission systems using dispersion-shifted fibers [1.5 microns] 88—15469
Nakagawa, K., Nobuyoshi, T., Miyagaki, Y. Laser-beam scanner enhancement by multipath reflection 87—12649
Nakagawa, K., Nobuyoshi, T., Miyagaki, Y. Piezoelectric laser-beam scanner using multi-path reflection method 87—60715
Nakagawa, K., Nosu, K. An overview of very high capacity transmission technology for NTT networks 88—22088
Nakagawa, K., Shiraki, Y. Anomalous mobility enhancement in Si doping superlattices 86—58309
Nakagawa, K., Shiraki, Y. Anomalous mobility enhancement in Si doping superlattices 87—1277
Nakagawa, K., Yanagida, T., Tokuta, H., Fukase, T. A composite heat sensor 86—55737
Nakagawa, K. *see* Aida, K. 86—55315, 87—56118
Nakagawa, K. *see* Fujiwara, H. 86—9960, 87—33275
Nakagawa, K. *see* Hamada, Y. 87—49351
Nakagawa, K. *see* Hamano, E. 85—18035
Nakagawa, K. *see* Hara, Y. 85—29302
Nakagawa, K. *see* Hayatsu, R. 86—24195
Nakagawa, K. *see* Ishida, Y. 87—77051
Nakagawa, K. *see* Itoh, Y. 87—66172
Nakagawa, K. *see* Iwashita, K. 85—31059
Nakagawa, K. *see* Kato, H. 88—15871
Nakagawa, K. *see* Kawakami, Y. 87—34475
Nakagawa, K. *see* Kawanishi, S. 88—72741
Nakagawa, K. *see* Kimura, H. 87—56111, 87—62982
Nakagawa, K. *see* Matsumura, F. 87—7039
Nakagawa, K. *see* Matsuura, M. 86—5402
Nakagawa, K. *see* Nakazawa, H. 86—4433
Nakagawa, K. *see* Okamoto, K. 85—35119
Nakagawa, K. *see* Saito, T. 86—49114
Nakagawa, K. *see* Shimada, S. 87—34614
Nakagawa, K. *see* Shiraki, Y. 87—36728
Nakagawa, K. *see* Tamura, K. 87—21552
Nakagawa, K. *see* Uchiyama, S. 86—4428
Nakagawa, K. *see* van Gorkum, A.A. 88—26303
Nakagawa, K. *see* Yano, Y. 87—17155
Nakagawa, K.I., Kozaki, S., Ishii, Y., Funada, F., Matsuura, M., Wada, T. Very highly multiplexed twisted-nematic liquid-crystal display 85—46219
Nakagawa, K.K. *see* Canaga, K.W. 86—29483
Nakagawa, M., Hagiwara, M. Nonlinear digital signal processing 88—14705
Nakagawa, M., Miyahara, M. Generalized Karhunen-Loeve transformation. I. Theoretical consideration 87—39886
Nakagawa, M. *see* Agatsuma, K. 87—67959, 88—65027
Nakagawa, M. *see* Hagiwara, M. 85—39962, 85—44941 to 44942, 85—61171, 86—20387, 86—62495, 86—67105, 86—69969, 87—558 to 559, 87—19437, 87—19518, 87—31761 to 31762, 88—618, 88—46079, 88—46092, 88—52362, 88—73003
Nakagawa, M. *see* Haneda, J. 86—20354
Nakagawa, M. *see* Hara, K. 86—54564, 88—41023

Nakagawa, M. *see* Hasegawa, T. 85−28671, 86−41229, 87−555, 87−73547
Nakagawa, M. *see* Higashida, Y. 88−56525
Nakagawa, M. *see* Hirota, O. 87−20573, 87−40938, 88−60195
Nakagawa, M. *see* Kato, M. 87−26816
Nakagawa, M. *see* Kobayashi, F. 87−14114
Nakagawa, M. *see* Kobayashi, T. 85−11112, 85−43605, 85−48591
Nakagawa, M. *see* Koike, H. 87−16952, 88−44098
Nakagawa, M. *see* Kusakabe, H. 87−20569, 88−41019
Nakagawa, M. *see* Makino, S. 88−15749
Nakagawa, M. *see* Matsuda, R. 85−24221, 85−29985
Nakagawa, M. *see* Matsui, M. 87−39825, 87−75840
Nakagawa, M. *see* Matsumoto, H. 87−2465
Nakagawa, M. *see* Miyahara, M. 86−29995, 86−31002, 87−49266
Nakagawa, M. *see* Miyamoto, S. 85−37980
Nakagawa, M. *see* Mizui, K. 87−33640, 87−61737, 88−8676, 88−45991
Nakagawa, M. *see* Mori, T. 86−18992
Nakagawa, M. *see* Muroi, T. 85−17200, 86−43203
Nakagawa, M. *see* Nagao, K. 87−40669
Nakagawa, M. *see* Nakagawa, Y. 86−5928, 87−8925, 87−21555, 87−71116, 88−23066
Nakagawa, M. *see* Nakajima, S. 88−44097
Nakagawa, M. *see* Ohmori, Y. 86−67082
Nakagawa, M. *see* Ono, S. 87−24002
Nakagawa, M. *see* Osanai, H. 88−58014
Nakagawa, M. *see* Sawabe, T. 88−32357
Nakagawa, M. *see* Segawa, K. 85−19312, 86−69575
Nakagawa, M. *see* Suzuki, S. 85−3641
Nakagawa, M. *see* Tada, K. 88−49791
Nakagawa, M. *see* Takahashi, Y. 86−12021
Nakagawa, M. *see* Yamasaki, S. 85−39968, 85−39971, 87−556, 87−5728, 88−12255
Nakagawa, M. *see* Yamashita, K. 86−57026
Nakagawa, M. *see* Yamazaki, K. 86−29742, 88−9593, 88−15500, 88−45855
Nakagawa, M. *see* Yoshida, T. 85−42422, 85−49949, 87−52665
Nakagawa, N. *see* Miki, H. 86−28998
Nakagawa, N. *see* Natori, N. 88−10464
Nakagawa, O. *see* Isaka, K. 86−6360
Nakagawa, O. *see* Miyamoto, K. 87−750
Nakagawa, S. Connected spoken word recognition algorithms by constant time delay DP, 0(n) DP and augmented continuous DP matching 85−2770
Nakagawa, S. A connected spoken word recognition algorithm by augmented continuous DP matching 85−19389
Nakagawa, S. A comparison of O(n) DP and augmented continuous DP matching for connected spoken word recognition 85−36230
Nakagawa, S. Speaker-independent English phoneme recognition by a stochastic dynamic time warping method and a statistical method 87−39707
Nakagawa, S. Speaker-independent consonant recognition in continuous speech by a stochastic dynamic time warping method 87−47628
Nakagawa, S. Demand contract categories 87−50639
Nakagawa, S. Continuous speech recognition by time-synchronous parsing algorithm of context-free grammar 87−61620
Nakagawa, S. Spoken sentence recognition by time-synchronous parsing algorithm of context-free grammar 87−61696
Nakagawa, S., Aoyama, K. F-1.6G optical fiber transmission service starts on trunk lines 88−28875
Nakagawa, S., Hauptmann, A.G., Tomita, M. On quick word spotting techniques 87−19612
Nakagawa, S., Ito, T. Recognition of spoken Japanese sentences using mono-syllable units and backward kakari-uke parsing algorithm 88−34616
Nakagawa, S., Jilan, M.M. Syllable-based connected spoken word recognition by two pass 0(n) DP matching and hidden Markov models 87−19548
Nakagawa, S., Nakanishi, H. Speaker-independent spoken word recognition in a large vocabulary using syllable templates in words 88−34615
Nakagawa, S., Senda, S. Question-answering and understanding on Japanese sentences of traffic laws 88−27858
Nakagawa, S., Sumide, M., Kitamoto, Y., Niimura, Y., Naoe, M. Studies on coercivity in Co-Cr thin films by means of a multilayer technique 88−71885
Nakagawa, S., Umezaki, T. A continuous speech recognition method based on monosyllable units and a spoken word recognition method from a classified syllable string 85−63022
Nakagawa, S., Yoshimori, S., Kawamura, M. The effect of multiple scattering on the gain of the X-ray free electron laser using stimulated transition radiation 88−40252
Nakagawa, S. *see* Hasegawa, H. 87−7211
Nakagawa, S. *see* Hata, T. 85−10795, 86−52518, 87−23726, 88−43924
Nakagawa, S. *see* Itoh, H. 87−74365
Nakagawa, S. *see* Kai, T. 85−56115
Nakagawa, S. *see* Murakami, K. 87−8413
Nakagawa, S. *see* Nakagawa, K. 88−19192
Nakagawa, S. *see* Nakamura, S. 86−54444
Nakagawa, S. *see* Nakamura, Y. 85−29454
Nakagawa, S. *see* Niimura, Y. 87−16666, 87−31558, 87−46306, 88−43925, 88−57901 to 57902
Nakagawa, S. *see* Nishijima, S. 87−67814, 87−67931
Nakagawa, S. *see* Nishimura, T. 88−42165
Nakagawa, S. *see* Nomura, T. 88−22329
Nakagawa, S. *see* Numazawa, J. 86−4873, 86−36017
Nakagawa, S. *see* Okada, T. 88−66101
Nakagawa, S. *see* Sakama, Y. 85−25268
Nakagawa, S. *see* Sawai, H. 88−27841, 88−34602
Nakagawa, S. *see* Shimada, R. 85−5212
Nakagawa, S. *see* Suzuki, M. 87−37335
Nakagawa, S. *see* Takahata, K. 88−66010
Nakagawa, S. *see* Tanaka, F. 88−47331
Nakagawa, S. *see* Yamamura, S. 85−65239
Nakagawa, S. *see* Yoneda, Y. 86−63557
Nakagawa, S. *see* Yoshimoto, M. 87−20713
Nakagawa, T. Optimization problems in k-out-of-n systems 86−237
Nakagawa, T. Modified, discrete replacement models 87−58736
Nakagawa, T. Sequential imperfect preventive maintenance policies 88−70086
Nakagawa, T., Bohne, W. A compact and gridless channel plate start detector 88−74751
Nakagawa, T., Fujita, T., Matsumoto, Y., Kojima, T., Ohta, K. Resonant tunneling of holes in AlAs/GaAs triple barrier diodes 87−45643
Nakagawa, T., Fujita, T., Matsumoto, Y., Kojima, T., Ohta, K. Thermally stimulated resonant current in AlGaAs/GaAs triple barrier diodes 87−67199
Nakagawa, T., Fujita, T., Matsumoto, Y., Kojima, T., Ohta, K. Sharp resonance characteristics in triple-barrier diodes with a thin undoped spacer layer 87−67207
Nakagawa, T., Gonda, S., Emura, S., Shimizu, S. Arsenic pressure dependence of composition x in $Al_xIn_{1-x}As$ grown by molecular beam epitaxy 88−24717
Nakagawa, T., Hung-Chi Lai Reference manual of Fortran Program ILLOD-(NOR-B) for optimal NOR networks 86−13935
Nakagawa, T., Ikeda, S., Takahashi, J.I. Analog printed circuit layout software for CADVANCE 1000 interactive CAD system 85−17955
Nakagawa, T., Imamoto, H., Kawai, N.J., Kojima, T., Ohta, K. Observation of resonant tunnelling via first excited level in double-barrier diodes 86−41731
Nakagawa, T., Imamoto, H., Kojima, T., Ohta, K. Observation of resonant tunnelling in AlGaAs/GaAs triple barrier diodes 86−63230
Nakagawa, T., Imamoto, H., Sakamoto, T., Kojima, T., Ohta, K., Kawai, N.J. Observation of negative differential resistance in CHIRP superlattices 86−2229
Nakagawa, T., Kawai, N.J., Ohta, K. Design principles for CHIRP superlattice devices 85−55771
Nakagawa, T., Nakamura, Y., Goboh, Y., Yamaguchi, M. Program system for visual information response and communication processing system (VIRPS) 88−15001
Nakagawa, T., Niwayama, K., Yoshida, S., Kiyohara, T., Miyajima, T. An 8000 V, 1500 A light-triggered thyristor and its characteristics 85−29203
Nakagawa, T., Shinohara, M., Kobayashi, K., Kakehi, A. Sputtered disks for high-density recording 86−21993
Nakagawa, T., Tanabe, K., Kasahara, H. Visual information response and communication processing system 88−41266
Nakagawa, T., Yamamura, S. Electromagnetically levitated vehicle on rails considering rail oscillation 86−40229
Nakagawa, T., Yamamura, S., Nakanishi, K. Simulation of running coupled rail cars using a control theory of bogie truck for damping rail oscillation 87−9900
Nakagawa, T., Yamamura, S., Nakanishi, K. Control method for a twist response type of electromagnetically levitated truck and its experiments using digital control theory 88−55669
Nakagawa, T., Yasui, K. Optimum policies for a system with imperfect maintenance 88−31423
Nakagawa, T., Yokoi, H., Sharma, C.S., Suzuki, T., Suzuki, K. Application of laser beam cutting in the manufacturing of cutting tools 85−22019
Nakagawa, T. *see* Brown, D. 86−47843
Nakagawa, T. *see* Hayashi, N. 85−3075
Nakagawa, T. *see* Hayashi, Y. 85−10352
Nakagawa, T. *see* Iwasaki, C. 85−39829
Nakagawa, T. *see* Kaneko, K. 87−62135
Nakagawa, T. *see* Katane, T. 85−26450
Nakagawa, T. *see* Kojima, T. 85−60952
Nakagawa, T. *see* Kubo, H. 86−70666, 87−54592
Nakagawa, T. *see* Kunieda, M. 88−53890
Nakagawa, T. *see* Kuritani, K. 87−48770
Nakagawa, T. *see* Makino, M. 87−22074
Nakagawa, T. *see* Niwayama, K. 85−62453
Nakagawa, T. *see* Okada, T. 86−4406, 87−40548
Nakagawa, T. *see* Sakamoto, T. 85−10678, 85−49573, 85−60955, 86−34337
Nakagawa, T. *see* Yasui, K. 86−253, 88−70183
Nakagawa, T.-T., Lai, H.-C., Muroga, S. Design algorithm of optimal NOR networks by the branch-and-bound approach 85−40031
Nakagawa, T.Y. *see* Naemura, S. 88−53779
Nakagawa, W. *see* Okubo, S. 88−20395
Nakagawa, Y. Application of light-section method for automatic production 86−20943
Nakagawa, Y. DC plasma display panels feature four-level-gradation contrast adjustment 87−21164
Nakagawa, Y. DPSK data demodulation based on SAW convolver using multiple waveguide 87−21807
Nakagawa, Y. View and trend of radiometry and photometry 87−70831
Nakagawa, Y., Ariyoshi, T. Production of a pulse intense ion beam of current density over a hundred times larger than the Child-Langmuir limit by a magnetically-insulated ion diode 88−10226
Nakagawa, Y., Enomoto, T. Production of high density ion beam by magnetic compression 86−25071
Nakagawa, Y., Enomoto, T. Fluctuations and nonuniformity of the ion beam current and electron flow in a long-pulse, applied B_r magnetically insulated ion diode 86−55979
Nakagawa, Y., Enomoto, T. Compression and propagation of an intense ion beam in a strong magnetic field 87−39305
Nakagawa, Y., Gomi, Y. Ta_2O_5-on-fused-quartz temperature-compensated SAW delay lines 86−47944
Nakagawa, Y., Gomi, Y., Suzuki, T. Deposition of Ta_2O_5 thin film and application to SAW devices 86−47900
Nakagawa, Y., Gotoh, N. Development of electron beam lithography system model JBX-6AIII for high speed pattern writing 88−7414
Nakagawa, Y., Hara, Y., Hashimoto, M. Automatic visual inspection using digital image processing [printed circuit inspection] 85−45284
Nakagawa, Y., Hikita, M., Kamada, H. Improvement of surrogate constraints algorithm 85−16877
Nakagawa, Y., Hikita, M., Kamada, H. Surrogate constraints algorithm for reliability optimization problems with multiple constraints 85−39585
Nakagawa, Y., Hirose, T., Kanzaki, J. Pattern recognition of charged particles for the VENUS central drift chamber 87−3906
Nakagawa, Y., Hou, W., Cai, A., Arnold, N., Wade, G., Yoneyama, M., Nakagawa, M. Nonlinear parameter imaging with finite-amplitude sound waves 87−71116
Nakagawa, Y., Inoue, H., Amatsu, M., Yanase, T. Design considerations of swap gate for 4 Mbit bubble memory chip 86−36077
Nakagawa, Y., Kido, G., Miura, S., Noto, K., Hoshi, A., Kudo, M., Sai, K., Ishikawa, Y. Monitoring of a water-cooled coil of a hybrid magnet by means of precise measurements of field and resistance 88−65072
Nakagawa, Y., Makio, S. SAW convolver using a multi-channel waveguide 86−15326
Nakagawa, Y., Makio, S. Surface acoustic wave convolver using multiple waveguide 86−47946
Nakagawa, Y., Makio, S. Surface acoustic wave convolver using multiple waveguide 87−67668
Nakagawa, Y., Matsukawa, Y., Enomoto, T., Ariyoshi, T., Tsutsumi, S. Motion of a pulse intense ion beam in a sector torus magnetic field 87−56939
Nakagawa, Y., Miura, S., Hoshi, A., Ito, S., Nakajima, K., Takano, H., Inoue, K., Hanai, S. Design and performance of water-cooled magnets for hybrid magnets 87−54498
Nakagawa, Y., Nakagawa, M., Yoneyama, M., Kikuchi, M. Nonlinear parameter imaging computed tomography by parametric acoustic array 86−5928
Nakagawa, Y., Nakagawa, M., Yoneyama, M., Kikuchi, M. Ultrasonic nonlinear parameter CT by nonlinear interaction of sound waves 87−8925
Nakagawa, Y., Nakagawa, M., Yoneyama, M., Kikuchi, M. New nonlinear parameter imaging CT system using a parametric acoustic array 87−21555
Nakagawa, Y., Nakagawa, M., Yoneyama, M., Kikuchi, M. Ultrasonic nonlinear parameter CT using nonlinear interaction of sound waves 88−23066
Nakagawa, Y., Nakamura, K., Jinguji, G., Furuyashiki, H. Effects of initial value on surface acoustic wave parametric oscillation 85−12463
Nakagawa, Y., Nakamura, K., Mura-Matsu, K Optical control of surface acoustic wave parametric oscillation 85−12471

Nakagawa, Y., Noto, K., Hoshi, A., Miura, S., Watanabe, K., Kido, G., Muto, Y. Present status of hybrid magnets at Tohoku University 86−42202
Nakagawa, Y., Ohtani, F., Yaji, T., Fueki, H., Yabusaki, K., Kohmoto, K. Development of an eye-hazardous UV irradiance meter 86−32391
Nakagawa, Y., Ohtani, F., Yaji, T., Kawai, K. Calibration system of 253.7 nm irradiance 88−37727
Nakagawa, Y., Okamoto, T., Atsumi, T., Ito, Y., Inutsuka, R. High-resolution plasma display units 87−56768
Nakagawa, Y., Ono, M. Nonlinear interaction of surface acoustic waves in waveguide 85−18525
Nakagawa, Y., Ono, M. Nonlinear interaction of surface acoustic waves in waveguide 85−35272
Nakagawa, Y., Oshida, Y., Ninomiya, T., Sasaki, H. Shape detection of solder joints by spotlight scanning light-section method 87−17536
Nakagawa, Y., Tsukushi, M., Hirasawa, K., Yoshioka, Y. Transient dielectric recovery characteristics across the contacts after current interruption of puffer type gas circuit breakers 86−26223
Nakagawa, Y., Umeda, M., Kimura, Y. Critical current densities of Nb_3Ge tapes prepared by chemical vapour deposition on resistively heated tape substrates 87−74546
Nakagawa, Y., Yamaoka, T., Sato, M., Yamamoto, M., Glanville, J. Recent progress on etching technology with FIB in photomask repair 88−64455
Nakagawa, Y., Yamasaki, H., Kimura, Y. Compositional distribution in the cross section of chemical-vapor-deposited Nb_3Ge tape conductors and its correlation with superconducting properties 87−32903
Nakagawa, Y., Yoshimasu, T., Nakashima, T., Kurotobi, M., Hasegawa, T. UHF GaAs broadband monolithic amplifier 88−50386
Nakagawa, Y. *see* Abe, K. 88−16629
Nakagawa, Y. *see* Akiyama, N. 85−55260
Nakagawa, Y. *see* Busby, K.O. 87−29394
Nakagawa, Y. *see* Chiba, M. 85−37914
Nakagawa, Y. *see* Fukushima, Y. 87−14037
Nakagawa, Y. *see* Hassel Shearer, M. 88−64469
Nakagawa, Y. *see* Hikita, M. 86−40579, 87−51898
Nakagawa, Y. *see* Hiroyoshi, H. 87−56651
Nakagawa, Y. *see* Hoshi, A. 87−58206
Nakagawa, Y. *see* Iijima, T. 88−16949
Nakagawa, Y. *see* Inoue, T. 85−23777
Nakagawa, Y. *see* Ishikawa, T. 86−48011, 87−52250
Nakagawa, Y. *see* Ito, K. 87−64967, 88−31205
Nakagawa, Y. *see* Katsube, T. 88−42227
Nakagawa, Y. *see* Kazutoshi Sawada 86−31512
Nakagawa, Y. *see* Kido, G. 86−48064, 87−56820, 88−65975
Nakagawa, Y. *see* Kobayashi, M. 85−4229
Nakagawa, Y. *see* Kohno, M. 86−5592
Nakagawa, Y. *see* Kuriyama, S. 86−55490
Nakagawa, Y. *see* Masuzawa, S. 87−69520
Nakagawa, Y. *see* Miura, S. 87−54499
Nakagawa, Y. *see* Muto, Y. 87−53926
Nakagawa, Y. *see* Ninomiya, T. 88−1102, 88−1184
Nakagawa, Y. *see* Noto, K. 88−39819
Nakagawa, Y. *see* Satoh, H. 85−62381
Nakagawa, Y. *see* Takano, H. 86−48019
Nakagawa, Y. *see* Yaji, T. 87−58979
Nakagawa, Y. *see* Yamamoto, M. 87−11533
Nakagawa, Z., Sasaki, S., Sato, M., Glanville, J., Yamamoto, M. Recent progress on etching technology with focused ion beam in photomask repair 88−57540
Nakagawa, Z. *see* Ri, S. 86−70129
Nakagawara, H. *see* Nagasaka, T. 88−64133
Nakagawara, K. *see* Yoshida, M. 87−64959
Nakagawara, M. *see* Ohya, A. 88−72173
Nakagima, T. *see* Nakayama, H. 86−10955
Nakagiri, A., Maeda, H., Yamano, T., Hirai, M., Tsubokura, H. Damping characteristic measurement of ferromagnetic materials−mechanical impedance and impulse response method 88−44946
Nakagiri, H. Standard technology of crossing protection in West Germany (EBuT80) 86−51997
Nakagiri, K., Shibuki, M., Okazawa, H., Umezu, J., Ohta, Y., Saitoh, H. Studies on the accurate evaluation of the RRL primary cesium beam frequency standard 88−16400
Nakagiri, K., Shibuki, M., Urabe, S., Ishizu, M., Ohta, Y., Morikawa, T., Saburi, Y. Accuracy evaluation of the RRL primary cesium beam frequency standard 85−58814
Nakagiri, K. *see* Urabe, S. 85−43061
Nakagiri, S. *see* Tani, S. 88−58937
Nakagiri, T. *see* Iwamoto, M. 87−1363
Nakagome, H., Kuriyama, T., Horigami, O. Helium magnetic-refrigerator for cooling superconducting devices 86−22039
Nakagome, H., Kuriyama, T., Ogiwara, H., Yazawa, T., Hashimoto, T. A rotating magnetic refrigerator for helium liquefaction 87−32894
Nakagome, H., Takahashi, M., Ogiwara, H. A parasitic magnetic refrigerator for cooling superconducting magnet 88−65050
Nakagome, H. *see* Kuriyama, T. 87−32895
Nakagome, H. *see* Matsumoto, K. 87−32896
Nakagome, H. *see* Mikami, O. 86−36177
Nakagome, H. *see* Uwai, K. 87−66916, 88−1356, 88−18754
Nakagome, H. *see* Whitney, P.S. 88−58376
Nakagome, H. *see* Yazawa, T. 87−32849
Nakagome, K., Murase, Y. The production of the quiz program with computer graphics 85−8526
Nakagome, M. *see* Ohno, J. 88−22767
Nakagome, Y. New media in international image communications 85−47027
Nakagome, Y. *see* Aoki, M. 86−8262, 87−44829
Nakagome, Y. *see* Horiguchi, M. 88−6879, 88−32195
Nakagome, Y. *see* Kaga, T. 88−19167, 88−38527, 88−63675
Nakagome, Y. *see* Kanno, I. 87−3897, 88−47978
Nakagome, Y. *see* Shinmi, T. 85−23752, 87−53479
Nakagomi, K. *see* Hayashi, M. 86−65088
Nakagoshi, A. *see* Hikita, M. 86−2532
Nakagoshi, A. *see* Kinoshita, Y. 88−51357
Nakaguchi, A. *see* Kume, A. 87−71540
Nakaguchi, T. *see* Tatsumi, K. 88−45177
Nakahama, M. *see* Nakayama, M. 86−38279, 86−42120
Nakahara, F. *see* Nakamura, O. 85−60411
Nakahara, H. Future trends of electronics in Asia 85−32850
Nakahara, H. Status of the PWB industry in the Far East 85−61517
Nakahara, H. SMT expands options in Japan 86−47140
Nakahara, H. Surface mount technology in Japan−from consumer electronics to supercomputer 87−36488
Nakahara, H. Japan's swing to chip-on-board 87−36490
Nakahara, H. Complex multilayer boards vie for space in Japanese computers 87−53019
Nakahara, H. Japan responds to the cost-driven market [PWB production] 88−38904
Nakahara, H. Small hole drilling in Japan 88−57099
Nakahara, H. *see* Blurton, K.F. 86−14749
Nakahara, H. *see* Endo, K. 85−53142
Nakahara, H. *see* Hayasaka, N. 88−7470
Nakahara, H. *see* Messner, G. 85−40335
Nakahara, H. *see* Moriki, K. 87−61167, 88−40200
Nakahara, J. *see* Goltsos, W. 85−56420
Nakahara, K. Hakata, a town of history and tradition [railway maintenance] 86−66413
Nakahara, K., Abe, I., Enomoto, A., Otake, Y., Urano, T. Multiple single-board-computer system for the KEK positron generator control 86−60417
Nakahara, K., Kitahara, T., Higuchi, T., Kamibaba, T., Yozi, K. Observation and analysis of waveforms due to lightning discharge to the 500 kV system 87−30254
Nakahara, K., Kitoh, E., Kobayashi, S., Endo, S., Nagakubo, K., Usami, N., Miyawaki, K. Nationwide radio paging system 88−21987
Nakahara, K., Nakamura, T. A 14 GHz-band 20 mW GaAs monolithic amplifier 87−59865
Nakahara, K., Sirakura, Y. Indoor calibration method for reference solar cells 85−44194
Nakahara, K., Takahara, H., Shimizu, M., Miyai, K., Takami, S., Muto, K., Ichikawa, A., Sekiya, M., Sakai, T., Horie, M. Studies on development test of wind-power generation at Shionomisaki 86−51538
Nakahara, K., Yui, N. Method for outdoor calibration of reference solar cells 85−21806
Nakahara, K., Yui, N., Kataoka, S. Effect of solar radiation reflected from snow on solar cells 87−72400
Nakahara, K., Yui, N., Koyanagi, T., Nagamine, F. Stability of irradiance of Xe-lamp type solar simulators 85−44288
Nakahara, K. *see* De Kang Liu 87−14694
Nakahara, K. *see* De-Kang Liu 87−41702
Nakahara, K. *see* Hosono, Y. 86−50436
Nakahara, K. *see* Kadowaki, Y. 87−11051
Nakahara, K. *see* Kawakami, H. 86−40001, 86−51692
Nakahara, K. *see* Kuki, T. 87−48941
Nakahara, K. *see* Maemura, K. 88−21980
Nakahara, K. *see* Okada, M. 88−25211
Nakahara, K. *see* Oogoe, T. 87−14648
Nakahara, K. *see* Sato, I. 87−14653, 87−41704
Nakahara, K. *see* Shidara, T. 86−55939
Nakahara, K. *see* Urano, T. 86−60432, 88−42359
Nakahara, K. *see* Yui, N. 85−44178
Nakahara, K., Anami, S., Takasaki, E. *(editor)* Proceedings of the 11th Meeting on Linear Accelerators (KEK 86-4) 87−10045
Nakahara, M. Mechanism of hydroxyl loss increase in gamma-irradiated and heat-treated silica fibers 85−35519
Nakahara, M., Hiruta, Y., Noguchi, T., Yoshida, M., Maeguchi, K., Kanzaki, K. Relief of hot carrier constraint on submicron CMOS devices by use of a buried channel structure 86−47841
Nakahara, M., Ninomiya, T., Harada, K. Analysis of surge and noise generation in a forward DC-to-DC converter 85−577
Nakahara, M., Ninomiya, T., Harada, K. Surge and noise generation in a forward DC-to-DC converter 86−20269
Nakahara, M., Ninomiya, T., Harada, K. Analysis of surge and noise generation mechanism in a forward DC-to-DC converter 86−45542
Nakahara, M., Ninomiya, T., Harada, K. Analysis of surge and noise generation mechanism in a forward DC-to-DC-converter 87−52333
Nakahara, M., Ohmori, Y., Itoh, H., Shimizu, M., Inagaki, N. Formation and disappearance of defect centers in GeO_2-doped silica fibers with heat treatments 86−42273
Nakahara, M. *see* Hanawa, F. 86−9528, 87−53964
Nakahara, M. *see* Itoh, H. 85−29556, 86−22121, 86−42271, 86−48106, 86−68238 to 68239, 87−32970
Nakahara, M. *see* Kobayshi, T. 88−70705
Nakahara, M. *see* Mibuchi, Y. 86−50930
Nakahara, M. *see* Miya, T. 86−9556
Nakahara, M. *see* Ninomiya, T. 86−66160, 87−22570, 88−5766, 88−55423
Nakahara, M. *see* Noguchi, T. 87−25582
Nakahara, M. *see* Shibata, S. 86−2737, 86−15464, 86−36220
Nakahara, M. *see* Shimizu, M. 86−2677
Nakahara, M. *see* Suda, H. 86−9557, 86−15461, 86−36229, 87−26053
Nakahara, N. *see* Ishida, A. 88−63292
Nakahara, S., Felder, E.C., Temkin, H. Characterization of near-surface line defects formed during high-temperature annealing of gold-metallized III-V compound semiconductors (InP and GaAs) 85−1540
Nakahara, S., Hong, M., van Dover, R.B., Gyorgy, E.M., Bacon, D.D. Microstructures of thin sputtered amorphous $Tb_{0.26}Fe_{0.74}$ and polycrystalline Fe films 86−62256
Nakahara, S., Imaeda, Y. The apparatus for measuring insensible perspiration by low drift, precision near-infrared hygrometer 85−38001
Nakahara, S. *see* Bacon, D.D. 86−42087
Nakahara, S. *see* Brasen, D. 85−60960, 87−10462
Nakahara, S. *see* Chu, S.N.G. 86−52448, 88−34026
Nakahara, S. *see* Green, M.L. 87−5490, 87−58995, 88−12041, 88−56235
Nakahara, S. *see* Gurvitch, M. 88−38217
Nakahara, S. *see* Hebard, A.F. 86−34360
Nakahara, S. *see* Hong, M. 87−16658, 87−67697
Nakahara, S. *see* Hull, R. 86−13784
Nakahara, S. *see* Kamgar, A. 88−12029
Nakahara, S. *see* Kisker, D.W. 88−31761
Nakahara, S. *see* Kobayashi, H. 87−5115, 88−7809
Nakahara, S. *see* Nishiura, T. 86−42192
Nakahara, S. *see* Shieh, H.-P.D. 88−58271
Nakahara, S. *see* Trimble, L.E. 88−57293
Nakahara, S. *see* Tung, R.T. 85−40511
Nakahara, T. Optical communication systems in Japan 88−22110
Nakahara, T., Ihara, M. OPTOPIA [optical fibres] 85−12608
Nakahara, T. *see* Hagino, S. 86−43616
Nakahara, T. *see* Mine, K. 87−21274
Nakahara, Y. *see* Otsubo, M. 85−18501
Nakahashi, K. *see* Ando, Y. 85−36651
Nakahashi, M. *see* Fujikawa, K. 87−51422
Nakahashi, M. *see* Iwase, N. 87−74401
Nakahashi, T. *see* Taguchi, A. 88−19279
Nakahasi, J., Kitamura, A. Investigation of TV interference prediction methods 86−10128
Nakahata, K. *see* Okamoto, K. 85−35119
Nakahata, M. *see* Ueno, H. 88−62523
Nakahata, Y. *see* Mizutani, T. 85−49203
Nakahigashi, S. *see* Fukuya, K. 87−32747
Nakahira, T., Kojima, T., Abe, T. Operating results of flue gas desulfurization system for unit nos. 1 & 2 (156 MW, each) as Ishikawa Coal-Fired Thermal Power Station of the Electric Power Development Co., Ltd. 88−62161
Nakahira, T., Sakamoto, Y., Kawamura, T. Operating results of flue gas desulfurization system for unit No.1 and 2 (500 MW each) of Shin-Onoda Power Station of The Chugoku Electric Power Co. Inc 88−11049
Nakahira, Y. *see* Tamaru, S. 88−6073
Nakahodo, K. *see* Lehnhardt, E. 87−4034
Nakai, A. Fringing field effects on the trajectories of high current ion beams in a magnetic sector-type analyzer 88−29751
Nakai, A., Kobayashi, N. An ion beam source with a high intensity and a low emittance 88−61052
Nakai, H. Meat refrigeration 85−27909
Nakai, H., Takashima, H., Soekawa, H., Tokunaga, T. Irradiation effects on the transmission properties of image guides 85−35522
Nakai, H. *see* Hirata, K. 86−12636
Nakai, H. *see* Kikumoto, Y. 87−55659
Nakai, H. *see* Koukitu, A. 88−404
Nakai, H. *see* Takai, M. 85−23684, 85−50451, 86−21403 to 21404, 88−44544
Nakai, H. *see* Tokuda, J. 87−32424

Nakai, J. *see* Miyatake, S. 85−42912, 85−52662, 87−34970
Nakai, K., Miyauchi, T., Yoshikawa, M. A problem concerning the mesh partition in magnetization analysis 87−2263
Nakai, K., Ozeki, M. Selective metalorganic chemical vapour deposition for GaAs planar technology 85−10781
Nakai, K., Ueda, O., Odagawa, T., Takanohashi, T., Yamakoshi, S. Epitaxial growth and characteristics of Fe-doped InP by MOCVD 88−64253
Nakai, K. *see* Higashikawa, M. 87−64948
Nakai, K. *see* Hwang, H. 87−22024
Nakai, K. *see* Ichimaru, K. 85−59180
Nakai, K. *see* Ito, M. 85−18819, 86−15588
Nakai, K. *see* Kasai, K. 86−57470, 86−63035
Nakai, K. *see* Kira, T. 85−56119
Nakai, K. *see* Makiuchi, M. 85−56457
Nakai, K. *see* Miura, S. 85−35658, 86−58848, 87−38955
Nakai, K. *see* Namba, I. 85−34431
Nakai, K. *see* Sanada, T. 88−2226
Nakai, K. *see* Shiiba, K. 88−26668
Nakai, K. *see* Soda, H. 88−7974
Nakai, K. *see* Tanaka, K. 87−52119
Nakai, K. *see* Wada, O. 85−51069, 86−9707, 86−42462, 87−18867
Nakai, K. *see* Wakao, K. 87−68485
Nakai, K. *see* Yamakoshi, S. 88−65721
Nakai, M., Ando, H., Ono, H., Ozaki, T., Koike, N., Ohba, S., Ozawa, N., Takemoto, I. An interline CDD image sensor using an independent double-column readout method 88−29443
Nakai, M., Ono, H., Ozawa, M. Defect-free well layer with high dose B^+ implantation 85−45564
Nakai, M., Ono, H., Watanabe, K., Ozawa, M., Nagano, T., Takemoto, I. Si substrate structure for solid-state color imagers 86−2384
Nakai, M. *see* Ando, H. 86−5045
Nakai, M. *see* Ohba, S. 86−5037
Nakai, M. *see* Okuzaki, Y. 87−36094
Nakai, M. *see* Sone, H. 88−24089, 88−50459
Nakai, M. *see* Takahashi, Y. 85−42319
Nakai, R., Kotani, T., Kawasaki, A., Takebe, T., Shimazu, M., Takenaka, K., Kishi, M., Mizuuchi, K., Murai, S., Tada, K., Yamaguchi, T. Development of high-quality, large GaAs single crystals 85−33401
Nakai, R. *see* Campbell, J. 88−61413
Nakai, R. *see* McNeal, D.R. 87−14923
Nakai, R. *see* Nambu, K. 88−56214
Nakai, R. *see* Takebe, T. 85−55971, 86−9171
Nakai, R.J., Campbell, J., McNeal, D.R., Waters, R.L. Preliminary characterization of epimysial electrodes used to electrically activate the paralyzed lower extremities 88−61458
Nakai, R.J., McNeal, D.R. Tetanic endurance and twitch moment of electrically conditioned paralyzed muscle 88−61412
Nakai, R.J. *see* Crago, P.E. 87−14924
Nakai, S. *see* Akiba, T. 87−56934, 87−75146
Nakai, S. *see* Hasegawa, M. 88−10977
Nakai, S. *see* Kitagaki, T. 88−27124
Nakai, S. *see* Kubota, M. 86−52880
Nakai, S. *see* Maezawa, H. 86−60485
Nakai, S. *see* Mima, K. 88−62491
Nakai, S. *see* Miyamoto, S. 85−1222, 88−30796
Nakai, S. *see* Ohigashi, N. 87−33216, 87−75145
Nakai, S. *see* Ozaki, T. 86−11808
Nakai, S. *see* Shimizu, H. 88−21737
Nakai, S. *see* Tachigami, S. 86−48154
Nakai, S. *see* Urushihara, S. 88−40190
Nakai, T. Automotive noise from a motorway. II. Analysis 85−19155
Nakai, T. Hollow shaft type pump motor with non-reverse clutch [AC motors] 85−48933
Nakai, T. Automotive noise received with a vertical dipole antenna placed above and on the ground 85−62802
Nakai, T. Amplitude probability distributions and impulse amplitude distributions for impulsive noise: atmospheric radio noise from a near thunderstorm and automotive radio noise from a roadway 86−48614
Nakai, T. Measurement and analysis of impulsive noise from bullet trains 87−26811
Nakai, T. Introduction of large-capacity motors 87−78671
Nakai, T., Hata, M., Itoh, Y., Kobayashi, M. Encryption system with error control 86−49153
Nakai, T., Kawasaki, Z. Automotive noise from a motorway. I. Measurement 85−20719
Nakai, T., Kawasaki, Z. APDs and CRDs for noise from bullet trains in Japan 85−64271
Nakai, T., Kawase, S., Nagatani, M. On the generation of the Shinkansen noise 87−75476
Nakai, T., Marutani, Y. Fabrication of 3-dimensional objects using laser lithography 88−40449
Nakai, T., Mimura, Y., Shinbori, O., Tokiwa, H. Redox states and absorption losses of 3d transition metals in fluoride glasses 86−22061
Nakai, T., Mimura, Y., Shinbori, O., Tokiwa, H. Elimination of complex ions in fluoride glasses by NF_3 processing 86−28775
Nakai, T., Mimura, Y., Tokiwa, H., Shinbori, O. Reduction of absorption due to iron ions in fluoride glasses 85−56299
Nakai, T., Mimura, Y., Tokiwa, H., Shinbori, O. Origin of excess scattering in fluoride glasses 85−62278
Nakai, T., Suzuki, K., Saito, T. A full color contact type linear image sensor using amorphous silicon photodetector arrays 85−37488
Nakai, T. *see* Inoue, M. 88−23465
Nakai, T. *see* Kawasaki, Z. 87−39410
Nakai, T. *see* Kiuchi, A. 88−15767
Nakai, T. *see* Kukita, S. 88−22135, 88−47026, 88−67379
Nakai, T. *see* Nakajima, T. 85−38553
Nakai, T. *see* Noda, M. 86−39259
Nakai, T. *see* Saito, T. 87−28976
Nakai, T. *see* Suda, Y. 88−42159
Nakai, T. *see* Suzuki, K. 85−26217, 85−31380
Nakai, T. *see* Tokiwa, H. 85−62279, 85−62313, 86−15462
Nakai, T. *see* Wang Hangliang 88−45993
Nakai, Y. Surface flaw inspection for metallic materials 88−31884
Nakai, Y., Hirata, Y., Koyama, T. The functions and features of the M74ALS00P Series of advanced low-power Schottky TTL devices 85−40021
Nakai, Y., Koyama, K., Kusaka, K., Kurohiji, M., Matsugi, Y. A plastic-encapsulated ECL RAM 88−6841
Nakai, Y. *see* Kato, M. 88−10745
Nakai, Y. *see* Kumano, M. 86−56670
Nakai, Y. *see* Nakamura, H. 87−8482
Nakai, Y. *see* Nishibori, H. 86−59510
Nakai, Y. *see* Sakai, Y. 87−8577
Nakai, Y. *see* Sawada, K. 88−57025
Nakai, Y. *see* Terauchi, H. 88−43487
Nakaide, H., Aizawa, K., Harashima, H. Fast search algorithms for vector quantization in orthogonal transform domain 87−27615
Nakaide, H., Aizawa, K., Harashima, H. Fast search algorithms for vector quantization in orthogonal transform domain 88−59014
Nakaishi, H. *see* Stapf, R.O. 87−29507
Nakaiwa, M., Kawasaki, S., Naka, Y., Baba, K., Takamatsu, T. Design of electric power generation systems using waste heat energy 87−30352
Nakaji, E.M. *see* Ma, Y.E. 85−17844
Nakajima, A., Adachi, N., Arai, H., Nakamura, T. Expansion techniques for the facsimile intelligent communication network 85−3085
Nakajima, A., Fujitani, Y., Miura, A., Yura, T., Yoneya, S., Maeda, T., Nakamura, O., Tsuji, A., Morishita, M., Masuda, T., Yoshikawa, T. Measurement of stains on cubicles and performance verification test studies of various stain-resistant structures 87−4646
Nakajima, A., Sawada, H., Shinagawa, N. Enlarging technologies based on No.7 signalling system for mobile communication network 88−46941
Nakajima, A., Yamamoto, K. Advanced mobile communication network based on signaling system No. 7 87−76604
Nakajima, A. *see* Adachi, T. 85−36667
Nakajima, A. *see* Asano, H. 87−30878
Nakajima, A. *see* Fujii, T. 88−21832
Nakajima, A. *see* Ishikawa, H. 85−52555
Nakajima, A. *see* Kawakami, Y. 87−17157
Nakajima, A. *see* Mizusawa, J. 87−48473
Nakajima, A. *see* Noda, K. 86−63048
Nakajima, A. *see* Saito, T. 87−48658
Nakajima, A. *see* Sugawara, M. 86−4872
Nakajima, A. *see* Yamada, Y. 85−60358
Nakajima, A. *see* Yamamoto, K. 88−9460
Nakajima, C., Ito, T., Yamada, T., Hayashi, N., Kikuchi, Y., Oosawa, C. MICREX-F series network system 87−62625
Nakajima, E. *see* Hongo, K. 86−68696, 87−19279
Nakajima, E. *see* Osaka, T. 87−11262
Nakajima, G. *see* Ando, T. 85−41089
Nakajima, H. Ion sensitive semiconductor electrode 85−14769
Nakajima, H. Optical communication techniques—optical devices for optical communication systems. II 88−35494
Nakajima, H. Wavelength selective distributed feedback laser amplifier 88−45458
Nakajima, H., Frey, R. Observation of bistable reflectivity of a phase-conjugated signal through intracavity nearly degenerate four-wave mixing 85−41497
Nakajima, H., Frey, R. Intracavity nearly degenerate four-wave mixing in a (GaAl)As semiconductor laser 86−9826
Nakajima, H., Itoh, T., Kanata, Y. Frequency analysis of human ERG for diagnosis of the disordered retina 87−77670
Nakajima, H., Jidai, E., Murayama, M., Miyamoto, F., Kuriyama, K. New insulation system for traction motors 86−66098
Nakajima, H., Kosaka, M. The DAT Conference: its activities and results 87−14032
Nakajima, H., Murayama, M., Jidai, E., Nishidoi, S., Kuriyama, K. New insulating materials for traction motors 88−17520
Nakajima, H., Nagai, K., Yamamoto, S., Umise, K., Yokota, T., Taniji, Y., Nakashiba, Y., Oda, E. SP-3A CCD camera with electronic shutter 87−41204
Nakajima, H., Sawaki, I., Seino, M., Asama, K., Horimatsu, T., Murakami, K. Integrated optic switching circuit using $Ti:LiNbO_3$ waveguide network 85−2069
Nakajima, H., Sawaki, I., Seino, M., Yamane, T. Bipolar-voltage-controlled optical switch fabricated on Z-cut $Ti:LiNbO_3$ intersecting waveguide 88−65337
Nakajima, H., Sekiguchi, H., Kosugi, T., Shiomi, Y., Sawa, M., Kawashima, S., Kai, K. Improvement in the angular resolution of the 17-GHz solar radio interferometer at Nobeyama 85−20289
Nakajima, H., Sekiguchi, H., Sawa, M., Kai, K., Kawashima, S., Kosugi, T., Shibuya, N., Shinohara, N., Shiomi, Y. The radiometer and polarimeters at 80, 35, and 17 GHz for solar observations at Nobeyama 85−63778
Nakajima, H., Shigemori, H. Development of a driving data recorder for commercial vehicles and its applications 85−16368
Nakajima, H., Shoji, T., Nakajima, N., Takahashi, H., Kondo, T. Materials engineering aspects of ageing phenomena in structural materials of LWRs and their relevance to R&D in plant life extension programmes 88−43018
Nakajima, H., Yoshida, K., Hattori, Y., Koizumi, K., Oshikiri, M., Shimamoto, S. Structural behavior of winding and superconductor under mechanical loading 87−67956
Nakajima, H. *see* Abitbol, C. 85−18943
Nakajima, H. *see* Ando, T. 85−1925, 87−12090, 88−65086
Nakajima, H. *see* Frey, R. 87−75182
Nakajima, H. *see* Furuta, H. 87−28565
Nakajima, H. *see* Gallion, P. 85−56624
Nakajima, H. *see* Haruna, M. 85−62286
Nakajima, H. *see* Ikeda, S. 87−70242
Nakajima, H. *see* Kato, T. 85−56249
Nakajima, H. *see* Koizumi, K. 88−65105
Nakajima, H. *see* Kuwagaki, H. 88−53804
Nakajima, H. *see* Kuwahara, H. 88−73914
Nakajima, H. *see* Kuwahara, M. 85−2970
Nakajima, H. *see* Landreau, J. 88−51828
Nakajima, H. *see* Matsuo, T. 85−14745, 86−55685
Nakajima, H. *see* Matuso, T. 87−63720
Nakajima, H. *see* Minehisa, S. 86−45859
Nakajima, H. *see* Murayama, K. 88−12094
Nakajima, H. *see* Nagai, K. 87−70245
Nakajima, H. *see* Odaka, K. 87−20801
Nakajima, H. *see* Okiyama, T. 88−47172
Nakajima, H. *see* Sakamoto, H. 88−74819
Nakajima, H. *see* Sawa, M. 85−20291
Nakajima, H. *see* Seino, M. 85−18690, 88−47129
Nakajima, H. *see* Sekiguchi, H. 85−20290
Nakajima, H. *see* Shibutani, Y. 88−63405
Nakajima, H. *see* Shimamoto, S. 85−1893, 85−1927, 85−41077, 87−12091, 88−13775, 88−65098
Nakajima, H. *see* Shirasaki, M. 85−2100, 86−36506, 88−65243
Nakajima, H. *see* Tada, E. 87−67979
Nakajima, H. *see* Takahashi, T. 86−63496
Nakajima, H. *see* Takahashi, Y. 85−35366, 85−56141, 86−42191, 87−67954
Nakajima, H. *see* Thedrez, B. 87−46983
Nakajima, H. *see* Tone, S. 85−33514
Nakajima, H. *see* Tsuji, H. 86−58725
Nakajima, H. *see* Yokoi, S. 87−57196
Nakajima, H. *see* Yoshida, K. 88−65087
Nakajima, I. Fibre optics 85−56317
Nakajima, I. A method of dimensioning packet-switched networks with fairness on grade of service 87−69420
Nakajima, I. An optimization method for packet-switched networks to achieve the grade-of-service fairness 88−21369
Nakajima, I. An optimization method for packet-switched networks to achieve the grade-of-service fairness 88−41140
Nakajima, I., Miyake, K. Optimization of packet-switched networks under end-to-end packet transit delay constraints 87−48282
Nakajima, I. *see* Miyake, K. 88−34840
Nakajima, I. *see* Yokoyama, M. 88−67018
Nakajima, J., Hida, M., Tashiro, J., Matsuda, T. Two-color recording process for electrophotographic printer 86−63925
Nakajima, J. *see* Kihara, T. 85−22926
Nakajima, J. *see* Kimura, M. 85−7592, 85−41569
Nakajima, J. *see* Wanou, M. 87−39291
Nakajima, K. On the reduction of fill-ins in a space matrix 85−60862
Nakajima, K. Simultaneous determination of total organic carbon and total nitrogen in waters by pyrolysis-gas chromatography-mass spectrometry 86−25446
Nakajima, K. LPE growth of InGaAs/InP and AlGaInAs/InP structures 87−16622
Nakajima, K. Liquid-phase epitaxial growth of very thick $In_{1-x}Ga_xAs$ layers with uniform composition by source-current-controlled method 87−52118

Nakajima, K. Characteristics and application examples of load motor by measurement of motor shaft output 87-72091
Nakajima, K., Fujimaki, A., Sawada, Y. Direct observation of the current oscillation in a DC SQUID 87-25887
Nakajima, K., Goto, K. Current issues on private-use message handling systems 88-9068
Nakajima, K., Hanna, J.A. A linear time algorithm for drawing partially oriented planar graphs 86-57573
Nakajima, K., Hidai, T., Akagi, T., Iki, Y., Terashita, T. Wideband VHF and UHF monitoring receiver 85-57931
Nakajima, K., Kanemaki, N., Kaiyoh, H. Integrated communication processing services based on recognition communication function 86-37676
Nakajima, K., Makino, N. Modem for JUST-PC (telecommunication by using personal computers) 87-69772
Nakajima, K., Murakami, M. Color monitor for HDTV 88-53787
Nakajima, K., Okazaki, J. Substrate orientation dependence of the In-Ga-As phase diagram for liquid phase epitaxial growth of $In_{0.53}Ga_{0.47}As$ on InP 85-60961
Nakajima, K., Sawada, Y. Soliton logic circuits as elements of Josephson computer system 88-12358
Nakajima, K., Tanahashi, T. Liquid phase epitaxial growth conditions of lattice-matched $In_{1-x}Ga_xAs_{1-y}P_y$ layers on (111)A and (111)B InP 86-7772
Nakajima, K., Yamazaki, S. A new method to supply solute elements into growth solutions. Demonstration by liquid-phase epitaxial growth of $In_{1-x}Ga_xAs$ 85-44732
Nakajima, K., Yamazaki, S. Growth of very thick $In_{1-x}Ga_xAs$ layers by source-current-controlled method 86-26839
Nakajima, K. *see* Bensiek, W. 87-41695
Nakajima, K. *see* Enomoto, K. 86-62558
Nakajima, K. *see* Fujimaki, A. 87-32909, 87-67897
Nakajima, K. *see* Furuya, N. 86-4432
Nakajima, K. *see* Hakimi, S.L. 85-22584
Nakajima, K. *see* Haruta, K. 88-52630
Nakajima, K. *see* Hyeong-Ah Choi 88-31905
Nakajima, K. *see* Ieiri, T. 88-54161
Nakajima, K. *see* Isoyama, A. 85-25345
Nakajima, K. *see* Isozumi, S. 88-38182
Nakajima, K. *see* Kamada, S. 86-24878
Nakajima, K. *see* Kawasaki, M. 88-18729
Nakajima, K. *see* Kneisel, P. 85-59038
Nakajima, K. *see* Kondo, M. 87-23681, 88-70331
Nakajima, K. *see* Lin, P.-F. 87-69431
Nakajima, K. *see* Masuda, S. 87-69423
Nakajima, K. *see* Miyazaki, T. 86-69367
Nakajima, K. *see* Naclerio, N.J. 87-65708
Nakajima, K. *see* Nakagawa, Y. 87-54498
Nakajima, K. *see* Ogata, A. 86-31776
Nakajima, K. *see* Osano, M. 87-19165
Nakajima, K. *see* Petersen, D.A. 85-54953
Nakajima, K. *see* Rim, C.S. 88-31948
Nakajima, K. *see* Satoh, K. 86-24979
Nakajima, K. *see* Sumi, K. 88-38014
Nakajima, K. *see* Takanohashi, T. 86-53405, 88-44571
Nakajima, K. *see* Tamura, T. 86-38744
Nakajima, K. *see* Tanahashi, T. 87-10468
Nakajima, K. *see* Tomiyama, C. 87-73131
Nakajima, K. *see* Usukura, T. 85-52062
Nakajima, K. *see* Yamazaki, S. 85-10681
Nakajima, M. Basic computer graphics technology for image synthesis 87-2574
Nakajima, M. Development of a video conference system 88-67139
Nakajima, M., Agui, T. Computer graphics images 86-29993
Nakajima, M., Agui, T. Image analysis of biological movements and its applications 88-41042
Nakajima, M., Agui, T., Iitsuka, H. Pattern recognition for logical circuit diagrams written by freehand 86-27246
Nakajima, M., Agui, T., Sakamoto, K. Pseudo-coding method for digital line figures 85-51781
Nakajima, M., Agui, T., Takeda, M. A coding method of gray valued pictures using density contour lines 85-19534
Nakajima, M., Agui, T., Takeda, M. A coding method of gray-valued pictures using density contour lines 86-68987
Nakajima, M., Agui, T., Uemura, K., Noguchi, N. Anti-aliasing algorithm using silhouette mask method 88-52594
Nakajima, M., Fujii, T., Ishida, K. A study of dislocations in In-doped LEC GaAs crystals 87-73048
Nakajima, M., Funabashi, T., Yamatani, T., Itabashi, M. Pad mounted transformer 86-61568
Nakajima, M., Hamada, M., Moribe, M., Hirano, H., Itoh, K., Ogawa, S. Reduction of media noise in optical disks 86-42219
Nakajima, M., Katsumata, T., Terashima, K., Ishida, K. Striations in undoped semi-insulating LEC GaAs 85-28203
Nakajima, M., Kawakami, H., Tokko, Y., Goto, S., Takami, S., Ii, I., Takahara, H. Tests of stringing a power line into a 500 kV electric station 86-12480
Nakajima, M., Miyauti, F., Kameda, Y., Tokko, Y., Kuroki, T., Kubo, D., Kusumoto, S., Nakaya, S., Kuwahara, M., Katayama, H., Hayasida, H., Kawakami, H., Koorogi, H. Observation of salt contamination and seawater spray at the marine substation 86-51817
Nakajima, M., Mizuno, H., Ishiuchi, H., Tokue, T., Fujii, K., Hikino, T. Low noise GaAs FET for new media 86-2389
Nakajima, M. *see* Agui, T. 85-25184, 85-51787, 86-10496, 86-29733, 86-69158, 88-8825
Nakajima, M. *see* Akiyama, I. 86-5923, 87-63757, 88-61321
Nakajima, M. *see* Arai, Y. 87-27624, 87-48004
Nakajima, M. *see* Awai, I. 86-2750
Nakajima, M. *see* Bamba, Y. 85-29116
Nakajima, M. *see* Choi, H. 88-41075
Nakajima, M. *see* Fujii, T. 87-73049, 88-31719
Nakajima, M. *see* Fukumoto, K. 85-40229, 87-6067, 88-19354, 88-25042
Nakajima, M. *see* Fuse, M. 87-24438
Nakajima, M. *see* Hasegawa, S. 87-33755
Nakajima, M. *see* Hata, S. 86-49038
Nakajima, M. *see* Hiranvanichakorn, P. 85-7940
Nakajima, M. *see* Hyung Jin Choi 88-46171
Nakajima, M. *see* Iwata, S. 85-64578, 86-32287, 86-70406, 87-21551
Nakajima, M. *see* Kadota, H. 88-6900
Nakajima, M. *see* Kawakami, H. 86-51692
Nakajima, M. *see* Kazama, T. 86-61565 to 61566
Nakajima, M. *see* Kimijiri, H. 86-54556, 87-27620
Nakajima, M. *see* Kimura, T. 87-23598
Nakajima, M. *see* Kobayashi, J. 86-58297, 87-11616
Nakajima, M. *see* Konishi, Y. 88-56859, 88-63541
Nakajima, M. *see* Kusaba, R. 87-41960, 88-42537, 88-52093
Nakajima, M. *see* Mitsumoto, T. 87-14645
Nakajima, M. *see* Miyairi, H. 86-21136
Nakajima, M. *see* Morozumi, T. 85-4300
Nakajima, M. *see* Nagao, T. 86-10493
Nakajima, M. *see* Nakazawa, K. 87-35021, 88-42294
Nakajima, M. *see* Ohnishi, H. 88-48559
Nakajima, M. *see* Okada, H. 87-60106
Nakajima, M. *see* Okamoto, T. 88-734
Nakajima, M. *see* Okuda, M. 88-65378
Nakajima, M. *see* Onodera, H. 85-12567, 86-63686
Nakajima, M. *see* Orito, F. 86-46304
Nakajima, M. *see* Saito, H. 88-60885
Nakajima, M. *see* Sato, T. 85-55679, 86-396, 87-24772
Nakajima, M. *see* Toyama, T. 87-10878
Nakajima, M. *see* Tsukamoto, K. 88-38526
Nakajima, M. *see* Uchiyama, H. 85-15309, 86-31378, 86-38780
Nakajima, M. *see* Umeda, H. 88-63892
Nakajima, M. *see* Wada, O. 86-68889, 87-26903, 88-7033, 88-12562
Nakajima, M. *see* Yamamoto, M. 86-34791
Nakajima, M. *see* Yamashita, E. 87-7578, 87-19247
Nakajima, M. *see* Yumoto, J. 85-41207
Nakajima, M. *see* Yuta, S. 85-48263
Nakajima, N. Improvement in evaluating the logarithmic Hilbert transform in phase retrieval 87-19869
Nakajima, N. Phase retrieval from two intensity measurements using the Fourier series expansion 87-27585
Nakajima, N. Reconstruction of a real function from its Hartley-transform intensity 88-59220
Nakajima, N., Hirade, K., Hata, M. System philosophy of a service-enhanced 1.5-GHz band digital mobile radio 88-9458
Nakajima, N., Kohno, H., Azetsu, A. Development of a multi-purpose Stirling engine driven by wood fuel 86-39557
Nakajima, N., Shimanuki, Y., Abe, K., Furuno, T. 4-, 5-, 6-GHz band offset antenna featuring low sidelobe and high cross polarization discrimination 85-30094
Nakajima, N. *see* Hori, T. 85-51508, 87-47383
Nakajima, N. *see* Matsushima, T. 87-18885
Nakajima, N. *see* Nakajima, H. 88-43018
Nakajima, N. *see* Yamada, Y. 87-26996, 87-48951
Nakajima, N. *see* Yoshida, S. 86-68870
Nakajima, O., Nagata, K., Ito, H., Ishibashi, T., Sugeta, T. Emitter-base junction size effect on current gain H_{fe} of AlGaAs/GaAs heterojunction bipolar transistors 86-9103
Nakajima, O., Nagata, K., Ito, H., Ishibashi, T., Sugeta, T. Suppression of emitter size effect on current gain in AlGaAs/GaAs HBTs 86-28290
Nakajima, O., Nagata, K., Yamauchi, Y., Ito, H., Ishibashi, T. Improvement in AlGaAs/GaAs HBT power gains with buried proton-implanted layer 87-18084
Nakajima, O., Nagata, K., Yamauchi, Y., Ito, H., Ishibashi, T. High-speed AlGaAs/GaAs HBTs with proton-implanted buried layers 87-45903
Nakajima, O., Nagata, K., Yamauchi, Y., Ito, H., Ishibashi, T. High-performance AlGaAs/GaAs HBT's utilizing proton-implanted buried layers and highly doped base layers 88-26219
Nakajima, O. *see* Ishibashi, T. 87-46160, 87-46176
Nakajima, O. *see* Nagata, K. 86-53605, 86-63197, 87-25228, 87-52828, 88-26221, 88-33166
Nakajima, O. *see* Nittono, T. 87-17761, 88-19744
Nakajima, O. *see* Shiono, N. 86-47409
Nakajima, O. *see* Yamauchi, Y. 87-73398, 88-56607
Nakajima, R. *see* Takahashi, S. 87-9709 to 9710
Nakajima, S. Ultrasonic proximity sensor for profile following work by robot manipulators 86-31416
Nakajima, S. Ultrasonic proximity sensor for profile following work by robot manipulators—measurements of 3D orientation of robot hand using phase difference 87-4182
Nakajima, S. A generic test program generation in the CADE 87-70395
Nakajima, S. Cathode coupling all mode plasma etcher 88-33050
Nakajima, S., Hagiwara, M., Nakagawa, M. Third-order DPLL robust against input frequency fluctuation 88-44097
Nakajima, S., Hamada, H. Automatic generation of synthesis units based on context oriented clustering 88-72844
Nakajima, S., Hiraide, K. A broadband switching system for field trials 85-52180
Nakajima, S., Hiraide, K., Kondo, F. Broadband switching system 86-10918
Nakajima, S., Hiraide, K., Tawara, K., Ushida, F. System architecture for broadband switching system 85-30834
Nakajima, S., Kawai, M., Yamazaki, F. A proposal on a flexible beam-capacity mobile satellite communication system 88-3937
Nakajima, S., Minegishi, K., Miura, K.E., Morie, T., Kimizuka, M., Mano, T. A submicrometer megabit DRAM process technology using trench capacitors 85-35169
Nakajima, S., Miura, K., Minegishi, K., Morie, T. An isolation-merged vertical capacitor cell for large capacity DRAM 85-50728
Nakajima, S., Miura, K., Somatani, T., Arai, E. A trench MOSFET with surface source/drain contacts 86-47606
Nakajima, S., Miyabe, H., Kawanaka, H., Tsuchida, H. Voice mail system 87-13271
Nakajima, S., Sakai, T. MSK carrier recovery circuit of deviated-frequency-locking detection 86-10395
Nakajima, S., Sakai, T., Mishima, H. Offset frequency assignment to reduce intermodulation noise 86-22886
Nakajima, S., Sakai, T., Mishima, H. Offset frequency allocation to reduce intermodulation noise 87-40785
Nakajima, S., Sakai, T., Nishi, Y., Terada, N. Radio systems for experimental mobile satellite system (EMSS) 88--35430
Nakajima, S., Suyama, M., Usui, Y. Application methods of variable circuit assignment in satellite communications 87-28482
Nakajima, S., Suyama, M., Usui, Y. Application methods of variable circuit assignment in satellite communications 88-60078
Nakajima, S., Yoshizawa, Y., Yamauchi, K. Design and analysis of high frequency magnetic amplifier regulator using amorphous saturable core 87-19158
Nakajima, S., Yoshizawa, Y., Yamauchi, K., Matsumoto, Y. Loss evaluation of amorphous saturable-core 88-51344
Nakajima, S. *see* Fujii, Y. 87-6388, 87-31564
Nakajima, S. *see* Furukawa, K. 86-58442, 87-38260, 88-13436, 88-18709
Nakajima, S. *see* Hiraide, K. 88-15295
Nakajima, S. *see* Hisaki, T. 85-19667
Nakajima, S. *see* Ikuta, K. 85-45611
Nakajima, S. *see* Inoue, M. 85-45443
Nakajima, S. *see* Kitagawa, M. 88-18670
Nakajima, S. *see* Kitgawa, M. 87-65474
Nakajima, S. *see* Kozono, S. 86-4515
Nakajima, S. *see* Mano, T. 87-59486
Nakajima, S. *see* Mikami, A. 87-61048, 88-40090
Nakajima, S. *see* Morie, T. 86-41125
Nakajima, S. *see* Nagao, M. 88-3194
Nakajima, S. *see* Ogura, T. 86-44365, 86-58836
Nakajima, S. *see* Sakai, T. 87-3139, 87-49004, 88-3903
Nakajima, S. *see* Satoh, K. 88-35431
Nakajima, S. *see* Shibata, A. 86-56946, 87-9734
Nakajima, S. *see* Shigeta, M. 87-58959

Nakajima, S. *see* Suyama, M. 87−28331
Nakajima, S. *see* Suzuki, A. 85−39761, 87−1220, 87−25218
Nakajima, S. *see* Suzuki, T. 87−34628
Nakajima, S. *see* Tachibana, M. 87−23855
Nakajima, S. *see* Takada, K. 87−29294, 87−67341
Nakajima, S. *see* Takemoto, K. 87−34541, 87−49099
Nakajima, S. *see* Tanaka, K. 87−68299
Nakajima, S. *see* Taniguchi, K. 85−26417, 86−2976, 86−50171
Nakajima, S. *see* Tokunaga, H. 88−28149, 88−46477
Nakajima, S. *see* Tomomura, Y. 88−49841
Nakajima, S. *see* Tsuchiya, T. 85−34968, 87−38291
Nakajima, S. *see* Yamada, J. 85−22876
Nakajima, S. *see* Yamagata, J. 87−40109
Nakajima, S. *see* Yamauchi, K. 88−64910
Nakajima, S. *see* Yoshida, M. 87−3688
Nakajima, S. *see* Yoshizawa, Y. 86−63569, 87−67774
Nakajima, S.i. *see* Imura, R. 85−27640
Nakajima, T. Single-chip speech-recognition LSI, T6658A 86−69022
Nakajima, T., Adachi, H., Narita, T., Horiguchi, Y., Noro, M., Nakai, T. Supervisory control and protection system using microcomputer for a superclad substation 85−38553
Nakajima, T., Iimori, K., Horiguchi, Y. Remote supervisory control equipment of distribution line in distribution line automation system 87−71556
Nakajima, T., Iimori, K., Mizutani, N. Coupling device for carrier wave on automation of power distribution 87−71652
Nakajima, T., Masada, E., Ogihara, Y. Compensation of the cycloconverter input current harmonics using active power filter 88−69617
Nakajima, T., Ono, T., Arita, Y., Uenishi, A., Suzuki, K. A photo triac coupler series for 100/200 V AC lines 86−36339
Nakajima, T., Otsuki, T. Development of sucrose radiation dosimeter with free radicals 88−42587
Nakajima, T., Tanaka, M., Hayasaka, T., Miyake, Y., Nakanishi, Y., Sasamoto, K. Airborne measurements of the optical stratification of aerosols in turbid atmospheres 87−29928
Nakajima, T. *see* Fukuhara, T. 87−71164
Nakajima, T. *see* Ishida, M. 86−56068
Nakajima, T. *see* Kamei, M. 85−5813, 88−4292
Nakajima, T. *see* Kim, D.-G. 88−18927
Nakajima, T. *see* Kitagaki, T. 88−27124
Nakajima, T. *see* Kitakaze, K. 88−11765
Nakajima, T. *see* Kitamura, K. 86−51216
Nakajima, T. *see* Kubota, S. 85−57923
Nakajima, T. *see* Masada, E. 88−64549, 88−71541, 88−75115
Nakajima, T. *see* Masuda, Y. 87−3861
Nakajima, T. *see* Mizonobe, T. 88−50564
Nakajima, T. *see* Okada, M. 85−37998
Nakajima, T. *see* Suzuki, T. 86−59230
Nakajima, T. *see* Watanabe, N. 85−16210
Nakajima, T. *see* Yoshimasu, T. 87−6733
Nakajima, Y. FVR-G2 Series for general-purpose inverter 86−61598
Nakajima, Y., Ezekiel, S. Sensitive determination of the existence of higher-order modes in a quasi-single-mode fiber 87−26004
Nakajima, Y., Hayashi, T., Hayashi, I., Uchino, K. Electrostrictive properties of a PMN stacked actuator 85−37570
Nakajima, Y., Higuchi, H., Kokubo, Y., Sakakibara, Y., Kakimoto, S., Namizaki, H. High-power high-reliability operation of 1.3 μm p-substrate buried crescent laser diodes 88−8195
Nakajima, Y., Kimura, K., Okawa, K., Ohashi, T., Hori, T. Digital technology for VHS VCRs 87−77015
Nakajima, Y., Mizutani, Y., Tamaki, S., Ito, H., Kasezawa, T., Murakama, T. Improvement of picture quality for NTSC and PAL systems by digital signal processing 86−24019
Nakajima, Y., Mizutani, Y., Tamaki, S., Ito, H., Nurakami, T. Picture-quality improvements in NTSC and PAL systems by digital-signal processing 86−37135
Nakajima, Y., Mizutani, Y., Tamaki, S., Ohkawa, Y., Ohashi, T., Yoshitomi, M., Taguchi, K., Yazawa, N. Home-use VTR with field memory to improve search mode eliminating noise bar and skewness 87−41249
Nakajima, Y., Sugimoto, M., Kurazono, S. An analysis of dielectric branching waveguides by boundary element method 85−19190
Nakajima, Y. *see* Akagi, Y. 87−5556, 88−51271
Nakajima, Y. *see* Kakimoto, S. 88−34012
Nakajima, Y. *see* Mada, H. 87−38873
Nakajima, Y. *see* Murakami, K. 87−8413
Nakajima, Y. *see* Niwa, Y. 85−26085
Nakajima, Y. *see* Ono, S. 87−76979
Nakajima, Y. *see* Sakakibara, Y. 85−46417, 86−22399, 88−45451
Nakajima, Y. *see* Takata, Y. 87−49348
Nakajima, Y. *see* Takemoto, A. 87−54312
Nakajima, Y. *see* Tsujihara, S. 87−70201
Nakajima, Y. *see* Yamamoto, Y. 87−13911
Nakajima, Y. *see* Yoshimoto, M. 87−20713
Nakajiri, T. *see* Kotani, M. 86−30309
Nakajma, M. Recent topics of CT technology 85−38083
Nakajo, A. *see* Ohyama, K. 86−59528
Nakakarumai, S., Kanamori, K., Nakatsuka, S. Real time clock μPD4990C 86−34929
Nakakawaji, T., Mizuno, T., Ushijima, K., Araki, K. Application of Concurrent Euclid to specification, implementation and verification of communication protocol 87−34213
Nakakita, S. *see* Murano, H. 86−40556
Nakakita, T., Shono, I., Yamamoto, S., Iuchi, T. Surface temperature calculation system for stainless steel strip in continuous annealing furnaces 86−5011
Nakako, M. *see* Hanazato, Y. 86−32226
Nakako, M. *see* Shiono, S. 87−41471
Nakakoshi, T. *see* Shibata, E. 87−72617
Nakakubo, T. *see* Kambayashi, S. 87−32234
Nakakubo, T. *see* Nadahara, S. 88−20100
Nakakuki, J. *see* Kobayashi, Y. 85−27831
Nakakuki, Y. *see* Fujita, T. 88−24910
Nakakura, H., Ishiguro, A. Automatic load follow control system for PWR plants 87−78368
Nakakura, Y. *see* Asch, A. 86−27674
Nakama, F., Ichikawa, M., Nagasawa, H. Measurement of contact loss by detecting spark [contact wire and pantographs] 85−32763
Nakama, S. Operation of fault detecting relay (51 CB) of power cables for feeder use 86−51978
Nakama, T. *see* Itoh, S. 86−11304
Nakama, Y. *see* Obata, S. 88−60483
Nakamae, E. *see* Kishimoto, K. 87−47884
Nakamae, E. *see* Nomura, T. 85−21669
Nakamae, E. *see* Shaikh, Z.H. 86−68669, 88−45613
Nakamae, E. *see* Yamashita, H. 85−46523, 88−49940
Nakamae, K., Fujioka, H., Ura, K. A new hemispherical retarding field energy analyser for quantitative voltage measurements in the SEM 85−43055
Nakamae, K., Fujioka, H., Ura, K., Takagi, T., Takashima, S. A hemispherical retarding-field energy analyser with a microchannel plate detector and a high extraction field for voltage measurement in the scanning electron microscope 87−11323
Nakamae, K. *see* Fujioka, H. 85−50173, 88−1335
Nakamae, K. *see* Ura, K. 85−11874
Nakamae, M. Recent progress and future prospect for VLSI Si bipolar transistors 88−13339
Nakamae, M. *see* Hamaguchi, T. 86−47780
Nakamae, M. *see* Takemura, H. 87−53494, 88−39674
Nakamae, M. *see* Tashiro, T. 85−54853
Nakamara, K. *see* Nakamura, Y. 85−31904
Nakamaru, K. *see* Murayama, H. 86−64944
Nakamatsu, H., Kawai, S. Epitaxy of SiC films on sapphire by laser CVD 88−43900
Nakamatsu, Y. *see* Hinamoto, T. 86−62739
Nakame, M. *see* Arimura, M. 87−17087
Nakamichi, I., Ishikawa, Y., Hirose, Y. The effect of ultraviolet irradiation on electro and electroless platings of nickel 86−20071
Nakamichi, I., Ishikawa, Y., Hirose, Y. The effect of ultraviolet irradiation on the electroless plating process of nickel 87−52159
Nakamichi, K., Nomura, Y., Yanagida, M., Kakusho, O. Least-squares method for source sound separation 85−63018
Nakamichi, Y. Overseas electrification and exports [high speed railways] 86−33767
Nakamichi, Y. Investigations of economization of electric power facilities in Shinkansen line extension 87−22843
Nakamizo, T. Robust estimation 85−19449
Nakamizo, T. Robust estimation in random data processing 88−34703
Nakamizo, T., Korenaga, A. Robust Kalman filter using hypothesis testing 88−66513
Nakamizo, T., Nakatsuji, H. Fourier analysis of short-term data 86−37106
Nakamizo, T. *see* Harada, K. 86−61618, 87−30829, 88−30257
Nakamizo, T. *see* Ohshima, T. 87−75837, 88−8784
Nakamkura, K. *see* Itoh, R. 87−41842
Nakamkura, Y. *see* Yamakawa, K. 86−68166
Nakamo, M., Matsuo, Y., Omata, T. Reactive power compensating system using repetitive control method 86−12278
Nakamori, K. *see* Yamamura, S. 86−26012
Nakamori, M., Shen, P. CBE-202 fiber optic bus-extender 85−35458
Nakamori, M. *see* Kasaki, M. 85−32190
Nakamori, M. *see* Satoh, S. 86−4426
Nakamori, S. Optimal filtering using covariance information in two-dimensional systems 85−57524
Nakamori, S., Tokumaru, H. Restoration of Landsat image 88−59332
Nakamori, T., Tsuruoka, T., Kanamori, T., Shibata, S. Ta-Si-C high resistivity thin films for thermal printing heads 88−19557
Nakamori, T., Tsuruoka, T., Kanamori, T., Shibata, S. Effect of film thickness on Ta-Si-C high resistivity thin films for thermal printing heads 88−24804
Nakamori, Y., Fujikake, Y., Tokiwa, K., Kataoka, T., Tsuneoka, S., Misumi, H. Development of a measuring system for friction force in the CC mold (a new method for predicting surface defects of CC slabs) 86−11736
Nakamoto, A., Murakami, H., Doke, T., Kashiwagi, T., Kikuchi, J., Masuda, K., Kasahara, K., Mitsui, K., Muraki, Y., Yuda, T., Watanabe, Y. A 4-inch silicon/tungsten calorimeter for p-p̄ collider experiments 87−8842
Nakamoto, A., Murakami, H., Doke, T., Kikuchi, J., Masuda, K., Kasahara, K., Mitsui, K., Muraki, Y., Yuda, T. A Si(Li)-Pb shower calorimeter for p-p̄ collider experiments 85−59183
Nakamoto, A. *see* Hirasima, Y. 88−22938
Nakamoto, H., Matsuura, M., Ito, F., Tanifuji, T. Semiconductor waveguides with high coupling efficiency for single-mode optical fibers 87−60942
Nakamoto, M. Advanced CATV system 85−47691
Nakamoto, M. Trends of cable television system 87−34819
Nakamoto, M., Hirao, Y., Yamashita, Y., Iwase, N. Pyroelectric infrared sensor using $PbTiO_3$ ceramics 85−26337
Nakamoto, M., Kobayashi, A. Video teleconference: bringing people together electronically 85−14499
Nakamoto, M. *see* Hirao, H. 86−38389
Nakamoto, M. *see* Ichinose, N. 86−50098, 86−55735
Nakamoto, M. *see* Mori, C. 85−37936
Nakamoto, M. *see* Sakabe, S. 87−78672
Nakamoto, M. *see* Tomozawa, A. 85−26097
Nakamoto, N. *see* Utsumi, Y. 88−52812
Nakamoto, S., Ito, N., Kuriyama, T., Kimura, J. A lift-off method for patterning enzyme-immobilised membranes in multi-biosensors 88−35956
Nakamoto, S. *see* Kobayashi, Y. 85−27831
Nakamoto, S. *see* Terai, H. 85−8705
Nakamura, A. 1600 kW induction heater for forging 85−32830
Nakamura, A. Induction billet heater for long billet 87−43679
Nakamura, A., Aizawa, K. Digital images of geometric pictures 85−30469
Nakamura, A., Aizawa, K. On the recognition of properties of three-dimensional pictures 86−23123
Nakamura, A., Fukumoto, H., Yamamoto, S. Mark sensor requires no sensitivity adjustment 87−49755
Nakamura, A., Hamada, N. A construction method of Lyapunov functions for piecewise-linear systems 88−49993
Nakamura, A., Shiiki, K., Shinagawa, K. Simulation model for perpendicular Co-Cr medium 87−46318
Nakamura, A. *see* Fujiwara, K. 87−12305
Nakamura, A. *see* Hagiwara, Y. 86−62458
Nakamura, A. *see* Koyama, F. 87−23689, 87−31500, 88−65725
Nakamura, A. *see* Koyanagi, M. 85−64219
Nakamura, A. *see* Masamura, H. 87−49402, 88−53485
Nakamura, A. *see* Ogawa, T. 87−28560
Nakamura, A. *see* Saitoh, M. 88−70709
Nakamura, A. *see* Sekine, Y. 86−51727
Nakamura, A. *see* Yamanouchi, C. 85−63940
Nakamura, A. *see* Yoshida, Y. 86−10502
Nakamura, C. *see* Hagino, Y. 85−53191
Nakamura, C. *see* Ikezawa, Y. 88−48752
Nakamura, E., Koshiishi, M., Hirato, K., Kurata, M., Aihara, M., Aida, F., Nanba, K., Fujiwara, Y., Tase, S., Kajiki, I., Sakaguchi, Y. Development of internal freon cooling system of XLPE cable 86−6372
Nakamura, E., Kurata, M., Mohtai, T., Yoshida, S., Akashi, K. Development of radial-flow type internally oil-cooled oil-filled cable 88−55002
Nakamura, E., Ogino, M., Kurata, M., Maotai, T., Yoshida, S., Akashi, K. A method for calculating the cooling characteristics of radial-flow type internally oil-cooled oil-filled cables 87−30192
Nakamura, E., Tanaka, T., Katahira, T. Evaporated Fe-Ni films for a back layer of perpendicular magnetic recording media. II. Preparation of low coercivity films 87−16667
Nakamura, E., Uchida, K., Koshiishi, M., Mitsui, T., Miyamoto, S., Nakamura, K., Itaka, K., Hara, T., Yoda, T. Development of fault section detecting system for gas insulated transmission lines 86−39144
Nakamura, E. *see* Honda, T. 88−67819
Nakamura, E. *see* Kumakura, H. 86−36087
Nakamura, E. *see* Tanaka, T. 87−18483
Nakamura, F. *see* Kamada, M. 87−17753
Nakamura, F. *see* Kuriyama, K. 86−46318, 87−58948
Nakamura, F. *see* Miyazawa, S. 88−49039
Nakamura, F. *see* Mori, Y. 86−62246
Nakamura, F. *see* Sato, K. 86−15234, 87−53584
Nakamura, F. *see* Tanaka, K. 86−41317

Nakamura, F. *see* Yamamoto, Y. 86−34850
Nakamura, G., Sato, K., Itagaki, T., Ishihara, T., Usui, M., Okaniwa, K., Sasaki, H., Yukimoto, Y. High reliability tandem type amorphous solar cells fabricated by multi reaction chamber system 86−33665
Nakamura, G. *see* Mizote, M. 88−49553
Nakamura, G. *see* Shimizu, M. 86−19934
Nakamura, H., Fujita, M., Kono, S., Tanaka, H. Temporal logic based fast verification system using cover expressions 88−32086
Nakamura, H., Fukuda, E., Iizuka, N., Daido, Y., Takenaka, S. A 256 QAM digital radio system with a low rolloff factor of 20% for attaining 6.75 bps/Hz 88−35378
Nakamura, H., Iizuka, N., Fukuda, E., Minowa, M., Daido, Y., Takenaki, S. A new 90 MBPS 68 APSK modem with honeycomb constellation for digital radio relay systems 88−73747
Nakamura, H., Itoi, T., Doi, O., Nakai, Y., Ito, M. Fine focus 1-beam optical pickup system 87−8482
Nakamura, H., Kasai, N., Sasaki, H. A nonmagnetic building of electrotechnical laboratory 85−16839
Nakamura, H., Kasai, N., Sasaki, H. The γ'_p (low) experiment at the ETL 87−14067
Nakamura, H., Kasai, N., Sasaki, H. The low-field proton gyromagnetic ratio γ'_p experiment at the ETL 88−15897
Nakamura, H., Kobayashi, T., Kurahashi, M. Electronic water meter 88−42326
Nakamura, H., Kojima, S., Washiyama, M., Aoki, M. Liquid-phase epitaxial growth of ZnSe using $Sb_{0.4}Se_{0.6}$ as solvent 85−378
Nakamura, H., Ohmi, F., Kaneko, Y., Sawada, Y., Watada, A., Machida, H. Cobalt-titanium substituted barium ferrite films for magneto-optical memory 87−60795
Nakamura, H., Sasajima, Y., Akita, K. An error stick circuit (ESC) for self-checking systems 86−8152
Nakamura, H., Takenaka, S., Daido, Y. Highly efficient digital modulation for microwave radio 86−10977
Nakamura, H., Tanaka, K., Inokuchi, K., Saito, T., Kawakami, Y., Sano, Y., Akiyama, M., Kaminishi, K. 2 GHz multiplexer and demultiplexer using DCFL/SBFL circuit and the precise V_{th} control process 87−32727
Nakamura, H., Tanaka, K., Tsunotani, M., Kawakami, Y., Akiyama, M., Kaminishi, K. A 390 ps 1000-gate array using GaAs super-buffer FET logic 86−8190
Nakamura, H., Tsubouchi, K., Mikoshiba, N., Fukuda, T. Nondestructive and noncontact observation of microdefects in GaAs wafers with a new photo-thermal-radiation microscope 86−20141
Nakamura, H., Tsunotani, M., Sano, Y., Nonaka, T., Ishida, T., Kaminishi, K. The effect of substrate purity on short-channel effects of GaAs MESFETs 85−40784
Nakamura, H., Uchida, M. Practical procedures for optimal regulator implementation of thermal power plants 86−12666
Nakamura, H. *see* Akazawa, Y. 87−59664
Nakamura, H. *see* Akita, K. 85−53888, 87−36221, 87−79136, 88−37676
Nakamura, H. *see* Akiya, M. 86−35617
Nakamura, H. *see* Amazawa, T. 87−23734
Nakamura, H. *see* Aono, Y. 86−22728
Nakamura, H. *see* Daido, Y. 85−42438, 86−68962, 87−40718, 87−48894, 87−76551
Nakamura, H. *see* Egawa, T. 85−29212, 87−38305, 87−60556, 88−64786
Nakamura, H. *see* Fukuda, E. 88−3842, 88−46887
Nakamura, H. *see* Harada, T. 86−30703
Nakamura, H. *see* Hirakawa, K. 85−39688
Nakamura, H. *see* Hirano, T. 86−62879
Nakamura, H. *see* Hirose, S. 87−32787, 88−51096
Nakamura, H. *see* Horinouchi, A. 88−31255
Nakamura, H. *see* Ishida, K. 86−42358, 87−32998
Nakamura, H. *see* Isoya, A. 85−15141, 86−55973, 86−55975, 87−3853
Nakamura, H. *see* Kamoshida, K. 86−9215, 87−45833, 88−19860
Nakamura, H. *see* Kasai, N. 86−63926
Nakamura, H. *see* Kawakami, Y. 85−54859
Nakamura, H. *see* Kihara, T. 85−22926
Nakamura, H. *see* Kikuchi, K. 87−4876
Nakamura, H. *see* Kishinami, T. 87−21037
Nakamura, H. *see* Kitajima, F. 86−58560
Nakamura, H. *see* Konno, M. 85−64138, 87−38635, 88−29353
Nakamura, H. *see* Kouzaki, Y. 87−41474
Nakamura, H. *see* Machida, H. 86−35984
Nakamura, H. *see* Matsumoto, M. 86−58140, 87−66705
Nakamura, H. *see* Matsumoto, S. 85−12215, 86−28224
Nakamura, H. *see* Matsuura, H. 85−40519, 86−35914
Nakamura, H. *see* Mikoshiba, N. 86−587, 86−66888
Nakamura, H. *see* Minagawa, S. 85−49554
Nakamura, H. *see* Morita, H. 88−52589
Nakamura, H. *see* Murakami, S. 87−67603
Nakamura, H. *see* Nagao, S. 86−58843
Nakamura, H. *see* Nagata, M. 87−7185
Nakamura, H. *see* Noda, H. 88−41843
Nakamura, H. *see* Nogami, G. 85−61797
Nakamura, H. *see* Noguchi, S. 88−50521
Nakamura, H. *see* Oda, Y. 88−71063
Nakamura, H. *see* Oishi, Y. 88−73846
Nakamura, H. *see* Sagara, K. 88−68247 to 68248
Nakamura, H. *see* Saito, Y. 87−26623
Nakamura, H. *see* Sakano, S. 86−54054, 88−8085
Nakamura, H. *see* Sano, Y. 88−1691
Nakamura, H. *see* Sasaki, H. 85−46541, 87−14519 to 14520, 87−23910, 88−12177
Nakamura, H. *see* Sasaki, K. 87−18567
Nakamura, H. *see* Sato, K. 85−15022
Nakamura, H. *see* Sato, M. 88−1544
Nakamura, H. *see* Sato, T. 86−41147
Nakamura, H. *see* Shiiki, K. 87−46370
Nakamura, H. *see* Shimizu, K. 86−6004
Nakamura, H. *see* Shiroishi, Y. 86−63558
Nakamura, H. *see* Suzuki, M. 85−65101
Nakamura, H. *see* Tabuchi, Y. 86−13168, 86−33849, 87−5079, 88−37721
Nakamura, H. *see* Takeda, Y. 86−55194
Nakamura, H. *see* Takenaka, S. 85−14120
Nakamura, H. *see* Tanaka, K. 85−40051, 86−2203
Nakamura, H. *see* Terano, T. 87−42371
Nakamura, H. *see* Tone, Y. 86−51211
Nakamura, H. *see* Tsuchiya, K. 85−48467
Nakamura, H. *see* Tsuji, S. 86−36510
Nakamura, H. *see* Tsuya, N. 86−35975, 87−32855, 87−46346, 88−51285, 88−57967
Nakamura, H. *see* Tsuya, T. 88−44981
Nakamura, H. *see* Uchida, M. 87−71971
Nakamura, H. *see* Watada, A. 87−53887, 88−51592
Nakamura, H. *see* Yamamura, T. 87−43076
Nakamura, I. Computer program for automatic musical performance 86−17717
Nakamura, I. Response of a very low level DC current amplifier using a sparse shielding coil 87−59209
Nakamura, I., Iwaoka, S. Piano tone synthesis using digital filters by computer simulation 87−20819
Nakamura, I., Kano, T. High speed response of a very low level DC current amplifier using positive feedback loop 86−20329
Nakamura, I., Kano, T. Response of a very low level DC current amplifier using negative feedback by photo-couplers 86−27111
Nakamura, I. *see* Mitsui, K. 85−37922
Nakamura, I. *see* Watanabe, H. 88−8961
Nakamura, I. *see* Yoneda, S. 86−27477
Nakamura, J., Eguchi, K. Exchange acknowledgement information receiving system for CT-30 telex exchanger 88−9050
Nakamura, J., Nakayama, T. Consideration on calculation of the inductance in Al non-solid electrolytic capacitors 86−20866
Nakamura, J. *see* Sato, T. 85−3719
Nakamura, J. *see* Yusa, A. 86−50112, 86−65125
Nakamura, K. Preparation and properties of amorphous boron films deposited by pyrolysis of decaborane in the molecular flow region 85−22527
Nakamura, K. Preparation and properties of amorphous boron nitride films by molecular flow chemical vapor deposition 85−60990
Nakamura, K. Recent progress of photopolymers 85−61013
Nakamura, K. Experiment on the audible limit of railroad crossing alarm. III. Research on the car driver's acoustical circumstance 86−38122
Nakamura, K. Inverter-minimum networks 87−31803
Nakamura, K. On self-synchronizing encryption systems 87−39677
Nakamura, K. Computer study of acoustoelectric current noise in semiconductors 87−45550
Nakamura, K. A study on frequency stability of emitter follower type crystal oscillators 87−53837
Nakamura, K. Functions of V.32 modem and its applications 87−69774
Nakamura, K. Signal cable connection 88−9371
Nakamura, K. Signal cable connection. V 88−12650
Nakamura, K. Signal cable connection .6 88−12651
Nakamura, K. Signal cable connection. VIII 88−25599
Nakamura, K. Recent design and fabrication technology of magnetic recording heads 88−33536
Nakamura, K. Frequency stability of emitter follower type crystal oscillators 88−39774
Nakamura, K. Time-resolved population measurements of excited Kr atoms in a KrCl excimer laser 88−45346
Nakamura, K., Aihara, T. Analysis and test of asynchronized-synchronous operation of dual excited generator in power system 85−48945
Nakamura, K., Ando, H., Shimizu, H. Partial domain inversion in $LiNbO_3$ plates and its applications to piezoelectric devices 87−67631
Nakamura, K., Ando, H., Shimizu, H. Bending vibrator consisting of a $LiNbO_3$ plate with a ferroelectric inversion layer 88−33476
Nakamura, K., Ando, M. A full-wave analysis of offset reflector antennas with polarization grids 88−45763
Nakamura, K., Ando, M., Goto, N. A full-wave analysis of polarization grids in offset reflector antennas 87−61448
Nakamura, K., Echigo, N., Kaminaka, N. High density perpendicular magnetic recording by ring head and vacuum-deposited Co-Cr single-layer media 87−46375
Nakamura, K., Echigo, N., Sugita, R., Kaminaka, N. Perpendicular read/write performance of ferrite heads on vacuum-deposited CoCr single-layer media 87−32860
Nakamura, K., Echigo, N., Yohda, H., Mitani, S., Kaminaka, N. Single-turn perpendicular thin film heads 88−57951
Nakamura, K., Fuse, S., Hossain, A., Nagamatsu, Y., Tai, K. Study of the semiconductor properties by irradiation. X. Analysis of ZnS luminescent material by use of X-ray microanalyser 85−18798
Nakamura, K., Hamada, N., Tadauchi, M., Kojima, Y., Nakasima, K., Sakata, K., Kosugue, W. A high speed thermal printing facsimile system using G4 coding scheme 87−34075
Nakamura, K., Higuma, M. Distributing Mobile Base Control System [radiotelephony] 85−30929
Nakamura, K., Horiguchi, S. Temporal behaviour of excited Kr in a KrCl excimer laser 88−27044
Nakamura, K., Horiguchi, S., Nakaya, T., Fiziwara, E., Jitsuno, T., Kato, Y. Time-resolved gain measurements in a KrCl laser 86−68461
Nakamura, K., Itoh, S. Technical assistance concept toward a digital world 85−42147
Nakamura, K., Kimura, M., Yoshida, S., Hidaka, T., Mitsuhashi, Y. Raman amplification of 1.50-μm laser diode light in a low fiber loss region 85−7519
Nakamura, K., Kishimoto, Y., Maeda, K. Automatic assembly line of the small size disk PKG 88−12787
Nakamura, K., Kobayashi, A., Yamauchi, K. Substation administration system meiscam II-SS 85−27566
Nakamura, K., Kobayashi, T. Training and education in the telecommunications field 86−59426
Nakamura, K., Kojima, Y., Hamada, N., Inuzuka, T., Suemori, N., Mizukami, M. High speed encoding and decoding processor for group 4 facsimile apparatus 85−13825
Nakamura, K., Kojima, Y., Hamada, N., Suemori, N. Document image compressing and expanding LSI processor 88−35035
Nakamura, K., Manju, K., Sakuta, Y., Sekine, Y., Suyama, M. Oscillation amplitude of transistor crystal oscillator 88−44938
Nakamura, K., Maruno, T. Durable optical adhesives 87−34546
Nakamura, K., Maruno, T. Durable optical adhesive 87−59024
Nakamura, K., Matsushita, Y., Sano, Y. Recent trends and future perspective of optical measurement technology 87−41310
Nakamura, K., McKenny, P.J., Hammam, M.S.A.A., Adams, G., Fernandes, R., Rushden, F. Impulse breakdown characteristics of 13.2 kV covered conductor insulator/tie configurations 87−30222
Nakamura, K., Momono, K., Kawamura, H., Ota, Y., Itoh, A., Hayashi, C. Organic lubricant evaporation method, a new lubricating surface treatment for thin film magnetic recording media 85−24133
Nakamura, K., Nagamatsu, Y., Endo, T., Dei, Y., Fukamizu, K., Kuroki, M. Study of irradiated semiconductor devices. XI. Analysis of irradiated integrated circuit with scanning electron microscope 87−1571
Nakamura, K., Nakada, K., Ito, Y., Koishi, E. Electrochromic characteristics of liquid-crystal materials 85−24345
Nakamura, K., Namariyama, Y., Takao, H., Kinoshita, A., Asano, T., Nagamatsu, G. Direct laser platemaking by dimethylamino benzalacetophenone resists 86−3411
Nakamura, K., Nozaki, T., Shiokawa, T., Toyoda, K., Namba, S. Formation of high resistance region in GaAs by a Ga focused-ion-beam implantation 86−27871
Nakamura, K., Nozaki, T., Shiokawa, T., Toyoda, K., Namba, S. Formation of submicron isolation region in GaAs by Ga focused ion beam implantation 87−38077
Nakamura, K., Obara, K., Murakami, Y. Leak locating method with cover gas 86−13451
Nakamura, K., Oda, Y., Sugimoto, M. A novel laser-addressed smectic liquid-crystal light valve 86−28911
Nakamura, K., Ohashi, Y., Shimizu, J. UHF bulk-acoustic-wave filters utilizing thin ZnO/SiO_2-diaphragms on silicon 86−42075
Nakamura, K., Okamoto, E. VLSI for communications security and reliability 87−1597

Nakamura, K., Sakamoto, Y., Sato, H. Study of irradiated semiconductor devices. XII. Simulation research on irradiated bipolar transistor 87−1713
Nakamura, K., Sakitani, Y., Komoda, T. Improved software technology for electron beam lithography 87−53325
Nakamura, K., Sakitani, Y., Konishi, T., Komoda, T., Saitou, N., Sugawara, K. A high speed, high precision electron beam lithography system (system design) 85−31308
Nakamura, K., Sakitani, Y., Obitsu, K., Saitou, N., Okumura, M., Matsuzaka, T. High speed high accuracy electron beam lithography system HL-700 Series 88−7539
Nakamura, K., Shibuya, S., Sugimoto, I., Takahashi, H., Mitsuhashi, Y. Fiber Raman laser emission in a pure GeO_2 glass fiber 88−65656
Nakamura, K., Shimizu, H. Planar ultrasonic transducers using $LiTaO_3$ poled with interdigital electrodes 87−12023
Nakamura, K., Shimizu, H. Bulk-acoustic-wave transducer consisting of interdigital electrodes on a grooved surface of $LiNbO_3$ 87−29978
Nakamura, K., Shimizu, H. Theoretical analysis of planar ultrasonic transducers using piezoelectric ceramics poled with interdigital electrodes 88−61682
Nakamura, K., Takagi, S., Futsukaichi, K., Nagano, O., Honnami, T. Study of soft error in MOS RAM by α-rays. III. Study of the mechanism soft error in MOS RAM 85−17378
Nakamura, K., Tsukahara, T. Prospect of transistor inverter 86−61596
Nakamura, K., Wakabayashi, H., Murata, Y. Systematized techniques for 'RAMSA' professional mixing console 88−60486
Nakamura, K., Yamashiro, S. The characteristics of a photovoltaic system in a cold district. I 85−43898
Nakamura, K., Yamashiro, S. The characteristics of a photovoltaic system in a cold district. III 88−11149
Nakamura, K., Yamashiro, S. The characteristics of a photovoltaic system in a cold district (no.4) 88−37094
Nakamura, K., Yanagisawa, A., Sakitani, Y., Komoda, T. An expandable EB system for submicron lithography 87−11921
Nakamura, K., Yanagisawa, M., Nio, Y., Okamura, K., Kikuchi, M. Buried isolation capacitor (BIC) cell for megabit MOS dynamic RAM 85−50727
Nakamura, K., Yukawa, N., Mochizuki, T., Horiguchi, S., Nakaya, T. Optimization of the discharge characteristics of a laser device employing a plasma electrode 87−26267
Nakamura, K. *see* Ando, F. 88−29442
Nakamura, K. *see* Ando, M. 88−2729
Nakamura, K. *see* Araki, S. 88−4176
Nakamura, K. *see* Asada, H. 88−51361
Nakamura, K. *see* Asaka, T. 87−74883
Nakamura, K. *see* Asari, S. 88−6505
Nakamura, K. *see* Awaka, J. 85−19141, 85−24818, 86−36719, 86−63997
Nakamura, K. *see* Bando, T. 87−74366
Nakamura, K. *see* Doi, M. 87−77056
Nakamura, K. *see* Fujimoto, H. 86−17140
Nakamura, K. *see* Fujita, M. 85−59484, 87−15067
Nakamura, K. *see* Ghosh, G. 86−58770
Nakamura, K. *see* Hanai, T. 88−53461
Nakamura, K. *see* Hanamiya, T. 86−24161
Nakamura, K. *see* Hayata, K. 88−50645
Nakamura, K. *see* Horiuchi, T. 86−41846, 86−63288
Nakamura, K. *see* Iguchi, T. 87−57399
Nakamura, K. *see* Ihara, S. 85−58120
Nakamura, K. *see* Iijima, T. 87−9705
Nakamura, K. *see* Inoue, Y. 86−8258, 86−34793
Nakamura, K. *see* Ishikawa, M. 87−25824
Nakamura, K. *see* Ishizawa, M. 86−63545
Nakamura, K. *see* Itoh, K. 88−41920
Nakamura, K. *see* Itoh, S. 88−13774
Nakamura, K. *see* Iwabuchi, M. 87−59498
Nakamura, K. *see* Kachi, S. 85−18669
Nakamura, K. *see* Kageyama, T. 86−25117
Nakamura, K. *see* Kai, T. 85−56115
Nakamura, K. *see* Kamae, T. 87−21432
Nakamura, K. *see* Katoh, N. 86−44013
Nakamura, K. *see* Kimura, A. 86−13149
Nakamura, K. *see* Kozu, T. 86−37945, 88−15576, 88−60100
Nakamura, K. *see* Maeda, Y. 87−67825
Nakamura, K. *see* Mambo, M. 86−68763
Nakamura, K. *see* Matsuoka, G. 86−8936
Nakamura, K. *see* Matsuyama, K. 88−71899
Nakamura, K. *see* Matsuzaka, T. 88−13233
Nakamura, K. *see* Mori, H. 87−3309
Nakamura, K. *see* Muto, S. 86−68490, 87−26344, 88−14124
Nakamura, K. *see* Nakagawa, Y. 85−12463, 85−12471
Nakamura, K. *see* Nakamura, E. 86−39144
Nakamura, K. *see* Namariyama, Y. 85−62492
Nakamura, K. *see* Oda, H. 86−43776
Nakamura, K. *see* Okamoto, K. 88−53360
Nakamura, K. *see* Okamoto, T. 86−43786, 86−64910
Nakamura, K. *see* Okuyama, T. 88−2706, 88−53362
Nakamura, K. *see* Onoda, K. 87−40387
Nakamura, K. *see* Ota, Y. 85−18567
Nakamura, K. *see* Oyama, S. 88−30666
Nakamura, K. *see* Saitou, N. 88−19896
Nakamura, K. *see* Sasaki, S. 85−3338
Nakamura, K. *see* Shirahashi, A. 88−68216
Nakamura, K. *see* Suzuki, S. 85−22875
Nakamura, K. *see* Takahashi, H. 86−58781
Nakamura, K. *see* Takeda, H. 88−71764
Nakamura, K. *see* Takei, K. 85−49597
Nakamura, K. *see* Tani, N. 88−13680
Nakamura, K. *see* Tsuboi, T. 87−51536
Nakamura, K. *see* Tsuji, S. 85−58427
Nakamura, K. *see* Tsukada, K. 87−40908
Nakamura, K. *see* Uchiyama, T. 86−5290
Nakamura, K. *see* Yamada, T. 86−28671, 88−443
Nakamura, K. *see* Yamamoto, A. 88−65080
Nakamura, K. *see* Yanagisawa, M. 87−44842
Nakamura, K. *see* Yasunami, M. 87−51535
Nakamura, K. *see* Nishimura, J. *(editor)* 88−11620
Nakamura, K.S. The search for a portable display technology. EL meets all requirements 85−31534
Nakamura, M. A recent movement of automatic control for air conditioning system 85−53938
Nakamura, M. Short term load forecasting using weekday load models and bias models 86−12359
Nakamura, M. Short term load forecasting using daily updated load models 86−25533
Nakamura, M. Recent progresses in semiconductor optoelectronic devices 88−8035
Nakamura, M. Structural theorems for submodular functions, polymatroids and polymatroid intersections 88−56140
Nakamura, M., Akishita, S. Dynamics of air-lubricated slider in a disk file with rotary actuator 85−29463
Nakamura, M., Chinone, N. Review of single frequency lasers from Japan 86−22410
Nakamura, M., Chinone, N. Devices and components for lightwave transmission systems 88−73950
Nakamura, M., Egashira, N., Uehara, H. Digital control of working fluid flow rate for an OTEC plant 86−65992
Nakamura, M., Furuyama, H., Kurobe, A. 1 Gbit/s automatic-power-control-free zero-bias modulation of very-low threshold MOW laser diodes 88−14194
Nakamura, M., Furuyama, H., Kurobe, A. High speed, zero-bias modulation of low threshold MQW laser diodes 88−65714
Nakamura, M., Hinkson, J.A. Beam position monitor system for storage rings 86−24863
Nakamura, M., Kaito, K., Ozeki, T. Modal noise reduced PFM transmission by monopulse to twin-pulse conversion 85−37055
Nakamura, M., Kamino, M., Nagano, T., Arakawa, M. Microstructure and electrical property of semiconducting tin oxide glaze 88−6530
Nakamura, M., Katz, J.E., Thompson, A.C. A multichannel, high linearity current digitizer for digital subtraction angiography 88−61250
Nakamura, M., Kimura, K., Etani, H., Isaka, Y., Uehara, A., Hashikawa, K., Yoneda, S., Kamada, T., Nakamura, Y., Kusumi, Y. A gamma camera system for atraumatic rCBF measurement using a new super high sensitivity collimator 87−77630
Nakamura, M., Koguchi, S., Inoue, G. An approach to satisfy both high integration and economy in the VLSI factory of the 90IES 87−67421
Nakamura, M., Leskovar, B., Turko, B. Signal processing for an optical wide band data transmission system 88−60150
Nakamura, M., Maki, S., Nagai, N. Dynamic indentation hardness test 86−13899
Nakamura, M., Minowa, I. Computer simulation for the conductance of a contact interface 87−1033
Nakamura, M., Miyoshi, M., Aoyama, H., Niizuma, M. An industrial-use personal computer applied to a laser marking system 88−40451
Nakamura, M., Nakano, H. Optoelectronic integrated circuits 86−48299
Nakamura, M., Nishida, S. Frequency properties of the time series averaging method for periodic response 86−37103
Nakamura, M., Nitta, K., Komatsubara, T., Okajima, M., Ozeki, T. Linearization of light emitting diode for analog baseband video transmission 85−52378
Nakamura, M., Nitta, K., Komatsubara, T., Okajima, M., Ozeki, T. Linearization of a light emitting diode for analog baseband video transmission 87−56122
Nakamura, M., Ogawa, K., Kusahara, K., Anzai, S. Integration of the telex network into the circuit switched public data network in Japan 87−76244
Nakamura, M., Ogawa, K., Kusahara, K., Tanaka, T., Yamauchi, H. PSPDN evolution toward ISDN 88−3389
Nakamura, M., Ogawa, S., Kubo, S., Watanabe, S., Tsukiyama, S. Handy data terminal BU-4011 88−9331
Nakamura, M., Onimaru, F., Tokita, T., Yoshizawa, T., Yokoyama, M., Souda, Y., Hasegawa, T. NEC's Computerized Operation and Maintenance system for communication network (NCOM200) 87−27889
Nakamura, M., Ozeki, T. Optoelectronic integration and its impact on system application 87−26229
Nakamura, M., Shibasaki, H. Elimination of EKG artifacts from EEG records: a new method of non-cephalic referential EEG recording 87−63773
Nakamura, M., Shimoura, S., Takimoto, K., Sakaguchi, H., Kobayashi, S. The Kyoto University tandem upgrading project 88−47755
Nakamura, M., Sugimoto, Y., Watanabe, T., Sugimoto, T. A 10-bit 65 MHz glitch-free video D/A converter 86−8320
Nakamura, M., Sugiyama, F., Sue, H., Takada, T. Adaptive lattice filter LSI for speech signal processing 85−19398
Nakamura, M., Suzuki, H., Kamitake, T., Ohnishi, M., Sakai, T., Totoki, T., Tsuchihashi, H. A 32 kb/s ADPCM codec single-chip LSI based on CCITTs G.721 standard 87−34230
Nakamura, M., Suzuki, N., Ozeki, T. The superiority of optoelectronic integration for high-speed laser diode modulation 86−68409
Nakamura, M., Suzuki, N., Uematsu, Y., Ozeki, T., Takahashi, S. Laser linewidth requirement for eliminating model noise in pulse frequency modulation video transmission 85−14268
Nakamura, M., Takada, Y. ARQ scheme reinforced with past acknowledgement signals 88−46755
Nakamura, M., Takahashi, W., Mizukawa, T., Iguchi, J. Power-line carriers communication system 'power-line HALS' 87−48840
Nakamura, M., Tomita, Y., Niwa, K., Kondo, T. Radiation damage test of silicon multistrip detectors 88−61142
Nakamura, M., Uchida, M., Uchida, K. PC communication network system based on MHS 88−3590
Nakamura, M., Yano, M., Shibatani, K., Komoto, Y. Online pH, $p\mathrm{CO}_2$ and $p\mathrm{O}_2$ monitoring system using two-way cyclic pumping of lactate Ringer as a baseline solution 87−35382
Nakamura, M., Yoshida, Y., Ishizaki, H. Parallel-scan thermal imager with a thermoelectrically cooled multielement detector 86−24377
Nakamura, M. *see* Abe, M. 86−67379
Nakamura, M. *see* Aoki, S. 87−14768
Nakamura, M. *see* Asato, T. 86−6364
Nakamura, M. *see* Dan, K. 86−12282
Nakamura, M. *see* Dang, R. 86−67882, 88−44767
Nakamura, M. *see* Endo, C. 85−42385
Nakamura, M. *see* Endoh, C. 86−23313
Nakamura, M. *see* Fukushima, Y. 86−55495, 87−14037
Nakamura, M. *see* Hara, K. 85−27870
Nakamura, M. *see* Hara, Y. 88−30169
Nakamura, M. *see* Hirao, M. 85−18934, 87−26404
Nakamura, M. *see* Hirasawa, M. 85−20590
Nakamura, M. *see* Hirayama, Y. 88−45409
Nakamura, M. *see* Hirome, M. 86−16947
Nakamura, M. *see* Ichiyama, T. 86−40792
Nakamura, M. *see* Ieiri, M. 87−3912
Nakamura, M. *see* Imaeda, K. 86−25126
Nakamura, M. *see* Itoh, H. 86−37522
Nakamura, M. *see* Kaneko, T. 86−33341
Nakamura, M. *see* Kitagawa, M. 87−50906
Nakamura, M. *see* Kondo, M. 88−12786
Nakamura, M. *see* Kurachi, M. 87−34068
Nakamura, M. *see* Kurobe, A. 87−7356, 87−26430, 88−58543
Nakamura, M. *see* Leskovar, B. 88−60151
Nakamura, M. *see* Lo, C.C. 88−61177
Nakamura, M. *see* Maehashi, Y. 87−37340
Nakamura, M. *see* Mand, R.S. 87−2044, 88−45318
Nakamura, M. *see* Matsueda, H. 86−54060
Nakamura, M. *see* Mizutani, T. 88−25708
Nakamura, M. *see* Murakami, K. 88−69886
Nakamura, M. *see* Nishibe, T. 87−26394
Nakamura, M. *see* Nishida, S. 85−31854, 87−5569
Nakamura, M. *see* Nishimura, T. 88−69487
Nakamura, M. *see* Nitta, K. 85−29726
Nakamura, M. *see* Noro, T. 86−70362
Nakamura, M. *see* Nose, Y. 87−29778
Nakamura, M. *see* Ohshima, S. 87−15056
Nakamura, M. *see* Ohtoshi, T. 85−7453
Nakamura, M. *see* Okada, Y. 88−16455
Nakamura, M. *see* Okuda, H. 87−68475
Nakamura, M. *see* Osabe, Y. 86−30978
Nakamura, M. *see* Sagara, S. 86−56345
Nakamura, M. *see* Sakamoto, T. 85−47596
Nakamura, M. *see* Sekine, Y. 86−2192, 87−477
Nakamura, M. *see* Sekiya, R. 85−7817
Nakamura, M. *see* Shimakawa, T. 87−8885
Nakamura, M. *see* Shiseki, N. 87−21940

Nakamura, M. *see* Suzuki, N. 88−45323
Nakamura, M. *see* Tanabe, K. 87−37339
Nakamura, M. *see* Tanaka, M. 87−28487, 87−28512
Nakamura, M. *see* Tomita, Y. 88−68242
Nakamura, M. *see* Tsuji, S. 85−18952, 87−68514
Nakamura, M. *see* Tsunashima, Y. 86−41985
Nakamura, M. *see* Watanabe, Y. 85−38035, 88−30014
Nakamura, M. *see* Yamada, K. 86−43915
Nakamura, M. *see* Yamauchi, M. 88−4180
Nakamura, M. *see* Yanagi, K. 88−47672
Nakamura, M. *see* Yanagisawa, I. 88−46569
Nakamura, M. *see* Yoshida, R. 88−42307
Nakamura, M. *see* Yoshii, Y. 85−28592, 87−59663
Nakamura, M.M. *see* Panicali, A.R. 85−13303, 85−41691
Nakamura, N., Fujimoto, I., Shimizu, K., Sato, K. Sound generator and printer interface IC for personal computers 86−52921
Nakamura, N., Ikeda, H., Sakamoto, K., Kanai, H. New induction method for heating deep-seated tumors 88−16751
Nakamura, N., Shiota, M., Kimura, K., Suzuki, T. Development of X-band linac 87−14651
Nakamura, N., Tsuda, S., Yakahama, T., Nishikuni, M., Watanabe, K., Ohnishi, M., Kuwano, Y. Difference in the influence of oxygen and nitrogen on the light induced effect 85−23460
Nakamura, N. *see* Ikegaki, T. 86−7004
Nakamura, N. *see* Imamura, K. 87−54925
Nakamura, N. *see* Imamura, S. 85−1322
Nakamura, N. *see* Itoh, H. 86−40147, 88−32872
Nakamura, N. *see* Kitamura, T. 86−28957
Nakamura, N. *see* Koba, H. 87−73971
Nakamura, N. *see* Kosaka, T. 87−63039
Nakamura, N. *see* Kuwano, Y. 87−78906, 88−31008
Nakamura, N. *see* Mori, N. 88−25939
Nakamura, N. *see* Muramatsu, S. 86−20092
Nakamura, N. *see* Nakano, S. 86−35368, 87−36130, 88−37490
Nakamura, N. *see* Ogawa, H. 85−30436
Nakamura, N. *see* Ohnishi, M. 85−61005, 86−14881, 86−45700, 88−31852
Nakamura, N. *see* Sangen, M. 88−6014
Nakamura, N. *see* Shirahata, I. 86−3461
Nakamura, N. *see* Takahama, T. 87−22741
Nakamura, N. *see* Takano, K. 85−42181
Nakamura, N. *see* Tanaka, M. 88−31851
Nakamura, N. *see* Tarui, H. 87−30978
Nakamura, N. *see* Tsuda, S. 86−33664, 87−9845, 87−31573, 87−31578 to 31579
Nakamura, O., Adachi, M., Kawai, M., Nakahara, F., Ogino, I. Copper(I) oxide as oxygen electrode catalyst in a solid electrolyte, $H_3Mo_{12}PO_{40} \cdot 29H_20$, fuel cell 85−60411
Nakamura, O., Higuchi, S., Okazaki, S., Takahashi, S. Fundamental studies of utility requirement for secondary batteries—lead-acid batteries 86−66296
Nakamura, O., Isawa, T., Minami, T. A separation method for contract characters 86−3992
Nakamura, O., Kawata, S., Minami, S. Optical microscope tomography. II. Nonnegative constraint by a gradient-projection method 88−41046
Nakamura, O., Kikuchi, T., Minami, T. Facsimile coding scheme with graphic commands and line skipped scanning 87−33803
Nakamura, O., Kikuchi, T., Minami, T. Facsimile coding scheme with graphic commands and line skipped scanning 87−76270
Nakamura, O., Koizumi, I., Kikuchi, T., Minami, T. Extraction of photographic area from document images 87−39959
Nakamura, O., Komatsu, T., Sanoh, T., Minami, T. Encoding of pictures with the variable block size code 87−27616
Nakamura, O., Maeda, T., Ohtsuki, J., Fujita, T., Matsumura, H., Tachikawa, T. Improvement of a 20 kV rated L-shaped connector 85−59789
Nakamura, O., Nagaoka, Y., Minami, T. A restoration algorithm for fingerprint images 85−57513
Nakamura, O., Nagaoka, Y., Minami, T. A restoration algorithm of fingerprint images 86−69162
Nakamura, O., Saito, N. Resource management scheme in distributed environment 88−59612
Nakamura, O., Ujiie, M., Okamoto, N., Minami, T. A character segmentation algorithm for mixed-mode communication 86−69351
Nakamura, O. *see* Arai, H. 87−75726
Nakamura, O. *see* Asano, H. 87−30878
Nakamura, O. *see* Futamata, M. 88−69671, 88−75909
Nakamura, O. *see* Higuchi, S. 86−19451
Nakamura, O. *see* Kawata, S. 87−27635
Nakamura, O. *see* Kaya, H. 85−1482
Nakamura, O. *see* Kikuchi, T. 87−2452
Nakamura, O. *see* Kobayashi, K. 87−75891, 87−75896
Nakamura, O. *see* Komatsu, T. 87−75893, 87−75895
Nakamura, O. *see* Nakajima, A. 87−4646
Nakamura, O. *see* Nakazima, A. 87−4768
Nakamura, O. *see* Nakazima, J. 87−4417, 87−4848
Nakamura, O. *see* Okamoto, N. 85−2746, 85−30655
Nakamura, O. *see* Okazaki, S. 87−43353
Nakamura, O. *see* Otsuki, Z. 86−50989
Nakamura, O. *see* San-oh, T. 87−75894, 87−75897
Nakamura, O. *see* Sekiguchi, T. 87−75892
Nakamura, O. *see* Takahashi, K. 87−8117
Nakamura, O. *see* Tanaka, T. 87−76269
Nakamura, O. *see* Yamada, Y. 85−60358, 86−12510
Nakamura, R. *see* Ito, I. 87−29190
Nakamura, S. A review of electric production simulation and capacity expansion planning programs 85−4591
Nakamura, S. The effects of urban impulsive noise on mobile digital radio communications 86−43764
Nakamura, S. Algorithms for iterative array multiplication 87−628
Nakamura, S. In-circuit testers become dominant technology 87−52996
Nakamura, S., Chu, K.-Y. A single chip parallel multiplier by MOS technology 88−32121
Nakamura, S., Hibiya, T., Yamamoto, F. New sensor for measuring thermal conductivity in liquid metal by transient hot wire method 88−60701
Nakamura, S., Ishihara, T., Kotani, M. Composition of linear phase digital filter using microprocessor Z-80 for biomedical measurement system 85−26747
Nakamura, S., Ito, A., Kato, H., Ogasawara, S., Sawa, G., Orita, S., Tsubota, K. Temperature dependence of electrical conduction in carbon-epoxy resin resistors 88−12624
Nakamura, S., Ito, A., Ogasawara, S., Kato, H., Sawa, G., Orita, S., Tsubota, K. Temperature dependence of electrical conduction in carbon-epoxy resin resistors 87−37590
Nakamura, S., Ito, A., Sawa, G., Orita, S., Tubota, K. An approach to obtaining low temperature coefficient of resistance in carbon black-epoxy resin resistors 87−24493
Nakamura, S., Kaneda, H., Ieda, M., Sawa, G. Correlation between resistance to tracking and energy of scintillation discharge for polyvinylchloride doped with aluminium hydroxide and aluminium oxide 85−1803
Nakamura, S., Kaneda, H., Sawa, C., Ieda, M. Correlation between energy of scintillation discharge and tracking resistance of polyvinylchloride with added aluminum hydroxide or aluminum oxide 86−21920
Nakamura, S., Kaneda, H., Sawa, G., Sunazuka, H., Ieda, M. Tracking resistance of chlorinated polyethylene filled with antimony trioxide 86−21905
Nakamura, S., Maeda, T., Tsunoda, Y. Autofocusing effect due to wavelength change of diode lasers in an optical pickup 87−61269
Nakamura, S., Murabayashi, F., Ieda, M., Sawa, G. Degradation of polyethylene by combination of thermal aging and radiation 85−35249
Nakamura, S., Murabayashi, F., Iida, K., Sawa, G., Ieda, M. Degradation of dielectric properties of polyethylene by combined γ-irradiation and thermal stresses 88−26605
Nakamura, S., Murabayashi, F., Sawa, G., Ieda, M. Degradation of polyethylene by combination of irradiation and thermal aging 86−28565
Nakamura, S., Nakagawa, S. Digital television: error correction 86−54444
Nakamura, S., Nemoto, M., Masugata, K., Ito, M., Matsui, M., Yatsui, K. Propagation of intense pulsed proton beam through wall-initiated, overlapping plasma channel 85−15119
Nakamura, S., Ojima, M., Nakao, T., Kato, T., Mizuishi, K. Compact two-beam head with a hybrid two-wavelength laser array for magneto-optic recording 88−45051
Nakamura, S., Okamoto, S. Radiation dosimetry with Zener diode 86−32395
Nakamura, S., Okamoto, S. Radiation dosimetry with junction field-effect transistor 87−50463
Nakamura, S., Okamoto, S. Dosimetry using a silicon diode and an electromechanical integrator 88−42589
Nakamura, S., Okamura, H. A tire design for a tire-type submarine cable engine 85−25693
Nakamura, S., Sumida, M. A thermal-dispersion, shock-absorbing structure for a submarine optical repeater housing 85−42415
Nakamura, S., Usui, H. Current feedback type RCC 86−27075
Nakamura, S., Yamada, T., Nomura, T., Iwamoto, M., Shindo, Y., Nose, S., Ishihara, A., Fujino, H. 30 MVA superconducting synchronous condenser: Design and its performance test results 85−65230
Nakamura, S., Yasuda, S., Mitra, S.K. An approach to the realization of a programmable FIR digital filter 85−61378
Nakamura, S. *see* Abe, M. 88−72843
Nakamura, S. *see* Aruga, T. 85−25856
Nakamura, S. *see* Chiba, Y. 88−54412
Nakamura, S. *see* Deguchi, T. 88−39676
Nakamura, S. *see* Enomoto, K. 86−14144
Nakamura, S. *see* Hamanaka, T. 86−4662
Nakamura, S. *see* Hara, S. 87−31709
Nakamura, S. *see* Harada, R. 86−25206
Nakamura, S. *see* Hayashi, M. 85−33643
Nakamura, S. *see* Hirai, K. 86−28933
Nakamura, S. *see* Iida, K. 85−56035, 87−54163
Nakamura, S. *see* Imori, M. 87−35365
Nakamura, S. *see* Ishida, A. 88−60161
Nakamura, S. *see* Iwamoto, M. 85−43910
Nakamura, S. *see* Jyo, Y. 87−74340
Nakamura, S. *see* Kashiwagi, H. 86−3806
Nakamura, S. *see* Katazawa, O. 86−68186
Nakamura, S. *see* Kitazawa, I. 85−37028
Nakamura, S. *see* Kobayashi, A. 86−47178
Nakamura, S. *see* Kobayashi, M. 87−1893
Nakamura, S. *see* Kohara, H. 88−50563
Nakamura, S. *see* Maruyama, H. 85−15759
Nakamura, S. *see* Matsumura, K. 88−41659
Nakamura, S. *see* Mieno, F. 88−18683, 88−38179
Nakamura, S. *see* Mizokawa, Y. 86−47424, 87−67003
Nakamura, S. *see* Nakatani, N. 87−48378
Nakamura, S. *see* Nomura, T. 85−16029, 88−55317
Nakamura, S. *see* Noto, K. 85−41091
Nakamura, S. *see* Ogai, M. 88−45142 to 45143
Nakamura, S. *see* Ogawa, K. 88−68951
Nakamura, S. *see* Ogura, K. 88−48027
Nakamura, S. *see* Okamura, H. 85−25692
Nakamura, S. *see* Okumura, K. 88−17678
Nakamura, S. *see* Osaka, T. 88−17868
Nakamura, S. *see* Sawa, G. 88−64866
Nakamura, S. *see* Sekine, S. 88−64621
Nakamura, S. *see* Shimizu, Y. 86−33233
Nakamura, S. *see* Suzuki, E. 86−2645, 88−50471
Nakamura, S. *see* Suzuki, Y. 88−51735
Nakamura, S. *see* Tanaka, T. 86−29769
Nakamura, S. *see* Thompson, W.G., Jr. 88−214
Nakamura, S. *see* Ureno, T. 87−71717
Nakamura, S. *see* Wada, R. 85−37267
Nakamura, S. *see* Wake, M. 88−45018
Nakamura, S. *see* Watanabe, Y. 85−37628
Nakamura, S. *see* Wei Yi Yang 85−23683
Nakamura, S. *see* Yasuda, S. 85−17692, 87−45104
Nakamura, T. GaAs FETs: basis for microwave communications systems 85−12276
Nakamura, T. Response of a very low level DC current amplifier using improvement of feedback shielding structure 85−28407
Nakamura, T. Print out signal converting interface using single chip computer [watthour meter testing] 86−70012
Nakamura, T. Fusion Neutronics Source (FNS) Facility 87−21385
Nakamura, T. Multilevel storage memory using serial-parallel-serial charge coupled device 88−50149
Nakamura, T., Abeta, T., Yokokawa, S. Folded antenna loaded with a dipole for circular polarization 86−22816
Nakamura, T., Abeta, T., Yokokawa, S. Folded antenna loaded with a dipole for circular polarization 87−47330
Nakamura, T., Akamatsu, K., Arakawa, N. A bowl feed and double sides polishing for silicon wafer for VLSI 86−35735
Nakamura, T., Ebihara, Y., Ikeda, K. An analysis of a ring LAN by simulation techniques 87−62672
Nakamura, T., Hada, H., Oida, O. The large graphic plasma display 87−70722
Nakamura, T., Hada, H., Oida, O. Graphic plasma display with multi-mode function 88−53797
Nakamura, T., Hara, A., Suzuki, T. Realization of a high sensitivity neutron rem counter 86−25330
Nakamura, T., Hayashi, K., Seki, J. Eight-channel ultrasonic displacement meter for implantable miniature sensors 87−57091
Nakamura, T., Hayashi, K., Seki, J., Nakatani, T., Noda, H., Fukuda, S., Takano, H., Akutsu, T. Eight-channel ultrasonic displacement meter for the measurement of myocardial dimensions during cardiac assist 87−3968
Nakamura, T., Hayashi, K., Taenaka, Y., Umezu, M., Nakatani, T., Takano, H. Ultrasonic flowmeter with implantable miniature sensors 86−50530
Nakamura, T., Hayashi, S., Miyata, H., Matsukawa, H. Liquid crystal large-scale color video display system 87−56759
Nakamura, T., Ikeda, K., Ebihara, Y. Network management in a local computer network 85−42273
Nakamura, T., Ikeda, K., Nakazato, K., Washio, K., Namba, M., Hayashida, T. 63 ps ECL circuits using advanced SICOS technology 87−46175
Nakamura, T., Imabori, Y. Study on the use of far-infrared radiation for the processing of paste 87−51682
Nakamura, T., Ishida, M., Tanaka, S., Ashiki, M., Usui, S., Takagi, T., Mori, Y. Development of a monolithic preamplifier for detecting brain waves of swimming carp in space 86−44678

Nakamura, T., Kamase, T. Heat pump air-conditioner performance verification test at a cold district 86−33865

Nakamura, T., Kanno, S. Outline of magnet wheel type ultrasonic inspection device 86−6181

Nakamura, T., Katoda, T. Size of crystalline particle in Si-implanted GaAs estimated by laser Raman spectroscopy 85−1483

Nakamura, T., Katoda, T. Electrical activation and local vibrational mode from Si-implanted GaAs 85−28955

Nakamura, T., Kobayashi, H., Miyajima, J., Endo, N., Shigei, Y. A language processor of an intelligent link system 85−13936

Nakamura, T., Matsumoto, K., Hyuga, R., Ohishi, Y., Yusa, A. Gate-stored MOS phototransistor image sensor 88−29438

Nakamura, T., Matsumoto, K., Hyuga, R., Yusa, A. A new MOS image sensor operating in a nondestructive readout mode 87−56537

Nakamura, T., Matsumura, S. Studies on optimal adjustment method of thermal power plant controller 86−33074

Nakamura, T., Mikkaichi, M., Sato, R. On the surface integral in the integral equations of wire antennas 85−13224

Nakamura, T., Miyazaki, J., Koretomo, H. Trends of LAN standardization 88−3534

Nakamura, T., Morita, H., Maeda, M. Electronic still camera system−color video printer 87−41245

Nakamura, T., Nagai, T. Application of microcomputer to control unit of automatic WHM test equipment (Type SA-IV, PA-IV) 85−38584

Nakamura, T., Nakazato, K., Miyazaki, T., Okabe, T., Nagata, M. High-speed IIL circuits using a sidewall base contact structure 85−35153

Nakamura, T., Nakazato, K., Miyazaki, T., Takahashi, S., Okabe, T., Nagata, M. SICOS−high-speed self-aligned bipolar transistor 86−9109

Nakamura, T., Nakazato, K., Washio, K., Tomaki, Y., Nanba, M., Hayashida, T. Ultra high speed bipolar device-SICOS 87−32681

Nakamura, T., Nishikawa, M., Fukuyasu, S. Development of circulating-water pipe internal surface cleaning equipment 87−35816

Nakamura, T., Ogura, H., Sogabe, K., Toriumi, Y., Hosokawa, H., Asai, S., Ohsawa, S. Practical applications of nylon-jacketed termite-resistant power cables 85−59745

Nakamura, T., Ohtsu, M., Tako, T. Frequency stabilization and sweep for a waveguide CO_2 laser by using Stark absorption lines 85−56504

Nakamura, T., Okochi, N., Yokokawa, S., Sato, R. Radiation from a bend in a transmission line 87−47249

Nakamura, T., Osaki, Y., Hirai, T. Data terminal NT-101 86−23583

Nakamura, T., Sekine, T., Yokokawa, S. An analysis of meandering line 85−41671

Nakamura, T., Sekine, T., Yokokawa, S. An analysis of meandering lines 87−2326

Nakamura, T., Shinnai, K., Sasaki, R., Fujikura, N. Analysis of optimal message lengths for file transfer via satellite and terrestrial links 87−28483

Nakamura, T., Takai, M. HgCdTe electron bolometer for far infrared detection 88−35993

Nakamura, T., Uwamino, Y., Torii, A. Pseudo-monoenergetic neutron beam course from 15 to 40 MeV for activation cross section measurements 87−21387

Nakamura, T., Watanabe, Y., Itaya, E., Daido, Y., Takano, T. An 800 MHz low power consumption frequency synthesizer using intermittent operation of a modified PLL circuit with dual loops 88−35419

Nakamura, T., Yokokawa, S. Loop antenna with a branch wire for circular polarization 87−2370

Nakamura, T., Yokokawa, S. Loop antenna with a branch wire for circular polarization 88−14488

Nakamura, T. *see* Abe, K. 88−16629

Nakamura, T. *see* Abe, S. 88−51346, 88−71881

Nakamura, T. *see* Ando, S. 86−41126

Nakamura, T. *see* Daicho, Y. 86−61168

Nakamura, T. *see* Ebihara, Y. 86−23437

Nakamura, T. *see* Enokizono, M. 87−61313

Nakamura, T. *see* Fujimori, T. 86−10730

Nakamura, T. *see* Fujishima, S. 86−15308

Nakamura, T. *see* Goto, G. 87−1745, 87−52528

Nakamura, T. *see* Hara, A. 87−29508

Nakamura, T. *see* Hara, Y. 86−44366

Nakamura, T. *see* Hayashi, K. 86−65459

Nakamura, T. *see* Hemmi, Y. 87−63624

Nakamura, T. *see* Hijiya, S. 85−28523

Nakamura, T. *see* Hiratsuka, S. 87−10750

Nakamura, T. *see* Homma, N. 88−6867

Nakamura, T. *see* Ikeno, M. 85−3913

Nakamura, T. *see* Ishida, M. 86−26858, 86−57469, 88−43919

Nakamura, T. *see* Ishikawa, T. 87−38072

Nakamura, T. *see* Isobe, S. 85−31381

Nakamura, T. *see* Ito, H. 86−50111

Nakamura, T. *see* Iwai, S. 87−29509

Nakamura, T. *see* Iwakuma, Y. 85−57566, 86−69206

Nakamura, T. *see* Iwata, K. 85−10047

Nakamura, T. *see* Jufuku, T. 86−68008

Nakamura, T. *see* Kadowaki, Y. 87−11051

Nakamura, T. *see* Kamikubota, N. 86−50444

Nakamura, T. *see* Kaneko, Y. 88−9461

Nakamura, T. *see* Kasahara, K. 88−40008

Nakamura, T. *see* Kato, I. 85−23703, 85−50753

Nakamura, T. *see* Kato, M. 85−23744

Nakamura, T. *see* Katoh, S. 85−52458

Nakamura, T. *see* Kawahito, S. 86−27490

Nakamura, T. *see* Kinoshita, K. 87−11309

Nakamura, T. *see* Kinoshita, T. 86−27085

Nakamura, T. *see* Kita, T. 88−15227

Nakamura, T. *see* Konaka, A. 87−41862

Nakamura, T. *see* Kosako, T. 85−43165

Nakamura, T. *see* Kuwagaki, H. 88−53804

Nakamura, T. *see* Lear, W.E. 85−21832

Nakamura, T. *see* Loyd, R.J. 86−40188, 87−31004, 87−36181, 87−78967

Nakamura, T. *see* Maenaka, K. 87−3728, 88−1622

Nakamura, T. *see* Maniwa, T. 87−50532

Nakamura, T. *see* Matsumoto, K. 85−52772, 88−20040

Nakamura, T. *see* Matsuzawa, K. 88−60091

Nakamura, T. *see* Mikado, T. 87−14714

Nakamura, T. *see* Miyake, H. 85−58012

Nakamura, T. *see* Mori, Y. 87−17140

Nakamura, T. *see* Morishita, E. 85−5535

Nakamura, T. *see* Nagai, T. 86−11431

Nakamura, T. *see* Nagashima, T. 85−1237

Nakamura, T. *see* Nagata, H. 88−28769

Nakamura, T. *see* Nakahara, K. 87−59865

Nakamura, T. *see* Nakajima, A. 85−3085

Nakamura, T. *see* Nakazato, K. 85−40701, 85−40884, 86−8194, 87−53493

Nakamura, T. *see* Nanba, M. 88−64520

Nakamura, T. *see* Naohara, T. 88−64909

Nakamura, T. *see* Nathan, A. 88−71503

Nakamura, T. *see* Nojiri, K. 86−43687

Nakamura, T. *see* Nomura, M. 87−72150

Nakamura, T. *see* Oba, N. 86−69222, 87−69418

Nakamura, T. *see* Oda, S. 87−24887

Nakamura, T. *see* Okada, Y. 86−47527

Nakamura, T. *see* Otaka, T. 88−49312

Nakamura, T. *see* Pak, K. 85−39723, 87−17953, 87−32250

Nakamura, T. *see* Sagara, K. 88−26215

Nakamura, T. *see* Saito, J. 87−5415, 87−36722

Nakamura, T. *see* Saito, K. 88−72223

Nakamura, T. *see* Sakuma, K. 87−29059

Nakamura, T. *see* Sato, S. 87−687

Nakamura, T. *see* Sekine, M. 88−1897

Nakamura, T. *see* Shiba, T. 88−71756

Nakamura, T. *see* Shinnai, K. 88−14869

Nakamura, T. *see* Shirai, H. 86−67730, 87−26151, 87−38903, 87−65554, 88−26956

Nakamura, T. *see* Sudo, M. 88−36486

Nakamura, T. *see* Suzuki, T. 88−36351

Nakamura, T. *see* Taguchi, M. 85−40898

Nakamura, T. *see* Takada, A. 86−31503

Nakamura, T. *see* Takahashi, H. 86−8182, 86−20435

Nakamura, T. *see* Takemura, Y. 87−56359

Nakamura, T. *see* Takeuchi, Y. 85−47671

Nakamura, T. *see* Tamaki, Y. 88−13561

Nakamura, T. *see* Tamayama, S. 85−5529

Nakamura, T. *see* Tanaka, S. 86−54836, 88−36335

Nakamura, T. *see* Tanigawa, T. 86−513

Nakamura, T. *see* Tanno, K. 85−19572, 86−23504

Nakamura, T. *see* Tashiro, T. 85−54853

Nakamura, T. *see* Terashima, M. 86−6772

Nakamura, T. *see* Teshigawara, Y. 88−60097

Nakamura, T. *see* Thorpe, L.J. 86−4854

Nakamura, T. *see* Toda, K. 88−53803

Nakamura, T. *see* Tomimasu, T. 87−21347

Nakamura, T. *see* Torimaru, M. 85−54769

Nakamura, T. *see* Tsuchiya, Y. 87−14152

Nakamura, T. *see* Uemura, S. 85−14899, 85−43051, 87−2027, 87−21158, 87−35153

Nakamura, T. *see* Uno, K. 88−26088

Nakamura, T. *see* Uwamino, Y. 86−5840

Nakamura, T. *see* Wakahara, A. 87−65548

Nakamura, T. *see* Washio, K. 87−60635, 87−66023

Nakamura, T. *see* Yamabe, C. 87−4346

Nakamura, T. *see* Yamaguchi, K. 85−56435

Nakamura, T. *see* Yamamoto, H. 87−44374

Nakamura, T. *see* Yamamoto, T. 88−40085

Nakamura, T. *see* Yamashita, A. 88−45951

Nakamura, T. *see* Yasuda, Y. 86−34704

Nakamura, T. *see* Yokoyama, N. 87−11446

Nakamura, T. *see* Yoshikawa, Y. 88−15308

Nakamura, T. *see* Zaima, S. 85−40049, 87−24756, 88−32935

Nakamura, T.S. *see* Homma, T. 87−57021

Nakamura, T.S. *see* Kawai, H. 85−31699

Nakamura, U. *see* Asai, J. 85−5568

Nakamura, U. *see* Yada, T. 85−16479

Nakamura, Y. The operational satellite broadcasting system in Japan 85−3601

Nakamura, Y. The operational broadcasting satellite system for Japan 85−20147

Nakamura, Y. Analysis of materials for hybrid microelectronics by secondary mass spectrometry 85−28859

Nakamura, Y. A view of diversified broadcast media 85−47626

Nakamura, Y. The operational satellite broadcasting system in Japan 86−4794

Nakamura, Y. Compact switching power supply E series EAK 86−20243

Nakamura, Y. Perpendicular magnetic recording systems 86−21986

Nakamura, Y. An integrated logic design environment based on behavioral description 87−59082

Nakamura, Y. Group actions on linear predictors for nonstationary processes 88−59156

Nakamura, Y., Abe, S., Takeda, S. The reachability of complementary-places Petri nets 86−66732

Nakamura, Y., Azuma, H., Miyazaki, K., Nitta, K., Nakamara, K., Kitamura, S. Flight performance of 5 cm mercury ion thrusters on engineering test satellite-III 85−31904

Nakamura, Y., Baba, K. Electrical properties of glass and liquid semiconductor system $(As_2Te_3)_x(Tl_2Se)_{1-x}$ 86−58268

Nakamura, Y., Hanafusa, H., Ueno, N. A piezoelectric film sensor with uniformly expanded surface to detect tactile information for robotic end-effectors 86−38373

Nakamura, Y., Iwasaki, S. Magnetization models of Co-Cr film for the computer simulation of perpendicular magnetic recording process 87−46315

Nakamura, Y., Kidode, M., Tabata, M., Watanabe, M., Yamada, J., Kimura, H., Kataoka, I., Nakada, M. Automatic thermometer inspection system by a high-speed image processor 86−5008

Nakamura, Y., Kuriki, K. Electric propulsion test onboard the space station 86−7262

Nakamura, Y., Matsui, K. Adaptive ΔM coding with separated step-size control bits 87−54881

Nakamura, Y., Matsui, K. A unified coding method of dithered image and text data using micro-patterns 88−34573

Nakamura, Y., Miyamoto, T., Matsuo, Y. Computers and communications for automobile 87−51599

Nakamura, Y., Miyazaki, K., Kitamura, S., Nitta, K. Long time operation test of engineering model of ETS-III ion thruster 85−31917

Nakamura, Y., Nagaishi, K., Kimura, I. Improvement of a temperature-sensing actuator with ferrite and rare-earth Co magnet. II 85−42964

Nakamura, Y., Nakagawa, S., Yokoyama, K., Iwasaki, S. The characteristics of perpendicular magnetic recording and its application to video recording 85−29454

Nakamura, Y., Oguri, K. An RTL logic design aid for parallel control VLSI processor 88−31940

Nakamura, Y., Oguri, K., Nomura, R. An RTL behavioral description based logic design aid with synthesis capability 88−63636

Nakamura, Y., Ohmata, K., Tagawa, I., Iwasaki, S. Computer simulation of longitudinal magnetic recording process 88−71915

Nakamura, Y., Ondoh, T. Observation of the magnetosphere and ionosphere by Dynamics Explorer satellite. VIII. Whistler triggered emissions observed by DE-1 and ISIS satellites 88−34311

Nakamura, Y., Ondoh, T. VLF noises triggered by whistlers as observed in the topside ionosphere 88−45687

Nakamura, Y., Saito, Y., Aikawa, S. 256 QAM modem for multicarrier 400 Mbit/s digital radio 87−48893

Nakamura, Y., Sato, K., Fukatsu, S., Watanabe, N., Kimoto, T. Application of experimental personal computer network to spread sheet systems 86−37530

Nakamura, Y., Suda, M., Sakai, K., Takeda, Y., Udaka, M. Development of a high performance stamped character reader 86−4008

Nakamura, Y., Tadano, H., Takigawa, M., Igarashi, I., Nishizawa, J. Very high speed static induction thyristor 86−41775

Nakamura, Y., Tadano, H., Takigawa, M., Igarashi, I., Nishizawa, J. Experimental study on current gain of BSIT 86−63300

Nakamura, Y., Tadano, H., Takigawa, M., Igarashi, I., Nishizawa, J. Very high speed static induction thyristor 87−25259

Nakamura, Y., Tagawa, I., Iwasaki, S. Analysis of magnetization distribution in double-layered perpendicular magnetic recording medium 88−51287

Nakamura, Y., Terada, A. Present state of telex service 87−62550

Nakamura, Y., Tominaga, M., Ohtombe, K. Multiband detector module and its application to a currency note sorter 85−26336

Nakamura, Y., Uenishi, S., Kunishi, T., Miki, K., Tabata, H., Kuwada, K., Suzuki, H., Matsumoto, T. New profile of ultra low stress resin encapsulants for large chip semiconductor devices 87−72838

Nakamura, Y., Wakimura, Y., Oguri, K. An integrated CAD system for logical unit design 88−19007

Nakamura, Y., Yamakawa, K., Iwasaki, S. Analysis of domain structure of single pole perpendicular head 86−28683

Nakamura, Y., Yamamoto, A., Tomuro, J. Process for upgrading low-rank coals 86−12549
Nakamura, Y., Yamamoto, S., Iwasaki, S. The effect of magnetic interaction between medium and head on perpendicular magnetic recording characteristics 87−18501
Nakamura, Y., Yamashiro, S. Probabilistic operation of electric power systems considering environmental constraint. III. A method considering transmission capacity 85−43535
Nakamura, Y., Yamashiro, S. Probabilistic operation of electron power systems considering environmental constraint. IV. A convenient method for transmission capacity 86−12280
Nakamura, Y., Yamashiro, S. Probabilistic operation of electric power systems considering environmental constraint. V. A strict method for transmission capacity 86−12281
Nakamura, Y., Yamashiro, S. Probabilistic operation of electric power systems considering environmental constraint. VII. A consideration for line security 86−61052
Nakamura, Y., Yamashiro, S. Probabilistic operation of electric power systems considering environmental constraint. VIII. A consideration for thermal unit security 86−61053
Nakamura, Y., Yamashiro, S. Probabilistic operation of electric power systems considering environmental constraint. IX. A fast scheduling method 87−42373
Nakamura, Y., Yamashiro, S. A fast scheduling method for power system operation considering an environmental constraint and system reliability 87−71527
Nakamura, Y., Yamashiro, S. Probabilistic operation of electric power systems considering environmental constraint. X. Comparison with quadratic programming method 88−10743
Nakamura, Y., Yamashiro, S. Probabilistic operation of electric power systems considering environmental constraint. XI. System security of DSS operation 88−10744
Nakamura, Y., Yamashiro, S. Probabilistic operation of electric power systems considering environmental constraint. 12. A decision method of the optimum DSS schedule 88−36792
Nakamura, Y., Yamashiro, S. Probabilistic operation of electric power systems considering environmental constraint. XIII. A practical satisfaction of the constraint 88−68743
Nakamura, Y., Yoshikawa, T., Futamata, I. Elastic component design criteria and signal processing of force sensors 87−70621
Nakamura, Y. *see* Abiko, I. 87−39320
Nakamura, Y. *see* Anzai, T. 87−39322
Nakamura, Y. *see* Aoki, S. 87−14768
Nakamura, Y. *see* Asai, K. 86−18591
Nakamura, Y. *see* Azuma, H. 85−31906
Nakamura, Y. *see* Fujita, K. 86−43689
Nakamura, Y. *see* Furuta, K. 85−16762
Nakamura, Y. *see* Harata, Y. 85−33965, 87−37166
Nakamura, Y. *see* Hashimoto, K. 86−15542, 87−56123
Nakamura, Y. *see* Hayakawa, F. 87−34237
Nakamura, Y. *see* Hidai, Y. 87−48184
Nakamura, Y. *see* Honda, M. 88−52066
Nakamura, Y. *see* Ichikawa, S. 86−54323, 87−73834
Nakamura, Y. *see* Ishii, K. 87−64795
Nakamura, Y. *see* Itoh, S. 88−13774
Nakamura, Y. *see* Iwasaki, S. 87−46373, 88−1869, 88−26670
Nakamura, Y. *see* Kimura, I. 85−20608
Nakamura, Y. *see* Kiyohara, T. 85−47219
Nakamura, Y. *see* Kudo, I. 85−31907
Nakamura, Y. *see* Kuller, R. 88−18200
Nakamura, Y. *see* Kuriki, K. 85−31956
Nakamura, Y. *see* Kutsuwada, N. 88−27452
Nakamura, Y. *see* Kuwashima, S. 85−48484
Nakamura, Y. *see* Marra, R.A. 86−67721
Nakamura, Y. *see* Maruyama, Y. 86−70677
Nakamura, Y. *see* Matsui, K. 88−14595
Nakamura, Y. *see* Miki, T. 86−67277, 87−17172, 87−17182
Nakamura, Y. *see* Miyamoto, K. 86−17151
Nakamura, Y. *see* Miyayama, M. 88−35977
Nakamura, Y. *see* Nakagawa, T. 88−15001
Nakamura, Y. *see* Nakamura, M. 87−77630
Nakamura, Y. *see* Nishio, M. 85−39792
Nakamura, Y. *see* Nomura, R. 88−19008
Nakamura, Y. *see* Ogawa, H. 85−39793
Nakamura, Y. *see* Oguri, K. 87−37363, 88−19172
Nakamura, Y. *see* Ohhashi, N. 86−53270
Nakamura, Y. *see* Okajima, Y. 86−14217
Nakamura, Y. *see* Ondoh, T. 88−34337, 88−45688
Nakamura, Y. *see* Otsuka, N. 86−66809
Nakamura, Y. *see* Saito, Y. 87−2978, 87−28395
Nakamura, Y. *see* Sato, K. 86−15234, 87−53584
Nakamura, Y. *see* Serizawa, Y. 88−37770
Nakamura, Y. *see* Suzuki, M. 87−46372
Nakamura, Y. *see* Togoshi, T. 87−48393
Nakamura, Y. *see* Toyoshima, H. 88−49860
Nakamura, Y. *see* Tsuda, M. 85−61591
Nakamura, Y. *see* Tsuya, N. 88−51285
Nakamura, Y. *see* Watanabe, S. 88−36205
Nakamura, Y. *see* Yamakawa, K. 86−58686
Nakamura, Y. *see* Yamamoto, S. 86−36019, 86−58685, 88−44973, 88−64933
Nakamurta, T., Shinnai, K., Sasaki, R., Fujikura, N. Applications of a store-and-forward network simulator for analysis of optimal message lengths for file transfer via satellite and terrestrial links 88−3930
Nakane, A., Inukai, M., Watanabe, K. Compact metal-clad switchgear for fossil-fuel power stations 85−39143
Nakane, F., Shinji, O., Saegusa, M., Yagi, K., Kojima, T. Loss increase of optical fibres due to hydrogen from coating resin 85−35527
Nakane, F., Uematsu, A., Sano, S., Kiuchi, M., Ishii, N., Sato, I. Development of optical fiber composite ground wire 87−60934
Nakane, F. *see* Kokubo, O. 87−60936
Nakane, F. *see* Muta, K. 86−48142, 87−60935, 88−51477
Nakane, F. *see* Saegusa, M. 86−49618
Nakane, F. *see* Sakanaka, T. 85−35504
Nakane, F. *see* Shimizu, O. 87−60937
Nakane, F. *see* Shinji, O. 85−35505
Nakane, F. *see* Suzuki, E. 86−2645
Nakane, H. General formulas for the average magnetic-field at a receiving circular-loop antenna placed arbitrarily to a radiating loop 85−19215
Nakane, H., Harada, Y., Yamashita, K., Yano, S., Hirano, M., Kawabe, U. AC-powered Josephson programmable logic array 85−11210
Nakane, H., Kawabe, U. Cryo-prober for Josephson integrated circuits 86−34719
Nakane, H., Maruyama, H., Omori, S., Yokoshima, I. Convergence of shielded room error analysis using image antenna theory 86−29428
Nakane, H., Nishino, T., Hirano, M., Takagi, K., Kawabe, U. DC-SQUID using high-critical-temperature oxide superconductors 88−7825
Nakane, H., Nishino, T., Kirano, M., Takagi, K., Kawabe, U. DC-SQUID using high-critical-temperature oxide-superconductors 88−20315
Nakane, H., Omori, S., Yokoshima, I. Standard RF magnetic field generator using rotating field 86−22819
Nakane, H., Omori, S., Yokoshmia, I. Standard RF magnetic field from a rotating field generator 87−14494
Nakane, H., Omori, S., Yokoshima, I., Uchiyama, F. Effect of conductive objects on standard magnetic field radiated by loop antenna 87−14407
Nakane, H., Omori, S., Yokoshima, I., Uchiyama, F. Effect of conductive objects on the magnetic field radiated by loop antennae 88−16445
Nakane, H., Tarutani, Y., Nishino, T., Yamada, H., Kawabe, U. DC-SQUID with high-critical-temperature oxide-superconductor film 88−13703
Nakane, H. *see* Asaumi, S. 87−32362
Nakane, H. *see* Harada, Y. 85−45005, 88−51388
Nakane, H. *see* Ishii, W. 87−11906
Nakane, H. *see* Nishino, T. 87−70649
Nakane, H. *see* Sasano, Y. 87−34661
Nakane, H. *see* Shimizu, H. 85−31100
Nakane, H. *see* Tsuda, M. 85−12211, 85−40802, 85−55640, 85−61591, 86−1963, 86−35506, 87−18227
Nakane, H. *see* Yamamuro, H. 85−3979
Nakane, K. Supportive components for hermetic compressors 88−37197
Nakane, K., Sakai, Y., Matsumoto, M., Murakami, S. 64 kb/s series audio-graphics teleconferencing experimental system 86−11322
Nakane, K. *see* Furukawa, T. 88−45059
Nakane, K. *see* Matsumoto, M. 87−33839
Nakane, K. *see* Tanigawa, H. 87−55543, 88−28535
Nakane, K. *see* Tokita, K. 86−47256
Nakane, M., Tokushige, K. Video RAM chips designed for computer graphics 88−25205
Nakane, M., Tokushige, K. 1 Mbit field memory device for digital processing in TV/VCR system 88−25206
Nakane, M. *see* Kobayashi, T. 88−35970
Nakane, S. *see* Goda, M. 85−14378
Nakane, S. *see* Maehara, N. 85−21025
Nakane, T., Hirata, T., Seya, K. Behavior of electric discharge in ultrasonic field 88−12872
Nakane, T., Seya, K. Behavior of bridged-over corona in high-intensity sound field 87−15108
Nakane, Y., Sato, N., Makino, H., Miyaoka, S. Principle of laser recording mechanism by forming an alloy in the multilayer of thin metallic films 85−50897
Nakane, Y. *see* Yoshizawa, A. 88−51291
Nakanishi, A. Positioning systems for hydrographic surveying 85−32002
Nakanishi, E., Shibata, J., Ohsawa, O. An 800 MHz band high-efficiency power amplifier microwave integrated circuit 88−71136
Nakanishi, F. *see* Kotani, T. 88−56258
Nakanishi, H. Lighting fitting 87−72563
Nakanishi, H. A scandium-oxide dispersed cathode for CRTs 88−1317
Nakanishi, H., Ametani, A. Transient calculation of a transmission line using superposition law 86−61115
Nakanishi, H., Kohda, H., Yamada, K., Hoshikawa, K. Nearly-dislocation-free, semi-insulating GaAs grown in B_2O_3 encapsulant 85−33403
Nakanishi, H., Okuda, S., Yoshida, T., Sugahara, T. A high-resolution color CRT for CAD/CAM use 87−3434
Nakanishi, H., Okuda, S., Yoshida, T., Sugawara, T. A high resolution color CRT for CAD/CAM use 86−38287
Nakanishi, H., Yamamoto, Y. A proposal on high-reliability and high-usage subscriber optical fiber cable network 86−69780
Nakanishi, H. *see* Akiyoshi, I. 85−42015
Nakanishi, H. *see* Du, R. 87−33840, 87−40023, 88−34863, 88−46343
Nakanishi, H. *see* Endo, S. 86−58282, 87−60126
Nakanishi, H. *see* Hara, S. 88−20330
Nakanishi, H. *see* Hyuga, F. 85−61678
Nakanishi, H. *see* Inoue, T. 85−42062
Nakanishi, H. *see* Ishida, R. 87−1157
Nakanishi, H. *see* Izutsu, M. 86−68337
Nakanishi, H. *see* Kohda, H. 86−394
Nakanishi, H. *see* Matsumoto, T. 87−73141
Nakanishi, H. *see* Nagaya, M. 85−10484
Nakanishi, H. *see* Nakagawa, S. 88−34615
Nakanishi, H. *see* Nomura, R. 88−19008
Nakanishi, H. *see* Oikawa, H. 87−8253, 87−34589
Nakanishi, H. *see* Osaka, J. 85−34742
Nakanishi, H. *see* Rongping Du 86−16623
Nakanishi, H. *see* Saito, M. 87−6345
Nakanishi, H. *see* Sato, K. 86−54905
Nakanishi, H. *see* Shibata, N. 88−31770
Nakanishi, H. *see* Suzuki, H. 85−46981, 86−69216
Nakanishi, H. *see* Watanabe, K. 85−1291, 86−53357
Nakanishi, H. *see* Yamada, K. 87−10358
Nakanishi, H. *see* Yamamoto, H. 87−34606
Nakanishi, H. *see* Yamamoto, M. 87−33847, 87−60991, 88−21389, 88−46331, 88−58266
Nakanishi, H. *see* Zhang, D. 86−4315
Nakanishi, K. Local area network for TV master 86−17556
Nakanishi, K. New gaseous insulation 87−25663
Nakanishi, K., Christophorou, L.G., Carter, J.G., Hunter, S.R. Penning ionization ternary gas mixtures for diffuse discharge switching applications 85−62127
Nakanishi, K., Christophorou, L.G., Carter, J.G., Hunter, S.R. Penning ionization ternary gas mixtures for diffuse discharge switching applications 87−17663
Nakanishi, K., Hamajima, T., Shimada, M. Development of a forced-cooled superconducting coil 87−74638
Nakanishi, K., Kobayashi, I. The dependence of optical frequency modulation characteristics on bias current in semiconductor laser 88−45531
Nakanishi, K., Konishi, M. Technical countermeasures for safety of home electrical appliances 85−27823
Nakanishi, K., Minami, N. Bardeen state of ZnO and its electrical properties 87−45606
Nakanishi, K., Mori, K., Wajima, M. Growth and properties of In_2Se_3 crystals by the synthesis solute diffusion method 86−26800
Nakanishi, K., Ueda, M., Harumoto, Y., Kamiya, M., Shiota, H., Hosokawa, M., Haginomori, E., Kuwahara, H. Charging current switching by disconnectors in gas insulated switchgear and some laboratory test methods 86−51838
Nakanishi, K. *see* Aikawa, H. 86−387
Nakanishi, K. *see* Furukawa, K. 87−38260
Nakanishi, K. *see* Kamikawai, R. 86−1583, 86−13506, 88−24931
Nakanishi, K. *see* Kimura, K. 85−18070
Nakanishi, K. *see* Minami, N. 85−18784, 86−58277
Nakanishi, K. *see* Nakagawa, T. 87−9900, 88−55669
Nakanishi, K. *see* Nitta, T. 86−68057
Nakanishi, K. *see* Okumura, T. 86−49290
Nakanishi, K. *see* Ootera, H. 85−27573, 88−55531
Nakanishi, K. *see* Shigeta, M. 87−58959
Nakanishi, K. *see* Togoh, H. 85−3023
Nakanishi, K. *see* Tsuburaya, H. 85−8314
Nakanishi, K. *see* Yudasaka, M. 85−33489, 85−45408, 86−20094, 86−26876
Nakanishi, M., Aoki, K., Ito, H. Satellite-communication systems 87−40799
Nakanishi, M., Hara, K. Experimental test of the composite Josephson device 86−22046
Nakanishi, M., Ito, H., Umeda, Y., Fujino, T., Naito, Y. TDMA reference and monitoring station (TRMS) equipment for EUTELSAT 87−13647
Nakanishi, M., Itoh, H. 120 Mb/s TDMA traffic terminal for use in the INTELSAT system 86−4585
Nakanishi, M., Koyanagi, M. Measurement of ultralow magnetic field 88−39821

Nakanishi, M., Koyanagi, M., Kosaka, S., Shoji, A., Aoyagi, M., Shinoki, F. Integrated DC-SQUID magnetometer 87−63383
Nakanishi, M., Koyanagi, M., Kosaka, S., Shoji, A., Aoyagi, M., Shinoki, F., Nakagawa, H., Takada, S., Kasai, N., Kado, H., Endo, T. Integrated DC-SQUID magnetometer 88−16454
Nakanishi, M., Uehara, G., Hara, K. An approach for the fabrication of the ideal Josephson weak link 86−9435
Nakanishi, M., Uehara, G., Hara, K. Improved fabrication method of the microbridge utilizing step edge 86−68206
Nakanishi, M. *see* Hiyama, T. 86−64850
Nakanishi, M. *see* Irie, K. 86−30711
Nakanishi, M. *see* Kimura, H. 85−30117
Nakanishi, M. *see* Koyanagi, M. 88−13729
Nakanishi, M. *see* Makita, F. 88−46966
Nakanishi, M. *see* Nagahama, K. 88−32419
Nakanishi, M. *see* Sakamoto, Y. 88−13740
Nakanishi, M. *see* Sasaki, H. 88−42392
Nakanishi, M. *see* Shibata, N. 86−30712
Nakanishi, M. *see* Takahashi, S. 86−71133
Nakanishi, M. *see* Uehara, G. 85−24238
Nakanishi, N. *see* Goto, A. 85−59069
Nakanishi, R., Ito, M., Uchida, K., Jojo, T. New type 36 kV outdoor vacuum circuit-breaker 87−36070
Nakanishi, R., Ito, M., Uchida, K., Jojo, T. Single-phase vacuum circuit-breaker for railway use 87−36071
Nakanishi, S. The welding apparatuses with high-frequency pulse arcs 85−32851
Nakanishi, S., Himei, T. A simulation model for high pressure mercury lamp operation by means of state variable equations 88−11476
Nakanishi, S., Inoue, J., Komatsubara, H., Himei, T. High frequency operation of HID lamps beyond 100 kHz 86−52028
Nakanishi, S., Komatsubara, H., Himei, T. High frequency operation and control of low pressure sodium lamps by means of electronic ballast 88−11478
Nakanishi, S. *see* Asmussen, J. 85−31951
Nakanishi, S. *see* Hardy, T.L. 85−31955
Nakanishi, S. *see* Ito, F. 86−26606
Nakanishi, S. *see* Nishina, N. 87−49858
Nakanishi, S. *see* Odiete, G.C.E. 87−43324
Nakanishi, S. *see* Yoneda, K. 87−73109
Nakanishi, T. Torsional vibration of VTR drum 85−47716
Nakanishi, T. Josephson resetting circuit for DC powered resistor loaded circuits 85−50875
Nakanishi, T. Underwater acoustic transponder navigation system 86−55382
Nakanishi, T. Josephson high speed A-D converter 87−38693
Nakanishi, T., Dohmae, K., Fukui, S., Hayashi, Y., Hirose, I., Horikawa, N., Ikoma, T., Kamiya, Y., Kurashina, M., Okumi, S. Construction of GaAs spin-polarized electron source and measurements of electron polarization 86−60532
Nakanishi, T., Dohmae, K., Fukui, S., Hayashi, Y., Hirose, I., Horikawa, N., Ikoma, T., Kurashina, M., Okumi, S., Kamiya, Y. Polarized electron source at Nagoya University 87−3852
Nakanishi, T., Fujita, S. Josephson NOR decoder circuit for Josephson memory arrays 85−696
Nakanishi, T., Fujita, S. Current polarity switching decoders for Josephson memory arrays 85−40080
Nakanishi, T., Kariya, K., Hayashida, S., Takemoto, H. The sampling control of video signal using personal computer 87−3458
Nakanishi, T., Misawa, T. Application of infrared-ray cameras in the industrial field 86−38391
Nakanishi, T., Sugiyama, T., Iida, Y., Hashimoto, T., Nishimura, S., Awazuhara, H. Application of work roll shift mill 'HCW-MILL' to hot strip and plate rolling 86−19644
Nakanishi, T., Ueda, N., Arai, S., Hattori, T., Fukushima, T., Sakurada, Y., Honma, T., Tokuda, N., Yamada, S., Mizobuchi, A., Hirao, Y., Itano, A., Takanaka, M. Construction and operation of a test RFQ linac for heavy ions 87−41660
Nakanishi, T., Yamauchi, H., Yoshimura, H. CMOS radix-2 signed-digit adder by binary code representation 86−67176
Nakanishi, T., Yoshikiyo, H. Design of a high speed Josephson shift register 86−67181
Nakanishi, T., Yoshikiyo, H. An ultra-high speed Josephson analog-to-digital converter 87−66274
Nakanishi, T., Yoshikiyo, H. A new comparator for use in ultra-high speed Josephson A/D converter 88−12462
Nakanishi, T. *see* Akahori, Y. 88−25098
Nakanishi, T. *see* Ando, A. 86−12717
Nakanishi, T. *see* Fujita, S. 85−45048
Nakanishi, T. *see* Furudera, M. 86−45219
Nakanishi, T. *see* Honda, K. 87−74122, 88−32959
Nakanishi, T. *see* Iwata, T. 86−44552
Nakanishi, T. *see* Kanoh, K. 88−31428
Nakanishi, T. *see* Kitakaze, K. 88−11765
Nakanishi, T. *see* Ohigashi, H. 88−48395
Nakanishi, T. *see* Ohmori, C. 87−57027
Nakanishi, T. *see* Takahashi, S. 87−77206
Nakanishi, T. *see* Takizawa, R. 88−25998
Nakanishi, T. *see* Tokuda, N. 86−24991
Nakanishi, T. *see* Ueda, N. 85−15097, 86−24908, 87−8802, 87−41770, 87−50016
Nakanishi, T. *see* Watanabe, C. 85−43330
Nakanishi, T. *see* Watanabe, M.O. 85−34602
Nakanishi, Y. Characteristics and application of SAW filters 86−9348
Nakanishi, Y., Kimura, K., Yamasaki, S., Shimaoka, G. The structure and electroluminescent characteristics of ZnS:Mn thin films 86−28971
Nakanishi, Y., Murakami, K., Shimaoka, G. Activation of ZnS films simultaneously evaporated with Ag for blue emission by embedding techniques 85−2132
Nakanishi, Y., Shimaoka, G. The structure and electroluminescent characteristics of ZnS:Mn thin films 87−74922
Nakanishi, Y., Yamasaki, S., Suzuki, Y., Shimaoka, G. The influence of insulating Y_2O_3 layer on the emission properties of ZnS:Ag, Cl thin films 88−2109
Nakanishi, Y. *see* Fujiyasu, H. 87−5421
Nakanishi, Y. *see* Inamura, H. 88−47426
Nakanishi, Y. *see* Kato, H. 88−15871
Nakanishi, Y. *see* Matsushita, K. 87−8114
Nakanishi, Y. *see* Miyake, Y. 87−51478
Nakanishi, Y. *see* Nakajima, T. 87−29928
Nakanishi, Y. *see* Nakano, H. 86−27243
Nakanishi, Y. *see* Nomura, Y. 85−13923, 86−69421
Nakanishi, Y. *see* Ogasawara, S. 86−6727, 86−45461
Nakanishi, Y. *see* Ohno, M. 85−33433
Nakanishi, Y. *see* Okada, H. 85−42286
Nakanishi, Y. *see* Shimokawa, R. 86−40084, 87−36141, 87−64799 to 64800
Nakanishi, Y. *see* Tsuchida, Y. 86−71139
Nakanishi, Y. *see* Yamamoto, T. 85−13674
Nakanisi, H. *see* Mori, K. 86−12524
Nakanisi, T. The growth and characterization of high quality MOVPE GaAs and GaAlAs 85−10703
Nakanisi, T. *see* Ashizawa, Y. 87−74186
Nakanisi, T. *see* Ishikawa, M. 86−9843, 86−29130, 88−8193
Nakanisi, T. *see* Ohba, Y. 86−54154, 87−16596, 88−56931
Nakanisi, T. *see* Watanabe, M.O. 85−50241, 86−53439
Nakanisi, T. *see* Yasuami, S. 86−15052, 87−32556
Nakano, A., Ikegami, S., Matsumoto, H., Uda, H., Komatsu, Y. Long-term reliability of screen printed CdS/CdTe solar-cell modules 87−15994
Nakano, A., Yoshida, S., Nishimura, T., Yanase, M., Wada, H., Kitamura, A., Yamada, Y., Gochyo, Y., Nakagawa, H., Kawamoto, K., Ikeda, T., Kitao, H. Studies on connection between the large-capacity ultra-high-speed information transmission system and its terminals 86−50865
Nakano, A. *see* Tanaka, K. 86−50864
Nakano, E. *see* Adachi, H. 88−43232
Nakano, E. *see* McGhee, R.B. 86−66407
Nakano, F., Soga, T., Amagi, S. Resin-insertion effect on thermal cycle resistivity of flip-chip mounted LSI devices 88−57219
Nakano, F. *see* Fuyama, M. 87−77330
Nakano, F. *see* Soga, T. 88−32690
Nakano, F. *see* Umeda, T. 87−49849
Nakano, H. Simplified integral equation on electromagnetic coupling between arbitrarily bent wires and slots 85−13241
Nakano, H. Correction of cross-polarization component in measurement of antenna temperature by scanning with microwave radiometer 85−26461
Nakano, H. Single-chip ICs developed for motor drive and control 87−823
Nakano, H. Fabrication procedure of SNS bridges by patterned sputtering deposition at step edges and anodic oxidization 87−67901
Nakano, H., Aomine, T. Properties of superconducting variable-thickness bridges fabricated by anodic oxidization 86−15419
Nakano, H., Aomine, T. Nb-Cu-Nb bridges fabricated by directional sputtering deposition and anodic oxidization 86−68208
Nakano, H., Aomine, T. Magnetic field dependence of critical currents in SNS bridges fabricated by directional sputtering deposition and anodic oxidization 87−46416
Nakano, H., Asaka, N., Yamauchi, J. Short helical antenna array fed from a waveguide 85−7757
Nakano, H., Hirose, K., Yamauchi, J. Numerical analysis of asymmetrical spiral antenna 85−51483
Nakano, H., Horie, S., Matsuo, T., Iwata, K. Vector control system for induction motor using a speed estimation based on instantaneous slip frequency principles 88−37207
Nakano, H., Hotate, K. Optical system for real-time processing of multiple matrix product 85−41951
Nakano, H., Kerner, S.R., Alexopoulos, N.G. The moment method solution for printed antennas of arbitrary configuration 88−2793
Nakano, H., Masaki, S., Kanada, Y. Digital videotex communication processing equipment 85−25404
Nakano, H., Mikawa, T., Yamauchi, J. Numerical analysis of mono-filar conical helix 85−13300
Nakano, H., Mikawa, T., Yamauchi, J. Monofilar conical-helix antenna with low pitch angle 85−13329
Nakano, H., Mikawa, T., Yamauchi, J. Investigation of a short conical helix antenna 86−22798
Nakano, H., Mimaki, H., Yamauchi, J. Numerical analysis of a helical antenna with a finite ground plane 87−27018
Nakano, H., Minegishi, Y., Hirose, K. Effects of feed wire on radiation characteristics of a dual spiral antenna 88−40679
Nakano, H., Minegishi, Y., Tanabe, M., Hirose, K., Yamauchi, J. Dual spiral antennas 88−52292
Nakano, H., Minegishi, Y., Yamauchi, J. Dual spiral antenna 88−2718
Nakano, H., Morita, H., Washida, H., Kato, T., Hayashi, S., Onoe, A. Low cost and high performance antireflective coatings for solar cells 85−39203
Nakano, H., Nagai, S. Microcomputer-assisted system for measurement of ultrasonic velocity 88−67680
Nakano, H., Nogami, K., Arai, S., Mimaki, H., Yamauchi, J. A spiral antenna backed by a conducting plane reflector 86−64083
Nakano, H., Nogami, K., Yamauchi, J. Numerical analysis of spiral antenna backed by a reflector 86−42951
Nakano, H., Samada, Y., Yamauchi, J. Axial mode helical antennas 87−7607
Nakano, H., Sasaki, S., Isuui, S., Chinone, N., Maeda, M. Comparison of optical reflection tolerance between conventional and λ/4-shifted DFB lasers in a 2.4 Gbit/s system 88−67357
Nakano, H., Sasaki, S., Maeda, M., Aiki, K. Dual-in-line laser diode module for fiber-optic transmission up to 4 Gbit/s 88−20654
Nakano, H., Sato, M., Yamauchi, J. Generation of a wide circularly polarised wave from a conical-helix antenna 87−47277
Nakano, H., Schmeichel, H. A positive method against RAM upsets due to cosmic particles 85−15394
Nakano, H., Shiozawa, T. Analysis of oscillation characteristics for the Raman-type free-electron laser utilizing a two-dimensional periodic magnetic field for the pumping source 85−56727
Nakano, H., Shiozawa, T. Analysis of oscillation characteristics for the Raman-type free-electron laser utilizing a two-dimensional periodic magnetic field for the pumping source 87−54352
Nakano, H., Tagami, H., Yamauchi, J. Numerical analysis of an axial-mode zigzag antenna 85−57100
Nakano, H., Takahashi, I. A novel type of thyristor converter with interphase reactors 88−75758
Nakano, H., Tanabe, M., Yamauchi, J., Shafai, L. Spiral slot antenna 87−47361
Nakano, H., Tateishi, S., Nakanishi, Y. An analysis of local neighborhood search method for 0-1 knapsack problem 86−27243
Nakano, H., Tsuchiya, H., Matsuo, T., Iwata, K. Power loss reduction of snubber circuits for gate turn off thyristors 88−5758
Nakano, H., Yamane, T., Yamauchi, J. Hallen-type integral equations for a system composed of wires and slots 85−13225
Nakano, H., Yamane, T., Yamauchi, J., Samada, Y. Helical antenna with increased power gain 85−13242
Nakano, H., Yamashita, S., Tanaka, T.P., Hirao, M., Maeda, M. Monolithic integration of laser diodes, photomonitors, and laser driving and monitoring circuits on a semi-insulating GaAs [substrate] 86−63734
Nakano, H., Yamauchi, J., Eda, M., Iwasaki, T. Numerical analysis of electromagnetic couplings between wires and slots using integral equations 85−41727
Nakano, H., Yamauchi, J., Samada, Y. Power gain of helical antenna 85−41711
Nakano, H., Yamauchi, J., Yoshizawa, A. The moment method for electromagnetic coupling between arbitrarily bent wire and slot structures 86−68845
Nakano, H., Yoshizawa, A., Yamauchi, J. Characteristics of a crossed-wire scatterer without a junction point of an incident wave of circular polarization 85−41583
Nakano, H. *see* Hasegawa, M. 88−23986
Nakano, H. *see* Hashimoto, S. 85−47557
Nakano, H. *see* Hashimoto, Y. 87−47365
Nakano, H. *see* Hirao, M. 86−9879
Nakano, H. *see* Inamura, H. 88−47426
Nakano, H. *see* Jaeger, R.P. 86−9155
Nakano, H. *see* Karnezos, M. 87−38042
Nakano, H. *see* Kerner, S.R. 88−931
Nakano, H. *see* Maeda, M. 87−18864, 88−58382, 88−65514
Nakano, H. *see* Matsueda, H. 85−2331
Nakano, H. *see* Mizunuma, Y. 88−71126
Nakano, H. *see* Nakamura, M. 86−48299
Nakano, H. *see* Ohaku, K. 87−18804

Nakano, H. *see* Ohta, T. 87−66460
Nakano, H. *see* Sasaki, S.-Y. 88−65732
Nakano, H. *see* Shibuya, M. 85−23787
Nakano, H. *see* Shiozawa, T. 86−3203
Nakano, H. *see* Tanino, N. 87−31908
Nakano, H. *see* Yamauchi, J. 87−75574, 88−45773
Nakano, I., Emura, T., Hotta, T., Tomoda, Y., Nagano, H. Ocean bottom SQUID magnetometer 85−53150
Nakano, I., Emura, T., Kai, G., Tomoda, Y., Fujimoto, H. Ocean bottom gravity meter 87−42223
Nakano, I. *see* Abe, K. 88−16629
Nakano, I. *see* Asano, Y. 87−29494, 87−77538 to 77539
Nakano, J., Ito, Y., Tachiiri, Y. Computer-aided simulation system for electronic engine control 85−16370
Nakano, J., Mimura, Y., Nagata, K., Hasumi, Y., Waho, T. RF CO_2 oxidation and double-layer resist technique realizing Josephson junctions very small I_j-spread 85−46099
Nakano, J., Tagami, S. The asymptotic behaviour of the sample autocovariance function for an autoregressive integrated moving average process 85−41896
Nakano, J., Wada, M. Impurity effects in RF O_2 plasma oxidation for Pb-alloy Josephson junctions 86−42163
Nakano, J. *see* Kawai, M. 86−26384
Nakano, J. *see* Kuroda, K. 87−31789, 87−32913
Nakano, J. *see* Nagata, K. 85−28490
Nakano, J. *see* Ono, H. 85−16334
Nakano, J. *see* Yuda, M. 87−38691
Nakano, K., Hirane, Y. Characteristics of a hybrid motor 87−58128
Nakano, K., Ikeda, M., Toda, A., Kojima, C. Very low threshold current density of a GaInP/AlGaInP double-heterostructure laser grown by MOCVD 87−75083
Nakano, K., Ishikawa, T., Suzuki, H., Sakasai, M., Sato, N. A new ion-halogenated flame retardant compound and its jacketed telecommunication cables 86−49435
Nakano, K., Ozawa, J. Recent aspects of zinc oxide lightning arresters 85−9547
Nakano, K., Shimizume, K., Uematsu, I., Masuda, S., Shinkura, M., Suzuki, T., Kataka, K. LSI sets design for DAT taking general applicability and mass-productivity into account 88−35750
Nakano, K., Yokota, S., Kosimizu, A. Instantaneous flowmeter for hydraulic systems utilizing the dynamic characteristics of cylindrical chokes 2nd report comparisons with a gear-motor-type flowmeter 87−70867
Nakano, K. *see* Berenz, J. 85−28439, 86−8456, 87−59878
Nakano, K. *see* Berenz, J.J. 85−1063, 85−17838
Nakano, K. *see* Chang, K. 85−28710
Nakano, K. *see* Ikeda, M. 86−36456, 86−54162, 87−16597, 87−54291, 88−14176, 88−45427
Nakano, K. *see* Inagaki, S. 87−66645
Nakano, K. *see* Ito, K. 86−62880, 87−78706
Nakano, K. *see* Kaneko, I. 85−64360
Nakano, K. *see* Kon, T. 88−64118
Nakano, K. *see* Kumagai, O. 88−65710
Nakano, K. *see* Lam, W. 88−71068
Nakano, K. *see* Maruyama, K. 87−29282, 87−47003
Nakano, K. *see* Naitoh, Y. 87−2740
Nakano, K. *see* Ozawa, J. 86−39239
Nakano, K. *see* Schaffner, J. 87−59871
Nakano, K. *see* Schaffner, J.H. 88−71624
Nakano, K. *see* Sholley, M. 86−8513
Nakano, K. *see* Suzuki, Y. 87−37328
Nakano, K. *see* Tanii, Y. 85−37322
Nakano, K. *see* Ting-Ih Hsu 86−67487
Nakano, K. *see* Yasuda, K. 88−57048
Nakano, K. *see* Yasuda, M. 87−64764
Nakano, K. *see* Yokota, S. 88−60715
Nakano, K. *see* Yonaki, J. 88−63964
Nakano, K.-I. *see* Hirano, M. 88−53146
Nakano, M. 3-D SOI/CMOS 85−50758
Nakano, M. New underground conduit construction methods 86−49427
Nakano, M. Improving underground telecommunication facilities reliability during earthquakes 87−3030
Nakano, M. Three-dimensional ICs at Fujitsu 88−1793
Nakano, M., Aomine, T. Temperature dependence of current-voltage characteristics of Nb-Cu-Nb bridges 88−20277
Nakano, M., Honda, Y. Sample and hold IC for CCD imager μPD6148G 88−22642
Nakano, M., Kajio, Y., Hino, H., Wakagi, M., Shimizu, T. Development of the pipe camera for telephone cable installation and piping maintenance 88−21891
Nakano, M., Kanamori, K., Yoshida, H., Ohtsuka, S. FIP latch/driver μPD6323C 86−1107
Nakano, M., Matsumoto, I., Sato, M., Takahashi, T., Abe, T., Fujisaki, K. Digital private branch exchange 85−57857
Nakano, M., Mukai, Y., Mohri, K., Yoshida, Y. Torque sensors for induction motors using amorphous microcore field sensors 88−53641
Nakano, M., Takeda, T., Takano, H. Sensitivity analysis of cell neutronic parameters in high-conversion light-water reactors 88−5463
Nakano, M., Watanabe, S., Iwata, S., Saitoh, Y. A new LCD with an input function using conventional electrodes for both display and input 88−16276
Nakano, M. *see* Araki, K. 87−30204
Nakano, M. *see* Chin, T.H. 85−5190
Nakano, M. *see* Enomoto, M. 85−56441, 87−54184
Nakano, M. *see* Izawa, T. 85−50764
Nakano, M. *see* Kawamura, S. 85−49843, 86−9312, 88−39702
Nakano, M. *see* Kobayashi, F. 85−6232
Nakano, M. *see* Kudoh, M. 87−1933
Nakano, M. *see* Matsunaga, T. 88−21866
Nakano, M. *see* Matsuo, Y. 85−48521
Nakano, M. *see* Mizukami, T. 86−4507
Nakano, M. *see* Mohri, K. 87−22330, 88−53636
Nakano, M. *see* Mukai, R. 86−15248, 87−23699, 87−38156, 88−13192, 88−71742
Nakano, M. *see* Nakata, T. 87−3724, 87−21211, 88−4592, 88−17689, 88−60887
Nakano, M. *see* Nakayama, Y. 88−24782
Nakano, M. *see* Nozawa, T. 87−76772
Nakano, M. *see* Ohkawa, Y. 88−28868
Nakano, M. *see* Saitoh, S. 88−22641
Nakano, M. *see* Sasaki, N. 85−18191, 85−49886, 85−50780, 88−36146
Nakano, M. *see* Takemae, Y. 86−8264
Nakano, M. *see* Takeuti, T. 86−15922
Nakano, M. *see* Tanioka, S. 87−31093
Nakano, M. *see* Tanioka, S.-I. 86−33880
Nakano, M. *see* Yoshida, Y. 86−63257
Nakano, N. Three dimensional IC 86−35894
Nakano, N. *see* Fukushima, Y. 85−64418, 86−31986
Nakano, N. *see* Kuroda, H. 86−31749, 86−38624
Nakano, N. *see* Maeda, K. 85−18897
Nakano, N. *see* Miyao, M. 86−18227
Nakano, N. *see* Takada, Y. 88−40348
Nakano, N. *see* Takeda, S. 86−5696
Nakano, R. Z80000 32-bit microprocessor 86−27374
Nakano, R. *see* Endo, T. 88−51688
Nakano, R. *see* Takeshita, M. 87−46846
Nakano, S. A study on edge-coloring algorithms 88−6372
Nakano, S. Auto-speed control system 88−76035
Nakano, S., Ishii, K., Takeda, T., Gannen, K., Tanaka, N. A compact fluorescent lamp and a downlight 87−16155
Nakano, S., Kishi, Y., Ohnishi, M., Tsuda, S., Shibuya, H., Nakamura, N., Hishikawa, Y., Tarui, H., Takahama, T., Kuwano, Y. High performance a-Si solar cells and narrow bandgap materials 86−35368
Nakano, S., Kuwano, Y., Ohnishi, M. High performance a-Si solar cells and new fabrication methods for a-Si solar cells 87−30934
Nakano, S., Matsuoka, T., Kiyama, S., Kawata, H., Nakamura, N., Nakashima, Y., Tsuda, S., Nishiwaki, H., Ohnishi, M., Nagaoka, I., Kuwano, Y. Laser patterning method for integrated type a-Si solar cell submodules 87−36130
Nakano, S., Nagai, N., Ikeda, A. An ISDN basic access LSI 88−59841
Nakano, S., Nagai, N., Miyagishi, O. Designs for network interface on terminal equipment 88−15208
Nakano, S., Nagai, N., Miyagishi, O., Yamamoto, T. Designs for network interface on terminal equipment 88−8975
Nakano, S., Nagai, N., Sawada, R., Ikeda, A. A network control unit for ISDN 88−67090
Nakano, S., Nishizeki, T., Saito, N. On the f-coloring of graphs 87−44162
Nakano, S., Nishizeki, T., Saito, N. Upper bounds for the *fg*-chromatic index of graphs 88−18587
Nakano, S., Tarui, H., Haku, H., Takahama, T., Matsuyama, T., Isomura, M., Nishikuni, M., Nakamura, N., Tsuda, S., Ohnishi, M., Kuwano, Y. Material investigations for high-efficiency and high-reliability a-Si solar cells 88−37490
Nakano, S., Tarui, H., Takahama, T., Isomura, M., Matsuyama, T., Haku, H., Nishikuni, M., Tsuda, S., Ohnishi, M., Kishi, Y., Kuwano, Y. New fabrication process and new materials for high efficiency a-Si solar cells 88−17972
Nakano, S., Tsuda, S., Tarui, H., Takahama, T., Haku, H., Watanabe, K., Nishikuni, M., Hishikawa, Y., Kuwano, Y. High quality a-Si films and superlattice structure p-layer a-Si solar cells 87−23740
Nakano, S. *see* Aoyama, S. 88−46795
Nakano, S. *see* Haku, H. 88−24792
Nakano, S. *see* Kawada, H. 87−78927
Nakano, S. *see* Kawamura, S. 88−76036
Nakano, S. *see* Kuwano, Y. 86−7020, 87−78906, 88−31008
Nakano, S. *see* Matsumoto, T. 87−65360, 87−65363
Nakano, S. *see* Nishizeki, T. 88−46616
Nakano, S. *see* Ohkoshi, S. 87−13487
Nakano, S. *see* Ohnishi, M. 85−61005, 86−45700, 88−31852
Nakano, S. *see* Shibata, K. 86−50099, 88−29329
Nakano, S. *see* Shimokawa, R. 87−9799
Nakano, S. *see* Takahama, T. 87−22741
Nakano, S. *see* Tamura, S. 85−42005, 85−43376
Nakano, S. *see* Tanaka, M. 88−31851
Nakano, S. *see* Tarui, H. 87−30978
Nakano, S. *see* Tsuda, S. 86−33664, 87−9845, 87−31573, 87−31578 to 31579, 88−49150
Nakano, S. *see* Yamazaki, H. 85−44294
Nakano, S. *see* Yokoo, T. 87−70648
Nakano, S.I., Nishizeki, T., Saito, N. On the *f*-coloring of multigraphs 88−38068
Nakano, T., Kihira, T., Ohki, Y. Plasma polymer coating for suppression of charge injection into polyethylene 88−24826
Nakano, T., Mizoshiri, I., Katsume, H. Left ventricular edge detection from M-mode echocardiogram 85−9128
Nakano, T., Ohsawa, H., Endoh, K. A high-performance cycloconverter-fed synchronous machine drive system 85−21978
Nakano, T., Suzuki, S., Honma, K., Kinoshita, M., Sasaki, I. Optical head controlled by double diffraction patterns 88−45064
Nakano, T., Yuri, H., Kihara, U. Magneto-optical properties of YIG single crystal by TSFZ method 85−29430
Nakano, T. *see* Adachi, R. 86−52074
Nakano, T. *see* Anami, K. 85−49890
Nakano, T. *see* Ando, M. 85−28804
Nakano, T. *see* En, T. 86−29323
Nakano, T. *see* Hatta, M. 86−52837
Nakano, T. *see* Horii, N. 87−28096
Nakano, T. *see* Ihara, S. 85−58120
Nakano, T. *see* Iiyoshi, S. 86−70742
Nakano, T. *see* Ise, T. 85−38451
Nakano, T. *see* Ishii, K. 86−4427
Nakano, T. *see* Karube, K. 88−70524
Nakano, T. *see* Kawahira, H. 85−36892
Nakano, T. *see* Kobayashi, T. 87−10859
Nakano, T. *see* Koike, N. 86−5044
Nakano, T. *see* Koitabashi, M. 88−64215
Nakano, T. *see* Kumanoya, M. 86−8259, 86−20530
Nakano, T. *see* Mashiko, K. 85−22870, 87−10872, 87−59481, 88−6819
Nakano, T. *see* Miyamoto, H. 86−46835
Nakano, T. *see* Mochizuki, H. 87−59509
Nakano, T. *see* Nagao, H. 86−58066
Nakano, T. *see* Nagao, M. 86−27112, 88−12204, 88−62459
Nakano, T. *see* Namba, S. 85−34536
Nakano, T. *see* Ozeki, O. 85−58541, 86−70075
Nakano, T. *see* Sasaki, I. 87−16558
Nakano, T. *see* Sato, T. 88−12216, 88−70247
Nakano, T. *see* Sawada, K. 88−57025
Nakano, T. *see* Taguchi, M. 87−44843
Nakano, T. *see* Umeda, H. 87−31760
Nakano, T. *see* Yamaguchi, K. 85−49899
Nakano, T. *see* Yamamoto, S. 86−70225
Nakano, T. *see* Yamana, M. 87−70720
Nakano, Y. Automatic measurements of the small angle variation using a holographic moire interferometry and a computer processing 88−40403
Nakano, Y., Fujisawa, H., Higashino, J. A fast algorithm for the skew normalization of document images 87−27623
Nakano, Y., Fujita, O., Sudo, H., Iwane, G. Highly reliable optical semiconductor devices 86−23843
Nakano, Y., Fujita, Y. Optical video disc 86−69942
Nakano, Y., Itaya, Y., Fukuda, M., Noguchi, Y., Yasaka, H., Oe, K. 1.55 μm narrow-linewidth multielectrode DFB laser for coherent FSK transmission 87−76734
Nakano, Y., Iwane, G. An evaluation method for laser diodes 85−56644
Nakano, Y., Luo, Y., Tada, K. AlGaAs/GaAs visible distributed feedback laser operating at 770 nm 88−14193
Nakano, Y., Maeda, M., Kanno, T., Miyano, Y., Shibukawa, M., Ikuzaki, K., Satoh, Y. VLSI for digital cross-connect switch in broad-band access network 88−44873
Nakano, Y., Miyazaki, Y. Optical mode conversion device using magnetostatic surface wave 88−13955
Nakano, Y., Noguuchi, Y. 1.3 μm buried-heterostructure lasers on p-type InP substrates 85−51173
Nakano, Y., Ohya, S. Effects of nonlinearity of element on KdV equation in lumped circuit 88−56423
Nakano, Y., Sudo, H., Iwane, G., Matsumoto, T., Ikegami, T. Reliability of semiconductor lasers and detectors for undersea transmission systems 85−35745
Nakano, Y., Sugimoto, S., Arai, H. A method to measure position and attitude of tunnelling machine 87−8743
Nakano, Y., Sugimoto, S., Arai, H. Tunnelling machine position and attitude measurement 87−56836

Nakano, Y., Sugimoto, S., Arai, H. A method to measure position and attitude of a tunneling machine 88−53107
Nakano, Y., Tada, K. Low threshold operation of a GaAlAs/GaAs distributed feedback laser with double channel planar buried heterostructure 87−12454
Nakano, Y., Tada, K. A GaAlAs/GaAs distributed feedback laser with double-channel planar buried heterostructure 87−26429
Nakano, Y., Tada, K. Lateral analysis of GaAlAs/GaAs ridge waveguide distributed feedback lasers 87−39076
Nakano, Y., Tada, K. Complete single longitudinal mode oscillation in a GaAlAs/GaAs distributed feedback laser with a modulated stripe width structure fabricated using reactive ion etching 87−68446
Nakano, Y., Tada, K. In situ monitoring technique for fabrication of high-quality diffraction gratings 88−26928
Nakano, Y., Tada, K. Application of modulated-stripe-width structure to low threshold GaAlAs/GaAs distributed feedback lasers 88−27132
Nakano, Y. *see* Fujita, O. 86−15707, 86−29160
Nakano, Y. *see* Fukuda, M. 88−27158
Nakano, Y. *see* Fukushima, M. 88−23524
Nakano, Y. *see* Hara, H. 86−44172
Nakano, Y. *see* Hosoda, K. 86−4551
Nakano, Y. *see* Itaya, Y. 87−75103
Nakano, Y. *see* Iwane, G. 86−30827
Nakano, Y. *see* Iwashita, K. 87−75092
Nakano, Y. *see* Kamejima, K. 86−4232, 86−43346, 88−59333
Nakano, Y. *see* Kawaguchi, H. 87−33141
Nakano, Y. *see* Komori, M. 88−36557
Nakano, Y. *see* Magari, K. 88−20632
Nakano, Y. *see* Matsuoka, T. 87−54306
Nakano, Y. *see* Sasaki, M. 85−43687
Nakano, Y. *see* Sudo, H. 85−49395, 86−28993
Nakano, Y. *see* Tada, K. 88−14205
Nakano, Y. *see* Takasaki, Y. 85−20242
Nakano, Y. *see* Tanaka, M. 85−37682
Nakano, Y. *see* Yasaka, H. 88−2238
Nakano, Y. *see* Yoshida, J. 86−36478
Nakanoi, M. *see* Nakata, T. 88−1856
Nakanura, F. *see* Miwazawa, S. 87−4795
Nakanushi, T., Nagasawa, K., Shinohara, F. Automatic measuring and data acquisition system for power transformer 87−72207
Nakao, A. Facsimile communications via the international public switched telephone network 88−28308
Nakao, H., Hirano, K. Trapezium fluorescent indicator panel (FIP) 86−60156
Nakao, H. *see* Jyo, Y. 88−44283
Nakao, H. *see* Masuda, S. 87−38605
Nakao, I. *see* Fuse, G. 88−19166
Nakao, I. *see* Shibata, J. 85−35662
Nakao, I. *see* Umimoto, H. 88−71436
Nakao, K., Fukuda, S., Anami, S., Shidara, T., Saito, Y., Honma, H., Hanaki, H., Matuda, N., Tanaka, J. Performance of the permanent focusing magnets for the high power klystron in the PF linac 87−14678
Nakao, K., Herlach, F., Goto, T., Takeyama, S., Sakakibara, T., Miura, N. A laboratory instrument for generating magnetic fields over 200 T with single turn coils 86−22636
Nakao, K., Hirano, M., Tsushima, T., Iida, S. Contraction motions of stripe domains in bubble films with in-plane magnetization layers 85−56099
Nakao, K. *see* Fukuda, S. 87−45514
Nakao, K. *see* Goto, T. 88−40477
Nakao, K. *see* Hasuchi, K. 86−54827
Nakao, K. *see* Matuda, N. 88−32706
Nakao, K. *see* Miura, N. 86−36671, 88−40476
Nakao, K. *see* Miyajima, H. 87−60869
Nakao, K. *see* Miyasato, T. 86−30328
Nakao, K. *see* Miyauchi, S. 88−9099
Nakao, K. *see* Obana, S. 86−16862
Nakao, K. *see* Ohsawa, S. 87−14686
Nakao, K. *see* Ohtani, Y. 87−1914
Nakao, K. *see* Saito, Y. 85−37842, 86−14809, 87−14677, 88−32718
Nakao, K. *see* Sato, I. 87−41704
Nakao, K. *see* Sato, Y. 86−33171
Nakao, K. *see* Tanaka, H. 87−14679
Nakao, K. *see* Urano, Y. 86−37294
Nakao, M., Itoh, K., Honda, K. Effect of donor density of semiconductor on spectral sensitization photocurrent 85−18781
Nakao, M., Ohmura, K., Sato, R. Hardware-based adaptive system for discrimination of neuronal spikes 88−68425
Nakao, M., Sato, K., Oishi, M., Itaya, Y., Imamura, Y. Characterization of InGaAsP/InP double-heterostructure wafers grown by metalorganic vapor phase epitaxy for semiconductor lasers by photoluminescence investigation with high-power YAG-laser excitation 88−51809
Nakao, M., Yamashita, K. Generation of semi-Markov sequences and analytical determination of its autocorrelation function and power spectrum 88−56497
Nakao, M. *see* Hamai, H. 86−30524
Nakao, M. *see* Itaya, Y. 87−39090
Nakao, M. *see* Kim, M. 88−69798
Nakao, M. *see* Matsuura, F. 85−16451
Nakao, M. *see* Ogino, T. 86−39314
Nakao, M. *see* Ohishi, K. 87−43056
Nakao, M. *see* Ohshima, K. 88−28604
Nakao, M. *see* Oishi, M. 87−68471
Nakao, M. *see* Suzuki, S. 85−22875
Nakao, M. *see* Wakita, K. 87−60968, 88−13940
Nakao, M.T. Error estimates of a Galerkin method for some nonlinear Sobolev equations in one space dimension 85−60920
Nakao, M.T. Some superconvergence for a Galerkin method by averaging gradients in one dimensional problems 87−44202
Nakao, M.T. Superconvergence of the gradient of Galerkin approximations for elliptic problems 88−18625
Nakao, N. *see* Itoh, K. 85−18189
Nakao, O. *see* Takafuji, A. 86−71142
Nakao, S., Hashimoto, T., Nemoto, Y., Kohara, M., Shibata, H. New packaging technology for smart card by TAB 87−66800
Nakao, S., Kuroki, H. Development and practical application of new MEDIS wires 85−40982
Nakao, S., Wakimoto, Y. Preventive maintenance for daily start and stop operations and life estimation of large induction motors 87−15739
Nakao, S. *see* Kohara, M. 86−14632
Nakao, S. *see* Mitsuhashi, J. 87−53566
Nakao, S. *see* Uozato, H. 85−4306, 85−4312
Nakao, T., Ojima, M., Miyamura, Y., Okamine, S., Sukeda, H., Ohta, N., Takeuchi, Y. High speed overwritable magneto-optic recording 88−45238
Nakao, T. *see* Iyama, O. 85−39320
Nakao, T. *see* Kakimori, N. 87−8403
Nakao, T. *see* Kawashima, M. 87−59362
Nakao, T. *see* Nakamura, S. 88−45051
Nakao, T. *see* Ojima, M. 88−65153
Nakao, T. *see* Okamine, S. 88−64943
Nakao, T. *see* Sakawa, M. 86−26718
Nakao, T. *see* Terao, M. 85−50895
Nakao, Y., Itoh, H., Sakai, Y., Tagashira, H. Studies of the creepage discharge on the surface of liquids 88−44898
Nakao, Y., Miyagi, K., Hattori, T. Studies of creeping discharge on the surfaces of electrolytic aqueous solution by Schlieren method 85−45912
Nakao, Y. *see* Hiroshima, T. 88−38005
Nakao, Y. *see* Masuda, N. 85−42795
Nakao, Y. *see* Nitta, S. 85−62825
Nakao, Y. *see* Okawa, Y. 87−30333
Nakao, Y. *see* Takebe, H. 85−20374
Nakao, Y. *see* Urano, Y. 86−4243
Nakao, Y. *see* Yamashita, N. 86−22231
Nakaoka, A., Kuribara, M., Oba, K., Kuroi, H. Cerenkov radiation viewing device−development and experimental results 87−71029
Nakaoka, A., Takagi, S., Fukushima, M., Ichikawa, Y. Evaluation of radiation dose from a coal-fired power plant 85−38846
Nakaoka, M., Kim, D., Maruhashi, T. New transistorized switching-mode power supply with resonant energy transfer links 85−39915
Nakaoka, M., Kim, D., Maruhashi, T. A sequential switching-mode high-frequency inverter using asymmetrical-SCRs 86−33511
Nakaoka, M., Kim, D., Maruhashi, T. Resonant current phasor control-based high-frequency inverter using power MOSFETs 87−51350
Nakaoka, M., Kim, D.H., Maruhashi, T. The state-of-the-art developments of high-frequency inverters using new power semiconductor devices 86−6898
Nakaoka, M., Maniwa, S., Maruhashi, T., Omori, H. A new high-frequency resonant PWM inverter-linked DC-DC converter utilizing Bi-MOS power devices and its performance evaluations 88−24990
Nakaoka, M., Maruhashi, T. Innovation in solid state power electronics 86−35625
Nakaoka, M., Maruhashi, T. Innovation in solid-state power electronics and its future trends. II 86−51773
Nakaoka, M., Maruhashi, T. Innovation on solid-state power electronics and its future trends. III 86−52675
Nakaoka, M., Maruhashi, T., Koga, T., Sugawara, S., Nishimura, T. A phase-different angle control-mode PWM high-frequency resonant inverters using static induction-transistors and -thyristors 87−73321
Nakaoka, M., Maruhashi, T., Yu, G., Nagai, S. PWM high-frequency resonant inverter using static induction thyristors 88−49050
Nakaoka, M., Yu, G., Chibani, A., Yonemori, H., Ueda, H., Ogino, Y. Resonant flyback switched-mode DC-DC converters using static induction power devices 88−69554
Nakaoka, M. *see* Chibani, A. 88−75828
Nakaoka, M. *see* Hatanaka, Y. 88−30784
Nakaoka, M. *see* Hino, H. 88−75782, 88−75839
Nakaoka, M. *see* Inoue, T. 88−69389
Nakaoka, M. *see* Kim, D. 86−33509
Nakaoka, M. *see* Kim, D.H. 87−15089
Nakaoka, M. *see* Nishimura, T. 87−43327, 87−78681, 88−69388
Nakaoka, M. *see* Ogiwara, H. 88−69525, 88−75826, 88−75842
Nakaoka, M. *see* Omori, H. 86−12936, 88−11311, 88−70519, 88−75827
Nakaoka, M. *see* Savary, P. 85−65183, 86−7977, 86−33510, 86−61603, 87−52350, 88−11310
Nakaoka, M. *see* Yonemori, H. 88−48819
Nakaoka, R.K. *see* Imhoff, C.H. 86−40051
Nakaoka, S. Plastic powder sensors 87−63363
Nakaoka, T. *see* Uehara, H. 85−15939, 86−39618
Nakaoke, K. Coplanar waveguide array antenna 88−40719
Nakarai, T. *see* Kato, Y. 87−38722
Nakasaki, Y. *see* Suguro, K. 87−32450, 87−67042
Nakasato, Y. Low cost electrically conductive spring material for advanced connectors 85−11693
Nakase, H. *see* Gotoh, Y. 85−9951
Nakase, M. Exposure characteristics and proximity effect in Ag$_2$Se/GeSe$_4$ inorganic photoresists 85−61809
Nakase, M. The potential of optical lithography 86−8945
Nakase, M. Potential of optical lithography 87−60542
Nakase, M., Niki, H., Satoh, T., Kumagae, A. Characterization of a newly developed contrast enhancement material for G-line exposure 87−45736
Nakase, M., Sato, T., Nonaka, M., Higashikawa, I., Horiike, Y. Submicron optical lithography using a KrF excimer laser projection exposure system 88−13232
Nakase, M. *see* Horiguchi, F. 88−38525
Nakase, M. *see* Horiike, Y. 87−67512, 88−19804, 88−39342
Nakase, M. *see* Sato, T. 88−33307
Nakase, Y., Anami, K., Shiomi, T., Kayano, S. A double word line structure in ECL RAM 87−24188
Nakase, Y., Anami, K., Shiomi, T., Ohba, A., Kayano, S. A macro analysis of soft errors in static RAMs 88−50140
Nakase, Y. *see* Kayano, S. 87−66168
Nakaseko, M. *see* Otsuka, F. 85−37085
Nakashi, K. *see* Suzuki, T. 87−25866
Nakashiba, H., Yamada, K., Denda, A., Hatano, T., Okamura, H., Kusunose, N., Fuse, E., Sasaki, M., Takamori, K., Tanoguchi, A. Low power high speed BiCMOS gate-array 87−31818
Nakashiba, H., Yamada, K., Hatano, T., Denda, A., Kusunose, N., Fuse, E., Sasaki, M. A subnanosecond Bi-CMOS gate-array family 86−67957
Nakashiba, H., Yamada, K., Hatano, T., Denda, A., Kusunose, N., Fuse, E., Sasaki, M. Low power and high-speed BiCMOS gate arrays 87−44765
Nakashiba, H. *see* Nishiyama, K. 88−19055
Nakashiba, H. *see* Takahashi, T. 86−34714
Nakashiba, Y. *see* Nagai, K. 87−70245
Nakashiba, Y. *see* Nakajima, H. 87−41204
Nakashima, H. The cryogenic system of a superconducting magnetically levitating vehicle 87−72508
Nakashima, H., Fukunaga, T. GaAs/AlGaAs molecular beam epitaxial growth and substrate orientation 88−38173
Nakashima, H., Ishida, K. Fabrication of index-guided AlGaAs multiquantum well lasers and grating structures by Si-induced disordering 88−65354
Nakashima, H., Morihiro, Y., Hayashizaki, H., Utano, T., Kato, S. Satellite Digital Communication Service (SDCS) using CS-2 in Japan 86−59850
Nakashima, H., Semura, S., Ohta, T., Kuroda, T. AlGaAs window stripe buried multiquantum well lasers 86−9854
Nakashima, H., Semura, S., Ohta, T., Kuroda, T. AlGaAs window stripe buried multi-quantum well lasers fabricated by Zn-diffusion-induced disordering 86−42585
Nakashima, H., Semura, S., Ohta, T., Uchida, Y., Saito, H., Fukuzawa, T., Kuroda, T., Kobayashi, K.L.I. Device characteristics of GaAlAs buried-multiquantum-well lasers fabricated by Zn-diffusion-induced disordering 85−62580
Nakashima, H., Tomokage, H., Kitagawa, H., Hashimoto, K. Energy level and solid solubility of cobalt in silicon by in-depth profile measurement 85−11879
Nakashima, H., Watanabe, Y., Yoshikawa, T., Sato, K. High-speed broadband communications via satellite 85−30953
Nakashima, H., Yasuo, N., Ohsawa, M., Ozaki, A., Horiguchi, H., Bessho, M. Development of welding condition library system for 'HIROBO' 87−79244
Nakashima, H., Yokotsuka, T., Uchida, Y., Narusawa, T. Formation and thermal stability of LaB$_6$-GaAs(001) Schottky barrier 88−19742
Nakashima, H., Yoshikawa, T., Satoh, K. High-speed broadband communications via satellite 86−11026
Nakashima, H. *see* Arimoto, H. 88−44639

Nakashima, H. *see* Brillouet, F. 87−74077
Nakashima, H. *see* Fukunaga, T. 86−1785, 87−278, 87−16614
Nakashima, H. *see* Ishida, K. 87−7373, 87−12490, 87−53246, 87−75125
Nakashima, H. *see* Jizo, Y. 87−5064
Nakashima, H. *see* Kita, A. 87−78871
Nakashima, H. *see* Kobayashi, J. 86−58297, 87−11616, 87−38063
Nakashima, H. *see* Kobayashi, K.L.I. 85−29042
Nakashima, H. *see* Matsui, K. 86−58382, 87−6533, 87−45763, 87−66944
Nakashima, H. *see* Morihiro, Y. 87−34469, 87−48983, 88−46983
Nakashima, H. *see* Narusawa, T. 87−17848
Nakashima, H. *see* Semura, S. 85−62603, 86−3163
Nakashima, H. *see* Takahashi, H. 86−64906
Nakashima, H. *see* Takamori, T. 87−65505
Nakashima, H. *see* Takatani, S. 87−24922, 88−26351, 88−33248
Nakashima, H. *see* Uchida, Y. 86−53356, 87−38183
Nakashima, H. *see* Umetsu, T. 87−40907
Nakashima, H. *see* Watanabe, N. 86−440
Nakashima, H. *see* Yokotsuka, T. 87−37969
Nakashima, I. *see* Tanabe, T. 85−59813
Nakashima, J. *see* Hibiya, T. 86−13761, 86−42101
Nakashima, K. ICTS measurements of interface properties in GaSb MOS structure 87−45702
Nakashima, K. Electrodeless method for measuring photoconductivity spectrum of heat treated silicon 87−46657
Nakashima, K., Miyamoto, K., Ishida, O., Ebisui, T., Shiota, M., Ueda, K., Satow, T. High-power mm-wave transmitter at 60 GHz 87−74633
Nakashima, K., Tadauchi, M., Hamada, N., Sato, K., Yasunari, K., Nagayama, Y., Nagai, K., Suemori, N., Kubo, T. A CMOS facsimile video signal processor 86−37381
Nakashima, K., Yamato, K. Redundancy technique of multi-valued output systems for minimizing expected loss 87−23429
Nakashima, K. *see* Aizawa, K. 87−47642
Nakashima, K. *see* Hamada, N. 86−10715
Nakashima, K. *see* Hata, S. 88−64627
Nakashima, K. *see* Hikita, M. 86−40579, 87−51898
Nakashima, K. *see* Ikuta, H. 86−70723
Nakashima, K. *see* Kino, H. 86−52580
Nakashima, K. *see* Murayama, K. 86−40007
Nakashima, K. *see* Nojima, S. 88−44570
Nakashima, K. *see* Tadauchi, M. 86−23400, 88−33393
Nakashima, K. *see* Takeda, Y. 85−22485
Nakashima, K. *see* Wakita, K. 87−76755
Nakashima, K. *see* Yasui, H. 85−13722, 85−47066
Nakashima, K. *see* Yoshizawa, M. 88−2270
Nakashima, M. *see* Ando, M. 88−57118
Nakashima, M. *see* Hiraoka, N. 88−38015
Nakashima, M. *see* Ikeda, T. 87−27250
Nakashima, M. *see* Koezuka, T. 86−4010
Nakashima, M. *see* Sagara, K. 88−68247 to 68248
Nakashima, M. *see* Takahashi, N. 88−56678
Nakashima, N. *see* Takagi, Y. 85−41462
Nakashima, S., Inoue, Y., Mitsuishi, A. The evaluation of the crystallinity of laser-annealed polycrystalline silicon-on-silicon structures by Raman-microprobe polarization measurements 85−11891
Nakashima, S., Kanamori, S., Izumi, K. Temperature measurement technique using Pt diffusion into Au for ion-implanting wafers mounted on a spinning disc 86−15023
Nakashima, S., Maeda, Y., Akiya, M. High-voltage CMOS SIMOX technology and its application to a BSH-LSI 86−28495
Nakashima, S., Mizoguchi, K., Inoue, Y., Miyauchi, M., Mitsuishi, A., Nishimura, T., Akasaka, Y. Raman image measurements of laser-recrystallized polycrystalline Si films by a scanning Raman microprobe 86−40753
Nakashima, S. *see* Akiya, M. 85−565, 85−1596, 85−40744
Nakashima, S. *see* Inoue, Y. 86−62243
Nakashima, S. *see* Izumi, K. 85−12043, 86−63158
Nakashima, S. *see* Kajiyama, K. 86−8999
Nakashima, S. *see* Kozono, S. 86−49512
Nakashima, S. *see* Omura, Y. 86−41122
Nakashima, S. *see* Takai, M. 86−21404
Nakashima, T., Hamaguchi, C., Komeno, J., Ozeki, M. Magnetophonon effect and energy band parameters of InP 85−34500
Nakashima, T., Nakazawa, M., Negishi, Y. Sum-frequency generation in a polarization-preserving optical fiber 85−50932
Nakashima, T., Nakazawa, M., Seikai, S. Optical time domain reflectometer with a laser diode operating as light emitter/photodetector 85−37776
Nakashima, T., Seikai, S., Nakazawa, M. Dependence of Raman gain on relative index difference for GeO_2-doped single-mode fibers 85−56336
Nakashima, T., Seikai, S., Nakazawa, M. Configuration of the optical transmission line using stimulated Raman scattering for signal light amplification 86−64984
Nakashima, T., Seikai, S., Nakazawa, M., Negishi, Y. Theoretical limit of repeater spacing in an optical transmission line utilizing Raman amplification 87−8302
Nakashima, T., Shibata, N., Ohashi, M., Seikai, S. Evaluation of axial fibre strain based on the stimulated four-photon mixing process 86−2684
Nakashima, T., Yoshii, A. Limits on VLSI computer performance 86−34861
Nakashima, T. *see* Isoya, A. 85−52946, 87−3853
Nakashima, T. *see* Kitamura, Y. 87−52488
Nakashima, T. *see* Mizuno, A. 88−29941
Nakashima, T. *see* Nakagawa, Y. 88−50386
Nakashima, T. *see* Nakazawa, M. 85−7508, 85−12696, 85−29600, 85−41155, 87−75036, 88−2184, 88−27269
Nakashima, T. *see* Sagara, K. 88−68247 to 68248
Nakashima, T. *see* Shibata, N. 87−46485
Nakashima, T. *see* Shiozawa, T. 85−18959, 85−41418
Nakashima, T. *see* Sudo, T. 86−15211
Nakashima, T. *see* Takeda, K. 86−14295, 86−20596
Nakashima, T. *see* Tsubokawa, M. 86−42250
Nakashima, W., Nagamura, E., Aida, T. Measurement of three-dimensional shape and section of object on turn table by position-sensitive-device 88−29246
Nakashima, Y., Hamaguchi, C. Shubnikov-de Haas oscillations in $CdSnAs_2$ observed by magnetic field-modulation technique 88−1409
Nakashima, Y., Ichimura, M., Miyoshi, S. Characteristics of a large area high sensitivity particle detector 86−25118
Nakashima, Y. *see* Haku, H. 88−24792
Nakashima, Y. *see* Nakano, S. 87−36130
Nakashima, Y. *see* Takahama, T. 87−22741
Nakashima, Y. *see* Tamari, J. 86−57045
Nakashima, Y. *see* Toyoda, A. 87−51645
Nakashima, Y. *see* Tsuda, S. 87−31573, 87−31579, 88−49150
Nakashio, M. *see* Narabu, T. 87−10743
Nakashita, T., Kohno, K., Imura, T., Osaka, Y. Electronic properties of post-hydrogenated lightly-boron-doped CVD amorphous silicon 85−24367
Nakashita, T., Kohno, K., Osaka, Y. Acoustoelectric measurement of drift mobility in undoped a-Si:H 87−53164
Nakashita, T. *see* Iwaoka, T. 86−20097
Nakashita, T. *see* Kohno, K. 85−10767, 86−66855
Nakasima, H. Numerical Fourier integration of slowly decreasing function 85−60909
Nakasima, K. *see* Hanai, S. 85−2498
Nakasima, K. *see* Nakamura, K. 87−34075
Nakasima, S. *see* Okamoto, K. 85−35119
Nakasnishi, T. *see* Sekiguchi, H. 85−43876
Nakaso, N. *see* Tsukahara, Y. 87−70812, 88−10657
Nakasone, H., Melvin, C. Computer assisted voice identification system (CAVIS) 88−72833
Nakasone, M. *see* Umeda, K. 85−22517
Nakassis, A. Token passing networks and starvation issues 86−23213
Nakassis, A. On the stability of a token passing network 86−23215
Nakassis, A., Ephremides, A. A numerical approach to the analysis of interacting queues 87−33848
Nakasu, T., Oozeki, S., Kurimoto, R. Electrification equipment for the Yosan/Dosan Lines, Shikoku Japan 88−76020
Nakasuji, M., Kuniyoshi, K., Takigawa, T., Wada, H. Simplified variably shaped beam for electron beam lithography 85−46532
Nakasuji, M. *see* Dazai, M. 85−58118
Nakasuji, M. *see* Goto, M. 85−34704
Nakasuji, M. *see* Tamamushi, S. 88−39308
Nakata, A.M. *see* Lau, J. 85−41126
Nakata, H., Tanabe, M., Ichida, T. Bus type fiber-optic video transmission system 88−28871
Nakata, H., Tanabe, M., Utsumi, K., Higashino, H., Adachi, H., Yamazaki, O., Fujito, K. 2-channel video-signal optical transmitter using PLZT thin-film optical switch 88−28863
Nakata, H. *see* Abe, H. 85−18441
Nakata, H. *see* Akasaka, Y. 85−50775, 88−33320
Nakata, H. *see* Arima, H. 87−25427
Nakata, H. *see* Fujito, K. 88−28867
Nakata, H. *see* Hine, S. 85−52679
Nakata, H. *see* Hirayama, M. 85−7110, 86−21389
Nakata, H. *see* Iida, N. 87−31937
Nakata, H. *see* Inoue, Y. 86−52832
Nakata, H. *see* Itoh, H. 85−44792
Nakata, H. *see* Kato, T. 85−29259, 86−8948
Nakata, H. *see* Kohara, M. 85−23891, 86−14632
Nakata, H. *see* Matsukawa, T. 85−54892
Nakata, H. *see* Nagao, S. 85−49550, 85−50751, 87−25562
Nakata, H. *see* Nishimura, T. 85−1735, 85−45899, 86−8970
Nakata, H. *see* Satoh, S. 85−49893
Nakata, H. *see* Sekimoto, H. 86−42045, 87−6957, 87−32803, 88−20225, 88−57848
Nakata, H. *see* Sugahara, K. 86−21848, 86−35541, 86−41805
Nakata, H. *see* Tsukamoto, K. 85−50463
Nakata, H. *see* Tsutsumi, K. 86−63429
Nakata, H. *see* Watakabe, Y. 85−18264, 86−58360, 87−1598
Nakata, J., Imura, T. Photovoltaic effect of GaP/dye/metal cells 85−41242
Nakata, J. *see* Tada, M. 86−51528
Nakata, J. *see* Uetuzi, K. 86−51892
Nakata, K. Developing systems that recognize and respond to human speech 85−7840
Nakata, K. Speech recognition and its application 85−30225
Nakata, K. On the recent trends of speech information processing 87−77061
Nakata, K. The past, the present and the future of speech processing 88−14616
Nakata, K., Komine, S. An improved CELP by the separate coding of pulsive and random residuals [speech coding] 87−27337
Nakata, K. *see* Ishida, H. 88−63395
Nakata, K. *see* Iwata, S. 86−41741
Nakata, K. *see* Kobayashi, S. 85−10784
Nakata, K. *see* Miyairi, S. 86−33468, 86−45559, 87−15867
Nakata, K. *see* Nakatsui, M. 86−17272
Nakata, K. *see* Owada, N. 86−28450
Nakata, M., Hirama, K., Hamashima, T. Fundamental mode suppression on 3rd overtone mode crystal resonator 88−57857
Nakata, M., Yamaji, M. The Diamond Vision Mark II and its new lightning element 87−21163
Nakata, M. *see* Yamamoto, H. 88−37981
Nakata, N. Laser diodes have low noise and low astigmatism 88−2263
Nakata, R. *see* Addis, G. 86−9123
Nakata, R. *see* Damsky, B.L. 88−24042
Nakata, R. *see* Itoh, H. 86−47749
Nakata, R. *see* Kawano, K. 88−1991
Nakata, R. *see* Miwa, M. 88−28865
Nakata, R. *see* Toko, T. 85−32510
Nakata, R. *see* Ushiku, Y. 87−60669, 88−51010
Nakata, S. Micro joining technology and its application to assembly of microelectronics 87−45475
Nakata, S. Experiment of fast-electron extraction system 88−54293
Nakata, T. Numerical analysis of flux and loss distributions in electrical machinery 85−27465
Nakata, T., Amemiya, Y. An inverter for a magnetron for an electric oven with heating power control 85−65623
Nakata, T., Kawase, Y. Numerical analysis of nonlinear transient magnetic field using the finite element method 85−62729
Nakata, T., Kawase, Y. Analysis of magnetic characteristics of laminated cores for establishing an accuracy standard of joint dimension 87−7017
Nakata, T., Kawase, Y. Approximation analysis of three-dimensional magnetic fields in iron cores laminated with grain-oriented silicon steel 88−64959
Nakata, T., Kawase, Y., Funakoshi, H. Analysis of characteristics of a leakage transformer by using the finite element method 85−27470
Nakata, T., Kawase, Y., Funakoshi, H., Ito, S. Approximate three-dimensional finite element analysis of magnetic circuits composed of axially symmetric region and rectangular region [electric machines] 87−30479
Nakata, T., Kawase, Y., Matsubara, T., Ito, S. Analysis of characteristics of electromagnet with shading coil by time periodic finite element method 86−36665
Nakata, T., Kawase, Y., Misawa, K. Location of short circuit in a transformer by detecting the flux distribution change 88−30756
Nakata, T., Kawase, Y., Nakano, M. Accuracy of magnetic field strength measurement by single sheet testers 88−4592
Nakata, T., Kawase, Y., Nakano, M. Improvement of measuring accuracy of magnetic field strength in single sheet testers by using two H coils 88−60887
Nakata, T., Kawase, Y., Nakano, M., Miura, M. Analysis and improvement of measuring method of magnetic fields in single sheet testers 87−3724
Nakata, T., Kawase, Y., Takabayashi, H. Transient analysis of magnetic field in linear actuator by finite element method 86−40027
Nakata, T., Miyazaki, S., Shirotori, K. 0.5-2.6 GHz Si-monolithic wideband amplifier IC 86−8472
Nakata, T., Miyazaki, S., Shirotori, K. 0.5-2.6 GHz Si-monolithic wideband amplifier IC 86−27629
Nakata, T., Takahashi, N. Numerical analysis of transient magnetic field in a capacitor-discharge impulse magnetizer 87−18547

Nakata, T., Takahashi, N., Fujiwara, K. Physical meaning of grad ϕ in eddy current analysis using magnetic vector potentials 88−52115
Nakata, T., Takahashi, N., Fujiwara, K. Efficient solving techniques of matrix equations for finite element analysis of eddy currents 88−55281
Nakata, T., Takahashi, N., Fujiwara, K., Okada, Y. Improvements of the T-Ω method for 3-D eddy current analysis 88−52101
Nakata, T., Takahashi, N., Imada, A., Tabuchi, N., Kumada, M. Optimization of permanent linear wiggler for free electron laser by using the 3-D finite element method 88−51831
Nakata, T., Takahashi, N., Imada, A., Tabuchi, N., Kumada, M. Analysis of 3D magnetic fields in wiggler magnets for free-electron laser 88−52094
Nakata, T., Takahashi, N., Kawase, Y. New approximate method for calculating three-dimensional magnetic fields in laminated cores 86−42139
Nakata, T., Takahashi, N., Kawase, Y., Funakoshi, H., Ito, S. Finite element analysis of magnetic circuits composed of axisymmetric and rectangular regions 86−42802
Nakata, T., Takahashi, N., Kawase, Y., Nakano, M., Miura, M., Sievert, J.D. Numerical analysis and experimental study of the error of magnetic field strength measurements with single sheet testers 87−21211
Nakata, T., Takahashi, N., Kawashima, G., Fujiwara, K. New technique for producing a strong multi-pole magnet 87−25856
Nakata, T., Takahashi, N., Nakano, M., Kawata, M. Transverse fluxes and magnetic characteristics of three-phase transformer core with ducts 88−17689
Nakata, T., Takahashi, N., Nakanoi, M., Nishizaki, T. Iron loss of silicon steel under square wave voltage excitation 88−1856
Nakata, T., Takahashi, N., Uehara, K. Analysis of magnetic characteristics of a brushless DC motor taking into account the distribution of magnetization 87−30592
Nakata, T., Tanabe, N., Onozuka, H., Kurobe, T., Koike, N. A multiprocessor system for modular circuit simulation 88−26444
Nakata, T. *see* Kobayashi, K. 85−3386
Nakata, T. *see* Koga, K. 88−24694
Nakata, T. *see* Kumada, M. 88−65745
Nakata, T. *see* Miyazaki, S. 86−2277
Nakata, T. *see* Shiratori, K. 86−58064
Nakata, T. *see* Takahashi, N. 87−1900
Nakata, T. *see* Takehara, J. 88−62411
Nakata, T. *see* Turner, L.R. 88−52124
Nakata, T. *see* Watanabe, S. 85−1049, 85−23120
Nakata, T.-A. *see* Watanabe, S. 85−17824
Nakata, Y., Asada, M., Seumatsu, Y., Sato, M. Analysis of layer number dependence of response time and current gain of resonant electron transfer triode 86−67896
Nakata, Y., Asada, M., Suematsu, Y. Novel triode device using metal-insulator superlattice proposed for high-speed response 86−21287
Nakata, Y., Asada, M., Suematsu, Y. Proposal of novel triode device using metal-insulator superlattice for extremely high speed response 87−6089
Nakata, Y., Asada, M., Suematsu, Y. Analysis of novel resonant electron transfer triode device using metal-insulator superlattice for high speed response 87−6483
Nakata, Y., Kamiya, S., Sugimoto, T. CAD/CAM/CAT for switchgear 87−58249
Nakata, Y., Kashio, J., Kojima, T., Noguchi, T. In-house wireless communication system using infrared radiation 86−37914
Nakata, Y., Koshiba, M. Finite-element analysis of plane wave diffraction from metallic gratings with arbitrary complex permittivity 88−27489
Nakata, Y., Kurata, Y., Katoh, S. Optical system of facsimile 86−10714
Nakata, Y., Sasa, S., Sugiyama, Y., Fujii, T., Hiyamizu, S. Extremely high 2DEG concentration in selectively doped $In_{0.53}Ga_{0.47}As$/N-$In_{0.52}Al_{0.48}As$ heterostructures grown by MBE 87−37952
Nakata, Y. *see* Fujii, T. 86−40747, 86−66836
Nakata, Y. *see* Hiyamizu, S. 87−44329
Nakata, Y. *see* Inata, T. 87−37951, 87−74078
Nakata, Y. *see* Itoh, M. 88−55633
Nakata, Y. *see* Kobe, T. 87−16018
Nakata, Y. *see* Kurata, Y. 85−46234
Nakata, Y. *see* Muto, S. 87−37953, 88−32863
Nakata, Y. *see* Noyori, M. 85−6970, 85−18326
Nakata, Y. *see* Sandhu, A. 88−44636
Nakata, Y. *see* Sasa, S. 88−57366
Nakata, Y. *see* Sugiyama, Y. 88−32835
Nakata, Y. *see* Tsuji, T. 85−27351
Nakata, Y. *see* Yamamoto, Y. 88−37523
Nakatani, A., Alexopoulos, N.G. A generalized algorithm for the modeling of the dispersive characteristics of microstrip, inverted microstrip, stripline, slotline, finline, and coplanar waveguide circuits on anisotropic substrates 86−8420
Nakatani, A., Alexopoulos, N.G. Toward a generalized algorithm for the modeling of the dispersive properties of integrated circuit structures on anisotropic substrates 86−27590
Nakatani, A., Alexopoulos, N.G. Modeling microstrip circuits and microstrip antennas on cylindrical substrates 87−26984
Nakatani, A., Alexopoulos, N.G. Microstrip circuit elements on cylindrical substrates 87−73648
Nakatani, A., Alexopoulos, N.G. Coupled microstrip lines on a cylindrical substrate 88−27557
Nakatani, A., Alexopoulos, N.G., Uzunoglu, N.K., Uslenghi, P.L.E. Accurate Green's function computation for printed circuit antennas on cylindrical substrates 87−39453
Nakatani, A. *see* Alexopoulos, N.G. 87−75492
Nakatani, A. *see* Kuita, T. 87−4415
Nakatani, H., Kitahashi, T. Reconstruction of object in outdoor scene based on vanishing point 86−10494
Nakatani, H., Kitahashi, T. An iterative method for locating a vanishing point 86−10497
Nakatani, H., Sakai, E., Katagiri, M. Manufacture of mercuric iodide (HgI_2) nuclear radiation detector and its application 88−4792
Nakatani, H., Weiss, R.S., Riseman, E.M. Application of vanishing points to 3-D measurement 85−51743
Nakatani, H. *see* Aoki, T. 86−11484
Nakatani, H. *see* Masuda, S. 85−2486, 85−51373, 86−29314
Nakatani, H. *see* Nukii, T. 86−11660
Nakatani, H. *see* Sakai, E. 88−61085
Nakatani, H. *see* Tokura, K. 88−9116
Nakatani, H. *see* Yokote, K. 88−53790
Nakatani, I. *see* Ninomiya, K. 86−44758
Nakatani, K., Fujii, T., Kikuno, T., Yoshida, N. A heuristic algorithm for gate matrix layout 87−38564
Nakatani, K., Hanna, J.-i., Kokado, H. Electrophotographic properties of phthalocyanine-PVK multi-layered photoreceptors 85−18782
Nakatani, K., Suzuki, K., Okaniwa, H. A monolithic series-connected solar cell on an organic polymer film substrate 88−62616
Nakatani, K., Tsujita, M. Practical evaluation of sensitivity of organic photoreceptor for electrophotography 87−46646
Nakatani, K. *see* Aono, K. 85−55170
Nakatani, K. *see* Imai, M. 85−63664
Nakatani, K. *see* Ito, T. 86−40048
Nakatani, K. *see* Takigawa, K. 86−4538
Nakatani, K. *see* Yano, M. 87−36153
Nakatani, M., Okunaka, M., Saitoh, T., Itoh, H., Matsukama, K., Kamita, N., Morita, K. A new process for high efficiency silicon solar cells 86−13080
Nakatani, M. *see* Azuma, K. 88−37468
Nakatani, M. *see* Fudo, H. 88−60158
Nakatani, M. *see* Watanabe, T. 87−31574, 87−52189, 87−73140, 88−63367
Nakatani, M. *see* Zaike, K. 85−58763, 86−51162
Nakatani, N., Izumi, T., Asano, S., Yamada, T., Sakabe, T. Optical fiber heterodyne interferometer probe free from external disturbance 88−22627
Nakatani, N., Miyoshi, Y., Nakatsu, H., Nakamura, S. Gateway [for home bus systems] 87−48378
Nakatani, N., Nakatsu, H., Tatematsu, K. A hybrid coax and twisted pair home bus 87−13234
Nakatani, N., Tokita, M., Izumi, T., Yamada, T. Laser Doppler velocimetry using polarization-preserving optical fibers for simultaneous measurement of multidimensional velocity components 86−18188
Nakatani, N., Tokita, M., Izumi, T., Yamada, T. LDVs using polarization-preserving optical fibers for simultaneous measurement of multidimensional velocity components 86−31720
Nakatani, N., Tokita, M., Maekawa, A., Yamada, T. Multi-point LDV using phase diffraction grating and its signal processing 87−21283
Nakatani, N., Uehara, A., Yamada, T. The real time processor of LDV signals with an acoustooptic light deflector and a position sensitive device 86−2897
Nakatani, N., Uehara, A., Yamada, T. The real time processor for LDV signals with an acoustooptic light deflector and a position sensitive device 86−24446
Nakatani, N., Yamada, T. Flow measurements of proximity sensors with the beam scanning LDV 87−21282
Nakatani, N. *see* Kurobe, A. 87−48374
Nakatani, N. *see* Saka, T. 87−48372
Nakatani, N. *see* Ueno, R. 87−48377
Nakatani, R. *see* Kobayashi, T. 88−51202
Nakatani, R. *see* Otomo, S. 88−51203
Nakatani, S., Inagaki, K. Domestic and international TV transmission 87−34711
Nakatani, S., Nishiyama, T., Handa, M. One hundred kilometer overwater span digital radio system−LS-200M system 87−40730
Nakatani, S., Nishiyama, T., Higuchi, H. Performance of a long overwater span digital microwave radio system 88−46891
Nakatani, S., Yamada, T., Inoue, K. Broadband transmission radio systems for subscribers in the 26 GHz band 88−3849
Nakatani, S. *see* Ishida, K. 86−51010
Nakatani, S. *see* Nakazawa, K. 86−12864
Nakatani, S. *see* Tanabe. T. 87−4767
Nakatani, S. *see* Wakasugi, M. 88−9702
Nakatani, T. *see* Koshiba, Y. 86−12597
Nakatani, T. *see* Nakamura, T. 86−50530, 87−3968
Nakatani, T. *see* Onishi, T. 86−52746
Nakatani, T. *see* Otsuka, F. 85−37085
Nakatani, T. *see* Tazume, F. 86−26156
Nakatani, T. *see* Teramoto, A. 85−21720
Nakatani, T. *see* Yonehata, Y. 88−5956
Nakatani, Y., Kanata, Y. RCC with MOSFET 87−52372
Nakatani, Y., Mori, H., Narimatsu, Y., Watanabe, T. Stirling engine development project in Japan 85−60574
Nakatani, Y. *see* Nagashima, Y. 88−21335
Nakatani, Y. *see* Nanjo, J. 87−45559
Nakatani, Y. *see* Tsukada, T. 86−14314
Nakato, K., Takamura, S., Tada, N., Masaoka, I. Effect of low temperature neutron irradiation on the magnetoresistivity in stabilizer materials for a superconducting magnet 85−35362
Nakato, Y., Hiramoto, M., Iwakabe, Y., Tsubomura, H. ESCA and photoelectrochemical studies of p-n junction silicon electrodes protected by platinum deposition for use in solar energy conversion 85−49061
Nakato, Y., Iwakabe, Y., Hiramoto, M., Tsubomura, H. Tungsten- or molybdenum-coated p-n junction silicon electrodes for efficient and stable photoelectrochemical solar energy conversion 86−61740
Nakato, Y., Tsubomura, H. Structures and functions of thin metal layers on semiconductor electrodes 86−41595
Nakato, Y., Ueda, K., Yano, H., Tsubomura, H. Effect of microscopic discontinuity of metal overlayers on the photovoltages in metal-coated semiconductor-liquid junction photoelectrochemical cells for efficient solar energy conversion 88−75889
Nakato, Y., Ueda, T., Egi, Y., Tsubomura, H. Decomposition potentials of crystalline silicon as related to the photocurrent stability of p-n junction silicon semiconductor electrodes 87−38005
Nakato, Y. *see* Matsumura, M. 86−26245, 87−36127
Nakato, Y. *see* Sakai, Y. 88−11383, 88−37403, 88−75940, 88−75943
Nakato, Y. *see* Ueda, K. 88−24116
Nakatsu, H. Information communication technology in home 85−42078
Nakatsu, H. *see* Gotanda, H. 87−49336
Nakatsu, H. *see* Ikezaki, M. 87−48371
Nakatsu, H. *see* Kurobe, A. 87−48374
Nakatsu, H. *see* Nakatani, N. 87−13234, 87−48378
Nakatsu, H. *see* Saka, T. 87−48372
Nakatsu, H. *see* Sakon, T. 87−48467
Nakatsu, H. *see* Ueno, R. 87−48377
Nakatsu, K. *see* Ogawa, M. 88−51427
Nakatsu, M., Motoishi, K. The efficiency of the discrete Hartley transform in the area of digital signal processing 87−75841
Nakatsu, M. *see* Shinohara, T. 87−27195
Nakatsu, R., Ishii, N. Voice response and recognition system for telephone information services 88−66451
Nakatsu, R. *see* Hamada, H. 87−7690
Nakatsu, R. *see* Nomura, T. 87−27314
Nakatsu, R. *see* Sugamura, N. 87−19550
Nakatsu, Y. Capacitors resistant to high temperatures and solvents 87−45315
Nakatsu, Y., Tatsumi, T., Oshima, M. Trimmer capacitors immune to high heat and solvents 87−17407
Nakatsu, Y., Yamada, T., Koro, S. Chip trimmer capacitors: the latest technology and product trends 87−66591
Nakatsubo, T., Karamon, T. Automatic cable crosstalk measuring equipment 87−13544
Nakatsubo, T. *see* Murayama, K. 88−60453
Nakatsuchi, Y., Hoshimiya, N., Handa, Y., Ohba, S., Matsuo, T. Development of an electronic tester for the diagnosis of functional continuity of the injured peripheral nerve and its clinical application 88−4956
Nakatsuchi, Y. *see* Handa, Y. 86−32365
Nakatsugawa, H. Space development program in Japan and outline of Japan's space development policy 85−36983
Nakatsugawa, K., Itaya, H. Built-in PTA computer system to support high-speed ATEs 87−14079
Nakatsugawa, K. *see* Kume, H. 88−44527
Nakatsugawa, M. *see* Naganawa, H. 87−63240
Nakatsugawa, M. *see* Noda, K. 88−25929
Nakatsugawa, Y. *see* Arizumi, M. 87−31938
Nakatsugi, Y. *see* Matsuzawa, A. 87−63149
Nakatsui, H., Hishiki, Y. Supersensitization for dye-sensitized CdS by the combinations of two dyes 85−51028
Nakatsui, M., Nakata, K. Dual adaptive delta modulation for mobile voice channel and its DSP implementation 86−17272
Nakatsuji, A. *see* Hinamoto, T. 88−70922
Nakatsuji, H. *see* Nakamizo, T. 86−37106
Nakatsuji, H. *see* Saeki, K. 86−27763
Nakatsuji, T. *see* Tomo, K. 87−42247

Nakatsuji, Y. The aerospace system 87−57301
Nakatsuka, H., Tomita, M., Fujiwara, M., Asaka, S. Subpicosecond photon echoes by using nanosecond laser pulses 85−12959
Nakatsuka, H., Yoshida, N., Fukai, I. Three-dimensional electromagnetic analysis of a vacuum window involving waveguides 88−20990
Nakatsuka, K. Effects of stray capacitance on the performance of a short-pulse tube modulator−evaluation by drawing 85−28424
Nakatsuka, K., Tahara, Y., Yamamoto, T. Plastic optical fiber 85−12596
Nakatsuka, M., Imahashi, H., Nagai, M. Effect of oxygen content on tensile properties of low oxygen Zircaloy-2 85−48696
Nakatsuka, M., Kawamura, S., Hatori, M. An echo canceller with adaptive tap position control 86−29415
Nakatsuka, M., Miki, T., Harashima, H. Construction of the three dimensional brain atlas data base used for CT image processing 87−50227
Nakatsuka, M. *see* Hirose, Y. 87−26372
Nakatsuka, M. *see* Kanabe, T. 86−28897, 86−58857
Nakatsuka, M. *see* Ohba, T. 88−58810
Nakatsuka, M. *see* Toide, E. 85−24629
Nakatsuka, M. *see* Urushihara, S. 88−40190
Nakatsuka, S., Ishizaka, M., Koui, Y., Ideguchi, T. MELNET: hierarchical hybrid local area network 87−20000
Nakatsuka, S., Ono, Y., Kajimura, T. A new self-aligned structure for (GaAl)As high power lasers with selectively grown light absorbing GaAs layers fabricated by MOCVD 86−63826
Nakatsuka, S. *see* Ebihara, Y. 86−23437
Nakatsuka, S. *see* Kakuno, T. 88−15165
Nakatsuka, S. *see* Minagawa, S. 88−43879
Nakatsuka, S. *see* Nakakarumai, S. 86−34929
Nakatsuka, S. *see* Uomi, K. 85−7420, 85−35795
Nakatsuka, S. *see* Yamashita, S. 88−14181
Nakatsuka, S. *see* Yazawa, A. 87−31939
Nakatsuka, S. *see* Yoshida, O. 88−21578
Nakatsuka, T., Sakashita, S., Goda, K., Nambu, S. A GaAs RF amplifier IC for UHF TV tuners 88−56478
Nakatsuka, Y., Tanaka, H., Kyoiumi, T., Abe, Y. Friction and wear properties of Co-Cr media with oxidized surface layer 87−25825
Nakatsuka, Y., Tanaka, H., Kyoizumi, T. Wear resistance of Co-Cr perpendicular recording media with oxided surface layer 87−18514
Nakatsuka, Y. *see* Kume, M. 87−32831
Nakatsukasa, K. *see* Sato, K. 88−51973
Nakatsuyama, M. *see* Nagahashi, H. 85−57515
Nakatsuyama, M. *see* Nishizuka, N. 86−14007, 86−14579, 88−50443, 88−64007
Nakau, M. *see* Tabuchi, Y. 85−60540 to 60541
Nakaura, Y., Takeuchi, M., Tanaka, T. Selenium photoconductors for electrophotography 88−72203
Nakawa, Y., Watanabe, H., Kikuchi, M., Mori, S. A direct-contact microwave lens applicator with a microcomputer-controlled heating system for local hyperthermia 86−60811
Nakay, C. *see* Takeuchi, H. 86−6169
Nakaya, C., Takeuchi, H., Katakura, K., Sakamoto, A. Ultrasonic probe using composite piezoelectric materials 87−3953
Nakaya, C. *see* Takeuchi, H. 86−53842, 86−68069, 87−1806
Nakaya, F., Kita, S., Takeuchi, K., Tanaka, T. Color reproduction using dry toner 87−39321
Nakaya, F. *see* Yuhara, K. 88−37734
Nakaya, H. *see* Hashimoto, Y. 88−29117
Nakaya, H. *see* Miyamoto, K. 87−58183
Nakaya, K. *see* Ikeno, H. 88−51582
Nakaya, K. *see* Kuniyasu, S. 88−58248
Nakaya, K. *see* Nakagawa, H. 86−36095
Nakaya, K. *see* Nitta, M. 88−51583
Nakaya, M., Kumamoto, T., Miki, T., Horiba, Y. Analysis of reference-tap-voltage fluctuation in flash A/D converter 86−52906
Nakaya, M., Kumamoto, T., Miki, T., Horiba, Y. Analysis of reference-tap-voltage fluctuation in flash A/D converter 87−59638
Nakaya, M. *see* Ando, H. 88−9374, 88−35326
Nakaya, M. *see* Inoue, Y. 86−52832
Nakaya, M. *see* Kumamoto, T. 87−17171, 88−844, 88−32284
Nakaya, M. *see* Kusunoki, S. 88−6948
Nakaya, M. *see* Miki, T. 86−67277, 87−17172, 87−17182
Nakaya, M. *see* Nishimura, T. 86−41123, 88−42165
Nakaya, N. *see* Yamada, M. 85−2284, 85−56669, 88−2243
Nakaya, S. *see* Kusumoto, S. 86−51816
Nakaya, S. *see* Nakajima, M. 86−51817
Nakaya, S. *see* Takou, M. 85−5465
Nakaya, S. *see* Tanabe, T. 85−59813
Nakaya, T. *see* Kokawa, M. 85−29761
Nakaya, T. *see* Nakamura, K. 86−68461, 87−26267
Nakaya, Y. *see* Awaya, T. 87−59492
Nakaya, Y. *see* Yamamoto, Y. 88−37434
Nakayabu, M. *see* Hanamiya, T. 86−24161
Nakayai, S. *see* Kitano, T. 85−60357
Nakayama, A., Inoue, A., Okabe, Y. Niobium/aluminum-oxide/niobium Josephson tunnel junctions fabricated using electron-beam evaporation 88−12086
Nakayama, A., Kimura, F., Yoshida, Y., Fukumura, T. An efficient thinning algorithm for large scale images based upon pipeline structure 85−2904
Nakayama, A., Okabe, Y., Sugano, T. Plasma-oxidized tunnel barrier of Nb/Nb Josephson junctions with copper interlayer 85−1863
Nakayama, A., Peroche, B. Linear arboricity of digraphs 87−31415
Nakayama, A., Yoshida, Y., Fukumura, T. An analysis of line-drawings based upon automatically inferred grammar and its application to chest X-ray images 85−20906
Nakayama, A., Yoshida, Y., Fukumura, T. Analysis of line drawings based on automatically inferred grammar and its application to chest X-ray images 86−70405
Nakayama, A. *see* Amano, Y. 88−12904
Nakayama, A. *see* Inoue, A. 87−74601, 88−20316, 88−71980
Nakayama, A. *see* Ishizuka, H. 88−21770
Nakayama, A. *see* Matsumoto, K. 87−37421
Nakayama, A. *see* Taniguchi, Y. 86−36075
Nakayama, H., Ito, H., Nakagima, T. 20 GHz band digital radio equipment 86−10955
Nakayama, H., Murakami, H. Domestic and international transmission [TV] 85−37190
Nakayama, H., Sasaki, W., Ohta, T. Optical nanosecond switching based on mode-hopping phenomenon of semiconductor laser 88−20672
Nakayama, H., Sasaki, W., Ohta, T. Optical nanosecond memory utilizing the mode-hopping phenomenon of semiconductor laser 88−58060
Nakayama, H., Sone, M., Takagi, M. Meteorological satellite image analysis using fractal dimension and lower-order statistics 87−77875
Nakayama, H., Yoshida, T., Tanaka, K. 26 GHz band digital subscriber radio system (26SS-D1) for high-speed digital communications 86−23689
Nakayama, H. *see* Amakawa, K. 86−21914
Nakayama, H. *see* Ishikawa, H. 86−54736, 87−55577
Nakayama, H. *see* Iwayama, K. 88−71893
Nakayama, H. *see* Kamei, Y. 85−50465
Nakayama, H. *see* Kasahara, M. 85−42112
Nakayama, H. *see* Onoda, M. 85−62133, 86−28569
Nakayama, H. *see* Takashima, H. 86−16754
Nakayama, H. *see* Ueda, T. 88−53873
Nakayama, I. *see* Kusumoto, Y. 87−58998
Nakayama, I. *see* Mizuno, B. 88−19801
Nakayama, I. *see* Obinata, H. 86−35783
Nakayama, J. Scattering from a random rough surface: linear equations for coefficients of Wiener-Hermite expansion of the wave field 86−68705
Nakayama, J., Iizuka, K., Nielsen, J. Optical fiber fault locator by the step frequency method 87−34531
Nakayama, J., Mitzutani, K., Tsuneoka, M. Backscattering from a perfectly conductive slightly random surface: cross polarization 86−68735
Nakayama, J. *see* Ohmichi, T. 86−39397
Nakayama, K. A design method for cascade form digital Nyquist filters with zero intersymbol interference 85−967
Nakayama, K. A simultaneous frequency and time-domain approximation method for discrete-time filters 85−11429
Nakayama, K. A new discrete Fourier transform algorithm using butterfly structure fast convolution 86−23013
Nakayama, K. A design method for cascade form digital Nyquist filters with zero intersymbol interference 86−67361
Nakayama, K. Advances in ultrasonic Doppler blood-flowmetry 86−70395
Nakayama, K. A discrete optimization method for high-order FIR filters with finite wordlength coefficients 87−75788
Nakayama, K. A discrete optimization method for high-order FIR filters with finite wordlength coefficients 88−6997
Nakayama, K. An improved fast Fourier transform algorithm using mixed frequency and time decimations 88−31702
Nakayama, K. A band-limited signal extrapolation algorithm using pseudo inverse filtering and heuristic optimization 88−66584
Nakayama, K., Fujiwara, T. Evaluation of surface damage using exoelectron emission phenomena 85−461
Nakayama, K., Kuraishi, Y. Present and future applications of switched-capacitor circuits 88−12500
Nakayama, K., Kuriki, S. A multiplier-less digital timing extractor circuit with round-off error canceller 86−64490
Nakayama, K., Mizukami, T. A new low bit-rate waveform coding using extrapolation and prediction coding 86−64196
Nakayama, K., Sato, Y., Kuraishi, Y. Design techniques for switched-capacitor adaptive line equalizer 85−57826
Nakayama, K., Takahashi, Y., Satoh, Y., Naka, M., Nukada, Y. A single-chip SC line equalizer system for full duplex multi-bit rate digital transmission 87−17282
Nakayama, K., Uriya, S., Matsuura, T., Mitama, M. A personal transceiver baseband LSI using switched capacitor circuit techniques 85−61376
Nakayama, K. *see* Furuya, N. 86−25176
Nakayama, K. *see* Fushimi, S. 87−5948
Nakayama, K. *see* Hirata, M. 85−64330
Nakayama, K. *see* Ishibashi, M. 88−69922
Nakayama, K. *see* Kuraishi, Y. 85−30220
Nakayama, K. *see* Kuroda, K. 87−14286
Nakayama, K. *see* Minami, H. 86−17936
Nakayama, K. *see* Miyamoto, S. 86−64334
Nakayama, K. *see* Omae, Y. 85−31327
Nakayama, K. *see* Shibata, K. 87−6091
Nakayama, K. *see* Yagi, S. 86−18309
Nakayama, K. *see* Yan-yi, C. 88−46090
Nakayama, K. *see* Yukawa, A. 86−17063, 87−59660
Nakayama, M., Nakahama, M., Shibaike, N. Recording and playback technology of electronic still camera systems 86−42120
Nakayama, M., Nakahama, M., Shibaike, N., Iwai, M. Electronic still camera 86−38279
Nakayama, M. *see* Akatsuka, M. 88−42218
Nakayama, M. *see* Akatsuka, T. 88−29049
Nakayama, M. *see* Chika, S. 87−10447
Nakayama, M. *see* Chikamura, T. 85−52686, 86−5047
Nakayama, M. *see* Higaki, M. 88−62764
Nakayama, M. *see* Ikeda, H. 86−14602
Nakayama, M. *see* Ikeda, K. 85−20997
Nakayama, M. *see* Kamigaki, K. 87−10367
Nakayama, M. *see* Mizui, K. 85−2957
Nakayama, M. *see* Mizuno, K. 88−56911
Nakayama, M. *see* Sano, N. 85−1361
Nakayama, N., Tsukamoto, K., Ohara, A., Yamazaki, M., Akita, S. The MELFAS 2100 facsimile transceiver 88−3466
Nakayama, N. *see* Kanuma, A. 87−52636
Nakayama, N. *see* Kubo, M. 87−63936
Nakayama, N. *see* Machida, Y. 85−40813, 85−50678, 86−2271, 86−8922
Nakayama, N. *see* Yamanaka, Y. 87−76261
Nakayama, R., Arimura, Y., Abe, A. Mobile inspection robot development 86−25809
Nakayama, R., Kobayashi, M., Abe, A., Kimura, I., Kojima, R., Dan, Y., Ito, E., Nanba, K., Sasaki, N., Aoyama, M., Odagiri, H. Development of cable and cable-handling equipment for mobile inspection robot working in the primary containment vessel 86−66159
Nakayama, R., Ozawa, I., Kinoshita, K., Kashiwamura, T. Distributed packet-switched type local area networks with wide-area communication capability 86−30395
Nakayama, R. *see* Shirota, R. 88−70781
Nakayama, R. *see* Yokota, N. 87−69645
Nakayama, S. Simultaneous measurements of basis weight and moisture content of sheet materials by microwave cavity 87−70584
Nakayama, S. Failure analysis for automatic identification systems 88−6327
Nakayama, S. Microwave sensor of basis weight and moisture content of sheet materials by re-entrant cavity 88−22812
Nakayama, S. Development of a microwave electro-optic modulator for a laser distance-measuring instrument 88−27352
Nakayama, S., Ito, D. DC breakdown voltage characteristics in supercritical helium: breakdown in non-uniform fields 86−28534
Nakayama, S., Kawashima, I., Murota, J. Boron doping effect on silicon film deposition in the Si_2H_6-B_2H_6-He gas system 87−11612
Nakayama, S., Matsumoto, M., Miyauchi, M. Reinforcement method of mass-fusion spliced part by UV curable resin 88−20388
Nakayama, S. *see* Asahara, Y. 87−18742
Nakayama, S. *see* Iwano, H. 86−53123
Nakayama, S. *see* Katayama, T. 86−12665
Nakayama, S. *see* Kobayashi, Y. 87−6043
Nakayama, S. *see* Kuwano, Y. 86−38384
Nakayama, S. *see* Miyauchi, M. 88−51480
Nakayama, S. *see* Sadaoka, Y. 86−70112, 88−16083
Nakayama, S. *see* Tarui, H. 87−30978
Nakayama, S. *see* Tobinaga, Y. 88−44671
Nakayama, S. *see* Tsuda, S. 87−31573, 87−31578
Nakayama, S. *see* Yamamoto, Y. 88−11711
Nakayama, S. *see* Yokota, K. 85−61867, 87−58976
Nakayama, T. Optical sensing technologies by multimode fibers 85−24280
Nakayama, T. Fiber LDA system 88−10142
Nakayama, T. Telematic networks 88−41202
Nakayama, T., Hatada, M., Kanada, A., Murakami, T., Isahaya, K., Inoue, T. Automation of power-distribution systems 88−61850
Nakayama, T., Kurosu, M. Analysis of image quality structure 88−36162
Nakayama, T., Matsushita, S., Nomura, M., Yano, J. Personal computer communications network system 87−69641
Nakayama, T., Nomura, M. Developments of MHS in NTT−connection of personal computers to MHS 87−48496

Nakayama, T., Ohtsuka, M. Application of moving-electrode type electrostatic precipitators to coal-fired utility-use boilers 86−39536
Nakayama, T., Tanaka, T., Ishikure, M. On the development of the lightning horn 87−50874
Nakayama, T., Yokoi, S., Toriwaki, J. An algorithm to perform the rank filter and its applications 85−41981
Nakayama, T. *see* Asaumi, S. 87−32362, 88−71469
Nakayama, T. *see* Fujiwara, K. 86−40722, 87−12305
Nakayama, T. *see* Hashimoto, H. 88−49010, 88−75654
Nakayama, T. *see* Ishizu, A. 88−42212
Nakayama, T. *see* Kameya, M. 87−12467, 87−39096
Nakayama, T. *see* Kohara, H. 88−13281
Nakayama, T. *see* Kojima, K. 86−3129, 86−22401, 86−36511, 86−42531, 86−63820, 87−2106, 87−33142
Nakayama, T. *see* Kurahashi, Y. 88−11526
Nakayama, T. *see* Kyuma, K. 85−18646, 85−62346, 87−18698
Nakayama, T. *see* Maeda, T. 86−41721, 86−47496, 87−1461, 87−45819
Nakayama, T. *see* Matsukawa, T. 87−22543, 87−64520
Nakayama, T. *see* Matsushita, S. 85−25263
Nakayama, T. *see* Mitsunaga, K. 85−39744, 87−60960, 87−61139, 88−65542
Nakayama, T. *see* Nakamura, J. 86−20866
Nakayama, T. *see* Noda, S. 86−15691, 86−29127, 86−36477, 86−63802, 87−39108, 87−46849, 88−2229
Nakayama, T. *see* Ogata, H. 87−2116
Nakayama, T. *see* Ohta, J. 87−46725, 87−54329, 88−34000
Nakayama, T. *see* Polland, H.-J. 88−32891
Nakayama, T. *see* Shibata, K. 85−38108
Nakayama, T. *see* Shimazu, Y. 86−37360
Nakayama, T. *see* Shimoda, H. 85−3038
Nakayama, T. *see* Suzuki, M. 86−34854
Nakayama, T. *see* Tai, S. 85−24630, 85−62620, 86−48085, 86−48464, 87−12458, 87−46506
Nakayama, T. *see* Tawada, Y. 86−40075, 87−16032
Nakayama, T. *see* Terada, Y. 88−6880, 88−32203
Nakayama, T. *see* Tokuda, Y. 86−54156, 87−12480, 87−26383, 87−26408, 87−68441, 88−14231, 88−20681
Nakayama, T. *see* Tone, K. 86−63084
Nakayama, T. *see* Tsuge, K. 87−9796
Nakayama, T. *see* Uchiike, H. 86−31534, 87−1162
Nakayama, T. *see* Yabumoto, M. 86−58664
Nakayama, T. *see* Yabuta, M. 88−19889
Nakayama, T. *see* Yamagishi, H. 88−17973, 88−31013
Nakayama, T. *see* Yamaguchi, M. 88−33860
Nakayama, W. Cooling technology for electronic computers 88−6281
Nakayama, W., Okada, S., Kuwahara, H. Experience in cooling power electronic devices by phase-changing refrigerants and the prospect of its application to cooling microelectronic devices 88−49534
Nakayama, Y. The 9600/32 memory test system: A step forward 87−70369
Nakayama, Y., Akita, S., Nakano, M., Kawamura, T. High-rate deposition of photosensitive a-SiC:H using a carbon source of C_2H_2 88−24782
Nakayama, Y., Akiyama, K., Haga, N., Kawamura, T. Hole transport in glow-discharge produced a-Si:H:F film 85−11950
Nakayama, Y., Aoki, K., Ohta, H. Effect of several factors given to output signal of a laser Doppler velocimeter 85−43135
Nakayama, Y., Kita, H., Akita, S., Kawamura, T. Dark-discharge mechanism of surface potential in a-Si:H:F films 87−6382
Nakayama, Y., Ohtsuchi, T., Kawamura, T. A study of initial transient phenomena in the chemical vapor deposition process using silane plasma 87−73128
Nakayama, Y., Ohtuka, T., Shimizu, H., Yokogawa, S., Kameo, K., Nishi, H. A GaAs data switching IC for a gigabits per second communication system 86−37637
Nakayama, Y., Sumita, I., Furuya, N., Matsuda, N. Large capacity floppy disk drive using perpendicular magnetic recording 85−12493
Nakayama, Y., Wakimura, K., Takahashi, S., Kita, H., Kawamura, T. Plasma deposition of a-Si:H:F films from SiH_2F_2 and SiF_4-SiH_4 86−34375
Nakayama, Y. *see* Furuya, N. 88−57940, 88−71912
Nakayama, Y. *see* Inanaga, S. 85−22102
Nakayama, Y. *see* Kawamori, Y. 87−43117
Nakayama, Y. *see* Kouchiyama, A. 86−9382, 87−18477, 88−51205
Nakayama, Y. *see* Kudoh, M. 87−1933
Nakayama, Y. *see* Mishima, Y. 88−11530
Nakayama, Y. *see* Watanabe, Y. 86−31522
Nakayana, Y., Sumita, I., Furuya, N., Matsuda, N. Continuously sputtered Co-Cr magnetic recording media and their recording characteristics 85−29458
Nakayashiki, T. Facsimile mail system with NEFAX-D35 87−7999
Nakayashiki, T. *see* Kikuchi, Y. 86−49211
Nakayasu, F. *see* Kondo, Y. 88−28206
Nakazaki, K. *see* Sakabe, N. 86−37488
Nakazaki, Y. *see* Kikuchi, Y. 86−49211
Nakazaki, Y. *see* Kikumoto, Y. 87−55656, 87−55659
Nakazato, A. *see* Onodera, T. 87−62812
Nakazato, H., Ikeda, R., Yamada, S., Sano, T., Ogawa, T., Nishimura, Y., Marui, Y. 1.4 ns gate arrays with configurable RAM and high testability 87−24136
Nakazato, K., Nakamura, T. Hole-spreading effect on upward current gain in n-p-n transistors 85−40701
Nakazato, K., Nakamura, T., Kato, M. A 3 GHz lateral PNP transistor 87−53493
Nakazato, K., Nakamura, T., Nakagawa, J., Okabe, T., Nagata, M. A 6 GHz ECL frequency divider using sidewall base contact structure 86−8194
Nakazato, K., Nakamura, T., Okabe, T., Nagata, M. Characteristics and scaling properties of n-p-n transistors with a sidewall base contact structure 85−40884
Nakazato, K., Tsuchiya, H., Ohtsuka, H., Tsukamoto, Y. Halftoning of continuous-tone image reproduction with alias suppression 85−13631
Nakazato, K. *see* Homma, N. 88−6867
Nakazato, K. *see* Hotta, M. 87−59665, 88−19219
Nakazato, K. *see* Kurosawa, T. 87−2656
Nakazato, K. *see* Nakamura, T. 85−35153, 86−9109, 87−32681, 87−46175
Nakazato, K. *see* Tsuburaya, H. 85−8314
Nakazato, K. *see* Tsutsui, K. 86−20897
Nakazato, K. *see* Washio, K. 87−66023
Nakazato, M., Mitsui, N., Shima, S., Honbu, M. High-speed elevators controlled by sinusoidal current source inverters 87−79075
Nakazato, M. *see* Hombu, M. 87−58372
Nakazato, M. *see* Inaba, H. 88−24241
Nakazato, N. *see* Kobayashi, J. 88−71432
Nakazato, N. *see* Watanabe, S. 87−25115
Nakazato, S. *see* Umezu, N. 86−45397
Nakazato, T. *see* Terada, F. 86−39558
Nakazawa, A. Development of measuring instrument for pingage diameter 86−5512
Nakazawa, A., Kawasaki, K., Miyata, T. Optical-fiber signal multiplex transfer equipment (commodity name: remote terminal) 86−17854
Nakazawa, A. *see* Kokado, H. 87−18824
Nakazawa, E. *see* Kawamura, T. 87−34791
Nakazawa, F. *see* Inohira, S. 88−71751
Nakazawa, H. Reliability-equivalent-separation of a node 85−54191
Nakazawa, H. Reliability-equivalent-replacement of a subnetwork 86−34073
Nakazawa, H., Ishii, K., Yasuno, T., Nakagawa, K., Sato, Y. Installation and system test for XE-10 System 86−4433
Nakazawa, H., Miyoshi, Y. Peak interval method for detecting onsets of chatter vibration. I. Foundational detecting system 85−43096
Nakazawa, H. *see* Kawashima, I. 85−3223, 86−23564
Nakazawa, H. *see* Ohki, H. 88−26129
Nakazawa, H. *see* Saito, C. 88−18159
Nakazawa, I., Kondo, Y., Suzuki, M. 26 GHz band analogue radio subscriber line equipment 86−10957
Nakazawa, K. IHI conducts research and development of molten carbonate fuel cell (MCFC) 86−61724
Nakazawa, K. Investigation of characteristics for a plane-anisotropic Mn-Al-C permanent magnet on multi-pole magnetization 88−51349
Nakazawa, K., Arai, H., Kohda, S. Mechanism of a hydrogenating polycrystalline silicon in hydrogen plasma annealing 88−13370
Nakazawa, K., Furukawa, S., Hinata, T., Hosono, T. Single mode optical fibers with zero total dispersion at wavelengths 1.3 μm and 1.55 μm−fiber with α-power index core and triple clad 88−26808
Nakazawa, K., Kamei, K., Hirahata, A., Nakatani, S. AC servo-control system 86−12864
Nakazawa, K., Kuriyama, F. CAD system for power transformers 87−72206
Nakazawa, K., Nakajima, M., Kobayashi, H. Development of 3-D shape measurement system using fiber grating 87−35021
Nakazawa, K., Nakajima, M., Kobayashi, H. Development of 3-D shape measurement system using fiber grating 88−42294
Nakazawa, K., Tada, M., Mitani, K., Kuriyama, K. An integrated network management system for large-scale complex networks 88−112
Nakazawa, K., Yamada, H., Kohda, S., Torii, Y. A thin-film transistor using a reactive-ion-beam-deposited polycrystalline silicon film 88−71566
Nakazawa, K. *see* Aoki, S. 87−14768
Nakazawa, K. *see* Arai, H. 86−41550
Nakazawa, K. *see* Furukawa, S. 87−26051, 88−26757
Nakazawa, K. *see* Hayashino, T. 87−50181
Nakazawa, K. *see* Hayasino, T. 88−74772
Nakazawa, K. *see* Tada, M. 87−7923, 88−8990
Nakazawa, K. *see* Tsuchiya, N. 86−64606
Nakazawa, M. Synchronously pumped fiber Raman gyroscope 85−35494
Nakazawa, M. Highly efficient Raman amplification in a polarization-preserving optical fiber 85−35853
Nakazawa, M. Phase-sensitive detection on Lorentzian line shape and its application to frequency stabilization of lasers 86−48313
Nakazawa, M. The soliton laser 87−12343
Nakazawa, M. The soliton laser 88−8092
Nakazawa, M., Ballato, A., Lukaszek, T. Studies of stress compensated quartz resonators with ultralinear frequency-temperature responses 87−29056
Nakazawa, M., Ballato, A., Lukaszek, T. An ultralinear stress-compensated temperature sensor 87−46290
Nakazawa, M., Iguchi, T., Sekiguchi, A. Developments of standard highly sensitive neutron rem-counter 85−64454
Nakazawa, M., Kimura, Y. Simultaneous oscillation at 0.91, 1.08 and 1.53 μm in a fusion-spliced fiber laser 88−14143
Nakazawa, M., Kuznetsov, M., Ippen, E.P. Theory of the synchronously pumped fiber Raman laser 87−12429
Nakazawa, M., Nakashima, T., Kubota, H. Optical pulse compression using a TeO_2 acousto-optical light deflector 88−27269
Nakazawa, M., Nakashima, T., Kubota, H., Seikai, S. 65-femtosecond pulse generation from a synchronously pumped dye laser without a colliding-pulse mode-locking technique 87−75036
Nakazawa, M., Nakashima, T., Kubota, H., Seikai, S. 55 kW, 240 fs pulse generation from a cavity dumped, synchronously pumped dye laser and its application to pulse compression 88−2184
Nakazawa, M., Nakashima, T., Seikai, S. Efficient multiple visible light generation in a polarization-preserving optical fiber pumped by a 1.064-μm yttrium aluminium garnet laser 85−7508
Nakazawa, M., Nakashima, T., Seikai, S. Raman amplification in 1.4-1.5-μm spectral region in polarization-preserving optical fibers 85−41155
Nakazawa, M., Nakashima, T., Seikai, S., Ikeda, M. Self-detecting optical-time-domain reflectometer for single-mode fibers 85−29600
Nakazawa, M., Nakashima, T., Tokuda, M. An optoelectronic self-oscillatory circuit with an optical fiber delayed feedback and its injection locking technique 85−12696
Nakazawa, M., Shibata, N., Horiguchi, T., Seikai, S. Polarization-mode-coupling measurements along a spliced polarization-preserving fiber using a backscattering technique 85−56325
Nakazawa, M., Stix, M.S., Ippen, E.P., Haus, H.A. Theory of the synchronously pumped fiber Raman laser with self-phase modulation 87−75052
Nakazawa, M., Takemae, T., Miyahara, A., Matsuyama, K. A study of quartz temperature sensors characterized by ultralinear frequency-temperature responses 86−21938
Nakazawa, M., Yamaguchi, H., Ballato, A., Lukaszek, T. Stress-compensated quartz resonators having ultra-linear frequency-temperature responses 85−62165
Nakazawa, M. *see* Hasegawa, K. 86−50362
Nakazawa, M. *see* Haus, H.A. 87−54370
Nakazawa, M. *see* Horiguchi, T. 86−2742, 88−58156
Nakazawa, M. *see* Ito, H. 88−57858
Nakazawa, M. *see* Kimura, Y. 88−1935, 88−1992, 88−72297
Nakazawa, M. *see* Kubota, H. 88−45544
Nakazawa, M. *see* Kumura, Y. 87−75054
Nakazawa, M. *see* Nakashima, T. 85−37776, 85−50932, 85−56336, 86−64984, 87−8302
Nakazawa, M. *see* Nishida, T. 88−45047
Nakazawa, M. *see* Osanai, H. 88−68090
Nakazawa, M. *see* Shibata, N. 85−56349
Nakazawa, M. *see* Suzuki, K. 88−72418
Nakazawa, M. *see* Uesugi, N. 87−8292
Nakazawa, M. *see* Usui, T. 88−29328
Nakazawa, N. *see* Usami, A. 87−9818
Nakazawa, S., Iwasaki, K. Speed control of induction motor by computing slip angular frequency 85−5083
Nakazawa, S. *see* Miyauchi, K. 87−63572
Nakazawa, T., Takamizawa, K., Ito, K. High efficiency indium oxide/cadmium telluride solar cells 87−36121
Nakazawa, T. *see* Arai, M. 88−41510
Nakazawa, T. *see* Fujieda, H. 85−47273
Nakazawa, T. *see* Hashiguchi, S. 87−11078
Nakazawa, T. *see* Ishioka, T. 86−8062
Nakazawa, T. *see* Ito, K. 86−13038, 87−73144
Nakazawa, T. *see* Morozumi, S. 85−14905, 85−64201
Nakazawa, T. *see* Ogawa, R. 88−15756
Nakazawa, T. *see* Tanaka, K. 86−50864

Nakazawa, T. *see* Tsutsui, K. 87−25592, 87−53524
Nakazawa, Ts. *see* Ogawa, R. 88−29044
Nakazawa, Y., Shirai, H. Maintenance free air-cooled argon laser 87−68365
Nakazawa, Y. *see* Morita, T. 86−28586
Nakazawa, Y. *see* Tanaka, M. 85−22976, 85−61366, 87−32817
Nakazima, A., Fudo, H., Yamada, Y., Ishido, H., Kushida, M. Field test of distribution system automation in the 22 kV distribution line (interim report) 86−50988
Nakazima, A., Nakamura, O., Miura, A., Maeda, T., Yamada, Y., Ootsuki, S., Hashimoto, T., Nishimura, T., Ogino, K., Kodama, A. Trial production and testing of the 22-33 kV joint system 87−4768
Nakazima, A. *see* Otsuki, Z. 86−50989
Nakazima, I. *see* Yokoyama, M. 88−41145
Nakazima, J., Nakamura, O., Miura, A., Maeda, T., Yamada, Y., Hanada, T., Ootsuki, Z., Morishita, M., Kiguchi, Y., Kitai, S. Trial production and testing of improved 22 (33) kV automatic vacuum switches 87−4848
Nakazima, J., Nakamura, O., Miura, A., Yura, T., Maeda, T., Yamada, Y., Isido, H., Fuzita, T., Shiraoka, K., Tachikawa, N. Trial production and testing of improved accessories for 22 (33) kV aerial cables 87−4417
Nakazima, K. *see* Chikada, Y. 87−28718, 88−9692
Nakazima, M. *see* Enomoto, T. 86−21724
Nakazima, T., Uratani, Y., Shimoyama, T., Sakamoto, N., Nagura, T. Application of new welding technology in the fabrication of nuclear power plant 85−53412
Nakazima, T. *see* Ishida, A. 88−10319
Nakazoe, J., Abe, M., Mori, H. Parallel hybrid type of DC amplifier using modified magnetic modulator 87−10697
Nakazoe, J., Mori, H., Abe, M. Parallel hybrid type of DC amplifier using modified magnetic modulator 86−20337
Nakazoe, J., Seki, K., Abe, M. A cascade analog-to-digital converter (ADC) using a magnetic modulator 87−10938
Nakazoe, J., Seki, K., Abe, M. A cascade comparator ADC using a magnetic modulator 88−12454
Nakazoe, J. *see* Abe, M. 85−33687, 86−24468, 87−10698, 87−14905
Nakazono, M. *see* Suenaga, N. 88−57126
Nakazoto, K. *see* Yamashita, K. 86−29015
Nakazumi, T. *see* Kishimoto, M. 88−51217
Nakazuru, T., Miura, K., Chikada, Y. FX: a CMOS-implemented digital spectro-correlator system for radio astronomy 86−11198
Nakazuru, T. *see* Chikada, Y. 88−9692
Nakazuru, T. *see* Miura, K. 87−70169
Nakgiri, K., Shibuki, M., Okazawa, H., Umezu, J., Ohta, Y., Saitoh, H. Studies on accuracy evaluation of the RRL primary cesium beam frequency standard 87−14444
Nakhamkin, A.M. *see* Voskresenskii, A.P. 88−17591
Nakhamkin, M., Giannuzzi, L.F., Kicata, A.J. Garbage burning power plant turbine island design specifics 86−33164
Nakhamkin, M. *see* Clausen, B.R. 87−57888
Nakhamkin, M. *see* Schainker, R.B. 85−49122, 86−61761
Nakhan'kov, A.A., Nesterov, A.Yu., Pavlovich, O.A., Reznikov, I.V., Tverdokhlebov, E.D., Sholukh, A.V. Computer-controlled regulated high-voltage supply 86−57631
Nakhan'kov, A.A. *see* Zubchenok, V.Ya. 88−31997
Nakhla, P. The PABX vs. LAN 86−43640
Nakhman, A.D. A Rosenblum-Muckenhoupt theorem for multiple Fourier series of vector-valued functions 85−54216
Nakhman, Yu.V. *see* Lagun, V.P. 85−4930, 85−38853
Nakhmanson, G.S. Accuracy of acoustooptic spectrometer estimates of the spectral parameters of random signals in a noise background 86−37060
Nakhmanson, G.S. Estimate of spectrum parameters and discrimination of random signals in an acoustic spectrum analyzer on a background of external and internal interference 87−47711
Nakhmanson, G.S. Radar estimation of the position of a moving target using broadband signals 87−49920
Nakhmanson, G.S. Evaluating target coordinates and their derivates in multiposition measurement systems with broadband signals 87−63015
Nakhmanson, G.S. Estimating target coordinates and their derivatives in multiposition measurement systems with reception of broadband signals in a background of external and internal noise 88−27916
Nakhmanson, G.S., Gurevich, A.S. Signal detection on a background of interference in an acoustooptical spectrum analyzer 86−16306
Nakhmanson, G.S., Gurevich, A.S. Accuracy of spectral width measurements of FM signals by an acoustooptical spectrum analyzer 86−31306
Nakhmanson, R.S. High- and low-frequency steady-state MIS photovoltage 86−21276
Nakhmanson, R.S., Sevastianov, S.B. Charge fluctuations in SiO_2-Si interface 85−1412
Nakhmanson, R.S., Sevastianov, S.B. Investigations of metal-insulator-semiconductor structure inhomogeneities using a small-size mercury probe 85−18183
Nakhodkin, N.G. *see* Girnyk, V.I. 85−41520
Nakhodkin, N.G. *see* Komko, V.M. 85−35603
Nakhodkin, N.G. *see* Kuvshinskii, N.G. 85−29701
Nakhotin, V.A. *see* Konyushenko, S.M. 88−66062
Nakiboglu, M., Buffett, B., Schwarz, K.P., Krakiwsky, E.J., Wanless, B. A multi-pass, multi-station approach to GPS orbital improvement and precise positioning 85−37141
Nakielny, R. *see* Brown, B.H. 88−36473
Nakikyan, G.A. The effect of tooth saturation in an induction generator with pulsating fluxes at maximum EMF 87−9560
Nakiri, K. *see* Yamamoto, S. 88−31222
Nakmura, H. Recent advance in multilevel interconnection 88−19856
Nakonechny, A.N. *see* Kuznetsov, N.Yu. 85−48679
Nakonechnyi, A.I., Chaikovskii, O.I. Increasing the accuracy of analog-digital conversion for active power by switching inversion 87−70521
Nakonechnyi, Ya.A. *see* Kurnosov, A.I. 86−32793
Nakonechnyi, Yu.N. *see* Sorokin, G.M. 88−38307
Nakonechnyy, A.N. *see* Afromeyev, A.S. 86−29561
Nakonieczny, W., Alexeff, I. Stability of electron orbits in the Orbitron maser 85−24420
Nakonieczny, W. *see* Alexeff, I. 86−2998
Nakonieczny, W. *see* Dyer, F. 85−24421
Nakoryakov, V.E. *see* Evseev, A.R. 88−16118
Nakos, J.S. *see* Matthiesen, D.H. 88−11962
Nakra, H. *see* Dessaint, L. 86−66001
Nakra, H. *see* Dessaint, L.A. 86−6958, 87−4793
Nakra, H. *see* Lefebvre, S. 85−48913
Nakra, H.L., Bui, L.X. System considerations in converting one circuit of a double circuit AC line to DC 85−15547
Nakra, H.L. *see* Bui, L.X. 86−12907
Nakra, H.L. *see* Dube, B. 88−75526
Nakra, H.L. *see* Dube, B.M. 88−62280
Nakrachi, A. *see* Desodt, A.-M. 88−54565
Nakum, C.M. Electroforming large press plates 87−16213
Nakumura, M. *see* Hirayama, Y. 87−33155
Nakumura, T. *see* Uemura, S. 86−31254
Nakura, H. *see* Tsubaki, K. 87−53478
Nakura, R. *see* Kudo, Y. 87−35484
Nakutis, E.I. Identifying nonlinear stationary stochastic processes in L⊗H, H⊗L model class. II. Identifiability conditions and algorithms for evaluating L,H operators 87−44104
Nakwaski, W. Simplified thermal analysis of a laser diode array 85−2340
Nakwaski, W. Spreading thermal resistance of the heat-sink of a light-emitting diode 85−18817
Nakwaski, W. Self-existent waveguiding in stripe-geometry laser diodes without a built-in waveguide 85−18945
Nakwaski, W. *P-J* emission characteristics of stripe-geometry laser diodes with self-existent waveguiding 85−18946
Nakwaski, W. Thermal analysis of the catastrophic mirror damage in laser diodes 85−41405
Nakwaski, W. Heat-sinking process in light-emitting diodes 85−51066
Nakwaski, W. Thermal properties of the Burrus-type light-emitting diode. I. The model 86−63730
Nakwaski, W. Thermal properties of the Burrus-type light-emitting diode. II. The results 86−63731
Nakwaski, W. Analysis of the heat-sinking in laser diodes 86−68558
Nakwaski, W. Thermal model of laser diode arrays 87−12463
Nakwaski, W. Thermal properties of buried-heterostructure laser diodes 87−33174
Nakwaski, W. Thermal model of the homojunction Burrus-type light-emitting diode 87−74934
Nakwaski, W. Thermal model of the double-heterostructure Burrus-type light-emitting diode 87−74935
Nakwaski, W., Kontkeiwicz, A.M. Heat-spreading in light-emitting Burrus-type diodes 86−29013
Nakwaski, W., Kontkiewicz, A.M. Temperature distribution in a light-emitting diode during a pulse operation 85−7326
Nakwaski, W., Kontkiewicz, A.M. Thermal resistance of light-emitting diodes 86−22254
Nakwaski, W. *see* Dean, D.J. 87−46869
Nakwaski, W. *see* Pufal, S. 88−2136
Nakzato, K. *see* Washio, K. 87−60635
Nalbandian, J.Y. *see* Koplik, C.M. 88−68714
Nalbandis, J. *see* Mimikou, M. 88−75259
Nalbandyan, M.A. *see* Svadzhyan, L.A. 88−7098
Nalcioglu, O. Mathematical aspects of NMR tomography 85−9157
Nalcioglu, O. *see* Cho, Z.H. 85−20894
Nalcioglu, O. *see* Hong, K.S. 87−77646
Nalcioglu, O. *see* Kashmar, G.C. 86−50515
Nalcioglu, O. *see* Qu, L.Z. 86−50509
Naldi, C. *see* Bava, G.P. 86−28347
Naldi, C. *see* Beccari, C. 86−27634
Naldi, C. *see* Ghione, G. 86−27637, 86−28363, 88−50401
Naldi, C.U. CAD and modelling for analog GaAs ICs 87−32065
Naldi, C.U. *see* Ghione, G. 87−37552, 88−8406, 88−25550, 88−56987
Naldi, G. *see* Bonacini, C. 86−65967
Naldi, G. *see* Di Montenegro, G.N. 87−9352
Naldi, G. *see* Negri Di Montenegro, G. 87−30379, 87−30399, 87−35799, 87−78527, 88−5570
Nale, A.S., Su, S.Y.H. Testing a PLA without augmentation 88−12340
Nale, A.S. *see* Chengalvarayan, V. 85−33762
Nalecz, M. *see* Lewandowski, J.J. 86−44624
Nalecz, M. *see* Mulawka, J.J. 87−845
Nalecz, M. *(editor)* Control aspects of biomedical engineering 88−24338
Nalegach, E.P. *see* Borovich, B.L. 85−46341
Nalepa, J. A system for the measurement of parameters of industrial aluminium electrolyzer 85−43066
Nalepa, J. MESSIL−simulation properties of measuring systems 86−31128
Nalesso, G.F. Transient behaviour of the electromagnetic field in anisotropic conducting media 88−40464
Nalimov, S.P. *see* Krivov, O.V. 88−4701
Nalivaev, V.I. *see* Afanas'ev, P.G. 85−12932 to 12933
Nalivaev, V.I. *see* Meleshko, Yu.P. 87−38616
Nalivaiko, V.I. *see* Balagurov, A.Ya. 87−33332
Nalivkin, A.V. *see* Grekhov, I.V. 87−18108
Nall, B.H. *see* Benson, R.C. 86−62978, 88−18773
Nall, B.H. *see* Weiner, J.A. 88−64149
Nall, K.L., Clayton, D.L. Solving computer access needs−a local area network approach 85−30736
Nallamothu, S. *see* Lien, J. 85−49880
Nally, J.K. Repeater controller PC board 88−9381
Nalto, H. *see* Ohashi, K. 86−38386
Nalty, K. *see* Gully, J.H. 87−30593
Nalty, K.E. *see* Driga, M.D. 87−19167
Nalty, K.E. *see* Laughlin, R.L. 87−26689
Nalty, K.E. *see* Perkins, D.E. 87−30598
Nalty, K.E. *see* Zowarka, R.C., Jr. 87−26726
Nalwa, V. Line-drawing interpretation: straight-lines and conic-sections 88−3285
Nalwa, V. Line-drawing interpretation: bilateral symmetry 88−3286
Nalwa, V., Pauchon, E. Edgel-aggregation and edge-description 87−48153
Nalwa, V.S. Edge-detector resolution improvement by image interpolation 87−47913
Nalwa, V.S. Edge-detector resolution improvement by image interpolation 88−3288
Nalwa, V.S. Line-drawing interpretation: straight lines and conic sections 88−66628
Nalwa, V.S. Line-drawing interpretation: a mathematical framework 88−73293
Nalwa, V.S., Binford, T.O. On detecting edges 87−19850
Nam, C.-I. The lead/acid battery industry in Korea 87−58284
Nam, C.H. *see* Suckewer, S. 87−12344
Nam, D.W., Deppe, D G., Holonyak, N. Short-wavelength (~625 nm) room-temperature continuous laser operation of $In_{0.5}(Al_xGa_{1-x})_{0.5}P$ quantum well heterostructures 88−45404
Nam, D.W., Holonyak, N., Jr., Hsieh, K.C., Kaliski, R.W., Lee, J.W., Shichijo, H., Epler, J.E., Burnham, R.D., Paoli, T.L. Stable continuous room-temperature laser operation of Al_xGa_{1-x}As-GaAs quantum well heterostructures grown on Si 87−75073
Nam, D.W. *see* Burnham, R.D. 86−42522
Nam, D.W. *see* Deppe, D.G. 88−2216, 88−8175, 88−34022
Nam, D.W. *see* Kaliski, R.W. 87−12459, 87−61133, 87−74061
Nam, D.W. *see* Vojak, B.A. 86−29131
Nam, M.-H. *see* Han, D.-Y. 88−26631
Nam, M.K., O'Neill, W.D. Adaptive linear predictive coding of time-varying images using multidimensional recursive least squares ladder filters 88−3152
Nam, S., El-Ghazaly, S., Ling, H., Itoh, T. Time-domain method of lines 88−20957
Nam, S., El-Ghazaly, S., Ling, H., Itoh, T. Time-domain method of lines applied to a partially filled waveguide 88−72630
Nam, S., Uwano, T., Itoh, T. Experimental design of frequency multiplying slot array antenna fed by microstrip 88−2800
Nam, S., Uwano, T., Itoh, T. Microstrip fed planar frequency-multiplying space combiner 88−12579
Nam, S., Uwano, T., Itoh, T. Microstrip-fed planar frequency-multiplying space combiner 88−25389
Nam, S.H. *see* Kuhlman, J.M. 87−17587
Nam, S.H. *see* Molen, G.M. 87−17586

Nam, U.W., Jeong, C.G., Kang, Y.H., Kim, D.S. Development of high resolution position sensitive detector for X-rays 88−74776
Nam An Un, Zakharchenko, N.V., Nudel'man, P.Ya. Minimizing noise variance in transmission at speeds exceeding the Nyquist limit 87−19358
Nam An Un *see* An Un Nam
Nam Bo-Woo *see* Bo-Woo Nam
Nam Boo-Hee *see* Boo-Hee Nam
Nam Chul Kim, Jae Dug Lee Adaptive edge-preserving image restoration 87−27577
Nam Chul Kim, Sung Hwan Jung Performance comparison of some image restoration filters for various noises 88−46173
Nam Chul Kim *see* In Seo Chun 88−47202
Nam Deog Kim, Choong Ki Kim, Kwang Soo Choi, Jin Jang, Choo Chon Lee Fabrication of hydrogenated amorphous silicon thin-film transistors for flat panel display 88−44757
Nam Hyun-Do *see* Hyun-Do Nam
Nam Ik Cho, Chong Ho Choi, Sang Uk Lee An adaptive line enhancer using lattice notch filters 88−44295
Nam Il Lee, Sang Jo Lee Single-row routing algorithm with Between node congestion 88−44007
Nam Jeong Heon *see* Jeong Heon Nam
Nam Kee Soo *see* Kee Soo Nam
Nam Ki Seo *see* Ki Seo Nam
Nam Kil-Hyun *see* Kil-Hyun Nam
Nam Kim Hyun *see* Hyun Nam Kim
Nam Kwan jae chan *see* Kwan jae chan Nam
Nam Le Quang *see* Le Quang Nam
Nam Sang Cheon, Nishiyama, S. The stability power limit of generation site depending on the power source of receiving site 86−50863
Nam Sang-Cheon *see* Sang-Cheon Nam
Nam Soon-Kwon *see* Soon-Kwon Nam
Nam Su Kim *see* Han Kyu Park 87−45256
Nam Sung Mo *see* Sung Mo Nam
Nam Sung-Mo *see* Sung-Mo Nam
Nam-Chul Kim, Ick-Hoon Jang, Jong-Dae Kim, Jae-Kyoon Kim Real-time automatic target tracking based on spatio-temporal gradient method with generalized least square estimation 88−66733
Nam-Chun Park *see* Tabib-Azar, M. 87−66912
Nam-Ho Kim *see* Boo-Hee Nam 86−47011
Namae, T. *see* Harris, K.L. 88−7717, 88−20046
Namae, T. *see* Russell, P.E. 85−31306
Namai, T. *see* Kobatake, H. 87−64898
Namajima, Y. *see* Sawamoto, K. 87−29107
Namamura, E. *see* Yamada, Y. 87−7040
Namamura, T.T. *see* Kobayashi, H. 88−61145
Naman, N.S. *see* Kanda, M. 86−38544
Naman, Q.A.H., Ismail, H. A microcomputer based cycloconverter for a variable speed constant torque induction motor 87−43016
Naman, Q.A.H. *see* Hassan, H.I. 88−49063
Naman, S.A., Akber, H.S., Srivastava, B.B. Solar energy conversion using CdS and CdSe liquid junction photovoltaic cells 85−39200
Naman, S.A. *see* Aliwi, S.M. 85−39166, 87−30892
Namariyama, Y., Takao, H., Kinoshita, A., Nakamura, K., Asano, T., Nagamatsu, G. Syntheses and photosensitive characteristics of argon ion laser sensitive polymers 85−62492
Namariyama, Y. *see* Nakamura, K. 86−3411
Namaste, Y.M.N., Obendorf, S.K., Rodriguez, F. Methacrylamide copolymer resists for electron beam lithography 87−11884
Namaste, Y.M.N., Obendorf, S.K., Rosenblum, J.M., Gifford, G.G., Dems, B.C., Rodriguez, F. Lithographic evaluation of copolymers with enhanced dry etch resistance 88−13269
Namatame, A., Umayahara, T. A methodology for designing optimal R&D policy 88−49439
Namatsalyuk, I.N. *see* Kurilo, I.A. 88−50290
Namatsu, H., Shibata, T. Water-soluble barrier material for three-layer resist systems 86−21308
Namatsu, H., Yoshikawa, A. Etching characteristics of polysiloxane and application to multilayer resist processes 87−11647
Namatsu, H. *see* Deguchi, K. 86−41984, 87−45732, 87−74160
Namatsu, H. *see* Mano, T. 87−59486
Namatsu, H. *see* Suzuki, M. 85−23609
Namavar, F., Budnick, J.I., Fasihuddin, A., Hayden, H.C., Pease, D.A., Otter, F.A., Patarini, V. The influence of implantation conditions and target orientation in high dose implantation of Al$^+$ into Si 85−18237
Namavar, F., Budnick, J.I., Fasihuddin, A., Sanchez, F.H., Hayden, H.C. Study of dose and dose rate in the implantation of nitrogen isotopes into Si(100) 87−17928
Namavar, F., Budnick, J.I., Hayden, H.C., Otter, F.A., Patarini, V. Study of near surface structure and composition for high dose implantation of Cr$^+$ into Si 85−18236
Namavar, F., Budnick, J.I., Sanchex, F.H., Hayden, H.C. On the formation of Si oxide by ion implantation 86−35560
Namavar, F., Budnick, J.I., Sanchez, F.H., Hayden, H.C. Formation of buried SiO$_2$ by high dose implantation of oxygen at room and liquid nitrogen temperatures 87−17923
Namavar, F., Budnick, J.I., Sanchez, F.H., Otter, F.A. Nuclear resonance profiling of high dose implants of Al in Si 85−45523
Namazi, M., Chong Hyun Lee Application of the MAP principle to estimation of image motion 88−52597
Namazi, M., Stuller, J.A. A new approach to signal registration with the emphasis on variable time delay estimation based on map criterion 86−59303
Namazi, M., Stuller, J.A. A new approach to signal registration with the emphasis on variable time delay estimation 88−14677
Namazov, S.A. Intensity of scattering of radio waves from anisotropic inhomogeneities for different positions of the scattering volume relative to the caustic 85−2576
Namazov, S.A. Dispersion distortions of signals with a clipped spectrum reflected from the ionosphere 85−36031
Namazov, S.A., Orlov, Yu.I., Fedorov, N.N. Distortions of radio pulses upon reflection from the region of the ionospheric maximum 85−13123
Namazov, S.A., Orlov, Yu.I., Fedorov, N.N. Structure of FM and PM signals with reflection from the ionosphere at close to critical frequencies 85−36029
Namazov, V.P., Aliev, B.Z. Photoconductivity of amorphous samples of the Se-As system 86−28951
Namba, H. *see* Fujii, A. 88−28800
Namba, H. *see* Ohba, M. 86−6589
Namba, H. *see* Teshigawara, Y. 88−60097
Namba, I., Tashiro, N., Nakai, K., Saito, H. A new magnetron (2M172A) from Toshiba 85−34431
Namba, K., Ida, J. Copper vapor laser pumped dye amplifier of a CW dye laser 85−18882
Namba, K., Obara, S., Shimizu, F. A high-power manganese vapour laser 86−22302
Namba, K. *see* Huang, Z.-G. 87−18894
Namba, K. *see* Ono, H. 88−55009
Namba, K. *see* Uchida, S. 88−55035
Namba, M. *see* Homma, N. 88−6867
Namba, M. *see* Nakamura, T. 87−46175
Namba, S. Semiconductor and beam technology 85−1461
Namba, S. Ion beam microfabrication 85−18438
Namba, S. Program identification code broadcasting 85−47631
Namba, S. Research project on nanometer structure electronics 85−55634
Namba, S. Nanometer structure electronics and fabrication technology 86−28432
Namba, S. Current work on focused ion beams in Japan 88−26023
Namba, S., Kamiya, T. Present status and future of ultra-fine pattern fabrication technologies 88−13201
Namba, S., Nakano, T., Yanagida, H. Study on electrical properties of semiconducting barium titanate powder 85−34536
Namba, S., Saito, M. A program identification code transmission system using low-frequency audio signals 86−11214
Namba, S. *see* Aoki, Y. 86−36380
Namba, S. *see* Aoyagi, Y. 85−29787, 85−51181, 85−54444, 86−58244, 87−16587, 88−12002
Namba, S. *see* Aritome, H. 86−25157
Namba, S. *see* Doi, A. 86−52531, 86−62212, 87−5399, 87−23686, 88−25884, 88−38184, 88−56241
Namba, S. *see* Emoto, F. 86−21309, 86−21311
Namba, S. *see* Fastl, H. 86−4887
Namba, S. *see* Gamo, K. 85−1532, 85−18439, 85−23627, 85−29078, 85−33508, 85−45577, 85−55638, 86−1973, 86−35558, 87−11664, 87−23718, 87−67090, 88−57538
Namba, S. *see* Guo, X. 87−39175
Namba, S. *see* Hara, T. 86−44533, 87−41805
Namba, S. *see* Harakawa, K. 85−14814, 86−35592
Namba, S. *see* Ishibashi, K. 87−32257, 87−66917, 87−74016, 88−19724
Namba, S. *see* Iwai, S. 88−64251
Namba, S. *see* Jin-Zhong Yu 88−19841
Namba, S. *see* Jinzhong Yu 85−1510
Namba, S. *see* Kagami, M. 88−68191
Namba, S. *see* Kaneko, H. 88−57536
Namba, S. *see* Kasahara, H. 88−57434
Namba, S. *see* Kinomura, A. 88−68173
Namba, S. *see* Koizumi, T. 85−20621
Namba, S. *see* Komuro, S. 85−1275
Namba, S. *see* Kubomura, H. 88−72461
Namba, S. *see* Kusano, J. 88−24704
Namba, S. *see* Matsui, S. 87−1369, 88−13202
Namba, S. *see* Midorikawa, K. 85−7370, 86−9724, 86−15604, 86−54074
Namba, S. *see* Miyake, H. 88−57437
Namba, S. *see* Miyoshi, T. 85−29704, 85−46254, 86−53404
Namba, S. *see* Morimoto, H. 85−12092
Namba, S. *see* Murata, K. 86−8923
Namba, S. *see* Nakamura, K. 86−27871, 87−38077
Namba, S. *see* Ochiai, Y. 85−29141, 85−40617, 86−35588, 86−67817, 87−38400
Namba, S. *see* Ohmura, Y. 88−13175
Namba, S. *see* Samoto, N. 85−55353
Namba, S. *see* Segawa, Y. 87−54276
Namba, S. *see* Shiokawa, T. 86−5746, 86−21405, 87−74164, 88−57539, 88−64443
Namba, S. *see* Takai, M. 85−10672, 85−23684, 85−50451, 86−8747, 86−21403 to 21404, 87−17821, 87−38142, 88−44544
Namba, S. *see* Tashiro, H. 85−2404, 85−29925
Namba, S. *see* Tokuda, J. 86−53559, 87−32424, 87−53413
Namba, S. *see* Tsuda, M. 85−55640, 86−1963, 87−18227
Namba, S. *see* Xu, Z. 88−19846
Namba, S. *see* Yasuoka, Y. 85−40786, 87−29124, 87−38396, 88−1481, 88−60727
Namba, S. *see* Yu, J.Z. 85−10725
Namba, S. *see* Yuba, Y. 85−28947, 88−44667
Namba, S. *see* Zheng Xu 88−26081, 88−57480
Namba, S. *see* Howard, R.E. *(editor)* 87−65084
Namba, Y. Float polishing and defects of fused silica 85−7197
Namba, Y. Laser forming in space 87−61300
Namba, Y., Ueda, J., Miyoshi, T., Ushio, S. Two/three-dimensional device simulator 87−6643
Namba, Y. *see* Ueda, J. 85−23820
Nambe, S. *see* Tsuda, M. 85−40802
Nambiar, N.P.K. Loktak hydroelectric project, Manipur 87−72027
Namboodiri, M.N. *see* McMahan, M.A. 87−29466
Namboodiry, E.V.S. Apogee boost motor of APPLE spacecraft 85−26869
Namboodiry, E.V.S. *see* Gupta, N.K. 86−6051
Nambu, H., Kanetani, K., Yamaguchi, K., Homma, N., Todokoro, H., Akimoto, K. 4 Kbit bipolar RAM with on-chip address latch function 87−37298
Nambu, H., Kanetani, K., Yamaguchi, K., Homma, N., Todokoro, H., Akimoto, K., Ogiue, K. 4-kbit bipolar RAM with on-chip address latch function 88−12362
Nambu, H. *see* Kato, H. 88−74026
Nambu, H. *see* Maeda, Y. 87−48168
Nambu, H. *see* Yamaguchi, K. 87−17083
Nambu, K., Nakai, R., Yokogawa, M., Matsumoto, K., Koe, K., Tada, K. A state of the art LEC growth technique−development of 3-inch diameter, 27 cm long, undoped semi-insulating GaAs single crystals 88−56214
Nambu, M. *see* Fujiyama, H. 88−14066
Nambu, M. *see* Honda, Y. 86−65429
Nambu, S. High performance process console system TOSDICd-AS. III. Multiple waveform type process LAN 87−28082
Nambu, S. *see* Chikahisa, I. 87−2889
Nambu, S. *see* Hagio, M. 85−40753
Nambu, S. *see* Kanazawa, K. 86−8473, 86−27594
Nambu, S. *see* Katsu, S. 85−49822
Nambu, S. *see* Nakatsuka, T. 88−56478
Nambu, S. *see* Nishiuma, M. 85−34191
Nambu, T., Sugita, R., Sakamoto, Y. Co-Cr perpendicular anisotropy film deposited by evaporation with ion bombardment 88−64891
Nambu, T., Sugita, R., Tohma, K., Honda, K., Sakamoto, Y. Co-Ni-Fe underlayer for double-layer perpendicular media 87−18482
Nambu, T. *see* Honda, K. 87−18481
Nambu, T. *see* Kawaji, S. 86−47377
Nambu, T. *see* Sakamoto, Y. 88−51238
Nambu, T. *see* Sugita, R. 87−18516, 88−57945, 88−71914
Namburi, N.R., Barton, T.H. Time domain response of induction motors with PWM supplies 85−43976
Namburi, N.R., Dubey, G.K., Prabhu, S.S. Closed loop operation of slip power recovery employing inverter with controlled flywheeling 86−45426
Name, J.M.Van *see* Van Name, J.M.
Namekawa, H., Kushida, T. Edge-triggered logical elements and their applications to realization of asynchronous sequential circuits 85−61218
Namekawa, J. Optical power meters in a winning combination 88−4531
Namekawa, K., Harada, A., Kasai, C. Real-time blood flow imaging system using Doppler ultrasound 88−4920
Namekawa, K. *see* Kasai, C. 86−11971, 87−3977, 88−16703
Namekawa, T. Optical communication systems and their impact on information society 85−14287
Namekawa, T. Technologies on new media in Japan 85−25228
Namekawa, T., Morinaga, N. Optical communication system technology 85−20199
Namekawa, T. *see* Fuji, T. 86−4085, 86−69046
Namekawa, T. *see* Hamabe, R. 85−2782, 86−69408 to 69409, 87−2733, 88−21633, 88−59639
Namekawa, T. *see* Hata, M. 85−20215, 86−69767
Namekawa, T. *see* Hirasawa, S. 87−54980
Namekawa, T. *see* Hou, X.-Y. 88−15507
Namekawa, T. *see* Inoue, T. 86−16142, 87−54935
Namekawa, T. *see* Katayama, M. 85−63626, 86−69722, 88−15397
Namekawa, T. *see* Kumazawa, H. 85−13474
Namekawa, T. *see* Kusao, H. 85−63526

Namekawa, T. *see* Matsuda, H. 85−36200
Namekawa, T. *see* Matsumi, C. 87−54878
Namekawa, T. *see* Morinaga, N. 85−14278, 85−14424, 85−19451, 85−25712, 85−37077
Namekawa, T. *see* Sasano, H. 86−54449, 88−8681
Namekawa, T. *see* Sugiyama, Y. 85−7819, 87−54877
Namekawa, T. *see* Takahashi, N. 85−47986, 86−70139
Namekawa, T. *see* Teramura, K. 87−27199
Namekawa, T. *see* Xiu-Ying Hou 87−40765
Namekawa, T. *see* Yamauchi, Y. 85−30501, 86−43844, 87−2670, 87−76727
Namenson, A., Arimura, I. A logical methodology for determining electrical end points for multi-lot and multi-parameter data 88−24588
Namenson, A.I. Statistical analysis of step stress measurements in hardness assurance 85−18397
Namenson, A.I., Arimura, I. Estimating electronic parameter end points for devices which suffer abrupt functional failure during radiation testing 86−34070
Namera, T. *see* Ninomiya, K. 86−44733, 87−29850
Nami, F. *see* Hashemi-Nezhad, S.R. 87−14776
Namicheyshvili, O.M. Threshold standby of logic schemes 88−70673
Namihara, Y., Horiuchi, Y., Wakabayashi, H. 1.55 μm wavelength region high-stability optical fibre loss variation measurement using fibre coupler 88−58080
Namihira, Y. High-stability measuring equipment for optical fiber small loss variation 85−63669
Namihira, Y. Opto-elastic constant in single mode optical fibers 86−22119
Namihira, Y. Polarisation beam-splitting and combining characteristics of fused-taper single-mode fibre couplers 86−53959
Namihira, Y., Horiuchi, Y., Ryu, S., Mochizuki, K., Wakabayashi, H. Polarization fluctuation characteristics of optical fiber submarine cables under various stress states 88−41653
Namihira, Y., Horiuchi, Y., Ryu, S., Mochizuki, K., Wakabayashi, H. Dynamic polarization fluctuation characteristics of optical fiber submarine cables under various environmental conditions 88−53274
Namihira, Y., Horiuchi, Y., Wakabayashi, H. Dynamic polarisation fluctuation characteristics of optical fibre submarine cable coupling under periodic variable tension 88−3980
Namihira, Y., Horiuchi, Y., Wakabayaski, H. Spectral response measurements on polarisation splitting ratio of fused-taper single-mode fibre couplers 88−3981
Namihira, Y., Horiuchi, Y., Wakabayashi, H. Automatic polarization spectral response measurement systems for optical fiber couplers 88−20390
Namihira, Y., Horiuchi, Y., Wakabayashi, H. Polarization characteristics of optical fiber submarine cable coupling under periodic variable tensile force 88−22125
Namihira, Y., Horiuchi, Y., Wakabayashi, H., Oshini, T., Kitagawa, K., Ooka, T. OTDR in a 147 km single-mode fibre in 1.55 μm wavelength region using an LD and GaInAs/InP APD at room temperature 88−7853
Namihira, Y., Iwamoto, Y. Short-length single-mode fiber chromatic dispersion measuring equipment by a new interferometric detection technique 88−26789
Namihira, Y., Ryu, S., Kuwazuru, M., Mochizuki, K., Iwamoto, Y. Polarisation fluctuation of submarine-cabled single-mode optical fibres in ocean installation 87−40886
Namihira, Y., Ryu, S., Mochizuki, K., Furusawa, K., Iwamoto, Y. Polarisation fluctuation in optical-fibre submarine cable under 8000 m deep sea environmental conditions 87−34549
Namihira, Y., Ryu, S., Wakabayashi, H. Polarisation fluctuations of optical fibre submarine cable in 6000 m deep sea trial 88−53251
Namihira, Y., Ryu, S., Yamamoto, S., Mochizuki, K. Polarisation characteristics of fused-fibre coupler as quarter-wave device in 1.55 μm-wavelength region 87−12114
Namihira, Y., Wakabayashi, H., Yamamoto, H., Adachi, S. Long-term high-stable optical fiber loss measuring equipment 85−29628
Namihira, Y., Yamamoto, S., Horiuchi, Y., Wakabayashi, H. Deep sea trial of 1.55 μm optical fibre submarine cable system 88−60133
Namihira, Y. *see* Ihara, A. 86−54643
Namihira, Y. *see* Kuwazura, M. 87−8306
Namihira, Y. *see* Kuwazuru, M. 88−33641
Namihira, Y. *see* Mochizuki, K. 85−35434
Namihira, Y. *see* Ryu, S. 88−41628
Namihira, Y. *see* Yamamoto, H. 85−58139
Namihiri, Y., Horiuchi, Y., Kuwazuru, M., Nunakawa, M., Iwamoto, Y. Optimum fibre parameters of low-loss single-mode optical fibres for use in 1.55 μm-wavelength region 87−74674
Namikawa, T. Preparation of zirconia thin-film cells by vacuum evaporation. 3 88−17920
Namikawa, T., Yamazaki, Y., Saitoh, I., Kanai, T., Sumiya, S., Satoh, M. Preparation of zirconia thin film cells using vacuum evaporation 86−474
Namikawa, T. *see* Ando, T. 87−15962
Namikawa, T. *see* Koiwa, I. 86−63535, 88−51208
Namikawa, T. *see* Osaka, T. 87−18484, 87−32857, 87−60783
Namiki, A. *see* Uno, K. 88−26088
Namiki, F., Iida, A., Shimura, T. A new ultrasonic transducer to decrease the multi-reflections which cause artifacts on B-mode imaging 88−57867
Namiki, I. *see* Hamada, H. 87−7690
Namiki, J. Block demodulation for short radio packet 85−20012
Namiki, J. One frequency repeating for digital microwave radio (conventional 4096 QAM? or 64 QAM with new repeating) 86−55173
Namiki, J., Ohtani, S., Yasuda, Y. 0 dB Eb/N0 burst mode SCPC modem with high coding gain FEC 87−34258
Namiki, J., Yano, K. Random access signalling system for satellite rural telephone network 87−8236
Namiki, J. *see* Kobayashi, K. 88−3925
Namiki, J. *see* Ohsawa, T. 86−64813, 87−19788, 88−67306
Namiki, J. *see* Takahata, F. 87−56047
Namiki, M. *see* Tanaka, H. 88−49317
Namiki, M. *see* Yoshida, S. 87−63406
Namiki, T. The electric power industry in Japan 86−61068
Namiki, Y., Koga, Y. A design method of self-checking watchdog timer 86−8341
Namiki, Y., Koga, Y. A composition method to realize self-checking fault locaters 87−27203
Namiki, Y., Takimoto, T., Koga, Y. Realization method of a self-checking auditor for a pseudo Vernam encipher machine 87−47526
Namiki, Y., Takimoto, T., Koga, Y. A totally self-checking auditor for bus control operation 88−38485
Namiki, Y. *see* Hanai, M. 85−4641
Namiki, Y. *see* Sekiguchi, T. 86−6373
Namimoto, K., Sato, T., Kanuma, A. TX series based on TRONCHIP architecture 88−70861
Namioka, T. *see* Ito, K. 86−60481
Namioka, T. *see* Maezawa, H. 86−60485
Namioka, T. *see* Makino, S. 88−15749
Namioka, T. *see* Suzuki, S. 85−3641
Namislo, C. Analysis of mobile radio slotted ALOHA networks 85−3369
Namislo, C. Operational parameters for slotted Aloha networks with capture 85−30127
Namislo, C. Traffic investigations for modern cellular mobile radio networks 86−10989
Namitokov, K.K., Bresinskii, V.G., Tereshin, V.N., Prudnikov, A.I., Korotkov, A.G. Using materials with shape memory in tripping devices of automatic breakers 88−30947
Namitokov, K.K., Frenkel, Z.M. Influence of quartz-filler density on arc processes in a fuse 85−44130
Namitokov, K.K., Frenkel, Z.M. Influence of the constructional features of the fusible element on arc processes in fuses 86−39988
Namitokov, K.K., Il'ina, N.A., Shklovskii, I.G. On the reliability of fuses under cyclic loading 85−21762
Namitokov, K.K., Il'ina, N.A., Shklovskii, I.G. On the cyclical stability of fuses 85−28772
Namitokov, K.K., Il'ina, N.A., Shklovskii, I.G. Theoretical and physical bases of replacing silver by copper in fuselinks 86−47139
Namitokov, K.K., Il'ina, N.A., Shklovskii, I.G. Analysis of a local thermal resistance of a fusible cut-out 88−25625
Namitokov, K.K., Soskov, A.G., Yurchenko, S.M. Analysis of heat states of power semiconductor devices in combined AC current contactors 87−37624
Namitokov, K.K., Tereshin, V.N., Brezinskii, V.G., Ponomarenko, A.A. A method of controlling thermomagnetic trips for automatic breakers 87−22660
Namizaki, H. 1.3 μm laser diodes for optical-fiber communications 85−56660
Namizaki, H. Optical sources and detectors 86−49598
Namizaki, H., Takahashi, K., Higuchi, H. Long-wavelength optical devices for optical-fiber communication 87−13718
Namizaki, H. *see* Ikeda, K. 86−30807
Namizaki, H. *see* Isshiki, K. 87−18970
Namizaki, H. *see* Kadota, Y. 85−12864
Namizaki, H. *see* Kakimoto, S. 88−22100, 88−34012
Namizaki, H. *see* Nakajima, Y. 88−8195
Namizaki, H. *see* Sakakibara, Y. 85−2310, 85−46417, 86−22399, 88−45451
Namizaki, H. *see* Susaki, W. 85−8427
Namizaki, H. *see* Takahashi, K. 86−54043
Namizaki, H. *see* Takemoto, A. 87−54312
Namizaki, H. *see* Yamashita, J. 86−68549
Namjoo, M., Abu-Nofal, F., Carmean, D., Chandramouli, R., Chang, Y., Goforth, J., Hsu, W., Iwamoto, R., Murphy, C., Naot, U., Parkin, M., Pendleton, J., Porter, C., Reaves, J., Reddy, R., Swan, G., Tinker, D., Tong, P., Yang, L. CMOS customer implementation of the SPARC architecture 88−44228
Namjoo, M., Agrawal, A. Preserve high speed in CPU-to-cache transfers 87−73468
Namjoo, M., Agrawal, A., Jackson, D.C., Quach, L. CMOS gate array implementation of the SPARC architecture 88−44226
Namjoshi, K.V., Biringer, P.P. Influence of the leakage field in cross field heating systems 86−40300
Namjoshi, K.V., Biringer, P.P. Cross field heating of long plates by periodically placed magnets 87−43655
Namjoshi, K.V., Biringer, P.P. General properties of cross field heating systems 88−55720
Namjoshi, K.V., Biringer, P.P. Low-frequency eddy-current loss estimation in long conductors by using the moment of inertia of cross sections 88−72497
Namkoong, D. An overview of solar dynamic systems for space applications 87−21736
Namkung, M., Heyman, J.S. Residual stress characterization with an ultrasonic/magnetic technique 85−458
Namkung, W., Choe, J.Y. Experimental results of cusptron microwave tube study 86−32005
Namkung, W., Choe, J.Y. Operation of Cusptron for harmonic frequency generation 87−17640
Namkung, W., Choe, J.Y., Uhm, H.S. Transport of intense proton beams in an induction linac by solenoid lenses 87−50050
Namkung, W., Choe, J.Y., Uhm, H.S., Ayres, V. Fundamental and second harmonic frequency generation from cusptron 88−25814
Namkung, W., Choe, J.Y., Uhm, H.S., Ayres, V. Recent experimental results from a cusptron oscillator with a six-vane circuit 88−25830
Namkung, W., Choe, J.Y., Uhm, H.S., Ayres, V. Operation of cusptron oscillator for sixth harmonic frequency generation with six-vane circuit 88−54356
Namkung, W., Choe, J.Y., Uhm, H.S., Ayres, V. Operation of cusptron at fundamental and harmonic cyclotron frequencies 88−64190
Namkung, W., Chojnacki, E.P. Emittance measurements of space-charge-dominated electron beams 86−38670
Namkung, W., Uhm, H.S. Preliminary design study of the NSWC proton induction linac 86−31839
Namkung, W. *see* Ayres, V. 88−25826, 88−27443
Namkung, W. *see* Choe, J.Y. 85−23345, 86−32004, 88−27589
Namkung, W. *see* Chojnacki, E. 87−37819
Namkung, W. *see* Kuo, S.P. 88−25816, 88−64214
Namkung, W. *see* Smith, J.R. 87−29395
Namkung, W. *see* Tiong, K.K. 88−25829
Namkung, W. *see* Uhm, H.S. 86−31840, 88−25783, 88−27006
Namkung Won *see* Won Namkung
Namm, A.V. *see* Katsap, V.N. 88−51817
Nammensma, P.A. Investigation on cabling of an ECN-type superconductor 86−51030
Nammori, T. *see* Okamoto, K. 88−17941
Namoianu, C., Vasiliu, M. Magnetic induction and beam trajectories in deflection coils of ferromagnetic nucleus industrial particle accelerators 85−52929
Namordi, M.R., Newman, P.F., Cappon, A.M., Hanes, L.K., Statz, H. A 2.2 GHz transmission gate GaAs shift register 88−8196
Namordi, M.R., O'Connell, M.R., Newman, P.F. A 3-bit GaAs analog-to-digital converter 86−27407
Namordi, M.R. *see* White, W.A. 85−29213
Namouchi, N. *see* Comolet, R. 86−33247
Namuduri, C., Sen, P.C. On inverter circuits with least trapped energy 85−16094
Namuduri, C., Sen, P.C. A novel three-phase sinusoidal pulse-width modulation waveform generator 85−27492
Namuduri, C., Sen, P.C. Variable structure control of self-controlled synchronous motor (SCSM) drive 86−40210
Namuduri, C., Sen, P.C. Optimal pulse width modulation for current source inverters 86−45563
Namuduri, C., Sen, P.C. An auxiliary current impulse commutated inverter with least trapped energy: analysis and optimization 87−15852
Namuduri, C., Sen, P.C. Optimal pulsewidth modulation for current source inverters 87−30776
Namuduri, C., Sen, P.C. A servo-control system using a self-controlled synchronous motor (SCSM) with sliding mode controller 87−51173
Namuduri, C., Sen, P.C. Digital simulation of an inverter-fed self-controlled synchronous motor 87−58044
Namura, K., Okada, K., Ohta, H., Kojima, T. Deflection measurement and display system of VCR tape contacting with head 87−34841
Namura, K. *see* Hosokawa, S. 86−4297
Namy, X. Business Systems Group [Alcatel] 88−8929

Namyslo, W. Applications of the Type C520 analogue-to-digital converter with the type U880 microprocessor 85−40140
Namyslo, W. *see* Liederwald, K. 86−41177
Nan, Z. Ternary logic function modification technique and its application in the design of sequential circuits 87−52692
Nan Ce-wen Theory of conduction of nonlinear ZnO ceramics. I. Theory of model of conduction 86−67893
Nan Ce-wen Theory of conduction of nonlinear ZnO ceramics. II. Application of model of conduction 86−67894
Nan Ce-Wen A microstructure physical model of sensitive semiconductor ceramics. I 88−32818
Nan Ce-Wen A microstructure physical model of sensitive semiconductor ceramics. IIU 88−32819
Nan Deheng *see* Wang Guoyu 86−28477
Nan Wang *see* Kim, H.T. 86−22809
Nan Yan *see* Shao Junzhe 86−31697
Nan Zhuang *see* Zhuang Nan
Nan-jie Wang *see* Wang Nan-jie
Nan-lun Zhang *see* Zhang Nan-lun
Nan-rong Xu *see* Xu Nan-rong
Nan-shan Hu *see* Hu Nan-shan
Nan-sing Sung *see* Sung Nan-sing
Nan-Xing Luo *see* Luo Nan-Xing
Nanahara, T., Ohba, Y. Generation expansion planning considering system operation -Coordination of simulation and optimization methods - 87−57716
Nanahara, T. *see* Ariga, Y. 85−49082
Nanai, L., Hevesi, I., Bunkin, F.V., Luk'Yanchuk, B.S., Shafeev, G.A., Alimov, D.T. Crystal formation under the influence of laser light 85−35845
Nanaka, Y., Murashima, S., Yotsutani, S. The charge simulation method with Schwarz's alternating procedure 86−63910
Nanamatsu, S. *see* Utsumi, K. 85−50634
Nanasawa, Y. *see* Matsuda, H. 88−18254
Nanasawa, Y. *see* Tanaka, T. 88−11528
Nanataki, T. *see* Imoto, F. 88−6491
Nanatsue, H. *see* Mayumi, S. 88−1565
Nanayakkara, A. Protection for high voltage motors 86−6675
Nanayakkara, A. Current transformers for protection and metering 86−45031
Nanayakkara, A.H. Load management in distribution networks 86−12413
Nanayakkara, S., Anderson, J.B. High speed receiver designs based on surface acoustic wave devices 85−7127
Nanba, H. *see* Mitani, K. 87−2738
Nanba, H. *see* Takeuchi, E. 87−71890
Nanba, K. *see* Hasegawa, S. 88−60183
Nanba, K. *see* Igarashi, H. 88−15707, 88−69838
Nanba, K. *see* Murano, H. 86−40556
Nanba, K. *see* Nakamura, E. 86−6372
Nanba, K. *see* Nakayama, R. 86−66159
Nanba, K. *see* Ohno, H. 86−51007
Nanba, M., Sagisaka, Y., Mizukami, Y., Yoshida, H., Murotani, K., Asano, M., Ogihara, Y. Improvement of power system stability by means of static VAr compensator 85−48519
Nanba, M., Shiba, T., Nakamura, T., Toyabe, T. An analytical and experimental investigation of the cutoff frequency f_T of high-speed bipolar transistors 88−64520
Nanba, M. *see* Nakamura, T. 87−32681
Nanba, M. *see* Okai, H. 86−54641
Nanba, M. *see* Shiba, T. 88−71756
Nanba, T., Ikezawa, M., Watanabe, M., Fukui, K., Inokuchi, H. Synchrotron radiation as a light source in the submillimeter and millimeter wave regions 88−25051
Nanba, T. *see* Masuda, S. 88−29940, 88−33329
Nanba, T. *see* Washizu, M. 88−64688
Nanba, Y. *see* Morimoto, H. 86−54828
Nanbu, H. *see* Hirobe, T. 86−8658
Nanbu, H. *see* Homma, N. 87−10862
Nanbu, H. *see* Morimoto, H. 87−16009
Nanbu, K., Saito, J., Kondo, K. Analysis of surface defects on GaAs grown by molecular beam epitaxy 87−36698
Nanbu, K., Watanabe, Y. Thickness distribution of films fabricated by the molecular beam epitaxy technique 87−5424
Nanbu, K. *see* Saito, J. 87−5415, 88−33033, 88−49837, 88−50724
Nanbu, K. *see* Sasa, S. 85−1359, 85−40485
Nanbu, K. *see* Shibatomi, A. 87−16640
Nanbu, S. *see* Fukuzawa, I. 86−13501
Nanbu, S. *see* Kadooka, T. 85−42607
Nanbu, T. *see* Sugita, R. 86−36018
Nanbu, T. *see* Tohma, K. 86−36020
Nanbu, Y. Moisture control and precision control in the tobacco drying process 88−16563
Nancay, S.de *see* de Nancay, S.
Nance, B. The Datran Modem Accelerator 86−64803
Nance, R.E., Moose, L., Jr. A statistical technique for comparing heuristics: an example from capacity assignment strategies in computer network design 87−62601
Nance, R.E., Moose, R.L., Jr. Link capacity assignment in dynamic hierarchical networks 88−66783
Nance, S. *see* Martinez, A. 85−1711
Nance, S. *see* Or-Bach, Z. 87−59400
Nance, S. *see* Pierce, K. 87−697
Nance, S. *see* Steinweg, R.L. 86−20489
Nancoz, J. Introduction of new ISDN and wideband services in the Swiss network 88−28521
Nanda, A. VLSI packaging with high density TAB interconnect tapes−new design guidelines 87−67412
Nanda, A.K. Depolymerization of Pennsylvania bituminous coal 87−35718
Nanda, A.K. *see* Mehra, A.C. 85−15588
Nanda, D.N. Application of statistical methods and the concept of probability in telephone traffic calculations 87−13283
Nanda, J., Bijwe, P.R., Kothari, D.P. Application of progressive optimality algorithm to optimal hydrothermal scheduling considering deterministic and stochastic data 86−45229
Nanda, J., Bijwe, P.R., Kothari, D.P., Shenoy, D.L. Second order decoupled load flow 87−57517
Nanda, J., Kothari, D.P., Lingamurthy, K.S. Economic-emission load dispatch through goal programming techniques 88−48485
Nanda, J., Kothari, D.P., Srivastava, S.C. A new second order fast decoupled load flow method [power systems] 85−32133
Nanda, J., Kothari, D.P., Srivastava, S.C. Some important observations on fast decoupled load flow algorithm 87−64087
Nanda, J., Kothari, D.P., Srivastava, S.C. A novel second order fast decoupled load flow method in polar coordinates 88−75068
Nanda, J. *see* Bijwe, P.R. 87−42323
Nanda, J. *see* Kaul, B.L. 88−23593
Nanda, J. *see* Kothari, M.L. 88−61841
Nanda, M.M. *see* Alcorn, C.N. 85−29167
Nanda, N.K. *see* Ahmad, A. 88−63603
Nanda, S. Nonlinear complementary problem of mathematic programming in Banach space 87−36611
Nanda, S., Pearlman, W.A. Tree coding of image sub-bands 88−73248
Nanda, S. *see* Burleson, G.R. 86−60503
Nandagonkar, S.N. *see* Mar, J. 87−38463
Nandakumar, R. *see* Subba Rao, S.V. 85−58050
Nandakumar, V. *see* Ahuja, H.N. 85−28027
Nandakumar, V. *see* Fang, E. 88−12359
Nandakumar, V. *see* Petersen, D.A. 85−54953
Nandam, P.K., Sen, P.C. A comparative study of proportional-integral (P-I) and integral-proportional (I-P) controllers for DC motor drives 86−56970
Nandam, P.K., Sen, P.C. A microprocessor based control of DC motor drives using proportional-integral (P-I) and integral-proportional (I-P) controllers 87−43494
Nandam, P.K., Sen, P.C. Analog and digital speed control of DC drive using proportional-integral and integral-proportional control techniques 87−58373
Nandam, P.K., Sen, P.C. Observer-based sliding mode control for variable speed drive systems 88−31072
Nandam, P.K., Sen, P.C. Sliding mode speed control of a self controlled synchronous motor (SCSM) using an adaptive state observer 88−69337
Nandeakar, S.D. *see* Hilton-Brown, P. 86−18339
Nandedkar, S.D., Sanders, D.B., Stalberg, E.V. Selectivity of electromyographic recording techniques: a simulation study 86−18338
Nandgaonkar, S.N. *see* Mar, J. 88−13480
Nandhakumar, N., Aggarwal, J.K. Integrating information from thermal and visual images for scene analysis 87−13122
Nandhakumar, N., Aggarwal, J.K. Multisensor integration−experiments in integrating thermal and visual sensors 87−62319
Nandhakumar, N., Aggarwal, J.K. Synergetic integration of thermal and visual images for computer vision 88−29452
Nandhakumar, N., Aggarwal, J.K. Integrated analysis of thermal and visual images for scene interpretation 88−66625
Nandhakumar, N. *see* Jenkins, J. 85−9194
Nandi, A. *see* Trigg, D.F. 85−38320
Nandi, A.K. *see* Astbury, A. 85−64463
Nandi, A.K. *see* Corden, M.J. 85−64462
Nandi, R. Novel insensitive minimal-grounded-element dual-polarity ratio-type function generation 85−61158
Nandi, R. Precise insensitive tunable *RC*-oscillator realisation using current conveyors 86−46604
Nandi, R. Novel insensitive functional immittance conversion with voltage/current followers 87−52729
Nandi, R. Precise realisation of an insensitive floating negative admittance convertor 87−66322
Nandi, R. Novel floating negative immittance converter 88−871
Nandi, R., Jana, P.B., Nandi, S., Saha, A.R. A new active-*R* multifunction network 85−17655
Nandi, R., Sarker, U.C. Dual input summing/differential differentiators: applications as a high frequency tunable selective filter 88−50246
Nandi, S. Integrable tunable dual-function integrator/differentiator network with extremely low value grounded capacitor 85−6462
Nandi, S. *see* Nandi, R. 85−17655
Nandkumar, S. *see* Duvoisin, P.F. 88−66111
Nandkumar, S. *see* Sengupta, S. 88−66695
Nando, K. *see* Mutoh, N. 88−75619
Nandoh, K. *see* Morinaga, S. 85−27506
Nandraska, S. *see* Srannek, R. 87−53400
Nandraska, S. *see* Srnanek, R. 87−32423
Nanduri, R. *see* Sarikaya, B. 87−69433
Nanduri, S.R. *see* Elhakeem, A.K. 88−22000
Nanduri, V. New design profiles for UHV conductors 88−54990
Nandy, F.R., Klapka, P.B. Nuclear rate regulation 87−22046
Nandy, S., Patnaik, L.M. Placement through pairwise interchange among connected and unconnected logic modules 86−62378
Nandy, S.C. *see* Krishnan, T. 87−69310
Nandy, S.K., Patnaik, L.M. Linear time geometrical design rule checker based on quadtree representation of VLSI mask layouts 87−6773
Nandy, S.K., Patnaik, L.M. Algorithm for incremental compaction of geometrical layouts 87−52275
Nandy, S.K., Ramakrishnan, I.V. Dual quadtree representation for VLSI designs 87−6850
Nandy, S.K. *see* Srinivas, M.K. 88−18874
Nanev, C.N., Dimitrov, V. Growth flawing and strain in hydrothermal quartz 86−20023
Nanevicz, J.E. Static charging effects on avionic systems 87−12667
Nanevicz, J.E. Alleviation/testing techniques for aircraft charging 87−12748
Nanevicz, J.E., Vance, E.F., Hamm, J.M. Observation of lightning in the frequency and time domains 88−60844
Nang-Ping Chen *see* Yuh-Zen Liao 86−58507
Nangla, R. *see* Fettwels, W.H. 86−26419
Nango, S. *see* Inoue, T. 88−184
Nango, Y. *see* Sakawa, M. 85−10583
Nango, Y. *see* Takahashi, T. 88−41207
Nango, Y. *see* Uesugi, N. 88−41490
Nangrani, K., Gerteisen, S. Conductive composites blunt EMI effects 86−22724
Nani, G. *see* Silard, A. 86−40076, 87−22762, 87−51481, 88−5883, 88−7570, 88−31002, 88−33158, 88−39388
Nani, G. *see* Silard, A.P. 88−37402, 88−57609, 88−64527
Nania, R. *see* Alberini, C. 86−65387, 87−35339
Nania, R. *see* Bari, G. 87−8843
Nania, R. *see* Basile, M. 85−43273, 86−5785
Nanii, O.E., Shelaev, A.N. Magnetooptic effects in a YAG:Nd^{3+} ring laser with a nonplanar resonator 85−18906
Nanii, O.E. *see* Dotsenko, A.V. 86−54175
Nanii, O.E. *see* Kir'yanov, A.V. 87−39057
Nanii, O.E. *see* Klochan, E.L. 88−20605
Nanii, O.E. *see* Kravtsov, N.V. 87−68552
Nanii, V.V. *see* Yakovlev, M.M. 87−64598
Nanis, L. *see* Smallen, M. 86−36000
Nanishi, Y., Ishida, S., Miyazawa, S. Characterization of semi-insulating GaAs substrates for GaAs ICs 85−34741
Nanishi, Y., Miyazawa, S., Matsuoka, Y. Homogeneity correlation between GaAs crystal parameters and FET performances 87−17724
Nanje Gowda, C. *see* Subramanian, K.R. 87−76901
Nanjie Wang *see* Wang Nanjie
Nanjo, F. *see* Masuyama, F. 86−33087
Nanjo, J., Nakatani, Y., Olafsson, S., Nomura, S. Luminescence mechanism during anodic oxidation of single crystal silicon and hydrogenated amorphous silicon 87−45559
Nanjo, J. *see* Hasegawa, H. 88−39207
Nanko, D. The SAG-105 automatic synchronizer of generators 88−75543
Nann, S. *see* Butt, H.-J. 87−29444
Nannarone, S. *see* Abbati, I. 86−21255
Nannery, P.R., Foltin, M.S. The application of peak activated rates: a technique to load management 86−18699
Nanni, F. *see* Amendolia, S.R. 85−37901, 85−43179
Nanni, F. *see* Benvenuti, A.C. 85−15254
Nanni, F. *see* Konoplyannikov, A. 85−42924
Nanni, S., Nicotra, L. A matched filter for infrared background suppression 88−52570
Nannichi, Y. *see* Hasegawa, F. 86−439, 87−23733, 87−31550, 87−73134, 88−1545, 88−18717, 88−32930, 88−38171, 88−49858, 88−63312
Nannichi, Y. *see* Jia-Fa Fan 88−64341
Nannichi, Y. *see* Kawabe, M. 85−1360, 85−40481, 85−45442, 87−25093
Nannicini, M., Magni, P., Oggionni, F. Temperature controlled predistortion circuits for 64 QAM microwave power amplifiers 86−8023
Nannicini, M., Salerno, M., Vismara, L. HTN-6u digital high-capacity (140 Mbit/s) microwave system 85−42461
Nannicini, M., Schiavoni, R., Tarulli, P., Tosti, A. Telettra telecommunication control system (TTC) for digital transmission systems 87−34410
Nannicini, M. *see* Locatelli, G.P. 88−1013
Nannicini, M. *see* Mantovani, G. 87−34399

Nanninga, G.J. *see* van de Goor, A.J. 88–72782
Nanninga, N. *see* van der Voort, H.T.M. 85–51751
Nannini, A., Bagnoli, P.E., Diligenti, A., Ciuti, V. Transient behaviour of flat-band voltage during hydrogen and deuterium adsorption on Pd-gate MOS structures 85–61785
Nannini, A. *see* Bagnoli, P.E. 88–1627
Nannini, A. *see* De Rossi, D. 88–10025, 88–42485
Nannini, A. *see* Monici, M. 88–36677
Nano, E. Work and tasks of sub-committee E of CISPR 87–26834
Nano, E. *see* Borsero, M. 88–8522
Nanova, M. *see* Ratcheva, T. 87–1434
Nanova, M.D. *see* Ratcheva, T.M. 86–58265
Nanri, H. *see* Harada, K. 86–31367
Nanseth, E. Digital coding of speech–more than PCM 85–30219
Nanseth, E. Telematic network: coding of sound and picture for digital transmission 86–16715
Nanshan Hu *see* Hu Nanshan
Nanson, B.N., Rehak, D.R., Oppenheim, I.J., Rosick, M., Keirouz, W.T. Robotics in maintenance: two current research areas 86–19805
Nanthakumar, A. *see* Klofta, T.J. 86–9656
Nanto, H., Minami, T., Orito, S., Takata, S. Electrical and optical properties of indium`tin oxide thin films prepared on low-temperature substrates by RF magnetron sputtering under an applied external magnetic field 88–57336
Nanto, H. *see* Minami, T. 85–54516, 86–20090, 87–10497, 87–38938, 88–43937, 88–58371
Nanto, H. *see* Takata, S. 86–41542, 88–31768, 88–38240, 88–40059
Nanto, S. *see* Koshiji, K. 87–47346
Nantz, T.D., Shenk, W.J. Lightguide applications in the loop 87–62933
Nanush'yan, S.R. *see* Averina, L.M. 86–48146
Nanver, L.K., Goudena, E.J.G. Characteristics of separated-gate JFETs 87–11771
Nanya, T. New design approaches to large-scale logical circuits. V. Design of asynchronous switching circuits 85–6292
Nanya, T. Logic synthesis 85–40015
Nanya, T. Design approach to self-checking VLSI processors 87–59555
Nanya, T., Kawamura, T. A design approach to self-checking processors 86–34865
Nanya, T., Kawamura, T. A design approach to self-checking processors 87–17129
Nanya, T., Kawamura, T. A note on strongly fault-secure sequential circuits 88–659
Nanya, T., Mourad, S., McCluskey, E.J. Multiple stuck-at fault testability of self-testing checkers 88–70635
Nanya, T. *see* Takahara, A. 87–37355
Nanya, T. *see* Yamada, T. 85–716
Nanya, Y., Kawamura, T. A note on strongly fault secure sequential circuits 86–67175
Nanzhang Wang *see* Wang Nanzhang
Nao-I, N. *see* Honda, Y. 86–65429
Naoaki Aizaki, Toru Tatsumi, Hideki Tsuya Improved doping characteristics in silicon molecular beam epitaxial film doped by electron impact ion source 87–6540
Naoe, M. Characteristics of Seikan tunnel signal equipment–ATC for 3-wire track circuit 88–31134
Naoe, M., Kitamura, N., Hirata, T. Preparation of amorphous Tb-Fe-Co thin films by plasma-free high-rate sputtering 87–67700
Naoe, M., Kitamura, N., Ito, H. Improvement of the *C/N* ratio and corrosivity of TbFeCo amorphous films by controlling their microstructure 88–64939
Naoe, M., Matsuoka, M., Hoshi, Y. Effect of additional element (Fe, Zr, Ta) for Co-Cr films deposited by targets facing type of sputtering 85–49594
Naoe, M., Yamaga, M., Terada, N. Deposition of rust proof iron thin films with soft magnetic properties by dual ion beam sputtering 86–35971
Naoe, M., Yata, M., Matsumoto, K. Recording characteristics of semi-hard Mn-Zn ferrite sputtered disks 88–51262
Naoe, M. *see* Fukizawa, A. 87–46313
Naoe, M. *see* Hoshi, Y. 85–10801, 85–18551, 85–46033, 86–28629, 88–1860, 88–51246
Naoe, M. *see* Kawano, A. 88–33510
Naoe, M. *see* Matsuda, Y. 86–9392, 87–46340
Naoe, M. *see* Matsuoka, M. 85–10802, 85–16972, 85–44773, 85–46008, 86–496, 86–2586, 86–9408, 86–28677, 86–40768, 87–52173, 87–53878
Naoe, M. *see* Mirosako, A. 86–35969
Naoe, M. *see* Morisako, A. 85–16973, 87–5468, 87–32842, 87–32856, 87–46336, 88–1859, 88–57927, 88–57947
Naoe, M. *see* Nagakubo, M. 88–64903
Naoe, M. *see* Nakagawa, S. 88–71885
Naoe, M. *see* Niimura, Y. 86–9383, 87–10476, 87–16666, 87–31558, 87–31570, 87–46306, 87–52182, 88–43925, 88–57901 to 57902
Naoe, M. *see* Terada, N. 85–24071, 85–46028, 85–56227
Naoe, M. *see* Yamamoto, H. 87–44374
Naohara, N. *see* Kitajima, A. 85–10871
Naohara, T., Shinohara, K., Inoue, A., Masumoto, T., Nakamura, T. Microstructure and soft magnetic properties of rapidly solidified Fe-Al alloys 88–64909
Naoi, K., Sakai, H., Ogano, S., Osaka, T. Application of electrochemically formed polypyrrole in lithium secondary batteries: analysis of anion diffusion process 87–78881
Naoi, K. *see* Osaka, T. 87–43358, 88–17868, 88–30980, 88–62571
Naoi, S. Epoxy resin mold insulators [switchgear protection] 85–49052
Naomichi Suzuki, Kiyoshi Yajima, Seizo Murayama, Masanori Itoh, Tetsuo Yamaguchi Application of porcelain steel substrate thick film circuits in Japan 85–28850
Naono, H. *see* Ibaraki, S. 87–19782
Naono, H. *see* Sueyoshi, T. 87–46307
Naor, D., Arnon, O., Avnur, A. A lightweight innovative helmet airborne display and sight (HADAS) 88–30110
Naor, J. *see* Karchmer, M. 88–31633
Naor, J. *see* Peleg, S. 85–19540
Naor, M. *see* Firth, R.R. 88–72456
Naoshi Uesugi *see* Kuwaki, N. 88–13834
Naot, U. *see* Namjoo, M. 88–44228
Naot, Y. *see* Elmakis, D. 87–30729
Naot, Y. *see* Zabar, Z. 88–58818
Naoum, B. *see* Ledee, R. 87–63830
Naour, E. *see* Rannou, A. 87–29651
Naour, R.La *see* La Naour, R.
Naour, R.Le *see* Le Naour, R.
Nap, K. *see* Wilson, M. 86–14657, 86–27716
Nap, K.A. Common design errors decrease multilayer yields 88–50500
Naparstek, M.I., Burns, J.F. Retrofitting a district heating system at Co-op City, New York, for cogeneration 87–64382
Napartovich, A.N. *see* Lopantseva, G.B. 85–2230
Napartovich, A.P., Orlov, E.P. Divergence and low-threshold self-action effects in high-power lasers 88–27254
Napartovich, A.P. *see* Adamovich, V.A. 87–46762, 87–68343
Napartovich, A.P. *see* Antyukhov, V.V. 86–29045, 87–26315
Napartovich, A.P. *see* Artamonov, A.V. 85–18874
Napartovich, A.P. *see* Belykh, A.D. 88–14099
Napartovich, A.P. *see* Benenson, Z.M. 88–58445
Napartovich, A.P. *see* Berdyshev, A.V. 88–51900
Napartovich, A.P. *see* Bondarenko, A.V. 88–14097, 88–65764
Napartovich, A.P. *see* Dem'yanov, A.V. 86–29055
Napartovich, A.P. *see* Deryugin, A.A. 85–56769, 86–22307, 87–12385
Napartovich, A.P. *see* Elkin, N.N. 87–39197
Napartovich, A.P. *see* Gapotchenko, N.I. 86–36390
Napartovich, A.P. *see* Golubentsev, A.A. 88–58410
Napartovich, A.P. *see* Kuntsevich, B.F. 87–68349
Napartovich, A.P. *see* Likhanskii, V.V. 88–34093, 88–58610
Naparty, M. *see* Dittmar-Wituski, A. 85–15017
Napchan, E., Holt, D.B. Application of Monte Carlo simulations in the SEM study of heterojunctions 88–39128
Napel, S. *see* Ackelsberg, S.M. 87–14883
Napel, S. *see* Peschmann, K.R. 86–25192
Napholtz, S.G. *see* Antreasyan, A. 86–3157, 86–9832, 86–36485, 86–68536
Napholtz, S.G. *see* Dutta, N.K. 85–2308, 85–7428, 85–24546, 85–35758, 85–41377, 85–46381, 86–36460, 86–42566, 86–58912, 86–58916, 87–39156, 88–8203
Napholtz, S.G. *see* Huo, D.T.C. 88–26064, 88–57477
Napholtz, S.G. *see* Koszi, L.A. 87–38949, 88–27133
Napholtz, S.G. *see* Piccirilli, A.B. 87–61159
Napholtz, S.G. *see* Tsang, W.T. 88–34029
Napiatek, H.J. *see* Gorski, J. 87–20359 to 20360
Napier, M.E., Ashkenazi, V. Modern navigation and positioning techniques 87–63092
Napier, P.J. Resolving the Universe: recent developments in the Very Large Array radiotelescope 87–49214
Napier, R.S., Henderson, B.J. Automatic testing of telecommunications equipment 87–77096
Napier, R.S., Henderson, B.J. Automatic testing of telecommunications equipment 87–77111
Napier, T.M. *see* Appel, J.A. 85–43295
Napieralksi, A. *see* Dorkel, J.M. 88–63045
Napieralska-Juszczak, E., Jablonski, M. Representation of faults in mathematical model of convertor set 88–69609
Napieralska-Juszczak, E. *see* Dems, M. 88–23929
Napieralski, A., Dorkel, J.M., Lachiver, E., Leturq, P.H. Thermal characterization of cooling substrates for discrete or hybrid power devices 87–10185
Napieralski, A., Pompignac, F. Thermal CAD of power hybrid devices using light computer means [microcomputer application] 88–25738
Napieralski, A. *see* Leturcq, P. 87–52349
Napieralsky, A., Pompignac, F. Napom–software applied to the thermal study of power hybrid circuits 88–56433
Napiorkowski, J. A compressed air generator for peak load demand 88–75955
Napiorkowski, K. Influence of drain-gate voltage on behaviour of JFET transistors 85–1595
Naples, J. *see* Thornton, R. 87–37629
Naples, J.G. Relay reliability in surface mounting 88–32640
Naples, J.G., Antonitsch, S. Polarised relays for electronic design 87–32128
Naples, T.F., Hegebarth, D.G. Remote monitoring and display of onsite cogeneration systems performance–an update 87–43411
Napoleon, E.S. Curing pasted plates for lead/acid batteries 87–58295
Napoles, I.R. *see* Choy, S.L. 87–15253
Napoles, K. *see* Kopylov, I.P. 88–62355
Napoli, A.Di *see* Di Napoli, A.
Napoli, L.S. *see* Fu-Lung Hsueh 86–35883
Napoli, R., Piglione, F. The evaluation of the criticality of contingencies 86–44840
Napoli, R., Piglione, F., Scopece, M., Carpaneto, E., Fallini, R. Power system similarity identification and fast state prediction 86–50925
Napoli, R. *see* Brucoli, M. 86–6254
Napoli, R. *see* Carpaneto, E. 86–44839
Napolitano, D.A. *see* Vesecky, J.F. 85–31098
Napolitano, D.G., DiGiovine, A.S. SIMULATE-3 pin power reconstruction applied to Seabrook Station 88–23697
Napolitano, M. *see* Battiston, R. 85–59224
Napp, D.T. *see* Bakos, P. 85–45326
Napper, J. Positive displacement meters–selection and installation 87–56850
Napper, S.A., Seaman, R.L. Artificial intelligence in biomedical and rehabilitation engineering 87–57052
Napper, S.A. *see* Robey, B.L. 88–54657
Nappey, P. *see* Ansorge, R.E. 88–29842
Nappi, A., Perego, U. Solution of large eigenproblems on a microcomputer 85–28158
Nappi, A. *see* Batley, R. 86–25127
Nappi, A. *see* Bernstein, D. 85–15253
Nappi, A. *see* Burkhardt, H. 88–47997
Nappi, E. *see* Calicchio, M. 88–29811
Nappi, E. *see* Castellano, M. 87–41858
Nappi, E. *see* De Marzo, C. 87–29473
Nappi, E. *see* De Palma, M. 85–59203
Naprashik, M.V. *see* Mikulyak, S.P. 87–5018
Naprasnik, M.V. Algorithm for a traction drive control using a microprocessor controller 85–5441
Napthine, M. *see* Jordan, J.R. 86–62618
Naqashbandi, S.F.H. *see* Sharma, R.S. 85–17635
Naqishbandi, S.F.H. *see* Shah, N.A. 85–17634
Naqshbandi, S.F.H. *see* Sharma, R.S. 86–1241
Naqshbendi, S.F.H. New active RC filters using current conveyors 87–66330
Naqshbendi, S.F.H. Realization of a canonic high input impedance current conveyor band-pass filter 87–73537
Naqvi, A.A., Sandler, M.B. Image processing with multiple DSPs 87–44950
Naqvi, S. Local area networks: an integrated approach to system requirements 85–19900
Naqvi, S.H. *see* Ali, S.W. 87–72250
Naqvi, S.S.H., Gallagher, N.C., Coyle, E.J. An application of median filters to digital television 87–28795
Nara, H. *see* Hara, Y. 88–55474
Nara, H. *see* Horiguchi, S. 87–36656
Nara, J. Measurement of surface roughness and its trend of indication 86–17884
Nara, K., Tamura, O. A simple temperature-changing rate sensor 86–50061
Nara, K., Tanaka, K., Kodama, H., Shoults, R.R., Chen, M.S., Van Olinda, P. On-line contingency selection algorithm for voltage security analysis [power systems] 85–48533
Nara, K., Yamashiro, S. Effective allocation and operation of dispersed energy storage devices in power system restoration state 87–9076
Nara, K., Yamashiro, S. A fast approximate fault simulation method for power systems contingency selection 88–10742
Nara, K., Yamashiro, S., Hasegawa, J. On-line contingency selection algorithm for voltage and overload security analysis 88–36758
Nara, K., Yamashiro, S., Koike, T. Evaluation of loads in restoration state by the cost of interruption of electrical service 85–43550
Nara, K. *see* Yamashiro, S. 86–39018
Nara, M. *see* Inouye, T. 86–31673
Nara, M. *see* Yoshino, T. 85–62374
Nara, S., Mitani, K., Shimizu, J., Kawaharata, S. Operation and maintenance in ISDN 87–48819
Nara, S. *see* Katayama, M. 85–5131
Nara, S. *see* Kojima, K. 85–62238, 87–32910, 87–32915, 87–46415
Nara, S. *see* Nishi, K. 85–35346
Nara, S. *see* Okamoto, N. 87–48818
Nara, S. *see* Yoshida, Y. 87–48389

Nara, T. *see* Fujiyama, Y. 87−40601
Nara, T. *see* Yamada, Y. 87−26996
Nara, Y., Matsumura, M. Application of hydrogenated amorphous-silicon to bipolar transistors 85−12251
Nara, Y., Matsumura, M. Hydrogenated amorphous-silicon bipolar transistors 85−40707
Nara, Y., Yamazaki, T., Sugii, T., Sugino, R., Ito, T., Ishikawa, H. Photochemical cleaning and epitaxy of Si 88−13147
Nara, Y. *see* Kimura, S. 87−19604, 87−61695
Nara, Y. *see* Okada, H. 86−35729
Nara, Y. *see* Sugino, R. 88−19843
Narabu, T., Nakashio, M., Shimura, F., Saito, K. CCD delay line for video TBC 87−10743
Naraeva, M.K. *see* Selivanov, A.S. 88−61627
Narahara, A., Nagatsu, C., Tanaka, M., Sasaki, Y. Earthquake-proof design of outdoor civil engineering structures at the Kawachi No.1 nuclear power station 86−25703
Narahara, C. *see* Satoh, H. 86−42041, 88−50059
Narahara, H. *see* Funakubo, H. 87−41983
Narahara, H. *see* Yakimoto, A. 86−32342
Narahara, K. *see* Sunagawa, K. 87−34712
Narahara, Y. *see* Doi, H. 85−47966
Narahari, N.G. *see* Sen Gupta, D.P. 85−43955
Narahari, Y., Viswanadham, N. Coloured Petri net models for generalized flexible manufacturing systems 87−23513
Narain, J. A novel method of reducing the storage time of transistors 86−21513
Narain, M., Singh, B.P.N. Energy profile of a seed-processing plant 88−69959
Naraine, P.M., Campbell, C.K. Gigahertz SAW filters on YZ-lithium niobate without the use of sub-micron line widths 86−2533
Naraine, P.M. *see* Campbell, C.K. 87−60744
Narang, R. *see* Perregaux, A.E. 88−13952
Narang, S. *see* Min Yu Li 88−13246
Narano, J. *see* Minemoto, T. 86−3959
Naranov, V.V. *see* Basov, N.G. 86−68446
Naraoka, K. Wet etching 85−34866
Naraoka, K. High resolution polysiloxane electron resist 86−15016
Naraoka, K. High resolution polysiloxane electron resist 87−53583
Naraoka, K., Tomioka, H. Characteristics of various photoresists and electron resists 85−35094
Narasaki, I. *see* Watanabe, T. 85−32826
Narasaki, N., Kudo, K., Nishiyama, S. Partial discharge and breakdown characteristics of solid/liquid composite dielectrics 85−50794
Narasaki, N., Kudo, K., Nitta, Y. Direct voltage breakdown of silicone oil/polymer film composite with needle/plane electrode system 85−1773
Narashimha, M.J. *see* Yang, P.P.N. 87−59757
Narashimham, K.L. *see* Sarma, P.R. 87−63636
Narashimhan, S.V. Application of the least mean fourth (LMF) adaptive algorithm to signals associated with Gaussian noise 87−61854
Narasimha, G. Developing new sources of energy. II 85−32263
Narasimha, G. Testing and evaluation of low voltage AC airbreak contactors 86−45620
Narasimha, M.J., Foster, S.R. ADPCM comes of age [voice encoding scheme] 85−13529
Narasimha, M.J., Yang, P.P.N., Gi-Lee, B., Abell, M.L. The TM7800-M1: a 60-channel CCITT transmultiplexer 85−57854
Narasimha, M.J., Yang, P.P.N., Lee, B.G., Abell, M.L. The TM7800-M1: a 60-channel CCITT transmultiplexer 85−14031
Narasimha, M.J. *see* Song, M.S. 86−2427
Narasimha, M.J. *see* Yang, P.P.N. 86−16381
Narasimha, R.S. Biomedical signal processing on the personal computer 88−54587
Narasimha Murthy, M. Calibration infrastructure build-up: new concepts/contributions from John Fluke Mfg. Co., USA 87−3365
Narasimha Sastry, N.S. *see* Bagchi, B. 88−45902
Narasimhaiah, C.C. *see* Martin, H.L., Sr. 85−61239
Narasimhalu, A.D. *see* Ranai, K. 88−9186
Narasimham, K.L. *see* Sasi, P.R. 87−57029
Narasimham, K.V. *see* Chopra, K.N. 86−58953, 87−7194
Narasimhamurthi, N. Noise induced voltage collapse 86−70608
Narasimhamurthi, N., Tao, G. Transient stability determination using differential inclusions [power systems] 86−56313
Narasimhamurthi, N. *see* Musavi, M.T. 85−59536
Narasimhan, K.L., Premachandran, V. Origin of the open-circuit voltage in amorphous silicon Schottky-barrier solar cells 85−5381
Narasimhan, K.L. *see* Bapat, D.R. 87−66987
Narasimhan, K.L. *see* Bhattacharya, E. 86−14878, 86−27913
Narasimhan, K.L. *see* Kakalios, J. 85−18137
Narasimhan, K.S.V.L. Magnetization studies on rare earth-iron rapidly quenched alloys 85−29474
Narasimhan, K.S.V.L. Comparative study of NdFeB and '2:17' rare earth magnets 86−22012
Narasimhan, K.S.V.L., Lizzi, T. Densification and magnetization of rare earth magnets 85−56086
Narasimhan, K.S.V.L. *see* Camp, F.E. 86−28608
Narasimhan, K.S.V.L. *see* Grossinger, R. 86−9417, 86−22017, 87−25764
Narasimhan, K.S.V.L. *see* Ma, B. 87−25769
Narasimhan, K.S.V.L. *see* Ma, B.-M. 86−28621
Narasimhan, K.S.V.L. *see* Sankar, S.G. 86−28618
Narasimhan, K.S.V.L. *see* Willman, C.J. 86−28610, 87−67716
Narasimhan, M.A. *see* Srinivasan, N. 88−23243
Narasimhan, M.C., Arya, R.R., Russell, T.C. Quench casting of silicon ribbons for solar cells 86−7043
Narasimhan, M.C. *see* Arya, R.R. 86−13075
Narasimhan, M.S., Christopher, S. On expansion of cylindrical Bessel function 85−19078
Narasimhan, M.S., Christopher, S., Varadarangan, K. Modal behavior of spherical waves from a source of EM radiation with application to spherical scanning 85−41692
Narasimhan, M.S., Philips, B. Pattern distortion of aperture antennas radiating in the presence of conducting platforms 85−7713
Narasimhan, M.S., Philips, B. Analysis of the near and far fields of an offset paraboloid illuminating a rotatable flat passive reflector 86−3650
Narasimhan, M.S., Philips, B. Synthesis of near-field patterns of arrays 87−39502
Narasimhan, M.S., Philips, B. Synthesis of near-field patterns of a nonuniformly spaced array 88−27659
Narasimhan, M.S., Ravishankar, S. Probe uncompensated near-field to far-field transformation for scanning over an arbitrary surface 85−41704
Narasimhan, M.S., Rsavishankar, S. Multiple scattering of EM waves by dielectric spheres located in the near field of a source of radiation 87−54517
Narasimhan, M.S., Varadarangan, K., Christopher, S. A new technique of synthesis of the near- or far-field patterns of arrays 86−64059
Narasimhan, M.S. *see* Bach, H. 85−24935
Narasimhan, M.S. *see* Ekelman, E.P. 86−36806
Narasimhan, M.S. *see* Yeung, W.K. 85−60931
Narasimhan, M.V.L. *see* Kulkarni, N.D. 87−9458
Narasimhan, R., Rao, P.V.S. Computer science and technology in India: a critical assessment 85−51845
Narasimhan, R.L. *see* Kar, S. 87−60189
Narasimhan, S., Pirkul, H., De, P. Route selection in backbone data communication networks 88−59355
Narasimhan, S. *see* Pirkul, H. 88−46550
Narasimhan, S.V. Non-stationary signal analysis by least mean fourth (LMF) adaptive algorithm 88−8753
Narasimhan, S.V., Dutt, D.N. Software simulation of the EEG 86−11979
Narasimhan, S.V., Narayana Dutt, D. Least mean fourth (LMF) lattice adaptive algorithm 87−27381
Narasimhan, V.L. *see* Mathialagan, A. 86−11424
Narasimhan, V.Lakshmi *see* Lakshmi Narasimhan, V.
Narasimhaswamy, P. *see* Rajkumar, A.D. 88−5695
Narat, P. *see* De Fornel, B. 86−39967, 87−36122
Narathong, C., Inigo, R.M., Doner, J.F., McVey, E.S. An algorithm for motion prediction using a biological visual sensor 87−62308
Narayan, A. Analysis of some fatal electrocution cases 88−31434
Narayan, A. The disturbing neglect of protective planning [telecommunications] 88−34908
Narayan, A.P. Analytic model of a PABX data network 86−55091
Narayan, D.V.L., Adiga, B.S. A generalized shuffling scheme for radix-r FFT algorithm 87−75820
Narayan, J. Rapid thermal annealing of ion-implanted silicon and gallium arsenide 85−12109
Narayan, J., El Ghor, M., Kim, S.Y., Vedam, K., Manukonda, R., Pennycook, S.J. Formation and nondestructive characterization of ion implanted SOI layers 88−13108
Narayan, J., Fathy, D., Oen, O.S., Holland, O.W. Atomic structure of ion implantation damage and process of amorphization in semiconductors 85−12121
Narayan, J., Holland, O.W. Rapid thermal annealing of ion-implanted semiconductors 85−12131
Narayan, J., Holland, O.W. Characteristics of ion-implantation damage and annealing phenomena in semiconductors 85−23642
Narayan, J., Holland, O.W., Christie, W.H., Wortman, J.J. Rapid thermal and pulsed laser annealing of boron fluoride-implanted silicon 85−50383
Narayan, J., Oen, O.S., Fathy, D., Holland, O.W. Atomic structure of collision cascades in ion-implanted silicon and channeling effects 85−50393
Narayan, J., Oen, O.S., Pennycook, S.J. Ion implantation damage and rapid thermal processes in semiconductors 86−58374
Narayan, J., Stephenson, T.A., Brat, T., Fathy, D., Pennycook, S.J. Formation of silicides by rapid thermal annealing over polycrystalline silicon 86−67813
Narayan, J., Stephenson, T.A., Brat, T., Fathy, D., Pennycook, S.J. Formation of silicides by rapid thermal annealing over polycrystalline silicon 87−11707
Narayan, J., White, C.W., Aziz, M.J., Stritzker, B., Walthuis, A. Pulsed excimer (KrF) laser melting of amorphous and crystalline silicon layers 85−23614
Narayan, J., White, C.W., Holland, O.W. Melting phenomena and impurity redistribution during pulsed laser irradiation of amorphous silicon layers 85−12098
Narayan, J., White, C.W., Holland, O.W., Aziz, M.J. Phase transformation and impurity redistribution during pulsed laser irradiation of amorphous silicon layers 85−1329
Narayan, J. *see* Fathy, D. 85−50273
Narayan, J. *see* Fogarassy, E. 87−6601
Narayan, J. *see* Fogarassy, E.P. 86−8979
Narayan, J. *see* Holland, O.W. 85−18206, 85−18216, 85−50299, 86−2016
Narayan, J. *see* Olson, G.L. 85−10737, 86−26857, 86−27852
Narayan, J. *see* Pennycook, S.J. 85−39770, 86−28116, 86−63165
Narayan, J. *see* Ravindra, N.M. 87−1427, 87−53412
Narayan, J. *see* Singh, R. 88−31814, 88−63332
Narayan, K.Y. *see* Sundara Murthy, H. 88−74912
Narayan, P., Snyder, D.L. Signal set design for band-limited memoryless multiple-access channels with soft decision demodulation 87−75666
Narayan, P. *see* Csiszar, I. 87−55005, 88−34541, 88−45891, 88−66245
Narayan, P. *see* Gubner, J. 86−64162
Narayan, P. *see* Hughes, B. 87−47446
Narayan, P. *see* Lambadaris, I. 88−46367, 88−52670
Narayan, P.B., Brar, A.S. Using SEM and TEM to analyze rigid disks 86−47968
Narayan, P.B *see* Simpson, E.M. 88−51314
Narayan, P.B., Brar, A.S. TEM divulges the innermost secrets of your recording media 86−583
Narayan, R. *see* Sharif, K.P. 85−17129
Narayan, S., Burg, J.P. Spectral estimation of quasi-periodic data 87−61708
Narayan, S. *see* Rohrer, G. 88−64872
Narayan, S.Y. *see* Eron, M. 87−73681, 88−19409
Narayan, S.Y. *see* Gardner, P.D. 85−6767, 86−62827, 86−63293, 87−37544, 87−73683
Narayan, S.Y. *see* Liu, S.G. 85−23644, 87−45590 to 45591, 88−44551
Narayan, S.Y. *see* Menna, R.J. 87−44342
Narayan, S.Y. *see* Upadhyayula, L.C. 86−63441
Narayan, V., Brulhart, G. Busbar protection with enhanced performance 85−64986
Narayan, V., Hager, H., Schaffer, G., Tenschert, W. Network decoupling, load shedding and automatic network restoration due to disturbances 86−50953
Narayan, V. *see* Hager, H. 86−70623
Narayan, V. *see* Ungrad, H. 85−26930
Narayana, C.L. *see* Al Azzawi, F.J. 88−5240
Narayana, D.G.S. *see* Sastry, D.L. 85−20877
Narayana, D.L. *see* Ananthakrishnan, S. 85−58262
Narayana, P.A. *see* Jensen, D.J. 87−50244, 88−10325
Narayana, P.M., Jagannath Rao, K. A software oriented approach to realise a high performance range tracker for a precision instrumentation radar to track high dynamic targets 88−15654
Narayana, V.Lakshmi *see* Lakshmi Narayana, V.
Narayana Dutt, D. *see* Narasimhan, S.V. 87−27381
Narayana Murty, S. *see* Umakantham, K. 87−53801
Narayana Rao, D., Kesava Murthy, M.J., Sarkar, S.K., Dutta, H.N., Reddy, B.M. Radioclimatology over southern India 85−57024
Narayana Rao, D., Kesava Murthy, M.J., Sarkar, S.K., Dutta, H.N., Reddy, B.M. Microwave propagation characteristics over hilly terrain 86−10098
Narayana Rao, D. *see* Dutta, H.N. 87−54545
Narayana Rao, D. *see* Sarkar, S.K. 87−68768
Narayana Rao, K. Installation and commissioning of OMC in E10B exchanges 86−69525
Narayana Reddy, P. *see* Viswanath, M.N. 86−39008
Narayanachar, M.N., Prabhashanker, V. Partial discharges in transformer oil 88−26615
Narayanamurti, V. Crystalline semiconductor heterostructures 85−6734
Narayanamurti, V. Artificially structured thin-film materials and interfaces 87−58980
Narayanamurti, V. Artificially structured thin-film materials and interfaces 87−65518
Narayanamurti, V. Semiconductor heterostructures and superlattices at the frontier of solid state electronics and photonics 88−18693
Narayanamurti, V. Novel heterojunction devices 88−39523

Narayanamurti, V. *see* Chin, M.A. 86−47369
Narayanamurti, V. *see* Eisenstein, J.P. 85−18149, 86−53419
Narayanan, A.A., Fisher, D.G., Erickson, L.P., O'Clock, G.D. Negative electron affinity gallium arsenide photocathode grown by molecular beam epitaxy 85−1213
Narayanan, A.K. Eliminating sensitivity to voltmeter impedance in DC measurements in a class of linear passive networks 86−70182
Narayanan, C.M. A balanced scheme for an undergraduate/postgraduate degree course in energy engineering 87−23138
Narayanan, H. On the equivalence of Minty's painting theorem and Tellegen's theorem 86−7878
Narayanan, H. Violation of port conditions in the interconnection of multiports 86−7881
Narayanan, H. A unified construction of adjoint systems and networks 87−10547
Narayanan, H. Topological transformations of electrical networks 87−59047
Narayanan, K., Kumar, P., Ramani, S., Rao, S.S.S.P., Upadhye, Y.S. Data broadcast by satellite 88−22052
Narayanan, K., Venugopal, D. Benefits and features of certain applications of satellite communications for developing countries 85−52311
Narayanan, K. *see* Arora, O.P. 85−20131
Narayanan, K. *see* Rao, U.R. 88−22014
Narayanan, K. *see* Singh, J.P. 85−37177
Narayanan, L.S., Bhattacharyya, A.B., Chandra, S. A simple high-frequency characterization of a three-phase CCD by controlled free-charge transfer 88−20002
Narayanan, M. Creativity in lecture presentations 86−40424
Narayanan, M. Multioctave, double-balanced mixers designed using MIC technology 87−37563
Narayanan, M.S. *see* Prasad, S. 85−46765, 86−36994
Narayanan, M.V., Venkateshmurthy, M.S., Girish, S.R. A review of sealing techniques in the manufacture of electron tubes 86−53290
Narayanan, N.A. A common transport based approach to network interconnection 88−28354
Narayanan, P.K., Harkare, W.P., Adhikary, S.K., Dave, N.J., Chauhan, D.K., Govindan, K.P. Performance of an electrodialysis desalination plant in rural area 86−40352
Narayanan, P.S. *see* Sangunni, K.S. 87−49475
Narayanan, R., Khadakkar, A.G., Jayakar, B., Chandramouli, S. Study of the effect of manufacturing tolerances in a model of large butterfly valve by holographic interferometry 85−64297
Narayanan, R.M., Borel, C.C., McIntosh, R.E. Radar backscatter characteristics of trees at 215 GHz 88−61610
Narayanan, R.M. *see* McIntosh, R.E. 88−60239
Narayanan, R.S., Chai, B.H.T., Vetelino, J.F., Soluch, W., Falconer, R.S., Chick, B. Acoustic wave attenuation in berlinite 86−2557
Narayanan, R.S. *see* Blackwell, D.A. 87−6974
Narayanan, S., Wenham, S.R., Green, M.A. High efficiency polycrystalline silicon solar cells using phosphorus pretreatment 86−45653
Narayanan, S. *see* Green, M.A. 86−66319, 87−4895, 87−15971, 87−15985, 88−31028
Narayanan, S. *see* Wenham, S.R. 87−9808
Narayanan, S.R., Sathy Anarayana, S. Electrochemical determination of the anode film resistance and double layer capacitance in magnesium-manganese dioxide dry cells 85−53806
Narayanan, S.R., Sathyanarayan, S. Alternating-current impedance of magnesium/manganese dioxide dry cells in absence of anode-film breakdown 88−69667
Narayanan, S.S.Y. Assessment of effects of power supply disturbances on large induction motors 85−65242
Narayanan, S.S.Y., Suryaprakasa, M. Imbalance characteristics of full and part winding excited double sided linear induction machine 87−30624
Narayanan, S.S.Yegna *see* Yegna Narayanan, S.S.
Narayanan, T.S. *see* Ahmed, P. 88−66650
Narayanan, U.H., Subramanian, G., Devarajan, R., Gowariker, S.R. Microprocessor based FT EEG analyser 88−74852
Narayanan, U.H., Sundararajan, K., Gowariker, S.R. A new approach to service and maintenance of biomedical instruments 88−74906
Narayanan, U.H. *see* Subramanian, G. 88−68483
Narayanan, V. *see* Acharya, Y.B. 85−48471
Narayanan Nair, K. *see* Madhava Panicker, P.R. 86−32536
Narayanaswami, G. *see* Tsai, J.P. 87−65680
Narayanaswamy, C.K. *see* Janaky, T.P. 86−9489
Narayanaswamy, P.R. Modelling and simulation of an electrostatic transducer 85−56967
Narayanaswamy, P.R. A sequential switching scheme for a graded contact thyristor starter for DC shunt motors 85−60204
Narayanaswamy, P.R. An integrated circuit power factor sensitive relay 86−12502
Narayanaswamy, P.R. Digital schemes for low frequency measurement 88−60857
Narayanaswamy, R. Design of optical sensors for biomedical applications 86−56117
Narayanaswamy, R. Optical fibre sensors for gaseous chemical species 88−36046
Narayanaswamy, R., Russell, D.A. Optical sensors for dissolved ionic chemical species 88−36056
Narayanaswamy, R., Sevilla, F., III An optical fibre sulphide ion sensing probe based on immobilised 2,6-dichlorophenol-indophenol 87−68052
Narayanaswamy, R., Sevilla, F., III Optical fibre sensors for chemical species 88−22624
Narayanaswamy, R. *see* Guthrie, A.J. 87−68166
Narayanaswamy, R. *see* Malaiya, Y.K. 85−17272
Narayanaswamy, T. Polyester (PET) for slot and phase insulation in motors 88−37147
Narayanaswarmy Sensing chemicals with optical fibres 86−44246
Narayandass, S.K. *see* Subbarayan, A. 88−71374
Narayano Rao, D., Kesavamurthy, M.J., Sarkar, S.K., Dutta, H.N., Reddy, B.M. Turbulence characteristics from microwave amplitude scintillations 87−2305
Narayanswamy, P., Dawson, D.F., Hambacker, K. A cross-assembler and an application for the INTEL 8751 microcontroller 87−58030
Narayanswmy, R. *see* Parrish, E.A., Jr. 87−19220
Narborough-Hall, C.S. The application of colour coding to air traffic control displays 86−5120
Narborough-Hall, C.S. Recommendations for applying colour coding to air traffic control displays 86−12124
Narbut, V.P. Polarization efficiency of dish antennas 86−36794
Narbut, V.P. Vector beam patterns of parabolic antennas with two symmetry planes 87−54708
Narciso, H. *see* Katzir, A. 88−16713
Narciso, R. *see* Zucker, J. 85−35423
Nard, C.De *see* De Nard, C.
Nard, G. Spread spectrum techniques applied to a new radiolocation system at medium- and long-range 86−37960
Nard, G. Reliable high accuracy long range real time differential GPS using a lightweight high frequencies data link 87−41108
Nard, G. Accurate and reliable long range dynamic radiolocation using GPS and DGPS−GEOLOC hybridation 87−41140
Nard, G. Accurate and reliable long-range dynamic radiolocation using GPS and DGPS−Geoloc hybridization 87−63095
Nard, G., Weems, L., Bourasseau, S. Geoloc long range spread spectrum accurate radiolocation system operational results 87−41096
Nardi, A. Supermicro with 32 bits 88−50168
Nardi, E., Markovitz, M., Zinamon, Z. Electron flow in a relativistic electron beam pinched diode collective acceleration system 88−71273
Nardi, E. *see* Markovits, M. 85−34432
Nardi, J.C. Characterization of the Li/MnO_2 multistep discharge 86−6971
Nardin, G. *see* Benedetti, P. 86−7320 to 7322
Nardini, D. *see* Brebbia, C.A. 87−31435
Nardo, R.P.di *see* di Nardo, R.P.
Nardo, S.J.Di *see* Di Nardo, S.J.
Nardome, S.C., Lindgren, A.G., Gong, K.F. Measurements, information, and target motion analysis 85−3524
Nardone, A. *see* Bucciarelli, T. 87−34632
Nardone, P., Mandel, P. Dynamic gain of an optical transistor 87−33309
Nardone, P. *see* Mandel, P. 88−51855
Nardone, S.C., Lindgren, A.G., Gong, K.F. Further results on fundamental limitations of conventional target motion analysis 87−7853
Nardone, S.C. *see* Lindgren, A.G. 86−43880
Nardoni, A. *see* Achler, A. 86−30612
Narducci, D. *see* Pizzini, S. 88−32752
Narducci, L.M., Sadiky, H., Lugiato, L.A., Abraham, N.B. Experimentally accessible periodic pulsations of a single-mode homogeneously broadened laser (the Lorenz model) 86−9719
Narducci, L.M., Tredicce, J.R., Lugiato, L.A., Abraham, N.B., Bandy, D.K. Multimode laser with an injected signal: steady-state and linear stability analysis 86−3006
Narducci, L.M. *see* Abraham, N.B. 85−24425, 85−24603
Narducci, L.M. *see* Bandy, D.K. 85−24604, 85−24609
Narducci, L.M. *see* Bonifacio, R. 85−2184
Narducci, L.M. *see* Gao, J.Y. 86−58972
Narducci, L.M. *see* Gu, Y. 85−18977
Narducci, L.M. *see* Lippi, G.L. 87−75009
Narducci, L.M. *see* Lugiato, L.A. 86−3005, 86−3243, 86−29195, 87−7409, 87−12523, 87−33242, 88−2322, 88−51885, 88−58607, 88−65852
Narducci, L.M. *see* Ru, P. 87−75178
Narducci, L.M. *see* Scharpf, W. 87−74998
Narducci, L.M. *see* Tarroja, M.F.H. 87−7410
Narducci, L.M. *see* Tredicce, J.R. 86−29191, 87−74956
Narducci, L.N. *see* Lugiato, L.A. 87−74957
Narduzzi, C., Offelli, C. Real-time high accuracy measurement of multifrequency waveforms 87−70512
Narduzzi, C., Offello, C. Real-time accuracy measurement of multifrequency waveforms 88−15997
Narduzzi, C. *see* Baccolini, G. 85−33748
Narduzzi, C. *see* Benetazzo, L. 85−30733, 87−3400, 88−14730
Narechania, R.G., Bruce, J.A., Beach, C.A. Polyimide adhesion characteristics 85−6847
Narechania, R.G., Bruce, J.A., Fridmann, S.A. Polyimide adhesion. Mechanical and surface analytical characterization 86−21392
Naredo, F.Perez *see* Perez Naredo, F.
Naredo, J.L., Romero, R., Silva, J.L., Moreno, P. Application of approximated modal analysis methods for PLC system design 87−35625
Naredo, J.L. *see* Moreno, P. 87−78127
Naredo, J.L. *see* Silva Farias, J.L. 87−76520
Narendorf, M., Russell, B.D., Aucoin, M. Microcomputer based feeder protection and monitoring system−utility experience 88−23573
Narendra, K.S., Wheeler, R.M., Jr. Routing in communication networks−a case study of learning in large scale systems 85−57560
Narendra, K.S. *see* Mars, P. 87−55451
Narendra, K.S. *see* Nedzelnitsky, O.V., Jr. 88−28154
Narendra, P. VLSI architectures for real-time image processing 86−8084
Narendra, P.M. VLSI architectures for real-time image processing 86−9270
Narendran, P. Hardware verification in the interactive VHDL workstation 88−38499
Narendran, P., Stillman, J. Formal verification of the Sobel image processing chip 88−73290
Narendran, P. *see* Musser, D.R. 88−39358
Narens, L. *see* Luce, R.D. 87−70346
Nareshelashvili, D.G. *see* Svecharnik, D.V. 88−62414
Narezhnyi, Yu.A. *see* Shvetskii, B.I. 85−47833
Nargi, K. Red and black oxide coatings for improved multilayer bonding 86−8619
Nargi, K. Circuit fabrication techniques for SMT boards 88−32570
Nargi, K. Using subtractive methods for multilayer board fabrication 88−32609
Narhara, A. *see* Nagao, M. 88−57938
Narhi, T. Graphic design techniques. II. Series feedback design is easier on a Smith chart 85−39928
Narhi, T. Smith charts speed design of feedback amps 85−40231
Narhi, T. Use internal feedback to drop amplifier VSWR 86−57674
Nariai, Y., Katsuragi, K., Yamasaki, I., Tosaka, S. Network system in an integrated steel plant 86−10814
Narici, L. Low-noise four-terminal AC resistance bridge 85−50012
Narici, L., Douglass, D.H. Ionization energy and mobility measurement in Si:B 86−67663
Narici, L. *see* Erne, S.N. 87−77634
Narihara, K. *see* Tsuzuki, T. 87−52451, 88−34242
Narikawa, S. *see* Kojima, Y. 86−35365
Narikawa, S. *see* Nojima, H. 86−36312
Narikawa, T., Oyabu, I., Ishida, K., Kashino, E., Masui, H., Kameari, A. Construction of the JFT-2M tokamak (5)−design and fabrication of poloidal coil power supply system 85−570
Narikawa, T. *see* Ikeda, B. 87−67984
Narikawa, T. *see* Tado, S. 87−1926
Narikawa, Y. *see* Narita, Y. 87−29176
Narikiyo, H. *see* Shimizu, K. 88−49300
Narikiyo, T. *see* Izumi, T. 87−49962
Narikiyo, T. *see* Shibata, T. 87−63067, 88−74978
Narimatsu, H. *see* Nakagawa, K. 88−19192
Narimatsu, K. *see* Yamaguchi, S. 87−41507
Narimatsu, Y. *see* Nakatani, Y. 85−60574
Narimatsu, Y. *see* Ono, H. 88−54751
Narin, F., Carpenter, M.P., Noma, E. The convergence of science and technology 86−13283
Narin, F., Carpenter, M.P., Woolf, P. Technological performance assessments based on patents and patent citations 85−16671
Narinyan, Yu.E. *see* Lorikyan, M.P. 86−5806
Narisada, K. Current trends in lighting research 88−6033
Narisada, K. Historical development of road lighting 88−37739
Narisada, K. *see* Takeuchi, T. 88−4663
Narisada, M. *see* Onimura, K. 86−5995
Narishige, N. *see* Mitsuoka, K. 88−51281
Narishige, S., Hanazono, M., Takagi, M., Kuwatsuka, S. Measurements of magnetic characteristics of thin film heads using magneto-optical method 85−24138
Narishige, S., Mitsuoka, K., Kumagai, A., Hanazono, M. Magnetoresistive effect of vacuum evaporated Ni-Co films 86−58666
Narishige, S. *see* Hanazono, M. 87−67759
Narishige, S. *see* Mitsuoka, K. 85−62186, 87−60838, 88−42039, 88−64893
Narita, H. *see* Miura, N. 87−50902
Narita, H. *see* Takeuchi, S. 86−28748
Narita, I. *see* Kaneko, M. 86−21562
Narita, K. On spectral energy distribution shape of fluorescent lamp phosphors 85−35619

Narita, K. Relative quantum efficiency of various lamp phosphors 85−56427
Narita, K. Improvements in color LCD visibility draw new interest for use in displays 86−5384
Narita, K. Analytical separation of 2-soliton signal in Volterra-type ladder circuit 88−542
Narita, K. The LCD is no longer inferior to the CRT in picture quality 88−16283
Narita, K. Decoupling of N-soliton solutions for Volterra and Volterra-like circuit equations 88−49992
Narita, K. *see* Fukunaga, H. 88−33519
Narita, K. *see* Kasai, M. 86−2425
Narita, K. *see* Nishina, N. 85−64211, 87−49858
Narita, K. *see* Nishitani, T. 85−49935
Narita, K. *see* Ozawa, T. 88−19132
Narita, K. *see* Sakurai, T. 88−6877
Narita, K. *see* Sawada, K. 88−32193
Narita, K. *see* Taya, A. 85−56428
Narita, K. *see* Yamasaki, J. 85−24079
Narita, M. Intelligent oscilloscopes become more important measuring tools 85−26383
Narita, M., Fujita, F., Oguchi, K., Sawamura, T., Kudo, K. Energy-dependent neutron sensitivity of polycarbonate recoil track detector 88−36385
Narita, M. *see* Higaki, M. 88−62764
Narita, R. A new detection method for rice cookers 88−16064
Narita, S. *see* Fujieda, H. 85−47273
Narita, S. *see* Kasahara, H. 88−18658
Narita, S. *see* Kato, I. 88−4249
Narita, S. *see* Takeyama, S. 86−13732
Narita, T. Performance analysis of linear pulse motor by finite element method 85−9927
Narita, T. Performance analysis of universal motor by finite element method 85−15977
Narita, T. Inertial navigation referred to the free surface. II. Theories of type NS and type I (1) mechanizations 85−59390
Narita, T. Inertial navigation referred to the free surface. IV. Characteristic problems 86−65487
Narita, T. Inertial navigation referred to the free surface. V. Characteristic problems (ii) 87−35468
Narita, T. Inertial navigation referred to the free surface. VI. Strapped down mechanizations 87−57282
Narita, T. An outline of inertial navigation 88−5062
Narita, T. Inertial navigation referred to the free surface. VIII. Strapped down mechanizations (3) 88−42614
Narita, T. An outline of inertial navigation. II 88−42616
Narita, T. *see* Ejiri, K. 88−36459
Narita, T. *see* Nakajima, T. 85−38553
Narita, T. *see* Takahashi, M. 87−60786, 88−39794, 88−64897
Narita, Y. Static RAMs enter mega-bit era 88−56621
Narita, Y., Nozawa, M., Narikawa, Y., Saito, M. CRT readout oscilloscopes offer more accurate measurement 87−29176
Narita, Y., Ohya, S., Kikuchi, M. A new CMOS SRAM cell with fully planarizing technology 88−6873
Narita, Y., Ohya, S., Murao, Y., Kanauchi, S., Kikuchi, M. A high-speed 1-Mbit EPROM with a Ti-silicided gate 85−35178
Narita, Y., Ohya, S., Murao, Y., Kikuchi, M. A high speed 1 Mb EPROM with Ti silicided gate 85−49894
Narita, Y. *see* Igarashi, R. 85−20735, 87−21403, 88−54431
Narita, Y. *see* Miura, Y. 87−24182, 87−66187, 88−19145
Narita, Y. *see* Murano, H. 86−40556
Narita, Y. *see* Ohya, S. 87−25133
Narita, Y. *see* Tamamoto, H. 86−8150, 87−24183, 88−25212
Naritsuka, S., Nozaki, C., Sugiyama, N., Nishikawa, Y., Yasuami, S., Kokubun, Y. Growth of GaAs layers on (001) Si substrates 88−18698
Naritsuka, S., Yamanaka, K., Mannoh, M., Mihara, M., Ishii, M. Effect of arsenic source on electron trap concentration in MBE-grown $Al_{0.2}Ga_{0.8}As$ 86−13762
Naritsuka, S. *see* Kurobe, A. 87−7356, 87−26430, 88−58543
Naritsuka, S. *see* Mannoh, M. 86−9825
Naritsuka, S. *see* Nomura, Y. 85−22482
Naritsuka, S. *see* Yuasa, T. 85−23433, 87−75097
Narizuka, Y., Kawahito, T., Kamei, T., Kobayashi, S. Properties of high resistivity Cr-Si-O thin-film resistor 88−64126
Narjes, K.-H. Telecom policy reform and international trade 88−28173
Narjes, K.-H. Telecommunications: a political challenge for the European Community 88−41157
Narjes, K.-H. Towards a European telecommunications community. Implementing the Green Paper 88−59409
Narkyavichyus, V.K., Rachyukaitis, G. Using the Elektronika MK-46 microcalculator for automatic processing of experimental data 86−44121
Narlikar, A.V. *see* Gupta, A.K. 87−56780, 88−39815
Narlikar, A.V. *see* Natarajan, N.S. 87−14415, 88−16374
Naro, R. CMOS microprocessors hold integrated peripherals and single-bit support 86−27331
Naro, R. *see* Goldberg, E. 85−33944
Naro, W.G., Nelson, D.L. An application of voice technology to support visual inspection 85−19409
Narod, B.B., Bennest, J.R., Strom-Olsen, J.O., Nezil, F., Dunlap, R.A. An evaluation of the noise performance of Fe, Co, Si, and B amorphous alloys in ring-core fluxgate magnetometers 86−31340
Narod, B.B., Clarke, G.K.C., Prager, B.T. Airborne UHF radar sounding of glaciers and ice shelves, northern Ellesmere Island, Arctic Canada 88−54747
Narod, B.B. *see* Yedlin, M.J. 87−35480
Narolenko, S.D. *see* Bessonov, Yu.L. 86−48408
Narolskii, A.F. *see* Savitskii, G.V. 85−29165
Naron, S.E. *see* Lawrence, G.R. 86−49334, 87−14961
Narotam, M. Effective training for a modern air combat vehicle 87−8971
Naroushvili, V.V. Approximation in design of stable electronic filters 85−11391
Naroushvili, V.V. Optimal synthesis of linear electronic circuits with allowance for element parameter instability 85−28319
Naroushvili, V.V. Properties of the variations of electronic-circuit functions 87−16775
Narovlyanski, V.G. *see* Yakimets, I.V. 85−32538
Narovlyanskii, V.G. *see* Yakimets, I.V. 85−39059, 87−51311
Narozhnyi, V.B., Knyazhevskaya, S Ya. Methods of determining the design climatic conditions when planning overhead power lines 86−70699
Narozhnyi, V.B., Knyazhevskaya, S.Ya., Levkina, N.E. Improvements of methods for determining climatic loads in the design of overhead transmission lines 87−78154
Narozhnyi, V.B., Luk'yanenko, Yu.D. Increasing the mechanical strength of 6−10 kV transmission lines 87−4409
Narozhnyy, V.V. *see* Paka, V.T. 85−43487
Narozny, P., Beneking, H. Double heterojunction GaAs/GaAlAs I^2L inverter 85−33764
Narozny, P., Beneking, H. High-quality GaAs Schottky diodes fabricated by strained layer epitaxy 86−9077
Narozny, P., Beneking, H., Fischer, R.J., Morkoc, H. Heterojunction GaAs/GaAlAs I^2L-ring oscillators fabricated by MBE 87−1717
Narozny, P. *see* Beneking, H. 86−7759, 86−41531, 86−52502, 87−1240
Narozny, P. *see* Deschler, M. 88−13604
Narozny, P. *see* Schumacher, H. 86−42427
Narozny, P. *see* Schummers, R. 86−67838
Narozny, P. *see* Tilli, T. 87−65535
Narramore, G. Cost benefits to be derived by the use of hierarchical interconnection technology 87−58690
Narraway, J.J. Microprocessor systems for assessment of probabilistic diagnosis methods 86−17789
Narraway, J.J., Venkatesan, R. Digital filter functions with short coefficients 86−27469
Narraway, J.J. *see* Veach, I.L. 86−11394
Narsale, A.M., Arora, B.M. C-V-ω and G-V-ω characteristics of native oxide-GaAs interfaces of $\langle\bar{1}\bar{1}\bar{1}\rangle$ and $\langle 100\rangle$ orientations 86−63133
Narsale, A.M., Arora, B.M. Temperature dependence of $C-V$ and $G-V$ characteristics of native oxide-GaAs interfaces of $\langle\bar{1}\bar{1}\bar{1}\rangle$ and $\langle 100\rangle$ orientations 88−7391
Narsale, A.M. *see* Dapor, M. 88−18732
Narten, T. *see* Comer, D. 88−52957, 88−66972
Nartowitz, E.S., Goodman, A.M. Evaluation of silicon optical absorption data for use in minority-carrier-diffusion-length measurements by the SPV method 86−27839
Nartowski, Z. Large short circuit currents in power station substations and lines 87−4442
Nartowski, Z. Short-circuit strength of 110-400 kV switchboards 87−58238
Narui, H., Matsubara, S., Takahashi, N.S., Kurita, S. n-ITO/p-InGaAsP solar cell fabricated on GaAs substrate 87−43439
Narui, H. *see* Hirata, S. 88−34002
Narui, H. *see* Takahashi, N.S. 86−34320
Narukawa, S. *see* Furukawa, N. 86−71036, 88−17836
Naruke, K. *see* Amanuma, K. 88−72518
Naruke, K. *see* Hatano, H. 85−12427
Naruke, Y., Matsumura, M. Short channel Si MESFETs fabricated by novel self-alignment technology 85−1611
Naruke, Y., Matsumura, M. Short channel Si MESFETs fabricated by novel self-alignment technology 85−40732
Naruke, Y. *see* Takagi, Y. 85−6755
Naruki, K., Fuma, K., Onoda, H., Matumoto, K., Imaeda, M. Development of high-speed automated manufacturing system for automotive small relay: high-precision assembling by adaptive control technology 86−26387
Narula, S.C. The minimum sum of absolute errors regression 87−44118
Narula, S.C., Wellington, J.F. A branch and bound procedure for selection of variables in minimax regression 85−60889
Narum, D.H., Pease, R.F.W. A variable energy focused ion beam system for in situ microfabrication 88−56239
Narum, P., Gauthier, D.J., Boyd, R.W. Instabilities in a self-pumped barium titanate phase conjugate mirror 87−33330
Narum, P., Skeldon, M.D., Boyd, R.W. Effect of laser mode structure on stimulated Brillouin scattering 87−12559
Narum, P. *see* Boyd, R.W. 87−75223
Narum, P. *see* Gauthier, D.J. 87−18774
Narum, P. *see* Skeldon, M.D. 88−20765
Narumi, N. *see* Sudo, T. 88−13559
Narumiya, M. *see* Kiyohara, T. 85−47219
Narumiya, Y. *see* Hashimoto, Y. 86−3580
Narumiya, Y. *see* Okamoto, S. 87−39397
Naruo, K. *see* Kitahara, T. 86−19034
Naruo, N. *see* Kawanishi, H. 85−27795
Narusawa, N. SAW correlator for spread spectrum communication 88−26642
Narusawa, S. *see* Matsuda, M. 88−3471
Narusawa, T., Nakashima, H. Structure study of GaAs-dielectric films (CaF_2, Al_2O_3) interfaces by high energy ion scattering 87−17848
Narusawa, T. *see* Kobayashi, K.L.I. 85−29042
Narusawa, T. *see* Matsui, K. 86−58382, 87−45763
Narusawa, T. *see* Mochizuki, A. 85−37683
Narusawa, T. *see* Nakashima, H. 88−19742
Narusawa, T. *see* Yagishita, T. 85−24368
Narusawa, T. *see* Yokotsuka, T. 87−37969
Narusawa, T. *see* Yoneda, Y. 86−1900
Naruse, A. *see* Mizuno, A. 86−6603
Naruse, H., Nomura, Y. Study on accuracy of a position measurement using magnetic field 85−58893
Naruse, H., Nomura, Y., Morimitsu, T. Three-dimensional position measurement using slit-ray projection 87−56838
Naruse, H., Nomura, Y., Yamamoto, T. High accuracy distance and attitude measurement using slit-ray projection method 87−35201
Naruse, H., Nomura, Y., Yamamoto, T. High-accuracy distance and inclination measurement using slit-ray projection method 88−42293
Naruse, H. *see* Ishikawa, H. 85−52555
Naruse, H. *see* Nomura, Y. 87−56837, 88−34804, 88−41034
Naruse, M. *see* Wakagi, M. 86−27929
Naruse, N., Manabe, H., Furuno, K., Yamashita, N. LED panel display units 87−56765
Naruse, R. Summary report of safety and automated system on manufacturing process of glass products 85−10411
Naruse, T. *see* Kayama, S. 87−43684
Naruse, T. *see* Sagawa, M. 88−70996
Naruse, T. *see* Shiga, S. 86−511
Naruse, Y. *see* Tsuji, T. 88−10029
Narushima, K. *see* Chen, J.R. 86−20048
Narushima, K. *see* Ishimaru, H. 86−18200, 88−36301, 88−54045, 88−74657
Narushima, K. *see* Miyamoto, M. 87−23657
Narushima, K. *see* Momose, T. 86−24928
Naruta, V.E. *see* Barikhin, B.A. 87−68408, 88−20701
Naruto, M. Up-to-date technology for propulsion control for electric rolling stock 88−5952
Naruto, M. *see* Ashiya, M. 86−45769
Naruts, E.V. *see* Verber, O.L. 85−43980
Narvhus, O. *see* Clays, D. 88−67184
Naryadovaya, I.V. *see* Gordeev, V.I. 86−25517
Narylkov, S.G. *see* Baranova, L.A. 87−68728, 88−68188
Naryshkin, A.K. Optimisation of low-frequency noise-proof compensation 85−61128
Naryshkin, S.G. *see* Alsin'sh, O.A. 87−5211
Narytnik, T.N. *see* Emel'yanenkov, B.N. 88−12554
Narytnik, T.N. *see* Melkov, G.A. 88−12555
Narytnik, T.N. *see* Potienko, V.P. 88−53128
Narytnik, T.N. *see* Voitenko, A.G. 87−45187
Narzisi, M. *see* Palma, F. 88−1462
Nasachev, V.A. *see* Lazarev, V.I. 88−75701
Nasakin, A.A. *see* Budyanu, V.A. 85−6742, 86−14911
Nasalevska, A. *see* Pavlov, D. 87−30907
Nasanen, R. Visibility of halftone dot textures 85−36349
Nasar, S.A., Chen, C. Magnetic circuit analysis of a tubular permanent magnet linear alternator 88−43220
Nasar, S.A., Chen, C. Inductance and the leakage field of a tubular PM linear alternator 88−69420
Nasar, S.A., Chen, C. Optimal design of a tubular permanent magnet linear alternator 88−69655
Nasar, S.A., Xiong, G. Determination of the field of a permanent-magnet disk machine using the concept of magnetic charge 88−69410
Nasar, S.A. *see* Boldea, I. 87−15669, 87−42762, 87−51255 to 51256, 88−11177, 88−75643
Nasar, S.A. *see* Cathey, J.J. 86−44703

Nasar, S.A. *see* Deng, Z. 86−66106, 87−58112
Nasar, S.A. *see* Pai, R.M. 88−30742, 88−55345
Nasar, S.A. *see* Zagirnyak, M. 85−56953
Nasar, S.A. *see* Zagirnyak, M.V. 86−6801, 86−54273
Nasatir, R. *see* Orton, E. 86−59543
Nasburg, R.E. *see* Srinath, M.D. 85−30449
Nasby, R.D. *see* Brown, W.D. 85−61939
Nasby, R.D. *see* Browning, J.S. 88−25187
Nascimento, E. *see* Prada, R.B. 87−78017
Nascimento, L.F.M. *see* Elli, E. 86−70721
Nascimento, N. *see* Hagedorn, P. 87−42504
Nascimento, V.P., Santana, J., Garrido, M.S. Numerical simulation of a voltage-fed inverter for induction motor supply 85−32496
Nasedkin, L.P., Ladyka, V.V. A planned experiment for the analysis of errors in an asynchronous tachogenerator 88−23919
Nasedkin, L.P., Timofeeva, V.P. A capacitive component of a residual MMF for an asynchronous tachogenerator 86−39784
Nasedkin, N.V. *see* Bocharova, Yu.V. 86−70442
Nasedkin, Y.V. *see* Belts, V.A. 85−62649
Naseem, H.A., Burton, L.C., Andrews, J.E., Jr. Deep trap parameters in ZnSiAs$_2$ using heterojunction capacitance measurements 88−57328
Naseem, H.A. *see* Chu, T.L. 86−458, 87−16021
Naseem, H.A. *see* Khaliq, M.A. 88−71365
Naseem, H.A. *see* Yee, W. 88−64327
Naseem, S., Coutts, T.J. Indium tin oxide/gallium arsenide solar cells 86−26290
Naseem, S., Coutts, T.J. The influence of deposition parameters on the optical and electrical properties of RF-sputter deposited indium tin oxide films 86−52525
Naseem, S., Coutts, T.J., Aharoni, H. Effect of plasma exposure on the performance of indium tin oxide/InP solar cells prepared by radio-frequency and ion-beam sputtering 86−66334
Naseem, S., Coutts, T.J., Aharoni, H., Emery, K., Osterwald, C. ITO/InP solar cells for space application 87−4938
Naseem, S. *see* Coutts, T.J. 85−27632, 86−40124
Naseem, S. *see* Siddiqi, S.A. 88−20488
Naseem, S. *see* Sidiqi, S.A. 88−43949
Naseem, S. *see* Suleman, M. 88−49148
Naseem, S. *see* Swarzlander, A. 86−52526
Nasel'skii, S.P., Novikov, V.K., Ryabov, A.I., Sergeev, A.M., Tropkin, G.N. Influence of induced absorption of the reflector material on the efficiency of solid-state lasers 85−24525
Nasel'skii, S.P. *see* Amosov, A.V. 87−26481
Nasel'skii, S.P. *see* Kuratev, I.I. 86−9809, 86−54122
Nasel'skii, S.P. *see* Zharikov, E.V. 86−9794, 87−75057
Nasel'skii, S.P. *see* Zhukova, E.M. 86−29200
Naser, G. *see* Reichenberger, H. 86−70433
Naser, J., Lohs, A., Kurpries, M. Quasi-analogue multimeter with large-size display unit 85−58757
Naser, W. New frequency regulation in Berlin 87−64052
Naser, W., Lienhard, W. Computer aided frequency regulator for BEWAG in Berlin 88−68760
Naseth, D. *see* Marx, P. 86−58129, 87−24579
Nash, C.L., Jr. *see* Brown, R.H. 87−57209
Nash, D.B. *see* Kahle, A.B. 86−12155
Nash, D.H. *see* Triolo, R.J. 85−43444
Nash, D.J. *see* Stewart, D.W. 86−30496
Nash, F. Waste heat and CHP 85−4912
Nash, F.R., Joyce, W.B., Hartman, R.L., Gordon, E.I., Dixon, R.W. Selection of a laser reliability assurance strategy for a long-life application 85−41401
Nash, F.R., Sundburg, W.J., Hartman, R.L., Pawlik, J.R., Ackerman, D.A., Dutta, N.K., Dixon, R.W. Implementation of the proposed reliability assurance strategy for an InGaAsP/InP, planar mesa, buried heterostructure laser operating at 1.3 μm for use in a submarine cable 85−41404
Nash, F.R. *see* Hartman, R.L. 87−18980
Nash, F.R. *see* Joyce, W.B. 85−40671
Nash, G. *see* Crutchfield, B. 87−6920
Nash, H.O., Jr. Power conditioning for the industrial environment 87−9682
Nash, H.O., Jr. Ground-fault protection and the problem of nuisance tripping of critical feeders 88−61967
Nash, H.O., Jr. Computer power conditions−more questions than answers 88−62464
Nash, H.O., Jr., Wells, F.M. Power systems disturbances and considerations for power conditioning 86−33494
Nash, H.O., Jr., Wells, F.M. Power system disturbances and considerations for power conditioning 86−45588
Nash, J. The WMO International Radiosonde Comparison (CIMORSEX) 1984/85 86−50747
Nash, J. *see* Bobbink, G.J. 85−26689
Nash, J.C. Different designs for engineering software 87−36875
Nash, J.D., Saunders, L.F. VHDL critique 86−47664
Nash, J.G. Review of arithmetic algorithms and circuits for high speed digital signal processing 87−19709
Nash, J.G., Hansen, S. Modified Faddeev algorithm for matrix manipulation 85−28177
Nash, J.G., Hansen, S., Przytula, K.W. Systolic partitioned and banded linear algebraic computations 87−55134
Nash, J.G., Petrozolin, C. VLSI implementation of a linear systolic array 86−15238
Nash, J.G., Pryztula, K.W., Hansen, S. The systolic/cellular system for signal processing 87−66208
Nash, J.G. *see* Ercegovac, M.D. 88−19305
Nash, J.G. *see* Little, M.J. 86−2322
Nash, J.G. *see* Nudd, G.R. 85−45094
Nash, J.G. *see* Przytula, K.W. 88−40931, 88−74007
Nash, K. *see* Gould, C.R. 87−3870
Nash, K.J. *see* Claxton, P.A. 87−44323
Nash, L.A. *see* Hammond, T.M. 87−50562
Nash, P., Fenton, S., Thomson, J. A room with a view [videoconferencing] 88−35005
Nash, P.J. *see* Lamb, C. 88−74463
Nash, R. Voice processing: a present or future technology? 87−27232
Nash, R., Wong, W.C. Simultaneous transmission of speech and data using an adaptive cancelling technique 85−63460
Nash, R.D., Wong, W.C. Simultaneous transmission of speech and data over an analog telephone channel 86−54807
Nash, R.D.M. *see* Stanton, T.K. 88−9661
Nash, R.T. Sources of information for technological innovations 88−49433
Nash, S. *see* Goldwasser, R. 88−63955
Nash, S.C. Format and Protocol Language (FAPL) 88−41292
Nash, S.G. Preconditioning of truncated-Newton methods 85−60890
Nash, T. *see* Krishnan, M. 88−58458
Nash, T.F. Automation for surface mount and thru-hole technology 86−58164
Nash, T.F., McLean, N.S. Trends in CM factory automation 85−17964
Nash, T.F. *see* Duncan, R.J. 85−34359
Nash, W. *see* Ifeachor, E.C. 87−24371
Nashawaty, C. Selecting computer hardware [wire industry] 88−70117
Nashchenko, G.M. *see* Raiskii, E.E. 85−27849
Nashchutinskii, N.N. *see* Wasserman, A.L. 86−40292
Nashed, M., Bogner, R.E. Harmonic generation with specified amplitude transformation 86−62082
Nashed, M. *see* Mostafa, A.E.S. 85−17201
Nashed, M.Z. Inner, outer, and generalized inverses in Banach and Hilbert spaces 88−6393
Nashida, Y. *see* Yamada, M. 87−18986, 87−54347
Nashikawa, M. *see* Matsuoka, T. 87−3671
Nashima, Y. *see* Umehara, M. 87−5100
Nashimoto, Y., Dhar, S., Hong, W.P., Chin, A., Berger, P., Bhattacharya, P.K. Investigation of molecular beam epitaxial In$_{0.53}$Ga$_{0.47}$As regrown on liquid phase epitaxial In$_{0.53}$Ga$_{0.47}$As/InP 86−52469
Nashimoto, Y. *see* Bhattacharya, P.K. 86−28013
Nashimoto, Y. *see* Das, U. 86−53438
Nashimoto, Y. *see* Dhar, S. 86−53389
Nashimoto, Y. *see* Juang, F.-Y. 86−425
Nashimoto, Y. *see* Seo, K. 86−63336
Nashimoto, Y. *see* Seo, K.S. 86−28324, 86−47615
Nashiyama, I., Matsumoto, T., Sakihara, K., Kageyama, M., Koyama, S., Katoh, A. Use of BeO TLDs for high-dose dosimetry in radiation-hardness testing 87−57246
Nashold, K.M., Saleh, B.E.A. Image construction through diffraction-limited high-contrast imaging systems: an iterative approach 85−46921
Nashold, K.M. *see* Saleh, B.E.A. 85−46881
Nashold, K.M. *see* Sayegh, S.I. 85−46933
Nasibov, A.S. *see* Akhekyan, A.M. 86−9807
Nasibov, A.S. *see* Braginskaya, A.G. 86−3113
Nasibov, A.S. *see* Dinov, Yu.S. 85−61647
Nasibov, A.S. *see* Galchenkov, D.V. 88−40227
Nasibov, A.S. *see* Gubarev, A.A. 87−75055
Nasibov, A.S. *see* Katsap, V.N. 88−51817
Nasibov, A.S. *see* Komolova, L.F. 85−24567
Nasibov, A.S. *see* Kozlovskii, V.I. 85−7411
Nasibov, A.S. *see* Lavrushin, B.M. 86−9804
Nasibullin, V.M. *see* Nikitin, V.N. 88−27739
Nasidze, N.A. *see* Fedorov, Yu.A. 87−34900
Nasikowski, J. Skin-effect at single DC pulses 85−60355
Nasilowski, J. Ampere tension in electric conductors 85−11584
Nasilowski, J. Problems of electrification in Polish transport 85−16323
Nasilowski, J. Current-carrying capacity of the train busbar−some remarks to the UIC-leaflet 552 VE 86−33772
Nasilowski, J. Temperature rise of electric current-heated copper conductor in air 87−78161
Nasilowski, J. The use of current-carrying capacity tables of conductors for the calculation of their heating 88−75170
Nasipuri, M., Basu, D.K., Dattagupta, R., Kundu, M., Banerjee, S. A new microprocessor based on line arrhythmia diagnostic system 88−30019
Nasipuri, M., Basu, D.K., Dattagupta, R., Kundu, M., Banerjee, S. Microprocessor based real-time monitoring of multiple ECG signals 88−30020
Nasir, F. *see* Nicholas, R.J. 88−32785
Nasir, F. *see* Singleton, J. 87−35093, 87−67025
Nasiruddin, A.M. *see* Karim, M.A. 87−26499
Nasiyev, A.K. *see* Yershov, V.A. 86−49046
Nasizowski, J. Current coefficient of temperature rise of the main line of apparatus 86−20853
Naskar, K.K. Nature of electrons in a closed circuit 85−10911
Naskar, K.K. Generalisation of electronic flow in the diode 86−41739
Naskar, K.Krishna *see* Krishna Naskar, K.
Naskidashvili, I.A. *see* Zoninashvili, V.V. 86−31742
Nasko, H. The role of a digital PABX in a banking system 87−13526
Naslund, R. Setting technical standards for improved communication flows 86−43432
Naslyan, T.A., Nemeni, T.M., Akopyan, R.E. Analysis of thermal defects of a stator of a high power hydrogenerator by a mathematical modelling method 87−35882
Naslyan, T.A., Nemeni, T.M., Akopyan, R.E., Gushchin, E.V. Diagnosis of thermal flaws in the magnetic circuits of hydroelectric generators 87−30416
Nasman, L.O. *see* Herrera, R. 88−29139
Nason, D.G. *see* Sayani, M.P. 88−55505
Nason, R.R., Collier, S.E. Metering considerations for consumer-owned generation facilities 86−39261
Nason, R.R., Milloy, J.A. Obtaining a secure energy supply 87−78116
Nason, R.W. *see* Brown, J.M. 85−21574
Nasoni, R.L., Liew, S.C., Halverson, P.G., Bowen, T. Thermoacoustic images generated by a 2450 MHz portable source and applicator 87−3974
Nasoni, R.L. *see* Bowen, T. 86−11970, 86−12207, 87−3925
Nasonov, N.N. *see* Bass, F.G. 86−3483, 88−52267
Nasonov, S.V. *see* Kononenko, E.V. 85−60177, 88−30704
Nasr, A.I., Hollingsworth, R.J. Device and reliability optimization in submicron MOSFET 85−35010
Nasr, A.M.H. *see* Thompson, D.S. 85−32568, 87−31680
Nasr, C., Brimaud, R., Glaize, C. Amelioration of the resolution of a shaft position sensor 86−65159
Nasr, C. *see* Goyet, R. 87−58052, 88−69344
Nasr, G. *see* Natarajan, S. 86−62694
Nasr, M.E.M. Hybrid DPCM encoding systems for voice-band data signals 88−41447
Nasr, M.E.M. Digital encoding of voice band data signals using hybrid PCM schemes 88−41448
Nasr, M.E.M., Chakravarthy, C.V. Hybrid adaptive quantization for speech coding 85−19373
Nasr, M.E.M., Chakravarthy, C.V. ADPCM for speech with hybrid adaptive quantization 86−22962
Nasr, S., Duclos, J., Leduc, M. PVDF transducers generating Scholte waves 88−33460
Nasrabadi, N.M. Use of vector quantizers in image coding 86−10503
Nasrabadi, N.M., Ibihuncle, O., King, R.A. Design of a new codec system for video-conferencing 85−51803
Nasrabadi, N.M., King, R.A. Image coding using vector quantization: a review 88−73188
Nasrabadi, N.M., Liu, Y., Chiang, J.L. Stereo vision correspondence using a multichannel graph matching technique 88−66763
Nasrabadi, N.M., Yi Liu Application of multichannel Hough transform to stereo vision 88−46236
Nasrabadi, N.M. *see* Henein, K.M. 85−19537
Nasrabadi, N.M. *see* Ibikunle, O. 85−51792
Nasrinasrabadi, M. *see* McMillan, D.E. 86−44619
Nasrullah Non-destructive inspection of power plant equipment 86−34422
Nasrulloeva, M. *see* Grigor'ev, B.I. 88−71336
Nass, T. *see* Breer, U. 88−128
Nassalevska, A. *see* Moshtev, R.V. 85−39188
Nassalevska, A. *see* Podhajecky, P. 85−44150
Nassar, A.M.G., Ibrahim, N.A., Kassem, M.E., Elbanna, M.M. The electric conduction in some substituted phenyl 2,4-dinitrophenyl ethers 87−6390
Nassar, D. DTMF encoding and decoding 87−28256
Nassar, M.K., Gruber, S. Stochastic end-user model for forecasting load statistics 87−9135
Nassar, M.M., Mahmoud, M.R. On characterizations of a mixture of exponential distributions 86−34119
Nassar, M.M. *see* El Moghazy, A. 87−75825
Nassar, M.M.A.S. Switched-capacitor filters using digital recursive filter techniques 87−73540
Nassar, O.M. Surge protection of motors−is it sufficient? 85−5088

Nassar, O.M. Effect of surge wave reflection inside a motor on voltage distribution across stator windings 85−48931

Nassar, O.M. Motor insulation degradation due to switching surges and surge protection requirements 87−9524

Nassar, O.M. The use of partial discharge and impulse voltage testing in the evaluation of inter-turn insulation failure of large motors 88−30680

Nassar, O.M. Effects of system parameters and circuit breaker characteristics on switching large synchronous motors 88−48906

Nassar, S. *see* El-Bakry, M. 86−29696

Nassau, K. Early history of lithium niobate: personal reminiscences 85−29379

Nassau, K. Purity requirements for optical fibers: a selective bibliography 86−58767

Nassau, K., Levy, R.A., Chadwick, D.L. Modified phosphosilicate glasses for VLSI applications 85−39820

Nassau, K., Lines, M.E. Calculation of scattering and other parameters for ultra low loss optical fibers 85−18659

Nassau, K., Lines, M.E. Calculation of scattering and dispersion-related parameters for ultralow-loss optical fibers 86−58778

Nassau, K. *see* Levy, R.A. 87−1592, 87−18247

Nasse, D. Enhanced-quality television signal processing in high-quality imaging 86−37148

Nasse, D., Grimaldi, J.L., Cayet, A. An experimental all-digital television center 86−37993

Nasse, D. *see* Bradshaw, D. 86−38036

Nasse, D. *see* Guichard, J. 87−47888

Nasse, D. *see* Kretz, F. 85−52470

Nasse, D. *see* Melwig, R. 88−4166

Nasseem, S.N., Ahmad, I., Suleman, M., Malik, N.A. Study of aging effects in $In_2O_3/SiO_2/Si$ solar cells using Auger electron spectroscopy 87−58332

Nassehi, M.M., Tobagi, F.A. Transmission scheduling policies and their implementation in integrated-services high-speed local area networks 88−3636

Nassehi, M.M., Tobagi, F.A., Marhic, M.E. Fiber optic configurations for local area networks 86−23464

Nassem, H.A. *see* Chu, T.L. 86−7099

Nasser, C.Readi *see* Readi Nasser, C.

Nasser, S.H. *see* Bradley, D. 86−35941

Nassersharif, B. Interfacing systems loss-of-coolant accident in Oconee Unit 1 pressurized water reactor 85−15778

Nassersharif, B. Development of a space reactor systems code at Texas A&M University 87−57296

Nassersharif, B., DeHart, M.D. Vectorized performance of a transient heat-conduction model 88−16859

Nassersharif, B., DeHart, M.D., Peery, J.S. Prediction of SP-100 transient performance using CENTAR 88−61488

Nassibian, A.G., Duong, A.K. Determination of tunneling transmission probability through thin oxide layer in a tunnel MIS system 85−55582

Nassibian, A.G., Kalkur, T.S. SEM alloyed AuGe-Ni ohmic contacts to GaAs 85−55554

Nassibian, A.G., Kalkur, T.S., Sutherland, G.J., Cohen, D. Backscattering analysis of AuGe-Ni ohmic contacts of n-GaAs 86−41602

Nassibian, A.G. *see* Cohen, D.D. 87−17783

Nassibian, A.G. *see* Duong, A.K. 85−29056, 85−55797

Nassibian, A.G. *see* Golja, B. 85−12023

Nassibian, A.G. *see* Kalkur, T.S. 85−12002, 86−21244, 87−38066, 87−53282

Nassibian, A.G. *see* Meglicki, Z. 86−45655, 88−44739, 88−50795

Nassibian, G., Schindl, K. RF beam recombination ('funnelling') at the CERN PSB by means of an 8 MHz dipole magnet 86−31962

Nassibian, G. *see* Evans, B.J. 88−61064, 88−61069

Nassif, G., Godard, B., Fillette, F., Lascault, G., Grosgogeat, Y. The use of helium-neon and pulsed dye lasers in the monitoring of the heart electrical activity. Evolution to a real time video imaging of the action potential and its propagation on myocardial tissues 87−63758

Nassif, S. *see* Odryna, P. 86−58619

Nassif, S.R., Director, S.W. WASIM: a waveform based simulator for VLSICs 86−41925

Nassif, S.R., Strojwas, A.J., Director, S.W. A methodology for worst-case analysis of integrated circuits 86−46454

Nassif, S.R. *see* LaPotin, D.P. 85−12344

Nassif, S.R. *see* Vidigal, L.M. 87−6908

Nassimbene, E.G. Floppy disk servo system 85−45973

Nassimbene, E.G. Simplified floppy disk head without erase cores 85−45975

Nassimbene, E.G. Dual density head using a stepped-gap head concept 85−45976

Nassimbene, E.G. Differential field, erase-gap head for dual density recording 85−45977

Nassirharand, A. *see* Miki, I. 88−48969

Nassiri, A. *see* DiBitonto, D. 87−50027, 87−56973

Nassiri, D.K. *see* Bamber, J.C. 87−71120

Nassisi, V. *see* Armandillo, E. 85−24438, 85−24460, 85−51122, 86−22529

Nassisi, V. *see* Craciun, V. 88−39250

Nassisi, V. *see* D'Anna, E. 85−52960

Nassisi, V. *see* Luches, A. 85−24459, 85−52951, 86−54073, 87−68340, 88−20754, 88−36172, 88−40145, 88−72395

Nassla, H. Computer modelling and manipulation of circuits 85−17094

Nassler, J. *see* Polasek, F. 88−48857, 88−62300

Nassonov, A.G. Wide-range digital sawtooth generator 85−11098

Nassonov, A.G., Lantsman, L.S. High-voltage stabilized source of charging voltages 85−22655

Nasta, K. Remote isolation devices 86−49340

Nastad, K., Hassel, J. Planning data and analysis of results. Presentation systems and decisions [telecommunications] 87−31252

Nastas, T.D. Commercializing merging technologies 86−7444

Nastase, L., Lungu, C.P., Niculescu, N., Cormos, A., Mustata, I., Popescu, A., Baltog, A., Musa, G. Color TV plasma displays 86−4856

Nastasi, M. *see* Galvin, G.J. 85−12094

Nastasi, M. *see* Saris, F.W. 85−34616

Nastasi, P. *see* Branca, M.P. 85−30789

Nastasi, U. *see* Manfredotti, C. 85−48356, 87−24807, 87−29527, 88−48009, 88−75724

Nastasi, V. *see* Bennett, R.S. 85−23883

Nastaushev, Yu.V., Ovsyuk, V.N. Charge carrier generation in a semiconductor through near-surface states 85−29049

Nastaushev, Yu.V., Ovsyuk, V.N. 'Generation' lifetime of carriers in metal-insulator-germanium structures 85−29060

Nastav, F.L. *see* Bennett, R.H. 85−48461

Naster, R.J., Hwang, Y.-C. An L-band variable-gain amplifier GaAs MMIC with precise binary step control 88−19415

Naster, R.J., Jacomb-Hood, A.W., Lang, M.R. Affordable MMIC designs for phased arrays 87−59856

Naster, R.J. *see* Chen, Y.K. 86−35117

Naster, R.J. *see* Hwang, Y.C. 85−1044

Naster, R.J. *see* Waldron, T.P. 87−8354

Nastic, M. Quality control of telephone equipment and instruments 85−30763

Nastran, J., Cajhen, R. Compensation of harmful influences of nonlinear loads on network voltage [reactive power compensation] 86−65631

Nastrom, G.D., Ecklund, W.L., Gage, K.S., Strauch, R.G. The diurnal variation of backscattered power from VHF Doppler radar measurements in Colorado and Alaska 86−23981

Nastrom, G.D. *see* Gage, K.S. 86−23979

Nastrom, G.D. *see* Green, J.L. 88−47201

Nasu, H., Lin, J.S., Lau, J., Mackenzie, J.D. Glasses with high nonlinear refractive indices 85−41101

Nasu, K. *see* Asai, K. 87−49494

Nasu, M. *see* Dohmeki, H. 87−30667

Nasu, M. *see* Kiraly, R.J. 88−36521

Nasu, S., Matsumoto, K., Hashimoto, K., Saiki, K. Partially oxidized Fe-Co medium with perpendicular anisotropy 88−44953

Nasu, S., Matsumoto, K., Hashimoto, K., Saiki, K. Partially oxidized Fe-Co medium with perpendicular anisotropy 88−51184

Nasu, Y., Kawai, S., Kisumi, S., Oki, K., Hori, K. Color LCD for character and TV display addressed by self-aligned a-Si:H TFT 87−3693

Nasu, Y. *see* Kawai, S. 85−64196

Nasuno, T. *see* Takazane, J. 86−56986, 86−65620

Nasvitsevich, B.G. *see* Krumm, L.A. 88−23349

Nasybullina, A.A. *see* Dyban, E.P. 87−22152

Nasyrav, T.Kh., Likhonosov, A.T., Adamets, E.A. The determination of the induction coefficients for electric power stations controlling the overflow of power along electrical transmission lines for the digital system of automatic control of frequency and active power during a change in the switching of the system 88−17233

Nasyrov, A.N. *see* Yushin, N.K. 87−46299

Nasyrov, I.N. *see* Ashurov, M.Kh. 86−9791

Nasyrov, R.Sh. Viewing device for electron-beam equipment 86−26631

Nasyrov, T.Kh., Sadullaev, E.F. The application of decomposition methods in computing algorithms of steady-state regimes of electrical system considering frequency changes 88−42743

Nasyrov, T.Kh., Shamsiev, Kh.A. Selection of mathematical integration methods for the analysis of cascade perturbations in electrical systems 87−35538

Nasyrov, T.Kh., Tyncherova, E.L. Calculations for electric energy systems with models embracing the asymmetry 86−65670

Nasyrov, V.G., Chekrygina, I.M. Broadband directional couplers 87−45175

Nasyrov, V.G., Chekrygina, I.M. The use of spline models in the computer-aided design of microwave devices 88−12580

Naszados, L. Accuracy limits of a nonsinusoidal method for capacitance measurement 87−77360

Natabe, T. *see* Hayashi, T. 85−17348

Nataf, G. *see* Beaumont, B. 88−18021

Natake, T. *see* Takiue, M. 86−60578

Natale, G. *see* Basile, M. 85−43273

Natale, V. *see* Aiello, S. 87−20643

Natale, V. *see* Belli, G. 87−63880

Nataletti, P. *see* Chiaradia, P. 88−4869

Natali, F. *see* Pariani, A. 88−67194, 88−73762

Natali, F.D. AFC tracking algorithms 85−657

Natali, F.D. Noise performance of a cross-product AFC with decision feedback for DPSK signals 86−43412

Natali, S. *see* Albrizio, R. 88−74766

Natali, S. *see* Baldini, R. 87−8865

Natali, S. *see* Catanesi, M.G. 86−60606, 87−29686

Natalizio, A., Comeau, J.G., Black, D.W. Post loss of coolant accident management 85−21391

Natalkin, A.V., Kolokolkin, A.M. Frequency starting of a synchronous machine by a frequency converter using voltage control at the inverter input 85−65221

Natalkin, A.V. *see* Kolokolkin, A.M. 86−51940

Natalucci, L. *see* Caroli, E. 85−51709

Natan, M. A cross-sectional TEM and glancing angle XRD study of rapid-thermal-annealed Ta/Si multilayers 85−50277

Natan, M. Early stages in thin metal-silicon and metal-SiO_2 reactions under rapid thermal annealing conditions: The rapid thermal annealing/transmission electron microscopy technique 87−24930

Natan, M., Shatas, S.C. Structure and properties of rapidly thermal annealed Ta/Si multilayers 86−28236

Natan, M. *see* Arbel, A. 87−32367

Natan, M. *see* Buchner, S. 87−32334

Natanabe, E. *see* Goto, S. 87−86

Natanson-Wojtowicz, B. *see* Kaminska, E. 86−1798

Natanzon, M.S., Lapina, Z.S., Merkulov, I.V. Stability of combustion in a combustion chamber 87−22113

Natanzon, M.S. *see* Kossov, O.M. 86−51438

Natapova, L.I. *see* Asaturyan, A.Sh. 88−55399

Nataragan, C.P., Homoki, G.G. Waste heat recovery−a review of hardware and applications 86−13180

Nataraj, B.S., Kumar, R. Threshold-voltage variations in VLSI MOSFETs due to short channel lengths 88−7735

Nataraj, B.S. *see* Richmond, G. 88−64713

Natarajan, A.E. *see* Srinivasan, S. 87−48161

Natarajan, B., Bhattacharyya, B. Die surface stresses in a molded plastic package 86−61945

Natarajan, B. *see* Aghazadeh, M. 86−61941

Natarajan, B. *see* Bhattacharyya, B.K. 88−63050

Natarajan, B. *see* Huffman, B. 87−16401

Natarajan, B. *see* Ramesh, S. 88−75119

Natarajan, B. *see* Shoraka, F. 87−36515

Natarajan, B.R. *see* Opfer, J.E. 86−58675

Natarajan, K., Balasubramanian, R. Microprocessor based speed control of a DC motor via multirate output feedback 86−66097

Natarajan, K., Gupta, S.C., Rajaraman, R. Distribution of chopping times in a uniform field gap in compressed air under switching surges 88−64822

Natarajan, K., Sharaf, A.M., Sivakumar, S., Naganathan, S. Modeling and control design for wind energy power conversion scheme using self-excited induction generator 88−5619

Natarajan, K. *see* Ahmad, S.N. 86−61244

Natarajan, K. *see* Sharaf, A.M. 87−30588

Natarajan, K.S. Query retrieval protocols in a broadcast environment 86−54601

Natarajan, N. Communication primitives for distributed programs 85−25561

Natarajan, N. A distributed scheme for detecting communication deadlocks 86−49279

Natarajan, N.S. Accurate determination of the divider ratio for comparison of standard cell volt with Josephson volt 85−55061

Natarajan, N.S., Gupta, A.K., Batra, V.K., Tomar, V.S., Kataria, N.D., Narlikar, A.V., Chandra, K. Progress in the establishment of Josephson voltage standard at NPL India 87−14415

Natarajan, N.S., Gupta, A.K., Batra, V.K., Tomar, V.S., Kataria, N.D., Narlikar, A.V., Chandra, K. Progress in the establishment of a Josephson voltage standard at NPL, India 88−16374

Natarajan, N.S. *see* Gupta, A.K. 87−56780

Natarajan, P.S., Venkatesan, P.S. Transport of wideband data and video services over a single mode fiber at 1.3 micron wavelength 87−28626

Natarajan, P.S. *see* Lundgren, C.W. 87−41226

Natarajan, P.S. *see* Venkatesan, P.S. 88−41624

Natarajan, R. Modeling and measurement of air-gap harmonics of single-phase induction motors 88−17592

Natarajan, R., Kohler, J.L. Condition monitoring of AC motors by sensing unbalanced stator currents 88−30728

Natarajan, R., Rao, K.R. Design of a 64 KBPS coder for teleconferencing 85−37327

Natarajan, R., Sethuraman, N. Second-law analysis of reheat and regenerative steam power cycles 86−33169

Natarajan, R., Venkata, S.S., El-Sharkawi, M.A., Butler, N.G. Investigations on intermediate-size wind electric energy conversion systems employing induction generators. II. Economic feasibility analysis 87−30473

Natarajan, R., Venkata, S.S., El-Sharkawi, M.A., Butler, N.G. Economic feasibility analysis of intermediate-size wind electric energy conversion systems employing induction generators 88—37126
Natarajan, R. *see* Kalpakam, S. 87—36541
Natarajan, R. *see* Ramanathan, R. 88—30278
Natarajan, R. *see* Sharafali, M. 88—49576
Natarajan, R. *see* Subbiah, S. 88—30598
Natarajan, R. *see* Subramanian, R. 87—58746
Natarajan, R. *see* Venkata, S.S. 87—30472, 87—35860, 88—69236
Natarajan, R. *see* Venkatesan, P.S. 88—53300
Natarajan, R.R. *see* Bickel, S.H. 86—18511
Natarajan, S. Large deviations, hypotheses testing, and source coding for finite Markov chains 85—57182
Natarajan, S. Active compensation of LPN/HPN filters 86—1256
Natarajan, S. An alternative design method for a three amplifier biquad 87—52738
Natarajan, S. A network analysis program 'NETNAP' 88—49979
Natarajan, S. An optimum design method for a three amplifier biquad 88—56750
Natarajan, S., Nasr, G. Design and comparison of two actively compensated filters for high frequency applications 86—62694
Natarajan, S., Roe, M., Smits, R. Design of active-*RC* filters including the effects of non-ideal amplifiers 85—23016
Natarajan, S. *see* Masilamani, V. 86—68485
Natarajan, S. *see* Stouraitis, T. 86—14284
Natarajan, S.M. *see* Morley, R.E., Jr. 88—74885
Natarajan, T. An evaluation of inverter topologies for high power spacecraft 87—43217
Natarajan, T.K. *see* Bice, A.N. 86—70397
Natarajan, T.R. *see* Ramamoorthy, V. 87—62547
Natarajan, T.Raj *see* Raj Natarajan, T.
Natarajan, T.S., Murthy, U.M.S., Sobhanadri, J. Microprocessor-based microwave dielectric measurement of liquids by waveguide plunger technique 86—31593
Natarajan, T.S., Murthy, V.S., Srinivasan, S., Radhakrishna, S. A learning aid in electronics 85—32954
Natarajan, V. Microprocessor based extremal controller for automobile engine 86—66466
Natarajan, V. *see* Taskar, N.R. 88—31764
Nataren, F.Z. *see* Chandrasekhar, S. 86—13034
Natarius, E.M. *see* Karelin, V.Ya. 86—33192
Natarov, M.P. *see* Bulgakov, B.M. 86—63956
Natarov, S.Yu., Pashinin, P.P., Shklovskii, E.I., Shcherbakov, I.A. Stimulated Brillouin scattering mirror and a plasma switch in a double-pass laser amplifier 87—68422
Natarov, S.Yu., Shklovskii, E.I. Specific configuration of a four-pass laser amplifier with a stimulated Brillouin scattering mirror 85—24518
Natarov, S.Yu. *see* Basiev, T.T. 86—63780
Natarov, S.Yu. *see* Zharikov, E.V. 86—48375
Natarovskii, S.N. *see* Ivanov, P.D. 85—41444
Natarovskii, S.N. *see* Lazareva, G.V. 85—46236
Natayama, A., Takato, H., Shirota, R. New degradation phenomena induced by ion-implantation channeling in short channel transistors 87—32564
Nateghi, B. *see* Etiemble, D. 85—28544
Natenapit, M. *see* Moyer, C. 87—26728
Nateprov, A.N. *see* Radautsan, S.I. 86—15556
Natesan, J., Jardine, A.K.S. Stochastic behaviour of a single server n-unit pulverizer system with common-cause failures and general maintenance 85—16835
Natesan, J., Thulasiraman, K., Swamy, M.N.S. Reliability and availability analysis of an *n*-unit outdoor power system subject to adjustable repair facility 85—16834
Natesan, J. *see* Dhillon, B.S. 87—9070
Nath, A.K., Seguin, H.J.J., Seguin, V.A. Optimization studies of a multikilowatt PIE CO_2 laser 86—42474
Nath, A.K. *see* Seguin, H.J.J. 86—29220
Nath, B. *see* Holzapfel, W. 87—41608
Nath, D.K. *see* Sinha, D.K. 88—40556
Nath, K.S.M. *see* Roberts, A.W. 85—5545
Nath, M.C. *see* Mohan Sastry, C.K. 88—43090
Nath, N. *see* Kaushik, D.K. 87—38633
Nath, N. *see* Uppal, A.K. 88—2110
Nath, N.G., Das, A., Mohanta, S. A biofeedback controller unit 87—41899
Nath, O. *see* Kaushik, A.R. 86—64845
Nath, P., Izu, M. Performance of large area amorphous Si based single and multiple junction solar cells 87—9798
Nath, P., Singh, R. Extreme symmetry and the directed divergence in information theory 85—7778
Nath, P., Singh, R. Some characterizations of the directed divergence using cyclic symmetry 88—45808
Nath, P. *see* Guha, S. 86—66321
Nath, P. *see* Hanak, J.J. 87—16034, 87—42131
Nath, P. *see* Hoffman, K. 88—75933
Nath, R., Gray, L., Park, C.H. Dose distributions around cylindrical ^{241}Am sources for a clinical intracavitary applicator 88—10451
Nath, R., Lamba, S.S. Development of coherency-based time-domain equivalent model using structure constraints [synchronous generators] 86—51599
Nath, R., Lamba, S.S., Prakasa Rao, K.S. Coherency based system decomposition into study and external areas using weak coupling 85—59603
Nath, R., Pavur, R. A new statistic in the one-way multivariate analysis of variance 85—33278
Nath, R. *see* Lamba, S.S. 86—18701
Nath, R.J. *see* Massie, H.W., Jr. 87—71859
Nath, S. *see* Lord, W. 88—49904
Nath Upadhyay, P. Miniature logic system used in modern experiments 87—5748
Nath Upadhyay, P. Tunnel system used in modern experiments [logic design] 87—37131
Nath Upadhyay, P. Performance of a '154' card of MLS 87—37132
Nath Upadhyay, P., Pathak, P. The radio frequency separators 87—50049
Nathan, A., Allegretto, W., Baltes, H.P., Smy, T. Carrier transport in GaAs Hall-cross devices 88—33132
Nathan, A., Allegretto, W., Baltes, H.P., Sugiyama, Y. Modeling of Hall devices under locally inverted magnetic field 87—32461
Nathan, A., Allegretto, W., Baltes, H.P., Sugiyama, Y. Carrier transport in semiconductor detectors of magnetic domains 88—13305
Nathan, A., Huiser, A.M.J., Baltes, H.P. Two-dimensional numerical modeling of magnetic-field sensors in CMOS technology 85—58666
Nathan, A., Huiser, A.M.J., Baltes, H.P., Schmidt-Weinmar, H.G. A triple-drain MOSFET magnetic-field sensor 86—11522
Nathan, A., Maenaka, K., Allegretto, W., Baltes, H.P., Nakamura, T. Operating principles of magnetotransistors 88—71503
Nathan, A., McKay, I.A., Filanovsky, I.M., Baltes, H.P. Design of a CMOS oscillator with magnetic-field frequency modulation 87—44649
Nathan, A., Mun, Y.S., Allegretto, W., Baltes, H.P. Numerical simulation of semiconductor magnetic field sensors using the finite-element method 87—29112
Nathan, A. *see* Andor, L. 85—58668
Nathan, A. *see* Baltes, H.P. 86—63333
Nathan, A. *see* Filanovsky, I.M. 87—35075
Nathan, A. *see* Joerg, W.B. 87—67198, 88—44728
Nathan, A. *see* McKay, I.A. 86—68001
Nathan, A. *see* Ristic, L. 88—33153
Nathan, A. *see* Schmidt-Weinmar, H.G. 85—31457
Nathan, A.W. *see* Butrous, G.S. 85—9205
Nathan, A.W. *see* Cochrane, T. 85—9228
Nathan, G.K., Balendra, T. Experimental technique for measurement of slender body oscillations 85—9811
Nathan, G.K., Tan, J.K. Transient and steady state modelling of a coupled WECS 86—19186
Nathan, G.K. *see* Goh, T.N. 88—62283
Nathan, H.H., Clarke, C.F. The performance of ridge waveguide laser packages 88—2282
Nathan, H.H. *see* Clarke, C.F. 85—63670
Nathan, I. Indoor UHF TV aerial 85—30091
Nathan, I. Improvements to indoor aerials 85—31168
Nathan, I. TV reception 85—47652
Nathan, I. Foil aerials 86—29603
Nathan, I. Multi array aerials 87—75599
Nathan, K.S., Curlander, J.C. Speckle noise reduction of 1-look SAR imagery 88—9628
Nathan, K.S., Rosenkranz, P.W., Staelin, D.H. Temperature profile retrieval by two-dimensional filtering 85—64736
Nathan, M. *see* Griem, T. 85—45423
Nathan, M. *see* Klem, J. 85—1375
Nathan, M. *see* Lim, B.S. 88—29342
Nathan, M. *see* Magee, M. 86—11513, 86—59372
Nathan, M.I. Persistent photoconductivity in AlGaAs/GaAs modulation doped layers and field effect transistors: a review 86—28010
Nathan, M.I., Dumke, W.P., Wrenner, K., Tiwari, S., Wright, S.L., Jenkins, K.A. Electron mobility in *p*-type GaAs 88—32774
Nathan, M.I., Heiblum, M. A gallium arsenide ballistic transistor? 86—41753
Nathan, M.I., Mooney, P.M., Solomon, P.M., Wright, S.L. Room-temperature electron trapping in $Al_{0.35}Ga_{0.65}As$/GaAs modulation-doped field-effect transistors 85—61920
Nathan, M.I., Mooney, P.M., Solomon, P.M., Wright, S.L. Trapping in AlGaAs/GaAs modulation-doped field effect transistors at room temperature 87—6746
Nathan, M.I., Tiwari, S., Mooney, P.M., Wright, S.L. *DX* centers in AlGaAs *p-n* heterojunctions and heterojunction bipolar transistors 88—7340
Nathan, M.I. *see* Eizenberg, M. 87—32326
Nathan, M.I. *see* Heiblum, M. 86—14863, 86—15115, 87—6678
Nathan, M.I. *see* Ohashi, T. 86—8803
Nathan, R.D. *see* Coates, P.W. 87—77667
Nathan, R.H. Electrostimulation of the upper limb: programmed hand function 87—57198
Nathan, S.P.D.R., Arichandran, K. Validation of charge distribution models of lightning stepped leaders from electric field data 88—14442
Nathan, T.P.S., Oak, S.M., Joshi, A.S., Bhawalkar, D.D. Generation of modulation-free pulses using an active Fabry-Perot 86—29192
Nathan, T.P.S. *see* Bhattacharya, P.K. 86—28128
Nathan, T.P.S. *see* Oak, S.M. 88—65648
Nathan, T.P.S. *see* Uppal, J.S. 86—9814
Nathanson, M.B. *see* Erdos, P. 88—31640, 88—49689
Nathasingh, D.M., Liebermann, H.H. Transformer applications of amorphous alloys in power distribution systems 87—71646
Nathasingh, D.M., Smith, C.H., Datta, A. Effects of coatings on the soft magnetic properties of an iron-based amorphous alloy 85—24066
Nathasingh, D.M. *see* Mullett, C.E. 88—64882
Nathegi, B. *see* Etiemble, D. 86—1060
Nathel, H. *see* Anthon, D.W. 88—20770
Nathel, H. *see* Kortz, H.P. 86—22336
Nathenson, M. Assessment of high-temperature geothermal resources in hydrothermal convection systems in the United States 85—53387
Nathenson, R.D., Cherepko, J., Patel, M.R. Thermal stress analysis and design of the stator of a 300 MVA superconducting generator 87—9602
Nathenson, R.D. *see* Ahmed, M.E. 87—9603
Nathenson, R.D. *see* Alexion, C.C. 86—45848
Nather, H. *see* Junge, V. 88—20449
Nathrath, N., Schafer, W. A polarisation sensitive reflector antenna 88—34472
Nathrath, N. *see* Dudok, E. 88—14548
Nathrath, N. *see* Habersack, J. 85—41759
Nathrath, N. *see* Leitner, R. 87—12855
Nathrath, N. *see* Lieke, M. 85—41732, 87—54663, 88—34471
Nathu, V.P. *see* Poole, C.D. 88—3974
Nathwani, M. *see* Sandler, M.B. 86—20338
Nati, S.F., Chen, Y.K., Dening, D.C., Krohl, R.D., Marchant, C.E., Williams, J.B., Rode, A. A gallium arsenide decoder for gigabit rate communication links 86—35917
Nati, S.F., Marchant, C.E. A gallium arsenide encoder/decoder and laser diode driver for high speed optical communication links 87—63000
Nation, B. *see* Coleman, V. 85—19933
Nation, J.A. Space charge wave accelerators 86—5703
Nation, J.A., Anselmo, A., Greenwald, S. Application of high power, intense electron beams to ultra high energy electron accelerators 88—16592
Nation, J.A., Shiffler, D. A high power travelling wave tube (TWT) amplifier 88—50598
Nation, J.A. *see* Anselmo, A. 86—27532, 87—70903
Nation, J.A. *see* Greenwald, S. 86—32069
Nation, J.A. *see* Ivers, J.D. 87—14662, 88—47836
Nation, J.A. *see* Kerslick, G.S. 88—54193
Nation, J.A. *see* Roth, I.S. 85—26672
Nation, J.A. *see* Shiffler, D. 88—25840
Nations, D.R. *see* Goldstein, S.A. 87—21324
Nativ, Z. The application of a frequency multiplier design method to the design of microwave parametric dividers 87—37528
Nativ, Z. A new reversible varactor frequency halver/doubler device 88—12602
Nativel, J.M., Bornard, P., Oddi, M. A new technical step for protection and control of HV/MV substations 88—24111
Nativi, L. *see* Guthrie, J. 88—19492
Natkaniec, I., Janik, J.A., Mayer, J., Pawelczyk, J., Sciesinski, J., Urban, S. Inverted geometry multipurpose spectrometer for pulsed neutron sources 86—5860
Natkaniec, T. On *I*-continuity and *I*-semicontinuity points 87—10234
Natkaniec, Z. *see* Gruhn, C. 86—60583
Natke, H.G. Transient excitations of mechanical vibrations in testing techniques 86—31745
Natke, H.G. *see* Gawronski, W. 87—23448
Natkin, S. Timed and stochastic Petri nets: from the validation to the performance of synchronization schemes 86—7633
Natkin, S., Woog, A. The war between industrial local networks 86—30405
Natkin, S., Woog, A. ARLIC, an industrial ISO LAN 88—9209
Natkin, S. *see* Florin, G. 86—7644, 86—62047, 88—303
Natkovich, Yu.S. *see* Apitseryan, E.S. 86—54859
Natkovich, Yu.S. *see* Gelashvili, N.V. 88—35806
Natoli, V.D. *see* Hemmer, P.R. 88—22408
Natori, E. *see* Shimoda, T. 86—22005
Natori, K. Sensitivity of dynamic MOS flip-flop sense amplifiers 86—47816
Natori, K. An ichnographic two-dimensional analysis of the MOS LSI mask layout pattern 86—67979
Natori, K. *see* Fujii, S. 87—10857, 87—17092
Natori, K. *see* Furuyama, T. 87—10852, 87—17095, 88—63683
Natori, K. *see* Iikawa, T. 87—43989
Natori, K. *see* Ikawa, T. 86—52270
Natori, K. *see* Ohsawa, T. 87—59510, 88—6822
Natori, K. *see* Saito, S. 86—8265, 86—20529
Natori, K. *see* Sakai, T. 86—61939
Natori, M. Iterative methods for large scale matrix problems 88—24662
Natori, M. *see* Miura, K. 87—4886

Natori, N., Yamaguchi, T., Yoshida, N., Nakagawa, N. Spacecraft attitude-control technology 88−10464
Natori, N. *see* Okanuma, T. 87−57283
Natori, S. *see* Onuki, K. 86−40270
Natour, M. *see* Chohan, R.K. 88−67761
Natowitz, J.B. *see* Prete, G. 87−41827
Natsuaki, H. *see* Koinuma, H. 86−34376
Natsuaki, N., Chyu, K., Suzuki, T., Kobayashi, N., Hashimoti, N., Wada, Y. Rapid thermal annealing process for titanium-silicide contact formation 87−24938
Natsuaki, N. *see* Hosaka, S. 88−71321
Natsuaki, N. *see* Ohyu, K. 88−20137
Natsuaki, N. *see* Suzuki, T. 87−25173
Natsuaki, N. *see* Tamaki, Y. 88−13561
Natsuaki, N. *see* Tamura, M. 85−33423, 86−53526, 86−63171, 87−25091, 87−60284
Natsuaki, N. *see* Tokuyama, T. 86−7810
Natsuhara, M. *see* Suzuki, H. 88−12901
Natsuhara, Y. *see* Kitamura, M. 88−51339
Natsui, K., Kurosawa, Y., Hakamata, Y., Hirasawa, K., Yoshioka, Y. Voltage distribution characteristics of series connected SF$_6$ gas and vacuum interrupters immediately after a large AC current interruption 88−49082
Natsume, F. *see* Nobuaki, K. 85−10048
Natsume, Y. *see* Oba, K. 86−50343
Natsvlishvili, A.G. *see* Berozashvili, Yu.N. 88−36195
Natsvlishvilli, A.G. *see* Buachidze, Z.E. 86−22187
Nattan, P. *see* Laszlo, J. 86−13103
Natterer, F. Efficient evaluation of oversampled functions 86−34192
Nattermann, K. *see* Danielzik, B. 86−2648
Nattiv, M., Miani, F. Why short-haul microwave makes sense 86−49466
Nattrass, D.A. Partial discharge measurement and interpretation 88−64805
Nattrass, H.L. *see* Schumann, E.W. 88−32397
Natusch, K. *see* Leidinger, B. 87−78444
Natvig, J.E. Speech codes for the GSM system 88−14646
Natvig, J.E. Evaluation of six medium bit-rate coders for the Pan-European digital mobile radio system 88−41556
Natvig, J.E. Pan-European speech coding standard for digital mobile radio 88−67254
Natzler, P.J. Innovations in projection welding technology 87−31099
Nau, D., Purdom, P., Chun-Hung Tzeng Experiments on alternatives to minimax 87−36577
Nau, H.-R., Geinitz, G., Dorner, M. A universal computer system for biological signal analysis 87−35427
Nau, R. The integration of data from a foreign-based affiliated company over the Datex-P network 85−63192
Nauber, P. High-performance ferrite materials. Requirements for increased operating frequencies 85−29429
Nauber, P., Michalk, C. Investigation of the sintering behaviour of various iron oxides for processing MnZn power ferrites 86−53886
Nauck, J., Plate, K., Bischof, B. SERES−a polar orbiting satellite system as an extension of INMARSAT 86−37813
Nauck, J., Ress, R., Bischof, B. COMNAV−communication/navigation for global applications 88−15426
Nauda, A., Aburdene, M.F. Modern integrated engineering workstations for undergraduate electrical engineering laboratories 85−32988
Nauda, A. *see* Favorite, R. 87−69554
Nauda, A. *see* Fox, R.L. 86−16121
Naudon, A. *see* Mimault, J. 87−49916
Naudy, M. *see* Louis-Jacquet, M. 87−12376
Nauenberg, U. *see* Atwood, W.B. 87−21411
Nauenberg, U. *see* Bartlett, D. 87−77584
Nauenberg, U. *see* Hodges, C. 86−50313
Nauenberg, U. *see* Young, C.C. 86−50316
Nauer, A. *see* Bringmann, A. 87−79070
Nauerz, R., Bauer, H. The suitability of modern CMOS gate array circuits as correlators and matched filters for spread-spectrum signals 88−21933
Naufel, N. Serial techniques expand your options for μC peripherals 88−32224
Naughton, J. The VAXcluster concept 86−43539
Naughton, M. VANS−implications for the user 86−54774
Naughton, M. Practical considerations of value added networks 86−69302
Naughton, M. *see* Roberts, J.T.A. 86−25762, 86−33019
Naughton, M.D. Radwaste volume reduction economics: an overview 86−25734
Naughton, M.D. *see* Neal, T.P. 86−12596
Naughton, M.J., Chaikin, P.M., Chu, C.W., Hor, P.H., Meng, R.L. Critical fields of (La$_{.925}$Ba$_{.075}$)$_2$CuO$_{4-y}$ 87−53912
Naughton, M.J. *see* Brooks, J.S. 87−29264
Naughton, M.J. *see* Shafarman, W.N. 86−35294
Naugle, D.G., Bandyopadhyay, B., Yin Bo, Nicoli, V.M., Wang, F.-C., Rathnayaka, D. UHV deposition system for quench condensation and in situ study of amorphous transition metal alloy films 87−65559
Naugol'nyj, N.N. *see* Boldyshev, V.F. 88−54012
Naujokas, T. *see* Hornbeek, M. 87−48665
Naujoks, G.A. Methodology breaks project into manageable pieces [ATE equipment] 87−56478
Nauka, C. *see* Gibbons, J.F. 88−12031, 88−38260
Nauka, K. Application of the silicon interstitial based intrinsic gettering process to the formation of multilevel defect structures 87−17700
Nauka, K., Amano, J., Scott, M.P., Weber, E.R., Turner, J.E., Tsai, R. Correlation between Ti-silicided shallow junction diode leakage and titanium diffusion during TiSi$_2$ formation 87−25224
Nauka, K., Lagowski, J., Gatos, H.C. Intrinsic gettering in oxygen-free silicon 86−28118
Nauka, K., Walukiewicz, W., Lagowski, J., Gatos, H.C. Scattering of free carriers by oxide precipitates in Czochralski-grown silicon 86−21122
Nauka, K. *see* Adkisson, J.W. 88−49815
Nauka, K. *see* Amano, J. 87−6610
Nauka, K. *see* Carey, P.G. 88−44582
Nauka, K. *see* Paloura, E. 86−62245
Nauka, K. *see* Ueda, O. 87−17699
Nauka, N., Lagowski, J., Gatos, H.C., Li, C.-J. Intrinsic gettering in oxygen-free silicon 85−34698
Naukov, S.K. *see* Orlovskii, V.P. 88−70614
Naumaan, A., Boyd, J.T. Ring resonator fabricated in phosphosilicate glass films deposited by chemical vapor deposition 87−12121
Naumaan, A. *see* Boyd, J.T. 85−41201, 85−46126
Nauman, D.G., Sliper, R.E., Hinkle, R. Agglomeration system controls coal dust 86−56527
Nauman, R.V. *see* Kumar, D. 86−38315
Nauman, S.K. *see* Koch, W.W. 88−72061
Naumann, A. Validation of the Space Shuttle's Orbiter avionics 86−6041
Naumann, F. *see* Manthey, W. 85−37764
Naumann, G. Development, implementation and documentation of software for measurement with microcomputer 85−3862
Naumann, G. Design methods and the implementation of databank with microcomputers 87−55728
Naumann, G., Oertel, E., Will, G. Robotron 1.6430 microcomputer diagnostic unit−design and application 86−31174
Naumann, J.D. *see* Brancheau, J.C. 88−67088
Naumann, K. Decentralized regulation and control of voltage and reactive power 87−4343
Naumann, K. *see* Gamaleja, T. 86−12314
Naumann, K. *see* Irmscher, S. 87−4344
Naumann, L. *see* Albrow, M.G. 88−29872
Naumann, L. *see* Bauer, G. 87−29544
Naumann, R. *see* Schnetter, V. 86−20464
Naumann, S., Cairns, B., Mazliah, J., Milner, M., Herbert, M., Rang, M. Therapeutic effects of electrical stimulation in spastic cerebral palsy 86−25264
Naumann, S., Mifsud, M., Cairns, B.J., Milner, M., Herbert, M.A. Dual-channel electrical stimulators for use by children with diplegic spastic cerebral palsy 86−5991
Naumann, S. *see* D'Alessandro, J. 87−21643
Naumann, S. *see* Snell, E. 88−52404
Naumann, S.T. *see* Pinello, J.A. 86−32689
Naumann, T. *see* Anguilar-Benitez, M. 87−71031
Naumann, W. Work of transportable lightning generators in the inner lightning protection 86−52730
Naumann, W. Determination of lightning damage statistics using possible protection spaces 86−56499
Naumann, W. *see* Dietrich, J. 86−25112, 87−35255
Naumann, W. *see* Koettnitz, H. 86−53853
Naumenko, A.K. Designing compression structures of power transformers 87−58152
Naumenko, B.Yu. *see* Petlenko, B.I. 85−60170
Naumenko, I.Ya., Ckripchenko, C.V. Correcting instrumental error of acoustic goniometric systems using test signal 85−32038
Naumenko, I.Ya. *see* Bondarenko, O.P. 88−4127
Naumenko, K.P. *see* Andrushko, L.M. 85−19187, 86−2747
Naumenko, O.V. *see* Bass, F.G. 88−52267
Naumenko, V.D., Cherenshchikov, S.A. Investigation of the start-up of a magnetron with a cold secondary-emission cathode on the decay side of the voltage pulse 85−23323
Naumenko, Ye.D., Proleyko, V.M., Stretnskiy, V.N., Filimonova, T.N. The power growth factor of a train of relativistic electron rings in the presence of superklystron compression 85−52928
Naumenko, Ye.D. *see* Devyatkov, N.D. 85−40397, 86−19875
Naumenkov, G.Yu. *see* Gusyatnikov, V.N. 87−26158
Naumidi, L.P. *see* Akopyan, V.S. 85−59338, 88−23099
Naumov, A.A. *see* Ado, Y.M. 86−31902
Naumov, A.E. *see* Zlobin, V.A. 87−60276
Naumov, A.F. *see* Vashurin, P.V. 88−59317
Naumov, A.F. *see* Vasil'ev, A.A. 87−1983
Naumov, A.M. *see* Doni, N.A. 87−9206
Naumov, A.M. *see* Gel'fand, Ya.S. 85−21252, 85−48611, 87−9186
Naumov, A.M. *see* Polyakov, V.G. 86−25632
Naumov, A.N. Noise immunity of two combined receiving algorithms for redundant signals 86−29900
Naumov, A.P. *see* Gomzin, V.N. 88−41755
Naumov, A.P. *see* Markina, N.N. 86−32544
Naumov, A.S. Noise immunity of sorting algorithms of reception as a whole 85−7892
Naumov, A.S. *see* Sakharov, A.A. 86−16300
Naumov, A.V. *see* Litvin, D.P. 88−71335
Naumov, A.V. *see* Serdyukov, P.N. 86−23073
Naumov, A.V. *see* Turchinskiy, V.M. 85−34427
Naumov, B.A. *see* Bocharov, P.P. 86−16675
Naumov, B.M. *see* Vol'vich, A.G. 88−18154
Naumov, B.V. *see* Avramenko, A.S. 88−42664
Naumov, I.V. *see* Glazkov, V.P. 88−29831
Naumov, K.P. *see* Vasil'yev, V.V. 88−72178
Naumov, L.N. *see* Mazmanishvili, A.S. 88−72955
Naumov, M.S. *see* Vopilkin, A.Kh. 86−52557
Naumov, M.V. *see* Fal'kevich, S.A. 86−62293
Naumov, N.I. *see* Cerri, C. 85−20813
Naumov, N.M., Rivlin, A.M., Agapov, Yu.N., Zarubinskaya, L.Ya., Zueva, N.M. Metrological provisions for eddy current instruments measuring electrical conductivity 88−10098
Naumov, N.V. *see* Abramovich, D.I. 86−5182
Naumov, N.V. *see* Anishchenko, M.L. 88−65571
Naumov, N.V. *see* Butskii, V.V. 86−812
Naumov, N.V. *see* Vas'kov, V.A. 88−53814
Naumov, P.B. *see* Birman, A.Ya. 87−26465
Naumov, R. *see* Vukelja, P. 87−57610
Naumov, S.G. *see* Surkov, S.A. 88−31202
Naumov, V.A. *see* Basharin, G.P. 86−16783, 87−40073
Naumov, V.F., Lukashev, N.I., Ablazhei, V.A., Slesarchuk, G.D. The possibility of employing residual induction of large synchronous generators for their initial excitation 86−26014
Naumov, V.F., Lyubarskii, V., Pokhil'ko, V.K., Filatov, V.I. Two-channel analyser for the control stability of synchronous generator excitation 87−22251
Naumov, V.F., Lyubarskii, V.G. The diagnostics of states of excitation systems in power turbogenerators 86−25983
Naumov, V.N. *see* Gol'tsman, B.M. 88−1407
Naumov, V.N. *see* Gryaznov, O.S. 88−5906
Naumov, V.S. *see* Abramov, A.A. 86−28834
Naumov, V.S. *see* Shevchuk, S.N. 86−20260
Naumov, V.V. *see* Barmashenko, B.D. 85−46339
Naumov, V.V. *see* Boreisho, A.S. 88−33927
Naumov, Yu.V. *see* Popyrin, L.S. 85−48710
Naumova, Ye.O. *see* Shkol'nyy, Ye.I. 86−37331
Naumovets, G.A. *see* Lysenko, V.S. 88−7387
Naumovic, P. Surge impedances of overhead lines with nominal voltages of 110 to 400 kV depending on spans 87−57659
Naumovich, N.M. *see* Vorob'ev, Yu.P. 88−71033
Naumovski, I. Condenser switch on conditions and applicable choice of switching apparatus [power capacitors] 85−16181
Naumovski, I. Seismic requirements for high voltage equipment 88−62514
Naumovski, I., Markulin, M. Phenomena appearing at closing of back-to-back capacitor banks with vacuum contactors of 7.2 kV 86−71071
Naumovski, I., Stahan, I. Mechanical stresses at poles of HV switching devices 86−12968
Naumovski, I., Stahan, I. Defining and choosing of short-circuit characteristics of HV circuit-breakers 86−56862
Naumovski, I. *see* Mestrovic, K. 88−30946
Naumovski, R. *see* Bozinovska, L. 86−32242
Naundorf, P. *see* Rossiger, V. 87−67652
Naunin, D. Space-phasor representation of damper currents in synchronous machines at different waveforms 85−48941
Naunin, D. Wind energy recovery systems−basic ideas and their realization 88−5625
Naunin, D. Intelligent electric motors for servo drives 88−55659
Naunin, D., Cevik, K., Baum, E. Completely digital control of servo drives. Application of the 8751 microcontroller 85−49136
Naunin, D., Cevik, K., Reuss, H.C. Completely digital control of DC and AC servodrives using MOSFET inverters 88−69441
Naunin, D., Mederer, T. Performance and test data of electric vehicles in the Berlin fleet 85−65545
Naunin, D., Reuss, H.-C. PM brushless servodrive controlled by 16 bit microcomputer 88−75655
Naunin, D., Specovius, J. Electronic compensation of unbalanced mass forces in washing-machines 88−69945
Naunin, D. *see* Beck, M. 86−12830, 86−66085
Naunin, D. *see* Dietrich, D. 85−53870
Naunin, D. *see* Nafpaktitis, D. 86−33327, 87−42887, 88−30673
Naunin, D. *see* Suchaneck, J. 88−5627
Naunin, D. *see* Weiss, V. 86−12940, 86−66381, 87−22595
Naupel, N.G. *see* Bridges, K. 85−57695
Naurzakov, S.P. *see* Arnol'd, D.I. 86−70255
Naus, H. Quiet solutions for military EMI/RFI problems 85−11650
Naus, H. *see* Bradinal, W. 87−34875

Naus, P.J.A., Dijkmans, E.C., Bradinal, W., Holland, D.J., Mcknight, A. A CMOS stereo 16 bit D/A converter for digital audio 87−24285
Naus, P.J.A., Dijkmans, E.C., Stikvoort, E.F., Holland, D.J., Bradinal, W. A CMOS stereo 16-bit D/A converter for digital audio 87−56429
Naus, P.J.A. *see* Dijkmans, E.C. 87−44978
Nausch, A. The M68000 family [microprocessor chips] 86−14256
Naused, B. *see* Peczalski, A. 87−694
Naused, B.A., Gilbert, B.K. A 32-bit, 200-MHz GaAs RISC for high-throughput signal processing environments 88−25245
Naused, B.A., Samson, M.L., Schwab, D.J., Gilbert, B.K. Technology characteristics and concerns arising in the design and fabrication of an entire signal processor using gallium arsenide integrated circuits 87−37371
Naused, B.A. *see* Deming, R.N. 85−22803, 85−54857
Naused, B.A. *see* Gilbert, B.K. 85−45097, 87−17103
Naused, B.A. *see* Peczalski, A. 87−31849, 88−51039
Naused, B.A. *see* Vu, T.T. 88−32114
Nauss, K., Lee, T.H., Power, N.B., Hill, F. Evaluation of buy-sell transactions benefits [electric power utilities] 87−30099
Nauta, H.C., Nordholt, E.H. New class of high-performance PTAT current sources 85−39902
Nauta, H.C., Nordholt, E.H. A high-performance integrated IF amplifier and detector for an AM upconversion receiver 85−61136
Nauta, H.C., Nordholt, E.H. Fundamental aspects of noise optimization in radio input stages 86−4833
Nauta, H.C., Nordholt, E.H. A novel high-dynamic-range PLL system for synchronous detection in AM receivers 86−11240
Nauta, H.C., Nordholt, E.H. The intermodulation-free dynamic range of bipolar switching mixers 86−62498
Nauta, H.C., Nordholt, E.H. High-performance audio amplifier with AGC control and signal clipping for portable military radio 87−23965
Nauta, H.C. *see* Noidholt, E.H. 86−46581
Nauta, H.C. *see* Nordholt, E.H. 85−20321, 85−37229, 87−20682
Nauta, H.C. *see* Seevinck, E. 86−7928
Nauta, H.C. *see* Straver, W.G.M. 85−656
Nauta, Y. IJsselmij exploits a large wind park of 7.5 MW power in the north-east polder 88−69232
Nauta Lemke, H.R.van *see* van Nauta Lemke, H.R.
Nauwelaers, B., Van de Capelle, A. Formulas for the calculation of mutual coupling between rectangular microstrip antennas 85−41751
Nauwelaers, B., Van de Capelle, A. Characteristic impedance of stripline 87−75490
Nauwelaers, B., Van de Capelle, A., Wislez, B., She, T. A broadband square microstrip antenna 88−8611
Nava, F., Mantovani, S., Galli, E., Queirolo, G. Au/Ni bilayers on n-type silicon: metallurgical and electrical behaviour 86−63109
Nava, F. *see* Cerofolini, G.F. 85−12132, 86−15035, 86−41686
Nava, F. *see* D'Anna, E. 85−50285
Nava, F.A. A note on spectral evaluation at the Nyquist frequency 85−36258
Nava, J. Mobile robots in clean room manufacturing 86−19829
Nava Segura, A., Navarro Perez, R., Hernandez Angeles, M. Development of an electrical power system hybrid computer simulator 85−59543
Nava Z, O.A. On the combinatorics of plethysm 88−11864
Navabi, Z. Generating gate level two phase dynamic MOS logic from AHPL 86−21834
Navabi, Z., Doroudi, K. Compiling an RT level hardware description language into layout of NMOS cells 87−419
Naval, P.C., Jr. Optical shaft encoder processor with stall detection capability [stepping motors] 86−26083
Navalon, J.L. *see* Cisneros, G. 85−50824
Navalon, N. The construction of Spain's Cortes-La Muela scheme [hydroelectric power] 86−51498
Naval'yev, D.G. *see* Mezentsev, V.P. 86−20384
Navapanic, T. *see* Giorgi, D. 87−22797
Navapanich, T. *see* Giorgi, D. 87−22507, 87−22799, 87−26675, 87−73822, 88−33142
Navapanich, T. *see* Lindner, K. 87−26691, 87−47128
Navapanich, T. *see* Zucker, O. 86−56962, 88−43312 to 43313
Navaratnam, S., Chanson, S., Neufeld, G. Reliable group communication in distributed systems 88−73639
Navarez-Lozano, H. *see* Sanchez-Sinencio, E. 87−66347
Navaro, D. A metropolitan area network architecture based on a multiplexed slotted and token ring access protocol 88−9211
Navaro, D., Alkalaj, P. A distributed interconnect scheme for high-throughput packet switch applications 85−13933
Navaro, J. *see* Roy, A. 87−13994
Navarra, G. *see* Aglietta, M. 86−65378
Navarra, G. *see* Alberini, C. 86−65387
Navarra, J.A., Hughes, D.J. Venus Radar Mapper spacecraft power system design 85−48426
Navarrete, P., Schnabel, G., Ernst, G. The hybrid cooling tower. Operational performance and vapor propagation 85−21418
Navarria, F. *see* Cattai, A. 85−43250
Navarria, F.-L. Some aspects of the Delphi HPC project 87−63645
Navarria, F.-L. Impact position measurements in electromagnetic calorimeters 88−4849
Navarria, F.-L. *see* Bollini, D. 86−65332
Navarria, F.L., Cavallo, F.R., Barbiellini, G., Rossi, L., Folegati, P., Matteuzzi, C. Charge transmission in a time projection calorimeter in a magnetic field 87−50149
Navarria, F.L. *see* Benvenuti, A.C. 85−15254
Navarria, F.L. *see* Cattai, A. 85−43181
Navarrina, I., Rios, F., Mira, J. Computer aided design of active filters 85−23006
Navarrina, I. *see* Rios, F. 85−20657
Navarrina Martinez, I. *see* Garcia Rosa, R. 87−53042
Navarro, A., Nunez, M.J., Martin, E., Sancho, M. Symmetry properties of eigenfunctions of linear operators defined in bidimensional systems. Application to uniform homogeneous waveguides 86−15993
Navarro, A., Ortuno, M. Inversion of the dielectric function for a matrix of classical dipoles 86−54254
Navarro, A. *see* Chicon, R. 86−48631
Navarro, A. *see* Nunez, M.J. 86−54324
Navarro, A. *see* Bautista, E. *(editor)* 88−37834
Navarro, E. *see* Perriere, J. 87−60326
Navarro, G. *see* Mimila-Arroyo, J. 88−19990
Navarro, J., Fernandez, F., Baixeras, C., Vidal-Quadras, A., Debeauvais, M., Ralarosy, J. Etching conditions and resolution power of polymer detectors for ultra-heavy ions 87−29589
Navarro, J. *see* Alvaro, O. 85−13601
Navarro, J.E. *see* del Valle Herrero, A. 87−4007
Navarro, J.J., Llaberia, J.M., Valero, M. Solving matrix problems with no size restriction on a systolic array processor 87−17049
Navarro, J.J., Llaberia, J.M., Valero, M. Partitioning: an essential step in mapping algorithms into systolic array processors 87−66204
Navarro, J.J. *see* Torralba, N. 88−71739
Navarro, R. *see* Gonzalez, S. 85−27384
Navarro, R. *see* Kiraly, R.J. 88−36521
Navarro, T. *see* Simpson, C.A. 85−9338
Navarro Perez, R. *see* Nava Segura, A. 85−59543
Navarro Vicedo, J., Villanueva Lahuerta, A. Token-bus optical local area network 88−73645
Navarro-Guerrero, J.J., Casares-Giner, V. Improvement of the efficiency in new deconvolution systolic architectures 88−3077
Navas, M.J., Prescott, G.E. An algorithm to predict power margins on satellite communications links 86−69740
Navasardyan, H.V. *see* Arzumanyan, S.G. 88−68201
Navascues, J.C. *see* Vazquez, J. 86−11335
Navasquillo, J., Such, V. Study of the angular shift of a spatially confined electromagnetic beam 86−29354
Navasquillo, J., Such, V. Reflection and refraction of bounded electromagnetic beams at a dielectric interface 88−8453
Navdi, P.De *see* De Navdi, P.
Nave, C., Diakun, G.P., Bordas, J. Ultra-small angle X-ray diffraction from muscle 86−60676
Nave, G. Learning by Interactive Video Education (LIVE): a project to teach community adjustment skills to mildly mentally handicapped individuals 85−44450
Nave, M. Line impedance stabilization networks: theory and use [conducted emissions measurement] 86−11693
Nave, M.J. Switched mode power supply noise: common mode emissions 87−10676
Nave, M.J. Prediction of conducted emissions in switched mode power supplies 87−23930
Naveda, J.F., Chang, K.C., Du, H.C. A new approach to multi-layer PCB routing with short vias 87−6220
Naveda, J.F. *see* Du, D.H.C. 87−38359
Naveda, J.F. *see* Du, H.C. 88−64075
Navinsek, B. Development and application of the Slovene thin film technologies 85−50117
Navinsek, B. Technology of thin metal film resistors 86−1593
Navinsek, B. Coated substrates−multilayer structures on glass and ceramic substrates 86−35240
Navligu, C. *see* Nerodea, T. 87−51166
Navneet, Pillai, P.K.C. A study of the photoconducting properties of HgS/Cd(S,Se):Cu mixed pigment-resin system 85−18787
Navolokin, S.N., Ivanov, V.I., Starchenko, E.G., Ryabov, A.N., Tsarev, K.K., Yudin, A.A. The acoustic emission method used for determining the moment at which a crack forms beneath a deposited weld bead during reheating 85−54545
Navolotskii, Yu.A. The maximum 3-D TV system parallax 85−26009
Navon, D.H., Hwang, K. Comments on 'Computer study of a high-voltage p-π-n^{-}-n^{+} diodes and comparison with a field-limiting ring structure' by V. Boisson, et al 87−25207
Navon, D.H. *see* Adams, J.G. 87−74242
Navon, D.H. *see* Hwang, C. 87−38207
Navon, D.H. *see* Hwang, C.-G. 86−63268
Navon, D.H. *see* Hwang, C.G. 85−34939
Navon, D.H. *see* Hwang, K. 85−1560, 85−50472, 86−63255
Navon, D.H. *see* Morse, J.D. 86−21574
Navon, D.H. *see* Nakagawa, A. 85−1578
Navon, D.H. *see* Nguyen, P.T. 85−40675
Navon, D.H. *see* Park, Y.-J. 85−18299
Navon, D.H. *see* Son, I. 88−39361
Navon, D.H. *see* Tung-Wei Tang 86−9149
Navon, D.H. *see* Young June Park 85−35024
Navon, G. *see* Manassen, Y. 88−35884
Navon, I. *see* Bryman, D.A. 85−37900
Navon, I. *see* Mes, H. 85−9054
Navon, U., Zur, I., Weiner, D. Simulation model for optimising energy allocation to hydro-electric and thermal plants in a mixed thermal/hydro-electric power system 88−48477
Navona, C. *see* Cioni, R. 86−25228
Navone, S. *see* Guillon, L. 87−57357
Navot, I. An Euler-Maclaurin transformation of a slowly convergent series with an application to Fourier coefficient evaluation 87−72989
Navratil, J. On the economic evaluation of heat output from nuclear power stations as a factor in determining the order of their construction 88−30442
Navratil, K. *see* Kucirkova, A. 88−7527
Navratil, P. *see* Vastl, J. 87−15250
Navratil, S. Internal voltage of alternators for the calculation of transient phenomena 85−21583
Navratil, S., Vejnar, L., Kulik, M. Excitation of large AC generators and their control by means of a computer 86−66016
Navratil, V. Length standards in CSSR 86−11705
Navratil, V., Horvath, A., Albrechtova, J. Some problems connected with practical realisation of the length unit of meter 87−35194
Navrotskaya, Yu.N. *see* Grigor'yev, M.A. 88−63942
Navrotskii, V.V. *see* Zhukov, Yu.P. 85−64338
Navvab, M. *see* Siminovitch, M. 88−31191, 88−31193
Navvarro, J.R.V. *see* Roman, T.G.S. 88−14395
Nawa, M. *see* Hirakata, S. 86−61790
Nawab, H., Lesser, V., Milios, E. Conceptual diagnosis of signal processing systems 87−29023
Nawab, H., Lesser, V., Milios, E.E. Diagnosis using the formal theory of a signal-processing system 87−69145
Nawab, H. *see* Weiss, A. 88−66708
Nawab, S.H., Dowla, F.U., Lacoss, R.T. Direction determination of wideband signals 86−23006
Nawab, S.H., Toumayan, P.P. Robotic hearing 88−3105
Nawab, S.H. *see* Milios, E.E. 86−16453
Nawacki, A. *see* Dobrzelecki, R. 86−33965
Nawafune, H. *see* Mizumoto, S. 86−62930
Nawar, G.Y. *see* Behmann, F.F. 86−6018
Nawata, K., Fukutomi, H. Standardization of fibre optics components 85−52339
Nawata, K. *see* Goto, H. 86−41939
Nawata, K. *see* Hashimoto, K. 87−34604
Nawata, M., Kawamura, H., Ieda, M. Thermally stimulated current of polyethylene under divergent field 86−68019
Nawata, M. *see* Kawamura, H. 85−29352
Nawata, T. *see* Sato, N. 86−46851
Nawata, T. *see* Yamazaki, Y. 87−7924
Nawate, M. *see* Kobe, H. 86−63529
Nawate, M. *see* Ohbayashi, S. 88−31829
Nawathe, S.P., Bhide, S.D. Availability of stochastic power systems−generating function approach 85−32131
Nawaz, A. *see* van Bavel, M. 86−27370
Nawaz, M. *see* Pescod, C.R. 88−22166
Nawn, J.H., Bacon, G.H. Attenuation problem solved on 500 kV line 86−61155
Nawothnig, P. Light wave guide connectors for the monomode technique 87−46459
Nawracay, J.T. Calcium products for battery grid production: a suppliers' perspective 88−55591
Nawrath, G. *see* Hemmie, G. 86−31864
Nawrocki, H. *see* Laczko, F. 87−5917
Nawrocki, J. *see* Zaczkiewicz, A. 86−39212
Nawrocki, R. Electronically tunable all-pole low-pass leapfrog ladder filter with operational transconductance amplifier 88−873
Nawrocki, R. Electronically controlled OTA-C filter with follow-the-leader-feedback structure 88−25319
Nawrocki, R., Klein, U. New OTA-capacitor realisation of a universal biquad 86−20696
Nawrocki, R., Kloos, A. Turning the PC into a distortion meter 87−3741
Nawrocki, W. Influence of circuit noises of a noise thermometer on the temperature measurement error 86−60216
Nawrocki, W. A cryogenic amplifier 88−12232
Nawrocki, W. Properties of BF 245 transistors at very low temperatures 88−13420

Nawrocki, W. Silicon junction field effect transistors at 4.2 K 88−50870

Nawrocki, W., Galusik, J. Automatic range selection with hysteresis for a digital meter 85−37665

Nawrocki, W., Litwicki, Z. A cryogenic Si-JFET preamplifier for SQUIDS 88−20273

Nawrocki, Z. Calculation of metrological properties of magnetic direct current comparators with fractional magnetic flux control 85−17759

Nawrocki, Z. Apparatus for the measurement of main parameters of AC cryogenic equipment 85−43053

Nawrocki, Z. Modification of the field-effect-transistor multiplication circuit 87−17274

Nawrocky, R.J., Bittner, J.W., Li Ma, Rarback, H.M., Siddons, D.P., Yu, L.H. Automatic beam steering in the NSLS storage rings using closed orbit feedback 88−47814

Nawrocky, R.J., Galayda, J., Yu, L.H., Shu, D.M. A beam profile monitor for the NSLS VUV ring employing linear photodiode arrays 86−31765

Nawrocky, R.J., Halama, H.J., Lambiase, R.F., Montemurro, P.A. The 'fast' quadrupole pulsed power supply in the AGS 85−27525

Nawrocky, R.J., Ma, L., Rarback, H.M., Singh, O.V., Yu, L.H. An automatic beam steering system for the NSLS X-17T beam line using closed orbit feedback 88−47853

Nawrocky, R.J. *see* Yu, L.H. 86−32063

Nawrot, A. *see* Abashidze, L.I. 86−60633

Nawrot, A. *see* Budilov, A.A. 86−44588

Nay, C. *see* Bonzanigo, F. 87−52761

Nay, K.W., Budak, A. A variable negative resistance 86−20703

Nayagam, S., Mahapatra, S. On the design of high-power multiple-element loaded-line phase shifters 86−1366

Nayak, A.R. *see* Hui, P.J. 88−74933

Nayak, B.B., Acharya, H.N. Electrical and thermoelectric properties of Sb_2S_3 thin films prepared by the dip-dry method 85−34549

Nayak, B.B., Acharya, H.N. Characterization of chemically deposited $Pb_{1-x}Cd_xS$ films by scanning electron microscopy 85−44759

Nayak, B.B. *see* Galgali, R.K. 88−6440

Nayak, B.B. *see* Gumaste, J.L. 88−6439

Nayak, D., Lih-tyng-Hwang, Reisman, A. Evaluation of a CAD/CAM system for direct writing of thick film conductors, resistors and capacitors 88−1215

Nayak, D., Lih-tyng Hwang, Turlik, I., Reisman, A. A high-performance thermal module for computer packaging 88−6275

Nayak, D., Reisman, A., Turlik, I. Metal-to-metal bonding using an oxidizing ambient atmosphere 88−56325

Nayak, K.D. *see* Rampal, V.V. 87−46293

Nayak, K.R. *see* Balakrishnan, N. 87−57309

Nayak, M.R. Digital links free the airwaves to Antarctica [satellite communications] 85−47464

Nayak, M.R. A review of grounding and shielding techniques in industrial data acquisition systems 86−17868

Nayak, M.R. Satellite links with Antarctica 86−55234

Nayak, M.R. On the effect of speed-up inductor on high current power transistor switching speed 87−72200

Nayak, M.R. Antarctic communication 87−76625

Nayak, M.R. Information management: the next generation 88−15017

Nayak, P. *see* Shankar Bhat, K. 88−49577

Nayak, T.K. *see* Rao, C.R. 86−13624

Nayak, U.V., Manohar, R. INSAT ground segment 86−49515

Nayanathara, K., Rao, S.M., Sarkar, T.K. The application of conjugate gradient method for the solution of two dimensional field problems 86−42823

Nayanov, V.I. *see* Domrachev, S.I. 87−33008

Nayanthara, K., Rao, S.M., Sarkar, T.K. Analysis of two-dimensional conducting and dielectric bodies utilizing the conjugate gradient method 87−54521

Nayar, B.K. Monomode active fibre devices: the effects of overlay index 86−9582

Nayar, B.K. Optical fibres with organic crystalline cores 87−46562

Nayar, B.K., Booth, R.C. An introduction to integrated optics 87−12220

Nayar, B.K., Kashyap, R., White, K.I. Design of efficient organic crystal cored fibres for parametric interactions: phase matching requirements 87−54417

Nayar, B.K., Kashyap, R., White, K.I. Electro-optic monomode fibre devices with liquid crystal overlays 88−65221

Nayar, B.K., White, K.I., Kashyap, R. Guided wave organic non-linear devices 86−54218

Nayar, B.K. *see* Kashyap, R. 88−51466

Nayar, B.K. *see* White, K.I. 88−40343, 88−58144, 88−65202

Nayar, C.V. Modelling and simulation of a wind-driven wound rotor induction generator with tip-speed ratio control 88−48957

Nayar, C.V., Babu, T.K.M., Lee, C.W. A microcomputer-controlled firing circuit for a triac AC voltage controller 86−723

Nayar, C.V. *see* Babu, T.K.M. 86−26341

Nayar, C.Velayudhan *see* Velayudhan Nayar, C.

Nayar, K.R. Electronics and telecommunications 85−8259

Nayar, P.S., Ward, P.B., Colter, P.C., Hampton, S.R., Slawinski, J.W., Fishman, L., Callahan, C.M., Vydyanath, H.R. Growth and characterization of as grown p-n junctions fabricated in multilayer liquid phase epitaxial (Hg,Cd)Te 85−50261

Nayar, S., Ghuliani, K.K. Social implications of medical technology in developing countries 88−61215

Nayar, S.K., Sanderson, A.C. Determining surface orientations of specular surfaces by intensity encoded illumination 88−53867

Nayar, S.K.R. *see* Chattopadhyay, R. 87−17214

Nayar, S.R., Philip, P.S., Rao, P.B. A study on the bandwidth of a linear array 85−36128

Nayar, V. *see* Boyd, I.W. 87−25063

Nayatani, Y., Hashimoto, K. Relationship between subjective brightness and affection on contrast of object colors under the light sources with different color-rendering properties 86−52041

Nayberg, D. *see* Greenough, N.L. 88−69516

Naybour, P.J., Pople, C.H. Motion control for automated NDT 87−56515

Naybour, R.D. The influence of water on the life of polymeric insulated cables 87−15292

Naybour, R.D. Some aspects of water treeing in cross-linked polyethylene insulation 87−25640

Naydenko, V.I., Guseva, Ye.V. Bilateral approximation for the resonant frequency of axisymmetric electrodynamic systems 88−14334

Nayeb-Hashemi, H., Cohen, M.D., Zotos, J., Poormand, R. Ultrasonic characteristics of graphite/epoxy composite material subjected to fatigue and impacts 87−73189

Nayebi, K., Barnwell, T.P., III, Smith, M.J.T. Time domain conditions for exact reconstruction in analysis/synthesis systems based on maximally decimated filter banks 87−69222

Nayebi, K., Barnwell, T.P., Smith, M.J.T. Analysis of the self-excited subband coder: a new approach to medium band speech coding 88−66426

Nayebi, M., Bondoc, J., Bhandari, N. A 100 MHz full-flash analog-to-digital converter 87−59656

Nayebi, M., Wooley, B.A., Bhandari, N. BiCMOS analog switch driver with 1.5 ns aperture time 88−568

Nayebi, M. *see* Isbell, T. 86−34544

Nayeri, M., Jenkins, W.K. A parallel form adaptive IIR digital filter structure 86−58001

Nayeri, M., Marshall, D.F., Jenkins, W.K. Relationship between error surfaces and network architectures in adaptive filters 87−66417

Nayeri, M. *see* Fan, H. 88−66563 to 66564

Nayeri, M. *see* Jenkins, W.K. 87−27451

Nayfeh, M.H. *see* Sentman, L.H. 86−3083, 86−9722, 86−15734

Naylor, A.I., Steines, L.W. Information dissemination by satellite: prospects for new services 87−28463

Naylor, C. Transient suppressors for MOSFETS 87−67254

Naylor, G.A. *see* Alyas, M. 88−63523

Naylor, G.A. *see* Lewis, R.R. 88−20568, 88−58447

Naylor, H. *see* Purser, K.H. 86−2001

Naylor, H.C. Traditional terminal blocks are in step with today's markets 86−14604

Naylor, J. *see* Shill, M. 87−24273

Naylor, J.A., Boll, S.F. Techniques for suppression of an interfering talker in co-channel speech 87−61648

Naylor, J.R. Precision 16-bit DAC puts all components on one chip 85−17555

Naylor, M.J. *see* Hodgson, B.M. 88−21332

Naylor, M.J. *see* Hodgson, R.M. 85−57479, 87−5981

Naylor, P. Coupling between electromagnetic waves and wires using transmission - line modelling 87−39424

Naylor, P., Christopoulos, C., Johns, P.B. Analysis of the coupling of electromagnetic radiation into wires using transmission line modelling 87−12780

Naylor, P., Christopoulos, C., Johns, P.B. Coupling between electromagnetic fields and wires using transmission-line modelling 87−68822

Naylor, P. *see* Christopoulos, C. 87−75478, 88−40609, 88−52256, 88−69897

Naylor, P.A. *see* Brookes, D.M. 88−72847

Naylor, R.J. Identifying the cores of a multicore cable 85−32160

Naylor, R.J. A graphic information system for utilities 87−64152

Nayyar, V.P. Nonlinear propagation of a mixture of degenerate modes of a laser cavity 86−54172

Nayyer, J., Suematsu, Y., Shimomura, K. Analysis of reflection-type optical switches with intersecting waveguides 88−72108

Naz, E. The evolution of SNA architecture 88−28393

Nazarathy, M., Dolfi, D.W., Jungerman, R.J. Spread spectrum frequency response of coded phase reversal traveling wave modulators 88−20442

Nazarathy, M., Dolfi, D.W., Jungerman, R.L. Velocity-mismatch compensation in traveling-wave modulators using pseudorandom switched-electrode patterns 87−54109

Nazarathy, M., Dolfi, D.W., Newton, S.A. 5 mm resolution optical frequency domain reflectometry using coded phase reversal modulator 88−67721

Nazarathy, M., Goodman, J.W. Ambiguity function processors using linear birefringent dispersive materials 85−13586

Nazarathy, M., Goodman, J.W. Systolic lattice processing and ultrafast pulse shaping by optical coupled-wave device arrays 85−46201

Nazarathy, M., Goodman, J.W. Systolic lattice processing by optical coupled-wave device arrays 87−39916

Nazarathy, M., Newton, S.A. Rayleigh backscattering in optical fiber recirculating delay lines 86−42228

Nazarathy, M. *see* Dolfi, D.W. 88−45215

Nazarathy, M. *see* Newton, S.A. 86−58743

Nazarathy, M. *see* Trutna, W.R., Jr. 87−39048

Nazarchuck, A.T., Sterenbogen, Yu.A. Narrow gap gas-shielded welding and some of the special features of the process 85−60601

Nazarchuk, A.G. Development of geophysical instrument making 86−44771

Nazarchuk, Z.T. Scattering of electromagnetic waves by a cylindrical screen with a reversal point on the cross-sectional contour 85−57000

Nazarchuk, Z.T. Shielding of E-polarized electromagnetic waves by a closed cylindrical shell 86−36758

Nazarchuk, Z.T. *see* Panasyuk, V.V. 86−15858

Nazarenko, A.A., Tikodri-Togboa, S.S. Computing efficiency of fast Fourier transform algorithms 87−44274

Nazarenko, A.A. *see* Sverdlik, M.B. 87−58897, 88−27921

Nazarenko, A.A. *see* Sverdlik, M.V. 87−23586

Nazarenko, A.V. Preloaded elastic element as a means of transmitting discrete values of the force unit 86−18143

Nazarenko, A.V., Vargasova, E.V. Evaluating reproducibility of results of measurement of mass of net weights 86−38581

Nazarenko, A.V. *see* Chalenko, N.S. 88−36245

Nazarenko, A.V. *see* Kiselev, Yu.A. 85−8817, 86−18145

Nazarenko, L.P. Determining the capacitance and induced voltages in multiconductor quasi-steady-state interconnected systems [overhead transmission lines] 86−6384

Nazarenko, L.S. *see* Bondarenko, A.R. 85−6501

Nazarenko, L.S. *see* Denisov, A.G. 86−41268

Nazarenko, L.S. *see* Gorda, E.V. 87−45254

Nazarenko, N., Heyman, E. Membrane touch switches: a flexible keyboard option 86−8553

Nazarenko, N.B. *see* Malynyak, M.I. 85−3354

Nazarenko, O.K. *see* Paton, B.E. 85−16473

Nazarenko, S.I., Korolev, S.V., Chaturvedi, A.K., Malov, A.G., Kramer, A.A. Parametric images in nuclear cardiology 85−38033

Nazarenko, S.T. *see* Bosamykin, V.S. 88−25850

Nazarenko, V.A. *see* Borodavko, Yu.M. 86−22776

Nazarenko, V.E. *see* Borodenko, E.I. 85−61408, 86−23670

Nazarenko, V.G. *see* Grinevich, F.B. 85−58696

Nazarenko, V.M., Rogoza, V.V., Stognii, B.S., Kholodenko, Yu.N. Design principles in structure of microcomputer protection and automation systems 87−9219

Nazarenko, V.N. *see* Tkachenko, N.N. 85−50278

Nazarenko, V.S. *see* Filatov, A.V. 87−71929

Nazarenko, V.V. Loading stand for circuit breakers of 'Elektron' series 86−40004

Nazarenko, Yu.I. *see* Kanilo, P.M. 87−57884

Nazareth, A. *see* Strzeszewski, J. 88−64919

Nazareth, J.L. The method of successive affine reduction for nonlinear minimization 86−52364

Nazareth, J.L., Wets, R.J.-B. Algorithms for stochastic programs: the case of nonstochastic tenders 87−5345

Nazareth, K. *see* Odryna, P. 87−6909

Nazareth, L. Numerical behavior of LP algorithms based upon the decomposition principle 85−10612

Nazari, N., Ziemer, R., Liebetreu, J. The effects of the code period on the performance of asynchronous direct-sequence multiple-access spread-spectrum systems 88−46865

Nazari, N., Ziemer, R.E. Probability of error for DSSS multiple-access systems 87−40702

Nazari, N., Ziemer, R.E. Computationally efficient bounds for the performance of direct-sequence spread-spectrum multiple-access communications systems in jamming environments 88−53123

Nazari, N., Ziemer, R.E., Liebetreu, J. Performance of direct-sequence spread-spectrum systems in the presence of multiple-access interference and jamming 88−21940

Nazari, N. *see* Libertreu, J. 88−28668

Nazario, J.L., Sublette, J.M. Converter regulation at the primary 85−558

Nazarkin, A.V., Rogov, V.S. Light beam propagation in dielectric waveguides with periodic profiles 86—27534
Nazarkin, A.V., Rogov, V.S. Influence of a defocusing nonlinearity on the field structure in graded waveguides 87—68168
Nazarkin, A.V. *see* Belenov, E.M. 86—58886, 88—8139
Nazarkin, S.I. *see* Vorontsov, M.A. 86—22449
Nazarko, J. *see* Kujszczyk, S. 86—61540, 87—15251, 87—42439
Nazarko, J. *see* Piech, Z. 85—9929
Nazarok, V.I. *see* Golubova, E.A. 88—75874
Nazarok, V.I. *see* Lysenko, V.S. 86—19650
Nazarov, A.A., Chekmeneva, T.D. Hysteresis controls in single server systems with variable service rate and finite switching time 85—54244
Nazarov, A.A. *see* Zorkal'tsev, A.V. 87—48252
Nazarov, A.I. *see* Akulov, A.F. 87—37995
Nazarov, A.I. *see* Gurtov, V.A. 86—35457, 86—58331, 86—63134, 88—19753, 88—39157
Nazarov, A.I. *see* Nosul'ko, D.R. 88—5728
Nazarov, A.M. *see* Berkouskii, A.M. 86—61122
Nazarov, A.N. *see* Golubev, V.P. 88—57278
Nazarov, A.N. *see* Litovskii, R.N. 88—64344
Nazarov, A.N. *see* Lysenko, V.S. 85—34681, 85—40538, 86—8897, 86—21283, 86—47281, 86—47446, 87—74134
Nazarov, A.N. *see* Valiev, S.A. 88—57381
Nazarov, A.P. *see* Otrubyannikov, Yu.A. 87—73291
Nazarov, A.V. Experience in operating the Bratsk reservoir 85—48652
Nazarov, G.K. *see* Gulyaev, I.M. 87—42492
Nazarov, I.D. *see* Zelinskiy, A.M. 85—60843
Nazarov, K.I. *see* Kanevskii, I.D. 86—31671
Nazarov, L.V., Smirnov, S.N. Estimation of the moments of the stationary distribution of a Markov chain by the trial-function method 86—52341
Nazarov, L.Ye. *see* Smol'yaninov, V.M. 88—46061
Nazarov, M.V., Prokhorov, Yu.M., Kovyazin, V.I. Algorithms of adaptive Markov filtering of noisy speech signals 86—16164
Nazarov, N. *see* Atadzhikov, K. 85—45417
Nazarov, N.I. Calculating the losses in the dielectric of a capacitor when the voltage-waveform is distorted 87—45317
Nazarov, P.A. *see* Levin, N.N. 85—16281
Nazarov, S.A. *see* Kol'dyaev, V.I. 87—67078
Nazarov, V.B. *see* Alfimov, M.V. 87—38913
Nazarov, V.D., Sachko, Yu.I., Tereshchenko, A.G. Supply source for electric arc welding of optical fibers 86—40898
Nazarov, V.D., Sachko, Yu.I., Tereshchenko, A.G. Power meter for fiber-optic systems 87—18678
Nazarov, V.D. *see* Dem'yanenko, P.A. 87—68138, 88—3985
Nazarov, V.G., Vinogradov, A.M., Veselovzorov, A.N., Efremov, V.K. Ion beam parameters of a plasma accelerator 88—16614
Nazarov, V.I. A method of identification for time-lagged objects 86—50819
Nazarov, V.I. Algorithmic, programmatic and technical realization of an adaptive identification of control objectives in the automatic control systems of the steam turbines of thermal power stations 87—57902
Nazarov, V.I. *see* Bachishche, P.V. 86—39578
Nazarov, V.I. *see* Denisov, V.P. 86—27130
Nazarov, V.I. *see* Lebedinsky, S.A. 86—20351
Nazarov, V.L. *see* Budagyan, I.F. 86—30815
Nazarov, V.M. *see* Prouza, Z. 87—35315
Nazarov, V.N. *see* Korolev, A.E. 85—62694, 87—39257, 88—2395
Nazarov, V.N. *see* Vinogradov, S.V. 88—34099
Nazarov, V.V. A transportable high-voltage cable laboratory 87—3375
Nazarov, V.V., Yagudaev, B.M. Finding a faulted phase in networks with insulated neutrals 87—15228
Nazarov, V.V. *see* Bogdanov, V.V. 86—44737
Nazarov, V.V. *see* Ezovit, G.P. 88—61885
Nazarov, V.V. *see* Shchutskii, V.I. 85—60627
Nazarov, V.V. *see* Vigovskii, E.A. 88—68916
Nazarov, V.Ya. *see* Samylov, S.N. 85—39110
Nazarov, Yu.A. *see* Sokolovskii, G.G. 88—75967
Nazarova, M.N. *see* Avdyushin, S.I. 86—65373
Nazarova, N.K., Zakharova, S.E., Kharitonov, E.V., Shtel'makh, S.V. Degradation in Ag-Al microcontacts on prolonged heating 88—57201
Nazarova, O.V. *see* Malyshenko, S.P. 87—71987
Nazarova, T.B. *see* Andreyev, A.V. 85—10207
Nazarova, T.S., Marchenko, L.A., Babichev, E.O. Targets for nuclear-physical research 88—42402
Nazarova, V.Ya. *see* Arutyunyan, E.A. 86—28832
Nazarski, T.G. *see* Sotirov, I.A. 87—57362
Nazaryan, A.G., Mailyan, A.L., Adzhemyan, E.Kh. Definition of electromagnetic forces for computations of magnetic fields [electric machines] 85—65202
Nazemi, J. A new approach to computer aided filter tuning 85—49970
Nazemi, J., Fidler, J.K. Filter tuning using a microprocessor based heuristic algorithm 87—838
Nazeran, H., von Maltzahn, W.W., Kondraske, G.V. Computer-assisted calibration of medical instruments 87—57054
Nazhimutdin, M. *see* Liseev, M.S. 85—21074
Nazhmudinov, Kh.G., Polyanskaya, T.A. Measurement of volt-ampere characteristics of semiconductor diode structures with nonohmic substrate contact 87—41583
Nazhmudinov, Kh.G., Polyanskaya, T.A. Current-voltage characteristics of $Au/GaAs_{1-x}Sb_x/GaAs$ structures in the light of a fluctuation theory of thermal-field emission across Schottky barriers 88—32920
Nazhmudinov, Kh.G. *see* Karyaev, V.N. 87—32322
Nazhmudinov, Kh.G. *see* Sharonova, L.V. 88—57370
Naziev, Ya.M. Relative methods of steady heating for measurement of thermal conductivity and heat capacity of fluids 86—38596
Nazif, A.M., Levine, M.D. Low level image segmentation: an expert system 85—13596
Nazif, A.M. *see* Levine, M.D. 85—41956
Nazif, A.M. *see* Pavlidis, T. 87—7831
Nazifi, K. Easy interchange of data reduces PCB test efforts 86—53164
Nazifi, K. Reshaping board test 88—1146
Nazifi, K. *see* Harari, S.L. 86—7515
Nazikyan, A.G., Polyakov, V.M., Popov, E.A. Effect of the flux of auxiliary poles on the EMF of the armature winding of a DC inverter motor 88—17633
Nazikyan, A.G., Popov, E.A., Polyakov, V.M. Vectorial EMF diagram for a simple-phase repulsion-type inverter 88—37300
Nazikyan, G.A., Kolomeitsev, V.L., Vorob'ev, S.N. Specific losses in steel for ultrasonic frequency induction generators 86—70901
Nazikyan, G.A. *see* Kolomeitsev, L.F. 86—45422
Nazimok, A.E. *see* Kislyakov, I.S. 87—10625
Nazimok, A.Ye. *see* Gurevich, V.E. 87—61560
Nazimov, A.B. *see* Morozov, V.A. 87—16526
Nazimova, A.A. *see* Ashraf'yan, S.P. 87—49225
Naziripour, G.A. *see* Tooke, A.O. 85—29434
Nazmy, T.M. *see* Yahia, A.H. 88—605
Nazoa-Ruiz, N. Noise performance of hybrid microwave distributed amplifiers 85—45243
Nazoa-Ruiz, N., Aitchison, C.S. The gain and noise performance of lossy distributed amplifiers using MESFETs 85—11061
Nazoa-Ruiz, N., Aitchison, C.S. Experimental gain and noise figure performance of distributed MESFET amplifiers 85—28717
Nazoa-Ruiz, N. *see* Aitchison, C.S. 88—71109
Nazuka, E. *see* Miyahara, M. 86—29995
Nazvanov, V.F., Novikov, A.V. Effect of the photoconductor-liquid-crystal interface on the turn-off time of an optically controlled liquid-crystal transparency 86—2872
Nazvanov, V.F. *see* Voroshilov, S.A. 88—60567
Nchitailo, V.S. *see* Galagan, B.I. 86—15773
NcNab, A., Campbell, M.J. Ultrasonic phased arrays for nondestructive testing 88—18801
NcNicol, J.D. *see* Kennard, P.A. 87—33441
N'Diaye, A., Bui, A., Hoang, T.G., Segui, Y. Effect of the pressure on the self healing breakdown phenomena in plasma polystyrene thin films 85—29355
Ndlela, Z. *see* Haba, B. 88—64269
Ne Li *see* Li Ne
Neacsu, A. *see* Cole, E.I., Jr. 88—26179
Neacsu, A.M. *see* Cole, E.I., Jr. 88—57757
Neafu, V., Marghitu, V. Rapid determination method of the heating values by radiometric ash transducers. I. The discontinuous method 85—8988
Neag, Z. *see* Brauer, G. 87—57614
Neagoe, M. *see* Ionescu, T.-G. 88—17122
Neagoe, M. *see* Ionescu, T.G. 85—59666
Neagoe, O. *see* Popescu, C.A. 88—33366
Neagoe, V.-E. Hybrid coding of multi-tone still images 85—19545
Neagoe, V.E. Optimum discrete representation of signals. II. Discrete Legendre transform and its application for signal interpolation 88—72906
Neagoe, V.E., Grunwald, S., Muller, G., Voiculescu, A. Ischemic heart disease diagnosis using classification of ECG spectral patterns 85—38158
Neagu, D. *see* Bozdog, H. 86—24306
Neagu, E., Jemna, I., Bujor, A. Photoelectrodes of ceramic strontium titanate 86—26239
Neagu, M. *see* Rezlescu, N. 85—41013
Neal, D. Editing audio for video—and more 86—24225
Neal, D. Audio mix-down automation—who needs it? 87—28743
Neal, D.A. *see* Hays, G.N. 87—18876
Neal, D.B., Petty, M.C., Roberts, G.C., Ahmad, M.M., Feast, W.J., Girling, I.R., Cade, N.A., Kolinsky, P.V., Peterson, I.R. Langmuir-Blodgett films for nonlinear optics 87—46988
Neal, D.B., Petty, M.C., Roberts, G.G., Ahmad, M.M., Feast, W.J., Girling, I.R., Cade, N.A., Kolinsky, P.V., Peterson, I.R. Second harmonic generation from LB superlattices containing two active components 86—42625
Neal, D.B., Russell, G.J., Petty, M.C., Roberts, G.G., Ahmad, M.M., Feast, W.J. A highly ordered Langmuir-Blodgett monolayer of an amido nitrostilbene 87—61230
Neal, D.B. *see* Ahmad, M.M. 87—61229
Neal, D.M. *see* Dobson, D.R. 85—37631
Neal, D.R., Baganoff, D. Laser-induced fluorescence measurement of vapor concentration surrounding evaporating droplets 86—31681
Neal, D.R., Sweatt, W.C., Alford, W.J., McArthur, D.A., Hays, G.N. Application of high-speed photography to time-resolved wavefront measurement 88—51913
Neal, D.R. *see* Hays, G.N. 87—2061
Neal, G.E. *see* Walker, K.A. 85—43328
Neal, G.F. *see* Thompson, R.H. 85—4408
Neal, J., Holland, B., Inoue, S., Loh, W.K., McAdams, H., Poteet, K. A 1 Mb CMOS DRAM with design-for-test functions 87—17091
Neal, J., Surber, J. Improvement of performance of A/D converters. I 85—22955
Neal, J.E., Whitman, A.G. The role of backing materials in micapaper-based insulations for HV rotating machines 86—68078
Neal, J.E., Whitman, A.G. The role of backing materials in micapaper based insulations for HV rotating machines 88—69250
Neal, J.H. *see* McAdams, H. 87—10856
Neal, L.G. *see* Haslbeck, J.L. 88—69164
Neal, M. *see* Stout, G. 87—37349
Neal, M.J. *see* Tarascon, J.M. 88—55584
Neal, R. Frequency counter for your C-64: 86—55851
Neal, R. Messing with microwaves [radio transmitter and receiver design] 86—59760
Neal, R.A. *see* Emmett, F.J. 86—33092
Neal, R.J., Friend, J.F., Hall, R.G. A short notice pricing experiment 87—50706
Neal, R.M. *see* Witten, I.H. 87—61573
Neal, S.B. *see* Kranz, R.H. 85—11771
Neal, S.S. *see* Dodge, A.W. 85—14606
Neal, T.M. An overview of bare PCB testing 88—32623
Neal, T.M. Production testing of board-mounted PLCCs made easy 88—35792
Neal, T.P., Miller, C.C., Naughton, M.D. Operational experience of the Palisades volume reduction system—the first 12 months 86—12596
Neale, A.J., Babus'Haq, R.F., Probert, S.D., Shilston, M.J. Thermal design of district-heating distribution networks 88—23707
Neale, B.T. CH—the first operational radar 85—63753
Neale, C. *see* McDuff, G. 85—23381
Neale, I.A. *see* Watson, D.B. 87—71180
Neale, N.F. Signal conditioning 88—67732
Nealy, C.D. *see* Chernick, M.R. 85—51727, 88—31618, 88—66239
Neame, S.J. *see* McLaughlin, S.J. 87—21517
Neamen, D. *see* Stanley, T. 86—35695
Neamen, D.A. Modeling of MOS radiation and post irradiation effects 85—18341
Nearhoof, R.W. *see* Carley, D.R. 85—195
Neat, R.C., Hale, P.G. Micromachined silicon sensors 87—46566
Neat, R.C. *see* Jones, R.E. 86—55724, 88—74442
Neat, R.C. *see* Pitt, G.D. 85—62307
Neate, C.D., Major, I.C. The techniques of swimming pool lighting 87—64936
Neatrour, M.J. Comments on 'Correction of Maxwell's equations for signals I', 'Correction of Maxwell's equations for signals II', and 'Propagation velocity of electromagnetic signals' [by H.F. Harmuth] 88—8396
Neatu, V., Ghioca, L., Ionescu, M. Lignite characteristics of the North Oltenia Basin and its influence on the technical-economic parameters of the Rovinari thermal power plant 85—21434
Neau, E.L. Comet: A 6 MV, 400 kJ, magnetically switched pulse power module 85—5231
Neau, E.L., Seamen, J.F., Bloomquist, D.D., Babcock, S.R., Schneider, L.X., Sujka, B.R. A comparison of energy transport measurements and computer simulations in a single module prototype for PBFA II 87—21326
Neau, E.L., Woolston, T.L., Penn, K.J. Comet II, a two stage, magnetically switched pulsed power module 85—27526
Neau, E.L. *see* Cook, D.L. 87—43208
Neau, E.L. *see* Johnson, D.L. 85—4178
Neau, E.L. *see* Seaman, J.F. 85—4182
Neau, E.L. *see* Turman, B.N. 85—27524, 87—21311
Neau, J.-C. *see* Bernard, M.-Y. 88—6630
Neave, J.H. *see* Joyce, B.A. 85—40440, 88—31725
Neave, J.H. *see* Zhang, J. 87—44309
Neba, Y. PWM control for GTO current source inverter 86—70973
Neba, Y. *see* Nonaka, S. 85—49025 to 49026, 85—61095, 86—26116, 86—39958, 87—4786, 87—30583, 87—43017, 87—43519, 87—51499, 88—30877, 88—49200, 88—75984
Nebashi, S. *see* Kogure, S. 88—45240
Nebauer, E. *see* Sandow, E. 85—18165
Nebbia, G. *see* Prete, G. 87—41827
Nebbia, G. *see* Viesti, G. 87—14730, 87—14757

Nebbia, L., Sandri, S. Multimedia user interface at the office workstation: speech interface--speech synthesis 86–10322
Nebbia, L. *see* Montagna, R. 85–7827, 85–36784, 85–41651
Nebe, M. *see* Moschwitzer, A. 87–25567
Nebel, C., Nezgod, W.W. Purification of deionized water by oxidation with ozone 85–12090
Nebel, C.E. *see* Bauer, G.H. 86–42414, 87–9794
Nebel, C.E. *see* Bilger, G. 86–28145
Nebel, C.E. *see* Mohring, H.-D. 87–17934
Nebel, C.E. *see* Schubert, M.B. 88–17982
Nebel, C.E. *see* Sun, Y.M. 88–51656
Nebel, C.E. *see* Weller, H.C. 88–33861
Nebel, C.E. *see* Weller, H.E. 88–26951
Nebel, M. Aerodynamic analysis of vertical axis wind turbines 86–25965
Nebel, W., Albert, K. Market overview: customer specific ICs 86–52189
Nebel, W., Hartenstein, R.W. Functional design verification by register transfer net extraction from integrated circuit layout data 87–65667
Nebel, W. *see* Blodel, J. 88–39606
Nebel, W. *see* Hartenstein, R. 85–45032
Nebell, H.G. *see* Grjotheim, K. 88–37368 to 37369
Nebeshima, T. *see* Harada, K. 85–5261
Neblett, C.R. *see* Thomsen, S. 88–16757
Nebot, M. *see* Trinidad, F. 87–51437
Neboyan, V. *see* Swaton, E. 88–55115
Nebrera, F. *see* Torroglosa, V. 86–39359
Nebrera Garcia, F. *see* Ladra Brana, D. 86–39355
Nebritov, A.A. *see* Chernikov, V.P. 88–5505
Nebuchinov, M.V. *see* Ageev, Yu.I. 85–14742
Nebus, J. *see* Nickel, D. 86–1184
Nebus, J.M., Villotte, J.P., Vidalou, J.F., Hagerman, L., Jallageas, H., Albuquerque, M.C. Optimized CAD of power amplifiers, for maximum added power or minimum third order intermodulation, using an optimization software coupled to a single tone source and load-pull set-up 88–70577
Nebusev, S.V. *see* Logvin, A.I. 87–61887
Necar, R.N. CAE workstation concept applied to standard cell approach in linear custom VLSI design 86–41911
Necas, P. MIDI system in the world of music 88–9849
Necas, P. MIDI electronic music system 88–35756
Nechaev, E.A., Poklad, V.P., Chuzhin, A.A., Chaplov, S.A. Specialized analogue-to-digital device for measurement of temperature of molten steel 87–29029
Nechaev, E.E., Voronin, E.N. A reconstructive method for measurement of the external parameters of an antenna 87–33501
Nechaev, E.E. *see* Voskresenskii, D.I. 85–62892
Nechaev, E.P., Trifonov, A.P. Estimating the area of a disappearing optical image against a noisy background 88–28001
Nechaev, E.P. *see* Trifonov, A.P. 86–22880, 88–21171
Nechaev, G.I. *see* Bashirov, V.R. 86–11559
Nechaev, N.N. *see* Zavadtsev, A.A. 85–20692
Nechaev, O.P., Filippov, A.A., Fedotov, A.I. Calculation of partial capacitances of elements in a high-voltage thyristor rectifier 87–9649
Nechaev, O.P. *see* Kolechitskaya, N.A. 86–33484
Nechaev, O.P. *see* Lazarev, N.S. 87–72241
Nechaev, V.E. Approximate analytical solution of problem of formation of a relativistic electron beam in a coaxial diode for different isolating magnetic fields 86–1629
Nechaev, V.V. *see* D'yakonov, L.I. 87–38069
Nechaev, Yu.S. *see* Detinenko, N.E. 87–26587
Nechaev, Yu.S. *see* Ivanov, A.A. 86–70064, 87–66757
Nechaeva, L.P. *see* Barit, I.Ya. 86–18224, 86–32096, 86–60596
Nechaeva, L.V. *see* Mavashev, Yu.A. 86–65291
Nechaeva, T.A. *see* Dyachenko, N.G. 87–47020
Nechayev, A.I. *see* Detinko, M.V. 86–47053
Nechayev, V.M. *see* Astapkovich, K.F. 86–37621
Nechayeva, N.S. *see* Gritchenko, V.N. 87–62765
Nechiporenko, I.N. *see* Bronina, E.M. 85–46049
Nechiporenko, I.N. *see* Zhitomirsky, I.S. 85–50061
Nechiporenko, V.N. *see* Danileiko, M.V. 87–38988
Nechiporuk, O.L. *see* Vorobienko, P.P. 88–32299
Nechiporuk, Yu.A. *see* Danilov, V.V. 88–33528
Nechitailo, V.S. *see* Dyumaev, K.M. 86–68605, 88–26741
Nechitailo, V.S. *see* Gromov, D.A. 85–56568, 86–9777
Nechitailo, V.S. *see* Manenkov, A.A. 85–7507, 85–12938
Nechitaylenko, V.A., Raykin, A.L., Shufchuk, Yu.B. On a model of a partly two-phase service with finite buffer capacities 85–49425
Nechleba, M. A simple micro turbine in Czechoslovakia 87–72032
Nechleba, M., Kopecky, V. Mini and micro hydro in Czechoslovakia 86–51503
Nechval, N.A. New efficient statistical procedures for detecting the possible changes in a sequence of intelligent measurements 87–3364
Nechval, N.A. A new statistical approach to efficient solving the same problems which arise in pattern recognition 87–48141
Nechval, N.A. Effective invariant coupling technique for designing the new or improved statistical procedures of detection and estimation in signal processing systems 87–55231
Nechvatal, L. *see* Seifritz, W. 86–45176
Neckam, G. *see* Heinonen, E. 88–9316, 88–52704
Necker, P. Operating experience with the SCR DeNOX plant in Block 5 of the Altbach/Deizisau power station 88–69143
Necker, P., Becker, J. Design, layout and operation of the DENOX plant at Altbach/Deizisau power station, unit no.5, and operating experience 87–64363
Necker, P. *see* Maier, R. 87–64364
Necsoiu, T., Florea, V., Lancranjan, I. High power monopulses in the case of solid state lasers in the slow, mechanical Q-switch mode 85–35727
Necsoiu, T. *see* Barbonie, T. 85–20273
Necsoiu, T. *see* Lancranjan, I. 85–35728
Necsulescu, C. *see* Rau, N.S. 86–32633
Necsulescu, D.S., Krausz, A.S. A multi-step stress-strength model of a parallel system 86–46138
Necula, A.M., Droasca, B., Stanescu, D. New results in the 2-D system synthesis 86–35034
Neculoiu, D. Microwave amplifier noise factor computer-assisted design 'MODFET transistors' 88–32422
Neda, T. *see* Tomizawa, T. 85–21338
Nedashkovskii, V.N. *see* Masleev, L.B. 86–44320
Nedashkovskii, Yu.V. *see* Ol'khovskii, G.G. 88–37070
Nedavnii, O.I. Use of the high-energy component as a reference source in radiometric monitoring 85–17024
Nedavnii, O.I. Use of signal delay with one detector in a two-channel radiometric flaw detector 85–49644
Nedavnii, O.I. Stabilization of scintillation detector by reference signal from radioactive source 86–18248
Nedavnii, O.I. Stabilizing the measurement channel of a reflector-type gamma thickness meter by light pulses generated by an auxiliary scintillator 86–55830
Nedavnii, O.I. Nonlinear conversion of pulses of a spectrometric flaw detector in radiometric nondestructive inspection devices 87–36827
Nedbaev, N.Ya., Petrenko, R.A., Piskarskas, A.S., Sirutkaitis, V.A., Smilgyavichus, V.I., Juozapavichus, A.S. Peculiarities of stimulated emission of picosecond pulses from the potassium gadolinium tungstate laser 88–72392
Nedbaev, N.Ya. *see* Bezrodnyi, V.I. 87–18940
Nedbaev, N.Ya. *see* Butkus, K.D. 85–41376
Nedbaev, N.Ya. *see* Kokurin, Yu.L. 87–54281
Nedbal, R.A. The great American autorouter 88–12740
Nedbal, R.A. CAD considerations for SMT boards 88–19501
Nedbalski, R. *see* Isaacs, P. 87–17518
Nedbau, A.I., Fedorovskii, G.D. Pulse-interference method of measuring ultrasonic velocity 86–20131
Nedderman, H.C. Row-to-column impedance of an $N\times M$ matrix circuit 88–31959
Nedderman, J. Japanese work towards shorter planned shutdowns 86–32994
Neddermeyer, H. *see* Berghaus, T. 87–11319
Nedelchev, M.J. *see* Kerin, T.P. 87–29525
Nedelchev, N. Programmed directional element for relay protections 86–39215
Nedelchev, N. *see* Tenchov, C. 88–29743
Nedel'chev, N.M. *see* Zlatarov, V.K. 85–17174
Nedelcu, D. *see* Turcoiu, T. 88–55668
Nedelcut, D. *see* Tiulescu, S. 88–62809
Nedelec, J.-C., Wolf, S. Homogenization of the problem of eddy-currents in a transformer core 88–34234
Nedelec, J.C. A new family of mixed finite elements in $\mathbf{R}^3$ 87–16547
Nedelec, M. *see* Daniel, J.-P. 85–41774
Nedelec, M. *see* Daniel, J.P. 86–68920
Nedelec, M. *see* Mutzig, J.-P. 85–41706
Nedelec, N. *see* Demeure, L. 88–40744
Nedelev, B. Single-chip microcomputer 85–33959
Nedelin, E.T. *see* Avrutskii, I.A. 88–40228
Nedelin, E.T. *see* Duraev, V.P. 88–58556
Nedelin, V.Ye., Stepin, A.P., Borisov, E.V. Estimation of the angular coordinates of an object in optical radar systems 86–17427
Nedelko, U. *see* Roeder, A. 86–61239
Nedeoglo, D.D. *see* Kasiyan, V.A. 85–6710, 87–1198
Neder, M.J. Past, present and future applications of OMEGA navigation technology 87–70160
Nederhand, F.A., Poppel, I., Veazie, B., Burke, K. Transient monitoring of a reactor recirculation system using the GETARS computer system 87–57837
Nederpel, P.Q.J., Martens, J.W.D. Magneto-optical ellipsometer 85–52883
Nederpelt, W. *see* ten Kate, H.H.J. 85–47965
Nederveen, K., van der Roer, T.G. Reduced intervalley transfer in a GaAs-AlGaAs heterojunction 88–32898
Nedess, C., Schwedler, M. Film sensors for the diagnosis of mechanical defects 88–4403
Nedev, I. *see* Alexandrova, S. 87–67021
Nedev, N. *see* Do Thanh, L. 87–17844
Nedev, N.R. Dual electron injector structure with Si-rich Si_3N_4 injector layers 87–45926
Nedev, N.R. Electrically alterable read only memory (AEROM) based on a floating gate MOS transistor employing injector layers of Si-rich Si_3N_4 88–742
Nedic, S. A transmitter implementation for SRS and PRS systems 86–30486
Nedic, S. Design and analysis of serial and parallel data transmission systems highlighted by time-frequency duality principle 87–55842
Nedic, S., Vlajnic, M., Purkovic, A. Real time microprocessor based signal processing in modem 4800 BPS 86–23053
Nedinsky, R. Automated logic integration system for gate arrays and beyond 85–17360
Nedjalkov, M., Vitanov, P. Monte-Carlo methods for determination of transport properties of semiconductors 88–57288
Nedkov, I. *see* Iliev, I.K. 85–1834
Nedlin, G. On current distribution on thin linear antenna 88–2782
Nedolugov, V.I. *see* Barikhin, B.A. 86–29087, 87–68408, 88–20701
Nedoluha, A.K. *see* Flesner, L.D. 86–47345
Nedoluha, A.K. *see* Taylor, M.J. 85–1589
Nedoluzhko, I.G., Novakevich, E. Three-section model of a bipolar transistor for automatic analysis and a computer evaluation of its parameters 86–28293
Nedoluzhko, V.I. *see* Akimov, P.S. 86–43237, 88–3043
Nedorost, J. The task of pumped storage plants in the perspective development of the electric network of Czechoslovakia 87–30427
Nedoseka, A.Ya. *see* Paton, B.E. 85–54543
Nedovesov, V.G. *see* Garapov, E.F. 87–14698
Nedovesov, V.G. *see* Geidel'man, A.M. 88–22912
Nedrow, P. *see* Wilke, M. 87–18679
Nedungadi, A., Viswanathan, T.R. Design of linear CMOS transconductance elements 85–7094
Nedungadi, A. *see* Allen, P.E. 85–23975, 86–2438
Nedungadi, A.P. Effects of nonidealities on the performance of a CMOS transconductance linearization scheme 87–66363
Nedungadi, A.P., Allen, P.E. A CMOS integration for continuous-time monolithic filters 85–17672
Nedungadi, A.P., Geiger, R.L. High-frequency voltage-controlled continuous-time lowpass filter using linearised CMOS integrators 86–57929
Neduzhii, G.I., Shutov, V.I., Izgorev, Yu.S. Optimization of the thermomagnetic treatment regimes of castings for permanent magnets 87–51662
Nedvidek, F.J., Kucerovsky, Z., Brannen, E. High-voltage trigger pulser for split DC discharges in waveguide lasers 86–3053
Nedvidek, F.J., Kucerovsky, Z., Brannen, E. Far infrared pump injection using an alumina waveguide 87–25932
Nedvidek, F.J., Schneider, C.W., Kucerovsky, Z., Brannen, E. Near-infrared extinction in rain measured using a single detector system 87–61389
Nedviga, L.A., Dzyubenko, G.M., Chepurnoi, A.T. On the commutation capacity of the RNTA contactors at subzero ambient temperatures 88–69628
Nedviga, L.A., Volkov, V.P., Gontaruk, V.A. Electrical and mechanical wear on roller contacts in devices for regulation under load 87–52930
Nedyalkov, E. *see* Stankov, A. 86–69883
Nedyalkov, I.P. Properties of neutrino beams for research in geophysics 85–53140
Nedyalkov, K.V. *see* Barannikov, V.K. 86–70732
Nedzela, M., Sidney, J.B. Planning methods of satellite broadcasting 85–63790
Nedzelnitsky, O.V., Jr., Narendra, K.S. Nonstationary models of learning automata routing in data communication networks 88–28154
Nedzelski, J. *see* Abel, S.M. 87–29815
Nedzel'skii, I.S. Mathematical investigation of the influence of the combined constant of mechanical synchronous machines inertia and the frequency characteristics of electric power system parameters on the roots of the characteristic equation of a mathematical model of the system 88–23285
Nee, B. *see* Lin, Z.H. 87–67543
Nee, C.Y., Chang, C.-Y., Cheng, T.F., Huang, T.S. An improved Mo/n-GaAs contact by interposition of a thin Pd layer 88–57596
Nee, C.Y. *see* Chang, C.Y. 85–54455
Nee, C.Y. *see* Su, Y.K. 85–5981

Nee, T.W. Surface-irregularity-enhanced dissipation in semiconductor two-dimensional electron gas devices 86−47627
Neeb, K.H. *see* Schuster, E. 88−55137
Neece, R.T., Trew, R.J. Optical modulation and switching of IMPATTs 86−62843
Neece, R.T. *see* Mock, P.M. 88−38772
Need, R.A. A useful present you can build [kitchen timer] 85−23055
Need, R.A. Build a digital IC trainer 86−40985
Needell, G.J. *see* Pettigrew, N.R. 88−48346
Needell, G.S. *see* Tobes, M.C. 88−36574
Needes, C.R.S. Infrared firing studies of thick film material systems for high-volume hybrid microcircuits 85−28855
Needes, C.R.S. Infrared firing studies of thick film material systems for high-volume hybrid microcircuits 85−34387
Needes, C.R.S. The accelerated life testing of copper thick film multilayer material 87−66788
Needes, C.R.S. The accelerated life testing of copper thick film multilayer materials 88−1218
Needes, C.R.S., Button, D.P. Reliability testing of thick film multilayer materials 86−14735
Needes, C.R.S., Knaak, J.F. The thermal-cycled adhesion of thick-film copper conductors 88−64151
Needes, C.R.S., Pierce, J.W., Kuty, D.W., Ishibashi, S., Nishii, N. A new thick film materials system for high volume microcircuits 85−55330
Needes, C.R.S., Travis, A.R. The processing of thick film copper multilayer materials in a fast-firing furnace 86−53236
Needes, C.R.S. *see* Donohue, P.C. 87−73923, 88−57002, 88−57194
Needham, B. *see* Crossland, W.A. 86−5414, 86−50162
Needham, B.H. Operational instruments on the space station-polar platforms: contributions by NOAA and the international community 88−5177
Needham, C.D. *see* Gajda, J.J. 85−29103
Needham, C.D. *see* Murphy, R.J. 85−10521
Needham, E., Emmett, J. Cinemac−an archive concept for Thames Television 88−29119
Needham, G.A. *see* Brady, F.P. 85−26703
Needham, G.A. *see* Ford, T.D. 85−26702
Needham, G.A. *see* Greninger, C.E. 86−3248
Needham, J.C. Evolution of power sources in arc welding−growth from passive to active role 87−22936
Needham, M. Send your telex on a card 88−52775
Needham, N.J., Van Slyke, R. Educating the telecommunications manager 88−66822
Needham, R., Ades, S. Integrated services using a baseband local network 87−55823
Needham, R. *see* Burrows, M. 88−45960
Needham, R.M. *see* Birrell, A.D. 86−55026
Needham, R.M. *see* Clark, P.F. 87−8026
Needham, R.M. *see* Leslie, I.M. 85−8125
Needham, R.M. *see* Tennenhouse, D.L. 87−55576, 88−67203
Needham, R.M. *see* Waters, A.G. 85−8131
Needham, V. Optical characteristics of the KSU superconducting linac 86−55986
Needham, V.D. Batteries for PCB mounting 88−62561
Needle, G.J. Magnetism up-to-date. II 86−75
Needleman, M.H. *see* Brandriff, R.K. 86−23506
Needleman, T. Communicating with your Rainbow 86−64649
Needs, M.J., Jovic, V., Taylor, C., Board, K., Cooke, M.J. A 2-D linear elastic model for the local oxidation of silicon using the boundary element method 87−6604
Needs, M.J., Taylor, C. The application of the boundary element method to local oxidation of silicon 86−9055
Needs, M.J. *see* Waddell, J.B. 88−57497
Neef, G., Schuh, W. A systematic approach to the selection of a digital VLSI-tester 87−53663
Neef, R.D. *see* Armstrong, T.W. 86−70312
Neef, R.D. *see* Cloth, P. 86−5759, 86−56023
Neef, R.D. *see* Druke, V. 86−56019
Neef, R.D. *see* Filges, D. 86−56003
Neeff, R. *see* Claussen, U. 85−14943, 86−15526
Neefjes, E. Blown fuse indicator 85−11466
Neegard, S. *see* Weierholt, A.J. 88−7920
Neel, W.O. *see* Parker, R.D. 85−48420
Neelakantan, K. Noise and its role in instrumentation 87−56461
Neelakantan, K., Seshadri, V.R. A novel pulse shape discriminator 87−37092
Neelakantan, M.N., Janardhanan, P. Novel method for real-time detection of QRS complex in the presence of strong noise 87−29780
Neelakantan, M.N. *see* Janardhanan, P. 88−32341
Neelakantaswamy, P.S., Sarkar, T.K., Turkman, I.R. On the threat to dielectric-based electronic devices and components from repetitive non-sinusoidal electrical overstresses−a review 86−63416
Neelakantaswamy, P.S., Turkman, I.R. MOS scaling effects on EDS-based failures 86−68012
Neelakantaswamy, P.S., Turkman, I.R. Gate-insulator degradation in MOS-devices due to electrical overstressings: characterization via noise performance studies 87−25320
Neelakantaswamy, P.S., Turkman, R.I. ESD failures of board-mounted devices 87−53025
Neelakantaswamy, P.S., Turkman, R.I. Noise characteristics of ionizing-radiation-stressed MOSFET devices 87−53552
Neelakantaswamy, P.S., Turkman, R.I., Sarkar, T.K. Susceptibility of on-chip protection circuits to latent failures caused by electrostatic discharges 86−67987
Neelakantaswamy, P.S. *see* Arvas, E. 88−13395
Neelakantaswamy, P.S. *see* Gupta, K.K. 86−5986
Neelakantaswamy, P.S. *see* Turkman, R.I. 88−50978
Neelakantaswamy, R.S., Turkman, R.I. The effect of electrostatic discharge on integrated circuits 88−1710
Neelen, A.H., Maanders, E.J. Diffraction of a linearly polarised radiation field by a narrow slit in a plane conducting reflector 85−46545
Neeley, J. Mobile extender using VOX control [of HT transceiver] 88−15351
Neeley, V.I. *see* Gammell, P.M. 85−6091
Neely, D.F. *see* Tansley, T.L. 85−6715, 85−23453
Neely, J.D. *see* Canova, F.J. 85−13906
Neely, W.C., Yang, T.C., Wey, J.P., Clothiaux, E.J., Worley, S.D. Production of ground state atomic oxygen in a multifactor stress environment 88−68519
Neen, D. *see* Copper, D. 87−14843
Neen, D.J. *see* Dumper, C. 88−52359
Neer, R. *see* Blohm, R.L. 86−26248
Neerhoff, F.L. *see* Ning, Z.-Q. 87−45822
Nees, J., Mourou, G. Noncontact electro-optic sampling with a GaAs injection laser 86−68330
Nees, J., Williamson, S. A technique for wing suppressed IR sampling 87−46990
Nees, J. *see* Jackson, T. 88−3789
Neese, H. Use of gas turbine generators in phase shift operation 87−4672
Neeser, G., Thiele, G., Aldrovandi, G., Flegenheimer, M., Testi, G. Operational tests on thyristor modules for the Gezhouba-Shanghai HVDC transmission project 88−68903
Neessen, J. *see* van der Hoek, L. 85−25749
Neessen, J. *see* van Eck, W. 86−15969
Neeteson, M.J. *see* Beijderwellen, P. 88−62829
Neethling, J.H. *see* Snyman, H.C. 87−24795
Neetix, H. Computer-aided telephony 86−43460
Neetix, H. Telephone-management-system. The personal computer learns telephoning 87−27892
Neetix, H. Work station terminal for profi-telephonists. Integration of telecommunication with information technology 87−28236
Neev, J., Kowalski, F.V. Unidirectional device for a ring laser using an acousto-optic modulator 88−51862
Nefedev, L.A. Transformation properties of arbitrarily polarized wave fields in dynamic echo holograms 85−56866
Nefedev, L.A. Features of the formation and conversion of dynamic echo holograms in gases 86−15800
Nefedev, L.A. Features of the formation of stimulated-echo holograms on degenerate levels 86−15804
Nefedev, L.A. Features of the formation of three-level echo holograms 86−68641
Nefedev, L.A. Space-time transformations of echo holograms in two-and three-level gaseous systems 87−61253
Nefedev, L.A. Dynamic echo-holography in degenerate and multilevel systems 87−68646
Nefedev, L.A., Samartsev, V.V. Color echo holography 88−20783
Nefed'ev, O.K. *see* Kuznetsov, A.N. 88−16662
Nefed'ev, V.V. *see* Batsura, Yu.N. 85−43572
Nefedov, A.P. *see* Molotkov, V.I. 85−39215
Nefedov, E.I. *see* Bal'sevich, A.S. 86−41316
Nefedov, E.I. *see* Gvozdev, V.I. 86−41275, 87−59842
Nefedov, E.I. *see* Knyazev, S.T. 85−64154
Nefedov, E.I. *see* Neganov, V.A. 87−11032
Nefedov, I.B. *see* Bogdanov, V.V. 87−70213
Nefedov, I.E., Shevchenko, V.V. Transmission characteristics of multimode fiber light guides. Examples 86−22169
Nefedov, I.M. *see* Andronov, A.A. 86−29118, 88−14165
Nefedov, I.Ye., Shevchenko, V.V. Transfer characteristics of multimode fiber lightguides. Theory 86−22168
Nefedov, I.Ye. *see* Babkina, T.V. 85−58531
Nefedov, N.A. Evaluation of the complex correlation matrix of stationary normal noise when there is time correlation between samples 86−36892
Nefedov, N.A. Effectiveness of noise suppression by a two-channel autocompensator with a limiter in the control circuit output 88−44315
Nefedov, N.A. *see* Pervachev, S.V. 88−52240
Nefedov, S.M. *see* Voyevodkin, G.G. 88−45912
Nefedov, V.N., Savvin, D.D. Frequency subtraction circuit 87−28999
Nefedov, V.S. *see* Sonin, M.S. 87−29183
Nefedov, Ye.I. *see* Bal'sevich, A.S. 88−63868
Nefedov, Ye.I. *see* Kurayev, A.A. 85−45225
Neff, C.A., Nair, R. A ranking algorithm for MOS circuit layouts 87−25556
Neff, D. *see* Shell, J. 88−72241
Neff, H., Bachmann, K.J., Laidig, W.D. Photoconductivity of GaAs-AlAs multiple quantum wells: temperature dependent optical transitions 86−68386
Neff, H., Bachmann, K.J., Laidig, W.D. Photoconductivity, photoreflectance and photoluminescence of GaAs-AlAs multiple quantum wells 87−11423
Neff, H., Lay, Y., Park, K., Bachmann, K.J. Surface and bulk photoconductivity of $Cd_{1-x}Mn_xTe$ 88−45283
Neff, H. *see* Bachmann, K.J. 87−68256
Neff, H. *see* Goslowsky, H. 85−29691
Neff, H. *see* Lewerenz, H.J. 87−11382
Neff, H.P., Jr. Continuous and discrete linear systems 85−39464
Neff, J.A. Electro-optic techniques for VLSI interconnect 85−55940
Neff, J.A. Optical interconnections between integrated circuit chips 86−47758
Neff, J.A. Optical interconnections between integrated circuit chips 86−53716
Neff, J.A. Major initiatives for optical computing 87−38959
Neff, J.A. SLMs in optical symbolic computing architectures 88−58299
Neff, J.A., Mullen, C.R., Fogdall, L.B. Effects of a simulated synchronous altitude environment on contaminated optical solar reflectors 87−22739
Neff, J.T. To evaluate air-heater life extension, follow these steps 88−75240
Neff, L. CLIPPER microprocessor architecture overview 86−52890
Neff, M. *see* Mon, G.R. 86−33654
Neff, O. The German Post Office's 'TELECOM 1' network 85−30951
Neff, R., Schwartz, S., Stork, D.G. Electronics for generating simultaneous random-dot cyclopean and monocular stimuli 86−17989
Neff, R.E., Baron, W.R., Pollard, H.E. Fatigue simulation testing of solar cell interconnectors 87−9770
Neff, R.E. *see* Baron, W.R. 88−37456
Neff, V.D. Some performance characteristics of a Prussian blue battery 85−65421
Neff, W., Quehl, H., Stuckenberg, H.J., Leu, P., Lohrmann, E., Wilhelm, P. The DESY beam orbit processor 85−48163
Neff, W. *see* Cullmann, E. 87−67047
Neff, W. *see* Deuter, A. 87−14636
Neff, W. *see* Eberle, J. 86−25160
Neff, W.D. *see* Gossard, E.E. 85−26901
Neffati, T., Barret, C., Lu, G.N., Maaref, H. The effect of high energy ion bombardment on the Schottky metal-GaAs barrier 88−57377
Neffati, T., Lu, G.N., Barret, C. Electrical characterization of Schottky diodes on very low energy ion-etched GaAs surfaces 88−71515
Neffati, T., Lu, G.N., Barret, C., Forgeot, M. Schottky barrier on very low energy ion etched GaAs 88−13314
Neffati, T. *see* Barret, C. 88−19731
Neffati, T. *see* Lu, G.N. 88−19732
Neffe, S., Szustakowski, M. Characterization of the microstructure of optical fibres 87−74766
Nefiodow, L.A. Is microelectronics overestimated? 85−23859
Nefiodow, L.A. Computer industry versus communications industry? A strategic comparison 85−25258
Nefkens, B.M.K. *see* Barlow, D.B. 88−74697
Neft, H. *see* Stetter, H. 87−64404, 88−11085
Neftci, S.A. An automation work cell architecture 87−17528
Nefzger, P. *see* Kiessling, F. 87−21960
Negahban-Hagh, M., Stolaruk, R., Kraz, V. A low power, high performance, phone headset amplifier in CMOS technology 88−70576
Negahban-Hagh, M. *see* Maeding, D.G. 86−2437
Negahdaripour, S. Ambiguities of a motion field 87−62372
Negahdaripour, S., Horn, B.K.P. Direct passive navigation 87−39900
Negahdaripour, S., Horn, B.K.P. Using depth-is-positive constraint to recover translational motion 88−28107
Negahdaripour, S., Yu, C.H. Robust recovery of motion: effects of surface orientation and field of view 88−73332
Negahdaripour, S. *see* Usoro, P.B. 86−7306
Negaki, T., Chubachi, R., Odaka, K., Shinpuku, Y., Iijima, T., Horikawa, K. Magnetic contact duplication for R-DAT with barium ferrite media 87−32863
Negami, S. The virtual k-factorability of graphs 86−46208
Negami, S. The spherical genus and virtually planar graphs 86−46209
Negami, S. Polynomial invariants of graphs 86−46210

Negami, S. Re-embedding of projective-planar graphs 88-49673
Negami, T., Okamura, Y., Yamamoto, S. Preparation of oriented ZnTe thin-films on glass substrates by the sputtering and their characteristics 88-70361
Negami, T. *see* Okamura, Y. 85-52358
Neganov, V.A. Method of orthogonalizing transformation for computing eigenwaves of shielded slot structures 86-16003
Neganov, V.A. Application of Schwinger's transformations to the calculation of the natural modes of a screened slotted line 86-49428
Neganov, V.A. The method of singular integral equations for analyzing screened slotted structures 87-54641
Neganov, V.A., Nefedov, E.I. Orthogonalizing substitution method in the theory of shielded microwave integrated structures 87-11032
Neganova, L.A. *see* Guseva, G.I. 85-51370
Neganova, L.A. *see* Zav'yalov, M.A. 85-11837
Negashev, S.A. *see* Averin, A.P. 85-35703
Negashev, S.A. *see* Bakhtadze, A.B. 86-54085
Negi, J.G., Saraf, P.D. Frequency dependent shielding behaviour of upper crustal formations in the magnetotelluric range 87-71269
Negi, J.G. *see* Joshi, M.S. 88-68611
Negin, A.E. *see* Belov, N.N. 86-29215
Negin, M. Computer vision requirements for microelectronic assembly 85-23307
Negin, M. Image processing/computer vision work station 86-7516
Negin, M. Computer vision hierarchy for pre-seal (third optical) inspection for microelectronic assembly 86-15107
Negin, M. Review of pre-cap visual inspection requirements for military hybrid circuits 86-20994
Negin, M. The state of the art of image processing of breast thermography 86-50538
Negin, M., Zuech, N. Review of vision system techniques for inspection of electronic components 86-13537
Negin, M. *see* Santamore, W.P. 85-26752
Negin, M. *see* Whiteman, J.L. 88-1239
Neginskaya, I.G. *see* Agurok, A.B. 87-2005
Negishi, A. Preparation technology for thin film solid electrolyte fuel cells 87-78896
Negishi, A. *see* Masuda, T. 87-42120, 88-18089
Negishi, A. *see* Nozaki, K. 85-49073
Negishi, E. Mobile welding robot-RV110 85-16480
Negishi, H. *see* Inden, T. 87-63230
Negishi, H. *see* Ohshima, M. 86-58937
Negishi, H. *see* Sasaki, M. 86-35288
Negishi, H. *see* Tsuruta, T. 88-40222
Negishi, K. *see* Sakamoto, K. 88-19446
Negishi, M. *see* Hayashi, H. 87-25092, 88-20148
Negishi, M. *see* Maekawa, T. 88-38534
Negishi, M. *see* Ohshima, T. 87-46002
Negishi, M. *see* Sugishima, N. 88-51779
Negishi, T., Tokunou, H., Komeji, S. An analytical method of core magnet type moving coil flat meter composed of a disc magnet 85-64187
Negishi, T., Tokunou, H., Komeji, S. Indicating error of core magnet type moving coil flat meter by effect of the external magnetic field 87-3644
Negishi, T. *see* Kurosawa, H. 85-3284, 85-47373, 86-14750
Negishi, T. *see* Nishimura, H. 87-30239
Negishi, T. *see* Oshima, G. 87-8233
Negishi, T. *see* Shinohara, K. 87-2451
Negishi, Y., Ishihara, K., Murakami, Y., Yoshizawa, N. Design of deep-sea submarine optical fiber cable 85-37024
Negishi, Y., Miyajima, Y., Kawata, O., Yoshizawa, N. First sea trial of 1.5-μm submarine optical fiber cable 88-35499
Negishi, Y., Miyajima, Y., Ohnishi, M., Kawata, O., Ishihara, K. High-strength fiber splice applied for submarine optical fiber cable 86-23875
Negishi, Y., Seikai, S., Uesugi, N. Optical fiber cable technology for high capacity transmission systems in NTT 87-34617
Negishi, Y., Yoshizawa, N. Study on the necessary optical fiber strength for armored submarine optical fiber cable 88-35525
Negishi, Y. *see* Aida, K. 87-56118
Negishi, Y. *see* Ashiya, F. 86-4461
Negishi, Y. *see* Fukinuki, H. 86-11057, 86-30820
Negishi, Y. *see* Furukawa, S.-I. 85-8422
Negishi, Y. *see* Higashi, T. 87-20570
Negishi, Y. *see* Horiguchi, T. 85-41140
Negishi, Y. *see* Kawata, O. 86-17412
Negishi, Y. *see* Kuwaki, N. 87-68083
Negishi, Y. *see* Miyajima, Y. 85-52342, 88-13803, 88-65216
Negishi, Y. *see* Murakami, Y. 85-35516
Negishi, Y. *see* Nakagawa, K. 88-15469
Negishi, Y. *see* Nakashima, T. 85-50932, 87-8302
Negishi, Y. *see* Noguchi, K. 85-41134, 85-50924, 86-2803, 87-53966
Negishi, Y. *see* Ohashi, M. 85-41145, 87-1939 to 1940, 87-18608, 87-18636, 88-13894
Negishi, Y. *see* Ohnishi, M. 87-28615, 88-35497
Negishi, Y. *see* Tsubokawa, M. 88-26750
Negishi, Y. *see* Uesugi, N. 85-18676, 86-2730, 86-9563, 88-22112, 88-47112
Negishi, Y. *see* Yoshizawa, N. 85-42585, 85-63641, 86-2723, 87-13739, 87-76729
Negisi, Y. *see* Amaike, M. 87-7156
Negley, G.H., McNeely, J.B., Lasswell, P.G., Gartley, E.A., Barnett, A.M., Trumble, T.M. Design and development of GaAsP on GaP/silicon mechanically stacked, multijunction solar cells 88-31042
Negley, G.H. *see* Barnett, A.M. 88-37611
Negley, G.H. *see* Christie, P. 88-51701
Negley, G.H. *see* McNeely, J.B. 87-4915
Negnevitskii, M.V. Criteria for assessing and comparing methods of analysing the states of distribution networks from indirect indications under fault conditions 86-6347
Negnevitskii, M.V. A statistical model of a distribution network and its uses 87-30168
Negnevitskii, M.V., Faibisovich, V.A. Working control of the state of 6-20 kV distribution networks employing fault condition data 86-50980
Negnevitskii, M.V. *see* Aleksandrov, I.N. 86-61131
Negodenko, O.N., Lipko, S.I., Miroshnichenko, S.P., Tkachev, K.I. A convertor bandpass filter based on two transparent pairs 86-34981
Negodenko, O.N., Lipko, S.I., Surkov, O.Yu. Linearly varying voltage generators based on the use of current limiters 86-27145
Negoduiko, K.M. Production of consumer goods at the Leningrad N.M. Shvernik Elektrik Plant 86-61922
Negoescu, R. Heart rate control in man under bioengineer's scrutiny 88-54461
Negoescu, R., Csiki, I.E. Computer spotted EEG-sinus arrhythmia relation in man 87-57180
Negoita, N., Lancranjan, I. Q-switch of a Nd: glass laser using the saturable absorber C.N.101 86-63794
Negoro, K. *see* Kinoshita, M. 88-6050
Negoro, T. *see* Minoura, H. 86-7822, 87-36785
Negoro, Y. *see* Tanaka, K. 88-72229
Negra, S.Della *see* Della Negra, S.
Negrebetskii, S.A. *see* Aranovich, Z.I. 87-77842
Negreev, B.M. *see* Bychkovskii, S.K. 87-51086
Negrescu, H. *see* Forje, A. 86-63234
Negri, A. *see* Azzoni, A. 88-5348
Negri, A. *see* Kenyon, P. 85-50781
Negri, E. *see* Hook, A.P. 85-4093
Negri, G. *see* Voci, C. 88-29943
Negri, P. *see* Battistoni, G. 86-50396
Negri, R.E., Taylor, J.W. Monte Carlo simulation of charged-particle-analyzer line shapes 87-21349
Negri, R.E. *see* Thompson, P.M. 85-64507
Negri di Montenegro, G., Bettocchi, R., Cantore, G., Borghi, M., Naldi, G. A steam-gas combined plants optimization 87-35799
Negri di Montenegro, G., Cantore, G., Pelloni, P., Sandrolini, S., Naldi, G. Steam-gas combined units. A comparative study 87-30399
Negri Di Montenegro, G., Pelloni, P., Naldi, G. Extraction heaters in steam-gas combined units 87-30379
Negri di Montenegro, G., Pelloni, P., Naldi, G. Super-heat re-heat cycles in steam-gas combined units 88-5570
Negri di Montenegro, G., Sandrolini, S., Naldi, G. Steam multiple-pressure cycles in steam-gas combined units 87-78527
Negriiko, A.M. *see* Danileiko, M.V. 86-3098, 86-63852, 88-58605
Negrin, A.E. Complex factors underlie universal-programmer selection 86-52756
Negrin, A.E., Gilman, R. EPROM programmer speeds production and cuts costs 85-45041
Negrini, F. *see* Borghi, C.A. 85-16246
Negrini, P., Passari, L., Poggi, A., Servidori, M., Susi, E. Lattice disorder and recombination centres in heat-treated FZ silicon 86-21105
Negrini, P. *see* Angelucci, R. 87-25065
Negrini, P. *see* Finetti, M. 86-21257
Negrini, P. *see* Solmi, S. 85-6730
Negrini, P. *see* Susi, E. 86-35305
Negrini, R., Sami, M., Stefanelli, R. Fault-tolerance approaches for VLSI/WSI arrays 86-46707
Negrini, R., Sami, M., Stefanelli, R. Fault tolerance techniques for array structures used in supercomputing 86-46862
Negrini, R., Stefanelli, R. Time redundancy in WSI arrays of processing elements 86-41913
Negrini, R., Stefanelli, R. Comparative evaluation of space- and time-redundancy approaches for WSI processing arrays 87-31953
Negrini, R. *see* Antola, A. 87-18300, 87-67373, 88-63735
Negrini, R. *see* Lombardi, F. 87-66150
Negrini, R. *see* Sami, M. 87-67372
Negriyenko, A.Ya. *see* Gurevich, V.E. 86-23277, 86-36998
Negriyko, A.M. *see* Danileyko, M.V. 86-48363
Negro, A., Santoro, N., Urrutia, J. On the packet complexity of distributed selection 88-73418
Negro, M. *see* D'Emilio, S. 85-58782, 86-24621
Negru, S. *see* Brezeanu, G. 88-39256
Negulescu, L., Ceclan, M., Ceclan, R. Calculation model for the water treatment technology in industrial heating plants 85-54009
Negus, B. Winfrith reactor-a prototype success 88-10962
Negus, P.J. *see* Bene, P. 88-56532
Negus, P.J. *see* Bonesini, M. 88-23001, 88-29823, 88-61141
Nehashi, N. On solution of Gaussian equation of error curve 86-26757
Nehate, L.D., Patil, P.B. TM wave propagation in a waveguide of trapezoidal cross-section 87-33481
Nehate, L.D., Yeole, M.K., Patil, P.B. Change of frequency of a right triangular cavity due to the introduction of a cylindrical sample 87-37511
Neher, M.B. *see* Ramsey, M.L. 86-61397
Neher, R. *see* Rasure, J. 88-28010
Nehl, L. *see* LeMone, C.P. 87-16223
Nehl, T. *see* Boules, N. 86-44300
Nehl, T.W., Demerdash, N.A., Fouad, F.A. Impact of winding inductances and other parameters on the design and performance of brushless DC motors 85-65275
Nehl, T.W., Hijazi, T.M., Demerdash, N.A., McHale, T.L. Automatic formulation of models for simulation of the dynamic performance of electronically commutated DC machines 85-65276
Nehl, T.W., Pawlak, A.M., Boules, N.M. ANTIC85: a general purpose finite element package for computer aided design and analysis of electromagnetic devices 88-55282
Nehl, T.W. *see* Boules, N. 88-67749
Nehl, T.W. *see* Demerdash, N.A. 85-35971, 85-65277, 87-7018
Nehl, T.W. *see* Mohammed, O.A. 86-56684
Nehl, T.W. *see* Nyamusa, T.A. 87-9581
Nehl, T.W. *see* Pawlak, A.M. 88-52147
Nehmadi, M. *see* Kelley, E.F. 88-26585
Nehme, A. *see* Goutelard, C. 86-59776
Nehme, G.H. *see* Hafez, H.M. 87-69980, 88-67276
Nehme, M.A. *see* Varshney, R.K. 87-25922
Nehmer, J., Haban, D., Mattern, F., Wybranietz, D., Rombach, H.D. Key concepts of the INCAS multicomputer project 87-69667
Nehmiz, P., Zapka, W., Behringer, U., Kallmeyer, M., Bohlen, H. Electron beam proximity printing: complementary-mask and level-to-level overlay with high accuracy 85-29083
Nehmiz, P. *see* Behringer, U. 85-12360, 85-34733, 85-45496
Nehmiz, P. *see* Bohlen, H. 85-7032
Nehmiz, P. *see* Zapka, W. 85-29084, 86-1964
Nehorai, A. A minimal parameter adaptive notch filter with constrained poles and zeros 86-8381
Nehorai, A. A minimal parameter adaptive notch filter with constrained poles and zeros 86-14403
Nehorai, A., Li, S. An asymptotic maximum likelihood estimator for source parameters in a multipath environment 88-73108
Nehorai, A., Porat, B. Adaptive comb filtering for harmonic signal enhancement 86-10419
Nehorai, A., Porat, B. Adaptive comb filtering for harmonic signal enhancement 87-12977
Nehorai, A., Starer, D. An adaptive SSB carrier frequency estimator 87-62098
Nehorai, A., Stoica, P. Adaptive algorithms for constrained ARMA signals in the presence of noise 87-61978
Nehorai, A., Stoica, P. Adaptive notch filtering in the presence of colored noise 88-66570
Nehorai, A., Stoica, P. Adaptive algorithms for constrained ARMA signals in the presence of noise 88-72917
Nehorai, A., Su, G. Signal subspace algorithms for the location of multiple moving sources 85-52411
Nehorai, A. *see* Stoica, P. 87-12993, 87-47667, 87-75795, 88-27904, 88-34642, 88-59143, 88-59146, 88-73050, 88-73074
Nehorai, A. *see* Stoicia, P. 87-27523
Nehorai, A. *see* Tollefsen, T. 88-73111
Nehring, J., Amstutz, H. High-pretilt polyphenylene layers for liquid-crystal displays 88-7994
Nehring, J. *see* Scheffer, T.J. 85-18757, 86-11655, 86-31515
Nehrir, M.H. Derivation of synchronous machine parameters, allowing for unequal mutual inductances 87-42869
Nehrir, M.H., Alexander, G.C. Effect of the rotor coil couplings of the synchronous machine on its predicted transient response. I. Transform domain analysis of short-circuit model 87-22286
Nehrir, M.H., Alexander, G.C. Effect of the rotor coil couplings of a synchronous machine on its predicted transient response. II. Derivation of model parameters from measured data 87-22287
Nehrkorn, K. Symbolic integration of exponential polynomials 86-62137

Nehrkorn, P. Signal-flow oriented network simulation in the design of integrated circuits 85−33808
Nehrlich, W. *see* Goetze, B. 87−435, 88−63434
Nehse, R. Identifying redundant target functions in linear vector optimization 85−54321
Nehse, R. *see* Dittrich, H. 88−244
Nehse, R. *see* Ivanov, E.H. 86−7657
Nehse, R. *see* Iwanow, E. 85−315
Neibert, M.T. *see* Knight, I.N. 87−27863
Neida, A.R.von *see* von Neida, A.R.
Neida, A.Von *see* Von Neida, A.
Neideck, G. *see* Kuhne, H.-D. 87−75593
Neider, M.R. High density power hybrids and their design considerations 85−34404
Neiderreiter, H. *see* Mullen, G.L. 88−11944
Neiders, G.K., Goldstein, A.S., Davidson, J.E. Evaluation of prototype digital flight control algorithms in hardware-in-the-loop environment 87−42074
Neidert, R.E., Binari, S.C. MM-wave passive components for monolithic circuits 85−1006
Neidert, R.E., Krowne, C.M. Voltage variable microwave phase shifter 85−55132
Neidert, R.E. *see* Binari, S.C. 85−40227, 88−71091
Neidert, R.E. *see* Krowne, C.M. 85−55844
Neidert, R.E. *see* Sleger, K.J. 85−6528
Neidhard, K. *see* Knoll, P.M. 88−16304
Neidhardt, A., Reinhold, U., Schroter, E., Wuttke, W. Position dependence of the particle current density in planar magnetron sputtering 88−63376
Neidhardt, A. *see* Grundmann, P. 86−53098
Neidhart, G. Voice communication with independent headsets in the Voitsberg 3 thermal power station 85−8293
Neidhart, H.A. Small motor market trends 86−66112
Neidhart, P. *see* Stemmler, H. 86−12408, 86−25491
Neidhoefer, G.J., Subbarao, V.S. Determination of negative-sequence resistance of turbo-generators from rated-frequency standstill tests 88−48869
Neidhofer, G., MacNab, R., Mez, F. Large electrical machines 85−21539
Neidhofer, G. *see* Simond, J.-J. 87−42908
Neidhold, G. *see* Engelbert, K.-H. 86−37502
Neidhold, G. *see* Hackler, B. 86−37498
Neidhold, G. *see* Loffler, H. 86−64715
Neidich, D.A. Rib Cage connector system 85−11697
Neidich, D.A. .050″ center line, surface mountable card connector 86−58183
Neidig, A. Modules with solder contacts for high power applications 85−23766
Neidig, A. Power semiconductor modules using new technology 85−54143
Neidig, A. Semiconductor power module with high heat dissipation capability 87−23338
Neidig, A. High-power modules for electric vehicles 88−37664
Neidig, A. *see* Bresch, W. 87−46133
Neidig, A. *see* Fahrner, W.R. 85−50510
Neidig, M. Intelligent limit value methods—the dam against the data flood 87−33673
Neidig, M. Intelligent multimeter in testing and measuring systems 88−4524
Neidig, M. *see* Qureshi, U. 87−14057
Neidorff, B. Dual-mode timer serves many applications 85−22736
Neidorff, B. Smartpower ICs employ bilevel current control to improve step motor performance 88−71661
Neielsen, D. *see* Eppley, K. 86−32011
Neier, J. 'Untersuchung von Sperrwandierstrukturen zur Realisierung von Gleichspannungsversorgungseinheiten mit sinusformiger Netzstromaufnahme' ('Investigation of blocking-converters to realize Ac-to-Dc converters with sinusoidal mains current') 85−53766
Neifel'd, A.A. *see* Zotikov, B.D. 87−61820
Neifeld, M.A. *see* Buck, J.A. 88−44334
Neifel'd, Ya.Ya. *see* Molotov, P.E. 88−55466
Neiger, M. *see* Mizeraczyk, J. 85−12784
Neigh, J.L. ISDN in a PBX environment 86−16734
Neigh, J.L. Digital Multiplexed Interface: architecture and specifications 86−37677
Neigh, J.L., Newell, J.A., Day, J.F. ISDN applications in the business environment 88−67134
Neigh, J.L., Spindel, L.A. The role of ISDN in AT&T Information Systems Architecture 86−49092
Neigh, J.L. *see* Aldermeshian, H. 87−76170
Neigh, J.R. Voluntary standards for fiber optics from EIA and IEC 85−12629
Neighbours, J.F. *see* Maruyama, X.K. 87−56964
Neighbours, J.R., Buskirk, F.R., Maruyama, X.K. Threshold Cerenkov radiation and beam diagnostics 88−54144
Neighbours, J.R. *see* Piestrup, M.A. 88−68226
Neiheisel, G.L. Full production laser processing of electrical steel 88−2436
Neijzen, J.H.., Glashorster, J.H.A. Fretting corrosion of tin-coated electric contacts 87−52931
Neikirk, D. *see* Fukuoka, Y. 85−40862
Neikirk, D.P., Kesan, V. Quantum-well devices will challenge HEMTs 87−6431
Neikirk, D.P., Rutledge, D.B. Far-infrared embedding impedance measurements 85−4073
Neikirk, D.P. *see* Campbell, A.C. 87−74050, 88−57349
Neikirk, D.P. *see* Cheung, P. 88−25411
Neikirk, D.P. *see* Farley, C.W. 88−11998
Neikirk, D.P. *see* Fukuoka, Y. 85−51467
Neikirk, D.P. *see* Kesan, V.P. 87−37547, 87−45290, 88−25528, 88−38716, 88−39371, 88−50354, 88−71603
Neikirk, D.P. *see* Lin, Y.-D. 88−25412
Neikirk, D.P. *see* Lin, Y.D. 88−7025
Neikirk, D.P. *see* Rogers, R.L. 88−27641
Neikirk, D.P. *see* Song, N. 86−47574, 88−50899
Neikirk, D.P. *see* Tong, P.P. 85−20508
Neikirk, D.P. *see* Tzuang, C.-K.C. 87−45293
Neikirk, K. *see* Favorite, R. 87−69554
Neikov, Yu.G. *see* Mashkovtsev, B.M. 87−54000
Neil, C.C. *see* Carlson, N.W. 87−39104
Neil, C.C. *see* Hammer, J.M. 85−56611
Neil, C.C. *see* Huang, A.S. 86−22071
Neil, D.J. The valuation of intellectual property 88−18412
Neil, G.R., Edighoffer, J.A., Fornaca, S.W., Hess, C.E., Smith, T.I., Schwettman, H.A. The TRW/Stanford tapered wiggler oscillator 85−56700
Neil, G.R. *see* Edighoffer, J.A. 88−51830
Neil, G.R. *see* Fornaca, S. 88−54342
Neil, G.R. *see* Shih, C.-C. 87−75177
Neil, G.T. *see* Kalcina, A.P. 88−34425
Neil, G.T. *see* Milner, M.O. 88−22025
Neil, G.W. *see* Court, M.E. 87−14982
Neil, I.A. General purpose zoom lenses for the thermal infrared 85−56391
Neil, J.P. Catching up with return loss [transmission line mismatch problems] 88−58905
Neil, V.K. *see* Barletta, W.A. 85−62613
Neil, V.K. *see* Briggs, R.J. 86−65307
Neil, V.K. *see* Orzenchowski, T.J. 86−3196
Neil, W., Irwin, T.J., Yang, J.J. Automation of a Beckman liquid scintillation counter for data capture and database management 88−47977
Neilande, A. *see* Klotynsh, E. 86−35596
Neild, D.W. Nucleonic techniques for non-invasive, on-line measurement 85−31752
Neilhaus, J. *see* Bailey, B. 85−54795
Neill, D.R., Granborg, B.S.M. Report on the photovoltaic R&D program in Hawaii 87−30440
Neill, D.R., Granborg, B.S.M., Takahashi, P.K. Wind energy utility interface program in Hawaii 88−23824
Neill, D.R., Granborg, B.S.M., Takahashi, P.K. Hawaii's renewable energy storage technology program 88−24175
Neill, D.R. *see* Takahashi, P.K. 88−17245
Neill, E.J. Radio equipment for satellite business systems 85−14217
Neill, G.V., Jr., Rolph, N., Rollins, M.R. Strategic planning for electric utilities 86−61102
Neilo, N.I. *see* Agodisyan, Kh.S. 86−16345
Neils, G. *see* Hostetler, D.R. 88−42992
Neils, G.H., Edwards, N.W., Gregor, F.E. It is never too early to start planning for plant life extension 88−30481
Neils, G.H. *see* Mentink, H. 86−25713
Neils, J. Woofer: high internal damping desirable 86−24210
Neilsen, D.A. *see* Goetz, W.E. 85−45769
Neilsen, E.K. *see* Anderson, M.D. 87−43
Neilsen, I.R., Slater, J.M., Fischer, B. RAD-PLANET−a functional radiology PACS and much much more 87−62696
Neilsen, S. *see* Oxenboll, J. 85−42094
Neilson, B.J. *see* Posenau, J.H. 87−70398
Neilson, D. *see* Szymanski, J. 85−55519
Neilson, G.C. *see* Holm, L. 85−37930
Neilson, I. *see* Walsh, G. 87−50395
Neilson, J., Baird, J.M. Field theory analysis of the pill box window 85−57098
Neilson, J., Caplan, M., Lopez, N., Felch, K. Simulation of space-charge effects on velocity spread in gyro devices 86−47235
Neilson, J. *see* Caplan, M. 86−47241
Neilson, J. *see* Lawson, W. 87−24696, 87−41758
Neilson, J. *see* Shively, J.F. 88−25802
Neilson, J.B., Srivastava, K.D., Naidu, S.R., Theophilus, G.D., de Madeiros, P.T. Spacer flashover time lags in SF_6 under fast-front impulse voltages 88−44913
Neilson, J.E. *see* Miernik, J.W. 88−52949
Neilson, J.M. *see* Marshall, I. 85−15327
Neilson, J.M. *see* Russell, J.P. 85−12287
Neilson, J.M.S. *see* Duclos, R.A. 85−40719
Neilson, W.J., Maydell, U.M. A survey of current LAN technology and performance 86−10772
Neiman, D. *see* Turner, J.E. 85−1429
Neiman, Z.B. *see* Gerasimenko, Yu.N. 86−39727
Neiman, Z.B. *see* Verber, O.L. 85−43980, 86−39765
Neimark, L.A., Strain, R.V., Sanecki, J.E., Jackson, W.D. The microstructural and microchemical characterization of samples from the TMI-2 core 88−75403
Neimeier, H. Telecommunications transmission survivability overview 88−21511
Neiming Guan *see* Guan Neiming
Neimitz, A. *see* Jozwik, T. 85−21950
Neinens, C.A. *see* Stein, W. 86−51704
Neinonen, P. *see* Neuvo, Y. 88−28020
Neir, J.M., Boller, J.R., Commisso, R.J., Hinshelwood, D.D., Ottinger, P.F., Weber, B.V., Young, F.C. Physics of high power operation of the plasma erosion opening switch 88−30958
Neirynck, J. Design methods for the classical filter 85−6412
Neirynck, J. Technical progress as a result of the entropy law 85−16840
Neirynck, J., Carlin, C. Design methods for the classical filter 86−62674
Neirynck, J. *see* Mouly, J.-C. 85−934, 86−57926
Neirynck, J. *see* Mouly, J.C. 85−55001, 86−67327 to 67328, 87−65751
Neis, H. *see* Barnert, H. 87−42609
Neiser, R.A., Kirkland, J.P., Elam, W.T., Sampath, S. Optical performance of the Naval Research Laboratory's materials analysis beam line at the NSLS 88−48049
Neiser, R.A. *see* Habenschuss, A. 88−48048
Neiser, R.A. *see* Jach, T. 87−63702
Neiser, R.A. *see* Kirkland, J.P. 86−60463, 87−14631, 88−42428
Neiser, R.A. *see* Maisch, W.G. 88−26692
Neish, G.B. *see* Wilkinson, J.M. 88−33407
Neiss, G. *see* Wustenberg, H. 86−579
Neissen, M. High speed test runs with the 120001 electric locomotive of the German Federal Railway 86−7247
Neisser, J. *see* Foken, T. 88−42698
Neittaanmaki, P. *see* Krizek, M. 85−22433, 87−58838
Neittaanmaki, P. *see* Marinov, C.A. 87−5747, 88−31913
Neiva, R. *see* Dunoes, P. 86−31316
Neizvestnov, B.M. *see* Mikheev, M.N. 85−10864
Neizvestny, I.G. *see* Gorokhov, E.B. 87−74128
Neizvestnyi, I.G., Pusep, Yu.A., Sinyukov, M.P. Localization effects induced by lattice vibrations 87−45629
Neizvestnyi, I.G. *see* Gorokhov, E.B. 85−34658
Neizvestnyi, I.G. *see* Gusev, G.M. 86−14840
Neizvestnyi, I.G. *see* Gutov, V.I. 85−29061
Neizvestnyi, I.G. *see* Vasin, O.I. 87−36764
Nejat Veziroglu, T. *(editor)* Proceedings of Condensed Papers 7th Miami International Conference on Alternative Energy Sources 87−36321
Nejedly, Z., Nemecek, J., Otypka, J. Receiving part of class-2 Earth station for Interkosmos experiment 85−47481
Nejib, U.R. *see* Ghorieshi, A.J. 87−72861
Nejib, U.R. *see* Khan, A.H. 87−26095
Nejjar, J. *see* Fontaine, C. 87−37891
Nejoh, Y. Envelope soliton of the electron plasma wave in a nonlinear transmission line 85−51470
Nejoh, Y. Cusp solitons, shock waves and envelope solitons in a new non-linear transmission line 87−54624
Nekhaenko, V.A., Pershin, S.M., Podshivalov, A.A. Synchronously pumped tunable picosecond lasers (review) 86−68418
Nekhaenko, V.A. *see* Arumov, G.P. 88−20603
Nekhaenko, V.A. *see* Egorov, K.D. 87−19002
Nekhaenko, V.A. *see* Gafurov, Kh.G. 86−9780
Nekhaenko, V.A. *see* Kovrigin, A.I. 85−41361, 85−46353
Nekhaenko, V.A. *see* Kovryghin, A.I. 85−35713
Nekhamin, S.M., Brukovskii, I.P., Mash'yanov, V.G. Regulation characteristics of reduced-frequency power sources for industrial ore-reduction furnaces 87−9655
Nekhamin, S.M. *see* Brukovskii, I.P. 85−65653
Nekhamkin, M.A. Method for drop-out evaluation of magnetic tapes in digital recording 86−60084
Nekhamkin, M.A. Error protection for digital VTR audio signals 88−4215
Nekhamkin, M.A. A drop-out test system for digital tape recording 88−47381
Nekhayev, A.L., Pertseva, V.A., Sitnyakovskiy, I.V. Results of an investigation of adaptive speech codecs 86−17056
Nekhayev, A.L. *see* Pertseva, V.A. 88−8669
Nekhendzi, E.Ya. *see* Domnitskii, V.M. 85−58678
Nekhendzi, E.Yu. Point and interval evaluation of the errors of tensoresistors and of the results of strain measurements 88−53643
Nekhonov, A.V. *see* Kretov, E.F. 86−52558
Neki, K. *see* Matsumoto, K. 87−37421
Neki, S. *see* Ohara, K. 85−39393
Neki, S. *see* Shibata, N. 88−23958
Nekipelova, G.D. *see* Goncharov, V.A. 87−29030, 87−29675
Neklepayev, B.N., Ushakova, A.D. Rates and currents levels for various types of short-circuits in electrical power systems 88−55076
Neklyudov, V.A. *see* Orlikovskii, A.A. 85−11257
Neklyudov, V.A. *see* Sergeev, A.G. 85−11258
Nekola, J. Applications of fuzzy sets theory using linguistic variable-case of innovation process modelling 88−48990
Nekovei, A.R. *see* Musavi, M.T. 88−48998
Nekrasov, A.A. *see* Gubarev, A.V. 85−51135

Nekrasov, A.I. Electro-mechanical devices for optical systems used in portable TV cameras 87−76984
Nekrasov, A.M. *see* Budzko, I.A. 85−32193, 85−38520
Nekrasov, A.N., Kvrivishvili, M.M. Current recording of air-breaker solenoids with the aid of the 'ARMAZI' electromechanical oscillograph 87−3634
Nekrasov, A.S., Goryunov, P.V., Perepelkin, A.V., Polyanskaya, T.M. The efficiency of employing new technologies for the combustion of fuel in heat and power stations 88−11039
Nekrasov, A.S., Popova, G.S. Joint optimization of the development of energy-related industries and specialized machine-building 87−21858
Nekrasov, A.S. *see* Kogan, Yu.M. 87−21855
Nekrasov, B.V., Scherbina, V.I. Digital sound studio complexes 87−41174
Nekrasov, B.V., Scherbina, V.I. Principles of building digital audio facilities for TV and radio broadcasting 88−60379
Nekrasov, B.V. *see* Papernov, L.Z. 85−37361
Nekrasov, G.L. *see* Kovalev, A.A. 87−61241
Nekrasov, I.S. Method for the automatic discrete frequency tuning of an FM generator 85−17219
Nekrasov, I.S. A method for the automatic discrete tuning of the frequency deviation of an FM oscillator 87−52433
Nekrasov, I.S. Phase modulator with improved modulation-characteristic linearity 88−50062
Nekrasov, K.G. *see* Baranov, V.A. 87−14796
Nekrasov, K.G. *see* Filippov, A.I. 87−14735
Nekrasov, L.P. Narrow-field light-recording systems 86−17977
Nekrasov, N.N. *see* Konopleva, N.P. 86−22609, 87−15638
Nekrasov, S.A. Contraction resistance of a multipoint contact 86−53105
Nekrasov, S.A. A probabilistic model of the erosion of contacting pieces under intermittent operating conditions 87−52935
Nekrasov, S.A. Mathematical modelling of multipoint contacts 87−59935
Nekrasov, S.A., Dorofeenko, V.M., Shabanova, Z.V. Size optimisation of contacting components for control relay in electric locomotives 88−55686
Nekrasov, S.A. *see* Bakhvalov, Yu.A. 85−1108, 87−1036, 87−64877
Nekrasov, V.I., Levitskii, B.Yu., Zelenchenko, A.P., Chander, O.K., Chudakov, A.I. Improving the efficiency of regenerative braking of an electric rail vehicle with thyristor pulse control 88−24224
Nekrasov, V.I. *see* Kornev, A.S. 87−36018
Nekrasov, V.N., Nekrich, S.F. Accuracy of sensitivity evaluations for hydrophones using calibration pressures of their internal cavity 87−71433
Nekrasov, V.N., Sergeyev, S.V., Trokhan, A.M. Seismic measuring transducers: the possibility of unification 87−15038
Nekrasov, Yu.V. *see* Dmitriev, A.K. 88−2346
Nekrasov, Yu.V. *see* Dmitriev, A.S. 86−22291
Nekrasov, Yu.V. *see* Galikyan, G.S. 88−69369
Nekrich, S.F. *see* Nekrasov, V.N. 87−71433
Nekrsov, V.P. *see* Bityutskiy, V.P. 85−39988
Nekryachenko, G.P. *see* Aminov, R.Z. 87−77997
Nekut, A.G. Direct inversion of time-domain electromagnetic data 88−16885
Nekvasil, V. *see* Guillot, M. 85−24102
Nel, A.L. *see* Ferreira, H.C. 87−12892, 87−32865, 87−54951, 87−75713, 88−34584
Nel, A.L. *see* Hope, J.F. 87−54858
Nel, M. *see* Auret, F.D. 86−35425, 87−11697, 88−56226
Neland, G. *see* Grubbs, A.B., Jr. 86−47729
Nelander, A. *see* Larsson, B. 88−15650
Nelepo, B.A. *see* Kalmykov, A.I. 87−35491
Nelin, C.J. *see* Begg, L.L. 85−53856
Nelin, E.A. Analysis and compensation of the distortions of the characteristics of fan-shaped SAW transducers 87−12016
Nelin, E.A., Cherkashin, I.V., Lisyanskii, I.L. Computation of the diffractional component of frequency responses of surface acoustic wave devices 87−53857
Nelin, E.A. *see* Goncharov, A.D. 87−66315
Nelin, E.A. *see* Zin'kovskii, Yu.F. 87−53855
Nelin, K., Jagger, J., Baker, M., Ourou, A., DeTurk, P. The capacitor banks for the TEXT diagnostic neutral beam and electron cyclotron heating experiments 87−15894
Nelin, Ye.A. *see* Grankin, I.M. 85−12466
Nelina, V.K., Zabolotny, A.V. Modification of the BAURPN-1 and BAURPN-2 automatic regulators 86−61544
Nelis, H., Deprettere, E., Bu, J. Automatic design and partitioning of VLSI systolic/wavefront arrays 88−25112
Nelis, H.W., Deprettere, E.F. Automatic design and partitioning of systolic/wavefront arrays for VLSI 88−40887
Nelist, J. *see* Chamberlin, R. 86−30763
Nelken, H.H., Ceely, F.J., Hamburg, J.R. Petroleum coke−renewed interest in an old energy source 86−33110
Nelkin, M. *see* Hansen, A. 86−27445
Nelkin, M. *see* Stanton, C.J. 85−10581
Nelkowski, H. *see* Haberland, D. 85−18086
Nell, M., Barnett, A.M. A $GaAs_{1-x}P_x$ top tandem solar cell with high performance 86−40135
Nell, M.E., Barnett, A.M. $GaAs_{1-x}P_x$ high efficiency tandem solar cells 87−4909
Nell, M.E., Barnett, A.M. The spectral p-n junction model for tandem solar-cell design 87−43426
Nell, M.E., Barnett, A.M. The limitations of multibandgap solar cell performance 88−18039
Nell, M.E. *see* McNeely, J.B. 87−4915
Nelles, D. Importance of the voltage and frequency dependence of loads in network planning and operation 85−32073
Nelles, D. Damping of network oscillations [transmission networks] 85−38476
Nelles, D. Test system for the investigation of network protection for cases of non-ideal input signals 88−17188
Nelles, D. *see* Eisenbeiss, G. 88−23565
Nelles, D. *see* Franzen, F. 88−70269
Nelles, D. *see* Kocher, P. 88−68915
Nellessen, E. Design and verification of the FLECS test structure 88−42604
Nelligan, J.M. Tips for choosing micro drilling tools 86−1512
Nellinger, M.A. *see* Stiffler, J.A. 85−48837
Nellis, C.L., Sarkinen, S.H., Bradley, D.A. Electrical test results of UHV airgaps and insulator configurations 87−11977
Nellis, W.J., Maple, M.B., Geballe, T.H. Synthesis of metastable superconductors by high dynamic pressure 88−64999
Nellis, W.J. *see* Hawke, R.S. 87−26680, 88−40505
Nellissen, A.J.M. *see* Wolters, R.A.M. 86−41718, 87−67164
Nelmes, G. 256K-bit dynamic RAM 85−11255
Nelmes, G. Into the 1Mbit era 86−8211
Nelmes, G. Multi megabit DRAMs can be static 87−10881
Nelmes, G. Preventing latch-up in CMOS logic ICs 87−37182
Nelmes, M.G. *see* Chapman, V.B. 88−47314
Nelmes, R.J. *see* Stansfield, R.F.D. 85−15231
Nelms, M. *see* Burleson, J. 87−71511
Nelms, R.M., Grigsby, L.L. Power flow analysis via personal computer 87−9073
Nelms, R.M., Grigsby, L.L. Simulation of AC spacecraft power systems using a modular state variable approach 87−71256
Nelms, R.M., Grigsby, L.L. State space simulation of spacecraft power systems 88−68591
Nelms, R.M., Lollar, L.F., Grigsby, L.L. State variable analysis of DC-DC converters 88−36607
Nelms, R.M., Rahman, S., Grigsby, L.L. Optimal power flow using a general nonlinear programming package 86−32646
Nelms, R.M. *see* Evans, B.W. 88−54724
Nelms, R.M. *see* Glasscock, T.C. 88−54723
Nelms, R.M. *see* Grisby, L.L. 87−15019
Nelms, R.M. *see* Newton, S.R. 88−54721
Nelms, R.M. *see* Reid, B.B. 88−54720
Nelsen, D.E., Averill, J.A., Brooke, L.C., Chi, K.K., Richardson, L.M., Simcoe, R.J., Lin, C.M. Design and test results for a robust CMOS VLSI input protection network 87−53744
Nelsen, D.E. *see* Gildenblat, G. 86−47845
Nelsen, D.E. *see* Lau, D. 86−47621
Nelson, A. *see* Amadesi, P. 86−23829
Nelson, A. *see* Tsuo, S. 88−32762
Nelson, A.C., Kim, Y., Haralick, R.M., Anderson, P.A., Johnson, R.H., DeSoto, L.A. 3-D display of magnetic resonance imaging of the spine 88−74822
Nelson, A.C. *see* Kennedy, D.N. 87−63736
Nelson, A.D. *see* Amartur, S.C. 88−68395
Nelson, A.J., Aharoni, H. X-ray photoelectron spectroscopy investigation of ion beam sputtered indium tin oxide films as a function of oxygen pressure during deposition 87−52183
Nelson, A.J. *see* Dagan, G. 88−37353
Nelson, A.J. *see* Dhere, R.G. 88−1386
Nelson, A.J. *see* Ekin, J.W. 88−44997
Nelson, A.J. *see* Gessert, T.A. 88−1410
Nelson, A.J. *see* Kazmerski, L.L. 88−37529
Nelson, A.J. *see* Zurcher, P. 88−37531
Nelson, A.R. *see* Gravel, R.L. 85−7223
Nelson, A.V. *see* Green, J.B. 86−65430
Nelson, A.W., Cole, S., Wong, S., Harlow, M.J., Devlin, W.J., Wake, D., Rodgers, P.M., Robertson, M.J. High performance, long wavelength opto-electronic components by atmospheric pressure MOVPE 87−10433
Nelson, A.W., Devlin, W.J., Hobbs, R.E., Lenton, C.G.D., Wong, S. High-power, low-threshold BH lasers operating at 1.52 μm grown entirely by MOVPE 86−3136
Nelson, A.W., Devlin, W.J., Hobbs, R.E., Lenton, C.G., Wong, S. High power, low threshold BH lasers at 1.5 μm grown entirely by MOVPE 86−54161
Nelson, A.W., Moss, R.H., Regnault, J.C., Spurdens, P.C., Wong, S. Double heterostructure and multiquantum-well lasers at 1.5-1.7 μm grown by atmospheric pressure MOVPE 85−35759
Nelson, A.W., Moss, R.H., Spurdens, P.C., Cole, S., Wong, S. High performance opto-electronic devices by MOVPE 86−40730
Nelson, A.W., Westbrook, L.D. A study of p-type dopants for InP grown by adduct MOVPE 85−12136
Nelson, A.W., Westbrook, L.D., Fiddyment, P.J. Design and fabrication of 1.5 μm ridge waveguide distributed feedback lasers 85−29831
Nelson, A.W., Wong, S., Regnault, J.C., Hobbs, R.E., Murrell, D.L., Walling, R.H. High-performance DC-PBH lasers at 1.52 μm by a hybrid MOVPE/LPE process 85−46391
Nelson, A.W., Wong, S., Ritchie, S., Sargood, S.K. GaInAs PIN photodiodes grown by atmospheric-pressure MOVPE 86−2945
Nelson, A.W. *see* Adams, M.J. 85−18955
Nelson, A.W. *see* Cole, S. 88−64377
Nelson, A.W. *see* Cooper, D.M. 88−45413
Nelson, A.W. *see* Devlin, W.J. 86−54137
Nelson, A.W. *see* Henning, I.D. 85−2387
Nelson, A.W. *see* Robertson, M.J. 88−33869
Nelson, A.W. *see* Wake, D. 86−28321, 86−53694
Nelson, A.W. *see* Westbrook, L.D. 85−7436, 85−62564
Nelson, B. A Congressional view of the Space Station 86−50666
Nelson, B. The Kermit protocol and the PDP-11 86−59639
Nelson, B., McDuff, G. Pulse forming network design program for linear and time-varying loads for the IBM personal computer 87−37094
Nelson, B. *see* Hollaar, L. 85−684
Nelson, B. *see* Li, T. 87−62007
Nelson, B.A. How and why to mark electronic components, boards, and packages 88−57087
Nelson, B.D. New twists in long distance [telephone services and charges] 85−19685
Nelson, B.E., Morrell, D.R., Read, C.J., Smith, K.F. PPL integrated circuit design methodology 87−10771
Nelson, B.E., Read, C.J. A bit-serial VLSI vector quantizer 87−24283
Nelson, B.E., Smith, K.F. Computer-aided design of integrated circuits using an IBM PC 85−33869
Nelson, B.E. *see* Carter, T.M. 85−518
Nelson, B.E. *see* Cole, M.J. 85−2509
Nelson, B.J., Shand, M. An integrated, technology-independent, high-performance artwork analyzer for VLSI circuit design 86−9300
Nelson, B.J. *see* Wardle, C.L. 85−692
Nelson, B.N., Menzel, C., DiGiuseppe, T.G. Fiber optic electric field sensor configurations for high bandwidth lightning research measurement applications 88−10012
Nelson, B.P. The nonlinear coaxial coupler 88−39976
Nelson, B.P., Ainslie, B.J., Cooper, D.M. Design and manufacture of fibres with specific dispersion properties 85−35443
Nelson, B.P. *see* Blow, K.J. 85−56823, 87−54404, 87−68046
Nelson, C. Switching controller chip handles 100 W from a 5-pin package 86−20253
Nelson, C. Integrated switching controller simplifies power supply design 86−67009
Nelson, C. *see* Engels, E., Jr. 87−29488
Nelson, C.A., Jr. *see* Drake, G. 86−50421, 88−54402
Nelson, C.A., Jr. *see* Lobkowicz, F. 85−43185
Nelson, C.C., Hughes, B.J., Virgo, R.E. The mechanics of implementing a consistent instructional feedback model in the development of a computer-based engineering course 87−51775
Nelson, C.E., O'Foghludha, F. Wide-range scintillation dosimeters with calibration relying on particle-energy standards 85−59191
Nelson, C.R., Peck, S.C. The NERC fan: a retrospective analysis of the NERC Summary Forecasts 86−18755
Nelson, C.S. *see* Englesson, G.A. 85−53493
Nelson, C.T. Monolithic switching mode power regulator eliminates old problems 86−52648
Nelson, C.V. A low-cost, expendable, helicopter-deployed buoy for ocean surface meteorological measurements 88−48327
Nelson, C.V. A low-cost, expendable, helicopter-deployed buoy for ocean surface meteorological measurements 88−74969
Nelson, D. Nonspeaking communication systems, user's view 85−59321
Nelson, D. Op amps for wideband, fast settling applications 87−73353
Nelson, D. *see* Dubois, R. 86−50321
Nelson, D. *see* Haller, G.M. 87−41404, 88−61187
Nelson, D.A. *see* Field, S.B. 86−47304
Nelson, D.A. *see* Gold, M.C. 86−67682
Nelson, D.A. *see* Seiler, D.G. 86−68380
Nelson, D.A. *see* Shen, Y.D. 88−20086
Nelson, D.A. *see* Welch, B.M. 87−1767, 88−57823
Nelson, D.A. *see* Woodruff, R.L. 88−25101
Nelson, D.A., Jr., Yie-Der Shen, Welch, B.M. The effects of proton implant on GaAs isolation properties 88−19664
Nelson, D.E. *see* Southon, J.R. 86−25150

Nelson, D.E. *see* Vogel, J.S. 85−20798
Nelson, D.F., Cooper, J.A., Jr. High field surface drift velocities in silicon 85−34481
Nelson, D.F. *see* Cooper, J.A., Jr. 87−45716
Nelson, D.H., Barale, P.J., Green, M.I., Van Dyke, D.A. Experience with measuring magnetic moments of permanent magnet blocks at Lawrence Berkeley Laboratory 88−64963
Nelson, D.H., Barale, P.J., Green, M.I., VanDyke, D.A. The Lawrence Berkeley Laboratory Magnetic-moment Sorting System 86−50205
Nelson, D.H. *see* Green, M.I. 88−54300, 88−68152 to 68153
Nelson, D.H. *see* Hoard, R.W. 85−62268
Nelson, D.J. *see* Newport, R.L. 86−18433
Nelson, D.L. Use of voice recognition to support the collection of product quality data 86−224
Nelson, D.L. User acceptance of voice recognition in a product inspection environment 87−55040
Nelson, D.L., Leach, P.J. The evolution of the Apollo DOMAIN 85−3175
Nelson, D.L. *see* Dwyer, S.J., III 86−25219
Nelson, D.L. *see* Dwyer III, S.J. 86−32405
Nelson, D.L. *see* Hefferan, P.M. 86−21893
Nelson, D.L. *see* Naro, W.G. 85−19409
Nelson, D.V., Fentress, V.A. Fracture mechanics evaluation of the static fatigue life of optical fibers in bending 85−62393
Nelson, D.V., Plummer, M.C., McCulloch, R.C. Overload performance testing and evaluation of a hydro-generator tilting pad thrust bearing 86−33307
Nelson, D.V. *see* Resch, M.T. 85−6072, 86−52574
Nelson, D.W. *see* Diss, W.C. 86−27273
Nelson, E., Green, J.R. Digital video lightmeter tests displays 87−70379
Nelson, E.A. *see* O'Neil, D.R. 85−60936
Nelson, E.T. *see* Lavine, J.P. 86−24531
Nelson, G., Fernandez, J. Infrared applications in transmission system surveys 88−68867
Nelson, G. *see* Chow, E. 85−16804
Nelson, G. *see* Curry, J. 85−6861
Nelson, G.A. Hybrid fiber rings implement integrated services network 86−30364
Nelson, G.A. *see* Buzak, T.S. 88−16308
Nelson, G.A. *see* Wernik, M. 88−59839
Nelson, G.J. *see* Alton, G.D. 87−50111
Nelson, G.J. *see* Wright, A.E. 87−63100
Nelson, G.L., Krahn, D.R., Dean, R.H., Paul, M.C., Tolman, C.H. Self-structured, current aperture approach for bubble memory 86−36066
Nelson, G.L., Ore, F.R., Krawczak, J.A., Torok, E.J., Sittig, J.M., Herbrandson, C.H. Stripe domain light deflection for intersatellite communications 88−53227
Nelson, G.L., Sittig, J.M., Herbrandson, C.H. A garnet based optical isolator for 0.8 μm wavelength 88−65399
Nelson, G.L. *see* Torok, E.J. 87−40957
Nelson, G.W. *see* Barnes, C.E. 88−33674
Nelson, G.W. *see* Bhushan, B. 86−62307
Nelson, G.W. *see* Greenwell, R.A. 88−72050
Nelson, H.D. *see* Carlson, L.T., Jr. 85−47443
Nelson, H.H. *see* Francavilla, T.L. 87−74558
Nelson, H.N. *see* Ash, W.W. 88−10244
Nelson, J. CMOS process fuels new revolution 85−49851
Nelson, J. Simplifying graphics design with a highly integrated coprocessor 86−57869
Nelson, J. Software and hardware development tools for the automotive industry 87−31101
Nelson, J. The 8096 microcontroller for real time event control 88−50211
Nelson, J., Kalivoda, S., Harris, K. Development of East River Electric Power Cooperative's load management program 86−61076
Nelson, J., Noakes, M. Recipe for longer life. Keep the heaters under proper control 88−56457
Nelson, J. *see* Bresler, M.I. 88−54487
Nelson, J. *see* Kruger, R.A. 85−59275
Nelson, J.A. How microstructural analysis of printed circuit boards provides a versatile quality control method 85−1159
Nelson, J.A. Newer subtraction and filtration techniques 87−21539
Nelson, J.A. Automating PWB cross-sectional analysis to meet military requirements 88−32610
Nelson, J.A., Zimmer, R. The answer to high volume PCB cross-sectional analysis 85−34314
Nelson, J.A., Zimmer, R. Meeting the challenges of high volume PCB cross-section sample preparation 86−27704
Nelson, J.A. *see* Ahmed, W. 85−56338
Nelson, J.C.C. *see* Fleming, S.C. 87−46522
Nelson, J.C.C. *see* Kirk, C.P. 85−29239
Nelson, J.C.C. *(translator)* 16 bit microprocessors 88−50200
Nelson, J.G. Epitaxial growth of ZnS and ZnSe on the low index faces of GaAs using atomic layer epitaxy 88−407
Nelson, J.H., Noakes, M. A power supply and control system for tetrode amplifiers. I 88−24981
Nelson, J.H., Noakes, M. A power supply and control system for tetrode amplifiers. II 88−24982
Nelson, J.H., Shafer, L.T., Hamlin, D.B. Performance analysis for a candidate linear token-passing, high-speed data bus 88−68583
Nelson, J.J. *see* Raze, J.D. 86−57273, 87−44069, 88−61757
Nelson, J.J. *see* Rhodes, S. 88−56071
Nelson, J.K. Positive corona processes in electronegative gaseous dielectrics 85−55987
Nelson, J.K., Lee, M.J. Electrokinetic phenomena in dielectric liquids 87−25651
Nelson, J.K., Lee, M.J. The generation of electrostatic charges in flowing dielectric fluids subjected to alternating fields 88−27427
Nelson, J.K., Lee, M.J. Dielectric integrity associated with circulating insulating fluids 88−33451
Nelson, J.K., Railing, B., Sollia, D.J. Divergent field behavior of SF$_6$ subjected to steep fronted surges 87−25667
Nelson, J.K., Salasoo, L. The impact of pulse energization on electrostatic precipitation performance 88−27444
Nelson, J.K. *see* Lee, M.J. 88−52065
Nelson, J.K. *see* Reckleff, J.G. 88−75548
Nelson, J.K. *see* Salasoo, L. 86−29318, 87−33390
Nelson, J.K. *see* Schwabe, R.J. 88−45648
Nelson, J.K. *see* Tardos, G.I. 88−2495
Nelson, J.K. *see* Theodossiou, G.G. 85−40967
Nelson, J.L. *see* McElroy, B.J. 86−23588
Nelson, J.N. Army reliability and maintainability training initiatives 86−57126
Nelson, J.P. Power systems in close proximity to pipelines 85−15600
Nelson, J.P. Power systems in close proximity to pipelines 86−70696
Nelson, J.P., Holm, W.K. A cathodically protected electrical substation ground grid 85−44083
Nelson, J.P., Krzywosinski, R.J. Use of the National Electrical Safety Code in the petrochemical industry 85−15551
Nelson, J.P., III. *see* Koehler, T.L. 88−34683
Nelson, J.R., Balberg, I., Bozowski, S., Funari, R.A., Gittleman, J.I. Videodisc resistivity profiler 85−31219
Nelson, J.R., Wissing, W.K. Improved method for determination of deflection temperature of plastics under flexural load 85−6041
Nelson, J.T. *see* Sabnis, A.G. 86−47425
Nelson, J.T. *see* Yaney, D.S. 88−38528
Nelson, J.W. *see* Nelson, R.O. 87−50556
Nelson, K.Ciemiecki *see* Ciemiecki Nelson, K.
Nelson, K.E. Why condensing steam turbines are more efficient than gas turbines 87−4600
Nelson, K.S. *see* Erwin, A.R. 85−59176
Nelson, K.T. *see* Amitay, N. 86−53956, 87−32966
Nelson, K.T. *see* Presby, H.M. 88−1942
Nelson, L. Success of GaAs semiconductors hinges on packaging 85−61518
Nelson, L. *see* Buchness, R.K. 86−31219
Nelson, L. *see* Whitcomb, B. 85−50923
Nelson, L.D. *see* Cerni, T.A. 88−29416
Nelson, L.G. Solid state or electromechanical relays? 86−62891
Nelson, L.K. *see* Whitcomb, B.M. 85−35421
Nelson, L.N. *see* Downing, T.E. 88−24397
Nelson, L.S., Berman, M. Reduction of the damaging effects of hydrogen combustion in nuclear power plants 85−9622
Nelson, L.Y., Green, J.R., Blanchett, P.A. Digital video lightmeter 88−16330
Nelson, M. Voice system: perfect teacher's aid 85−63913
Nelson, M. Mobile radio's many options 87−13602
Nelson, M. Making the most of your partners [cellular telephone network] 87−56030
Nelson, M. *see* Katz, N. 88−74824
Nelson, M. *see* Koehler, H.A. 85−37816
Nelson, M. *see* Orzechowski, T.J. 85−35411
Nelson, M.A. *see* Cates, M.R. 85−37496
Nelson, M.A. *see* Cheng-Huei Lin 88−7874, 88−58135, 88−72056
Nelson, M.A. *see* Fein, G. 85−43392
Nelson, M.A. *see* Lin, C.-H. 87−18933
Nelson, M.A. *see* Ogle, J.W. 88−10032
Nelson, M.A. *see* Pruett, B.L. 87−20516
Nelson, M.A. *see* Wang, C.L. 88−54428
Nelson, M.D. Load management from a power system operator's perspective 85−38435
Nelson, M.E., Rasnow, B., Banik, J.J., Wong, Y.F., Atiya, A., Bower, J.M. New multineuron recording techniques 88−36487
Nelson, M.E., Richard, C.C. Using a personal computer to perform power plant reliability analysis 87−9232
Nelson, M.E., Wiggins, P.F., Riel, G., Miller, D., Strickler, T. Neutron measurement and analysis techniques using an NE-213-type detector 85−20831
Nelson, M.R., Cambler, J.L., Brown, S.I., Rehkopf, P.G., Warnicki, J.W. System for acquisition, analysis, and archiving of ophthalmic images (IS-2000) 85−4265
Nelson, M.R. *see* Cambier, J.L. 85−38119
Nelson, M.S., Cruz-Rios, J., Ng, B., Wu, W.S. Architecture of the WE32200 chip set 88−44232
Nelson, N. *see* Battey, J.F. 88−25695
Nelson, N. *see* Page, R. 88−47598
Nelson, N.J. *see* Sweet, A.H. 88−7197, 88−12846
Nelson, N.W. *see* Page, R.W. 88−47612
Nelson, O. *see* Elms, D. 85−4270
Nelson, O. *see* Wang, Y. 88−36568
Nelson, O.L., Rennolet, C.L. Implementing the ACR-NEMA protocol on a network 87−21705
Nelson, O.L. *see* Yen Wang 88−54686
Nelson, O.N. Time share mag amp [for power supply applications] 88−70543
Nelson, P. Build your factory floor communications from a MAP base 86−16917
Nelson, P., Brooks, R.E. Micropower laser diodes for optical interconnects 88−34049
Nelson, P. *see* Barry, J.D. 85−51166
Nelson, P. *see* Handschuh, J. 86−39368
Nelson, P. *see* Vivien, D. 88−20599
Nelson, P.A., Bloom, I., Roche, M.F., Bradley, J. Sodium-sulfur cells with high conductivity glass electrolytes 86−40070
Nelson, P.A., Hammond, J.K., Elliott, S.J. Causal constraints on the active control of sound 87−61933
Nelson, P.A. *see* Bloom, I. 88−17887
Nelson, P.A. *see* Elliott, S.J. 86−3846, 88−8731, 88−10640, 88−73100
Nelson, P.C. *see* Granholm, J.W. 87−42010, 88−48234
Nelson, P.C. *see* Shelnutt, J.B. 86−70500
Nelson, P.F., Kastenberg, W.E. An extended value-impact decision making methodology for nuclear power plant modifications 85−43793
Nelson, P.F., Kastenberg, W.E. An extended value-impact approach for nuclear regulatory decision making 86−61269
Nelson, P.G. *see* Lepley, J.K. 85−65585
Nelson, P.J. *see* Korba, L.W. 86−25260 to 25261
Nelson, P.L. *see* Chatrian, G.E. 86−5934
Nelson, P.N., Hervig, H.C. High dielectric constant materials for primary voltage cable terminations 85−21243
Nelson, P.R. Testing for interactions using the analysis of means 88−43774
Nelson, P.R., Jaraiedi, M. Computing the average outgoing quality after multiple inspections 87−44015
Nelson, R. Consider overall system requirements when choosing modem boards for the IBM PC 85−8243
Nelson, R. The stochastic cusp, swallowtail, and hyperbolic umbilic catastrophes as manifest in a simple communications model 86−30416
Nelson, R., Kleinrock, L. Rude-CSMA: a multihop channel access protocol 85−63133
Nelson, R., Kleinrock, L. Spatial TDMA: a collision-free multihop channel access protocol 86−4077
Nelson, R., Shaunfield, W.N. Advances in GaAs technology widen design options 86−47294
Nelson, R., Tantawi, A.N. Approximate analysis of fork/join synchronization in parallel queues 88−63152
Nelson, R. *see* Brothers, P. 87−52515
Nelson, R. *see* Goyal, A. 85−47221
Nelson, R. *see* Vu, T. 86−2204
Nelson, R. *see* Young, P.W. 87−20523
Nelson, R.A. Build the AGC-EQ speech processor 86−37705
Nelson, R.A. *see* Catina, J.L. 85−21381
Nelson, R.C., Aloimonos, J. Finding motion parameters from spherical flow fields 88−28108
Nelson, R.D., Ebben, T.H., Marshalek, R.G. Experimental verification of the pointing error distribution of an optical intersatellite link 88−53295
Nelson, R.D. *see* Vu, T.T. 86−35834, 88−32114
Nelson, R.E. Rare earth oxide TPV emitters 88−18095
Nelson, R.E. *see* Karoli, A.R. 86−24548
Nelson, R.F. Sensor-induced temporal variability of Landsat MSS data 85−64703
Nelson, R.J. High performance lasers and LEDs for optical communication 88−15482
Nelson, R.J. High performance laser package design 88−51473
Nelson, R.J. Computer techniques enhance cable ratings 88−75183
Nelson, R.J. *see* Ackley, D.E. 87−46897
Nelson, R.J. *see* Aitken, T.B. 87−40439
Nelson, R.J. *see* Besomi, P. 85−12869, 85−33443
Nelson, R.J. *see* Dutta, N.K. 85−2286, 85−2334, 86−22369
Nelson, R.J. *see* Wilson, R.B. 85−33442
Nelson, R.J. *see* Wilt, D.P. 85−2344
Nelson, R.L. In situ probe type SO$_2$ analyzer using a solid electrolyte promises lower maintenance for emission monitoring 86−5576
Nelson, R.L. EPA SO$_2$ stack emission monitoring is simplified with new in situ solid electrolyte analyzer 86−44466
Nelson, R.L. A breakthrough in IR-AOTF technology makes solid state multi-gas stack emission monitoring possible 87−77896
Nelson, R.L. Solid state spectroanalysis of stack gases 88−16553

Nelson, R.L. Role of a TAS AOTF in a commercial stack analyzer 88−40027
Nelson, R.M., Hodge, D.G. Integrated scheduling—a bridge to self-regulation 88−62064
Nelson, R.M., Rogers, D.A., d'Assuncao, A.G. Effect of dielectric anisotropy on the resonant frequency of rectangular resonators with several dielectric layers 88−965
Nelson, R.N., Young, T.Y. Determining three-dimensional object shape and orientation from a single perspective view 86−43328
Nelson, R.O. Why rare earth permanent magnets reduce a motor's size 88−69425
Nelson, R.O., Barrus, D.M., Cort, G., Goldstone, J.A., McMillan, D.E., Miller, L.B., Poore, R.V., Machen, D.R. Configuration for the WNR data acquisition system for neutron measurements 86−56071
Nelson, R.O., Barrus, D.M., Cort, G., Goldstone, J.A., McMillan, D.E., Poore, R.V., Machen, D.R. FASTBUS data acquisition system for neutron time-of-flight measurements 85−43308
Nelson, R.O., Nelson, J.W. A programmable controller for the streaker air sampler 87−50556
Nelson, R.O. *see* Wender, S.A. 88−61073
Nelson, R.O. *see* Westerfeldt, C.R. 88−68174
Nelson, R.R. *see* Baily, S. 86−50687
Nelson, R.R. *see* Harper, J.G. 85−34747
Nelson, R.S., Barbaric, Z., Bassett, L.W., Zach, R. Digital slot scan mammography using CCDs 88−23050
Nelson, R.S., Barbaric, Z.L., Ricci, A.R., Zach, R.D., Dahlbohm, M., Bassett, L.W., Spiller, E. Multilayer mirrors as X-ray filters for slit scan radiography 87−21547
Nelson, R.S., Zach, R.D., Ziegler, E., Papin, P.J., Barbaric, Z.L., Ricci, A.R., Bassett, L.W. Radiographic imaging using multilayer mirrors 88−23052
Nelson, R.W. Coprocessor implementation using silicon generators 88−12442
Nelson, S. Managing the multiple component problem for large gallium arsenide systems 86−53770
Nelson, S. Communicating with Mac [connectivity] 88−15111
Nelson, S., Neumann, M. Generalizations of the projection method with applications to SOR theory for Hermitian positive semidefinite linear systems 87−65393
Nelson, S. *see* Chang, G.-K. 88−20522
Nelson, S. *see* Halladay, R. 87−59879, 87−73699
Nelson, S. *see* Schumacher, H. 88−45305
Nelson, S.A., Buhrman, R.A. Thin silicon oxides grown by low-temperature RF plasma anodization and deposition 87−53397
Nelson, S.D. *see* Buckley, D.J. 86−65301
Nelson, S.E. The role of gallium arsenide in the development of higher performance computers 85−34510
Nelson, S.O. Models for the dielectric constants of cereal grains and soybeans 87−51639
Nelson, S.O. Method for determining dielectric properties of solids from measurements of pulverized materials 87−77392
Nelson, S.O. *see* Bluhm, D.D. 87−26727
Nelson, S.P. The hybrid multicellular-supercellular storm—an efficient hail producer. II. General characteristics and implications for hail growth 88−15574
Nelson, S.P., Brown, R.A. Error sources and accuracy of vertical velocities computed from multiple-Doppler radar measurements in deep convective storms 87−63038
Nelson, S.P., Knight, N.C. The hybrid multicellular-supercellular storm—an efficient hail producer. I. An archetypal example 88−15573
Nelson, S.R. *see* Beall, J.M. 86−27597
Nelson, T. Portability considerations in CAD software [IC design] 86−34483
Nelson, T.J., Fratello, V.J., Muehlner, D.J., Roman, B.J., Slusky, S.E.G. Four-micron period ion-implanted bubble test circuits 86−63575
Nelson, T.J., Muehlner, D.J. Circuit design and properties of patterned ion-implanted layers for field access bubble devices 88−7806
Nelson, T.J., Patel, J.S., Ngo, P.D.T. Row-backlight, column-shutter display concept 88−40006
Nelson, T.J. *see* Vogel, E.M. 86−58827
Nelson, T.M., Kline, M.D. Investigation and evaluation of low loss interconnects on soft substrates clad to aluminium 86−14486
Nelson, T.M., Reinhart, M.J., Yoo, K.J., Poltorak, D.A., Palmer, R.K. Solid-state transmitter/modulator for the mode select airport beacon system sensor 87−77822
Nelson, T.M. *see* Stanford, L.M. 88−61223
Nelson, T.R. *see* Ritenour, E.R. 88−36452
Nelson, T.T. *see* Lacy, R.G. 85−53584
Nelson, T.T. *see* Sipes, K.L. 87−4602
Nelson, V., Caldera, E.M. Wind turbines in Latin America 87−64490
Nelson, V., Pinkerton, W., Clark, R.N. Power variation with pitch setting for a horizontal axis wind turbine 86−19187
Nelson, V. *see* Chen, P. 87−6027
Nelson, V.P. Integration of personal computers into electrical engineering curricula 86−26540
Nelson, V.P. *see* Bray, J.M. 86−48902
Nelson, V.P. *see* Hsu, Y.-J. 87−59424
Nelson, V.P. *see* Hsu, Y.J. 86−20484
Nelson, V.P. *see* Thanawastien, S. 85−36489
Nelson, V.P. *see* Wang, C. 87−52662
Nelson, W. Weibull analysis of reliability data with few or no failures 86−7557
Nelson, W. Analysis of repair data 88−55929
Nelson, W. *see* Lemnios, Z. 88−63918
Nelson, W.D., Grafham, D. Intelligent power switching modules for PLCs 88−75852
Nelson, W.E. *see* Lorence, L.J., Jr. 86−36298
Nelson, W.H., Eichen, E., Melman, P. Interferometric intensity noise and frequency modulation in single mode semiconductor lasers—experimental and theoretical analysis 86−48420
Nelson, W.H. *see* Davies, R.W. 88−1938
Nelson, W.H. *see* Eichen, E. 86−3265, 86−48430
Nelson, W.H. *see* Newstein, M. 88−8212
Nelson, W.R. *see* Blackman, H.S. 88−55878
Nelson, W.R. *see* Del Guerra, A. 85−48262, 87−21461, 87−77645
Nelson, W.R. *see* Hanson, D.J. 88−75342
Nelson, W.W. *see* Holden, T.J. 87−32098
Nelson, W.W. *see* Podell, A.F. 86−67507
Nelson-of-Stafford Export competitiveness: a factor of management and/or design 85−5710
Nelyubov, V.M. *see* Dobrozhanov, V.I. 88−55306
Nema, R.S. *see* Husain, E. 85−24008
Nema, R.S. *see* Inamdar, H.P. 88−63989
Nema, R.S. *see* Krishnan, V. 88−26583
Nema, R.S. *see* Rengarajan, S. 85−38961
Nemac, F. Nuclear power engineering after the Chernobyl accident 87−57741
Nemanich, R.J., Doland, C.M., Fulks, R.T., Ponce, F.A. Initial nucleation and the effects on epitaxial silicide formation 87−10459
Nemanich, R.J., Doland, C.M., Ponce, F.A. Reactive interface formation—Pt/Si⟨111⟩: nucleation and morphology 88−13014
Nemanich, R.J., Fulks, R.T., Stafford, B.L., Vander Plas, H.A. Reactions of thin-film titanium on silicon studied by Raman spectroscopy 85−34618
Nemanich, R.J. *see* Jackson, W.B. 86−53454
Nemanis, P.-A.P., Bartsyavichyus, R.V. Accuracy checking in engineering measurements under production conditions 85−5772
Nemarich, C.P. *see* Harney, W.J. 85−3932
Nemarich, J., Wellman, R.J., Lacombe, J. Backscatter and attenuation by falling snow and rain at 96, 140, and 225 GHz 88−58845
Nemashkalo, A.A. *see* Afanas'ev, N.G. 86−32100
Nemashkalo, A.A. *see* Popov, V.F. 88−36365
Nemat, M. *see* Martinez, R. 88−36567
Nemat, M. *see* Ozeki, T. 88−36556
Nematbakhsh, M. *see* Dallas, W.J. 88−36552
Nemchenko, V.I. *see* Lashkov, A.I. 85−58680
Nemcova, Z. *see* Fejt, Z. 87−71667
Nemcovsky, R.L. A new concept in compliant pin technology 88−38938
Nemcsics, A. *see* Betko, J. 88−1358
Nemcsics, A. *see* Gyuro, I. 88−56958
Nemcsics, E. *see* Horvath, I. 88−67093
Nemcsics, E. *see* Toth, T. 88−60005
Nemec, D. *see* Janu, K. 88−24863
Nemec, D. *see* Mehmedovic, M. 87−22159
Nemec, D. *see* Zoricic, D. 86−61498
Nemec, F. Some theorems of electrodynamics and the theory of relativity. III 86−59026
Nemec, J. Small area networks for automated control 87−13467
Nemec, J., Soucek, J. The simulation system ISIS: modularity in synchronous model construction 87−1625
Nemec, K. Implementations of self-correcting BCH codes 86−29739
Nemec, K. *see* Ertinger, L. 85−41830
Nemec, K. *see* Ertinger, Z. 85−30149
Nemec, K. *see* Filka, M. 85−30568
Nemec, K. *see* Rada, V. 86−70953
Nemec, P. The future in optical transmission 88−47019
Nemec, Z., Borl, Z. Prototype tests of the MT 3 microaggregate of a small hydroelectric power plant 85−4985
Nemec, Z. *see* Simankova, L. 87−53861
Nemecek, F. The influence of the node impedance during simple earth faults 87−35606
Nemecek, J. The results of measuring the parameters of a professional receiving station for satellite communications 87−70008
Nemecek, J., Otypka, J. Professional ground receiving station for satellite services 87−56073
Nemecek, J., Otypka, J. First Czechoslovak DBS TVRO stations 88−53400
Nemecek, J. *see* Nejedly, Z. 85−47481
Nemecek, P. Calibration of a radiometer by a method of reference source 86−18159
Nemecek, P. *see* Fikar, M. 86−17185
Nemecsics, K. *see* Gyuro, I. 88−31744
Nemeni, T.M. A numerical-analytical calculation of the magnetic field in the tooth area of an electrical machine 87−35872
Nemeni, T.M. Calculating the magnetic and thermal fields in electric machines and apparatus by an elimination method with separation of regions 87−51151
Nemeni, T.M. Numerical calculation of magnetic and thermal fields in electrical machines and apparatus by an elimination method with decomposition 87−64509
Nemeni, T.M. Numerical-analytic calculation of electric machine tooth zone magnetic fields 88−23838
Nemeni, T.M. A method for calculating the harmonic make-up of the field in an electric-machine air gap 88−37173
Nemeni, T.M., Panteleev, A.M., Akopyan, R.E. Analysis of the influence of asymmetry of a short-circuited rotor of an asynchronous motor on its mechanical characteristics 86−70900
Nemeni, T.M. *see* Haslyan, T.A. 87−78600
Nemeni, T.M. *see* Naslyan, T.A. 87−30416, 87−35882
Nemenov, L.L. *see* Gubrienko, K.I. 88−16575
Nemenov, L.L. *see* Kuptsov, A.V. 85−9084
Nemenov, M.I., Ryvkin, B.S., Stepanova, M.N. Optical memory cell and Franz-Keldysh-effect optical amplifier 85−35552
Nemenov, M.I. *see* Aleksandrov, S.N. 86−28002
Nemenov, M.I. *see* Avrutin, E.A. 88−14270
Nemenov, M.I. *see* Elyukhin, V.A. 85−44742
Nemenov, V.A. *see* Eidelman, L.G. 85−33382
Nemerovskii, L.I., Stakhov, A.A. A pointer volume spirometer system 87−50213
Nemes, G. *see* Draganescu, V. 88−14161
Nemes, G. *see* Muscalu, G.L. 87−2223, 87−33248, 88−26927
Nemes, I., Petho, A. Polynomial values in linear recurrences. II 86−66711
Nemes, M. Factors influencing the metastable state of synchronising flip-flops 88−6738
Nemes, M., Topirceanu, I., Hristea, V. Cable line distribution networks neuter treatment by limiting resistors with the Timisoara Electric Networks Enterprise 85−27035
Nemes, S.M., Westberg, G., Newell, D.E., Genis, A.P. Stable hybridized integrated frequency source 86−52711
Nemet, B. *see* Santa, I. 87−12364
Nemeth, A. Illumination of industrial railways 88−76044
Nemeth, A., Zotter, F. Hardware configuration of electronic PABX types EP32M and EP64M 88−35287
Nemeth, A. *see* Deak, I. 86−12309
Nemeth, E. Potential and field strength distribution on stress control layer of high resistance [electric fields] 85−19081
Nemeth, E. Investigation methods of insulations without destruction [transformer insulation] 86−39876
Nemeth, E. *see* Gardner, T.J. 87−34135
Nemeth, G. Microprocessor-based exchange controller structures 85−57872
Nemeth, G. Architectural problems of ISDN 86−64495
Nemeth, G., Pragai, G. Uninterruptible power supply systems of modular design 87−30766
Nemeth, J. *see* Gonczi, P. 88−5264
Nemeth, K. Principle of the document interchange protocol for CCITT telematic services 85−42073
Nemeth, K., Solymoss, E. Modelling of non-simultaneous switching-on of three-phase asynchronous motors by computer 86−6741
Nemeth, K., Solymoss, E. Determination of transient switching torque of asynchronous motor from sampled measurement of voltage and current 86−26050
Nemeth, M. *see* Gyuro, I. 86−14502
Nemeth, R.A. *see* Bates, P.C. 87−37044
Nemeth, S. *see* Ban, G. 88−57910
Nemeth, T. *see* Horvath, Z. 88−32426
Nemeth-Sallay, M. *see* Didenko, P.I. 86−1824
Nemeth-Sallay, M. *see* Horvath, Z.J. 88−50402
Nemeth-Sallay, M. *see* Horvath, Zs.J. 86−53054
Nemethh-Sallay, M. *see* Horvath, Z.J. 88−1436
Nemethova, M. Network forms of computer technology utilisation until 1995 86−49282
Nemethy, P. *see* Oddone, P. 87−21434
Nemets, O.F. *see* Karlyshev, Yu.Ya. 86−70352
Nemets, P.V. *see* Gorbunenko, B.F. 85−2440
Nemetz, J.A. *see* Tressler, R.E. 85−1528
Nemetz, P.N. *see* Casey, D. 85−59505
Nemetz, R. *see* Johnson, J.K. 86−31922
Nemiroff, M., Stuber, M., Troutt, R., Gerber, D., Mittal, S. X-ray study of reactive ion etch damage to ⟨100⟩ silicon 88−26062
Nemirovskii, A.S., Khas'minskii, R.Z. Nonparametric estimation of functionals of the derivatives of a signal observed in white Gaussian noise 88−52458
Nemirovskii, A.S., Polyak, B.T., Tsybakov, A.B. Signal processing by the nonparametric maximum-likelihood method 85−51612
Nemirovskii, A.S., Polyak, B.T., Tsybakov, A.B. Rate of convergence of nonparametric estimates of maximum-likelihood type 86−68951
Nemirovskii, E.E., Portnoi, S.L. Matching block codes to a channel with phase shifts 87−40292
Nemirovskii, I.B. Standard condensation hygrometer 88−16903

Nemirovskii, M.E., Kuz'min, A.I. Investigation of the flexural and torsional rigidity of flexible elements of endoscopes 86—18313
Nemirovskii, V.M., Sinyavskii, V.M. A wide-band resistance transformer 86—31330
Nemirovskiy, A.S. Nonparametric estimation of smooth regression functions 86—57318
Nemirovskiy, A.S., Polyak, B.T. Iterative methods for solving linear ill-posed problems under precise information. I 85—49490
Nemirovskiy, A.S., Teslya, I.A. Optimizing the selection of load resistors in gate-array chips 87—66057
Nemirovskiy, E.E. Codes on residue class rings and multifrequency phase telegraphy 85—51553
Nemirovsky, A.S. Troposcatter radio-relay links: current state and future developments 87—69894
Nemirovsky, A.S., Polushin, P.A. Compensating technique for interference elimination in long-distance tropo-scatter systems 88—59984
Nemirovsky, E.E. *see* Litsyn, S.N. 86—3779
Nemirovsky, P. *see* Gersht, A. 88—59390
Nemirovsky, R.F. *see* Bilinsky, I.Ya. 87—771
Nemirovsky, Y., Adar, R., Kornfeld, A., Kidron, I. Gate-controlled $Hg_{1-x}Cd_xTe$ photodiodes passivated with native sulfides 86—68399
Nemirovsky, Y., Bloom, I. Tunneling currents in reverse biased $Hg_{1-x}Cd_xTe$ photodiodes 87—46684
Nemirovsky, Y., Burstein, L., Kidron, I. Interface of *r*-type $Hg_{1-x}Cd_xTe$ passivated with native sulfides 85—55713
Nemirovsky, Y., Kepten, A. Open-tube vapor transport epitaxy of $Hg_{1-x}Cd_xTe$ 85—22486
Nemirovsky, Y., Rosenfeld, D. The cutoff wavelength and minority-carrier lifetime in implanted n^+-on-bulk p $Hg_{1-x}Cd_xTe$ photodiodes 88—45300
Nemirovsky, Y. *see* Adar, R. 88—13313
Nemirovsky, Y. *see* Bloom, I. 88—19755
Nemirovsky, Y. *see* Finkman, E. 86—35323
Nemirovsky, Y. *see* Sand, E. 85—28209, 85—46267, 86—29004
Nemitkin, A.V. *see* Balamatov, N.N. 87—21016
Nemkov, V.S. Computation of plane-parallel induction heating systems using a generalised coupled-circuit technique 85—65614
Nemkov, V.S., Demidovich, V.B. Economic algorithms for a numerical analysis of induction heating equipment [CAD] 85—39326
Nemkov, V.S., Demidovich, V.B., Rudnev, V.I., Severyanin, A.K., Zelenin, V.T. Influence of structure and operating regimes of induction heaters on their energy characteristics 87—43651
Nemkov, V.S., Kaz'min, V.E. Application of numerical models for computer-aided design of induction heaters for steel parts 85—16429
Nemkov, V.S., Kaz'min, V.E., Pronin, A.M. Investigation of edge effect in a ferromagnetic cylinder during induction heating 86—45820
Nemkov, V.S., Schulze, D. Effective numerical computation of the electromagnetic field of induction heating plant with the aid of the impedance method 88—43492
Nemkov, V.S., Smol'nikov, L.P. Digital models of induction electrothermal systems with two-dimensional field 85—65617
Nemkov, V.S. *see* Bukanin, V.A. 87—64966, 87—72590
Nemkova, E.A. *see* Zel'dovich, B.Ya. 86—48492, 88—58668
Nemlikher, Yu.A., Rukavitsyn, A.F., Strukov, I.A. Wideband low-noise intermediate-frequency amplifier for radiometric receivers 88—12233
Nemlikher, Yu.A., Rukavitsyn, A.F., Strukov, I.A. A broadband hybrid integrated bipolar transistor amplifier 88—71040
Nemoianu, C. *see* Mocanu, C.I. 85—37827
Nemolochnov, O.F., Kukushkin, B.A. Identification of microprocessor bit structure for improving efficiency of test synthesis 85—22768
Nemolochnov, O.F., Sloev, B.A. Construction of a correct checking sequence using recurrent-retrospective covers of synchronous triggers 88—44112
Nemolochnov, O.F. *see* Golynichev, V.N. 85—6254
Nemolochnov, O.F. *see* Zvyagin, V.F. 85—22765, 86—41004
Nemolochrov, O.F., Kukushkin, B.A., Khamdamov, R.T. Increasing efficiency of designing test on circuits with memory 86—1052
Nemoshkalenko, V.V., Aleshin, V.G., Gassanov, L.G., Semashko, E.M., Senkevich, A.I., Prokopenko, V.M., Varchenko, N.N. The influence of physicochemical factors on the surface of gallium arsenide 85—28954
Nemoto, C., Wakai, N., Ose, M., Fujii, S. Integrated results of the mobile measurements of medium frequency field strength along the Japan-Antarctica sailing course 88—16390
Nemoto, C. *see* Oda, T. 86—36814
Nemoto, C. *see* Shimoseko, S. 86—37851
Nemoto, E., Kawashimo, K. Photo-electric temperature measurement using Mie's scattered light phenomenon. I. Theoretical consideration 86—38591
Nemoto, F. *see* Kasai, T. 85—18761, 85—18894 to 18895
Nemoto, H. *see* Kitamura, S. 87—42037
Nemoto, H. *see* Murata, Y. 86—64825
Nemoto, H. *see* Oikawa, M. 88—65356
Nemoto, H. *see* Tokumoto, M. 85—11971
Nemoto, K. Development of persistent-current switch 88—69637
Nemoto, K., Inoue, M. A study of multi channel optical rotary joint with ring-shaped photodiode 88—22136
Nemoto, K., Kogoshi, S., Noda, E., Sekiguchi, T., Ohhashi, H. Simplified UV-preionized long-pulse TEA CO_2-laser amplifier 85—7382
Nemoto, K. *see* Iwahana, T. 86—33789
Nemoto, K. *see* Ohyama, H. 88—57619
Nemoto, K. *see* Utsumi, Y. 88—52812
Nemoto, M., Yamade, T., Kadowaki, T., Yoshioka, T. Automatic floor plate thickness measuring equipment 86—5536
Nemoto, M., Yoshino, K., Yanagita, T., Sakagimi, K. Switching system design quality assurance 88—46821
Nemoto, M. *see* Nakamura, S. 85—15119
Nemoto, M. *see* Takeuchi, M. 85—56404
Nemoto, M. *see* Tanimoto, S. 87—31766
Nemoto, M. *see* Tobita, K. 87—50135
Nemoto, S. Determination of waist parameters of a Gaussian beam 87—26483
Nemoto, S. *see* Kobara, K. 86—43666
Nemoto, T. Applied optical measurement 88—4659
Nemoto, T., Togawa, T. Improved probe for a deep body thermometer 88—74793
Nemoto, T. *see* Bailey, A.E. 86—38543
Nemoto, T. *see* Iwata, K. 88—224
Nemoto, T. *see* Shida, K. 87—14462, 88—15899
Nemoto, T. *see* Tamura, T. 86—38744
Nemoto, Y., Kobayashi, K., Sato, R. Graph transformations of nonuniform coupled transmission line networks and their application 86—20231
Nemoto, Y., Ohba, T., Nagasawa, Y., Sato, R., Kakinuma, Y. The distributed protocol network experiment using domestic communication satellites 87—28485
Nemoto, Y., Satake, M., Kobayashi, K., Sato, R. Equivalent transformations for the mixed lumped Richards section and distributed transmission line 88—40613
Nemoto, Y., Satake, M., Sato, R. Equivalent transformation for the mixed lumped Richards' section and distributed circuit 86—3610
Nemoto, Y. *see* Endo, I. 85—24887, 88—38362
Nemoto, Y. *see* Heider, J. 88—43479
Nemoto, Y. *see* Kakinuma, Y. 87—48621
Nemoto, Y. *see* Kato, S. 87—40397
Nemoto, Y. *see* Kobayashi, K. 85—62858, 86—10235, 87—7638
Nemoto, Y. *see* Nakao, S. 87—66800
Nemov, A.V. *see* Brikker, A.M. 87—76881
Nemov, S.A. *see* Kaidanov, V.I. 85—28982
Nemov, S.A. *see* Veis, A.N. 88—57330
Nemoz, C., Ditta, J., Kuroda, K., Sillou, D. A hybrid photoelectronic image device 88—10267
Nemoz, C. *see* Agoritsas, V. 87—50137
Nemoz, C. *see* Bussiere, A. 87—29510
Nemoz, C. *see* Ditta, J. 86—5795, 87—3909
Nemoz, C. *see* Kuroda, K. 87—77551
Nemsev, V.S., Danilovich, N.I. Preparation and properties of MOS transistors with gate oxide formed by low temperature plasma enhanced CVD 86—9173
Nemtsev, G.G., Fomin, V.M. Standardization of Interelektro specialized products 85—39514
Nemtsev, G.Z. *see* Pekarev, A.I. 85—1434
Nemtsov, B.E. *see* Mareev, E.A. 86—10111
Nemtsova, G.A. *see* Karataev, V.V. 87—1186
Nemudrov, V.G. *see* Batalov, B.V. 88—13489
Nemura, A.A., Puniene, J.L. Non-linear filtering algorithms based on the least square method and their application to power system processes 87—50626
Nemura, A.A. *see* Kliokys, E.A. 87—47780
Nemzek, T.A., Schoenecke, P.L., Wickliffe, G.W. The EPRI Nondestructive Evaluation Center: technology transfer to improve reliability 86—25776
Nemzek, T.A. *see* Dau, G.J. 86—61307
Nen, E.F. *see* Blok, A.A. 85—2421
Nen, E.F. *see* Vanyushev, B.V. 85—2422
Nenadovic, T. *see* Milosavljevic, M. 87—11460
Nenadovic, V. Maglev transit link for Birmingham airport-system engineering 85—44274
Nenadovic, V., Riches, E.E. Maglev at Birmingham Airport: from system concept to successful operation 86—19571
Nenashev, A.I., Prozorov, V.A. Improving the efficiency of subindustry operation on the basis of cost-function analysis 88—37246
Nenashev, A.V. Properties of the periodic ambiguity function for polyphase quadratic sequences 87—39794
Nenasheva, L.A. *see* Semenova, O.I. 86—26885
Nenchev, M.N., Gizbrekht, A.I., Tzanev, V.I. Dye laser pumped by compressed laser pulses 87—61106
Nenchev, M.N., Martin, M.M., Meyer, Y.H. Alternate wavelength DIAL dye laser using a reflecting interference wedge 85—56892
Nenchev, M.N., Meyer, Y.H. High spectral purity narrowline dye laser using reflecting interference filter 85—56743
Nenciu, A. *see* Popescu, C. 88—24780
Nender, C., Berg, S., Buchta, R., Norstrom, H. Polysilicon etching in a parallel plate plasma reactor at different frequencies 87—11677
Nender, C., Berg, S., Gelin, B. Selectivity in thin film deposition due to ion assisted film bombardment 88—6522
Nender, C. *see* Berg, S. 88—1539
Nender, C. *see* Ryden, K.-H. 87—11676, 88—33041
Nene, P.L. Extra high voltage transmission in Madhya Pradesh 88—5313
Nene, P.L., Bajpai, A.K. Economics of power supply—optimised design of 132 kV and 220 kV line towers 87—42510
Nene, P.L., Dwarkanath, A.R., Kalra, B.L. Economics of power supply—a case study 87—71549
Nene, P.L., Dwarkanath, A.R., Lal, P.K. Reduction of line losses: role of improved technology 87—64177
Nene, P.L., Kale, A.J. Computer oriented frequency distribution analysis of consumers to manage commercial and distribution systems 85—15591
Nene, P.L., Lal, P.K. Energy management and conservation in the running of a power system 85—48517
Nene, P.L., La!, P.K., Gupta, P.K. Computer aided power system planning and design sensitivity analysis technique 85—15531
Nene, P.L., Seth, D.K., Dwarkanath, A.R., Lal, P.K. Reactive power equipment—SVC & its application in MPEB system 88—30232
Nene, P.L. *see* Raghavan, R. 85—15538
Nener, B.D. *see* Meglicki, Z. 88—44739, 88—50795
Neng Ching *see* Town, G. 88—16687
Neng Wang *see* Wang Neng
Neng Zheng *see* Zheng Neng
Neng-chao Wang *see* Wang Neng-chao
Neng-jing Li *see* Li Neng-jing
Neng-qiao Xia *see* Xia Neng-qiao
Neng-Wei Wu *see* Chung-Len Lee 87—74410
Nengjing Li *see* Li Nengjing
Nengli Zhang *see* Zhang Nengli
Nengming Tang *see* Tang Nengming
Nenicka, V. Some problems and results in kinetic theory of gaseous mixtures in a strong electric field 85—65371
Nenoff, L. Effect of EMP hardening on system R&M parameters 86—59105
Nenoff, L. Field operational R&M warranty 88—59985
Nenonen, J. *see* Katila, T. 88—36492
Nenonen, J. *see* Nieminen, S. 85—43414
Nenov, G.A. Synthesis of switched-capacitor filters using nonideal immittance converters 87—52736
Nenov, G.A. On the transfer function sensitivity index calculation for digital filters 87—52763
Nenov, G.A., Kouyoumdjiev, T.G. A signal-flow-graph approach to the synthesis of strays-insensitive high-order SC-filters 86—27462
Nenov, G.A., Kouyoumdjiev, T.G. Synthesis of total-capacitance minimized strays-insensitive high-order SC-filters 87—885
Nenov, G.A. *see* Bodurova, M.M. 88—56426
Nenov, G.A. *see* Kouyoumdjiev, T.G. 88—50252
Nenov, S.G. Study of the operation of ultrasound pneumatic sensors under reflection 86—44281
Nenov, S.G. Possibilities of using jet flowmeters in medical instrumentation 87—21526
Nenova, M.I. *see* Koprinkov, I.G. 85—18837
Nenow, V.E. *see* Gunn, J.E. 88—4465
Nentwich, D. Human factors in nuclear technology transfer 86—39352
Nentwich, H. *see* Mercier, J.S. 85—40852, 85—55902
Nenyei, Z., Klaar, H.-J. A simple preparation method for the electron microscopic investigation of thin coatings on silicon substrate 85—22568
Nenyei, Z. *see* Do Thanh, L. 87—17844
Nenz, H.J. *see* Meistering, B. 85—47328
Nenz, J. System 12: software quality assurance 85—25644
Neo, S., Kan, H., Shimizu, A., Fujimoto, Y. A new system for transformer-loss recovery 85—48993
Neofotistos, G. *see* Yalabik, M.C. 88—33266
Neogy, R. Decision making in product assurance [communications satellite] 86—270
Neogy, R., Dharan, H. Measures of test effectiveness in a communications satellite program 87—13644
Neogy, R., McGrath, R. Technical monitoring in a communications satellite program 87—49010
Neogy, R., Siu, C.-P. A satellite failure database system 88—61523
Neogy, S. *see* Kollbrunner, W. 88—36102
Neonet, E.P., Bronin, S.V., Skachkov, V.V., Fastovskii, B.Ya. Connecting flexible conductors by crimping 86—14583
Neovius, L. *see* Hunnicutt, S. 87—19488
Nepgen, A.J. *see* Kingon, A.I. 87—53815
Nepochatykh, Yu.V. *see* Borodii, Yu.N. 86—32603

Nepogodin, I.A. *see* Matshin, R.M. 86−36729
Nepogodin, V.I. *see* Radzievskii, B.V. 88−36295
Nepomnyashchii, I.L. *see* Erukhimovich, Yu.A. 85−30079
Nepomnyashchii, I.L. *see* Glazman, Ya.D. 87−61479
Nepomnyashchii, V.A., Titov, L.A., Troyan, A.M. Groundwater lowering in the foundation pit of the Kaisiadorys pumped-storage station 87−22166
Nepomnyashchikh, A.I. *see* Mironenko, S.N. 86−54031
Nepomnyashchiy, I.L. *see* Buzuyev, Yu.B. 87−47280
Nepomnyashchiy, I.L. *see* Yerukhimovich, Yu.A. 88−27636
Neporent, B.S. *see* Vinogradov, S.V. 88−34099
Neporozhnyl, V.Yu. A device for compensating the remanent magnetic field in the electronic-beam welding of steel plate 85−53970
Nepper, R. Lighting of barock in the Convent Banz 85−27783
Neppl, F., Fischer, F., Schwabe, U. TaSi$_x$ as a barrier between Al-based metallization and n$^+$- and p$^+$-Si for reliable VLSI contacts 85−7044
Neppl, F., Fischer, F., Schwabe, U. A TaSi$_x$ barrier for low resistivity and high reliability of contacts to shallow diffusion regions in silicon 85−23722
Neppl, F., Schwabe, U. Barrier properties of TaSi$_2$ in contact with Al-metallization 85−34886
Neppl, F. *see* Fischer, F. 85−6865
Neppl, F. *see* Gierisch, H. 87−17799, 87−74111
Neppl, F. *see* Hieber, K. 86−62264
Neppl, F. *see* Oppolzer, H. 85−23545
Neppl, F. *see* Schwabe, U. 85−7101
Neprincev, V.I. *see* Balaz, I.J. 85−17203
Neprintsev, V., Koristin, B., Kunaev, A. Oscillator from the Wien-type two-port with distributed parameters 85−44921
Neprintsev, V.I., Korystin, B.L. The reason for the occurrence of nonlinear frequency correction in a distributed-parameter self-excited oscillator 86−34607
Ner, M.S., McDonach, A., Macfadyen, D.N., Gibson, D.R., Binnie, C., Diemeer, M.B.J. Switches and modulators for coherent systems 88−60176
Ner, M.S. *see* Andonovic, I. 86−68323
Ner, M.S. *see* Johnstone, W. 85−41204
Nerat, T. *see* Ravid, E. 85−23852
Nerella, R. *see* Viswanathan, R. 87−28375
Nerem, A., Bowles, E.E., Callis, R.W., Colleraine, A.P., Cowles, G.D., Kellman, D.H., Moore, C.D., Tooker, J.F. Crosstalk measurement on the D-III neutral beam power supplies 85−5207
Nerem, A. *see* Kellman, D.H. 88−69515
Nerem, A. *see* Kohli, J.C. 85−5206
Nerenberg, M.A.H. *see* Frank, G.W. 87−38696
Nerenz, W. National standards today in the ambit of international agreements 86−19874
Neretin, V.I. *see* Okorokov, V.R. 87−21842
Nerger, D. *see* Dohler, A. 85−4670
Nerguizian, C. *see* Champness, C.H. 85−34928
Nerguizian, V. *see* Champness, C.H. 85−34928
Nerheim, N.M. *see* Bartman, R.K. 88−10010
Nerheim, N.M. *see* Youmans, B.R. 87−68147
Neri, A. An approach to clutter residuals modeling and estimation 85−37090
Neri, A. *see* Cusani, R. 86−23022
Neri, A. *see* Jacovitti, G. 85−19430, 87−75781
Neri, A. *see* Rizzoli, V. 86−14541, 86−40828, 87−10581, 87−73261, 88−32407
Neri, B., Diligenti, A., Bagnoli, P.E. Electromigration and low-frequency resistance fluctuations in aluminum thin-film interconnections 88−26092
Neri, B., Diligenti, A., Bagnoli, P.E., Lagana, P. Testing the electron devices reliability by means of noise measurements 88−13530
Neri, B., Olivo, P., Ricco, B. Low-frequency noise in silicon-gate metal-oxide-silicon capacitors before oxide breakdown 88−25980
Neri, B. *see* Bagnoli, P.E. 88−50750
Neri, B. *see* Diligenti, A. 86−21435
Neri, B. *see* Pellegrini, B. 86−67065, 87−23450, 88−16368
Neri, D.F., Jacobsen, A.R., Luria, S.M. An evaluation of color sets for CRT displays 87−3465
Neri, D.F. *see* Geri, G.A. 88−36429
Neri, F., Saitta, G., Chiofalo, S. A simple procedure to remove the interference fringes from optical spectra 87−65453
Neri, F. *see* Ajmone Marsan, M. 86−64754
Neri, F. *see* Allone, G. 86−1738, 86−27912
Neri, F. *see* Dragt, A.J. 86−24963
Neri, F. *see* Gai, S. 87−637
Neri, F. *see* Gluckstern, R.L. 86−24987, 87−41790, 88−47861, 88−47879, 88−61026 to 61027
Neri, F. *see* Marsan, M.A. 86−30428, 87−2900
Neri, G. *see* Grulli, M. 88−48189
Neri, J. *see* Ottinger, P.F. 85−23195
Neri, J. *see* Watrous, J.J. 88−42381
Neri, J.M., Ambrosianso, J.J., Cooperstein, G., Oliphant, W.F. Inverse pinch diode research 87−21381
Neri, J.M., Boller, J.R., Ottinger, P.F., Weber, B.V., Young, F.C. High-voltage, high-power operation of the plasma erosion opening switch 87−53763
Neri, J.M., Ottinger, P.F., Drobot, A.T. Numerical studies of plasma erosion opening switches 85−23197
Neri, J.M. *see* Ambrosiano, J.J. 87−21382
Neri, J.M. *see* Hinshelwood, D.D. 87−30852, 88−30960
Neri, J.M. *see* Meger, R.A. 85−1119, 85−4184, 85−27672
Neri, J.M. *see* Stinnett, R.W. 87−17441
Neri, K. *see* Fukuyama, N. 88−54883, 88−54971
Neri, K. *see* Mizuma, T. 86−33469, 86−39719
Neri, K. *see* Ohtsuka, K. 87−71479
Neri, K. *see* Otsuka, K. 86−25971
Neri, K. *see* Sagisaka, Y. 87−4691
Neri, K. *see* Tanaka, H. 85−60139
Neri, M. *see* Beneditti Michelangeli, G. 88−33980
Neri, Z. *see* Billings, S. 85−9526
Nerke, R., Sinnwell, G. Data transmission using computers of the SICOMP M series 85−52078
Nerl, J.M. *see* Hinshelwood, D.D. 87−43316
Nerlinger, P. The value in use-costs-rate of the energy transformer light source 85−21924
Nerlinger, P. Method of determining the scientific-technical level of light sources of the general lightning 85−21938
Nerman, H. *see* Helmersson, S. 85−38732
Nerney, S.F. *see* Adams, G.W. 86−38951
Nero, A.V. *see* Budnitz, R.J. 85−22150
Nero, R.W. *see* Stanton, T.K. 88−9661
Nerode, A., Remmel, J.B. Generic objects in recursion theory. II. Operations on recursive approximation spaces 87−204
Nerodea, T., Enache, J., Raducan, P., Navligu, C. Equipment for synchronous motor excitation 87−51166
Neron, J. *see* Dube, L. 88−5591
Neroni, M. *see* Bosi, C. 86−25320
Neroth, C., Saxby, D. Design software for erasable programmable logic devices 86−953
Neroth, C. *see* Saxby, D. 85−28446
Neroth, C.C. A+PLUS−the development system for a desktop foundry 86−996
Nerovnyi, V.M. Effects of magnetic fields on arc discharges with tubular cathodes during vacuum brazing 85−32843
Nerovnyi, V.M., Boyarshina, L.A., Kalinkin, A.N. Magnetic control of the arc running in a vacuum in surfacing and brazing 85−27876
Nerovnyi, V.M., Pod'yapol'skii, G.V. A device for sampling the plasma in an arc discharge with a hollow cathode [welding] 86−26436
Nerovnyi, V.M., Pod'yapol'skii, G.V., Yampol'skii, V.M. Parameters of the plasma in the internal space within an unconsumable welding arc discharge cathode 86−66515
Nerovnyi, V.M., Pod'yapolskii, G.V., Yampol'skii, V.M. The parameters of the plasma current in the space within the cathode of a low pressure welding arc 88−11518
Nerowski, G. *see* Bischof, H. 87−42912
Nerozzi, M. *see* Canit, J.C. 87−68022
Nersesov, E.A., Oganesyan, K.B., Fedorov, M.V. A free-electron laser of the relativistic strofotron type 88−8240
Nersesov, E.A. *see* Zaretskii, D.F. 87−2136
Nersesyan, O.N. *see* Klyuchnik, A.V. 87−47149
Nersesyan, S.G. *see* Kogan, Ya.A. 86−7593
Nersisyan, A.K. *see* Martirosyan, S.M. 85−48035
Nersisyan, G.C. *see* Papanyan, V.O. 85−7349
Nersisyan, S.R., Tabiryan, N.V., Chilingaryan, Yu.S. Laser switching in liquid crystals systems 85−46221
Nersisyan, S.Ts. *see* Arakelyan, S.M. 88−58665
Nerstheimer, K. New colour picture tubes: new techniques, new designs. '45 AX' flat and square 86−1642
Nertinger, H. *see* Gerner, M. 85−42882
Neruez, J. Progress of the electric traction at the SNCB 86−33771
Nerukh, A.G. *see* Shpagin, Yu.V. 85−62877
Nervegna, N. *see* Manco, S. 86−39554
Nervo, G. *see* Ambrosio, R. 87−34000
Nervo, G. *see* Mogavero, C. 87−34228, 87−62728
Nery, E. *see* Vieira F, X. 86−50882
Nerz, K.P. Early detection and surveillance of material damaging processes by digital acoustic emission analysis 87−42704
Nerz, M. The 3.5 MW backpressure power plant of the Dahlenburg dairy 85−60623
Nerz, R.F. MAP migration strategies 87−69730
Nerz, R.F., Richardson, B.M. Migrating to MAP 87−76397
Nerz, U. *see* Scholz, F. 87−11403
Nes, F.L.van *see* van Nes, F.L.
Nes, H. Centimeter baseline accuracy from NAVSTAR phase observations 85−59444
Nes, H. Dimensioning technique for meteor-burst communication systems 86−4470
Nes, H. Meteor burst polarisation trials 86−15872
Nesa, F. *see* Meyer, Y.H. 88−45513
Nesbit, G.H., Chen, J.C., Wen, C.P., Wong, D.W. Monolithic transmit/receive switch for millimeter-wave application 88−19404
Nesbit, G.h., Leighton, W.H. EHF solid state amplifier 86−8496
Nesbit, G.H., Wong, D.W., Li, D., Chen, J.C. A W-band monolithic GaAs PIN diode switch 86−67560
Nesbit, G.H. *see* Pao, C.K. 88−19380
Nesbit, L., Slusser, G., Frenette, R., Halbach, R. Microstructure of silicon implanted with high doses of nitrogen and oxygen 86−67793
Nesbit, L., Stiffler, S., Slusser, G., Vinton, H. Formation of silicon-on-insulator structures by implanted nitrogen 86−21367
Nesbit, L., Stiffler, S., Slusser, G., Vinton, H. Formation of silicon on insulator structures by implanted nitrogen 87−17927
Nesbit, L. *see* Koburger, C. 86−63179
Nesbit, L.A. Annealing characteristics of Si-rich SiO$_2$ films 85−23676
Nesbit, L.A. Defect-free silicon on insulator by oxidized porous silicon 85−45493
Nesbit, L.A. Advances in oxidized porous silicon for SOI 85−50760
Nesbit, L.A., Raacke, K. Method for forming an inverted trench 85−29292
Nesbit, L.A. *see* Geipel, H.J., Jr. 85−18474
Nesbitt, D.W., Willey, F.J. Real-time color display control system 88−16352
Nesbitt, M.W. Cross-cultural training 86−13351
Nesbo, I. Cable mapping by satellite 88−53233
Nesci, W. *see* Annunziata, M. 87−19974
Nesemann, H., Sarau, B. Present limits for the luminosity, the beam current and the beam lifetime in DORIS II 86−31760
Nesemann, H., Wille, K. Operational experience with DORIS II 85−26529
Nesemann, H., Wille, K. Concept for a circular B-meson-factory 88−47768
Nesemann, H. *see* Degele, D. 85−26601
Nesenbergs, M. Modeling of wideband HF channels 88−52226
Nesenyuk, A.P. Specialized mathematical software for automated industrial process management system in foil dielectric manufacturing 88−1812
Neset, P. *see* Vitha, O. 87−78540
Nesetril, J. Some nonstandard Ramsey like applications 85−16865
Nesetril, J. Finite union theorem with restrictions 87−23478
Nesetril, J., Poljak, S. A remark on max-cut problem with an application to digital-analogue convertors 86−46207
Nesetril, J. *see* Fraenkel, A.S. 88−70201
Nesetril, J. *see* Godsil, C.D. 88−56138
Nesetril, J. *see* Gyarfas, A. 87−72932
Neshchimenko, Yu.P. *see* Akulintsev, V.M. 87−38986
Neshchimenko, Yu.P. *see* Alekseev, K.P. 85−2244, 85−7388
Neshchimenko, Yu.P. *see* Baikov, E.U. 85−2231
Neshchimenko, Yu.P. *see* Bashkin, A.S. 85−12807
Nesheim, J.K. The effects of ionic and organic contamination on wirebond reliability 85−28887
Neshev, N. *see* Balabanov, B. 88−9505
Nesheva, D. Properties of amorphous CdS-crystalline Si junctions 87−37960
Nesheva, D., Vateva, E. Influence of In on some electrical, photoelectrical and optical properties of a-CdS 87−45581
Nesheva, D., Vateva, E., Korsunskaya, N., Markevich, I. Influence of annealing on photoinduced phenomena in CdS 85−41239
Nesheva, D. *see* Vateva, E. 86−41555, 87−46656
Neshmonin, P.V., Tikhovskii, V.Yu. Computer-aided design of systems of linked rectangular resonators containing current-carrying members. I 88−19343
Neshmonin, P.V. *see* Konovalov, V.E. 85−1236, 85−61176, 87−37837
Neshmonin, P.V. *see* Litvinov, A.G. 88−70974
Neshmonin, P.V. *see* Tikhovskii, V.Yu. 88−19320
Nesic, A. A new class of printed antenna arrays 87−19342
Nesic, A. A printed antenna array with slots as primary radiators for phase scanned antenna 88−40747
Nesic, A., Danilovic, D., Mikavica, M. Analysis of distribution functions suitable for printed antenna arrays and radiation pattern dependence on tolerances 88−2676
Nesic, A., Popovic, B.D. Analysis of slot antenna on dielectric substrate 86−29598
Nesic, A., Rogic, M. A simple transmitter with FSK modulation for the 13 GHz frequency range 88−56985
Nesic, A., Trifunovic, V., Jokanovic, B. Highly efficient two-dimensional printed antenna array with a new feeding network 85−13414
Nesic, A. *see* Jovanovic, S. 88−34315, 88−35377
Nesic, A. *see* Popovic, B.D. 85−36063
Nesic, A.D. *see* Popovic, B.D. 87−39275, 87−39452

Nesic, Z.D. *see* Jeftenic, B.I. 88−17608
Nesin, R., Tak-po Li A new VLSI hard/floppy disk controller 85−17582
Neskorodov, G.F. *see* Grabchenko, M.I. 86−20370
Nesladek, M., Kocka, J., Vanecek, M., Stuchlik, J., Stika, O., Dlouhy, J., Sipek, E., Jedlicka, M. Amorphous silicon vidicon target 87−45540
Nesladek, M. *see* Vanecek, M. 88−14017
Nesman, E.F. *see* Clark, T.A. 85−59428
Nesmeev, V.P. *see* Kochubei, A.A. 88−24129
Nesmeev, V.P. *see* Razgonyaev, Yu.V. 87−30433
Nesmelov, E.A. *see* Markov, Yu.N. 88−2088
Nesmelova, T.V. *see* Bagdasaryan, M.G. 87−12145
NeSmith, B. New codecs boost videoconferencing 87−8465
NeSmith, B.M. *see* Balbus, P.G. 85−57612
Nesnov, A.V. *see* Firsakov, A.A. 88−73997
Nespaeva, T.D. *see* Matkhanov, P.N. 86−46958
Nespor, J.D., Agrawal, A.P., Boerner, W.-M. Development of a model-free clutter description based on a coherency matrix formulation 85−14348
Nespor, J.D., Agrawal, A.P., Boerner, W.-M. Theory and design of a dual polarization radar for clutter analysis 85−58187
Nespor, J.F., Kwor, R., Polchlopek, S.` Adjustment of thermal coefficient of resistance of thick-film resistors using a CW Ar laser 88−1036
Nespurek, S. Influence of acceptors on charge carrier photogeneration in phthalocyanine 85−11955
Nespurek, S., Cermakova, E., Sikula, J. Electrical noise in metal-free phthalocyanine thin films 85−11956
Nespurek, S., Zmeskal, O., Schauer, F. An Ohmic contact test using the activation energy of steady-state space-charge-limited current 85−12007
Nespurek, S. *see* Chudacek, I. 86−66868
Nespurek, S. *see* Opocensky, V. 86−7166
Nespurek, S. *see* Schauer, F. 87−24804
Ness, B.J.Van *see* Van Ness, B.J.
Ness, C.Q. *see* Dimiduk, K.C. 86−36353
Ness, D. *see* Hinley, M.S. 88−48726
Ness, J. Broad-band permittivity measurements using the semi-automatic network analyzer 86−24700
Ness, J., Dougall, J. Microstrip filters for lower frequencies 87−32055
Ness, J., Johnson, S. Narrowband elliptic filters on microstrip 85−40220
Ness, J. *see* Gunn, M.W. 87−76712
Ness, J.C., Franks, C.B., Sadala, R.L. Economic considerations for a new gas turbine system in the US Navy 88−75479
Ness, J.D. *see* Bartholet, W.G. 88−26548
Ness, J.E.Van *see* Van Ness, J.E.
Ness, K.M. Excimer lasers in medicine 88−54622
Ness, N.F. *see* Neubauer, F.M. 87−77379
Ness, R. *see* Donaldson, A.L. 85−5313
Ness, R. *see* Jackson, G. 85−4696, 85−5315
Ness, R.M. *see* Donaldson, A.L. 85−50132
Ness, W. *see* Larsen, W. 86−18434
Nessar, M.M.A.S. Switched-capacitor ladder filter simulation using frequency domain analysis 86−27464
Nessi, M., Morenzoni, E., Suter, M., Bonani, G., Hofmann, H.J., Stoller, C., Wolfli, W. Computer controlled accelerator mass spectrometry 85−20864
Nessi, M. *see* Andree, M. 85−20795
Nessi, M. *see* Arnesson, J. 87−8784
Nessi, M. *see* Balzer, R. 85−20788
Nessi, M. *see* Bonani, G. 85−20797
Nessi, M. *see* Hofmann, H. 85−20791
Nessler, N., Seeberger, R. Position finding in mines with ELF waves for arbitrarily oriented transmitters 87−2836
Nessmith, J.T., Holder, E.J., Corey, L.E., Howard, R.L. The pointing accuracy of phased-array radars with correlated phase errors 88−15619
Nest, J.F.Le *see* Le Nest, J.F.
Nest, R. *see* Drukier, A.K. 86−5789
Nest, R. *see* Prance, H. 86−2634, 86−42171
Nest, R. *see* Prance, R.J. 85−24240, 86−63596
Nest, W.D.Van *see* Van Nest, W.D.
Nestaas, E. *see* Hayes, M.E. 85−27891
Nestares, G.D. Automatic measurements of microwave networks 86−50019
Nester, S. Virtual controller improves cost/performance ratio 88−50132
Nesterenko, A.A. *see* Atanasov, P.A. 88−51751
Nesterenko, A.A. *see* Karlov, N.V. 87−33108, 87−74979
Nesterenko, A.E. *see* Korol'kov, V.L. 86−51805, 87−17436
Nesterenko, A.V., Tsvyk, A.I., Shestopalov, V.P. Miniaturization of generators of diffraction radiation 85−62611
Nesterenko, A.V. *see* Vertii, A.A. 86−59033, 86−63919
Nesterenko, A.V. *see* Vertiy, A.A. 87−24434
Nesterenko, G.V. Estimating the best values of certain parameters of a precision system for comparing the scales of portable time stores 88−21052
Nesterenko, G.V. *see* Bavykina, V.V. 86−43120
Nesterenko, G.V. *see* Koval', Yu.A. 85−4128
Nesterenko, I.A. *see* Pukha, A.I. 87−58195
Nesterenko, I.K. *see* Gryanik, M.V. 86−54350
Nesterenko, I.K. *see* Loman, V.I. 86−48652
Nesterenko, M.V. *see* Gorobets, N.N. 86−16038
Nesterenko, M.V. *see* Petlenko, V.A. 86−3620
Nesterenko, N.S. Determination of some criteria for acoustical quality of broadcast studios 85−20298
Nesterenko, P.A. *see* Kotlyarov, E.A. 88−38518
Nesterenko, S.A. *see* Gal'perin, M.P. 86−27362, 87−40332
Nesterenko, V.B. *see* Dobrunova, V.M. 87−71932
Nesterenko, V.B. *see* Gaifullin, A.Sh. 87−4529
Nesterenko, V.B. *see* Katanaev, A.O. 87−4527
Nesterenko, V.B. *see* Umarov, G.Ya. 86−12740
Nesterenko, V.F. *see* Berenberg, V.A. 85−56592
Nesterenko, V.I. *see* Sebko, V.P. 86−531
Nesterenko, V.L. *see* Venevtsev, Yu.S. 86−32660
Nesterenko, V.M. *see* Gnesin, G.G. 86−67620
Nesterenko, V.S. *see* Andriashin, A.V. 87−29690
Nesterenko, Yu.N. *see* Algazinov, E.K. 85−11056
Nesterikhin, Yu.E. *see* Brodskii, I.I. 85−31296
Nesterikhin, Yu.E. *see* Gromilin, G.I. 85−39
Nesterikhin, Yu.E. *see* Kirichuk, V.S. 85−2865, 85−57447
Nesterin, V.A., Okopnik, E.B. Influence of impulse shape on magnetization of REM-cobalt magnets 86−42141
Nesterin, V.A., Vasil'ev, V.V., Mikhailov, Yu.A., Nesterina, A.D. Choosing the parameters of pulse-transformer magnetizing devices 85−40271
Nesterin, V.A. *see* Astapov, V.I. 88−37190
Nesterin, V.A. *see* Efimenko, E.I. 88−37640
Nesterin, V.A. *see* Pozdeev, A.D. 85−48952, 88−69313
Nesterina, A.D. *see* Nesterin, V.A. 85−40271
Nesterov, A.Yu. *see* Nakhan'kov, A.A. 86−57631
Nesterov, D.A. *see* Gorshkov, V.G. 88−45563
Nesterov, K.P. *see* Maslov, A.F. 87−39509, 87−68898
Nesterov, L.S., Bochkarev, V.B. Evaluation of the efficiency of an X-ray image brightness intensifier employing channel multiplication in the limit of small distances between channels 85−9115
Nesterov, M.A. *see* Korobkov, V.P. 87−28034
Nesterov, M.I. *see* Znamenskiy, A.Ye. 86−35083
Nesterov, N.A. *see* Artemov, V.S. 88−47796
Nesterov, N.P. *see* Biryukov, S.V. 86−45605
Nesterov, N.S. Systematic guidance errors for the 22-meter radio telescope 88−4142
Nesterov, S.I. *see* Gurevich, S.A. 86−29165 to 29166
Nesterov, V.A., Ptashkin, V.A., Kanger, A.E., Rader, E.I., Oleinikov, V.VC., Dvornikov, V.N., Dabagov, A.R. Design features of the scanning system of the SRT-1000 and SRT-1000M tomographs 88−36441
Nesterov, V.E. *see* Akimov, V.V. 85−9085
Nesterov, V.I., Olifirenko, N.A., Petlevannyi, A.N. Error of standard comparison using Omega navigation signals 86−31570
Nesterov, V.I., Shchavelev, A.I., Apryshkin, G.D. Properties of very-long-wave propagation along a transequatorial route 88−74606
Nesterov, V.I. *see* Meer, V.V. 85−25694, 88−70567
Nesterov, V.M. *see* Klementov, A.D. 85−41346
Nesterov, V.S. *see* Semenovich, B.B. 88−23188
Nesterov, V.V., Skoblin, A.A. Study of speckle noise in multimode optical fibers 86−28881
Nesterov, V.V. *see* Medvedev, V.S. 86−38924
Nesterov, Yu.M. Evaluation of the protection zone of lightning conductors using a programmable pocket calculator 87−4439
Nesterova, I.L., Cnastukhina, T.N., Yakovlev, F.A. Calculation of luminance distribution over the surface of lustre fibers 85−10217
Nesterova, S.N. *see* Belousov, I.I. 88−39083
Nesterova, Z.V., Aleksandrov, I.V. Self-contraction of picosecond light pulses in media with an electronic nonlinear susceptibility 85−62665
Nesterova, Z.V., Aleksandrov, I.V., Medvedev, A.A., Polnitskii, A.A., Solov'ev, V.V. Multiwave fiber Raman converter of laser radiation 86−3307
Nesterova, Z.V., Aleksandrov, I.V., Petrovskii, G.T. Stimulated Raman scattering of light by microdefects in the structure of quartz-fiber light guides 86−9461
Nesterova, Z.V., Aleksandrov, I.V., Petrovskii, G.T., Polnitskii, A.A. Role played by microscopic core defects of an optical fiber in the nonlinear conversion of the energy of light pulses 85−12978
Nesterova, Z.V., Aleksandrov, I.V., Solovev, V.V. Experimental observation of shock waves of ultrashort light-pulse envelopes 85−24652
Nesterova, Z.V., Aleksandrov, I.V., Zhakhov, V.V., Karpov, L.G. Induced Raman scatter of light in fiber lightguides based on doped vitreous silicas 88−1933
Nesterova, Z.V. *see* Golubenko, I.V. 85−7270
Nesterova, Z.V. *see* Solov'ev, V.V. 87−68112
Nesterovich, A.V. *see* Abramenko, N.I. 88−22890
Nesterovich, L.K. *see* Shakaryan, Yu.G. 88−11504
Nesti, F. *see* Billi, R. 87−19444
Nesticky, J. The EDA 128 controller of power consumption 88−17054
Nestler, E. Symbolic processor and design of complex chips 85−33561
Nestler, E. *see* Baker, C. 88−25276
Nestler, E. *see* Weste, N. 88−25275
Nestler, J. Capacitor turn-off connection with a pair of turn-off thyristor branches with alternative directions [self-commutated invertors] 85−33640
Nestler, J. *see* Benzold, K.-H. 86−45756
Nestler, J. *see* Berg, H. 85−5168
Nestler, J. *see* Bezold, K.-H. 87−31047
Nestler, R. The probe − a critical part of measuring system 86−38421
Nestler, R. The digitalising camera system−a new way of transient recording 88−10051
Nestler, R. *see* Wagner, K. 87−57609
Nestler, W., Olsowski, W., Retzov, K.H., Zorner, K.H. DEFOR: a new apparatus for analysis techniques 85−14797
Nestler, W., Schneider, F. Experience in heat pump installations 85−39340
Nestleroth, J.B., Rose, J.L., Bashyam, M., Subramanian, K. Physically based ultrasonic feature mapping for anomaly classification in composite materials 85−39825
Nestleroth, J.B. *see* Rose, J.L. 88−48401
Nestman, C.H., Windsor, J.C., Hinson, M.C. Tutorial on telecommunications and security 85−13468
Nestor, J.A. *see* LaPotin, D.P. 85−12344
Nestor, O.H. *see* Tailor, R.C. 86−50330
Nestorov, G.T., Filipova, M. Absorption anomalies in the low ionosphere in the 1983-4 winter semester 85−51420
Nestorov, G.T., Todorova, M.F., Kolev, S.I., Pahomov, S.V. Low ionosphere in winter 1984/85 86−63979
Nestorovich, A.V. *see* Gavrilov, N.M. 85−11847
Nestulei, V.I. *see* Zagirova, E.G. 87−34901
Nestykailo, L.L. *see* Vas'kovskii, Yu.N. 86−11568
Nesvadba, J. *see* Osmera, P. 85−17474
Nesvadba, J. *see* Rukovansky, I. 85−22937
Nesvizhskiy, M.B. Chromatic aberrations of cathode systems containing deflection elements 85−18030
Nesvizhskiy, M.B. Expansion of the aberration coefficients of cathode electron-optical systems 86−67625
Nesvizhskiy, M.B. Aberration coefficients of complicated electron-optical cathode systems 87−32197
Neswadba, H. *see* Bittermann, H. 87−33960
Neta, B. Families of backward differentiation methods based on trigonometric polynomials 87−36655
Neta, B. Several new methods for solving equations 88−24675
Neta, B. *see* Chawla, M.M. 86−57397, 87−5376
Neta, B. *see* Sommeijer, B.P. 86−40680
Neta, U., Richter, V., Kalish, R. A method for rapid thermal annealing of compound semiconductors by CW CO_2 laser irradiation 88−39184
Netes, V.A. A two-sided estimate of the mathematical expectation of the throughput of two-pole networks with unreliable arcs 88−31569
Netes, V.A., Shvartsman, V.O. Message transfer time in a circuit switching system 87−48260
Netesin, S.G. *see* Gronskii, V.I. 87−3359
Netesin, V.B. *see* Balaban-Irmenin, Yu.V. 85−4783
Netesov, V.V. *see* Levin, V.A. 85−56514
Netherway, D.J., Carson, C.T. Impedance and scattering matrices of a wideband HF phased array 86−54378
Netherway, D.J., Carson, C.T. The excitation of a wide band HF phased transmitting array 87−27051
Netherway, D.J., Carson, C.T. The use of an alternate aperture to reduce the effects of coupling in an HF phased array 88−2818
Neti, C. *see* Coelho, D.R. 85−33840
Netland, B. *see* Oroy, K.O. 88−52732
Netland, L. *see* Starks, S. 85−13648
Neto, A.D.D. *see* d'Assuncao, A.G. 85−61420
Neto, A.F.C. *see* Naidu, S.R. 86−5439
Neto, A.S.Gouveia *see* Gouveia Neto, A.S.
Neto, F.H.S. *see* Moreira, J.C. 86−46571
Neto, H.C., Vidigal, L.M. A novel timing verification technique 87−24027
Neto, I.L.S. *see* Vianna, B.S. 85−52199
Neto, J.C.H. *see* Bigazzi, G. 86−60608
Neto, J.M., Domingues, P.H., de Souza Barros, F., Guillot, M., Barthem, V.M.T.S. The role of Al and Ga ions in lithium ferrite $LiFe_{4.5}Al_xGa_yO_8$ 87−12039
Neto, K.Skeff *see* Skeff Neto, K.
Neto, S.Martins *see* Martins Neto, S.
Neto, T.A.Araripe *see* Araripe Neto, T.A.
Neto, T.de A.Araripe *see* de A. Araripe Neto, T.
Netolicka, J. Relay-diode modules 86−8549
Netravali, A. *see* Padmanabhan, K. 88−21378

Netravali, A.N., Budrikis, Z.L. A broadband local area network 86−30346
Netravali, A.N., Salz, J. Algorithms for estimation of three-dimensional motion 85−41961
Netravali, A.N. *see* Brainard, R.C. 87−41210, 88−15742
Netravali, A.N. *see* Brown, E.F. 85−13643
Netravali, A.N. *see* Budrikis, Z.L. 85−14040
Netravali, A.N. *see* Maxemchuk, N.F. 85−47686
Netrebenko, A.V. Recognition algorithm for spectral images of electric signals 87−19844
Netseevskii, A.B., Kling, B.N. Optical pyrometers for operational monitoring of the temperature of inaccessible components of a hydrogenerator 87−57938
Netseevskii, A.B. *see* El'kind, Yu.M. 86−33330
Netseevskii, A.B. *see* Koval', A.A. 87−42766
Netsenko, L.G. *see* Shcheglov, O.S. 88−25761
Netsu, T. *see* Takenaka, T. 85−33253
Nett, E. *see* Kaiser, J. 86−67224
Nett, H., Roser, H.P., Crowe, T., Schafer, F. A quasi-optical Schottky barrier diode mixer for the submillimeter region 87−17374
Nett, M., Gruter, O., Wecker, T. VENUS, the safe and economic cell based chip design system 86−21851
Nett, M. *see* Horbst, E. 85−698
Nett, M. *see* Koch, B. 85−6249
Nett, S. *see* Bergs, H.-J. 85−52232
Netta, F. Videodiscs in marketing and at point of sale in Europe 88−9795
Netta, F., Staub, U. The video disk as a teaching aid 88−62941
Nettamo, K. *see* Muukari, P. 86−7343
Nette, H.P. *see* Da Rosa, L.A.R. 88−36350
Nettel, S. *see* Beck, H. 85−6721
Netten, S.M.van *see* van Netten, S.M.
Netter, F. *see* Aune, B. 87−41784
Netterfield, R.P., Martin, P.J. Modification of optical properties of thin films produced by ion-assisted technology 85−12541
Netterfield, R.P., Martin, P.J., Sainty, W.G., Duffy, R.M., Pacey, C.G. Characterization of growing thin films by in situ ellipsometry, spectral reflectance and transmittance measurements, and ion scattering spectroscopy 86−13807
Netterfield, R.P. *see* Binh, L.N. 85−56285, 86−2812
Nettleship, R. *see* Ball, D.M. 85−20101
Nettleton, N. *see* Rose, M. 88−70684
Nettleton, N.C. *see* Wood, R.G. 88−42488
Nettleton, R. *see* Knott, J. 86−60431
Nettleton, R.K. *see* Kriete, R.A. 85−1710
Netto, A.C.Pereira *see* Pereira Netto, A.C.
Netto, J.D.do Amaral *see* do Amaral Netto, J.D.
Netto, T.Ghilardi *see* Ghilardi Netto, T.
Netushil, A.V. The systems approach in teaching of subjects in electrical engineering 86−57120
Netushil, A.V., Ermuratskii, P.V. Distributed constants for capacitors 85−17889
Netushil, A.V., Ermuratskii, P.V. Identification of equivalent circuits for circuit components considered as a case of multidimensional optimisation 88−56370
Netushil, A.V., Yermuratskii, P.V. Distributed parameters of capacitors 85−17890
Netushil, A.V. *see* Beryulyaev, Yu.A. 86−6737
Netushil, A.V. *see* Burlyaev, V.V. 85−21636
Netushil, A.V. *see* Ermuratskii, P.V. 85−60176
Netushil, T. *see* Anisimov, Yu.S. 87−14745
Netushilova, Z. *see* Anisimov, Yu.S. 85−48227
Netusil, M. *see* Stojan, M. 86−11999
Netusil, T. *see* Anisimov, Yu.S. 87−23788
Netzel, P.C. *see* Miller, D.B. 85−9504
Netzelmann, U., Pelzl, J., Vargas, H., Cesar, C.L., Miranda, L.C.M. Photoacoustic detection of FMR depth profiles 85−24163
Netzer, D.W. *see* Milshtein, T. 86−56239
Netzer, M. *see* Lupu, E. 86−30608
Neu, E.C. Microcomputer utilization in electrical engineering and computer science courses 85−32984
Neu, E.C. Introducing the PC in electrical engineering at Stevens Institute of Technology 88−18388
Neu, E.C. Design of educational software for microcomputers 88−18852
Neu, E.C. Integrating computers into an engineering curriculum using personal computers 88−43628
Neu, G. *see* Cohen-Solal, C. 86−13042
Neu, G. *see* Freundlich, A. 88−49847, 88−56215
Neu, G. *see* Leroux, M. 86−47298, 88−37506
Neu, G. *see* Saletes, A. 85−1298
Neu, G. *see* Triboulet, R. 86−7734
Neu, W., Neumann, K.-H., Schnoring, T. Trade patterns, industry structure and industrial policy in telecommunications 87−40141
Neubau, F. *see* Barber, D. 88−54002
Neubauer, A. Finite-dimensional approximation of constrained Tikhonov-regularized solutions of ill-posed linear operator equations 87−52035
Neubauer, A. Numerical realization of an optimal discrepancy principle for Tikhonov-regularization in Hilbert scales 87−73025
Neubauer, A. *see* Engl, H.W. 86−26785
Neubauer, C.A., Carlson, R.O. Comparison of wafer scale integration with VLSI packaging approaches 88−178
Neubauer, F.M., Acuna, M.H., Burlaga, L.F., Franke, B., Gramkow, B., Mariani, F., Musmann, G., Ness, N.F., Schmidt, H.U., Terenzi, R., Ungstrup, E., Wallis, M. The Giotto magnetometer experiment 87−77379
Neubauer, H.-J. *see* Busch, H.-J. 85−58530
Neubauer, I. *see* Doll, A. 88−9602
Neubauer, I. *see* Oguey, C. 86−9576
Neubauer, R.E. A management approach to maintainability allocation 87−43927
Neubecker, A. Microelectronic circuit discrete resistor/capacitor combination 87−24649
Neuber, W. *see* Beckert, U. 87−30559, 88−69353
Neuberger, D.L. High altitude, long endurance vehicle [military aircraft] 88−36577
Neuberger, K. Medium-voltage secondary unit for Stadtwerke Mannheim 85−27544
Neuberger, W., Schwelm, M. High strength splicing method−an essential requirement for military applications of optical fibres 87−68117
Neubert, D. *see* Cramer, E. 87−35416
Neubert, D. *see* McManus, C.D. 85−28163
Neubert, D. *see* Teppner, U. 85−59298
Neubert, J. *see* Hieke, H. 88−5913
Neubert, P. About features of a communications system for the future. Trends in communication and computer technology 88−15117
Neubert, P. *see* Kunne, K. 88−21651
Neubert, R. *see* Corliss, J.M. 88−64924
Neubert, R. *see* Massevich, A.G. 87−42210
Neubert, U. EPROM emulator 85−49865
Neubert, W. Bragg curve spectroscopy of fission fragments by using parallel plate avalanche counters 85−59222
Neubert, W. *see* Beckert, U. 86−56748
Neubert, W. *see* Marten, H. 88−29927
Neuberth, G. *see* Salcman, M. 87−8947
Neubiberg, D. *see* Heidler, F. 87−12662
Neubig, B. Composition of frequency-band filters and band eliminators using multiple quartz components 87−52699
Neubrech, G.E. *see* Wolf, L. 87−9294
Neuburg, E.P. On estimating rate of change of pitch 88−66417
Neuburg, E.P. Frequency warping by dynamic programming 88−72829
Neuburg, E.P., Bauer, W.R. On the source-filer model of the vocal tract 87−19589
Neudachin, A.V. *see* Golubev, A.D. 86−15753
Neudeck, G. *see* Liu, S.T. 86−21868
Neudeck, G. *see* Schubert, P. 88−39415
Neudeck, G.W. A new epitaxial lateral overgrowth silicon bipolar transistor 88−1637
Neudeck, G.W., Bare, H.F., Chung, K.Y. Modeling of ambipolar a-Si:H thin-film transistors 87−38288
Neudeck, G.W., Chung, K.Y. A CMOS-like amorphous-silicon ambipolar thin-film transistor inverter circuit 88−12346
Neudeck, G.W., Chung, K.Y., Bare, H.F. A simplified model for the static characteristics of amorphous silicon thin-film transistors 86−67877
Neudeck, G.W., Chung, K.Y., Bare, H.F. An accurate CAD model for the ambipolar a-Si:H TFT 87−45954
Neudeck, G.W., Lindelaub, J.C., Bass, S.C., Mowle, F.J. Integration of computer aided VLSI design for educational and research activities 87−23212
Neudeck, G.W. *see* Bare, H.F. 86−41702, 87−1516
Neudeck, G.W. *see* Chung, K.Y. 88−33219, 88−50108
Neudeck, G.W. *see* Harber, R.G. 86−14410
Neudeck, G.W. *see* Schlais, J.R. 88−50664
Neudeck, G.W. *see* Zingg, R.P. 87−1748
Neudert, E. Acoustic partial discharge diagnostic equipment for power condensers 88−51049
Neudoerffer, M.W., Wills, B.L. Stereoscopic imaging in computer-assisted learning: an application in engineering drawing 88−92
Neudorf, E.E. *see* Anders, G.J. 85−9424
Neudorf, E.G. *see* Anders, G.J. 85−43620
Neudorf, E.G. *see* Germani, M.D. 86−66125
Neudorf, E.G. *see* Hamoud, G. 88−10713
Neudorf, E.G. *see* Vainberg, M. 87−30722
Neudorffer, M. *see* Liu, K.X. 86−68601
Neuenschwander, J., Wachter, P. Valence transition in $TmSe_{1-x}Te_x$: from semiconductor gap to hybridization gap 87−37915
Neuenschwander, K. PCs in a DISOSS network 86−55032
Neuenschwander, K. DISOSS−one step further 86−55033
Neuenschwander, K. A DISOSS-PROFS link using X.25 88−41385
Neuerburg, T. EEPROM with data protection circuitry 85−6310
Neuf, D. Fundamental vs. harmonic mixing: some system amplitude ripple considerations 85−34186
Neuf, D., Piro, P. Normalized lowest intermod mixer bandwidth design curves. Speed choice of frequencies for EW up/down converters 85−54748
Neuf, D., Piro, P. Designing with phase detectors 88−6704
Neuf, D., Spohrer, S. Ultrasmall MIC mixer designed for ECM applications 86−14509
Neuf, D., Spohrer, S. 2 to 18 and 2 to 26 GHz biasable bridge quad Schottky diode mixers 87−989
Neuf, D. *see* Merenda, J.L. 88−71094
Neuf, D. *see* Weiner, S. 88−71129
Neufang, K.F.R., Born, H.J., Pfeiler, M. Optimization of image quality in DSA using variable filter arrangements (DSA filters) 87−50242
Neufeld, E.M., Colbourn, C.J. The most reliable series-parallel networks 85−30567
Neufeld, E.M. *see* Clark, B.N. 87−7896
Neufeld, G., Demco, J., Hilpert, B., Sample, R. EAN: an X.400 message system 86−69545
Neufeld, G. *see* Draskoy, A. 87−69597
Neufeld, G. *see* Navaratnam, S. 88−73639
Neufeld, G.R., Foster, K.R. Electrical impedance properties of the body and the problem of alternate-site burns during electrosurgery 85−64617
Neufeld, H. How to prevent runaway conditions in half-bridge converters operating with current-mode control 87−44596
Neufeld, H. Current mode IC for versatile SMPS control 88−24963
Neufeld, H. Runaway conditions prevented in half-bridge converters operating with current mode control 88−38379
Neufeld, H. *see* Gal, D. 87−41999
Neufeld, H. *see* Gontowski, W., Jr. 87−65852
Neufeld, H.N. *see* Dov Gal, D.V.M. 85−38195
Neufeld, J.L. *see* Hausman, W.J. 85−26956
Neufeldt, M. *see* Hochmuth, G. 85−173
Neuffer, D. Phase stability in 'surfatron' acceleration 85−26630
Neuffer, D. Principles and applications of muon cooling 85−26634
Neuffer, D. An analysis of the beam-beam interaction in high energy $p\bar{p}$ (pp) colliders 87−3826
Neuffer, D. Chromaticity optimization by tuning in large collider rings 87−41659
Neuffer, D. Multi-TeV muon colliders 87−70911
Neuffer, D. Lumped correction of systematic multipoles in large synchrotrons 88−61025
Neuffer, D., Colton, E., Swain, G., Thiessen, H., Blind, B., Hardekopf, R., Jason, A., Lawrence, G., Shafer, R., Hardek, T., Hurd, J., Macek, R., Plum, M. Transverse collective instability in the PSR 88−68180
Neuffer, D. *see* Heifets, S. 86−24961, 86−31906
Neuffer, D. *see* Huson, F.R. 86−31828
Neuffer, D. *see* McIntyre, P.M. 86−31907
Neuffer, D. *see* Walling, L. 88−36333, 88−54212
Neuffer, D. *see* Zaidman, E. 86−31846
Neuffer, D.V., Peterson, J.M. Systematic multipoles and the linear aperture for the SSC 88−54290
Neuffer, H. Are smaller, coal-fired heat and power plants today economically feasible? 87−30357
Neuffer, K. Electronic transmission control: engine torque control and adaptive functions 87−79183
Neugebauer, C.A. Approaching wafer scale integration from the packaging point of view 85−29313
Neugebauer, C.A. Comparison of VLSI packaging approaches to wafer scale integration 86−2318
Neugebauer, C.A., Carlson, R.O., Fillion, R.A., Haller, T.R. High performance interconnections between VLSI chips 88−56031
Neugebauer, C.A. *see* Burgess, J.F. 85−23890
Neugebauer, C.A. *see* Carlson, R.O. 86−13512, 87−25452
Neugebauer, C.A. *see* McDonald, J.F. 87−25420
Neugebauer, D. *see* Pfeifer, T. 86−18109
Neugebauer, E. *see* Bailey, R. 85−15164
Neugebauer, E. *see* Kotz, U. 85−48168
Neugebauer, G., Hauck, R., Bryngdahl, O. Computer-generated holograms: carrier of polar geometry 85−35898
Neugebauer, J. *see* Muller, G.O. 88−36155
Neugebauer, T. *see* Thim, H. 86−15181
Neugebauer, U. ISDN−opportunities for use and early introduction potential in organisations 88−73704
Neugodov, Yu.V. *see* Dementyev, E.N. 86−60572
Neugroschel, A. Minority-carrier diffusion coefficients and mobilities in silicon 86−1676
Neugroschel, A. Measurement of the low-current base and emitter resistances of bipolar transistors 87−45887
Neugroschel, A. Emitter injection efficiency in heterojunction bipolar transistors 88−19937
Neugroschel, A., Arienzo, M., Komem, Y., Isaac, R.D. Experimental study of the minority-carrier transport at the polysilicon-monosilicon interface [in bipolar transistors] 85−40699
Neugroschel, A., Hwang, B.Y., Park, J.S. Transit time and charge storage measurements in heavily doped emitters 86−41750
Neugroschel, A., Lindholm, F.A., Sah, C.T. Trap controlled minority-carrier mobility in heavily doped silicon 86−8740
Neugroschel, A., Wang, J.S., Lindholm, F.A. Evidence for excess carrier storage in electron-hole plasma in silicon transistors 85−45652
Neugroschel, A. *see* Chand, N. 86−35651
Neugroschel, A. *see* Jong-Sik Park 87−74059

Neugroschel, A. *see* Landsberg, P.T. 86−1690
Neugroschel, A. *see* Lindholm, F.A. 85−60423, 87−9767, 87−9807, 87−41602
Neugroschel, A. *see* Misiakos, K. 87−74146
Neugroschel, A. *see* Pao-Jung Chen 86−21188
Neugroschel, A. *see* Park, J. 86−41514, 86−63256
Neugroschel, A. *see* Park, J.-S. 88−26223
Neugroschel, A. *see* Park, J.S. 88−13352
Neugroschel, A. *see* Spitzer, M.B. 86−7140
Neugroschel, A. *see* Symons, J. 87−25225, 88−19934
Neugroschel, A. *see* Tae-Won Jung 88−5876
Neugroschel, A. *see* Zondervan, A. 88−67985
Neuhaus, B. *see* Guy, A.W. 85−4371
Neuhaus, H.J., Day, D.R., Senturia, S.D. Sodium transport in polyimide-SiO_2 systems 85−40835
Neuhaus, K. *see* Clark, M. 87−28307
Neuhaus, K.-K. *see* Sauer, G. 85−15310
Neuhaus, M. Railways and the problem of energy 85−5416
Neuhaus, M. *see* Drung, D. 88−13726
Neuhausen, R. Future experimental developments for few-body physics at Mainz 87−41654
Neuhauser, B., Cabrera, B., Martoff, C.J., Young, B., Lee, A. Phonon-mediated particle detection 88−61080
Neuhauser, B., Cabrera, B., Martoff, C.J., Young, B.A. Acoustic detection of single particles for neutrino experiments and dark matter searches 87−77531
Neuhauser, B., Cabrera, B., Martoff, C.J., Young, B.A. Phonon-mediated detection of alpha particles with aluminum transition edge sensors 88−29798
Neuhauser, B., Cabrera, B., Martoff, C.J., Young, B.A., Seiffert, M. Electric field enhanced hopping conductivity in thin film carbon thermometers 88−29681
Neuhauser, R.G. Photoconductors utilized in TV camera tubes 87−38900
Neuhauser, R.G. Photoconductors utilized in TV camera tubes 87−61029
Neuhauser, W. *see* Siemers, I. 88−68184
Neuhofer, G. *see* Anguilar-Benitez, M. 87−71031
Neuhoff, D.L., Castor, K.G. A rate and distortion analysis of chain codes for line drawings 85−30185
Neuhoff, D.L., Garcia-Munoz, R. Robust source coding of weakly compact classes 87−75709
Neuhoff, D.L. *see* Moayeri, N. 86−64204, 87−54887, 88−66318
Neuhold, P. *see* Kummerow, T. 86−69936
Neukamm, G., Nagy, J. Application of finite element analysis for the solution of the Helmholtz equation 88−32406
Neukamm, G. *see* Nagy, J. 87−11030
Neukermans, A. *see* Galbraith, L. 88−13087
Neukermans, A. *see* Hanlon, L. 86−35273
Neukermans, A. *see* Pecen, J. 87−60250
Neukermans, A. *see* Semenzato, L. 85−34710
Neukermans, A.P. Current status of X-ray lithography. I 85−7030
Neukermans, A.P. Current status of X-ray lithography. II 85−23901
Neukirch, F. *see* Groult, M. 86−65402
Neukirchen, D. Thick-film hybrid circuits for miniaturisation of industrial electronics 87−17565
Neukirchner, E.-P., Zechnall, W. EVA−a self-sufficient position and navigation system for land vehicles 86−69844
Neukirchner, E.P., Urbanski, W. The use of microelectronic systems for the position finding and navigation of motor vehicles 87−43604
Neukirchner, E.P., Zechnall, W. Digital map data bases for autonomous vehicle navigation systems 87−41104
Neukirchner, E.P. *see* Suchowerskyj, W.E. 88−69888
Neukom, T. *see* Kuhn, W. 85−39252
Neul, A., Hagenauer, J., Papke, W., Dolainsky, F., Edbauer, F. Propagation measurements for the aeronautical satellite channel 87−70012
Neul, A., Hagenauer, J., Papke, W., Dolainsky, F., Edbauer, F. Aeronautical channel characterization based on measurement flights 88−46997
Neuleib, H., Pieles, H. Measurement of the wave length of Lamb-dip-stabilized helium-neon-lasers 85−62488
Neulinger, F., Dallhammer, R., Donig, G. High-voltage pulses for extracting dust from the environment 87−35501
Neumaier, A., Schafer, A. Divided differences, shift transformations and Larkin's root finding method 86−7665
Neumaier, P. Computer-assisted test unit for the nondestructive determination of properties of materials 87−65605
Neumaier, P. Computer aided quality sorting by electromagnetic methods 88−22476
Neumaier, P. Hot wire inspection with the eddy-current method 88−56054
Neumaier, P., Weber, H.P., Wittig, G. Performance of eddy current testing of tubes 85−54563
Neuman, A., Schwander, T. Evaluation of REDMASK noise reduction filtering 87−21676
Neuman, A. *see* Levitt, H. 88−54650
Neuman, A.C., Levitt, H., Weiss, M., Schwander, T. Evaluation of noise reduction techniques for hearing aids 88−54651
Neuman, C., Yamamoto, W. Adding packet radio to the Ultrix kernel 88−53163
Neuman, C.P. *see* Casasent, D. 85−30251
Neuman, C.P. *see* Estochen, E.L. 85−4517
Neuman, C.P. *see* Fisher, J.L. 86−54530, 87−13092, 88−51650
Neuman, C.P. *see* Ghosh, A.K. 86−15534
Neuman, C.P. *see* Muir, P.F. 85−65274, 86−6799
Neuman, C.P. *see* Vijaya Kumar, B.V.K. 87−13033
Neuman, D. *see* Fischer, R. 86−46320
Neuman, E. Convex interpolating splines of arbitrary degree. III 87−23537
Neuman, I. *see* Gavish, B. 86−54998
Neuman, M. Financial users can bank on new security standard X9.17 85−63170
Neuman, M. A new transport architecture for sluggish networks 86−69397
Neuman, M. IPHONE: an audio information delivery systems for closed market advertising 87−62548
Neuman, M.E., Vargas, T.F. Direct broadcast satellite service for the United Kingdom 88−73894
Neuman, M.R. Blood gas in perinatal medicine: significance, instrumentation and need 86−50482
Neuman, M.R., Berec, A., O'Connor, E. Capacitive sensors for measuring finger and thumb tip forces 85−43333
Neuman, M.R., Huch, R., Huch, A. The neonatal oxycardiorespirogram 85−9124
Neuman, M.R. *see* Crago, P.E. 86−44631
Neuman, M.R. *see* Karagounis, V.A. 86−44622
Neuman, M.R. *see* Potvin, A.R. 86−32216
Neuman, M.R. *see* Saunders, K.G. 87−63728
Neuman, M.R. *see* Wexler, A. 86−25167
Neuman, M.R. *see* Potvin, A.R. *(editor)* 85−32926
Neuman, P. Predictive integral and self-tuning regulator for load-frequency control simulation of interconnected power systems 86−12311
Neuman, P. Simulation of self-adjusting frequency and transferred power controllers 87−57509
Neuman, V. *see* Aldebert, P. 86−9559
Neuman, V. *see* Boisde, G. 85−35428
Neumann, A. *see* Jackel, K. 85−49771
Neumann, C., Lipken, H., Suiter, H. Switching of earthing switches at the line terminals of multiple circuit configurations 88−55046
Neumann, C., Suiter, H., Rees, V., Kugler, R., Voss, W. Design and testing of 420 kV pantograph disconnectors for rated withstand currents of 80 kA/200 kA 86−51842
Neumann, C. *see* Kind, R. 85−21710, 88−55564
Neumann, C.A. Optimizing hydroelectric systems and equipment 85−38883
Neumann, D. *see* Prager, P. 85−38080
Neumann, D.A., Zabel, H., Morkoc, H. Terracing in strained-layer superlattices 86−14921
Neumann, D.B. Comparative holograph: a technique for eliminating background fringes in holographic interferometry 86−3339
Neumann, D.K., Coombe, R.D., Ongstad, A.P., Stech, D.J. Photochemical production of $No(A^2\Sigma^+)$ in mixtures of HN_3 and O_3 88−58464
Neumann, D.K. *see* Stetch, D.J. 87−26269
Neumann, E. Advanced converters for a small-section rolling and wire mill in the Soviet Union 88−37779
Neumann, E., Behrendt, B., Hecht, A. The detection of corrosion (spongiosis) on the inside surface of grey cast-iron tubes by means of computer-aided ultrasonic testing equipment (ABAKUS) 87−44427
Neumann, E. *see* Brekow, G. 85−33537
Neumann, E. *see* Dittmar, G. 86−36335
Neumann, E. *see* Hecht, A. 87−23787
Neumann, E.-G. Beam transformers for obtaining low-loss splices between dissimilar single-mode fibers 87−54010
Neumann, E.-G. *see* Brinkmeyer, E. 85−12587
Neumann, E.-G. *see* Schwierz, H. 88−13799
Neumann, F., Durselen, A. Selective measurement of amplitude and group-delay response using LFM 2 and LDS 86−31482
Neumann, G. Only the moving picture must now wait [Ericsson MD 110 exchange] 88−15278
Neumann, G. Flexible and cost-minimising system concept [Ericsson digital PABX MD 110] 88−46797
Neumann, G. Digital communication devices as the basis for an integrated communications infrastructure 88−46809
Neumann, G., Nicko, K.-H., Weidlich, H.G. Ash removal plants in large power stations designed for higher ash contents in brown coal and the utilization of waste products 85−21424
Neumann, G. *see* Bonasewicz, P. 87−11358, 87−11367
Neumann, G. *see* Hoder, K. 87−14107
Neumann, G. *see* Kulzer, G. 87−35957
Neumann, G. *see* Li, F. 88−68617
Neumann, G. *see* Lipken, H. 85−5268
Neumann, G. *see* Richter, B. 87−69874, 88−41866
Neumann, G. *see* Schroder, W. 88−16134
Neumann, G. *see* Weissman, D.E. 88−47213
Neumann, G.W. Three years of progress in integrated diagnostics 86−65112
Neumann, G.W., Battaglia, M. A weapon system design approach to diagnostics 85−37468
Neumann, H., Arlt, G. Transient polarization currents and degradation effects in $BaTiO_3$ and $SrTiO_3$ ceramics 87−53790
Neumann, H., Arlt, G. The deformation of hysteresis curves by an internal bias in ferroelectric ceramics 88−57839
Neumann, H., Hoyer, W., Ilinskii, A.G., Khristenko, T.M., Mikhailova, L.E., Romanova, A.V., Scholz, T., Wobst, M. X-ray diffraction investigation on molten eutectic Ag-Ge alloys 88−12088
Neumann, H., Tomlinson, R.D., Hill, A.E., Abdul-Hussein, N.A.K., Samaan, A.N.Y. Electrical properties of RF sputtered thin films of $CuInSe_2$. II. Conduction mechanism and intrinsic doping effects 85−55493
Neumann, H. *see* Abdul-Hussein, N.A.K. 85−45405
Neumann, H. *see* Jackel, D. 88−14831
Neumann, H. *see* Kaufmann, S. 87−35186
Neumann, H. *see* Kuhn, H. 85−58062, 86−4598
Neumann, H. *see* Mitaray, S. 86−40750
Neumann, H. *see* Schneider, J. 85−60019
Neumann, H. *see* Schumann, B. 86−20063
Neumann, H. *see* Wasim, S.M. 85−40475
Neumann, H.D. *see* Hubby, L.M., Jr. 86−38288
Neumann, I. Knowledge gain and representation for expert systems in the process directing techniques of electric energy plants 88−23590
Neumann, I. *see* Prachownik, A.W. 86−12270
Neumann, J. OSI reference model lays groundwork for Uniform networking links 85−36701
Neumann, K. EOR project networks 85−33280
Neumann, K., Bernnat, W. Analysis of neutron streaming in beam tubes by a favourable coupling of analytical solution and S_N-approximation of transport theory 86−56021
Neumann, K. *see* Becker, R. 86−14626
Neumann, K.-H., Wieland, B. Competition and social objectives: the case of West German telecommunications 87−2699
Neumann, K.-H. *see* Neu, W. 87−40141
Neumann, L. The first digital broadcast via satellite! 'Stevie Wonder Comes Home' 85−63786
Neumann, L. Logical modelling of digital MOS IC by means of LS 1 program 87−648
Neumann, L. Basic characteristics of a program designed for logic simulation of LSI digital circuits 88−12328
Neumann, L. *see* Koster, J. 87−31023
Neumann, M. Generation of structures of objects, methods and techniques for computer-aided investment and project planning 88−37927
Neumann, M. *see* Miller, V.A. 86−13677
Neumann, M. *see* Nelson, S. 87−65393
Neumann, M. *see* Schiller, S. 86−66860
Neumann, N. *see* Norkus, V. 87−49742
Neumann, P., Dahmlow, B., Eckstadt, A. Effects of modern organization principles for data transmission systems on the time behavior of microcomputer-based automation plants 87−55835
Neumann, P., Sauerwald, R. Waste reduction by means of optimization of power resin condensate polishing plants in nuclear power stations with boiling water reactors 87−64283
Neumann, P.W. FET-DC speed control switch investigation for application in cordless portable tools 85−10153
Neumann, P.W. FET-DC speed control switch investigation for application in cordless portable tools 85−54662
Neumann, R. Stereo radio recorder SKR700. III 87−34759
Neumann, R. Improvement of headlamps using segmented reflectors 88−31175
Neumann, R. *see* Barber, D. 88−54002
Neumann, R. *see* Berger, J. 87−2217
Neumann, R. *see* Bohn, H. 87−71407
Neumann, R. *see* Grafstrom, S. 87−12652, 88−27263
Neumann, R. *see* Harbarth, U. 87−49973
Neumann, R. *see* Karner, C. 86−25109
Neumann, R. *see* Lukas, H. 85−18725, 85−42601
Neumann, R. *see* Pacey, G. 85−56353
Neumann, R. *see* Yu Hong-xuan 85−47707
Neumann, R.K. Channel occupation time distributions with channel failures in $M/M/s/\infty$-queueing systems 85−19559
Neumann, S. *see* Ahituv, N. 87−54853
Neumann, S. *see* Marten, P. 86−43822
Neumann, S.A., Perry, B.M., Scudder, J.M., Larson, L.R., Will, B.F., Danberg, M.L. A unit commitment and transaction evaluation program for Northern States Power 86−51453
Neumann, T.W., Tompkins, R.E. Line start motors designed with Nd-Fe-B permanent magnets 86−26006
Neumann, T.W. *see* Chari, M.V.K. 85−48950 to 48951

Neumann, T.W. *see* Jahns, T.M. 86−45388, 87−4985
Neumann, T.W. *see* Richter, E. 85−27396, 85−53665, 87−42878
Neumann, U., Vogt, M., Brilhaus, F., Husfeld, F. Digital signal generator combines digital and analog worlds 88−4503
Neumann, V. *see* Kopke, F. 88−73579, 88−74288
Neumann, W. Investigation on the contrast in color picture tubes 87−6344
Neumann-Spallart, M., Schwarz, A., Grabner, G. On the quantum yield of photocurrents in p-n Si photodiodes under very high intensity (pulsed laser) illumination 88−20510
Neumann-Spallart, M., Schwarz, A., Grabner, G. Photocurrents in p-n Si diodes under high intensity (pulsed-laser) illumination: quantum yields and kinetic evaluation 88−51671
Neumayer, B., Adam, J. Some theoretical questions and measuring method characterizing the image quality of electronic display devices 87−8670
Neumayer, B., Adam, J. Some theoretical questions and measuring method characterizing the image quality of electronic display devices 87−56752
Neumayer, B. *see* Adam, J. 85−1242
Neumayr Investigating frequency counters. 14 instruments in the price range of 250 to 1100 DM on test 87−8653
Neumayr, H. Test report: no wiring, mains sockets will do−electronic house security installation from Simas-El 86−7478
Neumayr, H. Soldering irons, solder fluxes and tin 86−19839
Neumayr, H. *see* Kirmeier, J. 87−21125
Neumayr, H. *see* Klose, M. 87−49743, 87−56356, 88−25351, 88−29226, 88−36086
Neumeier-Mackert, I.B., Mackert, L.F., Fleischmann, A. A knowledge-based protocol engineering environment 88−67060
Neumeier-Mackert, I.B. *see* Mackert, L.F. 88−21420
Neumeister, J., Schuster, G., von Munch, W. A silicon pressure sensor using MOS ring oscillators 86−5244
Neumeyer, B. A fast W-band Sixport network analyzer 88−35895
Neumeyer, B., Hartmann, T. Transmission measurements at micro-wavelengths with error correction by device under test modification 85−14733
Neumeyer, C. TFTR power conversion and plasma feedback systems 85−49039
Neumeyer, C. *see* Lawson, J.E. 88−63521
Neumeyer, C. *see* Oldaker, M.E. 88−69521
Neumeyer, C.L. Sequential control of TFTR power supplies 87−72283
Neumeyer, C.L. *see* Greenough, N.L. 88−69516
Neumeyer, D.G. *see* Damon, J.E. 86−25896
Neumeyer, J. Capacitive system for recording measurement values for measuring length variations [gravimetric research] 85−26888
Neumuller, H.W., Intichar, L. AC losses in superconducting cables designed for generator field windings 87−72090
Neun, J.A. *see* Watts, R.J. 88−35847
Neundorf, R., Zeise, M. Microcomputer aided measurement value acquisition system for electrical machines 87−3376
Neundorf, R. *see* Biesenack, H. 86−19263, 86−66068, 87−4669
Neuner, J.A. *see* Crew, A.W. 85−43694
Neung-Heon Lee *see* Duck-Chool Lee 87−6496
Neunman, M.R. *see* Rutherford, K.M. 88−68343
Neunstocklin, V. Estimating the commutation voltage of isolator switches during busbar change 85−44117
Neunstocklin, V. The practical application of the Poscodam PC network calculation program 88−23446
Neurath, R. *see* Hagans, K. 88−7873
Neureuther, A.R. Resist profile quality and linewidth control 85−1723
Neureuther, A.R. Topography simulation tools 86−41900
Neureuther, A.R. Process modeling and simulation tools 86−63375
Neureuther, A.R., Flanner, P., III, Shen, S. Coherence of defect interactions with features in optical imaging 87−38045
Neureuther, A.R., Hofer, D.C., Willson, C.G. Design of contrast enhancement processes for optical lithography 86−1947
Neureuther, A.R., Oldham, W.G. Simulation of lithography 87−67362
Neureuther, A.R., Willson, C.G. Reduction in X-ray lithography shot noise exposure limit by dissolution phenomena 88−39299
Neureuther, A.R. *see* Atkinson, G.M. 85−29090, 87−38032
Neureuther, A.R. *see* Chen, A.S. 85−29086, 86−35517
Neureuther, A.R. *see* Damar, H.S. 85−6785
Neureuther, A.R. *see* Flanner, P.D., III 87−11564
Neureuther, A.R. *see* Guerrieri, R. 88−64435
Neureuther, A.R. *see* Hayes, J. 87−11873
Neureuther, A.R. *see* Kim, D.J. 85−18198
Neureuther, A.R. *see* Lee, K. 86−41918, 88−33294
Neureuther, A.R. *see* Leung, W. 85−34697, 86−41640
Neureuther, A.R. *see* Mastromarco, V. 88−44714
Neureuther, A.R. *see* Ong, E. 87−38404
Neureuther, A.R. *see* Prouty, M.D. 85−12075
Neureuther, A.R. *see* Rosenfield, M.G. 85−29089
Neureuther, A.R. *see* Tam, N.N. 88−39317
Neureuther, A.R. *see* Toh, K.K.H. 88−1593
Neureuther, A.R. *see* Wingyu Leung 85−34712
Neurgaonkar, R.R. Tungsten bronze family crystals for optical device applications 85−12531
Neurgaonkar, R.R., Cory, W.K. Progress in photorefractive tungsten bronze crystals 86−36113
Neurgaonkar, R.R., Cory, W.K., Oliver, J.R. Ferroelectric tungsten bronze BSKNN crystals for photorefractive applications 88−20186
Neurgaonkar, R.R., Cross, L.E. Piezoelectric tungsten bronze crystals for SAW device applications 87−6935
Neurgaonkar, R.R., Wu, E.T. Epitaxial growth of ferroelectric T.B. $Sr_{1-x}Ba_xNb_2O_6$ films for optoelectronic applications 88−6466
Neurgaonkar, R.R. *see* Bobbs, B. 86−36259
Neurgaonkar, R.R. *see* Eknoyan, O. 86−28785
Neurgaonkar, R.R. *see* Sharp, E.J. 87−46987
Neurgaonkar, R.R. *see* Wood, G.L. 88−20734
Neurgaonkar, R.R. *see* Wu, E.T. 87−53805
Neuringer, L.J. NMR in biology and medicine 85−38127
Neuringer, L.J. *see* Babrov, E.S. 87−74629
Neuringer, L.J. *see* Zientara, G.P. 88−68378
Neurogaonkar, R.R., Oliver, J.R., Wu, E.T. Epitaxial growth of ferroelectric films for optoelectronic (SAW) applications 88−403
Neurogaonkar, R.R. *see* Rakulijic, G.A. 87−26505
Neuroth, N. Laser glass: status and prospects 87−39044
Neuruether, A.R., Oldham, W.G. Resist modeling and profile simulation 85−50646
Neury, C., Muller, M. Three-dimensional analysis of the fluid motion through the blading of a Francis turbine 88−69193
Neusch, D.R., Meier, E.H., Blaettler, D.K., Graf, K.C., Holecz, F.M. Merging spaceborne image data of optical and microwave sensors 87−63991
Neuschaefer, G.H. *see* Reiser, M. 88−42382
Neuscheler, F. Quartz oscillator data−measured with a network analyser 88−9867
Neuschutz, D., Rossner, H.-O., Bebber, H.J., Heinen, K.-H. Three-phase AC plasma technology for melting scrap and heating molten steel 87−51635
Neuschutz, D. *see* Rossner, H.-O. 85−32833, 88−37760
Neusser, P. *see* Hanke, I. 85−24100
Neustadter, H.E., Spera, D.A. Method for evaluating wind turbine wake effects on wind farm performance 86−19181
Neusten, M. *see* Scott, J.M.C. 86−37864
Neustroev, L.N., Onarkulov, K.E., Osipov, V.V. Temperature functions of basic parameters for photosensitive polycrystalline films of PbS 87−38904
Neustroev, L.N., Onarkulov, K.E., Osipov, V.V. Photoconductivity and anomalous Hall effect in polycrystalline PbSe films 88−50639
Neustroev, L.N., Osipov, V.V. Theory of the photoelectron energy distribution for semiconductors with negative electron affinity 85−40389
Neustroev, L.N., Osipov, V.V. Theory of physical properties of photosensitive polycrystalline PbS-type films. I. Model, conductivity, and Hall effect 86−58247
Neustroev, L.N., Osipov, V.V. Theory of physical properties of photosensitive polycrystalline PbS-type films. II. Photoconductivity. Comparison with experimental results 86−58248
Neustroev, L.N., Osipov, V.V., Panashchenko, O.N. Photoelectric amplification in ambipolar photoconductors with surface states 87−18811
Neustroev, L.N., Osipov, V.V., Panashchenko, O.N. Theory of 1/f noise in semiconductor-dielectric structures with an inversion channel at the interface 88−57650
Neustroev, L.N. *see* Atakulov, Sh.B. 85−45414
Neustroev, L.N. *see* Ikonnikova, O.G. 87−6354, 87−45551
Neustroev, L.N. *see* Kozlovskii, Yu.Ya. 87−29129, 87−56699
Neustroev, S.N., Soldatenko, M.V., Avdeev, A.P., Bereka, V.V. Adaptive high-speed threshold-voltage shaper 86−859
Neustroyev, L.N., Osipov, V.V. Effect of recombination in the space charge region on the temperature of the BLIP regime of photodiodes 85−2151
Neustruev, V.B. *see* Belov, A.V. 85−12610, 85−18706, 85−56327, 86−9497, 86−15489, 86−53968, 88−20365, 88−20367
Neustruev, V.B. *see* Dianov, E.M. 87−29364, 88−20362
Neustruev, V.B. *see* Grudinin, A.B. 86−2823, 87−46490
Neustruev, V.B. *see* Gur'yanov, A.N. 87−53934, 87−74704
Neustruev, V.B. *see* Gusovskii, D.D. 86−48119, 88−20363
Neut, C.A.van der *see* van der Neut, C.A.
Neuvo, T. *see* Saramaki, T. 88−32335
Neuvo, Y., Heinonen, P., Defee, I. Edge detectors based on median filters 87−7791
Neuvo, Y., Heinonen, P., Defee, I. New types of edge detectors based on linear and median operators 87−48158
Neuvo, Y., Heinonen, P., Defee, I. On the structure and performance of median-based edge detectors 87−69356
Neuvo, Y., Mitra, S.K. Complementary IIR digital filters 85−17705
Neuvo, Y., Neinonen, P., Defee, I. Linear-median hybrid detectors 88−28020
Neuvo, Y., Rajan, G., Mitra, S.K. Design of narrow-band FIR bandpass digital filters with reduced arithmetic complexity 87−45087
Neuvo, Y., Rajan, G., Mitra, S.K. An efficient realization of narrowband bandpass FIR digital filters 87−45105
Neuvo, Y., Vaino, O. Logarithmic arithmetic in FIR filters 87−941
Neuvo, Y. *see* Astola, J. 87−27477, 87−69354, 87−75784
Neuvo, Y. *see* Haavisto, P. 88−28008
Neuvo, Y. *see* Heinanen, E. 87−48058
Neuvo, Y. *see* Heinonen, P. 86−16365, 86−64364, 86−67298, 87−3933, 87−59733, 87−59767, 88−14825, 88−59141
Neuvo, Y. *see* Jarske, P. 87−56219, 88−34482, 88−50268, 88−66541, 88−74313
Neuvo, Y. *see* Kolehamainen, T. 87−7793
Neuvo, Y. *see* Mitra, S.K. 86−8390, 86−14352, 86−62699, 87−942
Neuvo, Y. *see* Nieminen, A. 87−19946, 87−39894, 87−59752, 87−66304, 87−75833, 88−66556
Neuvo, Y. *see* Regalia, P.A. 86−67324, 87−31994
Neuvo, Y. *see* Renfors, M. 87−27482
Neuvo, Y. *see* Saramaki, T. 85−25100, 85−45171, 86−62756, 87−7794, 88−6977
Neuvo, Y. *see* Vaidyanathan, P.P. 86−41238
Neuvo, Y. *see* Vainio, O. 87−901, 87−5982, 87−59789, 88−885
Neuvo, Y. *see* Yli-Harja, O. 88−44306
Neuvo, Y.A. *see* Regalia, P.A. 88−25332
Neuwirth, R. Extinction properties of visible-, IR- and mm radiation (94 GHz) 87−2307
Nevai, P. Geza Freud, orthogonal polynomials and Christoffel functions. A case study 87−23548
Nevai, P. *see* Mate, A. 86−62092
Nevalainen, O. *see* Katajainen, J. 86−52351
Nevalainen, V. *see* Pakkanen, T.A. 88−423
Nevanlinna, O. Matrix valued versions of a result of von Neumann with an application to time discretization 85−54379
Nevanlinna, O., Odeh, F. Remarks on the convergence of waveform relaxation method 88−6396
Nevanlinna, O. *see* Eirola, T. 88−70280
Nevanlinna, O. *see* Jeltsch, R. 85−22366, 87−23569
Nevanlinna, O. *see* Miekkala, U. 87−67357
Nevanpaa, T. Public paging 86−10692
Nevarez-Lozano, H. *see* Sanchez-Sinencio, E. 88−70894
Nevatia, R. USC image understanding research−1986 88−3261
Nevatia, R. *see* Cochran, S.D. 88−28124
Nevatia, R. *see* Fan, T.-J. 88−34750
Nevatia, R. *see* Fan, T.J. 88−46201, 88−73283
Nevatia, R. *see* Medioni, G. 85−19517
Nevatia, R. *see* Mohan, R. 88−28110
Nevatia, R. *see* Rao, K. 87−2627
Nevatia, R. *see* Vilnrotter, F.M. 86−43311
Nevdakh, V.V. Spontaneous emission probabilities and collisional line widths of 00^01-$[10^00, 02^00]_{I,II}$ lasing transitions in the CO_2 molecule 85−24484
Nevdakh, V.V. Vibrational temperatures and gain limitation in CO_2 lasers 86−9731
Nevdakh, V.V. Determination of vibrational temperatures in the active media of CO_2 lasers 86−48339
Nevdakh, V.V., Leshenyuk, N.S., Orlov, L.N. Experimental investigation of the polarization properties of reflective diffraction gratings for CO_2 lasers 85−2377
Neve, B.D. *see* Bell, C.R. 88−3473
Neve, J.M., Ray, F.D., Sitarik, J.P. Improving the performance of an integrated circuit manufacturing line 88−32681
Neve, N. NATO manoeuvres towards OSI [military standardisation] 88−59595
Neve, N.J.F. The MoD and OSI 88−41372
Nevecerel, D. Reduction of passive electric distribution networks 85−4617
Nevecerel, D. Program package for short circuit calculation in electric power networks 88−68776
Nevecerel, M.D. Calculation of short circuits on the SR Croatian power system in the year 1990 88−42739
Nevels, R.D. An analysis of a two-dimensional dielectric covered corrugated antenna feed horn 85−7770

Nevels, R.D. The annular aperture antenna with a hemispherical center conductor extension 87—47335
Nevels, R.D., Butler, C.M., Yablon, W. The annular slot antenna in a lossy biological medium 85—43421
Nevels, R.D. *see* Butler, C.M. 88—40616
Nevels, R.D. *see* Michalski, K.A. 88—72471
Nevel'skii, V.L. *see* Koshcheev, I.A. 87—4665
Nevel'skii, V.L. *see* Koshcheev, L.A. 86—39728
Nevel'skii, V.L. *see* Ostrovskii, A.S. 86—25671
Nevel'son, M.B. A property of distributions of a class of recursively defined stochastic processes 85—49442
Nevel'son, M.B. Uniform estimation of an unknown probability distribution density 86—36886
Nevel'son, M.B. Uniform asymptotically efficient estimation of a constant signal in additive noise of unknown structure 86—48724
Nevel'son, M.B., Nevel'son, M.S., Khas'minskii, R.Z. Optimal unbiased linear estimation for tool wear rates in flexible production modules 88—36294
Nevel'son, M.B., Ordinartsev, I.A. Estimation of the parameter of a Rayleigh distribution 86—69991
Nevel'son, M.B. *see* Mustafaev, E.Kh. 87—27122
Nevel'son, M.S., Mustafaev, E.Kh., Revis, E.I. Current estimation of tool wear in unmanned machines 86—38555
Nevel'son, M.S. *see* Nevel'son, M.B. 88—36294
Neven, R.L., Sullivan, M.R. High resolution signal processor for limited aperture multimode radar 87—20622
Neveri, I., Csanyi, I. Development of arc quenching systems of high breaking-capacity for miniature circuit breakers 88—62508
Neveri, I., Pilinyi, A., Tanos, E. Effect of powder-metallurgical AgNi contacts on electric lifetime of switching equipment 88—62509
Neveri, I., Vida, G. Medium voltage vacuum circuit breakers and contactors 86—71005
Nevermann, P. *see* Rheinlander, B. 87—38942
Neverov, S.G. *see* Gorbachev, A.P. 85—6500, 85—50032, 87—10972, 87—45243, 87—48769, 88—38704
Neverova, I.V. *see* Mitrofanov, S.S. 87—68288
Nevers, D. ISDN is coming, so now's the time to prepare for reality by becoming a 'bandwidth manager' 88—41402
Neves, G. *see* Azevedo, J.L. 87—38181
Neves, I.M.V. *see* Fernandes, A.S.C. 86—29510
Neves, J.C.F.M. *see* dos Santos, A.J.T. 88—9233
Neves, R.M.P., Barbosa, J.A. Monitoring, control, automation and telemetering systems 86—65134
Neves, S. *see* Videira, F. 88—46631
Nevescanin, M. The new DC/motor series for battery voltages IK 7-IK 16 85—21645
Nevescanin, M. *see* Lisac, A. 88—30735
Nevesely, M. Generalized transfer function for SAW interdigital transducer and filter 87—18457
Nevesely, M. The effect of electric matching circuits on some parameters of SAW filter 87—18458
Nevesely, M. The response of interdigital transducers to the incidence of nonhomogeneous surface acoustic wave 87—53854
Nevesely, M. Error caused by limiting a periodic signal 87—58832
Nevesely, M. The influence of the resistance of a SAW interdigital transducer's electrodes on its properties 87—60728
Nevesely, M. The insertion loss of acoustoelectronic SAW devices 87—60729
Nevesely, M. Synthesis of the planar filter with a nonlinear phase characteristic 87—66372
Nevesely, M. Acoustic surface wave sensors 87—70614
Nevesely, M. Synthesis of the planar filter using the frequency sampling method 88—26636
Nevesely, M., Sonsky, M. An intermediate-frequency filter of receivers for the reception of TV signals from satellites 85—18536
Nevesely, M., Sonsky, M. The design and constructional solution of an expansion-compression filter for the PLM10 phase manipulated signal with surface acoustic wave 88—25307
Nevesely, M. *see* Balaz, I. 87—12014
Neveu, C.F., Dyer, C.R., Chin, R.T. Object recognition using Hough pyramids 86—4024
Neveux, L. *see* Schweizer, P. 88—36028
Neveux, P.E., Jr., Hatton, W.H. Designing compression resistance in loose tube cables 88—22156
Nevezhin, A.P., Faidyuk, V.S. Wideband linear detector 88—50063
Nevezhin, Yu.V. *see* Trifonov, A.P. 88—8652
Nevgasimaya, S.B. *see* Katok, V.B. 85—11501
Neviere, M., Akhouayri, H., Vincent, P., Reinisch, R. Surface enhanced second harmonic generation in dielectric deposited over a silver grating 88—45552
Neviere, M., Reinisch, R., Maystre, D. Surface-enhanced second-harmonic generation at a silver grating: a numerical study 86—9967
Neviere, M. *see* Akhouayri, H. 88—72122
Neviere, M. *see* Reinisch, R. 85—56365
Neviere, M. *see* Vincent, P. 85—56791
Nevil, G.E., Jr., Davis, A.F. The potential of corrugated PVDF bimorphs for actuation and sensing 85—20612
Nevill, A.T. Existing and future service and short-circuit currents on the Ontario Hydro bulk transmission system 88—55068
Nevill, G.E., Patterson, R.W. Artificial touch—a new type of mechanical sensor 87—12009
Nevill, G.E., Jr., Schildwachter, E.F., Doty, K.L. Alternative skin geometries and materials for induced vibration touch sensors [robots development] 86—55720
Nevill, L.R. *see* Cloud, E.H. 87—59473, 87—59513, 87—73448, 88—6860
Neville, M.H. *see* Groves, J.O., Jr. 85—28347
Nevin, J.H. *see* Lin, J.-C. 86—41210, 86—67048, 88—56747
Nevin, J.H. *see* Parris, M.C. 85—7106
Nevin, J.H. *see* Samardar, M. 86—41088
Nevin, J.H. *see* Schubert, P.J. 85—58667
Nevin, R.L. Waveform trade-offs for medium PRF air-to-air radar 88—60269
Nevin, R.L., Hill, J.C. AN/APG-67 multimode radar performance evaluation 87—76869
Nevins, R. *see* Stoner, T. 87—48449
Nevins, R.C., Taylor, D.H. Testing for a long service life [optical waveguides] 85—41181
Nevirkovets, I.P., Rudenko, E.M. I-V characteristics of two-dimensional Josephson tunnel junctions containing many vortices 85—46083
Nevirkovets, I.P., Rudenko, E.M. Feasibility of a vortex transistor 86—48005
Nevirkovets, I.P., Rudenko, E.M., Ustinov, A.V. Boundary-condition control in a Josephson flux-flow oscillator 88—33575
Nevirkovets, I.P. *see* Rudenko, E.M. 85—7185
Nevis, B.E. *see* Graff, F.N., Jr. 86—10899
Nevis, E.A. Alteration of transmission characteristics of fused silica optical fibers by pulsed ultraviolet radiation 86—28858
Nevmerzhitskii, V.I. Signalling device of a minimum excitation-limiter 87—72018
Nevmerzhitskii, V.I. *see* Isakov, I.M. 87—39002, 87—46769
Nevolin, V.N. *see* Bykovskii, Yu.A. 85—40609
Nevolin, V.S. *see* Budenkov, G.A. 86—20134
Nevol'ko, M.P. *see* Sil'vestrov, S.D. 88—9672
Nevorov, V.P. *see* Maronchuk, Yu.E. 86—34315
Nevrekar, P. Microwave assisted curing: a rapid thermal treatment process with improved reliability 87—10223
Nevrekar, P. *see* Zahedi, N. 88—1265
Nevrekar, P.V., Zahedi, N. Comparison of microwave assisted and conventional epoxy/polyimide curing 88—1196
Nevrev, A.I. *see* Abramovich, Yu.I. 85—36047, 85—51619, 88—21190
Nevries, K.-B., Pestka, J. New findings on the treatment of flicker problems using the UIE IEC flicker measuring system 86—38469
Nevries, K.-B., Pestka, J. Evaluating the flickering effect of voltage fluctuations in public supply networks and the resulting permissible disturbances of individual customer facilities 87—50765
Nevries, K.-B., Pestka, J. Comments on S. Kohle's paper 'assessment of flicker according to its disturbance effect' 88—23260
Nevriva, M. Crystal growth of $Y_3Mn_xFe_{5-x}O_{12}$ garnets from PbO/B_2O_3 based melts 87—73042
Nevriva, M., Novak, R., Cermak, J. Bi and Pb segregation in Bi-substituted YIG systems 85—49555
Nevriva, M., Simsova, J., Pollert, E., Cermak, J. The growth of multicomponent Sm, Lu, Ca, and Ge-substituted YIG bulk crystals 86—393
Nevriva, M. *see* Carmak, J. 85—29432
Nevriva, M. *see* Cermak, J. 85—10722, 85—24107
Nevskaya, G.E., Rubtsov, A.E. Monitoring of dielectric films by means of nematic liquid crystals 88—6566
Nevskii, M.V. *see* Bashilov, I.P. 87—63963
Nevskii, Yu.E. *see* Mastikhin, V.M. 87—74891
Nevsky, P. *see* Bobkov, S. 85—15181
Nevsky, P.L. *see* Barabash, L.S. 85—52969
Nevsorova, L.N. *see* Bogdankevich, O.V. 87—3756
Nevzorov, A.N., Zarif'yants, Yu.A., Abramov, V.O., Drozd, V.E. A study of the parameters of traps in amorphous hydrogenated silicon using the volt-farad characteristics 85—45402
Nevzorov, A.N. *see* Kozlov, S.N. 88—71368
Nevzorov, V.B. *see* Grudanov, N.B. 87—53445, 87—53449
New, B.J. DSP building blocks allow resource optimization 85—31433
New, B.J. *see* Chu, P. 85—6343, 85—12398, 85—40117, 85—54919
New, G.H.C. Frontiers of femtosecond laser technology 85—46351
New, G.H.C. *see* Catherall, J.M. 87—7238
New, G.H.C. *see* Gomes, A.S.L. 86—53988, 87—2228, 87—54406
New, G.H.C. *see* Love, D.J. 86—68271
New, G.H.C. *see* Smith, K. 86—48366
New, G.H.C. *see* Zenteno, L.A. 86—63739
New, M. PC-based test equipment 88—29215
New, M. *see* Arneaud-Clarke, J.M. 85—9785
New, R. *see* White, I.G. 85—39118, 85—60330
Newberg, I.L., Gee, C.M., Thurmond, G.D., Yen, H.W. Radar applications of *X*-band fiber optic links 88—73956
Newberg, I.L. *see* Gee, C.M. 87—8325, 87—49083, 88—67373, 88—73867
Newberry, T.W., Jones, G. A project definition for demonstrating a modular high temperature gas-cooled reactor 87—71899
Newbery, P.G. The long-standing advantages of fuses 85—32637
Newbery, P.G. Fuses in electrical installations 86—58107
Newbery, P.G. A fuse update for semiconductor protection 87—45364
Newbery, P.G. Fuses for electricity supply authorities 87—64211
Newbery, P.G. *see* Howe, A.F. 86—45619, 86—67565
Newborough, M., Batty, W.J., Probert, S.D. Design improvements for the ubiquitous electric toaster 87—64981
Newborough, M., Probert, S.D. Enhancing the heat-transfer performances of conventional open-topped closed-sided toasters 88—37771
Newborough, M. *see* Probert, D. 86—26433
Newbould, A. *see* Farquhar, D. 85—65000
Newbould, A. *see* Kwong, W.S. 85—64973
Newbower, R.S., Trautman, E.D. Sensor for catheter-based measurements of electrical conductivity 86—44627
Newbower, R.S. *see* Gordon, V.L. 88—29947
Newburn, R.L., Jr. Halley armada report 87—29879
Newbury, N. *see* Brown, F. 87—29116
Newbury, P. Infra-red reflow technologies: a technical review with a practical outlook 88—31488
Newbury, R. *see* Powell, T.G. 85—50301, 86—53669
Newbury, R.A. Minimum switches and connection procedure for eight telephone lines 86—30076
Newbury, R.A. Minimum switches for varying connections on eight telephone lines 88—59359
Newbury, R.A., Raby, P.S. Switch reduction in small telephone systems 86—23605
Newby, D., Lance, J.R. Westinghouse phosphoric acid fuel cell program 86—61734
Newby, K. *see* Andrade, J.D. 85—58662
Newby, M. Properties of moment estimators for the 3-parameter Weibull distribution 85—16851
Newby, M. Applications of concepts of ageing in reliability data analysis 86—34099
Newby, M. Accelerated failure time models for reliability data analysis 88—31560
Newby, M.J. A statistical model of the failure of motorway lamps 85—10209
Newby, M.L. *see* Freeman, R.D. 87—6837
Newby, P., Wood, R. The effects of nonlinear distortion on Class IV partial response 87—32867
Newby, P.S. SNR of NRZ receivers for the magnetic channel 88—52438
Newcom, C.C. *see* Boyer, W.B. 87—21317
Newcomb, G.R. *see* Bock, L.E. 86—71032
Newcomb, R., El-Leithy, N., Rodellar, V., Gomez, P., Cordoba, M. Computable minimum lattice-like ARMA synthesis 88—56666
Newcomb, R.W. Design of a torus knot oscillator 86—819
Newcomb, R.W. Nonlinear description of an MOS universal circuit 87—65781
Newcomb, R.W., El-Leithy, N. A binary hysteresis chaos generator 85—17188
Newcomb, R.W., El-Leithy, N. Chaos using hysteretic circuits 86—66980
Newcomb, R.W., El-Leithy, N. Chaos generation using binary hysteresis 87—10543
Newcomb, R.W., Liu, S.T. A voltage tunable active-*R* filter 85—17654
Newcomb, R.W., Zaki, K. MOS voltage controlled DTA for Fukahori realizations 86—795
Newcomb, R.W. *see* Ajmera, R.C. 85—30456
Newcomb, R.W. *see* Alayan, H. 87—58798
Newcomb, R.W. *see* Chande, A.M. 86—12110, 86—50676
Newcomb, R.W. *see* Dziurla, B. 85—49710, 88—38360
Newcomb, R.W. *see* El-Leithy, N. 88—57819
Newcomb, R.W. *see* Liu, S.-T. 85—55009
Newcomb, R.W. *see* Rassai, R. 86—57714, 86—66900, 88—32041
Newcomb, R.W. *see* Rodellar, V. 86—50601, 87—7764
Newcomb, R.W. *see* Zaghloul, M.E. 86—67434
Newcomb, S.B., Stobbs, W.M. Growth defects in the chloride and MOCVD VPE of lattice matched layers of $Ga_{0.47}In_{0.53}As$ on InP 86—62226
Newcombe, C. Using DMMs to analyze power line conditioning devices 88—48617
Newcombe, C. *see* Tak Tsang 85—14838
Newcombe, C.B. Integrating intelligence into instrumentation to enhance capability 85—26211
Newcombe, C.B., Galleni, S. Intelligent instrumentation: limits and potential 85—47812
Newcombe, L.A., Sitch, J.E. Reactive nonlinearities in transmission-line models 85—28329
Newdome, T.P., Gibson, C.A. Modeling of blending/transloading facilities for use in optimal fuel scheduling [coal] 86—18922

Newell, A. Automatic video conforming 88—41875
Newell, A.C. Error analysis techniques for planar near-field measurements 88—72658
Newell, A.C. Improved polarization measurements using a modified three-antenna technique 88—72664
Newell, A.C., Francis, M.H., Kremer, D.R., Grimm, K.R. Results of planar near field testing with ultralow sidelobe antennas 86—48672
Newell, A.C., Stubenrauch, C.F. The effect of random errors in planar near-field measurements 87—26941
Newell, A.C., Stubenrauch, C.F. Effect of random errors in planar near-field measurement 88—72659
Newell, A.C., Stubenrauch, C.F., Baird, R.C. Calibration of microwave antenna gain standards 86—36808
Newell, A.C., Ward, R.D., McFarlane, E.J. Gain and power parameter measurements using planar near-field techniques 88—74576
Newell, A.C. *see* Aceves, A. 88—33738
Newell, A.C. *see* Adachihara, H. 88—27296
Newell, A.C. *see* Baird, R.C. 88—72654
Newell, A.C. *see* Lewis, R.L. 88—72666
Newell, A.C. *see* McLaughlin, D.W. 85—35886
Newell, A.C. *see* Quarzeddini, A. 88—72407
Newell, A.C. *see* Repjar, A.G. 88—72665
Newell, A.F. Communicating via speech—the able bodied and the disabled 86—48833
Newell, A.F. Simulation as a tool for the system design aspects of speech recognition machines 86—48855
Newell, A.F. Speech communication technology—lessons from the disabled 87—7679
Newell, A.F. Computer based communication systems—the future [speech impaired aids] 88—54664
Newell, A.F. *see* Downton, A.C. 86—30326
Newell, A.F. *see* Swiffin, A.L. 86—25271
Newell, C. Time to face fax 86—10710
Newell, C. Practical fax 86—16850
Newell, C. Paging today 86—37323
Newell, C. Telecomms in the legal profession [facsimile] 87—48502
Newell, C. Data over cellular 88—3856
Newell, C., Francis, C., Tucker, O. Fax and telex in new technology management 87—27903
Newell, D.E. *see* Nemes, S.M. 86—52711
Newell, E. Extrusion crossheads: furthering the state of the art 85—11621
Newell, E. *see* Culham, E.G. 86—60826
Newell, G.W. Biological effects of electromagnetic fields: an update 86—60841
Newell, J. Detection of long term weather modifications [using ERS-1 satellite] 85—15435
Newell, J.A. ISDN networks for business applications 86—64486
Newell, J.A., Landy, L.D. Business applications of ISDN 87—40203
Newell, J.A., Landy, L.D. ISDN for MIS applications 88—15212
Newell, J.A., Landy, L.D., Haensly, J.P. Applications of ISDN 88—21794
Newell, J.A., Landy, L.D., Miller, J.A. The role of customer premises equipment in ISDN 87—76175
Newell, J.A. *see* Kaufield, J.C. 88—46337
Newell, J.A. *see* Neigh, J.L. 88—67134
Newell, J.C., Solymar, L., Ward, A.A. Holograms in dichromated gelatin: real-time effects 86—22537
Newell, J.C. *see* Chapman, F.W. 86—25305
Newell, J.C. *see* Gisser, D.G. 87—50311
Newell, J.C. *see* Smith, D.G. 86—11927
Newell, J.C.W. 8-digit hexadecimal display for Z80 85—827
Newell, J.C.W. *see* Ward, A.A. 87—12612
Newell, J.D. *see* Ovitt, T.W. 87—21540
Newell, J.E. Human factors in the attainment of quality and safety in design 87—64257
Newell, J.F. *see* Martin, R.N. 86—26212
Newell, R.J., Risan, M.D., Allen, L., Rao, K.S., Stuehm, D.L. Utility experience with coherence-based dynamic equivalents of very large systems 86—18642
Newell, T.E. *see* Enthoven, J.H. 88—5092
Newell, V.J., Rose, T.S., Fayer, M.D. Surface quenching of optically generated carriers in thin-film hydrogenated amorphous silicon: picosecond transient-grating experiments 86—21156
Newell, W.R. *see* Mason, N.J. 87—11276
Newett, S. *see* Battaiotto, P. 88—60996
Newey, C. A case study approach to the teaching of materials 87—58570
Newey, J. The Matracom 6500 product range 88—46652
Newey, S.F. Progress report on Heysham 2 power station 86—18999
Newham, P. A high efficiency splashplate feed for small reflector antennas 85—41725
Newham, P. A wideband hybrid mode conical horn 87—27015
Newham, P. Monolithic patch array antenna for small missile applications 87—47400
Newhard, W. *see* Tickle, A. 85—45027
Newhardt, R.E. *see* Parent, R.M. 87—59482
Newhart, D.W. Inequivalent cyclic codes of prime length 87—12903
Newhart, D.W. On minimum weight codewords in QR codes 88—45906
Newhart, M. Power supplies for CRTs show some new trends, diverse features 87—9642
Newhart, M. Focus on DC-DC converters 87—9643
Newhart, M. Military power supplies look to escape customization trap 87—23895
Newhouse, M. *see* Wolf, M. 86—1691, 88—37550
Newhouse, M.A., Wolf, M. Advanced techniques for the measurement of recombination and transport parameters throughout solar cells 87—30967
Newhouse, V.L. A tracking impedance measurement system for control of tunable networks 87—21206
Newhouse, V.L., Karpur, P., Rose, J.L., Amir, I. A new technique for clutter reduction in ultrasonic imaging 87—375
Newhouse, V.L., Yu, G.Y., Li, Y. Scatterer volume density estimation with split spectrum processing 88—59180
Newhouse, V.L. *see* Chapelon, J.Y. 88—61714
Newhouse, V.L. *see* Karpur, P. 88—56354
Newhouse, V.L. *see* Rose, J.L. 88—24841
Newhouse, V.L. *see* Shankar, P.M. 86—5931, 87—15117
Newiger, H., Jordan, K. Optimization of collimators for imaging positron emitters by a gamma camera 86—60728
Newill, R.E. *see* Rajurkar, K.P. 86—50942
Newkirk, D. Repair of Salyut 7 88—36586
Newkirk, D.C., Ringwood, S.R. A hardware-independent testing environment for 5ESS switching system software 85—42383
Newkirk, G.L. *see* McDowell, A.W. 85—722
Newkirk, H.W. *see* Shinn, M.D. 87—7308
Newkirk, J. Fault simulation in the CAE era 87—37129
Newkirk, J. *see* Mott, G. 87—10208
Newkirk, J.A. A perspective on combining general-purpose and point acceleration 86—66953
Newkirk, J.A. *see* Chen, H.H. 85—33817, 86—47834
Newkirk, J.A. *see* Wolf, W.H. 88—50935
Newkirk, J.W. *see* Burk, D.E. 87—11720
Newkirk, M. *see* Liu, J.M. 87—46852
Newkirk, M.A., Vahala, K.J. Parasitic-free measurement of the fundamental frequency response of a semiconductor laser by active-layer photomixing 88—40196
Newkirk, R. *see* Wang, F. 87—77128, 88—10517
Newland, D.J. *see* Peckinpaugh, C.L. 86—61299
Newland, R.D., Brown, A.C. An experimental satellite switch for the maritime mobile telex service 85—47458
Newlands, D.A. *see* Horan, P. 88—26470
Newlin, W.R. The legal perspective on public offerings 86—26684
Newman, A.F. *see* Holmes, A.J.T. 87—8820
Newman, A.F. *see* McAdams, R. 88—4772
Newman, A.L. Self-injurious behavior inhibiting system 85—20942
Newman, A.L. Development of medical electronic devices in the APL Space Department 85—53004
Newman, A.L., Riblet, H. Convert square waves to sine waves 85—34116
Newman, A.L. *see* Prakash, R. 86—4004
Newman, B. An ISDN data and voice terminal based on a personal computer 86—54745
Newman, B., McFarland, C. Why ISDN? 88—35220
Newman, B. *see* Chatterley, J. 87—33973
Newman, B.A. *see* Brooks, F.M. 86—54705
Newman, B.A. *see* Fuhrer, P.T. 86—10902
Newman, B.B., Hildebrandt, J. Blind image restoration 88—14749
Newman, B.D. *see* Woodhall, B.W. 88—13592
Newman, B.E. *see* Goldstein, J.C. 88—45481
Newman, B.E. *see* Bennett, H.E. *(editor)* 85—5656, 86—52151
Newman, B.G. Multiple actuator-disc theory for wind turbines 87—15620
Newman, C. After the Big Bang [communications for financial services] 86—30352
Newman, C. Coping with congestion 86—59786
Newman, C. EDI in search of a critical mass [electronic document interchange] 87—28042
Newman, C. Multimedia conferencing & functional components 87—40287
Newman, C. Analogue CAE tools catching up 87—60538
Newman, C., Gilliver, B. Thermal analysis in electronic packaging 88—70141
Newman, C. *(editor)* Buckley's guide to office automation 86—49156
Newman, D. Local and long distance computer networking for science classrooms 87—65100
Newman, D., Canas, A.A.D., Dainty, J.C. Space-time photon correlation using a 2-D photon event detector 86—24528
Newman, D. *see* Dainty, J.C. 85—57426
Newman, D. *see* Kelly, S. 88—53390
Newman, D.A. *see* Burkhalter, P.G. 86—22299
Newman, D.B., Jr Land mobile satellite service: UHF band 86—59788
Newman, D.B., Jr. FCC: deregulating land mobile radio modulation 86—64882
Newman, D.B., Jr. Land mobile satellite service. II. L band 86—64897
Newman, D.B., Jr. Communications and the law—FCC authorizes spread spectrum 86—69577
Newman, D.B., Jr. The age of intellectual property 87—33874
Newman, D.B., Jr. Impact of integrated services digital network on satellite communications 87—55566
Newman, D.B., Jr., Omura, J.K., Pickholtz, R.L. Public key management for network security 87—47503
Newman, D.B., Jr., Pickholtz, R.L. Cryptography in the private sector 87—2426
Newman, D.B., Jr. *see* Schilling, D.L. 88—21096
Newman, D.E. *see* Chiu, S.C. 88—47902
Newman, D.H. GaAs optoelectronic devices 86—9648
Newman, D.H., Ritchie, S. Sources and detectors for optical fibre communications applications: the first 20 years 86—55296
Newman, D.J. A simplified version of the fast algorithms of Brent and Salamin 85—39666
Newman, D.J. *see* Byrnes, J.S. 88—45784
Newman, D.M. *see* Carey, R. 86—15336, 86—15530
Newman, D.R. *see* Wade, C.S. 86—60948
Newman, D.S. A fully observable VLSI chipset for FDDI 88—35554
Newman, E.E. *see* Mickel, L.S. 88—61520
Newman, E.H. TM scattering by a dielectric cylinder in the presence of a half-plane 85—56992
Newman, E.H. TM and TE scattering by a dielectric/ferrite cylinder in the presence of a half-plane 86—63943
Newman, E.H. The equivalent separation(s) for the self-impedance of thin strips 87—47283
Newman, E.H. The fields of a traveling wave line source in the vicinity of a half-plane 87—75301
Newman, E.H. An overview of the hybrid MM/Green's function method in electromagnetics 88—45676
Newman, E.H. Simple examples of the method of moments in electromagnetics 88—72468
Newman, E.H., Alexandropoulos, P., Walton, E.K. Polygonal plate modeling of realistic structures 85—3484
Newman, E.H., Birchmeier, J.R., Shubert, K.A. Remote detection of a thin slit in a thick ground plane 87—47141
Newman, E.H., Blanchard, J.L. TM scattering by an impedance sheet extension of a parabolic cylinder 88—66030
Newman, E.H., Forrai, D. Scattering from a microstrip patch 87—54690
Newman, E.H., Schrote, M.R. An open surface integral formulation for electromagnetic scattering by material plates 85—2522
Newman, E.H., Tehan, J.E. Analysis of a microstrip array and feed network 85—41694
Newman, E.M., Milligan, V.R. A survivable low-profile VHF monopole 86—43045
Newman, E.M., Ruskowski, C.M. Cylindrical lens array for wideband electronic scanning 86—43084
Newman, G. Speed governing and voltage control for small isolated plants 88—69203
Newman, G.H. *see* Hawke, R.S. 87—26680, 88—40505
Newman, G.I. *see* Anderson, M.R. 88—24483
Newman, H.C. Surgical lasers in veterinary medicine 88—16773
Newman, H.S., Kirchoefer, S.W. Electronic properties of symmetric and asymmetric quantum-well electron barrier diodes 87—67204
Newman, H.S. *see* Kirchoefer, S.W. 85—40682, 86—63247, 88—50657
Newman, H.S. *see* Moore, W.J. 86—5313
Newman, J. Mail by Modem 86—17094
Newman, J., Harvey, S. Contracts made by electronic mail: legal issues, technology and services 85—25365
Newman, J. *see* Bernardi, D. 85—39167
Newman, J. *see* Harvey, S. 88—35010
Newman, J. *see* Jackson, C.M. 87—68870
Newman, J. *see* Orazem, M.E. 85—23391, 85—27592 to 27594, 85—32670
Newman, J. *see* Van Zee, J. 85—28197
Newman, J.B. *see* Yoerger, D.R. 86—65561
Newman, J.H. *see* Gao, R.S. 85—20830
Newman, J.L., Syed, V.H. Optical implementation of a least mean-square adaptive filter 85—7298
Newman, J.N. Approximations for the Bessel and Struve functions 85—22372
Newman, J.W. Holographic inspection of composites 87—19100
Newman, L.A., Hart, R.A. Recent R&D advances in sealed-off CO_2 lasers 87—74986
Newman, L.A., Hart, R.A. Technology trends in low- to medium-power CO_2 lasers 88—20570
Newman, L.A., Hart, R.A., Kennedy, J.T., Cantor, A.J., DeMaria, A.J., Bridges, W.B. High power coupled CO_2 waveguide laser array 86—63750
Newman, L.A. *see* Hart, R.A. 88—1964
Newman, L.S., Kun I. Park Design testing for ISDN—the challenge and the response 87—40253

Newman, L.S., Turman, E.G. Public packet switching networks for the BOCs technical requirements 85−42119
Newman, L.Stagg *see* Stagg Newman, L.
Newman, M. Multi-component analysis aids control accuracy 85−31621
Newman, M. *see* Stansfield, E.V. 87−55015
Newman, M.A. *see* House, H. 86−31487
Newman, M.D. Modular systems fill rural needs [E911 emergency telephone] 88−34998
Newman, N., Chin, K.K., Petro, W.G., Kendelewicz, T., Williams, M.D., McCants, C.E., Spicer, W.E. Annealing of intimate Ag, Al, and Au-GaAs Schottky barriers 85−55562
Newman, N., Kendelewicz, T., Bowman, L., Spicer, W.E. Electrical study of Schottky barrier heights on atomically clean and air-exposed *n*-InP(110) surfaces 85−55550
Newman, N., Kendelewicz, T., Thomson, D., Pan, S.H., Eglash, S.J., Spicer, W.E. Schottky barriers on atomically clean cleaved GaAs 85−45458
Newman, N., Liliental-Weber, Z., Weber, E.R., Washburn, J., Spicer, W.E. Schottky barrier instabilities due to contamination 88−64494
Newman, N., Petro, W.G., Kendelewicz, T., Pan, S.H., Eglash, S.J., Spicer, W.E. Annealing of intimate Au-GaAs Schottky barriers: Thick and ultrathin metal films 85−29041
Newman, N., Spicer, W.E., Kendelewicz, T., Lindau, I. On the Fermi level pinning behavior of metal/III-V semiconductor interfaces 87−1295
Newman, N., Spicer, W.E., Weber, E.R. Mechanism for annealing-induced changes in the electrical characteristics of Al/GaAs and Al/InP Schottky contacts 88−13012
Newman, N., van Schilfgaarde, M., Kendelewicz, T., Spicer, W.E. Electrical study of Schottky barriers on cleaved InP and GaAs (110) surfaces 87−11451
Newman, N., van Schilfgaarde, M., Kendelwicz, T., Williams, M.D., Spicer, W.E. Electrical study of Schottky barriers on atomically clean GaAs(110) surfaces 86−35644
Newman, N. *see* Eglash, S.J. 85−1395, 87−60406
Newman, N. *see* Kendelewicz, T. 86−1811
Newman, N. *see* Liliental-Weber, Z. 87−1293, 87−11448, 87−24912
Newman, N. *see* Lindau, I. 86−21250
Newman, N. *see* McCants, C.E. 88−64322
Newman, N. *see* Miret, A. 88−44738
Newman, N. *see* Pan Shihong 85−50264
Newman, N. *see* Spicer, W.E. 85−1394, 86−1805
Newman, N. *see* Williams, M.D. 85−55560, 86−1810
Newman, N.K. *see* Audoux, M.S. 87−48638
Newman, P. Information networks: present and future 85−57785
Newman, P. Amateur radio computing 86−69583
Newman, P. Amateur radio computing 87−8159
Newman, P. A broad-band packet switch for multi-service communications 88−52635
Newman, P. Computing corner [amateur radio computing] 88−59998
Newman, P. *see* Anderson, G. 86−44133
Newman, P. *see* Statz, H. 87−38279
Newman, P.C. The growth of the semicustom IC industry and the contribution of the UK 85−7002
Newman, P.C. The UK's position within worldwide activities in semi-custom ICs 85−23910
Newman, P.C. *see* Pyne, A.E. 86−2352
Newman, P.F., Hirsch, M.J., Holcomb, D.F. A calibration curve for room-temperature resistivity versus donor atom concentration in Si:As 86−14844
Newman, P.F. *see* Chen, W.T. 88−19239
Newman, P.F. *see* Namordi, M.R. 86−8196, 86−27407
Newman, P.G. *see* Cho, N.M. 88−57670
Newman, P.G. *see* Madhukar, A. 85−54439, 86−447
Newman, P.R. *see* Bajaj, J. 88−64340
Newman, P.R. *see* Stapp, R.S. 88−51673
Newman, R. Trimmer capacitors help ease circuit manipulation 85−45260
Newman, R. Introduction of ISDN into the BT network 86−59462
Newman, R. The evolution of British Telecom's ISDN 87−34320
Newman, R. *see* Cole, R.C. 88−56228
Newman, R. *see* Hoskins, J.K. 85−63947
Newman, R.C. *see* Hope, D.A.O. 86−1709
Newman, R.C. *see* Maguire, J. 87−38062
Newman, R.C. *see* Messoloras, S. 88−64376
Newman, R.G. *see* Vojnovic, B. 88−4913
Newman, R.M., Budrikis, Z.L., Hulett, J.L. The QPSX MAN 88−52855
Newman, R.M., Hullet, J.L. Distributed queueing: a fast and efficient packet access protocol for QPSX 87−48827
Newman, R.M. *see* Budrikis, Z.L. 87−48826
Newman, S. *see* Bryant, P. *(editor)* 85−37849
Newman, T.E. *see* Dragoni, J.A. 87−76162
Newman, T.E. *see* Murphy, J.W. 87−40197
Newman, T.H., Pease, R.F.W. Retarding field optics for practical electron beam lithography 85−1438
Newman, T.H., Williams, K.E., Pease, R.F.W. High resolution patterning system with a single bore objective lens 87−38381
Newman, W. *see* Bowen, N. 85−1238
Newman, W. *see* Clarke, J.R. 88−66174
Newman, W. *see* Harter, W. 85−14941
Newman, W.H., Rauchfuss, J.E. Hardening of commercial CMOS PROMs with polysilicon fusible links 86−34785
Newman, W.I. The maximum entropy method: the problem of missing data 88−34547
Newman, W.S. Design optimization of a high speed scanner motor for an infrared imaging device 87−30646
Newman, W.S. Nonlinear normalization of magnetic structures with applications to computer aided design of stepper motors 87−30699
Newman-Holmes, C. *see* Bedeschi, F. 88−48021
Newman-Holmes, C. *see* Foster, G.W. 88−54404
Newman-Holmes, C. *see* Snider, F. 88−48022
Newman-Wolfe, R. A partitioning problem arising in the design of small universal emulators 87−40056
Newman-Wolfe, R. *see* Chow, Y.C. 88−53226
Newman-Wolfe, R. *see* McLochlin, C. 88−3957, 88−22039
Newmann, C. *see* Konig, D. 86−39984
Newmann, P., Sawatzky, J. Communication systems in automation. I 88−67009
Newmark, R. Simulation and training technology for the year 2001 87−43826
Newmaster, J.T., Brininstool, M.R., Hofler, T., Garrett, S.L. Channel reduction schemes for fiber-optic angle encoders 88−42110
Newmaster, J.T., Brininstool, M.R., Hofler, T., Garrett, S.L. Remote fiber optic sensors for angular orientation 88−42126
Newnam, B.E. Evolution of free-electron laser development 87−46927
Newnam, B.E. Extension of free-electron lasers into the extreme ultraviolet 88−58594
Newnam, B.E., Goldstein, J.C., Fraser, J.S., Copper, R.K. A linac-driven XUV free-electron laser 85−2181
Newnam, B.E., Warren, R.W., Sheffield, R.L., Goldstein, J.C., Brau, C.A. The Los Alamos free electron laser oscillator: optical performance 85−56699
Newnam, B.E., Warren, R.W., Sheffield, R.L., Stein, W.E., Lynch, M.T., Fraser, J.S., Goldstein, J.C., Sollid, J.E., Swann, T.A., Watson, J.M., Brau, C.A. Optical performance of the Los Alamos free-electron laser 86−3198
Newnam, B.E. *see* Feldman, D.W. 88−2285
Newnam, B.E. *see* Foltyn, S.R. 85−7499
Newnam, B.E. *see* Goldstein, J.C. 85−7463, 87−2138, 87−12512, 87−26447
Newnam, B.E. *see* Warren, R.W. 86−3199, 87−2140, 87−75135
Newnam, B.E. *see* Bennet, H.E. *(editor)* 87−51745
Newnham, J.A. Coating problems in aerospace fasteners 86−13469
Newnham, R. *see* Hu, K.A. 87−73801
Newnham, R.E. Composite electroceramics 87−11976
Newnham, R.E. Transducers, sensors, and actuators 87−12017
Newnham, R.E., Safari, A., Giniewicz, J., Fox, B.H. Composite piezoelectric sensors 85−12457
Newnham, R.E., Safari, A., Sa-gong, G., Giniewicz, J. Flexible composite piezoelectric sensors 86−2473
Newnham, R.E. *see* Bahn, W.A. 87−11084
Newnham, R.E. *see* Bhalla, A.S. 86−53879
Newnham, R.E. *see* Carlson, W.B. 87−53844
Newnham, R.E. *see* DaVanzo, S. 87−38593
Newnham, R.E. *see* Giniewicz, J.R. 87−53789, 87−60703
Newnham, R.E. *see* Gururaja, T.R. 86−2467 to 2468, 86−2476, 86−2478, 86−50562, 87−67630
Newnham, R.E. *see* Hiremath, B.V. 88−26363, 88−71142
Newnham, R.E. *see* Hu, K.A. 86−67517, 87−1009, 87−37591
Newnham, R.E. *see* Lee, Y.H. 87−52215
Newnham, R.E. *see* Madhavan, C. 88−61323
Newnham, R.E. *see* Moffatt, D. 87−52894
Newnham, R.E. *see* Nies, C.W. 88−52241
Newnham, R.E. *see* Pilgrim, S.M. 87−53788
Newnham, R.E. *see* Sa-Gong, G. 87−53785
Newnham, R.E. *see* Safari, A. 87−38619, 87−53772, 87−53787
Newnham, R.E. *see* Semple, A.E. 87−38620
Newnham, R.E. *see* Skeele, F.P. 88−57012
Newnham, R.E. *see* Trolier, S. 87−53818, 87−74477
Newnham, R.E. *see* Xu, Q.C. 88−56360
Newnham, R.E. *see* Ylo, E.E., III 87−53795
Newnham, S. *see* Johns, R.A. 88−62221
Newport, B.L. Improved photoresist technology available in Europe 88−64082
Newport, C. Designing microwave circuits using thick-film technology 85−11556
Newport, C. *see* Ramsey, W.T. 86−47058
Newport, J.R. A generic, high fidelity, real-time dynamics simulation 85−9274
Newport, K.T., Schroeder, M.A. Network survivability through connectivity optimization 88−3298
Newport, K.T. *see* Schroeder, M.A. 88−23232
Newport, R.L., Nelson, D.J., Manfred, M.T. Digital fuel quantity indicating system for aircraft 86−18433
Newport, R.W. The James Clerk Maxwell Telescope 86−55398
Newsam, G. *see* Barakat, R. 85−2541
Newsam, J.M. *see* Bradley, K.F. 88−61198
Newshutz, R.N. *see* George, S.L. 85−44985
Newsom, C.R. *see* Arignon, M. 85−48171
Newsom, C.R. *see* Bystricky, J. 86−5671
Newsom, T. A flexible approach to computer-aided testing (CAT) and data collection 85−11729
Newsom, T. ATE access to the CAD database 85−11765
Newsom, T. CAD/CAE [for PCBs] 86−8567
Newsom, T.N. Application of CAD data for automatic testing purposes 85−3847
Newsom, T.N. Capturing computer-aided design data for ATE−a flexible approach [PCB design and testing] 85−61529
Newsome, D.H. *see* Collier, C.G. 88−53335
Newsome, J.P. *see* Waters, A. 85−22995
Newsome, M.J. Improved IC input protection 85−45201
Newsome, V. *see* Boser, O. 88−19430
Newson, C.R. Merlin Voice Mail VM600 85−42156
Newson, D.J., Berggren, K.-F. Magnetic depopulation of 1D and 2D subbands in semiconductor structures 88−20004
Newson, D.J., Berggren, K.-F., Pepper, M., Myron, H.W., Davies, G.J., Scott, E.G. Magnetic depopulation of sub-bands in $In_{0.53}Ga_{0.47}As/In_{0.52}Al_{0.48}As$ heterojunctions 86−67724
Newson, D.J., Kurobe, A. Effect of residual doping on optimum structure of multiquantum-well optical modulators 87−47466
Newson, D.J., Kurobe, A. The effect of conduction band non-parabolicity on inter-sub-band absorption in doped quantum wells 88−64299
Newson, D.J., McFadden, C.M., Pepper, M. Quantum corrections and the metal-insulator transition as a function of dimensionality in the GaAs impurity band 86−1817
Newson, D.J., Pepper, M. Parallel magnetoresistance and phase relaxation length and the three-dimensional to two-dimensional transition of electronic transport in a GaAs MESFET 86−53672
Newson, D.J., Pepper, M., Thornton, T.J. Quantum interference and dimensionality in semiconductor structures 88−25947
Newson, D.J. *see* Berggren, K.-F. 87−6732, 87−25308
Newson, D.J. *see* Davies, R.A. 87−24860
Newson, T.P. *see* Bader, D.L. 86−32372
Newson, T.P. *see* Farahi, F. 88−42119, 88−53706
Newson, T.P. *see* Gerges, A.S. 88−4354, 88−47540, 88−67828
Newson, T.P. *see* Martin, M.J. 88−23040
Newstead, D.A. *see* Taylor, J.S.G. 88−12047
Newstead, M.A., Pettipher, R. Knowledge acquisition for expert systems 87−1066
Newstead, S.M., Kubiak, R.A.A., Parker, E.H.C. The use of sliding metal electrical contacts in UHV 85−28889
Newstead, S.M., Kubiak, R.A.A., Parker, E.H.C. On the practical applications of MBE surface phase diagrams 87−36707
Newstead, S.M. *see* Kubiak, R.A.A. 87−37862
Newstead, T. ISDN: a solution in search of a problem? 87−2751
Newsted, P.R., Sheehan, B.S., Licker, P.S. A value-added model of computer-aided communication (CAC) 88−53058
Newsted, P.R. *see* Licker, P.S. 88−28295
Newstein, M. The spontaneous emission factor for lasers with gain induced waveguiding 85−12867
Newstein, M., Eichen, E., Melman, P., Nelson, W.H. Linewidth reduction of semiconductor lasers using feedback current proportional to terminal voltage fluctuations 88−8212
Newstein, M. *see* Arnaud, J. 85−62626
Newstrom, K.O. *see* Liu, S.T. 86−21868
Newswanger, C., Outwater, C. Large format holographic stereograms and their applications 86−3376
Newswanger, C., Outwater, C., Coons, D. Holographic stereograms from computer generated images 88−40373
Newton, A.D. *see* Gay, M.J. 85−37265
Newton, A.R. Design and implementation of database management systems for VLSI design 86−2432
Newton, A.R. Electronic design interchange format−introduction to (EDIF Version 2 0 0) 87−59401
Newton, A.R. Symbolic layout and procedural design 88−7690

Newton, A.R. Design representation and design management for electronic systems 88–44023
Newton, A.R., Sangiovanni-Vincetelli, A.L. Relaxation-based electrical simulation 85–1618
Newton, A.R., Sangiovanni-Vincentelli, A.L. Computer-aided design for VLSI circuits 86–47639
Newton, A.R., Sangiovanni-Vincentelli, A.L. CAD tools for ASIC design 87–67346
Newton, A.R. *see* Burns, J.L. 87–1645, 88–20076
Newton, A.R. *see* De Micheli, G. 86–34734
Newton, A.R. *see* Deutsch, J.T. 85–519, 85–28310
Newton, A.R. *see* Devadas, A.R. 88–25173
Newton, A.R. *see* Devadas, S. 87–6916, 87–38557, 87–65983, 88–12310, 88–25129, 88–50114, 88–63648
Newton, A.R. *see* Harrison, D.S. 87–38443
Newton, A.R. *see* Hofmann, M. 86–58622
Newton, A.R. *see* Hwang, S.H. 87–6910, 88–25155
Newton, A.R. *see* Jacob, G.K. 86–66929, 87–5614
Newton, A.R. *see* Kim, Y.H. 85–40054
Newton, A.R. *see* Lin, B. 87–67061
Newton, A.R. *see* Lob, C. 86–667
Newton, A.R. *see* Saleh, R.A. 87–65744
Newton, A.R. *see* Sequin, C.H. 88–7712
Newton, A.R. *see* Spickelmier, R.L. 86–27019
Newton, A.R. *see* White, J. 86–40858
Newton, B.H., Dadds, A.F., Nugent, D.M., Body, D.H. A sensitive K-band receiver for ESM applications 87–41013
Newton, B.P. *see* Kettle, L.J. 87–37081
Newton, C.G. *see* Bush, D.R. 85–30052
Newton, D., Tziviskos, G. High density packaging–exploring the limits of mechanical achievability 88–70551
Newton, D. *see* Ahronowitz, D. 86–20299
Newton, D. *see* Apsimon, R.J. 85–43246, 86–65356
Newton, D.B., Tziviskos, G. Thermal considerations for board-mounted DC to DC converters used in distributed power systems 87–65849
Newton, D.J. *see* Gurcan, M.K. 88–27988
Newton, J. EDI–easy, direct information 87–28172
Newton, J. *see* Bailey, A.H. 86–15515
Newton, J. *see* Catalano, A. 87–9852, 88–37604
Newton, J. *see* Fortmann, C.M. 87–78903
Newton, J. *see* Willing, F. 88–37543
Newton, J.J. System 4 automatic radiophone 87–55987
Newton, J.L., Wood, G., Catalano, A. a-Si$_{1-x}$Ge$_x$:H films: optical and electrical properties and device performance [of solar cells] 88–37517
Newton, J.L. *see* Bennett, M.S. 87–16015 to 16016, 88–5839, 88–17987, 88–31005, 88–45286
Newton, J.L. *see* Carlson, D.E. 88–62613
Newton, J.M. *see* Wang, J.J.H. 85–14350
Newton, M. *see* Rogers, D. 85–27130
Newton, M.A. *see* Birx, D.L. 85–58965
Newton, M.I. *see* Kent, A.J. 88–26307, 88–32952, 88–74616
Newton, M.I. *see* Rampton, V.W. 88–26306
Newton, M.L. *see* Alexander, M.J. 87–45208
Newton, P. More about sunspots 88–14886
Newton, P. Vertical antennas 88–27594
Newton, R.A. *see* Jacob, G.K. 87–65752
Newton, R.A. *see* Meyer, C.E. 85–9660
Newton, R.C., Lantz, M.D. A high performance, multisourceable, scalable CMOS cell family 86–67996
Newton, R.W. *see* Blanchard, A.J. 85–63743
Newton, R.W. *see* Stroosnijder, L. 85–64719
Newton, S. Voice messaging systems 85–47134
Newton, S. A new technique in OTDR 88–47693
Newton, S. A new technique in OTDR 88–53900
Newton, S.A., Nazarathy, M., Trutna, W.R., Jr. Measured backscatter signature of a fiber recirculating delay line 86–58743
Newton, S.A. *see* Donald, D.K. 87–2029
Newton, S.A. *see* Jackson, K.P. 85–35465
Newton, S.A. *see* Lin, S.H. 85–56293
Newton, S.A. *see* Nazarathy, M. 86–42228, 88–67721
Newton, S.A. *see* Sorin, W.V. 87–46860, 88–13822
Newton, S.R., Reid, B.B., Sheble, G.B., Nelms, R.M., Grigsby, L.L. Electromagnetic transients simulator for large-scale spacecraft power systems 88–54721
Newton, T.J., Gull, S.F. Maximum entropy data processing 85–46970
Nexhentsev, Yu.N. *see* Volkov, O.D. 86–56637
Ney, A.L. The technology licensing process 86–7449
Ney, E.J., King, J.W. Alternate solar energy application (solar cogeneration system at Shenandoah, Georgia) 86–6666
Ney, E.J. *see* King, J.W. 86–56673
Ney, H. A script-guided algorithm for the automatic segmentation of continuous speech 86–16244
Ney, H. Dynamic programming speech recognition using a context-free grammar 87–61632
Ney, H., Geppert, R., Mergel, D., Noll, A., Piotrwoski, K., Schwartau, P., Tomaschewski, H. Statistical modelling and dynamic programming in speech recognition 85–46733
Ney, H., Mergel, D., Marcus, S.M. On the automatic training of phonetic units for word recognition 86–36968
Ney, H., Mergel, D., Noll, A., Paeseler, A. A data-driven organization of the dynamic programming beam search for continuous speech recognition 87–61697
Ney, H., Mergel, D., Noll, A., Paeseler, A. Overview of speech recognition in the 'SPICOS' system 88–72888
Ney, H., Mergel, D., Noll, A., Paeseler, A., Hoege, H., Littel, B., Marschall, E., Schmidbauer, O., Sommer, R. Word recognition in the 'SPICOS' system 86–69007
Ney, H., Noll, A. Phoneme modelling using continuous mixture densities 88–72797
Ney, H. *see* Mergel, D. 86–16210
Ney, H. *see* Noll, A. 86–69006, 87–61732
Ney, M., Vahldieck, R., Hoefer, W.J.R. The CW and peak power handling capabilities of E-plane filters 87–73654
Ney, M.M. Method of moments as applied to electromagnetic problems 86–10052
Ney, M.M., Valluri, S.R., Yue, W., Costache, G.I., Hoefer, W.J.R. A study of electric-field breakdown in E-plane lines at centimeter and millimeter wavelengths 87–47258
Ney, M.M., Valluri, S.R., Yue, W., Costache, G.I., Hoefer, W.J.R. Corrections to 'A study of electric-field breakdown in *E*-plane lines at centimeter and millimeter wavelengths' (May 1987 502-509) 88–40641
Ney, M.M. *see* Yue, W. 87–26911
Ney, R. *see* Bertin, F. 87–34658
Neye, K.J. *see* Munster, E. 87–12049
Neyen, H.-J.Von der *see* Von der Neyen, H.-J.
Neyen, H.van der *see* van der Neyen, H.
Neyens, A. *see* Tollet, H. 87–11624
Neyens, P.A. *see* Fox, R.L. 87–8161, 87–76549
Neyer, A. Integrated-optical multichannel wavelength multiplexer for monomode systems 85–2055
Neyer, A. Operation mechanism of electrooptic multimode X-switches 85–2086
Neyer, A. Integrated-optical multichannel wavelength multiplexer for monomode systems 86–4691
Neyer, A. Direct measurement of refractive index profiles of Ti:LiNbO$_3$ slab waveguides 86–9590
Neyer, A., Mevenkamp, W., Ctyroky, J. Single-mode Ti:LiNbO$_3$ waveguide crossings and switches: design rules and applications 87–54116
Neyer, A., Mevenkamp, W., Kretzschmann, B. Optimization of X-switches for integrated optical switching networks 86–42360
Neyer, A., Mevenkamp, W., Kretzschmann, B., Richter, H. Optical switching system using a nonblocking Ti:LiNbO$_3$ 4×4 switch array 87–74870
Neyer, A., Mevenkamp, W., Thylen, L., Lagerstrom, B. A beam propagation method analysis of active and passive waveguide crossings 85–62319
Neyer, A., Pohlmann, T. Fabrication of low-loss titanium-diffused LiNbO$_3$ waveguides using a closed platinum crucible 88–1973
Neyer, A. *see* Pohlmann, T. 88–45216
Neyer, A. *see* Rottmann, F. 88–72145
Neyer, A. *see* Voges, E. 85–50990, 88–13932
Neyer, B. *see* Chang, J. 85–24287
Neyer, B.T. Dynamic range, signal-to-noise ratio, and bandwidth of encoded signals 88–9959
Neyer, B.T. Photonic sensors: introduction and general overview 88–60752
Neyer, B.T. Velocity interferometer system for any reflector (VISAR) 88–60926
Neyer, B.T., Chang, J., Foesch, J.A. Measurement of large currents with optical fibers 85–24330
Neyer, B.T., Chang, J., Lockwood, G.J., Ruggles, L.E. Calibrated Faraday current and magnetic field sensor 87–18740
Neyer, B.T., Chang, J., Ruggles, L.E. Calibrated Faraday current and magnetic field sensor 87–18681
Neyer, B.T. *see* Allen, G.R. 87–21301
Neyer, B.T. *see* Chang, J. 85–26235, 85–52853, 85–64050, 86–5132, 87–21192
Neyer, B.T. *see* Filter, W.F. 87–20980
Neyer, B.T. *see* Lockwood, G.J. 87–21139, 87–21329, 87–65839, 88–9899
Neyer, W. *see* Diessner, A. 87–15932
Neykov, A.N. Performance analysis of automatic measuring instruments 88–15933
Neyland, B.A. *see* Zorbas, N. 87–58080, 88–48892
Neylon, S., Dale, I., Cursons, M. Coplanar mixer diodes as an alternative to beam lead diodes for millimetre wave systems 88–56995
Neylon, S. *see* Dale, I. 86–53072
Neylon, S. *see* Durrant, P.A. 88–51114
Neyman, P. *see* Hickiewicz, J. 85–9900
Neymotin, L. *see* Hsu, C.J. 85–9671
Neyor, C.Z. Limitations in the development of power stations utilizing renewable energy resources in Subsaharan Africa 88–69088
Neyret, P. Antenna technology at INTELSAT 86–10186
Neyret, P. *see* Dorsey, W.W. 86–59842
Neysmith, H.E.S. *see* Judy, A.F. 87–12193, 88–33617
Neyssari, C. *see* Curzon, F.L. 87–72565
Nezgod, W.W. *see* Nebel, C. 85–12090
Nezhat, C., Forrest, D.A. Videolaseroscopic treatment of endometriosis 87–63820
Nezhentsev, B.Yu. *see* Bulanin, V.V. 86–29084
Nezhentsev, V.V., Petrov, Yu.B., Lopukh, D.B., Zhilin, A.A. Glass making in an induction furnace with a cold crucible 85–16514
Nezhentsev, Yu.N., Muravko, Yu.S., Tsvetkov, A.M. The K-450-130 steam turbine for the PGU-800 combined-cycle power plant 88–43062
Nezhentsev, Yu.N. *see* Bonesko, V.A. 86–56628
Nezhentsev, Yu.N. *see* Ryzhkov, V.K. 85–4929
Nezhentsev, Yu.N. *see* Volkov, O.D. 86–6568
Nezhevenko, E.S., Fel'dbush, V.I., Shipov, P.M. Space-time transfer characteristics of a PRIZ controllable transparency 88–13936
Nezhevenko, E.S. *see* Kozik, V.I. 86–3965
Nezhevenko, O.A. *see* Karliner, M.M. 88–57262
Nezhinskaya, L.G. *see* Kolonskii, T.V. 86–32619
Nezhinskaya, M.M. *see* Mamedshakhov, M.E. 86–19300, 87–22411, 87–30622, 88–23970
Nezil, F. *see* Narod, B.B. 86–31340
Nezlin, D.V., Chernyakov, M.S. Performance characteristics of a digital rangefinder with stroboscopic sampling 86–30860
Nezlin, D.V., Shiryayev, A.M. Method of compensating transmission inefficiency in transversal filters employing charge-coupled devices 85–55022
Nezu, T. *see* Shiomi, Y. 87–8394
Nezu, Y., Kobayashi, Y. Accurate direct measuring device of air density using sinkers 86–11749
Nezu, Y. *see* Kobayashi, Y. 85–8674
Nezu, Y. *see* Yano, H. 86–11747
Ng, A., Mysore, S., Moore, C. Dispersion measurements of MCI's Mid-Atlantic Fiber Optic System 85–14299
Ng, A.L.M. *see* Hodgson, R.M. 85–57479
Ng, A.P., Raghavan, P., Thompson, C.D. A language for describing rectilinear Steiner tree configurations 87–5616
Ng, A.P.-C., Raghavan, P., Thompson, C.D. Experimental results for a linear program global router 87–59291
Ng, A.P.-C. *see* Bauer, R.L. 88–26544
Ng, B. *see* Fuccio, M.L. 86–27368, 86–57863
Ng, B. *see* Nelson, M.S. 88–44232
Ng, B.P. *see* Er, M.H. 88–40721
Ng, C. *see* Hsu, D. 87–59393
Ng, C. *see* Iacobovici, S. 88–1714
Ng, C.C., Yang, E.S. A thermionic-diffusion model of polysilicon emitter 87–45899
Ng, C.C. *see* Jalali, B. 88–13355
Ng, C.H. A symbolic-interconnect router for custom IC design 85–1749
Ng, C.H. An industrial world channel router for non-rectangular channels 87–6841
Ng, C.H. A 'gridless' variable-width channel router for macro cell design 87–65721
Ng, C.R. *see* Loos, J.S. 86–70317
Ng, C.S. *see* Tjung, T.T. 85–46662
Ng, C.T., Wong, A.K.C. On the nonuniqueness of discretization of two-dimensional probability distribution subject to the maximization of Shannon's entropy 87–36582
Ng, D. *see* Kwon, S.Y. 86–10299
Ng, D. *see* Rosen, G. 86–3813
Ng, D. *see* Sultan, N. 85–14197
Ng, D.S. *see* Loutfy, R.O. 85–27597
Ng, E. *see* George, A. 85–28179, 85–33349, 86–46252
Ng, F.K., Shen, M.Y. 5ESS switch database management 85–63459
Ng, F.K. *see* Kukla, J.A. 87–69842
Ng, G.-I. *see* Cazaux, J.-L. 88–63904
Ng, G.I. *see* Chan, Y.J. 88–39526
Ng, G.I. *see* Seklguchl, Y. 88–64629
Ng, H. *see* Hurt, G. 86–64918
Ng, H.K. *see* Capizzi, M. 88–19718
Ng, H.W. Advanced techniques using in-circuit testers 86–1592
Ng, H.Y., Klaus, D.P., Polcari, M.R., Molzen, W.W. Reactive ion etching of multi-layer resist 87–67126
Ng, H.Y. *see* Sai-Halasz, G.A. 88–1654, 88–39721
Ng, J. *see* Leung, C. 86–4476
Ng, K., Campbell, I. Electro-static discharge (ESD) control 87–2262
Ng, K.-Y. Impedances of bellows corrugations 88–47873
Ng, K.-Y. Space-charge effects of transition crossing in the Fermilab booster 88–47899
Ng, K.C. An electronic neuromuscular block monitor 85–4342
Ng, K.C., Thomas, C.D. A long term submersible temperature recorder 85–4036
Ng, K.C. *see* Alexander, B.F. 86–16579
Ng, K.C. *see* Kenyon, M. 85–14570

Ng, K.C. *see* Voadimirescu, A. 87−65701

Ng, K.H., Moo, S.P., Bradley, D.A., Wang, H.B. Co-60 teletherapy dosimetry using a LiF thermoluminescent system 88−10448

Ng, K.K. A novel technique to measure the contact resistance of a MOSFET 87−45946

Ng, K.K., Bayruns, R.J., Fang, S.C. The spreading resistance of MOSFETs 85−45711

Ng, K.K., Celler, G.K., Povilonis, E.I., Trimble, L.E., Sze, S.M. Characteristics of short-channel MOSFETs in laser crystallized Si-on-insulator 85−12316

Ng, K.K., Ligenza, J.R. The mechanism of plasma oxidation on floating silicon substrates 85−1520

Ng, K.K., Lynch, W.T. Analysis of the gate-voltage-dependent series resistance of MOSFETs 86−63311

Ng, K.K., Lynch, W.T. The impact of intrinsic series resistance on MOSFET scaling 87−25314

Ng, K.K., Lynch, W.T. The impact of intrinsic series resistance on MOSFET scaling 87−45945

Ng, K.K. *see* Celler, G.K. 85−50595

Ng, K.K. *see* Tung, R.T. 87−11453

Ng, K.L., Liu, C.Y. Twin-wire resistance probes for elevation measurement 87−41611

Ng, K.L., Lui, C.Y. Twin-wire resistance probes for elevation measurement 88−16503

Ng, K.L. *see* Liu, C.Y. 87−56662

Ng, K.L. *see* Tou, S.K.W. 88−60958

Ng, K.M., Hinchliffe, S., Hobson, L. An RF class C power amplifier for dielectric heating applications 87−52400

Ng, K.T., Batchman, T.E., Howerton, P.H., Veasey, D.L., Smith, R.S. Cross-field amplifier measurements with a rotating RF E-field probe 86−62996

Ng, K.T., Batchman, T.E., Pavlica, S., Veasey, D.L. Instrumentation and calibration for a miniature RF E-field probe 88−53680

Ng, K.T., Batchman, T.E., Pavlica, S., Veasey, D.L. Amplification and calibration for miniature E-field probes 88−74341

Ng, K.T., Munk, B.A. Admittance properties of slot arrays with parasitic monopole arrays 86−43072

Ng, K.T., Munk, B.A. Surface wave study on slot arrays with parasitic monopole arrays 87−27069

Ng, K.T., Munk, B.A. Scan-independent slot arrays with parasitic wire arrays in a stratified medium 88−66216

Ng, K.T. *see* Veasey, D.L. 87−11294

Ng, K.W. The high level language and operating system support features of advanced microprocessors. I. High level language support features 87−73481

Ng, K.W. DISCDA−a digital system controller design assistant 88−39608

Ng, K.W. *see* Chan, C. 86−22941

Ng, K.W. *see* Ngoc, T.D.K. 87−59038

Ng, K.Y. Microwave instability limits when driven by narrow resonances 88−4747

Ng, K.Y. Comments on the impedances of the SSC shielded bellows at low frequencies due to the truncation of the wake potentials 88−4748

Ng, K.Y. Impedances of corrugated beam pipe in the SSC interaction regions 88−4749

Ng, K.Y. *see* Bogacz, S.A. 88−54225

Ng, L.C., Bar-Shalom, Y. Multisensor multitarget time delay vector estimation 87−7713

Ng, L.C., LaTourette, R.A. Fast moving average recursive least mean square fit [digital data smoothing] 86−54516

Ng, L.S.B. *see* Younger, F.C. 88−47958, 88−61426

Ng, M. *see* Maturi, S. 87−38487

Ng, M.K.C. *see* Cenanovic, M.B. 88−75369

Ng, M.S. *see* Wong, D.Y. 88−66439

Ng, N.Y. Harmonic measurements of industrial consumers 87−64988

Ng, P. Phase angle trigger modules for thyristor control 85−65406

Ng, P. *see* Aubin, R. 86−23518

Ng, P. *see* Sultan, N. 85−14197

Ng, P.A.B. *see* Gligor, V.D. *(editor)* 85−32916

Ng, P.F. *see* Peelo, D.F. 87−35978 to 35979

Ng, S. *see* Grandmaison, E.W. 87−63569

Ng, S. *see* Lo, J.T.H. 87−36621

Ng, S.B. Broadcast teletext channel characterization using inverse filtering 85−3105

Ng, S.B., Hingorani, R. Adaptive spatio-temporal DPCM for videoconferencing 87−34851

Ng, S.B., Raychaudhuri, D. Pulse shape optimization and channel equalization for teletext transmission over multipath channels 86−23037

Ng, S.C. *see* Tan, H.S. 86−53455

Ng, S.C. *see* Woon, H.S. 88−60861

Ng, S.K. *see* Chan, W.L. 87−65313

Ng, S.K. *see* Darvell, B.W. 85−31597

Ng, S.L.L., Merchant, P. Electrical characteristics of via structures containing selective CVD tungsten plugs 87−67155

Ng, S.S. Microprocessor-based patient heart rate monitoring system 85−48314

Ng, S.S. An intraoperative cardiac arrhythmias mapping unit for the operating room 87−57208

Ng, S.S. Microcomputer-based telemetry system for ECG monitoring 88−61383

Ng, S.W. Reliability and availability of duplex systems: some simple models 87−5279

Ng, T. *see* Dobbs, C. 88−44214

Ng, T. *see* Gielow, T. 85−14948

Ng, T.-K., Oldfield, J., Pitchumani, V. Improvements of a mincut partition algorithm 88−24912

Ng, T.K., Kaplan, M.S. Silicon compilation of a core microprocessor 87−779

Ng, T.K. *see* Komal, A. 86−14296

Ng, T.L. *see* Cockayne, B. 85−10720, 86−7775

Ng, T.L. *see* Williams, J.O. 86−7786

Ng, T.M. *see* Hui, L.Y.W. 88−35026

Ng, T.M.J., Hoang, D.B. Joint optimization of capacity and flow assignment in a packet-switched communications network 87−40113

Ng, T.M.J. *see* Mikelaitis, P.I. 87−27868

Ng, T.S. Array pattern synthesis by the method of alternating orthogonal projections: the general case 86−29625

Ng, T.S. Linearly constrained optimal beamforming for multiple simultaneous desired signals 86−36789

Ng, T.S. Some aspects of an adaptive digital notch filter with constrained poles and zeros 87−37463

Ng, T.S. Equivalence of null constrained optimisation problems in antenna array pattern synthesis 88−34486

Ng, T.S., Cheah, J.Y.C., Paoloni, F.J. Optimization with controlled null placement in antenna array pattern synthesis 85−36124

Ng, T.S., Magdy, A. Fast algorithm for optimal weight computation in linear array pattern synthesis having null constraints 85−13220

Ng, T.S. *see* Chicharo, J.F. 87−52741

Ng, V. Prediction intervals for the 2-parameter exponential distribution using incomplete data 85−16850

Ng, W. High speed dynamics of semiconductor lasers 87−68530

Ng, W., Craig, R., Yen, H.W. 11.5 GHz modulation bandwidth *p*-substrate GaInAsP buried crescent laser with high output power 88−20635

Ng, W.-H. Mitigating ionospheric scintillation effects by integrating coding and interleaving 87−33635

Ng, W.F., Popernack, T.G., Jr. A combination probe for high-frequency unsteady aerodynamic measurements in transonic wind tunnels 87−71217

Ng, W.F., Popernack, T.G., Jr. Combination probe for hi-frequency unsteady aerodynamic measurements 88−47474

Ng, W.H., Hsieh, N.N. Mitigating effects of interference through coding and interleaving 87−39412

Ng, W.K. *see* Nichols, R.W. 87−46827

Ng, W.T., Salama, C.A.T. High-speed high-resolution CMOS voltage comparator 86−35035

Ng, W.T., Salama, C.A.T., Sin, J.K.O. P-channel Schottky injection field effect transistors 88−39490

Ng, W.W., Sovero, E.A. An analytic model for the modulation response of buried heterostructure lasers 85−2327

Ng, Y.H., Glover, R.J. The basic memory support for functional languages 87−67377

Ng, Y.M. *see* Acharya, G.N. 85−27388, 86−51753

Ng, Y.M. *see* Fenech, H. 85−14226

Ng, Y.S. *see* Hons, A. 85−56021

Ng, Y.S. *see* Lee, J.H. 88−36582

Ng Kim Chew *see* Kim Chew Ng

Ng King-Yuen *see* King-Yuen Ng

Ng Siu-Ming *see* Siu-Ming Ng

Ng Tak-Kwong *see* Tak-Kwong Ng

Ng Thow Hing, L.A. *see* Summers, J.G. 87−1728

Ng Tung Sang *see* Tung Sang Ng

Ng Wai-Hung *see* Wai-Hung Ng

Ngai, E.C., Profera, C.E., Jr. Application of bivariate interpolation to antenna related problems 85−2640

Ngai, K.L. Transient luminescence, transport and photoconductivity in chalcogenide glasses 85−1342

Ngai, K.L. *see* Teitler, S. 87−23400

Ngai, P.Y. On near-field photometry 88−37732

Ngai, T.-F., Irwin, M.J. Regular, area-time efficient carry-lookahead adders 85−61356

Ngai, T.-Y. *see* Yum, T.-S.P. 86−43354

Ngai, T.Y. *see* Manohar, R. 88−70272

Ngai, W.-L. *see* Fetterman, H. 86−35105

Ngai Hong *see* Linder, P. 85−17379

Ngai Tin-yee *see* Tin-yee Ngai

Ngan, K.N. Experiments on two-dimensional decimation in time and orthogonal transform domains 87−13031

Ngan, K.N. Two-dimensional transform domain decimation techniques 87−19942

Ngan, K.N., Hui, W.C., Lim, S.C. Picture transmission for videotex 86−10731

Ngan, K.N., Kang, S.B. IC wire bond inspection using elliptical model approximation 88−71674

Ngan, K.N., Leong, K.S. Fast convergence method for Lloyd-Max quantiser design 86−64245

Ngan, K.N., Leong, K.S., Singh, H. Cosine transform coding incorporating human visual system model 87−47984

Ngan, K.N. *see* Hui, L. 88−27811

Ngan, K.N. *see* Ko, C.C. 87−27058

Ngan, Y.C., Yen, Y.E., English, D., Grote, A., Pham, T., Hayashibara, G., Wandinger, L., Freibergs, E. Integrated circuit components for 94 GHz applications 88−19381

Ngan, Y.C. *see* Best, T. 85−6509

Ngan, Y.C. *see* Jackson, C.M. 88−71099

Ngan, Y.C. *see* Kurisu, K.L. 85−61459

Ngan, Y.C. *see* Yen, Y.E. 87−52838, 88−12591

Ngan King Ngi, Aw Chye Huat, Singh, H. Automated inspection and drilling system for printed circuit boards 88−7180

Ngarsenker, B.N. *see* Cole, K.N. 87−58725

Ngasaki, T. *see* Tanaka, T. 85−53931

Ngaura, T. *see* Kurata, Y. 85−46234

Nghi, B.Nguyen Van *see* Nguyen Van Nghi, B.

Nghi, N.T., Khang, D.D., Nhi, B.T. Effect of reuse of gallium melt on electrical characteristics of p-GaP LPE layers 87−12328

Nghi Nguyen Thanh *see* Nguyen Thanh Nghi

Nghia Nguyen Xuan *see* Nguyen Xuan Nghia

Nghiem, P. *see* Level, M.P. 88−47964

Ngi Ngan King *see* Ngan King Ngi

Ngo, C.M. High resolution linewidth control in optical microlithography 87−11560

Ngo, D. Protect EEPROM and NOVRAM data 87−24155

Ngo, H. *see* Armstrong, M. 87−59659

Ngo, H.X. *see* Ohara, H. 88−19218

Ngo, J. *see* Klimczak, W.N. 88−2767

Ngo, K. *see* Korman, C.S. 88−75803

Ngo, K.D.T. Low-frequency characterization of PWM converters 86−12921

Ngo, K.D.T. Low frequency characterization of PWM converters 87−30784

Ngo, K.D.T. A new flyback AC-AC converter 87−43224

Ngo, K.D.T. Generalization of resonant switches and quasi-resonant DC-DC converters 87−73314

Ngo, K.D.T. Analysis of a series resonant converter pulse width-modulated or current-controlled for low switching loss 87−78792

Ngo, K.D.T. Analysis of a series resonant converter pulse width-modulated or current-controlled for low switching loss 88−30802

Ngo, K.D.T., Steigerwald, R.L., Yerman, A.J., Kuo, M.H. A high-density resonant power supply using high-voltage IC 87−78810

Ngo, K.D.T. *see* Fisher, R.A. 88−75801

Ngo, K.D.T. *see* Kuo, M.H. 86−66200

Ngo, L.T. *see* Carter, W.S. 87−680

Ngo, L.T. *see* Hsieh, H.-C. 87−59398, 88−70688

Ngo, N.D.T. *see* Andreadakis, N.C. 86−31540

Ngo, P.D.T. Bidirection shift plasma display requiring less than 20 drivers 85−52817

Ngo, P.D.T. Temporal distribution of space charge in plasma cell discharge 86−27821

Ngo, P.D.T. Temporal distribution of space charge in AC plasma cell discharge 87−3664

Ngo, P.D.T. *see* Andreadakis, N.C. 87−3663

Ngo, P.D.T. *see* Nelson, T.J. 88−40006

Ngo, T. A BiCMOS quad 8-bit voltage output DAC with 200 ns settling time, flexible code formats, and microprocessor compatibility 88−12459

Ngo, T. *see* Andre, J.P. 86−46330, 87−16593

Ngo, T. *see* Menu, E.P. 87−32305

Ngo Dinh Hoc, Besieris, I.M., Sockell, M.E. Phase-space asymptotic analysis of wave propagation in homogeneous dispersive and dissipative media 86−22647

Ngoc, T.-L. *see* Faruque, S.M. 87−66350

Ngoc, T.D.K., Ng, K.W., Mayer, W.G. Feature mapping of Y-shaped cracks using a ray-tracing interpretation 87−59038

Ngoc, T.Le *see* Le Ngoc, T.

Ngoc, T.T. *see* Labrie, J.P. 88−54346

Ngoc, T.Tran *see* Tran Ngoc, T.

Ngoc Dinh, A.Pham *see* Pham Ngoc Dinh, A.

Ngoc Ha Phan *see* Phan Ngoc Ha

Ngoc Loan Le *see* Le Ngoc Loan

Ngoc Luat Ho *see* Ho Ngoc Luat

Ngoc-Chi Vu *see* Bazakos, M.E. 85−46909

Ngok Tyu Nguen *see* Nguen Ngok Tyu

Ngok Zung Chan' Tkhi *see* Chan' Tkhi Ngok Zung

N'Goran, Y. *see* Cadene, M. 88−12998

N'Goran, Y. *see* Youm, I. 88−17999

Ngoya, E. *see* Gayral, M. 87−73718, 88−66461

Ngoya, E. *see* Guo, C. 88−71133

Ngu Tran Thi *see* Tran Thi Ngu

Nguen, V.L. Ionization energy of donors on the surface of an inversion layer in a transverse magnetic field 85−29059

Nguen, V.L. Hopping conduction in *n*-type Si 86−67658

Nguen Din Hao Taking the effect of the connection nodes into account when estimating the reliability of complex power pools 86−56343

Nguen Din Khao Improving the effectiveness of an algorithm for determining sections and elements of power-supply systems critical owing to the probability of failure 87−50621

Nguen Din Khao On the problem of improving the efficiency of algorithms estimating the reliability of complex power-supply systems 88–54927
Nguen Hong Shon *see* Shmelev, G.M. 85–18120
Nguen Kim Hieu Station-services motors direct-to-line starting 85–43916
Nguen Mai, Dao Tuet Min' The choice of optimum configurations for power-distribution networks by the arc-node method 87–30169
Nguen Ngok Tyu Algorithm for maximizing a linear function on the set of integral points of a convex polyhedron 87–58818
N'Guessan, K. *see* Bensoussan, S. 87–52114
N'Guessan, K. *see* Saletes, A. 88–18079
N'Guessan, K. *see* Williamson, D.L. 87–74001
Ngueyen, V.H. *see* Berrada, S. 87–79096
Ngundam, M.J. *see* Yunkap Kwankam, S. 85–16638
Nguyen, B., Rom, R. Communication services under EMCON 87–20210
Nguyen, B. *see* Biegon, R. 85–14729
Nguyen, B.-T. *see* Tanaka, S.C. 88–48005
Nguyen, B.Y., Tobin, P.J., Teng, K.W., Tompkins, H.G., Chang, K.M. Influences of processing chemistry of silicon nitride films on the charge trapping behavior of oxide/CVD-nitride/oxide capacitors 88–50686
Nguyen, C. A 35% bandwidth Q- to W-band frequency doubler 88–7049
Nguyen, C. Graphical design of millimeter-wave finline bandpass filters 88–32440
Nguyen, C., Chang, K. Millimetre-wave low-loss finline lowpass filters 85–11512
Nguyen, C., Chang, K. On the design and performance of printed-circuit filters and diplexers for millimeter-wave integrated circuits 86–67486
Nguyen, C., Pariani, A. PCM conference and attenuation/noise suppression circuit 87–3017
Nguyen, C. *see* Demoulin, F. 88–48754
Nguyen, C.T., Srinivasan, K. A new technique for rapid tracking of frequency deviations based on level crossings 85–4700
Nguyen, D., Sathe, M. Calculator predicts DC/DC stability 85–9987
Nguyen, D. *see* Burnett, D. 88–13000
Nguyen, D. *see* Charlier, J.R. 87–57077
Nguyen, D. *see* Gowda, G. 86–46361
Nguyen, D.. *see* Miller, M.L. 87–76417
Nguyen, D. *see* Schuster, A.P. 86–28898
Nguyen, D.C. *see* Heddleson, J.M. 88–44673
Nguyen, D.D. *see* Vernier, F. 88–48123
Nguyen, D.G. *see* Murthy, D.N.P. 88–206, 88–49467
Nguyen, D.H. *see* Lambeth, P.J. 86–13138
Nguyen, D.H. *see* Menemenlis, C. 85–40956
Nguyen, D.H. *see* Rizk, F.A.M. 88–48600
Nguyen, D.H. *see* Shirmohammadi, D. 86–47891
Nguyen, D.N. *see* Cloutier, L. 87–63807
Nguyen, D.N. *see* Gupta, G.S. 87–75633
Nguyen, D.T. Design formulae for ∇^2G edge operator 88–21295
Nguyen, D.T., Swamy, M.N.S. Scaling-free McClellan transform for 2-D digital filters 85–28649
Nguyen, D.T., Swamy, M.N.S. Formulas for parameters scaling in the McClellan transform 86–34109
Nguyen, D.T., Swamy, M.N.S. Approximation design of 2D digital filters with elliptical magnitude response of arbitrary orientation 86–62735
Nguyen, D.T., Swamy, M.N.S. A class of 2-D separable denominator filters designed via the McClellan transform 87–905
Nguyen, D.T., Swann, K., McMillan, J.R. A microgrammed digital filter-bank for real-time spectral analysis of speech 85–13494
Nguyen, D.T., Xu, D.-Y. Efficient technique for scale-space imaging of planar objects 88–14758
Nguyen, D.T. *see* Andrews, M. 88–56774
Nguyen, D.T. *see* Guillemin, B.J. 85–15295, 85–41868
Nguyen, D.T. *see* Watson, D.C. 86–11392
Nguyen, G.D. Scenarios for the value-added market 88–66845
Nguyen, H. *see* Braunschweig, W. 88–29874, 88–68282
Nguyen, H.-G. *see* Kaplan, M.S. 87–60585
Nguyen, Ha.T. *see* Ming Liaw, H. 88–7440
Nguyen, H.N. *see* Rangayyan, R.M. 87–69387
Nguyen, H.P. *see* Davis, A.M. 87–66360
Nguyen, H.T. A survey of uncertainty measures: Structures and applications 85–267
Nguyen, H.T., Prince, M.P. Selected-harmonic-elimination AC controller 88–49102
Nguyen, H.T. *see* Banon, G. 85–28112
Nguyen, H.T. *see* Jones, H.S., Jr. 87–679
Nguyen, H.T. *see* Liaw, H.M. 87–16643
Nguyen, H.T. *see* Ramsden, V.S. 88–48996
Nguyen, H.V. *see* Lauby, M.G. 86–50846
Nguyen, H.X. *see* Hung, N.D. 88–33962
Nguyen, K., Branch, M.C. Near-infrared two-color pyrometer for determining ignition temperatures of metals and metal alloys 86–5326
Nguyen, K., Jordan, T., Lee, Y. An ISDN signalling system for private networks 88–67124
Nguyen, K. *see* Voldman, S. 88–38532
Nguyen, K. *see* Watson, A.B. 87–34958
Nguyen, K.D. *see* Vuong, X.T. 88–47006
Nguyen, K.Q.T. *see* Fathi, E.T. 86–60901
Nguyen, K.T., Uhm, H.S. Ion beam cooling by radiation and electron heat sink 86–24995
Nguyen, K.T., Uhm, H.S. Electron phase space parameters shift in a long, linear free-electron laser 88–27203
Nguyen, K.T., Uhm, H.S., Schneider, R.F., Smith, J.R. Relativistic electron beam ion hose instability in beam-induced channels 88–47888
Nguyen, K.T. *see* Chan, H.W. 87–60046
Nguyen, K.T. *see* Schneider, R.F. 88–47874
Nguyen, K.T. *see* Smith, J.R. 88–54323
Nguyen, K.T. *see* Uhm, H.S. 86–31840
Nguyen, L., Mochizuki, K., Usui, K. The Electricity Commission of NSW–data acquisition and control scheme 86–44901
Nguyen, L. *see* Allovon, M. 87–38961
Nguyen, L. *see* Ramaswamy, S. 85–18486
N'Guyen, L. *see* Renaud, J.C. 87–74940, 88–58395
Nguyen, L.B., Perkowski, M.A. Boolean minimization for PALS using graph coloring on personal computers 87–59441
Nguyen, L.B., Perkowski, M.A., Goldstein, N.B. PALMINI–fast Boolean minimizer for personal computers 87–65719
Nguyen, L.D., Foisy, M.C., Tasker, P.J., Schaff, W.J., Lepore, A.N., Eastman, L.F. Carrier deconfinement limited velocity in pseudomorphic AlGaAs/InGaAs modulation-doped field effect transistors (MODFETs) 88–39532
Nguyen, L.D., Radulescu, D.C., Tasker, P.J., Schaff, W.J., Eastman, L.F. 0.2-μm gate-length atomic-planar doped pseudomorphic $Al_{0.3}Ga_{0.7}As/In_{0.25}Ga_{0.75}As$ MODFETs with f_T over 120 GHz 88–71608
Nguyen, L.D., Schaff, W.J., Tasker, P.J., Lepore, A.N., Palmateer, L.F., Foisy, M.C., Eastman, L.F. Charge control, DC, and RF performance of a 0.35-μm pseudomorphic AlGaAs/InGaAs modulation-doped field-effect transistor 88–26341
Nguyen, L.D., Tasker, P.J., Schaff, W.J., Hido, H., Ohata, K., Suzuki, Y., Toyoshima, H. Comments on 'A new low-noise AlGaAs/GaAs 2DEG FET with a surface undoped layer' by H. Hida [with reply] 87–53535
Nguyen, L.N. *see* Albuquerque, J.P.A. 85–13460, 85–14191
Nguyen, L.N. *see* Jamshidi, S. 87–20445
Nguyen, L.N. *see* Shimbo, O. 86–64174
Nguyen, L.T., Kovac, C.A. Moisture diffusion in electronic packages. I. Transport within face coatings 88–18506
Nguyen, L.T. *see* Kanwal, S.S. 86–55113
Nguyen, M., Simard, M. Video resolution enhancer 85–13591
Nguyen, N., Mazur, B., Prasanna, S. Measurements of the time statistics of FMTV spectra and TV interference into FDM/FM carriers 86–24022
Nguyen, N., Sheikh, A.U., Hafez, R.M. Access strategies for D-TASI over mobile radio channels 86–69677
Nguyen, N. *see* Sheikh, A.U. 88–28713
Nguyen, N.D. Simple peak detector 85–6460
Nguyen, N.L., Bourdon, B., Renaud, J.C. Passivation of GaInAs junction field effect transistors by PECVD deposition of silicon nitride 88–49880
Nguyen, N.M. *see* Carrabba, M.M. 87–38120, 88–33110
Nguyen, N.T. *see* Danilowicz, C. 88–59251
Nguyen, P., Bachner, F. A new metallization technology for advanced interconnects on substrates and hermetic packages 87–74220
Nguyen, P. *see* Demeur, J. 88–34596
Nguyen, P.H., Easwarakhanthan, T., Ravelet, S. Influence of parasitic resistances on the mismatch relative power loss of solar cell modules 86–13046
Nguyen, P.H., Falletta, C.E., Russo, F.R. Multilayering with polyimide dielectric and metallo-organic conductors 86–53266
Nguyen, P.H., Falletta, C.E., Russo, F.R. Multilayering with polyimide dielectric and metallo-organic conductors 87–1119
Nguyen, P.H., Russo, F.R. New polyimide system for multilayering 88–1190
Nguyen, P.H. *see* Bachner, F.J. 88–37987, 88–63917
Nguyen, P.H. *see* Easwarakhantan, T. 85–10108
Nguyen, P.H. *see* Easwarakhanthan, T. 85–49093
Nguyen, P.H. *see* Nabatian, D. 88–1300
Nguyen, P.K. *see* Roberts, A.L. 87–59500
Nguyen, P.T., Navon, D.H., Tang, T.-W. Boundary conditions in regional Monte Carlo device analysis 85–40675
Nguyen, P.X. Thin film resistor-conductor laminate system for use in high speed interconnection packaging 87–37592
Nguyen, Q. *see* Kalter, H.L. 86–8263, 86–20531
Nguyen, Q. *see* Lou, Y. 88–5141
Nguyen, Q. *see* Singh, R. 88–7413
Nguyen, Q.A. On the uniqueness of the maximum-likelihood estimate of structured covariance matrices 85–22291
Nguyen, Q.A., Gyorfi, L., Massey, J.L. Families of sequences with optimal generalized Hamming correlation properties 87–54977
Nguyen, R. *see* Goronkin, H. 86–53355
Nguyen, R. *see* Johnson, J.G. 88–33194
Nguyen, R. *see* Meiners, L.G. 86–67857
Nguyen, R. *see* Messick, L. 87–45280, 88–39495
Nguyen, R. *see* Moazed, K.L. 88–64317
Nguyen, S.V. Plasma assisted chemical vapor deposited thin films for microelectronic applications 87–10491
Nguyen, S.V., Fridmann, S. Plasma deposition and characterization of thin silicon-rich silicon nitride films 88–18722
Nguyen, S.V., Underhill, J. Plasma polymer surface adhesion modification method 85–28832
Nguyen, S.V. *see* Armacost, M.D. 87–67119, 88–13132
Nguyen, T. Coset correlation of *m*-sequences 88–45897
Nguyen, T. *see* Kwok, T. 88–1569
Nguyen, T. *see* Mathur, A. 87–26850
Nguyen, T. *see* Nieh, S. 88–72490
Nguyen, T. *see* Srini, V.P. 87–66259
Nguyen, T. *see* Yeargan, J.R. 86–20915, 88–50481
Nguyen, T.A., Chiou, W.C., Sr. Cooperating expert systems for Space Station power distribution management 87–63889
Nguyen, T.A. *see* Laffey, T.J. 85–39547
Nguyen, T.A. *see* Winner, G. 87–53641
Nguyen, T.D. A digital line interface controller (DLIC) based linecard for distributed switching systems 86–69544
Nguyen, T.D. Pulse-width checker is programmable 87–52465
Nguyen, T.D., Ferguson, J.B., McNamara, T.W. A geometric approach to real time pitch detection 88–66419
Nguyen, T.H. *see* Galperin, M.D. 87–57465
Nguyen, T.H. *see* Jacobson, S.A. 87–50599
Nguyen, T.H. *see* Lynnworth, L.C. 85–4518, 86–70251, 87–70879
Nguyen, T.H. *see* Matson, J.E. 87–70881
Nguyen, T.L. The reception of SW signals by two mutually perpendicular antennas 85–7720
Nguyen, T.M. Optimize PSK systems through direct-sequence techniques 85–57945
Nguyen, T.M. Intermodulation interference avoidance for enhanced performance of ESA Deep Space Telecommand Systems 88–14434
Nguyen, T.M. *see* Srini, V.P. 88–25280
Nguyen, T.N., Harame, D.L., Stork, J.M.C., LeGoues, F.K., Meyerson, B.S. Characterization of IC devices fabricated in low temperature (550°C) epitaxy by UHV/CVD technique 87–46126
Nguyen, T.N., Olivo, P., Ricco, B. A new failure mode of very thin (<50 Å) thermal SiO_2 films 88–1465
Nguyen, T.N., Quinlan, D.L. High quality 100 Å thermal oxide 87–25150
Nguyen, T.N., Ray, A.K. Technique for determining breakdown voltage and leakage of thin insulator films [MOS capacitors] 85–50788
Nguyen, T.N. *see* Batey, J. 87–38114
Nguyen, T.N. *see* Dori, L. 87–38592, 87–67128
Nguyen, T.N. *see* Jasinski, J.M. 87–31560
Nguyen, T.N. *see* Joshi, R.V. 88–7521
Nguyen, T.N. *see* Meyerson, B.S. 87–258, 87–32222
Nguyen, T.N. *see* Ray, A.K. 86–21430
Nguyen, T.N. *see* Ricco, B. 88–39152
Nguyen, T.N. *see* Robinson, B. 88–49889
Nguyen, T.N. *see* Stork, J.M.C. 88–39413
Nguyen, T.N. *see* Weinberg, Z.A. 87–11689, 87–37939
Nguyen, T.N. *see* Wong, C.Y. 88–71429
Nguyen, T.P., Minn, S. Noise measurements in thin film SiO diodes 85–23598
Nguyen, T.Q., Forward, K.E. A real-time systolic digital median filter 86–8393
Nguyen, T.Q., Saramaki, T., Vaidyanathan, P.P. Eigenfilters for the design of special transfer functions with applications in multirate signal processing 88–66542
Nguyen, T.Q., Vaidyanathan, P.P. Maximally decimated perfect-reconstruction FIR filter banks with pairwise mirror-image analysis (and synthesis) frequency responses 88–52425
Nguyen, T.Q. *see* Vaidyanathan, P.P. 86–67394, 87–32010, 87–45078, 87–69213, 88–66543
Nguyen, T.T., Sampson, A.R. Counting the number of $p\times q$ integer matrices more concordant than a given matrix 85–44575
Nguyen, T.T. *see* Cheng, L.J. 86–1729
Nguyen, T.T. *see* Hayes, R. 88–10703
Nguyen, T.T. *see* Humpage, W.D. 85–32199, 85–48564, 86–6316, 86–39127, 86–45488, 86–61555, 87–57482
Nguyen, T.T. *see* Stewart, J.R. 88–10735
Nguyen, T.V., Sklansky, J. Computing the skeleton of coronary arteries in cineangiograms 87–14849
Nguyen, T.V., Sklansky, J. A fast skeleton finder for coronary arteries 87–50297

Nguyen, T.V. *see* Becker, G.C. 85−6359
Nguyen, T.V. *see* Delavaux, J.-M. 87−8276
Nguyen, T.V. *see* Dimpault-Darcy, E.C. 88−43371
Nguyen, T.V. *see* Gu, H. 88−37362
Nguyen, T.V. *see* Park, Y.K. 86−30786
Nguyen, T.V. *see* Smith, R.W. 88−7983
Nguyen, T.V. *see* Yeargan, J.R. 87−73407
Nguyen, T.Van *see* Van Nguyen, T.
Nguyen, V., Dhyanchand, J. An implementation of current-mode control for a series-resonant DC-DC converter 87−44582
Nguyen, V., Dhyanchand, J., Thollot, P. A multiphase topology of series-resonant DC-DC converter 86−66154
Nguyen, V., Dhyanchand, J., Thollot, P. Steady-state and small-signal analysis of series-resonant converter: a novel graphical approach 87−43246
Nguyen, V. *see* Cyrluk, D. 88−3272
Nguyen, V.D. A dose equivalent meter based on the tissue-equivalent proportional counter, and problems encountered in its use 85−26823
Nguyen, V.D., Luccioni, C., Parmentier, N. Average quality factor and dose equivalent meter based on microdosimetry techniques 85−26810
Nguyen, V.S. Fundamental aspects of plasma deposition 86−58551
Nguyen, V.S., Burton, S., Pan, P. The variation of physical properties of plasma-deposited silicon nitride and oxynitride with their compositions 85−10777
Nguyen, V.S., Underhill, J., Fridmann, S., Pan, P. Plasma organosilicon polymers. Deposition, characterization, and application in multilayer resist 86−483
Nguyen, V.S. *see* Underhill, J.A. 86−1893
Nguyen, V.T. *see* Andrieux, J.C. 87−61830
Nguyen, V.T. *see* Vu, D.P. 87−25606
Nguyen An, Pham Van Nho, Tran Hai Huynh, Nguyen Van Sung, Schurig, Th., Herrmann, R. Pulsed flash evaporation of InSb films 87−65545
Nguyen Be *see* Be Nguyen
Nguyen Binh Tran *see* Tran Nguyen Binh
Nguyen Cam *see* Cam Nguyen
Nguyen Chanh Khe, Takenouchi, O., Kawara, T., Tanaka, H., Yokota, S. The design of p-type photoreceptors using an organic photoconductor. II. The photo-conduction properties of disazo pigment uniformly embedded in a polymer matrix 85−24377
Nguyen Chanh Khe, Yokota, S., Takahashi, K. The design of p-type photoreceptors using an organic photoconductor. I. Photoconduction properties of perylene pigment dispersed in poly *N*-vinyl carbazol 85−24376
Nguyen Chi Thong *see* Schroder, D. 88−74958
Nguyen Chinh *see* Chinh Nguyen
Nguyen Cong, H., Chartier, P. Electrodeposited α-PbO_2 and β-PbO_2 in sulfuric acid: recharge, cycling and morphology [lead-acid batteries] 85−10087
Nguyen Cong, H. *see* Ebothe, J. 86−53348
Nguyen Dai Hung, Brechignac, P. A single-mode single-grating grazing incidence pulsed dye laser 85−51215
Nguyen Dai Hung, Brechignac, P. Tunable alternate double-wavelength single grating dye laser for DIAL systems 88−58474
Nguyen Dai Hung, Le Ngoc Loan, Brechignac, P. Single-mode tunable pulsed dye laser using a new grating selector 88−33963
Nguyen Dai Hung *see* Brechignac, P. 87−18934
Nguyen Dinh Hao A method of determining the power deficit in complex electric power systems 86−50791
Nguyen Dinh Huynh *see* Revel, G. 87−65469
Nguyen Dinh Khao A method for selecting optimal electric-network separation sites 87−64143
Nguyen Du *see* Curran, J.S. 87−10506
Nguyen Du *see* Lawrence, M.F. 87−73071
Nguyen Duc Hung, Garche, J., Wiesener, K. Contribution of the oxidation mechanism of free lead in lead accumulator paste during curing 86−66298
N'Guyen Duc Tien Characteristics with negative differential resistance of a device using a Si-SiO_2 structure 85−61781
Nguyen Dung *see* Dung Nguyen
Nguyen Duy, T., Durand, A., Lyot, J.L. Bulk crystal growth of $Hg_{1-x}Cd_xTe$ for avalanche photodiode applications 87−65479
Nguyen Duy, T., Meslage, J., Pichard, G. CMT: the material for fiber optical communication devices 86−9683
Nguyen Duy, T. *see* Durand, A. 87−31488, 87−36688
Nguyen Duy, T. *see* Smith, L.M. 88−60174
Nguyen Duy, T. *see* Thompson, J. 88−31792
Nguyen Duy Chien Linearizing characteristics of thermo-couple sensors operating in a wide range of temperatures 88−16089
Nguyen Hoang A simple coding scheme for multiple access OR channel with feedback 85−2923
Nguyen Hong Shon, Vo Hong Anh Photovoltaic effect in semiconductors stimulated by an additional electromagnetic wave 86−41504
Nguyen Hong Than *see* Lopukhina, E.M. 86−12808
Nguyen Minh *see* Minh Nguyen
Nguyen Phu, X. *see* Ferrier, J.L. 85−7533
Nguyen Quang, A. An approximate method for estimating the effect of shadow log-normal fading on the performance of frequency-hopped multiple level FSK systems 85−36948
Nguyen Quang, A., Zeisel, T. Packet communication on a T-user collision channel without feedback via cyclotomic protocol sequences 86−64743
Nguyen Quang A On speech production model with multiple pulse excitation for speech compression 85−19382
Nguyen Quang A Some constructions of signature sequences for *T*-user multiple-access adder channels with correlation type receiver 87−19699
Nguyen Quang A Elementary proof of Rueppel's linear complexity conjecture and a construction of sequences with high linear complexity and good correlation properties 88−59023
Nguyen Quang A Families of sequences with optimal generalized Hamming correlation properties 88−72746
Nguyen Quang A, Zeisel, T. Bounds on constant weight binary superimposed codes 88−72748
Nguyen Quang A. *see* Quang A. Nguyen
Nguyen Quang Minh Technological status of nickel oxide cathodes in molten carbonate fuel cells−a review 88−69677
Nguyen Quang Thang Automated PLA design of combinational logic 87−73421
Nguyen Quy Dao *see* Plaza, P. 87−18589
Nguyen Tai Can An evaluation of adaptive MTI filters 87−20589
Nguyen Tan Tuan Anh ESCA study of Ni/Si(111) and Mo/Si(111) interfaces 86−21265
Nguyen Thanh Liem *see* Thanh Liem Nguyen
Nguyen Thanh Nghi Heat and mass transfer problems in solution growth of GaP crystals by the travelling solvent method (TSM) 86−13724
Nguyen Thanh Nghi, Dao Duc Khang, Duong Anh Tuan, Nguyen Xuan Nghia, Nguyen Thi Qui Hai The influence of natural convection on the mass transfer kinetics in LPE growth 87−52108
Nguyen Thanh Nghi *see* Regel', L.L. 86−57425
Nguyen Thi Qui Hai *see* Nguyen Thanh Nghi 87−52108
Nguyen Thuc, H. Expert systems and internet routing: one approach 88−15155
Nguyen Thuc, H. A hierarchical internet routing architecture 88−15156
Nguyen Thuc, H. Design and implementation of a X.25-packet multi-interface portable software 88−41351
Nguyen Tkhan' Tam High definition television 86−24030
Nguyen Tran Huy *see* Tran Huy Nguyen
Nguyen Trung *see* Trung Nguyen
Nguyen Trung Duy *see* Trung Duy Nguyen
Nguyen Tue *see* Kwok, T. 87−67159
Nguyen Uyen-Thuy *see* Uyen-Thuy Nguyen
Nguyen Van Huong, C., Triboulet, R., Lemasson, P. Electrochemical and electrooptical investigation of cadmium mercury telluride and zinc mercury telluride 87−32256
Nguyen Van Huong, C. *see* Lemasson, P. 86−21293
Nguyen Van Huong Chau *see* Chau Nguyen Van Huong
Nguyen Van Khai, Nowak, Z., Piotrowski, J. Growth of single crystals of $Cd_xHg_{1-x}Te$ by casting perpendicular to the ampoule axis: a temperature gradient recrystallize-anneal technique 86−26809
Nguyen Van Khai, Pham Dinh Huan, Tran Thi Ngu Epitaxial growth of (Cd, Hg)Te layers by new method 87−44357
Nguyen Van Nghi, B. *see* Zwingelslein, G. 87−78361
Nguyen Van Sung *see* Nguyen An 87−65545
Nguyen Van-Khai *see* Van-Khai Nguyen
Nguyen Vietson *see* Vietson Nguyen
Nguyen Xuan Nghia *see* Nguyen Thanh Nghi 87−52108
Nguyen-Duc, Ch., Cristoloveanu, S., Ghibaudo, G. Low-temperature mobility behavior in submicron MOSFETS and related determination of channel length and series resistance 87−18153
Nguyen-Duc Chien *see* Chien Nguyen-Duc
Nguyen-Duy, T. *see* Ameurlaine, J. 88−74410
Nguyen-Fontaine, D., Hartemann, P. Harmonic level reduction in arrays reflecting magnetostatic forward volume waves 85−24198
Nguyen-Huu, A. How the world's largest ICs were developed and produced 85−23938
Nguyen-Khac, U. *see* Berger, C. 88−22937
Nguyen-Trong, T. *see* Sagdeev, R.Z. 87−49573
Nguyen-Tuong, V. *see* Wang, J.W. 87−41698
Nguyet Anh, N.T. *see* Phan, H.K. 87−37998
Ngwa-Ndifor, N. *see* Schmitt, F. 85−36456
Ngyuen Cam *see* Cam Ngyuen
Nham, H.N. *see* Bose, A.K. 86−58558
Nham, H.N. *see* Chen, C.F. 85−678
Nham, H.N. *see* Fazakl, F. 85−33863
Nham, H.N. *see* Lo, C.Y. 87−37103
Nhguyen Cien *see* Cien Nhguyen
Nhi, B.T. *see* Nghi, N.T. 87−12328
Nho Pham Van *see* Pham Van Nho
Ni, D. *see* Chang, C.S. 88−26326
Ni, D. *see* Fetterman, H.R. 88−25513
Ni, D.C. *see* Fetterman, H.R. 88−63929
Ni, E., Stumper, U. Permittivity measurements using a frequency-tuned microwave TE_{01} cavity resonator 85−26454
Ni, G. *see* Liang, X. 88−51998
Ni, J.-L. *see* He, Z.-Y. 87−62090
Ni, J.S. Modeling of hot electron effects on the device parameters for circuit simulation 87−46023
Ni, J.S. *see* Hu, S.C. 88−50691
Ni, L.M., Gendreau, T.B. REUSE: a reliable unified service environment for distributed systems 87−20275
Ni, L.M., Jain, A.K. A VLSI systolic architecture for pattern clustering 85−36354
Ni, L.M. *see* Dinstein, I. 85−30416
Ni, L.M. *see* Fang Zhi-xi 88−14771
Ni, L.M. *see* Li, X. 85−62058
Ni, L.M. *see* Liu, Y. 87−34186
Ni, L.M. *see* Wu, C.-F.E. 88−732, 88−25169
Ni, L.M. *see* Wu, C.E. 87−67584
Ni, L.M. *see* Znati, T. 88−8914, 88−52654
Ni, W.-X. *see* Hirashita, N. 88−43897
Ni, X. *see* Ji, Z. 88−42538
Ni, Y.-X., Fouad, A.A. A simplified two-terminal HVDC model and its use in direct transient stability assessment 88−23437
Ni, Y.-X., Shin, C.G., Fouad, A.A. TEF method solutions with exciter: Numerical technique used 88−23427
Ni, Y.X. *see* Luo, J.Y. 88−68812
Ni Cheng, Feng Ci-zhang, Ni Guang-zheng Determination of electromagnetic energy and parameters by complementary and complementary-dual energy method 88−58771
Ni Erhu A measurement of ϵ_r' and $\tan\delta$ of solid dielectric as a function of the specimen's thickness using TE_{01n} circular cavity 85−4074
Ni Guang-zheng *see* Ni Cheng 88−58771
Ni Guang-zheng *see* Qian Xiu-ying 85−5146
Ni Guangzhen *see* Liang Xuebiao 88−58769
Ni Guangzheng *see* Liang Xubiao 88−27381
Ni Guoqiang *see* Zhou Liwei 88−20855
Ni Hong-jie *see* Cai Da-yong 87−10317
Ni Hui-Ling *see* Ding Hui-Liang 86−65388
Ni Jie, Jin Ji-chen Biomedical image enhancement by means of a fast polynomial transform 88−29973
Ni Jinzhi *see* Zhang Dake 86−3017
Ni Ren *see* Ren Ni
Ni Shize *see* Yin Yixian 85−46314
Ni Wansuen *see* Wei Rongjue 87−21798
Ni Wei-Ming *see* Wei-Ming Ni
Ni Wei-Tou *see* Wei-Tou Ni
Ni Wei-Xin *see* Wei-Xin Ni
Ni Weidou, Xu Xiangdong The mathematical model of three-shaft marine gas turbine and its dynamic analysis 86−19556
Ni Weidou, Xu Xiandong Digital simulation of thermal turbomachinery systems 86−61324
Ni Xuewen *see* Zhung Lichun 86−41002
Ni Yi-xing, Zhang Bao-ling A study of machine-network transient simulation of power system. I. Manipulation of machine-network interfacing 85−4526
Ni Yi-xing, Zhang Bao-ling A study of machine-network transient simulation of power system. II. Mutual transformation among the three models used successively in fault transient simulation 85−15492
Ni Ying-sheng *see* Ying-sheng Ni
Ni Yucai, Yan Hanmei, Ma Mingde, Lin Jian Synthesis of He-Ne laser frequency at 88 THz 85−46455
Ni Zhenyuan *see* Guan Anmin 85−59162, 86−50295
Ni Zhi-jun On curved electron beams in crossed electric and magnetic fields 86−14776
Ni Zhi-ren *see* Wang Chuan-jin 87−63261
Ni Zuo *see* Li Fu-shou 86−32791
Niac, G. *see* Pop, I. 87−71918
Niakagawa, E. *see* Yamashita, J. 86−68549
Niamat, M.Y. *see* El-Serafi, A.M. 87−15633, 87−42895
Nian Jiang Chen *see* Chen Nian Jiang
Nian-shen Huang *see* Huang Nian-shen
Nianan Cheng *see* Cheng Nianan
Niande Xiang *see* Xiang Niande
Niande Xieng *see* Xieng Niande
Niandong Jiang *see* Jiang Niandong
Niansheng Qi, Krishnan, M. Photopumping of a C III ultraviolet laser by Mn VI line radiation 88−14117
Nianzu Ma *see* Ma Nianzu
Niar, S. *see* Goncalves, G. 88−38559, 88−50203
Niay, P., Bernage, P., Bocquet, H. Two opto-electronic processes for measuring plano-cyclindrical lens curvature radii 87−77417
Niay, P., Bernage, P., Ledee, J.J. Polarization interferometer for angular measurements 85−64292
Niblack, C.A. Evaluation system for switched-FET multiplexed indium antimonide IR detector arrays operated in a capacitive discharge mode 86−60164

Niblack, C.A. Improved performance characteristics for indium antimonide photovoltaic detector arrays using a FET-switched multiplexing technique 87−20930
Niblack, C.A. *see* Bailey, G.C. 87−49762
Niblack, C.A. *see* Davis, R.M. 88−29457
Niblack, W., Petkovic, D. On improving the accuracy of the Hough transform: theory, simulations, and experiments 88−73353
Niblack, W. *see* Lacourse, J. 85−13173
Niblack, W. *see* Rabu, Y. 85−64720
Niblack, W.K. *see* Rathman, D.D. 88−71078
Nibori, Y. Application technique of CCD linear image sensor 86−17821
Nica, E. *see* Atanasiu, G. 88−48926
Nicaise, M. *see* Godfraind, J.M. 85−4339
Nicalek, T.P., Notthoff, J.K. GaAs JFET custom IC development 86−2205
Nicas, A.J. *see* Storer, J.A. 86−21739
Nicati, P.A., Robert, Ph. Fiber ring interferometer current sensor: a new method of stabilisation 88−74455
Nicaud, G. *see* Driouche, M. 88−73485
Nice, J.W. Bringing telephone system testing up to date 86−34012
Nicewarner, E. Multilayer rigid-flex printed wiring design considerations 87−37660
Nicewarner, E. Multilayer rigid-flex printed wiring design considerations 87−59960
Nichiporenko, O.S., Braterskaya, G.N., Medvedovskii, A.B., Zatovskii, V.G., Galinov, I.V., Smirnov, V.P. Application of atomized copper powder in obtaining copper-graphite contacts 87−17428
Nichiporovich, A.S. *see* Zav'yalova, L.V. 87−65486
Nichiporovich, G.F., Zheltov, A.I., Lapeto, V.G. Device for measuring the film temperature in movie projectors 85−52892
Nichiporovich, L.V., Pruss, E.V. The possibility of deriving a physical description of the functioning of distribution networks 85−38500
Nichiporovich, L.V., Pruss, E.V. The quality of observation of events in distribution networks 86−56420
Nichiporovich, L.V. *see* Pruss, E.V. 88−17124
Nichoga, V.A. *see* Dub, P.B. 87−56639
Nichol, B.G. *see* Chakravarty, I. 87−27647, 87−69326
Nichol, D.G. Optical processing, its role in surveillance 85−13652
Nichol, D.G., Fiebig, M.J., Whatmough, R.J., Whitebread, P.J. Some image processing aspects of a military geographic information system 88−14752
Nicholaidis, M. An efficient built-in self test scheme for functional test of embedded RAMs 86−1080
Nicholas, B.M. *see* Gass, P.A. 88−16357
Nicholas, B.M. *see* Mosley, A. 87−26096
Nicholas, C.R. The modular construction of TV, radio, film and post production studios 86−17597
Nicholas, C.R. The modular construction of TV, radio and post production studios 87−13850
Nicholas, D. Pattern recognition techniques in X-ray CT and ultrasound 85−38141
Nicholas, D.E. The digital future: user needs 85−63213
Nicholas, D.J. The use of perturbed aspherics in broad band optical systems 87−46627
Nicholas, D.J. Multiple aspheric systems for the lithography of VLSI circuits 87−46629
Nicholas, D.J., Allsopp, D., Hamilton, B., Peaker, A.R., Bass, S.J. Characterisation of MOCVD InP grown from different adduct sources 85−11931
Nicholas, D.J., Boon, J.E. The manufacture of aspheric focusing lenses for high-power multi-wavelength laser systems 87−33243
Nicholas, D.J., Boon, J.E. High power laser focusing optics 87−46628
Nicholas, D.J., Clarke, G.J., Hamilton, B., Peaker, A.R., Thrush, E.J., Scott, M.D., Davies, J.I. A comparison of low pressure and atmospheric pressure MOCVD growth of InP 88−49883
Nicholas, D.J. *see* Evans, J.H. 88−64261
Nicholas, D.J. *see* Gerrard, N.D. 88−56218
Nicholas, D.J. *see* Lee, M. 86−41535
Nicholas, D.J. *see* Missous, M. 87−45577
Nicholas, D.K., Price, W.E., Smith, L.S., Soli, G.A. The single event upset (SEU) response to 590 MeV protons 85−22807
Nicholas, D.P. *see* Taylor, C.D. 87−69319
Nicholas, G.R. *see* Harper, A.B. 86−45182
Nicholas, H.T., III, Samueli, H. An analysis of the output spectrum of direct digital frequency synthesizers in the presence of phase-accumulator truncation 88−18958
Nicholas, J.M.C. A broad band amplifier−Europe's first foundry GaAs IC 87−45298
Nicholas, J.M.C. Europe's first GaAs microwave foundry chip 87−73668
Nicholas, J.M.C., Hobbs, C.S. Monolithic low noise amplifier−a foundry GaAs IC 88−32470
Nicholas, J.M.C., Ransome, S.J., Wilson, K., Beckerson, J.S. An ultra broad-band monolithic amplifier module 85−17884
Nicholas, J.M.C. *see* Walker, J.L.B. 85−50039
Nicholas, J.M.C. *see* Wilson, K. 85−23078, 86−27598
Nicholas, K.H. Lithography for half-micron ICs 85−45831
Nicholas, K.H. Electron image projection for 0.5 μm geometries 86−2290
Nicholas, K.H., Ford, R.A. Ghost proximity correction in an electron image projector 86−15186
Nicholas, K.H., Ford, R.A., Wilks, R.W. Proximity corrections for electron image projection 86−21664
Nicholas, K.H., Stamp, I.J., Brockman, H.E. Dielectric isolation by orientation-dependent etching 85−12415
Nicholas, K.H. *see* Daniel, P.J. 85−23925
Nicholas, L. *see* Lakshmeesha, V.K. 86−43047, 87−17340
Nicholas, L. *see* Pal, S. 86−10218
Nicholas, N.D. *see* French, B.O. 87−5815
Nicholas, P. Putting testability into perspective 86−47151
Nicholas, P. SMA technology−current practices and criteria for testability 87−24559
Nicholas, R.J. Phonon drag contribution to thermoelectric power in two-dimensional systems 85−61737
Nicholas, R.J., Brummell, M.A., Hopkins, M., Brunel, L.C., Huant, S., Portal, J.C., Razeghi, M., Cheng, K.Y., Cho, A.Y. Electron-optic phonon coupling in $Ga_{0.47}In_{0.53}As$ based heterostructures 86−53372
Nicholas, R.J., Brummel, M.A., Portal, J.C. High magnetic field characterisation of MOCVD heterostructures and superlattices 85−11987
Nicholas, R.J., Brummell, M.A., Portal, J.C. The magnetophonon effect in two-dimensional systems 85−34606
Nicholas, R.J., Clark, R.G., Usher, A., Foxon, C.T., Harris, J.J. High order fractional quantisation in a two dimensional system 87−11414
Nicholas, R.J., Clark, R.G., Usher, A., Mallett, J.R., Suckling, A.M., Harris, J.J., Foxon, C.T. Recent advances in the study of the fractional quantum Hall effect 87−74097
Nicholas, R.J., Nasir, F., Singleton, J. High magnetic field characterisation of (Hg,Cd)Te surface layers 88−32785
Nicholas, R.J., Vuong, T.H.H., Brummell, M.A., Portal, J.C., Razeghi, M. Temperature and magnetic field dependent thermoelectric power in GaInAs-InP heterojunctions 86−47372
Nicholas, R.J. *see* Brummell, M.A. 86−35412, 87−24855
Nicholas, R.J. *see* Fung, S. 85−35596
Nicholas, R.J. *see* Harris, J.J. 88−19697
Nicholas, R.J. *see* Haywood, S.K. 88−38177, 88−49853
Nicholas, R.J. *see* Huant, S. 87−39012
Nicholas, R.J. *see* Jones, H. 85−41094
Nicholas, R.J. *see* Leadley, D.R. 88−39119
Nicholas, R.J. *see* Rogers, D.C. 87−11406, 87−11413, 87−74101
Nicholas, R.J. *see* Singleton, J. 87−35093, 87−67025
Nicholas, R.J. *see* Smith, S.M. 88−9980
Nicholas, R.J. *see* Vuong, T.H.H. 86−35413, 86−53353, 86−53423
Nicholas, R.R. *see* Hoeber, C.F. 86−64932
Nicholas, T. *see* Hartman, G. 87−70793
Nicholas, V.A. *see* Thackeray, M.M. 87−78859
Nicholas, W.G. Pumps as turbines: selection and application 88−69201
Nicholich, J.-P. *see* Kelly, N. 85−13992
Nicholl, A. *(translator)* Telecommunications. Telephone networks 1 87−31182
Nicholls, A.D. *see* Cooke, M.P. 86−34590
Nicholls, A.W. Factory measurement of discharges 85−32254
Nicholls, A.W. *see* Field, A.W. 87−15293
Nicholls, B. Inside the 82786 graphics chip 87−73459
Nicholls, C.F. *see* Buckley, D.J. 86−65301
Nicholls, D.H. *see* Powell, M.J. 88−7621
Nicholls, G., Pei, X., Poirier, R., Redding, J. RF system for the Indiana University Cyclotron facility cooler project 88−54360
Nicholls, G. *see* Dwersteg, B. 85−26656
Nicholls, G. *see* Kustom, R.L. 88−61065
Nicholls, G. *see* Martin, P. 86−31900
Nicholls, G.L. *see* Griffin, J.E. 86−31977
Nicholls, G.L. *see* Kustom, R.L. 88−54260
Nicholls, I.J. A hot water control model for use in prediction of uncontrolled power system demand 86−44908
Nicholls, J.E. *see* Lilley, P. 85−2134
Nicholls, M. Telemetry system that is easy to use 85−13828
Nicholls, M. Integrating CAD with reliability 88−24886
Nicholls, M. *see* Payne, P.A. 86−56285
Nicholls, M.J. *see* Gurdenli, E. 88−28739
Nicholls, M.J. *see* Huish, P.W. 86−37790, 87−40746
Nicholls, M.R. W-band microstrip for guided weapon applications 87−11025
Nicholls, M.R., Rowatt, C.A. A millimetre wave integrated seeker subsystem for guided weapons 87−41012
Nicholls, N.J. *see* Tsoi, A.C. 86−37205
Nicholls, N.S. Control of the distortion of supply voltage waveform due to harmonic currents in light weight power converters 85−27522
Nicholls, N.S. Radar transmitters 86−11177
Nicholls, N.S. The control of harmonic resonance in high-voltage rectifier transformers 87−43173
Nicholls, N.S. *see* Menown, H. 87−37849
Nicholls, R. *see* Barrett, N.J. 86−2027
Nicholls, R.E. *see* Blight, S.R. 88−53820
Nicholls, R.E. *see* Sangha, S.P.S. 88−38155
Nicholls, R.E. *see* Stewart, C.P. 87−24779
Nicholls, S.T. Automatic manufacture of polished single-mode-fibre directional coupler 86−2673
Nicholls, W.C. The user requirements for the 4:2:2 component digital VTR 87−28836
Nichols, A., Gaffield, T., Wilhelm, J., Inkster, R., Leung, S. A SAR for real-time ice reconnaissance 85−64763
Nichols, A., Wilhelm, J., Gaffield, T., Inkster, R., Leung, S. Advanced SAR system maps Arctic regions 85−64701
Nichols, A. *see* Sholley, M. 86−8513, 86−20832, 87−6135, 87−38330
Nichols, A. *see* Sholley, M.D. 88−19393
Nichols, A.D. *see* Sullivan, R.J. 88−60259
Nichols, A.S. *see* Sholley, M.D. 88−19392
Nichols, B., Dharia, V., Rao Kanaparty A data link for agricultural and off-highway communications [vehicle communications] 86−23469
Nichols, C.S., Yang, L.H., Fong, C.Y. The doping mechanism in amorphous silicon 88−26040
Nichols, D. *see* Chow, R. 85−10785
Nichols, D. *see* Lay, K.Y. 88−31713
Nichols, D.J. *see* Niles, G.B. 86−51068 to 51069
Nichols, D.K., Phelps, J.D.M. A remote surge analyzer to monitor zinc oxide arrester performance 86−65780
Nichols, D.K., Price, W.E., Kolasinski, W.A., Koga, R., Pickel, J.C., Blandford, J.T., Jr., Waskiewicz, A.E. Trends in parts susceptibility to single event upset from heavy ions [monolithic ICs] 86−35770
Nichols, D.K., Price, W.E., Malone, C.J., Smith, L.S. A summary of JPL single event upset test data from May 1982, through January 1984 85−23724
Nichols, D.K., Price, W.E., Shoga, M.A., Duffey, J., Kolasinsky, W.A., Koga, R. Discovery of heavy-ion induced latchup in CMOS/epi devices 87−32709
Nichols, D.K., Smith, L.S., Price, W.E., Koga, R., Kolasinski, W.A. Recent trends in parts SEU susceptibility from heavy ions 88−26388
Nichols, D.K. *see* Giddings, A.E. 86−35884
Nichols, D.K. *see* Shih, C.H. 86−12507
Nichols, D.K. *see* Smith, L.S. 88−25201
Nichols, D.K. *see* Zuleeg, R. 85−17387
Nichols, D.N., Chang, W., Burkey, B.C., Stevens, E.G., Trabka, E.A., Losee, D.L., Tredwell, T.J., Stancampiano, C.V., Kelly, T.M., Khosla, R.P., Lee, T.H. A 1.4 million element, full frame CCD image sensor with vertical overflow drain for anti-blooming and low color crosstalk 88−42167
Nichols, D.N. *see* Chang, W.C. 88−29463
Nichols, D.N. *see* Stevens, E.C. 87−63285
Nichols, D.N. *see* Tong Lee, S. 88−44707
Nichols, D.R. Sputtering of refractory metal silicides from composite cathodes used in the Varian 3180/3190 sputtering system 85−22501
Nichols, E. Today's telephone market 85−51941
Nichols, E.C. *see* Bergendahl, A.S. 85−23611
Nichols, E.P. Technology rejuvenates the phasing SSB system 86−23666
Nichols, G. *see* Huffman, T.R. 88−50693
Nichols, G.B. Comments on 'The effect of back corona in a laboratory scale electrostatic precipitator' 87−12676
Nichols, G.B. *see* Altman, R.F. 86−60985
Nichols, G.E. Development and design of a computerized inspection and maintenance system 87−9129
Nichols, G.H. *see* Huffman, T.R. 88−19784
Nichols, G.W. *see* Lew, H. 87−26489
Nichols, J. Bringing down the cost of GPIB-controlled power supplies 86−20282
Nichols, J. *see* Donovan, L. 87−65239
Nichols, J.A. *see* Barrett, A.W. 87−78059
Nichols, J.L. Technique for untangling instruction flow frees computer to pick up speed 85−61186
Nichols, K. Build a pair of line-carrier modems 88−73744
Nichols, K.B., Burke, B.E. A gallium arsenide overlapping-gate charge-coupled device 85−45705
Nichols, K.B., Burke, B.E., Aull, B.F., Goodhue, W.D., Gramstorff, B.F., Hoyt, C.D., Vera, A. Spatial light modulators using charge-coupled device addressing and electroabsorption effects in multiple quantum wells 88−33901
Nichols, K.B., Burke, B.E., Aull, B.F., Goodhue, W.D., Gramstorff, B.F., Hoyt, C.D., Vera, A. Spatial light modulators using charge-coupled-device addressing and electroabsorption effects in GaAs/AlGaAs multiple quantum wells 88−45211
Nichols, K.B., Hollis, M.A., Bozler, C.O., Gale, R.P., Murphy, R.A. Fabrication and performance of GaAs permeable base transistors 86−63267

Nichols, K.B., Hollis, M.A., Bozler, C.O., Quddus, M.A., Kushner, L.J., Mathews, R., Vera, A., Rabe, S., Murphy, R.A., Olsson, D.L. High power-added efficiency measured at 1.3 and 20 GHz using a GaAs permeable base transistor 88−38767
Nichols, K.B. *see* Actis, R. 87−37545
Nichols, K.B. *see* Aull, B.F. 88−58235
Nichols, K.B. *see* Bozler, C.O. 86−2128
Nichols, K.B. *see* Burke, B.E. 87−12255
Nichols, K.B. *see* Donnelly, J.P. 85−2093, 85−29649
Nichols, K.B. *see* Goodhue, W.D. 86−54059, 88−57350, 88−72163
Nichols, K.B. *see* Hollis, M.A. 86−47545, 88−13329
Nichols, K.B. *see* Kingston, R.H. 85−12647
Nichols, K.B. *see* Kushner, L.J. 88−71075
Nichols, K.G. *see* Allerton, D.J. 85−54608
Nichols, K.G. *see* Kazmierski, T.J. 86−13955, 88−18881
Nichols, L.J. *see* MacMaster, G.H. 88−19610
Nichols, M. *see* Bonse, U. 86−60683
Nichols, M.C. *see* Kinney, J.H. 87−28967, 88−29986
Nichols, M.F., Hahn, A.W. Electrical insulation of implantable devices by composite polymer coatings 88−31494
Nichols, M.F. *see* Bleck, J.A. 87−63290
Nichols, M.F. *see* Hahn, A.W. 85−38019
Nichols, M.J. *see* Jervis, B.W. 86−32313
Nichols, N. The electrical considerations in cogeneration 85−16515
Nichols, N. The electrical considerations in cogeneration 85−54006
Nichols, N. Coping with increased demand for emergency and standby power 88−62461
Nichols, N.K. *see* Barlow, J.L. 87−55111
Nichols, N.K. *see* Hoskin, R.E. 86−65972
Nichols, P.A. *see* Swindle, R.I. 88−28516
Nichols, R.H. Distributed microprocessors applied in steel bar rolling mills 87−43683
Nichols, R.J., Macurda, H.B. The potential of optical systems for strategic defense 88−22208
Nichols, R.W., Ng, W.K. Raman shifted Nd:YAG Class I eye-safe laser development 87−46827
Nichols, S.T., Smith, M.R., Campbell, K.J.M. A high resolution real time digital spectrum analyze−theory and implementation 87−29020
Nichols, S.T. *see* Salami, M.J.E. 87−61963
Nichols, S.T. *see* Smith, M.R. 88−21289
Nichols, S.W. *see* Turner, L.E. 87−45121
Nichols, T. Economical SCADA uses IBM-PC AT 87−51072
Nichols, T.B. *see* Wyndham, B.A. 88−15565
Nichols, W.R. *see* Edelstein, R.M. 87−41839
Nicholson, B. Microcontrollers evolve in power and flexibility 86−1090
Nicholson, B. Quality starts with bare board test 87−37701
Nicholson, B. Meeting the SMD testing challenge 87−53013
Nicholson, B.J. On the *F*-distribution for calculating Bayes credible intervals for fraction nonconforming 86−233
Nicholson, D. A high performance hexagonal ferrite tunable bandpass filter for the 40-60 GHz region 86−14338
Nicholson, D. Boosting reliability, productivity and profits via ESS 87−5202
Nicholson, D. Ferrite tuned millimeter wave bandpass filters with high off resonance isolation 88−71007
Nicholson, D., Wellman, T. Linear sensors monitor critical system parameters 88−35943
Nicholson, D. *see* Bower, D.F. 86−35228
Nicholson, D. *see* Lau, Y.S. 87−6106
Nicholson, D.A., Spiger, R.J. Software controlled display/pushbutton 86−18446
Nicholson, D.L. Confidence levels in the design of direct sequence LPE spread spectrum signals 87−40677
Nicholson, D.L. Issues in signal design to lower probability of classification and identification 88−21216
Nicholson, D.L. Spread spectrum signal design. LPE and AJ systems 88−55811
Nicholson, D.L., Huffman, S.D., Shattuck, J.H., Lyons, D.F. Emitter sorting using a multidimensional vector of signal features 88−21215
Nicholson, E.L., Khan, M.R. Microstructure and magnetic properties of electroless plated Co-Ni-P and Co-P thin films for magnetic recording 87−12033
Nicholson, E.L. *see* Khan, M.R. 86−35973
Nicholson, G. Probability of error for optical heterodyne DPSK system with quantum phase noise 85−14250
Nicholson, G. Optical source linewidth criteria for heterodyne communication systems with PSK modulation 86−37883
Nicholson, G. Transmission performance of an optical FSK heterodyne system with a single-filter envelope-detection receiver 87−56159
Nicholson, G. ASK homodyne system receiver using a 6-port fiber coupler 88−41650
Nicholson, G., Campbell, J.C. Performance estimates for heterodyne and homodyne optical fibre communication systems 86−30755
Nicholson, G. *see* Adams, J.L. 87−70099
Nicholson, G. *see* Hinton, K. 87−12475
Nicholson, G. *see* Stephens, T.D. 88−3973
Nicholson, H. *see* Fernando, K.V. 85−2718, 85−44834
Nicholson, H.W. *see* Alston-Garnjost, M. 88−74747
Nicholson, H.W. *see* Carrington, A. 86−65342
Nicholson, J.E. *see* Kamal, S.S. 85−42545
Nicholson, J.K. *see* Altman, R.F. 86−60985
Nicholson, K.K. *see* Bourgeois, F.J., III 86−48781
Nicholson, M. A large local area network project from design to maintenance : the experience of Credit Du Nord 87−13454
Nicholson, M.E. *(editor)* Electronic Packaging and Corrosion in Microelectronics. Proceedings of ASM's Third Conference on Electronic Packaging: Materials and Processes and Corrosion in Microelectronics 87−72704
Nicholson, M.G., Cooper, I.R., Gibbons, G.G. Towards a practical updatable optical image correlator 88−8845
Nicholson, M.G., Cooper, I.R., Gibbons, G.G., Petts, C.R. Optimization of an updatable optical image correlator 87−62177
Nicholson, M.G., Gibbons, G.G., Cooper, I.R., Petts, C.R. An updateable image correlator employing synthetic discriminant functions 88−41055
Nicholson, M.G., Gibbons, G.G., Laycock, L.C., Petts, C.R. Image correlation via pulsed dynamic holography 87−13060
Nicholson, M.G. *see* Cooper, I.R. 86−29973, 87−62229
Nicholson, P.S. *see* Munshi, M.Z. 87−58308
Nicholson, P.S. *see* Patel, N.D. 86−53838
Nicholson, P.S. *see* Stockman, A. 86−57505, 88−18817
Nicholson, R.D., Fusco, R.S. Copper clad molybdenum for high performance electronics 87−73871
Nicholson, R.T. Usage patterns in an integrated voice and data communications system 86−16822
Nicholson, W. *see* Trainor, D.W. 88−27065
Nicia, A.J.A. An optical communication system with wavelength-division multiplexing and minimized insertion losses. I. System and coupling efficiency 86−65000
Nicia, A.J.A., Munhoz, D.T.R. A wide-band general-purpose ECL/analog laser driver IC 88−65731
Nicia, A.J.A., Potters, C.J.T., Tholen, A.H.L. An optical communication system with wavelength-division multiplexing and minimized insertion losses. II. Multiplexing and demultiplexing 88−28878
Nick, W. *see* Dittrich, H.-G. 85−1926
Nickel, D., James, L., Butler, J., Nebus, J. Multibus II chips support advanced bus features in CMOS 86−1184
Nickel, D.L. *see* Berkowitz, D.G. 86−25527
Nickel, D.L. *see* Hurt, N.H., Jr. 87−23076
Nickel, E. *see* Heinen, K.-H. 87−16192
Nickel, F. *see* Armbruster, P. 88−36393
Nickel, F.S., Wiggins, C.M., Haney, A.J. System for direct measurement of bus current transients in high voltage switching substations 88−16394
Nickel, F.S. *see* Thomas, D.E. 88−2453
Nickel, F.S. *see* Wiggins, C.M. 88−16472, 88−17803
Nickel, G., Bauerle, K., Kampfe, B., Wieghardt, G. Radiographic measurement of layer thicknesses of electrolytically deposited zinc films 85−15027
Nickel, G.H. *see* Bowers, R.L. 88−37318
Nickel, G.H. *see* Greene, A.E. 85−5335
Nickel, G.H. *see* Lindemuth, I.R. 85−53792, 87−22676
Nickel, H., Schubert, F., Over, H.H., Bieniussa, K. Metal components for high temperature reactors 86−39402
Nickel, H. *see* Kroger, W. 88−55151
Nickel, H. *see* Zottmaier, R. 87−9296
Nickel, J., Kampfe, B., May, E., Sagnor, M., Bauerle, K. Test equipment for the roentgenographic-diffractional film thickness measurement of industrial components 86−17737
Nickel, J.M. *see* Nies, C.W. 88−52241
Nickel, R. Dynamic sensitivity analysis for the waveform relaxation method [LSI] 85−23833
Nickel, S.J. Digital IC technologies: 1987-2000 implications for systems suppliers and IC manufacturers 87−65979
Nickel, U. Angular super-resolution with array antennas−application to seeker-heads 87−19343
Nickel, U. Angle estimation with adaptive arrays and its relation to super-resolution 87−27048
Nickel, U. Angular superresolution with phased array radar: a review of algorithms and operational constraints 87−28639
Nickel, U. Some properties of fast projection methods of the Hung-Turner type 87−56220
Nickel, U. Algebraic formulation of Kumaresan-Tufts superresolution method, showing relation to ME and MUSIC methods 88−27655
Nickel, W. *see* Wulf, F. 88−50860
Nickels, L.E. *see* Googe, J.M. 87−10680
Nickels, L.E. *see* Wood, R.J. 87−15888
Nickels, R.J. *see* Hutchins, G.D. 85−43369
Nickelsen, J. Vision assisted light assembly robot system orientation 88−25710
Nickelson, R.L. Domestic satellite communications overview 85−8347
Nickelson, R.L. *see* Kirby, R.C. 85−42529
Nicker, D.A. Multilayer ceramic capacitors−a changing technology 86−1409
Nickerson, J. *see* Ernsberger, C. 86−20140
Nickerson, J.V. *see* O'Gorman, L. 88−66702
Nickerson, K.A. *see* Haykin, S. 85−48487
Nicklas, J.M., Lee, J.W., Jenkins, J.M. A novel template matching algorithm for ST-T segment analysis 87−21594
Nicklaus, M. *see* Hasselbach, F. 85−1215
Nickles, J.C. *see* Anderson, V.C. 86−55778
Nickles, J.C. *see* Hodgkiss, W.S. 86−55385
Nickles, R.J., Votaw, J.R. An extended range well counter 85−43194
Nickles, R.J., Votaw, J.R., Hutchins, G.D., Rosenthal, M.S., Funk, K.M., Sunderland, J.J., Satter, M.R. Target telemetry in medical isotope production 85−59261
Nickles, R.J. *see* Madsen, M.T. 86−65415
Nickles, R.J. *see* Votaw, J.R. 86−50501, 87−50130, 88−61114
Nicklin, B. Guidelines for selecting a video signal generator 86−38402
Nickling, G. *see* Schuster, M. 85−38535
Nicklisch, G. *see* Goetze, B. 86−24445
Nicklisch, G. *see* Gotze, B. 85−20479, 86−31304
Nicklisch, G. *see* Meusel, K.-H. 87−63313
Nicko, K.-H. *see* Neumann, G. 85−21424
Nickolaidis, M., Jansch, I., Courtois, B. Strongly code disjoint checkers 85−17342
Nickolaisen, S.L., Bialkowski, S.E. A least-squares digital filter for repetitive data acquisition 86−59285
Nickolas, P. *see* Goscinski, A. 87−34100, 87−69634
Nickoloff, E.L., Donnelly, E.M. Use of gypsum drywall as shielding material for mammography 88−48254
Nickoloff, E.L. *see* Atherton, J.V. 87−57095
Nicks, C. *see* Hersch, R.D. 88−70760
Nickson, H.R. Procurement of a talking terminal for partially sighted operators 88−45973
Nickson, M. Digital fault simulation methods using hardware modeling 86−67208
Nickull, G.A. The application in BC Telephone Company of a digital cross-connect system for the telecommunications special service network 88−3763
Niclas, K.B. Multi-octave performance of single-ended microwave solid-state amplifiers 85−1034
Niclas, K.B. Reflective match, lossy match, feedback and distributed amplifiers: a comparison of multi-octave performance characteristics 85−17849
Niclas, K.B. Active matching with common-gate MESFETs 85−50042
Niclas, K.B., Chang, A.P. Noise in two-tier matrix amplifiers 88−25483
Niclas, K.B., Pereira, R.R. The matrix amplifier: a high-gain module for multioctave frequency bands 87−37553
Niclas, K.B., Pereira, R.R., Graven, A.J., Chang, A.P. Design and performance of a new multi-octave high-gain amplifier 87−73773
Niclas, K.B., Remba, R.D., Pereira, R.R., Cantos, B.D. The declining drain line lengths circuit−a computer derived design concept applied to a 2-26-6 GHz distributed amplifier 86−47063
Niclas, K.B., Wolff, I., Tripathi, V.K. Comments on 'The microstrip open-ring resonator' [and reply] 85−1002
Nico, F. *see* Deon, L. 87−73444
Nicoara, N. *see* Cristea, P. 86−674, 86−52595, 87−494
Nicol, A., Davis, L.E. Nonreciprocal coupling in dielectric image lines 85−55094
Nicol, D.A.C. *see* Turtle, J. 86−39265
Nicol, D.M., Reynolds, P.F., Jr. Problem oriented protocol design 85−63383
Nicol, M.R., Gutowski, G.A., Wright, C.E. Evaluation of Defense Mapping Agency Level V high resolution data for training simulator applications 85−9280
Nicol, R. *see* Okubo, S. 88−46758
Nicol, R.C., Carr, M.D., Leaning, A.R. Videoconference codecs−the practical compatibility issues 87−34849
Nicol, R.C., Carr, M.D., Nightingale, C. International videoconferencing codec standards, past, present and future 88−21810
Nicol, R.C. *see* Clark, W.J. 87−2773
Nicol, T. *see* Dahl, P. 86−44521
Nicol, T. *see* McInturff, A.D. 85−64386
Nicol, T. *see* Strait, J. 87−74617
Nicol, T.H., Niemann, R.C., Gonczy, J.D. A suspension system for Superconducting Super Collider magnets 87−41720
Nicol, T.H., Niemann, R.C., Gonczy, J.D. SSC magnet cryostat suspension system design 88−45028
Nicol, T.H. *see* Fisk, H.E. 86−31827
Nicol, T.H. *see* Larson, E.T. 88−45029

Nicol, T.H. *see* Niemann, R.C. 85−37848, 85−59034, 87−70928, 88−45030
Nicol, W.S., Dean, G.C., Jackson, A., Stretton, W.A. The application of intelligent knowledge based systems to air traffic control 87−57319
Nicola, E. *see* Ciminiera, L. 87−48606
Nicola, G. Electroisolation varnish classification 87−53820
Nicola, G. Contribution to classification of electro-insulating polymers 88−1828
Nicola, L. *see* Krahenbuhl, L. 86−42711
Nicola, V. The use of flexible production systems in the automobile industry 85−60736
Nicola, V.F. *see* Dugan, J.B. 86−26738
Nicola, V.F. *see* Goyal, A. 87−58735
Nicolae, D. Standard impulse generator design by spectral representation and approximation methods 88−25057
Nicolae, D. Method of determining the inferior order equivalent dynamic model of a high-power turbine body with intakes 88−37051
Nicolae, D. *see* Miron, D. 87−64982
Nicolae, F. *see* Adrian, M. 85−60584
Nicolae, I. *see* Tanasoiu, C. 85−20596
Nicolae, M. *see* Popescu, C. 88−24780
Nicolaescu, D., Vasile, S., Caldararu, F. Distributed series resistance at p-n solar cells and light emitting diodes: a unitary approach 86−9699
Nicolaescu, D. *see* Vasile, S. 88−33278
Nicolaev, V.I. *see* Alexeev, N.N. 86−31903
Nicolai, C. *see* Balletta, A. 87−47402
Nicolai, P. *see* Edelmann, E. 88−48825
Nicolai, U. *see* Conrad, H. 87−51419
Nicolai, U. *see* Lehnert, K. 86−15193
Nicolai, W., Vahldieck, R. Automation in power plants 86−70746
Nicolaide, A. Utilization of the finite element method with automatic generation of the mesh connections for calculating the magnetization characteristic of a turbogenerator 85−32433
Nicolaide, A. A simple way to establish fundamental formulas for the variational method in electromagnetism 86−54247
Nicolaide, A. A contribution to the calculation of the field winding parameters of a synchronous machine with non-salient-pole rotor 87−58031
Nicolaides, C.A. *see* Cefalas, A.C. 86−9762, 87−7264
Nicolaidis, M. Evaluation of a self-checking version of the MC 68000 microprocessor 86−1128
Nicolaidis, M. A unified built in self-test scheme: UBIST 87−24142
Nicolaidis, M. Evaluation of a self-checking version of the MC 68000 microprocessor 87−44901
Nicolaidis, M. Shorts in self-checking circuits 88−20130
Nicolaidis, M. A unified built-in-test scheme: UBIST 88−70738
Nicolaidis, M., Courtois, B. Design of self-checking N-MOS (H-MOS) integrated circuits 85−35204
Nicolaidis, M., Courtois, B. Design of NMOS strongly fault secure circuits using unidirectional errors detecting codes 87−1763
Nicolaidis, M., Courtois, B. Self-checking circuits: from theory to practice 87−11942
Nicolaidis, M., Courtois, B. Strongly code disjoint checkers 88−63621
Nicolaidis, M. *see* Marchal, P. 86−34889
Nicolaidis, N. *see* Osseiran, A. 87−59560
Nicolais, L. *see* Apicella, A. 85−32213, 88−38276
Nicolais, L. *see* Egiziano, L. 85−40999, 86−7859, 86−9338, 86−68092
Nicolaisen, R. SCADA remotes enhance substation integration 86−51827
Nicolaizeau, M. *see* Hernandez, A. 86−11504
Nicolaou, P.P. *see* Lefas, C.C. 86−30888
Nicolas, A. 3D eddy current solution by BIE techniques 88−52110
Nicolas, A. *see* Bernard, A. 85−5247
Nicolas, A. *see* Bruno, C. 88−24971
Nicolas, A. *see* Burais, N. 85−24729, 86−42676, 86−42697, 86−44371, 87−33367
Nicolas, A. *see* Colombani, D. 85−24730
Nicolas, A. *see* Duthoit, F.M. 86−44399
Nicolas, A. *see* Foggia, A. 85−27584
Nicolas, A. *see* Grimsberg, R. 87−36840
Nicolas, A. *see* Hoeffelman, J. 88−17150
Nicolas, A. *see* Huang, Q.S. 88−52005
Nicolas, A. *see* Krahenbuhl, L. 86−3431, 86−42711, 86−63907, 88−2465
Nicolas, A. *see* Mansir, H. 85−28279, 86−40801, 88−6582
Nicolas, A. *see* Turner, L.R. 88−52124
Nicolas, A.Martin de *see* Martin de Nicolas, A.
Nicolas, C. *see* Valentin, A. 87−26376
Nicolas, G. Technical and economical aspect of laser repair for WSI memory 87−31913
Nicolas, G., Hermann, J.P. Inspection of moulds by 3-dimensional vision 88−31533
Nicolas, J., Poncelet, J.-P. Computer simulation of a bivalent heating installation 86−57043
Nicolas, J. *see* Vucetic, B. 88−46965
Nicolas, J.L. *see* Foka, R. 88−22239
Nicolas, L. *see* Krahenbuhl, L. 86−63907, 88−2465
Nicolas, L. *see* Mansir, H. 88−6582
Nicolas, L. *see* Muller, D. 88−52027
Nicolas, L. *see* Vidaller, L. 87−55760
Nicolas, M. *see* Bernard, G. 88−69663
Nicolas, M. *see* Dubost, G. 88−34501
Nicolas, M. *see* Theoleyre, S. 88−63988
Nicolas, P. Multipaths resolution by a combination of homomorphic and Wiener filtering 88−74057
Nicolas, P., Chamonal, J.P., Cluzel, J., Ravetto, M., Rigaux, G. Recent developments in PV CMT infrared detectors 87−49759
Nicolas, P., Kraus, D. Detection and estimation of transient signals in coloured Gaussian noise 88−73139
Nicolas, P., Pellerin, D., Louail, G., Noterman, D. Data transmission: nothing is worth a good pipe! 88−14929
Nicolas, P., Sullivan, E.J., Tacconi, G., Tiano, A. The TSS-ground communication channel: the detection of TSS-ULF/ELF/VLF emissions on the Earth surface and sea bottom 88−22055
Nicolas, P. *see* Audaire, L. 88−74477
Nicolas, P. *see* Le Bars, J. 87−67948
Nicolas, P. *see* Vezzosi, G. 87−55197
Nicolau, E. Dynamic *E-I* systems 86−52105
Nicolau, G. Statistical analysis of errors occurring in the mechanical calculation of overhead line conductors 88−10876
Nicolau, J.M., Serra Cifre, B.J., Erice Ruiz, M.C. Study of the security of an existing power grid system 85−48515
Nicolau, P. *see* Ludu, A. 88−49057
Nicolau, P. *see* Tanasoiu, C. 85−20596
Nicolau, Y.F. Solution deposition of thin solid compound films by a successive ionic-layer adsorption and reaction process 85−54485
Nicolay, H. *see* Heath, M. 87−53674
Nicolay, H.C. VLSI test vehicle data analysis and display 87−67525
Nicole, D.A. *see* Ward, J.S. 88−41488
Nicolescu, T. Aspects of the optimal maintenance policy of partially testable standby-systems with periodical testing 85−49318
Nicolescu, T. *see* Lieber, K. 85−9240
Nicolescu, T. *see* Seifritz, W. 86−45176
Nicolescu-Nichituc, D. *see* Cepisca, C. 87−49873
Nicolet, G. *see* Bersier, J. 87−78621
Nicolet, J.-L. *see* Lebouleux, P. 85−21322
Nicolet, M. *see* Shappirio, J. 86−21444
Nicolet, M.-A. Oxidation of silicides−summary 86−15068
Nicolet, M.-A. Thin-film diffusion barriers for metal-semiconductor contacts 87−60178
Nicolet, M.-A. *see* Banwell, T.C. 86−47336
Nicolet, M.-A. *see* Barcz, A.J. 86−21387
Nicolet, M.-A. *see* Finetti, M. 85−6751
Nicolet, M.-A. *see* Hamdi, A.H. 85−29005
Nicolet, M.-A. *see* Ho, K.T. 85−23551 to 23552, 85−34639, 86−8879
Nicolet, M.-A. *see* Hwa-Yueh Yang 88−39259
Nicolet, M.-A. *see* Jamieson, D.N. 88−38220
Nicolet, M.-A. *see* Jiang, H. 87−11679
Nicolet, M.-A. *see* Kattelus, H.P. 86−21443, 86−28039, 87−1309
Nicolet, M.-A. *see* Kim, S.-J. 87−11432
Nicolet, M.-A. *see* Kolawa, E. 87−59007, 87−60352, 88−7517, 88−25978
Nicolet, M.-A. *see* Lien, C.-D. 85−6889, 85−23550, 85−34640, 86−41599
Nicolet, M.-A. *see* Liew, B.-K. 87−53281
Nicolet, M.-A. *see* Lim, B.S. 88−29342
Nicolet, M.-A. *see* Lin, T.L. 88−38195
Nicolet, M.-A. *see* Pan, E.T.-S. 85−55570
Nicolet, M.-A. *see* Remba, R.D. 86−2163
Nicolet, M.-A. *see* So, F.C.T. 86−21447, 87−25158, 87−60377, 88−7365, 88−18741, 88−24790
Nicolet, M.-A. *see* Tandon, J.L. 87−6622
Nicolet, M.-A. *see* Zhao, X.-A. 87−11431
Nicolet, M.-A. *see* Zhu, M.F. 85−12005, 85−18169, 85−23720
Nicoletti, G. *see* Bagliesi, G. 88−48025
Nicoletti, G. *see* Baldini, R. 87−8865
Nicoletti, G. *see* Battistoni, G. 86−50396
Nicoletti, G. *see* Catanesi, M.G. 86−60606
Nicoli, V.M. *see* Naugle, D.G. 87−65559
Nicolini, A. *see* Huber, L. 85−48054
Nicolini, P. *see* Cauzillo, B.A. 86−51055, 88−68992
Nicolini, P. *see* Flocchini, G. 86−6386, 86−61152
Nicolis, N.G. *see* Sarantites, D.G. 88−29923
Nicoll, A.J. Multiplexers expand 8051's data/code space 87−575
Nicoll, J.K. *see* Allison, N.M. 88−42426
Nicolle, M. The use of videotex for the internal diffusion of information in sickness insurance institutions in France 87−27969
Nicolle, T. *see* Golanski, A. 86−35537
Nicollet, G. *see* Manoha, B. 87−78277
Nicollian, E.H. Electrically active defects in the Si-SiO_2 system−present understanding 87−17849
Nicollian, E.H., Brews, J.R. Instrumentation and analog implementation of the *Q-C* method for MOS measurements 85−37723
Nicollian, E.H., Reisman, A. A new model for the thermal oxidation kinetics of silicon 88−64406
Nicollian, E.H. *see* Boulin, D.M. 85−37442
Nicollian, E.H. *see* Brews, J.R. 85−37724
Nicollian, E.H. *see* Hattangady, S.V. 87−74005
Nicollian, E.H. *see* Reisman, A. 87−38126
Nicollini, G., Pancini, D., Pernici, S. Simulation-oriented noise model for MOS devices 88−20141
Nicollini, G. *see* Torelli, G. 85−34040
Nicolosi, A.P. *see* Leonard, T.D. 86−45594
Nicolosi, E.C. A sensible reflexive optical signals detector 86−20748
Nicolov, Z.A. *see* Zlatev, M.P. 86−41368
Nicols, D.C. Precision digitizing oscilloscope waveform analysis, display, and input/output 88−47617
Nicolsky, R., Octavio, M., Frota-Pessoa, S. Model for small superconducting variable-thickness bridge constrictions 85−24237
Nicolson, G.D. Measurement of G/T and feed performance of large antennas using celestial radio sources 85−41746
Nicolson, M. *see* Kirkup, L. 86−41571
Nicotra, L. *see* Nanni, S. 88−52570
Nicoud, G. *see* Weinmann, D. 85−9953
Nicoud, J.-D. Video RAMs: structure and applications 88−32205
Nicoud, J.C. *see* Galand, J. 87−50832
Nicoud, J.F. *see* Zyss, J. 85−12952
Nicouleau, C. *see* Anais, L. 88−59480
Nicu, V. Optimum operating period of a large power system between two successive inspections 85−38415
Nicula, A. *see* Culea, E. 86−53366
Nicula, Al., Culea, E., Sarbu, C., Culea, M. Semiconducting properties and microstructure of x% $V_2O_5\cdot(100-x)\%$ $(As_2O_3\cdot B_2O_3)$ glasses 86−27947
Nicula, Al. *see* Culea, E. 87−1216
Niculae, D. *see* Miron, D. 86−7310, 88−19590, 88−62797, 88−62834
Niculescu, D. *see* Bozdog, H. 86−24306
Niculescu, H. *see* Tanasoiu, C. 85−20596
Niculescu, I., Boconcios, R. Problems in the modelling of the efficient utilisation of energy resources 85−65027
Niculescu, N. *see* Nastase, L. 86−4856
Niculescu, V.A. *see* Hagan, D. 87−34943
Niculiu, T., Garbea, M. Rare matrix in the circuit simulation 88−31921
Niculiu, T. *see* Manolescu, A. 87−10639
Niczad, A. *see* Yu, C. 86−35101
Nidert, R.E. *see* Krowne, C.M. 86−58054
Nido, M., Komazaki, I., Kobayashi, K., Endo, K., Ueno, M., Kamejima, T., Suzuki, T. AlGaAs/GaAs self-aligned LD's fabricated by the process containing vapor phase etching and subsequent MOVPE regrowth 87−68457
Nido, M. *see* Endo, K. 85−2309
Nidzgorski, F. *see* Cook, A.W. 85−31862
Nie, A.G.van *see* van Nie, A.G.
Nie, Y.-X. *see* Rose, A. 86−58957
Nie Shang *see* Xu Yizhi 88−10181
Nie Shaofeng *see* Zhu Xinming 86−36529
Nie Shi-Feng An unattended rock mechanics observation system 85−26877
Nie Wei-qing Comparative study of some excitation control strategies 88−62321
Nie Xiang-fu *see* Han Bao-Shan 86−28628, 86−35981
Nie Yi-Yong *see* Yi-Yong Nie
Nie Yu-xin *see* Zhao Li-zeng 86−22474
Niebauer, M.J. *see* Geddes, L.A. 85−31867
Niebauer, T.M., Faller, J.E., Godwin, H.M., Hall, J.L., Barger, R.L. Frequency stability measurements on polarization-stabilized He-Ne lasers 88−45339
Niebauer, T.M. *see* Faller, J.E. 87−15046
Niebel, L. Comparison of some preamplifier types with receivers for the optical signal transmission 86−23882
Niebergall, F. *see* DeWulf, J.P. 87−21468, 88−22985
Niebergall, F. *see* Dorenbosch, J. 87−29472
Niebling, K.D. *see* Knab, H. 85−58808, 86−24657
Niebo, R.J. North American nuclear unit information and analysis systems 85−27206
Niebsch, H. *see* Schafer, P. 87−36763
Niebuhr, W.D. MOV surge arresters: improved substation equipment protection 86−6433
Niebuhr, W.D. *see* Kershaw, S.S. 86−6441
Nied, H.A. The thermostructural response of electric contacts having braze defects 85−53790
Nieda, H. *see* Inoue, A. 85−19176
Nieda, H. *see* Otsubo, M. 85−18501
Nieda, H. *see* Yamasumi, K. 86−14795
Niedbala, R. *see* Hering, M. 85−16129
Niedbalski, J. *see* Alamon, A. 86−67619
Niedbalski, J. *see* Gratton, R. 87−14301
Nieder, K. *see* Rother, D. 87−76450
Niederauer, K. *see* Schafer, W. 85−23897, 85−29172, 85−55911
Niedercorn, J. *see* Korn, L. 88−21508
Niederer, H.H.J.M. Magnetoconductance of an n-type Si inversion layer in the transition region of weak to strong localization 85−50320
Niederhauser, K. 34 Mbits/s fibre-optic digital transmission systems 86−11076
Niederhauser, K. Optical transmission system for short distances 88−73913
Niederhofer, K.H. Single-mode-fibers for fiber optic-guided missiles−a comparison with graded-index multimode fibres 86−68302

Niederjohn, R. *see* Lahat, M. 86−10320
Niederjohn, R.J., Krutz, M.W., Brown, B.M. An experimental investigation of the perceptual effects of altering the zero-crossings of a speech signal 87−47557
Niederjohn, R.J., Lahat, M. A zero-crossing consistency method for formant tracking of voiced speech in high noise levels 85−46724
Niederjohn, R.J., Lee, P.-J., Josse, F. Factors related to spectral subtraction for speech in noise enhancement 88−46002
Niederjohn, R.J. *see* Conway, R.J. 88−46003
Niederjohn, R.J. *see* Heinen, J.A. 86−677
Niederjohn, R.J. *see* Lahat, M. 87−61611
Niederjohn, R.J. *see* Thompson, G.C. 87−29210
Niederkorn, J.T., Hendryx, R.C. Feedback from the front: user contributions to B-52 avionics ATE 87−21726
Niederland, R.A. *see* Rasset, T.L. 87−17105, 87−31943, 87−37370
Niedermair, F.R. *see* Bolton, R.M. 87−42039
Niedermair, G. *see* Thurmair, G. 87−2485
Niedermair, G.T. Merging acoustics and linguistics in speech-understanding 88−72902
Niedermann, P., Emch, R., Descouts, P. Simple piezoelectric translation device 88−33479
Niedermann, P., Sankarraman, N., Fischer, O. Enhanced field emission from molybdenum disulphide 87−37803
Niedermann, P., Sankarraman, N., Fischer, O. Enhanced field emission from molybdenum disulfide 88−38966
Niederreiter, H. Knapsack-type cryptosystems and algebraic coding theory 87−7663
Niederreiter, H. On an irrationality theorem of Mahler and Bundschuh 87−16498
Niederreiter, H. Algebraic methods for designing cryptographic systems 88−45883
Niederreiter, H., Peart, P. Localization of search in quasi-Monte Carlo methods for global optimization 86−46227
Niederreiter, H. *see* James, N.S. 88−40818
Niederwanger, G. Dynamic measurement and evaluation of vibration of buildings 85−37750
Niederwanger, G. The occurrence of errors on acquisition and digital handling of dynamic measurements 88−4320
Niedoba, H., Puchalska, I.B., Hubert, A. Induced magnetic anisotropy generated by annealing in implanted garnets 85−24089
Niedra, J.M. *see* Barsony, I. 87−41371
Niedrauer, T., Paul, C. A portable multispectral video system 86−60953
Niedrauer, T., Paul, C., Campbell, J. Ocean trial of a portable multispectral video system 86−55467
Niedrig, H., Unger, G. Electron scattering by electron beam microlithography masks 86−1961
Niedrig, H. *see* Hylla, W. 85−45373
Niedritis, A.M. *see* Berzonis, M.A. 88−4794
Nieduszynski, A.J. Regulation of the radio spectrum 86−49764
Nieduszynski, W. *see* Czyrkowski, H. 87−29511
Niedziela, T., Piotrowski, J. Performance limits of (CdHg)Te photoelectromagnetic detectors for medium spectral range 87−41511
Niedziela, T., Piotrowski, J. The influence of the photon and thermal effects on the linear operation range of (CdHg)Te photoelectromagnetic detectors of far infrared 87−56697
Niedzielski, R. *see* Olszewski, J. 87−74503
Niedzviedzs, L.A. *see* Alsin'sh, O.A. 87−5211
Niedzwiecki, M. On tracking properties of localized estimators 87−55234
Niedzwiedz, S. *see* Krawczyk, S.K. 85−5377
Niefer, R.J., Atkinson, J.B. The design of achromatic prism beam expanders for pulsed dye lasers 88−58630
Niefer, R.J., Atkinson, J.B., Krause, L. Internal attenuation of laser radiation in the CuCl laser 87−18906
Niefer, R.J. *see* Kim, S.W. 87−74996
Niegemann, R., Zier, H. A powerful paging radio service 86−43763
Niegemann, R., Zier, H., Koch, H. A powerful radio paging service 86−69615
Nieh, C.W., Chen, L.J. Formation of bubbles in BF$_2^+$-implanted silicon 86−58376
Nieh, C.W., Chen, L.J. Cross-sectional transmission electron microscope study of residual defects in BF$_2^+$-implanted (001)Si 87−17909
Nieh, C.W., Chen, L.J. Cross-sectional transmission electron microscope study of solid phase epitaxial growth in BF$_2^+$ -implanted (001)Si 87−23641
Nieh, C.W., Chen, L.J. Cross-sectional transmission electron microscope study of intrinsic solid-phase epitaxial growth in self-ion-implanted (001) Si 88−32749
Nieh, C.W. *see* Chang, C.S. 87−31496, 87−58930, 88−38221
Nieh, C.W. *see* Chen, L.J. 85−18238
Nieh, C.W. *see* Chien, C.J. 85−33439
Nieh, C.W. *see* Chow, D.H. 88−25916
Nieh, C.W. *see* Jamieson, D.N. 88−38220
Nieh, C.W. *see* Kao, Y.C. 88−38219
Nieh, C.W. *see* Lin, T.L. 88−6442, 88−38195
Nieh, C.W. *see* Lu, S.W. 87−23630
Nieh, C.W. *see* Mii, Y.J. 88−49810
Nieh, S., Nguyen, T. Effects of humidity, conveying velocity, and particle size on electrostatic charges of glass beads in a gaseous suspension flow 88−72490
Nieh, S.T.K. *see* Kolodny, A. 86−62595
Niehage, U. System reliability−a comparison of methods 88−23264
Niehage, U. *see* Edwin, K. 87−50719
Niehenke, E.C. GaAs: key to defense electronics 86−20835
Niehenke, E.C. Innovative microwave design leads to smart, small EW systems 88−36703
Niehenke, E.C., DiMacro, V.V., Friedberg, A. Linear analog hyperabrupt varactor diode phase shifters 86−8521
Niehenke, E.C., Green, P.A. A low-noise L-band dielectric resonator stabilized microstrip oscillator 87−73729
Niehoff, M.E. *see* Glenn, D.J. 86−45092
Niehsen, R. *see* Ernst, G. 85−15803
Niehus, R. *see* Crostack, H.-A. 88−31888
Nieke, E. *see* Coenen, R. 85−10302
Niekerk, F.D.van *see* van Niekerk, F.D.
Niekerk, H.R.van *see* van Niekerk, H.R.
Niekerk, M.J.van *see* van Niekerk, M.J.
Niekerk, R.Van *see* Van Niekerk, R.
Nieland, H. Queuing problems need a thorough mathematical approach 87−7879
Nield, B. *see* Bartlett, A.D. 88−23373
Nield, E.W. Multi-purpose Zener diode tester 88−74509
Nield, T. Electricity board aims to catch the wind 86−39651
Nields, M. *see* Hanrahan, M.R. 85−10565
Nielen, N.S.van *see* van Nielen, N.S.
Nielsen, A. Danish company links up its array of unlike devices 85−3129
Nielsen, A.D., Meyers, J.A. EMC−a total systems approach 87−75479
Nielsen, A.K. The effects of quantizing distortion on the perceived quality of PCM tone signals 87−19380
Nielsen, A.K. *see* Henningsen, O. 86−60067
Nielsen, B. *see* Lynn, K.G. 85−64384
Nielsen, B. *see* Mackenzie, S. 87−38540
Nielsen, B.R. *see* Goede, A.P.H. 88−45650 to 45651
Nielsen, B.S. *see* Akesson, T. 86−18235
Nielsen, B.S. *see* Atwood, W.B. 87−21411
Nielsen, C. *see* Leupelt, U. 87−61486
Nielsen, C. *see* Pierini, P. 88−17888
Nielsen, C.E. *see* Golding, P. 88−22835
Nielsen, C.J. All-fiber magnetometer with magnetic feedback compensation 87−29071
Nielsen, C.J. *see* Schroder, J.E. 86−44427
Nielsen, D. Guide to lighting of urban areas 87−9939
Nielsen, D.A. *see* Campbell, G.M. 85−45770
Nielsen, D.J. *see* Hayek, T.R. 88−47455
Nielsen, E. *see* Barr, R. 86−3525
Nielsen, E. *see* Haldoupis, C. 85−62769
Nielsen, E. *see* Reinleitner, L.A. 86−12169
Nielsen, E. *see* Rietveld, M.T. 85−2570
Nielsen, E. *see* Waldock, J.A. 85−62772
Nielsen, E.A. The design and testing of cables for offshore technology 87−72648
Nielsen, F. *see* Toulemonde, M. 85−1279
Nielsen, F.H. The Open Systems Interconnection (OSI) Session Layer 86−64477
Nielsen, G. *see* Stella, D. 87−12859
Nielsen, G.L. A hybrid approach to power supply design 85−44884
Nielsen, G.L. *see* Hannen, R. 86−33117
Nielsen, G.M. *see* Delp, S.L. 87−14939
Nielsen, H., Henriksen, K. Tractor and tools: connection between electricity, electronics and data systems 87−72646
Nielsen, H.B. *see* Nielsen, K.O. 86−60829
Nielsen, H.B. *see* Reif, J. 88−20755
Nielsen, H.B. *see* Zlatev, Z. 88−43830
Nielsen, H.O. IVISS−an infrared and visual imaging surveillance system 87−3495
Nielsen, H.O. A high performance infrared and visual imaging sea surveillance sensor (IVISS) 87−77156
Nielsen, J. *see* Nakayama, J. 87−34531
Nielsen, K.D. *see* Rosenfalck, A. 87−57162
Nielsen, K.E. *see* Hasti, D.E. 85−26670
Nielsen, K.E. *see* Ramirez, J.J. 87−21309
Nielsen, K.E. *see* Wright, T.P. 87−22617
Nielsen, K.F. New numbering plan, Y8 88−3444
Nielsen, K.O., Nielsen, S.S., Nielsen, H.B. Dynamic free-field headphone as hearing aid transducer 86−60829
Nielsen, K.R.K., Wandell, B.A. Discrete analysis of spatial-sensitivity models 88−52535
Nielsen, K.R.K. *see* Watson, A.B. 87−34958
Nielsen, L., Astrom, K.J., Jury, E.I. Optimal digitization of 2-D images 85−25159
Nielsen, L., Mahowald, M., Mead, C. SeeHear 87−77692
Nielsen, L., Sparr, G. Perspective area-invariants 87−75926
Nielsen, L.A., Pruitt, D.W., Roscioli, A.J. Stability evaluation of the Susquehanna Unit 2 reactor containing 9×9 fuel 88−23700
Nielsen, L.Drud *see* Drud Nielsen, L.
Nielsen, L.E. *see* Ahmad, S.Z. 86−60096
Nielsen, M.H. Whole vehicle electromagnetic compatibility testing 88−69895
Nielsen, N.H. Recording the fluctuations of the effective value of an alternating voltage 88−53758
Nielsen, O. Quality in spectral match of photometric transducers 87−8629
Nielsen, O. *see* Sorensen, K. 85−48114
Nielsen, O.K. Separator coupling for PEX cables 87−15332
Nielsen, P. Modern stationary batteries 86−33600
Nielsen, P. Defect location on linear structures by transmission line coupling 86−64025
Nielsen, R., Moenich, J., Wehrle, R. Vacuum chamber development for the synchrotron X-ray source at Argonne 88−54064
Nielsen, R. *see* Wehrle, R. 88−54065
Nielsen, R.G. *see* Boenig, H.J. 85−27533, 87−78069
Nielsen, R.J., Bruning, J.H., Richman, R.M., Biddick, C.J., Giacchi, J., Kossyk, G.J.W., Bush, D.R., Barna, S.J., Alles, D.S. A hydraulic *X-Y* stage system for application in electron beam exposure systems 87−38374
Nielsen, R.J. *see* Alles, D.S. 87−38372
Nielsen, R.L. *see* Hawkins, G.A. 86−11456
Nielsen, R.L. *see* Teh-Hsuang Lee 86−5041
Nielsen, S.E. *see* Johansen, K.E. 88−73664
Nielsen, S.H. *see* Johansen, K.E. 88−73664
Nielsen, S.S. *see* Nielsen, K.O. 86−60829
Nielsen, T.D., Curley, A.D. The integrated spacecraft automated test system−new technology for automated testing 86−60882
Nielsen, T.G. Field measurements of sound insulation with a battery-operated intensity analyzer 87−41413
Nielsen, U. *see* Lantermann, J. 88−30352
Nielson, C.J. All fiber magnetometer with magnetic feedback compensation 87−18690
Nielson, D.L. *see* Leiner, B.M. 87−34442
Nielson, E.K., Adibi, M.M., Barrie, O., Cooper, M.E., Heussner, K.W., Robertson, M.E., Scheidt, J.L., Scheurer, D. System operations challenges 88−54910
Nielson, G.M. A locally controllable spline with tension for interactive curve design 85−49473
Nielson, J.T., Swearingen, G.W., Witsmeer, A.J. GPS aided inertial navigation 86−18410
Nielson, J.T., Swearingen, G.W., Witsmeer, A.J. GPS aided inertial navigation 86−44745
Nielson, L. Compact rotatable log-periodic antenna AK 451 for 5 to 30 MHz 88−34490
Nielson, O.V. *see* Madurga, V. 85−4089
Nielson, R.D. Algorithmically accelerated CAD 86−41904
Nieman, H. *see* Schukat-Talamazzini, G. 87−19578
Nieman, J.A. *see* Dustin, D.R. 85−37772
Nieman, M. Nickel cadmium batteries in defibrillators 87−50411
Nieman, M. A tester for nickel cadmium defibrillator batteries 88−61451
Nieman, M., Christie, J., Richardson, W., Wheldon, T. A microscope stage controlled by a BBC model B microcomputer 86−18304
Nieman, M., Evans, A.L., Shaw, A. A syringe pump tester 87−14827
Nieman, M., Richardson, W., Gray, W.M., Asbury, A.J. A vaporizer controller [anaesthesia application] 87−50384
Nieman, M. *see* Hall, R.C. 88−30052
Nieman, M. *see* Richardson, W. 87−14909
Niemand, E. *see* Bahde, C. 85−27794
Niemand, E. *see* Karel, A. 85−60565
Niemann, B., Sarafis, V., Rudolph, D., Schmahl, G., Meyer-Ilse, W., Guttmann, P. X-ray microscopy with synchrotron radiation at the electron storage ring BESSY in Berlin 86−60687
Niemann, B.J., Jr. *see* Chrisman, N.R. 87−29922
Niemann, E., Fischer, R., Leidich, D., Linhart, E. Electrical properties of a-SiC$_x$/a-Si heterojunctions 86−27984
Niemann, E., Fischer, R., Leidich, D., Linhart, E. Investigation of the I-V-characteristic of a-Si solar cells with a-SiC$_x$ window layers 86−40148
Niemann, E. *see* Grabe, G. 86−40145
Niemann, H., Brietzmann, A., Ehrlich, U., Sagerer, G. Representation of a continuous speech understanding and dialog system in a homogeneous semantic net architecture 87−19582
Niemann, H., Brietzmann, A., Hein, H.-W., Muhlfeld, R., Regel, P., Schukat, G. A system for understanding continuous German speech 85−2771
Niemann, H., Goppert, R. An efficient branch-and-bound nearest neighbour classifier 88−34766
Niemann, H. *see* Ehrlich, U. 88−72903
Niemann, H. *see* Gaemlich, R. 87−50223
Niemann, H. *see* Kunzmann, S. 88−72889
Niemann, H. *see* Scheuing, A. 87−2595
Niemann, J.T. *see* Carlisle, D.M. 85−53078
Niemann, J.T. *see* Laks, M.M. 88−10375
Niemann, K. *see* Klotz, H. 88−5933
Niemann, M., Scharf, G., Weihrich, G. Signal processor increases the power of the SICOMP MMC 216 multi-microcomputer system 87−70498

Niemann, M.A. *see* Faulkner, T.R. 86−65208
Niemann, R. *see* McInturff, A. 85−26566
Niemann, R. *see* McInturff, A.D. 85−64386
Niemann, R. *see* Smoot, G.F. 87−74624
Niemann, R.C., Boroski, W.N., Gonczy, J.D., Nicol, T.H., Otavka, J.G., Ruschman, M.K., Powers, R.J. SSC dipole magnet cryostat thermal model measurement results 88−45030
Niemann, R.C., Carson, J.A., Edwards, H.T., Engler, N.H., Fisk, H.E., Gonczy, J.D., Hanft, R.W., Lundy, R.A., Mantsch, P.M., McInturff, A.D., Nicol, T.H., Powers, R.J., Remsbottom, R.H., Rode, C.H., Schmidt, E.E., Szymulanski, A. Cryogenic design of a superconducting 5 T dipole magnet for the superconducting super collider 85−37848
Niemann, R.C., Carson, J.A., Edwards, H.T., Engler, N.H., Gonczy, J.D., Hanft, R.W., Lundy, R.A., Mantsch, P.M., McInturff, A.D., Nicol, T.H., Powers, R.J., Remsbottom, R.H., Rode, C.H., Schmidt, E.E., Szymulanski, A. Superconducting Super Collider 5 T dipole magnet cryogenic design 85−59034
Niemann, R.C., Carson, J.A., Engler, N.H., Gonczy, J.D., Nicol, T.H., Otavka, J.G., Powers, R.J., Theilacker, J.C. Design, construction and test of a full scale SSC dipole magnet cryostat thermal model 87−70928
Niemann, R.C. *see* Fisk, H.E. 86−31827
Niemann, R.C. *see* Larson, E.T. 88−45029
Niemann, R.C. *see* Nicol, T.H. 87−41720, 88−45028
Niemann, U. *see* Dittmer, G. 87−79192
Niembro, R. *see* Forino, A. 85−37976
Niemegeers, I.G., Anthoni, J. Congestion control and flow control in the DPS-1500 packet switching system 85−51936
Niemegeers, I.G. *see* Bartecki, J. 87−20288
Niemegeers, I.G. *see* de Graaf, H. 87−34194
Niemegeers, I.G. *see* van de Lagemaat, J. 87−20195
Niemegeers, I.G. *see* Zafirovic-Vukotic, M. 88−21733, 88−66955, 88−73588
Niemegeers, I.G., *see* Zafirovic-Vukotic, M. 88−59721
Niemegeers, I.G.M.M. *see* Zafirovic-Vukotic, M. 88−59374
Niemeier, H. Car electronics and environmental protection: exhaust gas reduction 86−13150
Niemeier, H. MIDI interference: data exchange with musical instruments 86−24187
Niemeier, H. Experience gained with MIDI computers: the computer at the screen−programming electronic instruments 86−24188
Niemeier, H. Optical mass-store for PCs: compact disc on novel paths−half-a gigabyte on CD-ROM 86−31086
Niemeier, H. Computer controls CD player 86−38080
Niemeier, H. Processors compared: microprocessors 'race' each other 87−10903
Niemeier, Th., Ulrich, R. Quadrature outputs from fiber interferometer with 4×4 coupler 87−18667
Niemeirer, H. Universal telephone modem: when the computer whistles into the telephone. Serial transmission via the handset 86−17093
Niemela, P., Jaatinen, J. Online analyzer for monitoring trace amounts of oil in turbid waters 87−21790
Niemela, U. *see* Heikkila, T. 87−43966
Niemela, U. *see* Karkkainen, P. 88−31473, 88−42071
Niemela, V.A., Wong, R.C., Wilson, T.G. Rapid computer solution for steady-state operation of predefined DC-to-DC power converter topologies 88−75777
Niemenmaa, A. *see* Luomi, J. 87−30580
Niemeyer, E.V. *see* Boyd, D.W. 86−61571
Niemeyer, E.V. *see* North, D.W. 87−63988
Niemeyer, J. On the development of large Josephson series arrays for voltage standards of high precision 87−14408
Niemeyer, J. On the development of large Josephson series arrays for voltage standards of high precision 88−16371
Niemeyer, J., Grimm, L., Hamilton, C.A., Steiner, R.L. High precision measurement of a possible resistive slope of Josephson array voltage steps 86−44370
Niemeyer, J., Grimm, L., Meier, W., Hinken, J.H., Vollmer, E. Stable Josephson reference voltages between 0.1 and 1.3 V for high-precision voltage standards 86−17729
Niemeyer, J., Hinken, J.H. Precise microwave-induced voltage standards from series connection with more than 1000 Josephson tunnel junctions 87−56778
Niemeyer, J., Hinken, J.H., Kautz, R.L. Millimeter wave induced Josephson voltage steps above 1.0 volt with a 1474 junctions array 85−46073
Niemeyer, J., Hinken, J.H., Kautz, R.L. Near-zero bias arrays of Josephson tunnel junctions providing standard voltages up to 1V 85−58779
Niemeyer, J., Hinken, J.H., Kautz, R.L. Near zero bias arrays of Josephson tunnel junctions providing standard voltages up to 1 volt 86−24618
Niemeyer, J., Hinken, J.H., Meier, W. Microwave-induced constant voltage steps at series arrays of Josephson tunnel junctions with near-zero current bias 85−20680
Niemeyer, J., Hinken, J.H., Vollmer, E., Grimm, L., Meier, W. A new Josephson voltage standard with tunnel-junction series arrays 86−60296
Niemeyer, J., Sakamoto, Y., Vollmer, E., Hinken, J.H., Shoji, A., Nakagawa, H., Takada, S., Kosaka, S. Nb/Al-oxide/Nb and NbN/MgO/NbN tunnel junctions in large series arrays for voltage standards 86−58714
Niemeyer, J. *see* Bliek, L. 87−1271
Niemeyer, J. *see* Hinken, J.H. 85−11582, 87−977
Niemeyer, J. *see* Warnecke, P. 88−16421
Niemeyer, L., Wiesmann, H.J. Modelling of leader branching in electronegative gases 88−39752
Niemeyer, L. *see* Ruchti, C.B. 87−22655
Niemeyer, M. *see* Knauer, K. 85−33982
Niemeyer, P. Fuse boxes for public and private outdoor lighting installations 88−62752
Niemgeers, I.G., Vissers, C.A. Twentenet: a LAN with message priorities, design and performance considerations 85−8147
Niemi, A.J. An introduction to system technologies at university level 88−11696
Niemi, E., Stolt, L. ESCA analysis of $CuInSe_2$ and $CuGaSe_2$ thin films 87−72453
Niemi, E. *see* Jargelius, M. 87−16054
Niemi, E. *see* Stolt, L. 87−5473, 88−17977
Niemi, E. *see* Zhang, S.-L. 88−26104
Niemi, H. Theoretical properties of linear predictors for ARIMA models 85−7884
Niemiec, W. On constitutive distributed parameter theory of aerial multipartial electric fields. The constitutive concept of description of aerial multipartial electric fields 86−54250
Niemiec, W. On constitutive distributed parameter theory of aerial multipartial electric fields. II. The distributed parameter dynamics of state variables of aerial multipartial electric fields 86−54251
Niemiec, W. On the constitutive distributed parameter modelling of the electric field. I. The construction of partial differential constitutive state equations of the electric field 87−54470
Niemiec, W. On the constitutive distributed parameter modelling of the electric field. II. The solution of partial differential constitutive state equations of the electric field 87−54471
Niemiec, W. On the constitutive distributed parameter description and control of the multipartial electric fields 88−34231
Niemienen, J. Time and call limited telephone problem 88−8643
Nieminen, A., Heinonen, P., Neuvo, Y. 2-D multilevel FIR-median hybrid filters 87−19946
Nieminen, A., Heinonen, P., Neuvo, Y. A new class of detail-preserving filters for image processing 87−39894
Nieminen, A., Heinonen, P., Neuvo, Y. Suppression and detection of impulse type interference using adaptive median hybrid filters 87−59752
Nieminen, A., Heinonen, P., Neuvo, Y. Median-type filters with adaptive substructures 87−66304
Nieminen, A., Neuvo, Y. Filtering of nonstationary signals using predictor median hybrid structures 87−75833
Nieminen, A., Neuvo, Y., Mitra, U. Algorithms for real time trend detection 88−66556
Nieminen, A., Nuevo, Y. Comments on 'Theoretical analysis of the max/median filter' by G.R. Arce and M. P. McLaughlin 88−52432
Nieminen, A. *see* Heinanen, E. 87−48058
Nieminen, A. *see* Heinonen, P. 88−14825
Nieminen, J. Distance center and centroid of a median graph 87−31412
Nieminen, S., Derka, I., Katila, T., Maniewski, R., Makijarvi, M., Nenonen, J., Puurtinen, J., Seppanen, M., Siltanen, P. High resolution electrocardiographic measurements 85−43414
Nieminen, S. *see* Seppanen, M. 85−43337
Nieminen, V. *see* Arje, J. 88−74716
Nieminen, V. *see* Julin, R. 88−61197
Niemirowicz, K. *see* Kraczek, S. 88−12855
Niemitz, K. *see* Bachmann, H. 87−64893
Niemitz, K. *see* Heidelberg, G. 85−44273
Niemyer, L.L., Jr *see* Hale, R.A. 86−70471
Niemyjski, W. *see* Marczewski, W. 85−6490
Nien fan Zhang *see* Gray, H.L. 88−49760
Nien-Chen Liu, Liu, M.T. Conformity analysis for communication protocols 87−20204
Nien-Zeng Xu *see* Xu Nien-Zeng
Nienhaus, G.U., Drepper, F., Parak, F., Mossbauer, R.L., Bade, D., Hoppe, W. A multiwire proportional counter with spherical drift chamber for protein crystallography with X-rays and gamma-rays 87−63630
Nienhaus, H. Power supply to building sites. German standard DIN VDE 0100 part 704. I 88−69960
Nienhaus, H. Electric power supplies for building sites, to meet specification DIN VDE 0100 Part 704. II 88−69961
Nienhaus, H. *see* Hotopp, R. 88−11688
Nienhaus, H.A., Knudsen, K. A CMOS array multiplier based on Booth's algorithm 87−53747
Nieniewski, M. Calculating an induction machine dynamic response by means of a hand-held computer 88−62363
Nieniewski, M., De Oliveira, M. Digital computer simulation of controlled current induction motor drives 87−64603
Nieniewski, M.J., Marleau, R.S. Mathematical modeling of a digital current control loop for electrical drives 87−43504
Nieolau, G. Corrections for the mechanical calculations of overhead line conductors 87−57661
Niepce, J.C. *see* Batllo, F. 88−33433
Niepceron, A., Koster, A., Paraire, N., Carton, M., Laval, S. Dynamic operation of a nonlinear waveguide for optical logic 88−72115
Niepceron, A., Koster, A., Paraire, N., Carton, M., Sauer, H., Laval, S. Optimization of a silicon on sapphire waveguide in order to observe optical bistability 88−58646
Niepieklo, L. Horizontal deflection circuit for television receivers using SCRs 85−3637
Niepieklo, L. *see* Dziemborowicz, J. 85−3638
Niepieklo, L. *see* Rusin, M. 86−40975
Niepold, R., Brummer, F. PASS−a visual sensor for seam tracking and online process parameter control in arc-welding applications 85−14817
Niepold, R. *see* Bruemmer, F. 88−6071
Nier, E. Quartz crystal measuring system with digital store for the analysis of transient measuring signals 85−37614
Nier, E. Force measurement in injection moulds for the control of injection moulding processes 86−11735
Nier, E. Quartz crystal measurement system for alternating mechanical load 88−16002
Nier, K.A. *see* Jenkins, R.V. 85−16549
Nierebinski, R., Nikiel, R. Maintenance and diagnostics system of specialized equipment in ECTT exchanges−programming concepts 87−20364
Nieri, R. ADPCM vocal synthesisers 87−55014
Nieri, R., Orlando, R. Planning with the E^2POT (electrically erasable and programmable potentiometer) 86−67516
Nieri, R., Orlando, R. Design using E^2POT [digital IC] 87−24291
Niermann, C. A new economic three-phase PWM inverter for high dynamic feed of induction machines 88−69384
Niermann, U. Transparency from several time bases. Time correlation in hardware/software analysis 85−14598
Niermann, U. VLSI test with the logic analyser 85−58629
Niermann, U. Measurement error in the logic analysis measurement technique 86−17878
Niermann, U. Logic analysis in the picosecond range: 2 GHz modulus for the DAS9100 logic analyser system 86−34650
Niermann, U. Limit busters. The new generation of logic analysers [DAS 9200 logic analyser] 86−67121
Niermann, U. Logic analysis: also some for the ASIC test 87−5752
Niermann, U., Frey, B. Staged−at little expense [IC testers] 87−28906
Niermeyer, O., Schroder, D. New predictive control strategy for PWM-inverters 88−69787
Niermeyer, O., Schroeder, D. Current source inverter with GTO-thyristors and sinusoidal motor currents 87−30851
Niermeyer, O. *see* Kohlmeier, H. 86−45562, 86−70910, 88−24189
Nierobisch, H. *see* Anderhub, H. 87−21420, 88−22984, 88−29843
Nierobisch, H. *see* Bosseler, K. 88−4852
Nieruchalski, J.-L. *see* Lippens, D. 85−50045, 86−20818, 86−20847
Nieruchalski, J.L. *see* Dalle, C. 86−62844
Nieruchalski, J.L. *see* Lippens, D. 86−58441, 86−62832, 87−24471
Nies, C.W., Smith, B.E., Nickel, J.M., Cao, W.W., Srinivasan, T.T., Bhalla, A.S., Newnham, R.E., Cross, L.E. Glass-bonded composites containing superconducting $YBa_2Cu_3O_{9-y}$ for levitation and magnetic shielding applications 88−52241
Nies, K. Simple calculations for digital-to-synchro converters 88−43228
Niesche, H. Information is in the forefront [varix office communication system] 88−46474
Nieschmidt, E.B. *see* Elevant, T. 87−8856
Niesciur, L.M. *see* Cuomo, K.M. 85−27578
Niese, A. Test information systems: a key to cost-effective production 86−27741
Niese, D.A. A guide to implementing automatic information systems 86−35221
Niese, S. *see* Schmalz, K. 85−50361
Niesel, P. Teamset makes the race 85−42161
Niesen, J., Morrison, C., Zinkiewicz, L. Device structures for high power 0.83 μm superluminescent diodes 87−75126
Niesen, J., Zinkiewicz, L., Payton, P.H., Morrison, C. Recent developments in 0.83 μm superluminescent diodes at TRW 88−14050
Niesen, J. *see* Figueroa, L. 86−15585
Niesen, J. *see* Morrison, C.B. 86−2979, 86−42587, 87−12331
Niesen, J. *see* Yang, J.J. 85−56637, 86−22394

Niesing, R. *see* de Jong, N. 88−23201
Niessen, C. Abstraction requirements in hierarchical design methods 87−60569
Niessen, C., Voelker, A. Description languages for VLSI 86−7910
Niessen, F.H.M., van der Laan, P.C.T., Feltham, S.J. Finite element method used for electric field calculations in traveling wave tubes for space applications 85−61641
Niessen, G. *see* Andreae, G. 86−24501, 86−24788
Niessen, H.-F. *see* Harth, R. 85−38687
Niessen, M. High speed test runs with the 120001 electric locomotive of the German Federal Railway. II 86−26359
Niessen, W. *see* Forsmann, F. 87−54411
Niessen, W. *see* Jager, D. 88−51918
Niestegge, G. *see* Herger, P. 88−14923
Niesterowicz, A. *see* Borkowska, A. 87−68221
Niesz, D.E., Poirier, R.H., Clauer, A.H. Materials 85−16901
Niet, E.de *see* de Niet, E.
Nietering, K.E. *see* Demiryont, H. 88−2082
Nieters, J.M. *see* Sohaney, R.C. 85−44807
Niethammer, D. Network clock system NTV-2 for synchronous text and data networks 86−43428
Niethammer, W., de Pillis, J., Varga, R.S. Convergence of block iterative methods applied to sparse least-squares problems 85−10634
Niethammer, W. *see* Eiermann, M. 86−34214
Niethe, C., Rumpel, D. On the computation of real power from asynchronous samples of current and voltage. I. Method of analysis 86−5447
Niethe, C., Rumpel, D. On the computation of real power from asynchronous samples of current and voltage. II. Application 86−5448
Nieto, J.N. *see* de Miguel, E. 87−23105
Nieto, J.Nieto *see* Nieto Nieto, J.
Nieto, O. *see* LaCruz, A. 87−67400
Nieto de Castro, C.A. *see* Charitidou, E. 87−77093
Nieto Nieto, J. *see* Vinciguerra, I. 88−42665
Nieto-Vesperinas, M. Regenerative amplifiers with one phase-conjugate mirror 85−18975
Nieto-Vesperinas, M. Fields generated by a Fabry-Perot interferometer with a phase-conjugate mirror 85−29906
Nieto-Vesperinas, M., Dainty, J.C. Phase recovery for two-dimensional digital objects by polynomial factorisation 86−49003
Nieto-Vesperinas, M., Mendez, J.A. Phase retrieval by Monte Carlo methods 87−2585
Nieto-Vesperinas, M., Mendez, J.A. Phase retrieval by Monte Carlo methods 87−51932
Nietzke, R., Fenz, P., Elsasser, W., Gobel, E.O. Cascade four-wave mixing in semiconductor lasers 88−8177
Nieuoudt, M.K. Use of PVC for front surface protection of wafers during electrolytic gold backing 85−61863
Nieuwenhove, K.V. *see* Heyns, W. 88−71695
Nieuwenhove, R.Van *see* Van Nieuwenhove, R.
Nieuwenhuis, A.B.M. *see* Ernst, G.J. 86−3020
Nieuwenhuis, C. *see* DeWulf, J.P. 87−21468, 88−22985
Nieuwenhuis, C. *see* Dorenbosch, J. 87−29472
Nieuwenhuis, G.J.A. Ten years' experience with remote sensing in agricultural water management 87−71289
Nieuwenhuis, G.J.A., Menenti, M. Application of thermal infrared remote sensing in water management of humid and arid areas 87−21788
Nieuwenhuis, L. *see* Woestenburg, E.E.M. 87−17346
Nieuwenhuizen, G.J.Van *see* Van Nieuwenhuizen, G.J.
Nieuwenhuizen, M.S., Barendsz, A.W. Processes involved at the chemical interface of a SAW chemosensor 87−35061
Nieuwenhuizen, M.S., Barendsz, A.W., Nieuwkoop, E., Vellekoop, M.J., Venema, A. Transduction mechanisms in SAW gas sensors 86−31348
Nieuwenhuizen, M.S. *see* Barendsz, A.W. 87−3602
Nieuwenhuizen, M.S. *see* Venema, A. 87−29097, 87−49678
Nieuwenhuls, A.B.M. *see* Ernst, G.J. 85−51129
Nieuwenhuyzen, G.J.van *see* van Nieuwenhuyzen, G.J.
Nieuwenhuyzen, H. *see* de Graauw, Th. 87−17337
Nieuwesteeg, K.J.B.M., Hollander, T., Alkemade, C.T.J. Spectral properties of an Ar-ion laser-pumped tunable CW dye laser 87−2093
Nieuwhof, B.J., de Vrieze, R. Longitudinal water-blocking performance of conductive and nonconductive waterswellable nonwovens 85−57906
Nieuwhof, G.W.E. A graphical interpretation of the general equation of reliability 85−44540
Nieuwhof, G.W.E. Matching a failure probability distribution to test data 85−44542
Nieuwhof, G.W.E. An analytical interpretation of the general equation of reliability 86−34095
Nieuwhof, G.W.E. Operational readiness of safety systems 88−256
Nieuwkerk, L.R. *see* de Wild, R. 88−15505
Nieuwkerk, L.R. *see* Ligthart, J.P. 88−15626
Nieuwkerk, L.R. *see* Ligthart, L.P. 87−13787, 88−4112
Nieuwkoop, E. *see* Barendsz, A.W. 87−3602
Nieuwkoop, E. *see* Nieuwenhuizen, M.S. 86−31348
Nieuwkoop, E. *see* Vellekoop, M.J. 88−60712
Nieuwkoop, E. *see* Venema, A. 87−29097, 87−49678
Nieuwlaar, E. *see* Blok, K. 86−45872
Nieuwland, H.C.D., Kawaguchi, S., Tsukada, H., Suzuki, K., Sato, I., Taira, J., Kusuhashi, M. Development of thick wall 2.25 Cr-1 MoNiNb steel forgings for steam generators of fast breeder reactors 85−39355
Nieuwland, J.M.van *see* van Nieuwland, J.M.
Nieuwoudt, J.C., Strobel, S.A. Thermally induced stresses in end-pumped laser geometries 87−39030
Nieva, R., Inda, A., Frausto, J. CHT: a digital computer package for solving short term hydrothermal coordination and unit commitment problems 86−56364
Nieva, R., Inda, A., Frausto, J. CHT: a digital computer package for solving short term hydrothermal coordination and unit commitment problems 87−4262
Nieva, R., Inda, A., Guillen, I. Lagrangian reduction of search-range for large-scale unit commitment 87−57492
Nieva, R. *see* Calderon, L.R. 87−71566, 88−37082
Nievas, J. *see* Arroyo, J.B. 87−52328
Nievas, J. *see* Mayo, J.M. 86−60268
Nieveld, G.D. *see* van Oeveren, W.J. 87−28309
Niewczas, N. *see* Holejko, D. 88−53897
Niewczas, W. Systems for steam generation automation 87−57913
Niewiadomski, S. Elliptic lowpass audio filter design using miniature preferred value components 85−11398
Niewiadomski, S. Direct conversion receiver. II 85−42423
Niewiadomski, S. PW 'Colne' direct conversion receiver. I 85−42458
Niewiadomski, S. A dual-conversion multimode receive IF/AF strip. I 85−52261
Niewiadomski, S. PW 'Colne' direct conversion receiver. III 85−52282
Niewiadomski, S. Direct conversion receiver. IV 85−57947
Niewiadomski, S. A dual-conversion multimode receive IF/AF strip. II 85−57950
Niewiadomski, S. Modifying the SRX-30D 87−28429
Niewiadomski, S. Passive bandpass audio filters 87−73518
Niewiadomski, S. A crystal calibrator unit 87−77314
Niewiadomski, S. Filter design using a microcomputer 88−56730
Niewiadomski, T. *see* Azorin, J. 87−50448
Niewiarowicz, M. Investigations into the transduction properties of dynamic microphone membranes subjected to transients 88−5215
Niewiarowicz, M., Perz, P. A method for determining selected parameters of a loudspeaker under the aspect of its subjective evaluation 88−53477
Niewiarowicz, M. *see* Hojan, E. 86−24186
Niewiedzial, R. *see* Krolikowski, C. 87−9948
Niewierski, W. Industrial strength CMOS 86−9286
Niewierski, W. *see* Mroz, C.A. 85−6395
Niewierski, W.J. Saving power in CMOS systems design 86−20514
Niewierski, W.J. Static-system design exploits low-power CMOS 88−63766
Niewierski, W.J. *see* Snyder, R.C. 85−11297
Niewisch, J. Design and applications of a fiber-optic liquid-level sensor 86−53976
Niewodniczanska-Zawadzka, J., Lischka, K. Observation of the resonant magnetooptical transitions from the deep defect level in PbTe 85−34528
Niewodniczanska-Zawadzka, J. *see* Piotrowski, T. 85−34559
Niewohner, L. *see* Rangelow, I.W. 86−21413
Niezette, J. *see* Vanderschueren, J. 87−18436
Niezgoda, G. *see* Wong, K.M. 88−52417
Niezgoda, G.H., Taylor, D.P. Comparative fade performance of the 49QPRS and 64QAM 90 Mb/s digital radios 87−26792
Niezgoda, G.H., Taylor, D.P., Shafi, M. Further results on the dispersive fade performance of a 49 QPRS 90 Mb/s digital radio 85−14122
Niezgoda, T. *see* Dembinski, L. 88−75231
Nieznanski, J. Successive approximation frequency-to-digital convertor for motor speed measurement 86−62793
Nieznanski, J., Plotka, A. Analogue-to-digital armature current transducer for chopper-fed DC motor drives 88−24194
Niezvestnyi, I.G. *see* Gusev, G.M. 85−61773
Nifontov, A.V. *see* Batrakov, A.M. 87−70672
Nifterick, W.van *see* van Nifterick, W.
Niftiev, G.M. *see* Aslanov, G.K. 87−68267
Niftiev, G.M. *see* Tagiev, B.G. 85−55505
Niftiyev, G.M. *see* Tagiyev, B.G. 85−35600 to 35601
Nigam, A.K., Sundaram, S., Chandra, G. Design and development of a superconducting magnet system for study of magnetoresistance in the temperature range 1.5-300K 85−64257
Nigam, A.K. *see* Chaturvedi, U.K. 87−10504
Nigam, A.K. *see* Shrinet, V. 86−36664
Nigam, M.J., Krishna, M.M. Switched capacitor first order all pass circuit using two terminal negative input impedance building block 87−24314
Nigam, P.S. The hydropower scenario 85−9779
Nigam, P.S., Jatana, B.L. Hydropower in India−an economic case study 87−64463
Nigami, T., Suemune, I., Kan, Y., Yamanishi, M. Low-threshold two-dimensional distributed Bragg reflector lasers 86−42532
Nigata, M., Takada, K., Miyamoto, K. Correction of distorted signal of mandibular kinesiograph based on self-organization method 85−38003
Nigavekar, A.S. *see* Khairnar, R.S. 85−1217, 85−45348
Nigawara, S. *see* Iioka, M. 87−42639
Nigawara, S. *see* Matsumura, J. 85−48872
Nigbor, R.J. *see* Lambeth, P.J. 88−23542
Nigbor, R.L. *see* Amini, A. 87−75834
Nigge, K., Rothenhofer, K., Wohr, P. Switching for the German satellite system 85−25654
Niggebrugge, U., Albrecht, P., Doldissen, W., Nolting, H.-P., Schmid, H. Self-aligned low-loss totally reflecting waveguide mirrors in InGaAsP/InP 87−74813
Niggebrugge, U., Klug, M., Garus, G. A novel process for reactive ion etching on InP, using CH_4/H_2 86−53562
Niggebrugge, U. *see* Bornholdt, C. 86−9623
Niggebrugge, U. *see* Katzschner, W. 86−28180
Niggebrugge, U. *see* Krauser, J. 87−38864
Niggebrugge, U. *see* Schlak, M. 86−68304
Niggemann, R. *see* Heidenreich, G. 86−32479
Niggemann, R.E., Lacey, D. Reactor/organic Rankine conversion−a SOTA solution to near-term high power needs in space 86−32487
Niggemann, R.E. *see* Chaudoir, D.W. 86−32465
Niggerbrugge, U. *see* Albrecht, P. 88−45208
Nigh, M. *see* Antrosiglio, J.C. 88−46450
Nigham, W.L. *see* Sauerbrey, R.A. 86−42472
Nighan, W. *see* Wilson, W.L., Jr. 85−41317
Nighan, W.L., Marowsky, G., Sauerbrey, R.A., Tittel, F.K., Wilson, W.L., Jr., Zhu, Y. Performance and properties of e-beam pumped XeF(C→A) lasers 88−8136
Nighan, W.L., Sauerbrey, R.A., Zhu, Y., Tittel, F.K., Wilson, W.L., Jr. Kinetically tailored properties of electron-beam excited XeF(*C*→*A*) and XeF(*B*→*X*) laser media using an Ar-Kr buffer mixture 87−38979
Nighan, W.L., Tittel, F.K., Wilson, W.L., Jr., Nishida, N., Zhu, Y., Sauerbrey, R. Synthesis of rare gas-halide mixtures resulting in efficient XeF(C→A) laser oscillation 85−7348
Nighan, W.L. *see* Otter, F.A., Jr. 86−31537, 87−3662
Nighan, W.L. *see* Sauerbrey, R. 85−51094
Nighan, W.L. *see* Stiegler, H. 87−68395
Nighan, W.L. *see* Tittel, F.K. 85−12771, 87−12363
Nighan, W.L. *see* Zhu, Y. 87−7251, 88−14074
Nighan, W.L., Jr. *see* Fauchet, P.M. 86−41508
Nighan, W.L., Jr. *see* Fauchet, P.M. 87−7316
Nightingale, C. *see* Finlay, I.C. 85−64286
Nightingale, C. *see* Nicol, R.C. 88−21810
Nightingale, C.N. AC standby power systems for satellite communications earth stations 87−30803
Nightingale, C.R. AC power plant modernisation in British Telecom 86−61330
Nightingale, J. Computer conferences−what are they and do they really work? 85−42179
Nightingale, J. *see* Fejer, M. 87−39246
Nightingale, J. *see* Sartzetakis, S. 87−28929
Nightingale, J.L., Becker, R.A., Willis, P.C., Vrhel, J.S. Characterization of frequency dispersion in Ti-indiffused lithium niobate optical devices 87−74814
Nightingale, J.L., Becker, R.A., Willis, P.C., Vrhel, J.S. Charcaterization of frequency dispersion in Ti-indiffused lithium niobate optical devices 88−1963
Nightingale, J.L., Becker, R.A., Willis, P.C., Vrhel, J.S. Characterization of frequency dispersion in Ti-indiffused lithium niobate optical devices 88−51554
Nightingale, J.L., Byer, R.L. A guided wave monolithic resonator ruby fiber laser 86−15742
Nightingale, J.L., Byer, R.L. Monolithic Nd:YAG fiber laser 86−63790
Nightingale, J.L. *see* Fejer, M.M. 85−18703, 85−29542
Nightingale, J.M. Microprocessor control of an artificial arm 85−53096
Nightingale, J.M. Electronics gives help to electronic limbs 86−56186
Nightingale, J.M. *see* Chappell, P.H. 87−63842
Nightingale, J.S. Application of the ISO distributed single layer testing method to the connectionless network protocol 87−34214
Nightingale, M.P.S., Holmes, A.J.T., Forrest, M.J., Burgess, D.D. Spectroscopic measurements of neutral hydrogen level populations in a multipole plasma H^- source 87−3851

Nightingale, M.P.S., Holmes, A.J.T., Green, T.S. The dependence of extracted negative ion current density on discharge parameters in tandem volume sources 87–8821
Nightingale, M.P.S., Holmes, A.J.T., Johnson, J.D. Negative hydrogen ion extraction and electron control in a multipole ion source 87–14704
Nightingale, M.P.S. *see* Green, T.S. 88–4764
Nightingale, M.P.S. *see* Holmes, A.J.T. 87–8789, 87–8820, 87–14705
Nightingale, M.P.S. *see* McAdams, R. 88–4772, 88–61060
Nightingale, R. Multi-tone continuity tester 85–40206
Nightingale, S. Intelligibility of voice communications subject to periodic interruptions 85–57570
Nightingale, S.J., Upton, M.A.G. Analysis and characterization of some common transitions and interconnections using three-dimensional modelling techniques [microstrips] 85–13200
Nightingale, S.J., Upton, M.A.G., Dandekar, N.V. The design and performance of a double balanced mixer using FETs 86–14529
Nightingale, S.J., Upton, M.A.G., Mishra, U.K., Palmateer, S.C., Smith, P.M. A 30 GHz monolithic single balanced mixer with integrated dipole receiving element 86–8477
Nightingale, S.J., Upton, M.A.G., Mitchell, B.K., Mishra, U.K., Palmateer, S.C., Smith, P.M. A 30 GHz monolithic single-balanced mixer with integrated dipole receiving element 86–20831
Nightingale, S.J., Upton, M.A.G., Mitchell, B.K., Mishra, U.K., Palmateer, S.C., Smith, P.M. A 30-GHz monolithic single balanced mixer with integrated dipole receiving element 86–27602
Nightingale, S.J. *see* Fayos, J.R. 87–5646
Nightingale, S.J *see* Mishra, U.K. 85–55133
Nightingale, S.J *see* Upton, M.A.G. 87–47399
Nigim, H.H. *see* Nigim, K.A. 88–5428
Nigim, K.A., Nigim, H.H. The need for integration in use of renewable sources 88–5428
Nigli, S., Chadha, G.K., Trigunayat, G.C., Bagai, R.K. Semiconducting behaviour of zinc doped PbI_2 single crystals 87–23610
Nigmankhodzhaev, S.S. *see* Bakhadyrkhanov, M.K. 88–26937
Nigmanov, O. *see* Gaibov, A.G. 85–48182
Nigmanov, T.S. *see* Bulgakov, N.K. 87–63700
Nigmanov, T.S. *see* Filatova, N.A. 86–32196
Nigmanov, T.S. *see* Golovatyuk, V.M. 85–52982
Nigmanov, T.S. *see* Vodop'yanov, A.S. 85–26707
Nigmatov, R.N. *see* Razykov, T.M. 86–8832
Nigmatulin, N.R. *see* Kamyshan, A.N. 86–18972
Nigmatullin, R.G. Exponential lower bounds of complexity and step-by-step simulation circuits 88–50075
Nigo, S. *see* Akimoto, K. 86–4334
Nigol, O., Heics, R.C., Houston, H. Control of conductor vibrations on overhead lines 86–51050
Nigol, O., Heics, R.C., Houston, H.J. Aeolian vibration of single conductors and its control 86–18843
Nigol, O. *see* Barrett, J.S. 86–51039
Nigren, J.H. Fast technological development for capacitor banks 87–22791
Nigrey, P.J. *see* Ginley, D.S. 88–20266
Nigrimovskii, P.Ya. *see* Kuzhekov, S.L. 86–61461
Nigrin, O., Telecky, J. Systems for updating of network topology 87–57516
Nigris, M.de *see* de Nigris, M.
Nigro, A. WA78 calorimeter test results 88–22956
Nigro, A. *see* Catanesi, M.G. 87–29686, 87–77548
Nigro, A. *see* De Vincenzi, M. 86–65331
Nigro, A. *see* Gasparini, F. 88–42440
Nigro, A. *see* Paterno, G. 87–67848
Nigro, C. *see* Faro, A. 85–8189
Nigro, L. *see* Benelli, G. 87–57428, 87–77899
Nigtevegt, J.Van *see* Van Nigtevegt, J.
Nigtevegt, J.W.van *see* van Nigtevegt, J.W.
Nigulescu, A. Chemical problems occurring during the homologation of the lignite burning 420 t/h boiler 85–53530
Nihalani, A. *see* Ranade, S.M. 87–43672
Nihara, T. *see* Takayama, S. 86–63534
Nihei, F., Katsuyama, Y. High-count fiber cable and joining technologies for subscriber network 87–40942
Nihei, F., Yamamoto, Y., Kojima, N. Optical subscriber cable technologies in Japan 87–70054
Nihei, F. *see* Kawase, M. 85–3240, 88–72033
Nihei, F. *see* Koyama, M. 85–3235
Nihei, F. *see* Kukita, S. 86–43846
Nihei, F. *see* Shinohara, H. 86–69783
Nihei, F. *see* Takaoka, S. 87–1242
Nihei, H., Endo, T., Morinaga, S., Ishii, M. AC-input brushless DC motor without smoothing capacitor 86–6797
Nihei, H., Morikawa, J., Ishida, S., Inoue, N., Ota, K., Uchida, T. Production of 35 keV, 1 A steady-state ion beam 87–21366
Nihei, H. *see* Ishigaki, Y. 85–49036
Nihei, H. *see* Ota, K. 85–15120
Nihei, K. *see* Abiko, I. 86–54833
Nihei, K. *see* Hayashi, T. 88–16336
Nihei, K. *see* Iguchi, Y. 85–37690
Nihei, K. *see* Ikehata, M. 85–28838
Nihei, K. *see* Kakinuma, H. 86–1992, 86–2921, 86–36315, 86–67692, 87–18823, 87–54166
Nihei, K. *see* Koizumi, M. 88–58374
Nihei, K. *see* Kuroki, K. 86–14748
Nihei, K. *see* Mita, J. 87–54180, 87–54195, 87–68272
Nihei, K. *see* Nishikawa, S. 85–54510, 86–46365, 87–6428
Nihei, K. *see* Nomoto, T. 88–7633
Nihei, K. *see* Nomura, A. 86–5213, 86–17986
Nihei, K. *see* Sato, H. 88–24814
Nihei, K. *see* Sekido, Y. 87–8681
Nihei, K. *see* Shibata, I. 87–17572
Nihei, K. *see* Shibata, S. 85–17995
Nihei, K. *see* Tanabe, H. 86–14768
Nihei, K. *see* Yamaguchi, Y. 88–20909
Nihei, M. *see* Hata, K. 86–19646
Nihei, S. *see* Yamamoto, K. 86–68774
Nihel, K. *see* Abiko, I. 87–39320
Nihira, H. *see* Kanuma, A. 87–17159
Nihira, H. *see* Kanzaki, K. 85–40934
Nihira, H. *see* Niitsu, Y. 86–21825
Nihira, H. *see* Toyoshima, Y. 85–50593
Nihira, K. *see* Arai, T. 87–54230
Nihira, N. *see* Toyoshima, Y. 86–41987
Nihira, Y. Board-drilling machines advance to precision production tools 86–8608
Nihoul, G. *see* Cesari, C. 85–54488
Nihoul, J. *see* van Asbroeck, P. 86–33996
Nii, A. *see* Fukuda, S. 85–39234
Nii, A. *see* Itoh, Y. 86–6788
Nii, J. *see* Taniguchi, M. 88–35932
Nii, K., Nishioka, N., Ebizuka, K., Tachikawa, S., Ozaki, Y. A highly accurate ultrasonic flow meter for boiler feedwater in thermal-power plants 85–48873
Nii, K., Odahara, F., Nishioka, N., Kobayashi, K., Kozima, A. Use and study of the ultrasonic wave feed water flow meter for the control of heat efficiency at thermal power stations 87–4193
Nii, K. *see* Miyagi, M. 86–10133
Nii, K. *see* Suesada, Y. 87–41314
Nii, K. *see* Yamagata, K. 86–13164
Nii, M. *see* Morimoto, K. 87–49522
Nii, M. *see* Nishimura, T. 87–50434
Nii, R. *see* Uchitomi, N. 88–25880, 88–50873
Niihara, T., Horigome, S., Sudou, R., Suzuki, H., Yoshihiro, M., Ohta, N. High performance magneto-optical disk using a new plastic substrate 88–65396
Niihara, T., Imai, M., Inokuchi, S. Transcription of sung song 85–25128
Niihara, T., Inokuchi, S. Transcription of sung song 87–20817
Niihara, T., Takayama, S., Kaneko, K., Sugita, Y. Perpendicular magnetic anisotropy of Tb-Co amorphous films sputtered in H_2-added Ar gas 85–7133
Niihara, T., Takayama, S., Kaneko, K., Sugita, Y. Perpendicular magnetic anisotropy of Tb-Co amorphous films sputtered in H_2-added Ar gas 86–63528
Niihara, T. *see* Takahashi, M. 88–71935
Niihara, T. *see* Takayama, S. 87–60782, 87–74496
Niihori, Y. *see* Tanahashi, K. 86–5067
Niijima, H. *see* Fazekas, P. 88–39600
Niijima, H. *see* Yana, K. 88–42245
Niijima, K. On a difference scheme of exponential type for a nonlinear singular perturbation problem 85–60914
Niijima, M. *see* Iino, A. 88–22152
Niijima, Y. *see* Hanai, M. 85–108
Niikawa, M. *see* Jyo, Y. 87–74340
Niikuni, M. *see* Sato, T. 88–40206
Niikura, E. *see* Suzuki, K. 85–3389
Niikura, J., Hato, K., Gyoten, H., Iwaki, T. Molten carbonate fuel cell 87–36119
Niikura, K. *see* Hasegawa, S. 88–60183
Niikura, K. *see* Hayasaka, E. 86–56449
Niikura, K. *see* Konno, T. 86–49655
Niikura, K. *see* Takehara, H. 88–22142
Niikura, T. *see* Iwata, A. 86–69924
Niikura, T. *see* Monjo, Y. 86–38055
Niikura, T. *see* Nishimura, K. 88–75745
Niikura, Y. *see* Suga, M. 86–45780
Niimi, F. *see* Masui, T. 86–27265
Niimi, F. *see* Matsumoto, I. 86–62556
Niimi, H., Wakai, K. Study of modulation noise due to magnetic domains of Co films 86–9406
Niimi, T. *see* Akiyama, A. 87–38068
Niimi, T. *see* Ikeda, M. 88–39171
Niimi, Y., Kobayashi, Y. Synthesis of speaker-adaptive word templates by concatenation of the monosyllabic sounds 87–27305
Niimi, Y., Kobayashi, Y. Syntactic boundary detection using FO-contour and amplitude envelope 87–47611
Niimi, Y., Kobayashi, Y., Uzuhara, S. Top-down use of linguistic constraints in a speech understanding system 88–14647
Niimi, Y. *see* Kobayashi, Y. 86–16268, 86–48795, 87–19583, 88–59095
Niimura, N. *see* Hirai, M. 87–77480
Niimura, N. *see* Ishikawa, Y. 86–56061, 87–3911
Niimura, Y. The technologies used in making different kinds of stepping motors 85–16062
Niimura, Y., Kitamoto, Y., Nakagawa, S., Naoe, M. Multilayered Co-Cr films with non-magnetic intermediate layers by FTS system 88–57902
Niimura, Y., Matsuoka, M., Naoe, M., Hoshi, Y. Magnetostriction and mechanical properties of sputtered Co-Cr thin films 86–9383
Niimura, Y., Nakagawa, S., Hoshi, Y., Naoe, M. The magnetic anisotropy in the initial layer of Co-Cr sputtered thin films 88–57901
Niimura, Y., Nakagawa, S., Naoe, M. Preparation conditions and characteristics of sputtered Co-Cr films 87–16666
Niimura, Y., Nakagawa, S., Naoe, M. C-axis orientation of Co-Cr thin films by facing targets sputtering 87–31558
Niimura, Y., Nakagawa, S., Naoe, M. Control of coercive force of Co-Cr sputtered films 87–46306
Niimura, Y., Nakagawa, S., Naoe, M. The effects of incident angle on c-axis orientation in sputtered Co-Cr films 88–43925
Niimura, Y., Naoe, M. New microstructural model for sputtered Co-Cr magnetic thin films 87–10476
Niimura, Y., Naoe, M. Facing targets sputtering system for depositing Co-Cr perpendicular magnetic recording media 87–31570
Niimura, Y., Naoe, M. Sputter deposition of Co-Cr thin-film media on high-speed rotating disk substrate 87–52182
Niimura, Y. *see* Kojima, M. 87–30659
Niimura, Y. *see* Nakagawa, S. 88–71885
Niimura, Y. *see* Shimomura, A. 87–12420
Niina, T. Extended applications of the LED with the development of high brightness technology 87–18859
Niina, T. Innovation in LED displays 87–46712
Niina, T., Hamada, H. Development of laser diode indispensable to greater optical disk application 86–42570
Niina, T. *see* Iga, K. 86–68540
Niina, T. *see* Koga, K. 88–24694
Niina, T. *see* Yagi, K. 87–68518, 88–40239
Niina, T. *see* Yodoshi, K. 85–43049, 88–40238
Niina, T. *see* Yoneda, K. 85–22461
Niinikoski, T. *see* Alessi, J.G. 87–41813
Niinikoski, T. *see* Kewisch, J. 88–16604
Niinikoski, T.O. Trends in polarized targets and beam sources 85–59102
Niinikoski, T.O., Hershcovitch, A. Note on limits of ground-state polarized atomic beam density 86–55969
Niinikoski, T.O., Rossmanith, R. Self-polarization of protons in storage rings 86–60519
Niinikoski, T.O., Rossmanith, R. Self-polarization of protons in storage rings 86–70280
Niinikoski, T.O., Rossmanith, R. Self-polarization of proton and ion beams in storage rings 87–3846
Niinikoski, T.O., Rossmanith, R. Self-polarization of protons in storage rings 87–50084
Niinikoski, T.O. *see* Alessandrello, A. 88–22963
Niinikoski, T.O. *see* Bernard, R. 86–70306
Niinikoski, T.O. *see* Hershcovitch, A. 86–55961
Niinikoski, T.O. *see* Kponou, A. 87–77505
Niininen, H., Penttila, R. Sulphur emissions from power plants 87–15517
Niininen, H.P. *see* Kangas, M. 85–32271
Niino, M. *see* Inose, T. 85–57745, 88–52814
Niino, M. *see* Sunada, K. 87–49270, 88–15762
Niino, S., Yamamoto, H., Jochi, S., Eto, N., Kojima, M. Large-capacity converter-fed synchronous-motor drive systems 88–62666
Niinomi, M. *see* Kobayashi, T. 86–13901
Niinomi, M. *see* Nishikawa, Y. 88–57936
Niinuma, A. *see* Shinoda, T. 85–14937, 86–31539
Niinuma, T. *see* Miya, S. 86–35997
Niioka, T. *see* Suzuki, T. 87–18525
Niiranen, J.K. Control of a three-phase traction drive 87–79105
Niiro, Y. The OS-280M optical-fiber submarine cable system 85–37017
Niiro, Y. The OS-280 M system for long-haul optical fiber submarine cable communications 86–17410
Niiro, Y., Ejiri, Y., Yamamoto, H., Yamazaki, Y., Nunokawa, M. Design and test results of a deep sea optical fiber submarine cable 87–3176
Niiro, Y., Nunokawa, M., Ejiri, Y., Yamamoto, H., Yamazaki, Y. Design and test results of a deep sea optical-fiber submarine cable 85–31061
Niiro, Y., Yamamoto, H. The international long-haul optical-fiber submarine cable system in Japan 86–59901
Niiro, Y. *see* Abe, H. 88–28912
Niiro, Y. *see* Sakaguchi, H. 88–3976
Niiro, Y. *see* Tatekura, K.-I. 87–13704
Niiro, Y. *see* Wakabayashi, H. 85–37034
Niiro, Y. *see* Yamamoto, H. 85–58139
Niita, T., Matsuura, H., Saito, E., Murata, T. Speaker-independent word recognition using multiple similarity method 86–69001
Niitenburg, A. Simulators: a tool for nuclear plant operating improvements 86–39335
Niitsu, S., Okada, Y. Improved Definition TV system LSI 88–22290
Niitsu, S. *see* Tateishi, H. 87–34771

Niitsu, Y. Evaluation of the movable boundary scheme in circuit and packet switched networks 86–23206
Niitsu, Y. Evaluation of the movable boundary scheme in circuit and packet switched networks 87–48354
Niitsu, Y., Sasaki, G., Nihira, H., Kanzaki, K. Resistance modulation effect in n-well CMOS 86–21825
Niitsu, Y., Taguchi, S., Shibata, K., Fuji, H., Shimamune, Y., Iwai, H., Kanzaki, K. Latchup-free CMOS structure using shallow trench isolation 86–47853
Niitsu, Y., Uose, H. Dynamic control of circuit and packet switched networks using the learning movable boundary scheme 87–48287
Niitsu, Y. *see* Iwai, H. 88–39641
Niitsu, Y. *see* Nozawa, H. 85–6312
Niitsuma, H. Geothermal energy extraction and electric instrumentation 87–57726
Niitsuma, H., Chubachi, N., Takanohashi, M. Acoustic emission analysis of a geothermal reservoir and its application to reservoir control 87–78534
Niitsuma, H., Okuyama, D. Current topics of electronic instrumentation for geotechnical fields 87–57329
Niitsuma, T. *see* Minagawa, S. 86–2560, 86–9353
Niiyama, S., Miyauchi, M., Shirakata, M., Date, T., Kato, Y., Yamaguchi, S., Ohtomo, K. High capacitance multilayer ceramic capacitors 88–50437
Niiyama, S. *see* Suzuki, I. 87–73812
Niiyama, T. *see* Oana, Y. 86–31259
Niiyama, T. *see* Suzuki, K. 87–35148
Niiyama, W., Miyakawa, K. Simple low-cost time-interval analyzer 86–24794
Niizaki, N. *see* Kawamoto, K. 86–14527
Niizawa, G. *see* Cheung, J.T. 86–67727
Niizawa, G.T. *see* Shin, S.H. 85–43220
Niizeki, Y., Itabashi, S., Onodera, Y., Takagi, O. Design for chlorine gas sensors using lead(II) chloride solid electrolyte and their performances 87–49663
Niizeki, Y., Tadano, H., Onodera, Y., Takagi, O. Design of a lead (II) chloride solid electrolyte cell and its performance 86–45629
Niizuma, K. Series 'UP' export-model passenger elevators 85–16315
Niizuma, M. *see* Nakamura, M. 88–40451
Nijborg, R. *see* Boersma, J. 85–24708
Nijdam, P. *see* Lian, W. 87–26215
Nijen Twilhaar, G.D. Network representation of electromagnetic fields and forces using generalized bond graphs 85–35955
Nijenhuis, A., Wilf, H.S. Periodicities of partition functions and Stirling numbers modulo *p* 87–36595
Nijhawan, V. Remote sensing in Canada 85–31973
Nijhof, J. An integrated approach to CD players. I. The optical pick-up 85–42790
Nijhof, J. An integrated approach to CD players. II. The decoding electronics 85–42791
Nijhof, J.A.M. *see* van Aken, I.W. 88–21087
Nijhot, E.B.G. Resonant power supply (RPS) converters. The solution for main/line pollution problems 87–51369
Nijhuis, A. *see* Mulder, G.B.J. 86–27669, 86–53911, 87–67991
Nijhuis, A. *see* ten Kate, H.H.J. 86–47989
Nijhuis, A. *see* van de Klundert, L.J.M. 88–65113
Nijhuis, G.M.M. *see* Dirksen, R. 87–71148
Nijhuis, R.H. *see* Chan, Y.H. 87–17081
Nijhuis, W. Controlling dataprocessing in the development of consumer products 85–16749
Nijima, K. An error analysis for a difference scheme of exponential type applied to a nonlinear singular perturbation problem without turning points 86–46231
Nijkamp, P., Perrels, A.H. The influence of electricity tariffs on the industrial establishment manager 85–65641
Nijkrake, J. *see* van der Griek, J. 88–4526
Nijman, W. *see* Acket, G.A. 87–46895
Nijman, W. *see* Thijs, P.J.A. 86–57438, 88–45469
Nijmeijer, H. *see* Grasman, J. 85–628
Nijmweegen, F.C.van *see* van Nijmweegen, F.C.
Nijnuis, H.T., van Leeuwen, K.A.H. Length and curvature dependence of effective cutoff wavelength and LP_{11} mode attenuation in single-mode fibers 85–29610
Nijnuis, H.T. *see* Van Bochove, A.C. 85–35445
Nijran, K.S., Barber, D.C. A completely automatic method if processing ^{131}I-labelled Rose Bengal dynamic liver studies 86–60765
Nijs, J., Caymax, M., Acke, P., Roggen, J., Lambrechts, M., Gravesen, P. Thin single-crystalline silicon solar cells for space applications 88–5891
Nijs, J. *see* Baert, K. 88–18675, 88–37542
Nijs, J. *see* Caymax, M. 88–18026
Nijs, J. *see* Ghannam, M. 85–50506, 86–35663, 87–18100
Nijs, J. *see* Mertens, R. 86–40165, 88–13349
Nijs, J. *see* Reimer, J.A. 85–33477
Nijs, J. *see* Symons, J. 87–25225, 88–19934, 88–26231, 88–44748
Nijssen, W.P.M. *see* Vollenbroek, F.A. 86–21674, 88–26163
Nijst, J.N. *see* Bruggink, J.C. 85–38718
Nijst, J.N. *see* Oosterkamp, W.J. 85–21348
Nikai, I. *see* Ohhori, K. 86–61730
Nikai, I. *see* Watanabe, K. 86–61729
Nikai, R. *see* Chizeck, H.J. 85–48338
Nikaido, M. *see* Kimura, S. 88–38974
Nikaido, S. *see* Kurozumi, K. 85–13573, 86–49871, 86–69961
Nikaido, T., Yamada, S., Fukada, H., Suzuki, S. A 1.5 Mb/s×128-channel time switch LSI for digital still pictures 87–20328
Nikaido, T., Yamada, S., Fukuda, H., Suzuki, S. A 1.5-Mbit/s×128-channel time-switch LSI for digital still picture exchanges 87–7914
Nikaido, T. *see* Ogura, T. 86–34781
Nikais, C.L. *see* Hsing-Hsing Chiang 86–16423
Nikandrova, I.V. *see* Agurok, A.B. 87–2005
Nikandrova, L.K. *see* Sheshneva, Yu.I. 88–33444
Nikanorov, A.N. *see* Makhmudov, K.M. 88–18215
Nikanorov, S.I. *see* Gribkov, V.L. 85–18574
Nikanorov, S.I. *see* Krivosheev, M.I. 85–25983, 87–8431
Nikanorov, S.I. *see* Krivosheyev, M.I. 86–38061
Nikanorov, V.B., Seleznev, A.P., Yakovlev, B.A. Improvement of the technical and cost characteristics of mass-produced hysteresis-type electric motors 87–58047
Nikanorov, V.V. *see* Andronov, A.A. 86–29118
Nikanorova, Ye.A. *see* Voloshinov, V.B. 88–40031
Nikanorva, E.A. *see* Belikov, I.B. 88–13960
Nikawa, K. *see* Hosoi, H. 86–34022
Nikawa, Y., Katsumata, T., Kikuchi, M., Mori, S. Both F- and H-Plane converging lens application for deep and localized microwave hyperthermia 86–44697
Nikawa, Y., Katsumata, T., Kikuchi, M., Mori, S. An electric field converging applicator with heating pattern controller for microwave hyperthermia 86–60812
Nikawa, Y., Kikuchi, M., Mori, S. Development and testing of a 2450-MHz lens applicator for localized microwave hyperthermia 86–25294
Nikawa, Y., Mitsuishi, T., Takahashi, Y., Kikuchi, M., Mori, S. Controllable heating pattern applicator for microwave hyperthermia 86–5877
Nikawa, Y., Mori, S., Katsumata, T. Both E- and H-plane converging lens applicator for deep and localized microwave hyperthermia 87–77678
Nikawa, Y., Mori, S., Kikuchi, M. Hyperthermia treatment by electromagnetic waves 88–36505
Nikawa, Y., Mori, S., Tokumaru, S. A simple integrated waveguide array to deposit microwave energy deep in dissipative medium 86–64132
Nikawa, Y., Ogasawara, C., Takahashi, Y., Kikuchi, M., Mori, S. Development of heating equipment with lens applicator for localized microwave hyperthermia 86–5985
Nikawa, Y., Okada, F. Temperature measurement technique using reflection method for application in electromagnetic hyperthermia 87–57225
Nikawa, Y., Okada, F. Selective heating for microwave hyperthermia using ferrimagnetic resonance 88–61415
Nikawa, Y., Okada, F. Deep and localized heating for hyperthermia using ferrimagnetic resonance 88–61430
Nikawa, Y., Takahashi, Y., Watanabe, H., Kikuchi, M., Mori, S. Microwave heating system using lens applicator for localized hyperthermia 86–18375
Nikawa, Y. *see* Hirai, S. 88–61429
Nikawa, Y. *see* Katsumata, T. 87–63829
Nikawa, Y. *see* Okada, F. 88–51354
Nikawa, Y. *see* Otsuka, E. 88–61431
Nikawa, Y. *see* Takahashi, Y. 86–12021
Nikawa, Y. *see* Watanabe, H. 87–57226
Nikeshin, A.V. *see* Antonenko, A.I. 87–30576
Nikhailov, M.Yu. *see* Charplin, A.F. 87–19227
Niki, H. Construction of a signal averager using a wave memory and a microcomputer 87–41414
Niki, H. Marginal oscillator-detector using field effect transistors [for NMR measurements] 88–6698
Niki, H. *see* Arai, Y. 87–26343
Niki, H. *see* Kinoshita, K. 87–57039
Niki, H. *see* Nakase, M. 87–45736
Niki, H. *see* Takahashi, A. 86–57678
Niki, H. *see* Yamada, S. 85–54366
Niki, H. *see* Yamamoto, Y. 85–31682
Niki, K. *see* Hirata, K. 86–12636
Niki, K. *see* Tobita, T. 88–4440
Niki, N. High-precision 3-D shaded display of the brain constructed from CT and angiographical images 88–34801
Niki, N., Higuchi, K., Takahashi, Y. Evaluation of computerized tomography image reconstruction method 85–26766
Niki, N., Kanbara, H., Takahashi, Y. Image reconstruction from fewer number of projections 85–41991
Niki, N., Mizutani, T., Takahashi, Y., Inouye, T. High-speed fan-beam reconstruction using direct two-dimensional Fourier transform method 86–70404
Niki, N., Muzutani, T., Takahashi, Y., Inouye, T. High-speed fan-beam reconstruction using direct two-dimensional Fourier transform method 85–19532
Niki, N., Takahashi, Y., Inouye, T. High-speed image reconstruction using direct two-dimensional Fourier transform method 87–27634
Niki, N., Yoshida, M., Takahashi, Y. An improved interpolation technique in direct two-dimensional Fourier transform method for X-ray CT 86–44651
Niki, N., Yoshimura, F., Takahashi, Y. Illumination for shaded display of 3-dimensional CT images 85–9173
Niki, S., Chu, P., Chang, W.S.C., Wieder, H.H. Automatic shutter control for molecular-beam epitaxial reactors 88–70326
Niki, S. *see* Chu, P. 87–77368
Niki, S. *see* Yagi, M. 88–17780
Niki, T. *see* Okano, Y. 87–40166
Nikias, C., Raghuveer, M.R. Bispectrum estimation: A digital signal processing framework 87–75827
Nikias, C. *see* Mashikian, M. 88–30382
Nikias, C.L. Fast block data processing via a new IIR digital filter structure 85–956
Nikias, C.L. A general realization scheme of periodically time-varying digital filters 85–34074
Nikias, C.L. Higher-order spectral analysis in signal processing 88–21288
Nikias, C.L. ARMA bispectrum approach to nonminimum phase system identification 88–46033
Nikias, C.L., Chiang, H.-H. Non-causal autoregressive bispectrum estimation and deconvolution 87–62030
Nikias, C.L., Chrysafis, A.P., Venetsanopoulos, A.N. Design and realization of two-dimensional FIR digital filters by LU decomposition of their impulse response 85–17745
Nikias, C.L., Chrysafis, A.P., Venetsanopoulos, A.N. The LU decomposition theorem and its implications to the realization of two-dimensional digital filters 85–57356
Nikias, C.L., Ning, T., Siegel, J.H., Fabian, M. Myocardial ischemia studies from epicardial array ECG signals. Detection of the 'border-zone' in a multichannel spectrum domain 87–8935
Nikias, C.L., Pan, R. Nonminimum phase system identification via cepstrum modeling of higher-order cumulants 87–61973
Nikias, C.L., Pan, R. Time delay estimation in unknown Gaussian spatially correlated noise 88–73109
Nikias, C.L., Raghuveer, M.R. Multi-dimensional parametric spectral estimation 86–10388
Nikias, C.L., Raghuveer, M.R., Siegel, J.H., Fabian, M. The zero-delay wavenumber spectrum estimation for the analysis of array ECG signals—an alternative to isopotential mapping 86–50573
Nikias, C.L., Raghuveer, M.R., Siegel, J.H., Fabian, M. The zero-delay wavenumber spectrum estimation for the analysis of ECG signals 86–50590
Nikias, C.L., Siegel, J.H. Knowledge based classification of epicardial electric activation from array ECG signals 87–4013
Nikias, C.L., Siegel, J.H., Fabian, M. Myocardial ischemia studies from epicardial array ECG signals. II. Detection and quantification via frequency-wavenumber spectrum estimation 87–8936
Nikias, C.L., Siegel, J.H., Raghuveer, M.R., Fabian, M. Spectrum estimation for the analysis of array ECG 86–56150
Nikias, C.L., Siegel, J.H., Rubin, S., Fabian, M. Advanced statistical signal processing for the detection of acute myocardial ischemia 88–16747
Nikias, C.L., Venetsanopoulos, A.N. Sufficient condition for extendability and two-dimensional power spectrum estimation 86–16384
Nikias, C.L., Venetsanopoulos, A.N. Identification of nonminimum phase communication channels via parametric modeling of third moments 87–27544
Nikias, C.L., Venetsanopoulos, A.N. Sufficient condition of extendibility for two-dimensional quadrant-symmetric autocorrelations 87–47679
Nikias, C.L. *see* Chiang, H. 86–67418, 87–17242
Nikias, C.L. *see* Chiang, H.-H. 88–66545
Nikias, C.L. *see* Chiang, N.-H. 87–903
Nikias, C.L. *see* Helme, B.I. 86–10349
Nikias, C.L. *see* Lou, Y. 87–59768, 87–66403, 88–38627
Nikias, C.L. *see* Loui, A.C.P. 88–32334
Nikias, C.L. *see* Ning, T. 87–12978, 87–61960
Nikias, C.L. *see* Pan, R. 87–61841, 88–34646, 88–73062
Nikias, C.L. *see* Papadopoulos, C.K. 88–73073
Nikias, C.L. *see* Petropulu, A. 88–73110
Nikias, C.L. *see* Polydoros, A. 87–27500, 87–27536, 87–61842

Nikias, C.L. *see* Raghuveer, M.R. 86−16435, 86−23015, 86−29916
Nikias, C.L. *see* Taikang Ning 86−16386
Nikias, L. *see* Raghuveer, M.R. 85−59284
Nikiel, R. *see* Nierebinski, R. 87−20364
Nikifirova, M. *see* Vateva, E. 86−28204
Nikiforov, A.D. *see* Meleshko, Yu.P. 87−38616
Nikiforov, A.M. Methods of variables type transformation in analysis of heterogeneous data and pattern recognition 87−48155
Nikiforov, A.N. Analysis of the temperature conditions of hollow conductors 88−55408
Nikiforov, A.N. *see* Klimenko, V.T. 86−68660
Nikiforov, A.Yu. *see* Antonov, V.V. 88−64343
Nikiforov, A.Yu. *see* Nikitin, M.S. 88−13063
Nikiforov, B.D. *see* Svecharnik, D.V. 85−21855
Nikiforov, E.A. *see* Svintenok, V.A. 88−50067
Nikiforov, E.N. Monitoring the insulation of the excitation circuits of synchronous generators and compensators 86−45370
Nikiforov, E.P. *see* Burgstorf, V.V. 86−39174
Nikiforov, E.P. *see* Kesel'man, L.M. 86−32781
Nikiforov, I.V. Sequential detection of changes in stochastic systems 88−8793
Nikiforov, I.V., Shapiro, D.N. A hybrid system of frequency synthesis 86−27132
Nikiforov, I.Ya. *see* Rudkovskii, V.N. 85−9109
Nikiforov, K.G. *see* Radautsan, S.I. 85−18117, 85−45412
Nikiforov, L.A. *see* Gurvich, A.K. 85−6052
Nikiforov, M.G. *see* Davydov, O.V. 88−57832
Nikiforov, S.A. *see* Varovin, I.A. 86−70767
Nikiforov, S.M. *see* Alimpiev, S.S. 88−26863
Nikiforov, V. *see* Pozdeev, A.D. 88−69313
Nikiforov, V.G. *see* Alekseev, V.A. 85−56748, 86--9788, 88−40166
Nikiforov, V.G. *see* Dorofeev, S.N. 86−9787
Nikiforov, V.G. *see* Zhil'tsov, V.I. 86−54106
Nikiforov, V.N. *see* Akimov, B.A. 85−18119
Nikiforov, V.V. *see* Romanenko, A.A. 87−31310
Nikiforova, I.V. *see* Lazarev, Yu.V. 85−7965
Nikiforova, M.P. *see* Krivov, M.A. 85−11943
Nikiforova, N.G. *see* Vassilev, V.S. 87−38110, 87−53289
Nikiforova, N.M. *see* Kuznetsov, P.G. 86−36960
Nikiforova, N.S. *see* Cherezov, A.A. 88−44924
Nikiforova, T.V. *see* Zakosarenko, V.M. 88−65020
Nikiforova, V. Electromagnetic compatibility of electrical equipment in power and industrial supply systems 86−15964
Nikiforova, V.N., Maksimov, V.M., Tsareva, N.P. Methods of monitoring and analysing the quality of the electrical energy in distribution networks 86−39117
Nikiforova, V.N. *see* Zhelezko, Yu.S. 87−64021
Nikiforova-Denisova, S.N. *see* Mokerov, V.G. 87−6361
Nikiforovsky, A.V. *see* Ageev, A.I. 88−47779
Nikiforuk, P.N. *see* Gupta, M.M. 85−31858, 88−3221
Nikirsa, D.D. *see* Anatychuk, L.I. 87−78965
Nikirsa, D.D. *see* Mel'nik, A.P. 88−5907
Nikishin, E.V. *see* Elkanova, T.M. 85−34926
Nikishin, S.A. New developments and applications in liquid-phase electroepitaxy. I 85−22493
Nikishin, S.A. *see* Alferov, Zh.I. 87−7379, 87−18977, 87−23661, 87−33202, 88−27170
Nikishin, S.A. *see* An, V.A. 87−39140
Nikishin, S.A. *see* Gladushchak, V.I. 88−45435
Nikishin, S.A. *see* Il'inskaya, N.D. 88−24739
Nikishin, S.A. *see* Karpov, S.Yu. 86−54149, 87−16632
Nikishin, S.A. *see* Kizhaev, K.Yu. 87−18976, 87−26399, 88−8201
Nikishin, Yu.A. *see* Beletsky, E.A. 85−65606
Nikishina, E.M. *see* Goncharov, G.M. 88−11421
Nikishina, N.G. *see* Sidorik, E.P. 86−60757
Nikishkina, L.M. *see* Agadganian, E.K. 86−11284
Nikitaev, P.I. *see* Shelaev, I.A. 85−26621
Nikitas, P. *see* Anastopoulos, A.G. 85−12024
Nikitchenko, G.V. *see* Gulyayev, Yu.V. 88−19649
Nikitchenko, V.M. *see* Asimov, M.M. 88−65607, 88−72282
Nikitchenko, V.M. *see* Maslov, V.V. 88−27096
Nikitchenko, V.V. *see* Rodimov, A.P. 85−7721, 88−34693
Nikitenko, A.G., Grinchenkov, V.P., Grevtsov, V.N. Algorithm for the analysis of magnetic systems 88−2447
Nikitenko, A.G., Grinchenkov, V.P., Lobov, B.N., Tyndik, V.V. Data-measuring unit for a comprehensive investigation of EM systems 85−51379
Nikitenko, A.G., Kovaleva, N.I., Palii, V.Ya. A mathematical model of the dynamics of connection of an electromagnetic apparatus 87−52947
Nikitenko, A.G., Lobov, B.N. A computer-aided analysis model for mechanical characteristics of electromagnetic apparatus 88−30632
Nikitenko, A.G., Lobov, B.N. Computer-aided analysis module for parameters of an arc-quenching device in electrical apparatus 88−69633
Nikitenko, A.G., Matsupin, G.P., Palii, V.Ya., Lobanova, L.S., Dorofeenko, V.M. Investigation of a magnetoelectric transducer [for locomotive applications] 88−55682
Nikitenko, A.G., Mogilevskii, G.V., Ershov, Yu.K. Analysis of current density distribution and electrodynamic forces in busbars of a compensator 85−21196
Nikitenko, A.G., Palii, V.Ya., Kovaleva, N.I. A suite of programs for the analysis of dynamics of an EM contactor 87−64748
Nikitenko, A.G. *see* Ershov, Yu.K. 86−22633, 87−42938, 88−34238
Nikitenko, A.G. *see* Kirsanov, A.G. 86−36670
Nikitenko, A.G. *see* Patseura, V.I. 88−5798
Nikitenko, A.I. *see* Skribanov, E.V. 88−16481
Nikitenko, A.N. *see* Zin'kovskii, V.N. 86−21051, 87−17618
Nikitenko, M.V. *see* Yatskevich, V.A. 88−27627
Nikitenko, V.A. *see* Gladyshchuk, A.A. 88−51775
Nikitenko, V.P. *see* Dodzina, T.Ya. 86−51559
Nikitenko, Yu.A. *see* Kalabukhov, O.R. 88−69496
Nikitenko, Yu.A. *see* Manikhin, A.I. 88−55687
Nikitenko, Yu.A. *see* Savin, M.M. 85−39265
Nikitenko, Yu.G. Calculation of the frequency-modulation characteristic of a combined FM method 87−44700
Nikitenko, Yu.G. Frequency keying of oscillator output by composite method 87−47477
Nikitichev, A.A. *see* Antipenko, B.M. 87−18938
Nikitin, A.A., Mukomel, E.A., Safonov, E.V. Teflon films for protection of optical systems in laser processing of metals 88−58751
Nikitin, A.A., Polyakov, V.E., Shurupov, A.A. Investigation of transients in the measurement circuit of a device protecting the capacitor bank of a filter compensation device 87−9699
Nikitin, A.A. *see* Barmin, V.V. 86−5822
Nikitin, A.B. *see* Katushkina, V.M. 88−71025
Nikitin, A.G. *see* Butuzov, V.F. 86−46293
Nikitin, A.I., Dneprovskii, V.Ya., Emtsov, N.N. Electromagnetic monitoring of conductivity of the materials of curvilinear products [electrical conductivity measurement] 85−58842
Nikitin, A.M. *see* Vitsinskii, S.A. 87−44516
Nikitin, A.S. *see* Markov, Yu.N. 88−2088
Nikitin, A.S. *see* Smirnov, V.V. 88−24540
Nikitin, A.V. *see* Ammosov, R.M. 88−12908
Nikitin, B.A., Zakharchuk, D.V., Kovalev, I.I., Nikolaeva, T.V., Serushkina, E.S. Photometric method of determining gold film thickness of nuclear radiation silicon detectors 88−16484
Nikitin, B.A., Zakharchuk, O.V., Nikolayeva, T.V. Improved techniques for sensitive area thickness determination in silicon detectors of ionizing radiation 88−4791
Nikitin, B.K. Computer-aided control of the electric drive of a cable extrusion line 85−44342
Nikitin, B.K. Algorithmization of continuous production process line control systems 87−43703
Nikitin, B.K. Utilization of compensated regulators in control systems for production facilities 88−71147
Nikitin, B.K., Rabkin, S.S., Dun'e, V.A. Control systems for electric drives of submersible well pumps 87−78979
Nikitin, G.L. *see* Luk'yanov, V.D. 85−23089
Nikitin, I.P. Calculation of transducers of surface acoustic waves with capacitive weighting of the electrodes by the method of equivalent circuits 86−21944
Nikitin, M.A. *see* Tokar', V.G. 88−2563
Nikitin, M.M., Kuzovnikova, V.V. Drive motion photoelectric transducer 85−14774
Nikitin, M.M., Levin, B.Kh. Mathematical analysis of a contactless linear DC motor 85−32503
Nikitin, M.M., Levin, B.Kh. Dynamics of self-braking linear DC motor in emergency switch-off mode 86−26078
Nikitin, M.M., Levin, B.Kh., Arkhipenko, N.A. Application of linear electric motors in industrial robot complexes 85−5569
Nikitin, M.M., Zimmerer, G. Use of undulators for spectroscopy without monochromators 86−5870
Nikitin, M.S., Nikiforov, A.Yu., Troshina, E.V. Study of quasiequilibrium and nonequilibrium processes in p-$Cd_xHg_{1-x}Te$ based MOS structures 88−13063
Nikitin, M.S. *see* Antonov, V.V. 88−64343
Nikitin, M.S. *see* Bazhenov, N.L. 87−2033, 87−46661
Nikitin, M.S. *see* Elizarov, A.I. 87−66897
Nikitin, M.V. *see* Chebotayev, V.P. 85−20440
Nikitin, M.V. *see* Gol'drot, V.G. 86−60359
Nikitin, M.Yu. *see* Dobrovol'skii, A.V. 86−9793
Nikitin, N.M., Okunev, S.L., Saksonov, E.A. Contention-resolution algorithm for a local-area network with random multiple access 87−20172
Nikitin, N.V. *see* Alekseev, V.N. 85−2263, 86−15670
Nikitin, N.V. *see* Lesnikov, E.V. 85−7331
Nikitin, N.V. *see* Volynkin, V.M. 87−12251
Nikitin, O.A. *see* Davydov, I.S. 87−64029
Nikitin, O.A. *see* D'yakov, A.F. 88−42867
Nikitin, O.A. *see* D'Yakov, A.F.D. 87−4340
Nikitin, O.P., Oleinikov, A.M. On approximation of magnetisation curves 86−68156
Nikitin, S.A. *see* Alferov, Zh.I. 86−46347
Nikitin, S.A. *see* Belomesthnykh, S.A. 85−15111
Nikitin, S.A. *see* Blinov, A.E. 86−18202
Nikitin, S.A. *see* Bondar, A.E. 85−26599
Nikitin, S.A. *see* Derbenev, Ya.S. 85−26619
Nikitin, S.G. *see* Borovikov, A.A. 86−5823
Nikitin, S.I. *see* Dubinskii, M.A. 88−51783
Nikitin, S.V. *see* Rodimov, A.P. 85−7721
Nikitin, S.Yu. *see* D'yakov, Yu.E. 88−51933
Nikitin, V.A. *see* Abashidze, L.I. 86−25133, 86−60633
Nikitin, V.A. *see* Bregeda, I.D. 87−18598
Nikitin, V.A. *see* Budilov, A.A. 86−44588
Nikitin, V.A. *see* Bulatov, E.D. 87−70780
Nikitin, V.A. *see* Dorosh, V.S. 85−1968
Nikitin, V.A. *see* Glusker, B.N. 85−4939
Nikitin, V.A. *see* Ivanov, V.N. 85−41203, 87−74826
Nikitin, V.A. *see* Makhmutov, R.Kh. 86−58404
Nikitin, V.A. *see* Milyaev, V.A. 86−58240
Nikitin, V.A. *see* Zavaritskaya, V.A. 85−46246
Nikitin, V.F. *see* Gurvich, A.M. 88−43962
Nikitin, V.G. *see* Biryulin, Yu.F. 88−71307
Nikitin, V.G. *see* Grigor'ev, B.I. 88−71336
Nikitin, V.G. *see* Zadiranov, Yu.M. 85−50498
Nikitin, V.I. Contemporary problems of measurement of small flows of liquids and gases 87−29361
Nikitin, V.I. Providing accuracy in checking standard liquid meters 87−34929
Nikitin, V.I. *see* Klimenov, A.V. 85−17772
Nikitin, V.I. *see* Sutotskii, G.P. 87−57922
Nikitin, V.M. *see* Belan, V.R. 87−75238
Nikitin, V.N., Nasibullin, V.M. Calculation of the parameters of a pseudo-error detector in digital data transmission systems 88−27739
Nikitin, V.N. *see* Golovkov, V.A. 86−43263
Nikitin, V.N. *see* Milyutin, Ye.R. 87−47182
Nikitin, V.V. *see* Abul'shin, A.M. 87−68381
Nikitin, V.V. *see* Akul'shin, A.M. 86−36495, 87−26410
Nikitin, V.V. *see* Alekseev, V.A. 86−22473
Nikitin, V.V. *see* Baev, V.M. 86−9818
Nikitin, V.V. *see* Basov, N.G. 85−18871, 86−3090, 87−68383, 87−74984
Nikitin, V.V. *see* Kryzhanovskii, V.I. 85−56771
Nikitin, V.Yu. *see* Galushkin, M.G. 88−65806
Nikitin, Ya.Yu., Filimonov, R.P. Rules for video detection of weak signals in nongaussian noise of unknown power 85−20342
Nikitin, Yu.M., Polozkov, V.G. Automated computation of cyclograms for galvanic production lines 88−70111
Nikitin, Yu.M. *see* Adamov, E.O. 88−30510
Nikitin, Yu.M. *see* Emel'yanov, A.I. 86−6506
Nikitin, Yu.P. Parametric line with fixed wave impedance 85−62857
Nikitina, E.P. *see* Bregeda, I.D. 87−18598
Nikitina, E.P. *see* Dorosh, V.S. 85−1968
Nikitina, L.V. *see* Surnov, A.V. 87−64838
Nikitina, N.A. *see* Kamenskii, M.K. 85−43613
Nikitina, N.G. *see* Sorokin, I.N. 86−63124
Nikitina, N.M. *see* Peregudov, A.F. 86−55861, 86−69928
Nikitinskii, V.A. *see* Zhuravlev, B.I. 86−60547
Nikitov, S.A. *see* Boardman, A.D. 88−58216
Nikitov, S.A. *see* Gavrilin, S.N. 88−72172
Nikitov, S.A. *see* Gulyayev, Yu.V. 86−42816
Nikityuk, N.M. Optimal encoding in scintillation hodoscopes 88−4819
Nikityuk, N.M. Multiplicity registration in hodoscope systems with a large number of registration channels 88−36390
Nikityuk, N.M., Samilov, V.N., Shyussler, R. Unitary-to-binary converter with asynchronous control [for nuclear instrumentation applications] 85−20528
Nikityuk, N.M. *see* Gus'kov, B.N. 86−14086
Nikityuk, N.M. *see* Kalinnikov, V.A. 87−8874
Nikiyan, N.G. Influence of the machining technology of induction motor cores on their magnetic properties 88−30705
Nikiyan, N.G. *see* Iondem, M.E. 86−6745
Nikiyan, N.G. *see* Iondem, M.Ye. 85−21547
Nikkenen, L. *see* Crawford, J.E. 87−57000
Nikki, M. Daylight fluorescent lamps 88−6025
Nikkila, S. *see* Jyllila, H. 87−2899
Niklas, H. *see* Harrison, A.I. 86−61721
Niklason, L. *see* Johnson, B. 87−21584
Niklason, L. *see* Tranesjo, J. 87−21579
Niklasson, G.A., Brantervik, K. Analysis of current-voltage characteristics of metal-insulator composite films 86−28052
Niklasson, G.A. *see* Andersson, A.M. 87−60885
Niklasson, G.A. *see* Babulanam, S.M. 87−68013
Niklasson, G.A. *see* Brantervik, K. 88−26626
Niklasson, G.A. *see* Smith, G.B. 87−18584
Niklaus, K. Potential-isolated cost saving voltage regulation with very low loading on the voltage source 85−49728
Nikles, D.E. *see* Goldberg, H.A. 87−38721
Nikles, D.E. *see* Kuder, J.E. 86−42667
Nikoforov, V.E. *see* Arakelyan, A.K. 85−5067
Nikogosyan, A.S. *see* Avetisyan, Yu.O. 86−9919
Nikogosyan, D.N. *see* Grasyuk, A.Z. 85−35894
Nikogosyan, D.N. *see* Krumin'sh, A.V. 85−24519
Nikogosyan, V.R. *see* Levin, V.A. 87−63997
Nikolaenko, A.E. *see* Prikhod'ko, V.P. 85−17234
Nikolaenko, A.N. *see* Gulymanov, B.V. 87−31021
Nikolaenko, A.P. Cross correlation of power spectra of natural ELF noise 85−13446

Nikolaenko, A.P. Effects of a local inhomogeneity in the ionosphere on the propagation of ELF radio waves 86−3516
Nikolaenko, A.P. Scattering of ELF radio waves on global inhomogeneities of the Earth-ionosphere cavity 87−19187
Nikolaenko, A.T. Magnetization of metal pipes by transverse fields. I. Theoretical dependences for a distorted field outside the pipe 85−469
Nikolaenko, A.T. Magnetization of metal pipes by transverse fields. II. Boundaries of applicability of theoretical dependences 85−6044
Nikolaenko, V.A., Semenov, A.S. Storage characteristics of vidicons in pulsed irradiation mode using lasers 88−71287
Nikolaenko, V.A. *see* Men'shov, E.N. 86−14088
Nikolaenko, V.G. *see* Kuznetsov, V.G. 86−6325, 87−29995, 87−42464
Nikolaenko, V.M., Kovalev, N.I. A study of electronic logic circuits based on generalized macromodels 87−52527
Nikolaenko, V.M., Kovalev, N.I., Tkachenko, O.V. Study of nonlinear electrical circuits using generalized macromodels 85−17114
Nikolaenko, V.T. *see* Zadubovskii, I.I. 88−67961
Nikolaenko, V.V., Svechnikov, S.V., Sukach, G.A., Sypko, N.I. Heat parameters of GaAsP light-emitting structures 85−51067
Nikolaenko, V.V. *see* Oleksenko, P.F. 88−29511
Nikolaenko, V.V. *see* Svechnikov, S.V. 86−63732
Nikolaenko, Yu.M. Improvement of electromagnet power system of microwave spectrometer 87−16867
Nikolaev, A.B. *see* Aristov, A.V. 85−12825, 87−68402
Nikolaev, A.G. Finding and improving energy characteristics of systems for charging storage batteries 86−6861
Nikolaev, A.G. *see* Dodotchenko, V.V. 87−36012
Nikolaev, A.G. *see* Dodotcheno, V.V. 88−24024
Nikolaev, A.N. *see* Osadchii, E.P. 86−50068
Nikolaev, A.V. *see* Bashilov, I.P. 87−63963
Nikolaev, A.V. *see* Zaitsev, V.P. 88−65586
Nikolaev, A.Yu. *see* Kotlikov, E.N. 86−68482
Nikolaev, B.A. *see* Adlin, Yu.M. 87−9419
Nikolaev, D.S. *see* Golemanov, L.A. 88−30320
Nikolaev, D.V. *see* Bol'shov, V.M. 88−68341
Nikolaev, E.N. *see* Kavalerov, V.G. 88−29238
Nikolaev, E.P. Highly linear pyroelectric radiation receivers and some results of their tests 85−58713
Nikolaev, E.S. *see* Samarskii, A.A. 85−341
Nikolaev, E.V. *see* Emel'yanov, I.Ya. 86−32976
Nikolaev, G.A. Influence of deviations of resonant frequency of filter-compensating device on its technical indices [reactive power compensation] 87−21870
Nikolaev, G.E. *see* Vinogradov, S.V. 88−34099
Nikolaev, G.N. *see* Goldina, N.D. 87−68563
Nikolaev, G.V. Features of calculation of magnetomodulation transducer of sensor displacements with compensation of magnetic fluxes 86−65181
Nikolaev, I.V., Yaremchuk, A.F., Mochalov, A.I., Chistyakov, Yu.D. Electrophysical properties of nonrectifying contacts to n-gallium arsenide based on Ni-Sn 88−13024
Nikolaev, L.A., Polferov, K.Ya., Rzaeznikov, Yu.V. Results of studying coal dust explosion employing large test equipment 87−88
Nikolaev, L.A., Polferov, K.Ya., Rzheznikov, Yu.V. Development of devices for protection from explosive ejections from coal-dust preparation systems at thermal power stations 86−39512
Nikolaev, M.A. *see* Veselov, G.N. 87−45466
Nikolaev, M.I. *see* Mekhtiev, A.Sh. 87−24831
Nikolaev, M.V., Frank, G.A., Dostanko, A.P. Resistor integrated circuit for data measurements on radio and electronic apparatus 85−55325
Nikolaev, M.V. *see* Gusyatnikov, V.N. 87−26158
Nikolaev, N.V., Surodin, M.P., Tikhomirov, S.V. Complex and elemental certification of devices for measuring damping in fibre lightguides 88−1981
Nikolaev, O.A. *see* Katashkov, E.S. 88−25650
Nikolaev, P.V. *see* Boikov, V.I. 88−35583
Nikolaev, P.V. *see* Braver, I.M. 86−3629
Nikolaev, P.V. *see* Bystrov, S.V. 85−65481, 88−67756
Nikolaev, P.V. *see* Ivaska, V.P. 87−12776, 87−47267
Nikolaev, S.D., Starobogatov, I.O. Formation of highly coherent radiation in a free-running ruby laser for pulsed holography 87−75059
Nikolaev, S.I. *see* Saparin, G.V. 87−2023
Nikolaev, S.V. *see* Borovoi, A.A. 85−20824
Nikolaev, S.V. *see* Korobov, A.M. 85−7475
Nikolaev, V.A. *see* Adamov, E.O. 88−30510
Nikolaev, V.A. *see* Butusov, M.M. 87−74748, 88−20377, 88−29503
Nikolaev, V.A. *see* Ermolenko, V.L. 85−31624
Nikolaev, V.A. *see* Kopchenov, V.E. 87−29672
Nikolaev, V.A. *see* Vorob'ev, I.B. 87−41874
Nikolaev, V.B. *see* Antipenko, B.M. 85−24513
Nikolaev, V.D. *see* Bezpal'ko, E.B. 88−51908
Nikolaev, V.D. *see* Gizatullin, R.M. 88−33938
Nikolaev, V.I. *see* Goldin, L.L. 88−54010
Nikolaev, V.M. *see* Barmenkov, Yu.O. 88−26747
Nikolaev, V.M. *see* Daribazaron, E.Ch. 86−15502, 87−3577
Nikolaev, V.M. *see* Kotov, O.I. 88−51580
Nikolaev, V.M. *see* Petrun'kin, V.Yu. 86−36217
Nikolaev, V.N. *see* Andreeva, R.I. 86−3274
Nikolaev, V.N. *see* Azarov, V.V. 85−51230
Nikolaev, V.N. *see* Zakharkin, B.I. 87−46847
Nikolaev, V.P. *see* Azimov, S.A. 86−24484
Nikolaev, V.S. *see* Astrelin, V.T. 86−60439
Nikolaev, V.Ya. *see* Ginzburg, V.M. 88−42694
Nikolaev, Yu.A. *see* Malakhov, V.P. 86−14447
Nikolaev, Yu.E. *see* Klebalin, Yu.M. 87−4560
Nikolaev, Yu.I. *see* Efimov, E.A. 85−3355
Nikolaev, Yu.I. *see* Klyuchko, V.I. 85−30196
Nikolaeva, E.V. *see* Dzektser, N.N. 87−17426
Nikolaeva, G.V., Sigalov, G.G. Calculating the characteristics of star-structured computer networks 88−28145
Nikolaeva, G.V. *see* Belov, V.S. 87−35130
Nikolaeva, L.E. *see* Zeveke, T.A. 86−420
Nikolaeva, L.I. *see* Kovchin, S.A. 87−58084
Nikolaeva, M.G. *see* Volkov, V.Yu. 86−16314
Nikolaeva, N.S. *see* Mamedshakhov, M.E. 86−19300, 87−22411, 87−30622, 88−23970
Nikolaeva, N.S. *see* Tozoni, O.V. 85−10178
Nikolaeva, S.A. *see* Kurilova, L.G. 85−58677
Nikolaeva, S.I. Analyzing the dynamic stability of controlled electric power systems 85−43522
Nikolaeva, S.I. *see* Stroey, V.A. 87−50668
Nikolaeva, T.V. *see* Nikitin, B.A. 88−16484
Nikolaevova, Z. The proximity effect in electron lithography 87−45724
Nikolaevova, Z. Methods for correction of the proximity effect in electron lithography 87−45725
Nikolai, W. With 1 MW on 15 kHz: long, longer, longest 85−7709
Nikolai, W. Short waves. Tackling fading 86−22669
Nikolaichenko, V.G., Klimenko, Yu.K., Fefelov, N.A., Chilikin, A.B. High-voltage meter with optical isolation 88−67982
Nikolaichuk, O.L. *see* Dunets, B.V. 87−49981
Nikolaiko, A.S. *see* Bondarenko, O.A. 87−71000
Nikolaiko, A.S. *see* Zdesenko, Yu.G. 86−60632, 87−71037
Nikolaishvili, Yu.N. *see* Babadzhanov, L.S. 88−53856
Nikolaitchev, N.G. *see* Popadyin, St.V. 87−16099
Nikolaizik, J. A comparator in fault-tolerant microcomputer systems 86−67441
Nikolajevic, S. Research and development of high tension cables with insulation of wired polyethylene 88−68955
Nikolajuk, D. *see* Minkina, W. 88−67727
Nikolakopoulou, G.A. *see* Derby, J.J. 85−39690
Nikolaou, M. Subscriber's converter for cable television 85−31210
Nikolaou, P.P. *see* Lefas, C.C. 86−38246
Nikolaus, B. *see* Burghardt, B. 87−39003
Nikolaus, B. *see* Ernsting, N.P. 86−36431, 87−2059
Nikolaus, B. *see* Gierulski, A. 85−35855
Nikolaus, H.W. Floating body flowmeter with electronic position sensor 85−64054
Nikolayenko, V.A., Tetnev, G.S. Optimal signal filtering in television measurements of the parameters of high-speed processes 86−30034
Nikolayenko, V.N., Kozorezov, B.S., Pustovit, V.P. A parameter analysis of signals described by a lognormal distribution law based on a small sample 87−55146
Nikolayenko, V.N., Kozorezov, B.S., Pustovit, V.P. Calculation of the probability that radio equipment parameters will fall below a specified level 88−72717
Nikolayev, A.N., Sukhomlin, K.V., Shirokov, V.Ye. An 11-GHz radio-relay station transmitter with two IMPATT diodes 87−56339
Nikolayev, A.Yu. *see* Terent'yev, B.P. 87−48481
Nikolayev, F.Ya. *see* Dubovikova, E.A. 87−54445
Nikolayev, G.P. *see* Vorontsov, A.S. 87−55934
Nikolayev, M.A. *see* Veselov, G.I. 87−52795
Nikolayev, N.V. A method of improving the reliability of ATSK relay contacts 87−59942
Nikolayev, P.V. *see* Garb, Kh.L. 85−57093
Nikolayev, V.G. *see* Vasil'yev, V.Ye. 87−62956
Nikolayev, V.M. An approximate expression for the effective number of electron oscillations with particles in a low-temperature air plasma 87−47227
Nikolayev, V.T., Talyzin, N.N. Estimation of covariance functions using a thinned sample 87−48854
Nikolayev, V.T., Talyzin, V.N. A set-theoretic approach to the design of mobile radio communications networks 88−21991
Nikolayev, V.V. *see* Asinovskiy, A.L. 86−37059
Nikolayeva, T.V. *see* Nikitin, B.A. 88−4791
Nikolayevskiy, A.L. *see* Babenko, A.I. 86−42927
Nikolenko, A.N., Gudzenko, A.B., Smotrov, E.A., Smirenskii, V.I. Multi-coordinate fast acting electrical drive type ET3K 86−61774
Nikolenko, L.D. *see* Molchanov, I.N. 85−28172
Nikolic, B. Analysis of the medium voltage network on idealized models 85−32118
Nikolic, B. Dimensioning of the low voltage cables for residential buildings 85−64889
Nikolic, B. Selection of a priority variant of the network development 86−12419
Nikolic, B. Types of medium voltage networks with stand-by cable 86−25568
Nikolic, B. The cable position in cable canal 88−5378
Nikolic, P. Possibilities to improve properties of materials used for transmitting signals by optical fibers 85−56269
Nikolic, P.M., Pavlovic, M.B., Vujatovic, S.S. Structural transport and some optical properties of $Pb_xPt_{1-x}Te$ alloys 86−21160
Nikolic, P.M. *see* Aleksic, O.S. 85−35297
Nikolic, S. *see* Meisner, J.S. 87−8949
Nikolic, Z.B. *see* Stefanovic, M.C. 88−53202
Nikolich, M., Dettman, D., Dollinger, R. A fiber optic transmitter/receiver for differential measurements in high voltage charging systems 87−21189
Nikolich, M., Hitchcock, R., Dollinger, R. Analog to digital to analog channel with DC to 1 MHz analog signal bandwidth and high voltage isolation 85−3476
Nikolich, M. *see* Dettman, D. 87−17665
Nikolin, S.V. *see* Pyzhkov, A.I. 87−33067
Nikolos, D., Gaitanis, N., Philokyprou, G. *t*-error correcting all unidirectional error detecting codes starting from cycle AN codes 85−19361
Nikolos, D., Gaitanis, N., Philokyprou, G. Systematic t-error correcting all unidirectional error detecting codes 85−46709
Nikolos, D. *see* Paschalis, A.M. 88−698, 88−32123
Nikolov, A.V. *N*-unit parallel redundant system with multiple-correlated failures 86−40578
Nikolov, A.V. Reliability analysis of a series-parallel system under different repair disciplines 87−16427
Nikolov, I.D. Synthesis of optical systems for data processing 85−12687
Nikolov, I.D. Application of mirror systems in information processing devices 85−35570
Nikolov, N.A., Spasovsky, I.P., Velichkov, J.N., Shkvarunets, A.G., Trifonov, I.P., Spasov, A. Electrostatic beam pumping method for intense relativistic cyclotron maser 88−58398
Nikolov, O.T. *see* Omel'yanenko, I.F. 87−73210
Nikolov, Z., Sachansky, J., Shtereva, R. Selection of parameters of a section in a trunk line for information exchange 85−8019
Nikolov, Z.A. Method for generation of frequency-manipulated signals 87−16919
Nikolov, Z.A., Ivandjiiski, V.I., Vachkov, P.I. Critical regimes of multichannel impulse current sources 86−40902
Nikolova, L. *see* Miteva, M. 88−58712
Nikolova, L. *see* Todorov, T. 85−19042, 85−19047, 85−35899
Nikolova, M. *see* Sgurev, V.S. 85−49705
Nikolovski, Z., Sever, V. The software of the group switch SI 2000 88−59939
Nikol'skaya, T.I. *see* Nikol'skiy, V.V. 85−34132
Nikol'skaya, T.I. *see* Shalyakin, A.I. 87−45163
Nikolski, A.A., Filippov, V.G. The dynamics of highly accurate positioning systems having active elastic compensators 85−58875
Nikol'skii, A.A. Electric drive cyclical duty optimisation by energy criteria 85−32724
Nikol'skii, A.A. The synthesis of two-channel servodrives with active elastic piezoelectric compensators 86−33733
Nikol'skii, A.A. Dynamic properties of electromechanical systems moving piezoelectric compensators and allowing for distributed parameters 87−36185
Nikol'skii, A.A. A method for raising the speed of response of servo and positional drives with integrated piezoelectric motors 88−49004
Nikol'skii, A.A., Filippov, V.G. The dynamics of high-precision positioning systems with active elastic components 85−60461
Nikol'skii, G.I. *see* Soldatov, V.F. 88−68862
Nikol'skii, M.Yu. *see* Avanesov, A.G. 88−51772
Nikol'skii, M.Yu. *see* Danilov, A.A. 88−14149, 88−27114, 88−27122, 88−27260
Nikol'skii, M.Yu. *see* Gondra, A.D. 88−14152
Nikol'skii, M.Yu. *see* Ishkhanov, B.S. 88−36344
Nikol'skii, M.Yu. *see* Zharikov, E.V. 88−58492
Nikol'skii, S.G. *see* Zemtsov, M.P. 86−40807
Nikol'skii, V.V., Kozlov, A.Yu. Losses in microstrip conductors: an unsimplified formulation of the problem with consideration of technological factors 87−33484
Nikol'skii, V.V., Kozlov, A.Yu. Electrodynamic modeling of lossy elements in planar microwave structures 88−34371
Nikol'skii, V.V., Vesnin, S.G. Electrodynamic analysis of the abrupt open end of a shielded strip line on the basis of the solution of a two-dimensional integral equation 86−58029
Nikol'skiy, M.Yu., Piskarev, I.M., Shvedunov, V.I. The magnetic lens of an electron injector and measurements of its parameters 87−54506
Nikol'skiy, M.Yu. *see* Ishkhanov, B.S. 87−35257
Nikol'skiy, S.G. *see* Terent'yev, B.P. 87−48481
Nikol'skiy, V.V., Nikol'skaya, T.I., Belov, T.T. Diffraction models of irregularities of strip and slotted lines in the presence of a suspended substrate 85−34132
Nikol'skiy, Yu.V. *see* Bandurin, Yu.A. 87−45563

Nikolsky, K.K., Razumow, L.D., Schuppler, H. Protecting telephone cables against electromagnetic fields, lightning discharges and corrosion 88−34971
Nikolsky, S.I. Cherenkov detectors in cosmic ray studies 86−65369
Nikolsky, S.I. *see* Dyakonov, M.N. 86−65371
Nikonchuk, M.O. A Zeeman ring laser in the longitudinal-mode locking regime 85−41427
Nikonchuk, M.O. *see* Kirievskii, A.P. 85−51116
Nikonenko, I.U., Zotov, A.Ya., Fominykh, Yu.A., Skurikhin, A.V. New fuse links for high-voltage expulsion cut-outs 87−78197
Nikonenko, I.U. *see* Andreev, V.A. 86−56859
Nikonets, L.A. *see* Dyakov, A.F. 86−61139
Nikonorov, A.I., Malinin, A.A. Magnetic standard tapes for alignment of studio and reporter magnetic tape recorders 87−34879
Nikonorov, N.V. *see* Babukova, M.V. 85−50937, 86−29114, 86−42206, 88−1976
Nikonorov, N.V. *see* Glebov, L.B. 85−12540, 86−68218, 87−1958, 87−25999, 88−20419
Nikonorov, V.P. Pskem hydro development on the Pskem River 87−4615
Nikonorov, V.V. *see* Belyantsev, A.M. 88−33912
Nikonorova, G.K. *see* Brusentseva, S.A. 87−42265
Nikonov, A.G., Riofe, I.M., Savel'ev, Yu.M., Engel'ko, V.I. Production of intense microsecond electron beams in a magnetron diode 88−16621
Nikonov, A.G., Savel'ev, Yu.M., Engel'ko, V.I. Detector for measuring the current density of a high-current microsecond beam 85−9024
Nikonov, A.G. *see* Burtsev, V.A. 85−11849
Nikonov, A.G. *see* Gusev, O.A. 86−44492
Nikonov, A.I. Integrated signal transformer module for paired differential transducers 88−25592
Nikonov, A.I., Dikovskii, V.A., Grankin, G.A., Bobrov, I.F. The type NvS23A winding machine with electromechanical placement of wire 87−36485
Nikonov, A.I., Frolov, I.S. Mathematical model of sensors with variable transverse magnetic-flux density 88−22545
Nikonov, A.I., Shaimardanov, F.A., Chernykh, V.V. Conversion of displacements with integration of velocity component of inductive sensor signal 88−53645
Nikonov, A.V. *see* Maistrenko, V.A. 87−32035
Nikonov, A.V. *see* Zhilin, N.S. 87−17289
Nikonov, B.P. *see* Sokolov, A.M. 87−6311
Nikonov, G.I. The voltage at the input of short wave receivers in the apartments of buildings 85−8557
Nikonov, G.I. A method of calculating the effective field strength in short-wave radio broadcasting 86−24012
Nikonov, G.I. *see* Katunin, G.P. 87−63106
Nikonov, I.P. *see* Strunets, V.K. 87−58488
Nikonov, S.V., Chikhachev, A.S. Discrete nature of self-consistent equilibrium states of an electron beam in a longitudinal magnetic field 87−33384
Nikonov, S.V. *see* Dmitriyev, K.K. 88−40489
Nikonov, S.V. *see* Kozlovskiy, V.V. 85−34039
Nikonov, S.V. *see* Vlasov, M.A. 85−50150, 87−19144
Nikonov, V.A. *see* Boiko, G.N. 86−36730
Nikonov, V.I. *see* Glushenkova, O.P. 85−56800
Nikonov, V.P. *see* Anisimova, T.E. 86−40962
Nikonov, Yu.P. *see* Anisimova, T.E. 88−56510
Nikonov, Yu.P. *see* Aver'yanov, N.E. 86−58868
Nikonova, M.V. *see* Bayanov, V.I. 87−33128
Nikonova, M.V. *see* Bordachev, E.G. 87−7423
Nikonova, N.S. *see* Dianov, E.M. 86−63652
Nikonova, Z.S. *see* Dianov, E.M. 86−58753, 86−58784, 87−25985, 87−39232 to 39233
Nikonovich, M.V. *see* Shkadarevich, A.P. 86−42508
Nikoomanesh, B. *see* Roosta, M.R. 87−24152
Nikoonahad, M. Differential phase contrast acoustic microscopy using tilted transducers 87−50579
Nikoonahad, M. Synthetic focused image reconstruction in the presence of a finite delay noise 87−71107
Nikoonahad, M., Li, F. High-resolution ultrasound transverse flow measurement 88−36281
Nikoonahad, M., Yue, G., Ash, E.A. Pulse compression acoustic microscopy using SAW filters 85−53204
Nikoonahad, M. *see* Almond, E.A. 87−367
Nikoonahad, M. *see* Burton, N.J. 85−7926
Nikoonahad, M. *see* Umeda, A. 87−369
Nikorich, A.V. *see* Akimov, B.A. 85−29694, 87−12291
Nikos, M. Preparing for the ISDN−Europe on its way 86−69285
Nikoskinen, I. *see* Lindell, I.V. 88−65936
Nikoskinen, K. *see* Lindell, I.V. 87−75405, 88−2459
Nikoskinen, K.I. *see* Lindell, I.V. 88−20885
Nikotin, O.P. *see* Babenko, Yu.A. 86−14085
Nikowitsch, P., Held, M. Open view streak technique 88−22502
Nikowitsch, P. *see* Held, M. 86−2795
Niksa, M.J., Wheeler, D.J. Aluminum-oxygen batteries for space applications 88−48290
Niksa, M.J. *see* Schue, T.J. 88−17914
Niksch, M., Binnig, G. Proposal for a novel gravitational-wave sensor 88−60693
Niksch, M., Grill, W. Numerical calculations of ultrasonic echo patterns and implications on the determination of the velocity of sound 87−77908
Niktash, M., Riordon, J.S., Mahmoud, S.A. A model for analysis of channel access protocols 87−55434
Niktash, M., Riordon, J.S., Mahmoud, S.A. Performance evaluation of two-hop systems in local area networks 87−55438
Niku, S.M. *see* Adey, R.A. 86−14802
Nikuenkov, E.V. *see* Dorofejev, G.L. 88−64991
Nikuev, Yu. *see* Shilin, N.V. 85−32635
Nikuev, Yu.A. *see* Kurochkin, A.K. 86−61681
Nikuev, Yu.A. *see* Shilin, N.V. 85−39136
Nikulchin, A.V. *see* Basov, N.G. 86−3090, 87−68383, 87−74984
Nikulenko, V.N., Ponomarev, V.S., Boush, A.S. Device for measuring thermal-inertia index of resistance thermometers 86−24488
Nikulenkov, E.V. *see* Dorofejev, G.L. 86−47984
Nikulin, A.A. *see* Dolgii, B.Ya. 87−58456
Nikulin, A.A. *see* Petrovich, V.I. 87−4541
Nikulin, A.A. *see* Volokhonskii, L.A. 85−65655
Nikulin, A.A. *see* Zusman, G.V. 87−3567
Nikulin, A.D. *see* Klimenko, E.Yu. 88−71987
Nikulin, A.V. *see* Tarkhanov, O.V. 86−11548
Nikulin, M.G. *see* Markeev, A.M. 87−41665
Nikulin, M.G. *see* Vinogradov, S.V. 87−29385
Nikulin, M.M. *see* Azarenok, V.V. 86−40275
Nikulin, M.M. *see* Burkhanov, G.S. 85−39301
Nikulin, N.G. *see* Korukhov, V.V. 88−8107
Nikulin, N.I. *see* Lokshin, B.A. 85−8366
Nikulin, N.P. *see* Gurdyev, M.T. 86−32743
Nikulin, S.M., Petrov, V.V., Salov, A.N. Calibration of contact devices for measuring the elements of microwave integrated circuits 86−14513
Nikulin, S.M., Sedel'nikova, I.M. Determination of the conditions for matching high-power microwave transistors 87−45267
Nikulin, S.M., Seryakov, Yu.N., Fursov, S.A. Measurement of the characteristics of phased antenna arrays by a switching method 87−61447
Nikulin, S.M. *see* Blokhin, S.V. 87−29267
Nikulin, S.M. *see* Kabanov, D.A. 87−3730
Nikulin, V.F. *see* Kulish, U.M. 86−21184
Nikulin, V.I., Yakushkov, A.V. A digital electric drive with a stepping motor 87−22803
Nikulin, V.Ya. *see* Gribkov, V:A. 86−11832
Nikulina, A.F. *see* Novikov, M.P. 85−15023
Nikul'shina, N.V. The measurement and evaluation of a derived signal 87−63337
Nikumb, S.K., Seguin, H.J.J., Seguin, V.A., Reshef, H. Gain and saturation parameters of a multikilowatt PIE CO_2 laser 87−68338
Nikumb, S.K. *see* Cheng, Z. 88−40262
Nikumb, S.K. *see* Seguin, V.A. 87−18891, 87−26453, 87−46748
Nikunen, M. Notes on tightness of Markov processes 85−5898
Nikura, K. *see* Komatsu, K. 87−53378
Nikuradze, N.A. *see* Aburdzhaniya, A.K. 85−64189
Nikuradze, P.O. *see* Askar'yan, G.A. 85−21844
Nikutta, W. *see* Berner, G. 85−50701
Nilakantan, G. An industry view of the European network [cellular radio] 88−60023
Nilens, P. *see* Verhelst, W. 87−27280
Niles, D.W., Colavita, E., Margaritondo, G., Perfetti, P., Quaresima, C., Capozi, M. Understanding and controlling heterojunction band discontinuities 86−63083
Niles, D.W., Margaritondo, G., Perfetti, P., Quaresima, C., Capozi, M. Heterojunction band discontinuity control by ultrathin intralayers 86−14889
Niles, D.W., Ming Tang, Hochst, H. A photoemission study of the epitaxial growth of Si on GaP(110) 88−43907
Niles, D.W. *see* Cerrina, F. 88−48046
Niles, D.W. *see* Davis, G.D. 87−17945
Niles, D.W. *see* Franciosi, A. 86−14936
Niles, D.W. *see* Hochst, H. 88−63329
Niles, D.W. *see* Ming Tang 88−43908
Niles, G.B., Baishiki, R., Cartwright, J.W., Dawalibi, F., Dick, W.K., Eisinger, W.G., Engimann, J.G., Finney, W.G., Heh, R.J., Hubbard, D.C., Jones, D.T., Lam, H.T., Nichols, D.J., Parker, H., Quinn, P.D., Ralston, R. Background and methodology for analyzing step and touch potentials near transmission structures. I. Background 86−51068
Niles, G.B., Baishiki, R., Cartwright, J.W., Dawalibi, F., Dick, W.K., Eisinger, W.G., Engimann, J.G., Finney, W.G., Heh, R.J., Hubbard, D.C., Jones, D.T., Lam, H.T., Nichols, D.J., Parker, H., Quinn, P.D., Raiston, R. Background and methodology for analyzing step and touch potentials near transmission structures. II. Engineering evaluation 86−51069
Niles, G.S. How expansion-joint materials meet today's powerplant needs 88−62173
Niles, L. *see* Kirk, W.J. 85−57320
Niles, L.T. *see* Rossen, M.L. 88−66347
Niles, P.D. *see* Davis, A.L. 88−38932
Nilius, M.E., Luke, T.E. Memory and dynamic imaging in a conducting PRIZ 86−42369
Nilius, M.E., Shields, D.M., Luke, T.E., Hopper, D.G. The AFIT PRIZ 87−46592
Nill, N.B. A visual model weighted cosine transform for image compression and quality assessment 85−57469
Nill, R., Hirschmann, K.H. A piezoelectric vibration exciter for dynamic investigations 87−32784
Nilles, J. *see* Moore, K. 88−4144
Nillesen, A.H.H.J. Line-locked digital colour decoding 87−13869
Nillesen, A.H.H.J. *see* Annegarn, M.J.J.C. 86−49806
Nillesen, T. Line-locked digital colour decoding 86−55431
Nillesen, T. Digital TV colour decoder with line frequency coupling 86−55434
Nillesen, T., van de Kerkhof, F. A multistandard picture enhancement and feature system using a field memory 85−37261
Nilli, A. The average size of an independent set in graphs with a given chromatic number 88−70221
Nilov, A.F. *see* Udalov, V.F. 86−58092
Nilov, E.V. Use of an electro-optical deflector for compensating image motion in high-speed movie cameras 85−24341
Nilov, E.V., Rusov, V.A. Radio-frequency self-modulation of output from single-pulse solid-state lasers 86−68513
Nilov, E.V., Rusov, V.A. Use of high-current photocells to control laser-pulse shape 86−68596
Nilov, E.V., Rusov, V.A. Controller for laser modulator 86−68597
Nilov, E.V. *see* Kuzovkova, T.A. 88−58497
Nilov, E.V. *see* Mak, A.A. 86−68514
Nilova, G.A. *see* Borovinskaya, D.A. 88−33463
Nilova, G.M. *see* Tel'pukhovskaya, L.I. 87−45509
Nilsdotter-Karlsson, B. What should the cost of data security be? 85−63196
Nilsen, A. Subscriber services 85−36623
Nilsen, C., Viant, M., Wong, M. Low noise MM-wave transmitter tube oscillators 88−64201
Nilsen, P.W. *see* Jordan, P.R. 87−40867
Nilsen, S. *see* Zirath, H. 85−15020
Nil'sen, Yu.V. *see* Bulgakov, N.K. 87−63700
Nilson, D. *see* MacGowan, B.J. 88−2177
Nilson, D. *see* Matthews, D. 87−12339, 87−46756
Nilson, D. *see* Matthews, D.L. 87−12369
Nilson, D.G. *see* Christie, D.J. 85−51226
Nilson, D.G. *see* Rosen, M.D. 88−14119
Nilson, J.A. *see* Beaulieu, A.J. 87−41029
Nilson, L. The university-industry interface in Swedish engineering education 86−40407
Nilson, M., Olsson, B. Transmission of bit rates of about 300 kbit/s in the 900 MHz band 86−37800
Nilson, M.E. *see* Irven, J.H. 88−59437
Nilsson, A. Solar-powered oil-pipeline control system 87−51687
Nilsson, A. *see* Ajmera, R.C. 85−30456
Nilsson, A. *see* Choplin, R.H. 87−14957
Nilsson, A.A., Hanson, K.W., Chou, W. Performance evaluation of a Metropolitan Area Network 86−69434
Nilsson, A.A. *see* Kou, K.Y. 85−30223, 85−46736, 86−10283
Nilsson, A.A. *see* Kuei Yung Kou 86−16177
Nilsson, A.A. *see* Perros, H.G. 88−41137
Nilsson, A.A. *see* Varghese, G. 85−25213
Nilsson, A.C. *see* Kane, T.J. 87−39171
Nilsson, A.O. A reliable storage power source for photovoltaic installations 87−30458
Nilsson, A.O. Photovoltaic installations in cold climates 87−30924
Nilsson, A.O. Choosing a reliable battery for photovoltaics 87−51096
Nilsson, A.O., Johnsson, J., Marinetto, R. Verification of computer sizing of photovoltaic power systems 86−61435
Nilsson, B. Computerized real-time management of distribution networks−experiences and possibilities 88−17157
Nilsson, B. *see* Bleeker, E.J. 86−5739
Nilsson, B. *see* Breidegard, B. 86−21842
Nilsson, B. *see* Eriksson, G. 85−52202
Nilsson, B. *see* Lundgren, L.-E. 88−70422
Nilsson, B. *see* Pearah, P. 85−1372
Nilsson, B. *see* Rouhani-Kalleh, A. 88−26412
Nilsson, B. *see* Winkler, D. 87−20385, 87−33559
Nilsson, B.J.L. *see* Svensson, S.P. 87−1538
Nilsson, B.L. *see* Ahlmark, L.J. 86−70620
Nilsson, G. *see* Bostrom, R. 86−65265
Nilsson, G. *see* Conradsen, K. 85−64726
Nilsson, G. *see* Nygards, M.-E. 85−9193
Nilsson, G.E. *see* Ahn, H. 87−41942
Nilsson, G.E. *see* Salerud, E.G. 86−60759
Nilsson, H. Volt and ohm get more exact values 87−70343
Nilsson, H., Bratt, C. The V4-275R Stirling engine in underwater application 87−36228
Nilsson, H. *see* Bakowski, M. 87−60437
Nilsson, H.T. *see* Bohlin, K. 85−61940
Nilsson, J.-E. *see* Hallberg, L. 87−49168

Nilsson, L. Cooperation in Malmo: CAD gives the distributer an overview 87−42340
Nilsson, L., Knutsson, C.-H. Nuclear heating−more environmentally favourable than coal firing 85−21296
Nilsson, L.-E. Concave aberration corrected holographic gratings in infrared gas monitoring systems 85−35907
Nilsson, M. *see* Nilsson, U. 87−8896
Nilsson, M.O. *see* Edvinsson, M.J. 87−77988
Nilsson, N.-E. *see* Ahlmann, B. 85−27173
Nilsson, N.E. *see* Gupta, B.K. 88−30657, 88−30659
Nilsson, O., Gillner, L., Goobar, E. Formulas for direct frequency modulation response of two-electrode diode lasers: proposals for improvement 88−14198
Nilsson, O., Sandberg, O., Backstrom, G. DC-AC hot-wire procedure for determining thermophysical properties under pressure 87−8764
Nilsson, O., Yamamoto, Y. Small-signal response of a semiconductor laser with inhomogeneous linewidth enhancement factor: Possibilities of a flat carrier-induced FM response 85−24553
Nilsson, O., Yamamoto, Y., Machida, S. Internal and external field fluctuations of a laser oscillator. II. Electrical circuit theory 87−12341
Nilsson, O. *see* Bjork, G. 86−36512, 87−33076, 88−2244
Nilsson, O. *see* Saito, S. 85−24534
Nilsson, O. *see* Yamamoto, Y. 86−29147
Nilsson, P., Persson, B. Computer controlled microwave system for clinical hyperthermia 85−38207
Nilsson, S. 25% shorter travelling time with the Swedish high-speed train 87−58382
Nilsson, S., Petrie, H., Castro, C. Design of a program for evaluation of new digital protection and control system 85−65399
Nilsson, S., Tanbun-Ek, T., Broberg, B. Flat-surface buried heterostructure distributed feedback lasers operating in a single longitudinal mode at 1.5 μm with low chirp 88−20634
Nilsson, S. *see* Anguilar-Benitez, M. 87−71031
Nilsson, S. *see* Broberg, B. 87−12506, 87−54321, 88−45401, 88−45448
Nilsson, S. *see* Goobar, E. 88−58528
Nilsson, S. *see* Ladell, L. 87−47205
Nilsson, S. *see* Tanbun-Ek, T. 88−65824
Nilsson, S. *see* Vithayathil, J.J. 86−19422
Nilsson, S.L., Koenig, D.F., Udren, E.A., Allguren, B.J., Lau, K.P. Pros and cons of integrating protection and control in transmission substations 85−48992
Nilsson, S.L. *see* Grund, C.E. 86−50973
Nilsson, S.L. *see* Krishnayya, P.C.S. 87−35609
Nilsson, T. AXT121−a digital stored-program-controlled exchange for special telecommunication networks 85−36836
Nilsson, T.R., Sinner, B., Volden, O.V. Optimized production and energy conservation [cement industry] 86−19679
Nilsson, T.R., Sinner, B., Volden, O.V. Optimized production and energy conservation 86−71165
Nilsson, U., Nyman, U., Nilsson, M. Teletransmission of radiographic images. Preliminary report 87−8896
Nilsson, U. *see* Holmen, G. 87−11483, 87−11627
Nilsson, W. *see* Bernstein, D. 85−15253
Nilsson, W. *see* Fabrizio, R. 85−20812
Nilulenkov, E.V. *see* Aksenova, E.N. 85−12512
Nimfuhr, W. *see* Aichholzer, R. 85−21277
Nimke, H.E. *see* Hegebarth, D.G. 85−48915
Nimmagadda, M. *see* Hoffman, G.H. 85−21965
Nimmersjo, G., Werner-Erichsen, O., Hillstrom, B., Rockefeller, G.D. A digitally-controlled, real-time, analog power-system simulator for closed-loop protective relaying testing 88−55083
Nimmersjo, G. *see* Lundqvist, B. 87−30258
Nimmo, R. Linear voltage regulators for SMPSs 88−6641
Nimmo, R. *see* O'Neill, D. 87−52783
Nimoz, E. *see* Tudrej, M. 88−55543
Nims, D.J. PCB CIM: a growing trend 87−37731
Nimtz, G. *see* Gebhardt, J. 86−2928, 86−8787, 87−37896
Nimtz, G. *see* Marquardt, P. 88−19651
Nimtz, G. *see* Schilz, J. 88−32788
Nimtz, G. *see* Stadler, J.P. 85−1317, 86−14859, 86−35331
Nimtz, H. *see* Wustenberg, H. 86−579
Nimura, Y. *see* Kojima, M. 88−30754
Nimz, G., Schemmann, B. Transformer protection in distribution substations for SF6 insulated ring main units 88−24112
Nimz, G., Voges, K. Medium voltage switching equipment−demands and development tendencies 86−70991
Nimz, P. *see* Sondermann, J.P. 88−36228
Nin Yu-quan, Tan Xiao-gao, Huang Nian-shen, Lin Jin-ming Induction-type torque motor with solid rotor for screw press drive 87−15771
Nina, N. Present and future chemical problems in the design of thermal power plants 85−53531
Ninagawa, K. *see* Imaeda, K. 86−25126
Ninchak Yan *see* Yan Ninchak
Ninerola, J.M. *see* Pous, J. 86−6073
Ning, C. *see* Sun, Z.-L. 87−73762
Ning, F.T. *see* Emery, L. 88−54456
Ning, R., Kruger, R.A. Computer simulation of image intensifier-based computer tomography detector: vascular application 88−61285
Ning, T., Nikias, C.L. Multichannel AR spectrum estimation: The optimum approach in the reflection coefficient domain 87−12978
Ning, T., Nikias, C.L. Power spectrum estimation with uncertainty in the sample location of correlation measurements 87−61960
Ning, T. *see* Lu, N. 86−46859
Ning, T. *see* Luh, P.B. 88−6357
Ning, T. *see* Nikias, C.L. 87−8935
Ning, T.H. The physics of scaled bipolar devices 85−23928
Ning, T.H. Possibilities and limitations of bipolar devices 85−40891
Ning, T.H. Materials and physics issues in scaling bipolar devices 88−7576
Ning, T.H., Tang, D.D. Bipolar trends 87−25539
Ning, T.H. *see* Chen, T.C. 87−45907
Ning, T.H. *see* Chuang, C.-T. 87−60268
Ning, T.H. *see* Chuang, C.T. 86−21499, 88−13344, 88−70782
Ning, T.H. *see* Li, G.P. 88−26491, 88−39406
Ning, T.H. *see* Lu, N.C. 87−10855
Ning, T.H. *see* Tang, D.D. 86−2358, 87−17028, 87−38205, 87−53492
Ning, T.S. Digital fault-recording promises increased system reliability 88−17075
Ning, T.S. *see* Peng, Z. 86−32852
Ning, X. *see* Winston, R. 88−24163
Ning, Z.-Q., Dewilde, P.M., Neerhoff, F.L. Capacitance coefficients for VLSI multilevel metallization lines 87−45822
Ning Baojun *see* Zhu Zhongde 85−766
Ning Cai *see* Cai Ning
Ning Changlong *see* Lee Wenchong 86−54102
Ning Changlong *see* Li Wenchong 87−54259
Ning Cun-zheng *see* Cun-zheng Ning
Ning Dia *see* Dia Ning
Ning Ding, Qiu Han quan, Zhang Yi-lin Cylindrical symmetry microwave cavity calculation by the finite element method 88−32374
Ning Gao *see* Gao Ning
Ning Guey Ching *see* Ching Ning Guey
Ning Hanyue, Liang Zengyong An image processing system 85−3918
Ning Li *see* Li Ning
Ning Lin *see* Lin Ning
Ning Qi *see* Qi Ning
Ning San Chang SMV−a computer vision program for loading surface mount components 87−17530
Ning San Chang Position measuring accuracy of loading surface mount components 87−73861
Ning Shulan *see* Qin Jiuchang 88−47756
Ning Taikang *see* Taikang Ning
Ning Tak H. *see* Tak H. Ning
Ning Xiaohui *see* Xiaohui Ning
Ning Yu, Zuyao Zhou, Wei Zhou, Shichang Tsou As redistribution during Ti silicide formation 87−38098
Ning Zhang *see* Zhang Ning
Ning Zhou *see* Zhou Ning
Ning-cheng Lee, Evans, G. Improving SMT paste jobs 88−57078
Ning-jie Zhang *see* Zhang Ning-jie
Ningiuc, C. *see* Pop, M. 88−36964
Ningsu Luo *see* Luo Ningsu
Ningyi Luo *see* Luo Ningyi
Ninh, W. Incoming inspection of power supplies with an automatic test system 86−46541
Ninidze, G.K. *see* Berezhnoi, V.N. 87−37994
Ninidze, G.K. *see* Dobrovol'skii, V.N. 87−11473, 87−32337
Ninigawa, K. *see* Yamashita, N. 86−22231
Ninikoski, T. *see* Hershcovitch, A. 88−47939
Ninisto, L. *see* Tammenmaa, M. 85−54477
Ninke, W.H. Design considerations of NAPLPS, the data syntax for videotex and teletext in North America 85−52020
Ninke, W.H. *see* Kollarits, R.V. 86−28917
Ninke, W.H. *see* Worth, J.P. 86−49860, 87−34880
Ninno, D., Jaros, M. Giant enhancement of impurity scattering at weakly bonded localised defects in semiconductors 85−6681
Ninno, D. *see* Gell, M.A. 87−32311
Ninno, D. *see* Jaros, M. 86−21220
Ninno, D. *see* Wolford, D.J. 87−1255
Ninno, D. *see* Wong, K.B. 86−21200
Ninno, G.De *see* De Ninno, G.
Nino, M. *see* Inose, T. 86−64611
Nino, N. *see* Tajima, N. 88−23863
Nino, R. *see* Cherubini, R. 86−44538, 88−61135
Ninomi, Y. Vision characteristics and picture signal processing 87−13075
Ninomija, S.P., Yano, F. Fetal signal analysis 87−57191
Ninomija, S.P., Yano, F., Wada, J.A. Computer analysis of human electroencephalogram automatic spike detection 87−50369
Ninomija, S.P. *see* Fujikake, M. 87−57178
Ninomija, S.P. *see* Kodama, H. 88−36470
Ninomija, S.P. *see* Yano, F. 87−57155
Ninomiya, A., Ishigohka, T., Mizukami, N., Higo, Y. Monitoring of superconducting magnets using acoustic resonance 88−65059
Ninomiya, A. *see* Ishigohka, T. 88−69287
Ninomiya, A. *see* Okada, T. 86−51611
Ninomiya, H., Inoue, H., Mizutani, J. LCD display cell for applied voltage indicator 87−70700
Ninomiya, H. *see* Hayatsu, R. 87−49400, 88−53484
Ninomiya, H. *see* Ishiwata, H. 88−15872
Ninomiya, H. *see* Mochizuki, J. 86−6824
Ninomiya, H. *see* Mutoh, N. 86−6771, 86−45418
Ninomiya, H. *see* Nagase, H. 85−27680
Ninomiya, I. *see* Yonezawa, Y. 86−32321, 88−48164
Ninomiya, K., Hirokawa, E., Murata, K., Muranaka, N., Yokota, T., Hamada, A. CCD star tracker for scientific satellites 88−60765
Ninomiya, K., Nakatani, I., Shuto, K., Fujioka, M., Ohashi, S., Nishihata, S., Nagao, T. Station operation and spacecraft control subsystem of deep space ground station 86−44758
Ninomiya, K., Okamoto, T., Maeda, K., Watanabe, F., Yamawaki, T., Uo, M. Development of the microprocessor-based attitude control system for ASTRO-C 87−29849
Ninomiya, K., Suzuki, K., Nishimatsu, S. Microwave plasma etching of silicon with CF_4, F_2 and SF_6 85−45608
Ninomiya, K., Suzuki, K., Nishimatsu, S., Gotoh, Y., Okada, O. An experimental system for surface reaction studies in microwave plasma etching 85−23685
Ninomiya, K., Suzuki, K., Nishimatsu, S., Okada, O. Reaction of atomic fluorine with silicon 85−61852
Ninomiya, K., Suzuki, K., Nishimatsu, S., Okada, O. Role of sulfur atoms in microwave plasma etching of silicon 87−74200
Ninomiya, K., Suzuki, K., Nishimatsu, S., Okada, O. Plasma diagnostics and surface analysis in magnet-microwave plasma etching 88−26084
Ninomiya, K., Uesugi, K., Kawaguchi, J., Yokota, H., Katoh, A., Namera, T., Kitade, K., Uo, M., Muranaka, N. Attitude and orbit control system of 'Sakigake/Suisei' 86−44733
Ninomiya, K., Uesugi, K., Okamoto, T., Muranaka, N., Katoh, K., Namera, T., Kitade, K., Uo, M. Attitude and orbit control system of the Japanese Halley's Comet explorers 'Sakigake' and 'Suisei' 87−29850
Ninomiya, K. *see* Iida, M. 85−60369
Ninomiya, K. *see* Kobayashi, T. 85−21197
Ninomiya, K. *see* Minaguchi, D. 86−39143
Ninomiya, K. *see* Nomura, T. 86−55256
Ninomiya, K. *see* Ohnishi, M. 88−31852
Ninomiya, K. *see* Suzuki, K. 85−18259, 85−34867, 86−58402, 87−38135, 88−1541
Ninomiya, K. *see* Takahashi, N.S. 86−34320
Ninomiya, K. *see* Tanaka, M. 88−31851
Ninomiya, K. *see* Thorpe, L.J. 86−4854
Ninomiya, K. *see* Tsujimoto, K. 87−32434
Ninomiya, M. *see* Arimura, S. 86−35780
Ninomiya, M. *see* Yoshikawa, R. 87−38377
Ninomiya, S. *see* Kodama, H. 88−36470
Ninomiya, T., Higashi, T., Harada, K. Analysis of a ringing choke converter 86−67032
Ninomiya, T., Higashi, T., Harada, K. Analysis of a ringing choke converter 87−65807
Ninomiya, T., Higashi, T., Harada, K., Tsuya, N., Gohnai, T. On the static and dynamic characteristics of a voltage-mode resonant push-pull converter with magnetic power controllers 88−18926
Ninomiya, T., Higashi, T., Harada, K., Tsuya, N., Gohnai, T., Honda, Y. Analysis of the static and dynamic characteristics of push-pull parallel resonant converters 87−22579
Ninomiya, T., Higashi, T., Harada, K., Tsuya, N., Gohnai, T., Honda, Y. Analysis of the static and dynamic characteristics of push-pull parallel resonant converters 87−52369
Ninomiya, T., Higashi, T., Harada, K., Tsuya, N., Gohnai, T., Honda, Y. Voltage-mode resonant push-pull converter with magnetic power controllers 87−73310
Ninomiya, T., Nakagawa, Y. Automated pattern inspection for unbaked layers of multi-layer ceramic substrates 88−1102
Ninomiya, T., Nakagawa, Y. Automated pattern inspection for unbaked layers of multi-layer ceramic substrates 88−1184
Ninomiya, T., Nakahara, M., Tajima, H., Harada, K. Backward-noise generation in a forward DC-to-DC converter 86−66160
Ninomiya, T., Nakahara, M., Tajima, H., Harada, K. Backward-noise generation in DC-to-DC converters 87−22570
Ninomiya, T., Nakahara, M., Tajima, H., Harada, K. Backward-noise generation in forward DC-to-DC converters 88−5766
Ninomiya, T., Nakahara, M., Tajima, H., Harada, K. Backward noise generation in a forward DC-to-DC converter 88−55423
Ninomiya, T., Tanaka, T., Harada, K. Optimum design of nondissipative snubbers by the evaluation of transistor's switching loss, surge voltage, and surge current 86−12924
Ninomiya, T., Tanaka, T., Harada, K. Analysis and optimization of a nondissipative *LC* turn-off snubber 88−55457

Ninomiya, T. *see* Harada, K. 85—61096
Ninomiya, T. *see* Higashi, T. 88—70523
Ninomiya, T. *see* Murayama, K. 86—28974
Ninomiya, T. *see* Nakagawa, Y. 87—17536
Ninomiya, T. *see* Nakahara, M. 85—577, 86—20269, 86—45542, 87—52333
Ninomiya, T. *see* Sato, M. 85—15890
Ninomiya, T. *see* Sawamoto, Y. 85—47714
Ninomiya, T. *see* Takeuchi, Y. 85—47671
Ninomiya, T. *see* Tanaka, T. 88—70538
Ninomiya, Y. Bandwidth compression for High Definition TV 85—46936
Ninomiya, Y. Digital TV. I. Fundamental technology for coding of TV signals 85—46937
Ninomiya, Y. High definition television 85—47629
Ninomiya, Y. Bandwidth compression systems for moving pictures 86—37131
Ninomiya, Y. Transmission equipment [for HDTV] 86—38051
Ninomiya, Y. Satellite-applied HDTV Broadcasting Transmission System MUSE 88—29023
Ninomiya, Y., Ohtsuka, Y. A [motion-compensated noise reducer] [TV] 86—30972
Ninomiya, Y., Ohtsuka, Y., Izumi, Y. A single channel HDTV broadcast system—the MUSE 85—31153
Ninomiya, Y., Ohtsuka, Y., Izumi, Y. NHK proposes high-definition TV using MUSE bandwidth compression 85—46938
Ninomiya, Y., Ohtsuka, Y., Izumi, Y. A single channel transmission system for HD-TV satellite broadcasting: MUSE 85—52316
Ninomiya, Y., Ohtsuka, Y., Izumi, Y., Gohshi, S., Iwadate, Y. Concept of the MUSE system and its protocol [HDTV] 88—22291
Ninomiya, Y., Ohtsuka, Y., Izumi, Y., Gohshi, S., Iwadate, Y. Development for the MUSE system 88—22292
Ninomiya, Y., Ohtsuka, Y., Izumi, Y., Gohshi, S., Iwadate, Y. A HDTV broadcasting system utilizing a bandwidth compression technique—MUSE 88—29071
Ninomiya, Y., Sue, H., Sugiyama, F., Hirakawa, S. A motion vector detector for MUSE encoder 87—33812
Ninomiya, Y. *see* Ishizuka, H. 88—21770
Ninomiya, Y. *see* Kido, T. 86—32418
Ninomiya, Y. *see* Kimura, E. 85—3571, 85—3587, 86—4795
Ninomiya, Y. *see* Noda, K. 88—25929
Ninomiya, Y. *see* Ohtsuka, Y. 86—17612, 86—31008
Ninomiya, Y. *see* Tanaka, Y. 86—49824, 88—9764, 88—22293
Ninomiya, Y. *see* Toyama, T. 86—38097
Ninomiya, Y. *see* Yokoyama, K. 87—28832
Ninsan Chuan *see* Chuan Ninsan
Nio, K. Home receiver and related technologies for satellite broadcasting 86—55263
Nio, K., Hoshino, N. Present status of home-receivers for satellite broadcasting 85—36982
Nio, Y. *see* Nakamura, K. 85—50727
Nio, Y. *see* Sekiya, K. 87—24194
Niori, M. *see* Iwakuni, M. 86—8512
Niori, M. *see* Joshin, K. 85—40777
Niori, M. *see* Kasuga, T. 87—34696
Nip, W.S. *see* Singleton, D.L. 86—44691
Nipoti, R., Garrido, J., Guerri, S. Samarium as a Schottky barrier on *p*-type silicon 87—17790
Nipoti, R. *see* Bentini, G.G. 85—23556, 85—34641
Nipoti, R. *see* Finetti, M.A. 86—35420
Nipper, S. 3rd generation distance learning 88—53051
Nippert, G., Kohler, G. Highly integrated bridge-circuits for high power applications 88—44044
Nippert, G., Kohler, G. Highly integrated bridge-circuits for high power applications 88—70553
Nippert, T., Schollmeyer, H. Sensorless speed measuring device for asynchronous machines 88—48971
Niquet, G. *see* Chabrier, G. 86—21291
Niquil, M., Missout, B., Piova, J.L. Non-metallic optical fiber cables 86—64962
Niquil, M., Missout, B., Piova, J.L. Getting rid of metal in optical fibre cables 87—70059
Niquil, M. *see* Goarin, M. 86—30764
Nira, H. *see* Taya, A. 85—56428, 86—33829
Niranjan, K., Rama Rao, P.V.S., Srirama Rao, M. Group-path delays in the trans-ionospheric radiowave propagation derived from TEC 86—36714
Nirasawa, N., Tanaka, S., Ogasawara, I., Suzuki, S., Aoki, T. A newly developed water-blocking fiber optic cable 87—49111
Nirasawa, N., Yamasaki, Y., Suzuki, S., Ogasawara, I. Stress analysis of 5-fiber tape 86—53979
Nirasawa, N., Yamazaki, Y., Tanaka, S., Suzuki, S., Oagasawara, I. Design of fiber tape with improved lateral pressure resistance 86—43855
Nirasawa, N. *see* Nishimura, A. 88—65223
Nirasawa, T. *see* Takazawa, O. 85—52501
Nirasawa, Y. *see* Shimada, T. 87—55655
Nire, K. *see* Akazawa, K. 88—54557
Nire, T., Watanabe, T., Tanda, S., Sano, S. Low-drive-voltage TFEL devices prepared by multisource deposition method 88—16335
Nirei, M. *see* Yamada, H. 88—54627, 88—55379
Nirenberg, S.A. *see* Tripathi, N.K. 86—32632
Nirgoe, I. *see* Harada, K. 85—5261
Nirmala, K.A. *see* Prasad, C.R. 86—22574
Niro, Y. *see* Tatekura, K. 88—47046
Niroomand-Rad, A., Gillin, M.T., Lopez, F., Grimm, D.F. Performance characteristics of an orthovoltage X-ray therapy machine 88—10414
Nirrengarten, A. Error location in coaxial cable—-contribution of three-point measurements 88—15306
Nirs, J. *see* Anders, R. 86—48619
Nirschl, J.C. Photodiode scintillation detector for radiac instrumentation 85—15185
Nisam, S. The automatic implantable cardioverter defibrillator (AICD)—a clinical and technical review 87—71170
Nisanci, I. *see* Omurtag, Y. 87—43893
Nisar, R. *see* Waite, J. 86—4988
Nisbet, J.S. Thundercloud current determination from measurements at the Earth's surface 85—64738
Nisbet, K. *see* Apsimon, R.J. 87—41836
Nisbet, K.C. Cost effective techniques for system remote control, monitoring and energy management utilising radiotelemetry 86—44904
Nisbet, W.T., Miller, J., Cruickshank, D.B. Development of a J-band high power ferrite switch 85—28703
Nisbet, W.T. *see* Helszajn, J. 88—13687
Nisch, W. Investigations towards the realization of a flat optical display using MIM (metal-insulator-metal) thin film cathodes as electron source 85—58777
Nisch, W. *see* Kienzer, M. 88—2502
Nisenhoff, M. *see* Cukauskas, E.J. 85—46059
Nisenoff, M. Superconducting electronics: current status and future prospects 88—13699
Nisenoff, M. Superconductivity: the ultimate electronic technology 88—33564
Nisenoff, M., Smith, J.L., Jr., Jabionski, D.G., Edelsack, E., Berlincourt, T.G. Naval applications of superconductivity 86—9431
Nisenoff, M. *see* Bellingham, J.G. 87—74569
Nisenoff, M. *see* Cukauskas, E.J. 88—13770
Nishgimoto, M. *see* Kulkarni, A.B. 87—78768
Nishi, A., Sakaki, T. Countermeasures against volcanic ash falling on tramway track [insulator pollution] 86—66420
Nishi, C. *see* Kaneda, S. 87—5416
Nishi, H. Ion implantation for high-speed III-V ICs 85—45528
Nishi, H., Hyakutake, J., Kojima, K., Morishita, M. Low-power video-processing ICs for pocket color TVs with LCD panels 88—22271
Nishi, H., Ichikawa, H., Toyama, M., Kitano, I. Gradient-index objective lens for the compact disk system 87—18783
Nishi, H., Sugiyama, T., Nyui, T., Fujino, N. Applications of HC-MILL to aluminum rolling 86—19645
Nishi, H., Toyama, M. Design of an aplanatic GRIN singlet for the compact disk system 87—26123
Nishi, H. *see* Ikawa, M. 85—11475
Nishi, H. *see* Imamura, K. 85—61921, 87—6679
Nishi, H. *see* Muto, S. 85—50489
Nishi, H. *see* Nakayama, Y. 86—37637
Nishi, H. *see* Ohnishi, H. 86—2126
Nishi, H. *see* Ohnishi, T. 85—6948, 85—40783, 85—45708
Nishi, H. *see* Ohshima, T. 86—35855
Nishi, H. *see* Onodera, H. 85—18332
Nishi, H. *see* Onodera, T. 86—21576, 86—53831
Nishi, H. *see* Shirai, T. 88—45307
Nishi, H. *see* Wakao, K. 85—18936
Nishi, H. *see* Yamashita, H. 87—13972
Nishi, H. *see* Yokoyama, N. 85—50503, 86—8241, 86—21522, 86—53611, 86—67841, 87—11446
Nishi, I., Oguchi, T., Kato, K. Broad-passbandwidth optical filter for multi/demultiplexer using a diffraction grating and a retroreflector prism 85—47502
Nishi, I., Oguchi, T., Kato, K. Broad passband multi/demultiplexer for multimode fibers using a diffraction grating and retroreflectors 88—28581
Nishi, I., Sugita, E., Nagaoka, S. WDM transceiver module and push-pull-coupling fiber connectors for subscriber system 87—70058
Nishi, I. *see* Kato, K. 88—47049
Nishi, I. *see* Oguchi, T. 87—76528
Nishi, K., Kurahashi, K., Kubo, T. Multidirectional holographic scanner for point-of-sale bar-code symbol reader 85—24680
Nishi, K., Lang, R. Lateral mode localization in multistripe laser diode 85—51182
Nishi, K., Nara, S., Hamanaka, K. A phenomenological approach to bistable behavior of Josephson junctions 85—35346
Nishi, K., Yamada, K., Kubo, T., Mikami, I., Hatanaka, Y. Bar-code symbol reading using holographic scanner 88—8335
Nishi, K. *see* Hasegawa, K. 86—34917
Nishi, K. *see* Hirose, K. 87—37943
Nishi, K. *see* Kato, Y. 85—35753
Nishi, K. *see* Kitade, K. 85—54153
Nishi, K. *see* Kitano, M. 88—56037
Nishi, K. *see* Murakami, G. 88—33288
Nishi, K. *see* Nagai, J. 85—4995
Nishi, K. *see* Sakamoto, K. 86—21652
Nishi, K. *see* Yanase, T. 86—22405
Nishi, M., Ando, T., Takahashi, Y., Hiyama, T., Kawano, K., Oshikiri, M., Shimamoto, S. A 16-T superconducting toroidal coil development for a tokamak fusion machine 86—58724
Nishi, M., Horita, M., Matsuura, K., Yamamoto, G. Synthesis of floating network elements using current conveyors 87—24320
Nishi, M., Takahashi, Y., Ando, T., Shimamoto, S., Takei, H., Ohkura, K. A 12-T forced flow type superconductor magnet 87—67958
Nishi, M., Yamamoto, G. Floating inductance simulation using only negative current conveyors 87—73544
Nishi, M. *see* Abe, K. 85—43843
Nishi, M. *see* Ando, T. 85—1925, 85—41089, 85—56142, 86—42201, 87—12090, 87—46410, 88—39818, 88—65086
Nishi, M. *see* Iijima, Y. 88—19270
Nishi, M. *see* Kamikawai, R. 86—1583, 86—13506, 88—24931
Nishi, M. *see* Kato, T. 85—56249
Nishi, M. *see* Koizumi, K. 88—65105
Nishi, M. *see* Matsunaga, S. 85—27143
Nishi, M. *see* Michiguchi, Y. 87—42211
Nishi, M. *see* Phelan, P.E. 88—68966
Nishi, M. *see* Saito, T. 85—64347
Nishi, M. *see* Shibutani, Y. 88—63405
Nishi, M. *see* Shimamoto, S. 85—1893, 85—1927, 85—41077, 87—12091, 88—13775, 88—65098
Nishi, M. *see* Tada, E. 87—67979
Nishi, M. *see* Takahashi, Y. 85—35366, 85—56141, 86—42191, 87—67954
Nishi, M. *see* Tsuji, H. 86—58725, 88—65066
Nishi, M. *see* Watanabe, M. 86—22068
Nishi, M. *see* Yoshida, K. 87—67955
Nishi, M.F. *see* Luton, J.N. 85—56230
Nishi, M.F. *see* Yoshida, K. 86—53926
Nishi, O. *see* Morikawa, G. 85—37084
Nishi, O. *see* Suzuki, M. 88—60185
Nishi, O. *see* Yanagi, T. 88—58153
Nishi, S. GEOSTAR—a civil positioning and communication satellite system 87—41047
Nishi, S. Navigation experiment program using ETS-V 87—57305
Nishi, S. Satellite-based navigation systems 88—15700
Nishi, S., Inomata, H., Akiyama, M., Kaminishi, K. Growth of single domain GaAs on 2-inch Si (100) substrate by molecular beam epitaxy 85—60967
Nishi, S., Saito, T., Seki, S., Sano, Y., Inomata, H., Itoh, T., Akiyama, M., Kaminishi, K. High performance inverted HEMT and its application to LSI 87—60500
Nishi, S., Seki, S., Saito, T., Inomata, H., Sano, Y., Kaminishi, K. Investigation of an inverted HEMT for LSIs 87—60489
Nishi, S., Takahara, N. Optical-fiber feedthrough in pressure housing 85—37030
Nishi, S., Yoshikai, N., Aoyama, K. F-1.6G multiplexing line terminal equipment 87—62771
Nishi, S., Yoshikai, N., Shimazu, Y., Aoyama, K. F-1.6 G multiplexing line terminal equipment [optical link] 87—56113
Nishi, S. *see* Akiyama, M. 87—320, 87—10425, 87—44348
Nishi, S. *see* Aoyama, K. 88—4024
Nishi, S. *see* Inomata, H. 86—53679, 87—11799
Nishi, S. *see* Inomata Fujishiro, H. 88—56272
Nishi, S. *see* Ishida, K. 87—37897, 87—52190
Nishi, S. *see* Kinoshita, H. 85—23771, 85—45678, 86—942, 86—2169, 86—8103, 86—53687
Nishi, S. *see* Kitazawa, I. 85—25873, 86—49613
Nishi, S. *see* Kondo, K. 86—55255, 86—64926
Nishi, S. *see* Saito, T. 87—25593, 88—20168
Nishi, S. *see* Sato, T. 88—16307
Nishi, S. *see* Shimazu, Y. 88—28582
Nishi, S. *see* Ueda, T. 87—10449
Nishi, S. *see* Yoshikai, N. 87—28573, 87—40550
Nishi, T. Necessary and sufficient condition for a nonlinear resistive circuit containing linear op-amps to have a unique solution 85—17641
Nishi, T. Study of preferred reverberation time dependent upon the kinds of sound sources 88—41903
Nishi, T., Chua, L.O. Topological criteria for nonlinear resistive circuits containing controlled sources to have a unique solution 85—488
Nishi, T., Chua, L.O. Uniqueness of solution for nonlinear resistive circuits containing CCCSs or VCVSs whose controlling coefficients are finite 86—46514
Nishi, T., Chua, L.O. Topological proof of the Nielsen-Willson theorem [transistor circuits] 86—46515
Nishi, T., Chua, L.O. Uniqueness of solution for nonlinear resistive circuits containing CCCSs or VCVSs whose controlling coefficients are finite 86—57598
Nishi, T., Chua, L.O. Topological conditions for a resistive circuit containing negative non-linear resistors to have a unique solution 87—59712
Nishi, T., Fujitsu, S., Miyayama, M., Koumoto, K., Yanagida, H. Application of fibrous titanate to electric materials: synthesis and electrical

properties of fibrous PZT piezoelectric particles 88−26596

Nishi, T., Hiroo, I., Karatani, N., Otsuka, J., Matsui, Y. Trial production and testing of gondolas for large-flux multiwire conductors 87−4416

Nishi, T., Kunihiro, T. Synthesis of stray-insensitive switched-capacitor circuits which realize several transfer functions simultaneously 86−41226

Nishi, T., Kunihiro, T. On the synthesis of stray-insensitive switched-capacitor biquads 87−24318

Nishi, T., Kunihiro, T. Synthesis of stray-insensitive switched-capacitor circuits which realize several transfer functions simultaneously 87−73263

Nishi, T., Ogawa, Y. Computer-aided design for architectural acoustics 86−17682

Nishi, T., Uchiyama, S. Necessary and sufficient condition for a nonlinear resistive circuit containing CCCSs to have a unique solution 85−22614

Nishi, T. *see* Iwasaki, J. 88−70902

Nishi, T. *see* Kanomata, T. 87−74265

Nishi, T. *see* Tanaka, H. 86−9490

Nishi, Y. Assignments of FIR laser emissions from CH_3OH optically pumped by an intra-cavity etalon tuned TEA-CO_2 laser 88−8103

Nishi, Y. Many FIR laser emissions pumped by a TEA-CO_2 laser with etalon tuning 88−14090

Nishi, Y. CMOS technology status and challenges 88−71790

Nishi, Y., Horiuchi, Y., Murai, A. Two color oscillators of TE-CO_2 laser and applications to two photon process of optically pumped FIR laser 88−40128

Nishi, Y., Taniguchi, K., Matsunaga, J. Technology and modeling for MOS IC/VLS's−state of the art 85−40919

Nishi, Y., Tunashima, K. Direct observation of the differences between Raman scattering and population inversion transition for their emission frequencies and pulse waveforms 88−27029

Nishi, Y. *see* Cham, K.M. 88−57665

Nishi, Y. *see* Fujimoto, M. 88−49863

Nishi, Y. *see* Horiuchi, Y. 86−9736

Nishi, Y. *see* Kakumu, M. 85−34601

Nishi, Y. *see* Komagata, H. 88−35429

Nishi, Y. *see* Lee, K. 88−39648

Nishi, Y. *see* Nakajima, S. 88−35430

Nishi, Y. *see* Okita, T. 88−43411

Nishi, Y. *see* Satoh, K. 88−35431

Nishi, Y. *see* Schreyer, T.A. 88−71738

Nishi, Y. *see* Yano, S. 85−49148

Nishibashi, T. *see* Kuwabara, S. 86−59545

Nishibayashi, Y., Imura, T., Osaka, Y. Properties of amorphous silicon nitride films prepared at high deposition rate 86−27935

Nishibayashi, Y., Imura, T., Osaka, Y. Epitaxial growth of CdTe on InSb(100) by RF sputtering 88−409

Nishibayashi, Y., Imura, T., Osaka, Y., Shizuma, K., Nishiyama, F. Properties of amorphous silicon nitride prepared at high deposition rate 85−60996

Nishibayashi, Y. *see* Saito, K. 88−63368

Nishibe, N. *see* Yoshida, S. 88−56213

Nishibe, T., Funamizu, M., Okuda, H., Furuyama, H., Hirayama, Y., Iwamoto, M. VPE-grown 1.3 μm GaInAsP/InP DFB laser diodes with good controllability of laser wavelength 86−54159

Nishibe, T., Funamizu, M., Okuda, H., Furuyama, H., Hirayama, Y., Nakamura, M., Iwamoto, M. Entirely VPE-grown 1.5 μm DFB lasers with low threshold currents 87−26394

Nishibe, T. *see* Okuda, H. 86−36507

Nishibori, H. Digital corporate networks in the optical fiber communications age 86−59879

Nishibori, H., Nakai, Y. Value added network service employing high-speed digital circuits 86−59510

Nishida, F. *see* Kusaka, H. 85−30870, 86−49062, 87−28367, 88−28641, 88−46855

Nishida, H. Ocean current forecast 88−41773

Nishida, H. *see* Doi, M. 87−77056

Nishida, H. *see* Inoue, H. 85−64270

Nishida, H. *see* Kawai, A. 87−2741

Nishida, H. *see* Obara, H. 88−51364

Nishida, H. *see* Sekino, M. 87−25874

Nishida, H. *see* Taniguchi, Y. 86−36075

Nishida, I., Igrashi, S., Atoda, O. Consistent 3-D perception by motion parallax 88−60815

Nishida, I., Sasaki, K., Hirasawa, K. Recent aspects of SF_6 gas insulated switchgear 85−10051

Nishida, J. *see* Kaneko, A. 87−34971

Nishida, J. *see* Nonomura, K. 87−8397

Nishida, J. *see* Nonumura, K. 87−34749

Nishida, J. *see* Watanabe, M. 86−31521

Nishida, K. A full associative memory chip for data-flow computer 85−6304

Nishida, K. High speed semiconductor photodetector and materials 85−14809

Nishida, K. *see* Hada, H. 86−60155

Nishida, K. *see* Hinata, J. 87−59607

Nishida, K. *see* Hisano, T. 85−6985

Nishida, K. *see* Imura, R. 85−27640

Nishida, K. *see* Isobe, K. 88−40133, 88−51737

Nishida, K. *see* Ohkura, T. 86−5394

Nishida, K. *see* Oida, O. 86−31252

Nishida, K. *see* Okura, T. 86−5386

Nishida, K. *see* Shimokawa, R. 87−64796, 88−17935

Nishida, K. *see* Takamori, N. 87−43438

Nishida, K. *see* Tanie, K. 87−49269

Nishida, K. *see* Yamada, J. 88−60494

Nishida, M., Yoshimura, N., Noto, F. Light sensors as detectors of tracking deterioration 88−1830

Nishida, M., Yoshimura, N., Noto, F., Itoga, E., Suga, S. Accelerated test for evaluating the tracking resistance of rubber and plastic insulation wires and breakdown phenomenon 86−28564

Nishida, M., Yoshimura, N., Noto, F., Itoga, E., Suga, S. Accelerated test method to evaluate tracking resistance of overhead insulated wires 87−9183

Nishida, M. *see* Hirano, T. 87−49274

Nishida, M. *see* Kato, J. 86−47902

Nishida, M. *see* Morihiro, Y. 87−13881

Nishida, M. *see* Sunada, K. 88−53408

Nishida, M. *see* Tsunekawa, H. 88−10422

Nishida, M. *see* Yokotani, Y. 86−47903

Nishida, M. *see* Yoshimura, N. 87−15114, 87−25700

Nishida, N. Projection-type large screen display using laser-addressed liquid crystal light valve 87−35145

Nishida, N., Tittel, F.K., Kumagai, H., Young-Woo Lee, Obara, M. Intrinsic efficiency comparison in various low-pressure XeF laser mixtures pumped at high excitation rates and with short-pulse electron beam pumping 88−51719

Nishida, N. *see* Kubota, K. 86−31241

Nishida, N. *see* Marowsky, G. 85−56478, 86−9725

Nishida, N. *see* Miyazaki, H. 85−19054

Nishida, N. *see* Naemura, S. 85−14909

Nishida, N. *see* Nighan, W.L. 85−7348

Nishida, N. *see* Ono, Y. 86−29252, 86−36588, 87−26227, 87−61000

Nishida, N. *see* Sauerbrey, R. 85−51094

Nishida, N. *see* Stiegler, H. 87−68395

Nishida, N. *see* Takeuchi, H. 86−43510

Nishida, N. *see* Tittel, F.K. 85−12771

Nishida, N. *see* Usubuchi, T. 87−77143

Nishida, N. *see* Yasumoto, T. 85−13844

Nishida, S. PCM recording method with dynamic emphasis 85−58442

Nishida, S. On-line identification of potential energy at the unstable equilibrium point and its application to adaptive emergency control of power system 85−64799

Nishida, S. Information selection method for emergency control of power systems based on team decision theory 86−44876

Nishida, S., Nakamura, M. Properties of the time series averaging method for periodic response in the frequency domain 87−5569

Nishida, S., Nakamura, M., Shibasaki, H. A method for optimally approximating power spectrum with distribution function to extract features of EEG 85−31854

Nishida, S., Sakaguchi, T. A new algorithm of digital protection for shunt reactors 85−15665

Nishida, S., Shiimoto, T., Yamada, A., Karasawa, S., Konagai, M., Takahashi, K. Epitaxial growth of silicon by photochemical vapor deposition at a very low temperature of 200°C 86−62215

Nishida, S., Tasaki, H., Konagai, M., Takahashi, K. Highly conductive and wide band gap microcrystalline silicon films prepared by photochemical vapor deposition and applications to devices 86−35309

Nishida, S., Yoneyama, T., Kuroki, F. A fast-wave type of surface-wave transmission line 85−55099

Nishida, S. *see* Hatta, M. 86−52837

Nishida, S. *see* Hiratani, Y. 85−56329

Nishida, S. *see* Hongo, A. 87−7259, 87−74723

Nishida, S. *see* Horiike, S. 87−59342

Nishida, S. *see* Karasawa, S. 88−13900

Nishida, S. *see* Konagai, M. 87−16648

Nishida, S. *see* Kuroki, F. 87−37522

Nishida, S. *see* Mayumi, S. 86−53745, 88−33082

Nishida, S. *see* Miyagi, M. 85−7227, 85−56312, 86−10133, 86−63631, 87−18734, 87−33105, 87−38769, 87−60905, 87−68017

Nishida, S. *see* Mukae, H. 87−50659

Nishida, S. *see* Nakamura, M. 86−37103

Nishida, S. *see* Ogawa, Y. 87−76534

Nishida, S. *see* Ohura, Y. 86−65635

Nishida, S. *see* Shibahara, Y. 87−51388

Nishida, S. *see* Yamada, A. 87−31546

Nishida, S. *see* Yoneyama, T. 85−4094, 85−17626, 85−22982, 85−40228, 86−20796, 86−27559, 86−64088, 86−67456, 87−973, 87−6006

Nishida, T., Doshita, S. Qualitative analysis of discontinuous changes in simple pulse circuits 88−70612

Nishida, T., Hoshino, Y. Space-charge effect on hole transport in resistive hydrogenated amorphous silicon 86−47318

Nishida, T., Kawamura, T., Doshita, S. Qualitative analysis of electronic circuits based on dynamic causal stream analysis 88−6596

Nishida, T., Miyahara, H. Performance evaluation for spread-spectrum multiple-access communication systems 88−21921

Nishida, T., Miyahara, H. Fault tolerant packet switched network design using capacity augmentation 88−52655

Nishida, T., Miyahara, H., Takashima, K. Group random access scheme in spread spectrum multiple access system 85−42017

Nishida, T., Miyamoto, S., Kozawa, T. Performance analysis of the detectability estimation system (TRUE) 86−62571

Nishida, T., Miyamoto, S., Kozawa, T., Sato, K. RFSIM: reduced fault simulator 86−40860

Nishida, T., Miyamoto, S., Kozawa, T., Satoh, K. RFSIM: reduced fault simulator 87−59308

Nishida, T., Mukai, K., Inaba, T., Kato, T., Tezuka, I., Horie, N. Moisture resistance of polyimide multilevel interconnect LSIs 86−15091

Nishida, T., Murata, M., Miyahara, H., Takashima, K. An approximate analysis of a prioritized token passing method in ring-shaped local area networks 86−43370

Nishida, T., Murata, M., Miyahara, H., Takashima, K. Congestion control in interconnected local area networks 86−69435

Nishida, T., Sah, C. A physically based mobility model for MOSFET numerical simulation 87−38285

Nishida, T., Terao, M., Nakazawa, M. Effect of Tl and metallic element addition to In-Se based phase-change optical recording film 88−45047

Nishida, T. *see* Hinode, K. 87−74217

Nishida, T. *see* Hsu, C.C.-H. 88−64334

Nishida, T. *see* Ishii, H. 87−44169

Nishida, T. *see* Kawamoto, Y. 88−70776

Nishida, T. *see* Koseki, Y. 87−69837

Nishida, T. *see* Leblebici, Y. 88−26198

Nishida, T. *see* Ohi, F. 85−39582

Nishida, T. *see* Ohta, N. 86−17367

Nishida, T. *see* Oikawa, S. 85−38098, 87−7845

Nishida, T. *see* Ojima, M. 88−65153

Nishida, T. *see* Owada, N. 86−28450

Nishida, T. *see* Sugano, M. 87−48283

Nishida, T. *see* Tada, M. 87−44165

Nishida, T. *see* Terao, M. 85−50895, 87−38727

Nishida, T. *see* Uematsu, K. 85−5859

Nishida, T. *see* Yasuoka, H. 88−45054

Nishida, T. *see* Yokohira, T. 87−69406

Nishida, Y. Stabilized light source [for measurement applications] 86−29124

Nishida, Y., Iwasaki, K., Umesaki, K., Miyasaka, M. Optical signal generator 87−56711

Nishida, Y., Koike, J., Ohtake, H., Watanabe, T., Yoshikawa, S. A new architecture for solid-state image sensors 88−29440

Nishida, Y., Koike, J., Ohtake, H., Yoshikawa, S. Noise in a CCD image sensor and the new low-noise read-out method 86−49982

Nishida, Y., Miyazaki, T., Kawamata, S. On energy distribution function of radiation field in lightning discharges 85−62837

Nishida, Y., Shirono, J., Sugiura, I. Optical power meter calibration system 88−16526

Nishida, Y. *see* Andoh, F. 88−47557

Nishida, Y. *see* Ban, K. 88−7051

Nishida, Y. *see* Iwamura, S. 85−47809

Nishida, Y. *see* Kobayashi, Y. 87−43213

Nishida, Y. *see* Miura, Y. 88−50985

Nishida, Y. *see* Miyazaki, T. 85−63736

Nishida, Y. *see* Mizuno, K. 88−4710

Nishida, Y. *see* Nagai, Y. 85−62838

Nishida, Y. *see* Sagara, K. 88−68247

Nishida, Y. *see* Sugiura, Y. 88−37312

Nishidai, H. *see* Kuroe, Y. 88−69338

Nishidawa, S., Umemoto, E., Toyoshima, S. Communication Management Program development 86−4147

Nishide, K., Hanawa, M., Kondo, T. Automatic position finding of a vehicle by means of a laser 86−59003

Nishide, K. *see* Miyamoto, M. 88−65212

Nishide, K. *see* Miyazaki, T. 88−45043

Nishide, K. *see* Yamauchi, R. 87−7109

Nishidoi, S. *see* Nakajima, H. 88−17520

Nishie, M. *see* Fukuoka, T. 88−22109

Nishie, M. *see* Matsushita, T. 88−35561

Nishie, M. *see* Sugawa, T. 88−3986

Nishie, M. *see* Takada, H. 87−49112

Nishigai, Y. *see* Kaneko, T. 86−33172, 86−33748

Nishigaito, H. *see* Kuroda, Y. 87−30879

Nishigaito, H. *see* Sagisaka, Y. 87−4691

Nishigaito, H. *see* Tanaka, H. 85−59630, 86−50866

Nishigaki, K. *see* Shiota, K. 88−20174

Nishigaki, K. *see* Takashima, K. 86−67538

Nishigaki, S., Fukuta, J., Yano, S., Kawabe, H., Noda, K., Fukaya, M. A new low temperature fireable Ag multilayer ceramic substrate having post-fired Cu conductor (LFC-2) 87−66789

Nishigaki, S., Fukuta, J., Yano, S., Kawabe, H., Noda, K., Fukaya, M. A new low temperature fireable Ag multilayer ceramic substrate having post-fired Cu conductor (LFC-2) 88−7237

Nishigaki, S., Kato, H., Yano, S., Kamimura, R. Microwave dielectric properties of (Ba,Sr)O-Sm_2O_3-TiO_2 ceramics 88−7761

Nishigaki, S., Yano, S., Fukuta, J., Fukaya, M., Fuwa, T. A new multilayered, low-temperature-fireable ceramic substrate 86−53264
Nishigaki, S., Yano, S., Kato, H., Hirai, T., Nonomura, T. BaO-TiO$_2$-WO$_3$ microwave ceramics and crystalline BaWO$_4$ 88−32391
Nishigaki, S., Yano, S., Kawabe, H., Fukuta, J., Nonomura, T., Hebishima, S. LFC-III: a new low temperature multilayered ceramic substrate with Au(top)-Ag(internal)-Ti/Mo/Cu(bottom) conductor system 88−57210
Nishigaki, S. *see* Tatsuki, K. 88−26556
Nishigaki, T., Shiomi, T., Izumisawa, T., Nagai, Y. Japan's CS (Sakura) communications satellite experiments. III. Satellite control experiments on the CS 86−64900
Nishigaki, T. *see* Hamamoto, N. 85−42442, 87−28490, 88−15424
Nishigaki, T. *see* Kasai, K. 88−35447
Nishigaki, T. *see* Sasaoka, H. 85−30971
Nishigaki, T. *see* Suzuki, R. 86−11029, 87−40812
Nishigaki, T. *see* Yamamoto, A. 85−22306
Nishigaki, Y. *see* Yonehara, T. 88−18707
Nishigaya, I. LSI fabrication processes 85−7015
Nishigori, T. *see* Iwasaki, J. 88−19130
Nishigori, T. *see* Shirahata, I. 86−3461
Nishigori, Y., Yamamitsu, C., Ide, A., Yamamoto, K. A two-dimensional adaptive digital decoder for color television signals 88−15778
Nishiguchi, H. *see* Uehari, K. 88−23744
Nishiguchi, N., Kawanishi, H., Fujioka, T., Okamoto, T., Ueda, H., Yonezawa, N. ADULTS-L: a VLSI layout compactor 86−35830
Nishiguchi, N. *see* Kurosawa, A. 86−27388, 87−59086
Nishiguchi, N. *see* Nishiyama, K. 88−19055
Nishiguchi, N. *see* Ozaki, H. 88−19057
Nishiguchi, N. *see* Takagaki, T. 86−656, 86−34715
Nishiguchi, T. *see* Matsuda, H. 86−36035
Nishiguchi, Y., Katori, S., Jinbo, T., Shinmura, T., Kanai, T., Tanigawa, H. Single chip microcomputer peripheral LSI 'Turbo Access Manager μPD71301' 88−19129
Nishiguchi, Y. *see* Takai, T. 86−34856
Nishihama, H. *see* Kashara, N. 87−78858
Nishihara, A. Low-sensitivity second-order digital filters—analysis and design in terms of frequency sensitivity 85−6450
Nishihara, A. Design of limit-cycle-free digital biquad filters 87−17258
Nishihara, A. Comments on 'An improved sufficient condition for absence of limit cycles in digital filters' 88−70919
Nishihara, A., Magyar, A. Implementation of DSP algorithms 86−3848
Nishihara, A., Matsumoto, N. Comments on 'Properties of the second order digital bandpass functions which are obtained by bilinear transformation' by N. Matsumoto [and reply] 86−52962
Nishihara, A. *see* Kikuchi, H. 88−56809
Nishihara, A. *see* Sakamoto, H. 86−62635
Nishihara, A. *see* Sugino, N. 88−38351
Nishihara, A. *see* Watanabe, E. 85−28648, 86−1296, 86−14385, 86−27487 to 27488, 86−35022, 86−57983, 87−45065, 87−52754, 88−25326
Nishihara, E., Tawara, K., Komatsu, K., Okikawa, T., Koso, K. High speed image transfer network for PACS 88−36551
Nishihara, E. *see* Dallas, W.J. 88−36552
Nishihara, H., Haruna, M., Toda, H. Integrated heterodyne optics for fiber sensors 88−65355
Nishihara, H., Suhara, T. Grating devices for integrated optics 87−74846
Nishihara, H. *see* Haruna, M. 85−62286, 86−36249, 86−68284, 87−54100, 88−14310, 88−65361, 88−65365
Nishihara, H. *see* Kajiya, F. 85−38068, 85−53036
Nishihara, H. *see* Mori, T. 86−18992
Nishihara, H. *see* Suhara, T. 85−2081, 86−36252, 86−68307, 87−18741, 87−74898
Nishihara, H. *see* Toda, H. 87−7171, 87−68089, 88−20433
Nishihara, H. *see* Tsuji, S. 85−58427
Nishihara, H. *see* Ura, S. 86−22183, 87−54144, 88−13928, 88−72097
Nishihara, H. *see* Yamamoto, S. 85−459
Nishihara, H.K. Practical real-time imaging stereo matcher 85−13616
Nishihara, H.K., Crossley, P.A. Measuring photolithographic overlay accuracy and critical dimensions by correlating binarized Laplacian of Gaussian convolutions 88−33093
Nishihara, K. *see* Murakami, M. 88−62492
Nishihara, M. Surround processor VO-300SA 86−55493
Nishihara, M., Murase, T., Ogi, N. Single-board CPU packaging for the FACOM M-780 88−37980
Nishihara, M., Shimada, S., Tanabe, M., Yamada, K., Matsuoka, Y. Temperature dependence of nonlinear characteristics in semiconductor pressure sensors 86−11570
Nishihara, M. *see* Matsubara, T. 85−48796
Nishihara, M. *see* Ohmichi, T. 86−39397
Nishihara, M. *see* Shimada, S. 86−5294
Nishihara, S., Ikeda, K. A constraint synthesizing algorithm for the consistent labeling problem 85−30407
Nishihara, S., Ikeda, K. A solution algorithm for the consistent labeling problem using the structure of constraints 87−48080
Nishihara, S. *see* Fujiwara, T. 88−47461
Nishihara, S. *see* Shimizu, R. 85−37889
Nishihara, T., Matsumoto, E., Hata, M., Makino, M., Suzuki, M., Masuda, H., Tanaka, M. Cordless telephone equipment meeting CEPT standards 87−8084
Nishihara, T. *see* Abe, T. 87−18512
Nishihara, T. *see* Hoshi, N. 87−46221
Nishihara, T. *see* Komatsu, S. 88−18354
Nishihara, T. *see* Komatsu, T. 87−59502, 88−6830
Nishihara, T. *see* Kozaki, T. 88−46770
Nishihara, T. *see* Nomura, R. 86−30525
Nishihara, T. *see* Yamakido, K. 87−20297, 88−59872
Nishihara, T. *see* Yamashita, T. 88−7826
Nishihara, Y. *see* Hanamiya, T. 86−24161
Nishihara, Y. *see* Ito, H. 88−45310
Nishihara, Y. *see* Okuno, N. 87−8458
Nishihara, Y. *see* Taguchi, T. 87−2739
Nishihara, Y. *see* Yashiro, K.'i. 88−16963
Nishihashi, T. Solar remote controller 88−5865
Nishihata, M., Mukumoto, M. High-definition television transmission system 86−30995
Nishihata, M., Sasaki, K. Communication system [videoconferencing] 86−31056
Nishihata, S. *see* Ashida, S. 88−53221
Nishihata, S. *see* Ninomiya, K. 86−44758
Nishihata, S. *see* Nomura, T. 86−23837
Nishihiori, K. *see* Terada, T. 87−59419
Nishihiro, A. *see* Miyazaki, M. 86−40185
Nishihori, K. *see* Terada, T. 88−6739
Nishii, J., Morimoto, S., Yokota, R., Yamagishi, T. Transmission loss of Ge-Se-Te and Ge-Se-Te-Tl glass fibers 88−26783
Nishii, J., Yamashita, T., Yamagishi, T. Low-loss chalcogenide glass fiber with core-cladding structure 88−72013
Nishii, K., Inoue, K., Matsuno, T., Tezuka, A., Onuma, T. High performance AlGaAs/GaAs/AlGaAs selectively-doped double-heterojunction FET and its application to digital ICs 88−56273
Nishii, K. *see* Hasegawa, K. 87−32726
Nishii, K. *see* Inoue, K. 88−13435, 88−39525
Nishii, K. *see* Nagano, K. 86−57746
Nishii, K. *see* Onuma, T. 86−15282
Nishii, K. *see* Saka, T. 87−48372
Nishii, K. *see* Tamura, A. 85−54782, 87−67339
Nishii, K. *see* Utsumi, K. 87−49025, 88−28860, 88−47154
Nishii, N. *see* Needes, C.R.S. 85−55330
Nishii, O., Murota, K., Iri, M. A quadrature formula using a nonanalytic transformation of the integration variable 88−6411
Nishii, T. *see* Kinoshita, H. 86−57216
Nishijama, S. *see* Fujioka, K. 85−48129
Nishijima, H., Fukushima, T., Shirakura, H., Chiba, M. Measurement of Cherenkov light from a solution of sodium chloride 87−35347
Nishijima, H. *see* Kobori, Y. 86−17652
Nishijima, H. *see* Masuda, M. 88−15827
Nishijima, H. *see* Shirakura, H. 87−77549
Nishijima, K. *see* Teshima, M. 86−60579
Nishijima, M., Seki, M., Kanzaki, N. CMOS 4-bit microcomputer with dual-crystal oscillator system 86−52876
Nishijima, O. *see* Matsuzaki, T. 86−52875
Nishijima, O. *see* Ueda, K. 86−52879, 87−27467
Nishijima, S., Iwasaki, H., Okada, T. Study of disturbances in superconducting magnets by acoustic emission method 85−62261
Nishijima, S., Takahata, K., Miyamoto, I., Okada, T., Nakagawa, S., Yoshiwa, M. Magnetic shielding network with superconducting wires 87−67814
Nishijima, S., Takahata, K., Okada, T. Local temperature rise after quench due to epoxy cracking in impregnated superconducting windings 88−45020
Nishijima, S., Takahata, K., Saito, K., Okada, T., Nakagawa, S., Yoshiwa, M. Applicability of superconducting magnet to high gradient magnetic separator 87−67931
Nishijima, S., Yamashita, T., Takahata, K., Okada, T., Fukutsuka, T., Matsumoto, K., Hamada, M. Effect of epoxy cracking on stability of impregnated windings related to thermal and mechanical properties 88−45019
Nishijima, S. *see* Fujioka, K. 87−41965
Nishijima, S. *see* Hirano, Y. 85−62230
Nishijima, S. *see* Iwasaki, H. 86−48066
Nishijima, S. *see* Kawata, K. 87−51593
Nishijima, S. *see* Koba, T. 88−38564
Nishijima, S. *see* Miyamoto, I. 86−48622
Nishijima, S. *see* Okada, T. 86−15437, 88−39851, 88−66101
Nishijima, S. *see* Takahata, K. 88−66010
Nishijima, S. *see* Yamashita, T. 88−65052
Nishijima, T., Inazumi, H., Hirasawa, S. Iterated codes with improved code rate 88−52353
Nishijima, T. *see* Kudo, K. 88−75561
Nishijima, T. *see* Kuromori, K. 88−74639
Nishijima, Y. *see* Miura, T. 85−36365
Nishijima, Y. *see* Shinohara, K. 86−15690, 87−18962
Nishijo, M. *see* Hayashi, E. 88−22690
Nishijo, T. Power boards. I 86−66206
Nishikado, I., Himeno, R., Koga, H. Integrated extension system architecture and technology for INS field trial 85−47102
Nishikado, I., Sakai, Y., Kubo, T. Integrated Key Telephone System with digital bus architecture 88−21542
Nishikado, I., Sakai, Y., Kubo, T., Kimeda, T. Integrated key telephone system with digital bus architecture 87−76193
Nishikado, I., Sato, H., Kitahara, S. Voice storage system for centralized extension system 85−25686
Nishikado, I. *see* Kubo, T. 88−67063
Nishikage, Y. *see* Urata, K. 85−60527, 87−36239, 87−51618
Nishikata, A., Shimizu, Y. Analysis for reflection from coaxial end attached to lossy sheet and its application to nondestructive measurement 88−16440
Nishikata, A. *see* Shimizu, Y. 86−3585, 86−10104, 87−33456, 87−40992
Nishikata, S., Kataoka, T. Dynamic control of a self-controlled synchronous motor drive system 85−10144
Nishikata, S., Kataoka, T., Isobe, N. Dynamic performance of self-controlled synchronous motors operated in the regenerative braking mode 88−30690
Nishikata, S. *see* Kataoka, T. 86−70891
Nishikata, Y., Morikawa, A., Takiguchi, Y., Kanemoto, A., Kakimoto, M., Imai, Y. Electrooptic bistability and threshold characteristics of ferroelectric liquid crystal cell possessing polyimide Langmuir-Blodgett film as an aligning layer 88−65385
Nishikawa, A. *see* Tanaka, S. 87−56347
Nishikawa, A. *see* Yamamoto, T. 87−36069
Nishikawa, H., Fujii, K., Ochi, H., Minami, S. An electron diffraction study on the fine structure of α-PbO$_2$ and β-PbO$_2$ in positive active material of lead acid battery 88−11358
Nishikawa, H., Sukehara, M., Yoshida, T., Kobayashi, S., Takahashi, T., Amiji, N., Sasaki, T., Tanabe, S. Thyristor wave gapless arrester element lifetime performance and thermal stability 86−32850
Nishikawa, H., Wakabayashi, H., Sato, M. Power feed equipment for a transoceanic optical fiber submarine cable system 88−30872
Nishikawa, H., Yokokura, K., Masuda, S., Yasuoka, K., Okawa, M., Koike, H., Kato, T. Harmonic current interruption phenomena in arc furnace filter circuits 85−16434
Nishikawa, H. *see* Matsuzawa, K. 85−16156 to 16157
Nishikawa, H. *see* Mori, T. 86−39996
Nishikawa, H. *see* Sato, K. 86−31368
Nishikawa, H. *see* Tatekura, K. 85−29633
Nishikawa, H. *see* Terada, H. 88−32258, 88−44199
Nishikawa, H. *see* Wakabayashi, H. 86−64992
Nishikawa, K. Effect of automobile body and earth on radiation patterns of antennas for FM radio 85−19258
Nishikawa, K. Vertical quartz air heater 'quartz slim fan heater' 85−27829
Nishikawa, K. Radiation patterns of mobile antenna at UHF frequencies 85−30083
Nishikawa, K. Precise dimensional measurement by line sensor camera (1st report)—causes of errors and countermeasure 86−44043
Nishikawa, K., Asano, Y. Vertical patterns of mobile antenna at UHF frequencies 86−4530
Nishikawa, K., Asano, Y. Analysis of mobile antenna in UHF band 86−68841
Nishikawa, K., Asano, Y. Vertical radiation patterns of mobile antenna in UHF band 87−2363
Nishikawa, K., Asano, Y. Analysis of mobile antenna in UHF band 88−14489
Nishikawa, K., Fujita, Y., Ohta, H. Availability accounting of a steam power plant 85−9707
Nishikawa, K., Kodera, S. Design of circularly symmetric two-dimensional IIR lowpass filters with constant group delay by 1D-2D transformation 87−73567
Nishikawa, K., Morii, H., Kanamori, T. Design of FIR fan filters using second-order McClellan transformation 88−38635
Nishikawa, K., Takebe, T., Hayashihara, M. Two-dimensional switched-capacitor filter 85−17642
Nishikawa, K. *see* Buchholz, D. 87−63684
Nishikawa, K. *see* Fukai, M. 87−63048
Nishikawa, K. *see* Iwai, M. 87−8459
Nishikawa, K. *see* Kamei, M. 85−5813
Nishikawa, K. *see* Kitano, T. 85−18526
Nishikawa, K. *see* Onoda, K. 87−40387
Nishikawa, K. *see* Sakai, H. 86−47963
Nishikawa, K. *see* Takebe, T. 85−965, 86−1306
Nishikawa, K. *see* Tanaka, K. 87−63050
Nishikawa, K. *see* Watanabe, N. 88−48680
Nishikawa, M. An introduction to magnetic recording memories 85−41028
Nishikawa, M. An analysis of isolated readback signal in digital magnetic recording 85−56112

Nishikawa, M., Doi, Y., Kirkhara, A. Characteristics of pattern peak-shift in digital magnetic recording 87−25850
Nishikawa, M., Kirihara, A. Effect of write head saturation on the characteristics of digital magnetic recording 85−35302
Nishikawa, M., Kirihara, A. The effect of write head saturation on the characteristics of AC bias recording 87−25836
Nishikawa, M., Kirihara, A. DC erasure properties of write heads in digital magnetic recording 87−67769
Nishikawa, M., Kirihara, A., Doi, Y. Characteristics of pattern peak-shift in digital magnetic recording 88−26664
Nishikawa, M., Kirihara, A., Hirata, T. Record head saturation and its effects on the performances of digital magnetic recording 85−56113
Nishikawa, M. *see* Abe, A. 86−31238
Nishikawa, M. *see* Doi, Y. 86−42135
Nishikawa, M. *see* Fujita, Y. 85−43048
Nishikawa, M. *see* Kanai, M. 85−32261
Nishikawa, M. *see* Koiwa, I. 86−13789
Nishikawa, M. *see* Kurihara, N. 86−65925
Nishikawa, M. *see* Kuwata, K. 87−56770
Nishikawa, M. *see* Matsuda, H. 88−18254
Nishikawa, M. *see* Matsuoka, T. 87−56769, 88−51685, 88−71313
Nishikawa, M. *see* Nakamura, T. 87−35816
Nishikawa, M. *see* Omatsu, T. 87−31104
Nishikawa, M. *see* Tanaka, T. 88−11528
Nishikawa, M. *see* Tsuno, K. 87−50216
Nishikawa, M. *see* Yoshida, K. 85−56347, 87−46548
Nishikawa, N. *see* Iida, K. 87−71711
Nishikawa, N. *see* Taoka, H. 88−43001
Nishikawa, O. Atom-probe and scanning tunneling microscope studies of surfaces and interfaces 88−19746
Nishikawa, R., Gemba, M., Ito, H., Yamada, T., Suzuki, T. The influence of ferromagnetic material target on magnetron sputtering 86−9381
Nishikawa, R., Suzuki, T., Sonoda, T. Co-Cr sputtered films for perpendicular magnetic recording 86−42134
Nishikawa, R. *see* Sagoi, M. 87−25770
Nishikawa, R. *see* Tanaka, Y. 88−43926
Nishikawa, R.M., Mawdsley, G.E., Fenster, A., Yaffe, M.J. Scanned-projection digital mammography 88−10320
Nishikawa, S. Japanese leading edge electronics industry and economic friction 85−73
Nishikawa, S. The influence of substrate temperature and sputtering gas atmosphere on the electrical properties of reactively sputtered indium tin oxide films 86−40779
Nishikawa, S., Hanakawa, K., Saito, N. Newly developed ground failure locating and network control system of electric power distribution−without any power supply interruption for normal sections in the failed network 88−61915
Nishikawa, S., Kakinuma, H. Amorphous silicon photoreceptors 86−17975
Nishikawa, S., Kakinuma, H., Watanabe, T., Nihei, K. Influence of deposition conditions on properties of hydrogenated amorphous silicon prepared by RF glow discharge 85−54510
Nishikawa, S., Kakinuma, H., Watanabe, T., Nihei, K. Influence of RF power on properties of a-Si$_{1-x}$Ge$_x$:H prepared by RF glow discharge decomposition 86−46365
Nishikawa, S., Kakinuma, H., Watanabe, T., Nihei, K. Preparation of a-Si:H/a-Si$_{1-x}$C$_x$:H superlattices 87−6428
Nishikawa, S., Sasaki, M., Murase, S. Development of an enhanced DIPS communication management program (CMP2-R3) 85−25269
Nishikawa, S., Sato, Y., Taniai, T. Separate type video projector model PJ-72, PJ-100 87−49349
Nishikawa, S., Takagi, K., Suzuki, T., Ojima, M. 46-inch rear video projector model PJ-4650EN 87−34756
Nishikawa, S., Takahashi, H. Digital captioning devices by use of Japanese word-processors for the hearing impaired 88−47337
Nishikawa, S., Takahashi, H., Kobayashi, M. Improvement of efficiency of captioning video pictures for the deaf by use of a Japanese word processor 86−4880
Nishikawa, S., Takahashi, H., Kobayashi, M. Improvement of efficiency of captioning video pictures of the deaf by use of a Japanese word processor 87−13982
Nishikawa, S., Takahashi, H., Kobayashi, M., Kabe, K., Takiguchi, T. A production system of video tapes with digital captions in a code format for deaf people 88−35723
Nishikawa, S., Takahashi, H., Kobayashi, M., Nishikawa, T. A high-speed Japanese captioning system for deaf persons 85−63832
Nishikawa, S., Tomita, S., Nakada, M. Automatic image production system for videotex 86−54854
Nishikawa, S. *see* Furusawa, Y. 88−38475
Nishikawa, S. *see* Jyo, Y. 87−10739
Nishikawa, S. *see* Kakinuma, H. 86−1992, 86−2921, 86−36315, 86−67692, 87−18823, 87−54166
Nishikawa, S. *see* Miyamura, S. 85−42292
Nishikawa, S. *see* Shibata, K. 88−29329
Nishikawa, S. *see* Takeda, Y. 85−16032, 85−21581
Nishikawa, S. *see* Tomita, S. 86−49222
Nishikawa, S. *see* Toyoda, H. 87−13914
Nishikawa, S. *see* Tsuruho, S. 88−9114, 88−21666
Nishikawa, T. TRISTAN and Beijing Electron Positron Collider 85−26535
Nishikawa, T. Status report of TRISTAN construction 86−38659
Nishikawa, T., Motoyama, M. Technological themes in the development of SA relays 86−53114
Nishikawa, T., Wakino, K., Hattori, J., Ishikawa, Y. 800 MHz band face-bonding filter using dielectric BDLS 87−5947
Nishikawa, T., Wakino, K., Hiratsuka, T., Ishsikawa, Y. 800 MHz band high-power bandpass filter using TM$_{110}$ mode dielectric resonators for cellular base stations 88−70890
Nishikawa, T., Wakino, K., Ishikawa, Y. 800 MHz band channel dropping filter using TM$_{010}$ mode dielectric resonator 85−17622
Nishikawa, T., Wakino, K., Tamura, H., Tanaka, H., Ishikawa, Y. Precise measurement method for temperature coefficient of microwave dielectric resonator material 87−77442
Nishikawa, T., Wakino, K., Tsunoda, K., Ishikawa, Y. Dielectric high-power bandpass filter using quarter-cut TE$_{01}$ δ image resonator for cellular base stations 87−73616
Nishikawa, T., Wakino, K., Tsunosda, K., Ishikawa, Y. Dielectric high-power bandpass filter using quarter-cut TE$_{01}\delta$ image resonator for cellular base stations 88−25381
Nishikawa, T., Wakino, K., Wada, H., Ishikawa, Y. 800 MHz band dielectric channel dropping filter using TM$_{110}$ triple mode resonance 86−8347
Nishikawa, T., Yamada, K. Protocol analyzer 88−4336
Nishikawa, T. *see* Nishikawa, S. 85−63832
Nishikawa, T. *see* Okabe, S. 87−37799
Nishikawa, T. *see* Toriyama, K. 87−14968
Nishikawa, T. *see* Wakino, K. 87−66489
Nishikawa, Y., Kita, H. Load management of the energy system and time-of-use pricing 88−68805
Nishikawa, Y., Tezuka, T., Fukui, T. A study of the effect of cooperation among energy industries 88−23411
Nishikawa, Y., Udo, A. A method of optimal design for extension of water distribution networks 86−62420
Nishikawa, Y., Ueno, W., Yanigihara, K., Niinomi, M. Anti-corrosion thin protective film for vacuum deposited Co-Ni-O layers 88−57936
Nishikawa, Y. *see* Fujiwara, K. 86−40722
Nishikawa, Y. *see* Naritsuka, S. 88−18698
Nishikawa, Y. *see* Nishimura, S. 85−31175
Nishikawa, Y. *see* Nouri-Shirazi, M. 85−41927, 86−43279, 86−64285
Nishikawara, K.K. *see* Peelo, D.F. 87−35978 to 35979
Nishiki, K. *see* Takashima, K. 87−12645
Nishiki, S., Nojima, T. Harmonic reaction amplifier−a novel high-efficiency and high-power microwave amplifier 88−12607
Nishiki, S., Urabe, S. Configuration and characteristics of detachable mobile radio units 87−48945
Nishiki, S., Urabe, S., Ichimuya, M., Tsunetsugu, H. Configuration and characteristics of detachable mobile radio units 87−8187
Nishiki, S., Yuki, S. Thick-film microstrip loss in microwave region 85−17816
Nishiki, S. *see* Nojima, T. 87−45228, 88−71120
Nishiki, S. *see* Sasaki, A. 87−8186, 87−34460, 87−48469
Nishiki, Y., Aoki, K., Tokuda, K., Matsuda, H. Secondary current distribution in a two-dimensional model cell composed of an electrode with an open part 86−51876
Nishikori, A. *see* Aoki, K. 87−42295, 87−77925 to 77926, 87−78577
Nishikuni, M. *see* Kuwano, Y. 87−78906, 88−31008
Nishikuni, M. *see* Nakamura, N. 85−23460
Nishikuni, M. *see* Nakano, S. 87−23740, 88−17972, 88−37490
Nishikuni, M. *see* Ohnishi, M. 88−31852
Nishikuni, M. *see* Tsuda, S. 86−33664
Nishikura, H. *see* Yoshida, M. 87−64959
Nishikura, T. *see* Yukami, N. 85−56434, 86−48268
Nishima, H. *see* Ihara, S. 85−58120
Nishimae, I. *see* Nishimura, K. 85−23950
Nishimae, J. *see* Katsurai, M. 86−45465
Nishimata, T., Inoue, T., Hashimoto, S.-I., Hashizume, T., Takamoto, K., Shimizu, K., Hara, J.-I. Multisync color display model JC-1401P3A 87−34977
Nishimatsu, K. *see* Kawaguchi, K. 87−27950
Nishimatsu, M., Inoue, Y. Tests of dielectric materials for power capacitors 87−36088
Nishimatsu, M. *see* Mandelcorn, L. 86−51718
Nishimatsu, M. *see* Yoshida, Y. 86−67539, 87−36086
Nishimatsu, S. *see* Munakata, C. 85−23400, 86−63022
Nishimatsu, S. *see* Ninomiya, K. 85−23685, 85−45608, 85−61852, 87−74200, 88−26084
Nishimatsu, S. *see* Suzuki, K. 85−18259, 85−34867, 86−58402, 87−38135, 88−1541
Nishimatsu, S. *see* Tsujimoto, K. 87−32434
Nishimatsu, Y. *see* Okubo, S. 86−6070
Nishimichi, Y. *see* Higashi, Y. 86−52878
Nishimichi, Y. *see* Kadota, H. 86−20536
Nishimichi, Y. *see* Kodata, H. 86−14214
Nishimori, H. *see* Dohya, A. 88−25744
Nishimori, H. *see* Murano, H. 86−40556
Nishimori, K. *see* Fujimura, K. 88−31848
Nishimori, K. *see* Kajio, K. 88−31847
Nishimori, T. Packet exchange network applications in Nippon Sheet Glass Co. Ltd 87−69483
Nishimori, T. *see* Kuroda, Y. 87−30879
Nishimori, T. *see* Ohba, Y. 85−4589
Nishimori, T. *see* Sagisaka, Y. 87−4691
Nishimori, T. *see* Taniguchi, A. 88−15981
Nishimoto, C., LaRue, R., Bandy, S., Day, M., Eckstein, J., Webb, C., Yuen, C., Zdasiuk, G. A 2-20 GHz, high-gain, monolithic HEMT distributed amplifier 87−59896
Nishimoto, C., LaRue, R., Bandy, S., Day, M., Eckstein, J., Webb, C., Yuen, C., Zdasiuk, G. A 2-20 GHz, high-grain, monolithic HEMT distributed amplifier 87−73720
Nishimoto, C. *see* Webb, C. 86−52471
Nishimoto, C. *see* Yuen, C. 88−63974, 88−71045
Nishimoto, C.K. *see* Bandy, S.G. 88−25455, 88−25479
Nishimoto, H. Noise rejection techniques on remote sensing images 85−46961
Nishimoto, H., Kitano, T. High dynamic range integrated-optic spectrum analyzer using total internal reflection in waveguide 87−74840
Nishimoto, H., Kitano, T. High dynamic range integrated-optic spectrum analyzer using total internal reflection in a waveguide 88−13968
Nishimoto, H., Miyauchi, A., Fujimoto, N., Touge, T., Yamaguchi, K. Fully integrated 1.6 Gb/s optical repeater 87−40950
Nishimoto, H., Okiyama, T., Kuwata, N., Arai, Y., Miyauchi, A., Touge, T. New method analyzing eye patterns and its application to high-speed optical transmission system 88−53270
Nishimoto, H., Suzuki, S., Kondo, M. Polarisation-independent LiNbO$_3$ 4×4 matrix switch 88−72153
Nishimoto, H., Yamaguchi, M., Mito, I., Kobayashi, K. High frequency response characteristics of DFB-DC-PBH LDs 87−26428
Nishimoto, H., Yamaguchi, M., Mito, I., Kobayashi, K. High-frequency response for DFB LD due to a wavelength detuning effect 88−20653
Nishimoto, H. *see* Fujii, H. 88−10467
Nishimoto, H. *see* Hasti, D.E. 85−26670
Nishimoto, H. *see* Kato, Y. 85−35753
Nishimoto, H. *see* Mito, I. 86−3166, 88−65718
Nishimoto, H. *see* Okiyama, T. 88−47172
Nishimoto, H. *see* Shirasaki, M. 88−47031
Nishimoto, H. *see* Sugou, S. 86−15705, 86−42579, 87−12465
Nishimoto, H. *see* Suzuki, S. 88−22104
Nishimoto, H. *see* Yamaguchi, K. 86−17414, 86−43825
Nishimoto, H. *see* Yanase, T. 86−22405
Nishimoto, H.M., Yamada, M., Vora, Y. Image reversal techniques for a sub-micron 1:1 photolithographic stepper system 88−7542
Nishimoto, H.N. *see* Ramirez, J.J. 87−21309
Nishimoto, K. Ceramic filters: where they are and where they are going 87−32781
Nishimoto, K. Setting the standards for ceramic filters 88−12486
Nishimoto, K., Hayashi, T. Optimization of quadrupole structure composed of trapezoidal electrodes 88−58807
Nishimoto, K., Togawa, K. Technical trends of ceramic filters and ceramic resonators 86−9339
Nishimoto, K., Togawa, K. Ceramic filters meet requirements of surface-mount technology 86−57917
Nishimoto, K. *see* Kawashima, Y. 86−66363
Nishimoto, L. *see* Tagami, K. 85−56096
Nishimoto, M., Aoki, K. Scattering of electromagnetic fields by arbitrarily oriented two parallel strips 86−68724
Nishimoto, M., Aoki, K. Scattering of electromagnetic plane waves by arbitrarily oriented two parallel conducting strips 87−26742
Nishimoto, M., Aoki, K. Scattering of plane electromagnetic wave by a semi-infinite strip grating 87−26743
Nishimoto, M., Aoki, K. Scattering of electromagnetic plane waves by two arbitrarily oriented parallel conducting strips 88−52205
Nishimoto, M., Aoki, K., Yoshidomi, K. Scattering of electromagnetic fields by two strips located near a line source 85−19116
Nishimoto, M., Aoki, K., Yoshidomi, K. Scattering of electromagnetic fields by two strips located near a line source 86−68690

Nishimoto, M., Dixon, J.W., Kulkarni, A.B., Ooi, B.-T. An integrated controlled-current PWM rectifier chopper link for sliding mode position control 88−11293
Nishimoto, M., Dixon, J.W., Kulkarni, A.B., Ooi, B.T. An integrated controlled-current PWM rectifier chopper link for sliding mode position control 87−43252
Nishimoto, M. *see* Dixon, J.W. 87−43245, 88−24191
Nishimoto, M. *see* Kato, K. 87−7166
Nishimoto, M. *see* Ooi, B.T. 87−22822, 88−30803
Nishimoto, N., Okauchi, T., Kitazawa, H. VHD VCR with index and address search systems 88−15825
Nishimoto, N. *see* Miura, Y. 87−9632
Nishimoto, S. Pulse compression radar using random binary sequences with maximum entropy 87−20603
Nishimoto, S. Time sidelobe suppression for coded pulse compression by means of nonlinear optimization method 87−75842
Nishimoto, S. Random bi-phase modulated CW radar that copes with range-Doppler ambiguity difficulty 88−74032
Nishimoto, S., Yamada, A., Ijichi, N. No.1 LNG cryogenic power generating plant for a terminal of the Tokyo Electric Power Company Incorporated 87−64491
Nishimoto, S. *see* Watanabe, H. 85−47598, 85−51512, 86−23944
Nishimoto, T., Nagao, M., Gotoh, T. Centralized controlling and distributed data processing system at Tanabe Seiyaku Co. Ltd 86−16948
Nishimoto, T. *see* Kume, H. 88−38540
Nishimoto, T. *see* Ohta, K. 87−10858
Nishimoto, T. *see* Sumi, T. 87−59508
Nishimoto, Y., Tokumasu, N., Fukuyama, T., Maeda, K. Low temperature chemical vapor deposition of dielectric films using ozone and organosilane 88−20103
Nishimoto, Y. *see* Iwata, K. 86−32591
Nishimukai, T., Hagiwara, Y., Uchiyama, K., Hanawa, M., Hasegawa, A. A high performance 32-bit microprocessor 87−37378
Nishimukai, T. *see* Inayoshi, H. 88−32239, 88−50178
Nishimukai, T. *see* Iwaskai, K. 88−19079
Nishimukai, T. *see* Kawasaki, I. 88−38567
Nishimukai, T. *see* Takagi, K. 88−70858
Nishimura, A., Fukuma, M., Nirasawa, N., Makasuji, M., Ogasawara, I., Tanaka, S., Suzuki, S. Characterization of crosstalk of two-core single-mode bunch fiber 88−65223
Nishimura, A., Tatemichi, A., Miura, H., Sakamoto, T. Life estimation for IC plastic packages under temperature cycling based on fracture mechanics 87−73213
Nishimura, A. *see* Akutsu, S. 86−10954
Nishimura, A. *see* Banerjee, S.K. 87−24190
Nishimura, A. *see* Doi, H. 86−14635
Nishimura, A. *see* Kitagawa, H. 88−57518
Nishimura, A. *see* Kitano, M. 88−56037
Nishimura, A. *see* Ondrusek, J.C. 88−50754
Nishimura, A. *see* Sakata, Y. 87−49110
Nishimura, A. *see* Shetti, S.S.M. 86−28461
Nishimura, A. *see* Tsuno, K. 87−50216
Nishimura, C., Nagai, Y., Yanagisawa, K., Toshima, T. Magnetic properties of NiFe films prepared using ion-beam sputtering 88−51198
Nishimura, E., Morita, N., Kumagai, N. Theoretical investigation of a gap coupling of two dielectric slab waveguides with arbitrarily shaped ends 85−18729
Nishimura, E., Morita, N., Kumagai, N. Theoretical study on the coupling of two-dimensional Gaussian beam to a dielectric slab waveguide 85−40216
Nishimura, E., Morita, N., Kumagai, N. An integral equation approach to electromagnetic scattering from arbitrarily shaped junctions between multilayered dielectric planar waveguides 86−2741
Nishimura, E., Takigawa, T., Abe, T., Katoh, Y. Proximity effect reduction in high voltage beam lithography by bias exposure method 86−35496
Nishimura, E. *see* Kawai, A. 87−2741
Nishimura, E. *see* Kinugawa, M. 88−71804
Nishimura, E. *see* Suzuki, K. 86−35442, 86−70263
Nishimura, E. *see* Tamura, Y. 88−45394
Nishimura, E. *see* Yoshimi, M. 88−26500
Nishimura, F. *see* Okada, T. 85−2202
Nishimura, H., Hirai, M., Kawai, T., Kawata, T., Shirakawa, I., Omura, K. Object modeling by distribution function and a method of image generation 85−51786
Nishimura, H., Nagase, H., Shiomi, T., Mizuno, T. A phase-control ballast for a miniature high-pressure sodium lamp offering good color rendition 86−26400
Nishimura, H., Terasaki, K., Kaide, T., Negishi, T., Fujita, T., Kusui, A. Super heat resistant and flame retardant irradiated crosslinked polyethylene insulated wire 87−30239
Nishimura, H. *see* Fukushima, Y. 86−31986
Nishimura, H. *see* Isoyama, G. 85−26551
Nishimura, H. *see* Kameyama, S. 88−13345
Nishimura, H. *see* Miyahara, Y. 85−26685
Nishimura, H. *see* Miyao, M. 86−18227
Nishimura, H. *see* Nagase, H. 88−49269
Nishimura, H. *see* Oowaki, Y. 86−47851
Nishimura, H. *see* Takahashi, C. 88−71439
Nishimura, H. *see* Takeda, S. 86−5696
Nishimura, H. *see* Tamogami, M. 86−49210
Nishimura, J., Numata, T., Ogasawara, H., Sakanoue, Y. Static method to measure vapor pressure in the temperature range below 1100K 86−24829
Nishimura, J. *see* Fujii, M. 85−15247, 86−50402
Nishimura, J. *see* Lapin, J. 86−33637
Nishimura, J. *see* Yamamoto, A. 88−65080
Nishimura, J. *see* Yamanaka, M.D. 87−71327
Nishimura, J. *see* Yoshimori, M. 88−29935
Nishimura, J., Nakamura, K., Yamamoto, A. *(editor)* Proceedings of the Astromag Workshop (KEK 87-19) 88−11620
Nishimura, K. Intra-office termination FRPE insulated cable 85−19998
Nishimura, K. Indoor wiring system for the INS 85−52346
Nishimura, K. Power system state estimation by binomial expansion 87−42304
Nishimura, K., Kobayashi, K., Tanaka, H., Arai, Y., Shimizu, H., Niikura, T. High-frequency high-power converter 88−75745
Nishimura, K., Miyakita, H., Morita, S., Okada, S. XM-1 international telephone number identification equipment 85−42370
Nishimura, K., Nishimae, I. Reliability of the CMOS process [microcomputer applications] 85−23950
Nishimura, K., Tanabe, T. Readback signal characteristics of coupled- and non-coupled-type magnetoresistive heads 86−68169
Nishimura, K. *see* Akisada, A. 86−60693
Nishimura, K. *see* Arai, M. 85−14055, 86−23611
Nishimura, K. *see* Arai, T. 85−3404, 85−3793, 85−37365
Nishimura, K. *see* Fukada, N. 86−33667
Nishimura, K. *see* Hayakawa, T. 86−4373, 88−21833
Nishimura, K. *see* Himono, Y. 86−4647
Nishimura, K. *see* Hirasawa, K. 87−14018
Nishimura, K. *see* Ida, S. 86−38138
Nishimura, K. *see* Ishihara, H. 85−20232, 86−17087
Nishimura, K. *see* Ito, K. 87−41224
Nishimura, K. *see* Kawamura, T. 86−12499
Nishimura, K. *see* Kuyama, K. 87−77044
Nishimura, K. *see* Mathur, K. 85−20294, 85−63779
Nishimura, K. *see* Minato, O. 87−59503
Nishimura, K. *see* Motohara, A. 87−37213
Nishimura, K. *see* Noguchi, N. 85−42794
Nishimura, K. *see* Ohyama, T. 86−18697
Nishimura, K. *see* Saeki, M. 88−32192
Nishimura, K. *see* Shimodaira, M. 87−40906, 87−48384
Nishimura, K. *see* Takada, J. 87−43461, 87−64821
Nishimura, K. *see* Tanabe, T. 86−15401, 87−25799
Nishimura, K. *see* Tawada, Y. 86−40075
Nishimura, K. *see* Tsuge, K. 87−9796
Nishimura, K. *see* Tsunashima, E. 88−64148
Nishimura, M. The two modes of 'single-mode' fiber 87−7152
Nishimura, M., Matsuda, Y. Monosyllable recognition by using intermediate cumulative distance and normalized distance similarity 86−64226
Nishimura, M., Shigesawa, H. A numerical analysis of receiving characteristics of a H-plane two-dimensional horn antenna 86−68907
Nishimura, M., Shigesawa, H. Scattering of Gaussian beam wave from conducting strips placed on the ground plate 87−68763
Nishimura, M., Sugawara, K. Speaker adaptation method for HMM-based speech recognition 88−66384
Nishimura, M., Suzuki, S. Measurement of mode field radius by far field pattern method 86−2831
Nishimura, M., Takamatsu, S., Shigesawa, H. A numerical analysis of electromagnetic scattering of perfect conducting cylinders by means of discrete singularity method improved by optimization process 85−41578
Nishimura, M., Tanaka, S., Kitayama, Y., Suzuki, S. Development of measuring techniques for mode field diameter and chromatic dispersion of single-mode optical fibers 85−58919
Nishimura, M., Toshioka, K. HMM-based speech recognition using multi-dimensional multi-labeling 87−61723
Nishimura, M. *see* Bonifield, T. 88−71452
Nishimura, M. *see* Buckland, E.L. 86−15465
Nishimura, M. *see* Hatton, W.H. 86−9475, 86−48153, 87−7122, 87−18632, 87−74739
Nishimura, M. *see* Kato, K. 87−7166
Nishimura, M. *see* Kuroda, H. 88−48761
Nishimura, M. *see* Miyachi, T. 88−36356
Nishimura, M. *see* Morimoto, T. 85−20281
Nishimura, M. *see* Ogai, M. 86−9553
Nishimura, M. *see* Ogasawara, S. 86−6727, 86−45461, 87−9639
Nishimura, M. *see* Okagawa, S. 87−8331
Nishimura, M. *see* Sato, H. 85−56352
Nishimura, M. *see* Shigesawa, H. 87−26945
Nishimura, M. *see* Sugawara, K. 86−16179, 87−27309
Nishimura, M. *see* Tabuchi, Y. 85−60540 to 60541
Nishimura, M. *see* Watanabe, M. 86−2820, 88−12095
Nishimura, N., Aikawa, Y., Sukigara, M. Photochromic display using WO_3 thin film 87−3675
Nishimura, N., Yamaguchi, S., Sugino, H. Permalloy foil based perpendicular magnetic recording media 86−36026
Nishimura, N. *see* Aikawa, Y. 85−58767
Nishimura, N. *see* Fujita, A. 87−7844
Nishimura, N. *see* Fukushima, Y. 85−64418
Nishimura, N. *see* Kobayashi, H. 86−68165
Nishimura, N. *see* Nomura, To. 88−42067
Nishimura, N. *see* Tosaka, S. 85−34406, 86−14747
Nishimura, N. *see* Yamagishi, H. 88−17973
Nishimura, R., Zaky, S. Bridge design in the Tornet local area network 86−17039
Nishimura, R. *see* Imaide, T. 87−41200
Nishimura, R. *see* Noda, M. 87−13915
Nishimura, R. *see* Yamaguchi, K. 85−35172, 86−57840
Nishimura, S. New memory dial telephone set−howdy memory 87−2959
Nishimura, S. New home telephone system with on-line security function 87−28252
Nishimura, S., Haneishi, M. Printed antennas 87−2357
Nishimura, S., Hirose, S., Sugiura, Y., Morimoto, Y., Sato, K., Nishikawa, Y. PCM sound receiver for direct satellite broadcasting 85−31175
Nishimura, S., Sugio, Y., Makimoto, T. Side-looking circularly polarized microstrip line planar antenna 86−68922
Nishimura, S., Usagawa, T., Ebata, M., Okda, J. Analysis of a moving sound source−orbit estimation using linear sensor array 87−27131
Nishimura, S. *see* Ayugase, N. 86−10767
Nishimura, S. *see* Kawakami, H. 86−31224
Nishimura, S. *see* Mensa-Ababio, K. 86−62755
Nishimura, S. *see* Nakanishi, T. 86−19644
Nishimura, S. *see* Nishino, Y. 85−3225
Nishimura, S. *see* Oku, K. 87−30735
Nishimura, S. *see* Yamagami, T. 85−30757
Nishimura, T. Laser rotary encoder 87−33349
Nishimura, T. Tracking operations of Sakigake and Suisei 87−71267
Nishimura, T. Random data processing in tracking of deep space mission 88−35461
Nishimura, T. Trends in large flexible structures in space 88−36589
Nishimura, T., Akasaka, Y., Nakata, H. SOI-CMOS devices on beam-recrystallized polysilicon 85−1735
Nishimura, T., Akasaka, Y., Nakata, H. High speed SOI-CMOS devices by laser recrystallization technique 86−8970
Nishimura, T., Horie, I., Shimizu, M. Micro Tuner [for TV receivers] 86−24063
Nishimura, T., Hoshino, Y. Electrophotographic color printing using elliptical laser beam scanning method 87−33395
Nishimura, T., Inoue, Y., Sugahara, K., Kusunoki, S., Kumamoto, T., Nakagawa, S., Nakaya, M., Horiba, Y., Akasaka, Y. Three dimension IC for high performance image signal processor 88−42165
Nishimura, T., Inoue, Y., Sugahara, K., Nakaya, M., Horiba, Y., Akasaka, Y. A three dimensional static RAM 86−41123
Nishimura, T., Kato, S., Tatsuki, M., Sato, H., Kohara, M., Sakaue, K., Hirao, T., Kuramitsu, Y. A bipolar 18K gate variable-size cell masterslice 87−17025
Nishimura, T., Matsumoto, T., Akasaka, Y. Laser recrystallization technique for active matrix LC display 85−52822
Nishimura, T., Moriki, H., Hiraki, T. Tuner for DBS receiver 85−58055
Nishimura, T., Morimoto, K. Determination of the measurement method of CFF as a reflection of visual fatigue 86−18281
Nishimura, T., Morimoto, K., Kishimoto, T., Nii, M. Correlation between subjective and objective rating of fatigue in VDT operations 87−50434
Nishimura, T., Murakami, T., Inoue, T., Nakaoka, M., Maruhashi, T. Evaluation of magnetic force in induction motor driven by 20 KHz carrier frequency sinusoidal PWM inverter 88−69388
Nishimura, T., Nakamura, M., Maruhashi, T. A high frequency inverter linked DC-DC converter using asymmetrical SCR 88−69487
Nishimura, T., Nakaoka, M., Maruhashi, T. Noise characteristics of an induction motor driven by PWM inverter with 20 kHz switching frequency using Bi-MOS power transistors 87−43327
Nishimura, T., Nakaoka, M., Maruhashi, T. Reduction of vibration and acoustic noise in induction motor driven by three phase AC chopper using static induction transistors 87−78681
Nishimura, T., Sato, H., Tatsuki, M., Hirao, T., Kuramitsu, Y. A bipolar 18K-gate variable size cell masterslice 87−10806

Nishimura, T., Sugahara, K., Akasaka, Y., Nakata, H. Vertically integrated MOS devices with double active layers 85−45899
Nishimura, T., Takahama, M. Tuner for BS receiver 86−65052
Nishimura, T., Yoshimura, H. CATV tuner 87−34820
Nishimura, T. *see* Akasaka, Y. 85−50775, 87−46127, 88−33320
Nishimura, T. *see* Arai, K. 85−43626
Nishimura, T. *see* Hirose, S. 86−44190
Nishimura, T. *see* Hoshino, Y. 87−12640
Nishimura, T. *see* Hosokawa, T. 86−37949
Nishimura, T. *see* Iga, K. 85−2288, 85−62586, 86−68540
Nishimura, T. *see* Inoue, T. 88−69389
Nishimura, T. *see* Inoue, Y. 86−52832, 86−62243, 87−38141
Nishimura, T. *see* Ishizu, A. 85−49604, 86−31531, 87−3681, 87−31576
Nishimura, T. *see* Kobayashi, K. 88−20099
Nishimura, T. *see* Kozono, I. 87−37338
Nishimura, T. *see* Kumamoto, T. 88−844, 88−32284
Nishimura, T. *see* Kurasaki, T. 86−9223
Nishimura, T. *see* Kusunoki, S. 88−6948, 88−64374
Nishimura, T. *see* Levy, G.S. 87−28712
Nishimura, T. *see* Morimoto, K. 87−49522
Nishimura, T. *see* Nagahama, K. 85−50571
Nishimura, T. *see* Nakano, A. 86−50865
Nishimura, T. *see* Nakaoka, M. 87−73321
Nishimura, T. *see* Nakashima, S. 86−40753
Nishimura, T. *see* Nakazima, A. 87−4768
Nishimura, T. *see* Onga, M. 85−3683
Nishimura, T. *see* Sagahara, K. 87−25047
Nishimura, T. *see* Saito, S. 88−57939
Nishimura, T. *see* Sakamoto, K. 87−23933
Nishimura, T. *see* Sakashita, K. 86−41078
Nishimura, T. *see* Sugahara, K. 86−21848, 86−35541, 86−41805, 86−58541, 88−11978
Nishimura, T. *see* Tanaka, K. 86−50864
Nishimura, T. *see* Yamada, K. 86−2554, 86−7748
Nishimura, Y., Hamada, M., Hayasaka, Y. A new timing calibration method for high speed memory test 85−33917
Nishimura, Y., Hamada, M., Hidaka, H., Ozaki, H., Fujishima, K., Hayasaka, Y. Redundancy test for 1 Mbit DRAM using multi-bit-test mode 87−37300
Nishimura, Y., Hosui, M., Suzuki, Y. Physical design of the D70 Digital Switching system 86−17154
Nishimura, Y., Imai, H., Hasegawa, T. Low noise type cast resin transformers for building power supply 87−72213
Nishimura, Y., Ogawa, Y., Ishino, M., Matsuura, S. Super low noise dual gates MOS FET for TV tuner 86−58483
Nishimura, Y. *see* Hidaka, H. 88−19146
Nishimura, Y. *see* Hosokawa, H. 88−16364
Nishimura, Y. *see* Jaluria, R. 85−52203
Nishimura, Y. *see* Kumanoya, M. 86−8259, 86−20530
Nishimura, Y. *see* Miura, A. 87−35783
Nishimura, Y. *see* Nakazato, H. 87−24136
Nishimura, Y. *see* Umetsu, T. 87−40907
Nishimuta, I., Ishizawa, K., Kamishikiryo, S., Mitsudome, H., Yamashita, K., Otsu, Y. Observation of tropospheric scintillation along Earth-space paths 86−36720
Nishimuta, I., Mitsudome, H., Ohyama, H., Fujita, M. SIR-B experiments in Japan: surface activity−sensor calibration experiment. Yamagawa test site 88−53359
Nishimuta, I., Suzuki, A., Ishizawa, K., Kamishikiryo, S., Mitsudome, H., Minakoshi, H. Ionospheric scintillations of 12 GHz signal observed at low latitudes 86−36721
Nishimuta, I. *see* Kato, S. 87−40397
Nishimuta, K. *see* Fukuchi, H. 86−37846
Nishimuta, K. *see* Tsuchiya, S. 86−37848
Nishina, H. *see* Takata, N. 85−4896
Nishina, M., Matsuda, M., Tatsuoka, M., Masuda, M., Kotani, M. Heat pump type clothes drying system for bathroom installation 87−9959
Nishina, N., Narita, K., Kanechi, H., Matsumoto, A. High duty ratio graphic LCD modules 85−64211
Nishina, N., Narita, K., Takamine, T., Nakanishi, S., Inamura, H., Tanishige, A. Rubbing method for SBE-LCD fabrication 87−49858
Nishina, O. *see* Odawara, G. 87−59085
Nishina, T. *see* Kuritani, K. 87−48770
Nishina, T. *see* Okada, T. 86−4406
Nishina, Y. *see* Yamaguchi, K. 86−53488
Nishinaga, T. Highly lattice mismatched heteroepitaxy (HM^2) and its growth mechanism 88−12010
Nishinaga, T., Kyoung-Ik Cho Theoretical study of mode transition between 2d-nucleation and step flow in MBE growth of GaAs 88−31810
Nishinaga, T. *see* Ishida, M. 86−26858
Nishinaga, T. *see* Nishio, M. 87−16610
Nishinaga, T. *see* Pak, K. 85−39723, 87−17953, 87−32250
Nishinaka, H. *see* Kobayashi, M. 85−31546
Nishinaka, H. *see* Shida, K. 86−35397, 88−15899
Nishinaka, H. *see* Wada, T. 85−58831, 86−24685
Nishinaka, H. *see* Yamazaki, T. 85−48040
Nishinaka, T. *see* Shida, K. 87−14462
Nishine, K. *see* Morikawa, A. 86−38351
Nishine, S. *see* Fujita, K. 87−44307
Nishine, S. *see* Inoue, T. 86−52431
Nishine, S. *see* Matsumoto, K. 86−7750
Nishine, S. *see* Yokogawa, M. 86−1731
Nishino, A. *see* Yoshida, A. 87−52907
Nishino, A., Yoshida, A., Tanahashi, I., Tajima, I., Yamashita, M., Muranaka, T., Yoneda, H. Flat electric double-layer capacitors with activated carbon fiber electrodes gold capacitor E and F Series' 86−1401
Nishino, H., Ohnishi, M. A new inverter ballast for fluorescent desk lamps 88−11479
Nishino, H. *see* Bessho, K. 86−29321
Nishino, H. *see* Fukai, M. 87−63048
Nishino, H. *see* Hagiwara, Y. 85−17466
Nishino, H. *see* Horiike, Y. 88−19833
Nishino, H. *see* Hoshiai, F. 87−66702
Nishino, H. *see* Igarashi, K. 86−25455
Nishino, H. *see* Tanaka, K. 87−63050
Nishino, H. *see* Utsumiya, K. 85−52042
Nishino, I., Ichinose, Y., Sorimachi, Y., Tsubata, I. Evaluation of Cu-Ni alloy as a material of thin film resistors 85−55188
Nishino, I., Mukoyama, K., Tomiyama, S. Gold in IC packaging 87−72851
Nishino, K. *see* Shimanuki, Y. 87−2808
Nishino, K. *see* Shiraishi, K. 85−56272
Nishino, M. Telecommunication facilities for road section [of the Honshi-Bisan Line] 88−66819
Nishino, M., Iwai, A., Katoh, Y. Detection method of the Doppler shift of magnetospheric waves transmitted from Decca Navigation Station (Biei, Japan) 85−57043
Nishino, M., Nomura, H., Amemiya, F. Establishing transmission performance parameters for digital telephone sets 85−14066
Nishino, M., Tanaka, Y., Katoh, Y. Detection of the whistler-mode signals from VLF transmitter and their intensity characteristics 88−20910
Nishino, M. *see* Kato, S. 87−13963
Nishino, M. *see* Kobayashi, T. 88−20305
Nishino, M. *see* Matsumoto, K. 85−47287
Nishino, M. *see* Nomura, H. 87−34239
Nishino, M. *see* Oikawa, H. 88−46731, 88−46736
Nishino, M. *see* Yasukawa, H. 87−19218
Nishino, S., Kimoto, T., Furusawa, K., Matsunami, H. SiO_2 deposition by photo-initiation 87−31583
Nishino, S., Shibahara, K., Dohmae, S., Matsunami, H. Production of single crystalline cubic-SiC with 2-inch diameter by CVD and characteristics of MOS diodes 85−44757
Nishino, S., Suhara, H., Ono, H., Matsunami, H. Epitaxial growth and electric characteristics of cubic SiC on silicon 87−52120
Nishino, S. *see* Dohmae, S. 86−21406
Nishino, S. *see* Kuroda, N. 88−18708
Nishino, S. *see* Matsunami, H. 87−37914
Nishino, S. *see* Murata, M. 88−19141
Nishino, S. *see* Ozasa, K. 88−63311
Nishino, S. *see* Shibahara, K. 85−23574, 87−23647, 87−25339, 87−58960, 88−26208, 88−43899, 88−44778
Nishino, T. Electroluminescence 86−42446
Nishino, T. Inverter for air conditioning facilities 87−5097
Nishino, T., Hatano, M., Kawabe, U. Superconducting transistor 87−60855
Nishino, T., Ikeda, K., Mizuno, H., Nagai, K. Development of automatic visual inspection system for HIC bare board 87−17573
Nishino, T., Kawabe, U. Three-terminal superconducting device could lead to much faster computers 85−44993
Nishino, T., Miyake, M., Harada, Y., Kawabe, U. Three-terminal superconducting device using a Si single-crystal film 85−50870
Nishino, T., Miyake, M., Harada, Y., Kawabe, U. A three-terminal superconducting device composed of a semiconductor-coupled Josephson junction and a gate electrode 86−36097
Nishino, T., Nakane, H., Tarutani, Y., Hirano, M., Aida, T., Kominami, S., Kawabe, U. Light detection by superconducting weak link fabricated with high-critical-temperature oxide-superconductor film 87−70649
Nishino, T., Tarutani, Y., Hatano, Y., Kawabe, U. Switching speed of DCL-gates with high-J_c Josephson junctions 85−56216
Nishino, T., Tarutani, Y., Kawabe, U. Josephson current deviation in small area junctions with double insulating layers 85−29491
Nishino, T. *see* Awaka, J. 86−36719
Nishino, T. *see* Fujisawa, A. 88−50633
Nishino, T. *see* Fujiwara, Y. 86−21372, 86−67787, 87−16612
Nishino, T. *see* Hatano, M. 87−1913
Nishino, T. *see* Kawabe, U. 87−60866
Nishino, T. *see* Kondo, M. 85−60965, 87−23640
Nishino, T. *see* Nagai, K. 87−44017
Nishino, T. *see* Nakane, H. 88−7825, 88−13703, 88−20315
Nishino, T. *see* Shirakata, S. 85−49565
Nishino, T. *see* Tarutani, Y. 85−45012
Nishino, T. *see* Tonami, Y. 88−49836
Nishino, Y. Special requirements and LSIs for telephone sets 88−15234
Nishino, Y., Amagasa, M. Electronic automatic dialling telephone set 87−55861
Nishino, Y., Fujito, K., Ichida, T. FM-FDM multi-channel video signals optical transmission equipment 88−28866
Nishino, Y., Kishimoto, Y. Circuit configuration for advanced answering telephone sets 87−28230
Nishino, Y., Naganawa, T., Nishimura, S., Kato, K. Single chip LSI for all-electronic telephone sets 85−3225
Nishino, Y. *see* Fujito, K. 86−43871, 88−28867
Nishino, Y. *see* Ishino, Y. 85−3230
Nishinoi, S., Jinguji, K. Development of a wide range γ radiation dose rate meter 86−38845
Nishinokubi, H., Kanehara, H., Yada, S., Takaki, Y., Kuno, T. On the comparison between the Tucker-type and the microwave-type wave recorders 87−57381
Nishinomiya, T. *see* Maruyama, T. 85−42774
Nishinura, M. *see* Okagawa, S. 86−42334
Nishio, F. *see* Mineno, H. 88−35584
Nishio, H. *see* Hiroe, A. 88−37548
Nishio, H. *see* Kondo, M. 88−37477
Nishio, J., Terashima, K. Precise melt composition control for LEC GaAs 88−11959
Nishio, J. *see* Terashima, K. 86−52435, 87−73046
Nishio, K. Vector space approach of resistive *p*-port networks 87−390
Nishio, K. Short circuiting and the immittance matrix in a generalized network 88−70411
Nishio, K., Watanabe, Y., Takagi, S., Furihata, M., Nagata, M., Yanagisawa, T. A realization of monolithic variable integrators and its application to automatically tunable high-frequency active filters 88−12506
Nishio, K. *see* Kobayashi, E. 88−4334
Nishio, K. *see* Yabe, H. 85−28687
Nishio, M., Koshijima, I., Shiroko, K., Umeda, T. A rational approach to a choice of energy conservation technologies in a total energy system 85−5583
Nishio, M., Nakamura, Y., Ogawa, H. Analytic consideration for vapor growth of ZnTe in a closed-tube system 85−39792
Nishio, M., Ogawa, H. Theoretical considerations on ZnTe-iodine transport in a closed-tube system 85−16904
Nishio, M., Ogawa, H. Chemical vapor transport in the ZnTe-HCl closed-tube system and its thermodynamic analysis 87−16604
Nishio, M., Ogawa, H., Nishinaga, T., Washiyama, M. PL property of ZnTe grown by chemical transport and its growth method dependency 87−16610
Nishio, M., Ota, K., Ogawa, H., Komorita, K. Thermodynamic calculation of $ZnTe_{1-x}Se_x$ mixed crystals in a closed tube growth system 87−58907
Nishio, M., Sato, H., Suzuki, T. A gyrator constructed by CCII with variable current transfer ratio 86−62692
Nishio, M., Shibasaki, K. A modified self-calibration method for the gain and the phase of a radio interferometer 85−51509
Nishio, M., Shimizu, N., Shiomi, Y., Satoda, M., Ohrui, T., Kagawa, S. Distributed processing architecture for APEX/NEAX2400 VMM (voice mail module) 87−48490
Nishio, M., Torii, C., Enome, S., Shibasaki, K., Tsukiji, Y., Kobayashi, S., Yoshimi, N., Takata, S., Takayanagi, T., Ishiguro, M. The improved λ 8-cm radioheliograph at Toyokawa 85−20288
Nishio, M., Tsukiji, Y., Kobayashi, S., Shibasaki, K., Enome, S. Real time solar image processor (RSIP) for the λ 8-cm radioheliograph at Toyokawa 86−69875
Nishio, M., Tsukiji, Y., Kobayashi, S., Shibasaki, K., Enome, S. A real-time image processor with multi-channel correlator for solar radio observations 88−60347
Nishio, M., Umeda, T., Takamatsu, T. A basic approach to optimal common use of energy among process industries 86−26452
Nishio, M. *see* Akeyama, A. 88−45700
Nishio, M. *see* Goto, N. 85−28642, 87−52709
Nishio, M. *see* Kasahara, H. 85−36653, 86−43482
Nishio, M. *see* Kikuchi, K. 87−53689
Nishio, M. *see* Numai, T. 88−35475
Nishio, M. *see* Ogawa, H. 85−39793
Nishio, M. *see* Takeda, J. 85−36560
Nishio, M. *see* Takesita, M. 87−34754
Nishio, S. *see* Ando, T. 86−42798
Nishio, S. *see* Kawano, H. 88−46334, 88−46345
Nishio, T., Fukui, Y., Iwama, Y. Effect of zirconium on stabilization for the 1-7 phase in 2-17 type Sm-Co permanent magnet 88−51243
Nishio, T. *see* Fukui, Y. 88−51193
Nishio, Y., Masuda, I., Ikeda, T., Iwamura, M., Ogiue, K., Suzuki, Y. A subnanosecond low power advanced bipolar-CMOS gate array 85−33858

Nishio, Y., Murabayashi, F., Masuda, I., Maejima, H., Owaki, S., Yamazaki, K., Kadono, S. 0.45 ns 7 K Hi-BiCMOS gate array with configurable 3-port 4.6 K SRAM 87−59378
Nishio, Y., Ogiue, K., Kadono, S. Applications of Hi-BiCMOS technology 87−38351
Nishio, Y., Ootuka, Y., Kajita, K., Iwata, T., Sasaki, W. Reverse annealing effect in the neutron-irradiated Si:P system 86−14847
Nishio, Y. *see* Doi, M. 87−77056
Nishio, Y. *see* Higuchi, H. 85−55922
Nishio, Y. *see* Hiro, M. 85−63869
Nishio, Y. *see* Ikeda, T. 87−60526
Nishio, Y. *see* Kuroki, F. 87−37522
Nishio, Y. *see* Masuda, I. 85−28495, 87−52503
Nishio, Y. *see* Watanabe, A. 86−47746
Nishioka, A. *see* Ictikawa, M. 88−47697
Nishioka, H., Shibata, K., Shimizu, Y., Shibata, K., Wani, H. Development of Shimadzu digital subtraction system 85−38103
Nishioka, H., Tanaka, S., Miyata, K., Sano, K. Development of CMOS LSI LR3730 for tape deck control 85−58447
Nishioka, H. *see* Ueda, K. 88−8129
Nishioka, I. *see* Kambe, T. 86−57795
Nishioka, I. *see* Kobori, K.I. 85−27822
Nishioka, I. *see* Kojima, I. 87−646
Nishioka, I. *see* Kubo, N. 85−39855
Nishioka, K. Algebraic independence of certain power series of algebraic numbers 86−57334
Nishioka, K., Yoneda, M., Morimoto, H., Uoya, S. LECR RIBE for submicron patterning 87−45808
Nishioka, K. *see* Matsuda, M. 88−3471
Nishioka, M. *see* Arakawa, Y. 85−28990, 88−8176
Nishioka, M. *see* Fujii, Y. 88−33546
Nishioka, M. *see* Sakaki, H. 85−23501
Nishioka, N. *see* Nii, K. 85−48873, 87−4193
Nishioka, N. *see* Suesada, Y. 87−41314
Nishioka, N.S. *see* Teng, P. 88−8369, 88−16762
Nishioka, T., Itoh, Y., Yamaguchi, M. Electrical and optical properties of GaAs heteroepitaxial films on Si substrates 88−39076
Nishioka, T., Shinoda, Y., Ohmachi, Y. Raman microprobe analysis of stress in Ge and GaAs/Ge on SiO_2-coated Si substrates 85−22481
Nishioka, T. *see* Itoh, Y. 87−30938, 87−43430, 88−55618
Nishioka, T. *see* Kawazu, S. 85−23829
Nishioka, T. *see* Kobayashi, K. 88−20099
Nishioka, T. *see* Koyama, H. 85−40648, 87−1345
Nishioka, T. *see* Yamaguchi, M. 88−37427
Nishioka, Y. Rewritable magneto-optical disk drive unit 88−13954
Nishioka, Y., Da Silva, E.F., Jr., Ma, T.-P. Time-dependent evolution of interface traps in hot-electron damaged metal/SiO_2/Si capacitors 88−19747
Nishioka, Y., da Silva, E.F., Jr., Ma, T.-P. Radiation-induced interface traps in Mo/SiO_2/Si capacitors 88−25989
Nishioka, Y., Da Silva, E.F., Jr., Wang, Y., Ma, T.-P. Dramatic improvement of hot-electron-induced interface degradation in MOS structures containing F or Cl in SiO_2 88−25984
Nishioka, Y., Homma, N., Shinriki, H., Mukai, K., Yamaguchi, K., Uchida, A., Higeta, K., Ogiue, K. High capacitance ultra-thin Ta_2O_4 dielectric film applied to a high-speed bipolar memory cell 86−47779
Nishioka, Y., Homma, N., Shinriki, H., Mukai, K., Yamaguchi, K., Uchida, A., Higeta, K., Ogiue, K. Ultra-thin Ta_2O_5 dielectric film for high-speed bipolar memories 87−74408
Nishioka, Y., Kimura, S., Shinriki, H., Mukai, K. Dielectric characteristics of double layer structure of extremely thin Ta_2O_5/SiO_2 on Si 87−37991
Nishioka, Y., Shinriki, H., Mukai, K. Influence of SiO_2 at the Ta_2O_5/Si interface on dielectric characteristics of Ta_2O_5 capacitors 87−59920
Nishioka, Y. *see* Chinriki, H. 87−45813
Nishioka, Y. *see* da Silva, E.F., Jr. 88−7370, 88−25990, 88−39492
Nishioka, Y. *see* Hakaridani, M. 85−46719
Nishioka, Y. *see* Homma, N. 87−10862
Nishioka, Y. *see* Kato, H. 87−78144
Nishioka, Y. *see* Kato, M. 85−24362
Nishioka, Y. *see* Shinriki, H. 88−71819
Nishioka, Y. *see* Shrinriki, H. 88−19845
Nishioka, Y. *see* Wang, X.W. 88−71353
Nishioka, Y. *see* Wang, Y. 88−50742
Nishioka, Y. *see* Yamaguchi, K. 87−17083
Nishisaki, T. *see* Kuroda, Y. 87−30879
Nishita, S. *see* Kozaki, T. 88−46770
Nishita, S. *see* Yamakido, K. 87−20297, 88−59872
Nishitani, H., Umezu, Y., Ogawa, K., Yuzuriha, H., Tanaka, H., Matsuura, K. Dual-energy projection radiography using condenser X-ray generator and digital radiography apparatus 87−29745
Nishitani, K. *see* Aono, K. 85−55170
Nishitani, K. *see* Fukuda, T. 87−10969
Nishitani, K. *see* Ito, K. 88−19401
Nishitani, K. *see* Kawamata, M. 85−20372
Nishitani, K. *see* Mizoguchi, S. 88−74167
Nishitani, K. *see* Shimura, T. 87−25591
Nishitani, K. *see* Takano, S. 85−49860, 87−10877, 87−59497, 88−6827
Nishitani, K. *see* Tanino, N. 87−31908
Nishitani, K. *see* Yamaguchi, F. 88−12509
Nishitani, M. *see* Yukami, N. 85−56434, 86−48268
Nishitani, T. Tandem transcoding without distortion accumulation 86−43167
Nishitani, T. Signal processor design methodology 87−59557
Nishitani, T. Recent trends in digital signal-processor development 88−16017
Nishitani, T. A parallel video signal processor, based on overlap save techniques 88−74135
Nishitani, T., Hisada, M., Sakamoto, K., Narita, K. CMOS floating point signal processor 85−49935
Nishitani, T., Kuroda, I., Kawakami, Y., Tanaka, H., Nukiyama, T. Advanced single-chip signal processor 87−17141
Nishitani, T., Kuroda, I., Satoh, M., Katoh, T., Aoki, Y. A CCITT standard 32 kbit/s ADPCM LSI codec 87−37330
Nishitani, T., Kuroda, I., Satoh, M., Katoh, T., Fukuda, R., Aoki, Y. A CCITT standard 32 kbps ADPCM LSI codec 86−17064
Nishitani, T., Ohasa, K., Tsukada, K., Ohgushi, Y. Optical serial highway for CAMAC system using high-performance optical bus adaptors 85−63663
Nishitani, T., Tamitani, I., Harasaki, H., Yamashina, M., Enomoto, T. Video signal processor configuration by multiprocessor approach 87−20710
Nishitani, T. *see* Enomoto, T. 87−59594
Nishitani, T. *see* Harasaki, H. 87−63150, 88−53587
Nishitani, T. *see* Iwadare, M. 88−40784
Nishitani, T. *see* Kawakami, Y. 87−17157, 87−24243
Nishitani, T. *see* Kuroda, I. 86−67249, 87−59575
Nishitani, T. *see* Maruta, R. 88−785
Nishitani, T. *see* Raulin, J.M. 85−41842
Nishitani, T. *see* Sato, M. 86−10847
Nishitani, T. *see* Tamitani, I. 88−44219
Nishitani, T. *see* Yamashina, M. 87−62392, 88−19178, 88−63705
Nishitani, Y. *see* Ushijima, I. 85−22506
Nishitoba, M. *see* Takahashi, I. 88−18098
Nishitoba, S. *see* Fujiwara, K. 87−73286
Nishitsuji, A. *see* Awaka, J. 86−3520
Nishitsuji, A. *see* Hoshiyama, M. 86−3532, 86−48579, 86−68740
Nishiuchi, H. *see* Kudoh, S. 86−59642
Nishiuchi, K., Kobayashi, N., Kuroda, S., Notomi, S., Mimura, T., Abe, M., Kobayashi, M. A subnanosecond HEMT 1-kbit static RAM 87−5883
Nishiuchi, K. *see* Abe, M. 85−40937, 87−6881, 87−46211
Nishiuchi, K. *see* Kobayashi, N. 86−34808, 86−52833
Nishiuchi, K. *see* Kuroda, S. 85−54900
Nishiuchi, K. *see* Mimura, T. 85−55852
Nishiuchi, K. *see* Shibatomi, A. 85−50739
Nishiuchi, K. *see* Watanabe, Y. 87−17027
Nishiuchi, K. *see* Yamada, N. 88−45046
Nishiuma, M., Hamana, T., Dan, M., Hagio, M., Kazumura, M., Muramatsu, K. GaAs high-gain MMIC amplifier for UHF band 86−57677
Nishiuma, M., Katsu, S., Nagata, S., Ohmoto, N., Ueda, D., Kazumura, M., Kano, G. A UHF GaAs multi-stage wideband amplifier with dual feedback circuits 88−18953
Nishiuma, M., Nambu, S., Hagio, M., Kano, G. A GaAs monolithic low-noise negative feedback amplifier using a dual-gate MESFET 85−34191
Nishiuma, M. *see* Katsu, S. 87−23961, 88−18952
Nishiuma, M. *see* Ohta, I. 86−53782, 87−32721
Nishiumi, H. *see* Mitarai, G. 85−17170
Nishiumi, H. *see* Takata, I. 86−41764
Nishiumi, T. *see* Aihara, S. 88−1012
Nishiura, A. *see* Hashimoto, O. 86−45544, 86−67853, 87−38235
Nishiura, J. *see* Kobayashi, H. 87−33064
Nishiura, J. *see* Shimizu, M. 86−46751
Nishiura, J. *see* Tanaka, S. 87−33062, 88−16333, 88−65475
Nishiura, J. *see* Yoshiyama, H. 88−31838
Nishiura, M., Tanabe, E., Kamiyama, M., Urabe, K., Takeda, Y., Kawashima, M., Uchida, Y. Amorphous silicon active matrix substrates for liquid crystal TV sets 88−74519
Nishiura, M., Ueno, M., Kato, T., Uchida, Y., Nagakusa, S. Amorphous silicon contact type image sensor 88−74469
Nishiura, M. *see* Hayakawa, Y. 86−7742
Nishiura, M. *see* Sakai, H. 85−27633
Nishiura, M. *see* Shimokawa, R. 87−9799, 87−36149
Nishiura, N. *see* Yonezawa, Y. 86−32321, 88−48164
Nishiura, T., Okada, T., Katagiri, K., Owaki, S., Nakahara, S. Frictional behavior in a superconducting coil 86−42192
Nishiura, T., Owaki, S., Katagiri, K., Okada, T. Frictional behaviour in superconducting coil 85−62260
Nishiura, T. *see* Katagiri, K. 85−46025
Nishiura, T. *see* Tsuji, K. 86−32745
Nishiura, Y. *see* Inoue, K. 86−53757
Nishiwaki, A. A light modulator for distance measurement eliminating the temperature dependence of the static birefringence. I 85−64287
Nishiwaki, A., Okada, M., Takada, N., Watanabe, H. Optical properties of Ta_2O_5 and Nb_2O_5 thin-film waveguides fabricated by MOCVD method 88−72123
Nishiwaki, H., Arai, H., Goto, N. An approximate analysis of a multi-slotted directional coupler for monitoring the output of gyrotron 87−59836
Nishiwaki, H. *see* Nakano, S. 87−36130
Nishiwaki, H. *see* Ohnishi, M. 85−61005, 88−31852
Nishiwaki, H. *see* Takahama, T. 87−22741
Nishiwaki, H. *see* Tsuda, S. 87−31573, 87−31579
Nishiwaki, K., Goto, Y. Gas circuit breaker for neutral resistance 86−40009
Nishiwaki, K., Watanabe, K., Inadome, I., Amano, M. Advanced 72/84 kV tank type gas circuit breaker 88−17781
Nishiwaki, K., Watanabe, K., Yamashiki, T. 72/84 kV SF gas circuit breaker type FOP 86−71019
Nishiwaki, K. *see* Matsuhisa, T. 86−61693
Nishiwaki, M., Matoba, T., Kawabata, H. A high-sensitivity FM radio [PLL detector IC] 85−31178
Nishiwaki, M. *see* Iijima, Y. 87−8418
Nishiwaki, M. *see* Koga, T. 86−17060
Nishiwaki, M. *see* Togawa, T. 87−48572
Nishiwaki, M. *see* Yashiro, Z. 86−30394, 86−64639, 87−33938
Nishiwaki, M. *see* Yoshida, K. 87−69810
Nishiwaki, N. *see* Noguchi, S. 88−74683
Nishiwaki, S. *see* Kawada, H. 88−24082
Nishiwaki, S. *see* Kojima, S. 88−23576
Nishiwaki, S. *see* Nojima, K. 88−11324
Nishiwaki, S. *see* Ogawa, S. 86−51804
Nishiwaki, Y. *see* Hinata, J. 87−59607
Nishiwaki, Y. *see* Okamoto, K. 85−7285
Nishiwaki, Y. *see* Yoshida, K. 85−56347, 85−58892
Nishiya, K. *see* Hasegawa, J. 87−78012
Nishiya, K. *see* Minagawa, K. 87−30887
Nishiya, K.-I. *see* Hasegawa, J. 87−50881
Nishiya, T., Funabashi, M. Stereo matching method based on network algorithm 86−64362
Nishiya, T., Funabashi, M., Matsumoto, K. A basis factorization method for multi-stage linear programming problems with an application to optimal operation of an energy plant 85−4561
Nishiyama, A., Ushiku, Y., Kunishima, I., Itoh, H. Two steps tungsten selective CVD for high speed CMOS device applications 88−71805
Nishiyama, A. *see* Izumi, T. 87−57148
Nishiyama, A. *see* Murayama, Y. 86−10982
Nishiyama, A. *see* Ushiku, Y. 87−60669, 88−51010
Nishiyama, E. *see* Tanaka, T. 87−43404
Nishiyama, F., Shizuma, K., Iwatani, K., Hasai, H. Bremsstrahlung X-rays produced by operating 2.5 MV van de Graaff (VdG) accelerator 85−64349
Nishiyama, F. *see* Hasai, H. 85−64348, 87−77475
Nishiyama, F. *see* Nishibayashi, Y. 85−60996
Nishiyama, F. *see* Ohmi, K. 88−31841
Nishiyama, F. *see* Shimizu, K. 86−6004
Nishiyama, H. *see* Cain, C.A. 87−71115
Nishiyama, H. *see* Hashimoto, H. 88−5890
Nishiyama, H. *see* Itaya, H. 88−67707
Nishiyama, H. *see* Minami, N. 85−54148
Nishiyama, H. *see* Yoshida, M. 88−37723
Nishiyama, I. *see* Hamamoto, N. 85−42442, 86−11028, 87−28490, 88−15424
Nishiyama, I. *see* Kato, S. 87−40397
Nishiyama, I. *see* Kosaka, K. 86−64907
Nishiyama, I. *see* Otsu, Y. 87−48996
Nishiyama, I. *see* Sasaoka, H. 85−30971
Nishiyama, I. *see* Suzuki, R. 87−40812
Nishiyama, K., Amano, M., Kajikawa, T. Effect of condensing surface moved periodically to heat transfer performance 87−22173
Nishiyama, K., Aso, A., Nakashiba, H., Matsuura, H., Tanaka, A., Itoh, J., Nishiguchi, N., Noda, S. New interface for NEC gate array 88−19055
Nishiyama, K., Mita, T. Application of complex Kalman filter to NMR spectroscopy 88−16729
Nishiyama, K., Mita, T. Frequency spectrum estimation method using complex Kalman filter 88−34710
Nishiyama, K., Ozaki, H., Akiyama, C., Fujioka, T., Kimura, A., Maruyama, M., Ohtsuka, T., Itoh, J. The new interface for NEC gate array 87−31821
Nishiyama, K. *see* Amano, M. 87−22178
Nishiyama, K. *see* Fujihira, M. 86−58834
Nishiyama, K. *see* Kajikawa, T. 87−22180
Nishiyama, K. *see* Kayama, N. 86−5302
Nishiyama, K. *see* Kuromori, K. 88−74639
Nishiyama, K. *see* Miyazawa, I. 86−34451
Nishiyama, K. *see* Murata, Y. 86−4225

Nishiyama, K. *see* Suzuki, K. 87—20899

Nishiyama, M. *see* Janischewskyj, W. 87—30189

Nishiyama, N., Inoue, K. Partial feature extraction of two-dimensional pattern consisting of line segments by psychological approach 86—23133

Nishiyama, N., Inoue, K. A coding method using block coding for thinned line drawing 88—34575

Nishiyama, N. *see* Aoi, H. 87—25820

Nishiyama, N. *see* Baba, N. 85—1949

Nishiyama, N. *see* Miyazaki, S. 86—7488

Nishiyama, S. Progress of materials development is needed for spread of SAW filters 86—58651

Nishiyama, S. *see* Endoh, N. 86—18622

Nishiyama, S. *see* Fujino, N. 87—69070

Nishiyama, S. *see* Kaiki, N. 85—63017

Nishiyama, S. *see* Miki, I. 88—48969

Nishiyama, S. *see* Mizoguchi, R. 87—27248

Nishiyama, S. *see* Nam Sang Cheon 86—50863

Nishiyama, S. *see* Narasaki, N. 85—50794

Nishiyama, S. *see* Obana, S. 88—41206

Nishiyama, S. *see* Tsunoda, M. 87—55024

Nishiyama, T. One-hundred km overwater span digital radio system—LS-200 M system 86—30626

Nishiyama, T. Digital radio-relay system in 6 GHz band sharing a protection channel with 4 and 5 GHz bands 86—49463

Nishiyama, T. Economical 11 GHz small capacity digital radio-relay system—11S-24M system 86—59781

Nishiyama, T., Noguchi, K., Mouri, K., Iwata, H., Shinohara, T. Recording characteristics of metal-in-gap mini composite head 88—51296

Nishiyama, T., Okamoto, H., Emori, T. A real time processing method and its evaluation for top-down speech recognition based on phoneme matching 88—45995

Nishiyama, T. *see* Kuninobu, S. 87—60683

Nishiyama, T. *see* Nakatani, S. 87—40730, 88—46891

Nishiyama, T. *see* Ohigashi, N. 85—2186

Nishiyama, T. *see* Watanabe, T. 87—5844

Nishiyama, Y., Yamada, T., Matsumura, H. A study on the container inspection and maintenance system under the CSC [Convention for Safe Containers] 85—28014

Nishiyama, Y. *see* Kirihara, Y. 87—48438

Nishiyana, S. *see* Matsubara, I. 86—56448

Nishizaka, T. *see* Koike, M. 87—31899, 88—19139

Nishizaka, T. *see* Matsumoto, K. 86—34858

Nishizaki, T. *see* Nakata, T. 88—1856

Nishizako, S. The new Series MS-K low-voltage magnetic motor starters: a wide range of applications and worldwide acceptance 85—53794

Nishizawa, A. *see* Okajima, S. 85—46322

Nishizawa, F., Kawamura, H. Ultralarge color TVs and projection TVs 87—49268

Nishizawa, H., Inoue, H., Yanagida, I., Toshima, H. World's largest capacity 65 MW bulb generating unit for Tadami Project 88—75502

Nishizawa, H., Itomi, K., Hibino, S., Ishibashi, F. Study on reliable reduction of stray load losses in three-phase induction motor for mass production 88—5687

Nishizawa, H. *see* Kuhara, Y. 86—42440

Nishizawa, H. *see* Terauchi, H. 86—54044

Nishizawa, J. Levelling up of the operating frequency and output power of SIT 85—1608

Nishizawa, J. High performance semiconductor devices and perfect crystals 86—2188

Nishizawa, J. Static induction transistor 86—41835

Nishizawa, J. Future aspect of semiconductor industry in Japan 86—53503

Nishizawa, J. The transistor: a look back and a look ahead 88—26182

Nishizawa, J. New SITs challenge existing power semiconductors 88—26355

Nishizawa, J. New exploitation of the power semiconductor devices in Japan—power SITS and SI thyristors 88—71545

Nishizawa, J. SI thyristors hold promise for improved DC power transmission 88—75147

Nishizawa, J., Abe, H., Kurabayashi, T. Molecular layer epitaxy 85—54459

Nishizawa, J., Itoh, K., Okuno, Y., Sakurai, F. Blue light emission from ZnSe *p-n* junctions 85—41288

Nishizawa, J., Kimura, M. Layer growth in GaAs epitaxy 86—40742

Nishizawa, J., Koike, M., Dezaki, K., Shibata, J. Automatic measurement system for photocapacitometry analysis 86—38514

Nishizawa, J., Kokubun, Y. Recent progress in low temperature photochemical processes [VPE growth] 85—33463

Nishizawa, J., Kokubun, Y., Shimawaki, H., Koike, M. Photoexcitation effects on the growth rate in the vapor phase epitaxial growth of GaAs 86—428

Nishizawa, J., Kurabayashi, T. Molecular layer epitaxy 87—257

Nishizawa, J., Kurabayashi, T., Abe, H., Sakurai, N. Deposition mechanism of GaAs epitaxy 87—52133

Nishizawa, J., Kurabayashi, T., Abe, H., Sakurai, N. Gallium arsenide thin films by low-temperature photochemical processes 88—405

Nishizawa, J., Mitsui, K., Mitamura, K., Maruyama, S., Ikehara, M., Tamamushi, T. Low distortion, high efficiency and high carrier frequency, static induction transistor (SIT) type sinusoidal PWM inverter for uninterruptible power supplies (UPS) 87—43237

Nishizawa, J., Muraoka, K., Kawamura, Y., Tamamushi, T. Low-loss high speed switching device, 2500 V-300 A static induction thyristor 86—12922

Nishizawa, J., Muraoka, K., Kawamura, Y., Tamamushi, T. A low-loss high-speed switching device: the 2500-V 300-A static induction thyristor 86—47556

Nishizawa, J., Muraoka, K., Ohtshubo, Y., Sekimoto, H., Tamamushi, T. Performance trade-off for the static induction (SI) thyristor 88—71544

Nishizawa, J., Muraoka, K., Tamamushi, T., Kawamura, Y. Low-loss high-speed switching devices, 2300-V 150-A static induction thyristor 85—40717

Nishizawa, J., Nonaka, K., Tamamushi, T. A very high sensitivity phototransistor structure 86—2952

Nishizawa, J., Nonaka, K., Tamamushi, T. Static induction thyristor 86—9118

Nishizawa, J., Okuno, Y. Crystal growth of p-ZnSe and ZnSe p-n junctions 88—380

Nishizawa, J., Shimawaki, H., Kurabayashi, T., Kimura, M. Mechanism of crystal growth of GaAs in chemical vapor deposition (CVD) 88—421

Nishizawa, J., Shimawaki, H., Sakuma, Y. Reaction mechanism of GaAs vapor-phase epitaxy 87—31527

Nishizawa, J., Shimawaki, H., Sakuma, Y. Vapor-phase epitaxial growth of GaAs using $GaCl_3$ and AsH_3 88—70317

Nishizawa, J., Suzuki, R., Okuno, Y. *p*-type conduction in ZnSe grown by temperature difference method under controlled vapor pressure 86—40699

Nishizawa, J., Tamamushi, T. New thyristor applicable to DC power transmission 86—9119

Nishizawa, J., Tamamushi, T. Recent development and future potential of the power static induction (SI) devices 88—69524

Nishizawa, J., Tamamushi, T., Ikehara, M., Mitamura, K., Mitsui, K. 1 kW-class of the UPS using the static induction transistor (SIT) type sinusoidal PWM inverter 88—75844

Nishizawa, J., Tamamushi, T., Kato, C., Abe, T., Maeda, M., Komoda, T., Keno, T., Tomii, K., Miyamoto, Y. Recent development of the static induction (SI) thyristors 88—64541

Nishizawa, J., Tamamushi, T., Koga, T., Sugawara, S., Hayashi, H., Nozaki, T. 65 kHz, 100 kW static induction (SI) thyristor type voltage-controlled series resonant inverter for induction heating 87—79215

Nishizawa, J., Tamamushi, T., Koga, T., Sugawara, S., Hayashi, H., Sekimoto, H. 20 kHz, 5 kW class of the static induction thyristor type high frequency-link DC-to-DC converter 88—30825

Nishizawa, J., Tamamushi, T., Nonaka, K. Light-triggered and light-quenched static induction thyristors offer superior response and reliability 85—23758

Nishizawa, J., Tamamushi, T., Nonaka, K. Totally light controlled static induction thyristor 85—40718

Nishizawa, J., Tamamushi, T., Nonaka, K. Totally light controlled thyristor-optically triggerable and optically quenchable static induction photo-thyristor 85—41279

Nishizawa, J., Tamamushi, T., Nonaka, K. A very high sensitivity and very high speed light triggered and light quenched static induction thyristor (LTQSIThy) 85—51058

Nishizawa, J., Tamamushi, T., Nonaka, K. Functional integration of the light-triggered static induction thyristor and the static induction phototransistor 86—47665

Nishizawa, J., Tamamushi, T., Nonaka, K. The experimental and theoretical study on the high frequency and high efficiency SI thyristor type sinusoidal PWM inverter 88—75843

Nishizawa, J., Tamamushi, T., Nonaka, K., Shimomura, S., Watanabe, H. Fabrication and optical switching results on the integrated light triggered and quenched (LTO) static induction thyristor 87—38232

Nishizawa, J., Tamamushi, T., Nonaka, K., Watanabe, H. Fabrication and optical-switching results on the integrated light-triggered and quenched static induction thyristor 87—33052

Nishizawa, J., Tatsuta, M., Tamamushi, T. Recent development of the power static induction transistors in Japan 88—71595

Nishizawa, J., Yoshida, S. $In_{1-x}Ga_xP$ bulk crystal growth and $In_{1-x}Ga_xP$ epitaxial growth on $In_{1-x}Ga_xP$ substrate by the temperature difference method under controlled vapor pressure 86—66818

Nishizawa, J., Yoshida, S., Koike, M. Observation of the characteristic surface morphology of $In_{1-x}Ga_xP$ epitaxial layers with large lattice mismatch to the GaP substrate 87—16607

Nishizawa, J., Yukimoto, Y., Kondou, H., Harada, M., Pan, H. A double-gate-type static-induction thyristor 87—60441

Nishizawa, J. *see* Barsony, I. 85—47855, 86—41643, 87—41371

Nishizawa, J. *see* Kushida, T. 87—38233, 88—43278

Nishizawa, J. *see* Motoya, K. 86—2109

Nishizawa, J. *see* Muraoka, K. 87—22911

Nishizawa, J. *see* Nakamura, Y. 86—41775, 86—63300, 87—25259

Nishizawa, J. *see* Ogiwara, H. 86—39976

Nishizawa, J. *see* Suto, K. 85—29797, 86—68494, 87—68453, 88—14172

Nishizawa, J. *see* Tadano, H. 88—64540

Nishizawa, J. *see* Tamamushi, T. 88—71611

Nishizawa, J. *see* Tomizawa, K. 85—10661, 88—49790

Nishizawa, J. *see* Yusa, A. 86—50112, 86—65125

Nishizawa, J. *(editor)* Semiconductor technologies 1984 86—7374

Nishizawa, J.-I. SI thyristors hold promise for improved DC power transmission 88—75148

Nishizawa, J.-I., Tamamushi, T., Nonaka, K.-I., Suzuki, S. A very high gain and a wide dynamic range static induction phototransistor 85—24399

Nishizawa, J.-I. *see* Aoki, S. 88—75632

Nishizawa, J.-I. *see* Tadano, H. 88—75788

Nishizawa, J.-I. *see* Tatsuta, M. 88—75784

Nishizawa, J.I. Crystal growth by atomic layer epitaxy 85—16943

Nishizawa, J.I. Photo-excited molecular layer epitaxy for better control of impurities 85—22489

Nishizawa, J.I., Tamamushi, T., Nonaka, K., Shimomura, S. Fabrication and optical-switching results of the double-gate static-induction thyristor with the first planar-gate and the second buried-gate structure 86—41773

Nishizawa, K. Fiber optics sensor developments in Japan 85—14297

Nishizawa, K. Chemical sensor based on fibre optics 86—38350

Nishizawa, K. Optical components: lasers and optical fibers 88—1946

Nishizawa, K. Thyroidal ^{125}I monitoring system using a NaI(Tl) survey meter for low energy photons 88—68509

Nishizawa, K., Kobayashi, Y. Digital monitoring system for a radioisotope laboratory using a personal computer 85—64643

Nishizawa, K., Ozawa, T. A personal computer access control system for radioisotope laboratories 88—16799

Nishizawa, K. *see* Ichimura, K. 85—11864

Nishizawa, K. *see* Iida, N. 87—31937, 88—791

Nishizawa, K. *see* Saito, S. 87—60378

Nishizawa, K. *see* Takenaka, N. 87—60351

Nishizawa, M. *see* Morisue, M. 88—70732

Nishizawa, M. *see* Nonogaki, S. 86—1647, 86—63005

Nishizawa, M. *see* Suzuki, Y. 85—25978

Nishizawa, N. *see* Yamada, H. 87—42023, 88—55376

Nishizawa, O. *see* Idehara, O. 87—8999

Nishizawa, S., Izawa, T., Furuichi, K., Sokei, H., Takemoto, I., Ashikawa, M. Solid state imager implementing sensitivity control function on chip 87—70454

Nishizawa, T. Frame rate conversion techniques for television signals 86—69917

Nishizawa, T. Some examples of EDTV and IDTV systems 87—13887

Nishizawa, T., Sano, M., Tagami, S. Multilayer piezoelectric actuator 87—67659

Nishizawa, T., Sirasu, T., Inoi, T., Mizoguchi, K., Tochihara, I. Multilayer piezoelectric actuator element 87—46278

Nishizawa, T., Yasuda, S. Speech spectrum analysis LSI μPD7763D for speech recognition system 86—36971

Nishizawa, T. *see* Chin, C. 87—59685

Nishizawa, T. *see* Furumura, Y. 86—62227

Nishizawa, T. *see* Hsu, F.H. 86—8344, 86—20673

Nishizawa, T. *see* Iwasaki, K. 85—42082

Nishizawa, T. *see* Kubota, K. 85—63844, 86—69930

Nishizawa, T. *see* Mieno, F. 88—24762

Nishizawa, T. *see* Tanaka, Y. 86—49824, 88—9764, 88—22293

Nishizawa, T. *see* Yoshida, M. 87—37337

Nishizawa, Y., Ohuchi, N., Matsuda, K. Highly efficient codec to TV conference 86—17655

Nishizawa, Y. *see* Hoshiai, F. 86—62914, 87—66702

Nishizawa, Y. *see* Matsuda, K. 86—55471

Nishizawa, Y. *see* Ogino, T. 88—62046

Nishizawa Jun-ichi *see* Jun-ichi Nishizawa

Nishizeki, T. Multicommodity networks flows with applications to VLSI routings 87—31640

Nishizeki, T., Nakano, S., Saito, N. Scheduling file transfers in networks 88—46616

Nishizeki, T., Saito, N., Suzuki, K. A linear-time routing algorithm for convex grids 85—22592

Nishizeki, T. *see* Chiba, N. 85—33289, 86—57346

Nishizeki, T. *see* Ito, M. 88—45823

Nishizeki, T. *see* Matsumoto, K. 85−44610, 86−52355
Nishizeki, T. *see* Nakano, S. 87−44162, 88−18587
Nishizeki, T. *see* Nakano, S.I. 88−38068
Nishizeki, T. *see* Suzuki, H. 85−39641, 86−13909, 86−62060, 87−44131, 87−44163, 88−31647
Nishizeki, T. *see* Uehara, T. 87−19402
Nishizima, K. *see* Tokuda, K. 87−77017
Nishizono, T. Performance evaluation of multi-link packet transmission systems 86−23205
Nishizono, T. Performance evaluation of multi-link packet transmission systems with heterogeneous servers 87−33837
Nishizono, T., Kanemaki, K., Yano, J. Multilink procedure for packet-switched networks 86−23199
Nishizono, T., Kaneshige, K., Fujita, K. Software design of high-throughput packet switching system 87−33939
Nishizono, T., Yoshida, Y. An analysis on a multi-link packet transmission system with random allocation 85−19563
Nishizono, T., Yoshida, Y. Analysis of multi-link packet transmission systems employing single queue scheme 86−64375
Nishizono, T., Yoshida, Y. Analysis on a multilink packet transmission system with random allocation 86−69202
Nishizono, T. *see* Hongo, I. 86−64638
Nishizuka, A. *see* Iida, T. 88−70872
Nishizuka, N., Mizunuma, M., Nagahashi, H., Sugimoto, M., Sato, R. Analyses of some wide-band hybrid transformers 86−1424
Nishizuka, N., Mizunuma, M., Nakatsuyama, M., Nagahshi, H., Sugimoto, M. Analyses of push-pull amplifiers constructed with the compensated type three-winding transformers 86−14007
Nishizuka, N., Mizunuma, M., Tokairin, N., Hasebe, Y., Nakatsuyama, M., Nagahashi, H., Sugimoto, M. Distributed parameter analysis of small size three winding transformer of winding ratio $n_1:n_2:n_3$ 86−14579
Nishizuka, N., Nakatsuyama, M., Nagahashi, H. Distributed parameter analysis and design of planar type double spiral transformers 88−64007
Nishizuka, N., Sato, R., Nakatsuyama, M., Nagahashi, H. Design of a very-wide-band transformer 88−50443
Nishizuka, N. *see* Nagahashi, H. 85−57515
Nisi, E. *see* Bizzarri, B. 88−29626
Nisidis, D. *see* Voukalis, D.C. 86−3771
Nisihara, M. *see* Shimada, S. 85−26320
Nisihara, Y. *see* Ito, H. 86−50111
Nisikawa, A. *see* Hotta, S. 87−3695
Nisimori, T., Koi, T., Doi, H., Tonguu, E. Development and application of supply-demand control system simulator 86−12289
Nisinovich, G.S. *see* Luchinin, A.G. 85−50147
Nisius, J.P., Hertel, P., Kratzig, E., Pape, H. Optical damage effects in $LiNbO_3$:Ti waveguides 86−9589
Nisius, J.P., Kratzig, E. Stabilization of Fe^{2+} centers in $LiNbO_3$:Ti waveguides 85−35496
Nisius, J.P. *see* Gericke, V. 88−7910
Nisizawa, H. The upper end of measuring performance is extended in digital multimeters 85−48012
Niskanen, P., Mohn, W.R. Versatile metal-matrix composites 88−63389
Niskin, S.J. *see* Han, G.C. 87−35500
Niskovskikh, V.M. *see* Milyakh, A.N. 85−32837
Nisley, R. *see* Smith, C. 88−17016
Nisnevich, E.B. *see* Pomortseva, A.A. 88−36903
Nisnevich, M.Ye. *see* Yefremov, V.Ya. 87−63114
Nisnevich, Y.A. Rationally trivial principal homogeneous spaces and arithmetic of reductive group schemes over Dedekind rings 85−5882
Nisnevich, Ya.D. Kinetics of the oxidation of polished silicon plates in air 87−6586
Niss, J. Conversion of a district heating power station from oil- to coal-firing 85−9703
Nissan, M., Rochkind, S., Ringel, M. Strain-gauged haemostatic forceps for clinical and experimental use 88−74857
Nissan-Cohen, V. *see* Wei, C.-Y. 86−63159
Nissan-Cohen, Y. Analytical explanation to double-hump substrate current in funnel-shape transistors 86−63290
Nissan-Cohen, Y. A novel floating-gate method for measurement of ultra-low hole and electron gate currents in MOS transistors 87−11783
Nissan-Cohen, Y., Frank, P., Balch, E.W., Thompson, B., Polasko, K., Brown, D.M. Variable proximity corrections for submicron optical lithographic masks 88−7535
Nissan-Cohen, Y., Franz, G.A., Kwasnick, R.F. Measurement and analysis of hot-carrier-stress effect on NMOSFET's using substrate current characterization 87−1520
Nissan-Cohen, Y., Gorczyca, T. The effect of hydrogen on trap generation, positive charge trapping, and time-dependent dielectric breakdown of gate oxides 88−57643
Nissan-Cohen, Y., Shappir, J., Frohman-Bentchkowsky, D. High-field and current-induced positive charge in thermal SiO_2 layers 85−50292
Nissan-Cohen, Y., Shappir, J., Frohman-Bentchkowsky, D. Measurement of Fowler-Nordheim tunneling currents in MOS structures under charge trapping conditions 85−55595
Nissan-Cohen, Y., Shappir, J., Frohman-Bentchkowsky, D. Trap generation and occupation dynamics in SiO_2 under charge injection stress 87−1320
Nissan-Cohen, Y., Woodbury, H.H., Gorczyca, T.B., Wei, C.-Y. The effect of hydrogen on hot carrier immunity, radiation hardness and gate oxide reliability in MOS devices 88−71592
Nissan-Cohen, Y. *see* Avni, E. 86−28507, 88−32947
Nissan-Cohen, Y. *see* Fuller, R.T. 87−60668
Nissan-Cohen, Y. *see* Weinberg, Z.A. 86−28340
Nissen, A. Danish policy for radionavigation in Danish waters including the Faroes and Greenland 88−60323
Nissen, C. *see* Millard, J. 87−76723
Nissen, H.G. Are we clever enough to deal with EMI/EMC problems? 85−57053
Nissen, J. A versatile electromagnetic modeling program for 2-D structures 87−21764
Nissen, J.C.D., Reed, R., Tavendale, R. Using a formal technique for telecommunications software 86−49171
Nissen, J.L. *see* Rajurkar, K.P. 85−64866
Nissen, M. *see* Salomon, M. 87−41840
Nissen, O.S. *see* Jensen, J. 85−60477
Nissen, P.A. This is how the new DAT tape recorder works 88−35745
Nissen, S.E. *see* Elion, J.L. 88−36447
Nissen, W.H.M. *see* Hoekstra, J. 85−53395
Nissenbaum, I.A. *see* Novoselov, Yu.B. 87−22949
Nissenbaum, J. *see* Burger, A. 86−7736
Nissila, S. *see* Karkkainen, P. 88−31473
Nissila, S. *see* Kopola, H. 88−22618, 88−36038
Nissim, C. *see* Barlier, P. 86−36240
Nissim, C. *see* McCourt, M. 88−7949
Nissim, Y.I., Flicstein, J., Morin, D. Laser induced deposition and crystallization of organic thin films 86−40762
Nissim, Y.I., Gibbons, J.F. CW beam processing of gallium arsenide 86−8967
Nissim, Y.I., Joukoff, B., Sapriel, J., Henoc, P. Annealing of high dose implanted GaAs with halogen lamps 85−12166
Nissim, Y.I., Regolini, J.L., Bensahel, D. Deposition of SiO_2 on InP by flash CVD 88−49879
Nissim, Y.I., Regolini, J.L., Bensahel, D., Licoppe, C. Low-pressure photochemical vapour deposition of silicon dioxide on InP substrates 88−44660
Nissim, Y.I. *see* Bouree, J.E. 88−39270
Nissim, Y.I. *see* Licoppe, C. 86−7770, 86−26828, 87−251, 88−6482
Nissim, Y.I. *see* Moison, J.M. 86−47468
Nissim, Y.I. *see* Regolini, J.L. 88−38146
Nissim, Y.I. *see* Sapriel, J. 85−12115
Nist, A., Noll, T., Nossek, J.A., Sebald, G. Fully digital implementation of adaptive time-domain equalization for multilevel QAM digital radio systems 88−53136
Nistler, J.L., Mead, T.R., Spack, M.A. Reduction of proximity reflective notching on a double metal VLSI process by high temperature post exposure baked 87−11897
Nistler, W. *see* Janitschek, F. 87−57831
Nistler, W. *see* Kruger, E. 86−60099
Nistor, G. *see* Ghita, T. 87−50805, 88−60154
Nistor, S.V., Ursu, I., Goovaerts, E., Schoemaker, D. Structural optical and production properties of Tl^0(1) laser-active center in NaCl 87−33137
Nita, A. The field extensions and ultraproducts 88−56120
Nita, T., Inokuchi, S. Line drawing and region segmentation of range picture 85−36384
Nitani, S. Mobile radio communications for disasters or welfares 86−69642
Nitayama, A., Takenouchi, N., Hamamoto, T., Oowaki, Y. New hot-carrier-induced degradation phenomena in half-micrometer MOS transistors 88−39443
Nitayama, A. *see* Horiguchi, F. 88−38525
Nitayama, A. *see* Oowaki, Y. 87−59414, 88−6740
Nitayama, A. *see* Tsuda, K. 88−7749
Nitchev, E. *see* Hadjiisky, M. 86−26764
Nitecki, R., Pohoryles, B. Tunneling from dislocation cores in silicon Schottky diodes 85−18279
Niter, B. *see* Zeliger, A.N. 87−49097
Nitescu, M. An algorithm for improving the efficiency of a symbolic analysis program 86−27031
Nitezki, P. STRUCTFLOW—a data flow approach to the processing of structured and continuous data 88−29303
Nithack, J., Witte, F. Oil spill detection with DFVLR X-band SLAR 86−12201
Nithack, R.E. TELEBOX—a new Post Office service for communication by written material 85−8072
Nithart, H. *see* Brunet, Y. 87−42852
Nithianandan, C.K. Calculation of once-through steam generator performance using RELAP5/MOD2 87−35818
Nithianandan, C.K., Shah, N.H. Effect of interphase friction on void fraction prediction 86−25823
Nitikin, M.M., Arkhipenko, N.A. Self-braking linear asynchronous motor 87−30573
Nitishin, P.M. *see* Chen, C.L. 87−53268
Nitishin, P.M. *see* Woodhouse, J.D. 85−6713
Nitka, T. *see* Chalasinska-Macukow, K. 88−40047
Nitkiewicz, H. Best approximation of transient thermal impedance of thyristor 88−13367
Nitoh, O. *see* Miyachi, T. 88−36356
Nitovshchikov, A.I. *see* Bocharova, Yu.V. 86−70442
Nitrai, Z. *see* Sagdeev, R.Z. 87−49573
Nitsch, F. *see* Allardyce, B.W. 85−64368
Nitsch, J. Control possibilities using the graphic control console 88−18173
Nitsch, J. *see* Winter, C.-J. 86−56668
Nitsch, J.E. Large-scale solar energy utilization—possibilities and restrictions [hydrogen production] 86−71068
Nitsch, K. *see* Golonka, L. 88−50543
Nitsch, K. *see* Kozlowski, J. 87−24638
Nitsch, K. *see* Pistora, J. 85−24303, 87−25941
Nitsch, K. *see* Wiktorczyk, T. 88−32962
Nitsch, R. Environmental aspects of the Voitsberg 3 thermal power station 85−9732
Nitsch, R. *see* Bach, H.-W. 85−16351
Nitsch, S., Schutze, W. Spurious signal rejection at inductive crack detection 87−52233
Nitsche, E. Reduction of stator iron losses 86−33283
Nitsche, E. Comparative demands on the coil end during sudden short circuits—a total solution investigation [electric generators] 87−9486
Nitsche, E. Influence of design, material properties and treatment on stator core losses 87−15676
Nitsche, F., Schmadt, J.-P. Automatic adaption of surface acoustic wave filters to 50-ohm-measurement technique 87−60734
Nitsche, G., Owenier, K.-A. Passband phase minimization in low-pass-type filters 88−63772
Nitsche, R. *see* Bernard, M. 88−21347
Nitsche, R. *see* Bruder, M. 86−7737
Nitsche, R. *see* Croll, A. 87−23595
Nitsche, R. *see* Eyer, A. 85−44681, 85−44684
Nitsche, R. *see* Schoenholz, R. 86−7731
Nitsche, R. *see* Schonholz, R. 85−44683
Nitsche, W. Experimentelle Untersuchung der Schirmwirkung einfacher Gehause gegen die beim Blitzschlag in Gebauden auftretenden Magnetfelder (Investigations on the shielding effectiveness of casings for interference fields caused by lightning strokes) 85−51461
Nitsche, W. Resistance measuring for in-circuit tests 87−1055
Nitsche, W., Thunker, R. Application of the piezo-electric effect in measuring the arterial pressure pulse 87−71074
Nitsche, W. *see* Biegelmeier, G. 86−51123
Nitsche, W. *see* Goes, R. 85−27112
Nitschke, C. *see* Eisele, H. 86−26363
Nitschke, H.A. *see* Schaeper, H.R.A. 86−16059
Nitschke, J. Block heat and power plants in the Federal Republic of Germany 86−33059
Nitschke, J. An EDP program for calculating the heat generation costs in heat-power plants including an economy comparison 87−9342
Nitschke, J. Using wind and solar energy for power generation in the Federal Republic of Germany 88−23813
Nitschke, J. *see* Edelmann, E. 88−48825
Nitskevich, E.A. Use of high-temperature nuclear reactors for process purposes 85−48709
Nitsovich, V.M. *see* Gutsul, I.V. 86−14848
Nitta, A. *see* Takahashi, Y. 85−9752
Nitta, H. *see* Kuramitsu, M. 86−14044, 87−44646
Nitta, H. *see* Ushigome, M. 88−53436
Nitta, H. *see* Yamanaka, M. 88−50561
Nitta, J. Surface-emitting-type optical gate device 86−68555
Nitta, J., Iga, K. Analysis on the operation of surface-emitting-type optical threshold device 87−61168
Nitta, J., Iga, K. Analysis of the operation of surface-emitting-type optical threshold device 88−51636
Nitta, J., Matsuda, A. Abnormal threshold properties of fluxon propagation in a resistively coupled Josephson transmission line 87−46418
Nitta, K., Aibara, R., Ae, T. On the software of high-speed local area networks 88−9221
Nitta, K., Komatsubara, T., Kinoshita, H., Iizuka, Y., Nakamura, M., Beppu, T. High-power and high-speed GaAlAs-GaAs LEDs fabricated by MOCVD growth 85−29726
Nitta, K. *see* Ae, T. 88−46614
Nitta, K. *see* Azuma, H. 85−31906
Nitta, K. *see* Fujii, T. 87−73049
Nitta, K. *see* Kudo, I. 85−31907
Nitta, K. *see* Machida, K. 85−31905, 85−31908
Nitta, K. *see* Nakamura, M. 85−52378, 87−56122
Nitta, K. *see* Nakamura, Y. 85−31904, 85−31917

Nitta, K. *see* Ugai, S. 86−68739
Nitta, M., Ozaki, N., Suenaga, H., Nakaya, K., Kobayashi, S. Electrooptic characteristics of a charge-transfer complex-doped surface-stabilized ferroelectric liquid crystal device 88−51583
Nitta, M. *see* Ikeno, H. 88−51582
Nitta, M. *see* Kanefusa, S. 85−64119, 88−29316
Nitta, M. *see* Kuniyasu, S. 88−58248
Nitta, M. *see* Shimada, Y. 85−16799
Nitta, S. Electromagnetic interference and the countermeasure with electronics equipment 85−7670
Nitta, S. Study on users' and manufacturers' role to increase the reliability of industrial automation systems 88−264
Nitta, S., Kawamura, M., Hirabayashi, K. Test generation by activation and defect-drive (TEGAD) 85−49824
Nitta, S., Nakao, Y., Maehana, Y. Industrial computer systems with high noise-immunity 85−62825
Nitta, S., Nonomura, S., Takagi, R., Kojima, N., Yasuda, A. Structural and electronic properties of polymeric amorphous semiconductors $Si_{1-x}C_x$:H 88−456
Nitta, S., Nonomura, S., Takagi, R., Yasuda, A., Kojima, N. Preparation and properties of one-dimensional semiconducting hydrogenated amorphous silicon carbon alloys 88−24766
Nitta, S., Sakaida, M., Murase, I., Kawai, M., Matsunami, N. Films and substrates interaction in a-$Ge_{1-x}C_x$:H, a-$Si_{1-x}N_x$:H and a-$Si_{1-x}C_x$:H elucidated by ESR 86−28057
Nitta, S. *see* Hirabayashi, I. 86−28146
Nitta, S. *see* Ohtani, K. 87−34472, 87−48986
Nitta, T. Development of pressure sensor for Citizen Depth Meter 88−4376
Nitta, T., Arahata, Y. Development of ±500 kV HVDC gas-insulated switchgears 88−49088
Nitta, T., Murata, T., Matsuura, H., Saito, E. Speaker-independent word recognition using multiple similarity method 85−25064
Nitta, T., Nakanishi, K., Arahata, Y., Shimada, M. Development of SF_6 gas insulation for ±500 kV HVDC switchgears 86−68057
Nitta, T., Okada, T. Simulation for electrical characteristics of a superconducting generator connected to a power system 88−55292
Nitta, T., Okada, T. Parallel running test of the 20 kVA superconducting synchronous generator and a conventional one 88−69328
Nitta, T., Shirai, Y., Okada, T. Power charging and discharging characteristics of SMES connected to artificial transmission line 85−56252
Nitta, T., Shirai, Y., Okada, T. Power system characteristics of superconducting magnetic energy storage 87−36178
Nitta, T., Uehara, K., Watanabe, S. Multiple LPC similarity measures for speaker-independent speech recognition 88−21140
Nitta, T., Uehara, K., Watanabe, S. Telephone speech recognition based on word boundary hypotheses and multiple LPC similarity measures 88−40871
Nitta, T. *see* Fujita, Y. 85−43048
Nitta, T. *see* Hama, H. 87−51405
Nitta, T. *see* Imataki, M. 85−16155
Nitta, T. *see* Ishigohka, T. 88−69287
Nitta, T. *see* Kawamura, T. 88−55539
Nitta, T. *see* Matsu'ura, H. 88−66378
Nitta, T. *see* Ohmi, T. 88−64427, 88−71451, 88−71461
Nitta, T. *see* Okada, T. 85−60152, 86−51611, 87−78640
Nitta, T. *see* Ootera, H. 85−27573
Nitta, T. *see* Shintani, T. 87−78579
Nitta, T. *see* Shirai, Y. 88−75114
Nitta, T. *see* Takebayashi, Y. 85−36229
Nitta, T. *see* Tsuboi, H. 87−27306
Nitta, T. *see* Ukita, T. 85−51568, 87−19538
Nitta, T. *see* Umemoto, T. 87−63532
Nitta, Y. *see* Hattori, Y. 88−37492
Nitta, Y. *see* Kita, T. 85−63231
Nitta, Y. *see* Minamino, Y. 86−7038
Nitta, Y. *see* Murakami, T. 86−44647
Nitta, Y. *see* Narasaki, N. 85−1773
Nitta, Y. *see* Sakai, S. 87−49447
Nitto Persone, V.de *see* de Nitto Persone, V.
Nittono, O. *see* Suzuki, S. 85−26738
Nittono, T., Ito, H., Nakajima, O., Ishibashi, T. Extremely low resistance non-alloyed ohmic contacts to n-GaAs using compositionally graded in In_xGa_{1-x}As layers 87−17761
Nittono, T., Ito, H., Nakajima, O., Ishibashi, T. Low-resistance non-alloyed contacts to n-GaAs using InAs/graded InGaAs/GaAs structure 88−19744
Nittono, T. *see* Nagata, K. 87−25228, 87−52828, 88−26221, 88−33166
Nittono, T. *see* Yamauchi, Y. 87−73398
Nitu, R. *see* Anghelescu, D. 88−22982
Nitu, S. Magnetic field calculation in strong nonlinear circuits 87−47114
Nitu, S. The dynamic regime of the DC electromagnets 87−54495
Nitu, S., Buzoianu, E. Experimental checking of the series type equivalent magnetic diagram for direct current magnets 86−3459
Nitu, V.I. The law of entropy and the development of energy systems 86−56301
Nitu, V.I. Dispatch control of the national energy systems 88−42760
Nitu, V.I. The concepts of reliability and availability−their application in energy policy 88−62009
Nitu, V.I., Bocanete, P. Maintenance strategy optimization for increasing power unit availability 87−15516
Nitu, V.I., Bocanete, P. Analysis of the effects of operating and maintenance staff characteristics on the availability of power units 87−50909
Nitu, V.I., Bocanete, P. Optimization of the spare parts requirement for power unit equipment 87−50980
Nitu, V.I., Felea, I. On the structure of damage caused by electricity outages to consumers in the manufacturing industry 87−16203
Nitu, V.I., Felea, I. On the reliability of some energy-technologic systems elements in the machines manufacturing branch 88−17511
Nitusov, V.V. *see* Samolovich, G.S. 85−48645
Nitusov, V.V. *see* Seleznev, L.I. 87−64398
Nitz, D., Nunner, J., Gottinger, W. PLEBIS−an instrument for decision training and corporate planning in the utilities economy 85−27983
Nitz, D. *see* Anassontzis, E. 86−32202
Nitz, D.F. *see* Akerlof, C.W. 87−77550
Nitz, W.A., Bowman, W.C., Dickens, F.T., Magalhaes, F.M., Strauss, W., Suiter, W.B., Ziesse, N.G. A new family of resonant rectifier circuits for high frequency DC-DC converter applications 88−55495
Nitz, W.A. *see* Bowman, W.C. 88−55494, 88−62429
Nitzan, I. *see* Sarin, H. 88−31920
Nitzan, M., Fairs, S.L.E., Roberts, V.C. Simultaneous measurement of skin blood flow by the transient thermal-clearance method and laser Doppler flowmetry 88−68368
Nitzan, M. *see* Mahler, Y. 88−74797
Nitzberg, R. Performance comparison of adaptive- and Tchebychev-weighted Doppler filtering 85−3494
Nitzberg, R. Detection loss of the sample matrix inversion technique 85−25086
Nitzberg, R. Application of the normalized LMS algorithm to MSLC 85−37095
Nitzberg, R. Clutter map CFAR analysis 87−3216
Nitzberg, R. Relative performance of spectral estimation algorithms 87−7772
Nitzberg, R. Normalized LMS algorithm degradation due to estimation noise 87−33688
Nitzberg, R. Statistical comparison of spectral estimation algorithms 88−3108
Nitzberg, R. A generalization of the normalized LMS algorithm 88−14690
Nitzsche, D., Fuchs, A. Present status and prospects for the use of modern computers in the development of high voltage overhead power transmission lines 88−68974
Nitzsche, K., Knedlik, C., Tippmann, H., Spiess, L., Harman, R., Vanek, O., Tvarozek, V. Production and evaluation of tempered tungsten layers on monocrystalline silicon 85−10788
Nitzsche, K. *see* Harman, R. 85−10381
Nitzsche, K. *see* Tippmann, H. 87−18043
Nitzsche, M. *see* Thilman, D. 88−70822
Nitzsche, W., Reiche, M. Principles of denuded zone formation 88−44627
Nitzschke, P. Classification of environmental influences on technical products 86−66600
Nitzschke, P. *see* Rehnitz, J. 88−49559
Niu, F. *see* Zhang, H. 88−2683
Niu, H., Aoki, C., Matsuda, T., Takai, M., Maeda, M. A position-sensitive MOS device using the lateral photovoltaic effect 87−41512
Niu, H., Doi, H., Matsuda, T., Maeda, M. Fill-factor calculation of solar cells affected by sheet resistance of surface layer 88−24135
Niu, H., Zhang, H. A picosecond streak image tube 86−5088
Niu, H. *see* Matsuda, T. 86−58403, 87−32427
Niu, H. *see* Mizoguchi, T. 88−51186
Niu, H. *see* Sahashi, M. 88−51216, 88−71883
Niu, H. *see* Shikama, T. 85−18175, 85−23511, 85−29046
Niu, K., Aoki, T., Takeda, H. Analysis for fuel implosion in ICF target and pellet gain 88−62483
Niu, K., Kawata, S., Tamba, M., Murakami, H., Arai, S., Nagata, N., Seto, M., Takahasi, S. A LIB ICF system and problems to be solved in theory 85−15118
Niu, K. *see* Aoki, S. 87−14768
Niu, K. *see* Aoki, T. 88−62487
Niu, K. *see* Hayashino, T. 87−50181
Niu, K. *see* Kaneda, T. 88−62486
Niu, K. *see* Okada, T. 88−62493
Niu, K. *see* Ozaki, K. 88−62485
Niu, K. *see* Takeda, H. 88−62484
Niu, K. *(editor)* Proceedings of the Symposium on Physics of Target Implosion and Pulsed Power Techniques (IPPJ-859) 88−55847
Niu, T., Fujisawa, T., Masai, K. High-speed CO_2 laser cutting system 86−29272
Niu, T., Susko, J.R. Quality test method for chromate conversion coating on aluminum module caps 85−10536
Niu, T.F., Susko, J.R., Wheater, R.H. In-situ polymer film adhesion tester 85−15461
Niu, Z.Y. *see* Galarneau, P. 86−3281
Niu Chun-tong *see* Bai He-xiang 88−32726
Niu Delu *see* Ding Yaogen 86−14808
Niu Hanben *see* Hou Xun 86−11465
Niu Hanben *see* Peng Wenda 88−47585
Niu Hiu-chang *see* Qian Enrong 87−12646
Niu Ji'er *see* Qiu Mingxin 85−12794
Niu Peiyi *see* Lu Yaoliang 88−62501
Niu Qian *see* Qian Niu
Niu Wanqing *see* Cai Yingshi 86−15519
Niu Wenzhi *see* Liu Fengqi 85−12318
Niu Yaoling *see* Chen Huailu 86−11884
Niu Zhenghu *see* Zhuang Wenjun 87−53580
Niua, K. *see* Yokouchi, K. 88−13494
Niura, M. *see* Sekimoto, H. 88−20225
Niuya, T. *see* Chatterjee, A. 88−57810
Niv, Y. *see* Levy, U. 85−1247, 85−18038
Niven, I. Test match−catching out faulty phones 88−41948
Niven, R. Automatic monitor and test for distance protection 86−51143
Nivens, L.G. Portable personal telephone handset 86−10860
Niver, E., Vogas, M.S., Ruiz, C.J., Felsen, L.B. Correcting ray field failures caused by focusing in an inhomogeneous duct: a critical look at the Gaussian beam method 88−34390
Niver, E., Whitman, G., Smith, H. Frequency characterization of a thin wire antenna using diakoptic theory 86−68864
Nivert, M., Sandberg, A. Quality control of AXE installations 87−69820
Nivin, A.B. *see* Alferov, Zh.I. 85−62561, 86−58941, 87−2123, 87−18977, 88−14202, 88−27173
Nivin, A.B. *see* Garbuzov, D.Z. 87−39124, 88−27172
Niwa, A., Fukuda, H., Sumida, M., Itou, Y. VLSI processor development for digital switching systems 85−3276
Niwa, A., Shintani, H., Wakimura, Y. VLSI microchips for employment in switching system processing units 87−13515
Niwa, A., Yamada, T. A 32-bit custom VLSI processor for communications network nodes 86−41149
Niwa, A. *see* Habara, K. 86−64530
Niwa, A. *see* Kimura, H. 85−57614, 86−23281
Niwa, A. *see* Uchiike, H. 88−16312
Niwa, A. *see* Yamada, T. 87−34270
Niwa, H., Suzuki, H., Hayano, S., Takeuchi, T., Yamaguchi, T. Synchronous composite packet switching for broadband ISDN 87−34314
Niwa, H. *see* Abe, Y. 86−8281
Niwa, H. *see* Iwakura, H. 88−50269
Niwa, H. *see* Kato, J. 88−32492
Niwa, H. *see* Sato, M. 88−2071, 88−58261
Niwa, H. *see* Takeuchi, T. 87−13520, 88−15296
Niwa, K. Automatic small motor noise measuring equipment 86−4964
Niwa, K., Kamehara, N., Yokouchi, K., Imanaka, Y. Multilayer ceramic circuit board with a copper conductor 88−18762
Niwa, K., Maezawa, S., Suzuki, M., Takeuchi, T., Kamikawa, T. LCTV addressed by MIM devices 85−20329
Niwa, K. *see* Aoki, S. 87−14768
Niwa, K. *see* Furukawa, A. 86−54565
Niwa, K. *see* Goto, H. 87−48390
Niwa, K. *see* Hashimoto, K. 86−14616, 88−38866, 88−50295
Niwa, K. *see* Hayashino, T. 87−50181
Niwa, K. *see* Iinuma, K. 87−34226
Niwa, K. *see* Ishizaki, Y. 87−48380
Niwa, K. *see* Kamehara, N. 87−45370, 88−49535
Niwa, K. *see* Kanemasa, A. 85−14086, 88−8493
Niwa, K. *see* Koga, T. 86−17060, 86−31009, 87−69752
Niwa, K. *see* Kondo, T. 88−10274
Niwa, K. *see* Meazawa, S. 88−16305
Niwa, K. *see* Nakamura, M. 88−61142
Niwa, K. *see* Saigo, T. 86−8307, 86−20434
Niwa, K. *see* Suzuki, N. 85−37259, 85−51708
Niwa, K. *see* Suzuki, Y. 85−45964
Niwa, K. *see* Tomita, Y. 88−68242
Niwa, K. *see* Tsuruta, S. 87−33974
Niwa, K. *see* Yokouchi, K. 87−72849
Niwa, M., Abe, Y., Tashiro, Y., Minemura, K., Iwasaki, H. Receiver sensitivity temperature dependence of small detectable area Hi-Lo germanium avalanche photodiode 85−14247
Niwa, M., Tashiro, Y., Minemura, K., Iwasaki, H. High sensitivity Hi-Lo germanium avalanche photodiode for 1.5 μm wavelength region single mode optical fiber communication use 85−50948
Niwa, M. *see* Igarashi, H. 85−40255
Niwa, N., Gunji, M., Ito, K. Study on fracture behavior with in-situ observation of fracture process in SEM and AE simultaneous measurement 87−44416

Niwa, N., Gunji, M., Kitano, K., Ito, K. Effect of cold work before aging on the mechanical properties of Ti-13V-11Cr-3Al alloy 87−44395

Niwa, N. *see* Hotate, K. 88−67868

Niwa, O. The wrong setting detector using microcomputer in ATE of WHM 86−5355

Niwa, O. *see* Hikita, M. 85−33524

Niwa, S. Aluminium solid electrolytic capacitor with organic semiconductor 85−28735

Niwa, S. Aluminum solid electrolytic capacitor with organic semiconductor 87−52912

Niwa, S. *see* Masuko, H. 86−6134, 87−15068

Niwa, T., Koga, T., Morishima, H., Kawai, H. Thermal neutron monitoring using cellulose nitrate track detectors by means of a spark counter 87−21465

Niwa, T., Watanabe, T. Reconstruction of polyhedric object 88−8812

Niwa, T. *see* Katoh, K. 87−21942

Niwa, T. *see* Takahashi, T. 85−59732

Niwa, Y., Mori, Y., Mitsuhashi, Y., Nakajima, Y., Kawaji, M. New VCRs, models HV-81HF and HV-34T 85−26085

Niwano, M., Kitamura, H. An undulator with a composite magnetic field 85−37868

Niwano, M. *see* Koide, T. 86−60465

Niwano, M. *see* Sato, S. 86−60458

Niwas, S., Israil, M. A simple method of interpretation of resistivity sounding data using exponential approximation of the kernel function 87−63900

Niwas, S., Israil, M. A simple method of interpreting dipole resistivity soundings 88−16883

Niwata, K., Hirano, K., Asami, Y., Takagi, R. Photoanodic behavior of thin film SnO_2 electrode in Sn^{2+} containing electrolyte 85−1428

Niwaya, A. *see* Kim, M. 87−64600

Niwaya, H. *see* Togoshi, T. 87−48393

Niwayama, K., Kiyohara, T., Nakagawa, T., Kawakami, A. A high voltage high power light triggered thyristor 85−62453

Niwayama, K. *see* Nakagawa, T. 85−29203

Niwinski, S. *see* Wojcik, J. 87−9562

Nix, E.L., McGrath, J.C., Holt, L., Ward, I.M., Humphreys, J., Lewis, E.L.V. Mechanical and piezoelectric properties of form I vinylidene fluoride polymers for hydrophone applications 87−53808

Nix, E.L. *see* Akindayini, O.O. 87−46258

Nix, H.G. Automization system, AS 220 EHF, in 2-from-3-technology for safety functions in power plants 86−18907

Nix, M.A. *see* Stern, K.J. 87−62738

Nix, R.E. Faculty professional development for turn of the century instruction 88−24450

Nix, T.A. *see* Joyner, W.H., Jr. 87−6829

Nix, W.C. *see* Tsou, H.E. 85−6374

Nix, W.D. *see* Flinn, P.A. 87−38161

Nix, W.D. *see* Kao, D. 87−53401

Nix, W.D. *see* Kao, D.-B. 86−47489, 88−26060

Nixdorf, R. *see* Hardle, W. 87−51935

Nixon, C. *see* McCombs, M.D. 85−6893

Nixon, D.E. *see* Lunsford, J.D. 86−57282

Nixon, I.M. Chip Churn−a PLA based silicon compiler 87−67475

Nixon, J. *see* Culshaw, B. 87−56685, 88−16147

Nixon, J. *see* Uttamchandani, D. 87−35033

Nixon, J.M. ATLAS cryogenic system 86−55935

Nixon, J.M. *see* Aron, J. 86−55920

Nixon, J.R. *see* Mangaraj, D. 85−40995

Nixon, K. *see* Yager, T.A. 85−23273

Nixon, M. Application of the Hough transform to correct for linear variation of background illumination in images 85−51729

Nixon, M. Eye spacing measurement for facial recognition 87−19701

Nixon, M.A. *see* Meehan, K. 85−2293

Nixon, P. *see* Alcorn, C. 85−50653

Nixon, P. *see* Chen, C. 87−59418

Nixon, P.R. *see* Everitt, J.H. 87−14188

Nixon, R. *see* Bergman, L. 87−18235

Nixon, R. *see* Bergman, L.A. 87−25571

Nixon, R. *see* Burgess, D. 87−45541

Nixon, R.D. *see* Goss, A.J. 85−6667, 85−47848

Nixon, R.H. *see* Buehler, M.G. 86−35887

Nixon, W. *see* Abbey, F. 85−48722

Nixon, W.C. *see* Breton, B.C. 87−31318, 88−13503

Nixon, W.C. *see* Brodie, A.D. 88−25773

Nixon, W.C. *see* Garth, S.C.J. 86−21669, 86−35794

Nixon, W.C. *see* Thong, J.T.L. 88−18450, 88−39033

Niyabe, H. *see* Nizusawa, J. 88−46478

Niyada, K. A system that breaks works into parts provides speaker-independent recognition 85−57299

Niyada, K., Fujii, S., Morii, S. Evaluation of feature parameters and distance measures for speaker-independent speech recognition 86−69024

Niyada, K., Hiraoka, S., Morii, S., Hoshim, M. Speaker-independent word recognition system for a large vocabulary based on phoneme recognition with high speed and compact hardware 87−75752

Niyada, K., Hoshimi, M. Consonant recognition methods for unspecified speakers using BPF powers and time sequence of LPC cepstrum coefficients 88−2997

Niyada, K. *see* Hiraoka, S. 87−19445

Niyada, K. *see* Kumura, T. 87−61726

Niyada, K. *see* Moril, S. 86−16213

Niyazov, B.A. *see* Abdullaev, S.S. 88−920

Niyazov, Sh.K. *see* Rasulov, D.T. 88−17931

Niyogi, K.K., Siang, H. Behavior of spray droplets in a hydrogen-burn atmosphere in the containment 85−9627

Niyonizeye, G., Lecours, M., Huynh, T.H. Mutual interference in a binary FH-FSK spread spectrum system for mobile radio 85−36941

Nizaka, M. *see* Kamaya, M. 87−31898

Nizametdinova, F.F. *see* Kashutin, A.A. 86−37685

Nizametdinova, F.F. *see* Lakernik, R.M. 87−69862

Nizeki, Y., Takagi, O., Toshima, S. Responsiveness of chlorine gas sensor containing lead (II) chloride 87−49664

Niz'ev, V.G. Stability of a sectionalized discharge in a gas flow [CO_2 lasers] 88−58420

Niz'ev, V.G. *see* Gladush, G.G. 85−41449

Nizhenskii, A.D., Volkonskii, V.B., Zhukinskii, I.N., Kodryanskii, V.M., Kononenko, A.G., Masyurenko, Yu.A., Popov, Yu.V., Yakovlev, V.V. Phase-type laser range finder 85−20272

Nizhenskii, A.D. *see* Kononenko, A.G. 86−5363

Nizhenskii, A.D. *see* Latenko, V.I. 85−32605

Nizheradze, A.A. *see* Pukhov, G.E. 88−65939

Nizhnik, L.I. *see* Kravchenko, A.N. 88−58778

Nizhnik, L.P. *see* Kravchenko, A.N. 86−36643

Nizhnik, V.M. *see* Novikov, E.V. 86−14011

Nizhnikov, V.V. *see* Sirotin, F.L. 87−34664

Nizielski, M., Skiba, S., Lada, A. Quality assurance system in the Zarnowiec Nuclear Power Plant 85−21298

Nizienko, Yu.K. *see* Belousov, V.N. 86−15779

Nizimov, V.B., Kolychev, S.V. A synchronous drive with thyristor-capacitor exciter 86−13119

Nizimov, V.B., Kolychev, S.V. Utilization of a capacitor in the excitation loop of a synchronous machine 86−51596

Nizimov, V.B., Kolychev, S.V. Effective field quenching of thyristor-excited synchronous motors 88−69311

Nizinski, Z. *see* Kaminski, P. 87−46708

Niziol, B. *see* Kisielewska, D. 87−56965

Nizkova, A.I. *see* Oleinik, G.S. 85−11962

Niznik, C.A. Correction to 'Performance evaluation of the computer network dynamic congestion table algorithm' 85−3153

Niznik, C.A. Min-max vs. max-min flow control algorithms for optimal computer network capacity assignment 85−7956

Niznik, C.A. A performance evaluation of the computer networking nodal congestion control policy algorithm 85−19861

Niznik, C.A. MAP and INTERFACE multiple access algorithm for hierarchical computer network delay table transfer 86−16610

Niznik, C.A. A congestion monitored subnetwork size, population and delay protocol theory for computer networks and internetworks 86−54936

Niznik, C.A., Chatterjee, A., Walter, D.H. Software protocol for handling ISDN in the packet-switched network 87−13176

Niznik, C.A., Semancik, S., Tang, K.-M.W. A gateway dynamic congestion table algorithm for computer internetworks 86−17033

Niznik, C.A., Walter, D.H. Software protocol for ISDN in the packet switched network 86−54725

Nizniki, C.A. The Gateway Congestion Control Policy, a congestion monitored software for computer internetworks 86−43590

Nizovoi, S.N. *see* Abov, Yu.G. 86−5850

Nizovoi, S.N. *see* Kulidzhanov, F.G. 87−29515

Nizovskii, A.I. *see* Zhdan, P.A. 85−12193

Nizusawa, J., Niyabe, H., Hirai, J. Voice message call control algorithm applied to public switched telephone network 88−46478

Njastad, O. *see* Jones, W.B. 87−2556

Njau, E.C. Details of distortions in the computed Fourier transforms of signals. I. Short periodic signals 85−41899

Njegac, R. Real-time measuring of radiosignal statistics 88−2559

Njeumo, R. *see* Le Barny, P. 88−2380

Njinda, C.A., Guy, C.G. Fault tolerant integrated memory 86−34820

Njinda, C.A. *see* Guy, C.G. 88−50116

Njoku, E.G., Barnett, T.P., Laurs, R.M., Vastano, A.C. Advances in satellite sea surface temperature measurement and oceanographic applications 86−32563

Njoku, E.G., Smith, E.K. Microwave antenna temperature of the earth from geostationary orbit 85−57062

Njoku, E.G. *see* Hilland, J.E. 86−32569

Njoku, E.G. *see* Smith, E.K. 86−30723

Njorohio, G. Telecommunication development in Kenya 85−8040

Nkwawo, H. *see* Lavergnat, J. 88−52203

Nnauer, K. *see* Preiss, E. 85−49924

No, J.S., Kumar, P.V. On the partial-period correlation moments of GMW sequences 88−21053

No, T.S. *see* Cochran, J.E., Jr. 88−68518

No Hee Cheon *see* Hee Cheon No

No Sanchez de Leon, J. *see* Calderon Estevcz, L. 86−32604

Noabuer, W. Redei functions for power of two 86−68985

Noack, F. *see* Damm, T. 85−35882

Noack, F. *see* Schwarz, J. 88−11332, 88−69653

Noack, J.C. *see* Auvert, G. 88−27370

Noack, L. *see* Hunadi, R.J. 88−71253

Noack, M.A. *see* McCallum, R.W. 87−59017

Noack, R. *see* Wiedenmann, H.-M. 85−31619

Noack, R.L. *see* Mendel, C.W., Jr. 88−29744

Noack, T., Mandrek, K., Golenhofen, K. Continuous recording of blood vessel diameter in vitro during perfusion with regulated pressure patterns 88−42517

Noack, W., Pich, M., Popella, A., Runge, H., Konjack, R. Correlation of synthetic aperture radar data using a knowledge based processing system 87−41451

Noack, W., Popella, A., Schreier, G. Knowledge-based SAR processing and geocoding: the elementary components of the German Processing and Archiving facility for high throughput and high-precision processing of ERS-1 SAR data 88−9640

Noack, W. *see* Schatzler, R. 86−5867

Noack, W. *see* Sieber, A. 87−50487

Noad, J.P. *see* Lam, D.K.W. 87−54164

Noad, J.P. *see* MacDonald, R.I. 86−42413

Noad, J.P. *see* Rao, T.S. 88−63290

Noad, J.P. *see* Webb, J.B. 86−62247, 88−31738

Noah, R.G. Testing magnetic cores 87−32879

Noah, R.G. Testing magnetic cores 87−60822

Noailly, N. *see* Guillaume, M.E. 86−21672

Noailly, N.Alcouffe *see* Alcouffe Noailly, N.

Noailly, N.M. *see* Guillaume, M.E. 85−29243

Noailly, P. *see* Couturier, C. 85−30613

Noakes, M. The RSGB Morseman 85−25337

Noakes, M. *see* Nelson, J. 88−56457

Noakes, M. *see* Nelson, J.H. 88−24981 to 24982

Noakes, M.D. *see* Althouse, E.L. 88−52321

Noakes, M.D. *see* Cain, J.B. 88−21403, 88−22046

Noakes, P.D., Green, A.D.P. First time experiences of gate array design in a university environment 88−31361

Noakes, P.D. *see* Yacoub, M.N.R.D. 88−38509

Noakes, R. An introduction to the basics of voice communications and telephone networks 86−30244

Noakes, R. An introduction to how data communications works by networking of computers, terminals and modems 86−59619

Noaks, D.R. *see* Chance, R.J. 85−2794

Noaks, D.R. *see* Mansour, M. 88−60288

Noam, E.M. The future of the public network: from the star to the matrix 88−46422

Noane, G.le *see* le Noane, G.

Nobakht, R.A., Rajala, S.A. An image coding technique using a human visual system model and image analysis criteria 87−62290

Nobakht, R.A. *see* Civanlar, M.R. 88−73001

Nobata, K., Kakijima, T. Low-pressure long-gap discharge in hydrogen 87−6931

Nobata, K. *see* Suzuki, H. 88−2438

Nobauer, R. Public-Key Kryptosysteme auf der Basis von Permutationspolynomen und Permutationsfunktionen (Public-key cryptosystems based on permutation polynomials and permutation functions) 85−46698

Nobauer, R. Key distribution systems based on polynomial functions and on Redei-functions 86−64194

Nobauer, W. Algebraic and number theory basis of public key cryptology 88−45881

Nobbe, T.A. Data input by voice struggles to be heard 85−58475

Nobbe, T.A. Space Telescope: a better window to the Universe 86−18408

Nobbe, T.A. SDI status report 87−23441

Nobbe, T.A. Converting wave action to electricity 88−5593

Nobbe, T.A., Teschler, L. Consumer products go high-tech 85−3741

Nobbs, R. Progress of the ESPRIT programme since 1984 86−16636

Nobel, F.I. Electroplated palladium-silver (60/40 wt.%) alloy as a contact material 85−50075

Nobel, F.I., Martin, J.L., Toben, M.P. Electroplated palladium-silver alloys 87−1050

Nobes, M.J. Microlithography and etching using sputtering 87−18306

Nobes, M.J. *see* Carter, G. 85−12122

Nobes, M.J. *see* Katardjiev, I.V. 88−71476

Nobes, M.J. *see* Kostic, S. 87−38097

Nobes, M.J. *see* Slater, M. 85−45532, 85−50396

Nobes, M.J. *see* Smith, R. 86−21398, 87−74206

Nobesawa, H. *see* Fujita, K. 86−43689

Nobik, L. Hungarian development for videotex: the ORION VTX-960 terminal family 87−34080

Nobile, A., Roberto, V., Saitta, F. MFFT4: four dimensional vectorized fast Fourier transforms 88−31699
Nobile, M., Tripputi, I. Organizational and technical aspects of operating experience review and feedback activities 85−21394
Nobile, M. *see* Scotto, M. 88−36407
Nobile, P.A. Power system studies for cogeneration: what's really needed? 87−51022
Nobile, P.A. Power system studies for cogeneration: what's really needed? 88−11048
Nobile, P.A., LaPlatney, C.A. Field testing of cables: theory and practice 87−42483
Nobile, P.A., LaPlatney, C.A. Field testing of cables: theory and practice 88−10863
Nobile, P.A. *see* Brown, M.T. 86−44985, 87−9178
Nobile, P.A. *see* Ketler, D.J. 86−25895
Nobile, R. *see* Egiziano, L. 86−7859
Nobili, D. *see* Angelucci, R. 86−21368
Nobiling, R., Buhrle, C.P. A piezotranslator with variable movement pattern: experiences with the penetration of very small cells 86−65444
Nobis, R. *see* Muller, H. 86−12987
Noblanc, J.-P. Development in optoelectronics 86−28948
Noblanc, J.-P., Bouley, J.-C., Scavennec, A. Material and technological developments for OEIC emitters and receivers 88−65512
Noblanc, J.P. Trends in quantum well devices 86−47503
Noblat, M.de *see* de Noblat, M.
Noble, A.D. *see* Vaahedi, E. 87−9490
Noble, B. *see* Harris, S.J. 85−48606
Noble, B. *see* Owen, M.J. 86−62271
Noble, C. *see* Harris, I.R. 85−41018
Noble, D. Solving the wiring nightmare [computer terminals] 86−10758
Noble, D. *see* Atherton, D.L. 85−17014
Noble, D. *see* Jiles, D.C. 85−20707
Noble, D.M. *see* Stahlkopf, K.E. 87−71898
Noble, F. Oscillator with variable frequency crystal 85−11090
Noble, F. Your bridge over troubled antenna tuning 86−48706
Noble, G. The social significance of VCR technology: TV or not TV? 88−41874
Noble, G. *see* Boundy, J.W. 87−76709
Noble, G. *see* Wagg, M. 87−56102
Noble, I. EMC testing of antilock braking systems 88−69896
Noble, J. Review of community derived electricity forecasting methodologies [electricity supply industry] 85−15519
Noble, J. Simulation of an adaptive echo canceller for carphone hands-free units 88−67282
Noble, J.A. Finding corners [image edge detection] 88−52518
Noble, J.E. *see* White, M.A. 86−32376
Noble, M. Improvements in reliability of VLSI integrated circuits 85−35051
Noble, M. Pressure sensor temperature compensation problem solved 86−24460
Noble, M. The changing shape of flowmetering 86−31130
Noble, M. IC sensors boost potential of measurement systems 86−31417
Noble, M. Digital signal conditioning in solid-state altimeters 87−8979
Noble, M. Environmental concerns for integrated circuit sensors 87−14289
Noble, M.L. *see* Zollman, D. 87−43831
Noble, P. Innovative offshore engineering in the Arctic 85−4482
Noble, P. Video techniques aid machine development 88−25671
Noble, P. Component choice and PCB design for automation 88−32639
Noble, P. Vision systems are no longer a black art 88−56048
Noble, P., Glen, I.F. The role of simulation in Arctic marine development 85−4486
Noble, P., Morley, G., Zahn, P., Seligman, A. Design of an iceworthy workboat for Alaskan waters 85−4485
Noble, P. *see* Guigues, B. 86−70874
Noble, P.J.W. The control of stepper motors 88−37348
Noble, P.W. *see* Thompson, M.K. 87−8090
Noble, R. Implementation of the MATE concept in the US Air Force 88−67660
Noble, R.G. *see* Woodhouse, M.L. 86−12911
Noble, R.J. Plasma beat-wave accelerator 85−26631
Noble, R.J. *see* Chen, P. 87−70913
Noble, S. *see* Bates, B. 85−56382
Noble, T.F. *see* Hung, H.-L.A. 88−63963
Noble, W. *see* Lu, N. 86−46859
Noble, W.L., Aanstoos, T.A. Final design and manufacture of a modular sixty megajoule pulsed homopolar generator power supply 87−9676
Noble, W.L., Weldon, J.M., Gully, J.H. Final manufacture and assembly of a modular 60 megajoule pulsed homopolar power supply 87−30780
Noble, W.P., Bryant, A., Voldman, S.H. Parasitic leakage in DRAM trench storage capacitor vertical gated diodes 88−38529
Noble, W.P., Walker, W.W. Fundamental limitations on DRAM storage capacitors 85−28507
Noble, W.P., Walker, W.W. Fundamental limitations on DRAM storage capacitors 85−40093
Noble, W.P. *see* Lu, N.C. 87−10855
Noble, W.P. *see* Scheuerlein, R.E. 85−22878
Noble, W.P. *see* Voldman, S.H. 88−32207
Noble, W.P., Jr. *see* El-Kareh, B. 85−35184
Nobles, C. *see* Ableidinger, B. 85−31316
Nobles, W.C. *see* LeVert, F.E. 87−78443
Noblet, A., Ridelaire, H., Sylin, G. Equipment for the study of operating processes in braille reading 85−52999
Noblet, A. *see* Levy, D. 88−12544
Noblet, P., Roeckel, J., Perret, R., Roye, D. Unfailing drive of an assembly bridge rectifier DC machine supplied by a distributed network 85−27711
Noblet, P. *see* Roeckel, J.-M. 87−43083
Noblett, A.W. *see* Williams, R.L. 88−19479, 88−19509
Noblitt, R. *see* Laczko, F. 87−5917
Noboru, K. *see* Kosaka, T. 87−63039
Noboru, M. *see* Osabe, Y. 86−55442
Noboru, M. *see* Yamauchi, M. 88−4180
Noboru, U. Wide frequency range digital power meter for DC and AC power lines 88−42194
Nobre, F.F. *see* Bitter, T. 88−61371
Nobre, J.M. *see* Heidemann, R. 88−67423
Nobs, A.-E. *see* Balinski, M.L. 86−66748
Nobs, C.H. Banking today depends on telecommunications 85−42064
Nobuaki, K., Matsuura, K., Natsume, F. Fundamental technologies of SF_6 gas insulated switchgear 85−10048
Nobue, M. *see* Ito, H. 86−50111, 88−45310
Nobue, T. *see* Kusunoki, S. 85−27830
Nobuhara, H., Fujii, T., Wada, O. Low-drive-current, high-efficiency AlGaAs/GaAs SQW laser 87−75077
Nobuhara, H., Kuno, M., Makiuchi, M., Fujii, T., Wada, O. Optoelectronic integrated transmitter with a microcleaved facet AlGAs/GaAs quantum well laser 86−48440
Nobuhara, H., Kuno, M., Makiuchi, M., Fujii, T., Wada, O. One-chip optical transmitter with a microcleaved facet AlGaAs/GaAs GRIN-SCH SQW laser 87−39105
Nobuhara, H., Miura, S., Makiuchi, M., Wada, O. Planar integration technology for long-wavelength monolithic PD/FETs receiver 88−65515
Nobuhara, H., Sanada, T., Kuno, M., Makiuchi, M., Fujii, T., Wada, O. OEIC transmitter fabricated by planar integration process 87−26245
Nobuhara, H., Wada, O., Fujii, T. GRIN-SCH SQW laser/photodiode array by improved microcleaved facet process 85−62462
Nobuhara, H., Wada, O., Fujii, T. Slope angle influence on silicon doping in AlGaAs/GaAs MBE-grown on stepped surface of (100) GaAs substrate 87−25070
Nobuhara, H. *see* Furuya, A. 87−39116
Nobuhara, H. *see* Kuno, M. 87−26225
Nobuhara, H. *see* Wada, O. 88−67390
Nobuhara, N. *see* Wada, O. 86−54155
Nobuhara, Y. *see* Aoike, N. 85−65595
Nobuoka, Y. *see* Iri, E. 88−28855
Nobusada, T. *see* Horii, K. 88−29437
Nobutoki, K. *see* Ono, K. 88−7116
Nobutoki, S. Improved Saticon color image tubes provide portable versatility, high quality 85−45362
Nobuyoshi, T. Characterization of fused couplers for multimode optical fiber systems 85−35463
Nobuyoshi, T. *see* Nakagawa, K. 87−12649, 87−60715
Noc, B. *see* Bertron, L. 86−70782
Nocar, S. *see* Cisar, J. 87−35873, 87−58053
Nocedal, F. Efficient space segment utilization in satellite data networks 85−14180
Nocedal, F. Space segment cost functions in digital satellite networks 85−42544
Nocedal, F. Frequency plan for *Ku*-band satellite services 88−9503
Nocedal, J. *see* Davidon, W.C. 86−13654
Nocedal, J. *see* Gourgeon, H. 85−33304
Nocedal, J.M. *see* Sullivan, B.J. 86−62141
Nocella, G. *see* Candeo, S. 88−47058
Nocella, P. Practical spectral purity measurement of pulse Doppler radar transmitter amplifiers 87−37035
Nocera, J.J., Jr. *see* Fiorini, P. 87−66921
Nocerino, G. *see* Sridhar, C.G. 86−62263
Nocerino, N., Soong, F.K., Rabiner, L.R., Klatt, D.H. Comparative study of several distortion measures for speech recognition 86−16185
Nocerino, N., Soong, F.K., Rabiner, L.R., Klatt, D.H. Comparative study of several distortion measures for speech recognition 86−22958
Noceti, S. *see* Caloba, L.P. 86−57956
Noceti F, S., Caloba, L.P. On the use of uncompensated op amps to extend the frequency range of active RC filters 86−1248
Noceti Fo, S. *see* Caloba, L. 85−23025
Nochetto, R. *see* Gastaldi, L. 87−52043
Nochi, H. *see* Tsukamoto, K. 87−805
Nochowicz, D. Requirements and utility properties of silver batteries 85−16200
Nock, H.T., Sullivan, K.T. Upgrading older turbines for today's needs 86−33161
Nock, K. *see* Vondra, R. 85−31959
Nocker, H. *see* Munzer, H. 88−47764
Noclas, J.L. *see* Lacoume, J.L. 85−19431
Noda, A. The development of safe and automated system for finishing works in foundries (for longer castings) 85−16464
Noda, A. Heavy ion synchrotron−cooler ring, TARN II 88−54001
Noda, A., Chida, K., Hattori, T., Kadota, S., Katayama, T., Mizobuchi, A., Takanaka, M., Tokuda, N., Watanabe, S., Yonehara, H., Yoshizawa, M., Hirao, Y. Beam accumulation and momentum cooling at TARN 85−15117
Noda, A., Suzuki, T., Yasaka, Y. Outline of bending magnet for TARN-II 86−24939
Noda, A. *see* Katayama, T. 85−31643, 87−35277
Noda, A. *see* Noda, K. 88−54250
Noda, A. *see* Takanaka, M. 86−24998
Noda, A. *see* Tanabe, T. 86−24990
Noda, A. *see* Tokuda, N. 86−24991
Noda, A. *see* Tozawa, H. 88−43480
Noda, A. *see* Watanabe, S. 88−74660
Noda, E. *see* Arima, N. 85−39145
Noda, E. *see* Katumi, M. 86−70705
Noda, E. *see* Kim, M. 86−6766
Noda, E. *see* Nemoto, K. 85−7382
Noda, F. *see* Yoshida, Y. 86−40315
Noda, H. Cogeneration systems for buildings in Japan today 85−38818
Noda, H. A method for computing decision thresholds for use in forensic applications of speaker verification 86−3835
Noda, H. Heat recovery in small to middle capacity cogeneration systems 86−33173
Noda, H. Frequency-warped spectral distance measures for speaker verification in noise 88−72830
Noda, H., Kohda, M., Kitada, H., Suzuki, S., Tomiyama, I., Takano, M., Nakamura, H. Satellite TV receiving system 88−41843
Noda, H. *see* Fukae, T. 85−31179
Noda, H. *see* Haneda, H. 86−40840
Noda, H. *see* Harada, Y. 88−27337
Noda, H. *see* Imai, M. 87−31472, 88−70304
Noda, H. *see* Ishii, K. 88−51200
Noda, H. *see* Koike, M. 88−45569
Noda, H. *see* Maezawa, H. 86−60485
Noda, H. *see* Nakamura, T. 87−3968
Noda, H. *see* Oda, H. 86−43776
Noda, H. *see* Saito, M. 85−16415
Noda, H. *see* Takatani, S. 88−54534, 88−54638
Noda, H. *see* Takatini, S. 88−36433
Noda, H. *see* Takeda, M. 87−56764, 88−16292
Noda, H. *see* Tanaka, H. 85−46734
Noda, I. *see* Tajima, K. 87−43166
Noda, J. Fibre optic gyroscopes 86−38349
Noda, J., Hosaka, T., Sasaki, Y., Ulrich, R. Dispersion of Verdet constant in stress-birefringent silica fibre 85−7229
Noda, J., Okamoto, K., Sasaki, Y. Polarization-maintaining fibers and their applications 87−7118
Noda, J., Okamoto, K., Yokohama, I. Fiber devices using polarization-maintaining fibers 88−7869
Noda, J., Okamoto, K., Yokohama, I. Fiber devices using polarization-maintaining fibers 88−13805
Noda, J., Yokohama, I. Fiber devices for fiber sensors 88−65268
Noda, J. *see* Enomoto, Y. 88−9985
Noda, J. *see* Hosaka, T. 85−18730, 86−2681
Noda, J. *see* Jifuku, Y. 87−58371
Noda, J. *see* Kawachi, M. 85−2051
Noda, J. *see* Okamoto, K. 85−24644, 86−2719, 86−28799, 86−30780
Noda, J. *see* Sasaki, Y. 85−1990, 85−29552, 85−35436, 86−58754, 87−7120, 87−62985
Noda, J. *see* Takada, K. 85−46152, 86−9827, 86−42281, 87−12135, 87−18668, 87−29294, 87−53950, 87−67341, 87−68025
Noda, J. *see* Takagi, T. 86−36354
Noda, J. *see* Yokohama, I. 85−14249, 85−46132, 85−56305, 86−42245, 87−1945, 87−12126, 87−68091, 88−72018
Noda, K., Nakajima, A., Itoh, T. Characteristics and boron doping effect of hydrogenated amorphous carbon films 86−63048
Noda, K., Nakatsugawa, M., Ninomiya, Y., Itoh, T. Photoconduction of the *a*-Si:H/*a*-C:H heterostructure 88−25929
Noda, K., Noda, A., Kanazawa, M., Watanabe, T., Hattori, Y., Yosizawa, M. Multiturn injection and resonance characteristics of TARN II 88−54250
Noda, K., Taya, H., Kimura, T. Twisting angle sensing using dual core fibres 85−62340
Noda, K. *see* Choe, I.Y. 85−50485
Noda, K. *see* Hoshino, H. 88−58160
Noda, K. *see* Iwatsu, S. 86−68281
Noda, K. *see* Kimura, T. 85−41109, 86−9474, 86−24595, 88−67843
Noda, K. *see* Kobayashi, O. 87−46785
Noda, K. *see* Miyagi, H. 86−68283
Noda, K. *see* Nishigaki, S. 87−66789, 88−7237
Noda, K. *see* Sakurai, A. 88−2617
Noda, K. *see* Seki, Y. 87−68099

Noda, K. *see* Shimada, T. 86−22304
Noda, K. *see* Shimizu, H. 86−68282
Noda, K. *see* Sugita, R. 86−36018
Noda, K. *see* Taya, H. 85−58697
Noda, K. *see* Tohma, K. 86−36020
Noda, K. *see* Uchinami, S. 88−51315
Noda, K.-i. *see* Taya, H. 87−53962
Noda, K.-I. *see* Toga, K. 88−33627
Noda, M. Experiments on improving the resolution of saturated color picture in a color TV receiver 88−9719
Noda, M., Funaki, K., Yamafuji, K. Hysteresis loss in a superconducting rod with a round cross section exposed to a transverse AC magnetic field 87−1925
Noda, M., Imaide, T., Kinugasa, T., Nishimura, R. A solid state color video camera with a horizontal readout MOS imager 87−13915
Noda, M., Kinoshita, H., Matsubara, I. A method of estimating the grounding resistance of power transmission tower foundation 88−36867
Noda, M., Tobita, M., Nakai, T., Ishida, A., Hiroi, M. The test of distribution line carrier system for section switch control 86−39259
Noda, M. *see* Aoki, F. 86−64605
Noda, M. *see* Imaide, T. 87−41200, 88−29083
Noda, M. *see* Kanda, Y. 87−53923
Noda, M. *see* Kanuma, A. 87−17159, 87−52645
Noda, M. *see* Kinugasa, T. 88−15782
Noda, M. *see* Miyazaki, N. 85−3273
Noda, M. *see* Nagai, H. 87−70432
Noda, M. *see* Ohsawa, Y. 87−34770
Noda, M. *see* Ohsugi, T. 88−29851
Noda, M. *see* Shimizu, H. 86−62259
Noda, M. *see* Shimura, T. 87−25591
Noda, M. *see* Shinkawa, K. 86−67446, 87−24457
Noda, M. *see* Sumiyoshi, F. 86−36088
Noda, M. *see* Suzuki, M. 88−60185
Noda, M. *see* Takano, S. 87−10877, 87−59497, 88−6827
Noda, M. *see* Takeda, Y. 85−39185
Noda, M. *see* Tanino, N. 87−31908
Noda, M. *see* Yamamoto, O. 87−30932
Noda, S., Fujiwara, K., Nakayama, T. Effects of GaAs/AlAs superlattice buffer layers on selective area regrowth for GaAs/AlGaAs self-aligned structure lasers 86−15691
Noda, S., Kojima, K., Kyuma, K. Surface-emitting multiple quantum well distributed feedback laser with a broad-area grating coupler 88−34003
Noda, S., Kojima, K., Kyuma, K., Hamanaka, K., Nakayama, T. Reduction of spectral linewidth in AlGaAs/GaAs distributed feedback lasers by a multiple quantum well structure 87−46849
Noda, S., Kojima, K., Mitsunaga, K., Kyuma, K., Hamanaka, K., Nakayama, T. High-power operation of a ridge-waveguide AlGaAs/GaAs distributed feedback laser 86−36477
Noda, S., Kojima, K., Mitsunaga, K., Kyuma, K., Hamanaka, K., Nakayama, T. Ridge waveguide AlGaAs/GaAs distributed feedback lasers with multiple quantum well structure 86−63802
Noda, S., Kojima, K., Mitsunaga, K., Kyuma, K., Hamanaka, K., Nakayama, T. Ridge waveguide AlGaAs/GaAs distributed feedback lasers 87−39108
Noda, S., Kojima, K., Mitsunaga, K., Kyuma, K., Hamanaka, K., Nakayama, T. Monolithic integration of an AlGaAs/GaAs multiple quantum well distributed feedback laser and a grating coupler for surface emission 88−2229
Noda, S., Kojima, K., Mitsunaga, K., Kyuma, K., Nakayama, T. Continuous wave operation of ridge waveguide AlGaAs/GaAs distributed feedback lasers with low threshold current 86−29127
Noda, S., Mori, S., Ishibashi, F., Itomi, K. Effect of coils on natural frequencies of stator cores in small induction motors 87−51202
Noda, S., Nagae, H., Yano, H., Masuda, M., Akazaki, M. The effects of electrode materials on the conversion efficiency of a direct converter used in neutral beam injection systems 87−9700
Noda, S., Yoshizawa, H., Fukuda, E., Kato, H., Kawanishi, H., Fujii, T. Automatic layout algorithms for function blocks of CMOS gate arrays 86−21881
Noda, S. *see* Fujita, S. 85−27658
Noda, S. *see* Fujiwara, K. 86−58300
Noda, S. *see* Kojima, K. 86−3129, 86−36511, 86−42531, 86−63820, 87−2106, 87−12468, 87−33142, 87−54302, 88−34005, 88−40193
Noda, S. *see* Mitsunaga, K. 87−12494, 87−60960, 87−61139, 88−65542
Noda, S. *see* Nishiyama, K. 88−19055
Noda, S. *see* Ozaki, H. 88−19057
Noda, S. *see* Tai, S. 86−48085, 87−12458
Noda, S. *see* Takeda, Y. 85−1294, 85−22485, 85−28960
Noda, S. *see* Yabe, S. 85−6296
Noda, T., Uchida, K., Matsunaga, T. Scattering of electromagnetic plane wave by an infinite plane grating on a dielectric slab in the case of oblique incidence 88−45678
Noda, T. *see* Fujioka, K. 87−38699
Noda, T. *see* Hirakawa, K. 88−32914
Noda, T. *see* Matsumoto, K. 87−38700, 88−13727
Noda, T. *see* Matsunaga, T. 88−45679
Noda, T. *see* Nakagawa, I. 87−20692
Noda, T. *see* Okutani, T. 85−15144
Noda, T. *see* Sakura, S. 87−13710
Noda, T. *see* Sato, K. 86−62567
Noda, T. *see* Tatsuki, M. 86−973
Noda, T. *see* Terai, M. 85−22598, 87−59084
Noda, T. *see* Tsumagari, T. 88−8426, 88−57283
Noda, T. *see* Uchida, K. 86−29387, 86−42819, 87−39343, 87−47134, 87−54538, 87−75363, 87−75438, 88−2535, 88−20882, 88−20899, 88−66025
Noda, Y., Suzuki, M., Kushiro, Y., Akiba, S. 1.6 GHz electroabsorption light modulation in InGaAsP/InP double heterostructures with strip-loaded planar waveguide 86−15511
Noda, Y., Suzuki, M., Kushiro, Y., Akiba, S. High-speed electroabsorption modulator with strip-loaded GaInAsP planar waveguide 87−18757
Noda, Y. *see* Chino, N. 85−43391
Noda, Y. *see* Kushiro, Y. 86−7815, 88−7977
Noda, Y. *see* Masuda, N. 85−49208
Noda, Y. *see* Matsushima, Y. 85−51046, 86−2951, 87−34574
Noda, Y. *see* Suzuki, M. 86−36257, 86−68336, 88−7954
Noda, Y. *see* Takahashi, A. 85−7368
Noddin, D.B. Processing high performance multilayer boards of fluoropolymer composite materials 87−37746
Noddin, D.B. Processing high performance multilayer boards of fluoropolymer composite materials 87−59985
Nodehi, K. *see* Fouad, A.A. 86−51561, 86−56329
Nodenot, P., Imhoff, C., Bouchu, M., Cavailler, C., Fleurot, N., Launspach, J. Performances of the new streak camera TSN 506 85−61655
Nodera, Y. *see* Kubo, K. 85−36794
Nodes, T.A. *see* Guang-Yu Liao 86−20722
Nodfelt, I. *see* Beveridge, P. 87−12195
Nodine, M. *see* Callon, R. 88−28231
Nodine, M.H. *see* Feridun, M. 88−52878
Nodine, R.N. *see* Bailey, J.M. 88−69300
Nodolshi, J. *see* Austin, W.M. 87−73570
Nodolski, J. CMOS design rules in battery systems 87−5654
Nodot, J.C. Display terminal to TV monitor adapter 85−14503
Nodulman, L. A personal extrapolation of CDF test beam use to the SSC 88−10193
Nodulman, L. *see* Balka, L. 88−47985
Nodulman, L. *see* Devlin, T. 88−47995
Nodulman, L. *see* Hahn, S.R. 88−47990
Nodzynski, A., Wrona, A. Energy impulse recorder ERE-1 86−18896
Noe, J.D., Andreassian, A. Effectiveness of replication in distribution computer networks 88−15138
Noe, J.W. Operation of the Stony Brook tandem/linac accelerator system 86−55923
Noe, J.W. *see* Brennan, J.M. 86−31815
Noe, J.W. *see* Sikora, J. 88−54362
Noe, M. Emergency power supplies: how to choose? 87−36027
Noe, M. *see* Chignolet, M. 87−23923
Noe, N.H., Pinnes, E.L. Computer-aided telecommunications service provisioning operations 86−43393
Noe, R. Endless polarisation control in coherent optical communications 86−63610
Noe, R. Endless polarisation control experiment with three elements of limited birefringence range 87−20482
Noe, R. Endless polarisation control for heterodyne/homodyne receivers 87−49078
Noe, R. Error-tolerant endless polarisation control system with negligible signal losses for coherent optical communications 88−47151
Noe, R., Heidrich, H., Hoffmann, D. Automatic endless polarization control with integrated-optical Ti:$LiNbO_3$ polarization transformers 88−58220
Noe, R., Heidrich, H., Hoffmann, D. Endless polarization control systems for coherent optics 88−72025
Noe, R., Sessa, W.B., Welter, R., Kazovsky, L.G. New FSK phase-diversity receiver in a 150 mbit/s coherent optical transmission system 88−47038
Noe, R.R., Catapano, M., de Marsh, P., Linley, F. New concepts in tube plugging of closed feedwater heaters and heat exchangers 87−9395
Noe, W. Videotex in the telephone 86−30318
Noe, W. Concepts for user interaction with the ISDN 88−9279
Noe, W. The ISDN from the viewpoint of the user. Concepts for the user interface to the ISDN 88−59768
Noecker, J.A. Integrating computer aids for handicapped people into their world 88−48246
Noeding, J.-M. Improve the oscillator circuit in your old 2 m converter like DL 6 HA 001 or similar designs 88−15326
Noeding, J.M. Experimental active filter for manipulation noises 85−3384
Noedrin, Yu.N. *see* Mityagin, Yu.A. 87−68430
Noehte, S. *see* Grafstrom, S. 87−12652, 88−27263
Noehte, S. *see* Harbarth, U. 87−49973
Noel, B.W. *see* Allison, S.W. 87−68128
Noel, B.W. *see* Cates, M.R. 85−37496
Noel, D. *see* Fritsch, T. 86−19247
Noel, F.E. *see* Bates, R.J.S. 86−69275
Noel, F.E. *see* Freedman, D.R. 86−48904
Noel, G.T., Carmichael, D.C. Development of low-cost modular designs for photovoltaic array fields 85−48898
Noel, G.T., Carmichael, D.C., Alexander, G., Post, H.N. Installation, cost, and performance testing of a 30 kW photovoltaic array field based on a low cost modular design 86−7103
Noel, G.T., Carmichael, D.C., Smith, R.W., Broehl, J.H. Optimization and modularity study for large-size photovoltaic flat-panel array fields 87−9862
Noel, G.T., Smith, R.W., Ayres, J.G. Central station PV array design practices 87−9847
Noel, G.T. *see* Post, H.N. 85−53626
Noel, H. *see* Saitcevsky, B. 86−65860
Noel, J. The 82786−controller, centralised unit or graphic system? 86−57853
Noel, J. *see* Girard, A. 85−61649
Noel, J.-M., Pereyma, M. Windfarm coupling to one diesel set comparison between fixed pitch and Aerowatt-International variable pitch wind turbines 87−22190
Noel, J.-P. *see* Hirashita, N. 88−43897
Noel, J.A., Jr. The use of superconducting magnets in spectrographs and beam transport systems 85−56258
Noel, M. *see* Hounslow, M.W. 88−74952
Noel, P. *see* Rey, A. 85−40666, 86−28441
Noel, R. Life span of pressurised water reactors 87−57833
Noel, R. Life of pressurised water reactor nuclear power stations 88−5441
Noel, R. The longevity of pressurized water reactor nuclear power stations 88−17279
Noel, R., Mercier, J.-P., Reynes, L. The lifetime of PWR nuclear power plants 88−43015
Noel, R. *see* Reynes, L.J. 87−78290
Noel, R.C.R. *see* Gordon, J.L. 86−51501
Noel, S., Boyer, L., Treguier, J.P. Influence of the microtopography on real area and on the resistance of a semi-permanent low level contact 88−32518
Noel, S., Laurent, C., Mayoux, C. An investigation of AC electrical aging phenomena in polyethylene by thermally stimulated discharge current measurement 87−46270
Noel, S. *see* Belin, M. 88−32519
Noel, S. *see* Boyer, L. 87−65576
Noel, S. *see* Laurent, C. 85−29390
Noel-Leroux, J.-P. *see* Gueraud, R. 85−38634
Noel-Leroux, J.P. *see* Jolivet, F. 85−38650
Noeldeke, C. *see* Vanhove, J.L. 88−67295
Noell, S.K. *see* Strickler, G.F. 88−54914
Noens, J.C. *see* Malherbe, J.M. 86−69153
Noer, R. *see* Padamsee, H. 88−54344
Noerpel, A.R. Use of physical optics to characterize building reflections 87−28403
Noerpel, A.R. *see* Ranade, A. 87−75423
Nofal, H. *see* El Mogahazy, A. 85−51654
Noferini, A. *see* Moltedo, L. 87−61574
Nofev, B.I. Antifault automation and complex fault processes in power systems 85−32059
Nofziger, M.J. *see* Geist, J. 87−14350
Noga, K. Error probability and errors' stream properties for binary transmission in a radiocommunication channel with very slow Rician fading and additive Gaussian noise 87−54791
Noga, M., Macek-Kaminska, K., Kosz, J. Identification of parameters for dynamic mathematical model of deep-slot asynchronous motor 86−61504
Noga, M.T. *see* Doherty, M.F. 86−4058, 87−2636
Nogami, F. *see* Kinji, Y. 85−27473
Nogami, G. Some aspects of large frequency dispersion of Mott-Schottky plots in TiO_2 electrodes 85−34689
Nogami, G. Theory of capacitance-voltage characteristics of semiconductor electrodes with interface states 86−63138
Nogami, G., Shiratsuchi, R., Nakamura, H., Taniguchi, H. The influence of an electrolyte on impedance characteristics in n-GaP electrodes 85−61797
Nogami, H. *see* Mizuno, M. 85−25775, 85−47440
Nogami, J. *see* Puppin, E. 88−13022
Nogami, J. *see* Yeh, J.-J. 86−60480
Nogami, J. *see* Yeh, J.J. 87−6608
Nogami, K., Sakurai, T., Sawada, K., Wada, T., Sato, K., Isobe, M., Kakumu, M., Morita, S., Yokogawa, S., Kinugawa, M., Asami, T., Hashimoto, K., Matsunaga, J., Nozawa, H., Iizuka, T. 1-Mbit virtually static RAM 87−10860
Nogami, K. *see* Matsuoka, K. 85−38010
Nogami, K. *see* Nakano, H. 86−42951, 86−64083
Nogami, K. *see* Okamura, H. 85−52525
Nogami, K. *see* Sakaurai, T. 87−17086

Nogami, K. *see* Sakurai, T. 86–35764, 88–6877, 88–63682
Nogami, K. *see* Sawada, K. 87–24193, 88–32193, 88–70700
Nogami, K. *see* Yamagishi, M. 86–46723
Nogami, KJ., Sawada, K., Kinugawa, M., Sakurai, T. VLSI circuit reliability under AC hot-carrier stress 88–7713
Nogami, M. *see* Hatanaka, Y. 87–28960
Nogami, M. *see* Kawai, T. 87–53368
Nogami, S., Katayama, T. On a simultaneous service model with finite capacity in a data-flow control scheme 88–21392
Nogami, T. *see* Mikawa, H. 86–6988
Nogami, T. *see* Yashima, H. 85–39186
Nogami, Y. *see* Biwa, T. 88–20150
Nogar, N.S. *see* Muenchausen, R.E. 87–33276
Nogatch, J.T., Hedges, T. Automated design of CMOS leaf cells 86–21841
Nogawa, S., Takano, S., Okamoto, K., Suzuki, Y., Ogawa, S., Matsushita, S. Ion beam sputter deposition of TbFeCo films 88–31849
Noge, H., Kano, H., Kato, T., Hashimoto, M., Igarashi, I. Molecular beam epitaxial growth of a GaAs layer free from antiphase domains on an exactly (100)-oriented Si substrate preheated at 1000°C 87–58939
Noges, E. Starting a videobased education delivery system 87–23054
Noggle, T.S. *see* Appleton, B.R. 87–44341, 88–31813
Noggle, T.S. *see* Herbots, N. 86–40772, 87–5478
Noggle, T.S. *see* Zuhr, R.A. 88–406
Nogi, S., Fukui, K. Mode selective locking of a multimode ladder oscillator by an external signal 85–17202
Nogi, S., Fukui, K. Locking behavior of a microwave multiple-device ladder oscillator 85–34183
Nogi, S., Fukui, K. Power-combining operation of window-output cylindrical cavity multiple-device structures 87–11023
Nogi, S., Fukui, K. TM_{0n0}- and TM_{m10}-mode oversized cylindrical cavity powder combiners 87–73606
Nogi, S., Fukui, K. Power-combining operation of window-output cylindrical cavity multiple-device structures 87–73667
Nogi, S., Fukui, K., Tanaka, S. Theory and performance of a power-combining multiple-device ladder amplifier 86–41335
Nogi, S. *see* Fukui, K. 85–45241, 86–14045, 86–62482, 87–540, 87–6019, 87–45225
Nogin, S.I., Goloborod'ko, V.S. Estimating the economic performance from improving the accuracy of means of measurement 85–47782
Nogin, S.I. *see* Goloborod'ko, V.S. 85–6051
Nogin, V.N., Dogadin, N.B. An amplifier with improved efficiency and a transformerless output 86–20335
Nogin, V.N., Dogadin, N.B. Efficiency of an amplifier operating in a mixed mode with sinusoidal signals 86–34577
Nogin, V.N. *see* Dogadin, N.B. 87–65885
Nogin, V.N. *see* Vasilev, V.B. 87–59189
Nogin, V.S. *see* Gusev, V.D. 85–65662
Nogin, V.S. *see* Meerson, I.G. 85–65661
Nogina, T.G. *see* Veksler, A.Z. 88–53832
Noginov, M.A. *see* Danilov, A.A. 88–27122
Nogita, S., Koyama, S., Tamura, Z. Development of entrained bed coal gasifier 86–13238
Nogita, S. *see* Hishinuma, Y. 86--12548
Nogiwa, K. *see* Iwasa, S. 88–1885
Nogiwa, S. *see* Cao, M. 88–58535
Nogle, S. *see* Flannagan, S.T. 87–17080
Nogle, S.G. *see* Flannagan, S.T. 87–10865
Nogmai, M. *see* Mimura, H. 85–34437
Nognchi, T. Light sources 87–72562
Noguch, Y. *see* Hoshino, K. 87–42656
Noguchi, A., Hatsumi, S. Inverse scattering problem for three-dimensional plasma wave equation 87–47164
Noguchi, A., Ishizuka, T., Anezaki, M., Maruyama, M., Noguchi, H., Obata, K., Tsuzuki, K. Development of high-speed packet switching system 88–21855
Noguchi, A., Joichi, H. New control and instrumentation systems for BWR nuclear power plants 85–43688
Noguchi, A., Saito, K., Tsukada, S., Kobayashi, S. Negative resistance in $Al-Al_2O_3-Au$ thin film structures 86–28073
Noguchi, A. *see* Ito, T. 86–4945
Noguchi, A. *see* Shimada, T. 86–15749
Noguchi, A. *see* Suda, A. 85–62490, 87–26278, 87–61281
Noguchi, A. *see* Uehara, Y. 86–68728
Noguchi, A. *see* Watanabe, H. 86–23944, 86–43878, 86–64136, 87–61370, 88–8506, 88–47665
Noguchi, E., Matsuo, N., Yukiyoshi, H., Yamada, Y. Temperature analysis of pulse type power supply for aluminum bus bar 86–51771
Noguchi, E., Toyoda, K., Fukushima, T., Baba, F., Higuchi, M., Aoyama, K. LSI memories 86–1040
Noguchi, E. *see* Ohno, K. 86–58348, 88–38429
Noguchi, H., Tamakohri, K. A newly developed in-process sensor for measuring wear of grinding wheel using twin air nozzles 85–3965
Noguchi, H. *see* Hattori, M. 85–60190
Noguchi, H. *see* Noguchi, A. 88–21855
Noguchi, H. *see* Sato, K. 88–60251
Noguchi, H. *see* Sugawara, N. 86–43421
Noguchi, K. Chip LEDs lower manufacturing costs of equipment 87–18860
Noguchi, K. International trends regarding OSI 88–9196
Noguchi, K., Hoshino, H., Saito, T., Kamejima, T. Preparation and characterization of purely-fluorinated ion-plating a-Si:F films 86–20095
Noguchi, K., Shibata, N., Uesugi, N., Ishihara, K. Time and temperature dependence of loss increase due to hydroxyl group formation of optical fiber exposed to hydrogen gas 85–46194
Noguchi, K., Shibata, N., Uesugi, N., Ishihara, K., Negishi, Y. Optical fiber loss increase due to hydrogen and long term loss stability for optical fiber cables 86–2803
Noguchi, K., Shibata, N., Uesugi, N., Ishihara, K., Negishi, Y. Optical fiber loss increase due to hydrogen and long-term loss stability for optical fiber cables 87–53966
Noguchi, K., Shibata, N., Uesugi, N., Negishi, Y. Loss increase for optical fibers exposed to hydrogen atmosphere 85–50924
Noguchi, K., Shimizu, H., Chao-Yao She Optimization of the high spectral resolution lidar for measuring atmospheric temperature 86–25421
Noguchi, K., Suzuki, K., Uesugi, N. An optical time-domain reflectometer for long 1.5-μm-band optical fiber cables 87–76726
Noguchi, K., Suzuki, K., Uesugi, N. An optical time-domain reflectometer for long 1.5-μm band optical fiber cables 88–16536
Noguchi, K., Uesugi, N., Ishihara, K. Hydrogen quantity generated from optical-fibre coating 85–1996
Noguchi, K., Uesugi, N., Shibata, N., Ishihara, K., Negishi, Y. Photobleaching effect on visible-region loss increase for heat-treated optical fibres in a hydrogen atmosphere 85–41134
Noguchi, K., Uesugi, N., Suzuki, K. Visible-region optical absorption property for germanium-doped silica optical fibres induced by UV light propagation 86–48084
Noguchi, K. *see* Ikawa, E. 85–18251
Noguchi, K. *see* Kato, I. 86–20107, 87–52174
Noguchi, K. *see* Murakami, Y. 85–35516
Noguchi, K. *see* Nishiyama, T. 88–51296
Noguchi, K. *see* Saito, T. 86–31257
Noguchi, K. *see* Shibata, N. 85–41129
Noguchi, K. *see* Shimada, A. 85–19096
Noguchi, K. *see* Shimizu, H. 86–56251
Noguchi, K. *see* Sukegawa, O. 88–53801
Noguchi, K. *see* Suzuki, K. 87–18604, 87–18660, 88–33629
Noguchi, K. *see* Suzuki, M. 86–34854
Noguchi, K. *see* Takenaka, T. 86–69541
Noguchi, K. *see* Tsuruta, S. 86–31256
Noguchi, K. *see* Uesugi, N. 85–18676, 86–2730, 86–9563
Noguchi, K. *see* Wakao, M. 88–73821
Noguchi, M. *see* Fujita, H. 86–41935
Noguchi, M. *see* Kure, T. 88–20098
Noguchi, M. *see* Minemura, H. 85–56255
Noguchi, M. *see* Noto, K. 86–48045
Noguchi, M. *see* Sekine, Y. 87–66453
Noguchi, N., Nishimura, K., Hirasawa, K., Kuwahara, T. An optical pickup servocontrol IC for compact disc players 85–42794
Noguchi, N. *see* Ida, S. 86–38138
Noguchi, N. *see* Nakajima, M. 88–52594
Noguchi, N. *see* Yoshimoto, R. 87–55657
Noguchi, N. *see* Yoshiyagawa, M. 86–34407
Noguchi, O., Takizawa, Y. Hands-free service for cellular system 88–3864
Noguchi, O. *see* Ando, H. 87–66251
Noguchi, O. *see* Hosoda, K. 88–40775
Noguchi, S. Fundamental problem of the optical computer and its future prospects 86–29987
Noguchi, S. The concept of higher-order impedance and simulation of third-order admittance FDNCAP 86–57936
Noguchi, S., Atarashi, T., Okada, K., Asano, T., Kuwata, H., Ohta, H., Matsumoto, M. Super high-density and complexity printed wiring board for very large scale general purpose computer ACOS system 2000 series 88–50484
Noguchi, S., Hayashii, H., Fujiwara, N., Yamashita, S., Iida, N., Nishiwaki, N., Watanabe, Y. The TOPAZ luminosity monitor at KEK 88–74683
Noguchi, S., Hirai, O., Nakamura, H. Printed wiring board for surface mount technology 88–50521
Noguchi, S., Okano, H., Horiike, Y. Liquid phase oxidation employing O atoms produced by microwave discharge and $Si(CH_3)_4$ 88–19847
Noguchi, S., Oya, G. Limits on the performance of quantum-controlled devices 86–68205
Noguchi, S., Ozaki, T. On the definition and realization of the higher-order impedances 87–36857
Noguchi, S., Sakata, H. Electrical properties of In_2O_3 thin films prepared by post-oxidation of evaporated metals 88–39088
Noguchi, S., Shiratori, N. Local area networks 85–19824
Noguchi, S., Shiratori, N. Protocol conversion 87–2894
Noguchi, S. *see* Arakawa, N. 85–8074
Noguchi, S. *see* Fujiwara, N. 88–22970
Noguchi, S. *see* Hattori, S. 85–47142, 87–13274
Noguchi, S. *see* Kato, T. 85–14654
Noguchi, S. *see* Kurokawa, T. 86–189
Noguchi, S. *see* Kurokawa, Y. 86–13502, 86–62267
Noguchi, S. *see* Matsumoto, M. 86–58140, 87–66705
Noguchi, S. *see* Onozato, Y. 86–23187, 86–23438, 87–69408, 88–21396, 88–46595
Noguchi, S. *see* Shiratori, N. 86–43180, 87–48293, 87–69715, 88–73564
Noguchi, S. *see* Takeda, S. 86–5696
Noguchi, S. *see* Takeyama, H. 88–12093
Noguchi, S. *see* Tokahashi, K. 85–51979
Noguchi, S. *see* Varakulsiripunth, R. 86–49247, 87–48308
Noguchi, T., Asahi, Y., Ikeda, N., Maeguchi, K., Kanzaki, K. Parasitic resistance characterization for optimum design of half micron MOSFETs 87–46021
Noguchi, T., Asahi, Y., Nakahara, M., Maeguchi, K., Kanazaki, K. High speed CMOS structure with optimized gate work function 87–25582
Noguchi, T., Hayashi, H., Ohshima, T. Grain growth and conductive characteristics of super thin polysilicon films by oxidation 85–61670
Noguchi, T., Hayashi, H., Ohshima, T. Low temperature polysilicon super-thin-film transistor (LSFT) 86–35711
Noguchi, T., Hayashi, H., Ohshima, T. Advanced superthin polysilicon film obtained by Si^+ implantation and subsequent annealing 88–7289
Noguchi, T., Murakami, A., Kawai, M., Hayasaka, Y. Testing for a solid-state color image sensor 87–34988
Noguchi, T., Oyamada, K. Application to medical science–MRI [magnetic resonance imaging] 87–57107
Noguchi, T., Suzuki, K., Itoh, H. 28 GHz band GaAs monolithic amplifiers 85–55177
Noguchi, T., Ueda, K., Emori, F., Tamano, N. Wide band GaAs MMIC amplifiers up to 3 GHz 87–73342
Noguchi, T. *see* Aida, T. 86–3534
Noguchi, T. *see* Arai, T. 87–14033, 87–20805
Noguchi, T. *see* Arima, N. 85–39145
Noguchi, T. *see* Emori, F. 88–38741, 88–63936
Noguchi, T. *see* Fujii, A. 85–32720
Noguchi, T. *see* Furuta, T. 88–35866
Noguchi, T. *see* Harada, H. 87–45828
Noguchi, T. *see* Hayashi, H. 85–23770, 87–25092, 88–20148
Noguchi, T. *see* Hayashi, K. 87–20802
Noguchi, T. *see* Hosono, Y. 87–59423
Noguchi, T. *see* Iso, Y. 87–20780
Noguchi, T. *see* Ito, Y. 85–14118
Noguchi, T. *see* Katsukawa, K. 87–59885
Noguchi, T. *see* Madihian, M. 87–6088
Noguchi, T. *see* Mikado, T. 87–14714
Noguchi, T. *see* Nagao, H. 87–3284
Noguchi, T. *see* Nagao, M. 88–15720
Noguchi, T. *see* Nagata, A. 87–53929
Noguchi, T. *see* Nakahara, M. 86–47841
Noguchi, T. *see* Nakata, Y. 86–37914
Noguchi, T. *see* Ogasawara, T. 88–51396
Noguchi, T. *see* Ohkawa, N. 86–22043, 88–20290
Noguchi, T. *see* Ohkubo, H. 85–62216
Noguchi, T. *see* Ohshima, T. 86–53660, 87–46002
Noguchi, T. *see* Ryu, T. 85–20026
Noguchi, T. *see* Soyano, T. 87–41609
Noguchi, T. *see* Takahashi, I. 86–39795, 87–9537, 87–15736
Noguchi, T. *see* Takeuchi, T. 87–46404
Noguchi, T. *see* Tanaka, S. 87–48387
Noguchi, T. *see* Tomimasu, T. 86–32138, 87–21347
Noguchi, T. *see* Tomozawa, A. 87–48382
Noguchi, T. *see* Yamazaki, T. 86–32139
Noguchi, Y. Studies on automated cancer cell detection system using multispectral cell images 85–59270
Noguchi, Y., Kaizan, M. Average power factor meter 87–29177
Noguchi, Y., Ono, A. Global pattern recognition in layered track chambers 87–29543
Noguchi, Y., Suzuki, Y., Marsuoka, T., Nagai, H. InP/InGaAsP ρ-type substrate and mass transported doubly buried heterostructure laser 85–2311
Noguchi, Y., Takahashi, S., Murayama, H. Package type combined cycle plant 88–55208
Noguchi, Y., Teramachi, Y., Musha, T. 1/f frequency fluctuations of a quartz oscillator and temperature fluctuations 85–35262
Noguchi, Y. *see* Abe, K. 88–16629
Noguchi, Y. *see* Fudo, H. 88–61851
Noguchi, Y. *see* Fukuda, M. 88–27158

Noguchi, Y. *see* Furusawa, T. 88−29081
Noguchi, Y. *see* Hataoka, H. 88−48175
Noguchi, Y. *see* Itaya, Y. 87−75103
Noguchi, Y. *see* Kako, N. 88−14805
Noguchi, Y. *see* Kawaguchi, H. 87−33141
Noguchi, Y. *see* Matsuoka, T. 85−18922
Noguchi, Y. *see* Nagai, H. 85−45595, 86−42558
Noguchi, Y. *see* Nakano, Y. 87−76734
Noguchi, Y. *see* Oishi, M. 86−54153
Noguchi, Y. *see* Saito, H. 85−56636, 86−22373, 87−12460
Noguchi, Y. *see* Suzuki, Y. 85−2323
Noguchi, Y. *see* Takakura, M. 86−10489
Noguchi, Y. *see* Yamane, Y. 87−69337
Noguchi, Y. *see* Yamazaki, S. 86−15967
Noguchi, Y. *see* Yanagawa, T. 86−15684
Noguchi, Y. *see* Yoshida, J. 86−36478
Noguera, J.G., Amm, D.T. An efficient statistical procedure to determine guardbands for parametric testing of integrated circuits 86−67963
Nogues, J.L. *see* Hench, L.L. 88−65118
Nogues, M., Beaud, C., Bobrie, M. Power ultrasonic excitation of a mould in a continuous casting machine of steel billets 88−10651
Noguet, C. *see* Tapiero, M. 86−402
Noguez, G. A level sensitive modeling of bipolar circuits 85−33878
Noguez, G. A level sensitive modeling of bipolar circuits 85−40064
Noguez, G. *see* Greiner, A. 86−34873
Noguez, G. *see* Israel, M. 85−40867
Noguhi, T., Daido, Y., Nossek, J.A. Modulation techniques for microwave digital radio 87 −20401
Noguier *see* Treguier, J.P. 88−37989
Noguier, J.P. *see* Collas, P. 87−53575, 88−19950
Noguuchi, Y. *see* Nakano, Y. 85−51173
Noh, A. Assembly technologies improve the FMS level at machine shop for electronic parts 87−43980
Noh, S.K. *see* Chung, C.H. 85−10657
Noh, S.K. *see* Kim, H.K. 87−24784
Noh, S.K. *see* Kim, K.M. 88−11963, 88−32787
Noh, S.N. *see* Shin, Y.H. 86−4973
Noh, T.W. *see* Xiao-Dong Chen 87−74562
Noh Chang-Joo *see* Chang-Joo Noh
Noh Chul Woong *see* Chul Woong Noh
Noh Dalimin, M. *see* Caplin, A.D. 88−10066
Noh Young-Su *see* Young-Su Noh
Nohama, M. *see* Morimoto, M. 88−41236
Nohara, A. *see* Fukushima, Y. 86−55495, 87−14037
Nohara, H. *see* Goto, M. 87−50799
Nohara, H. *see* Kusumoto, S. 86−51816
Nohara, H. *see* Sugino, N. 88−41660
Nohara, K. An efficient approach to fast Fourier transform and its inverse 87−47806
Nohara, K. Efficient algorithms for piecewise-linear transform and its inverse 88−3059
Nohara, K., Minamoto, S. PL series kernel and truncated PL series 87−36639
Nohara, M., Takeuchi, Y., Takahata, F., Hirata, Y., Yamazaki, Y. Development of a demand assignment/TDMA system for international business satellite communications 88−46986
Nohara, M., Takeuchi, Y., Yamazaki, T., Takahata, F., Hirata, Y. Design of an international business satellite communications network based on demand assignment control 87−28473
Nohara, M. *see* Hirata, Y. 88−3929
Nohara, N., Murayama, H., Tanaka, E. Single photon emission computed tomography with increased sampling density at central region of field-of-view 87−50259
Nohara, N., Tanaka, E., Tomitani, T., Yamamoto, M., Murayama, H. Analytical study of performance of high resolution positron emission computed tomographs for animal study 85−43365
Nohara, N. *see* Endo, M. 87−77656
Nohara, N. *see* Tanaka, E. 87−29721
Nohara, N. *see* Tomitani, T. 85−43366
Nohara, S. *see* Kaneko, H. 87−37358
Nohara, T. *see* Sawa, G. 88−64866
Nohara, T.J., Haykin, S. Application of the Weiss-Weinstein bound to a two-dimensional antenna array 88−72639
Nohava, T. *see* Daniels, R.R. 88−44788
Nohava, T.E. *see* Daniels, R.R. 88−64559
Nohavica, D., Teminova, J., Berkova, D., Strouhalova, M. Preparation of GaInAsP/InP structures by LPE technique and regrowth of the etched channels by VPE 86−52498
Nohavica, D., Teminova, J., Duong Anh Tuan, Kortan, J., Zelinka, J. LPE growth of GaInAsP/InP DH 88−6450
Nohavica, D. *see* Malina, V. 85−2163
Nohda, N., Sakai, Y., Kubo, T. Digital key telephone system 85−47368
Nohda, N., Sakai, Y., Kubo, T., Kimeda, T. Digital key telephone system 85−14069
Nohda, N. *see* Kubo, T. 85−13785
Nohelty, R. Test system architecture for testing advanced mixed-signal devices 87−28943
Nohira, K. *see* Fujii, H. 85−31803, 88−29957
Nohira, T., Iwakura, T. Online laser turbidimeter measuring up to 200000 ppm 87−41438
Nohl, E. Greater network capacity by voltage uprating 85−9495
Nohmi, H. *see* Kashihara, H. 88−52543
Nohmi, K., Yoshikawa, N., Imai, T. New 'Electronic Light Capsule' series and 27 W 'Electronic Twin Capsule' 88−6015
Nohmi, M. *see* Mori, K. 85−36769
Nohr, W.-D., Wawra, H. Film system for hybrid-integrated circuits 87−66785
Nohria, N.K. *see* Samuel, T.N. 85−28346
Noidholt, E.H., Nauta, H.C. Cascadable low-power gain-stabilised limiting amplifier stage 86−46581
Noije, W.A.M.Van *see* Van Noije, W.A.M.
Noijen, J.J., Baselmans, G.W.M., Kopinga, K. Simple and reliable liquid nitrogen refill system 88−35917
Noikura, T. *see* Tateno, H. 87−15109
Noirel, Y. Conditional access TV. Access control systems and suitable services 88−29098
Noirhomme, B. *see* Filion, A. 86−7120
Noirhomme, B. *see* Langlois, J.-M. 87−60111
Noirhomme, B. *see* Rambo, A. 88−18056
Noirot, M. *see* Heyn, J. 85−64893 to 64894
Noiseux, D.U., Beauchemin, R. Advantages and limitations of eddy current displacement sensors in the measurement of standing wave ratios of transverse waves in stranded metal cables 86−17953
Noiseux, D.U., Hardy, C., Houle, S. Statistical method applied to Aeolian vibrations of overhead conductors 87−42502
Noiseux, D.U., Houle, S., Beauchemin, R. Transformation of wind tunnel data on aeolian vibrations for application to random conductor vibrations in a turbulent wind 88−48590
Nojack, K.W. Close to the consumer. Further energy costs are saved by decentralized compensation [power factor correction] 88−68771
Noji, H., Kawahara, T., Sato, R., Tohya, H. Analysis and design of current-resonant converter 88−75785
Noji, H. *see* Ishiuchi, H. 87−753
Noji, O. *see* Inomata, N. 86−25955
Nojima, H., Hayakawa, T., Imada, E., Kojima, Y., Narikawa, S., Matsuyama, T., Ehara, S. Photoconductivity of boron doped a-SiN$_x$:H 86−36312
Nojima, H., Tsuchimoto, S., Kataoka, S. Galvanomagnetic effect of an Y-Ba-Cu-O ceramic superconductor and its application to magnetic sensors 88−51380
Nojima, H. *see* Kojima, Y. 86−35365
Nojima, H. *see* Nomoto, K. 85−58178, 87−3215
Nojima, H. *see* Tsuchimoto, S. 88−42075
Nojima, K., Nishiwaki, S., Okubo, H., Yanabu, S. Measurement of surge current and voltage waveforms using optical-transmission techniques 88−11324
Nojima, M. *see* Asano, M. 85−36541
Nojima, M. *see* Iwakura, C. 87−58280
Nojima, M. *see* Matsushita, Y. 88−43291
Nojima, S. A new slow-relaxation phenomenon in semi-insulating GaAs 85−24370
Nojima, S. Slow-relaxation phenomena in photoconductivity for semi-insulating GaAs 86−9653
Nojima, S., Asahi, H. Refractive index of InGaAs/InAlAs multiquantum-well layers grown by molecular-beam epitaxy 88−32849
Nojima, S., Asahi, H., Ikoma, T. Slow-relaxation phenomena in photoconductivity for semi-insulating GaAs. II. Distribution among samples 87−33039
Nojima, S., Hashimoto, M., Fukuda, H., Tsutsui, E. High speed packet switching network for multi-media information 87−34187
Nojima, S., Nakashima, K., Kawamura, Y., Asahi, H. Effects of deep levels on the optoelectronic properties of InGaAs/InAlAs multiquantum-well structures 88−44570
Nojima, S., Oishi, M., Asahi, H., Nagai, H. An interfacial property of the InGaAs/semi-insulating InP structure prepared by metal organic vapor phase epitaxy 86−1789
Nojima, S., Tanaka, H., Asahi, H. Deep electron trapping center in Si-doped InGaAlP grown by molecular-beam epitaxy 86−53336
Nojima, S., Tsutsui, E., Fukuda, H., Hashimoto, M. Integrated services packet network using bus matrix switch 88−15294
Nojima, S. *see* Kozen, A. 86−34321
Nojima, S. *see* Oishi, M. 85−379, 85−50392, 86−54153
Nojima, S. *see* Tanaka, H. 87−33185
Nojima, S. *see* Tsutsui, E. 88−46361
Nojima, S. *see* Wakita, K. 87−76755
Nojima, T., Konno, T. Cuber predistortion linearizer for relay equipment in 800 MHz and land mobile telephone system 86−43753
Nojima, T., Murase, T., Imai, N. The design of a predistortion linearization circuit for high-level modulation radio systems 86−55171
Nojima, T., Nishiki, S. High efficiency microwave harmonic reaction amplifier 88−71120
Nojima, T., Nishiki, S., Chiba, K. High-efficiency quasimicrowave GaAs FET power amplifier 87−45228
Nojima, T., Okamoto, Y., Ohyama, S. Predistortion nonlinear compensator for microwave SSB-AM system 85−20030
Nojima, T. *see* Imai, N. 87−40719
Nojima, T. *see* Nishiki, S. 88−12607
Nojima, T. *see* Tajima, J. 86−69626
Nojima, Y. *see* Tamura, H. 85−52663
Nojiri, A. *see* Morishita, M. 88−55583
Nojiri, A. *see* Shinozaki, K. 85−27608
Nojiri, H. *see* Murakami, K. 88−69886
Nojiri, H. *see* Yatsuzuka, Y. 88−3693
Nojiri, K., Furukawa, T., Abe, M., Sagawa, S., Kawana, K., Nakamura, T., Sugawara, S. APEX D3 series digital EPBX 86−43687
Nojiri, K. *see* Hirobe, K. 87−74209
Nojiri, K. *see* Kadota, S. 86−55102
Nojiri, K. *see* Saruwatari, T. 88−5717
Nojiri, K. *see* Tsunokuni, K. 88−19842
Nojiri, S. *see* Ogawa, K. 86−16681
Nojiri, T., Kawasaki, S., Sakoda, K. Microprogrammable processor for object-oriented architecture 86−57877
Nojiri, Y., Takeyama, K., Matsuta, K., Asahi, K., Minamisono, T. Nuclear polarization production by the tilted foil technique and its application 86−70284
Nojiri, Y., Takeyama, K., Matsuta, K., Asahi, K., Minamisono, T. Nuclear polarization of short-lived β-emitter ^{8}Li, ^{12}B and ^{27}Si created by the tilted foil technique 87−3837
Nojiri, Y. *see* Kondo, S. 87−28340
Nojiri, Y. *see* Krebs, G.F. 88−54190
Nojo, S., Watanabe, H. A new stage method getting arbitrary coefficient of variation by two stages 87−36552
Nojo, S., Watanabe, H. Reliability specification for communication networks based on the failure-influence 88−46454
Nojo, S. *see* Hayashi, Z. 87−52265
Nokali, M.A.El *see* El Nokali, M.A.
Nokali, M.E. *see* Wei Li 88−33388
Nokali, M.El. *see* Wei Li 87−74445
Nokali, M.El *see* El Nokali, M.
Nokes, C.S. Data communications and the large user: the need for bridging systems 85−3159
Nokes, L.D.M., Thorne, G.C. Vibrations in orthopedics 88−54466
Noks, E. Flue gas desulphurisation conversion of Maasvlakte power station 87−15552
Nokubo, J., Meguro, K., Sato, H., Arimura, M., Yoshii, K. Bipolar memory 86−34797
Nokubo, J., Meguro, K., Satoh, H., Kishi, S., Matsumoto, N. Bipolar memory 88−19140
Nokubo, J. *see* Arimura, M. 87−17087
Nokubo, K. *see* Mizuno, M. 87−64433
Nokusaka, Y. *see* Mashiko, K. 87−14642
Nolan, D.A., Hawk, R.M., Keck, D.B. Multimode concatenation modal group analysis 86−42314
Nolan, D.A., Hawk, R.M., Keck, D.B. Multimode concatenation modal group analysis 88−26776
Nolan, D.A. *see* Love, W.F. 86−9548
Nolan, D.A. *see* Truesdale, C.M. 88−65340
Nolan, J.E. *see* Marth, W. 85−15774
Nolan, J.G., Siemiatkowski, Z. A radiation powered single chip EEPROM ID code transceiver 87−59480
Nolan, M.B., Stone, D.A. Advanced technology for the space station 87−29865
Nolan, P. *see* Raine, G.A. 85−10839
Nolan, P.J., Gifford, D.W., Twin, P.J. The performance of a bismuth germanate escape suppressed spectrometer 85−43314
Nolan, P.J. *see* Love, D.J.G. 86−5790
Nolan, P.J. *see* Simpson, J. 88−54451
Nolan, P.L. *see* Hughes, E.B. 86−50440
Nolan, R.G. Two-piece thermal cap 85−28054
Nolan, T.F. The peerless power pack 85−61066
Nolan, T.J., Jr. *see* Herd, H.H. 85−39565
Nolan, T.P., Carpenter, M.H. The use of differential Navstar GPS to aid the visually impaired 88−60302
Nolan-Avila, L.S. Uses and benefits of the medical information bus 88−54690
Noland, R.B. *see* Feldman, S.L. 88−62029
Noland Suddeth, B. *see* Wortman, M.A. 86−61576
Nold, B. Consideration of VHF/FM crosstalk signals for the frequency plan of broadband distribution networks 88−4156
Noldechen, A. Biochips: the future in sight. Will they one day surpass today's semiconductors? 85−55337
Noldechen, A. Optical computers use parallel data processing 87−2584
Noldeke, C. Chaotic Josephson scenario in an Sn/Sn$_x$O$_y$/Sn tunnel junction at 10 GHz 86−9438
Noldeke, C. *see* Schneider, H. 86−1685
Nolden, F. *see* Assmann, W. 86−44520
Nolder, R.L., Malone, D.N. Analysis of a silver substrate, gold-silicon perform, die attach system 88−195
Nolen, J.A., Harwood, L.H., Kuchar, J.A., Ronningen, R.M., Scripter, C.E., Yurkon, J.E., Zeller, A.F. Status of the electrostatic deflectors of the MSU K500 cyclotron 85−59095

Nolen, J.A., Mallory, M.L., Dubois, M.J., Gavalya, A.R., Harwood, L.H., Kashy, E., Laumer, H.W., Zeller, A.F., Blosser, H.G. The integrated cryogenic−superconducting beam transport system planned for MSU 85−26648
Nolen, J.A. *see* Antaya, T.A. 88−74718
Nolen, J.A. *see* Dekamp, J.C. 85−59035, 87−70961
Nolen, J.A. *see* Harwood, L.H. 85−59091
Nolen, J.A. *see* Mallory, M.L. 88−47945
Nolen, J.A. *see* Zeller, A.F. 85−59075, 86−50283, 88−47511, 88−68157
Nolen, J.A., Jr. Present and future superconducting cyclotrons 88−47843
Nolen, J.A., Jr., Tanaka, S., Zeller, A., Bhattacharya, N. Optics of a 90° analyzing magnet 88−74731
Nolen, J.A., Jr. *see* Harwood, L.H. 85−64362, 86−24711
Nolen, J.A., Jr. *see* Morrissey, D.J. 85−59262
Nolfe, G. *see* Pizzuti, G.P. 85−59293
Nolibe, G. *see* Giulieri, A. 88−21231, 88−52572
Noll, A., Ney, H. Training of phoneme models in a sentence recognition system 87−61732
Noll, A., Ney, H., Mergel, D. Emission probability modelling for speaker independent recognition of isolated words via telephone lines 86−69006
Noll, A. *see* Dorr, R. 85−64458
Noll, A. *see* Ney, H. 85−46733, 86−69007, 87−61697, 88−72797, 88−72888
Noll, A.M. Technology literacy for undergraduate liberal arts students: a course in communications systems and technology 87−10068
Noll, A.M. Videotex. Analysis of a failure 87−40321
Noll, A.M. Bell System R&D activities: the impact of divestiture 87−55467
Noll, B., Zeitler, K.-H., Eberhardt, U., Skarp, J., Auracher, F. High-speed guided-wave Ti:LiNbO$_3$ modulator for coherent communication systems 88−28890
Noll, C.G. Fluidization and dispersal of dust in the presence of vibrational and electrical fields 85−29981
Noll, G. *see* Reiss, A.J. 86−34029
Noll, H. Data processing in ultrasound-based liquid level-measuring instruments 85−4165
Noll, H. TV reception via distribution satellite: the hurdle race to own aerial 86−30698
Noll, H. Data terminal and telephone in one equipment 86−37606
Noll, H. Worldwide telecommunications: with the speed of light from Munich to Tokyo 86−37824
Noll, H. Emergency power supply: 17 MW from batteries 86−39933
Noll, H. A time for glass. Broadband networks of the German Post Office 86−49117
Noll, H. First private European radiocommunication satellite. SES distributer satellite with 16 channels. Competition for ECS and TV-Sat? 87−8227
Noll, H. Picture screen not equal to picture screen. Data display techniques 87−8523
Noll, H. Progress in receiving installation: new techniques for short waves 87−12803
Noll, H. Antenna rotors: the correct 'twist' 87−12847
Noll, H. Meteosat. Weather pictures from space 87−13641
Noll, H. Satellite television. All programs at once 87−13642
Noll, H. Space diversity, antenna diversity: no fear of radio shadows−improving car radio reception on VHF 87−20414
Noll, H. Radio telephony bit-fashion: digital techniques for car telephone 87−20415
Noll, H. Digital radio broadcasting via TV-Sat 87−20661
Noll, H. Precision is trumps: satellite aerials under closer examination 87−26958
Noll, H. Media bus: Bova Futura as futuristic worksmobile 87−33871
Noll, H. Radio data system: information system with gap fillers. The remainder is frequency diversity and traffic broadcasts 87−34434
Noll, H. Aerial positioners and polarotors: remote controls for satellite receiving installations 87−34479
Noll, H. Personal calling systems. Everywhere reachable. What they do, cost and offer 87−48931
Noll, H. The lot on a single chip: how the Intermetall D2-MAC decoder works 87−49261
Noll, H. Research project 'Prometheus': faster, safer, kinder to the environment−traffic of the future 87−51578
Noll, H. C-network: start marred by weaknesses−experiences after 1 year operation 87−55998
Noll, H. Heaven on Earth. Space simulator for satellites 87−71203
Noll, H. Shared silicon technology 88−1737
Noll, H. *see* Michel, C. 86−38721
Noll, J., Seidenberg, J., Fasel, B., Balzek, V., Schmitt, H.J. Fibre-optic system for computer networks inside a building 85−25558
Noll, P. *see* Bertolini, E. 87−43194, 87−72274
Noll, P. *see* Bruhn, S. 86−69017
Noll, P. *see* Granzow, W. 86−69013, 87−47583
Noll, R. *see* Eberle, J. 86−25160
Noll, R.J. *see* Macomber, S.H. 87−75074
Noll, S.J. *see* Mehl, M.E. 85−6329
Noll, T. Semi-systolic maximum rate transversal filters with programmable coefficients 87−37473
Noll, T. *see* Nist, A. 88−53136
Noll, T. *see* Schmoranzer, H. 86−60672
Noll, T.E. Dielectric thickness mapping of thin film polyimide high density high performance substrates 88−25745
Noll, T.G., Meier, S. A 40 MHz programmable semi-systolic transversal filter 87−59791
Noll, T.G., Pfleiderer, H.-J. Systolic arrays for digital signal processing 87−44769
Noll, T.G., Ulbrich, W. Architecture and implementation of pipeline-programmed multiplying computers 85−49965
Noll, T.G. *see* Kleine, U. 88−19272
Noll, T.G. *see* Schmitt-Landsiedel, D. 86−34933
Noll, T.G. *see* Ulbrich, W. 86−57972
Nolla, F.Casacuberta *see* Casacuberta Nolla, F.
Nolle, E. *see* Blaser, R. 86−61636
Nolle, F.M., Badura, F.K., Catlett, J.M., Bowser, R.W., Sketch, M.H. CREI-GARD, a new concept in computerized arrhythmia monitoring systems 88−10371
Nolle, M. *see* Baitinger, U.G. 85−16647
Noller, W.E. *see* Nussbaum, E. 86−49119
Nollet, M., Spiessens, W., Ocal, D. Telecommunication in Turkey: System 12 and other products 87−62426
Nollett, M. PLC programming languages: a comparison 86−41024
Nollette, L. Economics of software quality 87−5267
Nolley, E.S. *see* Thurber, K.J. 88−36644
Nollmann, I. *see* Bianchetti, M. 85−60947
Nolscher, C. *see* Sezi, R. 88−19892
Nolt, I.G. *see* Overley, J.C. 85−59230
Nolte, A. *see* Benner, G. 88−29042
Nolte, D. Exploring dynamic testing [microprocessors systems] 85−22920
Nolte, D. Applications for a modularised spectrum analyser 85−37520
Nolte, D. A step in the right direction [stepping motors] 86−39849
Nolte, E. *see* Haberstock, G. 87−14794
Nolte, E. *see* Korschinek, G. 85−59142
Nolte, E. *see* Posselt, W. 85−43150
Nolte, E. *see* Ratzinger, U. 88−22864
Nolte, K. A modular approach to 16-bit microcontrollers 86−8287
Nolte, K. Terminal management processor controls colour picture 86−14250
Nolte, K. CMOS microcontroller with 16 MHz: a 16 bit family with many peripheral functions 86−27341
Nolte, K. Family clan: architecture, function and application of the 16-bit HPC microcontroller 87−59529
Nolte, L.W., Lee, S.C., Liu, S.C. On performance of array signal processing 87−69116
Nolte, L.W. *see* Hunt, D.J. 87−69377, 88−66612
Nolte, L.W. *see* Reibman, A.R. 87−47682, 87−75848, 88−27906, 88−40987, 88−73135
Nolte, L.W. *see* Richardson, A.M. 87−75847
Noltemeier, H. *see* Dehne, F. 88−73386
Nolting, E.E., Butner, J.M., Varg, R.E. Multistage gas trigatron for megavolt operation 85−5316
Nolting, E.E. *see* Parsons, C.R. 85−4194
Nolting, H.-P. Dielectric guides in integrated optics 87−33004
Nolting, H.-P., Heidrich, H., Hoffmann, D., Schlak, M., Albrecht, P. TE-TM polarization transformer with reset-free optical operation for monolithic integrated optics 87−74844
Nolting, H.-P., Hoffmann, D., Schlichting, M. Integrated optical wavelength multiplexer/demultiplexer for optical communication 86−11133
Nolting, H.-P. *see* Bornholdt, C. 85−56303, 86−9623
Nolting, H.-P. *see* Heidrich, H. 88−67406
Nolting, H.-P. *see* Krauser, J. 87−38864
Nolting, H.-P. *see* Niggebrugge, U. 87−74813
Nolting, H.-P., Ulrich, R. *(editor)* Integrated Optics. Proceedings of the Third European Conference, ECIO '85 86−7384
Nolting, H.P. *see* Albrecht, P. 88−45208
Nolting, H.P. *see* Marz, R. 88−2000
Nolting, H.P. *see* Schlak, M. 86−68304
Nolting, K.H. Optical fibre earth wires for overhead power lines 86−23907
Noltingk, B.E. A note on effective laboratory size 85−32893
Noma, E. *see* Narin, F. 86−13283
Noma, M. *see* Akiba, T. 87−75146
Noma, M. *see* Ohigashi, N. 86−48444, 88−34058
Noma, N. *see* Shirota, Y. 87−37920
Noma, T. *see* Ariga, M. 88−19188
Nomachi, M. *see* Bruckner, W. 88−61126
Nomachi, M. *see* Kobayashi, H. 88−61145
Nomaguchi, T. A miniature cryocooler for infrared detectors 88−16115
Nomaguchi, T. *see* Kazumoto, Y. 87−76975
Nomaki, T. *see* Shigemitsu, F. 88−13250
Nombello, E.E., Ratta, G., Rivera, J.F. Model for the calculation of self and mutual inductances and its use for the determination of transient overvoltages due to surges 88−5742
Nomerotsky, A.B. *see* Aulchenko, V.M. 88−29854
Nomi, M. *see* Ohazama, A. 87−51534
Nomicos, C.D., Giakoumakis, G.E. A frequency division multiplexing system designed on the basis of an abrupt filter 86−4229
Nomicos, C.D. *see* Giakoumakis, G.E. 86−9671, 86−21071
Nomizu, N., Sasaki, T., Itoh, O., Tanaka, H., Koike, N., Ohmori, K. Block level hardware logic simulator−its application and results 85−45030
Nomizu, N. *see* Koike, N. 86−57780
Nomizu, N. *see* Takasaki, S. 87−5843, 87−24065, 88−7659
Nomokonov, P.V. *see* Abashidze, L.I. 86−25133, 86−60633
Nomokonov, P.V. *see* Anishchenko, N.G. 85−52942
Nomokonov, P.V. *see* Budilov, A.A. 86−44588
Nomoto, K., Kirimoto, T., Kondo, M. An adaptive tracking filter controlling sampling frequency [phased array radar] 87−28660
Nomoto, K., Nojima, H., Sato, C. Adaptive filtering with input estimation−a tracking filter with input estimation 85−58178
Nomoto, K., Nojima, H., Sato, C. Adaptive filtering with input estimation−a tracking filter with input estimation 87−3215
Nomoto, K. *see* Ishikawa, M. 86−56952
Nomoto, K. *see* Suzuki, G. 87−23854
Nomoto, K. *see* Tachibana, Y. 85−46822
Nomoto, K. *see* Yamamoto, Y. 88−37523
Nomoto, M., Hattori, M. A deep ROV, 'DOLPHIN 3K': design and performance analysis 87−4143
Nomoto, M. *see* Okamoto, K. 85−35119
Nomoto, S., Mizuguchi, Y., Watanabe, F., Yamada, M. Offset multi-focal reflector antenna 87−26978
Nomoto, S. *see* Karasawa, Y. 86−42853
Nomoto, T. Channel multiplexers for broadcasting satellite transponders in the 12 GHz band 85−14188
Nomoto, T. Channel multiplexers for broadcasting satellite transponders in the 12 GHz band 85−30785
Nomoto, T. Channel multiplexers for broadcast satellite transponders in the 12 GHz band 85−47470
Nomoto, T. Channel multiplexers for broadcasting satellite transponders in the 12 GHz band 86−69707
Nomoto, T. 12-14 GHz band transmit-receive multiplexer for broadcasting satellite transponders 86−69723
Nomoto, T. A low-loss 6-pole canonical dual-mode filter for the output multiplexer of broadcasting satellite transponders in the 12 GHz band 87−24437
Nomoto, T. A low-loss 6-pole canonical dual-mode filter for the output multiplexer of broadcasting satellite transponders in the 12-GHz band 88−25301
Nomoto, T., Yoshida, M., Watanabe, T., Nihei, K. The effect of RF power density on amorphous silicon nitride films for thin film transistors 88−7633
Nomoto, Y. *see* Ohkubo, T. 87−12677
Nomura, A., Abiko, I., Shibata, I., Watanabe, T., Nihei, K. Two-dimensional tactile sensor using optical method 86−5213
Nomura, A., Abiko, I., Shibata, I., Watanabe, T., Nihei, K. Two dimensional tactile sensor using optical methods 86−17986
Nomura, A. *see* Abiko, I. 86−50160
Nomura, A. *see* Jufuku, T. 86−68008
Nomura, A. *see* Mori, Y. 87−17140
Nomura, A. *see* Saito, Y. 85−62522, 87−42232, 87−75018, 88−40321, 88−65560
Nomura, E. *see* Kita, A. 85−49084, 86−40069, 87−43368, 88−17866
Nomura, H. Very fast LEDs offer response for optical local area networks 85−41290
Nomura, H. Materials R&D from a systems engineering standpoint 86−66569
Nomura, H. Acoustic emission (AE) with magnetization of the superconductor and magnet 87−67911
Nomura, H., Fujiwara, K. A new method of forced commutation for thyristor converters having AC source inductance 85−27488
Nomura, H., Oikawa, H., Nishino, M. Transmission performance design for digital telephone sets which eliminates talker echo problems in mixed digital-analogue networks 87−34239
Nomura, H., Tateishi, H., Komuro, K., Onishi, T. AE monitoring of 3 MJ pulsed superconducting magnet 87−67912
Nomura, H. *see* Fujiwara, K. 88−30890
Nomura, H. *see* Ito, K. 87−41224
Nomura, H. *see* Kato, Y. 88−4536
Nomura, H. *see* Murano, H. 86−40556
Nomura, H. *see* Nishino, M. 85−14066
Nomura, H. *see* Shimodaira, M. 87−40906, 87−48384

Nomura, H. *see* Sugimoto, M. 85−7440
Nomura, H. *see* Suzuki, A. 86−11121, 86−29011
Nomura, H. *see* Tateishi, H. 87−67909, 87−67913
Nomura, H. *see* Tsukada, K. 87−40908
Nomura, H. *see* Yukawa, J. 87−40943
Nomura, K., Sharma, S.S., Ujihira, Y., Fueta, A., Murakamai, T. Study on the sensitivity of SnO_2 based mixed oxides to ethanol gas 88−29307
Nomura, K. *see* Boshier, A. 88−49683
Nomura, K. *see* Enomoto, H. 87−47499
Nomura, K. *see* Fujino, Y. 85−36876
Nomura, K. *see* Sone, T. 85−40404
Nomura, M. Traffic analysis for multi-packet transmission 86−30095
Nomura, M. Standardization of network architecture and protocols 86−69412
Nomura, M. Auto-centering control for three-tube color camera 87−8428
Nomura, M. Communications processing protocols: current status of standardization 87−40120
Nomura, M. Enhancements to X.400 recommendations for personal computer communications 88−59537
Nomura, M., Ashikaga, T., Terashima, M., Nakamura, T. A high response induction motor control system with compensation for secondary resistance variation 87−72150
Nomura, M., Fujii, T., Ohta, N. Bursty information characteristic and modeling of a variable rate video coding 88−45925
Nomura, M., Ikejima, H., Morita, S., Watanabe, E. Regenerative power control for VVVF motor drive (critical braking method applied to the elevator) 88−55697
Nomura, M., Tanahashi, T. Recent trends in Mitsubishi VVVF-controlled elevators 88−43455
Nomura, M., Uchida, M., Endo, C. PC communications network based on MHS 88−73522
Nomura, M. *see* Ashikaga, T. 88−23924
Nomura, M. *see* Hashimoto, M. 87−59477, 88−51009
Nomura, M. *see* Iwabuchi, A. 87−48501
Nomura, M. *see* Kondoh, T. 88−36401
Nomura, M. *see* Kuwahara, N. 87−37217
Nomura, M. *see* Maezawa, H. 88−22885
Nomura, M. *see* Nakayama, T. 87−48496, 87−69641
Nomura, M. *see* Ohta, T. 86−60656
Nomura, M. *see* Sato, Y. 85−9708
Nomura, M. *see* Terashima, M. 86−6772
Nomura, M. *see* Yabe, S. 85−6296
Nomura, N., Kawakita, K., Sakashita, T., Harafuji, K., Takemoto, T. An E-beam direct write process for half micron DRAMs 88−64762
Nomura, N., Kawakita, K., Takemoto, T., Matsumura, T., Yonezawa, T., Kugimiya, K. Holographic submicron photolithography 85−50676
Nomura, N., Matsumura, T., Yonezawa, T., Kugimiya, K. A new interferometric alignment technique with a holographic configuration 86−21307
Nomura, N., Yamashita, K., Yamada, Y., Suzuki, M., Takemoto, T. Interferometric nanometer alignment for a wafer stepper by two wave-front reconstruction onto deformed wafer gratings 87−60232
Nomura, N. *see* Hirofuji, Y. 85−49577
Nomura, N. *see* Kawashima, H. 86−37105
Nomura, N. *see* Kubota, M. 87−46230
Nomura, N. *see* Sasago, M. 86−41665
Nomura, N. *see* Yamashita, K. 87−25486
Nomura, N. *see* Yamshita, K. 88−39649
Nomura, O. Thermal characteristics of ceramic refractory walls for MHD generator 87−51488
Nomura, O. *see* Awaya, T. 87−59492
Nomura, R., Kataoka, Y., Miyabe, H., Nishihara, T. DIPS integrated multi-service control package 86−30525
Nomura, R., Oguri, K., Nakanishi, H., Nakamura, Y. The design verification and hardware synthesizing based on SFL 88−19008
Nomura, R. *see* Nakamura, Y. 88−63636
Nomura, R. *see* Oguri, K. 87−37363, 88−19172
Nomura, S. A computer system for semiconductor factories 88−57581
Nomura, S., Endo, S. Properties and applications of ternary chalcopyrite type semiconductors 87−37919
Nomura, S., Gomi, M., Uchino, K. Bistable optical device with a PMN-based ceramic electrostrictor 86−3287
Nomura, S., Inoue, T., Tomita, F., Sirai, Y. A high-speed visual inspection system 88−4497
Nomura, S., Isakozawa, S. Autofocusing of CTEM using parallax 88−19646
Nomura, S., Yamada, Y., Higuma, T., Osada, M., Tsukagoshi, S. A telecommunication terminal 87−40529
Nomura, S., Yoshino, H., Yamashita, Y. New ceramic electrode for piezoelectric buzzer 86−53876
Nomura, S. *see* Endo, S. 87−60126
Nomura, S. *see* Miyoshi, K. 88−62545
Nomura, S. *see* Nanjo, J. 87−45559
Nomura, S. *see* Takahashi, M. 87−70406
Nomura, S. *see* Terashima, K. 88−73750
Nomura, S. *see* Tsukide, O. 86−14972
Nomura, S. *see* Uchino, K. 86−2466
Nomura, S. *see* Yamatake, S. 86−52299
Nomura, T. A new magneto-optic readout head using Bi-substituted magnetic garnet film 86−36005
Nomura, T. Thermomagnetic recording characteristics of chromium dioxide magnetic coated medium 87−7009
Nomura, T. Scientific satellites 87−29854
Nomura, T. Narrow track readout with magnetic garnet film 87−74518
Nomura, T. Magneto-optic transfer readout head using garnet film with periodical arrangement of grooves 88−33795
Nomura, T., Fukui, T., Hashimoto, S. Path Selecting Equipment for Private Video Response System 87−28777
Nomura, T., Hayashi, T., Hirosawa, H., Ichikawa, M. Usuda deep space station with 64-meter-diameter antenna 86−69735
Nomura, T., Hayashi, T., Hirosawa, H., Ichikawa, M., Inoue, K., Otani, S., Kamimura, M., Yamagishi, T. Sakigake/Suisei communications system 86−65481
Nomura, T., Hayashi, T., Hirosawa, H., Ichikawa, M., Katayama, N., Koshizaka, S., Fujioka, M., Haruno, T., Inada, T., Doi, M., Yamashita, K., Ohashi, S., Tomita, H., Nishihata, S., Honma, K. Development of deep space communications facilities for Japanese Halley's Comet mission 86−23837
Nomura, T., Hayashi, T., Hirosawa, H., Takano, T. Telecommunications system for Halley's Comet exploitation 87−28548
Nomura, T., Hayashi, T., Katayama, N., Koshizaka, S., Haruno, T., Ohashi, S. Summary of deep space ground station of 'Sakigake/Suisei' 86−44754
Nomura, T., Hayashi, T., Matsuo, H., Hirosawa, H., Ichikawa, M. Halley's Comet exploration and Usuda's large antenna 85−36110
Nomura, T., Hirosawa, H., Ichikawa, M., Inoue, K., Yamawaki, S., Otani, S., Obuchi, T., Yamagishi, T. Communications system of 'Sakigake/Suisei' 86−44731
Nomura, T., Kikuchi, H., Nagai, T., Miyao, M., Hagino, M. Multiholed-plug cell for molecular beam source 85−33434
Nomura, T., Kikuchi, H., Nagai, T., Miyao, M., Hagino, M. Crystal growth of GaAsP by molecular beam epitaxy 85−39775
Nomura, T., Kikuchi, H., Nagai, T., Miyao, M., Hagino, M. Distortions of GaAs/GaP and GaP/GaAs heteroepitaxial layers grown by MBE 86−26819
Nomura, T., Kimura, S., Uchida, Y., Hattori, S. Moire alignment technique for the mix and match lithographic system 88−39323
Nomura, T., Maeda, Y., Miyao, M., Hagino, M., Ishikawa, K. Accommodation of large lattice mismatch of GaP on GaAs(100) and GaAs on GaP(100) layers grown by MBE 87−60151
Nomura, T., Nakamae, E., Yamashita, H., Ohtani, K., Hammam, M.S.A.A. A novel connection of the coarse winding of a large distribution transformer with divided secondary winding and its voltage control 85−21669
Nomura, T., Nakamura, S., Iwamoto, M., Kohmo, H., Uda, S. Integral equation method for analysis of magnetic field and inductance of superconducting alternators 88−55317
Nomura, T., Nakamura, S., Kohmo, H. Magnetic field calculation of superconducting alternators by a boundary element method 85−16029
Nomura, T., Nakatsu, R. Speaker-independent isolated word recognition for telephone voice using phoneme-like templates 87−27314
Nomura, T., Ninomiya, K. Scientific satellite and communication system 86−55256
Nomura, T., Satow, T., Ashkin, M. Analysis of radially unbalanced magnetic force acting on a large superconducting magnet with iron yoke by 'TOSCA' 88−52151
Nomura, T., Satow, T., Kawaguchi, T., Takeya, H. Unbalanced magnetic forces of a large superconducting magnet with iron yoke 88−54071
Nomura, T., Shiokawa, S., Moriizumi, T. Measurement and mapping of elastic anisotropy of solids using a leaky SAW excited by an interdigital transducer 85−53211
Nomura, T., Tokumaru, H. Magneto-optic readout of magnetically recorded signals using magnetic garnet film 85−24174
Nomura, T., Tokumaru, H. Signal to noise ratio in magneto-optic transfer readout with magnetic garnet film 85−41224
Nomura, T., Tokumaru, H. Magneto-optic readout head based on a new transfer-mode in magnetic garnet film 86−47965
Nomura, T., Tokumaru, H. A new magneto-optic transfer readout with magnetic garnet film 86−68349
Nomura, T., Tokumaru, H. Magneto-optic readout of magnetically recorded signals using magnetic garnet film 87−54132
Nomura, T., Yamauchi, I., Miyao, M., Hagino, M. Application of the surface reconstruction process during the MBE growth of GaAs to the determination of the effective As/Ga flux ratio 88−70309
Nomura, T., Yasuda, T. A coupling method for nondestructive evaluation using an interdigital transducer 87−379
Nomura, T., Yasuda, T. Two dimensional Fresnel type IDT for focusing underwater ultrasonic wave 87−57451
Nomura, T., Yasuda, T. A new method of exciting focused surface acoustic waves using an interdigital transducer 88−13637
Nomura, T., Yasuda, T., Shiokawa, S., Moriizumi, T. Precise measurement of SAW velocity with an interdigital transducer 87−60769
Nomura, T., Yokoyama, K. Real time video recording on magneto-optic disk 87−56406
Nomura, T., Yokoyama, K., Nakagawa, S., Kimoto, K. High-quality magneto-optic disk video recording 88−22329
Nomura, T., Yoshikawa, K., Hamada, M. Holographic interferometry for measuring a small deformation by applying the moire technique 87−29280
Nomura, T., Yoshikawa, K., Tashiro, H., Nagata, Y., Kakunai, S. Use of spatial frequency modulation in the measurement of small deformations via holographic interferometry−automatic analysis by computer 88−72431
Nomura, T. *see* Endo, K. 87−40788
Nomura, T. *see* Hidaka, R. 87−64008
Nomura, T. *see* Ishihara, O. 87−48391
Nomura, T. *see* Iwanaga, T. 88−33591
Nomura, T. *see* Kamamori, H. 85−14945
Nomura, T. *see* Karube, K. 88−70524
Nomura, T. *see* Kobayashi, H. 88−61145
Nomura, T. *see* Kubono, S. 87−3915
Nomura, T. *see* Makita, Y. 85−45533, 87−10370
Nomura, T. *see* Minaguchi, H. 88−41876
Nomura, T. *see* Miyatake, H. 87−71051
Nomura, T. *see* Morita, K. 87−70968
Nomura, T. *see* Nagai, T. 86−13759
Nomura, T. *see* Nakamura, S. 85−65230
Nomura, T. *see* Ohishi, H. 87−42803
Nomura, T. *see* Okayama, Y. 87−35031
Nomura, T. *see* Suginoya, M. 88−40045
Nomura, T. *see* Takahashi, Y. 88−16310, 88−58247
Nomura, T. *see* Tokumaru, H. 86−68348, 87−1894, 87−53888, 88−33792, 88−33796, 88−51293
Nomura, T. *see* Uchida, Y. 87−38034
Nomura, T. *see* Uda, S. 85−9843
Nomura, T. *see* Yamamoto, Z. 85−28423, 85−63766, 87−2403, 88−15567
Nomura, T. *see* Yoshikawa, K. 87−35192, 88−4653
Nomura, T. *see* Zhu, J. 87−13558, 88−27805
Nomura, T. *see* Zhu, Z. 88−12005
Nomura, T. *see* May, G.L. *(editor)* 87−10029
Nomura, To., Nishimura, N., Shiba, T., Hyodo, T. Direct measuring methods of water vapour content and air velocity at high temperature using Z_rO_2-M_gO gas chemisorption type ceramic body 88−42067
Nomura, Y. Bending angle measurement method for a tunnelling machine 86−38550
Nomura, Y., Ai, T., Fukuda, K. Estimation method of direct-radiator loudspeaker system parameters in low-frequency range by nonlinear optimization technique 87−3341
Nomura, Y., Al, T., Fukuda, K. Estimation method of direct-radiator loudspeaker system parameters in low frequency range by nonlinear optimization technique 85−58420
Nomura, Y., Hoshina, H., Ichikubo, K., Umezu, T. Method to measure horizontal position of tunnelling machine 86−38549
Nomura, Y., Kitakaze, J. Time domain estimation method of phase-inverter loudspeaker system parameters 87−56427
Nomura, Y., Mannoh, M., Mihara, M., Naritsuka, S., Yamanaka, K., Yuasa, T., Ishii, M. Effect of group V/III flux ratio on lightly Si-doped $Al_xGa_{1-x}As$ grown by molecular beam epitaxy 85−22482
Nomura, Y., Mizoguchi, R., Kakusho, O. Continuous speech recognition based on knowledge engineering techniques 86−69021
Nomura, Y., Nakanishi, Y., Okada, H. A multichannel CSMA/CD method in bus-type local area networks 86−69421
Nomura, Y., Naruse, H. Representation of objects occluded by intervening obstacles 88−34804
Nomura, Y., Naruse, H. Reduction of obscuration noise using multiple images 88−41034
Nomura, Y., Naruse, H., Morimitsu, T. Accuracy of position measurement using a magnetic field 87−56837
Nomura, Y., Okada, H., Nakanishi, Y. A Multichannel CSMA/CD method in bus-type local area networks 85−13923
Nomura, Y., Shinozaki, K., Asakawa, K., Ishii, M. GaAs/AlGaAs distributed feedback structure with multiquantum well for surface-emitting laser 87−7368
Nomura, Y. *see* Akiyama, Y. 85−8621

Nomura, Y. *see* Fukuda, K. 86−69966
Nomura, Y. *see* Igarashi, H. 88−15707, 88−69838
Nomura, Y. *see* Kohno, T. 87−36264
Nomura, Y. *see* Maruno, S. 87−44327, 88−39063
Nomura, Y. *see* Morishita, Y. 88−38157, 88−63287
Nomura, Y. *see* Muramoto, T. 87−34281
Nomura, Y. *see* Nakamichi, K. 85−63018
Nomura, Y. *see* Naruse, H. 85−58893, 87−35201, 87−56838, 88−42293
Nomura, Y. *see* Okada, H. 85−42286
Nomura, Y. *see* Shinozaki, K. 85−50205
Nomura, Y. *see* Tanaka, K. 87−13823
Nomura, Y. *see* Tsujino, K. 88−52393
Nomura, Y. *see* Utagawa, H. 86−32838
Nomura, Y. *see* Yamagami, T. 86−12000
Nomura, Y. *see* Yuasa, T. 85−23433
Nomura Masakatsu *see* Masakatsu Nomura
Nonaka, H., Oiwa, Y., Shinchi, Y. Fully automatic washing machine with sensors 85−27826
Nonaka, H. *see* Genji, N. 87−48841
Nonaka, H. *see* Hatanaka, K. 88−74721
Nonaka, K., Hirono, S., Ishii, O., Hatakeyama, I. Magnetization distribution analysis and measurement of magnetostatically coupled film edges in an external bit field 88−51283
Nonaka, K. *see* Akiyama, T. 88−731
Nonaka, K. *see* Hatakeyama, I. 86−28638
Nonaka, K. *see* Hirono, S. 86−28691, 86−68162, 87−38659
Nonaka, K. *see* Kawamura, Y. 88−51802
Nonaka, K. *see* Nishizawa, J. 85−23758, 85−40718, 85−41279, 85−51058, 86−2952, 86−9118, 86−47665, 87−33052, 87−38232, 88−75843
Nonaka, K. *see* Nishizawa, J.I. 86−41773
Nonaka, K. *see* Okuyama, M. 86−43775, 88−41592
Nonaka, K.-I. *see* Nishizawa, J.-I. 85−24399
Nonaka, M., Mochizuki, Y., Watanabe, S., Sanagi, S., Ishizuka, A. Computer analysis of the dynamic characteristics of a line filter 88−56767
Nonaka, M. *see* Nakase, M. 88−13232
Nonaka, M. *see* Sato, T. 88−33307
Nonaka, R. *see* Mitsunaga, T. 87−79226
Nonaka, S., Fujii, K. A new brushless half-speed synchronous motor with Q-axis squirrel-cage damper winding driven by voltage source inverter 87−42850
Nonaka, S., Fujii, K. A new brushless half-speed synchronous motor with *Q*-axis squirrel-cage damper winding driven by voltage source inverter 87−78638
Nonaka, S., Fujii, K., Kawaguchi, T. Performances of brushless salient-pole self-excited three-phase synchronous motor driven by transistor inverter 85−48947
Nonaka, S., Fujii, K., Kawaguchi, T. Characteristics of brushless salient pole self-excited half speed synchronous motor 86−39720
Nonaka, S., Fujii, N. A new aspect of end effect in linear induction motors 85−5077
Nonaka, S., Fujii, N. Evaluation of the method for compensating the end effect by primary winding in high speed LIM 86−26072
Nonaka, S., Fujii, N. Analysis of linear induction motors using a simplified space harmonic technique 87−4736
Nonaka, S., Fujii, N. The series connection of short stator linear induction motors for intercity transport 87−64905
Nonaka, S., Fujii, N. Simplified two-dimensional analysis of linear induction motors 88−55373
Nonaka, S., Fujii, N., Ogawa, K. Performance of long linear induction motors divided into several stators connecting in series 87−16129
Nonaka, S., Furukawa, T. LIM analysis by use of Fourier transform technique taking into account primary MMF distributions 85−16056
Nonaka, S., Furukawa, T. An analytical problem of conventional LIM theories based on a sinusoidal primary current sheet model with finite length 86−33433
Nonaka, S., Furukawa, T. On problems in conventional LIM theories assuming a finite sinusoidal primary current sheet model 87−43105
Nonaka, S., Furukawa, T., Ogawa, K. Stationary pulsating MMF effect in single-layered high-speed LIM taking into account finite length of primary cores 87−9585
Nonaka, S., Higuchi, T. Design of single-sided linear induction motors for urban transit 87−4731
Nonaka, S., Higuchi, T. Design strategy of single-sided linear induction motors for propulsion of vehicles 87−64903
Nonaka, S., Higuchi, T. Elements of linear induction motor design for urban transit 88−55346
Nonaka, S., Jin, X. A new PWM controlled AC-DC converter using GTO thyristors 88−75747
Nonaka, S., Kawaguchi, T. A new brushless felt-excited type commutatorless motor drive with microcomputer controlled PWM inverter 88−23870
Nonaka, S., Kesamaru, K. Brushless three-phase synchronous generator without exciter 86−61490
Nonaka, S., Kesamaru, K. Voltage-adjustable brushless single-phase synchronous generator without exciter 87−22298
Nonaka, S., Kesamaru, K. Characteristics of brushless single-phase and three-phase synchronous generators without exciter 87−51183
Nonaka, S., Kesamaru, K. Analysis of voltage-adjustable brushless synchronous generator without exciter 88−23902
Nonaka, S., Kesamaru, K. Characteristics of voltage-adjustable synchronous generator without exciter 88−48920
Nonaka, S., Neba, Y. New GTO current source inverter with pulsewidth modulation control techniques 86−39958
Nonaka, S., Neba, Y. New GTO current source inverter with pulsewidth modulation control techniques 87−4786
Nonaka, S., Neba, Y. PWM controlled GTO current source inverter-fed induction motor drive 87−30583
Nonaka, S., Neba, Y. Commutation control current source inverter-fed induction motor drive 87−43017
Nonaka, S., Neba, Y. Analysis of PWM GTO current source inverter-fed induction motor drive system 87−43519
Nonaka, S., Neba, Y. Analysis of PWM GTO current source inverter-fed induction motor drive system 87−51499
Nonaka, S., Neba, Y. A PWM GTO current source converter system with sinusoidal inputs and outputs 88−30877
Nonaka, S., Neba, Y. PWM converter and inverter-induction motor drive system 88−49200
Nonaka, S., Neba, Y. Operating characteristics of PWM converter-inverter for induction motor drives 88−75984
Nonaka, S., Neba, Y., Itoh, R., Ishizaka, K. Current source inverter circuits using GTO 85−49025
Nonaka, S., Neba, Y., Kikuchi, K. Steady-state characteristics and stability of GTO commutation control current source inverter-induction motor drive system 85−49026
Nonaka, S., Neba, Y., Kikuchi, K. Current source inverter with commutation control by GTO thyristors 86−26116
Nonaka, S., Ogawa, K. Boundary element analysis of linear induction motor for Maglev vehicle 87−4735
Nonaka, S., Sakamoto, T. End effect of superconducting magnetic levitation system with U-shaped guideway 85−16322
Nonaka, S., Sakamoto, T. Three-dimensional analysis of steady eddy current of cryostat outer vessel in superconductive magnetically levitated vehicle 86−33764
Nonaka, S., Sakamoto, T. Three-dimensional analysis of dynamic eddy current of a cryostat outer vessel in a superconducting magnetically levitated vehicle 87−51523
Nonaka, S., Sakamoto, T., Ueno, T. Three-dimensional eddy current analysis of cryostat outer-vessel in superconductive magnetically levitated vehicle 87−64907
Nonaka, S., Sheu, Z., Neba, Y. Induction motor drive using GTO current source inverter with discharging operation of capacitors 85−61095
Nonaka, S., Shinohara, K. GTO current source inverter 85−27536
Nonaka, S., Takami, H. Low speed drive of PWM-VSI fed brushless self-excited synchronous motor 86−45384
Nonaka, S., Takami, H. Low-speed drive of PWM-VSI fed brushless self-excited synchronous motor 87−16081
Nonaka, S., Takami, H., Liu, R. Characteristics of brushless self-excited type half-speed and full-speed synchronous motors driven by a microcomputer controlled GTO inverter 86−19245
Nonaka, S. *see* Doi, S. 86−33291
Nonaka, S. *see* Furukawa, T. 86−51650, 88−48975, 88−62385
Nonaka, S. *see* Higuchi, T. 85−21652
Nonaka, S. *see* Isogai, M. 86−36268
Nonaka, S. *see* Kakimoto, A. 87−35173
Nonaka, S. *see* Odamura, M. 86−36269
Nonaka, S. *see* Ogawa, K. 87−9586
Nonaka, S. *see* Shinohara, K. 87−58347
Nonaka, S. *see* Umezu, N. 86−45397
Nonaka, T., Akiyama, M., Kawarada, Y., Kaminishi, K. Fabrication of GaAs MESFET ring oscillator on MOCVD grown GaAs/Si(100) substrate 85−23943
Nonaka, T. *see* Katagiri, N. 85−38111
Nonaka, T. *see* Kinoshita, H. 85−18258
Nonaka, T. *see* Kitagawa, M. 88−12107
Nonaka, T. *see* Nakamura, H. 85−40784
Nonaka, T. *see* Takahashi, S. 88−25511
Nonaka, T. *see* Yamagishi, C. 85−16952
Nonaka, Y. *see* Kanie, H. 85−60743
Nonaka, Y. *see* Shidara, K. 86−21070
Nonaka Ken-ichi *see* Ken-ichi Nonaka
Nonbol, E. *see* Andresen, K. 85−55689
Nonclercq, B. *see* Boscher, D. 85−58145
Nong Zhou *see* Ozsoyoglu, Z.M. 87−69710
Nong Zhou *see* Zhou Nong
Nongaillard, B., Grosmaire, J., Rouvaen, J.M., Saisse, H., Fevrier, H. Zooming lens for acoustic microscopy and analysis of nondestructive testing images 87−370
Nongaillard, B., Logette, P., Rouvaen, J.M., Saisse, H., Fevrier, H. Acoustic microscopy: a tool for non-destructive evaluation of ceramics 86−57509
Nongaillard, B., Rouvaen, J.M., Logette, P., Bridoux, E., Torguet, R. A zooming lens for acoustic microscopy applications 86−50761
Nongaillard, B. *see* Houze, M. 86−12218
Nonguillard, B., Rouvaen, J.M., Logette, P., Saisse, H., Fervier, H. Spatial resolution of the scanning acoustic microscope for subsurface imaging of samples 87−21811
Nonhof, C.J., Notenboom, G.J.A.M. Beam manipulation with optical fibres in laser welding 86−63674
Nonhof, C.J., Notenboom, G.J.A.M. Spot welding with Nd lasers 87−19111
Nonikashvili, A.D. *see* Tsarenko, A.I. 88−58613
Nonner, G. Locating short-circuit faults along cables 85−11620
Nonogaki, S. Photoresist 86−1877
Nonogaki, S. Resist materials 86−53509
Nonogaki, S., Hashimoto, M., Iwayanagi, T., Shiraishi, H. Azide-phenolic resin resists sensitive to visible light 86−1903
Nonogaki, S., Morishita, H., Tomita, Y., Nishizawa, M. Multicolor phosphor screen fabrication utilizing phototackifiable diazonium salt 86−63005
Nonogaki, S., Tomita, Y., Nishizawa, M., Akagi, M., Kohashi, T. Dry process for phosphor screen fabrication of multicolored cathode-ray tubes 86−1647
Nonogaki, S. *see* Hayashi, N. 86−1643
Nonogaki, S. *see* Iwayanagi, T. 87−53327
Nonogaki, S. *see* Koibuchi, S. 86−1902
Nonogaki, S. *see* Shou-ichi Uchino 88−13241
Nonogaki, S. *see* Suga, O. 88−39318
Nonogaki, S. *see* Toriumi, M. 87−53613
Nonogaki, S. *see* Ueno, T. 85−55715
Nonogaki, S. *see* Yanazawa, H. 86−8944
Nonogaki, Y. *see* Masuda, S. 87−3563
Nonoguchi, M. *see* Shimizu, M. 86−33634
Nonoichi, R. *see* Ara, M. 87−77254, 87−77354
Nonomura, K., Watanabe, M., Yamamoto, K., Shibuya, C., Nishida, J. Color flat-panel using matrix drive and deflection system 87−8397
Nonomura, K. *see* Watanabe, M. 86−31521
Nonomura, S. *see* Kruangam, D. 86−29012
Nonomura, S. *see* Nitta, S. 88−456, 88−24766
Nonomura, T. *see* Irie, T. 86−5873
Nonomura, T. *see* Nishigaki, S. 88−32391, 88−57210
Nonomura, Y. *see* Kamemaru, S. 87−61006
Nonotny, J., Horakova, I., Kovar, I. Determination of correction factor for recombination losses, k_{sat}, in ionization chamber using two voltage method 88−16636
Nonoyasu, S., Shigenori, G. Japanese researchers develop new cable splicing method 85−38531
Nonumura, K., Watanabe, M., Yomamoto, K., Shibuya, C., Nishida, J. A color flat panel using matrix drive and deflection system 87−34749
Nooder, V. *see* Meijer, G.C.M. 87−29109
Noomen, J.G. *see* Maas, R. 86−31947
Noon, D.P., Jr., Ha, T.T. Throughput analysis of a direct sequence code division multiple access system 88−46373
Noon, D.P., Jr., Ha, T.T. Throughput analysis of a DS-CDMA system in a multipath fading channel 88−73415
Noon, D.W. Corrosion and reliability: industrial process control electronics 87−72888
Noon, E.L. *see* Callahan, P.S. 86−12153
Noon, J. Interactive videodisc in banking 88−67606
Noon, K., Chande, A. Sense Analysis Simulator for sensor fusion on an autonomous underwater vehicle 87−76866
Noonan, D.J. *see* Schremmer, J.M. 88−10412
Noonan, E. *see* Kelly, W.M. 88−64465
Noonan, K. *see* Carlton, D.E. 88−68043
Noonan, V.S. How the NRC is approaching environmental qualification [nuclear plant equipment safety] 85−38627
Noonan, V.S. *see* Wright, R.J. 86−65834
Noone, S. A new look at photoelectric controllers and their energy-saving potential [street lighting] 86−61806
Noor, F., Elhakeem, A.K., Le Ngoc, T. Performance of FH/QPR signals under frequency selective fading and partial band tone jamming 88−28648
Noor, F. *see* Elhakeem, A.K. 87−69898
Noor, F. *see* Morgera, S.D. 88−63138
Noor Mohammad, S. Boundary conditions and current-voltage relations for heavily doped *p-n* diodes 87−67208
Noor Mohammad, S. Emitter efficiency, transit times and current gain of bipolar transistors 87−67229

Noor Mohammad, S. Emitter-collector reciprocity of double heterojunction bipolar transistors: a three-dimensional analysis and proof for transistors with heavily doped and degenerate base regions 88−33173
Noor Mohammad, S. Theory of potential distributions in abrupt heterojunction crystalline semiconductor devices: treatment of Schottky barriers and rectifiers 88−50648
Noor Mohammad, S., Rogers, C.E. Current-voltage characteristics and performance efficiency of polysilicon solar cells 88−75947
Noor Mohammad, S. *see* Abidi, S.T.H. 85−27644
Noorani, M.K.O. *see* Migwalla, E.L. 88−59494
Noorbehesht, B. *see* Lee, H. 87−62034, 88−72983
Noordegraaf, C. Repeated call attempts, a study of subscribers' behaviour 87−62539
Noordhoek, C. *see* van Delft, D.R.V. 88−48830
Noordhuis, B. *see* Deelman, G.J. 87−66672
Noordhuis, B. *see* Koningstein, J.A. 88−24095
Noore, A., Nutter, R.S., Swartwout, R.E. Creating a test knowledge base for VLSI testing 88−26455
Noorhoff, A. Carrying out projects 86−52213
Noorlag, D.J.W., Hart, C.M. Bipolar circuits in silicon technology 85−54845
Noort, R.van *see* van Noort, R.
Nootbaar, K. How to design a metastable hardened flip-flop 88−6785
Nootbaar, K. *see* Tepper, R.S. 87−59372
Nootbaar, K.D. *see* Birrittella, M.S. 87−36977
Nopirakowski, J. *see* Bresch, W. 88−41991
Nopiraskowski, J. *see* Jahn, H. 87−2604
Noppe, J.M. *see* Brand, C. 87−21430
Noppenau, H., Uhlir, T. Asnæs 1 steam power plant retrofitted for another 150000 hours of service 86−19091
Noppenau, H. *see* Christensen, V. 88−37040
Nopper, G. Energy recovery from inductances 85−44869
Nor-Arevyan, V.A. *see* Borovkov, V.V. 88−27033
Nora, C. The computer and the Ecole Nationale Superieure des Telecommunications: present and future tendencies 85−60679
Noras, J.M. Extraction of interface state attributes from MOS conductance measurements 87−45711
Noras, J.M. Parameter estimation in MOS conductance studies 88−39161
Noras, J.M., Spink, D.M. Application of multidimensional optimization to laboratory control 88−47415
Noras, J.M. *see* Evans, M. 86−1848
Norbeck, E., Dubbs, T.P., Sobotka, L.G. Spin coating thin films of plastic scintillator 88−22941
Norbeck, E. *see* Kwong, D.L. 86−8870
Norbeck, E. *see* Strong, R.L. 86−67806
Norberg, G., Wahlstrom, I. Teleinvest−one fifth of the tele-authority 87−2692
Norbury, D.A., Clark, R.J., Russell, F.E. Supercomponents from the designer's point of view 85−26259
Norbury, D.H. *see* Felton, L.E. 85−61991
Norbury, J.R. Propagation data required for future satellite communication systems operating in the millimetre band 86−37862
Norbury, J.R. Propagation effects near 60 GHz in an urban environment 86−48597
Norbury, J.R. Propagation and communications experiments with the Olympus satellite 86−69730
Norbury, J.R. Land mobile satellite systems using highly eccentric orbits 87−13678
Norbury, J.R. Millimetre systems for civil applications 87−55986
Norbury, J.R. Mobile satcoms for the future 88−3904
Norbury, J.R., Barton, S.K. Micro Earth stations at 20/30 GHz 87−28544
Norbury, J.R. *see* Barton, S.K. 85−42558
Norbury, J.R. *see* Cherry, S.M. 88−9515
Norbury, J.R. *see* Hewitt, A. 86−30644
Norby, P.R. *see* Knauer, P.E. 88−16311
Norbye, J.P. Turbine pump and gen-sets for marine applications 85−53634
Norcia, A.M., Clarke, M., Tyler, C.W. Digital filtering and robust regression techniques for estimating sensory thresholds from the evoked potential 86−50570
Norcott, M.H. *see* De Blasi, J.M. 87−74102
Norcott, M.H. *see* Deblasi, J.M. 87−18354
Norcott, M.H. *see* Delfino, M. 86−21498
Norcott, M.H. *see* Sadana, D.K. 87−1453, 87−11599, 88−1725
Norcott, M.H. *see* Stacy, W.T. 85−11259, 85−39798, 85−61277, 87−6478, 88−50962
Norcross, G.A. *see* Parsons, C.L. 87−77859
Norcross, R.J. *see* Wight, D.R. 88−26880
Nord, J. The 'rear-view mirror' approach [to foreign language teaching using interactive video] 87−43823
Nord, M.A. The consulting report: introducing freshmen to engineering 87−23207
Norda, J. Impact of CR and BDAR on maintenance 88−61764
Nordberg, B. *see* Heidermark, A. 85−36543
Nordberg, E. The CLEO II detector 88−48002
Nordblad, P. *see* Svedlindh, P. 87−8592
Nordbo, K. *see* Handebard, A. 85−36860
Nordby, M. *see* Dubois, R. 86−50321
Norde, H., Bohlin, K., Masszi, F., Tove, P.A. Resistance modulation in Schottky-barrier diodes 87−11732
Norde, H. *see* Masszi, F. 86−47516, 87−6465
Norde, H. *see* Tove, P.A. 88−26546
Nordell, B. A physical introduction to MR imaging 85−64568
Nordell, D.E. Principles for effective load management 85−59604
Nordell, D.E. An approach to conservation and load management economic analysis 87−42349
Nordell, D.E. Forced duty cycling of air conditioning units for load management 88−24280
Norden, H. *see* Hellsing, M. 86−14820
Norden-Paul, R.E. IEEE proposed standard 1073−the medical information bus: an introduction and progress report 88−54689
Nordenso, M. *see* Al-Arian, S.A. 87−53749
Norderhaug, O., Balchen, J.G., Onshus, T. On-line component estimation and analyser calibration for a complex industrial processing plant using Kalman filtering 88−41968
Nordeste, P. *see* Tralhao, L.M. 88−3760
Nordgaard, J.D., Sega, R.M. Closed-form series expansions for the quasi-static capacitance matrix of an insulated shielded-pair transmission line 88−2650
Nordgard, H. *see* Fossdal, K. 87−71592
Nordgard, J.D., Smith, G.S. Electromagnetic simulation of missile exhaust plumes 87−63865
Nordgard, J.D. *see* Sega, R.M. 86−36836
Nordgard, J.D. *see* Smith, G.S. 85−58825
Nordgren, J., Nyholm, R. Design of a portable large spectral range grazing incidence instrument 86−60469
Nordgren, J. *see* Nyholm, R. 86−60476
Nordgren, R., van Eijkelenburg, H. New logic analyser: Time and event analysis in one instrument 87−8568
Nordgren, R. *see* Borjesson, F. 85−60338
Nordheden, K.J., Verdeyen, J.T. The effect of oxygen on the etch rate of NF_3 discharges 87−17951
Nordholt, E.H., Boon, C.A.M., Pasman, K.H.W. A 'one-pin' LC oscillator circuit with a new type of amplitude control 85−61156
Nordholt, E.H., Nauta, H.C. A new integrated high-performance AM receiver for car radio 85−20321
Nordholt, E.H., Nauta, H.C. A new integrated high-performance AM receiver for car radio 85−37229
Nordholt, E.H., Nauta, H.C. Wide-band high-dynamic-range front-end circuitry for AM radio 87−20682
Nordholt, E.H. *see* Boon, C.A.M. 86−825
Nordholt, E.H. *see* Davidse, J. 88−20036
Nordholt, E.H. *see* de Jong, L.P. 85−3438, 87−70613, 88−15466
Nordholt, E.H. *see* Nauta, H.C. 85−39902, 85−61136, 86−4833, 86−11240, 86−62498, 87−23965
Nordholt, E.H. *see* Seevinck, E. 86−7928
Nordholt, E.H. *see* Stoffels, H. 86−67062
Nordholt, E.H. *see* Straver, W.G.M. 85−656
Nordholt, E.H. *see* van Maaren, D.C. 86−64607, 88−22479
Nordholt, E.H.. *see* Weisen, C. 86−47669
Nordhorst, K.-H. New apparatus in GDR production of gas-pressure controllers, safety valves and flowmeters 87−41634
Nordin, A. The microscope measures potential [IC testing] 86−63363
Nordin, A. New way to measure acoustics 87−3805
Nordin, A. Optical accelerometers−sensitivity increases 87−8593
Nordin, A. Vibrations warn before the breakdown 87−9489
Nordin, A. Ions detect radioactive radiation 87−21401
Nordin, A. Swedish experience behind noise-free FM stereo 87−63108
Nordin, A. Ring shaped emitter halves break time 88−13320
Nordin, K.B., Makram, E.B. Fault analysis by using personal computer 87−71514
Nordin, K.B., Novotny, D.W., Zinger, D.S. The influence of motor parameter deviations in feedforward field orientation drive systems 85−27698
Nordin, K.B., Novotny, D.W., Zinger, D.S. The influence of motor parameter deviations in feedforward field orientation drive systems 86−7190
Nordin, R.A. *see* El-Turky, F.M. 86−66931
Nordin, R.A. *see* Erickson, J.R. 87−56146
Nordius, H. *see* Askne, J. 87−54557
Nordland, W.A., Kazarinov, R.F., Merritt, F.R., Savage, A., Bonner, W.A. Modified single-phase LPE technique for $In_{1-x}Ga_xAs_{1-y}P_y$ laser structures 85−386
Nordland, W.A., Kazarinov, R.F., Temkin, H., Yen, R. Growth of InGaAsP distributed feedback lasers by a modified single-phase LPE technique 85−54474
Nordland, W.A. *see* van der Ziel, J.P. 85−35780
Nordlander, E., Drugge, B., Tapia, M. Minority-carrier lifetime mapping in silicon using a microprocessor-controlled flying-spot scanner 85−20693
Nordlander, E. *see* Bleichner, H. 87−3716
Nordlie, T.B. Electrical power supply installations: better and cheaper documentation by using CAD 85−38461
Nordling, J.A. *see* Providakes, J. 88−53346
Nordlinger, C.W., York, L. NetExpress Communications: public document switching service 87−28303
Nordlund, P., Sjelvgren, D., Pereira, M.V.F., Bubenko, J.A. Generation expansion planning for systems with a high share of hydro power 87−42405
Nordlund, P. *see* Backlund, Y. 88−68787
Nordman, H. Short-circuit strength of transformers 85−53740
Nordman, J.E. *see* Jin-Shyong Jan 88−13760
Nordman, J.E. *see* McGinnis, D.P. 86−53918, 87−66529, 88−26706, 88−65014
Nordman, J.E. *see* Radparvar, M. 85−56198
Nordman, O.D. *see* Hale, M. 88−14634
Nordmann, F., Pinard-Legry, G., Daret, J., Brunet, J.P. Experimental investigation on denting in PWR steam generators: causes and corrective actions 85−4849
Nordmann, J. *see* Henkel, H. 87−53756
Nordmann, J. *see* Henkel, H.-J. 87−25646
Nordmeyer, R.D. Enhanced Terrain Masked Penetration Program 86−12079
Nordon, P., Bainbridge, N.W., Szemes, F., Myers, C. A low temperature reaction calorimeter of the Calvert type for the measurement of the heat of oxidation of coal 85−37784
Nordquist, A.E. *see* Trofimenkoff, F.N. 87−11011
Nordquist, A.L. *see* Ayers, W.R. 86−47253
Nordquist, E.R., Jr. *see* Klein, P.H. 85−56333
Nordquist, J.I., Pelta, E.R. Constant velocity systems using Sawyer linear motors 87−30654
Nordquist, J.I., Smit, P.M. A motion-control system for (linear) stepper motors 87−30683
Nordquist, P.E. *see* Ioannou, D.E. 87−66982
Nordquist, P.E.R., Jr. *see* Holm, R.T. 86−63059
Nordquist, P.E.R., Jr. *see* Klein, P.H. 85−18633
Nordquist, P.J. Standardization efforts in video teleconferencing 85−37328
Nordquist, R. *see* Bergan, E.S. 86−55022
Nordqvist, G. *see* Nagarajan, V. 87−62965
Nordrik, E. *see* Schei, A. 86−51708
Nordsieck, A.W., Lin, P.M. A critical examination of methods for formulating nonlinear network equations for DC analysis 85−17122
Nordsieck, A.W., Lin, P.M., Hsieh, H.Y. Exploitation of latency and near-latency for transient analysis of large scale circuits [VLSI] 86−63405
Nordstrand, E.A. *see* Walker, D.A. 88−16938
Nordstrom, L.A., Castaneda-Zuniga, W.R., Lindeke, C.C., Rasmussen, T.M., Burnside, D.K. Laser angioplasty: controlled delivery of argon laser energy 88−61422
Nordstrom, M.A. *see* Miles, T.S. 87−71138
Nordstrom, N. *see* Madisetti, V.K. 87−19799
Nordstrom, R.J. Automatic frequency control of pulsed CO_2 lasers 88−72366
Nordstrom, T.V. Reticle sizing for optimized CD control 86−15266
Nordstrom, T.V. Reticle sizing for optimized CD control 86−21839
Nordtvedt, J. Personal CP/M in the ROM of a single-chip microcomputer 85−11299
Nordvall, J.O. New magnetoelastic load cells for high precision force measurement and weighing 86−11575
Nordvik, J.-P. *see* Gys, T. 87−26042
Nored, D.L., Bernatowicz, D.T. Electrical power system design for the US Space Station 87−42128
Nored, D.L. *see* Simon, W.E. 87−42121
Noreika, A. *see* Kim, T.W. 88−12984
Noreika, A.J. *see* Farrow, R.F.C. 87−10456
Noreika, A.J. *see* Sinharoy, S. 85−54463
Noreika, A.J. *see* Zheng, Y.-D. 87−37946
Noreiko, M.M. Automated scheduling of annual repairs of equipment in stations and boiler installations of power plants 87−35772
Noreldin, O., Scaife, W.G. Automatic measurement of high pressures 88−10163
Norelius, F. *see* Tenerz, L. 87−14318
Norell, K.E., Baltzer, P., Wannberg, B., Siegbahn, K. A new magnetic time-of-flight spectrometer for electron spectroscopy 85−26730
Norelli, M.P. *see* Luther, L.C. 87−32844, 87−52131
Norem, J., Brandeberry, F. Preliminary tests of a second harmonic RF system for the Intense Pulsed Neutron Source Synchrotron 86−5767
Norem, J., Knott, M., Rauchas, A. Beam stability in a 6 GeV synchrotron light source 86−24946
Norem, J. *see* Konecny, R. 87−41694
Norem, J. *see* Mavrogenes, G. 87−41772
Norem, J. *see* Potts, C. 86−31811
Norem, J. *see* Simpson, J. 86−32068
Norem, J.H. *see* Colton, E.P. 85−20768
Norem, M.N. Diablo Canyon startup program update 85−9597

Noren, D. Heat pipe/sink combination cools sealed power modules 88−56020
Noren, D.W. Heat pipes to cool power modules 88−70148
Noren, M., Perntz, C. AXE for packet switching integration 87−28333
Noren, M. *see* Allonen, B. 87−76151
Noren, R. *see* Datta, S. 86−14910, 87−6450
Noren, R. *see* Melloch, M.R. 86−53402
Norenkov, I.P. Trends in the development of software for automated analysis of LSI devices 85−35110
Norenkov, I.P., Buldakova, T.I. Complex of algorithms and programs for circuit design optimization 87−439
Norenkov, I.P., Buldakova, T.I. Statistical analysis and optimization based on centering algorithms 87−10596
Norenkov, I.P., Evstifeev, Yu.A., Manichev, V.B. An adaptive method for fast analysis of multiperiod electronic circuits 88−24877
Norenkov, I.P., Martynyuk, V.A., Trudonoshin, V.A., Fedoruk, V.G. Algorithms and organization of a program system for computer-aided circuit design 87−52290
Norenkov, I.P., Somov, P.A. Adaptive modeling of electronic circuits 87−52287
Norenkov, I.P., Trudonoshin, V.A., Fedoruk, V.G. A method of generating mathematical models for the adaptive software analysis of electronic circuits 88−63458
Norenkov, I.P., Zinov'ev, P.A., Buldakova, T.I. Centering algorithm using linear approximations 85−17076
Norfolk, T.S. *see* Csordas, G. 88−56199
Norgaard, L. The 14 km prestressed transport pipeline in DN 1000 for the Danish city of Aarhus [district heating] 86−19072
Norgaard, O. The Magnetome looks into the human body 85−38081
Norgaard, O. The digital successor to the cathode ray tube 87−63459
Norgaard, O. Exiting Danish satellite receiver 88−35434
Norgard, J.D., Sega, R.M. Microwave fields determined from thermal patterns 88−4605
Norgard, J.D. *see* Fredal, D. 88−22763
Norgard, J.D. *see* Sega, R.M. 86−36755, 87−33356, 88−27525, 88−47527, 88−68018
Norian, K.H., Meyers, P.V. A microstructural study of CdTe films used in Schottky barrier solar cells 86−47306
Norifusa, M. *see* Shigo, O. 87−48392
Norigoe, I. *see* Harada, K. 87−513
Norigoe, I. *see* Yamada, T. 86−66198
Norigoe, M. *see* Kakuda, Y. 87−33851
Norigoe, M. *see* Mori, H. 85−52201
Norikane, L. *see* Burnette, F. 88−10524
Norikane, L. *see* Dubois, P.C. 88−5148
Norikane, L. *see* Zebker, H.A. 88−28945
Norikane, T. *see* Shibano, Y. 86−55427
Norikawa, Y. *see* Yamane, N. 87−19936
Norimatsu, K. *see* Miyoshi, M. 87−45794
Norimatsu, M., Shirasaki, M. $Bi_{12}SiO_{20}$ crystal application for voltage sensor in optical fibers 87−68043
Norimatsu, N. *see* Sawa, S. 88−45199
Norimoto, K. *see* Kawashima, H. 85−49157
Norimoto, M. *see* Ono, T. 88−47364
Norimoto, U. *see* Kawakami, H. 86−31224
Norimura, K. *see* Imanishi, A. 88−61124
Norimura, T. *see* Yamamoto, H. 85−31716
Norin, R.S., Smith, W.R. Array processors speed radar signal processing 86−54492
Norinder, B. The network: this is how the Swedish telecommunications network will meet peak loading 87−48318
Norinder, B. They are the 'railway navvies' of their time, with the right to coin the term 'opto navvies' [optical cables laying] 87−49113
Norinder, B. Good companion with permanent night work [remote switching stations] 87−69821
Norinder, B. New generation telephone system with speech memory 88−14983
Norinder, B. Hamburgers with ISDN and ketchup world's number one 88−41430
Norishima, M. *see* Iwai, H. 88−39641
Norisue, K. *see* Watanabe, T. 88−842, 88−32281
Noritake, T. *see* Kawaguchi, M. 87−29383
Noritake, Y. *see* Konishi, Y. 88−63541
Norkin, D.P. *see* Ankrum, G.T. 86−25772
Norkin, D.P. *see* Grimes, B.K. 87−57774
Norkin, V.I. Method of generalized gradient descent 86−40668
Norkin, V.I. Stochastic generalized-differentiable functions in the problem of nonconvex nonsmooth stochastic optimization 88−6380
Norkin, V.I. Necessary and sufficient conditions for convergence of iteration algorithms of nonlinear programming 88−49748
Norkulova, Kh.R. *see* Veinger, A.I. 85−62436
Norkus, V., Neumann, N., Poness, J. Pyroelectric infra-red radiation single element detector and their applications 87−49742
Norland, D., Wolf, J.L. Utility conservation programs: opportunities and strategies 86−18714
Norland, D.L. Overview of utility promotion of investment in energy efficiency 85−21143
Norland, D.L. Cost-effectiveness of utility sponsored energy conservation programs 87−22078
Norland, M. *see* Besserudhagen, K. 85−24845
Norlin, L.O. *see* Klamra, W. 87−29499, 88−29881
Norling, B.L. Superflex: a synergistic combination of vibrating beam and quartz flexure accelerometer technology 88−42298
Norloff, B. An HF mini-dipole using mobile whips 87−68863
Norlyng, S. Thin film technology for prototypes and small scale production−equipment needed, experimental results, applications 86−20983
Norman, A.G. *see* Scott, M.D. 85−10706
Norman, A.T. The Robbins tunnel boring machine. II 85−5613
Norman, A.T. Coal face power systems and their ability to cope with expected changes in production methods and face design. I 87−65025
Norman, A.T. Coal face power systems and their ability to cope with expected changes in production methods and face design. III. Options for betterment 87−72652
Norman, B. Operating experience with coal-fired boiler converted for district heat production and with flue gas desulphurization 86−19084
Norman, B.R. Cut memory device failures by pattern-testing chips 88−50134
Norman, C.E., Absi, E.M., Thomas, R.E. Solar-grade silicon substrates by a powder-to-ribbon process 86−386
Norman, C.E., Absi, E.M., Thomas, R.E. Solar grade Si substrates by the powder-to-ribbon process 86−13086
Norman, C.E. *see* Thomas, R.E. 88−37380
Norman, D. Incorporating operational experience and design changes in availability forecasts [for power plants] 88−42921
Norman, D. *see* MacDowell, A.A. 86−60644
Norman, G., Reistad, D. Handling the effects of eddy currents in CELSIUS 88−68154
Norman, G. *see* Ekstrom, C. 88−60999
Norman, J. *see* Cimino, J.B. 88−10606
Norman, J.A. *see* Ellul, W.M. 85−38832
Norman, J.D.Van *see* Van Norman, J.D.
Norman, J.H. *see* Elsner, N.B. 85−53853, 86−58274
Norman, L.E. Texas Instruments VHSIC 1750A computer 86−67265
Norman, M.J. Perth International Airport Project−telecom planning and installation aspects 87−33944
Norman, M.J. Video and sound programme network for the America's Cup 87−34728
Norman, P., Edey, W.B., Meraw, D.F. Ontario Hydro Nuclear Generation Division information systems at Darlington NGS 88−75298
Norman, P. *see* Dubowski, J.J. 85−44689, 87−36814
Norman, P.A. *see* Bloor, D. 88−27304
Norman, P.A. *see* Kolinsky, P.V. 87−68601
Norman, P.G. The new AP101S general-purpose computer (GPC) for the Space Shuttle 87−42082
Norman, R.H. How to VLSI for systems designers 85−22825
Normand, G. Translinear current conveyors 86−20708
Normand, G. Floating-impedance realisation using a dual operational-mirrored amplifier 86−46965
Normand, G. Current-controlled translinear IPIC 86−57931
Normand, G. Differential current-convertors and current-conveyors using dual operational mirrored amplifiers (dual OMA) 86−67313
Normand, J., Myers, C.O., Haub, G.L. Stimulating oil recovery at Kern River 88−11103
Normandin, A. *see* Beaudoin, Y. 87−54393
Normandin, R. All-optical, fiber-optic modulator and logic gate using nonlinear refraction and absorption 87−18676
Normandin, R. All-optical logic in fiber systems using nonlinear refraction 88−33805
Normandin, R. *see* Khoo, I.C. 85−51245, 86−3283, 88−34105
Normandon, P., Minghetti, B., Galvier, J. Cr/W as a first layer in 2-metal 1 μm CMOS 88−25975
Normandon, P. *see* Brillouet, M. 87−67522
Normandon, P. *see* Glastre, G. 88−26170
Normann, N., Borgermann, F., Mende, H.H. Simple boundary element method for three-dimensional magnetostatic problems 85−56949
Normann, N. *see* Borgermann, F.J. 85−24209
Normantas, E. *see* Reggiani, L. 87−24735
Normark, B. *see* Kroon, A. 86−50975
Normark, W.R., Morton, J.L. Detailed structural mapping of an ocean rift, using acoustic-transponder positioning: problems of net maintenance (1981-86) and new experiments possible with long-life transponders 88−5201
Norment, P.Le *see* Le Norment, P.
Normey, J. *see* Suppi, R.L. 88−74294
Normile, J.O. A video composite to component decoder using a VLSI digital FIR filter 87−59778
Nornes, H. *see* Lindegaard, K.-F. 85−4302
Noro, K. Ergonomics approach to improvement of sensory measurement (particularly tactile measurement) 85−9125
Noro, K. *see* Yamamoto, S. 88−42231
Noro, M., Kato, M. Voltage monitoring relay for distributing substation 86−39906
Noro, M., Kato, M. Automatic transfer controller of customer switches for 22 kV-154 kV 86−40012
Noro, M., Watanabe, N., Higashino, I. Microprocessor-controlled air-fuel ratio meter using a quadrupole mass spectrometer 85−3856
Noro, M. *see* Nakajima, T. 85−38553
Noro, M. *see* Takahashi, S. 85−38554
Noro, T., Takayama, T., Ikegami, H., Nakamura, M., Sakaguchi, H., Sakamoto, H., Ogawa, H., Yosoi, M., Ichihara, T., Isshiki, N., Ieiri, M., Takeuchi, Y., Togawa, H., Tsutsumi, T., Kobayashi, S. The polarization spectrograph DUMAS 86−70362
Noro, T. *see* Ieiri, M. 87−3912
Noro, T. *see* Yamazaki, T. 88−42357
Noro, Y. *see* Inomoto, K. 87−17194, 87−55154, 88−11827
Noro, Y. *see* Maryama, T. 88−15783
Noro, Y. *see* Miura, M. 86−35979, 87−6998
Norob'eva, A.E. *see* Klimenko, E.Yu. 88−26727
Noronha, L. *see* Taylor, S.L. 88−26437
Noronha, L.W. *see* Agrawal, P. 88−24916
Norouzi, S. *see* Jones, J.W.E. 88−2616
Norov, E. *see* Batirov, K. 88−60933
Norppa, E. *see* Belvilacqua, J. 86−26381
Norr Mohammad, S. Analytical investigation of the junction space-charge region properties of heterojunction semiconductor devices: application to n-$Al_zGa_{1-z}As$/p-GaAs system 88−64284
Norregaard, J., Hanberg, J., Lindelof, P.E. Weak localization magnetoresistance studied in silicon-based MOSFETs at almost quantizing magnetic fields 87−11485
Norregaard, J., Hanberg, J., Lindelof, P.E. Temperature dependent relaxation rates in Si(100) MOSFET electron inversion layers at low temperatures 88−19971
Norregaard, J. *see* Lindelof, P.E. 87−53299
Norregaard-Christensen, K. *see* Thomsen, C.E. 88−61367
Norremark, J., Skyttermark, B., Wallgren, R. MINI-LINK in the Swedish network 86−4484
Norren, D.Van *see* Van Norren, D.
Norrgren, A., Bakken, G. Oslo Lysverker's new operation centre at Smestad: the technical solution [power station control] 85−38597
Norrie, D.G. Passively athermalised folded telephoto vidicon lens 85−56390
Norrie, D.G. Catadioptric afocal telescopes for scanning infrared systems 86−44177
Norrie, D.K. *see* Ricketts, I.W. 87−63259
Norrie, P.R. Development of street lighting cutouts 86−40287
Norring, K. Influence of roll transition shape on primary side IGSCC of steam generator tubes 85−38774
Norring, K. *see* Engstrom, J. 85−38773
Norrington, K. Dynamic signal analysis 85−20545
Norrington, P. EPROM programming at longer word lengths 87−37269
Norris, A.J. *see* Darbyshire, A.G. 85−53175
Norris, A.J. *see* Lepine, D.R. 85−53160
Norris, A.N., Achenbach, J.D., Ahlberg, L., Tittmann, B.R. Further results for crack-edge mappings by ray methods 85−6077
Norris, A.N. *see* Ahlberg, L. 85−6078
Norris, A.P., Waddoup, W.D. A millimetric wave omnidirectional antenna with prescribed elevation shaping 85−41714
Norris, A.W. *see* Cox, C.D. 86−69693
Norris, A.W. *see* Cox, D.C. 85−3009, 86−4531, 86−15874, 86−36703
Norris, B. High reliability industrial CO_2 laser marking system 87−75290
Norris, C.B. *see* Domkowski, D.W. 87−33053
Norris, C.M. *see* Walker, R.L. 87−8177
Norris, C.S. *see* Tanabe, E. 85−19260
Norris, D.G., Hutchison, J.M.S. Gated cardiac imaging using low-field NMR 86−65422
Norris, G.B., Look, D.C., Kopp, W., Klem, J., Morkoc, H. Capacitance-voltage characteristics in modulation doped heterojunction FETs 85−45679
Norris, G.B., Look, D.C., Kopp, W., Klem, J., Morkoc, H. Theoretical and experimental capacitance-voltage behavior of $Al_{0.3}Ga_{0.7}As$/GaAs modulation-doped heterojunctions: relation of conduction-band discontinuity to donor energy 85−61719
Norris, G.B., Look, D.C., Kopp, W., Klem, J., Morkoc, H. Theoretical and experimental capacitance-voltage behavior of modulation-doped $Al_{0.3}Ga_{0.7}As$/GaAs heterojunctions 86−53398
Norris, G.B. *see* Look, D.C. 85−61917, 86−28354
Norris, J.O.W. *see* McAleer, J.F. 86−44291
Norris, J.O.W. *see* Moseley, P.T. 88−44561
Norris, K.C. Mask-making equipment/process drives IBM's 1M chips 88−13292

Norris, M.E., Beane, F., Gulizio, J., Murray, J.G., Viola, M., Young, K.M. CIT grounding for power, equipment, and personnel safety 88–69054
Norris, M.T. *see* Orr, R.A. 87–62420
Norris, N.J., Detch, J.L., Kocimski, S.M., Sawyer, C.R., Hudson, C.L. EG&G electron linac modifications 87–41709
Norris, P., Black, J., Zemon, S., Lambert, G. Reduced pressure MOVPE growth and characterization of GaAs/GaAlAs heterostructures using a triethylgallium source 85–10713
Norris, P. *see* Black, J. 86–15563
Norris, P. *see* Oren, M. 86–53561
Norris, P. *see* Shastry, S.K. 87–65528
Norris, P. *see* Zemon, S. 85–23512
Norris, R.E. *see* Pearce, B.K. 85–63984
Norris, R.P., Batty, M.J., Kesteven, M.J., Wellington, K.J. The Parkes-Tidbinbilla interferometer 86–55399
Norris, R.P., Kesteven, M.J., Wellington, K.J., Batty, M.J. The Parkes-Tidbinbilla Interferometer 88–74087
Norris, T., Sizer, T., II, Mourou, G. Generation of 85-fsec pulses by synchronous pumping of a colliding-pulse mode-locked dye laser 85–41353
Norris, T. *see* Duling, I.N., III. 85–41354
Norris, T. *see* Jones, G.A.C. 85–23923
Norris, T.B. *see* Bado, P. 85–62537
Norris, T.B. *see* Whitaker, J.F. 87–32038
Norris, T.E., Dwek, M.D. Economics and integration of hydro-electric plant in developing countries 86–45223
Norris, T.S., Bhalsod, M.M. Sound rotator 86–17712
Norris, T.S., Jones, G.A.C., Ahmed, H. Fabrication of high aspect ratio sub-micron structures by variable-shape electron lithography 86–21665
Norris, T.S., Jones, G.A.C., Ahmed, H. Electron energy spread in high-voltage variable shape e-beam lithography systems 88–26122
Norris, T.S. *see* Jones, G.A.C. 85–29080, 86–1958
Norris, W.T. Power lines, fields and good health [EM field effects] 88–14333
Norris, W.T., Male, J.C., Maddock, B.J., Bonnell, J.A. People in alternating electric and magnetic fields near electric power equipment 85–32119
Norris, W.T. *see* Maddock, B.J. 86–32385
Norris, W.T. *see* Male, J.C. 86–25319
Norris-Elye, O.C. *see* Xiaobai, L. 88–61895
Norrish, J. What is synergic MIG? 87–72815
Norrish, J., Miro, F., Barosso, A. Components for the new linear arrays 85–45845
Norrish, J., Rochardson, I.F. Metal transfer mechanisms 88–37967
Norrish, P. Moving tables from paper to CRT screen 85–47181
Norrman, G., Westberg, E. RIFA's CMOS cell library 86–2372
Norrman, S., Torstensson, P.A. Hermetic sealing of Kovar hybrid packages by laser welding 85–61602
Norrman, S.H., Stripple, H. A theoretical and experimental study of chemical etching methods of the TiW-Au system for microwave hybrid applications 86–53267
Norrod, R. *see* Weinreb, S. 88–71114
Norrod, R.D. *see* Pospiezalski, M.W. 88–38720
Norros, L., Sammatti, P. Critical qualifications and training of process operators [nuclear power plants] 86–18970
Norros, L., Sammatti, P. Nuclear power plant operator errors during simulator training 87–42593
Norsa, G. *see* Gambino, G. 87–93
Norsett, S.P., Thomsen, P.G. Embedded SDIRK-methods of basic order three 85–22423
Norsett, S.P., Thomsen, P.G. Local error control in SDIRK-methods 86–46230
Norsett, S.P., Thomsen, P.G. Switching between modified Newton and fix-point iteration for implicit ODE-solvers 87–10331
Norsett, S.P. *see* Enright, W.H. 87–44229
Norsett, S.P. *see* Iserles, A. 85–22365
Norstedt, B.E., Rubin, U.E. Digital PBX supporting star connection 85–3289
Norstedt, B.E., Rubin, U.E. Digital PBX with integrated local area network 85–3290
Norstrom, H., Ostling, M., Buchta, R., Petersson, C.S. Dry cleaning of contact holes using ultraviolet (UV) generated ozone 86–15048
Norstrom, H. *see* Berg, S. 88–1539
Norstrom, H. *see* Blom, H.-O. 86–67804
Norstrom, H. *see* Nender, C. 87–11677
Norstrom, H. *see* Nygren, S. 87–11705, 88–25979
Norstrom, H. *see* Ostling, M. 87–11675, 87–17791
Norstrom, H. *see* Ryden, K.-H. 87–11676, 88–33041
Norstrom, H. *see* Wiklund, P. 87–11704
Norstrom, H. *see* Zhang, S.-L. 88–26104
Norstron, H. *see* Ostling, M. 87–74207
Norsworthy, J.P. *see* Banker, D.C. 85–33649
Norsworthy, K., Hofmeister, D. All-electronic simulation of scanning infrared sensors 88–74490
Norsworthy, K.H., Rollock, M.W. Parsimonious sampling for scanning mosaic sensors 88–22601
Norsworthy, S.R., Post, I.G. A 13-bit, 160 kHz sigma-delta A/D converter for ISDN 88–70880
Norte Gomez, F. Nuclear power plant startup: a milestone for technology transfer 86–39369
North, A.C.T. *see* Harris, M.R. 86–5122, 86–49971
North, D. Pattern of scattered exposure from portable radiographs 85–64644
North, D.L. *see* Gandsman, E.J. 88–54675
North, D.W., Regulinski, S.G., Amaral, D., Wilson, D.S., Niemeyer, E.V. Managing risks from coal-combustion by-product disposal 87–63988
North, G.R. *see* Simpson, J. 88–61635
North, J.C. *see* Holcomb, D.P. 85–33221
North, J.M. *see* Hooper, A. 85–10090
North, P.F. Retrieval of data stored in a neutron moisture meter using a portable microcomputer 88–16550
North, P.L. *see* Elliott, M. 85–2607
North, R. *see* Dindo, S. 88–32415
North, R. *see* Mitchell, J. 88–48769
North, R.A., Bergeron, H. Systems concept for speech technology application in general aviation 86–18442
North, R.B., Lau, W.M. The preparation of stoichiometric mercury cadmium telluride surfaces 88–33028
North, R.J., Schimanski, D. Cryogenic test technology 1984 86–6026
North, R.S. The development of the boiler design for Littlebrook 'D' [power station] 86–56618
North, T. Precise measurements in a scanning electron microscope 87–14102
North, W. *see* Silvaggi, C. 87–21233, 88–41989
Northard, S. Less man-rems at Prairie Island 86–39420
Northcote, R.J., O'Donoghue, J., Ballantyne, D. Assessment of Hitachi HME-20 pulse and blood-pressure monitor 85–37996
Northcote-Green, J.E.D., Ayre, D.A. The development of integrated planning methods for distribution systems 86–44928
Northcote-Green, J.E.D. *see* Ritchie, W.M. 85–59705
Northcote-Green, J.E.D. *see* Willis, H.L. 85–32111, 88–23327
Northcott, M.J. *see* Ayers, G.R. 87–33826, 88–66096
Northcott, M.J. *see* Dainty, J.C. 86–49002
Northcott, P. *see* Castro, A. 87–16308
Northcutt, W. *see* Zehl, O. 85–41229
Northemann, T. *see* Hage, H. 88–40143
Northfield, J. *see* Blake, A.K. 87–49771
Northgreaves, K.R., Wong Oi Ying The proposed Shenzhen pumped-storage scheme 86–51514
Northrop, G.A. *see* Oehrlein, G.S. 88–19827
Northrop, R. *see* Mashikian, M. 88–30382
Northrup, J. Cleanliness is the key to quality thick and thin films 85–61595
Northrup, S.D. The evaluation of less flammable transformer liquids 88–69476
Northrup, S.D., Thompson, M.A. Cold start performance of transformers filled with high molecular weight hydrocarbon liquid 85–21687
Northrup, S.D., Wetzel, G.E. Flammability testing of high fire point transformer fluids 85–122
Northrup, S.D. *see* Sundin, D.W. 87–72221
Northwood, M. Towards full custom ASIC automation 88–71637
Nortier, J.R. Calculation of the interaction between the fringing capacitance of symmetrical stripline using the finite element method 86–42891
Nortier, J.R., McNamara, D.A. A general-purpose finite element code for microwave transmission-line problems 85–36064
Nortier, J.R., Van der Neut, C.A., Baker, D.E. Tables for the design of Jaumann microwave absorber 88–7037
Nortier, J.R. *see* Baker, D.E. 88–34411
Nortier, J.R. *see* Hutchings, J.L. 88–19316
Norton, B. Communication batteries—present and future 88–5821
Norton, B. *see* Al-Motawakel, M.K. 87–64814
Norton, B. *see* Prapas, D.E. 87–16056
Norton, D.E. *see* Johnson, D.M. 88–12536
Norton, D.E. *see* Lansdowne, K.H. 86–14018
Norton, D.P., Ajmera, P.K. Spatially selective photochemical vapor deposition of GaAs on synthetic fused silica 88–70339
Norton, E.T., Wickersheim, K.A., Sun, M.H. Improved fiber-optic temperature measurement system for monitoring winding temperatures in medium and large transformers 87–72197
Norton, E.T. *see* Sheppard, H.R. 87–51333
Norton, G.A., Klody, G.M., Loger, R.L. Performance of the NEC production high energy implantation system 87–50030
Norton, G.A. *see* Rathmell, R.D. 87–53372
Norton, G.A. *see* Schroeder, J.B. 87–56958
Norton, J.F. *see* Cohen, S.S. 85–29124
Norton, J.F. *see* Ghezzo, M. 87–74363
Norton, J.R., Cloeren, J.M., Suter, J.J. Results from gamma ray and proton beam radiation testing of quartz resonators 85–24039
Norton, J.R., Cloeren, J.M., Suter, J.J. Results from gamma ray and proton beam radiation testing of quartz resonators 85–62144
Norton, J.R. *see* Suter, J.J. 88–13384
Norton, M.A. *see* Winkler, I.C. 88–72567
Norton, M.G. *see* Reynolds, Q.M. 86–20987
Norton, M.J. BT plans for the implementation of OSI in public networks 86–16626
Norton, M.J., Serpell, S.C. Data security in packet networking 86–30156
Norton, M.L. A simple instrument for determining superconducting transition temperatures 86–50240
Norton, M.L. Computer aided mapping/drafting performance is limited by plotter capability 88–54871
Norton, M.Y. *see* Evans, N.T.S. 86–32265
Norton, P., Bachem, K.H., Tacke, M. $Pb_{1-x}Eu_xSe$ for IR device applications 87–31542
Norton, P., Knoll, G., Bachem, K.-H. Fabrication and properties of $PbSe/Pb_{1-x}Sn_xSe$ DH-laser structures 85–44721
Norton, P., Tacke, M. MBE of $Pb_{1-x}Eu_xSe$ for the use in IR devices 87–44331
Norton, P. *see* Bachem, K.-H. 85–33512
Norton, P. *see* Goldner, R.B. 87–18763, 87–68207, 88–45272
Norton, P. *see* Rosman, R. 87–33180
Norton, P. *see* Sant, S. 88–41245
Norton, P. *see* Shani, Y. 86–48390, 88–65699
Norton, P. *see* Zogg, H. 86–49990
Norton, P.R. *see* Kleppe, J.A. 87–71963
Norton, P.W., Zimmermann, P.H., Briggs, R.J., Hartle, N.M. Large area space qualified thermoelectrically (TE) cooled HgCdTe MW photovoltaic detectors for the Halogen Occultation Experiment (HALOE) 87–49764
Norton, R. *see* Salimian, S. 88–1523
Norton, R.J.G. *see* Epstein, A.H. 86–44283
Norton, R.L. Teaching cam design using the graphics microcomputer 88–62925
Norton, S.J., Testardi, L.R., Wadley, H.N.G. Reconstructing internal temperature distributions from ultrasonic time-of-flight tomography and dimensional resonance measurements 85–10847
Norton, S.J. *see* Hull, D.R. 85–18942
Norton, S.W., Kelly, K.M. Learning preference rules for a VLSI design problem-solver 88–50974
Norton, T.J. *see* Airey, R.W. 88–4490
Norton, V. Algorithm 631. Finding a bracketed zero by Larkin's Method of rational interpolation 86–13668
Norton, V.A. *see* Darema, F. 88–514, 88–24926
Norton, W. *see* Brown, A. 88–70546
Norton-Wayne, L. *see* Browne, A. 87–51713
Nortvedt, E., Fischer, H. The new double-unit diesel railcar BM/BS 92 using the modern three-phase current technique for Norges Statsbaner (NSB) 85–32765
Norum, B.E. *see* McCarthy, J.S. 85–26542
Norvell, S., Brown, G.J., Vineberg, M. Modeling and evaluation of multiple access protocols 86–30106
Norville, R. SCANLINE — a dedicated fab line SEM LW measurement system 87–11870
Norwood, D. A new multiple sheet resistance technology for thin film circuits 86–53212
Norwood, D. Designing to safe power limits in hybrid circuits 88–64152
Norwood, D.P. *see* Sharp, D.J. 88–19558
Norwood, F., Dotson, W.P. Distances in an array: an alternative description for large scale network topology 88–66863
Norwood, H.M. Computer assisted set-up of a linear accelerator 85–31871
Norwood, H.M., Cunningham, C., Bowsley, S. Patient adsorbed dose for the Philips Tomoscan 350 CT scanner: a repeat study 88–68504
Norwood, H.M., Walker, A.L., Parkin, A., Phil, D., Hall, A.J. Use of a personal computer to measure gamma camera spatial resolution 88–42502
Norwood, P.C. *see* Barr, R.E. 85–38156
Nory, P. Use of a zoom converter to perform focusing and thermal compensation 87–20952
Nory, P. *see* Debize, J. 87–61003
Norymberg, M. *see* Akselrod, S. 88–10363
Nosach, O.Yu. *see* Korol'kov, K.S. 85–51112
Nosach, O.Yu. *see* Zuev, V.S. 85–24478, 85–35698, 87–68582
Nosachev, V.A., Kontorovich, L.N. A mathematical model for calculating the axial deformation of winding insulation in large power transformers 87–58155
Nosaka, E., Sano, K., Takeda, J. A multi-step-focus electron gun for mini-neck color CRTs 85–40384
Nosaka, E. *see* Ikegami, K. 86–27790, 87–1132
Nosaka, K. Prospects and research development in international satellite communications 85–20122
Nosaka, K. *see* Hirosaki, B. 85–34086
Nosaka, K. *see* Kohkawa, J. 86–24229
Nosal, D. Energy requirements and possible power sources for milking installations in the Swiss Alps 88–55757

Nosal', V.N., Privalov, V.E. Application of optical heterodyning methods for precision measurements of small displacements 86—55834
Nose, A. *see* Gilbert, J.A. 86—3340
Nose, C. *see* Pirih, A. 85—34202
Nose, H. *see* Oshima, S. 85—4308
Nose, J. *see* Shimokawa, R. 87—9799
Nose, N.K. *see* Shi, Y.Q. 88—66757
Nose, S. *see* Nakamura, S. 85—65230
Nose, S. *see* Suzuki, S. 87—63134
Nose, T., Sato, S. Linearising method for non-linear properties in a liquid-crystal lens 87—74879
Nose, T., Sato, S. Liquid-crystal bistable device with an internal optical feedback 88—40010
Nose, T., Takahashi, S., Baba, S., Fukuchi, T., Suyama, M., Maeda, Y. Antilock brake system controller for passenger cars 86—26379
Nose, T. *see* Mohri, K. 88—3464
Nose, T. *see* Yamaguchi, R. 88—47651
Nose, Y., Akazawa, K., Watanabe, Y., Yokota, M., Nakamura, M. An on-line system for electrocardiogram interpretation using the Bonner program 87—29778
Nose, Y., Kato, Y., Yoshida, K., Yamanka, C. Dependence of laser-induced damage threshold of anti-reflection coatings on substrate surface roughness 87—74904
Nose, Y. *see* Abe, Y. 88—26679
Nose, Y. *see* Goto, T. 88—26678
Nose, Y. *see* Hayatsu, R. 87—49400
Nose, Y. *see* Kiraly, R.J. 88—36521
Nose, Y. *see* Lewandowski, J.J. 86—44624, 88—54475
Nose, Y. *see* Watanabe, Y. 85—38035, 88—30014
Nosek, J. Measurement of intermodulation of the AT-cut quartz resonators 85—62136
Nosek, J., Zelenka, J. An analog-digital converter using surface ultrasonic waves 86—1162
Nosek, M.G., Allen, P.G., Grantham, W.L. ORIPS: a laboratory tool for image analysis 87—77183
Nosenko, O.N. *see* Gorobets, N.N. 86—10182
Nosenko, V.A. *see* Blinov, V.N. 85—48480
Nosenko, V.M. *see* Aivazova, A.A. 86—53974
Nosenzo, L. *see* Borghesi, A. 86—8981
Noser, J.R. *see* Diletti, H. 85—61603
Noseworthy, G.L., Fagan, J.H., Bregstone, E. Loran-C data analysis in support of mid-continent expansion 87—41073
Noshchenko, O.E. *see* Luchka, A.Yu. 85—60881
Noshchenko, V.S. *see* Goryacheva, G.S. 88—53548
Noshiro, M. *see* Imai, S. 85—64538
Noshita, K. *see* McColl, W.F. 87—181
Nosich, A.I. Computation of the spectra of natural electromagnetic oscillations and natural waves in open waveguides 87—7565
Nosich, A.I. Scattering of the surface wave of an open impedance waveguide by an unclosed cylindrical screen 87—45166
Nosich, A.I. Radiation conditions for open waveguides 88—58909
Nosich, A.I., Poedinchuk, A.E., Shestopalov, V.P. Discrete spectrum of the characteristic waves of an open partially screened dielectric core 86—64027
Nosich, A.I., Poedinchuk, A.E., Shestopalov, V.P. Existence of a discrete spectrum and singular types of waves in an open waveguide 88—34370
Nosich, A.I., Svezhentsev, A.E., Shestopalov, V.P. Spectrum of quasi-*T* waves in a partially screened dielectric core 87—54622
Nosich, A.I. *see* Komar, G.I. 86—22739
Nosich, S.I. *see* Borodaev, V.A. 87—979
Nosik, L.P. *see* Mazurenko, A.K. 85—48548, 87—9650
Nosikhin, V.L. *see* Agapov, A.P. 86—39521
Nosikov, S.P., Frolkin, V.T. Preparation of design documentation for radio engineer's automated workstation 87—23852
Nosikov, S.P. *see* Frolkin, V.T. 88—28654
Nosikov, S.V. Raster electron microscopy of contact metal-semiconductor system 86—28024
Nosikov, S.V. *see* Sorokin, I.N. 86—28191
Noskievic, P. *see* Dobrozemsky, J. 88—5507
Noskievic, P. *see* Kolat, P. 86—70803
Noskin, V.A. *see* Kapshin, Yu.S. 87—37602
Noskin, V.A. *see* Kashin, Yu.S. 85—55200
Noskov, A.I. *see* Grin, V.F. 88—25946
Noskov, A.V. *see* Isakeev, A.I. 87—5242
Noskov, S.O. *see* Demin, A.A. 87—13143, 88—21328
Noskov, V.A. *see* Pozdeev, A.D. 85—48952
Noskov, V.N., Lebedev, Yu.K., Marov, N.N. Double-sided exposure in the production of quartz piezoelectric components 88—51094
Noskov, V.Ya. *see* Zakarlyuk, N.M. 86—27071
Noskov, Yu.M. *see* Erokhin, V.V. 86—13924
Noskowitz, S.H. *see* Herman, J.E. 88—31993
Nosov, A.A., Nosova, D.I., Ovsyannikov, N.P., Chadayev, N.N. Limiting field emission current densities for submicron-size point emitters grown by different methods 88—12875
Nosov, A.A., Ovsyannikov, N.P., Shuppe, G.N. Direct electron microscopic observation of the formation kinetics of a tungsten multitip field emission cathode 85—6642
Nosov, A.V., Pisarev, V.V., Sukhoruchkin, A.K. The balance of radioactivity in water cooling reservoirs for nuclear power plants allowing for sedimentation and diffusion of nuclides in sludges 88—23627
Nosov, A.V. *see* Kuznetsov, V.N. 87—50568
Nosov, B.I. *see* Selivanov, A.S. 88—61627
Nosov, B.N., Ivanov, N.V. An investigation of local heat fluxes in the furnace waterwalls of once-through boilers within a wide range of load 85—15885
Nosov, B.N. *see* Glusker, B.N. 85—4939
Nosov, E.V. *see* Il'evskii, V.Z. 86—46473
Nosov, I.M. *see* Aleksandrov, G.N. 86—65725
Nosov, I.M. *see* Alexandrov, G.N. 86—51056
Nosov, K.B., Dvorak, N.M. On synchronisation of a synchronous motor during self-starting with a nominal load 85—32457
Nosov, K.B., Dvorak, N.M., Abalakov, A.L., Shevlyakov, E.F. Method for limiting drop-off in contactors 87—22662
Nosov, K.B. *see* Medvedev, A.I. 86—26028
Nosov, K.V., Dvorak, N.M., Burtsev, Yu.V. Methods of quenching the magnetic field of the rotor of a synchronous motor during self-starting 87—42837
Nosov, R.Yu. Electrooptical voltaic decoupling devices for communications engineering 87—68208
Nosov, V.I., Kokorev, A.V., Akhtyrskiy, V.N., Vointsev, G.A., Krasnoshchekov, R.A. The use of computer to calculate the number of frequency channels of a TV broadcast network 87—56311
Nosov, V.I., Kokorev, A.V., Akhtyrsky, V.N., Voyntsev, G.A. Optimum parameters of a TV network 86—65043
Nosov, V.V. *see* Banakh, V.A. 88—35594
Nosov, V.V. *see* Zhidomirova, E.M. 86—38439
Nosov, Yu.I. *see* Apol'tsev, Yu.A. 86—33535
Nosov, Yu.I. *see* Shilin, N.V. 87—4833
Nosov, Yu.R. Optrons and fibrons for utilization in high-voltage devices 86—48265
Nosov, Yu.R. New types of optron for radio 87—76531
Nosov, Yu.R., Fayzulayev, B.N., Pavlychev, V.A., Gorin, V.A. Computer coupling using volstrons 88—65206
Nosov, Yu.R., Mamedov, A.K. Noise parameters of optoelectronic decouplers 86—48276
Nosova, D.I. *see* Nosov, A.A. 88—12875
Nosova, G.M. *see* Lopaev, V.P. 88—70388
Nosova, G.N. *see* Kerblay, T.S. 88—2561
Nosova, L.V. Modes and losses of a misaligned conjugate resonator 88—20696
Nosova, L.V. *see* Kalinina, A.A. 87—2215
Nosova, O.N., Egorova, L.G. Vertical drainage in the foundation of the overflow dam of the Dneprodzerzhinsk hydroelectric station 87—22156
Nosovskii, B.I. *see* Gulakov, S.V. 87—43700
Nosovskii, B.I. *see* Matvienko, V.N. 85—53978
Nosowicz, E.J. *see* Kovach, P.S. 85—6315 to 6316
Noss, R.S. Alternative labeling schemes in electromagnetic topology 87—7486
Nosseir, A., El-Zein, A. Measurement of electrical pressures in insulating liquids under direct applied voltages 88—33440
Nosseir, A., El-Zein, A., Taha, E. Experimental determination of electrically induced pressure in dielectric liquids under external bubble injection 87—25626
Nosseir, A., Salama, M.M.A., Soliman, A., Rizk, M. Discharge detection and measurement in voids in solid dielectrics 85—29362
Nosseir, A. *see* Rizk, M.S. 85—35222
Nosseir, A. *see* Salama, M.M.A. 85—27069 to 27070
Nossek, J. *see* Lankl, B. 88—53149
Nossek, J.A. High speed signal processing in radio systems 85—20022
Nossek, J.A., Sebald, G., Grafinger, W. Adaptive time-domain equalization of high-capacity digital radio systems 85—57964
Nossek, J.A. *see* Fettweis, A. 86—10348
Nossek, J.A. *see* Grafinger, W. 86—17100
Nossek, J.A. *see* Lankl, B. 87—34368
Nossek, J.A. *see* Nist, A. 88—53136
Nossek, J.A. *see* Noguhi, T. 87—20401
Nossek, J.A. *see* Sebald, G. 87—34378, 87—48860
Nosu, K. Advanced coherent lightwave technologies 88—35489
Nosu, K. Optical fiber transmission system using coherent characteristics of light 88—35508
Nosu, K., Iwashita, K. A consideration of factors affecting future coherent lightwave communication systems 88—53271
Nosu, K., Matsumoto, T. Coherent lightwave technologies toward future telecommunication networks 88—47100
Nosu, K., Toba, H., Iwashita, K. Optical FDM transmission technique 88—9553
Nosu, K. *see* Imai, T. 85—20185
Nosu, K. *see* Inoue, K. 85—42576
Nosu, K. *see* Ishio, H. 85—8419
Nosu, K. *see* Minowa, J. 85—63654
Nosu, K. *see* Nakagawa, K. 88—22088
Nosu, K. *see* Oda, K. 88—35473, 88—73924
Nosu, K. *see* Toba, B. 87—20559
Nosu, K. *see* Toba, H. 85—58095, 87—28577, 87—39089, 87—70037, 88—22073, 88—47137, 88—67366
Nosul'ko, D.R., Peretyatko, D.V. Familiarization with and improvement of the control, steam distribution and protection systems of 800 MW power units of Zaporozh State regional power station 86—33043
Nosul'ko, D.R., Sokolov, V.V., Nazarov, A.I. The exploitation of hermetically-sealed oil-filled leadins for power transformers 88—5728
Notaristefani, F.de *see* de Notaristefani, F.
Notarstefano, A. *see* Belforte, P. 87—76038
Notarys, H. *see* Marinero, E.E. 88—57896
Notarys, H.A. *see* Chi, C.C. 85—46078
Notarys, H.A. *see* Dueholm, B. 85—46081
Notarys, H.A. *see* Tesche, C.D. 85—46070, 85—56217
Notarys, H.A. *see* Vanneste, C. 85—35354
Notbohm, K., Kohler, E.J. The screen text (BTX) for railway companies as a system of information and communication 85—8107
Notcutt, M. *see* Michaelis, M.M. 87—2244
Note, R.Van *see* Van Note, R.
Note, S. *see* Claesen, L. 87—36919, 88—70934
Notea, A. Film-based industrial tomography 85—54565
Notea, A. *see* Catchen, G.L. 85—31765
Notebaert, R.C. Portable phones for a mobile society 88—60049
Noteboom, J.M. *see* Woudsma, R. 85—61355
Noteboom, R. *see* Ponnaganti, V. 87—25827
Notelet, F., Ravalitera, G. Assessment of the induction motor eccentricity deduced from the fluctuations of the feeding currents 87—43040
Notelet, F. *see* Boulet, P. 85—32497
Notelet, F. *see* Hamdan, M. 87—22270
Notenboom, G.J.A.M. Laser spot welding in the electronics industry 85—51329
Notenboom, G.J.A.M., Jelmorini, G. High-power CO_2 laser welding of food mixer parts, a case history 87—47059
Notenboom, G.J.A.M. *see* Nonhof, C.J. 86—63674, 87—19111
Noter, Y. *see* Gafni, G. 88—45040
Noterdaeme, J.-M. *see* Braun, F. 85—2680
Noterdaeme, J.M., Braun, F., Soll, M. Innovative designs for long pulse ICRH antennae 85—30102
Noterdaeme, J.M. *see* Koppendorfer, W. 86—42181
Noterdaeme, J.M. *see* Wesner, F. 85—30101
Noterman, D., Brissaud, M., Kleimann, H., Grange, G. Low quality factor ceramics testing characterization, using optimization techniques 88—56334
Noterman, D. *see* Eyraud, P. 87—53796
Noterman, D. *see* Nicolas, P. 88—14929
Notestine, J.C. *see* Irvin, J.N. 86—127
Noth, R.W. Composite solder coil interconnection 85—11662
Nothaft, P., Kohlbacher, G., Oelmaier, R., Rossmeil, H. Hybrid (8-12) μm CMT-IRCCD coupling structure for space application 87—15042
Nothaft, P. *see* Kohlbacher, G. 86—60168
Nothaft, P., Dr., Oelmaier, R., Kohlbacher, G. A monolithic 2-dimensional focal plane array with charge coupled-device read out 87—34985
Nothdorf, U. *see* Scharfenberg, G. 88—24236
Nothelle, U. *see* Hofmann, D. 86—11419
Nothen, N. *see* Elsbrock, J.B. 87—70769
Nother, G. *see* Herz, W. 85—35365, 85—41097, 85—56233, 87—67974
Nothnagel, G. *see* Fletcher, J.D. 88—14326
Notik, A.I. *see* Antonets, M.A. 85—7873
Notingher, P. The calculation of the breakdown times of solid dielectrics. I. Method of calculation of breakdown times in the point plan system 86—53836
Notingher, P. Calculation of breakdown times of solid dielectrics. II. Numerical calculations of Breakdown times. Influence of cavity gases 87—11980
Notingher, P. Mechanical model for the solid dielectric breakdown in high electric fields 87—46246
Notis, M.R., Tarby, S.K., Cawley, T. Phase equilibria in complex solder systems 87—23749
Notkin, D., Hutchinson, N., Sanislo, J., Schwartz, M. Heterogeneous computing environments: report on the ACM SIGOPS workshop on accommodating heterogeneity* 87—40338
Notkin, Yu.A. *see* Astrakhan, V.Kh. 85—14781
Notley, M.J.F. *see* Dunn, J.T. 86—61297
Notman, D.A. *see* Burton, P. 85—32166
Notman, D.A. *see* Burton, P.R. 85—59722
Notman, J. Teletext screen dump [from BBC microcomputer] 85—25395
Noto, F., Yoshimura, N. Tracking and treeing phenomena 87—25695
Noto, F. *see* Fujita, S. 86—21921
Noto, F. *see* Iwaya, K. 88—23423
Noto, F. *see* Kawamura, K. 85—9545, 87—42482, 87—45365, 88—29527, 88—53681, 88—68933
Noto, F. *see* Nishida, M. 86—28564, 87—9183, 88—1830
Noto, F. *see* Suzuki, M. 87—18370

Noto, F. *see* Yoshimura, N. 86−28566, 87−25700
Noto, F.A. *see* Barto, R.J. 87−71999
Noto, G.Di *see* Di Noto, G.
Noto, K. Status of high field research 86−48014
Noto, K., Konishi, N., Hoshi, A., Watanabe, K., Noguchi, M., Fukutsuka, T. A new reinforcing stabilizer for superconducting wires−Al_2O_3 dispersion strengthened copper 86−48045
Noto, K., Sasaki, T., Toyota, N., Hasegawa, S. Ripple shielding for accurate resistivity measurements in hybrid magnets 87−52706
Noto, K., Watanabe, K., Hoshi, A., Muto, Y., Nagamura, J., Osaki, O., Sumiyoshi, Y., Hamajima, T., Satow, T., Murai, T. Design and performance of superconducting magnets for hybrid magnets 87−53927
Noto, K., Watanabe, K., Ishikawa, Y., Sato, I., Sugawara, H. Analogue field level generator for hybrid magnets 87−56722
Noto, K., Watanabe, K., Kobayashi, N., Hoshi, A., Miura, S., Kido, G., Nakagawa, Y., Muto, Y. 31.1 T-hybrid magnet and superconducting materials research at HFLSM, Tohoku University 88−39819
Noto, K., Watanabe, K., Muto, Y. Hybrid magnets for strong magnetic field generation 87−12081
Noto, K., Watanabe, K., Muto, Y. Overview of superconducting materials research held in HFLSM at Tohoku University 87−53911
Noto, K., Watanabe, K., Muto, Y., Hamajima, T., Shibui, M., Sumiyoshi, Y., Osaki, O., Maeda, H., Sato, Y. Development of a 12 T superconducting coil for 30 T hybrid magnet 85−46107
Noto, K., Watanabe, K., Muto, Y., Sato, A., Horigami, O., Ogiwara, H., Nakamura, S., Suzuki, E. NbTiHf-high field superconducting magnet in 1.8K-pressurized liquid He II 85−41091
Noto, K., Watanabe, K., Muto, Y., Yamaguchi, M., Hamajima, T., Osaki, O., Maeda, H., Sato, Y. The 12 T superconducting coil for the 30 T hybrid magnet 85−41087
Noto, K. *see* Hamasaki, K. 85−46038, 85−62228
Noto, K. *see* Kamata, K. 87−67818
Noto, K. *see* Kido, G. 87−56820
Noto, K. *see* Kido, K. 87−27474
Noto, K. *see* Murase, S. 85−46113, 85−62217
Noto, K. *see* Muto, Y. 87−53926
Noto, K. *see* Nakagawa, Y. 86−42202, 88−65072
Noto, K. *see* Watanabe, K. 87−53928, 87−53930, 87−67826
Noto, N., Kitagawara, Y., Takahashi, T., Takenaka, T. Photoluminescence studies on semi-insulating In-doped dislocation-free GaAs grown by the LEC method 86−57424
Noto, R. *see* Feller, A. 85−40933
Noto, R. *see* Putatunda, R. 85−40858, 86−47708
Noto, R. *see* Smith, D.C. 85−45026
Notohara, Y. *see* Uchinami, S. 88−51315
Notomi, S., Awano, Y., Kosugi, M., Nagata, T., Kosemura, K., Ono, M., Kobayashi, N., Ishiwari, H., Odani, K., Mimura, T., Abe, M. A high speed 1K×4-bit static RAM using 0.5 μm-gate HEMT 88−19162
Notomi, S. *see* Abe, M. 88−7757
Notomi, S. *see* Kobayashi, N. 86−34808, 86−52833
Notomi, S. *see* Nishiuchi, K. 87−5883
Noton, M., Salehi, S.V. Low-thrust navigation to comets or asteroids 88−5100
Notova, O.L. *see* Makhan'kov, V.E. 86−18346
Notsu, S. *see* Kanamaru, Y. 88−53633, 88−53853
Notsu, Y. *see* Bakoshi, T. 85−52278
Nott, R. The technology for vacuum fluorescent display driver 86−18030
Notte, K. Using a Terminal Management Processor for colour 86−49975
Notte, S.La *see* La Notte, S.
Notten, P.H.L. The etching of InP in HCl solution: A chemical mechanism 85−23700
Notten, P.H.L., Damen, A.A.J.M. The electrochemistry of InP in Br_2/HBr solutions and its relevance to etching behaviour 87−60318
Notten, P.H.L., Kelly, J.J., Kuiken, H.K. Etching profiles at resist edges. II. Experimental confirmation of models using GaAs 87−1414
Notten, P.H.L. *see* Kelly, J.J. 88−64421
Notten, P.H.L. *see* Kuiken, H.K. 87−1413
Nottenburg, R.N., Bischoff, J.-C., Panish, M.B., Temkin, H. High-speed InGaAs(P)/InP double-heterostructure bipolar transistors 87−53483
Nottenburg, R.N., Bischoff, J.C., Abeles, J.H., Panish, M.B., Temkin, H. Base doping effects in InGaAs/InP double heterostructure bipolar transistors 87−45904
Nottenburg, R.N., Panish, M.B., Temkin, H. High gain step-grated InGaAs(P)/InP heterostructure bipolar transistors for high current drive−high frequency applications 87−60433
Nottenburg, R.N., Sandroff, C.J., Humphrey, D.A., Hollenbeck, T.H., Bhat, R. Near-ideal transport in an AlGaAs/GaAs heterostructure bipolar transistor by $Na_2S \cdot 9H_2O$ regrowth 88−26211
Nottenburg, R.N., Sandroff, C.J., Skromme, B.J., Bischoff, J.C., Bhat, R. Dramatic enhancement in the gain of AlGaAs/GaAs heterostructure bipolar transistors by surface passivation 88−33167
Nottenburg, R.N., Temkin, H., Panish, M.B., Bhat, R., Bischoff, J.C. InGaAs/InP double heterostructure bipolar transistors with near-ideal β versus I_c characteristic 87−18092
Nottenburg, R.N., Temkin, H., Panish, M.B., Hamm, R.A. High gain InGaAs/InP heterostructure bipolar transistors grown by gas source molecular beam epitaxy 87−11737
Nottenburg, R.N. *see* Bhat, R. 87−44345
Nottenburg, R.N. *see* Cox, H.M. 86−21173
Nottenburg, R.N. *see* Sandroff, C.J. 87−74252
Notthoff, J.K. Radiation hardness of 256-bit GaAs C-JFET RAM 86−34786
Notthoff, J.K., Krein, R.B., Stephens, J.S., Troeger, G.L., Vogelsang, C.H., Hyun, C.H. A 4K×1 bit complementary E-JFET static RAM 88−19164
Notthoff, J.K. *see* Hyun, C.H. 87−32723
Notthoff, J.K. *see* Lehovec, K. 85−55473
Notthoff, J.K. *see* Nicalek, T.P. 86−2205
Notthoff, J.K. *see* Zuleeg, R. 85−17387
Notthoff, K. *see* Gersthagen, E. 86−52076
Nottidge, T. The Design to Product Demonstrate and MAP 86−37585
Nottin, R. *see* Renault, G. 88−16721
Nottingham, L.D. ND test of generator retaining rings can prevent failures 88−43143
Nottingham, L.D., Schmerling, J.M., Alley, C.T. PHOCUS−state of the art boresonic inspection system for turbine and generator rotors 87−78628
Nottingham, M.C. *see* Whitlaw, K.J. 85−50071
Nottingher, P. The checking of some models of breakdown in solid dielectrics 87−46247
Nottrott, R. *see* Baer, J.-L. 88−63657
Notturna, M. *see* Cardarilli, G.C. 87−32190
Notturno Granieri, M. *see* Giannini, F. 88−25444
Notz, D. The 370/E emulator at DESY 85−43278
Notzel, R. *see* Lieberwirth, C. 86−24769
Notzon, H. *see* Labahn, D. 85−21571
Nou, H. *see* Araki, S. 87−29142
Nouailhas, B., Alais, P., Kummer, P. A real time imaging system for nondestructive testing 88−12131
Nouailhas, B. *see* Alias, P. 86−12221
Nouailhas, B. *see* Le Brun, A. 88−12105
Nouailhat, A. *see* Marrakchi, G. 88−1365
Nouailhat, A. *see* Pelloie, J.L. 86−41532
Nouchi, N., Yoshida, H., Shinohara, K., Tomago, A. Analysis due to vector field for recording characteristic of metal evaporated tape 87−18504
Nouchi, N. *see* Tomago, A. 86−36041
Nouel, C. 40 meters in a nutshell 87−48845
Nouel, C. A meterless RF bridge 88−60826
Nouel, C.C. The Texas trans-tester [transistor gain measurement] 85−31562
Nouel, C.C. Build the little dipper, a low-cost dip or peak meter 87−41537
Nouet, G., Lay, P., Chermant, J.L. Polycrystalline Polyx silicon: growth properties and performance 87−65471
Nouet, G. *see* Bary, A. 88−39056
Nouet, G. *see* Lauvray, H. 86−34299
Nouet, G. *see* Lay, P. 87−65472
Nouet, G. *see* Poullain, G. 86−47285, 87−32229
Noufer, G. *see* Laude, D. 86−1591
Noufer, G.E. *see* Kwok, S.P. 87−32719
Noufi, R., Axton, R., Cahen, D., Deb, S.K. CdS/$CuInSe_2$ heterojunction cell research 86−7114
Noufi, R., Axton, R., Herrington, C., Deb, S.K. Electronic properties versus composition of thin films of $CuInSe_2$ 85−1343
Noufi, R., Dick, J. Compositional and electrical analysis of the multilayers of a CdS/$CuInSe_2$ solar cell 86−19486
Noufi, R., Matson, R.J., Powell, R.C., Herrington, C. The role of oxygen in $CuInSe_2$ thin films and CdS/$CuInSe_2$ devices 86−66343
Noufi, R., Powell, R. Thin-film copper indium diselenide/cadmium sulfide solar cells 86−40151
Noufi, R., Powell, R., Herrington, C., Coutts, T. Physical properties and photovoltaic potential of thin film of $CuGaSe_2$ 87−11386
Noufi, R., Powell, R.C., Matson, R.J. On the effect of stoichiometry and oxygen on the properties of $CuInSe_2$ thin films and devices 87−66934
Noufi, R., Powell, R.C., Ramanathan, V., Matson, R.J. On the effect of stoichiometry and oxygen on the properties of $CuInSe_2$ thin films and devices 87−66936
Noufi, R., Ramanathan, V., Matson, R.J. Low-temperature characteristics of CdS/$CuInSe_2$ diodes [solar cells] 88−62605
Noufi, R., Souza, P., Osterwald, C. Effect of air anneal temperature on the spectral response of CdS/$CuInSe_2$ thin-film solar cells 86−13056
Noufi, R. *see* Cahen, D. 85−21805, 86−13078, 86−66346
Noufi, R. *see* Chen, Y.-W. 86−455
Noufi, R. *see* Chen, Y.W. 85−56415
Noufi, R. *see* Datta, T. 86−14882
Noufi, R. *see* Folmer, J.C.W. 85−55495
Noufi, R. *see* Llabres, J. 86−7106
Noufi, R. *see* Matson, R.J. 86−66344, 87−16022, 87−32280, 87−66969
Noufi, R. *see* Pern, F.J. 88−37571, 88−56285
Noufi, R. *see* Powell, R.C. 87−6396
Noufi, R. *see* Ramanathan, V. 88−2090, 88−32854
Noufi, R. *see* Samaan, A.N.Y. 86−57483, 87−58992
Noufi, R. *see* Tuttle, J. 88−57338
Noufi, R. *see* Tuttle, J.R. 88−32829
Noufi, R. *see* Vaidhyanathan, R. 87−6397
Noufi, R. *see* Zurcher, P. 88−37531
Noufi, R.N. *see* Bhattacharya, R.N. 85−44762
Nougier, J.P. Noise in microstructures 87−25186
Nougier, J.P. Origin of noise in semiconductor devices 87−67188
Nougier, J.P., Gontrand, C., Vaissiere, J.C. Method for modeling the noise of submicron devices 85−50473
Nougier, J.P., Moatadid, A., Vaissiere, J.C., Gasquet, D. Method for numerically computing the noise of devices 86−21487
Nougier, J.P., Moatadid, A., Vaissiere, J.C., Gasquet, D. Numerical modeling of the noise of one dimensional devices 86−63224
Nougier, J.P. *see* Gasquet, D. 85−41244, 86−21140, 86−63028, 86−63042
Nouh, A., Ula, A.N., Eldin, A.S. Sequential preprocessing of binary images 88−59217
Nouhi, A., Radhakrishnan, G., Katz, J., Koliwad, K. Molecular beam epitaxy and metalorganic chemical vapor deposition growth of epitaxial CdTe on (100) GaAs/Si and (111) GaAs/Si substrates 88−56287
Nouhi, A., Stirn, R.J. Highly conducting ZnSe films by reactive magnetron sputtering 86−62248
Nouhi, A., Stirn, R.J. Preliminary results on $CuInSe_2$/ZnSe solar cells using reactively sputter-deposited ZnSe 88−5866
Nouhi, A., Stirn, R.J. Heteroepitaxial growth of $Cd_{1-x}Mn_xTe$ on GaAs by metalorganic chemical vapor deposition 88−24750
Nouhi, A., Stirn, R.J., Hermann, A. $CuInSe_2$/ZnSe solar cells using reactively sputtered-deposited ZnSe 88−37593
Nouhi, A. *see* Radhakrishnan, G. 88−63334
Nouhi, A. *see* Stirn, R.J. 86−62244
Nouhi, J. *see* Shattuck, D.P. 88−75000
Noujaim, S. *see* Jasica, J.R. 86−28512
Noujaim, S.E., Hartley, R.I., Cline, H.E., Jerdonek, R.T., Ludke, S. 30 MHz compiled chip set for graphics computations 87−59687
Noujaim, S.E., Jerdonek, R.T., Hong, S.J. A structured approach to test vector generation 85−33876
Noujaim, S.E., Mallick, J.A., Wu, J.A. Multichannel data acquisition system with on-chip digital signal processing 88−74296
Noujaim, S.E. *see* Yassa, F.F. 88−6917
Noulard, P. Software quality 85−52153
Nounou, N., Yemini, Y. Development tools for communication protocols: an overview 85−42130
Nounou, N., Yemini, Y. An automated performance analysis of a two phase locking protocol 86−54629
Nounou, N. *see* Barghouti, N. 87−34211
Nour, H. *see* Cheng, T.C. 85−23992
Nour, H. *see* Rodriguez, A. 86−63485
Nour Eldin, H. *see* Hassan, M.A.M. 88−36745
Nour Eldin, H.A., Lopez, L.F. Modelling and model reduction of the synchronous machine through singular perturbation 85−32467
Nour Eldin, H.A. *see* Alam Eldin, A.T. 88−46310 to 46311
Nour Eldin, H.A. *see* Lopez, L.F. 88−23288
Nour Eldin, H.A. *see* Mansour, A.E. 88−36744
Nour Eldin, H.A. *see* Nabout, A. 88−46314
Nour Eldin, H.A. *see* Osman, N. 88−5663
Nour Eldin, H.A. *see* Sakr, M.M.F. 86−70566
Nour-Omid, B., Parlett, B.N. Element preconditioning using splitting techniques 85−60925
Nour-Omid, B., Parlett, B.N., Ericsson, T., Jensen, P.S. How to implement the spectral transformation 87−52051
Nourai, A., Keri, A.J.F. Open-loop technique reduces ground-wire loss 87−35665
Nourai, A. *see* Keri, A.J.F. 85−27022
Nourani, C.F., Lieberherr, K.J. Ultra high correct silicon compilation: synthesis with Zeus 86−649
Noureddine, B.S. Simulation of management algorithms of systems based upon renewable energy 88−30329
Noureddine, F. *see* Monchaud, S. 87−49530
Noureddine, F. *see* Shi-Jie 88−36079
Noureddine, S. *see* Roger, J.A. 88−18059
Nouri, F.R. *see* Modarres, M. 86−39303
Nouri, M. Uplink depolarisation control implementation in satellite broadcasting Earth stations 86−23835
Nouri, N. *see* Ackley, D.E. 88−49800, 88−65501

Nouri-Shirazi, M., Sannomiya, N., Nishikawa, Y. An approximation approach to non-Gaussian filtering with accuracy analysis 85−41927

Nouri-Shirazi, M., Sannomiya, N., Nishikawa, Y. Robustification of the partly Gaussian partly nearly Gaussian filtering using probabilistic data association approach 86−43279

Nouri-Shirazi, M., Sannomiya, N., Nishikawa, Y. A new approach to the filtering of nearly Gaussian linear systems 86−64285

Nourredine, S. *see* Roger, J.A. 86−40111

Nourris, M. *see* Lefebvre, T. 87−1971

Nourry, J. *see* Iordanescu, M. 88−23482

Nourshargh, N., Arnold, L.J., Starr, E.M., Fatatry, A.El. Fabrication of V-grooves in silica using a Co_2 laser 87−26062

Nourshargh, N., Starr, E.M. Interference effects between modes of planar optical waveguides 86−68306

Nourshargh, N., Starr, E.M. Microwave plasma deposition and etching of integrated optical waveguides 88−6525

Nourshargh, N., Starr, E.M., Fox, N.I., Jones, S.G. Simple technique for measuring attenuation of integrated optical waveguides 85−62398

Nourshargh, N., Starr, E.M., McCormack, J.S. Plasma deposition of GeO_2/SiO_2 and Si_3N_4 waveguides for integrated optics 86−68252

Nourshargh, N., Starr, E.M., McCormack, J.S. Plasma deposition of integrated optical waveguides 87−10501

Nourshargh, N., Starr, E.M., McCormack, J.S. The effect of laser heating on optical properties of germania doped silica optical waveguides 87−26075

Nourshargh, N. *see* Starr, E.M. 87−74822

Nourshargh, N. *see* Wilkinson, J.S. 88−58386

Nourzad, F., Scott, C.E., McDaniel, B.A. Private investment decisions and public subsidization of solar energy: an economic analysis 86−56523

Nousek, J.A., Garmire, G.P., Ricker, G.R., Bautz, M.W., Levine, A.M., Collins, S.A. Matching a curved focal plane with CCDs: wide field imaging of glancing incidence X-ray telescopes 88−47575

Nousiainen, K., Hernberg, R., Karema, T., Kirillov, V.V., Tikhotsky, A.S. Discharge transitions on cold anodes in a molecular plasma 86−35930

Nouta, R. *see* Cai, H. 86−659

Nouta, R. *see* Dewilde, P. 85−46815

Nouta, R. *see* Kraaijveld, M.A. 87−44934

Nouta, R. *see* Kraak, M. 86−34482

Nouta, R. *see* van Schijndel, J.H.M. 87−46131

Nouta, R. *see* van Willigen, E. 87−38565, 87−46130

Nouta, R. *see* Verheyen, H.T. 85−17091

Noutsos, D. *see* Galanis, S. 86−46262, 88−63227

Nouvel, O. *see* Davenas, J. 88−33359

Nouvion, F.F. Three-phase motors in electric rail traction 85−21903

Nouvion, F.F. Considerations on the use of DC and three-phase traction motors and transmission system in the context of motive power development 87−72506

Nouwens, W.J.W.M., Verlijsdonk, A.P. Soft-decision, R=1/2, viterbi decoding 85−57285

Nouza, J. Time warping methods applied to voice-command recognition 88−21111

Novac, B., Zoita, V., Zambreanu, V., Atanasiu, G., Ludu, A., Spineaunu, F. Magnetic flux-compression generators for energy supply of plasma focus loads 87−43262

Novac, B. *see* Ludu, A. 87−43486, 88−49057

Novac, B. *see* Ursu, I. 87−43264, 88−49059

Novac, B. *see* Zoita, V. 87−43263

Novac, I., Sarbu, M. The efficiency of certain noise−reduction means in the three-phase asynchronous electric motors 88−62360

Novacek, N. Advanced microwave synthesizers based on digital techniques 87−35105

Novaikova, O. *see* Ryba, J. 86−60847

Novak, A. Perspectives of using laser control technology 87−39261

Novak, A. Analogy between a method of material control by eddy currents and a long transmission line 87−52240

Novak, A. Modelling of optical thin films by means of electrical circuits 87−68009

Novak, A. Modelling of optical thin films by electrical circuits 88−56427

Novak, B., Dolejs, P. Capacitors of ZEZ for compensation, filtration and commutation 87−9698

Novak, C. *see* Duma, M. 87−57583

Novak, D. *see* Meszaros, S. 87−1919

Novak, E. On average case errors in numerical analysis 87−10290

Novak, E. The average a posteriori error of numerical methods 87−23568

Novak, E. Stochastic properties of quadrature formulas 88−70289

Novak, F., Dobrin, A. Asynchronous signature analysis 86−2310

Novak, F. *see* Ross, H.P., Jr. 85−39074

Novak, H. Converting energy sales to conditions of normal weather and normal holidays 87−77963

Novak, I. Use of the dual channel synchronous detector type DSD 02 and signal analyzer type 2033 for high-resolution radio field strength and frequency measurements 85−61168

Novak, I. High-resolution spectrum monitoring methods for the AM broadcasting bands 87−76910

Novak, I. Radio-frequency measurement with interpolation in FFT spectra 88−16023

Novak, I. New trends in radiomonitoring 88−22261

Novak, I., Lapcik, L. An instrument for measuring mechanical work of solid materials adhesion 87−70688

Novak, I. *see* Mosko, M. 88−32895

Novak, J. Observations on the origin of fluidoelastic vibrations in a heat exchanger tube bank of a nuclear power station 86−65874

Novak, J., Kebrle, O. Decreasing of inflammability of thermoplastics used in electrical power engineering in the USSR 86−68095

Novak, J., Malacky, L., Morvic, M., Kordos, P. The dependence of InGaAs photodiode characteristics of the composition of the ternary 88−8057

Novak, J., Stanek, F. Plastics for electrotechnics and their evaluation from the standpoint of excessive heat activity and flame propagation 87−31592

Novak, J. *see* Kordas, P. 86−17388

Novak, J. *see* Malacky, L. 88−9976

Novak, J. *see* Matusu, J. 87−205

Novak, J.L., Wheeler, B.C. Recording from the Aplysia abdominal ganglion with a planar microelectrode array 86−44658

Novak, J.L., Wheeler, B.C. Multi-site stimulation and recording from rat hippocampal slices using a microelectrode array 86−60709

Novak, J.L., Wheeler, B.C. Multisite hippocampal slice recording and stimulation using a 32 element microelectrode array 88−42550

Novak, J.P., Bartnikas, R. Density profiles, electric field and energy dissipation in a short gap breakdown: a two-dimensional model 88−57239

Novak, J.P., Ellena, G. Arc field measurement with a simple experimental arrangement 87−53091

Novak, J.P., Frechette, M.F. Insulating properties of mixtures of nitrogen with electronegative gases 85−29366

Novak, J.P. *see* Frechette, M.F. 88−26587

Novak, L. On the sensitivity of Bayes and Fisher classifiers in radar target detection 86−4714

Novak, L. On latent causalisation of circuits 88−49985

Novak, L.A., Milic, M.M. On dynamical nondegeneracy of networks 87−495

Novak, L.M., Sechtin, M.B. On the performance of linear and quadratic classifiers in radar target detection 88−4094

Novak, L.M. *see* Fukunaga, K. 88−14686

Novak, L.M. *see* Kong, J.A. 88−48315

Novak, M. Parameter acceptability regions of electronic systems 86−606

Novak, M. System life optimization by the tolerance theory methods 88−56069

Novak, M., Simek, M. Statistical design of functional blocks with hysteresis 87−484

Novak, M. *see* Dubovskii, P.E. 87−54238

Novak, M. *see* Raffelsberger, N. 88−62184

Novak, M. *see* Urbankova, H. 87−18882

Novak, M. *see* Vrzic, V. 87−78646

Novak, O. Stop watch with an acoustic control signal 85−54980

Novak, O. Control of frequency and time by simple technical means 88−36247

Novak, O. *see* Golan, P. 86−67133, 88−44128

Novak, P. Measuring the parameters of a short network of an arc furnace as an asymmetrical appliance 86−19617

Novak, P. Modification of short networks of steel arc furnaces 87−51638

Novak, P., Inganas, O., Bjorklund, R. Cycling behaviour of the polypyrrole-polyethylene oxide composite electrode 87−78887

Novak, P., Klapste, B., Podhajecky, P. CuO cathode in lithium cells. I. Influence of the decomposition conditions of $Cu(OH)_2$ on the properties of CuO 86−6972

Novak, P. *see* Blazek, Z. 85−29475, 86−2604, 86−15405, 87−25760

Novak, P. *see* Carmak, J. 85−29432

Novak, P. *see* Cermak, J. 85−24107

Novak, P. *see* Musilova, M. 88−5828

Novak, P. *see* Podhajecky, P. 85−44150

Novak, R. Backscattering-attenuation measurement technique for glass fibre cables 85−25894

Novak, R. Danger to eyesight from laser beam in optical communications 85−58122

Novak, R. Potential hazards to the eye by laser radiation in optical communication 86−5999

Novak, R. Dangers to the eye by laser radiation used in optical communications 88−22063

Novak, R. *see* Carmak, J. 85−29432

Novak, R. *see* Cermak, J. 85−24107

Novak, R. *see* Nevriva, M. 85−49555

Novak, R. *see* Peczalski, A. 87−694

Novak, R.E. Wet chemical strategies for VLSI/ULSI 88−1554

Novak, R.E. Anhydrous HF etching of native SiO_2: applications to device fabrication 88−33057

Novak, R.P., Gilgen, H.H., Salathe, R.P., Zysset, B., Beaud, P., Weber, H.P. Time domain reflectometry in the micrometer range 88−1959

Novak, R.P. *see* Gilgen, H.H. 88−47701

Novak, S. Transistor parameter conversion 85−61048

Novak, S. The IAEA Incident Reporting System and its possible role in the improvement of the safety and availability of nuclear power plants 86−19040

Novak, S. Duration of outage for fuel reloading, maintenance and inspection in nuclear power stations 87−42580

Novak, S. Nuclear power plant life−end and possibilities of life extension 87−57743

Novak, S. Comparison of nuclear power plant personnel collective dose equivalent 87−71807

Novak, S. NPP's main components replacement of life extension 87−78261

Novak, S. Computer enhanced S-parameter design 88−585

Novak, S. CAD amplifier matching with microstrip lines 88−56943

Novak, S., Majercik, J., Vytiska, M., Darilek, P. Some principal issues of fuel management at nuclear power plants 86−39415

Novak, S., Podest, M. Nuclear power plant ageing and life extension: safety aspects 88−55116

Novak, S. *see* Poppert, P. 86−15265

Novak, S. *see* Venkatesh, S. 87−26010

Novak, S.J., Craig, D.L. A low-cost impedance based cryosurgical temperature measurement unit 85−38175

Novak, S.W., Wilson, R.G. Two- and three-dimensional characterization of AlGaAs heterostructures using SIMS 88−56266

Novak, S.W. *see* Ghannam, M.Y. 87−66893

Novak, S.W. *see* Wilson, R.G. 88−13109, 88−57493

Novak, T., Trutt, F.C., Morley, L.A. Theoretical analysis of a DC saturable-reactor ground-fault protection system 85−27108

Novak, T. *see* Morley, L.A. 86−45020

Novak, T. *see* Yenchek, M.R. 87−78199

Novak, T.R. NRC viewpoint on power plant deferrals 85−4820

Novak, V. Computer analysis of the EEG signal 86−60794

Novak, V.R. *see* Akhmediev, N.N. 85−62423, 86−15778

Novak, W.T. *see* Fay, B. 85−1624, 85−50649

Novak, W.T. *see* Fay, B.S. 87−11913

Novakevich, E. *see* Nedoluzhko, I.G. 86−28293

Novakevich, V. *see* Glebov, B.A. 85−44109

Novakov, E.P., Mikhailov, E., Dimitrova, M.I. Analogue-digital conversion in work with a personal computer 86−20643

Novakov, M. *see* Cernai, K. 85−56578, 87−2098

Novakova, O. *see* Jursova, L. 86−60554

Novakovic, R. *see* Stojiljkovic, Z. 87−31591

Novakovic, V. *see* Ogard, O. 88−18229

Novakovskaya, O.S. Some problems of reproducing high definition TV pictures 85−63840

Novakovskaya, O.S. *see* Bezrukov, V.N. 86−24029

Novakovskaya, Z.D. *see* Kulevskaya, E.F. 85−44022

Novakovskii, M.V., Stas'ev, V.P. Nanosecond light-pulse generator 86−68652

Novakovskii, S.V. The open forum 88−41818

Novakovskii, S.V. *see* Kazakov, B.V. 87−70730

Novakovskii, S.V. *see* Rosselevich, I.A. 87−41173

Novakovskiy, S.V. The outlook for the development of television systems with superhigh definition 88−67576

Novakovskiy, S.V., Litvinov, G.K. A quadrature-time method of simultaneous television-signal transmission 87−61565

Novakovskiy, S.V., Soroka, Ye.Z., Yulish, A.N. Investigation of a method of TV picture flicker suppression 86−17583

Novakovsky, S.I., Mamedov, I.R. Highly effective audio-visual inquiry TV system 87−3303

Novakovsky, S.V., Kotel'nikov, A.V., Maksakov, A.A., Bezrukov, V.N. The main problems of developing higher definition television 86−30949

Novakovsky, S.V. *see* Bezrukov, V.N. 85−20307

Novakovsky, S.V. *see* Luneva, Z.P. 85−26092

Novarini, E. *see* Silvestri, L. 87−1497

Novaro, M. *see* Friart, D. 85−7503

Novash, I.V. A mathematical model of a three-phase three-limb transformer based on the second theory of leakage flux 86−61557

Novash, I.V. *see* Kakhanovich, V.S. 86−12520

Novash, V.I. *see* Aleksandrov, I.N. 86−61131

Novati, D. The future of domestic electrical installations 88−76053

Novegno, A., Asculai, E. In perspective: the role of safety assessment and risk management 87−71800

Novella, J. *see* Ventosa, J. 88−10787

Novella, V.N. *see* Antokhin, V.V. 87−9220

Novella, V.N. *see* Morozkin, V.P. 87−9216

Novellino, J. Smart generators issue faster arbitrary waves 87−77286
Novellino, J. ADCs bring digitizing scope new highs in speed, precision 87−77299
Novellino, J. Military ATE: Capability up, tester inventory down 88−29209
Novellino, J. Computer integration raises multifunction tester standards 88−42182
Novellino, J. Focus on digital storage oscilloscopes 88−60791
Novello, M. *see* Heintzmann, H. 86−63226
November, S., Smith, K., Edgar, K. ARS-50 class salvage ship−super salvor 85−5461
Novembre, A.E., Kowalski, L.M., Frackoviak, J., Mixon, D.A., Thompson, L.F. GMC: a negative-acting resist used in the fabrication of chromium photomasks 88−44720
Novembre, A.E., Masakowski, L.M., Hartney, M.A. Optimal developer selection for negative acting resists 87−18229
Novembre, A.E., Reichmanis, E., Davis, M. Preparation and lithographic properties of poly(trimethylsilylmethyl methacrylate-co-chloromethyl styrene) 87−11874
Novembre, A.E. *see* Hartney, M.A. 85−34722, 86−1894, 86−8929
Novender, W.-R., Muller, W. Analysis of 3-dimensional, nonlinear magnetic fields in turbogenerators 85−5041
Novender, W.-R. *see* Klatt, R. 87−35308
Novender, W.-R. *see* Woebke, G. 88−68140
Novender, W.R. *see* Krehl, P. 85−41660
Nover, M. *see* Ender, H. 85−49172
Novero, C. *see* Godone, A. 88−22729
Novgorodov, M.Z. *see* Golubchenko, V.P. 88−2182
Novgorodova, Yu.I. *see* Beklemishchev, A.I. 88−47485
Novgorodtsev, A.B., Shneerson, G.A. Electrodes in an external field with specified strength at surface [conductor fields] 85−41556
Novgorodtsev, A.B. *see* Amromin, E.L. 85−21774
Novgorodtsev, A.B. *see* Dubrovina, O.M. 88−5910
Novgorodtsev, A.B. *see* Kaporskaya, G.N. 85−56977
Novgorodtsev, A.B. *see* Mierin', M.A. 87−44504
Novichenko, A.N. *see* Dolinskii, Yu.M. 88−38814
Novichenko, L.N., Marshak, V.A., Kurkina, E.N., Lakhov, V.M., Man'kovetskaya, S.E. Thermal-conductivity standards (organic liquids) 87−63548
Novichkov, D.N. *see* Vlasov, M.A. 87−19146
Novichkov, S.G. *see* Mazmanidi, E.I. 87−64716
Novichkov, V.I. *see* Sobol', N.M. 86−38215
Novick, W.A. *see* Klapper, J. 86−14073
Novicov, S.G. Asymptotic properties of the paths in a specific voting model 86−66674
Noviello, G. *see* Andria, G. 87−78210
Novik, A.I., Amirov, A.M., Pustovalov, N.D. Algorithms of irreversible step-by-step balancing of system-oriented digital extremal bridges 87−29193
Novik, A.I. *see* Grinevich, F.B. 85−8837, 85−58696
Novik, B. *see* Glover, F. 86−46178
Novik, F.T. *see* Losevskaya, S.G. 85−5995
Novik, G.Kh. Functional signature testing of hierarchical large-scale integrated circuits of working memory 88−19124
Novik, G.Kh., Sarychev, K.F., Titkin, V.M., Bulycheva, O.V. Signature testing of integrated voltage regulators with fixed values of output voltages 87−65814
Novik, G.Kh. *see* Grinshtein, A.V. 86−34789
Novik, J. *see* Blavdzevic, G. 85−32462
Novik, V.F. *see* Gutman, A.L. 85−13078
Novik, V.K. *see* Belov, A.A. 87−46300
Novik, V.K. *see* Klyuchnik, I.I. 87−32825
Novik, V.K. *see* Kulikov, A.O. 86−31441
Novik, V.K. *see* Volkov, A.A. 85−47983
Novik, Ya.A., Lavendels, Yu.O., Brakanskii, U.K. Automation of finite-element numerical calculation of a stationary magnetic field 86−42671
Novik, Ya.A. *see* Gasparyan, A.S. 88−40463
Novikoff, D.B. *see* Blair, R. 85−15110
Novikov, A.A., Pokrovskii, S.F., Stolyarenko, N.D. Investigation of disc insulators subjected to natural and industrial pollutions 86−39186
Novikov, A.A. *see* Adas'ko, V.N. 85−39532
Novikov, A.A. *see* Kim En Dar 87−78173
Novikov, A.A. *see* Pokrovskii, S.F. 86−18852
Novikov, A.A. *see* Vol'pov, K.D. 86−32816
Novikov, A.D., Odulov, S.G., Slyusarenko, S.S., Soskin, M.S. Threshold conditions for oscillation which the aid of shifted and unshifted dynamic gratings 87−2234
Novikov, A.D., Odulov, S.G., Soskin, M.S. Laser based on frequency-degenerate forward four-wave parametric interaction 88−45534
Novikov, A.G. *see* Ivanov, V.V. 86−2767
Novikov, A.I. Codes with majority decoding 87−2444
Novikov, A.I. *see* Asimov, M.M. 88−65607, 88−72282
Novikov, A.I. *see* Maslov, V.V. 88−27096
Novikov, A.N. *see* Enuchenko, V.A. 87−71078
Novikov, A.N. *see* Gruzinskii, V.V. 88−2192
Novikov, A.P. *see* Aleksandrov, P.A. 88−7473
Novikov, A.P. *see* Glushtsov, A.I. 87−73978
Novikov, A.P. *see* Komarov, F.F. 87−32390
Novikov, A.P. *see* Pavlov, P.A. 88−22579
Novikov, A.S., Almaeva, E.A. Calculating the current distributions in traction systems 88−18160
Novikov, A.V. *see* Berezin, A.S. 86−47112
Novikov, A.V. *see* Khagemeister, E.A. 88−5583
Novikov, A.V. *see* Nazvanov, V.F. 86−2872
Novikov, B.K. *see* Grinberg, I.E. 85−3522
Novikov, B.V., Ubushiev, E.A., Cherednichenko, A.E. Influence of preliminary illumination on the photoconductivity spectra of CdS single crystals and role of shallow donors in this process 85−62435
Novikov, D.L. *see* Glazov, A.A. 85−64408
Novikov, D.V. *see* Golovin, A.L. 86−44616
Novikov, E.G. *see* Bagdasarov, Kh.S. 88−27127
Novikov, E.I. Optical heterodyning in schemes having a diffraction optical mixer 85−51722
Novikov, E.V., Rozanov, A.R., Nizhnik, V.M., Rubinshteyn, E.N. Stabilization of the AFC of a correcting regenerator amplifier at maximum gain 86−14011
Novikov, E.V., Rubinshtein, E.N., Strongin, R.G., Barkalov, A.V., Novikova, M.M. A simulator of the regeneration sections for a digital transmission system 85−8021
Novikov, E.V. *see* Apanasovich, V.V. 85−8766
Novikov, E.V. *see* Danilevich, V.V. 88−35905
Novikov, G.E. *see* Galaktionova, N.M. 87−61121
Novikov, G.E. *see* Mak, A.A. 88−45392
Novikov, G.F. *see* Makarov, M.S. 87−41400
Novikov, G.I. Estimating the asymmetries of overhead transmission lines 87−42501
Novikov, G.M., Petrun'kin, E.Z. Experimental investigation of the propagation of magnetostatic waves in film waveguides 85−50852
Novikov, G.M. *see* Vashkovskiy, A.V. 86−62667
Novikov, I.I., Glazman, E.D., Kokhman, A.G., Krivda, O.A., Mordukhovich, A.M., Polivoda, M.A. Automating metallographic analysis with the AMD-1 microdensitometer 88−41982
Novikov, I.I. *see* Gunko, V.N. 87−58000
Novikov, I.V. *see* Il'ichev, N.N. 85−56738
Novikov, L.F. The shielding coefficient in high-power generating equipment and in current conductors 88−68987
Novikov, L.S. *see* Mav'in, E.V. 86−27819
Novikov, M.A. *see* Andreev, Yu.M. 86−22524
Novikov, M.A. *see* Betin, A.A. 86−28777
Novikov, M.A. *see* Gelikonov, V.M. 88−33668
Novikov, M.M. *see* Boichenko, V.L. 87−75239
Novikov, M.P., Nikulina, A.F. A method of evaluating the thickness of the oxide film on aluminium alloy electrode wire 85−15023
Novikov, M.P. *see* Kozlov, E.I. 85−16475
Novikov, M.V. *see* Kryzhanovskii, B.N. 86−39408
Novikov, N.I. *see* Belozertsev, A.N. 85−46446, 87−68669
Novikov, N.L. *see* Bushuev, V.V. 88−75954
Novikov, N.N. *see* Gol'din, R.G. 86−39730
Novikov, O.I. Analysis of current harmonics in a DC railroad traction network 86−45759
Novikov, S.A., Razin, S.V., Chumerin, P.Yu., Yushkov, Yu.G. Investigation of a vacuum microwave switch in a waveguide resonant system 87−17609
Novikov, S.A., Razin, S.V., Chumerin, P.Yu., Yushkov, Yu.G. Effect of gas pressure on the operation of a high-power waveguide microwave switch 88−954
Novikov, S.A., Razin, S.V., Chumerin, P.Yu., Yushkov, Yu.G. Dielectric strength of surfaces of dielectrics in microwave fields of nanosecond duration 88−39747
Novikov, S.A., Razin, S.V., Chumerin, P.Yu., Yushkov, Yu.G. Energy spectrum of electrons during vacuum microwave breakdown 88−64208
Novikov, S.A., Shiyan, V.P. Distortions of nanosecond video pulses in a superconducting recirculator 85−27077
Novikov, S.A. *see* Buldakovsky, V.N. 86−32036
Novikov, S.A. *see* Didenko, A.N. 86−2647, 86−20788
Novikov, S.I., Karpov, V.Kh., Mikhal'chenko, V.G., Zhitkevich, I.V. Introduction of process protection units for a generating unit with a gas- and oil-fired boiler 85−60029
Novikov, S.I. *see* Bolyukh, V.F. 86−26374
Novikov, S.I. *see* Cheremnykh, P.A. 88−66011
Novikov, S.I. *see* Il'inskaya, L.S. 85−47955
Novikov, S.I. *see* Klimenko, E.Yu. 86−47988, 88−26727, 88−71987
Novikov, S.I. *see* Tarbeev, Yu.V. 86−18140
Novikov, S.I. *see* Veselovskii, A.S. 85−44011
Novikov, S.P. *see* Kastorskii, S.A. 87−77840
Novikov, S.R., Borodin, G.V. Conditions that ensure identical quality control outcomes for product parameters in the manufacturing stage 87−31316
Novikov, S.R., Borodin, G.V., Zykanov, V.N., Konychev, V.N. Reliability parameters in metrological checking 86−24253
Novikov, S.S., Maydanovskiy, A.S. System of 2n self-excited oscillators with two types of resistive coupling 88−63570
Novikov, S.S., Maydanovskiy, A.S., Fayzullin, R.G. Stability of the power summing regime of four self-excited oscillators in a nonsymmetrical system 85−634
Novikov, S.S. *see* Achasov, O.V. 88−8114
Novikov, S.S. *see* Koudryavtsev, N.N. 86−3077
Novikov, S.S. *see* Kryuchkov, S.I. 86−58867, 87−61075
Novikov, S.V. *see* Biryulin, Yu.F. 85−33452, 88−49802
Novikov, S.V. *see* Golubev, L.V. 85−49572, 86−20059
Novikov, S.V. *see* Vorob'eva, V.V. 86−20058
Novikov, V.A. Use of the diagonals of auxiliary balanced bridges as connecting wires in the arms of main bridges 88−22694
Novikov, V.A. *see* Baranov, L.A. 86−24809
Novikov, V.A. *see* Brundnyi, V.N. 85−61682
Novikov, V.A. *see* Kustikov, Yu.A. 86−44462
Novikov, V.A. *see* Godunov, S.K. *(editor)* 88−24348
Novikov, V.B. *see* Katsap, V.N. 88−51817
Novikov, V.F., Paramonov, L.V. Comparative characteristics of coherent and incoherent radiation in the phototherapy of ulcers 85−59348
Novikov, V.F. *see* Musikhin, S.A. 88−70391
Novikov, V.I. An adaptive multiple-beam antenna array 85−62917
Novikov, V.I. *see* Gushchin, A.N. 88−4786
Novikov, V.I. *see* Polevoi, V.A. 85−49616
Novikov, V.K. An operation-oriented container for low power TV repeaters 88−47301
Novikov, V.K. *see* Kuratev, I.I. 86−9809, 86−54122
Novikov, V.K. *see* Nasel'skii, S.P. 85−24525
Novikov, V.L. *see* Gerzon, S.A. 88−68311
Novikov, V.M. Use of probability approach to problem of image separation 88−3185
Novikov, V.M. *see* Barabash, A.S. 87−14737
Novikov, V.M. *see* Berzonis, M.A. 88−4794
Novikov, V.M. *see* Kuzminov, V.V. 87−14738
Novikov, V.N., Akhutina, L.M., Glazman, E.D., Efimova, I.N. Gas resistors GZR-1 used as semiconductor sensors of mixtures of fuel gases in air 87−3585
Novikov, V.N., Puzhlyakov, A.F. Critesistors on thin film made of vanadium dioxide 86−67523
Novikov, V.N., Vinogradova, I.A., Glazman, E.D., Pronkina, A.E. Gas resistors GZR-2 used as dew sensors 87−3586
Novikov, V.N. *see* Subbotin, V.I. 85−41048
Novikov, V.P. *see* Alikhanov, S.G. 88−40475
Novikov, V.P. *see* Andreev, Yu.M. 86−22524
Novikov, V.P. *see* Baranov, V.Yu. 88−27047
Novikov, V.P. *see* Betin, A.A. 86−28777, 87−19037
Novikov, V.P. *see* Borisov, V.M. 86−29048
Novikov, V.S. *see* Kastorskii, S.A. 87−77840
Novikov, V.V. Selection of optimum types and sizes of conductors in self-contained power systems 88−10698
Novikov, Y.A. Test checking of PLM [programmable logic matrices] 85−45004
Novikov, Ya.A. Complete checking of programmable logic arrays. II 85−54770
Novikov, Ya.A. Complete checking of programmable logic arrays. I 86−8098
Novikov, Yu.B. *see* Marmur, I.Ya. 88−33857, 88−57342
Novikov, Yu.D., Malykhin, E.I., Luchuk, V.F., Gerber, L.M. Accelerated test method and determination of the diagnostic criteria of the bearing assemblies of low-power asynchronous motors 85−65256
Novikov, Yu.D. *see* Yakovlev, M.M. 87−64598
Novikov, Yu.N., Chepurnov, A.V. Determination of the parameters of microstrip structures by an iteration method 88−923
Novikov, Yu.N. *see* Abdumalikov, A.A. 86−5853
Novikov, Yu.N. *see* Konotorovich, M.I. 86−57410
Novikov, Yu.P. Electrical and thermal processes in units for electroslag casting of large ingots 87−43691
Novikov, Yu.P., Frolov, Yu.F., Volokhonskii, L.A. Technical and economic advantages of equipment for ladle metallurgy 85−65646
Novikov, Yu.P. *see* Dolgii, B.Ya. 87−58456
Novikov, Yu.P. *see* Volokhonskii, L.A. 85−65655
Novikova, A.N. *see* Artem'ev, A.S. 87−35662
Novikova, E.M., Ershova, S.A., Kuznetsov, G.D., Vasil'ev, M.G. Effect of ion-plasma treatment on the state of the surface of InP 85−50408
Novikova, E.M., Ershova, S.A., Vasil'ev, M.G. Wetting of indium phosphide by indium 85−1301
Novikova, E.M., Kuznetsov, G.D., Ershova, S.A. Plasmochemical etching of InP by trichlorotrifluoroethane 88−7474
Novikova, E.M., Kuznetsov, G.D., Ershova, S.A., Babaitseva, M.I. Role of oxygen in plasmochemical etching of InP 86−63184
Novikova, I.A. A mathematical model for quantitative description of magnetostatic fields of surface defects and application of the model in defect size determination problems 87−16737
Novikova, I.V. *see* Bromberg, M.Sh. 87−29296
Novikova, L.I. *see* Babaev, A.I. 88−61157
Novikova, L.I. *see* Mazurov, A.I. 88−36442
Novikova, L.S. *see* Man'kina, N.N. 86−65826

Novikova, M.M. *see* Novikov, E.V. 85−8021
Novikova, N.K. *see* Gubarev, A.V. 85−51135
Novikova, N.M. Stochastic methods for a numerical solution of convex variational inequalities 88−38104
Novikova, O.S. *see* Zharkov, M.A. 86−37645
Novikova, S.F. *see* Kolobrodova, N.A. 86−35374
Novikova, T.L. *see* Vakhitov, Ya.Sh. 86−44056
Novikova, T.N. *see* Vasil'ev, R.P. 87−36170
Novikova, T.V. *see* Koval'skii, R.V. 88−55636
Novin, A. *see* Rahimi, A. 85−9462
Novini, A. Fundamentals of machine vision lighting 87−51611
Novini, A.R. Fundamentals of strobe lighting for machine vision 88−62738
Novins, K.L. *see* Mosher, C.E., Jr. 87−50400
Novitskii, E.Z. *see* Borisenok, V.A. 86−56073
Novitskii, F.N. *see* Gusev, E.A. 86−557, 88−49897
Novitskii, P.V., Knorring, V.G. Measurement technology: for the instrument maker or the user? 88−53523
Novitskii, S.P., Kenzin, V.I., Burenkov, I.I., Yur'ev, O.A., Burenkova, R.I. Amplitude-stable quadrature phase shifter for frequencies of 20 Hz to 200 kHz 86−41257
Novitskii, S.P. *see* Burenkov, I.I. 86−65248
Novitskii, S.P. *see* Khotsei, V.S. 85−48070
Novitskii, V.O. *see* Karpin, E.B. 87−16125
Novitskiy, V.A. *see* Boyakhchyan, G.P. 85−33659
Novitskiy, V.A. *see* Vanke, V.A. 85−13379
Novitsky, E.Z., Borisenok, V.A., Shuvalov, L.A. Pyroelectric pulse ionizing-radiation detector 85−64451
Novkovic, D., Krmpotic, D., Kovacevic, M., Tasic, R., Paligoric, D. Gas gain ionization chamber 87−41824
Novobrantsev, I.V. *see* Isakov, I.M. 87−39002, 87−46769
Novoderezhkin, R.A. *see* Karelin, V.Ya. 86−65936, 87−4502
Novoderezhkin, V.I. *see* Blinov, N.A. 86−9748, 86−29067
Novodran, A.N. *see* Marishkin, A.K. 85−60611
Novogrenko, N.M. *see* Tozoni, O.V. 85−39263
Novogrenko, V.E. *see* Vasil'eva, I.B. 88−57992
Novokhatko, S.M. *see* Zavadskiy, Yu.V. 88−47042
Novokhatsky, A.V. *see* Balakin, V.E. 85−26576 to 26578
Novopoltsev, M.I., Pokotilovskii, Y.N., Shelkova, I.G. Time-of-flight spectrometry of ultracold neutrons with a thin film ferromagnetic chopper 88−29928
Novopol'tsev, M.I., Pokotilovskii, Yu.N., Shelkova, I.G. Modulation of a beam of ultracold neutrons by a thin-film ferromagnetic shutter 86−60505
Novosad, T. *see* Vrba, J. 87−982
Novosadov, A.A. *see* Egorov, E.A. 88−55264
Novosartov, M.T. *see* Kritskiy, S.V. 87−47287
Novosel, D., Bozuta, F. Selection of the unit commitment schedule of the electric power system 88−42774
Novosel, D. *see* Barnes, J.J. 85−778
Novosel, N. *see* Jug, M. 87−78284
Novoselac, Z. Partial ground fault currents through the grounding system of the thermal power plant Plomin 2 86−51087
Novoseleva, A.V. *see* Kuznetsov, V.L. 86−34279
Novoselov, A.G. *see* Goryachev, S.B. 85−41347
Novoselov, A.G. *see* Korolenko, P.V. 87−54384
Novoselov, G.M. *see* Konovalov, S.F. 86−24759
Novoselov, O.N., Fomin, A.F. Detection of anomalous error bursts in correlated random sequences 86−10263
Novoselov, O.N. *see* Fomin, A.F. 87−61856
Novoselov, S.S., Gavrilov, A.F. Calculating the quantity of particulate emissions to the atmosphere when burning oil in power plant boilers 85−48846
Novoselov, S.S., Gavrilov, A.F., Svetlichnyi, V.A., Chmovzh, V.E., Simachev, V.Yu., Zaplatinskaya, I.M. The ozone method of removing SO_2 and NO_x from the flue gases of thermal power stations 87−64399
Novoselov, S.S. *see* Svetlichnyi, V.A. 88−17337
Novoselov, V.A. *see* Dobrynin, A.V. 88−20227
Novoselov, V.A. *see* Grigor'eva, A.F. 86−18167
Novoselov, V.G. *see* Leont'ev, V.M. 87−68420
Novoselov, V.G. *see* Volynskii, M.B. 87−24010
Novoselov, V.G. *see* Volynsky, M.B. 87−44714
Novoselov, V.V. Bipolar microprogrammable microprocessors: architecture, design and application 88−12417
Novoselov, V.V. *see* Eshchin, E.K. 85−65255
Novoselov, Yu.B., Fraishteter, V.P., Nissenbaum, I.A., Myakinin, V.S. Controlling electricity supply to oil fields 87−22949
Novoselov, Yu.E., Shakhparunyants, G.R. Unified series of luminaires 85−44286
Novoselov, Yu.E., Shakhparunyants, G.R., Undasynov, G.N. Basic trends in development of techniques and facilities for illumination of residential premises 86−66477
Novoselov, Yu.N. *see* Kozyrev, A.V. 85−7386
Novoselova, A.V. *see* Krylyuk, O.N. 87−23660
Novoselova, M.V. *see* Polyan, L.Ye 86−36872
Novoselova, N.G. *see* Azimov, S.A. 86−24484
Novosel'skii, E.V. *see* Gergi, D.I. 87−22933
Novosel'skii, O.Yu., Karasev, V.B., Sakovich, E.V., Lyutov, M.A., An'kov, V.I. Tests on improved steam separators in the third unit at the Chernobyl nuclear power station 86−6501
Novosel'tsev, A.V. Differentiability of variable conditions in power RLC-circuits with rectifiers 87−9670
Novosel'tsev, A.V., Denisyuk, S.P., Zabolotnyi, A.P. Investigation and simulation of dynamic conditions of operation of a frequency-controlled electric drive 86−66378
Novoseltsev, A.V. *see* Tonkal, V.E. 85−62814, 86−39972, 87−22536, 87−30831, 88−12214
Novosel'tsev, L.Ya. *see* Frolushkin, V.M. 87−47702
Novosel'tsev, M.S. *see* Vozilkina, G.P. 87−72144
Novothny, F. The evaluation of the protective quality of medium-voltage overhead transmission lines according to accident statistic reports 85−16708
Novothny, F., Altmann, S. Quantitative estimation of the electric safety of electric power equipment 87−51816
Novothny, F., Por, G. Noise diagnostic investigation of high-voltage measuring transformers 88−30768
Novothy, M. The status and further perspectives of using frequency power components for induction electrothermal application 87−36249
Novothy, Z. The resistivity of the ER1 and SCR 17.1 resists during plasma etching 88−13122
Novotny, D. *see* Jach, T. 88−29934
Novotny, D.B. Measurement of the separation distance in contact and proximity lithography 87−32369
Novotny, D.B. Emission spectra of an azide photoresist initiator and exposure reciprocity 88−50764
Novotny, D.B. *see* Candela, G.A. 87−70345
Novotny, D.B. *see* Carver, G.P. 87−66999, 88−29585, 88−39134
Novotny, D.B. *see* Robertson, P.J. 88−39169
Novotny, D.R., Tomberlin, J., Hill, C.P., Quan, J.P., Jensen, G.A., Morris, J.D., Goldsmith, K.R. Transmission Impairment Measuring Set simplifies testing of complex voice and data circuits 85−14604
Novotny, D.W., Melkebeek, J.A.A. Dynamic response of voltage-driven induction machines 86−12801
Novotny, D.W. *see* Brod, D.M. 85−27587, 85−53761
Novotny, D.W. *see* Colby, R.S. 85−27690, 86−7191, 87−42846, 88−23884, 88−30688, 88−69739
Novotny, D.W. *see* Creer, W.H. 86−39761
Novotny, D.W. *see* De Doncker, R. 88−23826
Novotny, D.W. *see* Fahim, A.A. 87−43096
Novotny, D.W. *see* Jarc, D.A. 87−43534, 88−24192
Novotny, D.W. *see* Khater, F. 87−42951
Novotny, D.W. *see* Khater, F.M.H. 86−45357, 87−15644, 87−51203
Novotny, D.W. *see* Kirschen, D.S. 85−21623, 85−27694, 85−53877, 87−51497
Novotny, D.W. *see* Lorenz, R.D. 88−23943, 88−49203
Novotny, D.W. *see* Nordin, K.B. 85−27698, 86−7190
Novotny, D.W. *see* Schiferl, R.F. 88−49205
Novotny, D.W. *see* Sneyers, B. 85−43919
Novotny, D.W. *see* Sood, P.K. 86−39802
Novotny, D.W. *see* Wang, C. 87−43522, 88−43410
Novotny, D.W. *see* Zinger, D.S. 85−32742
Novotny, E.J. International [teleconferencing] 85−8617
Novotny, F. *see* Hoder, K. 87−14107
Novotny, I. *see* Tvarozek, V. 86−60230, 87−16654
Novotny, J. Printed circuit materials for surface mounting of components 87−11134
Novotny, J. Surface mount technology without outlets 87−17477
Novotny, J., Kovar, I., Horakova, I., Jirousek, P. Calibration of ionization chambers in a gamma ray beam of ^{60}Co 85−43260
Novotny, J. *see* Prochazkova, O. 86−58922
Novotny, K. *see* Matys, J. 88−57453
Novotny, L. Skoda four-high rolling mills with electrohydraulic control 86−61821
Novotny, M. Remark on algorithm 30. Numerical solution of the polynomial equation 86−13669
Novotny, M. Positive temperature coefficient thermistor contact problems 86−14546
Novotny, M., Mudroncik, D., Muller, P. New algorithm for *D*-curve computation [power system applications] 88−30279
Novotny, M., Thibault, D.L., Wellfair, G., Stringer, C.A. Quality assurance testing procedure for thick film material to meet the demand of the surface mounting multilayer thick film technology 86−53277
Novotny, M. *see* Vesely, V. 86−25504, 86−50828
Novotny, M.A. *see* Burson, K.L. 85−17661
Novotny, M.A. *see* Petersen, O.G. 87−3208
Novotny, P.M. The effect of nickel content on the AC magnetic properties of 49Fe-49Co-2V alloys 88−71895
Novotny, R., Riess, R., Hingmann, R., Stroher, H., Fischer, R.D., Koch, G., Kuhn, W., Metag, V., Muhlhans, R., Kneissl, U., Wilke, W., Haas, B., Vivien, J.P., Beck, R., Schoch, B., Schutz, Y. Detection of hard photons with BaF_2 scintillation 88−22924
Novotny, R. *see* Horak, J. 86−1759
Novotny, R. *see* Lostak, P. 85−55504, 88−25932
Novotny, R.F. Supporting GPS with MATE test systems 85−31968
Novotny, V. Development of short-circuit currents in electric networks 85−43571
Novotny, V. 7.2 kV switches and switchboards for high nominal voltages and short circuit currents 85−53774
Novotny, V. Foundation grounding grid−a non-conventional method of earthing 87−21968
Novotny, V. Application of the foundation grounding equipment 87−35691
Novotny, V. Applications of nonaqueous colloids 87−74494
Novotny, V. Design of voltage limiters for electric networks with solidly earthed neutrals 88−5396
Novotny, V. The development and production of tools for small-scale mechanisation of electrotechnical installation 88−23502
Novotny, V., Itnyre, G., Homola, A., Franco, L. Corrosion of thin film cobalt based magnetic recording media 88−51235
Novotny, V., Vavra, Z. Application of new quenching principles in HV circuit-breakers 86−45603
Novotny, V. *see* Foitl, V. 88−34942
Novotny, V. *see* Sedlackova, K. 86−68052
Novotny, V. *see* Tesar, J. 86−71002
Novotny, Z. The comparison of reactive ion etching and plasma etching in a parallel-plate reactor 88−39200
Novotny, Z. Reactive ion etching of dielectric and semiconductor layers in CHF_3 and C_2F_6 88−57464
Novotny, Z. Planarisation properties of the SCR 17 photoresist 88−57520
Novotny, Z. *see* Kalab, P. 87−35876
Novotortsev, N.N., Sharov, K.A. Electronic line-voltage regulator 87−59161
Novototskii-Vlasov, Yu.F. *see* Mironov, F.S. 87−18812, 87−46662
Novototskii-Vlasov, Yu.F. *see* Shemelina, O.S. 87−56641
Novozhenov, Yu.V. *see* Zyuzin, Yu.V. 86−8568
Novozhilov, A.F. *see* Belousov, V.I. 86−13764
Novozhilov, A.N. *see* Kletsel', M.Ya. 86−56715, 87−30569
Novozhilov, N.M. *see* Kovalev, V.V. 85−21999
Novozhilov, N.M. *see* Surkov, A.V. 85−56918
Novozhilov, O.P. Ferromagnetic transformers with a number of phases and frequency 86−26098
Novozhilov, O.P. Nonlinear reactive components using a capacitor and a controller switch 86−47125
Novozhilov, O.P. On calculating the turns in ferromagnetic converters for the number of phases and frequency 87−43189
Novozhilov, O.P. The capacitor and controlled switch nonlinear reactive elements 87−64683
Novozhilov, O.P. Integral methods for identification of nonlinear elements 88−541
Novozhilov, O.P. Frequency multipliers employing synthesized nonlinear reactive components 88−56822
Novozhilov, O.P. Identification of nonlinear elements on the basis of a single harmonic of the response 88−70492
Novozhilov. O.P. *see* Bocharov, M.I. 88−549
Novozhilov, O.P. *see* Bogachenkov, A.N. 85−55078, 86−62794
Novozhilov, V.B. *see* Marigodov, V.K. 87−47722
Novozhilov, V.I., Vergasov, A.A., Trubayev, S.I. Sounding of the ionosphere with powerful two-frequency radio signals 86−25413
Novozhilov, V.I. *see* Drobzhev, V.I. 87−39378
Novozhilova, L.G. *see* Bogdankevich, O.V. 87−75056
Novozhilova, L.M., Perkov, N.K. Database of a tutorial CAD system EMC-EC 87−52295
Novozhilova, Yu.V. *see* Bratman, V.L. 86−21043
Novozhilova, Yu.V. *see* Ginzburg, N.S. 86−22754, 87−61186
Novrusova, F.M. *see* Abdinov, D.Sh. 85−61685
Novruzova, F.M. *see* Salaev, E.Yu. 86−35321
Novskii, V.A. *see* Grudskaya, V.P. 87−9673
Novskii, V.A. *see* Shidlovskii, A.K. 87−78104
Novy, F. *see* Hnatowicz, V. 86−28166
Novy, Z. *see* Horacek, O. 85−53257
Nowack, C.D. *see* Jalali, A. 88−41838
Nowack, G.F. Electrical compensation method for mechanically induced disturbances in gas-filled radiation detectors 87−41856
Nowack, J.M. *see* Herro, M.A. 88−21109, 88−34562, 88−66288
Nowack, R., Mayerhofer, W., Hugel, H. Optical diagnostics for the investigation of the interaction of discharge and supersonic flow in a pulsed CO-laser 86−9767
Nowack, R. *see* Mayerhofer, W. 85−62515

Nowacki, C.L. *see* Doodlesack, G.A. 87−66253
Nowacki, C.L. *see* Vaccaro, J.J. 87−17148
Nowacki, H. Connectors for panel wiring 85−6574
Nowacki, H. The pin-created contact 85−23201
Nowacki, H.F. Designing a connector to DIN 41612 85−11791
Nowacki, H.F. Advances in connector technology−DIN 41612 for construction reliability 86−1457
Nowacki, H.F. Simplified installations coupled with economic solutions: electrical connection technology for power distribution systems 88−57043
Nowacki, M. Concerning the measurement of the switching current of high speed thyristors 88−10091
Nowacki, T. *see* Bigaj, G. 88−75137
Nowacki, T. *see* Waliszewski, J. 88−5340
Nowacki, Z. Microprocessor controlled DC motor drive systems 86−33753
Nowacki, Z., Michalkiewicz, M., Rejniak, J. Hybrid control system of PWM inverter 86−61611
Nowaczyk, E. Admissible peak factor of signal as one of the criteria for the evaluation of a gauge 87−34891
Nowaczyk, E. Influence of the time constant value in an input circuit over duration of transients in electronic measuring instruments 87−41308
Nowaczyk, H., Grzybowski, S., Kuffel, E. Influence of voltage prestressing on the dielectric strength of paper-oil insulation 87−25716
Nowaczyk, H., Grzybowski, S., Kuffel, E. Electrical breakdown strength of paper-oil insulation under pulsating voltages 87−67644
Nowaczyk, H. *see* Bogajewski, W. 86−45014
Nowaczyk, J. *see* Kardach, K. 85−40139
Nowak, A.V., Krohn, B.J. Spectral characterization of a tunable alexandrite laser by rubidium absorption at 780 nm 86−22352
Nowak, A.V., Krohn, B.J. Spectral characterization of a tunable alexandrite laser by rubidium absorption at 780 nm 86−29121
Nowak, B. *see* Metzger, K. 88−53533
Nowak, D. A test and data reduction algorithm for the evaluation of lead-acid battery packs 86−66271
Nowak, D.K. A state of charge and temperature independent charge algorithm for flooded lead-acid battery packs 86−33633
Nowak, E. Selection of the diagnostic characteristics for multicriterial comparisons 86−66651
Nowak, E. *see* Kuhn, G. 87−5408
Nowak, E.J., Trickle, W.M. Analysis and solution of a yield-limiting patterned-fail mechanism in a 1 Mbit DRAM 88−6866
Nowak, F., Vasquez, M. Copper cable goes underground to protect buried FO cable [fibre optic] 86−49626
Nowak, G.H., Kapron, F.P., Ragdale, C.M. Computer-aided single-mode optical fiber design 86−28791
Nowak, H. *see* Albrecht, G. 85−46069
Nowak, H. *see* Anguilar-Benitez, M. 87−71031
Nowak, J. Universal convertor for the measurements of magnetic materials in 20-100 Hz AC fields 85−43079
Nowak, J. Zero detector of alternating magnetic flux with additional magnetization 88−19301
Nowak, J. Loop winding AC magnetic comparator 88−19302
Nowak, J. Hologram aberrations in image quality evaluation 88−27324
Nowak, J. The contrast of the holographic imaging of an amplitude sinusoidal test 88−34154
Nowak, J., Zajac, M. Numerical investigation of the two-point resolution in the holographic imaging 85−51305
Nowak, J., Zajac, M. Numerical investigations of the imaging by holographic lens 85−56872
Nowak, J., Zajac, M. Numerical investigations of holographic imaging quality 86−42656
Nowak, J. *see* Bajorek, J. 85−43034
Nowak, J. *see* Gadomski, A. 88−58708
Nowak, K. Conforming electrical installations to the new VDE rules, and faults elimination. I 85−10404
Nowak, K. Compliance of electric equipment with the new VDE regulations and repairs 85−22186
Nowak, K. Emergency lighting and standby power supplies−a review of German standard specifications 85−38472
Nowak, K. Digital thermometer with diode sensor for the temperature range of 4 to 273K 85−42976
Nowak, K. Polychlorinated biphenyl (PCB) filled electrical equipment 87−18423
Nowak, K. PCB in electrical installation work 87−22453
Nowak, K. Battery charging stations (I) 87−43191
Nowak, K. Battery charging stations. II 87−51342
Nowak, K. Electro-installation and waste oil management. I 88−37890
Nowak, K. Electrical installation in waste oil disposal. II 88−43662
Nowak, K. Electrical installation practice in disposal of used oil. III 88−75537
Nowak, K., Schnadt, H. Importance of the control room during a nuclear emergency situation 85−21413
Nowak, K., Wolf, H. Emergency procedures and remote monitoring of nuclear power stations 87−22092
Nowak, K. *see* Gotszalk, R. 88−22557
Nowak, K. *see* Jaskulski, J. 87−37606, 87−56782, 88−22402, 88−22696
Nowak, L. An analysis of the magnetic field in the electromagnetic actuators in transient electromechanical states 87−58257
Nowak, L. *see* Kozlowska, A. 87−35998
Nowak, M. Measuring instrument for frequencies from 0.0005 Hz to 500 kHz 85−26176
Nowak, M. Photoelectromagnetic effect in semiconductors and its applications 87−68255
Nowak, M., Polakowski, H. 'Dead temperature' for photoelectromagnetic detectors of infrared radiation 85−8853
Nowak, M., Wojciak, A., Mackowiak, K. A microprocessor-based control system for three-phase inverter with a modulated output current 85−60323
Nowak, M. *see* Barlik, R. 85−16040, 87−58378
Nowak, M. *see* Berus, T. 85−12238
Nowak, M.M. *see* Kumar, R. 85−1761
Nowak, P. *see* Dieulesaint, E. 88−39775
Nowak, R., Reczynski, T. Measurement of the far field and near field radiation using TV-camera and monitor 87−77394
Nowak, R., Zajac, M. Enhancement of lineal elements in black and white images by optical pseudocolouring 85−51713
Nowak, R. *see* Bella, G. 87−29447
Nowak, R. *see* Holejko, K. 85−4133, 86−68543
Nowak, R.J. *see* Binnie, D.M. 85−31693
Nowak, R.J. *see* Calvert, J.M. 86−58797
Nowak, S. Thermal and long-term stability of thick-film resistors 85−34378
Nowak, S. TCR optimization of thick film resistors by use of second order regression function 88−19422
Nowak, S., Herod, B. The influence of lubrication on electrical and mechanical parameters of potential resistive element 86−14545
Nowak, S., Lesniak, W., Zaraska, W. Some structure aspects of circuits for automotive electronics 85−5466
Nowak, T.G. *see* Geisler, K.I. 88−5327
Nowak, U. *see* Deuflhard, P. 88−24684
Nowak, W. Optical fibres−transmission means of the future 88−13898
Nowak, W., Boness, R. Errors of the calculation method for optical fibres 87−74720
Nowak, W., Hansske, A. Calculation of multimode and monomode optical waveguides as a matrix eigenvalue problem 85−50944
Nowak, W., Rossner, S. Elimination of leak mode influence in nearfield refractive index profile measurement of optical fibres 86−63660
Nowak, W.-D., Schlangenotto, H. Quasi-two-dimensional simulations of bipolar silicon power transistors 85−40706
Nowak, W.-D. *see* Silber, D. 86−47561
Nowak, W.B., Keukelaar, R., Wang, W., Nyaiesh, A.R. Diffusion of nickel through titanium nitride films 86−21442
Nowak, W.D. *see* Anderhub, H. 88−29843
Nowak, Z., Piotrowski, J., Rutkowski, J. Growth of HgZnTe by cast-recrystallization 88−56206
Nowak, Z. *see* Igras, E. 85−64158
Nowak, Z. *see* Nguyen Van Khai 86−26809
Nowak, Z. *see* Piotrowski, J. 87−58935, 88−74433
Nowakowska, M. An algebraic approach to discourses and their goals: information designing and processing in group situations 86−22876
Nowakowska-Siwinska, E. Optimization of the equipment selection for heat and power stations 88−5511
Nowakowski, A. *see* Kozlowski, L. 85−28737
Nowakowski, J. *see* Elbaum, M. 88−27319
Nowakowski, J. *see* Piotrowski, Z. 85−60246
Nowakowski, J.W. Transreactor errors in transient states 87−64670
Nowakowski, M. *see* Chanas, S. 88−18576
Nowakowski, R. *see* Godsil, C.D. 88−56138
Nowakowski, R. *see* Gunther, G. 87−51984
Nowakowski, W. *see* Bobak, W. 88−27358
Nowakowski, W. *see* Jankiewicz, Z. 87−57220, 87−75070
Nowakowski, Z. *see* Iniewski, K. 87−45979
Nowakowski, Z. *see* Kordysz, A. 86−18244
Nowakowski, Z. *see* Milewski, A. 85−15006
Nowell, A.F. A computer program for repetitive strain gauge rosette analysis 86−11439
Nowell, J. HP LABS' IC automation experience 85−7054
Nowick, A.S. *see* Ling, S. 87−32791
Nowick, A.S. *see* Toulouse, J. 85−23984
Nowick, W. *see* Bergner, H. 85−41243, 86−48254, 88−14036, 88−26953
Nowicka-Skowron, M. Work teams for specific tasks in the electrical industry 88−75232
Nowicki, A., Reid, J.M., Spencer, M.P. Ultrasonic Doppler MTI system for evaluation of aortocoronary bypass graft patency 85−38031
Nowicki, E.P., Snelgrove, W.M., Sedra, A.S. Circuit and layout of a state-multiplexed switched-capacitor filter 88−38376
Nowicki, J., Dilworth, I.J. A parametric tool for the analysis of phase locked loops 87−37087
Nowicki, K. Modern MV circuit breakers 88−62527
Nowicki, K., Uhl, T. Analysis of resequencing methods in packet switching networks 87−69402
Nowicki, M. *see* Wolinski, W. 88−57728
Nowicki, R., Plinski, E.F., Rzepka, J. The use of discharge electric field variations to CO_2 laser stabilization 85−35831
Nowicki, R. *see* Pienkowski, J. 86−68466
Nowicki, R. *see* Plinski, E.F. 86−42489
Nowicki, R. *see* Rzepka, J. 86−29275
Nowicki, R. *see* Sobolewski, A. 86−42490
Nowicki, R.S. Sputtering for VLSI 86−7844
Nowicki, R.S. Practical preparation of sputtered refractory metal diffusion barriers 87−60379
Nowicki, R.S., Schiefelbein, B. Studies of the diffusion barrier properties of DC magnetron sputtered titanium-tungsten on gallium arsenide and silicon 87−6476
Nowicki, T., Stachowiak, T., Stanczak, W. On some clustering policy induced by the problem formulation 87−23520
Nowicki, W. Information, message, report 86−54645
Nowicki, W.I. *see* Lantz, K.A. 85−8140
Nowicki, Z.M. The role of information services in computer network development 88−35184
Nowicz, R., Kaman, K. Testing of breakdown strength in low-power transformers making use of a CAMAC system 86−1423
Nowicz, R., Koman, K. Measurement of voltages, transformation ratio and winding resistance in the low-power transformers using a CAMAC system 86−1405
Nowill, R.L. *see* Ingram, D.G.W. 86−30553
Nowinski, M., Zarzycki, R. Microprocessor-based flow counters 88−4687
Nowinski, M. *see* Hlawiczka, A. 86−60125
Nowiszewski, C.S. *see* Curlett, P.L. 86−33119
Nowlan, M.J., Spitzer, M.B. Status of high efficiency module design and fabrication [solar cell] 85−53828
Nowlan, M.J. *see* Spitzer, M.B. 86−45694, 87−9834, 87−58334
Nowland, W. The future of space communications technology 87−3142
Nowland, W. AUSSAT's 2nd generation system−towards the 21st Century 87−56100
Nowland, W., Houterman, M. Satellite systems: Hughes cuts its teeth on Aussat 85−20107
Nowland, W.L. The Australian satellite system−-present and future plans 85−42553
Nowland, W.L., Wagg, M.W. The Australian national satellite system for computer communications 86−43794
Nowland, W.L. *see* Harwood, M.D. 87−3145
Nowlin, W.C., Jr., Canik, R. Personal computer-based instrument control: a tale of two buses 88−29224
Nowobilski, J.J., Acharya, A. Improved thermal insulations for high temperature battery enclosures 86−33630
Nowocien, A. *see* Wasowski, A. 88−69930
Nowogrodzki, M., Mawhinney, D.D., Milgazo, H.F. Non-invasive microwave instruments for the measurement of respiration and heart rates 85−9176
Nowotarski, M., Down, B. The effect of a nitrogen atmosphere on the wave tinning of component leads 87−10151
Nowotarski, M.S., Schmidt, J.J. Atmosphere control in continuous furnaces for electronics applications 86−52252
Nowotny, G. Hydroelectric power plants as domestic energy generators 87−30417
Nowotny, G. Refurbishment of Kaplan and Francis turbines 88−23774
Nowotny, G. *see* Burton, J. 88−9573
Nowotny, H., Benes, E. General one-dimensional treatment of the layered piezoelectric resonator with two electrodes 87−67673
Nowotny, H.G. Optical fibres for telecommunications in the Australian context 85−63718
Nowotny, H.G. *see* Steel, J. 88−46857
Nowotny, R. Application of Si-microstrip-detectors in medicine and structural analysis 85−15161
Nowotny, R., Bliem, J. A gamma-ray sensitometer for screen-film combinations in diagnostic radiology 85−64575
Nowotny, S. Optimising heat pump heating systems for comfort 85−39341
Nowrouzian, B., Hamza, M.H. DC motor control using a switched-capacitor circuit 87−78700
Nowrouzian, B., Turner, L.E., Fong, R., Lee, L.S. Design of allpass digital ladder networks using bilinear transformation and LDI integrators 87−66409
Nowrouzian, B. *see* Gargour, C.S. 86−1251
Nowysz, K. *see* Orlowsky, W. 88−6434
Noy, Y.I. Theoretical review of the secondary task methodology for evaluating intelligent automobile displays 88−29560

Noya, A., Konishi, H., Kuriki, S. Characterization of amorphous silicon barriers in Nb_3Ge Josephson tunnel junctions 86−48003
Noya, A., Sasaki, K., Umezawa, T., Dobashi, T. An AES study on the anodization of Al/Mo/Al multilayer films 88−50752
Noya, A., Umezawa, T. Electrical properties of anodized Hf thin-film capacitors 85−23166
Noya, A., Umezawa, T. Reduction of anodization voltage in hafnium oxide thin film capacitors 86−67603
Noya, A., Umezawa, T. Electrical properties of anodized Hf thin-film capacitors 87−52901
Noya, A. *see* Konishi, H. 85−41073
Noya, A. *see* Kuriki, S. 87−67881
Noya, A. *see* Watanabe, M. 88−51384
Noyau, R.H., Middleton, B.K., Miles, J.J. Predicting the performance of thin film recording media 88−44987
Noyau, R.H., Middleton, B.K., Miles, J.J. Digital recording properties of thin metallic recording media 88−64928
Noyau, R.H., Middleton, B.K., Miles, J.J., Williams, E.W. A new theoretical approach to digital magnetic recording 88−57973
Noyce, R., Pfund, N. Data researchers should learn from the biological systems [microelectronics technology] 85−55884
Noye, J., May, R. *(editor)* Computational Techniques and Applications: CTAC-85. Proceedings 87−5132
Noyes, A. *see* Massey, H. 88−4246
Noyes, D.H. Electromechanical impactor for producing experimental spinal cord injury in animals 87−57062
Noyes, J. Emergency lighting and the 15th Edition IEE Wiring Regulations 86−61804
Noyes, J. *see* Credland, J. 86−60918
Noyes, J.F. Subscriber line testing simplified 85−36797
Noyes, J.F. *see* Cameron, W.H. 87−76195
Noyes, J.G. Semi-custom devices−government support 85−33125
Noyes, L.K. *see* Clark, L.C., Jr. 85−38027
Noyes, M. *see* Busacca, G.R. 85−40249
Noyes, R.J., Partridge, J.E., Hay, J.H., Mowat, J., Edwards, D.C. Future AC and DC power systems at Culham 85−48561
Noyola-Isgleas, A. *see* Garcia-Garduno, M.V. 86−56136
Noyori, M., Hori, T. Analysis of interface instabilities by Fowler-Nordeim injection into thin SiO_2 films in MOS structures 87−17833
Noyori, M., Nakata, Y. V_T instabilities of scaled MOSFET's with the top passivation structure composed of silicon nitride and silicate glass films 85−18326
Noyori, M., Nakata, Y., Odanaka, S., Yasui, J. Reduction of V_T shift due to avalanche-hot-carrier injection using graded drain structures in submicron n-channel MOSFET 85−6970
Noyori, M. *see* Shiragasawa, T. 85−6325, 86−47740
Noz, M.E. *see* Maguire, G.Q., Jr. 87−63763
Nozaki, C. *see* Naritsuka, S. 88−18698
Nozaki, H., Yamada, T. Perspective views on piezoelectric audio components 85−58418
Nozaki, H. *see* Kamimura, T. 88−12060
Nozaki, I., Masuda, S., Tanaka, N., Kubota, M., Yukimura, K., Kato, S., Shinno, S., Fukumaru, F., Kawakita, Y., Goino, Y. Operation characteristics of a discharge-pumped KrF laser with high repetition rate 87−61085
Nozaki, K., Hamamoto, O., Mine, K., Ozawa, T. A small size flow cell for research and development of redox flow cells 88−11356
Nozaki, K., Kaneko, H., Negishi, A., Kanari, K., Ozawa, T. Performance of ETL new 1 kW redox flow cell system 85−49073
Nozaki, K. *see* Endo, E. 87−57718, 88−75255
Nozaki, K. *see* Kanari, K. 88−11357
Nozaki, K. *see* Kodama, Y. 88−20372
Nozaki, K. *see* Yamashita, T. 86−47258
Nozaki, M. *see* Kiuchi, Y. 86−21067
Nozaki, N. *see* Suhara, T. 87−74898
Nozaki, S., Giridhar, R.V. Study of carrier trapping in stacked dielectrics 87−1350
Nozaki, S., Milnes, A.G. Specific contact resistivity of indium contacts to n-type CdTe 85−45452
Nozaki, S. *see* Aminzadeh, M. 88−39172
Nozaki, T., Minato, D., Soga, Y., Hashimoto, S., Satoda, M., Sengoku, M., Naito, T., Takeda, J. APEX/NEAX2400 IMS: application to the NEC America OA system 86−64456
Nozaki, T., Tsuzuki, K., Naito, T., Hashimoto, S., Satoda, M., Sengoku, M., Yoda, Y., Matsuda, S., Takeda, J. Application of the NEC America OA system 86−43690
Nozaki, T. *see* Kanamori, M. 86−35912, 88−13179
Nozaki, T. *see* Kuboi, O. 85−407, 85−61007
Nozaki, T. *see* Kuzuhara, M. 85−61757, 87−46229
Nozaki, T. *see* Matsumoto, T. 88−54612
Nozaki, T. *see* Nakamura, K. 86−27871, 87−38077
Nozaki, T. *see* Nishizawa, J. 87−79215
Nozaki, T. *see* Shirai, N. 86−4655
Nozaki, T. *see* Sugimoto, O. 88−75756
Nozaki, Y. *see* Tsuruda, H. 87−51537
Nozaki, Y. *see* Yoshikawa, E. 87−7922
Nozari, A. Control of entry to a nonstationary queueing system 85−60842
Nozari, A. *see* Burman, D.Y. 87−23303
Nozari, F., Kankam, M.D., Price, W.W. Aggregation of induction motors for transient stability load modeling 88−23917
Nozari, F., Patel, H.S. Power electronics in electric utilities: HVDC power transmission systems 88−61898
Nozato, K. *see* Yamada, K. 87−2892
Nozawa, H., Matsukawa, N., Morita, S. An EEPROM cell using a low barrier height tunnel oxide 86−41116
Nozawa, H., Matsukawa, N., Morita, S., Miyamoto, J., Iizuka, T. EPROM cell with HB (one half barrier height) oxide for VLSI 85−49896
Nozawa, H., Matsunaga, J., Hashimoto, K. Submicron CMOS technology and process integration for VLSI static memories 86−20563
Nozawa, H., Niitsu, Y., Matsukawa, N., Matsunaga, J., Kohyama, S. Characteristics and reliability of the SEPROM cell 85−6312
Nozawa, H. *see* Matsukawa, N. 85−40107, 86−41131
Nozawa, H. *see* Miyamoto, J. 87−5881
Nozawa, H. *see* Momose, H. 85−54895
Nozawa, H. *see* Mori, S. 86−41977, 87−25474
Nozawa, H. *see* Nogami, K. 87−10860
Nozawa, H. *see* Obara, H. 88−51364
Nozawa, H. *see* Saito, H. 86−22324
Nozawa, H. *see* Saito, S. 86−8257
Nozawa, H. *see* Sakaurai, T. 87−17086
Nozawa, H. *see* Sakurai, T. 85−22868
Nozawa, H. *see* Shinada, K. 87−1436
Nozawa, H. *see* Tsujimoto, J. 86−34819
Nozawa, H. *see* Yoshikawa, K. 85−49879
Nozawa, I. *see* Iwakiri, E. 86−56985
Nozawa, K., Takada, T., Shimazu, Y. High-speed time division switching using GaAs LSIs 88−70885
Nozawa, K. *see* Takada, T. 86−69512, 87−31979
Nozawa, M. *see* Narita, Y. 87−29176
Nozawa, S., Asada, K., Sugano, T. Estimation of silicon epitaxial layer 87−36694
Nozawa, S., Izushi, M. Semihermetic screw compressors for refrigeration systems and their applications 88−17816
Nozawa, S., Kakeno, H., Takeshita, T., Ichikawa, M. One-board microcomputer education for engineering school students−its background and state of the education in Toyota College of Technology 88−18375
Nozawa, S. *see* Kuroda, H. 86−32590
Nozawa, T. Growth and properties of an $LiNbO_3$ film on sapphire with an $LiNbO_3$ buffer layer 88−11976
Nozawa, T., Matsuo, Y., Kobayashi, H., Iwayama, K., Takahashi, N. Magnetic properties and domain structures in domain refined grain-oriented silicon steel 88−71892
Nozawa, T., Mitomi, O., Ichihashi, Y., Saruwatari, M. Highly reliable optical components 86−11063
Nozawa, T., Morita, S. Diamond Net: a new integrated multimedia information system 87−48369
Nozawa, T., Nakano, M., Adachi, M., Iwata, S., Morita, S. Diamond Net: a new integrated-media information system 87−76772
Nozawa, T., Suzuki, T. Zirconium nitride thin film resistors for thermal printing heads 85−28834
Nozawa, T., Suzuki, T. Zirconium nitride thin film resistors with high thermal durability 86−14559
Nozawa, T. *see* Honma, K. 86−35972
Nozawa, T. *see* Mitomi, O. 86−15551, 87−10212, 87−70055, 88−67393
Nozawa, T. *see* Shimizu, R. 86−2582
Nozawa, T. *see* Takahashi, M. 87−26177, 88−13999
Nozawa, T. *see* Tomita, S. 86−49222
Nozawa, T. *see* Yabumoto, M. 86−58664
Nozawa, Y. *see* Hagino, S. 86−23561
Nozawa, Y. *see* Kita, T. 85−52127
Nozdrenko, G.V. Optimising the development of KATEK power systems by means of power units burning plasma-gasified coal 87−57870
Nozdrin, Yu.N. *see* Andronov, A.A. 86−29118, 86−48380, 87−33138, 87−39036, 87−75049, 88−8163, 88−14165
Nozdrin, Yu.N. *see* Murav'ev, A.V. 87−75069
Nozdryukhin, A.V. *see* Boldasov, V.S. 87−29433, 88−52175
Nozica, R. *see* Peralta, W.H. 86−61048
Nozik, A. Energy transfer and electron transfer in photobiological, photochemical, and photoelectrochemical processes 85−53830
Nozik, A.J., Thacker, B.R., Olson, J.M. Quantization effects in the photoelectrochemistry of superlattice photoelectrodes 85−50342
Nozik, A.J., Thacker, B.R., Turner, J.A., Klem, J., Morkoc, H. Photocurrent spectroscopy of lattice-matched superlattice electrodes in photoelectrochemical cells 87−26155
Nozik, A.J. *see* Williams, F. 85−6772
Nozoe, T., Tanmatsu, K. TV receiver 85−37234
Nozokido, T. *see* Mizuno, K. 87−63579
Nozokido, T. *see* Pae, J. 88−27275, 88−40254
Nozu, S. *see* Uchimura, K. 87−59283, 88−63582
Nozu, T., Akagi, J. DC and switching characteristics of inverted structure AlGaAs/GaAs HBTs 87−60429
Nozu, T., Akagi, J. DC and switching characteristics of inverted structure AlGaAs/GaAs HBTs 88−50806
Nozu, T. *see* Morizuka, K. 86−35654
Nozue, H., Yamanaka, H., Hasegawa, S., Iida, Y. Registration mark studying for high-overlay-accuracy hybrid lithography 87−11528
Nozza, G., Ticino, B. General and special plant installation norms: what safety means? 85−28025
Nsabimana, M. *see* Della Sala, D. 88−18748
Nshama, W. *see* Jeswiet, J. 88−35978
Nshama, W. *see* Moore, T.N. 87−63411
Nshanyan, M.A. *see* Petrosyan, A.Kh. 86−30819
Nshimoto, Y. *see* Juang, F.-Y. 86−63726
Ntafos, S. *see* Gudmundsson, G. 88−31950
Ntake, P. *see* Bura, P. 87−73739, 88−1011
Ntuen, C. Availability-based life cycle cost model: a simulation approach 85−44472
Nuaimi, A.L. How to inspect microprocessor-based instrumentation and controls 85−42845
Nualchawee, K. Analysis of remotely sensed data of agriculture for developing countries of Asia 88−8864
Nubel, W. 25 years of vehicle paging and a new receiver 85−36929
Nubel, W. Installations for the search of individuals−survey [radio pagers] 88−35391
Nucci, C.A. The phenomenon of the electromagnetic pulse originated by a nuclear explosion 86−42860
Nucci, C.A., Tarroni, F., Zanobetti, D. Characteristics of the dielectric fluids for medium voltage power capacitors 85−55204
Nucci, C.A. *see* Colla, F. 87−58259
Nucci, C.A. *see* Mazzetti, C. 88−8514, 88−72597
Nuccio, S. Application of a personal computer in a measuring system 87−3406
Nuccio, S. On the sensitivity of interpolated FFT to input noise 88−14731
Nuccio, S., Ricco Galluzzo, G. Some considerations on test methods for the efficiency determination of the inverter-fed induction motors 88−17610
Nuccio, S. *see* Cecconi, V. 86−39718
Nucera, R.R., Krause, P.C. Computation of steady state performance of an electronically commutated motor 87−42851
Nucera, R.R. *see* Krause, P.C. 88−5666
Nuchel, W. Designing micro controlled products. VII. Method aids for data collection and problem analysis 85−49693
Nucho, R.N. *see* Addicks, S. 87−40211
Nuckowski, J. *see* Otreba, R. 86−44181
Nudd, G.R. The impact of VLSI on image analysis 85−63125
Nudd, G.R., Grinberg, J., Etchels, R.D., Little, M. The application of three-dimensional microelectronics to image analysis 86−31320
Nudd, G.R., Nash, J.G. Application of concurrent VLSI systems to two-dimensional signal processing 85−45094
Nudd, G.R., Vaudin, G.J. A cellular VLSI processing architecture using CORDIC elements for image processing 87−44946
Nudd, G.R. *see* Lismore, K. 88−63736
Nudd, G.R. *see* Little, M.J. 86−2322
Nudd, G.R. *see* Vaudin, G.J. 88−1791
Nudelman, A. Computer-aided inductance calculation for high current power transmission lines 86−59112
Nudelman, A., Fromm, N.C. Inductance calculation of multiconductor high-current transmission lines for pulsed power supplies 85−4644
Nudel'man, G.S. Connection circuit for relay repeaters of fast relay protection and automation devices 86−32814
Nudel'man, G.S., Malyi, A.P., Shamis, M.A. Current protection devices for transmission lines 87−9188
Nudel'man, G.S. *see* Birg, A.N. 86−45011
Nudel'man, G.S. *see* Pavlov, V.A. 87−9217
Nudel'man, G.S. *see* Podgornyi, E.V. 87−37625, 88−30414
Nudel'man, P.Ya. *see* An Un Nam 86−43115
Nudel'man, P.Ya. *see* Nam An Un 87−19358
Nudelman, R.W. *see* Salcman, M. 87−8947
Nudelman, S. *see* Ouimette, D. 86−32408
Nuder, J. *see* Pettersson, A.R. 86−12450
Nuding, W. *see* Link, R. 85−37458
Nudron, J., Macko, P., Skultety, O. The changes of some silicon P-N junctions physical parameters after irradiation by fast neutrons 86−1768
Nudzhenko, A.G., Bonil'ya, V.D., Kunin, L.I., Savel'ev, B.A. Increasing operational reliability of electrical equipment of excavating machines based on analysis of statistical data 88−43447
Nuechterlein, P.E. Boost converters as a means to reduce capital costs [telephone office power supplies] 86−61633
Nuemann, T.W. *see* Richter, E. 85−27387

Nuesch, D.R. *see* Meier, E.H. 87−2609
Nuestruev, V.B. *see* Agluilov, E.I. 86−9499
Nuevo, Y. *see* Nieminen, A. 88−52432
Nuez, J.P. *see* Boudon, G. 87−59415
Nuez, J.P. *see* Legrand, B. 85−33648
Nufer, R.W. *see* Kaiser, H.D. 85−41052
Nugent, D.M. *see* Minnis, B.J. 87−21015
Nugent, D.M. *see* Newton, B.H. 87−41013
Nugent, E.R. Discrete event simulation of the IEEE 802.4 token bus LAN protocol—a structured analysis approach 86−23524
Nugent, K.A. Coded aperture imaging: a Fourier space analysis 87−33732
Nugent, K.A. Maximum entropy analysis of coded images 87−62175
Nugent, P.M. User objectives in the development of international telecommunications policy 86−10612
Nugent, R.W. Videodisc applications in science and engineering 87−23058
Nugent, R.W. Lots of information please: the world of optical discs 88−29140
Nugent, S.T., Finley, J.P. Spectral analysis of diaphragmatic EMGs during periodic and normal breathing in infants 86−50591
Nugent, W.A., Smillie, R.J. What human factors can do to promote user acceptance of automated diagnostic devices 86−38242
Nugent, W.R. Error detection and correction systems for optical disk: issues of media defect distribution, defect growth, error management, and disk longevity 87−38719
Nugent, W.R. Color compression results in a digital videodisc of prints and photographs 88−65163
Nugmanov, B.K. *see* Usmankhodzhaev, N.M. 86−26331
Nugmanov, D.L. *see* Biryulin, Yu.F. 88−71307
Nugrozhin, N.N. *see* Aksinenko, V.D. 88−32051
Nugues, P. *see* Kuntzmann, J.C. 87−45528
Nuhn, M., Shi-Kay Yao, Avrit, B. I-line wafer stepper used for low-volume production of 0.5 micrometer GaAs integrated circuits 87−38425
Nuhn, M., Sungmuk Lee Submicron optical lithography: enhanced resolution and depth of focus using advanced processing materials and process optimization 87−11889
Nuhn, M., Yao, S.-K., Avrit, B. I-line wafer stepper technology for gallium arsenide applications 88−20053
Nuhn, M., Yao, S.K., Johnson, T., Avrit, B. Practical considerations of submicron photolithography 88−1581
Nuhn, M. *see* Sungmuk Lee 87−11547
Nuhrmann, D. Useful Grundig oscilloscope MO 53 85−37657
Nuic, S., Veledar, M., Vucinic, N. Influence of the altitude on the dielectric characteristics of the air 88−1811
Nuiding, W. Construction and function of modern refrigerators 88−6048
Nuka, I.F. *see* Tamoyan, G.S. 88−17494
Nukada, Y. *see* Inami, D. 88−59757
Nukada, Y. *see* Nakayama, K. 87−17282
Nukada, Y. *see* Okada, T. 86−23596
Nukii, T., Nakatani, H., Kawaguchi, H., Iwasaki, M., Matsuda, Y., Yoshida, H., Yamamura, K., Rai, A., Nakabu, S., Awane, K. Pocket-sized liquid crystal display unit using press-formed MO substrate 86−11660
Nukii, T. *see* Nakabu, S. 85−37689
Nukiyama, M. *see* Miyahara, A. 86−65702
Nukiyama, T. *see* Kawakami, Y. 87−17157, 87−24243
Nukiyama, T. *see* Kuroda, I. 86−67249
Nukiyama, T. *see* Matsumoto, K. 86−15215
Nukiyama, T. *see* Nishitani, T. 87−17141
Nukiyama, T. *see* Takeuchi, T. 87−37383
Nukiyama, T. *see* Temma, T. 86−8282
Nukuda, T. *see* Matsuda, Y. 85−60410
Nukui, K., Kiuchi, M. High-precision automatic pressure calibrator corresponding to the wide field pressure range 88−74630
Nulicek, V. Optimal economic service life 87−77969
Nulicek, V. Optimisation of the reliability of power supply to customers 88−68775
Nulicek, V. *see* Povysil, R. 87−57532
Null, G.S. *see* Van Ness, B.J. 87−19390
Null, M. *see* Davies, P. 87−15778, 87−30591, 87−43087, 87−51237, 87−78995
Nulman, J. Rapid thermal processing of high quality silicon dioxide films 86−47480
Nulman, J. Rapid thermal oxidation of polysilicon and silicon 88−13173
Nulman, J. In-situ processing of silicon dielectrics by rapid thermal processing: cleaning, growth, and annealing 88−44694
Nulman, J. Rapid thermal growth of thin silicon dielectrics for ULSI applications 88−71428
Nulman, J., Krusius, J.P. High resolution electron beam and dry etch based process for self-aligned 200 nm Si FETs 85−34962
Nulman, J., Krusius, J.P. Rapid thermal nitridation of thin thermal silicon dioxide films 85−55698
Nulman, J., Krusius, J.P., Gat, A. Rapid thermal processing of thin gate dielectrics—oxidation of silicon 85−45585
Nulman, J., Krusius, J.P., Rathbun, L. Electrical and structural characteristics of thin nitrided gate oxides prepared by rapid thermal nitridation 85−50437
Nulman, J., Krusius, J.P., Shah, N., Gat, A., Baldwin, A. Ultrathin gate dielectrics on 150 mm Si wafers via rapid thermal processing 86−63195
Nulman, J., Perera, A., Krusius, J.P. Submicron patterning techniques for self-aligned GaAs millimeter wave opposed gate source transistor 86−62841
Nulman, J., Scarpulla, J., Mele, T., Krusius, J.P. Electrical characteristics of thin gate implanted MOS channels grown by rapid thermal processing 86−47426
Nulman, J. *see* Burnham, M.E. 88−44690
Nulman, J. *see* Cohen, B. 88−39244
Nulman, J. *see* Flowers, D.L. 88−44692
Nulman, J. *see* Gat, A. 86−2062
Nulman, J. *see* Krusius, J.P. 86−35513
Nulman, J. *see* Mele, T.C. 85−23688, 86−67981
Nulman, J. *see* Shah, N. 87−11684
Nulton, J.D. *see* Gavigan, F.X. 88−75331
Nulty, J.E. Single wafer, anisotropic etching of polysilicon with Cl_2/SF_6 and trielectrode reactor operation 87−18001
Num Kwee Chong *see* Chong Num Kwee
Numada, K. *see* Kiyota, Y. 87−58987
Numaguchi, Y., Kobayashi, H. Japan teletext 85−25412
Numai, T., Fujiwara, M., Shimosaka, N., Kaede, K., Nishio, M., Suzuki, S., Mito, I. 1.5 μm λ/4-shifted DFB LD filter and 100 Mbit/s two-channel wavelength signal switching 88−35475
Numai, T., Yamaguchi, M., Mito, I., Kobayashi, K. A new grating fabrication method for phase-shifted DFB LDs 88−27159
Numai, T. *see* Yamada, H. 88−27145
Numai, T. *see* Yamaguchi, M. 88−45449
Numajiri, F. *see* Kodama, K. 85−18981
Numajiri, T. *see* Kotani, M. 88−36418
Numakura, K. *see* Shiromizu, T. 88−64074
Numakura, T., Kuma, H. The educational system of the Hitachi Institute of Technology 87−23172
Numakura, T., Kuma, H. Continuing engineering education for employees at Hitachi Institute of Technology 88−70043
Numan, M.Z., Lu, Z.H., Chu, W.K., Fathy, D., Wortman, J.J. Stability of heavily doped Si formed by As^+ implantation and rapid thermal annealing 87−6565
Numan, M.Z. *see* Choi, S.S. 87−37864, 88−1522
Numan, M.Z. *see* Seong Soo Choi 87−6606
Numano, K. *see* Kitagaki, T. 88−27124
Numano, T. Inverter controlled induction motor driven EMU, Series 207 for commuter service 87−79058
Numano, T., Nagaoka, N., Ametani, A. Development of an automatic measuring system of partial discharge and the phase angle characteristic of a composite insulation material 86−63483
Numao, T. *see* Ahmad, S. 86−50317
Numao, T. *see* Bryman, D.A. 85−37900
Numao, T. *see* Cresswell, J.V. 88−68225
Numao, T. *see* Mes, H. 85−9054
Numao, T. *see* Ueno, K. 86−44012
Numark, N.J., Cooper, D.W. Prospects for utility ownership of cogeneration 85−21096
Numark, N.J., Kase, K.R. Radiation transmission and scattering for medical linacs producing X-rays of 6 and 15 MV: comparison of calculations with measurements 85−43350
Numasaki, T. *see* Saito, J. 88−2835
Numasawa, Y., Yamazaki, K., Hamano, K. Photo CVD system for silicon nitride film 86−40766
Numata, J., Watanabe, N. The CPU core architecture of a 4-bit microcomputer 86−1115
Numata, J. *see* Mayeda, W. 85−297
Numata, K. *see* Kawabuchi, K. 86−9140
Numata, K. *see* Okuzaki, Y. 87−36094
Numata, K. *see* Oowaki, Y. 87−59414, 88−6740
Numata, K. *see* Tsuda, K. 88−7749
Numata, K. *see* Yoshimi, M. 85−50769
Numata, M. *see* Konishi, M. 86−10127
Numata, M. *see* Togawa, A. 86−16670
Numata, S., Abe, T., Shin, K. Application of a maximum likelihood unfolding method to NE-213 pulse-height spectra 88−54419
Numata, S. *see* Kakizaki, T. 85−18026, 87−49306
Numata, S. *see* Minemoto, T. 86−42362, 87−26076
Numata, S. *see* Misawa, Y. 87−25170, 87−45820
Numata, T. *see* Higashi, I. 86−63556, 88−33498
Numata, T. *see* Itoh, A. 88−51270
Numata, T. *see* Koike, S. 88−44968
Numata, T. *see* Komori, M. 85−29443
Numata, T. *see* Nishimura, J. 86−24829
Numata, T. *see* Saiki, K. 86−9386, 86−28599, 86−58658
Numata, T. *see* Urabe, S. 86−42376
Numazaki, T., Mano, S., Katagi, T., Mizusawa, M. An improved thinning method for density tapering of planar array antennas 88−14525
Numazaki, T. *see* Ito, N. 85−62284
Numazaki, T. *see* Katagi, T. 85−13255
Numazawa, A. Overview and future plan of automotive electronic systems 87−51603
Numazawa, A. Chassis systems electronics—today and tomorrow 88−69906
Numazawa, J., Yoneda, Y., Aruga, F., Horiuchi, T. High sensitivity single-pole head with transverse return-path core of flux 88−57949
Numazawa, J., Yoneda, Y., Nakagawa, S. An experiment in video recording using perpendicular magnetic flexible disk 86−4873
Numazawa, J., Yoneda, Y., Nakagawa, S. An analysis of noise in Co-Cr/Ni-Fe double layer perpendicular media 86−36017
Numazawa, J., Yoneda, Y., Yokoyama, K. Underlayer induced noise and carrier to noise ratio in a double-layer medium 86−42122
Numazawa, J., Yoneda, Y., Yokoyama, K. An investigation of carrier to noise ratio in perpendicular magnetic recording with narrow track-width head 87−46376
Numazawa, J., Yoneda, Y., Yokoyama, K. An experiment of video recording by perpendicular magnetic flexible disk 87−56397
Numazawa, J. *see* Yoneda, Y. 86−63557, 86−68158, 87−46377
Numazawa, S., Murakami, K., Hojo, K. Impedance of magnetic coaxial pipe 87−2268
Numazawa, T. *see* Matsumoto, K. 87−32896
Numazawa, T. *see* Yazawa, T. 87−32849
Numazawa, Y. *see* Hamano, K. 85−10766
Numberger, K. Experience in using on-aircraft software for testing integrated systems 85−38302
Nummelin, B. Control of the light output from low voltage halogen lamps 88−49273
Numminen, K., Korpela, T. Motivation for the application of combined heat and power in Scandinavia 87−57889
Numotani, T. *see* Sasaki, M. 86−11687
Nunakawa, M. *see* Namihiri, Y. 87−74674
Nunan, C.S. Design and performance criteria for medical electron accelerators 85−59343
Nunan, C.S. *see* Ginzton, E.L. 85−48327
Nunan, W.J. *see* McDermott, D.B. 86−48452
Nunberger, G., Sommer, M., Strauss, H. An algorithm for segment approximation 86−46247
Nunby, U. *see* Dev, V. 86−36535
Nundal, A. *see* Arisland, K.O. 85−28569
Nundy, U. *see* Biswas, D.J. 86−54084
Nundy, U. *see* Dev, V. 88−40309
Nundy, U. *see* Shikarkhane, N.S. 85−35840, 88−51867
Nunen, G.van *see* van Nunen, G.
Nunes, A.S., Jr. *see* Patel, N.B. 87−68490
Nunes, F.D. Single heterostructure lasers: a picosecond light pulse source 85−24526
Nunes, J. *see* Tsangarakis, N. 85−54550
Nunes Barreto, A., Watanabe, E.H. Self-excited induction generator/force-commutated rectifier system operating as a DC power supply 86−70983
Nunes Dos Santos, A. *see* Heeren De Oliveira, A. 88−29770
Nunez, A. *see* Fullea, J. 87−15958
Nunez, F. *see* Landry, L.G. 86−62272
Nunez, F. *see* Margulis, S.D. 87−3516
Nunez, F.J., Torralba, N. Transitive closure partitioning and its mapping to a systolic array 88−6806
Nunez, F.J. *see* Merayo, L.A. 88−56681
Nunez, M.J., Navarro, A. On the application of LSE and LSM modes to study the propagation in uniform partially filled transmission systems 86−54324
Nunez, M.J. *see* Navarro, A. 86−15993
Nunez de Celis, F. *see* Martinez, P.M. 86−31691, 87−41558
Nunez de Celis, F. *see* Peire, J. 86−6665
Nunez Garcia, J.M., Vinyes Sanz, J. Modem for data transmission: design based on the 8748 microprocessor 85−14009
Nunez Ordonez, A. *see* Sanchez Rodriguez, M.J. 86−23477
Nunez-Lagoz, R. *see* Hubert, P. 87−14804
Nunn, A.E.T. *see* Marsh, J.F. 88−58805
Nunn, D. Suboptimal frequency domain adaptive array processing in broadband environment [antennas] 87−26936
Nunn, D. Suboptimal frequency-domain adaptive antenna processing algorithm for broadband environments 87−61441
Nunn, J.P. Signal labelling and ancillary data 85−47647
Nunn, K.R. *see* Walden, A.T. 88−61606
Nunn, R.O. *see* Lahlum, R. 86−30636
Nunn, S.W. *see* Johnson, R.R. 87−61816
Nunnally, C.E. PC initiative at Virginia Tech 88−82
Nunnally, W.C. Photoconductive pulse power switches 85−5324
Nunnally, W.C. Photoconductive pulse power switches: a review 87−18850
Nunnally, W.C., Dillon, W.E., Smith, C.V., Jr. Insulation directions for high power space systems 88−68590

Nunnally, W.C., Hammond, R.S., Wagner, R.S. Geometry, contact, surface, and optical developments for photoconductive power switches 85–27579
Nunnally, W.C., Honig, E.M. Resonant railgun concept 87–19166
Nunnally, W.C. *see* Baker, M.C. 88–58819
Nunnally, W.C. *see* Mauldin, G.H. 85–5348
Nunnally, W.C. *see* Petr, R.A. 88–29734, 88–65484, 88–65491
Nunnally, W.C. *see* Power, J.F. 85–5235
Nunnally, W.C. *see* Reed, K.W. 87–47127
Nunnally, W.C. *see* Rhinehart, H. 87–21356
Nunnari, G. *see* Di Cataldo, G. 88–32324
Nunnari, G. *see* Fortuna, L. 86–6279, 88–17532
Nunnelley, L., Fuller, G.G. Optical measurements of particle orientation in magnetic media 88–51338
Nunnelley, L., Harper, R.D., Burleson, M. Time domain noise-induced jitter: theory and precise measurement 88–57934
Nunnelley, L. *see* Banks, W. 88–51326
Nunnelley, L.L. Media noise considerations: determination of particle noise limit from particulate disk coatings 85–18565
Nunnelley, L.L., Heim, D.E., Arnoldussen, T.C. Flux noise in particulate media: measurement and interpretation 87–74515
Nunner, J. *see* Nitz, D. 85–27983
Nunning, J., Sander, D. Computer-assisted planning of type FTG S remote-controlled audio-frequency track circuits 87–76519
Nuno, L. *see* Catedra, M.F. 88–4079
Nuno, Y. *see* Shiozaki, T. 85–28784
Nunoi, T. *see* Okamoto, K. 88–17941
Nunokawa, I. *see* Fuyama, M. 87–77330
Nunokawa, M. Optical fibre submarine cable system 85–8408
Nunokawa, M. Longhaul optical fiber submarine cable systems 85–20198
Nunokawa, M. *see* Fujise, M. 86–53946, 87–68080, 88–9558
Nunokawa, M. *see* Mochizuki, K. 85–35434, 87–32968
Nunokawa, M. *see* Niiro, Y. 85–31061, 87–3176
Nunokawa, M. *see* Shimizu, K. 88–16528
Nunokawa, M. *see* Takahashi, I. 88–30899
Nunokawa, M. *see* Yamamoto, S. 86–43831, 88–41647
Nunokawa, R. *see* Matsumoto, K. 85–14067
Nunome, K., Tsukamoto, M., Yatagai, T., Saito, H. Interferometer for measuring the surface shape of a ball bearing raceway 86–18105
Nunomura, K., Sano, Y., Utsumi, K., Sakuma, S. TFEL character module using a multilayer ceramic substrate 88–16345
Nunomura, K. *see* Sano, Y. 86–34401, 87–3659
Nunoshita, M. *see* Kyuma, K. 85–7260, 85–7455, 85–12595, 85–18646, 85–62346, 86–38348
Nunoshita, M. *see* Mitsunaga, K. 85–39744
Nunoshita, M. *see* Miyoshi, T. 85–29704
Nunoshita, M. *see* Tai, S. 87–77282
Nunotani, Y. Call connection control in telephone network 87–27682
Nunotani, Y. *see* Ohara, K. 86–64642
Nuns, J. Transistors are replacing valves in induction heating generators 88–75562
Nunuparov, M.S. *see* Veselago, V.G. 87–45704
Nunzi, J.M., Ricard, D. Optical phase conjugation and related experiments with surface plasma waves 85–12942
Nunziata, E., Taige, P., Lipetz, L.L., Weed, H.R. A stimulation waveform for a TVSS which minimises power consumption 88–54630
Nunziata, E. *see* Dzwonczyk, R. 88–10347
Nuorkivi, A. Savings effected by the selection of the flow water temperature in the combined supply of power and heat 87–35793
Nuppola, H. Putting the pressure on telephone cable faults 87–76412
Nurakami, T. *see* Nakajima, Y. 86–37135
Nuralieva, R.D. *see* Radionova, L.Kh. 88–51168
Nurbosynov, D.N. *see* Abramovich, B.N. 85–26985
Nurden, W.van *see* van Nurden, W.
Nurdman, Kh. Frost-resistance of transformers 86–6829
Nurek, S. New series of low-voltage current transformers 87–15837
Nurek, S. Origins and production development of measuring transformers in Poland 88–62418
Nurek-Malinowska, M. *see* Haman, K. 88–54732
Nuret, M. *see* Schmetz, J. 88–42647
Nurgaliev, K. *see* Kadyrakunov, K.B. 87–6537
Nurgaziev, A.A. *see* Asambaev, S.N. 88–5645
Nuri, K. *see* Usui, T. 88–29328
Nurick, G.N. Using photovoltaic diodes to measure the deformation response of a structure subjected to an explosive load 88–22598
Nurie, G. *see* Wang, F.C. 86–27266
Nurie, G. *see* Zara, R.V. 86–20500
Nuriev, M.A. *see* Shafizade, R.B. 85–427
Nurieva, L.M. Finitely generated subalgebras of a free product of Lie algebras 85–54226
Nurik, V.I. *see* Ginsburg, G.V. 86–33042
Nurkkanen, P. *see* Hamalainen, M. 86–25433
Nurkowq, K. Method for the calculation of current transformers measuring asymmetrical short-circuit current 85–8922
Nurligareev, D.Kh. *see* Basov, N.G. 85–41334
Nurligareev, D.Kh. *see* Vagin, N.P. 85–24490, 88–27074
Nurmagomedov, Sh.A., Pikhtin, A.N., Razbegaev, V.N., Safaraliev, G.K., Tairov, Yu.M., Tsvetkov, V.F. Synthesis and study of epitaxial layers of $(SiC)_{1-x}(AlN)_x$ wide-gap solid solutions 87–58943
Nurmagomedov, Sh.A., Safaraliev, G.K., Sorokin, N.D., Tairov, Yu.M., Tsvetkov, V.F. Features of producing epitaxial layers of $(SiC)_{1-x}(AlN)_x$ solid solutions 87–65487
Nurman, B. *see* Springall, T. 87–74285
Nurmi, J. *see* Kojola, H. 85–20866
Nurmi, J. *see* Oikari, T. 87–77524
Nurmi, M.A. *see* Fitterer, C.S. 86–31171
Nurmi, R.T. *see* Moisio, O.A. 85–57434
Nurmikko, A.V. Transient electronic energy relaxation and excitonic phenomena in II-VI compound semiconductor superlattices 88–1429
Nurmikko, A.V., Hefetz, Y., Chang, S.-K., Kolodziejski, L.A., Gunshor, R.L. Influence of heterointerfaces on optical properties of CdTe/(Cd,Mn)Te and ZnSe/(Zn,Mn)Se superlattices 87–1252
Nurmikko, A.V. *see* Bauer, G. 88–44574
Nurmikko, A.V. *see* Goltsos, W. 85–56420
Nurmikko, A.V. *see* Gunshor, R.L. 88–12016
Nurmikko, A.V. *see* Hefetz, Y. 86–36317
Nurmikko, A.V. *see* Kolodziejski, L.A. 86–8825, 86–46340, 87–6416, 87–36730
Nurmikko, A.V. *see* Zhang, X.-C. 85–55516
Nurminen, R. *see* Lehto, M. 88–22340
Nurminskii, E.A. The method of double truncation in the decomposition of large-scale problems 86–40646
Nurminskii, E.A. ϵ-subgradient mapping and the problem of convex optimization 87–5342
Nurminskii, E.A. Convex optimization problems with constraints 88–49714
Nurmukhamedov, A.M. *see* Abdumalikov, A.A. 86–5853
Nurmukhamedov, M.N. *see* Tsirul'Nikov, L.M. 87–64400
Nurmukhametov, M.N. *see* Khairullin, I.Kh. 87–64513
Nurnberg, K.-P. Computer-assisted acquisition and evaluation of error data when testing electronic subassemblies 87–65172
Nurnberger, G. *see* Becker, R. 85–61554
Nurnberger, W. *see* Antaya, T.A. 88–74705
Nurov, Yu.L. *see* Gostev, A.V. 86–28245
Nurov, Yu.L. *see* Kartamyshev, M.G. 85–7066
Nurre, J.H. *see* Yammine, Z. 88–43725
Nurse, J.A. RESIVAC–an insulation system with extended life 87–15735
Nurse, N.P.M. *see* Howe, A.F. 86–67565
Nurse, P.W. Mobile services in the year 2000 and beyond: personal thoughts 88–35421
Nurshanov, M.A. Redundancy in a large power consumption industrial plant under conditions of periodic limitation of power supplies 88–11514
Nurski, J. Energy in cold storage: methane hydrates 85–32265
Nurushev, S.B. *see* Avvakumov, I.A. 88–61202
Nurusheva, M.B. *see* Ageyev, A.I. 88–45015
Nuryagdyev, O. *see* Akhoyan, A.P. 86–1761
Nuryagdyev, O. *see* Garyagdyev, G. 87–26178
Nurzhanov, B.G., Klimov, S.V., Dvornik, S.G., Zhabeev, V.P., Iovenko, O.V., Tsiptsyura, R.D., Sharkovskii, V.A., Pashkov, L.D., Chernyavskii, Yu.P., Doverman, G.I., Krylov, A.S., Kidyba, V.P. Features of the design of the instruction-training centre of the Ekibastuzkaya State regional power stations 88–17336
Nusbaum, H.C., Pisoni, D.B. Perceptual evaluation of synthetic speech generated by rule 85–37383
Nusbaum, H.C., Pisoni, D.B. Constraints on the perception of synthetic speech generated by rule 86–10274
Nusbaum, H.C., Pisoni, D.B. Human factors issues for the next generation of speech recognition systems 87–61790
Nusbaum, H.C. *see* Pisoni, D.B. 85–63002, 86–3810, 86–16264, 86–22952
Nusbaumer, M. *see* Anderhub, H. 87–21420, 88–22984, 88–29843
Nuscheler, F. The microcalorimeter, a silicon gas sensor 88–47465
Nuscheler, R. *see* Franz, P. 87–43025
Nuscheler, R. *see* Huttenloher, D. 85–27400
Nuscheler, R. *see* Lorenzen, H.W. 87–30623, 88–69330
Nusholtz, G.S. A simple non-linear shift-variant process/filter for reducing Gaussian noise in impact signals 88–34685
Nusholtz, G.S., Bender, M., Kaiker, P.S. Photogrammetric techniques using high speed cineradiography 86–65420
Nushtayev, A.P. *see* Bylinkin, V.P. 87–76937
Nusinovich, G.S. Some perspectives on operating frequency increase in gyrotrons 85–55395
Nusinovich, G.S. Analysis of the self-modulation instability of gyrotron radiation 86–58207
Nusinovich, G.S. Stabilization of UHF oscillator frequency by use of an auxiliary resonator 88–600
Nusinovich, G.S. Linear theory of a gyrotron with weakly tapered external magnetic field 88–19602
Nusinovich, G.S., Zapevalov, V.Ye. Self-modulation instability of gyrotron radiation 86–29023
Nusinovich, G.S. *see* Dumbrajs, O. 88–19603
Nusinovich, G.S. *see* Flyagin, V.A. 85–55394, 88–71278
Nusinovich, G.S. *see* Ginzburg, N.S. 87–17611, 87–24690, 88–71280
Nusinovich, G.S. *see* Luchinin, A.G. 87–45508
Nuspl, P. *see* Kinuhata, K. 87–41199
Nuspl, P. *see* Yamamoto, R. 86–67561
Nuspl, P.P., Peters, R., Abdel-Nabi, T., Mathews, N. On-board processing for communications satellites: systems and benefits 87–76643
Nuspl, P.P. *see* Betaharon, K. 87–76648
Nuspl, S.P. *see* Kleppe, J.A. 87–71963
Nusple, P. *see* Kazekami, Y. 86–55073
Nuss, H.E. Space simulation facilities and recent experience in satellite thermal testing 87–77736
Nuss, M.C., Auston, D.H. Direct subpicosecond measurement of carrier mobility of photoexcited electrons in GaAs 87–46665
Nuss, M.C., Auston, D.H., Capasso, F. Direct subpicosecond measurement of carrier mobility of photoexcited electrons in gallium arsenide 87–60099
Nuss, M.C., Leonhardt, R., Zinth, W. Stable operation of a synchronously pumped colliding-pulse mode-locked ring dye laser 85–24615
Nuss, M.C. *see* Auston, D.H. 87–26148, 87–45168, 88–39993
Nuss, M.C. *see* Keller, U. 88–40301
Nuss, M.C. *see* Smith, P.R. 88–40070
Nuss, M.C. *see* Valdmanis, J.A. 88–39653
Nuss, R., Biermann, S. Laser cutting: dependence of quality on polarization 88–34181
Nuss, R. *see* Biermann, S. 88–45599
Nuss, R. *see* Stone, J. 86–46827
Nuss, U. Control design of a VAr compensator for high-dynamic requirements 88–30243
Nussabaumer, H.J. *see* Galand, C. 87–19617
Nussbaum, A. Heterojunction discontinuities: The current position 85–11983
Nussbaum, A. Response to a set of comments on heterojunction discontinuities 85–50237
Nussbaum, A. *see* Unlu, H. 86–53388
Nussbaum, E., Noller, W.E. Integrated network architectures–alternatives and ISDN 86–49119
Nussbaum, G.H., Leybovich, L.B. Externally induced EM hyperthermia: microwave techniques 87–63825
Nussbaum, G.H., Seppi, E., Shapiro, E., Sathiaseelan, V., Straube, W., Emami, B. Performance characteristics of 'Helios', a thirty-beam ultrasound device for deep-tumor hyperthermia 87–57229
Nussbaum, G.H., Sidi, J., Rouhanizadeh, N., Morel, P., Jasmin, C., Convert, G., Mabire, J.P., Azam, G. Manipulation of central axis heating patterns with a prototype, three-electrode capacitive device for deep-tumor hyperthermia 86–60810
Nussbaum, J. Telephoning using light and solar energy 86–59539
Nussbaum, M. *see* Ashford, V. 86–50391, 87–41835
Nussbaum, M. *see* Hallewell, G. 88–68213
Nussbaum, M. *see* Johnson, R. 88–68277
Nussbaum, M. *see* Spencer, E. 88–61189
Nussbaum, M. *see* Va'Vra, J. 88–61103
Nussbaum, R. *see* Kuhn, H. 87–7929
Nussbaum, S. *see* Kovel, D.M. 86–44132
Nussbaumer, H.J., Vetterli, M. Pseudo quadrature mirror filters 85–46839
Nussbaumer, H.J. *see* Galand, C.R. 86–8389
Nussbaumer, H.J. *see* Vetterli, M. 86–13709
Nussbaumer, M. The introduction of CCITT signalling system No.7 in Austria 88–59898
Nussberger, G.J., Reese, M. Hybrid manufacturer cuts nitrogen costs 88–57197
Nusseler, F. From attenuation loss planning to transmission loss planning [telephone networks] 86–23545
Nussenzveig, H.M., Wiscombe, W.J. Diffraction as tunneling 88–8443
Nusser, W. *see* Schauer, G. 87–25898
Nussey, I.D. New opportunities in manufacturing 87–72772
Nusshardt, R. *see* Bonse, U. 86–60683
Nusshardt, R. *see* Kinney, J.H. 87–28967, 88–29986
Nussler, K.E., Trierscheid, R.P. Routing techniques and their impact on the capacity planning procedure in DATEX-P 86–64757
Nusupov, K.Kh. *see* Mukashev, B.N. 85–40600, 86–63172
Nuszkowski, H. The dimensioning and the analysis of a frequency tripler 87–66456
Nuszkowski, H. Subassembly for generating a short-term VHF-signal 88–3921
Nuter, H.A. *see* Vollenweider, H. 86–51826
Nuth, V.R. *see* Smith, M.J. 87–24704

Nuthalapati, C. Role of high speed FFT in radar signal processing 88−15515
Nuthalapati, C. A FET processor based phase noise measurement system for radar ATE 88−36176
Nutley, M. Opto-electronics and the integrated future 86−58849
Nutley, M. Satcomms−new frequencies, new facilities 87−3124
Nutley, M. Networking−proprietary architectures lose ground 87−40340
Nutman, P.N.S. Communication skills for engineering students: an integrative approach 88−55860
Nutovich, L.M. *see* Gayduk, V.I. 86−21046
Nutovich, L.M. *see* Makarov, V.N. 86−41477, 87−73960
Nutt, A.C.G. Experimental observations of light propagation in proton-exchanged lithium niobate waveguides 85−41110
Nutt, A.C.G., Bristow, J.P.G., McDonach, A., Laybourn, P.J.R. Efficient fibre-chip coupling using ion-milled alignment grooves on lithium niobate at $\lambda=1.3$ μm 85−2076
Nutt, A.C.G., Bristow, J.P.G., McDonach, A., Laybourn, P.J.R. Fiber-to-waveguide coupling using ion-milled grooves in lithium niobate at 1.3-μm wavelength 85−7262
Nutt, A.C.G., Ikeda, Y. Integrated optic developments in Japan 88−4060
Nutt, A.C.G., Sudo, E. Simple control of Ti-diffused LiNbO$_3$ waveguide profile and propagation characteristics 88−20400
Nutt, A.C.G. *see* Bristow, J.P.G. 85−12640, 86−2699
Nutt, A.C.G. *see* Campari, A. 86−22102
Nutt, A.C.G. *see* Canali, C. 85−29545, 86−48096
Nutt, A.C.G. *see* Clark, D.F. 86−28901
Nutt, A.C.G. *see* Dawar, A.L. 86−53937, 87−32976
Nutt, A.C.G. *see* Stewart, G. 86−9588
Nutt, A.C.G. *see* Wong, K.K. 86−42254
Nutt, B. CAD for the ZX Spectrum [amplifiers] 86−57684
Nutt, D.J. *see* David, A.K. 86−61037
Nutt, R. *see* Casey, M.E. 86−50496
Nutt, S.R. *see* Kong, H.S. 88−43892
Nutt, T. Lighting facilities at CBC Regina 85−3553
Nutt, T., Szewczuk, J. New TV lighting control 86−11254
Nutt, T.C. How does your studio rate? [TV studios] 85−27776
Nuttall, A. *see* Ashford, V. 86−50391, 87−41835
Nuttall, A. *see* Hallewell, G. 88−68213
Nuttall, A. *see* Johnson, R. 88−68277
Nuttall, A. *see* Williams, S. 85−43247
Nuttall, A.H. Efficient evaluation of polynomials and exponentials of polynomials for equispaced arguments 88−6339
Nuttall, A.H. *see* Kenefic, R.J. 87−69125
Nuttall, J. *see* Bonnot, A. 87−73339
Nuttall, J.D. Requirements for gyroscopes for inertial navigation 86−2692
Nuttall, J.D. Optical gyroscopes 88−16120
Nuttall, J.D. *see* Culshaw, B. 86−68289
Nuttall, J.L. High speed induction annealing 86−19621
Nuttall, J.L. Strand annealing of copper tube 87−16178
Nuttall, K.I. *see* Davies, J.T. 87−60453
Nuttall, K.I. *see* Humphreys, M.J. 88−1635, 88−64515
Nuttall, K.I. *see* Walker, P. 86−15122
Nuttall, R.E. *see* Hung, W.W. 88−62220
Nutten, B. *see* Hauser, D. 87−71299
Nutter, B.S., Mitra, S., Krile, T.F. Image registration algorithm for a PC-based system 88−59302
Nutter, B.S. *see* Mitra, S. 88−46144
Nutter, J.W. Stress: the deterrent to effective management 86−13376
Nutter, M., Lewis, L., Tepper, S., Silver, R.N., Heffner, R.H. Neutron chopper development at LANSCE 86−56027
Nutter, M.J. *see* Seeger, P.A. 86−56069
Nutter, R.A., Jr. *see* Chapman, R.S. 86−11401
Nutter, R.S., Aldridge, M.D. Status of mine monitoring and communications, 1985 86−45884
Nutter, R.S., Reddy, Y.V., Atkins, J.M., Raman, R.S., Butcher, A.W., Tuthill, D.F. An expert system design for ventilation, emergency rescue, and power peak shaving [mining] 86−45880
Nutter, R.S. *see* Noore, A. 88−26455
Nutter, R.S. *see* Raman, R.S. 86−108, 87−63255
Nutter, R.S., Jr. *see* Chapman, R.S. 85−22202, 86−11422
Nutter, R.S., Jr. *see* Iskander, W.H. 88−70089
Nutter, R.S., Jr. *see* Winkelmann, C.A. 86−5016
Nuttgens, H.P. *see* Jung, F. 88−10312
Nutting, J. *see* Harris, D.J. 88−37599
Nuttle, H.L.W. *see* Shapiro, G.W. 88−71215
Nuwer, M.R. Frequency analysis and topographic mapping of EEG and evoked potentials in epilepsy 88−36477
Nuxoll, W. *see* Purschke, M. 88−16638
Nuzhdin, V.M. *see* Zhukovskii, A.P. 86−42843
Nuzhdin, V.V. *see* Kiselev, G.S. 88−17406
Nuzhin, A.V., Pankov, E.D., Timofeev, A.N. Errors in optoelectronic devices with quadrant sectional photodiode 86−2953
Nuzhin, A.V. *see* Andreev, A.L. 85−20593
Nuzillat, G. *see* Castagne, R. 87−25468
Nuzzi, F.J. *see* Blurton, K.F. 87−53044
Nuzzi, F.J. *see* Frish, D. 85−40359
Nuzzo, R. *see* Jolly, J. 86−50557
Nuzzo, R.G. *see* Gualtieri, G.J. 87−11390, 88−19690
Nuzzo, S. *see* Albrizio, R. 88−74766
Nuzzo, S. *see* Bagliesi, G. 88−48025
Nuzzo, S. *see* Catanesi, M.G. 86−60606, 87−29686
Nuzzo, S. *see* De Vincenzi, M. 86−65331
Nwannenna, C.C. A computer model for power system control 87−64041
Nwaobi, O.M., Ellis, G. Electric goniometer designed for measuring hip flexion angle in children with cerebral palsy in the seating position 88−54491
Nwuke, I.K. Detection and separation of two interfering binary signals in the presence of additive white noise 87−13040
Ny, A.M.Le *see* Le Ny, A.M.
Ny, L.-M.Le *see* Le Ny, L.-M.
Ny, R.Le *see* Le Ny, R.
Nyaiesh, A.R., Elphick, C. Design and construction of a small electromagnetron for sputtering use 86−498
Nyaiesh, A.R., Garwin, E.L., King, F.K., Kirby, R.E. Properties of thin antimultipactor coatings for klystron windows 86−67631
Nyaiesh, A.R., Garwin, E.L., King, F.K., Kirby, R.E. Properties of thin antimultipactor TiN and Cr$_2$O$_3$ coatings for klystron windows 87−11291
Nyaiesh, A.R. *see* Garwin, E.L. 87−24708
Nyaiesh, A.R. *see* Nowak, W.B. 86−21442
Nyamusa, T.A., Demerdash, N.A., Nehl, T.W. An accelerated Newton-Raphson technique for finite element analysis of magnetic fields in electrical machines 87−9581
Nyamusa, T.A., Demkardash, N.A. Transient analysis of partial armature short circuit in an electronically commutated permanent magnet motor system using an integrated nonlinear magnetic field-network model 87−51223
Nyamusa, T.A. *see* Demerdash, N.A. 85−65277
Nyamusa, T.N., Demerdash, N.A. Integrated nonlinear magnetic field-network simulation of an electronically commutated permanent magnet motor system under normal operation 87−51222
Nyati, S., Atmuri, S.R., Gordon, D., Koschik, V., Mathur, R.M. Comparison of voltage control devices at HVDC converter stations connected to weak AC systems 88−75723
Nyati, S., Atmuri, S.R., Gordon, D.L., Koschik, V. Metal oxide varistor to limit dynamic overvoltages at the terminals of an HVDC converter 88−68885
Nyati, S., Atmuri, S.R., Koschik, V., Mathur, R.M., Flueckiger, D. Effectiveness of VAR controllers connected at the converter bus of an HVDC link feeding into a weak AC system 86−12329
Nyatikshis, V. *see* Baltrameyunas, R. 88−50715
Nyberg, A. Digital sound in terrestrial television: results and conclusions from experimental transmissions in the Nordic countries 88−29036
Nyberg, C. *see* Lindstrom, C. 88−72311
Nyberg, D. *see* Peabody, F. 87−42960
Nyberg, D.W. *see* Peabody, F. 87−64521
Nyberg, G.L. *see* Gazecki, J. 85−55700
Nyberg, G.L. *see* Kellock, A.J. 88−39181
Nyberg, S. Object detection using evidential reasoning 88−3234
Nydegger, A. Energy: an important theme in the Swiss National Research Programmes 85−48650
Nydegger, A. Bad economy in the energy field 87−21844
Nydegger, F. Solar heat collectors for airing of hay 88−55758
Nyder, R. What to look for in device programmers 86−1023
Nyder, R. What to look for in device programmers 86−8201
Nyder, R.C. Factors in selecting programmable device support 85−11217
Nye, B. Techniques for using SPICE sensitivity computation in DELIGHT-SPICE optimization 87−37034
Nye, J.F., Hajnal, J.V. The wave structure of monochromatic electromagnetic radiation 87−26605
Nye, J.F., Hajnal, J.V. A new way of looking at microwave fields, theoretically and experimentally 87−70779
Nye, P., Dinnis, A. Extraction field and oxide charging in voltage contrast systems 86−11671
Nye, P., Dinnis, A.R. Digital techniques for improved voltage measurements 86−11670
Nye, P. *see* Borish, J. 85−58431, 86−17697, 86−55482
Nye, P. *see* Moorer, J.A. 86−60076
Nye, T. Adding vectors for analogue signal processing 87−41446
Nye, W., Riley, D.C., Sangiovanni-Vincentelli, A., Tits, A.L. DELIGHT.SPICE: an optimization-based system for the design of integrated circuits 88−49956
Nye, W.T. *see* Tits, A.L. 87−16352
Nyeki, P. *see* Poncot, J.C. 88−51613
Nyeki, P. *see* Schnell, J.P. 87−12606
Nyenhuis, J. *see* de Castro, J.J.F. 87−25782
Nyenhuis, J.A., Friedlaender, F.J., Heidmann, J., Musselman, D. Generation of bubble wall states in (110) garnets with the rotating gradient experiment 87−25781
Nyenhuis, J.A., Treece, J.C., Drynan, J.M. Data acquisition for experimental verification of an eddy current model for three dimensional inversion 88−49906
Nyenhuis, J.A. *see* Fernandez-de-Castro, J.J. 88−51260
Nyer, W.W., Jr., Zupko, A.J. Cogeneration system for the International House of Philadelphia 87−4576
Nyerg, J. *see* Liden, F. 87−29479
Nyffeler, F.M. *see* Thorvaldsson, T. 87−60753
Nyffenegger, H. A turn-key installation of oil-filled cable in Kuwait 88−23510
Nyffenegger, H., Buchmann, E. New long-term cable life-test plant in Birrfeld 85−59742
Nyfors, E., Vainikainen, P. Sensor for measuring the mass per unit area of a dielectric layer 85−14794
Nyfors, E. *see* Toropainen, A. 88−29355
Nyfors, E. *see* Vainikainen, P. 87−70630
Nyfors, E.G. *see* Vainikainen, P.V. 87−8588, 88−16071
Nygaard, E. *see* Olsen, A. 87−8877
Nygaard, H. *see* Paulsen, P.K. 87−41922
Nygard, E., Olsen, A. Norwegian integrated circuits for CERN: analogue/digital CMOS ICs for particle detection 87−50125
Nygards, M.-E., Ahren, T., Ringqvist, I., Walker, A. Phase correction for accurate ST segment reproduction in ambulatory EC recording 85−53060
Nygards, M.-E., Ringqvist, I., Ahren, T., Johansson, K., Jonason, T., Lundin, L., Nilsson, G., Walker, A. Automated analysis of ST segment changes in ambulatory ECG recordings 85−9193
Nygards, M.-E. *see* Sornmo, L. 85−53055
Nygards, M.E. *see* Ahlfeldt, H. 88−5018
Nygren, B. Energy 85−21272
Nygren, D. *see* Huth, J. 86−25120
Nygren, E., Aziz, M.J., Turnbull, D., Poate, J.M., Jacobson, D.C., Hull, R. Effect of pressure on the solid phase epitaxial regrowth rate of Si 85−54449
Nygren, E. *see* Blake, J. 85−13296
Nygren, S. Do electrical engineers use databases? 86−13250
Nygren, S. Blood flow stopped with electrical forceps 87−77672
Nygren, S. Five conductor system good, but requires monitoring [electronic equipment interference suppression] 88−17720
Nygren, S., Norstrom, H., Ostling, M., Chatfield, C., Ryden, K.H., Buchta, R., Peterson, C.S. Thermal degradation of TiSi$_2$/poly-Si gates 88−25979
Nygren, S., Ryden, K.-H., Norstrom, H., Ostling, M., Buchta, R., Petersson, C.S. Thermal stability of TiSi$_2$/poly-Si gates 87−11705
Nygren, S. *see* Ostling, M. 87−17791
Nygren, S.F. *see* Gaw, C.A. 86−47393
Nygren, S.F. *see* Reynolds, C.L., Jr. 85−7452, 86−48406, 87−6534, 88−2137
Nygren, T., Jalonen, L., Huuskonen, A. A new method of measuring the ion-neutral collision frequency using incoherent scatter radar 87−50557
Nygren, T. *see* Huuskonen, A. 88−53340
Nygren, T. *see* Turunen, T. 88−53341
Nyholm, K. *see* Friberg, A.T. 87−39225
Nyholm, R., Svensson, S., Nordgren, J., Flodstrom, A. A soft X-ray monochromator for the MAX synchrotron radiation facility 86−60476
Nyholm, R. *see* Nordgren, J. 86−60469
Nyikos, J. *see* Bendes, T. 86−50824
Nyilas, A. Laser beam welding of advanced superconducting cable conduits 87−75296
Nyilas, A., Jeske, U. Mechanical investigation of fibre reinforced materials for superconducting poloidal field coil design 88−45013
Nyilas, A., Zehlein, M. Theoretical and experimental studies of forming and failure of force flow cooled superconductor bends 87−12089
Nyilas, A. *see* Arendt, F. 86−27639
Nyilas, A. *see* Flukiger, R. 85−56152
Nyilas, A. *see* Forster, S. 85−46106
Nyilas, A. *see* Specking, W. 86−47995
Nyilas, A. *see* Turowski, P. 86−48041
Nyilas, I. *see* Bartha, L. 86−38648
Nyilas, I. *see* Kiss, A.Z. 88−53962
Nyilas, Z. *see* Dittrich, H.-G. 85−1926
Nyirenda, L.D. *see* Saeb, M. 86−612
Nyitrai, Z. *see* Balazs, A. 85−37435
Nyland, B. *see* Stanke, G. 88−70609
Nyland, L.S., Daniel, S.W., Rogers, D. Improving virtual-grid compaction through grouping 87−67447

Nylander, C. Chemical and biological sensors 86−5227
Nylander, C. *see* Armgarth, M. 85−12302
Nylander, J. *see* Masszi, F. 87−6465, 87−6747 to 6748
Nylander, J. *see* Tove, P.A. 88−26546
Nylander, P. *see* Larson, C.G. 86−57225
Nylandsted Larsen, A., Chevallier, J. Epitaxial PtSi and Pd_2Si formed by rapid thermal annealing 85−50274
Nylandsted Larsen, A., Drud Nielsen, L. Production of solar cells on the basis of low cost silicon by application of ion implantation and light-induced transient heating 86−7022
Nylandsted Larsen, A., Drud Nielsen, L. Incoherent-light induced diffusion of phosphorus as a doping procedure for low-cost silicon solar cells 86−26304
Nylandsted Larsen, A. *see* Chevallier, J. 86−28076
Nylandsted Larsen, A. *see* Galloni, R. 87−45765
Nylen, P. *see* Branberg, A. 85−29895
Nylund, B. The difficulty of determining levels 87−70862
Nylund, K. *see* Muster, W.J. 88−45034
Nylund, O., Fredin, B., Johansson, A. SVEA−new generation of BWR fuel assemblies 85−21344
Nyman, C., Gyllenberg, U., Leppihalme, M. Luminescent solar concentrators 87−16006
Nyman, G., Laurinen, P. Visual undersampling in raster sampled images 86−16513
Nyman, G. *see* Andersen, H.H. 87−71028
Nyman, G. *see* Beimer, K.-H. 86−50376, 87−71064
Nyman, G. *see* Stroke, H.H. 86−50372
Nyman, G. *see* Tengblad, O. 87−71042
Nyman, M., Chu, W., Mehlam, B., Mirer, W., Oakley, H., Renner, T., Stover, G., Tekawa, M. New control techniques for extraction of Bevalac beams 86−31924
Nyman, M. *see* Stover, G. 88−55486
Nyman, S. *see* Hansson, H.-C. 86−18571
Nyman, U. *see* Nilsson, U. 87−8896
Nymmik, R.A. *see* Gorchakov, E.V. 85−20845
Nymo, B.J., Stordahl, K. Cable TV: potential, development, markets 86−17637
Nyo, H.L., Adams, A.T., Harrington, R.F. The discrete convolution method for electromagnetic problems 86−59007
Nyo, H.L., Suk, M. A polynomial time algorithm for subpattern matching 86−43340
Nyquist, D.P. *see* Bagby, J.S. 86−10137, 87−39443
Nyquist, D.P. *see* Chen, K.-M. 86−69802
Nyquist, D.P. *see* Chuang, C.-I. 86−3492
Nyquist, D.P. *see* Livernois, T.G. 87−74696
Nyquist, D.P. *see* Rothwell, E.J. 85−14344, 86−4699, 86−42824, 87−34650, 87−56204, 87−63011
Nyquist, D.P. *see* Viola, M.S. 88−64799
Nyquist, O. Defibrillation and electroconversion 86−18365
Nyren, T., Korringa, M., McVey, J., Sahines, T., Fitzpatrick, G.O. Design and testing of a combustion-heated nineteen-converter SAVTEC array 85−53858
Nyrtsov, I.V. *see* Safonov, S.D. 86−67099
Nys, H., van Puyenbroeck, T. Explosion-proofing electrical equipment and systems 86−52208
Nys, O., Degrauwe, M., Dijkstra, E. A CAD tool for oversampled CMOS A/D converters 88−845
Nys, O. *see* Degrauwe, M. 87−59111
Nys, O. *see* Degrauwe, M.G.R. 88−20115
Nys, O. *see* Dijkstra, E. 87−66401, 88−73015
Nyseth, A. *see* Kildal, P.-S. 87−26966
Nyssen, E. *see* Block, P. 86−11998
Nyssen, E. *see* De Geest, G. 88−10380
Nyssen, M., Blockeel, E., Cornelis, A., De Zanger, R. Experiments with a workstation-based image processing LAN 87−55832
Nyssen, M. *see* Block, P. 86−11998
Nyssen, M. *see* Deconinck, F. 87−29840
Nystrom, A., Hylander, J., Thorborg, K. Harmonic currents and torque pulsations with pulse width modulation methods in AC motor drives 88−69770
Nystrom, B. *see* Martensson, L. 88−15273
Nystrom, E. In spite of CMOS and GaAs: Bipolar technology survives in fast circuits 85−55942
Nystrom, J.B. *see* Hecker, G.E. 86−61424
Nystrom, L. The analysis of a bearing discriminator with high accuracy 88−2859
Nystrom, P. Does your power conditioning equipment meet the needs of your ATE? 85−64000
Nystrom, P., Cosgrove, S. Power conditioning provides documented productivity gains in semiconductor fabrication and ATE 86−49939
Nyten, T., Gradin, R. Hydro-power development in Sweden 87−72022
Nyui, T. *see* Nishi, H. 86−19645
Nyulassyova, M. *see* Polak, V. 88−62032
Nyunevaite, R.V. *see* Alishauskas, A.V. 85−49680
Nyyssonen, D. Optical linewidth measurement on patterned metal layers 85−29242
Nyyssonen, D. A practical method for edge detection and focusing for linewidth measurements on wafers 86−15227
Nyyssonen, D. Focused-beam vs. conventional bright-field scanning microscopy for integrated circuit metrology 87−11864
Nyyssonen, D. Practical method for edge detection and focusing for linewidth measurements on wafers 87−38416
Nyyssonen, D. Metrology in microlithography 88−57569
Nyyssonen, D., Larrabee, R.D. Submicrometer linewidth metrology in the optical microscope 87−77403
Nyyssonen, D., Postek, M.T. SEM-based system for calibration of linewidth SRMs for the IC industry 87−11867
Nyyssonen, D. *see* Birnbaum, G. 87−16757
Nyyssonen, D. *see* Kirk, C.P. 86−15228
Nzeako, A.N. Home-made versus imported programmes in Nigeria 87−23146

O., A.Marcano *see* Marcano O., A.
O, J.Rubio *see* Rubio O, J.
O, K. *see* Yew, T.R. 88—49799
O., M.Vega *see* Vega O., M.
O-Oka, K. *see* Oda, K. 85—10835
Oadeer, A., Bryant, F.J. A comparative study of properties of homojunction, single heterojunction and double heterojunction $PbS_{1-x}Se_x$ diode lasers 85—18949
Oagasawara, I. *see* Nirasawa, N. 86—43855
Oagaswara, M. *see* Yamamura, H. 85—65161
Oak, S.M., Nathan, T.P.S., Bhawalkar, D.D. Relaxation oscillation studies in Nd:YAG laser—some new results 88—65648
Oak, S.M. *see* Nathan, T.P.S. 86—29192
Oakamoto, H. *see* Yamanaka, K. 87—12249
Oakes, B.A. Operation Skyward 88—15389
Oakes, F. *see* Livingston-Booth, A. 86—19786
Oakes, G. A system for the recognition of geological lineaments in remotely sensed imagery 88—48319
Oakes, I.K., Dixey, A.R. A low-cost route to silicon design and fabrication in electronic engineering undergraduate courses 88—31362
Oakes, J.D. *see* Wagner, B.K. 88—31773
Oakes, J.G. GaAs linear ICs: monolithic integration of the transistor and the microwave circuit 86—41319
Oakes, J.G., Wrick, V.L. Production automation for GaAs MMICs 86—27619
Oakes, J.G. *see* Mondal, J.P. 85—6521, 85—45234
Oakes, M. Improved protection in HV distribution systems 86—51676
Oakes, M.C. SF_6 modular distribution switchgear—a logical solution! 86—56918
Oakes, M.C. A rotating arc fuse for HV distribution systems 86—70989
Oakes, M.C. A new and improved way of protecting MV transformer circuits 88—24013
Oakes, M.E. *see* Booth, W.D. 86—3633
Oakeshott, D.F., Hughes, R.C. Effect of punctured units on the lightning fault performance of transmission lines 85—64954
Oakeshott, D.F., Orawski, G., Austin, K.A., Evans, G., Anderson, R.B. Discussion on 'Lightning performance criteria for electric power systems' [and reply] 88—5386
Oakey, N.S. EPSONDE: a deep ocean microstructure profiler 88—42671
Oakey, N.S. EPSONDE: an instrument to measure turbulence in the deep ocean 88—74981
Oakey, N.S. *see* Dewey, R.K. 88—10558
Oakham, F.G. *see* Mes, H. 88—29877
Oakland, J. *see* Fowler, D. 85—11551
Oakland, J.S. Production management and high technology in the United Kingdom 86—46038
Oakland, J.S., Grayson, R. Quality assurance education and training in the UK 87—72875
Oakland, J.S. *see* Followell, R.F. 85—60790, 87—58699
Oakland, J.S. *see* Opdebeeck, E.J. 85—33207
Oakley, A. Parameter extraction and optimisation using TECAP software 88—50785
Oakley, D., Parsons, D. Turbo Convolution: a fast antialiasing algorithm for dejagging raster graphics displays 88—16363
Oakley, D. *see* Burleson, G.R. 86—60503
Oakley, H. *see* Nyman, M. 86—31924
Oakley, J.P., Cunningham, M.J. Reducing aliasing artifacts in images by matched resampling 87—33824
Oakley, K. Splitting the cost [optical fibre network] 88—60126
Oakley, K. *see* Stern, J.R. 88—15232
Oakley, K.A., Alexander, J.M. Operational experience with local line digital transmission systems 85—57835
Oakley, M. Use of NPSI at Cambridge University 87—76402
Oakley, P.J. The measurement of laser beam parameters 85—51237
Oakley, P.J. Modern technology in an improved infrared linescanner 87—3494
Oakley, P.J., Watson, M.N., Dawes, C.J., Stockham, N.R. The use of lasers in manufacturing—relevant research at the Welding Institute 85—51342
Oakley, R.E. Advanced interconnect for VLSI 86—9267
Oakley, R.E., Rhodes, W.J., Armstrong, E., Marsh, A. Pillars—the way to two micron pitch multilevel metallisation 85—40660
Oakley, T. *see* Peters, H. 88—20525
Oana, Y. A 240×360 element active matrix LCD with integrated gate-bus drivers using Poly-Si TFTs 85—20673
Oana, Y., Aoki, T., Ichikawa, O., Suzuki, K., Ikeda, M., Higuchi, T., Akiyama, M., Dohjo, M., Niiyama, T., Sano, S. A 9.5-inch diagonal multicolor amorphous silicon TFT-LCD panel 86—31259
Oana, Y. *see* Suzuki, K. 87—35148
Oanta, Gh. *see* Tiulescu, S. 88—62809
Oar, L. *see* Amaria, N.D. 88—62069
Oarker, H.F., Privette, A.D., Harding, E.P. Testing of composite overhead ground wire containing optical fibers 85—59805
Oasa, M. *see* Yamada, A. 88—50628
Oastler, G.E. Electric power supplies and propulsion systems for UMA 88—16864
Oaten, S.R., Blitz, J. The touch method of eddy-current testing 88—6570
Oaten, S.R. *see* Blitz, J. 87—10535, 87—36846
Oates, A. Videoconferencing—long distance close-up 86—49862
Oates, C.D.M. Optimal PWM on a microcomputer [inverter] 86—6895
Oates, C.D.M. Spectral assessment of inverter waveforms 88—69529
Oates, C.D.M. *see* Forrest, R. 88—69563
Oates, C.D.M. *see* Taylor, D.R.D. 85—44276
Oates, D.E. Surface acoustic wave devices 87—60736
Oates, D.E. Bulk wave reflection-grating devices 87—67682
Oates, D.E., Gottschalk, P.G., Wright, P.V. Holographic-grating acoustic devices 85—56060
Oates, D.E., Gottschalk, P.G., Wright, P.V. Holographic-grating acoustic devices 86—2534
Oates, D.E., Green, J.B., Grant, P.M. SAW-based 100 MHz-bandwidth adaptive filter 87—6962
Oates, D.E., Pan, J.Y. Bulk-acoustic-wave reflection-grating devices in Fe:$LiNbO_3$ 87—46621
Oates, D.E., Pan, J.Y. Phase noise of bulk-acoustic-wave reflection-grating resonators 88—54779
Oates, D.E., Pan, J.Y. Microwave bulk-acoustic-wave reflection-grating resonators 88—56899
Oates, D.E., Smythe, D.L., Green, J.B. SAW/FET programmable transversal filter with 100-MHz bandwidth and enhanced programmability 87—836
Oates, D.E., Smythe, D.L., Green, J.B., Ralston, R.W., Anderson, A.C. Wide-band SAW/FET programmable transversal filter 86—1213
Oates, D.E. *see* Green, J.B. 87—59694
Oates, G.K. *see* Hedman, B.A. 85—21485
Oates, H.B. *see* Einolf, C.W., Jr. 88—41369
Oates, R.M. *see* Einolf, C.W., Jr. 86—4335, 88—73631
Oatley, C.W. The detective quantum efficiency of the scintillator/photomultiplier in the scanning electron microscope 86—14826
Oats, F.L. Computer controlled IC tester 85—3864
Oats, F.L. Build this computer controlled IC tester. II 85—20475
Oats, F.L. Build this computer controlled IC tester. III 85—22233
Oatts, M.L. *see* Jones, R.A. 87—57642
Oba, H., Abe, M., Umehara, M., Sato, T., Ueda, Y., Kunikane, M. Organic dye materials for optical recording medium 86—42212
Oba, H., Abe, M., Umehara, M., Sato, T., Ueda, Y., Kunikane, M. Organic dye materials for optical recording media 87—25907
Oba, K., Natsume, Y., Koyama, K. Triode type ultra-fast photo-detectors 86—50343
Oba, K. *see* Ito, M. 87—41825
Oba, K. *see* Kinoshita, K. 87—11309, 87—57039
Oba, K. *see* Kume, H. 85—40409, 85—40411
Oba, K. *see* Matsuura, S. 85—43200
Oba, K. *see* Mizoshiri, I. 85—15066
Oba, K. *see* Morenzoni, E. 88—22972
Oba, K. *see* Nakaoka, A. 87—71029
Oba, K. *see* Yamazaki, I. 86—35276
Oba, M. *see* Yamanouchi, K. 88—51098
Oba, N., Nakamura, T., Shigei, Y. An adaptive routing method for computer networks by electric-circuit modeling 86—69222
Oba, N., Nakamura, T., Shigei, Y. An adaptive routing method for computer networks by electric-circuit modeling 87—69418
Oba, N. *see* Yamamoto, M. 88—52815
Oba, T. *see* Makita, F. 88—46966
Oba, T. *see* Suzuki, Y. 88—9486
Oba, Y., Sekimoto, K., Takano, M., Sugiyama, S. Introduction of metal tape to VTR for broadcasting use 88—9786
Oba, Y., Wada, T., Ryu, T., Shimazu, T., Sato, M., Tajima, H. FM-tuner IC series for car radios 88—74192
Obabkov, V.K. A structural-operational description of phenomena in the simulation of arcing short circuits 87—6932
Obabkov, V.K. *see* Osipov, E.R. 86—26465
Obad, M. Use of electric power for home heating in area of Mostar 85—65628
Obadina, O.O., Berg, G.J. Evaluating the voltage stability limit of a power system 88—23393
Obadina, O.O. *see* Lee, T.H. 86—6243
Obadnik, D.T. *see* Petukh, A.M. 87—44194
Obah, C.O.G. Developing technical programs at continuing education level in Nigeria: problems and solutions 87—23190
Obah, T.Y. Coping with the reading load: teaching faster reading techniques to professionals at continuing education level 87—23191
Obaid, A., Logrippo, L. An atomic calculus of communicating systems 88—21421
Obaid, A. *see* Briand, J.P. 87—20201
Obaid, A.A.S., Maclean, T.S.M., Razaz, M. Propagation characteristics of rectangular corrugated waveguides 86—29513
Obalenski, W. Protection of Mills against their so-called 'covering-up' of the structure element of power unit automatic control 86—19063
Obama, M., Ozaki, F., Asano, K. A locomotive inspection robot for turbine building interior inspection in nuclear power plants 86—39396
Obana, S., Nakao, K. Current VIDEOTEX systems in the world and trends of international videotex standardization 86—16862
Obana, S., Yoshimitsu, M., Nishiyama, S. Trends of international standardization of the directory system 88—41206
Obana, S. *see* Miyasato, T. 86—30328
Obana, S. *see* Urano, Y. 85—63255, 86—37294
Obara, A. *see* Mineta, S. 87—59018
Obara, H. Construction and characteristics of digitally controlled jitterizer 87—17195
Obara, H. A method of evaluating picture quality degradation originating from random jitter in digital video signal transmission systems 87—70270
Obara, H., Sakurai, N., Tsuboi, T. A measuring method of quantizing noise for composite video signals using window function 86—55827
Obara, H., Tanzawa, A., Nozawa, H., Nishida, H. Characteristics of bubble memory devices using multilayer Permalloy films 88—51364
Obara, H. *see* Daishido, T. 86—37966
Obara, H. *see* Kojima, T. 85—18528
Obara, H. *see* Kuriki, K. 85—28740, 85—31911, 88—61519
Obara, H. *see* Okamoto, K. 86—32532
Obara, H. *see* Tsuboi, T. 86—11274, 86—31026
Obara, K., Ogushi, T. Chevrel phase grain flocculated films linked by chemical cross-linking 85—1862
Obara, K., Ogushi, T. High T_c Josephson junction arrays applied grain boundary structures 88—20310
Obara, K. *see* Ikeda, K. 85—20997
Obara, K. *see* Nakamura, K. 86—13451
Obara, M. An automatic transversal-type ghost canceller 85—14448
Obara, M. A study of reference signal for transversal-type ghost canceller 86—31015
Obara, M. An automatic transversal-type ghost canceller 86—69886
Obara, M. Bit-parallel and bit-serial interface for component video signals 87—34787
Obara, M., Fujioka, T., Kannari, F., Suda, A. Novel operational regime of high-efficiency KrF lasers 85—12769
Obara, M., Uchiyama, T., Fujioka, T. High-power chemical lasers 85—51119
Obara, M., Uehara, T., Murakami, J., Ohzeki, K. Ghost canceller for use in teletext 85—42213
Obara, M. *see* Fujioka, T. 86—15628
Obara, M. *see* Inagaki, H. 85—62512, 86—29038, 86—68426
Obara, M. *see* Izawa, S. 86—15629, 87—61199
Obara, M. *see* Kannari, F. 85—2195, 85—2247, 86—3084, 86—36372
Obara, M. *see* Kim, Y.-P. 86—42482
Obara, M. *see* Kobayashi, O. 87—46785, 88—19643
Obara, M. *see* Kubomura, H. 88—72461
Obara, M. *see* Kumagai, H. 88—40159
Obara, M. *see* Kumamoto, K. 85—18993
Obara, M. *see* Lee, Y.-W. 88—45341
Obara, M. *see* Morizuka, K. 85—45659
Obara, M. *see* Nishida, N. 88—51719
Obara, M. *see* Ohwa, M. 86—22295, 87—68397, 88—8098, 88—58425
Obara, M. *see* Sasagawa, T. 88—25762
Obara, M. *see* Shimada, T. 85—24494, 86—15749, 86—22304, 87—18918
Obara, M. *see* Suda, A. 85—18829, 85—62490, 86—22301, 87—26278, 87—61281, 87—68330
Obara, N. *see* Sangen, M. 88—6014
Obara, S., Ohmae, T., Watanabe, M., Kubo, K. Servo system using optical serial transmission in control loop for industrial robots 87—78708
Obara, S. *see* Namba, K. 86—22302
Obara, S. *see* Ohmae, T. 87—30644
Obara, S. *see* Yuasa, F. 87—8464
Obara, T. *see* Oya, H. 86—6101
Obara, Y. *see* Tachigami, S. 86—48154
Obarski, L.M. Professional Enrichment Program for math/science education: a graduate level program which includes a summer internship with Pittsburgh corporations and institutions 86—13344
Obashi, F. *see* Yamashina, M. 85—3041
Obashi, Y. *see* Shiokawa, S. 88—21669
Obata, A. *see* Okada, Y. 88—16455
Obata, H. *see* Saito, K. 86—7323
Obata, I. *see* Minaguchi, H. 86—24160
Obata, I. *see* Sekimoto, K. 86—38110, 87—8449
Obata, K. *see* Fukuhara, T. 87—71164
Obata, K. *see* Noguchi, A. 88—21855
Obata, M. *see* Aihara, R. 88—57285
Obata, M. *see* Kawasaki, A. 88—18758
Obata, M. *see* Uchida, Y. 86—67881
Obata, N. *see* Okada, T. 86—23596
Obata, S., Nakama, Y., Saiki, S., Watanabe, K., Kimura, Y. Twin-load horn type speaker 'Sound Space Twin Load Horn' (SSP-1) 88—60483
Obata, S., Ogawa, M., Hanakawa, E., Kimura, Y., Hashimoto, H. Audio/Visual 'PANA-CAP-SULE' (SSP-100) and its psychological and physiological effects 88—60485

Obata, S., Sato, K., Takewa, H., Takayama, S., Tamura, T. Loudspeaker system with large-area diaphragm and ultra-thin enclosure 'Audio Flat Panel' 88—60495
Obata, S., Tanaka, T., Takayama, S., Kurozuka, A., Sato, K. Loudspeaker system with built-in 70 inch video projection screen 'Audio Flat Panel Screen' (AFP-S) 88—60496
Obata, S., Terai, K., Date, T., Honda, K. Acoustic-characteristics of small room 88—60484
Obata, S. *see* Miyazaki, M. 85—20468
Obata, T. *see* Watanabe, M. 86—39889
Obata, Y. *see* Hara, Y. 86—44366
Obayashi, C. *see* Yamazaki, Y. 87—7924
Obayashi, H. *see* Matsuzawa, T. 85—1445
Obayashi, H. *see* Mochiji, K. 85—34695, 86—1889
Obayashi, T. *see* Kaya, N. 86—68754
Obayashi, T. *see* Kuriki, K. 86—6025
Obayashi, T. *see* Sasaki, S. 87—4055
Obedina, I.V. *see* Brui, V.P. 85—62687
Obeid, A. *see* Boggett, D. 87—50308
Obeid, A.N., Boggett, D.M., Barnett, N.J., Dougherty, G., Rolfe, P. Depth discrimination in laser Doppler skin blood flow measurement using different lasers 88—74816
Obeid, M.A. *see* Hussein, F.M. 88—30454
Obelevskaya, K.M. *see* Krasova, T.V. 86—24457
Obelic, B. *see* Horvatincic, N. 85—38695
Obelic, B. *see* Krajcar-Bronic, I. 87—14744
Obenauer, J.E. *see* Sia, J.B. 85—38005
Obendorf, S.K. *see* Namaste, Y.M.N. 87—11884, 88—13269
Obeng, M. *see* Burbank, H. 85—54862
Oberacker, P. *see* Ohmer, K. 88—54896
Oberai, A.S. Lithography—challenges of the future 88—7425
Oberai, A.S. *see* Ramakrishna, V. 87—67523
Oberauer, L. *see* Seidel, W. 87—71025
Oberdier, L.M. *see* Bertollini, G.P. 85—51719
Obereder, J.P. Low loss and low noise mobile transformers with medium output 86—39869
Oberemok, V.Z. *see* Mirov, B.M. 87—49476
Oberg, B.-G. *see* Lindgren, I. 87—69798
Oberg, D.L., Wert, J.L. First nondestructive measurements of power MOSFET single event burnout cross sections 88—26291
Oberg, D.L. *see* Criswell, T.L. 88—26493
Oberg, J.E. Tracking the booster gap [Soviet space launch capabilities] 88—61584
Oberg, M., Broberg, B. 1.3 μm laser amplifier with integrated passive waveguides 87—12507
Oberg, M. *see* Lindgren, S. 86—2802, 86—36294
Oberg, M.G., Broberg, B., Lindgren, S. InGaAsP-InP laser amplifier with integrated passive waveguides 87—68184
Oberg, M.G., Olsson, N.A. Wavelength dependence of noise figure of a travelling-wave GaInAsP/InP laser amplifier 88—20640
Oberg, M.G., Olsson, N.A. Crosstalk between intensity-modulated wavelength-division multiplexed signals in a semiconductor laser amplifier 88—34015
Oberg, M.G., Olsson, N.A., Koszi, L.A., Przbylek, G.J. 313 km transmission experiment at 1 Gbit/s using optical amplifiers and a low chirp laser 88—22068
Oberg, M.G. *see* Broberg, B. 86—42354
Oberg, M.G. *see* Olsson, N.A. 88—22067, 88—47039
Oberg, M.G. *see* van der Ziel, J.P. 87—54296
Oberg, P. *see* Ask, P. 87—63717
Oberg, P. *see* Brucker, G.J. 88—24969
Oberg, P.A. *see* Salerud, E.G. 87—57090
Obergfell, M. *see* Spah, R. 86—8824
Oberhammer, W. *see* Johnston, R.H. 86—58042
Oberhart, M.L., Lo, Y.T., Lee, R.Q.H. New simple feed network for an array module of four microstrip elements 87—47384
Oberhart, M.L. *see* Lo, Y.T. 88—66224
Oberhaus, R.E., Dederichs, H., Leder, H.W. Recent developments in electrical equipment and control for cold rolling mills 86—45849
Oberheuser, J. SDI drives optics development 87—26115
Oberjatzas, G. *see* Platte, H.-J. 85—36669
Oberlack, H. *see* Braunschweig, W. 88—29874, 88—68282
Oberlack, H. *see* Winter, G.-G. 85—64493
Oberle, J. *see* Bigot, J.-Y. 88—65850
Oberle, R. *see* Didic, M.M. 86—39405
Oberli, R. *see* Keizer, R.L. 88—54348
Oberlies, K.-U. *see* Eitz, G. 87—13974, 87—48542, 88—28322
Oberlies, K.U., Schadwinkel, E., Groger, H.-J. Video data monitor 86—38067
Oberlies, K.U. *see* Hofmann, G. 88—52818
Oberlin, C. *see* Cauderan, C. 88—69103
Oberlin, C. *see* Dolhen, G. 86—25751
Oberlin, J.C., Chami, A.C., Ligeon, E., Prunier, C. Influence of H on the recrystallization of amorphous Si layers 87—44340
Oberlin, J.C., Heng, G., Letournel, M. Strasbourg MP-10, status report 86—38632
Oberlin, J.C. *see* Ferrieu, F. 88—7374
Oberlin, J.C. *see* Pauleau, Y. 87—11702, 88—57375
Oberlin, J.C. *see* Vu, D.P. 88—39147
Oberly, C.E. *see* Ho, J.C. 87—21936
Oberly, C.E. *see* Schlicher, R.L. 87—22244
Oberly, P.A., Jones, J.E., Funk, T.L. A voice activated robotic welder 88—27826
Obermaier, G. *see* Jungst, K.P. 85—13057, 86—42187
Obermaier, R., Bohm, W., Prettl, W., Dirnhofer, P. Far-infrared photoconductivity as a probe for non-equilibrium phase transitions in n-GaAs 85—7306
Obermajer, P. A simple method of synthesis of two-port mutators 88—12497
Oberman, M.R. Intercompany networking: a security issue 88—46624
Obermann, R.M. Systems engineering considerations in the modernization of national telecommunications networks 85—42137
Obermayer, H. *see* Busse, R. 87—78426
Obermayer, L. Video-test-signal generator SPF 2 with character generator 86—31453
Obermayer, L. Video test signal generator SPF 2 of Rohde & Schwarz: measuring with video test signals 87—49776
Obermayer, L. Component signal generator SPF 2C for video measurements 87—56720
Obermayer, P. *see* Paschmann, G. 85—53167
Obermeier, E. Sensor and signal-processing on one chip—development trends and risks 86—38365
Obermeier, E. Polysilicon layers lead to a new generation of pressure sensors 86—55715
Obermeier, E. *see* Hubner, H.-P. 85—64135
Obermeier, F.W., Katz, R.H. PLA driver selection: an analytic approach 86—21899
Obermeier, H. *see* Beer, W. 85—64518
Obermeier, W. Logic array design for 250 MHz 87—16995
Obermeit, V. *see* Deppisch, U. 88—15136
Obermeyer, P., Pouliquen, J.-L. Industrial applications of cycloconverters 88—69821
Obermoller, U. *see* Hohne, K.H. 85—38121
Oberndorfer, J. New directions for safety relays 86—1434
Oberndorfer, J. A new safety relay—the SF relay 87—66623
Oberndorfer, J. A new series of safety relays 87—73845
Oberndorfer, J. New trends in the design of secure relays. SF relay—safety first 88—19465
Oberndorfer, J. *see* Seidl, A. 88—50938
Obernik, H., Scheel, W., Kirschke, B. Simultaneous soldering of dense conductor lands on printed circuit boards of different flexibility 86—14691
Oberretl, K. Calculation of leakage-flux in the air-gap of electrical machines with squirrel cage or damper winding. I. Theory and methods of calculation 86—19195
Oberretl, K. Calculation of leakage-flux in the air-gap of electrical machines with squirrel cage or damper winding. II. Results 86—19196
Oberretl, K. Distribution of currents in squirrel cage rotors, dependent on rotor position 87—42920
Oberretl, K., Reismayr, D. Testing and calculation of asynchronous linear motors at the high-speed test course of Manching 85—5125
Oberretl, K. *see* Kratki, N. 86—66048 to 66049
O'Berry, W.A. *see* Lynch, J.B. 86—57269
Oberschelp, J.J. Low smoke generating nonhalogenated cables for industrial plants 87—64161
Oberschelp, W. *see* Kunz, U. 88—76001
Oberst, D.J., Smith, S.B. BITNET: past, present, and future 86—64635
Oberst, J.F. *see* Desai, S.R. 88—73481
Oberst, W. *see* Bresch, H. 87—59459
Oberstar, J. *see* Saxena, R. 87—10434
Oberstar, J.D. *see* Saxena, R.R. 88—49859
Obert, J. *see* Putaux, J.C. 87—57006
Obert, R.L. *see* Wang, S.T. 88—41743
Oberthur, J. Dimensioning of pressure relief equipment system in SF$_6$ insulated system 86—53837
Oberthur, S. *see* Deppe, H. 87—34937
Oberti, M. *see* Carpita, M. 88—75771
Oberti, M. *see* Cesario, P. 88—69542
Oberto, G., Gasparini, M., Zanon, G., Vecchi, G. Numerical investigation of the frequency behaviour of a car body by the method of moments 88—2632
Oberto, G. *see* Pedrotti, S. 85—16371
Obertop, D. *see* Willich, P. 86—38605
Obhi, J.S. *see* Bloor, D. 88—27304
Obhi, J.S. *see* Kolinsky, P.V. 87—68601
Obi, H. *see* Hiroshima, K. 85—64207
Obi, H. *see* Igura, K. 85—49169
Obi, H. *see* Kaneda, J. 86—56839
Obi, M., Yamamoto, Y. The applications of ultrasonic waves to mechanical measurement. I. The measurement of displacement using a 40 kHz ultrasonic wave 87—14522
Obi, M. *see* Seo, N. 88—5641
Obi, Y. *see* Shoji, M. 88—33494
Obichkin, A.N. *see* Adkhamov, A.N. 88—65579
Obidin, A.Z. *see* Dubrov, V.D. 85—7410, 86—9817, 86—68512
Obidin, A.Z. *see* Gavanin, V.A. 86—29001
Obidin, A.Z. *see* Nabiev, R.F. 88—20660
Obikhvostov, V.D. *see* Babak, L.I. 88—70565
Obiki, T. *see* Uo, K. 85—32808
Obinata, H., Nakayama, I. Vapor deposition equipment [IC manufacture] 86—35783
Obitsch, P. *see* Grossinger, R. 85—12477, 85—24184
Obitsch, P.J.J. Pulsfeldmagnetometer: Messtechnik und Anwendungen (Pulsed field magnetometer: measuring techniques and applications) 86—5257
Obitsu, K. *see* Nakamura, K. 88—7539
Oblack, R. How to capture transient events with a digital storage oscilloscope 88—10053
O'Black, R. 'Poka-Yoke' means mistake-proof production 88—57110
Oblak, M. *see* Pusenjak, R. 85—343
Oblamskii, B.G. *see* Beregov, A.S. 87—60827
Obleton, N., Sappenfield, D. Integration of automatic turbine control and load dispatch control 86—12677
Obloh, H., von Klitzing, K., Ploog, K., Weimann, G. Thermomagnetic behaviour of the two-dimensional electron gas in GaAs-Al$_x$Ga$_{1-x}$As heterostructures 86—53422
Obloh, H. *see* Klitzing, K.V. 86—47364
Obloh, H. *see* von Klitzing, K. 85—63939
Oblow, E.M. *see* Weisbin, C.R. 85—39881
Oblow, E.M. *see* Weisbion, C.R. 85—53478
Obloy, E.J., Perruzzi, J.E. Potential legal liabilities in the era of the electronic chart 88—35614
Oblozinsky, P., Hlavac, S., Mungyer, S. Spectroscopic and timing properties of BGO scintillator ø25 mm×50 mm 87—41848
Obmornov, V.V. *see* Aleksandrov, S.N. 87—9964, 88—18251
Obnosov, Yu.V. *see* Emets, Yu.P. 87—61318
Obo, N. *see* Fujinaka, M. 88—39841
Obodnik, D.T. *see* Petukh, A.M. 88—43816
Obodzinski, M. *see* Kostowski, A. 85—9901 to 9902
Oboishev, Yu.P., Skorodumov, S.A., Afanas'ev, V.V., Efimova, V.G. Wide-range autocompensating micro-Tesla-meter 85—8896
Obojski, J. *see* Zahn, P. 87—23272
Obojski, M. *see* Kacprzak, J. 86—19582
Obojski, M.A. Requirements of measuring circuitry for surveillance of corrosion protection and voltage-dependent insulation protection resistors of crossed high-voltage cables 88—61937
Obojski, M.O., Rasquin, W. Test circuit for monitoring corrosion protection and cable gland sleeve resistances in cross earthed high power cables 88—54997
Obokata, T., Katsumata, T., Fukuda, T. Influence of melt composition on uniformity of electrical properties in semi-insulating LEC GaAs 86—20027
Obokata, T., Matsumura, T., Terashima, K., Orito, F., Kikuta, T., Fukuda, T. Improved uniformity of resistivity distribution in LEC semi-insulating GaAs produced by annealing 85—1297
Obokata, T., Yahata, A., Ishida, K., Fukuda, T. Hall mobility and carrier concentration measurement of semi-insulating GaAs 86—63040
Obokata, T. *see* Chichibu, S. 88—12943
Obokata, T. *see* Emori, H. 85—49537
Obokata, T. *see* Katsumata, T. 87—32247
Obokata, T. *see* Kimura, T. 88—378
Obokata, T. *see* Matsumura, T. 85—28959
Obokata, T. *see* Miyairi, H. 86—21136
Obokata, T. *see* Okada, H. 86—57417, 87—60106
Obolenskii, A.S. *see* Malyshev, I.V. 88—18973
Obolenskii, B.A. *see* Boldyrevskii, P.B. 85—18074
Obolentsev, N.A. *see* Maksimovich, A.B. 87—8515
Obolonskii, D.I. *see* Lezhnyuk, P.D. 87—15260
Obol'yaninova, Ye.V. *see* Korobkin, V.A. 88—38670
Obone, G. *see* Bittar, C. 87—66310
Oboodi, R. *see* Teat, W.H. 88—1207
Oborin, A.V. *see* Fominykh, V.I. 88—5025
Oborin, V.V. *see* Latainikova, A.L. 88—1109, 88—50487
Oborotov, V.D. *see* Parkhomenko, A.I. 86—45735
Oboskalov, V.P. Recurrence relationships for the iteration process involved in calculating the structural reliability of a power-supply system 87—30009
Oboskalov, V.P. A generalized equivalent-representation method for determining the structural (circuit) reliability characteristics of power-supply systems 88—68739
Oboskalov, V.P., Dulesov, A.S., Kotov, O.M. The structural reliability of a distribution system with fault trips of the 'short-circuit' type 86—56418
Oboukhov, A.S. *see* Felder, R. 88—47655
O'Boyle, T.J., Regin, T.M. CTACTS: Charleston Tactical Aircrew Combat Training System 88—5031
Obozhin, A.L., Yakushenkov, A.A. Navigation in the USSR merchant marine: the state and prospects of development 87—41136
Oboznenko, Yu.L. *see* Golokoz, P.P. 86—54177, 88—40583
Obozovskii, S.S. *see* Gribok, N.I. 86—44078
Obra, M. *see* Kannari, F. 85—51096
Obradors, X. *see* Ardiaca, R. 87—46331
Obradors, X. *see* Martinez, B. 86—15394, 88—51212

Obradors, X. *see* Pernet, M. 85—24075, 88—57920
Obradors, X. *see* Vallet, M. 88—57919
Obradovic, D., Vugrinec, J. A modular equipment design concept for higher density packaging of components and circuits 88—35345
Obradovic, D. *see* Pejovic, S. 85—53603, 85—65174
Obradovic, I. Switched reluctance motor for rail traction 86—26371
Obradovic, I. Doubly salient reluctance machines and their controllability 88—43168
Obradovic, M. *see* Popovic, M. 88—22022
Obradovic, M.M. *see* Golic, J.D. 88—27778
Obradovich, K.A., Popov, Yu.V., Solodukho, F.M. Reflectometric method of roughness measurement for polished metal surfaces 85—4113
Obraztsov, A.N. *see* Gorchakov, A.P. 87—45797
Obraztsov, A.N. *see* Kashkarov, P.K. 86—15053, 87—17809
Obraztsov, A.N. *see* Lysenko, A.P. 85—13054
Obraztsov, A.V., Ignatov, V.V. Noise immunity of digital coherent processors of wideband signals 86—37048
Obraztsov, M.V. *see* Konoplev, V.A. 88—4269
Obraztsov, V.S. A microprocessor adaptive excitation controller for synchronous generators 87—42829
Obraztsov, V.S. *see* Lotkov, M.A. 88—17232
Obraztsov, Yu.V., Gleizer, S.E., Shuvalov, M.Yu. Influence of dielectric losses in thermal aging of insulation in oil-filled cables 85—48596
Obraztsov, Yu.V., Peshkov, I.B. Prospects for the development of power-cable production 87—42474
Obraztsov, Yu.V. *see* Gleizer, S.E. 86—44978, 87—57650
Obraztsov, Yu.V. *see* Peshkov, I.B. 85—43615
Obraztsov, Yu.V. *see* Shuvalov, M.Yu. 88—36854
Obrazumov, V.P. *see* Tishchenko, V.N. 87—36192, 87—58366
Obrcian, J. *see* Jellus, V. 88—7001
O'Breatuin, C., Tweed, E.D., Richards, E.F. Programming in logic and distribution system protection 88—23473
Obrebska, M., Chuquillanqui, S., Derantonian, H. PLA and custom design 87—59337
Obrecht, M.S. *see* Gadiyak, G.V. 87—6639, 87—45697
Obregon, J. *see* Bermudez, L.A. 88—71069
Obregon, J. *see* Correa De Albuquerque, M. 85—49972
Obregon, J. *see* Gayral, M. 87—73718, 88—66461
Obregon, J. *see* Guo, C. 87—73716, 88—71133
Obregon, J. *see* Hu, Y. 86—41332
Obregon, J. *see* Jiao, X.H. 85—23090
Obregon, J. *see* Joer, J.P. 87—6145
Obregon, J. *see* Khanna, A.P.S. 85—20534
Obregon, J. *see* Prigent, M. 87—37556
Obregon, J.J. *see* Guo, C. 88—25469
Obrekht, M.S. *see* Gadiyak, G.V. 87—1325, 87—74411
Obremski, S. *see* Cohen, C. 88—14637
Obrezkov, G.V., Sizyakov, Yu.A. Approximate analysis of pulsed tracking systems when there is fluctuating interference 86—23962
Obrezkov, O.I. Voltage-fluctuation summation in the channels of a diagonal type of MHDG 85—49115
Obrezkov, V.I. *see* Venikov, V.A. 86—25941
Obrezumov, V.P. *see* Koryukin, V.A. 88—32713
O'Brian, P. Old-time crystal radio 87—8402
O'Brien, B. ISDN: users think it's a distant prospect. Wrong 86—23628
O'Brien, B. *see* Deshpandey, C. 86—8730
O'Brien, B.B. *see* Tully, J.W. 87—18087
O'Brien, B.J., Skelton, P.G. AUSSAT's role in radio services in remote areas of Western Australia 87—56329
O'Brien, B.P. *see* Budhani, R.C. 86—21446
O'Brien, C.D. *see* Evangelatos, T.V. 88—35187
O'Brien, C.G. *see* De Bont, F.M.J. 88—64677
O'Brien, C.R., Zumstein, J.M., Eckart, M.J., McGee, M.E., Schulte, H., Edwards, W.R. Subnanosecond spectroscopy using stripline microchannel plates and reticon 1024SF linear arrays 87—14200
O'Brien, D. Development of new 10 kV switchgear configurations as alternatives to ring main units 85—60362
O'Brien, D. Improved designs for LV networks in urban areas 88—23470
O'Brien, D.M. Size distributions of clouds in real time from satellite imagery 87—71298
O'Brien, D.M., Smith, R.S. Transient electromagnetic response of a layered conducting medium at asymptotically late times 86—10054
O'Brien, D.P. *see* Wright, E.M. 85—18974
O'Brien, D.W. *see* Chuan-lin Wu 88—40941
O'Brien, E. *see* Liu, S. 87—77603
O'Brien, E.M. *see* Morse, M.S. 86—5996, 87—19414
O'Brien, E.R., Wilson, M.A. Designing power supplies for reliability and reduced cost 88—30921
O'Brien, F. A personal computer network for tertiary education 87—48650
O'Brien, F. *see* Siegel, A.F. 85—33358
O'Brien, G. A common sense guide to conformal coatings 88—50505
O'Brien, G. *see* Quinn, K.R. 88—38272
O'Brien, G.S. *see* Altland, R.S. 87—52220
O'Brien, J., Powell, K., Lamb, K. FIFO registers waste no time refereeing data transfers 86—67215
O'Brien, J.A. Additional error detection/correction in MIL-STD-1553 messages 85—7980
O'Brien, J.D. Closed form solutions for the depth of focus of synthetic aperture radar (SAR) maps under maneuvers 88—60217
O'Brien, J.D. *see* Jenkins, W.K. 88—3256
O'Brien, J.D. *see* Munson, D.C., Jr. 88—3241
O'Brien, J.F., Cain, D.G., Sun, B.K.-H. Design tools for computer-generated display of information to operators 86—25761
O'Brien, J.N. *see* Ryan, T.G. 86—51313
O'Brien, J.P. Recent advances in aircraft onboard weight and balance systems 86—18435
O'Brien, K.C. Evolving operations architectures—a look to the future 88—73472
O'Brien, K.J. *see* Chi, G.-C. 88—26976
O'Brien, K.M. *see* Hale, C.R. 85—9330
O'Brien, L.J. *see* Cleveland, D. 87—9255
O'Brien, M. Why do LANs fail? 87—13414
O'Brien, M., Kelley, A. The evolution of hardware preprocessors in telemetry applications 88—9094
O'Brien, M., Ledwich, G. Placement of static compensators for stability improvement 85—21118
O'Brien, M., Ledwich, G. Static reactive-power compensator controls for improved system stability 87—35533
O'Brien, M. *see* LaTerra, T. 86—45168, 86—61402
O'Brien, M.J., Shore, R.A. Paraboloid scanning by array feeds: a low sidelobe synthesis technique 85—13426
O'Brien, M.J. *see* Haupt, R.L. 85—51511
O'Brien, M.J. *see* Landham, E.C., Jr. 88—27459
O'brien, M.T., Wilson, L.A., Griffith-Jones, D.J. Harmonic interference: a review of New Zealand experience 86—44941
O'Brien, N. *see* Jain, R. 85—46900, 87—2620, 87—47906
O'Brien, N.W., Mucklejohn, S.A. Examination of electrode erosion by the transpiration technique 87—58441
O'Brien, N.W. *see* Mucklejohn, S.A. 87—16153, 87—58440
O'Brien, P. *see* Pomery, M.J. 85—15889
O'Brien, P.J. *see* Parthe, A.C., Jr. 85—39158
O'Brien, P.M. Eyeblink monitoring as a means of measuring pilot physiological state 88—68573
O'Brien, P.R., Wyatt, J.L., Jr. Signal delay in ECL interconnect 86—67190
O'Brien, R. Smoothing out the ripples in testing 86—20255
O'Brien, R. *see* Kinder, C. 88—24852
O'Brien, R.R., Hsien, C.M., Moore, J.S., Lever, R.F., Murley, P.C., Brannon, K.W., Srinivasan, G.R., Knepper, R.W. Two-dimensional process modeling: a description of the SAFEPRO program 85—55781
O'Brien, R.R. *see* Hsieh, C.M. 85—12428
O'Brien, S. *see* Darcie, T.E. 88—28832
O'Brien, S. *see* Haigh, J. 85—10719, 85—10758
O'Brien, S.G., Goedecke, G.H. Comparison of millimeter-wave scattering: a stellar dendrite vs. disk and spheroids 86—29379
O'Brien, S.G., Goedecke, G.H. Scattering of millimeter waves by snow crystals and equivalent homogeneous symmetric particles 88—66055
O'Brien, S.G., Goedecke, G.H. Propagation of polarized millimeter waves through falling snow 88—66056
O'Brien, T. Ten to one input range triple output DC to DC converter operates at high frequency 88—75814
O'Brien, T.K. Generic aspects of delamination in fatigue of composite materials 87—52236
O'Brien, W.D., Jr. *see* Edwards, C.A. 85—53224
O'Brien, W.D., Jr. *see* Embree, P.M. 85—53223, 87—3979
O'Brien, W.D., Jr. *see* Preston, R.C. 88—54797
O'Brien, W.D., Jr. *see* Tervola, K. 86—5895
O'Brien, W.D., Jr. *see* Tervola, K.M.U. 85—53214, 86—6148
O'Brien, W.F. *see* Fuller, C.R. 87—27422
O'Brien, W.J. Acoustooptic implementation of signals intelligence (SIGINT) systems for spread spectrum communication signals 87—13568
O'Brien, W.R. Developing 'expert systems': contributions from decision support systems and judgment analysis techniques 86—13371
Obrist, G. Control and monitoring system for a short-wave broadcasting centre 85—3622
O'Brokta, R.D. *see* Bruck, G.J. 87—7468
Obrusnik, V.P., Kobzev, A.V., Shadrin, G.A. Analysis of currents in converters using pulse-width control of AC voltage 85—65317
O'Bryan, H.M., Gallagher, P.K., Berkstresser, G.W. Thermal expansion of Y_2SiO_5 single crystals 88—31861
O'Bryan, H.M. *see* Gallagher, P.K. 88—31862
O'Bryan, H.M. *see* Hellman, F. 88—20320
O'Bryan, H.M. *see* Yan, M.F. 88—65001
O'Bryant, M.A. *see* Barry, J. *(editor)* 85—10337
Obryk, E. Summary of a CMEA meeting on research, development and design in the field of nuclear heat supply 85—38668
O'Bryon, J.F. Battle damage data sources: combat resilience key 86—57176
Obsawa, S. *see* Iwama, K. 88—21879
Obst, A.W., King, N.S.P., Hancock, A.D., Hilko, R.A., Klingler, Q.G., Boyer, K.G., Enge, H.A., Kowalski, S., Holsinger, R.F., Lown, R.R. A compact permanent magnet proton spectrometer 88—23009
Obtemperanskii, Yu.S. *see* Dudkin, V.P. 87—47234
Obtemperanskiy, Yu.S. *see* Dudkin, V.P. 85—58865
Obtulowicz, A. Modernization of the RP-1043X type coal pulverizer air reversers 88—5423
Obuchi, T. *see* Hirosawa, H. 86—65482
Obuchi, T. *see* Nomura, T. 86—44731
Obuchowski, E.J. Access charge and revenue architecture 88—3342
Obukh, A.A. *see* Maksimov, B.K. 87—47077
Obukh, V.F. *see* Kul'chin, Yu.N. 86—68264, 87—25983, 87—70854
Obukhon, S.G. *see* Lukutin, B.V. 88—69188
Obukhov, S.A. *see* Averkiev, N.S. 85—23444
Obukhov, S.G., Chaplygin, E.E. Controllable current-parameter rectifiers 87—9661
Obukhov, S.G., Kalyuzhnyi, V.V., Marchenko, V.I. Power regimes of current-parameter rectifier converters for operating to the armature of a DC machine 87—72474
Obukhov, S.G., Mal'tsev, V.A. Improving single-channel methods of regulating inverters for asynchronous traction electric drives 87—58362
Obukhov, S.G. *see* Bizikov, V.A. 88—43506
Obukhov, V.A., Ozeretskovskiy, V.B. Calculation of the magnet system of a rectangular-cross section ion source with a peripheral magnetic field 88—40465
Obukhov, V.A., Raiko, V.I. Methods for preparing ions of short-lived isotopes 87—14696
Obukhov, V.Ye., Tochitsky, E.I., Sharendo, A.I. Dry etching through organic masks 86—58420
Obukhova, B.Yu. *see* Gudim, Z.Yu. 86—42142
Obukhovskii, M.P. *see* Dorokhol'skii, N.L. 87—51208
Obukhovsky, V.V. *see* Kiseleva, I.N. 87—19050
Obunai, T., Hakamada, K. Slow surface wave propagation in an azimuthally-magnetized millimeter-wave solid-plasma coaxial waveguide 85—2630
Obunai, T., Yoshida, T. Variation of slow-surface-wave propagation characteristics in millimeter-wave solid-plasma waveguide with applied current 86—1340
Obunai, T. *see* Kudo, M. 86—35058
Obvintseva, I.E. *see* Kukuev, V.I. 88—71369
Obyazuev, A.P. *see* Kochkin, V.I. 85—55087, 86—6885, 88—68768
Obyden, S.K., Popov, S.I., Saparin, G.V. Analog color encoding and brightness modulation in scanning electron microscopy 85—11869
Obyden, S.K. *see* Saparin, G.V. 87—2023
Ob"yedkov, A.F. Approximate analysis of the stability of periodic modes of nonlinear nonautonomous systems 87—36946
O'Byrne, J.W. Interferometric measurements of atmospheric seeing 86—44799
O'Byrne, V. The effect of laser linewidth and phase distortion in a cascaded ILL repeater system on system performance 87—40964
O'Byrne, V., O'Reilly, J. System performance of repeatered FSK transmission employing injection locked lasers 88—4046
O'Byrne, V., O'Reilly, J.J. Phase distortion associated with FSK transmission employing injection locked laser repeaters 87—39667
O'Byrne, V., O'Reilly, J.J. Nonlinear distortion produced by an injection-locked laser 87—76746
O'Byrne, V., O'Reilly, J.J. Transmission quality and performance of ILL repeaters used in optical FSK communications 88—53272
Obysov, V.A. *see* Matveev, N.V. 85—15123
Ocacia, G. *see* Sadhu, D. 86—40348
O'Cahan, K. *see* Bergman, H. 87—34036
Ocal, D. *see* Nollet, M. 87—62426
O'Callaghan, B. *see* Iqbal, M.A. 86—38712
O'Callaghan, B. *see* Scamans, G. 87—58272
O'Callaghan, B. *see* Thomas, J. 88—36381
O'Callaghan, B.M.G. *see* Iqbal, M.Z. 87—29477, 87—77541, 88—23002
O'Callaghan, B.M.G. *see* Thomas, J. 88—16627
O'Callaghan, J.F. *see* Robertson, P.K. 88—30141
O'Callaghan, J.P., Stanek, R., Hyman, L.G. On estimating the photoelectron yield and the resultant inefficiency of a photomultiplier-based detector 85—4210
O'Callaghan, J.P., Veron, H. Parametric MTF analysis for shadow-mask CRT monitor configurations 88—16329
O'Callaghan, J.P. *see* Veron, H. 88—16328
O'Callaghan, M.J., Anderson, D.Z. Spatial light modulators for optical neuromorphs 88—58300
O'Callaghan, M.J. *see* Anderson, D.Z. 88—34074
O'Callaghan, W.B. *see* Scamans, G.M. 87—43375
O'Callahan, J.C. *see* Serabian, S. 85—54553
Ocampo, M.Hector *see* Hector Ocampo, M.

Ocampo M., H., Gonzalez R.S., J.L. Turbine model used in a simulator of a fossil power plant [steam turbine model] 85−60038
Ocana, G.R., Guzman, J.J., Sotorrio, P.J. Data transmission through the 220 V network 88−59657
Ocana, J.L. *see* Velarde, G. 86−39362, 88−62489
O'Carroll, A.P. *see* Bowron, P. 87−45059, 88−19271
O'Carroll, A.P.O. *see* Bowron, P. 87−5693
O'Carroll, L. MMDS: wireless wonder 88−60444
Occelli, R., Moynault, J.M., Bachet, O., Coulon, R. Very low frequency optical source for spectroscopy: difference-frequency mixing of CO_2 laser radiations 85−51247
Occhiena, M. *see* Barbero, M. 86−22898
Occhiogrosso, B.J. Voice store-and-forward: a rapidly maturing technology 85−19729
Occhiogrosso, B.J. Human factors considerations in the design of voice mail systems 86−69334
Occhiogrosso, B.J. *see* Gitman, I. 86−69441
Occhiuti, F. *see* Hines, M.E. 88−25556
Occhiuti, F. *see* Staecker, P.W. 87−73790
Ocenasek, J. *see* Murphy, E.J. 88−73923
Ocenasek, J. *see* Wheeler, J.K. 86−43818
Ocheltree, K.B., Benkeser, P.J., Frizzell, L.A., Cain, C.A. An ultrasonic phased array applicator for hyperthermia 85−15347
Ocheltree, K.B., Benkeser, P.J., Frizzell, L.A., Cain, C.A. A stacked linear phased array applicator for ultrasonic hyperthermia 86−5930
Ocheltree, K.B. *see* Benkeser, P.J. 86−56178, 87−71432
Ocheltree, K.B. *see* Frizzell, L.A. 87−4028
Ocheltree, K.B. *see* Underwood, H.R. 87−63813
Ochered'ko, V.I. *see* Denisenko, N.A. 87−43695
Ocheretenko, V.A. *see* Blinov, S.M. 88−32641
Ocheretyanskii, A.L. *see* Koba, B.V. 86−14838
Ochi, A., Saito, S. Small Y5V chip-capacitors with very large capacitance 88−63991
Ochi, A., Takahashi, S., Tagami, S. Temperature characteristics for multilayer piezoelectric ceramic actuator 86−47932
Ochi, A., Utsumi, K. Synthesis and characterization of high-T_c superconducting ceramics 88−65002
Ochi, E. *see* Mariki, A. 86−54822
Ochi, H., Kambayashi, N. Simultaneous design in both magnitude and phase of FIR digital filters with complex coefficients 88−50272
Ochi, H., Kobayashi, M. Difference adaptive block-truncation coding for grey scale images 87−39958
Ochi, H., Tetsutani, N. A new halftone reproduction and transmission method using standard black-and-white facsimile code 87−39889
Ochi, H., Yamamoto, T., Tetsutani, N. Super high-speed facsimile equipment 85−30652
Ochi, H., Yamamoto, T., Tetsutani, N. Super high-speed high-definition facsimile equipment 86−10713
Ochi, H., Yamane, D. Design of digital all-pass networks using L_p norm estimation and its structure optimizing 87−32021
Ochi, H. *see* Ibaraki, H. 87−48003
Ochi, H. *see* Ikeda, H. 88−10333
Ochi, H. *see* Kataoka, H. 85−13822, 85−47153
Ochi, H. *see* Kikumoto, Y. 87−55656
Ochi, H. *see* Matsumoto, F. 86−49208
Ochi, H. *see* Nishikawa, H. 88−11358
Ochi, H. *see* Tamogami, M. 86−49209
Ochi, H. *see* Tatebayashi, K. 86−41243
Ochi, H. *see* Tetsutani, N. 85−2903, 86−69116
Ochi, K. *see* Inoue, T. 88−184
Ochi, K. *see* Morisue, M. 88−70732
Ochi, M. *see* Sato, K. 85−20721
Ochi, M. *see* Shimogaki, K. 85−5493
Ochi, S., Hayafuji, N., Kajikawa, Y., Mizuguchi, K., Murotani, T. Growth of GaAs/AlGaAs quantum well structures using a large-scale MOCVD reactor 87−10432
Ochi, S., Hayafuji, N., Ogasawara, N., Kato, M., Mitsui, K., Yamanaka, K., Murotani, T. Improvement in conversion efficiency of MOCVD GaAs solar cells using AlGaAs buffer layers 88−18703
Ochi, S. *see* Hayafuji, N. 87−10413, 87−31549
Ochi, S. *see* Kajikawa, Y. 87−26185
Ochi, S. *see* Kato, M. 87−4891
Ochi, S. *see* Kumesawa, T. 86−4846
Ochi, S. *see* Mizuguchi, K. 86−56951, 87−10428
Ochi, S. *see* Ogawa, Y. 86−11455
Ochi, T. *see* Kusumoto, S. 88−18211
Ochi, T. *see* Uchida, T. 88−12118
Ochi, T. *see* Watson, M. 85−31113
Ochi, Y. *see* Hishida, E. 85−63871
Ochiai, F. *see* Fujii, K. 88−29829
Ochiai, F. *see* Itoh, R. 87−41842
Ochiai, F. *see* Shirahashi, A. 88−68216
Ochiai, I. *see* Kato, Y. 88−39305
Ochiai, J. *see* Kano, M. 86−46882
Ochiai, K. *see* Horie, H. 86−36051
Ochiai, K. *see* Miike, H. 86−48996
Ochiai, K. *see* Yoshimi, M. 87−30738
Ochiai, M. Numerical evaluation of the failure threshold energy of a waterlogged fuel rod under a RIA condition of a power reactor 87−42603
Ochiai, M. *see* Iwamoto, S. 88−19186
Ochiai, M. *see* Odawara, G. 88−64719
Ochiai, M. *see* Tsuruta, T. 86−18995
Ochiai, O. The DS-MGXO-DM and -SM: miniature high-precision quartz oscillators 87−6955
Ochiai, O., Mashimo, Y., Tamura, F. Miniaturized high-accuracy crystal oscillator with electrically adjustable frequency 86−41188
Ochiai, O., Tamura, F., Mashimo, Y. A frequency adjustable ultra-compact, high-performance quartz crystal oscillator and its simple temperature compensation method 87−31747
Ochiai, O., Tamura, F., Mashimo, Y., Taniguchi, T. Development of a very accurate and electrically frequency-adjustable quartz oscillator 88−57854
Ochiai, R. *see* Hatori, M. 87−13230
Ochiai, S., Ito, M., Mizutani, T., Ieda, M. Interface traps and swelling of polypropylene films immersed in silicone oils 85−56029
Ochiai, S., Ito, M., Mizutani, T., Ieda, M. TSC study on interfacial phenomena of oil-polypropylene insulating system 86−68099
Ochiai, S. *see* Fujimoto, H. 86−17140
Ochiai, T. *see* Miura, K. 87−11896
Ochiai, T. *see* Sekine, Y. 86−2192, 87−477
Ochiai, T. *see* Shiraiwa, T. 88−7501
Ochiai, T. *see* Yanagawa, H. 88−33716, 88−51442
Ochiai, Y. p-i-n junction in evaporated a-Si 85−29012
Ochiai, Y., Gamo, K., Namba, S. Pressure and irradiation angle dependence of maskless ion beam assisted etching of GaAs and Si 85−29141
Ochiai, Y., Gamo, K., Namba, S., Shihoyama, K., Masuyama, A., Shiokawa, T., Toyoda, K. Temperature dependence of maskless ion beam assisted etching of InP and Si using focused ion beam 87−38400
Ochiai, Y., Kojima, Y., Matsui, S. Fabrication of Y-Cu liquid metal ion source 88−47912
Ochiai, Y., Kojima, Y., Matsui, S., Mochizuki, A., Yamauchi, M. Hybrid device process with a focused ion beam and an optical stepper 88−64454
Ochiai, Y., Matsui, S., Mori, K. Focused ion beam technology 88−19897
Ochiai, Y., Ototake, K. Analysis of dynamic performances of step motor 86−45464
Ochiai, Y., Shihoyama, K., Masuyama, A., Gamo, K., Shiokawa, T., Toyoda, K., Namba, S. Maskless ion beam assisted etching of Si using chlorine gas 85−40617
Ochiai, Y., Shihoyama, K., Shiokawa, T., Toyoda, K., Masuyama, A., Gamo, K., Namba, S. Characteristics of maskless ion beam assisted etching of silicon using focused ion beams 86−35588
Ochiai, Y., Shihoyama, K., Shiokawa, T., Toyoda, K., Masuyama, A., Gamo, K., Namba, S. Maskless etching of Al using a focused ion beam 86−67817
Ochiai, Y., Yoshizaki, R., Matsuura, E. ESR and low-temperature transport of the damaged surface layer in doped silicon 86−27840
Ochiai, Y., Yoshizaki, R., Matsuura, E. Quantum effect device using disordered surface in doped Si near the metal-nonmetal transition 88−44540
Ochiai, Y. *see* Gamo, K. 85−1532, 87−11664
Ochiai, Y. *see* Hashimoto, S. 88−51161
Ochiai, Y. *see* Hayakawa, M. 86−60328
Ochiai, Y. *see* Kameoka, K. 86−11581
Ochiai, Y. *see* Shiokawa, T. 86−21405
Ochifuji, K. *see* Iida, T. 88−36525
Ochii, K., Yasuda, H., Kobayashi, K., Kondoh, T., Masuoka, F. A 17 ns 64K CMOS RAM with a Schmitt trigger sense amplifier 86−14222
Ochii, K. *see* Masuoka, F. 86−46841
Ochii, K. *see* Segawa, M. 87−17077
Ochilov, O.R. *see* Khaidarov, R.A. 85−26705
Ochin, E.F. Implementing cellular logic operations in a coherent optical processor using a simplified spatial-frequency filter 85−36305
Ochin, E.F. Principles of construction of learning automatic systems for detection of surface defects in bodies of revolution 86−52571
Ochin, E.F., Romanov, Yu.F., Tropchenko, A.Yu. General conditions for the correctness of coding when synthesising a Fourier hologram 85−62679
Ochin, E.F. *see* Denisov, V.M. 85−26246, 85−62429
Ochin, E.F. *see* Donchenko, S.E. 88−34755
Ochin, E.F. *see* Golubkova, M.N. 85−51018, 87−19399, 88−20333, 88−26926
Ochin, E.F. *see* Gud, V.V. 87−69285
Ochin, E.F. *see* Kucherenko, K.I. 87−39870, 87−55303
Ochin, E.F. *see* Matveev, Yu.N. 86−23131
Ochirov, R.D. *see* Mokeev, V.K. 85−15992
Ochkin, V.N. *see* Bel'tyugov, V.N. 85−41433, 87−12526, 87−26462
Ochlich, H.-M. *see* Zscherpe, G. 87−54453
Ochmann, R. *see* Pohlenz, O. 85−4296
Ochner, B. *see* Jensen, S. 86−25880, 86−45154
Ochneva, L.S. *see* Donets, A.M. 86−35982
Ochoa, A., Jr., Axness, C.L., Weaver, H.T., Fu, J.S. A proposed new structure for SEU immunity in SRAM employing drain resistance 88−6817
Ochoa, A., Jr. *see* Weaver, H.T. 88−25188
Ochoa, E., Allebach, J.P., Sweeney, D.W. Optical median filtering using threshold decomposition 87−26138
Ochoa, E., Hesselink, L., Goodman, J.W. Real-time intensity inversion using two-wave and four-wave mixing in photorefractive $Bi_{12}GeO_{20}$ 85−51239
Ochoa, E., Hesselink, L., Goodman, J.W. Real-time defect enhancement using inversion properties of photorefractive BSO 87−12621
Ochoa, E., Schils, G.F., Sweeney, D.W. Detection of multiple views of an object in the presence of clutter 88−59228
Ochoa, E. *see* Sweeney, D.W. 87−75852
Ochoa, J.R. *see* Allan, R.N. 86−44925, 88−54853
Ochoa, M. *see* de la Rosa, R. 88−75174
Ochoa, M.C. *see* Pelletier, R.E. 86−18612
Ochrana, L. Reliability of power-production equipment−particularly steam generators−in electric power plants 87−57909
Ochrymowych, J. Wood technology enhances pole line reliability. I 86−17173
Ochs, A. *see* Schmiedel, H. 88−52219
Ochs, H.T., III *see* Kidder, S.Q. 88−36680
Ochs, T.L. Diagnosis of electrical noise in electric arc furnace operations 88−31231
Ochs, T.L., Hartman, A.D., Witkowski, S.L. Waveform analysis of electric furnace arcs as a diagnostic tool 87−9950
Ochs, W. Electromagnetic impulse of a nuclear explosion at high altitude 86−3557
Ochsenbein, S. *see* Albrow, M.G. 88−29872
Ochsenschlager, P. *see* Baumgarten, B. 86−69228, 87−28223
Ochsner, H. Comparison of spectrum efficiency of CDMA and FDMA mobile radio systems 86−17275
Ochsner, H. Spread-spectrum techniques 86−30555
Ochsner, H. The role of Radio Schweiz AG in the Swiss videotex system 86−59579
Ochsner, H. Direct-sequence spread-spectrum receiver for communication on frequency-selective fading channel 87−34344
Ochsner, H. The future pan-European digital mobile telephone system. I. GSM recommendations and services 88−60022
Ochsner, H. *see* Krebser, J. 87−69911
Ochten, M.van *see* van Ochten, M.
Ociepa, J. *see* Massoumi, G.R. 88−47921
Ociepka, E. Rock solid RF [PLL-based frequency synthesizer] 86−46597
Ociepka, J. Aliasing error in certain transfer function measurements 85−28290
Ociepka, J. *see* Krzywaznia, A. 85−20327, 88−22714
O'Cilka, J.A. *see* Kit, R. 87−64232
O'Cinneide, C. *see* Schneider, H. 87−65225
Ocio, M., Hammann, J. Self-balanced bridge for automatic measurements of magnetic susceptibilities 85−58858
Ock Kong Byung *see* Byung Ock Kong
Ockels, W. *see* Howieson, J. 87−4064
Ockels, W.J. Absorptive tethers−a first test in space 88−42612
Ocken, H. Radiation control to improve nuclear power plant availability 86−51399
Ocken, H., Dufrane, K.F., Pasupathi, V. Wear and neutron activation of positioning pins in the Millstone-2 reactor 87−9300
Ockendon, T.K., Laird, J.L., Hammond, S.W. Status monitoring on cable TV and broadband data networks 88−15808
Ockenfeld, M. Databases in the German videotex system Bildschirmtext. An overview 88−3480
Ocker, W. Properties of discharges in contamination layers and their measurement 87−53822
O'Clock, G.D., Peters, M.S., Pater, J.R., Kleese, G.A., Martini, R.V. The use of microstructure as a reliability indicator for solder interconnects 87−66768
O'Clock, G.D. *see* Narayanan, A.A. 85−1213
O'Clock, G.D., Jr. Spread spectrum. I. Improved matched filters sharpen spread spectrum 86−27434
O'Clock, G.D., Jr. Matched-filter SNR boosts performance 86−43715
O'Clock, G.D., Jr., Kill, H.V., Erickson, G.T., Reutzel, L. A varactorless VCO: analysis and performance characteristics of oscillators utilizing voltage-dependent transistor junction capacitances 86−57709
O'Clock, G.D., Jr., Koch, S., DeHaven, J. Varactorless VCOs: transistors go it alone 85−11074
O'Clock, G.D., Jr., Paters, J.R., Pater, J.R., Kleese, G.A., Martini, R.V. Pb-Sn alloy microstructure: potential reliability indicator for interconnects 87−53426
O'Clock, G.D., Jr., Schuster, S.L., Peters, M., May, R.A. Microcircuit surface analysis techniques overcome contamination hazards 85−39525

O'Colmain, D., Murphy, F. Case study—introduction to digital switching systems 88—11658
Ocone, D. Remarks on the finite energy condition in additive white noise filtering 85—25076
Ocone, D.L. *see* Kurtz, T.G. 85—51673
O'Connell, A.M. Expert systems and video disks combine to provide 'just in time training' 88—29146
O'Connell, D. Characteristics of tracers which count for the user 87—63435
O'Connell, D.P. *see* Hampton, H.L. 85—14628
O'Connell, J. *see* Fung, K. 87—28332
O'Connell, J.C. *see* Klocek, P. 87—18721
O'Connell, J.W. *see* Engelstad, B.L. 88—74825
O'Connell, K.J. Uses and abuses of technology 88—43540
O'Connell, L. IGES: transferring design data 88—70431
O'Connell, M.P. *see* Engebretson, A.M. 86—11393, 86—70434, 87—19480
O'Connell, M.R. *see* Chen, W.T. 88—19239
O'Connell, M.R. *see* Namordi, M.R. 86—27407
O'Connell, P. Svecia Setup Assistant: an expert system 88—32670
O'Connell, R.F. *see* Khandker, A. 86—1843
O'Connell, R.G., Jr. The role of Doppler ultrasound in cardiac diagnosis 88—10313
O'Connell, R.M., Romberger, A.B., Shaffer, A.A., Saito, T.T., Deaton, T.F., Seigenthaler, K.E. Improved laser-damage-resistant polymethyl methacrylate 85—19002
O'Connell, R.M., Vogel, R.A. Abel inversion of knife-edge data from radially symmetric pulsed laser beams 87—61214
O'Connell, R.P. *see* Azaren, D.J. 87—38474
O'Connell, S. *see* Tsang, S. 85—41611
O'Conner, D.E. *see* DeShazer, J.K. 85—26236
O'Conner, J.A., Doody, R.J. Maintenance free gas recombination cells—British Telecoms approach to application and design approval 86—19463
O'Conner, J.M. *see* Lakhani, A.A. 88—26202
O'Conner, P., Flahive, P.G., Roman, B.J. A high-speed GaAs 1K static random access memory 86—20541
O'Conner, P.D.T. *see* Snowden, C.M. 86—41894
O'Connor, B., Ainscough, J., Rakowski, R. The electrical tasks course in the special engineering programme 85—54056
O'Connor, B., Ainscough, J.A., Rakowski, R. Teaching innovations in the Special Engineering Programme at Brunel University 85—16611
O'Connor, D. *see* Robertson, G.D., Jr. 86—66799
O'Connor, D.J., Shelledy, F.B., Heim, D.E. Mathematical model of a magnetoresistive read head for a magnetic tape drive 86—36010
O'Connor, D.J. *see* Robertson, G.D. 86—66798
O'Connor, D.N. *see* Eppinger, S.D. 88—69848
O'Connor, E. *see* Neuman, M.R. 85—43333
O'Connor, I. *see* Van Ewyk, R. 87—3653
O'Connor, I. *see* van Ewyk, R.L. 87—14386
O'Connor, J. *see* Drozdowicz, Z. 87—11557
O'Connor, J. *see* Fathimula, A. 88—38755
O'Connor, J. *see* Swanson, D.K. 85—38052
O'Connor, J.A., Doody, R.J. Maintenance-free gas-recombination cells 85—65310
O'Connor, J.E., Malone, D.E. A method of measuring the wall contribution of an ionisation chamber 88—16645
O'Connor, J.F. *see* Cherrette, A.R. 85—30118
O'Connor, J.K. *see* Bogart, F.J. 86—23623
O'Connor, J.M., Dvorsky, E.F., Hier, H.S., Reif, W.P. Rapid controlled thinning of gallium arsenide 88—33044
O'Connor, J.M., Dvorsky, E.F., Kronwasser, J.A., Pearah, P.J., Gilbert, J. 100 mm GaAs substrates for MIMIC manufacturing 88—19400
O'Connor, J.M., Hier, H.S., Ketchum, R.M. Annealing furnace for III-V semiconductor devices 86—28095
O'Connor, J.M. *see* Patton, J.C. 86—55714
O'Connor, J.P., Joyce, L.F. A high current injector for tandem accelerators 87—56944
O'Connor, K.J. Modular embedded cache memories for a 32 b pipelined RISC microprocessor 87—59619
O'Connor, K.J. The twin-port memory cell 88—6829
O'Connor, K.J. *see* Berenbaum, A. 87—59605
O'Connor, K.J. *see* Berenbaum, A.D. 88—6897
O'Connor, K.J. *see* DeNeo, M.L. 85—45573
O'Connor, M. Flexible software simplifies switcher testing 85—47834
O'Connor, M. Creating flexible software for switch-mode power supply testing 86—20310
O'Connor, M. Achieving flexible power testing 86—46527
O'Connor, M. PC instruments take on ATE tasks 87—41339
O'Connor, M., Perron, P. Advanced software techniques for testing power supply units 86—748
O'Connor, M.G. RIMPAC tactical situational awareness [military systems] 87—76547
O'Connor, M.K. *see* Maher, K.P. 88—10329
O'Connor, P., Doris, A., Feuer, M., Vounckx, R. Gold-germanium-based ohmic contacts to the two-dimensional electron gas at selectively doped semiconductor heterointerfaces 87—45824
O'Connor, P. *see* DiLorenzo, J.V. 86—9244
O'Connor, P. *see* Flahive, P.G. 85—54855
O'Connor, P.D.T. Reliability: measurement or management? 86—61984
O'Connor, P.D.T., Harris, L.N. Reliability prediction: a state-of-the-art review 86—46125
O'Connor, P.D.T., Head, M.G., Joy, M. Reliability prediction for microelectronic systems 85—28076
O'Connor, P.R. 10 steps to deregulation [electric utility industry] 86—61025
O'Connor, R. OSI standards in contracts and user view of OSI conformance testing 86—64552
O'Connor, R.A. High-power direct broadcast satellite planning in the United States 85—3602
O'Connor, R.M. *see* Tse, K.A. 88—4030
O'Connor, S. *see* Baker, M.T. 86—62312
O'Connor, S.A., Smith, R.E. The generation and display of signals from electro-mechanical spirometers 85—48210
O'Connor, S.A. *see* Smith, R.E. 86—25178, 88—4877
O'Connor, S.D. *see* Cox, H.L., Jr. 88—51529, 88—72098
O'Connor, V. Irish Cable Report [TV network] 85—63847
O'Connor, V. Schmitt trigger design 87—16960
O'Connor, V., Snow, N. On your marks . . . [TV SAT DBS] 88—9694
Ocran, C.K. Multiphase non-overlap clocks with reference 85—17574
Ocran, C.K. Thyristor design 85—45275
Octavio, M. *see* Aponte, J. 88—50429
Octavio, M. *see* Danchi, W.C. 85—1875
Octavio, M. *see* Nicolsky, R. 85—24237
Octavio, M. *see* Readi Nasser, C. 85—46092
Octavio, M. *see* Serfaty, A. 85—46060, 86—42167
Ocyka, M.I., Pilipyuk, V.E., Repitskii, V.V. Automation process for frequency-to-temperature conversion with NQR thermometers (nuclear quadrupole resonance) 87—29078
Ocylok, G. *see* Theis, R. 86—43951
Oczkos, K. *see* Pikielny, J. 88—27942
Oda, E., Akiyama, I., Kamata, T., Ishihara, Y., Kohno, A., Kitagawa, T. A CCD image sensor with 768×490 pixels 86—4847
Oda, E., Orihara, K., Kitagawa, T., Arai, K., Kamata, T., Ishihara, Y. 1/2-inch 768(H)×492(V) pixel CCD image sensor 86—50113
Oda, E. *see* Akiyama, I. 87—20972, 88—29439
Oda, E. *see* Hagihara, M. 86—6366
Oda, E. *see* Nagai, K. 87—70245
Oda, E. *see* Nakajima, H. 87—41204
Oda, E. *see* Orihara, K. 87—56540
Oda, E. *see* Tanigawa, H. 87—70416
Oda, E. *see* Teranishi, N. 85—20495
Oda, H., Matsushima, M. Process of magnetization reversal in a spot heated by pulsed laser beam 88—33502
Oda, H., Okada, M., Tahara, H., Shiraogawa, M., Noda, H., Nagasawa, S., Uchida, K., Nakamura, K. Packet satellite network in Indonesia 86—43776
Oda, H., Ono, T., Matsushima, M. Process of magnetization reversal in a spot heated by pulsed laser beam 88—33495
Oda, H. *see* Burnett, T.H. 87—8866
Oda, H. *see* Eimori, T. 88—19975
Oda, H. *see* Hashimoto, S. 87—39989, 88—46305
Oda, H. *see* Sakurai, H. 86—65347
Oda, H. *see* Sato, Y. 87—39568
Oda, H. *see* Tsukamoto, K. 88—38526
Oda, K., Miyake, H., Michijima, M. CR39-BN detector for thermal neutron dosimetry 87—50444
Oda, K., Takato, N., Toba, H., Nosu, K. Wide-band guided-wave periodic multi/demultiplexer with a ring cavity for optical FDM transmission systems 88—35473
Oda, K., Takato, N., Toba, H., Nosu, K. A wide-band guided-wave periodic multi/demultiplexer with a ring resonator for optical FDM transmission systems 88—73924
Oda, K., Yoshio, T. Preparation of $LiFe_5O_8$ by the sol-gel method 86—46392
Oda, K., Yoshio, T., O-Oka, K., Kanamaru, F. Magnetic properties of $SrFe_{12}O_{19}$ particles prepared by the glass-ceramic method 85—10835
Oda, K. *see* Fitchew, K.D. 88—2039
Oda, K. *see* Miyake, H. 87—57046
Oda, K. *see* Toba, H. 87—70037, 88—22073, 88—47137
Oda, M. An analysis of the paper separation mechanism by AC corona discharge on electrophotography 87—7500
Oda, M., Hamaguchi, T. Oblique routing system for FACOM M-780 SSC 88—38874
Oda, M., Honma, Y., Adachi, M., Kikuchi, S. Hierarchically distributed digital control system for the coal-fired power station 86—45173
Oda, M., Ieyoshi, Y., Tamaki, M., Kamiya, S. Examination of the portability and performance of a DCNA communication processing program 85—36734
Oda, M., Kitahashi, T. Recognition of 3-D motion of a camera by means of processing the images through the camera itself 85—51777
Oda, M., Tamaki, M., Kamiya, S. DCNA file transfer method for data terminals 85—36732
Oda, M., Ueki, M. TOSPHICS—power plant hierarchical integrated digital control system 85—21472
Oda, M. *see* Araki, H. 87—71438
Oda, M. *see* Horiguchi, S. 86—47870
Oda, M. *see* Ito, K. 85—36731
Oda, M. *see* Kita, H. 86—28759
Oda, M. *see* Kitahashi, T. 85—51778
Oda, M. *see* Miwa, K. 87—75674
Oda, M. *see* Ogai, M. 86—49647
Oda, M. *see* Ohki, S. 88—26072
Oda, M. *see* Ono, T. 86—41713, 86—53552
Oda, M. *see* Shibata, T. 87—25141
Oda, MN. *see* Date, H. 86—10238
Oda, N. Studies on optimization for HgCdTe heterojunction photodiodes 87—38929
Oda, N. Temperature dependence of ambipolar mobility for A 0.1 eV *n*-type HgCdTe photoconductor 88—33850
Oda, N., Lemke, D., Wolf, J. Radiation effects on a Ge:Ga photoconductive detector 85—31484
Oda, N., Miyamoto, K., Yamagata, T. High spatial resolution HgCdTe photoconductors with optical masks 88—47525
Oda, N., Shimozuma, M., Tagashira, H. Characterization of SiN_x film by room temperature low frequency (50 Hz) plasma CVD 88—12057
Oda, N., Yamagata, T. Sensitivity characteristics of HgCdTe photoconductive infrared ray detector 87—35087
Oda, N., Yamagata, T. On 1/f noise characteristics for 0.1 eV HgCdTe photoconductors 87—46649
Oda, N. *see* Chino, N. 85—43391
Oda, N. *see* Okagawa, S. 86—42334
Oda, O. Wear of current collecting system in Shinkansen 85—16317
Oda, O., Hirata, K., Imura, K., Tsujino, F. Large diameter CdTe single crystals—crystal growth and the evaluation 88—11964
Oda, O., Hirata, K., Matsumoto, K., Tsuboya, I. Growth of CdTe crystals by the vertical Bridgeman technique 85—39716
Oda, O., Morikawa, T., Kusumi, S. Reduction method of contact losses of overhead-catenary and pantograph system 87—58422
Oda, O., Onozuka, A.,.Tsuboya, I. Effect of oxygen on electrophotographic properties of selenium 86—63709
Oda, O. *see* Katagiri, K. 86—52438
Oda, O. *see* Onozuka, A. 87—7199, 87—46643, 87—61030
Oda, O. *see* Takahashi, Y. 87—53408
Oda, S. Development of an automatic photographic system for lightning phenomena 86—12165
Oda, S., Ishihara, S., Shibata, N., Shirai, H., Miyauchi, A., Fukuda, K., Tanabe, A., Ohtoshi, H., Hanna, J., Shimizu, I. The role of hydrogen radicals in the growth of a-Si and related alloys 86—40771
Oda, S., Ishihara, S., Shibata, N., Takagi, S., Shirai, H., Miyauchi, A., Shimizu, I. Properties of a-Si based alloys prepared from fluorides and hydrogen 86—27926
Oda, S., Kawase, R., Sato, T., Shimizu, I., Kokado, H. Hydrogen radical assisted chemical vapor deposition of ZnSe 86—26872
Oda, S., Okada, H., Ono, A., Matsumura, M. Application of ion-implantation method to amorphous silicon thin-film transistors 88—39473
Oda, S., Shirai, H., Tanabe, A., Hanna, J., Nakamura, T., Shimizu, I. Near infrared photoconductivity in a-Si:H(F)/a-SiGe:H(F) multilayers 87—24887
Oda, S., Takagi, S., Shimizu, I. Electronic states in glow-discharge a-$SiGe_x$:H:(F) alloys 86—35346
Oda, S., Tokunaga, H., Kitajima, N., Hanna, J., Shimizu, I., Kokado, H. Highly oriented ZnO films prepared by MOCVD from diethylzinc and alcohols 85—44798
Oda, S., Tokunaga, H., Kitajima, N., Hanna, J., Shimizu, I., Kokado, H. Highly oriented ZnO films prepared by MOCVD from diethylzinc and alcohols 86—26898
Oda, S. *see* Ara, T. 85—38969, 87—42842
Oda, S. *see* Fukuda, K. 88—38233
Oda, S. *see* Hanna, J. 87—5445, 88—454
Oda, S. *see* Kobayashi, K. 85—51984
Oda, S. *see* Matsumura, M. 88—50848
Oda, S. *see* Ohkoshi, M. 88—44958, 88—51183
Oda, S. *see* Okada, H. 88—19979, 88—63626
Oda, S. *see* Okada, T. 86—4406
Oda, S. *see* Saito, T. 86—31257
Oda, S. *see* Sato, T. 87—58923
Oda, S. *see* Sekine, S. 88—64621
Oda, S. *see* Shibata, N. 86—66856, 87—32264, 87—36803, 87—53161, 88—56309
Oda, S. *see* Shirai, H. 86—67730, 87—26151, 87—38903, 87—65554
Oda, S. *see* Tanabe, A. 87—61014
Oda, S. *see* Yue, J. 88—57649
Oda, S. *see* Zhang, H. 88—26077
Oda, S.S., Hashem, H.H. A case study for three combined cycles of a solar-conventional power generation unit 88—62265
Oda, T. Coil assembly for 1/2-inch MS type 'Newcosvicon' 85—40405

Oda, T., Furukane, U. Numerical investigation of laser oscillation in a recombining hydrogen plasma interacting with helium gas in TPD-I 85−46315
Oda, T., Okamoto, S., Yamazaki, I., Ohyama, H., Nemoto, C., Mori, T. Snow accretion on the surface of antenna and its effect upon receiving level 86−36814
Oda, T., Takahashi, T., Takaichi, K., Masuda, S. Pulverized coal beneficiation by a fluidized high gradient magnetic separation process with slotted steel plates 88−55174
Oda, T., Takahashi, T., Uebayashi, T., Masuda, S. Coal powder beneficiation by dry HGMS process−American coal 88−14363
Oda, T., Ueno, K. Surface charge density measurement of charged dielectric films using supersonic vibration 86−50211
Oda, T., Wakahara, Y., Furuya, M. An efficient design support system for facility planning of international transmission networks 86−64507
Oda, T., Watanabe, Y. Moment formulas of overflow traffic from a Markovian service system 87−33835
Oda, T., Watanabe, Y. Moment formulas on correlation of multiple overflow parcels from a Markovian service system and their applications 88−52624
Oda, T. *see* Arata, Y. 85−56924
Oda, T. *see* Fujita, M. 88−53364
Oda, T. *see* Fukuchi, H. 86−37846
Oda, T. *see* Furukane, U. 88−51754
Oda, T. *see* Handa, Y. 88−61455
Oda, T. *see* Mamine, T. 85−18941
Oda, T. *see* Mitsui, K. 85−62428
Oda, T. *see* Tsuchiya, S. 86−37848
Oda, T. *see* Yoshida, S. 85−65450
Oda, Y., Arai, S., Yoshida, T., Nakamura, H., Yanagawa, S., Hori, S., Kamei, K. *Ka*-band 1 watt power GaAs MMICs 88−71063
Oda, Y. *see* Doi, H. 85−47966
Oda, Y. *see* Inoue, T. 88−20041
Oda, Y. *see* Itoh, K. 86−8737
Oda, Y. *see* Kanno, R. 86−45647
Oda, Y. *see* Nakamura, K. 86−28911
Oda, Y. *see* Susuki, K. 88−67200
Odagaki, T., Cho, H., Sasaki, T., Kobayashi, K. New three-tube color camera AK30 85−42739
Odagawa, T. *see* Kinoshita, S. 86−68547, 87−7372, 87−39113, 87−61146
Odagawa, T. *see* Nakai, K. 88−64253
Odagawa, T. *see* Sakaguchi, T. 87−31555
Odagawa, T. *see* Wakao, K. 87−68485
Odagiri, H., Kiyono, Y. A newly-developed quartz analog stopwatch capable of measuring up to 1/100 second 87−63530
Odagiri, H. *see* Nakayama, R. 86−66159
Odagiri, M. *see* Aotani, H. 86−66444
Odagiri, M. *see* Shinohara, K. 85−24131
Odagiri, S. *see* Usami, T. 87−3233
Odagiri, T. *see* Hiramoto, T. 87−60312
Odagiri, Y., Sato, T. High-speed video tape duplication using contact printing 85−3740
Odagiri, Y., Umeki, K., Sato, K., Takahashi, K., Yoshimura, F., Tsukame, M. Optical modules 88−41664
Odagiri, Y. *see* Goto, H. 85−42612
Odahara, F. *see* Nii, K. 87−4193
Odai, S. *see* Horinouchi, A. 88−31255
Odai, S. *see* Kashiwazaki, H. 86−39935
Odai, Y. *see* Sato, T. 87−54392, 88−6538
Odaira, H. *see* Ohuchi, M. 87−23349, 88−25677
Odajima, A. *see* Imai, M. 87−3578, 87−68094
Odajima, A. *see* Tanaka, K. 85−50920
Odajima, K. *see* Kimura, H. 85−30117
Odajima, M., Yamagata, M., Toshima, M. High performance IC voltage reference 85−33644
Odajima, M. *see* Kitamura, T. 86−22961, 87−55028
Odajima, N. *see* Kujirai, M. 86−28274
Odaka, A., Satoh, K. A design of ternary logic circuits using M-NAND gates and NOT gates 85−40026
Odaka, A., Satoh, K. A design of ternary logic circuits using M-NAND and NOT gates 86−67165
Odaka, A. *see* Fujita, H. 87−66059
Odaka, H., Uehara, M., Suzuki, T. Application of metallized alumina powder for heater 87−16059
Odaka, K., Doi, T.T., Nakajima, H. Digital audio magnetic recording: progress in packing density and key technology 87−20801
Odaka, K., Nagaki, T., Horikawa, N. Format of prerecorded R-DAT tape and results of high speed duplication 87−14035
Odaka, K., Wakahara, T., Masuda, I. Stroke-order-independent on-line character recognition algorithm and its application 86−49019
Odaka, K. *see* Fukuda, S. 87−32864
Odaka, K. *see* Negaki, T. 87−32863
Odaka, K. *see* Shimpuku, Y. 86−38155, 86−65090
Odaka, K. *see* Wakahara, T. 85−14656, 85−36338, 85−37681
Odaka, M., Miyaoka, S., Ogiue, K., Tonomura, K., Ikeda, T., Yasui, T. A 12 ns/350 mW 16 Kb ECL compatible RAM 86−34816
Odaka, M. *see* Ikeda, T. 87−53666, 87−60526
Odaka, M. *see* Miyaoka, S. 87−59493, 88−6835
Odaka, M. *see* Ogiue, K. 86−46822, 87−10863, 87−17082, 87−44849
Odaka, M. *see* Suzuki, M. 87−24202
Odaka, M. *see* Watanabe, A. 86−47746
Odaka, S. *see* Abe, K. 88−16629
Odaka, S. *see* Alexander, J. 87−21419
Odaka, S. *see* Suekane, F. 86−50417
Odaka, T. *see* Aono, K. 85−55170
Odaka, T. *see* Aragane, J. 88−55614
Odaka, T. *see* Tanaka, K. 85−24157
Odaka, Y. *see* Wakimoto, K. 87−51934
Odaka Masanori *see* Masanori Odaka
Odama, Y. *see* Shimazaki, M. 88−28889
Odamura, M. Upwind finite element solution for saturated traveling magnetic field problems 86−36632
Odamura, M., Nonaka, S., Kondo, K., Isogai, M., Anjyo, K.I. Two dimensional device simulator for surface-stabilized ferroelectric liquid crystals 86−36269
Odamura, M. *see* Isogai, M. 86−36268
Odanai, K. *see* Abe, M. 88−7757
Odanaka, S., Fukumoto, M., Fuse, G., Sasago, M., Yabu, T., Ohzone, T. A new half-micrometer p-channel MOSFET with efficient punchthrough stops 86−41814
Odanaka, S., Fukumoto, M., Fuse, G., Shinohara, A., Sasago, M., Yabu, T., Ohzone, T., Ishihara, T. A new half-micron p-channel MOS FET with efficient punchthrough stops 86−41983
Odanaka, S., Umimoto, H., Wakabayashi, M., Esaki, H. Rigorous three-dimensional process simulator on a super-computer: SMART-P 87−38567
Odanaka, S., Umimoto, H., Wakabayashi, M., Esaki, H. SMART-P: rigorous three-dimensional process simulator on a supercomputer 88−50940
Odanaka, S., Wakabayashi, M., Ohzone, T. The dynamics of latchup turn-on behavior in scaled CMOS 85−55959
Odanaka, S., Wakabayashi, M., Ohzone, T., Takemoto, T. A time dependent and two-dimensional device analysis of CMOS structures 85−23968
Odanaka, S., Wakabayashi, M., Ohzone, T., Takemoto, T. A time-dependent and two-dimensional device analysis of CMOS structures 87−53693
Odanaka, S., Wakabayashi, M., Umimoto, H., Hiroki, A., Ohe, K., Moriyama, K., Iwasaki, H., Esaki, H. SMART: three-dimensional process/device simulator integrated on a super-computer 87−67306
Odanaka, S. *see* Fuse, G. 86−41981, 87−38538, 88−19166, 88−39725
Odanaka, S. *see* Hiroki, A. 87−45941, 88−71563
Odanaka, S. *see* Noyori, M. 85−6970
Odanaka, S. *see* Ohzone, T. 86−8238
Odanaka, S. *see* Uenoyama, T. 87−60494
Odanaka, S. *see* Umimoto, H. 88−71436
Odani, K. *see* Kajii, K. 87−59377, 88−51038
Odani, K. *see* Kobayashi, N. 86−34808, 86−52833
Odani, K. *see* Notomi, S. 88−19162
Odani, K. *see* Watanabe, Y. 87−17027, 87−59309
Odani, Y. *see* Akechi, K. 85−54527
Odar, S. *see* Dorr, A. 87−35761
O'Dare, T. Testing datacomms: deciding what you need 87−77072
Odasso, A. *see* Enrico, G. 86−10833
Odasso, M., Scapino, F. An intuitive approach to crosstalk 85−13723
Odasso, M., Scapino, F. Graphical technique for crosstalk timing analysis 87−73397
Odawara, G., Hamuro, T., Iijima, K., Yoshino, T., Dai, Y. A rule-based placement system for printed wiring boards 87−66714
Odawara, G., Hiraide, T., Nishina, O. Partitioning and placement technique for CMOS gate arrays 87−59085
Odawara, G., Iijima, K., Hiraide, T. Knowledge-based placement technique for printed wiring boards 87−52994
Odawara, G., Iijima, K., Wakabayashi, K. Knowledge-based placement technique for printed wiring boards 86−20919
Odawara, G., Iijima, K., Wakabayashi, K. Knowledge-based placement technique [printed wiring board CAD] 86−53146
Odawara, G., Ogata, I., Arase, M., Shirakawa, H., Takeya, H. An integrated pattern inspection system 87−45379
Odawara, G., Sato, J., Tomita, M. A symbolic functional description language 85−683
Odawara, G., Tomita, M., Hattori, K., Okuzawa, O., Hirata, T., Ochiai, M. A human machine interface for silicon compilation 88−64719
Odawara, G., Tomita, M., Okuzawa, O., Ohta, T., Zhuang, Z. A logic verifier based on Boolean comparison 87−5603
Odawara, G. *see* Arai, T. 85−44477
Odawara, K. *see* Fukushima, H. 85−24208
Odderstol, T. *see* Reitz, P.R. 87−34582
Odderstol, T.C. Optical-bypass issues in fiber LANs 85−47245
Oddi, M. *see* Nativel, J.M. 88−24111
Oddo, A., Corbellini, G. Technical standards and legal requirements. Legal relevance of the Italian CEI Standards 88−31432
Oddo, M.H.M. *see* Ellengold, K.A. 86−54723
Oddone, M. *see* Barbiani, A. 85−14245, 86−17177, 86−59886
Oddone, M. *see* Bielli, M. 85−31075
Oddone, P., Smith, G., Green, A., Nemethy, P., Baksay, L., Schick, L., Heflin, E.G. Development of high pressure proportional counters 87−21434
Oddone, P.J. *see* Madaras, R.J. 85−4223
Oddou, J. Dual-energy and space heating 87−36261
Oddy, B. Starting out 88−35364
Oddy, C. A dual purpose logic probe 85−31501
Oddy, C.J., Mason, J.R.M. Image processing algorithms 85−57519
Ode, F. *see* Funyu, Y. 86−31376
Ode, T. *see* Awamura, D. 87−68677
O'Dea, S., Burdick, P., Downer, J., Eisenhaure, D., Larkin, L. Design and development of a high efficiency effector for the control of attitude and power in space systems 86−38909
O'Dea, S. *see* Downer, J. 86−38914
O'Dea, S. *see* Hockney, R., Sr. 86−38907
Odeen, E. *see* Schardt, M. 85−58575
Odeh, A.S. Modelling of SIT amplifiers for intermodulation prediction 86−40923
Odeh, A.S. Fast prediction of intermodulation distortion using time domain analysis 87−26814
Odeh, F. Some stability techniques for multistep methods 87−73218
Odeh, F. *see* Beetem, J.F. 85−35200
Odeh, F. *see* Liniger, W. 87−52057
Odeh, F. *see* Nevanlinna, O. 88−6396
Odeh, F. *see* Rudan, M. 87−11723, 88−26185
Odeh, F. *see* White, J. 86−13706
Odeh, F.M., Ruehli, A.E. Adaptive waveform relaxation algorithm 85−675
Odeh, S.F. *see* Javidi, B. 88−59231
Odehnal, M. Some nonstandard applications of superconducting quantum interferometers—SQUIDs 85−24233
Odehnal, M., Penttinen, A. Some remarks about the flux periodicity in SQUIDS 85−7181
Odehnal, M. *see* Juznik, J. 87−18562
Odehnal, M. *see* Kuznik, J. 88−7823
Odehnal, M. *see* Tichy, R. 88−20272
Odekirk, B., Sheets, J. Plasma CVD silicon nitride on-chip capacitors for GaAs IC fabrication 87−18284
Odekirk, B. *see* Canfield, P.C. 88−20008, 88−39739
Odell, A.N. *see* Martin, B. 88−64474
Odell, C.L. *see* Black, V.L. 85−64067
O'Dell, G. Digital timing problems 86−41010
Odell, K.M. Power projects: the role of the contractor 88−18437
O'Dell, K.M. *see* Bronson, E.C. 87−61778
O'Dell, L., Girgis, A.A. The impact of power system harmonics on temperature rise of distribution transformers 87−72226
O'Dell, P. CQ reviews: the Kenwood TH25AT/45AT and accessories 88−60030
Odell, P.L. *see* Seaman, J.W., Jr. 88−43770
Odell, P.L. *see* Young, D.M. 85−51726
O'Dell, P.R. Coaxial Dynamics Inc. Model 81000-A directional wattmeters 88−29483
O'Dell, P.R. The Kenwood TM-3530A 220 MHz FM transceiver 88−41525
O'Dell, P.R. CQ reviews: the Create CV48 80-/40-meter vertical antenna 88−58938
O'Dell, R.W. It happens faster with hardware. Integrated circuit takes over addressable data storage management 88−63669
O'Dell, T.H. Quiescent current in a class AB output stage 86−759
O'Dell, T.H. Magnetic bubble domain devices 87−7038
O'Dell, T.H. Development and application of ferromagnetic alloys made by rapid solidification 88−62412
O'Dell, W. *see* Prendergast, J. 85−38117
Odell, W.H. Training the operations staff of a new construction nuclear power plant 85−55
Odem, D. *see* Hausler, B. 85−53168
Odemar, N. *see* Krausse, P. 85−41179
Odemar, N. *see* Sammuller, R. 86−23918
Oden, A. *see* Hauser, L. 86−60892
Oden, G.C. Integration of fuzzy linguistic information in language comprehension 85−7835
Oden, J.T. Finite element methods 87−36673
Oden, S.F. *see* MacArthur, J.L. 88−9651
Odenberg, R., Braskich, B.J. Measurement of voltage and current surges on the AC power line in computer and industrial environments 86−18800
Odencrantz, K.C., Demay, M., Johnson, B.P. Autoinsertion of printed circuit boards from a CAD database 87−24611
Odendal, E.J., Harley, R.G. Interaction between power electronic converters and the supply network 86−39919
Odendal, E.J. *see* Harley, R.G. 85−39000
Odendal, E.J. *see* Pillay, P. 85−21613 to 21614, 85−39241
Odent, P. *see* Claesen, L. 88−20146
Odent, P. *see* Dumlugol, D. 86−63458, 87−38559, 88−13595

Odenthal, C. A 19-in. very-high-resolution display CRT 85–20509
Odenthal, C.J., Quick, R.G. A Gatling-gun multibeam CRT 87–3461
Odenwald, S. *see* Knowles, S.H. 85–57032
Odera, E. ISDN field trial moves ahead in Singapore 86–64470
Odera, M., Chiba, Y., Hemmi, M., Miyazawa, Y., Tonuma, T., Inoue, T., Kambara, T., Kase, M., Yanokura, M., Kubo, T., Ikezawa, E., Chiba, T., Shimamura, A., Yoshida, F. RILAC, a frequency tunable RIKEN linac, for the acceleration of heavy-ions 85–64358
Odera, M., Chiba, Y., Miyazawa, Y., Hemmi, M., Inoue, T., Tonuma, T., Kambara, T., Yanokura, M., Kase, M., Kubo, T., Ikezawa, E. Production and acceleration of heavy ions at the RILAC (RIKEN variable frequency linac) 85–15096
Odera, M., Chiba, Y., Tonuma, T., Hemmi, M., Miyazawa, Y., Inoue, T., Kambara, T., Kase, M., Kubo, T., Yoshida, F. Variable frequency heavy-ion linac, RILAC. I. Design, construction and operation of its accelerating structure 85–20775
Odera, M., Hemmi, M. Proposal of a new Alvarez type linac structure with chain-like electrodes 85–64359
Odera, M., Hemmi, M., Goto, A. Field characteristics of an Alvarez-type linac structure having chain-like electrode array 86–25028
Odera, M. *see* Kase, M. 85–58993, 85–64397
Odera, S.F.Odongo *see* Odongo Odera, S.F.
Oderda, G.M. *see* Goldfinger, A.D. 87–50208
Oderman, M.R. ORB '85 and the future of international cooperation in spectrum management 85–20293
Odesskiy, V.Yu. Design of a local-type corrector using a harmonic-synthesizer circuit 87–47442
Odet, C. *see* Ekoule, A. 87–50290
Odet, C. *see* Jacquemod, G. 88–59321
Odet, C.L. *see* Magnin, I.E. 86–65419
Odette, G.R. *see* Lucas, G.E. 86–51242
Odhekar, J.S. *see* Bedekar, A.C. 85–15648
Odhner, J.E. Field testing electro-optics in a complex avionics system 86–18481
Odhner, O.R. *see* Pecsok, R.L. 85–57910
Odian, A. A variation on the straw chamber theme for the central SSC drift chamber 88–10273
Odian, A. *see* Alner, G.J. 88–10288
Odian, A. *see* Bernstein, D. 85–15253
Odian, A. *see* Roehrig, J. 85–15175
Odian, A. *see* Theriot, D. 88–4828
Odian, G. *see* Ho, P.P. 88–2379
Odier, A. Two examples of an expanding market: facsimile transmission and the managerial and secretarial workstation 87–13317
Odier, P. *see* Carter, C. 88–54100
Odiete, G.C.E., Nakanishi, S., Shepherd, W. Analysis and control characteristics of thyristor and thyrode controllers with purely resistive load 87–43324
Odilov, G., Khakimov, E. Representation in convoluted form of the solution to a boundary value problem for the equation for the electromagnetic field of an electric machine 86–39704
Odin, A. *see* Krawczack, L. 87–14365
Odinokov, E.Ya. *see* Bakhert, I.A. 87–23383
Odinokov, I.A., Svershnikov, V.I. Influence of electric power system frequency characteristics on emergency active-power reserve 87–35569
Odinokov, S.B., Petrushko, I.V., Savitskii, A.V., Shchetinkin, V.S. Parallel-sequential optical correlator with a photoanisotropic medium 88–59193
Odinokov, V.F. A frequency-modulated generator 86–27146
Odinokov, V.F. Rotational velocity-to-frequency converter 87–24388
Odinokov, V.F. Oscillographic device measuring time intervals 87–63445
Odinokov, V.F. A frequency variator 88–63561
Odinokov, V.F. A digital discriminator of multiple frequencies 88–70600
Odintsov, A.A., Semenov, V.K., Zorin, A.B. Specific problems of numerical analysis of the Josephson junction circuits 87–66032
Odintsov, A.I. *see* Bel'dyugin, I.M. 87–2076
Odintsov, A.I. *see* Bruev, A.S. 85–35701
Odintsov, A.I. *see* Grin, L.E. 88–40149
Odintsov, A.I. *see* Islamov, R.Sh. 85–7387
Odintsov, A.I. *see* Kireev, S.E. 87–2216
Odintsov, B.V. *see* Minkin, V.M. 88–59801
Odintsov, D.G. *see* Artemyev, A.N. 88–10229
Odintsov, E.A. *see* Troitskii, V.S. 86–18315
Odintsov, V.G. *see* Antyukhov, V.A. 86–60637
Odintsov, V.I., Rogacheva, L.F. Wave front reversal by stimulated Brillouin scattering in a degenerate resonator 86–63865
Odintsova, M.M. *see* Kapshin, Yu.S. 87–37602
Odivanov, L.N., Alekseev, G.I. Flow-rate generator for liquids of various viscosities 85–8812
Odivanov, V.L., Gusev, Yu.A. Low-frequency pulse dielectric spectrometer 87–77371
Odivanov, V.L. *see* Ismagilov, L.M. 88–22749
Odle, H.A. *see* Fouke, H.A. 86–52044
Odlin, P. Computerised record system 87–31073
Odlyzko, A. *see* Delsarte, P. 87–69020
Odlyzko, A.M. Cryptanalytic attacks on the multiplicative knapsack cryptosystem and on Shamir's fast signature scheme 85–2750
Odlyzko, A.M. Discrete logarithms in finite fields and their cryptographic significance 87–69025
Odlyzko, A.M., Wilf, H.S. Bandwidths and profiles of trees 87–44152
Odlyzko, A.M. *see* Abdel-Ghaffar, K.A.S. 87–27172, 87–54994
Odlyzko, A.M. *see* Alon, N. 88–45807
Odlyzko, A.M. *see* Bergmann, E.E. 87–7648
Odlyzko, A.M. *see* Brickell, E.F. 88–66305
Odlyzko, A.M. *see* Erdos, P. 88–31646
Odlyzko, A.M. *see* Griggs, J.R. 86–66701
Odlyzko, A.M. *see* Lagarias, J.C. 85–49451, 86–29659, 87–65452
Odlyzko, A.M. *(editor)* Advances in Cryptology - CRYPTO '86 Proceedings 88–37850
Odlyzko, P., Das, S. Non-blocking rearrangeable networks with distributed control 85–13753
Odmalm, C. More secure mobile telephones: how mobile telephones are made more secure 88–41566
Odman, S., Petersson, H., Sveider, P., Lund, N. Device for sterile calibration of an oxygen sensor 86–5876
Odnoletkov, V.D. *see* Kanilo, P.M. 87–57884
Odnol'ko, V.V. *see* Dzhakoniya, V.E. 88–4178
Odnopozov, L.Yu. *see* Drobot, Yu.B. 88–43976
Odnorob, V.M. *see* Tolkunov, V.P. 85–65271, 86–12837
Odohira, T. *see* Saigusa, T. 88–74390
Odom, D.L. *see* Currie, N.C. 86–17452
Odom, J.B., Mitchell, R.E. Technology and the Hubble Space Telescope satellite 87–29880
Odom, R.W. *see* Hitzman, C.J. 85–49344
Odon, A. Graph reader with fibre optic converter 85–42904
Odone, A. *see* Bertolini, R. 88–17616
Odone, A. *see* Bohrer, W. 85–33671
Odone, A. *see* Cesario, P. 87–44590
Odone, B., Caprile, B., Girosi, F., Torre, V. On the understanding of motion of rigid objects 87–62210
Odongo Odera, S.F. *see* Aloo, C.R.S. 86–55180
Odoni, A.R. *see* Batta, R. 88–52616
Odoni, R. *see* Varadharajan, V. 86–22895
O'Donnel, T., Bournay, J. Prediffused arrays brought within reach of all 88–56567
O'Donnell, A.C., Wong, K.K., Parsons, N.J. Efficient and wideband integrated optical modulators with high damage threshold 86–28903
O'Donnell, A.C. *see* Parsons, N.J. 87–54113
O'Donnell, A.C. *see* Wong, K.K. 86–36228, 87–74845
O'Donnell, A.C. *see* Young, T.P. 87–38855
O'Donnell, B. MIDI basics 88–4247
O'Donnell, B.C., Livingston, E.P., Helszajn, J. H-plane millimetre wave resonance isolators using hexagonal ferrites 88–12571
O'Donnell, C.M. *see* Smith, M.W. 88–68526
O'Donnell, D. Electromagnetic fields in cavities containing scattering objects 86–29290
O'Donnell, D. *see* Currier, W. 86–61169
O'Donnell, D.J. ASIC design tools duplicate circuit boards in silicon 87–10568
O'Donnell, E. Image steadiness: a critical factor in system performance 87–77754
O'Donnell, E.P. The Nuclear Waste Policy Act of 1982: implications for utilities 86–25831
O'Donnell, F.J. *see* DeNeo, M.L. 85–45573
O'Donnell, F.J. *see* Donnelly, J.P. 85–2093, 86–2702
O'Donnell, F.X.D. *see* Gur, Y. 88–40041
O'Donnell, G. *see* Durwood, B.H. 88–32096
O'Donnell, H.B., Loman, J.M., Ritter, P., Stahlman, J.R. Spacecraft hardness assurance programs 87–35466
O'Donnell, H.B. *see* Adams, W.J. 86–29472
O'Donnell, J. Limiting raster scan color monitor resolution 85–3904
O'Donnell, J. Looking through the right window improves spectral analysis 85–11426
O'Donnell, J. *see* Brothers, P. 87–52515
O'Donnell, J. *see* Smith, C.K. 87–51003
O'Donnell, J.K. *see* Feiglin, D.H. 85–38094
O'Donnell, J.T. Simulating VLSI systems using the massively parallel processor 87–6825
O'Donnell, K. *see* Gilboa, H. 86–28228
O'Donnell, K. *see* Tabib-Azar, M. 86–589
O'Donnell, M., Flax, S.W. Phase aberration measurements in medical ultrasound: human studies 88–68385
O'Donnell, M. *see* Silverstein, S.D. 88–28054, 88–41072
O'Donnell, P. Report of large motor reliability survey of industrial and commercial installations. III 86–70905
O'Donnell, P. Report of large motor reliability survey of industrial and commercial installations. III 87–42932
O'Donnell, P., Bell, R.N., Heising, C.R., Singh, C., Wells, S.J. Report of large motor reliability survey of industrial and commercial installations. II 86–6688
O'Donnell, P., Bell, R.N., McWilliams, D.W., Singh, C., Wells, S.J. Report of large motor reliability survey of industrial and commercial installations. I 86–6687
O'Donnell, R.M. *see* Gschwendtner, A.B. 86–30891
O'Donnell, S.J., Bartling, J.W., Hill, G. Silicon inclusions in aluminium interconnects 85–6862
O'Donnell, T.J. Advantages of using gate arrays for semicustom design 88–6796
O'Donoghue, D. An astronomical application of deconvolution by the maximum entropy method 85–30474
O'Donoghue, J. *see* Northcote, R.J. 85–37996
O'Donoghue, K.F., McDearman, J.R., Marlow, D.T., Collins, A.S. A buffer management scheme for an Ethernet local area network 87–55821
O'Donoghue, P.E. *see* Renick, J.D. 88–53889
O'Donoghue, R.K. *see* Work, C.E. 87–23208
O'Donovan, P.B. *see* Ross, J.S. 87–8915
O'Donovan, P.J. Parasitic-insensitive realisation of switched-capacitor leapfrog ladder filters with reduced number of operational amplifiers 87–5954
O'Donovan, P.J. *see* Scanlan, J.O. 86–27449, 87–5949
Odorico, A., Sica, M., Torri, G. An AC constant torque adjustable speed drive for a coal-water slurry pipeline 88–18284
Odorico, R. *see* Alberini, C. 86–65387
Odoulov, S. *see* Grousson, R. 85–24645
O'Dowd, J. *see* Arya, R.R. 87–16031, 87–30980
O'Dowd, J. *see* Carlson, D.E. 87–72432
O'Dowd, J. *see* Fortmann, C.M. 87–78903
O'Dowd, J.G. A model for light scattering by rough tin oxide [a-Si solar cells] 87–72419
O'Dowd, J.G. *see* Catalano, A. 88–37604
O'Dowd, J.G. *see* Fortmann, C.M. 88–37433
O'Dowd, M., Martin, M.J., Wheble, A., Gillmer, M.D.G., Rolfe, P. Ion-selective sensors for assessment of the fetus 88–42482
O'Dowd, R.F. *see* Byrne, D.M. 88–20655
O'Dowd, W.J. Defibrillators 85–20969
O'Dowd, W.J. *see* Barker, A.T. 86–25304
Odrich, H. *see* Dietrich, J. 86–25112, 87–35255
O'Droma, M. New developments in techniques to analyse the passage of multicarrier digital signals through nonlinear microwave and millimeter amplifiers 88–1019
Odru, R. *see* Moszynski, M. 85–20892
Odryna, P. Simulator merges speed of logic verifiers with circuit-level accuracy 86–20167
Odryna, P., Nassif, S. The ADEPT timing simulation algorithm 86–58619
Odryna, P., Nazareth, K., Christensen, C. A workstation-based mixed mode circuit simulator 87–6909
Odryna, P., Strojwas, A.J. PROD: a VLSI fault diagnosis system 86–26989
Odryna, P., Strojwas, A.J. PROD: a VLSI fault diagnosis system 86–61919
Oduda, H. *see* Yoshino, K. 88–53635
Odukwe, A.O., Enibe, S.O. Energy resources and reserves in Nigeria 88–62015
Odukwe, A.O. *see* Mukhopadhyay, K. 87–42715
Odulov, S.G. Self-excitation of lasing in lithium niobate during recording of dynamic phase gratings by circular photogalvanic currents 85–7406
Odulov, S.G. Optical oscillators based on the vector four-wave mixing in photorefractive crystals without a photovoltaic effect 87–19049
Odulov, S.G., Oleinik, O.I. Photorefraction and holographic storage in barium sodium niobate crystals 86–58980
Odulov, S.G., Oleinik, O.I. Wavefront reversal in barium sodium niobate crystals 87–75243
Odulov, S.G., Slyusarenko, S.S., Soskin, M.S. Laser with dynamic gratings of free carriers in a semiconductor 85–18904
Odulov, S.G., Slyusarenko, S.S., Soskin, M.S. Energy characteristics of a laser with a wavefront-reversing mirror utilizing a degenerate four-wave interaction in a medium with a local response 85–41303
Odulov, S.G., Sturman, B.I. Four-wave polarization interaction in photorefractive crystals 88–27311
Odulov, S.G., Sukhoverkhova, L.G. Steady-state characteristics of a laser utilizing transmission gratings in crystals with a diffusion nonlinearity 85–7407
Odulov, S.G. *see* Kiseleva, I.N. 87–19050
Odulov, S.G. *see* Krumin', A.E. 87–12575
Odulov, S.G. *see* Lyuksyutov, S.F. 88–40357
Odulov, S.G. *see* Novikov, A.D. 87–2234, 88–45534
Odulov, S.G. *see* Zaporozhets, T.E. 87–19104
Odushkin, V.V. *see* Abramovich, R.D. 86–25978, 86–33271
Oduyemi, T.A. *see* Salawau, R.I. 87–15980
Odvarko, V. National-economic effectiveness of hydroelectric pumped-storage power plants. (Contributions of the dynamic functions of the pumped-storage plants) 86–51512
O'Dwyer, J.B. *see* Byrne, J.V. 86–51944
O'Dwyer, J.J. A model for the current-voltage characteristics of a dielectric between spherical electrodes 88–1816
O'Dwyer, J.M. *see* Moose, P.H. 87–26810
O'Dwyer, J.R.A. *see* Frei, C.J. 87–25650

O'Dwyer, M.A. *see* Hawkesworth, M.R. 87−29471

O'Dwyer, S.L. *see* Macomber, S.H. 87−75074

O'Dwyer, T., Rahman, M.A., Critchley, R. Accurate calculation of irregularly shaped thin film resistances 87−24633

Odyn, S.B. *see* Bulatov, O.G. 87−72243

Odyniec, M. Broadband frequency doubler design based on nonlinear GaAs FET models 88−12548

Odyniec, M., Chua, L.O. Integral manifolds for nonlinear circuits 85−6127

Odyniec, M., Chua, L.O. Nonlinear circuit analysis via integral manifolds 85−17120

Odyniec, M., Chua, L.O. Josephson-junction circuit analysis via integral manifolds. II 85−24234

Odyniec, M., Chua, L.O. Synchronization in nonlinear circuits 85−61060

Odzaev, V. *see* Hnatowicz, V. 86−28166

Oe, K., Hirano, M., Arai, K., Yanagawa, F. A new p-channel AlGaAs/GaAs MIS-like heterostructure FET employing two dimensional hole gas 85−50540

Oe, K., Hirano, M., Arai, K., Yanagawa, F., Tsubaki, K. A p-channel AlGaAs/GaAs MIS-like heterostructure FET employing two-dimensional hole gas 87−6744

Oe, K., Imamura, Y. Two-dimensional electron gas at n-AlGaAs/GaAs interface grown by molecular-beam epitaxy using direct-radiation substrate heating 86−436

Oe, K., Takeuchi, H. MBE growth of $Ga_{1-x}In_xAs$ alloy on Si substrate 87−36754

Oe, K., Tsubaki, K. Temperature dependence of two-dimensional hole gas in modulation-doped *p*-$Al_xGa_{1-x}As$/GaAs heterojunctions 86−53390

Oe, K. *see* Hirano, M. 85−23772, 86−53638, 88−26334

Oe, K. *see* Inoue, K. 88−45252

Oe, K. *see* Kawaguchi, H. 87−33141, 87−75096, 88−20773

Oe, K. *see* Kawamura, Y. 87−68600, 88−12987

Oe, K. *see* Kondo, N. 85−16921, 85−33408

Oe, K. *see* Maezawa, K. 86−41789

Oe, K. *see* Magari, K. 88−20632

Oe, K. *see* Mizutani, T. 85−45877, 85−55811

Oe, K. *see* Nakano, Y. 87−76734

Oe, K. *see* Takeuchi, H. 86−52476, 87−12246, 87−60943

Oe, K. *see* Yasaka, H. 87−75088, 88−2238

Oe, K. *see* Yoshikuni, Y. 87−12427

Oe, S. A method for discrimination of texture by two-dimensional AR model 88−16502

Oebius, H.U. Shear stress and hydrodynamic pressure measurements at sea beds 85−4473

Oechsner, H. *(editor)* IPAT 85. 5th International Conference on Ion and Plasma Assisted Techniques 85−60666

Oed, A. Position-sensitive detector with microstrip anode for electron multiplication with gases 88−22969

Oed, A. *see* Finch, E.C. 85−31705

Oed, A. *see* Weissenberger, E. 86−65345, 86−70347

Oed, R. *see* Bader, K. 88−72883

Oeding, D., Speh, R.M. Using 16-bit single-board-computers as digital protection equipment 85−64997

Oeding, D., Speh, R.M., Massari, M. Line protection by digital devices 86−65779

Oeding, D., Waider, G. Maximum partial short-circuit currents of power-station units without a tap changer 88−62304

Oeding, D. *see* Koglin, H.-J. 86−70567

Oedingen, R. *see* Appuhn, R.D. 88−68240

Oeffinger, J.C. Merging computers and communication: a case study in Latin America 88−3581

Oehlandt, K. *see* Hamalainen, R.P. 86−50943

Oehlberg, R.N., Sehgal, B.J., Thomas, G.R., Rahn, F.J., Squarer, D., Thompson, L.B., Vogel, R.C. Experimental results from the Electric Power Research Institute (EPRI) programs on the source term 86−25832

Oehler, K.H. What are local industrial networks and what do they do 86−30365

Oehler, O., Wieland, J., Friedrich, S. Measurement of small temperature variations in gas by ultrasonics 88−74614

Oehlschlaegel, W. *see* Engelbert, K.-H. 86−37502

Oehme, F., Plankenbuhler, R., Basig, J. High-density magnetic recording of digital information 87−46386

Oehme, F. *see* Harz, P. 85−64175

Oehme, P. *see* Munser, H. 87−15437

Oehme, S. Structure and usability of an adaptive diagnostic system for electronic modules 86−24312

Oehme, W.F., Baesig, J. Peak shift modeling by adaptive superposition 88−46142

Oehme, W.F., Basig, J., Mocker, G., Plunkenbuhler, R. Peak shift in high density recording in particle media 88−57974

Oehmke, F. *see* Eversheim, W. 88−16500

Oehmke, R.L.T. *see* Wepfer, W.J. 87−41397

Oehring, H. *see* Craven, L.A. 86−49404

Oehring, H. *see* Croxall, L.M. 85−52214

Oehring, H. *see* Delatore, J.P. 86−10896, 87−13531

Oehring, H. *see* DeLessio, N.X. 86−17159

oehrle, R.C. *see* Bosacchi, B. 88−2279

Oehrlein, G.S. Oxidation temperature dependence of the DC electrical conduction characteristics and dielectric strength of thin Ta_2O_5 films on silicon 86−35450

Oehrlein, G.S. Rutherford backscattering studies of plasma-etched silicon 86−47473

Oehrlein, G.S. Reactive-ion etching 87−17961

Oehrlein, G.S. Applications of RF plasmas to etching processes in advanced semiconductor technology 88−19803

Oehrlein, G.S. Capacitance-voltage properties of thin Ta_2O_5 films on silicon 88−32953

Oehrlein, G.S., Bright, A.A., Robey, S.W. X-ray photoemission spectroscopy characterization of silicon surfaces after CF_4/H_2 magnetron ion etching: comparisons to reactive ion etching 88−64413

Oehrlein, G.S., Clabes, J.G., Spirito, P. Investigation of reactive-ion-etching-related fluorocarbon film deposition onto silicon and a new method for surface residue removal 86−53548

Oehrlein, G.S., Coyle, G.J., Tsang, J.C., Tromp, R.M., Clabes, J.G., Lee, Y.H. Anisotropic dry etching of SiO_2 on Si and its impact on surface and near-surface properties of the substrate 87−11690

Oehrlein, G.S., Ghez, R., Fehribach, J.D., Gorey, E.F., Sedgwick, T.O., Cohen, S.A., Deline, V.R. Diffusion of ion-implanted boron and phosphorus during rapid thermal annealing of silicon 85−40610

Oehrlein, G.S., Lee, Y.H. Reactive ion etching related Si surface residues and subsurface damage: their relationship to fundamental etching mechanisms 88−1537

Oehrlein, G.S., Ransom, C.M., Chakravarti, S.N., Lee, Y.H. Silicon near-surface disorder and etch residues caused by $CClF_3/H_2$ reactive ion etching 85−34835

Oehrlein, G.S., Robey, S.W., Jaso, M.A. Mechanism of the slow-down of the silicon etch rate by a fluoro-carbon overlayer in CF_4/H_2 reactive ion etching of silicon 88−44701

Oehrlein, G.S., Robey, S.W., Lindstrom, J.L. Surface processes in CF_4/O_2 reactive etching of silicon 88−44657

Oehrlein, G.S., Scilla, G.J., Shwu-Jen Jeng Efficiency of oxygen plasma cleaning of reactive ion damage silicon surfaces 88−39041

Oehrlein, G.S., Shwu-Jen Jeng, Northrop, G.A. Surface damage after reactive ion etching of silicon 88−19827

Oehrlein, G.S., Tromp, R.M., Tsang, J.C., Lee, Y.H., Petrillo, E.J. Near-surface damage and contamination after CF_4/H_2 reactive ion etching of Si 85−61854

Oehrlein, G.S., Williams, H.L. Silicon etching mechanisms in a CF_4/H_2 glow discharge 87−67098

Oehrlein, G.S. *see* Bright, A.A. 88−1530, 88−44699

Oehrlein, G.S. *see* Coyle, G.J., Jr. 85−61847

Oehrlein, G.S. *see* Feenstra, R.M. 85−55697

Oehrlein, G.S. *see* Fehribach, J.D. 85−34760

Oehrlein, G.S. *see* Ghez, R. 85−6809

Oehrlein, G.S. *see* Jeng, S.J. 87−60067

Oehrlein, G.S. *see* Mu, X.C. 86−47472

Oehrlein, G.S. *see* Sedgwick, T.O. 85−23667, 86−8974

Oei, A.S., Colby, R.J., Parthasarathy, R., Stimson, A.L. Alignment, testing and maintenance principles in the INTELSAT TDMA/DSI network 86−4588

Oei, D.-G. *see* Kummer, J.T. 85−65438

Oei, Y.S., Hanssen, J.H.L., De Moor, H.H.C., Dominguez, C., van den Linden, H.A., Giling, L.J., Bloem, J. Chemical vapour deposition in an oven 86−52483

Oei, Y.S. *see* Bloem, J. 86−7797

Oelert, W. *see* Bojowald, J. 87−29478

Oelfke, W.C. The measurement of *G* for small inter-mass spacings 85−63951

Oelfke, W.C. The measurement of G for small inter-mass spacings 86−24272

Oelgart, G., Rheinlander, B., Haefner, H., Pickenhain, R. Degradation of green light emitting diodes LPE-GaP:N. I. Electron beam characterization and deep-level spectroscopy 85−24412

Oelgart, G., Stegmann, R., Kaatsch, D. The local distribution of luminescence generation in LEDs 86−22252

Oelgart, G. *see* Fiddicke, J. 85−23518

Oelgart, G. *see* Grummt, G. 88−58378

Oelgart, G. *see* Haefner, H. 87−38944

Oelgart, G. *see* Koch, F. 88−25888

Oelgart, G. *see* Rheinlander, B. 85−24413, 87−46715, 88−45321

Oelhafen, P. *see* Ringger, M. 85−40563

Oelhafen, P. *see* Wittmer, M. 87−66988

Oelhafen, P.C. *see* Ringger, M. 87−11316

Oellermann, O.R. On the *l*-connectivity of a graph 87−72929

Oellig, E.M., Michel, E.G., Asensio, M.C., Miranda, R. Ultrathin gate oxides formed by catalytic oxidation of silicon 87−60317

Oellig, E.M. *see* Asensio, M.C. 88−13115

Oellig, E.M. *see* Michel, E.G. 88−26087

Oellrich, K. *see* Walte, F. 86−46410

Oelmaier, R. *see* Nothaft, P. 87−15042

Oelmaier, R. *see* Nothaft, P., Dr. 87−34985

Oelmann, J., Xueqin Zha Measurement of reverberation time when the density of eigenfrequencies is low 87−35253

Oelmann, J., Zha, X. On measuring reverberation times at low frequencies 86−44482

Oelmann, K. *see* Rothe, T. 88−75348

Oels, H.-J. *see* Davids, P. 86−60975

Oelschlaeger, J. Helical scan recording sets sights on mass data storage 88−44970

Oelschlaeger, J.R. Economics of high speed networks 85−13954

Oelschlagel, W. *see* Luhr, H. 85−53166

Oelsner, E., Ohmer, K. Dialogue-aided materials economy in energy supply 86−18680

Oelting, S. *see* Heitmann, D. 88−19764

Oelzner, G. Junction temperature in semiconductors subject to any type of pulse 86−47498

Oemisch, S., Dorflinger, N., Wannemacher, H., Wurtz, H. Making the DFS and TV-Sat satellite systems available 88−35443

Oen, O.S. *see* Narayan, J. 85−12121, 85−50393, 86−58374

Oepomo, T.S. Line replaceable unit (LRU) analysis in the space shuttle orbiter electrical power system 86−32454

Oepomo, T.S., Anderson, A.F. Orbital energy density profile due to transmitter on the vehicle in its vicinity 86−10191

Oerder, M. Rotationally invariant trellis codes for mPSK modulation 86−16118

Oerder, M. Derivation of Gardner's timing-error detector from the maximum likelihood principle 87−61851

Oerder, M., Ascheid, G., Hab, R., Meyr, H. An all digital implementation of a receiver for bandwidth efficient communication 87−55841

Oerder, M., Meyr, H. Rotationally invariant trellis codes for MPSK modulation 87−33594

Oerder, M., Meyr, H. Digital filter and square timing recovery 88−46098

Oerder, M., Meyr, H. Digital filter and square timing recovery 88−50264

Oerder, M. *see* Stahl, J. 87−55008

Oerlemans, C.A.M., Theeuwen, J.F.M. ESKISS: a program for optimal state assignment 87−44789

Oers, W.T.H.Van *see* Van Oers, W.T.H.

Oertel, D., Kaiser, G., Jahn, H., Schuster, R. CCD sensors in optical measuring equipment. I 86−11470

Oertel, D., Kaiser, G., Jahn, H., Schuster, R. CCD-sensors in optical measuring arrangements. II 86−11471

Oertel, D. *see* Bimberg, D. 86−21221, 87−1250

Oertel, D. *see* Carey, K.W. 87−12315

Oertel, E. The chip tuner in the new generation of colour television and video equipment 87−41185

Oertel, E. *see* Jelinek, G. 88−21663

Oertel, E. *see* Naumann, G. 86−31174

Oertel, G. *see* Graichen, H. 86−1466

Oertel, G. *see* Haase, J. 88−37917

Oertel, H., Betz, H., Heuberger, A. Application of the simulator 'XMAS' on specific problems in sub-half-micron lithography 86−21689

Oertel, H. *see* Betz, H. 86−35505

Oertel, H. *see* Dammel, R. 88−26164

Oertel, H. *see* Dossel, K.-F. 87−25008

Oertel, H. *see* Johnson, W.A. 87−38037

Oertel, H. *see* Kluwe, A. 87−38038

Oertel, H. *see* Skorupa, W. 87−6480, 87−45714

Oertel, H. *see* Weiss, M. 88−26137

Oerter, A. *see* Ottmar, H. 85−60554

Oertle, K.C. *see* Bennet, P.S. 88−6721

Oesch, U., Brzozka, Z., Xu, A., Simon, W. Solvent polymeric membrane pH catheter electrode for intraluminal measurements in the upper gastrointestinal tract 87−63721

Oeschey, R. *see* Braun, M. 88−54523

Oeschger, H. *see* Andree, M. 85−20795

Oeschler, H. *see* Kankeleit, E. 85−37972

Oeseburg, B. *see* Schepel, S.J. 87−35383

Oesingmann, D. New stator outline of electrically excited commutator motors 87−57997

Oesingmann, D., Gottschalt, P. Influence quantities on the sparking in series commutator motors 87−78590

Oesingmann, D., Hanella, K., Gottschalt, P. The influence of winding tension upon the dimensioning of the bobbin windings of fractional horsepower motors 87−58129

Oesingmann, D., Morgenfruh, B. Aspects of dimensioning the exciting winding of two-terminal DC machines 87−72154

Oesingmann, D., Morgenfruh, B. Influence of the brush quality on the performance of DC machines supplied by batteries 88−69401

Oeste, H. *see* Fabricius, N. 88−72133

Oeste, H. *see* Ross, L. 88−7947

Oestereicher, C. Electronic mail for LANs and integrated networks 85−13816

Oestereicher, C. Local area network diagnostic package 85−30732

Oestereicher, C. *see* O'Neill, J. 86−54613

Oesterer, D. Computation of spare part kits in the case of limited repair channels 86−26570

Oesterle, H., Jacob, O. Office automation in the St. Gallen University 85−52079

Oesterlin, P. *see* Pummer, H. 85–62497

Oesterreicher, H. Potential of $Fe_{14}R_2B$ type materials for magnetic recording 86–21964

Oesterreicher, H., Abache, C. $Fe_{14}R_2B$ type compounds for magnetic recording applications 86–15344

Oesterreicher, H. *see* Higgins, B.E. 88–57915

Oesterreicher, H. *see* Pollard, R.J. 87–25762

Oesterreicher, H. *see* Smith, M.G. 88–57976

Oesthagen, H. Power plants environmental issues 88–69192

Oestmann, H. *see* Chinery, C.R. 85–27728

Oestreich, H.-P. The application and behaviour of synthetic materials in flue gas desulphurization plants–possibilities and limits of use 87–9379

Oestreich, U. Optical fibre local cables 86–23905

Oestreicher, L. *see* Van der Veer, G.C. 88–59620

Oestrich, U., Zeidler, G. On the way with fibre optics: longer wavelengths and underwater cables 85–14261

Oestrich, U. *see* Goldmann, H. 85–42417

Oestringer, R. A CHMOS successor for the 80186 processor 88–12408

Oetrov, D.V. *see* Kikarin, S.M. 85–50934

Oettel, R.E., Upton, M.D., Eden, R., Lee, F., Lau, P. A 4-bit gallium arsenide ALU designed with a compiler 87–59371

Oetter, J. Synchronized splitter of signal cycle times 85–6227

Oetterli, O. The grasp of the ISDN stars [terminals] 85–36710

Oetting, J. The selection of non-repeating PN codes for code division multiple access 86–30602

Oetting, J., East, J. A comparison of the LPI performance of optical and mm-wave systems 87–40736

Oetting, J.D. The effects of fading on antijam performance requirements 87–34343

Oetting, J.D. *see* East, J.H. 88–53282 to 53283

Oettinger, P.E., Bursuc, I., Shefer, R.E., Pugh, E. Pulse-laser-irradiated high-brightness photoelectron source 87–60041

Oettinger, P.E., Bursuc, I., Shefer, R.E., Pugh, E. Brightness of an intense electron beam generated by a pulse laser irradiated photocathode 88–47931

Oettinger, P.E. *see* Lee, C. 85–18964, 85–37888, 86–1617

Oettinger, P.E. *see* Lee, C.H. 86–32133

Oetzmann, H., Krokoszinski, H.-J., Gernoth, H., Schmidt, C. Evaporated insulating layers for thin film circuits 86–66843

Oetzmann, H., Krokoszinski, H.-J., Schmidt, C. Simultaneous TCR-minimization of adjacent passivated thin film NiCr and Cr-SiO-resistors in the same hybrid-circuit 88–1038

Oetzmann, H. *see* Krokoszinski, H.-J. 86–20984, 86–41462, 88–1282

Oetzmann, H. *see* Schmidt, C.E.C. 86–53268

Oever, R.van den *see* van den Oever, R.

Oeveren, W.J.van *see* van Oeveren, W.J.

Oexl, W. Gradas-EVU–an interactive graphical information and documentation system for monitoring complex medium voltage networks 85–32144

Oexl, W. New graphical information system of the Lech Power Works–implementation of Gradas-EVU for the recontrol and documentation of complex medium voltage networks 86–12259

Oexl, W., Kachelmaier, H. A CAD application in manual control of power distribution networks 86–25587

Oexner, M. *see* Doll, P. 86–70311

Oey, K.K. *see* Brucker, G.J. 85–22808

of Chesterfield Lord Bowden *see* Lord Bowden of Chesterfield

of Salman Beg, M. *see* Jamil-Asghar, M.S. 87–4761

O'Farrell, J. ESPIRT: the European strategic programme for research and development in information technology 85–2974

O'Farrell, J.J. Use thyristor to control 555 timer 85–28663

O'Farrell, J.J. Timer IC provides low-power voltage monitor 86–60293

O'Farrell, P. Miniaturised modules improve power supply design 85–17146

O'Farrell, P. The changing shape of power supply units 85–27501

O'Farrell, P. Power MOS increases SMPS frequency 85–61071

O'Farrell, P. How to exploit the advantages of customised power products 86–26125

O'Farrell, P. Market trends in power supplies 86–40880

O'Farrell, P. Power supply units. Freedom in design 86–46522

O'Farrell, T., Cunningham, M.J. Low signal multiplexing system for pyroelectric linear arrays 87–3518

O'Farrell, T., Cunningham, M.J. Noise processes in a data acquisition system for pyroelectric linear arrays used in low resolution thermal imagers 87–34990

Ofek, H. *see* vanCleemput, W.M. 85–17068

Ofek, R., Tsechanski, A., Shani, G. Normalization of a collimated 14.7 MeV neutron source 86–44539

Ofek, R., Tsechanski, A., Shani, G. Normalization of a collimated 14.7 MeV neutron source in a neutron spectrometry system for benchmark experiments 88–54370

Ofek, Y. Topology, algorithms and analysis of a synchronous optical hypergraph architecture 88–3587

Ofek, Y. Integration of voice communication on a synchronous optical hypergraph 88–53310

Ofek, Y., Faiman, M. Distributed global event synchronization in a fiber optic hypergraph network 88–8913

Ofek, Y., Faiman, Y. A digital interface to a one gigabit/sec multiple-access fiber-optic network 87–56194

Ofek, Y. *see* McKinley, P. 88–3628

Ofengenden, R.G. *see* Gavrilyuk, V.I. 88–29930

Ofengenden, R.G. *see* Kumshaev, S.B. 85–26193

Ofengenden, R.G. *see* Voiter, A.P. 86–30072, 87–39996

Offeli, C. *see* Baccolini, G. 88–60583

Offelli, C. A two-channel digital instrument for real-time analysis 88–60664

Offelli, C., Lombello, G.D. Noise evaluation in photodiode array optoelectronic instruments 86–58830

Offelli, C. *see* Baccolini, G. 85–33748, 88–3741 to 3742, 88–47658

Offelli, C. *see* Baccolini, G.C. 87–66237

Offelli, C. *see* Benetazzo, L. 85–30733, 87–3400, 88–14730

Offelli, C. *see* Narduzzi, C. 87–70512

Offello, C. *see* Narduzzi, C. 88–15997

Offen, R.J. *(editor)* VLSI image processing 86–33911

Offenberg, M. *see* Bauer, F. 88–19963

Offenberger, A.A. *see* Fedosejevs, R. 85–2399, 86–22510, 87–61080

Offenhauser, F. Theory and experiments on the power modulation of CO_2 lasers 88–72263

Offer, Y. SAPHIR: the police and the informatics era 87–62654

Offer, Y. Minitel: tomorrow's business tool 87–76284

Offerhaus, M.J. Coulomb scattering in intense, high-frequency laser fields 86–9720

Offermann, E.A.J.M., De Jager, C.W., De Vries, H. The optical properties of the QDD magnetic spectrometer at NIKHEF-K 88–23006

Offermann, E.A.J.M. *see* Blok, H. 88–23005

Offermann, E.A.J.M. *see* Voegler, N. 86–70365

Offermann, J. *see* Requardt, H. 88–29985

Offermann, P.F. *see* Erickson, C.J. 86–40335

Offner, A. Annular field systems and the future of optical microlithography 87–60234

Offner, F.F. Bioelectric potentials–their source, recording, and significance 85–31851

Offner, F.F. The source, recording, and significance of bioelectric potentials 85–38162

Offodile, O.F. Program for combining sound pressure levels in noise 87–35510

Offord, B. *see* Clayton, S. 88–57418

Offord, G.E. *see* Govind, P.K. 87–69451, 88–20015

Offord, G.E. *see* Piper, L.J. 88–3651

Offringa, L.J.J., De Zeeuw, W.J. A twelve pulse current source inverter as a static VAr compensator in the link between a local power plant and a weak power grid 86–66008

Offsey, S.D., Woodall, J.M., Warren, A.C., Kirchner, P.D., Chappell, T.I., Pettit, G.D. Unpinned (100) GaAs surfaces in air using photochemistry 86–35569

Offutt, D.O. *see* Maxham, K.Y. 85–8415

Offutt, J., Danese, J.B. Communicatiosn for SDI [Strategic Defence Initiative] 86–10656

Ofitserov, M.M. *see* Aver'yanov, V.I. 88–38988

Ofitserov, M.M. *see* Botvinnik, I.E. 85–7336, 85–50145

Ofitserov, M.M. *see* Bratman, V.L. 87–37817

Ofitserov, M.N. *see* Prentslau, N.N. 87–17338

O'Foghludha, F. *see* Nelson, C.E. 85–59191

Ofoli, R.Y. Thermometric consideration for RF and microwave research in food engineering 87–36253

Oga, E., Ikeda, M., Tamura, K., Tanaka, S. Railway substation system with regenerative inverter 87–51538

Oga, K. *see* Koyama, F. 88–33774

Ogahara, K. *see* Komata, F. 86–43659

Ogai, M. Optical communication techniques. V. Performance of optical fibers 88–39881

Ogai, M., Hiramatsu, B., Oda, M., Kamata, Y., Miyajima, Y., Ieshige, M. Long-term reliability of optical fiber composite ground wire 86–49647

Ogai, M., Iino, A., Matsubara, K. Behavior of alkali impurities and their adverse effect on germania-doped silica fibers 88–13825

Ogai, M., Iino, A., Matsubara, K. Infrared transmission loss increase of germania doped silica fiber caused by hydrogen and its mechanism 88–51482

Ogai, M., Iino, A., Matsubara, K., Katsuhiko, O. Absorption peak at 1.52 μm in silica fiber 88–65209

Ogai, M., Iino, A., Tamura, J., Koguchi, M., Nakamura, S., Kinoshita, E. Fully-fluorine-doped single-mode fiber and its application to submarine cable 88–45142

Ogai, M., Kinoshita, E., Tamura, J., Nakamura, S., Higashimoto, M. Low-loss dispersion shifted fiber with dual shape refractive index profile 88–45143

Ogai, M., Nishimura, M., Kato, K., Mizota, Y., Orimo, K., Higashimoto, M. High strength dual coating with good cushion effect for long length optical fiber 86–9553

Ogai, M. *see* Iino, A. 86–9566, 86–42336, 87–60947 to 60948, 88–26784

Ogai, M. *see* Ikeya, T. 87–8287

Ogai, M. *see* Inao, S. 87–28624

Ogai, M. *see* Kamiya, T. 86–2822

Ogai, M. *see* Murata, H. 87–38807, 88–67420

Ogai, M. *see* Yanagawa, H. 88–47150

Ogai Mo *see* Mo Ogai

Ogaki, H. *see* Takagi, K. 86–19318

Ogale, S.B., Madhukar, A., Cho, N.M. Photoluminescence linewidth systematics for semiconductor quantum well structures with graded interface composition profile 88–32851

Ogale, S.B., Madhukar, A., Thomsen, M. Molecular beam epitaxial growth of III-V compound semiconductor in the presence of a low-energy ion beam: A Monte Carlo simulation study 88–6444

Ogale, S.B. *see* Ghaisas, S.V. 88–419

O'Gallagher, J. *see* Winston, R. 88–24163

O'Gallagher, J. *see* Xiaohui Ning 87–46675

Ogami, T. Conditions of air-conditioning control in semiconductor clean room 86–33864

Ogan, C.L. Media diversity and communications policy: impact of VCRs and satellite TV 85–37205

Ogan, J.J. *see* Rutherford, H.G. 85–4269

Ogan, K., Everaerts, F.M., Verheggen, P.E.M. A very small volume UV absorbance detector for capillary separation systems 88–9990

Ogandzhanyan, A.S. *see* Minakov, N.V. 87–64165

Ogandzhanyan, S.R. *see* Arakelyan, A.A. 85–45737

Oganesian, K.O. *see* Gornov, M.G. 85–4202

Oganessian, R.T. *see* Oganessian, Y.T. 85–59008

Oganessian, Y.T. Progress report on the JINR heavy ion accelerators 86–24901

Oganessian, Y.T., Gulbekyan, G.G., Gikal, B.N., Ivanenko, A.I., Klenin, B.N., Kozlov, S.I., Kolesov, I.V., Kutner, V.B., Melnikov, V.N., Oganessian, R.T., Pasyuk, A.S., Chugreev, V.A. The present status and perspectives of development of the JINR Laboratory of Nuclear Reactions heavy ion accelerators 85–59008

Oganesyan, A.G. *see* Avundzhyan, A.T. 88–68265

Oganesyan, A.G. *see* Bogorodskii, V.V. 88–61661

Oganesyan, A.G. *see* Bogorodskiy, V.V. 86–25445

Oganesyan, K.B. *see* Fedorov, M.V. 86–3219, 88–72333

Oganesyan, K.B. *see* Nersesov, E.A. 88–8240

Oganesyan, K.B. *see* Zaretskii, D.F. 87–2136

Oganesyan, M.K. *see* Ambaryan, A.Sh. 87–12415

Oganesyan, M.K. *see* Arutyunyan, V.M. 85–46473, 85–56835

Oganesyan, S.G. Cherenkov laser under conditions of total internal reflection 86–9884

Oganesyan, S.G., Engibryan, V.A., Abadzhyan, S.V. The effect of angular spread of an electron beam on stimulated Compton scattering 87–46919

Oganesyan, S.G., Sargsyan, N.H. Generation of harmonics in a Compton laser 86–29177

Oganesyan, S.G. *see* Arutyunyan, V.M. 88–52136

Oganesyan, Ts.R. *see* Naimanov, O.S. 88–62141

Oganes'yants, L.G. *see* Menyaylenko, V.V. 85–41666

Oganezov, Z.A. *see* Gun'ko, V.M. 85–32719

Ogann, J.A. Current and future general aviation EFIS developments 86–18444

Ogano, S. *see* Naoi, K. 87–78881

Ogano, S. *see* Osaka, T. 87–43358, 88–17868, 88–62571

Oganyan, L.N. A method of determining the number of cells in the memory of a composite digital channel 86–36868

Oganyan, L.N. Optimization of the basic synchronization parameters of digital transmission systems 86–37269

Oganyan, L.N. Figures of merit for cyclic synchronization system 87–47755

Oganyan, L.N. Analysis of a receiver which corrects distorted sync symbols in a cyclic synchronization system 88–46063

Oganyan, L.N., Erokhin, I.N., Ladomirski, Ya.A. Analysis of the influence of error grouping on the noise immunity of digital transmission systems 86–30196

Oganyan, L.N., Tikhonov, B.N. The probability of the 'propagation' of a dropout of cyclic synchronization in digital transmission systems 88–34939

Oganyan, L.O. *see* Vdovin, Yu.V. 85−20706

Oganyan, U.A., Chitechyan, V.I. Finding the reactances of a rotary transformer for brushless excitation of a synchronous generator 87−30711

Oganyan, U.A., Chitechyan, V.I. Rotary transformer inductive parameters determination for synchronous generator brushless excitation 88−23876

Ogar, B.P. *see* Akbulatova, S.V. 88−28146

Ogar, V.I., Pavlenko, Yu.F. Automated check and certification of frequency-deviation meters 86−24648

Ogar', V.I. *see* Kolbasin, A.I. 87−29229

Ogar, V.I. *see* Pavlenko, Yu.F. 88−4615

O'Gara, J. *see* Price, H.G. 88−53980

O'Gara, N. Interconnection update 85−11649

O'Gara, N. ATE−a growing industry 85−20450

Ogard, O., Brustad, H., Novakovic, V. Simulation and control of HVAC systems 88−18229

Ogarenko, O.V. *see* Mikhalev, L.A. 86−44413

Ogarkov, A.A. Heat and physical characteristics of ash and slag materials 86−51430

Ogarkov, A.A. *see* Panteleev, V.G. 87−57854

Ogarkov, E.M. Range of application of a one-dimensional theory for linear induction motors 85−38991

Ogarkov, E.M. Determination of groove dimensions of EM loads for linear induction motors 87−51245

Ogarkov, V.I. Selection of the optimal program for control of the solar battery panels of artificial Earth satellites 85−32704

Ogasa, H. *see* Suzuki, E. 87−55652

Ogasa, H. *see* Takahashi, M. 86−4220

Ogasahara, N. *see* Sasaki, W. 88−8220

Ogasahara, T. *see* Ohno, H. 86−51007

Ogasawara, A. Process automation and information network (case study in hot strip-mill) 86−4291

Ogasawara, C. *see* Nikawa, Y. 86−5985

Ogasawara, H. The accuracy of in situ stress measurements by '8-element-gauge' method and its improvement 85−38329

Ogasawara, H., Endo, T. Turbine generators for sugar factories in Thailand 86−33294

Ogasawara, H. *see* Heier, C. 86−55322

Ogasawara, H. *see* Nishimura, J. 86−24829

Ogasawara, H. *see* Ogawa, T. 85−20223

Ogasawara, I. Magnetic properties of amorphous metal wires 88−33514

Ogasawara, I. *see* Nirasawa, N. 86−53979, 87−49111

Ogasawara, I. *see* Nishimura, A. 88−65223

Ogasawara, I. *see* Sakata, Y. 87−49110

Ogasawara, K. *see* Ishikawa, T. 87−38072

Ogasawara, K. *see* Makabe, T. 87−28235

Ogasawara, K. *see* Shibata, T. 88−21820

Ogasawara, M., Shigeyasu, K. Evaluation of image processing in echo sounder 86−49739

Ogasawara, M. *see* Baba, H. 87−2843

Ogasawara, M. *see* Mori, H. 88−6445

Ogasawara, M. *see* Shigeyasu, K. 85−20280, 85−31106, 85−57514, 86−3991, 86−69160, 87−56274

Ogasawara, N., Ito, R. Output power change associated with longitudinal mode jumping in semiconductor injection lasers 86−68541

Ogasawara, N., Ito, R. Static and dynamic properties of nonlinear semiconductor laser amplifiers 87−12489

Ogasawara, N., Ito, R. Longitudinal mode competition and asymmetric gain saturation in semiconductor injection lasers. I. Experiment 88−51814

Ogasawara, N., Ito, R. Longitudinal mode competition and asymmetric gain saturation in semiconductor injection lasers. II. Theory 88−51815

Ogasawara, N., Ito, R., Asabayashi, I., Ohashi, M. Injection-current-controlled bistable optical switching in semiconductor laser amplifiers 87−68517

Ogasawara, N., Ito, R., Morita, R. Linewidth enhancement factor in GaAs/AlGaAs multi-quantum-well lasers 86−3161

Ogasawara, N., Ito, R., Rokukawa, H., Katsurashima, W. Second harmonic generation in an AlGaAs double-heterostructure laser 87−75102

Ogasawara, N. *see* Junyaprasert, K. 87−75101

Ogasawara, N. *see* Morita, R. 88−65853 to 65854

Ogasawara, N. *see* Ochi, S. 88−18703

Ogasawara, O. *see* Kukita, S. 85−58089

Ogasawara, O. *see* Shimizu, M. 86−55305

Ogasawara, S., Akagi, H., Nabae, A. A universal theory for the flux feedforward type vector control 87−30515

Ogasawara, S., Akagi, H., Nabae, A. The generalized theory of indirect vector control for AC machines 87−42793

Ogasawara, S., Akagi, H., Nabae, A. The generalized theory of indirect vector control for AC machines 88−69281

Ogasawara, S., Nishimura, M., Akagi, H., Nabae, A. Current controlled PWM inverter of high current response speed and low harmonic content 87−9639

Ogasawara, S., Nishimura, M., Akagi, H., Nabae, A., Nakanishi, Y. A high performance AC servo system with permanent magnet synchronous motor 86−6727

Ogasawara, S., Nishimura, M., Akagi, H., Nabae, A., Nakanishi, Y. A high performance AC servo system with permanent magnet synchronous motors 86−45461

Ogasawara, S., Takagaki, J., Akagi, H., Nabae, A. A novel control scheme of duplex current-controlled PWM inverters 88−24067

Ogasawara, S. *see* Nabae, A. 86−39963, 87−4788

Ogasawara, S. *see* Nakamura, S. 87−37590, 88−12624

Ogasawara, T. Feasibility study on large-scale, high current density superconductor by dynamic stabilization. I. Magnetic stability 88−7812

Ogasawara, T. Feasibility study on large-scale, high current density superconductor by dynamic stabilization. II. Stability margin 88−7813

Ogasawara, T., Noguchi, T. Feasibility study on large-scale, high current density superconductor by dynamic stabilization. III. Coil design and quench analysis 88−51396

Ogasawara, T. *see* Akachi, T. 86−58706 to 58707

Ogasawara, T. *see* Ichikawa, M. 86−36832

Ogasawara, T. *see* Iwaya, S. 87−17406

Ogasawara, T. *see* Kubota, Y. 87−18550, 87−74555

Ogasawara, T. *see* Momota, H. 85−46104

Ogasawara, T. *see* Satow, T. 85−62270

Ogasawara, T. *see* Tomikawa, Y. 86−47930, 88−13650

Ogasawara, T. *see* Toyoda, K. 85−41090

Ogasawara, T. *see* Yamada, H. 88−61450

Ogasawara, T. *see* Yasohama, K. 87−67831

Ogasawara, Y. *see* Hiramatsu, O. 85−59277

Ogasawara, Y. *see* Kajiya, F. 85−38068, 85−53036, 87−77643, 88−54495

Ogasawara, Y. *see* Yoshimura, N. 87−15114

Ogata, A. Space-to-time conversion of optical signal using fiber delay and its application to accelerator beam profile monitor 85−12551

Ogata, A. Modern control theory for beam dynamics. An introduction 86−65320

Ogata, A. Focusing of synchrotron radiation 88−4734

Ogata, A., Ieiri, T., Nakajima, K., Mizumachi, Y. Transverse and longitudinal beam profile measurement using optical techniques in the TRISTAN accumulation ring 86−31776

Ogata, A. *see* Ieiri, T. 88−54161

Ogata, A. *see* Satoh, K. 86−24979

Ogata, A. *see* Tejima, M. 86−31777

Ogata, E. *see* Kohda, T. 85−39627

Ogata, F. *see* Kurachi, K. 87−20440

Ogata, H., Nakayama, T. Advanced optoelectronic technology 87−2116

Ogata, H. *see* Fujiwara, K. 88−43881

Ogata, H. *see* Isu, T. 85−49576

Ogata, H. *see* Katoh, K. 88−8549

Ogata, H. *see* Maruno, S. 85−22471, 87−44327, 88−39063

Ogata, H. *see* Matsui, T. 88−57466

Ogata, H. *see* Minemura, H. 85−56255

Ogata, H. *see* Morishita, Y. 88−38157, 88−63287

Ogata, H. *see* Ohtsuka, K. 88−24718, 88−63310

Ogata, H. *see* Otsuka, K. 88−12009

Ogata, H. *see* Sugimoto, H. 88−14189, 88−58536

Ogata, H. *see* Sugitate, T. 86−44555

Ogata, H. *see* Yamazaki, T. 88−42357

Ogata, I. *see* Odawara, G. 87−45379

Ogata, J. *see* Hatakeyama, M. 85−19946

Ogata, K. *see* Tanaka, T. 88−4527

Ogata, M. Technique of still pictures for news 86−44019

Ogata, M., Louie, M. Optimization of frequency utilization for communications satellite systems in Japan 86−64945

Ogata, M., Mizusawa, M., Irie, K. Satellite communications: an overview and technical trends 86−30708

Ogata, M., Sekine, M., Musha, T. Clutter suppression using the linear prediction method 85−46827

Ogata, M., Sekine, M., Musha, T. Discrimination of radar clutter by texture analysis 86−49704

Ogata, M. *see* Baba, E. 88−19190

Ogata, M. *see* Sato, M. 85−36453

Ogata, N. *see* Oguchi, K. 88−57549

Ogata, N. *see* Watanabe, M. 87−72383

Ogata, S., Ohshio, T., Chang, J.S. Electromechanics and fluidization characteristics of cross flow type electrofluidized beds 85−24746

Ogata, S., Takei, T. The factors influencing the use of reflow soldering technology on QFP and PLCC 88−57129

Ogata, S., Tanaka, T., Morita, S., Terashima, K., Soda, S., Saito, K., Matsumoto, N., Shinagawa, J., Mochizuki, H. Development of laminated paper insulated 500 kV oil-filled cable for Honshu-Shikoku interconnecting transmission line of Electric Power Development Co. Ltd. 87−71678

Ogata, S. *see* Aida, T. 86−3534

Ogata, S. *see* Chang, J.-S. 85−30013

Ogata, S. *see* Hagio, M. 85−40753

Ogata, S. *see* Sakagami, I. 87−24297

Ogata, S. *see* Sakai, Y. 85−31487

Ogata, S. *see* Takei, T. 88−32658

Ogata, S. *see* Tsukada, H. 86−58063

Ogata, T., Fujitsu, S., Miyayama, M., Koumoto, K., Yanagida, H. CO_2 gas sensor using β-Al_2O_3 and metal carbonate 86−31387

Ogata, T., Katoh, N., Yanagi, K., Ooura, H. Characteristics of a perpendicular magnetic head 88−26673

Ogata, T., Koyashiki, T., Akuto, K., Yotsumoto, K. Power feeding for telephone subscribers in Japan's Information Network System 87−59169

Ogata, T., Yamamoto, K. New power feed techniques for the submarine optical transmission system 86−61642

Ogata, T., Yamamoto, K., Tomimuro, H. FS-400 M power-feeder 86−11060

Ogata, T., Yamamoto, K., Tomimuro, H. FS-400M power-feeder [for optical link] 86−30823

Ogata, T. *see* Burnett, T.H. 87−8866

Ogata, T. *see* Ichimura, M. 86−51885

Ogata, T. *see* Kan, J. 87−66548

Ogata, T. *see* Koyashiki, T. 85−44074, 85−61099, 86−26167, 87−52331

Ogata, T. *see* Naganawa, H. 86−49216

Ogata, T. *see* Ohtsu, S. 86−33467, 87−28489, 87−58141, 88−55402

Ogata, T. *see* Ohzora, S. 88−12203

Ogata, T. *see* Okamoto, J. 87−56758

Ogata, T. *see* Sato, M. 85−36881

Ogata, T. *see* Takenaka, T. 85−13845

Ogata, T. *see* Tanaka, R. 86−31141

Ogata, T. *see* Umeda, N. 87−14523

Ogata, T. *see* Yamashita, T. 88−15394, 88−39007

Ogata, T. *see* Yotsumoto, K. 85−57834

Ogata, Y. *see* Akaishi, A. 86−69822

Ogata, Y. *see* Shimoda, H. 88−48860

Ogata, Y. *see* Tominaga, J. 88−6019

Ogata, Y. *see* Yamamoto, Y. 85−58301

Ogato, H. *see* Ohtsuka, K. 86−54055

Ogawa, A. Yamaguchi No.3 Earth station for INTELSAT-V and follow-on satellites 86−37834

Ogawa, A., Iwasaki, K. Satellite communications in international public network in Japan 86−55253

Ogawa, A., Morita, M. Trends of miniaturization of satellite communication ground station 87−28455

Ogawa, A. *see* Matsuzawa, K. 86−59857

Ogawa, A. *see* Suda, Y. 86−13802, 87−323

Ogawa, A. *see* Yamauchi, T. 87−36063

Ogawa, E., Hayashi, Y. Heterodyne receiver for short millimeter wave radioastronomy 85−31135

Ogawa, E., Satoh, A. Radio zone design using visibility estimation for local distribution systems in metropolitan areas 85−20035

Ogawa, E., Satoh, A. Propagation path visibility estimation for radio local distribution systems in built-up areas 86−69593

Ogawa, E., Satoh, A. Path visibility and reflected wave propagation characteristics in built-up areas 87−19198

Ogawa, E. *see* Inoue, T. 86−64899

Ogawa, E. *see* Satoh, A. 86−68778, 87−28621

Ogawa, E.-i. *see* Shimizu, H. 88−21871

Ogawa, F. *see* Saito, T. 86−31257

Ogawa, F. *see* Sukegawa, O. 88−53801

Ogawa, F. *see* Yamaguchi, K. 86−17414, 86−43825

Ogawa, H. The trend of lithium battery technology in Japan 85−44149

Ogawa, H. Labeled point pattern matching by Delaunay triangulation and maximal cliques 86−30007

Ogawa, H. A unified approach to generalized sampling theorems 87−27425

Ogawa, H. Recent trends of battery technology 87−36100

Ogawa, H. A generalized sampling theorem 88−40771

Ogawa, H. Projection filter regularization of ill-conditioned problem 88−46206

Ogawa, H., Fukui, Y. Development of low-noise receivers at short millimetre wavelengths 85−61447

Ogawa, H., Hagiwara, M., Hoshino, H. Performance test on a small wind power generation 87−64495

Ogawa, H., Hara, S. Image restoration by partial projection filter 88−46275

Ogawa, H., Hara, S. Properties of partial projection filter 88−46276

Ogawa, H., Hirota, T., Minagawa, A. Uni-planar MIC balanced multiplier−a proposal of new structure for MIC's 87−73726

Ogawa, H., Horota, T., Aikawa, M. New MIC power dividers using coupled microstrip-slot lines: two-sided MIC power dividers 86−20811

Ogawa, H., Itoh, T. Slow-wave power divider 86−53013

Ogawa, H., Itoh, T. Slow-wave characteristics of ferromagnetic semiconductor microstrip line 87−6005

Ogawa, H., Itoh, T. Slow-wave directional coupler and its applications 87−17309

Ogawa, H., Itoh, T. Slow-wave characteristics of ferromagnetic semiconductor microstrip line 87−19250

Ogawa, H., Itoh, T. Progress of microwave and millimeter-wave monolithic integrated circuits in the united states 87−37558

Ogawa, H., Minagawa, A. Uniplanar MIC balanced multiplier−a proposed new structure for MIC's 88−25471

Ogawa, H., Nakamura, N. Projection filter restoration of degraded images 85−30436

Ogawa, H., Nishio, M., Nakamura, Y. Theoretical analysis of chemical vapor growth and gas transport in closed-tube 85−39793

Ogawa, H., Oja, E. Can we solve the continuous Karhunen-Loeve eigenproblem for discrete data? 87−16465

Ogawa, H., Sekine, M., Musha, T., Aota, M., Ohi, M., Fukushi, H. Weibull-distributed radar clutter reflected from sea ice 87−56250

Ogawa, H., Yamamoto, K., Iami, N. A 26 GHz high-performance MIC transmitter/receiver for digital radio subscriber systems 85−25702

Ogawa, H., Yamamoto, K., Imai, N. A 26 GHz high performance MIC transmitter/receiver for digital radio subscriber systems 85−20027

Ogawa, H. *see* Fuse, G. 88−39725, 88−64391

Ogawa, H. *see* Hirota, T. 86−67513, 87−52835

Ogawa, H. *see* Ieiri, M. 87−3912

Ogawa, H. *see* Imiya, A. 85−51773, 85−57390, 86−16353, 87−19758, 87−39729, 88−52591

Ogawa, H. *see* Inada, R. 87−6112, 87−17357

Ogawa, H. *see* Kato, F. 87−22856

Ogawa, H. *see* Kawabata, K. 85−25957, 86−4778

Ogawa, H. *see* Kawada, E. 88−46161

Ogawa, H. *see* Kitaori, N. 88−26663, 88−33507

Ogawa, H. *see* Kobayashi, M. 86−22041

Ogawa, H. *see* Mu, T.-C. 87−19249

Ogawa, H. *see* Mu, T.C. 86−3614, 87−7579

Ogawa, H. *see* Mukaiyama, T. 87−70271, 88−47353

Ogawa, H. *see* Nishio, M. 85−16904, 85−39792, 87−16604, 87−16610, 87−58907

Ogawa, H. *see* Noro, T. 86−70362

Ogawa, H. *see* Oja, E. 87−19659

Ogawa, H. *see* Sawai, M. 85−3072

Ogawa, H. *see* Tarusawa, Y. 86−67495, 87−73687

Ogawa, H. *see* Terada, K. 87−49568

Ogawa, H. *see* Watabe, S. 86−26112

Ogawa, H. *see* Yamamoto, K. 85−3348, 85−25739

Ogawa, I. Large-capacity Scherbius systems−slip power recovery control 86−26059

Ogawa, J., Tamamura, K., Akimoto, K., Mori, Y. Degradation in GaAs/AlGaAs double-heterostructure light-emitting diodes 88−20512

Ogawa, J. *see* Akimoto, K. 88−32847

Ogawa, J. *see* Ohba, T. 88−58810

Ogawa, J. *see* Tamamura, K. 87−53345

Ogawa, K. Logical pel coding for binary images 85−51779

Ogawa, K. Noise in gigabit communication systems 86−49690

Ogawa, K. MITI inspections of electrical facilities—Japan TELECOM Tokyo Center 87−15851

Ogawa, K. NCC and electric power facilities 87−62940

Ogawa, K. Aeronautical telephone service 88−15364

Ogawa, K. Present and future mobile communications services 88−21979

Ogawa, K. Status report of Tristan 88−36311

Ogawa, K. Evaluation of LB films as quarter micron lithography resists using excimer laser, X-ray, and electron beam exposure 88−57544

Ogawa, K., Austin, S.S., Johnson, S.R. High capacity single mode fiber system−its performance and maintenance features 88−47107

Ogawa, K., Hayashi, K., Iwai, M., Sumiyoshi, T., Takasaki, F., Teramoto, Y., Uehara, T., Sugimoto, S., Kusomoto, H., Yoshida, H. The VENUS barrel electromagnetic calorimeter 86−32179

Ogawa, K., Hayashi, K., Sumiyoshi, T., Takasaki, F., Iwai, M., Higashi, N., Ohkubo, R., Sato, K., Sato, M., Sugimoto, S., Doi, K., Kusumoto, H. Automatic calibration system for VENUS lead glass counters 86−11847

Ogawa, K., Ishizaki, T., Hashimoto, K., Sakakura, M., Uwano, T. A 50-GHz compact communication system for video link fabricated in MIC 88−73803

Ogawa, K., Nojiri, S., Konishi, T. Advanced business communication system for overseas markets 86−16681

Ogawa, K., Nonaka, S. Boundary element analysis of single-sided linear induction motors 87−9586

Ogawa, K., Sumiyoshi, T., Takasaki, F. Test of magnetic shielding cases for a 3″ phototube attached to a lead glass counter 86−15912

Ogawa, K., Sumiyoshi, T., Takasaki, F., Kusumoto, H., Gearhart, R.A. A test of dense lead glass counters 85−64466

Ogawa, K., Sumiyoshi, T., Takasaki, F., Sugimoto, S., Doi, K., Khozuki, T., Gearhart, R.A. Effects of light guides and optical filters for a high density lead glass counter 85−31698

Ogawa, K., Suzuki, J. Two vessel non-saturated pressure cooker test equipment [IC testing] 85−35102

Ogawa, K., Tamura, H. Evaluation of LB films for excimer laser and X-ray resists 88−44711

Ogawa, K., Tamura, H., Sasago, M., Ishihara, T. Langmuir-Blodgett films for half micron lithography using KrF excimer laser and X-ray 88−13245

Ogawa, K., Tanaka, T., Suzuki, H., Kawasaki, K., Imai, N., Nakamura, S., Sakai, S. Field test of 275 kV internally water-cooled XLPE cable system with stainless steel coolant tube and wire shield 88−68951

Ogawa, K., Tsuchiya, S., Kawakami, H., Tsutsui, T. Humidity-sensing effects of optical fibres with microporous SiO_2 cladding 88−22611

Ogawa, K., Yamagata, N., Kan, K. Data processing for the instrument transformer test with a personal computer 86−47107

Ogawa, K. *see* Abe, K. 88−16629

Ogawa, K. *see* Aoki, H. 88−33558

Ogawa, K. *see* Bamba, T. 87−49337

Ogawa, K. *see* Endo, M. 88−7531, 88−13287, 88−39291, 88−44722 to 44723, 88−50766

Ogawa, K. *see* Fuke, S. 87−52121

Ogawa, K. *see* Funabashi, H. 85−65280

Ogawa, K. *see* Furukawa, T. 88−48975, 88−62385

Ogawa, K. *see* Gloge, D.C. 85−20222

Ogawa, K. *see* Hamada, K. 87−46631

Ogawa, K. *see* Hashimoto, S. 86−59512

Ogawa, K. *see* Hirai, Y. 87−38402

Ogawa, K. *see* Ishikawa, J. 87−56982

Ogawa, K. *see* Itakura, Y. 87−21776

Ogawa, K. *see* Iwama, T. 88−45703

Ogawa, K. *see* Iwata, S. 85−64578, 86−32287, 86−70406, 87−21551

Ogawa, K. *see* Kitagawa, M. 88−53446

Ogawa, K. *see* Kusaba, R. 87−41960

Ogawa, K. *see* Lumish, S. 87−34612

Ogawa, K. *see* Mariki, A. 86−54822

Ogawa, K. *see* Marra, W.C. 88−4031

Ogawa, K. *see* Morozumi, T. 85−4300

Ogawa, K. *see* Nakamura, M. 87−76244, 88−3389

Ogawa, K. *see* Nishitani, H. 87−29745

Ogawa, K. *see* Nonaka, S. 87−4735, 87−9585, 87−16129

Ogawa, K. *see* Okada, H. 88−75175

Ogawa, K. *see* Sakamoto, M. 88−73843

Ogawa, K. *see* Sasago, M. 86−41665, 87−11910, 87−45749, 88−1489

Ogawa, K. *see* Sasaoka, K. 87−63789

Ogawa, K. *see* Sumiyoshi, T. 88−74661

Ogawa, K. *see* Suzuki, Y. 87−20379

Ogawa, K. *see* Takahashi, M. 88−50470

Ogawa, K. *see* Takasaki, F. 85−31704

Ogawa, K. *see* Takase, A. 88−9306

Ogawa, K. *see* Teranishi, T. 87−55669

Ogawa, K. *see* Yuasa, H. 88−75423

Ogawa, M. Mechanism of high Si-doping into MBE-grown GaAs 86−53537

Ogawa, M. Progress in molecular epitaxy 87−261

Ogawa, M. Current status of electronic measurement techniques at Matsushita Communication Industrial Co. Ltd 88−4277

Ogawa, M. Enhanced temperature dependence of MESFET characteristics by backgate and sidegate biasing 88−13439

Ogawa, M. High battery capacity was realized by using Li secondary batteries and conductive polymers as positive electrode materials 88−43373

Ogawa, M., Adachi, M., Takiguchi, T. US-Japan data linkage for fusion energy research and development 86−43536

Ogawa, M., Baba, T. Heavily Si-doped GaAs and AlAs/n-GaAs superlattice grown by molecular beam epitaxy 86−7804

Ogawa, M., Ishizuka, K. Automatic train stop system for Hakone Mountain Railways 88−18168

Ogawa, M., Ito, O., Nakatsu, K., Hayashi, S., Watanabe, I., Tanaka, K. Fast access method of optical disk memory 88−51427

Ogawa, M., Kamiya, T. Correlation between the backgating effect of a GaAs MESFET and the compensation mechanism of a semi-insulating substrate 85−40742

Ogawa, M., Okuda, K., Saneyoshi, K., Hidaka, K. A microprobe system with a compact electrostatic lens 86−5672

Ogawa, M., Shimouma, T., Nakada, S., Yoshioka, T. Electroluminescence of devices with thin-film $CaS{:}Ce^{3+}$, Cl^- as the active luminescent layer 85−35643

Ogawa, M. *see* Arima, T. 85−52245, 86−43754

Ogawa, M. *see* Baba, T. 85−1587, 87−1238, 87−6448

Ogawa, M. *see* Hida, H. 86−2222

Ogawa, M. *see* Hirose, K. 86−53683

Ogawa, M. *see* Ito, O. 88−45060

Ogawa, M. *see* Karita, Y. 88−52846

Ogawa, M. *see* Miyake, M. 88−28725

Ogawa, M. *see* Miyoshi, T. 87−60161

Ogawa, M. *see* Murakami, S. 86−14995

Ogawa, M. *see* Obata, S. 88−60485

Ogawa, M. *see* Ogino, M. 86−28296

Ogawa, M. *see* Ohata, K. 85−17867, 86−15281

Ogawa, M. *see* Ohta, K. 87−45901

Ogawa, M. *see* Ohte, A. 86−55615

Ogawa, M. *see* Saito, S. 85−62997

Ogawa, M. *see* Soga, T. 88−49884

Ogawa, M. *see* Sparts, P. 87−36383

Ogawa, M. *see* Sugai, I. 85−59047

Ogawa, M. *see* Takatori, H. 85−30759, 85−42106

Ogawa, M. *see* Tamura, Y. 87−8603

Ogawa, M. *see* Tanaka, K. 87−32526

Ogawa, M. *see* Torikai, T. 85−34871

Ogawa, M. *see* Yamasaki, J. 88−33543

Ogawa, N. *see* Uenoyama, F. 86−4429

Ogawa, R., Arai, M., Yamashita, N., Nakazawa, T., Tomizuka, K., Takahashi, M. Development of radio data system decoder IC's 88−15756

Ogawa, R., Arai, M., Yamashita, N., Nakazawa, Ts. LSI for RDS broadcasting to multiplex digital data for FM signals 88−29044

Ogawa, R., Takashima, Y., Omachi, T., Usubichi, T. Experimental system for document page image filling and communication 86−54719

Ogawa, R. *see* Arai, M. 88−41510

Ogawa, R. *see* Matsumoto, T. 88−42532

Ogawa, R. *see* Tanaka, K. 87−13823

Ogawa, R. *see* Yamafuji, K. 87−74554

Ogawa, S. The evolution of cassette deck mechanisms: packaging more quality in a small product 85−8658

Ogawa, S. Antenna pointing control using a direct drive actuator 86−69717

Ogawa, S., Haginomori, E., Nishiwaki, S., Yoshida, T., Terasaka, K. Estimation of restriking transient overvoltage on disconnecting switch for GIS 86−51804

Ogawa, S., Horikawa, H. Linear DC motor application to laser beam disk 87−22426

Ogawa, S., Miura, H., Miyasaka, T. A 12 GHz low noise converter for two band reception 85−37208

Ogawa, S., Tada, E., Toda, H., Yoshitake, M., Shimpo, M., Saji, Y. The study of superconducting NbTi films for magnetic shield 87−38712

Ogawa, S., Yamazaki, K., Akiyama, S., Terui, Y. Thermally stable W/silicide/Si contact 87−45831

Ogawa, S., Yamazaki, K., Akiyama, S., Terui, Y. Characterization of $W/WSi_x/Si$ contact structures under thermal annealing for some X values 87−66994

Ogawa, S., Yoshitaka, M., Tada, E., Saji, Y., Simpo, M., Sugioka, T., Ingue, M. Magnetic shielding effects of superconducting NbTi films 88−33560

Ogawa, S. *see* Akiyama, S. 86−41979

Ogawa, S. *see* Imai, I. 85−53939

Ogawa, S. *see* Isshiki, N. 87−42749

Ogawa, S. *see* Kano, H. 88−51599

Ogawa, S. *see* Kasuya, H. 87−19489

Ogawa, S. *see* Koshino, N. 85−50894

Ogawa, S. *see* Kumagai, N. 86−24937

Ogawa, S. *see* Kuroda, K.-i. 88−3776

Ogawa, S. *see* Kusaku, T. 86−18178

Ogawa, S. *see* Miura, H. 85−3644

Ogawa, S. *see* Miyatake, S. 85−42912, 85−52662, 87−34970

Ogawa, S. *see* Miyazaki, M. 87−68220

Ogawa, S. *see* Moribe, M. 88−65395

Ogawa, S. *see* Nagakawa, T. 86−11281

Ogawa, S. *see* Nakajima, M. 86−42219

Ogawa, S. *see* Nakamura, M. 88−9331

Ogawa, S. *see* Nogawa, S. 88−31849

Ogawa, S. *see* Saji, Y. 86−48623

Ogawa, S. *see* Seko, M. 85−32679

Ogawa, S. *see* Shono, K. 88−51593, 88−51600, 88−58273

Ogawa, S. *see* Suzuki, Y. 85−10794, 86−13801, 88−31850

Ogawa, S. *see* Takahashi, J. 87−25805

Ogawa, S. *see* Tsukada, E. 88−40758

Ogawa, S. *see* Utsumi, K. 88−65156

Ogawa, S. *see* Yamada, Y. 88−53098

Ogawa, S. *see* Yamazaki, K. 87−44847

Ogawa, S. *see* Yotsuya, T. 88−29680

Ogawa, S.-I. *see* Miyatake, S. 86−49979

Ogawa, S.-i. *see* Yasui, J. 88−19858

Ogawa, T. Piezoelectric buzzers satisfy high-density mounting 88−37910

Ogawa, T., Ando, A., Wakino, K. Electrostrictive properties of monolithic bimorphous actuator 86−68135

Ogawa, T., Ando, A., Wakino, K. Monolithic bimorph with internal electrodes 87−12019

Ogawa, T., Fujii, M., Asai, T., Ikegami, A., Kobayashi, T. Application of copper conductor and ruthenium containing oxides-glass resistor to high-frequency hybrid ICs for a portable cellular radio 88−50560

Ogawa, T., Fujii, M., Asai, T., Takahashi, K., Ikegami, A., Ohtsu, H., Shirai, H. Application of copper conductor and RuO_2-glass resistor to high frequency hybrid IC's for a portable cellular radio 87−73924

Ogawa, T., Hanamura, E. Numerical analysis of multi-mode laser with modulated inversion 87−61189
Ogawa, T., Iwashita, Y. Model study of the 4-rod structure of an RFQ linac 88−16570
Ogawa, T., Kamioka, S., Ogawa, Y., Koyano, T. A new generation PBX for integrated office services 87−76464
Ogawa, T., Koyano, T., Fukasawa, H. A new digital PBX system for integrated office services 88−3730
Ogawa, T., Kunigami, T., Fujita, T. Fujitsu electronic switching system in Colombia 85−3275
Ogawa, T., Maeno, H., Igarashi, K., Aikyo, K., Kuratani, Y. A relation between polar ionospheric disturbance and NNSS satellite positioning error 88−46969
Ogawa, T., Mizuguchi, M., Ogasawara, H., Mori, M., Fukushima, T. 405 Mb/s single-mode optical fiber transmission system 85−20223
Ogawa, T., Murata, K., Shirogami, T. Performance model of molten carbonate fuel cell 86−33640
Ogawa, T., Murata, K., Shirogami, T. Performance model of molten carbonate fuel cell. Oxidant dependence 87−36116
Ogawa, T., Murata, K., Shirogami, T. Performance model of molten carbonate fuel cell. I 87−36117
Ogawa, T., Sakai, K., Yamada, Y. A proposal for measurement of implanted ion dose in semiconductor wafers by IR light scattering technique 88−64386
Ogawa, T., Touge, T., Higo, Y. Trunk line transmission system−high-capacity optical fiber transmission system 85−25903
Ogawa, T., Touge, T., Nakamura, A. Optical fiber transmission systems for common carrier networks 87−28560
Ogawa, T., Umemura, S., Katakura, K., Ikeda, H., Kodama, M., Hayashi, H. In vivo sound velocity in reflection 88−60992
Ogawa, T. *see* Aikyo, K. 88−35446
Ogawa, T. *see* Hashizume, H. 85−3912
Ogawa, T. *see* Hirano, R. 86−1712
Ogawa, T. *see* Igarashi, K. 86−4728, 86−59933
Ogawa, T. *see* Ishizuka, T. 88−15465
Ogawa, T. *see* Kasahara, K. 86−25380
Ogawa, T. *see* Katakura, K. 88−30203
Ogawa, T. *see* Kato, S. 85−26899
Ogawa, T. *see* Kitamura, A. 86−50145, 86−51164
Ogawa, T. *see* Kodokoro, T. 85−36049
Ogawa, T. *see* Kumagai, H. 86−3531, 86−59048
Ogawa, T. *see* Kuniyoshi, S. 88−64461
Ogawa, T. *see* Mizuguchi, M. 85−47510
Ogawa, T. *see* Nagata, S. 86−31513
Ogawa, T. *see* Nagato, K. 88−68632
Ogawa, T. *see* Nakazato, H. 87−24136
Ogawa, T. *see* Ohnishi, T. 87−77021
Ogawa, T. *see* Ohshima, Y. 86−58844
Ogawa, T. *see* Shibanuma, N. 87−75107
Ogawa, T. *see* Shibata, H. 87−77357
Ogawa, T. *see* Sugiki, T. 86−58067
Ogawa, T. *see* Suzuki, M. 85−3037
Ogawa, T. *see* Takata, M. 87−72548
Ogawa, T. *see* Tanaka, F. 88−31834
Ogawa, T. *see* Tohyama, T. 86−4288
Ogawa, T. *see* Tsukamoto, K. 87−31903
Ogawa, T. *see* Tsutsui, M. 88−54740
Ogawa, T. *see* Ukigaya, F. 85−37188
Ogawa, T. *see* Wakao, M. 88−73821
Ogawa, T. *see* Yoshida, S. 87−4466
Ogawa, Y., Fukuda, S., Ohsawa, S., Saito, Y., Otake, Y., Anami, S., Azuma, O., Yokota, M., Asami, A., Tanaka, J. Electron gun for KEK e^+ linac. II 87−14717
Ogawa, Y., Ishii, T., Shiraishi, Y., Terai, H., Kozawa, T., Yuyama, K., Chiba, K. Efficient placement algorithms optimizing delay for high-speed ECL masterslice LSIs 87−5841
Ogawa, Y., Itoh, K. Comments on 'Lyapunov stability of adaptive LMS array' by M. Ueno 86−3646
Ogawa, Y., Itoh, K. Further comments on 'Lyapunov stability of adaptive LMS array' by M. Ueno 86−22836
Ogawa, Y., Matsubara, N. New type of vortex shedding flowmeter 87−21004
Ogawa, Y., Nakada, Y., Yasui, H., Ochi, S. Development of CCD imaging block for single chip color camera 86−11455
Ogawa, Y., Ohmiya, M., Itoh, K. Behaviors of an LMS adaptive array for multipath fading reduction 85−2699
Ogawa, Y., Ohmiya, M., Itoh, K. A shipborne fading reduction antenna system for maritime satellite communications 85−3402
Ogawa, Y., Ohmiya, M., Itoh, K. An LMS adaptive array using a pilot signal 86−22826
Ogawa, Y., Ohmiya, M., Itoh, K. Reference signal generation in an LMS adaptive array for multipath fading reduction 86−64134
Ogawa, Y., Ohmiya, M., Itoh, K. An LMS adaptive array for multipath fading reduction 87−47388
Ogawa, Y., Shima, K., Sugawara, T. KRINE: a knowledge base system with frame-based logic programming mechanisms 88−12291
Ogawa, Y., Suganuma, T. MCFs move toward low price, miniaturization, and indispensable for HF communication 86−20685
Ogawa, Y., Takahashi, T., Gambe, H., Kashiwakura, K. Delay-time equalizer used in MF radio sound transmission lines−digital delay-time equalization in frequency domain 86−54505
Ogawa, Y., Tanaka, K., Uemura, K., Hikino, T., Fujita, N., Nishida, S. Power amplifier module for 1.2 GHz band handheld type amateur radio 87−76534
Ogawa, Y., Terai, H., Kozawa, T. Automatic layout procedures for serial routing devices 88−70454
Ogawa, Y., Tokuda, S., Sasaki, M., Ohmiya, M., Itoh, K. Interference suppression in television signals using an LMS adaptive array antenna 86−4818
Ogawa, Y., Yamamoto, R., Ueda, K., Fuijta, K. Ultra high speed divide-by-4 GaAs prescaler IC 87−73376
Ogawa, Y. *see* Asami, A. 87−41781
Ogawa, Y. *see* Azuma, O. 87−14682
Ogawa, Y. *see* Fukuda, S. 87−41818
Ogawa, Y. *see* Furukawa, Y. 88−13812
Ogawa, Y. *see* Hamada, Y. 85−2508
Ogawa, Y. *see* Hida, H. 88−20153
Ogawa, Y. *see* Honda, T. 86−18370
Ogawa, Y. *see* Horikawa, H. 88−70337
Ogawa, Y. *see* Hosono, Y. 87−14684
Ogawa, Y. *see* Ichikawa, M. 86−36832
Ogawa, Y. *see* Inoue, Y. 88−13678
Ogawa, Y. *see* Itoh, K. 86−3691, 86−68887, 86−68892, 88−46987
Ogawa, Y. *see* Kamata, H. 86−16166, 86−60311, 87−47568
Ogawa, Y. *see* Kashiwakura, K. 87−11008
Ogawa, Y. *see* Kimura, H. 88−63551
Ogawa, Y. *see* Kitakami, O. 88−51207
Ogawa, Y. *see* Kuzuhara, M. 87−46229
Ogawa, Y. *see* Ming, M. 87−562
Ogawa, Y. *see* Miya, K. 86−28768
Ogawa, Y. *see* Miyachi, I. 86−51106
Ogawa, Y. *see* Murakami, Y. 88−10495
Ogawa, Y. *see* Nishi, T. 86−17682
Ogawa, Y. *see* Nishimura, Y. 86−58483
Ogawa, Y. *see* Ogawa, T. 87−76464
Ogawa, Y. *see* Ohishi, H. 88−7632
Ogawa, Y. *see* Ohmiya, M. 85−30080, 86−64122, 86−64140, 87−2373
Ogawa, Y. *see* Ohsawa, S. 87−14686
Ogawa, Y. *see* Okumura, K. 85−12739, 85−12748, 85−12968, 85−51167
Ogawa, Y. *see* Otake, Y. 87−14681, 88−42361
Ogawa, Y. *see* Sasaki, M. 85−43062, 87−56416, 88−22809
Ogawa, Y. *see* Sato, I. 87−41704
Ogawa, Y. *see* Sugahara, M. 85−56210, 86−2630
Ogawa, Y. *see* Takemura, H. 85−2763
Ogawa, Y. *see* Tamamushi, S. 88−39308
Ogawa, Y. *see* Tsuji, M. 87−4515, 88−36935
Ogawa, Y. *see* Wu, Z. 88−46270
Ogawa, Y.C. *see* Kamejima, K. 86−4232, 86−43346, 88−59333
Ogawahara, N. *see* Masuda, W. 87−18881, 87−61088
Ogawara, S., Togashi, M., Ozaki, T., Futatsugi, K. Facsimile signal processing 87−39877
Ogawara, T., Yukawa, A., Sugawara, M., Watanabe, T., Kunimasa, K., Yamazaki, T. A high-speed CMOS 8-bit flash A/D converter IC 86−1155
Ogawara, T., Yukawa, A., Yamazaki, T., Mukai, M., Kunimasa, K., Takeda, M. High speed 8 bit CMOS A/D converter 86−57891
Ogboja, O. A procedure for computer-aided design of water-cooling towers 87−58497
Ogbonnah, D., Fraser, A. Reliability investigation of 1 micron depletion mode IC MESFETs 87−1755
Ogbonnah, D. *see* Fraser, A. 86−35920
Ogbonnah, D. *see* Reeder, T. 87−1774
Ogborn, L.L. *see* Schoner, H.-P. 88−5775
Ogborne, J. *see* Bailey, V.L. 88−3828
Ogburn, F., Mandel, J. An interlaboratory comparison of gold thickness measurements 86−18119
Ogden, D. *see* Tyson, T.J. 88−50144
Ogden, D.D. *see* Mirchandani, G. 88−66579
Ogden, D.M., Fletcher, C.D., Davis, C.B. Analysis of H.B. Robinson Unit-2 pressurized thermal shock transients 86−25755
Ogden, F. Testing! Testing! 85−26356
Ogden, F. Testing! Testing! [multimeters] 85−31502
Ogden, F. Electronic altimeter 85−38290
Ogden, F. Digital altimeter 86−50126
Ogden, R. A high resolution optical shaft encoder 85−40136
Ogden, S. IBM's network: on the right track? 85−52069
Ogden, S. With all the mod comms [Hayes' Smartmodem and Smartcom communications software] 88−35269
Ogden, T.R., Gookin, D.M. Bulk photovoltaic effect in polyvinylidene fluoride 85−12697
Oggiano, M.S. *see* Brunne, M. 86−3075
Oggionni, F. *see* Nannicini, M. 86−8023
Oghanna, W., Chappell, S. System controller for a stand-alone hybrid energy power supply 86−45305
Oghanna, W. *see* Lewis, S.R. 87−42387
Oghievski, A. The detection of the deformation of transformer windings due to short-circuit currents 86−26109
Ogi, K. *see* Isshiki, M. 86−44040
Ogi, N. *see* Nishihara, M. 88−37980
Ogier, R.G. A decomposition method for optimal link scheduling 87−40705
Ogier, R.G. *see* Hajek, B. 85−2978
Ogier, R.G. *see* Shacham, N. 88−21512
Ogihara, H. *see* Kirino, T. 86−38072
Ogihara, M., Nagashima, Y., Galster, W., Mikumo, T. Systematic measurements of pulse height defects for heavy ions in surface-barrier detectors 87−8846
Ogihara, M. *see* Aoyama, M. 88−34254
Ogihara, S., Yasuda, T., Otsuka, K., Kobayashi, F. Application to LSI packages of SiC ceramics with high thermal conductivity 86−26644
Ogihara, S. *see* Otsuka, K. 85−450
Ogihara, S. *see* Oura, Y. 86−32823
Ogihara, T., Saruyama, S., Murai, S. PATEGE: An automatic DC parametric test generation system for series gated ECL circuits 86−20200
Ogihara, T., Toyoshima, H., Murai, S. ASTA: LSI design management system 87−65713
Ogihara, T. *see* Enomoto, K. 86−14144
Ogihara, T. *see* Muroi, K. 87−37362
Ogihara, Y. *see* Nakajima, T. 88−69617
Ogihara, Y. *see* Nanba, M. 85−48519
Ogihara, Y. *see* Tanaka, H. 85−59630
Ogiharan, Y. *see* Hayashi, T. 86−12395
Ogikami, K., Kodaka, M., Miyaoka, S., Sotomura, K., Uchida, H., Ikeda, T., Masuda, I., Meguro, R. Bipolar CMOS RAM for high-speed highly integrated memory 86−62600
Ogikubo, K. *see* Kuwano, R. 85−59482
Ogikubo, K. *see* Ono, H. 88−54751
Ogilvie, D. PROM based DRAM controller 85−11239
Ogilvy, D. Micro imaging 86−37153
Ogilvy, J.A. A model for elastic wave propagation in anisotropic media with applications to ultrasonic inspection through austenitic steel 85−17006
Ogilvy, J.A. Identification of pulse-echo rays in austenitic steels 85−17019
Ogilvy, J.A. Computerized ultrasonic ray tracing in austenitic steel 85−39834
Ogilvy, J.A. Theoretical comparison of ultrasonic signal amplitudes from smooth and rough defects 87−23786
Ogilvy, J.A. The influence of austenitic weld geometry and manufacture on ultrasonic inspection of welded joints 87−44419
Ogino, H. *see* Horie, T. 87−36110
Ogino, H. *see* Sasaki, K. 87−18567
Ogino, I. *see* Futamata, M. 88−69671, 88−75909
Ogino, I. *see* Higuchi, S. 86−19451
Ogino, I. *see* Nakamura, O. 85−60411
Ogino, K. *see* Aizu, Y. 88−10139
Ogino, K. *see* Asai, K. 87−43516
Ogino, K. *see* Ikezawa, H. 85−51985
Ogino, K. *see* Matsuki, S. 85−64499
Ogino, K. *see* Nakazima, A. 87−4768
Ogino, K. *see* Thorpe, L. 88−74130
Ogino, K. *see* Yamada, F. 85−39069
Ogino, M., Ogawa, M. The change of current gain for transistors 86−28296
Ogino, M. *see* Ando, K. 86−30980, 87−3289
Ogino, M. *see* Kobayashi, T. 85−43605, 85−48591, 85−59730
Ogino, M. *see* Nakamura, E. 87−30192
Ogino, O. *see* Iwamoto, M. 86−58720
Ogino, O. *see* Kan, H. 87−14862
Ogino, O. *see* Watanabe, T. 87−67981
Ogino, T. ALPS low-pollution urban transportation system. I 86−7233
Ogino, T., Amemiya, Y. A new planarization technique for LSI fabrication utilizing Si-Ge film oxidation 85−29138
Ogino, T., Amemiya, Y. A new planarization technique for LSI utilizing Si-Ge film oxidation 85−45612
Ogino, T., Amemiya, Y. A planarization technique utilizing oxide flow during H_2 treatment of a SiO_2-GeO_2 film 87−1426
Ogino, T., Ijichi, K. A feasibility study of an expert system for a space station and experiments in space 88−16811
Ogino, T., Matsuoka, K. ALPS low-pollution urban transportation system. II 86−7236
Ogino, T., Miki, T., Fujii, M. Human interface for nuclear power plants 88−69108
Ogino, T., Mineo, Y., Fujii, M., Yokoyama, T. Diagnostic technique using a plant event data base 85−21333
Ogino, T., Mizushima, Y. Quantum wells in amorphous semiconductors 86−1795
Ogino, T., Nishizawa, Y., Morioka, T., Naito, N., Tani, M., Fujita, Y. Intelligent decision support systems for nuclear power plants in Japan 88−62046
Ogino, T., Sakaue, M., Amemiya, Y. A high Schottky barrier contact of metallic amorphous Si-P on p-type Si 88−44592

Ogino, T., Tsuji, S., Fujita, Y., Okamoto, Y., Nakao, M., Yokoyama, T., Yoshimura, T. A computerized operator-support system for PWR nuclear power plants in Japan. II. Technological developments 86−39314
Ogino, T. *see* Egawa, S. 88−48214
Ogino, T. *see* Kato, N. 86−46840
Ogino, T. *see* Tanaka, M. 88−48672
Ogino, T. *see* Terashita, N. 86−6551
Ogino, Y., Komaki, T., Tsukidate, A., Yamasaki, A. An automated laboratory with interactive tools for data analysis 87−41337
Ogino, Y. *see* Nakaoka, M. 88−69554
Ogino, Y. *see* Omori, H. 85−27827
Ogino, Y. *see* Taniguchi, K. 88−43425
Oginskas, A. *see* Cesnis, A. 85−55482
Oginskas, A. *see* Cesnys, A. 86−21205, 87−45721, 87−53205
Oginskas, A.K., Gashka, K.I., Chesnis, A.A. Relaxation of the electrical resistance of a monostable switching structure in its low-resistance state 87−6652
Ogirko, R.N. *see* Shmorgun, E.I. 86−50139, 88−36121
Ogiro, K., Kaku, N., Masuda, K., Nagai, K. A precision mechanism for high density magnetic recording 0f 8 mm VCR 87−13964
Ogishi, K., Korniya, A., Umeoka, N. Compact fluorescent lamps with amalgam 88−6003
Ogishi, K. *see* Ito, H. 86−33828
Ogishi, T. *see* Toyonaga, K. 86−35803
Ogishima, M. *see* Ohno, M. 87−9613, 88−57041
Ogiso, N. *see* Tsuji, S. 85−58427
Ogiso, R. *see* Hu, M. 86−32649
Ogisu, K., Takkahashi, S. A new method of producing fine metal powder from γ-FeOOH 86−26922
Ogisu, K. *see* Asano, H. 87−4460
Ogisu, M. *see* Matsuzaki, T. 86−52875
Ogita, E. *see* Ueda, T. 86−11577, 86−60231, 87−8621
Ogita, E. *see* Yamaguchi, I. 86−60234
Ogita, M., Carroll, T., Wei, J., van der Spiegel, J., Zemel, J.N. Use of gold films as masks for a KOH preferential etch 85−23710
Ogita, M., Kawamura, K., Yamada, T., Yamamoto, T. Some aspects on position sensitive photodetectors made of amorphous silicon 87−21103
Ogita, M., Kawamura, K., Yamada, T., Yamamoto, T. Some aspects of position-sensitive photodetectors made of amorphous silicon 87−70638
Ogita, M., Terashima, Y. Application of FAMOS technology to watch ICs 87−46199
Ogita, M., Ye, D.-B., Kawamura, K., Yamamoto, T. An integrated hydrogen-switching Pd-Si tunnel MIS sensor 86−55680
Ogita, S., Hirano, M., Soda, H., Yano, M., Ishikawa, H., Imai, H. Dependence of spectral linewidth of DFB lasers on facet reflectivity 87−39103
Ogita, S., Kotaki, Y., Ishikawa, H., Imai, H. Optimum design for multiple-phase-shift distributed feedback laser 88−58601
Ogita, S., Kotaki, Y., Kihara, K., Matsuda, M., Ishikawa, H., Imai, H. Dependence of spectral linewidth on cavity length and coupling coefficient in DFB laser 88−51800
Ogita, S., Yano, M., Imai, H. Theoretical calculation of the linewidth enhancement factor of DFB lasers 86−54136
Ogita, S., Yano, M., Ishikawa, H., Imai, H. Linewidth reduction in DFB laser by detuning effect 87−46861
Ogita, S. *see* Soda, H. 87−68451
Ogita, S. *see* Yamada, M. 85−2284, 85−35790, 85−62582, 87−18986
Ogiuchi, T. *see* Mineo, K. 87−28231
Ogiue, K., Iwabuchi, M., Tonomura, K. High-speed bipolar ECL RAM series 86−41095
Ogiue, K., Minato, O. High speed LSI memories 85−40097
Ogiue, K., Odaka, M., Iwabuchi, M., Uchida, A. Technology improvement for high speed ECL RAMs 87−44849
Ogiue, K., Odaka, M., Masuda, I., Yasui, T., Suzuki, Y., Uchida, H. A 15 ns/250 mW 64K static RAM 86−46822
Ogiue, K., Odaka, M., Miyaoka, S., Masuda, I., Ikeda, T., Tonomura, K. 13-ns, 500-mW, 64-kbit ECL RAM using Hi-BiCMOS technology 87−10863
Ogiue, K., Odaka, M., Miyaoka, S., Masuda, I., Ikeda, T., Tonomura, K., Ohba, T. A 13 ns/500 mW 64 Kb ECL RAM 87−17082
Ogiue, K. *see* Higuchi, H. 85−55922
Ogiue, K. *see* Homma, N. 87−10862
Ogiue, K. *see* Ikeda, T. 87−53666, 87−60526
Ogiue, K. *see* Iwabuchi, M. 86−46823, 87−59498
Ogiue, K. *see* Kubo, M. 88−33289
Ogiue, K. *see* Miyaoka, S. 87−59493, 88−6835
Ogiue, K. *see* Nambu, H. 88−12362
Ogiue, K. *see* Nishio, Y. 85−33858, 87−38351
Ogiue, K. *see* Nishioka, Y. 86−47779, 87−74408
Ogiue, K. *see* Odaka, M. 86−34816
Ogiue, K. *see* Watanabe, A. 86−47746
Ogiue, K. *see* Yamaguchi, K. 85−49899, 87−17083
Ogiue Katsumi *see* Katsumi Ogiue
Ogiwara, A., Ohtsubo, J. Maximum dynamic range of clipped correlation of integrated laser speckle intensity 88−52529
Ogiwara, A. *see* Ohtsubo, J. 88−28044
Ogiwara, H. Multiple access system using linearly independent vectors over a finite field 87−2669
Ogiwara, H. High temperature superconductor wires 88−13695
Ogiwara, H. Modeling of time-varying transmission path and its optimum adaptive-equalization 88−46075
Ogiwara, H., Kimura, O., Dezaki, T., Nakaoka, M., Maruhashi, T. Developments of SIT high-frequency resonant inverter for metal melting uses 88−75842
Ogiwara, H., Kimura, O., Dezaki, T., Tatsuta, M., Nishizawa, J., Naaoka, M., Maruhashi, T. Novel high-frequency inverters using high-power static induction transistors and their applications 86−39976
Ogiwara, H., Nakaoka, M. Resonant high-frequency inverters using static induction transistors 88−69525
Ogiwara, H., Nakaoka, M., Maruhashi, T. Resonant current phasor control-based high-frequency inverter using static induction power devices 88−75826
Ogiwara, H. *see* Kuriyama, T. 87−32895
Ogiwara, H. *see* Maeda, H. 85−41092, 88−65075
Ogiwara, H. *see* Murase, S. 85−46113
Ogiwara, H. *see* Nakagome, H. 87−32894, 88−65050
Ogiwara, H. *see* Noto, K. 85−41091
Ogiwara, H. *see* Yamano, S. 87−31711
Ogiwara, H. *see* Yazawa, T. 87−32849
Ogiwara, K. *see* Fujisawa, T. 85−59006, 85−64356, 86−32009
Ogiwara, K. *see* Kohno, I. 85−15135
Ogiwara, K. *see* Makimoto, M. 85−34645
Ogiwara, M. Usage of industrial robots in electronic industries: present and future 86−13410
Ogiwara, M. *see* Li, R. 87−32847
Ogiwara, M. *see* Yamamoto, H. 86−47953
Ogiwara, S. *see* Emoto, Y. 86−61948
Ogiwara, Y. *see* Hayafune, K. 86−1247
Ogiyama, A., Ohshima, A., Tsuruno, Y. Voucherless accounting system with FETEX-LAN at D'URBAN Inc 86−10762
Ogle, G.J. *see* Farrar, L.C. 86−40170
Ogle, J.W., Looney, L.D. Characterization of fiber optic cables under large tensile loads 85−35422
Ogle, J.W., Smith, R.C., Roeske, F. Radiation sensors 88−61158
Ogle, J.W., Smith, R.C., Ward, M., Ramsey, R., Hollabaugh, J. A 100 MHz fiber optic single transient gamma ray detection system 85−41125
Ogle, J.W., Thayer, D., Looney, L.D., Cverna, F., Yates, G., Iverson, C.E., Lutz, S.S., Nelson, M.A., Whitcomb, B. Radiation-induced imaging system over long fiber-optic bundles 88−10032
Ogle, J.W. *see* Flurer, R.L. 88−13852
Ogle, J.W. *see* Smiley, V.N. 85−35409
Ogle, J.W. *see* Whitcomb, B.M. 88−10011
Oglesby, M.L. *see* Cornelison, K.E. 87−49054
Oglevee, D.H. *see* Cohen, A.I. 87−77982
Oglevie, R.E., Eisenhaure, D.B. Integrated power and attitude control system (IPACS) technology 87−42055
Oglevie, R.E. *see* Eisenhaure, D.B. 86−32421
Ogliari, D. *see* Canali, C. 85−6952, 86−41803
Ogloblin, B.G., Terent'ev, I.K., Blagoveshchenskii, A.Ya., Antonov, V.I., Kiselev-Fedorov, V.P., Korotaev, O.I., Mizonov, N.V., Sazonov, A.G., Svishchev, A.M., Fedorovich, E.D., Paramonov, P.M. Gas channel study program in the BRIG-300 fast breeder reactor 87−4528
Ogluzdin, V.E. *see* Ermolov, P.F. 86−5826
Ogluzdin, V.E. *see* Gerasimov, V.B. 87−33296, 88−58604
Ogmundson, P.G., Driessen, P.F. A digital bit synchronizer with pattern jitter compensation 87−65954
Ognev, A.S. *see* Ievlev, V.M. 88−70324
Ognev, L.I. *see* Kandidov, V.P. 85−24483, 86−9750
Ogneva, O.V. *see* Georgobiani, A.N. 85−55521
Ognevskii, V.A. *see* Volkov, A.A. 85−47983
Ogno, G. *see* Caorsi, S. 86−32299
Ogo, S. *see* Takeda, M. 87−56764, 88−16292
Ogoh, I. *see* Ohno, Y. 88−71371
Ogon'kov, V.G. *see* Yudov, M.F. 88−30646
Ogonowska, E. *see* Zawada, T. 87−4676
Ogonowski, J. *see* Kropacz, W. 85−28623
Ogonowski, P. *see* Theron, J.C. 88−60538
Ogorek, E. *see* Hanuszkiewicz, Z. 87−20992
Ogorelec, A., Zakonjsek, J. Technical and economical aspects of introducing integrated digital systems into distribution substations 86−39121
O'Gorman, I.G. *see* Boland, F.M. 87−25509
O'Gorman, J., Phelan, P., McInerney, J., Heffernan, D. Nonlinear dynamics of self-pulsing external cavity semiconductor injection lasers 88−51854
O'Gorman, J. *see* Phelan, P. 87−26380
O'Gorman, L. A note on histogram equalization for optimal intensity range utilization 88−34739
O'Gorman, L. Primitives chain code [image analysis] 88−72763
O'Gorman, L. An analysis of feature detectability from curvature estimation 88−73314
O'Gorman, L., Brotman, L.S. Entropy-constant image enhancement by histogram transformation 87−19891
O'Gorman, L., Nickerson, J.V. Matched filter design for fingerprint image enhancement 88−66702
O'Gorman, L., Sanderson, A.C. The wedge filter technique for convex boundary estimation 85−51689
O'Gorman, L., Sanderson, A.C. Some extensions of the converging squares algorithm for image feature analysis 86−69134
O'Gorman, L., Sanderson, A.C. A comparison of methods and computation for multi-resolution low- and band-pass transforms for image processing 87−47883
O'Gorman, L., Weil, G.I. An approach toward segmenting contour line regions 87−48089
O'Gorman, L. *see* Catthoor, F. 88−63720
O'Gorman, R.J. *see* Jesshope, C. *(editor)* 88−11578
O'Gorman, V. Higher education-industry cooperation in Ireland: the role of the National Board for Science and Technology 86−40408
Ogorodneichuk, I.F., Borzenkov, B.I., Kunik, E.G., Semenets, V.V., Dovnar, A.I., Malyuk, V.G., Prasol, I.V., Serikov, A.D., Zolotoverkhii, Yu.N., Khramtsov, V.N. Program complex for end-to-end design of radioelectronic apparatus 88−28655
Ogorodneichuk, I.F. *see* Borzenkov, B.I. 87−44469
Ogorodniichuk, L.D. Selecting overlap factors in evaluation of phase meter errors 86−18013
Ogorodniichuk, L.D. Using sloping section of characteristics of phase meter to evaluate its phase-amplitude error 88−4529
Ogorodnikov, A.P. *see* Amisimov, A.M. 85−9933
Ogorodnikov, V.K. *see* Bazhenov, N.L. 85−24384, 87−46661
Ogorodnikov, V.K. *see* Ivanov-Omskii, V.I. 86−1718
Ogorodnikov, V.K. *see* Matyushkin, V.P. 85−24387
Ogorzalek, B.S. *see* Schenkel, F.W. 85−9259, 88−30149
Ogorzalek, M.J. 'Latch-up' property in second order RC-active oscillators 86−62479
Ogorzalek, M.J. Chaotic regions from double scroll 87−36942
Ogorzalek, M.J. Some observations on chaotic motion in single loop feedback systems 87−52322
Ogorzalek, M.J., Grabowski, P. On the design of RC oscillators with single nonlinear active element 87−547
Ogorzalek, M.J., Mitkowski, W. Chaotic motion in a RC-ladder network with nonlinear feedback 88−50234
Ogorzalek, M.J., Scibich, A.R. Improved macromodel of operational transconductance amplifier (OTA) 85−22689
Ogorzalek, M.J. *see* Mitkowski, W. 88−56734
Ogose, S. Field test measurements for 920 MHz transmitter diversity 85−30925
Ogose, S., Daikoku, K. SINAD performance and spectrum efficiency for RZ SSB 86−69681
Ogose, S. *see* Daikoku, K. 85−63582, 86−69634
Ogose, S. *see* Ohno, K. 88−45926, 88−46930
Ogoshi, K., Matsui, F., Suzuki, T., Yamamoto, T. An optical recording disk using an organic dye medium 86−42213
Ogoshi, M., Yoshida, T. Conceptual study on molten carbonate fuel cell power generating system 86−61725
Ogou, S. *see* Hara, T. 88−18988
O'Grady, K., Chantrell, R.W., Wohlfarth, E.P. Mixed anisotropies in small ferromagnetic particles 85−24059
O'Grady, K., Stewardson, H.R., Chantrell, R.W., Fletcher, D., Unwin, D., Parker, M.R. Magnetic filtration of ferrofluids 87−33403
O'Grady, K. *see* Bradbury, A. 85−24058
O'Grady, K. *see* Chandrasekhar, R. 88−13672
O'Grady, K. *see* Chantrell, R.W. 88−71937
O'Grady, K. *see* Uren, S. 88−57972
O'Grady, K.D. *see* Bissell, P.R. 85−26460
O'Grady, S. *see* Dyson, W. 85−10744, 85−23427
O'Grady, W.E. *see* McBreen, J. 88−49123
O'Grady, W.E. *see* Pandya, K.I. 87−35332
Ogren, H.O. *see* Baringer, P. 87−35351
Ogren, O. Does it pay to build in advance? Prefabricated medium-voltage substations 88−24103
Ogren, O. *see* Gauffin, L. 87−30704
Ogren, S. Ericsson quality−everyone's concern 88−217
Ogrin, Yu.F., Tarasenko, V.V. Magnetostatic spectrum converter for microwave signals 85−56128
Ogrin, Yu.F. *see* Andreyev, A.S. 87−12044
Ogrinc, M.A. *see* Modestino, J.W. 85−36350

Ogris, V. *see* Weiss, W.W. 87−56529
Ogrissek, M. *see* Schluckebier, D. 85−21976
Ogrodnik, R.F. Multimode multistatics for passive/active airborne surveillance 87−20614
Ogrodzki, J. Design of integrated circuits with regard to tolerances and dispersions 85−503
Ogrodzki, J. One-dimensional orthogonal search−a method for a segment approximation to acceptability regions 86−62362
Ogrodzki, J., Andziak, D. An iterative one-dimensional orthogonal search (IODOS) method 86−66936
Ogrodzki, J., Andziak, D. Acceptability regions for analog electronic networks 87−483
Ogrutan, P. *see* Miron, C. 87−387
Oguchi, B. A consideration for future communication media 85−47033
Oguchi, K. Time domain analysis of a multiple phase-shifted voltage-source inverter-fed induction motor 86−45399
Oguchi, K., Adachi, H., Kusakabe, T., Agu, M. Digital system for $1/f$ fluctuation-speed control of a small-fan motor 88−49009
Oguchi, K., Hakamada, Y. New collision detection technique and its performance [in fibre optic LAN] 85−19418
Oguchi, K., Hakamada, Y., Minowa, J. Optical design and performance of wavelength-division-multiplexed optical repeater for fiber-optic passive star networks connection 86−64987
Oguchi, K., Hakamada, Y., Tokura, N. STAR-configured fiber-optic networks for integrated services 88−73985
Oguchi, K., Kusakabe, T., Sudo, F. Pulse width modulation method of a single-phase multilevel inverter 88−18910
Oguchi, K., Mayasaka, Y., Nagashima, S. LCD TV: bigger, brighter, less expensive 88−4547
Oguchi, K., Ohta, M. An improved three phase multistepped voltage inverter combined with a single phase inverter through switching devices 85−5192
Oguchi, K., Yoneyama, S., Sanui, K., Ogata, N., Takahashi, Y., Nakada, T. Relationship between electron sensitivity and chemical structures of polymers as electron beam (EB) resists. V. Polyamides containing sulfur groups as positive EB resists 88−57549
Oguchi, K. *see* Fujii, Y. 86−11118
Oguchi, K. *see* Hakamada, Y. 85−57772, 85−63662, 86−30775
Oguchi, K. *see* Morozumi, S. 85−20674, 86−31530
Oguchi, K. *see* Narita, M. 88−36385
Oguchi, K. *see* Saito, A. 88−74888
Oguchi, K. *see* Tokura, N. 85−42280, 88−46771
Oguchi, N. *see* Fujioka, M. 88−46697
Oguchi, T. Effects of incoherent scattering on attenuation and depolarization of millimeter and optical waves due to hydrometeors 86−68706
Oguchi, T., Ito, S. Effect of incoherent scattering on attenuation and cross polarization of millimeter waves due to rain. II. Calculations at 34.8, 82, 140, and 245.5 GHz for spherical raindrops 85−13072
Oguchi, T., Kiyoura, S., Ohuchi, M., Horiguchi, R., Hirasawa, M., Chiba, T., Katayama, K., Furuki, T., Kubota, K., Tohyama, H., Shiraishi, N. Graphic display controller μPD72020/72120 88−20042
Oguchi, T., Sugiura, A., Nagatomo, H. Fundamental characteristics of the radio interference measuring apparatus employing an average detector 85−36048
Oguchi, T., Tachikawa, Y., Nishi, I., Ikeda, M. Wavelength-division-multiplexing transceiver module 87−76528
Oguchi, T. *see* Fukaya, T. 87−32868, 87−60807
Oguchi, T. *see* Fukuchi, H. 85−2550, 85−19119, 86−3506
Oguchi, T. *see* Ito, S. 87−75452, 88−20919
Oguchi, T. *see* Kato, K. 88−47049
Oguchi, T. *see* Nagatomo, H. 85−36022
Oguchi, T. *see* Nishi, I. 85−47502, 88−28581
Oguchi, T. *see* Sugiura, A. 85−43091, 85−62829, 87−2308
Oguchi, T. *see* Tachikawa, Y. 88−15484
Oguchi, T. *see* Tokushige, K. 85−31164
Oguchi, Y. *see* Kaneko, S. 86−31239, 86−68385
Oguchi, Y. *see* Miyazaki, T. 88−45043
Oguet, F. Cohabitation in France: ARCHITEL hosts telematic services 87−33985
Oguey, C., Carriere, C. Buried heterostructure laser at 1.3 and 1.55 micron for long distance transmission applications 88−58557
Oguey, C., Neubauer, I., Hakoun, R. Monomode attenuator with permanent power transmission control 86−9576
Oguey, C., Vetu, E., Doll, A. Laser diodes for long-haul optical transmission systems 88−34054
Oguey, C. *see* Bernard, J.J. 85−8417
Oguey, H. *see* Aubert, P. 87−59409
Oguey, H. *see* Degrauwe, M.G.R. 86−7997
Oguey, H.J. *see* Aubert, P. 88−51008
Oguey, H.J. *see* Degrauwe, M.G.R. 86−34520, 88−20115
Oguie, K. *see* Kitsukawa, G. 85−40105
Ogulewicz, S. *see* Kerhart, J. 87−7537
Oguma, H. *see* Tatebayashi, K. 86−41243
Oguma, S. *see* Endo, J. 88−51223
Oguma, T. *see* Naito, Y. 87−16145
Oguma, Y. Use of a portable intelligent thermometer [Model 2455] 88−15922
Oguma, Y., Takeda, K., Ezure, T. Model 2422 portable calibrator 88−60816
Oguma, Y., Takeda, K., Ishihara, H. Model 2455 digital thermometer 87−63408
Ogunbona, P.O., King, R.A. Motion compensated frame interpolation using a feature based motion estimation technique 88−8882
Ogunkoya, K.O. *see* Podor, B. 87−74281
Ogunleye, O.T., Richmond, R.G., Cash, B.L. Use of sintered magnesium borate thermoluminescent dosimeters for low dose measurements 86−6007
Ogunleye, S.A. African economic performance: past and prospects 88−62977
Ogura, A., Aizaki, N., Terao, H. Grain growth of $\langle 100\rangle$ textured Ge on a SiO_2/Si_3N_4 stripe 88−63346
Ogura, A., Egami, K., Kimura, M. Minimization of residual stress in SOI films by using AlN interlaid insulator 86−8894
Ogura, A. *see* Egami, K. 86−13787
Ogura, A. *see* Hirayama, H. 88−18716, 88−24698
Ogura, A. *see* Mori, K. 87−23688
Ogura, A. *see* Ohdomari, I. 85−12127
Ogura, H., Takahashi, N. Green function and radiation over two-dimensional random surface 86−68736
Ogura, H., Yoshida, Y., Miyazu, T., Sekine, M., Musha, T. Signal processing for the detection of radar signals hidden in clutter noise 85−46829
Ogura, H. *see* Bekki, K. 88−55015
Ogura, H. *see* Iizuka, K. 85−8471
Ogura, H. *see* Miyuashita, T. 87−27656
Ogura, H. *see* Nakamura, T. 85−59745
Ogura, H. *see* Shibata, A. 86−56946
Ogura, H. *see* Yoshida, Y. 86−10502, 87−27622
Ogura, H. *see* Musha, T. *(editor)* 85−49266
Ogura, I., Kuroda, T., Shimura, T., Chihara, M. Optical projection system with a copper-laser brightness amplifier 85−64210
Ogura, I., Yamanishi, M., Kan, Y., Suemune, I. Switching characteristics of photoluminescence in AlGaAs SCH-QW structure by electric field 88−19725
Ogura, I. *see* Iketani, A. 86−36929
Ogura, I. *see* Itoh, M. 85−7195
Ogura, I. *see* Kan, Y. 87−24881
Ogura, I. *see* Kuroda, K. 86−29080
Ogura, I. *see* Nagashima, S. 85−22468
Ogura, I. *see* Yamamitsu, C. 86−38109
Ogura, J. *see* Ono, A. 88−44530
Ogura, K., Benton, E.V., Frank, A., Atallah, T. Proton response of CR-39 87−21496
Ogura, K., Tamamura, Y., Ishibashi, S., Wakana, T. Center system for advanced videotex service over a 64 kb/s digital network 86−23411
Ogura, K., Tawara, H., Hayashi, T., Ichinose, H., Doke, T., Nakamura, S., Orito, S. Characteristics of CR-39 doped with chlorinated compounds 88−48027
Ogura, K. *see* Arisawa, M. 87−55668, 88−41282
Ogura, K. *see* Banno, H. 88−13613
Ogura, K. *see* Benton, E.V. 87−29570
Ogura, K. *see* Frank, A.L. 87−29571
Ogura, K. *see* Henke, R. 87−14780
Ogura, K. *see* Hoshino, T. 85−51780
Ogura, K. *see* Ishibashi, S. 87−2599, 88−14757
Ogura, K. *see* Shibamura, E. 88−4807
Ogura, K. *see* Tamamura, Y. 85−42216, 86−23410, 86−23412
Ogura, K. *see* Wakuta, Y. 87−29811
Ogura, M., Ban, Y., Morisaki, M., Hase, N. A new cracking method for group V hydrides in the MOCVD growth using triethylindium (TEI) 85−5989
Ogura, M., Hsin, W., Wang, S.C., Yang, J.J., Wang, S.-Y., Houng, Y.-M., Wu, M.-C., Whinnery, J.R., Wang, S. Distributed feedback surface emitting laser diode with lateral buried heterostructure 88−34023
Ogura, M., Matsumoto, K., Wada, T., Yao, T., Hashizume, N., Hayashi, Y. Self-aligned enhancement mode FET with AlGaAs as gate insulator 85−40725
Ogura, M., Mukai, S. Distributed-feedback, surface-emitting laser diode with lateral double heterostructure 87−61151
Ogura, M., Sakaue, K., Tokumaru, Y. Scanning optical fiber microscope for high resolution laser beam induced current image observation of semiconductor defects 86−9495
Ogura, M., Wei Hsin, Ming-Chiang Wu, Shyh Wang, Whinnery, J.R., Wang, S.C., Yang, J.J. Surface-emitting laser diode with vertical GaAs/GaAlAs quarter-wavelength multilayers and lateral buried heterostructure 88−14180
Ogura, M., Wu, M.-C., Hsin, W., Whinnery, J.R., Wang, S. Surface emitting laser diode with bent waveguide 87−61129
Ogura, M., Yao, T. Lasing characteristics and structure of distributed feedback surface emitting laser diode with $Al_xGa_{1-x}As/GaAs$ multilayered heterostructure 85−35792
Ogura, M., Yao, T. Surface emitting laser diode with $Al_xGa_{1-x}As/GaAs$ multilayered heterostructure 85−46386
Ogura, M. *see* Ban, Y. 85−424, 85−44753
Ogura, M. *see* Hasnain, G. 88−7329
Ogura, M. *see* Horiguchi, F. 86−8261, 87−17066
Ogura, M. *see* Hsin, W. 88−40245
Ogura, M. *see* Ishino, M. 86−67723
Ogura, M. *see* Itoh, Y. 87−66172
Ogura, M. *see* Kobayashi, T. 86−67033
Ogura, M. *see* Kubo, M. 86−26834, 87−52128
Ogura, M. *see* Matsuda, K. 88−65528
Ogura, M. *see* Matsumoto, K. 85−40778, 85−50520, 86−2223, 86−41040, 86−53691
Ogura, M. *see* Matsutani, T. 88−5897
Ogura, M. *see* Mikado, T. 87−14714
Ogura, M. *see* Momodomi, M. 88−1765
Ogura, M. *see* Morisaki, M. 85−28995
Ogura, M. *see* Oowaki, Y. 86−47851
Ogura, M. *see* Sakui, K. 86−2431
Ogura, M. *see* Sasai, Y. 86−22396, 86−54158, 86−58934, 87−23646, 87−39095
Ogura, M. *see* Wada, T. 85−40561
Ogura, M. *see* Wu, Y.H. 87−33157
Ogura, M. *see* Yokogawa, T. 87−23624, 87−52104, 88−26837
Ogura, N. *see* Maruyama, K. 87−63512
Ogura, S., Koga, K., Sugiyama, S. Electronic beam focusing for ultrasonic linear array transducers 86−6177
Ogura, S., Kroesen, P.L., Codella, C.F., Rovedo, N., Cheung, S.K. Submicron MOSFET performance at liquid nitrogen temperatures 87−18334
Ogura, S., Rovedo, N. Latch-up free, double-gated, enhancement-type P-channel device for CMOS with enhanced transconductance 85−1745
Ogura, S., Rovedo, N. Submicron sidewall fabrication utilizing aluminum anodization 85−40818
Ogura, S. *see* Codella, C. 85−45777
Ogura, S. *see* Codella, C.F. 86−47609
Ogura, S. *see* Handa, Y. 85−29549
Ogura, S. *see* Miyakawi, M. 86−9636
Ogura, T., Kitagawa, M., Ohashi, H., Nakagawa, A. 6000 V gate turn-off thyristor (GTO) with N-buffer and new anode short structure 88−19951
Ogura, T., Mikami, A., Tanaka, K., Taniguchi, K., Yoshida, M., Nakajima, S. ZnS:Tb, F thin film electroluminescent device 86−44365
Ogura, T., Mikami, A., Tanaka, K., Taniguchi, K., Yoshida, M., Nakajima, S. High-brightness green-emitting electroluminescent device with ZnS:Tb,F active layers 86−58836
Ogura, T., Yamada, S. Content addressable memory 87−24172
Ogura, T., Yamada, S. Content addressable memory LSI technology and the future 87−37287
Ogura, T., Yamada, S.-I., Nikaido, T. A 4-Kbit associative memory LSI 86−34781
Ogura, T., Yamada, S., Yamada, J. A 20 Kb CMOS associative memory LSI for artificial intelligence machines 87−44839
Ogura, T. *see* Atsuta, M. 88−19941
Ogura, T. *see* Hirose, M. 88−33068
Ogura, T. *see* Kitagawa, K. 87−22904
Ogura, T. *see* Mikami, A. 87−61048, 88−40090
Ogura, T. *see* Tanaka, K. 87−68299
Ogura, T. *see* Taniguchi, K. 85−26417, 86−2976, 86−50171
Ogura, T. *see* Yoshida, M. 87−3688
Ogura, U., Kenjo, T., Yamazaki, M., Hanakawa, K. Operation system for hydroelectric power stations on the Ohi river 87−35840
Ogura, Y. Switching power supply 'SSE series' 86−27076
Ogura, Y. A physical method for estimating speech intelligibility in a reverberant sound field 86−29770
Ogura, Y. Introduction to communication networks and image media 86−30191
Ogura, Y. High-definition TV systems of TSUKUBA EXPO 85 86−30992
Ogura, Y. Information service system of TSUKUBA EXPO 85 86−30996
Ogura, Y. Medium capacity switching power supply 'SSE 100/150 W' 87−36034
Ogura, Y., Hamada, H., Miura, T. Modulation transfer function and speech transmission index. Method for estimating speech transmission quality in sound fields 85−7839
Ogura, Y. *see* Shiozaki, T. 85−28784
Ogurcov, V.I. *see* Balaz, I. 87−67669
Ogurechnikov, V.A. *see* Dudkin, V.A. 85−51120
Oguri, H. *see* Fujino, Y. 85−36876
Oguri, K., Nakamura, Y., Nomura, R. Evaluation of behavior description based CAD system used in Prolog machine design 87−37363
Oguri, K., Nakamura, Y., Nomura, R. Evaluation of behavior description based CAD system used in PROLOG machine design 88−19172
Oguri, K. *see* Harada, H. 88−21214

Oguri, K. *see* Nakamura, Y. 88−19007, 88−31940, 88−63636
Oguri, K. *see* Nomura, R. 88−19008
Oguri, Y., Arai, E., Hattori, T. Experimental studies on the optimization of the accelerating field distribution in an IH lineac 85−43146
Oguri, Y. *see* Hattori, T. 87−41685
Oguro, I., Sasaki, Y., Itoh, K., Tanuma, S. A Hall element yielding a precise field-linear Hall voltage up to a high-field region 88−39359
Oguro, K. *see* Iwakura, C. 86−33595
Oguro, K. *see* Sakai, T. 87−58278
Oguro, S. *see* Okuzaki, Y. 87−36094
Oguro, T. *see* Harada, A. 87−51655
Oguro, T. *see* Minato, T. 87−8638
Oguro, Y., Uchino, T. 5000 V isolation voltage photocoupler conforming to British Standard 85−2153
Oguro, Y. *see* Tajiri, H. 88−10418
Oguro, Y. *see* Yoshikawa, T. 88−50274
Ogurtsov, A.P. Steam turbines manufactured by Leningrad Metal Working Plant 85−4928
Ogurtsov, A.P. Soviet turbines: 60 years 87−22135
Ogurtsov, O.F. *see* Akulov, A.F. 87−37995
Ogurtsov, V.I. The possible use of an electrostatic paper transport device in an operational photocopier 88−14358
Ogurtsov, V.I. *see* Bol'shakov, I.M. 86−40941
Ogurtsov, V.V. *see* Koba, B.V. 85−34471 to 34472
Ogurtzov, V.V. *see* Anevsky, S.I. 88−47798
Ogus, A. Maintenance and quality 85−22191
Ogus, A. Auto diagnostics of the maintenance function 85−39508
Ogus, A. Failure diagnostics−some applications of expert systems 86−26669
Ogus, A. Maintenance in small and large enterprises and industries 88−37168
Ogushi, A. *see* Endo, M. 87−77656
Ogushi, K. *see* Tada, E. 87−38714
Ogushi, T. *see* Masumoto, H. 88−10466
Ogushi, T. *see* Obara, K. 85−1862, 88−20310
Ogusu, C. *see* Kurashige, M. 86−41490, 87−6342
Ogusu, C. *see* Wakui, K. 85−8572
Ogusu, K. Transmission characteristics of single-mode asymmetric dielectric waveguide Y-junctions 85−35489
Ogusu, K. Experimental study of dielectric waveguide Y-junctions for millimeter-wave integrated circuits 85−50026
Ogusu, K. Strip line-type microwave modulator using photoconductivity 85−55124
Ogusu, K. Transmission characteristics of optical waveguide corners 86−2756
Ogusu, K. Piecewise linear approximation for analyzing TM modes in graded-index planar optical waveguides 86−36183
Ogusu, K. Strip line-type microwave modulator using photoconductivity 86−67463
Ogusu, K. TE waves in a symmetric dielectric slab waveguide with a Kerr-like nonlinear permittivity 87−46976
Ogusu, K. Nonlinear TE waves guided by graded-index planar waveguides 87−74728
Ogusu, K. Computer analysis of general nonlinear planar waveguides 88−13920
Ogusu, K., Tanaka, I., Butler, J.K. Comments on 'nonuniform layer model of a millimeter-wave phase shifter' [and reply] 87−17332
Oguti, T. *see* Yoshimori, S. 88−13759
Oguz, S. *see* Specht, L.T. 86−36329
Oguztoreli, M.N., Gibb, W.J., Ozum, B. Optimal reactor size distribution with fixed terminal constraints 85−22347
Ogwayo, A.W. Changing technology: challenge for Africa 88−67235
Oh, B.Y. *see* Engels, E., Jr. 87−29488
Oh, C.H., Choi, Y.S., Lee, S.M., Kim, H.S., Choi, J.R., Rah, B.W. Characteristics of fluorescence of organic dye (LD490) for blue-green dye laser 87−54265
Oh, C.H. *see* Han, K.S. 87−7277, 87−26332
Oh, C.H. *see* Ra, J.B. 86−50518
Oh, C.S., Davari, B., Chang, W., Moy, D., Taur, Y. Simultaneous formation of shallow-deep stepped source/drain for sub-micron CMOS 88−64781
Oh, C.S., Kim, C.K. A new MOSFET structure with self-aligned polysilicon source and drain electrodes 85−6947
Oh, C.S., Kim, C.K., Kyung, C.M. A p-channel Schottky-clamped MOSFET utilizing boron-doped sidewall oxide 86−21614
Oh, C.S., Koh, Y.H., Kim, C.K. A new p-channel MOSFET structure with Schottky-clamped source and drain 85−50585
Oh, C.S. *see* Kramer, G. 86−18045
Oh, C.Y., Wang, Y.Y., Wan, C.C. Effect of silver, copper and palladium additives on the performance of carbon electrodes in an $LiSOCl_2$ system 86−40039
Oh, D.G. *see* Choi, J.Y. 88−21872
Oh, G. *see* Lee, K. 88−21704
Oh, I., Sunak, H.R.D. Measurement of the spectral linewidth of semiconductor lasers for use with coherent optical communication systems 87−68596
Oh, I.-W., Sunak, H.R.D. Analysis and design of external cavity, strong feedback, semiconductor lasers for use with coherent optical communication systems 88−8213
Oh, I.-W., Sunak, H.R.D. Measurement of the spectral linewidth of semiconductor lasers for use with coherent optical communication systems 88−14257
Oh, J. *see* Snyder, P.G. 86−68591
Oh, J.E., Ianno, N.J., Ahmed, A.U. Temperature profiles induced by a stationary CW laser beam in a multi-layer structure. Application to solar cell interconnect welding 86−13028
Oh, J.E., Lamb, J.D., Snyder, P.G., Woollam, J.A. Interfacial properties of 'diamondlike' amorphous carbon films on InP: Metal-insulator-semiconductor structures 86−63130
Oh, J.E., Lamb, J.D., Snyder, P.G., Woollam, J.A., Liu, D.C. InP MIS structures with diamondlike amorphous carbon films deposited by ion-beam sputtering and from plasma 87−1338
Oh, J.E., Woollam, J.A., Aylesworth, K.D., Sellymer, D.J., Pouch, J.J. Thermal and structural stability of cosputtered amorphous Ta_xCu_{1-x} alloy thin films on GaAs 87−24921
Oh, J.E., Woollam, J.A., Pouch, J.J., Alterovitz, S.A., Ingram, D.C. Amorphous Ta-rich Ta-Cu films as diffusion barriers between Au and GaAs 88−57506
Oh, K.H., Ong, C.K., Tan, B.T.G. Elimination of ambiguity in measurement of permittivity with short-circuited waveguide 88−4600
Oh, K.H. *see* Maury, A. 87−45812
Oh, M. Computers and communications for the 1988 Seoul Olympiad 88−28399
Oh, P.S. Standardizations of optical fiber/cables in Korea 88−28901
Oh, S. A pattern recognition and associative memory approach to power system security assessment 86−44874
Oh, S. A distributed associative memory for power system security assessment 86−50803
Oh, S., Bryant, M.D., Yune, Y.G. Steady state contact pressures in electrical contacts 88−7107
Oh, S., Bryant, M.D., Yune, Y.G. Steady state contact pressures in electrical contacts 88−38809
Oh, S., McKee, J.S.C. Cooling as a means of obtaining a bright and achromatic proton microbeam 88−47827
Oh, S., Park, D.C., Marks, R.J., II, Atlas, L.E. Error detection and correction in multilevel algebraic optical processors 88−58294
Oh, S., Yoon, M., Moore, W.H. Design study for axial injection of polarized ions into the Princeton University cyclotron 86−32041
Oh, S. *see* Anderson, J. 85−64373
Oh, S. *see* Bryant, M.D. 85−55219
Oh, S. *see* Goloskie, D. 85−59208
Oh, S. *see* Gusdal, I. 86−31953
Oh, S. *see* Huang, Y. 88−54363
Oh, S. *see* Marks, R.J., II. 88−65124, 88−65128
Oh, S. *see* Murphy, T. 87−8854
Oh, S. *see* Yoon, M. 87−35279, 88−29750, 88−54231
Oh, S.-Y. A Walsh-Hadamard based distributed storage device for the associative search of information 85−13482
Oh, S.-Y. *see* Cham, K.M. 85−45864
Oh, S.-Y. *see* Peng, K.-L. 85−12295
Oh, S.G. *see* Kashyap, R.L. 88−46122
Oh, S.J., Hall, E.L. A study of the characteristics of an omnidirectional vision sensor 88−29459
Oh, S.W. *see* Yue, A.S. 87−10452
Oh, T. *see* Fouad, A.A. 87−4211
Oh, T.K. *see* Fouad, A.A. 85−4548
Oh, T.W., Ucci, D.R. On the power spectrum of a biphase modulated signal in a Costas demodulator 85−30284
Oh, W.G., Tsuji, S. Image segmentation based on distribution of a measure of centrality 88−52595
Oh, Y., Shwedyk, E. Optimal decoding of run-length limited codes for magnetic recording channels 88−45932
Oh, Y.H. *see* Ackenhusen, J.G. 86−16254, 86−22931
Oh, Y.S. *see* Bien, Z. 88−43690
Oh, Y.T. *see* Komal, A. 86−14296
Oh Bong Hwan *see* Bong Hwan Oh
Oh Chang Jun *see* Chang Jun Oh
Oh Chang-Seob *see* Chang-Seob Oh
Oh Chang-Suk *see* Chang-Suk Oh
Oh Choon Sik *see* Choon Sik Oh
Oh Chul-Han *see* Chul-Han Oh
Oh Deock Gil *see* Deock Gil Oh
Oh Eung Gie *see* Eung Gie Oh
Oh Fung Ju *see* Fung Ju Oh
Oh Gil Rok *see* Gil Rok Oh
Oh Gil-Rok *see* Gil-Rok Oh
Oh Hwan Sool *see* Hwan Sool Oh
Oh Hyeong Cheol *see* Hyeong Cheol Oh
Oh Il-Whan *see* Il-Whan Oh
Oh Jae Chul *see* Jae Chul Oh
Oh Jae Hyun *see* Jae Hyun Oh
Oh Joon Kwon *see* Hyun Kyu Yu 87−45969
Oh Ki Young *see* Ki Young Oh
Oh Kyong Ae *see* Kyong Ae Oh
Oh Kyoung-Hwan *see* Kyoung-Hwan Oh
Oh Kyung Kwon, Jae Pyung Mah, Su Hyon Paek Properties of ZnO varistor fabricated by seed grain method 88−44795
Oh Kyung-Hwan *see* Kyung-Hwan Oh
Oh Moon Soo *see* Moon Soo Oh
Oh Moonsu *see* Moonsu Oh
Oh Myung *see* Myung Oh
Oh Myung Hwan *see* Myung Hwan Oh
Oh Myung-Hwan *see* Myung-Hwan Oh
Oh Myung-Whan *see* Myung-Whan Oh
Oh Saewoong *see* Saewoong Oh
Oh Sang-Kwang *see* Sang-Kwang Oh
Oh Seajin *see* Seajin Oh
Oh Seho *see* Seho Oh
Oh Seog-Ju *see* Seog-Ju Oh
Oh Seoung-Jun *see* Seoung-Jun Oh
Oh Shin Kwon A new method for approximation of linear system in frequency domain 88−44024
Oh Soo Hwan *see* Soo Hwan Oh
Oh Soo-Young *see* Soo-Young Oh
Oh Tae Kwan *see* Tae Kwan Oh
Oh Weon Geun *see* Weon Geun Oh
Oh Young Hwan *see* Young Hwan Oh
Oh Yun Kyung *see* Yun Kyung Oh
Oh Yung Hwan *see* Yung Hwan Oh
Oh-hashi, Y., Fujisaka, T., Kirimoto, T., Kondo, M., Kurihara, N. Motion compensation and effects of phase errors in airborne synthetic aperture radar 85−52427
Oh-hashi, Y., Fujisaka, T., Kondo, M., Kondo, N. An improvement of phase correction for spotlight mapping radar 87−27446
Oh-hashi, Y. *see* Fujisaka, T. 85−52406
Oh-hashi, Y. *see* Kirimoto, T. 85−52433
Oh-ishi, H., Takeuchi, M., Kobayashi, S., Shimomura, T. Designing full-color LCDs based on colorimetry 87−70726
Oh-ishi, H., Takeuchi, M., Shimomura, T., Kobayashi, S. Design of achromatic and colour LCDs based on colorimetry and ergonomic test 86−2875
Oh-ishi, H. *see* Andoh, T. 86−31510
Oh-ishi, H. *see* Mizushina, S. 85−20907
Oh-ishi, Y. *see* Yamamoto, T. 88−40085
Oh-kubo, M. *see* Takenaka, T. 86−69541
Oh-Kyu Kwan Overview on the finite interval estimation 86−52930
Oh-Saki, A. *see* Ikeno, H. 88−51582
Oh-Shin Kwon, Hyung-Soo Hwang, Sung-Joong Kim A new model approximation using the ADP and MISE of continuous-time systems 88−11821
Oh-Uchi, M. *see* Koguchi, T. 88−6910
Oh-ura, Y. Stringing structure and current collection. XIV 86−51981
Ohaku, K., Nakano, H., Kawara, T., Yokota, S., Takenouchi, O., Aizawa, M. Titanylphthalocyanine photoreceptor devices for solid-state diode laser beam printers 87−18804
Ohali, A.H. *see* Smiai, M.S. 86−40892
O'Halloran, R.J., Williams, L.F.G., Lloyd, C.P. A microprocessor based isopotential contouring system for monitoring surface corrosion 85−455
Ohama, S. A linear-motor transit system 87−51553
Ohama, T. *see* Abe, K. 88−16629
Ohama, T. *see* Fujiwara, N. 88−22970
Ohama, T. *see* Suwada, T. 88−10249
O'Handley, R.C. *see* Tanigawa, S. 87−23746
O'Handley, R.C. *see* Yang, C.J. 88−64916
Ohanesian, S. *see* Roberts, J.W. 86−63495
O'Hanlon, H., Pecheur, G. The 3.5 MW high voltage interface for the LEP main ring klystrons 88−54050
O'Hanlon, J.F. Vacuum systems for microelectronics 86−21337
O'Hanlon, J.F. Advances in vacuum contamination control for electronic materials processing 87−74156
O'Hanlon, J.F., Fraser, D.B. American Vacuum Society recommended practices for pumping hazardous gases 88−70352
O'Hanlon, J.F. *see* Piggin, B.P. 86−38462, 87−1151
O'Hanlon, J.F. *see* Souk, J.H. 86−21448
Ohara, A., Innami, M. The MELFAS Model FA-5 compact facsimile: small, lightweight, and sophisticated 85−51986
Ohara, A. *see* Nakayama, N. 88−3466
Ohara, A. *see* Watanabe, T. 87−67981
Ohara, A. *see* Yamanaka, Y. 87−20154, 87−76261
Ohara, C. *see* Kubo, M. 88−10525
O'Hara, D. *see* Roth, G. 88−74046
O'Hara, D.B., Clements, J.S., Finney, W.C., Davis, R.H. Aerosol particle charging by free electrons 87−39328
O'Hara, E. *see* Thogersen, M. 85−3200
Ohara, F. *see* Fujii, T. 88−39226
O'Hara, F.A. *see* Efimenko, V. 85−38721
Ohara, H., Kuroda, Y., Yokobori, T. Thermal deterioration of Pb-In alloy films under thermal stress cycles from 343K to 78K (Hillock formation of Pb-In alloy films for Josephson-junction device) 87−7047

Ohara, H., Ngo, H.X., Armstrong, M.J., Rahim, C.F., Gray, P.R. A CMOS programmable self-calibrating 13-bit eight-channel data acquisition peripheral 88—19218
Ohara, H. *see* Armstrong, M. 87—59659
Ohara, H. *see* Daishido, T. 87—28717
Ohara, H. *see* Hong, B. 85—17586
Ohara, H. *see* Ishida, M. 86—7614
Ohara, H. *see* Itoh, Y. 87—2493
Ohara, H. *see* Morozumi, S. 85—14905, 85—64201
Ohara, H. *see* Tsuboi, T. 85—31192
Ohara, H. *see* Yager, C. 88—4314
O'Hara, J.B., Roszkowski, T.R., Kurpit, S.S., Starkovich, E.G. Hydrogen-rich fuel gas from diesel fuels 87—42747
O'Hara, J.G., Pricha, W. Hertz and the Maxwellians. A study and documentation of the discovery of electromagnetic wave radiation, 1873-1894 88—69985
Ohara, K. Traffic control in a packet switched network 88—41365
Ohara, K. Example plan 1-Twin 21 [cogeneration] 88—48780
Ohara, K., Kaiho, K., Agatsuma, K. Electromagnetic energy transfer between two coils 87—67914
Ohara, K., Kimura, G., Katayama, T. Traffic study of loss systems for one-way and two-way calls 86—59444
Ohara, K., Kimura, G., Katayama, T. Traffic analysis of loss systems with one-way and two-way calls 86—68956
Ohara, K., Kimura, G., Katayama, T. Traffic study of loss systems for one-way and two-way calls 87—19985
Ohara, K., Neki, S. Application of digital speed control system to industrial sewing machine motor 'Pana-Stop E' 85—39393
Ohara, K., Nunotani, Y. Traffic control algorithm for packet switched network 86—64642
Ohara, K. *see* Doi, K. 87—29744
Ohara, K. *see* Ikeuchi, N. 88—34968, 88—66853
Ohara, K. *see* Isoyama, A. 85—25345
Ohara, K. *see* Kume, Y. 87—29725
Ohara, K. *see* Tamura, H. 85—52663
Ohara, K. *see* Ueyama, Y. 85—5473
O'Hara, K.M. Bijections for partition identities 88—70206
O'Hara, L.S. *see* Erhardt, H.G. 85—58587
Ohara, M. Single-sideband HF broadcasting: receiver characteristics and results of reception tests 85—63788
Ohara, M. Development of electronic blocking device 88—31131
Ohara, M., Akazawa, Y., Ishihara, N., Konaka, S. Bipolar monolithic amplifiers for a gigabit optical repeater 85—594
Ohara, M., Akazawa, Y., Ishihara, N., Konaka, S. Equalizing amplifier integrated circuits for a gigabit optical repeater 85—63713
Ohara, M., Hanyuda, K., Suzuki, T., Watanabe, K. Solar cell power supply system for composite overhead ground wire telecommunications systems with optical fibers 86—61438
Ohara, M., Kamoto, T., Kanamori, S. Integrated optical submarine repeater circuits using a high reliability process technology 85—37037
Ohara, M., Kimura, T., Kikuchi, H., Habuka, T. LSIs for detachable mobile radio units 87—8189
Ohara, M. *see* Akazawa, Y. 85—40256, 87—59843
Ohara, M. *see* Ishihara, N. 87—59870
Ohara, M. *see* Kamoto, T. 85—11029, 86—4453
Ohara, M. *see* Nakagawa, K. 85—20221
Ohara, M. *see* Umida, H. 88—49194
O'Hara, M.A. Fire stop applications using elastomeric based intumescent technology 86—40499
Ohara, N. *see* Sakuraba, J. 85—48970
Ohara, N. *see* Yoshida, M. 87—64959
O'Hara, R.J., Jr. A forecast on helping the poor to cope with energy costs 85—22164
O'Hara, R.N. Transient considerations for CATV systems 87—56385
O'Hara, S. Networks for the year 2000—and beyond 86—4106
O'Hara, S. Planning for a layered network 86—10623
O'Hara, S. The evolution of a modern telecommunications network to the year 2000 and beyond 86—16684
O'Hara, S. Future evolution of British Telecom's private circuit and circuit switched services 86—37667
Ohara, S. Connection between multimedia multiplexor and digital PBX 87—69794
Ohara, S., Imamura, T., Hasuo, S. Reproducible Nb/AlO$_x$/Nb Josephson junctions 88—56289
Ohara, S., Imamura, T., Hasuo, S. 5 GHz Josephson A/D converter 88—56707
Ohara, S., Sato, I. Noise and peak shift in thin film disk media 86—68157
Ohara, S., Sato, I. Noise from unsaturated DC erasure and peak shift of signals in longitudinal thin-film disk media 88—57933
Ohara, S. *see* Hoki, H. 88—1905
Ohara, S. *see* Imamura, T. 86—42165
Ohara, S. *see* Ishii, O. 88—1867
Ohara, S. *see* Kobayashi, M. 86—2632, 86—22041, 86—28747
Ohara, S. *see* Koshimoto, Y. 87—60801
Ohara, S. *see* Kotani, S. 87—38688, 87—67867
Ohara, S. *see* Ohori, T. 85—45014
Ohara, S. *see* Ozawa, Y. 85—51994
Ohara, S. *see* Sugawara, T. 86—44295
Ohara, S. *see* Tsuchitani, S. 86—55676
Ohara, S. *see* Watari, Y. 85—55227
Ohara, S. *see* Yokoyama, T. 86—65014
Ohara, T. Studies on high intensity and high gradient magnetic separation using amorphous magnetic ribbon 86—48547
Ohara, T., Ichida, T., Ooura, H., Iimura, T. Experiment on oxygen enrichment of air using superconducting high intensity magnetic field 85—30016
O'Hara, T., Kadota, Y., Moriya, K. High efficiency GaAs solar cells fabricated on Si substrates 88—37441
Ohara, T., Manabe, T. Cubicle type SF$_6$ gas insulated switchgear 88—17799
Ohara, T. *see* Ikuta, K. 85—1442
Ohara, T. *see* Kaiho, K. 87—67917
O'Hara, W.T. *see* Ho, J.C. 87—21936
Ohara, Y., Fojitu, S., Miyayama, M., Koumoto, K., Yanagida, H. Application of fibrous titanate of electric materials—piezoelectric ceramics prepared from fibrous BaTiO$_3$ 86—26923
Ohara, Y., Murasugi, K. Reliability of multi-terminal flat package for ASIC 88—31497
Ohara, Y. *see* Kawaoka, T. 87—2866
Ohara, Y. *see* Matsuoka, M. 85—44111, 85—49038
Ohara, Y. *see* Okumura, Y. 85—37892, 88—4773
O'Hare, J.E. A nonperturbing boundary-layer transition detector 87—14973
O'Hare, J.M. *see* Clark, G.B. 85—17439
O'Hare, M.J., Craig, D.E. Use of simulators in nuclear power plant emergency exercises 85—53404
Ohasa, K. *see* Nishitani, T. 85—63663
Ohashi, A. A study on radar imaging of conducting scatterers by electromagnetic waves 88—28935
Ohashi, A. *see* Arimoto, M. 86—21902, 87—7488
Ohashi, A. *see* Fujii, M. 85—56970
Ohashi, H. Handling the power capabilities of high power semiconductor devices 85—1544
Ohashi, H., Fujita, T., Tarui, Y. Analysis of nonplanar DSA MOS transistor by capacitance measurements 87—60482
Ohashi, H., Fujita, T., Tarui, Y. Analysis of nonplanar DSA MOS (V-MOS) transistor by capacitance measurements 88—33199
Ohashi, H., Fujiwara, Y. A simple image processor 'Image Checker' 87—63236
Ohashi, H., Furukawa, K., Atsuta, M., Nakagawa, A., Imamura, K. Study of Si-wafer directly bonded interface effect on power device characteristics 88—39482
Ohashi, H., Iguchi, M., Hashimoto, Y. A geostationary satellite tracking system for small-sized Earth stations 85—3418
Ohashi, H., Ohura, J., Tsukakoshi, T., Simbo, M. Improved dielectrically isolated device integration by silicon-wafer direct bonding (SDB) technique 87—46215
Ohashi, H., Saruwatari, T., Iguchi, M., Isobe, S., Hashimoto, Y., Tsuchiya, S., Okuyama, T. Experiments on SCPC communication system using 30/20 GHz band transponder of the CS 85—25819
Ohashi, H. *see* Atsuta, M. 88—19941
Ohashi, H. *see* Hamamoto, N. 85—25818, 86—11028
Ohashi, H. *see* Isobe, S. 85—36988
Ohashi, H. *see* Kawanishi, H. 85—27795
Ohashi, H. *see* Kobayashi, H. 87—12521
Ohashi, H. *see* Kosaka, K. 85—25817
Ohashi, H. *see* Kusunoki, M. 88—44975
Ohashi, H. *see* Matsumoto, H. 88—46585
Ohashi, H. *see* Nakagawa, A. 85—40775, 85—55744, 85—55857, 86—9168, 86—47605, 87—25330, 87—38289, 87—46000
Ohashi, H. *see* Ogura, T. 88—19951
Ohashi, H. *see* Ohura, J. 88—2118
Ohashi, H. *see* Saruwatari, T. 86—30718
Ohashi, H. *see* Takeshita, T. 87—72075
Ohashi, H. *see* Uchiike, H. 88—16312
Ohashi, H. *see* Watanabe, K. 86—67895
Ohashi, I. *see* Kawada, H. 88—17798
Ohashi, I. *see* Sugawara, M. 87—43165
Ohashi, I. *see* Wakui, G. 85—5063
Ohashi, K. Mechanism of 90° wall motion in thin film heads 86—28684
Ohashi, K., Olde, F., Kondo, H., Semba, T., Honda, K., Nalto, H., Hiwasa, A. A seam-position detector for electric-resistance welded tubes 86—38386
Ohashi, K., Yokoyama, T., Tawara, Y. Effects of rare earth oxide addition on NdFeB magnets 88—64894
Ohashi, K. *see* Hori, T. 85—58119
Ohashi, K. *see* Murai, Y. 86—39959, 88—11292, 88—23966
Ohashi, K. *see* Tawara, Y. 86—21956
Ohashi, K. *see* Toyooka, S. 87—35191
Ohashi, K. *see* Tsuruho, S. 88—9114, 88—21666
Ohashi, K. *see* Watanabe, M. 87—12052
Ohashi, M., Andou, M., Suzuki, H. Effect of high ambient static pressure to condenser microphone response 88—53481
Ohashi, M., Hirata, Y. Estimation of bit error rate performance of sequential decoding 87—2455
Ohashi, M., Hirata, Y. A sequential decoding based on stack algorithm for continuous decoding 87—33620
Ohashi, M., Hirata, Y. Estimation of bit error rate performance of sequential decoding 88—14581
Ohashi, M., Kitayama, K., Ishida, Y., Negishi, Y. Simple approximations for chromatic dispersion in single-mode fibers with various index profiles 85—41145
Ohashi, M., Kitayama, K., Seikai, S. Mode field radius measurements in single-mode fibers using the NFP technique 85—48118
Ohashi, M., Kitayama, K., Seikai, S. Mode field diameter measurement conditions for fibers by transmitted field pattern methods 86—42270
Ohashi, M., Kitayama, K., Seikai, S. Mode field radius measurements in single-mode fibers by NFP technique 86—68244
Ohashi, M., Kitayama, K., Seikai, S., Negishi, Y. Design of single-mode optical fibers 87—1939
Ohashi, M., Kitayama, K., Seikai, S., Negishi, Y. Mode field diameter measurement conditions for single-mode fibers using transmitted field pattern method 87—1940
Ohashi, M., Kitayama, K.-i., Shibata, N., Seikai, S. Frequency tuning of a Stokes wave for stimulated four-photon mixing by temperature-induced birefringence change 85—29924
Ohashi, M., Kuwaki, N., Tanaka, C., Uesiugi, N., Negishi, Y. Bend-optimised dispersion-shifted step-shaped-index (SSI) fibres 87—18608
Ohashi, M., Kuwaki, N., Tanaka, C., Uesugi, N. Characteristics of dispersion-shifted fibers 87—74667
Ohashi, M., Kuwaki, N., Tanaka, C., Uesugi, N., Negishi, Y. Characteristics of dispersion-shifted dual shape core fibers 88—13894
Ohashi, M., Kuwaki, N., Uesugi, N. Characteristics of dispersion-shifted fibers 88—13891
Ohashi, M., Kuwaki, N., Uesugi, N. Suitable definition of mode field diameter in view of splice loss evaluation 88—26771
Ohashi, M., Miyashita, T., Satoh, Y., Betsui, K., Komenou, K. Design of 2 μm-period minor loops in hybrid bubble memory devices 86—28717
Ohashi, M., Seikai, S., Uesugi, N., Tanaka, C., Negishi, Y. Performance of optical cable composed of dispersion-shifted single-mode fibers 87—18636
Ohashi, M., Suzuki, H. Frequency response of condenser microphone in high pressure nitrogen 88—4225
Ohashi, M., Tsubono, K., Hirakawa, H. Low noise oscillator stabilized by a mechanically modulated cavity 87—6080
Ohashi, M. *see* Aoki, S. 87—14768
Ohashi, M. *see* Hayashino, T. 87—50181
Ohashi, M. *see* Hayasino, T. 88—74772
Ohashi, M. *see* Kiayama, K. 85—63666
Ohashi, M. *see* Kitagawa, N. 86—56207
Ohashi, M. *see* Kitayama, K. 85—24300, 86—22515
Ohashi, M. *see* Kitayama, K.-I. 85—12572
Ohashi, M. *see* Kuwaki, N. 86—15467, 87—68083, 87—68136, 87—68161, 88—13834
Ohashi, M. *see* Nakashima, T. 86—2684
Ohashi, M. *see* Ogasawara, N. 87—68517
Ohashi, M. *see* Satoh, Y. 85—12501, 85—46020, 86—68184, 87—32883
Ohashi, M. *see* Seikai, S. 87—49068
Ohashi, M. *see* Shibata, N. 85—29599, 86—9470, 87—18646
Ohashi, M. *see* Tajima, K. 88—51445
Ohashi, M. *see* Tsubokawa, M. 86—48134
Ohashi, M. *see* Tsubono, K. 86—50062
Ohashi, M. *see* Uesugi, N. 85—20236, 87—56120, 88—47112
Ohashi, M. *see* Yasuda, Y. 88—46998
Ohashi, N., Matsumoto, A., Kawamoto, K. Power supply unit for office automation equipment 87—36031
Ohashi, N. *see* Hasegawa, N. 86—58081
Ohashi, N. *see* Mori, N. 87—45324
Ohashi, N. *see* Okubo, H. 88—41507, 88—59987
Ohashi, S., Sakurai, I., Tanaka, T., Shibuya, K., Kumazawa, Y. Development of plastic clad silica optical fiber 87—60938
Ohashi, S. *see* Aoki, T. 86—11484
Ohashi, S. *see* Hayashida, M. 85—37082
Ohashi, S. *see* Ichida, H. 88—30909
Ohashi, S. *see* Ninomiya, K. 86—44758
Ohashi, S. *see* Nomura, T. 86—23837, 86—44754
Ohashi, S. *see* Saito, F. 86—65006
Ohashi, S. *see* Yamamoto, M. 85—3470
Ohashi, S. *see* Yokoyama, K. 86—44756
Ohashi, T., Bour, D.P., Itoh, T., Berry, J.D., Jost, S.R., Wicks, G.W., Eastman, L.F. Heteroepitaxial molecular beam epitaxial InSb and

room temperature operation of its metal-insulator-semiconductor field-effect transistors 86−53659
Ohashi, T., Nathan, M.I., Mukherjee, S.D., Wicks, G.W., Rubino, G., Eastman, L.F. Electron velocity vs. electric field in n-type $Ga_{0.47}In_{0.53}As$ short samples-evidence for ballistic transport 86−8803
Ohashi, T., Wicks, G.W., Mukherjee, S., Eastman, L.F., Calawa, A.R. Sb induced nucleation of InSb on $(\bar{1}\bar{1}\bar{1})$ InSb substrates by molecular beam epitaxy 85−54461
Ohashi, T. *see* Chen, S.H. 86−41588
Ohashi, T. *see* Fukatsu, N. 88−11350
Ohashi, T. *see* Miyamoto, M. 86−36241
Ohashi, T. *see* Nakajima, Y. 87−41249, 87−77015
Ohashi, T. *see* Ueno, Y. 88−5819, 88−37352
Ohashi, T. *see* Yamauchi, R. 87−7109
Ohashi, Y. A survey of classification techniques 86−46169
Ohashi, Y., Kando, H., Ukai, H., Iwazumi, T. Optimal design of FIR linear phase digital filters via convex quadratic programming method 88−63804
Ohashi, Y., Koizumi, H. Weight sensor applying piezoelectric ceramics 86−68140
Ohashi, Y., Kuwata, Y. Supervisory system design based on DC power supply trouble analysis 85−64860
Ohashi, Y., Kuwata, Y. A switching circuit composed of BJT and MOS-FET 86−67035
Ohashi, Y. *see* Kondo, M. 85−51741, 85−52432
Ohashi, Y. *see* Kuwata, Y. 88−24989
Ohashi, Y. *see* Nakamura, K. 86−42075
Ohashi, Y. *see* Yotsumoto, K. 87−30804
Ohata, K., Hida, H., Miyamoto, H., Ogawa, M., Baba, T., Mizutani, T. A low noise AlGaAs/GaAs FET with p^+-gate and selectively doped structure 85−17867
Ohata, K., Ogawa, M., Hida, H., Miyamoto, H. Planar p^+-gate E/D technology for n-AlGaAs/GaAs selectivity doped high speed ICs 86−15281
Ohata, K., Suzuki, T. Antimetric vocal track shapes in continuous speech 88−59067
Ohata, K. *see* Asano, K. 88−19987
Ohata, K. *see* Baba, T. 85−1587
Ohata, K. *see* Hida, H. 86−2222, 86−53637, 86−62826, 86−63295, 87−6723, 87−18130
Ohata, K. *see* Hilda, H. 87−59849
Ohata, K. *see* Hirose, K. 86−53683
Ohata, K. *see* Ishiuchi, H. 87−74319
Ohata, K. *see* Itoh, T. 85−45242, 87−25342, 87−45281
Ohata, K. *see* Mochizuki, T. 86−8510
Ohata, K. *see* Nguyen, L.D. 87−53535
Ohata, K. *see* Okamoto, A. 87−53245, 87−60503, 87−65516, 88−12935
Ohata, K. *see* Suzuki, Y. 86−52783
Ohata, K. *see* Toyoshima, H. 88−49860
Ohata, T., Honda, K., Hirata, S., Tamamura, K., Ishikawa, H., Miyahara, K., Mori, Y., Kojima, C. AlGaAs/GaAs distributed feedback laser diodes grown by MOCVD 87−12482
Ohata, T. *see* Hirata, S. 87−7350, 88−14173
Ohata, T. *see* Honda, K. 87−68474
Ohata, T. *see* Ikeda, M. 88−14176
Ohata, T. *see* Kumagai, O. 88−45428, 88−65710
Ohata, Y., Izumita, T. Dielectrically isolated intelligent power switch 87−60678
Ohayashi, M. *see* Tanaka, T. 87−32487
Ohayon, M. *see* Bertrand, P. 88−68007
Ohayon, M. *see* Dael, A. 86−50286
Ohazama, A., Nomi, M. Total system for rapid transit and trends in control electronics for railway vehicles 87−51534
Ohba, A. *see* Nakase, Y. 88−50140
Ohba, A. *see* Shinohara, S. 88−9592
Ohba, E. A fundamental study of application of expert systems in power system 88−10707
Ohba, H. *see* Horikawa, Y. 86−25343
Ohba, K. Introduction to laser Doppler velocimeter 85−2447
Ohba, K., Origuchi, T. Multi-fiber optic liquid film sensor for measurement of two-phase annular and stratified flow 87−21061
Ohba, K., Sakurai, A. Self-excited oscillation of flow through collapsible tube (a possible fluidic oscillator) 87−10725
Ohba, K., Shoji, T., Koga, H., Ito, S., Hiratate, Y. Annealing effects on the rise time of gamma-ray irradiated Au-Si nuclear detectors 85−43221
Ohba, K., Tsuda, N., Takagi, K. A velocity fluctuation in developing laminar flow through a moderately curved U-bend of square cross-section 86−70247
Ohba, K. *see* Adachi, R. 86−52074
Ohba, M., Kuzukawa, K., Ozawa, K. A reliability study of relay suitable for surface mount process using high temperature resistant plastics 88−7118
Ohba, M., Kuzukawa, K., Ozawa, K. A reliability study of relay suitable for surface mount process using high-temperature-resistant plastics 88−38818
Ohba, M., Namba, H., Kuraoka, H., Kamei, E., Kaneda, M. Microprocessor-controlled servo system using modern control theory−distributer type fuel injection pump 86−6589
Ohba, M. *see* Kakehi, T. 87−31061
Ohba, M. *see* Kitamura, M. 88−15763
Ohba, N. *see* Ohnishi, H. 87−56760
Ohba, N. *see* Uemura, T. 87−56762, 88−42220
Ohba, N. *see* Wakita, N. 87−56761
Ohba, N. *see* Yamashita, Y. 88−25587
Ohba, R. Instrumentation developments in Japan 87−20826
Ohba, R., Uehira, I. Stability improvement of fibre-optic probe microphone by frequency control of the light source 88−16125
Ohba, R. *see* Mikami, N. 85−19374, 86−3809, 87−2466
Ohba, R. *see* Spooncer, R.C. 88−36035
Ohba, S., Nakai, M., Ando, H., Takahashi, K., Masuda, M., Takemoto, I., Fujita, T. Vertical smear noise model for an MOS-type color imager 86−5037
Ohba, S. *see* Ando, H. 86−5045
Ohba, S. *see* Arakawa, T. 85−39035
Ohba, S. *see* Nakai, M. 88−29443
Ohba, S. *see* Nakatsuchi, Y. 88−4956
Ohba, S. *see* Ozaki, T. 85−42913
Ohba, T. Study on connection method between satellite networks and terrestrial networks 88−28391
Ohba, T., Inoue, S.-I., Maeda, M. Selective CVD tungsten silicide for VLSI applications 88−39647
Ohba, T., Kakui, H., Hori, M., Nakatsuka, M., Ogawa, J., Yamamoto, A., Kimura, N. Stability investigation of the TOPAZ thin superconducting solenoid 88−58810
Ohba, T., Ohyama, Y., Inoue, S., Maeda, M. Evaluation on selective deposition of CVD W films by measurement of surface temperature 87−58994
Ohba, T., Shiozawa, S. Performance analysis of the TOPAZ Thin Superconducting Solenoid 86−32153
Ohba, T. *see* Fujioka, Y. 88−16296
Ohba, T. *see* Kakinuma, Y. 87−48621
Ohba, T. *see* Nemoto, Y. 87−28485
Ohba, T. *see* Ogiue, K. 87−17082
Ohba, T. *see* Yamamoto, A. 88−39843
Ohba, Y., Hayashi, T., Yoshida, Y., Takahashi, K. Reliability analysis of ultra-high voltage DC transmission system by event tree analysis 85−32137
Ohba, Y., Ishikawa, M., Sugawara, H., Yamamoto, M., Nakanisi, T. Growth of high-quality InGaAlP epilayers by MOCVD using methyl metalorganics and their application to visible semiconductor lasers 87−16596
Ohba, Y., Isoda, H., Kodama, H., Sugiyama, T., Nishimori, T. Weekly scheduling system for electric power generation−thermal units and pumped storage hydro units operation scheduling 85−4589
Ohba, Y., Watanabe, M.O., Kawasaki, H., Kamei, K., Nakanisi, T. Modulation-doped $In_{0.5}Al_{0.5}P$/GaAs field-effect transistors 88−56931
Ohba, Y., Yamamoto, M., Ishikawa, M., Iwamoto, M., Nakanisi, T. Pulsed operation of InGaAlP/InGaP DH lasers prepared by MOCVD employing methyl metalorganics 86−54154
Ohba, Y. *see* Imamura, M. 85−20859
Ohba, Y. *see* Ishikawa, M. 86−9843, 86−29130, 86−68551, 87−26425, 88−20680
Ohba, Y. *see* Nanahara, T. 87−57716
Ohba, Y. *see* Watanabe, M.O. 87−45640
Ohbata, N. *see* Nagao, H. 86−58066
Ohbata, N. *see* Ueno, S. 86−4821
Ohbayashi, K., Hayase, T. Automatic acoustic measurement 85−58958
Ohbayashi, K., Suzuki, A. The CP-F 401 loudspeaker system 86−11364
Ohbayashi, K. *see* Horioka, K. 86−11823
Ohbayashi, K. *see* Kasuya, K. 87−21383
Ohbayashi, K. *see* Kimura, M. 85−845
Ohbayashi, K. *see* Terui, G. 87−5996
Ohbayashi, K. *see* Yoneda, H. 86−50288
Ohbayashi, S., Nawate, M., Honda, S., Kusuda, T. Ar pressure dependence of saturation magnetization and film composition in TbCo and TbFe sputtered films 88−31829
Ohbo, M. *see* Akiyama, I. 88−29439
Ohbo, M. *see* Konishi, S. 85−24216
Ohbo, M. *see* Ronan, G. 86−42151
Ohbu, I., Todoroki, S., Hirashima, K., Aiki, K. Degradation modes of high power GaAlAs infrared lasers 88−45439
Ohbu, I. *see* Todoroki, S. 88−11990, 88−56229
Ohdaira, E. *see* Ide, M. 88−54509
Ohdate, H. A frequency offset booster with an oscillation prevention function for land mobile communication 87−76618
Ohdate, H. *see* Daikoku, K. 85−36938, 85−63582, 86−69634
Ohde, H. Large scale heat pump chiller 85−44322
Ohde, Y. *see* Ishizuka, H. 88−21770
Ohdomari, I. Redistribution of dopants in silicon during silicide formation and its influence on contact resistivity 86−8881
Ohdomari, I., Akiyama, M., Maeda, T., Hori, M., Takebayashi, C., Ogura, A., Chikyo, T., Kimura, I., Yoneda, K., Tu, K.N. Low-temperature redistribution of As in Si during Ni silicide formation 85−12127
Ohdomari, I. *see* Kawarada, H. 85−18160, 85−23553, 87−17807
Ohe, J. *see* Toriyama, H. 87−75578
Ohe, J.von der *see* von der Ohe, J.
Ohe, J.von der *see* von der Ohe, J.
Ohe, K. *see* Hiroki, A. 87−45941, 88−71563
Ohe, K. *see* Odanaka, S. 87−67306
Ohe, S. *see* Ando, Y. 86−17110
Ohe, Y. *see* Hirota, M. 88−13754
O'Hea, A. *see* Ward, A.K. 85−53159
O'Hearn, P. *see* Bostock, D. 87−6776
Oheda, H. Excitation-energy dependence of electron lifetime in phosphorus-doped hydrogenated amorphous silicon 87−24757
Oheda, H. Characterization of transport parameters of hole traps in phosphorous-doped hydrogenated amorphous silicon 87−53197
Oheda, H. Distribution of recombination coefficients of hole traps in phosphorus-doped hydrogenated amorphous silicon 88−25896
Oheda, H. Transient photocurrent analysis of localized states in hydrogenated amorphous silicon 88−58343
O'Hehir, J.D. *see* Trefny, F.J. 88−10773
Ohel, I. Fiber optic transceiver design for local area networks 85−47242
Ohfuchi, K. *see* Takigawa, K. 86−4538
Ohfuchi, T. *see* Ishida, A. 88−60161
Ohfuji, S., Hashimoto, C. Oxidation of hydrogen doped tantalum films on silicon 86−53555
Ohfuji, S., Shiono, N. Reduction of sodium ion density in molybdenum-gate MOS devices with the addition of tantalum to gate electrodes 85−61779
Ohfuji, S. *see* Kuriyama, Y. 87−66985
Ohfuji, T. *see* Okada, K. 86−1868
Ohga, J. *see* Kaneda, Y. 87−20761
Ohga, J. *see* Maruya, Y. 86−6163
Ohga, K. *see* Fukuoka, K. 87−31838
Ohga, T. *see* Matsuoka, M. 85−49038
Ohga, T. *see* Okada, T. 86−9734
Ohga, T. *see* Tachibana, M. 87−23855
Ohga, Y. *see* Shigematsu, M. 88−45141
Ohgaki, H., Ijiri, H., Sakae, T., Koori, N., Matoba, M. A ratio-to digital converter for charge division position sensing 87−41886
Ohgaki, H., Imabeppu, S., Urase, K., Fujita, Y., Maesako, H., Higuma, S., Kametani, H., Ijiri, H., Matoba, M., Sakae, T., Koori, N. Position resolution of a gas counter in the SQS transition region 86−50395
Ohgaki, H., Kondo, S., Uehara, S., Fujiki, T., Ijiri, H., Matoba, M., Sakae, T., Koori, N. Nonlinearity in position sensing with cathode strips of a single wire proportional counter 88−36355
Ohgaki, H. *see* Ijiri, H. 87−77593
Ohgaki, H. *see* Kametani, H. 85−26716, 85−52963
Ohgaki, H. *see* Matoba, M. 88−61088
Ohgaki, I. *see* Sakai, T. 87−49484
Ohgaki, S., Tsunoda, Y. The propagation characteristics of positive surface discharge in insulating oil 85−1767
Ohgaki, S., Tsunoda, Y. A study of the positive streamer growth under surface discharge configuration in liquid paraffin 85−23996
Ohgaki, S., Tsunoda, Y. Influence of background Laplacian field on the positive streamer propagation in oils 86−68041
Ohgaku, N. *see* Kikumoto, Y. 87−55658 to 55659
Ohgami, K. *see* Saito, H. 86−22303
Ohgane, T. *see* Itoh, K. 86−3691, 86−68887
Ohgane, Y. *see* Ando, T. 87−12090
Ohgane, Y. *see* Shimamoto, S. 87−12091, 88−65098
Ohgane, Y. *see* Tada, E. 87−67979
Ohgane, Y. *see* Takagi, S. 88−38622
Ohgane, Y. *see* Takahashi, Y. 85−56141, 86−42191, 87−67954
Ohgane, Y. *see* Tsuji, H. 86−58725
Ohgawara, M. *see* Katoh, K. 88−29545
Ohgi, N., Kondoh, M., Shimizu, M. Optical fiber gyroscope with integrated optical frequency modulator 86−2774
Ohgi, N. *see* Hatta, H. 85−52060
Ohgi, N. *see* Nagai, M. 85−62368
Ohgi, N. *see* Shimizu, M. 86−11571
Ohgihara, T., Murakami, Y., Okamoto, T. A 0.5-2.0 GHz tunable bandpass filter using YIG film grown by LPE 88−50365
Ohgihara, T. *see* Mizunuma, Y. 88−71126
Ohgihara, T. *see* Murakami, Y. 87−73635, 88−25386
Ohgishi, H. *see* Kobayashi, S. 85−10784
Ohgishi, T. *see* Funusawa, T. 87−41375
Ohgishi, T. *see* Rai, Y. 87−14193
Ohgishi, T. *see* Yamada, Y. 87−77047, 88−12453

Ohgo, M., Takano, Y., Moniwa, A., Yamamoto, S., Sakai, Y., Masuda, H., Sunami, H. A two-dimensional integrated process simulator: SPIRIT-I 87—60525

Ohgo, M. *see* Sunami, H. 88—71722

Ohgo, M. *see* Yamamoto, S. 87—60322

Ohguchi, O. *see* Ikeda, M. 88—45462

Ohguma, H. *see* Shiraki, H. 85—24223

Ohguro, K., Maeda, H. Stability analysis of electrical networks containing lossless transmission lines—algebraic system theoretical consideration 85—535

Ohguro, K., Maeda, H. Stability analysis of electrical networks containing lossless transmission lines—algebraic system theoretical consideration 87—7559

Ohgushi, A. Apparatus for radionuclide imaging 88—29961

Ohgushi, H. Summary of the Honshi-Bisan Line system. Automatic route controller 88—69843

Ohgushi, H. Summary of the Honshi-Bisan Line system. Centralised inspection equipment 88—69847

Ohgushi, K., Komiyama, S., Kurozumi, K., Morita, A., Tsujimoto, K., Ujihara, J. Sound system suitable for HDTV 88—60497

Ohgushi, K., Komiyama, S., Kurozumi, K., Morita, A., Ujihara, J., Tsujimoto, K. Subjective evaluation of multi-channel stereophony for HDTV 88—29076

Ohgushi, K. *see* Kurozumi, K. 85—13573, 85—20392, 86—49871, 86—69961

Ohgushi, K. *see* Kuwabara, H. 87—47562, 88—14603

Ohgushi, K. *see* Yasuda, M. 85—37235

Ohgushi, Y. *see* Nishitani, T. 85—63663

Ohgusu, T. *see* Maenaka, K. 88—1622

Ohhara, T. *see* Katoh, N. 86—44013

Ohhashi, H. *see* Nemoto, K. 85—7382

Ohhashi, K. *see* Shimomura, O. 87—58910

Ohhashi, M. *see* Sumi, M. 85—62104

Ohhashi, N., Kasahara, A., Yashiro, T., Nakamura, Y., Hirayama, S. Reaction between dielectric and metal substrate for hybrid module 86—53270

Ohhashi, T. *see* Sakaguchi, M. 85—64544, 87—56849

Ohhashi, Y. *see* Yamada, Y. 85—47583

Ohhata, H., Hirota, O. On channel model of optical communication theory 86—11093

Ohhata, M. A Josephson timed regulator 87—67847

Ohhata, M., Takada, T., Ino, M., Ida, M. Level shift circuits for GaAs low power source coupled FET logic 87—59330

Ohhata, M., Takada, T., Ino, M., Kato, N., Ida, M. A 4.5-GHz GaAs dual-modulus prescalar IC 88—25099

Ohhata, M., Tokumitsu, M., Tazoh, Y., Aoki, K. A high speed AC power clock for Josephson logic circuits 87—5678

Ohhata, M., Tokumitsu, M., Tazoh, Y., Aoki, K. A balanced power supply system in a Josephson package 87—10670

Ohhata, M., Tokumitsu, M., Tazoh, Y., Aoki, K. A high-speed AC power clock for Josephson logic circuits 87—66288

Ohhata, M., Yoshikiyo, H. Switching noise in Josephson AC power circuits 87—5679

Ohhata, M., Yoshikiyo, H. Switching noise in Josephson AC power circuits 87—74567

Ohhata, M. *see* Matsumura, T. 86—55045, 86—64797

Ohhata, M. *see* Murano, K. 88—46433

Ohhata, T. *see* Tamamura, K. 86—53527

Ohhigashi, H. Addition and multiplication using product-of-sum Josephson logic 85—28435

Ohhori, K., Nikai, I., Fuji, A., Ohya, H., Arakawa, T., Akane, M., Urabe, S., Kaneta, T., Shinozaki, K., Ohyama, A. Development of high performance plate fin heat exchanger 86—61730

Ohi, F., Nishida, T. On multistate coherent systems 85—39582

Ohi, H. Light triggered thyristors tested at Sakuma 87—15874

Ohi, J. *see* Higashi, Y. 85—38100

Ohi, M. Ozone concentration measurements using a lead salt diode laser 85—62601

Ohi, M. Gas component analysis using diode lasers 88—2257

Ohi, M. *see* Mochizuki, K. 86—58080

Ohi, M. *see* Ogawa, H. 87—56250

Ohi, M. *see* Okumura, K. 85—24558, 86—3153

Ohi, S. *see* Arimura, M. 87—17087

Ohi, S. *see* Minato, Y. 87—31900

Ohi, S. *see* Takemura, H. 87—53494, 88—39674

Ohi, S. *see* Tashiro, T. 85—54853

Ohi, Y. *see* Harada, K. 88—22284

Ohi, Y. *see* Morimoto, H. 86—54828

Ohida, K. Outline of the standards for teletext in Japan 86—69363

Ohida, K. Project for improvement of television picture quality 87—13884

Ohigashi, E. *see* Kikumoto, Y. 87—55659

Ohigashi, H., Itoh, T., Kimura, K., Nakanishi, T., Suzuki, M. Analysis of frequency response characteristics of polymer ultrasonic transducers 88—48395

Ohigashi, H. *see* Kimura, K. 86—6162, 87—64004, 88—54799 to 54800

Ohigashi, H. *see* Kosaka, S. 85—54824

Ohigashi, H. *see* Lancee, C.T. 85—45942

Ohigashi, N., Chikugawa, H., Tsunashima, K., Nakagawa, H., Nishiyama, T., Hino, M., Morita, M., Hino, M., Morita, M. The performance of free electron laser with strong axial guide field 85—2186

Ohigashi, N., Mima, K., Miyamoto, S., Imasaki, K., Kitagawa, Y., Fujita, H., Kuruma, S., Nakai, S., Yamanaka, C. Free electron laser experiments with the pulse power beam at ILE, Osaka 87—75145

Ohigashi, N., Miyoshi, H., Noma, M., Wada, M., Nakagawa, H., Morita, M. The calculations on wiggler coil for Raman regime free electron laser 86—48444

Ohigashi, N., Morita, M., Mima, K., Miyamoto, S., Imasaki, K., Kuruma, S., Nakai, S., Yamanaka, C., Taguchi, T., Murai, A. Temporal evolutions of frequency resolved radiations from a Raman regime free-electron laser 87—33216

Ohigashi, N., Noma, M., Wada, M., Sawano, H., Dozono, K., Morita, M. The observation of two frequency modes in Raman regime free electron laser 88—34058

Ohigashi, N. *see* Akiba, T. 87—75146

O'Higgins, B., Diffie, W., Strawczynski, L., de Hoog, R. Encryption and ISDN—a natural fit 87—55489

O'Higgins, B., Diffie, W., Strawczynski, L., de Hoog, R. Encryption and ISDN—a natural fit 87—76172

O'Higgins, N.M. *see* Fagan, A.D. 86—23640, 86—29419

Ohima, S., Yamada, T., Hayashida, T., Yamano, M. Characterization of a a-Si:H thin-film transistors and the effect of thermal annealing 87—25263

Ohira, E. *see* Kitazume, Y. 85—46720

Ohira, F. *see* Sato, K. 87—3711

Ohira, K. *see* Tsukahara, Y. 88—10657

Ohira, N. CD players—making them even smaller 87—34864

Ohira, S., Kuzuhara, S., Fukai, T., Anno, K. AG-6000 Series VHS VTRs for industrial use 86—38087

Ohira, S. *see* Hayasaka, E. 85—58136

Ohira, S. *see* Otsuka, F. 85—37085

Ohira, T., Araki, K., Tanaka, T., Kato, H. 14 GHz band GaAs monolithic analogue frequency divider 86—8458

Ohira, T., Hirano, S. VHS video movie 85—3739

Ohira, T., Hiraoka, T., Kato, H. MMIC 14-GHz VCO and Miller frequency divider for low-noise local oscillators 87—59851

Ohira, T., Tanaka, M. A microstrip circuit for planar intersection 88—12601

Ohira, T., Tanaka, T., Kato, H. A 14 GHz band monolithic voltage controlled oscillator—application to a microwave phase-locked loop 86—27617

Ohira, T., Tokumitsu, T., Hiraoka, T., Kihata, Y., Araki, K., Kato, H. Development of key monolithic circuits for Ka-band full MMIC receivers 87—59887

Ohira, T. *see* Kanayama, T. 85—34757

Ohira, T. *see* Kato, H. 88—71081

Ohira, T. *see* Kishi, T. 85—460

Ohira, Y., Kawanishi, T., Masada, E. Control simulation of railway switch system using X-Y linear induction motor 87—64904

Ohira, Y., Kawanishi, T., Yamada, H. Experimental research in regard to transportation and sorting control for an X-Y actuator using a linear induction motor 86—6957

Ohira, Y., Kawanishi, T., Yamada, H., Masada, E. Switch-transportation characteristics and control simulation of railway switch system using X-Y type linear induction motor 88—55685

Ohira, Y. *see* Kageyama, M. 86—57025

Ohira, Y. *see* Yamada, H. 87—15795

Ohishi, A., Chinone, N., Ojima, M., Arimoto, A. Noise characteristics of high-frequency superposed laser diodes for optical disc systems 85—2313

Ohishi, A. *see* Iwakami, T. 88—47111

Ohishi, A. *see* Tsuji, S. 86—36510, 87—68514

Ohishi, A. *see* Yoshizawa, M. 88—2270

Ohishi, H., Nomura, T., Sakabe, S. Calculation of no load loss and stray load loss. I. Hydro-turbine generator 87—42803

Ohishi, H., Ogawa, Y. Simulation on effects of interface states for SOI TFT 88—7632

Ohishi, H., Sakabe, S., Tsumagari, K., Yamashita, K. Radial magnetic pull in salient pole machines with eccentric rotors 88—5637

Ohishi, H., Sakabe, S., Yamashita, K. Analysis of temperature distribution in coil-strands of rotating electric machines with one turn coil 88—5636

Ohishi, I. Current status on the color display devices 85—20663

Ohishi, I. Future aspect on wall-hanging television 85—52819

Ohishi, K., Kubota, H. A simplification of the adaptive algorithm for automatic equalizer in frequency domain 87—52266

Oh'ishi, K., Kubota, H. A fast algorithm for an automatic equalizer using evaluation in the frequency domain 88—52474

Ohishi, K., Myooi, T., Ohnishi, K., Miyaji, K. An approach to speed control of DC motor with two inertias 87—9575

Ohishi, K., Nakao, M., Ohnishi, K., Miyachi, K. Microprocessor-controlled DC motor for load-insensitive position servo system 87—43056

Ohishi, K., Ohnishi, K., Hotta, M., Taniguchi, K. Linear adaptive position control system of brushless DC servo motor 88—75652

Ohishi, K., Ohnishi, K., Miyachi, K. Microprocessor-used speed control of DC motor without speed sensor 86—6792

Ohishi, K., Ohnishi, K., Miyachi, K. Digital speed control of DC motor based on a speed estimation method 86—26070

Ohishi, K., Ohnishi, K., Miyachi, K. Adaptive DC servo drive control taking force disturbance suppression into account 88—43350

Ohishi, K., Ohnishi, K., Taniguchi, K., Hotta, M. Robust control of brushless DC servomotor using dual passive adaptive control loop 88—43421

Ohishi, K., Tamaki, K., Ohnishi, K., Miyachi, K. Adaptive DC servo drive control—Taking external force suppression into account 87—43533

Ohishi, K. *see* Ishizuka, Y. 88—21668

Ohishi, K. *see* Kawamoto, H. 85—22874

Ohishi, K. *see* Kim, M. 88—69798

Oh'Ishi, K. *see* Kobatake, H. 87—63759

Ohishi, K. *see* Okamura, S. 88—29615

Ohishi, K. *see* Tamaki, K. 87—30631, 87—43057

Ohishi, K. *see* Taniguchi, K. 88—43425

Ohishi, K. *see* Yamamoto, A. 86—50263

Ohishi, M., Ohmori, K., Fujii, Y., Saito, H., Tiong, S. Homo-epitaxial growth of ZnSe by MBE 88—31777

Ohishi, M. *see* Bagan 85—35676

Ohishi, M. *see* Yanabu, S. 88—55541

Ohishi, S. *see* Furukawa, Y. 88—13812

Ohishi, T., Takahara, M. Evaluation of EDB code in optical fiber communication systems 86—30834

Ohishi, T., Takahara, M. Evaluation of EDB code in optical fiber communication systems 87—49023

Ohishi, T. *see* Fujita, S. 85—29053, 85—50438

Ohishi, T. *see* Ishigaki, M. 87—38726

Ohishi, T. *see* Kotani, H. 87—49245

Ohishi, T. *see* Matsui, T. 88—57466

Ohishi, T. *see* Ohtsuka, K. 88—63310

Ohishi, T. *see* Oiwa, E. 88—53068

Ohishi, T. *see* Seta, K. 86—29267, 88—14317, 88—29642

Ohishi, Y., Hattori, H. Rare earth impurity analysis for fluoride glass optical fiber by photoluminescence measurement 87—18648

Ohishi, Y., Kanamori, T., Mitachi, S., Takahashi, S. Measurement of the angular distribution of scattered light from ZrF_4-based fluoride fiber 86—2665

Ohishi, Y., Mitachi, S., Takahashi, S. Fabrication of fluoride glass single-mode fibers 85—12569

Ohishi, Y., Mitachi, S., Takahashi, S., Miyashita, T. Effects of gamma rays on optical transmission of ZrF_4-based fluoride fibres 85—35475

Ohishi, Y., Sakaguchi, S. Spectral attenuation measurement for fluoride glass single-mode fibres by Fourier transform techniques 87—38744

Ohishi, Y., Sakaguchi, S., Takahashi, S. Transmission loss characteristics of fluoride glass single-mode fibre 87—7087

Ohishi, Y., Takahashi, S. Optical temperature sensor using Eu^{3+}-doped fluoride glass 86—36125

Ohishi, Y., Takahashi, S. Low-dispersion fluoride glass single-mode fibres operating in two spectral ranges 88—33604

Ohishi, Y. *see* Enomoto, Y. 85—35439

Ohishi, Y. *see* Hattori, H. 87—7071, 87—38731

Ohishi, Y. *see* Kanamori, T. 86—42287

Ohishi, Y. *see* Kaneko, Y. 88—9461

Ohishi, Y. *see* Mitachi, S. 85—12533, 85—12552

Ohishi, Y. *see* Nakamura, T. 88—29438

Ohishi, Y. *see* Sakaguchi, S. 86—63651, 88—473, 88—26780 to 26781

Ohita, H. *see* Yin, D. 86—7555

Ohiwa, H. A method for evaluating optical properties of electrostatic systems 85—24754

Ohiwa, H. *see* Tsumagari, T. 88—8426, 88—57283

Ohiwa, T. *see* Hosoi, H. 86—34022

Oh'izumi, M. Determination of stresses in the snow cover on a mountain slope by snow pressure gauge 87—77828

Ohji, Y., Kusaka, T., Yoshida, I., Hiraiwa, A., Yagi, K., Mukai, K., Kasahara, O. Reliability of nanometer thick multilayer dielectric films on polycrystalline silicon 88—1464

Ohji, Y. *see* Chinriki, H. 87—45813

Ohji, Y. *see* Hiraiwa, A. 88—39176

Ohji, Y. *see* Kusaka, T. 87—32437, 87—38113

Ohji, Y. *see* Takeda, E. 86—47596

Ohkado, M. *see* Ishizuka, H. 88—21770

Ohkame, M., Tanaka, Y. Variable pitch of the blades of a wind turbine 85—38940

Ohkami, A. *see* Uraguchi, H. 86—40826

Ohkami, T. MSP: a high-speed signal processor with a dynamically reconfigurable computation network [synthetic aperture radar applications] 85−52429
Ohkami, T. *see* Tsujimichi, S. 87−17142
Ohkami, Y., Kida, T., Yamaguchi, I. Dynamics, modelings and order reduction of LSS 88−36590
Ohkami, Y. *see* Iida, T. 85−20148, 86−10197
Ohkami, Y. *see* Kida, T. 86−6048
Ohkami, Y. *see* Matsumoto, K. 87−33518
Ohkami, Y. *see* Shimada, M. 86−37815
Ohkata, R. *see* Komine, Y. 88−29414
Ohkawa, K. Study for reducing power transmission line ground resistance 86−6355
Ohkawa, K. Epitaxial growth of Ga-As, AlGaAs by MBE method and fabrication of mono-layer superlattices using RHEED intensity oscillations 86−7806
Ohkawa, K., Misuyu, T., Yamazaki, O. Characteristics of Cl-doped ZnSe layers grown by molecular-beam epitaxy 88−6464
Ohkawa, K., Mitsuyu, T., Yamazaki, O. Low-resistivity Cl-doped ZnSe layers grown by molecular beam epitaxy 87−23682
Ohkawa, K., Mitsuyu, T., Yamazaki, O. Molecular beam epitaxial growth of nitrogen-doped ZnSe with ion doping technique 88−31778
Ohkawa, K. *see* Kutsuwada, N. 87−39319
Ohkawa, K. *see* Mitsuyu, T. 87−10372
Ohkawa, K. *see* Murakawa, M. 87−47028
Ohkawa, K. *see* Murayama, K. 87−62458
Ohkawa, K. *see* Sato, A. 87−7969
Ohkawa, M. *see* Kageyama, S. 85−51685
Ohkawa, M. *see* Masaki, N. 86−56910
Ohkawa, M. *see* Matsunaga, A. 87−69064
Ohkawa, M. *see* Mizuno, T. 85−42530
Ohkawa, M. *see* Muratani, T. 86−49519
Ohkawa, M. *see* Shinonaga, H. 88−46993
Ohkawa, M. *see* Yamasaki, N. 87−40038
Ohkawa, M. *see* Yuguchi, H. 88−28803
Ohkawa, N., Hagimoto, K. 8-Gbit/s retiming circuit using dielectric resonator filter and active band-pass filter for optical regenerator 88−60196
Ohkawa, N., Noguchi, T., Hamanaka, K. Planar DC SQUID with a damping resistor 86−22043
Ohkawa, N., Noguchi, T., Tsukada, N. Measurements of noise characteristics of a DC SQUID with a resistively shunted inductance 88−20290
Ohkawa, N., Yamada, J.I., Hagimoto, K. Broadband GaAs FET optical front-end circuit up to 5.6 GHz 86−30785
Ohkawa, N. *see* Hagimoto, K. 88−47136
Ohkawa, N. *see* Yamada, J. 87−56112, 87−62983
Ohkawa, S., Husimi, K. Elimination of low frequency large amplitude noise using the improved baseline restorer employing gain switching 86−50427
Ohkawa, S., Husimi, K., Kim, C., Kim, Y. Effects of the side groove on the characteristics of high purity silicon detectors 85−9070
Ohkawa, S. *see* Ishizuka, Y. 86−50345
Ohkawa, S. *see* Kaneta, M. 88−71951
Ohkawa, S. *see* Kim, Y. 85−9071, 85−43218, 86−50344
Ohkawa, S. *see* Miyachi, T. 88−36356
Ohkawa, S. *see* Miyazaki, M. 85−46016
Ohkawa, S. *see* Miyazaki, S. 86−34372
Ohkawa, S. *see* Shiraishi, F. 85−43309
Ohkawa, S. *see* Taniguchi, K. 86−56084
Ohkawa, S. *see* Tsuno, K. 87−50216
Ohkawa, S. *see* Watanabe, E. 88−61076
Ohkawa, S. *see* Watanabe, K. 86−34914
Ohkawa, S. *see* Yashiro, K. 85−7125, 85−35325, 85−41581, 88−57999
Ohkawa, S. *see* Yashiro, K.'i. 88−16963
Ohkawa, T. *see* Chan, V.S. 86−42593
Ohkawa, T. *see* Daishido, T. 86−37966
Ohkawa, T. *see* Miyazaki, S. 86−25173
Ohkawa, Y., Kishi, S., Nakano, M., Kurata, N. Fiber-optic transmission system of National New-Media Center (Osaka) 88−28868
Ohkawa, Y. *see* Arima, S. 88−28872
Ohkawa, Y. *see* Ishino, Y. 88−41657
Ohkawa, Y. *see* Nakajima, Y. 87−41249
Ohkawa, Y. *see* Sato, T. 88−28873
Ohkawa, Y. *see* Shimamoto, S. 88−65098
Ohkawara, H. Geothermal power round the world 86−61409
Ohkawara, M. *see* Sudo, Y. 85−48693
Ohke, H. *see* Takakuwa, H. 86−67892
Ohke, H. *see* Tanaka, K. 87−32526
Ohke, S., Cho, Y. A mode-filter type light intensity modulator using zinc-blende crystals 86−42357
Ohke, S., Cho, Y. A mode-filter type light intensity modulator using zinc blende crystals 87−54104
Ohke, S., Cho, Y., Okabe, T. TM-mode selective filter using a high refractive index lossy layer cladded optical waveguide 87−7144
Ohke, S., Umeda, T., Cho, Y. Optical waveguides using GaAs-$Al_xGa_{1-x}As$ multiple quantum well 86−22155
Ohke, T., Tomabechi, Y., Matsumura, K. Coupled mode theory of parallel multi- and single-mode dielectric waveguide 88−52269
Ohki, A., Shibata, N., Zembutsu, S. Nitrogen doped p-type ZnSe layer grown by metalorganic vapor phase epitaxy 88−57305
Ohki, A. *see* Miki, M. 85−43815
Ohki, A. *see* Shibata, N. 87−73106, 88−31770, 88−38170, 88−45289, 88−49833
Ohki, A. *see* Suzuoki, Y. 87−53195, 87−53577
Ohki, H., Nakazawa, H., Kosaka, Y., Sato, H., Asari, T., Isobe, M. Fabrication of fine and smooth curved features by E-beam, lithography system 88−26129
Ohki, H. *see* Muta, S. 86−41965
Ohki, H. *see* Suzuki, H. 86−14588
Ohki, J. *see* Koga, T. 87−28245
Ohki, K., Takami, N., Maeda, M. Development of AFBC utility boiler without FGD unit 86−13239
Ohki, K. *see* Moriyama, Y. 86−55112
Ohki, K. *see* Yoshimori, M. 88−29935
Ohki, M. Optimal design of three-dimensional digital filters and its applications to image processing 88−6992
Ohki, M., Saito, S. Impulse flashover along the outer surface of a cylindrical dielectric solid with a gas layer inside 88−33425
Ohki, M., Takahara, M. On a design of DB type equalizer using linear programming method 86−26747
Ohki, M. *see* Ando, K. 86−30980, 87−3289
Ohki, M. *see* Higuchi, T. 87−73566
Ohki, M. *see* Kozaki, S. 85−62753, 85−62755, 87−47226
Ohki, M. *see* Yamada, M. 87−18987
Ohki, N. *see* Kaga, T. 88−63675
Ohki, R., Furukawa, S., Ishimoto, R., Aoki, H. IHI-FW 700 MW LNG-fired variable pressure operation supercritical once-through steam generator for Chita Daini Thermal Power Station No.2 Unit, Chubu Electric Power Co. Inc 85−38822
Ohki, S., Hagihira, T., Shoji, H. The characteristics of A/D converter by use of 2 μm rule silicon-gate CMOS for wristwatch use 87−59643
Ohki, S., Oda, M., Akiya, H., Shibata, T. Cavernous undercuts appearing in reactive ion etched submicron-wide deep trenches 88−26072
Ohki, S. *see* Itoh, I. 86−24521, 87−41639
Ohki, T., Konishi, T. A system for automatically inspecting chips mounted on a board 88−37938
Ohki, T. *see* Katayama, T. 86−12665
Ohki, T. *see* Konishi, T. 88−60657
Ohki, Y. Radiation effects on polymers 87−25706
Ohki, Y. *see* Ikeda, M. 87−18379
Ohki, Y. *see* Nagasawa, K. 86−22136, 86−42286, 87−7145, 87−18649, 87−38772, 87−53937, 87−68010, 88−45146
Ohki, Y. *see* Nakano, T. 88−24826
Ohki, Y. *see* Racz, I. 87−38596, 88−20199
Ohki, Y. *see* Yokomachi, Y. 88−26786
Ohki, Y. *see* Zahn, M. 85−4061, 85−23983, 85−29360, 85−40950, 87−15879
Ohkita, M. Evaluation of analytic functions by generalized digital integration 86−13699
Ohkita, M., Kobayashi, Y. An application of rationalized Haar functions to solution of linear differential equations 87−225
Ohkohchi, N. *see* Ichijo, B. 87−14458
Ohkoshi, A. Ultra-large-screen color display 86−31227
Ohkoshi, A. *see* Hamanaka, J.-I. 87−78523
Ohkoshi, A. *see* Nakagawa, H. 87−3469
Ohkoshi, A. *see* Tohyama, T. 86−8706
Ohkoshi, A. *see* Urabe, T. 85−64209
Ohkoshi, M., Oda, S., Kusuda, T. Comparison of magnetic properties between sputtered Co-Cr and Fe-Cr films 88−44958
Ohkoshi, M., Oda, S., Kusuda, T. Phase separation and perpendicular anisotropy of sputtered Fe-Cr films 88−51183
Ohkoshi, M., Tamari, K., Harada, M., Honda, S., Kusuda, T. Microstructure and exchange anisotropy of Co-CoO sputtered films with perpendicular magnetisation 86−9389
Ohkoshi, M., Tamari, K., Honda, S., Kusuda, T. Perpendicular magnetization in Co-CoO film prepared by reactive RF sputtering 85−18540
Ohkoshi, M., Tamari, K., Honda, S., Kusuda, T. Microstructure and exchange anisotropy of Co-CoO films with perpendicular magnetization 85−45951
Ohkoshi, M. *see* Harada, M. 86−63531
Ohkoshi, M. *see* Honda, S. 85−18549, 87−38645
Ohkoshi, M. *see* Kobe, H. 86−63529
Ohkoshi, M. *see* Tamari, K. 86−9388
Ohkoshi, M. *see* Tokunaga, T. 86−42379, 87−60803
Ohkoshi, M. *see* Yamakawa, T. 86−9387
Ohkoshi, M. *see* Yamashita, N. 86−9378
Ohkoshi, S., Matsumoto, K., Nakano, S. A digital telephone set for ISDN 87−13487
Ohkoshi, S., Suzuki, Y., Inoue, Y. Design of network interface for customer equipment 85−47063
Ohkoshi, S., Suzuki, Y., Inoue, Y., Miyagishi, O. Design of network interfaces for customer equipment 85−14065
Ohkoshi, S. *see* Amemiya, F. 86−10852
Ohkoshi, S. *see* Kitami, K. 85−57617, 86−23283
Ohkouchi, S. *see* Ibaraki, A. 85−12843
Ohkouchi, S. *see* Iga, K. 85−2288, 85−62586
Ohkubo, H., Kodera, M., Noguchi, T., Kumano, T., Ichihara, M., Suzuki, E.E., Yasohama, K., Okon, H., Yasukochi, K., Hirabayashi, H. Fabrication and performance of in-situ processed Nb_3Sn tape and multistrand wire 85−62216
Ohkubo, H., Sato, T. An analysis of the phase III GPS by computer simulations 86−65034
Ohkubo, H. *see* Fukuda, E. 87−64691
Ohkubo, H. *see* Hashiguchi, S. 85−26473, 86−65268, 86−67885, 87−1546
Ohkubo, H. *see* Kitaori, N. 88−26663
Ohkubo, H. *see* Toda, K. 86−16113
Ohkubo, K. *see* Tajima, T. 85−64075
Ohkubo, M. JAERI linac TOF facility 87−21506
Ohkubo, M. Investigation of electric shock accidents by AC arc welding machines 87−22931
Ohkubo, M. Reduction of delayed gamma ray backgrounds for a pulsed neutron source 87−29424
Ohkubo, M., Ando, T., Masuda, M., Watanabe, T., Kamiya, H., Kohda, T., Kaneko, M., Morita, T. Fabrication of JT-60 poloidal field coil 85−2496
Ohkubo, M. *see* Ando, T. 86−42798
Ohkubo, M. *see* Katane, T. 85−26450
Ohkubo, M. *see* Shirasaki, Y. 85−37026
Ohkubo, M. *see* Watanabe, K. 88−35284
Ohkubo, R. *see* Ogawa, K. 86−11847
Ohkubo, T., Adachi, T. Electrohydrodynamic flow field in a wire-duct type electrostatic precipitator 88−27460
Ohkubo, T., Hayashi, T., Mitsuya, Y. Accurate measurement and evaluation of dynamic characteristics of flying head slider for large-capacity fast-access magnetic disk storage 88−51324
Ohkubo, T., Nomoto, Y., Adachi, T., McLean, K.J. Electric field in a wire-duct type electrostatic precipitator 87−12677
Ohkubo, T. *see* Horiuchi, T. 87−25030
Ohkubo, T. *see* Iwai, S. 87−29509
Ohkubo, T. *see* Kaneko, S. 86−36348
Ohkubo, T. *see* Kogiku, I. 87−76462
Ohkubo, T. *see* Koshimoto, Y. 88−39806
Ohkubo, T. *see* Murakami, D. 86−55424
Ohkubo, T. *see* Sekimoto, M. 85−34756
Ohkubo, T. *see* Wasano, T. 88−73672
Ohkubo, Y. An analysis of fixed pattern noise for MOS-CCD type image sensors under quasi-stationary conditions 87−3429
Ohkubo, Y. *see* Hoshi, K. 85−44677
Ohkuma, H., Yamaguchi, S. New far-infrared laser lines from CH_2Cl_2 optically pumped by CO_2 laser 87−33090
Ohkuma, H. *see* Watanabe, K. 88−29747
Ohkuma, J. *see* Takeda, S. 86−24914, 88−54176
Ohkuma, K., Ichikawa, Y.H., Abe, Y. Soliton propagation along optical fibers 87−60925
Ohkuma, S. *see* Ishida, M. 88−30782
Ohkuma, S. *see* Sugita, K. 86−19452
Ohkuma, S. *see* Suzuki, K. 88−5759
Ohkuma, T. *see* Okuda, Y. 88−13248
Ohkuma, T. *see* Todokoro, Y. 86−8947
Ohkura, I. *see* Kuramitsu, Y. 87−699
Ohkura, I. *see* Sakashita, K. 85−35177
Ohkura, K. *see* Nagata, M. 85−56244
Ohkura, K. *see* Nishi, M. 87−67958
Ohkura, M., Ichikawa, M., Miyao, M., Sunami, H., Tokuyama, T. Dynamic numerical simulation of melting and resolidification process in SOI formation by seeded lateral epitaxy 85−44745
Ohkura, M., Ichikawa, M., Miyao, M., Sunami, H., Tokuyama, T. Two-dimensional dynamic numerical simulation of an SOI formation process in laser-induced seeded lateral growth 85−54453
Ohkura, M., Kusukawa, K., Sunami, H., Hayashida, T., Tokuyama, T. A three-dimensional DRAM cell of stacked switching-transistor in SOI (SSS) 86−46858
Ohkura, M. *see* Kubota, S. 87−50435
Ohkura, M. *see* Miyao, M. 86−8748
Ohkura, M. *see* Tokuyama, T. 86−7810
Ohkura, T., Hada, H., Yano, A., Nishida, K., Iwakawa, T. High density plasma display 86−5394
Ohkura, Y. Impact of satellite broadcasts 85−47627
Ohkura, Y., Toyabe, T., Masuda, H. Analysis of MOSFET capacitances and their behavior at short-channel lengths using an AC device simulator 87−60457
Ohkura, Y. *see* Naito, Y. 85−31979
Ohkura, Y. *see* Shimada, R. 85−62979, 86−22903, 87−7667, 88−14592
Ohkura, Y. *see* Ueda, Y. 87−35545
Ohl, M., Rub, P., Schneider-Muntau, H.J., Vallier, J.C. Project of a 20 Tesla magnet in a bore of 130 mm for studies of significant lengths of high H_{c2} superconductor materials 88−26735
Ohl, W.-D. *see* Scham, M. 88−59760

Ohlander, U., Blixt, P., Sahlen, O. Delay time in optical switching of bistable tandem lasers 88−65801
Ohlander, U., Sahlen, O. Influence of carrier leakage on bistability in an inhomogeneously-pumped semiconductor laser 87−46881
Ohlander, U., Sahlen, O., Ivarsson, L. Influence of absorber length on inhomogeneously pumped, bistable semiconductor lasers 88−2250
Ohlander, U., Sahlen, O., Ivarsson, L. Spectral characteristics of bistable tandem lasers 88−45454
Ohlander, U. *see* Sahlen, O. 88−65452
Ohlckers, P. New electronic construction methods: thick film technique advancing strongly 88−12777
Ohlckers, P., Fung, C. Design rules for minimizing signal errors in silicon pressure sensors induced by packaging strains 87−14317
Ohlckers, P. *see* Hanneborg, A. 86−17921
Ohlckers, P. *see* Buschmann, F. *(editor)* 87−5136
Ohlckers, P.A. *see* Hanneborg, A. 86−55672, 87−11272
Ohlen, C. Microprocessor relays provide reliable protection 86−61193
Ohlen, C. *see* Eriksson, R. 86−25488
Ohler, M. TV receivers for satellite broadcasting 86−24044
Ohler, M. *see* Achilles, J. 88−7041
Ohler, P.C., Hall, S.B. The distributed AI system for the dynamic allocation and management of power (DAISY-DAMP) testbed 87−63890
Ohletz, M. *see* Matthiesen, F. 86−47014
Ohletz, M.J., Bohner, M., Zimmermann, M. A self-testing CMOS signal processor 87−67573
Ohletz, M.J., Williams, T.W., Mucha, J.P. Overhead scan and self-testing designs 88−19075
Ohley, W.J., Lundahl, T. Discrete 2-dimensional fractional Brownian motion as a model for medical images 88−41077
Ohley, W.J. *see* Hakim, N. 88−4943
Ohley, W.J. *see* Lundahl, T. 87−50284
Ohley, W.J. *see* Kuklinski, W.S. *(editor)* 86−40381
Ohlgiesser, D. *see* Cristea, C.N. 88−61833
Ohlhaber, R., Ulijasz, T. LEDs impose limits on fiber optic bandwidths 86−43827
Ohlhaber, R. *see* Stier, R. 85−2007
Ohlhaber, R.L. Design aspects of loose buffer tube fiber optics cable 85−58135
Ohlhaber, R.L., Ulijasz, T.R. The effect of LEDs on fiberoptic bandwidth 85−37065
Ohlhaber, R.L. *see* Ali, M.A. 86−15482
Ohlhaber, R.L. *see* Mir Akbar Ali 85−62275
Ohlhaber, R.L. *see* Ulijasz, T.R. 88−28911
Ohligs, W. *see* Langenbeck, P. 88−42281
Ohligschlager, R. Hard- and software for brilliant Btx colour printouts. Colour printer as comfortable Btx supplement 87−27984
Ohlin, H.G. *see* Lorke, H. 85−62732
Ohlin, H.G. *see* Scuka, V. 88−30856
Ohlinger, J. CAE in power plants 88−10929
Ohlkers, P. New electronic construction methods: the thick film technique is advancing 88−50542
Ohlmeyer, E.J. Application of optimal estimation and control concepts to a bank-to-turn missile 88−17026
Ohlmeyer, H., Muller, W. Regulations of maintenance periods and servicing arrangements for systems important on the grounds of safety engineering within safety specifications 88−69126
Ohlms, D.E. Beam output interference cancellation for line arrays 87−62074
Ohlms, D.E., Johnson, G.W. Range and speed estimation from frequency measurements alone 87−27504
Ohlms, D.E., Kroman, E.J., Bradford, W.A. A simple algorithm for broadband detection and sorting 88−73136
Ohlms, D.E. *see* Erickson, B.J. 86−16418
Ohlrich, D.L. *see* Longenecker, K.G. 87−24732
Ohlson, J. Dry etch chemical safety 86−66586
Ohlson, J.E. *see* Davies, R.S. 86−59393
Ohlson, M.J. *see* Talasek, R.T. 85−34840
Ohlson, R.O. Selection and application considerations for 100-percent rated overcurrent protective devices 85−9549
Ohlsson, B.L., Erlandson, B.-E. Miniaturised device for long-term intravaginal electrical stimulation for the treatment of urinary incontinence 88−74859
Ohlsson, O. *see* Daugherty, K.E. 87−64233
Ohlsson, S. The effect of pretinning on the strength of a chip carrier solder joint 88−63047
Ohlsson, T. *see* Risman, P.O. 88−24271
Ohlsson, T.G. *see* Svensk, J.E.R. 88−30867
Ohm, G., Alberty, M. Low-noise 12 GHz FET amplifiers for earth stations for radio communication systems 85−47469
Ohm, G., Alberty, M. Low noise cryogenically cooled FET amplifier for 20 GHz earth stations 86−57696
Ohm, G., Alberty, M. Cryogenically cooled 20 GHz FET amplifier 87−73706
Ohm, G., Alberty, M., Ritter, J. Miniature microstrip bandpass filter on a barium tetratitanate substrate 86−41202
Ohm, H., Kratz, K.-L., Prussin, S.G. The analysis of delayed neutron energy spectra recorded with ^{3}He ionization chambers 87−41863
Ohm, H. *see* Borgs, J.W. 87−71050
Ohm, O.-J. *see* Breivik, K. 86−38820
Ohmachi, H. Problems of mineral resources in high technology industry 88−18279
Ohmachi, Y. *see* Fukuda, Y. 88−49831
Ohmachi, Y. *see* Nishioka, T. 85−22481
Ohmachi, Y. *see* Okamoto, H. 88−24731
Ohmachi, Y. *see* Oku, S. 86−7769, 87−23616
Ohmae, H., Kimura, M. High-light-output projection tube 87−66849
Ohmae, H. *see* Ashizaki, S. 88−41833
Ohmae, H. *see* Tsujihara, S. 87−70201
Ohmae, T., Matsuda, T., Kanno, M., Saitoh, K., Sukegawa, T. A microprocessor-based speed regulator using fast response state observer for motor drives 87−43532
Ohmae, T., Matsuda, T., Kanno, M., Saitoh, K., Sukegawa, T. A microprocessor-based motor speed regulator using fast-response state observer for reduction of torsional vibration 88−11417
Ohmae, T., Matsuda, T., Masaki, R., Saito, K. A microprocessor-based current controller with an internal current rate loop for motor drives 86−66389
Ohmae, T., Matsuda, T., Masaki, R., Saito, K. A microprocessor-based current controller with an internal current-rate loop for motor drives 87−16079
Ohmae, T., Obara, S., Watanabe, M., Matsuda, T., Kubo, K., Kogawa, T., Azusawa, N. Flexible multi-axis digital servo system 87−30644
Ohmae, T. *see* Kubo, K. 86−7189
Ohmae, T. *see* Obara, S. 87−78708
Ohmae, T. *see* Saito, K. 86−51958, 88−37646
Ohmae, Y., Shimada, M., Sasaki, N. 1.3 μm light emitting diode for fiber optic communication systems 88−26992
Ohmae, Y. *see* Fujisawa, K. 85−41055
Ohmae, Y. *see* Hashimoto, K. 87−62673
Ohmae, Y. *see* Uchiyama, S. 86−42591
Ohmagari, Y. *see* Matsuo, Y. 87−48940
Ohmaka, K. *see* Matsuda, K. 88−40073
Ohman, B. From drilling machines to low power radar: the work of the measurements shop of the radiation laboratory of Televerket 85−19595
Ohman, K. *see* Rassmuson, G. 85−47101
Ohman, N. Logic analysis with microcomputers 85−31409
Ohman, O., Tallbacka, T. A microprocessor controlled UPS family 88−30848
Ohmaru, K., Isono, H. Direct measurements of G/T for satellite broadcasting receivers 86−30715
Ohmaru, K. *see* Isono, H. 86−59136
Ohmata, K. *see* Nakamura, Y. 88−71915
Ohmer, K., Gundel, J., Oberacker, P. Random sample stock-taking in the power supply industry−requirement, planning, execution, evaluation 88−54896
Ohmer, K. *see* Oelsner, E. 86−18680
Ohmi, F. *see* Kaneko, Y. 88−45233
Ohmi, F. *see* Machida, H. 86−35984
Ohmi, F. *see* Nakamura, H. 87−60795
Ohmi, F. *see* Tanaka, M. 86−63530
Ohmi, K., Suemune, I., Kanda, T., Kan, Y., Yamanishi, M., Nishiyama, F., Hasai, H. Stability and interdiffusion at MOCVD grown ZnSe/GaAs interfaces 88−31841
Ohmi, K. *see* Ikeno, M. 85−3913
Ohmi, K. *see* Komoto, T. 88−35442
Ohmi, K. *see* Moriyama, S. 88−60099
Ohmi, K. *see* Suemune, I. 87−16676
Ohmi, K. *see* Yoshino, T. 86−23805
Ohmi, S., Watanabe, A., Hara, K. Theoretical estimation of light stability of azo dyes for liquid-crystal displays 88−42210
Ohmi, S. *see* Asahara, Y. 87−18742
Ohmi, T., Ichikawa, T., Shibata, T., Matsudo, K., Iwabuchi, H. In situ substrate-surface cleaning for very low temperature silicon epitaxy by low-kinetic-energy particle bombardment 88−63288
Ohmi, T., Kuromiya, S., Yoshitake, S., Iwabuchi, H., Sato, G., Murota, J. Formation of high quality epitaxial silicon films by ultraclean technology 88−18710
Ohmi, T., Kuwabara, H., Shibata, T., Kiyota, T. RF-DC coupled mode bias sputtering for ULSI metallization 88−71720
Ohmi, T., Masuda, K., Hashimoto, T., Shibata, T., Kato, M., Ishihara, Y. Formation of arsenic-implanted pn junctions using high vacuum ion implanter 88−19799
Ohmi, T., Mikoshiba, N. Super clean room 88−32973
Ohmi, T., Morita, M., Kochi, T., Kosugi, M., Kumagai, H., Itoh, M. High-rate growth at low temperatures by free-jet molecular flow: Surface-reaction film-formation technology 88−43864
Ohmi, T., Saito, T., Shibata, T., Nitta, T. Room-temperature copper metallization for ultralarge-scale integrated circuits by a low kinetic-energy particle process 88−64427
Ohmi, T., Saito, T., Shibata, T., Nitta, T. Copper ULSI metallization by low kinetic-energy particle process 88−71451
Ohmi, T., Saito, T., Shibata, T., Nitta, T. Room temperature copper ULSI metallization by low kinetic-energy particle process 88−71461
Ohmi, T. *see* Itoh, M. 87−3738
Ohmichi, A. *see* Onga, S. 86−62355
Ohmichi, T., Hosaka, S., Nishihara, M., Ibe, T., Okino, A., Nakayama, J., Miida, T., Ishida, M. Development of the multi-function robot for the containment vessel of the nuclear plant 86−39397
Ohmichi, T. *see* Hosaka, S. 86−39398
Ohmichi, T. *see* Matsubara, T. 85−48796
Ohminami, M. *see* Wasano, T. 88−73672
Ohminato, S. *see* Horio, H. 85−26749
Ohmine, M. *see* Moriyasu, M. 87−7478
Ohmine, M. *see* Yasunaga, S. 88−33103
Ohmiya, H. *see* Ito, E. 87−15327
Ohmiya, M., Ogawa, Y., Itoh, K. A comparison of desired signal arrival angle errors of adaptive antennas 85−30080
Ohmiya, M., Ogawa, Y., Itoh, K. Considerations on a scanned adaptive superresolution array 86−64122
Ohmiya, M., Ogawa, Y., Itoh, K. A proposal of a high-speed scanning adaptive superresolution array 86−64140
Ohmiya, M., Ogawa, Y., Itoh, K. A comparison of adaptive antennas on desired signal arrival angle errors 87−2373
Ohmiya, M. *see* Itoh, K. 86−68892
Ohmiya, M. *see* Ogawa, Y. 85−2699, 85−3402, 86−4818, 86−22826, 86−64134, 87−47388
Ohmiya, T., Hidaka, S., Honma, K. A channel-associated signaling system for digital subscriber lines 86−23563
Ohmiya, T. *see* Hidaka, S. 85−25589
Ohmiya, T. *see* Kitami, K. 85−63467
Ohmiya, T. *see* Yamada, T. 86−49397
Ohmiya, Y. *see* Sekiya, K. 86−54808
Ohmori, C., Horikawa, N., Iwata, T., Nakanishi, T., Sakanaka, S., Toyama, T., Hashimoto, K., Murayama, T., Seki, S., Tagishi, Y. Test of phototube bases for high counting rates 87−57027
Ohmori, E. Device for correcting geomagnetic field in color CRT 88−52213
Ohmori, H. *see* Shimizu, N. 87−1863
Ohmori, H. *see* Tominaga, H. 88−1838
Ohmori, J. *see* Hamada, Y. 85−2508
Ohmori, K., Arai, K.I. High frequency iron loss of Sendust thin ribbons made by a rapid quenching method 88−57911
Ohmori, K., Koike, N. CAD machines 85−40018
Ohmori, K., Koike, N. Hardware algorithm for logic simulation machines 86−14148
Ohmori, K., Ushijima, T. A technique of upstream type applied to a linear nonconforming finite element approximation of convective diffusion equations 85−49489
Ohmori, K. *see* Ando, T. 88−64002
Ohmori, K. *see* Arai, K.I. 88−51182, 88−57909
Ohmori, K. *see* Bagan 85−35676
Ohmori, K. *see* Koike, N. 86−14101, 86−57780, 87−60572
Ohmori, K. *see* Nomizu, N. 85−45030
Ohmori, K. *see* Ohishi, M. 88−31777
Ohmori, K. *see* Shimada, R. 88−69643
Ohmori, K. *see* Takasaki, S. 87−24065
Ohmori, M. Gallium arsenide integrated circuits 86−15280
Ohmori, M. *see* Idda, M. 85−45060
Ohmori, M. *see* Ino, M. 85−779, 85−33913
Ohmori, M. *see* Ishii, Y. 85−54899
Ohmori, M. *see* Machiya, T. 88−18490
Ohmori, S., Hase, Y., Kosaka, K., Tanaka, M. Aircraft Earth station for experimental mobile satellite system 87−34511
Ohmori, S., Irimata, A., Morikawa, H., Kondo, K., Hase, Y., Miura, S. Characteristics of sea reflection fading in maritime satellite communications 85−63604
Ohmori, S. *see* Hase, Y. 87−28458, 88−3936
Ohmori, S. *see* Ikegami, T. 87−70016
Ohmori, S. *see* Teshirogi, T. 87−27086
Ohmori, T., Tsuchiya, M., Taira, T., Takahashi, M., Yamamoto, A., Hirabayashi, H. Multilayer insulation with aluminized dimpled polyester film [for TOPAZ superconducting solenoid cryostat] 87−41721
Ohmori, T. *see* Harada, T. 85−29755
Ohmori, T. *see* Hayasaka, E. 86−56449
Ohmori, T. *see* Minegishi, S. 86−3568
Ohmori, T. *see* Strait, J. 87−74617
Ohmori, T. *see* Takehara, H. 88−22142
Ohmori, T. *see* Tojo, N. 88−41264
Ohmori, T. *see* Yamamoto, A. 88−39843
Ohmori, Y. Propulsion system console for H-I rocket 88−10489
Ohmori, Y., Nakagawa, M., Saito, T. Mutual coupling of oscillators with chaos and period doubling bifurcation 86−67082
Ohmori, Y., Suzuki, Y., Okamoto, Room temperature CW operation of GaSb/AlGaSb MQW laser diodes grown by MBE 86−9856
Ohmori, Y., Suzuki, Y., Okamoto, H. Room temperature CW operation of GaSb-AlGaSb MQW laser diodes 86−54160
Ohmori, Y., Tate, A., Kobayashi, M. GaAs/AlAs multiquantum-well optical waveguides fabricated by disordering superlattices 88−1993

Ohmori, Y. *see* Douseki, T. 87−66186, 88−763, 88−32200
Ohmori, Y. *see* Hanawa, F. 86−9528, 87−53964, 88−45042, 88−65117
Ohmori, Y. *see* Itoh, H. 85−29556, 86−22121, 86−42271, 86−48106, 86−68238 to 68239, 87−32970
Ohmori, Y. *see* Izki, A. 85−20760
Ohmori, Y. *see* Kamei, K. 87−73062
Ohmori, Y. *see* Kobayashi, Y. 86−48795
Ohmori, Y. *see* Kubota, E. 87−52098
Ohmori, Y. *see* Miya, T. 86−9556
Ohmori, Y. *see* Nakahara, M. 86−42273
Ohmori, Y. *see* Ploog, K. 86−2936
Ohmori, Y. *see* Shimizu, M. 86−2677, 86−28877, 87−68082
Ohmori, Y. *see* Takahashi, I. 88−30719
Ohmori, Y. *see* Tate, A. 88−56227
Ohmoto, N. *see* Nishiuma, M. 88−18953
Ohms, D. *see* Wiesener, K. 88−17823
Ohms, H. Service information. HiFi cassette deck HMK-D100. II 88−74203
Ohmukai, M. *see* Yamada, K. 88−64976
Ohmura, H. Studies on acoustical features of Japanese /r/ in VCV syllables 86−59233
Ohmura, H. On the acoustic features of the Japanese /r/ in continuous speech 86−59237
Ohmura, H. Acoustical differences between /r/ and /b,g,z/ in Japanese 86−59242
Ohmura, H. Articulatory study of /r/ and /d/ on the estimated vocal tracts 86−59247
Ohmura, H. Application of articulatory model for formant trajectories of /r/ 88−59068
Ohmura, H. On the formant of /r/ extracted by means of the frequency domain articulatory model 88−59073
Ohmura, H. A segmentation method for automatic detection of /r/ in Japanese 88−59076
Ohmura, H. Variations of acoustic properties for dentals and alveolars in Japanese 88−59081
Ohmura, H., Kamiyama, Y., Kobayashi, H. Development of a multi-media MHS based on CCITT X.400 Recommendations 86−69347
Ohmura, H., Maekawa, T., Itoh, Y., Toyota, H., Minakuchi, K., Iwai, H. Development of compact large-capacity packet exchange system 87−62793
Ohmura, H., Maekawa, T., Minakuchi, K. Development of high performance and compact packet switching equipment for international public and/or private networks 88−3756
Ohmura, H., Takahashi, Y. An analysis of repeated calls model with a finite number of sources 85−13452
Ohmura, H., Takahashi, Y. An analysis of repeated call model with a finite number of sources 86−69198
Ohmura, H., Wakabayashi, K., Tanigawa, H. Enhanced facsimile storage and conversion equipment in FICS-21 86−59552
Ohmura, H., Wakabayashi, K., Tanigawa, H., Imura, M. Enhanced facsimile storage and conversion equipment facility in FICS 86−23391
Ohmura, H. *see* Amano, M. 86−30295
Ohmura, K. *see* Nakao, M. 88−68425
Ohmura, K. *see* Yatagai, T. 88−40379
Ohmura, K. *see* Yatagai, Y. 87−26555
Ohmura, M. *see* Abe, H. 88−51119
Ohmura, M. *see* Fujii, T. 86−67948
Ohmura, M. *see* Hamanaka, T. 86−4662
Ohmura, M. *see* Higashi, T. 85−13996
Ohmura, M. *see* Tomita, N. 85−19914, 85−36603, 85−42325, 85−47070, 86−17184, 87−69762, 88−21890
Ohmura, M. *see* Yoshida, K. 85−19910, 85−47067
Ohmura, T., Tanaka, Y., Kurita, T. The development of an HDTV to PAL standards converter and its picture quality 87−13931
Ohmura, T. *see* Fukuyama, H. 85−37195
Ohmura, T. *see* Ikeda, H. 87−18529
Ohmura, T. *see* Kurashige, M. 86−38049
Ohmura, T. *see* Shimizu, K. 88−61269
Ohmura, T. *see* Tanaka, Y. 86−49824, 88−9764, 88−22293
Ohmura, Y., Shiokawa, T., Toyoda, K., Namba, S. Focused ion beam induced fine patterns of organogold films 88−13175
Ohmura, Y. *see* Komano, H. 88−64661
Ohmuro, T. A decoupled Kalman tracker using LOS coordinates 85−58217
Ohmuro, T. *see* Tanaka, Y. 85−47604
Ohmuro, Y. The mechanism of single component development with several insulating magnetic toners 85−39395
Ohnaka, K., Inoue, K., Uno, T., Hasegawa, K., Hase, N., Serizawa, H. A planar InGaAs PIN/JFET fiber-optic detector 86−2703
Ohnaka, K., Kubo, M., Shibata, J. A low dark current InGaAs/InP p-i-n photodiode with covered mesa structure 87−38926
Ohnaka, K., Shibata, J. Excess gate-leakage current of InGaAs junction field-effect transistors 88−57680
Ohnaka, K., Tsujii, H., Shibata, J. Monolithic integration of LD/HBTs on a semi-insulating InP substrate 88−65526
Ohnaka, K. *see* Hasegawa, K. 85−46278
Ohnaka, K. *see* Matsuda, K. 88−45328, 88−65510
Ohnaka, K. *see* Tsujii, H. 88−14060, 88−65715
Ohnaka, S., Shinoda, T., Masuda, K., Matsumura, K.-I. 3D shapes scanner SC-RF1 88−2430
Ohnari, S. *see* Hasegawa, F. 88−1545
Ohnish, T. *see* Fujikawa, K. 88−18231
Ohnishi, A. R&D of Earth resources satellite (R&D of observation systems for nonrenewable resource exploration) 85−21022
Ohnishi, A. *see* Hayashi, T. 88−36625
Ohnishi, H., Kaiyama, A., Tomita, A. Protocols for NTT high-speed and multiplexed switched service by the CS-2 satellite 85−42071
Ohnishi, H., Makimoto, M., Feher, K. Comparison of phase noise and nonlinear effects on 16 QAM and staggered 16 QAM 88−45865
Ohnishi, H., Uemura, T., Ota, I., Sakurai, T., Takeuchi, K., Yoshino, K. Fast-switching ferroelectric liquid-crystal mixture composed of new material with extremely large spontaneous polarization 88−42219
Ohnishi, H., Uemura, T., Wakita, N., Ohba, N., Ota, I. Fast-switching ferroelectric liquid crystal mixtures 87−56760
Ohnishi, H., Urano, H., Hasegawa, S., Morita, T., Nakajima, M. Measurement of arc resistance and dielectric breakdown voltage at intermittent grounding of 6.6 kV distribution CVT cable 88−48559
Ohnishi, H., Yamamoto, K., Katayama, Y. Improved efficiency of green-color ACTFEL devices grown by RF-sputtering 86−36324
Ohnishi, H., Yamasaki, Y., Iwase, R. Bright-green TFEL devices using sputtered ZnS:Tb,F 88−16334
Ohnishi, H., Yokoyama, N., Nishi, H. Monte Carlo simulation of electron transport efficiency of an InGaAs/InP hot electron transistor 86−2126
Ohnishi, H., Yokoyama, N., Shibatomi, A. Transport analysis of a resonant-tunneling hot electron transistor (RHET) 87−60427
Ohnishi, H., Yokoyama, N., Shibatomi, A. Transport analysis of a resonant-tunneling hot electron transistor (RHET) 88−64599
Ohnishi, H., Yoshino, H., Ieyasu, K., Sakuma, N., Hamakawa, Y. Green-emitting thin-film DC EL devices with low threshold voltage 85−41282
Ohnishi, H., Yoshino, H., Sakuma, N., Ieyasu, K., Hamakawa, Y. Green emitting thin film DC EL devices with low threshold voltage 85−12737
Ohnishi, H. *see* Asatani, K. 85−57618
Ohnishi, H. *see* Eguchi, M. 87−34473
Ohnishi, H. *see* Imamura, K. 87−6679, 87−25250, 87−74254, 88−33171
Ohnishi, H. *see* Inata, T. 87−37951
Ohnishi, H. *see* Kawahara, K. 85−21963
Ohnishi, H. *see* Miura, S. 85−12736
Ohnishi, H. *see* Mori, T. 87−25227
Ohnishi, H. *see* Muto, S. 86−67732, 87−37953
Ohnishi, H. *see* Uemura, T. 87−56762, 88−42220
Ohnishi, H. *see* Usami, T. 87−3233
Ohnishi, H. *see* Wakita, N. 87−56761
Ohnishi, H. *see* Yasuda, M. 87−64764
Ohnishi, H. *see* Yokoyama, N. 86−8241, 88−33184
Ohnishi, H. *see* Yongacoglu, A. 87−39820
Ohnishi, K. Review of solid state pickup devices 87−70415
Ohnishi, K. Performance calculation and evaluation method of direct current motor with gap winding armature 88−55364
Ohnishi, K., Miura, A., Yamashita, I. Optical subscriber loop system for local area application 85−3237
Ohnishi, K., Murakami, K. Sensitivity distribution measurement of sensor element for the solid-state imager 86−5039
Ohnishi, K., Suzuki, H., Miyachi, K., Terashima, M. Decoupling control of secondary flux and secondary current in induction motor drive with controlled voltage source and its comparison with volts/hertz control 85−44218
Ohnishi, K., Ueda, Y., Miyachi, K. Model reference adaptive system against rotor resistance variation in induction motor drive 87−4988
Ohnishi, K., Ushirokawa, A. Frequency dispersion of gamma ray irradiated MOS *C-V* curves 88−13060
Ohnishi, K. *see* Harashima, F. 85−27706, 85−53876, 86−39796, 88−30718
Ohnishi, K. *see* Kim, M. 86−6766, 87−64600, 88−69798
Ohnishi, K. *see* Mochizuki, T. 87−6343
Ohnishi, K. *see* Nagase, H. 85−27680
Ohnishi, K. *see* Nagata, Y. 85−31032, 86−4624, 86−49607
Ohnishi, K. *see* Ohishi, K. 86−6792, 86−26070, 87−9575, 87−43056, 87−43533, 88−43350, 88−43421, 88−75652
Ohnishi, K. *see* Tamaki, K. 86−51670, 87−30631, 87−43057
Ohnishi, K. *see* Terashima, M. 86−6772
Ohnishi, K. *see* Ueda, Y. 86−6775
Ohnishi, K. *see* Ushirokawa, A. 87−11860
Ohnishi, K. *see* Wakui, K. 85−8572
Ohnishi, K. *see* Yoshida, S. 87−63406
Ohnishi, M., Hishikawa, Y., Watanabe, K., Nakamura, N., Tsuda, S., Kuwano, Y. Raman study of the atomic bonds in amorphous alloys for high efficiency solar cells 86−14881
Ohnishi, M., Kishi, Y., Nakano, S., Kawada, H., Tsuda, S., Shibuiua, H., Nakamura, N., Hishikawa, Y., Tarui, H., Takahama, T., Tanaka, M., Kuwano, Y. High performance a-Si solar cells and new fabrication methods for a-Si solar cells 86−45700
Ohnishi, M., Miyajima, Y., Ishihara, K. High strength optical fiber splicing by arc-fusion method 85−12619
Ohnishi, M., Miyajima, Y., Ishihara, K. High strength optical fiber splicing by arc-fusion method 86−68243
Ohnishi, M., Mizukami, Y., Sugie, N. A communication aid system employing text speech synthesis 88−48244
Ohnishi, M., Nishiwaki, H., Tsuda, S., Nakamura, N., Nakano, S., Matsuoka, T., Kuwano, Y. New fabrication method for a-Si solar cells 85−61005
Ohnishi, M., Nishiwaki, H., Uchihashi, K., Yoshida, K., Tanaka, M., Ninomiya, K., Nishikuni, M., Nakamura, N., Tsuda, S., Nakano, S., Yazaki, T., Kuwano, Y. Preparation and properties of a-Si films deposited at a high deposition rate under a magnetic field 88−31852
Ohnishi, M., Yoshizawa, N., Kawata, O., Miyajima, Y., Negishi, Y. Long-term loss stability for submarine optical fiber cable 87−28615
Ohnishi, M., Yoshizawa, N., Miyajima, Y., Kawata, O., Negishi, Y. Loss stability assurance against hydrogen for submarine optical fiber cable 88−35497
Ohnishi, M. *see* Anzai, K. 85−50759
Ohnishi, M. *see* Haku, H. 88−24792
Ohnishi, M. *see* Ishihara, K. 86−11061
Ohnishi, M. *see* Kawata, O. 85−46146
Ohnishi, M. *see* Kobayashi, N. 88−45943
Ohnishi, M. *see* Kobayashi, T. 85−57829
Ohnishi, M. *see* Kuwano, Y. 86−7005, 87−78906, 88−31008
Ohnishi, M. *see* Miyajima, Y. 85−50929, 85−52342, 87−12110
Ohnishi, M. *see* Nakamura, M. 87−34230
Ohnishi, M. *see* Nakamura, N. 85−23460
Ohnishi, M. *see* Nakano, S. 86−35368, 87−30934, 87−36130, 88−17972, 88−37490
Ohnishi, M. *see* Negishi, Y. 86−23875
Ohnishi, M. *see* Nishino, H. 88−11479
Ohnishi, M. *see* Takahama, T. 87−22741
Ohnishi, M. *see* Tanaka, M. 88−31851
Ohnishi, M. *see* Tarui, H. 87−30978
Ohnishi, M. *see* Tsuda, S. 86−33664, 87−9845, 87−31573, 87−31578 to 31579, 88−49150
Ohnishi, M. *see* Tsutsumi, S. 87−20480
Ohnishi, M. *see* Yamaguchi, N. 86−69771
Ohnishi, M. *see* Yoshizawa, N. 85−25874, 85−63641, 86−2723, 87−3174, 87−8315, 87−13739, 87−76729, 88−21902
Ohnishi, N. *see* Makita, Y. 87−10370
Ohnishi, N. *see* Mori, M. 88−6463
Ohnishi, N. *see* Sudo, Y. 86−6512
Ohnishi, O. *see* Adachi, M. 87−6937
Ohnishi, O. *see* Mizonobe, T. 88−50564
Ohnishi, O. *see* Sasamoto, T. 88−25743
Ohnishi, R., Tomita, S., Tanabe, Y., Aota, T. A line-by-line coding scheme with run color prediction for multi-color graphics 86−38057
Ohnishi, R. *see* Hata, T. 87−39969, 88−46280
Ohnishi, S. *see* Hamada, N. 87−24878
Ohnishi, T., Okitsu, H. A novel PWM technique for three-phase inverter/converter 85−39083
Ohnishi, T., Okitsu, H. Microcomputer controlled photovoltaic solar power conversion system using PWM inverter 86−6912
Ohnishi, T., Onodera, T., Yokoyama, N., Nishi, H. Comparison of the orientation effect of SiO_2- and Si_3N_4-encapsulated GaAs MESFETs 85−45708
Ohnishi, T., Yamaguchi, Y., Inada, T., Yokoyama, N., Nishi, H. Application of the lamp-annealing method to the n^+-layer of WSi_x-gate self-aligned GaAs MESFETs 85−6948
Ohnishi, T., Yamaguchi, Y., Onodera, T., Yokoyama, N., Nishi, H. Experimental and theoretical studies on short channel effects in lamp-annealed WSi_x-gate self-aligned GaAs MESFETs 85−40783
Ohnishi, T., Yanai, T., Ogawa, T., Abe, S., Araki, K., Doi, M. Development of a precision machining method for Sendust video heads 87−77021
Ohnishi, T. *see* Imamura, K. 85−61921
Ohnishi, T. *see* Onodera, T. 86−21576, 86−53831
Ohnishi, T. *see* Yokoyama, N. 86−28035, 87−11446
Ohnishi, Y., Minami, S., Kasuga, O., Kaneko, K. 18 GHz-band 4-level FSK transmitter-receiver 86−17211
Ohnishi, Y., Suzuki, M., Saigo, K., Saotome, Y., Gokan, H. Silicon-containing resists for Bi-layer resist systems 86−1890
Ohnishi, Y. *see* Fujii, H. 88−33470
Ohnishi, Y. *see* Gokan, H. 85−50648
Ohnishi, Y. *see* Horigome, H. 87−28932

Ohnishi, Y. *see* Saigo, K. 85—34716, 86—53513
Ohnishi, Y. *see* Saotome, Y. 85—45498
Ohnishi, Y. *see* Suzuki, M. 85—61805
Ohnishi, Y. *see* Tanigaki, K. 86—28093, 86—58354
Ohnishi, Y. *see* Watanabe, F. 86—35593
Ohniwa, K. *see* Kawabe, S. 85—702
Ohnmacht, H. *see* Becker, H. 86—1384
Ohno, E. *see* Yamada, N. 88—45046
Ohno, H., Hasegawa, H. Correlation between the location of the interface state minimum at insulator-semiconductor interfaces and Schottky barrier heights 86—58330
Ohno, H., Ikeda, E., Hasegawa, H. Planar doping by interrupted MOVPE growth of GaAs 85—6813
Ohno, H., Katsumi, R., Hasegawa, H. $(GaAs)_1/(InAs)_1$ superlattice semiconductor 86—63094
Ohno, H., Katsumi, R., Takama, T., Hasegawa, H. Growth of a $(GaAs)_n/(InAs)_n$ superlattice semiconductor by molecular beam epitaxy 86—20055
Ohno, H., Tanabe, T., Katsuta, G., Sakaguchi, R., Ogasahara, T., Aihara, M., Fujiwara, Y., Nanba, K., Ebinuma, Y., Sasaki, N., Nagaoka, A. Development of partial discharge-location method of power cables 86—51007
Ohno, H. *see* Akatsu, Y. 87—45578, 88—33256
Ohno, H. *see* Arimoto, S. 85—52964, 88—11376, 88—43384
Ohno, H. *see* Hasegawa, H. 85—23446, 85—55472, 86—2071, 86—2217, 86—2225, 87—9797, 87—17846, 87—18343, 87—24875, 88—12994, 88—19752, 88—19771, 88—39207
Ohno, H. *see* Hashizume, T. 86—435
Ohno, H. *see* He, L. 88—50673
Ohno, H. *see* Hibino, M. 87—8047
Ohno, H. *see* Iizuka, K. 86—53440
Ohno, H. *see* Ikeda, E. 88—38168, 88—39093
Ohno, H. *see* Imamura, M. 86—9484
Ohno, H. *see* Katano, Y. 87—25730
Ohno, H. *see* Kitagawa, T. 85—34493
Ohno, H. *see* Kobayashi, K. 88—72210
Ohno, H. *see* Matsuo, N. 85—2144
Ohno, H. *see* Miyake, S. 85—55396
Ohno, H. *see* Naganawa, H. 86—28546
Ohno, H. *see* Okamoto, T. 86—53296
Ohno, H. *see* Sawada, T. 85—12213, 85—40779, 88—26002
Ohno, H. *see* Shimozuma, M. 86—7837
Ohno, H. *see* Yamamoto, H. 85—45726
Ohno, H. *see* Zhang, J. 85—24608
Ohno, I. Frequency dependent sensors and their advantages 85—8808
Ohno, I., Haruyama, S. Pulse plating technique 85—33469
Ohno, I. *see* Ohte, A. 85—25865
Ohno, J. Recent trends of temperature measurement technology 86—55872
Ohno, J., Abe, S., Kobayashi, H. Improvement of selective film for stainless steel solar collector 87—72465
Ohno, J., Yashiro, H., Shirakawa, Y. A burden sensor with X-band microwave for blast furnaces 88—60920
Ohno, J., Yashiro, H., Shirakawa, Y., Tsuda, A., Watanabe, S., Hirata, T., Higuchi, M., Nakagome, M. Microwave burden sensor for blast furnaces 88—22767
Ohno, J. *see* Tanaka, S. 85—17301, 85—22799
Ohno, K., Abe, T. Effect of BaF_2 on the synthesis of the single-phase cubic $Y_3Al_5O_{12}$:Tb 86—57420
Ohno, K., Abe, T. Bright green phosphor, $Y_3Al_{5-x}Ga_xO_{12}$:Tb, for projection CRT 88—7269
Ohno, K., Adachi, F. GMSK frequency detection using decision feedback equalisation 88—14571
Ohno, K., Adachi, F. Half-bit offset decision frequency detection of differentially encoded GMSK signals 88—14657
Ohno, K., Adachi, F. Block error probability of narrowband digital FM with frequency detection in land mobile radio 88—41549
Ohno, K., Adachi, F. Field experiments of narrowband digital FM transmissions with diversity reception at 1.45 GHz carrier frequency 88—53171
Ohno, K., Arimatsu, A. Development of high speed 64K-bit CMOS static RAM 87—5888
Ohno, K., Daikoku, K., Ogose, S. Calculation of bit-error-rates for frequency deviation companding and expanding FM (Fredece-FM) 88—45926
Ohno, K., Daikoku, K., Ogose, S. Bit-error-rate experiments for frequency deviation companding and expanding FM (Fredece-FM) 88—46930
Ohno, K., Hirose, T., Kojima, M. Network control technology and its trends 86—30193
Ohno, K., Masuda, M., Watanabe, Y., Kubo, K. Multipurpose optical loop network 86—54929
Ohno, K., Matsuda, M. Detecting system for intracranial murmur 88—10309
Ohno, K., Shioyama, T. Monotonicity of an initial busy period in a priority queuing system 88—8884
Ohno, K., Shioyama, T., Mine, H. Optimal channel assignment in a packet-switching network with a conflict-free multiple-access scheme 86—4075
Ohno, K., Takeda, H., Masunaga, H. A 400-gate ECL gate array: MB12K series LSI 86—895
Ohno, K., Tanaka, M., Noguchi, E., Ono, T., Yabu, T., Sugimoto, M. Semiconductor technologies for FACOM M-780 [mainframe] 86—58348
Ohno, K., Tanaka, M., Noguchi, E., Ono, T., Yabu, T., Sugimoto, M. Semiconductor technologies for FACOM M-780 88—38429
Ohno, K., Watanabe, Y., Tsutsumi, T. Digital color TV multiplexing equipment 86—55454
Ohno, K. *see* Adachi, F 88—46916, 88—53179
Ohno, K. *see* Yamashina, M. 85—3041
Ohno, M., Hirao, T. A-Si photo-sensor for rotary encoders 86—5317
Ohno, M., Ishii, Y., Miyazawa, S. Effect of photoirradiation of GaAs surface during HF treatment 85—12190
Ohno, M., Nakanishi, Y., Shimaoka, G. LEED-RHEED observation of Ag films deposited on MgO substrate 85—33433
Ohno, M., Ogishima, M., Ohta, S. ICs for brushless DC motors 87—9613
Ohno, M., Ogishima, M., Shiratori, M. High-voltage MOS switch 88—57041
Ohno, R., Kikuchi, T., Matsumura, Y. Newly developed UV curable polybutadiene acrylate as a primary coating for optical fibres 86—49644
Ohno, S. Electrical properties of transition metal solutes in liquid Se-Te mixtures 86—27962
Ohno, S. Factors determining image quality of video hard-copies 87—13889
Ohno, S., Okada, H. Performance evaluation of the contention ring protocol in local area networks 87—40411
Ohno, S., Shirata, K., Honjo, S. The comparison of picture qualities of television, photography and hard copy 85—37237
Ohno, S., Sugiura, Y. Application of high definition television system for electronic imaging 87—37842
Ohno, S. *see* Itoh, T. 87—17871
Ohno, S. *see* Kaifu, K. 87—38403
Ohno, S. *see* Kakinuma, F. 86—27961
Ohno, S. *see* Kato, M. 85—24362
Ohno, S. *see* Kawazu, R. 86—35519
Ohno, S. *see* Kinoshita, H. 88—13127
Ohno, S. *see* Kobayashi, M. 86—42091, 88—2074, 88—51424
Ohno, S. *see* Komaki, Y. 86—50414
Ohno, S. *see* Masuda, H. 87—20910
Ohno, S. *see* Okada, H. 87—27725, 88—3304
Ohno, S. *see* Okuda, H. 87—49305
Ohno, S. *see* Yamashita, Y. 85—34874, 86—21680, 88—13272
Ohno, T. Key telephone system of Japan 85—25677
Ohno, T., Inabe, Y., Sakurai, T., Izumi, K. A circuit for reducing on-resistance of a p-n-p-n device at low currents 85—45736
Ohno, T., Izumi, K., Shimaya, M., Shiono, N. Radiation-hardened n-channel MOSFET achieved by a combination of polysilicon sidewall and SIMOX technology 86—47569
Ohno, T., Izumi, K., Shimaya, M., Shiono, N. CMOS/SIMOX devices having a radiation hardness of 2 Mrad(Si) 87—32684
Ohno, T., Izumi, K., Shimaya, M., Shiono, N. Total-dose effects of gamma-ray irradiation on CMOS/SIMOX devices 88—13577
Ohno, T., Koshida, N. Operating characteristics of a microchannel plate in the reflection mode for low-energy positive ions 86—60550
Ohno, T., Sakurai, T., Inabe, Y., Koinuma, T. A single-chip high-voltage shallow-junction BORSHT-LSI 85—30821
Ohno, T., Shiroishi, Y., Hishiyama, S., Suzuki, H., Matsuda, Y. Modulation and crystallographic orientation of sputtered CoNi/Cr disks for longitudinal recording 88—51211
Ohno, T., Tanaka, N. Seismic proving tests on the reliability for large components and equipment of nuclear power plants 88—55143
Ohno, T. *see* Kasai, T. 85—22334
Ohno, T. *see* Komori, S. 88—6813, 88—32243
Ohno, T. *see* Koshida, N. 85—56964, 86—32156
Ohno, T. *see* Matsumoto, S. 87—53702
Ohno, T. *see* Sakina, Y. 87—17967, 88—1528
Ohno, T. *see* Schleesak, J.J. 86—54355
Ohno, T. *see* Schlesak, J.J. 88—75146
Ohno, T. *see* Shirai, K. 87—27289
Ohno, T. *see* Suzuki, H. 88—51222
Ohno, T. *see* Tamahashi, K. 88—26055
Ohno, T. *see* Tsumita, N. 87—67708
Ohno, T. *see* Wakagi, M. 86—27929
Ohno, T. *see* Yamada, H. 86—27673
Ohno, Y. Communication and instrumentation applications for electric power utilities 86—54913
Ohno, Y. Expectation for nanometer measurement technology in electronics industry. III. Device miniaturization 87—25417
Ohno, Y. Dynamic roadway lighting measuring system with split type photocells 88—37742
Ohno, Y., Goto, N. GaAs MESFET-IC side gating effect model 88—39736
Ohno, Y., Kaga, Y., Nagata, S. A study on the fabrication and the performance of the solid electrolyte fuel cell 88—5836
Ohno, Y., Kaneoka, T., Ogoh, I., Mitsuhashi, J., Hirayama, M., Kato, T. Reliability of trench capacitors with SiO_2/Si_3N_4 double-layer films for high density DRAMs 88—71371
Ohno, Y., Kitajo, S., Moriyama, I. Wafer stress during rapid thermal annealing due to surface geometrical patterns 86—41668
Ohno, Y., Miki, Y., Goto, T., Hara, K. Current-voltage characteristics of NbN-NbN Josephson point contacts 88—20306
Ohno, Y. *see* Hara, T. 85—15243
Ohno, Y. *see* Hirayama, M. 86—21389
Ohno, Y. *see* Kaga, Y. 88—75917
Ohno, Y. *see* Kiuchi, K. 88—15395
Ohno, Y. *see* Mitsuhashi, J. 88—1553
Ohno, Y. *see* Nagata, S. 85—49088
Ohno, Y. *see* Teshima, M. 86—60579
Ohno, Y. *see* Yasuo, A. 87—58026
Ohno, Y. *see* Yokota, K. 87—58976
Ohno, Y. *see* Yoshikawa, H. 88—47539, 88—67833
Ohno, Y. *see* Yoshino, T. 85—62349
Ohnogi, Y., Okumoto, K., Kakimoto, N., Kajihara, M. A method of suppressing voltage flicker in distribution systems 87—78076
Ohnogi, Y. *see* Kakimoto, N. 88—54884
Ohnsorge, H. Bigfon and its utilization possibilities 85—19983
Ohnsorge, H. Introduction and overview of broadband communication systems 86—64429
Ohnsorge, H. *see* Blanche, J. 88—8927
Ohnsorge, H. *see* Fussgaenger, K. 85—3446
Ohnstad, G.A. *see* Homan, L.C. 85—6152
Ohnuki, H. *see* Matsumoto, M. 86—1474, 86—58141
Ohnuki, M. *see* Kanomata, T. 87—74265
Ohnuki, M. *see* Morihiro, Y. 88—46983
Ohnuki, N. *see* Arimoto, A. 86—55455
Ohnuki, S., Adachi, S. Calculation of impedance of a loop antenna in an anisotropic electron plasma by the transmission line theory 85—19219
Ohnuki, S., Sawaya, K., Adachi, S. Impedance of a large circular loop antenna in a magnetoplasma 87—2350
Ohnuma, H. *see* Harada, R. 86—25206
Ohnuma, H. *see* Ieki, K. 88—22922
Ohnuma, K. *see* Iwata, F. 86—3373
Ohnuma, S. Effects of correction sextupoles in synchrotrons 85—26523
Ohnuma, S. Possible benefits from shuffling dipoles in the RHIC 88—54216
Ohnuma, S. *see* Gerig, R. 86—31894
Ohnuma, S. *see* Gluckstern, R.L. 86—24964
Ohnuma, S. *see* Kunimoto, A. 88—51209
Ohnuma, T., Watanabe, T. Field distributions of trapped electron Bernstein waves launched by a point source in an inhomogeneous magnetoplasma 85—57046
Oho, E. *see* Sasaki, T. 87—3322
Oho, S., Hirayama, T., Shibata, T. A custom LSI approach to multiplexed wiring [automobiles] 86—26390
Oho, S. *see* Hasegawa, A. 87—13498
Oho, S. *see* Sasayama, T. 88—43469, 88—67813
Oho, T. *see* Morioka, T. 88—10423
Ohoba, K. *see* Mochizuki, T. 88—30373
Ohoka, H. *see* Teshima, M. 86—60579
Ohoka, M. Hitachi packages professional quality in two compact video cameras 85—3688
Ohokubo, K. *see* Matsumoto, G. 87—20754
Ohono, T. *see* Kashiwagi, S. 88—1026
Ohora, T. *see* Takashima, H. 85—57899
Ohori, K. *see* Mizushima, I. 88—19968
Ohori, T., Fujimaki, N., Hoko, H., Ohara, S., Hasuo, S. AC powered master latch circuit with complementary outputs 85—45014
O'Hori, T. *see* Tanaka, H. 88—1688
Ohori, T. *see* Yamazaki, S. 85—301
Ohota, S. *see* Tsuchida, Y. 88—16710
Ohr, S. Sputtering, plating vie for high bit densities on Winchester discs 85—12505
Ohr, S. Magneto-optics combines erasability and high-density storage 85—62414
Ohr, S. Thin-film sputtering will overtake plating for Winchester disks 86—9396
Ohr, S. CAE tools model power-supply parts 86—46437
Ohr, S. How silicon ICs are reshaping the graphics picture 86—62525
Ohr, S. PC software routes surface-mounted devices 87—45367
Ohr, S. 'Top-down' logic design moves to PCs 87—59072
Ohri, K.B. *see* Kertis, R.A. 85—22869
Ohriner, E.K. Solder selection for elevated temperature applications 88—37970
Ohro, M., Tanaka, H., Hirose, S., Kawakami, T., Yamane, M. Cellular mobile telephone CMP100 87—76597
Ohrt, J. *see* Collins, J. 85—25846
Ohrui, R. Development of microwave tubes 86—1634
Ohrui, R. *see* Nagashima, T. 86—41475
Ohrui, T. *see* Kogiku, I. 87—76462
Ohrui, T. *see* Nishio, M. 87—48490
Ohrui, T. *see* Suda, K. 88—21797

Ohsachi, N. *see* Nagao, M. 86−68051
Ohsaka, S. *see* Wakao, K. 85−18936
Ohsaka, T. *see* Oyama, N. 88−44783
Ohsakama, T. *see* Maenaka, K. 87−3728
Ohsaki, A. *see* Okamoto, T. 88−33079
Ohsaki, E. *see* Miyake, K. 88−23483
Ohsaki, E. *see* Ozawa, J. 85−65302
Ohsaki, H., Miura, K., Tatsumi, Y. Oxidation mechanism of amorphous silicon in air 88−1536
Ohsaki, H. *see* Tatsumi, Y. 87−8751
Ohsaki, I. *see* Yamada, S. 85−54366
Ohsaki, M. *see* Takahashi, Y. 88−50528
Ohsaki, S. *see* Eimori, T. 88−19975
Ohsaki, T., Yasuda, T., Yamaguchi, S., Kon, T. A fine-line multilayer substrate with photo-sensitive polyimide dielectric and electroless copper plated conductors 88−25747
Ohsaki, T. *see* Kishimoto, T. 86−61949
Ohsaki, T. *see* Matsui, N. 87−74403
Ohsako, M., Shinoda, T., Kasuga, O., Watanabe, S., Murase, T. 50 GHz millimeter wave communications system PASOLINK 50 87−8173
Ohsato, A. *see* Sekiguchi, T. 87−23529
Ohsato, Y. *see* Yamada, T. 87−7132
Ohsawa, A., Takizawa, R., Honda, K. New oxygen donors formed at 700°C in silicon 85−1272
Ohsawa, A. *see* Honda, K. 85−34646, 88−32959
Ohsawa, A. *see* Takizawa, R. 88−25998
Ohsawa, A.W. *see* Honda, K. 87−74122
Ohsawa, C. *see* Kuwahara, H. 88−67405
Ohsawa, H., Yamazoe, M., Kaimoto, M. Microprocessor-based commutatorless motor drives for rolling mill 86−13130
Ohsawa, H. *see* Nakano, T. 85−21978
Ohsawa, I., Komiya, A., Ito, H. Improved compact fluorescent lamps, NEO BALL family 86−13165
Ohsawa, J., Hinata, S., Aoyagi, T., Kadowaki, T., Kaneno, N., Ikeda, K., Susaki, W. Triple-stripe phase-locked diode lasers emitting 100 mW CW with single-lobed far-field patterns 85−62554
Ohsawa, J. *see* Fujimoto, H. 86−17140
Ohsawa, J. *see* Kaneno, N. 85−62555
Ohsawa, J. *see* Rokude, S. 87−34282
Ohsawa, K., Shibata, T. Preparation and characterization of ZrF_4-BaF_2-LaF_3-NaF-AlF_3 glass optical fibers 85−12536
Ohsawa, K. *see* Naemura, S. 88−13951, 88−40009
Ohsawa, M. Office automation for electric demand/supply control 86−66411
Ohsawa, M., Hama, T., Akasaka, T., Ichimura, T., Sakai, H., Ishida, S., Uchida, Y. The role of hydrogen in the Staebler-Wronski effect of a-Si:H 86−22215
Ohsawa, M. *see* Ichimura, T. 86−27932, 87−9864
Ohsawa, M. *see* Nakashima, H. 87−79244
Ohsawa, M. *see* Takazane, J. 86−56986, 86−65620
Ohsawa, N., Masuda, T. The effect of input pressure on the frequency characteristics of cavity-mounted pressure transducer 87−21058
Ohsawa, N. *see* Kia Fock Loe 88−70435
Ohsawa, O. *see* Nakanishi, E. 88−71136
Ohsawa, S., Anami, S., Ogawa, Y., Fukuda, S., Enomoto, A., Azuma, O., Saito, Y., Yokota, M., Nakao, K., Honma, H., Sato, I., Asami, A., Tanaka, J. Beam characteristics of KEK e^- injection system 87−14686
Ohsawa, S., Asami, A., Tanaka, J. Grid pulser for the short beam electron of the PF linac 87−35284
Ohsawa, S., Tsuge, M., Takatsu, A., Okunishi, T., Tanaka, J., Mikami, S. Thermosetting resin substrate for computer-use optical memory disk 87−25908
Ohsawa, S., Tusge, M., Takatsu, A., Okunishi, T., Tanaka, J., Mikami, S. A thermosetting resin substrate for computer-use optical memory disks 86−42218
Ohsawa, S. *see* Asami, A. 87−41781
Ohsawa, S. *see* Azuma, O. 87−14682
Ohsawa, S. *see* Fukuda, S. 87−41818
Ohsawa, S. *see* Hanaki, H. 87−41779
Ohsawa, S. *see* Hosono, Y. 87−14684
Ohsawa, S. *see* Nakamura, T. 85−59745
Ohsawa, S. *see* Ogawa, Y. 87−14717
Ohsawa, S. *see* Otake, Y. 87−14681
Ohsawa, S. *see* Sato, I. 87−41704
Ohsawa, T., Furuyama, T., Watanabe, Y., Tanaka, H., Kushiyama, N., Tsuchida, K., Nagahama, Y., Yamano, S., Tanaka, T., Shinozaki, S., Natori, K. A 60 ns 4 Mb CMOS DRAM with built-in self test 87−59510
Ohsawa, T., Furuyama, T., Watanabe, Y., Tanaka, H., Kushiyama, N., Tsuchida, K., Nagahama, Y., Yamano, S., Tanaka, T., Shinozaki, S., Natori, K. A 60-ns 4-Mbit CMOS DRAM with built-in selftest function 88−6822
Ohsawa, T., Namiki, J. Digital group demodulation system for multiple PSK carriers 86−64813
Ohsawa, T., Namiki, J. Adaptive rate conversion filter 87−19788
Ohsawa, T., Namiki, J. Digital group demodulation system for multiple PSK carriers 88−67306
Ohsawa, T. *see* Furuyama, T. 87−10852, 87−17095, 87−24206, 87−52577, 88−63683
Ohsawa, T. *see* Kobayashi, K. 88−3925
Ohsawa, T. *see* Masuda, H. 88−23178
Ohsawa, T. *see* Okawa, Y. 87−30333
Ohsawa, T. *see* Takahata, F. 87−56047
Ohsawa, T. *see* Watanabe, Y. 87−23935
Ohsawa, T. *see* Yoshino, K. 86−22718
Ohsawa, Y., Miyauchi, H., Hayashi, M. Stabilizing control of power system by means of superconducting magnetic energy storage 86−39019
Ohsawa, Y., Miyauchi, H., Hayashi, M. Stabilizing control of long distance longitudinal power system by superconducting magnetic energy storage 87−30025
Ohsawa, Y., Sakauchi, M. Picture processing using multi-dimensional data management structure—vectorization of drawings 85−51788
Ohsawa, Y., Sakauchi, M. The automatic recognition system of dotted and broken lines in engineering drawings and maps 86−49039
Ohsawa, Y., Sawabe, A., Inuzuka, T. Initial growth process of GaAs thin films formed by ion or fast atom-beam sputtering 85−10731
Ohsawa, Y., Yamada, T., Noda, M., Tokuhara, M. Digital line memory for progressive scan TV display 87−34770
Ohsawa, Y. *see* Kitamura, T. 87−64747
Ohsawa, Y. *see* Sakauchi, M. 85−51767
Ohse, N. *see* Sunahara, Y. 86−7309
Ohse, S. *see* Hayami, H. 86−58750
Ohseki, N. *see* Misawa, H. 87−31819
Ohshiba, Y. *see* Fukui, Y. 85−22927
Ohshida, N., Hibiya, T., Takahashi, K., Matsumi, K. Personal computer controlled measurement system for magneto-optical Faraday rotation 86−24314
Ohshima, A. *see* Ogiyama, A. 86−10762
Ohshima, H. Audio equipment 85−37342
Ohshima, H., Murata, N. Flame retardant cable sheath compound 87−66609
Ohshima, H., Murata, N. Flame retardant cable sheath compound 88−21889
Ohshima, H., Tanaka, A., Sukegawa, T. Low-temperature liquid phase epitaxial growth of an (In,Ga,Al)Sb quaternary alloy 85−54440
Ohshima, H., Tanaka, A., Sukegawa, T. Low-temperature LPE growth of (In,Ga,Al)Sb quaternary alloys 86−52482
Ohshima, H. *see* Iwano, H. 88−20676
Ohshima, H. *see* Kuwabara, T. 87−56117
Ohshima, H. *see* Matsumoto, S. 87−20571
Ohshima, H. *see* Morozumi, S. 85−20674, 85−47862
Ohshima, H. *see* Ono, M. 87−21938
Ohshima, H. *see* Sukegawa, T. 86−46302
Ohshima, I. *see* Masaki, N. 86−56910, 86−56923 to 56924
Ohshima, I. *see* Murase, H. 85−32645
Ohshima, I. *see* Shimada, R. 88−69643
Ohshima, K. Effects of 'chain-of-spheres' configurations on magnetic properties for fine α-Fe particles. II. Study on intergrain-misfitting effect 88−51213
Ohshima, K., Nakao, M., Jitukawa, H. Humidity control in a containerized station 88−28604
Ohshima, K. *see* Kitahara, N. 85−33618, 86−67069
Ohshima, K. *see* Masuda, H. 86−46843
Ohshima, K. *see* Tagawa, K. 86−28601, 87−25761
Ohshima, K. *see* Takeda, E. 87−25490, 87−46128, 88−757
Ohshima, K. *see* Yamamoto, M. 87−22459
Ohshima, M., Negishi, H., Matsuki, M., Abe, T., Toyoda, Y., Kobayashi, H., Hase, N. 1.3 μm semiconductor laser module for single-mode fiber transmission systems 86−58937
Ohshima, M., Takenaka, N., Hirayama, N., Toyoda, Y., Hase, N. Surface emitting lasers with slant edge mirrors and multilayer reflectors 87−75123
Ohshima, M., Toyoda, Y., Hirayama, N., Takenaka, N., Matsuki, M., Kobayasi, H., Kino, Y. Stable longitudinal-mode InGaAsP/InP internal-reflection-interference laser 85−62570
Ohshima, M. *see* Ali, S. 88−6881
Ohshima, M. *see* Satoh, R. 87−60532
Ohshima, M. *see* Tsuruta, T. 88−40222
Ohshima, S., Dietrich, M., Linker, G. NbN formation on carbon fibers with a duo magnetron sputtering system 85−33491
Ohshima, S., Ito, T., Donuma, K., Fujii, Y. Small loss-deviation tapered fibre star coupler with mixer rod 85−7232
Ohshima, S., Ito, T., Donuma, K., Sugiyama, H., Fujii, Y. Small loss-deviation tapered fiber star coupler for LAN 85−62312
Ohshima, S., Nakadan, Y., Koga, Y. Measurement and analysis of the atomic velocity distribution and the second-order Doppler shift of the cesium beam frequency standard, NRLM-II 87−14058
Ohshima, S., Nakadan, Y., Koga, Y. Development of an optically pumped Cs frequency standard at the NRLM 88−74549
Ohshima, S., Takano, M., Makino, T., Nakamura, M. OH airglow observation by image intensifier combined with solid-state image sensor 87−15056
Ohshima, S. *see* Yanagiwara, M. 87−15113
Ohshima, T., Ishii, K., Yokoyama, N., Futatsugi, T., Fujii, T., Nishi, H. A self-aligned GaAs/AlGaAs heterojunction bipolar transistor with V-groove isolated planar structure 86−35855
Ohshima, T., Nakamizo, T. An adaptive unbias estimation of a maneuvering target via bearing observations 87−75837
Ohshima, T., Nakamizo, T. A bearings-only adaptive tracking filter 88−8784
Ohshima, T., Negishi, M., Hayashi, H., Noguchi, T., Mizumura, A. Sub-μm polysilicon super thin film transistor 87−46002
Ohshima, T., Noguchi, T., Hayashi, H. A super thin film transistor in advanced poly Si films 86−53660
Ohshima, T. *see* Hayashi, H. 87−25092, 88−20148
Ohshima, T. *see* Hirama, K. 87−3975
Ohshima, T. *see* Imanishi, A. 88−61124
Ohshima, T. *see* Ishii, K. 87−45694
Ohshima, T. *see* Maekawa, T. 88−38534
Ohshima, T. *see* Matsumura, N. 85−54458
Ohshima, T. *see* Noguchi, T. 85−61670, 86−35711, 88−7289
Ohshima, T. *see* Saito, Y. 88−48233
Ohshima, T. *see* Shiraki, Y. 87−36728
Ohshima, T. *see* Suzuki, M. 88−60185
Ohshima, T. *see* Teranishi, T. 86−54852
Ohshima, T. *see* Yokoyama, N. 85−50503
Ohshima, Y., Shigeno, K., Iwasaki, N., Ogawa, T., Yoshinari, E., Uji, T. 1.3 μm LED for optical fiber communications 86−58844
Ohshima, Y. *see* Shibanuma, N. 86−4664, 87−75107
Ohshimo, A. *see* Kunieda, H. 85−17651
Ohshio, C. *see* Horikoshi, T. 87−7850, 88−16727, 88−61322
Ohshio, S. *see* Kobayashi, H. 87−33064
Ohshio, S. *see* Tanaka, S. 87−33062, 88−16333, 88−65475
Ohshio, S. *see* Yoshiyama, H. 88−31838
Ohshio, T. *see* Ogata, S. 85−24746
Ohshiro, T. *see* Yoneyama, T. 87−75540
Ohshiro, Y. *see* Sekiguchi, M. 88−74719
Ohshita, H. *see* Iizuka, M. 86−16502
Ohshita, K. *see* Ishitani, A. 87−58929
Ohshita, M. *see* Isai, M. 86−7727, 86−41534, 87−5452
Ohshita, S., Miki, N. Suppression of intersymbol interference by double jump spectrum and triple jump spectrum for multilevel PAM system 85−2741
Ohshita, Y. *see* Ishitani, A. 88−24710, 88−43910
Ohsima, H. *see* Sakai, H. 86−37104
Ohska, T.K., Taniguchi, T., Watase, Y., Yasu, Y., Arai, Y., Hayano, R.S., Inaba, S. A new data acquisition system at KEK 86−50422
Ohska, T.K. *see* Drake, G. 86−50421
Ohska, T.K. *see* Sasaki, O. 88−56713
Ohska, T.K. *see* Taniguchi, T. 87−37761
Ohska, T.K. *(editor)* Proceedings of the Second Data Acquisition System Workshop (KEK Report 87-27) 88−49376
Ohsmann, M. An iterative method for the identification of MA systems 88−27897
Ohsola, O. *see* Kobayashi, K. 88−28626
Ohsuga, M., Ohyama, Y. A study on the oxygen-biased wide range air-fuel ratio sensor for rich and lean air-fuel ratios 87−14304
Ohsuga, T. *see* Zaidman, E. 86−31846
Ohsugi, T., Chiba, Y., Hayashibara, I., Taketani, A., Yasuishi, S., Arai, Y., Sakamoto, H., Uehara, S. Fast track-finding processor based on RAM look-up table for the VENUS detector at KEK 88−61125
Ohsugi, T., Taketani, A., Noda, M., Chiba, Y., Asai, M., Kondo, T., Sato, T., Takasaki, M., Tanaka, K.H., Kondo, K., Hirayama, H., Yamamoto, K., Tanaka, H. Radiation damage in silicon microstrip detectors 88−29851
Ohsugi, T., Yamazaki, T., Kitayama, Y., Kakii, T. Very light-weight, field-use portable fiber optic cable with connector 86−49660
Ohsugi, T. *see* Abe, K. 88−16629
Ohsugi, T. *see* Arai, Y. 88−10277
Ohsugi, T. *see* Chiba, Y. 88−54412
Ohsugi, T. *see* Kondo, T. 88−10274
Ohsumi, A. *see* Hashimoto, F. 87−49367
Ohsumi, A. *see* Tanaka, H. 87−48516
Ohsumi, H., Ishihara, M., Kohmoto, S., Asahi, K., Sugimoto, K., Tanabe, T., Hattori, T., Hamagaki, H., Haga, K. Nuclear spin polarization of ^{27}Al produced by the tilted-foil method and determination of the polarization by Coulomb excitation 87−3838
Ohsumi, M. *see* Hori, M. 88−59105
Ohsumi, T. Battery driven field data logger with static random-access memory storage 85−31981
Ohsumi, Y. *see* Tazaki, S. 86−22923

Ohta, A., Yuki, M., Fushimi, N., Jinguji, T., Saito, M. Flexible quality assurance system with the automatic inspection machines of the new medium seamless tube mill 88-225
Ohta, A. *see* Ito, S. 87-34745
Ohta, E. *see* Maeda, Y. 85-18076
Ohta, E. *see* Mori, K. 86-27903
Ohta, E. *see* Takeda, K. 85-55467
Ohta, E. *see* Taki, H. 86-8785
Ohta, F. *see* Hosoi, H. 87-19477
Ohta, G. *see* Kato, Y. 88-4536
Ohta, H. Perfect modulation of critical currents of DC-SQUIDs with short weak links 87-67882
Ohta, H., Arizono, I. A simplified design procedure for life tests based on Kullback-Leibler information 86-13556
Ohta, H., Kinoshita, S., Tuchiyama, T. Testing of digital wattmeter using personal computer 88-29506
Ohta, H., Takahata, M., Yamada, Y., Takahashi, Y. Observed transition from a weak link to a tunnel Josephson junction 88-20279
Ohta, H., Yamada, Y. Ultra-short weak links of superconductors 85-56214
Ohta, H. *see* Arizono, I. 87-31342
Ohta, H. *see* Hatate, Y. 85-20504
Ohta, H. *see* Nakayama, Y. 85-43135
Ohta, H. *see* Namura, K. 87-34841
Ohta, H. *see* Nishikawa, K. 85-9707
Ohta, H. *see* Noguchi, S. 88-50484
Ohta, H. *see* Sano, I. 86-32586
Ohta, H. *see* Ueda, Y. 86-57595, 86-66058, 87-49469
Ohta, H. *see* Wakabayashi, H. 87-56534
Ohta, H.H., Lang, K.C., Mittra, R. Measured results of double-screen frequency selective surface on C/Ku-band reflector antennas 85-13341
Ohta, H.H. *see* Cwik, T. 85-13271
Ohta, I. A new six-terminal pair microwave network 86-27561
Ohta, I. A new six-port microwave network; six-port magic junction 88-53838
Ohta, I., Hagino, I. Circuit conditions for the power combining synchronization of a parallel running 2^n-oscillator system 86-8049
Ohta, I., Hagino, I. A symmetrical power combining system of three oscillators 86-27560
Ohta, I., Hagino, I., Kaneko, T. Improved circular disk 3-dB hybrids 87-59835
Ohta, I., Hagino, I., Kaneko, T. Improved circular disk 3-dB hybrids 88-32375
Ohta, I., Hagino, I., Kaneko, T. A power combining oscillator system with a circularly polarized output wave using three-phase synchronization 88-70977
Ohta, I., Hamana, T., Nishiuma, M., Hagio, M., Kazumura, M., Kano, G., Teramoto, I. A refractory-metal gate self-align process for GaAs analog MMICs 86-53782
Ohta, I., Kaneko, T. Impedance measurement using six-terminal pair Y-circuit 88-10067
Ohta, I., Oishi, Y., Nishiuma, M., Hagio, M., Kazumura, M., Kano, G., Teramoto, I. An ideal-profile implantation process for GaAs analog MMICs 87-32721
Ohta, I., Taniguchi, H., Kaneko, T. A rat-race type directional coupler for loose coupling 88-50320
Ohta, I. *see* Homma, K. 88-52914
Ohta, I. *see* Katsu, S. 87-23961
Ohta, I. *see* Otsuki, T. 85-40050
Ohta, J., Kuroda, K., Mitsunaga, K., Kyuma, K., Hamanaka, K., Nakayama, T. Monolithic integration of a transverse-junction stripe laser and metal-semiconductor field-effect transistors on a semi-insulating GaAs substrate 87-46725
Ohta, J., Kuroda, K., Mitsunaga, K., Kyuma, K., Hamanaka, K., Nakayama, T. Buried transverse-junction stripe laser for optoelectronic-integrated circuits 87-54329
Ohta, J., Kyuma, K., Oita, M., Mitsunaga, K., Hamanaka, K., Nakayama, T. All-optical active switch using a multiple quantum well nonlinear etalon as a laser diode mirror 88-34000
Ohta, J. *see* Kojima, K. 88-40193
Ohta, K. Phonetic invariant properties on antimetrical vocal tract area functions 85-13526
Ohta, K. An automatic whistler direction finder 85-15423
Ohta, K. Scaling principle for heterojunction bipolar integrated circuit 85-23929
Ohta, K. An automatic whistler direction finder 86-68738
Ohta, K. Properties of organic photoreceptor with quick photoresponse (Ricoh OPC 60R) 87-54158
Ohta, K. A secure and efficient encrypted broadcast communication system using a public master key 88-9493
Ohta, K. Efficient identification and signature schemes 88-21079
Ohta, K., Eguchi, H. The automatic observation of the polarization of whistlers at low latitude 87-21784
Ohta, K., Fuchi, K. Articulation of two vowel continua by antimetrical vocal tract functions and their linear model 86-59234
Ohta, K., Furukawa, A. Potential of low temperature heterojunction bipolar IC 88-19945
Ohta, K., Furukawa, A., Baba, T., Ogawa, M. Theory and experiment of heterojunction bipolar transistor at very low temperatures 87-45901
Ohta, K., Hayakawa, M., Tanaka, Y. Ducted propagation of daytime whistlers at low latitudes as deduced from ground-based direction findings 85-2561
Ohta, K., Hirokane, J., Inui, T., Takahashi, A., Deguchi, T., Okamoto, T. Magneto-optical disk substrate prepared by reactive ion etching 85-41223
Ohta, K., Kawai, H., Fujii, M., Nishimoto, T., Ueda, S., Furuta, Y. A 1-Mbit DRAM with 33-MHz serial I/O ports 87-10858
Ohta, K., Kawai, H., Fujii, M., Ueda, S., Furuta, Y. A 1 Mb DRAM with 33 MHz serial I/O ports 87-17096
Ohta, K., Murakami, Y., Inui, T., Takahashi, A., Deguchi, T., Katoh, S. Relation between groove shape and signal quality in magneto-optical disks 88-33789
Ohta, K., Murano, K., Tsuda, T. DSU/OCU [subscriber loops] 86-55055
Ohta, K., Okada, T. Latitudinal variation of absolute intensities of daytime whistlers 86-29388
Ohta, K., Okamoto, T. Practical extension of Fiat-Shamir scheme 88-66283
Ohta, K., Watanabe, T., Kojima, C., Yamada, H. Enhancement of ultrasonic testing equipment time based resolution by synthetic waveform generator 87-10526
Ohta, K., Watanabe, T., Yamada, H., Ruquan, C., Henghui, C., Jinzong, Y. Tuning and matching network of ultrasonic probe 88-23207
Ohta, K. *see* Abe, T. 88-57530
Ohta, K. *see* Deguchi, T. 85-12670, 86-68352
Ohta, K. *see* Furukawa, A. 88-39414
Ohta, K. *see* Hattori, K. 88-19899
Ohta, K. *see* Hayakawa, M. 85-62784
Ohta, K. *see* Hayamizu, S. 86-29760, 88-45994, 88-59066, 88-59071, 88-59078, 88-66385
Ohta, K. *see* Hiyama, T. 86-64850
Ohta, K. *see* Inui, T. 88-33794
Ohta, K. *see* Katayama, H. 88-65389
Ohta, K. *see* Kobayashi, T. 88-34577
Ohta, K. *see* Kojima, T. 85-60952
Ohta, K. *see* Koyama, K. 87-75696
Ohta, K. *see* Kubota, S. 87-64084
Ohta, K. *see* Mikuni, I. 87-27296, 88-59069, 88-59074, 88-59079, 88-59082
Ohta, K. *see* Minami, Y. 87-20490
Ohta, K. *see* Mochida, Y. 87-20351
Ohta, K. *see* Murakami, Y. 88-33793
Ohta, K. *see* Murano, K. 87-31947
Ohta, K. *see* Nakagawa, T. 85-55771, 86-2229, 86-41731, 86-63230, 87-45643, 87-67199, 87-67207
Ohta, K. *see* Sakamoto, T. 85-10678, 85-49573, 85-60955, 86-34337
Ohta, K. *see* Satoh, H. 88-45246
Ohta, K. *see* Sukegawa, O. 88-53801
Ohta, K. *see* Takahashi, A. 87-38881, 88-65386
Ohta, K. *see* Tanaka, K. 86-59250, 87-19459, 87-61613, 88-59064, 88-59070, 88-59077
Ohta, K. *see* Tanaka, S. 88-64745
Ohta, K. *see* Tsuya, N. 86-35975
Ohta, M. Analysis of an overload control strategy using fluid approximation 87-40024
Ohta, M. Train disaster-preventive system 88-31136
Ohta, M. Fluid approximation for calculating blocking probabilities 88-31608
Ohta, M., Hatakeyama, K. Stochastic system for acoustic environment and digital signal processing 88-34704
Ohta, M., Ikuta, A., Fujita, Y. Fundamental theory for arbitrary stochastic response of sound and vibration level meters and related experiment 87-41296
Ohta, M., Ikuta, A., Hatakeyama, K., Xiao, Y. A state estimation method of non-Gaussian stochastic systems by using a wide sense digital filter in a hierarchical form and its application to sound environment 88-52471
Ohta, M., Ikuta, A., Takaki, N. A stochastic signal processing of incomplete observation data with amplitude limitation and state estimation under the existence of additional noise 88-34713
Ohta, M., Inoue, T., Takahasi, S. Ultrasonic linear array probe with triple acoustic matching layers 87-15098
Ohta, M., Kamiya, T. Large screen LCD display 86-31502
Ohta, M., Koga, T. Adaptive VWL coding of transform coefficients for sub-primary rate video transmission 87-33627
Ohta, M., Uchino, E. A state estimation by use of statistical equivalent linearization method for environmental energy system with quantized observation mechanism and arbitrary random excitation 85-39626
Ohta, M., Uchino, E. A design for a general digital filter for state estimation of an arbitrary stochastic sound system 87-7736
Ohta, M., Yamada, Y. Data file system for both analog video and digital data using optical video disc recorder 87-34829
Ohta, M. *see* Ando, T. 86-42798, 88-64002
Ohta, M. *see* Date, T. 87-41230
Ohta, M. *see* Haga, H. 86-36253
Ohta, M. *see* Inoue, T. 87-35518
Ohta, M. *see* Koga, T. 88-3156
Ohta, M. *see* Kudo, K. 85-21361
Ohta, M. *see* Kuwahara, S. 87-19774
Ohta, M. *see* Maeda, H. 86-43344
Ohta, M. *see* Mitani, Y. 87-19831
Ohta, M. *see* Miyao, M. 85-385
Ohta, M. *see* Morii, Y. 85-52524
Ohta, M. *see* Myodo, O. 85-14908
Ohta, M. *see* Oguchi, K. 85-5192
Ohta, M. *see* Okawa, Y. 87-30333
Ohta, M. *see* Sakaguchi, M. 86-27963
Ohta, M. *see* Sakai, T. 88-42211
Ohta, M. *see* Sato, Y. 87-7848, 88-34741
Ohta, M. *see* Sumimoto, T. 87-29988, 87-77404
Ohta, M. *see* Suzuki, H. 86-65128
Ohta, M. *see* Takahashi, K. 85-13628, 85-63117, 86-16548
Ohta, M. *see* Tanaka, H. 88-16320
Ohta, M. *see* Uchino, E. 87-16455, 87-75765
Ohta, N., Imai, K., Watanabe, N. Improved D50 circuit switching equipment 86-30515
Ohta, N., Yamada, J., Nishida, T. Automatic threshold-level control (ATC) for optimum decision operation in optical repeaters 86-17367
Ohta, N. *see* Arita, T. 85-25668
Ohta, N. *see* Fujii, T. 88-73277
Ohta, N. *see* Hagimoto, K. 85-14265
Ohta, N. *see* Hasai, H. 87-77475
Ohta, N. *see* Horigome, S. 88-65148
Ohta, N. *see* Ichikawa, T. 87-29829
Ohta, N. *see* Kirino, F. 88-51601
Ohta, N. *see* Nakao, T. 88-45238
Ohta, N. *see* Niihara, T. 88-65396
Ohta, N. *see* Nomura, M. 88-45925
Ohta, N. *see* Ojima, M. 88-65153
Ohta, N. *see* Okamine, S. 88-64943
Ohta, N. *see* Sudou, R. 88-65149
Ohta, N. *see* Suzuki, Y. 88-51160
Ohta, N. *see* Takahashi, M. 87-25823, 88-64936, 88-71935
Ohta, N. *see* Takayama, S. 88-58259
Ohta, N. *see* Takeuchi, T. 85-24086
Ohta, N. *see* Tanaka, K. 87-41504
Ohta, N. *see* Terao, M. 87-38727
Ohta, N. *see* Togawa, T. 86-37589
Ohta, N. *see* Uchiyama, T. 86-30514
Ohta, O. *see* Toyama, T. 86-38097
Ohta, S. Direct γ-Fe$_2$O$_3$ thin film preparation by a reactive RF sputtering technique 85-10803
Ohta, S. A simple control algorithm for rearrangeable switching networks with time division multiplexed links 88-14922
Ohta, S., Ishii, O., Tago, A., Hattori, S. Temperature dependence of signal output loss in sputtered γ-Fe$_2$O$_3$ thin film media 85-62196
Ohta, S., Ohtani, Y., Terada, A., Sato, T. Mechanical properties of sputtered γ-Fe$_2$O$_3$ thin film disk 85-41034
Ohta, S., Takahara, M. Comparison of error rate computations on optical communications systems 85-63696
Ohta, S., Takahara, M. Comparison of error rate computations on optical communication systems 87-13692
Ohta, S., Terada, A., Ishii, Y., Hattori, S. Thickness dependence of magnetic properties and read-write characteristics for iron oxide thin films 85-46011
Ohta, S., Ueda, H. A rearrangement algorithm for three-stage switching networks 86-49061
Ohta, S., Ueda, H. A rearrangement algorithm for three-stage switching networks 88-14852
Ohta, S., Yamaguchi, H. A non-congestion self-routing control algorithm for packet switching networks 87-48285
Ohta, S., Yoshimura, F., Terada, A. Surface deformation and stress analysis for thin film magnetic disks 87-7016
Ohta, S., Yoshimura, F., Terada, A. Surface deformation of thin-film magnetic disks and their stress analysis 88-1865
Ohta, S. *see* Fujishima, S. 88-18985
Ohta, S. *see* Henmi, T. 86-65050, 87-49273, 88-15761
Ohta, S. *see* Kita, T. 88-15227
Ohta, S. *see* Ohno, M. 87-9613
Ohta, S. *see* Ohtani, Y. 86-21992, 87-53882, 88-51226
Ohta, S. *see* Okanao, Y. 88-46801
Ohta, S. *see* Sato, I. 87-60802, 88-39807
Ohta, S. *see* Sunada, K. 85-58318, 87-34753, 87-49270, 88-15762
Ohta, S. *see* Terada, A. 86-35998
Ohta, S. *see* Yokoyama, M. 86-52454, 87-243, 87-23638, 87-36712
Ohta, S. *see* Yuuki, M. 88-11739
Ohta, S.-I., Kashiro, K.-I., Yokoyama, M. Gallium-doping effects on the molecular beam epitaxial ZnS on GaAs 88-56237
Ohta, T. International telecommunications 85-2971

Ohta, T. ISDN in international telecommunication 85−14072
Ohta, T. New media in international telecommunications 85−20202
Ohta, T. Laws of similarity concerning the transmission characteristics of metallic telephone cables 87−55931
Ohta, T., Kajikawa, T. Thermoelectric generating experiment by using ocean thermal energy 87−22179
Ohta, T., Kanayama, T., Komuro, M. Focused ion beam lithography using Al_2O_3 resist 88−26157
Ohta, T., Kotera, K., Kimura, K., Akahira, N., Takenaga, M. New write-once media based on Te-TeO_2 for optical disks 87−38718
Ohta, T., Marchese, H.L. The integration of maritime mobile services into the first public telephone network 86−59794
Ohta, T., Miyazaki, M. C-band block downconverter 88−25509
Ohta, T., Nakano, H., Miyazaki, M., Higashi, K., Katayama, T., Okabe, K., Okamoto, N., Yamamoto, H. Low noise C/Ku-band converters for satellite reception 87−66460
Ohta, T., Sakamoto, H. Composite coding of NTSC signals using Rademacher transform 85−46950
Ohta, T., Sakamoto, H. Composite coding of NTSC signals using Rademacher transform 85−63119
Ohta, T., Stefan, P.M., Nomura, M., Sekiyama, H. Design and performance of a UHV compatible soft X-ray double crystal monochromator at the Photon Factory 86−60656
Ohta, T., Tsukata, K., Kazuma, S., Tamura, J., Takahashi, F., Ikeda, Y. ISDN international standardization trends 85−36874
Ohta, T., Ushijima, T., Sakamoto, H. Rademacher transform image coding for large blocks 88−8852
Ohta, T., Yamashita, H., Ohtsubo, E., Kiyota, K., Sakamoto, H. A fast computational algorithm for the Rademacher transform 88−41097
Ohta, T. *see* Egina, I. 86−68472
Ohta, T. *see* Endo, T. 86−14071
Ohta, T. *see* Fujiwara, T. 87−12503
Ohta, T. *see* Kajikawa, T. 85−16269
Ohta, T. *see* Matsubara, M. 86−4094
Ohta, T. *see* Matsushita, K. 86−43658, 86−43663
Ohta, T. *see* Mikata, Y. 87−6599
Ohta, T. *see* Morozumi, S. 85−14905, 85−64201, 87−35149
Ohta, T. *see* Nakashima, H. 85−62580, 86−9854, 86−42585
Ohta, T. *see* Nakayama, H. 88−20672, 88−58060
Ohta, T. *see* Odawara, G. 87−5603
Ohta, T. *see* Osabe, Y. 86−30978, 86−55442
Ohta, T. *see* Pandya, R. 88−46700
Ohta, T. *see* Sakamoto, H. 85−57193
Ohta, T. *see* Sasaki, W. 85−56548, 88−8144, 88−8220, 88−65595
Ohta, T. *see* Semura, S. 85−62603, 86−3163
Ohta, T. *see* Soga, T. 86−69542, 88−15270
Ohta, T. *see* Tanimoto, M. 88−46284
Ohta, T. *see* Watanabe, S. 86−31477
Ohta, Y. Photonic switch 88−67365
Ohta, Y., Ieda, M. Dielectric properties and thermally stimulated currents of slightly plasticized polyvinylchloride films 85−45910
Ohta, Y., Kanade, T. Stereo by intra- and inter-scanline search using dynamic programming 85−41955
Ohta, Y., Maeda, H., Kodama, S. Factorization of the minors of characteristic matrix sI-A and DM decomposition of its representation graph 88−271
Ohta, Y., Maeda, H., Kodama, S., Itoh, T. Fault diagnosis of compartmental systems 85−6122
Ohta, Y., Maeda, H., Kodama, S., Itoh, T. Fault diagnosis of compartmental systems 86−66621
Ohta, Y., Masai, Y., Ikeda, K. Interval matching method for stereo images using dynamic programming 85−51774
Ohta, Y., Sakai, M., Matsumoto, T. Transient stability analysis of power systems with transfer conductances 86−65672
Ohta, Y., Takano, K., Ikeda, K. A highspeed stereo matching system based on dynamic programming 87−62339
Ohta, Y., Urabe, S., Morikawa, T., Saburi, Y. Long-term continuous operation of hydrogen masers 85−62468
Ohta, Y., Watanabe, M., Ikeda, K. Improving depth maps by right-angled trinocular stereo 87−48137
Ohta, Y. *see* Ajisawa, A. 88−2028
Ohta, Y. *see* Ando, A. 86−12717
Ohta, Y. *see* Aoyama, T. 88−39968
Ohta, Y. *see* Goto, H. 85−42612
Ohta, Y. *see* Gotoh, T. 88−28063
Ohta, Y. *see* Hibiya, T. 86−42101, 86−52447
Ohta, Y. *see* Ishigaki, M. 87−38726
Ohta, Y. *see* Kakehashi, H. 86−63568
Ohta, Y. *see* Kawasaki, R. 88−21826, 88−41457
Ohta, Y. *see* Komatsu, K. 86−68246, 88−13933
Ohta, Y. *see* Kondo, M. 85−2070, 86−42359, 88−1971
Ohta, Y. *see* Maeda, H. 86−62395
Ohta, Y. *see* Matsumoto, T. 85−22606, 87−65360
Ohta, Y. *see* Morikawa, T. 86−31115
Ohta, Y. *see* Nakagiri, K. 85−58814, 88−16400
Ohta, Y. *see* Nakgiri, K. 87−14444
Ohta, Y. *see* Ohtake, K. 87−44846
Ohta, Y. *see* Oyabu, T. 87−14305, 88−35968
Ohta, Y. *see* Suzuki, S. 88−22104
Ohta, Y. *see* Urabe, S. 85−58812
Ohta, Y. *see* Watanabe, M. 87−77423
Ohta, Y. *see* Yamamoto, Y. 86−34850
Ohta, Y. *see* Yusa, A. 86−50112, 86−65125
Ohta, Y.N. *see* Tokuda, Y. 87−12480
Ohta, Z. Medical electronics 85−4259
Ohtaguro, Y. Frequency stabilization and accurate control of semiconductor lasers 87−2125
Ohtaguro, Y., Sone, H., Echigo, H., Takagi, T. A study on accurate frequency-control of semiconductor lasers 85−18947
Ohtaka, H. *see* Kato, S. 87−13963
Ohtaka, M., Kobayashi, T. Vector variational analysis of the guided modes in the three-dimensional anisotropic optical waveguides 86−15499
Ohtaka, M., Kobayashi, T. Application of a vector variational method to the analysis of the coupled dielectric optical waveguides. I. A selection of the trial functions 86−36172
Ohtaka, M., Kobayashi, T. Vector variational analysis of the guided modes in three-dimensional anisotropic optical waveguides 87−53970
Ohtaka, M., Takeda, T., Kobayashi, T. Difference-frequency generation of infrared waves using AlGaAs nonlinear waveguides 88−72416
Ohtaka, M., Yamada, M., Kobayashi, T. Vector finite-element analysis of the waveguide modes without spurious solutions using an improved variational expression 88−58924
Ohtaka, M. *see* Nagata, M. 87−61166, 88−47028
Ohtaka, S. Fabrication of high temperature SOS integrated circuit 88−6678
Ohtaka, S. *see* Yoshida, I. 88−71580
Ohtaka, T., Saito, S., Furuya, T., Yamada, O. Hitachi S-6000 field emission CD-measurement SEM [for VLSI circuit patterns] 87−11869
Ohtaka, T. *see* Michiguchi, Y. 87−42211
Ohtake, A. *see* Tachigami, S. 85−56350, 86−48154
Ohtake, H., Tamada, K., Tanaka, H. Alternate microwave radio relay system for the Pakistan Telegraph and Telephone Department 87−40713
Ohtake, H. *see* Nishida, Y. 86−49982, 88−29440
Ohtake, H. *see* Yamamoto, K. 87−20310, 87−20317
Ohtake, I. *see* Amatsu, M. 86−36078
Ohtake, I. *see* Uo, K. 85−32808
Ohtake, K., Ohue, K. Time spread transmission system using block conversion 85−36144
Ohtake, K., Shirakawa, K., Koba, M., Awane, K., Ohta, Y., Azuma, D., Miyata, S. Triple layered SOI dynamic memory 87−44846
Ohtake, K. *see* Mitsuhashi, K. 86−41897, 88−64433, 88−71449
Ohtake, K. *see* Ohue, K. 85−19325, 85−30202, 85−41850
Ohtake, K. *see* Shiozaki, K. 88−20102
Ohtake, M. *see* Masuda, J. 87−22085
Ohtake, N., Isshiki, M., Endoh, K., Kotoh, T. Magnetic recording characteristics of R-DAT 87−20797
Ohtake, N. *see* Ishida, M. 88−43919
Ohtake, N. *see* Isshiki, M. 86−44040
Ohtake, N. *see* Uno, K. 88−26088
Ohtake, S. *see* Iwane, M. 88−46279
Ohtake, T. *see* Ito, K. 87−27083
Ohtake, T. *see* Mizutani, S. 86−52021, 87−51608, 87−72537
Ohtake, T. *see* Sonehara, N. 88−15014
Ohtake, Y. New optical lowpass filter for single tube color video cameras 86−17611
Ohtake, Y. *see* Daicho, Y. 85−39068
Ohtake, Y. *see* Inaba, M. 88−19625
Ohtake, Y. *see* Sato, I. 87−41704
Ohtake, Y. *see* Yamazaki, H. 87−1154
Ohtaki, K. *see* Murakami, T. 86−29139, 87−68456
Ohtaki, K. *see* Shima, A. 87−54323
Ohtaki, N. *see* Ueno, T. 88−60507
Ohtaki, R., Matsushita, Y., Tajima, M. Lifetime control by oxide precipitates 85−40434
Ohtaki, S. *see* Itoh, K. 87−46623
Ohtaki, S. *see* Kawahira, H. 85−36892
Ohtaki, Y., Yamaguchi, Y., Abe, T. Experimental study of propagation characteristics on roads on a snowy mountain 88−52210
Ohtaki, Y. *see* Yamaguchi, Y. 87−7539, 87−26781, 88−34293
Ohtani, A. *see* Kikuchi, T. 85−2564, 86−3527, 86−59044
Ohtani, F. *see* Nakagawa, Y. 86−32391, 88−37727
Ohtani, H. *see* Adachi, R. 86−52074
Ohtani, H. *see* Higaki, M. 86−28563
Ohtani, K., Kato, S. An onboard digital demodulator for regenerative SCPC satellite communication systems 87−31764
Ohtani, K., Kato, S. A direct-phase-count digital demodulator for satellite communication systems 88−46975
Ohtani, K., Kubota, S., Nitta, S. Supervisory and control system for satellite digital communication service 87−48986
Ohtani, K., Kubota, S., Nitta, S., Atsugi, T. A supervisory and control system for satellite digital communication service 87−34472
Ohtani, K., Okuyama, M., Hamakawa, Y. $PbTiO_3$ thin film ultrasonic micro-sensor fabricated on Si wafer 85−21034
Ohtani, K. *see* Fujimura, S. 86−6367
Ohtani, K. *see* Komiya, K. 88−53668
Ohtani, K. *see* Kubota, S. 86−43605
Ohtani, K. *see* Nomura, T. 85−21669
Ohtani, K. *see* Okuyama, M. 85−43003
Ohtani, M. *see* Aono, K. 85−55170
Ohtani, N., Inoguchi, K., Takegawa, T., Okada, Y. Reduction of H_2O adsorption in optical thin films 88−13996
Ohtani, N. *see* Itoh, Y. 88−53469
Ohtani, S. Superconducting and cryogenic structural materials 87−53913
Ohtani, S. *see* Namiki, J. 87−34258
Ohtani, T. A new method of torque control free from motor parameter variation in induction motor drives 87−43524
Ohtani, T., Hashimoto, K., Matsui, M., Tsujimoto, J., Iwai, H., Saitoh, M., Shibata, H., Sasaki, H., Isobe, M., Matsunaga, J., Iizuka, T. A 25 ns 1 Mb CMOS SRAM 87−59505
Ohtani, T. *see* Hattori, K. 86−47390
Ohtani, T. *see* Iwasaki, S. 87−46373
Ohtani, T. *see* Kamemaru, S. 88−72194
Ohtani, T. *see* Matsui, M. 88−6832
Ohtani, T. *see* Momose, H. 85−50737
Ohtani, T. *see* Sakurai, T. 85−22868
Ohtani, T. *see* Tsuchida, Y. 86−71139
Ohtani, Y., Fujiwara, Y. Some characteristics of the shadow produced by a globe as a shadow caster setting under a horizontal linear light source 87−5077
Ohtani, Y., Hirono, S., Ohta, S., Terada, A. Anisotropy field distribution in Os-doped γ-Fe_20_3 thin films 88−51226
Ohtani, Y., Miyajima, H., Chikazumi, S., Nakao, K. Magnetic image effect in superconducting magnet and magnetization measurement 87−1914
Ohtani, Y., Ohta, S., Terada, A. Os-doped γ-Fe_2O_3 thin film media for perpendicular recording 86−21992
Ohtani, Y., Ohta, S., Terada, A. Os-doped γ-Fe_2O_3 thin-film media for perpendicular recording 87−53882
Ohtani, Y. *see* Iwata, T. 86−44552
Ohtani, Y. *see* Ohta, S. 85−41034
Ohtani, Y. *see* Sugimoto, S. 85−56089, 88−57906
Ohtari, Y., Kamiyama, S., Yajima, M. Development of the day-after power generation programme and on-the-day modification method combined water systems 87−35706
Ohte, A., Akiyama, K., Ohno, I. Optically-powered transducer with optical-fiber data link 85−25865
Ohte, A., Ogawa, M. New temperature sensors 86−55615
Ohte, A. *see* Akiyama, K. 87−70623
Ohtera, I. Focusing properties of slotted waveguide microwave lens 85−61434
Ohtera, I. Focusing properties of microwave irradiator utilizing slotted rectangular waveguide 86−1351
Ohteru, S. *see* Kato, I. 88−4249
Ohteru, S. *see* Matushima, T. 86−25258
Ohteru, Y. Interconnecting IEEE 802 LANs by a wideband backbone network 88−15171
Ohteru, Y. *see* Akashi, F. 85−36770
Ohtmer, O. Digital simulation in engineering education 88−70
Ohto, T. *see* Ikuta, H. 85−63270
Ohto, T. *see* Saigo, T. 86−8307, 86−20434
Ohtombe, K. *see* Nakamura, Y. 85−26336
Ohtomo, A. *see* Hattori, H. 86−70009
Ohtomo, E., Onozato, Y. Slide equipment for automatic convergence alignment 86−24090
Ohtomo, I. Trends in deployable space antennas 87−39487
Ohtomo, I., Kumazawa, H. Low-loss and lightweight on-board 20 GHz-band pill-box-type directional filter 87−52800
Ohtomo, I., Kumazawa, H., Yamada, Y., Minomo, M. On-board K-band multibeam antenna configuration with low sidelobes and low crosspolarisation 87−7600
Ohtomo, I. *see* Itanami, T. 86−68900, 87−27006, 88−73849
Ohtomo, I. *see* Kawakami, Y. 88−45757
Ohtomo, I. *see* Kumazawa, H. 88−27608
Ohtomo, I. *see* Matsumoto, K. 87−33518
Ohtomo, I. *see* Yamamoto, H. 86−55259
Ohtomo, K. *see* Inagaki, M. 85−25316
Ohtomo, K. *see* Niiyama, S. 88−50437
Ohtomo, N. *see* Seidou, T. 87−78958
Ohtomo, R.H., Wada, G., Benton, J.T., Pohlenz, M.H. Recent advances in an EHF helix TWT 85−50164

Ohtomo, T., Ohuchi, T. Detection of unknown magnetic material configuration due to image processing method using amorphous magnetic thin film 85−50826
Ohtomo, T., Yasuda, S., Ishitani, M., Ohuchi, T., Hara, K. Feature extraction of Japanese vowels by psychological scale for identification of synthesized sounds 87−27249
Ohtomo, T., Yasuda, S., Ohuchi, T., Hara, K. The influence of preceding and succeeding vowel on phoneme discrimination of synthesized two-vowel sequences 87−75758
Ohtomo, T., Yasuda, S., Ohuchi, T., Hara, K. A study on the co-articulation mechanism by the perception of synthesized three vowel sequences 88−27853
Ohtomo, T., Yasuda, S., Ohuchi, T., Hara, K. Auditory compensation effect in symmetrical three-vowel sequences and a model of phoneme boundary 88−45992
Ohtomo, T. *see* Saitoh, S. 86−18106
Ohtoshi, H. *see* Fukuda, K. 88−38233
Ohtoshi, H. *see* Hanna, J. 88−454
Ohtoshi, H. *see* Oda, S. 86−40771
Ohtoshi, H. *see* Shibata, N. 87−36803, 88−56309
Ohtoshi, T. Effect of facet coatings on far fields of semiconductor lasers 87−54315
Ohtoshi, T., Kawano, T., Sasaki, Y., Kajimura, T., Chinone, N., Nakamura, M. High-power visible GaAlAs lasers with self-aligned strip buried heterostructure 85−7453
Ohtoshi, T., Uda, T., Chinone, N. Calculated threshold current density of multi-quantum-well wire lasers 87−46890
Ohtoshi, T., Uomi, K., Chinone, N., Kajimura, T., Murayama, Y. Calculated gain and spontaneous spectra of multi-quantum-well lasers 85−29850
Ohtoshi, T., Yamaguchi, K., Chinone, N. Analysis of astigmatism in high-power semiconductors lasers 87−39114
Ohtoshi, T., Yamaguchi, K., Nagaoka, C., Uda, T., Murayama, Y., Chinone, N. A two-dimensional device simulator of semiconductor lasers 87−54343
Ohtoshi, T. *see* Chinone, N. 86−3155
Ohtoshi, T. *see* Uomi, K. 85−7420, 85−35795, 86−3162, 86−42584, 86−54157
Ohtoshi, T. *see* Yamaguchi, K. 86−58920, 88−8081
Ohtshubo, Y. *see* Nishizawa, J. 88−71544
Ohtsu, H. *see* Komaki, Y. 86−50414, 86−60611
Ohtsu, H. *see* Maryama, T. 88−15783
Ohtsu, H. *see* Ogawa, T. 87−73924
Ohtsu, K. *see* Tone, K. 86−63084
Ohtsu, M. Techniques for improving coherence in semiconductor lasers 87−54330
Ohtsu, M. Determination of crack orientation by acoustic emission 88−6562
Ohtsu, M. Acoustic emission characteristics in concrete and diagnostic applications 88−18793
Ohtsu, M. Realization of ultrahigh coherence in semiconductor lasers by negative electrical feedback 88−34037
Ohtsu, M. Frequency stabilization in semiconductor lasers 88−65706
Ohtsu, M., Araki, S. Using a 1.5-μm DFB InGaAsP laser in a passive ring cavity-type fiber gyroscope 87−35027
Ohtsu, M., Hashimoto, M., Ozawa, H. A highly stabilized semiconductor laser and its application to optically pumped Rb atomic clock 86−38574
Ohtsu, M., Kihara, N., Furumoto, M. PCM audio for VTRs 86−38093
Ohtsu, M., Kotajima, S. Linewidth reduction of a 1.5 μm InGaAsP laser by electrical feedback 85−41386
Ohtsu, M., Kotajima, S. Linewidth reduction of a semiconductor laser by electrical feedback 86−29146
Ohtsu, M., Liou, K.-Y. Correlated spontaneous emission between two longitudinal modes in an extended-cavity semiconductor laser 88−27134
Ohtsu, M., Liou, K.-Y. Mode stability of a two-wavelength Fabry-Perot/distributed-feedback laser 88−34036
Ohtsu, M., Liou, K.-Y., Burrows, E.C., Burrus, C.A., Eisenstein, G. Interferometric method for preventing mode-hopping in tunable external-cavity semiconductor lasers 88−2233
Ohtsu, M., Ono, K. The generalized theory and source representations of acoustic emission 87−73182
Ohtsu, M., Ono, K. Pattern recognition analysis of acoustic emission from unidirectional carbon fiber-epoxy composites by using autoregressive modeling 87−73187
Ohtsu, M., Otsuka, Y., Teramachi, Y. Precise measurements and computer simulations of mode-hopping phenomena in semiconductor lasers 85−24542
Ohtsu, M., Tabuchi, N. Electrical feedback and its network analysis for linewidth reduction of a semiconductor laser 88−40303
Ohtsu, M., Teramachi, Y., Miyazaki, T. Analyses of suppression of mode hopping in an AlGaAs laser by a saturable absorber 87−33197
Ohtsu, M., Teramachi, Y., Miyazaki, T. Mode stability analysis of nearly single-longitudinal-mode semiconductor lasers 88−65689
Ohtsu, M., Teramachi, Y., Otsuka, Y., Osaki, A. Analysis of mode-hopping phenomena in an AlGaAs laser 86−42563
Ohtsu, M. *see* Amano, Y. 87−8457
Ohtsu, M. *see* Hashimoto, M. 88−22406
Ohtsu, M. *see* Kuboki, K. 87−46877, 88−8211
Ohtsu, M. *see* Nakamura, T. 85−56504
Ohtsu, M. *see* Okazaki, H. 85−12885
Ohtsu, M. *see* Teramachi, Y. 87−75116
Ohtsu, S., Ogata, T. Considerations of distributed capacitance of high voltage transformers 86−33467
Ohtsu, S., Ogata, T. Loss characteristics of TWT power supplies in a communications satellite 87−28489
Ohtsu, S., Ogata, T. Considerations of distributed capacitance of high-voltage transformers 87−58141
Ohtsu, S., Yamashita, T., Ogata, T. Considerations on the relationship between distributed capacitance and iron loss in high-voltage transformers 88−55402
Ohtsu, S. *see* Koyashiki, T. 88−12202
Ohtsubo, A., Satoh, Y., Masuko, T., Hirama, M., Abe, E. A perpendicular orientation of a coated particulate medium by an AC-demagnetization process 85−18561
Ohtsubo, A., Satoh, Y., Masuko, T., Shikama, S., Watanabe, T. A particulate medium oriented longitudinally inside and perpendicularly at surface 87−46369
Ohtsubo, A., Satoh, Y., Masuko, T., Watanabe, T. A particulate medium oriented longitudinally inside and perpendicularly at surface (LIPS) 87−25808
Ohtsubo, A., Satoh, Y., Masuko, T., Watanabe, T. A metallic iron particulate medium oriented longitudinally inside and perpendicularly at surface (LIPS) 88−51306
Ohtsubo, A., Takashima, T., Ishibashi, R. Method of images for representing magnetic fields due to distributed currents in two-layer media [earth electrodes] 86−45028
Ohtsubo, A. *see* Masuko, T. 86−9407, 86−28682
Ohtsubo, A. *see* Satoh, Y. 86−36007, 87−25802
Ohtsubo, A. *see* Takashima, T. 86−70726, 88−33450
Ohtsubo, E. *see* Ohta, T. 88−41097
Ohtsubo, J., Ogiwara, A. Effects of clipping threshold of clipped speckle intensity 88−28044
Ohtsubo, J. *see* Eiju, T. 85−43372
Ohtsubo, J. *see* Ogiwara, A. 88−52529
Ohtsubo, K. *see* Hata, T. 86−40783 to 40784, 87−52175, 87−67704
Ohtsubo, K. *see* Horikawa, Y. 85−64668
Ohtsubo, M. *see* Shibata, K. 87−6091
Ohtsubo, O. *see* Satoh, Y. 86−68167
Ohtsubo, Y., Kawashima, N., Marumo, H. Measurement method for the spacing fluctuation of a head slider in a magnetic disk drive 88−51322
Ohtsubo, Y. *see* Muraoka, K. 87−22911
Ohtsuchi, T. *see* Nakayama, Y. 87−73128
Ohtsuka, A. Technical trends in plasma displays 88−53784
Ohtsuka, A. *see* Hinata, J. 87−59607
Ohtsuka, A. *see* Shinoda, T. 86−31539
Ohtsuka, F. *see* Hayasaka, E. 86−56449
Ohtsuka, H. Tunnel Power Monitoring System (JNR Yosan New Line) 87−58384
Ohtsuka, H., Araki, M., Hashimoto, A. Theoretical analysis of a transversal-type cross polarization interference canceler during multipath fading 87−2321
Ohtsuka, H., Funatsu, H., Kushibiki, G., Koikeda, T. Parameters affecting the ability to align aluminum layers on an optical wafer stepper [VLSI production] 85−6988
Ohtsuka, H., Hisamura, T. Reachability of time marked graph and its executing algorithm of firing 86−13651
Ohtsuka, H., Kanamori, J. Pattern profile and simulation technique 87−6515
Ohtsuka, H., Kanamori, J., Itoh, Y., Matsuyi, T. PCM resist process with RIE development method applied for the aluminum etching process 87−11912
Ohtsuka, H., Taguchi, T., Kushibiki, G., Koikeda, T. Double structured alignment mark for enhanced automatic alignment 86−15005
Ohtsuka, H., Yamauchi, T., Taguchi, T. 0.25 μm contact hole generation by Bi-level Image Reversal (BIR) resist process 88−64473
Ohtsuka, H. *see* Araki, M. 86−37706
Ohtsuka, H. *see* Katoh, K. 87−21942
Ohtsuka, H. *see* Kurosawa, T. 87−2656
Ohtsuka, H. *see* Matsue, H. 87−13586, 87−48901, 88−9400
Ohtsuka, H. *see* Nakazato, K. 85−13631
Ohtsuka, H. *see* Ohura, Y. 86−65635
Ohtsuka, H. *see* Okada, S. 85−27612
Ohtsuka, H. *see* Sakurai, Y. 88−37367
Ohtsuka, H. *see* Takahashi, T. 85−59732
Ohtsuka, H. *see* Uda, T. 86−25335
Ohtsuka, H. *see* Yokomachi, Y. 85−58446
Ohtsuka, K., Matsui, T., Ogata, H. LPE growth of InP/InGaAsP/InGaAs/InP heterostructure at normal cooling rate at 630°C 88−24718
Ohtsuka, K., Ohishi, T., Abe, Y., Sugimoto, H., Matsui, T., Ogata, H. High-purity $In_{0.53}Ga_{0.47}As$ layer grown by liquid phase epitaxy 88−63310
Ohtsuka, K., Sugimoto, H., Abe, Y., Matsui, T., Ogato, H. Monolithic integration of InGaAs/InP PIN PD with MISFET on stepless substrate 86−54055
Ohtsuka, K., Yamada, Y., Tanaka, H., Neri, K., Yokokawa, S., Ueki, Y. Estimation of equivalent voltage and equivalent reactance of power system 87−71479
Ohtsuka, K., Yokokawa, S., Tanaka, H., Doi, H. A multivariable optimal control system for a generator 86−66029
Ohtsuka, K. *see* Hishinuma, Y. 86−12548
Ohtsuka, K. *see* Kurihara, N. 86−65925
Ohtsuka, K. *see* Masai, T. 86−39272
Ohtsuka, M. *see* Hayashi, T. 85−9297, 86−44732
Ohtsuka, M. *see* Minami, K. 87−68001, 88−13777
Ohtsuka, M. *see* Nakayama, T. 86−39536
Ohtsuka, M. *see* Saeki, K. 86−35071
Ohtsuka, N. Development status of semiconductor lasers for consumer use and OA equipment 87−7370
Ohtsuka, N., Tanaka, S., Miyamoto, J., Saito, S., Atsumi, S., Imamiya, K., Iizuk, T. An OTP test circuit on the 4-Mb CMOS EPROM 88−6882
Ohtsuka, N., Tanaka, S., Miyamoto, J., Saito, S., Atsumi, S., Imamiya, K., Yoshikawa, K., Matsukawa, N., Mori, S., Arai, N., Shinagawa, T., Kaneko, Y., Matsunaga, J., Iizuka, T. A 4-Mbit CMOS EPROM 88−6823
Ohtsuka, N., Ueda, Y., Murata, K. 750 nm (AlGa)As visible-spectrum laser diode 86−9870
Ohtsuka, N. *see* Atsumi, S. 87−59489
Ohtsuka, N. *see* Hara, T. 85−61763, 87−1446, 87−45683
Ohtsuka, N. *see* Ozeki, M. 88−18690, 88−18715
Ohtsuka, S., Inoue, M., Watanabe, K. Dependency of easiness and noise disturbance on display size and viewing distance in TV watching 88−29054
Ohtsuka, S., Inoue, M., Watanabe, K. An objective evaluation method of picture quality based on visual responses of luminance and spatial frequency 88−29095
Ohtsuka, S., Kishimoto, T., Sato, Y. Evaluation of linear interpolated handwritten image and an adaptive sampling method for telewriting signal 88−3468
Ohtsuka, S. *see* Akiyama, K. 85−13720, 85−47279
Ohtsuka, S. *see* Aoki, Y. 86−34928
Ohtsuka, S. *see* Ikeda, E. 88−38168
Ohtsuka, S. *see* Nakano, M. 86−1107
Ohtsuka, S. *see* Sone, K. 87−73285
Ohtsuka, S. *see* Watanabe, K. 87−35147
Ohtsuka, T., Fujimoto, N., Yamaguchi, K., Taniguchi, A., Naitou, H., Nabeshima, Y. Gigabit single-mode fiber transmission using 1.3-μm edge-emitting LEDs for broad-band subscriber loops 88−22092
Ohtsuka, T., Kyotani, Y. Recent progress on superconducting magnetic levitation in Japan 85−53902
Ohtsuka, T., Yamashita, H., Yamaguchi, K., Naitou, H., Kondou, R. Single-mode fiber transmission using edge-emitting LED for broad-band subscriber loops 88−53307
Ohtsuka, T. *see* Azumi, K. 86−26864
Ohtsuka, T. *see* Horimatsu, T. 86−11100
Ohtsuka, T. *see* Iguchi, K. 86−55312
Ohtsuka, T. *see* Inoue, T. 88−13756
Ohtsuka, T. *see* Kawarai, S. 88−69244
Ohtsuka, T. *see* Miyazawa, I. 86−34451
Ohtsuka, T. *see* Nishiyama, K. 87−31821
Ohtsuka, T. *see* Okuno, M. 86−6377
Ohtsuka, T. *see* Sakashita, M. 86−2039
Ohtsuka, T. *see* Takegahara, H. 85−31928
Ohtsuka, T. *see* Yamaguchi, K. 88−4201, 88−47313
Ohtsuka, Y. Analysis of a fiber-optic passive loop-resonator gyroscope: dependence on resonator parameters and light-source coherence 85−56321
Ohtsuka, Y. Optical fiber sensors 88−7928
Ohtsuka, Y., Ando, T., Imai, Y., Imai, M. Modal birefringence measurements of polarization-maintaining single-mode fibers without and with stretching by optical heterodyne interferometry 87−54002
Ohtsuka, Y., Arima, Y., Imai, Y. Acoustooptic 2-D profile shaping of a Gaussian laser beam 86−3262
Ohtsuka, Y., Imai, Y. Performance analysis of an all-fiber resonant-ring interferometric sensor 86−22067
Ohtsuka, Y., Imai, Y. Performance analysis of a terminal-reflected fibre ring-resonant sensor 87−46505

Ohtsuka, Y., Ninomiya, Y. Second order temporal prediction for an interframe coder for NTSC signals 86−31008
Ohtsuka, Y., Ninomiya, Y., Haba, I. Television flicker eliminator for fluorescent lighting 86−17612
Ohtsuka, Y., Tsubokawa, M., Imai, M., Itoh, K. A compact fibre-optic gyroscope by use of an optical Bragg cell 85−12593
Ohtsuka, Y., Tsukada, M., Imai, Y. Correlation processing of fluctuating optical waves guided in an externally perturbed birefringent single-mode fiber by optical heterodyne interferometry 88−33638
Ohtsuka, Y. *see* Imai, M. 85−50919, 85−56337, 85−62338, 86−63649, 87−3578, 87−68094, 88−51456, 88−58565
Ohtsuka, Y. *see* Imai, Y. 85−35880, 87−25930, 87−26078, 87−68021, 87−68106, 88−29417
Ohtsuka, Y. *see* Imal, Y. 86−37142
Ohtsuka, Y. *see* Itoh, K. 87−68092
Ohtsuka, Y. *see* Koike, Y. 87−18784, 88−26836
Ohtsuka, Y. *see* Koseki, H. 88−67841
Ohtsuka, Y. *see* Nagao, H. 86−54002
Ohtsuka, Y. *see* Ninomiya, Y. 85−31153, 85−46938, 85−52316, 86−30972, 88−22291 to 22292, 88−29071
Ohtsuka, Y. *see* Tanaka, Y. 86−49824, 88−9764, 88−22293
Ohtsuka, Y. *see* Tanizawa, H. 86−28875
Ohtsuka, Y. *see* Toyama, T. 86−38097
Ohtsuka, Y. *see* Yokoyama, K. 87−28832
Ohtsuki, A. *see* Kato, T. 88−71907
Ohtsuki, F. *see* Hattori, M. 85−3247, 85−63410
Ohtsuki, F. *see* Motomitsu, T. 85−3248, 85−49337
Ohtsuki, F. *see* Yamane, H. 85−3331
Ohtsuki, H. *see* Ishida, A. 88−60161
Ohtsuki, H. *see* Matsui, H. 87−11708
Ohtsuki, H. *see* Sasada, T. 87−40194
Ohtsuki, H. *see* Tamura, H. 88−71447
Ohtsuki, J. *see* Nakamura, O. 85−59789
Ohtsuki, K., Takahashi, Y., Hasegawa, T. Analysis for traverse time in an integrated communication network 85−19858
Ohtsuki, K. *see* Suda, T. 86−54401
Ohtsuki, M. The transmission group−products and perspectives 86−30133
Ohtsuki, M., Sekizawa, T., Sekigawa, M. Communication towards the information age 87−20349
Ohtsuki, M., Shimizu, S., Shimizu, T., Yamamoto, M., Murata, T. Teletext adapter TX-2000 for the level B 87−34087
Ohtsuki, M. *see* Honda, S. 85−5474
Ohtsuki, M. *see* Inose, T. 85−57745
Ohtsuki, N. *see* Mitsuhashi, G. 86−2275
Ohtsuki, O. Cooling of IR detectors 85−37627
Ohtsuki, S. Development and prospects of ultrasonic probes for medical diagnosis 86−70386
Ohtsuki, S. Advanced medical ultrasound 88−68365
Ohtsuki, S., Okujima, M., Tanaka, M. A method of flow vector mapping deduced from Doppler information 88−30202
Ohtsuki, S. *see* Hachiya, H. 87−15099
Ohtsuki, S. *see* Soetanto, K. 87−29757
Ohtsuki, T. Routing methods 85−39856
Ohtsuki, T. Maze-running and line-search algorithms 87−52302
Ohtsuki, T., Sato, M. Gridless routers for two-layers interconnection 85−40873
Ohtsuki, T., Tachibana, M., Suzuki, K. A hardware maze router with rip-up and reroute support 86−27021
Ohtsuki, T. *see* Asada, H. 86−58932
Ohtsuki, T. *see* Asano, T. 87−53648
Ohtsuki, T. *see* Sato, M. 85−12340, 86−62365, 86−63395, 86−66925, 87−67502, 88−20034
Ohtsuki, T. *see* Suzuki, K. 87−23829
Ohtsuki, T. *see* Tachibana, M. 86−57567
Ohtsuki, T. *(editor)* Layout design and verification 87−51710
Ohtsuki, Y. *see* Takasugi, A. 86−20554, 86−34815
Ohtsuki Tatsuo *see* Tatsuo Ohtsuki
Ohtu, T. *see* Fujino, Y. 87−43008
Ohtuka, T. *see* Hashiguchi, S. 87−11078
Ohtuka, T. *see* Nakayama, Y. 86−37637
Ohtuski, S. *see* Soetanto, K. 85−31790
Ohtusuka, F. *see* Hayasaka, E. 85−58136
Ohuchi, A., Kaji, I. A note on ultra-metric matrices 87−65273
Ohuchi, A. *see* Kase, S. 86−40604, 88−18544
Ohuchi, C. *see* Kozu, T. 86−37843
Ohuchi, C. *see* Sugimoto, Y. 86−37844
Ohuchi, C. *see* Yamamoto, M. 86−37842
Ohuchi, F.S., Freilich, S.C. Metal polyimide interface: A titanium reaction mechanism 86−63211
Ohuchi, H. FM transmission characteristics of 8 mm VTR tape head system 85−47715
Ohuchi, H. *see* Terao, Y. 87−50005
Ohuchi, H. *see* Tsuji, S. 87−18963
Ohuchi, K. *see* Furuyama, T. 87−17095
Ohuchi, K. *see* Hamamoto, T. 87−25319
Ohuchi, K. *see* Hasama, T. 87−54227
Ohuchi, K. *see* Oowaki, Y. 88−6740
Ohuchi, K. *see* Wakui, G. 87−4712
Ohuchi, K. *see* Watanabe, Y. 87−23935
Ohuchi, M., Hongu, A., Saito, M., Iida, A., Yoshida, K., Odaira, H. A new LSI interconnection method for IC card 87−23349
Ohuchi, M., Hongu, A., Saito, M., Iida, A., Yoshida, K., Odaira, H. A new LSI interconnection method for IC card 88−25677
Ohuchi, M., Uemura, G., Takayama, J., Mizushima, K., Matsuba, T. A 100 ps ECL array with 1 GHz I/O buffer 88−6754
Ohuchi, M., Uemura, G., Takayama, J., Mizushima, K., Matuba, T. A 100 ps ECL array with 1 GHz I/O buffer 87−700
Ohuchi, M. *see* Oguchi, T. 88−20042
Ohuchi, N., Makida, Y., Yamamoto, J., Murakami, Y. AC loss and stability of a force-cooled superconducting coil with a bias pulsed superconducting magnet 88−45023
Ohuchi, N., Yamamoto, J., Murakami, Y. Flow effect of supercritical helium on the stability of a hollow superconducting coil (SHETEM2a) with thermal load 87−67960
Ohuchi, N., Yamamoto, J., Yamamuro, K., Takami, Y., Murakami, Y. Thermal characteristics of a 0.5 MJ pulsed coil 85−35363
Ohuchi, N. *see* Itoh, T. 87−34802
Ohuchi, N. *see* Murakami, Y. 86−53932
Ohuchi, N. *see* Nishizawa, Y. 86−17655
Ohuchi, S. Mobile communications in Japan 87−8179
Ohuchi, T. *see* Ohtomo, T. 85−50826, 87−27249, 87−75758, 88−27853, 88−45992
Ohuchi, T. *see* Saitoh, S. 86−18106
Ohuchi, T. *see* Tokushige, K. 85−31164
Ohuchi, Y. *see* Yoda, H. 88−33297
Ohue, K. An algorithm for generating low autocorrelation-sidelobe binary sequences 87−76831
Ohue, K., Ohtake, K. Analog and digital amplitude-domain-multiplexed signal transmission systems using DC-balance mB-nB codes 85−19325
Ohue, K., Ohtake, K. DC-balance word codes with minimum clock frequency ratio 85−30202
Ohue, K., Ohtake, K. Block interleavers with maximum pulse distance 85−41850
Ohue, K. *see* Ohtake, K. 85−36144
Ohue, M. *see* Mimura, A. 86−35688
Ohuma, M. Development of a two-dimensional displacement transducer 87−49700
Ohura, H., Yanagi, K., Matsuda, S. Effective permeability due to high temperature annealing in amorphous alloy 88−33512
Ohura, J., Tsukakoshi, T., Fukuda, K., Shimbo, M., Ohashi, H. A dielectrically isolated photodiode array by silicon-wafer direct bonding 88−2118
Ohura, J. *see* Ohashi, H. 87−46215
Ohura, M., Tsuji, Y., Kuwatsuka, S., Hanazono, M., Kawakami, K., Saitoh, M. Design of high recording density thin-film heads for particulate rigid disks 87−67763
Ohura, M. *see* Hanazono, M. 87−67759
Ohura, R. *see* Tsuchiya, M. 86−4980
Ohura, T. *see* Fujii, H. 85−31803, 85−35457, 88−29957
Ohura, Y., Matsuzawa, K., Ohtsuka, H., Nagai, N., Gouda, T., Oshida, H., Takeda, S., Nishida, S. Development of a generator tripping system for transient stability augmentation based on the energy function method 86−65635
Ohura, Y., Matsuzawa, K., Yamaura, M., Matsushima, T., Tsukui, R., Omata, K. Microprocessor-based stabilizing control equipment for survival of isolated-mid city power system 87−30049
Ohura, Y. *see* Kudo, H. 86−32851
Ohwa, M., Higuchi, T., Toji, E., Watanabe, M. Growth of large diameter silicon single crystal under horizontal or vertical magnetic field 87−16577
Ohwa, M., Obara, M. Theoretical analysis of efficiency scaling laws for a self-sustained discharge pumped XeCl laser 86−22295
Ohwa, M., Obara, M. High-efficiency operational conditions of capacitor-transfer-type discharge pumped XeCl lasers 87−68397
Ohwa, M., Obara, M. Theoretical evaluation of high-efficiency operation of discharge-pumped vacuum-ultraviolet F_2 lasers 88−8098
Ohwa, M., Obara, M. Theoretical evaluation of the buffer gas effects for a self-sustained discharge ArF laser 88−58425
Ohwa, M. *see* Takasu, S. 88−70307
Ohwa, S. *see* Hayashi, T. 86−13803
Ohwada, J., Kawakami, H., Nagae, Y., Ono, Y.A., Ono, K., Mimura, A., Konishi, N. Driving condition for low-temperature poly-Si TFT LCD 88−16306
Ohwada, J., Takabatake, M., Kawakami, H., Ono, Y.A., Mimura, A., Ono, K., Konishi, N., Suzuki, T., Miyata, K. Peripheral drive circuits for poly-Si TFT LCD 88−19980
Ohwada, J. *see* Mimura, A. 86−35688, 88−39471
Ohwada, J.-I. *see* Mimura, A. 88−39733
Ohwada, K. *see* Akazawa, Y. 85−61448
Ohwada, K. *see* Enoki, T. 86−20814, 87−24465, 88−25458
Ohwada, K. *see* Imai, Y. 85−6189, 85−55140, 88−13427, 88−20003
Ohwada, K. *see* Muraguchi, M. 86−67494, 87−59869, 88−63960
Ohwada, K. *see* Murguchi, M. 87−24464
Ohwada, K. *see* Osafune, K. 86−41045, 86−62539, 86−67182, 86−67511, 87−31805, 87−32034, 87−37151, 88−19041
Ohwada, K. *see* Sugeta, T. 87−18337
Ohwada, K. *see* Tarusawa, Y. 86−67495
Ohwada, K. *see* Yamakido, K. 87−20297, 88−59872
Ohwada, N., Kimura, T. Speech recognition LSI technology and the future 85−51562
Ohwada, N. *see* Umemoto, M. 88−29118
Ohwaki, J., Kogure, O. Green electroluminescence in ZnS:TbF$_3$ thin films prepared by electron-beam coevaporation 85−35615
Ohwaki, J., Kogure, O., Kozawaguchi, H., Tsujiyama, B. Large area thin-film electroluminescent display panels 87−70713
Ohwaki, J., Kogure, O., Tsujiyama, B. Large area thin-film electroluminescent display panels 88−22710
Ohwaki, J., Kozawaguchi, H., Tamura, Y., Tsujiyama, B. High-brightness blue, red, and stable green thin-film electroluminescent devices 87−68295
Ohwaki, J., Tamura, Y., Kozawaguchi, H. High-brightness blue, red, and stable green thin-film electroluminescent devices 88−20511
Ohwaki, J., Tsujiyama, B., Kozawaguchi, H. Low-voltage high-bright green emitting thin-film electroluminescent devices 85−43042
Ohwaki, J., Yamauchi, N., Kozawaguchi, H., Tsujiyama, B. The role of stacked insulating layers in thin-film electroluminescent devices 87−68298
Ohwaki, J. *see* Tamura, Y. 86−36325
Ohwaki, J. *see* Tsujiyama, B. 87−3687
Ohwaki, T. Interfaces for electronic equipment within a ship 88−69836
Ohwaki, T. *see* Goto, K. 85−17296
Ohwi, K., Okada, F. A 3-port ferrite resonator circuit using slot line 85−28727
Ohwi, K., Okada, F. A 3-port ferrite resonator circuit using slot line 87−971
Ohwi, K., Okada, F. A three-port ferrite resonator circuit using coplanar waveguide 88−50311
Ohya, A., Nakagawara, M., Hirukawa, H., Sato, M. Key elements of magneto-optical disk test system 88−72173
Ohya, A., Yanagimachi, A. Coded music transmission system for data broadcasting services 87−13838
Ohya, A. *see* Mikuriya, K. 87−41350
Ohya, A. *see* Tsuruta, S. 86−69365
Ohya, A. *see* Yamamoto, M. 87−56510
Ohya, H. *see* Ohhori, K. 86−61730
Ohya, J. Object recognition sensor using ring pattern method for robotic applications 86−54239
Ohya, J., Fujita, T., Matsuda, K., Ishino, M., Serizawa, H., Sato, H. Coherence characteristics of external cavity semiconductor lasers 86−58948
Ohya, J., Matsui, Y., Ishino, M., Sato, H., Serizawa, H. Extremely narrow spectral linewidth oscillation of low threshold current integrated-passive-cavity laser 88−20678
Ohya, J., Shio, A. A study of recognizing characters in scene images 88−73234
Ohya, J., Tokunaga, Y. Color thermal ink-transfer imaging 85−3086
Ohya, J. *see* Fujita, T. 85−35779, 85−41392, 86−58936
Ohya, J. *see* Matsuda, K. 85−46379
Ohya, J. *see* Sasai, Y. 87−39095
Ohya, J. *see* Sato, H. 85−51163, 86−68573, 88−45420
Ohya, K., Mori, I. Hydrogen negative-ion production by bombardment of solid surfaces with molecular positive-ions 86−11829
Ohya, K., Mori, I. A combined electrostatic analyser and E×B filter for mass-separated energy analysis of keV neutrals 86−50438
Ohya, K. *see* Banno, H. 88−13613
Ohya, K. *see* Isagawa, S. 88−57264
Ohya, K. *see* Okuda, M. 87−12029
Ohya, K. *see* Yamada, C. 86−14078
Ohya, M., Watanabe, N. Construction and analysis of a mathematical model in quantum communication processes 87−7640
Ohya, M., Yoshimi, H., Yoshimi, H. Rigorous derivation of error probability in quantum control communication processes 88−58997
Ohya, M. *see* Hirota, O. 87−20573
Ohya, M. *see* Kanno, R. 87−78891
Ohya, M. *see* Yamazaki, K. 88−9593
Ohya, S. Microcomputer controlled multideck display case 'M Series' 87−5102
Ohya, S., Narita, Y., Kikuchi, M. A new bird's beak free isolation technology 87−25133
Ohya, S. *see* Fujimura, S. 86−6367
Ohya, S. *see* Hagihara, M. 86−6366
Ohya, S. *see* Kanauchi, S. 85−22879
Ohya, S. *see* Masuda, S. 85−22688
Ohya, S. *see* Nakano, Y. 88−56423
Ohya, S. *see* Narita, Y. 85−35178, 85−49894, 88−6873
Ohya, S. *see* Sekiya, K. 87−24194
Ohya, T. *see* Iida, M. 86−56566
Ohya, T. *see* Morikiyo, G. 87−42369
Ohya, T. *see* Takahashi, M. 88−29120

Ohya, Y. *see* Morimoto, Y. 88−43372
Ohya, Y. *see* Yoshiya, K. 86−3873
Ohyachi, T., Hasegawa, T. Applications of super capacitor 86−58082
Ohyagi, K., Okuyama, S., Baba, T., Saga, M. Residential Telephone System QT-106LX 88−9036
Ohyama, A. *see* Ohhori, K. 86−61730
Ohyama, G. A novel approach to estimating excitation code in code-excited linear prediction coding [speech coding] 87−27339
Ohyama, G. Digital hearing aid emphasizing speech characteristics 88−5009
Ohyama, H., Nemoto, K. Effect of lattice defects in the collector region of npn Si transistors on the degradation of h_{FE} 88−57619
Ohyama, H. *see* Ishida, M. 86−26858, 86−57469
Ohyama, H. *see* Nishimuta, I. 88−53359
Ohyama, H. *see* Oda, T. 86−36814
Ohyama, K., Daijou, M., Yoshida, T., Tsunehiro, Y. A PWM control method of current source inverter for induction motor drive 86−61506
Ohyama, K., Nakajo, A., Shirakawa, T. Voice storage system for key telephone system 86−59528
Ohyama, M., Hirai, J., Sasaoka, S. Voice storage equipment 85−25266
Ohyama, M., Iwase, S., Hashida, Y. A directory assistance system using a natural language 87−40282
Ohyama, M., Iwase, S., Tsuchida, H., Hashida, Y. A study of a method of understanding the communication objective 88−59489
Ohyama, M., Okumura, M., Saitou, N. High speed data control circuit for nanometric electron beam lithography 88−64466
Ohyama, M. *see* Daikuzono, N. 88−30038
Ohyama, M. *see* Hatano, Y. 88−440
Ohyama, M. *see* Imamura, K. 88−59107
Ohyama, M. *see* Kageyama, S. 85−51685
Ohyama, M. *see* Matsuzaka, T. 88−13233
Ohyama, M. *see* Saitou, N. 87−25010
Ohyama, M. *see* Yoshida, T. 86−37303
Ohyama, N. ISDN−new horizon of advanced telecommunications 88−46647
Ohyama, N., Badique, E., Yachida, M., Tsujiuchi, J., Honda, T. Compensation of motion blur in CCD color endoscope images 87−49503
Ohyama, N., Haneishi, H., Kikuchi, S., Tsujiuchi, J., Honda, T. Optical color image processing for an elimination of the fiber structure 87−39913
Ohyama, N., Minami, Y., Watanabe, A., Tsujiuchi, J., Honda, T. Multiplex holograms of a skull made of CT images 87−35401
Ohyama, N., Shiraishi, A., Honda, T., Tsujiuchi, J. Analysis and improvement in region-of-interest tomography [medical diagnosis] 86−5896
Ohyama, N., Suzuki, K., Honda, T., Tsujiuchi, J. Digital processing of endoscopic colour images 86−5894
Ohyama, N., Yamaguchi, M., Tsujiuchi, J., Honda, T., Hiratsuka, S. Suppression of moire fringes due to sampling of halftone screened images 87−19868
Ohyama, N. *see* Badique, E. 87−27637, 87−33759, 88−10340
Ohyama, N. *see* Hong, R.T. 88−34781
Ohyama, N. *see* Kikuchi, S. 87−47933
Ohyama, N. *see* Wihardjo, E. 85−56848
Ohyama, N. *see* Yachida, M. 87−27636
Ohyama, N. *see* Yu, D.Y. 88−40416
Ohyama, S. Liquid crystal color TV market is brisk with participation of home-use electrical equipment manufacturers 87−56348
Ohyama, S. *see* Nojima, T. 85−20030
Ohyama, T. Speech input/output equipment 88−14611
Ohyama, T. Supply and demand trends in television 88−41812
Ohyama, T., Kobori, H., Otsuka, E. Electron scattering in GaAs at the quantum limit 87−17715
Ohyama, T., Mori, Y.H. Optical method for measuring uniform thickness of the order of 10 μm-1 mm of transparent solid and liquid films 88−7842
Ohyama, T., Watanabe, A., Nishimura, K., Tsuruta, S. Voltage dependence of composite loads in power systems 86−18697
Ohyama, T., Yamashita, K., Maeda, T., Suzuki, H., Mine, S. Effective application of static var compensators to damp oscillations 85−59601
Ohyama, T. *see* Kitano, Y. 87−35887
Ohyama, Y., Fukushima, T., Shutoh, T., Shutoh, M. A Japanese sentence analysis system used in the book-reader for the blind 87−71151
Ohyama, Y., Miyai, H., Shutoh, M. A Kana string formation method for voice input Kana-Kanji translation 85−19379
Ohyama, Y. *see* Ohba, T. 87−58994
Ohyama, Y. *see* Ohsuga, M. 87−14304
Ohyama, Y. *see* Sasayama, T. 85−16358
Ohyu, K., Suzuki, T., Natsuaki, N., Wada, Y. Silicided shallow junction formation for scaled-down CMOS devices 88−20137
Ohyu, K. *see* Ishiwara, H. 85−34652
Ohyu, K. *see* Kobayashi, N. 87−25586
Ohyu, K. *see* Suzuki, T. 87−25173
Ohyu, S. *see* Tamaki, Y. 88−13561
Ohzawa, Y., Sanada, S., Miyoshi, T. Solving a registration problem in a multilayer ceramic substrate 85−34285
Ohzeki, K., Murakami, J. Digital teletext equalizer leading to circuit integration 85−42220
Ohzeki, K., Okui, M., Shirata, K., Murakami, K. Locus display system for moving games players 87−63143
Ohzeki, K. *see* Kurashige, M. 87−56370
Ohzeki, K. *see* Murakami, K. 87−8420
Ohzeki, K. *see* Obara, M. 85−42213
Ohzeki, K. *see* Okui, M. 88−4184
Ohzeki, K. *see* Wakui, K. 85−8572
Ohzeki, M., Takayama, Y., Fujii, S. A 20000-gate CMOS gate array with built-in memory 87−31812
Ohzone, T., Fukumoto, M., Fuse, G., Shinohara, A., Odanaka, S., Sasago, M. Ion-implanted thin polycrystalline-silicon high-value resistors for high-density poly-load static RAM applications 86−8238
Ohzone, T. *see* Fukumoto, M. 87−44368
Ohzone, T. *see* Fuse, G. 86−41981, 87−38538, 88−19166, 88−39725
Ohzone, T. *see* Hori, T. 88−7445
Ohzone, T. *see* Kudoh, H. 87−6590
Ohzone, T. *see* Odanaka, S. 85−23968, 85−55959, 86−41814, 86−41983, 87−53693
Ohzone, T. *see* Sasago, M. 86−41665
Ohzone, T. *see* Yoshida, T. 88−33305
Ohzono, T. *see* Taguchi, M. 86−68882, 88−14490
Ohzora, S., Koyashiki, T. Transient response of a converter having a magnetic amplifier 87−30799
Ohzora, S., Koyashiki, T., Ogata, T. Transient response in a converter controlled by a magnetic amplifier 88−12203
Ohzora, S. *see* Koyashiki, T. 87−23928, 88−75754
Ohzu, H. Visual perception mechanisms related to binocular stereo vision technology 88−67964
Ohzu, H. *see* Kume, Y. 87−14822
Oi, H., Hoshihara, M. Study in the improvement of accuracy in detecting pedestal faults in pedestal-mounted capacitors 87−51421
Oi, K. *see* Asayama, Y. 87−19966
Oi, K. *see* Miyamoto, S. 85−58241, 86−25436, 86−69840
Oi, K. *see* Yamada, Y. 88−68424
Oi, M., Ishikawa, M., Fukushi, H., Aota, M. Detection of sea ice and ships in radar sea clutter 85−47584
Oi, T. Electrochromic materials 87−12104
Oi, T. *see* Yamamoto, S. 85−28892
Oi Li Hong *see* Hong Oi Li
Oi Ying Wong *see* Wong Oi Ying
Oian, J.-R. *see* Li, L. 87−7098
Oiberman, L.B. *see* Buzlukov, V.A. 88−43040
Oiberman, L.B. *see* Palagin, A.A. 88−55203
Oicles, J.A., Kitchin, H.D. A low jitter, hydrogen thyratron Pockels cell driver 85−5224
Oicles, J.A., Krausse, G.J. Power MOS fast switching techniques [power transistors] 85−23822
Oicles, J.A. *see* Whitham, K. 85−2277
Oida, C. *see* Matsumura, F. 88−62353
Oida, O., Hada, H., Nishida, K., Iwakawa, T. AC refresh plasma display 86−31252
Oida, O. *see* Nakamura, T. 87−70722, 88−53797
Oida, T. *see* Ito, S. 85−36612
Oida, Y. *see* Ishioka, T. 86−8062
Oide, K., Fukuma, H., Kamada, S., Kikuchi, M., Momose, T., Satoh, K., Shintake, T., Tejima, M. Gamma ray source using internal targets in the TRISTAN accumulation ring 86−32140
Oide, K. *see* Kamada, S. 86−24878
Oide, K. *see* Koiso, H. 86−24879
Oide, K. *see* Kurokawa, S. 86−24880, 86−60404, 86−60427, 88−53994
Oide, K. *see* Satoh, K. 86−24979
Oie, Y., Muro, S., Hasegawa, T. Tree algorithm for reservation multiple access 86−16612
Oie, Y., Muro, S., Hasegawa, T. Throughput analysis of tree-type protocols 86−69217
Oie, Y., Muro, S., Hasegawa, T. Throughput analysis of reservation protocols with tree type reservation channel 86−69427
Oie, Y., Muro, S., Hasegawa, T. Throughput analysis of reservation protocols with tree-type reservation channel 87−69419
Oie, Y., Suda, T., Miyahara, H., Hasegawa, T. Throughput and delay analysis of free access tree algorithms with mini-slots 87−55432
Oie, Y. *see* Muro, S. 86−16100, 87−27726, 87−27774
Oigawa, H. *see* Jia-Fa Fan 88−64341
Oigawa, K., Uekusa, S., Sugiyama, Y., Tacano, M. InP PN junction waveguide made by Mg-ion implantation 87−32309
Oigawa, K., Uekusa, S., Sugiyama, Y., Tacano, M. Self-aligned inversion-mode InP MISFET 88−13387
Oigawa, K., Uekusa, S., Sugiyama, Y., Takano, M. Self-aligned InP MIS FET 88−50856
Oigawa, K. *see* Tacano, M. 88−71309, 88−71517
Oigawa, K. *see* Uekusa, S. 85−45588
Oikado, T. Gas lasers for graphics applications 86−3040
Oikado, T., Sato, H., Shintani, M., Tsutaki, K., Hashimoto, H., Konishi, T., Takahashi, M. 6 GHz, 3 kW helix travelling-wave tube for use in satellite communication Earth stations 87−66840
Oikado, T., Sato, H., Shintani, M., Tsutaki, K., Yamaguchi, T., Tsuchida, H., Konishi, T. 14 GHz, 600 W helix travelling wave tube 87−66841
Oikari, R.A. *see* McGruer, N.E. 86−63143
Oikari, T., Kojola, H., Nurmi, J., Kaihola, L. Simultaneous counting of low alpha- and beta-particle activities with liquid-scintillation spectrometry and pulse-shape analysis 87−77524
Oikari, T. *see* Kojola, H. 85−20866
Oikawa, H., Amazawa, T. Highly reliable Mo gate and interconnection technology 86−21865
Oikawa, H., Koizumi, N., Makino, S. Audio teleconferencing set with multipath echo canceller 88−46676
Oikawa, H., Koizumi, N., Makino, S. Audio teleconferencing set with multi-path echo canceller 88−46732
Oikawa, H., Nakanishi, H., Yamamoto, Y. Subscriber optical line distribution method and plant administration and operations system 87−34589
Oikawa, H., Nakanishi, H., Yamamoto, Y., Yamamoto, H. Subscriber optical line distribution method and plant administration and operations system 87−8253
Oikawa, H., Nishino, M., Tobita, M. Audio conference system with divided speech-band voice-switching circuit 88−46731
Oikawa, H., Nishino, M., Tobita, M. The audio teleconference system using divided speech-band voice-switching circuit 88−46736
Oikawa, H., Shinohara, S., Ishino, Y. Hook and dial switch for the all-electronic telephone sets 85−3227
Oikawa, H., Yamamoto, H., Yamamoto, Y. Multi-stage concentrated distribution system in a subscriber optical feeder cable network 87−8314
Oikawa, H., Yamamoto, H., Yamamoto, Y. Aerial multi-pipe distribution system for subscriber optical fiber cable network 87−28614
Oikawa, H. *see* Amazawa, T. 85−23573, 85−40551
Oikawa, H. *see* Hashimoto, C. 87−23729, 87−31586
Oikawa, H. *see* Ikeda, M. 88−39171
Oikawa, H. *see* Katoh, M. 85−36633
Oikawa, H. *see* Kotera, H. 88−28534
Oikawa, H. *see* Machida, K. 87−1421, 88−7510
Oikawa, H. *see* Nomura, H. 87−34239
Oikawa, H. *see* Yamamoto, H. 85−25592, 87−8313, 87−76222
Oikawa, H. *see* Yamamoto, Y. 85−42116, 86−4627, 86−49609
Oikawa, K. *see* Shimauchi, M. 85−29765, 87−18893
Oikawa, M., Iga, K., Misawa, S. Multimode lightwave components with 2-D arrayed planar microlens 85−2077
Oikawa, M., Okuda, E., Hamanaka, K., Nemoto, H. Integrated planar microlens and its applications 88−65356
Oikawa, M., Tanaka, K., Yamasaki, T. Highly integrated distributed-index planar microlens and its characteristics 87−26073
Oikawa, M. *see* Chiba, T. 85−29674, 87−54085
Oikawa, M. *see* Iga, K. 86−4683
Oikawa, M. *see* Ikeda, Y. 88−7948
Oikawa, M. *see* Ito, H. 87−8116
Oikawa, M. *see* Kokubun, Y. 86−2854
Oikawa, M. *see* Murai, M. 85−52061
Oikawa, S., Morinaka, A. Laser thermal multilevel recording−structure optimization 85−19071
Oikawa, S., Nishida, T., Fujio, Y., Mitsumata, H., Hisanaga, Y., Imahori, K., Yamazaki, K. Shimadzu magnetic resonance imaging system, SMT-20 85−38098
Oikawa, S., Nishida, T., Fujio, Y., Mitsumata, H., Kono, K., Shimizu, K., Hisanaga, Y., Yamauchi, M., Imahori, K., Yamazaki, K. Shimadzu magnetic resonance imaging system, SMT-50 87−7845
Oikawa, S. *see* Isobe, H. 88−42524
Oikawa, S. *see* Kayukawa, N. 85−21838
Oikawa, S. *see* Mashiko, Y. 87−56766
Oikawa, S. *see* Morinaka, A. 88−57527
Oikawa, S. *see* Tsuda, M. 85−12211, 85−40802, 85−55640, 85−61591, 86−1963, 86−35506, 87−18227
Oikawa, T. Eye fatigue caused by reflected glare under intense illumination 87−22884
Oikawa, T. *see* Suzuki, K. 86−52305
Oikawa, T. *see* Watanabe, N. 85−48746
Oikawa, Y. *see* Fujisawa, T. 85−59006, 85−64356, 86−32009
Oikawa, Y. *see* Horimatsu, T. 85−37056, 86−64988
Oikawa, Y. *see* Iwama, T. 88−72235
Oikawa, Y. *see* Kondoh, F. 87−34545, 87−49103
Oikawa, Y. *see* Makiuchi, M. 88−22075

Oikawa, Y. *see* Muranaga, K. 86−47731
Oikawa, Y. *see* Tokura, N. 85−42280, 85−57771, 85−63658
Oikawi, Y. *see* Makiuchi, M. 88−67353
Oike, K., Matsumura, K. A new recording system of seismic waves using audio recorder 86−32530
Oike, T. An outline of deep sea measurement 88−42659
Oikhman, E.G. *see* Zyuzin, Yu.V. 86−8568
Oikkonen, M., Tammenmaa, M., Asplund, M. Comparison of ZnS thin films grown by atomic layer epitaxy from zinc acetate and zinc chloride: an X-ray diffraction and spectroscopic ellipsometric study 88−31812
Oinen, D., Kent, R., Shaffer, S., Keene, G., Leibold, K. An optical design for an improved infrared meteorological satellite 87−29851
Oinishi, T. *see* Atsui, H. 87−35502
Oinuma, M. *see* Endo, K. 85−40417
Oinuma, M. *see* Hirasawa, M. 86−27830
Oinuma, S. Recent development in crystal products 88−44935
Oirkozek, H. Thyristor bridges in time-constant regulator of micro synchronous generator 87−43129
Oisel, A. Integer programming applied to eigenvector computation in a class of Markov processes 87−68991
Oishi, A. *see* Arimoto, A. 86−55455
Oishi, A. *see* Kanai, C. 86−48413
Oishi, H. *see* Miyai, Y. 88−33043
Oishi, H. *see* Morita, Y. 88−20149
Oishi, H. *see* Sumi, T. 87−59508, 87−66179
Oishi, H. *see* Yoneda, K. 88−6869
Oishi, I. *see* Matsushita, K. 86−43664
Oishi, K., Nagai, R., Tanimura, N., Yamaguchi, Y., Itoh, K., Ishihara, M., Fukuta, H. A 256K pseudo static RAM with high speed access mode 86−34811
Oishi, K., Onishi, K., Miyachi, K. An approach to the torque-speed regulation of the separately excited DC motor using a state observer 85−48964
Oishi, K., takei, N., Tanaka, Y., Yamada, K. Development of a high field superconducting magnet using in-situ V_3Ga compound tape 88−65073
Oishi, K. *see* Asano, M. 88−58262
Oishi, K. *see* Ishizuka, Y. 88−9117
Oishi, K. *see* Kobayashi, M. 87−60871, 88−51424
Oishi, K. *see* Nakagawa, I. 87−59478
Oishi, K. *see* Sekimoto, H. 85−15256, 85−37909
Oishi, K. *see* Shirako, G. 88−54752
Oishi, M., Kuroiwa, K. Low pressure metalorganic vapor phase epitaxy of InP in a vertical reactor 85−54460
Oishi, M., Nakao, M., Itaya, Y., Sato, K., Imamura, Y. MOVPE-grown 1.5 μm distributed feedback lasers on corrugated InP substrates 87−68471
Oishi, M., Nojima, S., Asahi, H. Silicon doping in InP grown by metalorganic vapor phase epitaxy using silane 85−50392
Oishi, M., Nojima, S., Kuroiwa, K. High-quality InGaAs grown by low-pressure metalorganic vapor phase epitaxy using a vertical reactor 85−379
Oishi, M., Nojima, S., Noguchi, Y., Saito, H., Asahi, H., Nagai, H. MOVPE-grown InGaAsP/InP buried-heterostructure lasers with LPE burying layers 86−54153
Oishi, M., Ozaki, Y., Yanabu, S. 800 kV gas insulated switchgear 86−71020
Oishi, M. *see* Abe, M. 88−51263
Oishi, M. *see* Itaya, Y. 87−39090, 88−45461
Oishi, M. *see* Nakao, M. 88−51809
Oishi, M. *see* Nojima, S. 86−1789
Oishi, M. *see* Tohmori, Y. 88−51816
Oishi, M. *see* Urao, R. 87−58972
Oishi, R.T. Standards: the communications media of the factory of the future 85−57796
Oishi, R.T. PC-ATE 85−64013
Oishi, R.T. ATLAS and other related standards 86−38222
Oishi, R.T. AI and ATLAS−the prospects for a marriage 88−35837
Oishi, R.T. *see* Granieri, M.N. 87−20881
Oishi, S. *see* Harada, H. 86−64482
Oishi, S. *see* Kanaya, F. 86−66676
Oishi, S. *see* Kubo, H. 88−56422
Oishi, S. *see* Onozawa, A. 85−22332, 86−62054, 87−183
Oishi, S. *see* Sumi, Y. 86−40674, 86−62400, 86−66977, 87−52318
Oishi, S. *see* Takase, T. 85−10946
Oishi, S. *see* Yamamura, K. 85−10641, 85−28183, 85−39672, 85−60895, 87−224
Oishi, T. Trends of LAN development in factory automation: GM-MAP 87−2884
Oishi, T., Kahn, W.K. Stokes vector representation of the six-port network analyzer: calibration and measurement 86−11686
Oishi, T., Kaneyasu, M., Ikegami, A. Discrimination of chemical compounds and functional groups by pattern recognition using an integrated sensor 88−53612
Oishi, T., Yabusaki, H. Requirements of AI applications for instrumentation 87−56483
Oishi, T., Yamaji, N. Trend and problems in LSI packaging 87−36504
Oishi, T. *see* Kaneyasu, M. 88−22577
Oishi, T. *see* Suzuki, R.O. 87−53910
Oishi, T. *see* Ueno, K. 86−44012
Oishi, T. *see* Yamamoto, M. 86−33337
Oishi, Y., Takano, T., Nakamura, H. Sensitivity simulation results for a direct-conversion FSK receiver 88−73846
Oishi, Y. *see* Nagatsuka, T. 86−31511
Oishi, Y. *see* Ohta, I. 87−32721
Oismuller, F. Component quality control 86−13515
Oita, M. *see* Ohta, J. 88−34000
Oita, T. Crystal clock oscillators reduce power consumption and size of digital equipment 86−41187
Oittinen, P., Saarelma, H. Application of information theory to digital reproduction of images 85−57428
Oittinen, P., Saarelma, H. Average mutual information as a quality measure in imaging processes 86−64342
Oittinen, P., Saarelma, H., Summanen, K. The quality of text in electronic printing 88−16506
Oittinen, P.T., Saarelma, H.J. Information content in images 88−46168
Oiu Jiaju The distributed computer network and parallel algorithm used in power systems 86−65586
Oiwa, E., Ohishi, T., Ishizaki, T. Fujitsu's FETEX-DS series of digital key telephone systems 88−53068
Oiwa, T. *see* Koi, T. 86−9980
Oiwa, Y. *see* Kudoh, S. 86−59642
Oiwa, Y. *see* Nonaka, H. 85−27826
Oizumi, J. *see* Shiratori, N. 87−69715
Oizumi, S. *see* Ito, S. 88−63061
Oizumi, T. *see* Takawashi, T. 88−11529
Oja, E., Lampinen, J. A fast local PPF restoration filter 87−19962
Oja, E., Ogawa, H. Parametric projection filter for image and signal restoration 87−19659
Oja, E. *see* Jaaskelainen, T. 87−48167
Oja, E. *see* Ogawa, H. 87−16465
Oja, E. *see* Parkkinen, J. 87−48121
Ojala, J. *see* Kejariwal, M.L. 87−3936
Ojala, L. *see* Kujansuu, R. 86−62050
Ojanen, M. *see* Viitanen, J. 85−38210
Ojanen, P., Olsen, S. Solar generator for spectrometer power supply on Mission Phobos 87−77592
Ojaveer, M., Sarv, V. A novel AC voltage phase-control circuit with reduced distortions and switch voltages 85−27478
Ojeda-Castaneda, J., Andres, P., Tepichin, E. Spatial filters for replicating images 87−2006
Ojeda-Castaneda, J., Jara, E. Isotropic Hilbert transform by anisotropic spatial filtering 87−27559
Ojeda-Castaneda, J., Pons, A. Quasihomogeneous sources with longitudinal periodicity 88−66097
Ojeda-Castaneda, J., Sicre, E.E. Theta-modulation decoder based on the Lau effect 86−69149
Ojeda-Castaneda, J. *see* Andres, P. 87−13084
Ojeda-Castaneda, J. *see* Rabal, H. 88−66646
Ojha, A.K. *see* Cantrell, P.E. 87−75667
Ojha, S.M. Plasma etching characteristics of arsenic and phosphorous implanted polysilicon 88−19835
Ojha, S.M., Thom, J.M. Plasma etching of polysilicon gates 88−64425
Ojha, S.M. *see* Thom, J.M. 87−67140
Ojha, S.P. *see* Subramanyam, K.V.S. 88−65172
Ojha, V.N. *see* Dhariwal, S.R. 85−23386, 87−66874
Ojha, V.N. *see* Srivastava, G.P. 87−45708
Oji, M. *see* Miura, Y. 88−56257
Ojiambo, S.B. *see* Bodvarsson, G.S. 87−42686
Ojika, T. A numerical method for branch points of a system of nonlinear algebraic equations 88−70270
Ojima, H. *see* Shibata, Y. 88−50681
Ojima, K. *see* Kitakami, O. 88−51207
Ojima, M., Arimoto, A., Chinone, N., Gotoh, T., Aiki, K. Diode laser noise at video frequencies in optical videodisc players 86−55456
Ojima, M., Chavez-Pirson, A., Lee, Y.H., Morhange, J.F., Gibbs, H.M., Peyghambarian, N., Juang, F.-Y., Bhattacharya, P.K., Weinberger, D.A. Optical NOR gate using diode laser sources 86−68615
Ojima, M., Nakao, T., Sukeda, H., Ohta, N., Yasuoka, H., Nishida, T., Terao, M. High-speed overwritable optical disk 88−65153
Ojima, M., Ozawa, S., Kashimura, S., Takeuchi, M., Nagasaka, H. Electrical properties of copper oxide fine particle layers 87−60107
Ojima, M., Saito, A., Kaku, T., Ito, M., Tsunoda, Y., Takayama, S., Sugita, Y. Magneto-optical disk for coded data storage 85−51008
Ojima, M., Saito, A., Kaku, T., Ito, M., Tsunoda, Y., Takayama, S., Sugita, Y. Compact magnetooptical disk for coded data storage 86−36271
Ojima, M., Tsunoda, Y., Maeda, T., Kaku, T., Saito, A., Takayama, S., Sugita, Y. Compact magneto-optical disk for coded data storage 86−68350
Ojima, M. *see* Arimoto, A. 85−3725, 86−55455
Ojima, M. *see* Nakamura, S. 88−45051
Ojima, M. *see* Nakao, T. 88−45238
Ojima, M. *see* Nishikawa, S. 87−34756
Ojima, M. *see* Ohishi, A. 85−2313
Ojima, M. *see* Sawada, K. 88−57025
Ojima, M. *see* Sukeda, H. 88−45243
Ojima, M. *see* Takahashi, M. 88−64936
Ojima, M. *see* Takayama, S. 87−60782
Ojima, M. *see* Terao, M. 85−50895
Ojima, M. *see* Toda, T. 87−54137, 88−45244
Ojima, M. *see* Yasuoka, H. 88−45054
Ojima, T. Differential emission measurement for atmospheric absorption by a ground-based-microwave radiometer 86−6120
Ojima, T. Atmospheric pressure measurement from space by multi-frequency microwave radiometer 88−5168
Ojima, T., Kuroiwa, H., Okamoto, K., Maeda, K., Kojima, M. Remote sensing of precipitable water by microwave scanning radiometer (MSR) aboard MOS-1 88−5175
Ojima, T. *see* Fujita, M. 86−6119, 87−71317
Ojima, T. *see* Kozu, T. 88−4113
Ojima, T. *see* Okamoto, K. 87−15065, 87−15069
Ojima, T. *see* Yoshikado, S. 87−15066
Ok, B. *see* Bassiouni, M.A. 86−48772
Ok Yoon Sang *see* Sang Ok Yoon
Ok-Kyun Cho, Hwi-Beom Shin, Myung-Joong Yuon Performance improvement on cycloconverter-fed induction motor speed control system 87−78679
Oka, A.A. *see* Reed, J.H. 88−69939
Oka, E. Propagation characteristics analyzed using the method of steepest descent 88−52212
Oka, E., Kawaguchi, Y. Multimode propagation in an inversion layer 86−63996
Oka, E. *see* Kitao, M. 88−36688
Oka, H. New FM tachotelemeter using ferrite orthogonal cores 85−8741
Oka, H., Fujii, H., Iwata, J. Fundamental behavior of ternary pulse output type FOC 88−33540
Oka, H., Iwata, J. Flux control characteristics of ferrite orthogonal core using magnetic fluid 86−47970
Oka, H., Iwata, J. Flux control characteristics of open and closed FOC 87−1897
Oka, H., Iwata, J. Materials of orthogonal cores 87−1898
Oka, H., Iwata, J. Flux control method to FOC by magnetic fluid 87−1899
Oka, H., Iwata, J. Fundamental behavior of ternary pulse output type ferrite orthogonal core 87−67779
Oka, H., Iwata, J. Flux control characteristics of ferrite orthogonal core using magnetic fluid 88−1876
Oka, H., Iwata, J. Behavior of an inclinosensor using magnetic fluid 88−16480
Oka, H., Iwata, J. Fundamental behavior of micro gas flow sensor using magnetic fluid 88−16558
Oka, H., Takeshita, T., Takenaka, S., Hasegawa, K., Kunii, M., Kurihara, H. Completely integrated a-Si/a-SiC heterojunction contact-type linear image sensor with poly-silicon TFT drivers 88−29434
Oka, H. *see* Chua, L.O. 88−70276
Oka, H. *see* Hirobe, T. 86−8658
Oka, H. *see* Imanishi, M. 87−73814
Oka, H. *see* Isomura, M. 88−12785
Oka, H. *see* Kato, I. 85−50753
Oka, H. *see* Morimoto, H. 87−16009
Oka, H. *see* Morozumi, S. 86−5056
Oka, H. *see* Uchida, K. 87−72528
Oka, H. *see* Yodo, T. 87−52142
Oka, I. Intersymbol and CW interference in QPSK, OQPSK, and MSK hard-limiting satellite systems 86−43772
Oka, I., Endo, I. Error performance for soft decision Viterbi decoding over OOK optical space links 87−20471
Oka, I., Endo, I. Bit error rate of Viterbi coding in OOK optical space links 87−40948
Oka, I., Endo, I. Error performance of soft decision decoding of coded PPM employing stretched optical pulses 87−54880
Oka, I., Ishida, K., Endo, I. Co-channel interference in an on-board processing satellite 86−15966
Oka, I. *see* Ishida, K. 87−19394
Oka, I. *see* Iwasaki, S. 88−45946
Oka, I. *see* Jayamanne, N. 86−55233, 87−40813, 88−46976
Oka, I. *see* Murai, H. 85−63074, 88−41598
Oka, I. *see* Sakurai, A. 87−19404, 88−2617
Oka, I. *see* Wakita, N. 87−56761
Oka, K. NEC's gate array family 88−12317
Oka, K., Ishii, J., Satoh, K., Satoh, T., Watanabe, H. Magnetic properties in molded Re-Co thermoplastic magnets 86−42143
Oka, K. *see* Ando, T. 86−42201
Oka, K. *see* Kobo, K. 86−54848, 87−13329
Oka, K. *see* Sato, K. 86−15234, 87−53584
Oka, K. *see* Satoh, K. 86−28611

Oka, K. *see* Yorozu, T. 88−33501
Oka, M., Fukumoto, A., Osato, K., Kubota, S. A new focus servo method for magneto-optical disk systems 88−45242
Oka, M. *see* Fujimura, K. 88−31848
Oka, M. *see* Kajio, K. 88−31847
Oka, M. *see* Murai, M. 85−52061
Oka, M.M., Chatterjee, D. Energy efficient loom and textile motors 85−39391
Oka, N. *see* Sekigawa, T. 85−55712
Oka, R. LSI oriented architecture for cellular feature extraction [character recognition] 85−36430
Oka, R. A method of recognizing phonemes in continuous speech using vector field feature 86−59238
Oka, R. Recognition of VCV in continuous speech using normalized segment feature of vector field 86−59245
Oka, R. Phonemic recognition of each frame with vector field feature using continuous dynamic programming 87−19607
Oka, R. Comparison studies on the effectiveness between the vector field of spectrum and spectrum for speech recognition 87−27247
Oka, R. Phonemic recognition of each frame by partial matching method based on continuous dynamic programming 87−61621
Oka, R. The cellular frame model for representation and aggregation of knowledge in image understanding 88−3206
Oka, R., Hyamizu, S. Trial of sentence recognition of continuous speech using vector continuous dynamic programming 86−59232
Oka, R., Kasvand, T., Rioux, M. Cross-angle transform for viewer-independent recognition of 3-D objects 86−4039
Oka, R. *see* Hayamizu, S. 86−59231, 86−59239
Oka, R. *see* Kasvand, T. 88−73242
Oka, S. Business communications systems and applications of APEX/NEAX2400 86−55103
Oka, S. *see* Enomoto, E. 85−36557
Oka, S. *see* Enomoto, O. 85−63463
Oka, S. *see* Matsui, M. 88−49872
Oka, S. *see* Tarui, Y. 88−18755, 88−39576
Oka, S. *see* Yamamoto, K. 85−4646
Oka, T. *see* Koo, J. 86−38886
Oka, Y., Guharay, S.K., Sakurai, K., Kaneko, O., Kuroda, T. Development of a large bucket plasma source 87−70980
Oka, Y., Kasahara, T., An, S. Concept and nuclear performance of direct-enrichment fusion breeder blanket using UO_2 power 85−48690
Oka, Y. *see* Arashi, H. 85−2260, 86−3121
Oka, Y. *see* Borland, J. 88−33321
Oka, Y. *see* Kobayashi, T. 85−59719
Oka, Y. *see* Kondo, S. 87−50957
Oka, Y. *see* Kuroda, T. 88−4771
Oka, Y. *see* Uchida, K. 87−50804
Oka, Y. *see* Yoshida, K. 86−9405
Oka Ryu-ichi *see* Ryu-ichi Oka
Okabayashi, H. Multilevel metallization technology for VLSI 85−50670
Okabayashi, H. Surface planarization technology for VLSI 86−35800
Okabayashi, H. Recent progress in sputtered VLSI materials: surfaces and interfaces 88−12073
Okabayashi, H., Nagasawa, E., Morimoto, M. Refractory silicides formed by ion implantation through metal technique and their applications to devices 85−12225
Okabayashi, H. *see* Higuchi, K. 85−1389
Okabayashi, H. *see* Mogami, T. 85−34889, 85−50414, 86−28435, 88−20101
Okabayashi, H. *see* Nagasawa, E. 87−25171, 87−45825
Okabayashi, H. *see* Nagaswa, E. 87−45760
Okabayashi, H. *see* Tanikawa, A. 88−19857
Okabayashi, I. *see* Kadota, H. 87−59606, 88−6900
Okabayashi, I. *see* Kawamura, M. 86−22288
Okabayashi, K., Goto, F., Abe, K., Yoshida, T. Electrochemical studies of polyaniline and its application 87−43362
Okabayashi, K. *see* Goto, F. 87−78882
Okabayashi, M., Shimamoto, H., Sugikata, T., Tsubakihara, M., Kayamori, R., Saeki, Y., Miyazaki, Y. Aluminium electrolytic capacitors 'P series' for audio applications 88−57014
Okabayashi, O. *see* Meguro, T. 88−19656
Okabe, H. *see* Osaka, T. 87−74519
Okabe, J., Kumamoto, A., Hirane, Y., Tanaka, H. Independent closed-loop control of two induction motors paralleled to a single inverter and its application to an automatically guided carrier vehicle 86−6767
Okabe, K., Hamada, H., Miura, T. Headphone responses on real ears and a head and torso simulator 87−20777
Okabe, K., Kanno, S., Enokida, T., Hamada, H., Miura, T. Dummy head microphone and its application to the measurements of electro-acoustic equipment 86−31068
Okabe, K., Ozawa, M. Operation results of oil and LPG fired variable pressure operation supercritical once-through steam generator for the Sendai Power Station No.2 500 MW unit of Kyushu Electric Power Company Inc 86−70806
Okabe, K., Sasaki, Y., Mitsuishi, T. Laser sintering of VO_2 thick-film elements 87−6286
Okabe, K. *see* Hamada, H. 86−32601
Okabe, K. *see* Ohta, T. 87−66460
Okabe, K. *see* Sasaki, I. 86−20716, 87−55059
Okabe, M. Dust cores for switching regulator 86−68172
Okabe, M. Compound pushbutton switch 87−59944
Okabe, M., Tatsuki, M., Sakaue, K., Hirao, T., Kuramitsu, Y. An ECL gate array hardened against soft errors 87−59421
Okabe, M. *see* Endo, T. 87−51844
Okabe, M. *see* Ikeda, H. 87−18529
Okabe, M. *see* Tatsuki, M. 86−973, 86−47772
Okabe, N., Toriwaki, J. Path extension method for variable neighborhood distance transformation of 2- and 3-dimensional digitized pictures 88−59325
Okabe, N., Toriwaki, J., Sun, W., Tayama, N., Otawara, I. Comments on 'Distance transformation and reconstructable skeleton of three-dimensional digital binary images' [and reply] 87−33807
Okabe, S., Aoki, M., Nishikawa, T. Consideration on the measurement of α and β rays with the exoelectron dosimeter 87−37799
Okabe, S., Chiba, M., Kouno, T. Calculation method of flashover voltage of gas mixtures 86−9325
Okabe, S., Kouno, J. Flashover properties and calculated values of binary mixtures of SF_6, N_2, O_2 and Ar 87−6930
Okabe, S., Kouno, T. Experimental and theoretical investigations of flashover properties of $SF_6+CCl_2F_2$ gas mixtures 85−62129
Okabe, S., Kouno, T. Evaluation of synergism in flashover voltage properties of gas mixtures 86−42006
Okabe, S., Kouno, T. Insulating properties of binary gas mixtures consisting of electro-negative gases 87−46252
Okabe, S., Kuffel, E. Volt-time characteristics of rod-sphere gaps in gas mixtures comprising SF_6, c-C_4F_8, -CO and dry air, -SF_6 85−29367
Okabe, S., Sassa, A., Azaki, H. A test of two-variable Hurwitz-polynomial (an identification method for two-variable Hurwitz polynomial) 85−22380
Okabe, T. CW magnetron in the 500 kW class 88−64199
Okabe, T., Hoda, Y. Auto focus 85−14440
Okabe, T., Kimura, M., Shimizu, I., Nagai, Y., Hoya, K. A flat-panel display control IC and 150 V drivers 87−21178
Okabe, T., Kimura, M., Shimizu, I., Nagai, Y., Nagata, M. 180V analog-compatible, high-speed logic utilizing semi-well isolation technology 85−54854
Okabe, T., Sato, K. Experimental systems for diagnostic image management 86−32407
Okabe, T. *see* Ejiri, Y. 88−9557
Okabe, T. *see* Itoh, H. 87−18172
Okabe, T. *see* Kato, M. 85−23744
Okabe, T. *see* Kimura, M. 85−40048, 87−21152
Okabe, T. *see* Nakamura, T. 85−35153, 86−9109
Okabe, T. *see* Nakazato, K. 85−40884, 86−8194
Okabe, T. *see* Ohke, S. 87−7144
Okabe, T. *see* Okada, Y. 85−35074, 85−40866, 86−47527
Okabe, T. *see* Sakamoto, K. 87−23933
Okabe, T. *see* Sato, H. 86−1180
Okabe, T. *see* Washio, K. 85−35151, 87−67336
Okabe, T. *see* Watanabe, K. 86−35445, 87−32413, 88−7392, 88−7582
Okabe, T. *see* Watanabe, T. 85−37291
Okabe, T. *see* Yoshida, I. 88−71580
Okabe, Y. The data capture IF-85 lives up to its name [data gathering device] 87−20977
Okabe, Y. High T_c superconductivity electronics 88−58032
Okabe, Y., Anprung, P., Fukuoka, K. Superconductive controlled weak-links 87−7049
Okabe, Y., Inoue, A., Sugano, T. Self-biasing logic/memory cell with wide margin 85−46077
Okabe, Y., Kusuhara, A., Mizuno, M., Horiuchi, K. High reliability silver paste for die bonding 88−64156
Okabe, Y., Takatsu, M. Josephson junctions with short semiconductor links separated by oxidized layer 86−15428
Okabe, Y., Umehara, T. Comments on 'Four polarizations filter for frequency reuse' [and reply] 87−37521
Okabe, Y. *see* Fukuoka, K. 88−13757
Okabe, Y. *see* Funakubo, H. 87−41983, 88−30051
Okabe, Y. *see* Goto, F. 85−18569
Okabe, Y. *see* Hamasaki, K. 87−67890
Okabe, Y. *see* Hayashi, H. 85−38029
Okabe, Y. *see* Hirano, K. 87−24719
Okabe, Y. *see* Inoue, A. 87−74601, 88−20316, 88−71980
Okabe, Y. *see* Koiwa, I. 86−58660
Okabe, Y. *see* Miyake, H. 85−45015, 85−54831
Okabe, Y. *see* Nakayama, A. 85−1863, 88−12086
Okabe, Y. *see* Okuyama, M. 88−41592
Okabe, Y. *see* Osaka, T. 85−7137, 86−9404, 88−13667
Okabe, Y. *see* Saito, H. 85−18616
Okabe, Y. *see* Sakamoto, K. 86−41758
Okabe, Y. *see* Sugano, T. 85−56221
Okabe, Y. *see* Yamaoka, S. 87−65215, 88−37982
Okad, H. *see* Matsushita, T. 88−35561
Okada, A. Strictly perfect equilibrium points of bimatrix games 85−282
Okada, A. Complete inflation and perfect recall in extensive games 87−65319
Okada, A., Mori, T., Kawashima, E. EPOCLAN (FACOM 9450 series LAN system) 87−62630
Okada, A., Morii, S., Wada, S. Study of HID lamps with reduced acoustic resonances 88−11477
Okada, A. *see* Akiba, T. 85−42290
Okada, A. *see* Arima, T. 85−52245
Okada, A. *see* Kuriyama, K. 86−46318
Okada, A. *see* Terashima, K. 86−52435
Okada, A. *see* Wada, S. 87−60040
Okada, E., Minamitani, H. Spurious frequency spectra caused by the scattered light from transparent channel walk in laser Doppler velocimetry 87−61294
Okada, E., Minamitani, H., Fukuoka, Y. Velocity and moving angle measurements of solid surfaces by simple velocimetry 88−60927
Okada, E. *see* Fukuoka, Y. 88−47724
Okada, F., Nikawa, Y., Honda, S., Shibata, C., Tamai, H., Minamitani, Y. Design of CW high power nonreciprocal phase shifter 88−51354
Okada, F. *see* Hirai, S. 88−61429
Okada, F. *see* Nikawa, Y. 87−57225, 88−61415, 88−61430
Okada, F. *see* Ohwi, K. 85−28727, 87−971, 88−50311
Okada, F. *see* Otsuka, E. 88−61431
Okada, F. *see* Tashiro, S. 85−52846, 87−14482
Okada, G. Complex impedance measurement system by using wave memory and personal computer 88−36177
Okada, G. *see* Kobayashi, K. 88−72210
Okada, H. Multi-capacity-limits (MCL) property on data delay performance in integrated voice/data multiplex structure 85−19567
Okada, H. Delay behavior of data traffic in an integrated voice/data multiplex structure: multi-capacity-limits (MCL) property 86−43411
Okada, H. Satellite communications 88−22010
Okada, H. Earth stations for satellite news-gathering operations 88−53442
Okada, H., Abe, K., Okada, M. Development of application programs for distributed processing equipment 87−8099
Okada, H., Ezaki, T., Ogawa, K., Koba, H., Takeo, M., Funaki, K., Sato, S., Irie, F., Chikaba, J., Terazono, K., Takamatsu, M., Kawakami, M., Hirano, M. Experimental study of SMES system with DC intertie for power line stabilization 88−75175
Okada, H., Ichida, Y., Zhang, H., Sugiura, O., Matsumura, M. Fully self-aligned amorphous-silicon MOS transistors 87−11800
Okada, H., Ikebata, H. Priority schemes of multichannel CSMA/CD for advanced multi-media networks 88−46350
Okada, H., Katsumata, T., Eguchi, M., Fukuda, T. A new apparatus for double-crucible LEC GaAs crystal growth 87−52097
Okada, H., Katsumata, T., Inada, T., Nakajima, M., Obokata, T., Fukuda, T. Influences of native defect EL2 on uniformity of electrical properties in LEC dislocation free GaAs crystals 87−60106
Okada, H., Katsumata, T., Obokata, T., Fukuda, T., Susaki, W. LEC growth of undoped SI GaAs single crystals for opto-electronic application 86−57417
Okada, H., Komori, Y. High quality sound system for VCR model SVH-PH40 86−69947
Okada, H., Nara, Y., Uchida, Y., Watanabe, Y., Matsumura, M. A high-speed amorphous-silicon dynamic circuit 86−35729
Okada, H., Nomura, Y., Nakanishi, Y. Multichannel CSMA/CD method in broadband-bus local area networks 85−42286
Okada, H., Ohno, S. Analysis of an integrated token-passing and CSMA/CD ring network in LAN environment 87−27725
Okada, H., Ohno, S. A new resolvable-contention access control scheme for ring-typed LANs with high-speed links; ReC-ring 88−3304
Okada, H., Okuda, T., Koyama, T. Experiment on tape-to-head contact of stationary head multitrack recorder 88−15862
Okada, H., Uchida, Y., Arai, K., Oda, S., Matsumura, M. Vertical-type amorphous-silicon MOSFET ICs 88−63626
Okada, H., Uchida, Y., Arai, M., Oda, S., Matsumura, M. Vertical-type amorphous-silicon MOSFET IC's 88−19979
Okada, H., Uchida, Y., Matsumura, M. Numerical analysis on dynamic performance of amorphous-silicon transistor circuits 86−41966
Okada, H., Uchida, Y., Matsumura, M. High-mobility amorphous-silicon MOS transistors 87−11798

Okada, H., Uchida, Y., Watanabe, Y., Matsumura, M. Self-alignment a-Si FET by using a lift-off technique 85—55810
Okada, H. *see* Du, R. 87—33840, 87—40023, 88—34863, 88—46343
Okada, H. *see* Fukui, S. 85—58112
Okada, H. *see* Harumi, K. 88—49924
Okada, H. *see* Hayashi, T. 86—36829
Okada, H. *see* Ikebata, H. 88—34864
Okada, H. *see* Ishikawa, M. 87—51539
Okada, H. *see* Kagami, M. 88—68191
Okada, H. *see* Katsumata, T. 87—16565, 87—32247
Okada, H. *see* Kustom, R. 85—49130
Okada, H. *see* Kustom, R.L. 85—56253
Okada, H. *see* Miyazawa, K. 86—49113
Okada, H. *see* Mori, T. 87—37636
Okada, H. *see* Murotsu, Y. 86—7554
Okada, H. *see* Nomura, Y. 85—13923, 86—69421
Okada, H. *see* Oda, S. 88—39473
Okada, H. *see* Ohno, S. 87—40411
Okada, H. *see* Okuda, T. 85—58444
Okada, H. *see* Orito, F. 86—46304
Okada, H. *see* Rongping Du 86—16623
Okada, H. *see* Uo, K. 85—32808
Okada, H. *see* Yamamoto, T. 85—13674
Okada, H. *see* Yano, S. 85—17053
Okada, H. *see* Yoneda, K. 88—6869
Okada, I., Saitoh, Y., Itabashi, S., Yoshihara, H. A plasma X-ray source for X-ray lithography 86—38727
Okada, I. *see* Une, A. 88—13213
Okada, I. *see* Yamamoto, A. 86—50263
Okada, I. *see* Yoshihara, H. 87—14807
Okada, J., Kawakami, Y., Hidai, M. Coating ferrite powder with a surface active agent containing fluorine 87—38651
Okada, K. A digital contour-corrector for a high-definition TV camera 85—52517
Okada, K. A design and the characteristics of the optical wavelength meter 86—31689
Okada, K. Ultrasonic measurement of anisotropy in rolled materials using surface waves 87—15111
Okada, K. Design and characteristics of an optical wave meter 87—56868
Okada, K. ASIC business and technology in Japan 88—20135
Okada, K. Experiences with flow-induced vibration and low frequency noise due to rotating stall of centrifugal fan 88—23594
Okada, K. Analog measuring contributes to digital processing 88—29504
Okada, K. Diagnosis of machines and equipments by sound 88—30200
Okada, K. Japanese programs and facilities for synchrotron radiation lithography and problems related to resists 88—64441
Okada, K., Fujii, K., Kawase, Y., Nagano, M. Development of highly reliable synchrotron radiation lithography beamline 88—39304
Okada, K., Kano, S., Ishikawa, H. ISDN network interworking in NTT 88—46698
Okada, K., Matsui, J. Study of exposure atmosphere effect on PGMA negative resist cross-linking in X-ray lithography using 1-3 keV soft X-ray sources 85—55631
Okada, K., Matsui, J. Thorough investigations on the resolution of replicated resist patterns in conventional X-ray lithography 86—21328
Okada, K., Ohfuji, T., Matsui, J. Polyvinyl alcohol film coating effect on novolac based positive electron resist sensitivity in X-ray lithography in an atmospheric environment 86—1868
Okada, K., Ose, T. Holographic three-dimensional display of X-ray tomogram 88—40391
Okada, K., Shirai, G., Yokoyama, R. Load frequency control incorporating time delay 87—78001
Okada, K., Tsubokura, F., Matsuura, H., Koyata, K., Kudo, O., Murayama, M., Fujii, K., Sato, M., Takamasu, H. CMOS-4R gate array with memory 87—31817
Okada, K., Yokoyama, R., Shirai, G., Sasaki, H. Decentralized load frequency control with load demand prediction in multi-area power systems 88—42823
Okada, K., Yoshida, M. Contact voltage drop and wear of self-lubricating Ag-Pd alloy base composite materials 88—7109
Okada, K., Yoshida, M. An evaluation method for reliable transit communications network structures 88—34862
Okada, K., Yoshida, M. Contact voltage drop and wear of self-lubricating Ag-Pd alloy base composite materials 88—38810
Okada, K. *see* Fujiki, N. 88—28714
Okada, K. *see* Hatakeyama, M. 85—19946
Okada, K. *see* Imase, M. 85—33290, 85—47341
Okada, K. *see* Iwata, H. 87—3308
Okada, K. *see* Kamikubota, N. 86—50444
Okada, K. *see* Kita, A. 85—49084
Okada, K. *see* Matsumoto, M. 87—66704
Okada, K. *see* Miyazaki, M. 87—68220
Okada, K. *see* Mori, H. 87—3309
Okada, K. *see* Namura, K. 87—34841
Okada, K. *see* Noguchi, S. 88—50484
Okada, K. *see* Sasaki, S. 88—55039
Okada, K. *see* Shimada, S. 88—28555
Okada, K. *see* Shintani, H. 85—3277
Okada, K. *see* Soneoka, T. 86—64516
Okada, K. *see* Sugitate, T. 86—44555
Okada, K. *see* Suyama, M. 87—28331
Okada, K. *see* Suzuki, K. 85—55957, 87—6886, 87—11967
Okada, K. *see* Takemoto, K. 86—43865
Okada, K. *see* Tanaka, Y. 86—49824, 88—9764, 88—22293
Okada, K. *see* Watanabe, R. 85—3236
Okada, K. *see* Yamagata, J. 86—55307, 87—62941
Okada, K. *see* Yasaki, N. 85—39119
Okada, K. *see* Yoneda, E. 87—34543
Okada, M. Nonlinear refractive materials for bistable optical devices 85—12953
Okada, M. Storage volume of computer tomography images can be reduced by a factor of five 85—57462
Okada, M. A program to measure time intervals between R wave peaks in real-time mode 86—5935
Okada, M. Digital optical switching and logic devices 86—28889
Okada, M. Magnetism quantities measurement in cast iron pipe and pipelines and application of this technology in locating buried pipeline joints 88—5210
Okada, M. Design and characterization of high quality organic thin-solid films—organic molecular design for molecular electronic devices 88—7418
Okada, M., Ashiya, R., Watanabe, Y., Yamada, M. A 6-in high-resolution trinitron CRT for automotive applications 88—18194
Okada, M., Fukaya, H., Ido, T. Properties of tantalum oxide films deposited on silicon by CVD and sputtering 86—475
Okada, M., Homma, M. Magnetic properties and microstructures of Ce-Didymium-Fe-B sintered permanent magnets 86—22014
Okada, M., Ido, T., Moriyama, A. Properties of Ta_2O_5-Al_2O_3 mixed films deposited by the MOCVD method 86—26877
Okada, M., Itoh, A., Makino, S., Kido, K. Japanese conjugate word spotting in continuous speech using a syntactic driven continuous DP matching algorithm 88—34617
Okada, M., Kanda, T., Okada, M., Maruyama, N. A microcomputer-based device for quantitative analysis of alternate pronation and supination of forearms 86—5880
Okada, M., Kimura, S., Mihoko Okada Estimation of arterial pulse wave velocities in the frequency domain: method and clinical considerations 86—50531
Okada, M., Makino, S., Kido, K. Recognition of voiced plosives in consideration of coarticulation between a voiced plosive and its following phoneme using multiple regression model 86—54484
Okada, M., Makino, S., Kido, K. Recognition of phonemes at the word initial using a time-spectrum-pattern (TSP) 88—8713
Okada, M., Makino, S., Kido, K. Analysis of fluctuation factors in time series of power spectra of nasals and plosives in isolated words 88—21138
Okada, M., Murakami, M., Amemiya, M., Takai, S. Preparation of c-axis oriented $PbTiO_3$ thin films by MOCVD 88—70342
Okada, M., Nakada, M., Toki, K., Gokan, H., Iwanaga, T., Inada, H. Magneto-optical disks using PC substrates 87—60992
Okada, M., Nakajima, T., Eizuka, N., Okada, M., Saitoh, Y., Tamura, K. Computer animation of chest wall vibration 85—37998
Okada, M., Sasaki, Y., Iwanaga, T., Toki, K., Nakada, M., Inada, H., Sekiguchi, T., Gokan, H. High C/N magneto-optical disks using plastic substrates for video image applications 88—58269
Okada, M., Shiba, T., Horiguchi, S. Software development for an advanced Kanji and graphic data terminal system 85—13813
Okada, M., Sugimoto, S., Ishizaka, C., Tanaka, T., Homma, M. Didymium-Fe-B sintered permanent magnets 85—56084
Okada, M., Suminaga, Y., Hotta, Y., Nakahara, K., Sano, K. High density 4 M mask ROM 88—25211
Okada, M., Takizawa, K. Optical devices based on ferroelectric single crystals 86—54008
Okada, M., Toki, K., Esho, S. Erasing characteristics of magneto-optical recording media 86—68353
Okada, M. *see* Fukutomi, M. 86—518
Okada, M. *see* Himei, T. 85—44220
Okada, M. *see* Homma, M. 85—56124
Okada, M. *see* Inaoka, K. 88—43882
Okada, M. *see* Kobayashi, K. 85—44716
Okada, M. *see* Kobayashi, T. 86—42169
Okada, M. *see* Michiguchi, Y. 87—42211
Okada, M. *see* Midorikawa, K. 86—54074
Okada, M. *see* Miyazawa, K. 86—49113
Okada, M. *see* Nishiwaki, A. 88—72123
Okada, M. *see* Oda, H. 86—43776
Okada, M. *see* Okada, H. 87—8099
Okada, M. *see* Okada, M. 85—37998, 86—5880
Okada, M. *see* Okamoto, T. 86—43786, 86—64910
Okada, M. *see* Shibagaki, H. 85—63254
Okada, M. *see* Sugimoto, S. 85—56089, 88—57906
Okada, M. *see* Takahashi, M. 85—20190, 87—20489
Okada, M. *see* Takizawa, K. 86—23891, 86—43829, 88—51562
Okada, M. *see* Tanaka, K. 86—54557
Okada, M. *see* Tanaka, M. 87—77032
Okada, M. *see* Tanimoto, J. 86—27363
Okada, M. *see* Ueda, T. 88—7859
Okada, M. *see* Yumoto, S. 88—58257
Okada, N. Emotional function is needed for natural language understanding 88—27845
Okada, N. *see* Hasegawa, J. 88—54520
Okada, O., Honda, H. Magnetization and uniaxial anisotropy measurements for He^+ and H_2^+ implanted garnet films 87—7001
Okada, O., Honda, H. Magnetic anisotropy in H_2^+ implanted (100), (110) garnet films 87—60790
Okada, O., Honda, H. Magnetic anisotropy of ion-implanted (100), (110) garnet films 88—26658
Okada, O. *see* Hibiya, T. 85—5985
Okada, O. *see* Hidaka, Y. 88—1861
Okada, O. *see* Ninomiya, K. 85—23685, 85—61852, 87—74200, 88—26084
Okada, O. *see* Suzuki, K. 86—58402, 87—38135, 88—1541
Okada, S. NM-1 international network control system (INCS) 87—76064
Okada, S., Ohtsuka, H., Okada, T. A new transition-metal penta-chalcogenide cathode for secondary lithium cells 85—27612
Okada, S., Tanaka, T., Kashahara, H. A new high frequency cycloconverter 86—12919
Okada, S., Tanaka, T., Kashara, H. A new high frequency cycloconverter 87—30783
Okada, S. *see* Aizawa, I. 86—11303
Okada, S. *see* Fukumoto, A. 85—7085
Okada, S. *see* Hanma, K. 85—3684
Okada, S. *see* Kusama, Y. 87—45333
Okada, S. *see* Kuwahara, M. 85—2970
Okada, S. *see* Mambo, M. 85—36009
Okada, S. *see* Mito, T. 88—16542
Okada, S. *see* Nakayama, W. 88—49534
Okada, S. *see* Nishimura, K. 85—42370
Okada, S. *see* Sakurai, Y. 87—78877
Okada, S. *see* Shibata, I. 87—17572
Okada, S. *see* Shimizu, K. 86—60196
Okada, S. *see* Sumimoto, T. 85—48495, 87—29988, 87—77404
Okada, S. *see* Utsuki, M. 86—64823
Okada, S. *see* Yamada, M. 87—25801
Okada, S. *see* Yamamoto, Y. 86—34850
Okada, T. The color display tube for engineering workstation: a technical tour de force 87—20914
Okada, T. Superconducting electric power apparatus 87—53931
Okada, T., Enome, S. An application of one-bit correlation method to the spectral estimation of VLF radio waves 87—2533
Okada, T., Fukumoto, M., Yasohama, K., Yasukochi, K. Strain effects in cabled and braided 'in situ' formed Nb_3Sn conductors 86—28731
Okada, T., Hata, S., Takagi, Y. A method to recognize 3-dimensional objects in real time 87—8570
Okada, T., Hayakawa, M., Tanaka, Y., Iwai, A. On the polarization error of VLF direction-finding for close ionospheric exit points 86—69856
Okada, T., Hongu, M., Tanaka, Y. Flicker-free non interlaced receiving system for standard color TV signals 86—11238
Okada, T., Inoue, S., Ohga, T., Muraoka, K., Akazaki, M. An injection-locked single-mode TEA CO_2 laser for SMM laser pumping 86—9734
Okada, T., Itoh, M., Sakaguchi, T., Sakai, Y. Network facilities for communications processing 85—19665
Okada, T., Iwaki, T., Kasahara, H., Yamamoto, K. Probing the crystallinity of evaporated silicon films by Raman scattering 85—33484
Okada, T., Makino, M., Nakada, K. Edge-rounding machine for magnetic heads 86—28693
Okada, T., Matsuura, T., Yamaguchi, K. Resin mortar lining in small diameter shield tunneling system (D1200-M2) 86—20116
Okada, T., Nagano, I., Hashimoto, K., Kimura, I., Oya, H., Morioka, A. Design of a small loop antenna system for receiving waves in VLF and MF bands using a series-transformer network 87—68884
Okada, T., Nishijima, S. Comparative study of radiation damage and activation of superconducting magnet for fusion reactors 88—39851
Okada, T., Nishijima, S., Ichihara, C., Yamaoka, H. Activation problems of superconducting magnet materials used in fusion reactors 86—15437
Okada, T., Nishimura, F., Inoue, S., Muraoka, K., Akazaki, M. Operational characteristics of a tunable single-mode injection-locked TEA CO_2 laser 85—2202
Okada, T., Nitta, T., Shintani, T. On-load test of the 20 kVA superconducting generator 85—60152

Okada, T., Nitta, T., Shintani, T. Transient performance of the 20 KVA superconducting synchronous generator in power systems 87−78640
Okada, T., Nitta, T., Shintani, T., Ishigohka, T., Ninomiya, A. The basic test on a fully iron-less superconducting generator 86−51611
Okada, T., Niu, K. Microinstabilities in ion beam propagation [pulsed power generation] 88−62493
Okada, T., Rokugo, Y., Kuritani, K., Hayashi, K., Nakagawa, T., Yuasa, M., Oda, S., Sugahara, H., Nishina, T. MX3 digital multiplex equipment 86−4406
Okada, T., Rokugo, Y., Kuritani, K., Nakagawa, T., Kawano, O. A compact MX3 digital multiplexer (RC-28D) 87−40548
Okada, T., Sanemori, T. Vehicles in pipe for monitoring internal piping, MOGRER 87−14518
Okada, T., Takahata, K., Nishijima, S., Nakagawa, S., Yoshiwa, M. Magnetic shielding with superconducting wires 88−66101
Okada, T., Tamura, M., Shimada, Y., Yamamoto, Y., Hokimoto, T., Nukada, Y., Takahashi, T., Kawayachi, N., Kambayashi, Y., Obata, N., Ito, H., Sasaki, A., Otomo, N. A compact power-saving 60-channel transmultiplexer 86−23596
Okada, T., Tomita, S. An extended Fisher criterion for feature extraction−Malina's method and its problems 85−19505
Okada, T., Tomita, S. An optimal orthonormal system for discriminant analysis 85−41974
Okada, T., Tuwaki, T., Tomita, S. Design of a nonlinear feature extractor using a clustering 87−2560
Okada, T., Yamaguchi, T. Observation of left-handed polarized whistlers at Moshiri 86−29386
Okada, T. *see* Fujioka, K. 85−48129, 87−41965
Okada, T. *see* Hamanaka, T. 87−40905
Okada, T. *see* Hayakawa, M. 85−62784
Okada, T. *see* Hirano, Y. 85−62230
Okada, T. *see* Ishigohka, T. 88−69287
Okada, T. *see* Iwasaki, H. 86−48066
Okada, T. *see* Kakinuma, F. 86−27961
Okada, T. *see* Kambe, T. 86−57795, 87−6809
Okada, T. *see* Katagiri, K. 85−46025
Okada, T. *see* Kawasaki, I. 88−38567
Okada, T. *see* Kodaka, H. 86−15417
Okada, T. *see* Komatsu, Y. 88−30675
Okada, T. *see* Maruta, R. 85−58083
Okada, T. *see* Matsuki, J. 85−32452, 86−25471, 86−33251
Okada, T. *see* Mitsui, T. 85−32176
Okada, T. *see* Miyamoto, I. 86−48622
Okada, T. *see* Nishijima, S. 85−62261, 87−67814, 87−67931, 88−45019 to 45020
Okada, T. *see* Nishiura, T. 85−62260, 86−42192
Okada, T. *see* Nitta, T. 85−56252, 87−36178, 88−55292, 88−69328
Okada, T. *see* Ohta, K. 86−29388
Okada, T. *see* Okada, S. 85−27612
Okada, T. *see* Saito, Y. 85−29003
Okada, T. *see* Sakurai, Y. 87−78877
Okada, T. *see* Sato, H. 86−38705
Okada, T. *see* Shintani, T. 87−78579
Okada, T. *see* Shirai, Y. 88−75114
Okada, T. *see* Takahata, K. 88−66010
Okada, T. *see* Takeda, S. 86−24914, 88−54176
Okada, T. *see* Tobishima, S. 86−13012, 86−19457
Okada, T. *see* Watanabe, T. 87−71557
Okada, T. *see* Yamamoto, K. 86−30702
Okada, T. *see* Yamashita, H. 85−50797
Okada, T. *see* Yamashita, T. 88−65052
Okada, T. *see* Yoshida, H. 85−46047
Okada, Y. Miniaturization technology for aircraft motor and generator 85−15976
Okada, Y. Development and practical use of high strength steel 86−13829
Okada, Y. Power meter uses amorphous semiconductor as sensor 87−49876
Okada, Y., Arakawa, K., Sakai, T. An image storage and retrieval system for textile pattern adaptable to color sensation of the individual 88−34802
Okada, Y., Kaneko, K., Kudo, S., Yamazaki, K., Okabe, T. An advanced bipolar-MOS-I^{2}L technology with a thin epitaxial layer for analog-digital VLSI 85−35074
Okada, Y., Kaneko, K., Kudoh, S., Yamazaki, K., Okabe, T. ABC−an advanced bipolar-CMOS VLSI technology 85−40866
Okada, Y., Kodato, S., Nakamura, M., Obata, A. Microwave power meter with amorphous sensors 88−16455
Okada, Y., Matsuda, K., Nagai, B. Application of a high speed solenoid actuator to linear hydraulic servo-mechanism 87−19151
Okada, Y., Nakamura, T., Okabe, T., Nagata, M. A new 'SICOS' Schottky device 86−47527
Okada, Y., Orito, F. Anomalous reduction of lattice parameter by residual impurity boron in undoped Czochralski-grown GaAs 88−31706
Okada, Y., Shinomiya, S., Akiyama, K. Alternating torque characteristics of a 2-phase servomotor taking into account the driving impedance 87−4751
Okada, Y., Yoshida, S., Matsuda, T. Adaptive coding for text and dithered continuous-tone images 88−3459
Okada, Y. *see* Fujii, S. 87−10857, 87−17092
Okada, Y. *see* Higuchi, S. 88−41873
Okada, Y. *see* Hirano, K. 86−61562
Okada, Y. *see* Igarashi, O. 86−20052
Okada, Y. *see* Ishiuchi, H. 85−50731
Okada, Y. *see* Kasahara, K. 85−14906
Okada, Y. *see* Kodate, K. 87−18785
Okada, Y. *see* Kumashiro, Y. 85−39768, 85−45646, 85−55755
Okada, Y. *see* Mesuda, E. 87−14078
Okada, Y. *see* Miura, K. 85−3736
Okada, Y. *see* Mochizuki, J. 86−6824
Okada, Y. *see* Mochizuki, K. 88−53434
Okada, Y. *see* Mori, M. 88−6463
Okada, Y. *see* Morishita, M. 85−58348
Okada, Y. *see* Nakata, T. 88−52101
Okada, Y. *see* Niitsu, S. 88−22290
Okada, Y. *see* Ohtani, N. 88−13996
Okada, Y. *see* Saito, S. 86−8265, 86−20529
Okada, Y. *see* Schwarz, R. 87−25095, 87−74025
Okada, Y. *see* Shikama, T. 85−23511
Okada, Y. *see* Slobodin, D. 87−9866, 87−24812
Okada, Y. *see* Sunada, K. 88−53408
Okada, Y. *see* Tada, K. 87−18756, 87−26243
Okada, Y. *see* Tajima, H. 88−41608
Okada, Y. *see* Tamura, Y. 87−77419
Okada, Y. *see* Washio, K. 87−67336
Okada, Y. *see* Williamson, S.J. 85−43331
Okada, Y. *see* Yanagisawa, T. 86−5435, 86−50168
Okada, Y. *see* Yao, T. 86−63169, 87−36736, 88−38191
Okada, Y. *see* Yasumura, M. 87−13910
Okada Mihoko *see* Mihoko Okada
Okado, H. *see* Mori, T. 85−16164
Okagaki, T. The maximum divergence (expectation of information) of receiver operating characteristics (ROC): a figure of merit of an integral system of a machine and a human 88−40769
Okagaki, T., Hsing, R., Tzou, K.H., Jones, M.H., Clark, B.A., Pan, T., Ferro, J.M. On-line archiving and enhancement of diagnostic electron microscope images in medicine 85−31826
Okagaki, T., Hsing, T.R. Fast algorithm for pattern recognition using test theory 88−59310
Okagaki, T., Jones, M.H., Clark, B.A., Pan, T., Ferro, J.M., Hsing, R., Tzou, K.H. Computer archiving and image enhancement of diagnostic electron micrographs using scanning transmission electron microscope as real-time digitizer 85−64581
Okagaki, T. *see* Tzou, K.-H. 86−32279
Okagaki, T. *see* Tzou, K.H. 85−64582
Okagawa, A. Sensory evaluation of paper and print quality 85−5807
Okagawa, S., Nishimura, M., Wada, N., Orimo, K. Hydrogen generation from materials for optical fiber cables 87−8331
Okagawa, S., Nishinura, M., Mizota, Y., Sato, N., Oda, N., Mo Ogai, Orimo, K. A new UV-resin/Nylon tightly jacketed optical fiber having excellent low-temperature property 86−42334
Okagawa, S. *see* Kato, K. 87−7166
Okahara, A. *see* Goto, Y. 88−17783
Okahara, A. *see* Mushiga, M. 85−39144
Okahara, H. *see* Kera, Y. 85−39189
Okahara, K. Audio system for large motorcycles 88−74188
Okahata, D.M. *see* Current, K.W. 87−67544, 88−39670
Okai, H., Omura, K., Tanaka, K. New standardization system in telecommunications−trends in standardization by the private sector after deregulation 87−40066
Okai, H., Terasaki, A., Nanba, M., Inada, S. Outline of the new telecommunication legislation−technical provisions related to the Telecommunications Business Law 86−54641
Okai, M., Tsuji, S., Chinone, N. Ellipsometric evaluation of shape of corrugations for DFB-LD 88−34004
Okai, M., Tsuji, S., Hirao, M., Matsumura, H. New high-resolution positive and negative photoresist method for λ/4-shifted DFB lasers 87−46856
Okai, M. *see* Yonemitsu, M. 86−40230
Okaii, M., Imai, H. An automatic and absolute edge position measuring system utilising optical fibre sensors 86−60347
O'Kain, D.U. *see* Olszewski, M. 87−42053
Okaji, M., Imai, H. A high-temperature dilatometer using optical heterodyne interferometry 87−70579
Okajima, K., Ueda, K., Takami, K., Ishimatsu, K., Hayashi, T., Torizuka, K. Performance study of the whole-body, multilayer positron computed tomograph−PCTW-II 85−48238
Okajima, M., Kawachi, M., Sato, T., Hirahara, K., Kamata, A., Beppu, T. MOCVD growth of arsenic doped zinc selenide 87−23731
Okajima, M., Watanabe, Y., Muto, Y., Yamamoto, M., Motegi, N. A new transverse-mode stabilized GaAlAs laser with a slab-coupled waveguide grown by MOCVD 85−35796
Okajima, M. *see* Doniwa, K. 87−77668
Okajima, M. *see* Hishida, E. 85−63871
Okajima, M. *see* Kamata, A. 87−23732, 88−31772
Okajima, M. *see* Nakamura, M. 85−52378, 87−56122
Okajima, S., Yamanaka, M., Nishizawa, A., Makino, S., Kondo, M., Kon, S., Fujita, J. Stabilization of a CO$_2$ pump laser using external CH$_3$OH Stark-cell modulation 85−46322
Okajima, S. *see* Ichikawa, Y. 86−29082
Okajima, S. *see* Tetsuka, T. 86−11597
Okajima, T. *see* Hikihara, T. 88−75590
Okajima, T. *see* Ueoka, M. 88−53796
Okajima, Y., Toyoda, K., Awaya, T., Tanaka, K., Nakamura, Y. 64Kb ECL RAM with redundancy 86−14217
Okamaoto, T., Shiraishi, A. A digital signature scheme based on polynomial operations 86−68990
Okamato, H. *see* Iwamura, H. 85−35611
Okamato, T., Suzuki, T., Matsui, N. EXAFS and XANES study on spinel structure materials and their application to humidity sensors 87−35048
Okamato, T., Takahara, Y., Akitake, I., Kuwamoto, Y. Baseband unit for portable cellular radio telephone 87−76617
Okamine, S., Nakao, T., Maeda, T., Takahashi, M., Ohta, N. Domain shapes of field modulation recorded TbFeCo and GdTbFeCo magneto-optical disks 88−64943
Okamine, S. *see* Nakao, T. 88−45238
Okamine, S. *see* Takayama, S. 88−58259
Okamoto, *see* Ohmori, Y. 86−9856
Okamoto, A., Ohata, K. Selective epitaxial growth of InAs on GaAs by molecular beam epitaxy 87−65516
Okamoto, A., Ohata, K. Selective epitaxial growth of gallium arsenide by molecular beam epitaxy 88−12935
Okamoto, A., Sato, K., Mishima, T., Sakuraba, I. Fourier transformed coupled wave-equation of two-photon-pumped image upconverter 88−40356
Okamoto, A., Serikawa, T. In situ phosphorus-doped silicon film depositions by magnetron sputtering in phosphorus vapor 85−39790
Okamoto, A., Serikawa, T. Magnetron-sputtered silicon films for gate electrodes in MOS devices 87−74315
Okamoto, A., Sunakawa, H., Terao, H., Watanabe, H. Extremely uniform growth of GaAs and GaAlAs by low pressure metalorganic chemical vapor deposition on three-inch GaAs substrates 85−39755
Okamoto, A., Terao, H., Kamejima, T. Uniform epitaxial growth of modulation-doped GaAs/Ga$_{0.7}$Al$_{0.3}$As on three-inch substrate by metalorganic chemical vapor deposition 86−34327
Okamoto, A., Toyoshima, H., Ohata, K. Strained N-Ga$_{0.7}$Al$_{0.3}$As/In$_x$Ga$_{1-x}$As/GaAs modulation-doped structures 87−53245
Okamoto, A., Toyoshima, H., Ohata, K. Strained N-Ga$_{0.7}$Al$_{0.3}$As/In$_{0.23}$Ga$_{0.77}$As/GaAs 2DEG FET with large band offset 87−60503
Okamoto, A. *see* Hayama, N. 87−45885
Okamoto, A. *see* Hida, H. 87−18130, 87−46228
Okamoto, A. *see* Hilda, H. 87−59849
Okamoto, A. *see* Madihian, M. 88−19105
Okamoto, A. *see* Serikawa, T. 85−28248, 85−60991 to 60992, 87−38286
Okamoto, A. *see* Suyama, S. 88−12022, 88−13125
Okamoto, A. *see* Toyoshima, H. 87−11731, 87−60409, 88−49860
Okamoto, A. *see* Yamaguchi, M. 85−49319
Okamoto, E. Proposal for identity-based key distribution systems 87−19388
Okamoto, E., Tanaka, K. Key distribution system based on identification information 88−45940
Okamoto, E. *see* Matsumoto, T. 88−21077
Okamoto, E. *see* Mitamura, Y. 88−36518
Okamoto, E. *see* Nakamura, K. 87−1597
Okamoto, E. *see* Uehara, T. 87−19402
Okamoto, H. Optical properties of superlattice and MQW laser diode 85−46384
Okamoto, H. Optical properties of superlattice and MQW laser diode 85−56657
Okamoto, H. Photogenerated carrier transport 86−2932
Okamoto, H. Organizational and personnel problems in introducing technical licence 86−7450
Okamoto, H. Numerical analysis of dipole distribution and residual charges in dielectrics 86−68021
Okamoto, H. Quantum well laser diode 87−7382
Okamoto, H. Semiconductor quantum-well structures for optoelectronics. Recent advances and future prospects 87−37950
Okamoto, H. Experimental investigation by acoustic method on flow noise of granular mass 87−50006
Okamoto, H., Fukunaga, K., Iwashita, Y., Sawamura, M., Inoue, M., Takekoshi, H. Design of 433.3-MHz proton RFQ linac 88−16569
Okamoto, H., Fukunaga, S., Iwashita, Y., Inoue, M., Takekoshi, H. Design of proton RFQ linac 87−14643

Okamoto, H., Iwashita, Y. Study of permanent magnet quadrupole lens for proton linac 86−70281
Okamoto, H., Iwayanagi, T., Mochiji, K., Umezaki, H., Kudo, T. Peroxopolytungstic acids: a new inorganic resist material 86−67781
Okamoto, H., Kida, H., Hamakawa, Y. Spectroscopic characterization of material and junction in amorphous silicon solar cells 86−33661
Okamoto, H., Kida, H., Kamada, T., Hamakawa, Y. Below-gap primary photocurrent associated with correlated defects in hydrogenated amorphous silicon 86−21104
Okamoto, H., Watanabe, Y., Kadota, Y., Ohmachi, Y. Dislocation reduction in GaAs on Si by thermal cycles and InGaAs/GaAs strained-layer superlattices 88−24731
Okamoto, H. *see* Arai, T. 85−3793, 85−37365, 87−14033
Okamoto, H. *see* Fukuhara, J. 87−70405
Okamoto, H. *see* Fukuta, M. 87−43330
Okamoto, H. *see* Hamakawa, Y. 86−7018, 86−13088, 87−4964, 87−22777, 87−78902, 88−17990
Okamoto, H. *see* Hanaki, K. 87−9750
Okamoto, H. *see* Hattori, Y. 88−37492
Okamoto, H. *see* Hayashi, K. 87−20802
Okamoto, H. *see* Hirayama, Y. 85−23509, 86−1786, 86−21201, 86−27872, 88−57440
Okamoto, H. *see* Ichikawa, Y. 88−2335
Okamoto, H. *see* Iguchi, H. 86−70146
Okamoto, H. *see* Imaeda, K. 86−25126
Okamoto, H. *see* Ishikawa, A. 87−9749
Okamoto, H. *see* Iso, Y. 87−20780
Okamoto, H. *see* Iwamura, H. 85−18142, 85−34561, 86−29164
Okamoto, H. *see* Katsumoto, M. 86−31344
Okamoto, H. *see* Koshizaka, S. 86−43779
Okamoto, H. *see* Kroemer, H. 85−2301
Okamoto, H. *see* Kruangam, D. 86−22257, 86−29012, 87−26224, 88−26990, 88−45311, 88−65504
Okamoto, H. *see* Kudo, T. 88−13200
Okamoto, H. *see* Masumoto, Y. 85−41472, 86−47351
Okamoto, H. *see* Nishiyama, T. 88−45995
Okamoto, H. *see* Ohmori, Y. 86−54160
Okamoto, H. *see* Ploog, K. 86−2936
Okamoto, H. *see* Sakaki, H. 85−23501
Okamoto, H. *see* Sakata, T. 88−54730
Okamoto, H. *see* Saku, T. 85−35740
Okamoto, H. *see* Suzuki, M. 85−28450
Okamoto, H. *see* Suzuki, Y. 85−45441, 87−25084
Okamoto, H. *see* Tarucha, S. 85−62404, 86−28887, 87−2111
Okamoto, H. *see* Wei Guang-Pu 86−11834, 87−8609
Okamoto, H. *see* Yamagishi, H. 86−8808, 87−12303
Okamoto, H. *see* Yano, T. 88−22459
Okamoto, H. *see* Yoshida, K. 88−45500
Okamoto, I., Koyanagi, S., Higaki, H., Terada, K., Sebata, M., Takai, H. An active suspension system for railroad passenger cars 87−79092
Okamoto, I. *see* Ejiri, Y. 88−9379
Okamoto, I. *see* Otani, H. 85−55326
Okamoto, J., Satoh, K., Yamashita, K. An experiment of SN ratio and quality evaluation of images 85−2894
Okamoto, J., Satoh, K., Yamashita, K. An experiment to investigate the importance of phase for speech 86−3804
Okamoto, J., Yamagami, T., Ogata, T., Shimada, K., Oshima, N. Thin and lightweight liquid crystal display module 87−56758
Okamoto, J., Yamashita, K. An approach to the importance of phase components in speech spectrum to the basilar membrane in the cochlea 87−69065
Okamoto, J. *see* Hatada, K. 86−1602
Okamoto, K. A study of electromagnetic field around delay line having various construction of outer conductor 85−55212
Okamoto, K. A calculation of the effect of sea clutter on the remote sensing of rain by a spaceborne weather radar 85−59501
Okamoto, K. Delay-line-type inductive diffusion cable for roadside radio communication systems 85−63479
Okamoto, K. Outer conductor shields and electromagnetic fields around delay tube inductive communication cables 86−10950
Okamoto, K. Reading of magnetically recorded bits by amorphous GdFe Hall element with high sensitivity to in-plane field 86−60223
Okamoto, K. Evaluation of magnetic anisotropy of RE-TM thermomagnetic recording films by the measurement of Hall hysteresis loop under obliquely applied magnetic field 86−68152
Okamoto, K. A study of electromagnetic field around delay line having various constructions of outer conductor 86−68805
Okamoto, K. Outer conductor shields and electromagnetic fields around delay-type inductive communication cables 87−7546
Okamoto, K. Simple laser-light modulator with acrylic plate Faraday rotator for educational use 87−56148
Okamoto, K. Optical communication techniques. IV. Light propagation in optical fibers 88−26768
Okamoto, K., Furuta, M., Yamaguchi, K. Lateral growth on (110) GaAs substrates by metalorganic chemical vapor deposition 88−43887
Okamoto, K., Hosaka, T. Polarization-dependent chromatic dispersion in birefringent optical fibers 87−38792
Okamoto, K., Hosaka, T., Itoh, H. Measurement of chromatic dispersion in Ti-diffused $LiNbO_3$ optical waveguides 88−26855
Okamoto, K., Hosaka, T., Noda, J. High-birefringence polarizing fiber with flat cladding 86−2719
Okamoto, K., Iwase, M. Reactive atom beam etching of GaAs 87−38134
Okamoto, K., Matsuoka, S., Nishiwaki, Y., Yoshida, K. InGaAsP double-heterostructure optical waveguides with p^+-n junction and their electroabsorption 85−7285
Okamoto, K., Miura, N. Measurements of perpendicularity of magnetic field in a polar Kerr magnetooptical loop tracer using a nickel film with oblique magnetic anisotropy 85−31575
Okamoto, K., Miura, S. Excitation mechanism in thin-film electroluminescent devices 87−26218
Okamoto, K., Miyashita, H. Comparison between front-side and back-side irradiation in rapid lamp-annealing of silicon-implanted GaAs 87−53341
Okamoto, K., Miyata, M., Kishigami, H., Miyamori, T., Sato, T. Design considerations for 32-bit microprocessor TX3 88−44229
Okamoto, K., Miyazawa, H., Nada, J., Suruwatari, M. Novel optical isolator consisting of a YIG spherical lens and PANDA-fibre polarisers 85−18681
Okamoto, K., Morioka, T., Yokohama, I., Noda, J. All-PANDA-fibre multi/demultiplexer utilising polarisation beat phenomenon in birefringent fibres 86−30780
Okamoto, K., Nakahata, K., Aiuchi, S., Nomoto, M., Hara, Y., Hamada, T., Nakagawa, K., Yabuhara, Y., Nakasima, S., Kawashima, H. An automatic visual inspection system for LSI photomasks 85−35119
Okamoto, K., Nakamura, K., Awaka, J., Fukuchi, H., Fujita, M. SIR-B experiments in Japan: surface activity−sensor calibration experiment. Kashima test site 88−53360
Okamoto, K., Noda, J. Fibre-optic spectral filters consisting of concatenated dual-core fibres 86−28799
Okamoto, K., Noda, J., Miyazawa, H. Fibre-optic Solc filter for use in Raman amplification of light 85−24644
Okamoto, K., Ojima, T., Yoshikado, S., Masuko, H., Inomata, H., Fugono, N. Development and experiment of airborne microwave rain-scatterometer/radiometer system. I. Hardware system 87−15065
Okamoto, K., Ono, M., Obara, H. Meteorological radar system at space station 86−32532
Okamoto, K., Onozawa, S., Imai, T. Si-doped GaAs epitaxial layers grown by metalorganic chemical vapor deposition 85−10684
Okamoto, K., Shibuya, S., Nammori, T., Nunoi, T. Progress in high efficiency polycrystalline silicon solar cells 88−17941
Okamoto, K., Shimaya, K. MES-FETs fabricated on doped a-Si films 86−9153
Okamoto, K., Suzunaga, H., Kitagawa, Y. Laser annealing of polysilicon films with applying an electric field 85−29111
Okamoto, K., Suzunaga, H., Kitagawa, Y. Laser annealing of polysilicon films with an applied electric field 87−53158
Okamoto, K., Togami, Y. Measurements of magnetic anisotropy distribution of a magneto-optical disk by the Hall method 87−74498
Okamoto, K., Watari, T., Kashimura, N. Characteristics and applications of antenna cable for highway advisory radio 87−69949
Okamoto, K., Yamaguchi, K. Selectively buried epitaxial growth of GaAs by metalorganic chemical vapor deposition 86−40727
Okamoto, K., Yoshikado, S., Masuko, H., Ojima, T., Inomata, H., Fugono, N. Development and experiment of airborne microwave rain-scatterometer/radiometer system. V. Satellite-borne weather radar system 87−15069
Okamoto, K., Yoshimi, T., Miura, S. TbOF complex centers in ZnS thin-film electroluminescent devices 88−72227
Okamoto, K., Yukawa, T., Asano, Y. Epitaxial growth of GaAs on Ge/Si substrates by MOCVD 85−22494
Okamoto, K., Yukawa, T., Asano, Y. Epitaxial growth of GaAs on Ge/Si substrates by MOCVD 87−52109
Okamoto, K. *see* Akiyama, N. 85−55260
Okamoto, K. *see* Fujita, M. 85−59484, 86−6119, 87−15067, 87−71317
Okamoto, K. *see* Hara, Y. 85−29302
Okamoto, K. *see* Hosaka, T. 85−18730, 86−9465, 87−25944, 88−58652
Okamoto, K. *see* Iguchi, T. 87−57399
Okamoto, K. *see* Iida, T. 86−10197
Okamoto, K. *see* Itoh, H. 88−65176
Okamoto, K. *see* Kitayama, K.-I. 85−35852
Okamoto, K. *see* Kurihara, N. 87−23664
Okamoto, K. *see* Masuda, M. 88−15827
Okamoto, K. *see* Masuko, H. 86−6134, 87−15068
Okamoto, K. *see* Matsumoto, K. 87−33518
Okamoto, K. *see* Minemoto, T. 85−56366
Okamoto, K. *see* Mineno, H. 88−35584
Okamoto, K. *see* Miura, S. 85−12736
Okamoto, K. *see* Miyashita, H. 86−28155
Okamoto, K. *see* Miyata, M. 88−50180
Okamoto, K. *see* Noda, J. 87−7118, 88−7869, 88−13805
Okamoto, K. *see* Nogawa, S. 88−31849
Okamoto, K. *see* Ojima, T. 88−5175
Okamoto, K. *see* Okuyama, T. 88−2706
Okamoto, K. *see* Otoh, H. 88−59203
Okamoto, K. *see* Sannomiya, N. 85−22341
Okamoto, K. *see* Shibata, N. 85−56349
Okamoto, K. *see* Shimaya, K. 85−61936
Okamoto, K. *see* Sudo, S. 86−63618
Okamoto, K. *see* Suzuki, T. 87−6172, 87−66593
Okamoto, K. *see* Takada, K. 85−46152, 86−42281, 87−12135, 87−18668
Okamoto, K. *see* Takigawa, K. 86−4538
Okamoto, K. *see* Tanaka, N. 87−77620
Okamoto, K. *see* Togami, Y. 86−63527
Okamoto, K. *see* Tonegawa, A. 85−37872, 87−56984
Okamoto, K. *see* Varnham, M.P. 86−9539
Okamoto, K. *see* Wakitani, M. 85−14951
Okamoto, K. *see* Xie, H.M. 86−48136
Okamoto, K. *see* Yabe, E. 85−37870, 86−5744, 87−56978
Okamoto, K. *see* Yamaguchi, K. 85−39808, 86−26844
Okamoto, K. *see* Yamamoto, M. 85−39809
Okamoto, K. *see* Yokohama, I. 85−14249, 85−46132, 85−56305, 86−42245, 87−1945, 87−12126, 87−68091
Okamoto, K. *see* Yoshikado, S. 87−15066
Okamoto, M. Photoelectric switches support progress of FA and FMS progress 86−27671
Okamoto, M. Quartz crystal units conforming to surface mounting technique 86−63512
Okamoto, M. Document image manipulation algorithms using segmented block coding 87−2651
Okamoto, M. Summary of the Honshi-Bisan Line system. CTC equipment [centralised train control] 88−69842
Okamoto, M., Hashimoto, S., Hunt, B.D., Schowalter, L.J. Strain measurement in epitaxial $NiSi_2/Si(111)$ by MeV ion channeling 87−11462
Okamoto, M., Kawata, K., Tamai, M. Segmented block coding scheme of document images and its data compression 85−36391
Okamoto, M., Shibata, T. A new simulational approach to electron-photon showers in heterogeneous media 87−63678
Okamoto, M., Takahashi, N., Kawata, K. Algorithms of magnifying/reducing, rotation and border following using segmented block code 87−2601
Okamoto, M., Takei, K., Kubo, S., Mukaida, M., Miyahara, K. Critical currents of ion-beam sputtered amorphous beryllium thin films and their application to an Abrikosov vortex memory 87−60844
Okamoto, M. *see* Fathauer, R.W. 86−62214
Okamoto, M. *see* Fujita, S. 85−10660
Okamoto, M. *see* Hunt, B.D. 87−10472, 87−11455
Okamoto, M. *see* Isaka, K. 86−6002, 86−6360
Okamoto, M. *see* Kumada, F. 86−67818
Okamoto, M. *see* Maeda, Y. 87−67825
Okamoto, M. *see* Matsunaga, S. 85−27143
Okamoto, M. *see* Matsuoka, H. 87−46392
Okamoto, M. *see* Yamada, J. 86−31413
Okamoto, N., Kikuchi, T., Nakamura, O., Minami, T. A redundancy reduction of the black and white documents by an encoding system with line skip scanning 85−30655
Okamoto, N., Nakamura, O., Minami, T. A study on a coding system by scanning line skipping of the facsimile data 85−2746
Okamoto, N., Suzuki, D. Electronic scanning by ferrite-loaded corner reflector antennas 85−13325
Okamoto, N., Tashiro, S. Optical waveguides of polymethyl methacrylate doped with benzophenone and coumarin 88−45190
Okamoto, N., Yoshida, Y., Shimizu, J., Iwasaki, S., Nara, S. Switching system for ISDN 87−48818
Okamoto, N. *see* Fujimura, K. 88−31848
Okamoto, N. *see* Kajio, K. 88−31847
Okamoto, N. *see* Kobayashi, T. 85−43605
Okamoto, N. *see* Nakamura, O. 86−69351
Okamoto, N. *see* Ohta, T. 87−66460
Okamoto, N. *see* Sakakibara, T. 88−20402
Okamoto, N. *see* Takano, K. 88−76018
Okamoto, S., Narumiya, Y., Yamaguchi, T. Molten-salt synthesis of flaky MnZn-ferrite powder for electromagnetic shielding applications 87−39397
Okamoto, S. *see* Akiyoshi, T. 87−21393
Okamoto, S. *see* Chigusa, Y. 88−58095
Okamoto, S. *see* Fukui, K. 87−77020

Okamoto, S. *see* Fuyuki, T. 88−37470
Okamoto, S. *see* Gozen, T. 85−35521, 86−58748
Okamoto, S. *see* Iikawa, T. 87−43989
Okamoto, S. *see* Ikawa, T. 86−52270
Okamoto, S. *see* Imamura, K. 88−36371
Okamoto, S. *see* Kawabata, Y. 86−44605
Okamoto, S. *see* Kobayashi, K. 85−1430, 87−25212, 88−72210
Okamoto, S. *see* Kyoto, M. 88−58151
Okamoto, S. *see* Matsunami, H. 88−18749
Okamoto, S. *see* Naito, H. 88−53358
Okamoto, S. *see* Nakamura, S. 86−32395, 87−50463, 88−42589
Okamoto, S. *see* Oda, T. 86−36814
Okamoto, S. *see* Oku, K. 87−4375
Okamoto, S. *see* Ooe, M. 88−45159
Okamoto, S. *see* Sakai, T. 86−61939, 88−18477
Okamoto, S. *see* Suzuki, T. 87−74718, 88−13847
Okamoto, S. *see* Takenoshita, Y. 86−3528, 86−59045
Okamoto, S. *see* Yoshida, M. 88−26792
Okamoto, S. *see* Yuasa, K. 87−36105
Okamoto, T. Ion implantation equipment 86−35549
Okamoto, T. Fast public-key cryptosystem using congruent polynomial equations 86−54431
Okamoto, T. High-power microwave tubes and surface treatment of their materials 87−1144
Okamoto, T. Modification of a public-key cryptosystem 87−75698
Okamoto, T. Comprehensive partial discharge characteristics sensitive to electrode configuration 88−26584
Okamoto, T. A single public-key authentication scheme for multiple users 88−27802
Okamoto, T., Abeyama, T. Estimation of metastable operations for NAND latches 85−61231
Okamoto, T., Abeyama, T. Measurement of device parameters characterizing metastable operation of TTL NAND latch 86−8151
Okamoto, T., Hiraishi, K., Nakamura, K., Kodaka, T., Kuriyama, Y., Okada, M., Ono, T., Sakata, Y. TT&C software of ARABSAT ground stations 86−43786
Okamoto, T., Hiraishi, K., Nakamura, K., Kodaka, T., Kuriyama, Y., Okada, M., Ono, T., Sakata, Y. Arabsat TT&C software [telemetry, tracking and command] 86−64910
Okamoto, T., Ishida, M., Hozumi, N. Effects of agglomeration of carbon particles in the semiconducting material on the dielectric strength of XLPE insulation 88−71849
Okamoto, T., Miyake, S., Ohno, H., Hosoi, S., Ishihara, H., Nagashima, T., Uehara, K., Imai, T., Fujii, T., Sakamoto, K., Ikeda, Y., Saigusa, M. Electromagnetic energy and plasmas. Super power klystrons for fusion plasma heating 86−53296
Okamoto, T., Nakajima, M., Kadota, H. A high-speed multiplier/divider with predecode and recurrent scheme 88−734
Okamoto, T., Onishi, S., Kinoshita, K. An easily testable design for processor control circuit with random logic 88−687
Okamoto, T., Shimizu, M., Ohsaki, A., Mashiko, Y., Tsukamoto, K., Matsukawa, T., Nagao, S. Simultaneous formation of TiN and $TiSi_2$ by lamp annealing in NH_3 ambient and its application to diffusion barriers 88−33079
Okamoto, T., Shimizu, M., Tsukamoto, K., Matsukawa, T. Titanium silicidation by halogen lamp annealing 86−21346
Okamoto, T., Shiraishi, A. A digital signature scheme based on polynomial operations 85−57270
Okamoto, T., Shiraishi, A. A fast signature scheme based on quadratic inequalities 86−3792
Okamoto, T., Tanaka, T. Prediction of treeing breakdown from pulse height of partial discharge on voltage-phase angle 85−35211
Okamoto, T., Tanaka, T. Detection of non-destructive pulse currents in polyethylene prior to its dielectric breakdown 85−56032
Okamoto, T., Tanaka, T. Nondestructive discharge pulses at the inception of treeing breakdown in polyethelene 86−44972
Okamoto, T., Tanaka, T. Novel partial discharge measurement: computer-aided measurement systems 87−34926
Okamoto, T., Tsukamoto, K., Shimizu, M., Mashiko, Y., Matsukawa, T. Simultaneous formation of TiN and $TiSi_2$ by rapid lamp annealing in NH_3 ambient for VLSI contacts 87−25167
Okamoto, T., Tsukamoto, K., Shimizu, M., Matsukawa, T. Titanium silicidation by halogen lamp annealing 85−50272
Okamoto, T., Tsutsumi, H., Goto, Y., Andrew, P.D. A simple procedure to attenuate artifacts in surface electrode recordings by painlessly lowering skin impedance 87−77666
Okamoto, T., Yamaguchi, I. Multimode fiber-optic Mach-Zehnder interferometer and its use in temperature measurement 88−74437
Okamoto, T. *see* Asano, H. 87−4460
Okamoto, T. *see* Deguchi, T. 85−12670
Okamoto, T. *see* Fujii, H. 86−9515, 87−41955
Okamoto, T. *see* Gotoh, H. 85−9503
Okamoto, T. *see* Hozumi, N. 88−20200, 88−51047
Okamoto, T. *see* Inoue, T. 86−64904
Okamoto, T. *see* Kadota, H. 87−59606, 88−6900
Okamoto, T. *see* Kaneko, M. 86−53888, 88−51596
Okamoto, T. *see* Kawata, S. 87−18692
Okamoto, T. *see* Kobayashi, T. 85−48591
Okamoto, T. *see* Kumai, W. 87−78143
Okamoto, T. *see* Minagawa, S. 86−2560, 86−9353
Okamoto, T. *see* Miyake, S. 85−55396
Okamoto, T. *see* Mizunuma, Y. 88−71126
Okamoto, T. *see* Murakami, Y. 87−73635, 88−25386
Okamoto, T. *see* Nakagawa, Y. 87−56768
Okamoto, T. *see* Ninomiya, K. 87−29849 to 29850
Okamoto, T. *see* Nishiguchi, N. 86−35830
Okamoto, T. *see* Ohgihara, T. 88−50365
Okamoto, T. *see* Ohta, K. 85−41223, 88−66283
Okamoto, T. *see* Price, H. 86−69702
Okamoto, T. *see* Shiraki, K. 86−4139
Okamoto, T. *see* Suzuki, M. 85−25597
Okamoto, T. *see* Takagaki, T. 86−656
Okamoto, T. *see* Tamada, H. 88−72171
Okamoto, T. *see* Tanaka, M. 87−28487, 87−28512
Okamoto, T. *see* Tanaka, T. 86−70679
Okamoto, T. *see* Terada, H. 88−44199
Okamoto, T. *see* Tomita, T. 87−21059
Okamoto, T. *see* Tsukamoto, K. 85−34890, 85−50463
Okamoto, Y. 24 kV compact metal-clad switchgear 87−64753
Okamoto, Y., Aida, T., Shinada, S. DC gas-discharge display panel with LaB_6 thin-film cathode 88−16285
Okamoto, Y., Aoki, M., Musha, T., Harumi, K. Bias and scatter in estimation of the equivalent cardiac dipole from body surface potential distribution 86−50579
Okamoto, Y., Aoki, M., Musha, T., Harumi, K. Bias and scatter in estimation of the dual equivalent cardiac dipoles 86−50580
Okamoto, Y., Fukushima, M. High-efficiency, high-luminance gas-discharge mode for color TV display 87−70719
Okamoto, Y., Kato, A., Tanaka, M., Tani, M., Masui, T. A computerized operator-support system for PWR nuclear-power plants in Japan. The overall configuration 86−39313
Okamoto, Y., Kawaguchi, S., Kino, S., Miono, S., Kitajima, T., Misaki, A., Saito, T. Thermoluminescent sheets for the detection of high energy hadronic and electromagnetic showers 86−32197
Okamoto, Y., Naitoh, Y., Mukaimura, H., Shibao, M. 3-function car audio system with CD autochanger 88−74186
Okamoto, Y., Shinada, S., Kougami, A., Fukushima, M. A DC-gas discharge display device for data information systems 87−21160
Okamoto, Y. *see* Aoki, M. 86−25239, 88−4957
Okamoto, Y. *see* Chen, C.-D. 86−17429
Okamoto, Y. *see* Futagami, M. 87−18347
Okamoto, Y. *see* Mizuno, F. 86−15220
Okamoto, Y. *see* Nojima, T. 85−20030
Okamoto, Y. *see* Ogino, T. 86−39314
Okamoto, Y. *see* Osawa, H. 85−14498, 86−69938, 87−61588
Okamoto, Y. *see* Sekine, M. 88−1897
Okamoto, Y. *see* Yamane, I. 87−70974
Okamoto, Y. *see* Yano, K. 87−57706
Okamura, A., Igarashi, K. Portable burden box of instrument transformers 88−30767
Okamura, H. Paths and edge-connectivity in Graphs III. Six-terminal *k* paths 87−65344
Okamura, H. Fibre-optic magnetic sensor utilising metal-coated fibre 87−74670
Okamura, H. Fiber-optic magnetic field/current sensors utilizing Lorentzian force 88−67835
Okamura, H., Fukuba, T., Fujita, Y. The high thermal conductive ceramic coated substrate 88−56034
Okamura, H., Kawamura, E., Sato, S., Ito, N. A main earth-station antenna for broadcasting satellites in Japan 85−25811
Okamura, H., Nakamura, S. Design of a tire-type submarine cable engine 85−25692
Okamura, H., Nogami, K. Elimination of sporadic-E layer interfering signal by addition of 2 polarization components 85−52525
Okamura, H., Takahara, N. A study of the submarine optical cable termination 85−42414
Okamura, H. *see* Ito, T. 86−11058
Okamura, H. *see* Kitazawa, I. 85−37028
Okamura, H. *see* Mita, O. 85−63268
Okamura, H. *see* Nakamura, S. 85−25693
Okamura, H. *see* Nakashiba, H. 87−31818
Okamura, H. *see* Okuo, T. 85−21836
Okamura, H. *see* Takazawa, O. 85−52501
Okamura, H. *see* Tsutsumi, S. 87−20480
Okamura, H. *see* Yamada, K. 88−19054
Okamura, I., Mukohjima, H. Optimized ultrasonic motor achieves 36% efficiency driving camera's autofocus lens 88−49006
Okamura, K., Aghai-Tabriz, K. A low-cost data-acquisition system 85−26232
Okamura, K., Yasuda, H., Kishima, A. A numerical method for analysing transient and steady states of sine wave oscillator circuit with stiffness 86−67079
Okamura, K. *see* Katayama, T. 88−41095
Okamura, K. *see* Kuroe, Y. 88−69338
Okamura, K. *see* Mohri, K. 85−24220
Okamura, K. *see* Nakagawa, H. 86−49921
Okamura, K. *see* Nakamura, K. 85−50727
Okamura, K. *see* Okubo, H. 87−35985
Okamura, K. *see* Saito, Y. 85−29003
Okamura, K. *see* Sekiya, K. 87−24194
Okamura, M. Regulations of electromagnetic interference and the international trends 85−7666
Okamura, M., Hirota, Y., Yamaguchi, E., Mikami, O. The effect of Fe concentration in substrates on the characteristics of InP MISFETs 87−60476
Okamura, M., Minakata, M. Hysteresis free SiO_2/InSb metal-insulator-semiconductor diodes 85−40530
Okamura, M., Sugiura, A. Evaluation of the performance of a reverberating enclosure used for making the measurement of total radiated power from microwave apparatus operating in the microwave frequency range 86−5502
Okamura, M., Yamada, T., Sawa, T. A new amorphous saturable core for a magnetic amplifier at high frequency 87−44570
Okamura, M., Yamaguchi, E., Hirota, Y. First observation of quantum Hall effect in InP-MISFET 88−64578
Okamura, M. *see* Furukawa, Y. 87−18179
Okamura, M. *see* Hirota, Y. 85−55812, 85−57222, 87−25298
Okamura, M. *see* Koike, Y. 85−64092
Okamura, M. *see* Kosaka, S. 87−34945
Okamura, M. *see* Mikami, O. 85−29211, 85−45728
Okamura, M. *see* Sugawara, Y. 86−47781, 87−32676
Okamura, M. *see* Sugiura, A. 88−8524
Okamura, M. *see* Yatsuo, T. 85−18310
Okamura, N. *see* Ishino, Y. 88−41657
Okamura, S., Ichikawa, T. Considerations on preferable codes for digital VTR with variable speeds of reproducing 87−34839
Okamura, S., Kazama, N. A magnetic recording method using a laser 85−35316
Okamura, S., Ohishi, K. Dielectric rod resonator for moisture content measurements by microwaves 88−29615
Okamura, S., Taguchi, T., Hiyamizu, S. Direct fabrication of submicron pattern on GaAs by finely focused ion beam system 86−67800
Okamura, S., Tagushi, T., Hiyamizu, S. Magnesium ion emission from GaMg liquid metal ion source 85−12153
Okamura, S. *see* Bailey, A.E. 86−38543
Okamura, S. *see* Chaki, E. 85−20267, 87−21743
Okamura, S. *see* Fujita, A. 87−7844
Okamura, S. *see* Henrich, G. 85−54002
Okamura, S. *see* Kato, F. 87−24403
Okamura, S. *see* Taniguchi, J. 87−40381
Okamura, T. Electroless plating liquid activation controller for process automation [PCB manufacture] 86−27732
Okamura, T., Kabashima, S., Shioda, S., Sanada, Y. Superconducting magnet for a disc generator of the FUJI-1 MHD facility 85−62256
Okamura, T., Sasaki, K., Mizutani, T., Shimada, A., Matsui, M., Mizuno, M., Senoo, M., Sasaki, M. Techniques of fuel-number imaging with ITV camera and ultrasonic waves for BWR loaded fuel subassembly 88−23616
Okamura, T. *see* Ishida, A. 88−63292
Okamura, T. *see* Iso, K. 88−42362
Okamura, T. *see* Kuraishi, Y. 85−30220
Okamura, T. *see* Kuwajima, S. 88−74941
Okamura, T. *see* Takagi, T. 88−75506
Okamura, T. *see* Yamasaki, H. 85−21833
Okamura, T. *see* Yoshikawa, K. 85−21533
Okamura, Y., Chatani, M., Kikuchi, T., Yamamoto, S. Polarization mode conversion in YIG rib waveguide 86−36176
Okamura, Y., Inuzuka, H., Kikuchi, T., Yamamoto, S. Nonreciprocal propagation in magnetooptic YIG rib waveguides 86−42309
Okamura, Y., Inuzuka, H., Yamamoto, S. Nonreciprocity in optical waveguide: experiment 86−63622
Okamura, Y., Inuzuka, H., Yamamoto, S. Measurement of phase and coupling parameters in magneto-optic coupled mode waveguides 88−26844
Okamura, Y., Kato, S., Sato, T. An interactive symbolic cell layout system with high speed relational data base 87−38462
Okamura, Y., Kitatani, K., Yamamoto, S. Low-voltage driving in nematic liquid crystal overlayered waveguide 86−48114
Okamura, Y., Miki, A., Yamamoto, S. Observation of wave propagation in integrated optical circuits 87−18745

Okamura, Y., Negami, T., Yamamoto, S. A design for a nonreciprocal phase shifter 85−52358
Okamura, Y., Sato, S., Yamamoto, S. Simple method of measuring propagation properties of integrated optical waveguides: an improvement 85−24332
Okamura, Y., Yamamoto, J., Sato, G., Yamamoto, S. The profile control of image reversal photoresists and the dry etching characteristics 87−32428
Okamura, Y., Yamamoto, S. Losses at corner bending in optical waveguides: an in situ measurement method 85−7203
Okamura, Y. *see* Inuzuka, H. 88−65338
Okamura, Y. *see* Miki, A. 88−40037, 88−51538
Okamura, Y. *see* Negami, T. 88−70361
Okamura, Y. *see* Oku, K. 88−44525
Okamura, Y. *see* Sugimoto, Y. 87−74438
Okamura, Y. *see* Suzuki, Y. 88−47556
Okamura, Y. *see* Yamamoto, S. 87−33014
Okamura, Y. *see* Yokomizo, G. 87−60665
Okana, K. *see* Mori, H. 87−3309
Okanao, Y., Ohta, S., Kawata, T. Assessment of cross-connect systems in transmission networks 88−46801
Okanao, Y. *see* Hashimoto, A. 88−46439
O'Kane, J. Computerphones come of age 87−28251
Okane, K. *see* Henrich, G. 85−54002
O'Kane, M., Gillis, J., Rose, P., Wagner, M. Deciphering speech waveforms 87−19591
O'Kane, M. *see* Wagner, M. 87−19494
Okaniwa, H. *see* Nakatani, K. 88−62616
Okaniwa, H. *see* Yano, M. 87−36153
Okaniwa, K. *see* Ishihara, T. 88−37502
Okaniwa, K. *see* Nakamura, G. 86−33665
Okano, F., Kumada, J. HDTV hand-held camera using a 2/3-inch saticon 87−56369
Okano, F., Kumada, J. Automatic beam focusing system for pickup tube 88−7270
Okano, F. *see* Kurashige, M. 87−49298
Okano, H. Decoding of BCH codes using Berlekamp-Massey algorithms on a microcomputer 86−43181
Okano, H., Horiike, Y., Sekine, M. Photo-excited etching of poly-crystalline and single-crystalline silicon in Cl_2 atmosphere 85−29137
Okano, H., Imai, H. A construction method of high-speed decoders using ROMs for Bose-Chaudhuri-Hocquenghem and Reed-Solomon codes 88−661
Okano, H., Morikawa, K. Decoding of double and triple error correcting Reed-Solomon codes 85−51555
Okano, H., Sekine, M., Horiike, Y. A new anisotropic etching of n^+ poly-Si using XeCl excimer laser beam 85−50440
Okano, H., Takanami, I., Morikawa, K. A decoder for DEC-TED BCH codes 85−2765
Okano, H. *see* Arikado, T. 85−50448, 87−45830, 88−33049
Okano, H. *see* Hayasaka, N. 88−7470, 88−44680
Okano, H. *see* Horiike, Y. 85−18440, 85−45605, 85−50424, 86−9050, 86−35580, 87−67512, 88−19804, 88−19833, 88−39210, 88−39342
Okano, H. *see* Horioka, K. 85−50439, 88−71438
Okano, H. *see* Noguchi, S. 88−19847
Okano, H. *see* Sekine, M. 86−41712, 87−1425, 87−25132, 87−32429
Okano, K. Effect of annealing on electrical conductivity of sintered silicon carbide 87−60122
Okano, K., Isozaki, Y., Takai, Y., Hasegawa, M. Screen printed transparent conductive film made from organometallic compounds 86−1733
Okano, K., Kawase, Y. The He-jet fed ISOL facility KUR-ISOL at the Kyoto University reactor 87−21390
Okano, K., Sugino, N., Saiki, K., Watanabe, A., Mori, M. International videotex communication system 87−2842
Okano, K. *see* Ishi, T. 85−43156
Okano, K. *see* Kawase, Y. 86−25110, 87−71052
Okano, K. *see* Saiki, K. 87−8006
Okano, M., Itoh, K., Fujishima, A., Honda, K. Photoelectrochemical polymerization of pyrrole on TiO_2 and its application to conducting pattern generation 87−53315
Okano, M. *see* Ihara, S. 85−58120
Okano, M. *see* Matsubara, I. 86−56448, 88−53315
Okano, M. *see* Murano, H. 86−40556
Okano, M. *see* Murata, H. 86−65135
Okano, M. *see* Okayama, S. 88−39573, 88−57528
Okano, M. *see* Sekiya, K. 86−54808
Okano, M. *see* Urui, K. 85−36865
Okano, N., Watanabe, A. AHD system 85−14482
Okano, N. *see* Takeda, Y. 86−28300
Okano, S. Quartz products in 900 MHz band radio communication 87−8192
Okano, S. Trends and prospects for crystal products in new mobile telecommunication systems 87−48939
Okano, S., Kudama, T. SAW filters add frequency control stability for better crystal resonator performance 86−2500
Okano, S., Suzuki, M., Fukada, N., Imura, T., Hiraki, A. Impurity effects in chalcogenide amorphous semiconductors by low-temperature diffusion of metal ions 85−18219
Okano, S., Suzuki, M., Imura, T., Hiraki, A. Chalcogenide amorphous semiconductor diodes 85−61791
Okano, S., Yamakawa, H., Suzuki, M., Hiraki, A. Fabrication of chalcogenide amorphous semiconductor diodes using low temperature thermal diffusion techniques 87−67206
Okano, S. *see* Suzuki, M. 87−6556
Okano, T. *see* Murayama, K. 88−60453
Okano, T. *see* Orito, F. 87−31494
Okano, Y., Honma, K. Planning for a digital transmission network 85−57621
Okano, Y., Honma, K. Planning for a digital transmission network 86−23285
Okano, Y., Kanada, T., Fujii, Y. 6.3 Mb/s wavelength-division-multiplexed transmission systems 86−4671
Okano, Y., Kawata, T., Niki, T. Designing digital paths in transmission networks 87−40166
Okano, Y., Makino, M., Miki, T. Transmission network optimization in junction networks 85−13744
Okano, Y. *see* Ando, H. 86−5370
Okano, Y. *see* Hayashi, Y. 85−27490
Okano, Y. *see* Hibino, M. 87−8047
Okano, Y. *see* Kawata, T. 88−34921, 88−66854
Okanuma, S., Ichinokura, O., Murakami, K. A new variable-voltage parametric transformer using bridge-connected magnetic circuit 85−27467
Okanuma, S., Ichinokura, O., Murakami, K. An analysis of the amorphous bridge-connected magnetic circuit in AC control 87−26651
Okanuma, S., Ichinokura, O., Murakami, K. Performance characteristics of a bridge-connected magnetic circuit in AC control 87−67807
Okanuma, S., Ichinokura, O., Murakami, K. Frequency characteristics of bridge-connected magnetic circuit with parallel output winding and its application to a power controller 88−52171
Okanuma, T., Natori, N. An attitude- and orbit-control subsystem for low-orbit satellites 87−57283
Okanuma, T. *see* Manabe, S. 85−31888
Okasaka, S. *see* Kawai, M. 87−28474
Okasaka, S. *see* Mori, M. 86−55086
Okasaka, S. *see* Morihiro, Y. 88−46983
Okasaka, S. *see* Murotani, M. 86−55258
Okasaka, S. *see* Ueno, S. 87−40037
Okatov, A.V., Chernyshov, Ye.E. Computation of the components of an analytic signal using a digital Hilbert filter 86−37085
Okatsu, H. *see* Tsushima, K. 88−362
Okauchi, J. *see* Yoshida, T. 85−49220
Okauchi, T. *see* Nishimoto, N. 88−15825
Okawa, B.S. *see* Trump, C.L. 87−71375
Okawa, K. *see* Nakajima, Y. 87−77015
Okawa, M. Developments in distribution switchgear technology 87−58255
Okawa, M., Shioiri, T., Okubo, H., Yanabu, S. Area effect on dielectric breakdown of copper and stainless steel electrode in vacuum 87−37776
Okawa, M., Shioiri, T., Okubo, H., Yanabu, S. Area effect on electric breakdown of copper and stainless steel electrodes in vacuum 88−38962
Okawa, M., Tsutsumi, T., Aiyoshi, T. Reliability and field experience of vacuum interrupters 87−72332
Okawa, M., Wakana, H. Intermodulation interference-bounds frequency assignment for SCPC system 87−56066
Okawa, M., Yanabu, S., Kaneko, E., Otobe, K. The investigation of vacuum interrupter contacts subjected to an axial magnetic field 87−43313
Okawa, M., Yanabu, S., Kaneko, E., Otobe, K. The investigation of copper-chromium contacts in vacuum interrupters subjected to an axial magnetic field 88−30952
Okawa, M., Yanabu, S., Tamagawa, T., Kaneko, E., Yokokura, K. Development of vacuum circuit breaker with axial magnetic field type electrode and its application 85−60365
Okawa, M., Yananbu, S., Tamagawa, T., Okubo, H., Kaneko, E., Aiyoshi, T. Development of vacuum interrupters with high interrupting capacity 87−72333
Okawa, M. *see* Iguchi, M. 87−48995
Okawa, M. *see* Iida, T. 88−24101
Okawa, M. *see* Iwasaki, J. 86−34851
Okawa, M. *see* Nishikawa, H. 85−16434
Okawa, M. *see* Yanabu, S. 87−43312, 88−30951
Okawa, U.S., Fincher, N.R. PLRS development testing−an update 87−41081
Okawa, U.S., Fincher, N.R. PLRS development testing 88−74010
Okawa, Y., Ito, H. An application of bit-sliced microprocessor to real-time image analysis 86−4007
Okawa, Y., Kudo, K., Ohta, M., Ohsawa, T., Nakao, Y. A simple analytical method on the growth of the ^{233}U-Pu crossed progeny cycle power systems 87−30333
Okawa, Y. *see* Ichikawa, E. 87−49399
Okawa, Y. *see* Suzuki, T. 88−15861, 88−53480
Okawachi, Y. *see* Hitomo, F. 88−6044
Okaya, K., Shoji, T. Stereoscopic measurement of fine particle 87−47873
Okayama, H. A study on architectures for integrated optical switch matrix 88−39986
Okayama, H., Matoba, A., Shibuya, R., Ishida, T. Optical biased $LiNbO_3$ $\Delta\beta$ reversal directional coupler switch 88−2029
Okayama, H., Matoba, A., Shibuya, R., Ishida, T. Polarisation-independent optical switch with cascaded optical switch matrices 88−65369
Okayama, S. Electron-beam lithography system using a quadrupole triplet 88−39306
Okayama, S., Bando, H., Tokumoto, H., Kajimura, K. Piezoelectric actuator for scanning tunneling microscopy 86−47929
Okayama, S., Komuro, M., Kobayashi, Y., Watanabe, K. Topographic measurements of micro-fabricated patterns by scanning tunneling microscope 88−39542
Okayama, S., Komuro, M., Mizutani, W., Tokumoto, H., Okano, M., Shimizu, K., Kobayashi, Y., Matsumoto, F., Wakiyama, S., Shigeno, M., Sakai, F., Fujiwara, S., Kitamura, O., Ono, M., Kajimura, K. Observation of microfabricated patterns by scanning tunneling microscopy 88−57528
Okayama, S., Komuro, M., Okano, M. STM applications for microelectronics 88−39573
Okayama, S. *see* Komura, M. 88−26079
Okayama, T. *see* Tsukide, O. 86−14972
Okayama, Y., Nomura, T., Yajima, H., Ishii, T. SnO_2-Pd-Sb hydrogen gas sensor nonsensitive to alcohol 87−35031
Okayasu, K., Yamaguchi, M., Fuchiwaki, M., Seita, M., Terashita, T., Mizuma, M. 400 MHz band multi-channel radio equipment 85−57932
Okayasu, K., Yamaguchi, M., Seita, M., Terashita, T., Fuchiwaki, M. 400 MHz band transportable multi-channel radio equipment 88−14973
Okayasu, M., Kozen, A., Hasumi, Y., Temmyo, J., Uehara, S. Metalorganic vapor phase epitaxial growth for buried heterostructure GaAlAs lasers with semi-insulating blocking layers 88−20633
Okayasu, M. *see* Saito, Y. 87−20079
Okayasu, N. *see* Kobayashi, H. 87−30528
Okayasu, R. *see* Ishimaru, K. 85−3229
Okayasu, R. *see* Matsuo, N. 86−4375
Okayasu, S. Systematization and automation of sensory evaluation in food industry 85−8706
Okayasu, T., Takeuchi, S., Nagai, S. Fast multichannel scaler 87−41887
Okayasu, Y., Asai, K., Yamamoto, H., Fukui, K., Minomura, S. Light-induced change of a-Si:H under hydrostatic pressure 88−1390
Okayasu, Y., Fukui, K., Matsumura, M. Observation of valence-band discontinuity of hydrogenated amorphous silicon/hydrogenated amorphous silicon carbide heterojunction by photocurrent-voltage measurements 87−33027
Okayasu, Y. *see* Kaya, H. 85−1482
Okazaki, A. Automated visual inspection [VLSI testing] 88−7661
Okazaki, A., Kanabe, S., Kurihara, T., Saita, H. Dot matrix LCD module with 2000 characters display 85−4056
Okazaki, A., Kondo, T., Mori, K., Tsunekawa, S. Knowledge-controlled pattern recognition technique for hand-drawn logic symbols 86−34740
Okazaki, A., Kondo, T., Mori, K., Tsunekawa, S., Kawamoto, E. An automatic circuit diagram reader with loop-structure-based symbol recognition 88−50073
Okazaki, A. *see* Kondo, T. 88−685
Okazaki, A. *see* Yamagami, T. 85−54228
Okazaki, E. *see* Jayadev, T.S. 85−35054
Okazaki, E. *see* Lipscomb, G.F. 88−7838
Okazaki, F. *see* Gofuku, A. 87−71847
Okazaki, F. *see* Wakabayashi, J. 88−48678
Okazaki, H., Ohtsu, M., Tako, T. Frequency control of semiconductor lasers using a microcomputer 85−12885
Okazaki, H. *see* Sasaki, O. 85−58548
Okazaki, H. *see* Toyoda, T. 86−42417
Okazaki, H. *see* Wagatsuma, M. 87−7162
Okazaki, H. *see* Yoshida, M. 85−19696
Okazaki, J. *see* Nakajima, K. 85−60961
Okazaki, K., Sato, K. An integrated CAD system for custom VLSIs 85−12364
Okazaki, K., Tamura, S. A correlation approach for identifying the transfer function of a system using M-sequence Gaussian pulse signals 85−19297
Okazaki, K. *see* Amano, F. 88−66393
Okazaki, K. *see* Iseda, K. 88−46761
Okazaki, K. *see* Tamura, S. 85−42005
Okazaki, K. *see* Ueda, M. 85−17292, 87−37283
Okazaki, K. *see* Utsunomiya, T. 86−48216, 86−54009
Okazaki, K. *see* Yamamoto, T. 86−2465
Okazaki, M. AT-cut strip resonators enclosed in cylindrical packages 86−2486

Okazaki, M., Inaba, T. Development of a simulation method for operation of current limiting fuse and confirmation of its effectiveness 88−30939
Okazaki, M., Manabe, N. AT-cut strip resonators enclosed in cylindrical package 85−62152
Okazaki, M., Tamai, S. Monolithic crystal filters and crystal units to improve cordless phone performance 85−7122
Okazaki, M., Tohma, H., Tomikawa, Y. Characteristics of a quartz crystal tuning fork with shortened arm length for high frequencies 86−42044
Okazaki, M. *see* Kosaka, T. 87−63039
Okazaki, M. *see* Seki, A. 86−395
Okazaki, M. *see* Tomikawa, Y. 86−15309
Okazaki, M.S. *see* Supadech, S. 86−28263
Okazaki, N., Komatsu, T., Hoshi, N., Tsuboi, K., Shimada, T. A 16 ns 2K×8 bit full CMOS SRAM 85−22864
Okazaki, N., Miyaji, F., Kobayashi, K., Harada, Y., Aoyama, J., Shimida, T. A 30 ns 256K full CMOS SRAM 87−17078
Okazaki, N. *see* Komatsu, T. 87−59502, 88−6830
Okazaki, N. *see* Kusunoki, T. 88−65686
Okazaki, S., Higuchi, S., Kubota, N., Takahashi, S. Measurement of short circuit current for low internal resistance batteries 86−71038
Okazaki, S., Higuchi, S., Kubota, N., Takahashi, S. Predicted and observed initial short circuit current for lead-acid batteries 87−4865
Okazaki, S., Higuchi, S., Nakamura, O., Takahashi, S. Influence of superimposed alternating current on capacity and cycle life for lead-acid batteries 87−43353
Okazaki, S., Higuchi, S., Takahashi, S. Second-order harmonic in the current response to sinusoidal perturbation voltage for lead-acid battery. An application to a state-of-charge indicator 85−65422
Okazaki, S., Kurosu, T., Akiba, Y., Choe, I., Iida, M. Multi-current peaks for a voltage-controlled negative resistance in Si p+-i-n$^+$ diodes with a hole injecting gate 87−6657
Okazaki, S., Murai, F., Suga, O., Shiraishi, H. A practical electron beam direct writing process technology for submicron device fabrication 87−38395
Okazaki, S., Okudaira, S. Progress in micro fabrication technology for ULSI 87−74368
Okazaki, S. *see* Egami, N. 88−39021
Okazaki, S. *see* Fujino, T. 85−49602
Okazaki, S. *see* Fujita, M. 88−51011
Okazaki, S. *see* Futamata, M. 88−69671, 88−75909
Okazaki, S. *see* Higuchi, S. 86−19451
Okazaki, S. *see* Iida, M. 86−53588
Okazaki, S. *see* Katayama, Y. 86−53667
Okazaki, S. *see* Kurashige, M. 86−41490, 86−47257, 87−49298
Okazaki, S. *see* Kure, R. 87−18210
Okazaki, S. *see* Mitani, K. 88−57524
Okazaki, S. *see* Murai, F. 87−38383
Okazaki, S. *see* Nagai, J. 85−4995
Okazaki, S. *see* Nakamura, O. 86−66296
Okazaki, S. *see* Saitou, N. 86−35507, 88−19896
Okazaki, S. *see* Sakat, I. 87−37904
Okazaki, S. *see* Sakata, I. 86−28257, 86−63229, 87−60214
Okazaki, S. *see* Shiozawa, K. 87−60667
Okazaki, S. *see* Suga, O. 88−39318
Okazaki, T. Quick measurement of nonlinear conduction with a single pulsed field 88−60866
Okazaki, T., Akutsu, F., Takemura, Y. Ultrasonic equipment aids medical diagnosis 85−15299
Okazaki, T., Gomi, M., Abe, M. Bi-substituted garnet films for magneto-optic memory−Sputter deposition in Ar-H$_2$ gas 88−44967
Okazaki, T., Hiruta, Y., Shogenji, K. Warm electron coefficient of *n*-InSb 86−8784
Okazaki, T., Kawamura, M. The effect of space charge of the X-ray free electron laser using stimulated transition radiation on the gain 87−61183
Okazaki, T., Maki, S.-I., Itoh, T., Matsuda, K., Tsuda, T. Implementation of a HDTV codec using a hybrid quantizer 88−47308
Okazaki, T., Nagai, Y. Diagnostic ultrasound system, model SSA-100 A 88−16728
Okazaki, T., Yamaguchi, M., Kinoshita, T., Honjo, T. Star LAN and OA system in Takenaka Technical Research Laboratory 87−8049
Okazaki, T., Yamaguchi, M., Kinoshita, T., Honjo, T. The Star LAN and OA system 88−9144
Okazaki, T. *see* Gomi, M. 88−51250, 88−70343
Okazaki, T. *see* Hasai, H. 87−77475
Okazaki, T. *see* Hashiguchi, S. 86−25240
Okazaki, T. *see* Ichikawa, T. 87−29829
Okazaki, T. *see* Iwasaki, J. 88−70902
Okazaki, T. *see* Matsuda, K. 86−55471
Okazaki, T. *see* Sato, S. 86−11961
Okazaki, T. *see* Takahashi, T. 86−56169
Okazaki, Y. Micro positioning tool post for diamond turning machines using piezoelectric actuator 88−5811
Okazaki, Y., Kanno, H., Kousaka, S., Sakuma, E. Magnetic properties of surface-treated Fe-Si-B amorphous alloy 88−51229
Okazaki, Y. *see* Ishida, M. 88−56762
Okazaki, Y. *see* Lee, T.G. 86−21040
Okazaki, Y. *see* Sato, Y. 88−63383
Okazaki, Y. *see* Yonezawa, H. 87−14680
Okazawa, A. *see* Furuhashi, T. 86−34857
Okazawa, H. *see* Nakagiri, K. 88−16400
Okazawa, H. *see* Nakgiri, K. 87−14444
Okda, J. *see* Ebata, M. 86−59979, 87−56320
Okda, J. *see* Nishimura, S. 87−27131
Oke, D.C. *see* Oke, J.B. 88−42163
Oke, J.B., Harris, F.H., Oke, D.C., Delong Wang CCD testing at Palomar Observatory 88−42163
Oke, J.B. *see* Gunn, J.E. 87−70462
Okean, H.C. Advanced payload and terminal transmitter and receiver technology for emerging digital communications traffic 86−64931
O'Keane, F.D. *see* Fagan, A.D. 87−2507
Okecha, G.E. Evaluating singular integrals of Cauchy type using a modified Gaussian rule 86−40667
O'Keefe, G., Baba, T. A basic approach to a digital color camera system 85−3685
O'Keefe, J. *see* Butrous, G.S. 85−9205
O'Keefe, M.J., Francey, J.L.A. A modified solar collector flow factor 85−49116
O'Keefe, M.T., Fortes, J.A.B. A comparative study of two systematic design methodologies for systolic arrays 87−16817
O'Keefe, M.T., Fortes, J.A.B. A comparative study of two systematic design methodologies for systolic arrays 87−24132
O'Keefe, P., Kirkby, J., Hill, B. Energy planning−the importance of 120 88−62016
O'Keefe, P. *see* Hill, R. 87−42736, 88−17452
O'Keefe, P. *see* Hill, R. *(editor)* 88−55848
O'Keefe, S.M. *see* Williams, R.J. 87−77732
O'Keefe, T. *see* Yoldas, B.E. 85−7297
O'Keefe, T.J. *see* Beshore, A.C. 87−73117
O'Keefe, T.W. *see* Clarke, R.C. 88−39728
O'Keefe, W. Packing and seals for valves and pumps 85−10525
O'Keefe, W. Work cost-effectively with CAD in plant piping design1 [power plant piping] 85−59842
O'Keefe, W. Today's emission monitoring has base in hard-won know-how 86−38973
O'Keefe, W. Are you neglecting good bets for better plant performance? 86−45044
O'Keefe, W. How to put together systems for today's desuperheater needs 86−45199
O'Keefe, W. Nuclear-piping-repair planning today needs skill, organization 86−51222
O'Keefe, W. Long-range view today a must for plant-betterment projects 86−65798
O'Keefe, W. Upgrade performance and maintainability of valves 87−71829
O'Keefe, W. Power plant valves: solutions to difficult problems 88−11057
O'Keefe, W. Monitoring valve, actuator performance [power plant control] 88−75239
O'Keefe, W., Reason, J. State-of-the-art: you vs. computer-aided piping layout 85−4898
O'Keeffe, J.M. Structural analysis and testing of electronic equipment 88−6257
O'Keeffe, T.W. *see* Meier, D.L. 87−9765
O'Keeffe, T.W. *see* Rohatgi, A. 87−4897
O'Keeffe, T.W. *see* Talisa, S.H. 87−7033
Okek, M. *see* Cabanes, M. 86−32610
Okeke, C.E., Anuforom, A.C. Effect of diffuse solar radiation on the efficiency of an array of silicon solar cells 87−64815
Okeke, C.E. *see* Anuforom, A.C. 87−43420
Okeke, G.N. *see* Ji-kang, Z. 87−1136
Okeke, M., Balland, B. The quasiequilibrium response of MOS structures: quasistatic factor 85−6764
Okelah, M.R. A model for field performance evaluation of a 50 MW industrial gas turbine 87−35829
O'Kelley, D.K. *see* Renick, J.D. 88−53889
Okello, N.N. *see* Thomopoulos, S.C.A. 88−75025
O'Kelly, D. Alternative power circuits and firing-angle control strategies for HVDC convertors 86−12904
O'Kelly, D. Equivalent circuit parameters for power frequency transformers 87−64646
O'Kelly, D. Flux penetration and losses in steel plate with nonsinusoidal magnetisation 88−45637
O'Kelly, D. Losses and flux penetration in non-grain-oriented low-loss steel with nonsinusoidal excitation 88−45638
O'Kelly, D. *see* Babu, T.K.M. 87−56915
O'Kelly, P.A., Tendulkar, G.A. Multi-microprocessor based simulators for fossil-fired power stations 87−15541
Oken, B.S. Filtering and aliasing of muscle activity in EEG frequency analysis 87−3987
Oken, B.S., Chiappa, K.H. Short-term variability in EEG frequency analysis 88−42544
Oketa, Y. *see* Shimoda, H. 88−48860
Oketani, T. *see* Takeuchi, Y. 85−47671
Okhapkin, V.V. Microclimate devices: yesterday, today, tomorrow 86−66500
Okhinchenko, E.P. *see* Belyavskaya, T.G. 87−54868
Okhinchenko, Ye.P. *see* Belyavskaya, T.G. 87−61566
Okhnichenko, E.P., Belyavskaya, T.G. Evaluating influence of finite register capacity on characteristics of SCVSDM 86−67376
Okhonin, S.A., Biryukov, S.A., Frantsuzov, A.A. Conductivity of thin layers of nitrogenized oxide 86−35453
Okhonin, S.A. *see* Frantsuzov, A.A. 87−1331
Okhon'ko, V.B. *see* Mizyurin, S.R. 87−78588
Okhotin, V.N., Khachyan, G.A., Rybachev, V.V., Alyakrinskii, A.N. Future development of the power industry in the North-East region 87−71558
Okhotin, V.V. *see* Plyutinskii, V.I. 85−32076
Okhotina, I.A. *see* Venikov, N.I. 87−14697
Okhotnikov, O.G. *see* Akul'shin, A.M. 86−36495, 87−26410
Okhotnikov, O.G. *see* Annenkov, D.M. 85−2338
Okhotnikov, O.G. *see* Bazhenov, V.Yu. 85−29868
Okhotnikov, O.G. *see* Bogatov, A.P. 85−29869, 85−41435, 85−51184, 87−33195, 87−54371, 88−8226, 88−8228
Okhotnikov, O.G. *see* Boroshnev, A.V. 86−22407
Okhotnikov, O.G. *see* Bulushev, A.G. 87−74750, 87−76771, 88−27225, 88−45192, 88−65260
Okhotnikov, O.G. *see* Eliseev, P.G. 85−29855, 85−51192
Okhotnikov, O.G. *see* Vu Van Lyk 88−8232
Okhrimchuk, A.G. *see* Angert, N.B. 88−65645
Okhrimenko, A.E. *see* Firsakov, A.A. 88−22186
Okhrimenko, B.A. *see* Belyi, M.U. 85−18910, 88−67797
Okhrimenko, Yu.A. *see* Baranskii, P.I. 86−35286, 87−6933
Oki, A.K., Kim, M.E., Camou, J.B., Robertson, C.L., Gorman, G.M., Weber, K.B., Hobrock, L.M., Southwell, S.W., Oyama, B.K. High performance GaAs/AlGaAs heterojunction bipolar transistor 4-bit and 2-bit A/D converters and 8-bit D/A converter 88−19240
Oki, A.K., Kim, M.E., Gorman, G.M., Camou, J.B. High-performance GaAs heterojunction bipolar transistor logarithmic IF amplifier 88−63952
Oki, A.K. *see* Gorman, G.M. 88−39675
Oki, A.K. *see* Kim, M.E. 87−32682
Oki, F. *see* Fujioka, M. 88−46697
Oki, H. *see* Koyano, H. 86−23392, 86−59553
Oki, H. *see* Yamada, S. 88−64772
Oki, K. *see* Nasu, Y. 87−3693
Oki, K. *see* Yamatake, S. 86−52299
Oki, M. *see* Kamogashira, Y. 86−4366
Oki, M. *see* Sakate, T. 87−76806
Oki, M. *see* Satake, T. 88−33645
Oki, M. *see* Taniguchi, M. 88−19485, 88−40421, 88−50460
Oki, S., Konno, F. Electronically controlled speaker system 86−4903
Oki, S. *see* Ito, I. 87−29190
Oki, S. *see* Itoh, I. 88−74638
Oki, Y. *see* Iida, H. 86−60289
Oki, Y. *see* Kunimoto, T. 85−23041
Oki, Y. *see* Morita, Y. 87−63447
Oki, Y. *see* Uegaki, A. 86−35174
Okida, K. *see* Kawakami, H. 86−31224
Okigami, N. *see* Ando, A. 86−12717
Okigami, N. *see* Furudera, M. 86−45219
Okigami, N. *see* Hamabe, K. 87−4552
Okigami, N. *see* Sekiguchi, H. 85−43876
Okihara, N. *see* Mitsuhashi, S. 86−47129
Okikawa, S., Suzuki, H., Mikino, H. Stress analysis of poor gold-silicon die-attachment for LSIs 85−55933
Okikawa, S. *see* Miyake, H. 86−27770
Okikawa, T. *see* Nishihara, E. 88−36551
Okimatsu, T., Takahashi, K., Ishibashi, Y., Sakaguchi, Y., Okuyama, K. Model XE-30 international telephone automatic exchange 88−41478
Okimatsu, T. *see* Ikeda, Y. 87−62794
Okimi, K., Ishikawa, H., Hashimoto, S. INS trial and future network evolution in Japan 87−27859
Okimi, K., Miki, T., Mano, S. Status and trend of digital subscriber transmission systems 85−3014
Okimi, K. *see* Takahashi, T. 86−59461
Okin, A.A. Allowance for losses in an operative optimization of the operating conditions of unified power distribution systems on the basis of high power 86−39115
Okin, A.A. *see* Grover, B.A. 87−15169
Okinaga, T. *see* Emoto, Y. 86−13509
Okinaka, H. Performance characteristics of QPSK signal passing nonlinear channel in digital ship Earth station system 86−11036
Okinaka, H. A 1.6-GHz GaAs FET linear power amplifier for ship earth stations 86−27618
Okinaka, H. Performance characteristics of QPSK signal passing nonlinear channel in digital ship earth station system 87−48973
Okinaka, H. *see* Hirata, Y. 85−14183
Okinaka, H. *see* Kashiki, K. 86−23822
Okinaka, H. *see* Takubo, Y. 86−48215
Okinaka, H. *see* Yasuda, Y. 88−46998
Okinaka, H. *see* Yatsuzuka, Y. 88−3693
Okinaka, K. *see* Radjabi, B. 88−53837
Okine, M. A synthesis of 2nd-order active RC filters using an operational amplifier pole 85−23010

Okine, M. High-order active filters using the operational amplifiers with *GB* product 85−28641

Okine, M. A synthesis of high-order active *R* filter 85−61373

Okine, M. Synthesis of active *R* allpass networks 86−41227

Okine, M. A synthesis of high-order active R filter 86−67306

Okine, M. A synthesis of *LC* simulation active *R* filter 87−5960

Okine, M. An active *R* allpass circuit compensating influence of 2nd-order pole of the operational amplifier 87−37458

Okine, M. Synthesis of active R allpass networks 87−73525

Okine, M. A high frequency compensation of active multiple-feedback circuit 88−19269

Okine, M. A synthesis of LC simulation active R filter 88−50239

Okine, M., Fujii, N. A high frequency compensation of Sallen-Key circuits based on pole sensitivity 88−70903

Okino, A. *see* Ohmichi, T. 86−39397

Okino, K., Ishikawa, K., Miura, H. Nd^{3+}:YAG laser soldering method makes fast, automated systems 86−8606

Okino, K., Ishikawa, K., Miura, H. YAG laser soldering system for fine pitch quad flat package (QFP) 87−16398

Okino, K. *see* Miura, H. 88−72063

Okino, K. *see* Watanabe, S. 88−51778

Okino, M., Higashi, Y. Measurement of seabed topography by multibeam sonar using CFFT 87−35490

Okino, M., Kawaguchi, S., Mizuarai, Y., Hayasaka, M., Yamashita, T. Fish biomass estimation system for Oita Marine Ranch 86−43909

Okino, M. *see* Higashi, Y. 85−31109

Okino, N. *see* Shimizu, M. 86−46751

Okino, T., Hashi, T., Sakai, T. Precision network synchronization equipment 85−36540

Okino, T., Tsuda, H., Hashi, T. Clock synchronization system for digital networks 85−47121

Okino, V. *see* Kashihara, T. 88−47332

Okino, Y. Reliability test of write-once optical disk 88−45044

Okino, Y. *see* Tanji, M. 85−52548

Okishev, A.V. *see* Al'tshuler, G.B. 86−9906, 86−15651, 86−22454, 88−14164, 88−33984

Okishev, S.G. *see* Venatovsky, I.V. 86−5090

Okisu, N., Kobayashi, T. Far-infra-red emission from two-dimensional plasmon in AlGaAs/GaAs heterostructure 86−63076

Okisu, N., Sambe, Y., Kobayashi, T. Far-infrared emission from two-dimensional plasmons in AlGaAs/GaAs heterointerfaces 86−42416

Okisu, N., Sambe, Y., Kobayashi, T. Solid-state far-infrared emitter utilizing 2D-plasmon in AlGaAs/GaAs heterointerface 87−26186

Okisu, N. *see* Kobayashi, T. 87−24797, 88−33264

Okita, J. *see* Arakawa, S. 88−17812

Okita, K., Horikawa, J.I., Hoshi, T., Saji, H. Rubbing noise of single crystal ferrite heads 86−36034

Okita, K. *see* Horikawa, J.I. 87−46378

Okita, M. Navigation system with modern transport−maintenance and reliability 87−57284

Okita, T., Ikeda, M., Nishi, Y., Masuda, H., Sakabe, S. MELDRIVE series variable-speed motor-drive systems with high maximum speeds 88−43411

Okita, T. *see* Iwase, S. 88−41778

Okita, T. *see* Tanaka, S. 86−17956

Okita, Y., Ikeuchi, K., Senoo, Y., Anada, K., Koutani, S., Kishimoto, S., Terada, K. Full-color liquid crystal TV 85−31174

Okita, Y., Miyanaga, Y., Nagai, N., Miki, N. ARMA digital lattice filters based on geometric approach 88−3018

Okita, Y., Shinozawa, M., Kawakatsu, A., Umemura, Y., Yamaguchi, K., Akahane, K. A novel base emitter self-alignment process for high speed bipolar LSIs 88−64751

Okita, Y., Sudo, E., Asama, M. Outline of the D70 Digital Switching System 86−17148

Okita, Y. *see* Andow, F. 85−64970

Okita, Y. *see* Katagishi, T. 87−3294

Okita, Y. *see* Yamano, M. 85−14421, 85−37231, 85−37257

Okitaka, T. *see* Hayami, S. 87−5796

Okitsu, H. *see* Hashizume, M. 85−9189

Okitsu, H. *see* Morita, I. 86−6726

Okitsu, H. *see* Ohnishi, T. 85−39083, 86−6912

Okitsu, M. *see* Takahashi, S. 86−71133

Okitsu, Y., Kobayashi, K., Otsuka, T., Uehara, M. A general purpose receiver 85−57930

Okiura, K. *see* Baba, A. 87−28923

Okiyama, T., Nishimoto, H., Touge, T., Seino, M., Nakajima, H. Optical fiber transmission over 132 km at 4 Gb/s using a Ti:LiNbO$_3$ Mach-Zehnder modulator 88−47172

Okiyama, T. *see* Horimatsu, T. 86−11100

Okiyama, T. *see* Nishimoto, H. 88−53270

Okiyama, T. *see* Shirasaki, M. 88−47031

Okkes, R.W. The ESA/BMET real-time SAR processing and test facility 85−52438

Okkes, R.W., Huisman, W.C. Rate distortion functions of SAR imagery 87−70125

Okladnikov, N.V. *see* Brekhovskikh, G.L. 85−19015

Okladnikov, N.Y. *see* Brekhovskikh, G.L. 85−29921

Oklestek, E. Electronic transducer of the fuel-to-air ratio of gas and oil burners with induced inlet air 85−20578

Oklikh, Ya.M. *see* Baranskii, P.I. 87−17744

Oklobdzija, V.G. Improving testability by using additional circuits [VLSI logic] 85−764

Oklobdzija, V.G. Architecture for single-chip ASIC processor with integrated floating point unit 88−32263

Oklobdzija, V.G., Barnes, E.R. Some optimal schemes for ALU implementation in VLSI technology 85−62120

Oklobdzija, V.G., Grohosky, G. Architectural study for an integrated fixed and floating-point VLSI-ASIC processor 88−50206

Oklobdzija, V.G., Kovijanic, P.G. On testability of CMOS-Domino logic 85−17344

Oklobdzija, V.G., Montoye, R.K. Design-performance trade-offs in CMOS domino logic 86−2430

Oklobdzija, V.G., Montoye, R.K. Design-performance trade-offs in CMOS-domino logic 86−47809

Oklobdzija, V.G. *see* Marinovic, N.M. 88−71777

Oklobdzija, V.G. *see* Roth, J.P. 85−33815

Oknin, N.S., Orlov, V.G. Evaluating the suitability of thermosetting mica-containing insulation for fabrication of repairable electric-motor windings 87−58008

Oknin, N.S. *see* Bernshtein, L.M. 88−31461

Okochi, K., Oshita, T., Inaba, F., Onodera, T., Sonoda, M., Higo, Y., Shidara, T., Morishita, M., Yamazaki, T., Ishiwatari, N. Workstation based on still picture 85−51987

Okochi, M. Speech recognition based on hidden Markov models 87−75748

Okochi, M. Speech recognition using Markov models 88−14619

Okochi, M. *see* Sugawara, K. 86−16179

Okochi, N. *see* Nakamura, T. 87−47249

Okolotin, V.S. *see* Tarasov, A.I. 87−21927

Okolotine, V. Ultracold neutrons 85−15196

Okolowicz, J., Ellis, J. Design, development, and installation of a high reliability, long distance data highway 85−14322

Okolowicz, J., Ellis, J. ABCs of a fiber optic local data link 85−42597

Okolski, J. A room for a fluorescent lamp 85−16378

Okomel'kov, A.V. *see* Belyantsev, A.M. 85−23529

Okon, H. *see* Kubota, Y. 87−18550

Okon, H. *see* Ohkubo, H. 85−62216

Okon, M. *see* Bak, J. 87−43639

Okon, P.I. *see* Antonov, V.G. 88−29599

Okonechnikov, A.P., Kassandrov, I.N., Gravrilov, F.F., Biryukov, A.G. Photoconductivity and relaxation of the current in electron irradiated ZnS:B crystals with dislocations 86−68375

Okonechnikov, A.P. *see* Mel'nik, N.N. 87−65959

Okoneshnikov, V.S. Exact solution for a compressed signal in the case of weighted processing of an LFM-pulse spectrum 86−48944

Okoniewska, E., Okoniewski, M., Debicki, P. Cylindrical flange-waveguide applicator for microwave hyperthermia treatment 87−47274

Okoniewski, A.M., Tannous, C., Yelon, A. Small polaron transport in thin films of SiN$_x$:H 88−50637

Okoniewski, J. *see* Bukat, K. 85−56118

Okoniewski, M., Mazur, J. Multimode S-matrix for ferrite planar multiport circuits 88−50302

Okoniewski, M., Mrozowski, M., Kitlinski, M. The power flow distribution of fundamental modes in asymmetric coupled microstrip lines on dielectric substrate 87−33471

Okoniewski, M. *see* Okoniewska, E. 87−47274

Okopnik, E.B. *see* Nesterin, V.A. 86−42141

Okoro, C.C. Commutation in DC machines with input current ripple 86−33431

Okoro, C.C. Skin effect losses of a DC motor fed from an asymmetrical single-phase bridge 88−11240

Okorokov, V.R. Tasks and problems in optimizing the development of large energy systems 87−21829

Okorokov, V.R., Artemenko, S.G. Multiobjective optimisation of the future structure of a power system, based on a composite method of estimating the efficiency of power apparatus 86−61097

Okorokov, V.R., Neretin, V.I. Analysis of perspective balances of power outputs in lumped parameter power systems with the aid of immittance dynamic modelling 87−21842

Okorokov, V.R., Polikarpova, T.I. The cost effectiveness of a power system when running at reduced frequency 85−15500

Okorokov, V.R., Polikarpova, T.I. Analysis of economic consequences of operating industrial heat and electricity generating plants at lower mains frequencies 85−27275

Okorokov, V.R., Vostokov, E.V. A multichannel approach to obtaining a long-term plan of a power system development 87−21888

Okorokov, V.R., Vostokov, E.V., Leont'ev, D.N. A method of assessing the social and economic effectiveness of the development of power engineering 87−50609

Okorokov, V.R. *see* Beschinskii, A.A. 87−21830

Okorokov, V.R. *see* Zverkov, V.V. 87−35745

Okoshi, M. *see* Yamasaki, Y. 86−31162

Okoshi, T. Recent progress in heterodyne/coherent optical-fiber communications 85−8411

Okoshi, T. Optical communications 85−47521

Okoshi, T. New media network and urban infrastructure 85−47692

Okoshi, T. Polarization-state control schemes for heterodyne or homodyne optical fiber communications 86−30797

Okoshi, T. Recent advances in coherent optical fibre communication systems 86−49683

Okoshi, T. Ultimate performance of heterodyne/coherent optical fiber communications 87−18633

Okoshi, T. Recent advances in coherent optical fiber communication systems 87−34568

Okoshi, T. Polarization phenomena in optical fibers 88−7899

Okoshi, T., Cheng, Y.H. Four-port homodyne receiver for optical fibre communications comprising phase and polarisation diversities 87−49026

Okoshi, T., Cheng, Y.H., Kikuchi, K. New polarisation-control scheme for optical heterodyne receiver using two Faraday rotators 85−63639

Okoshi, T., Fukaya, N., Kikuchi, N. New polarisation-state control device: rotatable fibre cranks 86−2678

Okoshi, T., Hirose, A., Kikuchi, K. Bit-error rate in photon-counting communications 88−47143

Okoshi, T., Hotate, K. Laser applications to measurement 86−22566

Okoshi, T., Ishida, O., Kikuchi, K. Simple formula for bit-error rate in optical heterodyne DPSK systems employing polarisation diversity 88−21044

Okoshi, T., Kikuchi, K., Cheng, Y. A new polarization-control scheme for optical heterodyne receiver 86−43861

Okoshi, T. *see* Ando, K. 88−51264, 88−65387

Okoshi, T. *see* Cheng, Y.H. 88−60138

Okoshi, T. *see* Ghafoori-Shiraz, H. 85−29601, 86−9454, 86−48110, 87−8754

Okoshi, T. *see* Hatori, M. 86−69890

Okoshi, T. *see* Ishibashi, R. 88−13953

Okoshi, T. *see* Katazawa, S. 86−7898

Okoshi, T. *see* Kikuchi, K. 85−12856, 85−35746, 85−37062, 85−62587, 85−63643, 86−9838, 86−9844, 86−22391, 86−48280, 86−58921

Okoshi, T. *see* Kishi, N. 88−20830

Okoshi, T. *see* Sakamoto, Y. 85−26023

Okraszewski, Z. *see* Miedzinski, B. 85−50082, 86−19695, 87−37632

Okrent, D. *see* Cuesta, M.G. 85−43774

Okrent, D. *see* Gonzalez-Cuesta, M. 87−9301

Okrent, D. *see* Guarro, S. 85−32288

Okrent, D. *see* Guarro, S.B. 88−48676

Okrent, D. *see* Szabo, J. 86−6472

Okrent, D. *see* Whitley, R.H. 85−43841

Okros, T. Mobile-service designing methods in the VHF bands 87−20407

Okros, T., Oprics, G. National public and dispatcher VHF/UHF radiotelephone networks 88−34969

Okrouhlik, M. *see* Hoschl, C. 87−22160

Oks, E.M. *see* Kreindel', Yu.E. 86−5726

Oksa, G. On the diagnostics of the GCEN 310 main circulating pumps of the VVER-440 nuclear power plants 88−17251

Oksa, T., Hamalainen, M., Saarinen, P., Harkonen, J. A modified luminescent solar concentrator 88−11389

Oksa, T. *see* Saarinen, P. 88−11400

Oksanen, L., Halme, S.J. Interferometric dispersion measurement in single-mode fibers with a numerical method to extract the group delays from the measured visibility curves 85−29635

Oksanen, L. *see* Sharma, A.B. 86−48158

Oksanen, M.I. A curved anisotropic optical fiber: a perturbational analysis for the dispersion characteristics and birefringence introduced by the geometry 88−58170

Oksanen, M.I., Lindell, I.V. A curved anisotropic waveguide: variational study of a nonstandard eigenproblem 88−34387

Oksanen, M.I., Lindell, I.V. Variational method for the curved anisotropic optical fiber 88−58171

Oksanen, M.I. *see* Sandell, H.A. 88−27643

Oksman, A.L. *see* Bolychevtsev, A.D. 88−53518

Oksman, J. *see* Seara, R. 87−2524

Oksman, V.A. *see* Zingerenko, Yu.A. 86−49180

Oksman, Ya.A. *see* Marmur, I.Ya. 86−1799, 88−33857, 88−57342

Oksoy, D. Sequential test for the ratio of two constant failure rates 88−31544

Oktay, S. *see* Feurstein, D. 85−44515

Oktik, S., Russell, G.J., Woods, J. The correlation between current transport mechanisms and etch features in Au-CdS single-crystal Schottky diodes 88−7566

Oktik, S., Russell, G.J., Woods, J. Effects of surface topography on dark current conduction processes in single crystal Cu_2S/CdS solar cells 88−17997

Oktu, O. *see* Ozdemir, S. 87−51475

Oktyabrskii, S.R. *see* Bespalov, V.A. 88−49840

Oku, H., Kitamura, S., Yamamoto, M. Maintenance support systems for DIPS VLSI processors 85−844

Oku, H. *see* Sagara, J. 86−38803

Oku, K., Asano, H., Morimura, A., Nishimura, S., Yamaguchi, H., Hatuse, T., Aoyama, T., Tokushige, K. Investigation into rust-resisting paints for pole-transformers 87−30735

Oku, K., Fukushima, M. Analysis on electrostatic pattern yoke camera tubes 87−1149

Oku, K., Fukushima, M. Numerical analysis on electrostatic deflecting camera tubes using the method of multipole field expansion 87−37845

Oku, K., Fukushima, M., Okamura, Y. Magnetic focusing and electrostatic deflecting camera tubes with twisted pattern yokes 88−44525

Oku, K., Kuwabara, M., Kaneko, K., Okamoto, S. Research into higher harmonics in the distribution system (factors affecting their generation and quantities generated) 87−4375

Oku, K. *see* Shimizu, M. 86−13005

Oku, S., Mori, H., Ohmachi, Y. InP crystal growth on planar SiO_2 substrates 86−7769

Oku, S., Shinoda, Y., Ohmachi, Y. GaAs/Ge crystal growth on Ta_2O_5-coated Si substrates 87−23616

Oku, T. *see* Kiraly, R.J. 88−36521

Oku, T. *see* Tanaka, K. 87−45330

Oku-Mura, K. *see* Kojima, T. 85−40118

Okube, J. *see* Sato, M. 85−36881

Okubo, E.K. *see* Lee, S.-W. 88−66042

Okubo, H., Miura, S., Nagasawa, S. Building block design of large capacity PCM-TDMA subscriber system and direct digital interface to digital exchange 88−59938

Okubo, H., Ohashi, N., Kizawa, T. Analysis of rural subscriber service system, using multiplex radio relay links 88−59987

Okubo, H., Ohashi, N., Kizawa, T., Atsuta, M., Taniguchi, T., Yamabayashi, M., Kazama, N. JUK-110 series small-capacity PCM-4PSK multiplex radio equipment 88−41507

Okubo, H., Okamura, K., Ikeda, M., Yanabu, S. Creepage flashover characteristics of oil/pressboard interfaces and their scale effects 87−35985

Okubo, H. *see* Goto, K. 88−49031

Okubo, H. *see* Honda, M. 87−67615

Okubo, H. *see* Ieda, M. 88−55412

Okubo, H. *see* Murotsu, Y. 87−77706

Okubo, H. *see* Nojima, K. 88−11324

Okubo, H. *see* Okawa, M. 87−37776, 87−72333, 88−38962

Okubo, H. *see* Tanaka, T. 86−68105

Okubo, H. *see* Yanabu, S. 87−35626

Okubo, K. Automatic pouring and conveying device 86−3445

Okubo, K. Electromagnetic stirrer 86−3465

Okubo, K. Application of electromagnetic stirrer for melting of aluminium scrap 86−54275

Okubo, K., Murakami, F., Oshima, S. Continuous small batch pouring system 88−18239

Okubo, K., Saeki, M., Aoki, S. A new estimation method for commutation performance of electric brush 86−19299

Okubo, K., Takimoto, H., Kon, S., Takahashi, N., Mori, J. Development of a heat-resistant pad for vacuum lift conveyer system 85−39276

Okubo, K., Usami, M., Murakami, S., Iijima, K. Avionics data bus DATAC 87−40388

Okubo, K. *see* Matsumoto, G. 85−10848

Okubo, K. *see* Sato, S. 86−11961

Okubo, K. *see* Shaw, J.L. 87−50510

Okubo, M. *see* Tsukiji, T. 85−24964, 87−2362

Okubo, N., Iwakuni, M., Joshin, K. Low-noise HEMT amplifier for satellite communications systems 87−37019

Okubo, S., Nakagawa, W., Asari, S. A novel evaluation technique and refractive index profile control in the VAD method 88−20395

Okubo, S., Nicol, R., Haskell, B., Sabri, S. Progress of CCITT standardization on $n \times 384$ kbit/s video codec 88−46758

Okubo, S., Nishimatsu, Y. Uniaxial compression testing using a linear combination of stress and strain as the control variable 86−6070

Okubo, S., Tokumaru, S. A pair of Yagi antennas for controlling polarization 85−19267

Okubo, S., Tokumaru, S. A graphical method for determining the polarization loss 85−30082

Okubo, S., Tokumaru, S. Four Yagi antennas for controlling polarizations 85−30116

Okubo, S., Tokumaru, S. A pair of dipole antennas for controlling polarizations [maritime satellite communications] 85−36099

Okubo, S., Tokumaru, S. A pair of Yagi antennas for controlling polarization 86−68912

Okubo, S. *see* Hatori, Y. 85−47731

Okubo, S. *see* Hisaki, T. 85−19667

Okubo, S. *see* Kato, Y. 87−34850, 88−3150, 88−41098

Okubo, S. *see* Kuroda, H. 85−14445 to 14446, 85−20335, 85−47665

Okubo, S. *see* Mukawa, N. 85−14505, 88−46733, 88−46737

Okubo, T., Ishida, M., Ishihara, T. FETEX-100L switching system for India project 85−3274

Okubo, T., Saito, K., Takamoto, K. Dependence of minimum linewidth on electron-beam properties in submicron lithography using a rectangular beam 86−53512

Okubo, T., Taniguchi, M., Shiraishi, M., Shinohara, J., Inuzuka, T. The electric system of Gobo No.1 thermal-power station: a modern middle-load station on an artificial island 85−43869

Okubo, T. *see* Kohno, T. 87−36264

Okubo, T. *see* Takamoto, K. 86−53739, 87−74162

Okubo, Y., Tsu, K. Inversion in gravity and magnetism exploration 88−10494

Okubo, Y. *see* Futagami, M. 87−18347

Okubo, Y. *see* Sugata, M. 85−64206

Okubo, Y. *see* Suzuki, T. 87−16579

Okud, H., Abukawa, T., Arai, K., Ito, M. Characteristics of ring permanent magnet bearing 85−24222

Okuda, A. *see* Sugiyama, M. 88−15748

Okuda, E., Wada, H., Yamasaki, T. Planar waveguide 8-port branched circuit 85−2075

Okuda, E., Wada, H., Yamasaki, T. Optical accessor and star coupler composed of planar gradient-index glass waveguide 86−42361

Okuda, E. *see* Ikeda, Y. 88−7948

Okuda, E. *see* Oikawa, M. 88−65356

Okuda, E. *see* Seki, M. 87−76744, 88−67408

Okuda, H. 5-Wavelength integrated GaInAsP/InP DFB laser arrays 88−65353

Okuda, H., Hirayama, Y., Furuyama, H., Kinoshita, J., Nakamura, M. Five-wavelength integrated DFB laser arrays with quarter-wave-shifted structures 87−68475

Okuda, H., Hirayama, Y., Furuyama, H., Uematsu, Y. Simultaneous CW operation of 5-wavelength integrated GaInAsP/InP DFB laser array with 50 Å lasing wavelength separation 85−24559

Okuda, H., Matsui, Y., Iguchi, S. Temperature dependence and saturation of output power of InGaAsP/InP LEDs 85−35655

Okuda, H., Nishibe, T., Furuyama, Y., Hirayama, Y., Iwamoto, M. Wavelength controllability of VPE grown 1.3 μm DFB lasers for wavelength multiplexing optical fiber communication 86−36507

Okuda, H., Ohno, S. Reproductive characteristics of video-hardcopy prepared by CRT TV printer 87−49305

Okuda, H., Yamazoe, Y., Yamabayashi, N., Himoto, T., Iguchi, S. High-speed InGaAsP/InP DH LED ($\lambda=1.3$ μm) 86−54051

Okuda, H. *see* Fujitani, T. 87−46719

Okuda, H. *see* Hirayama, Y. 86−54150, 87−33155

Okuda, H. *see* Mohri, K. 87−21030

Okuda, H. *see* Morinaga, S. 85−27506

Okuda, H. *see* Nishibe, T. 86−54159, 87−26394

Okuda, H. *see* Shiozawa, H. 88−65672

Okuda, H. *see* Uematsu, Y. 85−35798

Okuda, I., Kimura, M., Kotake, T., Aritomi, Y., Azechi, H. Optical trigger system for the Institute of Laser Engineering, Osaka University 88−27357

Okuda, I., Naka, S., Matsumoto, H. System control and HA adaptation for room air-conditioner 87−51644

Okuda, I., Otonari, H., Tanaka, E. The development of a radar simulator using personal computer 88−4100

Okuda, I., Suzuki, T. Simultaneous fix by Decca and Loran C in Suruga Bay 85−14377

Okuda, I. *see* Hori, M. 85−42234 to 42235, 86−59890, 87−76354, 88−28854

Okuda, I. *see* Iri, E. 88−28855

Okuda, I. *see* Owadano, Y. 87−61276, 88−40118

Okuda, I. *see* Tanimoto, M. 85−51102, 86−36401

Okuda, J., Kobayashi, T., Honma, Y., Sekido, T., Itakura, T. The outline of XE-10 International Digital Telephone Switching System 86−4422

Okuda, J. *see* Usagawa, T. 88−34613

Okuda, K. Accuracies of position fixes obtained by the shipping GPS receiver 88−67497

Okuda, K. *see* Endo, S. 85−32003

Okuda, K. *see* Hamakawa, Y. 86−13088

Okuda, K. *see* Ogawa, M. 86−5672

Okuda, M., Jiang, F.S., Rhee, J.C., Matsushita, T. Erasable laser recording characteristics in a Ga-Se-Te optical disk medium 88−26745

Okuda, M., Nakajima, M. Channel waveguide light modulator using guided-to-radiation mode coupling 88−65378

Okuda, M., Rhee, J.C., Fusong, J., Naito, H., Matsushita, T. Crystallization properties and operative regions of erasable optical disk using chalcogenide films 88−45048

Okuda, M., Wakita, N., Ohya, K., Banno, H., Hattori, S. A laser scanner using stacked piezoelectric ceramic actuator 87−12029

Okuda, M. *see* Jiang, F.S. 88−26744

Okuda, M. *see* Matsushita, T. 86−2651

Okuda, M. *see* Naito, H. 88−33846

Okuda, M. *see* Onodera, H. 85−12567

Okuda, N., Sugai, M., Goto, N. Semicustom and custom LSI technology 87−25449

Okuda, S., Mizubayashi, H., Tago, Y. Apparatus to study fatigue process using high amplitude internal friction technique 85−14611

Okuda, S. *see* Ikegami, K. 86−27790, 87−1132

Okuda, S. *see* Ishida, R. 87−1157

Okuda, S. *see* Nakanishi, H. 86−38287, 87−3434

Okuda, S. *see* Safranek, J. 88−47816

Okuda, S. *see* Ueda, K. 87−8785

Okuda, S. *see* Watanabe, H. 85−5092

Okuda, T., Koshizuka, N., Hayashi, K., Takahashi, T., Kotani, H., Yamamoto, H. Faraday rotation in highly Bi-substituted yttrium iron garnet films prepared by ion beam sputtering 88−51266

Okuda, T., Okada, H., Koyama, T., Asai, S., Matsuno, S., Shiojima, K. Development of tape path of digital audio tape recorder 85−58444

Okuda, T. *see* Ando, K. 85−29581, 86−9486 to 9487

Okuda, T. *see* Hiramoto, S. 87−75276

Okuda, T. *see* Hirota, J. 86−14764

Okuda, T. *see* Kobayashi, S. 88−19131

Okuda, T. *see* Koshizuka, N. 86−9485, 87−33015

Okuda, T. *see* Murata, A. 86−7765, 86−9483, 86−28805

Okuda, T. *see* Okada, H. 88−15862

Okuda, T. *see* Sugai, H. 85−44769

Okuda, T. *see* Tanabe, T. 87−4767

Okuda, T. *see* Toyoda, H. 86−26905, 86−57467

Okuda, T. *see* Watanabe, T. 85−32826

Okuda, T. *see* Yamauchi, A. 87−49853

Okuda, T. *see* Yasuoka, Y. 88−60729

Okuda, T. *see* Yokomachi, Y. 85−58446

Okuda, T. *see* Yoyoda, H. 87−5459

Okuda, Y., Ohkuma, T., Takashima, Y., Miyai, Y., Inoue, M. A new process for contrast enhancement of photoresist patterns 88−13248

Okuda, Y. *see* Akiyama, T. 87−4428

Okuda, Y. *see* Hata, H. 88−21584

Okuda, Y. *see* Hiroo, I. 86−51043

Okuda, Y. *see* Matsushima, T. 88−65568

Okuda Hiroshi *see* Hiroshi Okuda

Okuda Yasuaki *see* Yasuaki Okuda

Okudaira, K. *see* Hirasima, Y. 88−22938

Okudaira, K. *see* Yoshimori, M. 88−29935

Okudaira, M., Kawada, E., Mori, K., Suenaga, Y. Image recognition and display-based interactive processing for plant-record drawing data base 86−54563

Okudaira, M., Ueda, N., Aoki, T. Image enhancement of handwritten drawings and their recognition followed by interactive processing 87−47976

Okudaira, M. *see* Aoki, T. 88−46162

Okudaira, M. *see* Kaneko, T. 85−62967

Okudaira, S. *see* Okazaki, S. 87−74368

Okudaira, S. *see* Suzuki, K. 85−18259

Okudaira, S. *see* Tachi, S. 86−53550, 88−33026

Okudaira, S. *see* Tsujimoto, K. 87−32434

Okude, S., Matsushima, F., Shimizu, T. Stabilization of tunable diode lasers for spectroscopy of low density gases 87−75271

Okugawa, M., Hiraoka, M., Takada, Y. Research and development of superconductors 88−20262

Okugawa, S., Inove, N. Systematic design of D flip-flops using two state variables 88−642

Okugawa, S. *see* Inoue, N. 88−19063

Okuhara, S. *see* Amada, E. 87−76465

Okuhira, H. *see* Usagawa, T. 88−50892

Okui, I. *see* Ishikubo, I. 88−15757

Okui, M., Ohzeki, K., Shirata, K., Murakami, K. Locus display of moving sports players [TV system] 88−4184

Okui, M. *see* Ohzeki, K. 87−63143

Okui, S. A generalization of the I_c-function and its properties 86−66669

Okui, Y. *see* Fujimura, S. 88−7537

Okujima, M. Outline of ultrasonic diagnostic equipment 86−70394

Okujima, M. *see* Hachiya, H. 87−15099

Okujima, M. *see* Ohtsuki, S. 88−30202

Okujima, M. *see* Soetanto, K. 85−31790, 87−29757

Okulich, V.I. *see* Vasin, A.S. 85−55660

Okullo-Oballa, T.S. *see* Kwan, H.K. 88−19273

Okulov, A.Yu., Oraevskii, A.N. Regular and stochastic self-modulation of radiation in a ring laser with a nonlinear element 85−35835

Okulov, N.A. Optimum operating modes of two idealized MHD devices 85−21827

Okuma, H. *see* Yamaguchi, M. 85−41088

Okuma, J. *see* Yamamoto, Y. 87−14672

Okuma, K. *see* Komatsu, F. 88−39593

Okuma, S., Iwata, K., Suzuki, K. Parallel running of GTO PWM inverters 85−10019

Okuma, S., Kojima, H., Sasaki, I., Amemiya, Y. A cycloconverter system with a high frequency of tank circuit for induction heating 85−5173

Okuma, S. *see* Ishida, M. 87−42946

Okuma, S. *see* Kim, Y. 87−22912, 87−30756, 88−55723

Okuma, S. *see* Kojima, H. 85−49013

Okuma, S. *see* Sangwongwanich, S. 88−55338

Okuma, S. *see* Tsuchiya, F. 85−49010

Okumara, K., Kishima, A., Tokoro, S. A method for computing electrical transients of transmission lines by numerical Laplace transform 87—2324
Okumara, M. *see* Hasebe, H. 86—5009
Okumi, S. *see* Nakanishi, T. 86—60532, 87—3852
Okumoto, K. *see* Ohnogi, Y. 87—78076
Okumoto, T. *see* Fujiwara, C. 87—55385
Okumura, A. *see* Yoshida, M. 87—37337
Okumura, E. *see* Kojima, T. 86—68718
Okumura, F., Kaneko, S. Amorphous Si:H linear image sensor operated by a-Si:H TFT array 85—52688
Okumura, F. *see* Kaneko, S. 86—36348, 87—20944
Okumura, H., Ihara, H., Gonda, S. XPS analysis of PbTe surfaces prepared by various cleaning procedures 85—12177
Okumura, H., Kermanshabi, B.S., Yokoyama, R., Morita, T. Knowledge-based security evaluation for power system operation and control 87—57554
Okumura, H., Misawa, S., Yoshida, S., Gonda, S. Heating effects on GaAs substrate surfaces during the mounting process in the molecular beam epitaxy technique 85—33453
Okumura, H., Misawa, S., Yoshida, S., Gonda, S. Determination of the conduction-band discontinuities of $GaAs/Al_xGa_{1-x}As$ interfaces by capacitance-voltage measurements 85—34550
Okumura, H., Sakuma, E., Lee, J.H., Mukaida, H., Misawa, S., Endo, K., Yoshida, S. Raman scattering of SiC: appiication to the identification of heteroepitaxy of SiC polytypes 87—31511
Okumura, H. *see* Araki, T. 85—45363
Okumura, H. *see* Ihara, H. 85—46031
Okumura, H. *see* Misawa, S. 87—65503
Okumura, H. *see* Shinohara, M. 88—43886
Okumura, H. *see* Sugimoto, T. 88—24846
Okumura, H. *see* Tomokiyo, K. 88—6018
Okumura, H. *see* Yoshida, S. 87—58933, 88—38141, 88—44563
Okumura, I., Mukohjima, H. A structure of ultrasonic motor for auto focus lenses 88—75660
Okumura, I. *see* Akita, K. 85—53888
Okumura, I. *see* Koyama, H. 88—57776
Okumura, J. *see* Hirobe, K. 85—30189
Okumura, K. A formal protocol conversion method 87—20187
Okumura, K., Fukuda, S., Kishima, A. Analysis of frequency entrainment in three-phase circuits 88—24958
Okumura, K., Kato, S., Kishima, A. Analysis of iron resonant circuit considering hysteretic characteristics 87—73256
Okumura, K., Kijima, A. A method of computing the surge impedance of transmission line tower by electromagnetic field theory 86—61159
Okumura, K., Kijima, A., Tani, S. Analysis of surge characteristics of ground wire and tower system by electromagnetic field theory 87—71730
Okumura, K., Kishima, A. A method for computing tower surge impedance by electromagnetic field theory 85—64937
Okumura, K., Kishima, A. Subharmonic oscillations in three-phase circuitsf 86—8041
Okumura, K., Kishima, A. A method for digital simulation of hysteretic characteristics and its application 86—62402
Okumura, K., Kishima, A., Saeki, S. Improvement of algorithm using interval analysis for solution of nonlinear circuit equations 88—12172
Okumura, K., Kishima, A., Tokoro, S. A method for computing electrical transients of transmission lines by numerical Laplace transform 85—41669
Okumura, K., Kishima, A., Yasuda, H. Numerical method for analyzing transient and steady states of sine wave oscillator circuit with stiffness 88—12241
Okumura, K., Matsuo, T., Kishima, A. Analysis of self-exciting oscillations in nonlinear system with hysteretic characteristics 87—73255
Okumura, K., Moriya, T. Multilevel aluminium metallization for VLSI 86—21755
Okumura, K., Nakamura, S. Experimental and analytical study on 1/3-subharmonic oscillation in three-phase circuits 88—17678
Okumura, K., Ogawa, Y., Ito, H., Inaba, H. Self-excited oscillation and monostable operation of a bistable LED 85—12739
Okumura, K., Ogawa, Y., Ito, H., Inaba, H. Studies on multi-functionalisation of bistable laser diodes (BILD) and bistable light emitting diodes (BILED) 85—12748
Okumura, K., Ogawa, Y., Ito, H., Inaba, H. Optical logic inverter and AND elements using laser or light-emitting diodes and photodetectors in a bistable system 85—12968
Okumura, K., Ogawa, Y., Ito, H., Inaba, H. Optical bistability and monolithic logic functions based on bistable laser/light-emitting diodes 85—51167
Okumura, K., Ohi, M. Unmodulated-type frequency stabilization of a PbSnTe diode laser 85—24558
Okumura, K., Ohi, M. Frequency stabilization under very small modulation and its stability estimation of a PbSnTe diode laser 86—3153
Okumura, K., Saeki, S., Kishima, A. On an improvement of algorithm using interval analysis for solution of nonlinear circuit equations 86—66978
Okumura, K., Sakamoto, M., Kishima, A. Finding multiple solutions of nonlinear circuit equations by simplicial subdivision 87—52319
Okumura, K., Tanaka, M., Kijima, A. Analysis of subharmonic oscillation by equivalent transfer function 88—30231
Okumura, K., Tani, S., Kijima, A. Analysis of surge characteristics of tower-ground wire-phase conductor system by electromagnetic field theory 88—17178
Okumura, K., Tani, S., Kijima, A. Numerical analysis of surge currents induced by return stroke current and tower current utilizing electromagnetic field theory 88—30392
Okumura, K. *see* Hosokawa, M. 87—50842
Okumura, K. *see* Kanauchi, S. 85—22879
Okumura, K. *see* Kanoi, M. 86—39255
Okumura, K. *see* Miyoshi, M. 86—53738, 86—58583, 87—45794
Okumura, K. *see* Shibata, T. 85—49878
Okumura, K. *see* Utsuro, M. 88—68193
Okumura, K. *see* Yamaji, H. 85—62001
Okumura, M. Recent trends in robotics 85—16763
Okumura, M. *see* Matsuoka, G. 86—8936
Okumura, M. *see* Matsuzaka, T. 88—13233
Okumura, M. *see* Nakamura, K. 88—7539
Okumura, M. *see* Ohyama, M. 88—64466
Okumura, M. *see* Saitou, N. 85—35046, 87—25010
Okumura, M. *see* Takahama, T. 88—74332
Okumura, S. *see* Chikada, Y. 87—28718, 88—9692
Okumura, S. *see* Hosokawa, H. 88—16364
Okumura, T. High power laser diodes 86—29123
Okumura, T. Electric properties of semiconductor interfaces 87—32285
Okumura, T., Kakuzaki, H., Nakanishi, K. Extended network functions of ACOS-4/MVP XE [operating system] 86—49290
Okumura, T., Onishi, S., Tanaka, K., Sakiyama, K. A SiO_x resistor load SRAM process for ASIC applications 88—70765
Okumura, T., Tu, K.N. Tungsten-platinum alloy Schottky barriers on *n*-type GaAs 85—55552
Okumura, T., Tu, K.N. Electrical characterization of Schottky contacts of Au, Al, Gd, and Pt on *n*-type and *p*-type GaAs 87—53275
Okumura, T. *see* Amamiya, M. 88—60184
Okumura, T. *see* Asano, T. 85—62578
Okumura, T. *see* Iwami, Y. 88—50797
Okumura, T. *see* Kokubu, A. 88—58267
Okumura, T. *see* Makimoto, M. 85—34645
Okumura, T. *see* Matsumoto, T. 87—7014
Okumura, T. *see* Murase, K. 86—53370
Okumura, T. *see* Sakakibara, A. 85—15632
Okumura, T. *see* Sasaki, S. 88—55039
Okumura, T. *see* Takeuchi, S. 85—43286, 86—46620
Okumura, T. *see* Yokoyama, Y. 88—44966
Okumura, Y. Reminiscences of propagation study on mobile communication 85—36947
Okumura, Y. An approach to the unifying expression of environmental structure effect in mobile propagation 86—69690
Okumura, Y. Buoy station for meteorological observations on a lake 88—5119
Okumura, Y., Akiba, M., Mizuhashi, K. Application of a solid-state image sensor to optical profile measurement of intense neutral beams [plasma heating application] 85—26222
Okumura, Y., Hayashi, K., Inoue, Y. A new phase-locked oscillator adaptable to input signals with periodical phase jumps 86—62481
Okumura, Y., Hayashi, K., Inoue, Y. A new phase-locked oscillator adaptable to input signals with periodical phase jumps 88—18966
Okumura, Y., Horiike, H., Inoue, T., Kurashima, T., Matsuda, S., Ohara, Y., Tanaka, S. A high current volume H^- ion source with multi-aperture extractor 88—4773
Okumura, Y., Ohara, Y., Horiike, H., Shibata, T. Development of a volume H^- ion source for neutral beam injector 85—37892
Okumura, Y., Yamamoto, T., Komiya, R. ISDN user-network interface—physical and electrical characteristics 87—40092
Okumura, Y., Yamamoto, T., Kuribayashi, M. Circuit design and transmission performance for ISDN basic interface 87—34231
Okumura, Y., Yamamoto, Y. Circuit design and transmission performance of ISDN basic interface 88—50995
Okumura, Y. *see* Inoue, Y. 85—30840, 87—2722
Okumura, Y. *see* Koga, M. 87—48632
Okumura, Y. *see* Miyamoto, S. 85—37980
Okumura, Y. *see* Sakamoto, M. 85—25376
Okumura, Y. *see* Tsukamoto, K. 87—31903
Okun, V.A. *see* Boshernitsan, E.S. 85—64302
Okun', V.N. *see* Agapov, E.S. 88—36218
Okunaka, J., Saki, H., Sakaguchi, K., Tanaka, Y. Communication control for Japanese Teletext terminal 85—3040
Okunaka, J. *see* Shimoda, H. 85—3038
Okunaka, J. *see* Takahashi, Y. 85—57615, 86—23282
Okunaka, J. *see* Ueda, S. 85—3039, 86—30296
Okunaka, M. *see* Nakatani, M. 86—13080
Okunaka, T. *see* Hayata, Y. 88—48114
Okundi, P.O. Two decades of telecommunications developments in Kenya 85—8037
Okundi, P.O., Fowler, A.F. Telecommunications and rural development in Africa 85—8059
Okunev, L.P. *see* Tesis, A.M. 87—64389
Okunev, S.I. *see* Ivanenko, V.N. 88—48938
Okunev, S.L. *see* Nikitin, N.M. 87—20172
Okunev, V.D. *see* Bratashevikii, Yu.A. 86—63057
Okunev, V.D. *see* Bratashevskii, Y.A. 85—18118
Okunev, Yu.B., Fink, L.M. Noise immunity of various receiving methods for binary systems with second-order phase-difference modulation 86—29698
Okunev, Yu.B., Sidorov, N.M. Noise immunity of a carrier-frequency-invariant demodulator of DPSK-2 signals 88—27738
Okunev, Yu.B., Sidorov, N.M., Fink, L.M. Noise immunity of incoherent reception with single phase-difference modulation 87—54841
Okunev, Yu.B. *see* Ginzburg, V.V. 86—37622
Okunev, Yu.B. *see* Gut, R.E. 88—34696
Okunishi, T. *see* Ohsawa, S. 86—42218, 87—25908
Okuno, A. Simulator of power electronics circuit and its applications [circuit CAD] 85—28335
Okuno, A. Simulation of SVC using EMTP 85—32574
Okuno, A. *see* Tsunashima, E. 88—64148
Okuno, E. *see* Sawaki, N. 88—32893
Okuno, H., Ishikawa, M., Sakaki, Y. Properties of SmCo film for magnetic rotary encoder 88—51337
Okuno, H., Ishikawa, M., Sakaki, Y. Properties of SmCo film for magnetic rotary encoder 88—58006
Okuno, H., Naito, M., Sakaki, Y. Core losses of sputtered Supermalloy multilayered core over 1 MHz 88—51343
Okuno, H. *see* Enomoto, R. 88—61123
Okuno, H. *see* Fujii, K. 85—4231
Okuno, H. *see* Imanishi, A. 88—44135, 88—61124
Okuno, H. *see* Kurokawa, Y. 87—34757
Okuno, H. *see* Miyakoshi, K. 88—53411
Okuno, H. *see* Sakaki, Y. 87—60821
Okuno, H. *see* Tamura, Y. 88—21981
Okuno, I. Key technical elements for designing compact fluorescent lamps 88—6002
Okuno, K. Optical devices for fiber optic communications 88—41663
Okuno, K., Kato, T., Koizumi, K., Tsuji, H., Hiyama, T., Shimamoto, S., Hattori, Y., Kamiya, S., Mukai, H., Iida, F. Testing of the pool-boiling cooled Japanese LCT coil in the International Fusion Superconducting Magnet Test Facility 87—67972
Okuno, K., Kato, T., Takahashi, Y., Iida, F., Tsuji, H., Hiyama, T., Shen, S.S., Lue, J.W., Lubell, M.S., Shimamoto, S. Experimental results on the Japanese LCT coil in the IFSMTF: pulsed field tests and extended-condition tests 88—65029
Okuno, K., Mukai, H., Lubell, M.S., Shen, S.S., Jakob, B., Zichy, J.A., Wuechner, F. Response of superconducting coils to internal heating 87—74641
Okuno, K., Takahashi, K., Doi, K., Ushirogawa, A., Ishikawa, R., Kuriyama, T. Optical devices for fiber optic communications 87—40912
Okuno, K. *see* Ando, T. 85—1925, 85—41089, 85—56142, 87—12090
Okuno, K. *see* Kato, T. 85—56249
Okuno, K. *see* Koizumi, K. 88—65105
Okuno, K. *see* Korekado, T. 86—68939
Okuno, K. *see* Lubell, M.S. 88—13773, 88—65028
Okuno, K. *see* Luton, J.N. 87—74642
Okuno, K. *see* Maeda, T. 87—72331
Okuno, K. *see* Shen, S.S. 87—67971, 88—65106
Okuno, K. *see* Shimamoto, S. 85—1893, 85—1927, 85—41077, 87—12091, 88—13775
Okuno, K. *see* Shiozaki, A. 87—28484
Okuno, K. *see* Tada, E. 87—67979
Okuno, K. *see* Takahashi, Y. 85—35366, 85—56141, 86—42191, 87—67954
Okuno, K. *see* Tsuji, H. 86—58725
Okuno, K. *see* Uda, Y. 86—4663
Okuno, M., Ishikawa, M., Yoshimura, T., Yoshida, K., Ibuki, S., Ohtsuka, T. On the degradation of overhead line conductors 86—6377
Okuno, M. *see* Miyatake, S. 86—5043
Okuno, M. *see* Nagakawa, T. 86—11281
Okuno, M. *see* Onuma, A. 86—40000
Okuno, M. *see* Yamauchi, T. 86—45622
Okuno, N., Yoshikane, T., Kawamura, I., Kondo, M., Nishihara, Y., Kagamibashi, S., Miyashita, H. Low-profile automatic-loading VHD-system video disc player 87—8458
Okuno, S. *see* Kawakami, K. 88—74182
Okuno, S. *see* Utsumi, A. 88—68375
Okuno, T. *see* Itoh, M. 88—55633
Okuno, T. *see* Yamamoto, Y. 88—37523
Okuno, Y. A numerical method for solving edge-type scattering problems 87—75401

Okuno, Y. A numerical method for solving edge-type scattering problems 88–20881
Okuno, Y., Endo, Y., Kabashima, S. Effect of external fluctuations on the performance of a closed cycle disk MHD generator 88–62634
Okuno, Y., Kabashima, S., Yamasaki, H., Harada, N., Shioda, S. Comparative studies of the performance of closed cycle disk MHD generators using argon, helium and an argon-helium mixture 86–19510
Okuno, Y., Matsuda, T. The mode-matching method with a generalized singular-smoothing procedure for analyzing the edge-type scattering problem with several edge points 85–7613
Okuno, Y., Matsuda, T. Efficient technique for the numerical solution of diffraction by a Fourier grating 87–47146
Okuno, Y., Ozaki, H., Fujinami, Y., Sakuma, H., Mitsunari, K., Takamizawa, K., Yamauchi, H. New software for gate array design support 87–31822
Okuno, Y., Yamasaki, H., Kabashima, S., Shioda, S. Voltage-current characteristics of an inert gas driven disk MHD generator with high enthalpy extraction 88–43390
Okuno, Y. *see* Matsubara, K. 85–21849
Okuno, Y. *see* Matsuda, T. 86–63960
Okuno, Y. *see* Nishizawa, J. 85–41288, 86–40699, 88–380
Okuno, Y. *see* Ozaki, H. 88–19057
Okuno, Y. *see* Yamasaki, H. 85–21833
Okuno, Y. *see* Yasuura, K. 86–22651, 86–63976
Okuno, Y. *see* Yoshikawa, K. 85–21533
Okuo, T. Experimental studies on COM burning MHD generator channels 85–65463
Okuo, T. Experimental studies on channel walls for magnetohydrodynamic(MHD) electrical power generations 87–57984
Okuo, T., Kato, K., Aiyama, Y., Fujii, Y., Okamura, H., Ura, M. Progress in testing of coal-fired MHD generator ceramic channels 85–21836
Okura, G.A. *see* Mountford, J.D. 86–12322
Okura, G.N. *see* Walldorf, S.P. 86–39162
Okura, K. *see* Takahashi, S. 85–21033
Okura, M. Switching power supplies prepared for the next 10 years 88–63503
Okura, T., Hada, H., Hirayama, T., Iwakawa, T. Large character display composed of thin lightweight end-stackable plasma modules 87–3692
Okura, T., Haneda, H., Yano, A., Nishida, K., Iwakawa, T. NEC applied plasma devices to create display modules as alternative to CRT 86–5386
Okura, Y. Trolley structure and current collection of electric railroad. IX 86–7244
Okura, Y. *see* Fukui, C. 86–32714
Okushi, H. Localized states in semiconductors studied by isothermal capacitance transient spectroscopy 87–45564
Okushi, H., Yamasaki, S., Matsuda, A., Tanaka, K. Measurement of spatial distribution of gap states originating from dangling bonds near metal/a-Si:H interface 86–28026
Okushi, H. *see* Matsuura, H. 85–61887, 88–7317
Okushima, K. Technology realizes the production of chip aluminum electrolytic capacitor 87–1014
Okuta, K. *see* Akagi, H. 85–43632
Okutani, K. *see* Otsuka, K. 85–16794
Okutani, K. *see* Yamada, T. 86–52284
Okutani, M. *see* Takemura, T. 87–10474
Okutani, T. Countermeasures against short-circuit troubles in the short track circuit 88–18169
Okutani, T., Fukuda, M., Noda, T., Tamura, H., Watanabe, H. A surface ionization source with an emitter tip heated by electron bombardment 85–15144
Okutin, G.P. *see* Murugov, V.M. 86–14436
Okuto, Y. *see* Uenohara, M. 87–60567
Okutomi, T. *see* Suzuki, S. 88–32700
Okuwaki, T., Kugiya, F., Kumasaka, N., Yoshida, K., Tsumita, N., Tamura, T. 5.25 inch floppy disk drive using perpendicular magnetic recording 86–28653
Okuwaki, T. *see* Fujiwara, H. 85–7155
Okuwaki, T. *see* Kugiya, F. 86–28668
Okuyama, A. *see* Yamada, K. 86–43915
Okuyama, C. *see* Matsuura, S. 85–43200
Okuyama, D., Inoue, H., Yoshida, Y., Imano, K., Abe, S. Development of a detector of variation of underground water level using ultrasound 87–15088
Okuyama, D. *see* Inoue, H. 85–64270
Okuyama, D. *see* Niitsuma, H. 87–57329
Okuyama, D. *see* Yoshimura, N. 87–15114
Okuyama, E. *see* Kiyono, S. 88–53858
Okuyama, H. *see* Casasent, D. 87–13108
Okuyama, H. *see* Mochizuki, A. 85–37683, 86–31519, 87–3680
Okuyama, H. *see* Shiratori, T. 88–74520
Okuyama, H. *see* Yagishita, T. 85–24368
Okuyama, H. *see* Yamagishi, Y. 87–12605
Okuyama, H. *see* Yoneda, Y. 86–1900
Okuyama, K., Gundlach, K.H. Influence of preparation parameters on the tunnelling characteristics of Pb-Bi-In/oxide/Pb-Bi-In junctions 86–48008
Okuyama, K., Hosi, M., Mori, E., Kashima, Y., Kamata, Y. Development of a prototype UHV transformer and its application to 500 kV transformers 85–9964
Okuyama, K. *see* Ibruegger, J. 85–46091
Okuyama, K. *see* Kato, Y. 86–39934
Okuyama, K. *see* Katto, H. 85–50591, 86–41847
Okuyama, K. *see* Kurita, A. 86–66132
Okuyama, K. *see* Murai, Y. 88–23966
Okuyama, K. *see* Okimatsu, T. 88–41478
Okuyama, K. *see* Shimizu, T. 87–43575
Okuyama, M., Eguchi, K., Inoie, T., Kishino, K., Yamada, N., Nonaka, K., Uchino, K. Development of a shipborne satellite TV receiving system 86–43775
Okuyama, M., Fujiki, N., Inoue, K., Hamakawa, Y. SiO_2 thin film prepared from Si_3H_8 and O_2 by photo-CVD using double excitation 87–65557
Okuyama, M., Fujiki, N., Inoue, K., Hamakawa, Y. Growth of oriented Si film on quartz from Si_3H_8 by thermal and photo-CVD using a D_2 lamp 88–49873
Okuyama, M., Hamakawa, Y. Preparation and basic properties of $PbTiO_3$ ferroelectric thin films and their device applications 86–2462
Okuyama, M., Hamakawa, Y. Thin $PbTiO_3$ and lead-lanthanum zirconate-titanate ferroelectric films and their applications 87–32758
Okuyama, M., Hamakawa, Y. Ultrasonic sensors 87–77912
Okuyama, M., Inoie, T., Eguchi, K., Okabe, Y., Kurosaka, S., Kawamura, A., Kishino, K., Konnai, K., Nonaka, K., Uchino, K. New ship earth station 88–41592
Okuyama, M., Ohtani, K., Ueda, T., Hamakawa, Y. Si-monolithic integrated pyroelectric infrared sensor made of $PbTiO_3$ thin films 85–43003
Okuyama, M., Ueda, T., Hamakawa, Y. Bias effect in RF sputtering of $PbTiO_3$ thin film 86–46366
Okuyama, M. *see* Hamakawa, Y. 88–17990
Okuyama, M. *see* Inoue, K. 87–58974
Okuyama, M. *see* Ohtani, K. 85–21034
Okuyama, M. *see* Suzuki, N. 86–22090
Okuyama, M. *see* Toyoda, Y. 87–58975
Okuyama, S. *see* Chujo, T. 88–46710
Okuyama, S. *see* Fuke, S. 87–66931
Okuyama, S. *see* Hahm, Y.H. 88–68947
Okuyama, S. *see* Ohyagi, K. 88–9036
Okuyama, T., Fujimoto, N., Matsui, T., Kubota, Y. A high performance speed control scheme of induction motor without speed and voltage sensors 87–42949
Okuyama, T., Fukuchi, H., Nakamura, K., Okamoto, K. Antenna surface measurement by the holographic method using beacon signal of CS-2b satellite 88–2706
Okuyama, T., Inomata, H., Masuko, H., Nakamura, K. SIR-B experiments in Japan: surface activity–oil-pollution experiment 88–53362
Okuyama, T., Tariki, M., Tanaka, A., Sato, N. VHS format digital Hi-Fi VCR VC-D900HF 88–15832
Okuyama, T. *see* Iguchi, T. 87–57399
Okuyama, T. *see* Ohashi, H. 85–25819
Okuyama, T. *see* Saito, K. 87–43680, 87–64990
Okuyama, T. *see* Sato, K. 87–58485
Okuyama, Y. A outlook of the marine traffic simulation in Japan 85–22055
Okuyamal, M. *see* Hamakawa, Y. 87–22777
Okuyami, Y. *see* Ishimoto, S. 86–14212
Okuzaki, Y., Nakai, M., Oguro, S., Eza, M., Numata, K., Ishikura, S., Yokogawa, S. Lithium batteries for memory backup 87–36094
Okuzawa, O. *see* Odawara, G. 87–5603, 88–64719
Okuzumi, A. *see* Shiraki, K. 86–4139
Okuzumi, R. *see* Satoh, T. 85–47012
Okwit, S. A historical view of the evolution of low-noise concepts and techniques 85–227
Okx, W.J.C., van Eijk, C.W.E., Ferreira Marques, R., Hollander, R.W., Langerveld, D., Zoutendijk, A. Background suppression in a gas scintillation proportional counter for exotic X-rays 87–29462
Okx, W.J.C., van Eijk, C.W.E., Hollander, R.W., Zoutendijk, A. Background suppression in a gas-scintillation proportional detector for exotic-atom X-rays 88–29796
Okyere, E.W., Czeto, A.R., Riederer, A.J. Changes in microcomputer usage in the laboratory 88–18392
Okyere, W.E. *see* Riederer, A.J. 88–22468
Olabe, J.C. *see* Rodriguez, M. 85–13518
Olach, O., Miklos, P., Kopca, M., Lelak, J., Sklenar, S. DC capacitance of electrolytic capacitors 86–27648
Olach, O., Wittlinger, V., Sklenar, S. Surface temperature of the aluminium electrolytic capacitors 88–12632
Oladiran, E.O., Pisler, E., Israelsson, S. New lightning flash counter and calibration circuit with improved discrimination of cloud and ground discharges 88–23549
Oladyshkina, A.I. *see* Troitskii, V.S. 86–18315
Olaf, J. Monitoring and control of transport systems in coal mines 85–42496
Olafsson, A. *see* Hammerich, M. 88–20718
Olafsson, A. *see* Tang, F. 88–72246
Olafsson, S., Abu-Mostafa, Y.S. The capacity of multilevel threshold functions 88–40766
Olafsson, S. *see* Nanjo, J. 87–45559
Olah, A. *see* Gyuro, I. 86–14502
Olah, W.W., Zykoff, F.B. Hermetic seal for semiconductor package 85–10519
Olaisen, H. *see* Skaug, R. 85–25729
Olalde, G., Flamant, G., Schwander, D., Combescure, C. Advanced high temperature semitransparent solar absorbers 86–19521
Olalde, J.C. *see* Bava, J.A. 86–17981
Olalere, G., Ajayi, I.E., Owolabi, I.E., Adimula, I.A. Rain induced depolarization from 1 GHz to 300 GHz in a tropical environment 87–47173
Olalere Ajaji, G. Characteristics of rain induced attenuation and phase shift at cm and mm waves using a tropical raindrop size distribution model 86–3509
Olan, R.W. *see* White, M.A. 86–32376
Olander, D.J., McGrath, G.J., Israel, R.K. A framework for networking in System V 87–2939
Olander, D.R. *see* Balooch, M. 87–1418
Olander, N. Edge detection using evidential reasoning 87–75936
Olander, N. *see* Jungert, E. 88–74466
Olaniyan, O.O., Kehinde, L.O. Circuit for skewed data transmission 86–52913
Olaniyan, O.O., Taiwo, A. A new data transmission modem 87–28270
Olansky, N.S. *see* Scott Crump, S. 87–6277
Olar, L. *see* Tanasescu, F.T. 88–23820
O'Larey, P. *see* Larbalestier, D.C. 85–56148
O'Larey, P.M. *see* Smathers, D.B. 85–56165, 87–12086, 87–74552, 88–64990
Olariu, V. *see* Florea, D. 85–9222
Olascoaga, M.T., Winblad, A.E. A coordinated approach to nuclear power plant design 85–38646
Olaso, J., Sendino, F. Garona benefits from US experience 87–22026
Olaszy, G. Automatic generating of speech-melody in the speech-synthesising system SCRIPTOVOX-MEA 8000 87–56441
Olaszy, G., Gosy, M. Testing of sound quality of automatic speech producing system SCRIPTOVOX-MEA 8000 87–70336
Olaszy, G., Podoletz, G. Automatic text! Speech conversion in the Scriptovox-MEA 8000 system 87–27231
Olaszy, G., Podoletz, G., Fiser, J., Poppe, A. Development of an LPC text-to-speech synthesis system 87–14048
Olatunbosun, O.A. *see* Aderibidge, D.A. 87–23073
Olaussen, E.M. *see* Vaernes, J.E. 85–60050
Olavson, L. *see* Baker, N. 85–53900
Olberg, M. *see* Winnewisser, G. 87–13805
Olbrich, E., Wagner, K. The needle eye of alarm reporting [alarm system data transmission] 85–36530
Olbrich, G., Zibis, P., Grassl, H. Test system for time domain measurements on elastic SAW-convolvers 85–62174
Olbricht, W. *see* Meyerson, B.S. 85–10778
Olbright, G. *see* Gibbs, H.M. 85–56842
Olbright, G. *see* Venkatesan, T. 86–36558
Olbright, G.R., Peyghambarian, N., Gibbs, H.M., Macleod, H.A., van Milligen, F. Microsecond room-temperature optical bistability and crosstalk studies in ZnS and ZnSe interference filters with visible light and milliwatt powers 85–18767
Olbright, G.R. *see* Jin, R. 87–33311
Olbright, G.R. *see* Lee, Y.H. 86–42621
Olbright, G.R. *see* Warren, M. 87–33305
Olcay, M.R., Pasqual, J.A., Lisboa, J.A., Francke, R.E. Tuning of a narrow linewidth pulsed dye laser with a Fabry-Perot and diffraction grating over a large wavelength range 86–3095
Olcayto, E., Birse, A.R. Split-syndrome burst error correcting codes for one-dimensional channels 87–61577
Olcayto, E., Brown, G. Microprocessor based codec for a new class of burst error correcting codes 88–72744
Olcayto, E., Chreitah, B. Rapid synchronisation of long PN sequences used in spread spectrum systems 85–47421
Olcayto, E., El-Din, M.Z. Design of stable 2-D half plane digital filters 86–29955
Olcayto, E., Sallam, M.K. A performance comparison of DS and FH spread spectrum systems 85–47423
Olcayto, E., Zein El-Din, M. Quick stability test for 2-D digital filters 85–40187
Olcaytug, F. *see* Prohaska, O.J. 86–44659
Olcer, M., Buhlmann, H.J., Ilegems, M. Enhanced current injection in thermal oxides grown on texturized silicon 86–58328
Olcer, M. *see* Buhlmann, H.J. 86–28050
Olcer, S., Harsa, C., Roch, A. Application of linear and dynamics programming to the optimization of the production of hydroelectric power 85–38923

Olcese, A. *see* Baland, J.F. 88−48000
Olchak, A.S., Rudenko, A.I., Sokolov, G.V. Thermal breakdown in a plane semiconductor sample influenced by a strong current pulse 88−39037
Old, J.C., Day, D.J., Harvey, G.N. 'GASP'—the GEC array-signal-processing test bed 86−17503
Old, J.L. *see* Jones, D.R. 86−18457
Oldach, D. *see* Johanndeiter, M. 87−56355
Oldaker, M.E., Neumeyer, C. An enhanced firing generator design for the TFTR magnetic field coil power supplies 88−69521
Oldano, C. *see* Lugiato, L.A. 88−51885, 88−65852
Oldano, G., Pinciroli, F. A computer-based system for the study of ECG/VCG variability 85−9186
Olde, F. *see* Ohashi, K. 86−38386
Oldenborg, R.C. *see* Burrows, M.D. 85−24441
Oldenbourg, R., Phillips, W.C. Small permanent magnet for fields up to 2.6 T 87−7024
Oldenburg, G. Honeywell ELAC bottom chart 88−53384
Oldenburger, A.A. *see* van de Klundert, L.J.M. 88−65113
Oldenburger, A.A. *see* van Overbeeke, F. 86−51728, 87−46427
Oldenettel, J.R., Tang, K.Y. Multi-kilojoule narrowband XeCl laser 88−8135
Oldenettel, J.R. *see* Feiock, F.D. 85−12892
Oldenkamp, H. *see* van Meel, J. 85−31404
Oldenkamp, J.L., Peak, S.C. Selection and design of an inverter-driven induction motor for a traction drive system 85−44244
Oldenkamp, J.L. *see* Erdman, D.M. 85−27444
Oldenkamp, J.L. *see* Peak, S.C. 85−44243
Olderdissen, G. Monitor for halocarbons in landfill gas 88−74626
Olderdissen, U. *see* Mueller, K.D. 85−22970
Oldfather, D.O. *see* Distler, R.A. 86−22920
Oldfield, A.W., Hasegawa, K. The integration of a digital switching system in the Hong Hong telephone network and an evolution to ISDN 86−16743
Oldfield, D. Oscilloscopes for analogue measurements in digital systems. III. The characterising of ECL flipflops 86−11623
Oldfield, D.E. *see* Salmon, L.T.J. 86−60903
Oldfield, D.J. Testing in-circuit ECL is just routine for digital oscilloscope 85−14700
Oldfield, D.J. *see* Rush, K. 86−60171
Oldfield, J. *see* Ng, T.-K. 88−24912
Oldfield, J.V., Stormon, C.D., Brule, M. The application of VLSI content-addressable memories to the acceleration of logic programming systems 87−67375
Oldfield, J.V., Williams, R.D., Wiseman, N.E. Content-addressable memories for storing and processing recursively subdivided images and trees 87−39874
Oldfield, L.C., Ide, J.P. Precision calculation of microwave cavity parameters using finite difference and finite element techniques 86−41287
Oldfield, L.C., Ide, J.P. A fundamental microwave power standard 87−14433
Oldfield, L.C., Ide, J.P. A fundamental microwave power standard 88−16459
Oldfield, L.C., Ide, J.P., Griffin, E.J. A multistate reflectometer 85−58862
Oldfield, L.C. *see* Griffin, E.J. 86−24733
Oldfield, M.A. Health physics in developing the design of Sizewell-B 88−43002
Oldfield, M.L.G. *see* Doorly, J.E. 87−77437
Oldfield, S., Steele, J.McA. Photogrammetric determination of the form of a 10 m diameter antenna 85−41729
Oldfield, S.G. *see* Broyd, T.W. 85−1471
Oldfield, W. ECM/EW designs to 40 GHz and above accomplished in coax 85−3334
Oldfield, W.W. Comparing miniature coaxial connectors 86−27679
Oldfield, W.W. Construction geometries for coaxial millimeter components 88−44340
Oldham, C.B., Sullivan, W.G., Koger, R.R. Underbuilding or overbuilding electrical power generating capacity 86−56513
Oldham, D.J. Pressure based techniques for predicting regenerated noise in ventilation systems 86−71131
Oldham, H.E., Partridge, S.L. A comparison of MOS processes for VLSI. II 85−7100
Oldham, K.B. *see* Aubanel, E.E. 85−22444
Oldham, K.B. *see* Myland, J.C. 85−3956
Oldham, M. Floodlighting of the Melbourne Cricket Ground for CTV coverage 87−9943
Oldham, M.L. *see* Cracknell, D.J. 85−14206
Oldham, N.M. Power calibration standard based on digitally synthesized sinewaves 86−18899
Oldham, N.M. Digital waveform synthesis techniques 86−38407
Oldham, N.M., Laug, O.B., Waltrip, B.C. Digitally-synthesized power calibration source 87−14354
Oldham, N.M., Laug, O.B., Waltrip, B.C. Digitally synthesized power calibration source 88−16219
Oldham, N.M., Parker, M.E., Young, A., Smith, A. A high accuracy, 10 Hz-1 MHz automatic AC voltage calibration system 87−70738
Oldham, N.M., Parker, M.E., Young, A.M., Smith, A.G. A high-accuracy 10 Hz-1 MHz automatic AC voltage calibration system 88−16384
Oldham, N.M., Petersons, O. High accuracy power measurements using a general purpose capacitance bridge 86−18062
Oldham, N.M., Petersons, O. Calibration of standard wattmeters using a capacitance bridge and a digital generator 86−25660
Oldham, N.M. *see* Peterson, R.L. 88−65015
Oldham, P.B., Patonay, G., Warner, I.M. Optical output stabilization method for direct current arc lamps 85−32785
Oldham, T.R. Analysis of damage in MOS devices for several radiation environments 85−23785
Oldham, T.R., Lelis, A.J., Boesch, H.E., Benedetto, J.M., McLean, F.B., McGarrity, J.M. Post-irradiation effects in field-oxide isolation structures 88−26283
Oldham, T.R., Lelis, A.J., McLean, F.B. Spatial dependence of trapped holes determined from tunneling analysis and measured annealing 87−32342
Oldham, T.R., McLean, F.B., Hartman, J.M. Revised funnel calculations for heavy particles with high dE/dx 87−32456
Oldham, T.R. *see* Benedetto, J.M. 88−25996
Oldham, T.R. *see* Gilbert, R.M. 85−23734
Oldham, T.R. *see* Stapor, W.J. 86−35704
Oldham, W.G. The use of contrast enhancement layers to improve the effective contrast of positive photoresist 87−38016
Oldham, W.G., Shacham-Diamand, Y., Pai, P.L., Young, K., Sutardja, P. MOS isolation technology 85−40920
Oldham, W.G. *see* Chern, J.G.-J. 85−55738
Oldham, W.G. *see* Chern, J.G.J. 87−1283
Oldham, W.G. *see* Chiu, T.Y. 85−12185
Oldham, W.G. *see* Dupuis, F. 86−41711
Oldham, W.G. *see* Galewski, C. 88−70329
Oldham, W.G. *see* Kim, D.J. 85−18198
Oldham, W.G. *see* Leung, W. 86−41640
Oldham, W.G. *see* Mazer, J.A. 85−6748
Oldham, W.G. *see* Neureuther, A.R. 87−67362
Oldham, W.G. *see* Neuruether, A.R. 85−50646
Oldham, W.G. *see* Pai, P. 87−67135
Oldham, W.G. *see* Pai, P.-L. 87−1694
Oldham, W.G. *see* Pai, P.L. 88−39568, 88−71458
Oldham, W.G. *see* Schoeffel, J.A. 87−60543
Oldham, W.G. *see* Shacham-Diamand, Y. 87−38150
Oldham, W.G. *see* Sutardja, P. 87−25134, 87−45809, 88−39230
Oldham, W.G. *see* Ting, C.H. 87−67147
Oldham, W.G. *see* Voros, K. 87−11571
Oldham, W.G. *see* Wingyu Leung 85−34712
Oldham, W.G. *see* Wong, S.S. 85−40626
Oldham, W.G. *see* Young, K. 86−20110
Oldham, W.G. *see* Young, K.K. 87−25318
Oldham Smith, K. Coping with hazardous area installations 85−33106
Oldiges, F.-J. Videotex in the local sickness funds: A strategy for regional and national communication 87−27967
Oldiges, P. *see* Hiramoto, T. 87−60312
Oldoerp, S. *see* Herod, J.S. 85−48553
Oldroyd, A.R., Elliott, G., Mann, S., Parsons, N.J. Highly efficient loading of polymeric optical waveguides with non-linear organic materials 88−39978
Oldroyd, A.R. *see* Wong, K.K. 86−36228
Olds, B.M. *see* Pavelich, M.J. 88−24468
Olds, F.C. Waste heat recovery and conservation 85−10246
Olds, F.C. Small nuclear reactors for power and process heat 85−21356
Olds, F.C. Power plant instrumentation and control: present and future needs and trends 85−48643
Olds, F.C. Advanced designs in power generating equipment 86−45045
Olds, F.C. Training and simulators for the power plant 86−52176
Olea, E. *see* Sychra, J.J. 87−50301
O'Leary, A.P. *see* Bowman, R. 85−24881
O'Leary, C. The quest for the ideal programmable memory 86−20545
O'Leary, C. Isolation at the turning point 88−31995
O'Leary, D.P. Systolic arrays for matrix transpose and other reorderings 87−24059
O'Leary, D.P. A note on the capacitance matrix algorithm, substructuring, and mixed or Neumann boundary conditions 87−72993
O'Leary, D.P., Rust, B.W. Confidence intervals for inequality-constrained least squares problems with applications to ill-posed problems 86−46253
O'Leary, G.C. *see* Quatieri, T.F. 87−20316
O'Leary, J.W., Falconer, D.D., Chan, C.H. A VLSI architecture for linear predictive analysis of speech 88−40880
O'Leary, M. Practical approach augurs PLL noise in RF synthesizers 88−591
O'Leary, M. US Videotel: another try at American videotex 88−35050
O'Leary, M.J. *see* Fonash, S.J. 86−24495
O'Leary, P.L., Orben, H.J. 10-MHz 64-bit error-tolerant signature recognition circuit 88−59136
O'Leary, T. Theoretical considerations for VHF/FM planning: equivalent area coverage 85−14384
O'Leary, T. Planning considerations for the Second Session of the VHF/FM Planning Conference: the method of foremost priority 85−42695
Olech, C. *see* Ciesielski, Z. *(editor)* 86−13309
Olech, W. Reliability improvement of generator transformers and auxiliary transformers of 200 MW power units 87−57862
Olech, W. *see* Partyga, S. 86−26103
Oledzki, J., Szymanowski, J. Iterative method for conversion of the RMS value in precision AC measurements 87−3705
Oledzki, J. *see* Jaworski, J. 85−39835, 88−22394
Olefir, V.P. *see* Azerenkov, N.A. 87−19127
Olefir, V.P. *see* Kondratenko, A.N. 87−32043
Olefirenko, P.P. Record stability of high-density magnetic recording 88−44985
Olefirenko, P.P., Panter, G.B. Improving magnetic powders for magnetic tapes 88−20237
Olefirenko, P.P. *see* Berkh, O.A. 87−18524
Olego, D.J. Amorphous phosphorus and polyphosphides for the passivation of III-V surfaces 87−17979
Olego, D.J., Faurie, J.P. Properties of radiative recombinations in HgTe-CdTe heterostructures 86−58301
Olego, D.J., Faurie, J.P., Sivanthan, S., Raccah, P.M. Optoelectronic properties of $Cd_{1-x}Zn_xTe$ films grown by molecular beam epitaxy on GaAs substrates 86−15561
Olego, D.J., Schachter, R., Baumann, J. Passivation of the GaAs surface by an amorphous phosphorus overlayer 86−2049
Olego, D.J., Schachter, R., Baumann, J.A. Passivation of the GaAs surface by an amorphous phosphorus overlayer 85−18242
Olego, D.J., Schachter, R., Viscogliosi, M., Bunz, L.A. Optoelectronic and structural properties of sputter etched surfaces of InP 87−6577
Olego, D.J., Serreze, H.B. Photoluminescence and Raman scattering investigations of implanted and thermally annealed InP 86−1991
Olego, D.J. *see* Petruzzello, J. 88−49806
Olego, D.J. *see* Schachter, R. 86−47330, 87−1423
Olego, D.J. *see* Serreze, H.B. 87−45958
Olegova, N.T. *see* Zil'berberg, Ya.Ye. 88−25039
Oleinik, A.A. *see* Bitsadze, G.S. 88−61155
Oleinik, A.S., Orlovskii, R.M., Potakhin, V.V. Compact high-resolution raster electron microscopes 85−6673
Oleinik, B.N. *see* Buravoi, S.E. 88−29674
Oleinik, B.N. *see* Izrailov, K.S. 85−47786
Oleinik, G.M. *see* Zaitsev, V.I. 85−26433
Oleinik, G.S., Mizetskii, P.A., Nizkova, A.I., Polivtsev, L.A., Ryadnina, I.A. Phase diagram of the PbS-CdS system 85−11962
Oleinik, O.I. *see* Kiseleva, I.N. 87−19050
Oleinik, O.I. *see* Odulov, S.G. 86−58980, 87−75243
Oleinik, S.G. *see* Yushchenko, B.A. 86−8670
Oleinik, S.V. *see* Meleshko, E.A. 85−9111, 87−41890, 88−16026
Oleinik, V.D., Sinolitsyi, A.F. Operating conditions of thyristor converters for multimotor excavator drives with various methods of supply 87−79265
Oleinik, V.D. *see* Kagalovskii, A.E. 86−57733
Oleinik, V.V., Pilipchak, M.S. Circuit improvement in the ShTV-17 control console for thyristor systems of excitation 87−4657
Oleinik, V.V. *see* Zaporozhets, V.V. 86−16005
Oleinik, V.V. *see* Zaporoznets, V.V. 85−50832
Oleinikov, A.M. Electromagnetic and geometrical relationships in the multilayer rotor of an induction motor 87−51193
Oleinikov, A.M. Physical phenomena and relationships in a two-layer rotor with magnetic anisotropy in the upper layer 87−78657
Oleinikov, A.M. The electromagnetic and geometric relations in an induction motor multi-layer rotor 88−43186
Oleinikov, A.M., Orlov, V.I., Povstyanoi, Yu.P., Yakovlev, M.M. Selection of parameters for a two-layer rotor of an asynchronous motor 87−9566
Oleinikov, A.M. *see* Mogil'nikov, V.S. 85−43982, 85−53705
Oleinikov, A.M. *see* Nikitin, O.P. 86−68156
Oleinikov, A.Ya. *see* Aleshin, V.A. 87−77843
Oleinikov, S.Yu. *see* Barzhin, V.Ya. 85−2679
Oleinikov, V.VC. *see* Nesterov, V.A. 88−36441
Oleinikova, L. *see* Kipurs, T. 87−15510
Oleinikova, L.V. *see* Dale, V.A. 87−9103
Olejniczak, W. *see* Krzemieniewski, A. 87−52678
Olejniczak, Z. Switch panels of a medium voltage indoor substation 86−19338
Olejnik, S.N. *see* Azhippo, V.A. 87−41714
Olekas, A. *see* Asmontas, S. 86−21203, 88−71333
Olekas, A.P. *see* Ashmontas, S.P. 86−1769
Olekas, A.P. *see* Asmontas, S.P. 86−58234
Olekas, A.P. *see* Gradauskas, I.I. 87−45688

Oleksenko, P.F., Sypko, N.I., Sukach, G.A., Nikolaenko, V.V. Thermal criteria of the optimization of pulse conditions of the photoradiating indicator feed 88-29511
Oleksenko, P.F. *see* Baich, A.D. 85-35632
Oleksenko, P.F. *see* Bereza, V.N. 87-38794
Oleksenko, P.F. *see* Garshenin, V.V. 88-8062
Oleksenko, P.F. *see* Gorlovskii, V.B. 85-12699
Oleksenko, P.F. *see* Kamuz, A.M. 88-14155
Oleksenko, P.F. *see* Kretulis, V.S. 88-50782
Oleksiuk, L. An improved mesh generator for Poisson 86-42703
Olen, K.R. *see* Boericke, R.R. 85-21476
Olencki, A. An attempt to control the correctness of the calibrator operation on the example of SQ 10 88-18917
Olencki, A. Basic circuit arrangements of low DC voltage calibrators 88-63505
Olenick, J.A. *see* Konsowski, S.G. 86-52536, 87-73156
Olenick, S.M. Network and co-site interference reduction for spread spectrum multichannel 87-40686
Olenski, J. *see* Czerwinski, A.A. 85-18458
Olerud, J.E. *see* Forster, F.K. 87-71125
Olerud, J.E. *see* Foster, F.K. 87-3967
Oles, T., Gajdzinski, J., Froncisz, W. Evaluation of the quality of microwave resonators used as measuring probes in an EPR spectrometer 85-55120
Oles, T. *see* Froncisz, W. 86-53029
Olesak, J. *see* Kort, H. 87-35971
Olesen, F.C. SIPMOS—technology under development 87-10658
Olesen, H., Osmundsen, J.H., Tromborg, B. Nonlinear dynamics and spectral behavior for an external cavity laser 86-68528
Olesen, H. *see* Jensen, N.H. 87-33177
Olesen, H. *see* Mogensen, F. 85-56632, 86-3149
Olesen, H. *see* Pan, X. 88-45499
Olesen, H. *see* Saito, S. 86-15708
Olesen, H. *see* Tromborg, B. 85-2329, 88-20648
Olesen, H. *see* Wang, J. 87-33188
Olesen, H. *see* Wang, J.W. 88-65727
Olesen, J.K. *see* Kelly, J.D. 86-60944
Olesen, J.K.T. Electrical noise is many things 86-29422
Olesen, J.U. Vibration testing of electronic and mechanical constructions 87-56913
Olesen, M.C. *see* Westergaard, J. 88-53981
Olesen, O. Norchip in international context 85-55947
Olesen, O. Proposal for European infrastructure of fast production of chips 87-46071
Olesen, O. Use of 'fast turn-around chips' at Nordic universities 88-18402
Olesen, P., Naeser, J., Andersen, L. Electrification of the DSB main lines—description of the overhead contact system 87-72488
Olesen, T. The transient generator helps locate faults in electronic equipment 88-6245
Oleshchuk, V.I. Algorithms for combined voltage control of self-contained inverters with variable output frequency 86-7966
Oleshchuk, V.I. Spectra of the output voltages of inverters with phase-pulse modulation of the output curve 88-55480
Oleshkevich, M.M. *see* Shafranskii, V.I. 86-57065
Oleshkevich, S.G. *see* Gubanov, N.N. 87-44623
Oleshuk, V.I., Churu, F.F. Broadband control of three-phase voltage inverters with a fixed switching period 88-69488
Olesik, J., Swierczynski, T., Calusinski, B., Jakubczyk, E., Madalkiewicz, U., Topola, K., Olesik, Z., Wojtyszyn, M., Stypulkowska, E. Secondary emission amplified by electric field 85-1211
Olesik, Z. *see* Olesik, J. 85-1211
Olesin, A. *see* Archer, D. 87-59604
Olesin, A. *see* Archer, D.W. 88-6903
Olesin, A. *see* Rubinfeld, P. 88-19205
Olesk, A.O. *see* Andreev, Yu.V. 86-70121
Olesk, A.O. *see* Antonov, V.V. 86-63125
Olesk, A.O. *see* Gorokhov, V.P. 86-14553, 86-68403
Olesk, A.O. *see* Marakhonov, V.M. 86-70147
Olesk, A.O. *see* Medvedev, F.K. 88-19427
Olesk, A.O. *see* Zakharov, V.I. 86-67521
Oleski, J., Calusinski, B., Dobrzanska, K., Wiewiorkowska, Z., Wiewiorkowski, J. Secondary emission from multilayer semiconductor-insulator depositions controlled by internal electric field 86-41606
Oleson, J.R., Sim, D.A., Conrad, J., Fletcher, A.M., Gross, E.J. Results of a Phase I regional hyperthermia device evaluation: microwave annular array versus radiofrequency induction coil 87-29796
Oleson, J.R. *see* Companion, J. 87-71127
Oleson, J.R. *see* Engler, M.J. 88-16673
Oleson, J.R. *see* Shimm, D.S. 88-36504
Oleszek, G.M., Metzger, D., Kasley, K.L. Sb implantation for bipolar buried layers using SbF_5 in a cold-cathode implantation system 85-34797
Oleszkiewicz, E. *see* Kisza, M. 85-45755
Olette, M., Bessieres, J., Rist, A., Gleitzer, C., Fauchais, P. Hydrogen in the steel industry 85-5552
Olevskii, S.S., Tolstikhina, A.L., Repko, V.P., Sergeev, M.S. The effect of the substrate crystallographic orientation on the chemical element distribution in thin-film heterostructures formed by pyrolysis 85-28245
Olevskii, S.S. *see* Anikin, V.I. 85-56362
Oleynikov, A.Ya. *see* Babkina, T.V. 85-58531
Oleynikov, B.I., Filinov, V.N. Minimization of the errors in restoration of signals from integral readings for an optimum selection of reference signal duration 88-14714
Oleynikova, I.V. *see* Remizov, L.T. 87-19211, 87-54469, 87-54615
Olfe, D.B. *see* Bernath, A. 85-15611, 86-65713 to 65714
Olgiati, E. *see* Arturi, C.M. 85-21260, 86-61553
Olgiati, E. *see* Brandolin, A. 88-17704
Olgren, C. Trends in the use of teleconferencing illustrates the wide variety of applications that it offers 88-35244
Olhede, T. The implementation of a distributed system structure in the Swedish defence forces 86-49270
Olhoeft, G.R. Low-frequency electrical properties 86-32504
Olias, E. *see* Aldana, F. 87-24563
Olias Ruiz, E., Martinez, P.M. Modelling semiconductor structures up to two p-n junctions: diodes and bipolar transistors 87-6633
Olias Ruiz, E. *see* Martinez, P.M. 87-41558
Olier, E. System requirements and architecture for a space station user end-to-end data system 87-35476
Olifer, B.M. *see* Bol'shov, V.M. 88-68341
Olifer, V.N. *see* Agapov, B.L. 85-45758
Olifirenko, N.A. *see* Nesterov, V.I. 86-31570
Oliinyk, M.I. *see* Dyakov, A.F. 86-61139
Olik, A.P., Bakulin, A.V. Evaluating the condition of paint and lacquer coatings by a method of measuring the impedance in cyclic tests of samples 85-49656
Oliker, I. *see* Kishinevsky, Y. 86-25905
Oliker, I. *see* Roe, K.K. 88-30473
Oliker, V.E., Gridasova, T.Ya., Shlyuko, V.Ya., Zhornyak, A.F. Theory of the magnetic reactions occurring in abrasive machining with a ferromagnetic powder 86-26440
Oliker, V.E., Zhornyak, A.F., Suprun, G.F., Dubinskii, I.M., Gridasova, T.Ya., Koval'skii, Yu.V. Machining of plastics with magnetoabrasive powders 86-45866
Olikh, Yu.A. *see* Zdebskii, A.P. 85-35595
Olikyan, E.A. *see* Pogosyan, Ya.M. 87-46382
Olimov, Kh.O. *see* Babin, V.P. 88-24170
Olimov, Kh.O. *see* Iordanishvili, E.K. 88-49161
Olimpo, G. *see* Chioccariello, A. 85-5702
Olin, G.R. *see* Tyan, Y.-S. 87-53942
Olin, I.D. Target characteristics [radar] 87-76832
Olin, J.G. Process gas mass flow controllers an overview 88-44490
Olin, J.G., Korpi, D.M. Achieving accurate gas flowmeter calibration 88-47720
Olin, U. *see* Sahlen, O. 87-54396, 88-65452
Olinda, P.Van *see* Van Olinda, P.
Oliner, A.A. Historical perspectives on microwave field theory 85-224
Oliner, A.A. Uniform waveguide leaky wave antennas 86-36834
Oliner, A.A. New leaky wave antennas for millimeter waves 86-64103
Oliner, A.A. Leakage from various waveguides in millimeter wave circuits 87-73590
Oliner, A.A. Leakage from higher modes on microstrip line with application to antennas 87-73652
Oliner, A.A. Leakage from higher modes on microstrip line with application to antennas 88-19318
Oliner, A.A. Leakage from various waveguides in millimeter wave circuits 88-19382
Oliner, A.A. Leakage from various waveguides in millimeter wave circuits 88-56841
Oliner, A.A., Lampariello, P. Simple and accurate expression for the dominant mode properties of open groove guide 85-19192
Oliner, A.A., Lampariello, P. The dominant mode properties of open groove guide: an improved solution 85-62863
Oliner, A.A., Lee, K.S. The nature of the leakage from higher modes on microstrip line 87-6003
Oliner, A.A., Lee, K.S. Microstrip leaky wave strip antennas 87-26985
Oliner, A.A., Myung, J.-S. A novel cavity resonator measurement method for leaky waveguides 86-11688
Oliner, A.A., Peng, S.T. New physical effects on periodically grooved optical planar waveguides 85-1959
Oliner, A.A., Peng, S.T. New physical effects on periodically grooved open dielectric waveguides 85-6484
Oliner, A.A., Peng, S.T., Sheng, K.M. Leakage from a gap in NRD guide 86-10169
Oliner, A.A. *see* Guglielmi, M. 87-75515, 88-27642
Oliner, A.A. *see* Lampariello, P. 86-22805 to 22806, 87-75512, 88-27683
Oliner, A.A. *see* Peng, S.T. 85-13301
Oliner, A.A. *see* Qing, H. 87-66470
Oliner, A.A. *see* Sanchez, A. 85-7735, 85-19196, 87-68832
Oliner, A.A. *see* Shigesawa, H. 87-6007, 88-72623
Oliner, A.A. *see* Tsuji, M. 87-27021
Olins, D.E. Three-dimensional reconstruction and data display of chromosome structures studied by electron microscope tomography 86-27825
Oliot, A. *see* Calamand, A. 85-21397
Oliot, A. *see* Sureau, H. 85-21392
Oliphant, A. The effect of transmission errors on sound signals in the MAC/packet family 86-59973
Oliphant, A. A multiplexed routing system for a digital TV studio centre. I. The advantages of a multiplexed system 87-28810
Oliphant, A., Marsden, R., Zubrzycki, J. An optical routing system for tomorrow's television studio centers 88-4183
Oliphant, A., Marsden, R.P., Zubrzycki, J.T. An optical system for routing digital component video signals 87-13935
Oliphant, F. *see* Meger, R.A. 85-1119
Oliphant, R. Gold on the ski slopes 85-36643
Oliphant, R. Electronic mail's credit rating 85-51970
Oliphant, T.A. *see* Bowers, R.L. 88-37318
Oliphant, T.A. *see* Greene, A.E. 85-5335
Oliphant, T.A. *see* Lindemuth, I.R. 85-23206, 85-53792, 87-22676
Oliphant, T.A. *see* Sheppard, M.G. 88-43302
Oliphant, T.A. *see* Weiss, D.L. 88-45623
Oliphant, W.F. *see* Meger, R.A. 85-4184, 85-27672
Oliphant, W.F. *see* Neri, J.M. 87-21381
Oliphant, W.F. *see* Stinnett, R.W. 87-17441
Oliphant, W.F. *see* Weber, B.V. 85-23196
Oliva, J., Mateos, F., Pastor, C. Dye-sensitized photopolymers in making real-time holographic interferograms 86-36605
Oliva, Z. *see* Masny, Z. 87-810
Olivares, G. *see* Valero, J.L. 86-17816
Olivari, F. A portable 500 MS/S oscilloscope 88-74504
Olive, A. *see* Shapland, J.E. 87-50423
Olive, B.R. *see* Bowen, R.S. 85-63274
Olive, G. *see* Eldridge, J.M. 87-53407
Olive, J., Simeon, C. . . . and if the core was badly cooled? 86-25747
Olive, M.B. *see* Lovely, D.F. 86-38814
Olive, S.E. *see* Toole, F.E. 88-41918
Olive, V. *see* Berge, J.M. 87-25497
Oliveira, A.F. *see* Szwarcfiter, J.L. 85-28126
Oliveira, A.Heeren de *see* Heeren de Oliveira, A.
Oliveira, A.L. *see* Teixeira, J.P. 88-74275
Oliveira, A.R.E., Mansour, W.M. Nonlinear analysis of wake-induced oscillations [power transmission lines] 85-43623
Oliveira, G.C., Cunha, S.H.F., Pereira, M.V.F. A direct method for multi-area reliability evaluation 88-23336
Oliveira, G.C. *see* Cunha, S.H.F. 86-18637
Oliveira, G.C. *see* Pereira, M.V.F. 86-18751, 88-68845
Oliveira, H.M.De *see* De Oliveira, H.M.
Oliveira, J.C.C.de *see* de Oliveira, J.C.C.
Oliveira, J.C.de *see* de Oliveira, J.C.
Oliveira, J.C.T., Ticianelli, E.A., Gonzalez, E.R. Phosphoric acid fuel cell prototypes development 87-43401
Oliveira, J.C.T. *see* Gonzalez, E.R. 88-43375
Oliveira, J.C.T. *see* Kordesch, K. 88-69674
Oliveira, J.E.B., Adler, E.L. Generalized anisotropic acoustooptic interactions in uniaxial crystals 87-2002
Oliveira, J.E.B., Adler, E.L. An analytical method for designing acousto-optical tunable filters 88-51614
Oliveira, J.E.B. *see* Jen, C. 85-45919
Oliveira, L.Cals de *see* Cals de Oliveira, L.
Oliveira, L.F., Frutuoso e Melo, P.F., Lima, I.E. Emergency diesel generator configurations: a value—impact analysis for improving Angra 1 nuclear plant availability 86-51401
Oliveira, L.F. *see* Frutuoso e Melo, P.F. 87-42587
Oliveira, L.F.S. *see* Fleming, P.V. 85-48734
Oliveira, L.F.Seixas de *see* Seixas de Oliveira, L.F.
Oliveira, M.De *see* De Oliveira, M.
Oliveira, N.F., Jr. *see* Shapira, Y. 87-6395
Oliveira, O.N., Leal Ferreira, G.F. Grid-to-plate current-voltage characteristics of a corona triode 86-1612
Oliveira, O.N., Jr., Leal Ferreira, G.F. Grid to plate current-voltage characteristics of a corona triode 86-47227
Oliveira, P. *see* Patricio, F. 87-65376
Oliveira, P.G.de *see* de Oliveira, P.G.
Oliveira, P.Guedes de *see* Guedes de Oliveira, P.
Oliveira, S.E.M.de *see* de Oliveira, S.E.M.
Oliveira, T.M. *see* da Silva, E.R. 87-22403
Oliveira, V.A.R. *see* Iwasaki, H. 87-32762
Oliveira, V.A.R. *see* Suzuki, C.K. 87-32763
Oliveira Bernardo, A. *see* Cortesao Abelaira, V. 86-65683

Oliveira Cruz, L.R.De *see* De Oliveira Cruz, L.R.
Oliveira dos Santos, B., Fellows, C.E., de Oliveira e Souza, J.B., Massone, C.A. A 3% efficiency N_2 laser 87−18879
Oliveira Duarte, A.M.de *see* de Oliveira Duarte, A.M.
Oliveira e Souza, J.B.de *see* de Oliveira e Souza, J.B.
Oliveira-Pinto, F. Experiments with a class of generalized trigonometric polynomials 85−33335
Olivella, L. *see* Sole, J. 85−13600
Oliver, A. *see* Montenegro, E.C. 86−32184
Oliver, A.J. *see* Burton, P.J. 86−51710
Oliver, A.W. *see* Jones, D.E. 86−19022
Oliver, B.A., Dixon, A.E. Laser beam induced current measurements of minority carrier diffusion length 88−32739
Oliver, B.M. *see* Cullers, D.K. 86−17872
Oliver, B.M. *see* Hegedus, F. 87−35312
Oliver, C.G. *see* Reardon, K.A. 88−30090
Oliver, C.J. The use of models in interpreting synthetic-aperture radar clutter 85−47563
Oliver, C.J. Correlated *K*-distributed clutter models 86−30852
Oliver, C.J. The interpretation and simulation of clutter textures in coherent images 87−28650
Oliver, C.J. Coherent scattering from random media 88−52189
Oliver, C.J. The representation of correlated clutter textures in coherent images 88−73193
Oliver, C.J., Tough, R.J.A. On the simulation of correlated *K*-distributed random clutter 86−43886
Oliver, C.J., White, R.G. Data reduction aspects of SAR image segmentation and clutter modelling 88−15623
Oliver, C.J. *see* Blacknell, D. 88−9635
Oliver, C.J. *see* Delves, L.M. 88−52521
Oliver, C.J. *see* Luttrell, S.P. 86−37927
Oliver, C.J. *see* Wood, J.W. 88−60219
Oliver, D. The benefits of a software configured programmer for programmable logic designs 86−46709
Oliver, D. The basics of computer CW 86−49189
Oliver, D.A. *see* Maxwell, C.D. 85−16248
Oliver, D.E. *see* Webber, J.M.B. 86−31669
Oliver, D.L. Shoestring RTTY [computer interface design] 85−30638
Oliver, D.L. Shoestring software [C-64/VIC-20 RTTY program] 87−48477
Oliver, D.W. *see* Joynson, R.E. 87−36839
Oliver, D.W. *see* McCary, R.O. 85−26255
Oliver, E., Mahmoud, M., Perard, J. Optimizing a system 'photovoltaic generator-power width modulation inverter-asynchronous machine' thanks to a maximum power point tracking 87−43018
Oliver, E.M. *see* Clark, D.R. 88−60473
Oliver, G. Integrated services networks and Open Systems 85−2994
Oliver, G. *see* Dorgnon, M. 85−52158
Oliver, G. *see* Lapierre, M. 88−46519
Oliver, G.P. British Telecom's ISDN experience and plans 87−33991
Oliver, J. Optical links 86−58785
Oliver, J. Light speed communications 88−9532
Oliver, J., Ferraro, R. Reduce plant auxiliary load, save fuel with ASDs 87−30387
Oliver, J., Purdy, J., Smith, G. Fibre optic rotational interfaces 88−47126
Oliver, J., Valderrama, E., Ferrer, C., Carrabina, J. A systolic multiplier for large numbers 88−50124
Oliver, J. *see* Brandenburg, G. 88−47984
Oliver, J. *see* Ferrer, C. 88−51032
Oliver, J.A. Processing with 32-bits 87−52595
Oliver, J.A. Color video DACs 88−12447
Oliver, J.A., Banerjee, B.B. Power measurement and harmonic analysis of large adjustable speed drives 88−69738
Oliver, J.A., Ferraro, R.J., Montgomery, W., Kempers, E.K. Retrofitting for variable load and sliding throttle operation: adjustable speed drives 86−61524
Oliver, J.A., Samotyj, M.J. Experience with large adjustable speed drives in power plants 88−69749
Oliver, J.P. *see* Lamy, J. 87−69840
Oliver, J.R. *see* Neurgaonkar, R.R. 88−20186
Oliver, J.R. *see* Neurogaonkar, R.R. 88−403
Oliver, J.R. *see* Wu, E.T. 87−53805
Oliver, K. *see* Airgood, J. 86−59808
Oliver, M.K. *see* Friberg, S.R. 88−1965
Oliver, M.R., Spooncer, R.C., Ghezelayagh, M.H. An autoreferenced two-state optical fibre reflective sensor 87−38826
Oliver, P. Implementation assessment of a network service. The test responder exerciser specification 85−3174
Oliver, P. *see* Esdale, D.J. 85−12731
Oliver, P.D. Equivalent Reynolds number calibrations of flowmeters in gaseous media 87−70880
Oliver, P.E. *see* Jones, A.C. 88−11975
Oliver, P.E. *see* Wight, D.R. 85−18756, 86−54011
Oliver, R.E., II *see* Anoba, R.C. 85−53431
Oliver, R.G. *see* Cole, E.L. 86−55377
Oliver, R.M. Exponential smoothing. I 85−7852
Oliver, R.P. *see* Johnston, G.I. 86−56222
Oliver, S. *see* Lyszczarz, T.M. 87−38542
Oliver, S.N. *see* Hill, J.R. 87−53933
Oliver, S.N. *see* Pantelis, P. 88−71992
Oliver, T.N., Bower, D.E., Dowsett, J. Low loss, high stable SAW devices on quartz 87−32822
Oliver, T.W. Cleaning out the Millstone 2 steam generators 86−39417
Oliver, T.W., Thomas, R.C. Steam generator chemical cleaning at Millstone Point 2 86−25797
Oliver, W.L. The contributions of the incoherent scatter radar technique to the development of thermospheric models 86−12164
Oliver, W.P. *see* Laasanen, A.T. 85−52986
Oliver, W.R. *see* Pizer, S.M. 87−69273
Oliveri, F., Conte, G., Guglielmo, M. A technique using a one-dimensional mapping for vector quantisation of images 87−19924
Oliveri, F., Conte, G., Guglielmo, M. One-dimensional mapping for vector quantisation of images 87−33738
Oliveri, M.E. *see* Lo Savio, M. 86−8786, 86−40751
Oliveria, L.F. *see* Rosa, L.P. 86−51363
Olivi, L. Statistical modelling of accident consequence processes 87−23290
Olivi, L., Brunelli, F., Cacciabue, P.C., Parisi, P. Response surface methodology for sensitivity and uncertainty analysis : performance and perspectives 85−43743
Olivier, E., Parisy, P., Yonnet, J.P. A linear actuator for robotics 86−70942
Olivier, E., Perret, R., Perard, J. Localization of the losses in an induction machine supplied by an inverter 85−43966
Olivier, E., Rognon, J.P., Perret, R. Application of the average circuit method to the modelling of AC to DC converters 86−45586
Olivier, E. *see* Davoine, J. 86−39833
Olivier, E. *see* Ferrieux, J.P. 85−44887, 86−40909
Olivier, G., April, G.-E. A scaled simulation of a Darrieus turbine aimed at solving power fluctuation problems 85−32416
Olivier, G., April, G.-E., Borges Da Silva, L.E. Analysis and control of asymmetrical four quadrant single transformer, phase controlled converter 85−32617
Olivier, G., April, G.E., Manias, S., Ismail El Hadjri, C. Generalized analysis of line commutated converters and close relatives 87−78798
Olivier, G., Daigneault, G., Gervais, Y. Uniform field breakdown of fluorocarbons and other gases 85−35234
Olivier, G., Marceau, R., Manias, S. Comparative study of three-phase electronic regulators for purposes of heating with high power factor 88−62784
Olivier, G., Roy, G., Bouchard, R.-P., Gervais, Y. Analytical model of HV cascade connected test transformers 85−32569
Olivier, G. *see* April, G.-E. 85−15927, 85−44082
Olivier, G. *see* Borges da Silva, L.E. 88−30908
Olivier, G. *see* Daigneault, G. 88−51064
Olivier, G. *see* Dessaint, L.A. 86−6958, 87−4793
Olivier, G. *see* Manias, S. 86−45570, 86−46570, 87−22520, 87−30777, 88−69593
Olivier, G. *see* Prasad, A.R. 88−30897
Olivier, G. *see* Roy, G. 85−27505, 86−45432, 86−51168
Olivier, J. *see* Alnot, P. 88−44792
Olivier, J. *see* Chazelas, J. 88−49848
Olivier, J. *see* Guizot, J.L. 88−50733
Olivier, J. *see* Henry, L. 88−50735
Olivier, J.C., Malherbe, J.A.G. A bandstop filter constructed in non-radiative dielectric waveguide 87−6057
Olivier, J.C., Malherbe, J.A.G. A bandpass filter using circular discontinuities in nonradiative dielectric waveguide 87−73639
Olivier, J.C., Malherbe, J.A.G. Variational bound analysis of a discontinuity in nonradiative dielectric waveguide 87−75517
Olivier, J.C., Malherbe, J.A.G. Characteristics of coupled non-radiative dielectric waveguide 88−32371
Olivier, J.C., Malherbe, J.A.G. Variational bound analysis of a discontinuity in nonradiative dielectric waveguide 88−58917
Olivier, J.C. *see* Malherbe, J.A.G. 87−17307, 87−59822
Olivier, J.L., Ozguner, F. A navigation algorithm for an intelligent vehicle with a laser rangefinder 86−59001
Olivier, L., Feldmann, J. Long term characteristic changes in four optical fiber links transmitting at 34 Mbit/sec in Berlin 85−52354
Olivier, M. Use of optical waveguide techniques for thin film characterisation 85−18731
Olivier, M., Hardin, J. Metrology of microwave frequencies 87−16932
Olivier, M. *see* Koch, H.R. 88−74695
Olivier, M. *see* Mollier, J.-C. 85−4098
Olivier, M. *see* Ueda, N. 87−8802, 87−41770, 87−50016
Olivier, P., Tiffon, J. Fast-fading characterisation in urban mobile propagation at 855 MHz in Paris 86−3505
Olivier, P., Tiffon, J. Transfer function measurement as a characterization of the urban mobile radio channel 87−47208
Olivier, P.D., Chowdhury, F.N. A new approach to designing linearized Kalman filters 86−37098
Olivier, W.D. Micro as host: some social, commercial and videotex implications 86−37448
Olivier-Fourcade, J. *see* Ibanez, A. 85−60944
Olivo, M. *see* Joho, W. 86−24904
Olivo, P. *see* D'Amico, A. 86−14957
Olivo, P. *see* Neri, B. 88−25980
Olivo, P. *see* Nguyen, T.N. 88−1465
Olivo, P. *see* Ricco, B. 88−39152
Olivo, P. *see* Sangiorgi, E. 86−21553
Olivon, M. *see* Cabannes, J.-L. 85−21388
Olk, L.B. *see* Lai, C.C. 86−21073, 87−14155
Ol'khovik, Ya. *see* Kuznetsov, V.V. 88−6459
Ol'khovikov, B.V., Kaminskaya, D.A., Rozentsvaig, A.B., Ushakov, L.I. Method of increasing damping capacity of thyristor electric transmission with resilient coupling by means of induced oscillators [electric motors] 85−60133
Ol'khovikova, T.I. *see* Babaev, V.B. 86−27866
Ol'khovskaya, N.I. *see* Glasko, V.B. 87−54481
Ol'khovskaya, N.I. *see* Ol'khovskii, G.G. 85−4961
Ol'khovskii, G.G., Chernetskii, N.S., Borodin, A.A., Gusev, V.N., Svyatov, V.A. A 250 MW steam turbine-gas turbine plant with a waste-heat boiler which is efficient and adaptable to load changes 87−22122
Ol'khovskii, G.G., Mekhanikov, A.I., Abramovich, R.D., Nedashkovskii, Yu.V., Eremenchuk, V.A., Vinnitskii, Yu.D., Sytin, A.P. Investigating the starting characteristics of a single-shaft simple-cycle gas turbine plant when using a thyristor starting unit 88−37070
Ol'khovskii, G.G., Mekhanikov, A.I., Ol'khovskaya, N.I. Investigation of starting conditions of the GTE-150 gas turbine plant 85−4961
Ol'khovskii, G.G. *see* Chernetskii, N.S. 86−56606
Olkowski, J.C., Jr. *see* Tindall, P.B. 87−72046
Olkusnik, L. Self-heating effect of resistance thermometer probes 86−17942
Oll, Ya.N. Statistical macrosimulation of analog integrated circuits 87−53610
Oller, D.K. *see* Ozdamar, O. 88−5003, 88−36510
Ollero, A., Marin, R., Bernardez, J. Modelling and speed control of a water turbine generator in a small hydropower station 88−5651
Ollero, A. *see* Cidras, J. 88−23290
Ollero, A. *see* Garcia Cerezo, A. 86−44090
Ollero, A. *see* Marin, R. 88−48814
Olley, C., Rozzi, T. Currents and conduction losses in unilateral finline 88−27564
Olley, C.A., Green, P.R., Rhodes, A.M., Howson, C.D. A 60 GHz integrated E-plane RF subsystem for low cost communications applications 88−53168
Olley, C.A., Rozzi, T.E. Systematic characterization of the spectrum of unilateral finline 87−19240
Olley, C.A., Rycroft, C.M.D. Modelling of unilateral finline step discontinuities 88−20994
Olley, C.A. *see* Rycroft, C.M.D. 88−25354
Ollier, E. *see* Mitchell, P. 88−47350
Ollier, J.L. Fast breeder reactors 88−5478
Ollikainen, V. *see* Knuuttila, O. 86−53101
Ollinger, J.M. An evaluation of a practical algorithm for estimating histograms in dynamic tracer studies using positron-emission tomography 87−50258
Ollion, P. Fiber optic colorimetric sensor 88−36058
Ollion, P. *see* Trezeguet, J.-P. 85−37025
Ollis, C.W. *see* Burns, M.J. 88−68149
Ollitrault, M. *see* Ezraty, R. 85−4477
Ollivier, T. *see* Plantier, A. 87−70984
Ollivon, M.R. Dynamic measurements of complex permittivity and temperature during microwave heating 86−11683
Ollus, M., Lilja, R. The adaption of picture processing techniques to the intensification and analysis of furnace camera pictures 85−41939
Ollus, M. *(editor)* Digital Image Processing in Industrial Applications. Proceedings of the First IFAC Workshop 88−11581
Olman, V., Shmundak, A. Minimax Bayes estimation of mean of normal law for the class of unimodal a priori distributions 86−318
Olmedo, B.G. *see* Gomez Martin, R. 85−13217
Olmedo, B.Garcia *see* Garcia Olmedo, B.
Olmer, C. *see* Stephenson, E.J. 85−59080
Olmi, R. *see* Bini, M. 85−64612, 86−60839
Olmi, R. *see* Checcucci, A. 86−56204
Olmo, G. *see* Benedetto, S. 88−8698
Olmo Martinez, R.del *see* del Olmo Martinez, R.
Olmos, F. *see* May, J. 85−20282
Olmos, J. The automatic insertion of components in PCBs 88−50526
Olmos, J.J. *see* Agusti, R. 87−48863
Olmos, J.J. *see* Casadevall, F. 87−55953
Olmos, J.L., Kelley, M.A. Simulator validation of turbine load rejection and inadvertent CIAS transients, 88−62124
Olmos, P., Risco, J., Duran, I. Resonance tensiometer for multiwire chambers 87−50121

Olmos, P. *see* Adeva, B. 88—42413
Olmos, P. *see* Alberdi, J. 88—22967
Olmos, P. *see* Blanco, F. 87—50122
Olmos, P. *see* Cerrada, M. 88—22968
Olmos, P. *see* Duran, I. 86—55800
Olms, K. Radio and frequency management 86—11199
Olms, K. Radio frequency spectrum management 86—17540
Olmstead, D.R. Feasibility of flywheel energy storage in spacecraft applications 86—38916
Olmstead, J.A., Vulih, S. Noise problems in mixed analog-digital integrated circuits 87—60681
Olmstead, M.A. *see* Bringans, R.D. 88—43906
Olmsted, C. Two formulas for the general multivariate polynomial which interpolates a regular grid on a simplex 86—66771
Olmsted, C.D. *see* Bochicchio, V.A. 87—71993
Olmsted, D.R. Development of a large-scale composite flywheel energy storage system 86—40256
Olnes, J. *see* Hussain, S.A. 88—67073
Olness, J.W. *see* Alburger, D.E. 87—29500, 87—73974
Olney, R.D. *see* Bartelt, J.L. 88—39327
Olnowich, H.T. Compact micro-store for VLSI computers 85—45084
Olobardi, M. *see* Brambilla, M. 86—17027
Olobri, J. Digitized recorders move into analog territory 86—5350
Olobri, J.P. *see* Connors, J.V. 87—70484
Olof-Andersson, P., Svenson, J.G. The Ringhals PWRs demonstrate the benefits of high constant pH 88—11022
Olofsson, G., Jonsson, U., Bergek, S. Mass and potential changes in thin organic films exposed to organic vapours 86—55884
Olokhtonov, A.V. *see* Grebennik, V.S. 88—43965
Olorunsola, O. On the free yaw behaviour of horizontal axis wind turbines 87—30462
O'Loughlin, A. Public exposure [security on public telephones] 87—55612
O'Loughlin, J., Larson, D. Effect of transformer leakage inductance on the three phase capacitive input rectifier 85—5236
O'Loughlin, J.M., Christensen, E.H. Finite difference prediction of superconductor multidimensional quench propagation and conductor pack temperature rise 85—1917
O'Loughlin, J.M. *see* Christensen, E.H. 85—56245
O'Loughlin, J.M. *see* Peck, S.D. 85—56250
O'Loughlin, J.P. Transient circuit analysis on small computers 85—22602
O'Loughlin, J.P. Transmission line analysis on personal computers 87—37613
O'Loughlin, M. Current trends in through hole component insertion technology. I 87—1068
O'Loughlin, M. Current trends in through hole component insertion technology. II 87—6244
O'Loughlin, M. How to handle, apply dry film solder masks 88—32600
O'Loughlin, M. Future of magnet wire industry shaped by present research efforts 88—44399
O'Loughlin, M., Duensing, S. Overview of 3-D molded interconnection processes—markets 88—32620
O'Loughlin, M. *see* Bartos, S. 87—17506, 87—45411
O'Loughlin, M. *see* Johnson, K. 86—67585
O'Loughlin, M.J. Radiation effects in high electron mobility transistors: total dose gamma irradiation 88—26345
O'Loughlin, R.C. Material management performance indicators for upper management 87—57781
O'Loughlin, W.R. *see* Elliott, R.S. 87—7620, 87—19287
Olowolafe, J.O. *see* Hung, L.S. 85—61749
Olsarova, V. *see* Mudra, J. 86—71003
Olschevski, W.W. Design of high-power operational amplifiers. I 86—8019
Olschevski, W.W. Project with operational amplifiers. II 87—5691
Olschimke, J., Koops, H., Tschudi, T. Periodic Si-hole-masks in the μm and sub-μm range for electron-multibeam writing 87—25430
Olschimke, J., Rangelow, I.W., Tschudi, T., Kassing, R. Fabrication of 15 μm thick Si-hole masks for demagnifying projection systems for ion- or electron-beams 88—26169
Olsen, A., Nygaard, E., Buran, T., Skaalie, B. Integrated front-end electronics for silicon strip detectors 87—8877
Olsen, A. *see* Haff, P. 87—76183
Olsen, A. *see* Nygard, E. 87—50125
Olsen, A. *see* Salomonsen, G. 87—1287, 87—11435
Olsen, A., Jr. Using and specifying small signal transformers and inductors 85—17907
Olsen, B.A. Cost benefit analysis of mail & conference systems 87—20130
Olsen, B.L. *see* Logan, J.S. 85—7009
Olsen, C.R. Television technology adapted to satellite opportunities 85—25968
Olsen, C.R. Hard fight for the telecommunication billions 88—41228
Olsen, C.S., Akers, D.W., McCardell, R.K. TMI-2 core bore examination results 88—75402
Olsen, D. Effects of pipelining on algorithms for the MC68020 85—61289
Olsen, D. *see* Buchness, R.K. 86—31219
Olsen, D.J. *see* Patel, R.I. 87—5470, 87—16701
Olsen, D.J. *see* Tran, N.T. 87—23739, 88—49155
Olsen, D.K., Alton, G.D., Datz, S., Dittner, P.F., Dowling, D.T., Haynes, D.L., Hudson, E.D., Johnson, J.W., Lee, I.Y., Lord, R.S., Ludemann, C.A., Martin, J.A., McGrory, J.B., Meyer, F.W., Miller, P.D., Milner, W.T., Mosko, S.W., Pepmiller, P.L., Young, G.R. The HISTRAP proposal: Heavy-Ion Storage Ring for Atomic Physics 87—56948
Olsen, D.K., Erb, K.A., Jones, C.M., Milner, W.T., Weisser, D.C., Ziegler, N.F. Calibration of the HHIRF tandem accelerator energy-analyzing magnet 87—29399
Olsen, D.K. *see* Jones, C.M. 86—38627, 88—47754
Olsen, D.K. *see* Lee, I.Y. 88—47849
Olsen, D.K. *see* Martin, J.A. 86—38689
Olsen, D.R., James, K.L. Effects of ambient atmosphere on aluminum-copper wirebond reliability 85—23306
Olsen, D.R. *see* Mahalingam, M. 85—6628
Olsen, D.R. *see* Mahalingham, M. 86—13508
Olsen, D.W. *see* Stever, S.D. 86—70160
Olsen, E. *see* Kildal, P. 87—26987
Olsen, E. *see* Kildal, P.-S. 88—45764
Olsen, E.Moller *see* Moller Olsen, E.
Olsen, F. *see* Benjamin, B. 85—63208
Olsen, G. *see* Reid, F.T. 88—641
Olsen, G.A. A 350 MHz dual-gate GaAs FET frequency multiplier 87—17292
Olsen, G.H. Long-wavelength components by vapor phase epitaxy 85—28214
Olsen, G.H. Long-wavelength LEDs. A challenge to laser diodes 86—22260
Olsen, G.H. Long-wavelength components by vapor phase epitaxy 87—23663
Olsen, G.H., Ban, V.S. InGaAsP: the next generation in photonics materials 87—37901
Olsen, G.H. *see* Ban, V.S. 88—12013
Olsen, G.H. *see* Ettenberg, M. 85—35651
Olsen, G.H. *see* Forrest, S.R. 88—51677
Olsen, G.H. *see* Geist, J. 87—14350
Olsen, H.M. *see* Hunter, A.T. 87—1193
Olsen, H.M. *see* Kimura, H. 85—33402, 85—39695, 86—52430, 88—11951
Olsen, H.M. *see* Lee, R.E. 85—55978
Olsen, H.M. *see* Winston, H.V. 86—2213, 86—2403
Olsen, H.Smidt *see* Smidt Olsen, H.
Olsen, J. *see* Trainor, T.A. 87—3876
Olsen, J.J., Fishman, P.M. Truncation effects in direct digital frequency synthesis 88—3096
Olsen, J.N., Rosenthal, S.E., Mix, L.P., Seidel, D.B. Pinch reflex ion diodes on the PBFA-I accelerator 85—4185
Olsen, J.N. *see* Bieg, K.W. 85—59106
Olsen, J.N. *see* Cook, D.L. 87—43208
Olsen, J.N. *see* Gerber, R.A. 86—32102, 87—21375
Olsen, J.T. Teleprocessing is the key tool in the telecom managers' kit 86—16718
Olsen, K. A model for a frame synchronization unit in SS-TDMA 88—8924
Olsen, K. *see* Huse, J. 86—6419, 86—6427
Olsen, K.H. Mechanism of sintering inhibition in silica treated iron oxide recording particles 86—35977
Olsen, K.L. Military requirements for controlling static electricity damage to microprocessors 85—16772
Olsen, K.W. Fibre optics in Televerket 88—15489
Olsen, L. *see* Akesson, T. 86—18235
Olsen, L. *see* Besser, L. 87—65645
Olsen, L.C., Addis, F.W. Investigation of high efficiency silicon MINP solar cells 87—15989
Olsen, L.C., Addis, F.W., Doyle, D.H., Miller, W.A. Measurement and analysis of solar cell current-voltage characteristics 87—4951
Olsen, L.C., Addis, F.W., Miller, W.A., Dunham, G. High efficiency silicon MINP solar cells 86—7060
Olsen, L.C., Dunham, G., Addis, F.W., Daling, D., Linden, K.J. Electro-optical characterization of GaAs solar cells 88—37422
Olsen, L.C. *see* Miller, W.A. 86—13076
Olsen, L.H. *see* Akesson, T. 88—22918, 88—68271
Olsen, L.H. *see* Batley, R. 86—25127
Olsen, N.B. *see* El-Den, M.B. 87—37905
Olsen, O., Grytting, T., Aarebrot, A. New headquarters saves millions [power system control centre] 87—77965
Olsen, O. *see* Bosser, J. 85—48167, 88—54179
Olsen, O.H. *see* Eilbeck, J.C. 85—35342
Olsen, O.H. *see* Helweg, C. 85—50871
Olsen, O.H. *see* Lomdahl, P.S. 85—29500
Olsen, P.B. *see* Gad, P. 85—5430
Olsen, P.T., Bower, V.E., Phillips, W.D., Williams, E.R., Jones, G.R., Jr. The NBS absolute ampere experiment 85—58794
Olsen, P.T., Bower, V.E., Phillips, W.D., Williams, E.R., Jones, G.R., Jr. The NBS absolute ampere experiment 86—24635
Olsen, P.T., Phillips, W.D., Williams, E.R. Status of the measurement of the NBS ampere in SI units 85—64225
Olsen, P.T., Phillips, W.D., Williams, E.R. The NBS absolute ampere experiment 87—14430
Olsen, P.T. *see* Williams, E.R. 85—63938, 86—24261, 87—14066
Olsen, R., Langenbach, H. High precision power supplies for the National Synchrotron Light Source 88—55485
Olsen, R. *see* Byler, E. 88—30072
Olsen, R. *see* Myers, S. 88—54169
Olsen, R.B. Pyroelectric conversion in space [space vehicle power] 85—48387
Olsen, R.B. Hydrogen metal-hydride thermal to electrical conversion: 'HYMTEC' 87—16061
Olsen, R.B. Recent advances in the instrumentation of bioelectromagnetics research 88—54539
Olsen, R.B., Bruno, D.A. Pyroelectric conversion materials 87—43476
Olsen, R.B., Bruno, D.A., Briscoe, J.M., Dullea, J. Cascaded pyroelectric energy converter 85—10126
Olsen, R.B., Bruno, D.A., Briscoe, J.M., Jacobs, E.W. Pyroelectric conversion cycle of vinylidene fluoride-trifluoroethylene copolymer 85—50801
Olsen, R.B., Bruno, DC.A., Briscoe, J.M. Pyroelectric conversion cycles 86—33715
Olsen, R.B., Butler, W.F., Drummond, J.E., Bruno, D.A., Briscoe, J.M. Heat flow in a pyroelectric converter 86—33727
Olsen, R.B., Chamberlain, F., McClung, J. Railgun insulator materials test 87—26695
Olsen, R.B. *see* Jenkins, A.D. 87—9008
Olsen, R.B. *see* Livingstone, C.E. 88—60260
Olsen, R.C. Record charging events from Applied Technology Satellite 6 88—5035
Olsen, R.C., Chappell, C.R., Burch, J.L. Aperture plane potential control for thermal ion measurements 86—50743
Olsen, R.C. *see* Craven, P.D. 87—71195
Olsen, R.G. Measurement of specific absorption rate in a full-size man model neat a 10.67-m monopole antenna/ground plane system at 2.101 MHz 86—18387
Olsen, R.G. Integral equations for electrostatics problems with thin dielectric or conducting layers 87—19121
Olsen, R.G. Radio noise due to corona on a multiconductor power line above a dissipative earth 88—45719
Olsen, R.G. Resonant radio frequency coil system for heating deep tissue 88—61435
Olsen, R.G., Einarsson, O. Boundary element methods for weakly three dimensional quasielectrostatic problems 88—23577
Olsen, R.G., Jaffa, K.C. Electromagnetic coupling from power lines and magnetic field safety analysis 85—27060
Olsen, R.G., Reeves, J.D. A simple model for weakly coupled lossy transmission lines of finite length located above a grounded dielectric slab 88—14458
Olsen, R.G., Rouseff, D. On the wave impedance for power lines [EMI] 85—41642
Olsen, R.G., Rouseff, D. Radio noise fields generated by corona streamers on a power line above a dissipative earth 85—57063
Olsen, R.G., Stimson, B.O. Predicting VHF/UHF electromagnetic noise from corona on power-line conductors 88—40589
Olsen, R.G., Wu, M.D. High frequency propagation losses on an open wire transmission line above dissipative Earth 88—66119
Olsen, R.J. The digital Pacific—evolution or revolution 86—59413
Olsen, R.L., Martin, L., Tjelta, T. A review of the role of surface reflection in multipath propagation over terrestrial microwave links 88—34320
Olsen, R.L., Tjelta, T., Martin, L., Doble, J.E. Towards a more accurate method of predicting the distribution of multipath fading on terrestrial microwave links 86—69592
Olsen, R.L. *see* Ajayi, G.O. 85—41607
Olsen, R.L. *see* Martin, L. 86—68769, 88—34333
Olsen, R.L. *see* Tjelta, T. 88—34319
Olsen, R.W. *see* Jennings, T.B. 88—47581
Olsen, S. *see* Ojanen, P. 87—77592
Olsen, S.J. Concurrent solution of the stereo correspondence problem and the surface reconstruction problem 87—48202
Olsen, S.L. *see* Tsuchiya, K. 87—70936
Olsen, S.O., Rufer, A. The Power Swivel—advanced drive technology for oil and gas drilling 86—19533
Olsen, T. How can the use of EDP in control rooms be made more efficient? 88—36774
Olsen, T. *see* Hegerberg, J. 85—3339
Olsesk, A.O. *see* Tallerchik, B.A. 86—70120
Olsfors, J. *see* Gervaise, J. 87—41156
Olshaker, M. *see* Janai, M. 85—18779
Olshan, R. *see* Gover, A. 85—56705
Olshan, R.Z., Gover, A., Ruschin, S., Kleinman, H., Friedman, A., Steinberg, B., Katz, I. Experimental results of nonrelativistic electron beam trapping and energy transfer in a Compton scattering free electron laser scheme 87—2167

Olshan, R.Z., Ruschin, S., Gover, A., Kleinman, H., Lissak, B., Sheena, Z. Recent measurements of electron trapping and phase area displacement of nonrelativistic electrons employing an electromagnetic wiggler 87−75147
Olshanksy, R., Fye, D. Reduction of dynamic linewidth in single-frequency semiconductor lasers 85−7434
Olshansky, R. RF multiplexing techniques applied to video distribution in local networks 88−46776
Olshansky, R. Microwave-multiplexed lightwave systems: a new approach to wideband networks 88−67361
Olshansky, R., Eichen, E. Microwave-multiplexed wideband lightwave systems using optical amplifiers for subscriber distribution 88−67343
Olshansky, R., Fye, D., Manning, J., Stein, M., Meland, E., Powazinik, W., Ulbricht, L., Lauer, R. High-power InGaAsP edge-emitting LEDs for single-mode optical communication systems 85−62457
Olshansky, R., Fye, D.M., Manning, J., Stern, M.B., Meland, E., Powazinik, W., Ulbricht, L.W., Lauer, R.B. High power, high speed edge-emitting LEDs for optical communication systems 86−42458
Olshansky, R., Fye, D.M., Manning, J., Su, C.B. Effect of nonlinear gain on the bandwidth of semiconductor lasers 85−62552
Olshansky, R., Hill, P., Lanzisera, V., Powazinik, W. Universal relationship between resonant frequency and damping rate of 1.3 μm InGaAsP semiconductor lasers 87−39157
Olshansky, R., Hill, P., Lanzisera, V., Powazinik, W. Frequency response of 1.3 μm InGaAsP high speed semiconductor lasers 88−2248
Olshansky, R., LaCourse, J., Chow, T., Powazinik, W. Measurement of radiative, Auger, and nonradiative currents in 1.3-μm InGaAsP buried heterostructure lasers 87−33146
Olshansky, R., Lanzisera, V., Hill, P. Microwave multiplexing techniques for wideband lightwave distribution networks 88−73951
Olshansky, R., Lanzisera, V., Su, C.B., Powazinik, W., Lauer, R.B. Frequency response of an InGaAsP vapor phase regrown buried heterostructure laser with 18 GHz bandwidth 86−68518
Olshansky, R., Lanzisera, V.A. 60-channel FM video subcarrier multiplexed optical communication system 88−3979
Olshansky, R., Powazinik, W., Hill, P., Lanzisera, V., Laver, R.B. InGaAsP buried heterostructure laser with 22 GHz bandwidth and high modulation efficiency 87−75079
Olshansky, R., Su, C.B. High frequency modulation of InGaAsP lasers 86−48434
Olshansky, R. *see* Fye, D.M. 86−22253
Olshansky, R. *see* Hill, P. 87−46677, 87−61135, 88−67341
Olshansky, R. *see* Manning, J. 85−46392
Olshansky, R. *see* Powazinik, W. 88−8214
Olshansky, R. *see* Su, C.B. 85−29804, 85−51162, 86−3137, 86−36497, 86−63834
Olshansky, R. *see* Ulbricht, L.W. 86−4632, 86−49677
Olshausen, R. 'Water-treeing' in polyethylene: causes of its formation and factors influencing its growth 85−18497
Olshausen, R.von *see* von Olshausen, R.
Olshefski, F.J. *see* Modlo, R.J. 85−28055
Ol'shevskii, Yu.M. *see* Malamed, E.R. 86−48273
Ol'shevskiy, N.N. *see* Afanas'yev, L.N. 87−76047
Ol'shvang, M.V. *see* Bortnik, I.M. 85−65316
Olson, A. *see* Lin, P.-J.P. 87−29737
Olson, C.G. A combined ERG-SEYA beamline 88−48045
Olson, C.L. Ionization front accelerator 87−41682
Olson, C.L. HIF transport issues for $P>10^{-3}$ torr and $Z>1$ 87−41729
Olson, C.L. Ion beam transport and final focus for APEX 88−42380
Olson, C.L., Frost, C.A., Patterson, E.L., Anthes, J.P., Poukey, J.W. Ionization Front Accelerator: high gradients, demonstrated particle acceleration, and a proposed relativistic accelerator 86−5636
Olson, C.L., Frost, C.A., Patterson, E.L., Anthes, J.P., Poukey, J.W. IFA-2 collective ion accelerator experiments 86−31842
Olson, C.L., Frost, C.A., Patterson, E.L., Anthes, J.P., Poukey, J.W. Experimental demonstration of controlled collective ion acceleration with the Ionization-front accelerator 86−55908
Olson, C.R. *see* Yeh, N.H. 88−51312
Olson, D.E., Singh, A.K. Snubber reduction [nuclear power plants] 87−71866
Olson, D.E., Tang, Y.K. Decreasing snubber inservice inspection costs through snubber reduction and improved test limits [nuclear plants] 88−48647
Olson, D.G. A standard to calibrate γ-ray spectrometers for gaseous samples 85−9113
Olson, D.H. *see* Ballman, A.A. 86−57419
Olson, D.H. *see* Bylsma, R.B. 88−40327
Olson, D.H. *see* Glass, A.M. 87−14334
Olson, D.J. *see* Valk, B. 87−26371
Olson, D.L. Opportunities and limitations of AHP in multiobjective programming 88−43801
Olson, D.L., Wei, J.C., White, E.M. Prediction-interval constrained programming 88−43720
Olson, D.L. *see* Dufour, J.P. 86−25124
Olson, D.L. *see* Lee, S.M. 88−8700
Olson, E. *see* Steelman, J.E. 86−58576
Olson, E.E., Jr. *see* Cromer, M. 88−64953
Olson, E.J. Voice recognition for 100% parts audit 88−66442
Olson, G.A. *see* Craig, A.E. 85−24263
Olson, G.L. Kinetics and mechanisms of solid phase epitaxy and competitive processes in silicon 86−26861
Olson, G.L., Roth, J.A. Kinetics of solid phase crystallization in amorphous silicon 88−70322
Olson, G.L., Roth, J.A., Hess, L.D., Narayan, J. Kinetic competition during solid phase crystallization in ion-implanted silicon 85−10737
Olson, G.L., Roth, J.A., Hess, L.D., Narayan, J. Kinetics of solid phase crystallization in ion-implanted and deposited amorphous silicon films 86−26857
Olson, G.L., Roth, J.A., Rytz-Froidevaux, Y., Narayan, J. Effects of impurities on the competition between solid phase epitaxy and random crystallization in ion-implanted silicon 86−27852
Olson, G.L. *see* Jensen, J.E. 88−63320
Olson, G.L. *see* Lee, Y.H. 88−44541
Olson, G.L. *see* Roth, J.A. 85−12042
Olson, G.L. *see* Vasudev, P.K. 86−9008
Olson, G.L. *see* Zinck, J.J. 88−38186, 88−43865
Olson, J.B. Pay phones have come a long way 86−49354
Olson, J.B. Case study: the first automotive-display touch panel 87−49516
Olson, J.C. *see* Andrews, C.J. 87−76
Olson, J.E. A balancing strategy 86−34146
Olson, J.E. Customers, competition and compatibility: a new convergence shaping the information age 88−59402
Olson, J.E., Schimmerling, W., Windsor, A., Upham, F., Tobias, C.A. Peak-detect-and-hold circuit for instantaneous measurement of bioelectric signals 86−11983
Olson, J.E. *see* MacAllister, J.A. 87−33873
Olson, J.G. Automated visual inspection of devices 88−11776
Olson, J.M., Al-jassim, M.M., Kibbler, A., Jones, K.M. MOCVD growth and characterization of GaP on Si 87−10429
Olson, J.M., Gessert, T., Al-Jassim, M.M. GaInP/GaAs: a current- and lattice-matched tandem cell with a high theoretical efficiency 87−9758
Olson, J.M., Kibbler, A., Kurtz, S. $GaInP_2/GaAs$ monolithic tandem solar cells 88−37430
Olson, J.M., Kurtz, S.R., Kibbler, A.E. Purity and purification of source materials for III-V MOCVD 88−49787
Olson, J.M., Powell, R.C. A vapor transport, filtration technique for purifying silicon 86−7137
Olson, J.M. *see* Kurtz, S.R. 88−37515, 88−69698
Olson, J.M. *see* Nozik, A.J. 85−50342
Olson, J.M. *see* Powell, R.C. 85−39697
Olson, J.M. *see* Tejedor, P. 88−56292
Olson, J.M. *see* Wanlass, M.W. 87−4935
Olson, J.R. *see* Kirschman, R.K. 88−37991
Olson, J.V., Domke, R. Instrument to measure the polarization of waves 85−31427
Olson, J.W. *see* Luniewicz, M.M. 85−30752
Olson, J.W. *see* Morgen, D.H. 85−30754
Olson, K.H. *see* Meyer, W.G. 86−47867
Olson, K.R. *see* McCarney, S.P. 88−23809
Olson, K.S., Pan, G.-W., Gilbert, B.K. Comments on 'Transient analysis of single and coupled lines with capacitively-loaded junctions' 88−20971
Olson, K.W. *see* Ling, Y.L.C. 88−26451, 88−63723
Olson, L., McWilliams, R., Glanz, J., Motley, R.W. Coupling to the fast wave via a phased waveguide array 85−992
Olson, L. *see* Gaw, H. 86−8251
Olson, L.M. RETRAN analysis of Susquehanna Steam Electric Station Unit 2 moisture separator drain tank level transient response 87−42614
Olson, L.M. *see* Miller, G.D. 85−65092
Olson, L.O., Backes, J.L., Miller, J.B. Communication, control, and data acquisition systems on the ISHTE lander 85−48460
Olson, L.T., Pearl, D.L. Computer technique for comparison of electrical parameters and coupled noise for various wiring formats 86−52627
Olson, L.T., Sloma, R.R. Chip carrier enhancements for improving electrical performance 86−13495
Olson, L.T., Sloma, R.R. Three dimensional modeling for complex integrated circuit packages 86−61944
Olson, L.T., Sloma, R.R. Measurements of key electrical parameters for high performance module applications 88−190
Olson, M.A. *see* Kiehl, R.A. 88−57677
Olson, M.J. The law of the LAN: in search of specs for local area networking 88−15053
Olson, M.L., Johnson, D., Arst, P.L. Interactive networking with a satellite 86−49510
Olson, N. *see* Romlein, J. 88−10405
Olson, N.A. Space station multiple access communications system 87−40870
Olson, N.J. *see* Bridge, B. 86−34420
Olson, P. *see* Lee, Y.H. 88−43007
Olson, P.-E. Swedish know-how underpins Tumbler Ridge electrification 85−21906
Olson, P.M. *see* Beltz, L.P. 88−21895
Olson, R. Overview of parylene coating methods 86−1516
Olson, R. Leads' stressful lives 86−53161
Olson, R. Parylene conformal coatings for printed circuit board applications 86−62907
Olson, R. Tips for salvaging parylene-coated PWBs 87−1067
Olson, R. Measuring the stress component of conformal coatings on surface mount devices 88−1175
Olson, R.E. Conceptual design of a 6-10 MJ driver for a high gain target development facility 87−15899
Olson, R.E. *see* Meier, W.R. 87−42159
Olson, R.E. *see* Peterson, R.R. 87−14665
Olson, R.E. *see* Schlachter, A.S. 87−77490
Olson, R.L. Embedded training in airborne electronic warfare 86−69836
Olson, R.R. *see* Hovland, C.T. 86−15076
Olson, S. *see* Saarloos, J. 88−61096
Olson, S.C., Iskander, M.F. A new in situ procedure for measuring the dielectric properties of low permittivity materials 86−44392
Olson, S.C. *see* Iskander, M.F. 85−13103
Olson, S.G. New lenses for submicron optical lithography 86−1948
Olson, S.G. New i-line lenses for submicron lithography 88−1580
Olson, S.H. *see* Campbell, S.D. 87−63949
Olson, S.L. *see* Fam, B.W. 88−29974
Olson, S.R. *see* Ikeda, H. 87−35366
Olson, S.R. *see* Jared, R.C. 86−50434
Olson, T. Fault-tolerant chips increase system reliability 86−52753
Olson, T. Variable-width FIFO buffer sequences large data words 87−73443
Olson, T. *see* Case, B. 87−37316, 87−52606, 88−50165
Olson, T. *see* McAllister, G. 88−28969
Olson, T.C. *see* Kapron, F.P. 85−29631
Olson, T.C. *see* Otten, W.G. 87−18637
Olson, W. *see* Santel, D. 88−4969
Olson, W.H., McConnell, M.V., Sah, R.L., Hong, P.I. Expert system and diagram for troubleshooting dual chamber pacemakers 87−21669
Olson, W.R., Chu, W.C. Implementing built-in-self-test in a RISC microprocessor 88−19200
Olson, W.R., Dimitri, D.S., Khersonsky, Y. VME-sized card controls DC and AC motors 88−55298
Olson, W.R., Dimitri, D.S., Khersonsky, Y. Smart motor controller−a new breed 88−75621
Olson, W.R. *see* Haedtke, J.E. 87−49498
Olson, W.S., Chia-lung Yeh, Weinman, J.A., Chin, R.T. Resolution enhancement of multichannel microwave imagery from the Nimbus-7 SMMR for maritime rainfall analysis 87−63943
Olson, W.S. *see* Chin, R.T. 85−57476
Olsowski, W. Automatic calibration system for analysers 86−31704
Olsowski, W. *see* Nestler, W. 85−14797
Olsson, A. *see* Jonsson, G. 87−2749
Olsson, B. Difficult to change to surface mount [PCB production] 88−19520
Olsson, B. *see* Ahlberg, H. 86−18589
Olsson, B. *see* Jonnson, G. 86−24658
Olsson, B. *see* Nilson, M. 86−37800
Olsson, C., Penten, P., Sejlitz, G. Computer program for the optimization of heating and electricity production in Helsingborg 87−15506
Olsson, D.L. *see* Nichols, K.B. 88−38767
Olsson, E. New series of large AC machines 85−21538
Olsson, E., Falk, L.K.L., Dunlop, G.L., Osterlund, R. The microstructure of a ZnO varistor material 86−9180
Olsson, E., Rudberg, A. Impact of fiber optic technology and high capacity switches on metropolitan network structure 86−64517
Olsson, E., Rudberg, A. Metropolitan networks−the way ahead 87−27814
Olsson, E., Rudberg, A. The application of remote switching units−experiences and future requirements 87−28316
Olsson, E. *see* Andersson, I. 85−19945
Olsson, E. *see* Brantervik, K. 88−26626
Olsson, G. *see* Moller, L. 87−51118, 87−57979
Olsson, H.K. Novel microstrip transformer for superconducting microelectronics 88−1900
Olsson, H.K., Claeson, T. Low noise four-photon Josephson parametric amplification 88−12583
Olsson, H.K., McGrath, W.R., Claeson, T., Eriksson, S., Johansson, L.-G. A millimeter wave Josephson mixer employing a high-T_c GdBaCuO point contact 88−19366
Olsson, J. SDS80−a Standardized Computing System 85−38289
Olsson, J. Upgrading in Scandinavia and around the world [cellular radio] 87−3121

Olsson, J., Hjalmarsson, G. 245 kV XLPE cable installation at Stockholm Energi 87−30190
Olsson, M. *see* Elevant, T. 85−59226
Olsson, M. *see* Elevant, Th. 86−11917
Olsson, M. *see* Sandstrom, R. 87−15102
Olsson, N., Trostell, B. A facility for neutron scattering measurements at 22 MeV 85−31760
Olsson, N., Trostell, B. A facility for neutron scattering measurements in the 20 MeV region 86−50446
Olsson, N.A. ASK heterodyne receiver sensitivity measurements with two in-line 1.5 μm optical amplifiers 86−11067
Olsson, N.A. Heterodyne gain and noise measurement of a 1.5 μm resonant semiconductor laser amplifier 86−58928
Olsson, N.A. Laser devices for coherent optical communication 87−49120
Olsson, N.A. 15000 km fibre-optic transmission using a linear repeater 87−76732
Olsson, N.A. Semiconductor optical amp characteristics 88−73898
Olsson, N.A., Buhl, L.L. Single-laser high-selectivity bidirectional transmission system for local-area-network applications 87−28063
Olsson, N.A., Hegarty, J. Noise properties of a Raman amplifier 86−48482
Olsson, N.A., Hegarty, J., Logan, R.A., Johnson, L.F., Walker, K.L., Cohen, L.G., Kasper, B.L., Campbell, J.C. 68.3 km transmission with 1.37 Tbit km/s capacity using wavelength division multiplexing of ten single-frequency lasers at 1.5 μm 85−25869
Olsson, N.A., Henry, C.H., Kazarinov, R.F., Lee, H.J., Johnson, B.H. Relation between chirp and linewidth reduction in external Bragg reflector semiconductor lasers 87−68438
Olsson, N.A., Henry, C.H., Kazarinov, R.F., Lee, H.J., Johnson, B.H., Orlowsky, K.J. Narrow linewidth 1.5 μm semiconductor laser with a resonant optical reflector 88−2228
Olsson, N.A., Henry, C.H., Kazarinov, R.F., Lee, H.J., Orlowsky, K.J., Johnson, B.H., Scotti, R.E., Ackerman, D.A., Anthony, P.J. Performance characteristics of a 1.5 μm single-frequency semiconductor laser with an external waveguide Braff reflector 88−40213
Olsson, N.A., Johnson, B.H., Lee, H.J., Henry, C.H., Kazarinov, R.F., Ackerman, D.A., Anthony, P.J. Coherent transmission using an external waveguide Bragg reflector laser with direct frequency modulation 87−56133
Olsson, N.A., Oberg, M.G., Koszi, L.A., Przyblek, G. 400 Mbit/s, 372 km coherent transmission experiment using in-line optical amplifiers 88−22067
Olsson, N.A., Oberg, M.G., Tzeng, L.D., Cella, T. Ultra-low reflectivity 1.5 μm semiconductor laser preamplifier 88−47039
Olsson, N.A., Temkin, H., Logan, R.A., Johnson, L.F., Dolan, G.J., van der Ziel, J.P., Campbell, J.C. Chirp-free transmission over 82.5 km of single mode fibers at 2 Gbit/s with injection locked DFB semiconductor lasers 85−41395
Olsson, N.A., Temkin, H., van der Ziel, J.P., Dutta, N.K., Logan, R.A. Single and multimode fiber bandwidth measurements with single and multilongitudinal mode lasers operating at 0.8-, 1.3-, and 1.5-μm wavelength 85−62326
Olsson, N.A., Tsang, W.T., Temkin, H., Dutta, N.K., Logan, R.A. Bit error-rate saturation due to mode-partition noise induced by optical feedback in 1.5-μm single longitudinal-mode C^3 and DFB semiconductor lasers 85−51179
Olsson, N.A., van der Ziel, J.P. Fibre Brillouin amplifier with electronically controlled bandwidth 86−43819
Olsson, N.A., van der Ziel, J.P. Cancellation of fiber loss by semiconductor laser pumped Brillouin amplification at 1.5 μm 86−54205
Olsson, N.A., van der Ziel, J.P. Characteristics of a semiconductor laser pumped Brillouin amplifier with electronically controlled bandwidth 87−33271
Olsson, N.A., van der Ziel, J.P. Performance characteristics of 1.5-μm external cavity semiconductor lasers for coherent optical communication 87−56160
Olsson, N.A. *see* Agrawal, G.P. 85−2294
Olsson, N.A. *see* Antreasyan, A. 86−63721
Olsson, N.A. *see* Bowers, J.E. 85−24554
Olsson, N.A. *see* Capasso, F. 85−18126, 85−56445
Olsson, N.A. *see* Chen, C.Y. 85−26328, 85−35659
Olsson, N.A. *see* Dutta, D.K. 85−35735
Olsson, N.A. *see* Dutta, N.K. 85−2308, 85−2334, 85−7424, 85−18913, 85−46381, 85−51161, 87−74856
Olsson, N.A. *see* Hegarty, J. 85−35858, 85−42578, 86−36453, 86−69792
Olsson, N.A. *see* Henry, C.H. 86−3152, 88−2033
Olsson, N.A. *see* Jopson, R.M. 88−15458
Olsson, N.A. *see* Kazarinov, R.F. 88−2032
Olsson, N.A. *see* King, W.C. 86−59896
Olsson, N.A. *see* Koszi, L.A. 87−8272
Olsson, N.A. *see* Lee, H.J. 88−26923
Olsson, N.A. *see* Lee, T.P. 85−12852
Olsson, N.A. *see* Linke, R.A. 86−49692
Olsson, N.A. *see* Mazurczyk, V.J. 86−11123
Olsson, N.A. *see* Miles, R.O. 86−3168
Olsson, N.A. *see* Oberg, M.G. 88−20640, 88−22068, 88−34015
Olsson, N.A. *see* Park, Y.K. 86−30786, 88−47030
Olsson, N.A. *see* Saul, R.H. 85−56449
Olsson, N.A. *see* Shi, Y.C. 85−56893
Olsson, N.A. *see* Shimer, J.A. 85−29845
Olsson, N.A. *see* Temkin, H. 85−18917, 85−24541, 86−42552, 86−48289, 86−63821, 86−70136, 87−8627, 87−12314
Olsson, N.A. *see* Tsang, W.T. 85−24531, 85−62565
Olsson, N.A. *see* Verbeek, B.H. 88−72147
Olsson, R. *see* Sundqvist, H. 87−15145
Olsson, S.B. *see* Dohnal, M. 87−21598
Olsson-Steel, D.I., Elford, W.G. Are there many more small meteors than hitherto detected? 87−63098
Olssson, N.A. *see* Linke, R.A. 86−23851
Olszewska, G. *see* Lorenc, J. 88−36879
Olszewski, D. Speed-charge your PB-21 [AC/DC charger] 86−61578
Olszewski, J., Wojcik, J., Niedzielski, R., Wyslocki, B., Szymura, S. Magnetic rotational hysteresis energy in low cobalt Fe-Cr-Co alloys 87−74503
Olszewski, M. Flywheel performance: current state-of-the-art 85−53861
Olszewski, M. Development of regenerable energy storage for space multimegawatt applications 87−42056
Olszewski, M. Application of advanced flywheel technology for energy storage on space station 88−48294
Olszewski, M., O'Kain, D.U. Advances in flywheel technology for space power applications 87−42053
Olszewski, M. *see* Tomlinson, J.J. 85−53943
Olszewski, R. *see* Baran, R. 87−71033, 88−22939
Olszewski, R. *see* Krell, S. 87−50144
Olsztynska, J. *see* Dobroszewski, R. 85−35257
Olszyna, A., Wlosinski, W., Sobczynska, D., Torbicz, W. A study of borazon-gate pH-sensitive field effect transistors 87−53537
Olszyna, A. *see* Torbicz, W. 85−26314
Olszyna, A. *see* Wlosinski, W. 87−14265
Oltay, C., Lienard, J. Implementation of adaptive algorithms on systolic arrays 88−21278
Olthof, R.I.J. *see* Zalm, P.C. 85−33414
Oltinikov, A.Ya. *see* Kolobkov, V.V. 86−6060
Oltman, H.G., Jr. *see* Tai-Tseng Chu 88−58943
Oltmanns, S., Denton, L.W. A voice and communications system for the IBM PC 86−48819
Olubczynski, M. *see* Kucharski, J. 87−74771
Olufeagba, B.J. *see* Ibiejugba, M.A. 87−16511
Olukotun, O.A., Mudge, T.N. A preliminary investigation into parallel routing on a hypercube computer 87−66715
Olumekor, L. *see* Prudenziati, M. 86−35127
Olund, J. *see* Jolly, R. 86−8255
Olund, J.F. *see* Jolly, R.D. 86−20539
Oluwole, A.F. *see* Borishade, A.B. 85−59858
Olver, A.D. Microwave detection of hidden objects 85−6479
Olver, A.D. Feeds for microwave reflector antennas 85−30126
Olver, A.D. A century of antenna development 87−54683
Olver, A.D., Clarricoats, P.J.B., Raghavan, K. Dielectric cone loaded horn antennas 88−52308
Olver, A.D., Cuthbert, L.G. FMCW radar for hidden object detection 88−67471
Olver, A.D., Dubrovka, F.F., Parini, C.G. Propagation and radiation characteristics of the disc-on-rod antenna 85−24962
Olver, A.D., Jun, X. Optimum design of profiled corrugated horns [antennas] 88−2898
Olver, A.D., Lizius, D. Analysis and design of radial rib reflector antennas 87−61476
Olver, A.D., Parini, C.G. Teaching antennas and propagation to undergraduates 88−43640
Olver, A.D., Raghavan, K. Compact feeds for small Earth station reflectors 87−54769
Olver, A.D., Ramanujam, P. Low sidelobe earth station antenna using symmetric parabolic reflector 88−3943
Olver, A.D., Xiang, J. Optimum design of wide flare angle corrugated horns 87−75649
Olver, A.D., Xiang, J. Wide angle corrugated horns analysed using spherical modal-matching 88−27656
Olver, A.D. *see* Botros, A.Z. 86−55334
Olver, A.D. *see* Clarricoats, P.J.B. 85−24942
Olver, A.D. *see* Cory, H. 85−24969, 85−41791
Olver, A.D. *see* Cuthbert, L.G. 87−56254
Olver, A.D. *see* Farmer, G.A. 85−3502
Olver, A.D. *see* Hills, R.E. 86−68897
Olver, A.D. *see* Lamb, J.W. 85−42693 to 42694, 86−29581, 86−69867
Olver, A.D. *see* Lindley, A. 88−5065
Olver, A.D. *see* Lizius, D. 86−64073, 87−54717
Olver, A.D. *see* Raghavan, K. 85−41755, 87−7587, 87−47321
Olver, A.D. *see* Voglis, E. 85−13348
Olver, A.D. *see* Voglis, E.E. 85−36108
Olver, F.W.J. Error bounds for linear recurrence relations 88−49731
Olver, L.C. *see* Lakhani, A.A. 86−21434
Olver, Q. *see* Dressler, E. 87−49443
Olver, T. *see* Hobbis, C.E. 85−28408
Olver, T.E. *see* Barr, E.E. 88−46870
Olweret, R.J., Henderson, A.J., Anderson, T.E. Incandescent and halogen lamp design and performance with series diodes 88−62745
Olyanishin, V.O. *see* Kuznetsov, V.G. 87−64673
Olyenikov, A.M. *see* Klushin, G.M. 87−65840
Olzi, E., Matacotta, F.C., Turisini, G., Verello, O. Studies on the production of superconducting fibers C-15 type V_2(Hf,Zr) 86−47992
Olzi, E. *see* Barone, A. 88−7827
Olzi, E. *see* Matacotta, F.C. 88−1894
Om Prakash Selection of plant and equipment−their impact on power consumption 86−52086
Omachi, T., Mizuno, S., Iinuma, K. Modified Huffman coding for half-tone pictures 86−23169
Omachi, T., Mizuno, S., Usubuchi, T., Iinuma, K. Predictive MH coding method for half-tone pictures 87−7849
Omachi, T. *see* Ogawa, R. 86−54719
Omachi, T. *see* Utsumi, Y. 88−52812
Omachonu, V.K., Khalil, T.M. Conceptual and policy framework for the management of technology in developing economies 88−49432
Omae, K. *see* Uba, T. 88−41832
Omae, M., Hashimoto, S. Compact solid-state B/W cameras for robotics 86−11272
Omae, Y., Nakayama, K., Yonekura, Y., Otsubo, M., Tokunaga, H. Automated test systems for use in engine and transmission production 85−31327
Omaggio, J.P. Monolithic HgCdTe MIS IR detectors with a floating-diode sense mechanism 87−8530
Omahen, P. Characteristics of different power generating unit types in the isolated power system operation 88−68773
Omahen, P. *see* Gubina, F. 88−5247
Omahen, P. *see* Machowski, J. 87−71499 to 71500
O'Mahoney, M.J., Justice, D.J., Holmes, P. A p-i-n-bipolar optical receiver for submarine system application 85−62446
O'Mahony, C.P. *see* Zollinger, K.L. 87−11553
O'Mahony, G. Ferromagnetism and diamagnetism explained by molecular currents 86−3452
O'Mahony, J.R. *see* Fletcher, J.D. 88−14326
O'Mahony, M. Lasers light up a new era 88−3966
O'Mahony, M.J. Semiconductor laser amplifiers as repeaters 86−48432
O'Mahony, M.J. Semiconductor laser optical amplifiers for use in future fiber systems 88−45583
O'Mahony, M.J. Towards an all optical regenerator 88−47159
O'Mahony, M.J., Marshall, I.W. Wideband optical receivers using travelling wave amplifiers for Gbit/s systems 88−47105
O'Mahony, M.J., Marshall, I.W., Devlin, W.J., Regnault, J.C. Low-reflectivity semiconductor laser amplifier with 20 dB fibre-to-fibre gain at 1500 nm 85−47503
O'Mahony, M.J., Marshall, I.W., Westlake, H.J. Semiconductor laser amplifiers for optical communication systems 87−68448
O'Mahony, M.J., Marshall, I.W., Westlake, H.J., Stallard, W.G. Wideband 1.5 μm optical receiver using travelling-wave laser amplifier 87−13698
O'Mahony, M.J., Westlake, H.J., Marshall, I.W. Characterisation of a laser amplifier for optical transmission systems 85−25912
O'Mahony, M.J., Westlake, H.J., Marshall, I.W. Gain measurements on laser amplifiers for optical transmission systems at 1.5 μm 85−56619
O'Mahony, M.J., Westlake, H.J., Marshall, I.W. An optical repeater using a semiconductor laser amplifier 85−63716
O'Mahony, M.J. *see* Adams, M.J. 86−22504, 87−33213
O'Mahony, M.J. *see* Marshall, I.W. 86−37872, 87−75078, 87−76753, 88−67394
O'Mahony, M.J. *see* Westlake, H.J. 85−18926, 86−3147, 86−48395, 87−26426, 87−76730, 88−47135
Omair Ahmad, M. *see* Poornaiah, D.V. 85−6260
O'Malley, C., Draper, S., Riley, M. Constructive interaction: a method for studying user-computer-user interaction 85−3210
O'Malley, J.M. *see* Cabrera, K.T. 88−68479
O'Malley, K.G., List, J.S. Quality evaluation of images displayed on the AT&T 'CommView' System at Abbott Northwestern Hospital 88−36562
O'Malley, L.V. Adaptive clustering algorithm 85−36259
O'Malley, M. *see* Baher, H. 87−17248, 87−66353, 87−66429
O'Malley, M. *see* Buttram, M. 85−1776
O'Malley, M. *see* Zutavern, F. 87−18851
O'Malley, M.H. Berkeley Speech Technologies develops message system for American Comm Centers 88−52788

O'Malley, M.H., Caisse, M. How to evaluate text-to-speech systems 87−63199

O'Malley, M.H., Larkin, D.K., Peters, E.W. Beyond the "reading machine": combining smart text-to-speech with an AI-based dialogue generator 87−8490

O'Malley, M.H., Larkin, D.K., Peters, E.W. Beyond the reading machine: what the next generation of intelligent text-to-speech systems should do for the user 87−61808

O'Malley, M.T. Plugging into interconnect 86−30659

O'Malley, M.W. *see* Zutavern, F.J. 85−24001, 87−43310

O'Malley, P., Carleton, W.F. Demonstration of a simple CAD system based on a new display generator 86−27185

O'Malley, R.E., Jr. *see* Mattheij, R.M.M. 85−22421

Omaly, J. *see* Coupat, B. 87−77559, 88−54413

Omamiuda, T. *see* Semba, H. 88−50468

Oman, H. Power budgets with a personal computer 87−42409

Oman, H. Energy efficiencies: Rickshaw to 757 88−62689

Oman, H., Shaw, R. Routes to over 50 percent efficiency in heat engines 87−42655

Oman, H. *see* Harris, W.G. 85−49087

Oman, H. *see* Hodgson, R. 86−66281

Oman, H. *see* Hodgson, R.L. 85−49078, 86−33632, 87−43376, 87−43394

Oman, H. *see* Szymborski, J. 86−33631

Omanchukovskaya, I.V. *see* Bakhtinov, A.P. 86−47453

Omanson, R.C. *see* Kaplan, F. 86−54768

Omar, A.A., Schunemann, K.F. Complex and backward-wave modes in inhomogeneously and anisotropically filled waveguides 87−39444

Omar, A.Al., Krusius, J.P. Microscopic high field transport in graded heterostructures 88−32889

Omar, A.S., Schunemann, K. Generalized representation of Green's functions in multilayer planar structures 85−13202

Omar, A.S., Schunemann, K. Space domain decoupling of LSE and LSM fields in generalized planar guiding structures 85−19191

Omar, A.S., Schunemann, K. Scattering by dielectric obstacles inside guiding structures 85−19200

Omar, A.S., Schunemann, K. Transmission-matrix representation of finline discontinuities 85−19204

Omar, A.S., Schunemann, K. Space-domain decoupling of LSE and LSM fields in generalized planar guiding structures 85−24899

Omar, A.S., Schunemann, K. Accurate determination of higher order modes in general planar transmission lines 85−40219

Omar, A.S., Schunemann, K. Transmission matrix representation of finline discontinuities 85−62864

Omar, A.S., Schunemann, K. Formulation of the singular integral equation technique for general planar transmission lines 86−10163

Omar, A.S., Schunemann, K. Formulation of the singular integral equation technique for planar transmission lines 86−29515

Omar, A.S., Schunemann, K. Scattering by material and conducting bodies inside waveguides. I. Theoretical formulations 86−42897

Omar, A.S., Schunemann, K. On the numerical determination of guiding, resonance, and radiation modes in planar structures 87−24408

Omar, A.S., Schunemann, K. Complex and backward-wave modes in inhomogeneously and anisotropically filled waveguides 87−45171

Omar, A.S., Schunemann, K. Mode characterization in planar guiding systems 87−75520

Omar, A.S., Schunemann, K., Piotrowski, J. Effect of complex modes on finline discontinuities 87−6008

Omar, A.S., Schunemann, K.F. The effect of complex modes at finline discontinuities 87−19252

Omar, A.S. *see* Mahmoud, S.M. 88−70979

Omar, A.S. *see* Marzouk Ibrahim, M. 86−67483

Omar, A.S. *see* Uhde, K. 87−75535

Omar, M.A., Reggiani, L. Drift velocity and diffusivity of hot carriers in germanium: model calculations 88−12925

Omar, M.Ali *see* Ali Omar, M.

Omar, M.S. *see* Pamplin, B.R. 85−18115

Omar, S.I., Masapati, G.H. On systolic architectures for interpolation and integration 87−10886

Omar, Z.I.A. *see* Holm, S. 87−47791

O'Mara, K., Fancott, T. Enhanced X-ray imaging of spheroids: an $O(n)$ algorithm for characterizing convex blobs 85−57483

O'Mara, R.L. Expert system assisted RAM data collection 87−5302

O'Mara, R.L. *see* Macfarlane, I.S. 88−69087

O'Mara, W.C., Parker, J.E., Butler, P., Gat, A. Rapid thermal annealing for oxygen donor annihilation 86−21113

Omari, P. A monotone method for constructing extremal solutions of second order scalar boundary value problems 86−46156

Omari, P. *see* Moret, I. 88−18662

Omarov, M.A. *see* Korotkov, V.P. 86−50103

Omata, F. *see* Takamoto, K. 87−74162

Omata, K. *see* Ohura, Y. 87−30049

Omata, K. *see* Sato, M. 85−64939

Omata, S. New type transducer for measuring contact compliances of a soft body 85−56069

Omata, S. Development of piezoelectric transducer for measuring contact compliance of a soft body 87−41918

Omata, T. Reduction lenses for submicron lithography 85−7029

Omata, T. *see* Nakamo, M. 86−12278

Omata, Y., Sakakima, H. Thermal stability of softmagnetic properties of Co-(Nb,Ta)-(Zr,Hf) films with high saturation magnetization 88−51280

Omata, Y., Sakakima, H., Kugimiya, K. Sputtered magnetic films for VTR magnetic head cores 86−38094

Omata, Y. *see* Kai, T. 85−56115

Omatayo, O.R. Integrating international videotex services 85−47166

Omato, K. *see* Krebs, G.F. 88−54190

Omatsu, T., Iketaki, Y., Sakai, S., Nishikawa, M. Study of color reproduction model in consideration of the effect of light scattering on a paper in color printing systems 87−31104

Omatsuzawa, K. *see* Shimanuki, Y. 87−2808

Omatu, S. Information representation for Gaussian processes 86−36898

Omatu, S., Matsushita, K., Isaka, K. Power generation control by variable structure control theory 88−48902

Omatu, S., Mizuno, H., Kasamatu, H. Restoration of images degraded by motion blur using matrix operators 85−51805

Omatu, S., Seinfeld, J.H. Optimal estimators for time-averaged measurement systems 88−53514

Omatu, S., Watasige, K., Soeda, T. Local energy analysis of Tokushima in Japan by LQG theory 85−43674

Omatu, S. *see* Kasamatu, H. 86−48991

Omatu, S. *see* Kikuchi, A. 85−41895

Omatu, S. *see* Maruyama, H. 88−52590

Omatu, S. *see* Yamamoto, T. 87−57414

Ombaka, O.O. *see* Raghunathan, S. 85−53602

Omberg, G. *see* Elvander, H. 85−10438

O'Meara, D. *see* Digonnet, M.J.F. 87−60913

O'Meara, J. *see* Bedeschi, F. 88−48021

O'Meara, J. *see* Brindza, P. 88−68106

O'Meara, T.R. *see* Klein, M.B. 87−3444

Omeish, T.M., Prior, D.L. Experimental fault studies using a regulated micromachine set with field current controllers 87−43135

Omelayenko, O.L. *see* Zinchenko, B.N. 86−27787

Omel'chenko, A.G. *see* Kutakhov, V.P. 85−30043

Omel'chenko, A.V. *see* Omel'chenko, V.A. 85−2835, 85−63052, 86−43257

Omelchenko, B.D. *see* Buldakovsky, V.N. 86−32036

Omel'chenko, D.L. *see* Ekaterinchuk, V.I. 87−63537

Omel'chenko, L.V., Bondar, L.M., Shaganov, N.N., Lyashenko, A.I. The PTKS-2 mobile vehicular television test station 86−30961

Omel'chenko, O.A. *see* Dronnik, L.M. 85−9910

Omel'chenko, O.V. *see* Zektser, D.M. 87−6164

Omel'chenko, V.A., Kolesnikov, O.A., Bazhanov, P.Yu. Theory of representation of stochastic signals using finite discrete intervals. I. Orthogonal expansion of random functions and their realisations 87−2522

Omel'chenko, V.A., Kolesnikov, O.A., Bazhanov, P.Yu., Omel'chenko, A.V. Representation of stochastic signals set at continuous and discrete intervals 85−2835

Omel'chenko, V.A., Omel'chenko, A.V., Kolesnikov, O.A. Signal recognition using different samples. I 85−63052

Omel'chenko, V.A., Omel'chenko, A.V., Kolesnikov, O.A. Signal recognition using different-volume samples. II 86−43257

Omel'chenko, V.A. *see* Osadchii, Yu.M. 88−47238

Omel'chenko, V.V. *see* Pozhidaev, V.M. 85−8804, 86−40029

Omel'chenko, Yu.A. *see* Khristoforov, K.K. 87−23752

Omel'chuk, A.A. *see* Pritaka, I.P. 87−51314

Omel'chuk, A.A. *see* Sin'kov, V.M. 86−66120

Omeljanovsky, E.M. *see* Kuznetsov, V.P. 86−53349

Omel'yanenko, A.A., Omel'yanenko, M.N., Barabash, L.S. Shaper amplifier with symmetric feedback for drift chambers 86−60621

Omelyanenko, A.A. *see* Bitsadze, G.S. 87−3891

Omelyanenko, A.A. *see* Budagov, Yu.A. 85−59184, 85−64459, 87−50140

Omelyanenko, A.A. *see* Hlinka, V. 87−8837

Omel'yanenko, A.C. *see* Zakharov, A.A. 86−6431

Omel'yanenko, I.F., Zhernov, S.A., Nikolov, O.T. Set-up for the study of high-temperature creep including the effect of ultrasound 87−73210

Omel'yanenko, M.N. *see* Antyukhov, V.A. 86−60637

Omelyanenko, M.N. *see* Budagov, Yu.A. 87−50140

Omelyanenko, M.N. *see* Hlinka, V. 87−8837

Omel'yanenko, M.N. *see* Omel'yanenko, A.A. 86−60621

Omel'yanenko, M.Yu., Tsymbal, V.I. Synthesis of partially filled waveguide integrated filters 87−45179

Omel'yanenko, M.Yu., Tureeva, O.V. Slotted-waveguide filters using cut-off wavelengths for microwave hybrid integrated circuits 87−11018

Omel'yanenko, M.Yu. *see* Gololobov, V.P. 87−32050, 87−66535

Omel'yanenko, M.Yu. *see* Kononov, M.V. 86−48638, 87−45156, 87−47264, 88−20983

Omel'yanenko, M.Yu. *see* Koshevaya, S.V. 85−35997, 87−45158

Omel'yanenko, V.I., Bolyukh, V.F., Sergeev, S.A. Full-scale transportation superconducting magnet winding problems 86−15436

Omelyanenko, V.I. *see* Bolyukh, V.F. 86−26374

Omel'yanovskii, E.M. *see* Balagurov, L.A. 86−14839, 88−57323

Omel'yanovskii, E.M. *see* Ioffe, A.A. 88−17930

Omel'yanovskii, E.M. *see* Kurova, I.A. 85−51022

Omelyanyuk, I.V. *see* Malyuga, V.F. 87−45240

Omel'yanyuk, I.V. *see* Starik, P.M. 87−25025

Omel'yanyuk, I.V. *see* Zayachuk, D.M. 85−40476

Omenetto, N. The impact of several atomic and molecular laser spectroscopic techniques for chemical analysis 88−58735

Omenetto, N. *see* Camagni, P. 88−30172

Omenzetter, M. Universal signal processors offers high data throughput 86−44211

Omenzetter, M., Heise, B. Echo compensation in ISDN. A two-chip solution available, a single-chip one in prospect 88−52703

Omer, M. *see* Akhmedov, F.A. 87−51456

Omer, W. Faster Fourier transforms 86−48906

Omer, W. Faster Fourier transforms 86−54493

Omer, W. Two-dimensional Fourier transforms 87−19843

Omet, D. Demultiplexer circuit for testing embedded arrays 85−17397

Omet, D. Versatile custom random-access memory with logic gate array 85−22889

Omet, G. Embedded random-access memory features improving test data generation 85−17396

Omet, R. Opto-electronics in liquid level measurement 87−70678

Omet, R. Level measuring using optoelectronics 88−16561

Omholt, R. *see* Harun, M.K.B. 88−9427

Omi, F. *see* Watada, A. 88−51592

Omi, K. *see* Mochizuki, S. 85−25257

Omi, K. *see* Yamada, M. 87−54347, 88−72328

Omi, T. *see* Matsumura, S. 88−51143

Omi, T. *see* Yamada, K. 86−2554, 86−7748

Omiccioli, A. *see* Micheletti, G. 88−12307

Omichi, H. *see* Haneda, H. 86−65599

Omichi, Y., Kawamura, M. Behavior of phase difference between two overlapped beams in active sonar receiver 85−52442

Omid, A.N. Examples of the simulation of MOS circuits with Hilo-3 86−53749

Omid, A.N. *see* Harris, R.L. 86−882

Omidvar, M., Cheung, J.Y. The neural network as a prototype in the design of nonconventional computer architecture for artificial intelligence applications 86−47756

Omidyar, C.G., Kelly, W.J., Jr. Analysis of congestion control protocol in packet-switched networks 85−19571

Omidyar, C.G., Malhotra, M.K. Trends and issues in local area networks 85−13951

Omidyar, C.G. *see* Malhotra, M.K. 86−54991

Omidyar, C.G. *see* Sahin, V. 88−52609

Omine, M. *see* Hara, K. 85−5570

Omine, M. *see* Hiramoto, S. 86−7336, 87−75276

Omine, M. *see* Moriyasu, M. 87−7464

Omiya, N. *see* Takahashi, J. 87−60574

Omling, P. *see* Samuelson, L. 85−11932

Ommen, A.H.van *see* van Ommen, A.H.

Ommen, A.van *see* van Ommen, A.

Ommeren, J.van *see* van Ommeren, J.

Ommering, G.van *see* van Ommering, G.

Omnes, F. *see* Dmowski, L. 87−66972

Omnes, F. *see* Gauthier, D. 87−1270

Omnes, F. *see* Razeghi, M. 86−53374, 87−73149, 88−12972, 88−24749, 88−24751, 88−40229

Omnes, S. TDCAM, the Credit Agricole heterogeneous network 86−30411

Omodaka, A. *see* Fujita, H. 88−43358, 88−52145

Omodani, M., Hoshino, Y., Tanaka, T. Ion control characteristics of a pair of aperture electrodes 85−19107

Omodani, M., Tanaka, T., Hoshino, Y. Dot size control characteristics for gray-scale printing in ion flow printing process 87−9969

Omodani, M., Tanaka, T., Hoshino, Y. Ion flow control characteristics for high quality continuous-tone printing 88−8425

O'Mohundro, K. Ethernet−not the universal solution it's made out to be 87−55712

Omohundro, R.J. *see* Glagola, B.G. 85−20860

Omologo, M., Serno, D. A comparison between two speech codecs at 89 kbit/s for mobile communications 88−67246

Omologo, M. *see* Montagna, R. 87−39712, 87−61576

Omont, A. *see* Castets, A. 88−47245

Omori, E. *see* Fujita, Y. 87−28792
Omori, H., Iwai, T., Nakaoka, M., Maruhashi, T. Circuit topologies of self-controlled single-ended high frequency resonant inverters 88−75827
Omori, H., Iwai, T., Nakaoka, M., Maruhashi, T., Savary, P. Comparative studies between regenerative and nonregenerative topologies of single-ended resonant inverters 88−11311
Omori, H., Mizukawa, T., Ogino, Y. Induction-heating range 'Joycook KZ-1600T' 85−27827
Omori, H., Nakaoka, M., Maruhashi, T. A drive method in single-ended resonant inverter for induction-heating 88−70519
Omori, H., Yamashita, H., Nakaoka, M., Maruhashi, T. A novel type induction-heat single-ended resonant inverter using new bipolar Darlington-transistor 86−12936
Omori, H. *see* Ichikawa, T. 86−31337, 88−16473
Omori, H. *see* Itoh, S. 87−29178
Omori, H. *see* Nakaoka, M. 88−24990
Omori, J. *see* Koike, Y. 86−57890
Omori, K., Horikoshi, T., Ishiuchi, S. Advanced process information and control system at Nippon Petroleum Refining Company Limited 85−63267
Omori, K. *see* Matsukawa, T. 87−9675, 87−22544
Omori, M. *see* Bakich, A.M. 85−15182
Omori, M. *see* Majidi-Ahy, R. 88−979
Omori, M. *see* Osawa, A. 88−20043
Omori, S. *see* Nakane, H. 86−22819, 86−29428, 87−14407, 87−14494, 88−16445
Omori, S. *see* Takeda, M. 88−11515
Omori, S. *see* Yoshino, T. 88−9699
Omori, T., Tan'ji, J. Dynamic analysis and evaluation for isolated condensation polisher system in boiling water reactor plants 86−12577
Omori, T. *see* Chiba, M. 85−37914
Omori, T. *see* Hasegawa, S. 88−60183
Omori, T. *see* Iwahori, J. 86−65329
Omori, T. *see* Kobayashi, M. 85−4229, 86−44560
Omori, T. *see* Kobayshi, M. 86−44561
Omori, T. *see* Otsuka, F. 85−37085
Omori, T. *see* Takasaki, M. 86−31869
Omori, T. *see* Tsuchiya, K. 87−70936, 88−45016
Omori, Y. *see* Higasbide, Y. 88−21805
Omorim, H. *see* Miyoshi, T. 87−79212
Omoruto, F.E.E., Raina, J.P. Three-view co-ordinate computation 88−59204
Omotaya, O.R. An evaluation test for speech synthesizers 85−20431
Omotayo, O.R. Evaluation of the performance of a microcomputer-based text-to-speech translator 85−7836
Omotayo, O.R. Effective transfer of data through multiplexing 85−30490
Omotayo, O.R. Driving Votrax SCOI with microcomputers 86−10289
Omotayo, O.R. Talking teletext receiver for the blind 87−27981
Omote, H. Introduction of Matsushita's pay-TV systems into the US and European Markets 87−3285
Omote, K. *see* Matsushima, M. 86−52807
Omoto, H. *see* Sekine, Y. 88−59914
Omoto, N. *see* Shiomi, Y. 87−8394
Omoto, O. *see* Nagatomo, T. 85−65420, 85−65425, 86−28159, 87−281, 87−43359, 87−64783, 87−72399, 88−24797, 88−49842
Omoto, O. *see* Yone, K. 87−60490
Omoto, O. *see* Yonei, K. 85−50561, 87−1568, 87−53697
Omoto, R. *see* Kasai, C. 86−11971
Omotosho, O.J., Plaskowski, A., Beck, M.S., Frith, B. Design and application of a nucleonic sensor for multicomponent measurement 88−60720
Omprakash Sharma, M.S., Ramachandran, V., Swamy, M.N.S. A new approximation of constant group delay in the discrete domain 88−49941
Omran, S.S. Fast camera interface 85−47713
Omran, S.S., Taha, S.M.R., Abdul-Karim, M.A.H. Microcomputer-controlled sampling digital power, r.m.s. and PF meter 87−77092
Omran, S.S. *see* Abdul-Karim, M.A.H. 87−63231
Omran, S.S. *see* Taha, S.M.R. 87−29169, 87−41941
Omrani, M. *see* Basu, S. 88−3086
Omrod, J.H. *see* Hulbert, J.A. 86−24900
Omstead, T.R. *see* Lampert, C.M. 87−18579
Omstead, T.R. *see* Lee, P.W. 88−12039
Omtzigt, E.T.L. SYSTARS: A CAD tool for the synthesis and analysis of VLSI systolic/wavefront arrays 88−70461
Omura, E., Vawter, G.A., Coldren, L., Merz, J.L. Selective Zn diffusion in *n*-GaAs with a sputtered Si mask at 650°C 86−21125
Omura, E., Vawter, G.A., Wu, X.S., Coldren, L.A., Merz, J.L. Selective double diffusion of Zn and Si into GaAs using sputtered Si masks 87−25090
Omura, E., Wu, X.S., Vawter, G.A., Coldren, L., Hu, E., Merz, J.L. Closed-tube diffusion of silicon in GaAs from sputtered silicon film 86−41672
Omura, E., Wu, X.S., Vawter, G.A., Hu, E.L., Coldren, L.A., Merz, J.L. Silicon diffusion into $Al_xGa_{1-x}As$ (x=0−0.4) from a sputtered silicon film 87−32387
Omura, E. *see* Ikeda, K. 86−30807
Omura, E. *see* Wu, X.S. 86−67801
Omura, J.K. A computer dial access system based on public-key techniques 87−69655
Omura, J.K., Moon, S.J. Low cost voice compression for mobile digital radios 87−20426
Omura, J.K. *see* Creighton, M.A. 88−21067
Omura, J.K. *see* Newman, D.B., Jr. 87−47503
Omura, J.K. *see* Pei, D.Y. 86−59220
Omura, J.K. *see* Sadr, R. 88−2927, 88−27733
Omura, J.K. *see* Simon, M.K. 85−60648, 86−13339
Omura, J.K. *see* Wang, C.C. 85−55897
Omura, K. Computer graphics system LINKS-1 87−13147
Omura, K. *see* Kawai, T. 88−70256
Omura, K. *see* Nishimura, H. 85−51786
Omura, K. *see* Okai, H. 87−40066
Omura, K. *see* Shinoda, S. 85−17608, 87−188
Omura, K. *see* Suyama, N. 87−36133, 88−37595
Omura, M., Kawabata, T., Fujita, K., Fukumitsu, T., Asai, T., Sawai, K. Development of an image-processing traffic flow measurement system for intersections 88−60475
Omura, M. *see* Ikeda, H. 88−10333
Omura, M. *see* Murayama, H. 86−64944
Omura, M. *see* Samejima, A. 86−38088
Omura, S., Schmidt, W. A unique hybrid substrate 88−1270
Omura, S. *see* Saito, K. 85−31017
Omura, T., Makino, M., Nakada, K. Mirror-finish surface grinder for magnetic heads 86−28692
Omura, Y., Izumi, K. High-gain cross-current tetrode MOSFET/SIMOX and its application 87−25338
Omura, Y., Izumi, K. Simplified analysis of body-contact effect for MOSFET/SOI 88−64791
Omura, Y., Nakashima, S., Izumi, K. A 4kb CMOS/SIMOX SRAM 86−41122
Omura, Y. *see* Izumi, K. 85−12043, 86−63158
Omuro, M. *see* Ichimura, Y. 86−56864
Omurtag, Y., Dagli, C., Nisanci, I., Benli, O. Engineering management curricula for tomorrow 87−43893
On Dong-Man *see* Dong-Man On
On Pak Cheol *see* Cheol On Pak
Ona, A. *see* Amamiya, M. 88−60184
Ona, A. *see* Hirose, Y. 85−56631
Ona, A. *see* Kitayama, Y. 88−67392
Ona, R.M., Vazquez, J., Prat, J.B.P. Lightweight ultrasonic acquisition and recording system 87−4194
Onabe, K. Immiscibility analysis for III-V compound semiconductor quaternary solid solutions 85−28205
Onabe, K., Tashiro, Y., Ide, Y. High-mobility two-dimensional electron gas in modulation-doped InAlAs/InGaAs heterostructures 87−6447
Onabe, K. *see* Sugimoto, M. 88−20682
Onabe, K. *see* Yokoyama, H. 88−53904, 88−58548
Onae, A. *see* Suzuki, T. 88−27013
Onaga, K. Scheduling of extended marked graphs 86−46213
Onaga, K. Distributed computing and network-flow-theoretic approach to simultaneous VLSI switch-box routing on 2-dimensional processor arrays 87−38482
Onaga, K. Condensation of a 3-terminal sub-network into a delta in probabilistic networks 88−504
Onaga, K., Kawanishi, H. A data-flow array convolver for two-dimensional convolution 86−63410
Onaga, K., Marumoto, S. A distributed algorithm for maximum flow on processor-arrays 86−30385
Onaga, K., Qi-Wei Ge Structural analysis of the T-invariance of Petri nets 87−44164
Onaga, K. *see* Enoki, N. 86−67956
Onaga, K. *see* Ge, Q.W. 88−31652
Onaga, K. *see* Kishimoto, K. 87−47884
Onaga, K. *see* Marumoto, S. 85−6107
Onai, T. *see* Homma, N. 88−6867
Onai, Y. *see* Takenaka, E.-I. 85−43428
Onaji, P.B., Cochran, J.K. Structure and AC properties of electron-beam evaporated zirconia thin films 85−61483
Onaji, P.B., Cochran, J.K. DC conduction of electron-beam evaporated zirconia thin films 85−61484
Onaka, H. *see* Chikama, T. 88−47148, 88−53253
Onaka, H. *see* Masuda, S. 87−1961
Onaka, H. *see* Suyama, M. 88−46768
Onaka, T. *see* Kawakami, H. 86−31224
Onaral, B. A faculty woman's observations on women in engineering 86−13255
Onaral, B., Kim, D. Processing of compressed EEG signals 85−48305
Onaral, B., Paarmann, L.D. Interactive computing and graphics in undergraduate spectrum estimation 85−32994
Onaral, B., Paarmann, L.D. Developing interactive computing and graphics for undergraduate discrete system courses 85−33009
Onaral, B., Puschak, N., Kim, D., Jacobs, K. Matched filtering of compressed EEG signals to detect acceleration induced blackout 86−56141
Onaral, B., Sun, H.H. Electrical properties of bioelectrodes 85−31848
Onaral, B., Tanyel, M. Introducing personal computers in electrical engineering at Drexel University 87−65121
Onaral, B., Tanyel, M. Introducing personal computers in discrete signals and systems at Drexel University 88−18389
Onaral, B., Tsao, Y.Y., Moussavi, M., Sun, H.H. Dynamics of bioelectrode interfaces: classical methods and fractal analysis 88−48097
Onaral, B., Tsao, Y.Y., Sun, H.-H. Computer assisted analysis of interfacial polarization [of electrodes] 85−37609
Onaral, B. *see* Moussavi, M. 88−16683, 88−68349
Onaral, B. *see* Ratnajeevan, S. 88−86
Onaral, B. *see* Schwan, H.P. 85−26777
Onaral, B. *see* Sun, H.H. 85−3954
Onaral, B. *see* Wawrzynski, D. 88−16748
Onarkulov, K.E. *see* Atakulov, Sh.B. 86−21126, 86−42401
Onarkulov, K.E. *see* Neustroev, L.N. 87−38904, 88−50639
Onasanya, O.E. *see* Mojola, O.O. 85−9813
Onasenko, A.V. *see* Datsenko, A.P. 88−16797
Onchi, K. Research into the mechanism of damage to light water reactor fuel rod protection tube 86−12605
Onciulescu, I. *see* Cosma, V.M. 88−31964
Onck, D. *see* Jonas, A. 86−21297
Onda, H., Uenohara, H., Koyama, F., Iga, K. Evaluation of MQW wafer for surface-emitting laser by X-ray diffraction 88−45426
Onda, K., Abe, K., Amano, H., Matsuda, Y. Analysis and compensating method of asymmetrical magnetization of transformer in push-pull DC-to-DC converter 87−72265
Onda, K., Abe, K., Matsuda, Y., Amano, H. Analysis and eliminating method for undesirable setting of magnetic amplifier on single-ended DC-to-DC converter 88−18928
Onda, K., Aoki, Y. A computational method for a fast Hough transform using the periodicity of the trigonometric function 88−18546
Onda, K. *see* Matsushima, R. 87−62225
Onda, K. *see* Peng, K.J. 88−18846
Onda, M. *see* Nakabasami, T. 85−4640
Onda, N., Ozawa, S. Simple algorithm for image data coding 85−46953
Onda, N. *see* Mashimo, T. 87−48005, 88−46277
Onda, N. *see* Murakami, E. 86−16542, 87−19945
Onda, R. *see* Tominaga, H. 85−51980
Onder, M. *see* Koymen, H. 87−71417
Ondera, J., Dudrik, J. Possibility of control of a four-quadrant pulse converter in bridge connection 86−61593
Ondera, J. *see* Dudrik, J. 86−61592
Ondera, J. *see* Kollar, P. 88−33155
Ondoh, J. *see* Kohno, T. 86−23273
Ondoh, T. Solar-terrestrial disturbances of June-September 1982. V. Summary 86−59049
Ondoh, T., Aikyo, K., Katto, T., Tsuchiya, K. Observations of the magnetosphere and ionosphere by Dynamics Explorer satellite. I. Dynamics explorer project in the Radio Research Laboratory 88−35445
Ondoh, T., Nakamura, Y., Watanabe, S., Aikyo, K. Comparative study of VLF radio wave phenomena from DE-1 and ISIS satellites received at Kashima, Japan 88−45688
Ondoh, T., Nakamura, Y., Watanabe, S., Aikyo, K., Sato, M., Yamamoto, S.-i., Sawada, F. Observations of the magnetosphere and ionosphere by Dynamics Explorer satellite. IV. Observations of magnetospheric plasma waves by the DE-1 88−34337
Ondoh, T., Sugiuchi, H., Kawahara, M. Nighttime enhancements of LF atmospherics at times of great eruptions of the Izu-Oshima volcano in November 1986 88−45720
Ondoh, T. *see* Nakamura, Y. 88−34311, 88−45687
Ondoh, T. *see* Watanabe, S. 88−36205
Ondrejka, A.R. *see* Wilson, P.F. 88−72492
Ondria, J. Wideband electronically tunable GaAs Gunn VCOs at W-band (75-110 GHz) 86−8493
Ondria, J. Latest advances in MMW oscillators 88−32476
Ondria, J., Ross, R.L. Improved performance of fundamental and second harmonic MMW oscillators through active device doping concentration contouring 87−73791
Ondria, J., Ross, R.L. Enhanced TED MMW device performance using graded doping profiles 88−25555
Ondria, J., Singleton, J. A highly temperature stabilized K-band (18-26.5 GHz) Gunn VCO for high capacity digital radio systems 88−53166
Ondria, J. *see* Couch, N.R. 88−32910
Ondria, J. *see* Paolella, A. 86−52478

Ondrovic, L.E. *see* Kovacs, S.G. 86−60834, 87−50418, 88−54637
Ondrus, P. *see* Lee, T.N. 85−3183
Ondrusek, J.C., Dunn, C.F., McPherson, J.W. Kinetics of contact wearout for silicided ($TiSi_2$) and non-silicided contacts 88−1573
Ondrusek, J.C., Nishimura, A., Hoang, H.H., Sugiura, T., Blumenthal, R., Kitagawa, H., McPherson, J.W. Effective kinetic variations with stress duration for multilayered metallizations 88−50754
O'Neal, J. *see* Richmond, R. 88−14409
O'Neal, J.B. *see* Hemminger, R.C. 87−35984
O'Neal, J.B., Jr. The residential power circuit as a communication medium 87−13554
O'Neal, J.B., Jr. Substation noise at distribution-line communication frequencies 88−42840
O'Neal, J.B., Jr. *see* Amoura, F.K. 88−21903 to 21904
O'Neal, J.B., Jr. *see* Borowski, D.C. 88−54980
O'Neal, J.B., Jr. *see* Hemminger, R.C. 87−35624
O'Neal, J.B., Jr. *see* Kou, K.Y. 85−30223, 85−46736, 86−10283
O'Neal, J.B., Jr. *see* Kuei Yung Kou 86−16177
O'Neal, J.B., Jr. *see* Vines, R.M. 85−20718, 85−43589
O'Neal, J.L. *see* Butler, C.N. 88−5440
O'Neal, T. *see* Gay, M.J. 85−37265
Onegin, E.E., Kadomsky, I.A., Kolesnik, E.M., Sarkisov, Y.A., Jahn, E., Heyroth, A. Industry test of the EM-559 optical pattern generator 86−21305
Onegina, O.O. *see* Grigor'ev, V.S. 85−5525
O'Neil, B.D. *see* Dickey, F.M. 88−45501
O'Neil, D. Monolithic voltage converter doubles as motor speed servo 88−30818
O'Neil, D.R., Corey, L.E., Nelson, E.A. Evaluating the Fourier transform of a hexagonally sampled signal using a rectangular DFT 85−60936
O'Neil, D.R. *see* Corey, L.E. 87−26940
O'Neil, J. What to look for in a network monitoring and control system 86−16707
O'Neil, J.C. *see* Sebestyen, G.S. 88−22029
O'Neil, J.J., Cofield, D.W. Fifty years of EMC in the Dept. of Army 85−62839
O'Neil, M.J. *see* Forster, D.C. 88−79
O'Neil, P. Engineering use of spreadsheet languages 86−40835
O'Neil, R. *see* Banic, J. 87−41040, 87−50566, 88−16923
O'Neil, R.A. *see* Singh, K.P. 87−4153
O'Neil, R.W., Sawicki, R.H., Johnson, S.A., Sweatt, W.C. Design and component specification for high average power laser optical systems 87−39181
O'Neil, S.D. *see* Woods, J.W. 87−13068, 87−19943
O'Neil, V.P., Ryan, C., Weitzel, C. Monolithic gallium arsenide I-Q demodulator 85−1047
O'Neill, A.G. An explanation of the asymmetry in electron and hole tunnel currents through ultra-thin SiO_2 films 86−35466
O'Neill, B. Wideband voltage controlled oscillators with good inherent linearity 87−32103
O'Neill, B.C., Willis, C.A. An electrostatic method for the measurement of powder flow rates in pipes 88−34228
O'Neill, C.J. *see* Ford, W.S. 86−43375
O'Neill, C.J. *see* Snare, J.L. 86−37308
O'Neill, D. Designing a narrow-band FM IF system for cellular radio 85−30936
O'Neill, D. Using the FSK modem chip set 85−54977
O'Neill, D. Designing a versatile telephone set. IV 86−30468
O'Neill, D. Recent advances in ECL semi-custom design 86−52812
O'Neill, D. Switched-capacitor voltage converter in bipolar technology with 100 mA output current 87−59816
O'Neill, D. Switched-capacitor converter tackles advanced applications 87−73576
O'Neill, D. A high efficiency linear voltage regulator 88−12189
O'Neill, D., Nimmo, R. Switched capacitor voltage converter 87−52783
O'Neill, D. *see* Lewis, C.L.S. 88−33919
O'Neill, D.G. *see* Grioni, M. 85−18164
O'Neill, D.J., Farley, R.D., Ilic, A.V., Stevens, A.W. TFTR AC power system 85−5216
O'Neill, F. A new laser for research 88−8143
O'Neill, F., Davis, G.M., Gower, M.C., Turcu, I.C.E. KrF laser-plasma X-ray sources for lithography 88−57575
O'Neill, F., Davis, G.M., Gower, M.C., Turcu, I.C.E., Lawless, M., Williams, M. Plasma X-ray sources for lithography generated by a 0.5 J KrF laser 88−50771
O'Neill, F., Gower, M.C., Turcu, I.C.E., Owadano, Y. X-ray lithography using a KrF laser-plasma source 86−35477
O'Neill, F., Ross, I.N., Evans, D., Langridge, J.U.D., Bilan, B.S., Bond, S. Colloidal silica coatings for KrF and Nd:glass laser applications 87−39174
O'Neill, F. *see* Edwards, C.B. 85−27508
O'Neill, F. *see* Kannari, F. 87−38982
O'Neill, F. *see* Shaw, M.J. 87−12569
O'Neill, F. *see* Turcu, E. 88−26140
O'Neill, F.T. *see* Garbini, J.L. 86−55721
O'Neill, G. *see* Arbtin, E. 86−33017
O'Neill, G.K. The Geostar system 85−3539
O'Neill, G.K. The 'Geostar' radio determination satellite system 86−55392
O'Neill, G.K. Geostar: a multi-purpose satellite system to serve civil aviation needs 87−13654
O'Neill, H. *see* Sacks, A.H. 88−54489
O'Neill, H.J., Avon, P.A. The distribution of C-MAC in cable systems 87−13948
O'Neill, H.J., Avon, P.A. The distribution of C-MAC in cable systems 87−28817
O'Neill, H.J. *see* Lothian, J.S. 86−11227, 86−59976
O'Neill, I.R.W., Oversby, K. South of Scotland Electricity Board Generation Design and Construction Division, Torness on-line computer system VDU display systems 86−45096
O'Neill, J., Bernet, M., Gan, D. Secure packet voice integration in a generic packet switched network system-level architectures 86−54612
O'Neill, J., Bernet, M., Gan, D., Oestereicher, C. Secure packet voice integration in a generic packet switched network. II. Protocol architecture 86−54613
O'Neill, J.H. *see* Ligtenberg, A. 87−3263, 87−66254
O'Neill, J.J., Jr. *see* Faith, T.J. 85−1476, 87−1448, 87−60329
O'Neill, J.P. *see* Baum, C.E. 88−58826
O'Neill, J.W. *see* Green, M.I. 88−68152
O'Neill, K. *see* Arlett, P.L. 85−14677
O'Neill, K.P. *see* Arlett, P.L. 85−59834
O'Neill, K.S., Rhodes, W.T. Morphological transformations by hybrid optical-electronic methods 87−39934
O'Neill, L.A. Managing technology change through design and manufacturing automation 88−49456
O'Neill, L.A. *see* Burling, W.A. 88−31479
O'Neill, M. *see* Ironside, C.N. 88−58323
O'Neill, M.A. A charge-confinement current switch 87−60481
O'Neill, M.J. Measured performance for the first three years of operation of the DFW airport 27 kW (electric)/120 kW (thermal) photovoltaic and thermal (PVT) concentrator system 87−9428
O'Neill, M.J. A low-cost 22.5X linear Fresnel lens photovoltaic concentrator module, which uses modified, mass-produced, one-sun silicon cells 87−9839
O'Neill, M.J. Measured performance results for the first four years of operation of the Dallas/Fort Worth (DFW) airport 27 kW (electric)/120 kW (thermal) linear Fresnel lens photovoltaic & thermal (PVT) concentrator system 88−24161
O'Neill, M.J. A low-cost 22.5X linear Fresnel lens photovoltaic concentrator module, which uses mass-produced polycrystalline silicon cells 88−24162
O'Neill, M.J. Measured performance of a 22.5X linear Fresnel lens solar concentrator using prismatically covered polycrystalline silicon cells 88−37584
O'Neill, M.J., Lee, D.J., Lam, W.C. Interstitial microwave applicator design and calibration technique 87−63824
O'Neill, M.J., Piszczor, M.F. Development of a dome Fresnel lens/gallium arsenide photovoltaic concentrator for space applications 88−36626
O'Neill, M.J. *see* Ding-Jen Lee 87−35432
O'Neill, P. *see* Close, W. 85−51903
O'Neill, P. *see* Jackson, T.J. 87−57383
O'Neill, P.E. Microwave remote sensing of soil moisture: a comparison of results from different truck and aircraft platforms 85−64759
O'Neill, P.E. *see* Camillo, P.J. 87−15076
O'Neill, P.E. *see* Jackson, T.J. 85−64760, 87−57400
O'Neill, P.E. *see* van de Griend, A.A. 87−57401
O'Neill, R. *see* Bonesini, M. 88−61141
O'Neill, R.P. *see* Kydes, A.S. 86−12545
O'Neill, T. *see* Yang, D.C. 87−59894, 87−73712
O'Neill, T.S. Understanding uninterruptible power supplies. IX. Specifying UPS systems 85−4599
O'Neill, T.S. Understanding uninterruptible power supplies. X. UPS systems checklist 85−4601
O'Neill, T.S. Understanding uninterruptible power supplies. VIII. Specifying UPS systems 85−9470
O'Neill, W.D. *see* Nam, M.K. 88−3152
O'Neill, W.P., Varlow, B.R. Electrostatic discharges from the human body 87−21560
O'Neilly, H. *see* Chaimowicz, J.C. 88−67378
Onel, Y. *see* Arignon, M. 85−48171
Onel, Y. *see* Bystricky, J. 86−5671
Onel, Y. *see* Kewisch, J. 88−16604
O'Nell, F. *see* Kannari, F. 87−22625
Onel'yanovskii, E.M. *see* Kuznetsov, V.P. 85−61681
Oness, C.M., Hord, W.E., Boyd, C.E., Jr. Medium power S-band rotary field ferrite phase shifters 87−6070
Onete, C.E. Complementary transformation−a group theory point of view 86−8364
Onete, C.E., Bursuc, I.D. On optimal choice of the operational amplifiers in active *R* filters−a discussion 86−20690
Onete, E., Bursuc, I.D. On frequency-quality product of active *R* filters 86−20689
Ong, C.-C. *see* Burnett, D.S. 87−69869
Ong, C.J. *see* Jenkins, P.C. 86−18462
Ong, C.K., Sin, E.H., Tan, H.S. Heat-flow calculation of pulsed excimer ultraviolet laser's melting of amorphous and crystalline silicon surfaces 86−54192
Ong, C.K. *see* Oh, K.H. 88−4600
Ong, C.K. *see* Sy, H.K. 85−11905, 86−1683
Ong, C.K. *see* Tan, H.S. 86−28176
Ong, C.M., Hamzei-nejad, A. Digital simulation of multiterminal HVDC systems for transient stability studies using a simplified DC system representation 85−59658
Ong, C.M., Liu, C.T., Lu, C.N. Generation of connection matrices for digital simulation of converter circuits using the tensor approach 88−24043
Ong, C.M. *see* Hamzei-Nejad, A. 86−56336, 87−78018
Ong, C.M. *see* Jwa, C.K. 86−45485
Ong, C.M. *see* Klaes, N.R. 87−65951
Ong, C.M. *see* Lu, C.N. 88−68815
Ong, C.M. *see* Opoku, G. 85−32084
Ong, C.N., Koh, D., Phoon, W.O. Review and reappraisal of health hazards of display terminals 88−23125
Ong, D.G. Modern MOS technology: Processes, devices and design 85−44376
Ong, E., Singh, B., Ferguson, R.A., Neureuther, A.R. Comparison of proximity effects in contrast enhancement layer and bilayer resist processes 87−38404
Ong, E., Tai, K.L., Vadimsky, R.G., Kemmerer, C.T., Bridenbaugh, P.M. Structure and composition dependence of the anisotropy of the wet chemical etching of germanium-selenium films 86−2058
Ong, E.T. *see* Petri, R.J. 87−36174
Ong, H.L. First- and second-order Freedericksz transitions in nematic liquid crystals subjected to static and optical-electromagnetic fields 87−3666
Ong, H.L. *see* Goh, T.N. 85−48558, 86−50928, 87−5256
Ong, J. *see* Callon, R. 88−28231
Ong, J.C. *see* Feridun, M. 88−52878
Ong, J.T. An estimation of microwave interference levels over land in clear air conditions 85−3361
Ong, K.K.C. *see* Hui, L.Y.W. 88−35026
Ong, K.L. *see* Taaffe, M.R. 87−44107
Ong, K.W., Maurer, G., Zwehl, W., Meerbaum, S., Corday, E. Computer videodensitometry of two-dimensional contrast echocardiograms 85−9174
Ong, L.Y. Protocol interworking for ISDN services 87−40215
Ong, M.M. A look at computer networks through a system of layers 85−19799
Ong, N.P. *see* Boero, F.J. 85−40502
Ong, N.P. *see* Cheung, J.T. 86−67727
Ong, N.P. *see* Moyle, J.K. 87−53251
Ong, P.P. *see* Hogan, M.J. 87−14699
Ong, P.P. *see* Loos, J.S. 86−70317
Ong, R. *see* Alexander, J. 87−21419
Ong, R. *see* Dawson, G.E. 85−27433, 86−45750, 87−16082
Ong, R. *see* Eastham, A.R. 85−44265, 87−78701
Ong, R.A., Sulak, L., Watts, R. Design of an enhanced 1 GeV electron neutrino beam 85−52950
Ong, S., Chao, H.H., Tsai, M.-Y., Shih, F.W., Hou, J.C.L., Lewis, K.W., Tang, J.Y.F., Trempel, C.A., Hadsel, R.W., Yu, H.N., McCormick, P.E., Davis, C.V., Jr., Diamond, A.L., Medve, T.J., Higham, J.P. A 32b single-chip microprocessor 87−17152
Ong, S., Hu, E.C., Martin de Nicolas, A., Baluch, R.A. A performance evaluation of microprocessors 88−12441
Ong, S., Tsai, M.-Y., Chao, H.H., Shih, F.W. Clock generator with finite state machine optimization 87−44926
Ong, S. *see* Chao, H.H. 85−40004, 87−778, 87−10904, 87−44793, 87−60641
Ong, S. *see* Shih, F.W. 87−24256
Ong, S.L. *see* Goh, T.N. 87−5256
Ong, T.-C., Ko, P.K., Hu, C. Modeling of substrate current in p-MOSFET's 87−74299
Ong, T.-C., Ko, P.K., Hu, C. 50-Å gate-oxide MOSFET's at 77 K 88−13382
Ong, T.-C., Levi, M., Ko, P.-K., Hu, C. Recovery of threshold voltage after hot-carrier stressing 88−64565
Ong, T.-C., Seki, K., Ko, P.K., Hu, C. Hot-carrier-induced degradation in p-MOSFETs under AC stress 88−50836
Ong, T.C. *see* Chen, I.C. 88−57662
Ong, T.L. Energy saving in edible oil processing plants by application of a total-energy (TE) system 85−5604
Ong, T.L., Cheng, T.C., Hingorani, N.G. Survey of creepage distances and clearances in HVDC converter stations 85−65016
Ong, T.L. *see* Khalil, S. 85−39076

Ong, V.F. *see* Ooi, T.H. 88–44850
Ong Ghim Hwee *see* Ghim Hwee Ong
Ong Hiap Liew *see* Hiap Liew Ong
Ong Tong-Chern *see* Tong-Chern Ong
Onga, M., Nishimura, T., Komuro, S., Iizuka, T., Tsuruta, M., Kondo, T., Yamanaka, S. Signal-processing ICs employed in a single-chip CCD color camera 85–3683
Onga, S., Kato, K., Taniguchi, K. A new two-dimensional process simulation system HITOP 88–20126
Onga, S., Konaka, M., Dang, R. A composite two-dimensional process/two-dimensional device simulation system TOPMODE and its application to the design of VLSI MOSFETs 85–12417
Onga, S., Konaka, M., Ohmichi, A., Kanzaki, K., Dang, R. A composite two-dimensional process/device simulation system (TOPMODE) and its application for total process designing in submicron VLSI MOS device phase 86–62355
Onga, S., Shigoyo, N., Yoshimi, M., Taniguchi, K. Analysis of submicron MOS device characteristics using a composite full three-dimensional process/device simulation system 87–25313
Onga, S., Taniguchi, K. A three-dimensional process simulator and its application to submicron VLSIs 86–28406
Onga, S., Taniguchi, K. A three-dimensional process simulator and its application to submicron VLSIs 86–41919
Onga, S., Taniguchi, K. A three-dimensional process simulator and its application to submicron VLSIs 87–53585
Onga, S., Taniguchi, K. VLSI process simulation 87–53616
Onga, S., Wada, M., Konaka, M. A two-dimensional reliability simulator (2P/IMPAC) and its application to LDD MOS devices 86–15111
Onga, S., Wada, M., Konaka, M. A two-dimensional reliability simulator (2P/IMPAC) and its application to LDD MOS devices 87–53508
Onga, S., Wada, T. Process diagnostic and fluctuation analysis using a two-dimensional simulation system with a new linearized iteration method 88–39180
Onga, S. *see* Kato, K. 88–13072
Onga, S. *see* Maeda, T. 87–1461
Onga, S. *see* Shigyo, N. 86–67883
Ongaro, C. *see* Milani, H. 86–37369
Ongaro, D., Pace, E. RIAM: an integrated multiple access radio network system for electric power utilities 86–49491
Ongaro, D. *see* Bonati, P. 88–59466
Ongaro, R., Pillonnet, A., Desgoutte, P. Critical analysis of transient current measurements in insulating materials. Simplifying hypotheses influence 85–14985
Ongaro, R., Pillonnet, A., Desgoutte, P. Ammeter influence on the frequency response measurement of a dielectric 86–55814
Ongaro, R., Pillonnet, A., Desgoutte, P. Ammeter induced perturbations of Argand diagrams for Debye-like dielectrics 88–22747
Onge, R.J.St. *see* St. Onge, R.J.
Ongena, J., Sanctorum, C., Wieme, W. Theoretical model for transient cataphoretic segregation in a discharge tube with large cylindrical end volumes 85–18040
Ongley, P.E. *see* Booth, R.N. 85–45338, 87–66751
Ongstad, A.P. *see* Neumann, D.K. 88–58464
Onheiser, P. *see* Hnatowicz, V. 86–28166
Onichkin, Yu.E. *see* Galenko, V.G. 87–5210
Onillon, M. *see* Binesti, D. 86–67524
Onimaru, F. *see* Nakamura, M. 87–27889
Onimura, K., Amemiya, M. The equipment for donor plasmapheresis 87–41902
Onimura, K., Amemiya, M., Takao, Y., Kii, S., Narisada, M., Kuroki, H. Single Patient Hemodialysis System 86–5995
Onimura, K. *see* Amemiya, M. 88–23097
Onions, J. *see* Benford, S. 88–59527
Onisawa, K. *see* Ono, Y.A. 88–2130
Onisawa, T., Sugeno, M. An approach to failure analysis using fuzzy unreliability 86–7578
Onisawa, Y., Tokuhara, S., Hiramatsu, T., Toba, H. Plastic substrate for optical memory disk 86–42217
Onisawa, Y. *see* Sato, M. 88–2071
Onischenko, L.M. JINR phasotron 88–54011
Onishchak, B.I. *see* Labii, Yu.Ya. 86–31731
Onishchenko, A.M. Accuracy improvement in means of measuring substance quality parameters 88–29184
Onishchenko, A.N. Calculation of spurious channel frequencies in a superheterodyne receiver 88–4165
Onishchenko, E.V. *see* Maizel, V.I. 88–24304
Onishchenko, E.V. *see* Zatsepina, Z.Ya. 87–36286
Onishchenko, G.M. *see* Zalyubovskii, I.I. 86–5677
Onishchenko, L.M., Shishkin, A.L. Use of corona discharge in gas-discharge detectors for diagnosis of measuring apparatus 87–63666
Onishchenko, L.M. *see* Glazov, A.A. 85–64408
Onishchenko, L.M. *see* Gromov, V.O. 88–42592
Onishchenko, V.Ya., Antonov, E.A., Meshcheryakov, A.V. Analysing the effect of the method of operating a nuclear power station has on the parameters of the cycle 88–48628
Onishchenko, V.Ya., Semin, A.G., Meschcheryakov, A.G., Chirikov, K.A. Increasing the efficiency of steam-steam interheaters in nuclear power units equipped with high-temperature gas-cooled reactors 88–30447
Onishchenko, V.Ya. *see* Popov, A.I. 86–56525
Onishchenko, Z.V. *see* Kolesov, I.S. 87–53821
Onishchuk, A.G., Berikbaev, V.M., Ziak, D.V., Perepelitsa, A.A. Design of two-element matching circuits 85–40252
Onishchukov, G.I., Stel'makh, M.F., Fomichev, A.A. Picosecond radiation sources based on continuous pumped garnet lasers 87–75050
Onishchukov, G.I. *see* Dianov, E.M. 85–19006, 85–24305, 85–29913, 85–46191
Onishi, H., Mochizuki, T., Higuchi, T., Yokozawa, N., Funabashi, T., Itabashi, M., Masuo, Y. High capacity slim type pad mounted transformer 85–39064
Onishi, H. *see* Hongo, S. 85–20465
Onishi, H. *see* Kohashi, T. 85–8739, 85–25379
Onishi, H. *see* Tokutomi, Y. 86–38769
Onishi, K., Miyachi, K. An approach to induction motor drive with controlled voltage source 86–26035
Onishi, K., Sugiyama, K., Ishida, Y., Yamaguchi, T., Inoue, T. A Reed-Solomon code processing LSI for digital audio 87–55161
Onishi, K., Sugiyama, K., Ishida, Y., Yamaguchi, T., Kunii, S. Tape-cut and electronic editing for the PD format two-channel stationary head digital audio tape recorder 88–47382
Onishi, K. *see* Hirasawa, K. 87–14018
Onishi, K. *see* Kuroda, Y. 87–30879
Onishi, K. *see* Oishi, K. 85–48964
Onishi, K. *see* Saiki, K. 86–9386, 86–28599, 86–58658
Onishi, K. *see* Utsumi, A. 88–68375
Onishi, K. *see* Yamamoto, S. 88–31222
Onishi, M. *see* Samejima, K. 86–54049
Onishi, M. *see* Toyoda, H. 87–13914
Onishi, N., Motoo, K. Information service system for Tsukuba Expo '85 87–3194
Onishi, N. *see* Gunji, K. 88–73841
Onishi, R., Tomita, S. The state of the art in image-processing technology 88–73197
Onishi, S., Eschwei, M., Schachter, H., Wang, W.-C. Monolithic acousto-electric convolver with InSb on quartz substrate 86–2540
Onishi, S., Sakiyama, K. The influence of free-carrier absorption on the rapid thermal sintering process 87–38013
Onishi, S. *see* Okamoto, T. 88–687
Onishi, S. *see* Okumura, T. 88–70765
Onishi, S. *see* Sasaki, A. 85–5033
Onishi, S. *see* Wang, W.C. 87–6973
Onishi, S. *see* Wen-Chung Wang 86–9351
Onishi, T. Present status of AC superconductors and their applications 88–75583
Onishi, T., Koyama, K. Summary of research and development on the pulsed superconducting magnets 87–67907
Onishi, T., Tateishi, H. Considerations on the design of 4 MJ pulsed superconducting magnet 87–67910
Onishi, T., Tateishi, H., Komuro, K., Koyama, K., Takeda, M., Ichihara, T. Energy transfer experiments between 3 MJ and 4 MJ pulsed superconducting magnets 85–56251
Onishi, T., Tateishi, H., Koyama, K., Suzawa, C. DC and pulse operations of 4 MJ pulsed superconducting magnet and its stress analysis 85–62269
Onishi, T., Tateishi, H., Takeda, M., Matsuura, T., Nakatani, T. A chopper circuit for energy transfer between superconducting magnets 86–52746
Onishi, T. *see* Fujita, K. 86–26643
Onishi, T. *see* Hiro, M. 85–63869
Onishi, T. *see* Momota, H. 85–46104
Onishi, T. *see* Nomura, H. 87–67912
Onishi, T. *see* Satow, T. 85–62270
Onishi, T. *see* Tateishi, H. 87–67908 to 67909, 87–67913
Onishi, T. *see* Toyoda, K. 85–41090
Onishi, Y. *see* Endo, A. 88–19864
Onishi, Y. *see* Eura, T. 88–20556
Onishi, Y. *see* Hayama, M. 87–26217, 88–24767
Onishi, Y. *see* Hayase, S. 88–13199
Onishi, Y. *see* Ishizu, A. 85–49604, 86–31531, 87–3681, 88–16321, 88–42212
Onishi, Y. *see* Miki, H. 86–28998, 88–44769
Onishi, Y. *see* Sakamoto, H. 88–42215
Onishi, Y. *see* Takasago, H. 86–62979, 88–25739
Onishi, Y. *see* Tobita, T. 86–53239, 87–41505, 88–4440
Onisko, A.D. *see* Knizhnik, E.I. 87–21344
Onitiri, T.A. *see* Hershey, H.A. 87–37678
Onitsuka, Y. *see* Kimura, K. 85–18070
Oniyama, A. *see* Koizumi, S. 88–53222
On'kin, M.I. *see* Radzievskii, B.V. 88–36295
Onkura, T. *see* Matsumoto, A. 85–58909
Onlatov, A.I. *see* Atamov, N.I. 86–33898
Onley, I.C. *see* McPhedran, R.C. 86–7165
Onmori, R.K. *see* Pereyra, I. 88–12961
Onn, D.G. *see* Rich, E.L. 88–57212
Onna, J. Analyst's Associate: a natural language model for advanced military message handling 88–9078
Onnagawa, H., Minami, K., Kuwahara, M., Zhong, Y.-L., Miyashita, K. Alignment of chiral smectic C liquid crystal molecules between differently treated cell walls 86–36267
Onnagawa, H., Miyashita, K. Optical and electrical properties of $CuInS_2$ thin films by spray pyrolysis 85–1346
Onnagawa, H., Shibata, M., Miyashita, K. Current and field characteristics and memory mechanism of TFEL devices 86–36352
Onnasch, D.G.W., Lindenau, J., Brossmann, J., Rooseboom, D., Heintzen, P.H. Steps toward three-dimensional reconstruction of myocardial perfusion from multiple-view arteriography 88–4923
Onnembo, A. *see* Calicchio, M. 88–29811
Onneweer, S., Kerkhoff, H., Butler, J. Structural computer-aided design of current-mode CMOS logic circuits 88–70729
Onneweer, S.P., Kerkhoff, H.G. Current-mode CMOS high-radix circuits 86–57809
Onneweer, S.P., Kerkhoff, S.P. High-radix current-mode CMOS circuits based on the truncated-difference operator 87–52561
Onneweer, S.P. *see* Kerkhoff, H.F. 86–4000
Onno, B. *see* Buxo, J. 87–24147
Onno, G., Jaouen, J.Y. An electronic broadband switch 85–52187
Onno, G. *see* Jaouen, J. 87–76488
Onno, P. *see* DiPiazza, G.C. 87–5962, 87–10974
Onno, Y. *see* Harashima, F. 88–30718
Ono, A. Surface testing for electronics industry 88–31521
Ono, A., Ogura, J., Gotoh, S., Harada, Y. Development of an ultra high resolution EM, JSM-890 88–44530
Ono, A., Sakuma, F., Hattori, S. A spectral responsivity distribution measurement of visible and near infrared radiation thermometers 87–63558
Ono, A., Wyant, J.C. Plotting errors measurement of CGH using an improved interferometric method 85–12979
Ono, A. *see* Abe, K. 88–16629
Ono, A. *see* Baba, T. 85–58930, 87–19030
Ono, A. *see* Komatsu, T. 86–5601
Ono, A. *see* Manabe, T. 85–51426
Ono, A. *see* Noguchi, Y. 87–29543
Ono, A. *see* Oda, S. 88–39473
Ono, A. *see* Saitoh, S. 86–63949
Ono, A. *see* Sakuma, F. 88–9971
Ono, F. A new radio navigation positioning method and estimation of its accuracy 85–14379
Ono, F. Binary rendition of continuous-tone pictures using binary patterns having similar Fourier spectra 85–51784
Ono, F. Picture quality evaluation for digitized images—an overview 86–43297
Ono, F. Torque curve measurements in HCP Co in very low fields 88–57899
Ono, F., Matsui, J. Dislocation bundle formation during liquid encapsulated Czochralski growth of GaAs crystals 88–6433
Ono, F., Nagamori, K. Estimation of the land effect on LORAN C wave propagation and correction chart 86–30901
Ono, F. *see* Tanabe, N. 87–40155
Ono, H. Synthesis, properties and applications of plasma polymerised thin films 85–49603
Ono, H. Expert system for ESS fault recovery program design 87–69807
Ono, H. New technology for profoundly deaf people 88–30049
Ono, H. History of NEC's space development 88–53225
Ono, H., Hirasawa, Y., Monden, H., Murayama, N., Hashimoto, K., Abe, T. High level language debugger for V60/V70 88–19194
Ono, H., Kamejima, T., Watanabe, H., Matsui, J. Cathodoluminescence study of striation in In-doped LEC GaAs crystals 86–34284
Ono, H., Kamejima, T., Watanabe, H.J., Matsui, J. Inhomogeneous indium distribution of LEC In-doped GaAs crystals 86–52439
Ono, H., Kawamura, T., Nakano, J., Kobayashi, N. Advanced microprocessor based new engine control system 85–16334
Ono, H., Nagura, R., Yokota, T., Katsuyama, Y., Narimatsu, Y., Hiramatsu, M., Ogikubo, K. Development of MESSR for MOMO-1 [Marine Observation Satellite-1] 88–54751
Ono, H., Tanabe, T., Aihara, M., Namba, K., Fujiwara, Y., Ebinuma, Y., Sasaki, N., Nagaoka, A. Development of automatic measuring system for insulation diagnosis of power cables 88–55009
Ono, H., Toda, H. Five-stage and six-stage Runge-Kutta formulas of the orders of almost 5 and 6 86–40686
Ono, H., Toda, H., Iri, M. Runge-Kutta type two stage imbedding formulas using second derivatives 88–6419

Ono, H., Watanabe, H., Kamejima, T., Matsui, J. Cellular growth and In-concentrated inclusions in LEC In-doped GaAs crystals 86−40703
Ono, H. *see* Fukuda, H. 87−13516
Ono, H. *see* Hibiya, T. 87−52100
Ono, H. *see* Imai, Y. 88−29417
Ono, H. *see* Kanamori, M. 87−45940
Ono, H. *see* Kitano, T. 87−10362
Ono, H. *see* Kuwano, R. 85−59482
Ono, H. *see* Morisaki, H. 85−12063, 87−9702
Ono, H. *see* Nakai, M. 85−45564, 86−2384, 88−29443
Ono, H. *see* Nishino, S. 87−52120
Ono, H. *see* Takagi, N. 85−58296
Ono, H. *see* Takekoshi, M. 88−10059
Ono, H. *see* Tamagami, M. 86−4221
Ono, H. *see* Warwick, C.A. 87−74010
Ono, H. *see* Yamada, T. 85−3278
Ono, H. *see* Yamamoto, H. 88−51245
Ono, K. Technological trends for telematic services 85−19644
Ono, K. Satellite Packet Communication System for high-speed integrated communication services 86−55260
Ono, K. Mail service [electronic] 87−40298
Ono, K. Optical power meters for every occasion 88−4532
Ono, K., Naito, M. On an analysis of multi-media Poisson problems by boundary element method 86−3435
Ono, K., Nobutoki, K. Development of an ultrathin signal relay 88−7116
Ono, K., Oomori, T., Fujita, S. High-power lasing on the Ne I 540.0-nm line in electron beam generated plasmas 86−68428
Ono, K., Sawa, S. Analysis of normal modes of dielectric optical waveguides based on the propagating-beam method 85−35515
Ono, K., Sawa, S. Propagation characteristics of a multimode *Y*-junction waveguide in lens-like media 86−22175
Ono, K., Sawa, S. A method for analysing coupled inhomogeneous waveguides supporting two modes and its applications 87−26902
Ono, K., Sawa, S. A method for analyzing coupled inhomogeneous waveguides supporting two modes and its application 88−52259
Ono, K. *see* Awano, N. 85−20888
Ono, K. *see* Barada, M. 87−36068
Ono, K. *see* Doi, K. 87−29744
Ono, K. *see* Endo, T. 86−6393
Ono, K. *see* Fukuzono, H. 86−35162
Ono, K. *see* Furuhashi, T. 86−34857
Ono, K. *see* Iisaku, S. 86−55264
Ono, K. *see* Ito, H. 85−18246, 85−55703, 86−21383, 86−58396
Ono, K. *see* Kamei, H. 87−58945
Ono, K. *see* Komori, M. 88−36557
Ono, K. *see* Masuda, M. 88−15827
Ono, K. *see* Matsui, H. 86−11958
Ono, K. *see* Matsui, Y. 88−56264
Ono, K. *see* Matsuo, K. 85−14187, 86−69197
Ono, K. *see* Matsuoka, M. 88−51204
Ono, K. *see* Mawatari, K. 86−64655
Ono, K. *see* Mimura, A. 88−39471
Ono, K. *see* Morita, T. 86−28586
Ono, K. *see* Ohtsu, M. 87−73182, 87−73187
Ono, K. *see* Ohwada, J. 88−16306, 88−19980
Ono, K. *see* Sasaki, K. 86−12216
Ono, K. *see* Sawa, S. 87−1967, 87−60941, 88−7941, 88−45199, 88−51537
Ono, K. *see* Suzuki, R.O. 87−53910
Ono, K. *see* Tanaka, M. 85−22976, 85−61366, 87−32817
Ono, K. *see* Taniguchi, K. 86−56084
Ono, K. *see* Tsuno, K. 87−50216
Ono, K. *see* Yoshida, K. 85−56347, 87−46548
Ono, M. A national project of research on devices for extremely harsh environments [ICs] 86−2314
Ono, M. Energy saving temperature controller for cold-storage 86−19637
Ono, M. Practical application of thermal profile processing equipment and suitable applications [Infraeye 5000 system] 88−16279
Ono, M. Measurement under extreme conditions 88−41945
Ono, M. Low-cost, high-performance handy optical power meters from Soar 88−42011
Ono, M., Fujiwara, Y., Wakatsuki, N. Surface shear wave resonators for VHF range utilizing reflection at edge surfaces 86−2549
Ono, M., Hane, M., Hane, K., Suzuki, T. Finite element analysis of convective diffusion equation for semiconductor problems using conjugate gradient method 88−7283
Ono, M., Hirata, M., Kokubun, K., Murakami, H., Hojo, H., Kawashima, H., Kyogoku, H. Quartz friction vacuum gauge for pressure range from 0.001 to 1000 Torr 86−70114
Ono, M., Hirata, M., Kokubun, K., Murakami, H., Tamura, F., Hojo, H., Kawashima, H., Kyogoku, H. Design and performance of a quartz oscillator vacuum gauge with a controller 85−64331
Ono, M., Homma, M. Working cell type odd-shaped electronic component inserting machines 88−1159
Ono, M., Kaji, I., Ohshima, H., Takenaka, T., Shiseki, N., Takehana, H., Kojima, T. Development of 500 kV XLPE cable with large power transmission capacity 87−21938
Ono, M., Kuzuoka, S. New software for digital processing of remotely sensed images 85−13604
Ono, M., Tanaka, H. Earth-station equipment for receiving and processing data from meteorological satellites 86−12171
Ono, M., Tanaka, H., Kuzuoka, S. SAR signal processing on general purpose computer 85−52431
Ono, M., Tanaka, H., Matsui, Y. Remote sensing and its image processing 88−10512
Ono, M., Yokoto, T., Shibuya, T. Practical measurement method of scattering characteristics of the absorber 86−3495
Ono, M. *see* Akiyoshi, T. 87−21393
Ono, M. *see* Ariizumi, S. 87−17069
Ono, M. *see* Atac, M. 85−26722
Ono, M. *see* Baba, H. 88−55492
Ono, M. *see* Doi, H. 86−8719
Ono, M. *see* Ezura, E. 88−54062
Ono, M. *see* Fujiwara, Y. 86−42040, 86−47925
Ono, M. *see* Hara, Y. 88−30169
Ono, M. *see* Hayamizu, K. 87−4808
Ono, M. *see* Hirata, M. 85−64330, 86−5237
Ono, M. *see* Imura, N. 86−3708
Ono, M. *see* Isogai, H. 88−22843
Ono, M. *see* Kaminaga, K. 87−30211
Ono, M. *see* Kawai, M. 86−21695, 86−65121
Ono, M. *see* Kohno, I. 85−52430, 87−3235
Ono, M. *see* Kokubun, K. 85−1812, 86−24828, 87−74476
Ono, M. *see* Komuro, M. 85−20786
Ono, M. *see* Masuoka, F. 85−22880
Ono, M. *see* Nakada, W. 88−45785
Ono, M. *see* Nakagawa, Y. 85−18525, 85−35272
Ono, M. *see* Notomi, S. 88−19162
Ono, M. *see* Okamoto, K. 86−32532
Ono, M. *see* Okayama, S. 88−57528
Ono, M. *see* Ozaki, H. 86−34450
Ono, M. *see* Shikama, T. 88−36843
Ono, M. *see* Shimizu, H. 86−58079
Ono, M. *see* Shimizu, N. 87−1863
Ono, M. *see* Tominaga, H. 88−64870
Ono, M. *see* Wakao, M. 88−73821
Ono, N. LAN in process control systems 88−9138
Ono, N., Takiyama, R. On a method for polar coordinate transformation of digital images 88−41100
Ono, N. *see* Ge, Q.W. 88−31652
Ono, N. *see* Hasebe, N. 88−10096
Ono, N. *see* Miura, T. 86−3589
Ono, N. *see* Sakaguchi, M. 87−56849
Ono, R. *see* Ito, K. 86−31159
Ono, R. *see* Yachida, M. 87−27636
Ono, R.H., Beall, J.A., Harris, R.E. Fabrication of a miniaturized DCL OR gate 85−61215
Ono, R.H., Cromar, M.W., Kautz, R.L., Soulen, R.J., Colwell, J.H., Fogle, W.E. Current-voltage characteristics of nanoampere Josephson junctions 87−67895
Ono, R.H., Sauvageau, J.E., Jain, A.K., Schwartz, D.B., Springer, K.T., Lukens, J.E. Suspended metal mask techniques in Josephson junction fabrication 85−35337
Ono, R.H. *see* Lloyd, F.L. 88−4571
Ono, R.H. *see* Muhlfelder, B. 85−62245, 87−12071
Ono, R.H. *see* Sauvageau, J.E. 85−62248, 87−67876
Ono, R.H. *see* Zimmerman, J.E. 87−67845, 88−33573
Ono, S. Full travel membrane keyboard switches for high-speed input 88−25613
Ono, S., Aoyama, T., Hagiwara, M., Nakagawa, M. Implementation of a new type DCP PLL using high performance DSP DSSP-1 87−24002
Ono, S., Araseki, T. Linear transformation for low bit rate speech coding 87−19620
Ono, S., Araseki, T., Ozawa, K. Improved pulse search algorithm for multi-pulse excited speech coder 85−41889
Ono, S., Kanayama, Y. A program development system for high performance DSP DSSP-1 [digital signal processing] 86−64295
Ono, S., Kanayama, Y. Implementation of a compiler for high performance signal processor DSSP1 88−46073
Ono, S., Kobayashi, M. A new adaptive digital filter based on a discrete trigonometric series 88−12526
Ono, S., Kondoh, N., Kobayashi, M., Hata, M. A new automatic equalizer for digital subscriber loops 86−30474
Ono, S., Kondoh, N., Kobayashi, M., Hata, M. A new automatic equalizing system for 320 Kbits/s digital subscriber loops 86−64491
Ono, S., Kondoh, N., Kobayashi, M., Hata, M. A new automatic equalizer for digital subscriber loops 87−69758
Ono, S., Ozawa, K. 2.4 kbps pitch prediction multi-pulse speech coding 88−66376
Ono, S., Ozawa, K., Areseki, T. 2.4 kbps pitch interpolation multi-pulse speech coding 88−46000
Ono, S., Takahashi, N. Algorithm for computing dependency property sets in recursive function systems 86−66758
Ono, S., Yamamoto, Y., Nagaoka, Y., Nakajima, Y., Murao, T. New compact optical systems for projection televisions 87−76979
Ono, S., Yamauchi, Y., Kobori, K. Development of a prepost processor kernel-prepost for a numerical analysis program 87−65455
Ono, S. *see* Ichioka, Y. 85−57453
Ono, S. *see* Kanayama, Y. 87−28242
Ono, S. *see* Ozawa, K. 86−43197
Ono, S. *see* Qing Zhu Gao 88−12007
Ono, S. *see* Razeghi, M. 86−14807
Ono, S. *see* Sato, N. 86−21052
Ono, S. *see* Yamauchi, H. 86−14278
Ono, T. *C*-spread 1 switched-capacitor inductance simulation circuit 86−20714
Ono, T. A switched-capacitor inductance simulation circuit using a voltage-follower 86−20715
Ono, T. Field-oriented faster FFT analyzers wanted 86−60197
Ono, T. Dynamic high-speed mass-measurement 87−29319
Ono, T. Current state and needs of optical instrumentation in the food manufacturing process 87−41313
Ono, T. CAI software for exercise in electronic circuits 88−24460
Ono, T. A switched capacitor inductance simulation circuit reducing the effect of parasitic capacitor 88−25323
Ono, T., Adachi, Y., Matsuo, S. Reactive ion beam etching system using a broad beam ECR ion source 85−12205
Ono, T., Chiba, I. Feederless antenna test system (FLATS) by the use of laser diodes 86−3664
Ono, T., Ejiri, M., Hirasawa, T. Monochromatic auroral images observed at Syowa Station, in Antarctica 87−57365
Ono, T., Fujisato, H. Selecting electromagnetic relays for PCBs 87−32135
Ono, T., Katoh, Y., Norimoto, M. Humidity-proof, quasi-isotropic wood diaphragm for loudspeakers 88−47364
Ono, T., Kohata, M., Miyamoto, T. Application of ultrasonic phase-sensitive range finder to shallow seafloor analysis 85−20276
Ono, T., Kohata, M., Miyamoto, T. Ultrasonic phase-sensitive rangefinder with double modulation Doppler-free method for shallow seafloor survey 86−4755
Ono, T., Komatsu, M., Misawa, Y. Battery powered FFT analysis 86−44219
Ono, T., Kumagai, M. Colored 3-D spectrum display 88−34757
Ono, T., Kumamaru, T., Maeda, A., Sagara, S., Kumamaru, K. Influence matrix approach to fault diagnosis of parameters in dynamic systems 87−58374
Ono, T., Matsuno, H. Temperature dependent of efficacy of fluorescent lamp with two separated inner tubes 85−5491
Ono, T., Matsuno, H., Murayama, S. Luminous build-up characteristics of a compact fluorescent lamp with two separated inner tubes 85−27765
Ono, T., Mori, M. Analysis of simultaneous multi-bit error induced by a cosmic ray for onboard memory 88−12376
Ono, T., Mori, T., Ajioka, T., Takayashiki, T. Studies of thin poly Si oxides for E and E^{2}PROM 86−47488
Ono, T., Oda, M., Takahashi, C., Matsuo, S. Reactive ion stream etching utilizing electron cyclotron resonance plasma 86−53552
Ono, T., Sawade, K. Composition rule established by Turyn 88−6338
Ono, T., Shimaoka, H. Software of the dynamic mass-measurement system of displacement and velocity sensing type 85−58542
Ono, T., Shimaoka, H. Dynamic mass-measurement system of displacement and velocity sensing-type 86−11754
Ono, T., Shimaoka, H. Dynamic mass-measurement under weightless conditions 86−24801
Ono, T., Shimaoka, H. Dynamic mass-measurement under weightless conditions−basic experiment on the earth 86−70230
Ono, T., Takahashi, C., Matsuo, S. Electron cyclotron resonance plasma deposition technique using raw material supply by sputtering 85−421
Ono, T., Takahashi, C., Matsuo, S. Metal and metallic compound deposition apparatus using an electron cyclotron resonance plasma 85−22546
Ono, T., Takahashi, C., Oda, M., Matsuo, S. Reactive ion stream etching and metallic compound deposition using ECR plasma technology 86−41713
Ono, T., Toyota, I., Ashikaga, K. Multi-Use-Phone 'ZT series' 86−59527
Ono, T., Yamaguchi, T. An improvement of Burg's algorithm for spectral analysis 87−55151
Ono, T. *see* Endo, Y. 88−29441
Ono, T. *see* Fujimoto, Y. 86−39901
Ono, T. *see* Hirose, H. 87−52860

Ono, T. *see* Ishii, H. 88−22444, 88−35883
Ono, T. *see* Itoh, K. 86−8737
Ono, T. *see* Kato, K. 85−22952
Ono, T. *see* Kawata, K. 86−29203
Ono, T. *see* Kimura, H. 88−4159
Ono, T. *see* Kotani, H. 87−49245
Ono, T. *see* Mori, M. 88−50148
Ono, T. *see* Morozumi, S. 87−8544
Ono, T. *see* Murayama, S. 85−65601
Ono, T. *see* Naiyan, W. 87−16065
Ono, T. *see* Nakajima, T. 86−36339
Ono, T. *see* Oda, H. 88−33495
Ono, T. *see* Ohno, K. 86−58348, 88−38429
Ono, T. *see* Okamoto, T. 86−43786, 86−64910
Ono, T. *see* Shimamura, T. 88−54750
Ono, T. *see* Tanaka, S. 86−9552
Ono, T. *see* Tateno, H. 87−15109, 88−16985
Ono, T. *see* Umeki, T. 88−38563
Ono, T. *see* Yamaguchi, S. 85−38105
Ono, T. *see* Zaike, K. 85−58763, 86−51162
Ono, Y. Application of a nonlinear dielectric element to a fluorescent lamp starter 86−61800
Ono, Y. Holographic optical elements and their applications 88−8321
Ono, Y. Image processing systems for printing reproduction 88−51975
Ono, Y., Kimura, Y., Sugama, S. A compact optical head using holographic optical element for compact disk players 88−58707
Ono, Y., Nishida, N. Holographic optical elements with optimized phase-transfer functions 86−29252
Ono, Y., Nishida, N. Holographic zone plates for $f \cdot \theta$ and collimating lenses 86−36588
Ono, Y., Nishida, N. Systematic design method for holographic zone plates with aberration corrections 87−61000
Ono, Y., Takano, S., Mito, I., Nishida, N. Phase-shifted diffraction-grating fabrication using holographic wavefront reconstruction 87−26227
Ono, Y., Yamamoto, T., Yano, M., Fujikawa, O. Encapsulation method of plastic package 87−72839
Ono, Y. *see* Fujisaki, Y. 86−21138
Ono, Y. *see* Hara, K. 85−27870
Ono, Y. *see* Kato, J. 85−61838
Ono, Y. *see* Kimura, Y. 87−61267, 88−34137, 88−45052
Ono, Y. *see* Kotani, H. 88−58946
Ono, Y. *see* Miyazaki, H. 85−19054
Ono, Y. *see* Morozumi, S. 85−14905, 85−64201
Ono, Y. *see* Nakatsuka, S. 86−63826
Ono, Y. *see* Sakon, T. 87−48467
Ono, Y. *see* Satoh, T. 85−47012
Ono, Y. *see* Takano, K. 85−42181
Ono, Y. *see* Uchida, A. 88−46568
Ono, Y. *see* Umemoto, Y. 86−47602
Ono, Y. *see* Uomi, K. 85−7420, 85−35795
Ono, Y. *see* Yamashita, K. 86−42450
Ono, Y. *see* Yamashita, S. 88−14181
Ono, Y. *see* Yoshizawa, M. 88−2270
Ono, Y.A., Kawakami, H., Fuyama, M., Onisawa, K. Transferred charge in the active layer and EL device characteristics of TFEL cells 88−2130
Ono, Y.A. *see* Mimura, A. 88−39471
Ono, Y.A. *see* Ohwada, J. 88−16306, 88−19980
Onod, A. *see* Juanole, G. 87−34191
Onoda, H., Katoh, T., Hirashita, N., Sasaki, M. Si-gate CMOS devices on a $Si/CaF_2/Si$ structure 86−47865
Onoda, H., Morimoto, H., Kawashima, M., Watakabe, Y., Kato, T. Elimination of substrate damage in focused-ion-beam repair of photomask 88−19867
Onoda, H., Sasaki, M., Katoh, T., Hirashita, N. Si-gate CMOS devices on a $Si/CaF_2/Si$ structure 88−26506
Onoda, H., Sasaki, M., Katoh, T., Hirashita, N. Fabrication of Si-gate CMOS devices in a heteroepitaxial $Si/CaF_2/Si$ structure 88−39706
Onoda, H. *see* Hirashita, N. 86−14968
Onoda, H. *see* Kato, T. 86−53507, 88−33016
Onoda, H. *see* Morimoto, H. 85−40564, 86−35500, 87−17869, 87−38302
Onoda, H. *see* Naruki, K. 86−26387
Onoda, H. *see* Saitoh, K. 88−57541
Onoda, H. *see* Sasaki, M. 85−44687, 86−46329, 87−242
Onoda, H. *see* Sasaki, Y. 86−53680
Onoda, H. *see* Umemura, E. 88−50760
Onoda, K., Sekino, A., Tsukada, K., Hirosaki, B., Otsuka, H., Ikeda, Y., Mochizuki, M., Horii, N., Nishikawa, K., Nakamura, K., Sakamoto, H. Optical local area network 87−40387
Onoda, K. *see* Ishizaki, Y. 87−48380
Onoda, M., Nakayama, H., Amakawa, K. Time characteristics of the resorption current and the open-circuit voltage on plasticized polyvinylchloride containing absorbed water 85−62133
Onoda, M., Nakayama, H., Amakawa, K. Reversal TSC in oxidized low-density polyethylene 86−28569
Onoda, M. *see* Amakawa, K. 86−21914
Onoda, M. *see* Chen, B. 88−57807
Onoda, M. *see* Kaneko, M. 85−23013, 86−27456, 86−57943, 87−45025
Onoda, S., Maeda, N., Yoshiya, T. Fiberoptic components: laser diode modules and transmission modules 87−20493
Onoda, S. *see* Hasegawa, A. 87−13498
Onoda, T., Uetake, K., Ueda, K., Yamamoto, R., Ara, Y. GaAs MMIC for 50 MHz-3 GHz broadband amplifier 86−782
Onoda, T., Yamamoto, R., Uetake, K., Ueda, K., Ara, Y. 50 MHz to 3 GHz broadband GaAs MMIC amplifier 85−49762
Onoda, T. *see* Hayashi, T. 88−36625
Onoda, Y. New series of standard induction motor with low voltage class F insulation 85−9866
Onodara, K. *see* Naganawa, H. 87−3507
Onodera, G. *see* Kasai, M. 86−2425
Onodera, H., Kawata, H., Yokoyama, N., Nishi, H., Shibatomi, A. A high-transconductance self-aligned GaAs MESFET fabricated by through-AlN implantation 85−18332
Onodera, H., Nakajima, M. High-efficiency light modulator using guided-to-radiation mode coupling in a graded-index waveguide 86−63686
Onodera, H., Okuda, M., Awai, I., Nakajima, M., Ikenoue, J. Nb-diffused $LiTaO_3$ waveguides and light modulators by use of guided-to-radiation mode coupling 85−12567
Onodera, H., Tamaru, K. A cyclic analog-to-digital converter using switched capacitor integrator 86−62702
Onodera, H., Tateishi, T., Tamaru, K. A cyclic switched capacitor A-D, D-A converter 87−24282
Onodera, H., Tateishi, T., Tamaru, K. A cyclic A/D converter that does not require ratio-matched components 88−847
Onodera, H., Tateishi, T., Tamaru, K. A cyclic switched capacitor A-D, D-A converter 88−12448
Onodera, H., Tateishi, T., Tamaru, K. A cyclic A/D converter that does not require ratio-matched components 88−32282
Onodera, H., Yamaguchi, Y., Yamamoto, H., Sagawa, M., Matsuura, Y., Yamamoto, H. Magnetic properties of a new permanent magnet based on a Nd-Fe-B compound (NEOMAX). I. Mossbauer study 85−24193
Onodera, H., Yoshida, S., Wakabayashi, N., Murata, K., Sugizaki, Y., Fukumoto, T., Suzuki, Y. Linear servomotor 85−39037
Onodera, H. *see* Awai, I. 86−2750
Onodera, H. *see* Mochizuki, K. 85−56412
Onodera, H. *see* Tamaru, K. 86−67935, 87−59100
Onodera, H. *see* Yokoyama, N. 86−8241
Onodera, I. *see* Hasegawa, F. 87−23733
Onodera, J.I. *see* Ikezawa, Y. 88−48752
Onodera, K., Sawairi, A., Hara, Y., Kusama, N. Silicon bipolar 6.2 GHz 300 mW frequency dividers 86−8195
Onodera, K., Tokumitsu, M., Sugitani, S., Yamane, Y., Asai, K. A 630-mS/mm GaAs MESFET with Au/WSiN refractory metal gate 88−71610
Onodera, K. *see* Kawai, H. 87−48525
Onodera, M. *see* Uchida, T. 86−38464, 87−3667, 87−35150
Onodera, N., Ito, H., Inaba, H. Fourier-transform-limited, single-mode picosecond optical pulse generation by a distributed feedback InGaAsP diode laser 85−7425
Onodera, N., Ito, H., Inaba, H. Generation and control of bandwidth-limited, singlemode picosecond optical pulses by strong RF modulation of a distributed feedback InGaAsP diode laser 85−62571
Onodera, N. *see* Zhang, N. 87−13695
Onodera, R., Sato, K. Practical factor-synthesis of inductance matrices 87−59116
Onodera, R. *see* Sato, K. 86−14578, 86−26736, 87−36606, 87−65338, 87−65626
Onodera, S., Kawaguchi, S., Tsukada, H., Moritani, H., Suzuki, K., Sato, I. Manufacturing of ultra-large diameter 20 MnMoNi 5 5 steel forgings for reactor pressure vessels and their properties 85−39357
Onodera, S. *see* Hanai, T. 88−53461
Onodera, S. *see* Hanamiya, T. 86−24161
Onodera, S. *see* Tominaga, S. 87−34832
Onodera, T. High power inverter for X-ray generator using a coreless transformer 88−75781
Onodera, T., Iyeki, H., Hayashi, K. High power pulsed klystron for linacs 87−41746
Onodera, T., Kotajima, K., Yamaya, T., Satoh, O., Shinozuka, T., Fujioka, M. A precision gas feeding system for a PIG heavy ion source 88−61053
Onodera, T., Masuda, Y. Analysis of DC/DC converter using voltage resonant switching mode 88−18925
Onodera, T., Matsui, S., Sekihara, K., Kohno, H. A method of measuring field-gradient modulation shapes. Application to high-speed NMR spectroscopic imaging 87−49899
Onodera, T., Nakazato, A., Aoyama, M., Minemura, Y., Muramatsu, Y. Development of spiral wound coaxial cable 87−62812
Onodera, T., Ohnishi, T., Nishi, H. The role of piezoelectric effects in GaAs MESFET ICs 86−53831
Onodera, T., Ohnishi, T., Yokoyama, N., Nishi, H. Improvement in GaAs MESFET performance due to piezoelectric effect 86−21576
Onodera, T., Raub, W. Phase velocity dispersion of a generalized metal-segment-loaded helix as used in broad-band traveling-wave tubes 88−39002
Onodera, T., Suzuki, I., Yamada, T., Osato, Y., Watanabe, O., Kato, T. The development of an optical fiber splicer using a profile alignment system 87−74687
Onodera, T., Tsuji, Y. Phase velocity dispersion of a solid metal segment loaded helix as used in broadband traveling wave tubes 88−12892
Onodera, T. *see* Arakawa, O. 87−36998
Onodera, T. *see* Kanai, T. 88−3863
Onodera, T. *see* Kyuwa, N. 88−21915
Onodera, T. *see* Nago, K. 87−66631
Onodera, T. *see* Ohnishi, T. 85−40783, 85−45708
Onodera, T. *see* Okochi, K. 85−51987
Onodera, T. *see* Sire, G. 85−611
Onodera, T. *see* Yamaya, T. 85−15121
Onodera, Y. *see* Kadota, Y. 85−12864
Onodera, Y. *see* Niizeki, Y. 86−45629, 87−49663
Onodi, A. *see* Juanole, G. 87−28220
Onodi, K. Examining self-excited vibration at milling treatment 86−70222
Onodo, Y. *see* Sugiyama, H. 87−36103
Onoe, A. *see* Hayashi, S. 86−7013
Onoe, A. *see* Nakano, H. 85−39203
Onoe, M. Recent trend of non-destructive testing 85−22567
Onoe, M. Imaging technology for medicine 87−77635
Onoe, M., Hasebe, N., Hanabusa, M. A method of code detection for the passive telemetry using radar reflectors with controllable reflectivity 85−47157
Onoe, M., Sone, M. Business color graphics based on binary black and white stripes 87−2447
Onoe, M., Sone, M. Fast image registration based on geometric correspondence between two levels of pyramid structure 87−39965
Onoe, M. *see* Hasebe, M. 85−14369
Onoe, M. *see* Hasebe, N. 86−23986, 87−49156
Onoe, M. *see* Tomikawa, Y. 85−21029
Onoe, S., Suwa, K., Hattori, T. Time diversity effect of SSP-FSK signals in mobile radio systems 86−69699
Onoe, S. *see* Matsumoto, T. 87−28411, 87−48949
Onoe, S. *see* Yoshida, S. 85−46568, 87−28422
Onofry, R.M., Gansberg, A. Use of standby generators in least-cost planning—a case study 88−48525
Onogi, Y., Kakimoto, N., Kajihara, M., Hirahara, T. One method of suppressing fault currents in solidly grounded three-phase double transmission system (one generator and one load system) 85−64795
Onoguchi, K. *see* Watanabe, M. 87−75931
Onoki, M. *see* Tada, K. 86−23271
Onoma, Y. *see* Kajikawa, T. 87−66181
Onomura, M. *see* Hasegawa, F. 88−32930
Onopko, J. Australian involvement in ERS-1 satellite 87−3162
Onoprich, O.K. *see* Chadnoi, A.E. 87−35161
Onoprienko, V.G. *see* Bolychevtsev, A.D. 88−53518
Onorato, F.J. *see* Suh, S.Y. 88−65160
Onorato, M. *see* Cantello, M. 88−20724
Onorato, M. *see* Donati, V. 85−56925
Onorato, P.I.K. *see* Wei, T. 88−45121
Onori, J.A. *see* Heirman, D.N. 86−29493
Onori, M.A. *see* Jayawant, B.V. 85−52761
Onose, K. *see* Asakawa, H. 85−18386
Onose, K. *see* Kakuchi, M. 87−11505
Onose, K. *see* Morita, M. 86−35520
Onose, K. *see* Tanaka, A. 85−34701
Onose, Y. *see* Morimoto, H. 86−54828
Onosovsky, K.K. *see* Alexeev, N.N. 86−31903
Onosovsky, K.K. *see* Goldin, L.L. 88−54010
Onoue, T. Vacuum metallurgy 88−69946
Onoyama, Y. *see* Fukuhara, T. 87−71164
Onozato, Y., Kato, T., Noguchi, S. Stability analysis of combined random/reservation access methods 88−21396
Onozato, Y., Liu, J., Shimamoto, S., Noguchi, S. Effect of propagation delays on ALOHA systems 87−69408
Onozato, Y., Noguchi, S. On the thrashing cusp in slotted ALOHA systems 86−23187
Onozato, Y., Noguchi, S. A unified analysis of steady state behavior in random access schemes 86−23438
Onozato, Y., Suzuki, M., Mizuno, K., Noguchi, S. An approximate analysis of the alternate routing in homogeneous networks 88−46595
Onozato, Y. *see* Ohtomo, E. 86−24090
Onozato, Y. *see* Shimamoto, S. 88−21397
Onozato, Y. *see* Tomoda, K. 85−58563
Onozawa, A., Inoue, M., Oishi, S., Horiuchi, K. On principal partition of matroids with parity condition into strongly irreducible minor pairs 85−22332
Onozawa, A., Inoue, M., Oishi, S., Horiuchi, K. A refinement of the concept of principal partition for matroid parity problem 86−62054

Onozawa, A., Inoue, M., Oishi, S., Horiuchi, K. On principal partition of matroids with parity condition into strongly irreducible minors pairs 87−183
Onozawa, A., Miyashita, H., Ueda, K. Probabilistic compaction algorithm for LSI cell layout design 87−46051
Onozawa, K., Arai, K. Suppression of sea clutter signals by pattern identification method 88−74001
Onozawa, M., Ishii, Y. The industrial application of improved narrow-beam probes for ultrasonic inspection 86−20123
Onozawa, M., Katamine, A., Ishii, Y. Ultrasonic testing of near surface flaws of castings 88−23208
Onozawa, S. *see* Okamoto, K. 85−10684
Onozawa, S. *see* Ueda, T. 87−23687
Onozawa, T. *see* Igarashi, K. 86−25455
Onozuka, A., Oda, O. Electrophotographic properties of Se-Te-Sb-halogen alloy 87−46643
Onozuka, A., Oda, O., Tsuboya, I. Effect of oxygen on electrophotographic properties of selenium 87−7199
Onozuka, A., Oda, O., Tsuboya, I. Effect of chlorine on the electrophotographic properties of Se-Te alloy 87−61030
Onozuka, A. *see* Oda, O. 86−63709
Onozuka, H. *see* Nakata, T. 88−26444
Onozuka, K. *see* Yamamoto, K. 85−26380
Onozuka, T. *see* Iwanaga, A. 87−35001
Onshus, T. *see* Norderhaug, O. 88−41968
Onstee, H. ATE commutator driven by GPIB 88−60540
Onstee, H., Alessandroni, V. Analyses of documentation simplifies the problem of digital service 85−10421
Onstee, H., Kuhne, D. Flexibly solved. Switches and scanner connect GPIB-controllable measuring instruments to complete systems 88−47409
Onstott, J.R., Donalds, L.J., Mikkelson, R.C. Polarization controlling optical fibers 88−13878
Onstott, R. *see* Shuchman, R. 86−6137
Onstott, R.G. *see* Gogineni, S. 85−31092
Onta, I. *see* Ishii, H. 86−5973
Ontai, G.P. *see* Hemmer, P.R. 86−38575
Onu, V., Balan, G., Curelaru, A., Mathe, B. Electrical equipment stresses at faults under nonstandard conditions 88−55555
Onu, V. *see* Mihalcea, E. 86−51844
Onu, W. *see* Berneryd, S. 86−6825
Onuchin, A.P. *see* Aulchenko, V.M. 87−21406
Onuchin, A.P. *see* Blinov, A.E. 85−26540, 86−18202
Onuchin, A.P. *see* Bondar, A.E. 85−26599
Onufriev, V.P. The transfer coefficient of a strobing peak detector I. Action of single pulses 85−61169
Onufriev, V.P. Construction of automatic radar systems for detecting meteor tracks. I. Statement of the problem 87−42234
Onufry, M., Engelman, S.J. Subjective evaluation of the INTELSAT TDMA/DSI system 87−20437
Onufry, M. *see* Dimolitsas, S. 88−52337
Onufry, M. *see* Rieser, J.H. 87−8224
Onuki, H., Saito, N., Saito, T. Undulator generating any kind of elliptically polarized radiation 88−29742
Onuki, H. *see* Saito, T. 85−64347
Onuki, J., Koizumi, M., Araki, I. Investigation on the reliability of copper ball bonds to aluminum electrodes 87−73946
Onuki, J., Suwa, M., Koizumi, M., Iizuka, T. Investigation of aluminium ball bonding mechanism 88−1293
Onuki, J., Suwa, M., Koubuchi, Y., Asai, O. Development of corrosion resistant aluminum alloy wire [IC lead bonding] 86−14767
Onuki, J. *see* Miyake, H. 86−27770
Onuki, K., Shoda, I., Kodama, H., Natori, S., Yoshizawa, K. A new type of microwave-discharge lighting equipment 86−40270
Onuki, K. *see* Uno, T. 87−12025
Onuki, M., Kubota, H. Drift mobilities of photocarriers in amorphous hydrogenated GaP made by reactive evaporation 88−2096
Onuki, M., Matsunaga, H., Kubota, H. Amplitude and phase of transient AC photocurrent of a-Si:H PIN^+ diode under infrared illumination 86−28267
Onuki, M., Tsubusaki, K., Kubota, H. AC photoconductivity of amorphous GaP diodes made by reactive evaporation under implantation of hydrogen ions 88−26954
Onuki, S., Hirano, T., Fujii, T., Sakamoto, Y. 25″/26″ component TV CT-2510A/2610 A 86−24062
Onuki, T. Hybrid finite element and boundary element analysis of electromagnetic problems 88−72475
Onuki, T., Ishiyama, A., Abe, T., Murai, Y. Hybrid finite-boundary element method using vector and scalar potentials for open boundary magnetic field problem 85−13056
Onuki, T., Sato, K., Yamamura, T. A hybrid discretization by conforming and nonconforming elements for boundary element method 88−11898
Onuki, T., Yokoi, T. A three-dimensional zero-first order boundary element discretization 86−36666
Onuki, T., Yokoi, T., Yoshino, K., Murai, Y. Magnetic field analysis of single-sided linear induction motor with infinite primary iron and short secondary 87−43090
Onuki, T., Yoshino, K., Ryu, S. Reduction of finite element region on semi-infinite two media problem by finite-boundary element method 86−39834
Onuki, T. *see* Ishiyama, A. 87−42820, 87−67934, 87−68730, 87−71094, 88−68355
Onuki, T. *see* Ji Yoon Yoo 87−15796
Onuki, T. *see* Ryu, S. 88−55335
Onuki, T. *see* Takura, T. 87−22442, 88−49013
Onuki, T. *see* Yamamura, T. 87−15806, 88−49002
Onuki, T. *see* Yokoi, T. 86−59004
Onuma, A., Hagino, I., Hosomi, M., Okuno, M. A new 72-120 kV SF_6 circuit breaker with a spring-operated mechanism 86−40000
Onuma, A. *see* Jogo, Y. 88−62522
Onuma, A. *see* Marutani, T. 88−5802
Onuma, A. *see* Yamauchi, T. 86−45622
Onuma, S. *see* Tamahashi, K. 87−5446, 87−16662, 88−26055
Onuma, T. New development of animal's electric physiology−induced voltage in brain 87−57145
Onuma, T., Nagano, K., Tamura, A., Uenoyama, T., Tsujii, H., Nishii, K., Sakashita, T. High-speed E/D DCFL frequency divider using high transconductance GaAs enhancement-mode MESFET 86−15282
Onuma, T. *see* Hasegawa, K. 86−34917, 86−57706, 87−32726, 87−48930, 88−41654
Onuma, T. *see* Inoue, K. 88−13435, 88−39525
Onuma, T. *see* Nagano, K. 86−57746
Onuma, T. *see* Nishii, K. 88−56273
Onuma, T. *see* Sakashita, T. 86−1713
Onuma, T. *see* Tambo, T. 88−19402
Onuma, T. *see* Tamura, A. 85−50209, 85−54782, 87−60662, 87−67339, 88−12934, 88−71384
Onuma, T. *see* Tezuka, A. 86−69773
Onuma, T. *see* Uenoyama, T. 87−60494
Onuma, T. *see* Utsumi, K. 87−49025, 88−28860, 88−47154
Onuma, T. *see* Wakabayashi, T. 87−40549
Onuma, Y., Kamimura, K., Homma, Y. Piezoresistive elements of polycrystalline semiconductor thin films 88−29348
Onuma, Y. *see* Ishii, K. 87−1343
Onuma, Y. *see* Kakuhara, Y. 87−324
Onuma, Y. *see* Sakai, Y. 86−24479
Onumanyi, P., Ortiz, E.L. Numerical solution of stiff and singularly perturbed boundary value problems with a segmented-adaptive formulation of the Tau method 85−5966
Onunga, J., Donaldson, R.W. Performance of CSMA with priority acknowledgements on intrabuilding power line local area networks 88−67036
Onural, L., Scott, P.D. Digital decoding of optical in-line holograms 86−3318
Onural, L., Scott, P.D. A digital filtering system for decoding in-line holograms 86−14392
Onural, L., Scott, P.D. Digital decoding of in-line holograms for imaging fractal aggregates 87−7451
Onural, L., Scott, P.D. Digital decoding of in-line holograms 88−20777
Onyedim, G.C. AF demagnetization by discharging a capacitor 87−29906
Onyshchak, B.I. *see* Labii, Yu.Ya. 87−57939
Onyshkevych, L.S. *see* Hang, K.W. 88−64130
Onyshko, A.G., Postyushkov, V.P. Adaptive control of transmitted power in a radio link with delayed control signals 86−37727
Onyshko, A.G., Postyushkov, V.P. Reliability of two-way communications in a radio link with controlled power 86−43716
Onyshko, A.G. *see* Kichatov, V.I. 87−48870
Onyshko, A.V., Postyushkov, V.P. Optimal control of the radiation power of transmitters when there are errors in estimating the state of the channel 86−17200
Onyshko, S. *see* Hortensius, P. 86−25315, 87−14839, 87−50340, 87−63835
Ooba, M., Goto, T. Research concerning the earthquake-proof design of tower shaped structures [power plant storage silos] 85−59995
Ooba, Y., Sugihara, S., Shiwa, S. Basic study of a bright area-modulative liquid crystal cell 87−46601
Oobe, M. *see* Hayamizu, K. 88−55475
Oochi, K. *see* Mizumoto, T. 86−48113
Ooe, M., Watanabe, M., Chigusa, Y., Kyoto, M., Okamoto, S., Yamamoto, T. Estimation of γ-ray irradiation induced loss of optical fibers 88−45159
Ooe, M. *see* Chigusa, Y. 88−58095
Ooe, M. *see* Kyoto, M. 88−58151
Ooe, S. *see* Yoshihara, K. 85−55925
Ooe, T. *see* Yoneoka, S. 85−45972, 88−51327
Oogoe, T., Enomoto, A., Nakahara, K., Abe, I., Sato, I. Magnet power supply control system for the KEK positron generator 87−14648
Oogoe, T. *see* Enomoto, A. 87−14670
Oogoe, T. *see* Sato, I. 87−14653, 87−41704, 87−41782
Oohara, H. *see* Fujita, A. 87−7844
Oohara, K. *see* Sato, M. 87−13294
Oohara, M. *see* Hagino, S. 86−43616
Oohara, M. *see* Kobara, K. 86−43666
Oohara, M. *see* Murata, Y. 86−4225, 86−64825
Oohara, T. *see* Barada, M. 87−36068
Oohashi, F. Batang-Ai hydroelectric project in Sarawak, Malaysia 87−4621
OOhashi, H. *see* Tohmori, Y. 86−29136, 86−29168
Oohashi, Y. *see* Ishizaki, M. 88−71065
Oohayashi, M. *see* Hori, R. 87−59507
Oohayashi, M. *see* Kitsukawa, G. 88−6821
Oohayashi, M. *see* Kobayashi, Y. 87−44856
Oohayashi, M. *see* Mimura, A. 85−45655, 86−35688
Oohigashi, K. *see* Sugahara, K. 87−52481
Oohira, E. *see* Komatsu, A. 87−19605
Oohira, F., Koyabu, K., Aoki, K., Fujiwara, K. Fabrication technologies for package parts of Josephson chips solder bonding technologies of substrates, assembly technologies of package parts, and characteristics of model packaging system 87−67898
Oohira, F., Suzuki, J., Watanabe, J. Fabrication technologies for package parts of Josephson chips−micro-socket fabrication 86−48002
Oohira, F., Suzuki, J., Watanabe, J. Fabrication technologies for package parts of Josephson chips: micro-pin fabrication and bonding 87−18558
Oohira, S. *see* Kodama, K. 85−18981
Oohori, T. *see* Takikawa, M. 87−11818
Ooi, B., Joos, G. A passive shunt device to suppress torsional interactions in synchronous generators 86−56736
Ooi, B.-T. Feasibility, stability, and voltage collapse in weak back-to-back HVDC links 86−65674
Ooi, B.-T., Joos, G. Stable operating regions of torsional interaction phenomenon in synchronous generators 88−23886
Ooi, B.-T. *see* Dixon, J.W. 88−24191
Ooi, B.-T. *see* Joos, G. 87−22285
Ooi, B.-T. *see* Kulkarni, A.B. 87−78768
Ooi, B.-T. *see* Nishimoto, M. 88−11293
Ooi, B.T., Dixon, J.W., Kulkarni, A.B., Nishimoto, M. An integrated AC drive system using a controlled-current PWM rectifier/inverter link 87−22822
Ooi, B.T., Dixon, J.W., Kulkarni, A.B., Nishimoto, M. An integrated AC drive system using a controlled-current PWM rectifier/inverter link 88−30803
Ooi, B.T., Joos, G. The interaction of torsional resonances with network resonances in synchronous generators 85−60156
Ooi, B.T., Salmon, J.C., Dixon, J.W., Kulkarni, A.B. A 3-phase controlled current PWM converter with leading power factor 86−45553
Ooi, B.T., Salmon, J.C., Dixon, J.W., Kulkarni, A.B. A three-phase controlled current PWM converter with leading power factor 87−43201
Ooi, B.T. *see* Dixon, J.W. 87−43245, 88−30887
Ooi, B.T. *see* Joos, G. 87−42834
Ooi, B.T. *see* Nishimoto, M. 87−43252
Ooi, H. *see* Sampei, M. 86−12410
Ooi, K. *see* Hidai, Y. 87−48184
Ooi, K. *see* Takemura, Y. 86−4843, 87−56359
Ooi, M. *see* Kashiwahara, K. 86−39576
Ooi, M. *see* Muramatsu, K. 85−52133
Ooi, T., Tanaka, K. Mobile radio communications within a limited area 86−69641
Ooi, T. *see* Matsunaga, M. 86−58134
Ooi, T.H., Kumar, K. On-line integration of test and quality control management 88−24601
Ooi, T.H., Kumar, K. Real-time monitoring of test and quality control management 88−63002
Ooi, T.H., Ong, V.F., Kumar, K., Chin, C.C., Poon, H.W. Computer aided direct test to ship system in manufacturing 88−44850
Ooi, Y. *see* Hara, T. 86−2855, 87−12257
Ooi, Y. *see* Iwasaki, J. 88−19130
Ooi, Y. *see* Suzuki, Y. 88−65439
Ooi Boon Teck *see* Boon Teck Ooi
Ooi Boon-Teck *see* Boon-Teck Ooi
Ooida, T. *see* Aoki, H. 86−23260
Ooie, Y. *see* Ishizuka, O. 86−14111
Ooishi, T., Kaneyasu, M., Ikegami, A. Discrimination of chemical species and functional groups by pattern recognition using integrated sensor 88−53673
Ooishi, T. *see* Kotani, H. 88−58946
Ooizumi, J. *see* Hibino, Y. 86−6282
Ooj, B.T., Joos, G. The nature of torsional interaction in synchronous generators 87−42899
Ooka, H., Murakami, S., Murayama, M., Yoshida, K., Takao, S., Kudoh, O. High speed CMOS technology for ASIC application 87−44802
Ooka, H. *see* Kobayashi, Y. 86−14220, 86−20534
Ooka, H. *see* Kudoh, O. 85−49876
Ooka, K. *see* Ebata, M. 85−43834
Ooka, T., Osakabe, M., Yamaguchi, Y. Interference/field strength meter 86−50124
Ooka, T. *see* Namihira, Y. 88−7853
Ooka, T. *see* Shimizu, H. 88−21871

Ookawa, H. *see* Ishihara, K. 87–41347
Ooki, H., Tani, H., Takeichi, M. Urban type monorail cars for the Osaka line 88–49227
Ooki, K. *see* Kitagawa, Y. 86–57044
Ookubo, K. *see* Furukawa, Y. 87–11920
Ookubo, K. *see* Ito, A. 85–29262
Ookubo, M. *see* Suzuki, A. 88–1582
Oomamiyuda, H. *see* Kato, Y. 87–58392
Oomen, J., van Dalen, A., Bos, E., de Jong, D. The design and use of a charting system for automatic record keeping during extracorporeal circulation 86–11930
Oomens, A.A.M. *see* Lassing, H.S. 86–55628
Oomi, G. *see* Tachikawa, M. 86–22217
Oommen, M., Santa Cruz, C., Kohler, J.L. Maintainability improvement of mining machines using knowledge-based expert systems 87–58640
Oommen, T.V. Moisture equilibrium charts for transformer insulation drying practice 85–16085
Oommen, T.V. Power transformer maintenance and diagnostics: some areas of concern 86–19352
Oommen, T.V. Static electrification properties of transformer oil 88–52063
Oomori, M. *see* Yokomachi, Y. 87–70254
Oomori, T. *see* Ono, K. 86–68428
Ooms, M. *see* Roberts, A.W. 85–5545
Ooms, W.J. Measuring productivity gains from using workstations [custom IC design] 86–46497
Ooms, W.J. Improved frequency synthesizer 87–23979
Oomura, E. *see* Sakakibara, Y. 85–2310, 85–46417, 86–22399
Oomura, Y., Watanabe, Y. The precise determination by an automatic system of the resonance frequencies of the quartz crystal resonator 87–34950
Oomura, Y., Watanabe, Y., Hashiba, H. Measurement of minute vibrational displacement by means of laser interferometer composed of optical directional-coupler 88–53861
Oomura, Y., Watanabe, Y., Ushiyama, H. A study of nonreactive reference resistor (RRU) for F_r-meter 88–50426
Oomura, Y. *see* Watanabe, Y. 87–28926, 88–26630
Oon Tian Tan, Stafford, T.J. Treatment of port-wine stains at 577 nm: clinical results 88–14321
Oona, H. *see* Goforth, J.H. 87–11112
Oona, H. *see* Humphries, S., Jr. 86–44532
Oona, H. *see* Lindemuth, I.R. 88–42466
Oona, H. *see* Rutkowski, H.L. 86–32107
Oona, H. *see* Weiss, P.B. 86–5091
Oong Chung Gi *see* Gi Oong Chung
Oonishi, A. DC converter for railway 85–5195
Oonishi, H., Urano, F., Mochizuki, T., Soma, K., Kotani, K., Kamio, K. Development of new diagnostic method for hot-line XLPE cables and water trees 87–35642
Oonishi, H. *see* Kuwagaki, H. 88–53804
Oonishi, K. *see* Tanaka, H. 85–59630
Oono, H., Kai, T., Tanaka, Y. Mobile switchgear station 87–4846
Oono Yosiro *see* Yosiro Oono
Ooomote, R. Studies on high performance secondary storage for distributed system and its application to database machine 85–54891
Ooomote, R. *see* Shimada, T. 85–7067
Ooomote, R. *see* Yoshizawa, S. 85–35328
Oooms, M. *see* Ferrari, G.M. 86–12199
Oord, E. *see* Edwards, A.W. 87–14756
Oordt, K. *see* van Overbeeke, F. 85–49001, 85–62225, 86–26092, 86–51728
Oorschot, B.P.J.van *see* van Oorschot, B.P.J.
Oort, H.Van *see* Van Oort, H.
Oort, R.C.van *see* van Oort, R.C.
Oosakaya, A. *see* Kosaka, S. 87–34945
Oosaki, T., Honda, H., Sawamoto, K. Audio conference system for public telephone network 87–7967
Oosawa, C. *see* Nakajima, C. 87–62625
Oosawa, H. *see* Kurokawa, A. 85–20284
Oosawa, S. *see* Matsunaga, Y. 88–42166
Ooshima, T. *see* Hiroo, I. 86–51043
Ooshima, T. *see* Teranishi, T. 87–55669, 88–52791
Ooshima, Y. *see* Hara, Y. 86–67934, 87–60521
Oost, G.Van *see* Van Oost, G.
Oost, K.Van *see* Van Oost, K.
Ooster, J.van 't *see* van 't Ooster, J.
Oosterhof, A. *see* Gray, J.E. 85–48254
Oosterhoff, S. Distributions of boron and phosphorus implanted in silicon in the energy range 0.1-1.5 MeV 88–33014
Oosterhoff, S., Middelhoek, J. The annealing of 1 MeV implantations of boron in silicon 85–50397
Oosterhoff, S. *see* Vandamme, L.K.J. 86–47277
Oosterkamp, W.J. Reactor physics at the Dodewaard BWR 88–17309
Oosterkamp, W.J., Bruggink, J.C., Nijst, J.N. Twenty years of fuel management at the Dodewaard boiling water reactor 85–21348
Oosterkamp, W.J. *see* Bruggink, J.C. 85–38718
Oosterlinck, A. *see* Desmet, S. 87–20292
Oosterlinck, A. *see* Fehervari, I. 88–25259
Oosterlinck, A. *see* Jansen, P. 85–57279
Oosterlinck, A. *see* Rommelaere, J. 88–59304
Oosterlinck, A. *see* Schreurs, G. 87–18236
Oosterlinck, A. *see* Suetens, P. 87–20999, 88–36541
Oosterlinck, A. *see* Tu, G. 88–59291
Oosterlinck, A. *see* Van Eycken, L. 87–19900
Oosterlinck, A. *see* Van Gool, L. 85–41946, 87–13101
Oosterlinck, A. *see* Vandermeulen, D. 88–29949
Oosterlinck, A. *see* Vanhoof, K. 88–27801, 88–27817, 88–59024
Oosterlinck, A. *see* Vuylsteke, P. 87–49563, 88–14826
Oosterlinck, A. *see* Wambacq, P. 85–30321, 85–30336, 87–17254, 88–14829
Oosterling, K.J. *see* Delsman, M.N. 86–37216
Oosterling, K.J. *see* Knottnerus, P. 86–33989
Oosterom, A.van *see* van Oosterom, A.
Oosterom, H. An approach to meeting corporate needs via transnational EP 86–37454
Oosterveld, B.J. *see* Thijssen, J.M. 87–71104
Oosterwijk, H., Gutzwiller, F.W., Giangrande, A. Practical and strategic implications of the ACR-NEMA interface standards 87–21704
Oosterwijk, H. *see* Horii, S.C. 87–18521, 88–23146
Oosterwijk, H. *see* Rosenbaum, T.L. 87–28116
Oosterwijk, H. *see* Siebert, J.E. 86–32397, 87–20244
Oosterwijk, H. *see* Wang, Y. 88–36568
Oosterwijk, H.J. PACS implementation: a tailored approach 88–36558
Oosthuizen, D.R. *see* Lutsch, A.G.K. 85–62086
Oosthuizen, M.J. *see* Delport, M.J. de V. 86–55447
Oosthuizen, M.J. *see* Joubert, F. 87–34853
Oosthuizen, M.J. *see* Van Biljon, L. 85–30214
Oosthuizen, P.H. *see* Lemieux, G.P. 86–18182
Oosting, G. *see* Groenewegen, L.P.J. 87–35469
Oostra, D.J., Haring, A., de Vries, A.E., Sanders, F.H.M., Miyake, K. Ion-assisted etching of silicon by SF_6 85–55695
Oostra, D.J., Haring, A., De Vries, A.E., Sanders, F.H.M., Van Veen, G.N.A. Etching of silicon by SF_6 induced by ion bombardment 86–41704
Oostra, D.J. *see* Baller, T. 87–11640
Oostrum, K.J.van *see* van Oostrum, K.J.
Oosuga, T. *see* Yamamichi, Y. 86–33392
Oota, I., Ueno, F., Inoue, T. Realization and analysis of a new switched-capacitor resonant DC-DC converter 86–62443
Oota, I. *see* Ueno, F. 86–14002, 86–20297, 86–46566, 86–62442, 87–11014, 87–65806, 88–24987, 88–38406
Oota, T. *see* Akiyama, T. 87–4428
Oota, T. *see* Hiroo, I. 86–51043
Ootaka, T., Izumi, E., Furuya, T. Evaluation equipment for semiconductor processes 87–46072
Ootake, S. *see* Sawatani, K. 86–56700
Ootaki, Y. *see* Yamaguchi, Y. 86–68777
Ootera, H., Nakanishi, K. Analytical method for evaluating surface charge distribution on a dielectric from capacitive probe measurement—application to a cone-type spacer in ±500 kV DC-GIS 88–55531
Ootera, H., Nakanishi, K., Shibuya, Y., Arahata, Y., Nitta, T. Measurement of charge accumulation on conical spacer for 500 KV DC GIS 85–27573
Ootsubo, T. *see* Kamimura, T. 88–57481
Ootsuka, J. *see* Akiyama, T. 87–4428
Ootsuka, J. *see* Kuita, T. 87–4415
Ootsuki, S. *see* Nakazima, A. 87–4768
Ootsuki, Z. *see* Nakazima, J. 87–4848
Ootuka, Y. *see* Nishio, Y. 86–14847
Oouchi, C. *see* Tsuchiya, S. 86–37848
Ooura, H. *see* Ogata, T. 88–26673
Ooura, H. *see* Ohara, T. 85–30016
Oowada, A. *see* Miura, I. 86–61793
Oowaki, Y., Itoh, Y., Momodomi, M., Horiguchi, F., Watanabe, S., Ogura, M., Nishimura, H. Analysis of LDD transistor asymmetry susceptibility in VLSI circuits 86–47851
Oowaki, Y., Numata, K., Tsuchiya, K., Tsuda, K., Nitayama, A., Watanabe, S. A 7.4 ns CMOS 16×16 multiplier 87–59414
Oowaki, Y., Numata, K., Tsuchiya, K., Tsuda, K., Takato, H., Takenouchi, N., Nitayama, A., Kobayashi, T., Chiba, M., Watanabe, S., Ohuchi, K., Hojo, A. A sub-10-ns 16×16 multiplier using 0.6-μm CMOS technology 88–6740
Oowaki, Y. *see* Hamamoto, T. 87–25319
Oowaki, Y. *see* Nitayama, A. 88–39443
Oowaki, Y. *see* Tsuda, K. 88–7749
Ooyama, K.V. *see* Franklin, J.L. 87–63956
Ooyama, N. *see* Yamashita, S. 86–42378
Ooyama, S. *see* Kobayashi, A. 86–24780
Ooyama, Y. *see* Miyazaki, M. 86–48786 to 48787
Ooyanagi, T., Kato, Y., Ishikura, A., Miyauchi, M. Mass fusion-spice method for single-mode fibers: VSP splice method 87–68159
Ooyanagi, T. *see* Kato, Y. 87–60951
Oozeki, K. *see* Kawai, M. 86–21695, 86–65121
Oozeki, K. *see* Shimono, T. 86–47733
Oozeki, S. *see* Nakasu, T. 88–76020
Oozu, H. *see* Sounai, A. 88–17919
Oozumi, K., Yamaguchi, K. FACOM 2883 optical data highway system 87–62966
Op De Beeck, W.J.-B. Quality and value analysis-engineering, the ideal marriage 86–26656
Op De Beek, F.J. *see* De Wit, R.P. 86–38126
op den Buijsch, F. *see* de Werdt, R. 88–38533
Opachko, I., Shevera, V.S., Voronyuk, L.V., Selishchev, P.A. A study of the amplification characteristics of the laser medium on the copper vapour under low input signals 86–29083
Opachko, I.I. *see* Kel'man, V.A. 85–41343
Opacic, M. Stray secondary reactance of smaller toroidal cores and its influence on the accuracy class of current transformers 88–38787
Opal, A., Vlach, J., Singhal, K. Analysis and sensitivity of periodically switched linear networks 86–66999
Opal, A., Vlach, J., Singhal, K. Time domain analysis of switched networks 87–65790
Opal, A. *see* Latif, M. 85–45730
Opalinski, C., Bryl, B. Agricultural utilization of power plant waste heat at the Stationsa power station 86–19681
Opalka, S.M. *see* Bruce, A.J. 85–18627, 85–56268
Opalko, L.M., Tinkler, J., Rawal, B.S., Chao, J. Characteristics of single layer ceramic capacitors interconnected to microwave integrated circuits 86–14530
Opalko, L.M., Tinkler, J., Rawal, B.S., Chao, J. Characteristics of single-layer ceramic capacitors interconnected to microwave integrated circuits 86–41336
Opalski, L.J., Styblinski, M.A. Maximum income approach to yield optimisation 85–61026
Opalski, L.J., Styblinski, M.A. A flexible interactive interface for IC microcomputer optimization software 85–61044
Opalski, L.J., Styblinski, M.A. A user-reprogrammable interactive interface system for computer-aided stochastic optimization of ICs 86–2316
Opalski, L.J., Styblinski, M.A. Generalization of yield optimization problem: maximum income approach 86–52227
Opalski, L.J., Styblinski, M.A. A new formulation of yield optimization problem: maximum profit approach 86–62340
Opalski, L.J. *see* Styblinski, M.A. 85–18427, 85–45814, 86–46452
Opalski, S. *see* Venditti, V. 86–67255
Opanasenko, V.N. *see* Kurgaev, A.F. 86–41252, 87–66015
Opanasjuk, A.S. *see* Boiko, B.T. 87–56690
Opanasyuk, A.S. *see* Boiko, B.T. 85–44172
Opanowicz, A. On the interpretation of the strongly sublinear photoconductivity in p-$CuInS_2$ 87–26150
Opanowicz, A., Koscielniak-Mucha, B., Boros, G. Strongly sublinear photoconductivity in p-$CuInS_2$ 85–35584
Opanowicz, A., Koscielniak-Mucha, B., Boros, G. Electrical and photovoltaic properties of Au/n-$CuInSe_2$ Schottky barrier diodes 88–50798
Opanowicz, A., Koscielniak-Mucha, B., Iglikowski, St. Electrical transport properties of p-$CuInS_2$ crystals 86–67699
Opara, J. *see* Franek, A. 88–68446
Opara, T., Baran, J.W., Zmija, J. Interference method of refractive index dispersion measurements in thin solid layers 87–14575
Oparin, A.N., Potaturkin, O.I., Fel'dbush, V.I., Shipov, P.M. Holographic intensity correlator with photoelectro-optical controlled transparency of PRIZ type 85–2425
Oparin, A.N. *see* Korzhov, E.I. 88–14288
Oparin, A.N. *see* Kozik, V.I. 87–20983
Oparin, V.A. *see* Ariskin, M.P. 86–61549
Oparin, V.A. *see* Strel'nikov, A.V. 88–5393
Oparin, V.I. *see* Suminov, V.M. 85–29968
Oparowski, J.M., Sisson, R.D., Jr., Biederman, R.R. The effects of processing parameters on the microstructure and properties of sputter-deposited TiW thin film diffusion barriers 88–18733
Opasich, C. *see* Mazzoleni, C. 87–21611
Opasich, C. *see* Pinna, G. 85–59245
Opat, G.I. *see* Darling, T.W. 85–4117
Opatril, B. *see* Stiborova, E. 85–65626
Opatrny, P., Sestina, I. Current fed switched mode power supply 88–70517
Opava, J. Possibilities of tests on electrical components of power cars at the railway test loop in the Czechoslovak Socialist Republic 87–9924
Opdebeeck, E.J., Oakland, J.S. Factors in the development of computers for quality control 85–33207
Opdenacker, P.C., Jonckheere, E.A. Characterization of passive systems through their closed-loop LQG characteristic values 87–44494
Opderbeck, H. The PBX: equal rights for voice and data 85–36831
Opderbeck, H. *see* Bhushan, B. 85–63447
Opdorp, C.Van *see* Van Opdorp, C.
Opekan, A.G. *see* Bazhulin, S.P. 87–18895, 87–18900, 87–26290, 87–75004
Opekunov, M.S. *see* Isakov, I.F. 88–32052
Opekunov, V.N. *see* Regel, V.R. 87–56745
Openlander, W.R. Vector impedances measured accurately with scalar techniques 87–70752
Openshaw, P.M. *see* Baillie, W.L. 86–28910

Openshaw, P.M. *see* Makh, S.S. 86−28909
Openshaw, R. *see* Henderson, R. 87−41841, 88−61101
Openshaw, S., Mounsey, H. Graphic information systems and the BBC's Domesday interactive videodisk 87−20757
Operschall, H. Electrochemical decontamination of sections of the reactor coolant pipes in Obrigheim nuclear power plant 85−27253
Operschall, H. *see* Morell, W. 86−65855
Opfer, G. *see* Hartmann, M. 86−19990
Opfer, G. *see* Mason, J.C. 87−61529
Opfer, J. *see* Ebner, H. 85−15007
Opfer, J.E., Spenner, B.F., Natarajan, B.R., Baugh, R.A., Murdock, E.S., Morehouse, C.C., Bromley, D.J. Thin-film memory disc development 86−58675
Opferman, D.C., Yacobellis, R.H. A design methodology for system quality 87−5249
Opferman, D.C. *see* Becker, J.O. 85−52094
Opfermann, J., Horhold, H.-H., Markiewitz, N., Pietsch, H. Photoelectrical and electrophotographic properties of epoxide-aryl-amine addition polymers. Uncured oxide-amine-addition polymers 88−8042
Ophel, T.R. *see* Brinkley, T.A. 86−38639
Ophel, T.R. *see* Catford, W.N. 87−77585
Ophel, T.R. *see* Weisser, D.C. 86−55914
Opher, E. *see* Alfano, R.R. 88−8366
Ophey, W.G., Benschop, J.P.H. Laser-to-fibre couplers in optical recording applications 88−45111
Ophir, S., El-Gad, U., Snyder, M. A case study of the use of an experimental design in preventing shorts in nickel-cadmium cells 88−30983
Opie, M. *see* Ramshaw, R.S. 87−30455
Opie, R. The changing shape of on-line sensors 86−44249
Opie, R. The assessment of instrument reliability 87−151
Opie, R. Optimising steam boiler efficiency 87−4535
Opie, R. Pipeline inspection breaks new ground 87−20839
Opie, R. Fibre optics research shines through 87−25940
Opie, R. Tight control technology has turbine origins 87−30402
Opie, R. Getting the most out of flowmetering 87−41416
Opie, R. Strain measurement stretches the point 87−41464
Opie, R. Process weighing feels the pressure 87−49966
Opie, R. Biosensors set to make an impact 87−63348
Opie, R. Advanced drive technology moving on 87−64834
Opie, R. Gas analysers set for major advances 87−77296
Opie, R. Model testing proves design effectiveness 88−4313
Opie, R. Checking nuclear power station safety 88−11018
Opie, R. Utilising telemetry for the distribution industries 88−15964
Opie, R. New sensing techniques set to make an impact 88−16050
Opie, R. Mass flowmetering with Coriolis 88−29698
Opie, R. Getting into the thick of things [viscosity measurement] 88−29714
Opie, R. Contract R&D proves its worth 88−47396
Opie, R. The weigh to control batch plant?! 88−47690
Opie, R. Doing your level best [level measurement equipment] 88−74632
Opika, D.J. Speaker verification at the National Cooperative Bank 87−61798
Opila, R.L., Sinclair, J.D. Electrical reliability of silver filled epoxies for die attach 86−15094
Opila, R.L. *see* Abdul Awal, M. 88−39081
Opila, R.L. *see* Comizzoli, R.B. 87−24759
Opila, R.L. *see* Feldman, R.D. 88−63299
Opilski, A., Pustelny, T. An acoustic method for determining the parameters of fast surface states in semiconductors 87−9047
Opilski, A. *see* Blahut, M. 87−74833
Opilski, A. *see* Kubik, Z. 86−14831
Opilski, Z. *see* Blahut, M. 87−74833
Opitz, C. The choice of initial vectors for the calculation of the eigenvectors of multiple eigenvalues of a symmetric tridiagonal matrix by Wielandt's iteration 86−34223
Opitz, C. Digital voice compression 88−59047
Opitz, H., Seidler, W., Simon, U. Quality assurance in automatic assembly processes as a prerequisite for minimal operator production 85−209
Opitz, H.B. *see* Wetzel, F.R. 85−27905
Opitz, N. *see* Gehrich, J.L. 86−44637
Opitz, R. *see* Hinkov, V.P. 88−72090
Opitz, U. *see* Muller, H.A. 85−31636
Opl, J. Colour of insulated conductors in distribution switchboards 86−26202
Opl, J., Sloup, J. A control voltage network in rolling mills 87−58480
Opl, J., Sloup, J. Working machines and rolling mills 88−31225
Oplavin, V.S. *see* Abashidze, L.I. 86−60633
Ople, R. Passing the electronic equipment test 87−49787
Oplenskin, A.L., Petrov, V.F., Maslova, N.N. Features of organisation of automated inspection of control systems in the process of quantity production 87−51887
Oplinus, R.A. Utilizing CAD output in the manufacturing world 86−35231
Oplusstil, G. *see* Cichocki, B. 85−9734
Oplusstil, G. *see* Feischl, M. 85−9733
Opocensky, V., Nespurek, S. Polymers in solar collectors 86−7166
Opoku, G., Ong, C.M. Reactive power control is alleviate but voltage violations in an AD-DC system 85−32084
Opoku, G. *see* Baidas, H.M. 88−30282
Opoku, G. *see* Somuah, C.B. 88−5246
Opoleva, G.N. *see* Gamm, A.Z. 85−59547
Opolka, H. The finite Fourier-transform and theta functions 87−65292
Oporto, L. *see* Tomantschger, K. 86−33642, 87−22721
Opower, H., Ernst, V., Perzl, P. Instability problems in transverse DC-discharges for high power CO_2-lasers 87−46787
Opp, E.N. *see* Gluckstern, R.L. 86−41289
Opp, R.E., II, Zenyuh, J.P., Reising, J.M. Three dimensional pictorial format generation 88−5067
Oppe, R. *see* Clark, R. 86−37401
Oppel, C.von *see* von Oppel, C.
Oppelt, A. Spinal cord resonance provides contrastive pictures: new perspectives for a medical imaging method 86−18323
Oppelt, A. Development and evaluation of engineering prototype for magnetic resonance imaging. I. Physics and system design 86−38778
Oppelt, A. Development and evaluation of engineering prototype for magnetic resonance imaging. I. Image character and applications 86−44650
Oppelt, A. *see* Pfluger, T. 88−16697
Oppelt, A. *see* Souchkevitch, G.N. 88−54502
Oppelt, R. The generation and demodulation of SSB signals using the phasing method I. Basic theory 87−69895
Oppelt, R. The generation and demodulation of SSB signals using the phasing method. II. Signal processing for a SSB/DSB/AM-transceiver without using crystal filters 88−15324
Oppelt, U. The MZ 1000 alarm system 87−23281
Oppelt, U. Danger alarm detectors 87−23282
Oppelt, U. Glass-break detectors 87−29100
Oppenhaeuser, G. *see* Wittig, M. 88−53290
Oppenhauser, G. ESA's first Data-Relay Satellite experiment 87−3130
Oppenhauser, G. *see* Wittig, M. 88−67298
Oppenheim, A. *see* Wengrovitz, M.S. 87−27509
Oppenheim, A.K. *see* Bui, T.D. 85−22411
Oppenheim, A.V. *see* Curtis, S.R. 85−57353, 86−16406, 87−27593
Oppenheim, A.V. *see* Feder, M. 87−61647, 88−72968
Oppenheim, A.V. *see* Harasty, D.J. 88−67584
Oppenheim, A.V. *see* Joo, T.H. 88−66597
Oppenheim, A.V. *see* Wengrovitz, M.S. 87−27596
Oppenheim, A.V. *see* Zakhor, A. 88−14586, 88−72969
Oppenheim, A.V. *see* Lim, J.S. *(editor)* 88−37828
Oppenheim, C. Why do Swiss nuclear power stations maintain excellent performance? 85−9659
Oppenheim, E. International markets for packet-switching equipment 86−43560
Oppenheim, I.J. *see* Nanson, B.N. 86−19805
Oppenheim, M.M., Hammon, H.G., Ball, S.E. Tuning complex pulse forming networks 87−37096
Oppenheim, U.P. *see* Devir, A.D. 88−48323
Oppenheimer, E.P. *see* Michel, A.N. 87−36563
Oppenheimer, H.N. The MGI approach to developing continuing education programs 87−31187
Oppenheimer, J. *see* Brase, J. 85−26197
Oppenheimer, J.C. *see* Bair, G.L. 88−6170
Oppenheimer, S.L. Fundamentals of electric circuits 85−22155
Oppenhiem, A.V. *see* Curtis, S.R. 87−61840
Oppenlander, W.T., Stokes, A.D. Monte Carlo simulation of gas blast arcs 86−26217
Oppenlander, W.T. *see* Matsumura, T. 86−26228, 87−22656
Opper, A.K. *see* Stephenson, E.J. 85−59080
Opper, S. Keep corporate teams on target [computer conferencing] 85−30602
Opper, S., Boomstein, A.D. Corporations conquer distance [video conferencing] 85−30601
Oppermann, H., Stover, G., Heinrich, A., Teske, K., Ziegler, E. Preparation of ZnO single crystals by chemical transport reaction and determination of ZnO homogeneity range 86−378
Oppermann, H. *see* Winkler, R. 88−17388
Oppermann, K. A new force sensor with metal measuring grid transverse to the lines of force 86−24511
Oppermann, K.G. *see* Miller, G. 87−45902
Oppermann, W., Crostack, H.-A., Engelhardt, A.-H. Pattern recognition in ultrasonic testing of fibre reinforced plastics 85−482
Oppers, J.M.A.M. *see* van de Steeg, M.J.H. 86−5040
Oppetit, A., Thebault, D., Rousson, J.L. Real-time configurable SS/TDMA equipment for second generation French telecommunications satellite project 87−76647
Oppo, G.-L., Politi, A. General adiabatic elimination procedure for lasers with slow relaxation of population inversion 87−74958
Oppo, G.L. *see* Politi, A. 86−58858
Oppo, G.L. *see* Puccioni, G.P. 87−38969
Oppolzer, H. TEM for support of VLSI technology 86−58580
Oppolzer, H., Cerva, H., Fruth, C., Huber, V., Schild, S. TEM studies during development of a 4-megabit DRAM 88−33331
Oppolzer, H., Neppl, F., Hieber, K., Huber, V. Influence of slight deviations from $TaSi_2$ stoichiometry on the high-temperature stability of tantalum silicide/silicon contacts 85−23545
Oppolzer, H., Rehme, H. Imaging and analysis of interfaces by transmission electron microscopy 85−61875
Oppolzer, H. *see* Cerva, H. 87−74208
Oppolzer, H. *see* Dworzak, F. 85−53505
Oppolzer, H. *see* Pawlik, D. 85−40619
Oppolzer, H. *see* Probst, V. 88−44537
Oppolzer, H. *see* Rehme, H. 85−62022
Oppolzer, H. *see* Willer, J. 87−37980, 88−32924
Oppolzer, H. *see* Zeindl, H.P. 87−53347
Oppong, J.K. Loaded highspeed computer data highway: a model to aid designers 85−25524
Oprandi, P., Grimaldi, J.L., Martin, B., Flajoliet, T. TTV 3100, picture electronic archiving system. The still store solution by Thomson Video Equipment 87−8460
Opre, V.M. *see* Vitsinskii, S.A. 87−44516
Oprea, A. *see* Goldenblum, A. 86−40155, 87−4888
Oprea, M., Ignat, M. Sliding electric contacts used in gyroscopes 88−19454
Oprean, A., Prodan, D. Determination of pulsating hydraulic machine flow throb in the case of sine profiling research 87−9401
O'Prey, K. Putting factories on the MAP 86−37470
Oprics, G. *see* Okros, T. 88−34969
Opris, G. The development of the conception and of the solutions regarding electric power plant mechanical equipment. I. The main equipment 86−25945
Opris, G. The development of the conception and the solution regarding electric power plant mechanical equipment. II. The hydromechanical equipment 86−33189
Opris, G., Ionescu, C. Preliminary considerations regarding the use of bulb hydroaggregates prototypes on the rivers of Romania 85−9770
Oprisa, P.D. *see* Ungureanu, C. 85−38811
Oprisan, M., Clark, I.M., Billinton, R. Analysis of transmission equipment forced outages based on Canadian utility experience 87−78067
Oprisan, M. *see* Billinton, R. 88−10802
Oprisan, M. *see* Mihaescu, V. 86−61658
Oprishko, A.A. *see* Terent'ev, V.V. 88−44826
Oprisiu, N. Criteria and requirements in the choice of variable rotative speed electrical drives in the eigenservices of power plants 88−69736
Oprisiu, N., Canciu, L. The coordinated choice of power plant auxiliary electric equipment 86−18909
Oprisiu, N. *see* Canciu, L. 85−5081, 85−38981, 86−6742
Opritoiu, A. About the thermal energy generation processes efficiency 85−27668
Oprokidnev, V.A., Safina, V.I., Akhmetova, L.V. Study of main parameters of resistive transducers in geophysical apparatus for wells 86−38935
Oprysho, M. *see* Young, P.L. 87−23346
Oprysko, M.M., Beranek, M.W. Repair of clear photomask defects by laser-pyrolytic deposition 86−47477
Oprysko, M.M., Beranek, M.W. Nucleation effects in visible-laser chemical vapor deposition 87−73138
Oprysko, M.M., Beranek, M.W., Young, P.L. Visible-laser repair of clear defects in photomasks 85−55626
Oprysko, M.M. *see* Cech, J.M. 87−11895
Oprysko, M.M. *see* Chaudhari, P. 88−39813
Oprysko, M.M. *see* Kin Li 85−50345
Oprysko, M.M. *see* Young, P.L. 86−57212
Opsal, J. *see* Schuur, J. 87−60079
Opsal, J. *see* Smith, W.L. 86−28503, 87−60303
Opschoor, J., Drenten, R.R., Reinhoudt, C.J., van der Poel, C.J. Phase-locked index-guided semiconductor laser arrays 88−58571
Opschoor, J. *see* Vankwikelberge, P. 87−68459
Opschoor, J. *see* Verbeek, B.H. 87−7349
Opstal, L.H.van *see* van Opstal, L.H.
Opstelten, J.J., Rinzema, G. New insights in chromaticity and tolerance areas of fluorescent lamps 87−64944
Op't Eynde, F. *see* Sansen, W.M. 88−57803

Optiz, N., Graf, H.-J., Lubbers, D.W. Oxygen sensor for the temperature range 300 to 500K based on fluorescence quenching of indicator-treated silicone rubber membranes 88−36055
Optiz, R. *see* Hinkov, V. 87−74843
Optiz, S. *see* Roskos, H. 86−58893
Opyd, W. *see* Gibbons, J.F. 88−38260
Opyd, W. *see* Gronet, C.M. 87−58967
Opyd, W.G., Dimiduk, K.C., Sigmon, T.W., Gibbons, J.F. Hg loss rate limitation in HgCdTe thermal processing 85−34492
Opyd, W.G., Gibbons, J.F. Regrowth of amorphized compound semiconductors 86−34345
Opyd, W.G., Gibbons, J.F., Bravman, J.C., Parker, M.A. Damage calculation and measurement for GaAs amorphized by Si implantation 87−6527
Opyd, W.G. *see* Gibbons, J.F. 85−12409
Opydo, W. Electric strength of vacuum at power frequency voltage 85−53360
Opydo, W. The initiation of vacuum breakdown under alternating voltage 86−9322
Opydo, W. A method of determining parameters of field electron emission of electrodes surfaces of the vacuum insulation system 88−32704
O'Quinn, D.B. *see* Harris, R.J. 85−7479
Oquist, M.R. Robot excels at low-volume, high-mix production 88−25656
Or, S.-H. A weather sensitive model for short-term load forecasting 88−68855
Or-Bach, Z., Pierce, K., Nance, S. High density laser programmable gate array family 87−59400
Oraby, A.H. *see* Hamza, A.A. 88−33656
Oraee, H., McLaren, P.G. Interturn voltage stress in electrical machine windings due to fast switching surges 85−43938
Oraee, H., McLaren, P.G. Surge voltage distribution in line-end coils of induction motors 86−33390
Oraee, H. *see* McLaren, P.G. 85−43920, 86−45434
Oraee Mirzamani, S.J., Asher, G.M., Paul, R.J.A. An approximate model of active control for a magnetic levitation system applied to high speed transport 86−45784
Oraee-Mirzamani, S.J. *see* Pattullo, A.W. 86−53912
Oraevskii, A.A. *see* Grasyuk, A.Z. 85−35894
Oraevskii, A.A. *see* Krumin'sh, A.V. 85−24519
Oraevskii, A.M. *see* Bashkin, A.S. 86−68453
Oraevskii, A.N. The process of forming coherence in lasers 86−15595
Oraevskii, A.N. Locking of a self-oscillator by a random signal 88−20720
Oraevskii, A.N. *see* Amel'kin, S.V. 85−2390
Oraevskii, A.N. *see* Baikov, E.U. 85−2231, 85−18866, 85−24691, 85−41344, 87−68346, 88−14093
Oraevskii, A.N. *see* Bashkin, A.S. 85−12807, 86−15633, 86−29057, 87−33102
Oraevskii, A.N. *see* Galushkin, M.G. 88−65806
Oraevskii, A.N. *see* Kurdoglyan, M.S. 86−22328
Oraevskii, A.N. *see* Molevich, N.E. 85−24480
Oraevskii, A.N. *see* Okulov, A.Yu. 85−35835
Oraevskiy, A.N. Dynamical stochasticity and lasers 88−51717
Oraevsky, A.N. Quantum fluctuations and formation of coherency in lasers 88−51888
Oraevsky, V.N. *see* Andrushko, L.M. 88−8567
Orailoglu, A. *see* Gajski, D. 87−1768
Oraison, J.M. *see* Boiteux, G. 88−33413, 88−71832
Orajima, S. *see* Ichikawa, Y. 88−2163
Oram, C.J. *see* Craddock, M.K. 86−31908
Oram, C.J. *see* Dubois, R. 86−50321
Oram, C.J. *see* Rawnsley, W.R. 85−58992
Oranc, B.T. *see* Phillips, C.L. 86−30878
Orange, M.W. An introduction to 56 k-bps switched digital service 87−76102
Oranov, A.M. *see* Agibalov, G.P. 87−16965
Orav, M.T. *see* Allsalu, M.-L.Yu. 87−68270
Oravec, I. *see* Bizik, J. 85−21080
Oravec, J., Veghova, K. Wave interactions in a non-linear line with varicaps 85−19172
Oravec, J., Veghova, K. Wave interaction during pulse transfer from a linear transmission line to a ferrite-filled nonlinear line 85−19177
Oravec, J. *see* Cerven, J. 87−52468
Oravec, J. *see* Kvetan, K. 85−52961
Oravec, J. *see* Szarka, I. 87−14742
Oravec, L. *see* Bizik, J. 85−21080
Oravec, T.V. *see* Martin, A.C. 85−21294
Oravecz, M., Lees, S. Acoustic spectral interferometry: a new method for sonic velocity determination 85−15449
Oravecz, M., Lees, S. Acoustic spectral interferometry: a new method for sonic velocity determination 86−12206
Oravecz, M.G., Kessler, L.W., Padamsee, H. Nondestructive inspection of niobium to improve superconductivity 87−366
Oravecz, M.G. *see* Lin, Z. 87−50601
Oravez, W.T. *see* Montner, S.M. 87−63743
Orawski, G., Bradbury, J., Vanner, M.J. Overhead distribution lines—some reflections on design 87−30220
Orawski, G. *see* Bradbury, J. 88−55045
Orawski, G. *see* Oakeshott, D.F. 88−5386
Orayevskiy, A.N. *(editor)* Research on laser theory 88−49353
Orazem, M.E., Newman, J. Activity coefficients of electrons and holes in semiconductors 85−23391
Orazem, M.E., Newman, J. Mathematical modelling of liquid-junction photovoltaic cells. I. Governing equations 85−27592
Orazem, M.E., Newman, J. Mathematical modelling of liquid-junction photovoltaic cells. II. Effect of system parameters on current-potential curves 85−27593
Orazem, M.E., Newman, J. Mathematical modelling of liquid-junction photovoltaic cells. III. Optimization of cell configurations 85−27594
Orazem, M.E., Newman, J. Primary current distribution and resistance of a slotted-electrode cell 85−32670
Orazietti, A.J. *see* Jacobson, S.A. 87−50599
Orbach, Z. New types of adaptive quantizers 85−17551
Orbach, Z., Hershman, A. Advanced digital video processing unit 86−30020
Orban de Xivry, E., Gollier, J., Streydio, J.M. Modified Anderson model taking into account effective masses change at the heterojunction 88−18067
Orban de Xivry, E. *see* Cossement, D. 86−40790
Orbay, H. *see* Smith, M.R. 86−41062
Orbeck, I. International electronics development and Norwegian technology utilization 85−30519
Orbeck, T. Development of test methods to assess the long term outdoor high voltage stability of silicone elastomers 86−68118
Orbeck, T. Development of guides for fire hazards assessments for electrical insulating materials and systems 87−23287
Orbegozo, G. *see* Battaiotto, R.F. 87−77160
Orbell, A.G. British Telecom's plans for ISDN 85−13769
Orbell, A.G. Interconnection principles and standards 85−25309
Orbell, A.G. Network aspects of interconnection 87−55585
Orben, H.J. *see* O'Leary, P.L. 88−59136
Orcel, J.-P., Jamet, B. Use of X400 series recommendations in a public messaging service 87−48494
Orchard, H.J. Filter design by iterated analysis 86−20682
Orchard, H.J. Computing the envelope delay of ladder networks 88−63435
Orchard, H.J., Elliott, R.S., Stern, G.J. Optimising the synthesis of shaped beam antenna patterns 85−24927
Orchard, H.J., Temes, G.C., Cataltepe, T. General sensitivity theorems for terminated lossless two-ports 85−17061
Orchard, H.J., Temes, G.C., Cataltepe, T. Sensitivity formulas for terminated lossless two-ports 85−45140
Orchard, K.M. Idiot-proofing the CDE Ham 3 and Ham 4 rotators 85−30125
Orchard, N.G. *see* Horlent, A. 87−49500
Orchard-Webb, J. *see* Laneuville, J. 85−45904, 86−2393
Orchard-Webb, J. *see* Marcoux, J. 87−37257, 88−33239
Orchard-Webb, J.H. *see* Comeau, A. 88−57652
Orcutt, J.W. Surface mount packaging: imperfect state of affairs and its impact on user 86−14634
Ord, J.K. *see* Young, P. 86−19719
Ord, J.K. *see* Anderson, O.D. *(editor)* 85−43474
Orda, A., Rom, R. Packet duplication and elimination in distributed networks 86−64788
Orda, A., Rom, R. Packet duplication and elimination in distributed networks 87−48668
Orda, A., Rom, R. Shortest-path algorithms for time-dependent networks 88−52928
Orda, A., Rom, R. Multihoming in computer networks: a topology-design approach 88−52944
Orda, A., Rom, R. Routing with packet duplication and elimination in computer networks 88−66794
Ordahl, C.A., Winchell, J.W., Huss, R.L. Commercial US transfer vehicle overview 86−50682
Ordano, L. Assessment of correlation properties of rainfall intensity measured in Italy 87−54580
Orden, H.M.Van *see* Van Orden, H.M.
Orden, J.C. *see* Gellon, H. 85−52273
Ordidge, R.J. *see* Mansfield, P. 88−36437
Ordinaga, J. *see* Martinez, L. 86−26152, 86−46551, 86−52670
Ordinartsev, I.A. *see* Nevel'son, M.B. 86−69991
Ording, J.J. Digital control improves servo setup and performance 85−60217
Ordinyan, N.A. *see* Kislitskii, B.V. 87−9470
Ordinyan, N.A. *see* Nadtochii, V.M. 87−4654
Ordog, T. Electronic compoundable impedance relay 86−47127
Ordonez, A.Nunez *see* Nunez Ordonez, A.
Ordonez, C.E. *see* Muehllehner, G. 88−61261
Ordun, M. *see* Herman, G. 87−76139
Ordun, M.R. *see* Feustel, T.C. 87−40160
Ordung, P.F. *see* Hicks, D.L. 85−44851
Ore, F.R., Harwood, P.B. Model of porous silicon oxidation 87−25151
Ore, F.R. *see* Nelson, G.L. 88−53227
Orear, J. *see* Amos, N. 87−21405
Orear, J. *see* DeSalvo, R. 87−63653, 88−10278
Orear, J. *see* Goulianos, K. 88−68290
Oreb, B.F., Hariharan, P. A simple stroboscopic pulse generator for holographic interferometry of vibrating objects 87−61250
Oreb, B.F. *see* Chidley, C.M. 85−35836
Oreb, B.F. *see* Hariharan, P. 85−64299, 86−68644, 88−8336, 88−10120
Orecchio, D., Moraes, G. An nth degree least-squares polynomial approximation characterizing the non-linearities of a measurement system 85−26159
Orecchio, D.P. ISDN, analog or digital test? 87−33979
Orech, J., Zilinec, J., Kleskenova, M., Georgiev, I., Cisty, R., Babiak, M. Possibility of laser exploitation in measuring for woodworking industry 88−34194
Orefice, M. *see* Ghione, G. 86−43011
Orefice, M. *see* Graglia, R.D. 87−12854, 88−2724, 88−34453
O'Regan, D. Standards in the electrical/electronic area 86−19818
O'Regan, D. *see* Granas, A. 86−53577
O'Regan, T.M., Burkum, M.E. Development of a system for field testing of high voltage capacitors on electrical utility systems with in-circuit measurement 85−16183
O'Regan, T.M., Burkum, M.E. Capacitor checker speeds substation bank testing 85−39229
Oregard, J. *see* Ostberg, I. 86−17259
Oreglia, M., Pieraccini, R., Raineri, F. A probabilistic model for the evaluation of speech recognizers 85−13496
Oreglia, M., Pieraccini, R., Raineri, F. A probabilistic model for the evaluation of speech recognizers 85−51590
Oreglia, M., Pizzari, M., Taglianetti, L. Video image processor 86−16507
Oreglia, M. *see* An Ji-Gang 88−48016 to 48017
Oreglia, M. *see* Arcella, F. 87−47549, 87−47621
Orehkov, M.V. *see* Matukhnov, V.M. 86−18368
Orehotsky, J., Dolny, G., Osadchy, V., Drahus, J., Kovalski, D., Sulcoski, M., Zaykoski, J. Defect annealing and heavy metal gettering in silicon diodes 86−15127
Orehotsky, J. *see* Doran, R. 88−51045
Orehotsky, J. *see* Mon, G.R. 86−13061
Orehotsky, J. *see* Primatic, A. 88−51044
O'Reilly, B.D., Jacoby, M.T. Applications of a bicubic B-spline data reduction algorithm 88−59303
O'Reilly, C. How to grow a world-class X.25 network 88−66978
O'Reilly, D. Knitting together X.25, Ethernet, UNIX, and mainframes 87−8019
O'Reilly, E.P., Heasman, K.C., Adams, A.R., Witchlow, G.P. Calculations of the threshold current and temperature sensitivity of a (GaIn)As strained quantum well laser operating at 1.55 μm 87−46904
O'Reilly, E.P., Witchlow, G.P. Band structure engineering for maximal light-hole behaviour in strained quantum well systems 87−53259
O'Reilly, E.P. *see* Ekenberg, U. 88−32869
O'Reilly, E.P *see* Heasman, K.C. 88−40233
O'Reilly, G.P. *see* Byrne, W.R. 86−10894
O'Reilly, G.P. *see* Cheung, J.B. 86−37273
O'Reilly, G.P. *see* Spencer, S.P. 87−40171
O'Reilly, J. *see* O'Byrne, V. 88−4046
O'Reilly, J.-J. *see* Popplewell, A. 88−66281
O'Reilly, J.J. Further note on *m*B1C code spectra 86−3757
O'Reilly, J.J., da Rocha, J.R.F. Improved error probability evaluation methods for direct detection optical communication systems 88−28839
O'Reilly, J.J., da Rocha, J.R.F., Schumacher, K. Influence of timing errors on the performance of direct-detection optical-fibre communication systems 86−17381
O'Reilly, J.J., de Oliveira Duarte, A.M. Improving the performance of optical fibre communication systems using decision feedback and partial response techniques 85−58147
O'Reilly, J.J., de Oliveira Duarte, A.M. Error propagation in decision feedback receivers 86−17197
O'Reilly, J.J., de Rocha, J.R.F., Schumacher, K. Optical fiber direct detection receivers optimally tolerant to jitter 87−13708
O'Reilly, J.J., Fyath, R.S. Analysis of the influence of dark current on the performance of optical receivers employing superlattice APDs 88−40065
O'Reilly, J.J., Fyath, R.S. New APD-based receivers providing tolerance to alignment jitter for binary optical communications 88−41641
O'Reilly, J.J., Rampaigul, I. Circuit structures for high-digit-rate bit error ratio measurements 87−66019
O'Reilly, J.J., Silva, H.J.A. Chirp-induced penalty in optical fibre systems 87−76750
O'Reilly, J.J., Yichao, W. Line code design for digital pulse-position modulation 86−3746
O'Reilly, J.J. *see* da Rocha, J.R.F. 86−49591
O'Reilly, J.J. *see* de Oliveira Duarte, A.M. 86−17198

O'Reilly, J.J. *see* Fyath, R.S. 88–33885, 88–35474, 88–40064, 88–65483
O'Reilly, J.J. *see* O'Byrne, V. 87–39667, 87–76746, 88–53272
O'Reilly, J.J. *see* Papierowski, D.K. 86–30845
O'Reilly, J.J. *see* Rampaigul, I. 86–30225
O'Reilly, J.J. *see* Schumacher, K. 86–47016, 87–70033, 88–47113
O'Reilly, J.J. *see* Yichao, W. 86–55316, 87–61561
O'Reilly, M.J. A uniform scheme for the singularly perturbed Riccati equation 87–36665
O'Reilly, P. Burst and fast-packet switching: performance comparisons 86–59399
O'Reilly, P. Performance analysis of data in burst switching 87–19982
O'Reilly, P. Burst and fast packet switching: performance comparisons 88–8887
O'Reilly, P. Implication of very wide fiber bandwidth for network architecture 88–41639
O'Reilly, P. Implication of very wide fiber bandwidth for network architecture 88–41687
O'Reilly, P., Ghani, S. Data performance in burst switching when the voice silence periods have a hyperexponential distribution 87–27717
O'Reilly, P., Ghani, S. Data performance in burst switching when the voice silence periods have a hyperexponential distribution 88–8985
O'Reilly, P.J. *see* Dimiduk, K.C. 88–14046
O'Reilly, T.J. A note on discrete mathematics and calculus 88–6348
Orejuela, V., Burbane De Lara, P., Berglund, O. Andes challenge builders of national transmission system 85–4611
Orekhov, A.A. *see* Abramov, A.G. 85–4429
Orekhov, I.V. *see* Kudryachev, L.K. 85–61413
Orekhova, N.S. *see* Kamyshan, A.N. 85–43708
Orekhova, V.P. *see* Sevast'yanov, B.K. 85–35729, 86–54115
Orel, A.I. *see* Mikhailov, V.M. 87–30183, 88–23478
Orel, M., Vavrin, P. The use of a two-dimensional Fourier transform for digital optical image processing 86–43291
Orel, O.A. Losses and compensation capacity of synchronous machines under nonstandard operating conditions 85–65222
Orel, O.A. Optimisation of the operation of synchronous motors using the minimisation of EM losses as criterion 88–48904
Orellana, G. *see* Camara, C. 88–53921
Oren, M., Choudhury, A.N.M.M. Zn diffusion in GaAs obtained by a simple open-tube technique 87–17911
Oren, M., Masum Choudhury, A.N.M. Interconnect metallization technique for GaAs digital ICs 87–60357
Oren, M., Prince, F.C. GaAs IC fabrication using a novel open-tube sulphur diffusion technique 86–28482
Oren, M., Zemon, S. Modification of the electrical properties of a GaAs surface by plasma exposure 87–11692
Oren, M., Zemon, S., Norris, P., Emma, T. Effect of plasma exposure on the optical and electrical properties of GaAs surface 86–53561
Oren, M. *see* Masum Choudhury, A.N.M. 88–12945
Oren, M. *see* Prince, F.C. 86–35542
Oren, M. *see* Shastry, S.K. 87–10427
Oren, S.S. *see* Borison, A.B. 85–27006
Oren, T.I., Elzas, M.S. Technical foundations for quality assurance of systems engineering activities for safety assessment 88–31448
Oren, W. *see* Pitthan, R. 88–54038
Oren, Y. On the cunning power of cheating verifiers. Some observations about zero knowledge proofs 88–14600
Oren, Y. *see* Akesson, T. 86–18235
Oren, Y. *see* Allkofer, O.C. 86–5847
Orendac, M. Sensing of partial discharges in transformers with epoxide insulation by a method of auxiliary electrode 87–72176
Orendac, M., Mojzis, M. Equipment for more accurate testing of a module of the reflection coefficient of radio-technical materials in the frequency range 1-3 GHz 87–21216
Orendi, R.G. *see* Lipner, M.H. 87–71947
Orenga, P. *see* Balbi, J.H. 86–39620
Orengo, G. *see* Bersac, J.M. 85–17570
Orenstein, H. *see* Rose, J.L. 87–28532
Orenstein, M., Katriel, J., Speiser, S. Application of the nonlinear eikonal treatment to the design of optical bistable devices 87–54422
Orenstein, M., Mann, A., Zimmermann, M., Krimerman, Y. Optical processor for scale invariant target detection in FLIR imaging 88–47227
Orenstein, M., Speiser, S., Katriel, J. A general eikonal treatment of coupled dispersively nonlinear resonators exhibiting optical multistability 86–22506
Orenstein, M. *see* Speiser, S. 88–65411
Orenzo, S., Martin, A., Shaker, M., Ruiz, J.M. Integrated PWM control strategy for inverters and induction motor drives 88–48986
Orera, V.M. *see* Chen, Y. 88–8158
Oreshkin, G.I. *see* Luk'yanchenko, A.I. 86–1772
Oreshkin, P.T., Denisov, A.L., Kordyukov, S.I. Low-frequency noise of Schottky diodes 86–47522
Oreshkin, P.T., Garmash, Yu.V., Perelygin, A.I. Resonance charge relaxation in physical barrier layers 85–12037
Oreshkin, P.T., Klochkov, A.Ya., Zubkov, M.V., Patrin, S.V. Slow relaxation of the nonequilibrium conductivity of surface-barrier semiconductor structures 85–29043
Oreshkin, P.T., Rozhkov, S.V. Barrier layer as a resonator in the case of a surface-barrier instability 85–12035
Oreshkina, K.N. *see* Martsenitsen, S.I. 86–37346
Oreshko, A.G. *see* Alekseev, B.V. 86–5656
Oreshko, A.G. *see* Basmanov, A.B. 87–66818
Oreshko, A.G. *see* Gorev, V.V. 86–41472
Oreshko, E.V. *see* Kamuz, A.M. 88–14155
Oreshnikov, V.G., Shaposhnikov, A.S. Analysis of cross interference in nonuniform multi-conductor lines 85–57073
Oresjo, S. Minimizing the testing efforts 88–57146
Oreskovic, G. *see* Mesko, B. 87–51154
Oreskovich, J.P., Somerville, R.L. The Ontario Hydro integrated programs for plant design and construction 88–23644
Oreziak, M. *see* Kaminski, B. 87–41484
Orfanidis, S. Pole retrieval by eigenvector methods 87–62017
Orfanidis, S.J. The double/direct RLS lattice 88–72990
Orfanidis, S.J., Aafif, F., Micheli-Tzanakou, E. Visual evoked potential extraction by adaptive filtering 88–54579
Orfanidis, S.J., Vail, L.M. Zero-tracking adaptive filters 87–19655
Orfei, A. *see* Cancellieri, G. 86–9514, 87–46473
Orfescu, C. *see* Vasile, S. 88–33278
Orfeuil, M. The role of technological innovation in the growing importance of electricity [industrial applications] 85–27832
Orfeuil, M., Berhondo, P., Gallard, T., Basset, J.J. Domotics and electricity: towards the intelligent electric house 87–79232
Orfeuil, M., Derive, C. Technology transfer. Highly instrumental in new industrial applications of electricity 87–16190
Orfeuil, M., Mazoyer, J.-L., Deschamps, G. Recent developments of resistance furnaces 86–71122
Orford, G.R. Automated radio and microwave frequency power measurement facilities 86–38486
Orgad, U. *see* Gal, D. 88–16781
Orgad, Y. *see* Erell, A. 88–66350
Orgain, C. Create linear ASIC macros without Spice nightmares 88–20021
Orgain, C. *see* Tabrizi, M. 88–49965, 88–63446
Organ, A.E., Riley, N. Oxygen transport in magnetic Czochralski growth of silicon 87–44298
Organasi, J. *see* Delalande, C. 86–67737
Organick, E.I. *see* Carter, T.M. 85–518
Orgel, N. History of fighter direction 86–11160
Orgeta, J.M., Lapierre, Y., Girard, B., Billardon, M., Elleaume, P., Bazin, C., Bergher, M., Velghe, M., Petroff, Y. Ultraviolet coherent generation from an optical klystron 86–3201
Orglmeister, R. Eddy current losses in solid poles of synchronous machines operating synchronously. I. Simplified model leading to an approximation 86–45362
Orglmeister, R. Eddy current losses in solid poles of synchronous machines operating synchronously. II. Exact calculation and an engineering approximation 86–45363
Orgon, M. *see* Csabay, O. 87–1382
Orgon, M. *see* Hulenyi, L. 86–2155
Orgonasi, J. *see* Delalande, C. 88–7622
Orgren, A.C., Malik, N.R., Youn, D.H. Convergence of an adaptive echo cancellation system with an augmented predictor 87–19786
Orgut, H. *see* Hamid, M. 86–23649
Orhaung, T. Radar imagery 85–63746
Ori, T. *see* Miyoshi, T. 88–42102
Oria, J.Perez *see* Perez Oria, J.
O'Riain, E., Reiter, E. A parameterised and process technology independent circuit extractor 87–25510
O'Riain, M. *see* Gibbons, D.T. 87–71168
O'Riain, M.D., Gibbons, D.T. Position proprioception in a microcomputer-controlled prosthesis 87–57233
O'Riain, M.D. *see* Gibbons, D.T. 86–56194, 88–68481, 88–74877
Orias, G. *see* King, P. 85–58594
Oriati, M. *see* D'Ambrosio, A. 88–55191
Oride, K. *see* Naganawa, H. 86–49216
Origuchi, T. *see* Ohba, K. 87–21061
Orihara, A. Some points on cogeneration planning and design 87–78453
Orihara, H. *see* Ieki, K. 88–22922
Orihara, H. *see* Ishii, K. 87–77657
Orihara, K., Oda, E. New technologies in dual channel read-out registers for high density CCD image sensor 87–56540
Orihara, K. *see* Oda, E. 86–50113
Orihara, S., Majima, T., Matsuyama, S. High-density bubble memory devices 86–2611
Orihara, S., Yanase, T. Field access Permalloy devices 88–7805
Orihara, S. *see* Inoue, H. 86–28712
Orihara, S. *see* Majima, T. 85–24204
Orii, T. *see* Hayashi, T. 88–54694
Orii, T. *see* Hirao, K. 86–65480
Orii, T. *see* Itoh, T. 86–44730
Orikasa, H. *see* Hiyama, T. 85–36925
Orikasa, T. *see* Yoshimoto, S. 86–64920
Orikasa, W. Updating technology for telecommunications buildings 86–46013
O'Riley, R. How to buy data acquisition equipment 85–58619
O'Riley, R. Practical amplifiers with galvanic isolation 87–65861
Orime, N. *see* Saito, J. 88–2835
Orimo, K. *see* Iino, A. 86–9566, 86–42336
Orimo, K. *see* Kamiya, T. 86–2822
Orimo, K. *see* Ogai, M. 86–9553
Orimo, K. *see* Okagawa, S. 86–42334, 87–8331
Orimo, K. *see* Takabayashi, T. 86–9540
Orimo, M., Kawano, K., Mori, K. Functional reliability and its utilization for evaluating the decomposition of system 86–291
Orimo, T. *see* Fujimura, R. 86–24091, 87–34758, 88–53433
Orimo, T. *see* Morishita, M. 85–58348
Orin, D.E. *see* Ling, Y.L.C. 88–26451
Orino, Y. *see* Orui, S. 87–73562 to 73563
Oriol, C.H. *see* Jacquat, C.A. 87–9669
Oriolo, F. *see* Cerullo, N. 85–65128
Oriolo, L., Diaz, S. Analysis of electromagnetic susceptibility of electro-explosive devices 88–58888
Oriolo, L.M., Diaz, S.B. Study of electromagnetic contamination from plastic welding and the susceptibility of workers to this radiation 87–68701
Oriolo, L.M., Diaz, S.B., Alvarez-Ovide, B., Padula-Pintos, V. Possible risks caused by an accidental antenna 87–61460
Oriolo, L.M., Diaz, S.B., Ovide, B.A., Pintos, V.P. Analysis of the danger of explosion caused by the action of radiofrequency fields on accidentally formed metallic loops 87–43912
Oriolo, L.M. *see* Diaz, S.B. 88–4999
Orion, J. EEPROM or nonvolatile RAM? What nonvolatile memory for what application? 85–49855
O'Riordan, E. Singularly perturbed finite element methods 85–340
O'Riordan, E., Stynes, M. An analysis of a superconvergence result for a singularly perturbed boundary value problem 86–34249
O'Riordan, E., Stynes, M. A uniform finite element method for a conservative singularly perturbed problem 87–58836
O'Riordan, E. *see* Stynes, M. 87–16544, 87–52068
O'Riordan, J.J. *see* O'Sullivan, T. 88–16658
O'Riordan, S.M. *see* Schmidt, R.L. 85–52301
O'Riordan, T. *see* Purdue, M. 85–9586
Orisaka, S. *see* Maemura, K. 86–46775, 86–52745, 87–10814
Orishich, A.M., Posukh, V.G., Snytnikov, V.N. Influence of injection of external radiation on the operation of a TEA laser with an unstable resonator 87–18901
Oristaglio, M.L. *see* McCracken, K.G. 86–50729 to 50730
Oristian, J., Iwai, H., Walker, J., Dutton, R. Small geometry MOS transistor capacitance measurement method using simple on-chip circuits 85–8929
Oristian, J. *see* Iwai, H. 85–50770
Oristian, J. *see* Yao, C.T. 85–26448
Oristian, J.E. *see* Iwai, H. 85–34979, 85–40904, 87–38277
Orita, C., Dimitriu, L., Cleju, I., Dumitrescu, L. A method for the determination of the input bias currents I_{B}^{+}, I_{B}^{-} of operational amplifiers with input bipolar transistors 86–749
Orita, G. *see* Dimitriu, L. 88–35465
Orita, N. *see* Kamaya, M. 87–31897
Orita, N. *see* Koike, M. 88–19139
Orita, S. *see* Kobayashi, H. 86–58074, 87–66583
Orita, S. *see* Nakamura, S. 87–24493, 87–37590, 88–12624
Orita, T. *see* Suzuki, M. 85–60575
Orito, F., Okada, H., Nakajima, M., Fukuda, T., Kajimura, T. Growth of silicon-doped dislocation-free GaAs crystals by the LEC technique for optical device applications 86–46304
Orito, F., Seta, Y., Yamada, Y., Ibuka, T., Okano, T., Hyuga, F., Osaka, J. Large size dislocation-free gallium arsenide single crystals for LSI applications 87–31494
Orito, F. *see* Emori, H. 86–404
Orito, F. *see* Obokata, T. 85–1297
Orito, F. *see* Okada, Y. 88–31706
Orito, F. *see* Osaka, J. 87–24774
Orito, K. Protocol analyzer essential for setting up data network 87–49620
Orito, K., Shishido, K. High-density multilayered printed circuit board 87–45425
Orito, M. *see* Sakakibara, S. 85–4438
Orito, S. Underground searches for anomalous penetrating particles 85–15242
Orito, S. *see* Imori, M. 87–35365

Orito, S. *see* Nanto, H. 88−57336
Orito, S. *see* Ogura, K. 88−48027
Oritsuki, R. *see* Kaneko, Y. 87−25337
Oritz, M.E. *see* Pouliot, J. 88−61144
Oritz-Conde, A. *see* Garcia, F.J. 88−43377
Orland, G. *see* Martinelli, G. 87−69090
Orlandelli, C.M. *see* Lorenzini, E. 87−78360
Orlandi, G. Adaptive FIR digital filters for harmonic retrieval 85−61386
Orlandi, G., Martinelli, G., Burrascano, P. Explicit formulas for super-resolution 86−17431
Orlandi, G. *see* Burrascano, P. 87−178
Orlandi, G. *see* Di Claudio, E.D. 88−63722
Orlandi, G. *see* Martinelli, G. 85−36273, 85−40186, 85−46823, 85−46873, 86−680, 86−43250, 86−48918, 86−64272, 87−47555, 87−47607, 87−49144
Orlandi, G. *see* Ragazzini, S. 86−64224, 87−61707
Orlando, A. *see* Braga, G. 88−21452
Orlando, A. *see* Liserre, V. 88−28543
Orlando, A.F. *see* Queiroz, A.G. 88−62791
Orlando, A.J.de Faro *see* de Faro Orlando, A.J.
Orlando, A.Jose de Faro *see* Jose de Faro Orlando, A.
Orlando, P. Combining different systems: how workstations can be matched to the main computer 86−14122
Orlando, R. Non volatile technology simplifies VDU update 85−49853
Orlando, R., Globig, J., Knowlton, D., Jones, O.F., Goss, L., Grossman, S. EEPROM standards and reliability: an interim report 85−22855
Orlando, R. *see* Nieri, R. 86−67516, 87−24291
Orlando, R.V. Uncompromising features hi-lite the 5 volt E^2PROM 85−11268
Orlando, R.V. EEPROMs. A revolution through a higher storage density 87−31868
Orlando, R.V. EEPROM−ever higher packing density 87−44824
Orlando, R.V., Largent, B. E^2PROMs: a new tool for software and hardware enhancement 86−1077
Orlando, T.A. *see* Pardue, M.D. 87−40216
Orlando, T.P. *see* Foner, S. 85−46045
Orlando, T.P. *see* Hertel, G.B. 85−56188, 87−67836
Orlando, T.P. *see* Tarascon, J.M. 88−55584
Orlando, T.P. *see* Zaleski, A.J. 85−18600
Orlay, I. *see* Tamas, M. 88−48493
Orleansky, E., Samson, C., Havkin, M. A broadband meanderline twistreflector for the inverse Cassegrain antenna 88−14556
Orlenko, A.B. *see* Voitovich, I.D. 86−2639
Orletskii, V.B. *see* Bakhtinov, A.P. 86−47453
Orletskii, V.B. *see* Gutsulyak, V.G. 85−40479
Orlic, G. *see* Alberdi, J. 88−22967
Orlicki, A. On enumerated algebras and some monads in the category of enumerated sets 86−19880
Orlidge, L.A. TPS development tools utilization to enhance productivity and reduce future ATE/TPS procurement costs 87−20885
Orlik, A., LeBrun, J.-N. Modelling accurately the 2N3906 with Daisy's library development tool DPAX 87−38224
Orlik, A.V. *see* Fedotov, A.A. 86−39269
Orlik, B. Control of a permanently excited synchronous machine with a microcomputer 85−38976
Orlik, B., Weh, H. Microprocessor-controlled three-phase motors with high-resolution digital pulse width modulator for high pulse frequencies 86−66390
Orlik, B. *see* Mayer, R. 88−43164
Orlik, V.G. Prevention of thermal shocks in the terminal glands of steam turbines 86−19094
Orlikov, L.N. *see* Chikin, E.V. 86−21011
Orlikovaskii, A.A. *see* Abachev, M.K. 87−60425
Orlikovskii, A.A., Neklyudov, V.A., Savenkov, V.N., Sergeev, A.G. Circuit design principles for the design of LSI and VLSI bipolar memories 85−11257
Orlikovskii, A.A. *see* Butakova, N.G. 86−15139, 86−41759
Orlikovskii, A.A. *see* Kupriyanov, M.Yu. 87−38692
Orlikovskii, A.G. *see* Butakova, N.G. 87−53240
Orlikowski, C. *see* Domachowski, Z. 86−19060
Orlikowski, M. The parameter selection problems of standard current transformers 88−69469
Orlikowski, M. *see* Kawczynski, R. 87−73825
Orlin, D.E. *see* Ling, Y.L.C. 88−63723
Orlin, J.B., Rothblum, U.G. Computing optimal scalings by parametric network algorithms 85−44616
Orlin, J.B. *see* Graves, S.C. 85−28281
Orlinis, R.Yu. *see* Kilna, A.A. 88−33537
Orlinov, V. *see* Petrov, I. 85−22541
Orlitsky, A., El Gamal, A. Communication complexity 87−54815
Orlitsky, A. *see* El Gamal, A. 85−36298
Orloff, J. A comparison of electron guns for high speed electron beam inspection 85−40393
Orloff, J. A comparison of lanthanum hexaboride, cold field emission and thermal field emission electron guns for low voltage scanning electron microscopy 85−45353
Orloff, J. Thermal field emission for low voltage scanning electron microscopy 86−41468
Orloff, J. Comparison of optical design approaches for use with liquid metal ion sources 87−39312
Orloff, J. An optimized two lens optical column for use with a liquid metal ion source 88−26024
Orloff, J., Sudraud, P. Design of a 100 kV, high resolution focused ion beam column with a liquid metal ion source 86−21317
Orloff, J., Swanson, L.W., Jia-Zheng Li The prospects of field emission for e-beam inspection 85−34419
Orloff, J., Whitney, J. Design of a new, two lens ion gun for micromachining 88−68198
Orloff, J. *see* Burghard, R.A. 87−61341
Orloff, J. *see* Defreez, R.K. 86−68523
Orloff, J. *see* Elliott, R.A. 88−51873
Orloff, J. *see* Puretz, J. 85−1622, 87−33158
Orloff, J. *see* Puretz, P. 86−54184
Orloff, J. *see* Weiner, A.M. 88−13512
Orlok, H.-J. *see* Arndt, F. 85−34148
Orlov, A.K. Current pulse shortening in an induction linac 87−29417
Orlov, A.L. *see* Bochkov, G.N. 87−65766
Orlov, A.O., Savchenko, A.K. Oscillations of nonlinear characteristics of samples with small dimensions 87−25305
Orlov, A.O., Savchenko, A.K., Chenskii, E.V., Il'ichev, E.A., Poltoratskii, E.A. Oscillations of the electron mobility in the channel of a GaAs field-effect transistor 87−6731
Orlov, A.O. *see* Laiko, E.I. 88−71491
Orlov, A.P. *see* Ageyev, A.I. 85−50890, 88−45015
Orlov, A.P. *see* Andreyev, N.I. 86−53933
Orlov, A.V., Grachev, A.B. An experimental study of the electrical separation of the liquid from two-phase mixtures of cryogenic agents 88−66014
Orlov, A.V. *see* Avtonomov, V.P. 86−21330
Orlov, A.V. *see* Bondar, N.M. 88−68039
Orlov, A.V. *see* Kravchenko, N.I. 87−3220, 87−13006
Orlov, A.Yu. *see* Merchanskii, V.D. 86−19100
Orlov, B.M. *see* Elkanova, T.M. 85−34926
Orlov, B.M. *see* Koldaev, I.M. 85−29018, 85−29718, 85−51047, 87−7215
Orlov, B.N. *see* Boyarskii, V.M. 88−11120
Orlov, B.P. *see* Gritchenko, V.N. 87−62765
Orlov, B.V. *see* Aybatov, L.R. 88−7272
Orlov, B.V. *see* Kolesnikov, V.Yu. 85−18863
Orlov, D.B. *see* Agafonov, A.V. 87−66832
Orlov, D.V., Savost'yanov, A.M., Samsonov, V.N., Dragun, D.K. Experimental studies of ferrofluidic damping devices 86−3464
Orlov, E.G., Sheminov, V.G., Kazantsev, Yu.A., Kat'kalov, V.N. DC electric motors with rotational-frequency regulators for industrial robots 86−39816
Orlov, E.G. *see* Kostin, V.F. 86−39844
Orlov, E.M. *see* Vanyushev, B.V. 85−2370
Orlov, E.P. *see* Korol'kov, K.S. 85−51112
Orlov, E.P. *see* Napartovich, A.P. 88−27254
Orlov, E.P. *see* Skala, I. 85−41336
Orlov, E.P. *see* Stirand, O. 87−68360
Orlov, E.P. *see* Zuev, V.S. 85−24478, 85−35698, 87−68582
Orlov, G.I., Zav'yalov, V.G. Experience of the Novosibirsk Electrothermal Equipment Plant on introduction of new equipment and technologies 86−13202
Orlov, G.M. *see* Averyanov, A.V. 87−71281
Orlov, I.E. Construction of problem-oriented digital structure for modelling nuclear reactor processes in operator simulators 86−18987
Orlov, I.I. *see* Kleshchevnikov, E.F. 87−70383
Orlov, I.N., Maslov, S.I., Kryuchkova, T.N. A generalized search and optimization algorithm for design solutions and its realization in a computer-aided design system for electromechanical devices 86−33441
Orlov, L.I. Modern methods of hardware creation in electronics development 85−60748
Orlov, L.I. Field geophysical information and measurement systems with built-in computers 88−22436
Orlov, L.I. Problems of geophysical instrument construction 88−23174
Orlov, L.I., Smirnov, D.N. Interactive automated system for testing of analogue units or digital seismic stations 87−29917
Orlov, L.K. Mixing of electromagnetic signals in multilayer quantum structures 86−28367
Orlov, L.K., Romanov, Yu.A. Nonlinear resonance singularities of the electrical properties of superlattices under conditions of strong interband tunneling of electrons 86−35391
Orlov, L.K. *see* Kostenko, A.A. 88−32878
Orlov, L.N. *see* Nevdakh, V.V. 85−2377
Orlov, N.N., Vakulenko, S.E., Kholodnyi, V.V., Aleshina, T.V. Analysis of electro-magnetic supports with a zone of constant traction 85−39270
Orlov, N.V. Numerical algorithm for vector diffraction on an axisymmetric body in a half-space 88−34280
Orlov, N.V. *see* Sveshnikov, A.G. 86−22659
Orlov, O.A., Ustyugov, V.I. Molecular cesium reference for frequency stabilization of a 1.06-μm Nd:YAG laser 87−33284
Orlov, O.A. *see* Viktorov, E.A. 88−20807
Orlov, O.M. *see* Gloriozov, E.L. 88−26190
Orlov, O.V. *see* Ivanchenkov, V.P. 86−37120
Orlov, S.I. *see* Pagurova, V.I. 85−60835
Orlov, S.V., Levin, A.D., Kiseleva, L.I. Characteristics of ferroelectric microwave phase-shifters 87−45244
Orlov, S.V. *see* Bushuev, V.P. 87−78422
Orlov, S.V. *see* Gorban, S.I. 86−48242
Orlov, S.Yu. *see* Beznosov, A.V. 85−43710
Orlov, S.Yu. *see* Vitrishchak, I.B. 88−65767
Orlov, S.Yu. *see* Vladimirov, F.L. 86−36533
Orlov, V.A., Shorin, K.N., Yarov, A.S. Experience with operational control of the cross section of an electron beam in a synchrotron 86−44497
Orlov, V.A., Sporin, K.N., Yarov, A.S. Method for controlling the cross section of an electron bunch in a synchrotron 86−11814
Orlov, V.A. *see* Antonov, V.E. 86−68193
Orlov, V.A. *see* Evseev, A.R. 87−70860
Orlov, V.B. Refined model of Gunn domain resorption and the dynamics of the quenching regime 85−17833
Orlov, V.B., Yakimov, A.V. Influence of the charge carriers scattering mechanism on the $1/f$ noise intensity in doped semiconductors 85−18044
Orlov, V.B. *see* Zaitsev, V.V. 85−11087
Orlov, V.E. *see* Usanov, D.A. 87−37516
Orlov, V.G. *see* Oknin, N.S. 87−58008
Orlov, V.I., Rozanov, S.A. Adaptive coherent addition of signals in diversity reception 87−61890
Orlov, V.I., Smerdov, V.Yu., Fomin, Yu.V. Pulsed current supply for IMPACT diodes 86−67023
Orlov, V.I. *see* Belov, P.V. 86−37053
Orlov, V.I. *see* Oleinikov, A.M. 87−9566
Orlov, V.I. *see* Yakovlev, M.M. 87−64598
Orlov, V.K. *see* Barikhin, B.A. 86−29087, 87−68408, 88−20701
Orlov, V.K. *see* Bazhulin, S.P. 87−18895, 87−18900
Orlov, V.K. *see* Gerasimov, V.B. 87−19003
Orlov, V.K. *see* Kamrukov, A.S. 85−44201
Orlov, V.K. *see* Mukhibov, N. 88−20548
Orlov, V.K. *see* Zuev, V.S. 87−54239
Orlov, V.M. *see* Belov, M.L. 86−3479, 87−29127
Orlov, V.M. *see* Katsavets, N.I. 85−56413
Orlov, V.M. *see* Leonov, E.I. 86−63678
Orlov, V.M. *see* Ovcharenko, A.F. 85−2788
Orlov, V.N. *see* Kuznetsov, N.D. 85−5617
Orlov, V.P. *see* Dikaev, Yu.M. 85−2067
Orlov, V.S. Additional losses of power and energy caused by deviations in voltage and frequency [power systems] 85−53264
Orlov, V.S. Calculating the additional costs in lighting networks caused by deviations of voltage and frequency 86−57009
Orlov, V.S. A controlled static compensator based on an induction regulator 87−42359
Orlov, V.S., Soldatov, E.A., Kakharov, U.K. Method of thermal calculation of the outer enclosures of buildings with solar-pump thermoelectric devices 88−24168
Orlov, V.V. Resolving power in phase conjugation through a thin inhomogeneous medium 87−39217
Orlov, V.V., Pakholok, Yu.M. Algorithmizing processing measurements by similar sensors 87−29026
Orlov, V.V. *see* Danilov, A.E. 85−51149
Orlov, V.V. *see* Lokshin, V.I. 86−15805
Orlov, V.Ye. *see* Usanov, D.A. 88−71512
Orlov, V.Yu., Potapov, V.K. Apparatus for study of laser sublimation of low-temperature matrixes 87−54376
Orlov, Yu.F. *see* Komisarchik, M.Sh. 85−23692
Orlov, Yu.I., Fedorov, N.N. Limits of applicability of asymptotic description of radio pulses near critical frequency 86−3542
Orlov, Yu.I., Fedorov, N.N. Peculiarities of dispersion distortions and criteria for applicability of an approximate description of the fields of signals in the far zone 87−19181
Orlov, Yu.I., Legkov, V.M. Diffraction of the half-shadow field by a perfectly conducting smooth convex cylinder 87−39361
Orlov, Yu.I., Petrenko, Yu.N. A retrieval algorithm for optimizing the shape of the output voltage of an inverter 87−9671
Orlov, Yu.I. *see* Namazov, S.A. 85−13123, 85−36029
Orlov, Yu.N. Design of broadband (high-speed) systems for digital signal processing 85−63057
Orlov, Yu.N. *see* Matlashov, A.N. 87−50205
Orlova, G.I. *see* Forino, A. 85−37976
Orlova, I.B. *see* Bol'shukhin, O.G. 85−12904, 86−54173, 86−54176, 88−51858
Orlova, I.N. *see* Andreev, E.P. 86−44319
Orlova, I.N. *see* Biryukov, A.N. 87−63241
Orlova, M.I. *see* Mingalev, V.S. 88−72543
Orlova, M.P., Korolev, Ya.A. Heat capacity of Nb-Ti multicore composite superconductors 85−41045
Orlova, M.P. *see* Alekseev, S.V. 86−18675
Orlova, M.P. *see* Kheifets, L.M. 87−8709
Orlova, M.P. *see* Ponomareva, T.O. 86−38594
Orlova, N.E. *see* Vladimirov, E.N. 86−60617
Orlova, V.M. *see* Abramov, A.I. 85−43866
Orlova, V.P. *see* Gurskii, S.K. 85−32075

Orlove, G.L., Madding, R.P., Burger, C.P., Raj, B. Void detection in metals using heat flow parallel to the target surface 87−10539
Orlovich, V. *see* Berik, E. 86−22467
Orlovich, V.A. *see* Apanasevich, P.A. 87−33287, 87−68418
Orlovskii, R.M. *see* Oleinik, A.S. 85−6673
Orlovskii, V.M. *see* Karpov, V.M. 88−16620
Orlovskii, V.M. *see* Lisitsyn, V.M. 85−24504, 85−46356
Orlovskii, V.P., Popov, S.O., Naukov, S.K. Center-of-gravity shaper for video pulses 88−70614
Orlovskii, Yu.E., Krivoshein, I.V. Discrete control of an ensemble of signals in adaptive radio systems with concentrated interference 85−25719
Orlow, J. Computer-aided design and manufacture of slotted planar arrays 88−2881
Orlowska-Kowalska, T. Analysis of static and dynamic behaviours of current controlled asynchronous motor 87−15722
Orlowska-kowalska, T. Dynamical properties of fast state observer for current-fed induction motor 88−69350
Orlowska-Kowalska, T., Kowalski, C., Sztylinski, L. Analysis of drive system with asynchronous motor fed by PWM inverter 87−15844
Orlowska-Kowalska, T., Macek, K. Mathematical modelling of transient processes in deep-slot asynchronous motors 85−53689
Orlowska-Kowalska, T., Macek-Kaminska, K. Comparative study of dynamic mathematical models for deep-bar rotor induction machine 87−9543
Orlowska-Kowalska, T., Sztylinski, L. Modelling of thyristor systems by choice of dynamic system method 85−21725
Orlowski, A. Measurement and test assembly for a 300 MHz band 88−41563
Orlowski, B.A. *see* Maminski, J.A. 86−47400
Orlowski, M., Mazure, C., Lau, F. Submicron short channel effects due to gate reoxidation induced lateral interstitial diffusion 88−39475
Orlowski, M., Pless, V. Analysis of rapid dry oxidation of silicon 88−50713
Orlowski, M., Werner, C., Weber, W., Muhlhoff, H.-P., Murkin, P. Unified model for electric fields in LDD-type MOSFETs 88−7611
Orlowski, M. *see* Muehlhoff, H.-M. 88−71577
Orlowski, M. *see* Muhlhoff, H.-M. 88−7614
Orlowski, M. *see* Rosner, W. 88−71587
Orlowski, P.F. Programmed calculation of surge-response characteristics [circuit analysis computing] 85−54602
Orlowski, P.F., Konigschulte, M. For industrial drive technique: curved motion computer with single-board computer 86−7181
Orlowski, P.F., Studer, N. Drives smoothly. Microcomputer supported drive-curve calculator 88−60794
Orlowski, R. *see* Graeger, V. 86−11521
Orlowski, T.E. Subnanosecond transient photocurrents in a-Si:H a probe of thermalization within shallow band-tail states 86−2929
Orlowski, T.E., Abkowitz, M. Subnanosecond transient photocurrents in a-Se and a-Si:H 86−28955
Orlowski, T.E., Richter, H. Ultrafast UV-laser induced oxidation of silicon 85−12216
Orlowski, T.E. *see* Richter, H. 85−6842
Orlowski, W., Hruban, A., Kwiecien, M. Crystal growth of semi-insulating GaAs 87−52089
Orlowsky, K.J. *see* Foo, P.D. 88−33216
Orlowsky, K.J. *see* Henry, C.H. 87−60958, 88−2033
Orlowsky, K.J. *see* Lee, H.J. 87−60957, 88−26923
Orlowsky, K.J. *see* Olsson, N.A. 88−2228, 88−40213
Orlowsky, K.J. *see* Verbeek, B.H. 88−72147
Orlowsky, W., Hruban, A., Kwiecien, M., Nowysz, K., Strzelecka, S. Crystal growth of SI-GaAs and its investigation after heat treatment 88−6434
Orlyanskii, V.I. Linear frequency modulation 85−13463
Orlyanskii, V.I. Parametric synthesis of temperature-compensated quartz oscillators 86−21927
Ormai, P., German, E., Rosa, G., Ronaky, J., Kemenes, L. Control of radioactive emissions by the Paks nuclear power plant (1983-1985) 88−69101
Ormai, P., Pinter, T., Szabo, I.C., Sztaricskai, T., Peto, G., Raics, P. In-situ measurements of corrosion deposits on the primary system at Paks nuclear power plant 88−36956
Orman, Z. *see* Jozwikowski, K. 86−11603
Orman, Z. *see* Rogalski, A. 85−45389
Ormandjiev, S.I., Parov, I.S., Koralova, S.S. Phase-shifting device for time scale synchronization by reference signals of the Loran-C radionavigation system 88−32358
Ormandjiev, S.I., Semova, T.B. A generator with linearized scale for pulse width setting 88−32050
Ormandjiev, S.I., Semova, T.B. Distributed parameter model of an electromechanical drive for Mossbauer spectrometers 88−36395
Ormberger, J. *see* Malmerhag, O. 86−34457
Orme, C. *see* Saarloos, J. 88−61096
Orme, E.A. Applications of time domain reflectometry in process control 88−42081
Orme, S., Evans, N.J., Wey, B.O. A fail-safe microprocessor-based protection system utilising low-level multiplexed sensor signals 86−18939
Orme, S. *see* Lawrence, L.A.J. 86−61312
Ormerod, F., Schucker, D.W., Deierling, K., Salamina, N. A mixed technology gate array with ECL and BiMOS logic on a single chip 88−6810
Ormerod, F. *see* Alvarez, A.R. 86−47699
Ormerod, F. *see* Bennett, P.S. 87−59376
Ormerod, F. *see* Hickman, P.T. 87−696
Ormerod, J. Permanent magnet materials 88−57994
Ormerod, J. *see* Grossinger, R. 86−47951
Ormerod, J. *see* McGuiness, P.J. 87−10515
Ormes, J.F. *see* Smoot, G.F. 87−74624
Ormiston, V. Coherent fiber optic technology: telecommunications considerations 88−41345
Ormond, D.W., Cadoff, I.B. Thin film capacitors of barium titanate alloys 86−14572
Ormond, T. Plastic-fiber-based optical links offer low-cost, short-haul data transfer 85−25876
Ormond, T. Dot-matrix display modules 85−31535
Ormond, T. Fiber-optic source/detector developments enhance long- and short-haul applications 85−37060
Ormond, T. Surface-mount technology 85−50612
Ormond, T. Multiple-access fibre-optic couplers enhance data-link performance 85−56288
Ormond, T. Fiber-optic connectors cut insertion loss 85−56289
Ormond, T. Engineering-grade thermoplastics enhance PC-board design options 85−61537
Ormond, T. Crystal oscillators 86−9340
Ormond, T. Electromechanical, solid-state devices satisfy radio-frequency switching needs 86−27664
Ormond, T. Surface-mount connectors maximize PC-board I/O density 86−27744
Ormond, T. Filter connectors offer a cost-effective solution to EMI/RFI problems 86−41382
Ormond, T. Pressure sensors and transducers 86−50036
Ormond, T. Backplanes play a crucial role in high-speed systems 86−58179
Ormond, T. Professional wire-wrapping services ease prototype-circuit assembly tasks 87−5200
Ormond, T. Optical encoders are shrinking to satisfy position-sensing application requirements 87−29042
Ormond, T. Modern stepper-motor systems provide precise position control and resolution 87−51248
Ormond, T. Today's circuit-protection devices provide needed board-level surveillance 87−66674
Ormond, T. Military fiber-optic components 88−3970
Ormond, T. DC/DC converters simplify system power distribution 88−18898
Ormond, T. Materials and hardware 88−32534
Ormond, T. Improved voltage-reference circuits satisfy high accuracy and stability needs 88−50004
Ormond, T. Pressure sensors and transducers 88−67737
Ormondroyd, R.F., Al-Rawas, L.A.A. An improved delay lock loop for use in ranging and data modulated spread-spectrum systems 86−17199
Ormondroyd, R.F., Al-Raws, L.A. The use of composite sequences for rapid acquisition of synchronisation in spread-spectrum receivers 86−64862
Ormondroyd, R.F., Al-Rawas, L.A.A., Comley, V.E. Improved DLL configurations for PN code acquisition and tracking 85−57273
Ormondroyd, R.F., Alatsatianos, G. Compatibility of 'carrier-free' electromagnetic Walsh waves with their sinusoidal counterparts in radio systems 85−2603
Ormondroyd, R.F., Comley, V.E. Limits on the search rate of a pseudonoise sliding correlator synchroniser due to self-noise and decorrelation 85−13445
Ormondroyd, R.F., Comley, V.E., Al-Rawas, L.A. Accurate tracking of PN modulation in adverse SNR conditions 85−57217
Ormondroyd, R.F. *see* Kumar, T. 85−51170, 87−12471
Ormondroyd, R.F. *see* Perkins, M. 85−18956
Ormondroyd, R.F. *see* Perkins, M.C. 86−3134, 86−68525, 88−40330
Ormondroyd, R.F. *see* Rozzi, T. 88−27563
Ormondroyd, R.F. *see* Singh, J. 85−41416
Ormondroyd, R.F. *see* Xiobo Zhang 88−40217
Ormondt, D.van *see* van Ormondt, D.
Ormont, A.B. *see* Maksimov, A.S. 87−63488
Ormont, A.B. *see* Salun, V.S. 88−38128
Ormont, N.N. *see* Kurova, I.A. 85−51022, 86−63715
Ormont, N.N. *see* Zvyagin, I.P. 87−26174, 88−33852
Ormrod, G.T.W. Development of a system for the measurement of the pulp-froth level in flotation 85−15039
Ormrod, J.H. Superconducting compact cyclotrons 86−31873
Ormrod, J.H., Bigham, C.B., Heighway, E.A., Hepburn, J.D., Hoffmann, C.R., Hulbert, J.A., Schneider, H.R. The Chalk River superconducting cyclotron 85−58994
Ormrod, J.H. *see* Bigham, C.B. 86−55927, 87−35256
Ormsby, C.C. *see* Koplik, C.M. 88−68714
Ormsby, J. Total Quality Control finds the right combination of in-circuit and functional board testing 87−1072
Ormsby, J. Factory integration creates state-of-the-art production line 87−23304
Ormsby, J. Choosing a board test strategy: shooting at a moving target 87−73866
Ormsby, J., Killmon, M. Integrating test into production−the real story is TQC 87−51853
Ormsby, J. *see* Jones, K. 88−32585
Ormsby, J. *see* Robinson, R. 88−32602
Ormsby, J.P., Blanchard, B.J., Blanchard, A.J. Detection of lowland flooding using active microwave systems 85−48488
Ormsby, S.G. Transit sagging of conductors using a calculated angle of sight 85−9515
Ormseth, G. *see* Kinashi, Y. 87−8974
Orna, M. *see* Ruml, Z. 85−43879
Ornatskii, I. *see* Latenko, V.I. 85−32605
Ornatskii, O.A. *see* Lysak, E.M. 85−58766
Ornberg, S.C. *see* Almerico, F. 86−19026
Orngard, G.M. *see* Owen, F.K. 86−38879, 87−70882
Ornov, V.G., Merport, E.I., Osika, L.K., Tenenbaum, Ya.P., Kaminskii, I.S., Khodos, G.M., Milyaev, G.V. Development tests and introduction of automated load switching unit using a microcomputer [power system protection] 86−25648
Ornov, V.G., Rabinovich, M.A. A dynamic operational simulator for a controller based on a minicomputer 87−4469
Ornov, V.G., Tumantseva, V.V. Models of an operational estimation of steady-state conditions and reliability of standard power systems in the USSR 86−39026
Ornov, V.G., Volkov, V.K., Gurychev, V.M., Yakovleva, T.S. A guide for the real-power controller in large power pools 88−61823
Ornov, V.G. *see* Mamikonyants, L.G. 87−50647
Ornstein, H.L. DHR losses in PWRs with partially drained reactor coolant systems 88−23695
Ornulf, E. *see* Soderholm, G. 88−9422
Ornum, J.H.Van *see* Van Ornum, J.H.
Orobei, I.O. *see* Pryakhin, A.E. 85−8997
Orobets, Yu.N. *see* Krivonos, V.P. 85−5559
Orobets, Yu.N. *see* Stognin, B.S. 85−26271
Orobinskii, S.P., Bystrov, M.V., Galkin, S.L., Grigorev, V.A. Fiber-optic magnetometer using magnetooptic effects in a multilayer sample with domain structure 88−40011
Orobinskii, S.P. *see* Gusev, Yu.M. 85−18746
Orobinskii, S.P. *see* Voitenko, I.G. 85−18713
Oron, M. *see* Feldman, R.D. 85−29844, 88−63299
Oron, M. *see* Shtrikman, H. 87−73142, 88−43875, 88−43877
Orost, J. *see* Venkatesan, P.S. 88−41624
Orosz, B. *see* Davis, S. 85−33742
Orosz, E. *see* Szentirmai, L. 88−11664
O'Rourke, B. Behavioral modeling of digital devices in an analog simulation environment 88−19015
O'Rourke, D.P. SOS frequency synthesizer development 87−23987
O'Rourke, D.V. *see* Kostenko, A. 85−32804
O'Rourke, H.T., Sedrick, A.V. New single pass PWA soldering technique for leaded and surface mounted (both sides) components 88−12806
O'Rourke, S.A. *see* Goldberg, J.H. 88−25715
Oroy, K.O., Netland, B., Godo, H. Large users of data communication in Norway 88−52732
Orozco, J.D. Network access protocol for bar-type networks in critical ambiences 88−73405
Orozco, L.A. *see* Raizen, M.G. 87−54423
Orozco, L.A. *see* Rosenberger, A.T. 87−39235
Orozco, O., Spence, T.L. Using CAD for connector designs 87−66637
Orpen, C. The effect of managerial distribution of scientific and technical information on company performance 86−13372
Orpen, C. Individual needs, organizational rewards, and job satisfaction among professional engineers 86−19785
Orphan, V.J. *see* Alvar, K.R. 88−18809
Orphanoudakis, S.C. *(editor)* Proceedings of the Twelfth Annual Northeast Bioengineering Conference (Cat. No. 86CH2329-1) 87−26
Orponen, P., Schoning, U. The density and complexity of polynomial cores for intractable sets 86−66763
Orr, A.T. Implementation strategies for the establishment of the Ontario Telidon network 85−8118
Orr, C.H. *see* Coulbeck, B. 87−30070
Orr, D. Packet Switchstream: a growing public service 85−36589
Orr, E. Hydrogen power transmission for remote hydro schemes 85−32377

Orr, G.B., Sopher, S.M., Apple, J.M., Jr. Material handling equipment alternatives examined for progressive build in light assembly operations 85−49335
Orr, G.E. *see* Miller, J.E., Jr. 85−39622
Orr, H.A. Generic Integrated Maintenance Diagnostics (GIMADS): designing weapon systems with the maintainer in mind 88−68703
Orr, J. A stable 2-26.5 GHz two-stage dual-gate distributed MMIC amplifier 86−67501
Orr, J. A stable 2-26.5 GHz two-stage dual-gate distributed MMIC amplifier 87−6160
Orr, J.A., Cyganski, D., Emanuel, A.E., Saleh, R.T. Design of a system for automated measurement and statistics calculation of voltage and current harmonics 87−28911
Orr, J.A., Cyganski, D., Vaz, R. Determination of affine transforms from object contours with no point correspondence information 86−16559
Orr, J.A., Emanuel, A.E., Pileggi, D.J. Current harmonics, voltage distortion, and powers associated with electric vehicle battery chargers distributed on the residential power system 85−9992
Orr, J.A. *see* Cyganski, D. 86−16558, 86−23119, 87−62356, 87−69373
Orr, J.A. *see* Emanuel, A.E. 85−27003
Orr, J.A. *see* Pinjo, Z. 86−10486
Orr, J.R. *see* Strait, J. 88−68133
Orr, J.S. *see* Jennings, S.J. 87−8898
Orr, L. Gateways to SNA offer multivendor network solutions 85−30684
Orr, M.A., Storm, C.L. Assuring the integrity of LSSD [level sensitive scan design logic circuits] 85−28475
Orr, M.A. *see* Hayes, E.N. 85−49961
Orr, M.J.L., Fisher, R.B. Geometric reasoning for computer vision 88−3179
Orr, M.J.L. *see* Fisher, R.B. 88−52516
Orr, N.A. *see* Catford, W.N. 86−44610, 87−77585
Orr, R. Single line call logging equipment 85−63241
Orr, R. Cellular canals [telephony] 86−4517
Orr, R. Single line call logging equipment. II 86−17077
Orr, R. The telecom Moneybox 86−17078
Orr, R. Cellular overview−the position today 86−23758
Orr, R. Satellite television 86−23816
Orr, R. Satellite television 86−37858
Orr, R. Satellite dish installation 87−40781
Orr, R. Philips SOPHO K12 [telephone system] 87−48458
Orr, R. Executive workstations−four product reviews 87−48753
Orr, R. The Entrepreneur phone system 87−62525
Orr, R. Satellite television 87−63125
Orr, R.A., Norris, M.T., Rouch, C.D.V. Complexity control and analysis of real time software systems 87−62420
Orr, R.D. *see* Kanda, M. 86−35078, 87−12781, 87−27012, 87−47334
Orr, S. *see* Dransfield, P. 88−49101
Orr, T. Powertran MCS1. III. How it works 85−31259
Orr, T. Powertran MCSI. IV. Testing, testing 85−31272
Orr, T. Powertran MCS1. V. Tidying Up 85−42819
Orr, T., Monkhouse, R., Bird, P. Powertran MCS1. I. Playing with time [digital sampling unit] 85−8637
Orr, T. *see* Grant, J. 85−52601, 85−52611
Orr, W.L. *see* Warner, D.C. 86−61311
Orrebrink, U. AD converter using LinCMOS: low current consumption and simple to build 87−5923
Orrell, E.D. *see* Cockayne, B. 88−70314
Orrell, E.D. *see* Shenai-Khatkhate, D.V. 87−10390
Orrell, E.D. *see* Wright, P.J. 88−70315
Orrin, J.E. Long term durability testing of combustion sensors 88−55706
Orriols, G., Schmidt-Iglesias, C., Pi, F. Optical bistability in two-beam interferometric devices with in-phase outputs 87−33329
Orriols, G. *see* Pi, F. 86−48500, 87−33260
Orrman-Rossiter, K.G., Johnson, S.T., Williams, J.S. Solid solubility limits in ion-implanted gallium arsenide 85−45536
Orrman-Rossiter, K.G. *see* Johnson, S.T. 85−12164
Orro, J. *see* Cahoon, E.C. 87−751
Ors, M.Sanchez *see* Sanchez Ors, M.
Orsak, G., Aazhang, B. On the application of importance sampling to the analysis of detection systems 88−34723
Orsal, B., Alabedra, R., Belatoui, T., Joullie, A., Scavennec, A. Performance limitation by tunneling in GaAlAsSb avalanche photodetectors 86−42420
Orsal, B., Alabedra, R., Belatoui, T., Joullie, A., Scavennec, A. Preparation and noise characterization of GaAl(As)Sb diffused P^+N diodes 86−63725
Orsal, B., Alabedra, R., Ruas, R. Low frequency noise as a control test for spacial solar panels 87−22749
Orsal, B., Alabedra, R., Valenza, M., Lecoy, G., Meslage, J., Boisrobert, C. $Hg_{0.4}Cd_{0.6}Te$ 1.5 μm avalanche photodiodes noise analysis in the vicinity of spin-orbit resonance split-off 87−46695
Orsal, B., Alabedra, R., Valenza, M., Lecoy, G.P., Meslage, J., Boisrobert, C.Y. $Hg_{0.4}Cd_{0.6}Te$ 1.55-μm avalanche photodiode noise analysis in the vicinity of resonant impact ionization connected with the spin-orbit split-off band 88−26978
Orsal, B., Alabedra, R., Valenza, M., Pichard, G., Meslage, J. Impact ionization rates for electrons and holes in $Hg_{0.3}Cd_{0.7}Te$ in avalanche photodiodes for optical fiber transmission systems at $\lambda = 1.3$ μm 86−9684
Orsal, B. *see* Alabedra, R. 85−58105, 86−9692, 86−42419, 86−63724, 88−4445, 88−58352
Orsal, B. *see* Conjeaud, A.L. 86−41574
Orsal, B. *see* Lecoy, G.P. 87−68282
Orsal, B. *see* Vandamme, L.K.J. 88−40071
Orsburn, M. da Vinci [colour correction system] 88−60426
Orsburn, M.L. Scene-by-scene color correction the next generation 86−69949
Orsburn, M.L. New phase domain signal processing−an alternative to the variable matrix in scene-by-scene color correction 87−13930
Orsello, R.J. Programmable logic: testability by design 86−46756
Orshanskii, I.S. *see* Gracheva, I.V. 86−31432
Orshanskii, I.S. *see* Koltun, M.M. 85−21799
Orshanskii, I.S. *see* Litsenko, T.A. 87−43421
Orsi, A.Palamara *see* Palamara Orsi, A.
Orsini, A. *see* Alessandrini, C. 85−28700
Orsini, M. *see* Fedele, G. 85−37091, 86−17439
Orsini, M. *see* Galati, G. 85−52408
Orsini, P.G. *see* Egiziano, L. 86−70711
Orsini, S. *see* Capotorto, V. 87−34170
Orsmond, N.I. The mine rescue radio goes into production 85−42497
Orsoeva, A.A., Ragozin, A.A. Features of excitation regulation of reversing sets at pumped-storage hydroelectric stations 85−60069
Orsoeva, A.A. *see* Ragozin, A.A. 85−60049
Orsulak, R.M. *see* Beineke, T.A. 85−4850
Orszag, A. *see* Migus, A. 85−41458, 87−46741
Orszag, M. Free-electron-laser linewidth obtained from a master Fokker-Planck equation 87−68540
Orszag, M., Becker, W., Scully, M.O. Theory of a correlated-emission free-electron laser 87−75168
Orszag, M., Ramirez, R. Quantum features of a free-electron laser 86−58944
Orszag, M. *see* Becker, W. 88−45472
Orszag, M. *see* Bergou, J. 88−33915
Orszag, M. *see* Fernandez, F. 87−46921
Orszag, M. *see* Huerta, L. 85−62616
Orszag, S.A. *see* Goldhirsch, I. 87−58848
Orszag, S.A. *see* Malik, M.R. 87−58878
Orszak, P. *see* Halsey, H. 86−6513
Orta, R. Microwave holographic measurement of reflector surface accuracy 86−29251
Orta, R., Tascone, R., Zich, R. Scattering from finite extent frequency selective surfaces illuminated by arbitrary sources 85−24918
Orta, R., Tascone, R., Zich, R. Frequency selective surfaces: spectral characterization and application to multifrequency antenna systems 86−10176
Orta, R., Tascone, R., Zich, R. A unified formulation for the analysis of general frequency selective surfaces 87−2340
Orta, R., Tascone, R., Zich, R. Perforated screens as frequency selective surfaces: a scattering matrix approach 87−33507
Orta, R., Tascone, R., Zich, R. Efficient choice of basis functions in moment method analysis of frequency-selective surfaces 87−54510
Orta, R., Tascone, R., Zich, R. Parametric investigation of frequency selective surfaces 87−75561
Orta, R., Tascone, R., Zich, R. Three-dimensional periodic arrays of thin conductors 88−27469
Orta, R., Tascone, R., Zich, R. Parametric investigation of frequency selective surfaces 88−34499
Orta, R., Tascone, R., Zich, R. Multiple dielectric loaded perforated screens as frequency selective surfaces 88−40651
Orta, R., Tascone, R., Zich, R. Multiple-grid frequency-selective surfaces as periodically loaded structures 88−44333
Orta, R. *see* Calderone, S. 86−42941
Orta, R. *see* Ghione, G. 85−36085
Ortale, C. *see* Iwanczyk, J.S. 87−37024
Ortale, C. *see* Kurtz, S.R. 88−14005
Ortale, C. *see* Markakis, J. 85−42997
Ortale, C. *see* Patt, B.E. 86−50508
Ortega, A. Oscillators in electronic instrumentation 87−5699
Ortega, G. *see* Castaneda, J. 85−4981
Ortega, J., Barker, C., Wilson, C., Kruse, R. An interactive, reconfigurable display system for automotive instrumentation 87−51580
Ortega, J. *see* Bollini, G.J. 87−71824
Ortega, J. *see* Gutierrez, M.T. 88−24152
Ortega, J. *see* Gutierrez Garcia, M.T. 86−33691
Ortega, J. *see* Herrero, J. 88−12024, 88−75892
Ortega, J. *see* Herrero Rueda, J. 88−24153
Ortega, J. *see* Kharbanda, S. 88−67684
Ortega, J. *see* Sanchez-Dehesa, J. 88−64325
Ortega, J.L.Perez-Aranda *see* Perez-Aranda Ortega, J.L.
Ortega, J.M. Free electron lasers 86−3232
Ortega, J.M. Free-electron lasers in Europe 86−15731
Ortega, J.M. Free electron generation of XUV coherent light 88−51832
Ortega, J.M. The *ijk* forms of factorization methods. I. Vector computers 88−56184
Ortega, J.M., Bazin, C., Bergher, M., Billardon, M., Deacon, D., Elleaume, P., Jezequel, G., Velghe, M., Petroff, Y. Recent undulator and FEL experiments and prospects at LURE 85−2171
Ortega, J.M., Elleaume, P., Billardon, M., Deacon, D., Girard, B., Lapierre, Y. Energy spread measurements on the ACO storage ring 85−59042
Ortega, J.M., Girard, B., Lapierre, Y., Bazin, C., Billardon, M., Elleaume, P., Bergher, M., Velghe, M., Petroff, Y. Optical frequency multiplication by an optical klystron on the ACO storage ring 85−56710
Ortega, J.M., Romine, C.H. The ijk forms of factorization methods. II. Parallel systems 88−56185
Ortega, J.M. *see* Billardon, M. 85−56708, 86−3194, 87−2141, 87−39146, 87−75139
Ortega, J.M. *see* Deacon, D.A.G. 85−41419
Ortega, J.M. *see* Elleaume, P. 85−12916, 85−56709, 86−3192
Ortega, J.M. *see* Girard, B. 85−18960
Ortega, J.M. *see* Prazeres, R. 87−75153
Ortega, J.M. *see* Robinson, K.E. 85−18957
Ortega, J.M. *see* Velghe, M. 85−12908
Ortega, J.R. *see* Gonzalez, M.A. 87−21523
Ortega, J.R. *see* Hernandez, C. 87−21629
Ortega, M. *see* Troya, J.M. 86−26748
Ortega, R. *see* Verde, C. 87−36363
Ortega, R.B. *see* Zahn, M. 88−29570
Ortega, V., Iglesias, M. The supervision system of the RTVE broadcasting network 87−76926
Ortega, V. *see* Ballesteros, E. 88−56957
Ortega, X. *see* Alonso, A. 86−39378
Ortega-Molina, A. *see* Preston, R. 86−30928
Ortega-Molina, A. *see* Preston, R.A. 86−55400
Ortega-Navas, J. *see* Ibanez, J.A. 87−29354
Ortenberg, M.von *see* von Ortenberg, M.
Ortendahl, D.A. Magnetic resonance: the second revolution in computer-based imaging 86−11942
Ortendahl, D.A., Hylton, N.M., Kaufman, L., Crooks, L.E. Tissues characterization using intrinsic NMR parameters and a hierarchical processing algorithm 85−48232
Ortendahl, D.A., Hylton, N.M., Kaufman, L., Crooks, L.E. Optimal strategies for obtaining the minimal NMR data set 85−48233
Ortendahl, D.A., Hylton, N.M., Kaufman, L., Crooks, L.E., Mills, C.M., Davis, P.L. Computation techniques in NMR imaging 85−43383
Ortendahl, D.A. *see* Hylton, N.M. 85−43363, 86−11951
Ortendahl, D.A. *see* Mills, T.C. 86−50503, 87−50250
Ortgies, G. Probability density function of amplitude scintillations 85−30028
Ortgies, G. Amplitude scintillations occurring simultaneously with rain attenuation on satellite links in the 11 GHz band 85−42557
Ortgies, G. Experimental parameters affecting amplitude scintillation measurements on satellite links 85−57019
Ortgies, G., Rucker, F. Diurnal and seasonal variations of OTS amplitude scintillations 85−30029
Ortgies, G. *see* Vilar, E. 85−57017
Ortgies, H. Automatic detection of surface defects on cable 85−44503
Orth, C.D., Klein, G., Sercel, J., Hoffman, N., Murray, K., Chang-Diaz, F. The VISTA spacecraft−advantages of ICF for interplanetary fusion propulsion applications 88−68598
Orth, D. Public-address pillar with changeable directional characteristic 85−58419
Orth, G. Control of the cooling water temperature of induction heating installations with waste heat utilization 85−60552
Orth, M., Jakob, D. Digital picture processing based on the IBM-AT 88−60432
Orthel, J.L. *see* Fornaca, S. 88−54342
Orthman, D., Van Zet, D. Optimizing NC drill design for small-hole drilling [of PCBs] 86−53192
Orthmann, R. *see* Joetten, R. 86−7216
Ortigueira, M.D. A predictor based ARMA model 86−29946
Ortigueira, M.D. A three step algorithm for ARMA modeling 88−59170
Ortigueira, M.D., Tribolet, J.M. Global versus local minimization in least-squares AR spectral estimation 85−19465
Ortigueira, M.D., Tribolet, J.M. On the evaluation of spectral analysis techniques 85−46856
Ortinau, R., Schroder, H. The design of an Integrated decision circuit for 700 MBD with a 5B6B code error monitor 87−40916

Ortino, C. *see* Abbate, H. 86–14032, 86–34598
Ortiz, A., Falcony, C., Garcia, M., Sanchez, A. Terbium-doped zinc oxide films deposited by spray pyrolysis 87–52158
Ortiz, C. *see* Afonso, C.N. 86–22573
Ortiz, C. *see* Clark, G.J. 85–41463
Ortiz, C. *see* Mao-Min Chen 88–51225
Ortiz, E.L. Recent progress in the numerical treatment of singular problems for partial differential equations with techniques based on the Tau method 87–36667
Ortiz, E.L., Pun, K.-S. Numerical solution of nonlinear partial differential equations with the Tau method 85–54402
Ortiz, E.L., Pun, K.-S. A bidimensional Tau-elements method for the numerical solution of nonlinear partial differential equations with an application to Burgers' equation 87–31457
Ortiz, E.L. *see* Liu, K.M. 87–31455
Ortiz, E.L. *see* Onumanyi, P. 85–5966
Ortiz, E.L. *(editor)* Numerical Approximation of Partial Differential Equations. International Symposium on Numerical Analysis 87–36320
Ortiz, J. Security and local area networks 86–23473
Ortiz, J.A.Dorrego *see* Dorrego Ortiz, J.A.
Ortiz, J.L. *see* Lee, K.Y. 85–48544, 86–56337
Ortiz, M. A note on energy conservation and stability of nonlinear time-stepping algorithms 87–215
Ortiz, M.R. *see* Ball, E.H. 87–15296
Ortiz, S.R. *see* Meng-Chih Su 87–41304
Ortiz, W. *see* Emery, L. 88–54456
Ortiz Blasco, J.M. *see* Alarcon, G. 87–41973
Ortiz-Ahlf, M.L. *see* Ramos-Niembro, G. 87–78182
Ortiz-Conde, A., Fossum, J.G. Subthreshold behavior of thin-film LPCVD polysilicon MOSFETs 87–6722
Ortiz-Conde, A. *see* Banak, M.A. 87–60586
Ortiz-Conde, A. *see* Fossum, J.G. 85–50598, 86–9147
Ortjohann, E. *see* Handschin, E. 86–39525
Ortjohann, H.W. *see* Winter, H. 87–35018
Ortlepp, H.-G. *see* Kotte, R. 87–63696
Ortlepp, H.G. *see* Pausch, G. 87–50174
Ortloff, H. Asymptotic behaviour and convergence acceleration of iterative sequences 87–5363
Ortman, R. Versatile digital timer 87–66449
Ortman, R. Build this digital speedometer for your car 87–70817
Ortman, R. Digital tachometer for your car 87–72531
Ortmann, B., Tischmeyer, M., Hildmann, U., Schilling, K., Schubert, F. Introduction of a new universal bioimpedance measurement instrument 'Impedance II' 86–44676
Ortmann, D. *see* Berger, C. 88–22937
Ortmans, J. *see* Colleter, P. 85–32101
Ortmeyer, T.H. Direct solution of a class of solid state power converters 85–11003
Ortmeyer, T.H. Direct solution of a class of solid state power converters 85–21734
Ortmeyer, T.H. CDFM generator steady state operating characteristics 86–70510
Ortmeyer, T.H., Borger, W.U. Control of cascaded doubly-fed machines for generator applications 85–9851
Ortmeyer, T.H., Hammam, M.S.A.A., Hiyama, T., Webb, D.B. Measurement of the harmonic characteristics of radial distribution systems 88–48563
Ortmeyer, T.H., Hammam, M.S.A.A., Shaw, J.M. Design of reactive compensation for industrial power rectifiers 86–70974
Ortmeyer, T.H., Weimer, J.A. Implementation of CDFM generator control 87–4088
Ortmeyer, T.H. *see* Eltom, A.H. 86–39794
Ortmeyer, T.H. *see* Weimer, J.A. 85–9353
Ortmeyer, W. Application of the one-chip microcomputer U8047 in the comfort telephone set APART 2510 87–2961
Ortner, G. *see* Andres, O. 88–62154
Ortner, G. *see* Gebhard, G. 88–62156
Ortner, H.-W. *see* Frankenberg, R.V. 86–32181
Ortner, H.-W. *see* Wirth, H. 87–21410
Ortner, H.W. *see* Baran, R. 87–71033, 88–22939
Ortner, H.W. *see* Krell, S. 87–50144
Ortolano, D.J., Hines, F.F. A simplified approach to heat flow measurement 85–4148
Ortolano, R.J. Improving steam turbines by using abrasion resistant and corrosion resistant surface protection systems 87–64419
Ortolano, R.J., Franz, H.L. Improving the availability of electric utility steam turbines 86–33160
Orton, C.G. *see* Blosser, H.G. 85–64629
Orton, D.A. Empirical study of techniques for pulse amplitude and position estimation 86–3924
Orton, D.W.R. The application of hierarchical CAD tools in the design and management of VLSI developments 86–47767
Orton, D.W.R. Novel CMOS latch with clock hysteresis 88–6950
Orton, D.W.R. *see* Darby, B.J. 86–53720, 86–53723
Orton, E., Nasatir, R. Getting the most out of electronic mail 86–59543
Orton, G., Peppard, L.E., Tavares, S.E. A fast asynchronous RSA encryption chip 86–67295
Orton, G.A., Roy, M.P., Scott, P.A., Peppard, L.E., Tavares, S.E. Design and characterization of VLSI chips for public key data encryption systems 88–39707
Orton, G.A., Roy, M.P., Scott, P.A., Peppard, L.E., Tavares, S.E. VLSI implementation of public-key encryption algorithms 88–40835
Orton, G.F., Mark, T.D. LOX/hydrocarbon auxiliary propulsion for the space shuttle orbiter 85–59402
Orton, G.F. *see* Jacobson, S.A. 87–50599
Orton, G.W. GEC supplies two full speed turbine generators [Guangdong NPP] 87–78264
Orton, H.E., Fletcher, R.G., Colwell, M.J., Cartlidge, D.M., Bradley, J. Elevated temperature operation of XLPE distribution cable system 86–70672
Orton, J. *see* Sery, G. 85–35201
Orton, J. *see* Smith, R.J. 85–50720
Orton, J.T. *see* Chu, J.K. 87–1794
Orton, J.W. Measurement of 'material' parameters in multi-quantum well systems 87–24909
Orton, J.W. *see* Powell, M.J. 86–47631
Orton, R.L. The telecommunications network and national security 87–69446
Orton, R.L., Cording, K.P. Development of a telecommunications management network in Australia 88–3402
Orton, R.S. Measurement of HF antennas 85–24945
Ortuno, M. *see* Navarro, A. 86–54254
Ortz, A., Sanchez, A., Falcony, C., Farias, M.H., Hirata, G.A., Cota-Araiza, L. Lack of chemical interaction of hydrogenated amorphous silicon with indium-doped zinc oxide transparent conductive films 88–63348
Ortz, A. *see* Herczfeld, P.R. 86–35106
Oruc, A.Y., Oruc, M.Y., Balabanian, N. Reconfiguration algorithms for interconnection networks 85–57631
Oruc, A.Y., Prakash, D. Routing algorithms for cellular interconnection arrays 85–11192
Oruc, A.Y. *see* Koppelman, D.M. 87–38476
Oruc, A.Yavuz *see* Yavuz Oruc, A.
Oruc, M.Y. *see* Oruc, A.Y. 85–57631
Oruganati, R. *see* Kwang-Hwa Liu 86–20765
Oruganti, R., Lee, F.C. Resonant power processors–I: state plane analysis 85–32615
Oruganti, R., Lee, F.C. Resonant power processors–II: methods of control 85–32616
Oruganti, R., Lee, F.C. State-plane analysis of parallel resonant converter 86–7972
Oruganti, R., Lee, F.C. Resonant power processors. I. State plane analysis 86–33492
Oruganti, R., Lee, F.C. Resonant power processors. II. Methods of control 86–33493
Oruganti, R., Lee, F.C. Effects of parasitic losses on the performance of series resonant converter 86–45579
Oruganti, R., Yang, J.J., Lee, F.C. Implementation of optimal trajectory control of series resonant converter 87–78786
Oruganti, R. *see* Jovanovic, M.M. 86–61622, 87–36981
Oruganti, R. *see* Kwang-Hwa Liu 86–8412, 87–44546
Oruganti, R. *see* Liu, K.H. 87–36983
Oruganti, R. *see* Tsai, F.-S. 88–11298
Oruganti, R. *see* Tsai, F.S. 86–45566
Orui, S., Ara, M., Orino, Y., Suzuki, E., Makino, H. Computer-aided design of IIR lowpass and frequency selective digital filters by frequency transformations 87–73562
Orui, S., Ara, M., Orino, Y., Suzuki, E., Makino, H. Realization of IIR digital filter using TMS 320 87–73563
Orum, J., de Bruyne, P. Data compression for improved police records 85–2911
Orun-Ozturk, H., Trussell, H.J., Civanlar, M.R. Detection of artifacts in CT images using the consistency of the projection data 88–29967
Orun-Ozturk, H. *see* Trussell, H.J. 87–63760
Orusa, A. *see* Merletti, R. 85–38147
Orvaec, P., Puzman, J. Computer networks as basis of information processing development 88–3542
Orvek, K.J., Cunningham, W.C., Jr., McFarland, J.C. An organosilicon photoresist for use in excimer laser lithography 88–26149
Orvek, K.J., Cunningham, W.C., Jr., McFarland, J.C. An organosilicon photoresist for use in excimer laser lithography 88–44724
Orvek, K.J., Dennis, M.L. Deep UV and thermal hardening of novolak resists 88–13273
Orvek, K.J., Huffman, C. Carbonized layer formation in ion implanted photoresist masks 85–40599
Orvek, K.J., Palmer, S.R., Garza, C.M., Fuller, G.E. Resists for use in 248 nm excimer laser lithography 87–11883
Orville, R., Songster, H. The east coast lightning detection network 87–71738
Orville, R.E., Pyle, R.B., Henderson, R.W. The East Coast Lightning Detection Network 87–29930
Orvis, D.D., Joksimovich, V., Worledge, D.H. Treatment of system dependencies and human interactions in PRA studies: a review and sensitivity study 85–53426
Orvis, W.J., Khanaka, G.H., Yee, J.H. Development of a GaAs solid state device model for high power applications 88–50784
Orvis, W.J., Yee, J.H., Khanaka, G.H. Phenomenology of pulse failure thresholds in a small signal diode 87–45878
Orzechowski, T.J. Intense microwave generation with a free-electron laser amplifier 87–46929
Orzechowski, T.J., Anderson, B., Fawley, W.M., Hopkins, D., Paul, A.C., Prosnitz, D., Scharlemann, E.T., Sessler, A.M., Wurtele, J., Yarema, S. Microwave radiation from a high-gain free electron laser amplifier 86–3233
Orzechowski, T.J., Anderson, B., Fawley, W.M., Prosnitz, D., Scharlemann, E.T., Yarema, S., Hopkins, D., Paul, A.C., Sessler, A.M., Wurtele, J. Microwave radiation from a high-gain free-electron laser amplifier 85–35808
Orzechowski, T.J., Anderson, B.R., Clark, J.C., Fawley, W.M., Paul, A.C., Prosnitz, D., Scharlemann, E.T., Yarema, S.M., Hopkins, D.B., Sessler, A.M., Wurtele, J.S. High-efficiency extraction of microwave radiation from a tapered-wiggler free-electron laser 87–12519
Orzechowski, T.J., Anderson, B.R., Fawley, W.M., Prosnitz, D., Scharlemann, E.T., Yarema, S.M., Sessler, A.M., Hopkins, D.B., Paul, A.C., Wurtele, J.S. High gain and high extraction efficiency from a free electron laser amplifier operating in the millimeter wave regime 87–2161
Orzechowski, T.J., Koehler, H., Edwards, W., Nelson, M., Marshall, B. A novel probe for determining the size and position of a relativistic electron beam 85–35411
Orzechowski, T.J., Scharlemann, E.T., Hopkins, D.B. Measurement of the phase of the electromagnetic wave in a free-electron laser amplifier 87–33221
Orzechowski, T.J. *see* Barletta, W.A. 85–62613
Orzechowski, T.J. *see* Hopkins, D.B. 87–39151
Orzechowski, T.J. *see* Scharlemann, E.T. 87–2162
Orzechowski, T.J. *see* Weir, J.T. 88–54194
Orzenchowski, T.J., Scharlemann, E.T., Anderson, B., Neil, V.K., Fawley, W.M., Prosnitz, D., Yarema, S.M., Hopkins, D.B., Paul, A.C., Sessler, A.M., Wurtele, J.S. High-gain free electron lasers using induction linear accelerators 86–3196
Orzeszko, A. *see* Kotowski, T. 85–29792
Orzeszko, S. The central substation Karlsruhe [computer controlled railway power supplies] 85–10173
Orzeszko, S. *see* Freund, H. 88–49221
Orzhakhovskii, M.L. Selecting air-humidity test regimes for electrical products [electric motors] 86–45339
Orzylowski, M. Selected aspects of designing a microcomputer control system for diffusion furnaces 88–6038
Orzylowski, M. *see* Sankowski, D. 87–5093
Os, B.V.van *see* van Os, B.V.
Os, L.va *see* va Os, L.
Os, L.van *see* van Os, L.
Osa, T. *see* Matsuo, T. 86–55685
Osabe, H. *see* Abe, K. 88–16629
Osabe, H. *see* Sumiyoshi, T. 88–74661
Osabe, H. *see* Uebayashi, T. 88–29903
Osabe, Y., Yamauchi, M., Nakamura, M., Hori, M., Ohta, T. Tuner block for direct broadcasting satellite 86–30978
Osabe, Y., Yamauchi, M., Noboru, M., Ikemoto, T., Ohta, T. FM demodulator for direct broadcasting satellite 86–55442
Osada, H., Gotou, K. Development of a simplified weight measuring device for freight cars 85–31329
Osada, H., Shimokohbe, A. An optical non-contacting probe. II. Experiments on a miniaturized one body probe 86–38343
Osada, H. *see* Lee, C.S. 85–46431, 86–3393
Osada, H. *see* Seki, K. 88–19910, 88–51268, 88–67766
Osada, H. *see* Shimokohbe, A. 85–14807
Osada, I. *see* Kusaka, Y. 85–15960
Osada, K., Mase, T., Imai, M., Kawata, A., Yamada, Y. Development of a consolidated design database 88–62998
Osada, M. *see* Nomura, S. 87–40529
Osada, M. *see* Yoshida, Y. 88–62799
Osada, N. Asymptotic expansions and acceleration methods for alternating series 88–6385
Osada, S. *see* Goto, T. 88–26678
Osada, S. *see* Haruo, H. 88–10126
Osada, S. *see* Ishizuka, Y. 86–50345
Osada, S. *see* Kim, Y. 85–9071, 86–50344
Osada, T. *see* Inose, T. 86–64611, 88–52814
Osada, T. *see* Kimura, H. 87–61838
Osada, T. *see* Sunada, K. 88–15762
Osada, Y., Mizumoto, A. Preparation and electrical properties of polymeric copper phthalocyanine thin films by plasma polymerization 86–42403
Osada, Y. *see* Fujiwara, M. 88–17811
Osada, Y. *see* Sugata, M. 85–64206

Osadchev, L.A., Sergeev, A.N., Frolova, M.H. Refractive-index distribution in TiO$_2$-based oxide films 88−20415
Osadchev, L.A. *see* Sergeev, A.N. 88−72086
Osadchiev, V.M. *see* Korneev, A.A. 86−68026
Osadchii, A.I. Equivalent circuit and basic equations of a current transformer operating in a switching regime 86−25664
Osadchii, A.I. *see* Aminov, R.Z. 87−78338
Osadchii, E.P. Problems in the development of theory and of engineering methods in the design of transducers 85−37590
Osadchii, E.P. Production principles in provision of national economy in transducer equipment 86−46146
Osadchii, E.P., Nikolaev, A.N. Towards the analysis of conversion methods of transducers of mechanical variables 86−50068
Osadchii, E.P. *see* Gonchar, V.I. 88−16079
Osadchii, E.P. *see* Kharitonov, P.T. 85−47958
Osadchii, E.P. *see* Marchenko, B.G. 85−65209
Osadchii, V.G., Alekseevich, V.A. Results of commissioning of semiconductor converters for main drives for rolling mills 88−49311
Osadchii, V.M. *see* Borodovskii, P.A. 85−61684
Osadchii, Yu.M., Omel'chenko, V.A. Hydroacoustic differential−range finding system for determining position 88−47238
Osadchiy, V.M. *see* Borodovskiy, P.A. 87−32084
Osadchuk, L.A. *see* Volenko, V.V. 86−29206
Osadchuk, V.A. New layouts of pumped-storage stations 87−42712
Osadchuk, V.A., Levitskii, L.L., Landau, Yu.A. Optimization of the design of the South Ukrainian integrated power development 87−9251
Osadchuk, V.S. *see* Kuchak, V.M. 85−1017
Osadchy, V. *see* Orehotsky, J. 86−15127
Osadchy, V.S. *see* Dolny, G.M. 86−52167
Osadnik, S.J. *see* Berlicki, T.M. 85−23599, 85−34400, 86−53486
Osadzinski, A. Remote file access 86−59672
Osafune, K., Enoki, T., Muraguchi, M., Ohwada, K. 20 GHz dynamic frequency divider with GaAs advanced SAINT and air-bridge technology 87−37151
Osafune, K., Enoki, T., Yamasaki, K., Ohwada, K. GaAs ultra high frequency dividers with advanced SAINT FETs 86−67511
Osafune, K., Enoki, T., Yamasaki, K., Ohwada, K. GaAs ultra-high-frequency dividers with advanced SAINT FETs 87−31805
Osafune, K., Kato, N., Sugeta, T., Yamao, Y. A low-noise GaAs monolithic broad-band amplifier using a drain current saving technique 85−50044
Osafune, K., Ohwada, K. Ultra-high-speed GaAs monolithic prescaler and phase frequency comparator IC 86−62539
Osafune, K., Ohwada, K. An ultra-high-speed GaAs prescaler using a dynamic frequency divider 87−32034
Osafune, K., Ohwada, K., Kato, N. High-speed and low-power GaAs phase frequency comparator 86−41045
Osafune, K., Ohwada, K., Kato, N. Ultra-high-speed GaAs BFL binary frequency divider 86−67182
Osafune, K., Takada, T., Kato, N., Ohwada, K. GaAs ultra-high-speed prescaler/phase frequency comparator using LSCFL 88−19041
Osafune, K. *see* Enoki, T. 86−20814, 87−24465, 88−25458
Osafune, K. *see* Sugeta, T. 87−18337
Osaka, F., Kishi, Y., Kobayashi, M., Mikawa, T. Low-temperature impact ionization rates in (111) oriented InP 86−8755
Osaka, F., Mikawa, T. Low-temperature characteristics of electron ionization rates in (100)- and (111)-oriented InP 86−21134
Osaka, F., Mikawa, T. Excess noise design of InP/GaInAsP/GaInAs avalanche photodiodes 86−42430
Osaka, F., Mikawa, T., Kanaeda, T. Impact ionization coefficients of electrons and holes in (100)-oriented Ga$_{1-x}$In$_x$As$_y$P$_{1-y}$ 86−22238
Osaka, F., Mikawa, T., Kaneda, T. Electron and hole ionization coefficients in (100) oriented Ga$_{0.18}$In$_{0.82}$As$_{0.39}$P$_{0.61}$ 85−1293
Osaka, F., Mikawa, T., Kaneda, T. Low-temperature characteristics of electron and hole ionization coefficients in (100) oriented Ga$_{1-x}$In$_x$As$_y$P$_{1-y}$ 85−55457
Osaka, F., Mikawa, T., Wada, O. Analysis of impact ionization phenomena in InP by Monte Carlo simulation 86−41537
Osaka, F., Mikawa, T., Wada, O. Effect of alloy scattering on electron and hole impact ionization rates in Ga$_{1-x}$In$_x$As$_y$P$_{1-y}$ alloy system 86−47302
Osaka, F., Mikawa, T., Wada, O. Electron and hole impact ionization rates in InP/Ga$_{0.47}$In$_{0.53}$As superlattice 87−11397
Osaka, F. *see* Takanohashi, T. 86−53405
Osaka, J., Hyuga, F., Kobayashi, T., Yamada, Y., Orito, F. Role of boron in electrical properties of semi-insulating GaAs grown by the liquid encapsulated Czochralski method 87−24774
Osaka, J., Hyuga, F., Watanabe, K. Electrical property improvements in In-doped dislocation-free GaAs by bulk annealing 86−21123
Osaka, J., Kobayashi, T., Nakanishi, H. Growth of semi-insulating GaAs single crystal by LEC method 85−34742
Osaka, J. *see* Hyuga, F. 87−53176
Osaka, J. *see* Inoue, N. 88−389
Osaka, J. *see* Kobayashi, T. 85−356, 85−39714
Osaka, J. *see* Kohda, H. 86−394
Osaka, J. *see* Miyazawa, S. 88−57585
Osaka, J. *see* Orito, F. 87−31494
Osaka, K. *see* Kubota, S. 87−64084
Osaka, N. The effect of VDU colour on visual fatigue in the fovea and periphery of the visual field 86−11448
Osaka, N., Kakehi, K. Objective evaluation model of telephone transmission performance for fundamental transmission factors 85−36622
Osaka, N., Kakehi, K. Objective evaluation model for telephone transmission performance 86−37329
Osaka, N., Kakehi, K. A study on the psychological factors that affect the opinion evaluation of telephone transmission performance 86−69331
Osaka, N., Kakehi, K. Objective evaluation model of telephone transmission performance for fundamental transmission factors 87−2795
Osaka, N., Kakehi, K. Objective model for evaluating telephone transmission performance 87−7977
Osaka, T. Metal film formation technology using wet process−review on application of electroless plating method of electronic materials 85−33166
Osaka, T., Funaoka, H., Yamazaki, H. Improvement of ITO/p-Si solar cell using conductive polymer 87−51444
Osaka, T., Hirota, N., Hayashi, T. Characteristics of photoelectrochemical cells using indium tin oxide/p-Si heterojunction photoelectrodes 86−13001
Osaka, T., Koiwa, I. Development of electroless plated magnetic media for perpendicular recording 86−15396
Osaka, T., Koiwa, I., Okabe, Y., Matsubara, H., Goto, F., Shiota, N. Electroless cobalt alloy films for perpendicular magnetic recording 86−9404
Osaka, T., Koiwa, I., Okabe, Y., Matsubara, H., Wada, A., Goto, F. A study on perpendicular magnetic anisotropy cobalt alloys films prepared by an electroless plating method 85−7137
Osaka, T., Koiwa, I., Okabe, Y., Yamanishi, K. Correlation between magnetic properties and composition of electroless-plated cobalt alloy films for perpendicular magnetic recording media 88−13667
Osaka, T., Koiwa, I., Toda, M., Sakuma, T., Namikawa, T., Yamazaki, Y. Film thickness effect on magnetic properties of electroless Co alloy films for perpendicular magnetic recording media 87−18484
Osaka, T., Koiwa, I., Toda, M., Sakuma, T., Yamazaki, Y., Namikawa, T. Control of thickness dependence of perpendicular coercivity on electroless Co-Ni-Re-P alloy thin films 87−60783
Osaka, T., Koiwa, I., Toda, M., Sakuma, T., Yamazaki, Y., Namikawa, T., Goto, F. An attempt on control of perpendicular coercivity toward film thickness direction of electroless plated cobalt alloy films for perpendicular magnetic recording 87−32857
Osaka, T., Matsubara, H., Yamanishi, K., Mizutani, H., Goto, F. The effects of an underlayer on recording characteristics of electroless plated perpendicular recording flexible media 88−57926
Osaka, T., Matsubara, H., Yamanishi, K., Mizutani, H., Okabe, H. Recording characteristics of electroless-plated perpendicular media for flexible disks 87−74519
Osaka, T., Nagata, H., Nakajima, E., Koiwa, I., Utsumi, K. Metalization of AlN ceramics by electroless Ni-P plating 87−11262
Osaka, T., Naoi, K., Hirabayashi, T. Application of electrochemically formed polyazulene to rechargeable lithium battery 88−30980
Osaka, T., Naoi, K., Ogano, S. Effect of polymerization anion on electrochemical properties of polypyrrole and on Li/LiClO$_4$/polypyrrole battery performance 88−62571
Osaka, T., Naoi, K., Ogano, S., Nakamura, S. Dependence of film thickness on electrochemical kinetics of polypyrrole and on properties of lithium-polypyrrole battery 88−17868
Osaka, T., Naoi, K., Sakai, H., Ogano, S. Effect of PF$_6^-$ anion on the properties of lithium-polypyrrole battery during polypyrrole film formation 87−43358
Osaka, T. *see* Goto, F. 85−18569
Osaka, T. *see* Koiwa, I. 86−13789, 86−58660, 86−63535, 86−63542, 87−5434, 88−51208
Osaka, T. *see* Naoi, K. 87−78881
Osaka, T. *see* Yata, M. 88−56225
Osaka, Y., Imura, T. Microcrystalline silicon (μc-Si) prepared by plasma-chemical techniques 86−503
Osaka, Y. *see* Ashida, Y. 86−509
Osaka, Y. *see* Chayahara, A. 85−28240, 86−66857
Osaka, Y. *see* Iwaoka, T. 86−20097
Osaka, Y. *see* Kodama, T. 87−1262
Osaka, Y. *see* Kohno, K. 85−10767, 86−66855
Osaka, Y. *see* Matsuo, S. 88−49870
Osaka, Y. *see* Mishima, Y. 85−12129
Osaka, Y. *see* Nakashita, T. 85−24367, 87−53164
Osaka, Y. *see* Nishibayashi, Y. 85−60996, 86−27935, 88−409
Osaka, Y. *see* Saito, K. 88−63368
Osaka, Y. *see* Tsukude, M. 86−41825
Osaka, Y. *see* Ueda, M. 85−40724, 85−44797, 87−65553, 88−24773
Osakabe, M. EMI measuring system with spectrum analyzer monitoring 87−3737
Osakabe, M., Kashiwagi, T. Portable measuring receiver 85−26430
Osakabe, M., Koizumi, Y., Tasaka, K. Two boil-off patterns in rod bundles under high-pressure conditions 86−25821
Osakabe, M. *see* Kumamaru, H. 87−4523
Osakabe, M. *see* Kuwahara, M. 85−2970
Osakabe, M. *see* Ooka, T. 86−50124
Osakada, G. *see* Asada, N. 85−53238
Osaki, A. *see* Ohtsu, M. 86−42563
Osaki, E. *see* Kubo, M. 87−63936, 88−10525
Osaki, E. *see* Watanabe, M. 87−27655
Osaki, K. *see* Ito, K. 87−73144
Osaki, O. *see* Murase, S. 85−46113
Osaki, O. *see* Muto, Y. 87−53926
Osaki, O. *see* Noto, K. 85−41087, 85−46107, 87−53927
Osaki, S., Fukumoto, S. Derivation of the convergence time of the limiting probabilities for a Markov process 88−56111
Osaki, S. *see* Kaio, N. 85−39564, 87−16438, 87−72879, 88−31550, 88−38039
Osaki, S. *see* Nagatomo, M. 87−44845
Osaki, S. *see* Tsukamoto, K. 87−31903
Osaki, S. *see* Yasui, K. 88−70183
Osaki, Y. *see* Inoue, Y. 85−58408
Osaki, Y. *see* Nakamura, T. 86−23583
Osamura, K. *see* Kimura, I. 88−68645
Osanai, H. Performance of new-type Zirconia oxygen sensor and its applications 86−31384
Osanai, H., Kohno, O., Ikeno, Y., Sadakata, N., Sugimoto, M., Usui, T., Aoki, S., Nakagawa, M. High temperature superconducting oxide wires 88−58014
Osanai, H., Nakazawa, M., Isono, Y., Asada, A., Usui, T., Kurumiya, Y. Humidity-sensing properties of a limiting-current type of oxygen sensor 88−68090
Osanai, H. *see* Usui, T. 88−29328
Osanai, M., Nagayama, T., Sasaki, H., Kobayashi, Y. Optical power/multi meter SA-9201 86−5353
Osanai, T. *see* Yomo, T. 88−9437
Osann, B. A development language for programmable logic devices 85−22776
Osann, B. Designer's guide to: programmable logic. I. Compiler-based software and PLDs improve logic design 85−22791
Osann, B. Designer's guide to: programmable logic. II. Use PLDs to shrink complex, discrete logic designs 85−28443
Osann, B. State-machine approach speeds logic design 85−28445
Osann, B. Software draws circuits for programmable logic in typical schematic form 85−33768
Osann, B. Handling programmable logic on CAE workstations 86−952
Osann, R. A universal approach to the programmable logic revolution 85−17315
Osann, R. Automatic test vector generation for programmable logic 85−17363
Osann, R. Testing programmable logic: an overview 85−17369
Osann, R. An easier way to design with programmable logic 85−45010
Osann, R. High-level language facilitates TTL to PLD conversion 86−993
Osann, R. Automatic test vector generation for programmable logic 86−998
Osann, R. The CAD aspects of programmable devices 87−677
Osanna, P.H. Procedures and development trends in surface roughness control 87−14539
Osanna, P.H., Durakbasa, M.N., Vagszegi, G. Roughness control by means of a laser 88−10127
Osano, M. A reduced Gaussian method using constant Jacobian matrix for solving network type nonlinear simultaneous equations 85−4606
Osano, M., Ueno, I., Nakajima, K., Tanimoto, M. Ablative macroparticle accelerator using cascaded relativistic electron beam diodes 87−19165
Osano, S., Motoki, T., Suzuki, K. An estimation of precipitation intensity potential from GMS data by using digital radar echo intensity data 88−74968
Osanov, D.P., Panova, V.P., Shaks, A.I. Multilayer detector for measuring absorbed dose in skin 86−60850
Osantowski, R., Kane, J. Control solids in cooling water to cut makeup requirements 85−15829
Osato, K. *see* Oka, M. 88−45242
Osato, Y. *see* Kuriyama, S. 86−55490
Osato, Y. *see* Onodera, T. 87−74687

Osawa, A., Takahashi, K., Yoshida, H., Omori, M. 8-bit latch driver μPD6345C/GS 88—20043
Osawa, H., Okamoto, Y., Tazaki, S. Performance comparison of partial response systems in digital VTR 85—14498
Osawa, H., Okamoto, Y., Tazaki, S. Performance comparison of partial response systems in digital VTR 86—69938
Osawa, H., Okamoto, Y., Tazaki, S. Performance comparison of signal detection methods for multilevel recording codes 87—61588
Osawa, H., Tazaki, S., Ando, S. Performance analysis of partial response systems for non-return to zero recording [video] 86—69941
Osawa, H., Yamashita, S., Tazaki, S. Performance of partial response system for FM recording code 88—45962
Osawa, H., Yoshida, H., Tazaki, S. Performance improvement of 8-9 and 8-10 conversion codes by partial response system 87—27202
Osawa, H. *see* Tazaki, S. 86—22923, 86—36949, 86—54442, 88—45964
Osawa, J. *see* Wakamoto, M. 88—46818
Osawa, M. *see* Ando, K. 86—30980, 86—31251, 87—3289, 87—3448
Osawa, S. *see* Yasunobu, K. 85—65177
Osawa, T. *see* Komiyama, H. 86—20091
Osawa, Y. *see* Saito, Y. 88—59569
Osawa, Y. *see* Suzuki, Y. 86—54851
Osawa, Z., Kawauchi, K., Iwata, M., Harada, H. Effect of polymer matrices on magnetic properties of plastic magnets 88—71947
Osawa, Z., Kobayashi, K. Thermal stability of shielding effectiveness of electromagnetic interference of composites 88—27527
Osberg, E.A. *see* Gurd, D. 88—54136
Osberg, J.S. *see* Rondinelli, D. 88—74835
Osbond, P.C., Whatmore, R.W., Ainger, F.W. The properties and microwave applications of zirconium titanate stannate ceramics 86—40795
Osbond, P.C., Whatmore, R.W., Ainger, F.W. A PTCR BaTiO$_3$ ceramic icing probe for helicopters 86—55619
Osborn, D.E., Chendo, M.A.C., Hamdy, M.A. Spectral selectivity applied to hybrid solar energy conversion systems 88—23810
Osborn, D.E., Chendo, M.A.C., Hamdy, M.A., Luttmann, F., Jacobson, M.R., Macleod, H.A., Swenson, R. Spectral selectivity applied to hybrid concentration systems 87—22756
Osborn, D.E. *see* Chendo, M.A.C. 87—26144, 87—51100
Osborn, D.E. *see* DeSandre, L. 87—26143
Osborn, J. *see* Joffe, S.N. 87—42000
Osborn, R.H. *see* Filipovits, R.W. 86—70597, 88—10811
Osborn, R.H. *see* Lee, R.E. 86—18872, 88—23457
Osborn, T.R., Lueck, R.G. Turbulence measurements from a towed body 87—71376
Osborne, A.G. Molded circuit board review 88—7204
Osborne, A.G. An overview of molded circuit boards 88—12722
Osborne, B.W. Satellite feeds for cable networks: a review of operational experience 85—8341
Osborne, C.G.W. Communication scholarship and telecommunications policy in Australia 86—23228
Osborne, D.W. Sound and data on DBS 85—52294
Osborne, D.W. *see* Lewis, A.R. 85—20304, 85—58287
Osborne, F.J.F. Growth of industrial space capabilities in Canada 88—22057
Osborne, F.J.F. *see* Branchflower, G.A. 88—35458
Osborne, J. *see* Robinson, L. 87—49372
Osborne, J. *see* Robinson, L.B. 88—4466
Osborne, J.L. *see* Trainor, T.A. 87—3876
Osborne, J.M. Understanding Doppler shift in satellite signals 85—25793
Osborne, K. *see* Harris, G.L. 87—60124, 88—43901
Osborne, K.R. *see* Harris, G.L. 86—34336
Osborne, L. *see* Callegari, G. 86—50323
Osborne, L.S. *see* Johnson, A.S. 86—50322
Osborne, L.S. *see* Lanza, R.C. 86—50500
Osborne, M.A., Morgan, G.B. A load-pull technique for the determination of transistor S parameters under large-signal conditions 86—27580
Osborne, M.J. *see* Hammond, T.M. 87—50562
Osborne, M.R. Estimating nonlinear models by maximum likelihood for the exponential family 87—58854
Osborne, M.R. Rare-gas-halide discharge stability 88—45340
Osborne, M.R. Industrial excimer lasers for Eureka 88—51989
Osborne, M.R., Coutts, J., Hutchinson, M.H.R., Webb, C.E. Output pulse termination of a self-sustained excimer laser 86—63752
Osborne, M.R., Hutchinson, M.H.R. Long pulse operation and premature termination of a high-power discharge-pumped XeCl laser 86—36384
Osborne, M.R., Hutchinson, M.H.R. Electro-optic voltage measurement in a high-power excimer laser 87—7271
Osborne, M.R., Smith, P.W., Hutchinson, M.H.R. The effect of pulse forming line impedance on the performance of an X-ray preionised XeCl discharge laser 85—29770
Osborne, M.R., Watson, G.A. An analysis of the total approximation problem in separable norms, and an algorithm for the total l_1 problem 85—33323
Osborne, M.R. *see* Clark, D.I. 88—31671
Osborne, M.R. *see* Coutts, J. 88—8147, 88—20540
Osborne, O.D. Quality circles: key to improving productivity in the service sector 87—23119
Osborne, R.L. Centralized diagnostics uses artificial intelligence 87—57878
Osborne, R.L. Online, artificial intelligence-based turbine generator diagnostics 87—57989
Osborne, R.L., Gonzalez, A.J., Emery, F.T. Increased power plant availability and reliability through on-line diagnostics based on artificial intelligence 86—61396
Osborne, R.L., Gonzalez, A.J., Weeks, C.A., Martin, J. First year's experience with on-line generator diagnostics 87—78057
Osborne, R.L. *see* Gonzalez, A.J. 86—66028
Osborne, R.P. *see* Jacobson, A. 85—38063
Osborne, R.W., Weber, W.A. Load-control system handles 14 utilities 87—71529
Osborne, R.W. *see* Peri, R. 87—77986
Osborne, S.J. *see* Astell-Burt, P.J. 87—18025
Osborne, W.P. *see* Snively, L.O. 86—59967
Osborne, W.P. *see* Wolejsza, C.J. 87—70001
Osbourn, G.C. Material properties of semiconductor strained-layer superlattices 85—34600
Osbourn, G.C. Novel material properties of strained-layer superlattices 85—55531
Osbourn, G.C. Strained-layer superlattices: a brief review 87—6417
Osbourn, G.C. Recent trends in III-V strained layer research 87—24844
Osbourn, G.C. A new approach to machine-based perception of monocular images 88—74134
Osbourn, G.C., Dawson, L.R., Biefeld, R.M., Zipperian, T.E., Fritz, I.J., Doyle, B.L. III-V strained layer superlattices for long-wavelength detector applications: recent progress 88—16110
Osbourn, G.C. *see* Chaffin, R.J. 86—13073
Osbourn, G.C. *see* Dawson, L.R. 86—2990
Osbourn, G.C. *see* Fritz, I.J. 85—28961, 86—58294, 86—58815
Osbourn, G.C. *see* Myers, D.R. 87—25075
Osbourn, G.C. *see* Peercy, P.S. 87—74064
Osbourn, G.C. *see* Schirber, J.E. 85—61742
Osbourn, G.C. *see* Wiczer, J.J. 85—24398
Osbourn, G.C. *see* Zipperian, T.E. 85—51073
Osbourn, G.C. *see* Gibson, J.M. *(editor)* 87—10055
Osbourn, S.J. *see* Megaw, J.H.P.C. 87—47061
Osbrink, N. *see* Wholey, J. 87—52846
Osbrink, N.K. MIC and MMIC packaging innovations continue to develop 86—7529
Osbrink, N.K. Earth-terminal design benefits from MMIC technology 87—8230
Osbrink, N.K. Preamps and YTOs cut ELINT noise 87—11044
Osbrink, N.K., Fake, S.R., Rosenburg, J.C. Two compact preamps cover 38-GHz bandwidth 86—14494
Osbrink, N.K., Levitsky, R.B., Moghe, S.B. Surface-mounted MICs and MMICs play vital role in military communications 85—40242
Osbrink, N.K. *see* DeBoo, R.J. 85—1038
Osbrink, N.K. *see* Kennan, W. 85—39929, 85—40232
Osbrink, N.K. *see* Koudai, F. 87—52856
Osbrink, N.K. *see* Malbon, R.M. 85—55153
Osbrink, N.K. *see* Martin, L.R. 88—63938
Osbrink, N.K. *see* Priorello, R.A. 87—66556
Osbrink, N.K. *see* Wilhemsen, F. 85—6531
Osbrink, N.K. *see* Zensius, D.P. 87—995, 88—38710
Osburn, C.M., Brat, T., Sharma, D., Parikh, N., Chu, W.-K., Griffis, D., Corcoran, S., Lin, S. The effects of titanium silicide formation on dopant redistribution 88—71400
Osburn, C.M., Ray, A.K., Reisman, A. Selective area oxidation of silicon using polysilicon film as mask 85—12180
Osburn, C.M., Reisman, A. Challenges in advanced semiconductor technology in the ULSI era for computer applications 87—74364
Osburn, C.M., Reisman, A. Challenges in advanced semiconductor technology for high-performance and supercomputer applications 88—71654
Osburn, C.M. *see* Brat, T. 87—1291
Osburn, C.M. *see* Donovan, R.P. 86—21653
Osburn, C.M. *see* Ozturk, M.C. 88—50698
Osburn, C.M. *see* Sharma, D. 88—71791
Osburn, C.M. *see* Wen, D.-S. 88—71768
Osburn, C.M. *see* Wen, D.S. 86—21103
Osburn, C.M. *see* Broydo, S. *(editor)* 88—70000
Osburn, D. Municipal computerizes meter reading and billing 87—42379
Osburn, G.D., Arnold, R.G. Application and testing of a fiber optic communication system at Grand Coulee 88—48806
Osburn, J.D.M., White, D.R.J. Impact of connectors and cabling on intra-system electromagnetic compatibility 87—19222
Osburn, J.D.M., White, D.R.J. The value and methods of evaluation of computer aided design in the classroom 87—23048
Osburn, J.D.M., White, D.R.J. Grounding—a recommendation for the future 88—14424
Osburn, J.D.M. *see* White, D.R.J. 86—29425
Oscar, D. *see* Cromack, D.E. 85—15956
Oschlies, J. Reliability testing of assemblies for automotive electronics 87—9932
Oschlies, K., Beaujean, R., Enge, W. Measurement of low energy cosmic rays aboard Spacelab-1 87—29598
Oschmann, M. *see* Waschkies, E. 85—33541
Oschmann, W. Observations on the chemical monitoring of flue gas cleaning plant 87—9378
Oscilowski, A.A. *see* Sorrells, D.L. 85—28060
Oscroft, G. Intrinsic fibre optic sensors 88—16171
Oscroft, G. Intrinsic fibre optic sensors 88—22620
Osculati, B. *see* Baland, J.F. 88—48000
Osculati, B. *see* Dameri, M. 85—43176
Osculati, B. *see* Forino, A. 85—37976
Osder, S.S. Helicopter avionics architecture for integrating flight critical functions 87—50501
Ose, E., Schumann, A., Triebel, Measurement of electrical discharge parameters of a transverse-flow CO$_2$-laser 87—12410
Ose, E. *see* Bergmann, J. 86—36378
Ose, E. *see* Triebel, W. 88—45366
Ose, K. *see* Kawabata, H. 85—10045
Ose, M. *see* Nemoto, C. 88—16390
Ose, R. Model for the perception of isolated long German vowels 87—39696
Ose, T. *see* Okada, K. 88—40391
Ose, Y., Takagi, T., Sano, H., Miki, K. 3D electron optics simulation method for cathode ray tubes 88—50601
Osei, A.J. *see* Hutchins, D.A. 86—65580
Oseko, K. *see* Sugata, T. 87—4429
Oseledchik, Yu.S. Bifurcation under the third harmonic generation in nonlinear optical resonators 86—22535
Oseledchik, Yu.S. Bifurcations in resonance harmonic generation 86—58969
Oseledchik, Yu.S. Optical bistability for single-photon excitation by a random field 87—33268
Oseledets, V.I. *see* Martynova, T.A. 85—20207
Osenbach, J.W., Comizzoli, R.B., Voris, S.S. Controlled surface contamination to determine surface sensitivity of HVICs 87—1619
Osenbach, J.W., Knolle, W.R. A model describing the electrical behavior of *a*-SiN:H alloys 87—1207
Osenbach, J.W. *see* Comizzoli, R.B. 88—64664
Osenbach, J.W. *see* Knolle, W.R. 88—56293, 88—56299
Osenbruggen, C.van *see* van Osenbruggen, C.
Osepchuk, J.M. A history of microwave heating applications 85—240
Osepchuk, J.M. Environmental issues: SPS [solar power satellites] 85—15943
Oser, J.P., Schindler, L., Butz, U. The development of graphic operating modes in CAD systems for electric energy plant design 88—23591
Osergaard, J.C., Rasmussen, J.E., Sowa, M.J., Quinn, J.M., Kossey, P.A. Characteristics of high latitude meteor scatter propagation parameters over the 45-104 MHz band 86—59087
Osero, N.M. An overview of pulse plating 86—52507
Oseroff, S.B., Clark, D., Schultz, S., Shtrikman, S. Temperature dependence of the time decay of the magnetization in particulate media 86—28680
Oseroff, S.B., Dai, S., Chan, C.H., Tobin, V.M., Schultz, S. Temperature dependence of magnetization time decay in particulate magnetic media 88—71933
Oseroff, S.B., Franks, D., Tobin, V.M., Schultz, S. Magnetization time decay in particulate media 88—51218
Oseroff, S.B. *see* Webb, B.C. 88—71888
Osery, I.A.El *see* El Osery, I.A.
Osetek, D.J. *see* Vinjamuri, K. 86—65884
Oseth, T., Bass, R., Lee, G. Honeywell HT10000—an RAD hard designed CML gate array 86—974
Oseth, T., Yalamanchili, S., Lee, D., Sullivan, C. Impact of optical interconnects on VLSI architectures 87—76381
Oseth, T. *see* Zafar, N. 86—2326
Osetinskii, P.S. *see* Mashenkov, V.M. 86—38361
Oseto, S. *see* Kageyama, Y. 87—3686
Osetrov, A.V. Influence of quantization frequency on accuracy characteristics of one-dimensional estimation 88—27926
Osetskii, Yu.G. *see* Kolesov, I.S. 87—53821
Osga, G.A. Legibility study of a tactical graphics language for high-resolution monochrome display 85—20270
Osgood, C.F. Sometimes effective Thue-Siegel-Roth-Schmidt-Nevanlinna Bounds, or better 86—20010
Osgood, D. The Electronic University Network 86—37462
Osgood, D. *see* Markoff, J. 85—40893
Osgood, R.M. An overview of laser chemical processing 88—39233

Osgood, R.M., Deutsch, T.F. Laser-induced chemistry for microelectronics 85−40585
Osgood, R.M., Gilgen, H.H. Laser direct writing of materials 86−26903
Osgood, R.M., Gilgen, H.H., Krchnavek, R. Laser assisted CVD process for VLSI microfabrication 85−45808
Osgood, R.M. *see* Ade, R.W. 87−46586
Osgood, R.M. *see* Brewer, P. 85−50449
Osgood, R.M. *see* Cacouris, T. 88−50748
Osgood, R.M. *see* Gilgen, H.H. 87−31554
Osgood, R.M. *see* Podlesnik, D.V. 85−50447
Osgood, R.M. *see* Prucnal, P.R. 86−28850, 86−48303, 87−16968
Osgood, R.M. *see* Tong, F. 88−45403
Osgood, R.M. *see* Willner, A.E. 88−33073
Osgood, R.M. *see* Yu, C.F. 88−39235
Osgood, R.M. *see* Houle, F.A. *(editor)* 86−7396
Osgood, R.M., Jr. *see* Ade, R.W. 87−61040
Osgood, R.M., Jr. *see* Brewer, P. 85−1502
Osgood, R.M., Jr. *see* Brewer, P.D. 85−50433, 85−61846, 87−6578, 87−17964
Osgood, R.M., Jr. *see* Cacouris, T. 86−47748, 88−64768
Osgood, R.M., Jr. *see* Daneu, V. 87−2112
Osgood, R.M., Jr. *see* Gilgen, H.H. 85−50444
Osgood, R.M., Jr. *see* Holber, W. 85−23677, 88−39197
Osgood, R.M., Jr. *see* Holber, W.M. 87−53419
Osgood, R.M., Jr. *see* Krchnavek, R.R. 85−23855, 87−38167
Osgood, R.M., Jr. *see* Podlesnik, D.V. 85−1497, 86−35571, 86−54190
Osgood, R.M., Jr. *see* Reksten, G.M. 86−35572
Osgood, R.M., Jr. *see* Schmidt, M.T. 88−64321
Osgood, R.M., Jr. *see* Treyz, G.V. 87−38107, 88−33070, 88−39212, 88−50716
Osgood, R.M., Jr. *see* Yu, C.F. 88−19810
O'Shaughnessey, R., Dubois, E. Coding image sequences with the displacement field 86−3998
O'Shaughnessy, D. Design of a real-time French text-to-speech system 85−25049
O'Shaughnessy, D. Speaker recognition 87−19418
O'Shaughnessy, D. The effects of speaking rate on formant transitions in French synthesis-by-rule 87−27285
O'Shaughnessy, D. Specifying intonation in a text-to-speech system using only a small dictionary 87−61744
O'Shaughnessy, D. Linear predictive coding 88−46025
O'Shaughnessy, D. Speech enhancement using vector quantization and a formant distance measure 88−72825
O'Shaughnessy, D., Archambault, D., Barbeau, L., Bernardi, D. Speech synthesis using diphones 88−45998
O'Shaughnessy, D., Barbeau, L., Bernardi, D., Archambault, D. Diphone speech synthesis 88−45986
O'Shaughnessy, D., Toulson, C., Mony, G., Johnston, R., Godcharles, C., Dansereau, G. Design of a real-time French tect-to-speech system 86−3808
Oshchepkov, B.A. *see* Kungs, Ya.A. 85−16535
Oshchepkov, B.A. *see* Shchutskii, V.I. 86−40289
Oshchepkov, S.L. *see* Kuz'min, V.N. 86−44459
Oshchepkov, V.A. *see* Kovalev, Yu.Z. 85−65207
Oshchepkova, T.B. *see* Merenkov, A.P. 87−23823
Oshchurkov, P.V. *see* Khutoretskii, G.M. 86−39697
O'Shea, D.W., Pierce, T.J. ISDN services 88−3681
O'Shea, J. *see* Turgeon, A.B. 87−78703
O'Shea, M. *see* Kimmel, H. 88−21803, 88−46743
O'Shea, P. *see* Boashash, B. 88−73138
O'Shea, P.G., Destler, W.W., Reiser, M., Striffler, C.D., Welsh, D. Intense electron beam propagation into vacuum 85−23317
O'Shea, P.G., Destler, W.W., Rodgers, J., Segalov, Z. Laser-controlled collective ion accelerator 87−29389
O'Shea, P.G. *see* Desteler, W.W. 87−63592
O'Shea, P.G. *see* Destler, W.W. 86−31832
O'Shea, T. Choosing electric motor protection 88−43114
O'Shea, T. *see* Ladd, J. 86−2544
O'Shea, T. *see* Scanlon, E. 88−49420
O'Shea, T.F., Lewis, M.R., Horine, B.H. Low-noise voltage controlled SAW oscillator for phased lock loop application 88−51113
O'Shea, T.P. Electric power from coal-derived gas 85−53378
Osheba, S.M. Modelling and small perturbation analysis of three-phase reluctance motors 87−42900
Osheba, S.M., Abdalla, O.H. Identification and optimal control of a generating unit in an interconnected system 86−12764
Osheba, S.M., Alyan, M.A.A.S., Rahim, Y.H.A. Comparison of transient performance of superconducting and conventional generators in a multimachine system 88−75546
Osheiba, A.M., Rahman, M.A. Transient performance of hysteresis motors with ferrite magnets 86−51592
Osheiba, A.M., Rahman, M.A. Improved performance of polyphase hysteresis motors 87−51184
Osheiba, A.M., Rahman, M.A. Performance of line-start single phase permanent magnet synchronous motors 88−23903
Osheiba, A.M. *see* Rahman, M.A. 85−27392 to 27393, 85−27397, 85−27452, 85−53679, 87−9601, 87−22311, 87−42795, 87−42858, 88−43149, 88−69260
Osheiba, A.M.F. *see* Hassan, S.A. 85−43941
Osher, J.E., Basu, P.K., Chau, H.H., Chato, D.M., Diaz, R.E., Gathers, G.R., Lee, C.G., Lee, R.S., Lindemuth, I.R., Weingart, R.C. Operating characteristics of scaling of the LLNL 100 kV electric gun for hypervelocity flat-plate impact applications 88−40523
Osher, S., Hafez, M., Whitlow, W., Jr. Entropy condition satisfying approximations for the full potential equation of transonic flow 85−39673
Osherov, M.V. *see* Logvenov, G.Yu. 86−22053
Oshiage, K. *see* Abo, T. 87−43608
Oshiba, S., Kawai, Y. High-power aging tests of 1.3 and 1.5 μm VIPS lasers 87−75080
Oshiba, S., Matoba, A., Horikawa, H., Kawai, Y., Sakuta, M. Reliability of 1.3 μm V-grooved inner-stripe laser diodes under high-power operation 86−42533
Oshiba, S., Matoba, A., Kawahara, M., Kawai, Y. High-power output over 200 mW of 1.3 μm GaInAsP VIPS lasers 87−68460
Oshiba, S. *see* Horikawa, H. 87−33148
Oshiba, S. *see* Kawai, Y. 88−2267
Oshiba, S. *see* Matoba, A. 86−36538
Oshibe, S. *see* Kuroiwa, T. 86−58752
Oshida, H. *see* Ohura, Y. 86−65635
Oshida, Y. Thickness/roughness measurement by projected pattern autofocusing 86−24766
Oshida, Y., Shiba, M., Yoshizaki, A. Relative alignment by direct wafer detection utilising rocking illumination of Ar ion laser 87−11546
Oshida, Y. *see* Nakagawa, Y. 87−17536
Oshiden, K. *see* Taki, H. 86−8785
Oshige, T. *see* Ando, K. 86−32849
Oshige, T. *see* Yamashita, T. 88−26570
Oshiki, M. *see* Kanai, H. 86−68161
Oshiki, M. *see* Sawai, A. 87−25798
Oshikiri, M. *see* Ando, T. 85−41089, 87−12090
Oshikiri, M. *see* Kato, T. 85−56249
Oshikiri, M. *see* Nakajima, H. 87−67956
Oshikiri, M. *see* Nishi, M. 86−58724
Oshikiri, M. *see* Shimamoto, S. 85−1893, 85−1927, 87−12091, 88−13775, 88−65098
Oshikiri, M. *see* Tada, E. 87−38714, 87−67979
Oshikiri, M. *see* Takahashi, Y. 85−35366, 85−56141, 86−42191, 87−67954
Oshikiri, M. *see* Tsuji, H. 88−65066
Oshikiri, M. *see* Yoshida, K. 87−67955, 88−65087
Oshima, A., Tomaru, K. Private videotex systems and some applications 88−21589
Oshima, A. *see* Takaki, I. 85−10300
Oshima, C., Souda, R., Otani, S., Ishizawa, Y. Stable TiC field emitter 85−11833
Oshima, C. *see* Ishizawa, Y. 87−32193, 87−37798
Oshima, G., Saga, R., Negishi, T., Atobe, M., Takahara, A. INTELSAT TDMA system. II. Transmission subsystem-1−traffic terminal and associated equipment 87−8233
Oshima, G. *see* Haga, I. 88−60094
Oshima, G. *see* Otani, S. 88−41594
Oshima, G. *see* Saburi, A. 86−4584
Oshima, G. *see* Sammut, G. 87−76691
Oshima, G. *see* Shimayama, H. 85−42524, 85−47489
Oshima, G. *see* Tanaka, S. 87−48387
Oshima, H., Naito, T. Performance of power-inversion adaptive array with received signal leakage through weighting circuitry 86−64142
Oshima, H. *see* Ishizawa, M. 85−4636
Oshima, H. *see* Iwano, H. 88−2223
Oshima, H. *see* Kuwabara, T. 88−51481
Oshima, H. *see* Naito, T. 85−24973
Oshima, H. *see* Seki, S. 88−53963
Oshima, H. *see* Shikama, T. 88−36843
Oshima, K. Japanese international cooperation in superconductive technology 87−74538
Oshima, K., Kitayama, T., Matsui, T., Kira, H., Ito, K. A high-speed process-data subsystem: The primary information-transmission system 87−76773
Oshima, K., Kitayama, T., Yamaki, M., Matsui, T., Ito, K. Fiber-optic local area passive network using burst TDMA scheme 85−63661
Oshima, K., Morita, M., Fujii, K., Yamamoto, M. Observation and digital control of the molten pool in pulsed MIG welding 88−62822
Oshima, K., Sekikawa, K. The MELMUX MX-7100 series high-speed digital multiplexers 88−35274
Oshima, K., Shiode, S., Hiratsuka, T., Sato, T., Takahashi, Y., Funabashi, M. Optical cable and installation technology for optical transmission lines 87−40909
Oshima, K., Yamada, K. Continuing engineering education in Japan 87−5158
Oshima, K. *see* Aoyama, S. 88−46795
Oshima, M. The problems between high information society and human beings 86−294
Oshima, M., Kawamura, T., Maeyama, S., Miyahara, T. Combined surface analysis by synchrotron radiation photoemission spectroscopy and surface extended X-ray absorption fine structure of oxidation features of metal-deposited GaAs 88−64408
Oshima, M., Satoh, R., Hirota, K., Ishi, I. New micro-soldering technology and its application to VLSI 86−14771
Oshima, M. *see* Blahna, J. 87−7078
Oshima, M. *see* Nakatsu, Y. 87−17407
Oshima, M. *see* Takami, S. 86−11634
Oshima, M. *see* Yabumoto, N. 86−15047
Oshima, N. *see* Habata, E. 86−7298
Oshima, N. *see* Okamoto, J. 87−56758
Oshima, N. *see* Shimizu, K. 85−58773
Oshima, N. *see* Tatsuta, H. 87−56757
Oshima, S. Zoom lenses for television−Canon's design philosophy 88−29078
Oshima, S., Hommura, S., Nose, H., Wada, S., Kitao, I. A semi-automatic refractometer with a TV monitor allowing one position measures of ametropia 85−4308
Oshima, S., Yamashita, S. A three-phase solid-state relay and its applications 85−17926
Oshima, S. *see* Okubo, K. 88−18239
Oshima, S. *see* Yamamoto, S. 86−43661
Oshima, T., Saito, Y. A study on the three dimensional automatic measuring and milling system−application to a manufacture of cosmetic cover 85−4366
Oshima, T., Teranishi, T., Horiguchi, S. Editing terminal adapted to produce information for videotex systems in Japan 87−34082
Oshima, T., Teranishi, T., Horiguchi, S. Editing terminal adapted to produce information for videotex systems in Japan 88−21587
Oshima, T. *see* Goodfellow, A.K. 85−15368
Oshima, T. *see* Hayashi, H. 85−23770
Oshima, T. *see* Saito, Y. 86−25312
Oshima, T. *see* Tanii, Y. 85−37322
Oshima, Y. *see* Kubo, M. 87−63936
Oshima, Y. *see* Saito, F. 86−65716
Oshimoto, A. *see* Kikuchi, K. 86−1800, 88−60725
Oshin, O. *see* Borishade, A.B. 85−59858
Oshini, T. *see* Namihira, Y. 88−7853
Oshio, H. Auto-loading system of a video disc player 87−8461
Oshio, K. *see* Nagaoka, H. 87−31976, 88−20121
Oshio, T. *see* Honda, T. 87−15272
Oshiro, M., Itoh, A., Inoue, F., Kanishi, K. Stretcher of the dual-conductor current access magnetic bubble device 86−36071
Oshiro, M., Takahashi, H., Itoh, A., Inoue, F., Kawanishi, K. Swap gate of the dual conductor current access device 87−60836
Oshiro, O., Kawabe, K., Tsujimoto, H., Shirae, K. A wide frequency planar inductor 87−66603
Oshiro, O., Tsujimoto, H., Shirae, K. A novel miniature planar inductor 88−50446
Oshiro, O., Tusijimoto, H., Shirae, K. A closed-type planar inductor 87−66602
Oshiro, Y. *see* Sakurada, Y. 85−15136
Oshisanwo, A.O. *see* Pulver, M. 87−32670
Oshita, F.K. *see* Schaffner, J.H. 88−71624
Oshita, H., Yokoi, S., Jun-ichiro Toriwaki, Michimasa Matsuo 3-D display of magnetic resonance images by use of multiplex holography 88−4908
Oshita, S. Comparison between the performance of SQAM and QAM perturbed by intersymbol interference 86−16116
Oshita, S. Optimum spectrum for QAM perturbed by timing and phase errors 88−8664
Oshita, S., Feher, K. Effect of sampling offset on P_e performance of partial response systems 87−27114
Oshita, T. *see* Okochi, K. 85−51987
Oshitani, K. *see* Morimoto, M. 88−43501
Oshitani, M. *see* Muramatsu, K. 85−52133
Oshivalov, V.D. *see* Panchenko, B.A. 88−63840
Oshiyama, A. *see* Hamada, N. 87−24878
Oshkaderov, S.P. *see* Hermel, W. 87−9945
Oshlakov, V.G. A gated photodetector 85−11866
Oshlakov, V.G., Bybyakin, N.V. Capacitive storage device for strobotron supply 86−70980
Oshman, Y., Bar-Itzhack, I.Y. New V-Λ square root filter 86−52967
Oshman, Y., Bar-Itzhack, I.Y. Square root filtering via covariance and information eigenfactors 87−7705
Oshsner, H. An antimultipath spread-spectrum receiver and its application to portable radio telephone 87−39822
Oshurina, L.A. *see* Frolov, I.A. 85−11921
Osidach, Yu.V., Popichko, V.V., Tkachuk, V.I. Mathematical model for a reactive inverter motor 86−12859
Osika, L.K. *see* Gol'dshtein, I.M. 87−21847
Osika, L.K. *see* Merport, E.I. 86−33262
Osika, L.K. *see* Ornov, V.G. 86−25648
Osiko, V.V. Solid-state laser media 88−27111
Osiko, V.V. *see* Allat'ev, A.N. 87−39039
Osiko, V.V. *see* Ashurov, M.Kh. 86−9791
Osiko, V.V. *see* Babushkin, A.V. 86−68501
Osiko, V.V. *see* Basiev, T.T. 85−51227, 86−63780, 88−27115, 88−65634
Osiko, V.V. *see* Berzina, G.D. 85−62543

Osiko, V.V. *see* Buzynin, A.N. 88—11948
Osiko, V.V. *see* Gusovskii, D.D. 88—20363
Osiko, V.V. *see* Zabolotnaya, N.V. 85—50830
Osiko, V.V. *see* Zharikov, E.V. 86—9790, 86—9795, 86—48375, 87—12438
Osin, A.V., Podshivalov, V.V., Solntsev, V.A. Study of the methods of solution of a self-congruent problem in O-type devices with a periodic structure 87—66838
Osin, A.V., Solntsev, V.A. Nonlinear interaction of electrons and HF fields with a discrete phase variation in a periodic structure 85—6666
Osin, A.V. *see* Kuznetsov, S.P. 85—6659
Osin, I.L. *see* Yuferov, F.M. 86—39733
Osin, M.N. *see* Karasov, Yu.S. 87—1976
Osinin, V.F. On the universality of the method of converting the atmospheric radio noise distribution function from band to band using a generalizing empirical model 88—14390
Osinski, A.A. Spiral-wrapped tubing as electrical insulation 87—46261
Osinski, J.S., Hummel, S.G., Cox, H.M. Vapor levitation epitaxy reactor hydrodynamics 88—24723
Osinski, J.S., Zah, C.E., Bhat, R., Contolini, R.J., Beebe, E.D., Lee, T.P., Cummings, K.D., Harriott, L.R. Miniature integrated optical beamsplitter in AlGaAs/GaAs ridge waveguide 88—2030
Osinski, J.S. *see* Contolini, R.J. 87—7450
Osinski, J.S. *see* Salzman, J. 88—40195
Osinski, J.S. *see* Zah, C.E. 87—26395, 87—75089
Osinski, K. *see* Slotboom, J.W. 87—24201
Osinski, M., Adams, M.J. Transient time-averaged spectra of rapidly-modulated semiconductor lasers 85—29834
Osinski, M., Adams, M.J. Picosecond pulse analysis of gain-switched 1.55 μm InGaAsP lasers 86—29148
Osinski, M., Buus, J. Phase noise enhancement factor and the dynamic spectra of semiconductor lasers 86—48418
Osinski, M., Buus, J. Linewidth broadening factor in semiconductor lasers—an overview 87—33176
Osinski, M., Gallagher, D.F.G., White, I.H. Measurement of linewidth broadening factor in gain-switched InGaAsP injection lasers by CHP method 86—3146
Osinski, M., Streifer, W., Hardy, A. Index-guided phased-arrays with variable stripe widths and interspacings 88—45464
Osinski, M. *see* Hardy, A. 86—63808, 87—12116, 87—18675, 88—8204, 88—33743
Osinski, M. *see* Landsberg, P.T. 85—29825
Osinski, M. *see* Raja, M.Y.A. 88—72234
Osinski, M. *see* Seo, D.S. 88—58600
Osinski, M. *see* Streifer, W. 86—42918, 87—26379, 87—32959, 88—51526
Osinski, M. *see* White, I.H. 85—29817
Osinski, S. *see* Masny, J. 86—12490
Osinskii, V.I., Malyshev, S.A., Melnikov, S.L., Ryzhkov, M.P. Photo-generated carriers in structures with nonlinear band-gap changes 85—51029
Osinskii, V.I., Sergeev, V.I. Light transmission in monolithic GaAs-SiO_2-Si optrons with cylindrical structure 85—34669
Osintsev, A.V., Ostrovskii, Yu.I., Shchepinov, V.P., Yakovlev, V.V. Effect of contact pressure on fringe contrast in holographic interferometry 86—22554
Osintsev, V.V. *see* Korobkin, V.A. 86—22760, 86—53008, 88—38670
Osintsev, V.V. *see* Zhidiyatov, A.M. 88—5555
Osintseva, A.L. *see* Glotov, E.P. 85—24617
Osiowski, J. *see* Urbas, A. 86—57938, 87—868
Osipchuk, A.S. *see* Bocharova, Yu.V. 86—70442
Osipenko, B.P. *see* Adam, J. 85—59185
Osipenko, B.P. *see* Amov, B. 86—50386
Osipenko, B.P. *see* Baldin, S.A. 86—60622
Osipenko, B.P. *see* Gornov, M.G. 85—4202
Osipenko, F.P. *see* Ganushkina, L.D. 85—42660
Osipenko, F.P. *see* Ivanov, A.P. 85—4445
Osipenko, M.I. *see* Shkuta, A.F. 86—40359
Osipenko, V.A. *see* Gulyaev, Yu.V. 87—25864
Osipenko, V.P., Abalymov, N.E., Pavlyuchenko, V.A., Strel'tsova, T.M. Pneumatic measuring instrument with an independent compressed-air source [surface roughness monitoring] 85—48097
Osipenkov, N.A. *see* Kozlov, E.V. 86—66020
Osipov, A.I., Panchenko, V.Ya., Filippov, A.A. Self-focusing of laser radiation in molecular gases 85—62655
Osipov, A.I., Pleshko, A.D. Fast-response amplifiers with multiloop feedback 86—46595
Osipov, A.N. Detection of a spontaneously occurring Markov signal 87—47753
Osipov, A.N., Smirnov, Ye.A. Searching for a moving Markov signal in a multichannel system 86—29686
Osipov, A.P. *see* Afonin, S.L. 88—58234
Osipov, A.P. *see* Asnis, L.N. 85—7291
Osipov, A.P. *see* Golovkov, A.A. 85—22725
Osipov, A.P. *see* Rypin, Yu.K. 85—631
Osipov, A.S., Frolov, A.N. Selection of partially polarised signals by antenna arrays with controlled field polarisation 85—62926
Osipov, A.S. *see* Rubin, L.B. 88—37382
Osipov, A.V. *see* Anisimov, S.I. 88—68373
Osipov, A.V. *see* Makarov, G.I. 87—33359
Osipov, E.R., Dergilev, M.P., Obabkov, V.K. High frequency resonance in the systems of electrical equipment in mines and openworks through arcing short circuits to earth 86—26465
Osipov, E.V. *see* Shevchenko, A.I. 85—26402
Osipov, G.I. *see* Krasnov, K.V. 88—22826
Osipov, G.L. *see* Rikhter, L.A. 88—62142
Osipov, M.O., Bochkarev, E.B. The effect of the operating conditions of synchronous motors on minimising the losses in distribution networks 86—44960
Osipov, N.I. Autoemission cathodes made of carbon fiber for an electron microscope 86—14829
Osipov, N.I., Krasnov, I.V., Bakharevskaya, N.B. A field-emission electron-microscope gun with a 100-KV accelerating voltage 86—8713
Osipov, S.P. *see* Zav'yalkin, F.M. 86—534, 86—55831, 86—65326, 87—3942, 87—14720
Osipov, V.G. The characteristics of an induction motor with fully controlled convertor in the rotor circuit 86—51630
Osipov, V.G. *see* Kovalenko, N.I. 87—45180
Osipov, V.M. *see* Borisova, N.F. 86—48600
Osipov, V.P. *see* Valyavko, V.V. 88—72365
Osipov, V.V., Kholodnov, V.A. Tunnel-current anomalies during avalanche breakdown of a *p-n* heterostructure 86—21237
Osipov, V.V., Kholodnov, V.A. Avalanche breakdown voltage of a thin diode 88—45297
Osipov, V.V. *see* Atakulov, Sh.B. 85—45414
Osipov, V.V. *see* Ikonnikova, O.G. 87—6354
Osipov, V.V. *see* Karpov, V.M. 88—16620
Osipov, V.V. *see* Kerner, B.S. 87—24787, 87—32291
Osipov, V.V. *see* Kozlovskii, Yu.Ya. 87—56699
Osipov, V.V. *see* Lisitsyn, V.M. 85—24504, 85—46356
Osipov, V.V. *see* Neustroev, L.N. 85—40389, 86—58247 to 58248, 87—18811, 87—38904, 88—50639, 88—57650
Osipov, V.V. *see* Neustroyev, L.N. 85—2151
Osipov, Yu.G. *see* Kachurin, L.G. 88—68630
Osipova, I.V. *see* Zverev, V.A. 85—48703
Osipova, L.P. *see* Goncharenko, E.N. 88—20476
Osipova, R.S. *see* Korol'kov, V.I. 85—34593
Osipovich, L.A., Gutkin, V.I., Sedneva, R.A. Miniature capacitive force transducer 88—53658
Osipowicz, A. *see* Backe, H. 88—36398, 88—61201
Osipyan, A.V. *see* Antonov, Yu.F. 88—43129
Osip'yan, Yu.A. *see* Kveder, V.V. 85—23404, 85—28936
Osip'yan, Yu.A. *see* Zharikov, O.V. 85—1281
Osiumi, N. *see* Ueno, K. 87—28688
Osiuyk, I.N. *see* Zimenko, V.I. 86—14926
Osiyuk, I.N. *see* Lysenko, V.S. 86—21283
Oskam, H.J. *see* Fujii, K. 86—36426
Oskamp, C.J. *see* Meijer, R.J. 88—29917
Oskarsson, L. *see* Heinonen, E. 88—9316, 88—52704
Os'kin, A.F. Analysis of EM fields during induction heating of components with axial symmetry 85—32802
Os'kin, S.V., Shul'gin, Yu.N. Phase meter for measuring phase shifts between signals of different frequencies 87—63476
Oskolkov, I.N. *see* Pokhitonov, Yu.P. 87—72581
Oskoui-Fard, P., Stark, H. Geometry-free X-ray reconstruction using the theory of convex projections 88—68394
Oskouy, R.M. *see* Cooper, S. 85—42240
Osksa, R.S. An interactive videodisc-computer language program 87—63171
Oslan, A.L., Sherman, C.W., Clay, W.C. Non-percutaneous monitoring of a permanently implanted ventricular assist system 86—56199
Osland, P., Schultz, C., Wu, T.T. Some properties of magnetic monopoles 85—13034
Oslejsek, O. *see* Liedermann, K. 87—35930
Osler, A.G. *see* Beebe, D.D. 87—49485
Osler, P. *see* Sodini, C. 87—73455
Osler, P.J. *see* Wade, J.P. 88—6938
Oslon, A.B. *see* Delyanov, A.G. 85—62715
Oslon, A.B. *see* Kats, E.L. 87—15368
Osluk, R. FRAPH-SYMB program for optimisation of linear systems 85—512
Osmachkin, V.S. *see* Wright, H. 85—21408
Osman, F. *see* Selim, S.M. 87—51776
Osman, F.S. Operating room patient burns 86—60805
Osman, F.S. *see* Raber, M.B. 87—50385
Osman, M. *see* Hartwig, R. 86—9285
Osman, M.A., Grubin, H.L. Carrier-carrier interaction and intervalley transfer effects on the ultrafast relaxation of photoexcited electrons in GaAs 88—32805
Osman, M.A., Grubin, H.L. Monte Carlo investigation of minority electron transport in $In_{0.53}Ga_{0.47}As$ 88—32809
Osman, M.A., Kann, M.J., Ferry, D.K., Lugli, P. Monte Carlo investigations of hot photoexcited electron relaxation in GaAs 87—46666
Osman, M.A., Ravaioli, U., Ferry, D.K. Monte Carlo investigation of hot carriers generated by subpicosecond laser pulses in Schottky barrier diodes 87—25217
Osman, M.A., Ravaioli, U., Ferry, D.K. Monte Carlo investigation of high-speed GaAs Schottky barrier photodiode 87—26210
Osman, M.A. *see* Ferry, D.K. 88—32803
Osman, M.A. *see* Huterer, J. 87—50934
Osman, M.A. *see* Hwang, K. 85—50472
Osman, M.A. *see* Ravaioli, U. 86—21217, 86—21479
Osman, M.G. Electric utility energy storage systems for peak shaving 86—12997
Osman, M.G. Performance analysis of a solar air-conditioned villa in the Arabian Gulf 86—19633
Osman, N., Nour Eldin, H.A. Robust nonlinear state observer for the synchronous generator 88—5663
Osman, P. *see* Dintenfass, L. 87—3939
Osman, R.H. An improved circuit for accelerating commutation in current source inverters 85—21716
Osman, R.H. A simple energy-absorbing circuit for current-source inverters 85—27503
Osman, R.h. A method for compensation of variable commutation delay in current source inverters 87—43219
Osman, R.H. A method for compensation of variable commutation delay in current source inverters 88—24039
Osman, Z. *see* Bahgat, A. 85—9448
Osmanis, I.V. Harmonic analysis in approximation of the characteristics of first-order splines with arbitrarily distributed interpolation points 87—16840
Osmer, S.R., McRuer, H. 1987 preseason iceberg survey and season prediction 88—48332
Osmera, B. *see* Lelek, V. 85—65085
Osmera, P., Nesvadba, J. Introduction to the problems of 16-bit microprocessors 85—17474
Os'minin, A.A., Khaustov, V.V. Parametric estimates of statistical tests in digital time-interval measurements 85—64305
Osminski, M., Henning, I.D. Phase noise enhancement in long wavelength semiconductor lasers 86—3183
Osmokrovic, P. The reliability of the transient recorder for measuring fast changing voltage waveforms 85—58764
Osmokrovic, P. The calculation of the minimal value of the flashover voltage of systems isolated by SF_6 gas 87—53766
Osmokrovic, P. Physical processes of electrical breakdown of SF_6 gas 87—60700
Osmokrovic, P. Effects of Isolated SF_6 system parameters by gas on impulse (volt second) characteristics 88—33427
Osmokrovic, P. *see* Dams, J. 85—5317
Osmolovskiy, I.K. *see* Savich, N.A. 87—56310
Osmon, P. *see* Anderson, P. 88—64729
Osmon, P.E. Training in systems engineering at the London Innovation Center (LINC) 86—61882
Osmundsen, J.F., Abele, C.C., Eden, J.G. Activation energy and spectroscopy of the growth of germanium films by ultraviolet laser-assisted chemical vapor deposition 85—49596
Osmundsen, J.F., Abele, C.C., Eden, J.G. Gas phase spectroscopy of a Ge film LCVD reactor 85—49608
Osmundsen, J.F. *see* Eden, J.G. 85—414
Osmundsen, J.H. *see* Olesen, H. 86—68528
Osmundsen, J.H. *see* Tromborg, B. 85—2329
Osnach, R.G. *see* Berkutov, A.M. 87—6950, 88—44926
Osnaghi, A. *see* Malatesta, G. 85—19879
Osnovich, L.D. *see* Demeshko, Yu.F. 85—15973
Osnovich, L.D. *see* Mikheev, V.I. 85—15972
Osofsky, A.J. *see* Cirillo, A.J. 86—10914
Osofsky, M.S. *see* Maisch, W.G. 88—26692
Osoguchi, H. *see* Suzuki, M. 88—25040
Osokin, V.N. *see* Kachmin, V.A. 85—26035
Osokina, E.V. *see* Kachurin, L.G. 88—68630
Osone, H. *see* Wakui, G. 85—4120
Osorio, A. *see* Al-Mohammad, H.A. 86—61827
Osorio, A. *see* Alami, M. 88—21352
Osorio, L. *see* Videira, F. 88—46631
Ososke, D. *see* Hammar, P. 86—31084
Ososkov, G.A. *see* Bogdanova, N.B. 87—50126
Ososkov, G.A. *see* Dvurecenskij, A. 87—35326
Ososkov, G.A. *see* Dvurechenskiy, A. 86—57308, 88—24626
Osotov, V.N. *see* Bida, E.M. 87—42826
Osotov, V.N. *see* Katson, V.D. 86—61130, 87—9213, 87—57698
Osotov, V.N. *see* Kitaev, G.I. 88—61977
Osotov, V.N. *see* Maslenikov, D.S. 86—26197
Osotov, V.N. *see* Usenko, A.F. 86—26196
Osovitski, A.N. *see* Deryugin, L.N. 87—68180
Osovitskii, A.N. *see* Ataya, B.A. 88—33747
Osovitskii, A.N. *see* Malysh, V.N. 88—20420
Osovitskii, A.N. *see* Miroshin, A.A. 85—18748
Osovyi, P.I. Team form of organization and stimulation of the work of shift personnel at a heat-and power-producing plant 88—43026
Osow, J.B. The calculations for a communication link by the Bullington-Rice method with an HPL/1C programmable calculator 85—42428
Osow, J.B. Calculating point to point connections with a programmable HP41C using Fresnel diffraction 85—51448

Osowski, M. Galvanic deposition of thin ferromagnetic layers of NiFe alloy 85—1822
Osowski, S. Synthesis of voltage transfer matrix using universal building blocks 85—11408
Osowski, S. New approach to the conductance matrix realization [N-port networks] 85—22625
Osowski, S. Matrix analysis of sensitivity of *N*-port networks 86—605
Osowski, S. Novel realisation of convertor-type gyrator 86—41212
Osowski, S. State space approach to the modeling of 2-D multiport network function 87—471
Osowski, S. Computer simulation of SC circuits using NAP 87—52716
Osowski, S. Design of nonlinear triangle-to-sine converter using optimization 87—52780
Ospanov, B.S. *see* Baishurin, B.M. 87—8639
Ospanov, K.M. *see* Batenin, V.M. 88—58432
Ospanov, O.Sh. The best fields of application of variable-pitch and fixed blade circulating pumps in power stations 86—39515
Ospanov, O.Sh. *see* Karelin, V.Ya. 87—4502
Ospelt, M. *see* von Kanel, H. 87—16631, 87—36727
Ospina, C. *see* Seifritz, W. 86—45176
Ospina, C.S. Hydroelectric power in Colombia 87—78545
Ospina, S. Orbital slots: should they be for rent? [satellite communications] 87—76907
Osredkar, M. Present status and future of nuclear energy in Yugoslavia 87—78275
Osredkar, R. Influence of an insulating film on plasma silicon dioxide deposition rates 87—309
Osredkar, R. A study of plasma enhanced CVD. I. Silicon oxide, silicon nitride 87—44372
Osredkar, R. A study of the imidization kinetics of polyimide resin curing 88—70368
Osredkar, R., Razinger, J. A study of plasma enhanced CVD. II. Silicon oxinitride 87—44373
Osredkar, R. *see* Belic, A. 88—57419
Osredkar, U. *see* Sebenik, A. 88—56328
Oss, S. *see* Brusa, R.S. 85—64428
Ossart, P. *see* Azoulay, R. 87—11402
Ossart, P. *see* Bouadma, N. 86—53541
Ossart, P. *see* Daoud-Ketata, K. 88—26089
Ossart, P. *see* Mircea, A. 87—259
Osse, L. *see* Yaw-shing Tang 88—57930
Osseiran, A., Bied-Charreton, D., Nicolaidis, N., Schoellkopf, J.P., Courtois, B., Le Trung, B. Design of a self-checking microprocessor for real-time applications 87—59560
Osseland, C. *see* Fabvier, G. 85—60617
Osseland, C. *see* Jacob, D. 86—71090
Osselin, D. *see* di Forte-Poisson, M.A. 85—17819, 86—14531
Osselladore, M. *see* Bottacchi, S. 87—75195
Ossenbrink, H., Krebs, K. The JRC multi-intensity-simulator for energy-rating measurements 87—9426
Ossenbrink, H. *see* Blaesser, G. 86—45274, 88—17469
Ossenbrink, H.A. The multi-intensity-simulator of the Joint Research Centre 88—17965
Osseni, R. *see* Jufer, M. 88—17666, 88—68491, 88—69346
Osseni, R. *see* Poffet, P. 87—22164
Osseyran, A. Computer aided design of magnetic deflection systems 87—6346
Ossfeldt, B.E. Maintaining permanent and temporary faults in a communications systems 87—13511
Ossipyan, Yu.A. *see* Kveder, V.V. 86—21106
Ossman, J. *see* Bakken, J.A. 87—35350
Ossola, P. *see* Tofani, S. 85—42067, 86—-65461
Ossolinski, E.J. *see* Magee, R.A. 85—5794
Ossowicki, J. The effect of fuse-element shape on breaking phenomena in AC circuits 87—72341
Ossowicki, J. Effect of a fuse-element design on breaking at AC 88—62524
Ossowicki, J., Bialynicki-Birula, K., Cwidak, K. 6 kV fuse links with motor characteristics 88—62529
Ossowicki, J. *see* Cewe, A. 87—36075, 87—72349
Ossowski, P. *see* Kuppurajulu, A. 86—50837, 86—56368
Ossowski, W. *see* Brod, U. 88—5961
Ossterlinck, A. *see* Tu, G. 88—27813
Ost, G. Modularity, the innovation with burn-in equipment. Configuration of a modular burn-in system 85—39535
Ost, G. The anatomy of burn-in—an analysis 85—44544
Ost, G. The practice and economy of burn-in 86—66631
Ost, G. The reliability insurance with burn-in systems. I 88—11796
Ost, G. Reliability assurance with burn-in systems. II 88—19517
Ost, K. Easy entry. Automatic conversion of LSI test programs 87—17558
Ost, R. *see* Carment, P. 85—45337
Ostafiichuk, P.G. *see* Baranskii, P.I. 85—34479
Ostalczyk, P. *see* Kuzminski, K. 88—69414
Ostanek, M. *see* Grzegorczyk, A. 88—39632
Ostanevich, Yu.M. *see* Ananiev, V.D. 85—64438
Ostanin, V.V. *see* Apollonov, V.V. 86—15746
Ostanin, Yu.Ya. *see* Bakunov, A.S. 87—52232
Ostano, P. *see* Dabusti, V. 88—64013
Ostapchuk, A.I. *see* Freik, D.M. 87—38195
Ostapchuk, L.B. *see* Postnikov, I.M. 86—51628
Ostapchuk, L.B. *see* Postnikov, V.I. 87—42792
Ostapchuk, T.B. *see* Fedorenko, G.M. 86—26004
Ostapchuk, V.G. *see* Kaganovskii, I.P. 85—64280
Ostapchuk, V.K. *see* Chernyakova, L.E. 87—353
Ostapchuk, Zh.I. *see* Astakhov, Yu.N. 87—4281, 87—64142
Ostapenko, A.G. *see* Nagorny, L.Ya. 85—44831
Ostapenko, A.M., Memetov, S.A. Colour graphics display 85—1614
Ostapenko, A.M. *see* Smirnov, O.L. 87—28181
Ostapenko, E.I., Godulyan, V.V., Merkhalev, S.D., Solomonik, E.A. USSR practice in planning and selecting insulation for polluted regions 87—71705
Ostapenko, E.I. *see* Merkhalev, S.D. 86—26676
Ostapenko, E.I. *see* Solov'ev, E.P. 86—39190
Ostapenko, S.N. *see* Schastlivyi, G.G. 86—51569
Ostapenko, V.A. *see* Gal'pern, M.L. 88—5332
Ostapenko, V.D. *see* Lekhttsind, V.V. 85—6045
Ostapenko, V.P. *see* Amisimov, A.M. 85—9933
Ostapenko, V.P. *see* Kirillov, I.R. 88—37223
Ostapenkov, A.M. *see* Malovec, P. 87—63492
Ostapko, D. *see* Cockerill, T.J. 87—65660
Ostapko, D.L. A mapping and memory chip hardware which provides symmetric reading/writing of horizontal and vertical lines 85—31390
Ostapko, D.L., Savir, J. Hardware that simplifies the testing process by making chip and module test compatible 85—28476
Ostapko, D.L. *see* Burroughs, S.H. 85—787
Ostapov, S.E. *see* Gutsul, I.V. 86—14848
Ostapowicz, J., Trezesowski, Z., Sawadzki, Z. Two-mirror focusing system with spherical surface for 10.6 μm high power laser radiation 85—46437
Ostashev, V.E. *see* Andrianov, V.V. 88—69720
Ostashev, V.E. *see* Kamrukov, A.S. 85—44201
Ostashev, V.E. *see* Kondratenko, M.M. 88—40506
Ostashevskii, M.G., Sidorin, A.Ya. Digital resistivity variometer for seeking earthquake precursors 87—63915
Ostashko, S.A. *see* Balagurov, L.A. 86—14839, 88—57323
Ostashko, V.V. *see* Yasnogorodsky, A.M. 87—3871
Ostaszewska-Kitlinska, G. *see* Mazur, J. 85—1858
Ostaszewski, J. *see* Allan, D.G. 86—55325
Ostberg, B.N., Ostberg, G.N. Total artificial heart design with integrated electric motor 87—57234
Ostberg, G.N. *see* Ostberg, B.N. 87—57234
Ostberg, I., Oregard, J. MRG—mobile radio with common base station 86—17259
Ostberg, O., Moller, L., Ahlstrom, G. Ergonomic procurement guidelines for visual display units as a tool for progressive change 86—44157
Ostberg, O., Shahnavaz, H., Stenberg, R. CRT flicker and scan-line direction 87—49508
Ostby, E., Kaplan, A. SM: a small mailer 86—37373
Osteaux, M. *see* Luypaert, R. 86—38756
Ostedkar, R. *see* Belic, A. 88—4355
Ostel, E.V. *see* Pirogov, V.V. 87—62650
Osten, D.E. Fiber-optic coupled CID-MCP detectors for scientific applications 87—20925
Osten, W. Theory and practice in optimization of holographic interferometers 85—56878
Osten, W. Some considerations on the statistical error analysis in holographic interferometry with application to an optimized interferometer 86—3337
Osten, W., Saedler, J., Rottenkolber, H. Interpretation of interferometric fringe patterns using digital image processing 88—2401
Osten, W. *see* Hofling, R. 88—4345
Ostendorf, M. *see* Roucos, S. 88—66364
Ostendorf, V.A. Anyone can do it [teleconferencing] 85—8615
Ostendorf, V.A. Computer-driven message handling 85—57689
Ostendorf, V.A. Teletraining: a phenomenon of the eighties 86—17666
Ostendorf, V.A. Business and academic uses of teletraining—what nations of the Pacific can learn from present systems 86—59429
Ostenson, J.E. *see* Clem, J.R. 86—15438
Ostenson, J.E. *see* Verhoeven, J.D. 85—56158
Oster, J.F. *see* White, M.A. 86—32376
Oster, L.J. *see* Pearton, S.J. 88—64379
Oster, S. *see* Schroder, W. 88—16134
Osteraas, A.J. *see* Fu-gin Chen 87—66774
Osterberg, C.K. *see* Baishiki, R.S. 87—35683
Osterberg, C.K. *see* Hester, S.L. 86—13063
Osterberg, U., Gomes, A.S.L., Taylor, J.R. Spectral and temporal investigation of nonlinearities in a non-polarization preserving optical fibre 86—48502
Osterberg, U., Margulis, W. Dye laser pumped by Nd YAG laser pulses frequency doubled in a glass optical fiber 86—68488
Osterberg, U., Margulis, W. Experimental studies on efficient frequency doubling in glass optical fibers 87—26007
Osterberg, U. *see* Gomes, A.S.L. 85—56815, 87—18595
Osterberg, U. *see* Margulis, W. 85—52882, 87—61239, 88—40342, 88—58688
Osterberg, U. *see* Mizrahi, V. 88—45546, 88—72014
Osterberg, U. *see* Schadt, D. 87—12136
Osterberg, U. *see* Stoltz, B. 86—28821
Osterfeld, F. *see* Berg, G. 85—59020
Ostergaard, D.F. Adapting available finite element heat transfer programs to solve 2-D and 3-D electrostatic field problems 86—42732
Ostergaard, D.F. Using the ANSYS finite element program for modeling three-dimensional electromagnetic fields of current carrying members 87—26606
Ostergaard, D.F. Adapting available finite element heat transfer programs to solve 2-D and 3-D electrostatic field problems 87—61326
Ostergaard, D.F. Multi-field solid finite elements for coupled magnetic field problems 88—8401
Ostergaard, D.F., Pawlak, T.P. Three-dimensional finite elements for analyzing piezoelectric structures 87—67627
Ostergaard, J. Meteor burst propagation and system design 87—26797
Ostergaard, J. Short range communication systems, design and operation at very high latitudes 88—40574
Ostergaard, J.C. *see* Sowa, M.J. 88—52228
Ostergren, C.D. Mini Conformal Cold Plate 85—191
Osterling, L. *see* Heiblum, M. 85—12124, 85—16934, 86—63086, 87—32312
Osterlund, R. *see* Olsson, E. 86—9180
Osterman, D.P., Williamson, S.J. Uniaxial stress device for use with a SQUID magnetometer 85—31578
Osterman, H.F. *see* Bonner, J.K. 88—19536, 88—32545
Ostermann, A., Kaps, P., Bui, T.D. The solution of a combustion problem with Rosenbrock methods 87—52058
Ostermann, W. The partly automated mines: requirements and prospects 87—79263
Ostermark, R. Sensitivity analysis of fuzzy linear programs: an approach to parametric interdependence 87—36615
Ostermayer, F.W. *see* Antreasyan, A. 86—36485
Ostermayer, F.W., Jr., Kohl, P.A., Lum, R.M. Hole transport equation analysis of photoelectrochemical etching resolution 86—21385
Ostermayer, F.W., Jr. *see* Chi, G.-C. 88—26976
Ostermayer, F.W., Jr. *see* Chi, G.C. 87—25108, 87—54181
Ostermayer, F.W., Jr. *see* Cummings, K.D. 86—35574, 87—11665
Ostermayer, F.W., Jr. *see* Lum, R.M. 85—24675, 85—61845
Ostermayer, H. Photographic resist exposure for high density printed circuits 88—1174
Ostermeyer, G.-P. *see* Forster, K.-J. 86—52384
Ostern, F.A. Norwegian Army CCIS programs [command control and information system] 86—23293
Osternik, E.S. *see* Zhimolokhov, O.M. 88—37160
Osterrieder, A. *see* Pistor, F. 86—51418
Osterrieder, S. Imaging of moving targets with millimeter waves 87—41014
Osterspey, A. *see* Hombach, V. 87—71147
Ostertag, E.L. *see* Knop, C.M. 86—64035, 87—7605, 87—12785
Ostertag, H. *see* Holte, S. 88—4902
Ostertag, H. *see* Kubler, W. 88—61275
Osterwald, C. *see* Emery, K. 88—2122
Osterwald, C. *see* Naseem, S. 87—4938
Osterwald, C. *see* Noufi, R. 86—13056
Osterwald, C.R. Calculated solar cell I_{sc} sensitivity to atmospheric conditions under direct and global irradiance 87—9800
Osterwald, C.R. Translation of device performance measurements to reference conditions 87—30963
Osterwald, C.R., Glatfelter, T., Burdick, J. Comparison of the temperature coefficients of the basic *I-V* parameters for various types of solar cells 88—37413
Osterwald, C.r. *see* Ahrenkiel, R.K. 86—7000
Osterwald, C.R. *see* Blakeslee, A.E. 87—4914
Osterwald, C.R. *see* Coutts, T.J. 88—17946
Osterwald, C.R. *see* Emergy, K.A. 87—15996
Osterwald, C.R. *see* Emery, K. 88—69701
Osterwald, C.R. *see* Emery, K.A. 87—9769, 87—43458, 88—37408
Osterwald, C.R. *see* Milstein, J.B. 86—7134
Osterwohldt, K.-H. *see* Labitzke, K.-H. 87—9204
Ostevik, A.S. Integrated voice and telecommunications facilities (IVTF) 88—3428
Ostevik, A.S. *see* Bell, C.W. 88—5966
Ostevold, E. *see* Zhuang, X. 87—39882
Ostevold, E. *see* Zhuang, X.H. 85—30390
Osthof, H.-G. *see* Becker, B. 87—65725
Osthof, H.G. *see* Becker, B. 87—44133
Osthoff, A. *see* Aderholz, M. 86—50398
Osthoff, A. *see* Atkinson, M. 87—35349
Osthoff, A. *see* Atkinson, M.N. 87—71027, 88—22987
Ostholm, S. *see* Horneman, S. 87—57952
Ostiguy, J.-F., Silvester, P.P. Magnetic field computation in hysteretic media by the finite element method, using the Preisach model 85—46518

Ostler, D.V., Krasnov, M., White, W.L., Daumas, H.W. Implementation of a prototype of the medical information bus (IEEE P1043) 88–54692
Ostler, R.S. *see* Harris, J.E. 88–67453
Ostling, M., Norstrom, H., Blom, H.-O., Buchta, R., Petersson, C.S. A comparison of different methods for removal of damage caused by reactive sputter etching of silicon 87–11675
Ostling, M., Nygren, S., Petersson, C.S., Norstrom, H., Buchta, R., Blom, H.-O., Berg, S. A comparative study of the diffusion barrier properties of TiN and ZrN 87–17791
Ostling, M., Petersson, C.S., Norstron, H., Buchta, R., Blom, H.-O. A comparison of different methods for removal of damage caused by reactive sputter etching of silicon 87–74207
Ostling, M. *see* Blom, H.-O. 86–67804
Ostling, M. *see* Norstrom, H. 86–15048
Ostling, M. *see* Nygren, S. 87–11705, 88–25979
Ostling, M. *see* Wiklund, P. 87–11704
Ostling, M. *see* Zhang, S.-L. 88–26104
Ostlund, S., Gustavson, F., Leander, P. A low weight supply circuit for asynchronous traction fed from a 16 2/3 Hz line 88–69862
Ostman, E., Persson, S. Application of X-ray tomography in non-destructive testing of fibre reinforced plastics 88–63408
Ostman, E. *see* Persson, S. 86–20120, 87–16752 to 16753
Ostman, I. *see* Holmqvist, U. 88–50529, 88–64079
Ostoja, P. *see* Armigliato, A. 86–15075, 86–21441, 86–63215
Ostojic, D. Identification of electrical and mechanical oscillations and analysis of sensitivity in complex electric power systems 87–15172
Ostojic, D. Automatic setting of stabilizer parameters of the electric power system 88–42773
Ostojic, D., Muzdeka, G. Modal-based identification and limited grouping of coherent generators for dynamic equivalents [power systems] 88–30235
Ostojic, D. *see* Krtolica, R. 87–2985
Ostojic, D. *see* Milanovic, R. 87–69534
Ostojic, D. *see* Muzdeka, G. 85–32429
Ostojic, D.R. Identification of optimum site for power system stabiliser applications 88–75101
Ostojic, R. Application of a new method of magnetic field isochronization to the optimization of multiparticle cyclotron parameters 86–38667
Ostojic, R. A fast Poisson integrator for magnetic field calculations in cyclotrons 88–74659
Ostojic, R. *see* Mandrillon, P. 86–38668
Ostojic, R. *see* Milinkovic, L. 86–24977
Ostovic, V. Transient states in electromechanical systems with eddy currents and saturated iron 85–39244
Ostovic, V. The dependence of three-phase squirrel-cage induction machine dynamic values on saturation and the number and skewing of rotor slots 86–26051
Ostovic, V. A method for evaluation of transient and steady state performance in saturated squirrel cage induction machines 87–9558
Ostovic, V. Computation of saturated permanent magnet AC motor performance by means of magnetic circuits 87–42796
Ostovic, V. A simplified approach to magnetic equivalent circuit modelling of induction machines 87–42961
Ostovic, V. Magnetic equivalent circuit presentation of electric machines 87–57993
Ostovic, V. Computation of saturated permanent-magnet AC motor performance by means of magnetic circuits 88–11178
Ostovic, V. A novel method for evaluation of transient states in saturated electric machines 88–23869
Ostovic, V. A simplified approach to magnetic equivalent-circuit modeling of induction machines 88–55339
Ostovic, V., Ban, D. Research of some steady and transient states of reluctance stepper motor 85–21585
Ostowari, C., Naik, D. Post stall studies of untwisted varying aspect ratio blades with an NACA 4415 airfoil section I 85–27362
Ostpako, D.L., Barzilai, Z., Silberman, G.M. Fast fault simulation in a parallel processing environment 88–19070
Ostrander, L.E. Problems of the medical equipment user 85–64525
Ostrander, L.E. The role of computers in reducing operator error 86–49938
Ostrander, L.E. *see* Bakuzonis, C. 86–50464
Ostrander, L.S. *see* von Maltzahn, W.W. 87–50203
Ostreiko, G.N. *see* Karliner, M.M. 88–57262
Ostreiko, V.N. On synthesis of an electromagnetic field employing characteristics of the medium 85–56929
Ostreiko, V.N. Equations for automatically satisfying the conditions of continuity of a two-dimensional field in a stratified medium 86–36642
Ostreiko, V.N. Synthesis of EM fields based on electric and magnetic equivalence of laminar and uniform media 86–68661
Ostreiko, V.N. Analysis and synthesis of electromagnetic fields on the basis of a modified approximation to the lines of their vectors 87–2256
Ostreiko, V.N. Calculating the magnetic field in a nonlinear medium by the coordinate-structure method 87–2282
Ostreiko, V.N. Equations automatically satisfying the conditions of continuity of a three-dimensional field in a layered medium 87–54473
Ostreiko, V.N. Calculating the parameters of an adapter for magnetic holders 88–51375
Ostreiko, V.N., Chemeris, V.T. Synthesis of a laminated conductor with a minimal equivalent depth of penetration for a planar homogeneous electromagnetic wave 87–37584
Ostreiko, V.N., Chernikov, Yu.L. How an external magnetic field influences steel current-conducting strip parameters 85–29986
Ostreiko, V.N. *see* Epechurin, V.P. 86–10075
Ostreiko, V.N. *see* Girganov, M.Z. 87–7495
Ostreikovskii, A.V. *see* Bartashevskii, E.L. 87–3733
Ostreikovskii, V.A. *see* Arnol'dov, M.N. 88–18088
Ostrejkovsky, I.V. *see* Kornilov, S.T. 87–49749
Ostrem, O. *see* Walke, R.L. 88–48410
Ostrerov, V.M. Determination of the optimum parameters of switching circuits of apparatus for forced turn-off of thyristors [power amplifiers] 85–17163
Ostretsov, I.N. *see* Svistunov, E.P. 86–25698
Ostro, S.J., Connelly, R., Belkora, L. Asteroid shapes from radar echo spectra: a new theoretical approach 88–35624
Ostroborodova, V.V. Basic types of nonuniformities and their manifestation in the galvanomagnetic properties of especially pure silicon 88–32748
Ostrodka, D.L. *see* Burkhart, R.M. 86–45813
Ostroff, A.H. *see* Lewis, J.B. 85–38226
Ostroff, I. The 1984 Semiconductor Chip Protection Act 86–15245
Ostrogradskii, N.V. *see* Fesechko, V.A. 87–53609
Ostrom, R.M., Allen, F.G. Boron doping in Si molecular beam epitaxy by co-evaporation of B_2O_3 or doped silicon 86–28129
Ostrom, R.M. *see* Ahlers, E.D. 88–49817
Ostrouchov, G. Symbolic Givens reduction and row-ordering in large sparse least squares problems 87–58850
Ostroumov, E.A. *see* Rybakov, A.A. 85–43489
Ostroumov, E.E. *see* Rubisov, G.V. 85–43930
Ostroumov, P.N. *see* Feschenko, A.V. 87–41765
Ostroumov, P.N. *see* Gonin, I.V. 86–24978
Ostroumov, P.N. *see* Kravchuk, L.V. 85–52931
Ostroumov, V.G., Privis, Yu.S., Smirnov, V.A., Shcherbakov, I.A. Sensitizing of Nd^{3+} luminescence by Cr^{3+} in gallium garnets 86–29099
Ostroumov, V.G. *see* Allat'ev, A.N. 87–39039
Ostroumov, V.G. *see* Avanesov, A.G. 88–51772
Ostroumov, V.G. *see* Berenberg, V.A. 87–46818
Ostroumov, V.G. *see* Danilov, A.A. 88–27122
Ostroumov, V.G. *see* Denisov, A.L. 86–29100
Ostroumov, V.G. *see* Duczynski, E.W. 86–58900
Ostroumov, V.G. *see* Zharikov, E.V. 85–7404, 85–24522, 86–9795, 86–54119
Ostroumov, V.I. *see* Zablotskii, V.V. 87–11601
Ostroumova, E.V. *see* Grekhov, I.V. 87–67011
Ostrove, N. *see* Golder, C.G. 85–3301
Ostrovetsky, R.M. *see* Afanasiev, N.N. 85–38813
Ostrovityanov, R.V., Monakov, A.A. The statistical properties of polarization-averaged angle and range noise 87–19716
Ostrovityanov, R.V. *see* Monakov, A.A. 87–61860, 88–22235
Ostrovsii, A.O. *see* Kucherov, V.I. 85–2583
Ostrovskaya, B.I., Terekhin, S.N., Bashkinskii, E.V., Degtyarev, V.A., Reshetnyak, A.D., Bobrinev, S.G. Stabilising treatment of the circulation water of heat and power stations with the aid of oxyethylidenediphosphonic acid 86–12690
Ostrovskaya, E.L. *see* Moskalenko, V.I. 85–48961
Ostrovskaya, G.V. *see* Komissarova, I.I. 88–20800
Ostrovskaya, G.V. *see* Vlad, V.I. 85–35862
Ostrovskaya, I.L. *see* Matveev, V.A. 86–65724
Ostrovskii, A.S., Leites, I.S., Balyasnikov, O.P., Drobov, E.I., Shadrin, A.F., Murataev, A.A., Nevel'skii, V.L., Edlin, M.A. Automatic increase of the voltage level on buses of a regional electric plant under fault conditions 86–25671
Ostrovskii, A.S., Ushakov, Yu.A. Study of synchronous generator stability using automatic control of strong excitation with the aid of regressive analysis 86–56738
Ostrovskii, A.S. *see* Smirnov, V.P. 88–23854
Ostrovskii, E.S., Solomonik, V.A. Methods of determining the dynamic characteristics of pressure transducers 87–29052
Ostrovskii, G.B. *see* Shakirov, A.Sh. 87–57920
Ostrovskii, I.V. *see* Bulakh, G.I. 85–1421, 85–64773
Ostrovskii, L.N. *see* Arshinov, K.I. 88–65570
Ostrovskii, M.Ya. *see* Vinogradov, P.Yu. 85–44102
Ostrovskii, S.B. *see* Andrushko, L.M. 88–45131
Ostrovskii, Yu.I. *see* Osintsev, A.V. 86–22554
Ostrovskiy, M.Ya. *see* Vinogradov, P.Yu. 86–40944
Ostrow, H. *see* Barnes, W.L. 87–63908
Ostrow, H.G. *see* Bacharach, S.L. 88–4924
Ostrow, M. *see* Rosenblum, L. 88–48386
Ostrowky, D.B. *see* Li, M.J. 88–7924
Ostrowski, A. Application of the approximate solution of Poisson's equation to derive new formulae for impurity profile determination by the *C-V* method 85–28921
Ostrowski, E.T., DiCola, F. Performance monitoring of 'balance of plant' using a desk top computer 85–9615
Ostrowski, E.T., Queenan, P.T. Increase net plant output through selective operation of the heat-rejection system 87–71982
Ostrowski, G. *see* Felcher, G.P. 87–50098
Ostrowski, G. *see* Rauchas, A. 86–5712
Ostrowski, G.E., Doinley, L.I., Rauchas, A.V., Volk, G.J., Jung, E.A., Haumann, J.R., Pelizzari, C.A. The PNS Chopper control and accelerator interface systems 86–56025
Ostrowski, J., Lowicki, A., Steglinski, Z. Neutral grounding reactors for the 750 kV Chmielnicka-Rzeszow transmission line 88–75171
Ostrowski, J., Steglinski, Z. Designing hermetic distribution transformer corrugated tanks 87–64657
Ostrowski, J., Swillo, R., Szustakowski, M. Fabrication of the nonuniform holographic gratings for WDM 87–75266
Ostrowski, K.W., Kowalski, T.Z., Zajac, J. Influence of a cathode on the neutralization of complex ions in a proportional counter and MWPC 87–29454
Ostrowski, K.W. *see* Kowalski, T.Z. 87–3888
Ostrowski, P. Specification and description language for telecommunications 87–27741
Ostrowski, T. *see* Erben, O. 86–32155
Ostrowski, W. *see* Boczkowska, H. 85–8738
Ostrowsky, D. *see* Min Jun Li 88–51495
Ostrowsky, D.B. Integrated parametric oscillators with semiconductor laser pumps 85–1019
Ostrowsky, D.B. Parametric processes in $LiNbO_3$ 86–9971
Ostrowsky, D.B. *see* de Micheli, M. 86–36227, 87–74807
Ostrowsky, D.B. *see* Li, M.-J. 88–65296
Ostrowsky, D.B. *see* Li, M.J. 87–46512
Ostrowsky, D.B. *see* Schweizer, P. 88–36028
Ostrowsky, M. A new volume adjuster for liquid proportioning 86–31722
Ostrup, T. *see* Christensen, J.F. 86–12369
Ostrysz, R. *see* Borodzinska, E. 87–74473
Ostudin, V.D. *see* Gorfinkel, A.G. 88–29202
Ostudin, V.D. *see* Volchok, V.P. 88–74548
Ostuka, K. Study on reactive ion etching for semiconductor optical devices 88–7967
Ostuka, S. *see* Masuda, M. 88–15827
Ostwald, O. Broadband impedance measurements using SWR Bridge ZRB 2 85–26403
Ostwald, R. *see* Bogenschutz, A.F. 85–40373
Osuch, C.E., Brahim, K., Hopf, F.R., McFarland, M.J., Mooring, A., Wu, C.J. A new class of resins for deep ultraviolet photoresists 87–11881
O'Sullivan, B. Interfacing to packet data networks 85–42226
O'Sullivan, C.T., Twomey, P.W., Murphy, P.J., McBreen, B. An inexpensive subnanosecond timing system 87–57028
O'Sullivan, D., Spruyt, H., Crausaz, A. PWM conductance control 88–71729
O'Sullivan, D., Thompson, A., Domingo, C. The response of Tuffak polycarbonate to high energy xenon, holmium, gold and uranium nuclei 87–29596
O'Sullivan, D., Thompson, A., Fowler, P.H. The abundance of actinide elements in the galactic cosmic radiation 86–50413
O'Sullivan, D., Weinberg, A., Meuldijk, D. Spacecraft AC power system for auxiliary equipment 85–10021
O'Sullivan, D. *see* Capel, A. 87–22589, 87–71251, 88–61567, 88–75743
O'Sullivan, D. *see* Domingo, C. 87–29595
O'Sullivan, D. *see* Thompson, A. 87–29594
O'Sullivan, D.M. *see* Capart, J.J. 85–59394
O'Sullivan, F. Nonparametric estimation of relative risk using splines and cross-validation 88–56181
O'Sullivan, G. An efficient control system for unmanned and remote installations 87–56098
O'Sullivan, G., Brown, G. The ABC switches on the satellite 87–3151
O'Sullivan, J. *see* Renier, M. 87–73137
O'Sullivan, J.A. *see* Snyder, D.L. 88–41720
O'Sullivan, J.D. A fast sinc function gridding algorithm for Fourier inversion in computer tomography 86–32254
O'Sullivan, J.D. *see* Rogers, P.G. 87–19965
O'Sullivan, J.J. *see* Bloch, J. 86–7832
O'Sullivan, M.R. A comparison of sidelobe blanking systems 88–15546

O'Sullivan, M.S., Gransden, D.W. Fizeau fringe interferometer for fibre outside diameter measurements 87−56839
O'Sullivan, M.S., Gransden, D.W. A Fizeau fringe interferometer for fiber outside diameter measurements 88−39934
O'Sullivan, M.S., Lowe, R.S. Interpretation of SM fiber OTDR signatures 87−68146
O'Sullivan, M.S., Lowe, R.S., Saravanos, C. Interferometric measurement of cable thermal expansion 88−28907
O'Sullivan, N.P. *see* Cahill, C.G. 87−25613
O'Sullivan, P.E., Vaughan, N.D. Low energy houses: people and performance 87−58479
O'Sullivan, P.J. *see* Allan, D.A. 86−41996, 88−7756
O'Sullivan, P.J. *see* Herniman, J. 88−51037
O'Sullivan, T., Harmer, D., Stansfield, E.V. Vocoded speech over HF radio links 87−48739
O'Sullivan, T., Twomey, P.W., O'Riordan, J.J., Murphy, P.J., McBreen, B. A multi-input fast coincidence system with sub-nanosecond timing 88−16658
Osumi, M. *see* Kawada, H. 87−78927
Osumi, N., Ueno, K. Microwave holographic imaging method with improved resolution 85−14359
Osumi, N., Ueno, K. Microwave holographic imaging of underground objects 85−35914
Osumi, N., Ueno, K. Synthetic aperture approach to underground pulse-radar imaging 85−52435
Osumi, N., Ueno, K. Resolution improvement and clutter reduction in underground object imaging [radar applications] 86−49732
Osumi, N., Ueno, K. Detection of buried plant 88−67469
Osumi, N. *see* Ueno, K. 85−52436, 87−56525
Osumi, T. *see* Tsubone, K. 88−64709
Osutin, A.V. *see* Biryulin, Yu.F. 88−49802
Osvald, F. *see* Karasek, M. 85−50968
Osvald, F. *see* Stadnik, B. 88−28846
Osvald, J. Influence of electron lithography on electrical parameters of MOS structures 86−1842
Osvath, I. Surface mounted multilayer printed circuit board with metal core for leadless ceramic chip carriers 88−71164
Osvath, P., Biasutti, G., Zaengl, W. The location and evaluation of partial discharges in synthetic high voltage cables 88−23500
Osvath, P., Biasutti, G., Zaengl, W.S. Location and critical examination of partial discharges in plastics-insulated, high-voltage cables 87−57644
Osvath, P., Widmar, S. Frequency dependent errors in a high-voltage capacitance measuring bridge 87−14469
Osvath, P., Widmer, S. A high-voltage high-precision self-balancing capacitance and dissipation factor-measuring bridge 86−44394
Osvath, P., Widmer, S. Automatic capacitance and dissipation factor $\tan \delta$ measurement in the industrial environment 87−21207
Osvath, P., Zaengl, W., Weber, H.J. Partial discharge measuring: problems and their solution with a flexible measuring system 86−12514
Osvath, P., Zaengl, W., Weber, H.J. Measurement of partial discharges. Problems and their solution by an elastic measuring system 87−8735
Osvath, P. *see* Zaengl, W.S. 87−25655
Osvenskii, V.B., Turovskii, B.M., Zhukova, L.A., Mezhennyi, M.V., Sokolova, E.L., Stolyarov, O.G. Effect of surface treatment on the ultimate strength of single crystal silicon 87−1405
Osvenskii, V.B. *see* Biberin, V.I. 86−40705
Osvenskii, V.B. *see* Grigor'ev, Yu.A. 86−47303
Osvenskii, V.B. *see* Kolesnik, L.I. 86−21359
Osvenskii, V.B. *see* Kolin, N.G. 85−45559, 86−28131, 87−17905, 88−26032
Osvenskii, V.B. *see* Krivov, M.A. 85−11943
Osvenskii, V.B. *see* Markov, A.V. 87−12292
Osvensky, V. *see* Vaitkus, J. 88−32795
Oswald, B. Investigation of the torque dip and torsional vibrations during the starting of drive systems with synchronous motors 87−35925
Oswald, B. Performance in service of emergency power supply diesel electric sets under short-circuit conditions 88−5573
Oswald, B. Time scaled models of electrical power distribution systems 88−30358
Oswald, B. The calculation of symmetrical and asymmetrical short circuits in power systems 88−48432
Oswald, B., Bunzel, E., Kunckel, K.-H., Munch, U., Paulig, E., Schubert, P. Computation of balancing processes by using the home computer for the example of starting an asynchronous machine 86−19262
Oswald, B., Pfeiler, V., Schulz, W. Instructions and methods of short-circuit current computation of three-phase systems 86−65758
Oswald, B., Schubert, P., Bunzel, E., Kunckel, K.H., Munch, U., Paulig, E. Solving linear equation systems by the example of simple networks 86−18634
Oswald, B., Siegmund, D. Behaviour of turboblocks in critical disturbing cases within the electric energy system—aspects of a comprehensive study 88−5633
Oswald, B. *see* Ambrosch, H. 86−19332
Oswald, B. *see* Bunzel, E. 86−7582, 86−13611, 86−18636, 88−17561
Oswald, B. *see* Kunckel, K.-H. 86−52400
Oswald, B. *see* Munch, U. 86−33416, 86−56688
Oswald, B. *see* Schubert, P. 86−19206
Oswald, E. *see* Wallace, W.E. 85−24190
Oswald, G.K.A. Geophysical radar design 88−67473
Oswald, H. Application of the swept reflectometer principle to microwave coaxial line measurement technique 86−24727
Oswald, H., Tauber, W. Simplified measurements of cable screen transfer impedances 88−44400
Oswald, H. *see* Kummer, M. 88−8558
Oswald, H. *see* Tauber, W. 88−44401
Oswald, J. *see* Bauer, G. 88−44574
Oswald, J. *see* Pastrnak, J. 87−12496
Oswald, K. *see* Czeschka, F. 88−1076, 88−7128 to 7129, 88−19470
Oswald, M. *see* Auch, W. 88−74462
Oswald, O. 12-term system-error correction in network analysis 86−31301
Oswald, R.S. *see* Arya, R.R. 87−15965
Oswald, R.S. *see* Carlson, D.E. 85−23458, 86−1749, 87−72412, 87−72432
Oswald, R.S. *see* Dickson, C.R. 88−49865
Oswald, T. Submarine optical cables: a phenomenon of resonance in suspended lengths 86−23856
Oswald, T.H. *see* Kennedy, W.J., Jr. 87−52
Oswald, W.M. *see* Dunn, W.L. 86−5910
Osyagin, A.A. *see* Mesenzhnik, Ya.Z. 85−59724, 86−33890
Osyka, M.I., Pasternak, Ya.A., Shepelyak, M.Z. Industrial quadrupole nuclear and fiber-optic thermal transducers 88−22621
Osyka, M.I. *see* Lenovenko, A.M. 86−17951
Osynin, G.B. *see* Mel'nikov, V.I. 87−42569
Oszusky, F. *see* Szeless, A. 85−9577
Oszuszky, F. *see* Szeless, A. 85−15712
Oszvald, F. Mechanical and metallurgical examination of test bars of the reactor vessel at Paks Nuclear Power Station 88−55146
Oszwaldowski, M. *see* Berus, T. 85−1840, 85−12238, 86−21146
Oszwaldowski, M. *see* Goc, J. 85−12144, 87−11625
Oszywa, W., Jach, J., Wirkus, E. Digital conversion of speech signals 87−75753
Ota, A., Imai, T. Sharp intelligent video disc system 85−14489
Ota, C., Kuramochi, S., Takahashi, T., Imamura, N., Tanaka, F., Nagao, Y. Development of the large capacity magneto-optical disk system 87−1889
Ota, E. *see* Takeko, S. 85−52466
Ota, H. *see* Yamada, H. 88−8428, 88−52172, 88−61450
Ota, I. *see* Fujita, S. 87−56763, 88−42208
Ota, I. *see* Kumagawa, K. 87−56756
Ota, I. *see* Ohnishi, H. 87−56760, 88−42219
Ota, I. *see* Tatsuta, H. 85−14914
Ota, I. *see* Uemura, T. 87−56762, 88−42220
Ota, J. *see* Mitsunaga, K. 87−12494
Ota, K., Baba, K., Eguchi, H. The automatic observation of arrival polarization of whistler 88−2564
Ota, K., Inoue, N., Nihei, H., Morikawa, J., Ishida, S., Uchida, T. 3D-computer simulation of ion-beam deflection caused by the displacement of extraction electrodes 85−15120
Ota, K., Mao Tian, Cunchen Tang, Baba, K., Eguchi, H. The frequency dependence of the exit points of whistler 88−72548
Ota, K., Takasaki, Y., Yamada, M., Matsui, T. Optical PCM transmission system for long distance and large capacity transmission 85−20189
Ota, K. *see* Abe, K. 88−4802
Ota, K. *see* Hiyama, T. 85−36925
Ota, K. *see* Kogure, S. 88−45240
Ota, K. *see* Nihei, H. 87−21366
Ota, K. *see* Nishio, M. 87−58907
Ota, K. *see* Sawai, T. 87−45980
Ota, M., Imamura, T., Watanabe, K., Wakamiya, M., Matsuoka, M. A liquid-crystal large-scale display system 88−60839
Ota, M. *see* Utsumi, H. 88−11532
Ota, N. *see* Kaneda, S. 87−10386
Ota, S., Matsumoto, J., Tamura, J., Nagao, T. International standardization trends concerning ISDN number schemes 88−8989
Ota, S., Tanabe, E., Miyazawa, H., Tachigami, S. The highly reliable mechanical splice closure 88−22159
Ota, S. *see* Hagino, S. 86−43616
Ota, T. Heteroepitaxial growth of GaAs films on (0001) mica by ionized vapor evaporation under electric field 85−10733
Ota, T. Study of (n-p) GaAs thin film-Si diode prepared by co-evaporation technique 86−35643
Ota, T. Heteroepitaxial growth and composition of GaAs films formed on (100) NaCl by ionized evaporation 87−5417
Ota, T. Effects of ion accelerating voltage and AC electric field on epitaxy and composition of GaAs film prepared by ionized evaporation 87−73108
Ota, T., Taniguchi, Y. Engineering plastic applied analog quartz watch 86−24791
Ota, T. *see* Hirayama, H. 86−31057
Ota, T. *see* Hori, F. 88−75512
Ota, T. *see* Moriya, Y. 87−77708
Ota, Y., Clapper, R.A. Vacuum evaporation system for depositing thick polycrystalline silicon 85−425
Ota, Y., Clapper, R.A., Schimmel, D.G. Thermal behavior of thick vacuum evaporated polycrystalline silicon layer 85−50188
Ota, Y., Hu, P.H.-S., Seabury, C.W., Brown, M.G. Protective coating on the *p-n* junction of $In_{0.53}Ga_{0.47}As$/InP *p-i-n* planar diodes by vacuum-evaporation glass 87−33054
Ota, Y., Ichinose, K., Yamanishi, A., Iwakami, K., Tanaka, E. Computer-aided instruction for power-distribution systems 88−61914
Ota, Y., Miller, R.C. 12-channel PIN and LED arrays and their packaging for 1.3 μm applications 88−45325
Ota, Y., Miller, R.C., Forrest, S.R., Kaplan, D.R., Seabury, C.W., Huntington, R.B., Johnson, J.G., Potopowicz, J.R. Twelve-channel individually addressable InGaAs/InP p-i-n photodiode and InGaAsP/InP LED arrays in a compact package 88−3995
Ota, Y., Tani, N., Ishikawa, M., Yamada, T., Nakamura, K., Itoh, A. Evaporation conditions and magnetic properties of Co-O perpendicular magnetic films 85−18567
Ota, Y., Yanagihara, M., Inada, M. Properties of molecular-beam-epitaxy-grown and O^+-implanted GaAs and their application to the formation of a buried collector of an AlGaAs/GaAs heterojunction bipolar transistor 88−64531
Ota, Y. *see* Asaka, T. 87−74883
Ota, Y. *see* Asari, S. 88−6505
Ota, Y. *see* Brown, M.G. 85−56456, 86−48300
Ota, Y. *see* Cheng, C.-L. 87−6711, 88−73921
Ota, Y. *see* Cheng, C.L. 88−33904
Ota, Y. *see* Eda, K. 87−18097
Ota, Y. *see* Inada, M. 87−25251, 88−26220
Ota, Y. *see* Ishikawa, M. 87−25824
Ota, Y. *see* Kamaya, M. 87−31898
Ota, Y. *see* Kawata, A. 88−34639
Ota, Y. *see* Kim, S.J. 88−7626
Ota, Y. *see* Morikawa, H. 86−29655
Ota, Y. *see* Nakamura, K. 85−24133
Ota, Y. *see* Tani, N. 88−13680
Ota, Y. *see* Yamada, T. 86−28671, 88−443
Otaduy, P.J. *see* March-Leuba, J. 87−15487
Otaduy, P.J. *see* Robinson, J.T. 88−75128
Otagaki, M. *see* Daimaru, T. 85−21986
Otagawa, T., Stretter, J.R. A chemical concentration modulation sensor for selective detection of airborne chemicals 87−56654
Otagawa, T., Zaromb, S., Stetter, J.R. A room-temperature electrochemical sensor and instrument for monitoring methane 86−31404
Otagawa, T. *see* Stetter, J.R. 86−55882
Otaguro, C. *see* Harter, W. 85−14941
Otaguro, H. *see* Yokoyama, T. 86−65014
Otaguro, W.S., Borowki, S.M., Gargano, G.S., Brainard, R.J. Single-target module orientation sensor for space operations 87−50499
Otaguro, W.S., Michal, R.J., Watanabe, S.F. Fiber-optic monitors for space structures 87−41499
Otaguro, W.S., Udd, E., Cahill, R.F. Fiber-optic gyro for space applications 87−21721
Otahal, A. *see* Jezek, J. 88−59262
Otaka, T., Araki, K., Nakamura, T., Matsui, F., Saito, M., Hashimoto, S. A systematized approach to undercoat plating for high-density computer hard disk 88−49312
Otake, M. *see* Arai, T. 86−49790
Otake, M. *see* Katori, K. 87−67874
Otake, M. *see* Miyagi, K. 86−28927
Otake, M. *see* Shoji, K. 88−67911
Otake, S., Inohara, M., Takeuchi, T. Assessment of the flicker threshold for discharge lamps 86−52027
Otake, S., Kawagawa, S., Horiuchi, M. Introduction of powder painting for public telephone 85−25587
Otake, S. *see* Sano, M. 86−6365
Otake, Y., Ohsawa, S., Ogawa, Y., Azuma, O., Fukuda, S., Asami, A., Hosono, Y., Hasegawa, K. Short pulse grid pulser for the gun of the positron generator. II 87−14681
Otake, Y., Yokota, M., Kakihara, K., Ogawa, Y. Device controller using I-TRON 88−42361
Otake, Y. *see* Asami, A. 87−41781
Otake, Y. *see* Azuma, O. 87−14682
Otake, Y. *see* Fukuda, S. 87−41818
Otake, Y. *see* Hanaki, H. 87−41779
Otake, Y. *see* Hosono, Y. 87−14684
Otake, Y. *see* Nakahara, K. 86−60417
Otake, Y. *see* Ogawa, Y. 87−14717
Otake, Y. *see* Urano, T. 88−42359
Otaki, H. *see* Shirai, N. 86−4655
Otaki, K. Improvement of measures of fault location in the common circuit of Railway Lab.-C-type remote controller 86−40231
Otaki, K., Murakami, T., Matsubara, H., Yamawaki, T., Saito, H., Issiki, K., Kokubo, Y., Kumabe, H., Susaki, W. High power and long-

term operation of AlGaAs thin tapered-thickness active layer (T^3) lasers 88−65724
Otaki, T. Instrumentation engineering in the multipurpose batch plant 86−31131
Otaki, T. *see* Jyo, Y. 86−46616
Otaki, Y. CCIR and CCITT [telecommunications standards committees] 85−36515
Otala, M., Huttunen, P. Peak current requirement of commercial loudspeaker systems 87−77037
Otala, M., Sekiya, M. Power output stages: more reactive than active 88−15858
Otamas, L.I. *see* Asaturyan, A.Sh. 88−55399
Otani, A. *see* Awaka, J. 86−36719
Otani, A. *see* Hishii, M. 88−8120
Otani, A. *see* Miyagi, K. 87−53947
Otani, H., Tomioka, T., Mihata, M., Okamoto, I., Arai, S., Kuramasu, K. Thin-film thermal head 85−55326
Otani, H. *see* Iwasaka, Y. 85−37113
Otani, K. Calculation of the radiation spectra for the high pressure sodium arc 86−33830
Otani, K., Kishigami, J., Mitsuya, Y. Magnetic field distribution of flat-type magnetic circuits for head positioning actuator 87−1895
Otani, K., Miyauchi, H., Matsubara, H., Kuno, M., Akie, T. Development of materials for high performance XLPE cables 85−64918
Otani, K. *see* Matsushima, M. 86−52807
Otani, K. *see* Shintomi, T. 87−78968
Otani, M. Automated guided vehicle systems for FMS 85−60487
Otani, M. *see* Ichikawa, H. 88−75106
Otani, M. *see* Miki, H. 86−28998
Otani, N. *see* Ito, M. 88−62546
Otani, S., Yagi, T., Todoroki, T., Oshima, G. Development of a variable rate FEC LSI for satellite communications 88−41594
Otani, S. *see* Adachi, H. 85−23312
Otani, S. *see* Fujii, K. 85−34424
Otani, S. *see* Ishizawa, Y. 87−32193, 87−37798
Otani, S. *see* Nomura, T. 86−44731, 86−65481
Otani, S. *see* Oshima, C. 85−11833
Otani, S. *see* Tanaka, T. 86−7741
Otani, Y., Miyajima, H., Chikazumi, S. Torque magnetometer using a superconducting magnet 87−35036
Otani, Y., Miyajima, H., Chikazumi, S. High field torque magnetometer for superconducting magnets 87−56632
Otani, Y. *see* Miyajima, H. 87−60869
Otavina, L.A. *see* Fomicheva, O.F. 86−58338
Otavina, L.A. *see* Lukashova, I.P. 86−58340
Otavka, J.G. *see* Niemann, R.C. 87−70928, 88−45030
Otawara, I. *see* Okabe, N. 87−33807
Otawara, I. *see* Tayama, N. 88−3204, 88−73233
Otawara, I. *see* Wei-dong Sun 86−37154
Otblesk, A.E. *see* Grekhov, I.V. 85−34596, 85−45644
Ote, T. *see* Sekine, H. 87−72101
Oteng-Adjei, J. *see* Billinton, R. 87−78042, 88−36808
Otera, S. *see* Horibata, S. 87−7012
Otermann, H.H. UL and CSA approval for contactors and overload relays 88−24075
Otero, J.L. *see* Josa, J.M. 86−45894
Otero, M.G. *see* Fernandez, A.A. 87−56209
Otero, M.Garcia *see* Garcia Otero, M.
Otero, R.Cuesta *see* Cuesta Otero, R.
Otevrel, J. Unconventional solution of lightning protection of high-rise buildings 85−27097
Otey, D.V., Cooke, D.W. Testing battle management algorithms 88−17018
Otgonsuren, O. *see* Perelygin, V.P. 87−29590
Othman, A. Gas amplification factor in neon-nitrogen filled proportional counters 88−68250
Othman, H. *see* Pai, M.A. 87−57574, 88−42752
Othman, H.A., Lesieutre, B.C., Sauer, P.W. Averaging theory in reduced-order synchronous machine modeling 88−23906
Othman, H.A., Pai, M.A., Chow, J.H. Block diagonalization for decoupling energies of power systems with weakly connected areas 88−36790
Othman, H.A. *see* Pai, M.A. 88−23289
Othman, H.A. *see* Sauer, P.W. 88−23375
Othman, M.B., Brunnschweiler, A. Electrothermally excited silicon beam mechanical resonators 87−67651
Othman, M.O. *see* Irshid, M.I. 88−49142
Othman, M.Y.H., Dalimin, M.N. A 1.2 kWp solar photovoltaic pump testing system 87−51114
Othman, Y.H., Hassan, R.A. A microcomputer interfaced wattmeter 85−4023
Othmer, H.G. *see* Doedel, E.J. 88−71976
Othmer, J.H. *see* Brainard, R.C. 87−76970
Otis, A. *see* Sanders, R. 88−61068
Otis, B.W., Heggestad, H.M. The expert tech controller: a network control expert system 88−21501
Otis, G. *see* Mathieu, P. 87−39008
Otis, J.N. *see* Hughes, E.B. 86−60694
Otis, J.N. *see* Thompson, A.C. 88−48121
Otis, J.N. *see* Zeman, H.D. 86−11946, 86−50506, 86−60760
Otlivanov, B.M. *see* Fominykh, Yu.A. 87−36053
Otmakhov, Yu.A., Popov, V.P., Filippova, G.S. Complex waves in shielding strip and slot lines 86−36777
Otmakhov, Yu.A. *see* Bogacheva, L.V. 86−20786 to 20787
Otmakhov, Yu.A. *see* Gurevich, G.L. 85−24909
Otman, Ya.I. *see* Vyatkin, A.P. 86−1776
Oto, M. *see* Enokizono, M. 87−61313
Otobe, K. *see* Okawa, M. 87−43313, 88−30952
Otoda, M. *see* Matsuda, S. 85−65456, 87−78931
Otoh, H., Sudo, S., Okamoto, K., Hosaka, T. Optical pulse compression in 1.5 μm wavelength region using large-positive-dispersion fibre and grating pair 88−59203
Otoha, K. *see* Uchida, S. 88−5435
Otoi, F. *see* Anzai, K. 85−50759
Otoi, F. *see* Kitabayashi, H. 86−20403
Otoi, H. *see* Utsumi, A. 88−68375
Otomo, D., Koizumi, I., Soma, K., Suzuki, S., Saito, T., Sato, Y., Yamabayashi, M. 2/12 GHz-band PCM-4PSK medium capacity multiplex radio relay equipment 87−62831
Otomo, E. *see* Tomoda, K. 85−58563
Otomo, G. *see* Sharma, S.K. 88−50221
Otomo, K. *see* Kitamura, S. 85−30935
Otomo, N. *see* Okada, T. 86−23596
Otomo, S., Nakatani, R., Kobayashi, T., Kumasaka, N. Magnetic properties and corrosion resistance of Fe-based sputtered films 88−51203
Otomo, S. *see* Kobayashi, T. 88−51202
Oton, J.M. *see* Martin-Pereda, J.A. 85−46487
Otonari, H. *see* Okuda, I. 88−4100
Otonari, T., Yamada, N., Shigetoshi, I., Mizutani, K., Shimada, M., Matsuda, M. Installation of 132 kV oil-filled submarine cable at Pulau Langkawi, Malaysia 87−78141
O'Toole, C.S. *see* Gordon, G.M. 86−32987
O'Toole, J. America's Cup telecommunications services—an international viewpoint 87−33945
O'Toole, J.A. *see* Srivastava, V.C. 85−1901
O'Toole, M.M. Simulated performance of a contrast-enhancement material 85−50349
O'Toole, M.M., deGrandpre, M.P., Feely, W.E. A negative, deep-UV resist for 248 nm lithography 88−57525
O'Toole, M.M. *see* Kruger, J.B. 86−8954
O'Toole, M.M. *see* Sheats, J.R. 87−11892
O'Toole, T. ISDN terminals simplify data transmissions 87−40593
O'Toole, T.J. ISDN—a large user's perspective 88−28474
O'Tooni, M. *see* Jenkinson, H.A. 85−18087
Otorbaev, D.K. *see* Zheenbaev, N.Zh. 88−27052
Otosaki, K. *see* Tani, T. 86−45324
Otoshi, T.Y., Rusch, W.V.T., Young, L.E. VLBI collimation-tower technique for time-delay studies of a large ground-station communications antenna 85−47618
Ototake, K. *see* Ochiai, Y. 86−45464
Otowa, Y. *see* Inami, Y. 85−47936
Otreba, R., Pluta, W., Nuckowski, J. Techniques and equipments used in some visual tests 86−44181
Otremba, G., Winand, U. Telecommunication in Hessen 87−27788
Otremba, K., Steinkamp, J., Thaler, H.-J., Vogel, K. High capacity digital radio relay systems for the 18 GHz band 88−28684
Otremba, K., Steinkamp, J., Thaler, H.J., Vogel, K. High capacity digital radio system family for the 18 GHz band 88−46886
Otridge, R.E. Escom and fibre optics [power utility] 88−9538
Otrio, G. *see* Grezes-Besset, C. 88−60123
Otrubyannikov, Yu.A., Safronov, A.S. Inductive-pulsed power supply for a betatron magnet 86−18210
Otrubyannikov, Yu.A., Safronov, A.S., Steptsyura, L.E., Nazarov, A.P. Controller for pulse-generator thyristors 87−73291
Otsi, L. *see* Malicsko, L. 86−384
Otsu, M. *see* Senoh, M. 88−23658
Otsu, N. Karhunen-Loeve line fitting and a linearity measure 85−36395
Otsu, N. A theory of invariant feature extraction. II. Invariant linear feature extractors 87−33752
Otsu, N. A theory of invariant feature extraction. III. Construction of nonlinear absolute invariant feature spaces 87−39902
Otsu, N. A theory of invariant feature extraction. IV. Invariant features under blurring transformation 87−39903
Otsu, N., Kasvand, T. Image restoration by multiple regression analysis approach 85−30393
Otsu, N. *see* Abdelmalek, N.N. 85−30297, 85−36417, 85−46879, 85−57498
Otsu, N. *see* Kasvand, T. 85−30404, 85−36397
Otsu, N. *see* Kurita, T. 87−58790
Otsu, Y. Experiment of first-aid communication system using domestic communication satellite, CS-2 86−69716
Otsu, Y. Experiments on press facsimile transmission using communication satellites and their problems 87−48513
Otsu, Y., Iso, A., Kido, Y. Japan's CS (Sakura) communications satellite experiments. I. Outline of communications satellite experiments 86−64898
Otsu, Y., Kondoh, K., Matsumoto, M. Outline of CS application experiments [communication satellites] 86−30717
Otsu, Y., Muranaga, K., Ksuchiya, K., Takahashi, H., Kosaka, K. Japan's CS-2 pilot program 86−37814
Otsu, Y., Takahashi, Y., Kozu, T. Joint probabilities of rainfall rate among far distant places in Japan 86−37847
Otsu, Y., Takahashi, Y., Kozu, T. Simultaneous occurrence probabilities of rainfall among nine locations in Japan [satellite communications] 87−2298
Otsu, Y., Yamazaki, I., Murata, K., Tsuchiya, K., Hashimoto, Y., Fujieda, T., Iguchi, M., Suruwatari, T., Nishiyama, I., Miura, R., Wakana, H. Summary of satellite press facsimile transmission experiments at the Radio Research Laboratory 87−48996
Otsu, Y. *see* Fukuchi, H. 86−37846, 87−54562
Otsu, Y. *see* Hosoya, Y. 86−64902
Otsu, Y. *see* Iida, T. 85−20148
Otsu, Y. *see* Kozu, T. 87−20439
Otsu, Y. *see* Nishimuta, I. 86−36720
Otsu, Y. *see* Shimada, K. 86−68765
Otsubo, H. *see* Masuda, M. 88−15827
Otsubo, H. *see* Sakaguchi, H. 86−38095
Otsubo, M., Yamasumi, K., Nakahara, Y., Nieda, H., Fuse, S. The relation between arc inception time and cathode surface in impulse discharges at low pressured air 85−18501
Otsubo, M. *see* Ishihara, T. 88−37502
Otsubo, M. *see* Maemura, K. 86−46775
Otsubo, M. *see* Omae, Y. 85−31327
Otsubo, M. *see* Sato, K. 87−78905
Otsubo, M. *see* Shimura, T. 87−25591
Otsubo, M. *see* Yamasumi, K. 86−14795
Otsubo, T. *see* Yoshimizu, Y. 88−69142
Otsuda, S. *see* Tanaka, K. 86−54557
Otsuka, A., Horio, K., Tanioka, T., Shinoda, T., Hirose, T. Characteristics and performance of an integral capacitive-matrix AC plasma display 87−3690
Otsuka, A. *see* Kanomata, T. 87−74265
Otsuka, A. *see* Matsumura, M. 86−58454
Otsuka, A. *see* Murata, H. 86−3060
Otsuka, E. Electron scattering by impurities in semiconductors 86−41502
Otsuka, E., Nikawa, Y., Kikuchi, M., Okada, F., Mori, S. Convergent effect change due to frequency shift for microwave hyperthermia 88−61431
Otsuka, E. *see* Ohyama, T. 87−17715
Otsuka, F., Ohira, S., Hayasaka, E., Monma, M., Horima, H., Nakatani, T., Kumakura, T., Nakaseko, M., Shishido, T., Omori, T. Development of long-span, overhead, non-metallic optical fiber cable 85−37085
Otsuka, H. *see* Horii, N. 87−28096
Otsuka, H. *see* Iwai, H. 85−780
Otsuka, H. *see* Onoda, K. 87−40387
Otsuka, H. *see* Yamaguchi, H. 88−46473
Otsuka, J., Fukada, S., Matsuda, T., Matsuyoshi, Y. Study of precision thread grinding in case of using laser measuring system 88−8370
Otsuka, J. *see* Nishi, T. 87−4416
Otsuka, K. Instabilities in a resonant-type laser amplifier with injected signals 85−24431
Otsuka, K. All-optical flip-flop operations in a coupled element bistable device 88−58290
Otsuka, K., Li, H., Telle, H.R. CW Nd-lasers with broad tuning range 87−75061
Otsuka, K., Matsui, T., Ogata, H. InP and related compounds grown by liquid-phase epitaxy 88−12009
Otsuka, K., Mukai, T. Asymmetrical coupling, locking and chaos in a compound cavity semiconductor laser 87−75115
Otsuka, K., Ogihara, S. A consideration of interaction between burn-out of polyvinyl butyral binder and sintering of alumina ceramics in a reducing atmosphere. II 85−450
Otsuka, K., Shirai, Y., Okutani, K. A new silicone gel sealing mechanism for high reliability encapsulation [LSI packages] 85−16794
Otsuka, K., Takeo, Y., Ishida, H., Yamada, T., Kuroda, S., Tachi, H. The mechanisms that provide corrosion protection for silicone gel encapsulated chips 88−24563
Otsuka, K., Takeo, Y., Tachi, H., Ishida, H., Yamada, T., Kuroda, S. High reliability mechanism of new silicone gel sealing in accelerated environment test 87−51874
Otsuka, K., Ueki, Y., Uenosono, C., Neri, K. Multivariable optimal control of generator excitation and speed governor system 86−25971
Otsuka, K., Yumoto, J., Song, J.J. Optical bistability based on self-induced polarization-state change in anisotropic Kerr-like media 86−9966
Otsuka, K. *see* Emoto, Y. 86−13509, 86−61948
Otsuka, K. *see* Ichimaru, Y. 85−20928, 85−59309, 87−21528, 88−10379
Otsuka, K. *see* Ishida, H. 88−63395
Otsuka, K. *see* Kawaguchi, H. 85−7427, 86−22383
Otsuka, K. *see* Miyazaki, S. 88−5810
Otsuka, K. *see* Mukai, T. 86−9865
Otsuka, K. *see* Ogihara, S. 86−26644
Otsuka, K. *see* Tanaka, H. 86−33292

Otsuka, K. *see* Terada, H. 86−13240
Otsuka, K. *see* Uda, T. 87−66801
Otsuka, K. *see* Yamada, T. 86−52284
Otsuka, M. *see* Hori, K. 88−60758
Otsuka, M. *see* Mizuno, A. 85−3927
Otsuka, M. *see* Takahashi, T. 85−42409
Otsuka, N., Choi, C., Nakamura, Y., Nagakura, S., Fischer, R., Peng, C.K., Morkoc, H. High resolution electron microscopy of misfit dislocations in the GaAs/Si epitaxial interface 86−66809
Otsuka, N., Kolodziejski, L.A., Gunshor, R.L., Datta, S., Bicknell, R.N., Schetzina, J.F. High resolution electron microscope study of epitaxial CdTe-GaAs interfaces 85−39721
Otsuka, N. *see* Cheung, J.T. 88−64282
Otsuka, N. *see* Choi, C. 87−11465
Otsuka, N. *see* Fischer, R. 86−46320
Otsuka, N. *see* Gunshor, R.L. 86−8842, 87−7208, 87−23633, 88−12016
Otsuka, N. *see* Harris, K.A. 86−46339, 86−66825
Otsuka, N. *see* Henderson, T. 88−39524
Otsuka, N. *see* Houdre, R. 88−1377
Otsuka, N. *see* Ihm, Y.-E. 88−18678
Otsuka, N. *see* Klem, J. 86−8826, 87−52152, 88−1375, 88−63336
Otsuka, N. *see* Klem, J.F. 88−63335
Otsuka, N. *see* Kolodziejski, L.A. 85−44706, 85−55518, 86−8825, 86−46340, 86−66827, 87−6416, 87−36730, 88−1380
Otsuka, N. *see* Kuwamoto, H. 87−74152
Otsuka, N. *see* Morkoc, H. 88−32976
Otsuka, N. *see* Studtmann, G.D. 88−39500
Otsuka, N. *see* Studtmann, G.S. 88−33218
Otsuka, N. *see* Venkatasubramanian, R. 88−420, 88−43891
Otsuka, O. *see* Ikehara, S. 88−6045
Otsuka, O. *see* Yokoyama, S. 87−16184
Otsuka, S. *see* Hiyama, T. 85−36925
Otsuka, S.P. Comments on 'Numerical analysis and design for high-performance helix traveling-wave tubes' by K. Tsutaki, et al 87−24713
Otsuka, T. *see* Okitsu, Y. 85−57930
Otsuka, Y., Haussermann, W. NEA incident reporting system: three years' experience 85−21407
Otsuka, Y. *see* Nagao, H. 85−51071
Otsuka, Y. *see* Ohtsu, M. 85−24542, 86−42563
Otsuka, Y. *see* Sawa, K. 88−40097
Otsukas, A. *see* Teshigawara, Y. 88−60097
Otsuki, H. *see* Yoshida, S. 87−4466
Otsuki, K. *see* Gohara, S. 88−3774
Otsuki, T. Annealing behavior of implanted Si in semi-insulating GaAs in the presence of stress 87−32392
Otsuki, T., Aoki, H., Takagi, H., Kano, G., Teramoto, I. Heat tolerance of the In-GaAs ohmic contact up to 900°C 88−50668
Otsuki, T., Hamana, T., Ohta, I., Kazumura, M., Kano, G. A new GaAs HJFET DCFL with increased logic swing 85−40050
Otsuki, T., Tanaka, T., Yoshikawa, N., Shimano, A., Takagi, H., Kano, G. A GaAs monolithic high-frequency modulator IC for laser-diode noise suppression 86−68600
Otsuki, T. *see* Hamada, K. 87−26244
Otsuki, T. *see* Nakajima, T. 88−42587
Otsuki, T. *see* Tanaka, T. 87−60656
Otsuki, T. *see* Ueda, D. 86−35919
Otsuki, Y., Takasugi, A. 64 KW×4 bit nibble-mode DRAM with time-multiplexed data bus architecture 87−5887
Otsuki, Z., Yamada, Y., Fujita, T., Nakazima, A., Nakamura, O., Fudou, H. Improvement of 22 kV/33 kV cut-out base 86−50989
Otsuta, K. *see* Tanaka, H. 88−62794
Ott, A. Technician's Assistant, an electronic troubleshooting tool 88−18468
Ott, A., Siil, I. Real time speech synthesis−development and employment 87−55010
Ott, D., Eckmiller, R., Bock, O. A head-mounted device for measurement of pointing to visual targets without seeing the pointing arm 87−29705
Ott, D. *see* Wey, A.C.T. 88−51574 to 51575
Ott, D. *see* Wisness, S. 88−75185
Ott, D.M. *see* Bristow, J.P.G. 88−51530, 88−51555, 88−53712, 88−65363
Ott, E. *see* Antonsen, T.M., Jr. 86−1636
Ott, E. *see* Burke, J.M. 86−58854
Ott, E. *see* Chang, C.L. 85−7114, 85−23321, 86−47268
Ott, E. *see* Fliflet, A.W. 88−25790
Ott, E. *see* Schuetz, L.S. 88−65756
Ott, F.M., Yen, S.P.S., Somoano, R.B. Review of the NASA Voyager spacecraft polycarbonate capacitor failure incident 85−34215
Ott, G. *see* Byrum, K. 88−48020
Ott, G. *see* Dworkin, J.S. 86−60580
Ott, G.D. An arrangement for storage and retrieval of data from videodisks 86−24168
Ott, G.D. A color-mapped video display with an increased number of displayable colors 88−29557
Ott, G.E. Smart memories for military applications 87−73456
Ott, H. Overcurrent protection in cable networks 85−32219
Ott, H. *see* Weyland, P. 85−37492
Ott, H.W. Controlling EMI by proper printed wiring board layout 86−14647
Ott, J. *see* Collins, F.M. 88−1211
Ott, J.H., Rice, J.S. Sonic microwave-antenna simulator 87−29969
Ott, K.O. *see* Couto, R.T. 88−48003
Ott, R. CMOS microcontroller supports a wide variety of applications 85−11336
Ott, R. Eight-bit CMOS microcomputer unit ideal for intelligent telephone systems 85−17534
Ott, R. CMOS microcomputer for intelligent telephones 86−41145
Ott, R. Seeing, hearing, speaking. Picture analysis for industrial purposes 86−48966
Ott, R. Do the SMDs and ASICs change the tests strategies and costs? 87−46060
Ott, R. *see* Diss, W.C. 86−27273
Ott, R. *see* Sabot, A. 87−78737
Ott, R. *see* Strong, J.J. 88−62248
Ott, R.H. Vector analysis and satellite footprints 88−8619
Ott, R.H., Dybdal, R.B. Statistics for the EIRP of an antenna array 85−13267
Ott, R.H., Dybdal, R.B. The effects of reflector antenna diffraction on the interference cancellation performance of coherent sidelobe cancellers 86−64081
Ott, R.H. *see* Dybdal, R.B. 86−48660, 87−8734, 87−20827, 88−2829, 88−8620
Ott, R.J. Radionuclide image processing 85−38138
Ott, R.J. Emission computed tomography 86−60753
Ott, R.J., Marsden, P.K., Flower, M.A., Webb, S., Cherry, S., McCready, V.R., Bateman, J.E. Clinical PET with a large area multiwire proportional chamber PET camera 88−61302
Ott, R.J. *see* Flower, M.A. 85−15284, 88−61291
Ott, R.J. *see* Marsden, P.K. 87−21544
Ott, R.J. *see* Webb, S. 88−61304
Ott, T.J. *see* Krishman, K.R. 87−55427
Ott, T.J. *see* Krishnan, K.R. 85−51962
Ott, T.J. *see* Leland, W.E. 87−34176
Ott, V.R. *see* Balliet, L. 85−3459
Ott, W. *see* Baumann, P. 88−53982
Ott, W. *see* Jansch, H. 87−3836, 87−29426
Ott, W. *see* Kramer, D. 87−3866
Ott, W. *see* Tungate, G. 87−3839
Ott, W.R., Canfield, L.R., Ebner, S.C., Hughey, L.R., Madden, R.P. XUV radiometric standards at NBS 87−14582
Ott, W.R., Williams, C., Rodes, C.E., Drago, R.J., Burmann, F.J. Automated data-logging personal exposure monitors for carbon monoxide 87−4132
Ottavi, C.M., Ferrara, V., Guerriero, M. A model of a terrain principally intended for the numerical solution of radio-electrical problems 87−33443
Ottavi, C.M., Ferrara, V., Guerriero, M. Private radio-telediffusion in Italy, rationalisation and planning 88−67511
Ottaviani, G. *see* Cerofolini, G.F. 85−12132, 85−50388, 86−15035, 86−41686
Ottaviani, G. *see* D'Anna, E. 86−41600
Ottaviani, G. *see* Paccagnella, A. 86−8871
Ottaviani, G. *see* Queirolo, G. 87−11674, 87−38086, 88−26037
Ottaviani, G.P. *see* Pizzini, S. 88−32752
Ottaviani, M. *see* Bonino, F. 87−72384, 88−37364
Otte, K.-U. A contribution to the definition of economical lot sizes for automated production systems 86−46052
Otte, K.B. *see* Witte, J. 86−38829
Otte, R. *see* Yang Yin 86−32389
Otte, R.A. *see* Green, M.A. 88−47748
Otten, A., Schmickl, H., Slakhorst, J. New wet foil aluminium electrolytic capacitors 85−6558
Otten, A., Schmickl, H., Slakhorst, J. Electrolytic capacitors become smaller and more reliable 86−20863
Otten, A., Slakhorst, J. High-temperature electrolytic capacitors 87−59917
Otten, D.M., Casey, L.F., Van Shoor, M.C. Feedback controller design for servo systems with dominant mechanical resonances 88−55698
Otten, E.W. *see* Backe, H. 88−36398, 88−61201
Otten, G. *see* Bruger, P. 86−42995, 87−61493
Otten, H. *see* Zwijsen, W. 86−38032
Otten, K.W. Private data transmission by satellite 86−17318
Otten, M. *see* Burke, D. 86−4189
Otten, P.Van *see* Van Otten, P.
Otten, R. Layout compilation 88−7695
Otten, R.H.J.M., van Ginneken, L.P.P.P. Floorplan design using simulated annealing 85−39879
Otten, R.H.J.M. *see* Brayton, R.K. 86−46487, 86−58559
Otten, R.H.J.M. *see* Chen, C.-L. 85−29346
Otten, R.H.J.M. *see* McMullen, C.T. 86−62366
Otten, R.H.J.M. *see* van Ginneken, L.P.P.P. 85−29307, 86−57566, 88−63193
Otten, T.H. *see* Uhlhorn, R.W. 85−9304
Otten, W.G., Kapron, F.P., Olson, T.C. Mode-field diameter of single-mode fiber by knife-edge scanning in the far field 87−18637
Ottenburger, U. *see* Murphy, N. 86−56604
Ottenheim, J.J.M. *see* van Ommen, A.H. 88−71387
Ottenhoff, C.H. *see* Levy, G.S. 87−28712
Otter, A., Hojvat, C. A preliminary concept for the design of magnets at target locations 88−42396
Otter, A., Hojvat, C. Concepts for the design of magnets at target locations subjected to very high radiation levels 88−68144
Otter, A. *see* Buchmann, L. 87−70983
Otter, A.J. *see* Craddock, M.K. 86−31908
Otter, A.J. *see* De Vita, E. 86−47974
Otter, A.J. *see* Kokke, R. 88−54302
Otter, E.L., DeVries, R.C. A method of examining orchard codes for minimum Hamming distance five 86−48764
Otter, E.L. *see* Finkelstein, B.I. 87−67755
Otter, F.A. *see* Namavar, F. 85−18236 to 18237, 85−45523
Otter, F.A., Jr., Nighan, W.L. Plasma display based on XeF excimer fluorescence 86−31537
Otter, F.A., Jr., Nighan, W.L. Plasma display based on XeF excimer fluorescence 87−3662
Otter, G. *see* Anguilar-Benitez, M. 87−71031
Otter, J.J.Den *see* Den Otter, J.J.
Otter, M. Spread-spectrum multiple access for spacecraft service functions (TT&C) 87−48975
Otter, M. Microprogramming with 8-bit-slice modules. I 88−12409
Otter, M. Microprogramming with 8-bit slice chips. 2 88−19175
Otter, M. *see* Brown, D.L. 86−30744
Otterbach, W. *see* Spachmann, J. 88−16322
Otterburn, M.S. *see* Guthrie, J. 88−19492
Otterholm, B. *see* Lagerwall, S.T. 88−33780
Otterloo, P.J.van *see* van Otterloo, P.J.
Otterloo, R.W.van *see* van Otterloo, R.W.
Otterlund, I. *see* Garpman, S. 88−54439
Otterpohl, U. *see* Bonmann, D. 88−68171
Otterpohl, U. *see* Ebeling, F. 88−68178
Ottersten, B., Kailath, T. Wideband direction-of-arrival estimation using the ESPRIT algorithm 88−73116
Ottery, T. How X.400 works 86−59542
Ottery, T. Benefits of the X.400 protocol 87−13418
Ottery, T. Flexibility the key with X400 electronic mail 87−40294
Ottery, T. X.400 comes of age 87−48491
Ottery, T. X.400 software: electronic glue for an electronic parcel 88−73529
Ottesen, G. *see* Holm, S. 87−19662
Ottesen, H.H. *see* Ciskowski, R.D. 88−18514
Ottewell, M. Technology evolution in airborne fighter radars 86−55351
Ottewell, P.J. *see* Apsimon, R.J. 87−41836
Ottewitte, E.H. Large scale positron production for physics needs via fission reactors 87−70912
Ottey, H.R., Sullivan, T.M., Zusman, F.S. Optimization techniques applied to spectrum management for communications satellites 86−64917
Ottey, H.R. *see* Davison, J. 85−37165
Ottey, H.R. *see* Zusman, F.S. 88−17021
Otth, D.H. *see* Smokler, M.I. 87−9827
Otth, D.H. *see* Sugimura, R.S. 86−7074, 87−9829
Ottich, L. *see* Dobsik, F. 86−71001
Ottinger, C.W. Failure mode imaging with laser strobe and X-ray techniques 85−29962
Ottinger, P.F., Commisso, R.J., Lupton, W.H., Shipman, J.D., Jr. System study for an inductive generator 87−22603
Ottinger, P.F., Meger, R.A., Neri, J. Limitations on PEOS operation 85−23195
Ottinger, P.F. *see* Apruzese, J.P. 88−58454
Ottinger, P.F. *see* Grossman, J.M. 88−30797
Ottinger, P.F. *see* Grossmann, J.M. 88−30961
Ottinger, P.F. *see* Hinshelwood, D.D. 87−30852, 87−43316, 88−30960
Ottinger, P.F. *see* Lawconnell, R.I. 88−30962
Ottinger, P.F. *see* Meger, R.A. 85−1119, 85−4184, 85−27672
Ottinger, P.F. *see* Neir, J.M. 88−30958
Ottinger, P.F. *see* Neri, J.M. 85−23197, 87−53763
Ottinger, P.F. *see* Scherrer, V.E. 88−40157
Ottinger, P.F. *see* Stinnett, R.W. 87−17441
Ottinger, P.F. *see* Watrous, J.J. 88−42381
Ottinger, P.F. *see* Weber, B.V. 85−23196
Ottischnig, R., Stolarz, W. 245 kV gas-insulated switchgear with single-chamber circuit-breakers 87−58218
Ottka, M., Seier, U. Synchronisation in a direct-sequence-spread-spectrum-system 87−13561
Ottka, M. *see* Annecke, K.H. 85−25731
Ottl, H., Valdoni, F. X-band synthetic aperture radar (X-SAR) and its Shuttle-borne application for experiments 88−28953
Ottmann, T., Soisalon-Soininen, E., Wood, D. On the definition and computation of rectilinear convex hulls 85−10610
Ottmar, H., Oerter, A., Thanisch, E., Knapp, H. Heat recovery in an arc furnace featuring hot water cooling 85−60554
Ottmar, H. *see* Eberle, H. 88−68300

Otto, A. Piezo-ceramic filters 86−20686
Otto, A. *see* Steele, D. 88−44503
Otto, A.E. *see* Soong, J.H. 88−30068
Otto, A.J. Insulated aluminum bonding wire for high lead count packaging 87−37764
Otto, A.J. Aluminium wire for ball bonding 87−73945
Otto, D.C. *see* Little, W.R. 88−42122
Otto, D.V. Reduction of switching regulator audiosusceptibility to zero 86−40882
Otto, D.V., Glucina, A.P. Controlling transformer saturation in the DC-isolated Cuk converter 86−26120
Otto, D.V. *see* Otto, M.D. 88−31073
Otto, F. *see* Book, R.V. 85−25030, 86−43564
Otto, F. *see* Grabmaier, B.C. 87−31475, 87−53939
Otto, G.V.E. *see* Miller, F.D. 86−37342
Otto, H.J. *see* Austin, R.L. 88−16327
Otto, J. Compatibility as a vital requirement for telematic services 85−51927
Otto, J. Nuclear belt weigher modified by scanning method 87−3777
Otto, J. Bildschirmtext towards ISDN: a future-oriented integration conception for videotex 88−59809
Otto, J., Plies, E. Analysis of integrated circuit switching processes using internal probe techniques 85−50640
Otto, J. *see* Argyo, W. 85−62024
Otto, J. *see* Fox, F. 86−58582
Otto, J. *see* Plies, E. 86−35804
Otto, J.B. *see* Meister, D.E. 88−3755
Otto, K. Signal-to-noise ratio analysis with the Gould K105-D 86−5139
Otto, K. Optimal test pattern comparison using a logic analyser 86−34643
Otto, K. Automatic comparison of storage with a logic analyser 87−49608
Otto, L., Weber, K.-D. Application of the Gauss approximation to light wave conducted transmission in system calculations 87−20513
Otto, M.D., Otto, D.V. Computer simulation of electric motor drive systems including the power electronic network 88−31073
Otto, M.Sh., Bogaevskii, A.B. Analysis of electromagnetic processes in and minimization of the bulk characteristics of a step-up voltage converter 87−58208
Otto, N. Random tests on electricity meters for widescale extension of the standardization validity 85−48625
Otto, N. Sample testing of electricity meters 88−36098
Otto, O. *see* Reeds, J. 85−29077
Otto, O.W., Griffith, A.K. Proximity correction on the AEBLE-150 88−39331
Otto, O.W. *see* Barnett, K.A. 87−11527
Otto, O.W. *see* Coyne, R.D. 88−13228
Otto, O.W. *see* King, H.J. 85−29261
Otto, P., Doring, G. Manufacture and characteristics of EBU/CAM inspection test colour patterns for the determination of colour regeneration of colour TV cameras 88−9735
Otto, P., Puhlmann, R., Trippler, R., Wernstedt, J., Bergmann, S., Egelkraut, E., Parsiegla, E., Schmalfuss, V. PROFIS−an advisory and expert system for the computer-aided process control of the production of integrated circuits 88−26400
Otto, P., Stransfeld, R., Tonnemacher, J. Video conferences−the use and evaluation in several application areas 86−24177
Otto, P. *see* Chare, P.J. 88−47347
Otto, P. *see* Doring, G. 88−53423
Otto, S. *see* Morison, R. 87−58877
Otto, T. *see* Hoerstel, W. 86−58307
Otto, V.J. Videotex-interworking 88−73547
Otto, W.-R. The 'V table' principle in video sound processing 85−7858
Otto, W.F. *see* Loda, G. 85−1223
Otto, W.R. The use of devices independent of time code in video sound post-processing 87−70331
Ottoboni, E.G. *see* Imada, A.M. 85−36046
Ottoboni, S.L. *see* Polla, D.L. 88−29407
Ottoboni, V. *see* Asdente, M. 85−50863, 85−62223
Ottoboni, V. *see* Bruzzese, R. 87−46407
Ottobre, A.M. *see* Reeve, C.G. 86−37433
Ottonello, P. *see* Basano, L. 85−37995, 87−11013, 87−21565, 87−49637, 88−73195
Ottosson, C. *see* Koutaniemi, P. 88−48703
Ottosson, J. ERIGEN data logger for the supervision of solar and wind systems and the collection of meteorological data 88−9895
Ottosson, J. *see* Akerlund, J. 88−30259
Otts, J.V. *see* Fenton, D.L. 85−5013
Otu, H., Kimura, T., Yamaguchi, M., Kasajima, Y. Programmable intelligent recorder μ R 100/μ R 180 series 87−8658
Otubo, J. *see* Foner, S. 85−46045
Otuka, K. *see* Shiiba, K. 86−58688
Otuka, S. *see* Sato, Y. 87−40302
Otun, E.O., Daniels, C.R., Kaye, R.D., Anderson, J.A.D. A microcomputer-based system for the analysis of low and high frequency physiological data 87−29713
Otwinowski, H., Pastucha, L., Wichowski, W. Device for continuous measurement of flow of liquids with mechanical impurities 86−18185
Otypka, J. The use of a subcritical waveguide with capacitive discontinuity for realisation of microwave circuits 87−52815
Otypka, J. Band-pass filters and some other circuits realised in a subcritical waveguide 87−66506
Otypka, J. A simple down converter for DBS outdoor unit 88−50389
Otypka, J. *see* Nejedly, Z. 85−47481
Otypka, J. *see* Nemecek, J. 87−56073, 88−53400
Otys, V., Farsky, M. The WQZ 013 hybrid integrated circuit and its utilisation 85−17299
Otzelberger, M. *see* Gugenbauer, A. 88−43664
Otzinger, B. Geosynchronous performance of a lithium-titanium disulfide battery 86−33625
Otzinger, B. Geosynchronous performance of a lithium-titanium disulfide battery 88−16863
Ou, E. *see* Chik, K.P. 86−27936
Ou, J.-D. *see* Richards, W.F. 85−7743
Ou, J.H. *see* Wong, S.C. 87−5789, 87−17031
Ou, S.S., Eshraghi, S.A., Stafsudd, O.M., Gentile, A.L. The electronic characteristics of *n*-type $CdIn_2Te_4$ 85−23477
Ou, S.S., Yang, J.J., Wilcox, J.Z., Jansen, M. Characterisation of double quantum well GaAs/AlGaAs diode lasers 88−65675
Ou, S.S. *see* Basol, B.M. 86−14856
Ou, S.S. *see* Jansen, M. 87−7354
Ou, S.S. *see* Wilcox, J.Z. 87−54298, 88−2214
Ou, S.S. *see* Yang, J.J. 87−12453, 88−2251, 88−27154, 88−65922
Ou, W. *see* Pao, Y.C. 88−39501
Ou, Y.S. *see* Chen, Z. 87−19894
Ou, Z.Y. *see* Ghosh, R. 87−19044
Ou-Yang Zhong-can, Xie Yu-zhang Theory of second-harmonic generation in nematic liquid crystals 85−62664
Ouadano, Y. *see* Tanimoto, M. 86−36401
Ouadou, M. *see* Aboutajdine, D. 87−47817
Ouagadougou, C.C.V.A. *see* Turbanisch, G. 88−62961
Ouajji, H., Cheminat, B., Andanson, P. Model of an electric arc column in the presence of copper vapour 87−53095
Oualha, A. *see* Vincent, M. 85−36888
Oualid, J., Bouhdada, A. Characterization of leakage currents in long-lifetime capacitors 87−1528
Oualid, J. *see* Dugas, J. 86−41527, 87−51479
Ouamri, A., Clergeot, H. Estimation of the covariance matrix and high-resolution identification method 88−21255
Ouamri, A., Tressens, S., Clergeot, H. Comparison of high resolution spectral methods based on SVD [singular value decomposition] 87−55228
Ouamri, A. *see* Clergeot, H. 86−10437
Ouamri, A. *see* Tressens, S. 88−74083
Ouano, A.C. *see* Goldblatt, R.D. 85−22556
Ouaou, S. *see* Ouriachi, K. 87−13104
Ouaouicha, H. *see* Cosnard, M. 87−60685
Ouared, R. *see* Anguilar-Benitez, M. 87−71031
Ouazzany, Y. *see* Boquillon, J.P. 87−75027
Ouboter, R.De Bruyn *see* De Bruyn Ouboter, R.
Oubre, R.P., Shetler, J. Evolution of an outage management organization in a small utility 86−25793
Oucheriah, S. *see* Groumpos, P.P. 88−37103
Ouchi, C. *see* Awaka, J. 86−36719
Ouchi, H., Kawashima, S. Dielectric ceramics for microwave application 86−53844
Ouchi, H. *see* Kato, J. 86−47902
Ouchi, H. *see* Mori, H. 87−27462
Ouchi, H. *see* Yokotani, Y. 86−47903
Ouchi, I. *see* Tomie, T. 88−57903
Ouchi, K. On the multilook images of moving targets by synthetic aperture radars 85−63732
Ouchi, K. Multilook images of ocean waves by synthetic aperture radars 87−56232
Ouchi, K. Synthetic aperture radar imagery of range traveling ocean waves 88−28928
Ouchi, K., Iwasaki, S. Properties of high rate sputtered perpendicular recording media 85−46005
Ouchi, K., Iwasaki, S. Studies of magnetization reversal mechanism of perpendicular recording media by hysteresis loss measurement 87−46316
Ouchi, K., Iwasaki, S. Perpendicular magnetic recording media 87−46367
Ouchi, K., Iwasaki, S. Recent subjects and progress in research on Co-Cr perpendicular magnetic recording media 88−57944
Ouchi, K., Iwasaki, S. Recent subjects in research on Co-Cr perpendicular magnetic recording medium 88−71913
Ouchi, K., Tajbakhsh, S., Burge, R.E. Dependence of speckle statistics on backscatter cross-section fluctuations in synthetic aperture radar images of rough surfaces 88−16888
Ouchi, K. *see* Iwasaki, S. 86−9379, 86−58657, 87−16665, 87−18478, 87−32827
Ouchi, K. *see* Tanaka, T. 87−18479, 87−53886
Ouchi, K. *see* Yasumura, M. 88−43928, 88−51206
Ouchi, M. *see* Kodokoro, T. 85−36049
Ouchi, T. *see* Kuboki, K. 88−8211
Ouchi, T. *see* Kunugi, Y. 85−53951
Ouchi, W.G. Theory PC [PC's role in industry] 86−23232
Ouchi, Y., Aoi, H. A new signal detection method with two slice levels 88−51331
Ouchi, Y., Kimura, S., Higuchi, T., Kobayashi, K. Long-life high-reliability iridium-coated m-type dispenser cathode 87−53106
Ouchi, Y. *see* Kimura, S. 88−38974
Oud, E., Drabik, K., Biehl, J. Progress in computerized cost estimation for small and large-scale projects 88−62243
Oud, P.S. *see* Garcia, G.L. 86−50478
Oudar, J. *see* Barbouth, N. 87−6589
Oudar, J. *see* Kuszelewicz, R. 87−46970
Oudar, J.L. Transient nonlinear optical effects in semiconductors 87−46993
Oudar, J.L., Kuszelewicz, R. Demonstration of optical bistability with intensity-coupled high gain lases 85−7393
Oudar, J.L., Kuszelewicz, R. Optical bistability of coupled lasers 88−8299
Oudar, J.L. *see* Abram, I. 87−19045
Oudar, J.L. *see* Deveaud, B. 87−24889
Oudar, J.L. *see* Flytzanis, C. *(editor)* 87−43791
Oudart, M., Oudinot, J.-R. The restaurant of today and electric appliances 88−55716
Oudart, P. *see* Menard, Y. 88−5142
Oude Elferink, J.B. *see* Denisse, C.M.M. 87−10485
Ouden, A.den *see* den Ouden, A.
Ouden, J.den *see* den Ouden, J.
Ouden, W.den *see* den Ouden, W.
Ouderaa, E.Van der *see* Van der Ouderaa, E.
Ouderaa, E.van der *see* van der Ouderaa, E.
Oudet, C. Two-phase PM disc rotor step motor against voice coil 87−30648
Oudet, C., Ettelman, D.J. An alternative to choosing between DC and stepper motors 85−60209
Oudet, C., Ettelman, D.J. An alternative to choosing between DC and stepper motors 86−51668
Oudet, C. *see* Beauchemin, G.A. 87−30682
Oudet, C. *see* Regnier, D. 87−30670
Oudheusden, B.W.van *see* van Oudheusden, B.W.
Oudin, M. The world's first all-digital television production 87−41211
Oudin, M., Cherouvrier, A., Regnier, P. The lessons of the world's first experiment in production and post-production entirely by digital television 88−47283
Oudinot, J.-R. *see* Oudart, M. 88−55716
Oudinot, J.-R. *see* Wenner, E. 88−55740
Oue, Y. *see* Kuroda, Y. 87−4766
Ouellet, L. *see* Sapieha, S. 85−29385
Ouellet, P., Berthiaume, D. An efficient way to communicate between a programmable controller and the outside world 88−52981
Ouellette, E. Automating disk-drive testers keeps pace with volume 85−58502
Ouellette, E. Automatic tester/analyzers cover all industry demands 86−2599
Ouellette, E.C. Automatic testers/analyzers keeping pace with advancing technologies of flexible disk drives 86−49917
Ouellette, F. Dispersion cancellation using linearly chirped Bragg grating filters in optical waveguides 88−2087
Ouellette, F., Hill, K.O., Johnson, D.C. Light-induced erasure of self-organized $\chi^{(2)}$ gratings in optical fibers 88−58672
Ouellette, F., Piche, M. Pulse shaping and passive mode-locking with a nonlinear Michelson interferometer 87−7428
Ouellette, K. *see* Kwon, S.Y. 86−10299
Ouellette, M.J. *see* Rea, M.S. 86−52045
Ouellette, T., de Sorgo, M. Thermal performance of heat transfer interface materials 86−52267
Ouellette, T. *see* de Sorgo, M. 86−34057
Ouellette, T. *see* Koelsch, F. 86−59617
Oughstun, K.E. Response to 'On the losses of the counterpropagating modes of ring cavities' by M. Piche and P.-A. Belanger 85−18973
Oughstun, K.E. Aberration sensitivity of unstable-cavity geometries 86−68577
Oughstun, K.E. Unstable resonator modes 88−8260
Ouhayoun, M., Du Jeu, C., Meslage, J. Frequency locking of a TEA CO_2 laser by a nonlinear optical technique 88−27069
Ouhayoun, M., Guern, Y. Laser mirror by degenerate four-wave mixing in a saturable amplifier 87−12535
Ouibrahim, H., Weiner, D.D., Sarkar, T.K. A generalized approach to direction finding 87−41064
Ouibrahim, H., Weiner, D.D., Sarkar, T.K. Matrix pencil approach to angle of arrival estimation 88−4089
Ouibrahim, H., Weiner, D.D., Sarkar, T.K. A generalized approach to direction finding 88−47236
Ouimette, D., Nudelman, S., Ramsby, G., Spackman, T. A total information management system for all medical images 86−32408
Oulamara, A., Duvernoy, J. An application of the Hough transform to automatic recognition of Berber characters 88−34792
Ould, P.C., van Wechel, R.J. The modular digital approach to GPS receiver design 87−41083

Ould Hamidoune Yahya *see* Yahya Ould Hamidoune
Ouldali, B., Siarry, P., Dreyfus, G., Fauvin, I., Darnai, M. Application of a new method of optimisation to the automated layout of hybrid circuits 87−66796
Oulovsky, J.-L. *see* Pingeon, G. 88−62709
Oum, S.Y., Jhon, C.S. A high level language for silicon compiler EUREKA 88−18867
Oumamar, A. Component modelling improves humidity meter 86−18570
Oumora, O. *see* Lambeth, P.J. 88−23542
Oumous, H. *see* Carter, M.J. 88−37567
Ounadjela, A., Hamdi, M.A. Numerical model for a transducer 85−62171
Ounadjela, K. *see* Suran, G. 87−18475
Ounjian, M.L., Carne, E.B. A study of the factors which affect technology transfer in a multilocation multibusiness unit corporation 88−106
Ounsinegad, A., Papae, D. High accuracy timing generation in a very high speed memory tester 86−14327
Oura, K. *see* Maeda, Y. 87−72409
Oura, K. *see* Tahara, Y. 87−4960
Oura, N., Kuramochi, N., Miyazaki, Y., Yamashina, M., Suzuki, S. Generalized equation for the force-frequency characteristics of circular quartz plates with three-point support and its application to supporting of an SC-cut plate 86−42053
Oura, N. *see* Kuramochi, N. 88−22727
Oura, N. *see* Matsuda, I. 87−67649
Oura, N. *see* Shibuki, M. 85−29735
Oura, Y., Matsuda, T., Kasahara, T., Kobayashi, K., Ogihara, S., Itoh, T. Interactive computation system for relay setting and simulation of relay operation in a large scale EHV power system 86−32823
Oura, Y. *see* Yaguchi, T. 86−51108
Ouraou, A. *see* Benvenuti, A.C. 85−15254
Ouriachi, K., Ouaou, S., Bourton, M. The vision by pattern aggregation-VPA-system 87−13104
Ourmazd, A. Gettering of impurities in silicon 87−11579
Ourmazd, A., Schroter, W. Phosphorus gettering and intrinsic gettering of nickel in silicon 85−6776
Ourmazd, A. *see* Bevk, J. 86−66810
Ourmazd, A. *see* Chelluri, B. 87−23623, 87−36737
Ourmazd, A. *see* Cunningham, J.E. 87−23645
Ourmazd, A. *see* Miller, B.I. 87−10376
Ourou, A. *see* Nelin, K. 87−15894
Ouroushev, D. *see* Slavov, S. 87−67655
Oury, M. The Intel 80386 microprocessor. IV. Cache memory design 88−6840
Ousbey, C.H. A homemade tripod for microwave operation 86−16065
Ousborne, J.J. *see* LaFrance, P. 87−56228
Ouslimani, A., Vernet, G., Henaux, J.C., Crozat, P., Adde, R. MESFET large-signal model based on small-signal measurements for time-domain CAD 88−64604
Ouslimani, A. *see* Grozat, P. 88−18861
Ousten, J. Energy balance of high speed trains 85−5417
Ousterhout, J.K. Switch-level delay models for digital MOS VLSI 85−689
Ousterhout, J.K. A switch-level timing verifier for digital MOS VLSI 86−2382
Ousterhout, J.K., Hamachi, G.T., Mayo, R.N., Scott, W.S., Taylor, G.S. Magic: A VLSI layout system 85−1751
Ousterhout, J.K., Hamachi, G.T., Mayo, R.N., Scott, W.S., Taylor, G.S. The Magic VLSI layout system 85−33579
Ousterhout, J.K. *see* Hamachi, G.T. 85−1679, 86−9263
Ousterhout, J.K. *see* Scott, W.S. 85−1678, 86−20209, 86−41870
Ousterhout, J.K. *see* Taylor, G.S. 85−1677
Oustri, A., Favier, G. Observability and optimisation of manoeuvres in direction-finding 88−22205
Oustry, A. *see* Bielle-Daspet, D. 87−52203
Outa, Y. *see* Masuda, Y. 88−43091
Outcault, R., McKenna, C., Robertson, T., Biondo, L. A new computer designed Faraday system for high current ion implantation systems 87−53383
Outer, F.R.den *see* den Outer, F.R.
Outhred, H.R., Bannister, C.H. Electricity tariffs for the promotion of cost-effective energy management 86−44911
Outhred, H.R., Bannister, C.H. Electricity tariffs for the promotion of cost-effective energy management 87−42363
Outhred, H.R., Bannister, C.H., Kaye, R.J., Lee, Y.B., Sutanto, D., Manimaran, R. Electricity pricing. Optimal operation and investment by industrial consumers 88−75092
Outhred, H.R., Kay, R.J., Lee, Y.B., Sutanto, D., Bannister, C.H. The operation and planning of an electricity supply system under a flexible pricing arrangement 87−42411
Outhred, H.R. *see* Bannister, C.H. 86−44907
Outhred, H.R. *see* Manhire, B. 87−71615
Outhred, H.R. *see* Sutanto, D. 88−43205
Outlaw, C., Derr, L., Sarafyan, D. A sixth-order imbedded Runge-Kutta algorithm with continuously variable weights 86−62162
Outrequin, M. *see* Contour, J.P. 87−73091
Outten, C.A. *see* Batstone, J.L. 88−1446
Outwater, C. *see* Newswanger, C. 86−3376, 88−40373
Ouvradou, G., Barba, D. Design of a texture features extractor dedicated processor 87−55332
Ouvrard, P.-L. Measurement of microwave monolithic circuits as the basis of a good design 88−63881
Ouvrard, R., Hochmann, R., Gann, E. Use of personal computers for an integrated personnel dosimetry system 86−44715
Ouvrier-Buffet, J.L. *see* Amingual, D. 87−31536
Ouwehand, C. May I speak to my father? [telecommunications development] 86−30195
Ouyang, H., Peng, M.L., Lin, Y.M., Yang, M.H., Hwang, H.L. Some observations on stoichiometry and p-type doping in CdTe 86−8984
Ouyang, J.J. *see* Balas, M.J. 88−2440
Ouyang, M. A system approach to particle control for HVDC GITL 85−27032
Ouyang, Z. *see* Liu, S. 88−58399
Ouyang Li Automatic measurement and control system for laser level plane in construction 85−29964
Ouyang Min-Sum *see* Min-Sum Ouyang
Ouyang Rongbai *see* Chen Wuming 88−68044
Ouyang Shan *see* Du Jiacong 87−47319
Ouyang Zhengbiao, Liu Shenggang Pump-free crossed-field free-electron laser 88−27201
Ouyang Zhengbiao *see* Liu Shenggang 87−12338, 88−51836
Ouyang Zhengiao, Liu Shenggang Pump-free crossed-field free-electron laser 88−27188
Ouyang Zhongbiao *see* Zhongbiao Ouyang
Ovadia, A., Puchalska, I.B., Jakubovics, J.P. Magnetic structure in obliquely deposited Co-Au films 86−15345
Ovadia, E. *see* Eisen, Y. 86−70440
Ovadia, S., Gibbs, H.M., Jewell, J.L., Sarid, D., Peyghambarian, N. Evidence that room temperature optical bistability is excitonic in both bulk and multiple-quantum-well gallium arsenide 86−2652
Ovadia, S., Sillmon, R.S., Bottka, N. Photoluminescence characterisation of modulation-doped heterostructures grown by OM-VPE 88−50659
Ovadia, S. *see* Gibbs, H.M. 85−56842
Ovadia, S. *see* McCall, S.L. 86−22495
Ovakimova, N.K. *see* Gevorkyan, A.A. 86−32933
Ovakimyan, A.S. Optimization of dynamic operating conditions of electric motors with variable magnetic resistance by frequency-current control 88−62306
Ovali, A., Kamoun, M.B.A., Fantin, J. A new approach to the modelling of electric power networks with several machines subject to small disturbances 88−75142
Ovaska, S.J. Procedure for counting moving objects as they stop 87−14237
Ovaska, S.J. Multistage digital prefiltering of noisy tachometer signals 88−74314
Ovchar, V.K. *see* Borovikov, V.M. 87−66262
Ovcharenko, A.F., Orlov, V.M. Optimal measurements of image fragment shift in conditions of characteristics variability 85−2788
Ovcharenko, A.I. Optimization of the parameters of a cancellation channel in variable-signal demodulators 87−61564
Ovcharenko, A.I., Ovcharenko, S.I. Converter of pulse-modulated to DC voltage with compensating channel 86−31325
Ovcharenko, A.N. *see* Vorob'ev, V.V. 87−68732
Ovcharenko, A.P. *see* Shklyarevskii, I.N. 86−9644
Ovcharenko, E.N. *see* Mokerov, V.G. 87−6361
Ovcharenko, E.N. *see* Panasyuk, V.N. 86−1873
Ovcharenko, L.A. Analysis of a microwave autodyne converter for controlling film materials in electronics 85−61874
Ovcharenko, L.A., Chuchin, E.V. The error probability when receiving a signal element in a channel with concentrated interference 87−61884
Ovcharenko, L.A., Poddubnyi, V.N. Evaluating distortion probability of a sequence of binary signals by the method of decision indicators for transmitted elements 87−55948
Ovcharenko, O.I. *see* Miroshin, A.A. 85−18748
Ovcharenko, O.V. *see* Krasnikov, V.N. 87−40664, 87−68849
Ovcharenko, S.I. *see* Ovcharenko, A.I. 86−31325
Ovcharenko, V.P. Fundamental principles for constructing a solar engineering terminological system 87−16234
Ovcharenko, V.V. Matrix beams in structural theory of electrical circuits. I. Regular matrix beam subgraphs of electrical circuit 87−16833
Ovcharenko, V.V. Matrix groups in the structural theory of electrical circuits. II. Control circuits and their transformation 87−36866
Ovcharenko, V.V. Matrix groups in the structural theory of electrical circuits. III. Composition of N-blocks 87−36867
Ovcharenko, V.V. Theory of p-n junction with thickness greater than diffusion line. I 87−66953
Ovcharenko, V.V. The theory of the p-n junction whose thickness exceeds the diffusion length. II 88−19694
Ovcharenko, V.V., Antyufeev, V.I. Study of transients in a transistor pulse modulator 86−40976
Ovcharov, S. *see* Filljov, K. 88−69875
Ovchinnikov, A.A. *see* Golubkov, G.G. 86−25114
Ovchinnikov, A.A. *see* Likhachev, V.N. 87−60211
Ovchinnikov, A.A. *see* Zavorotnyi, S.I. 86−58888
Ovchinnikov, A.G. Photoelectric position relay 85−26338
Ovchinnikov, A.G. Pulse generator for a ring circuit measuring the velocity of ultrasonic waves 87−553
Ovchinnikov, A.G. Compensation of the influence of sound velocity fluctuations in ultrasonic frequency flowmeters 88−10167
Ovchinnikov, A.K. *see* Gubanov, V.G. 86−38932
Ovchinnikov, A.P. *see* Leyman, V.G. 88−8423
Ovchinnikov, A.V. *see* Alferov, Zh.I. 85−62561, 86−58941, 87−2123, 87−18977, 88−14202, 88−27173
Ovchinnikov, A.V. *see* Garbuzov, D.Z. 87−39124, 88−27172, 88−65716
Ovchinnikov, A.V. *see* Tarasov, I.S. 86−22381
Ovchinnikov, A.Ye. *see* Yefremov, V.Ya. 86−15400
Ovchinnikov, B.M. *see* Barabash, A.S. 85−37926, 85−43164, 85−43189, 87−14737
Ovchinnikov, E.A. *see* Stradomskii, Yu.I. 85−60150
Ovchinnikov, E.K. *see* Dolgikh, V.E. 86−44615
Ovchinnikov, F.Ya. *see* Krett, V. 85−21342
Ovchinnikov, G.A. Contact indicator measurement accuracy in a turning FP module 88−4625
Ovchinnikov, G.R. *see* Antoshevskiy, V.S. 85−36485
Ovchinnikov, I.E., Klimov, V.I., Krutyakov, E.A., Ivanov, A.V., Skvortsova, N.N. Thyristor device for the startup of large turbomotors 86−39927
Ovchinnikov, I.E., Plakhtyna, E.G., Ryabov, V.N. An automated system for the modelling of controlled commutatorless machines 85−65201
Ovchinnikov, I.E., Plakhtyna, E.G., Ryabov, V.N., Vasyliv, K.N., Izbash, F.A. Mathematical model of controlled contactless AC rectifier motor 87−58040
Ovchinnikov, I.E., Ter-Gazaryan, G.N., Davidyan, Zh.D., Ryabov, V.N. A pulse-starting method for synchronous machines [power systems] 88−30240
Ovchinnikov, I.M. *see* Kurbatov, L.N. 85−55430
Ovchinnikov, I.T., Sarin, S.G., Yanshin, E.V. Visual investigation of prebreakdown point charge injection into n-hexane by new electrooptical measuring system 88−33424
Ovchinnikov, I.V. *see* Bereslavskaya, B.G. 85−44351
Ovchinnikov, I.Ye., Plakhtyna, Ye.G., Ryabov, V.N. An automated modelling system for controlled commutatorless electric machines 86−39684
Ovchinnikov, K.D. Nonlinear theory of avalanche transit-time diodes with a wide multiplication layer 86−58443
Ovchinnikov, K.D. The integral stochastic avalanche equation and its application to noise analysis of IMPATT diodes with a wide avalanche layer 86−62833
Ovchinnikov, K.D. *see* Kornilov, S.A. 86−35089, 86−35640, 88−992
Ovchinnikov, M.F. *see* Ado, Y.M. 86−31902
Ovchinnikov, N.V. *see* Malyshev, V.V. 86−33837
Ovchinnikov, P.A. *see* Bazhulin, S.P. 87−18895, 87−18900, 87−26290
Ovchinnikov, V.G. *see* Emelichev, V.A. 86−40647
Ovchinnikov, V.M. *see* Al'tshuler, G.B. 86−15651
Ovchinnikov, V.M. *see* Barkovskii, L.M. 86−54010
Ovchinnikov, V.M. *see* Dul'nev, G.N. 88−14163
Ovchinnikov, V.M. *see* Gavrilov, N.I. 86−2876
Ovchinnikov, V.M. *see* Gibelev, A.I. 85−18991
Ovchinnikov, V.M. *see* Grib, A.F. 85−50997
Ovchinnikov, V.M. *see* Isyanova, E.D. 86−15671
Ovchinnikov, V.M. *see* Kamach, Yu.E. 85−45924
Ovchinnikov, V.M. *see* Korotkov, N.N. 87−19008
Ovchinnikov, V.M. *see* Levit, A.L. 85−35830
Ovchinnikov, V.M. *see* Vasil'ev, S.G. 85−18909
Ovchinnikov, V.P. *see* Gusev, O.A. 85−31676
Ovchinnikov, V.V. *see* Boichenko, E.V. 86−59614, 87−20170
Ovchinnikov, V.V. *see* Fedorov, S.A. 85−22002
Ovchinnikov, V.V. *see* Kuznetsov, V.I. 85−48141
Ovchinnikov, Yu.B. *see* Balykin, V.I. 88−58485
Ovchinnikova, N.P. *see* Gaylit, T.A. 87−2300
Ovchinnikova, V.A. *see* Gokhberg, Z.L. 88−11065
Ovechkin, S.M., Rebrov, S.I., Sazonov, V.P., Sinitsyn, V.V., Tager, A.S. Summation of the power levels of Gunn diodes in an open microwave resonator 85−40254

Ovechkin, V.A. *see* Dumarevskii, Yu.D. 87−18765
Ovechkina, G.I. *see* Dikerman, D.N. 87−35728
Ovechkina, I.V. *see* Shur, V.Ya. 85−40981
Ovechko, V., Titov, Yu.M. Extremum errors and actual precision of digital television planimeters 86−18114
Oven, R., Ashworth, D.G. A comparison of two-dimensional ion-implantation profiles 87−53357
Oven, R. *see* Ashworth, D.G. 86−9000
Ovenden, C. Call-logging savings−fact or fantasy 85−57823
Ovenden, C.R. Rule-based mission planning 88−61774
Ovens, J.E.V. *see* Alner, G.J. 88−10288
Over, H.H. *see* Nickel, H. 86−39402
Over, H.H. *see* Zottmaier, R. 87−9296
Over, J.A., Boswinkel, H.H. Supply of energy in the year 2050 88−10948
Over, S.L. *see* Ferrell, B.L. 86−18463
Over de Vest, B.P. *see* Benner, J.H.B. 87−57624
Overbeck, G.W. *see* Stephenson, R.S. 87−14372
Overbeek, H.H., Willemsen, P. Guidelines for autoproducers to prevent network disturbances 85−59635
Overbeek, H.H. *see* Hensing, P.G. 86−25962
Overbeek, R.A. *see* Colley, R.W. 88−48694
Overbeeke, F.van *see* van Overbeeke, F.
Overbey, J.T., Taylor, J.J. Contemporary coding 87−39672
Overbury, F.G. Circular array DF capability in multipath environments 86−30911
Overbury, S. *see* Snowdon, K.J. 88−61038
Overby, W.A. *see* Herring, G.S. 85−10467
Overcash, D.R. Video analysis of motion 88−35727
Overett, T., Remsen, D.B., Bowles, E., Thomas, G.E., Smith, R.E., III Phase locked magnetrons as accelerator RF sources 88−50592
Overett, T. *see* Varga, H. 85−5215
Overeynder, B.W. The user and the ISDN 87−55528
Overfelt, P.L. Two-dimensional radome modeling: a boundary perturbation approach 85−13424
Overfelt, P.L. An exact method of integration for vector potentials of thin dipole antennas 87−54699
Overfelt, P.L., White, D.J. Further comments on 'Integration method of measuring *Q* of the microwave resonators' 85−40223
Overfelt, P.L., White, D.J. TE and TM modes of some triangular cross-section waveguides using superposition of plane waves 86−42887
Overfelt, R.A. *see* Becker, J.J. 85−24109
Overfield, P.M. An assessment of the SCAPE associative string processor in the field of real time image analysis 86−27379
Overfield, R.B., Singh, P. Surface-mounted array-type plastic chip carrier 85−28785
Overgaard, S.A. *see* Jonstad, O. 87−31363
Overhage, C. Closing the loop in prototype timing verification 88−56604
Overhauser, D., Hajj, I., Rao, V. Switch-level timing analysis of VLSI MOS circuits 86−67192
Overhof, H. The field dependence of the DC current in amorphous semiconductors 86−27893
Overhof, H. Transport in hydrogenated amorphous germanium 86−27918
Overhof, H. The prefactor of the DC conductivity in amorphous semiconductors 88−25903
Overhof, H. *see* Fenz, P. 85−50216
Overington, I. A simple, direct practical method of sensing local motion and analysing local optical flow 87−19908
Overington, I. Some important observations concerning human visual image coding 87−33779
Overington, I., Greenway, P. Practical first-difference edge detection with subpixel accuracy 88−3177
Overlach, H. *see* Aulbach, H. 85−3315, 86−10907
Overlach, H. *see* Aulback, H. 85−63442
Overlack, C. *see* Anderhub, H. 88−29843
Overley, J.C. Element-sensitive computed tomography with fast neutrons 87−57097
Overley, J.C., Lefevre, H.W., Nolt, I.G., Radostitz, J.V., Predko, S., Ade, P.A.R. Bolometric detectors as ion energy spectrometers 85−59230
Overley, J.C. *see* Lefevre, H.W. 85−55423
Overman, K.C., Ghazizadeh, F., Mix, D.F. Scene matching by defocused images 85−36429
Overman, K.C. *see* Mix, D.F. 86−48960
Overmars, M.H. *see* Edelsbrunner, H. 85−19499
Overmeyer, J. *see* Gajda, J.J. 85−1536, 85−23725
Oversby, K. *see* O'Neill, I.R.W. 86−45096
Overseth, O.E. *see* Dworkin, J.S. 86−60580
Overshott, K.J., Meydan, T. Unmagnetized amorphous ribbon transducers 85−26296
Overshott, K.J., Price, M.H. The excess eddy current loss of amorphous ribbons 85−29435
Oversluizen, T. UHV linear actuators for NSLS beam lines 88−36330
Oversluizen, T. Design concept for a direct water-cooled silicon crystal for use in a high-power synchrotron radiation beam 88−48081
Oversluizen, T., Stefan, P.M. Replaceable Be and Al windows for X-ray beam lines 88−48070
Oversluizen, T., Watson, G. UHV piezoelectric translator 86−60701
Overstraeten, R.J.Van *see* Van Overstraeten, R.J.
Overstraeten, R.Van *see* Van Overstraeten, R.
Overstreet, J.W. *see* Katz, D.F. 86−30982
Overstreet, R.L., Jr. Low bit rate voice in digital loop carrier systems 88−46769
Overstreet, W.P., Davis, W.A. Measuring parameters of large-signal nonlinear devices 88−22769
Overton, B.J. *see* Levy, A.C. 85−57907
Overton, B.J. *see* Taylor, C.R. 87−52974
Overton, E.B. *see* Huner, B. 88−57856
Overton, K.J. *see* Badami, V.V. 88−64113
Overton, M.L. *see* Golub, G.H. 88−70265
Overton, T.R. *see* Jelinek, J. 86−32255
Overtoom, F., Boyd, I.W. Dual-wavelength temperature measurement of laser-heated silicon 88−68056
Overveld, W.M.C.J.van *see* van Overveld, W.M.C.J.
Overweg, J.A. *see* Spoorenberg, C.J.G. 85−35367
Overzet, L.J., Verdeyen, J.T. Enhancement of the plasma density and deposition rate in RF discharges 86−40763
Overzet, L.J., Verdeyen, J.T., Roth, R.M., Carasco, F.F. The effects of modulation on an RF discharge in silane and on the deposited a-Si:H 88−49890
Oveshnikov, S.Z. *see* Prots', R.V. 87−21754
Ovick, N.L., Kusic, G.L. Including corona effects for travelling waves on transmission lines 85−27023
Ovide, B.A. *see* Diaz, S.B. 87−57214
Ovide, B.A. *see* Oriolo, L.M. 87−43912
Ovide, B.Alvarez *see* Alvarez Ovide, B.
Ovies, H. *see* Bickle, R.C. 85−8702
Ovies, H. *see* Ferrer, G. 85−33150
Ovies, H. *see* Lloyd, R.P. 85−40084
Ovington, P. Self diagnostics of gate arrays 87−66129
Ovington, P. Auto diagnostics speed turn around time 88−32148
Ovinskii, V.M., Paper, A.S., Pinskii, G.B., Solov'eva, E.S. Thrust bearings: computer-aided selection of dimensions and design 86−56693
Ovitt, T. *see* Seeley, G.W. 88−29971
Ovitt, T.W., Newell, J.D. Digital subtraction angiography: technology, equipment, and techniques 87−21540
Ovitt, T.W. *see* Dallas, W.J. 88−36552
Ovitt, T.W. *see* Fisher, H.D. 85−31816
Ovitt, T.W. *see* Roehrig, H. 88−23053
Ovitt, T.W. *see* Seeley, G.W. 88−36544, 88−36555
Ovod, V.I. Calculation of calibration characteristics of laser microparticle analyzers 88−20806
Ovod, V.I., Shlyuko, V.Ya. Correction of the characteristics of laser microparticle analyzers taking account of the nonuniformity of the radiation flux density distribution 86−24771
Ovod, V.I., Shlyuko, V.Ya. Calculation of the calibration characteristics of scanning laser analyzers of microfibers 88−7863
Ovodov, G.I., Raskovalkina, E.A., Seifer, A.L. A piston system for examining flowmeter dynamic characteristics 86−55889
Ovodov, G.I., Severinov, A.D., Seifer, A.L. Metrological characteristics of SRK cryogenic level indicators 88−29699
Ovodov, G.I. *see* Seifer, A.L. 87−29360
Ovodova, T.M. *see* Seifer, A.L. 87−29360
Ovrebo, G.K. *see* Gilbert, R.M. 85−23734, 86−35394
Ovredal, J.T. *see* Bjordal, A. 87−71082
Ovren, C., Adolfsson, M., Hok, B. Fiber-optic systems for temperature and vibration measurements in industrial applications 85−1981
Ovren, C., Adolfson, M., Hok, B., Brogardh, T. New possibilities using optical fibre measuring techniques 85−26293
Ovren, C., Adolfsson, M., Hok, B., Brogardh, T. New opportunities with fibre-optic measurement 85−56286
Ovren, C., Adolfsson, M., Hok, B., Brogardh, T. New opportunities with fibre-optic measurement 86−2798
Ovren, C. *see* Hok, B. 87−8615
Ovren, C. *see* Lampe, W. 86−51703
Ovseichuk, S.I. *see* Voitovich, A.P. 88−20601
Ovseichuk, V.A. The effectiveness of the development of power engineering and electrification in the national economy of Kazakhstan 87−15404
Ovsepyan, A.K. *see* Kovalenko, P.P. 87−50192
Ovsepyan, A.K. *see* Pogosyan, Ya.M. 86−28695, 87−46382
Ovsepyants, E.G. *see* Kiselev, M.I. 85−39287
Ovsetsina, A.E. *see* Boldyrevskiik, P.B. 86−34314
Ovshinsky, R. The role of free radicals in the formation of amorphous thin films 85−10790
Ovshinsky, R. *see* Izu, M. 85−21819
Ovshinsky, S.R. Amorphous silicon solar cells 85−21800
Ovshinsky, S.R. The chemical and configuration basis of high efficiency amorphous photovoltaic cells 87−9850
Ovshinsky, S.R. Amorphous semiconductors for microelectronics 87−17732
Ovshinsky, S.R. A personal adventure in stereochemistry, local order, and defects: models for room-temperature superconductivity 88−71972
Ovshinsky, S.R., Adler, D. Critical materials parameters for the development of amorphous silicon alloys 86−35367
Ovshinsky, S.R., Adler, D. Progress in the science and application of amorphous materials 87−45841
Ovshinsky, S.R., Yang, J. The breaking of the efficiency-stability-production barrier in amorphous photovoltaics 87−72415
Ovshinsky, S.R., Yang, J. Crucial parameters in amorphous solar cells 88−17992
Ovshinsky, S.R. *see* Guha, S. 88−24783
Ovshinsky, S.R. *see* Hudgens, S.J. 86−34377
Ovshinsky, S.R. *see* Tsu, R. 87−38147
Ovshinsky, S.R. *see* Young, R.T. 87−25914
Ovsiannikov, V.L. *see* Bichenkov, E.I. 85−64522
Ovsienko, L.F. *see* Pavlov, M.V. 88−69632
Ovsienko, L.F. *see* Zotov, A.Ya. 87−4834, 88−25624
Ovsik, Ya. *see* Bykovskii, N.E. 88−58515
Ovstedal, S. *see* Larsen, B. 87−11933
Ovsyanik, V.P., Kovalenko, L.S., Vovchinskii, A.N. Investigation of the temporal and spectral characteristics of certain artifact signals and background bioelectric activity 86−18342
Ovsyanik, V.P., Kovalenko, L.S., Vovchinskii, A.N. Investigation of temporal and spectral characteristics of some signals of artifacts and background bioelectrical activity. Spectral characteristics of artifact signals of extrabrain origin 86−25245
Ovsyanik, V.P., Lelyukh, B.S., Moroz, B.S., Tsisarenko, A.N. Automated system for the individual selection of hearing aids 87−50412
Ovsyannikov, A.G. *see* Bogdanov, O.V. 88−48586
Ovsyannikov, A.I. *see* Didenko, N.K. 85−4447
Ovsyannikov, G.A. *see* Amatuni, L.E. 86−36103, 87−67852
Ovsyannikov, G.A. *see* Belitsky, V.Y. 87−67853
Ovsyannikov, G.A. *see* Bindslev Hansen, J. 87−25883
Ovsyannikov, G.A. *see* Gubankov, V.N. 85−24242
Ovsyannikov, G.A. *see* Kaplunenko, V.K. 88−12357
Ovsyannikov, G.A. *see* Koshelets, V.P. 87−66030, 88−13746
Ovsyannikov, G.A. *see* Mygind, J. 87−67880
Ovsyannikov, G.A. *see* Vystavkin, A.N. 86−15432, 88−12320
Ovsyannikov, N.P. *see* Nosov, A.A. 85−6642, 88−12875
Ovsyannikov, V.A. Effectiveness of thermal viewing equipment for ice surveying 86−12180
Ovsyannikov, V.A. *see* Burtsev, V.A. 87−43487
Ovsyannikov, V.D. *see* Belenkii, V. 87−1265
Ovsyannikov, V.L. *see* Bronevoi, I.L. 85−31542
Ovsyannikov, Yu.V. *see* Antyufeev, V.I. 88−22519
Ovsyannikov, Yu.V. *see* Sultanov, A.S. 88−74430
Ovsyannikova, F.P. *see* Vasil'yev, V.I. 88−3142
Ovsyannikova, L.P., Shpak, Ye.V. Phase density distribution in beams of charged particles in systems of electron lenses, having at least two electric-field symmetry planes or two magnetic-field antisymmetry planes 86−63013
Ovsyannikova, L.P. *see* Gritsyuk, N.P. 86−63014
Ovsyannikova, O.B., Kamenets, F.F., Leyman, V.G. Instability of tubular, high-current, relativistic electron beams 85−56959
Ovsyannikova, O.B., Panashchenko, O.N. Generation of microwave oscillations in a layered inhomogeneous triode structure 86−47231
Ovsyannikova, O.B. *see* Leiman, V.G. 85−7590
Ovsyannikova, O.B. *see* Leyman, V.G. 88−8423
Ovsyuk, V.N. *see* Gusev, G.M. 85−1416, 85−61773, 86−14840, 86−14849
Ovsyuk, V.N. *see* Gutov, V.I. 85−29061
Ovsyuk, V.N. *see* Marchishin, I.V. 88−50652
Ovsyuk, V.N. *see* Nastaushev, Yu.V. 85−29049, 85−29060
Ovsyuk, V.N. *see* Volkov, S.A. 85−34448, 88−39155 to 39156
Ovtsharova, Zh. *see* Bourev, D. 85−65106
Ovvyan, P.P. *see* Baklunov, Yu.A. 87−62955
Ow, B.von *see* von Ow, B.
Owa, S. *see* Nagashima, Y. 88−27607
Owada, H., Fujii, T., Kayama, N., Ito, M. YEW-SONIC−ultrasonic flowmeter 87−64010
Owada, H. *see* Akiyama, C. 85−44944
Owada, H. *see* Itoh, I. 88−74392
Owada, K. *see* Asai, K. 85−33914
Owada, K. *see* Hirota, T. 86−67513
Owada, N., Hinode, K., Horiuchi, M., Nishida, T., Nakata, K., Mukai, K. Stress induced slit like void formation in a fine-pattern Al-Si interconnect during aging test 86−28450
Owada, N. *see* Hinode, K. 87−1688, 87−37971, 87−74217
Owada, N. *see* Kawashima, I. 85−3223
Owada, S. *see* Shirakawa, S. 88−55084
Owadano, Y., Kasai, T., Yano, M. Control of high-power laser-beam by using spatial filter 85−18768
Owadano, Y., Kasai, T., Yano, M. High-efficiency fourth-harmonic generation of high-power Nd-laser radiation 85−19016

Owadano, Y., Okuda, I., Tanimoto, M., Matsumoto, Y., Kasai, T., Yano, M. Development of a 1-kJ KrF laser system for laser fusion research 87—61276
Owadano, Y., Tanimoto, M., Okuda, I., Matsumoto, Y., Yaoita, A., Yano, M. Development of a high-power KrF laser system: ASHURA 88—40118
Owadano, Y. *see* Kasai, T. 85—18894 to 18895
Owadano, Y. *see* O'Neill, F. 86—35477
Owadano, Y. *see* Shaw, M.J. 87—12569
Owadano, Y. *see* Tanimoto, M. 85—51102
Owai, T. *see* Kimura, S. 85—36933
Owai, T. *see* Takayama, Y. 88—21986
Owaki, K. *see* Hara, H. 86—44172
Owaki, S. *see* Nishio, Y. 87—59378
Owaki, S. *see* Nishiura, T. 85—62260, 86—42192
Owaki, S. *see* Sato, H. 86—32188, 86—38705
Owaki, T. *see* Ikeda, H. 88—40132
Owashi, H. *see* Furuhata, T. 87—16829, 87—45014, 88—47328
Owashi, K. *see* Saito, H. 86—3031, 86—22324
Owczarczyk, J. Parallel processor for real-time analysis of binary images 87—13058
Owczarczyk, J. *see* Livesey, M.J. 88—21290
Owczarek, A., Patyra, M., Pawlukiewicz, M. Selected problems in the design of the MCA 7880 microprocessor 85—812
Owczarek, A. *see* Kobus, A. 85—810
Owczarek, J. Low-speed synchronous micromotors 85—21662
Owechko, Y. Optoelectronic resonator neural networks 88—20328
Owechko, Y., Dunning, G., Soffer, B., Marom, E. Video rate optical associative memory with shift invariance 88—58063
Owechko, Y., Marom, E., Soffer, B.H., Dunning, G. Associative memory in a phase conjugate resonator cavity utilizing a hologram 87—47014
Owechko, Y., Marom, E., Soffer, B.H., Grinberg, J. PRIMO: programmable real-time incoherent matrix multiplier for optical processing 87—54839
Owechko, Y., Soffer, B.H., Dunning, G.J. Optoelectronic neural networks based on holographically interconnected image processors 88—65520
Owechko, Y. *see* Dunning, G.J. 87—19102, 87—54440
Owechko, Y. *see* Efron, U. 87—18770, 87—60980
Owechko, Y. *see* Soffer, B.H. 86—29256, 86—69099, 88—8325
Owede, E.F. *see* Jonscher, A.K. 88—20190
Oweis, S. Tightening torque for bolts preloaded up to the plastic range 88—36244
Owen, A.E. Electron transport in chalcogenide glasses 85—50221
Owen, A.E. Electrical contacts to solid state ion-selective electrodes 88—42084
Owen, A.E. *see* Belford, R.E. 87—70603, 87—77444
Owen, A.E. *see* Choi, W.K. 87—24833, 87—25270, 88—25938
Owen, A.E. *see* Firth, A.P. 86—2060, 86—28151
Owen, A.E. *see* Kelly, R.G. 85—52756, 86—5212
Owen, A.E. *see* LeComber, P.G. 85—61894, 86—41580
Owen, A.M. Bar-graph display 85—37688
Owen, B. Cellular comms 86—37779
Owen, B. Measurement—a key to the safe use of ionising radiation 87—57251
Owen, B. Measurement—a key to the safe use of ionising radiation 88—16798
Owen, C. *see* Piggott, A. 88—31345
Owen, C.W. *see* Curtis, C.D. 87—41814
Owen, C.W. *see* Lackey, J.R. 88—61046
Owen, D., Parris, A. External magnetic field of two-dimensional semi-infinite plates. II. Two opposite plates 85—13055
Owen, D. *see* Aronson, S. 88—61122
Owen, D. *see* Cox, B. 85—64465
Owen, D.B. *see* Youn-Min Chou 85—5896
Owen, D.L. A new and cost-effective way to measure research and development performance 86—13402
Owen, D.R. *see* Taylor, D.M. 87—33365
Owen, D.R.J. *see* Bathe, K.J. *(editor)* 87—198
Owen, D.R.J. *see* Board, K. *(editor)* 87—5143
Owen, E. *see* Albrecht, P.F. 88—5918
Owen, E.C.G. Overview of networking at Daresbury Laboratory 87—13435
Owen, E.C.G. *see* Price, H.G. 88—53980
Owen, E.F. Microwave laboratory experiments using computer-aided test 88—4601
Owen, E.F. Transistor amplifier experiments using computer simulation and computer automated test 88—6664
Owen, E.F., Braithwaite, K., Buttars, D.B., Erdman, J.R. A student antenna experiment using computer aided design and test 88—21037
Owen, E.F., Braithwaite, K., Buttars, D.B., Erdman, J.R. A student antenna experiment using computer aided design and test 88—27602
Owen, E.L. Power electronics and rotating machines—past, present and future 85—6165
Owen, E.L. *see* Albrecht, P.F. 85—27687, 86—56701
Owen, E.L. *see* Rhudy, R.G. 86—66075
Owen, E.L. *see* Staub, A.O. 86—19230, 87—30498
Owen, E.W., Shimer, D.W. Normal zone detectors for a large number of inductively coupled coils 85—1895
Owen, E.W., Shimer, D.W. Switching transients in a superconducting coil 85—1906
Owen, E.W., Shimer, D.W. Multivariable current control for electrically and magnetically coupled superconductng magnets 86—28761
Owen, E.W., Shimer, D.W. Compensated current control of superconducting coils with indirectly measured coil current 87—12093
Owen, E.W., Shimer, D.W., Wang, S.T. Alternative power supply and dump resistor connections for similar, mutually coupled, superconducting coils 85—1940
Owen, F. Telecoms systems in silicon. II. The telecoms/VLSI marriage 85—19615
Owen, F.K., McDevitt, T.K., Ambur, T.A., Orngard, G.M. Laser velocimeter requirements for hypersonic flow 87—70882
Owen, F.K., Orngard, G.M., McDevitt, T.K. A new 3D LDV system for the NASA Ames 6×6 ft. wind tunnel 86—38879
Owen, G. Electron lithography for the fabrication of microelectronic devices 85—55644
Owen, G. Shot noise errors in registration for electron lithography 87—17868
Owen, G., Rissman, P., Long, M.F. Application of the GHOST proximity effect correction scheme to round beam and shaped beam electron lithography systems 85—29087
Owen, G. *see* Rissman, P. 85—29088
Owen, H. Holographic optical elements in dichromated gelatin 86—10001
Owen, H., Hurst, A.E. Achromatic display holograms in dichromated gelatin 87—12610
Owen, H. *see* Solomon, S. 88—59470
Owen, H.A., Jr. *see* Sloane, T.H. 87—16815
Owen, H.A., Jr. *see* Thottuvelil, V.J. 85—24177, 86—9415
Owen, H.A., Jr. *see* Urling, A.M. 87—44564
Owen, H.A., Jr. *see* Wong, R.C. 85—573, 86—12929, 87—72245
Owen, H.L. Computer graphics in integrated circuit design activities at the Georgia Tech Microelectronics Research Center 88—44145
Owen, H.L., III, Kopp, M.T. The impact of VLSI on digital technology insertion programs 85—6376
Owen, H.L., III, Kopp, M.T. Gate array, standard cell, and fully custom: building blocks for the digital avionics designer 86—18466
Owen, H.L., III *see* Kopp, M.T. 86—15240
Owen, J. *see* Bilderback, D. 88—42460
Owen, J. *see* Cutler, R.I. 88—54134
Owen, J. *see* Rino, C.L. 86—59066
Owen, J. *see* Sherhart, K. 85—1699
Owen, J.F. *see* Korn, D.M. 87—14864
Owen, J.F. *see* Lubinsky, A.R. 87—14865, 88—23056
Owen, J.F. *see* Whiting, B.R. 88—42459
Owen, J.M. *see* Farthing, P.R. 88—62006
Owen, J.R. Ionically conducting glasses [solid-state batteries] 86—66228
Owen, J.R. Micro-batteries 86—66240
Owen, J.W. Setting sensitivity standards for the Facility Intrusion Detection System (FIDS) 86—137
Owen, K. Speech and vision research at Malvern 87—27219
Owen, K. *(editor)* Alvey Conference. Conference Report 87—16299
Owen, M.H. *see* Tallon, R.W. 86—35703
Owen, M.J., Harris, S.J., Noble, B. Failure of high voltage electrical insulators with pultruded glass fibre-reinforced plastic cores 86—62271
Owen, M.J. *see* Harris, S.J. 85—48606
Owen, M.M. *see* Cox, H. 88—3111, 88—8729, 88—27890
Owen, M.P. *see* Latham, S.G. 87—18767
Owen, M.W. *see* France, E.R. 85—48789
Owen, P., Mason, J.C. The use of linear programming in the design of antenna patterns with prescribed nulls and other constraints 85—24917
Owen, R. Clustering PDPs 86—49248
Owen, R. *see* Campbell, D.M. 85—59041
Owen, R. *see* Girard, L. 86—10927
Owen, R.C., Pallett, A.J. The ultrasonic inspection of gas circulator welds at Dungeness 'B' 85—21415
Owen, R.E. VLSI architectures for digital signal processing 85—19416
Owen, R.E. Flow measurement of viscous and multiple state fluids 86—11778
Owen, R.E. A VLSI dynamic time warp processor for connected and isolated work speech recognition 86—14289
Owen, R.E. ECL MAC slashes system processing times by 80% 87—16983
Owen, R.E. A sub 10 nanosecond multiplier 87—59430
Owen, R.E. A 15 nanosecond complex multiplier-accumulator for FFTS 87—60576
Owen, R.E. A sub 10 nanosecond multiplier 87—66076
Owen, R.E. A sub 10 nanosecond multiplier and multiplier-accumulator 87—73435
Owen, R.E., Miller, B.E. Architectural considerations for a sub 10 nanosecond DSP building block family 87—16972
Owen, R.E. *see* Holbrow, W.F. 85—32083
Owen, R.E. *see* Miller, B.E. 86—67974
Owen, R.G., Jones, D.I. An anti-vibration platform using active suspension 86—42158
Owen, R.G. *see* Jones, D.I. 85—24783
Owen, R.J., Aust, M.I.E. Surface flashover of materials used in dry-type transformers 86—68089
Owen, S. *see* Seah, M.P. 87—63595
Owen, S.A. End-user requirements for network management of communications networks 87—55557
Owen, S.J. The Panasonic AK-400 broadcast CCD camera 88—41858
Owen, S.J.T. *see* Changchang Zhu 88—40089
Owen, S.J.T. *see* Jayasimha Prasad, S. 87—18178
Owen, S.J.T. *see* McArthur, R.C. 88—16347
Owen, S.J.T. *see* Parton, J.E. 86—40372
Owen, S.J.T. *see* Wager, J.F. 87—18185, 87—38301
Owen, S.W. *see* Chen, L. 86—46846
Owen, T. Forensic audio and video—theory and applications 88—35748
Owen, T.E. *see* Parra, J.O. 86—50727
Owen, V.M. Biosensors 85—20881
Owen, W. Lawyers automate with nets and databases 85—36562
Owen, W.H. Human factors: the rest of the story [nuclear power plant control room] 86—45075
Owen, W.P. Power for System X 85—30800
Owen, W.P. Fax enters the digital era 87—76271
Owenby, R.N. *see* Stofleth, J.H. 88—48414
Owenier, K.-A. A new algorithm for filter design with transformed variables 87—17209
Owenier, K.-A. *see* Nitsche, G. 88—63772
Owenier, K.A. Tchebycheff approximation of band-pass and band-stop filters, a recurrence formulae approach 86—1215
Owenier, K.A. Filter design using transformed variables, a polynomial operations concept 86—57923
Owens, A. Spectral degradation effects in an 86 cm^3 Ge(HP) detector 85—64475
Owens, A. Evaluation of Compton contamination events in an actively shielded Ge gamma-ray detector 85—64516
Owens, A. A laboratory investigation into the measurement of optical fibre parameters 86—58765
Owens, A. *see* Googins, J. 88—22940
Owens, B.B. Competitive systems—primary batteries 86—66251
Owens, B.B. Solid state primary batteries 86—66252
Owens, B.B., Patel, B.K., Skarstad, P.M., Warburton, D.L. Performance of $Ag/RbAg_4I_5/I_2$ solid electrolyte batteries after ten years storage 85—10091
Owens, B.B. *see* Brennen, K.R. 85—27604
Owens, B.B. *see* Munshi, M.Z.A. 88—49120
Owens, B.B. *see* Scrosati, B. 87—72386
Owens, B.L. *see* Miller, R.J. 88—71379
Owens, B.R. *see* Massetti, M.A. 88—64712
Owens, C.M. Preventive and corrective actions the primary side stress corrosion cracking performance of mill annealed Inconel-600 tubing in C-E designed steam generators 85—38780
Owens, D. *see* Andrews. P.V. 86—36196
Owens, D. *see* Metcalf, J. 87—42611
Owens, D.B. *see* Bickel, J.H. 85—48810
Owens, D.R., Maller, G., Moser, R., Richard, R. Adding sulfur to FGD absorber reduces, scale, ups performance 88—75236
Owens, E. *see* Grant, I. 88—29703
Owens, E.B. *see* Woodhouse, J.D. 85—6713
Owens, F.J., Murphy, M.S. A short-time Fourier transform 88—34698
Owens, F.J. *see* Murphy, M.S. 88—27867
Owens, J. *see* Anderson, R.H. 87—51054
Owens, J.B. World energy sources: a keynote lecture 85—9574
Owens, J.C. *see* Firth, R.R. 88—72456
Owens, J.E. Ignition hazards of charged dielectrics in flammable environments 85—22196
Owens, J.E. A gated, powered static neutralizer for photosensitive film 85—29980
Owens, J.H. Improving 4000 series oscillators 86—46603
Owens, J.M. System applications of magnetostatic wave devices 86—22034
Owens, J.M. SAW devices designed for military and commercial systems 87—1827
Owens, J.M., Ataiiyan, Y.J., Avitabile, G., Carter, R.L. *Ka* band magnetostatic wave delay lines 87—60832
Owens, J.M. *see* Adkins, L.R. 86—53901
Owens, J.M. *see* Ataiiyan, Y.J. 87—7032
Owens, J.M. *see* Bajpai, S.N. 88—26687
Owens, J.M. *see* Carter, R.L. 85—24194
Owens, J.M. *see* Chang, K.W. 85—18590
Owens, J.M. *see* McColl, R.W. 88—13424
Owens, J.M. *see* Reed, K.W. 86—22028
Owens, J.M. *see* Willems, D.A. 86—63573, 87—7030

Owens, K.E. *see* Whiteley, J.S. 88-64246
Owens, L. *see* Mischke, S. 87-8888
Owens, M. *see* King, R.W.P. 86-29339
Owens, N.E., Crago, P.E. Tracking performance of patients controlling FES hand grasp orthoses 87-14940
Owens, N.L. Silver-glass die attach and large-area dice 88-64155
Owens, R.A. *see* Morrone, M.C. 88-14798
Owens, R.C., Chan, S.-P. Synthesis of lossy stub unit element networks using Z-transforms 86-34490
Owens, R.E. *see* Bailey, G.R. 88-12951
Owens, R.M., Irwin, M.J. Towards designing, testing, and validation high performance VLSI signal processors 86-31318
Owens, R.M., Irwin, M.J. A system for designing, simulating, and testing high performance VLSI signal processors 86-63444
Owens, R.M., Irwin, M.J. An overview of the Penn State design system 87-65712
Owens, R.M., Irwin, M.J. The arithmetic cube 88-13474
Owens, R.M., Irwin, M.J. Multidimensional algorithms for VLSI processors 88-72976
Owens, R.M., Ja'Ja', J. A VLSI chip for the Winograd/prime factor algorithm to compute the discrete Fourier transform 87-5914
Owens, R.M. *see* Adams, S.J. 87-31909
Owens, R.M. *see* Balsara, P.T. 87-59412
Owens, R.M. *see* Beekman, J.A. 87-66116
Owens, R.M. *see* Hou, P.-P. 88-63471, 88-70633
Owens, R.O. *see* Annand, J.R.M. 88-22923
Owens, R.O. *see* Anthony, I. 86-32209
Owens, R.P., Smith, A.C. Dual band, dual polarisation microstrip antenna for X-band satellite communications 87-39520
Owens, T.L. A folded waveguide coupler for plasma heating in the ion cyclotron range of frequencies 87-32049
Owens, T.L., Baity, F.W., Hoffman, D.J. ICRF antenna and feedthrough development at the Oak Ridge National Laboratory 86-3700
Owens, T.L. *see* Chen, G.L. 88-58918
Owens, T.M., Mielke, R.R. Circuit analysis of a gas flow switch 85-5298
Owens, W. *see* Staats, G. 87-36157, 87-72457
Owens, W.L. A simple device for measuring fouling in a heat exchanger tube 86-65294
Owens, W.R. Data-base methodology for infrared signature projection 87-14183
Owens, W.R., Duncumb, W.R., Doerfler, R.W., Jang, A.R., Zuehlke, R.G. Conceptual design of an advanced aircraft electrical systems (AAES) 87-77793
Owens, W.R. *see* Carabetta, R.A. 88-30627
Owens, W.R. *see* Gandikota, K. 87-77797
Owens, W.R. *see* Hyde, R.S. 88-21317
Owens, W.R. *see* Kelly, A.W. 87-77791
Owens, W.R. *see* Lawit, R.L. 85-15957
Owens, W.R. *see* Murthy, M.L.R. 85-53641
Ower, J. *see* Habibullah, B. 87-42540
Owers, I.A. Movement detection [security sensors] 88-60672
Owings, B. *see* Peters, H. 88-20525
Owings, J. Tiling the unit square with squares and rectangles 86-34142
Owler, A. Pressurised enclosures have come of age 85-60713
Own, M.H. *see* Tallon, R.W. 88-26284
Ownby, M.R., Prescott, G.E. Analysis of accumulated jitter in a digital transmission system 88-28689
Ownby, P.D. *see* Hudson, W.E., Jr. 85-22023
Owoc, R. *see* Miyokawa, K. 88-4276
Owolabi, I.E. Coping with obsolescence and modernization in telecommunication systems in Africa 88-66832
Owolabi, I.E. *see* Ajayi, G.O. 87-40978
Owolabi, I.E. *see* Olalere, G. 87-47173
Owolabi, O., Ferguson, J.D. A hardware string comparator 88-56668
Owren, H.M. *see* Anderson, O.A. 86-31838
Owren, H.M. *see* deVries, G.J. 85-4198
Owren, H.M. *see* Matuk, C.A. 87-14666
Owren, H.M. *see* Purgalis, P. 87-14667
Owren, H.W. *see* Leung, K.N. 86-32128
Owsik, J. *see* Denus, S. 86-36445
Owsinski, J.W. Optimization in clustering: an approach and other approaches 87-47885
Owsinski, J.W., Zadrozny, S. Clustering for ordinal data: a linear programming formulation 87-47886
Owsley, N.L. High-resolution spectrum analysis by dominant-mode enhancement 85-46811
Owsley, N.L. Overview of adaptive array processing 85-57405
Owsley, N.L. Maximum a posteriori array signal processing 86-16458
Owsley, N.L. Signal subspace based minimum-variance spatial array processing 87-8349
Owsley, N.L. *see* Haykin, S. *(editor)* 85-22072
Owsley, P.A. *see* Maki, G.K. 87-2950, 87-39671
Owusu-Sekyere, K., Chang, A.M., Chang, T.Y. Fabrication of gatable submicron channels in $Al_xGa_{1-x}AsGaAs$ heterostructures 88-39281
Owusu-Sekyere, K. *see* Cunningham, J. 88-57353
Owyang, K., Hodgins, R.G., Wildi, E.J. New high voltage IC technology for power control and conditioning 87-1658
Owyang, K., Yilmaz, H., Wildi, E. Half-bridge motor driver using advanced silicon device technologies 87-37763
Owyang, K. *see* Chang, M. 88-32081
Owyang, K. *see* Chang, M.F. 87-32600, 87-46124
Owyang, K. *see* Yilmaz, H. 85-50574, 86-15160, 86-21587, 87-38218, 87-38324
Owyang, K.W. *see* Adler, M.S. 85-12230
Owyoung, A., Esherick, P. Stress-induced tuning of a diode-laser-excited monolithic Nd:YAG laser 88-20610
Owyoung, A., Hadley, G.R., Esherick, P., Schmitt, R.L., Rahn, L.A. Gain switching of a monolithic single-frequency laser-diode-excited Nd:YAG laser 86-9816
Owyoung, A. *see* Esherick, P. 87-33127
Owyoung, A. *see* Hadley, G.R. 86-36494, 87-7336, 87-33184, 88-40169
Owyoung, A. *see* Hohimer, J.P. 86-22368, 86-58915, 88-33990
Owyoung, O. *see* Hadley, G.R. 87-68465
Owzarski, T. Choice of the parameters of a simple microprocessor servomechanism 86-12865
Oxaal, J. *see* Sing, Y.W. 86-53788
Oxenberg, S.C. Testing the Verbex 4000 continuous speech recognizer for direct camera control and supervisory telerobotics 88-72880
Oxenboll, J., Neilsen, S. Future design of telecom measuring instruments 85-42094
Oxenham, R.W. *see* Beaton, K.A. 85-49240
Oxenham, R.W. *see* Walshe, K.A. 86-12327
Oxford, R.J., Drumheller, P.D., Petersen, J.N., Van Wie, B.J., Schneider, G.W., Jr. Monitoring and automated optimization of a cell centrifuge 87-57055
Oxford, W. *see* Cole, E.I., Jr. 86-35733, 88-26179
Oxford, W. *see* Propst, R.H. 85-33252
Oxford, W.V., Propst, R.H. Efficient computer-aided failure analysis of integrated circuits using scanning electron microscopy 86--35776
Oxford, W.V. *see* Cole, E.I., Jr. 88-57757
Oxford, W.V. *see* Smith, C.A. 86-40572
Oxley, C. *see* Davies, I. 85-45249
Oxley, C. *see* Debney, B.T. 86-14536
Oxley, C. *see* Scott, M.D. 86-53678
Oxley, C.H. Active devices suitable for millimetre wave operation 87-11063
Oxley, C.H., Davies, I., Sparrow, J.A., Medhurst, P., King, J. Power transistor packaging 86-53676
Oxley, C.H., Holden, A.J. Rapid thermal oxidation of silicon for thin gate dielectric 86-53542
Oxley, C.H., Holden, A.J. Modified Fukui model for high-frequency MESFETs 86-53621
Oxley, C.H., Holden, A.J. Simple models for high-frequency MESFETs and comparison with experimental results 87-11779
Oxley, C.H., King, J., Holden, A. Performance of GaAs power FETs under pulsed conditions 86-53064
Oxley, C.H. *see* Arnold, J. 85-14207
Oxley, C.H. *see* Davies, I. 86-14533
Oxley, C.H. *see* Holden, A.J. 85-23114, 85-45248, 86-62824, 87-11781
Oxley, C.H. *see* King, J. 86-53063
Oxley, C.H. *see* Patrick, W. 86-2168, 86-41348
Oxley, D.P. *see* Taylor, A.G. 85-3958
Oxley, G.C. Thermal dissipators 85-1580
Oxley, J. *see* Ying Cheng 87-44142
Oxley, J.G. On the matroids representable over *GF*(4) 87-5336
Oxley, J.G. A characterization of the ternary matroids with no $M(K_4)$-minor 87-44143
Oxley, J.H., Allen, B.R., Rosenberg, H.S., Morasky, T.M. Ten years experience with scrubber costs [SO_2 scrubber at power plants] 86-33118
Oxley, P.L. *see* Lawser, J.J. 88-3340
Oxley, S. *see* Williams, D.A. 88-5999
Oxley, T., Corbey, C. Systems applications of GaAs devices and ICs 88-1730
Oxley, T.H., Burnett, C. MM-wave (30-110 GHz) hybrid microstrip technology. I 86-53049
Oxley, T.H., Burnett, C. MM-wave hybrid microstrip technology. II 87-985
Oxley, T.H., Forrest, J.R. The systems need for GaAs devices and integrated circuits 87-1464
Oxley, T.H., Williams, D.A. Millimeter-wave hybrid microstrip subsystems 86-27593
Oxner, E. RF designers notebook—a prompting HP-67 calculates h_{fe} and f_T from S-parameters 85-10915
Oxner, E. High dynamic range mixing with the Si8901 86-46627
Oxner, E. An active MOSFET ring mixer with a wide dynamic range 86-67106
Oxner, E. DMOS satisfies JFET, CMOS, GaAs FET performance needs 88-1731
Oxner, E., Kroczek, K.D. Design of a single Ni-Cd cell powered VHF oscillator 86-67068
Oxner, E.S. Commutation mixer achieves high dynamic range. Introducing the Siliconix Si8901 quad FET 86-52738
Oxner, E.S. A commutation double-balanced mixer of high dynamic range 87-16956
Oxoby, G. *see* Ashford, V. 87-41835
Oxoby, G. *see* Hallewell, G. 88-68213
Oxoby, G. *see* Johnson, R. 88-68277
Oxoby, G. *see* Spencer, E. 88-61189
Oxoby, G.J. *see* Denard, J.-C. 88-54152
Oxorn, K. *see* Crawford, J.E. 87-57000
Oxuzyan, H.G. *see* Laziev, E.M. 86-31804
Oy, N. *see* Korhonen, J. 88-30620
Oya, G., Koishi, M., Sawada, Y. High-quality single-crystal Nb films and influences of substrates on the epitaxial growth 87-253
Oya, G., Yamashita, M., Sawada, Y. Single-fluxoid quantum four-junction-interferometer operated in the phase mode 85-56197
Oya, G. *see* Noguchi, S. 86-68205
Oya, G. *see* Takai, Y. 85-52646
Oya, H., Morioka, A., Obara, T. Leaked AKR and terrestrial hectometric radiations discovered by the plasma wave and planetary plasma sounder experiments on board the Ohzora (EXOS-C) satellite—instrumentation and observation results of plasma wave phenomena 86-6101
Oya, H. *see* Hayashi, T. 85-9297
Oya, H. *see* Okada, T. 87-68884
Oya, K. *see* Goto, M. 87-55547
Oya, S., Kuwabara, M., Fudo, H. Development of detection method of pole transformer load 86-51163
Oya, S. *see* Asano, H. 87-4460
Oyabu, I. *see* Narikawa, T. 85-570
Oyabu, K., Yamasaki, Y., Hashimoto, M. Type BCU super-low-temperature brine chillers 85-5539
Oyabu, K., Yamasaki, Y., Hashimoto, M. BCU type super low temperature brine chillers 85-49212
Oyabu, T., Ohta, Y., Kurobe, T. Tin oxide gas sensor and countermeasure system against accidental gas leaks 87-14305
Oyabu, T., Ohta, Y., Kurobe, T. 'Intelligent' alarm detector of gas leaks 88-35968
Oyagi, T. *see* Nagata, K. 85-8325
Oyaizu, I., Hoshiko, T., Uozumi, E., Kimura, Y. Processor-to-processor communication interface unit for DIPS computer complex 86-49264
Oyaizu, I., Uozumi, E., Mori, S., Hoshiko, T. Performance evaluation of processor-to-processor communications system with a high-speed optical token ring 86-64683
Oyaizu, I. *see* Hoshiko, T. 87-28613
Oyaizu, I. *see* Matsunaga, T. 86-49261
Oyaizu, M. *see* Miyatake, H. 87-71051
Oyaizu, M. *see* Murayama, T. 87-3840
Oyaizu, M. *see* Sekiguchi, M. 88-74719
Oyake, T. *see* Harada, N. 85-21830
Oyama, A., Yamaguchi, K., Sato, M., Morita, K. High-power one-chip ICs for car audio 88-74191
Oyama, B.K. *see* Gorman, G.M. 88-39675
Oyama, B.K. *see* Oki, A.K. 88-19240
Oyama, G. A stochastic model of excitation source for linear prediction speech analysis-synthesis 86-16220
Oyama, H. *see* Wakino, S. 88-41813
Oyama, J., Higuchi, T., Abe, N., Toba, S., Yamada, E. Characteristics of AC-excited brushless synchronous motor under vector control 88-75597
Oyama, J., Higuchi, T., Kosugi, T., Furukawa, T., Yamada, E. Cogging torque analysis of permanent magnet motor by finite element method 88-43209
Oyama, J., Higuchi, T., Tsuji, M., Yamada, E. AC-excited brushless synchronous motor 87-51185
Oyama, J., Tsutsui, N., Higuchi, T., Ueno, A. Telemetry system used for coronary artery diameter measurement 88-16726
Oyama, J. *see* Izumi, K. 86-6796
Oyama, J. *see* Tsuji, M. 86-6769, 86-39803, 87-22379, 87-43020, 88-17615
Oyama, J. *see* Yamada, E. 85-48956, 87-22371
Oyama, K.I., Hirao, K., Yasuhara, F. Electron temperature probe on board Japan's 9th scientific satellite 'Ohzora' 86-6102
Oyama, N. Recent advances in functional electrodes 85-15267
Oyama, N., Yoshimura, F., Ohsaka, T., Koezuka, H., Ando, T. Characteristics of a field-effect transistor fabricated with an electropolymerized thin film 88-44783
Oyama, S., Nakamura, K. Ultra high speed spindle motor 88-30666
Oyama, S., Shimizu, H. Saddle-like bending vibrators consisting of a piezoelectric single square-plate with interdigital electrodes 85-29419
Oyama, S., Shimizu, H. Three-terminal filters using saddle-like-bending-mode vibration of a piezoelectric square-plate with no bonding layer 87-38638
Oyama, S. *see* Doi, K. 88-41666
Oyama, S. *see* Ishino, F. 86-64637
Oyama, S. *see* Konno, M. 85-64138, 87-38636, 88-29353

Oyama, T. Theoretical aspects of an electricity marginal cost model 87−57544
Oyama, T., Ishihara, H., Tanioka, F., Matsuki, A., Aida, N., Ishii, H. Clinical application of arrhythmia analyzer in ICU 87−63783
Oyama, T., Serizawa, Y. Effect of neighboring unstable equilibrium points on the midterm stability of power systems 88−36754
Oyama, T., Serizawa, Y., Sekine, Y. Online stabilization of the power system with static Var compensator by eigenvalue control 87−9077
Oyama, T. *see* Sakata, T. 88−54730
Oyama, T. *see* Sato, N. 88−58260
Oyama, T. *see* Tsutsui, T. 87−8106
Oyama, Y., Tanaka, S., Tsuda, K., Ikeda, Y., Maekawa, H. A small spherical NE213 scintillation detector for use in in-assembly fast neutron spectrum measurement 87−57025
Oyamada, H. *see* Ishihara, N. 88−10093
Oyamada, H. *see* Kudo, T. 88−38411
Oyamada, K. Optical communication techniques 88−53267
Oyamada, K., Maeda, M., Utsumi, Y. FDM optical fiber transmission for HDTV in broadcasting station 87−76920
Oyamada, K. *see* Maeda, M. 87−20568
Oyamada, K. *see* Noguchi, T. 87−57107
Oyamada, M. *see* Kurihara, A. 87−14641
Oyamada, M. *see* Takahashi, S. 87−14791
Oyan, R. *see* Swaja, R.E. 87−4049
Oyanagi, H., Matsushita, T., Kaminaga, U., Hashimoto, H. Linear detector for time-resolved EXAFS in dispersive mode 87−35373
Oyanagi, H. *see* Matsushita, T. 86−60657
Oyanagi, H. *see* Tokumoto, M. 85−11971
Oyang, Y. *see* Buchanan, C.D. 88−10283
Oyaux, J. *see* Boyer, R. 85−8530
Oyaveer, M. Analysis of power conversion processes in the AC to DC converter with tripled-frequency link 86−8411
Oye, K. *see* Choung, Y.A. 87−27091
Oyen, G. *see* Grjotheim, K. 88−37368
Oyer, P.E. *see* Jassawalla, J.S. 85−31879
Oyer, P.E. *see* Miller, P.J. 85−38229
Oyinloye, J.O. Characteristics of non-ionized media and radiowave propagation in equatorial areas—a review 88−34314
Oyinloye, J.O. Equatorial HF radio wave absorption measurements and the IRI 88−58854
Oyinloye, J.O. Ionospheric characteristics and radio propagation in the equatorial region 88−58868
Oyobe, A. *see* Takahashi, H. 86−58781, 88−65122
Oyobe, T. *see* Fukaya, K. 88−57228
O'Young, S.D. *see* Postlethwaite, I. 87−30133
Oysgel't, M.G., Rombro, V.S. The accuracy of a search for locations with reduced electric strength of the insulation of communications cables 88−67205
Oz, M. Wideband double-ridged 8-way radial combiner 85−13196
Oz, Y. *see* Samson, C. 86−64126
Oza, A.R., Krishnan, R., Adkar, S. A microprocessor control scheme for switched reluctance motor drives 88−43427
Oza, D.T. Wind power systems 85−9816
Oza, K., Bennett, B. Digital Sound Corporation's VoiceServer VDS ETI 87−8076
Ozaka, Y. *see* Sugiura, Y. 86−38052
Ozaki, A. *see* Miyazaki, T. 86−13204
Ozaki, A. *see* Nakashima, H. 87−79244
Ozaki, A. *see* Shimada, R. 88−69643
Ozaki, F. *see* Obama, M. 86−39396
Ozaki, H., Aso, A., Fujinami, Y., Ono, M., Ishiguro, Y., Harada, E. New software for gate array design support 86−34450
Ozaki, H., Mayumi, S., Ueda, S., Inoue, M. Contact resistance behavior in borophosphosilicate glass 87−66998
Ozaki, H., Nishiguchi, N., Ishizaka, Y., Noda, S., Hirayama, K., Ishizuka, A., Atsume, Y., Okuno, Y. A design system for 50 K gates gate arrays 88−19057
Ozaki, H. *see* Aso, A. 88−19056
Ozaki, H. *see* Eimori, T. 88−19975
Ozaki, H. *see* Fujii, K. 85−4231, 85−43187
Ozaki, H. *see* Fujimoto, J. 87−14763, 87−63627
Ozaki, H. *see* Hori, M. 88−59105
Ozaki, H. *see* Kawakami, Y. 88−50968
Ozaki, H. *see* Lehmann, D. 87−29765
Ozaki, H. *see* Nishimura, Y. 87−37300
Ozaki, H. *see* Nishiyama, K. 87−31821
Ozaki, H. *see* Okuno, Y. 87−31822
Ozaki, H. *see* Yamada, M. 88−6842
Ozaki, H. *see* Yoneda, M. 87−24189
Ozaki, H. *see* Yoshida, S. 85−17324
Ozaki, I. *see* Kamano, T. 85−53715
Ozaki, I. *see* Suzuki, S. 88−5701
Ozaki, J., Kawamura, I. 'Zero-position' functional shoulder orthosis 85−31876
Ozaki, J. *see* Kudoh, O. 85−49876
Ozaki, J. *see* Sekiya, K. 87−24194
Ozaki, J. *see* Watanabe, S. 85−1048
Ozaki, K. Present state and perspectives of the voice mail service 88−9058
Ozaki, K., Ito, A., Goto, Y., Furukawa, Y., Inagaki, T. Electron beam probing system with ultrahigh time resolution 87−38380
Ozaki, K., Niu, K. Development of electromagnetic PIC code for LIB diode 88−62485
Ozaki, K. *see* Furukawa, Y. 85−50630
Ozaki, K. *see* Goto, Y. 85−40035
Ozaki, K. *see* Ikeda, T. 87−59022
Ozaki, M., Kishio, S., Shigeno, Y., Yoshino, K. High speed colour switching element utilizing ferroelectric liquid crystal 86−48225
Ozaki, M., Watanabe, M., Kakinuma, M., Ikeda, M., Sato, K. MGX: an integrated symbolic layout system for VLSI 85−1704
Ozaki, M., Yoshino, K. Characteristics of high speed electro-optic device utilizing ferroelectric liquid crystal and effect of space charge 85−56376
Ozaki, M. *see* Fujii, Y. 88−33546
Ozaki, M. *see* Furukawa, T. 85−25022
Ozaki, M. *see* Ito, O. 88−45060
Ozaki, M. *see* Kobayashi, M. 88−54738
Ozaki, M. *see* Makino, H. 86−32366
Ozaki, M. *see* Sato, K. 86−62567
Ozaki, M. *see* Suzuki, S. 86−4230
Ozaki, M. *see* Tanaka, K. 86−69979
Ozaki, M. *see* Terai, M. 87−59084
Ozaki, M. *see* Yoshino, K. 85−2095, 86−48224, 87−38872
Ozaki, N. Latest technique of large power transformer 87−72201
Ozaki, N. *see* Ikeno, H. 88−51582
Ozaki, N. *see* Kamimura, H. 87−8336
Ozaki, N. *see* Kuniyasu, S. 88−58248
Ozaki, N. *see* Nitta, M. 88−51583
Ozaki, N. *see* Sugawara, M. 87−43165
Ozaki, R., Arai, Y., Murayama, I., Yoshikawa, H., Kuroda, K. Technical trend of motor starter and development of new SC series 86−19434
Ozaki, S. TRISTAN at KEK, Japan 85−31660
Ozaki, S. TRISTAN: machine and the first results 88−60997
Ozaki, S. *see* Kaya, A. 87−27506
Ozaki, S. *see* Tsuchida, H. 86−15693
Ozaki, S., Kurokawa, S., Unno, Y. *(editor)* Proceedings of the 1984 ICFA Seminar on Future Perspectives in High Energy Physics (KEK 84-14) 85−31655
Ozaki, T. A new injection method for microtrons 86−5670
Ozaki, T., Miyamoto, S., Imasaki, K., Nakai, S., Yamanaka, C. Light ion beam transport in plasma channels 86−11808
Ozaki, T., Ozawa, N., Imaide, T., Ando, H., Ohba, S. Noise modeling of new MOS imaging device using random noise suppression (RANS) circuits 85−42913
Ozaki, T., Usami, K., Yamanaka, S. Experimental study of narrow-band digital communication by means of premodulation low pass filter 86−30673
Ozaki, T. *see* Ando, H. 86−5045
Ozaki, T. *see* Ishii, T. 85−30862
Ozaki, T. *see* Kubo, T. 86−26143
Ozaki, T. *see* Kuroda, K. 87−56725
Ozaki, T. *see* Miyamoto, S. 85−1222
Ozaki, T. *see* Nakai, M. 88−29443
Ozaki, T. *see* Noguchi, S. 87−36857
Ozaki, T. *see* Ogawara, S. 87−39877
Ozaki, T. *see* Sugiyama, H. 87−36103
Ozaki, Y. Electron beam picture recording on 35 mm film for HDTV 87−41197
Ozaki, Y., Ikuta, K. MOS *C-t* evaluation of reactive ion etched silicon substrate 85−23682
Ozaki, Y. *see* Araki, H. 87−71438
Ozaki, Y. *see* Hosoya, T. 86−21102
Ozaki, Y. *see* Miyachi, I. 86−51106
Ozaki, Y. *see* Nii, K. 85−48873
Ozaki, Y. *see* Oishi, M. 86−71020
Ozaki, Y. *see* Sato, K. 87−29017
Ozaki, Y. *see* Shibuya, M. 88−55043
Ozaki, Y. *see* Sumitani, H. 88−75008
Ozaki, Y. *see* Takawashi, T. 88−11529, 88−18255
Ozaki, Y. *see* Yanabu, S. 88−55541
Ozanam, F. *see* Venkateswara Rao, A. 86−67779
Ozanic, M. The production-engineering concept of a new series of DC machines 85−21985
Ozanyan, K.B. *see* Gladkov, P.S. 88−57316
Ozard, J.M., Zala, C.A. Grid-search, optimization and tracking for passive sonar localization in shallow water 87−69236
Ozarow, L., Wyner, A.D., Ziv, J. Achievable rates for a constrained Gaussian channel 87−54805
Ozarow, L.H. The capacity of the white Gaussian multiple access channel with feedback 85−2751
Ozarow, L.H., Leung-Yan-Cheong, S.K. An achievable region and outer bound for the Gaussian broadcast channel with feedback 85−3556
Ozarow, L.H., Wyner, A.D. Wire-tap channel. II 85−30171
Ozarow, L.H., Wyner, A.D. Wire-tap channel. II 87−69011
Ozarski, B. *see* Watts, M. 88−57559
Ozarski, R. *see* Matthews, D. 85−7350
Ozarski, R.G. *see* Golin, J.R. 87−60304
Ozasa, K., Yuri, M., Nishino, S., Matsunami, H. Low-vacuum metalorganic vapor phase epitaxy of InGaP and its immiscible growth 88−63311
Ozasa, S. *see* Moriyama, S. 85−29076
Ozasa, S. *see* Saitou, N. 86−35507
Ozawa, A. Analysis of the characteristics of a small three phase induction motor by means of energy ratio 86−61505
Ozawa, A. Phase angle analysis of single-phase induction motor 87−72134
Ozawa, A., Hirayama, Y., Arai, T., Takahashi, Y. A climatic test laboratory 86−164
Ozawa, A. *see* Amamiya, M. 88−60184
Ozawa, A. *see* Horiuchi, T. 87−25030
Ozawa, A. *see* Kuroda, K. 85−50878
Ozawa, A. *see* Kuwano, H. 86−9032
Ozawa, A. *see* Sekimoto, M. 85−34756
Ozawa, H. *see* Ohtsu, M. 86−38574
Ozawa, H. *see* Shimizu, Y. 88−13649
Ozawa, H. *see* Suzuki, M. 85−3037
Ozawa, H. *see* Uno, R. 86−53319
Ozawa, I. *see* Nakayama, R. 86−30395
Ozawa, J. Local area CAPTAIN concepts 86−59566
Ozawa, J., Mizukoshi, A., Maruyama, S., Nakano, K., Saito, K., St-Jean, G., Latour, Y., Petit, A. Pressure relief design and performance of metal oxide surge arresters [ZnO arresters] 86−39239
Ozawa, J., Ohsaki, E., Ishii, M., Kojima, S., Ishihara, H., Kouno, T., Kawamura, T. Lightning surge analysis in a multi-conductor system for substation insulation design 85−65302
Ozawa, J., Yamagiwa, T., Hosokawa, M., Takeuchi, S., Kozawa, H. Suppression of fast transient overvoltage during gas disconnector switching in GIS 87−30873
Ozawa, J. *see* Hosokawa, M. 87−50842
Ozawa, J. *see* Kurita, A. 86−66132
Ozawa, J. *see* Miyachi, I. 86−51106
Ozawa, J. *see* Nakano, K. 85−9547
Ozawa, J. *see* Yamagiwa, T. 86−68063
Ozawa, K. Direct-drive capstan motor using amorphous Silicon optical sensors 86−36040
Ozawa, K. Real-time codec based on multipulse speech coding with less degradation of tone quality under 16 kbit/s 87−28238
Ozawa, K. The FFT analyzer as a sound-intensity measuring unit 87−49623
Ozawa, K., Araseki, T. Low bit rate multi-pulse speech coder with natural speech quality 87−19472
Ozawa, K., Araseki, T. High quality multipulse speech coder with pitch prediction 87−27260
Ozawa, K., Ito, T., Ishikawa, H. Application of photo-assisted etching technology to preferential etching of Si for dielectrically isolated structure 88−1543
Ozawa, K., Ono, S., Araseki, T. A study on pulse search algorithms for multipulse excited speech coder realization 86−43197
Ozawa, K. *see* Fukuya, K. 87−32747
Ozawa, K. *see* Gotoh, Y. 85−9951
Ozawa, K. *see* Miyazawa, M. 86−49265, 88−46583
Ozawa, K. *see* Ohba, M. 88−7118, 88−38818
Ozawa, K. *see* Ono, S. 85−41889, 88−46000, 88−66376
Ozawa, K. *see* Wake, Y. 86−17065
Ozawa, K. *see* Yasunaga, S. 87−48732
Ozawa, K. *see* Yokota, N. 87−69645, 88−35178
Ozawa, L. *see* Leano, G.J. 86−56089
Ozawa, M. Experiences on VAN 88−41205
Ozawa, M., Koyama, K. Electrical conditions for controlling color temperatures of high pressure sodium lamps with high color rendering 88−6020
Ozawa, M. *see* Kinugasa, T. 88−15782
Ozawa, M. *see* Matsuki, M. 88−51648
Ozawa, M. *see* Nakai, M. 85−45564, 86−2384
Ozawa, M. *see* Okabe, K. 86−70806
Ozawa, M. *see* Yuse, C. 85−3087
Ozawa, N. *see* Abe, T. 87−11631
Ozawa, N. *see* Ando, H. 86−5045
Ozawa, N. *see* Harada, H. 86−21117
Ozawa, N. *see* Kohno, T. 88−29308
Ozawa, N. *see* Mitsui, K. 86−38548
Ozawa, N. *see* Miyamoto, K. 87−29281
Ozawa, N. *see* Nakai, M. 88−29443
Ozawa, N. *see* Ozaki, T. 85−42913
Ozawa, O. *see* Fujii, S. 87−10857, 87−17092
Ozawa, O. *see* Furuyama, T. 87−10852, 87−17095
Ozawa, O. *see* Ishichi, H. 86−46855
Ozawa, O. *see* Ishiuchi, H. 85−50731, 86−21570, 87−753
Ozawa, O. *see* Matsumoto, Y. 85−34969
Ozawa, O. *see* Mizuno, T. 86−47612
Ozawa, O. *see* Saito, S. 86−8265, 86−20529
Ozawa, O. *see* Sawada, S. 85−50592, 86−21826
Ozawa, O. *see* Watanabe, T. 85−6968, 86−14966
Ozawa, P.J., Yoshizaki, S., Takeyama, S., Enjo, T., Ikeuchi, K. Electrical properties of Cr-Al alloy thin films 86−62953
Ozawa, S. A new high-speed ground transportation system, ALPS 87−58416
Ozawa, S., Kimura, T., Kobayashi, J., Fukuda, T. Programmed magnetic field applied liquid encapsulated Czochralski crystal growth 87−31471
Ozawa, S., Miyairi, H., Hakjima, M., Fukuda, T. Growth and characterization of undoped dislocation free GaAs by arsenic ambient controlled LEC with the aid of X-ray imaging system 86−52433

Ozawa, S., Miyairi, H., Kobayashi, J., Fukuda, T. Effects of arsenic ambient controlled LEC GaAs crystal growth technique on residual impurities 88–11961
Ozawa, S. *see* Arai, S. 88–40869
Ozawa, S. *see* Higashi, Y. 86–52878
Ozawa, S. *see* Higuchi, M. 88–19138
Ozawa, S. *see* Ichida, K. 86–34799
Ozawa, S. *see* Ishikawa, S. 85–30366, 86–43874
Ozawa, S. *see* Kamiyama, H. 86–52873
Ozawa, S. *see* Mano, A. 87–75757, 88–53063
Ozawa, S. *see* Mashimo, T. 87–48005, 88–46277
Ozawa, S. *see* Murakami, E. 86–16542, 87–19945
Ozawa, S. *see* Ojima, M. 87–60107
Ozawa, S. *see* Onda, N. 85–46953
Ozawa, S. *see* Sato, T. 85–55679, 86–396
Ozawa, S. *see* Usa, S. 85–7842
Ozawa, T. Topological considerations on the diagnosability of analog circuits 85–17605
Ozawa, T. A routing procedure for an IC module with many pins—a solution to a circular permutation layout problem 85–28304
Ozawa, T. Network diagnosis from multi-excitation measurements 86–1254
Ozawa, T. Network excitation for diagnosis based on the concept of complex basis 86–62703
Ozawa, T. Reliable bus-network architectures based on block design 86–69465
Ozawa, T. The principal partition of a pair of graphs and its applications 87–44129
Ozawa, T. Remote supervisory control system 88–18151
Ozawa, T. Efficient algorithms for locating faulty subcircuits using the decomposition approach 88–18845
Ozawa, T. Analysis of a single server model with two queues having different service disciplines 88–59379
Ozawa, T., Bandler, J.W., Salama, A.E. Diagnosability in the decomposition approach for fault location in large analog networks 85–44530
Ozawa, T., Itoh, H. Complex bases in active *CR* networks and their relationship with network excitation 85–11415
Ozawa, T., Itoh, H. Complex bases in active CR networks and their relations with the network excitation 86–67305
Ozawa, T., Munakata, I., Kozaki, R., Shirakawa, T. Micro hybrid circuits for surface mounting technology 86–62974
Ozawa, T., Takenouchi, M. Recent development in amorphous silicon image sensor 87–20945
Ozawa, T., Takenouchi, M., Tomiyama, S. Amorphous silicon image sensor 86–17820
Ozawa, T., Takenouchi, M., Tomiyama, S. Amorphous silicon linear image sensor 86–36347
Ozawa, T., Tokushige, K., Narita, K., Tsuruoka, Y., Asano, T., Yochi, N. Line buffer for communication system μPD42505C 88–19132
Ozawa, T. *see* Abe, Y. 85–49126, 86–45097, 87–35741
Ozawa, T. *see* Asano, K. 88–19987
Ozawa, T. *see* Chiba, N. 85–33289
Ozawa, T. *see* Chuang, T.C. 88–26296
Ozawa, T. *see* Endo, E. 87–57718, 88–75255
Ozawa, T. *see* Himono, Y. 86–4647
Ozawa, T. *see* Ikeda, H. 87–24210
Ozawa, T. *see* Inagaki, Y. 87–37292
Ozawa, T. *see* Ito, H. 86–50111, 88–45310
Ozawa, T. *see* Itoh, T. 87–25342, 87–45281
Ozawa, T. *see* Kajiura, H. 85–8472
Ozawa, T. *see* Kamimoti, M. 85–60436
Ozawa, T. *see* Kanari, K. 88–11357
Ozawa, T. *see* Kumagawa, M. 88–70302
Ozawa, T. *see* Mada, H. 87–38873, 87–74880
Ozawa, T. *see* Murano, H. 86–41892
Ozawa, T. *see* Nishizawa, K. 88–16799
Ozawa, T. *see* Nozaki, K. 85–49073, 88–11356
Ozawa, T. *see* Sato, T. 87–46324
Ozawa, T. *see* Yamaguchi, I. 87–65760
Ozawa, T. *see* Yamamoto, Y. 85–38002
Ozawa, T. *see* Yoshioka, N. 88–50562
Ozawa, Y. DC and LF track circuits 86–40248
Ozawa, Y., Kato, T., Takenouchi, H., Ohara, S. Facsimile mail system as basis for integrated mail system 85–51994
Ozawa, Y. *see* Hanamura, S. 85–25527
Ozawa, Y. *see* Ichihara, J. 88–65147
Ozawa, Y. *see* Kayukawa, N. 85–21838
Ozawa, Y. *see* Miura, N. 86–5195
Ozawa, Y. *see* Sawamura, T. 86–25327, 86–60397
Ozawa, Y. *see* Takashige, T. 86–66451
Ozawa, Y. *see* Takiguchi, K. 87–73903
Ozawa, Y. *see* Uda, T. 86–25335
Ozawa, Y. *see* Yamanaka, T. 85–22867
Ozbolt, S., Trontelj, L., Trontelj, J. 1 μm transistors in NMOS VLSI basic building blocks 87–46185
Ozbolt, S. *see* Trontelj, J. 88–64770
Ozcan, M. *see* Feinsten, J. 88–27190
Ozcolak, L. *see* Martin, K. 87–37022
Ozdalga, C. Two-step A-D chip puts out 11 bits in half a microsecond 86–34893
Ozdamar, M., Troughton, D.J. System X in the evolving UK ISDN 87–55922
Ozdamar, M., Trought, M., Jones, P. Experience gained from the implementation of DASS and DPNSS 88–67127
Ozdamar, M. *see* Chopping, G. 87–12926
Ozdamar, M. *see* Valbonesi, G. 87–69858
Ozdamar, O., Delgado, R.E., Lopez, C. FFT-based digital vocoder for artificial hearing 88–68485
Ozdamar, O., Eilers, R.E., Oller, D.K. Tactile vocoders for the deaf 88–5003
Ozdamar, O., Oller, D.K., Miskiel, E., Eilers, R. Computer system for quantitative evaluation of an electrotactile vocoder for artificial hearing 88–36510
Ozdamar, O. *see* Kaplan, R. 88–10364
Ozdamar, O. *see* Miskiel, E. 87–77665, 88–48177
Ozdemir, F.S. *see* King, H.J. 85–29261
Ozdemir, H. Design and applications of optimum multichannel linear moveout filters 86–64248
Ozdemir, S. LGW biased p-type silicon surface barrier detectors 87–63623
Ozdemir, S., Buget, U., Oktu, O. Temperature dependence of dark and illuminated current-voltage characteristics of grating-type min MIS silicon solar cells 87–51475
Ozdincer, U. *see* Ercelebi, A. 86–35414
Ozdogan, S. *see* Arikol, M. 87–65020
Ozechov, V. *see* Eisenberg, A.J. 88–50441
Ozegovic, K. Some experiences during putting into operation of the 400 kV transmission network 'Nikola Tesla' southern branch 86–12379
Ozegovic, M. Analysis of asymmetries in the network caused by nontransposed lines [transmission lines] 85–9478
Ozegovic, M. Interpretation of results for one and three TT-scheme doubled transmission line 85–15553
Ozegovic, M. A mathematical model of single line ground short circuit for grounding resistance different from zero 87–51300
Ozegovic, M. Intervention of voltage regulation on the boundary of the transmission and distribution network 87–57619
Ozeki, K. Maximum likelihood estimation of power-spectrum of speech signals with additive white noise 87–27252
Ozeki, K. A multi-stage decision algorithm to select optimum bunsetsu sequences based on degree of kakariuke-dependency 87–61619
Ozeki, K. A multi-stage decision algorithm to select optimum hakariuke structures from bunsetsu lattice 88–34618
Ozeki, K., Umeda, T. An adaptive filtering algorithm using an orthogonal projection to an affine subspace and its properties 85–19421
Ozeki, K., Umeda, T. A method of improving the speed of convergence in adaptive filters—an adaptive algorithm using an orthogonal projection to an affine subspace 85–30271
Ozeki, K. *see* Ando, A. 87–19551, 88–40867
Ozeki, K. *see* Umeda, T. 86–44047
Ozeki, M. Hadamard matrices and doubly even self-dual error-correcting codes 87–54869
Ozeki, M. Examples of even unimodular extremal lattices of rank 40 and their Siegel theta-series of degree 2 88–31636
Ozeki, M., Ito, Z., Konishi, S. Overview of batteries, their usage and selection 87–36091
Ozeki, M., Mochizuki, K., Ohtsuka, N., Kodama, K. Kinetic processes in atomic-layer epitaxy of GaAs and AlAs using a pulsed vapor-phase method 88–18690
Ozeki, M., Ohtsuka, N., Mochizuki, K., Kodama, K. Growth of AlGaAs by atomic layer epitaxy using a pulsed vapor phase method 88–18715
Ozeki, M. *see* Gotou, H. 88–38543
Ozeki, M. *see* Hoshino, M. 85–22474, 86–34303, 86–40724, 86–46314
Ozeki, M. *see* Kasai, K. 86–57470, 86–63035
Ozeki, M. *see* Kimura, T. 87–16637
Ozeki, M. *see* Kitahara, K. 85–34487, 86–1725, 86–21373, 87–66943
Ozeki, M. *see* Kodama, K. 85–35739, 85–46400, 86–35399, 86–68390
Ozeki, M. *see* Komeno, J. 85–45437
Ozeki, M. *see* Nakai, K. 85–10781
Ozeki, M. *see* Nakashima, T. 85–34500
Ozeki, O., Nakano, T., Yamamoto, S. Real-time measurement system using slit-ray projection 85–58541
Ozeki, O., Nakano, T., Yamamoto, S. Real-time range measurement device for three-dimensional object recognition 86–70075
Ozeki, O. *see* Yamamoto, S. 85–31585, 86–70225
Ozeki, R. *see* Miyamoto, S. 85–1222
Ozeki, S. *see* Kashihara, H. 88–52543
Ozeki, S. *see* Yamashita, E. 85–18736, 85–56318
Ozeki, T., Sakata, T., Toriu, J., Momiyama, K. Fabrication of vertical recording heads 86–36009
Ozeki, T., Suzuki, M., Umino, H., Martinez, R., Archwamety, C., Nemat, M. Investigation and analysis of the requirements for a picture archiving and communication system (PACS) at the University of Arizona Health Science Center 88–36556
Ozeki, T. *see* Dallas, W.J. 88–36552
Ozeki, T. *see* Kikuchi, K. 86–6994, 87–4876
Ozeki, T. *see* Kishino, K. 87–76156
Ozeki, T. *see* Miyake, Y. 85–57488
Ozeki, T. *see* Moriya, S. 86–13900
Ozeki, T. *see* Nakamura, M. 85–14268, 85–37055, 85–52378, 86–68409, 87–26229, 87–56122
Ozeki, T. *see* Sakata, T. 88–26672
Ozeki, T. *see* Sawada, K. 88–5043
Ozeki, T. *see* Shiagaki, T. 85–63659
Ozeki, T. *see* Suto, Y. 87–29749
Ozeki, T. *see* Suzuki, S. 86–58696
Ozelis, J. *see* Margulies, S. 86–50340
Ozemek, H.S. *see* Dobbs, S.E. 85–38155
Ozenbas, M., Kalebozan, H. Crystallization of amorphous selenium thin films 87–23711
Ozenne, J.B., Lavollee, M., Brenot, J.C., Lemonnier, M. A system to detect correlated events with position sensitive detectors 88–4826
Ozeretskovskiy, V.B. *see* Obukhov, V.A. 88–40465
Ozernoi, N.F. *see* Grinchenko, N.G. 87–64989
Ozernykh, I.L. *see* Manusov, V.Z. 85–53265, 87–4285
Ozerov, A.B. *see* Bednyi, B.I. 87–38908
Ozerov, M.I. *see* In'kov, Yu.M. 87–64699
Ozerov, V.I. *see* In'kov, Yu.M. 87–64699
Ozerov, Yu.V. *see* Voronov, S.A. 86–18258
Ozeryansky, G. *see* Zeitlin, B. 86–53928
Ozeryansky, G. *see* Zeitlin, B.A. 87–38716
Ozeryansky, G.M. *see* Zeitlin, B.A. 85–56154
Ozguner, F. Deductive fault simulation of internal faults of inverter-free circuits and programmable logic arrays 86–26994
Ozguner, F., Tsai, S.J., McGhee, R.B. An approach to the use of terrain preview information in rough terrain locomotion by a hexapod walking machine [using TV camera sensor] 86–11457
Ozguner, F. *see* Olivier, J.L. 86–59001
Ozguner, U., Yurkovich, S., Martin, J., III, Al-Abbass, F. Decentralized control experiments on NASA's flexible grid 87–4074
Ozguz, V. *see* Maszara, W. 85–12159
Ozguz, V.H., Posthill, J.B., Wortman, J.J., Littlejohn, M.A. Bipolar transistor with ion implanted, rapid thermal annealed base and semi-insulating polycrystalline silicon emitter 88–64530
Ozguz, V.H., Wortman, J.J., Hauser, J.R., Littlejohn, M.A., Rozgonyi, G.A., Curran, P. Conductivity of ion implanted and rapid thermal annealed semi-insulating polycrystalline silicon 88–44536
Ozguz, V.H., Wortman, J.J., Hauser, J.R., Simpson, L., Littlejohn, M.A., Chu, W.K., Rozgonyi, G.A. Electrical properties of implanted and rapid thermal annealed shallow p^{+}-n junctions 85–18130
Ozhiganov, A.A. Correcting scope of pseudorandom code scales 88–72742
Ozhiganov, Yu.V., Smirnov, V.B., Krutovskaya, E.N., Korobov, A.D., Ponomarenko, Yu.I. Creation of and familiarization with an experimental control system at an operational power plant 88–43025
Ozhogan, V.A. *see* Kostryko, Ya.-V.I. 86–19219
Ozhogan, V.A. *see* Kostyrko, Ya.-V.I. 85–15998
Ozhogin, M.A. *see* Iz'yurova, G.I. 88–33410
Ozil, E., Izmir, G. Economic analyses of solar systems 88–11153
Ozil, E. *see* Kizitan, G. 85–53379
Ozil, M. *see* Anais, L. 88–59480
Ozil, M. *see* Martin, J.C. 85–51961
Ozimek, E., Jugowar, L., Rutkowski, L. Problem of the instantaneous sound frequency measurement 86–11784
Ozimek, I. *see* Tasic, J. 88–66467
Ozinga, L. *see* Berbari, E.J. 88–4964
Ozis, U. Hydro-power development in Turkey 87–72025
Ozis, U., Yanar, H. Turkish dam impounds world's largest karst spring 85–27347
Ozisik, M.N. *see* Mikhailov, M.D. 86–62003, 87–10305
Ozkahyaoglu, A. *see* Hambley, A.R. 86–852
Ozkan, A. *see* Fischer, J. 87–43552
Ozkan, A. *see* Wittwer, M. 88–37700
Ozkaynak, I. A universal synchronization system for multiple switch mode power supplies 87–59181
Ozkaynak, I.J. An intelligent inrush current eliminator 86–52680
Ozkok, S. *see* Tonuma, T. 85–15139
Ozkul, A., Cooper, D. Ground-based monitoring, command and control capabilities of satellite power system functions in the Intelsat system 85–48410
Ozkul, A., Cooper, D. An initial performance comparison of nickel-hydrogen and nickel-cadmium batteries onboard Intelsat satellites 85–53131
Ozkul, A. *see* Dorsey, W.W. 86–59842
Ozkul, A. *see* Lyons, J.W., III 88–54716
Ozkul, C. Imagery by an objective with a central semi-transparent obstruction and application to the microholography 85–29679
Ozkul, C. Effects of finite aperture on linewidth measurement using in-line Fraunhofer holography 86–29253

Ozkul, C. One-step white light in-line holography of 2-D transparencies 87—19052
Ozkul, C. Nonlinearities of an aperture-limited in-line far-field hologram 87—26551
Ozkul, C., Allano, D., Trinite, M. Filtering effects in far-field in-line holography and in diffraction pattern analysis [of particulates] 87—19069
Ozkul, C., Allano, D., Trinite, M. Filtering effects in far-field in-line holography 87—26566
Ozkul, C., Allano, D., Trinite, M., Anthore, N. In-line far-field holography and diffraction pattern analysis: new developments 87—19091
Ozmanyan, Kh.R. *see* Grodnenskii, I.M. 86—13999
Ozmehmet, K. New frequency dependent equivalent circuit for gap discontinuities of microstriplines 87—59817
Ozmizrak, F.N. *see* Vuong, X.T. 88—47006
Oznobikhin, V.I. Mutual and self admittances of slots with edges 86—36811
Ozolin, V.V. *see* Govor, I.N. 85—46447, 87—68580
Ozolina, V.A. *see* Grislis, V.Ya. 88—11053
Ozolinsh, A.P. Sound control unit 87—34801
Ozols, A. *see* Augustov, P. 88—8317
Ozols, A.A. *see* Shneps-Shneppe, M.A. 85—8237
Ozols, A.O. The self-enhancement effect of dynamic amplitude-phase holograms and its applications 88—40382
Ozols, A.O. *see* Shvarts, K.K. 86—3330
Ozols, J., Humphrey, R. Inserting VLSI technology: a case study 87—6816
Ozono, S. *see* Arai, T. 85—44477
Ozono, S. *see* Takamasu, K. 86—49920
Ozono, S. *see* Wakabayashi, H. 87—14531
Ozono, S. *see* Xing, X.Z. 88—16489
Ozono, S. *see* Xue, J. 85—4112
Ozono, T. *see* Urata, K. 85—60527, 87—36239
Ozperk, T. *see* Kaynak, O. 86—66100
Ozpolat, M. *see* Holmes, P.G. 86—6893
Ozrin, V.D. *see* Barabanenkov, Yu.N. 86—36687
Ozsoyoglu, Z.M., Nong Zhou Distributed query processing in broadcasting local area networks 87—69710
Ozsu, M.T., Tse-Men Koon Evaluation of the reliability mechanisms in distributed database systems 88—34871
Ozturk, M. *see* Anderson, N.G. 86—14924
Ozturk, M.C., Wortman, J.J. Electrical properties of shallow p^+-n junctions formed by BF_2 ion implantation in germanium preamorphized silicon 88—32833
Ozturk, M.C., Wortman, J.J. Very shallow p^+-n junction formation by low-energy $BF_2{}^+$ ion implantation into crystalline and germanium preamorphized silicon 88—39094
Ozturk, M.C., Wortman, J.J., Chu, W.K., Rozgonyi, G., Griffis, D.P. BF_2 ion implantation in silicon through surface oxides, behaviour of the fluorine with rapid thermal annealing 87—74188
Ozturk, M.C., Wortman, J.J., Osburn, C.M., Ajmera, A., Rozgonyi, G.A., Frey, E., Chu, W.-K., Lee, C. Optimization of the germanium preamorphization conditions for shallow-junction formation 88—50698
Ozturk, M.C. *see* Myers, E. 88—64225
Ozturk, N., Uraz, A. An analysis stability test for a certain class of distributed parameter systems with delays 85—44833
Ozue, T., Sato, T., Takahashi, K., Sasaki, T., Tokhairin, T. Development of a 3.5-inch high-speed and high-capacity FDD 88—26667
Ozum, B. *see* Oguztoreli, M.N. 85—22347
Ozur, G.E. *see* Mesyats, G.A. 86—27788
Ozvold, M. *see* Kuric, S. 87—49569

P., V.M.Bernales *see* Bernales P., V.M.
Paakkinen, K. *see* Vesterinen, R. 86−39547
Paal, A., Pease, R.F.W. Extending microcapillary attachment to rough surfaces 87−16399
Paal, A. *see* Berecz, I. 87−63250
Paal, A. *see* Valek, A. 85−31652
Paal, A.F. *see* Pease, R.F.W. 87−67531
Paalanen, M.A. *see* Bishop, D.J. 88−10625
Paalanen, M.A. *see* Lin, B.J.F. 85−1355
Paananen, D.W. *see* Vidano, R.P. 87−66567
Paans, A.M.J., Vaalburg, W., Woldring, M.G. A rotating double-headed positron camera 86−50527
Paanthoen, P. *see* Dupont, A. 85−3960
Paap, G.C. The general equations of 3-phase transformers with a symmetrical and linear magnetic circuit for use in network calculations 87−73820
Paap, G.C., Hommes, E. Power flow and geometric loci of the primary current in 3-phase asynchronous machines under transient conditions 87−43041
Paap, K.L. *see* Grosspietsch, K.E. 87−59466
Paap, K.L. *see* Klaassen, B. 87−65663
Paarmann, L.D. Impulse response analysis of analog asymmetric bandpass filters using DFT algorithms 85−61361
Paarmann, L.D. A digital signal processing analysis procedure for efficient time-domain response simulation 86−57580
Paarmann, L.D., Leyendecker, R.R. Identification of periodic signals with criterion function exclusions 86−59301
Paarmann, L.D. *see* Onaral, B. 85−32994, 85−33009
Paas, J.E. *see* Lucas, H. 88−61591
Paasch, G., Tarnay, K., Zollner, J.-P., Ubensee, H. Electric field versus band bending in MIS structures: quantum interpolation formula for device modeling 87−6730
Paasch, G. *see* Scherf, S. 88−7388
Paasch, G. *see* Schnittler, C. 86−67769
Paasch, G. *see* Ubensee, H. 86−41614, 87−53307, 88−64348, 88−71363
Paasch, G. *see* Voigt, P. 87−53308
Paasch, G. *see* Zollner, J.-P. 86−47419, 87−45659
Paasch, G. *see* Zollner, P. 86−67689
Paasche, C. Integrated low-power Schottky TTL circuits. I. Integrated low-power Schottky TTL circuits DL037D, DL038D, and DL040D. Integrated low-power Schottky TTL circuit DL123D 88−6761
Paasche, P.E. *see* Scott, R.N. 86−38856
Paasche, S. *see* Meier, J. 88−55617
Paasche, S.M., Bauer, G.H. Multilayered photoreceptors based on hydrogenated amorphous silicon 86−28960
Paasche, S.M., Bauer, G.H. Electrophotographic properties of n^+-a-Si:H/a-Si:H/a-SiC:H heterostructures 87−24904
Paasche, S.M. *see* Bauer, G.H. 86−42414, 87−9794
Paasche, S.M. *see* Konenkamp, R. 86−68373
Paasche, S.M. *see* Schubert, M.B. 88−17982
Paasche, S.M. *see* Weller, H.C. 88−33861
Paasche, S.M. *see* Weller, H.E. 88−26951
Paassen, C.A.A.van *see* van Paassen, C.A.A.
Paassen, P.T.H.M.van *see* van Paassen, P.T.H.M.
Paatashvili, P.Sh. *see* Kamkamidze, K.N. 87−4286
Paatz, S.R. *see* Sloley, H.J. 87−45537
Pabat, A.I. *see* Kabakov, A.M. 86−51985
Pabbisetty, S.V., Gavisetty, K., Vaughan, S., Scott Wills, K. Electron beam testing and its applications to VLSI technology 88−39624
Pabel, K. Dependability gain at functional dropout as a result of the failure of safety relevant components 85−44469
Pabel, K. Admissibility of the connection of several appliances having protective class I, to a common protective conductor in electrical systems 86−45015
Pabel, K. Dependability gain by repeated examination of safety-relevant components in electrical equipment 86−66582
Pabelick, M. Integration of Btx-data into PC-programs. Evaluation of Btx-dialogues 87−27990
Pabla, A.S. Overvoltages—reactive power in distribution system 86−6335
Pablaks, D., Slava, H. Capacitors with the spatial electric field calculation in a triple-layer media with a lossy dielectric 85−28736
Pablo Clock timer 86−47024
Pabot, Y. *see* Baze, J.M. 88−68105
Pabouctsidis, C. The coding of graphics animation in a videotex terminal 85−3100
Pabst, J.S. Timing accuracy and yield estimation 87−36476
Pabst, J.S. Elements of VLSI production test economics 88−24533
Pabst, M., Bongardt, K. Longitudinal trapping and particle loss of high intensity bunched beams 87−35289
Pabst, M., Bongardt, K. Power optimized design for the EHF 400 MHz drift tube linac 88−36308
Pabst, M., Bongardt, K., Funk, U. Nonlinear field effects and longitudinal emittance growth of high intensity bunched beams 86−25009
Pabst, M., Bongardt, K., Funk, U. An improved definition of the longitudinal acceptance for high intensity bunched beams 86−60448
Pabst, M. *see* Bongardt, K. 88−36332
Pabst, W. Radiative transfer calculation by Markov statistics 85−52030
Pacak, J. *see* Homda, J. 87−49625
Pacak, M. Improvement of indirectly controlled isolated voltage sources 86−57639
Pacak, M., Pelikanova, J. An electronic device for evaluating long-life corrosion probes based on resistance measurement 87−56744
Pacak, S. *see* Krejcova, E. 88−36805
Pacak, S. *see* Matonoha, K. 86−50955
Pacak, V. *see* Dohan, D. 85−59083
Pacak, V. *see* Fong, K. 86−31797
Pacak, V. *see* Worsham, R. 88−54349
Pacala, T. *see* Goldenberg, T. 88−23108
Pacala, T.J., McDermid, I.S., Laudenslager, J.B. Single longitudinal mode operation of an XeCl laser 85−2199
Pacala, T.J., McDermid, I.S., Laudenslager, J.B. Magnetic modulator for a repetitively pulsed xenon chloride laser system 85−24493
Pacanda, J.F.H. Aspects of the ZODIAC database 85−8026
Pacas, J.M. The field-orientated control of the cycloconverter fed doubly fed induction machine 86−70918
Pacas, J.M. The field-oriented control of the series-connected doubly-fed induction machine 87−43026
Pacas, J.M. Three-phase induction machine with series connection of stator and rotor as cycloconvertor-drive with field-oriented control 88−11413
Pacas, J.M. *see* Bellomi, A. 87−16076
Pacas-Skewes, E. *see* Fazakl, F. 85−33863
Pacaud, S.J. *see* Pinnock, R.A. 88−16175
Paccagnella, A., Canali, C., Donzelli, G., Zanoni, E., Wang, L.C., Lau, S.S. GaAs MESFETs with nonalloyed ohmic contacts. technology and performance 88−50871
Paccagnella, A., Majni, G., Ottaviani, G., Della Mea, G. Effects of implanted hydrogen on Pd_2Si formation 86−8871
Paccagnella, A. *see* Canali, C. 87−25275
Paccagnella, A. *see* Donzelli, G. 87−53427
Paccani, G. A coaxial non-steady solid propellant MPD thruster experimental analysis 88−48306
Paccani, G., Flaminia Rossi, M., Andrenucci, M. Quasi-steady solid propellant MPD thruster diagnostics [aerospace propulsion] 85−31941
Paccaud, C. *see* Le Mouel, B. 85−63484
Paccione, R.J. *see* Fragola, J.R. 86−51309
Pace, A., La Rosa, I., Stonier, R. Development of lightweight dimensionally stable carbon fiber composite antenna reflectors for the INSAT-I satellite 87−12856
Pace, B. Selecting software for project management 87−35581
Pace, B. *see* Koss, R.W. 88−56632
Pace, C. Terminate bus lines to avoid overshoot and ringing 87−73390
Pace, D. *see* Favre, J.-L. 87−20557
Pace, D.K. Understanding scenarios 87−43866
Pace, E. Powering up 88−21968
Pace, E., Massimini, T. Linear smart power IC provides 'quiet' drive for brushless DC motors 87−78994
Pace, E. *see* Ongaro, D. 86−49491
Pace, E. *see* Wawrzyniak, R. 87−72168
Pace, M.D., Britt, A.D. Microwave helix as a surface coil antenna [EPR spectroscopy] 85−57126
Pace, M.M., Favre, J.L., Davot, H., Le Dain, R. The distribution through community receivers of programmes broadcast from satellites 86−49839
Pace, M.O., Adcock, J.L., Christophorou, L.G. Particle contamination in gas-insulated systems: new control methods and optimum SF_6/N_2 mixtures 85−24015
Pace, M.O. *see* Bouldin, D.W. 85−24011
Pace, M.O. *see* Christophorou, L.G. 85−24002, 85−29365
Pace, M.O. *see* Wintenberg, A.L. 88−26580, 88−51052
Pace, M.O. *see* Christophorou, L.G. *(editor)* 85−24005
Pace, N.G. *see* Gibbs, M.R.J. 86−56282
Pace, N.G. *see* Reut, Z. 85−43485
Pace, P., Wong, S., Mathieu, P., Cruickshank, J. A wide-aperture, single mode TEA-CO_2 laser with a low chirp rate 88−27070
Pace, S., Bishop, J., Magni, M. Hot spots in solar cells—test procedures and study of related phenomena 88−17963
Pace, S., Celani, F., Saggese, A., Giorgi, A. Signal to noise ratio in superconducting tunnel junctions as ionizing particle detectors 88−29900
Pace, S., Gambardella, U. Displaced linear slope and fluxon dynamics in large, one-dimensional Josephson junctions 86−28746
Pace, S. *see* Celani, F. 87−67028
Pace, S. *see* Cirillo, M. 85−46056, 85−46084, 85−46093, 85−55139
Pace, S. *see* Ferrigno, A. 87−74572
Pace, S.D., Brett, J.E. High efficiency transmission of SSB sound broadcasting 87−13863
Pace, S.J., Zarzycki, P.P., McKeever, R.T., Pelosi, L. A thick-film multi-layered oxygen sensor 86−56088
Pace, W.D. A means for digital gain control of analog signals 86−20887
Pace, W.D.. A telephone equalization sensing circuit 86−23559
Pace, W.D., Wang, W.C., Welty, D.L. A low-cost voice-switched speakerphone IC 85−36798
Pacewicz, J. *see* Walczak, A. 85−1256
Pacewicz, M. *see* Kowar, J. 87−74764 to 74765
Pacey, A.J. Advanced cofire ceramic packaging 88−18508
Pacey, C.G. *see* Netterfield, R.P. 86−13807
Pacey, G., Neumann, R., Lukas, H. A field splicing system for single-mode optical fiber 85−56353
Pacey, G. *see* Lukas, H. 85−18725, 85−42601
Pacey, L. *see* Farrell, G. 88−29030
Pacey, P.L., Singell, L., Jr. Local measured telephone service in the USA 85−8056
Pach, A.R. Performance evaluation of ALOHA-type star broadcast systems with an intelligent central node 86−30417
Pach, A.R. A performance comparison of random access packet-switched systems with an intelligent central node 87−48305
Pach, A.R. Performance analysis of some random access systems having an intelligent central node 88−9391
Pach, J. *see* Avis, D. 88−56136
Pach, J. *see* Erdos, P. 88−70218
Pach, J. *see* Frankl, P. 88−11854
Pachan, M. *see* Sekutowicz, J. 86−31984
Pachauri, J.P. *see* Ahmad, S. 87−10505
Pache, J.-P. *see* Wuhrmann, K.E. 85−36849
Pache, R. *see* Piguet, C. 88−56538
Pache, W., Schneider, W. Investigations into the behaviour of main coolant pumps in pressurized water reactors under fault conditions (natural circulation operation) 85−43677
Pacheco, D.P. *see* Everett, P.N. 86−63768
Pacheco, D.P. *see* Hasson, V. 88−28968
Pacheco, M.T.T. *see* Hanna, D.C. 86−3295, 86−54101, 87−7442, 88−33945
Pacheco, M.T.T. *see* Shepherd, D.P. 87−54222
Pacher, G.W., Annamraju, R., Butler, R.O. Technical overview and electrical design of the Tokamak de Varennes 87−78813
Pachesa, V.Yu. *see* Kayatskas, A.A. 87−55605
Pacheva, Y. *see* Stefanova, M. 86−29073, 87−33118
Pachl, J. Protocol description and analysis based on a state transition model with channel expressions 88−21427
Pachl, J. Livelocks in slotted ring networks 88−52920
Pachl, J., Casey, L. A robust ring transmission protocol 88−28357
Pachmicke, J. Locked-on brake detectors: development, utilisation and experience 88−60736
Pachner, J. Detection and mitigation of aging and service wear effects of nuclear power plant components in Canada 88−48706
Pachner, N. Ground apparatus for the OLYMPUS communication satellite 86−30696
Pachnicke, J. *see* Bonowitz, L. 88−66855
Pacholek, K., Robertson, A., Cate, R., Gorney, G. Improving a generating unit's minimum load capability—a case history 87−64424
Pacholok, D. Voltage equalization improves 110/220 V current-mode, off-line supply 88−63510
Pacholski, K. The influence of frequency properties of asymmetric full-wave rectifier on frequency error of voltage converters 88−67731
Pachon, D. *see* Sala, G. 86−33219
Pachori, R.D., Banerjee, A., Chopra, K.L. Flash-evaporated thin films of $CuInSe_2$ 87−296
Pachowicz, P. Image processing multimicroprocessor system concept for industrial process control 85−20556
Pachowicz, P. Parallel image coprocessor architecture 87−62226
Pachowicz, P. *see* Tadeusiewicz, R. 85−20553
Pacht, H., Fritsch, H. Study of the oscillatory behaviour of a stayed lattice steel mast 180-m high with 41-m cantilever 85−36093
Pachter, M. Simple-motion pursuit-evasion in the half plane 87−65310
Pachter, M. Comments on 'Analytical steady-state solution for a continuous time Kalman filter' by B. Ekstrand 88−14692
Pachter, M., Miloh, T. The geometric approach to the construction of the barrier surface in differential games 87−65309
Pachter, M., Yavin, Y. Simple-motion pursuit-evasion differential games. I. Stroboscopic strategies in collision-course guidance and proportional navigation 87−16460
Pachter, M., Yavin, Y. Simple-motion pursuit-evasion differential games. II. Optimal evasion from proportional navigation guidance in the deterministic and stochastic cases 87−16461
Pachterbeke, Y.Van *see* Van Pachterbeke, Y.
Pachuta, R. Chicago's cellular firsts 86−4512
Paci, R. *see* Chiama, S. 86−40252
Pacifici, G., Pattavina, A. Handling mixed traffic classes in buffer insertion rings: a performance evaluation 86−54400

Pacifici, G., Pattavina, A. Issues on packet voice transfer in ring local area networks 86−64755
Pacifici, G., Pattavina, A. T-S protocol: an access protocol for ring local area networks 87−34144
Pacifici, G. *see* Listanti, M. 88−46605, 88−67064
Pacifici, G. *see* Pattavina, A. 87−40355, 88−59353
Pacifici, R. *see* Albarello, A. 88−66323
Pacilli, F. Annunciators never die−they just get better 87−3637
Pacinelli, J.A. Metalorganics: prior technology becomes state of the art [hybrid circuits] 87−60029
Pacini, G.P. Plants for TV links by ECS/1 satellite 85−30952
Pacini, G.P. Direct TV broadcast satellite receiver: external unit 85−42723
Pacini, P. *see* Cantoni, P. 87−46955
Pacios, M.L. *see* Munoz Ruiz, E. 87−72745
Paciotti, M. *see* Dicello, J.F. 86−34787, 87−32225
Pacis, A.F. *see* Ullrich, L.B. 88−61723
Pack, B. Specifications writing for electrical work 85−22080
Pack, B. Specifications writing for electrical work 86−7583
Pack, C.D., Ben Saad, S. Optimal call-record sampling for network planning and administration 88−14981
Pack, C.D. *see* Gould, E.P. 88−8892
Pack, C.D. *see* Kim, N. 86−64528
Pack, G.F., Gardner, P. Signal processing for moving target detection from a line-scan sensor in unmanned aircraft 88−30115
Pack, K. Rapid topology algorithms for determining the supply state of complex medium voltage networks 85−32145
Pack, K. Modelling of high voltage networks by process computers−conceptual viewpoints for the development of network guidance systems 88−42771
Pack, K. Determination of mean errors of measurements of the state estimator 88−68865
Pack, K., Unland, R. The application possibilities of expert systems in network control stations 87−42328
Pack, R.W. Maintainability design guide 86−51299
Pack, R.W. *see* Wildberger, A.M. 87−71988
Pack, W.K.Wong *see* Wong Pack, W.K.
Pack, W.W. *see* Hynes, D.M. 85−38059
Pack Sung *see* Sung Pack
Packard, D. The TDC1048, a new low power 8 bit A/D converter 85−17557
Packard, E. *see* Valstyn, E.P. 87−25813
Packard, H. *see* Ritt, D.M. 87−42090
Packard, K.S. The origin of waveguides: a case of multiple rediscovery 85−218
Packard, R.D. *see* Amstutz, S.R. 86−49389
Packeiser, G. *see* Alt, H.Ch. 87−29303
Packeiser, G. *see* Maluenda, J. 86−41528
Packeiser, G. *see* Schink, H. 86−58479
Packer, J.P. Cogeneration with remote monitoring 88−62169
Packer, J.S. *see* Lim, R. 86−44656
Packer, J.S. *see* Mason, D.G. 86−44680
Packer, R.K. *see* Hagan, W.P. 88−75895
Packer, S. *see* Rowe, R.W. 85−4264
Packer, S.L. *see* Mieth, M. 85−29237
Packham, K. Microwave dishes for satcomms−requirements more exacting 86−11009
Packham, K. GaAs MMICs light the way 86−58046
Packham, K. Inmarsat−the Greek connection 86−59807
Packham, K. Cable technology matures [communications] 86−59883
Packham, N.J.C. *see* Dias-Lalcaca, P. 85−7640
Packham, S.C. Combustion toxicology: principles, methods and regulations 88−24849
Packwood, A.R. *see* Hall, A.J. 87−57406
Packwood, D.L., Figueredo, D.A. Contact metallization for producing stable bipolar microwave transistors 85−61871
Packwood, D.L. *see* Figueredo, D.A. 86−15145
Pacquet, J.Y. *see* Bex, L. 88−74704
Pactherbeke, Y.Van *see* Van Pactherbeke, Y.
Pacuraru, E. *see* Serbanescu, M. 86−66168
Pacut, A., Kolodziej, W.J., Mohler, R.R. On fast filter design and synthesis 88−44301
Paczensiak, A., Rajba, S., Siwek, Z. Fiber-optic modem MS-1 85−25616
Paczkowski, H. *see* Cohen, L. 86−55184
Paczkowski, J. *see* Gardner, P.D. 87−73683
Paczkowski, J. *see* Liu, S.G. 88−44551
Paczkowski, J.P. *see* Gardner, P.D. 86−62827
Paczkowski, J.P. *see* Liu, S.G. 87−45590
Paczoski, K. *see* Bar, J. 85−3889
Paczynski, A. *see* Drozdowski, Z. 85−16008
Paczynski, J. Finding bypass routes for line breakdown in teletransmission networks 87−27803
Padacheril, A. *see* Head, L. 86−53231
Padalko, A.G., Lazarev, V.B., Volkov, V.V., Mironenko, A.I., Kotov, B.A., Sukharev, V.I. Electrical properties of polycrystalline silicon-SiO$_2$-InSb structures 87−53290
Padalko, A.G., Lazarev, V.B., Volkov, V.V., Sukharev, V.I., Kotov, B.A. Production and properties of Si-SiO$_2$-InSb structures 86−67778
Padalko, A.G., Lazarev, V.B., Volkov, V.V., Sukharev, V.I., Kotov, B.A. Surface conductivity of indium antimonide in a polycrystalline silicon-SiO$_2$-InSb structure 87−53291
Padalko, L.P., Filyanovich, L.P. The determination of overall power costs in contemporary power systems 88−17066
Padalko, L.P., Manykina, L.A. Estimation of constraints of fuel supply in the planning of an industrial power system programme 88−5300
Padalko, L.P. *see* Marchenkov, M.M. 87−35773
Padam, G.K. The properties of chemically deposited Cu$_{2-x}$Se thin films 87−52166
Padam, G.K., Malhotra, G.L., Rao, S.U.M. Studies on solution-grown thin films of Zn$_x$Cd$_{1-x}$S 88−31819
Padam, G.K., Rao, S.U.M. Preparation and characterization of chemically deposited CuInS$_2$ thin films 86−46358
Padam, G.K., Rao, S.U.M. Reply to the comment on: preparation and characterization of chemically deposited CuInS$_2$ thin films [by G.K. Padam and S.U.M. Rao] 87−44365
Padamsee, H. A new purification technique for improving the thermal conductivity of superconducting Nb microwave cavities 85−55111
Padamsee, H. Influence of thermal conductivity on the breakdown field of niobium cavities 85−56260
Padamsee, H. Status and issues of superconducting RF technology 88−54310
Padamsee, H., Reece, C., Noer, R., Hartung, W., Frick, E., Kahn, R. Field emission studies in superconducting cavities 88−54344
Padamsee, H. *see* Bensiek, W. 87−41695, 88−54365
Padamsee, H. *see* Kneisel, P. 85−59038
Padamsee, H. *see* Loer, S. 88−61048
Padamsee, H. *see* Muller, G. 88−54347
Padamsee, H. *see* Oravecz, M.G. 87−366
Padberg, C. AC-asynchronous servomotor 86−12854
Padberg, C.P. AC asynchronous servo-drives; for machine tools and maintenance equipment 86−6738
Padberg, C.P. Servo and spindle drive technique with three-phase asynchronous motors 86−19266
Padberg, C.P. Servo and spindle drives with three-phase asynchronous motors 86−51654
Padberg, C.P., de Haas, M. Trends in power techniques [AC motors] 86−6690
Padda, K.S., Babin, D. Serial A/D makes system design easy and cost effective 85−17565
Padda, K.S., Bonet, L., Shaheen-Gouda, A.A., Williams, T.A. A total speech synthesis system 85−20434
Padda, K.S., Bonnet, L., Shaheen-Gouda, A.A., Williams, T.A.. A total speech synthesis system 85−51570
Paddan, P.S., Polz, R. Bucket-brigade devices in analog signal processing 85−29321
Paddison, F.C., Follin, J.W., Jr., Mitchell, F., Maffett, A.L. Large bistatic angle radar cross section of a right circular cylinder 86−43877
Paddison, F.C. *see* Follin, J.W., Jr. 85−63726
Paddleford, D.F. *see* Silvestri, E. 85−53523
Paddock, F.J. *see* Lewis, A.R. 85−25888
Paddock, R.H. The essential ingredient−motivation 87−23185
Padee, L. *see* Dargiel, Z. 88−29270
Padelin, M. Calculation of condenser lightning arresters for electric railway protection 85−38570
Paden, B.E. A matched nonlinearity for phase estimation of a PSK-modulated carrier 86−59198
Paderewski, G.L. *see* Stringfellow, B.C. 87−8813
Paderin, L.Ya., Baskin, I.M., Filin, Yu.V. Emissivity measurement for thermal insulating materials at low temperatures 85−58922
Paderin, V.A. *see* Boev, S.G. 88−67981
Paderno, V.N. *see* Braterskaya, G.N. 86−35150
Paderno, V.N. *see* Fedorchenko, I.M. 87−59937
Paderno, Yu.B., Zimin, V.A. Chamber for deposition of thin films by cathode sputtering 87−16679
Paderta, B. Contribution to determining additional losses due to equalizing current in transformer windings 85−44026
Paderta, B. Electric stress of transformer magnetic circuit insulation 85−44029
Paderta, I.B. Determination of a tangential component of a planar magnetic field at the surface of a closed slot situated in a ferromagnetic material of a high permeability 85−62726
Padgett, J.E. What's in the future for cordless phones? 85−63405
Padgett, J.E. Analysis of spread spectrum modulation for cordless telephones 86−55222
Padgett, J.E. Channel requirements for a cordless telephone spectrum allocation 87−69571
Padgett, J.S., Dundore, D.M. A VAX-based data acquisition and processing system for multichannel acoustic data 86−60968
Padgett, J.S. *see* Decina, B.A. 86−60969
Padgett, M.J., Bett, N., Butcher, R.J. A simple frequency discriminator circuit for offset locking of lasers 88−65565
Padgett, M.L., Rajala, S.A., Snyder, W.E., Ruedger, W.H. Detection of maneuvering target tracks 87−20590
Padgett, W.J., Spurrier, J.D. On discrete failure models 86−239
Padgett, W.J., Tsoi, S.K. Prediction intervals for future observations from the inverse Gaussian distribution 87−23404
Padgett, W.J., Wei, L.J. Interval estimation after sequential testing based on the total time on test 85−33249
Padgett, W.J. *see* Papadapoulos, A.S. 86−46135
Padhi, A.K. Communication satellite for future military aircraft 85−25795
Padhye, M.R., Varadarajan, T.S., Deshpande, A.V. Biscoumarins−new laser dyes in coumarin series 85−2254
Padilla, I., Garcia Merino, R. The future of switching systems: techniques and technologies 88−15297
Padilla, P. *see* Iglesias, G.E. 87−70508
Padin, S., Davis, R.J. A sideband correlator employing a single-bit digital by analogue multiplication scheme 86−59969
Padin, S., Davis, R.J., Lasenby, A.N. The Jodrell Bank wide-band interferometers and their application to surface profile measurements of the telescopes 87−34694
Padioleau, C. *see* Artigue, C. 87−39132
Padioleau, C. *see* Simon, J.C. 87−39102
Padir, H., Franks, L.E. A new digital recursive filter structure based on delta modulation encoding 88−70927
Padiryakov, U.A. Adaptive detection of a noisy signal using the Neyman-Pearson criterion 87−47714
Padius, A. *see* Ashkinazi, G. 88−64498
Padiyar, K.R. On the nature of power flow equations in security analysis 85−26926
Padiyar, K.R., Aggarwal, R.P., Jose, T.L. Reactive power control using dual interval programming 86−70629
Padiyar, K.R., Ghosh, K.K. A novel structure preserving energy function for direct stability evaluation of power systems with known modes of instability 88−5233
Padiyar, K.R., Ghosh, K.K. A new structure preserving energy function incorporating transmission line resistances 88−68718
Padiyar, K.R., Jose, T.L. Linear VAr flow methods for security assessment [power systems] 86−65618
Padiyar, K.R., Kalra, P.K. Analysis of an HVDC converter with finite smoothing reactor. I. Analysis of a six-pulse converter 87−42435
Padiyar, K.R., Kothari, A.G. Modeling and simulation of HVDC bridge converters 88−30785
Padiyar, K.R., Kothari, A.G. Study of the HVDC-torsional interactions through digital dynamic simulation 88−75584
Padiyar, K.R., Radhakrishna, C., Rajasekharam, P., Pai, M.A. Dynamic stabilization of power systems through reactive power modulation 86−65617
Padiyar, K.R., Rajasekharam, P. Effects of induction motor load on dynamic stability of power systems 85−26948
Padiyar, K.R., Sachchidanand Stability of converter control for multiterminal HVDC systems 85−44080
Padiyar, K.R., Sachchidanand Stability of converter control using new discrete converter model 88−5774
Padiyar, K.R., Sastry, H.S.Y. Application of topological energy function for the direct stability evaluation of power systems with voltage dependent loads 85−32132
Padiyar, K.R., Sastry, H.S.Y. Fast evaluation of transient stability of power systems using a structure preserving energy function 87−9058
Padiyar, K.R., Sastry, H.S.Y. Topological energy-function analysis of stability of power systems 87−35535
Padiyar, K.R., Shanbhag, R.S. Reliability evaluation of bulk power systems using network flow model 88−30306
Padiyar, K.R., Shanbhag, R.S. Comparison of methods for transmission system expansion using network flow and DC load flow models 88−36809
Padiyar, K.R., Varma, R.K. Development of parity simulation for thyristor controlled reactor 88−5737
Padiyar, K.R. *see* Adapa, R. 87−30844
Padiyar, K.R. *see* Kalra, P.K. 87−42436
Padiyar, K.R. *see* Kumar Kalra, P. 87−30849
Padiyar, K.R. *see* Pai, M.A. 86−6205
Padiyar, K.R. *see* Saxena, N.S. 86−6429
Padkin, R.S. *see* Filatov, V.N. 87−3642
Padley, P. *see* Edwards, K.W. 87−21424
Padligur, U. *see* Herz, W. 85−35365, 85−41097, 85−56233
Padma, L.R. *see* Ravindran, G. 88−54583
Padmakumari, N. *see* Barua, K. 88−4585
Padman, R., Murphy, J.A., Hills, R.E. Gaussian mode analysis of Cassegrain antenna efficiency 88−14496

Padman, R. *see* Barker, R.W. 87—20658
Padman, R. *see* Murphy, J.A. 88—60352
Padmanabhan, G., Janardan, K.G. Investigation of a double bounded probability distribution model for hydrologic variables 86—57319
Padmanabhan, K. Microprocessor-based power factor monitor for industrial loads 86—39038
Padmanabhan, K. A multi-language CRT display circuit and software 88—38431
Padmanabhan, K., Netravali, A. Dilated networks for photonic switching 88—21378
Padmanabhan, K. *see* Asthana, A. 88—20134
Padmanabhan, K.R., Bhowmick, S., Shaver, R., Zhang Zu Hua, Buchholz, J.C. In situ etching rate measurement of Si with XeF_2 87—11693
Padmanabhan, K.R. *see* Alexander, R.B. 85—50411
Padmanabhan, K.R. *see* Auner, G. 85—54515
Padmanabhan, M.K. *see* Biswas, S. 87—29599
Padmanabhan, R. Metal corrosion in an experimental tape automated bonded die 86—14765
Padmanabhan, R. Passivation for microelectronic packages 88—189
Padmos, P., van den Brink, T.D.J., Alferdinck, J.W.A.M., Folles, E. Matrix signs for motorways: systems design and optimum photometric features 88—62699
Padnos, S.H. *see* Hayes, N.M. 88—19161
Padova, P.De *see* De Padova, P.
Padova, S.de *see* de Padova, S.
Padovan, J. Solution of sub, super, harmonic and combination type resonant excitations in nonlinear lumped parameter systems 87—10637
Padovani, R., Pierobon, G.L. Spectral analysis of digital messages through finite-memory transformations 85—13441
Padovani, R., Wolf, J.K. Coded phase/frequency modulation 86—54411
Padovani, R. *see* Contento, G. 86—11839
Padovani, R. *see* Viterbi, A.J. 88—28691
Padovini, G. *see* Bertolaccini, M. 86—5180, 88—16681, 88—29909
Padu, A. Transient parameters of a transformer with an anisotropic laminated core and periodic distribution of windings 87—78738
Padua, C.I.P.S. *see* Allerton, D.J. 87—38570
Padua Paulo Filho, W.de *see* de Padua Paulo Filho, W.
Padukone, P. *see* Young, M. 86—8331
Padukone, R.N. *see* Ganesh, P. 88—35454
Padula, A., Scrosati, B., Schwarz, M., Pedretti, U. The kinetics and cyclability of various types of polyacetylene electrodes in nonaqueous lithium cells 85—32686
Padula Pintos, V.H. *see* Alvarez Ovide, B. 87—69868
Padula-Pintos, V. *see* Oriolo, L.M. 87—61460
Padulosi, U. *see* Barberis, G. 87—20080
Paduraru, N., Tusaliu, P., Scablat, V., Balasoiu, T. Capacitor-type insulating passage calculus 85—43633
Paduschek, P. Plasma-oxidation of silicon 88—1555
Padusova, E.V. *see* Kolchina, G.A. 87—68224
Pad'yus, A.L. *see* Askinazi, G.A. 85—34927
Pae, J., Furuya, K., Shirai, H., Nozokido, T., Mizuno, K. First observation of the inverse Smith-Purcell effect 88—40254
Pae, J., Nozokido, T., Furuya, K., Shirai, H., Mizuno, K. Submillimeter wave inverse Smith-Purcell effect 88—27275
Pae, J. *see* Mizuno, K. 87—63579
Paeg, H. *see* Kotulla, H. 85—53321
Paegle, O. Principles of development optimization for multi-step electrical power distribution networks with allowance for conditions of their functioning 87—50778
Paegle, O. *see* Dale, V. 85—32151
Paegle, O.G. *see* Dale, V.A. 87—9103, 88—10816
Paek, E.G., Park, C.H., Mok, F., Psaltis, D. Acoustooptic image correlators 87—38887
Paek, E.G. *see* Psaltis, D. 85—25170
Paek, F.G. *see* Psaltis, D. 85—12673
Paek, U.C. High-speed high-strength fiber drawing 87—7116
Paek, U.C., Schroeder, C.M. High strength in a long length for fibers coated at a speed of 5 m/s 85—7239
Paek, U.C., Schroeder, C.M. Transmission properties of lightguide fibres coated at a line speed of 10 m/s 85—12559
Paek, U.C., Schroeder, C.M. Silica-coated dual-tube zirconia induction furnace for high-strength optical-fibre production 86—22084
Paek, U.C., Schroeder, C.M. Optical and mechanical properties of lightguide fibers coated at a speed of 10 m/s 86—22116
Paek, U.C. *see* Peterson, G.E. 88—68020
Paek Bo-Hyuk *see* Young-Moon Park 88—17074
Paek Eung Gi *see* Eung Gi Paek
Paek Ki-nam *see* Ki-nam Paek
Paek Moon Cheol *see* Moon Cheol Paek
Paek Su Hyon *see* Su Hyon Paek
Paek Su-Hyon *see* Su-Hyon Paek
Paek Un Chul *see* Un Chul Paek
Paek Yong-Hyun *see* Yong-Hyun Paek
Paek Young-Sik *see* Young-Sik Paek
Paemel, R.Van *see* Van Paemel, R.
Paepcke, A., Crawford, R.D., Jamp, R., Freeman, C.A., Lee, F.J. Chipnet: an optical network of terminals and workstations 88—67337
Paepegem, L.van *see* van Paepegem, L.
Paes, H.F.M., van der Velden, D. Multiple wind turbines on the Maas delta plain 86—45309
Paes, P. *see* Ragot, Ph. 88—17466
Paesano, P.C., Mutyala, B.R., Cooper, K.F. Application of a computer integrated system (CINERGY) for improved productivity in plant engineering 87—71865
Paeseler, A. Modification of Earley's algorithm for speech recognition 88—72900
Paeseler, A. *see* Mergel, D. 87—61700
Paeseler, A. *see* Ney, H. 86—69007, 87—61697, 88—72888
Paesler, M.A. *see* Mosley, L.E. 85—40603
Paessler, E.R. Reducing energy costs by energy control and central control techniques [for power systems] 88—42783
Paessler, E.R., Schenk, W., Schulte, R. Command equipment using diadic computer technology for the sequential control system of a municipal power utility—including goals, planning, construction and inservice experiences 85—15484
Paessler, E.R., Schulte, R. Ripple control system controlled and monitored by process computers 86—12287
Paetow, J. Weighing cell and force transducer, there is a difference 86—11582
Paetsch, L. *see* Doyon, J.D. 88—37377
Paetz, P. *see* Dietz, W. 86—39403
Paetz gen. Schieck, H. *see* Berg, G. 85—59020
Paetzold, H.H. *see* Babe, W.G. 88—75281
Paetzold, S. *see* Barber, D. 88—54002
Paetzold, S. *see* Berghaus, U. 86—31863
Paez, R. *see* Davis, G.T. 85—28463
Paez-Borallo, J.M. *see* Figueiras-Vidal, A.R. 87—33683, 88—72994
Paez-Borrallo, J.M., Figueiras-Vidal, A.R., Casar-Corredera, J.R., Hernandez-Gomez, L.A. Minimum L_1-norm spectral estimation in the frequency domain 86—29948
Paez-Borrallo, J.M., Figueiras-Vidal, A.R., Docampo-Amoedo, D., Casar-Corredera, J.R. Convergence of minimum L_k-norm gradient-type adaptive algorithms in noise-free plant identification 87—47804
Paez-Borrallo, J.M., Figueiras-Vidal, A.R., Vergara-Dominguez, L. Analysis of L_K frequency-adaptive transversal filters in plant identification 87—61956
Paez-Borrallo, J.M. *see* Figueiras-Vidal, A.R. 86—10412, 88—32353
Paez-Borrallo, J.M. *see* Portillo-Garcia, J. 88—45870
Paffenbarger, J. *see* Erbes, M.R. 87—78456
Paffrath, D., Kirchschlager, E. Quantitative determination of aerosol concentrations by lidar with respect to various relative humidities 86—12198
Paffrath, L., Bernstein, D., Kang, H., Koontz, R., Leger, G., Ross, M., Pierce, W., Wilmunder, A. A new timing system of the Stanford Linear Collider 85—43289
Paffrath, L. *see* Bernstein, D. 86—50420
Paffrath, L. *see* Mackenzie, S. 87—38540
Paffrath, U. *see* Borgs, J.W. 87—71050
Pafomov, D.N. *see* Antanov, E.V. 85—45925
Pafomov, D.N. *see* Antonov, E.V. 87—15086
Pagala, M.D. An in vitro electromyography chamber to monitor neuromuscular function 88—68422
Pagan, I.D. *see* Kirby, P.L. 87—72825, 88—193
Pagana, D., Savini, E. High-performance radio link antenna for 7-11 GHz frequency reuse 85—36922
Pagana, E., Bernasconi, M.C. Prediction of the electrical performance of ISRS offset antenna reflectors and correlation with RF measurements 87—12858
Pagana, E., Bernasconi, M.C. Satellite antenna with inflatable rigidized reflector 87—47333
Pagana, E. *see* Bernasconi, M. 87—19303
Pagana, E. *see* Bernasconi, M.C. 86—37811, 86—54353, 88—34455
Pagana, E. *see* Bresciani, D. 88—40676
Pagana, E. *see* Reibaldi, G.G. 86—59155
Pagani, C. RF system of the Milan K800 cyclotron 85—59005
Pagani, C. *see* Acerbi, E. 85—58995
Pagani, C. *see* Bosotti, A. 86—44501
Pagani, L., Ruffie, G., Beaudin, G., Gheudin, M., Deschamps, A. A low noise cryogenic receiver for spectroscopic applications in mm-wave radioastronomy at 230 GHz 87—13808
Pagani, L. *see* Beaudin, G. 87—11042
Pagani, L. *see* Castets, A. 88—47245
Pagani, L. *see* Ruffie, G. 87—41158
Pagani, M. *see* Baselli, G. 86—32335, 87—29764, 87—29774, 88—68340
Pagani, M. *see* Brovelli, M. 85—9204
Pagani, M. *see* Eigel, R. 87—40327
Paganin, F.G., Regoli, A. The design of an IF amplifier and filter for AM 85—39942
Pagano, E. Mathematical models of rotating electrical machines 85—15971
Pagano, E. An approach to the analytical solution of the traditional transient mathematical model of asynchronous machines 87—42977
Pagano, E. Evolution of a modelling system for electric motors 87—78605
Pagano, E., Perfetto, A. A generalized mathematical model for rotating electrical machines 88—43133
Pagano, E., Scarano, M. Transient operations of asynchronous machines: reduced mathematical model 87—15752
Pagano, E. *see* Attaianese, C. 85—65527, 87—42959, 88—48883
Pagano, E. *see* Cecconi, V. 85—27425, 86—45416
Pagano, E. *see* Del Pizzo, A. 86—45320, 87—42975
Pagano, J.C. *see* Hielscher, F.H. 86—47837
Pagano, R. Some remarks upon the experimental introduction of a VIDEOTEX information system in the Italian Chamber of Deputies (March 1984) 86—4240
Pagano, S., Pedersen, N.F., Sakai, S., Davidson, A. Analytical and numerical results for a long Josephson junction with surface losses 87—74575
Pagano, S. *see* Cirillo, M. 85—46056
Pagano, S. *see* Costabile, G. 85—64223, 88—20289, 88—65016
Pagano, S. *see* Monaco, R. 88—1909
Pagano, S.J. *see* Forrest, K. 86—42275
Pagano, T.S., Janson, F.J., Yates, G.J., Jaramillo, S.A. Picosecond semiconductor lasers for characterizing high-speed image shutters 87—14146
Pagano, T.S. *see* Allison, S.W. 86—2664
Pagano, T.S. *see* King, N.S.P. 87—14148
Pagano, T.S. *see* Yates, G.J. 87—11306
Pagano-Stauffer, L.A., Johnson, K.M., Clark, N., Handschy, M. Optical logic gates using ferroelectric liquid crystals 88—7997
Pagano-Stauffer, L.A., Johnson, K.M., Heimmermann, D.A., Handschy, M.A. Digital optical computing with ferroelectric liquid crystals 88—58302
Pagano-Stauffer, L.A. *see* Handschy, M.A 87—68215
Pagano-Stauffer, L.A. *see* Johnson, K.M. 87—60984
Paganon, H. *see* Banzhaf, W. 87—34917
Pagava, T.A. *see* Basheleishvili, Z.V. 85—28940
Pagdin, T.M. *see* Claremont, D.J. 85—64535
Page, A., Grutzmann, S. Integrated printed board design system 87—32151
Page, A.D. *see* Ashenford, D.E. 87—36733
Page, A.H. *see* Page, M.R.H. 88—35620
Page, B. Experience of VANS in the insurance industry 86—54779
Page, B. Voice/data integration and the promise of telematics 88—46674
Page, B. Sharing intelligence [intelligent telephone networks] 88—52756
Page, B. In search of a US standard [digital cellular communications] 88—60025
Page, C. The sloper antenna system. I. A cheap and effective directive array 85—24970
Page, C. The sloper antenna system. II 85—24971
Page, C. The sloper antenna system. III 85—24972
Page, C. *see* Turner, C. 86—69658
Page, C.J. The AFtronics SuperSCAF audio filter 88—41508
Page, C.V. *see* Goshtasby, A. 85—30406, 86—56245
Page, D. Developments in microwave counter design 85—37662
Page, D. Secure System open systems architecture, an introduction to the ACSI Open Systems Interface: a standard for computer security 87—48701
Page, D. *see* McLean, T.D. 86—53462
Page, D.A. Regional reindustrialization: a four point program 86—7442
Page, D.A. *see* Borrego, J.M. 86—13070
Page, D.B. Personal computers in environmental test laboratories 86—31272
Page, D.I. Wind power for the UK 88—37138
Page, D.M. *see* Moore, P. 85—3534, 87—41130, 88—60311
Page, D.W. A high-precision load cell comparator for large mass 85—64307
Page, D.W. Application of NASA Kennedy Space Center system assurance analysis methodology to nuclear power plant systems designs 86—25759
Page, E.W. Semiconductor device technology and digital system design 87—60518
Page, F.W. Future developments in aerospace technology 86—65477
Page, G. PSG tackles complex state machine designs 88—6804
Page, G. High speed programmable logic eases next generation system design—overview 88—44146
Page, G. New programmable logic eases design constraints 88—44150
Page, H.G. *see* Wasem, O.J. 88—34599
Page, H.R.S. *see* Hall, D.S. 88—59563
Page, J. So you thought modems were dead? 85—36806
Page, J. *see* Bruederle, S. 85—22831
Page, J.E., Rebollar, J.M. Design of rectangular waveguide cutoff attenuator 86—27571

Page, J.E., Rebollar, J.M. Smooth waveguide transitions 88—50298
Page, J.E. *see* Rebollar, J.M. 87—75526
Page, J.H. *see* Hutchins, D.A. 86—38980
Page, J.K. *see* Sharples, S. 85—16418
Page, J.L. Fibre gyro with electro-optic phase modulation 88—10004
Page, J.L. *see* Brice, J.C. 88—12018
Page, J.S. *see* Ralph, J.E. 87—3620
Page, J.T. *see* Higdon, M.L. 86—49091
Page, K. *see* Harrington, T. 85—14911
Page, K.P. *see* Collins-Cope, M. 87—458
Page, L.B., Perry, J.E. An algorithm for exact fault-tree probabilities without cut sets 87—31337
Page, L.B., Perry, J.E. Reliability of networks of three-state devices 87—36545
Page, L.B., Perry, J.E. An algorithm for fault-tree probabilities using the factoring theorem 88—38038
Page, L.B., Perry, J.E. A practical implementation of the factoring theorem for network reliability 88—70162
Page, L.F. Philosophy of applying automation to air traffic control 87—57315
Page, M., Hague, D.M. Cost savings with bench top automatic board testing in large commercial and military depots 86—8642
Page, M. *see* Lewis, N. 87—13728
Page, M. *see* Rensner, G.D. 86—35877
Page, M.C. Reducing ripple for a CRT 85—54657
Page, M.G. *see* Flint, A.J. 88—46895
Page, M.J. *see* Judah, S. 87—37503
Page, M.R.H., Page, A.H. Cost effective combination of geographical and digital databases 88—35620
Page, O. *see* Mesecar, R. 86—56266
Page, P. *see* Savard, P. 86—44677, 87—57206
Page, P.L. *see* Bonneau, G. 87—63777
Page, R. Tackling quality in a number of ways 85—11768
Page, R. Evaluating holograms on a personal computer 85—19051
Page, R. Closing the CAE/ATE gap 85—20470
Page, R. Combining a quality solution [MultiMode test system] 85—26188
Page, R., Nelson, N. Sample rate set by spectral measurements 88—47598
Page, R., Pitlak, R.T. Review of pulsed holography in nondestructive testing 87—16760
Page, R. *see* Giles, D. 87—713
Page, R. *see* Girard, A. 86—64580
Page, R. *see* Pitlak, R.T. 86—3397
Page, R.A. Frequency measurement 88—42244
Page, R.B. A search for an improved ultraviolet radiation source 87—16152
Page, R.D. *see* Woods, P.J. 88—36348
Page, R.E. *see* Goodman, R.L. 88—75340
Page, R.H., Larkin, R.J., Kung, A.H., Shen, Y.R., Lee, Y.T. Frequency tripling into the 720-1025-Å region with pulsed free jets 87—75249
Page, R.J., Kamis, G.J., Marbach, R.A., Mueller, C.J. A common cause analysis of the TREAT-Upgrade reactor protection system 85—43844
Page, R.J., Mueller, C.J., Rothman, A.B., Chasanov, M., Pedersen, D.R., Sevy, R., Marchaterre, J.F., Froehle, P.H., Farhadieh, R. A probabilistic risk analysis of HCDA scenarios in a pool-type breeder reactor 85—43845
Page, R.M. Early history of radar in the US Navy 85—58221
Page, R.P. A fibre optic multiplexing system for use on a motor car 86—36201
Page, R.P. Automotive data buses—a review of architectures and media 88—5992
Page, R.P. *see* Bickerton, M.J. 87—72554
Page, R.W., Foster, A.S. Waveform reconstruction techniques for precision digitizing oscilloscopes 88—47613
Page, R.W., Nelson, N.W. Adaptive Sample Rate: a first-generation automatic time base 88—47612
Page, S.W.J. *see* Bream, R.G. 88—17321 to 17322
Page Walton, J. Developments in interconnection equipment 85—61507
Page Walton, J. Perspective on etching 87—67096
Pageau, G.M. *see* Cleland, M.R. 87—50200
Pagel, E.-O., Wolfsteiner, J. Temperature switch test station for fully automatic determination of switching point 87—56473
Pagel, P. *see* Heinlein, B. 85—32336
Pagel, U. *see* Hausler, R. 85—53158
Pagenkopf, G. *see* Weinerth, K. 86—32727
Pages, A. New meters for new tariffs 87—35702
Pages, J.L. Numerical modelling of feedpoints at wire junctions 88—34423
Paget, D. *see* Wolf, S.A. 85—58708
Pagetti, J. *see* Rezrazi, M. 87—68004
Paggen, W. Electronic housings: considerations for intending purchasers 86—19851
Paggi, M., Williams, P.H., Borrego, J.M. Nonlinear GaAs MESFET modeling using pulsed gate measurements 88—71623
Paggi, R. *see* Di Napoli, A. 86—42704
Pagiatakis, M. *see* Green, M. 88—2026
Pagli, L. *see* Bonuccelli, M.A. 85—12354
Pagli, L. *see* Lodi, E. 86—21732, 87—10587, 88—1754
Paglia, G.E. *see* De Lotto, I. 86—65157
Paglia, G.La *see* La Paglia, G.
Pagliai, G., Piccolo, M. Some consideration about the practical design of the diesel engine generator in a hybrid system as a power supply in telecom plants 86—23229
Pagliai, G., Piccolo, M. Some consideration about the practical design of the diesel engine generator in a hybrid system as a power supply in telecom plants 86—61644
Pagliai, G. *see* Barbaliscia, F. 85—44086
Pagliai, G. *see* DeGregorio, R. 87—30093
Pagliaro, R. *see* Corboy, J.F. 85—399
Pagliaro, R., Jr., Corboy, J.F., Jastrzebski, L., Soydan, R. Uniformly thick selective epitaxial silicon 87—65550
Pagliaro, R., Jr. *see* Jastrzebski, L. 86—28055, 86—28497
Pagliaro, R.H., Jr. *see* Corboy, J.F. 85—10751
Paglieroni, D.W., Jain, A.K. A control point theory for boundary representation and matching 86—16575
Paglieroni, D.W., Jain, A.K. Fast classification of discrete shape contours 88—14788
Paglieroni, D.W., Jain, A.K. Control point transforms for shape representation and measurement 88—41016
Paglieroni, D.W. *see* Jain, A.K. 86—10530
Paglione, R. *see* Friedenthal, E. 85—9227
Paglione, R.W. Non-contacting method for determining the thickness of a dielectric layer on a moving magnetic substrate 85—64290
Paglione, R.W. Portable diagnostic radiometer 87—50285
Paglione, R.W., Sterzer, F., Winter, A., Laing, J. Instrumentation of invasive and non-invasive microwave hyperthermia of brain tumors 87—8946
Paglione, R.W. *see* Sterzer, F. 85—20961, 86—12022, 87—8944
Pagnani, D.P. *see* Gupta, J.C. 86—58123
Pagnia, H., Schnellbacher, J., Sotnik, N. A regeneration model for conducting filaments in MIM diodes 85—29222
Pagnia, H., Schnellbacher, J., Sotnik, N. Correlation between current and induced emission processes in MIM diodes 85—55606
Pagnia, H., Sotnik, N., Stauss, H. Influence of organic molecules on the current-voltage characteristic of planar MIM diodes 86—2185
Pagnia, H. *see* Berg, F. 86—41622, 86—58344
Pagnia, H. *see* Bischoff, M. 86—58345
Pagnia, H. *see* Borbonus, M. 88—7401
Pagnia, H. *see* Fertig, W. 86—35462
Pagnia, H. *see* Gengenbach, T. 86—67775, 87—53545
Pagnia, H. *see* Licznerski, B.W. 88—25576
Pagnin, P., Wollschlager, H. 'AUPAL 200'—new gold-palladium contact surface 87—52960
Pagnin, P., Wollschlaeger, H. AUPAL 2000, a gold/palladium contact structure 88—1063
Pagnoni, A. Stochastic invariance in predicate/transition nets 86—34177
Pagnoni, A. Planning, evaluation, dynamic control of complex activities 86—61908
Pagnoni, A. *see* Comparin, G. 86—37212
Pagnucco, L.C., Garcia, D. A 16/32 bit architecture for signal processing 85—17513
Pagones, M.J., Prabhu, V.K. Effect of interference from geostationary satellites on the terrestrial radio network 86—55174
Pagot, J. *see* Fulda-Quenzer, F. 85—48170
Pagter, A.de *see* de Pagter, A.
Pagter, P.J.de *see* de Pagter, P.J.
Pagter Ad de *see* Ad de Pagter
Pagurek, B. *see* Stanford, D.A. 88—31596
Pagurek, B. *see* Woodside, C.M. 85—13553
Pagurova, V.I., Orlov, S.I. Criteria for coefficients of variation of normal distributions 85—60835
Pah Yin Young *see* Young Pah Yin
Pahl, L., Storrer, W., Wallrabe, D. Computerized measurement of ultrasound information—contribution for medical diagnostics 87—3980
Pahl, M. *see* Klostermeyer, D. 85—4871
Pahl, P.J., Hausler, J., Kaldewey, K. Modelling for engineering: processing, presentation and archiving of technical models in computer networks: the TECHNET-concept 88—3492
Pahl, R. *see* Bock, J. 88—29958
Pahl, R. *see* Kinney, J.H. 88—29986
Pahlavan, K. Comparison between the performance of QPSK, SQPSK, QPR, and SQPR systems over microwave LOS channels 85—36921
Pahlavan, K. A review of wireless in-house data communication systems 85—47112
Pahlavan, K. Wireless communications for office information networks 85—57178
Pahlavan, K. Wireless data communication techniques for indoor applications 86—17210
Pahlavan, K. Nonlinear quantization and data communication 87—20104
Pahlavan, K. Spread spectrum for wireless local networks 87—48311
Pahlavan, K., Holsinger, J.L. A model for the effects of PCM compandors on the performance of high speed modems 86—55075
Pahlavan, K., Holsinger, J.L. Signal constellation for voice-band data communication over channels with non-uniform quantization 87—19409
Pahlavan, K., Holsinger, J.L. A method to counteract the effects of PCM systems on the performance of ultra high speed voice-band modems 87—33589
Pahlavan, K., Holsinger, J.L. Expanded TCM for channels with multiplicative noise 88—2925
Pahlavan, K., Holsinger, J.L. Voice-band data communication modems—a historical review: 1919-1988 88—35268
Pahlavan, K. *see* Holsinger, J.L. 88—3709
Pahler, G. *see* Maier, H. 87—3487
Pahlm, O., Sornmo, L. Data processing of exercise ECGs 87—41969
Pahlm, O. *see* Johnson, B. 87—21584
Pahlm, O. *see* Jonson, B. 85—59304
Pahlm, O. *see* Soderberg, R. 87—21591
Pahlm, O. *see* Sornmo, L. 85—53055, 85—53081
Pahlm, O. *see* Tranesjo, J. 87—21579
Pahls, M.J. Auto-alignment of the IF section 88—35879
Pahls, M.J. New developments in the technology of spectrum analysis 88—35880
Pahomov, S.V. *see* Nestorov, G.T. 86—63979
Pahud, J.D. *see* Gyr, M. 86—32030
Pahud, P. Robotics: new multidirectional force sensors 86—31396
Pahwa, A., Brice, C.W., III Modeling and system identification of residential air conditioning load 85—60570
Pai, A.L. *see* Reddy, B.R.K. 88—41014
Pai, B.R. Utilisation of sludge gas for power generation through aero gas turbines 85—53577
Pai, C.S., Cabreros, E., Lau, S.S., Seidel, T.E., Suni, I. Rapid thermal annealing of Al-Si contacts 85—34617
Pai, C.S., Lau, S.S. Epitaxial growth of Si_xGe_{1-x} films on Si by solid phase epitaxy 86—13783
Pai, C.S., Lau, S.S., Suni, I. Crystallization kinetics of amorphous silicon on sapphire 86—26859
Pai, C.S., Lau, S.S., Suni, I., Csepregi, L. Comparison of electronic effects and stress effects in enhancing regrowth rate of ion-implanted amorphous Si 86—13743
Pai, C.S., Zhang, B., Scott, D.M., Lau, S.S., Bartur, M., Tseng, W.F. Si contacts formed from spun-on metallo-organic solutions 85—34888
Pai, C.S. *see* Lau, S.S. 86—21242
Pai, C.S. *see* Lien, C.-D. 85—23550
Pai, C.S. *see* Marshall, E.D. 86—28044
Pai, C.S. *see* Sawada, T. 87—11447
Pai, C.S. *see* Seidel, T.E. 85—23630, 85—29106, 86—9004
Pai, D.M., Melnyk, A.R. Photoconductors in electrophotography 87—18820
Pai, H.M. System disturbances in urban HT/EHT system 85—53316
Pai, K.N., Pradhan, B.D., Revankar, G.N. Power MOSFET-based servo amplifier 86—51869
Pai, K.N. *see* Krishnamurthy, D. 86—56823
Pai, K.R. *see* Chande, P.K. 86—5580
Pai, K.R. *see* Rathore, T.S. 85—927, 85—17178, 87—37440
Pai, M.A. Survey of practical direct methods of stability analysis in power systems 85—9405
Pai, M.A., Adgaonkar, R.P. Electromechanical distance measure for decomposition of power systems 85—21122
Pai, M.A., Othman, H., Sauer, P.W., Chow, J.H., Winkelman, J.R. Application of integral manifold theory in large scale power system stability analysis 88—42752
Pai, M.A., Othman, H.A., Chow, J.H., Winkelman, J.R. Time scale energies in large power systems 88—23289
Pai, M.A., Padiyar, K.R., Radhakrishna, C. Synthesis of damping action in power systems using eigenvalue sensitivities 86—6205
Pai, M.A., Sauer, P.W., Demaree, K.D. Direct methods of stability analysis in dynamic security assessment [power transmission] 86—12367
Pai, M.A., Sauer, P.W., Khorasani, K. Singular perturbations and large scale power system stability 85—53276
Pai, M.A., Sauer, P.W., Othman, H., Chow, J.H., Winkelman, J.R. Decoupled stability analysis of large scale power systems using integral manifold approach 87—57574
Pai, M.A. *see* Behera, A.K. 86—56315
Pai, M.A. *see* Chow, J.H. 86—6207, 87—57572
Pai, M.A. *see* Ilic-Spong, M. 88—23337
Pai, M.A. *see* Khorasani, K. 86—44844, 88—48437
Pai, M.A. *see* Othman, H.A. 88—36790
Pai, M.A. *see* Padiyar, K.R. 86—65617
Pai, M.A. *see* Sauer, P.W. 85—53688, 86—70605, 87—57539
Pai, P., Oldham, W.G., Ting, C.H. Process considerations for using spin-on glass as a planarizing dielectric film 87—67135
Pai, P.-L., Shacham-Diamond, Y., Oldham, W.G. A high resolution lift-off technology for VLSI interconnections 87—1694
Pai, P.L., Oldham, W.G. A liftoff process using edge detection (LOPED) 88—39568
Pai, P.L., Ting, C.H., Oldham, W.G. A framework for multilevel interconnection technology 88—71458

Pai, P.L. *see* Oldham, W.G. 85−40920
Pai, P.L. *see* Ting, C.H. 87−67147
Pai, R.M., Beck, J.A. Analysis of low-speed linear induction motors with narrow secondaries 88−69421
Pai, R.M., Boldea, I., Nasar, S.A. A complete equivalent circuit of a linear induction motor with sheet secondary 88−55345
Pai, R.M., Nasar, S.A., Boldea, I. A hybrid method of analysis of low-speed linear induction motors 88−30742
Pai, R.M. *see* Zagirnyak, M.V. 86−6801, 86−54273
Pai, S.T., Marton, J.P. Effect of trigger electrode on the channel behaviour of surface discharge switch 85−34248
Pai, S.T., Park, R.E., Garside, B.K. Electrical and optical measurements of fast risetime, high power pulser 85−4060
Pai, T. FIFO RAM controller tackles deep data buffering 87−10836
Pai, V.V. *see* Ishutkin, S.N. 88−9939
Pai Miao-Li *see* Miao-Li Pai
Pai Pei-lin *see* Pei-lin Pai
Paice, D.A., Mattern, K.E. Gate-turn-off thyristors and their application 85−61909
Paick, K.H. *see* Brockett, P.L. 86−59181
Paicu, C. *see* Sfichi, R. 85−21506
Paig, Y.J. *see* Hong, Y.K. 87−67732
Paige, A. *see* Cooperman, M. 86−4451, 86−49382
Paige, C.C. *see* Heath, M.T. 87−10319
Paige, D.M., Hoon, S.R., Tanner, B.K. High precision torque hysteresis measurements on fine particle systems 85−24165
Paige, D.M. *see* Hoon, S.R. 87−49896
Paige, E.G.S. Rayleigh waves and reflective periodic structures 87−1870
Paige, E.G.S., Sun, B.S. Comparison of reflectivity and velocity perturbation due to thin metal film structures on lithium niobate: dots, holes and composites 86−2530
Paige, E.G.S. *see* Barnard, M.E. 85−45946, 86−2535, 87−1837, 87−53869, 87−63320
Paige, E.G.S. *see* Heaton, J.M. 85−7551
Paige, E.G.S. *see* Huang, F. 86−53873, 87−1833
Paige, E.G.S. *see* Mills, P. 86−2903
Paige, E.G.S. *see* Ash, E.A. *(editor)* 87−29
Paige, F.E. ELMUD: an electron muon detector for Higgs physics at the SSC 88−16631
Paigin, V.M. *see* Korshunov, G.S. 88−43360
Paihung Pan Characteristics of thermal SiO_2 films during nitridation 87−32414
Paik, C., Vasel, L., Pocock, D., Stankovich, D., Kim, S.K., Tinkler, R.H. A staring monolithic FPA with high-speed readout and frame averaging 88−53699
Paik, C.Y., Sharon, A. Generalized steam generator modeling for various nuclear transients 88−75306
Paik, H., Kirkland, E.J., Siegel, B.M. Analytical calculation of electrostatic beam blanker performance 87−26637
Paik, H., Lewis, G.N., Kirkland, E.J., Siegel, B.M. Systematic design of an electrostatic optical system for ion beam lithography 85−29994
Paik, H.J. Geodesy and gravity experiment in Earth orbit using a superconducting gravity gradiometer 85−59432
Paik, H.J. *see* Chan, H.A. 85−48468, 85−63950, 85−64694
Paik, H.J. *see* Moody, M.V. 85−47967, 87−29914
Paik, H.J. *see* Parke, J.W. 85−42989
Paik, J.K. *see* Katsaggelos, A.K. 88−66722
Paik, S.F. Microwave integrated circuits 86−41320
Paik, W. *see* Moroney, P. 85−30997
Paik Woo-Hyun *see* Woo-Hyun Paik
Paika, R. Synthesis of magnetic field due to the direct current 85−62728
Pailer, N., Auer, R.D., Bachor, E. Robus—a retrievable telescope carrying platform based on Rosat experience 87−29861
Pailhes, L.M. *see* Rodrigues, V. 86−10579
Paillard, B., Soumagne, J., Mabilleau, P., Morissette, S. Filters for subband coding analytical approach 87−61597
Paillard, C. *see* Borer, J. 88−54178
Paillard, E. Application of integrated optics technology for the production of low cost branching devices 88−7969
Paillard, E. Recent developments in integrated optics on moldable glass 88−20421
Paillard, G. *see* Bossart, R. 86−31911
Paillassa, B. *see* Lu, Y.L. 86−23500
Paille, J. *see* Almhana, J. 85−7847
Pailler, P. *see* Berger, C. 88−22937
Pailles, J.-C. *see* Bauval, A. 88−21595
Paillotin, J.F. *see* Saucier, G. 85−33875
Pain, A.A. *see* Alekseev, A.A. 87−11088
Pain, C., Guesnier, G., Guilmin, J. The control room and the research simulator [N4 reactor] 87−64262
Pain, C., Guesnier, G., Guilmin, J. Structure of the control system of the units of N4 level. II. The control room and the simulator used for studies 88−30464
Painchault, E., Joisel, A. Mutual coupling and phase control on large HF arrays 88−40755
Paine, A. *see* Brookley, C.E. 87−14603
Paine, B.M. Ion beam mixing in silicon systems 86−1881
Paine, B.M., Hurvitz, N.N., Speriosu, V.S. Strain in GaAs by low-dose ion implantation 87−38070
Paine, B.M. *see* Cheung, J.T. 86−67727
Paine, D. *see* Wong, M. 88−18723
Paine, D. *see* Yang, C. 87−67156
Paine, D.C., Bravman, J.C., Yang, C.Y. Observations of β-tungsten deposited by low pressure chemical vapor deposition 87−36788
Paine, J. Migration from PDP11 nodes to micronodes 85−3136
Paine, J. 3270 support on CSIRONET 85−36719
Paine, J.S., Felton, L.E. Bulb turbine/generators for the Idaho Falls hydroelectric project 85−9775
Paine, J.W. *see* Andrew, A.L. 86−365, 87−23566
Paine, K.D. *see* Robinson, T. 88−35779
Paine, P.M., Beck, R.S. Solderability and shelf life of beryllium copper strip and other copper alloys 85−10823
Paine, R.M.M. *see* Leighty, D.F. 87−50899
Paine, S.H. *see* Lodwick, G.D. 87−29924
Paineri, F. *see* Cravero, M. 87−19415
Painke, H. VLSI-/370 microprocessor overview 88−70809
Painter, F.C. The Soviet navy threat: a re-examination. II 88−61738
Painter, J.H. Arc control experiments using a high-performance arc heater 85−61611
Painter, M. The use of hydrogen analysis for the detection and control of generator insulation faults 87−78627
Painter, M.R. *see* Bailey, R.B. 87−40351
Painter, M.R. *see* Paynter, R.J. 88−36940
Painter, R.S. *see* Taylor, S.A. 85−36825
Painter, S.L., Knee, H.E., Humphrys, B. CREDO data analysis: a comparison of liquid metal and water valve reliabilities 86−51387
Painz, R. Berechnungsverfahren fur magnetische Felder und Krafte in Kontaktanordnungen (Methods for calculation of magnetic fields and forces in contact arrangements) 85−41557
Paio, Y.B. *see* Jiang, X.L. 86−24940
Pairman, D. *see* Kittler, J. 86−25414, 88−59244
Pais, V. *see* Alamon, A. 86−63700, 86−67619
Pais Gromicho, J.N. Some notes on exclusive feeding of an important electrical load by a grid line 86−25563
Paisan, L. *see* Harao, M. 88−32139
Paisley, M.J., Sitar, Z., Carter, C.H., Jr., Davis, R.F. Growth of gallium nitride on silicon carbide by molecular beam epitaxy 88−63331
Paisner, J.A. Atomic vapor laser isotope separation 88−58738
Paisov, V.N. *see* Basov, N.G. 85−41333, 86−3056
Paiss, O., Inbar, G.F. Autoregressive modeling of surface EMG with application to fatigue 87−50350
Paiss, O. *see* Inbar, G.F. 86−25241
Paiste, R.M. *see* Akhtar, M. 88−60836
Paithankar, Y.G. Fast (1-shift) orthogonal functions for extraction of the fundamental frequency component for computer relaying [power system protection] 88−61961
Paithankar, Y.G., Sant, M.T. A new algorithm for relaying and fault location based on autocorrelation of travelling waves 85−32228
Paitian, G.A. *see* Akhmanov, S.A. 85−29907
Paitz, J. *see* Hartmann, E. 85−18557
Paiva, J. *see* Vaz, F.C. 86−27384
Paiva, J.P.Sucena *see* Sucena Paiva, J.P.
Paiva, M.Sucena *see* Sucena Paiva, M.
Paix, D. A survey of medical radiographic film processing in South Australia 85−48222
Paix, D. Human exposure to low level ionising radiation 88−36523
Paix, D., Holloway, A.F. Sensitivity, resolution and contrast of film-screen combinations 85−31789
Paixao, J.Pinto *see* Pinto Paixao, J.
Pajak, K. *see* Augustyn, J. 85−42856
Pajak, Z. *see* Hankiewicz, J. 86−50029
Pajala, H. *see* Partanen, J. 85−21217
Pajani, D. Infrared thermography in electronics 87−16367
Pajani, D. IR thermography: which wavelength to choose? I 87−63268
Pajani, D. IR thermography: what wavelength to choose? II 87−63269
Pajasova, L. *see* Trung Dung, P. 86−63031
Pajayakrit, A. *see* Benaissa, M. 88−44869
Pajayakrit, A. *see* Shakaff, A.Y.Md. 88−63798
Pajayakrit, A. *see* Towers, P.J. 87−37329
Pajdla, V., Sladecek, P. Intelligent revolutions measuring device for spark ignition engines 87−3771
Pajerski, R. *see* Shank, D. 87−41079
Pajewski, W. *see* Kielczynski, P. 85−39833, 87−68120
Pajgrt, M. A bridge feedback 88−63548
Pajonk, M. Cost effective digital monitoring of signal contacts and lines 85−110
Pajonk, M. Cost effective digital monitoring of signal contacts and lines 87−20837
Pajukoski, S. *see* Bollstrom, T. 88−17804
Pak, A.T. *see* Kratenko, M.Yu. 87−8051
Pak, A.T. *see* Razykov, T.M. 86−8832
Pak, C.O. *see* Kanaya, N. *(editor)* 88−37869
Pak, E.I. *see* Borovov, G.I. 87−17812
Pak, E.I. *see* Kruchinin, A.U. 87−38006
Pak, G.T. *see* Abul'shin, A.M. 87−68381
Pak, G.T. *see* Annenkov, D.M. 85−2338
Pak, G.T. *see* Barazov, A.E. 88−34053
Pak, G.T. *see* Bazarov, A.E. 87−75104
Pak, G.T. *see* Bazhenov, V.Yu. 85−29868
Pak, G.T. *see* Bessonov, Yu.L. 85−62604, 86−18222
Pak, G.T. *see* Bogatov, A.P. 85−29869, 85−51184, 87−54371
Pak, G.T. *see* Boroshnev, A.V. 86−22407
Pak, G.T. *see* D'yakonov, V.P. 87−65933
Pak, G.T. *see* Eliseev, P.G. 85−29855, 85−51192, 87−75105
Pak, G.T. *see* Goldobin, I.S. 86−36496, 88−34041
Pak, G.T. *see* Vasil'ev, P.P. 86−9860
Pak, G.T. *see* Vu Van Lyk 88−8232
Pak, G.T. *see* Zhuravlev, A.B. 87−2124
Pak, G.T. *see* Zienko, S.I. 85−22709
Pak, H.-S. *see* Fustoss-Wegner, M. 88−20492
Pak, K., Koide, Y., Imai, K., Yoshida, A., Nakamura, T., Yasuda, Y., Nishinaga, T. Vapor-phase etching of InP using anhydrous HCl and PH_3 gas 87−17953
Pak, K., Matsui, M., Fukuhara, H., Nishinaga, T., Nakamura, T., Yasuda, Y. Electrical properties of bulk InP synthesized by modified horizontal Bridgman method 87−32250
Pak, K., Nishinaga, T., Tanbo, T., Fukuhara, H., Nakamura, T., Yasuda, Y. The origin of dark region in LPE GaP associating with macrostep riser 85−39723
Pak, K. *see* Wakahara, A. 87−65548
Pak, K. *see* Yasuda, Y. 86−34704
Pak, K. *see* Zaima, S. 85−40049
Pak, L.K. *see* Shubnikov, V.A. 86−38584
Pak, O.D. *see* Tangribergenov, T.B. 87−15401
Pak, P.S., Ito, K., Suzuki, Y., Horii, S. Simulation and evaluation of cogeneration systems for district coding and heating 85−43862
Pak, P.S. *see* Horii, S. 86−45215, 88−17394
Pak, P.S. *see* Suzuki, Y. 86−18765
Pak, S.K. *see* D'yakonov, G.I. 88−65643
Pak, S.K. *see* Grigor'ev, V.N. 87−46822
Pak, S.V. *see* Chernyshev, V.K. 88−43299
Pak, T.V. *see* Konyukhova, N.B. 87−65289
Pak, V.G. *see* Basiev, T.T. 88−65655
Pak, V.G. *see* Bulushev, A.G. 87−74750, 87−76771
Pak, V.S. *see* Kondrat'ev, N.A. 87−60053
Pak Cheol On *see* Cheol On Pak
Pak Hung-Sung *see* Hung-Sung Pak
Pak Kon Soo *see* Kon Soo Pak
Pak Pyong Sik *see* Pyong Sik Pak
Paka, V.T., Korchashkin, N.N., Narozhnyy, V.V., Shmagin, A.B. An automated system for thermo-profiling the upper layers of the ocean 85−43487
Paka, V.T. *see* Aleinikov, S.Ya. 86−11607
Pake, G.E. Research at Xeros PARC: a founder's assessment 86−13359
Pakes, L., Lang, F. Utilisation of waste heat from cooling agglomerate in iron smelting works 87−72622
Pakeva, S., Dafinova, R. Emission spectra of ZnS.Sn-based electroluminophors 86−2938
Pakeva, S., Dafinova, R. Investigation of ZnS:Pb electroluminophores 86−15564
Pakeva, S., Germanova, K. Electric and photoelectric properties of polycrystalline copper sulphide 85−61710
Pakeva, S.V. *see* Dafinova, R.M. 88−40061
Pakharenko, V.A. *see* Matyash, V.I. 85−16477
Pakholkov, G.A., Gromov, G.N. Short-range radio navigation systems: current status and prospects 88−35598
Pakholok, Yu.M. *see* Orlov, V.V. 87−29026
Pakhomin, S.A. *see* Kolomeitsev, L.F. 86−26075, 87−4729, 87−9591, 88−5644, 88−43139
Pakhomov, A.A. *see* Bakut, P.A. 87−27401, 87−69262, 88−73203
Pakhomov, A.G. *see* Ganichev, S.D. 86−50105
Pakhomov, I.I. *see* Kolomenskii, A.A. 85−56673, 86−3622, 87−7398
Pakhomov, L.N. *see* Andreyev, P.A. 86−29198
Pakhomov, L.N. *see* Gusev, A.A. 85−46365
Pakhomov, L.N. *see* Kruzhalov, S.V. 85−46371, 86−15675, 86−54182
Pakhomov, M.T. *see* Arkhipova, T.A. 85−23371, 86−47263
Pakhomov, O.V. *see* Vendik, O.G. 88−70956
Pakhomov, S.V. *see* Gogolitsyn, Yu.L. 87−57137
Pakhomov, S.V. *see* Grishin, M.P. 86−23142
Pakhomov, S.V. *see* Zverev, B.A. 86−9910
Pakhomov, V.A. *see* Lagun, V.P. 85−4930, 85−38853
Pakhomov, V.A. *see* Usenko, A.F. 86−26196
Pakhomov, V.V. *see* Kochetkov, L.A. 86−65859
Pakhomov, Yu.I., Ryndyk, A.G. A pulse-phase method of distance measurement 86−50216

Pakhomov, Yu.I., S'yanov, V.A. Weighted processing of LFM signals taking frequency detuning into account 86–16316
Pakhomova, N.L., Kurbatov, B.A., Kozlov, V.A., Dzerzhkovich, N.B. Subsurface magnetic anisotropy of ferrites 88–39797
Pakhorukov, V.A. *see* Akhmanaev, V.B. 87–23770
Pakhorukov, V.A. *see* Danilov, G.N. 87–41346
Pakin, A.I. *see* Yuferov, F.M. 88–5689
Pakkanen, T.A., Nevalainen, V., Lindblad, M., Makkonen, P. Surface models for ZnS thin films. Theoretical studies on the mechanism of the growth of zinc sulfide by atomic layer epitaxy techniques 88–423
Paknys, R., Wang, N. Creeping wave propagation constants and modal impedance for a dielectric coated cylinder 86–63935
Paknys, R., Wang, N. Excitation of creeping waves on a circular cylinder with a thick dielectric coating 87–47275
Paknys, R., Wang, N. High-frequency surface field excited by a magnetic line source on an impedance cylinder 87–54655
Paknys, R., Wang, N. Excitation of creeping waves on a circular cylinder with a thick dielectric coating 88–40537
Pakseev, V.E., Golik, L.L., Elinson, M.I., Yakushin, V.K. Hysteresis of spontaneous oscillations and switching between unstable states in cadmium sulfide with a temperature-electric instability 87–18808
Pakseev, Yu.A. *see* Kasatkin, V.V. 87–46682
Paksy, G. *see* Bauman, F. 88–56816
Pakula, L. Asymptotic zero distribution of orthogonal polynomials in sinusoidal frequency estimation 87–75808
Pakula, L., Kay, S.M. Detection performance of the circular correlation coefficient receiver 86–69052
Pakula, R. Safe test gear, formerly and to-day 85–42833
Pakulak, A., Mulawka, J.J. Switched-capacitor blocks for realization of phase-locked loops 85–49788
Pakulak, A. *see* Mulawka, J. 85–654
Pakulak, A. *see* Mulawka, J.J. 85–11107, 85–49974
Pakulis, E.J. New results on a two-dimensional electron gas in a tilted magnetic field 85–50255
Pakulis, E.J. Observation of switching and narrow-band noise in the condensed phase of a GaAs/Ga$_{0.77}$Al$_{0.23}$As heterojunction 86–63087
Pakulis, E.J. Observation of an energy gap in the condensed phase of a GaAs/Ga$_{0.77}$Al$_{0.23}$As heterojunction 87–37948
Pakulis, E.J. Novel properties of a new phase of a two dimensional electron gas at a semiconductor heterojunction 88–19705
Pakulis, E.J., Fang, F.F. Conductance anomaly in a GaAs/Ga$_{0.77}$Al$_{0.23}$As heterojunction 86–35456
Pakulis, E.J. *see* Cavenett, B.C. 86–21208
Pakzad, S.H. *see* Hurson, A.R. 86–41061, 86–46725
Pal, A. A four-variable programmable universal logic module using digital summation threshold logic gates 85–22819
Pal, A. An algorithm for optimal logic design using multiplexers 87–631
Pal, A., Bhattacharya, B. Syndrome-testable logic design using DSTL arrays for detecting stuck-at and bridging faults 86–917
Pal, A., Pearson, L.W. A new approach to the electromagnetic diffraction problem of a perfectly conducting half-plane screen 87–12696
Pal, A., Rakshit, S. A speech scrambler using random sign alteration of amplitude samples for use in voice-grade networks 86–55043
Pal, A. *see* Sanyal, A.K. 86–38602
Pal, A.C. Spent fuel cask handling at an operating nuclear power plant 88–42950
Pal, A.K. *see* Basak, R.L. 86–13751
Pal, A.K. *see* Bhattacharyya, J. 86–13811
Pal, A.K. *see* Chaudhuri, S. 85–21817, 87–36744, 87–52163
Pal, B.B. Compositional dependence of permittivity in quaternary III-V semiconductor compounds 86–14866
Pal, B.B., Chakrabarti, P. Theoretical characterisation of a superlattice avalanche photodiode 87–38920
Pal, B.B., Choudhury, S.C. DC computer simulation of GaAs DAR IMPATT suitable for MM wave 86–8466
Pal, B.B., Khan, R.U., Chakrabarti, P. A new solid-state device as a source of power in mm wave 87–73691
Pal, B.B. *see* Chakrabarti, P. 86–47075, 87–37564, 87–46676, 87–68293, 88–20506
Pal, B.B. *see* Chattopadhyay, S.N. 87–45985, 88–44787
Pal, B.B. *see* Khan, R.U. 85–23133, 87–45865
Pal, B.B. *see* Singh, S.R. 85–40443, 87–53174, 88–57311
Pal, B.B. *see* Singh, V.K. 87–2034, 87–33061, 87–38317, 88–20497, 88–26977
Pal, B.B. *see* Singh, V.N. 85–11853
Pal, B.P. Fundamental characteristics of telecommunication optical fibres: a review 87–34560
Pal, B.P., Kersten, R.T. Teaching optical waveguides: a contemporary course with demonstration experiments 85–32951
Pal, B.P., Priye, V., Tewari, R., Thyagarajan, K. Estimation of spot sizes from the far-field measurement of a single-mode fiber 87–74694
Pal, B.P., Thyagarajan, K., Kumar, A. Characterization of optical fibres for telecommunication and sensors. I. Multimode fibres 88–51450
Pal, B.P. *see* Kumar, A. 87–68078
Pal, B.P. *see* Sarkar, S.N. 87–12132
Pal, B.P. *see* Tewari, R. 85–41113
Pal, B.P. *see* Thyagarajan, K. 88–1936, 88–72019
Pal, G.S., Snyder, C.G. Damping preform process using laser cutting technology 85–22242
Pal, H. Data transmission services of the Hungarian Post: facts and developments 87–40270
Pal, I. *see* Lehmann, D. 87–29765
Pal, J.K. Distributed programmable controller and microcomputer based control and monitoring of power system of a petroleum refinery plant 86–45869
Pal, J.K. *see* Purkayastha, P. 85–48868, 88–17372
Pal, M.K. *see* Lebow, W.M. 85–59642
Pal, M.K. *see* Sen, A.K. 85–52403 to 52404
Pal, N.E. An approach to the planning of international telecommunication networks 85–25205
Pal, N.E. Digital undersea cable planning in the Pacific 86–4650
Pal, N.R. *see* Pal, S.K. 87–55107, 88–14773
Pal, R. *see* Goyal, V.K. 88–62598
Pal, R. *see* Singh, H.B. 87–3041
Pal, R.N. *see* Kumar, R.V.R. 85–45183
Pal, R.N. *see* Pant, R. 85–46835
Pal, R.N. *see* Raja Kumar, R.V. 85–51645, 86–64259
Pal, R.N. *see* Ratnam, V. 85–51637
Pal, R.N. *see* Wali, U.V. 85–44835, 86–62410, 87–45043
Pal, S. Spherical dielectric antenna 87–19286
Pal, S., Lakshmeesha, V.K., Mahadevan, V., Nicholas, L. APPLE VHF antenna system 86–10218
Pal, S., Rao, V.S., Bhaskaranarayana, A., Satyamurthy, L.S. Quality assurance plan ensures performance of spaceborne TWTA 87–10703
Pal, S., Rao, V.S., Rao, N.U.M., Pichaiah, B., Saini, S.K., Bhaskaranarayana, A. Temperature compensation circuit for space data transmitters 87–20474
Pal, S., Saini, S.K., Rao, V.S., Bhaskaranarayana, A. Unequal power split hybrid coupler 87–17324
Pal, S. *see* Dawar, A.L. 85–50322
Pal, S. *see* Dubey, G.C. 87–295
Pal, S. *see* Lakshmeesha, V.K. 86–43047, 87–17216, 87–17325, 87–17340
Pal, S. *see* Latheef, G.A. 87–59258
Pal, S. *see* Ray, K.S. 88–21334
Pal, S.K. A measure of edge ambiguity using fuzzy sets 86–43339
Pal, S.K. Contrast enhancement and a quantitative measure of edginess in an image 86–49036
Pal, S.K. Image enhancement and a quantitative index using fuzzy sets 88–3180
Pal, S.K., Chakraborty, B. Intraclass and interclass ambiguities (fuzziness) in feature evaluation 85–7914
Pal, S.K., Pal, N.R. Segmentation using contrast and homogeneity measures 87–55107
Pal, S.K., Pal, N.R. Segmentation based on measures of contrast, homogeneity, and region size 88–14773
Pal, S.K., Pramanik, P.K. Fuzzy measures in determining seed points in clustering 87–2589
Pal, S.K., Rosenfeld, A. Image enhancement and thresholding by optimization of fuzzy compactness 88–34768
Pal, S.K. *see* Guha, M. 85–30471
Pal, S.K. *see* Murthy, C.A. 88–11860
Pal, S.K. *see* Pathak, A. 87–21533, 87–47564
Pal, S.P. *see* Maria, R.-K. 85–38271
Pal, T. *see* Borer, K. 87–29491, 87–63656
Pal, U., Singh, L.P. Feasibility and fault analysis of multiphase (12 phase) systems [power transmission system protection] 86–6409
Pal Singh, Y. *see* Jagannathan, V. 88–69587
Palabrica, R.J. International experience in the implementation of the lessons learned from the Three Mile Island incident 85–21403
Palabrica, R.J. Flow-induced vibration issues in preheater steam generators–the IAEA initiatives 85–38795
Palac, K., Dietch, L., Prazak, C., Chiodi, W. The perfectly flat tension mask color CRT 87–32214
Palac, K. *see* Dietch, L. 87–3698, 87–49517
Palacheck, D.L. *see* Lund, R.E. 86–62964
Palacin, A.Fernandez *see* Fernandez Palacin, A.
Palacios, J., Toutain, S. Microwave lowpass filters using hybrid uniplanar structures 88–50304
Palacios, P. *see* Harranz, G. 87–5672
Palacios, P. *see* Herranz, G. 87–22529
Paladian, F., Le Fevre, D. Measuring the impedance of grounding systems at high frequencies 88–2637
Paladian, F., Plumey, J.P., Roubertou, D., Fontaine, J. Response of a single-conductor overhead wire illuminated by an inhomogeneous plane wave 86–15990
Paladian, F. *see* Roubertou, D. 85–19223
Palafox, W.R. OPC 2000 System electrographic camera and laser printing 86–3457
Palaghita, N. *see* Darie, S. 85–44075
Palaghita, N. *see* Iancu, V. 88–69950
Palagin, A.A. Simulation of turbine power units 87–21997
Palagin, A.A., Efimov, A.V., Kostrykin, V.A., Men'shikova, E.D., Teplitskii, M.G., Buzlukov, V.A., Oiberman, L.B. An investigation of operating modes and structure of turbine plants with the aid of simulation models 88–55203
Palagin, A.A. *see* Buzlukov, V.A. 88–43040
Palagin, V.A., Popivnenko, V.V. Electrical circuits with heat-dependent components and energy storage during pulse changes of input signals 85–49791
Palagin, V.A. *see* Kal'tygin, A.L. 86–41216
Palaio, N.P. *see* Haller, E.E. 85–23657
Palais, G. Asynchronous transmission for rolling stock 86–71105
Palais, G. Double floor suburban strain: a balance favourable to asynchronous drives 87–5032
Palais, G. *see* Petit, G. 88–37680
Palais, J. *see* Moyer, C.D. 85–37064
Palais, J.C. Fibre optic education 87–68072
Palais, J.C. *see* Lin, T.-Y. 86–63858
Palais, J.C. *see* Lu, Y. 88–45106
Palais, J.C. *see* Yiqun Lu 88–39873
Palaj, J. *see* Luby, S. 86–28030
Palaj, J. *see* Ruzinsky, M. 88–11378
Palakal, M. *see* De Mori, R. 86–4066
Palakal, M. *see* Merlo, E. 87–19586
Palama, G.F. *see* Castellano, A. 88–34697
Palamara, O. *see* Calicchio, M. 88–29811
Palamara Orsi, A. *see* Dagnino, C. 85–33375
Palamarchuk, A.A. *see* Mikhatskii, A.Yu. 87–31771
Palamarchuk, A.I. *see* Gorbatyuk, A.V. 85–55800
Palamarchuk, A.L. *see* Bogdanovich, V.B. 87–24494, 87–63336, 88–25574
Palamarchuk, S.I. *see* Yolodin, V.V. 85–64807
Palamaryuk, G.O., Kotov, N.I. On basic statistical characteristics of the output signal block for a multiplier unit of the digital-frequency computing device 85–28609
Palameta, G. *see* Andrews, H.R. 85–20871
Palamidese, P. *see* Beltrame, R. 85–8196
Palamisamy, K.R., Marimuthu, P. Pole-changing double stator induction motor 86–33394
Palamutcuoglu, O. Second harmonically pumped MESFET mixer 88–50397
Palancz, B. Analysis of a closed circuit cryogenic wind-tunnel 88–5037
Palancz, B. A modular approach to the simulation of steam-turbine cycles 88–62189
Paland, J., Connolloy, A.P. Highly integrates power modules for compact power supplies 86–34541
Paland, J. *see* Graffert, H. 86–45492, 86–66158
Palandri, M.R. *see* Bacci, M. 86–56203
Palandri, R., Calamia, M. The history of the Italian 'Radio Detector Telemetro' 85–58223
Palange, E. *see* Benedetti Michelangeli, G. 86–58908
Palange, E. *see* Beneditti Michelangeli, G. 88–33980
Palange, E. *see* Brito Cruz, C.H. 85–2259
Palange, E. *see* Giuliani, G. 86–22453, 86–42606, 88–14234
Palange, E. *see* Lizzaro, P.Di. 86–29093
Palange, E. *see* Marchetti, R. 88–27103
Palani, R. *see* Raghunath, B. 87–30840
Palaniappan, L., Anbukumar, S., Gnanam, F.D., Ramasamy, P. Microhardness study of ingots of SbSI and SbSeI crystals 87–5391
Palaniappan, L., Gnanam, F.D., Ramasamy, P. Electrical characterization of SbSI grown from the melt by a temperature fluctuation technique 87–6392
Palaniappan, L., Shanmugham, M., Gnanam, F.D., Ramasamy, P. Growth and electrical characterization of SbSI and SbSOI crystals 87–23609
Palaniappan, L. *see* Mani, V.N. 88–374
Palaniappan, M. *see* Challappa, S. 85–4812
Palaniappan, R.G. Voltage clamping circuits for CSI/IM drives 85–44223
Palanichamy, C., Srikrishna, K. Analytical approach for economic generation 88–5280
Palanichamy, C., Srikrishna, K. Simplified approach to solution of coordination equation for generation scheduling 88–23592
Palanisami, K. *see* Pathak, L. 86–24465
Palanisamy, K.R., Arunachalam, V.P. Analysis of smoothing circuits using a single-term Walsh series 86–603
Palanisamy, P., Sarma, D.H.R. Thermodynamics of processing copper thick film systems in a reactive atmosphere 87–53068
Palanisamy, P., Sarma, D.H.R., Vest, R.W. Liquid-phase sintering in thick-film resistor processing 86–523

Palanisamy, P.K., Ramalingam, A., Masilamani, V., Sivaram, B.M. Frequency tunability and temporal characteristics of a DAMC distributed feedback dye laser 88–58491
Palanisamy, P.S., Sarma, D.H.R. Thermodynamics of processing copper thick film systems in a reactive atmosphere 88–1219
Palanisamy, P.S. *see* Sarma, D.H.R. 88–57179
Palanisamy, P.Samy *see* Samy Palanisamy, P.
Palanisamy, R. Prediction of eddy current probe sensitivity for the sizing of case depth in ferrous components 88–49905
Palanisamy, R. Electromagnetic field calculations for the low frequency eddy current testing of tubular products 88–56339
Palanisamy, R., Curran, M.N. Experimental evaluation of the accuracy of AC flux leakage and eddy current methods of sizing flaw depths in ferromagnetic seamless steel tubing 88–24835
Palanisamy, R., Thompson, R.B., Thompson, D.O. Estimates of eddy current response to subsurface cracks from 2-D finite element code predictions 85–10878
Palanisamy, R., Varonis, O.J. Finite element optimization of field configuration for the eddy current testing of roller bearing rib rings 88–70395
Palanisamy, V., Garg, R. Rectangular ring and H-shaped microstrip antennas—alternatives to rectangular patch antenna 86–3678
Palanisamy, V., Garg, R. Analysis of circularly polarized square ring and crossed-strip microstrip antennas 87–12792
Palanisamy, V., Garg, R. Analysis of arbitrarily shaped microstrip patch antennas using segmentation technique and cavity model 87–12806
Palanisamy, V. *see* Garg, R. 87–27090
Palaniswami, M. *see* Prabhakaran, N. 86–38995
Palaniswamy, K. *see* Srinivasan, S. 87–48161
Palaniswamy, K.A., Sharma, J., Misra, K.B. Optimum load shedding taking into account voltage and frequency characteristics of loads 85–59592
Palaniswamy, K.A., Sharma, J., Misra, K.B. Minimization of load curtailment in power system using quadratic programming 86–61044
Palanque, C. *see* Snider, F. 88–48022
Palanque, S. *see* Berger, C. 88–22937
Palanque, S. *see* Dinh, S.T. 86–11941
Palaschak, P.A. *see* Rohatgi, A. 87–4958
Palasio, L. *see* Kerblay, T.S. 88–2561
Palasova, A. *see* Pistora, J. 87–25941
Palastin, L.M. *see* Stoma, S.A. 88–33550
Palastov, V.V., Egorov, V.I. Some Conditions for operating electrode system 86–32833
Palaszewski, B. *see* Krauthamer, S. 87–63894
Palatov, K.I. *see* Betzkiy, O.V. 85–61442
Palau, C. *see* Flocchini, G. 86–6386, 86–61152
Palau, G.L., Setton, Y.M. Supplemental ventilation controls contamination [in nuclear power plants] 88–42941
Palau, J.M., Bonnet, J. Design and performance of a Kelvin probe for the study of topographic work functions 88–74351
Palau, J.M., Ismail, A., Lassabatere, L. Fermi level pinning by interface states: a calculation of the height and the shape of the Schottky barrier 85–50282
Palau, J.M. *see* Dumas, M. 88–7568
Palau, J.M. *see* Ismail, A. 85–55471, 86–21261, 86–47399, 86–47401, 86–47524
Palau, J.M. *see* Lassabatere, L. 86–47523
Palayanon, V., Sinsawad, A., Juramongkorn, B., Willis, H.L., Powell, R.W., Tram, H.N. Computerized distribution load forecast for the city of Bangkok 87–42406
Palayiwa, E. *see* Jackson, R.K. 88–74818
Palazov, K.I. *see* Gogoshev, M.M. 85–48475
Palazzo, F. Long range E-O reconnaissance system and flight test results 87–14997
Palazzo, F., Ayral, E., Roberts, A., Mathews, B. 'Forward observer', a charge-coupled device (CCD) electronic camera 85–37481
Palazzo, R., Jr. Performance analysis of overlay modulation and comparison with other modulation techniques 86–3783
Palazzo, R., Jr. On the linear unequal error protection convolutional codes 87–39663
Palazzo, R., Jr. Performance analysis of periodically time varying partial response signaling with maximum likelihood and integrate and dump receivers 87–54844
Palazzo, R., Jr. *see* de Moraes, L.F.M. 86–54460
Palazzo, S. *see* Ahtiainen, A. 86–69246
Palazzo, S. *see* Carchiolo, V. 86–64731, 88–59719
Palazzo, S. *see* Kikuts, J. 88–52954
Palazzo, S. *see* Lombardo, A. 87–48289, 88–34870, 88–67054
Palazzola, M.P. Process latitude of aqueous resist in print and etch processes 85–40349
Palcek, P. *see* Kolnik, S. 86–14853
Palchefsky, J.W., Jr. A two-port equivalent model for a transmission line with distributed sources 88–27537
Pal'chik, G.V. *see* Litvinov, V.V. 86–21096
Pal'chik, K.B. *see* Terent'ev, V.V. 88–44826
Pal'chikov, E.I. *see* Bichenkov, E.I. 85–64522
Pal'chikov, E.I. *see* Bronevoi, I.L. 85–31542
Pal'chikova, I.G. Effect of production errors in kinoform lenses on image quality 85–35897
Pal'chikova, I.G. *see* Koronkevich, V.P. 85–56860
Palchoudhury, M. *see* Mukherji, S. 85–15505
Palchovsky, Z. *see* Hrdy, V. 85–51997
Pal'chun, Yu.A. Microwave study of precision quadrature phase shifter 87–32058
Palcic, B., Jaggi, B. The use of solid-state image sensor technology to detect and characterize live mammalian cells growing in tissue culture 86–65409
Palcic, B. *see* Jaggi, B. 87–57130, 87–77621 to 77622
Palczewski, M. Performance of algorithms for initial placement 85–1691
Palczewski, M. *see* Royale, J. 87–65705
Palczynski, L. *see* Stankowski, K. 85–53746
Paldi, E. *see* Divon, M.Y. 85–37999
Palees, E.E. *see* Ivanyukovich, A.A. 86–13864
Paleev, M.R. *see* Kornienko, L.S. 86–54180
Palei, S.L. *see* Korolev, A.E. 88–2395
Palei, T.G. *see* Arkhangel'skii, V.B. 86–70124, 87–56617, 88–29323, 88–47476
Palei, V.A. *see* Akerman, V.Sh. 86–39292
Palei, V.A. *see* Kapinos, V.M. 86–31635
Palei, V.A. *see* Pereverzev, D.A. 87–9261
Palei, V.A. *see* Pokhoriler, V.L. 86–33155
Palei, V.N. *see* Kuz'min, V.V. 86–19109
Palekar, S.C., Krishnamurthi, M. A novel technique of contact resistance data processing using a microprocessor 85–8928
Palekar, S.C., Maller, V.N. Design and performance of SF$_6$ circuit breaker with spring operated mechanism 86–26193
Palem, K.V. *see* Barr, R.E. 85–38156
Palencar, R., Ziaran, S. A model of the switchover time dependence on the speed rise of switching of the B593 microswitches 85–17922
Palencar, R. *see* Kosorin, D. 86–35154
Palencar, R. *see* Viest, P. 86–24848
Palencia, C. *see* Sanz-Serna, J.M. 86–7710
Palenskis, V. *see* Matukas, J. 87–53470
Palenskis, V. *see* Soblickas, Z. 86–53322
Palenskis, V.P. *see* Matukas, I.P. 85–29019
Paler, K. Automated electronic speckle pattern interferometry—a tool for inspection 87–49939
Paler, K., Bowler, I.W. Gabor filters applied to electronic speckle pattern interferometer images 87–8580
Paler, K., Crennell, K.M., Kittler, J., Dobbins, B.N., Button, B.L., Wykes, C. Identification of fringe minima in electronic speckle pattern images 87–63312
Paler, K. *see* Bowler, I.W. 87–48143
Paler, K. *see* Kittler, J. 85–30401, 85–51804, 87–62183
Palerma, P. GR 2276: a system of testing and managing quality [of electronic boards] 85–3850
Palerma, P. CMOS: the technology of the future? 85–12423
Palerma, P. Motorola: power and speed of a 32 bit microprocessor 85–28564
Palerma, P. Nonvolatile memories 86–1039
Palerma, P. Supermicro with 32 bits 86–14262
Palerma, P. An integrated circuit produced in seven days 86–21639
Palerma, P. Low-cost graphic terminals 86–24360
Palerma, P. CPU and accessory functions in one single component 86–46874
Palerma, P. A new generation of ATE 88–4285
Palerma, P. CMOS technology in the test head [VLSI test equipment] 88–13463
Palermo, C.J. *see* Morriss, B. 86–23289
Palermo, P. ISDN: microcomponents for communications 87–40101
Palermo, T.J. *see* Lentz, L.F. 86–10250
Palesko, C. *see* Agrawal, P. 86–20201
Palesko, C. *see* Jimones, A. 88–512
Palestini, S. *see* Biino, C. 86–38719, 88–22930, 88–74742
Palestini, V., Zingarelli, V. Outage probability computation and cellular coverage for mobile radio 87–76622
Palestini, V., Zingarelli, V. Outage probability computation and cellular coverage for mobile radio 88–60031
Palestini, V. *see* D'Aria, G. 86–30662, 87–68941, 88–3841, 88–21948
Palestini, V. *see* Giorio, E. 86–3743, 86–23695
Palestini, V. *see* Muratore, F. 86–37810, 86–55275, 86–69676, 87–8184, 87–68930, 88–41587, 88–46995, 88–60032 to 60033, 88–67244, 88–73828
Paletta, F., Ricca, A.M. Concrete moisture evaluation by microwaves 87–23764
Paletta, F. *see* Bertotti, L. 87–78933, 88–5094, 88–37605
Paletta, F. *see* Bracciocurti, G. 86–40141
Paletta, F. *see* Fanetti, E. 86–19505
Paletta, P. *see* Bertotti, L. 88–5852
Palevich, K.K., Yashunskii, A.Ya., Filippov, Yu.I. Main trends in the manufacture of welding equipment at the N M Shvernik Elektrik Plant 85–22007
Paley, B.T. Evolution of cellular switching 87–3119
Paley, R.M. *see* Thompson, D.J. 85–4837
Palfalvi, J., Durrani, S.A. Z80 microprocessor based subroutine system for evaluating nuclear track detectors 86–44580
Palfalvi, J. *see* Abdel Naby, A. 87–21489
Palffy, L. Locking of the light pulse delay in externally triggered gas lasers 88–58617
Palfi, L. *see* Tersztyanszky, T. 87–57525
Palfrey, S.L., Grischkowsky, D. Generation of 16-fsec frequency-tunable pulses by optical pulse compression 86–9926
Palfrey, S.L., Heinz, T.F. Coherent interactions in pump-probe absorption measurements: the effect of phase gratings 85–41460
Palfrey, S.L. *see* Carlson, N.W. 87–54295, 88–45431
Palfrey, S.L. *see* Evans, G.A. 88–14174
Palfrey, S.L. *see* Hammer, J.M. 87–39084
Palfrey, T. *see* Resvanis, L.K. 88–54421
Palfreyman, J. The use of knowledge based systems techniques in ESM processing 87–56264
Palfreyman, J.H. The use of the blackboard architecture in ESM system design 86–30887
Palfreyman, J.H. The use of knowledge based systems techniques in ESM processing 87–55246
Palfy, M. Solar cell development in Hungary 85–10103
Palfy, M. Electrical characteristics of solar batteries 87–22725
Palfy, M., Bohonyey, F., Palotai, G. Autonomous electrical sources with solar battery 87–22726
Palgard, S.E. Environmental engineering at Saab-Scania aircraft division 85–59389
Palic, M. *see* Boos, K.V. 87–15315
Palicka, L., Blazek, J. The mechanization means for maintenance of primary circuit technological parts of nuclear power plants 88–17306
Palierakis, Y. Microcomputer-based monitoring and information system for solar heaters 87–30948
Paligoric, D. *see* Novkovic, D. 87–41824
Palii, G.N., Ivanova, Yu.D., Pushkin, S.B. Prediction error for the transmission time of signals via satellite television channels 86–44438
Palii, G.N. *see* Il'in, V.G. 85–31600, 86–31675
Palii, V.Ya. *see* Nikitenko, A.G. 87–52947, 87–64748, 88–55682
Palii, V.Ya. *see* Patseura, V.I. 88–5798
Paliichuk, A.S. *see* Petrov, V.V. 87–15637
Palijanov, I.A. *see* Potapov, V.I. 87–27182
Palik, E.D., Bermudez, V.M., Glembocki, O.J. Ellipsometric study of the etch-stop mechanism in heavily doped silicon 85–34855
Palik, E.D., Bermudez, V.M., Glembocki, O.J. Ellipsometric study of orientation-dependent etching of silicon in aqueous KOH 85–45591
Palik, E.D., Glembocki, O.J., Heard, I., Jr. Study of Bias-dependent etching of Si in aqueous KOH 87–38121
Palik, F. Series production of Skoda electric locomotives of 2nd generation and development trends of 3rd generation 85–44251
Palik, F. Unified range of Skoda universal electric locomotives 85–49155
Palik, F. Electric locomotive drives 87–9906
Palik, F. Development and construction of SKODA electric locomotives 87–72516
Palik, F. Development of traction bogies for Skoda electric locomotives of the third generation 87–79016
Palik, F., Cejka, J. Electric express locomotive in Siberia 86–33762
Palik, F., Chalus, P. Skoda express locomotives of CS-4T and CS-8 classes for Soviet railways 85–5454
Palik, F., Eret, V. Skoda, type CS-7, high power electric express locomotive for Soviet railways 85–44231
Palik, F., Snebergr, J. Class S 499.2 universal electric locomotive 85–21876
Palik, F., Sneberger, J. Skoda type 36E1 electric locomotive for handling work at power stations 85–39253
Palilla, F.C., MacAllister, B.W., Jr., McKenna, J.F. Development of a composite ceramic resistor for the suppression of arcing currents in cathode ray tubes 85–40257
Palin, M.G. *see* Rosiewicz, A. 86–15666
Palin, R.I.R., Rae, J.B. Data transmission and acquisition systems for shore-based sea-level measurements 87–55833
Palinov, A.I. *see* Akimenko, S.A. 85–9081
Palinszki, A. TV channels' effects of linear distortions on teletext signals 85–13843
Palinszki, A. *see* Kis-Szolgyemi, G. 88–62940
Palis, F., Riefenstahl, U., Schauer, W., Vogel, J. Controlling electric drive systems by microcomputers adapted to reducing mechanical influences 87–58352
Palis, M.A. *see* Ibarra, O.H. 86–62535, 87–66024
Palisoc, A.L., Lee, C.C. Thermal design of integrated circuit devices 88–50984
Palisoc, A.L., Lee, C.C. Thermal properties of the multilayer infinite plate structure 88–70143
Palisoc, A.L. *see* Lee, C.C. 87–32646, 88–71494
Palit, B.B. Energy saving operation of induction motors by voltage reduction at no- and low partial-load 87–42973
Paliteiro, C. *see* Shukla, A.K. 86–13024

Palitskii, V.M. *see* Vilenchik, L.S. 88−4185
Palivoda, A.P. *see* Volkov, V.K. 87−75187
Paliwal, K.K. Performance of the weighted Burg methods of AR spectral estimation for pitch-synchronous analysis of voiced speech 85−25048
Paliwal, K.K. Further simulation results on tapered and energy-weighted Burg methods 86−29670
Paliwal, K.K. Comparative performance evaluation of weighted Burg methods for spectral estimation of AR signals 86−29945
Paliwal, K.K. Some comments about the iterative filtering algorithm for spectral estimation of sinusoids 86−48952
Paliwal, K.K. The study of nonlinear transformations of PARCOR coefficients for vowel recognition 87−7673
Paliwal, K.K. A multi-pulse excited linear prediction (MPELP) coding system for noisy speech 87−7674
Paliwal, K.K. Speech enhancement using multipulse excited linear prediction system 87−19452
Paliwal, K.K. A noise-compensated long correlation matching method for AR spectral estimation of noisy signals 87−19805
Paliwal, K.K. A linear-phase FIR filter design for speech enhancement 87−47609
Paliwal, K.K. Robust LP analysis method based on pitch information for noisy speech 87−47613
Paliwal, K.K. Some comments on the tapered Burg methods 87−55080
Paliwal, K.K. A constrained forward-backward correlation prediction method for AR spectral estimation of noisy signals 87−55219
Paliwal, K.K. Estimation of noise variance from the noisy AR signal and its application in speech enhancement 87−61651
Paliwal, K.K. An optimum-tapered energy-weighted Burg method for spectral estimation of sinusoids 87−75821
Paliwal, K.K. Estimation of noise variance from the noisy AR signal and its application in speech enhancement 88−34654
Paliwal, K.K. A study of line spectrum pair frequencies for speech recognition 88−72809
Paliwal, K.K. Low bit-rate image coding using 2-D linear prediction and 2-D stochastic excitation 88−73255
Paliwal, K.K., Aarskog, A.I. A comparative performance evaluation of pitch estimation methods for TDHS/sub-band coding of speech 85−25050
Paliwal, K.K., Aarskog, A.I. A comparative performance evaluation of pitch estimation methods for TDHS coding of speech 85−46746
Paliwal, K.K., Basu, A. A speech enhancement method based on Kalman filtering 87−61642
Paliwal, K.K., Espeland, O. On the performance of the adaptive gradient lattice algorithm 85−51646
Paliwal, K.K., Naik, S.M. Reduced-delay quadrature mirror filter structures for subband coding of speech 87−69069
Paliwal, K.K., Raghuram, R. Radar clutter suppression using the adaptive least-squares lattice algorithm 87−49146
Paliwal, K.K., Ramasubramanian, V. Forward adaptive vector quantization of speech waveform 87−27218
Paliwal, K.K., Ramasubramanian, V. Vector quantization in speech coding: a review 87−55018
Paliwal, K.K., Svendsen, T. A study of three coders (sub-band, RELP and MPE) for speech with additive white noise 86−16273
Paliwal, K.K. *see* Basu, A. 88−72852
Paliwal, K.K. *see* Krishnan, S. 87−55017
Paliwal, K.K. *see* Rao, P.V.S. 87−33657
Paliwal, R.K. *see* Mehdi, Z. 88−11115
Paliwoda, K. *see* Crowcroft, J. 88−67077
Paljan, D. The investigation of the influence of air gap eccentricity on the noise of washing machine motors 85−21970
Palk, K., Boys, R. Augmenting the pilot/vehicle interface through capability assessment 88−5073
Palka, F.M., Ashley, J.R. Single oscillator methods for FM noise measurements below 2 GHz 86−60340
Palka, K. *see* Wisniewski, B. 88−36118
Palka, R. Synthesis of electrical fields by optimisation of the shape of region boundaries 85−19084
Palka, R. Determination of the field source distribution based on field measurements 85−23147
Palka, R. Synthesis and identification of certain cases of stationary fields based on the regularisation method 86−48525
Palka, R. Identification of the electric boundary potential distribution based on inner potential distribution 87−61317
Palka, R. Synthesis of two-dimensional magnetic fields of direct current 88−27433
Palka, R., May, H. Application of the summation method for calculation of three-dimensional magnetic fields 87−12683
Palka, R. *see* Lipinski, W. 85−53658, 87−39297
Palka, R. *see* Sikora, R. 86−3432
Palka, Z. On the degrees of vertices in a bichromatic random graph 85−294
Palka, Z., Rucinski, A. On the order of the largest induced tree in a random graph 87−182
Palkin, A.F. *see* Chernikov, V.P. 88−5505
Palkin, S.V. *see* Gusakovskii, V.Ye. 88−45695
Palkin, S.V. *see* Gusakovskiy, V.E. 87−13756
Palkin, V.F. Influence of external ferromagnetic bodies on shaped magnetic system 87−32834
Palkin, Yu.Yu. *see* Meleshko, E.A. 85−9111
Palko, K. *see* Boys, R. 88−68685
Palko, L.E. *see* Schryver, J.C. 88−75354
Palko, T. Systemic and pulmonary blood flow assessment by rheocardiography 87−50357
Palko, T., Weglarz, J. Rheocardiography for assessment of systemic, pulmonary and coronary blood flow 88−54569
Palko, T. *see* Pawlicki, W.G. 88−61375
Palkovic, R. *see* Chiang, M. 86−52609
Palkovich, A. *see* Morad, R. 88−68360 to 68361
Palkuti, J.L., Pang, C.-S. Line-source processing of SOI structures with laser and electron beam 85−50333
Palkuti, L.J. Automated radiation testing of ICs at the wafer stage 85−7052
Palkuti, L.J., Truong, Q.T. An X-ray irradiation system for total-dose testing of quartz resonators 85−62143
Pallab, K. Bhattacharya *see* Juang, F.-Y. 86−54005
Pallab Bhattacharya *see* Utpal Das 88−13905
Palladino, L. *see* Balsamo, E.P. 86−48057
Palladino, V. *see* Battiston, R. 85−59224
Palladino, V. *see* Calicchio, M. 88−29811
Palladino, V. *see* Caria, M. 86−11914, 86−14160, 88−4844
Palladino, V. *see* DeWulf, J.P. 87−21468, 88−22985
Pallakoff, B. Broadband, high-power devices 85−55390
Pallant, D. The Digitor solid-state audio recorder 88−15868
Pallant, M. Understanding PROMs and programming 85−772
Pallares, R., Arandes, J. Dual/stereo broadcasting for TV programs 88−60375
Pallarino, T.F. How to specify bar code labels for electronic applications. 2 88−31458
Pallarino, T.F. How to specify bar code labels for electronic applications. I 88−32606
Pallaro, L. *see* Docchio, F. 86−15736
Pallas, M.A., Jourdain, G. Delay estimation and high resolution methods [underwater sound propagation] 88−21240
Pallas, R. Temperature measurement 86−44448
Pallas, R., Alfonso, J., Marti, J., Picola, A., Rosell, J., Ruiz, D. Commercial monolithic operational amplifiers: a review 85−11052
Pallas, R. *see* Colominas, J. 87−63466
Pallas Areny, R. Transducer interfaces. VII. Carrier amplifiers 85−11022
Pallas Areny, R. Interfaces for transducers. VIII 85−17160
Pallas Areny, R. Interfaces for transducers. IV. Electrometer amplifiers, operational amplifiers and low-noise amplifiers 85−26267
Pallas Areny, R. Transductor interfaces. V. Problems of supply and detection in the Wheatstone bridge 85−26398
Pallas Areny, R. Transducer interfaces. X. Special convertors: V/F/V, S/D/S 85−31436
Pallas Areny, R. Instrumentation in education and education on instrumentation 86−19763
Pallas Areny, R., Javier Rosell Ferrer, F. Extension of the range of digital multimeters 85−58760
Pallas-Areny, R. On the reduction of interference due to common mode voltage in two-electrode biopotential amplifiers 87−21564
Pallas-Areny, R. On the simulation of real 50-60-Hz electrical fields [biological application] 87−50432
Pallas-Areny, R., Rosell, F.J., Ruiz, D., Marti, J. A safe method to reduce triboelectric interferences in ECG amplifiers 86−32334
Pallas-Areny, R. *see* Alcayde, A. 86−32240
Pallas-Areny, R. *see* Colominas, J. 87−29036
Pallaschke, S. *see* Bilitza, D. 88−67309
Pallavicini, S. *see* Bunner, B. 85−52098
Pallek, D. Fast digital data acquisition and analysis of LDA signals by means of a transient recorder and an array processor 86−38618
Pallek, D. *see* Butefisch, K.A. 87−70883
Pallero, L. *see* Blangino, A. 88−56492
Palles-Clark, P. Classification of hazardous areas 87−51813
Pallett, A.J. *see* Owen, R.C. 85−21415
Pallett, D.S. A PCM/VCR speech database exchange format 87−19461
Palley, L. Techniques for modular EPLD logic design 86−67209
Palley, L. Choosing a CMOS process—an analytical approach 87−1725
Palley, L. *see* Kumar, S. 86−46815
Pallios, V., Antonakopoulos, T., Makios, V. Architecture and implementation of the access mechanism for a bus-structured multiservice LAN 88−73637
Pallios, V., Makios, V. Analysis and design of a 10-20 MHz double loop PLL synthesizer 86−40956
Pallo, J. Generating trees with *n* nodes and *m* leaves 87−44136
Pallo, J., Racca, R. A note on generating binary trees in *A*-order and *B*-order 86−7625
Pallone, J. *see* Kyrala, G.A. 87−14147
Pallone, K. *see* Lee, R.A. 86−20951
Pallone, K. *see* Piano, A. 88−64104
Pallotta, M. *see* Baldini, R. 87−8865
Pallotta, M. *see* Catanesi, M.G. 86−60606
Pallottino, G.V., Vannaroni, G. A low-noise low-input conductance preamplifier for gravitational research 86−27092
Pallottino, G.V. *see* Astone, P. 86−5468
Pallottino, G.V. *see* Frasca, S. 87−47315
Palluel, P. *see* Shroff, A.M. 88−38978
Palm, B.J. *see* Fan, J.C.C. 85−5389
Palm, C. *see* Klatt, R. 87−35308
Palm, C. *see* Zywietz, C. 85−9214
Palm, E. Electronic signalling with the Swiss Federal Railways 87−43558
Palm, E., van de Wiele, F. Numerical simulation of the GTO thyristor 85−50515
Palm, E., Van de Wiele, F. Current lines and accurate contact current evaluation in 2-D numerical simulation of semiconductor devices 86−21477
Palm, E.C., Kobiela, P.S., Kirk, W.P., Schiebel, R.A., Reed, M.A. Magnetotransport studies of weak localization and spin-orbit scattering in a HgCdTe two-dimensional electron gas 88−26004
Palm, G.A. *see* Thapar, B. 88−23536
Palm, N. Utility develops cable fault-locating procedures 85−59830
Palm, N.V., Bryce, A. New methods locate UG primary in congested areas [underground cable location] 87−15277
Palma, A., Palmieri, L., Socino, G., Verona, E. Acoustic Lamb wave-electric field nonlinear interaction in *YZ*$LiNbO_3$ plates 85−24024
Palma, A., Palmieri, L., Socino, G., Verona, E. Nonlinear electroacoustic effect in Lamb wave propagation in $LiNbO_3$ plates 86−2482
Palma, A., Palmieri, L., Socino, G., Verona, E. Lamb-wave electroacoustic voltage sensor 86−9369
Palma, A. *see* Bertolotti, M. 85−12538
Palma, C. *see* De Santis, P. 87−7840
Palma, C.J. *see* Cruz, J.C. 87−77105
Palma, D.A., Wong, W.C. Broadband frequency selective surface 87−39494
Palma, D.A. *see* Chen, C.H. 87−33531
Palma, D.A. *see* Choung, Y.H. 88−2739
Palma, F., de Cesare, G., Narzisi, M. Acoustoelectric interaction in bulk and multilayered semiconductor 88−1462
Palma, F., Schirone, L. Acousto-optic interaction efficiency in Ti:$LiNbO_3$ waveguide collinear Bragg diffraction cell 87−26108
Palma, F., Schirone, L., Verona, E. Acoustooptic interaction efficiency in Ti:$LiNbO_3$ waveguide 88−51616
Palma, G.De *see* De Palma, G.
Palma, G.E. *see* Fader, W.J. 85−56474
Palma, G.F.De *see* De Palma, G.F.
Palma, J.A. Welding teaching and research in Argentina 85−46
Palma, M.De *see* De Palma, M.
Palma, M.S., Martinez, J.P., Hernandez Gil, J.F. Fin-line coupled dielectric resonator filters. Design using the finite element method 88−56897
Palma, O.Dalla *see* Dalla Palma, O.
Palma, R.E. *see* Avant, R.L. 85−61113, 86−7988
Palma, R.E. *see* Shortt, D.J. 86−12115, 87−71253
Palmacci, S.T. *see* Linden, K.J. 86−2985
Palmadesso, P. *see* Ganguli, G. 86−32082
Palmai, I. *see* Apai, P. 85−56540
Palmason, G. *see* Gudmundsson, J.S. 88−30438
Palmatary, G.S. Accurate acoustic network calibration using the Global Positioning System 88−53389
Palmateer, L.F., Tasker, P.J., Itoh, T., Brown, A.S., Wicks, G.W., Eastman, L.F. Microwave characterisation of 1 μm-gate $Al_{0.48}In_{0.52}As/Ga_{0.47}In_{0.53}As/InP$ MODFETs 87−24441
Palmateer, L.F. *see* Kirtley, J.R. 87−17762
Palmateer, L.F. *see* Nguyen, L.D. 88−26341
Palmateer, P.H., Sullivan, J.F. Thick film copper (screened) for joining electronic packages 85−10517
Palmateer, S.C., Groves, S.H., Wang, C.A., Weyburne, D.W., Brown, R.A. Use of flow visualization and tracer gas studies for designing an InP/InGaAsP OMVPE reactor 87−65491
Palmateer, S.C., Lee, B.R., Hwang, J.C.M. Molecular beam epitaxial growth on radiation-heated substrates 85−33441
Palmateer, S.C., Maki, P.A., Katz, W., Calawa, A.R., Hwang, J.C.M., Eastman, L.F. The influence of V:III flux ratio on unintentional impurity incorporation during molecular beam epitaxial growth 86−7818

Palmateer, S.C., Mishra, U.K., Chao, P.C., Smith, P.M., Duh, K.H.G., Hwang, J.C.M. Effect of epitaxial layer design on the microwave performance of high electron mobility transistors 86−53043
Palmateer, S.C. *see* Brown, A.S. 86−450
Palmateer, S.C. *see* Chao, P.C. 85−50533, 86−20817, 86−62837
Palmateer, S.C. *see* Choi, K.K. 86−8862
Palmateer, S.C. *see* Liu, S.-M. 86−63341
Palmateer, S.C. *see* Maki, P.A. 86−20044, 86−46334
Palmateer, S.C. *see* Mishra, U.K. 85−34184, 85−55133
Palmateer, S.C. *see* Nightingale, S.J. 86−8477, 86−20831, 86−27602
Palmateer, S.C. *see* Pospieszalski, M.W. 86−41810
Palmateer, S.C. *see* Smith, P.M. 85−28722, 86−62840
Palmatier, G.E. *see* Bently, D.E. 86−50022, 86−57195, 86−66603
Palmatier, G.E. *see* Koehler, H.P. 86−61420
Palmaz Lopez, J.M. The jointing of monomode optical fibres 87−60933
Pal'mbakh, D.G. *see* Povalyayev, A.A. 85−58483
Palmberg, P.W. *see* Erickson, L.P. 85−39735
Palmberg, P.W. *see* Henderson, T. 85−16947
Palmbery, P.W. *see* Erickson, L.P. 85−5979
Palme, D. *see* Berndt, K. 85−19067, 86−2959
Palme, J. Survey of computer-based message systems 85−3048
Palme, J. COM/PortaCOM conference system. Design goals and principles 85−3049
Palme, J. Experience with the COM computer conference system 85−3050
Palme, J. You have 134 unread mail? Do you want to read them now? [electronic mail] 85−25359
Palme, J. Conferencing standards 86−23373
Palme, J. Database structure in PortaCOM 86−23374
Palme, J. Distribution agents (mailing lists) in message handling systems 86−69450
Palme, J. Group communication & its role in electronic mail 87−20142
Palme, J. Data bases in computer messaging systems 87−48497
Palme, J. Amigo: document storage and retrieval 88−59535
Palme, J. Distributed computer conferencing 88−67138
Palme, J., Speth, R. Group communication in message systems: the AMIGO project 87−48498
Palme, J. *see* Ahtiainen, A. 86−37541
Palme, P. Power supply with microprocessor controls 87−64686
Palmeira, P.F.M. *see* Prada, R.B. 85−27031
Palmen, E.M.E. *see* Ford, A.E.W. 88−23531
Palmen, E.M.E. *see* Lucas, J.M. 85−59794
Palmen, K.E.V. Coding theoretic approach to cancer detection 87−29750
Palmen, S. Integrated wide band FM demodulators for satellite TV receivers 87−34767
Palmer, A. Voice Message Exchange facilitates the operation of a range of businesses 88−52784
Palmer, A. *see* Kidd, R. 86−56257
Palmer, A.J. Rydberg-bremsstrahlung maser 86−58852
Palmer, A.J. Rydberg-Bremsstrahlung-maser 87−7231
Palmer, A.J. Coupled-mode theory of overmoded cylindrical metal Bragg reflectors 87−32946
Palmer, A.J. Quantum well surface-plasmon oscillator 87−37534
Palmer, A.J. Quantum-well surface-plasma-wave oscillator 88−39373
Palmer, A.J. Space-harmonic couplings with FEL Bragg-reflectors: slow-wave interactions and blazing effects 88−40290
Palmer, A.J. Benefits of computer monitoring and control of textile machinery 88−60604
Palmer, A.W. *see* Augousti, A.T. 87−68081, 88−10014, 88−74445
Palmer, A.W. *see* Grattan, K.T.V. 85−9224, 85−56340, 86−2796, 86−22125, 86−55629, 87−18697, 87−29084 to 29085, 87−38829, 87−41986, 87−68050, 87−68101, 87−68156, 88−9993, 88−16180, 88−22628, 88−36052, 88−42114, 88−67878, 88−74811
Palmer, A.W. *see* Meggitt, B.T. 87−46567
Palmer, A.W. *see* Shah, Y. 86−11940, 87−3941
Palmer, B., Cuevas, M. Current status of calibration and traceability at mm-wave frequencies 86−44411
Palmer, C. Advances in oscilloscope design and technology 85−20643
Palmer, C. Precision supplies for laboratory power 85−27499
Palmer, C. Signal generators−versatile function gens and programmable UHF synthesizers 85−28410
Palmer, C. Popular T&M instrument review−DMMs read 2 p.p.m. accuracy 85−31508
Palmer, C. Counter timers and frequency meters−from MHz to GHz 85−31509
Palmer, C. BS9000 still setting the standard 85−33139
Palmer, C. Membrane technology−sealed units for longer life 85−34243
Palmer, C. LEDs approach laser diode performance 86−4630
Palmer, C. Logic analysis−complex functions, lower cost 86−24422
Palmer, C. Bench power supplies 86−24597
Palmer, C. ATE−functional testing maintains dominance 86−40513
Palmer, C. DSOs−the logical choice 86−50128
Palmer, C. Linear PSUs−still a cost-effective solution 86−62424
Palmer, C., Reid, A. Signal generators−enhanced μP control 86−5330
Palmer, C.D., Allen, D.B., Kopish, W.J. Light weight polyimide film/mica marine cable 86−49436
Palmer, C.D., Saunier, P., Williams, R.E. A GaAs monolithic 6-18 GHz medium power amplifier 85−1056
Palmer, D. Bit compression transcoder expands transmission network 85−42348
Palmer, D. Practical experience of EDI 88−52798
Palmer, D., Ziperovich, P., Wood, R., Howell, T.D. Identification of nonlinear write effects using pseudorandom sequences 88−57932
Palmer, D. *see* Hofstadler, P. 86−14587
Palmer, D. *see* Melas, C.M. 88−44976
Palmer, D. *see* White, K. 86−65253
Palmer, D.A., Motley, A.J. Controlled radio coverage within buildings 86−37736
Palmer, D.A., Motley, A.J. Controlled radio coverage within buildings 87−13557
Palmer, D.C., McDaniel, T.W. Spurious signal pickup from the outer rails of a ferrite recording head 85−24153
Palmer, D.C. *see* McDaniel, T.W. 87−25814
Palmer, D.R. Implementing a QA program for plant modifications 86−25774
Palmer, D.S. *see* Bilkhu, T.S. 86−5503
Palmer, D.W., Wisniewski, J.A. Conversion of an IC design capability from a mainframe to a workstation environment 86−41922
Palmer, D.W., Wisniewski, J.A. IC design capability conversion from mainframe to workstation environment 86−67919
Palmer, E.W. Angle measurement 87−14538
Palmer, F., Tigner, M. Effect of oxide layer on microwave surface resistance of superconducting niobium 85−55112
Palmer, F. *see* Bensiek, W. 87−41695
Palmer, F.L. Influence of oxide layers on the microwave surface resistance of niobium 87−67996
Palmer, G. *see* Brearley, J. 88−67027
Palmer, G.B. *see* Haas, R.W. 86−33459
Palmer, G.M. *see* Asous, W.A. 85−20225
Palmer, G.M. *see* Bosch, F. 85−37039
Palmer, G.W.R. *see* Lappage, R. 88−15662
Palmer, H.P. *see* Causebrook, J.H. 87−13849
Palmer, J.D., Liang, Y.Q. Distributed systems architecture and decision support systems in computer integrated manufacturing 87−69719
Palmer, J.D., Sage, A.P. Information technology management of university education. I. An overview of university executive functions 88−11682
Palmer, J.D., Tsang, E.K. A Canadian experiment to explore low cost 30/20 GHz business data links using the Olympus satellite 88−3960
Palmer, J.E. Computer-aided direct design to closed loop frequency specifications 87−30673
Palmer, J.E. *see* Yonehara, T. 85−367, 85−44748
Palmer, J.F. *see* Roberts, D.M. 86−27921
Palmer, J.H. *see* Wilson, P.G. 88−44381
Palmer, J.L. *see* Ibrahim, H. 86−55104
Palmer, J.M. Near-infrared limitations to silicon photodetector self-calibration 85−51051
Palmer, J.P. CAE instruction using local networks of microcomputers 85−32978
Palmer, J.R. First order analytical technique for evaluating the heat transfer, coolant channel thermal and pressure ripple, bending, burnout, and coating damage on single and multilayer laser mirror cooled heat exchangers 85−7480
Palmer, J.R. Loss of infrared optical system MTF resulting from damage caused by high power continuous wave and low average power repetitive pulsed visible-UV lasers 88−29404
Palmer, J.R. Optical distortion of multilayer coated optical components used in high power laser systems 88−45264
Palmer, J.R. Optical distortion of rugate coated optical components used in high power laser systems 88−45265
Palmer, J.R. Hostile high energy visible laser environment providing destruction of optical signal in imaging systems 88−72198
Palmer, J.R. *see* Marrs, C.D. 85−35847
Palmer, J.R.C. *see* Dickinson, L. 88−43485
Palmer, J.W., Sabnani, K. A survey of protocol verification techniques 87−40435
Palmer, K.J. *see* Broomhead, D.S. 86−14288
Palmer, L.C. A comparison of three MAC TV transmission formats 87−41165
Palmer, L.C., Shenoy, A. Simulation of TV transmission over the communications satellite channel 86−43943
Palmer, L.C. *see* White, L.W. 88−53394
Palmer, L.M. *see* Fellenstein, C. 86−159
Palmer, M. *see* Pecht, M. 86−27698, 86−53156, 88−38876
Palmer, M., III *see* Pecht, M. 87−45401
Palmer, M.A. *see* McGuire, E.J. 87−7233, 87−12374
Palmer, M.A. *see* Stinnett, R.W. 86−8539
Palmer, M.B. *see* Templeton, D.J. 88−5532
Palmer, M.J., Farooq, M. Three-dimensional passive tracking 88−41726
Palmer, M.J. *see* Magerlein, J.H. 85−24030
Palmer, M.J. *see* Yeh, J.T.C. 85−12174
Palmer, M.R., Rogers, J.G., Bergstrom, M., Beddoes, M.P., Pate, B.D. Transmission profile filtering for positron emission tomography 86−50499
Palmer, M.R. *see* Clark, J.J. 86−23009
Palmer, M.T. *see* Schutte, P.C. 88−48280
Palmer, P.R. A simple technique for modelling converters with indeterminate voltage states 88−69745
Palmer, P.R., Williams, B.W. A novel unipolar inverter-squirrel cage induction motor drive 87−16105
Palmer, P.R. *see* Williams, B.W. 85−65343
Palmer, R. Inexpensive digital video effects 85−20330
Palmer, R. Parameters for a laser-droplet linac 86−5707
Palmer, R. Process concerns in the production of controlled impedance PWBs 86−8625
Palmer, R. Maurice: a twin-channel digital video effects system 86−69915
Palmer, R., Tollestrup, A.V. Superconducting magnetic technology for accelerators 85−37845
Palmer, R. *see* Dahl, P. 86−25050
Palmer, R.A. *see* Tirtaatmadja, E. 86−55101, 87−76482
Palmer, R.B. AGS II 85−26518
Palmer, R.B. The microlasertron: an efficient switched-power source of mm wavelength radiation 88−12891
Palmer, R.B. Open accelerating structures 88−16593
Palmer, R.B. The interdependence of parameters for TeV linear colliders 88−22894
Palmer, R.B., Baggett, N., Claus, J., Fernow, R., Ghosh, A., Giordano, S., Radeka, V., Stumer, I., Takacs, P., Warren, J. Laser plasma linac 86−5694
Palmer, R.B., Baggett, N., Claus, J., Fernow, R., Stumer, I., Figueroa, H., Kroll, N., Funk, W., Lee-Whiting, G., Pickup, M., Goldstone, P., Lee, K., Corkum, P., Himel, T. Report of near field group 86−5623
Palmer, R.B., Giordano, S. Preliminary results on open accelerating structures 86−5625
Palmer, R.B. *see* Bleser, E.J. 85−48153
Palmer, R.B. *see* Cottingham, J.G. 85−59040
Palmer, R.B.J. *see* Tsorbatzoglou, K.M. 87−57020
Palmer, R.E., Buta, R.R. Updating of decommissioning cost estimates 85−4824
Palmer, R.E. *see* Farrow, R.L. 87−31063
Palmer, R.J., Fischer, L. Two dimensional real time positioning with CW propagation and stationary active reflectors 87−29302
Palmer, R.J. *see* Fischer, L. 87−69991
Palmer, R.K. *see* Nelson, T.M. 87−77822
Palmer, R.S.J. Educating and training designers 87−23154
Palmer, R.W. Connectors: a systems viewpoint 85−11784
Palmer, R.W. *see* Curren, A.N. 88−39011
Palmer, R.W. *see* Ramins, P. 86−27801
Palmer, S. Detection of faults in new and old transformers by dissolved-gas analysis 88−24008
Palmer, S., Breton, M. Package distillation units for solvent recovery 87−45433
Palmer, S. *see* Corcoran, R.J. 87−58166
Palmer, S.B. *see* Aindow, A.M. 87−41475
Palmer, S.B. *see* Dewhurst, R.J. 88−10627, 88−42707
Palmer, S.B. *see* Edwards, C. 88−481
Palmer, S.B. *see* Hutchins, D.A. 88−10660, 88−57863
Palmer, S.B. *see* Saffari, N. 88−8390
Palmer, S.R. *see* Orvek, K.J. 87−11883
Palmer, T. Hitachi, NEC lead the way in 32-bit Japanese microprocessors 85−6364
Palmer, T. Length of journal articles: implications for electronic document delivery 86−49206
Palmer, T. *see* Burke, E.A. 88−25882
Palmer, T. *see* Campbell, A.B. 87−32543
Palmer, T. *see* Xapsos, M.A. 88−25993
Palmer, W., Hilton, B. A 500 V/μs 12 b transimpedance amplifier 87−59216
Palmer, W. *see* Kitchin, C. 88−67722
Palmer, W.J. *see* Fourman, M.P. 88−63475
Palmer, W.W. *see* Fior, G.O. 88−44678
Palmer-Stevens, D. Wider horizons for PC networking 86−69444
Palmeri, D. *see* Galloni, R. 88−18045
Palmeri, D. *see* Garozzo, M. 88−18055
Palmerini, C.G. *see* Carella, R. 86−19136

Palmetshofer, L. *see* As, D.J. 86−8776
Palmetshofer, L. *see* Pfeiffer, T. 87−74912
Palmetshofer, L. *see* Pfeiffer, Th. 87−46690
Palmetshofer, L. *see* Thim, H. 86−15181
Palmgren, A. Possibilities for international collaboration in the design of nuclear power plants and plant components 88−5443
Palmgren, A. *see* von Bonsdorff, M. 88−30451
Palmgren, M. *see* Beard, C.A. 86−12400
Palmier, J.-F. *see* Minot, C. 86−21233
Palmier, J.F., Le Person, H., Minot, C., Chomette, A., Regreny, A., Calecki, D. Hopping mobility in semiconductor superlattices 85−61747
Palmier, J.F., Le Person, H., Minot, C., Sibille, A. Electrical transport perpendicular to superlattices built in bipolar and photoconductor structures 88−32862
Palmier, J.F., Minot, C., Lievin, J.L., Alexandre, F., Harmand, J.C., Dangla, J., Dubon-Chevallier, C., Ankri, D. Observation of Bloch conduction perpendicular to interfaces in a superlattice bipolar transistor 87−18082
Palmier, J.F., Sibille, A., Harmand, J.C., Dangla, J. AlGaAs/GaAs bipolar transistors with a modulation-doped superlattice emitter 87−74256
Palmier, J.F., Sibille, A., Harmand, J.C., Dubon-Chevallier, C., Minot, C., Le Person, H., Dangla, J. Superlattice bipolar transistors 88−57627
Palmier, J.F. *see* Alexandre, F. 87−45891
Palmier, J.F. *see* Ankri, D. 86−28298
Palmier, J.F. *see* Calecki, D. 85−6732
Palmier, J.F. *see* Caquot, E. 85−40678
Palmier, J.F. *see* Dangla, J. 85−45656
Palmier, J.F. *see* Le Person, H. 88−32866
Palmier, J.F. *see* Sibbille, A. 88−33187
Palmier, L., Devos, F., Zavidovique, B. A functional operation architecture for image processing 86−63467
Palmieri, F. Sampling theorem for polynomial interpolation 87−7721
Palmieri, F., Bolgiano, L.P., Jr. Window functions obtained from B-splines 86−13682
Palmieri, F., Boncelet, C.G., Jr. *Ll*-filters 87−47854
Palmieri, F., Boncelet, C.G., Jr. A class of nonlinear adaptive filters 88−66546
Palmieri, F. *see* Abdou, I.E. 86−4029
Palmieri, L., Socino, G., Verona, E. Interdigital transducer method of acoustic beam steering for bulk wave acousto-optic Bragg cells 85−62416
Palmieri, L., Socino, G., Verona, E. Acoustic beam steering by an interdigital transducer for wideband bulk wave acoustooptic deflectors 87−1997
Palmieri, L., Socino, G., Verona, E. Nonlinear electroelastic effect in acoustic layer mode propagation along ZnO/Si structures 87−67634
Palmieri, L. *see* Palma, A. 85−24024, 86−2482, 86−9369
Palmieri, V. Applied superconductivity for resonant accelerating cavities 88−47799
Palmieri, V. *see* Ferguson-Pell, M.W. 86−32371
Palmin, S. Bipolar MOSFET stepping motor drive design 85−16124
Palmin, S. Optimization of stepper motor performance 87−51279
Palmin, S. Mini-expert system simplifies stepping motor system design 87−64634
Palmin, S. The benefits of driving either stepping motors or servomotors with a universal motion controller 88−75663
Palmin, S. New approach for the control of DC servo motors 88−75668
Palmin, S. Methods of mid-frequency stability control 88−75680
Palmin, S., Balog, B. Comparing efficiency of stepping motors using parabolic and linear ramping 88−62396
Palmin, S., Boyd, J.R. An integrated approach to implementing stepping motor controller systems 88−30749
Palmin, S., Shlain, V. New stepper motor controller with parabolic velocity profile allows maximum utilization of available torque 86−39850
Palmin, S., Shlain, V. Stepper motor controller with parabolic velocity profile allows maximum torque 86−45454
Palmiotti, G. *see* Salvatores, M. 85−65078
Palmisano, G. *see* Chiappano, G. 87−62861, 87−69951
Palmisano, G. *see* Liberali, V. 88−6964
Palmisano, G. *see* Maloberti, F. 85−34003
Palmisano, J.B. *see* Gifford, P.R. 88−49114
Palmo, M.A. *see* Chari, M.V.K. 85−24727, 86−61473, 86−61556, 87−72094
Palmo, M.A. *see* D'Angelo, J. 88−8404
Palmonari, F. Particle identification at the TeV scale in pp, ep and ee colliders 88−4724
Palmonari, F. *see* Alberini, C. 87−35339
Palmonari, F. *see* Bari, G. 87−8843
Palmonari, F. *see* Basile, M. 85−43273, 86−5785
Palmour, J. *see* Kim, H.J. 88−63318
Palmour, J.W., Davis, R.F., Astell-Burt, P., Blackborow, P. Surface characteristics of monocrystalline β-SiC dry etched in fluorinated gases 87−67123
Palmour, J.W., Davis, R.F., Wallett, T.M., Bhasin, K.B. Dry etching of β-SiC in CF_4 and CF_4+O_2 mixtures 86−63193
Palmour, J.W., Kim, H.J., Davis, R.F. Wet and dry oxidation of single crystal β-SiC: kinetics and interface characteristics 87−6605
Palmour, J.W., Kong, H.S., Davis, R.F. High-temperature depletion-mode metal-oxide-semiconductor field-effect transistors in beta-SiC thin films 88−19952
Palmour, J.W. *see* Bumgarner, J.W. 88−64271
Palmour, J.W. *see* Kong, H. 88−43902
Palmour, J.W. *see* Kong, H.S. 87−67249
Palmquist, K.E. *see* Robinson, G.M. 86−36043
Palmquist, S. Industry changes that mandate a link between test and verification 86−46073
Palmquist, S., Cannon, T., Baril, B. Semicustom VLSI test alternatives: an economic perspective 85−45750
Palmquist, S., Lindsay, K., Baril, B. Hands-on IC testing aids chip designers 85−6111
Palmquist, S. *see* Gustafson, G. 88−72237
Palmquist, S. *see* Ray, S. 88−4001
Palmquist, S.L. *see* Sainati, R. 88−39615, 88−44106, 88−50119
Palmquist, S.L. *see* Walton, M.P. 87−8326
Palmquist, S.R. Shifting the responsibility of testing to the IC designer 86−21657
Palmskii, V.G. *see* Sutokhin, A.M. 87−9404
Palmstrom, C.J., Galvin, G.J. Solid phase epitaxy of deposited amorphous Ge on GaAs 86−7757
Palmstrom, C.J., Morgan, D.V. Metallizations for GaAs devices and circuits 86−9062
Palmstrom, C.J. *see* Brat, T. 85−23555
Palmstrom, C.J. *see* Chen, S.H. 86−41588
Palmstrom, C.J. *see* Eizenberg, M. 85−6855
Palmstrom, C.J. *see* Hung, L.S. 85−61749
Palmstrom, C.J. *see* Sands, T. 88−38139
Palo, E.A. *see* Haggarty, R.D. 86−57879, 87−37373
Palo, E.A. *see* Johnson, B.L. 87−55128
Palo, E.A. *see* Perry, B.D. 88−3812
Palo, S.M., Salo, T.J., Collander, P.E., Makela, R.A. Integrated test devices for reliability evaluation of non-hermetic encapsulation 87−25588
Palo, S.M. *see* Collander, P.E. 88−56032
Palocsay, L. 16-bit digital systems force front-end designers to review analog rules 86−20395
Palocz, I. Capacitive split discontinuity in a parallel-plate guide 87−68839
Palocz, I., Marcuvitz, N. A network-oriented approach to the teaching of electromagnetics 86−78
Palomanes, A.Martinez *see* Martinez Palomanes, A.
Palombo, C. *see* Gandini, S. 88−54581
Palome, J. *see* Minguet, R. 88−36924
Palomeque, E. Photocells 87−33057
Palomeque, E.A. Design of active filters using op amps 88−56756
Palomera-Garcia, R. Complementary property and Fliege's transformation in switched capacitor networks 85−17644
Palomera-Garcia, R. Topological evaluation of arbitrary cofactors of nodal admittance matrix of passive networks and its applications 86−62326
Palomera-Garcia, R., Reyes-Serrato, A. On the loop equation formulation for switched capacitor networks 86−7921
Paloniemi, P., Fallou, B., Herstad, K., Sletbak, J., Lindstrom, P. Rapid determination of thermal endurance of PETP film combining sensitive reaction rate measurements and conventional aging tests 87−16743
Palop, O.G. Medium wave infrared radiation and its application to industrial paint drying 85−21953
Paloschi, J.R., Perkins, J.D. The updating of LU factors in quasi-Newton methods 86−66759
Paloscia, S., Pampaloni, P. The measurement of evapotranspiration using infrared remote sensing methods 87−77902
Paloscia, S. *see* Bonsignori, R. 88−10609
Paloski, W.H. *see* Collins, T.J., III 87−71072, 88−16823
Paloski, W.H. *see* West, A.K. 87−71090
Palotai, G. *see* Palfy, M. 87−22726
Palotai, T. *see* Szedenik, N. 88−34245
Palotasi, A. *see* Kas, I. 88−34197
Paloura, E., Nauka, K., Lagowski, J., Gatos, H.C. Silicon nitride films grown on silicon below 300°C in low power nitrogen plasma 86−62245
Palov, G.M. *see* Bachmann, U. 88−61922
Pals, E. *see* Bootsma, J. 87−71742, 87−78191
Pals, J.A. *see* van de Steeg, M.J.H. 86−5040
Palshkov, V.V. Intermodulation distortion in capacitive frequency converters 86−36760
Palskhkov, V.V. Optimality criterion for RF channel of digital signal receivers 85−13158
Palsule, V.S., Lal, P.M.C., Ravi, K.V. Synchronization of pseudo noise spread spectrum signals 87−47522
Palsule, V.S. *see* Lal, P.M.C. 86−10964, 87−3042
Palsule, V.S. *see* Ravi, K.V. 87−47478
Paltridge, M.L., Mudge, J.C., Spadea, G. Proving a standard interface to a 2.5 micron double metal HMOS process 85−33856
Paltrier, S. *see* Amingual, D. 87−31536
Pal'ts, T.N. *see* Biryulin, Yu.F. 88−38970
Pal'tsev, L.L. *see* Epikhin, V.M. 88−72181
Palucci, A. *see* Barbini, R. 87−12529
Palucci, A. *see* Bernardini, M. 85−29768, 85−35674, 86−42636, 87−12558, 87−26527
Palucci, A. *see* Giorgi, M. 85−51117, 85−56525
Paluchiewicz, B., Chocjan, J. Application of susceptibility analysis for synthesizing the design of a two phase drag-cup motor 85−9945
Palud, C.Le *see* Le Palud, C.
Paludi, C.A., Jr. *see* Slauson, W.E. 86−29496
Palum, R. Aspheric surface figure measurement using mechanical profilometry 88−4634
Palumbo, A.C. *see* Abkowitz, M. 85−18093, 85−34517
Palumbo, L. *see* Biagini, M.E. 88−47971
Palumbo, L. *see* Bucci, O.M. 85−57110
Palumbo, L. *see* Gennarelli, C. 85−13068
Palumbo, L. *see* Guiducci, S. 85−56720
Palumbo, L. *see* Kheifets, S. 88−20973
Palumbo, L.A. *see* Burgi-Schmelz, A.H. 86−54729
Palumbo, P.W., Swaminathan, P., Srihari, S.N. Document image binarization: evaluation of algorithms 87−47963
Palumbo, T.A. *see* Fox, A. 87−10523
Palumbo, T.A. *see* Georgiou, G.E. 85−1625
Palumbo, W., Dugan, M.P., Dugan, M.P. Design and characterisation of input protection networks for CMOS/SOS applications 87−53743
Palumbo, W.J. *see* Morghabel, A.W. 87−38345
Palumbo, W.J. *see* Mougharbel, A.W. 87−44768
Paluoya, R.A. *see* Vain, Yu.I. 87−28033
Palusamy, S.S. *see* Bogard, W.T. 88−75425
Palusamy, S.S. *see* Bond, C.B. 87−78376
Palusinski, O. *see* Prince, J. 87−45169
Palusinski, O. *see* Scheinfein, M. 87−23348
Palusinski, O.A. A numerical technique to improve simulation of MOS integrated circuits 85−18487
Palusinski, O.A. Expansion methods in relaxation-based circuit simulation 85−33598
Palusinski, O.A., Lee, A. The spectral discretization of transmission line system 88−66123
Palusinski, O.A., Liao, J.C., Teschan, P.E., Prince, J.L., Quintero, F. Electrical modeling of interconnections in multilayer packaging structures 86−61943
Palusinski, O.A., Liao, J.C., Teschan, P.E., Prince, J.L., Quintero, F. Electrical modeling of interconnections in multilayer packaging structures 88−182
Palusinski, O.A., Prince, J.L., Liao, J.C., Teschan, P.E. UAC program for electrical modeling of board level interconnections 87−37683
Palusinski, O.A. *see* Baker, G.R. 86−58572
Palusinski, O.A. *see* Prince, J.L. 86−45974
Palusinski, O.A. *see* Scheinfein, M.R. 88−26384, 88−56196
Palusinski, O.A. *see* Wright, S.J. 87−16534
Palussek, A. *see* Bensiek, W. 87−41695
Paluszynski, W., Kalet, I.J. Radiation therapy planning: a design-oriented expert system 87−63831
Palvankar, Y.K. *see* Kalra, P.C. 85−53315
Palvanov, V.G. Characteristics of rectifiers controlled by multiple switched gates 87−4780
Palvanov, V.G. On the instantaneous power of a polyphase system of nonsinusoidal currents 87−50616
Paly, T.De *see* De Paly, T.
Palyanitsa, D.P., Dement'ev, A.M. Digital video-pulse amplitude meter 88−60568
Palyanitsa, D.P., Latypov, A.A., Leshchenko, S.A. Adaptive pulse-duration meter 88−38427
Palyanytsya, I.F., Procevyat, M.M., Kovaleva, V.P., Bryk, V.B., Kolodii, Z.A. New developments in industrial low-temperature thermometry 88−22828
Palylyk, R.A. *see* Frank, G.I. 87−29090
Palylyk, R.A. *see* Murphy, M.W. 87−50846
Palylyk, R.A. *see* Talas, P. 88−30603
Palys, M. Application of Raman and Brillouin lidar to measurement of air and water temperature profiles 85−15421
Palz, W. Photovoltaic power generation: a 1987 review 88−43102
Palz, W., Kaut, W. Photovoltaics in the European Community 86−40104
Palz, W., Kaut, W., Van Overstraeten, R., Willeke, G. PV activities of the European Community 88−24145
Palz, W. *see* Schmid, J. 87−43762
Palz, W., Treble, F.C. *(editor)* Sixth E.C. Photovoltaic Solar Energy Conference 86−33926
Palz, W. *see* Goetzberger, A. *(editor)* 88−11589
Pam, R. *see* Kesselring, J.P. 87−42653
Pamanathan, K.V. *see* Vengurlekar, A.S. 87−32438
Pamfilov, R.K. Operating properties of inverse transformer circuits for error-sensing meters 85−55207
Pamfilov, R.K. The functional properties of mismatch measurer inverse transformer circuits 85−60236
Pamfilov, R.K. Adding circuit in device measuring servo system misalignment 86−5144
Pamfilov, R.K. Servomechanism mismatch-measurer adding circuit 86−20657

Pamfilov, R.K. Elements of a functional theory for remote signalling of phase angle and speed in a motor 86–33273
Pamfilov, R.K. Structural analysis of electrical devices 88–37258
Pamini, R. *see* Camani, M. 86–33215, 86–45300
Pamm, L.R., Thompson, T.H. Survey of customer premises telecommunications services and equipment 85–8043
Pammer, B. System control on the power system of Linzer Elektrizitats-, Fernwarme- und Verkehrsbetriebe AG 85–38412
Pamminger, W.R. Gated pulse generator for pulses with adjustable delay and width 85–33789
Pampalone, T.R. Poly(olefin sulfone) electron beam resists 87–11509
Pampalone, T.R., DiPazza, J.J., Kanen, D.P. Novolac resin planarization layers for multilayer resist imaging systems 87–17865
Pampalone, T.R., Gilfillan, A.M. Using photoresist photosensitivity values to maintain critical dimensions 87–17867
Pampalone, T.R., Gilfillan, A.M., Zanzucchi, P.J. Fourier transform infrared (FTIR) analysis of photoresist films on silicon wafers 87–11506
Pampalone, T.R., Hannifan, M.R., Jain, S., Krieger, C.D. Photosensitivity and contrast determination of photoresist by laser interferometry 85–23618
Pampalone, T.R., Kuyan, F.A. Improving linewidth control over reflective surfaces using heavily dyed resists 86–41646
Pampalone, T.R., Kuyan, F.A. Contrast enhancing additives for positive photoresist 88–33100
Pampalone, T.R., Massa, R.R. The application of heavily dyed photoresist to wafer production 88–33101
Pampalone, T.R. *see* Thomas, J.H., III 88–64667
Pampaloni, P. *see* Bonsignori, R. 88–10609
Pampaloni, P. *see* Paloscia, S. 87–77902
Pampanini, G. Experimental evaluation of energy dissipated in rheostatic starting on a CC locomotive of the FS (Italian State Railways) 85–65494
Pamplin, B.R., Omar, M.S. CuGe$_2$P$_3$ and its alloys with Ge 85–18115
Pamplin, B.R. *see* Wang Hong 87–65482
Pamplin, B.R. *see* Yamamoto, N. 85–16945
Pampura, V.B. *see* Afanas'ev, P.G. 85–12932 to 12933
Pampuro, P. Boiler corrosion and dissolved oxygen analysis of feed water 85–43122
Pamulapati, J. *see* Berger, P.R. 88–45175
Pan, A., Carr, S. Modular multi-microprocessor based multipoint communications network (MCN) offers improved cost/performance network (MCN) offers improved cost/performance and future growth for today's terrestrial critical control circuit (TCCC) networks 87–40223
Pan, A., Marhic, M.E., Epstein, M. Optical elements for efficient one-dimensional image transmission through a single multimode fiber 87–32978
Pan, B. Floating mask method for extracting hand-printed character features 87–48106
Pan, B.C. *see* Chen, Q. 86–18383
Pan, B.Y.M. *see* How, M.M. 87–44485
Pan, C.-L., Jean, P.-Y. Improved performance of an internal-mirror He-Ne laser (λ=633 nm) stabilized by the total power method 87–74977
Pan, C.-L. *see* Chen, S.-H. 86–9965
Pan, C.-T. *see* Alexander, S.T. 88–34687
Pan, C.-T. *see* Liaw, C.-M. 88–69359, 88–75975
Pan, C.H. *see* Ho, J.M. 88–43217
Pan, C.K. *see* Dale, C.J. 86–21437
Pan, C.L. *see* Zhu, Z.H. 87–46442, 88–70952
Pan, C.T. *see* Alexander, S.T. 87–61955
Pan, C.T. *see* Chang, H.C. 87–30026
Pan, C.T. *see* Chen, J.F. 86–18672
Pan, C.T. *see* Lee, T.H. 86–6243
Pan, D., Dai, B.T., Agrawalla, B.S., Imen, K., Allen, S.D. Etching of SiO$_2$ with CO$_2$ and CO$_2$+Ar$^+$ lasers 88–33072
Pan, D. *see* Chen, J. 86–42549
Pan, D.-S. *see* Song, I. 88–19363
Pan, D.C. *see* Zhang, H.K. 88–26962, 88–51665
Pan, D.S., Yang, C.C., Jou, C.F., Jogai, B. Multilayered heterojunction structure for millimeter wave sources 85–34196
Pan, E.T.-S., Flint, J.H., Adler, D., Haggerty, J.S. Laser-induced chemical vapor deposition of silicon nitride films: film and process characterizations 87–52178
Pan, E.T.-S., Suni, I., Nicolet, M.-A. Schottky barrier height of sputtered HfN contacts on silicon 85–55570
Pan, E.T.-S. *see* Callegari, A. 85–55549, 86–53457
Pan, E.T.-S. *see* Kolawa, E. 87–60352
Pan, E.T.-S. *see* So, F.C.T. 88–24790
Pan, E.T.-S. *see* Zhu, M.F. 85–23720
Pan, F., Gu, W.K., Jing, R.J. A back tracking algorithm for matching two line drawings of a 3D moving object 87–48206
Pan, G.-W. *see* Gilbert, B. 87–31945
Pan, G.-W. *see* Olson, K.S. 88–20971
Pan, H. *see* Nishizawa, J. 87–60441
Pan, H. *see* Souletie, P. 88–31767
Pan, H.Y. *see* Song, S.T. 85–39817
Pan, J. Effective time-domain method for speech rate-change 88–59093
Pan, J., Dong, J., Zhao, X., Jiang, Y., Qin, J. An ambulatory arrhythmia monitor based on microcomputer 88–61382
Pan, J., Tompkins, W.J. A real-time *QRS* detection algorithm 85–48281
Pan, J. *see* Champness, C.H. 88–44734
Pan, J.J. Modulators and photodetectors for microwave millimeter-wave fiber optic systems 86–69796
Pan, J.J. Fiber optics and opto-electronics for radar and electronic warfare applications 87–46542
Pan, J.J. Integrated optic components for microwave coherent lightwave systems 88–9562
Pan, J.J. Fiber optics and opto-electronics for radar and electronic-warfare applications 88–17000
Pan, J.J. Integrated optics for microwave coherent detection systems 88–58219
Pan, J.J. Fiber optics for wideband extra high frequency (EHF) phased-arrays 88–72690
Pan, J.J. Microwave fiber optic system with photonic conversion 88–73934
Pan, J.J. 21 GHz wideband fiber optic link 88–73953
Pan, J.J. *see* Kim, J.H. 87–49088
Pan, J.N., Kolarik, W.J. Reliability prediction of the series system with spares subject to Weibull failures 86–34090
Pan, J.W. Present and future of synchronization in the US telephone network 88–21534
Pan, J.Y. *see* Oates, D.E. 87–46621, 88–54779, 88–56899
Pan, J.Y.-C., Tenenbaum, J.M. PIES: an engineer's 'do-it-yourself' knowledge system for interpretation of parametric test data 87–38060
Pan, J.Yung-Choa *see* Yung-Choa Pan, J.
Pan, J.Z., Avitzur, B., Chou, Y.T., Suenaga, M. Manufacture and superconducting properties of bronze processed Nb$_3$Sn monofilamentary wires with Be additions 85–46041
Pan, K.-C., Soong, F.K., Rabiner, L.R. A vector-quantization-based preprocessor for speaker-independent isolated word recognition 85–57291
Pan, K.C., Soong, F.K., Rabiner, L.R., Bergh, A.F. An efficient vector-quantization preprocessor for speaker independent isolated word recognition 86–16215
Pan, K.C. *see* Rabiner, L.R. 85–13507
Pan, K.C. *see* Tyan, Y.-S. 87–53942
Pan, L., King, P.L., Pianetta, P., Seligson, D., Barbee, T.W., Jr. Synchrotron-based X-ray lithography at Stanford University 88–48055
Pan, L. *see* King, P. 88–13222
Pan, L. *see* King, P.L. 88–39298
Pan, L. *see* Seligson, D. 88–42458
Pan, L. *see* Seth, S.C. 86–1013
Pan, L. *see* Tung-Yi Chan 88–64581
Pan, N., Bose, S.S., Kim, M.H., Stillman, G.E., Chambers, F., Devane, G., Ito, C.R., Feng, M. Hydrogen passivation of C acceptors in high-purity GaAs 87–73994
Pan, N., Tabatabaie, N., Stillman, G.E. LPE diffusion-limited growth of InGaAs 87–10437
Pan, N. *see* Jackson, G.S. 88–14179
Pan, N. *see* Lee, B. 87–67083
Pan, N. *see* Tabatabaie, N. 85–23731
Pan, P., Paquette, C. Positive charge generation in thin SiO$_2$ films during nitridation process [for VLSI] 85–61949
Pan, P., Paquette, C. Effects of nitridation pressure on properties of nitridized oxide films 87–17997
Pan, P., Schaefer, C. Effects of processing on characteristics of 10-15 nm thermally grown SiO$_2$ films 86–67782
Pan, P. *see* Nguyen, V.S. 85–10777, 86–483
Pan, P.H. Bird's beak-free semi-ROX with large radius on corner curvature 85–29158
Pan, P.H. Structure to form N-skin under the storage node [dynamic RAMs] 85–33902
Pan, P.H., White, F.R. Spacer formation on electrodes with non-vertical sidewalls 85–35079
Pan, P.H. *see* Geipel, H.J., Jr. 85–18474
Pan, P.V., Thomas, W. Vital area determination techniques at nuclear power plants 87–22054
Pan, R., Nikias, C.L. Phase reconstruction in the trispectrum domain 87–61841
Pan, R., Nikias, C.L. The complex cepstrum of higher order cumulants and nonminimum phase system identification 88–34646
Pan, R., Nikias, C.L. Harmonic decomposition methods in cumulant domains [array processing] 88–73062
Pan, R. *see* Nikias, C.L. 87–61973, 88–73109
Pan, S. Approximate determination of the characteristic impedance of the coaxial system consisting of an irregular outer conductor and a circular inner conductor 87–33466
Pan, S. *see* Eglash, S.J. 87–60406
Pan, S. *see* Skierszkan, S.J. 88–41487
Pan, S. *see* Spicer, W.E. 85–1394
Pan, S.-G. Characteristic impedance of a coaxial system consisting of circular and noncircular conductors 88–52254
Pan, S.-G. Equivalent coaxial transmission lines 88–72606
Pan, S.-K., Kerr, A.R., Feldman, M.J., Kleinsasser, A.W., Stasiak, J., Sandstrom, R.L., Gallagher, W.J. An SIS mixer for 85-116 GHz using inductively shunted edge-junctions 88–71066
Pan, S.-K. *see* Feldman, M.J. 88–15718
Pan, S.-K. *see* Kerr, A.R. 88–25565, 88–50370
Pan, S.-M. *see* Dodds, D.E. 85–47020
Pan, S.C.-S. *see* Sah, C.-T. 86–41604
Pan, S.Cheng-Sheng *see* Cheng-Sheng Pan, S.
Pan, S.C.S. *see* Hsu, C.C.H. 85–61481
Pan, S.H. *see* Newman, N. 85–29041, 85–45458
Pan, S.K., Mukhopadhyay, A.K. Synthesis of a shunt *m*-derived π filter section using a Kronian synthesis tensor 85–34036
Pan, S.M. *see* Dodds, D.E. 87–27699, 87–33632
Pan, S.N. *see* Kuang, A.X. 87–52374
Pan, S.X. *see* Nahamoo, D. 85–9151
Pan, T. *see* Okagaki, T. 85–31826, 85–64581
Pan, T. *see* Tzou, K.H. 85–64582
Pan, T.W. *see* Abidi, A.A. 88–13354
Pan, V. Fast finite methods for a system of linear inequalities 85–44615
Pan, V. Computing the determinant and the characteristic polynomial of a matrix via solving linear systems of equations 88–63226
Pan, V., Reif, J. Fast and efficient linear programming and linear least-squares computations 87–16528
Pan, V. *see* Bini, D. 88–49758
Pan, V.M., Komashko, V.A., Rudenko, E.M., Boguslavsky, Y.M., Zelenkevich, R.L. The properties of ZrN films and ZrN-based tunnel junctions 87–67827
Pan, V.M., Mukhin, S.I., Flis, V.S., Vasilenko, M.G., Latysheva, V.I., Fisher, L.M., Dzugutov, V.M. AC losses in untwisted 'in situ' superconductors above the percolation threshold 85–62266
Pan, V.M., Popov, A.G., Belous, M.V., Kozichuk, S.A. Superconducting NbN film treatments 85–46029
Pan, V.M., Rudenko, E.M., Basyul, V.A., Shaternik, V.E. Use of niobium as an injector in film tunnel structures 85–18598
Pan, V.Y. The bit complexity of matrix multiplication and of related computations in linear algebra. The segmented λ algorithms 86–13605
Pan, V.Y. On application of some recent techniques of the design of algebraic algorithms to the sequential and parallel evaluation of the roots of a polynomial and to some other numerical problems 86–13671
Pan, W., Dayton, G.O., Cross, L.E. Dielectric aging effects in doped lead magnesium niobate: lead titanate relaxor ferroelectric ceramics 87–53817
Pan, W.-S., Steckl, A.J. Anisotropic and selective reactive ion etching of SiC in CHF$_3$ and oxygen plasma 87–67120
Pan, W.-Y. An experimental investigation of the distribution of current and charge induced on a tubular conducting cylinder by an electromagnetic pulse 85–51454
Pan, W.Y. Measurement of lateral waves along a three-layered medium 86–48559
Pan, X., Olesen, H., Tromborg, B. Frequency tuning of DFB and Fabry-Perot lasers in external grating cavity 88–45499
Pan, X. *see* Shen, Z. 87–23109
Pan, Y., Huijsing, J.H. New integrated gas-flow sensor with duty cycle output 88–47471
Pan, Y. *see* Hsu, Y.C. 87–65723
Pan, Y.D. *see* Liu, Z.Z. 87–15890
Pan, Z.-N. *see* Shi, W.-Z. 88–37455
Pan Anpei *see* Yang Xueyu 88–36009
Pan Bong Ha, Souguil Ann On implementing the digital DTMF receiver using PARCOR analysis method 88–46045
Pan Cheng-zhi, Han Sao-ping, Liu Xiu-yun Experimental study of output pulse shapes of a TEA-CO$_2$ laser 85–12765
Pan Cheng-zhi, Han Shao-ping, Qin Yi, Hou Qi-guo, Liu Xiu-yun Pulsed and optically pumped gas-mixture FIR lasers 85–46304
Pan Cheng-Zhi, Qin Yi, Han Shao-Ping New high power FIR laser lines from TEA-CO$_2$ laser pumped CH$_2$BR$_2$, CH$_2$I$_2$, CH$_3$F and D$_2$O lasers 87–33117
Pan Chengzhi *see* Qin Yi 86–3016
Pan Ching-Tsai *see* Ching-Tsai Pan
Pan Ci-Ling *see* Ci-Ling Pan
Pan Dajing A uniform amplitude spectrum generator for test of the maximum effective pulse rate of MCAs 87–5715
Pan Dajing *see* Xin Xianjie 87–77579
Pan Deheng, Li Hongian, Wang Shuguang An automatic dynamic response calibration system for high-pressure transducers 88–53682
Pan Gui Song *see* Yuan Wen Bo 88–15740
Pan Gui Song *see* Zhou Chun Rong 85–20302

Pan Guo-hong, Wang Qin-tang Oblique evaporated CoNi films possess longitudinal and vertical component magnetic properties 88—51210
Pan Hengfu *see* Liu Enquan 88—58651
Pan Hengfu *see* Lu Baosheng 87—12426
Pan Hongfang *see* Lai Jianwen 87—60358 to 60359
Pan Hui-Bao *see* Zhou Qing-Yi 87—56927
Pan Hui-zhen *see* Wang De-ning 85—19174
Pan Huizhen, Yang Yi, Xiao Zongyao, Wang Dening Integrated buried crescent GaAs-(AlGa)As lasers operating in single-longitudinal-mode 86—3190
Pan Huizhen *see* Pang Yongxiu 87—33066
Pan Huizhen *see* Huizhen Pan
Pan Ji, Qi Jianhua, Zhao Honglin, Wang Yisha, Wang Chunliang Correlation of Ar$^+$ gettering efficiency with doses 85—50380
Pan Jianqiang B spline algorithm for geometric transformation of digital image and hard-wired implementation 86—16516
Pan Jiaxing *see* Gao Zhenheng 85—56564
Pan Jiaxing *see* Jiaxing Pan
Pan Jiazheng *see* Jiazheng Pan
Pan Jin-song *see* Su De-fu 88—11940
Pan Jinfang, Zhang Jingjiang, Peng Yulan, Zhao Yunying Holographic real-time imaging through a phase distorted medium 88—14298
Pan Jun *see* Fu Shuti 87—71600
Pan Linzhang, Zhang Shanmin, Zhang Xianqan, Tian Feng, Zhang Huiping Convenient and precise method of measuring both stability and homogeneity of magnetic fields 86—55816
Pan Maohong *see* Zhu Bing 85—12001
Pan Ming Accuracy estimation of DZR-II high precision SLR system developed by the Institute of Seismology 88—74957
Pan Paihung *see* Paihung Pan
Pan Rong *see* Zhang Hong 86—68190
Pan Ruihua The TDA 1220A multifunctional IC for FM/AM receiver 88—60391
Pan Sheng-gen On dyadic Green's functions in spherical coordinates in free space 86—13609
Pan Shenggen On the question of the dyadic operation of dyadic Green's functions at the source region 86—10173
Pan Shenggen A method of solving coaxial transmission lines of complicated cross section 87—47248
Pan Shihong, Mo Dang Effect of interfacial layer doped with opposite type impurities on Schottky diode 85—55555
Pan Shihong, Mo Dang, Spicer, W.E. An improved defect model for Schottky barrier formation on III-V compounds 86—28020
Pan Shihong, Newman, N., Kendelewicz, T., Petro, W.G. Determination of the interfacial Fermi level position for noble metals on GaAs(110) 85—50264
Pan Shuming, Xiao Yaofu Precipitation phases and coercivity in high $_iH_c$ Sm(Co, Cu, Fe, Zr)$_{7.4}$ permanent magnets. In situ observation of heating process by using 1000 kV HVEM 86—21963
Pan Wenquan, Ye Xuchu On the diffuser-tornado wind energy system 86—45311
Pan Wucheng *see* Liu Chengjun 85—1853
Pan Xiancan An MOS memory interleave-refreshing method 87—73439
Pan Xiaoming A novel FET with a recessed source structure 85—45676
Pan Xiaoshu, Dai Hua A theorem for locating eigenvalues 86—7586
Pan Xing *see* Xing Pan
Pan Xitang *see* Qian Zhaoming 86—13044
Pan Yinfei Power supply for acousto-optic modulation of frequency mixers 85—29660
Pan Yinnian *see* Shi Jiabiao 88—14244
Pan Yuee, Huang Gongyu, Liu Yanming The way to increase the depth of field of an on-line far field particle holograph 88—51952
Pan Zemin Computer-aided security monitoring system for a provincial power network 85—9413
Pan Zhenwu *see* Zhoun Bingkun 87—39091
Pan Zhijie, Liu Jingcheng, Tai Yachuan Quantitative analysis of noncoherent fault trees 88—31552
Pan Zhijie, Tai Yachuan A measure of uncertainty importance for system components in system reliability analysis 88—231
Pan Zhijie *see* Zhou Faqing 86—65843
Pan Zhiwen *see* Zhiwen Pan
Pan Zhonghan, Cui Yiben, Tang Hong, Lu Shiping, Wu Lusheng, Qi Hongain Single resonant optical parametric oscillator in 2.8-4.0 μm range 88—72402
Pan Zhushan A model for the generation of myoelectric signals 86—70417
Pan Zong-da *see* Wang Ju-wen 86—62805
Pan Zongda, Cheng Jiazhi A new method for designing circular waveguide phaser with small ellipticity 87—45189
Pan-ming Fu *see* Fu Pan-ming
Pan-Sang Jung, Garmire, E. Optical limits to parallel processing in a Fabry-Perot etalon 87—33811
Pan-Shui Yu *see* Yu Pan-Shui
Pana, G. *see* Toacse, G. 86—66108
Panachev, F.I. *see* Romanov, V.Yu. 86—67054
Panachev, F.I. *see* Vnukov, P.V. 86—51662
Panafieu, A.de *see* de Panafieu, A.
Panagiotarea, E. *see* Vassos, S. 88—5305
Panagiotopoulos, D. *see* Bourbakis, N.G. 88—40088
Panagiotopoulos, D. *see* Ioannou, D.E. 87—49745
Panagiotopoulos, G. *see* Nack, P. 85—33907
Panagopoulos, P. *see* Blumenberg, J. 86—12112
Panaiotov, K.P. *see* Angelov, A.K. 86—11068
Panait, L. *see* Danila, N. 87—50922, 87—50947
Panaite, V. Operational safety coefficient for electrical equipment components 87—43903
Panaite, V. *see* Mathe, B. 86—18826
Panaitescu, A. *see* Moraru, A. 86—6803, 87—15793
Panaitescu, I. *see* Ursu, I. 88—49059
Panajotov, K., Zartov, G.D., Peyeva, R.A. Oscillations and chaos in a hybrid bistable optical device tuned by the incident light angle 88—65830
Panajotov, K.P. *see* Zartov, G.D. 85—56755, 86—9620, 86—9961, 86—28894, 87—12244, 87—26530, 88—7971
Panajotov, Kr.P. *see* Zartov, G.D. 86—22188, 87—26506
Panakkal, J.O. *see* Kutty, T.R.G. 88—18805
Panakkal, J.P., Chandresekharan, K.N., Ghosh, J.K. Radiographic detection of tungsten inclusions in nuclear fuel pin end-plug welds 85—54561
Panakkal, J.P., Ghosh, J.K. Ultrasonic velocity in sintered uranium dioxide pellets 85—6031
Panakkal, J.P., Ghosh, J.K., Roy, P.R. Use of ultrasonic velocity for measurement of density of sintered fuel pellets 85—4130
Panakkal, J.P., Ghosh, J.K., Roy, P.R. Characterisation of uranium-plutonium mixed oxide nuclear fuel pins, using neutron radiography 85—54547
Panakkal, J.P. *see* Chandrasekharan, K.N. 88—43956
Panakkal, J.P. *see* Ghosh, J.K. 85—17020
Panan Shen *see* Shen Panan
Pananakakis, G., Bacalis, N.C., Panayotatos, P., Kiriakidis, G., Christou, A. Electrical characterization of gold-tantalum GaAs Schottky diodes using I-V and DLTS measurements 88—57380
Pananakakis, G., Kamarinos, G. Complete determination of the electrical interfacial parameters in Al-SiO$_2$ (30 Å)-Si tunnel diodes using *I-V*, *C-V*, *G-V* measurements 86—47525
Pananakakis, G. *see* El-Sayed, M. 85—50316
Pananakakis, G. *see* Guillemot, N. 87—53402, 87—67059
Pananakakis, G. *see* Vuillod, J. 85—23591, 85—45473
Panangaden, P. *see* Rajopadhye, S.V. 87—16818
Panaov, A.E. *see* Zelenin, V.A. 86—26445
Panar, M., Denn, M.M. High-performance polymers 87—36822
Panariello, G. *see* Mazzarella, G. 87—75612, 88—27662, 88—66222
Panarin, V.M. *see* Mazurov, V.M. 85—53984
Panarotto, G., Ambrosio, R., Gagliardi, F., Guerricchio, C., Varetto, L. Error correction codec for videoconference system 86—24181
Panarotto, G., Brosio, A., Gagliardi, F., Moncalvo, A. Physical layer design of an optical fibre LAN at 140 Mbit/s 86—43864
Panarotto, G. *see* Ambrosio, R. 86—4881
Panarotto, G. *see* Brosio, A. 86—16923, 86—23456, 87—13688
Panarotto, G. *see* Caporaso, R. 87—13689
Panarotto, G. *see* Cucchetti, F. 85—25253
Panarotto, G. *see* Cucchietti, F. 85—47097
Panarotto, G. *see* Damosso, E. 87—62845
Panarotto, G. *see* Ferrero, F. 87—8017, 88—35140
Panarotto, G. *see* Gogliardi, F. 87—20547
Panas, A.I. *see* Dmitriev, A.S. 87—59237
Panas, A.I. *see* Myasin, Ye.A. 85—1244
Panas, S., Kriezis, E.E. Eddy current distribution due to a rectangular current frame moving above a conducting slab 86—42749
Panas, S.M., Kriezis, E.E. Determination of the field and the forces on a current filament moving above a conducting plate 85—46526
Panas, S.M., Kriezis, E.E. Forces on a filament moving above a conducting plate and determination of eddy currents 87—33378
Panas, S.M., Kriezis, E.E. Electromagnetic shielding in a system of two slabs 88—72495
Panasenko, G.P. Numerical solution of cell problems in averaging theory 88—38119
Panasenko, S.I. *see* Kolesnik, V.T. 87—5721
Panasenko, V.Ya., Shakalo, V.V., Ershov, V.A. Application of technological protection for emergency power limiting of stations with 300 MW units 86—25672
Panasenkov, M.A. *see* Musaev, H.A. 88—62354
Panashchenko, O.N. *see* Neustroev, L.N. 87—18811, 88—57650
Panashchenko, O.N. *see* Ovsyannikova, O.B. 86—47231
Panasik, C.M., Darland, J.J., Zimmerman, D.E. Manufacture and test of reflective array compressors with chirp slope adjustment 88—51138
Panasik, C.M., Zimmerman, D.E. A 16 tap hybrid programmable transversal filter using monolithic GaAs dual-gate FET array 87—837
Panasik, C.M. *see* Culver, J.W. 88—70889
Panasik, C.M. *see* Zimmermann, D.E. 86—14524
Panasjuk, V.S. *see* Anevsky, A.I. 88—10231
Panasjuk, V.S. *see* Anevsky, S.I. 88—47798
Panasov, S.N. *see* Ryzhii, V.I. 85—61899
Panasovskii, O.G. *see* Afanasiev, N.N. 85—38813
Panasuk, C. Silicon compilers make sweeping changes in the VLSI design world 85—502
Panasuk, C. Designer's reference [network standards] 85—30700
Panasuk, C. Erasable logic arrays claim the throne once held by bipolar fused devices 85—49802
Panasuk, C. Focus on disk-drive controller chips 86—20418
Panasuk, C. Pattern generators poised for boom in digital ASICs 86—38202
Panasuk, C. 50-W power supply fills universal need 86—52645
Panasuk, C. Video buffer amplifiers get faster and lower in distortion 86—52691
Panasuk, C. DMMs, on rerouted design path, push resolution, stability, and ease of user calibration 87—8650
Panasuk, C. Novel architectures give these chips new speed and capacity 87—11954
Panasynk, L.M. *see* Anikin, V.I. 86—22540
Panasyuk, A.I., Shmakov, M.S. An algorithm for optimum frequency control of an induction drive allowing for electromagnetic phenomena and using normalised variables 87—78668
Panasyuk, A.I. *see* Bogatyrev, V.A. 85—35503
Panasyuk, A.I. *see* Fedorova, I.A. 85—15557
Panasyuk, A.I. *see* Panasyuk, V.I. 88—11234
Panasyuk, A.I. *see* Polityko, E.D. 87—64595
Panasyuk, A.I. *see* Shmakov, M.S. 87—58376
Panasyuk, A.V. *see* Boikov, N.A. 87—22198
Panasyuk, D.I., Fortul, B.M. Preventing unbalanced-phase operation of 110 kV overhead lines with transformers at tapping points having insulated neutrals 85—21224
Panasyuk, D.I. *see* Borisenko, L.S. 86—32739
Panasyuk, D.I. *see* Dzhuvarly, Ch.M. 85—4691
Panasyuk, E.I., Kleibanov, M.S., Levit, A.D., Yakushin, V.K. Effect of diffusion limitations of the gas-phase composition in the growth of CdS and ZnSe crystals 86—66801
Panasyuk, E.I. *see* Kleibanov, M.S. 88—31722
Panasyuk, L.I. *see* Semenyuk, A.K. 86—67659
Panasyuk, O.P. *see* Elizarov, A.S. 86—44318
Panasyuk, S.L. Method for checking insulation resistance of electric wiring 86—53855
Panasyuk, S.L. An algorithm for laying out connections in a channel 87—384
Panasyuk, S.L. Automatic topology design for irregular structures 87—427
Panasyuk, V.I. The theory of optimising the control of electric drives on the basis of temperature rise 87—78991
Panasyuk, V.I., Lopatin, Yu.V., Yudenkov, V.S., Ankhimyuk, V.L., Panasyuk, A.I. On minimisation of energy losses when controlling armature current and flux in a motor under changing speed conditions 88—11234
Panasyuk, V.I., Polityko, E.D. Optimisation of acceleration of a DC drive with a flexible coupling 87—16073
Panasyuk, V.I., Zhuk, K.D., Ankhimyuk, V.L. Application of asymptotic (main) properties of trajectories for solution of optimal control problems for electric drives 86—33735
Panasyuk, V.I. *see* Polityko, E.D. 87—64595
Panasyuk, V.N., Mokerov, V.G., Kuzin, S.M. Analysis of the formation of the spatially distributed physical structure of integrated circuits, and the principles of its optimization 86—35797
Panasyuk, V.N., Mokerov, V.G., Ovcharenko, E.N., Amelin, V.P., Kuzin, S.M. Methodology of operation testing and analysis of integrated-circuit technology on the basis of electrical test component 86—1873
Panasyuk, V.P. *see* Mokerov, V.G. 87—6361
Panasyuk, V.S., Samoshenkov, Yu.K., Simanovskii, M.F. A small-size pulse modulator 86—5834
Panasyuk, V.S., Samoshenkov, Yu.K., Simanovskii, M.F. Pifon miniature X-ray equipment with high-frequency acceleration 86—56074
Panasyuk, V.S., Samoshenkov, Yu.K., Simanovskii, M.F., Filimonov, V.V. Compact proton accelerator 86—5657
Panasyuk, V.S., Tereshkin, Yu.M., Khromchenko, V.B. High-frequency section of the 'Troll' electron synchrotron with cyclotron preacceleration 85—9017
Panasyuk, V.V., Savruk, M.P., Nazarchuk, Z.T. Two-dimensional problem of electromagnetic-wave diffraction by a closed thin metal shell 86—15858
Panayirci, E. Clustering tendency problem in pattern analysis 85—57517
Panayirci, E. Jitter analysis in a timing recovery scheme for bipolar encoded digital transmission systems 87—54819
Panayirci, E., Dubes, R.C. Extension of the Cox-Lewis method for testing multidimensional data 88—28047

Panayirci, E., Tugbay, N. Optimum design of finite duration Nyquist signals 85—2845
Panayirci, E., Tugbay, N. Class of optimum signal shapes in data transmission 88—52418
Panayirci, E. *see* Ekmekcioglu, N. 87—68952
Panayirci, E. *see* Tugbay, N. 87—39550
Panayotatos, P., Bird, G., Sauers, R., Piechowski, A., Husain, S. An approach to the optimal design of p-n heterojunction solar cells using thin film organic semiconductors 88—5871
Panayotatos, P., Parikh, D., Sauers, R., Bird, G., Piechowski, A., Husain, S. Improved p-n heterojunction solar cells employing thin film organic semiconductors 87—22755
Panayotatos, P., Whitlock, J., Sauers, R.R., Husain, S., Sadrai, M., Bird, G.R. Recent advances in optimally designed p-n organic semiconductor solar cells 88—37521
Panayotatos, P. *see* Jindal, C. 87—66940, 88—39122
Panayotatos, P. *see* Moharram, A.H. 86—13049, 86—19504
Panayotatos, P. *see* Pananakakis, G. 88—57380
Panayotov, K.P. *see* Zartov, G.D. 85—46213, 85—50995
Pancaldi, S. *see* Geagea, J. 87—72817
Pancewicz, K. *see* Sekulski, J. 86—2939
Panchal, C.B., Bell, K.J. Simultaneous production of desalinated water and power using a hybrid-cycle OTEC plant 88—5608
Panchal, C.B., Stevens, H.C. Apparatus for open-cycle OTEC heat and mass transfer experiments at the seacoast test facility 87—35854
Panchal, C.B. *see* Hillis, D.L. 85—5018
Panchapakesan, S. *see* Thampi, N.S. 88—74655
Pancheha, P.A. *see* Boiko, B.T. 86—21285
Panchekha, P.A. *see* Boiko, B.T. 86—15033, 86—58336
Panchenko, A.A. *see* Klokova, N.P. 88—74360
Panchenko, A.I. *see* Golovan, G.D. 86—56803
Panchenko, A.N. *see* Kumpyak, E.V. 88—34187
Panchenko, A.N. *see* Lomaev, M.I. 86—9738, 88—14101
Panchenko, A.N. *see* Mel'chenko, S.V. 85—24479, 86—15640, 87—26318, 87—26521
Panchenko, A.N. *see* Tarasenko, V.F. 88—58443
Panchenko, A.Yu. *see* Babkin, S.I. 88—23183
Panchenko, B.A. Green's functions in the theory of microstrip antennas 85—62907
Panchenko, B.A. Polarization characteristics of microstrip antennas 86—64098
Panchenko, B.A. Determination of radiation fields in multilayer dielectric structures 88—34207
Panchenko, B.A., Baranov, S.A., Oshivalov, V.D. Edge radiation of metal-dielectric structures 88—63840
Panchenko, B.A., Knyazev, S.T., Sabirzyanov, F.Kh. Radiation characteristics of strip antennas and antenna arrays built on a dielectric substrate with an air gap 88—66170
Panchenko, B.A. *see* Bychkova, L.V. 88—27628
Panchenko, B.A. *see* Kats, E.A. 88—27625
Panchenko, B.A. *see* Knyazev, S.T. 85—64154, 86—43061
Panchenko, G.G. *see* Denisenko, N.A. 87—43695
Panchenko, M.A. *see* Gershoig, A.V. 87—54016
Panchenko, M.A. *see* Grudin, O.M. 87—7146
Panchenko, V. *see* Ioli, N. 86—3012
Panchenko, V.A. *see* Boiko, G.N. 85—24823, 86—42845
Panchenko, V.E. X-ray topography on the VEPP-3 and VEPP-4 SR beams and X-ray imaging techniques 88—13431
Panchenko, V.G. Precision measurement of antenna gain 85—48053
Panchenko, V.G. Realization of directivity characteristics with a minimum sidelobe level in single-reflector antenna systems 87—12808
Panchenko, V.G. *see* Gazazyan, E.D. 85—64214, 88—34484
Panchenko, V.P. *see* Breev, V.V. 86—15645
Panchenko, V.Ya. *see* Gordiets, B.F. 87—54253
Panchenko, V.Ya. *see* Lazerev, V.V. 87—26273
Panchenko, V.Ya. *see* Osipov, A.I. 85—62655
Pancheva, M. *see* Sainov, S.H. 87—61247
Panchhi, P.S., van Driel, H.M. Picosecond optoelectronic switching in insulating diamond 86—42402
Panchishin, V.I., Bykadorova, G.V. Development of microelectronic elemental base for simulating hybrid computer units [thermistor/bipolar transistor structure] 85—6268
Panchishin, V.I. *see* Karatsuba, A.S. 88—55267
Panchishnaya, V.M. *see* Evzikova, E.G. 85—44253
Panchmatia, D., Hammond, J.L., Tipper, D.W. An efficient method for simulating token ring or token bus access protocols 88—52983
Panchuk, O. *see* Jasinskaite, R. 86—58262
Panchuk, O.E., Feichuk, P.I., Shcherbak, L.P., Fochuk, P.M., Boichuk, R.F. Distribution of Ga in CdTe 86—63162
Panchuk, O.E. *see* Fesh, R.N. 86—28094
Panciera, R. *see* Peuto, A. 85—64310
Pancik, J. *see* Chorvatova, Z. 88—34092
Pancini, D. *see* Nicollini, G. 88—20141
Pancir, J., Haslingerova, I., Jedlicka, M. Effect of molecular oxygen on the stability of multi-alkali photocathodes 87—17596
Panciroli, F. *see* Bonaventura, G. 87—20034, 87—34517
Panczer, G.S. *see* Marque, C. 87—29772
Panda, D.K., Viswanathan, T. A parallel-serial binary arbitration scheme for collision-free multi-access techniques 88—66975
Panda, D.K. *see* Dash, P.K. 85—25109, 85—58519, 88—54967
Panda, G., Alvarez, A.M., Grant, P.M., Cowan, C.F.N. A transform domain circular convolution algorithm for adaptive filtering 87—75789
Panda, G., Cowan, C.F.N. On block implementation of adaptive FIR digital filters 86—47015
Panda, G., Cowan, C.F.N., Grant, P.M. Assessment of finite precision limitations in LMS and BLMS adaptive algorithms 87—61932
Panda, G., Grant, P.M. Rectangular-transform-based adaptive filter 85—36250
Panda, G., Grant, P.M. Review of signal convolution by the rectangular and other signal transformation 85—51638
Panda, G., Mulgrew, B., Cowan, C.F.N., Grant, P.M. A self-orthogonalizing efficient block adaptive filter 87—19656
Panda, G., Mulgrew, B., Cowan, C.F.N., Grant, P.M. On the rectangular transform approach for BLMS adaptive filtering [block least mean squares] 87—27517
Panda, M. *see* Prusty, S. 85—21254, 85—21684, 85—28328
Panda, P.C. *see* Dash, P.K. 87—57538
Panda, R.K., Sarkar, T.K., Senapati, S.C. Acceptable interval of wind speed measurement for energy computations 88—43107
Panda, S.K., Singh, S.P., Chalam, V.V. Adaptive control of generator excitation 88—23871
Panda, U.R., Agarwal, V.K., Rumin, N.R. Computer aided tests environment for standard cell IC design 86—41063
Pandarese, F. *see* Donati, V. 85—56925
Panday, R.K., Rooz, A.J.N. Preparation, compositional, electrical characterisation of n-CdSe films grown from low purity materials and application in electrochemical photovoltaic cells 87—43464
Pande, B.B. Network based cost evaluation 85—9777
Pande, B.B. Hydraulic machines for pumped storage plants 86—6609
Pande, C.S. *see* Francavilla, T.L. 85—56149
Pande, D.C. *see* Deb, G.K. 87—61399
Pande, D.K. *see* Bhattacharyya, A.K. 86—43888
Pande, K.P., Fathimulla, M.A., Gutierrez, D., Messick, L. Gigahertz logic gates based on InP-MISFET's with minimal drain current drift 87—621
Pande, K.P., Gutierrez, D. Channel mobility enhancement in InP metal-insulator-semiconductor field-effect transistors 85—34953
Pande, K.P., Gutierrez, D. High-speed integrated circuits based on InP-MISFETs with plasma SiO_2 gate insulator 86—9307
Pande, K.P., Gutierrez, D. Advances in InP-MISFET technology 87—18183
Pande, K.P., Martin, E., Gutierrez, D., Aina, O. An optimal annealing technique for ohmic contacts to ion-implanted *n*-layers in semi-insulating indium phosphide 87—37979
Pande, K.P., Nair, V.R.K., Aina, O. Capless annealing of InP for metal-insulator-semiconductor field-effect transistor applications 85—1581
Pande, K.P. *see* Aina, O. 85—1398
Pande, K.P. *see* Ashok, S. 85—39211
Pande, K.P. *see* Chang, E.Y. 88—71823
Pande, K.P. *see* Martin, E.A. 88—13389
Pande, K.P. *see* Shen, C.C. 85—1406
Pande, M. *see* D'Souza, P. 87—8146
Pande, M.M. An approach to the implementation of faster digital filters 85—962
Pande, M.M., Patet, N.K., Srikanthan, S., Lal, M. A microcomputer interface for digital seismic data acquisition systems 87—57323
Pande, M.M. *see* Srikanthan, S. 86—50136
Pande, P.C. Study of various forms of CdS solar cells 85—16243
Pande, P.C., Russell, G.J., Woods, J. The properties of electrophoretically deposited layers of CdS 85—22512
Pande, P.C., Russell, G.J., Woods, J. Effects of silver substrates on CdS-Cu_2S solar cells 86—40156
Pande, P.C., Thanvi, K.P. Design and development of a solar cooker cum drier 88—69712
Pande, P.C. *see* Al-Dhafiri, A.M. 88—37390
Pande, S.K., Goyal, R.N. An updated review of fibre optic communications 87—13736
Pande, S.K., Goyal, R.N. ISDN: why, where and, when? 88—35219
Pande, S.K. *see* Goyal, R.N. 88—35413
Pande, V.N., Verma, H.K., Mukhopadhyay, P. Bedside ECG monitor using a microprocessor 86—5949
Pande, V.N., Verma, H.K., Mukhopadhyay, P. Characterization of QRS-complex and its detection with microprocessor 86—11985
Pande, V.N., Verma, H.K., Mukhopadhyay, P. Software detection of ECG baseline and QRS-complex for coronary intensive care 86—18334
Pande, Y.K. *see* Agrawal, A. 88—35315
Pandel, J. Reduction of capacitance ratios in switched-capacitor filters employing voltage inverter switches 86—1219
Pandel, J., Bruckmann, D., Fettweis, A., Hosticka, B.J., Kleine, U., Schweer, R., Zimmer, G. An integrated 18th order VIS-SC pseudo-n-path filter 85—61375
Pandel, J., Bruckmann, D., Fettweis, A., Hosticka, B.J., Kleine, U., Schweer, R., Zimmer, G. Integrated 18th-order pseudo-*N*-path filter in VIS-SC technique 86—34975
Pandel, J., Fettweis, A. Broadband matching using parametric representations 86—57535
Pandel, J., Fettweis, A. Numerical solution to broadband matching based on parametric representations 87—65757
Pandel, J., Kleine, U. Design of bireciprocal wave digital filters for high sampling rate applications 87—17235
Pandel, J., Rainer, A., Ulbrich, W., Gasz, L., Lorcher, W. Programming and implementation of a digital signal processor for filter applications 85—49993
Pandel, J., Ulbrich, W. A single path multiplier-free transmultiplexer scheme for an adder-based digital signal processor 86—62662
Pandel, J. *see* Drews, W. 87—59596
Pandel, J. *see* Kleine, U. 85—45152
Pandel, J. *see* Kunemund, R. 86—70089
Pandelidis, I. *see* Pecht, M.G. 87—28694
Pandelisev, K.A., Wang, E.Y. Auger electron spectroscopy study of alloy formation on MIS solar-cell metal surfaces 85—44189
Pandey, A. *see* Kar, S. 87—66966
Pandey, A.K. *see* Thornton, E.A. 87—50474
Pandey, B.N., Malik, H.J. On estimating the shape parameter of the Weibull distribution by shrinkage towards an interval 88—11800
Pandey, B.N., Srivastava, R. On shrinkage estimation of the exponential scale parameter 86—315
Pandey, B.N., Srivastava, R. A shrinkage testimator for scale parameter of an exponential distribution 88—11840
Pandey, C.D. *see* Kapoor, S.K. 88—71995
Pandey, C.P. *see* Sharma, T.P. 86—13788
Pandey, D.K. Response time correlations for chromel-constantan thermocouples in flowing hot air 85—58681
Pandey, D.K., Gupta, S.M. Analysis of two-unit-standby redundant system with administrative delay in repair 86—13575
Pandey, D.K., Jaiswal, N.K., Gupta, S.M. Stochastic behaviour of a two-unit cold standby redundant system with administrative delay and two types of repairs 87—16434
Pandey, D.K. *see* Gupta, S.M. 87—16426
Pandey, G.N. *see* Kumar, M. 87—15414
Pandey, K.N. *see* Mukhopadhyay, B.K. 85—13373
Pandey, M., Upadhyay, S.K. Bayesian shrinks estimation of reliability in parallel system with exponential failure of the components 86—13573
Pandey, M., Upadhyay, S.K. Bayes shrinkage estimators of Weibull parameters 86—34121
Pandey, M., Upadhyay, S.K. Reliability estimation in stress-strength models: a Bayes approach 86—46134
Pandey, M., Upadhyay, S.K. Bayesian inference in mixtures of two exponentials 88—38035
Pandey, M.M., Chandra, P. Determination of optimum rated speeds of wind machines for a particular site 86—65807
Pandey, M.S. *see* Kumar, S. 88—3405
Pandey, N. *see* Nagabhushana Rao, K. 87—48905
Pandey, P.C., Kunov, H., Abel, S.M. A speech processor providing fricative and low-frequency periodicity information for single channel cochlear prosthesis 87—61742
Pandey, P.C. *see* Gairola, R.M. 86—18578, 87—21782
Pandey, R.K. Special design features of ventilation system of hydrogenerators 88—43158
Pandey, R.K., Gore, R.B., Rooz, A.J.N. Investigation of traps and minority-carrier diffusion length in n-CdSe films 87—66907
Pandey, R.K., Rooz, A.J.N. Efficient electrochemical photovoltaic cells using n-CdSe films electrodeposited from low-purity materials 86—51907
Pandey, R.K., Rooz, A.J.N., Gore, R.B. Chemically formed $Cd_{1-x}Zn_xSe$ photo-anodes. II. Preparation, electrical, photoelectrochemical and solar cell studies 88—69691
Pandey, R.K., Rooz, A.J.N., Kulkarni, S.K. Auger electron spectroscopic investigations of the influence of deposition parameters on the stoichiometry of n-CdSe films electrodeposited from low purity materials 87—52165
Pandey, S.B. Dynamic stability investigations—on the selection of governor parameters 85—43529
Pandey, S.B. *see* Khan, A.M. 88—42793
Pandey, S.B. *see* Misra, R.P. 88—5657, 88—64000, 88—64814
Pandey, S.D. *see* Naik, K.B. 87—58105
Pandey, S.K. Role of professional technical societies in engineering education 87—23127
Pandey, U.N. *see* Ahmad, S.N. 86—61244
Pandey, V. *see* Sood, R.K. 87—50382

Pandey, Y.K. C-DOT DSS validation plan 87−69827
Pandey, Y.K. C-DOT digital switching system 87−76446
Pandey, Y.K., Anurag Agrawal C-DOT DSS adaptability to ISDN 87−76478
Pandey, Y.K., Chandrasekaran, T. C-DOT digital switching system 88−28613
Pandey, Y.K., Lal, K.B. Distributed processing in C.DSS 88−21875
Pandey, Y.K., Sivaramakrishnan, M. C-DOT DSS site planning 87−69828
Pandey, Y.K. *see* Chandrasekaran, T. 87−69825
Pandey, Y.K. *see* Lal, K.B. 87−69824
Pandey, Y.K. *see* Rajaram, L.N. 88−28255
Pandharipande, V.M., Ramani, C., Roma, M. Microstrip-to-waveguide large aperture coupler 88−63849
Pandharipande, V.M., Vivekanandan, J. Ku-band edge slot array with optimum efficiency for frequency scanning applications 86−36847
Pandharipande, V.M. *see* Chakraborty, C. 86−54332
Pandharipande, V.M. *see* Kumar, K.B. 86−41301, 88−19902, 88−50810
Pandhi, S.N. The universal data connection 87−69849
Pandhumsoporn, T. *see* Dunfield, S. 86−28220
Pandian, G.S., Granberg, H.O. Amplifier's two devices add up to 1000 W for NMR 85−54699
Pandian, S.S.S. A simplified methodology for designing voltage rating of shunt power capacitors for industrial power systems 88−10693
Pandian, S.S.S. Design considerations for application of shunt capacitors on industrial power systems 88−68796
Pandini, G. *see* Abram, M. 86−6586
Pandini, G.C. *see* Liberati, G. 87−9422
Pandini, L. *see* Pellegrini, G. 88−8510
Pandit, A.K., Dutta, S.K. Microprocessor based motor speed control 88−23834
Pandit, M. *see* Baier, A. 86−16292
Pandit, M. *see* Beetz, B. 86−65104
Pandit, M. *see* Klauer, A. 86−31334, 87−52767
Pandit, R.S. *see* Ramakrishnan, S. 85−58855
Pandit, S.G. *see* Lakshmikantham, V. 85−44655
Pandit, S.M., Zhang, W. Modeling random gyro drift rate by Data Dependent Systems [inertial navigation] 87−4080
Pandit, S.M. *see* Ambardar, A. 85−64558
Pandit, S.N.N. *see* Venkateshwara Rao, M. 88−4883
Pandit, V.S., Sarma, P.R., Bhandari, R.K. Multiparticle multiharmonic central region calculation for heavy ions at VECC 88−74654
Panditi, S. The MAP marketplace 86−37549
Pando, A. *see* Boscolo, I. 87−18889
Pandolfi, T. *see* Gleason, G.J. 87−16415
Pandourova, V.P. *see* Stoychev, S.M. 87−17400, 87−21057
Pandrangi, S.K. *see* Elhakeem, A.K. 87−69557
Pandu Rangam, D. Geophysical instrumentation activity in NGRI−a review 87−15029
Pandya, A. *see* Kulshrestha, K.K. 87−11357, 88−1369
Pandya, D.K. *see* Kumar, S. 87−1230
Pandya, D.K. *see* Tiwari, A.N. 86−21167, 87−30974, 88−31016
Pandya, J.D., Ghosh, K.K., Rastogi, S.K. A phosphoric acid fuel cell coupled with biogas 88−62581
Pandya, J.D. *see* Gupta, S. 87−64789
Pandya, K.I., Yang, K., Hoffman, R.W., O'Grady, W.E., Sayers, D.E. Electron yield detectors for near surface EXAFS at atmospheric pressure 87−35332
Pandya, K.I. *see* McBreen, J. 88−49123
Pandya, R., Khan, B.A. Transient photocurrent response in polycrystalline silicon thin films 88−8040
Pandya, R., McGorman, R., Burrows, H., Mizon, R. Potential traffic and trunking impacts of local measured service 86−54810
Pandya, R., Ohta, T. Advances in numbering plan interworking standards for ISDN 88−46700
Pandya, R., Schiff, E.A. A multiple-trapping model with optical bias 86−21087
Pandya, R. *see* Conrad, K.A. 85−24372
Pandya, R. *see* Khan, B.A. 87−18161
Pandya, T.P., Bali, L.M., Bakshi, Ms., Singh, A.K. Single particle analysis of free electron laser 85−24591
Pandya, T.P., Bali, L.M., Bakshi, U., Jha, P. Single-particle dynamics of a free-electron laser with axial field 87−54357
Paneck, M., Korbutowicz, R., Ratuszek, M., Tlaczala, M. The application of GaAs epitaxy from the Ga-HCl-AsH_3-H_2 system to microwave device technology 88−6451
Panecki, P. Experimental reconstruction of coherent wave in cyclical system 85−57454
Panek, C.R., Kator, S.F. Custom digital filters for dynamic signal analysis 85−23029
Panek, M., Ratuszek, M., Szreter, E., Tlaczala, M. Technology of fabrication of high-purity gallium arsenide epitaxial layers on semi-insulating substrates 87−73107
Panek, M., Ratuszek, M., Tlaczala, M. Investigations of GaAs layers deposited from Ga-As-Bi solution 86−20034
Panek, M., Ratuszek, M., Tlaczala, M. LPE grown GaAs layers from Ga-As-Bi solution 86−52457
Panek, M., Ratuszek, M., Tlaczala, M. Kinetics and edge-growth effects of GaAs LPE layers grown in the Ga-As-Bi system 87−16609
Panek, M., Tlaczala, M., Ratuszek, M. Semi-closed method for post implantation GaAs annealing 87−53395
Panek, M., Tlaczala, M., Ratuzek, M. Processing and characterization of GaAs epitaxial layers deposited from Ga-As-Bi solution 87−52149
Panek, M. *see* Bugajski, M. 88−33863
Panek, M. *see* Kozlowski, J. 88−11965
Panek, M. *see* Ratuszek, M. 88−425, 88−6455
Panella, J. *see* Anguilar-Benitez, M. 87−71031
Panenko, V.V. *see* Bunkin, F.V. 85−59491
Panero, S. *see* Scrosati, B. 87−30908
Panesar, H. *see* Borger, W. 86−6990
Panesar, M.S. *see* Naik, K.B. 87−43053
Panet, M. *see* Caulier, R. 88−55154
Panetta, C.A. *see* Metzger, R.M. 87−53578, 87−60212
Panferov, A.I. *see* Kirsh, A.K. 86−6482
Panferov, A.I. *see* Ponomarev, V.K. 88−14701
Panfilis, S.De *see* De Panfilis, S.
Panfilo, P.Di *see* Di Panfilo, P.
Panfilov, A.P. *see* Merenkov, A.M. 87−31778
Panfilov, A.S. Influence of pressure on the electrical properties of iron monosilicide 86−35373
Panfilov, A.S. *see* Selivanov, A.S. 88−61627
Panfilov, D.I. *see* Bulatov, O.G. 86−45728
Panfilov, E.N., Nabereghnykh, A.I., Zaslavskii, I.F., Ponomarev, Yu.A., Malakhov, V.N. Design methods for household cylinder-type washing machines 86−66507
Panfilov, I.P. Estimating the amplitude of a rectangular pulse in the presence of sinusoidal and fluctuation noise 88−27918
Panfilov, I.P. *see* Andrushko, L.M. 88−8567
Panfilov, I.P. *see* Gofayzen, O.V. 87−55143
Panfilov, V.A. *see* Leizerovich, A.Sh. 86−39564
Panfilov, V.N. *see* Chesnokov, E.N. 86−29042
Panfilova, A.I. *see* Serezhkina, L.P. 85−4925
Panfilova, N.P. *see* Kochetova, G.P. 87−14949
Panfilova, S.V., Chaika, V.E., Chaika, G.E. The obtaining of negative resistance based on the Schottky barrier 87−45863
Panfilova, S.V. *see* Zykov, G.A. 87−18074
Pang, A.T. *see* Rhodes, M.L. 87−57257
Pang, A.W., Elyanow, D.I., Jones, R.A. Application of electrodialysis reversal (EDR) for water treatment in power stations 86−33125
Pang, C.-S. *see* Palkuti, J.L. 85−50333
Pang, C.K. *see* Rigney, D.M. 85−9460
Pang, F. *see* Parry, M.H. 86−70685
Pang, J.W.M., Donaldson, R.W. Approximate delay analysis and results for asymmetric token-passing and polling networks 87−13381
Pang, J.W.M., Tobagi, F.A. Throughput analysis of a timer-controlled token-passing protocol under heavy load 88−52938
Pang, K.F. Finite field multiplication in VLSI 87−52549
Pang, K.F., El Gamal, A. Area-time complexity of rectangular matrix multiplication 86−63421
Pang, K.F., El Gamal, A. Communication complexity of computing the Hamming distance 87−19989
Pang, K.K. *see* Fone, R.J. 87−66387
Pang, K.K. *see* Jennings, A. 85−3268
Pang, K.K. *see* Puay Kia Sim 86−48901, 88−14652
Pang, K.K. *see* Sim, P.K. 86−1281, 86−62772, 87−907, 87−61844
Pang, M.T. *see* Wang, W. 88−65702
Pang, P. Engine management 87−16133
Pang, P. *see* Belvilacqua, J. 86−26381
Pang, R. *see* Mukherjee, S. 86−46845
Pang, S.K., Rohatgi, A., Schaffer, J.P. Effect of oxygen on lifetime and defects in magnetic Czochralski silicon 88−32764
Pang, S.K. *see* Rohatgi, A. 88−64633
Pang, S.W. Surface damage on GaAs induced by reactive ion etching and sputter etching 86−63190
Pang, S.W. Effect of reactive gases on GaAs surface damage induced by reactive-ion etching and sputter etching 86−63205
Pang, S.W. Radiation damage in dry etching 87−25119
Pang, S.W., Geis, M.W., Efremow, N.N., Lincoln, G.A. Effects of ion species and adsorbed gas on dry etching induced damage in GaAs 85−29185
Pang, S.W., Geis, M.W., Goodhue, W.D., Efremow, N.N., Ehrlich, D.J., Goodman, R.B., Randall, J.N. Pattern transfer by dry etching through stencil masks 88−44666
Pang, S.W., Goodhue, W.D., Geis, M.W. Submicrometer structures fabricated by masked ion beam lithography and dry etching 88−64440
Pang, S.W., Lyszczarz, T.M., Chen, C.L., Donnelly, J.P., Randall, J.N. Masked ion beam lithography for submicrometer-gate-length transistors 87−38028
Pang, S.W., Randall, J.N., Geis, M.W. Sub-100-nm-wide, deep trenches defined by reactive ion etching 86−35589
Pang, S.W. *see* Ehrlich, D.J. 88−57409
Pang, S.W. *see* Geis, M.W. 87−38132, 87−67118
Pang, S.W. *see* Goodhue, W.D. 88−13116, 88−39232
Pang, S.W. *see* Melngailis, J. 87−38389
Pang, S.W. *see* Howard, R.E. *(editor)* 87−65084
Pang, T. *see* McKeighen, R.E. 87−46236
Pang, T.-M. *see* Castricher, G. 88−19814
Pang, Y.M. *see* Chiang, C.D. 88−24712
Pang, Y.M. *see* Lan, H. 87−31514, 88−38143
Pang Da-Wen *see* Da-Wen Pang
Pang Deling, Ma Guocai A dyeing method for etching tracks on CR-39 plastics 86−11864
Pang Ho *see* Ramachandran, R. 88−25476
Pang Jong-Shi *see* Jong-Shi Pang
Pang Mingxue *see* Liu Hongxun 87−37879
Pang Mu-ting *see* Mu-ting Pang
Pang Qichang *see* Zhang Xiaoqiu 85−50171
Pang Tia-Min *see* Tia-Min Pang
Pang Xiaofeng, Wang Hui Calculation of the characteristic impedance of a conductive transmission line with rectangular outer conductor and tangential-polywire inner conductor 88−66122
Pang Ying Convergence properties and computational efficiency of a class of global random search algorithms 87−44273
Pang Yongxiu, Wang Dening, Gong Liangen, Wu Guanqun, Pan Huizhen, Wu Chenzhen Stripe geometry and performance of high speed GaAlAs/GaAs edge-emitting LED with asymmetrical waveguide 87−33066
Pang Zhengyu *see* Zhang Hanyi 88−72374
Pang-Ying Shih, Aminoff, M.J., Goodin, D.S., Mantle, M.M. Effect of reference point on visual evoked potentials: clinical relevance 88−68407
Pangelova, N. *see* Stoyanova, K. 85−12691
Pangnian Shen *see* Shen Pangnian
Pangonis, L.I. *see* Katsenelenbaum, B.Z. 85−57099, 86−22775
Pangrac, P. Some specific problems of temperature measurement in nuclear power plants 86−65821
Pangrle, B.M. Splicer: a heuristic approach to connectivity binding 88−70448
Pangrle, B.M., Gajski, D.D. State synthesis and connectivity binding for microarchitecture compilation 87−37120
Pangrle, B.M., Gajski, D.D. Design tools for intelligent silicon compilation 88−13481
Pangrle, B.M., Gajski, D.D. Slicer: a state synthesizer for intelligent silicon compilation 88−24924
Pangrle, B.M. *see* Gajski, D.D. 86−67958, 87−24017
Pangrle, B.M. *see* Raj, V.K. 85−861
Panhuyzen, R.A. *see* ter Horst, G. 87−16950
Panhuzen, R.A., Ter Horst, G., De Graauw, T., Schaeffer, H., Klapwijk, T.M., Kortland, J., Mooij, J.E. Submm mixing experiments with planar Josephson junction devices 87−74588
Pani, R., Ballesio, P.L., Pellegrini, R., Furetta, C. Application of CdTe detectors in ophthalmological radiology for dose reduction and image optimization 87−77644
Pani, R., Laitano, R.F., Pellegrini, R. Diagnostic X-ray spectra measurements using a silicon surface barrier detector 88−4912
Pani, R., Pellegrini, R. CdTe nuclear detector: present advantages and limitations 85−52992
Pani, R. *see* Aloia, A. 88−69218
Panibratets, A.N. *see* Apakin, A.V. 88−23998
Panibratets, A.N. *see* Drobyshevskii, A.A. 88−69450
Panicali, A.R., Nakamura, M.M. On the amplitude center of apertures 85−13303
Panicali, A.R., Nakamura, M.M. On the amplitude center of radiation apertures 85−41691
Panicalli, A.R. *see* Da Silva, L.C. 85−13339
Panich, I.M. *see* Belyavskiy, V.V. 87−15036
Panichev, G.I. *see* Drugoveiko, O.P. 87−16709
Panichevskaya, V.I. *see* Zykov, G.A. 87−18074
Panichi, G. *see* Dupraz, R. 87−64311
Panicker, H. *see* Rhodes, M.L. 87−57257
Panicker, K.S.M., Ahson, S.I., Bhatia, C.M. The transient stabilization of a synchronous machine using variable-structure systems theory 86−12788
Panicker, K.S.M., Ahson, S.I., Bhatia, C.M. Microprocessor-based sliding mode controller for a micromachine 88−75646
Panicker, M.M., Dugan, E.T. Reactor kinetics of the coupled multichamber pulsed gaseous-core reactor power system 88−61581
Panicker, M.M., Dugan, E.T., Anghaie, S. Neutronics of a coupled multiple chamber gaseous core reactor power system [space power generation] 88−61571
Panicker, M.P.R. Contrast enhancement of thin film a.c. electroluminescent displays by using a contiguous dark dielectric 85−46283
Panicker, P.R.Madhava *see* Madhava Panicker, P.R.
Panico, D. *see* Hoffner, J.E. 88−23812
Panico, L. Digital transmission systems in presence of ISI, Gaussian interference and an additive mixture of highly impulsive and burst noise 88−2943
Panico, L.R. Pulsed UV curing 88−18772

Paniez, P., Amblard, G. Commercial dyes for novolak based multilayer systems 87−25020

Paniez, P., Weill, A. Glass transition temperature effects on photoresist processing 86−1976

Paniez, P., Weill, A. The novolak calibration method applied to the GPC analysis of the UV photoresists 86−53742

Paniez, P. *see* Guibert, J.C. 88−26162

Paniez, P. *see* Schiltz, A. 86−1979

Paniez, P. *see* Weill, A. 87−53623

Paniez, P.J., Amblard, G.R., Dechenaux, E.C., Weill, A.P. Characterization of commercial dyes for PMMA bilayer systems 88−19893

Paniez, P.J. *see* Weill, A.P. 88−19891

Panigata, M. *see* Francese, F. 88−152

Panigrahi, A.K. *see* Dash, P.K. 88−69046

Panin, A.L. *see* Zinin, E.F. 85−40984

Panin, A.V. *see* Kosovich, V.A. 87−72632

Panin, G.N., Karpovitsch, J.W., Kuznetsov, O.A., Schonfeldt, H.J., Raabe, A., Piazena, H. Results of a comparison of instruments for the measurement of fluctuations of wind speed, temperature and humidity of the air 85−59486

Panin, M.V. *see* Andrushechko, S.A. 88−17300

Panin, M.V. *see* Deshchenya, N.T. 87−22063

Panin, V.A. *see* Kuzelev, M.V. 85−17773, 86−3621

Panin, V.D., Serov, N.P. Stimulated reduction of power losses in electrical networks 86−25554

Panin, V.I., Baksheev, V.G., Kolmogorov, V.N., Glukhov, N.S. Amplitude-frequency characteristics of piezoelectric and noise magnetoacoustic simulators of acoustic emission 86−539

Panin, V.M. Finite penalty methods with a linear approximation of the constraints. I 85−28142

Panin, V.M. Finite penalty methods with linear approximation of the constraints. II 85−60871

Panin, V.M. Asymptotic equivalence of two finite penalty methods of first order 87−58817

Panin, V.N. *see* Arkhipov, V.K. 86−21066

Panin, V.S. *see* Aulchenko, V.M. 87−21406

Panin, V.S. *see* Blinov, A.E. 85−26540, 86−18202

Panin, V.V. *see* Bogolyubov, A.V. 85−12674

Panina, N.A. *see* Ageikin, V.A. 87−35215

Panini, F. *see* Cantoni, P. 87−46955

Paniri, Z.S. *see* Chan, J.C. 85−32182

Panis, L.M., Salm, M. PROCONTROL P−a modern control and monitoring system for power plants 85−15692

Panis, L.M. *see* Bachmann, R. 85−15691

Panish, M. *see* Tai, K. 87−61225

Panish, M.B. Gas source molecular beam epitaxy of InP, GaInAs and GaInAsP 87−16619

Panish, M.B. Gas source molecular beam epitaxy of GaInAs(P): gas sources, single quantum wells, superlattice p-i-ns and bipolar transistors 87−44319

Panish, M.B. Epitaxial semiconductor structures for the infrared: Where are we now? 87−68532

Panish, M.B., Temkin, H. Gas source molecular beam epitaxy: the growth of heterostructures of GaInAs and GaInAsP lattice matched in InP 87−23668

Panish, M.B., Temkin, H., Hamm, R.A., Chu, S.N.G. Optical properties of very thin GaInAs(P)/InP quantum wells grown by gas source molecular beam epitaxy 86−68389

Panish, M.B., Temkin, H., Sumski, S. Gas source MBE of InP and $Ga_xIn_{1-x}P_yAs_{1-y}$: materials properties and heterostructure lasers 85−44699

Panish, M.B. *see* Allam, J. 87−7196, 87−74092

Panish, M.B. *see* Harriott, L.R. 88−64453

Panish, M.B. *see* Lang, D.V. 87−6403, 88−19684

Panish, M.B. *see* Nottenburg, R.N. 87−11737, 87−18092, 87−45904, 87−53483, 87−60433

Panish, M.B. *see* Srinivasa, R. 87−58918

Panish, M.B. *see* Temkin, H. 85−2285, 85−41380, 86−2937, 86−8827, 86−42552, 86−54033, 87−8628, 87−60898, 88−50761

Panish, M.B. *see* Vandenberg, J.M. 87−17756

Panisset, J. Magnetic arc soldering under control 86−26441

Panitz, J.K.G. *see* Seager, C.H. 87−66889

Panitz, J.K.G. *see* Sharp, D.J. 85−50196

Panizza, E. Medium term applications of electronics in Fiat passenger cars 85−16363

Panizza, M. *see* Cogliandro, S. 88−47229

Panizzieri, R. *see* Gombia, E. 85−16911, 88−6436

Panjehpour, M. *see* Milligan, A.J. 88−68457

Pank, B. The Quantel digital production centre 87−70226

Pank, B. Paintbox: what's new 88−15787

Pank, B. Cypher and Cypher Sports 88−67567

Pank, R.S. *see* Ray, A.K. 85−55604

Pankewycz, M., Gerbrandt, M., Brodie, R. Logic analyzer 88−22470

Pan'kiv, M.R. *see* Bazilevich, R.P. 85−16885

Panknatova, L.A. *see* Bazanova, N.N. 85−43639

Panknin, D., Doring, C., Huller, J., Weise, C., Wieser, E., Zetzsche, A. Annealing of silicon implanted GaAs by incoherent light pulses 86−41662

Panknin, D., Wieser, E., Grotzschel, R., Richter, C.E., Gericke, M., Fattachov, Ya.V., Khaibullin, I.B. Dopant distribution and electrical activation of Si implanted GaAs by short time annealing 87−45766

Panknin, D., Wieser, E., Grotzschel, R., Richter, C.E., Gericke, M., Fattachov, Ya.V., Khaibullin, I.B. Dopant distribution and electrical activation of Si implanted GaAs by short time annealing 88−7304

Panknin, D. *see* Baither, D. 86−53324

Panko, R. *see* Goldenberg, J. 86−23485

Panko, R.R. Electronic mail [standards] 85−8070

Pan'ko, S.P., Tkach, V.I., Chmykh, M.K. Microprocessor phase meter for distorted signals 85−58821

Pankoke, U. Experiences with the KOMEX system as an inhouse CBMS [computer-based message system] 85−25361

Pankoke-Babatz, U. Results from evaluation studies with the computer conferencing system KOMEX 85−3051

Pankoke-Babatz, U. The computer conferencing system KOMEX 85−3209

Pankoke-Babatz, U. KOMEX with 430 participants [computer conferencing system] 86−16963

Pankoke-Babatz, U. Requirements for group communication support in electronic communication 88−59529

Pankonin, P.E. *see* Latimer, J.R. 86−50913

Pankov, A.P., Shustov, A.V., Goryachev, O.V. An algorithm for the magnetostatic field of a DC motor with a hollow nonmagnetic armature and magnetoelectric excitation 86−70928

Pankov, A.R., Skuridin, A.M. Data processing under a priori statistical uncertainty 87−47779

Pankov, B.V., Agliulin, A.Kh. Appraisal of consequences of power supply disturbance to machining plants using simplified models 87−43694

Pankov, E.D. Three-coordinate opto-electronic goniometers 87−63309

Pankov, E.D. *see* Andreev, A.L. 85−20593

Pankov, E.D. *see* Gorodetskii, A.E. 85−15031

Pankov, E.D. *see* Gorodoteskii, A.E. 85−29650

Pankov, E.D. *see* Nuzhin, A.V. 86−2953

Pan'kov, G.Kh. *see* Simonov, M.M. 85−8365

Pankov, I.S. *see* Deshchenko, G.N. 85−26234

Pankov, V.A. *see* Dvorovkin, V.E. 88−40076

Pankov, V.G. *see* Gratsianov, K.V. 87−46934

Pankov, V.G. *see* Volynkin, V.M. 86−48495

Pankove, J. *see* Changhua Qiu 88−65463

Pankove, J.I. Hybrid structures 85−61905

Pankove, J.I. Hydrogen neutralization of defects in silicon 86−21090

Pankove, J.I. Metastability of hydrogenated amorphous silicon 88−1348

Pankove, J.I. Intimate dangling bonds and metastability 88−2089

Pankove, J.I. A new electroluminescent display device 88−36157

Pankove, J.I., Dressner, J. Increased conductivity in P-type hydrogenated amorphous silicon 87−24809

Pankove, J.I., Wance, R.O., Berkeyheiser, J.E. Neutralization of acceptors in silicon by atomic hydrogen 85−18217

Pankove, J.I. *(editor)* Semiconductors and semimetals. Vol.21: Hydrogenated amorphous silicon. Part D: Device applications 85−60644

Pankove, K.I., Berkeyheiser, J.E. Mapping the quality of semiconductor wafers 86−41649

Pankow, D.H. *see* Steidel, R.F., Jr. 87−42559

Pankratov, E.N. *see* Kukin, V.A. 87−49364

Pankratov, L.S. Structure of the electromagnetic pulse scattered by a layer of finite thickness 86−22665

Pankratov, L.V. Smoothing algorithm for measurement results 88−67665

Pankratov, M.M. Algorithm for calculating a variable-magnification endophotocoagulation probe 88−23102

Pankratov, O.A., Foigel', M.G. Photoconductivity of $Pb_{1-x}Sn_xTe$:In solid solutions 85−24382

Pankratov, O.A. *see* Itskevich, E.S. 86−67707, 88−12965

Pankratov, O.A. *see* Kucherenko, I.V. 85−23413

Pankratov, S.G. *see* Bulyghin, V.S. 86−1655

Pankratov, S.G. *see* Bulygin, V.S. 86−41488

Pankratov, V.I. *see* Murugov, V.M. 86−14436

Pankratov, V.M. *see* Dzhashitov, V.E. 88−74225

Pankratov, Ye.D. *see* Ashirov, V.K. 88−28680

Pankratova, I.V. *see* Vertikov, V.P. 87−67617

Pankratova, L.A. *see* Bazanova, N.N. 87−9177

Pankratova, L.A. *see* Bolonov, O.A. 87−6946

Pankratova, L.A. *see* Tarasova, T.F. 86−44268

Pankrats, E.V. *see* Kolobkov, V.V. 86−6060

Pankrats, Ye.V. *see* Babkina, T.V. 85−58531

Pankratz, J.M. *see* Schroen, W.H. 87−60564

Panlig, E. *see* Fischer, S. 88−17496

Panman, J. *see* DeWulf, J.P. 87−21468, 88−22985

Panman, J. *see* Dorenbosch, J. 87−29472

Pann, A. *see* Granger, J.-J. 87−66764

Panneer Selvam, R. *see* Girija Vallabhan, C.V. 86−56956

Panneerselvam, G. Three dimensional systolic cubic architecture for simultaneous triple matrix multiplication 86−41914

Panneerselvam, M.A., Dharmalingam, K. Effect of solid impurities on power frequency breakdown strength in compressed air in uniform, nonuniform and co-axial fields 86−63489

Panneerselvam, M.A., Udayakumar, K., Dharmalingam, K., Rajapandian, S. Evaluation of performance of capacitors using different impregnants 86−67537

Pannekamp, D. Sprein−telephoning with a computer 88−21119

Pannekamp, D. Voice communication with computers via telephone and radio links 88−41565

Pannekamp, D. Speech-independent communication with computers via the telephone 88−72779

Pannekamp, D., Katterfeldt, H. A system for telephonic communications with a computer which is not dependent on speech 88−34607

Pannekamp, D., Katterfeldt, H. SPREIN−a speaker-independent communication system between user and computer via telephone 88−52366

Pannekoek, R. *see* Horsthuis, W.H.G. 86−9625

Pannell, C.N., Midgley, J.H., Jones, J.D.C., Jackson, D.A. Fibre-optic transit velocimetry using laser diode sources 88−47719

Pannell, C.N., Tatam, R.P., Greenhalgh, P., Jones, J.D.C., Jackson, D.A. A low power birefringent fibre frequency shifter 88−33683

Pannell, C.N., Tatam, R.P., Jones, J.D.C., Jackson, D.A. Optical frequency shifter using linearly birefringent monomode fibre 87−74892

Pannell, C.N., Tatam, R.P., Jones, J.D.C., Jackson, D.A. Monomode fibre modulators: frequency and polarisation state control 88−13887

Pannell, C.N., Tatam, R.P., Jones, J.D.C., Jackson, D.A. Two-dimensional fibre-optic laser velocimetry using polarisation state control 88−22794

Pannell, C.N. *see* Jones, J.D.C. 87−38820

Pannell, C.N. *see* Tatam, R.P. 87−68102, 88−33684

Pannell, R. The weak link [cable for satellite TVRO hardware] 87−8135

Pannell, R. In the hands of the receivers 87−41180

Panner, J.H. *see* Aldridge, A.W. 87−59382

Pannerer, Y.-M.Le *see* Le Pannerer, Y.-M.

Pannes, W., Lies, G., Viehbeck, W., Wegener, K. Process-computer assisted passenger information system at Dusseldorf Central Station 86−55556

Pannes, W. *see* Lower, G. 87−34056

Pannian Cao *see* Cao Pannian

Pannizzo, F., Furman, S. Frequency spectra of ventricular tachycardia and sinus rhythm in human intracardiac electrograms−application to tachycardia detection for cardiac pacemakers 88−68409

Pannizzo, F. *see* Bagwell, P. 86−5993

Pannone, L.V. *see* Helsing, D.V. 85−20459

Panofsky, E., McGhie, D. A practical architecture for machine vision based measurement and inspection 87−20951

Panofsky, W.K.H. ICFA meeting summary report. Panel discussion on cooperation in accelerator construction. I. General ideas 85−31666

Panofsky, W.K.H. Critical issues in development of new linear colliders 87−70927

Panogiotopoulos, D., Bourbakis, N. The VLSI design of a two dimensional image processing array 85−23838

Panomarev, L.I. *see* Likhoded, Yu.V. 86−41271

Panos, G. *see* Atsonios, G. 88−42885

Panossian *see* Saitcevsky, M. 86−18953

Panossian, H. Richard Bellman and stochastic control systems 86−62070

Panossian, H. System fault detection through modeling and estimation techniques 88−43737

Panossian, J., Bacher, P. The French PWRs: toward improved maneuverability 85−53457

Panossian, J. *see* Bastien, D. 87−15491

Panosyan, Zh.R., Arutyunyan, V.M., Meliksetyan, V.A. Nature of physical processes in solar cells utilizing cadmium telluride-electrolyte junctions 86−28074

Panosyan, Zh.R., Arutyunyan, V.M., Sarkisyan, A.G., Mailyan, A.R., Meliksetyan, V.A. Effects of negative differential conductivity and electroluminescence at a zinc oxide-electrolyte junction 85−34686

Panosyan, Zh.R., Margaryan, A.L., Arutyunyan, V.M. Influence of exciton absorption on the photoconductivity and photocurrent spectra of a ZnO-electrolyte interface 87−26160

Panousis, P.T., Sinha, A.K. Breaking the micrometer barrier [microchips technology] 86−53750

Panov, A.E., Leushin, V.Yu. Analysis of circuits with multimode multipoles 88−18890

Panov, A.S. Calculating dynamic characteristics of printed circuit boards in case of compliant and damping mountings 86−57194

Panov, A.S. Damping of oscillations in printed circuit boards by concentrated resistance 87−24548

Panov, A.Ya., Samokhvalov, M.K. Apparatus for measurement of minority-carrier lifetime 87−77364

Panov, A.Ye., Leushin, V.Yu. Analysis of a diode detector with a wideband signal source 86−14068

Panov, E.N. *see* Terekhov, V.M. 87−9886

Panov, N.G., Karapanov, Kh.P., Chak'rov, D.G. A new method for the production of contact bodies of silver-cadmium oxide 86−20874
Panov, S.Yu. *see* Krokhalev, B.M. 86−65906
Panov, V.A. *see* Arkhangel'skii, V.B. 86−70095
Panov, V.G. *see* Dzhagupov, R.G. 87−1820, 87−18787
Panov, V.I., Stankov, P.R. Frequency stabilization of oscillators by high-Q dielectric resonators made from leucosapphire 87−45197
Panov, V.I. *see* Braginsky, V.B. 86−57081
Panov, V.I. *see* Gusev, A.V. 85−6215
Panov, V.I. *see* Minakova, I.I. 88−7070
Panov, V.M. Investigation of the efficiency of a directly coupled adaptive noise suppressor 85−36051
Panov, V.M. Analysis of the effectiveness of cascaded adaptive suppressors of correlated interference 88−14405
Panova, R.K. *see* Kalinin, A.I. 88−60013
Panova, V.P. *see* Osanov, D.P. 86−60850
Panova, Ya.I. *see* Kramar, G.P. 85−18556
Pansard, J. *see* Sambuc, R. 88−74891
Pansare, M.G. *see* Kotrappa, P. 85−20973
Panschar, H., Steinkamp, J. Digital radio link−today and future development 87−3060
Panschar, H., Wille, H., van Zyl, O., Australia steps into the telecommunication age 88−9412
Pansder, W. *see* kastens, T. 85−54090
Panse, H. Reduction of the residual ripples in switched power packs 85−61080
Panse, H. Source impedance as optimisation criterion: design of control circuits for switched mode power supplies 86−67007
Panse, H. Designing closed-loop control circuits for switched-mode power supplies, using the source impedance as the optimization criterion 87−51365
Panse, H. Comfortable power dissipation measurements on passive components 88−60853
Pansky, T.E., Parkin, D.O. Regional rivers resource assessment as a tool for hydropower planning: the Pacific Northwest Rivers Study 88−62247
Panson, A.J. *see* Ekin, J.W. 88−20258, 88−44997
Pansyuk, V.I. Reducing the energy losses in regulated drives 87−4989
Pant, K.C. The Indian nuclear power program 85−59874
Pant, N. *see* Rao, U.R. 88−22014
Pant, R., Raja Kumar, R.V., Pal, R.N. A microprocessor based recursive constrained adaptive line enhancer: implementation and performance studies 85−46835
Panta, P. *see* Romaniuk, R. 85−2000, 85−2004
Panta, P.P. The radiation-induced effects influencing electrical properties of solid state silicon devices 86−28307
Pantajja, E. Operating computers by touch on the video display 85−42908
Pantaleo, A., Fiore, L., Guarino, G., Paticchio, V., D'Erasmo, G., Fiore, E.M., Colonna, N., Charity, R.J., Wozniak, G.J., Moretto, L.G. A novel approach to the measurement of the neutron multiplicity associated with reverse kinematics heavy ion reactions 88−61131
Pantaleo, A. *see* D'Erasmo, G. 85−37973
Pantaleo, G.G., Pepe, R.A. ARMA models of human operators 85−9121
Pantaleyev, V.V., Shevchenko, Yu.V., Zapyanov, S.A. Noise immunity of the UPS-4800 in the case of phase jitter and random phase discontinuities in a TF channel 88−66241
Pantalon, M. Universal approach for optimum component matches 87−72874
Pantalon, M. Amplifier-test software makes production testing easy 88−9880
Pantaloni, S., Passerini, S., Scrosati, B. Solid-state thermoelectrochromic display 87−63462
Pantalos, G.M. Critical and emerging issues in artificial organs 87−42018
Pantani, L. *see* Castagnoli, F. 87−41043
Pantano, C.G. Surface chemical studies of oxides and nitrides [electronic packaging] 86−13905
Pantano, C.G. *see* Brow, R.K. 86−28178
Pantano, C.G. *see* Ruzyllo, J. 88−71431
Pantano, C.G. *see* Schmid, R.S. 85−55350
Pantano, C.G. *see* Wysocki, J.A. 88−58053
Pantano, G. For a more exhaustive test of cards, automatic bus cycle emulation 85−47825
Pantano, G. A test strategy for automatic diagnosis and isolation of performance faults on digital printed circuit boards 86−4996
Pantano, G. Built-in tests: expert system aided diagnostics 86−47650
Pantano, G. From ASIC to cards: the test vector convertor 86−53704
Pantano, G. Logic simulation or when and how? 86−57742
Pantano, G. Why, how and when to apply a simulator? I. Principles of the logic simulation 86−57767
Pantano, G. Fundamentals of logic simulation. II 86−67152
Pantano, G., Pulini, G. A second generation of physical modelling systems for preserving the precision of simulation 88−44019
Pantano, J.V. *see* Gale, R.P. 86−13068
Pantazis, J. *see* Marshall, F.J. 86−32190
Pantazis, J.A. *see* Hardy, D.A. 85−9258
Pantchev, B.G. One-step field-assisted ion exchange for fabrication of buried multimode optical strip waveguides 88−1974
Pantchev, B.G., Kebedjiev, A.G., Savatinova, I.T. Step-index profile microlenses formed in glass 86−9608
Pantchev, B.G. *see* Danesh, P. 88−37404
Pantchev, Bl. Multimode strip waveguide formed by ion-electro-diffusion from solid state silver: side diffusion reduction 87−18659
Pantcheva, M. *see* Mazakova, M. 85−56857
Pantcheva, M. *see* Sainov, S. 88−33782
Pantel, R., Arnaud d'Avitaya, F., Staib, P. Auger microprofiling of silicides in the very-large-scale integration industry 86−62306
Pantel, R., Campidelli, Y., d'Avitaya, F.A. Low resistivity thin film refractory silicides grown in ultrahigh vacuum at low temperature 85−10780
Pantel, R. *see* Maillet, S. 87−38083
Pantel, R. *see* Pauleau, Y. 87−11702
Panteleev, A.M. *see* Nemeni, T.M. 86−70900
Panteleev, A.V. Designing suboptimal nonlinear adjustable filters of minimum dimensions 87−27383
Panteleev, E.G. *see* Valiev, K.A. 88−13205
Panteleev, G.V., Chistyukhin, V.V. Sensitivity of a quartz sensor of film thickness 87−56638
Panteleev, M.S. *see* Sebko, V.P. 86−531
Panteleev, N.I. *see* Bdulenko, A.P. 86−67618
Panteleev, Ts.Ts. *see* Sleva, D.G. 86−32211
Panteleev, V.A. *see* Bednyi, B.I. 86−35312
Panteleev, V.A. *see* Golemshtok, G.M. 85−12142, 85−34805
Panteleev, V.A. *see* Vasin, A.S. 85−55660
Panteleev, V.G., Ogarkov, A.A. Theoretical calculation of the hydraulic ash-removal system of a thermal power station under unfavourable meteorological conditions 87−57854
Panteleev, V.I. *see* Drobushevskii, V.M. 88−49184
Panteleev, V.N. *see* Wagner, H. 87−71059
Panteleev, V.V. *see* Gavrilyuk, M.S. 88−19274
Panteleeva, T.R., Perepelkin, V.A., Chuiko, V.G. Portable working standard of microwave power in waveguides 86−44407
Panteleimonov, E.A. *see* Skachko, Yu.N. 85−32849
Pantelic, D.V. Optical computation of determinants 88−13982
Pantelic, D.V. Optical tomographic memory 88−20335
Pantelic, D.V. Generalized back-projection method 88−28061
Pantelides, S.T. Defects in silicon and their relation to VLSI 85−23830
Pantelides, S.T. Recent advantages in the theory of impurities and defects in semiconductors 86−1669
Pantelides, S.T. Hydrogen diffusion and hydrogen-dopant reactions in crystalline silicon 87−60336
Pantelimon, M. *see* Mihailescu, D. 86−61794
Pantelis, P. Properties and applications of piezoelectric polymers 85−24028
Pantelis, P., Hill, J.R., Oliver, S.N., Davies, G.J. Organic polymer films for nonlinear optics 88−71992
Pantelis, P. *see* Hill, J.R. 87−53933
Pantelis, P. *see* Kashyap, R. 86−2745
Pantelis, S., Fleuret, J., Caussignac, J.-M. Influence of the emulsion thickness on multiplexed image holography 85−51290
Pantelis, S., Fleuret, J., Caussignac, J.-M. A multiplexed holographic message visualization display 86−10025
Pantelis, S. *see* Fleuret, J. 86−3336
Pantell, R.H. Novel radiation sources for infrared to gamma rays 87−26639
Pantell, R.H., Feinstein, J. FEL mode propagation at saturation 88−2288
Pantell, R.H., Feinstein, J., Fisher, A.S., Deloney, T.L., Reid, M.B., Grossman, W.M. Benefits and costs of the gas-loaded, free electron laser 87−2179
Pantell, R.H., Fontana, E., Feinstein, J. Wave guiding by a wiggling FEL beam 87−75211
Pantell, R.H. *see* Deloney, T.L., II 86−3217
Pantell, R.H. *see* Fauchet, A.-M. 85−18958
Pantell, R.H. *see* Feinstein, J. 86−58943
Pantell, R.H. *see* Feinsten, J. 88−27190
Pantell, R.H. *see* Fisher, A.S. 87−2183, 88−72502
Pantell, R.H. *see* Flanagan, M.T. 85−9149
Pantell, R.H. *see* Grover, L.K. 85−51198, 86−3205, 86−68565
Pantell, R.H. *see* Ho, A.H. 87−75164, 88−2290
Pantell, R.H. *see* Reid, M.B. 87−75150, 88−2289
Panter, F. *see* Zlahtic, F. 85−9419
Panter, G.B. *see* Olefirenko, P.P. 88−20237
Panter, M. *see* Berggren, M. 85−9040
Panter, M. *see* Cattai, A. 85−43181, 85−43250
Pantev, C. *see* Lutkenhoner, B. 86−25227
Panteva, V.M. *see* Beshkov, G.D. 88−33075
Panther, R. Subscriber line testing 86−10863
Pantic, B.O. The time domain analysis of PWM systems 86−40815
Pantic, B.O. The use of square waveform concepts in the theory and modelling of electrical machines 87−22365
Pantic, B.O. A method of analysis of PWM systems 87−23877
Pantic, B.O. *see* Jevremovic, R.M. 87−43074
Pantic, D. Maturity factors in predicting MTBF for linear ICS 85−35099
Pantic, D. Burn-in as a tool to obtain hi-rel parts 86−13591
Pantic, D. Precautions in predicting failure rates for semiconductor devices 86−35835
Pantic, D. Benefits of integrated-circuit burn-in to obtain high reliability parts 86−47675
Pantic, D. Data-code factor improves accuracy of semiconductor failure-rate model 87−25448
Pantic, D.M. Maturity factors in predicting failure rate for linear integrated circuits 85−23876
Pantic, S. *see* Jelenkovic, E. 87−66193
Pantic, S.Z. *see* Litovski, V.B. 87−53457
Pantic, Z. Accurate evaluation of magnetic field in the synthesis of electromagnets 85−2494
Pantic, Z., Mittra, R. Quasi-TEM analysis of microwave transmission lines by the finite-element method 87−19235
Pantic, Z., Mittra, R. Full-wave analysis of isolated and coupled microwave transmission lines 87−73592
Pantic-Tanner, Z., Mittra, R. Finite-element matrices for loss calculation in quasi-TEM analysis of microwave transmission lines 88−66124
Pantic-Tanner, Z. *see* Chan, C.-H. 88−40620
Pantigny, P. *see* Audaire, L. 88−74477
Pantigny, P. *see* Lucas, C. 88−74413
Pantikyan, R.T. A method of time-diversity reception 85−36918
Pantinakis, A., Jackson, D.A. High-sensitivity low-frequency magnetometer using magnetostrictive primary sensing and piezoelectric signal recovery 86−60219
Pantli, W. Control and monitoring systems in the La Fortuna hydro power plant in Panama 86−51491
Pantoja, A. *see* Solera, J.S. 86−45278
Pantoja, F.R. Homodyne and heterodyne studies of GaAs and InP millimeter-wave Gunn mixers 86−20825
Pantoja, F.R., Calazans, E.T., Jr. Theoretical and experimental studies of gain compression of millimeter-wave self-oscillating mixers 85−34178
Pantoja, R.R., Sapienza, A.R., Medeiros Filho, F.C. A microwave printed planar log-periodic dipole array antenna 88−14527
Pantoja, R.R., Sapienza, R., Medeiros Filho, F.C. Analysis of a wideband microwave log-periodic antenna feeding technique 87−27103
Pantoja-Lopez, A., Garcia Martin, J. Experimental photovoltaic solar plant−100 kWp 88−17451
Pantos, E. *see* Helliwell, J.R. 86−60678
Pantsios, C.F., Pantsios, F.A. Smoothing of omnidirectional horizontal radiation patterns of TFD TV panel antenna arrays with progressive current phase shift feeding 86−29557
Pantsios, C.F. *see* Pantsios, F.A. 85−13215
Pantsios, F.A., Pantsios, C.F. Computer programs for the calculation of the horizontal far field radiation pattern and directivity of full wave dipole panel antennas 85−13215
Pantsios, F.A. *see* Pantsios, C.F. 86−29557
Pantskhava, E.S. Biogas−a renewable form of fuel and energy 88−55637
Pantzer, D., Politch, J., Ek, L. Analysing the quality of the first order diffracted laser beam emerging from an acousto-optic modulator 86−3273
Panuska, A.J. *see* Gartside, C.H., III 87−62931
Panvini, R. *see* Young, C.C. 86−50316
Panvini, R.S. *see* Atwood, W.B. 87−21411
Panvini, R.S. *see* Hodges, C. 86−50313
Panwar, B.S., Bhattacharya, A.B., Dieulesaint, E. Transmission-line approach for computation of static capacitance of interdigital transducers in multilayered media 86−63524
Panwar, B.S., Chandra, S., Bhattacharyya, A.B. Comparison and evaluation of radiation damages in MZOS and MZNOS SAW monolithic structures 87−60764
Panwar, O.S., Dixit, P.N., Bhattacharyya, R., Shah, V.V. Hydrogenated amorphous silicon films prepared in cascaded glow discharge reactors 86−35345
Panwar, O.S., Dixit, P.N., Bhattacharyya, R., Shah, V.V. Light-induced conductivity changes in hydrogenated amorphous silicon films prepared in cascaded glow discharge reactors 86−41556
Panwar, R. *see* Chandra, A. 87−30994
Panwar, S. *see* Maglaris, B. 87−62511
Panwar, S.S., Towsley, D., Wolf, J.K. On the throughput of degenerate intersection and first-come first-served collision resolution algorithms 85−51521
Panwar, S.S., Towsley, D., Wolf, J.K. Optimal scheduling policies for a class of queues with customer deadlines to the beginning of service 87−55399
Panwar, S.S., Towsley, D., Wolf, J.K., Armoni, Y. Collision resolution algorithms for a time-constrained multiaccess channel 88−34877

Panxun Chen *see* Chen Panxun
Pany, C.J. Simplifying analog device test program generation 86−49947
Panyakeow, S. Double surface solar cells 87−30951
Panyan, M.G. *see* Kavalov, R.L. 85−59223
Panych, L. *see* Beddoes, M.P. 87−63793
Panyukov, S.V., Zaikin, A.D. Macroscopic quantum shift of the flux and quantum tunneling 88−13708
Panyukov, S.V. *see* Bulaevskii, L.N. 88−32740
Panyukov, S.V. *see* Zaikin, A.D. 86−42177, 86−63590
Panzer, B. *see* Arnault, C. 87−14216
Panzer, B. *see* Burkhardt, H. 88−47997
Panzer, I. Programmable logic arrays: catching up with the matrix 85−11178
Panzer, I. PAL-application: a 4-bit counter 86−20658
Panzer, J. The cause, course and consequences of the cable fire at Bayernwerk Schwandorf power plant 88−23740
Panzer, K., Rehm, H. Picture-transmission path using frequency modulation in a glass-fiber subscriber network 85−2963
Panzer, K., Schrodinger, K., Wilhelm, W. Digital optical transmission system for industrial use with data rates of up to 200 Mbit/s 87−49108
Panzer, K., Schrodinger, K., Wilhelm, W. Optical systems for 200 Mbit/s data transmission 88−15461
Panzer, P. Integration of three-field 20 kV switchgear in a transformer room 85−53772
Panzer, P., Ulrich, M. Laying a 20 kV VPE cable as well as a telecommunications earth cable in the vicinity of a marsh 87−21959
Panzer, S. *see* Schiller, S. 85−12198
Panzeri, A. *see* Marchionna, E. 88−25434
Panzeri, A. *see* Stracca, G.B. 86−52933, 87−17303
Panzeri, E. *see* Acerbi, E. 85−58995
Panzeri, W. *see* Comparin, G. 86−37212
Panzica, F. *see* Cerutti, S. 86−60785
Panzieri, D. *see* Balestra, F. 85−37946, 87−63677
Panzieri, D. *see* Bussa, M.P. 87−21415
Panzieri, F., Lissoni, C. Data communication software for onboard applications 88−59645
Panzieri, F., Randell, B. Interfacing UNIX to data communications networks 86−23470
Panzieri, F. *see* Linton, A. 86−37509
Panzkofer, A. Saturable absorbers with concentration-dependent absorption recovery time 86−54204
Pao, C.-s., Li, Y., Chou, S.-p. A superconducting-dielectric resonator at *W*-band 88−63873
Pao, C.K., Chen, J.C., Nesbit, G.H., Trinh, T.N., Lan, G.L. Recent advances in millimeter-wave MICs 88−19380
Pao, C.K. *see* Chen, J.C. 87−59877
Pao, C.K. *see* Lan, G.L. 88−63966
Pao, C.V. Monotone iterative methods for finite difference system of reaction-diffusion equations 85−60915
Pao, C.V. Numerical solutions for some coupled systems of nonlinear boundary value problems 88−356
Pao, D. *see* Li, H.F. 88−38585
Pao, H.P. *see* Ling, S.C. 87−29944
Pao, Y. *see* de la Houssaye, P.R. 88−39506
Pao, Y.-H. *see* El-Sherbini, A. 85−4522
Pao, Y.-H. *see* Sobajic, D.J. 88−10767
Pao, Y.-H. *see* Xu, G. 87−19733
Pao, Y.C., Ou, W., Harris, J.S., Jr. ⟨110⟩-oriented GaAs MESFETs 88−39501
Pao, Y.C. *see* Allen, L.T.P. 88−391, 88−24714
Pao, Y.C. *see* Anderson, W.T. 88−57688
Pao, Y.C. *see* Madden, C.J. 88−56917
Pao, Y.C. *see* Rodwell, M.J.W. 88−20022
Pao, Y.C. *see* Yuen, C. 88−63974, 88−71045
Pao, Y.H. *see* Raviv, D. 88−59270
Pao Cheng-Kang *see* Dong Tai-Huo 88−35947
Pao Pei-Ling *see* Pei-Ling Pao
Pao Ping-chian *see* Ping-chian Pao
Pao Yi-Ching *see* Yi-Ching Pao
Pao Yoh-Han *see* Yoh-Han Pao
Pao-Jung Chen, Misiakos, K., Neugroschel, A., Lindholm, F.A. Analytical solution for two-dimensional current injection from shallow p-n junctions 86−21188
Pao-Lo Liu *see* Chen, J.C. 88−63333
Pao-Lo Liu *see* Kwang-Tsai Koai 87−18755
Pao-Lo Liu *see* Wei-Kuo Chen 88−72459
Pao-Shan Weng Radiation safety experience in the past decade for nuclear power plants in the Republic of China 86−18941
Pao-Shan Weng, Pin-Chieh Hsu Calibration of low-background beta counting systems for environmental samples 87−57036
Pao-Shan Weng *see* Cheng-Hsin Mao 87−22072, 87−41867
Pao-Shan Weng *see* Pin-Chieh Hsu 86−50645
Paola, G.De *see* De Paola, G.
Paola, R.Di *see* Di Paola, R.
Paolella, A., Herczfeld, P.R. Optical gain control of a GaAs MMIC distributed amplifier 88−63927
Paolella, A., Herczfeld, P.R. Optical control of a GaAs MMIC transmit/receive module 88−71117
Paolella, A., Ross, R.L., Ondria, J. Advanced MM-wave sources by automated MBE 86−52478
Paolella, A. *see* Herczfeld, P.R. 88−50375
Paoletti, A. Magnetic materials 87−38644
Paoletti, A. *see* D'Amico, A. 86−17982, 87−25786
Paoletti, A. *see* De Gasperis, P. 85−29478
Paoletti, D., Schirripa, G., D'Altorio, A. Sandwich hologram: a practical tool for stress analysis in paintings on canvas 87−19081
Paoletti, D., Schirripa, G., D'Altorio, A. Holographic study of liquid diffusion: a new approach 88−8328
Paoletti, D., Spagnolo, G.S., D'Altorio, A. Sandwich hologram for displacement derivative 86−22549
Paoletti, R. *see* Bertolucci, S. 88−47987
Paoli, C. *see* Lettera, C. 87−47887, 87−48157
Paoli, G., Garcia Perez, J.A., Riva, F. Low-capacity digital radio system UD 85−42462
Paoli, G., Riva, F. 13 GHz digital radio system for urban area 88−15339
Paoli, G., Riva, F. 13 GHz digital radio system for urban areas 88−35380
Paoli, M.P., Mitchell, E.W.J., Sinclair, R.N., Taylor, A.D. Development of a resonance detector spectrometer on the Harwell Linac 86−56066
Paoli, P., Politi, A., Arecchi, F.T. Statistical dynamics of class-B lasers 88−65545
Paoli, P. *see* Boselli, G. 88−42870
Paoli, R.De *see* De Paoli, R.
Paoli, T. *see* Welch, D.F. 87−54310
Paoli, T.L., Thornton, R.L., Burnham, R.D., Smith, D.L. High-power multiple-emitter AlGaAs superluminescent diodes 85−62456
Paoli, T.L. *see* Andrews, J.R. 86−9847, 88−14182
Paoli, T.L. *see* Burnham, R.D. 85−12870, 86−42522, 87−24869, 87−67088
Paoli, T.L. *see* DeFreez, R.K. 85−35750
Paoli, T.L. *see* Deppe, D.G. 87−2110, 87−7340, 87−33150, 88−34022
Paoli, T.L. *see* Elliot, R.A. 85−62574
Paoli, T.L. *see* Epler, J.E. 85−35777, 85−56604, 86−9828, 86−15680, 87−24817, 87−61141, 87−61149, 87−75075, 88−2219, 88−51690
Paoli, T.L. *see* Fouquet, J.E. 85−35606
Paoli, T.L. *see* Harnagel, G.L. 85−24544
Paoli, T.L. *see* Hsieh, K.C. 86−48385
Paoli, T.L. *see* Jackson, G.S. 86−48389, 87−61160, 88−34025
Paoli, T.L. *see* Kaliski, R.W. 85−56423, 87−12459
Paoli, T.L. *see* Nam, D.W. 87−75073
Paoli, T.L. *see* Puretz, J. 87−33158
Paoli, T.L. *see* Streifer, W. 85−2287, 85−2350, 85−7468, 85−62624
Paoli, T.L. *see* Thornton, R.L. 86−22367, 86−29128, 86−68519, 87−10435, 87−26382, 88−12991, 88−20425, 88−72138
Paoli, T.L. *see* Welch, D.F. 86−15687
Paoli, Y. *see* Richard, J.-L. 88−43473
Paolillo, A., Pelizzari, G. Real time simulator of alternator-network system 86−45365
Paolin, F. *see* Bordignon, P. 87−43249
Paolini, D. CAD in the manufacture of printed circuits 87−37671
Paolini, M. *see* Melgara, M. 85−22815, 85−23935, 85−33589, 85−33829
Paolini, M. *see* Stamelos, I. 87−25477
Paolini, M. *see* Stamelos, J. 87−16357
Paolini, R. *see* Klasco, M. 88−35732
Paolone, B. *see* Bardati, F. 88−36469
Paoloni, A. *see* Federico, A. 87−61750
Paoloni, C. *see* Giannini, F. 86−41314, 88−25600, 88−32384
Paoloni, F.J. Implementation of microwave diffraction tomography for measurement of dielectric constant distribution 87−29251
Paoloni, F.J. *see* Cheah, J.Y.C. 85−36471
Paoloni, F.J. *see* Cheah, Y.C. 85−1027, 85−7753
Paoloni, F.J. *see* Magdy, M.A. 85−57109
Paoloni, F.J. *see* Ng, T.S. 85−36124
Paolucci, R., Seitz, N.B. A general framework for describing quality of service and network performance standards in digital networks 86−54743
Paoluzi, A. *see* Turilli, G. 88−71908, 88−74566
Paoni, R.A. *see* Hack, S.N. 87−29843
Paorici, C., Pessini, V., Zecchina, L., Attolini, G. Interface kinetical limitations in closed-tube chemical vapour transport. II. The CdTe:NH_4Cl growth system 87−16661
Paorici, C., Pessina, V., Zecchina, L., Mancini, A., Rizzo, A. Evidence of VLS growth in CdTe film preparation by NH_4Cl closed-tube CVD 86−20036
Paorici, C., Zanotti, L. The technology of growth of monocrystalline semiconductors. Growth by melting 86−388
Paorici, C. *see* Attolini, G. 87−10360, 87−52096
Paorici, C. *see* Fornari, R. 86−381, 87−73047, 88−18053
Paorici, C. *see* Rakovics, V. 87−74175
Pap, I. Determination, measuring validity and applicability of the surface roughness parameters 87−3762
Pap, S. *see* Langer, U. 85−4957
Papa, A.F. *see* Boyd, R.P. 86−32915
Papa, C.Del *see* Del Papa, C.
Papa, F. *see* Miceli, S. 87−13081
Papa, J.Del *see* Del Papa, J.
Papa, M.D. *see* Couturier, J.-F. 87−8280
Papa, R.J., Lennon, J.F. The dependence of rough surface scattering on surface height statistics and correlation function 87−39356
Papa, R.J., Lennon, J.F. Regions of validity for some rough surface scattering models 88−52186
Papa, R.J., Lennon, J.F. Conditions for the validity of physical optics in rough surface scattering 88−66035
Papa, R.J., Lennon, J.F., Taylor, R.L. The variation of bistatic rough surface scattering cross section for a physical optics model 87−12692
Papa, R.J. *see* Coffey, J.W. 87−39353, 88−8576
Papa, W.M., Long, R.R. The partitioned approach to VLSI board test 88−1702
Papachristou, C.A. A PLA microcontroller using horizontal firmware 85−22901
Papachristou, C.A. PLA compaction by partition and fusion 86−27274
Papachristou, C.A. Expert system approach to VLSI cell design 86−46501
Papachristou, C.A. Iterative construction of binary lookahead addition trees 87−10769
Papachristou, C.A. Parallelism at the microlevel: Cooperative microcontrollers with real time considerations 87−11973
Papachristou, C.A., Bo, J.G. A method to reduce the surrounding area of PLA layouts 88−25158
Papachristou, C.A., Cornett, D. Generation and implementation of state machine controllers: A VLSI approach 86−20604
Papachristou, C.A., Hwang, P.-C. A CAD tool for LSI digital systems 85−693
Papachristou, C.A., Rashid, R., Gambhir, S.B. VLSI design of a PLA based microcontrol scheme 85−33981
Papachristou, C.A., Sahgal, N.B. An improved method for detecting functional faults in semiconductor random access memories 85−28529
Papachristou, C.A. *see* Imme, N. 86−2312
Papaconstantopoulos, D.A. *see* Pickett, W.E. 88−19740
Papaconstantopoulos, D.A. *see* Zdetsis, A.D. 85−34474
Papacostas, G.S. *see* Wood, D. 88−66872
Papadakis, E.P. Absolute measurements of ultrasonic attenuation using damped nondestructive testing transducers 85−462
Papadakis, J. Managing with the onboard data link—a pilots view 87−40227
Papadakis, J.A. Classification of linear transformation active filters (LTA) 85−6434
Papadakis, J.A. Linear transformations for switched-capacitor filter design 85−23014
Papadakis, J.A. Designing active filters with linear transformations using off-the-shelf building blocks 86−62684
Papadakis, M. *see* Freund, G.A., Jr. 88−48268
Papadakis, M.E. *see* Papadopoulos, M. 88−23460
Papadapoulos, A.S., Padgett, W.J. On Bayes estimation for mixtures of two exponential-life-distributions from right censored samples 86−46135
Papademetriou, R.C., Ketseoglou, T.J., Tzannes, N.S. Information-theoretic image restoration methods 86−37160
Papademetriou, R.C., Ketseoglou, T.J., Tzannes, N.S. Image restoration using the mutual information principle 88−21298
Papadias, B.C. *see* Berneryd, S. 86−6825
Papadias, B.C. *see* Dialynas, E.N. 88−61878
Papadias, B.C. *see* Hatziargyriou, N.D. 86−81
Papadias, B.C. *see* Machias, A.V. 86−19234, 87−30008, 87−42897
Papadias, B.C. *see* Souflis, J.L. 87−57600
Papadias, B.C. *see* Van den Huevel, W.M.C. 87−72172
Papadias, B.C. *see* Vournas, C.D. 86−50896, 87−77981
Papadichev, V.A., Pikus, S.A., Shelkovenko, T.A. Generation of H^- ions in a diode with magnetic insulation with laser pulse initiation of dielectric arcing 88−61061
Papadichev, V.A., Shelkovenko, T.A. Formation of a cathode plasma in a magnetically insulated high current diode for producing negative hydrogen ions at a current density of up to 200 A/cm^2 88−54381
Papadichev, V.A. *see* Kolomensky, A.A. 87−8832
Papadimitraki-Chlichlia, H. *see* Siakavara, K. 85−57134
Papadimitrakis, Y.A., En Yu Hsu, Street, R.L. An instrument for measuring turbulent pressure fluctuations 86−44475
Papadimitrakis, Y.A., En Yun Hsu, Street, R.I On the resolution of organized spurious pressure fluctuations in wind-wave facilities 85−38282

Papadimitriou, C.H., Sipser, M. Communication complexity 85−3161
Papadimitriou, C.H., Yannakakis, M. A note on succinct representations of graphs 87−23480
Papadimitriou, C.H. *see* Afrati, F. 86−19906, 86−46220
Papadimitriou, C.H. *see* Kirousis, L.M. 86−324
Papadimitriou, L. *see* Dimitriadis, C.A. 86−41523, 87−29219, 88−32853
Papadimitriou, L. *see* Popov, A. 88−17937
Papadopoulo, A.C. *see* Bresse, J.F. 87−65483
Papadopoulos, A.D. *see* Serafetinides, A.A. 87−68339, 87−75191
Papadopoulos, C.K., Nikias, C.L. Bispectrum estimation of transient signals 88−73073
Papadopoulos, D. *see* Smith, J.R. 88−43067
Papadopoulos, D.P. Controller design of an unregulated alternator via output feedback 86−33351
Papadopoulos, D.P. Controller design of an unregulated alternator via output feedback 86−39739
Papadopoulos, D.P. Excitation control of turbogenerators with output feedback 87−9496
Papadopoulos, D.P. An order reduction method applied to a linear turbogenerator-exciter model 87−30547
Papadopoulos, D.P., Amanatidis, I.B. Frequency deviations of steam turbogenerator in isolated operation with representative governor and turbine models 87−42901
Papadopoulos, D.P., Boglou, A.K. Design of excitation controller for turbogenerator-system using exact model matching techniques 88−5656
Papadopoulos, D.P., Boglou, A.K. Turbogenerator-system controller design via exact model-following techniques 88−30661
Papadopoulos, D.P., Boglou, A.K. Pole-placement and model-order reduction techniques applied to a hydro-unit-system for dynamic stability improvement 88−54928
Papadopoulos, D.P., Paraskevopoulos, P.N. Application of eigenvalue assignment techniques for damping power frequency oscillations 86−6202
Papadopoulos, D.P., Paraskevopoulos, P.N. Decoupling techniques applied to the design of a controller for an unregulated synchronous machine 86−12787
Papadopoulos, D.P. *see* Hamed, M. 85−48568 to 48569, 87−30152, 87−30155
Papadopoulos, G. *see* Angelopoulos, S. 87−34169, 88−52953
Papadopoulos, G. *see* Wyatt, J.L., Jr. 85−17047
Papadopoulos, G.D. *see* Koubias, S.A. 86−4090, 86−43597, 87−27677 to 27678
Papadopoulos, G.M. Design issues in data synchronous systems 86−23332
Papadopoulos, G.M. Redundancy management of synchronous and asynchronous systems 86−25366
Papadopoulos, M., Hatziargyriou, N.D., Papadakis, M.E. Graphics aided interactive analysis of radial distribution networks 88−23460
Papadopoulos, N. Combining data and voice network management 87−20026
Papadopoulos, P. *see* Potton, R.J. 87−38827
Papadopoulos, R. Energy consumption and economic growth: the realities behind the myth 87−42560
Papadopoulos, S. The average mass-to-charge ratio of species emitted from liquid In ion sources 87−56971
Papadopoulos, S. A study of the liquid Pr-ion source 88−10225
Papadopoulos, S. On the energy distribution of doubly charged atomic ions emitted from liquid metal ion sources 88−29772
Papadopoulos, S. Emission characteristics of liquid Pr ion sources 88−36338
Papadopoulos, S., Barr, D., Brown, W.L., Wagner, A. The energy spread of ions from gold liquid metal ion sources as a function of source parameters 85−37886
Papadopoulos, S. *see* Rahal, A.M. 86−26233
Papadopoulou, E. A fast parallel binary adder 87−24151
Papadopoulou, E.P., Saridakis, Y.G., Papatheodorou, T.S. Orderings and partition of PDE computations for a fixed-size VLSI architecture 88−26472
Papadopoulou, K. *see* Meakin, D. 88−24784
Papadourakis, G.M., Condorodis, J. A VLSI design of processing element for reconfigurable systolic architectures based on LNS 88−71672
Papadourakis, G.M., Taylor, F.J. Implementation of Kalman filters using systolic arrays 87−59755
Papadrakakis, M., Yakoumidakis, M. A partial preconditioned conjugated gradient method for large eigenproblems 87−52017
Papae, D. *see* Ounsinegad, A. 86−14327
Papageorgiou, C.D. *see* Machias, A.V. 88−68781
Papageorgiou, G. Instability and local truncation error estimate in Runge-Kutta type methods 87−44233
Papageorgiou, G., Coulon, A., Brodin, C., Sontag, M. High linearity edge-emitting LEDs at 1.3 μm wavelength for analog transmission systems 86−42459
Papageorgiou, G. *see* Afrati, F. 86−19906, 86−46220
Papageorgiou, G.D. *see* Groumpos, P.F. 86−6619
Papageorgiou, G.L., Jones, N.B. Photoelectric transducer for measuring the length and diameter of elastic vessels 86−11938
Papageorgiou, M. Optimal flow distribution in channel networks 85−36755
Papagno, L. *see* Lai, B. 86−63103
Papaieck, R.J. A submicrosecond switching frequency synthesizer to 4 GHz 86−52710
Papailion, K.O. *see* Buckner, W.F. 88−61947
Papailiou, K.O. Measurement of mechanical oscillations of overhead electric power transmission lines 88−23519
Papailiou, K.O. *see* Beyer, K. 85−9514
Papailiou, K.O. *see* Buckner, W. 85−21220
Papailiou, K.O. *see* Buckner, W.F. 87−50829, 87−64182, 88−68997
Papaioannou, D. *see* Langley, R.J. 85−52640
Papaioannou, G., Cristoloveanu, S., Hemment, P. Low-temperature properties and phototransport in silicon-on-insulator films synthesized by oxygen implantation 88−57385
Papaioannou, G. *see* Theophanous, N. 88−70563
Papaioannou, G. *see* Tsitomeneas, S. 88−51988
Papaioannou, G.J. Mixing properties of semiconductor lasers 85−46464
Papaioannou, G.J. Electron radiation effects on GaAs MESFETs 88−1693
Papaioannou, G.J., Kaliakatsos, J., Forrest, J.R., Euthymiou, P.C. A correlation between optical backgating and photogeneration mechanism in GaAs MESFETs 88−57697
Papaioannou, G.J., Kaliakatsos, J.A., Euthymiou, P.C., Forrest, J.R. Photovoltaic effects of GaAs MESFET layers 85−45701
Papaioannou, G.J., Kourkoutas, C.D., Theofanous, N.G., Arapoyianni, A.T. A study of the gain mechanisms in GaAs planar optical photoconductive detectors 88−29394
Papaioannou, G.J. *see* Kourkoutas, C.D. 85−61691
Papaioannou, J., Dye, J.L. Four-probe single-crystal holder for conductivity measurements 88−53824
Papaionannou, G.J., Forrest, J.R. On the photoresponse of GaAs MESFETs: backgating and deep traps effect 86−42432
Papakin, V.F., Sonin, A.Yu. Measurement of the gain of an ultraviolet nitrogen laser 86−3037
Papakonstantinou, G. Optimal polygonal approximation of digital curves 85−41979
Papakonstantinou, G., Skordalakis, E., Gritzali, F. An attribute grammar for QRS detection 86−65446
Papakonstantinou, G. *see* Frangakis, G.P. 86−18337, 86−37102
Papakonstantinou, G. *see* Giakoumakis, E 88−68437
Papakonstantinou, G. *see* Giakoumakis, E.A. 88−10389
Papakonstantinou, G. *see* Gritzali, F. 88−48173
Papakonstantinou, G. *see* Skordalakis, E. 85−38159
Papakostantinou, N. *see* Afrati, F. 86−46220
Papakyriakou, M.J., Parker, P.A., Scott, R.N. Measurement of muscle fiber conduction velocity using surface EMG 88−48159
Papale, R. *see* Adorni, N. 86−18519
Papalexopoulos, A.D., Meliopoulos, A.P. Frequency dependent characteristics of grounding systems 88−23575
Papalexopoulos, A.D. *see* Meliopoulos, A.P. 85−9539, 87−29246
Papamarcos, J. Scandinavian power and energy resources 85−21291
Papamarcos, J. New generating plants: when, where, and by whom [electric power generation] 85−48642
Papamarkos, N., Mertzio, B., Vachtsevanos, G. On the optimum design of symmetric two-dimensional IIR digital filters with coefficients of finite word length 87−10991
Papamarkos, N. *see* Vachtsevanos, G. 86−62748, 87−33707, 87−37461
Papamarkos, N.E. *see* Vachtsevanos, G.J. 86−5882
Papamichael, N., Kokkinos, C.A. The use of singular functions for the approximate conformal mapping of doubly-connected domains 85−5928
Papamichael, N., Soares, M.J. Cubic and quintic spline-on-spline interpolation 88−18626
Papamichael, N., Warby, M.K. Numerical conformal mapping techniques for the solution of two-dimensional Laplacian boundary value problems 87−44267
Papamichael, N., Warby, M.K., Hough, D.M. The treatment of corner and pole-type singularities in numerical conformal mapping techniques 86−19989
Papamichael, N. *see* Gaier, D. 87−73036
Papamichalis, P., Lively, D. Implementation of the DOD Standard LPC-10/52E on the TMS320C25 88−66457
Papamichalis, P.E. Markov-Huffman coding of LPC parameters 85−46732
Papamichalis, P.E. Bit rate reduction by Markov-Huffman coding of speech parameters 86−16197
Papamichalis, P.E. FFT implementation on the TMS320C30 88−72995
Papamichalis, P.E., Reimer, J.B. Speech encryption using the DES on a TMS32010 86−54456
Papamiltiadis, M.K., Georgopoulos, C.J. 64 Kbit/s IR link for in-house communications 86−43873
Papanagiotakis, G. *see* Azema, P. 86−69233
Papananos, Y., Anastassiou, D. A VLSI architecture for a nonlinear edge-preserving noise-smoothing image filter 88−41086
Papandreou, K.A. The market for telecommunication services in Greece 86−37275
Papandreou, Z., Lolos, G.J., Huber, G.M., Aslanoglou, X. Charge and neutral particle spectrometer for nuclear pion and photon absorption investigations 88−48039
Papandreou, Z. *see* Huber, G.M. 85−15188
Papanestor, P. *see* Krasinski, J. 87−46836
Papania, R. *see* Coon, D. 85−9073
Papanicholaou, N. *see* Christou, A. 88−44581
Papanicolaou, N. *see* Christou, A. 86−28356
Papanicolaou, N.A., Thompson, P.E., Corazzi, R.J. Polymers as masks for ion implantation 87−38074
Papanicolaou, N.A. *see* Anderson, G.W. 88−25025, 88−65460
Papanicolaou, N.A. *see* Christou, A. 85−45636
Papanicolaou, N.A. *see* Ioannou, D.E. 87−66982
Papanicolaou, N.A. *see* Whitlock, R.R. 86−11469, 87−34978
Papanicolopulos, C. *see* Wang, J.J.H. 85−14349
Papanicolopulos, C.D. *see* Cown, B.J. 85−13265
Papanicolopulos, C.D. *see* Crown, B.J. 87−26938
Papanikolau, E., Meerman, W.C.P.M., Aerts, R.. Van Rooy, T.L., Van Lierop, J.G., Meeuwsen, T.P.M. Preparation of ultra-pure silica glass from autoclave-dried gels 88−43950
Papannareddy, R., Ferguson, W., Butler, J.K. Current spreading and carrier diffusion in zinc-diffused multiple-stripe-geometry lasers 87−54297
Papannareddy, R., Ferguson, W., Butler, J.K. A generalized thermal model for stripe-geometry injection lasers 88−27153
Papannareddy, R., Ferguson, W.E., Jr., Butler, J.K. Four models of lateral current spreading in double-heterostructure stripe-geometry lasers 88−34016
Papanos, I. *see* Banu, M. 85−17673
Papantoni-Kazakos, P. A game theoretic approach to robust filtering 85−7866
Papantoni-Kazakos, P. Qualitative robustness in time series 87−36628
Papantoni-Kazakos, P. *see* Bansal, R.K. 86−57314
Papantoni-Kazakos, P. *see* Georgiadis, L. 85−51829, 86−16609, 87−48270, 87−75974
Papantoni-Kazakos, P. *see* Georgiopoulos, M. 85−42033, 85−62942, 86−10827, 86−69439, 87−40039
Papantoni-Kazakos, P. *see* Merakos, L. 86−54398
Papantoni-Kazakos, P. *see* Paterakis, M. 87−39561, 87−54817, 88−14857, 88−52652
Papantoni-Kazakos, P. *see* Tsaknakis, H. 87−55178
Papanu, J.S., Manjkow, J., Hess, D.W., Soong, D.S., Bell, A.T. Dissolution and swelling studies of poly(methyl methacrylate) resist films 88−13252
Papanu, J.S. *see* Flack, W.W. 85−12084
Papanyan, V.O. An extreme ultraviolet argon-cesium collision laser 88−33928
Papanyan, V.O., Bertolotti, M. Multiple Raman scattering from XUV generation 87−12574
Papanyan, V.O., Martirosyan, A.E., Nersisyan, G.C., Gabrielyan, Y.K. Feasibility of collisional XUV-laser and XUV radiation from autoionizing potassium levels in discharge 85−7349
Papanyan, V.O. *see* Grigoryan, Yu.I. 87−33103
Papanyan, V.O. *see* Martirosyan, A.E. 86−29077
Papapietro, M. *see* Arena, C. 87−6477
Paparao, P. *see* Ghosh, A. 87−74853
Paparazzo, E. *see* Russo, B. 88−57367
Paparo, M. *see* Raciti, S. 88−11181, 88−71762
Paparoditis, C. *see* Azema, A. 86−42224
Paparoditis, C. *see* Cavalieri, S. 88−7453
Paparoditis, C. *see* Monnom, G. 86−63038
Papas, C.H. *see* Bassiri, S. 87−2338
Papas, C.H. *see* Engheta, N. 85−13260
Papas, C.H. *see* van Zyl, J.J. 87−75352
Papasatavridis, S., Lambiris, M. Reliability of a consecutive-k-out-of-n:F system for Markov-dependent components 87−58720
Papashvili, A.G. *see* Basiev, T.T. 88−65655
Papaspirou, V. *see* Afrati, F. 86−29754
Papaspyridis, A.C. A PROLOG-based connectivity verification tool 88−70447
Papastavridis, S. Upper and lower bounds for the reliability of a consecutive-k-out-of-n:F system 87−31351
Papastavridis, S. Algorithms for strict consecutive-k-out-of-n:F systems 87−31353
Papastavridis, S. On the mean number of stuffing bits in a prefix-synchronized code 87−39633

Papastavridis, S., Hadjichristos, J. Mean time to failure for a consecutive-*k*-out-of-*n*:F system 87−58723
Papastavridis, S., Traganitis, A. Number of appearances of a synch marker inside a random data block 86−29835
Papastavridis, S. *see* Antonopoulou, I. 87−58722
Papastavridis, S. *see* Lambiris, M. 85−54189
Papastefanou, K. *see* Adiels, L. 86−44602
Papasyan, T.A. *see* Arutunyan, V.M. 85−12970
Papathanassiou, S. *see* Charalambopoulos, C. 88−5308
Papatheodorou, T.S. *see* Papadopoulou, E.P. 88−26472
Papatheodorou, T.S. *see* Houstis, E.N. *(editor)* 88−69999
Papatheodurou, T. *see* Makedon, F. *(editor)* 88−32
Papatheofanis, B. *see* Veeser, L.R. 88−42129
Papathomas, T.V. On the stability of peak current-controlled converters: analysis, simulation, and experiments 86−67447
Papathomas, T.V., Julesz, B., Chodrow, S.E. True 3D animation for displaying VLSI modeling data 88−31928
Papatriantafillou, C. *see* Tsamakis, D. 87−37872
Papatsenko, A.H. *see* Matveenko, L.I. 86−30929
Papatsenko, A.Kh. *see* Aslanyan, A.M. 88−35627
Papavassilopoulos, G.P. *see* Bernhard, P. 87−65315
Papay, Z. *see* Buzas, P. 87−70689, 88−36899
Papay, Z. *see* Kohalmy, S. 87−31636
Papay, Z. *see* Temesi, T. 87−2966
Papayan, S.P. Method of measuring components of complex resistance 88−60862
Papayannakis, A.G., Tsiboukis, T.D., Kriezis, E.E. An investigation of the theory and the properties of the Dyadic Green's functions for the vector Helmholtz equation 88−27374
Papayannakis, A.G. *see* Dadakaridis, S.D. 87−19169
Papazian, P.B., Perala, R.A., Easterbrook, C.C., McKenna, P.M. Measurement of seam impedances of tactical shelters for threat level NEMP simulation 87−26859
Papazoglou, A. *see* Shiu, K. 85−43775
Papazoglou, E., Russell, T.W.F. Chemical vapor deposition of zinc phosphide thin films 88−18726
Papazoglou, I. *see* Youngblood, R. 85−53425
Papazoglou, I.A., Bozoki, G.E., Sun, Y.H. Probabilistic evaluation of limiting conditions of operations outage times for diesel generators 85−43756
Papazoglou, I.A., Cho, N.Z. A Markovian analysis of limiting conditions of operation for the reactor protection system 85−43757
Papazoglou, I.A. *see* Cho, N.Z. 85−43737
Papazoglou, I.A. *see* Youngblood, R. 85−43781
Papazoglu, I.A. *see* Youngblood, R. 86−51404
Papazov, G. Mass transport during lead-acid battery plate formation 87−22714
Papazov, P. Power semiconductor components [power diodes and thyristors] 85−12240
Papazov, S., Stancheva, R. Electromagnetic effects excited by magnetic loops 86−54240
Papazyan, T.A. *see* Ambaryan, A.Sh. 87−12415
Papazyan, T.A. *see* Arutyunyan, I.G. 88−58508
Papazyan, T.A. *see* Arutyunyan, V.M. 85−41465, 85−46473, 85−56835
Papcun, G. *see* Clearwater, S. 86−60425
Pape, C. A hardware clock for Z80 computer systems 85−49964
Pape, C. The Z80 breaks its storage bonds 86−57866
Pape, D. Component layout of the HMK100 Hi-Fi. III. The cassette deck 87−70332
Pape, D.F. Communication within an industrial enterprise 88−62993
Pape, D.R. An optically addressed membrane spatial light modulator 85−12649
Pape, D.R. Optically addressed membrane spatial light modulator 85−35535
Pape, D.R. Acousto-optic Bragg cell intermodulation products 87−68235
Pape, D.R., Bardos, A.M., Popek, M.H., Shah, M.L. Focused acoustic wave (FAW) channelizer 87−46295
Pape, D.R., Wasilousky, P.A., Krainak, M. A high performance apodized phased array Bragg cell 88−27669
Pape, D.R. *see* Beaudet, W.R. 87−46612
Pape, D.R. *see* Boyar, S. 85−29152
Pape, E.H. *see* Pettigrew, N.R. 88−48346
Pape, H. *see* Menzler, H.P. 88−13902
Pape, H. *see* Nisius, J.P. 86−9589
Pape, I.J., Kam Wa, P.Li., David, J.P.R., Claxton, P.A., Robson, P.N., Sykes, D. Diffusion-induced disordering of $Ga_{0.47}In_{0.53}As$/InP multiple quantum wells with zinc 88−64283
Pape, K. *see* Hieber, H. 85−6863
Pape, K.H. *see* Schempp, A. 86−24918, 87−35271
Pape, M. Optical data-transmission in industry and administration 88−73910
Pape, R., Swencki, S. Sharpen your static VAr generator specs 86−44933
Pape, Y.le *see* le Pape, Y.
Papegeorgiou, G. *see* Groumpos, P.P. 87−51105
Papenhausen, D. B-1B maintenance diagnostics gain a long memory 87−8964
Papenjohann, W. *see* Brucker, P. 85−22321
Paper, A.S. *see* Ovinskii, V.M. 86−56693
Papermaster, B. Who will benefit from Open Network Architecture 87−69563
Paperno, L. *see* Kuzmin, J. 85−32243
Paperno, L.B., Kuzmin, Ya.I. Overcurrent relay with time-dependent delay, having a fractional-rational approximation to the operating characteristic 86−53113
Papernov, L.Z., Grishin, M.I., Levi, V.M., Molodaya, N.T. An instrument for studying the properties of the envelope of a broadcast signal 87−49226
Papernov, L.Z., Molodaya, N.T., Nekrasov, B.V., Yakovlev, V.I. Automation of measurements of the intermodulation distortion of loudspeakers 85−37361
Papernyi, S.B., Startsev, V.R. Stimulated-Brillouin-scattering compression of light pulses with a brief phase modulation 85−12962
Papernyi, S.B., Startsev, V.R. SBS compression of neodymium laser pulses 85−41500
Papernyi, S.B. *see* Gorbunov, V.A. 86−15769
Papernyl, S.B. *see* Buzyalis, R.R. 88−51907
Papesch, R. *see* Beineke, T.A. 85−38755
Papeschi, G., Merigliano, S., Zaninotto, G., Baessato, M., Ancona, E., Larini, M. The iridium/iridium oxide electrode for in vivo measurement of oesophageal and gastric pH 85−20885
Papic, M. *see* Bozi, M. 88−42847
Papics, J., Henk, T. Improved carrier recovery from 4PSK signals 88−60106
PAPICS, J. *see* Baranyi, A. 87−48773
Papiernik, A. *see* Bendimerad, F.-T. 88−66204
Papiernik, A. *see* Damiano, J.P. 87−47289, 88−34461
Papiernik, A. *see* Kamoun, M.B. 88−34462
Papiernik, A. *see* Pompei, D. 86−64034, 88−66114
Papiernik, W. *see* Bohm, M. 87−16087
Papierowski, D.K., O'Reilly, J.J. Optical fibre system characterisation using pseudo-random data 86−30845
Papij, A. A submersible data logging system 86−55570
Papikyan, S.R., Girshfel'd, V.Ya., Lyalikov, B.A. The influence of temperature characteristics on the effectiveness of modes of operation in which heat is produced and power is generated while covering the heating requirements 88−55183
Papillon, D. *see* Thyagarajan, K. 86−9600
Papin, B., Bernard, P., Tyran, H.L., Zwingelstein, G., Bajard, P. On-line surveillance of pressurized water reactors by process analysis 88−48679
Papin, P.J., Huang, H.K. A prototype amorphous selenium imaging plate system for digital radiography 87−77640
Papin, P.J., Mankovich, N.J., Barbaric, Z., Huang, H.K. Preliminary experience with a charged selenium plate projection X-ray system 85−4277
Papin, P.J., Mankovich, N.J., Huang, H.K. Sensitivity characteristics of a prototype selenium plate detection system for digital radiographic imaging 86−11947
Papin, P.J. *see* Nelson, R.S. 88−23052
Papineau, A. *see* Alard, J.P. 88−10243
Papineau, L. *see* Buenerd, M. 86−5842
Papini, F. *see* Arconada, A. 88−9852
Papini, O. Decoding of certain classes of Reed-Solomon codes 85−57255
Papini, O. *see* Gennero, M.C. 86−43149
Papioannou, G.J. On the photoresponsitivity of GaAs MESFETs 87−1542
Papir, Z. A queueing model of the computer communication network with the modified isarithmic flow control 85−25204
Papir, Z. Validation of admission delay model for two-link virtual route with window flow control 87−75985
Papir, Z. Queueing analysis of blockage time distribution for end-to-end controlled virtual circuit in packet-switched communication network 88−46329
Papirno, R. Algebraic approximations of stress-strain curves for Kevlar-Reinforced composites 85−39659
Papis, J.P. *see* Bossart, R. 86−31766
Papiz, M.Z. *see* Helliwell, J.R. 86−60678
Papke, R. *see* Kabitzsch, K. 85−6117
Papke, W. *see* Hagenauer, J. 87−56050
Papke, W. *see* Lutz, E. 86−23736, 87−13664, 87−49007
Papke, W. *see* Neul, A. 87−70012, 88−46997
Papko, V.M. *see* Mednikov, M.I. 88−31197
Papkov, B.V. Using the opinions of experts to assess the economic losses due to failures of the electricity supply 86−32658
Papkov, I.P. *see* Lozovskii, V.N. 88−38124
Papkov, I.P. *see* Popov, V.P. 88−11977
Paplinski, P. A test stand for testing the effect of electric field on small living organisms 85−43447
Paplinski, P. *see* Czaplak, W. 88−75194
Papmarcou, A., Fine, T.L. Von Mises collections and unstable random sequences 87−51949
Papo, M. *see* Galante, F.M. 87−40846
Papoff, F. Interfacing between remote ADC and sensors 86−44230
Papoff, F., Dangoisse, D., Poite-Hanoteau, E., Glorieux, P. Chaotic transients in a CO_2 laser with modulated parameters: critical slowing-down and crisis-induced intermittency 88−65814
Papoff, F. *see* Arimondo, E. 87−61219, 88−65845
Papoff, F. *see* Dangoisse, D. 88−58421
Papoff, P. *see* Ricci, D. 87−3455
Papoian, A. *see* Bottoni, G. 87−46308
Papoular, A. New surge protection device: the b.o.d. [breakover diode] 85−27120
Papoular, A. Construction of a 100 W power supply 86−46533
Papoular, A., Woodworth, A. The measurement of diode recovery times 86−5548
Papoulis, A. A note on the predictability of band-limited processes 86−3880
Papoulis, A. Predictable processes and Wold's decomposition: a review 86−10350
Papoulis, A. On entropy rate 88−34543
Papoulis, A. *see* Rozario, N. 88−27911
Papousek, W. *see* Weiglhofer, W. 86−16028, 87−33353, 87−75316
Papoutsis, T. *see* Chaparro, L.F. 86−64335
Papova, T.B. *see* Diaz, P. 85−28212
Papoyan, A.V. *see* Saakyan, A.K. 87−7418
Papoyan, S.P. Theory of a two-channel system for accurate measurement of displacement 88−42272
Papp, A. *see* Lechner, P. 87−10874, 87−17098
Papp, A. *see* Meyer, A. 86−179, 86−34033
Papp, A.A. *see* Szentpali, B. 88−56996
Papp, G. *see* Beece, D.K. 88−70708
Papp, I. *see* Drimusz, L. 85−37502
Papp, I. *see* Kiss, A.Z. 88−53962
Papp, M. *see* Dayton, R. 88−61624
Papp, Z. The acceleration effect of a changing environment 86−57271
Papp, Z., Bago, B., Dobrowiecki, T., Pataki, B. Intelligent real-time measuring systems 88−29234
Papp, Z., Bago, B., Dobrowiecki, T., Peceli, G. Software architecture of real-time medical instruments 86−60707
Papp, Z., Pataki, B. Experiences in the development of an EEG signal analyzer 86−25246
Papp, Z. *see* Bago, B. 86−60708, 86−60800
Papp, Z. *see* Gorgenyi, A. 87−57176
Pappalardo, G. *see* Carchiolo, V. 86−64731
Pappalardo, G. *see* Scollo, G. 86−64722
Pappalardo, J.A. *see* Vassallo, V.R. 88−10397
Pappalardo, M., D'Ottavi, E., Matteucci, M., Denisenko, N., Scarano, G. A new vibration mode for medical imaging arrays 85−15286
Pappalardo, M., Denisenko, N., Scarano, G., Matteucci, M. Description of the pulsed acoustic field of a linear diagnostic ultrasound array using a simple approximate expression 86−11968
Pappalardo, M. *see* Califano, F.P. 87−4203
Pappalardo, M. *see* Matteucci, M. 87−4184, 87−25735
Pappalardo, M. *see* Montero de Espinosa, F.R. 86−6175, 86−25464, 87−71447
Pappalardo, M. *see* Sorba, L. 88−7785
Pappalardo, R.G., Hunt, R.B., Jr. Dye-laser spectroscopy of commercial Y_2O_3:Eu^{3+} phosphors 85−46258
Pappalardo, R.G. *see* Peters, T.E. 85−35616
Pappalardo, T.J. *see* Smith, R.S., III 87−17341
Pappalardo, T.J. *see* Smsith, R.S., III 86−41474
Pappas, A.M., Cannon, C.L., Zawacki, R.M. Kinematic analysis of baseball pitching 86−50558
Pappas, D., Sparks, P.D., Hopster, H., Rutledge, J.E. Scanning tunneling microscopy and optical spectrum studies of light-emitting tunnel junctions 88−58377
Pappas, J.A., Driga, M.D., Weldon, W.F. High current coaxial pulse transformer for railgun applications 87−17417
Pappas, L. *see* Kondraske, G.V. 85−64526
Pappas, N.J. In defense of monopoly cable television franchising: defining the First Amendment rights of the public and the cable operator under the public forum doctrine and natural monopoly theory 87−63155
Pappas, R.A. *see* Hutton, P.H. 85−10889
Pappas, R.C. Differential-geometric solution of a problem in electrostatics 86−54257
Pappas, T.N., Lim, J.S. Estimation of coronary artery boundaries in angiograms 85−31792
Pappert, R.A. Calculated effects of traveling sporadic *E* on nocturnal ELF propagation: comparison with measurement 85−41609
Pappert, R.A. Broadside excitation of ELF by a horizontal dipole beneath a sporadic *E* environment: theory 86−29382
Pappert, R.A. Radiation resistance of thin antennas of arbitrary elevation and configuration over perfectly conducting ground 87−75595
Pappert, R.A., Ferguson, J.A. VLF/LF mode conversion model calculations for air to air transmissions in the Earth-ionosphere waveguide 86−68747
Pappert, R.A. *see* Hitney, H.V. 85−46566

Pappert, S.A. Ultra-wideband direction finding using a fiber optic beamforming processor 88-74075
Pappert, S.A., Chang, C.-T., McLandrich, M.N. Fiber optic transversal filters for RF direction finding 87-25957
Pappert, S.A., Chang, C.T., McLandrich, M.N. Fiber optic transversal filters for RF direction finding 87-34676
Pappert, S.A., McLandrich, M.N., Chang, C.-T. A fiber-optics matched delay filter for RF direction finding 85-51019
Pappis, C.P. Resolution of Cartesian products of fuzzy sets 88-49662
Pappis, J. *see* Klein, C.A. 86-58807
Pappu, S.V. Information storage using alkali halide crystals 86-2649
Pappu, S.V. *see* Changkakoti, R. 86-36589
Pappu, S.V. *see* Kannan, R. 88-72440
Pappu, S.V. *see* Ravishankar, M.K. 86-36129
Pappu, S.V. *see* Sarma, L.V.A.R. 86-9981, 87-75260
Pappu, V.S. *see* Sathe, S.D. 88-23356
Papritz, R. *see* Kalter, H.L. 86-8263
Papritz, R.E. *see* Kalter, H.L. 86-20531
Paprocki, K., Brylowska, I. Recoil implantation of aluminium into silicon 86-28174
Paprocki, K. *see* Krynicki, J. 87-53416
Paprocki, K. *see* Scibior, H. 85-35609
Papso, J., Melichercik, J. Broad-band phase reflections shifters in the frequency range 0.8-2.1 GHz and 0.5-2.6 GHz 87-59823
Papso, J., Melichercik, J. A microstrip power divider containing coupled circuits 87-59824
Papso, J., Melichercik, J. A high-frequency power switch operating in the 10 MHz to 3.6 GHz band implanted on microstrip line 87-59825
Paptsun, N.V. *see* Blavdzievich, Yu. 86-42674
Papuchon, M. Integrated optical modulation and switching 85-50989
Papuchon, M. Integrated optics 87-68187
Papuchon, M. Recent progresses on integrated optics 88-58227
Papuchon, M., Bourbin, Y., Vatoux, S., Puech, C. Integrated electrooptical components using dielectric substrates 85-56371
Papuchon, M., Enard, M., Thyagarajan, K., Vatoux, M. Anisotropic polarizers for Ti:LiNbO$_3$ strip waveguides 85-2044
Papuchon, M., Vatoux, S., Bourbin, Y., Puech, C. Interferometric sensors using integrated optics 88-60699
Papuchon, M. *see* Arditty, H.J. 86-2780
Papuchon, M. *see* Bourbin, Y. 87-60915, 87-74811, 88-33770, 88-58205
Papuchon, M. *see* de Micheli, M. 86-36227, 87-12583, 87-74807
Papuchon, M. *see* Delacourt, D. 87-46455, 87-54119, 87-74868, 88-13942
Papuchon, M. *see* Julien, F.H. 88-65828
Papuchon, M. *see* Lefevre, H.C. 86-68297, 88--7963
Papuchon, M. *see* Li, M.-J. 88-65296
Papuchon, M. *see* Li, M.J. 87-46512, 88-7924
Papuchon, M. *see* Loulergue, J.C. 88-72428
Papuchon, M. *see* Mariller, C. 86-9628
Papuchon, M. *see* Min Jun Li 88-51495
Papuchon, M. *see* Pocholle, J.-P. 85-1977, 86-15794
Papuchon, M. *see* Pocholle, J.P. 86-3305, 87-18730, 88-8297, 88-58687
Papuchon, M. *see* Razeghi, M. 85-62563
Papuchon, M. *see* Thyagarajan, K. 85-46205, 86-9600
Papula, P., Stowell, C. Surface temperature of a solar array under simulated failure modes in orbital conditions 85-53119
Papula, P., Stowell, C. Solar array 'hot-spot' testing and analysis 87-22740
Papureanu, S. *see* Ceausescu, V. 86-32089
Papushin, K.G. *see* Agodisyan, Kh.S. 86-16345
Papusoi, C. *see* Ciureanu, P. 86-28700
Papuzza, C. *see* Fornuto, G. 87-38138
Papuzza, C. *see* Genova, F. 85-33496, 85-49544
Papyan, G.A. *see* Kavalov, R.L. 85-59223, 87-17592
Papyan, V.A. *see* Gyunashyan, K.S. 87-3183
Papziner, U. *see* Arndt, F. 88-19329
Papzoglou, I.A. *see* Bari, R.A. 86-25760
Paquay, V., Pirard, J.P., L'Homme, G.A. Gasification of coal for the generation of electricity in a combined cycle 86-12680
Paquet, A. *see* Boileau, F. 88-38494
Paquet, D. *see* Jusserand, B. 85-61715
Paquet, J.-P. *see* Lahoche, P. 85-53896
Paquet, R. Improving reliability of electronic hybrids with new silicone materials 85-10834
Paquet, R.L. New silicone materials for reliable packaging [car electronic systems] 86-46093
Paquet, V., Bauch, H., Weidmann, G., Kersten, R.T. Newest results in plasma-impulse-CVD for optical fiber fabrication 88-58140
Paquet, V. *see* Bauch, H. 87-38804, 88-20354 to 20356
Paquet, V. *see* Hunlich, T. 88-20353
Paquet, V. *see* Krause, D. 86-36221
Paquette, C. *see* Pan, P. 85-61949, 87-17997
Paquette, D.E. *see* Hassaballa, M.M. 88-62077
Paquette, D.L. *see* Coffey, D.M. 86-59957
Paquette, J.F., Girard, T. The secret of success in electronic mailing 86-37366
Paquette, M.S., Knudsen, A.K., Johnson, W.D., Shabrang, M., Rickle, G.K., Scanlon, K.L. Development of high performance aluminum nitride powders and substrates 88-19554
Paquier, A. *see* Posbic, J. 86-45283
Paquin, L., Masson, D., Wertheimer, M.R., Moisan, M. Amorphous silicon for photovoltaics produced by new microwave plasma-deposition techniques 86-472
Paquin, N., Pepper, M., Gundlach, A., Ruthven, A. Intrinsic stress in narrow silicon metal-oxide-semiconductor field-effect transistors: magnetotransport measurements 88-64552
Paquin, N., Pepper, M., Gundlach, A., Ruthven, A. Negative magnetoresistance in uniaxially stressed Si(100) inversion layers 88-71362
Paquin, P. *see* Furst, G.B. 88-68814
Par, I.T. Configurations of microprocessor systems for phase-pulse control of inverted rectifiers 88-49034
Par, I.T. *see* Malyshev, A.S. 87-58189
Par, I.T. *see* Radin, V.I. 88-24187
Par, J. RF source impedances 86-55751
Par Dai *see* Dai Par
Paraboni, A. Project COST 205: dynamic characteristics of rain attenuation 86-17289
Paraboni, A., Hall, M.P.M., Capsoni, C., Cherry, S.M., Goddard, J.W.F. Project COST 205: joint statistics of rain attenuation in spaced sites 86-17290
Paraboni, A., Juy, M., Upton, S., Holt, A., McGuiness, R. Project COST 205: frequency and polarisation scaling of rain attenuation 86-17287
Paraboni, A. *see* Barbaliscia, F. 86-64911
Paraboni, A. *see* Capsoni, C. 86-29405, 87-61376, 87-61382 to 61383, 87-62881, 87-62883
Paraboni, A. *see* Carassa, F. 85-20120, 86-29404, 87-62867, 88-58870
Paraboni, A. *see* Fedi, F. 86-36702, 86-59988, 87-62871
Paraboni, A. *see* Giannone, B. 86-17307, 86-59836, 86-64929
Paraboni, A. *see* Matricciani, E. 85-41601, 86-68741, 87-62868, 87-62870
Paraboni, A. *see* Mauri, M. 86-55238, 87-7527, 87-62869, 87-62878
Paracchini, C., Parisini, A., Tarricone, L. CdIn$_2$S$_2$Se$_2$: a new semiconducting compound 87-17747
Paracchini, C. *see* Dalacasa, V.L. 88-1408
Paracchini, C. *see* Dallacasa, V. 85-45409
Paracchini, C. *see* Frigerio, G. 85-55510
Paracchini, C. *see* Potemski, M. 85-34535
Paracuelos, M. *see* Bourdin, J. 88-36936
Parad, K. Comparison of two theories for buried insulated wire 85-13231
Parada, N.J., Pereira, C.S., Da Silva, C.H. BRASA 1: Brazilian satellite for environmental data collection 87-34496
Parada Tude, E.A., Jose de Faro Orlando, A. Circular waveguides internally coated with ferrite layer as an alternative to the corrugated waveguide 88-56845
Parada Tude, E.A. *see* de Faro Orlando, A.J. 87-75547
Paradies, M., Busch, D. Using a cause coding tree to identify event root causes 87-64280
Paradies, M.W. Cognitive allocation and the control room 86-45132
Paradis, A.R. *see* Bock, Y. 85-3531
Paradis, J.-L. *see* Culoma, A. 88-40278
Paradis, J.L. *see* Chablat, J. 88-40316
Paradis, L. A time-of-flight method for crack evaluation using focused ultrasonic probes 86-46405
Paradis, L., Serruys, Y., Saglio, R. Ultrasonic signal processing for thickness measurements and detection of near-surface defects 87-16746
Paradis, L.R. *see* Campion, K. 87-4067
Paradise, O.G. *see* Barak, A. 87-20285
Paradise, R. *see* Bharj, S.S. 88-63930
Paradisi, C. *see* Roffia, S. 88-75922
Paradiso, C. *see* Cioni, R. 86-25228
Paradiso, J.A. *see* Commichau, V. 85-43175
Paradissis, P. *see* Miller, W. 88-30869
Paradissis, P.P., Barnes, B. An enclosed open field [test facility] 86-19835
Paradissis, P.P. *see* Becker, D.J. 86-61631
Paraggio, V. *see* Scafe, E. 86-40711
Paragun, J.V.Fernandez *see* Fernandez Paragun, J.V.
Parain, J. *see* Ciazynski, D. 88-65095
Parain, J. *see* Riband, P. 87-74636
Paraire, N. *see* Chelli, H. 88-8298
Paraire, N. *see* Niepceron, A. 88-58646, 88-72115
Paraire, N. *see* Pardo, F. 87-33315, 87-46469
Paraire, N. *see* Sauer, H. 88-34114
Paraire, N. *see* Vincent, P. 85-56791
Parak, F. *see* Nienhaus, G.U. 87-63630
Parakh, N.C., Garg, J.C. Conduction mechanism in zinc telluride films 87-60090
Paralkar, P.R. *see* Sathe, S.D. 88-23356
Paramdeep Khurana *see* Pillai, P.K.C. 88-54765
Parameswaran, M., Baltes, H.P. Use of standard CMOS polysilicon for microsensors 88-74333
Parameswaran, M. *see* Robinson, A.M. 87-26262
Parameswaran, S. *see* Ramamoorty, M. 88-5736
Parameswarappa, G. *see* Viswanath, M.N. 86-39008
Paramo, G.Lorente *see* Lorente Paramo, G.
Paramonov, A.A. Refinement of the random phase filtering algorithm 85-30276
Paramonov, A.A., Kulikov, G.V. An autocorrelation demodulator for continuous-phase frequency-shift keyed signals 87-44694
Paramonov, A.A., Yamanov, D.N. Optimum reception of minimum frequency-shift keyed signals with fluctuating initial phase 86-43242
Paramonov, A.A. *see* Gal'perm, A.D. 87-26568
Paramonov, A.A. *see* Galpern, A.D. 88-14303
Paramonov, A.A. *see* Konstantinov, P.A. 85-25119
Paramonov, A.M. Optimum reception of binary differential phase-shift keyed signals when the clock frequency fluctuates 85-25122
Paramonov, A.M. *see* Akimov, V.N. 86-29913
Paramonov, B.M. *see* Aksenchik, A.V. 88-7263
Paramonov, B.M. *see* Dikun, T.F. 88-12886
Paramonov, B.M. *see* Dmitriyev, A.S. 87-51098
Paramonov, B.M. *see* Gayduk, V.I. 86-21046
Paramonov, B.M. *see* Makarov, V.N. 86-41477
Paramonov, L.V. *see* Novikov, V.F. 85-59348
Paramonov, P.M. *see* Ogloblin, B.G. 87-4528
Paramonov, S.V. *see* Zaks, M.I. 88-37783
Paramonov, V.I. *see* Boyarkin, V.V. 86-9786
Paramonov, V.M. *see* Bulushev, A.G. 88-65260
Paramonov, V.V. *see* Bogomolov, A.M. 86-6505, 86-56554
Paramonov, V.V. *see* Daikovskii, A.G. 86-31877
Paramonov, V.V. *see* Fedoseyev, A.I. 85-26549
Paramonov, V.V. *see* Gonin, I.V. 86-24978, 86-31982
Paramonov, V.V. *see* Kravchuk, L.V. 85-52931
Paramonov, Yu.V. *see* Afanasenko, N.E. 87-41920
Paramonova, L.L. *see* Katamadze, O.A. 85-16397
Paramonova, N.I. *see* Leonovich, E.N. 88-47597
Paramonova, T.N., Denisyuk, Yu.N. Equipment based on a holographic focusing diffraction grating for measuring the diffraction efficiency of volume image holograms 85-2439
Paramonova, T.N. *see* Topunova, M.K. 88-34150
Paramzin, A.S. *see* Mironenko, S.N. 86-54031
Paranchich, L.D. *see* Gavaleshko, N.P. 86-2907
Paranchich, L.D. *see* Gluzman, N.G. 86-58252
Paranchich, S.Yu. *see* Gavaleshko, N.P. 86-2907
Paranchich, S.Yu. *see* Gluzman, N.G. 86-58252
Paranchuk, Ya.S. *see* Denis, B.D. 85-32801
Paranchuk, Ya.S. *see* Lozinskii, O.Yu. 87-72592
Paranjape, B.V. *see* Pimpale, A. 86-63079
Paranjape, B.V. *see* Ying-Chao Ruan 86-8836
Paranjpe, R.S., Elrod, H.G. A magnetomechanical model of the magnetic brush 88-45647
Paranjpe, S.K., Mitra, R. Modular implementation of interconnecting networks in VLSI 85-25523
Parant, J.M. *see* Meslier, F. 87-30178
Parant, J.M. *see* Michon, R. 88-17098
Paranthoen, P. *see* Lecordier, J.C. 85-52734
Pararas, A. *see* Stockbauer, R. 88-42423
Paras, N. *see* Alles, D.S. 87-38372
Paras, P., Comer, F.M., Demeis, F., Coursey, B.N., Calhoun, J.M., Golas, D.B. Evaluation of radionuclide dose-calibrator measurements 87-21445
Parascandolo, L. *see* Bove, A. 88-23013
Parascandolo, P. *see* Bove, A. 88-23013
Parascandolo, P. *see* Caria, M. 86-11914, 86-14160
Parascandolo, P. *see* DeWulf, J.P. 87-21468, 88-22985
Paraschiovoiu, I., Fraunie, P., Beguier, C. Streamtube expansion effects on the Darrieus wind turbine 85-53647
Paraschivoiu, I., Desy, P. Aerodynamics of small-scale vertical-axis wind turbines 86-33234
Paraschivoiu, I., Desy, P., Masson, C., Beguier, C. Some refinements to aerodynamic-performance prediction for vertical-axis wind turbines 87-42748
Paraschivoiu, I. *see* Brochier, G. 86-33232
Parascos, E.T. The role of Reliability Centered Maintenance (RCM) in the electric power industry 88-11077
Parasczcak, J. *see* Shaw, J.M. 86-21679
Parasenko, E.N., Kirsanov, Yu.K. A method of measuring the density of current and heat flow in the heating spot of an arc with a hollow non-consumable cathode 86-24633
Parashchenko, L.G. *see* Romanov, A.M. 85-51710
Parashchuk, V.V. *see* Gladyshchuk, A.A. 88-51775
Parashikov, P.Kh. *see* Fishekov, N.D. 87-5509
Parashin, V.B., Zhukovskii, E.I. An apparatus for simulating and measuring blood flow parameters 85-48213
Parashin, V.B. *see* Baluev, E.P. 86-25243
Parashkevov, D. *see* Rachnev, P. 87-5467

Parashkevov, D. *see* Rahnyev, P. 88–12857

Parasiliti, F. Control of papermaking machines. II 87–64850

Parasiliti, F. Electrical faults of power stations. Experimental enquiry 88–23710

Parasiliti, F., Chiricozzi, E. Some experiences regarding the optimization methods of starting winding for split-phase, single-phase induction motors 87–15748

Parasiliti, F., Chiricozzi, E. Redesign of a single-phase induction motor line for compressor 87–42993

Parasiliti, F. *see* Buccianti, R. 87–30574

Paraskeva, M., Burrows, D.F., Diamond, P., Bradford, J. Accelerated design and automatic test overlay within the structured hardware design environment (SHADE) 88–20095

Paraskeva, M., Knight, W.L., Burrows, D.F. New test structure for VLSI self-test: the structured test register (STR) 86–868

Paraskeva, M., Werson, M.J. Microprocessor control of a brushless DC motor 85–9924

Paraskeva, M. *see* Ambler, A.P. 87–25480

Paraskevopoulas, G. *see* Singleton, D.L. 88–8361

Paraskevopoulos, D. *see* Fey, C.F. 86–2323

Paraskevopoulos, D.E., Fey, C.F. Studies in LSI technology economics. III. Design schedules for application-specific integrated circuits 87–46075

Paraskevopoulos, D.E. *see* Fey, C.F. 86–47667, 87–1643, 87–65967, 88–70692

Paraskevopoulos, G. *see* Singleton, D.L. 86–44691

Paraskevopoulos, G. *see* Taylor, R.S. 87–61216

Paraskevopoulos, P.N., Antoniou, G.E., Varoufakis, S.J. Minimal state space realisation of 3-D systems 88–38324

Paraskevopoulos, P.N. *see* Antoniou, G.E. 87–910, 87–61847, 88–70410

Paraskevopoulos, P.N. *see* Christakos, G. 87–36601

Paraskevopoulos, P.N. *see* Kalat, J. 87–59130

Paraskevopoulos, P.N. *see* Papadopoulos, D.P. 86–6202, 86–12787

Paraskevopoulos, P.N. *see* Varoufakis, S.J. 87–45077

Parasnis, A.S. *see* Subbarao, A. 87–68656

Parasnis, K., Kumar, G., Shafai, L. A new microstrip antenna for the generation of higher order modes 86–43005

Parasnis, K., Shafai, L., Kumar, G. Performance of star microstrip as a linearly and circularly polarised $TM_{2,1}$ mode radiator 86–42990

Parasochkin, V.A. Identification of synthesis of nonlinear networks on the basis of space controlled functional generators 85–10952

Parasochkin, V.A., Tkachenko, V.G., Lozovskii, Yu.N. A lexicographic representation of data in the construction of multidimensional models 87–52025

Parasotschkin, W.A., Susse, R. Method for analysing nonlinear networks under slow signal excitation 87–52320

Parasovchenko, O.G. *see* Manashirov, O.Ya. 86–28978

Paraszczak, J., Babich, E., Hatzakis, M., Shaw, J. Characteristics of organosilicon polymers immersed in gaseous plasmas 85–34842

Paraszczak, J., Babich, E., McGouey, R., Heidenreich, J., Hatzakis, M., Shaw, J. The use of organosilicon polymers in multilayer plasma resist processing 88–26080

Paraszczak, J., Hatzakis, M., Babich, E., Shaw, J., Arthur, E., Grenon, B., DePaul, M. Plasma etching of polymers for multilayer lithography 86–2078

Paraszczak, J., Heidenreich, J., Hatzakis, M., Moisan, M. Methods of creation and effect of microwave plasmas upon the etching of polymers and silicon 86–21408

Paraszczak, J., Rosenfield, M., Hatzakis, M. Theoretical analysis of electron-beam exposure parameters and etching selectivity upon organosilicon bilayer resist images 87–38129

Paraszczak, J. *see* Acosta, R.E. 86–1967

Paraszczak, J. *see* Babich, E. 86–21678, 87–25018, 88–26165

Paraszczak, J. *see* Chou, N.J. 85–23675

Paraszczak, J. *see* Moisan, M. 88–12569

Paraszczak, J. *see* Shaw, J. 87–60255

Paraszczak, J.R. *see* Heidenreich, J.E. 87–25120

Paraszczak, J.R. *see* Heidenreich, J.E., III 87–38131

Parat, K.K., Bothra, S., Borrego, J.M., Ghandhi, S.K. Solar cells in bulk InP, made by an open tube diffusion process 87–43459

Parat, K.K., Ghandhi, S.K. Sulphur diffusion into InP by an open tube process 88–57454

Parat, K.K. *see* Bothra, S. 88–37426

Parat, K.K. *see* Ghandhi, S.K. 87–24775

Parat, K.K. *see* Weinberg, I. 88–5878

Paratesi, S.R.Galli de *see* Galli de Paratesi, S.R.

Paratore, B., DeClaris, N. A universal communication infrastructure for intensive care microcomputer networks 88–10458

Paratte, P.-A., Robert, P., Poliak, J., Ren, Z.B. Thermo-optical phase shifter for fibre-interferometric sensor 85–50963

Paratte, P.-A. *see* Ren, Z.B. 86–11760, 87–26041, 88–26796

Paratz, L.M. Traffic theory of circuit reservation 87–39544

Paratz, L.M., Jones, E.V. Speech transmission using an adaptive burst mode technique 85–57681

Parayanthal, P. *see* Bhattacharya, R.N. 88–1432

Parayanthal, P. *see* Swaminathan, V. 88–51790

Parayanthal, P. *see* Welch, D.F. 85–24389

Parazsczak, J. *see* Chou, N.J. 87–25121

Parazzoli, C.G., Buchman, W.W., Stultz, R.D. Numerical and experimental investigation of a stimulated Raman half-resonator 88–65834

Parazzoli, C.G., Chien, K. Numerical analysis of a CW RF pumped CO_2 waveguide laser 86–42478

Parc, J.Du *see* Du Parc, J.

Parce, J.W. *see* Hafeman, D.G. 88–68431

Parcell, E.W. *see* Gorton, E.K. 85–62514

Parcerisa, J. Fluorescent numerical and alphanumerical displays 87–49857

Parcerisa, J. Fifty years of colour television tubes 88–39024

Parcerisa, J.Ma.Prades *see* Prades Parcerisa, J.Ma.

Parcerisa, J.M.Prades *see* Prades Parcerisa, J.M.

Parchanski, J. Automatic electromechanical balances for weighing metals in induction furnaces 85–43112

Parchemin, M. *see* Milimonfared, D. 87–9529

Parchenkov, N.Ya. *see* Fratta, L. 85–42035

Parchevskii, S.G. *see* Zhiglinskii, A.G. 86–36544

Parczewski, K.I., Benaroya, V. Radiolysis of water in some BWRs 85–9623

Pardaens, J. *see* Lesaffre, E. 85–60845

Pardalos, P.M. An algorithm for a class of nonlinear fractional problems using ranking of the vertices 87–10278

Pardalos, P.M. Quadratic problems defined on a convex hull of points 88–63187

Pardalos, P.M., Glick, J.H., Rosen, J.B. Global minimization of indefinite quadratic problems 88–18593

Pardalos, P.M., Rosen, J.B. Methods for global concave minimization: a bibliographic survey 87–5353

Pardalos, P.M., Rosen, J.B. Bounds for the solution set of linear complementarity problems 87–51994

Pardalos, P.M., Rosen, J.B. Reduction of nonlinear integer separable programming problems 88–49712

Pardavi-Horvath, M. Coercivity of epitaxial magnetic garnet crystals 86–28631

Pardavi-Horvath, M., Cziraki, A., Fellegvari, I., Vertesy, G., Vandlik, J., Keszei, B. Origin of coercivity of Ca-Ge substituted epitaxial YIG crystals 85–24090

Pardavi-Horvath, M., Vertesy, G. Effect of ion implantation on stripe and bubble domain coercivity 85–41023

Pardavi-Horvath, M. *see* Juhasz, G. 85–41022

Parden, R.J. Excellence is within you [management] 86–13389

Pardesi, M.A. PBXs and data communications: what's available in the market. II 85–3307

Pardesi, M.A. PBXs and data communications: what's available in the market. I 85–19961

Pardhasaradhi, S.K. *see* Roy, N.R. 88–25766

Pardhi, M.S., Dasgupta, S.K. Stress analysis of a high head Francis runner by finite element method 87–72035

Pardi, C. *see* Celani, M. 86–23617

Pardi, G. *see* Baselli, G. 88–29995

Pardi, G. *see* Cerutti, S. 87–57192, 88–54584

Pardikar, V.P., Tummala, M., Rao, B.V. Digital FIR filtering with residue number system 87–73559

Pardini, R. *see* Giavarini, A. 87–17387

Pardini, S. *see* Furcolo, B. 86–17513

Pardo, B. *see* Corno, J. 88–23018

Pardo, C. *see* Bergman, L.A. 88–52915

Pardo, D. *see* Jaraiz, M. 85–1553

Pardo, F., Chelli, H., Koster, A., Paraire, N., Laval, S. Experimental and theoretical study of ultrafast optical switching using guided mode excitation is silicon on sapphire 87–46469

Pardo, F., Koster, A., Chelli, H., Paraire, N., Laval, S. Bistable optical device using guided mode excitation in silicon on sapphire 87–33315

Pardo, F. *see* Chelli, H. 88–8298

Pardo, J. North-south coupling study [spacecraft stationkeeping data] 87–21711

Pardo, J.A. *see* Pardo, L. 86–64156, 88–21046

Pardo, J.M. The extraction of acoustic/articulatory boundaries from the speech wave for speech recognition 86–29817

Pardo, J.M. On the determination of speech boundaries: a tool for providing anchor time points in speech recognition 87–19601

Pardo, J.M. *see* Aguilera, S. 85–13521, 87–19483

Pardo, J.M. *see* Borrajo, A. 86–32239

Pardo, J.M. *see* Munoz Merino, E. 87–55029

Pardo, L. Order-α weighted information energy 87–47448

Pardo, L., Menendez, M.L., Pardo, J.A. The f^*-divergence as a criterion of comparison between fuzzy information systems 86–64156

Pardo, L., Menendez, M.L., Pardo, J.A. A sequential selection method of a fixed number of fuzzy information systems based on the information energy gain 88–21046

Pardo, M. *see* Boj, P.G. 87–19055

Pardo, M. *see* Bonmati, A. 88–8333

Pardo, M. *see* Crespo, J.J. 86–68645

Pardo, P. *see* Dhez, P. 85–7352

Pardo, R., Clifft, B.E., Denhartog, P., Kovar, D., Kutschera, W., Rehm, K.E. Absolute energy measurement of heavy ion beams using a resonant time-of-flight system 88–68233

Pardo, R., Kawarasaki, Y., Wasniewski, K. A CAMAC-based intelligent subsystem for ATLAS–example application: cryogenic monitoring and control 86–24870

Pardo, R. *see* Cocke, C.O. 85–59060

Pardo, R.C., Billquist, P.J. The Argonne PIIECR ion source project status 88–74714

Pardo, R.C., Bollinger, L.M., Shepard, K.W. The ATLAS Positive-Ion Injector project 87–56995

Pardo, R.C., Shepard, K.W., Karls, M. The beam optics of the Argonne positive-ion injector 88–54234

Pardo, R.C. *see* Aron, J. 86–55920

Pardo, R.C. *see* Bollinger, L.M. 87–35325

Pardo, R.C. *see* Dunford, R.W. 88–48078

Pardo, R.E. Comparative analysis of the packet and message switching for the telegram and data services 85–57549

Pardo Gomez, R. OLADE's experiences with the standardization of equipment for small hydropower stations 88–62249

Pardo-Gibson, O., Auriol, P. A time domain method for susceptibility prediction in systems with frequency dependent parameters and nonlinear protective devices 88–8505

Pardo-Ortiz, A.B. *see* Henry, E.W. 88–22474

Pardoe, S.J. A graphics LCD controller and its applications 86–49995

Pardue, E.F. *see* Piety, K.R. 85–43820, 86–70594

Pardue, H.L. *see* Rossi, D.T. 86–5130

Pardue, M.D. Fine-tuning the OSI model: layer functions and services 88–21504

Pardue, M.D., Harvey, J.A., Haupt, K.D., Orlando, T.A. Robustness, quality of service parameters, and the ISO OSI model 87–40216

Pardus, J.J., Sr. *see* Farmer, M.J. 87–42746

Pardyka, I. *see* Dziech, A. 88–46135

Pare, C., Piche, M., Belanger, P.-A. Stability analysis and temporal evolution of degenerate four-wave mixing and phase-conjugate lasers 88–51845

Pare, C. *see* Belanger, P.A. 85–41422

Parechanian, L.T., Weber, E.R., Hierl, T.L. Growth of (110) GaAs/GaAs by molecular beam epitaxy 86–20066

Paredes, J. *see* Rebollo, J. 88–13400

Pareige, P. *see* Ripoche, J. 88–22228

Pareigis, R.P. *see* Burneikis, Yu.P. 86–25949

Pareja, G.E., Leach, D.B., Couch, J.R. Selection and implementation of energy management systems in industrial gas and chemical plants 85–22021

Parekh, A. *see* Hailstone, J.G. 86–50471

Parekh, J.P., Chang, K.W., Hang-Sheng Tuan Convolution with magnetostatic waves in YIG films 86–9422

Parekh, J.P., Chang, K.W., Tuan, H.S. Propagation characteristics of magnetostatic waves 86–21971

Parekh, J.P., Tuan, H.S. Theory of magnetostatic forward volume wave convolvers 85–24200

Parekh, J.P., Tuan, H.S., Chang, K.W. Magnetostatic wave convolvers 86–22032

Parekh, J.P., Tuan, H.S., Desai, A. Theory of MSSW convolution 88–51358

Parekh, J.P. *see* Cheng, T. 86–2610

Parekh, J.P. *see* Cheng, T.S. 87–60831, 87–74531

Parekh, J.P. *see* Lander, V. 86–22030

Parekh, J.P. *see* Tuan, H.S. 85–50850, 86–22031, 88–51254

Parekh, J.P. *see* Wey, A.C.T. 87–60830

Parekh, J.P. *see* Wey, C.T. 87–67737, 88–7958

Parekh, M.B. *see* Downing, R.S. 86–38913

Parekh, M.B. *see* Heidenreich, G.R. 87–35472

Parekh, P.P. *see* Cumming, J.B. 88–29879

Parekh, R.H. *see* Barnett, A.M. 85–65452

Parekh, S., Schoute, F., Walrand, J. Instability and geometric transience of the Aloha protocol 88–41148

Parekh, S. *see* Deans, H.E. 88–74808

Parekh, S. *see* Madisetti, V. 87–55400

Parekh, S.V., Kara, J., Kularajah, R. Advanced Satcom communication antennas 86–22817

Parekh, S.V., Kara, J., Kularajah, R. Satcom antennas feature east/west beam shaping 86–54383

Parekh, S.V., Soule, H.H., Cummings, M., Bornemann, W. Active antennas for satellite communications 86–25349

Parekh, S.V. *see* Cho, S.H. 86–42967, 86–43043

Parekh, S.V. *see* Richie, J.E. 87–27075

Parent, A., McCarthy, N., Lavigne, P. Effects of hard apertures on mode properties of resonators with Gaussian reflectivity mirrors 87−39159

Parent, A. *see* Lavigne, P. 87−26274, 87−41036, 88−27232

Parent, C. The architecture of nuclear power stations 86−18952

Parent, D. DC motor selection with personal computer software 87−30605

Parent, D. *see* Simpson, J. 85−63200

Parent, J. A frequency averaging method to improve sea-state mechanisms with a HF skywave radar 87−56206

Parent, J., Bourdillon, A. A method to correct HF skywave backscattered signals for ionospheric frequency modulation 88−45666

Parent, J., Bourdillon, A. Enhancement of remote sensing capability of HF skywave radar by correcting the signal for frequency modulations 88−47219

Parent, J., Gaffard, C. Detection of meteorological fronts over the North Sea with Valensole skywave radar 86−65510

Parent, J. *see* Bourdillon, A. 87−56246

Parent, M. Robotics and nuclear dismantlement 88−17275

Parent, M., Bures, J., Lacroix, S., Lapierre, J. Polarising properties of reflecting Bragg filters induced by photosensitisation in monomode optical fibers 85−29527

Parent, M. *see* Stilwell, D. 87−19346

Parent, M. *see* Tamburrini, M. 87−54731

Parent, M.G., Goldberg, L., Stilwell, P.D., Jr. Optically derived signal set for phased array antennas 88−27670

Parent, P. *see* Gauvin, J. 86−39615

Parent, R. *see* Lu, N. 86−46859

Parent, R.M., Morency, D.G., Kilmer, C.A., Twearson, D.K., Newhardt, R.E., Kosson, J.S., Clinton, M.P., Bronson, T.A., Plouffe, D.M., Bus, M.H., Morrish, J.R., Thoma, E.P., Busch, R.E., Redman, T.M. A 4 Mb DRAM with double-buffer static-column architecture 87−59482

Parent, R.M. *see* Lu, N.C. 87−10855

Parent de Curzon, E., Gallo, C. Train-ground radio with data transmission 87−34452

Parent du Chatelet, J. Measurement of the state of the sea by ionospheric retrodiffusion radar 86−4726

Parente, B.J.P., Cooper, C.B. Some advantages of digital control for static compensators 86−12331

Parente, D. *see* Liberatore, A. 88−19324

Parente, F., Pellegrini, G., Pietroiusti, R. New concepts for O & M of optical fibre transmission systems and the use of 'FAMA' supervisory system 88−4025

Parenteau, R. *see* Carlson, D. 87−15853

Parenti, C. *see* Canali, G. 85−19604

Parenzi, G.Fiorani *see* Fiorani Parenzi, G.

Parer, D. The design and construction of a VIATEL database 87−13333

Parera Bermudez, J., Veiga Perez, M., Santos Suarez, J. Computer architecture for digital signal processing algorithm research 88−40991

Pareschi, M.T., Raspollini, C. Recognition of partially overlapped workpieces by contour shape matching 87−55339

Pareschi, M.T. *see* Bertolino, A. 87−7861, 87−48243

Pareschi, M.T. *see* Borghesi, P. 85−51810

Pareschi, M.T. *see* Cappellina, V. 88−28021

Pareschi, M.T. *see* Cappellini, V. 86−3944, 87−19841, 87−75918

Pareschi, M.T. *see* Lettera, C. 86−37122, 86−54562

Parese, E. Japanese microprocessors 88−63701

Paret, D. The visualization: from the addressable point to the pixel 85−8729

Paret, D. Luminance and contrast of CRT picture tubes 85−11855

Paret, D. Effect of anti-reflection processes on the resolution of video monitors 85−31536

Paret, D. Resolution of monochrome tubes 85−50165

Paret, D. Estimating the resolution of image tubes by the modulation transfer function (MTF) 86−24357

Paret, D. The resolution of colour display tubes 86−24358

Paret, D. Parameters determining the design of a visualising monitor 87−14130

Paret, D. The choice of luminophores in the design of a display system 87−54179

Paret, D. The Remanence of luminophors and screen flicker 87−63454

Paret, D. The choice of scan modes in the definition of a display system 88−16266

Paret, D. Improvement of the visual quality of the picture by scan conversion 88−16268

Pareti, L., Bolzoni, F., Moze, O. Direct observations of first-order magnetization processes in single-crystal $Nd_2Fe_{14}B$ 86−21950

Pareti, L. *see* Bolzoni, F. 85−35293, 86−15364

Pareti, L. *see* Turilli, G. 88−74566

Paretzke, H.G. *see* Muhling, E. 85−20838

Parey, J.Y. *see* Battaiotto, P. 88−60996

Parey, J.Y. *see* Bernier, R. 88−61175

Parfen'ev, R.V. *see* Arushanov, E.K. 87−37913

Parfen'ev, R.V. *see* Regel, L.L. 85−5972

Parfenov, A.A. *see* Kotserzhinskii, B.A. 85−11518, 87−18070, 87−45247

Parfenov, A.N., Pilayer, A.V. Sixteen-bit digital-analog converter 87−29035

Parfenov, A.N., Pilyar, A.V. Function generator for controlling the magnet power supplies of a superconducting spin synchrotron 88−607

Parfenov, A.N. *see* Korolev, V.S. 88−4346

Parfenov, A.V. *see* Belenov, E.M. 86−47431

Parfenov, A.V. *see* Bolotnikova, I.N. 87−60977

Parfenov, A.V. *see* Dumarevskii, Yu.D. 85−12669, 85−56373, 86−9632

Parfenov, A.V. *see* Vashurin, P.V. 88−59317

Parfenov, A.V. *see* Vasil'ev, A.A. 85−2441, 88−13947, 88−26881

Parfenov, B.M., Sakharov, S.B., Gumerova, S.Kh., Mirova, N.F. Electric drive systems for superdeep drilling rigs 88−43522

Parfenov, B.M. *see* Yun'kov, M.G. 88−43521

Parfenov, E.I. *see* Lev, A.Yu. 87−47497, 87−47517

Parfenov, M.M., Tsyvin, A.A., Kuznetsov, L.M. Resistance strain gauge systems 86−11556

Parfenov, V.A. *see* Kruzhalov, S.V. 85−46371, 86−15675, 86−54182

Parfenov, V.G., Savintseva, L.A., Sharkov, A.V. Temperature field of active element in pulsed mode of laser pump action 86−15596

Parfenov, V.G. *see* Dul'nev, G.N. 88−14163, 88−45381

Parfenov, V.G. *see* Kamach, Yu.E. 85−45924

Parfenov, V.G. *see* Mikhailov, A.E. 87−61119

Parfenov, V.I. *see* Trifonov, A.P. 85−20542, 86−70077

Parfenov, V.V. *see* Gerasimova, L.A. 85−55474

Parfenov, Yu.A. *see* Alikhanyan, R.A. 88−46844

Parfenov, Yu.A. *see* Bystrov, V.V. 88−28619

Parfenov, Yu.A. *see* Dobin, Yu.V. 88−35324

Parfenova, N.N. *see* Baitamaev, B. 85−18507

Parfenova, N.N. *see* Smolenskii, G.A. 86−58647

Parfent'ev, N.A. Input of television images into a small computer in the frame stop mode using standard KAMAK apparatus 88−35687

Parfett, M. Teletex−European fast text transfer taking the world by storm 85−19718

Parfianovich, I.A. New active media for tunable crystal lasers 87−18936

Parfianovich, I.A. *see* Grafenstein, S.G. 85−51153

Parfianovich, I.A. *see* Ivanov, N.A. 85−41436, 87−75067

Parfianovich, I.A. *see* Sobolev, L.M. 85−2271, 85−2366, 85−56753

Pargamin, L., Huc, J., Tartier, S. Considerations on the choice of the insulators for HVDC overhead lines 86−51081

Pargamin, L. *see* Peixoto, C.A.O. 88−68884

Pargas, R.P., Allen, K.R. SAGE: the Clemson University systolic array generating engine 87−17050

Pargatzi, E. Integrated operations management system for electricity supply: an example of the region of Davos electricity supply authority 85−15509

Pargatzi, E., Franke, K. The new 50/8 kV substation 'Unterschnitt' in Davos (Switzerland) 86−56796

Pargellis, A.N. Distribution of copper deposited inside holes by sputtering 88−18727

Pargin, V.N. *see* Belikov, I.B. 88−13960

Parguel, V., Favennec, P.N., Gauneau, M., Rihet, Y., Chaplain, R., L'Haridon, H., Vaudry, C. Gold diffusion in InP 87−73998

Parguel, V. *see* Loualiche, S. 86−15567

Parham, A.G. *see* Binnie, D.M. 85−31693

Parham, A.G. *see* Blissett, J.A. 86−32192, 86−50397

Parham, A.G. *see* Tkaczyk, S.M. 88−54432, 88−68283

Parham, J. *see* Green, D. 86−14549

Parhami, B. Standard Farsi information interchange code and keyboard layout: a unified proposal 85−41853

Parhami, B. Systolic up/down counters with zero and sign detection 87−59413

Parhi, K.K., Berkowitz, R.S. On optimizing importance sampling simulations 88−27908

Parhi, K.K., Chen, W.-L., Messerschmitt, D.G. Architecture considerations for high speed recursive filtering 87−66400

Parhi, K.K., Messerschmitt, D.G. A bit parallel bit level recursive filter architecture 87−37472

Parhi, K.K., Messerschmitt, D.G. Look-ahead computation: improving iteration bound in linear recursions 87−62063

Parhi, K.K., Messerschmitt, D.G. Block digital filtering via incremental block-state structure 87−66408

Parhi, K.K., Messerschmitt, D.G. Area-efficient high speed VLSI adaptive filter architectures 88−890

Parhi, K.K., Messerschmitt, D.G. Concurrent cellular VLSI adaptive filter architectures 88−6975

Parhi, K.K., Messerschmitt, D.G. Pipelined VLSI recursive filter architectures using scattered look-ahead and decomposition 88−70932

Pari, A.de *see* de Pari, A.

Pariani, A. Digital processor for PCM signals 87−52620

Pariani, A. Digital matrices for communication 87−62766

Pariani, A. A signal processor for digital exchange installations 88−35290

Pariani, A., Natali, F. Signalling with a switching matrix. I 88−73762

Pariani, A., Natali, F., Rossi, W. Innovative developments in dedicated circuits for PABX applications 88−67194

Pariani, A. *see* Chinh Nguyen 88−53086

Pariani, A. *see* Nguyen, C. 87−3017

Parida, J., Sen, A. Duality and existence theory for nondifferentiable programming 86−40640

Parigger, P. *see* Hausler, R. 85−53158

Parigi, O. *see* Pinciroli, F. 87−14891

Parihar, K.S., Ramachandran, M.P. Piecewise cubic interpolatory polynomials and approximate solution of singular integral equations 87−16527

Parihar, S. *see* Webb, J.P. 87−7568

Parikh, C.D., Lindholm, F.A. Photoconductive switch designs utilizing field confinement and displacement for faster opening in pulse power systems 88−57034

Parikh, C.D., Vasi, J. Modelling of a depletion-mode MOSFET 87−67292

Parikh, D. *see* Maitra, S. 87−7701

Parikh, D. *see* Panayotatos, P. 87−22755

Parikh, D.D. Comparison of LPC vs. LSP synthesis [speech] 85−2783

Parikh, M. Defect detection and prevention in VLSI manufacturing 85−61829

Parikh, M., Bonora, A.C. SMIF technology reduces clean room requirements 86−1926

Parikh, M. *see* Brain, M. 88−26483

Parikh, M. *see* Gunawardena, S. 85−23894

Parikh, N. *see* Brat, T. 88−39277

Parikh, N. *see* Das, K. 88−18681

Parikh, N. *see* Humphreys, T.P. 87−73060

Parikh, N. *see* Osburn, C.M. 88−71400

Parikh, N.D. *see* Windhausen, R.A. 88−46651

Parikh, N.R. *see* Humphreys, T.P. 88−63354

Parikh, P.B. Quality and reliability in production of passive components 86−7487

Parikh, P.P. *see* Vyarawalla, F. 85−16268

Parikh, R. The logic of games and its applications 86−19901

Parikh, R., Wendland, B., Halpern, H. Fiber optic application. A smarter test set for fiber optic measurements 88−45076

Parikh, R., Wendland, B., Halpern, H. Second generation field test equipment 88−60168

Parikh, R.C., Patel, R.D., Shah, R.N. Technical data and information system for planning distribution networks and operational efficiency 85−15537

Parikh, S.P.F. *see* Shenoy, M.A. 88−50455

Parikozhka, I.A. *see* Dvorskiy, E.E. 86−30283

Parikozhka, I.A. *see* Martsenitsen, S.I. 86−37346

Parilak, J. Tester programmer [for memories] 85−17405

Parilov, V.Z. *see* Baich, A.D. 85−35632

Parimala, R. Witt groups of conics, elliptic, and hyperelliptic curves 88−38078

Parimbekov, Z.A. *see* Kradinova, L.V. 87−45631

Parimelalagan, R. *see* Pavithran, K.N. 87−22328, 88−55653

Parini, C.G., Lau, A.K.K., Clarricoats, P.J.B. Reflector antenna surface profile tolerance measurement by ultrasound or microwave remote sensing 87−26967

Parini, C.G., Lau, K.K., Clarricoats, P.J.B. Fast reflector profile tolerance measurement using ultrasound 85−24944

Parini, C.G., Lee-Yow, L.M.C.E. Mutual coupling effects in waveguide Rotman lens beam forming networks 87−39469

Parini, C.G., Lee-Yow, L.M.C.E. The performance of waveguide Rotman lens beam forming networks in the presence of mutual coupling 87−47411

Parini, C.G. *see* Clarricoats, P.J.B. 85−24942

Parini, C.G. *see* Cory, H. 85−24969, 85−41791

Parini, C.G. *see* Kitchener, D. 88−2813

Parini, C.G. *see* Olver, A.D. 85−24962, 88−43640

Parini, C.G. *see* Tun, S.M. 85−7755

Paripas, B. *see* Somogyi, G. 85−38262

Paris, D., Boudot, R., Villard, D., Zacharie, G. Nondestructive testing and materials studies 88−12103

Paris, E. *see* Etienne, B. 88−19681

Paris, J. *see* Cimino, J.B. 88−10606

Paris, J.A. Benefits of cellular marketing with demographic data 87−3113

Paris, L., Privat, G. Digital video filters: two design methodologies 86−35025

Paris, L., Senn, P. Digital processors for a video decoder using oversampling 87−20714

Paris, L., Senn, P., Duvic, G., Veillard, M. An oversampling digital filter for videocommunications 86−62759

Paris, L., Senn, P., Veillard, M. A digital alternative to a video decoder 87−20686

Paris, L., Zini, G., Valtorta, M., Manzoni, G., Invernizzi, A., De Franco, N., Vian, A. Present limits of very long distance transmission systems 86−50957
Paris, L. *see* Barbarito, M. 86−51054
Paris, L. *see* Gamba, G. 88−69043
Paris, M., Metzger, G., Pasdeloup, M. Studies and initial choices as regards electrical equipment design [fire considerations] 85−16733
Paris, M. *see* Carballeira, M. 88−1813
Paris, M. *see* Deschamps, L. 86−68094, 86−70689
Paris, M. *see* Fallou, B. 88−5748
Paris, M. *see* Gain, E. 88−5750
Paris, M. *see* Perret, J. 87−78716
Paris, N., Dure, D., Douady, C., Permuy, A. Multi-windowing: two solutions for better viewing 87−31894
Paris, P. *see* Putaux, J.C. 87−57006
Paris, R. *see* Kerr, B. 87−71888
Paris, V. *see* Buquet, C. 88−61282
Paris, V. *see* Charlier, J.R. 87−57077
Paris, W.D. *see* Cohoon, J.P. 87−36907, 88−13477
Parise, D. *see* Cerro, A. 88−73858
Parise, G. 'Characteristic currents' in power network fault calculation 87−4351
Parise, G. *see* Buccheri, P. 88−55087
Parise, G. *see* Grasselli, U. 86−45012
Pariset, C. *see* Achard, B. 86−2067
Pariset, C. *see* Gautard, D. 85−44738
Pariset, C. *see* Harrous, M. 87−58938
Parish, D. *see* Crook, C. 85−48017
Parish, D.J. Advanced automotive multiplexed wiring system 87−13170
Parish, D.J., Fairfield, M.J., Lee, B.S. A video frame store for teleconferencing applications via computer networks 85−52569
Parish, D.J. *see* Crossfield, D.H. 87−12927
Parish, D.J. *see* Murphy, B.J. 88−67136
Parish, M.V., Garcia, R.R., Bowen, H.K. Dispersions of oxide powders in organic liquids 85−33530
Parish, M.V. *see* Itoh, H. 87−339
Parish, R.W. *see* Rockett, P. 86−38724
Parisi, A. *see* Catanesi, M.G. 87−29686
Parisi, G. *see* Abollino, O. 88−45071, 88−65174
Parisi, G. *see* Braglia, M. 86−64974, 87−32933, 88−58074
Parisi, G. *see* Chigo, G. 86−36120
Parisi, G. *see* Cocito, G. 86−52515, 88−51438
Parisi, G. *see* Ghigo, G. 85−35481, 86−15456, 86−42331, 86−53942, 87−1934, 87−12108, 87−38803
Parisi, G. *see* Modone, E. 85−52324, 86−4621, 88−1943, 88−58073
Parisi, J. High-performance waveform-sampling analysis−current status and trends 85−46804
Parisi, J. High-resolution stroboscopic magnetooptical flux detection in superconductors 85−58856
Parisi, J., Muhlemeier, B., Buck, W. High-performance waveform-sampling analysis based on digital multipoint signal averaging 86−55588
Parisi, J., Peinke, J., Rau, U., Mayer, K.M. Hall-effect measurements during low-temperature avalanche breakdown of p-germanium 88−50616
Parisi, J. *see* Braig, R. 86−12529
Parisi, J. *see* Huebener, R.P. 88−44539
Parisi, J. *see* Mannhart, J. 86−47279, 87−25200, 87−67267
Parisi, J. *see* Mayer, K.M. 88−57314
Parisi, J. *see* Peinke, J. 85−40427, 87−53171, 88−39049
Parisi, J. *see* Penner, K. 86−28733
Parisi, J. *see* Rau, U. 88−1344, 88−64231
Parisi, J. *see* Rohricht, B. 86−27834, 87−53172
Parisi, J. *see* Scholl, E. 87−32231
Parisi, N., Vora, M. SECS communication for ion implanters 85−34777
Parisi, N. *see* Aitken, D. 87−53337
Parisi, P. *see* Olivi, L. 85−43743
Parisi, S. *see* Armstrong, A. 88−19375
Parisi, S. *see* Howell, C.M. 88−56972
Parisi, S.J. *see* White, J.F. 87−77389, 88−25472
Parisi, V. *see* Aluffi-Pentini, F. 85−28187 to 28188
Parisi, V. *see* d'Amico, A. 85−3992
Parisi, V.M., II Upgrading to a microcomputer data acquisition system [aerospace test facilities] 87−71209
Parisini, A. *see* Paracchini, C. 87−17747
Parisoe, L.F., Knapp, G.W. 2901/2910 core microprocessor cells bring 'systems-on-a-chip' to semicustom standard cells 86−1119
Parisot, M., Archambault, Y., Pavlidis, D., Magarshack, J. Highly accurate design of spiral inductors for MMICs with small size and high cut-off frequency characteristics 85−1097
Parisot, M., Archambault, Y., Pavlidis, D., Magarshack, J. Highly accurate design of spiral inductors for MMICs with small size and high cut-off frequency characteristics 85−17840
Parisot, M. *see* Chusseau, L. 88−25551, 88−63880
Parisot, M. *see* Rumelhard, C. 88−7068
Parisot de La Valette, P. Implementation of an OSI transport layer of type 4 according to the NBS standard 88−15097
Parisy, P. *see* Davoine, J. 86−39833
Parisy, P. *see* Olivier, E. 86−70942
Parith, N. *see* Brat, T. 88−24789
Paritskii, L.G., Tuchkevich, V.M. Limiting characteristics of an ionization-type semiconductor photographic system 86−24370
Paritskii, L.G. *see* Asnina, Zh.S. 85−18064, 85−40429
Paritskii, L.G. *see* Burova, T.V. 86−24371
Paritskii, L.G. *see* Lodygin, A.N. 86−47259
Paritskii, L.G. *see* Veinger, A.I. 85−62436
Parizek, B. *see* Behm, D.A. 86−53284
Parizek, P. Experience and results in simulation modeling of computer networks 86−30114
Parizet, M.J. *see* Alard, J.P. 88−10243
Parizh, M.B. *see* Andrianov, V.V. 86−48013, 88−69720
Park, B.G. *see* Wolak, E. 88−64495
Park, C., Hankey, J., Williams, P.J., Weston, N., Debney, B.T. DFB laser sources for coherent optical communication systems 87−40974
Park, C., Schaumann, R. A high-frequency CMOS linear transconductance element 87−16893
Park, C. *see* Debney, B.T. 88−4069
Park, C. *see* Horvath, J.L. 86−52276
Park, C. *see* Hultmark, E. 87−44002
Park, C. *see* Rapp, L. 86−46114
Park, C. *see* Song, T.L. 88−47194
Park, C.-E. *see* Cunningham, W.C., Jr. 88−19894
Park, C.-I., Park, K.H., Kim, M. An efficient algorithm for *K*-way partitioning of a graph 88−24647
Park, C.-Y. *see* Han, D.-Y. 88−26631
Park, C.A. Optical sources for coherent systems 88−4062
Park, C.A. Coherent optical systems for telecommunications 88−9521
Park, C.A., Rowe, C.J., Buus, J., Reid, D.C.J., Carter, A., Bennion, I. Single-mode behaviour of a multimode 1.55 μm laser with a fibre grating external cavity 87−7357
Park, C.A. *see* Hankey, J. 88−47156
Park, C.A. *see* Rosiewicz, A. 86−15666
Park, C.E. *see* Cunningham, W.C., Jr. 88−13244
Park, C.H. A study of the dielectric and mechanical property interactions of glass-cloth/epoxy composites 88−467
Park, C.H., Kwak, D.J., Hara, M. Some dielectric and mechanical properties of heat treated biaxially drawn PET films 85−56028
Park, C.H. *see* Hara, M. 85−1769
Park, C.H. *see* Nath, R. 88−10451
Park, C.H. *see* Paek, E.G. 87−38887
Park, C.K., Bari, R.A. An information-theoretic approach to uncertainty importance [nuclear safety] 85−48762
Park, C.S., Schaumann, R. Fully integrated analog filters in CMOS technology 86−67347
Park, C.S., Schaumann, R. Design of eight-order fully integrated CMOS 4 MHz continuous-time bandpass filter with digital/analog control of frequency and quality factor 87−66362
Park, C.S., Schaumann, R. Design of a 4-MHz analog integrated CMOS transconductance-*C* bandpass filter 88−63785
Park, C.S., Yoo, J.S., Chun, J.S. The deposition characteristics and the structural nature of the deposit in the chemical vapour deposition of boron 86−26900
Park, C.Y. *see* Kim, H.C. 87−21367
Park, D. *see* Krukar, R. 88−73189
Park, D. *see* Shapiro, J.H. 87−41031
Park, D.C., Kim, S.K. Dielectric waveguide channel dropping filter using 3 dB couplers and bandstop gratings 88−32376
Park, D.C., Matthaei, G.L., Wei, M.S. Dielectric waveguide grating design for bandstop and bandpass filter applications 85−17794
Park, D.C. *see* Ikalainen, P.K. 86−8431
Park, D.C. *see* Marks, R.J., II. 88−65124, 88−65128
Park, D.C. *see* Oh, S. 88−58294
Park, D.H., Kyokane, J., Yoshino, K. Surface potential decay and residual voltage measurements in highly elongated polyethylene 87−38626
Park, E.D. Simulated blackbody for IR scene generation 88−74423
Park, E.D., Gat, E. Fiber optic commutation system for brushless DC motors 87−51235
Park, E.D., Gat, E. Fiber optic commutation system for brushless DC motors 87−64616
Park, E.S., Mercer, M.R. Robust and nonrobust tests for path delay faults in a combinational circuit 88−25124
Park, G.C. *see* Korba, L.W. 86−25260 to 25261
Park, G.L., Krauss, O., Miller, J. Performance testing of small interconnected wind systems 85−15954
Park, G.L., McCleer, P.J., Weinberg, B. Operation of single-phase pumps at extremes of voltage and frequency 88−23939
Park, G.L., Miller, J.M. Measured interconnected behavior of wind turbine inverters 85−15950
Park, G.L. *see* Bouwmeester, R.J.B. 86−12756
Park, G.L. *see* Schlueter, R.A. 85−60101
Park, G.S. *see* Lawson, W. 87−24696, 87−41758
Park, G.S. *see* Striffler, C.D. 87−17646
Park, G.T. Self-tuning control application to a nuclear power plant 86−51272
Park, H., Leifer, L.J. Integrated sensory perception for rehabilitative robotic aid 87−14918
Park, H., Yamaguchi, T., Boyer, K., Eiden, G., Clawson, C., Yu, S., Sachitano, J. High-speed self-aligned polysilicon emitter/base bipolar devices using boron and arsenic diffusion through polysilicon 87−25249
Park, H. *see* Kolchmeyer, J.O. 87−59404, 88−51001
Park, H. *see* Luk, F.T. 87−52014, 88−40927
Park, H. *see* Ma, C.H. 86−68786
Park, H.-K. *see* Kim, E.-S. 88−20732
Park, H.-L. *see* Yi, K.-S. 87−24961
Park, H.-S. *see* Price, P.B. 87−41878
Park, H.C., Kim, Y.C., Hong, Y.S., Kim, M., Park, K.H. Rule-based module layout synthesis 88−18871
Park, H.J., Ko, P.K., Hu, C. A measurement-based charge sheet capacitance model of short-channel MOSFETs for SPICE 87−45997
Park, H.J., Ko, P.K., Hu, C. A non-quasistatic MOSFET model for SPICE 88−39479
Park, H.J. *see* Kim, J.M. 87−69986
Park, H.J. *see* Kwon, B.H. 87−30608
Park, H.K., Boyer, K., Clawson, C., Eiden, G., Tang, A., Yamaguchi, T., Sachitano, J. High-speed polysilicon emitter-base bipolar transistor 87−18095
Park, H.K., Kim, H.C. Perturbation of SAW phase velocity in the n-Si/YZ-$LiNbO_3$ structure 88−26597
Park, H.K. *see* Kim, D.M. 87−11332, 87−60076, 87−66873
Park, H.K. *see* Kwon, D.S. 88−27638
Park, H.K. *see* Qian, F. 88−26264
Park, H.K. *see* Song, W.Y. 88−27598
Park, H.K. *see* Yamaguchi, T. 85−35166
Park, H.L., Kim, H.K., Chung, C.H. Oxygen related luminescence center in CaS:Bi^{3+} phosphor 88−58351
Park, H.L. *see* Kim, K.M. 87−73051, 88−11963, 88−32787
Park, H.L. *see* Yung, S.I. 87−43435
Park, H.S., Hwang, H.J. A noniterative scheme for semiconductor device simulation 88−19905
Park, H.S. *see* Bower, C.R. 87−14732
Park, H.S. *see* Claus, R. 88−16639
Park, H.S. *see* Price, P.B. 87−77575
Park, H.S. *see* Tang, D.D. 87−17028
Park, H.S. *see* Wuest, C.R. 86−1649
Park, H.W. *see* Ra, J.B. 86−50518
Park, I., Maitland, A. Unstable resonator magnification effects in a short-pulse XeCl laser 88−45492
Park, I. *see* Kudo, K. 86−33128
Park, I. *see* Wang, N. 88−60688
Park, J., Lindberg, C.R., Vernon, F.L., III. Multitaper spectral analysis of high-frequency seismograms 88−21183
Park, J., Neugroschel, A., Lindholm, F.A. Systematic analytical solutions for minority-carrier transport in semiconductors with position-dependent composition, with application to heavily doped silicon 86−41514
Park, J., Neugroschel, A., Lindholm, F.A. Comments on determination of bandgap narrowing from activation plots [bipolar transistors] 86−63256
Park, J., Poon, T.-C., Indebetouw, G. Two-dimensional textural edge detection using ω-Gaussian filter 86−69105
Park, J., Poon, T., Indebetouw, G. Two-dimensional optimal frequency domain filter for textural edge detection 87−7869
Park, J., Vernon, F.L., III., Lindberg, C.R. Frequency dependent polarization analysis of high frequency seismograms 88−21182
Park, J. *see* Aprile, E. 88−61077
Park, J. *see* Cho, Y. 86−63402
Park, J.-K. *see* Kim, S.-H. 88−30360
Park, J.-S., Neugroschel, A., Lindholm, F.A. Numerical analysis and interpretation of the small-signal minority-carrier transport in bipolar devices 88−26223
Park, J.-T. *see* Chiarawongse, J. 88−3618
Park, J.C. *see* Lee, H.K. 88−53911
Park, J.C. *see* Suh, B.J. 87−53919
Park, J.D. *see* Seo, D.S. 88−58600
Park, J.G., Cayless, A.T., de Groot, P.A. The inductances of RF SQUIDS and the period of their response to applied magnetic flux 86−9436
Park, J.G. *see* Schouten, J.C. 85−31731
Park, J.H., Wadekar, S., Hunsperger, R.G. Dual-mode laser/detector diode 88−51708
Park, J.H., Jr. LPI techniques in the underwater acoustic channel 87−42285
Park, J.K. Overview of VLSI design and process simulations-modeling 86−21765
Park, J.L. *see* Snare, J.L. 86−37308
Park, J.M. *see* Huang, W.S. 88−24820
Park, J.M. *see* Kim, H.C. 88−24833
Park, J.N. *see* King, R.D. 85−49174

Park, J.S., Neugroschel, A. Current dependence of the base and emitter series resistances of bipolar transistors 88−13352
Park, J.S. *see* Kang, T.W. 88−49816
Park, J.S. *see* Kim, Y.S. 87−63350
Park, J.S. *see* Liou, J.J. 87−60137
Park, J.S. *see* Neugroschel, A. 86−41750
Park, J.S. *see* Rhee, S.S. 88−64279
Park, J.W., Clark, G.M. A computational algorithm for reliability bounds in probabilistic design 86−46127
Park, J.W. *see* Schwartz, R.J. 88−5863, 88−17984
Park, J.W. *see* Turner, G.B. 88−31012, 88−37424
Park, K. A mathematical approach for functional laser trimming of thick film hybrid circuits 87−60036
Park, K. Precision low-cost ceramic capacitive pressure transducers 87−72546
Park, K., Chung, W.-S., Kim, H.B., Kwack, K.D. A model for capacitance-voltage characteristics of MODFETs 88−26357
Park, K., Kim, H.B., Kwack, K.D. A model for the capacitance-voltage characteristics of MODFETs 88−26335
Park, K., Kwack, K.D. A model for the current-voltage characteristics of MODFETs 86−53646
Park, K., Kwack, K.D. Calculation of the two-dimensional electron gas density at the $Al_xGa_{1-x}As/GaAs$ heterointerface 87−24834
Park, K. *see* Bina, H. 87−72547
Park, K. *see* Cassette, P. 85−21404
Park, K. *see* Ki, H.C. 87−74305
Park, K. *see* Neff, H. 88−45283
Park, K.-A., Bergles, A.E. Natural convection heat transfer characteristics of simulated microelectronic chips 87−58685
Park, K.C., Im, H.B. Effect of sintering conditions on the microstructure and optical properties of $Cd_{1-x}Zn_xS$ films 88−56279
Park, K.C. *see* Kim, O.H. 88−59467
Park, K.H., Macchi, O. A phase-adaptive echo canceller with reduced sensitivity to power variations 87−75465
Park, K.H. *see* Macchi, O. 86−48608
Park, K.H. *see* Park, C.-I. 88−24647
Park, K.H. *see* Park, H.C. 88−18871
Park, K.H. *see* Song, J.S. 87−48712
Park, K.I. *see* Carey, M.B. 85−19635
Park, K.I. *see* Ingle, J.F. 87−34268
Park, K.I. *see* Kuzyszyn, S.M. 88−9294
Park, K.O. *see* Degenkolb, E. 86−9027
Park, K.S. Optimal number of major failures before replacement 86−7577
Park, K.S. Optimal use of product warranties 86−34083
Park, K.S. Effect of burn-in on mean residual life 86−34084
Park, K.S. Conditional availability of intermittently-used systems in nonMarkov environment 86−61977
Park, K.S. Fuzzy apportionment of system reliability 87−58730
Park, K.S. Optimal continuous-wear limit replacement under periodic inspections 88−43667
Park, K.S. Optimal wear-limit replacement with wear-dependent failures 88−70166
Park, K.S., Cho, B.C. RAPID: Recursive Algorithmic PIvotal Decomposition program for complex structural reliability analysis 88−43741
Park, K.S., Lee, N.S. A three-dimensional Fourier descriptor for human body representation/reconstruction from serial cross sections 87−63733
Park, K.S., Park, Y.T. Ordering policies under minimal repair 86−46010
Park, K.S., Yee, S.R. Present worth of service cost for consumer product warranty 85−49389
Park, K.S. *see* Park, Y.T. 85−33235
Park, K.T., Hall, E.L. Form recognition using moment invariants for three dimensional perspective transformations 87−62200
Park, K.T., Klafter, R.D., Bloomfield, P.E. A charge readout algorithm for piezoelectric force transducers 87−56669
Park, M., Tanie, K., Lee, S.B. An array tactile sensor system for robot hand 88−29412
Park, M. *see* Lee, S.R. 88−21410
Park, M. *see* Shin, D. 87−31973
Park, M.-H. *see* Choe, G.-H. 87−72271, 88−32318
Park, M.-H. *see* Kim, S.-H. 88−30360
Park, M.-H. *see* Won, C.-Y. 88−31091
Park, M.-S., Shim, C.-S., Kang, M.-H. Analysis of sensitivity degradation caused by the flicker noise of GaAs-MESFETs in fiber-optic receivers 88−50889
Park, M.H., Hong, S.C. Microprocessor-based high efficiency drive of a DC series motor 86−6790
Park, M.H. *see* Choe, G.H. 86−46984, 87−17230
Park, M.H. *see* Chun, T.W. 88−31087
Park, M.H. *see* Hong, S.C. 88−11419
Park, M.H. *see* Jeong, S.G. 88−30727
Park, M.H. *see* Jeong, S.K. 85−10023
Park, M.H. *see* Kim, G.T. 87−78990
Park, M.H. *see* Kim, H.G. 85−27678
Park, M.H. *see* Sul, S.K. 87−22343, 88−55352
Park, M.J. *see* Kim, S.S. 88−7308
Park, M.K. *see* Choi, C.T. 88−44546
Park, N., Parker, A. Synthesis of optimal clocking schemes 86−20491
Park, N., Parker, A.C. Sehwa: a software package for synthesis of pipelines from behavioral specifications 88−38464
Park, N. *see* Jain, R. 88−70449
Park, P.K. Mutual admittance between slots on a plane 85−13389
Park, P.K., Bradshaw, S.E. Feed matching technique for shunt slot array 86−43093
Park, P.K., Eisenhart, R.L., Bradshaw, S.E. Matched, dual mode square waveguide corner 87−6038
Park, P.K., Eisenhart, R.L., Bradshaw, S.E. Matched, dual mode square waveguide corner 87−24428
Park, P.K., Slaterbeck, M.E., Bradshaw, S.E. Shunt/series coupling slot in rectangular waveguides 85−11519
Park, R.-H. *see* Jung, G.S. 88−52509
Park, R.E. Is fibre optics competitive for LANs 87−48560
Park, R.E. *see* Garside, B.K. 85−64159, 87−14335
Park, R.E. *see* Pai, S.T. 85−4060
Park, R.E. *see* Seymour, R.J. 87−41526
Park, R.M., Kleiman, J., Mar, H.A. Molecular beam epitaxial growth of ZnSe on (100) GaAs and (100) Ge: a comparative study of material quality 88−1378
Park, R.M., Kleiman, J., Mar, H.A., Smith, T.L. Antimony-doped ZnSe grown by molecular-beam epitaxy 88−63298
Park, R.M., Mar, H.A. Molecular beam epitaxial growth of high quality ZnSe on (100) Si 86−34309
Park, R.M., Mar, H.A. Growth and photoluminescence characterization of ZnSe layers grown on (100)Ge by molecular beam epitaxy 87−5413
Park, R.M., Mar, H.A., Kleiman, J. ZnSe and ZnSe/Ge epi-layers grown on (100) Si by molecular beam epitaxy 88−38150
Park, R.M., Mar, H.A., Salansky, N.M. Dominant intrinsic-exciton related luminescence from ZnSe grown by molecular beam epitaxy 85−35607
Park, R.M., Mar, H.A., Salansky, N.M. Molecular beam epitaxy growth of ZnSe on (100)GaAs by compound source and separate source evaporation: a comparative study 85−44702
Park, R.M., Mar, H.A., Salansky, N.M. Homo- and heteroepitaxial growth of high quality ZnSe by molecular beam epitaxy 86−26842
Park, R.M. *see* Mar, H.A. 86−66814
Park, S., Aggarwal, J.K. Recursive synthesis of linear time-variant digital filter via Chebyshev approximation 85−17706
Park, S., Aggarwal, J.K. Recursive synthesis of linear time-variant digital filters via Chebyshev approximation 85−34079
Park, S., Ahmed, N. Array filters for attenuating coherent interference using planar sensor arrays 88−2887
Park, S., Ahmed, N. Optimum array filters for two-dimensional sensor arrays 88−8752
Park, S., Ahmed, N. Array filter structures for multiple coherent interferences 88−8798
Park, S., Buchholz, D., Castoldi, C., Claes, D., Gobbi, B., Schluter, R., Yoshida, R. Hadron calorimeter with proportional tubes and pad readout 87−41838
Park, S., Cardaro, J.T. Maximum likelihood estimation of poles from impulse response data in noise 87−62016
Park, S., Kim, Y.T. Adaptive signal processing algorithms for time delay estimates and tracking 88−52491
Park, S. *see* Ahmed, N. 85−3495
Park, S. *see* Buchholz, D. 87−63684
Park, S. *see* Charette, C. 88−71242
Park, S. *see* Gerdhardt, L.A. 87−33720
Park, S. *see* Jun, Y. 87−65746
Park, S. *see* Lee, C. 87−67248
Park, S. *see* Lee, K. 86−62712
Park, S.-B. *see* Kim, K.-H. 88−19092
Park, S.-B. *see* Shin, D.-H. 87−64680
Park, S.-I., Quate, C.F. Digital filtering of scanning tunneling microscope images 87−59743
Park, S.-S. *see* Cho, G.-H. 88−30893
Park, S.-W., Cordaro, J.T. Improved estimation of SEM parameters from multiple observations 88−52239
Park, S.-W., Na, S.-J. A study on the current density distribution and constriction resistance in a single-line contact with various space angles by using conformal mapping 88−50456
Park, S.-W., Shono, K. A new blanking method for electron beam lithography using SEM 87−38406
Park, S.-W. *see* Na, S.-J. 88−74444
Park, S.B. *see* Han, I.S. 85−11410
Park, S.B. *see* Kim, B.S. 86−69139, 87−19856
Park, S.B. *see* Kim, C.W. 88−12529
Park, S.B. *see* Kim, J.H. 85−59268, 86−44826, 87−13152
Park, S.B. *see* Kim, K.H. 88−71763
Park, S.B. *see* Kim, Y.G. 87−42269
Park, S.B. *see* Lee, K. 86−679
Park, S.B. *see* Lee, M.H. 86−60732
Park, S.B. *see* Lee, S.-W. 88−22668
Park, S.B. *see* Shin, D.H. 88−30920
Park, S.C. *see* Jeon, Y.J. 88−71434
Park, S.H., Choe, B.D., Jang, S.J. Si-doped GaAs diodes with negative resistance 88−51691
Park, S.H., Peyghambarian, N., Morhange, J.F., Morgan, R.A., Jeffery, A.D., Chavez-Pirson, A., Gibbs, H.M., Koch, S.W., Derstine, M., Gossard, A.C., English, J.H., Wiegmann, W. Comparison of the optical nonlinearities of bulk GaAs and GaAs/AlGaAs multiple quantum wells 88−65869
Park, S.H. *see* Gibbs, H.M. 87−75254
Park, S.H. *see* Jeon, Y.J. 88−71434
Park, S.H. *see* Potts, J.E. 88−65865
Park, S.K. Digital image fidelity: an end-to-end analysis 86−69179
Park, S.K. *see* Fales, C.L. 88−52526
Park, S.K. *see* Huck, F.O. 85−2874, 86−69177, 87−62206, 88−52525
Park, S.K. *see* Kearns, J.P. 88−67045
Park, Sun-Woo, Shono, K. A new position alignment method in electron-beam direct writing lithography using the SEM 87−67052
Park, S.W. *see* Choe, B.D. 87−18861
Park, S.Y., Granatstein, V.L., Parker, R.K. A linear theory and design study for a gyrotron backward-wave oscillator 85−55407
Park, S.Y., Kyser, R.H., Armstrong, C.M., Parker, R.K. Experimental study of gyro-BWO 88−44524
Park, S.Y., Vanderplaats, N., Ahn, S., Ganguly, A.K., Parker, R.K., Granatstein, V.L. A continuously tunable K_a-band gyrotron 86−21024
Park, S.Y. *see* Freund, H.P. 85−55381
Park, S.Y. *see* Ganguly, A.K. 88−25804
Park, S.Y. *see* Hargreaves, T.A. 85−23343, 85−55372
Park, S.Y. *see* Li, Q.F. 87−10700
Park, S.Y. *see* Parker, R.K. 85−55404
Park, T.H., Youn, D.H., Cha, I.W. Multiplication-free adaptive digital filters 88−63807
Park, V.-J., Cook, R.K., Gaur, S.P. The effects of carrier-concentration-dependent bandgap narrowing on bipolar-device characteristics 85−40700
Park, W.J., Komo, J.J. *m*-sequences over GF(q) and GF(q^m) 87−54957
Park, W.J. *see* Ratnaparkhi, M.V. 87−5513
Park, W.J., Jr., Komo, J.J. The autocorrelation of non-binary m-sequences 87−55976
Park, W.R. *see* Gammell, P.M. 85−6091
Park, W.S., Seshadri, S.R. Theory of the grating coupler for a grounded-dielectric-slab waveguide 85−41676
Park, W.S., Seshadri, S.R. Reradiation from a grating coupler for a grounded dielectric slab waveguide 86−27529
Park, W.T. *see* Peters, L.S. 87−23330, 87−43973
Park, Y. *see* Lee, S. 87−44852
Park, Y. *see* Rengan, A. 86−14817
Park, Y.-J., Navon, D.H., Tang, T.-W. Monte Carlo simulation of bipolar transistors 85−18299
Park, Y.-J. *see* Gaur, S.P. 85−55782
Park, Y.-K., Bergstein, S.S., Tench, R.E., Smith, R.W., Korotky, S.K., Burns, K.J., Granlund, S.W. Crosstalk and prefiltering in a two-channel ASK heterodyne detection system without the effect of laser phase noise 88−73927
Park, Y.E. *see* Jain, K.C. 85−33986
Park, Y.H., Roessle, P., Majewski, E., Smith, J.F. Electromigration in aluminum films prepared with a high rate magnetron sputtering cathode 86−21451
Park, Y.H. *see* Sue, M.K. 86−64934
Park, Y.K., Delavaux, J.-M.P., Olsson, N.A., Nguyen, T.V., Tamburino, D.E., Smith, R.W., Korotky, S.K., Dixon, M. Performance of ASK heterodyne detection for various laser linewidths 86−30786
Park, Y.K., Granlund, S.W., Kuo, C.Y., Dixon, M., Cline, T.W., Smith, R.W., Dutta, N.K., Vannucci, G. Crosstalk penalty in a two-channel ASK heterodyne detection system with non-negligible laser linewidth 88−15448
Park, Y.K., Granlund, S.W., Tzeng, L.D., Olsson, N.A., Dutta, N.K. Crosstalk in a two-channel coherent fibre-optic ASK system using an optical amplifier and non-negligible linewidth lasers 88−47030
Park, Y.K. *see* Kim, D.Y. 87−39631
Park, Y.M., Lee, K.Y. Optimal decentralized load-frequency control 86−12312
Park, Y.M., Lee, K.Y., Youn, L.T.O. New analytical approach for long-term generation expansion planning based on maximum principle and Gaussian distribution function 85−38465
Park, Y.M., Lee, K.Y., Youn, L.T.O. Optimization technique for long-term generation expansion planning 86−12363
Park, Y.M. *see* Lee, B.Y. 87−57959
Park, Y.M. *see* Lee, K.Y. 85−48544, 86−56337
Park, Y.M. *see* Moon, Y.H. 87−71510, 88−30228
Park, Y.M. *see* Youn, L.T.O. 87−57944

Park, Y.S. *see* Ezis, A. 85—12167
Park, Y.S. *see* Rengan, A. 85—14661
Park, Y.S. *see* Whang, K.C. 88—26645
Park, Y.S. *see* Yeo, Y.K. 86—14857
Park, Y.T., Park, K.S. Optimal stocking for replacement with minimal repair 85—33235
Park, Y.T. *see* Park, K.S. 86—46010
Park Bong-Doo *see* Bong-Doo Park
Park Byung Chul *see* Byung Chul Park
Park Chan-Bin *see* Chan-Bin Park
Park Chan-Won *see* Chan-Won Park
Park Chang Bae *see* Chang Bae Park
Park Chang Yun *see* Chang Yun Park
Park Chang-uk *see* Chang-uk Park
Park Chang-Yub *see* Chang-Yub Park
Park Chang-Yup *see* Chang-Yup Park
Park Chin Sup *see* Chin Sup Park
Park Chong Kug *see* Chong Kug Park
Park Chong Yeun *see* Chong Yeun Park
Park Chul Soon *see* Chul Soon Park
Park Chun Myoung *see* Chun Myoung Park
Park Chun Seon *see* Chun Seon Park
Park Chung-Hoo *see* Chung-Hoo Park
Park Dae Yoon *see* Dae Yoon Park
Park Dong Chul *see* Dong Chul Park
Park Dong Ho *see* Dong Ho Park
Park Dong-Geun *see* Dong-Geun Park
Park Duck-Kyu *see* Duck-Kyu Park
Park Duk Kyu *see* Duk Kyu Park
Park Duk-Won *see* Duk-Won Park
Park Goon Cherl *see* Goon Cherl Park
Park Guee-tae *see* Guee-tae Park
Park Gwi Tae *see* Gwi Tae Park
Park Gyeong-Lyong *see* Gyeong-Lyong Park
Park Han Kyu *see* Han Kyu Park
Park Han-Kyu *see* Han-Kyu Park
Park Hee Gap *see* Hee Gap Park
Park Heung-Joon *see* Heung-Joon Park
Park Hong Joon *see* Hong Joon Park
Park Hong-June *see* Hong-June Park
Park Huk Yel *see* Huk Yel Park
Park Hyuk-Ryeol *see* Hyuk-Ryeol Park
Park Hyung Moo *see* Hyung Moo Park
Park Hyung Rae *see* Hyung Rae Park
Park Hyung-Keun *see* Hyung-Keun Park
Park Hyung-Sik *see* Hyung-Sik Park
Park In Jung *see* In Jung Park
Park Jae Dong *see* Jae Dong Park
Park Jee-Sik *see* Jee-Sik Park
Park Jeong Gi *see* Jeong Gi Park
Park Jeong Il *see* Jeong Il Park
Park Jin Seok *see* Jin Seok Park
Park Jin Yang *see* Jin Yang Park
Park Jin-Gil *see* Jin-Gil Park
Park Jon Hoon *see* Jon Hoon Park
Park Jong Dae *see* Jong Dae Park
Park Jong Keun *see* Jong Keun Park
Park Jong Tae *see* Jong Tae Park
Park Jong-Dae *see* Jong-Dae Park
Park Jong-Keun *see* Jong-Keun Park
Park Jong-Kuen *see* Jong-Kuen Park
Park Jong-Ryul *see* Jong-Ryul Park
Park Jong-Sik *see* Jong-Sik Park
Park Jong-Wha *see* Jong-Wha Park
Park Joo Young *see* Joo Young Park
Park Joo-Young *see* Joo-Young Park
Park Joon Yeal *see* Joon Yeal Park
Park Ju Sung *see* Ju Sung Park
Park Jun *see* Jun Park
Park June-Ho *see* June-Ho Park
Park Jung-Gi *see* Jung-Gi Park
Park Jung-Ki An approach to full transfer of nuclear power technology 86—39434
Park Ki Cheol *see* Ki Cheol Park
Park Ki-Chul *see* Ki-Chul Park
Park Kun I. *see* Kun I. Park
Park Kwang Mean *see* Kwang Mean Park
Park Kwang Suk *see* Kwang Suk Park
Park Kwang-Ho *see* Kwang-Ho Park
Park Kwang-Suk *see* Kwang-Suk Park
Park Kwon Chul *see* Kwon Chul Park
Park Kyong-Sup *see* Kyong-Sup Park
Park Kyu Ho *see* Kyu Ho Park
Park Kyu Tae *see* Kyu Tae Park
Park Kyu-Charn *see* Kyu-Charn Park
Park Kyung Hyun *see* Kyung Hyun Park
Park Kyung-ho *see* Kyung-ho Park
Park Mignon *see* Mignon Park
Park Min *see* Min Park
Park Min Ho *see* Min Ho Park
Park Min-Ho *see* Min-Ho Park
Park Moon-Soo *see* Moon-Soo Park
Park Nam-Chun *see* Nam-Chun Park
Park Rae Hong *see* Rae Hong Park
Park Rae-Hong *see* Rae-Hong Park
Park Sang Hui *see* Sang Hui Park
Park Sang Hyun *see* Sang Hyun Park
Park Sang Sik *see* Sang Sik Park
Park Sang-Hui *see* Sang-Hui Park
Park Sang-Kee *see* Sang-Kee Park
Park Sang-Kil *see* Sang-Kil Park
Park Sang-Man *see* Sang-Man Park
Park Seong Ho *see* Seong Ho Park
Park Seong-Ju *see* Seong-Ju Park
Park Seounghwan *see* Seounghwan Park
Park Seung Chul *see* Seung Chul Park
Park Sin Chong *see* Sin Chong Park
Park Sin-Chong *see* Sin-Chong Park
Park Song Bae *see* Song Bae Park
Park Song Bai *see* Song Bai Park
Park Song Chan *see* Song Chan Park
Park Song-Bai *see* Song-Bai Park
Park Soon Young *see* Soon Young Park
Park Sun-Soon *see* Sun-Soon Park
Park Sung Hee *see* Sung Hee Park
Park Sung Ho *see* Sung Ho Park
Park Sung-Hee *see* Sung-Hee Park
Park Sung-Hui *see* Sung-Hui Park
Park Tae-gon *see* Tae-gon Park
Park Tea-Gone *see* Tea-Gone Park
Park Teaho *see* Teaho Park
Park Tong Soo *see* Tong Soo Park
Park Wang-Ryeol *see* Wang-Ryeol Park
Park Wee Sang *see* Wee Sang Park
Park Won Woo *see* Won Woo Park
Park Yan Heum *see* Yan Heum Park
Park Yang-Bai *see* Yang-Bai Park
Park Yeon Ki *see* Yeon Ki Park
Park Yong-Jik *see* Yong-Jik Park
Park Yong-Jin *see* Yong-Jin Park
Park Yong-Kwan *see* Yong-Kwan Park
Park Youn-Ho *see* Youn-Ho Park
Park Young June *see* Young June Park
Park Young Moon *see* Young Moon Park
Park Young-jin *see* Young-jin Park
Park Young-June *see* Young-June Park
Park Young-Kun *see* Young-Kun Park
Park Young-Moon *see* Young-Moon Park
Park Young-Woo *see* Young-Woo Park
Park Yung-moon *see* Yung-moon Park
Parkan, P., Patak, Z. The properties, excitation and survey of applications of MOS power transistors 85—55850
Parkan, P., Patak, Z. Further applications of MOS power transistors 86—742
Parkanyi, L. *see* Byrne, E.K. 88—71308
Parkash, O. Applications of solar energy for rural areas 85—9799
Parkash, O. Reduction of power losses in transmission and distribution for rural electrification by use of single wire earth return system 85—21187
Parkash, O., Singh, R.S. On characterization of useful information-theoretic measures 87—61544
Parke, F.I. *see* Lewis, J.P. 88—27852
Parke, I., Morrison, D.G. A hardware motion compensator for a videoconferencing codec 88—9770
Parke, J.W., Paik, H.J., Chan, H.A., Moody, M.V. Sensitivity enhancement of inertial instruments by means of a superconducting negative spring 85—42989
Parke, J.W. *see* Chan, H.A. 85—48468, 85—64694
Parke, S.A. *see* Dhang, S.H. 88—32196
Parke, S.A. *see* Dhong, S.H. 88—766
Parke Davis, H., Allen, G.R., Chang, J. Development of a photonic data recorder 87—21140
Parke Davis, H. *see* Allen, G.R. 86—60510
Parker, A. *see* Afsarmanesh, H. 86—21797, 86—40866, 87—46115
Parker, A. *see* Granacki, J. 86—21896
Parker, A. *see* Hamblen, J. 88—70047
Parker, A. *see* Jain, R. 88—70449
Parker, A. *see* Park, N. 86—20491
Parker, A. *see* Sastry, S. 85—762
Parker, A.A. *see* Rust, R.D. 85—28801, 85—61565
Parker, A.C. Automated synthesis of digital systems 85—17273
Parker, A.C., Hayati, S. Automating the VLSI design process using expert systems and silicon compilation 87—67347
Parker, A.C., Kurdatii, F., Mlinar, M. A general methodology for synthesis and verification of register-transfer designs 85—748
Parker, A.C. *see* Granacki, J.J., Jr. 87—65984
Parker, A.C. *see* Kurdahi, F.J. 87—6839, 87—67439
Parker, A.C. *see* Park, N. 88—38464
Parker, A.C. *see* Sastry, S. 86—46450
Parker, A.D. Development of a microcomputer-based overcurrent relay 86—39233
Parker, A.M. Control of inverter drives to minimise drive-train torsional oscillations 88—49206
Parker, A.M. *see* Baden Fuller, A.J. 85—34144
Parker, B. Construct a low-noise GaAsFET preamplifier for 420 MHz 85—54685
Parker, B.B. On the measurement of currents for real-time applications: an overview [oceanography] 87—9030
Parker, B.B. Application of real-time data systems to the forecasting of water level and circulation 87—50570
Parker, B.D. *see* Theis, T.N. 87—25265, 88—12973
Parker, B.R. *see* Hamill, D.C. 85—44104
Parker, C., Shamshirian, M., Ching Jeng EEPROM offers enhanced page mode for fast programming 86—57837
Parker, C.D. *see* Brown, E.R. 88—32430
Parker, C.D. *see* Fetterman, H.R. 85—13362
Parker, D. Sensors for monitoring blood gases in intensive care 87—77608
Parker, D. *see* Britcher, C.P. 87—71236
Parker, D. *see* Brown, E.R. 87—32463
Parker, D. *see* Clifton, P. 88—17210
Parker, D. *see* Cooper, P.D. 85—55175
Parker, D. *see* Delpy, D.T. 88—23033
Parker, D. *see* Fan, R. 87—20580, 88—7852
Parker, D. *see* Randolph, C. 88—74488
Parker, D.A. Reliability of fiber optic interconnects 87—74790
Parker, D.A. Development of fiber optic termini and RF contacts for standard electronic modules (SEM) 88—38816
Parker, D.E., Perry, C.H., Poley, N.M., Sherk, T.A. Antiglare technique for plasma displays 85—4049
Parker, D.E., Taylor, D.G., Wallace, C.T. Requirements and techniques associated with LWIR seeker/sensor production testing 88—70112
Parker, D.E. *see* Luxon, J.T. 85—22159
Parker, D.G. Shallow zinc diffusion in GaAs 85—6811
Parker, D.G. Use of transparent indium tin oxide to form a highly efficient 20 GHz Schottky barrier photodiode 85—62445
Parker, D.G. Indium tin oxide photodiodes for high frequency applications 86—29005
Parker, D.G. On the formation of near ideal quasi-Schottky barriers between indium tin oxide and gallium arsenide 87—67202
Parker, D.G., Boardman, C., Hansom, A.M. A low cost system for producing short optical pulses 86—54185
Parker, D.G., Hughes, W.A., Barnard, J.A. Photoreceivers for microwave and millimetre wave applications 87—20485
Parker, D.G., Say, P.G. Indium tin oxide/GaAs photodiodes for millimetric-wave applications 87—12313
Parker, D.G., Say, P.G., Hansom, A.M., Sibbett, W. 110 GHz high-efficiency photodiodes fabricated from indium tin oxide/GaAs 87—54185
Parker, D.G. *see* Buglass, J.G. 87—32417
Parker, D.G. *see* Couch, N.R. 86—54038, 88—19704
Parker, D.G. *see* Hughes, W.A. 86—48262
Parker, D.G. *see* Rees, P.K. 86—28932
Parker, D.H., French, J.D. Simple single-channel pulse height analyzer 85—54754
Parker, D.J. *see* McGowan, J.E. 86—70638
Parker, D.J. *see* Ward, A.K. 85—53159
Parker, D.L. Laser induced bulk defects in single crystal silicon below the melting/vaporization thresholds 85—12111
Parker, D.L. Scanning laser image generation as a diagnostic tool for semiconductor materials and circuits 87—16364
Parker, D.L. Clinical ultrasound imaging 88—4909
Parker, D.L., Lin, F.-Y., Zhang, D.-K. Laser polysilicon link making 85—23892
Parker, D.L., Pope, D.L., Van Bree, R., Marshall, H.W. Three-dimensional reconstruction of moving arterial beds from digital subtraction angiography 87—63734
Parker, D.L. *see* Weichold, M.H. 86—15273
Parker, D.R. *see* Brown, F. 87—29116
Parker, D.R. *see* Holdern, A.J. 88—63096
Parker, D.R. *see* Steidel, R.F., Jr. 87—42559
Parker, D.S. GEVA: geothermal electricity venture analysis model 87—78535
Parker, D.T. Moisture measurement: the state-of-the-art in the 1980s 85—31634
Parker, D.T. Capacitance technique gives sensitive moisture measurement 86—31746
Parker, D.T. Humidity: a key measurement in industry 87—35131
Parker, D.T., Couch, N.R., Kelly, M.J., Kerr, T.M. High-speed response of a quasi-graded band-gap superlattice *p-i-n* photodiode 87—7213
Parker, D.W. HDTV bandwidth compression: the compatible approach 87—56333
Parker, D.W., van de Polder, L.J. Display standards for extended definition component television systems 85—3673
Parker, D.W., van de Polder, L.J. Display standards for extended definition component television systems 86—17573
Parker, D.W. *see* Fernando, G.M.X. 87—13847
Parker, D.W. *see* van de Polder, L.J. 85—52497
Parker, E. Contrasting approaches to continuing engineering education 87—23132
Parker, E. *see* Kubiak, R. 85—12337
Parker, E.A., Mok, T.S., El-Morsy, M.A.A. Frequency selective surfaces in feeds for an offset reflector antenna 87—19340
Parker, E.A., Vardaxoglou, J.C. Aspects of frequency selective surfaces: concentric ring arrays 85—13275
Parker, E.A., Vardaxoglou, J.C. Modal analysis of frequency selective surfaces and some results for tripole arrays 85—24991
Parker, E.A., Vardaxoglou, J.C. Plane-wave illumination of concentric-ring frequency-selective surfaces 85—41663
Parker, E.A., Vardaxoglou, J.C. Influence of single and multiple-layer dielectric substrates on the band spacings available from a concentric ring frequency-selective surface 86—68833
Parker, E.A. *see* Allam, A.M.M.A. 88—14515, 88—66158
Parker, E.A. *see* Comtesse, L.E. 88—27696, 88—34476

Parker, E.A. *see* El-Morsy, M.A.A. 85—36094, 86—36864, 87—26927
Parker, E.A. *see* Lee, C.K. 86—3657
Parker, E.A. *see* Mok, T.S. 86—48675, 86—59134
Parker, E.A. *see* Vardaxoglou, J.C. 85—57112
Parker, E.B. Micro earth stations as personal computer accessories 85—14175
Parker, E.B. Cost-effective data communications for personal computer applications using micro Earth stations 85—52297
Parker, E.B. The Library of Congress NonPrint optical disk pilot program 86—38145
Parker, E.B. Cost-effective data communications for personal computer applications using micro Earth stations 87—2412
Parker, E.B. Micro earth station satellite networks and economic development 87—76683
Parker, E.H.C. *see* Kubiak, R.A.A. 85—33410, 85—40596, 86—21369, 86—58394, 87—5428, 87—6544, 87—6549, 87—11597, 87—37862
Parker, E.H.C. *see* Leong, W.Y. 87—6541
Parker, E.H.C. *see* Newstead, S.M. 85—28889, 87—36707
Parker, E.H.C. *see* Pawlik, M. 88—7465
Parker, E.H.C. *see* Thornton, J. 88—57494
Parker, E.T. *see* Brown, J.W. 86—34130
Parker, F.G., Stanley, A.R. The early development of colour television in the BBC 87—28752
Parker, F.J. *see* Foster, E.N. 86—45224
Parker, F.T. *see* Smith, M.G. 88—57976
Parker, G. *see* Smith, G. 88—43294
Parker, G.A., Mayer, R. The use of a laser tracking system for dynamic performance measurement 87—35205
Parker, G.A. *see* Mayer, R. 88—34191
Parker, G.E. *(editor)* Electronic design with off-the-shelf integrated circuits. Second edition 85—60649
Parker, G.H. Development plan for coal fired MHD advanced power trains 86—33707
Parker, G.H. *see* Dehmel, R.C. 87—60552
Parker, G.M. *see* Brode, C.M. 88—28614
Parker, G.M. *see* Dakin, J.P. 87—48614
Parker, G.W. An economic model for component-model testing policy decisions 86—61961
Parker, H. *see* Niles, G.B. 86—51068 to 51069
Parker, H.A. *see* Goessling, C. 86—50336
Parker, H.L. *see* Barnett, J.S. 87—20432
Parker, I.D. *see* Sidey, D. 87—78476
Parker, I.F. *see* Holness, M.H. 87—46251
Parker, I.N. *see* Corry, A.G. 85—54939
Parker, J. The use of DACS in CRT graphics systems 87—5924
Parker, J. The effective patent life of pharmaceuticals in New Zealand—a simulation 88—55900
Parker, J., Ibrahim, H. Bipolar and MOS make the best of all possible network worlds 86—15189
Parker, J. *see* Crilly, M.G. 88—53948
Parker, J. *see* Holt, D. 87—70470
Parker, J. *see* Lettieri, T.R. 88—58723
Parker, J. *see* Munshi, M.Z.A. 86—13015 to 13016
Parker, J. *(editor)* International Conference on ECR Ion Sources and their Applications (NSCL-R-MSUCP-47) 88—70006
Parker, J.A., McKnight, J.A. The acquisition and processing of ultrasonic pulse-echo data for under-sodium viewing 86—60188
Parker, J.B. Cable and conduit sealing requirements in fire rated barriers 85—27057
Parker, J.C., Jr. Design solutions 86—64023
Parker, J.D. Components of solar thermal electric systems 85—9801
Parker, J.E. *see* O'Mara, W.C. 86—21113
Parker, J.E. *see* Sherman, P.O. 87—23180
Parker, J.G. Optical monitoring of singlet oxygen generation during photodynamic treatment of tumors 87—41930
Parker, J.H. *see* Gibbon, M.A. 87—5060
Parker, J.H. *see* Jones, T.J.L. 86—55954
Parker, J.H., Jr. *see* Eckels, P.W. 85—60146
Parker, J.K., Craig, E.B., Klick, D.I., Knight, F.K., Kulkarni, S.R., Marino, R.M., Senning, J.R., Tussey, B.K. Reflective tomography: images from range-resolved laser radar measurements 88—67485
Parker, J.K., Jenkins, D.J., Smith, R.S., III, Thomas, G.E. Phase noise measurements of an injection locked magnetron and its application in a prototype coherent magnetron Doppler weather radar system 87—17621
Parker, J.K. *see* Doggett, W.O. 87—17622
Parker, J.L. Third-generation codecs pave way for future digital networks 85—3220
Parker, J.L., Malcangi, M. Codecs and third generation filters 86—23554
Parker, J.L. *see* Huston, J.E. 85—53483
Parker, J.M. Computer speeds up production of circuit-coordination curves 87—71731
Parker, J.M. *see* Brown, K.A. 88—75104
Parker, J.M. *see* Carter, S.F. 88—20324
Parker, J.M. *see* Seddon, A.B. 87—60940
Parker, J.P. Achieving narrowband secure voice 87—3037
Parker, J.P. *see* Stein, P.J. 86—64857
Parker, J.R. *see* Brown, R.R. 85—31384, 86—38284
Parker, J.V. Measurement of viscous drag on a high velocity plasma armature 88—40520
Parker, J.V., Parsons, W.M. Arc damage to railgun insulators: mechanisms and consequences 85—24785
Parker, J.V., Parsons, W.M. Foil fuses as opening switches for slow discharge circuits 87—22674
Parker, J.V., Parsons, W.M. Experimental measurement of ablation effects in plasma armature railguns 87—26696
Parker, J.V. *see* Fowler, C.M. 87—26673, 88—40511
Parker, J.V. *see* Parsons, W.M. 87—22621, 87—26697
Parker, J.V. *see* Schnurr, N.M. 87—26708
Parker, J.V. *see* Zimmermann, E.L. 87—26725
Parker, J.W. Investigation of integrated optic waveguide field overlap and its application to the design of a polarisation insensitive modulator 87—54096
Parker, J.W., Bone, M.C., Jones, E. Integrated optic fibre gyroscope with on-chip modulator and harmonic feedback operation 86—2775
Parker, J.W., Bowhill, S.A. Observations of solar-flare ionization in the mesosphere using coherent-scatter radar 85—31987
Parker, J.W., Cox, M.E. Glucose/oxygen sensor 88—16714
Parker, J.W., Cox, M.E., Dunn, B.S. Chemical sensors based on oxygen detection by optical methods 87—29086
Parker, J.W. *see* Fenderson, G.L. 85—14114
Parker, J.W. *see* Jones, E. 86—22082
Parker, K. Design reaches limits after 85—61478
Parker, K. Some experiences of thermal vacuum testing of spacecraft mechanisms 87—77737
Parker, K. *see* Smith, L.A., Jr. 85—49232
Parker, K.J. *see* Ayme, E.J. 87—71129
Parker, K.L. *see* Tong, H.C. 85—24164
Parker, K.P. Testability: barriers to acceptance 87—17559
Parker, K.R. The impact of pulsing on electrostatic precipitator performance 86—29317
Parker, L. *see* Geary, J. 87—68148
Parker, L.A. Key ingredients for successful teleconferencing 85—58411
Parker, L.A. *see* Johnston, R.E. 87—14882
Parker, M. Torque transducers improve quality and process control 88—16090
Parker, M.A. A combined error correction and channel code scheme for digital video tape recorders 85—42768
Parker, M.A. 20:16 block code for digital recording and transmission channels 85—46699
Parker, M.A., Schiff, E.A. Photocurrent response times in undoped amorphous hydrogenated silicon 86—48247
Parker, M.A., Sinclair, R. In situ high resolution electron microscopy for interface studies 88—427
Parker, M.A., Sinclair, R., Sigmon, T.W. Lattice images of defect-free silicon on sapphire prepared by ion implantation 85—61772
Parker, M.A., Sinclair, R., Sigmon, T.W. Silicon on sapphire of single crystal quality obtained by double solid phase epitaxial regrowth 86—13781
Parker, M.A. *see* Borer, K. 87—29491, 87—63656
Parker, M.A. *see* Cogan, S.F. 87—18580
Parker, M.A. *see* Opyd, W.G. 87—6527
Parker, M.E. *see* Oldham, N.M. 87—70738, 88—16384
Parker, M.R. *see* Boehm, J. 86—59018, 87—26652, 88—58812
Parker, M.R. *see* Glew, J.P. 85—24769
Parker, M.R. *see* O'Grady, K. 87—33403
Parker, M.R. *see* Reijers, H.T.J. 86—36679
Parker, M.R. *see* Too, C.O. 86—22635
Parker, M.R. *see* Turner, J.M. 88—66008
Parker, M.R. *see* van Kleef, R.P.A.R. 85—24770
Parker, M.R. *see* Walker, R.P. 86—29326
Parker, N. Structured design of custom VLSI 85—45841
Parker, N.L. *see* McMillan, C.F. 88—29656
Parker, N.W., Robinson, W.P., Levi-Setti, R., Wang, Y.L., Crow, G. Analytical applications of focused ion beams 86—8715
Parker, N.W., Robinson, W.P., Snyder, J.M. The NanoFab-150—a versatile new focused-ion-beam system 87—14703
Parker, N.W. *see* Robinson, W.P. 88—13231
Parker, O.L. *see* Flory, J.E. 85—59595
Parker, P. Camera mounting and support equipment. I. Sachtler GmbH—support for industry 85—26020
Parker, P. VIMCAS vertical interval multiple channel audio system 85—63791
Parker, P. The Pegasus 5100 commercial compilation system 85—63792
Parker, P. The Special Broadcasting Service of Australia 86—11211
Parker, P. Satellite antenna design 86—22812
Parker, P. Outside broadcast units 86—30947
Parker, P. The Bosch KCM 125 camera—some design aspects 86—55436
Parker, P. The Hitachi 8mm cassette VTR format—a new ENG/EFP system 86—55459
Parker, P. The Pegasus Presentation Control System 87—8416
Parker, P. Quality character generation 87—41242
Parker, P. The BTS LDK 90 CCD camera 88—9743
Parker, P.A. Comments on 'Roundoff errors in signal averaging systems' by R.P. Gaumond 88—14696
Parker, P.A., Davies, S.W. Power spectra estimators of muscle conduction velocity 87—57172
Parker, P.A., Scott, R.N. Myoelectric control of prostheses 86—38810
Parker, P.A. *see* Deshmukh, J.D. 87—23236
Parker, P.A. *see* Gopalan, R. 87—14901
Parker, P.A. *see* Graham, A.J. 85—4336
Parker, P.A. *see* Morin, E. 86—56160
Parker, P.A. *see* Papakyriakou, M.J. 88—48159
Parker, P.A. *see* Ramachandran, G. 85—48278
Parker, P.D. Status of the Yale—ESTU project 86—55915
Parker, P.D. Integrated and control of handling plant in an FMS for surface mounted PCBs 87—24609
Parker, P.D. Integration and control of plant in a flexible manufacturing system for surface mounted PCBs 87—66686
Parker, P.D. *see* Hyder, H.R.McK. 88—47751
Parker, P.H. *see* Boam, D.J. 85—15074
Parker, P.J. *see* Bitmead, R.R. 87—19652
Parker, R. Local area network chips stress reduced connection costs 85—873
Parker, R., Fuhs, C. An advanced control system for semiconductor processing equipment 87—23314
Parker, R. *see* Bisbey, R., II. 86—55230
Parker, R. *see* McAdoo, J. 86—31801
Parker, R. *see* Merdinian, G. 86—47226
Parker, R.D., Hayden, J.H., Neel, W.O., Wick, H.W., Jr. Intelsat VI spacecraft power subsystem 85—48420
Parker, R.G. *see* Richey, M.B. 85—44608, 87—23500
Parker, R.H. *see* Shiffman, R.R. 85—12657
Parker, R.J., Brownell, J.B. Holographic flow visualisation applied to very small flow sections in turbomachinery research 87—19082
Parker, R.J., Jones, D.G. Holography in an industrial environment 88—34148
Parker, R.J., Jones, D.G. Industrial holography—the Rolls-Royce experience 88—51964
Parker, R.J. *see* Loewenthal, S.H. 86—40180
Parker, R.K., Abrams, R.H., Jr. Radio-frequency (RF) vacuum electronics: a resurgent technology for tomorrow! 88—19587
Parker, R.K., Bollen, W.M., Freund, H.P., Ganguly, A.K., Jackson, R.H., Park, S.Y. Fast-wave amplifiers: a new source of high-power millimeter-wave radiation 85—55404
Parker, R.K. *see* Bollen, W.M. 85—50158, 86—21026, 86—32003
Parker, R.K. *see* Freund, H.P. 85—55381
Parker, R.K. *see* McAdoo, J. 87—24699
Parker, R.K. *see* McCurdy, A.H. 87—16933, 87—53119, 88—38998
Parker, R.K. *see* Park, S.Y. 85—55407, 86—21024, 88—44524
Parker, R.L. *see* Constable, S.C. 87—50539
Parker, S. *see* Adolphsen, C. 86—50304, 87—29549, 88—68218
Parker, S. *see* Anzivino, G. 86—32183
Parker, S. *see* Breakstone, A. 87—38541
Parker, S. *see* Brooks, R. 88—67705
Parker, S. *see* Dauncey, P. 88—57735
Parker, S. *see* Litke, A. 88—29849
Parker, S. *see* Searle, S.D. 87—47010
Parker, S. *see* Walker, J.T. 85—9107
Parker, S.F.H., Grundy, P.J., Jones, G.A. The microstructure and magnetic properties of a permanent magnet alloy in the FeAlC system 85—18585
Parker, S.F.H., Pollard, R.J., Lord, D.G., Grundy, P.J. Precipitation in NdFeB-type magnet materials 88—51174
Parker, S.G., Weirauch, D.F., Chandra, D. Terracing in HgCdTe LPE films grown from Te solution 88—32783
Parker, S.G. *see* Chen, M.C. 86—8769
Parker, S.J. *see* Eckhoff, R.K. 87—31264
Parker, S.L. *see* Elliott, J.R. 87—26860
Parker, S.M. *see* Cheng, C.-L. 88—1684
Parker, S.M.Z. *see* Cheng, C.-L. 88—73921
Parker, S.P. *(editor)* McGraw-Hill dictionary of electronics and computer technology 85—32900
Parker, S.R. Modeling of two dimensional fields with autoregressive lattice parameters 85—2862
Parker, S.R., Kayran, A.H. Lattice parameter autoregressive modeling of two-dimensional fields. I. The quarter-plane case 85—2816
Parker, S.R., Kayran, A.H., Dokanakolu, E. Asymmetric half-plane autoregressive modelling of 2-D fields using lattice structures 86—64287
Parker, S.R. *see* De Groot, A.J. 88—24674
Parker, S.R. *see* Kayran, A.H. 85—17712
Parker, S.R. *see* Lenk, P.J. 86—66984, 86—67389, 87—7758
Parker, S.R. *see* Lev-Ari, H. 86—16427, 86—67416, 87—66422
Parker, S.R. *see* Lim, Y.C. 87—7718
Parker, S.R. *see* Madan, B.B. 86—16470, 87—7780, 87—24154, 87—65997

Parker, S.R. *see* Shawcross, C.B.A. 85-51587
Parker, S.R. *see* Thomas, J.J. 85-17699, 87-59306
Parker, S.R. *see* Tummala, M. 87-66378, 87-69207
Parker, S.W. *see* Currie, N.C. 88-60257
Parker, T. Switch design speeds insertion 85-17988
Parker, T. *see* Majithia, J.C. 86-4111
Parker, T.E. 1/f frequency fluctuations in acoustic and other stable oscillators 86-35963
Parker, T.E. 1/f noise in Rayleigh wave resonators and delay lines 87-1873
Parker, T.E. Random walk frequency fluctuations in SAW oscillators 87-32818
Parker, T.E. Characteristics and sources of phase noise in stable oscillators 88-20232
Parker, T.E., Callerame, J., Montress, G.K. A new all quartz for SAW devices 86-42085
Parker, T.E., Montress, G.K. Precision surface-acoustic-wave (SAW) oscillators 88-57877
Parker, T.E. *see* Day, J. 85-62181
Parker, T.E. *see* Greer, J.A. 88-20235
Parker, T.E. *see* Loboda, M.J. 87-73779, 88-25467, 88-51111
Parker, T.E. *see* Montress, G.K. 87-1851, 88-51112
Parker, T.J. *see* Chambers, W.G. 88-50312
Parker, T.S., Chua, L.O. Efficient solution of the variational equation for piecewise-linear differential equations 87-10334
Parker, T.S., Kennedy, M.P., Liao, Y., Chua, L.O. Qualitative nonlinear circuit analysis using computers 87-479
Parker, T.W. *see* Bostick, G. 88-12642
Parker, V.C., Crews, J.L. Hypervelocity impact studies using a rotating mirror framing laser shadowgraph camera 88-51981
Parker, W.B. A five year telecommunications planning program for Alaska 86-59418
Parker, W.G. *see* Summers, W.A. 87-42745
Parker, W.N. Personal experiences with early television in Chicago and Philadelphia 1926-1941 87-28727
Parker, W.W. *see* Anderson, L.G. 87-69833
Parkes, D. *see* Pouladian-Kari, R. 88-65986
Parkes, D.M., Smith, P.D. Transient field generation and measurement 85-36095
Parkes, D.M., Smith, P.D. Transient field generation and measurement 87-33510
Parkes, D.M., Smith, P.D. The generation of fast transient fields and the coupling to systems 88-2454
Parkes, D.M., Smith, P.D. Practical method of predicting transient fields and monopole current waveforms 88-66185
Parkes, D.M. *see* Kitchin, H.D. 87-43278
Parkes, G.R. *see* Radford, C. 85-44280
Parkes, J.B. *see* Armor, A.F. 86-61390
Parkes, L.S. *see* Godfrey, N.R. 87-43511
Parkes, M. Dreaming wires [telecommunications network] 87-27756
Parkhadanov, M.M. On iterative analysis of power compensators in electric mains 85-15467
Parkhadanov, M.M. Allowing for load growth dynamics in selecting capacity and arrangement of capacitor banks 85-38401
Parkhe, V. *see* Safari, A. 88-65007
Parkhill, G.J., Macmillan, R.H. Calibration of free rolling wheels for determination of travel speed and wheel slip of agricultural tractors 85-39278
Parkhomchuk, B.B. *see* Derbenev, Ya.S. 85-26560
Parkhomchuk, V.V., Kot, N.Kh. Triple-beam negative hydrogen-ion source based on water vapor 86-25113
Parkhomchuk, V.V., Skrinsky, A.N. Ionization cooling: physics and applications 85-26635
Parkhomenko, A.I. The dust-ignition-proof and mining designs of Soviet electric equipment at the Elektro-87 exhibition 88-31251
Parkhomenko, A.I. Explosion-proof electrical equipment for mining at a new technical level 88-43526
Parkhomenko, A.I. Electrotechnical complex of increased voltage for underground mining machine 88-43529
Parkhomenko, A.I., Karas, S.V., Ivanitskii, S.V., Makhorskii, Yu.L., Sarapulov, F.N. Analysis of multipole linear induction motors with different induction windings 87-42926
Parkhomenko, A.I., Korinev, B.L., Skrypnik, V.A. State of the art and prospects for development of AC thyristor electric drives for the coal industry 88-76070
Parkhomenko, A.I., Koshman, V.I., Petrichenko, V.F., Oborotov, V.D., Abara, L.P. Modular distributor for control of group of electric drives 86-45735
Parkhomenko, M.P. *see* Meriakri, V.V. 87-66499
Parkhomenko, M.P. *see* Vershinina, L.N. 87-66501
Parkhomenko, R.P. *see* Alekseeva, Z.M. 85-50483
Parkhomenko, Yu.N. *see* Kravchenko, V.I. 86-9893, 87-33236, 88-34098, 88-65765
Parkhovnik, A.V. *see* Sklyarov, V.F. 88-5260
Parkhurst, C.A. *(editor)* ASIS '85. Proceedings of the 48th ASIS Annual Meeting 86-37574
Parkhurst, J.R., Current, K.W., Jain, A.K., Grishaw, J.E. A unified DCT/IDCT architecture for VLSI implementation 88-73279
Parkhurst, M.A., Hadlock, D.E., Faust, L.G. Semi-empirical model of neutron and charged particle interaction with CR-39 87-21499
Parkhurst, M.A. *see* Hadlock, D. 87-21484
Parkhurst, M.A. *see* Huang, S.J. 88-23130
Parkhurst, P. *see* Dayton, R. 88-61624
Parkhurt, J. Use delay-line circuit for efficient IFMs 87-21193
Parkhutik, V.P., Bondarenko, V.P., Labunov, V.A., Sokol, V.A. Composition of porous, anodic aluminium oxide films at initiation and during growth 85-22510
Parkhutik, V.P. *see* Labunov, V.A. 85-16959
Parkin, A. *see* Norwood, H.M. 88-42502
Parkin, C.H. *see* Wawman, C.A. 87-463
Parkin, C.S. *see* Last, A.J. 87-70408
Parkin, D.O. *see* Pansky, T.E. 88-62247
Parkin, I.A., Zic, J. An application of infrared communications 85-25859
Parkin, M. *see* Namjoo, M. 88-44228
Parkin, M.W. *see* Roberts, G.P. 85-48790
Parkin, R. *see* Stevens, D.M.G. 85-64296
Parkins, B.E. *see* Haddad, Z.S. 87-62056
Parkinson, B.A. *see* Folmer, J.C.W. 85-21776, 85-61794
Parkinson, B.A. *see* Peterson, M.W. 87-26164, 88-65466
Parkinson, B.W. GPS accuracy and reliability improved with pseudolites 85-31129
Parkinson, B.W., Fitzgibbon, K.T. Optimal locations of pseudolites for differential GPS 87-76892
Parkinson, B.W., Trimble, C.R. NAVSTAR to bring revolution in navigation 87-41050
Parkinson, B.W. *see* Easton, R.L. 85-31130
Parkinson, B.W. *see* Klein, D. 86-4772
Parkinson, D.B. Quadric reliability indices 87-23425
Parkinson, D.B. Fast availability simulation 87-51822
Parkinson, D.B. Optimum sampling plans based on post-quality control reliability 88-38004
Parkinson, D.B. Reliability bounds for dependent failures 88-43742
Parkinson, E.R. *see* Levy, P.H. 86-3578
Parkinson, G. Broad tuning range VCOs for microwave systems 88-978
Parkinson, G. *see* Lehan, D. 85-24879
Parkinson, G.G., Dearn, A.W., Bolton, D.R., Lehan, D., Smith, B. Octave and multioctave YIG and varactor tuned oscillator design 87-44672
Parkinson, G.V. *see* Hameury, M. 86-38876
Parkinson, J. The case for steel in commercial premises 85-4620
Parkinson, J. *see* Bensiek, W. 87-41695
Parkinson, J.D. Mastermind timer 85 -6463
Parkinson, J.R., Menier, M.J. Convergence of physical optics integrals by Ludwig's technique [reflector antennas] 87-12783
Parkinson, J.R. *see* Rose, I.G. 87-47369
Parkinson, K. *see* Grundy, J.A. 85-61108
Parkinson, P. Living with system simulation [IC development] 88-71730
Parkinson, P. *see* Akgun, M.B. 85-47685
Parkinson, R. The Dimension System 85 PBX 85-14042
Parkinson, R. The new ATTIS and NTI approach to integrating voice and data 86-10930
Parkinson, R. Straight talk on digital communications 87-62472
Parkinson, R.C. The Columbus Space Platform 86-32416
Parkinson, R.C., Burns, B.R.A. HOTOL: the application of advanced technology 87-77719
Parkinson, R.C.H. Integrated controls: preparing for the advanced tactical fighter 87-42100
Parkinson, W.J., von Herrmann, J.L. Documentation design for probabilistic risk assessment 85-48752
Parkinson, W.J. *see* Riley, J.E. 87-9283
Parkison, C.D. *see* Christensen, T.C. 88-66013
Parkison, C.D. *see* Deis, G.A. 88-65747
Parkkinen, J., Jaaskelainen, T. Color representation using statistical pattern recognition 88-8808
Parkkinen, J., Oja, E. Concurrence matrices and subspace methods in texture analysis 87-48121
Parkkinen, J. *see* Jaaskelainen, T. 87-48167
Parkman, N., Rudge, A. Independent contract research 87-23239
Parks, C. *see* Mu, X.C. 86-47472
Parks, C.C. *see* Murakami, M. 88-7364, 88-57379
Parks, C.H. IGES as an interchange format for integrated circuit design 85-1753
Parks, C.H. Tutorial: reading and reviewing the common schema for electrical design and analysis 87-67455
Parks, D. Finding equivalent component values 87-44471
Parks, D. Calculating voltage drop in branch circuits 88-44041
Parks, D.E., Jongeward, G.A., Katz, I., Davis, V.A. Threshold-determining mechanisms for discharges in high-voltage solar arrays 88-5861
Parks, D.E. *see* Jongeward, G.A. 86-35926
Parks, D.E. *see* Katz, I. 86-38867
Parks, D.E. *see* Waisman, E.M. 85-49043, 86-61673
Parks, E. *see* LaCombe, D.J. 86-15080
Parks, E.L. *see* LaCombe, D.J. 87-1612
Parks, G.A. *see* Klinger, M. 86-51060
Parks, G.S. *see* Wilson, W.J. 87-8541, 87-15034, 87-42268
Parks, H.G. *see* Castleberry, D.E. 86-18448
Parks, H.G. *see* Possin, G.E. 86-50163
Parks, K. *see* Fair, H. 88-66003
Parks, K. *see* Meinel, C.P. 86-50665
Parks, K.J. *see* Wilson, L.S. 88-62949
Parks, M.A.N., Murkin, R. A computer aid to spectrum management of broadcast ancillary services 88-60388
Parks, N.J. *see* Mishra, A.C. 87-57245
Parks, P.B. *see* Baker, D.R. 86-42805
Parks, P.C. *see* Anderson, B.D.O. 85-39888
Parks, P.F., Sr. Hybrid microelectronic laser machining requirements 86-20992
Parks, R. *see* Hughes, E.B. 86-50440
Parks, R. *see* Wilson, S.L. 88-29827
Parks, R.E. Development and testing of a predictive methodology for optimization of man-machine interface in future avionics systems 88-61557
Parks, R.L. *see* Shapira, D. 85-59148
Parks, S. DeFence: an integrated perimeter security system 85-124
Parks, T.G. *see* Kernohan, R.M. 85-37991
Parks, T.Q., Burnside, D. Interpolation of averaged data 88-66586
Parks, T.W. *see* Boudreaux-Bartels, G.F. 86-69054, 87-58902
Parks, T.W. *see* Cabrera, S.D. 86-16434
Parks, T.W. *see* Chen, X. 86-57971, 87-17246, 87-39745, 88-66536
Parks, T.W. *see* Jones, D.L. 87-61964, 87-69093, 88-8738, 88-67612
Parks, T.W. *see* McCaslin, S.R. 87-62035
Parks, T.W. *see* Merzetta, T.L. 87-27483
Parks, T.W. *see* Scheibner, D.J. 85-25096, 86-16392
Parkyn, J.D. A positive future for small reactors: actual experience with the 50-MW(e) La Crosse BWR 85-21362
Parkyn, J.D. Availability and economic improvements of the La Crosse BWR 85-21380
Parkyn, J.D. Full-term licensing conversion process in the Systematic Evaluation Program 86-25708
Parkyn, J.D. A 1986 viewpoint of emergency preparedness in the upper midwest 87-22035
Parl, F.F. *see* Seebaugh, W.R. 86-65398
Parl, S. *see* Malaga, A. 85-13089
Parl, S.A. *see* Malaga, A. 86-30640
Parlag, A.M. *see* Kalinich, S.I. 86-67694
Parlakyan, L.K. *see* Ambartsumyan, V.G. 88-48044
Parlatore, P. Hooking into AT&T nets [LANs] 86-10803
Parlett, B. Givens' eigenvector recurrence revisited 85-54231
Parlett, B.N. Remarks on matrix eigenvalue computations 85-44642
Parlett, B.N., Taylor, D.R., Liu, Z.A. A look-ahead Lanczos algorithm for unsymmetric matrices 85-39670
Parlett, B.N. *see* Nour-Omid, B. 85-60925, 87-52051
Parlos, A.G., El-Genk, M.S., McGhee, J.M., Buden, D., Mims, J. Energy conversion system optimization study for multimegawatt space nuclear power applications 88-61565
Parlos, A.G., Henry, A.F., Schweppe, F.C., Gould, L.A., Lanning, D.D. Nonlinear multivariable control of nuclear power plants based on the unknown-but-bounded disturbance model 88-36933
Parlos, A.G. *see* Tsai, W.K. 88-43045
Parlow, R.D. Management of the radio spectrum to achieve more efficient utilization, access, and network growth 86-16647
Parma, E.J., Jr., Hart, R.R., Bartelt, J.L. Channeling transmission of protons through thin silicon membranes 87-38031
Parma, W. Electric-hot water-central heating--systems solutions for combined direct and storage heating because of new supply requirements 86-45831
Parmankulov, I.P. *see* Bakhadyrkhanov, M.K. 88-26937
Parmantie, W.D. *see* Alperin, M.E. 85-34732
Parmar, C.C. Information network, an architectural design of information systems 88-28525
Parmar, D.S., Labroo, B. Design and development of a high pressure facility for the study of the effects of dielectrophoretic transients on liquid stability 85-14987
Parmar, J.C., Lees, F.P. The propagation of faults in process plants: hazard identification 87-36434

Parmar, J.C., Lees, F.P. The propagation of faults in process plants: hazard identification for a water separator system 87—36435
Parmar, K. *see* Wilson, S.T. 87—44948
Parmas, Ya.Yu., Arkhipova, I.V. Calculation of electromagnetic processes in an asynchronous traction motor supplied from an invertor with pulse width voltage regulation 86—39777
Parme, L.L., Cadwallader, G.J., Bender, D.M. Investment risk assessment of the 2240 MW(t) HTGR 85—48806
Parmeggiani, A. *see* Adorni, N. 86—18519
Parmeggiani, C. *see* Federico, A. 88—48681
Parmeggiani, G. *see* Bendinelli, O. 85—2875, 88—8811
Parmenov, Yu.A., Chaika, S.N. Simulation and calculation of thermoelastic stresses in integrated circuits with slotted insulation 88—39614
Parmenov, Yu.A. *see* Sergeev, A.G. 85—11258
Parmenter, C.S. Comparing distribution practices 87—30165
Parmenter, G. *see* Kilshaw, J.A. 88—17822
Parmenter, M., Holman, R.L., Wood, V.E., Busch, J.R., Long, G. Fabrication of titanium-in-diffused lithium niobate optical waveguides by laser annealing at 10.6 μm 85—2045
Parmentier, N. *see* Nguyen, V.D. 85—26810
Parmentier, N. *see* Rannou, A. 87—29651
Parmentier, P. Which LAN optical components for the near future 88—35534
Parmentier, P.R., Simonet, W.B. Technical and technological evolutions [passive components] 88—31475
Parmentier, R.D. *see* Cirillo, M. 85—46093
Parmentier, R.D. *see* Soerensen, M.P. 85—1879, 85—46086, 85—56193
Parmentola, A. *see* Bove, A. 88—23013
Parmentola, J.A., Milton, A.F. Laser satellite constellations for strategic defense—an analytic model 88—61741
Parmer, J.F., Agarwal, K., Gurol, H., Mancuso, A., Michels, P.H., Peck, S.D., Burgeson, J., Dalder, E.N. Design of an 18 Tesla, tandem mirror, fusion reactor, hybrid choke coil 88—65995
Parmer, J.F., Liggett, M.W. Magnet cooling economics 85—56239
Parmer, J.F. *see* Gurol, H. 86—58726, 88—69460
Parmer, J.F. *see* Leung, E.M.W. 87—74630
Parmeswaran, S. *see* Modak, H.V. 86—65955
Parmeter, J. *see* Turner, J.E. 85—1429
Parmigiani, B., Quaggia, D., Elli, E., Franchina, S. 'Zinc oxide sheath voltage limiter for HV and EHV power cable: field experience and laboratory tests' 86—39165
Parmigiani, B., Vallauri, U. A rapid-fitting pre-moulded joint for extruded insulation cables up to 275 kV 88—42882
Parmigiani, B. *see* Donazzi, F. 86—6943
Parmigiani, B. *see* Rosevear, R.D. 87—15357
Parmon, V.N. *see* Anikeev, V.I. 88—24167
Parn, S.Y. *see* McCormick, M. 85—44337
Parnaby, J. The design of competitive manufacturing systems 87—72775
Parnaby, J. The need for fundamental changes in UK manufacturing systems engineering 88—141
Parnaby, J., Donovan, J.R. Education and training in manufacturing systems engineering 88—18350
Parnaby, J. *see* Bache, J. 87—72798
Parnas, A.L. *see* Antonishin, N.V. 88—37753
Parneix, J.P. *see* El Kadiri, M. 85—37728
Parneix, J.P. *see* Le Barny, P. 88—2380
Parnell, T.A. *see* Burnett, T.H. 87—8866
Parnell, T.M. *see* Dang, C. 86—39240
Parnell, T.M. *see* Vosper, I.K. 86—44967
Parnes, P. *see* Rothschild, N. 88—54659
Parng, T. *see* Jou, I. 86—58567
Parng, T. *see* Sung, T. 86—67252
Parng, T.-M., Chang, S.-C. Logical design of high level protocols for local area network 85—25549
Parng, T.-M. *see* Chen, G.-D. 88—71702
Parng, T.-M. *see* Sun, L.-F. 88—18866
Parng, T.M. *see* Jou, I.-C. 88—1755
Parng, T.M. *see* Yu-Hen Hu 87—39742
Parng Tai-Ming *see* Tai-Ming Parng
Parniere, A. *see* Esculier, J. 88—73855
Paroczai, A. *see* Cynar, L. 86—45997
Parodi, A. *see* Fabbricatore, P. 88—26736
Parodi, G.C. *see* Bisio, G.M. 88—70829
Parodi, M., Grattarola, M., Chiabrera, A. The future of biophysical engineering: molecular electronics 86—47220
Parodi, R. ISDN data interfaces 87—27838
Parodi, R., Cataldi, F., Corsi, N. Development prospects of packet switching in Italy 85—25199
Parodi, R., Cataldi, F., Corsi, N. Evolutionary prospects of packet switching in Italy 85—51929
Parodi, R., Fernandes, P. Higher order modes computation in RF cavities 88—50308
Parodi, R. *see* Boni, R. 86—31981
Parodi, R. *see* Carosio, R. 85—24251
Parodi, R. *see* Cataldi, F. 85—2950
Parodi, R. *see* Cena, M. 86—42705
Parodi, R. *see* Corsi, N. 85—25614, 86—37390
Parodi, R. *see* D'Atri, M.L. 87—48348
Parodi, R. *see* Fabbricatore, P. 88—26736
Parodi, R. *see* Fernandes, P. 86—31980, 86—42682, 87—41678, 87—41786, 88—54355
Parodi, R. *see* Intorrella, M. 87—33970
Parodi, R. *see* Levrero, F. 86—44537
Parody-Morreale, A. *see* Bishop, G.A. 87—49985
Parol', N.V., Lazanov, B.I., Golovchenko, A.A., Iofis, N.A., Kovalev, B.P., Zholobova, V.F. Lanthanum hexaboride cathodes for electron-beam devices 86—14800
Parol', N.V., Rozinskii, L.S., Savchenkov, A.G., Semanova, G.A. Temperature regulator for electron-projector cathode 86—67622
Parol, N.V. *see* Kvaskov, V.B. 85—40468
Paroli, F. *see* Trimberger, S. 86—52886
Paroli, P. *see* Balestrino, G. 88—11986
Paroli, P. *see* Daval, J. 88—51265
Paromchuk, I.E. *see* Mel'nik, S.E. 88—49745
Parosa, R. Surface treatment of the glass fibers in low pressure microwave plasma 85—6030
Parosa, R., Reszke, E. Macroscopic model of microwave discharges at atmospheric pressure 88—37749
Parosa, R. *see* Bajorek, R. 87—62978, 87—74752
Parot'kin, V.I. *see* Kilmashevskii, I.P. 87—56776
Parov, A.S. Influence of end-restraint compliance on vibration-resistance characteristics of printed circuit boards 87—45372
Parov, I.S. *see* Ormandjiev, S.I. 88—32358
Paroz, G. *see* Aguet, M. 88—17130
Parpal, J.-L., Mercure, H.P., Mitchel, G.R. Laser triggered chopped wave generator 88—18996
Parpal, J.-L. *see* Mitchel, G.R. 87—30278
Parpia, Z., Mena, J.G., Salama, C.A.T. A novel CMOS-compatible high-voltage transistor structure 87—32522
Parpia, Z., Salama, C.A.T., Hadaway, R.A. Modeling and characterization of CMOS-compatible high-voltage device structures 88—26262
Parr, A.C., Fowler, J., Ebner, S. Low background infrared calibration facility at the National Bureau of Standards 88—74233
Parr, A.C. *see* Southworth, S.H. 86—60700
Parr, D.T., Jones, G.R., Moruzzi, J.L., Prasad, A.N. Multiparameter process monitoring for hazardous areas with optical fibres and sensors 88—16172
Parr, F.N., Auerbach, J.S., Goldstein, B.C. Distributed processing involving personal computers and mainframe hosts 85—52050
Parr, F.N., Green, P.E., Jr. Communications for personal computers 85—63322
Parr, G. VLSI burn-in and test 87—38411
Parr, G.C. *see* Haas, R.W. 86—33459
Parr, G.P. Considerations of installation techniques in fibre optics communications networks 87—55544
Parr, G.P. Address resolution for an intelligent filtering bridge running on a subnetted Ethernet system 88—15065
Parr, G.P. Theoretical considerations in the application of fibre optic technology in communications networks 88—21678
Parr, G.P. A comparative study of fibre optic communications systems with differing topological attributes 88—67386
Parr, G.P. Enhanced address resolution in a multi-LAN Ethernet communications system 88—73562
Parr, J.C. *see* Bartle, J. 87—15347
Parr, K.G. Emerging datacom services 85—47276
Parr, R.A., Wilson, J.C., Kelly, R.G. A hybrid microelectronic pH sensor 87—29348
Parr, R.G. Conductor resistances and the 15th Edition of the Wiring Regulations 85—64899
Parr, R.G. Circuit protection for cables in groups 86—1428
Parr, R.G., Leary, E. Earth fault impedance of steel wire armour cable 86—12441
Parr, R.J. *see* Berglund, C.D. 86—62468
Parra, E.Ayguade i *see* Ayguade i Parra, E.
Parra, E.L., Poloujadoff, M. Methodology of charge distribution probability 86—18786
Parra, H.Zelaya de la *see* Zelaya de la Parra, H.
Parra, J. *see* Banuelos, K. 87—37426
Parra, J.O., Owen, T.E. Hole-to-hole resistivity signatures of cylindrical cavities: dipole-dipole electrode array 86—50727
Parrag, M. *see* Broome, W.H., Jr. 88—54707
Parraiux, O. *see* Berney, T. 88—7886
Parraud, R., Thuillier, D. Advantages of composite materials for overhead lines: they complete the traditional insulation 86—56445
Parravicini, G.P. *see* Graft, R.D. 85—40504
Parrens, P. Use of anisotropic dry etching techniques in pattern transfer 85—1524
Parrens, P. *see* Vodjdani, N. 88—26070
Parretta, A. *see* Garozzo, M. 87—9735
Parretta, A. *see* Scafe, E. 86—40711
Parriaux, O., Cochet, F. Degenerate coupling between dielectric waveguides 86—22092
Parriaux, O., Cochet, F., Berthou, H., Brugger, A. Loss analysis in polished single-mode fiber couplers 86—2824
Parriaux, O. *see* Berney, T. 85—2023
Parriaux, O. *see* Berthou, H. 86—9535
Parriaux, O. *see* Cochet, F. 86—9569
Parriaux, O. *see* Dessimoz, J.-D. 88—26892
Parriaux, O. *see* Edye, T. 85—18657
Parriaux, O. *see* Falco, L. 87—29082, 87—46508, 87—53991
Parriaux, O. *see* Jaccard, P. 85—7214
Parriaux, O. *see* Kotrotsios, G. 86—22161, 87—26036, 87—68030
Parriaux, O. *see* Lemaire, H. 86—22074
Parriaux, O. *see* Sixt, P. 86—48161
Parrillo, L.C. Process techniques and device design considerations for fabricating CMOS VLSI circuits 85—29343
Parrillo, L.C. Process and device considerations for micron and submicron CMOS technology 86—47846
Parrillo, L.C., Cosentino, S.J., Mauntel, R.W., Bergami, B.A., Tobin, P.J., Baker, F.K., Poon, S., Yoshii, Y., Pintchovski, F., Sun, S.W., Liou, F.T., Alvis, J., Kearney, M., Swenson, M. A versatile, high-performance, double-level-poly double-level-metal, 1.2-micron CMOS technology 87—46217
Parrillo, L.C., Hillenius, S.J., Field, R.L., Hu, E.L., Fichtner, W., Chen, M.-L. A fine-line CMOS technology that uses p^+-polysilicon/silicide gates for NMOS and PMOS devices 85—50745
Parrillo, L.C. *see* Levy, R.A. 85—34879
Parrillo, L.C. *see* Pfiester, J.R. 88—64758
Parrillo, L.C. *see* Wang, K.L. 87—44854
Parrini, G. *see* Bocciolini, M. 86—5793
Parrini, G. *see* Forino, A. 85—37976
Parrini, P. *see* De Rossi, D. 85—24025
Parrino, E. Power MOS 87—36975
Parriott, R.D. Sulfur hexafluoride processing system design for a large pulsed power accelerator 87—21331
Parris, A. *see* Owen, D. 85—13055
Parris, H.L. *see* Rubio, A. 85—27194
Parris, M. *see* Dimmier, K. 87—67654
Parris, M. *see* Holme, A.E. 88—74789
Parris, M. *see* Scott, J.F. 88—33468, 88—57835
Parris, M.C., Roenker, K.P., Yuliasto, T.T., Nevin, J.H. Hot carrier effects on submicron MOSFETs and their implications for VLSI circuit design 85—7106
Parris, M.C. *see* Roenker, K.P. 86—21618
Parris, R. Strategic integration of FEM into the design cycle 88—62999
Parrish, A., deZafra, R.L., Solomon, P.M., Barrett, J.W. A ground-based technique for millimeter wave spectroscopic observations of stratospheric trace constituents 88—54739
Parrish, D. *see* Creasy, J.L. 88—36566
Parrish, D. *see* Thompson, B.G. 86—32411
Parrish, D.M., Creasy, J.L., Thompson, B.G., Rogers, D.C., Johnston, E.R., Perry, J.R., Staab, E.V. Functional requirements for interfacing PACS to RIS 87—29836
Parrish, D.M. *see* Merski, R. 88—3341
Parrish, D.M. *see* Perry, J.R. 86—44653
Parrish, D.M. *see* Rogers, D.C. 87—14955
Parrish, E.A., Jr. Mixed level simulator and their use in structured design [of VLSI devices] 87—16812
Parrish, E.A., Jr., Anyiwo, A.O., Batchman, T.E. Integrated optical processors in pattern recognition 86—3984
Parrish, E.A., Jr., Aylor, J.H. Curriculum support for semicustom and custom chip design 87—16314
Parrish, E.A., Jr., McDonald, W.E., Jr. An adaptive pattern analysis system for isolating EMI 86—68792
Parrish, E.A., Jr., McDonald, W.E., Jr. An improved adaptive pattern analysis algorithm for isolating EMI 88—58886
Parrish, E.A., Jr., Miller, W.M. An improved algorithm for locating boundaries from an initial plan 87—13157
Parrish, E.A., Jr., Narayanswamy, R. Isolation of electromagnetic interference using the Walsh power domain 87—19220
Parrish, E.A., Jr. *see* Aylor, J.H. 85—39484, 86—52166
Parrish, E.A., Jr. *see* Sluss, J.J., Jr. 88—26869
Parrish, J.A., Deutsch, T.F. Laser photomedicine 85—20949
Parrish, J.A. *see* Walsh, J.T. 85—59337
Parrish, M. Fast modem modulation 85—42341
Parrish, P.T. *see* Fetterman, H.R. 85—13362
Parrish, R.E. *see* Frank, J.D. 86—18482, 86—44189
Parrish, R.L. *see* Dick, R.D. 87—21285
Parrish, R.V. *see* Busquets, A.M. 86—18458
Parrish, R.V. *see* Jones, D.R. 86—18457
Parrish, S. Illinois Bell gets ready for ISDN 87—62497
Parrish, S.J. Remote switching units: the niche they fit in the subscriber loop 85—57874
Parrish, W. Power semiconductors for surface mounting 86—66616
Parrish, W. Using higher-stress patterns for out-of-service T1 tests may detect faults that QRSS misses 88—59945
Parrish, W., Burgett, C., McCutcheon, E. Computer aided sensor design engineering 86—31218
Parrish, W.J. *see* Chandos, R.A. 85—58589
Parrish, W.J. *see* Lockwood, A.H. 87—41386

Parriss, W.H. Thermal classification of wire wound low voltage machines 86−66041
Parriss, W.H., Kennedy, A.G., Shaw, J.A.L. Selection of a solventless resin for the VPI treatment of electrical machines 88−69253
Parro, T.J. Telecommunications technology comes to the factory 87−68141
Parro, T.J. Optical light budget applications for fiber-optic sensing 88−36064
Parrott, C., Moyer, B. The MC68030 memory management concept 88−44193
Parrott, D.R. *see* Simpkin, P.G. 88−54755
Parrott, J.E. The theory of majority-carrier motion in Haynes-Shockley experiment 86−8727
Parrott, J.E. Self-consistent detailed balance treatment of the solar cell 87−9730
Parrott, J.E., Al-Juffali, A.A. Comparison of the predicted performance of IBC and point contact solar cells 88−37608
Parrott, J.E., Elani, U. Development of IBC solar cells 87−9741
Parrott, J.E. *see* Baruch, P. 88−18080
Parrott, M.J. *see* Guanghan Fan 87−1194
Parrott, P.G. A review of transformer TRV conditions [transient recovery voltage] 86−39862
Parrott, S.J. Programmable PSUS speed up using IEEE488 87−63222
Parrour, G. *see* Ansari, R. 88−22949
Parruck, B., Riad, S.M. Study and performance evaluation of two iterative frequency-domain deconvolution techniques 85−19425
Parry, C.J. *see* Hao, F.H. 85−5917
Parry, C.M. *see* McKennan, G.T. 85−39322
Parry, D. Combat radios get smaller and smarter 87−13600
Parry, D.B., Wong, J.C. Roof diagnostics−the scanning window 88−68060
Parry, D.M. *see* Levin, J.Z. 86−69096
Parry, D.M. *see* Richter, S.B. 86−12092, 86−69862
Parry, E.D. *see* Sachdev, S.S. 86−25585
Parry, G., Midwinter, J.E. Principles of photonic switching 88−4040
Parry, G. *see* Bradley, P.J. 87−38891
Parry, G. *see* Hsia, D.Y. 85−43749
Parry, G. *see* Miller, A. 85−41486, 85−56838
Parry, G. *see* Sakai, I. 86−36187, 87−68095
Parry, G. *see* Saunders, F.C. 87−38876
Parry, G. *see* Wheatley, P. 87−26092, 87−26228, 88−8009
Parry, G. *see* Whitehead, M. 88−20448
Parry, G.A. *see* Hayward, K. 86−45261
Parry, G.E., Drury, W. Variable speed drives for the cement industry 87−16225
Parry, G.W. Failure models and parameter estimation−a review 86−51248
Parry, G.W. *see* Schmidt, E.R. 85−43852
Parry, H.L. *see* Wells, R.N. 86−65691
Parry, J. Progress in the development of SF_6 switchgear incorporating rotating arc circuit breakers 86−56928
Parry, J. Development of SF_6 switchgear incorporating rotating-arc circuit breakers 86−70988
Parry, J., Eastwood, D.G. SF6 switchgear, arc control, protection 86−61691
Parry, J. *see* Jones, G.R. 86−56909
Parry, J. *see* Spencer, J. 86−33569
Parry, M. Testing power cable accessories 85−15606
Parry, M.H., Pang, F. Protecting polymer dielectrics from mineral oil in cables 86−70685
Parry, M.H. *see* Weatherley, J.W. 87−15345, 87−15358
Parry, P.S., Guyler, I.A., Bayliss, J.S. The application of artificial intelligence techniques to VLSI test 87−1675
Parry, S. Smaller systems at much less cost 85−10962
Parry, S. Devices likely to polarise into specialist roles 85−12227
Parry, S. Chip chain for 32 bit μP 85−28550
Parry, S. GaAs−waiting for the big break 85−29234
Parry, S. Turning on the GaAs 85−33135
Parry, S. Flexibility−the key to circuit board testing 85−34293
Parry, S. Barriers down in bid to beat the problems 85−37411
Parry, S. BI-colour LEDs simplify simultaneous dot and bar display 85−37687
Parry, S. Finding faults before the lines get crossed 86−17066
Parry, S. Acorn puts risc in Arm's reach 86−52860
Parry, S. Fast electrons show promise 87−45229
Parry, S. Making chips safe in space 87−46183
Parry, S. The long road towards ISDN 88−9258
Parry, S. Sensors get a buzz from bees. How the study of bees has helped the development of biosensors 88−74786
Parry, W.J., Hanson, J.V. A real-time digital interpolator 86−3901
Parrymore, C.S. *see* Somla, R. 88−23317
Parsa, Z. Chromatic perturbation and resonance strengths in SSC 88−4743
Parsa, Z. Analytical method for treatment of nonlinear resonances in accelerators 88−4744
Parsa, Z. Computing tools for accelerator design 88−4745
Parsa, Z. Beam aperture and emittance growth in the AGS-booster 88−54214
Parsa, Z. Chromatic perturbation and resonance analysis for the AGS-booster 88−54215
Parsa, Z. Second order perturbation in the AGS-booster 88−54217
Parsa, Z., Tepikian, S. Beam behavior studies in accelerators using perturbation theory 88−53988
Parsa, Z., Tepikian, S., Courant, E. Second-order perturbation theory for accelerators 88−29763
Parsa, Z. *see* Lee, Y.Y. 88−54006
Parsamyan, Dzh.K., Sobotkovskii, B.E. Device for measuring distribution function of random process 86−60204
Parsaye, K., Lin, K.Y. An expert system structure for automatic fault tree generation for emergency feedwater systems for nuclear power plants 87−64293
Parschfeld, W. *see* Hiller, H. 85−44862
Parschin, I.O. *see* Kapchinskiy, I.M. 87−41676
Parsden, R.J. Managing without power 87−43888
Parseghian, P.E. *see* Honeyman, P. 87−27937
Parseliunas, J. *see* Bareikis, V. 87−24469
Parseliunas, J. *see* Kaciulis, S. 85−18287
Parseliunas, J. *see* Kaciulus, S. 85−40453
Parseliunas, J. *see* Kibickas, K. 87−45656, 88−1425
Parsey, J.M., Jr., Thiel, F.A. A new apparatus for the controlled growth of single crystals by horizontal Bridgman techniques 86−13725
Parsey, J.M., Jr., Thiel, F.A. Microscale phenomena in bulk GaAs crystals the effect of thermal gradients 88−11958
Parsey, J.M., Jr. *see* Forrest, S.R. 85−61884
Parsey, J.M., Jr. *see* Gray, M.L. 88−57303
Parsey, J.M., Jr. *see* Jordan, A.S. 87−23600
Parsey, J.M., Jr. *see* Mil'shtein, S.K. 86−41464
Parsey, J.M., Jr. *see* Stavola, M. 85−29184
Parsey, J.M., Jr. *see* Williams, L.M. 88−11970
Parsey, J.M., Jr. *see* Kimerling, L.C. *(editor)* 85−39439
Parsey, Jr., J.M. *see* Sunder, W.A. 87−10357
Parshad, R. *see* Bahadur, H. 85−41007, 85−56047, 86−21940, 86−42064
Parshad, R. *see* Lal, M. 86−47948
Parshad, R. *see* Sharma, A. 85−24045
Parshenkov, N.Y. *see* Lazarev, V.G. 85−13676
Parshin, A.A., Levchenko, G.I., Khristich, L.M., Konashev, S.L., Gol'denfarb, V.I. The gas- and oil-fired TGMP-1202 steam boiler for the 1200 MW power generating unit 86−61364
Parshin, A.V. *see* Andronov, O.I. 85−6242, 87−71020
Parshin, D.N. *see* Belyi, N.G. 88−75684
Parshin, G.N. *see* Gutenberg, V.Ya. 88−58417
Parshin, I.O. *see* Kapchinskiy, I.M. 87−41647
Parshin, V.S. *see* Atayants, B.A. 85−25123, 85−41917
Parshin, V.V. *see* Belyantsev, A.M. 88−33912
Parshin, Yu.N., Peresypkin, E.V. Compensation-correlation processing of signals with the use of nonlinear cancelers 87−69150
Parshin, Yu.N. *see* Avdeev, V.V. 87−19684
Parshin, Yu.N. *see* Avdeyev, V.V. 86−29907
Parshin, Yu.N. *see* Sosulin, Yu.G. 88−3036
Parshkov, O.M. *see* Dmitriev, A.E. 86−68419
Parshkov, O.M. *see* Medvedev, B.A. 85−24512
Parshkov, V.G. *see* Boldyrevskii, P.B. 87−52111
Parshkov, V.G. *see* Boldyrevskiik, P.B. 86−34314
Parshukov, V.S. *see* Rogozhkin, V.V. 86−39270
Parsiegla, E. *see* Otto, P. 88−26400
Parsiegla, V. A contribution to computer-aided simulation of technological processes. II 85−12200
Parsley, D.W. *see* Henze, C.P. 88−55497
Parsley, G.M.J. Rainfall attenuation on 15 GHz Johannesburg-Kempton Park microwave link 85−42468
Parsley, L. Office automation and the integration of office resources 85−13883
Parsley, L. Multiplexers (DOVs) cut computer cabling costs 86−23434
Parsloe, A.R. New developments in European interface technology 88−31507
Parslow, K. *see* Jennings, B.R. 87−46587
Parslow, K. *see* Trimm, H.H. 86−22152
Parslow, R.J. Computer software systems in railway engineering design 88−37703
Parson, I. *see* Francis, R.J. 85−64545
Parson, I.D., Downar, E. Cardiac mapping instrumentation for the instantaneous display of endocardial and epicardial activation 87−63778
Parson, I.D., Harris, L., Mickleborough, L.L., Downar, E. Analog cardiac mapping 87−57184
Parson, K. The strength of optical fibre 87−25969
Parsonage, E.E., Peppas, N.A. Properties of positive resists. II. Dissolution characteristics of irradiated poly(methyl methacrylate) and poly(methyl methacrylate-co-maleic anhydride) 87−74158
Parsonnet, B., Bickley, C. Computer aided loop testing for instrumentation and control 88−15908
Parsons, A. Why light pulses are replacing electrical pulses in creating higher-speed transmission systems 88−9525
Parsons, A. *see* Sadoulet, B. 88−61110
Parsons, A.D., Pedder, D.J. Thin-film infrared absorber structures for advanced thermal detectors 88−67793
Parsons, A.D. *see* Dinn, D.F. 88−48367
Parsons, B. Design methodology for E-beam customisation in a 1.6 μm CMOS logic array family 86−47875
Parsons, B. Development of a 1.8 micron CMOS gate array family with E-beam direct write customisation 87−5822
Parsons, B., Bharathan, D., Althof, J. Open cycle OTEC thermal-hydraulic systems analysis and parametric studies 85−32403
Parsons, B., Egglestone, F. Energy savings in industrial systems by the use of combined steam and electrical generation 87−22148
Parsons, B.A. *see* Russell, G.W. 85−51926
Parsons, B.E. *see* Thomas, B.MacA. 86−4593
Parsons, B.F. *see* Ccoper, D.N. 87−3153
Parsons, B.F. *see* Cooper, D.N. 88−35439
Parsons, B.K., Link, H.F. System studies of open-cycle OTEC components 86−65995
Parsons, B.K. *see* Link, H.F. 87−35853
Parsons, C.L. Airborne multibeam radar altimetry 88−5189
Parsons, C.L., Norcross, G.A., Brooks, R.L. Radiosonde pressure sensor performance: evaluation using tracking radars 87−77859
Parsons, C.L. *see* Miller, L.S. 86−32558
Parsons, C.R., Nolting, E.E., Kenyon, V.L., Smith, R.A., Genuario, R.D., Bailey, V.L. IREB transport and risetime compression using magnetic field gradients 85−4194
Parsons, D. *see* Oakley, D. 88−16363
Parsons, D.W. Keeping synchronous belt drives in line 88−55656
Parsons, E.A. *see* McAulay, A.D. 87−62268
Parsons, F.G., Tabenkin, A.N. Advancement and application of micromechanical and microprocessor techniques to surface metrology in industry 86−65275
Parsons, G.M. Ethical factors influencing curriculum design and instruction in technical communication 88−6141
Parsons, G.N., Cook, J.W., Jr., Lucovsky, G., Lin, S.Y., Mantini, M.J. Deposition of *a*-Si,Sn:H alloy films by reactive magnetron sputtering from separate Si and Sn targets 86−62250
Parsons, G.N., Kusano, C., Lucovsky, G. Photoelectronic properties of *a*-Si:H and *a*-Ge:H thin films in surface cell structures 88−1342
Parsons, G.N., Kusano, C., Lucovsky, G. The effects of surface and interface depletion regions on the photoconductivity of a-Si:H in surface cell structures 88−45281
Parsons, G.N., Tsu, D.V., Lucovsky, G. Optical and electrical properties of a-Si:H films grown by remote plasma enhanced chemical vapor deposition (RPECVD) 88−24771
Parsons, G.N., Tsu, D.V., Lucovsky, G. Properties of intrinsic and doped *a*-Si:H deposited by remote plasma enhanced chemical vapor deposition 88−71298
Parsons, G.N. *see* Cook, J.W., Jr. 88−2124
Parsons, G.N. *see* Rudder, R.A. 86−27928
Parsons, J. *see* Ballingall, R.A. 87−49542, 88−47564
Parsons, J.D. Propagation and interference in cellular radio systems 85−63564
Parsons, J.D. Radio wave propagation 86−10107
Parsons, J.D. Diversity techniques in communications receivers 86−10974
Parsons, J.D. Single crystal epitaxial growth of β-SiC for device and integrated circuit applications 88−43903
Parsons, J.D., Bajwa, A.S. Large-scale characterisation of UHF multipath propagation in urban areas 85−24847
Parsons, J.D., Feeney, M.T. Comparison of selection and switched diversity systems for error-rate reduction at base-station sites in digital mobile radio systems 87−76612
Parsons, J.D., Hunter, A.T., Reynolds, D.C. Characterization of high purity, p-type GaAs grown at atmospheric pressure by MOVPE 86−52499
Parsons, J.D., Krajenbrink, F.G. Tin doping of MOVPE grown gallium arsenide using tetraethyltin 85−6816
Parsons, J.D., Lichtmann, L.S. Temperature-independent unassisted pyrolytic MOCVD growth of cadmium telluride at 290°C and mercury telluride at 325°C using dimethylcadmium, methylallyltelluride and dimethylmercury 88−31763
Parsons, J.D., Lichtmann, L.S., Krajenbrink, F.G., Brown, D.W. MOVPE growth of beryllium-doped gallium arsenide using diethylberyllium 87−10391
Parsons, J.D., Reyhan, T. Prediction of bit error rate in the presence of impulsive noise: a numerical approach using measured noise data 85−57997
Parsons, J.D., Stafsudd, O.M., Bunshah, R.F. Unlocking the potential of beta silicon carbide [epitaxial growth] 86−20062

Parsons, J.D., Turkmani, A.M.D. A new method of assessing the effect of impulsive noise on digital radio schemes 86−10130
Parsons, J.D., Turkmani, A.M.D. A new method of assessing receiver performance in the presence of impulsive noise 87−13871
Parsons, J.D., Williamson, A.G. Estimation of coverage and co-channel interference in mobile radio systems 86−37799
Parsons, J.D., Williamson, A.G., Adachi, F., Payne, F.P. Comment on the calculation of the PDF of the output of a two-branch switch and stay diversity system 87−13180
Parsons, J.D. *see* Adachi, F. 87−3063, 88−27498, 88−28706, 88−58843
Parsons, J.D. *see* Atefi, A. 86−37797, 86−69686
Parsons, J.D. *see* Bajwa, A.S. 85−36946
Parsons, J.D. *see* Demery, D.A. 88−15382
Parsons, J.D. *see* Fouladpouri, A. 88−27517
Parsons, J.D. *see* Hsieh, K.H. 87−60499
Parsons, J.D. *see* Kafaru, O.O. 88−27515
Parsons, J.D. *see* Lichtmann, L.S. 88−31762
Parsons, J.D. *see* Richardson, A.J. 86−37793
Parsons, J.D. *see* Turkmani, A.M.D. 86−64853, 88−14572, 88−27516
Parsons, J.D. *see* Williamson, A.G. 85−57989
Parsons, J.E. *see* Baker, I.M. 87−21091
Parsons, J.E. *see* Keenan, M.A. 87−3488
Parsons, J.R., Jr. Cogeneration application of induction generators 85−9875
Parsons, L. *see* Meadows, R. 86−59811
Parsons, M.L. *see* Rogers, S.P. 85−54152
Parsons, N.C. 1985 Parsons Memorial Lecture−1884: the rebirth of steam power 87−43735
Parsons, N.J., O'Donnell, A.C., Wong, K.K. Design of efficient and wideband travelling-wave modulators 87−54113
Parsons, N.J. *see* O'Donnell, A.C. 86−28903
Parsons, N.J. *see* Oldroyd, A.R. 88−39978
Parsons, N.J. *see* Wong, K.K. 86−36228, 87−74845
Parsons, N.J. *see* Young, T.P. 87−38855
Parsons, P. High speed, low power amps 86−20320
Parsons, P. Auto-zero facility for instrumentation amplifier 86−40917
Parsons, P. *see* Jackson, C. 85−21000
Parsons, P.B. *see* Langley, F.J. 88−19489
Parsons, P.L., Purnell, D., Whittlesey, M. Computer-aided design of a microwave antenna housing 87−5229
Parsons, R. Device reliability demands burn-in test 87−10215
Parsons, R. Is there a future for burn-in? [semiconductor devices] 87−45837
Parsons, R. Semiconductor device burn-in, is there a future? 87−46095
Parsons, R.J. *see* Maks, G.G. 85−57819
Parsons, R.R. *see* Brett, M.J. 86−470
Parsons, R.R. *see* Li, Z.-M. 88−65388
Parsons, R.R. *see* Zhan-Ming Li 88−45230
Parsons, T.J. Towards robust image matching algorithms [for navigation systems] 85−37118
Parsons, W.M., Parker, J.V., Thullen, P. Railgun power supply system utilizing traction motors and vacuum interrupters 87−22621
Parsons, W.M., Sims, J.R., Parker, J.V. The Lethality Test System 87−26697
Parsons, W.M. *see* Fowler, C.M. 87−26673, 88−40511
Parsons, W.M. *see* Parker, J.V. 85−24785, 87−22674, 87−26696
Parssamyan, D.K. *see* Adamyan, Z.N. 86−44238
Parszewska, D. *see* Madalkiewicz, U. 87−77529
Part, M. TM 400 a new generation of mobile microwave links 87−3056
Part, M. *see* De Pontual, A. 88−46881
Partain, L.D. Space-charge-limited current diode model for amorphous silicon solar cells and their degradation 87−72394
Partain, L.D. A space-charge-limited-current diode model for amorphous silicon solar cell degradation 88−5842
Partain, L.D. Space-charge-limited-current diode model for the rectifying-to-ohmic transition with Au/Al contacts to CdS 88−25960
Partain, L.D. Space-charge-limited-current diode model for Cu_xS/CdS solar cells and their degradation 88−55628
Partain, L.D., Cohen, M.J., Cape, J.A., Fraas, L.M., McLeod, P.S., Dean, C.S., Ransom, R.A. Measurement of a long diffusion length in a GaAs film improved by metalorganic-chemical-vapor-deposition source purifications 86−14855
Partain, L.D., Dean, S.M., Berard, B.L., McLeod, P.S., Fraas, L.M., Cape, J.A., Sheldon, P. Characterization of GaAs wafers and epilayers with electron-beam-induced current, etching, and reflected light 88−12942
Partain, L.D., Fraas, L.M., McLeod, P.S., Cape, J.A. Nondestructive measurement of diffusion lengths and optical absorption for an efficient $GaAs_{1-x}P_x$ solar cell 86−7066
Partain, L.D., Fraas, L.M., McLeod, P.S., Cape, J.A. High efficiency mechanical stack using a GaAsP cell on a transparent GaP wafer 87−9756
Partain, L.D., Fraas, L.M., McLeod, P.S., Cape, J.A. Safety comparisons of various gas source deposition technologies for large-scale production of III-V solar cells 87−51471
Partain, L.D., Fraas, L.M., McLeod, P.S., Cape, J.A., Kuryla, M.S. Optics and calculated efficiencies of mechanically stacked two-junction solar cells 87−72395
Partain, L.D., Kuryla, M.S., Fraas, L.M., McLeod, P.S., Cape, J.A. A new sequentially etched quantum-yield technique for measuring surface recombination velocity and diffusion lengths of solar cells 87−64818
Partain, L.D., Kuryla, M.S., Weiss, R.E., Ransom, R.A., McLeod, P.S., Fraas, L.M., Cape, J.A. 26.1% solar cell efficiency for Ge mechanically stacked under GaAs 88−5857
Partain, L.D., Kuryla, M.S., Weiss, R.E., Werthen, J.G., Virshup, J.G., MacMillan, H.F., Hamaker, H.C., King, D.L. 26.1% solar cell efficiency for GaAs mechanically stacked on Ge 88−37603
Partain, L.D., Weiss, R.E., McLeod, P.S. Safety growth of GaAs using trimethyl arsenic 88−75926
Partain, L.D. *see* Cape, J.A. 86−19495
Partain, L.D. *see* Fraas, L.M. 85−10716, 85−44192, 85−49563, 86−13071, 86−34324, 86−57445, 87−16598, 87−36142, 87−52116, 87−58932
Partain, L.D. *see* Lewis, C.R. 88−62614
Partain, L.D. *see* McLeod, P.S. 87−65524
Partala, O.N. Efficiency of a modified sign detector 85−13569
Partala, O.N. Wideband tracking frequency multiplier 86−23984
Partala, O.N. Detection of packets of incoherent pulse signals using order statistics 86−43240
Partala, O.N. The formation of oscillating signals based on a differential equation for systems employing amplitude frequency modulated signals 88−2923
Partalo, M., Kolonic, D. Comparison of methods of encoding speech signals 85−30230
Partanen, J., Juuti, P. A microcomputer based system for designing electricity distribution networks 87−71563
Partanen, J., Pajala, H. The computer based graphics system for designing the profiles of overhead lines 85−21217
Partanen, J., Tuomi, T., Tilli, M., Hahn, S., Wong, C.-C.D. Synchrotron section topographic and device yield studies of backside gettered silicon wafers 88−44625
Partanen, J. *see* Lakervi, E. 85−59702
Partanen, J. *see* Makinen, A. 87−15200
Partanen, J.P. Multipass grating interferometer applied to line narrowing in excimer lasers 87−26452
Partanen, J.P., Shaw, M.J. High-power forward Raman amplifiers employing low-pressure gases in light guides. I. Theory and applications 87−12563
Partanen, J.P., Shaw, M.J. A single-mode KrF laser 87−68323
Partanen, J.P. *see* Barr, J.R.M. 88−72425
Partanen, J.P. *see* Shaw, M.J. 87−12569
Partee, C.C., Jacobs, D.T. Multichannel scaling with a VIC-20 or Commodore 64 87−29676
Parten, M. *see* Bounds, B. 87−56543
Parten, M.E. Computer simulation on a repetitive energy transfer system 87−30781
Parten, M.E., Arrant, E.K. A digital voltmeter peripheral for a microcomputer 87−51789
Parten, M.E., Mau, K.Y. A CCD image sensor frame grabber 88−74324
Partesch, J. *see* Bierbrauer, L. 88−57009
Parth, E. *see* Skritek, P. 85−3807, 87−49409
Partha, R., Sharma, M.L. Design of dielectrically stabilized oscillators using feedback techniques 87−17381
Parthasarathy, A. Ultrasonic instrumentation−underwater applications 85−4516
Parthasarathy, G., Chatterji, B.N. The use of data windows in feature extraction for high dimensional PR problems 86−43336
Parthasarathy, G., Gopal, E.S.R., Lakshmi Kumar, S.T. Pressure and temperature dependence of the electrical resistivity of bulk $Al_{23}Te_{77}$ glass 85−55480
Parthasarathy, G. *see* Asokan, S. 87−53207
Parthasarathy, G. *see* Bhatia, K.L. 85−28974, 85−55485, 86−27964, 86−47317
Parthasarathy, G. *see* Bose, D.N. 86−53344
Parthasarathy, G. *see* Rao, K.J. 85−61695
Parthasarathy, K. *see* Fakruddin, D.B. 85−53356
Parthasarathy, K. *see* Gindi, G. 88−58064
Parthasarathy, K. *see* Raghavendra Rao, K. 85−26979
Parthasarathy, K. *see* Ramanujam, R. 87−57991
Parthasarathy, K. *see* Ramaraj, N. 87−29993
Parthasarathy, K. *see* Shenoy, U.J. 86−8545
Parthasarathy, K. *see* Sridhar, M.K. 88−11919
Parthasarathy, K. *see* Thukaram, D. 85−4610, 86−25472, 87−30163
Parthasarathy, P.R. *see* Sharafali, M. 88−49576
Parthasarathy, R. INTELSAT TDMA/DSI system: implementation and system management 86−4575
Parthasarathy, R. Professionalism in engineering education 86−7414
Parthasarathy, R. *see* Colby, R.J. 85−25796
Parthasarathy, R. *see* Oei, A.S. 86−4588
Parthasarathy, S., Tufts, D.W. Maximum-likelihood estimation of parameters of exponentially damped sinusoids 86−16333
Parthasarathy, S., Tufts, D.W. Signal modeling by exponential segments and application in voiced speech analysis 87−61673
Parthasarathy, S., Tufts, D.W. Excitation-synchronous modeling of voiced speech 87−75744
Parthasarathy, S., Wolf, D., Hu, E., Hackwood, S., Beni, G. Color vision for microelectronics inspection 87−58698
Parthasarathy, S., Wolf, D., Hu, E., Hackwood, S., Beni, G. A color vision system for film thickness determination 87−58701
Parthasarathy, S. *see* Araki, K. 88−53868
Parthasarathy, S. *see* Barth, M. 86−57237
Parthasarathy, S. *see* Kot, A.C. 87−62028, 88−14676
Parthasarathy, S. *see* Thyagarajan, K.S. 86−10507
Parthasarathy, S. *see* Tufts, D.W. 88−3065
Parthasardhi, K. *see* Sarma, P.R. 87−63636
Parthasardhi, K. *see* Sasi, P.R. 87−57029
Parthe, A.C., Jr., O'Brien, P.J. Plant energy management man/machine/factory interface 85−39158
Parthe, A.C., Jr., Schaufeld, J.J. The MIT Enterprise Forum: A resource for growing technology-based organizations 85−16675
Parthenopoulos, D.A., Kasha, M. Coherent pulse and environmental characteristics of the intramolecular proton-transfer lasers based on 3-hydroxyflavone and fisetin 88−45372
Parthiban, V., Joenathan, C., Sirohi, R.S. Shear interferometer using holographic lenses and a hologram 88−14293
Parthier, L. *see* Deppert, K. 86−46323
Parthier, R., Saupe, V. Computer-controlled testing instrument 85−63995
Parthier, U. System compound architecture 88−73577
Parthum, R.P. *see* Dade, R. 88−21817
Partick, W. *see* Van Zeghbroeck, B.J. 87−45935
Partin, D.L. Single quantum well lead-europium-selenide-telluride diode lasers 85−2291
Partin, D.L. Lead telluride doped with rare-earth elements 85−35781
Partin, D.L. Heterojunction stripe geometry lead salt diode lasers grown by molecular beam epitaxy 85−46406
Partin, D.L. Lead salt quantum well diode lasers 85−56668
Partin, D.L. Developments in lead-salt diode lasers 87−39134
Partin, D.L. Preparation and applications of lead chalcogenide diode lasers 87−68533
Partin, D.L., Clemens, B.M., Swets, D.E., Thrush, C.M. Lead calcium telluride grown by molecular beam epitaxy 86−46338
Partin, D.L., Heremans, J.P., Thrush, C.M. Side optical cavity, single quantum well diode laser 87−26421
Partin, D.L., Majkowski, R.F., Swets, D.E. Quantum well diode lasers of lead-europium-selenide-telluride 85−41389
Partin, D.L., Thrush, C.M. Anodic oxidation of lead telluride and its alloy 86−68538
Partin, D.L., Thrush, C.M., Clemens, B.M. Lead strontium telluride and lead barium telluride grown by molecular-beam epitaxy 87−65498
Partin, D.L. *see* Goltsos, W. 85−56420
Partin, D.L. *see* Heremans, J. 86−35390
Partin, J.K. Radiation response of optical fibers in a nuclear reactor 85−35412
Partin, J.K. Fiber optics in high dose radiation fields 86−48139
Partington, K.C. *see* Ridley, J.K. 88−61625
Partington, S. *see* Beales, K.J. 85−35484
Partington, W.G. Voice transmission isn't good enough 87−55620
Partlow, D.P. *see* Yoldas, B.E. 86−15546
Partlow, W.D., Herzig, H. The influence of plasma excitation frequency on the properties of a-SiC:H produced in a glow discharge plasma 86−35362
Partlow, W.D., Samuels, B.C. Dependence of plasma-assisted BPSG deposition on substrate properties 88−6496
Partnoy, E.L. *see* Vlad, V.I. 85−35862
Partom, Y. *see* Rosenberg, Z. 85−50816, 86−5222, 87−21068
Parton, J.E., Owen, S.J.T., Raven, M.S. Applied electromagnetics. Second Edition 86−40372
Parton, J.G. *see* Amos, S.D. 86−41927
Parton, J.G. *see* Topham, P.J. 88−44378
Parton, K.C., Evans, D., Thomas, C.P. Computer aided design of distribution networks (CADARN) 88−17134
Parton, V.Z. *see* Frolov, K.V. 87−64534
Partovi, A. *see* Li-Jen Cheng 88−51951
Partovi, H. *see* Venkatesh, B. 87−17068
Partowmah, M. *see* Lam, K.S. 87−8897
Partridge, C. GaAs lights a path to new era of ICs 86−53709
Partridge, C. In beat with the band 86−55209

Partridge, C. Mail routing using domain names: an informal tour 87−7993
Partridge, C. Solar is a hit in hot spots 87−51445
Partridge, C. Secondary is first in radar 87−63895
Partridge, C. Implementing the Reliable Data Protocol (RDP) 87−69726
Partridge, C. An SNA-OSI electronic mail gateway implementation 88−73518
Partridge, C., Mooers, C. The CSNET Information Server: automatic document distribution using electronic mail 88−28289
Partridge, C., Trewitt, G. The high-level entity management system (HEMS) 88−52881
Partridge, C., Wilkinson, M. BT raises red alert with phone based link 85−16705
Partridge, C. *see* Karn, P. 88−66775
Partridge, D. Connectionist networks qua graphs 88−49659
Partridge, D.R. *see* Chao, S.K. 87−3242
Partridge, G.R., De Paola, G. Testing a microprocessor 85−45072
Partridge, J., Littlefield, G. Aluminum electromigration parameters 86−15087
Partridge, J.E. *see* Noyes, R.J. 85−48561
Partridge, K.D. Electronic recording of steel tube (stock) temperature profile within a reheat furnace 86−5571
Partridge, M. *see* Albert, J. 86−60134
Partridge, R. Closing the gap: forward detectors for the SSC 88−68280
Partridge, S.A. The role of the stencil in high definition screen printing 87−24567
Partridge, S.L. Silicon-on-insulator technology 86−53812
Partridge, S.L. Silicon-on-insulator technology 86−53814
Partridge, S.L. Silicon-on-insulator and device applications 87−18317
Partridge, S.L. Silicon-on-insulator and device applications 87−38554
Partridge, S.L. The current status of silicon-on-insulator technologies—a comparison 87−53740
Partridge, S.L. *see* Brassington, M.P. 86−9299
Partridge, S.L. *see* Lewis, A.G. 85−29330, 86−41955
Partridge, S.L. *see* Oldham, H.E. 85−7100
Parts, T.-E., Kilk, A. On chemical processes in excimer lasers 85−56493
Partugalov, Yu.I. *see* Daikovsky, A.G. 87−3823
Partyga, S., Olech, W. Transformer diagnostics based on gas chromatography 86−26103
Partyk, B. *see* Csabay, O. 87−1382
Partyka, A. Fault tolerant bus transceiver system—jamming and RF interference elimination 88−15132
Partyka, J. *see* Maczka, D. 87−60300
Partyka, M.A. *see* Wojtyczka, C.A. 88−24528
Parubocha, T.V. *see* Bedyukh, A.R. 88−62778
Paruccini, M. *see* Graziani, G. 85−78
Parui, S.K., Eswara Sarma, S., Dutta Majumder, D. How to discriminate shapes using the shape vector 87−2594
Parui, S.K., Majumder, D.D. Two methods for quantification of shape distance between open curves 85−30451
Parulkar, G.B. *see* Jindal, G.D. 88−61386
Parulkar, G.M. *see* Farber, D.J. 87−20203, 87−48655
Parulski, K.A. Color filters and processing alternatives for one-chip cameras 86−4840
Paruschi, V.D. *see* Trusca, V. 87−64734
Parusov, V.P., Komarov, V.N., Rep'ev, V.N. Transfer-capacitance meter for field-effect transistors 86−60317
Parvanov, P., Zakhariev, P., Krastev, Kh., Petrova, L., Lichev, R., Minchev, D., Dombalova, L. The 'OMETIR' series thyristor converter for frequency control of squirrel-cage motors 87−43193
Parvanyan, L.S. *see* Frndzhibashyan, E.S. 85−5090
Parvarandeh, P. *see* Doluca, T. 86−8328
Parvatov, G.N., Popov, A.A. Diffraction in radiowave flaw detection 87−23772
Parvatov, G.N. *see* Kuznetsov, V.V. 87−16738
Parveen, T. *see* Khan, I.A. 88−50242
Parvereshi, J.K. *see* Waldron, M.B. 88−68495
Parviala, A. The stability of daily telephone traffic intensity profiles and its influence on measurement 87−34032
Parvin, B., Medioni, G. Adaptive multiscale feature extraction from range data 88−28093
Parvin, B.A. A split and merge algorithm for segmentation of natural scenes 85−30403
Parvin, B.A. A structural classifier for ship targets 85−36406
Parvin, B.A. *see* Bhanu, B. 87−75880
Parvin, T.M. LDX NET regional fiber optic network 87−70075
Parving, A. *see* Clasen, T. 88−23120
Parvis, M. *see* Abete, A. 87−58339
Parvis, M. *see* Ferraris, F. 87−3409, 87−3412, 88−15932, 88−60558
Parygin, V.N. *see* Baglikov, V.B. 88−38593
Parygin, V.N. *see* Balakshii, V.I. 85−62418, 86−48238, 88−2076
Parygin, V.N. *see* Belikov, I.B. 85−62425
Parygin, V.N. *see* Voloshinov, V.B. 85−7655, 88−40031
Parylis, M.E. *see* Maslenikov, D.S. 86−26197
Parys, I.Van *see* Van Parys, I.
Parzefall, F. *see* Koch, R. 87−17175
Parzen, G. Space charge limits in the AGS booster 88−54218
Parzen, G. *see* Claus, J. 85−26624
Parzen, G. *see* Dell, G.F. 86−31883
Parzen, G. *see* Lee, S.Y. 86−31885, 88−54028
Parzen, G. *see* Lee, Y.Y. 88−54006
Parzhin, Yu.V. *see* Korolev, A.V. 85−30194
Parzhuber, O. *see* Matt, K. 87−70616
Parzygnat, W.J. A compact multifiber circuit pack to backplane optical connector 87−46563
Parzygnat, W.J. A high fiber density optical connector for use in electronic packaging systems 88−33670
Pas, H.ten *see* ten Pas, H.
Pasa, A.A., de Souza, J.P., Baumvol, I.J.R., Freire, F.L., Jr. Dopants redistribution during titanium-disilicide formation by rapid thermal processing 87−32394
Pasalic, N. 30 Years of Faculty of Electrical Engineering and 67 years of electrical engineering studies in Zagreb 87−43822
Pasalic, N., Puzak, M., Sirotic, D. The control of large drive in rolling mill 85−39351
Pasca, E. *see* Del Re, E. 87−34004
Pascal, D., Bru, C., Hobar-Boudebous, F., Laval, S. Sensitivity improvement for fast GaAs photoconductive detectors 85−43006
Pascal, D., Combescure, P. Assessing speech transmission quality 88−73498
Pascal, D., Dansas, P., Bru, C., Laval, S. GaAs MESFET with interrupted gate. Analysis of operation for photo-detection 87−70658
Pascal, D., Hobar-Boudebous, F., Laval, S., Bru, C., Vilcot, J.P., Decoster, D., Fauquembergue, R., Constant, M. GaAs photoconductive detectors: gain, noise, optimal structure 85−52762
Pascal, D., Laval, S. Improvement of a commercial laser cavity dumper system 85−2361
Pascal, D. *see* Boudebous, F.H. 85−41265
Pascal, D. *see* Bru, C. 85−35605, 87−67261
Pascal, D. *see* Dansas, P. 88−71311
Pascal, F. *see* Bougnot, G. 87−65523, 88−70346
Pascal, F. *see* Bourgnot, G. 88−56248
Pascal, J.-P. ZTO. From design to technology 88−26236
Pascal, J.-P., Coquery, G., Caroff, P., Lallemand, R. Influence of the impedance of the gate trigger on the maximum current turn-off capability of a GTO 87−18117
Pascal, J.P. High power: GTO or thyristor? 87−18118
Pascal, J.P., Coquery, G., Lallemand, R. Increasing frequency using GTO in gate-assisted-turn-off mode 88−69531
Pascal, J.P. *see* Ayasse, J.B. 87−26649
Pascal, J.P. *see* Burais, N. 85−24729
Pascal, J.P. *see* Fintescu, N.D. 87−4734
Pascal, J.P. *see* Goby, F. 86−36674
Pascal, O. Electronic mail for the general public; an experiment conducted by the French Telecommunications Service in Les Bouches du Rhone 86−30302
Pascal, O. The STAR programme [Special Telecommunication Action for Regional Development] 88−14879
Pascal, O. The Apollo Project [Article Procurement with Online Local Order] 88−15391
Pascal, R.W. *see* Birch, K.G. 87−57380
Pascale, D. *see* Lavigne, P. 87−26274, 87−41036
Pascale, M.P.de *see* de Pascale, M.P.
Pascale, O.De *see* De Pascale, O.
Pascalis, G.De *see* De Pascalis, G.
Pascall, S.C. *see* Dunning, A.J. 87−28461
Pascar, A., Cohen, A. Comparison of three feature selection procedures for signal analysis 86−30048
Pascaru, I. *see* Derbyshire, A. 86−38495
Pascaru, I. *see* McClelland, T. 88−22410 to 22411
Pascaru, I. *see* Meirs, M. 85−58817
Pascaru, I. *see* Silvermetz, D. 86−38497
Pascasu, S., Calota, G. Some design characteristics of the cryoresistive transformer 85−44038
Pascente, J.E. X-ray inspection systems for electronic testing applications 86−7537
Paschalidou, V., Aitchison, C.S. Theoretical analysis of the nonlinear behaviour of a loss-free distributed amplifier 85−22667
Paschalidou, V., Aitchison, C.S. Theoretical analysis of the non-linear behavior of a distributed amplifier 85−44913
Paschalis, A.M., Halatsis, C., Philokyprou, G. Concurrently totally self-checking microprogram control unit with duplication of microprogram sequencer 87−44902
Paschalis, A.M., Nikolos, D., Halatsis, C. Efficient modular design of TSC checkers for m-out-of-2m codes 88−698
Paschalis, A.M., Nikolos, D., Halatsis, C. Efficient modular design of TSC checkers for *m*-out-of-2*m* codes 88−32123
Paschall, L.M. *see* McLucas, J. 85−30989
Pasche, C. *see* Barras, J. 87−42355
Paschen, D. *see* Haddad, H.A. 86−54356
Paschen, R. *see* Alt, K. 85−9513, 86−51051
Paschen, R. *see* Bauer, K.-H. 88−61948
Paschen, R. *see* Kaufl, O. 88−10873
Paschenko, Yu.A. *see* Kostomarov, D.V. 87−31486
Paschentis, S.N. *see* Bunn, D.W. 87−15177
Pascher, H. Thoughts on forming a broadband local network with optical links 86−23900
Pascher, H., Bauer, G., Clemens, H. Spin resonant optical four wave mixing in $Pb_{1-x}Sn_xTe$ epitaxial layers and in $Pb_{1-x}Sn_xTe/PbTe$ superlattices 85−61745
Pascher, H. *see* Sitter, H. 88−31784
Pascher, W., Pregla, R. Full wave analysis of complex planar microwave structures 87−73593
Pascher, W., Pregla, R. Full wave analysis of complex planar microwave structures 88−20979
Pascher, W. *see* Pregla, R. 88−25370
Pascher, W. *see* Schizer, B. 88−2908
Paschetta, G. *see* Ambrosio, R. 87−34000
Paschetta, G. *see* Mogavero, C. 87−34228
Paschewitch, W.I. *see* Martynova, O.I. 86−51292
Pasching, A. *see* Donazzi, F. 86−6943
Paschke, H. *see* Hassan, M. 85−44308, 86−20267, 88−24035, 88−49307
Paschke, P. *see* Hartung, D. 86−67243
Paschmann, G., Loidl, H., Obermayer, P., Ertl, M., Laborenz, R., Sckopke, N., Baumjohann, W., Carlson, C.W., Curtis, D.W. The plasma instrument for AMPTE IRM 85−53167
Paschoa, A.S. *see* Ingrao, G. 87−14775
Pasciak, J.E. A new scalar potential formulation of the magnetostatic field problem 85−22442
Pasciak, J.E. *see* Bramble, J.H. 86−15840, 86−52378, 86−66777
Pasciak, J.E. *see* Friedman, M.J. 85−24718
Pasciak, W.J. *see* Zibulsky, H. 88−55152
Pasco, R.C. Silicon breadboards—a stepping stone to custom LSI 85−22837
Pasco, R.W., Felton, L.E., Schwarz, J.A. Electromigration in Al and Al-alloy thin-film conductors 85−34377
Pasco, R.W. *see* Felton, L.E. 85−61991
Pasco, W.D., Arendt, R.H. Some alternate fabrication processes for molten carbonate fuel cell electrolyte structures 87−30931
Pasco, W.D. *see* Iacovangelo, C.D. 88−37378
Pascoe, K.J. *see* Smith, E.W. 86−11565
Pascoe, N.T. *see* Bergendahl, A.S. 85−23705, 85−29157
Pascoli, D. *see* Bauer, G. 87−29544, 87−77572
Pascoli, D. *see* Bettini, A. 87−29545
Pascoli, D. *see* Busetto, G. 87−14788
Pascovici, G. *see* Ceausescu, V. 86−32089
Pascu, A. *see* Pascu, M.L. 86−3402
Pascu, M.L., Pascu, A., Dumbraveanu, G., Caprini, M., Bozdoc, H., Rusu, A., Cristu, D., Munteanu, M. Tunable laser applications to spectrophotometry 86−3402
Pascu, M.L. *see* Chis, I. 88−45357
Pascual, C.M. Medium and low gain antennas for mobile satellite communications 87−54685
Pascual, C.M., Fontecha, J.L., Vassal'lo, J., Barbero, J. Land mobile antennas for satellite communications 85−55125
Pascual, C.M. *see* del Castillo, P. 87−75631
Pascual, C.Martin *see* Martin Pascual, C.
Pascual, L.G. Maintenance: a dynamic strategy. II 87−65146
Pascual, P.J. *see* Aguilar, M. 87−14090
Pascucci, M. *see* Pluchino, F. 88−8383
Pasculescu, A. Identification and model for the time response of an analog to digital interface 88−19214
Pasculli, A. *see* Cerullo, N. 85−65128
Pascuzzi, S. *see* Fortunato, B. 86−39586
Pasdeloup, M. *see* Paris, M. 85−16733
Pasechnik, I.V. *see* Bykovskii, Yu.A. 88−65696
Pasechnik, Yu.A. *see* Burshta, I.I. 88−25358 to 25359
Pasechnyi, V.A. *see* Belous, A.I. 88−65194
Pasecki, E. Equipment for contactless measurement of linear dimensions of slabs 85−42835
Pasek, J.R., Clarke, K.M. Airborne target feature extraction and tracking for gate size maintenance and terminal aimpoint determination 85−31077
Pasek, Z. The status and development of vacuum switching techniques in the early 1980s 85−44118
Pasek, Z., Kaspar, J., Stuchlik, V. Use of Czechoslovak vacuum contractors SV 32.1 (7.2 kV, 400 A) for switching of HV motors and capacitors 85−10037
Pasek, Z., Taimr, V. New short-circuit rectifier in the VUSE short-circuit testing station 88−43272
Paseka, J., Hanacek, A. Stability of bead shaped NTC thermistors 86−14548
Pasel, K. Harmonic vibration capacitance of public low tension networks 86−32740
Paseman, B. *see* Catlin, G. 86−27271
Paseman, W.G. Data flow concepts speed simulation in CAE systems 85−33560
Pasenko, L.Ya. *see* Radautsan, S.I. 85−18117

Pasenkov, V.P., Perekrest, V.V., Sazonov, A.A. The efficiency of functional microprocessor tests 88−32231
Pasero, E. PCLUCIE: a graphical editor for integrated circuits 87−32656
Pasero, E. PCLUCIE: a layout editor for personal computer 87−67430
Pasewark, G.J. High fidelity modeling for the exercising of division level command groups 88−17005
Pasha, A. *see* Precious, R.W. 85−4960
Pasha, M. *see* Franklin, B. 88−41997
Pashaev, K.G. *see* Tsimerman, A.B. 86−66501
Pashagin, A.I., Shcherbinin, V.E., Benklevskaya, N.P., Filippov, B.A., Marulin, A.P. Effect of the magnetizing method on the detectability of defects in welded joints in electric welded pipes 86−541
Pashagin, A.I. *see* Benklevskaya, N.P. 87−16727
Pashaie, B., Schaefer, G., Schoenbach, K.H., Williams, P.F. Field-enhancement calculations for a field-distortion triggered spark gap 87−37787
Pashaie, B. *see* Schaefer, G. 85−44125
Pashall, M.R. Electronic scales−more applications, greater productivity 87−63538
Pashanin, I.A. *see* Kosyuk, V.I. 87−63444
Pashayev, A.M., Adjhalov, A.R., Aslanov, T.A. Investigation of annealing effect on volt-ampere characteristics of aluminium-silicon barriers 85−12003
Pashayev, A.M., Adzhalov, A.P. Prediction of the third order steady state dynamics for logical integrated circuits 86−931
Pashchenko, A.V. *see* Tsygankov, V.M. 87−35539
Pashchenko, G.E. Phase distortions of spatial carrier in acousto-optical devices with non-collinear light beams 87−68228
Pashchenko, P.B. *see* Aleksandrova, G.A. 85−10726
Pashchenko, V.P., Brovkina, G.T., Klimov, V.V., Afonina, G.F., Sharanevich, L.N. Physicochemical properties of high-induction manganese-zinc ferrites 86−35985
Pashchenko, Yu.Ya. *see* Koval'kov, G.A. 86−39678
Pashchenko, Zh.F., Kulikova, M.B. A mathematical model of waveguide slot couplers 88−72617
Pashchenko, Zh.F., Pis'mennyi, G.V., Tereshchenko, A.I. Automated design of systems of strongly coupled resonators containing current carrying components. III. Development of algorithm and program for calculating stored energy, loss capacity and Q-factor of regular resonators 85−28691
Pashchenko, Zh.F., Tereshchenko, A.I., Gurtovoi, Yu.V. An algorithm and program for plotting the patterns of currents flowing in the walls of regular waveguides and resonators 88−20987
Pashchenko, Zh.F. *see* Pis'mennyi, G.V. 87−978
Pashchetta, G. *see* Mogavero, C. 87−62728
Pashchin, N.S. *see* Dobrynin, A.V. 88−13614
Pashchuk, N.N. *see* Kirnas, I.G. 87−3902, 87−77564
Pashchuk, S.P. *see* Kudryashov, B.A. 86−18133
Pashenko, A.P. Designing a self-contained metal halogen lamp power supply unit for photographic lighting 87−59168
Pashenko, E.G. *see* Kuz'min, Yu.I. 86−18523
Pashevich, V.I. Influence of reducing agents on physicochemical properties of the coolant of the primary loop of water-moderated water-cooled (VVER) reactors 85−65107
Pashevich, V.I. The effect of Water-chemistry conditions on radiation contamination of the equipment of power-generating reactors of water-moderated water-cooled (VVER) type 86−12624
Pashinin, P.P., Raspopov, S.F., Serdyuchenko, Yu.N., Sukhodol'skii, A.T. Generation of picosecond pulses in a synchronously pumped dye laser with a lumped and distributed feedback 85−24503
Pashinin, P.P., Raspopova, S.F., Sukhodol'skii, A.T. Single-frequency emission from a dye laser with a mixed lumped-distributed feedback 85−12828
Pashinin, P.P., Raspopov, S.F., Sukhodolskii, A.T. A distributed feedback laser with a fan-shaped lattice 87−46811
Pashinin, P.P., Rastopov, S.F., Sukhodol'skii, A.T. Laser processing and cutting of transparent materials 87−75272
Pashinin, P.P. *see* Abrosimov, S.A. 87−26495
Pashinin, P.P. *see* Bagdasarov, V.Kh. 88−20602
Pashinin, P.P. *see* Basiev, T.T. 85−24523, 86−63780
Pashinin, P.P. *see* Belyanko, A.E. 85−2232, 85−7274, 86−22138
Pashinin, P.P. *see* Berzina, G.D. 85−62543
Pashinin, P.P. *see* Brodov, M.E. 85−2267, 88−51776, 88−51906, 88−58498
Pashinin, P.P. *see* Goncharov, S.F. 85−56906
Pashinin, P.P. *see* Gorshkov, B.G. 86−22450
Pashinin, P.P. *see* Konev, Yu.B. 85−24485
Pashinin, P.P. *see* Lipatov, N.I. 88−72276
Pashinin, P.P. *see* Natarov, S.Yu. 87−68422
Pashinin, P.P. *see* Vakhterov, A.A. 86−3049
Pashinin, P.P. *see* Vasil'ev, Yu.P. 85−41374
Pashinin, P.P. *see* Vodop'yanov, K.L. 88−20719
Pashinin, P.P. *see* Volyak, T.B. 85−56756
Pashinin, P.P. *see* Zharikov, E.V. 86−9795, 86−48375, 87−12438
Pashinin, P.P. *see* Zybin, D.N. 87−33246
Pashinina, N.P. *see* Kir'yanov, A.V. 87−39057
Pashinkin, A.S. *see* Kotashevskii, V.A. 85−1485
Pashinkin, A.S. *see* Vigdorovich, E.N. 86−26884
Pashinskii, L.N. *see* Bironť, N.P. 87−63485
Pashintsev, Yu.I. *see* Buyanov, N.N. 85−49799
Pashkeev, S.D., Sosnovikov, G.K., Monin, A.A. Methods and software for statistic simulation of commutation systems 86−45316
Pashkevich, A.M. *see* Grigor'yants, A.G. 85−21998
Pashkevich, A.V. *see* Varfolomeev, S.P. 85−28984, 85−61705
Pashkevich, G.A. *see* Belyy, V.N. 87−18460
Pashkevich, V.I. *see* Davidchuk, G.A. 85−44003, 85−44008, 86−45447, 87−9580, 87−30590, 87−35948
Pashkevich, V.I. *see* Latysheva, V.A. 86−70929
Pashkevich, V.V. *see* Leshenyuk, N.S. 88−40150
Pashkeyev, S.D., Bugayev, L.I., Monin, A.A. Methods of controlling the technical servicing of communications network sections 88−34526
Pashkin, S.V. *see* Breev, V.V. 85−46320
Pashkin, V.A. *see* Aminov, R.Z. 87−57873
Pashkin, V.M. *see* Gurevich, G.L. 86−42076
Pashko, A.I., Petrushenko, E.I., Trofimuk, N.L., Filipova, G.A. On a numerical solution of the vector integral equation of calculating the three-dimensional magnetic field of an unsaturated single-element current transformer 85−44062
Pashko, A.I., Petrushenko, E.I., Trofimuk, N.L., filippova, G.A. Integral equations for calculating a three-dimensional magnetic field of an unsaturated single-cell current transformer 85−9969
Pashko, O.A. *see* Borodkin, A.A. 87−18868
Pashko, O.A. *see* Borodulin, V.I. 87−33211 to 33212
Pashko, S.A., Simakov, V.A. Fast channel light diode with high energy brightness 87−46884
Pashko, S.A. *see* Bogatov, A.P. 85−29869
Pashkov, L.D. *see* Nurzhanov, B.G. 88−17336
Pashkov, N.N. *see* Bortsov, Yu.A. 87−64570, 88−62341
Pashkov, S.P. *see* Borovov, G.I. 87−17812
Pashkov, V.A. *see* Dobrovol'skii, A.V. 86−9793
Pashkov, V.S., Tideman, N.A. Investigating algorithms for evaluating coordinates of images of point emitters in opto-electronic devices with multiple-element photodetectors 88−53692
Pashkov, V.V. *see* Voronov, I.D. 86−5582, 86−44738
Pashkovskii, A.B. *see* Kal'fa, A.A. 86−63318
Pashkovskii, A.V. The (p, q) technique of coupled operators in a two-phase model of heat processes in electrical machines 86−6691
Pashkovskii, M.V. *see* Matveenko, A.V. 87−46647
Pashkovskii, V.I. Combined methods and their application to problems in electrical engineering 87−16524
Pashley, D. Programming and testing logic devices 86−52758
Pashley, D.W. The growth and structure of epitaxial layers 86−13774
Pashmakov, B., Vateva, E., Bekirov, A. Electrophotographic multi-layer plates based on vacuum-evaporated cadmium sulphide and polyethylene 85−56400
Pashmakova, I. *see* Pavlov, D. 88−11363
Pashnin, V.M. *see* Pokhoriler, V.L. 85−4926
Pasholok, P.A. *see* Varaksin, A.A. 86−36870
Pashtoon, N.A. IIR digital filters 88−44298
Pashtukas, A.V. *see* Dirzhis, S.A. 87−22318
Pashuk, E.G., Ataev, A.Sh. Pulse-locked time-interval generator 88−12254
Pashuk, L.I. *see* Afanas'eva, N.P. 86−44573
Pashukanis, S.F. *see* Kuz'min, V.A. 86−41770
Pashunin, Yu.M. *see* Gorina, Yu.I. 87−53215
Pasi, H. *see* Szychowski, J.H. 85−2739
Pasi, H.E. *see* Szychowski, J.H. 85−20726
Pasi, M., Shahal, O., Matmor, A. The use of HgI_2 solid state detector in gamma ray densimetry 86−44579
Pasian, F. Sorting algorithms for filters based on ordered statistics: performance considerations 88−52466
Pasian, F., Vuerli, C. Core-line tracing for fuzzy image subsets 86−59340
Pasichnik, I.I. *see* Garbuzov, I.P. 86−45057
Pasichnik, T.V. *see* Zorii, V.I. 85−55085
Pasichnyi, V.V. *see* Danilov, S.V. 88−39877
Pasiecznik, J. *see* King, H.J. 85−29261
Pasiecznik, J. *see* Walden, T.H. 88−70878
Pasierbinski, J. *see* Cwirko, R. 87−70358
Pasika, A. Remote measurement and control: Argentinian design completed on time. II 87−41396
Pasika, A.M. Design of a local communication network 87−2912
Pasika, A.M. Remote controlled measurement 87−56548
Pasika, A.M. Digital processing of video. The ACP-950 88−15837
Pasin, W. *see* Peuto, A. 85−64310
Pasini, S. *see* de Michele, G. 87−4589
Pask, C. *see* Ankiewicz, A. 87−60911
Pask, C. *see* Bertilone, D. 87−46439, 87−60890
Pask, C. *see* Black, R.J. 85−2011, 85−12583
Pask, C. *see* Garth, S.J. 86−22080, 86−58780, 88−39901, 88−65201
Pask, T. Audio companding 86−24215
Pasker, J.I., Rogers, G.W. Demand subscription service (DSS)−a rate option [load regulation] 85−21142
Paskevich, A.A. *see* Evgen'eva, G.G. 86−11437
Paskhin, V.M., Rodionov, L.V., Sandler, M.S., Snitko, V.Yu. Acoustic resonators made of a multilayer structure of selenium and piezoelectric quartz 85−56074
Paskhin, V.M., Sandler, M.S., Snitko, V.Yu. Multifrequency surface-acoustic-wave waveguide resonators 87−12030
Paskhin, V.M., Sandler, M.S., Sveshnikov, B.V. Surface acoustic wave resonator with large tuning range 87−46298
Paskhin, V.M., Sandler, M.S., Sveshnikov, B.V. Multifrequency surface-acoustic-wave resonator with interdigital reflectors 88−1849
Paskhin, V.M. *see* Abramov, F.G. 85−22676
Paskhin, V.M. *see* Gurevich, G.L. 86−28585
Paski, R.M. *see* Ross, D.G. 85−37032, 86−47774
Paskin, H.M. Requirements definition process . . . or how to see the forest for the trees [avionics] 87−77780
Paskin, H.M. How to see the forest for the trees (the requirements definition process) [avionics] 88−16827
Pasko, J.G. *see* Arias, J.M. 88−26970
Pasko, J.G. *see* DeWames, R.E. 88−39100
Pasko, J.G. *see* Ryan, F.J. 85−26727
Pasko, J.G. *see* Shin, S.H. 85−43220, 85−49551, 88−45309
Pasko, K.M. *see* Demko, P.R. 87−56887
Pas'ko, V.A. *see* Abramov, K.K. 85−41668
Paskov, P.P. *see* Atanasov, P.A. 87−26271
Paskual', A.G. *see* Remizov, L.T. 87−19211, 87−54469
Paskura, C. *see* Fare, R. 86−65939
Paskusz, G.F. Problem solving for cognitive development [engineering education] 85−33026
Paskvan, Z. Dissipation limiter 86−20259
Paslaski, J., Chen, H.Z., Morkoc, H., Yariv, A. High-speed GaAs *p-i-n* photodiodes grown of Si substrates by molecular beam epitaxy 88−45293
Paslaski, J. *see* Arakawa, Y. 86−36467
Paslaski, J. *see* Chen, H.Z. 88−34084, 88−40242
Paslaski, J. *see* Cronin-Golomb, M. 86−15763
Paslaski, J. *see* Derry, P.L. 88−65667
Paslaski, J. *see* Hori, Y. 85−41259
Paslaski, J. *see* Izadpanah, S.H. 85−46380
Paslaski, J. *see* Kaede, K. 86−50096
Paslaski, J. *see* Vahala, K. 85−46378
Paslaski, J. *see* Yi, M.B. 86−28994, 88−45294
Pasler, H. *see* Dillmann, H.-G. 87−78395
Pasley, G.F. *see* Henderson, R.G. 87−42187
Pasman, J. *see* Bouwhuis, G. 87−31128
Pasman, K.H.W. *see* Nordholt, E.H. 85−61156
Pasman, V.R., Shevlyakov, G.L. Robust methods of estimation of correlation coefficient 88−281
Pasman, W.J.A. SOPHO S data facilities 85−57893
Pasmanik, G.A. Laser interferometers containing WFR mirrors 88−47694
Pasmanik, G.A. *see* Andreev, N.F. 85−24666, 85−56832, 86−15770, 87−33289
Pasmanik, G.A. *see* Antipov, O.L. 87−26539
Pasmanik, G.A. *see* Bespalov, V.I. 85−46491, 85−56831, 87−68606
Pasmanik, G.A. *see* Manishin, V.G. 85−18978
Pasmanik, L.A., Turchin, V.I., Ugrinovskii, V.A. Use of the method of parametric estimation in the problem of determining antenna beam patterns from weak radio sources 86−64065
Pasmurov, A.Ya. *see* Il'in, A.L. 88−41721
Pasnik, V.I., Voznesenskii, V.S. An instrument for measuring and recording of profiles of wells using the ASKP instrumentation 86−38933
Pasotti, G., Ricci, M.V. Computation of forces distributions in the superconducting test facility SULTAN and their comparison with experimental values 86−40521
Pasotti, G., Ricci, M.V., Sacchetti, N., Spadoni, M., Bruckmann, H. Study of a large superconducting Helmholtz pair, illustrated on hand of the ZEUS detector proposal for HERA 86−50284
Pasotti, G. *see* Acerbi, E. 88−68203
Pasotti, G. *see* Balsamo, E.P. 86−48057
Pasotti, G. *see* Bruzzese, R. 86−48036
Pasotti, G. *see* Deotto, T. 85−50867
Pasotti, R. *see* Caccia, M. 85−60620
Pasour, J. *see* Bromborsky, A. 88−50584
Pasour, J.A. Free-electron lasers 87−46916
Pasour, J.A. Powerful millimeter-wave FELs driven by high-current MeV accelerators 88−58587
Pasour, J.A., Gold, S.H. Free-electron laser experiments with and without a guide magnetic field: a review of millimeter-wave free-electron laser research at the Naval Research Laboratory 86−3197

Pasour, J.A., Lucey, R.F., Kapetanakos, C.A. Long-pulse, high-power free-electron laser with no external beam focusing 85−7466
Pasour, J.A., Mathew, J., Kapetanakos, C. Recent results from the Naval Research Laboratory experimental FEL program 87−75141
Pasour, J.A., Sprangle, P., Tang, C.M., Kapetanakos, C.A. High-power two-stage FEL oscillator operating in the trapped particle mode 85−56694
Pasour, J.A. *see* Mako, F. 85−2500
Pasour, J.A. *see* Mathew, J. 86−48450
Pasqual, J.A. *see* Olcay, M.R. 86−3095
Pasquale, F.de *see* de Pasquale, F.
Pasquale, J. *see* Ashany, R. 88−52665
Pasquale, S.De *see* De Pasquale, S.
Pasquali, F.De *see* De Pasquali, F.
Pasquali, L. *see* Galati, G. 86−17448
Pasquali, L. *see* Piccini, P. 88−15538
Pasquali, M., Pistoia, G., Boschi, T., Tagliatesta, P. Redox mechanism and cycling behaviour of nonylbenzo-hexaquinone electrodes in Li cells 87−72385
Pasquali, M., Pistoia, G., Manev, V., Moshtev, R.V. $Li/Li_{1+x}V_3O_8$ batteries. V. Comparison with other secondary cells and influence of micro- and macro-structural alterations on the cathode performance 87−30905
Pasquali, M. *see* Pistoia, G. 85−49068, 85−53811, 86−45635
Pasqualini, F. *see* Boher, P. 88−19824
Pasqualini, F. *see* Iost, M. 88−26119
Pasqualoni, A., Crane, J., DiOrio, M. Thermal dissipation characteristics of a non-hermetic metal dual in-line package 88−49546
Pasqualotto, C., Ris, C., Schar, B. New line equipment for the T203+telex and data switching system 88−3769
Pasquariello, D.M., Abraham, K.M. $MoSe_3S$: a novel insertion cathode for secondary lithium batteries 87−36099
Pasquariello, D.M. *see* Abraham, K.M. 86−66257, 88−17890, 88−30981
Pasquariello, E. Polymers and fire risks in telecommunication plants 85−49314
Pasquariello, G. *see* Chiaradia, M.T. 87−48245
Pasquariello, R. *see* Fusco, L. 86−59319
Pasquet, D., Gautier, J., Pouvil, P. TM modes in oversized planar metallic waveguides 86−42888
Pasquet, D., Gautier, J.L., Pouvil, P. Oscillation conditions of an FIR waveguide laser 85−35467
Pasquet, D., Gautier, J.L., Pouvil, P. Reflection coefficients of oversized coupling holes 86−48094
Pasquet, D., Gautier, J.L., Pouvil, P. Quality factor of the cavity of an FIR waveguide laser 87−33241
Pasquet, D., Gautier, J.L., Pouvil, P. Mode transformation in very oversized circular waveguides 88−7922
Pasquet, D., Gautier, J.L., Pouvil, P. Coupling between Gaussian and guided mode at the input and output of oversized circular waveguides 88−27587
Pasquet, D., Gautier, J.L., Pouvil, P. Coupling between Gaussian and guided modes at the input and output of oversized circular waveguides 88−66145
Pasquet, D. *see* Fougnion, J.-M. 85−3853
Pasquet, D. *see* Gautier, J.L. 85−61929
Pasquet, D. *see* Pouvil, P. 88−64611
Pasquet, J.H., Gallais, B. The Transpac network TPSE and its management 87−62778
Pasquetti, R. *see* Arconada, A. 88−9852
Pasqui, N. *see* Calabro, S. 86−19335
Pasqui, N. *see* Coppadoro, F. 87−79055
Pasquinelli, K.M., Kwan, M., Howard, J.A. Introduction of a new technology into a laboratory program 88−18355
Pasquinelli, M. *see* Martinuzzi, S. 87−6370, 88−37540
Pasquinelli, M. *see* Mathian, G. 85−45599
Pasquinelli, M. *see* Zehaf, M. 86−35304, 86−41526
Pasquinelli, R. *see* Kells, W. 88−47886
Pasquinelli, R. *see* Mayer, G. 88−54164
Pasquinelli, R.J. Superconducting notch filters for the Fermilab antiproton source 85−26659
Pasquinelli, R.J., Hyslop, W., Kells, W., Kuchnir, M., Marriner, J., Mayer, G., McCarthy, J., Mtingwa, S., Peterson, D., Shafer, R. Stacktail momentum cooling in the Fermilab antiproton source 88−47900
Pasquini, F. *see* Ricciardi, G. 85−13021
Pasquini, L., Trigiante, D. A globally convergent method for simultaneously finding polynomial roots 85−39663
Pasquini, V., Cambareri, C., Zambelli, G., Marchini, G. Digital transmission on coaxial and optical cables of a 140 Mbit/s PCM-TV signal 88−4192
Pasquini, V. *see* Cannavo, S. 85−19611
Pasricha, P.K., Aggarwal, S., Reddy, B.M. Estimation of the hourly variability of f_0F_2 at a low-latitude station 87−33434
Pasricha, P.K., Aggarwal, S., Reddy, B.M. Model determination of the hourly and monthly variability of foF2 at a low-latitude station−a summary 87−47218
Pasricha, P.K., Reddy, B.M. Empirical modelling of equatorial ionospheric scintillation 86−68737
Pasricha, P.K. *see* Booker, H.G. 86−36712
Pasricha, P.K. *see* Mohan, M. 86−10190
Pasricha, P.K. *see* Rao, D.N. 88−27499
Pasrija, A.K. *see* Kwatny, H.G. 86−25482, 86−56314, 87−15240
Pass, S. A VLSI array processor for image and signal processing 86−8309
Passage, R.du *see* du Passage, R.
Passalacqua, E. *see* Antonucci, V. 87−22687
Passamante, A., Kennedy, M.T. Spectral estimation using principal components in tandem with the maximum entropy technique 85−51642
Passamante, A. *see* Hediger, T. 86−10521
Passannanti, G. *see* De Pascale, O. 88−65928
Passardi, G. *see* Arnold, R. 87−29443, 88−68234 to 68235
Passarelli, N. *see* Esente, S. 88−36415
Passari, L. *see* Carotta, M.C. 86−63015
Passari, L. *see* Negrini, P. 86−21105
Passari, L. *see* Susi, E. 87−66877, 88−50621
Passariello, G. *see* Escalona, O. 86−70416
Passariello, G. *see* Giallorenzo, M. 88−74846
Passariello, G. *see* Lara-Estrella, L.O. 88−43619
Passariello, G. *see* Mendez, N. 88−10403
Passariello, G. *see* Mora, F.A. 88−36410
Passaro, F. Dosage system description 85−31603
Passaro, M.A. *see* Malaviya, S.D. 85−40091
Passaseo, A. *see* Boscolo, I. 87−7260, 87−18889
Passau, B. New possibilities through the use of digital memories in television sets 88−29056
Passe, J. *see* Chin, D. 88−60418
Passefort, J.C. *see* Chanclou, R. 85−18477
Passell, T.O. *see* Siegwarth, D.P. 87−71909
Passera, G. Motor control gear−standardised components 86−19436
Passera, G. Starters for electric motors: modularity and standardization 86−66034
Passera, G., Piazzoli, A. Computer-aided design of AC contractor electromagnet 86−71006
Passerat, A. *see* Marty, M. 85−1760
Passeri, P. *see* Cordaro, G. 86−4645
Passeri, P. *see* Di Biase, V. 87−76956
Passerieux, J.M. Comparison of performance of nonrecursive methods in underwater passive trajectory plotting 88−21264
Passerieux, J.M., Kopp, L. Detection methods using eigenvalues: theoretical performances and practical limits in underwater passive listening 87−56277
Passerin, M. *see* Aupied, J.R. 88−10995
Passerine, B., Tenconi, S., Zanbelli, M. High power GTOs characteristics: a comprehensive review 85−29205
Passerini, B., Drozdz, M., Mosca, R., Moschella, U., Portesine, M. Radiation hardness of high power diodes and thyristors 88−30880
Passerini, B., Tenconi, S., Zambelli, M. High power gate turn-off thyristors: characteristics and ratings 85−61912
Passerini, B. *see* Fasce, F. 87−11763
Passerini, B.V. *see* Fuochi, P. 86−53574
Passerini, S. *see* Pantaloni, S. 87−63462
Passeron, A. *see* Eteve, E. 86−16770
Passeron, A. *see* Lebourges, M. 86−64579
Passeron, L. *see* Labruyere, G. 87−12821
Passey, D.A., Chen, C.F. Arc suppression of a DC energized contactor under inductive load 86−33547
Passey, D.J. European demonstration wind turbine on Shetland 87−78570
Passi, G.S. *see* Gurvich, A.K. 88−70369
Passi, M.S. Highly integrated 16-bit microcontroller aims at control system applications 85−17522
Passi, M.S. 16-bit microcontroller makes complete system integration possible 86−1093
Passi, R.M., Morel, C. Wind errors using the worldwide Loran network 88−60298
Passi, R.M. *see* Amin, M.G. 86−59290
Passi, R.M. *see* Morel, C. 87−63945
Passi, S.K., Tho Le-Ngoc Towards the implementation of an interface module for ISDN basic access 87−34001
Passien, O. *see* Lefevre, J.-P. 86−16223
Passin, T.B. Measured response of a metallic cylinder with trailing wire to broadside electromagnetic fields 86−29305
Passlack, M., Stenzel, R., Elschner, H. Optimization of n^+ self-aligned short-channel normally-off GaAs MESFETs by two-dimensional numerical device simulation 87−38313
Passler, M., Lensch, G. Cutting and scribing of alumina ceramic using a CO_2-laser 88−45598
Passmore, L.D. The networking standards collision 85−30697
Passmore, L.D. Coming: a new SNA 86−16936
Passmore, R.E. Improved turbine speed control by axial braking 88−37088
Passmore, W., Dunford, W.G. The design of a maximum power point tracking circuit for a photovoltaic powered pumping application 88−31023
Passoja, A. Feasibility study of a double-lens internal-pair spectrometer for multipolarity analysis 86−44556
Passoja, A. New methods of in-beam internal-pair spectroscopy applied to nuclear structure investigations 87−29512
Passoja, A. *see* Julin, R. 88−61197
Passoja, D.E., Casper, L.A., Scharman, A.J. Analytical approaches and expert systems in the characterization of microelectronic devices 87−25463
Passoni, D. *see* Bracciocurti, G. 88−18004
Passot, J.P. Remote procurement and mail order sales in an SMB 86−37407
Passow, R.H., Christiansen, J.J., Rabe, R.L., Golke, K.W. Characterization summary for a radiation hardened 16 K×1 SRAM 87−31879
Passoz, G.de *see* de Passoz, G.
Passuello, D. *see* Amendolia, S.R. 86−25148
Passuello, D. *see* Burkhardt, H. 88−47997
Passuello, D. *see* Konoplyannikov, A. 85−42924
Passwater, A.C., Shafer, D.E. Union Electric technical specification improvement program 87−78293
Passy, D.A., Chen, C.F. Arc suppression of a DC energized contactor under inductive loads 85−27582
Passy, U., Prisman, E.Z. Conjugacy in quasi-convex programming 85−305
Passy, U., Prisman, E.Z. A convex-like duality scheme for quasi-convex programs 85−54308
Passynkov, V.V. *see* Aleksandrova, O.A. 86−46346
Pastell, M.J., Sissener, M. Closed Brayton cycle waste fuel power cogeneration system 86−33130
Pasternack, B.M., Medicherla, T.K.P., Vargas, L. Application of engineering economics, deterministic, and probabilistic techniques to the evaluation of EHV equipment replacement alternatives 86−61070
Pasternack, B.M. *see* Maliszewski, R.M. 88−55074
Pasternack, G. Ultraviolet light (UV) curable resins for cabling optical fibers 87−8330
Pasternack, G. *see* Sarkar, A. 87−38757
Pasternak, E.J., Schulman, S.A. Designing a system for customer control of telecommunication services 87−69555
Pasternak, E.J., Schulman, S.A. Customer control of CENTREX service 87−76110
Pasternak, J.H., Shubat, A.S., Salama, C.A.T. CMOS differential pass transistor logic design 87−38579
Pasternak, J.H., Shubat, A.S., Salama, C.A.T. CMOS differential pass-transistor logic design 87−44753
Pasternak, V.A. *see* Zalyubinskaya, L.N. 86−8994
Pasternak, V.B. Application of control computer complexes in means of ultrasonic nondestructive inspection 87−3373
Pasternak, V.B. *see* Bobrenko, V.M. 85−467
Pasternak, Ya.A. *see* Osyka, M.I. 88−22621
Pastijn, H. *see* Vyncke, E. 87−34016
Pastol, J. *see* Kishore, R. 88−37566
Pastol, J.-L. *see* Cabanel, C. 88−18011
Pastol, J.-L. *see* Revel, G. 87−65469
Pastol, J.L. *see* Caymax, M. 88−18026
Pastol, J.L. *see* Rodot, M. 87−72424
Pastoor, S., Beldie, I.P., Wopking, M. The text display with CEPT standard is not yet optimal 85−8570
Pastoors, J.T.W. *see* van Liere, J. 87−72883
Pastor, A. *see* Arroyo, J.B. 87−52328
Pastor, A. *see* Mayo, J.M. 85−58759, 86−60268
Pastor, A.A. *see* Egorov, V.S. 85−46332
Pastor, A.C. Growth-from-the-melt of ADP crystals for EO applications 88−1921
Pastor, A.C. *see* Harrington, J.A. 85−18668
Pastor, A.C. *see* Wysocki, J.A. 88−58048
Pastor, C., Benrachi, F., Chambon, B., Cheynis, B., Drain, D., Dauchy, A., Giorni, A., Morand, C. The phostron: a phoswich counter for neutron and charged particle detection 85−15189
Pastor, C. *see* Alarja, J. 86−32165
Pastor, C. *see* Mateos, F. 85−56871
Pastor, C. *see* Oliva, J. 86−36605
Pastor, G., Dominguez, C., Lora-Tamayo, E., Dominguez, E. Study of polycrystalline silicon grown by LPCVD for use in microelectronics. I. Growth kinetics 86−13796
Pastor, G., Dominguez, C., Lora-Tamayo, E., Dominguez, E. Study of polycrystalline silicon deposition for LPCVD utilisation in microelectronics. II. Crystal uniformity 88−38225
Pastor, G., Ferreiro, A., Torres, M. Computer-aided calibration of non-zero torque magnetometers 86−55529
Pastor, G. *see* Dominguez, C. 85−22531, 88−12019
Pastor, J. *see* Casadevall, F. 86−69774
Pastor, K. Persistent photoconductivity in semiconductors 86−67648
Pastor, K., Triboulet, R. A model for persistent cyclotron resonance in pure n-CdTe 87−45587
Pastor, L. *see* Tretiak, O. 85−30368
Pastor, O. *see* Gluckaufova, D. 88−68841
Pastor, R.G. *see* Kogler, K.J. 88−27650
Pastore, P. *see* Granelli, G.P. 88−36837
Pastorek, R.A. *see* McBrayer, J.D. 86−35692
Pastorel, H. *see* Leonard, F. 88−43087

Pastorello, R.A. *see* Sacks, R.N. 88−38134
Pastori, W., Lee, S., Seal, W. Technique simplifies noise-figure measurement at 44 GHz 87−8736
Pastori, W., Lee, S., Seal, W. Simplified technique for noise factor measurement at 44 GHz 87−49912
Pastori, W.E. High accuracy microwave noise figure measurements 85−14993
Pastori, W.E. Bandwidth effects in noise-figure measurements 88−47668
Pastorini, S. *see* Quenet, J.F. 87−42626
Pastorino, M. *see* Labruyere, G. 87−12821
Pastorius, W. Gaging and inspection in the industrial environment through the use of robot vision 86−18131
Pastorius, W.J. Machine vision sensors for measurement and inspection in the industrial environment 87−34957
Pastravanu, O., Tesu, I., Ganciu, T., Stiurca, D. The optimal extraction of SPICE DC current parameters for models of bipolar transistors 88−19926
Pastrnak, J., Karel, F., Oswald, J., Petricek, O. The electric field dependence of photoconductivity spectra in AlGaAs/GaAs DH laser diodes in relation with laser parameters 87−12496
Pastrnak, J., Karel, F., Ulrici, W. Two-light-source extrinsic photoconductivity of GaAs:V 88−14011
Pastrone, N. *see* Biino, C. 88−74742
Pastucha, L. *see* Otwinowski, H. 86−18185
Pastukhov, A.A. *see* Mel'nikov, Yu.F. 85−16307
Pastukhov, V.V. *see* Zhulovyan, V.V. 86−66035
Pastukhova, I.N. *see* Ivanov, V.I. 86−12836
Pastur, L.A., Khoruzhenko, B.A. Phase transitions in quantum models of rotators and ferroelectrics 88−64825
Pasturczyk, Z. *see* Shepherd, G.G. 85−53156
Pastushenkov, J., Durst, K.-D., Kronmuller, H. Domain observations under applied fields of sintered Fe$_{77}$Nd$_{15}$B$_8$ permanent magnets 88−20240
Pastuszek, F. *see* Vacek, K. 87−42266
Pastuszek, L.M. *see* Hoffman, M.G. 87−4335
Pastuszka, B. *see* Lewandowski, W. 86−382
Pastuszko, J. *see* Grudziecki, S. 86−33544
Pastuszyn, L.M. *see* Gilbert, B.K. 86−34805
Pasupathi, V. *see* Ocken, H. 87−9300
Pasupathy, S. *see* Fattouche, M. 87−33637, 88−40777
Pasupathy, S. *see* Galko, P. 85−36175
Pasupathy, S. *see* Galko, P.A. 88−45805
Pasupathy, S. *see* Grami, A. 85−19479, 87−27545, 87−28345, 87−39552, 87−75807, 88−2940
Pasupathy, S. *see* Kohno, R. 86−48759, 87−27345, 87−55800, 88−46866
Pasupathy, S. *see* Krolik, J. 85−57398, 86−16463, 87−27435
Pasupathy, S. *see* Leib, H. 87−27152, 87−39661, 87−69131, 88−8659
Pasupathy, S. *see* Morales-Moreno, F. 87−54940, 88−72768
Pasupathy, S. *see* Moreno, F.M. 85−41835
Pasupathy, S. *see* Sayar, B. 87−27124, 87−33597
Pasupathy, S. *see* Toplis, B. 88−34647
Pasupathy, S. *see* Zervos, N. 85−19306, 85−41822
Pasyuk, A.S. *see* Oganessian, Y.T. 85−59008
Paszcznski, S. *see* Lambrechts, M. 88−35965
Paszczynski, S. On possibilities of synthesis of a useful model of thick film components 86−14730
Paszczynski, S. *see* Puers, B. 87−70606, 88−4408
Paszczynski, S. *see* Storch, W. 88−42059
Paszek, W., Pawelec, Z. Analysis of electromagnetic parameters of the induction machine with deep slotted rotor with wedge-shaped bars 85−9890
Paszek, W., Pawelec, Z. Evaluation of the electromagnetic torque in self-controlled synchronous motor with permanent magnet excitation 88−23896
Paszek, W. *see* Kluszczynski, K. 87−15746
Paszkiewicz, M. Acid batteries for electric traction 87−79073
Paszkowski, B. Electronics development trends 85−16842
Paszkowski, S. Electronic industry during forty years of Polish People's Republic. Some results and problems 85−25227
Paszlack, M. *see* Mojzes, I. 88−60871
Paszti, F. *see* Khaibullin, I.B. 86−28167
Paszti, F. *see* Lendvay, E. 86−7729
Paszti, F. *see* Suu, H.V. 85−12013, 86−47492
Pasztor, E. Mine turbo-air coolers—their theory and practical usage 85−5609
Pasztor, E. *see* Mynard, J.E. 85−34774
Pasztor, G. Acoustic emission in materials for superconductor applications: a review 85−50857
Pasztor, G., Barsony, J., Seres, M., Schvan, P. Influence of high density band tailing surface states on the MOSFET characteristics 85−6959
Pasztor, G., Berkecz, J., Nagyne Ficza, M. The silicon spreading resistance temperature sensor: questions of structure and sensitivity 86−5207
Pasztor, G., Ekin, J.W. Development of Nb$_3$Sn cabled conductor by external diffusion process and the effect of strain on the critical current 85−46044
Pasztor, G., Jakob, B., Bruzzone, P., Deotto, T., Horvath, I., Kwasnitza, K., Vecsey, G., Weymuth, P. Development and testing of a prototype Nb$_3$Sn forced flow conductor for the 12 T SULTAN test facility 86−48035
Pasztor, G., Jakob, B., Horvath, I., Ming, P., Vecsey, G., Weymuth, P. Successful operation of the Nb$_3$Sn Swiss insert coil for the 12 tesla Sultan test facility 88−65049
Pasztor, G. *see* Deotto, T. 85−50867
Pasztor, G. *see* Jakob, B. 87−67843, 88−65084
Patacchini, A., Galante, F.M. The role of satellites in the ISDN 88−28513
Patacchini, A. *see* Amadesi, P. 87−40117
Patacchini, A. *see* Arenaccio, S. 86−17346
Patacchini, A. *see* Fresia, F. 87−56055
Patak, Z. *see* Parkan, P. 85−55850, 86−742
Patak, Z. *see* Pavkan, P. 85−54672
Patakfalvi, L. *see* Galfi, A. 88−61989
Pataki, B. Laser trimming of resistors in integrated circuits on insulating substrates 85−28829
Pataki, B. Soldering methods in surface mounted technology 88−71213
Pataki, B. *see* Bago, B. 86−60800
Pataki, B. *see* Gorgenyi, A. 87−57176
Pataki, B. *see* Papp, Z. 86−25246, 88−29234
Pataki, L., Mady, A., Venter, R.D., Poirier, R.A., Peterson, M.R., Csizmadia, I.G. A theoretical model investigation of the oxygen-electrode processes of an alkaline H$_2$-O$_2$ fuel cell 86−33641
Pataki, P. *see* Blaho, G. 86−23644
Patalakha, D.I. *see* Boratav, M. 86−5801
Patalong, H. *see* Stoisiek, M. 85−39115
Patangia, H.C. 'Stray-free switched-capacitor unit-delay circuit' [by P. Gillingham] 85−921
Patangia, H.C., Zenone, B. A narrowband notch filter based on the switched-capacitor *N*-path filter principle 85−17666
Patano, G. *see* Baglino, M. 85−34286
Patapoff, N.W., Jr. Photovoltaic power plants in utility interactive operations 86−39634
Patapoff, N.W., Jr. Two years of interconnection experience with the 1 MW at Lugo 87−9424
Patapoff, N.W., Jr., Mattijetz, D.R. Utility interconnection experience with an operating central station MW-sized photovoltaic plant 85−60074
Pataricza, A. Improved multi-input signature analyzer structures for burst error detection 88−34720
Pataricza, A. An improved signature analysis based CPU self test 88−38470
Pataricza, A., Selenyi, E., Szegi, A. Automatic testing of microprocessor system unit boards 85−58526
Pataricza, A. *see* Horvath, I. 85−63992
Pataricza, A. *see* Jobbagy, A. 86−17797
Patarini, V. *see* Namavar, F. 85−18236 to 18237
Patarnello, S. *see* Carnevali, P. 86−23111
Patat, F. *see* Berson, M. 87−57111
Pataut, G., Pavlidis, D. X-band varactor tuned monolithic GaAs FET oscillators 88−50367
Pate, A.J. IAC based microwave/millimeter-wave testing 88−36197
Pate, B.B. *see* Bachrach, R.Z. 87−29414, 88−47747
Pate, B.B. *see* Hecht, M.H. 86−60703
Pate, B.B. *see* Puppin, E. 88−13022
Pate, B.D. *see* Palmer, M.R. 86−50499
Pate, B.D. *see* Rogers, J.G. 87−8911
Pate, M. *see* Manning, R.J. 88−60141
Pate, M.A. *see* David, J.P.R. 86−9090
Pate, M.A. *see* Eaves, L. 86−58310
Pate, M.A. *see* Guimaraes, P.S.S. 85−55529
Pate, M.A. *see* Leadbeater, M.L. 88−39113
Pate, M.A. *see* Li Kam Wa, P. 87−7096, 87−26550, 88−58650
Pate, M.A. *see* Payling, C.A. 87−24862, 88−33145
Pate, M.A. *see* Roberts, D.A. 88−64499
Pate, M.A. *see* Taylor, D.C. 87−6636
Pate, M.A. *see* Toombs, G.A. 88−64314
Pate, M.A. *see* Wheatley, P. 87−26092, 87−26228, 88−2058, 88−8009, 88−20475
Pate, M.A. *see* Whitehead, M. 88−20448
Pate, P.W. *see* Kelley, R.P. 85−8202
Pate, T. *see* Hillmer, T.P. 86−12599
Pate, Z. *see* Burstein, S. 85−43717
Pate, Z.T. In pursuit of excellence: an update of the activities of the Institute of Nuclear Power Operations (INPO) 85−21314
Pate, Z.T. INPO's role in the improvement of nuclear plant safety and reliability 86−6488
Pate, Z.T. Nuclear power safety initiatives 86−12630
Pate, Z.T. INPO's role in maintenance and operations information exchange 86−39488
Pate, Z.T. Progress of nuclear technology in the USA: problems and solutions 86−51228
Pate, Z.T. *see* Taylor, J.J. 85−15772
Patecell, R. PC and software bring speed, accuracy to acid mixing 88−57406
Patecki, A. *see* Szymanski, G. 85−27075
Patek, D.R. *see* Thompson, D.H. 85−4234
Patek, F. *see* Shanel, V. 86−33151
Patek, M., Khapalyuk, A.P. An optical cavity filled with a longitudinally inhomogeneous lens-like medium 87−12530
Patek, M. *see* Khapalyuk, A.P. 85−2364
Patel, A. Z80,000 memory management and cache aspects 85−45109
Patel, A. Z80000 32-bit microprocessor 86−27366
Patel, A., Purser, M. The design of a small packet-switching node 87−2667
Patel, A., Sajja, V., Belani, J. Integrity of solder joints as a function of reflow temperature 87−6274
Patel, A., Yeh, C., Cote, L.C. Theoretical and experimental wirability analysis system (TEWAS) 85−40872
Patel, A. *see* Belani, J. 87−11223
Patel, A. *see* Sarma, D. 87−59093
Patel, A. *see* Soong, N. 87−11827
Patel, A.G., Bridgewater, W., Pokala, R. Newton: logic simulation with circuit simulation accuracy for ASIC design 87−690
Patel, A.M. A wirability placement algorithm for hierarchical VLSI layout 85−33852
Patel, A.M. Adaptive cross-parity (AXP) code for a high-density magnetic tape subsystem 86−21979
Patel, A.M., Soong, N.L., Korn, R.K. Hierarchical VLSI routing—An approximate routing procedure 85−39848
Patel, A.M. *see* Thapar, H.K. 88−52437
Patel, A.N. *see* Soni, S.K. 86−18557
Patel, A.S. *see* Ahner, D.J. 86−12705
Patel, A.S. *see* Brower, A.S. 85−9760
Patel, B. Designing the argon laser into your system. I 85−12767
Patel, B. Designing the argon laser into your system. II 85−18836
Patel, B.H. *see* Patel, S.M. 87−32275
Patel, B.K., Smith, H.S., Hewes, T.S., Jr., Marsh, W.J. Application of phase shifting transformers for Daniel-McKnight 500 kV interconnection 86−66130
Patel, B.K. *see* Owens, B.B. 85−10091
Patel, B.R., Gerrard, G.A. Performance requirements and measuring techniques for MAC type signals 87−76932
Patel, B.R. *see* Macdiarmid, I.F. 85−42755
Patel, B.S., Ben Bouzid, F.Z. Multiple assembly combination optical device (MACOD) for high power lasers 85−7473
Patel, C. High field microscopy studies of gallium arsenide-metal interface 87−66995
Patel, C. *see* Evetts, J.E. 88−29813
Patel, C.D. *see* Takalkar, S.M. 85−15649
Patel, C.K.N. Twenty-five years of lasers 87−61060
Patel, D., Crumbaker, T.E., Sites, J.R., Spain, I.L. Hall effect measurement in the diamond anvil high-pressure cell 87−21226
Patel, D., Sites, J.R., Spain, I.L. Pressure dependence of electron transport in InP 87−60085
Patel, D., Spain, I.L. Electrical contact to semiconducting samples for use in the diamond-anvil cell 87−66991
Patel, D. *see* Jensen, N.E. 85−24941
Patel, D. *see* Stein, M.A. 85−33172, 86−40533
Patel, D.B., Kotadia, K.M. Lunar tidal variation of ionospheric absorption on different frequencies at a tropical latitude during low and high solar activity years 85−41595
Patel, D.B. *see* Kotadia, K.M. 87−19184
Patel, D.D. *see* Bilal, A.Y. *(editor)* 85−5642
Patel, D.G. *see* Ko, U. 86−46496
Patel, D.I. *see* Shah, G.N. 88−25759
Patel, D.K. *see* Tsoi, A.C. 86−59254
Patel, D.N., Maru, H.C., Farooque, M., Ware, C.H. Methodology for predictive testing of fuel cells 85−32698
Patel, G., Trivedi, A. Corporate networking; standards 88−35128
Patel, G. *see* Kubiak, R.A.A. 87−11597
Patel, G.B. *see* Alagappan, V. 87−79230
Patel, G.D. A programme for computers/microprocessor education 88−62910
Patel, H. *see* Calbert, E., Jr. 85−5566
Patel, H. *see* Grund, C.E. 86−50973
Patel, H.K. *see* Dubey, G.K. 86−45774
Patel, H.S. AC winders—modernisation 88−37797
Patel, H.S. *see* Nozari, F. 88−61898
Patel, J., Trigg, A.D. Cross-sectional characterization of semiconductor device structures using scanning electron microscopy 85−29096
Patel, J. *see* Patel, S. 87−5842
Patel, J. *see* Sharp, A.C. 86−28408
Patel, J., H. *see* Chandra, S.J. 87−65986
Patel, J.D.K., Desai, V.B. Energy efficient motor 88−62340
Patel, J.G., Sandstrom, W.A. High-pressure operation of a fluidized-bed ash-agglomerating gasifier 87−35721
Patel, J.H. Built-in-test for bit-sliced ALU 85−33846
Patel, J.H. *see* Cheng, W. 85−17341

Patel, J.H. *see* Cheng, W.-T. 86−46753, 87−662, 87−59307, 87−65998
Patel, J.H. *see* Cheng, W.T. 86−46729
Patel, J.H. *see* Dandapani, R. 85−43014
Patel, J.H. *see* Eickemeyer, R.J. 86−46910
Patel, J.H. *see* Mazumder, P. 87−66192, 87−66195, 88−25220, 88−32206, 88−44176
Patel, J.H. *see* Mazunder, P. 88−19155
Patel, J.H. *see* Pollard, L.H. 85−19875
Patel, J.H. *see* Saleh, A.M. 88−70170
Patel, J.H. *see* Wu-Tung Cheng 86−41993
Patel, J.R. *see* Schaffer, J.S. 85−27563
Patel, J.S., Goodby, J.W. Ferroelectric liquid crystals devices 87−12267
Patel, J.S., Goodby, J.W. Properties and applications of ferroelectric liquid crystals 87−60983
Patel, J.S. *see* Glass, A.M. 87−14334
Patel, J.S. *see* Goodby, J.W. 88−7982
Patel, J.S. *see* Nelson, T.J. 88−40006
Patel, J.S. *see* Shmulovich, J. 86−63603
Patel, K., Kant, R. A high density, high speed bipolar 5000 gate array 86−20449
Patel, K., Kant, R. A high density, high speed bipolar 5000 gate array 86−41066
Patel, K. *see* Bhat, I.B. 88−38152
Patel, K.J. *see* Lesrado, L. 85−26836
Patel, K.K., Bensalem, R., Shahid, M.A., Sealy, B.J. Se$^+$ and Sn$^+$ implants for n$^+$ layers in GaAs 85−45530
Patel, K.K., Sealy, B.J. Incoherent light annealing of Mg implanted GaAs 86−21378
Patel, K.K. *see* Morris, N. 85−18214
Patel, K.K. *see* Sealy, B.J. 85−34790
Patel, M. *see* Brumfitt, P.J. 88−13551
Patel, M. *see* Flynn, M. 87−1676
Patel, M. *see* Powichroski, D. 86−51795
Patel, M.C. Routing, distribution and interfacing in the digital edit suite 88−47325
Patel, M.C. *see* Jibbe, M.K. 88−33701
Patel, M.K. *see* May, W.E. 88−30420
Patel, M.R., Arora, R.K. Phase compensation of array dispersion effects for wideband signals 85−13388
Patel, M.R., Arora, R.K. Dispersion effects in a circular phased array 85−24980
Patel, M.R. *see* Ahmed, M.E. 87−9603
Patel, M.R. *see* Behbahani, A.M. 87−1102
Patel, M.R. *see* Nathenson, R.D. 87−9602
Patel, M.S. Electrical conductivity of chelate polymers. I 86−63060
Patel, N. *see* Frangou, G.J. 86−30231
Patel, N.B., Mattos, T.J.S., Prince, F.C., Nunes, A.S., Jr. Narrow stripe graded barrier single quantum well lasers−threshold current considerations 87−68490
Patel, N.B. *see* Liang-Hui Chen 85−7460
Patel, N.B. *see* Prince, F.C. 85−62581
Patel, N.D., Nicholson, P.S. Comparison of piezoelectric properties of hot-pressed and sintered PZT 86−53838
Patel, N.D. *see* Prasad, S.E. 86−2481
Patel, N.G. Some observations on the switching and memory phenomena in ZnTe-Si 86−53340
Patel, N.G. *see* Patel, S.M. 85−44768, 85−55460
Patel, N.I. Evolution of a small scale test device which simulates the UL 910 flammability test 88−25605
Patel, N.K., Permer, K.K., Chatterjee, B.N., Khanaelwal, D.N. Discussion on 'Decentralized Control and Stabilization of Large Scale Systems' [comments and authors reply] 86−61049
Patel, N.R. *see* Balakrishnan, A. 87−31417
Patel, P.A., Valvano, J.W., Pearce, T.A., Prahl, S.A., Denham, C.R. A self-heated thermistor technique to measure effective thermal properties from the tissue surface 88−36425
Patel, P.A. *see* Valvano, J.W. 87−57076
Patel, P.D., Chan, K.K. Optimisation of contoured beams for satellite antennas 86−3656
Patel, P.D., Gartside, C.H., III Compact lightguide cable design 86−49641
Patel, P.D. *see* Agarwal, M.K. 87−30976, 87−45722, 88−50638
Patel, P.D. *see* Arroyo, C.J. 88−22133
Patel, P.D. *see* Gartside, C.H., III 87−62931
Patel, P.G. *see* Patel, T.C. 85−33482
Patel, P.M. *see* Almond, D.P. 85−39832
Patel, P.R., Heugel, W.F. Utility EMS provides integrated control [power system control] 86−50870
Patel, R. Using bipolar synchronous rectifiers improves power supply efficiency 85−28368
Patel, R. Bipolar synchronous rectifiers cut supply losses 85−39909
Patel, R., Adair, R. The design of a 200-kHz series resonant power supply 86−46536
Patel, R., Fickler, R.A. Large industrial rectifier cooling (a review of cooling alternatives) 88−17740
Patel, R. *see* Brody, G. 85−47447
Patel, R. *see* Chasteen, D.L. 85−31324
Patel, R. *see* Hower, P.L. 86−7982
Patel, R.D., Shah, K.D. Minimising LT line losses by use of small capacity dry type encapsulated transformers [distribution system modification] 85−15587
Patel, R.D. *see* Parikh, R.C. 85−15537
Patel, R.I., Olsen, D.J., Shirck, J.R., Tran, N.T. Comparison studies of hydrogenated amorphous silicon films prepared from silane-hydrogen and silane-helium mixtures 87−16701
Patel, R.I., Shirck, J., Olsen, D.J., Tran, N.T., Epstein, K.A. High deposition rate studies of hydrogenated amorphous silicon 87−5470
Patel, R.I. *see* Tran, N.T. 87−23739
Patel, R.L. *see* Gilbert, K.T. 85−9616
Patel, R.V. *see* Dantu, R.V. 88−63018
Patel, S., Patel, J. Effectiveness of heuristics measures for automatic test pattern generation 87−5842
Patel, S.C. *see* Methiwalla, A.E. 85−42177
Patel, S.G. A complete field analysis of substation ground grid by applying continuous low voltage fault 85−65301
Patel, S.G. *see* Garrett, D.L. 87−72192
Patel, S.K., Sukhtankar, D.R. Urban distribution system protection 87−4362
Patel, S.M., Ali, M.H. Growth of ZnIn$_2$Te$_4$ thin films 87−73143
Patel, S.M., Kapale, V.G. Growth of AgGaSe$_2$ thin films 86−486
Patel, S.M., Kapale, V.G. AgGaSe$_2$/Al thin film Schottky barrier diodes 87−53472
Patel, S.M., Patel, B.H. The electrical and optical properties of polycrystalline AgInTe$_2$ thin films 87−32275
Patel, S.M., Patel, N.G. Stimulated crystallization of polycrystalline ZnTe films 85−44768
Patel, S.M., Patel, N.G. Photovoltaic effect in polycrystalline ZnTe films 85−55460
Patel, S.N., Rahmlow, T.D., Jr., Kjendal, R.A., Meehan, J.J. The effect of back corona in a laboratory scale electrostatic precipitation 86−3454
Patel, S.S. Analysis of commutation interval of modified-switch-parallel-commutation chopper 86−39937
Patel, S.S. Thyristorized hybrid water level controller 86−61607
Patel, S.T. *see* Waicukauski, J.A. 88−19077
Patel, T.C., Patel, P.G. Optimization of growth conditions for Sb$_2$Te$_3$ films 85−33482
Patel, T.U. *see* Alexander, G.E. 86−39264
Patel, V.B. *see* Arambepola, B. 87−44951, 87−63321, 88−52419
Patel, V.M. *see* Agrawal, J.P. 86−59687, 87−27712, 87−34140, 87−40052, 88−3305
Patel, V.M. *see* Hu, C. 85−18327
Patela, S., Jerominek, H., Delisle, C., Tremblay, R. Nonlinear prism coupling in waveguiding structures deposited on to semiconductor-doped glass 86−42353
Patela, S., Jerominek, H., Delisle, C., Tremblay, R. Nonlinear optical properties of thin-film waveguides deposited onto semiconductor-doped glasses 87−2231
Patela, S., Kadziela, J., Licznerski, B., Radojewski, J. Acoustooptics interaction in ZnO waveguides on oxidized silicon substrates deposited in DC sputtering system 85−46207
Patela, S., Radojewski, J., Kadziela, J. Acoustooptic interaction of acoustic surface waves with guided optical waves in planar tantalum-pentoxide waveguides 86−9638
Patela, S. *see* Jakubczyk, Z. 87−74743, 88−20403
Patela, S. *see* Jerominek, H. 87−32989, 87−74753, 88−33720, 88−33735, 88−51939
Patela, S. *see* Jezowska-Trzebiatowska, B. 86−51910
Patela, S. *see* Kadziela, J. 85−46208, 87−74773
Patela, S. *see* Radojewski, J.M. 85−46206, 87−74831
Patela, S. *see* Rakojewski, J. 87−56594
Patella, A. *see* Macchi, R. 87−34398
Patella, D., Tramacere, A. Smoothing scattered magnetotelluric sounding curves 87−71268
Patella, D. *see* Samir, A. 87−71362
Patella, F., Evangelisti, F., Fiorini, P., Perfetti, P., Quaresima, C., Kelly, M.K., Riedel, R.A., Margaritondo, G. Photoemission studies of amorphous silicon heterostructures 85−18135
Patelli, J.-M. *see* Bernard, G. 88−48711
Patelli, J.P. *see* Jacob, D. 86−71090
Patelzick, D.L. *see* Ellison, G.N. 87−52382
Patenaude, R.S. *see* Piascik, T.G. 88−62133
Patenaude, Y. *see* Martins-Camelo, L. 87−19299
Patenchikov, A.A. *see* Tkachenko, B.V. 87−26762
Pater, A.R. *see* Huan, S.L. 86−12136
Pater, C., Brown, R. Simple fiber optic systems delivered ready-to-work 85−12555
Pater, H.-G. *see* Schieleit, J. 88−6056
Pater, J.R. *see* O'Clock, G.D. 87−66768
Pater, J.R. *see* O'Clock, G.D., Jr. 87−53426
Pater, K. Surface photovoltage measurement in MOS structures 88−1450
Pater, K. Silicon work function in Al-SiO$_2$-Si system 88−64351
Pater, K. *see* Kuzminski, S. 87−37876
Patera, A.T. Spectral element simulation of flow in grooved channels: cooling chips with Tollmien-Schlichting waves 87−67515
Patera, A.T. *see* Deville, M.O. 88−11913
Patera, J. *see* Moody, R.V. 87−51980
Paterakis, M., Georgiadis, L., Papantoni-Kazakos, P. Stable transmission algorithms for a large class of user models−justification of the Poisson user model 87−39561
Paterakis, M., Georgiadis, L., Papantoni-Kazakos, P. On the relation between the finite and the infinite population models for a class of RAA's [random-access algorithms] 88−14857
Paterakis, M., Papantoni-Kazakos, P. Collision resolution algorithms for spread spectrum environment 87−54817
Paterakis, M., Papantoni-Kazakos, P. A simple window random access algorithm with advantageous properties 88−52652
Paterakis, M. *see* Georgiadis, L. 88−41147
Pateras, S., Rajski, J. Self-reconfiguring interconnection network for a fault-tolerant mesh-connected array of processors 88−50095
Paterno, G., Cucolo, A.M., Maritato, L., Nigro, A., Saggese, A., Vaglio, R. AC properties of NbN based Josephson junctions 87−67848
Paterno, G., Cucolo, A.M., Modestino, G. Resonant modes in Nb baselayer interferometers with two Josephson junctions 85−35345
Paterno, G., Cucolo, A.M., Modestino, G. Resonant modes for a Josephson junction coupled to a stripline resonator 85−46068
Paterno, G., Cucolo, A.M., Modestino, G. *LC* resonances in Nb baselayer DC SQUIDs 85−56192
Paterno, G., Cucolo, A.M., Vaglio, R. Resonant modes in small inductance superconducting interferometers 87−1915
Paterno, G. *see* Camerlingo, C. 87−67854
Paterno, G. *see* Cirillo, M. 85−46056
Paternoster, G. *see* Bove, A. 88−23013
Paternoster, R. *see* Belmans, R. 88−17562
Paterok, L.J. *see* Dietrich, M. 85−12510
Paterok, M. *see* Herzog, U. 88−53084
Paterok, M. *see* Herzog, U. *(editor)* 88−37847
Pateros, C.N., Cartwright, J.R. A microprocessor based communications satellite emulator 88−15433
Pateros, C.N., Cartwright, J.R. A microprocessor based communications satellite emulator 88−22026
Paterra, F.C., Allen, M.S., Lawrence, G.F. AUTOPLAN−A PC-based automated mission planning tool 88−30061
Paters, J.R. *see* O'Clock, G.D., Jr. 87−53426
Paterson, B. Automatic volume control 85−21914
Paterson, C.N. *see* Apsimon, R.J. 85−43246, 86−5811, 86−25138, 86−50392, 86−65356, 87−41836
Paterson, D. *see* Gumbie, M.M. 86−49386
Paterson, D.B. *see* Gumbie, M.M.G. 86−10922
Paterson, G.R. Computing end user response time in a production CICS network 86−54940
Paterson, J. *see* Coffman, T. 87−59488
Paterson, J. *see* Esquivel, A. 88−38542
Paterson, J. *see* Esquivel, J. 87−44853
Paterson, J. *see* Huang, T.-Y. 85−55711
Paterson, J.A. *see* Anderson, O.A. 86−31838
Paterson, J.A. *see* Matuk, C.A. 87−14666
Paterson, J.A. *see* Purgalis, P. 87−14667 to 14668
Paterson, J.C. *see* Kosmahl, H.G. 85−602
Paterson, J.L. *see* Esquivel, A.L. 87−37282, 88−6874, 88−70768
Paterson, J.L. *see* Huang, T. 85−60987
Paterson, J.M. *see* Brown, G. 88−47962
Paterson, J.R. *see* Warren, L. 88−64868, 88−71854
Paterson, N. *see* Whittington, H.W. 86−45217
Paterson, N.E. *see* Jordan, J.R. 87−14092
Paterson, N.R., Reeves, C.V. Applications of gravity and magnetic surveys: the state of the art in 1985 86−32507
Patet, N.K. *see* D'Souza, P. 87−8146
Patet, N.K. *see* Pande, M.M. 87−57323
Patfield, K. *see* Fisher, D.G. 85−57898
Pathak, A., Pal, S.K. Fuzzy grammars in syntactic recognition of skeletal maturity from X-rays 87−21533
Pathak, A., Pal, S.K. On the convergence of 'a self-supervised vowel recognition system' 87−47564
Pathak, B.C. *see* Virdi, G.S. 88−39460
Pathak, H.T., Sareen, L., Khurana, K., Chhabra, K.C. Resist materials for photolithography 87−6509
Pathak, J., Dias, M.F. Microprocessor-controlled down-the-hole drill for enhancing productivity and accuracy in underground hardrock bulk mining methods 88−24301
Pathak, J., Douglass, S., Vider, D.-A., Mulder, T., Arreola, J., Mehta, S. A 20 NS CMOS programmable logic device for asynchronous applications 88−70686
Pathak, J., Kurkowski, H., Pugh, R., Shrivastava, R., Jenne, F.B. A 19-ns 250-mW CMOS erasable programmable logic device 87−5790
Pathak, J., Kurowski, H., Pugh, R., Shrivastava, R., Jenne, F. A 19 ns 250 mW programmable logic device 87−17033
Pathak, K.S. *see* Maheshwari, R.C. 87−7209
Pathak, L., Murali, N., Amirtha, V.P. Standalone pulse-echo-overlap facility for ultrasonic wave transit time measurements 85−21023

Pathak, L., Palanisami, K. Achieving pulse-echo overlap with scopes having no intensity modulation 86−24465
Pathak, P. *see* Nath Upadhyay, P. 87−50049
Pathak, P.H., Buyukdura, O.M. On an inherent difficulty in the PTD 85−13094
Pathak, P.H., Nagamune, A. An efficient approach for calculating the focal region fields of parabolic reflectors illuminated by an electromagnetic plane wave 88−34454
Pathak, P.H. *see* Altintas, A. 86−42831, 88−45741
Pathak, P.H. *see* Choi, I.G. 88−40743
Pathak, P.H. *see* Manara, G. 87−54512
Pathak, P.H. *see* Pelosi, G. 87−28666
Pathak, P.H. *see* Rojas, R.G. 86−42830
Pathak, P.H. *see* Srikanth, S. 85−13098, 87−12694
Pathak, P.H. *see* Tiberio, R. 88−2542
Pathak, P.N., Gohil, B.S., Sarkar, A. Remote sensing of atmospheric water vapour from Bhaskara II SAMIR data and its comparison with NOAA-7 water vapour data 86−38953
Pathak, S., Kupec, J., Murphy, C., Sawtelle, D., Shirvastava, R., Jenne, F. A 25 ns 16K CMOS PROM using a 4-transistor cell 86−8250
Pathak, S., Kupec, J., Murphy, C., Sawtelle, D., Shrivastava, R., Jenne, F.B. A 25-ns 16K CMOS PROM using a four-transistor cell and differential design techniques 86−20538
Pathak, S.S., Prasad, S. Optimal equalisation−a review 87−68932
Pathak, S.S. *see* Prasad, S. 88−8751
Pathan, A.Z. Stresses of circuit breakers caused by transient recovery voltage following the arc extinction in the contact gap 87−30876
Pathania, D.S. Auto pattern generation and testing of LSI/VLSI 86−28371
Pathania, R.S. *see* Tatone, O.S. 85−32286
Pati, S.P., Banerjee, J.P., Roy, S.K. Effect of impurity charge bumps on the DC and microwave properties of high efficiency silicon double drift IMPATT diodes 85−28724
Pati, S.P. *see* Banerjee, J.P. 85−1555
Paticchio, V. *see* D'Erasmo, G. 85−37973
Paticchio, V. *see* Pantaleo, A. 88−61131
Patijn, H. Air instrumentation: automation of supervision, a necessity 87−63220
Patil, B.P. *see* Chandrasekharan, K.N. 88−43956
Patil, K.C. *see* Ravindranathan, P. 86−26931
Patil, M. *see* Sheu, B.J. 87−38276
Patil, M. *see* Shieh, J.-H. 87−46191
Patil, M.B., Agarwala, S., Morkoc, H. Back-gated field effect in a double heterostructure modulation-doped field-effect transistor 88−64602
Patil, M.B. *see* Agarwala, S. 88−71546
Patil, M.D. *see* Bitterlich, W. 85−4878
Patil, P.B. Computer controlled shifting of an automatic transmission 86−45781
Patil, P.B. *see* Bates, B. 85−49181
Patil, P.B. *see* Landman, R.G. 87−22865, 87−79156
Patil, P.B. *see* Nehate, L.D. 87−33481, 87−37511
Patil, P.G., Walsh, W.J. Battery requirements for urban electric vans 87−43581
Patil, S. *see* Reddy, S.M. 88−25145
Patil, S.P., Rajkumar, B.R. An analytical method for determining average residual stresses in railroad wheels 87−79089
Patil, S.S., Ravindra, H., Black, P.E., Kapur, R., Singh, R., Laiman, E. A two-level interactive approach to silicon compilation 87−1776
Patil, S.S. *see* Leung, C.K.C. 85−11150
Patil, S.U. *see* Bedare, C.Y. 87−14562
Patil, T.A., Jamadar, V.M., Chavan, S.H. Dielectric studies of ferroelectric lithium, potassium and rubidium vanadates 88−33431
Patil, T.A. *see* Jamadar, V.M. 88−37354
Patillon, J.N., Makram-Ebeid, S., Chane, J.P., Martin, B.G., Martin, G.M. Analysis of electrical performance of GaInAs PIN photodiodes for telecommunication applications 86−2971
Patillon, J.N. *see* Andre, J.P. 86−42441, 87−16593, 87−77284
Patillon, J.N. *see* Gentner, J.L. 88−65495
Patillon, J.N. *see* Menu, E.P. 87−32305
Patin, Y. *see* Musseau, O. 88−681
Patini, C.K. Protection and gate control for MOS bridge arms 88−6644
Patino, L.A.Garcia-Ramos *see* Garcia-Ramos Patino, L.A.
Patir, A., Takahashi, T., Tamura, Y., El Zarki, M., Lazar, A.A. An optical fiber-based integrated LAN for MAGNET's testbed environment 86−23460
Patir, A., Takahashi, T., Tamura, Y., El Zarki, M., Lazar, A.A. An optical fiber based integrated LAN for MAGNET's testbed environment 86−55313
Patir, A. *see* Lazar, A.A. 86−16985, 86−23459
Patkar, V., Stancu-Minasian, I.M. Duality in disjunctive linear fractional programming 85−54294
Patkar, V.N. *see* Modak, S.K. 88−34987
Patki, A.V. Acoustic testing in space technology 86−38868
Patki, A.V. *see* Nair, P.S. 85−26833
Patki, V.S. *see* Sankaran, A. 88−68503
Patkowski, P.J. *see* Swierzawski, T.J. 87−64431
Patlach, A.M. *see* Lambert, S.E. 88−44988, 88−51334
Patlakh, A.L. Light transmission of a focon located at the interface of two media 88−33746
Patlakh, A.L., Semenov, A.S. Influence of temperature on the transmission of light by bent multimode fiber waveguides 85−41171
Patlakh, A.L. *see* Akhmadiev, A.T. 87−29073
Patlakh, A.L. *see* Belotserkovskii, E.N. 88−60749
Patlakh, A.L. *see* Livshits, G.Sh. 87−35134
Patlakhov, E.N. *see* Chernyshev, A.I. 88−54845
Patlan', Yu.V. *see* Gavrilyuk, V.I. 88−29930
Patlasov, S.I. *see* Elizarova, T.A. 87−50345
Patmore, J.W. *see* Cohen, A.I. 87−77982
Patnaik, L.M. *see* Gopalakrishnan, M. 86−69389, 88−52836
Patnaik, L.M. *see* Nandy, S. 86−62378
Patnaik, L.M. *see* Nandy, S.K. 87−6773, 87−52275
Patnaik, L.M. *see* RaviKumar, C.P. 88−24927
Patnaik, L.M. *see* Srinivasan, R. 85−18373
Patnaik, R.K. *see* Jain, V.K. 86−42905
Patnaik, R.R., Venkateswarlu, D.S., Vaidya, N.C. Computer aided design of a converging electron gun 85−34426
Patnaik, S., Brown, R.A. Convection and mass-transport in laser-induced chemical vapor deposition 88−43931
Patnaik, S. *see* Weisburn, B.A. 87−14884
Patney, R.K. *see* Dutta Roy, S.C. 86−14377, 86−34990
Patney, R.K. *see* Gopinathan, E. 87−37462
Patni, C.K. Gate protection and control for a MOSFET 88−19297
Patni, C.K. High performance inverter for brushless servo motors 88−69439
Patni, C.K., Perier, L. Optimised power stages for high frequency 380/440 VAC medium power switch mode supplies 88−69526
Patni, C.K., Williams, B.W. The effect of modulation techniques and electromagnetic design on torque ripple in brushless PM motors 87−15683
Pato, J.N. *see* Dineen, T.H. 87−69728
Patocka, M. Requirements on power switching transistors in frequency convertors for AC servodrives 87−36016
Patocka, M. *see* Valsa, J. 88−57610
Patocka, Z. *see* Hermansky, V. 85−17998
Patomaki, L., Lansimies, E. A portable arrhythmia monitor for ambulatory use 85−9192
Paton, B. *see* Gauthier, R. 88−8378
Paton, B.E. Fiber optics on shipboard 85−18655
Paton, B.E. Ocean applications of fibre optic sensors 87−74776
Paton, B.E. Ocean applications for fiber-optics sensors 88−67823
Paton, B.E., Nazarenko, O.K., Bondarev, A.A., Tretyak, N.G., Sirotinskii, M.S., Drits, A.M., Lebedeva, I.G. Electron-beam welding and subsequent heat and mechanical treatment of large diameter 1201 alloy shells 85−16473
Paton, B.E., Utkin, V.F., Nedoseka, A.Ya., Khromyak, N.T. Acoustic monitoring systems for welded structures 85−54543
Paton, B.E. *see* Cada, M. 87−7075, 88−1962, 88−7937, 88−26860, 88−51942
Paton, B.E. *see* Dwyer, T.M. 87−74777
Paton, B.E. *see* Gauthier, R.C. 87−74834, 88−51550
Paton, B.E. *see* Lindsay, K.E. 87−74779
Paton, B.E. *see* Sezerman, O. 87−41956
Paton, B.E. *see* Snow, J.W. 87−42260, 87−74778
Paton, C.R. *see* Buller, G.S. 88−73930
Paton, V.E. *see* Strunets, V.K. 87−58488
Patonay, G. *see* Oldham, P.B. 85−32785
Patonay, G. *see* Thomas, M. 86−65285
Patou, C. *see* Camarcat, N. 85−4173
Patovan, B. *see* Christensen, R. 85−47319
Patovan, R., Caro, J., Romijn, J., Radelaar, S. Alignment markers for e-beam writing of the gate level pattern: fabrication in an intermediate stage and alignment accuracy 88−26519
Patrakka, E.T. Fuel performance experience at TVO nuclear power plant 86−18959
Patranabis, D., Bakshi, C., Ghosh, S. True integrators with DVCCS 87−10970
Patranabis, D., Dana, S.K. Single-shunt fault diagnosis through terminal attenuation measurement and using Fibonaci numbers 86−26659
Patranabis, D., Ghosh, D., Bandyopadhyay, S., Sarkar, S. New improved bipolar and bilateral voltage to current converters 88−60647
Patranabis, D., Ghosh, S. Scaled time-constant true integrator-differentiator building block 86−41255
Patranabis, D., Ghosh, S., Bakshi, C. Linearizing transducer characteristics 88−60685
Patranabis, D., Ghosh, S., Ghosh, D.K. Circuit for linear frequency-independent output from a differential-capacitance displacement transducer 85−42947
Patranabis, D., Sarkar, S., Bandyopadhyhyay, S., Ghosh, S. Bipolar and bilateral voltage-current/current-voltage converters using operational amplifiers in summing mode 87−24387
Patranabis, D. *see* Ghosh, S. 88−70939
Patras, V. *see* Bacurik, J. 87−78352
Patriarca, R. *see* Baker, R.E. 85−31769
Patricio, F., Oliveira, P. Multiderivative variable stepsize variable formula methods 87−65376
Patrick, A., Glasse, M., Latham, R., Linford, R. Novel solid state polymeric batteries 86−45646
Patrick, A.G. Relate choice of m.g. set to your requirements [portable generators] 85−15980
Patrick, D.R. Long-distance carrier service: other modes of regulation [telephony] 87−55616
Patrick, G.B. Practicalities of acquiring valid data during modal tests 86−24776
Patrick, G.N. *see* Brown, R.M. 85−43257
Patrick, J. *see* Barsotti, E. 88−54403
Patrick, J. *see* Bedeschi, F. 88−48021
Patrick, J. *see* Brusse, E. 85−4329
Patrick, J. *see* Foster, G.W. 88−54404
Patrick, J. *see* Knight, E. 85−1178
Patrick, J. *see* Snider, F. 88−48022
Patrick, J.P. *see* Jayakar, P. 88−61384
Patrick, J.P. *see* Jayakar, P.B. 86−32312, 87−63772
Patrick, L., Francois, L. Contribution to breath sounds analysis and detection of upper airways obstruction 86−29940
Patrick, L. *see* Voldman, S. 85−23932, 88−38532
Patrick, L.A. *see* Voldman, S.S. 86−14176
Patrick, M. *see* Indulkar, C.S. 88−5356
Patrick, M.E., Elliott, R.S. Metallic losses in a waveguide slot array 87−19293
Patrick, M.L., Reed, D.A., Voigt, R.G. The impact of domain partitioning on the performance of a shared memory multiprocessor 87−65443
Patrick, M.W. The heat is on for phone switches that do a lot of fast shuffling 85−36824
Patrick, P. *see* Brewster, D.C. 87−14329
Patrick, P.H. *see* McKinley, R.S. 88−36682
Patrick, R., Arden, B. Plasma etch characterization using electrical linewidth measuring techniques 88−19817
Patrick, R., Barney, G.M. ITARS robust demonstration system integration 88−68549
Patrick, S.L. *see* van der Zijp, J. 88−42620
Patrick, T.J., Sidey, R.C., Towlson, W.A. Cold stepping drive for the ISO/LWS 87−35956
Patrick, T.J. *see* Ward, A.K. 85−53159
Patrick, W., Datwyler, K., Van Zeghbroeck, B.J., Vettiger, P. Technology for submicron recessed gate GaAs MESFETs on thin MBE layers using electron-beam lithography 88−56270
Patrick, W., Mackie, W.S., Beaumont, S.P., Wilkinson, C.D.W. Polyimide as a negative electron resist and its application in crossovers and metal on polymer mask fabrication 86−35515
Patrick, W., Mackie, W.S., Beaumont, S.P., Wilkinson, C.D.W. Low-temperature annealed contacts to very thin GaAs epilayers 86−47388
Patrick, W., Mackie, W.S., Beaumont, S.P., Wilkinson, C.D.W., Oxley, C.H. Very short gate-length GaAs MESFETs 86−2168
Patrick, W., Mackie, W.S., Beaumont, S.P., Wilkinson, C.D.W., Oxley, C.H. Ultra-short gate length FETs for millimetre-wave ICs 86−41348
Patrick, W. *see* Harder, C.S. 88−41642
Patrick, W. *see* Lee, K.Y. 87−38303
Patrick, W. *see* Mackie, W.S. 86−2211
Patrick, W. *see* Van Zeghbroeck, B.J. 87−38270, 87−45284, 88−40108
Patrick, W.C., Gungor, C., Ibrahim, J., Stuart, J., Speicher, B. A framework for US energy system optimization [energy resource assessment] 86−12565
Patrick, W.C., Rector, N.L. Measurement of displacements in large boreholes with a strain-gaged proving ring 85−64274
Patrie, R. *see* Abramovitz, R. 87−44911
Patrie, R. *see* Watkins, S. 85−42874
Patrik, A.A. *see* Sokolov, M.M. 87−58361
Patrik, N.I. *see* Koledov, L.A. 86−9651, 86−19474
Patrikeev, A.I. *see* Serenko, A.N. 85−53980
Patrikeev, V.G. Device for tying-in measurement instruments with trunk of instrument interface [gas analysis] 87−3387
Patrin, S.V. *see* Oreshkin, P.T. 85−29043
Patrinos, A.J., Vankar, V.D., Schwarz, J.A. Application of the Avrami rate equation to electromigration damage in Al-1% Si interconnections 88−57501
Patriquin, D.R., Lichtenfels, F.L., Andreson, R.P. Optically interfaced sensor system for aerospace applications 87−57281
Patriquin, D.R. *see* Spillman, Jr., W.B. 87−12163
Patris, R. *see* Bareyt, B. 87−72281
Patrizii, L. *see* Calicchio, M. 88−29811
Patrizii, L. *see* Giacomelli, G. 87−29609
Patrizii, L. *see* Lembo, L. 87−29625
Patro, A.P. *see* Mehta, G.K. 88−47760
Patro, Y.G.K. *see* Tole, P.B. 85−61633
Patron, R.Vargas *see* Vargas Patron, R.
Patron, Z. *see* Denus, S. 86−36445
Patrone, F. Most convex functions are nice 88−6381
Patrone, F. *see* Lucchetti, R. 87−16522

Patrovic, R.P. The impact of fifth generation technology on test software 86–44143
Patrunky, H. *see* Kynast, E. 86–51857
Patrushev, G.Ya., Pecherkina, T.P., Rostov, A.P. The real accuracy of experimental determination of high order moments of time dependent series 86–4925
Patrushev, G.Ya. *see* Isakova, A.I. 88–48320
Patrushev, G.Ya. *see* Monastyrnyi, E.A. 86–10086
Patrushev, G.Ya. *see* Monastyrnyy, E.A. 87–26804
Patry, J.P. *see* Bizard, G. 86–44554
Patsakos, G. *see* Davis, L.W. 85–6492
Patsch, R. The seasonal fault frequency of 20 kV PE cables 87–64168
Patsch, R. Water treeing in cable insulation–are laboratory tests meaningful? 88–68962
Patselyuk, S.N., Sokolov, A.T., Kazakov, V.I. Dynamic characteristics of steam generators for nuclear power station blocks employing the VVER-440 reactors 86–32939
Patselyuk, S.N. *see* Kazakov, V.I. 86–51197
Patselyuk, S.N. *see* Sokolov, A.T. 86–32941, 86–61218, 87–15431
Patseura, V.I., Nikitenko, A.G., Palii, V.Ya. Computer evaluation of limiting currents of a fast breaker with an inductive shunt 88–5798
Patseva, T.V. *see* Rozanov, M.N. 86–12727
Patsiokas, S. *see* Johnson, B.K. 88–35403
Patsiokas, S.J., Johnson, B.K., Dailing, J.L. Propagation of radio signals inside buildings at 150, 450 and 850 MHz 86–68753
Patsiokas, S.J., Johnson, B.K., Dailing, J.L. The effects of buildings on the propagation of radio frequency signals 88–2572
Patsis, A.V. *see* Sachdev, K.G. 86–62285
Patskevich, I.R. *see* Tyvonchuk, P.A. 88–55985
Pats'ora, S.K. Self-focusing conditions for welding electron beams 85–5564
Patston, R.W. *see* Leier, R.M. 86–20846
Patt, B.E., Del Duca, A., Dolin, R., Ortale, C. Mercuric iodide X-ray camera 86–50508
Patt, B.E. *see* Iwanczyk, J.S. 87–37024, 88–61087
Patt, N.Yale *see* Yale Patt, N.
Patt, P.J. Design and testing of a coaxial linear magnetic spring with integral linear motor 86–36085
Patt, R. *see* Yu, L.S. 87–67887
Patt, Y.N. *see* Srini, V.P. 87–66259, 88–25280
Pattabhiraman, K. *see* Thomas, V.A. 85–26837
Pattabi, M. *see* Das, V.D. 88–12958
Pattabiraman, J. Residual life prediction of power plant components–a typical study 88–37018
Pattan, B. The advent of land mobile satellite service systems 88–15361
Pattanayak, D. *see* Chang, M. 88–32081
Pattanayak, D. *see* Marken, K. 87–67815
Pattanayak, D.N., Robinson, A.L., Chow, T.P., Adler, M.S., Baliga, B.J., Wildi, E.J. n-channel lateral insulated gate transistors. I. Steady-state characteristics 87–32524
Pattanayak, D.N., Williams, R.A., Poksheva, J.G. Generalized semiconductor device modeling based on Maxwell theory and stream functions 85–34911
Pattanayak, D.N. *see* Chow, T.P. 88–26257, 88–39491
Pattanayak, D.N. *see* Robinson, A.L. 86–41792, 86–47623
Pattanayak, D.N. *see* Williams, R.A. 88–33207
Pattanayak, P.C. *see* Mahapatra, S.C. 88–30708
Pattantyus, T.I. *see* Boiarski, A.A. 88–13924
Pattavina, A. A packet multiplexing scheme for slotted broadband networks 88–59387
Pattavina, A. Handling isochronous and non-isochronous traffic in local area networks 88–66983
Pattavina, A., Pacifici, G. Bandwidth allocation in buffer insertion rings 87–40355
Pattavina, A., Pacifici, G. Performance evaluation of ring networks supporting a packet voice service 88–59353
Pattavina, A., Roveri, A., Leccese, A. Reliability analysis of a non-redundant repairable multiplexing unit 86–4404
Pattavina, A., Roveri, A., Leccese, A. Minimum cost communication network design with reliability and congestion constraints 86–37204
Pattavina, A. *see* Forcina, A. 86–10826
Pattavina, A. *see* Listanti, M. 86–17002
Pattavina, A. *see* Pacifici, G. 86–54400, 86–64755, 87–34144
Pattay, W.V. Post Office tariffs determine concepts of telecommunications 85–13713
Pattay, W.von *see* von Pattay, W.
Pattee, R.W., McConica, C.M., Baughman, K. Polyimide film properties and selective LPCVD of tungsten on polyimide 88–64811
Patten, E.A., Davis, G.A., Hsieh, S.J., Wolfe, C.M. Below bandgap emission and absorption in $ZnSnP_2$/GaAs heterojunctions 85–23514
Patten, E.A. *see* Ahlgren, W.L. 88–461, 88–31760
Patten, E.A. *see* Hsieh, S.J. 85–18775
Patten, M.A. *see* Hopner, E. 85–30841
Patten, R.E.Van *see* Van Patten, R.E.
Patten, T. *see* Hutchinson, N. 86–49244
Pattenpaul, E., Kapusta, H., Weisgerber, A., Mampe, H., Luginsland, J., Wolff, I. CAD models of lumped elements on GaAs up to 18 GHz 88–32437
Patteri, P., Preger, M.A., Ambrosio, M., Barbarino, G., Castellano, M., Cavallo, N., Cevenini, F., Masullo, M.R. Optical cavity alignment and mirror damage in the LELA FEL experiment 87–75176
Patteri, P. *see* Ambrosio, M. 86–58949, 87–2166, 87–2173
Patteri, P. *see* Biagini, M. 85–56711
Patterson, A. A systems approach to analogue simulation using Saber 87–52278
Patterson, A. *see* Eckels, P.W. 85–60146
Patterson, A. *see* Falkenstrom, L.J. 86–49953
Patterson, A.M., Williams, J.O. The growth and characterization of low resistivity n-type ZnS_ySe_{1-y} on (100) GaAs 85–16941
Patterson, A.M. *see* Brown, A. 87–45779, 87–45782
Patterson, B.T. Tips for PWB design, construction for SM technology application. I 86–41429
Patterson, B.T., Landolt, R.H. Fully additive plating with permanent additive resist 88–1166
Patterson, C.D., Williams, H.C. Some periodic continued fractions with long periods 85–49449
Patterson, D. Navy R&M training: emphasis on engineering 86–93
Patterson, D. *see* Kong, S. 87–32716
Patterson, D.A. *see* Bose, B.K. 87–60684
Patterson, D.A. *see* Katevenis, M.G.H. 85–11308, 87–66235
Patterson, D.A. *see* Pendelton, J.M. 87–17154
Patterson, D.A. *see* Pendleton, J.M. 87–10905
Patterson, D.A. *see* Sherburne, R.W., Jr. 85–22931
Patterson, D.B. *see* Godil, A.A. 88–65257
Patterson, D.M. *see* Beatty, V.R. 86–46109
Patterson, D.M. *see* Caldwell, G.S. 85–6388
Patterson, D.O., Maynard, E.D., Jr. VHSIC today and tomorrow 86–58584
Patterson, E. Building the factory of your future 85–5761
Patterson, E. Test or verification? The ultimate decision 85–10458
Patterson, E. Co-ordination before automation 85–17978
Patterson, E. CAE–a question of annotation 86–58109
Patterson, E.L. *see* Olson, C.L. 86–5636, 86–31842, 86–55908
Patterson, E.L. *see* Sweeney, M.A. 88–40154
Patterson, E.M. *see* Bohlander, R.A. 88–58847
Patterson, F., Brock, J., Caponi, M. CW degenerate four wave mixing in bulk GaAs and GaAs/AlGaAs 88–72426
Patterson, F. *see* Brock, J. 88–20762
Patterson, F.K. *see* Bhedwar, H.C. 88–19571
Patterson, F.K. *see* Rich, E.L. 88–57212
Patterson, G., Magnos, J.L. 25 years later: CMOS has a future 85–18455
Patterson, G., Thompson, P. Automation of repair work in printed circuit production 85–11750
Patterson, G.A. *see* Yuen, A.T. 88–39537
Patterson, G.W. What! Another power supply? 87–44526
Patterson, J. Getting the E-mail message across 87–40295
Patterson, J., Piety, R., Cunningham, R. Magnetic decoration: a technique to locate shorts by current path imaging 85–54175
Patterson, J. *see* Luo, F.C. 86–31532
Patterson, J.B., Prowse, D.B. Comparative measurement of the density of mercury 86–5550
Patterson, J.B. *see* Bell, G.A. 85–64309
Patterson, J.D. *see* Bennett, C.A. 87–7419
Patterson, J.E., Liewer, P.C., Calalo, R.H., Manshadi, F. Electromagnetic scattering analysis on a hypercube parallel architecture 88–52179
Patterson, J.F. *see* Irven, J.H. 88–59437
Patterson, J.G. *see* Malmberg, P.R. 87–1993
Patterson, J.L. CB to six [Hy-Gain conversion for 6 m band] 85–30923
Patterson, J.M. Semiconductor junction temperature measurement using the electron beam induced current mode in the scanning electron microscope 85–8985
Patterson, J.R. *see* Gregory, A.G. 87–63638
Patterson, J.S. Technology in North Carolina: a commitment to the future 86–96
Patterson, J.S. Logos: the logical artistic proof [oral presentation] 87–36406
Patterson, K. Test information systems: making way for the automated factory 86–7500
Patterson, K. *see* Uhlig, R.P. 86–37298
Patterson, L.K. *see* Federici, J. 86–5126
Patterson, M. Published courseware: MindBank has the key to interactive videodisc training profits 88–6162
Patterson, M.H. *see* Williams, R.H. 86–47397
Patterson, M.L. An analysis of visual communication based on electrical signal theory 87–68915
Patterson, M.R. *see* Klein, C.A. 88–58754
Patterson, N.A. Carrier frequency interference from HVDC systems 86–18785
Patterson, O.D., Divan, D.M. Pseudo-resonant full bridge DC/DC converter 87–73317
Patterson, P.E., Ayers, G. A low-cost, voice-controlled computer system 88–48248
Patterson, P.F. *see* Hariton, D.I. 87–10733
Patterson, R., Amundsen, L., Baxter, T., Scudder, G., Allison, J. Quantification of muscle strength, muscle endurance and range of motion 88–54482
Patterson, R., Leavell, K., Yi Gang Chen, Baxter, T., Amundsen, L. Isometric muscle strength and endurance measurements using an apple computer 86–25185
Patterson, R., Ranganathan, C., Engel, R., Berkseth, R. Body fluid volumes determined using electrical impedance measurements 87–50375
Patterson, R., Ranganathan, C., Engel, R., Berkseth, R. Measurement of body fluid volume change using multisite impedance measurements 88–23087
Patterson, R. *see* Carey, J. 87–14845
Patterson, R. *see* Kosicki, J. 86–60777
Patterson, R. *see* Schendel, M. 87–14841
Patterson, R.A., Ljung, B., Smith, D.A. Reduction of beam coupling in a ring laser gyro by Doppler shifting of scattered light 85–35818
Patterson, R.C., Dietrich, F.M. Shielding effects in small animal exposure systems 88–23126
Patterson, R.E., Mesch, H.G., Scott-Monck, J. Progress in developing ultrathin solar cell blanket technology 86–7049
Patterson, R.E., Mesch, H.G., Scott-Monck, J. Development of flight ready fifty-micron-thick silicon solar cell array module technology 87–42135
Patterson, R.H., Bromley, K., Monahan, M.A., Symanski, J.J. A real-time incoherent optical signal processing system 85–30303
Patterson, R.H. *see* Bocker, R.P. 87–13095
Patterson, R.H. *see* Drake, B.L. 86–37137
Patterson, R.J., Lust, M.L. Planarisation and via etching for step coverage in 5 μm pitch CMOS multilevel metallization 85–40851
Patterson, R.L., Zhen Qui Ma Sensitivity analyses of parameters of a $M(t)/G/\infty$ stochastic service system 88–63146
Patterson, R.P. Possible technique to measure ventricular volume using electrical impedance measurements with an oesophageal electrode 88–23083
Patterson, R.W. *see* Nevill, G.E. 87–12009
Patterson, S.P. *see* Duarte, F.J. 87–61111, 88–40263
Patterson, S.R. The VICORP view of videotex: a uniform interface to distributed services 87–28012
Patterson, S.R. The VICORP view of videotex: a Uniform Interface to Distributed Services 87–48544
Patterson, T.J., Chabries, D.M., Christiansen, R.W. Image processing for target detection using data from a staring mosaic IR sensor in geosynchronous orbit 85–31078
Patterson, T.J., Chabries, D.M., Christiansen, R.W. Image processing for target detection using data from a staring mosaic infrared sensor in geosynchronous orbit 86–38943
Patterson, T.T. On developing a high technology image 87–36403
Patterson, W. In-quarry crushing 87–16219
Patterson, W.I., Kamal, M.R., Gomes, V.G. Time proportioning computer control of resistive heating 88–55714
Patterson, W.L. Comparison of evaporation duct and path loss models 86–3494
Patterson-Hine, F.A., Koen, B.V. Comment on 'An algorithm for exact fault-tree probabilities without cut sets' 88–31549
Patti, A. *see* Vasquez, P. 87–73166
Pattiaratchi, C.B. *see* Hammond, T.M. 87–50562
Pattie, N. Thirty years of space communications [1957 to 1987] 88–9491
Pattie, R.A., Austin, M.W. Fabrication of tapered couplers in GaAs/GaAlAs rib waveguides 88–33715
Pattini, F., Porzio Giusto, P. A synchronization technique for the on-board master clock of a regenerative TDMA satellite communication system 86–4567
Pattini, F., Porzio Giusto, P. A synchronization technique for the on-board master clock of a regenerative TDMA satellite communications system 86–17348
Pattini, F., Porzio Giusto, P. A 16QAM modem with new filtering and carrier-recovery techniques 86–37618
Pattini, F., Porzio Gusto, P. A 16QAM modem with new filtering and carrier-recovery techniques 86–55076
Pattini, F. *see* Alaria, G. 86–30693
Pattini, F. *see* Alaria, G.B. 85–25790, 86–4444
Pattini, G. *see* Masoni, S. 86–68115
Pattini, G. *see* Montanari, G.C. 86–42014, 86–70688, 87–25721, 87–71669
Pattini, G. *see* Sandrolini, F. 85–35252
Pattini, G. *see* Simoni, L. 86–68075
Pattini, P. *see* Montanari, G.C. 85–32183
Pattinson, C. The measurement of the performance of communications protocols from a user's viewpoint 86–37513

Pattinson, T.R., Felmlee, W.J. A real-time holographic interferometry technique for measuring cryogenic fuel layers in large inertial confinement fusion targets 88−72438
Pattipati, K.R., Deckert, J.C., Alexandridis, M.G. Time-efficient sequencer of tests (TEST) 86−38225
Pattipati, K.R., Shaw, J.J., Deckert, J.C., Beean, L.K., Alexandridis, M.G., Lougee, W.P. CONFIDANTE: A computer-based design aid for the optimal synthesis, analysis and operation of maintenance facilities 85−31373
Pattipati, K.R. *see* Weiss, J.L. 86−6056
Pattison, A. An MC6809 clock synchroniser circuit 85−17567
Pattison, D.A. *see* Woodworth, J.R. 88−22907
Pattison, L. *see* Adamiak, K. 87−64855
Pattison, R.J. *see* Duftschmid, K.E. 86−50642
Pattison, R.J.D. Measuring temperatures on rapidly moving surfaces 85−64318
Pattnaik, P. *see* Aur, S. 86−41850
Pattnaik, P. *see* Chern, J. 86−62594
Pattnaik, P. *see* Chern, J.H. 86−20527
Pattnaik, P.C. *see* Machala, C.F., III 86−47575
Pattnaik, T.N. *see* Milovanovic, G.V. 87−23582
Patton, A.D., Singh, C. Evaluation of load management effects using the OPCON generation reliability model 85−21050
Patton, A.D. *see* Backstone, J.H., Jr. 86−25484
Patton, A.D. *see* Blackstone, J.H., Jr. 86−18741
Patton, A.D. *see* Singh, Chanan 85−43573
Patton, C. Technology report−emerging standards and new software seek to untangle computer networks 86−23448
Patton, C. *see* Kalter, H.L. 86−8263
Patton, C.E. Brillouin light scattering on MSW excitations in device structures 87−67795
Patton, C.E. Hexagonal ferrite materials for phase shifter applications at millimeter wave frequencies 88−64967
Patton, C.E. *see* Azzeer, A.M. 85−43065
Patton, C.E. *see* Srinivasan, G. 86−9420, 86−36061, 87−59854, 88−51355
Patton, C.E. *see* Zhang, Y.T. 87−49905
Patton, C.S. *see* Kalter, H.L. 86−20531
Patton, D.L. *see* Lualdi, P.L. 86−25878
Patton, E. *see* Yamaguchi, T. 88−64750
Patton, E.E. *see* Yamaguchi, T. 88−64746
Patton, G.L., Bravman, J.C., Plummer, J.D. Characterization of bipolar transistors with polysilicon emitter contacts 85−50690
Patton, G.L., Bravman, J.C., Plummer, J.D. Impact of processing parameters on base current in polysilicon contacted bipolar transistors 86−47544
Patton, G.L., Bravman, J.C., Plummer, J.D. Physics, technology, and modeling of polysilicon emitter contacts for VLSI bipolar transistors 87−25231
Patton, G.L., Iyer, S.S., Delage, S.L., Tiwari, S., Stork, J.M.C. Silicon-germanium base heterojunction bipolar transistors by molecular beam epitaxy 88−39387
Patton, G.L. *see* Bravman, J.C. 85−50409
Patton, G.L. *see* Iyer, S.S. 88−39416
Patton, G.L. *see* Stork, J.M.C. 88−26490
Patton, H.G. *see* Hurley, C.A. 85−2276
Patton, H.G. *see* Kelley, W.K. 85−21991
Patton, J.A. *see* Zheng, J. 87−63755
Patton, J.B., Lawler, J.S., McKinley, K.F. Designing distribution automation application software 87−9132
Patton, J.B. *see* Linders, J.R. 86−32826
Patton, J.C., O'Connor, J.M., Hier, H., Cheung, P.W. Hydrophilic membranes as media for solid state oxygen sensors 86−55714
Patton, J.D., Jr. Tough RAM and tender service 88−70775
Patton, J.V. *see* Hart, R.E., Jr. 87−16051
Patton, P.C. *see* Renben, S. 86−27256
Patton, R., Brand, S.C. Operation and maintenance of stackers and reclaimers in cement plants 85−16520
Patton, R.J. CZCS data dissemination system for commercial application 85−32032
Patton, R.J., Willcox, S.W., Winter, J.S. Parameter-insensitive technique for aircraft sensor fault analysis 87−77752
Patton, R.J. *see* Mishra, K.C. 87−61033
Patton, R.J. *see* Willcox, S.W. 85−15395
Patton, S.W. Robust estimation of the acoustic attenuation parameter 87−63921
Patton, T.R. *see* Kuchinski, L.J. 86−17479
Pattrick, K.W. *see* Timm, A.R. 85−42471
Pattullo, A.W., Asher, G.M., Oraee-Mirzamani, S.J., Paul, R.J.A. AC losses in thin superconducting sheet composites 86−53912
Pattullo, A.W., Das-Gupta, D.K., Cooper, D.E. Dielectric behaviour of hydrated and electrically stressed cross-linked polyethylene in a power distribution cable 88−30383
Pattullo, A.W. *see* Das-Gupta, D.K. 88−30384, 88−64857
Patulski, S. *see* Bozo, M. 86−61389
Paturi, R., Simon, J. Probabilistic communication complexity 85−36495
Patwardhan, N.A. *see* Penney, B.C. 85−26775
Patyi, K. *see* Prekopa, A. 86−39009
Patyk, A. Generalized real transformation of equations of three-phase commutator motor supplied on rotor side 85−32440
Patyk, A. A polyharmonic model of the squirrel-cage motor 85−65237
Patyk, A. Multiharmonic model of squirrel-cage motor 86−19250
Patyk, A. General problems of transformation of a multi-harmonic model of asynchronous machine and analyses of certain asymmetries 86−26033
Patyk, A. Some transformation matrices and conversions in the analysis of asynchronous machines 86−33396
Patyk, A. Application of forward/backward components to the analysis of failure states of the squirrel-cage motor. I. The theory 87−9534
Patyk, A. Application of forward/backward components to the analysis of failure states of the squirrel-cage motor. II. Calculations of current flow distribution in the squirrel-cage and the stator and of the components of the electromagnetic moment 87−9535
Patyk, A. Analysis method of squirrel-cage motors with stator's windings of fractional number of slots per pole and phase 87−15721
Patyk, A. Methods of analysing three-phase squirrel-cage and commutator induction machines 88−30712
Patyk, A. Analysis method of squirrel-cage motors with wattless rods 88−37203
Patyk, A. Analysis method of squirrel-cage motors with wattless rods. II. Example of calculations 88−37204
Patyra, M. *see* Owczarek, A. 85−812
Patyra, M.J., Zabrodzki, J. A method of detecting the nature of IC defects 88−64672
Patz, B.W., Song, T.-C., Towhidnejad, M. A crossbar computer network using Motorola EXOR-sets 88−15177
Patz, M.D., Belkerdid, M.A. Direct sequence spread spectrum communication simulation system 87−55975
Patz, U. Conception and application of arrangements for cathode sputtering large surface coatings in electronics 86−7829
Patz, V. *see* McLean, I. 86−15194
Patzak, E., Meissner, P., Yevick, D. An analysis of the linewidth of DBR lasers 85−41413
Patzak, E., Meissner, P., Yevick, D. An analysis of the linewidth and spectral behaviour of DBR lasers 86−22384
Patzak, E. *see* Gross, R. 88−47050
Patzak, E. *see* Kazovsky, L.G. 87−70053, 88−67402
Patzak, E. *see* Meissner, P. 86−36479
Patzak, E. *see* Sugimura, A. 86−22403, 86−29143
Patzak, E. *see* Wenke, G. 86−30783, 87−54369
Patzak, F. *see* Sugimura, A. 87−2131
Patzelt, C. *see* Baran, R. 88−22939
Patzelt, H. *see* Sipila, M.T.A. 86−22750
Patzelt, K. *see* Greinacher, C.F.C. 85−4267
Patzelt, P. *see* Jackel, B. 88−16640
Patzelt, W.J. *see* Hoppe, M. 85−9390
Patzold, S. *see* Degele, D. 85−26601
Patzold, U. *see* Kessler, F.R. 86−21376
Pau, L. Multiple sensor fusion for vision using artificial intelligence 88−14823
Pau, L.F. Failure detection processes by an expert system and hybrid pattern recognition 85−20452
Pau, L.F. Artificial intelligence system for failure detection and monitoring in electronics and communications 86−40565
Pau, L.F. Image understanding of defects in GaAs integrated circuits: experiments with laser beam induced currents 87−18282
Pau, L.F. Artificial intelligence in communications networks 87−69703
Pau, L.F. Test system impact on system availability 88−15920
Pau, L.F., Toghrai, C. A software package for statistical quality control of instrumentation 85−20461
Pau, P.-Y. SNA support on X.25 networks: architectural issues 88−46592
Pau Lee Thian *see* Lee Thian Pau
Paucek, R.A. Adjustable frequency/variable torque drives 87−72485
Pauchon, E. *see* Nalwa, V. 87−48153
Paugam, J. *see* Belhadj, A. 88−50898
Paugam, J. *see* Dumas, J.-M. 86−63278
Paugam, J. *see* Dumas, J.M. 85−23773
Paugh, R. *see* Alexander, W. 85−60533
Pauk, S.M., Komoliec, A.W., Dobesch, M. Simple multichannel logic analyser 88−60637
Pauk, V.N. *see* Lalyko, L.B. 88−13994
Pauk, Yu.I. *see* Brzhezitskii, V.A. 86−11667
Pauker, F., Schneckenburger, H., Unsold, E. Time-resolved multiphoton counting 86−44548
Pauker, V. GaAs monolithic microwave active gyrator 87−32093
Pauker, V., Bru, B., Binet, M. High real estate efficiency, wideband monolithic GaAs amplifiers 85−11067
Pauker, V. *see* Dautriche, P. 86−38031, 87−59262
Pauker, V. *see* Gamand, P. 88−63559
Pauker, V. *see* Giakoumis, A. 85−49754
Pauker, V. *see* Jean, P. 87−59899, 87−73723
Pauker, V. *see* Leblanc, R. 88−67482
Pauker, V. *see* Phillippe, P. 88−32435
Paukert, J. A new approach to dimensioning of insulating distances−insulation co-ordination in LV systems 85−9522
Paukert, J. LV fuseless distribution boards 85−10039
Paukert, J. Contribution to the heat transfer in contacts of switching apparatus 86−67551
Paukert, J. Search for new extinguishing media for LV fuses 87−66659
Paukert, J. Electric strength of HV vacuum interrupters 87−72318
Paul, A.C. *see* Barletta, W.A. 85−59110, 85−62613
Paul, A.C. *see* Hopkins, D.B. 87−39151
Paul, A.C. *see* Orzechowski, T.J. 85−35808, 86−3233, 87−2161, 87−12519
Paul, A.C. *see* Orzenchowski, T.J. 86−3196
Paul, A.C. *see* Weir, J.T. 86−25089
Paul, A.K. Passive monitoring of the ionosphere 85−51435
Paul, A.K. *F* region tilts and ionogram analysis 85−62781
Paul, A.K. Limitations and possible improvements of ionospheric models for radio propagation: effects of sporadic *E* layers 86−59053
Paul, B.-J. Calculation of eddy-current-induced magnetic fields in vacuum interrupters with axial magnetic field contacts 88−75861
Paul, B.-J. *see* Gebel, R. 86−12974
Paul, B.K. *see* Whitescarver, J. 88−59608
Paul, C., Burgner, L. High-gain amp yields low DC output offset 86−67039
Paul, C. *see* Niedrauer, T. 86−55467, 86−60953
Paul, C.R. Estimation of crosstalk in three-conductor transmission lines 85−19692
Paul, C.R. Printed circuit board EMC 86−14630
Paul, C.R. Modelling and prediction of ground shift on printed circuit boards 87−11138
Paul, C.R. An undergraduate course in electromagnetic compatibility 87−23046
Paul, C.R. System loss in a metropolitan utility network 87−78101
Paul, C.R. Sensitivity of crosstalk to variations in wire position in cable bundles 88−2641
Paul, C.R. Sensitivity of crosstalk to variations in wire position in cable bundles 88−12655
Paul, C.R., Bush, D.R. Radiated fields of interconnect cables 85−2617
Paul, C.R., Bush, D.R. Radiated emissions from common-mode currents 88−14427
Paul, C.R., Everett, W.W., III Printed circuit board crosstalk 86−27697
Paul, C.R. *see* Azzam, B.F. 87−59253
Paul, C.R. *see* Capraro, G. 88−8502
Paul, C.R. *see* Monroe, L. 86−29508
Paul, D. Untersuchung des Magnetspektrographen BIG KARL auf Bildfehler und ihre Ursachen (Study of the magnetic spectrograph BIG KARL from aberrations and their causes) 88−68312
Paul, D., Venugopalan, S.I. Simplified method of DC short circuit calculation 88−30362
Paul, D. *see* Atencio, L.G. 86−25141
Paul, D.B. Training of HMM recognizers by simulated annealing [speech recognition] 86−16182
Paul, D.B. A speaker-stress resistant HMM isolated word recognizer 87−61683
Paul, D.B., Lippmann, R.P., Chen, Y., Weinstein, C.J. Robust HMM-based techniques for recognition of speech produced under stress and in noise 87−61814
Paul, D.B., Martin, E.A. Speaker stress-resistant continuous speech recognition 88−66399
Paul, D.B. *see* Lippmann, R.P. 87−61681
Paul, D.B. *see* Martin, E.A. 87−61682, 88−66346
Paul, D.F., Jenkins, W.K., Davidson, E.S. Residue arithmetic for real-time applications: high throughput and reliability using customized modules 85−34023
Paul, D.F. *see* Jenkins, W.K. 86−14389
Paul, D.J., Kassam, M., Hiscocks, P. Acoustical measurement system 87−28931
Paul, D.K. Communications via undersea cables: present and future 87−28602
Paul, D.K. Fiber optic communications systems: year 2000 87−28628
Paul, D.K. Reliability considerations in fiber optic system design 87−76786
Paul, D.K. High-power semiconductor diode lasers: reliability data and lifetest methodology 88−45442
Paul, D.K., Greene, K.H. Reliability of 1.3-μm InGaAsP/InP laser diodes 85−29824
Paul, D.K., Greene, K.H., Koepf, G.A. Undersea fiber optic cable communications system of the future: Operational, reliability, and systems considerations 85−8418
Paul, D.K. *see* Cahana, D. 86−37808
Paul, D.K. *see* Poole, C.R. 86−20826
Paul, D.L., Habibi, M., Gelin, P. Resonant frequency analysis of dielectric ring resonators 88−63851
Paul, D.P. Scanning electron microscope (SEM) dimensional measurement tool 87−11919

Paul, E. Putting the case for broadband 88−28196
Paul, E. *see* Appuhn, R.D. 88−68240
Paul, E. *see* Barberye, G. 87−62775
Paul, E. *see* Lavergne, R. 85−52137
Paul, E.L. Documentation requirements for fixturing SMD PC boards 87−6211
Paul, E.L., Mowbray, K.W. Automatic design and testing of in-circuit test fixtures 86−41437
Paul, E.S. *see* Butterworth, G.J. 85−24755
Paul, F., Schaller, W. New SF_6 circuit breaker for 123 kV/$16^2/_3$ Hz traction networks 86−33563
Paul, G. *see* Dening, W. 85−10251
Paul, H. A study of application of system dynamics to policy analysis in the electric utility industry 85−26927
Paul, H. Thin film strain gauge transducer for small forces and loads 88−74384
Paul, H., Ruppin, H. Accelerometer sensor with quasi-planar spring structure and thin film strain gauges 87−49958
Paul, H., Tay, A.O. Optimal design of an industrial refrigeration system 87−64980
Paul, H. *see* Brunner, W. 85−24433, 86−63740, 87−12346, 87−74953, 88−51856
Paul, H.-H. LMS 2000−a new metrology tool 88−18451
Paul, H.-U. Peculiarities of long term influence [overhead power lines] 86−32785
Paul, H.-U. Corrosion of earthing equipment and corrosive reduction 87−42533
Paul, H.-U. Influencing possibilities − cathodic corrosion protection of earth-layed pipelines 87−64167
Paul, H.-U. The reduction of transient excess voltages when switching high voltage cables 88−23498
Paul, H.-U. Interference questions−the technical committee and the place of decision 88−34347
Paul, H.-U., Pestka, J. The effects of the capacitances of telephone cables on transverse and longitudinal voltages under inductive influence 86−43699
Paul, H.-U., Requa, R. The handling of electromagnetic compatibility problems from the viewpoint of the electrical utilities 88−55547
Paul, H.-U. *see* Hoffmann, R. 88−17187
Paul, H.A. *see* Claus, J. 85−47047
Paul, H.A. *see* Kahl, P. 85−51913
Paul, H.D. *see* Perl, J.M. 86−30936
Paul, H.I., Meader, C.B., Lyons, D.A., Ayers, D.R. Forward error correction and spatial diversity techniques for high-data-rate MILSATCOM over a slow-fading, nuclear-disturbed channel 88−22030
Paul, H.J. *see* Baumann, F.M. 86−60543
Paul, H.U. *see* Bertling, T. 86−51152
Paul, I.P.S. Energy conservation areas in thermal power station 88−37019
Paul, J. Salinas trims paperwork thanks to data communications network 85−42237
Paul, J.C. Surface breakdown of solid insulator in vacuum under influence of electric and magnetic fields 85−35214
Paul, J.C. Ageing test of solid insulators in vacuum under the influence of electric and magnetic fields 85−40997
Paul, J.C. A study on liquid dielectrics for capacitor use towards import substitution 85−50058
Paul, J.C. Voltage distribution and its various effects on the performance of high voltage, high energy capacitors 86−6961
Paul, J.C. Determination of electric conductivity of mixed liquid dielectrics 86−9313
Paul, J.C. *see* Basu, S.K. 86−57781
Paul, J.C. *see* Bhattacharjee, P.R. 87−73417, 88−6760
Paul, J.C. *see* Maller, V.N. 86−61166
Paul, J.D., Roehr, B. The use of transient voltage suppressor diodes with power MOSFETs 85−35011
Paul, J.D., Roehr, B. The use of transient voltage suppressor diodes with power MOSFETs 86−41834
Paul, J.E., Borg, B. Integrated CAD system for custom IC 85−54800
Paul, J.E., Tobias, J.R. Integrated CAD system for custom IC design 85−22599
Paul, J.L. *see* Loyer, B. 86−59666
Paul, J.P., Leost, J.Y. Improvements of the secondary voltage control in France 87−71581
Paul, J.P., Leost, J.Y., Tesseron, J.M. Secondary voltage control of the French extra high voltage power system: present realization and future prospects (co-ordinated control) 87−30024
Paul, J.P., Leost, J.Y., Tesseron, J.M. Survey of the secondary voltage control in France: present realization and investigations 87−57549
Paul, J.P. *see* Andrews, B.J. 88−42578, 88−74879
Paul, J.P. *see* Goh, J.C.H. 85−31877
Paul, J.P. *see* Pavard, M. 88−68830
Paul, J.P. *see* van Griethuysen, C.M. 85−38184
Paul, K.D. *see* Brugan, J.M. 87−58636
Paul, K.M. *see* Sudan, I.M. 85−58291
Paul, L.J. *see* Bergman, L.A. 88−52915
Paul, M., Hoffmann, K., Kowarik, O., Kraus, R. Read signal losses due to couplings in dynamic semiconductor memories 87−37296
Paul, M., Kraus, R., Hoffmann, K., Harter, J. All MOS on-chip power supply conversion 88−64794
Paul, M., Kunft, W. The integration of technical control and commercial data systems 85−36728
Paul, M., Kunft, W. About integration of control and commercial information systems 86−64717
Paul, M. *see* Bakonyi, P. 86−64704
Paul, M.C. *see* Cosimini, G.J. 88−64975
Paul, M.C. *see* Lo, D.S. 86−36082
Paul, M.C. *see* Nelson, G.L. 86−36066
Paul, M.H. *see* Lapin, G.D. 87−71121
Paul, P. *see* Brennan, J.M. 86−31815
Paul, P. *see* Cosnard, M. 87−60685
Paul, P. *see* Jansch, H. 87−3836, 87−29426
Paul, P. *see* Kramer, D. 87−3866
Paul, P. *see* Sen, S. 88−29910
Paul, P. *see* Tungate, G. 87−3839
Paul, P.H., Kychakoff, G. A miniature fiber-optic probe for optical particle sizing 87−68100
Paul, P.H., Kychakoff, G. Fiber-optic evanescent field absorption sensor 87−74663
Paul, P.H., Self, S.A. Use of quartz-halogen lamps as the reference source for spectroradiometric temperature measurements 88−37736
Paul, P.Saint *see* Saint Paul, P.
Paul, R.J.A., Asher, G.M., Williams, J.T., Brown, J. A new form of magnetic suspension for high speed Maglev transport 85−44262
Paul, R.J.A., Fleming, P.J., Elsamahy, A.M. Frequency-response identification of a linear helical reluctance motor 85−32458
Paul, R.J.A., Fleming, P.J., Elsamahy, A.M. Adaptive microprocessor control of a linear helical reluctance motor 85−32459
Paul, R.J.A. *see* Mirzamani, S.J.O. 85−21901, 86−45762
Paul, R.J.A. *see* Oraee Mirzamani, S.J. 86−45784
Paul, R.J.A. *see* Pattullo, A.W. 86−53912
Paul, R.L. *see* Krantz, L.A. 87−17469
Paul, R.P. *see* Hashimoto, M. 88−49590
Paul, S., Basu, S.K., Hazra, U.S. Novel frequency factor method for power-frequency measurement and estimation of load shedding 88−10734
Paul, S. *see* Bouclier, R. 88−42439
Paul, S. *see* Bruckner, W. 88−61126
Paul, S.N. *see* Chakraborty, B. 86−63978
Paul, S.N. *see* De, S.S. 88−8469
Paul, S.S., Bhattacharya, D.P. Effect of recombination of the non-equilibrium carriers on the high frequency generation in semiconductors 86−8726
Paul, T. *see* Daubechies, I. 88−70887
Paul, V. Modules for processing fluent speech 87−39695
Paul, V. An experimental system for the recognition of continuous spoken phrases 88−14649
Paul, W. *see* Brefeld, W. 85−31671
Paul, W. *see* Burnett, J.H. 86−28147
Paul, W. *see* Eggert, J.R. 86−28269, 87−60116
Paul, W. *see* Kugler, K.-J. 85−31673
Paul, W. *see* Mackenzie, K.D. 85−34524, 86−27927, 88−26948, 88−26950
Paul, W.H. *see* Dieker, S. 85−44802
Paul Chiang Yetung *see* Yetung Paul Chiang
Paula, E.de *see* de Paula, E.
Paula, E.R.de *see* de Paula, E.R.
Paula, M.H.de *see* de Paula, M.H.
Paula, R.P.de *see* de Paula, R.P.
Paula, R.Perez De *see* Perez De Paula, R.
Paulakonis, J. *see* Urling, A.M. 87−44564
Paulat, E. *see* Lippmann, H. 88−33084
Paulauskas, M., Raskinis, A., Stanionis, K. Use of recognition methods to solve problems of selecting optimum composition of operative units in electrical power systems. II. Description of recognition system 87−9104
Paulauskas, M.A., Raskinis, A.V., Stanionis, K.L. Use of recognition methods to solve problems involving selection of optimum composition of operational units of electrical power system. I. Formulation of problem, generation of classification 86−39042
Paulauskene, R.I. *see* Bloznyalis, M.Yu. 88−36791
Paulavichyus, R.B., Karosas, E.Yu., Konchyus, A.A., Survilene, S.P., Mitskus, M.A., Yushkenas, R.L. Physical and chemical properties of thin-layered galvanic coatings. III. Physical and mechanical properties of Cr coatings 88−12109
Paule, E. *see* Martinez-Duart, J.M. 86−2032
Paule, E. *see* Perez Casero, R. 88−19759
Paule, P. A note on Bailey's Lemma 87−31410
Paule, W.J. *see* Stelte, D.J. 85−2965
Pauleau, Y. Chemical vapour deposition of tungsten films for metallization of integrated circuits 85−40658
Pauleau, Y. Deposition of electronic materials by the CVD process. Classical methods and novel processes 87−16684
Pauleau, Y. Self-aligned growth of microstructures 87−23691
Pauleau, Y. Interconnect materials for VLSI circuits. I. Miniaturization requirements and materials for gate electrodes 87−38423
Pauleau, Y. Interconnect materials for VLSI circuits. II. Metal to silicon contacts 87−53432
Pauleau, Y. Interconnect materials for VLSI circuits. III. Materials for interconnect lines 87−60365
Pauleau, Y., Auvert, G. Laser-induced growth of microstructures 87−23735
Pauleau, Y., Dassapa, F.C., Lami, Ph., Oberlin, J.C., Romagna, F. The influence of an aluminum overlayer on the interaction of tungsten films with silicon substrates 88−57375
Pauleau, Y., Lami, P. Kinetics and mechanism of selective tungsten deposition by LPCVD 86−21439
Pauleau, Y., Lami, Ph., Tissier, A., Pantel, R., Oberlin, J.C. Tungsten films produced by selective deposition onto silicon wafers 87−11702
Pauleau, Y., Stawski, R., Lami, P., Auvert, G. Chemical vapor deposition of silicon films by pulsed CO_2 laser irradiation of silane 85−49581
Pauleau, Y. *see* Brillouet, M. 87−67522
Pauleau, Y. *see* Lami, P. 88−57502
Pauleau, Y. *see* Tonneau, D. 87−5480, 88−18743
Paulet, M.C.De *see* De Paulet, M.C.
Paulet, M.Crastes De *see* Crastes De Paulet, M.
Pauley, R.G., Asher, P.G., Schellenberg, J.M., Yamasaki, H. A 2 to 40 GHz monolithic distributed amplifier 86−35112
Pauley, R.G. *see* Shing-kuo Wang 86−27601
Pauley, R.G. *see* Wang, D.C. 86−67508, 87−32074
Pauli, E. *see* Bardin, G. 87−77536
Pauli, G. *see* Bressani, T. *(editor)* 88−37846
Pauli, M. *see* Beriger, C. 88−68902
Pauli, R. Transmission line transformers for high transformation ratios 85−11616
Pauli, R., Konig, W. Wave sources [linear network design and analysis] 88−18883
Pauli, R., Saal, R. Factorization and load modeling in broadband matching theory 86−57536
Pauli, R., Saal, R. Mathematical and physical aspects of complex normalization 87−23806
Pauli, W. New reactor recirculation loops for Muhleberg nuclear power station 87−78283
Pauli, W., Blumer, U., Edelmann, X. NPP backfitting and services 88−69110
Pauliat, G., Herriau, J.P., Delboulbe, A., Roosen, G., Huignard, J.P. Dynamic beam deflection using photorefractive gratings in $Bi_{12}SiO_{20}$ crystals 86−36116
Pauliat, G., Roosen, G. Large scale interconnections using dynamic gratings 87−46094
Pauliat, G., Roosen, G., Herriau, J.P., Delboulbe, A., Huignard, J.P. Two-dimensional optical beam switching techniques using dynamic holography 87−12613
Pauliat, G. *see* Herriau, J.P. 86−42325
Paulick, T.C. Comments on 'Intensity enhancement in textured sheets for solar cells' by E. Yablonovitch and G.D. Cody 85−60424
Paulick, T.C. Textured back-surface reflectors for thin-film solar cells 88−5858
Paulick, T.C. *see* Weber, M.F. 87−43462
Paulicka, I. *see* Rohlena, K. 85−51088, 88−58416
Paulig, E., Gensch, U., Munch, U. A procedure for the automatic testing of DC machines 87−58110
Paulig, E. *see* Bunzel, E. 86−7582, 86−13611, 86−18636
Paulig, E. *see* Fetisov, V.V. 87−64611
Paulig, E. *see* Fischer, S. 88−69264
Paulig, E. *see* Kunckel, K.-H. 86−52400
Paulig, E. *see* Munch, U. 86−33416, 86−56688
Paulig, E. *see* Oswald, B. 86−18634, 86−19262
Paulig, E. *see* Schubert, P. 86−19206
Paulik, E. *see* Dangschat, R. 85−8555
Paulik, M.J., Das, M., Loh, N.K. A projection based constrained optimization technique for one shot optimal design at stable 1-D and separable 2-D IIR filters 87−59773
Paulin, G. Programmable PCM-test equipment for the K-1520 88−41976
Paulin, J.Saint Jean *see* Saint Jean Paulin, J.
Paulin, P.A. *see* Brown, K.G. 87−39011
Paulin, P.G. Use of a multiparadigm AI software tool for automated VLSI design 87−67402
Paulin, P.G., Knight, J.P. Extended design-space exploration in automatic data path synthesis 87−44490
Paulin, P.G., Knight, J.P. Force-directed scheduling in automatic data path synthesis 87−65981
Paulin, P.G., Knight, J.P. Scheduling and allocation for behavioral synthesis of pipelined ASICs 88−38437
Paulin, P.G., Knight, J.P., Girczyc, E.F. HAL: a multi-paradigm approach to automatic data path synthesis 87−5606
Paulin, S. *see* Spokojny, A.M. 85−38194
Pauline, R.F., Hannafin, M.J. Interactive slide-sound instruction: incorporate the power of the computer with high fidelity visual and aural images 87−65101
Pauling, M. Special problems in the earthing of the sheaths of $16^2/_3$ Hz cables in traction systems 85−32217
Pauling, M. *see* Egloff, A. 87−39396
Paulins, P.J. *see* Romanovskis, T.B. 87−1977
Paulis, U.De *see* De Paulis, U.

Paulissen, L.M.M., Venema, Z., Montfoort, A., Vorhoeven, C. Experiences of cable outer jackets on polyethylene insulated cables 86—51004
Pauliuk, J. *see* Fugert, E. 88—32166
Paull, A. *see* Morgan, R.G. 87—77748
Paull, C.J. *see* Henini, M. 86—17761
Paull, D.M. *see* Heather, A.R. 86—55469
Paull, T. Telidon: Canadian videotex technology 88—35043
Paull, T., Vardalas, J. The DATAR story 87—55486
Paulmann, R. Lamps for decorative light—special incandescent lamps 85—27774
Paulmann, R. *see* Joseph, G. 88—4967
Paulmann, R.-D. District heat compact stations. Results of the competition of the District Heat Work Study Group—final report 87—64974
Paulo Filho, W.de Padua *see* de Padua Paulo Filho, W.
Paulos, J.J., Antoniadis, D.A. Measurement of minimum-geometry MOS transistor capacitances 85—40905
Paulos, J.J., Bishop, R.J., Turflinger, T.L. Radiation-induced response of operational amplifiers in low level transient radiation environments 88—25020
Paulos, J.J., Brauns, G.T., Steer, M.B., Ardalan, S.H. Improved signal-to-noise ratio using trilevel delta-sigma modulation 87—65952
Paulos, J.J. *see* Ardalan, S.H. 86—67114, 87—59254, 87—61569
Paulos, J.J. *see* Bhuva, B.L. 87—32705
Paulos, J.J. *see* Brauns, G.T. 88—25065
Paulos, J.J. *see* Chai, K.-W. 87—74294
Paulot, C. *see* Berger, C. 88—22937
Paulov, V.I. *see* Gorbunov, A.M. 86—32783
Paulraj, A., Kailath, T. On beamforming in presence of multipath 86—10185
Paulraj, A., Kailath, T. Direction of arrival estimation by eigenstructure methods with unknown sensor gain and phase 86—10445
Paulraj, A., Kailath, T. Eigenstructure methods for direction of arrival estimation in the presence of unknown noise fields 86—37007
Paulraj, A., Reddy, V.U., Kailath, T. Analysis of signal cancellation due to multipath in optimum beamformers for moving arrays 87—68891
Paulraj, A., Reddy, V.U., Shan, T.J., Kailath, T. Performance analysis of the MUSIC algorithm with spatial smoothing in the presence of coherent sources 87—39850
Paulraj, A., Roy, R., Kailath, T. A subspace rotation approach to signal parameter estimation 86—69076
Paulraj, A., Shan, T.J., Reddy, V.U., Kailath, T. A subspace approach to determining sensor gain and phase with applications to array processing 87—55120
Paulraj, A. *see* George, P.C. 86—37951
Paulraj, A. *see* McCarthy, F. 87—27439
Paulraj, A. *see* Reddy, V.U. 87—69128
Paulraj, A. *see* Roy, A. 87—39851
Paulraj, A. *see* Roy, R. 87—12991, 87—27472, 87—55119, 87—62127, 88—3124
Paulraj, A. *see* Shan, T.-J. 88—8730
Paulraj, A. *see* Shan, T.J. 87—27437
Paulraj, A. *see* Spielman, D. 87—8348, 87—27438, 87—29140, 87—35077
Pauls, H., Hackenschmidt, K. Development trends in medium-voltage switchgear 87—43286
Pauls, H., Hackenschmidt, K. Development trends in medium-voltage switchgear 87—64735
Pauls, T. *see* Winnewisser, G. 87—13805, 87—34699
Pauls, W., Junge, V., Beck, H. Universal optical test system for automatic pattern recognition or visual inspection of active or passive components 86—13460
Paulsen, A. *see* Janssens, A. 86—70236
Paulsen, A. *see* van den Berg, M. 85—59116
Paulsen, C.C. *see* Costa Ribeiro, P. 87—67905
Paulsen, D. Jump on reset 85—11169
Paulsen, J.K. *see* Ferris-Prabhu, A.V. 87—45728
Paulsen, K. Electronics CAD from PC to super micro 85—28297
Paulsen, K.D., Lynch, D.R., Strahbehn, J.W. Three-dimensional finite, boundary, and hybrid element solutions of the Maxwell equations for lossy dielectric media 88—40459
Paulsen, K.D., Strohbehn, J.W., Lynch, D.R. Comparative theoretical performance for two types of regional hyperthermia systems 86—18373
Paulsen, K.D., Strohbehn, J.W., Lynch, D.R. A theoretical analysis of the benefits of amplitude and phase control for an annular phased array hyperthermia system for cancer therapy 86—44702
Paulsen, P.K., Hasenkam, J.M., Nygaard, H., Gormsen, J. Analysis of the dynamic properties of a hot-film anemometer system for blood velocity measurements in humans 87—41922
Paulsen, U.S. *see* Jensen, S.A. 85—5036
Paulson, A.S., Swope, G.R. Autoregressive process order selection via model-critical methods 87—69110
Paulson, C.C., Todd, A.M.M., Reusch, M.F. Poloidal field coil design for known plasma equilibrium states 87—7061
Paulson, C.K. Technology development cooperation: a growing trend in technology transfer 86—39464
Paulson, C.K., Yaremy, E.M. Mutual cooperation in codes and standards 86—6535
Paulson, D. *see* Buchanan, D.S. 88—48194
Paulson, D. *see* Lewko, R. 88—91
Paulson, D.N., Toussaint, R., Fagaly, R.L., Robinson, S.E. Superconducting magnetometer system for detecting lung contaminants 87—77633
Paulson, J. Burn-in testing considerations for printed wiring board assemblies 87—11164
Paulson, K.V. *see* Maidens, J.M. 88—54727
Paulson, K.V. *see* Yee, E. 88—16891
Paulson, R.C. *see* DiGiovine, A.S. 88—23698
Paulson, T.M. *see* Buchanan, M.E. 85—28759
Paulson, W. *see* Lesk, I.A. 87—25126
Paulson, W. *see* Scheitlin, D. 85—55169
Paulson, W. *see* Weitzel, C.E. 85—1023
Paulson, W.M., Legge, R.N., Weitzel, C.E. Rapid thermal annealing of Si implanted GaAs 87—60273
Paulson, W.M., Tam, G. The characteristics of carbon implants into semi-insulating GaAs 86—2024
Paulson, W.M. *see* Fathy, D. 85—34643
Paulson, W.M. *see* Gregory, R.B. 87—11341
Paulson, W.M. *see* Krause, S.J. 85—6807, 87—6569
Paulson, W.M. *see* Legge, R.N. 87—11364, 88—44650
Paulson, W.M. *see* Wilson, S.R. 85—12104, 85—18234, 85—45548, 85—55647, 87—11585, 87—60283
Paulsson, B.N.P. *see* Peterson, J.E. 86—23110
Paulsson, C. Automatic assembly of small contactors 88—24073
Paulter, N.G. High-speed optoelectronic pulse generation and sampling system 88—74249
Paulter, N.G., Hammond, R.B. Photoconductor pulse generators and sampling gates for characterization of high-speed devices and transmission lines 88—40079
Paulter, N.G. *see* Evan Iverson, A. 87—26163
Paulter, N.G. *see* Hammond, R.B. 85—62465, 87—26212
Paulukat, F. Solderless connections in communications engineering 85—6573
Paulukat, F. Solving problems at the user end of telecommunication terminals 85—36791
Paulukat, F. LWL [optical fibre communications] 86—4642
Paulukat, F. Press-on connector 87—24531
Paulus, D.A. *see* Gravenstein, J.S. 87—71149
Paulus, E. A fast convolution procedure for discrete short-time spectral analysis with frequency-dependent resolution 85—19447
Paulus, E. *see* Mudler, J. 85—36224, 88—72901
Paulus, I. *see* Gebel, R. 86—12974
Paulus, M.J., Bozada, C.A., Huang, C.I., Dudley, S.C., Evans, K.R., Stutz, C.E., Jones, R.L., Cheney, M.E. Parametric study of AlAs/GaAs superlattice double-barrier diodes 88—64496
Paulus, M.J. *see* Huang, C.I. 87—60402, 88—39374, 88—39421
Paulus, M.J. *see* Schuermeyer, F.L. 88—33253
Paulus, P., Brinker, W., Jager, D. Generation of microwave pulses by optoelectronically switched resonators 86—42429
Paulus, P., Langehorst, R., Jager, D. Stable pulsations of semiconductor lasers by optoelectronic feedback with avalanche photodiodes 87—46870
Paulus, P., Stoll, L., Jager, D. Optoelectronic pulse compression of microwave signals 88—19350
Paulus, P. *see* Jager, D. 85—41277
Paulus, R.A. Practical application of an evaporation duct model 85—62777
Paulus, T.J. Timing electronics and fast timing methods with scintillation detectors 85—64500
Paulusz, M. Effects of electric field near 750 kV transmission line and protection against their harmful consequences 86—32384
Paulusz, M. The current induced in the body of an individual due to the effect of the electric field of a 750 kV transmission line 87—78164
Paulusz, M. *see* Bucsi, L. 87—50786
Paulusz, M. *see* Kovacs, I. 85—4659
Pauluzzi, M. *see* Callegari, G. 86—50323
Pauly, A. CMOS logic supplies are tightening fast 88—6731
Pauly, B. *see* Holmes-Siedle, A. 85—53104, 86—38696
Pauly, D. Design considerations for induction servo-motors 87—15818
Pauly, D., Pfaff, G., Weschta, A. Brushless servo drives with permanent magnet motors or squirrel cage induction motors—A comparison 85—27696
Pauly, W.R. *see* Hemmaplardh, K. 86—50847
Paulyukov, V.A. *see* Sivokobylenko, V.F. 86—61451
Paun, J. *see* Cramariuc, R. 87—59020, 88—56327
Paunovic, D., Stojanovic, Z., Stojanovic, I., Kovacevic, M. Development and verification of a Rayleigh-Rice fading simulation model 86—29396
Paunovic, D.S., Stojanovic, I.S. A new definition of the radio coverage area 88—15724
Paunovic, D.S., Stojanovic, Z.D., Stojanovic, I.S. Choice of a suitable method for the prediction of the field strength in planning land mobile radio systems 85—3382
Pauplis, B.E. Analysis of an infinite array of waveguides with a pair of double ridges 88—929
Paura, L. *see* Conte, E. 86—30874, 88—15506
Paura, L. *see* Fedele, G. 85—7868
Paura, L. *see* Fresa, A. 88—67234
Paura, L. *see* Gardner, W.A. 88—21244
Paura, L. *see* Izzo, L. 85—47597, 85—52416, 86—43234, 88—21243
Pauri, F. *see* Ricottilli, M. 87—4163
Paus, H.J. *see* Flassak, W. 88—65790
Paus, H.J. *see* Horsch, G. 87—7322
Paus, K.C., Barry, J.C., Booker, G.R. Investigation of the early growth of epitaxial silicon-on-sapphire using high resolution transmission electron microscopy 86—52484
Paus, K.C. *see* Thornton, J. 88—57494
Pausch, G., Fromm, W.D., Herbach, C.M., Merla, K., Musiol, G., Ortlepp, H.G. CAMAC data acquisition system and data analysis in TCAPM fission cross-section measurements at the tandem accelerator of the CINR Rossendorf 87—50174
Pausch, G. *see* Frese, G. 86—50550
Pausch, M. *see* Herff, R. 88—41669
Pausch, R. *see* Petersen, W. 86—60695
Pauschel, G. *see* Klockner, H.-P. 88—41553
Pause, S., Syrbe, H. Microcomputer-controlled laser cutting equipment for rationalization of low-volume production of flat formed parts 87—47026
Paushter, D.M. *see* Ross, J.S. 87—8915
Pauss, F. *see* Dietl, H. 85—48166
Paustenbach, D.J. Bhopal, asbestos, and Love Canal . . . how they should affect engineering education 87—51771
Pauthenet, R. *see* Chavanne, J. 88—26685, 88—57989
Pauthenet, R. *see* Geller, R. 88—74699
Pauthenet, R. *see* Sortais, P. 88—74720
Pautkin, V.S. *see* Raimond, E.D. 85—5577
Pautler, J.A. *see* Sebacher, K.S. 86—30728
Pautov, A.I. *see* Voevodin, A.A. 85—7014
Pautrat, J.L., Francou, J.M., Magnea, N., Molva, E., Saminadayar, K. Donors and acceptors in tellurium compounds; the problem of doping and self-compensation 86—8773
Pautrat, J.L. *see* Henry, A. 87—11344, 87—17680, 87—53163
Pautrat, J.L. *see* Magnea, N. 88—432
Pautrat, J.L. *see* Sitter, H. 88—31784
Pautucek, A., Dado, M. Electromagnetic interference suppression continues to be topical 86—22725
Pauty, E. *see* Loualiche, S. 87—74921
Pautz, J. *see* Endress, H. 88—69921
Pautz, J. *see* Kahlen, H. 88—42776
Pauw, C.K. Thoughts on technical education in Africa 88—62955
Pauw, C.K., Schilling, D.L. Probability of error for *M*-ary DPSK on Rayleigh fading channel 88—45831
Pauw, C.K., Schilling, D.L. Probability of error of *M*-ary PSK and DPSK on a Rayleigh fading channel 88—59004
Pauw, C.K. *see* Muller, G.S. 87—19778
Pauw, G.de *see* de Pauw, G.
Pauw, P.de *see* de Pauw, P.
Pauwels, E.K.J. *see* Blokland, J.A.K. 85—38123
Pauwels, H. *see* De Visschere, P. 88—19701
Pauwels, H.J. *see* Vanfleteren, J. 86—31544
Pauwels, J. The development of a method for the preparation of large amounts of ^{234}Th-purified ^{238}U-oxide 85—59120
Pauwels, J. *see* Eykens, R. 85—59121
Pauwels, J. *see* Geerts, K. 85—59126
Pauwels, M. *see* Bartholomeus, M. 86—976
Pauza, B., Scheingold, B. Reliability considerations for pin grid array ZIF sockets 87—66647
Pav, M. *see* Mayer, D. 88—48430
Pavamani, F.S.A. *see* Brahme, M.V. 86—65983
Pavan, M. *see* Spalla, M. 88—41329
Pavanelli, C. *see* Magni, D. 85—42303
Pavanello, R. *see* Arruda, J.R.F. 87—22163
Pavani, A.M.B., Szczupak, J. Some aspects of the sensitivity of time-varying discrete-time systems 85—17701
Pavani, A.M.B., Szczupak, J. A mathematical model for digital filters under limit cycle condition 86—62774
Pavani, A.M.B. *see* Alvahydo, M.E. 86—58000
Pavani, A.M.B. *see* Dau, J.A.T. 85—51647
Pavani, M.B. *see* Alvahydo, M.E. 87—926
Pavard, M., Castel, P., Folliot, C., Chehata, T., Darmon, J., Holweck, C. Operating results and future prospects for remote control and computer-aided control systems [distribution networks] 88—17154
Pavard, M., Meslier, F., Paul, J.P. Reactive power compensation and voltage control of large meshed networks 88—68830
Pavard, M. *see* Adam, P. 88—68910
Pavard, M. *see* Barret, J.-P. 86—44888
Pavard, M. *see* Pioger, G. 85—26942
Pavasaris, Ch.I. A study of p-n-junction punch-through effects in a semiconductor tetrode structure 87—53241

Pavasovic, A. *see* Aleksic, Z. 87−31750
Pavate, K.D. *see* Srivastava, A. 85−50698
Pavate, T.V. Inservice training of scientists and engineers−an important method of information transfer−in the area of satellite remote sensing and its applications 87−51787
Pavec, S., Caulet, J., Gauneau, M., Lambert, B., Le Corre, A., Lecrosnier, D. Epitaxial growth of $Ga_xIn_{1-x}As$ mismatched lattice on InP 88−49851
Paveglio, J.W. *see* Aupperle, K.J. 87−71864
Pavel, D.G. *see* Sychra, J.J. 87−50301
Pavel, E. Some aspects of REI method qualities. Comparison with flow graph methods 86−6260
Pavel, E. Modal analysis approach in the study of dynamic systems and structures 87−29996
Pavel, E., Ionescu, T.G. Effects of unbalanced consumers on power grids 87−29997
Pavel, E., Romert, V. Aspects of electric power systems: problems, the present stage and perspectives 85−21047
Pavel, E., Romert, V. Present and future problems of the Romanian power system 85−38379
Pavel, E., Stein, M., Mihailescu, F. The concept of 'reliability' in energy systems development studies 88−61786
Pavel, E. *see* Ionescu, T.G. 86−25571
Pavel, E. *see* Mihaileanu, C. 87−14054
Pavel, G. *see* Warnecke, H.-J. 87−8533
Pavel, J. Analysis of a cross-over four-pole on the TI-59 86−27454
Pavel, J.R. New approach to the design and construction of protocol testers 85−47233
Pavel, J.R., Dwyer, D.J. Some experiences of testing protocol implementations 85−7967
Pavel, M. *see* Cohen, Y. 85−51687
Pavel, M. *see* Sperling, G. 86−23096
Pavelchek, A. *see* Milstein, L.B. 87−27728, 87−34342, 87−40683
Pavelchek, A. *see* Schilling, D.L. 88−21958
Pavelchek, A.F., Manela, D., Schilling, D.L. An EDAC scheme for slow frequency hopped systems 87−28371
Pavelchek, E.K., Valenty, V.B., Williams, R.E., Jr. Application of a contrast enhancement material to broadband projection printing 86−15002
Pavelchek, E.K. *see* Grindle, S.P. 86−53522
Pavelchek, E.K. *see* Jones, S.K. 88−13267, 88−71482
Pavelek, M.D., II Teleoperators and remote devices for nuclear applications 86−25814
Pavelek, M.D., II Use of teleoperators at Three Mile Island-2 86−25837
Pavelek, M.D., II. TMI-2 remote cameras, teleoperators, and other potential nuclear applications 88−42940
Pavelek, M.D., II *see* McDermott, K.J. 87−30320
Pavelescu, C., Cobianu, C., Vlahovici, N., Ghita, C. A study of SiO_2 thin film properties doped with phosphorus deposited in the vapour chemical step at low temperature 88−31832
Pavelescu, C. *see* Cobianu, C. 85−6011, 85−6827, 87−32350
Pavelescu, D. Device for the rapid operation of vacuum-switching apparatus contact test equipment 85−65377
Pavelescu, M. *see* Ursu, I. 86−45102, 87−71803
Pavelets, A.M., Sypko, S.A., Sal'kov, E.A. Mechanism of the formation of photoconductive layers of CdS from $CdS+Cr_2O_3$ and their photoelectric properties 85−22523
Pavelets, A.M. *see* Bogdanovich, V.B. 87−11077
Pavelets, A.M. *see* Budennaya, L.D. 86−22212
Pavelets, A.M. *see* Goroneskul', V.Yu. 85−11917
Pavelets, A.M. *see* Kolbasov, G.Ya. 87−30940
Pavelets, A.M. *see* Mazin, M.A. 86−14552
Pavelets, S.Yu., Scanidze, T.M., Tarasenko, V.P. Photo-sensitivity spectra of thin-film polycrystalline solar transducers based on CdTe 87−22733
Pavelets, S.Yu., Svanidze, T.M., Tarasenko, V.P. Photovoltaic converters based on three-layer semiconductor heterostructures 87−30977
Pavelets, S.Yu. *see* Goderdzishvili, G.I. 88−26982
Pavelets, S.Yu. *see* Kantariya, R.V. 87−46681
Pavel'ev, A.B. *see* Dubenskaya, M.G. 88−51948
Pavel'ev, A.G. Analysis of the solution of the inverse refraction problem 85−51446
Pavel'ev, A.G., Kucheryavenkov, A.I. Two-position radio surveillance using cosmic radiation 87−76903
Pavel'ev, V.G., Tsimring, Sh.E., Zapevalov, V.E. Coupled cavities with mode conversion in gyrotrons 87−73959
Pavel'ev, V.G. *see* Zapevalov, V.E. 86−1630
Pavel'eva, I.A. *see* Golovkov, V.M. 86−70371
Pavelich, M.J., Olds, B.M. Computer communication with remote project clients 88−24468
Pavelka, C. *see* Cesky, T. 88−67505
Pavelka, J., Benda, B. Projection and design of the high speed electric drive of 25 MW for transit gas lines 87−9978
Pavelka, J., Simek, J., Kabes, V. Excitation systems for the CKD PRAHA synchronous motors 86−19240
Pavelka, J. *see* Ibl, S. 86−33479
Pavelka, V. *see* Malinovska, E. 88−55998
Pavelyev, A.B. *see* Dumbrajs, O. 88−19603
Pavel'yev, A.G. Application of Kotel'nikov's theorem for determining the conditions of regularization of the inverse problem of refraction 88−66083
Pavel'yev, A.G., Kucheryavenkov, A.I. On the possibility of using extended sources of cosmic radiation for the radar observation of planets 86−49758
Pavel'yev, V.G., Tsimring, Sh.Ye. On the method of planar cross sections in the theory of highly irregular oversize electromagnetic waveguides 88−72615
Paver, J.G. *see* Duclos, T.G. 87−29820
Paveri-Fontana, S.L. *see* Srivastava, A. 87−16540
Paverjon, B. *see* Ayache, N. 86−4059
Pavese, E. The 32-bit MC68030 87−37325
Pavese, E. New components for semicustom integrated circuits 87−44741
Pavese, E. ACCEL: bit-slice speed, high level of programmability 87−44885
Pavese, E. The Italian way to the microcomputer 87−44887
Pavese, E. Standards for local networks 87−48588
Pavese, E. File analysers for new standards 87−49614
Pavese, E. The 1 Mbit DRAM from Germany 87−52575
Pavese, E. The IMS T800: a dual CPU-FPU transputer 87−52618
Pavese, E. Codifying confidential information [digital processor chip] 87−52621
Pavese, E. Logic analysers for an evolving market 87−56568
Pavese, E. Disturbances in feed lines 87−57710
Pavese, E. CAE: simulation problem 87−59302
Pavese, E. DSP and vectorial processing 87−59725
Pavese, E. Gate array design by PC 87−66016
Pavese, E. Micro-miniature selector switches 87−66628
Pavese, E. Integrated CADs for ASIC 87−67330
Pavese, E. Multilayer printed circuit boards (PCB) 87−73859
Pavese, E. Automatic digital testing of circuit boards 87−73895
Pavese, E. Multifunctional and versatile, [analyser/recorder] 87−77168
Pavese, E. Programmable logic devices 88−655
Pavese, E. Microwave instrumentation 88−16213
Pavese, E. Microwave circuit design 88−19349
Pavese, E. CAD for printed circuits 88−19500
Pavese, E. Digital optical computing 88−20463
Pavese, E. Fluorescent indicator panels: present and future 88−22703
Pavese, E. Breakdown type protection diodes 88−33138
Pavese, E. Lasers in the electronics industry 88−34174
Pavese, E. Triple Technology [ASIC design process] 88−44868
Pavese, E. Hybrid insulated amplifiers 88−50032
Pavese, E. Intelligent power switches 88−56438
Pavese, E. High performance logic tester 88−56545
Pavese, E. Optical computing 88−72184
Pavese, E. Analyses of X.25 performance [packet switching network] 88−73451
Pavese, F., Ancsin, J., Astrov, D.N., Bonhoure, J., Bonnier, G., Furukawa, G.T., Kemp, R.C., Maas, H., Rusby, R.L., Sakurai, H., Ling Shan-Kang An international intercomparison of fixed points by means of sealed cells in the range 13.81K-90.686K 85−48125
Pavese, F., Cresto, P. Search for thermometers with low magnetoresistive effects: platinum-cobalt alloy 85−3942
Pavese, F., McConville, G.T. The triple-point temperature of pure equilibrium deuterium 88−22831
Pavese, F. *see* Bedford, R.E. 85−48126
Pavese, P. *see* Fiscella, B. 85−59499
Pavesi, B. *see* Carnebianca, C. 87−13660
Pavesi, P. *see* Subioli, A. 86−44984
Pavesic, N. Entropic methods of image thresholding 88−59190
Pavesic, N. *see* Hribar, J. 87−12940
Pavesic, N. *see* Muha, V. 87−45464
Pavett, D.E. *see* Kibble, B.P. 88−19425
Pavey, C.F., Rice, R.P., Jr., Cummins, E.J. A performance evaluation of the PDAMA satellite access protocol 86−59870
Pavey, T. An advanced 2 micron standard cell library for VLSI designs 87−5826
Pavey, T. Complex standard parts for a cell library 88−70617
Pavey, T. *see* Swartz, W.P. 87−1773
Pavia, V. *see* Montero de Espinosa, F.R. 87−71447
Pavic, I. *see* Stajer, B. 87−78432
Pavicic, K. Difficulties in operation of compensating the Gusic Polje basin and remedies 87−15577
Pavicic, N. *see* Timic, Z. 88−75169
Pavilainen, G.K. *see* Ivenskii, G.V. 87−43205
Pavillon, J.-P. *see* Lusseau, G. 88−37681
Pavilonis, A.S. *see* Ivashka, V.P. 87−75411
Pavilonis, A.S. *see* Ivaska, V.P. 87−12046, 87−12776, 87−47267
Pavinsky, P.P. Mathematical model for the electric field and photoeffect in MOS-structure on *p*-Si (mathematical model) 88−71367
Pavio, A.M., Allen, D.L., Thompson, S.D., Goldman, S.J. A solid-state 2-10 GHz 1 watt TWT replacement amplifier 85−17851
Pavio, A.M., Bingham, S.D., Halladay, R.H., Sapashe, C.A. A distributed broadband monolithic frequency multiplier 88−71074
Pavio, A.M., Cook, L.L. A comparison of thin film and thick film Ku-band amplifiers 87−6127
Pavio, A.M., Halladay, R.H., Bingham, S.D., Sapashe, C.A. Broadband monolithic single and double ring active/passive mixers 88−63959
Pavio, A.M., McCarter, S.D., Saunier, P. A monolithic multi-stage 6-18 GHz feedback amplifier 85−1053
Pavio, A.M., Smith, M.A. Push-push dielectric resonator oscillator 86−8484
Pavio, A.M., Smith, M.A. A 20-40-GHz push-push dielectric resonator oscillator 86−27584
Pavio, A.M. *see* Anderson, K.J. 85−34171
Pavio, A.M. *see* Bingham, S.D. 86−27595
Pavio, A.M. *see* Halladay, R. 88−19412
Pavio, A.M. *see* Halladay, R.H. 88−71083
Pavio, A.M. *see* Howard, T.S. 87−6113, 87−59881
Pavio, A.M. *see* Kriz, J.J. 85−55168
Pavio, A.M. *see* Smith, M.A. 86−8439, 86−58057, 87−6119, 87−6152
Pavio, A.M. *see* Thompson, S.D. 87−73786
Pavio, J., Jung, R., Doering, C., Roebuck, R., Franzone, M. Working around the fluorine factor in wire bond reliability 85−34409
Pavio, J.S. Successful automated alloy attachment of GaAs MMICs 87−59900
Pavio, J.S. Successful automated alloy attachment of GaAs MMICs 87−73730
Pavio, J.S. Successful alloy attachment of GaAs MMICs 88−25457
Pavio, J.S. Successful alloy attachment of GaAs MMICs 88−25481
Pavio, J.S., Bretzke, D. Automated interconnect on GaAs integrated circuits 87−6125
Pavio, J.S., Petrovich, T. A nitrogen-fireable Au/PtAu system on cofired multilayers 85−34284
Pavithran, K.N., Parimelalagan, R., Krishnamurthy, M.R. Studies on inverter-fed five-phase induction motor drive 88−55653
Pavithran, K.N., Parimelalagan, R., Sridhara Rao, G., Holtz, J. Optimum design of an induction motor for operation with current source inverters 87−22328
Pavithran, K.N., Primelalagan, R. A novel polyphase reference sine wave generator using a multiplexing technique 87−551
Pavkan, P., Patak, Z. The use of MOS power transistors for the sources and convertors of pulse-controlled power supplies 85−54672
Pavkovic, I.M. *see* Kerns, J.M. 87−63707
Pavkovich, J.M. Proximity effect correction calculations by the integral equation approximate solution method 86−35495
Pavkovich, J.M. *see* Chen, A.S. 85−29086
Pavlasek, T. *see* Banik, T. 88−72565
Pavlasek, T. *see* Pokuls, R. 87−47303
Pavlasek, T.J.F., Mishra, S.R. The reference ground plane−a necessity or a delusion? 85−62830
Pavlasek, T.J.F., Mishra, S.R. Ground plane influence on EMC measurements 88−8535
Pavlasek, T.J.F. *see* Mishra, S.R. 85−2475, 86−3587
Pavlasek, T.J.F. *see* Shih, I. 85−14983
Pavlat, J.S., Harned, T.J. High acceleration, two-phase brushless servo 88−55386
Pavlat, J.S., Harned, T.J. A two-phase brushless servo system 88−75638
Pavlata, J. *see* Seger, J. 86−66471
Pavlath, G.A. Fiber optic gyro development at Litton 88−10000
Pavlath, G.A., Suman, M.C. Fiber-optic gyroscopes: advances and future developments 85−24306
Pavldis, D. *see* Weiss, M. 88−32434
Pavlenda, P. *see* Buch, J. 86−26880
Pavlenko, A.A. *see* Galdar, G.P. 87−17907
Pavlenko, A.V., Aksenov, E.T., Kukharev, A.V., Lipovskii, A.A., Simin, G.S. Total-internal-reflection electrooptic modulators with multimode strip lightguides 87−26090
Pavlenko, A.V. *see* Aksenov, E.T. 85−35510
Pavlenko, A.V. *see* Kukharev, A.V. 86−48209, 87−12142
Pavlenko, N.S. *see* Soldatov, V.F. 88−68862
Pavlenko, V.E. *see* Schastlivyi, G.G. 86−39709
Pavlenko, V.K. *see* Bokut', B.V. 86−9969
Pavlenko, V.K. *see* Kazak, N.S. 86−48475, 86−54107
Pavlenko, V.S. *see* Gordon, E.V. 85−51113
Pavlenko, V.V. *see* Martsafei, V.V. 87−47339
Pavlenko, Yu.F. Design of a unified standard for metrology of radio-frequency signal shape and spectrum parameter measuring instruments 87−29000

Pavlenko, Yu.F. New trends in the development of reference and standard instruments for measuring the form and spectrum of radio-frequency signals 88−74229
Pavlenko, Yu.F., Bolmusov, Yu.D. Generation of a high-quality FM signal over a wide frequency band 86−34627
Pavlenko, Yu.F., Kolbasin, A.I., Slavinskii, S.I. Refinement of State special frequency-deviation standard 85−8678
Pavlenko, Yu.F., Ogar, V.I. Method of measuring nonlinear FM signal distortion in generators and receivers 88−4615
Pavlenko, Yu.F. *see* Bolmusov, Yu.D. 86−27522, 86−44408, 87−65949
Pavlenko, Yu.F. *see* Kolbashin, A.I. 86−36905
Pavlenko, Yu.F. *see* Kolbasin, A.I. 87−29229
Pavlenko, Yu.F. *see* Ogar, V.I. 86−24648
Pavlenko, Yu.Ye. *see* Bureev, Yu.A. 87−32875
Pavlica, S. *see* Ng, K.T. 88−53680, 88−74341
Pavlicek, F.V. *see* de Moustier, C. 88−53385
Pavlicek, V., Vopalensky, J. Real-time colour display in the ASDR of the 'CEZ KOD Cechy Mit' power system control centre using the SM4-20 computer 87−50654
Pavlicek, W. *see* Feiglin, D.H. 85−38094
Pavlicek, Z. An empirical formula for the impact excitation coefficient of xenon-filled scintillation counters 86−44558
Pavlicevic, M., Josipovic, J. Development of CAD system for designing complex machine elements subject to mechanical and thermal stresses 87−64532
Pavlicevic, M., Josipovic, J., Terhaj, D. Modern approach to the design and construction of commutators of electric rotating machines 86−70861
Pavlichenko, I.O. *see* Anikeenko, G.N. 85−2581
Pavlichenko, I.O. *see* Anikeyenko, G.N. 87−68919
Pavlichenko, Yu.A. *see* Baydan, I.Ye. 87−61826
Pavlichenkov, S.A., Protasevich, V.I., Sadykov, Sh.I., Skochilov, A.F. Algorithm realising orientational scale invariants in form recognition problem 86−23092
Pavlidis, D., Cazaux, J.-L., Graffeuil, J. The influence of ion-implanted profiles on the performance of GaAs MESFET's and MMIC amplifiers 88−38721
Pavlidis, D. *see* Archambault, Y. 87−46728
Pavlidis, D. *see* Cazaux, J.-L. 88−63904
Pavlidis, D. *see* Cazaux, J.L. 86−35716
Pavlidis, D. *see* Chan, Y.J. 88−39526
Pavlidis, D. *see* Jaffe, M.D. 88−39533
Pavlidis, D. *see* Parisot, M. 85−1097, 85−17840
Pavlidis, D. *see* Pataut, G. 88−50367
Pavlidis, D. *see* Rumelhard, C. 88−7068
Pavlidis, D. *see* Sekiguchi, Y. 88−64629
Pavlidis, D. *see* Weiss, M. 87−38297, 87−74333
Pavlidis, D. *see* Weiss, M.R. 88−63902
Pavlidis, T. A hybrid vectorization algorithm [image processing] 85−36396
Pavlidis, T. A critical survey of image analysis methods 87−48134
Pavlidis, T., Liow, Y.-T. Integrating region growing and edge detection 88−73310
Pavlidis, T., Nazif, A.M., Levine, M.D. Comments on 'Low level segmentation: an expert system' [with reply] 87−7831
Pavlidis, T. *see* Baird, H.S. 87−48112
Pavlidis, T. *see* Lee, D. 87−62368, 88−27930, 88−73311
Pavlidis, T. *see* Liow, Y.-T. 88−66762
Pavlidis, T. *see* Wolberg, G. 86−23137
Pavlidou, E. *see* Valassiades, O. 87−45636
Pavlidou, F. A variable reduction routing algorithm 88−46617
Pavlidou, F., Kouris, S. Traffic optimization in Greek telephone network 86−30274
Pavlidou, F., Kouris, S. Discrete capacity assignment algorithms 88−3605
Pavlidou, F., Kouris, S.S. Second-derivative routing algorithms 86−59386
Pavlidou, F., Kouris, S.S. Variable reduction method in routing problems [computer networks] 87−13169
Pavlik, B.D. *see* Kukhtarev, N.V. 85−2418
Pavlik, D. Balancing the current distribution in the current collectors of homopolar machines using induced voltage gradients 87−30597
Pavlik, D., Garg, V.K., Repp, J.R., Weiss, J. A finite element technique for calculating the magnet sizes and inductances of permanent magnet machines 88−48907
Pavlik, E., Dorschner, H.-W., Bens, F. Design and test become more inseparable 87−16790
Pavlik, E., Vuksic, A. How accurately do the test systems test? Some critical comments and definitions regarding the information about test systems for chips. I 88−20025
Pavlik, E., Vuksic, A. The accuracy of IC testers. II 88−22422
Pavlik, E. *see* Mettler, H. 86−11404
Pavlik, K. Corner-pin suspension: an improved shadow-mask suspension system 85−34440
Pavlik, K.J. New technologies for shadow masks 87−11303
Pavlik, M. *see* ElMaraghy, H.A. 88−55369
Pavlik, P., Vlach, J. WATTIME−Waterloo timing simulator of MOS circuits 86−67189
Pavlik, T. Programmable controllers for power monitoring and control 86−6277
Pavlik, V.Ya. *see* Kuz'min, V.A. 86−41770
Pavlikevich, M.I. *see* Chaplin, A.F. 87−19258
Pavlikova, M. *see* Roskova, M. 86−15285
Pavlin, A. *see* Garrigues, M. 85−18322, 86−8888
Pavlin, I. Motion from a sequence of images 88−59271
Pavlinchuk, E.A. *see* Lastov, A.I. 87−22061
Pavlinec, P., Spindler, J. Control strategy of HVDC converters for supporting the voltage stability of a weak AC power system 86−12371
Pavlinec, P., Vyskocil, V., Kozak, F., Krejcova, E. Power transmission systems expansion planning and operational experience 88−68851
Pavlinec, P., Vyskocil, V., Kozak, F., Krejcova, E. Power transmission systems expansion planning and operational experience 88−68852
Pavlinov, A.I. *see* Antyukhov, V.A. 86−60637
Pavliouk, A.P. *see* Bobkova, E.N. 88−2626
Pavlishin, I.V. *see* Aver'yanov, N.E. 86−58868, 88−34073
Pavlishin, S.P. *see* Ivanov-Omskii, V.I. 85−16937
Pavlishin, S.P. *see* Kurilo, I.V. 88−24690
Pavlopoulos, P. *see* Adiels, L. 86−44602
Pavlopoulos, P. *see* Anderson, D.F. 85−26696
Pavlopoulos, T.G. Measurement of triplet extinction coefficients of organic compounds 88−20577
Pavlopoulos, T.G., Boyer, J.H., Politzer, I.R., Lau, C.M. Laser action from syn-(methyl,methyl)bimane 87−26333
Pavlopoulos, T.G., Boyer, J.H., Politzer, I.R., Lau, C.M. Syn-dioxabimanes as laser dyes. I 88−14126
Pavlopoulos, T.G., Golich, D.J. Triplet extinction coefficients of some laser dyes. I 88−72285
Pavlopoulos, T.G., McBee, C.J., Boyer, J.H., Politzer, I.R., Lau, C.M. Laser action from syn-(methyl,chloro) bimane 87−75028
Pavlotskii, Ya.V. *see* Bondarenko, E.G. 86−67522
Pavlotskii, Ya.V. *see* Sheftel', I.T. 86−35128
Pavlov, A.A. Reduction of one class of nonlinear programming problems with logic conditions to a problem of mixed linear integral programming 85−28148
Pavlov, A.A. Analysis of complexity estimates of exact algorithms for solving the general linear integer programming problem 86−52360
Pavlov, A.A. *see* Gonoradskaya, L.B. 87−56627
Pavlov, A.A. *see* Lobanov, A.V. 85−47388
Pavlov, A.G. *see* Brodetskii, A.M. 88−37163
Pavlov, A.K. *see* Kogan, V.T. 86−59015
Pavlov, A.M. *see* Fistul', V.I. 87−53273
Pavlov, A.M. *see* Savinov, E.P. 86−63006
Pavlov, A.N. *see* Bondarenko, E.I. 88−19428
Pavlov, A.N. *see* Raevskii, I.P. 87−45630, 88−7324
Pavlov, A.N. *see* Tyapkin, V.A. 87−36990
Pavlov, A.S. *see* Kalatuzov, V.A. 87−64332
Pavlov, A.V. A system with Schrage servicing discipline in the case of a high load 85−28101
Pavlov, A.V. The number of orders in a single-channel system under heavy load for Schrage disciplines 88−31599
Pavlov, A.V., Chernyshov, Yu.N. Interactive facilities in systems for processing field-test results 87−34932
Pavlov, A.V., Shubnikov, E.I. Revealing differences or common features in images by means of a holographic correlator 88−65895
Pavlov, A.V. *see* Kalinikos, D.A. 87−65936
Pavlov, A.V. *see* Kuleshov, A.M. 86−48512
Pavlov, A.V. *see* Kulevskaya, E.F. 85−44022
Pavlov, B.P., Lizhevskaya, L.I., Sermyagina, L.P. A graphical method of calculating thermocouple errors due to electrode inhomogeneity 86−55611
Pavlov, B.P., Sermyagina, L.P., Konstantinova, G.I., Andreeva, L.S. Stability estimates for thermoelectrode materials 86−24810
Pavlov, B.P. *see* Dobrovinskii, I.E. 85−3968, 87−3785
Pavlov, B.V. *see* Aver'yanov, V.L. 85−61694
Pavlov, D., Balkanov, I., Rachev, P. Orthorhombic PbO formation during the discharge of lead acid batteries PbO_2 active mass 88−24124
Pavlov, D., Bashtavelova, E., Manev, V., Nasalevska, A. Effect of chemisorbed water on the electrical capacity of the lead-acid battery positive plate 87−30907
Pavlov, D., Ignatova, S. 'Breathing' of the lead-acid battery negative plate during cycling 87−78875
Pavlov, D., Pashmakova, I. Influence of the size of $PbSO_4$ crystals on their solubility and the significance of this process in the lead-acid battery 88−11363
Pavlov, D. *see* Iliev, V. 85−27613
Pavlov, D.A. *see* Aranson, I.S. 86−46613, 87−59853
Pavlov, D.A. *see* Khokhlov, A.F. 87−74178
Pavlov, E.L. *see* Atanasov, P.A. 86−54231
Pavlov, E.P. *see* Burtsev, V.A. 86−44490
Pavlov, F.B. *see* Dudulyaka, L.L. 85−65246
Pavlov, G.M. *see* Bakhman, U. 87−64205
Pavlov, G.P. Transformation of the volt-ampere characteristics of a field-effect transistor through channel shortening 87−18143
Pavlov, G.P. Static characteristics of field-effect transistor with vertical channel 87−45966
Pavlov, I.I. *see* Rozhdestvenskii, S.S. 86−39519
Pavlov, I.V. *see* Afanas'ev, S.N. 87−29317
Pavlov, I.V. *see* Lyubomirov, A.B. 85−48112
Pavlov, L.I. *see* Atanasov, P.A. 87−26271
Pavlov, L.N., Kalnibolotskii, Yu.M. Spectral analysis of network functions in a generalized orthonormal basis 85−17098
Pavlov, L.N., Kalnibolotskii, Yu.M. Analysis of matching devices for digital-analog circuits using a basis of discrete exponential functions 87−35010
Pavlov, L.N., Kalnibolotskii, Yu.M. An algorithm for analyzing MOS integrated circuits in a Walsh-function basis 87−46198
Pavlov, L.N. *see* Fremd, V.M. 87−77841
Pavlov, M.A. *see* Khrunich, A.N. 87−42589
Pavlov, M.V., Ovsienko, L.F., Krezhevskii, Yu.S. Current distribution in parallel phase conductors in a switching apparatus with unsymmetric spatial arrangement of the conductors 88−69632
Pavlov, N.A., Pronin, A.M. Analysis of plane-parallel induction systems with magnetic circuits by integration methods 85−16428
Pavlov, N.I. *see* Borisova, N.F. 86−48600
Pavlov, O.N. *see* Pomortseva, A.A. 88−36903
Pavlov, P.A., Novikov, A.P., Krasnov, E.G., Denega, A.I. Strain gauge for measuring linear and angular deformation 88−22579
Pavlov, P.P. *see* Lobanov, A.V. 86−36764
Pavlov, P.P. *see* Verkin, B.I. 88−58029
Pavlov, P.V., Kogan, V.M., Khakimova, S.A., Abramova, N.N. Influence of the orientation of a crystal and of the free carrier density in the substrate on the parameters of high-resistivity gallium arsenide layers formed by irradiation with argon ions 87−32240
Pavlov, P.V. *see* Kogan, V.M. 88−67999
Pavlov, S.A., Korytko, E.P. Determining input parameters of vibration-measuring arrangements 87−3808
Pavlov, S.A. *see* Andronov, A.A. 86−29118, 86−48380, 88−8163, 88−14165
Pavlov, S.A. *see* Belyantsev, A.M. 88−33912
Pavlov, S.A. *see* Berezovskii, A.V. 87−70489
Pavlov, S.A. *see* Brodskii, I.I. 85−31296
Pavlov, S.A. *see* Filippov, V.S. 85−62922
Pavlov, S.A. *see* Gudilin, A.E. 88−44093
Pavlov, S.A. *see* Mityagin, Yu.A. 87−68430
Pavlov, S.A. *see* Murav'ev, A.V. 87−75069
Pavlov, S.I. *see* Arkhipov, V.K. 86−21066
Pavlov, S.K. *see* Prots', R.V. 87−21754
Pavlov, S.V., Sakharov, V.A., Vasil'yeva, N.K. Calculation of the adjustment characteristics of the pulsed converter of a high-voltage source 85−10003
Pavlov, S.V. *see* Arikhipov, M.V. 88−14242
Pavlov, S.V. *see* Arkhipov, M.V. 87−33253
Pavlov, V., Bochev, H., Todorovski, N. Automatic check and orientation of commutator insulating segments in the manufacturing of electric machines 87−22238
Pavlov, V.A., Pichugin, Yu.P., Nudel'man, G.S., Polyakov, V.G. A device for testing static protective relays for noise immunity 87−9217
Pavlov, V.A., Pichugin, Yu.P., Romanenko, I.N. Electrical strength recovery of gas-discharge gaps with moveable electrodes after passage of large current pulses 86−47264
Pavlov, V.A. *see* Dubnistchev, Yu.N. 88−29702
Pavlov, V.A. *see* Komko, V.M. 85−35603
Pavlov, V.A. *see* Kuvshinskii, N.G. 85−29701
Pavlov, V.F., Sakhatskii, V.D. Determining characteristics of absorber used to reduce background emission [antenna array] 85−30113
Pavlov, V.F. *see* Aleksandrov, A.A. 87−19282
Pavlov, V.G. *see* Ageev, V.N. 88−39025
Pavlov, V.I. *see* Tikhonov, A.N. 85−35731
Pavlov, V.L. *see* Sokolov, I.B. 87−9406
Pavlov, V.M. Calculation of the lowest resonant frequency of a two-gap resonator with one radial stub 86−47054
Pavlov, V.M., Rasshcheplyayev, Yu.S. The possibility of compensating regular ionospheric errors in radio altimeters 87−20635
Pavlov, V.M. *see* Kornilov, S.A. 86−35089, 86−35640
Pavlov, V.N. *see* Bychkov, S.I. 85−14285
Pavlov, V.N. *see* Cizek, P. 87−70385
Pavlov, V.P. *see* Balabanyuk, V.D. 87−78658
Pavlov, V.V. *see* Zelenin, V.N. 85−4448
Pavlov, V.Yu. *see* Belov, K.P. 87−2014
Pavlov, Yu.S., Solov'ev, N.G., Tomnikov, A.P. Synchronization circuit for shaping picosecond accelerated-electron pulses 86−70360
Pavlov, Yu.Ya. *see* Anisimov, V.I. 87−53448
Pavlova, E.I. *see* Zhurakovskii, A.V. 88−54840
Pavlova, G.I. *see* Azarenkov, A.V. 88−41887
Pavlova, I.A. *see* Amosov, A.V. 87−26481
Pavlova, I.A. *see* Eshmemet'eva, E.V. 85−41367
Pavlova, I.A. *see* Lyakhovetskii, M.S. 86−26408
Pavlova, I.A. *see* Zhukova, E.M. 86−29200
Pavlova, I.V. *see* Asambaev, S.N. 88−23277

Pavlova, L., Lepkova, D., Ionchev, C. Investigations on the preparation of high frequency capacitor ceramics with dielectric permittivity from 100 to 300 88−12092
Pavlova, L.A. *see* Karev, A.P. 85−10187
Pavlova, L.M. *see* Glazov, V.M. 85−1349
Pavlova, L.N. *see* Belts, V.A. 85−62649
Pavlova, L.S. *see* Vinokurova, S.I. 87−35395
Pavlova, N.I. *see* Lavrovskaya, O.I. 87−68609
Pavlova, N.O. *see* Zhinzhikov, G.M. 88−45370
Pavlova, T.N. *see* Marketova, G.I. 87−42537
Pavlova, V.A. *see* Alimov, A.K. 88−55761
Pavlova, V.A. *see* Teterin, V.V. 85−46946
Pavlovets, V.V. Features of locating faults in colliery cable networks 88−18278
Pavlovets, V.V., Lakin, V.I. The magnetic field of a colliery cable when locating a fault 86−40357
Pavlovic, J. System and policy of electric power costs 86−70587
Pavlovic, J. Trend of construction of the hydro power plant on the Drava River in Elektroprivreda Zagreb 87−9402
Pavlovic, L. *see* Jelenkovic, E. 87−66193
Pavlovic, M. *see* Kosanovic, M. 85−14447
Pavlovic, M.B. *see* Nikolic, P.M. 86−21160
Pavlovic, S. *see* Burger, I. 85−21702
Pavlovic, V.D. *see* Rakovich, B.D. 88−12485
Pavlovich, M.I. *see* Kreinovich, V.Ya. 86−44076
Pavlovich, M.N. *see* Ivashkova, L.Yu. 88−53901
Pavlovich, O.A. *see* Nakhan'kov, A.A. 86−57631
Pavlovich, S. The currents of a cycloconverter source 88−17716
Pavlovich, S.N. Analysis of a direct frequency converter for incomplete operation of the rectifier groups 85−60283
Pavlovich, S.N. Anomalous operating mode of an electric drive system with direct frequency conversion 86−19547
Pavlovich, S.N. Influence of the inverting angle of a direct frequency converter on displacement conditions of a rectifier group 87−64682
Pavlovich, S.N. Input currents to a direct frequency converter working in an induction motor under interrupted current conditions 88−48941
Pavlovich, S.N. *see* Bogachev, G.I. 88−5691
Pavlovich, V.S. *see* Demchuk, M.I. 86−29208
Pavlovich, Yu.V. *see* Drobyazko, S.V. 86−48341
Pavlovich, Yu.V. *see* Vadenov, A.A. 87−26492
Pavlovich, Yu.V. *see* Vedenov, A.A. 85−51317
Pavlovskaya, E.N. *see* Volkova, G.A. 86−13166
Pavlovskaya, L.F. *see* Stepanenko, A.V. 86−7867
Pavlovskaya, N.G., El'yash, S.L. Measurement of currents of strong electron beams of nanosecond duration 86−5681
Pavlovskaya, T.A. *see* Kukushkin, B.A. 88−55951
Pavlovskaya, V.V. *see* Devitsin, E.G. 88−29890
Pavlovskaya, V.V. *see* Gus'kov, B.N. 86−60601
Pavlovskaya, V.V. *see* Voichishin, M.N. 86−60593
Pavlovskii, A.I., Basmanov, V.F., Bosamykin, V.S., Gorokhov, V.V., Karelin, V.I., Repin, P.B. Electric-discharge CO_2 laser with an active region of 0.28 m^3 volume 87−68359
Pavlovskii, A.I. *see* Bosamykin, V.S. 88−25850
Pavlovskii, A.I. *see* Gordon, E.B. 87−54242
Pavlovskii, A.I. *see* Vinogradov, V.A. 85−22001
Pavlovskii, B.A., Ruk, B. Complex measurement of moving particles according to sizes and velocities 86−50249
Pavlovskii, D.A. *see* Logansen, L.V. 85−50976, 86−36216
Pavlovskii, E.G., Titov, V.V. Evaluation of a methodical error of the stepwise approximation of signals with a restricted linear spectrum 87−19729
Pavlovskii, E.P. *see* Yalova, A.Ya. 87−78503
Pavlovskii, M.V. *see* Radautsan, S.I. 85−16239
Pavlovskii, V.E. *see* Polevoi, V.A. 85−49616
Pavlovsky, B. Evaluation of the economic loading of conductors 88−30378
Pavlovsky, D. *see* Terry, D.R. 88−69519
Pavlukhin, V.A. *see* Bulatova, R.F. 85−14955
Pavlychev, V.A. *see* Nosov, Yu.R. 88−65206
Pavlygin, G.N. *see* Bogachkin, V.A. 87−63541
Pavlyna, V.F., Semenova, S.V. A method for experimentally determining the parameters of AC electrical machines 87−22230
Pavlyna, V.F. *see* Chaban, V.I. 86−26023, 87−9664, 88−23887
Pavlyniv, Ya.I. *see* Gorbatyuk, A.V. 85−55800
Pavlysh, O.N., Garbuzov, I.P., Reukov, Yu.N. Experimental dynamic characteristics of a 1000 MW nuclear power station monoblock incorporating the VVER-1000 reactor 86−32938
Pavlysh, O.N., Garbuzov, I.P., Reukov, Yu.N. Testing an automatic parameter control system in the second circuit of a nuclear power plant with the VVER-1000 reactor 86−65870
Pavlysh, O.N., Garbuzov, I.P., Reukov, Yu.N., Drogomeretskii, S.S., Kontsevoi, A.A. Experimental checks on the quality of automatic regulation of the feed to the steam generators in a power unit equipped with a type VVER-1000 reactor, using various reference signals 86−61217
Pavlysh, O.N., Pavlysh, T.A., Reukov, Yu.N., Kazakov, V.A., Evdokimov, A.Yu. Plant tests of a system for feeding steam generators for VVER-1000 reactors upon disconnection of one of two working feed turbopumps 88−10966
Pavlysh, O.N., Reukov, Yu.N. The dynamic characteristics of the steam generator for a power unit equipped with a VVER-1000 reactor, treated as an object of water-level regulation 86−39298
Pavlysh, T.A. *see* Pavlysh, O.N. 88−10966
Pavlyuchenko, L.N. *see* Eremin, V.K. 86−38714
Pavlyuchenko, V.A. *see* Osipenko, V.P. 85−48097
Pavlyuchenkov, Yu.I. *see* Kustarev, A.S. 88−29665
Pavlyuk, A.A. *see* Andryunas, K. 86−29109, 86−42641
Pavlyuk, A.A. *see* Basiev, T.T. 88−58664
Pavlyuk, A.A. *see* Berenberg, V.A. 85−56592
Pavlyuk, I.Yu. *see* Batenin, I.V. 87−22062
Pavlyuk, M.F. *see* Freik, D.M. 86−63056, 87−44376, 88−1624, 88−57331
Pavlyuk, R.P. *see* Dikmarova, L.P. 86−37700
Pavlyuk, S.K., Khrustaeva, E.I., Bogdanov, V.M. Effect of the quality of gas shielding on the process of CO_2 welding and detection of disruptions in shielding 85−39380
Pavlyuk, S.P. *see* Dobrovol'skii, V.N. 85−55441, 85−61666
Pavlyuk, V.A., Krivosheev, E.F. Cryogenic elementary antennas 88−8614
Pavlyuk, V.A., Mende, F.F., Sklyarov, V.P., Bobrov, S.A. Cryoelectronic units for infralow frequency signal amplifiers 85−46115
Pavlyuk, V.A., Sigova, T.A., Martynov, M.A., Kismereshkin, V.P. On the possibility of realizing ultradirectional antenna arrays 85−36130
Pavlyuk, V.A. *see* Bobrov, S.A. 85−22664
Pavlyuk, V.A. *see* Bystrov, V.A. 85−61412
Pavlyuk, V.A. *see* Rybalko, A.M. 86−22771
Pavlyuk, V.A. *see* Verkin, B.I. 88−26704, 88−58029
Pavlyukov, V.M. *see* Bakhalov, Yu.A. 87−58403
Pavlyukov, V.M. *see* Epifanov, A.P. 87−64620
Pavlyukov, V.M. *see* Kolomeitsev, L.F. 88−49000
Pavlyukov, V.M. *see* Kuprianov, Yu.V. 85−38989
Pavo, I. Topological analysis of signal-flow graph containing sampling element 85−39630
Pavon, J. *see* Tomas, J.G. 87−76320
Pavone, G. Contact wire for 3-kV railway traction 86−19570
Pavone, S., Suma, S. A digital regulation system for steam power plant operation with only recovered gas combustion 86−70818
Pavoni, R. *see* Widhalm, E. 87−78491
Pavros, S.K., Artemov, V.E. Effect of distorted form of hot-rolled sheets on the results of inspection by the shadow method 87−16733
Pavros, S.K., Maksimov, A.A. Maximally attainable sensitivity of echo inspection of articles with coarse-grained structure and rough surface 87−31594
Pavros, S.K. *see* Artemov, V.E. 86−556
Pavry, G. *see* Whitehead, M. 87−74052
Pavselj, D. *see* Mrdakovic, D. 85−30727
Pavshuk, V.A. *see* Asmolov, V.G. 88−5468
Pavsidis, C. Total quality control: an overview of current efforts 85−10539
Pavuna, D. *see* Glick, M. 88−7334
Pavur, R. *see* Nath, R. 85−33278
Pavusek, V. *see* Rodinis, D. 86−61227
Pavuza, F., Pichler, H., Thoma, J. Signal deteriorations in digital signal processing systems 87−70540
Pavuza, F. *see* Pichler, H. 86−42127, 87−59244, 87−77293
Pavuza, F. *see* Thoma, J. 88−64489, 88−71586
Pavy, D., Moisan, M., Saada, S., Chollet, P., Leprince, P., Marec, J. Fabrication of optical fiber preforms by a new surface-plasma CVD process 88−65210
Pawagi, S., Ramakrishnan, I.V. An O(log n) algorithm for parallel update of minimum spanning trees 86−46185
Pawar, A.J. *see* Pawar, S.H. 87−288, 88−62592
Pawar, S.H., Bhosale, C.H., Deshmukh, L.P. Electrochemical bath deposition technique: deposition of CdS thin films 87−287
Pawar, S.H., Bhosale, C.H., Pawar, A.J. Electrical and optical properties of $CdSb_2S_4$ films and their use in ECPV cells 88−62592
Pawar, S.H., Bhosale, P.N. Preparation and properties of $Bi_{2-x}As_xS_3$ thin films by solution-gas interface technique 87−289
Pawar, S.H., Pawar, A.J., Bhosale, P.N. Spray pyrolytic deposition of $CuBiS_2$ thin films 87−288
Pawar, S.H., Tamhankar, S.P., Lokhande, C.D. Studies on electrochemical photovoltaic cells formed with Bi_2CdS_4 film electrodes 85−39202
Pawar, S.H., Tamhankar, S.P., Lokhande, C.D. Studies on electrochemical photovoltaic cells formed with thin film Bi_2CdS_4 photoelectrodes 87−9704
Pawar, S.H. *see* Jagdale, S.H. 85−1345
Pawar, S.H. *see* Lokhande, C.D. 87−73120
Pawar, S.H. *see* Uplane, M.D. 85−5350
Pawar, S.H. *see* Warad, A.U. 85−61689
Pawate, B.I., McMahan, M.L., Wiggins, R.H., Doddington, G.R., Rajasekaran, P.K. Connected word recognizer on a multiprocessor system 87−61720
Pawate, B.I., Steenaart, W. TMS 320 based touch-tone receiver using linear prediction 88−41460
Pawate, B.I., Steenaart, W., Sankur, B. The DTMF receiver based on linear prediction 86−4379
Pawel Luk Aszewicz, J., Siedlewski, J. Semiconducting carbons for water, ethanol and methanol vapour sensing 88−60947
Pawelczyk, J. *see* Natkaniec, I. 86−5860
Pawelczyk, W. Look for best value for money. With Btx to the databank 87−13324
Pawelczyk, W. *see* Koch, P.J. 86−30319, 86−43511
Pawelec, J.J. Comparison of rate levels APSK and BPSK error 87−39579
Pawelec, Z. *see* Paszek, W. 85−9890, 88−23896
Pawelek, R. Problems of the reactive power compensation in a network with a nonlinear electric energy consumer [distribution networks] 85−21153
Pawelek, R. *see* Chi, G.-C. 88−26976
Pawelek, R. *see* Chi, G.C. 87−54181
Pawelski, R.L. *see* Rzeszewski, T.S. 87−13827
Pawlak, A. *see* Grabowiecki, T. 88−39718
Pawlak, A.M. A method for determining the inductance of a claw pole stepper motor in dynamic operation 87−22437
Pawlak, A.M., Glinka, T. A method for determining the field shape influence upon parameters of a DC micromotor 86−12852
Pawlak, A.M., Nehl, T.W. Transient finite element modeling of solenoid actuators: the coupled power electronics, mechanical, and magnetic field problem 88−52147
Pawlak, A.M. *see* Nehl, T.W. 88−55282
Pawlak, E. Models of conductivity of thin polycrystalline silicon films 88−25874
Pawlak, E.Z. The effect of the structure of polycrystalline $Cd_xHg_{1-x}Te$ (x=0.1) thin films on their resistance and capacitance at high frequencies 86−1697
Pawlak, E.Z. Conductivity of thin polycrystalline films of semiconductor compounds 86−27879
Pawlak, J. Microprocessor control system for internal traffic using E-10 telephone exchanges CSAD concentrators 85−19962
Pawlak, J. Problems of maintaining telephone connection and internal traffic closure in E-10 exchanges CSAD concentrators groups in case of interference and failures in PCM channels 85−19964
Pawlak, L.P. *see* Blooom, C.E. 86−54716
Pawlak, M. Picture restoration by orthogonal expansion 85−36431
Pawlak, M. On nonparametric estimation of a functional of a probability density 86−46167
Pawlak, M. *see* Greblicki, W. 87−54779
Pawlak, M. *see* Sawh, D. 87−32741
Pawlak, T.P. *see* Ostergaard, D.F. 87−67627
Pawle, G., Faherty, T. DSP/development board offers host independence 85−6335
Pawletko, J.P. Multicore linear stepping motor energization 85−39022
Pawletko, J.P. Stepping motor technology past, present and future 87−30677
Pawletko, J.P. *see* Chai, H.D. 85−39034
Pawletko, J.P. *see* Karidis, J.P. 87−30532
Pawlewicz, W.T. Optical coating materials for the ultraviolet−selection and characterization 85−12689
Pawley, A.J.R. Considerations in the selection of communications media and protocols for in-vehicle route guidance systems 87−48454
Pawley, A.J.R. In-vehicle information systems using roadside beacons 87−76394
Pawley, G.S. *see* Brass, A. 86−40696
Pawley, J.B. Strategy for locating and eliminating sources of mains frequency stray magnetic fields [SEM performance] 85−43076
Pawlicki, H. *see* Bulski, J. 85−19907
Pawlicki, W.G. The total and collateral blood flow determination in extremities by means of electroimpedance method 88−48099
Pawlicki, W.G., Palko, T. New blood flow parameters in limb determinated by the electroimpedance method 88−61375
Pawlik, D., Oppolzer, H., Hillmer, T. Characterization of thermal oxides grown on $TaSi_2$/polysilicon films 85−40619
Pawlik, D. *see* Becker, F.S. 86−52520, 88−24785
Pawlik, E. *see* Fleming, G.K. 85−123
Pawlik, J.R. *see* Nash, F.R. 85−41404
Pawlik, M. Resistivity of *N*- and *P*-type crystalline silicon, doping dependence [EMIS Datareview] 85−55434
Pawlik, M. Dopant profiling in silicon 85−55681
Pawlik, M. On the determination of abrupt doping profiles in MBE silicon by spreading resistance 87−6546
Pawlik, M. Spreading resistance: a comparison of sampling volume correction factors in high resolution quantitative spreading resistance 88−7462

Pawlik, M., Groves, R.D., Kubiak, R.A., Leong, W.Y., Parker, E.H.C. A comparative study of carrier concentration profiling techniques in silicon: spreading resistance and electrochemical CV 88−7465
Pawlik, M., Higgs, V., Groves, R.D. The development of analytical techniques for the assessment of silicon MBE layers 87−6371
Pawlikiewicz, A., van der Ziel, A. Temperature dependence of the Hooge parameter in n-channel silicon JFETs 86−21550
Pawlikiewicz, A., van der Ziel, A. Induced-gate $1/f$ noise in MODFETs in the low GHz range 86−35720
Pawlikiewicz, A. *see* Zhu, X.C. 85−50047, 85−50548
Pawlikiewicz, A.H., van der Ziel, A. Location of $1/f$ noise sources in BJTs. II. Experiment 87−74261
Pawlikiewicz, A.H., Van der Ziel, A., Kousik, G.S., Van Vliet, C.M. On the temperature dependence of the Hooge parameter α_H in n and p-channel silicon JFETs 88−33260
Pawlikiewicz, A.H., van der Ziel, A., Kousik, G.S., van Vliet, C.M. Fundamental $1/f$ noise in silicon bipolar transistors 88−39397
Pawlikiewicz, A.H. *see* van der Ziel, A. 87−1488
Pawlikowski, E. *see* Bernardi, D. 85−39167
Pawlikowski, J.M. Application of Zn_3P_2 in solar cell technology 85−32702
Pawlikowski, J.M. Preparation and characterization of close-spaced vapour transport thin films of ZnSe for heterojunction solar cells 86−7842
Pawlikowski, J.M. Prototype device design of Zn_3P_2-based solar cells 86−33673
Pawlikowski, J.M. Thin film polycrystalline semiconductor photovoltaic devices 87−22766
Pawlikowski, J.M. Prototype device development of Zn_3P_2-based solar cells 88−5854
Pawlikowski, J.M. Zn_3P_2 as infrared-to-ultraviolet photoconverter 88−51658
Pawlikowski, J.M. *see* Placzek-Popko, E. 85−41266, 86−8843
Pawlikowski, J.M. *see* Radojewska, E.B. 85−29684, 86−54045
Pawlikowski, K. Evaluation of slot-assignment techniques in loop communication networks 85−57757
Pawlikowski, K. *see* Wozniak, J. 86−49041
Pawlina, A. Rain patterns motion over a region deduced from radar measurements 87−2296
Pawlina, A. *see* Capsoni, C. 86−29405, 87−61383
Pawlina, A. *see* Della Ventura, A. 87−77874
Pawling, J.F. *(editor)* Surface mounted assemblies 87−51718
Pawliszyn, J. LEDs and laser diodes in schlieren optics methods 87−33069
Pawliszyn, J., Weber, M.F., Dignam, M.J. Dual-beam laser deflection sensor 86−3257
Pawlita, P. Access to packet-switching services via X.25 interface in TRANSDATA 85−30586
Pawlita, P. BERMUDA format service and menu interfaces for effective computer utilization: BERMUDA presentation functions in the TRANSDATA 9.600 system 86−43431
Pawlita, P. *see* Losch, U. 88−35122
Pawlita, P.F. Personal computers: key components for a new era of evolutionary distributed system concepts 87−48652
Pawlita, P.F., Sudhofen, H.-D. Role of traffic measurements in information networks 85−13653
Pawlizki, P. Evaluation of the flags of the U 880 86−1108
Pawlowicz, B. *see* Drys, B. 87−11995
Pawlowicz, L. *see* Walukiewicz, W. 86−8798
Pawlowicz, L.M. *see* Desnica, U.V. 88−24691
Pawlowicz, L.M. *see* Gatos, H.C. 85−44685
Pawlowicz, L.M. *see* Walukiewicz, W. 86−47299
Pawlowska, M., Hruban, A. Influence of substrate defect structure on the structure perfection of heteroepitaxial layers $GaAs_{1-x}P_x/GaAs$ $(x=0.4)$ 88−6452
Pawlowski, A. A new procedure for utilising the multipoint method to determine the resonant frequency and Q-factor of microwave cavity resonators 85−14994
Pawlowski, A., Milewski, A. Confidence intervals for the Q factor and resonant frequency f_0 of microwave resonators applied to the evaluation of f_0 and Q 88−56876
Pawlowski, A. *see* Kobierski, Z. 87−30372
Pawlowski, A. *see* Milewski, A. 85−15006
Pawlowski, E. Communication services of Polish People's Forces in Luzyce region 85−57971
Pawlowski, E. *see* Jasik, J.R. 87−77309
Pawlowski, L. Navigational Model SRN 7453 at X and S bands 85−37107
Pawlowski, L. *see* Gorecka-Drzazga, A. 85−60977
Pawlowski, M. *see* Kalisz, J. 85−43111, 86−65278, 88−16022, 88−74603
Pawlowski, P.R., Polydoros, A. Optimization of a matched-filter receiver for frequency hopping code acquisition in jamming 86−30579
Pawlowski, P.R., Polydoros, A. Adaptive nonparametric acquisition of FH-SS signals in jamming 87−40691
Pawlowski, W. Distribution of radiometeorological parameters in the South Baltic area 86−29397
Pawlowski, W. *see* Katulski, R.J. 86−29642
Pawluczyk, R. Noise suppression in the holographic microinterferometry 85−62671
Pawluczyk, R., Kraska, Z. Diffuse illumination in holographic double-aperture interferometry 86−3326
Pawluk, K., Rudnicki, M. Unified approach to the synthesis of electromagnetic field 88−58777
Pawluk, K. *see* Bill, K. 86−56760, 88−62364
Pawlukiewicz, M. *see* Owczarek, A. 85−812
Pawson, D. *see* Ellis, K. 88−67692
Pawula, R.F. Refinements to the theory of error rates for narrow-band digital FM 88−45845
Pawula, R.F., Rice, S.O. On filtered binary processes 86−48720
Pawula, R.F., Rice, S.O. A differential equation related to a random telegraph wave problem−computer calculation of series solution 88−28281
Pawula, Z. Local medium-voltage distribution network division with sectionalisers 86−25612
Pax, P. *see* Kortz, H.P. 85−62533
Paxinos, A. *see* Besenhard, J.O. 86−40049, 87−78884
Paxman, D.H. *see* Fisher, C.A. 86−15118
Paxman, R.G., Barrett, H.H., Smith, W.E. Object dependent system design in coded-aperture imaging 85−59247
Paxman, R.G., Barrett, H.H., Smith, W.E., Milster, T.D. Image reconstruction from coded data. II. Code design 85−36344
Paxman, R.G., Fienup, J.R., Clinthorne, J.T. The effects of tapered illumination and Fourier intensity errors on phase retrieval 88−46259
Paxman, R.G. *see* Barrett, H.H. 85−56264
Paxman, R.G. *see* Cederquist, J.N. 88−46260, 88−73199
Paxman, R.G. *see* Smith, W.E. 85−36343, 85−43356
Paxson, V., Jacobson, V., Theil, E., Lee, M., Clearwater, S. A scientific workstation operator-interface for accelerator control 88−54110
Paxson, V. *see* Lee, M. 88−54129
Paxson, V. *see* Theil, E. 88−54101
Paxton, A.H. Unstable resonators with negative equivalent Fresnel numbers 86−29193
Paxton, A.H. Unstable ring resonator with an intracavity prism beam expander 87−39162
Paxton, A.H., Gardner, R.L. Application of transmission line theory to networks with a large number of component wires 88−8544
Paxton, A.H., Latham, W.P., Jr. Unstable resonators with 90° beam rotation 87−2212
Paxton, A.H., Latham, W.P., Jr. Ray matrix method for the analysis of optical resonators with image rotation 87−26474
Paxton, A.H. *see* Baker, L. 88−58763
Paxton, A.H. *see* Calahan, K.R. 88−65758
Pay, D. You can't enhance what isn't there [TV image processing] 86−23093
Pay, D. Lens quality−a broader look 86−48239
Pay, D. 50 years of television lenses 87−56368
Payan, J., Acha, J.I. Parasitic oscillations in normalized digital structures 86−41239
Payan, J. *see* Acha, J.I. 87−32014
Payan-Somet, J. *see* Acha, J.I. 85−33706, 86−27142
Payanskii-Gvozdev, V.M. *see* Anisimov, V.I. 87−10592
Payanskiy, Yu.M., Timofeyev, V.V. Estimation of the potential interference introduced by space stations of Broadcasting Satellite Service of Region 2 into the terrestrial services of Region 1 87−49228
Payanyan, V.O., Bertolotti, M. Double Raman scattering scheme for an XUV laser 87−46971
Payen, D.B. *see* McCartney, D.J. 85−46241
Payen, F. A slow-wave structure that enables eliminating 'rabbit ears' effects in high peak power TWTs 85−61635
Payen, F., Villette, B. Dual-mode coupled cavity TWT [airborne radar application] 87−45538
Payen, F. *see* Garin, P. 88−25796, 88−38997
Payen, F. *see* LaGrange, V. 86−47252
Payer, K., Sagi, J. Automation of analytical instruments with minicomputers 88−67668
Payer, M. Verification and validation of hierarchical CMOS gate array layouts 87−74434
Payer, M. Formal derivation of systolic arrays−a case study 88−70460
Payer, M. *see* Rauscher, R. 88−70667
Payern, R. *see* Zach, H. 88−41211
Payet, G., Raison, J.C., Dharmadasa, D. The future of the EUTELSAT system 85−20155
Payet-Burin, P., Troussel, G. Motor-driver-ICs of the third generation. IC permits clocked current control up to 1.5 A at 55 V 88−7645
Payet-Burin, P., Troussel, G. Smart power dual bridge motor driver 88−43222
Payet-Burin, P. *see* Maugest, P. 87−51282
Payette, L.J. Fine magnet wire−an update 86−62872
Payette, L.J. A report on the International Electrotechnical Commission winding wire activities 87−24506
Payghambarian, N. *see* Gibbs, H.M. 85−56842
Payling, C.A., Alves, E., Eaves, L., Foster, T.J., Henini, M., Hughes, O.H., Simmonds, P.E., Portal, H.C., Hill, C., Pate, M.A. Investigations of the negative differential conductivity and current bistability in double barrier $n^+GaAs/(AlGa)As/GaAs/(AlGa)As/n^+GaAs$ resonant tunnelling devices using high magnetic fields 88−33145
Payling, C.A., Guimaraes, P.S.S., Eaves, L., Snell, B.R., Portal, J.C., di Forte-Poisson, M.A., Brylinski, C., Hill, G., Pate, M.A. Electric field-induced quasi-elastic inter-Landau level scattering in the space-charge-limited magnetoconductivity of $n^+n^-n^+$ InP structures 87−24862
Payling, C.A. *see* Toombs, G.A. 88−64314
Payne, B.J. An overall quality improvement/total quality improvement (QI/TQI) programme: from 1 per cent AQL to 10 p.p.m 88−56053
Payne, B.T. *see* Binnie, D.M. 85−31693
Payne, B.T. *see* Blissett, J.A. 85−26698, 86−32192, 86−50397
Payne, B.T. *see* Tkaczyk, S.M. 88−54432, 88−68283
Payne, C. Integrated analog and digital testing of Telecom devices 86−4440
Payne, C.A.J. *see* Chou, Q.B. 86−25768
Payne, D. Applications and technology of special optical fibres 88−73961
Payne, D. *see* De Fornel, F. 86−15507
Payne, D. *see* Reekie, L. 88−65873
Payne, D.A. The role of internal boundaries on the electrical properties of polycrystalline ceramics 86−40796
Payne, D.A. *see* Budd, K.D. 87−23754
Payne, D.A. *see* Dey, S.K. 88−33430
Payne, D.A. *see* Drozdyk, L. 85−34201
Payne, D.A. *see* Reiley, T.C. 85−28843
Payne, D.A. *see* Suchicital, C.T.A. 86−1396
Payne, D.B., McCartney, D.J. A comparative study of monomode splicing techniques 85−18734
Payne, D.B., Reeve, M.H., Millar, C.A., Todd, C.J. Single mode fibre specification and system performance 85−29608
Payne, D.B., Stern, J.R. Wavelength switched, passively coupled, single mode optical networks 86−43589
Payne, D.B., Stern, J.R. Single mode optical local networks 86−54934
Payne, D.B., Stern, J.R. Single mode optical networks 87−20552
Payne, D.B., Stern, J.R. Technical options for optical local networks 87−34605
Payne, D.B., Stern, J.R. Technical options for single mode local loops−TDM or WDM? 88−67413
Payne, D.B. *see* Hill, A.M. 85−63668
Payne, D.B. *see* Hooper, R.C. 85−63634
Payne, D.B. *see* McCartney, D.J. 85−41118
Payne, D.B. *see* Miller, I.D. 87−61114
Payne, D.B. *see* Stern, J.R. 88−15232
Payne, D.J., Davidson, J. A century of electrical and lighting installations 85−65607
Payne, D.M. *see* Yataki, M.S. 85−29560
Payne, D.N. Fibres for sensors 86−2783
Payne, D.N. Design and performance of speciality fibres 88−65246
Payne, D.N., Reekie, L. Rare-earth doped fibre lasers and amplifiers 88−45397
Payne, D.N., Reekie, L., Mears, R.J., Poole, S.B., Janney, I.M., Lim, J.T. Fibre lasers 87−46814
Payne, D.N. *see* Barlow, A.J. 87−12167
Payne, D.N. *see* Barnes, W.L. 88−65284
Payne, D.N. *see* Farries, M.C. 86−44253, 87−39208, 87−54082
Payne, D.N. *see* Fermann, M.E. 86−55866, 87−54074, 88−45079
Payne, D.N. *see* Jauncey, I.M. 86−54124, 87−7347, 88−27105
Payne, D.N. *see* Laming, R.I. 86−31634, 87−29081, 88−36049, 88−67836
Payne, D.N. *see* Li, L. 87−7085, 87−7098, 88−22615, 88−65218
Payne, D.N. *see* Lin, J.T. 88−45395
Payne, D.N. *see* Luksun Li 86−48222
Payne, D.N. *see* Mears, R.J. 85−62542, 86−2777, 86−29095, 87−75046
Payne, D.N. *see* Morkel, P.R. 88−20691
Payne, D.N. *see* Payne, F.P. 88−65226
Payne, D.N. *see* Poole, S.B. 85−62294, 86−36222, 88−20382
Payne, D.N. *see* Reekie, L. 86−48382, 87−75047, 87−76738, 88−45456
Payne, D.N. *see* Townsend, J.E. 87−38749
Payne, D.N. *see* Tsao, C.Y.H. 88−45171
Payne, D.N. *see* Varnham, M.P. 85−12563, 85−29620, 86−2781, 86−9539, 86−36235
Payne, D.N. *see* Yataki, M.S. 85−29559, 85−41184
Payne, E., Tew, M. Interactive instruction for the mentally retarded: adaptation of the Panasonic Video Training System 85−44449
Payne, E.H. *see* Abrahamovich, K.M. 85−45772
Payne, F.H., Egan, G.K., Ding, K.Y. MAN-SIM−a timing and logic simulation tool 85−22587
Payne, F.P. A generalised transverse resonance model for planar optical waveguides 86−2825
Payne, F.P. Fused single-mode optical fibre couplers 87−68075

Payne, F.P. Second-harmonic generation in single-mode optical fibres 88—8281
Payne, F.P. Frequency doubling in single-mode optical fibres 88—40353
Payne, F.P., Finegan, T., Yataki, M.S., Mears, R.J., Hussey, C.D. Dependence of fused taper couplers on external refractive index 87—12112
Payne, F.P., Hussey, C.D., Yataki, M.S. Modelling fused single-mode-fibre couplers 85—46134
Payne, F.P., Hussey, C.D., Yataki, M.S. Polarisation analysis of strongly fused and weakly fused tapered couplers 85—50909
Payne, F.P., Hussey, C.D., Yataki, M.S. Polarisation in fused single mode fibre couplers 86—42340
Payne, F.P., Payne, D.N., Varnham, M.P. Cross-talk in polarisation-maintaining fibres 88—65226
Payne, F.P. *see* Jedrzejewski, K.P. 86—22087, 87—74770
Payne, F.P. *see* Martinez, F. 88—26761, 88—45156
Payne, F.P. *see* Parsons, J.D. 87—13180
Payne, F.P. *see* Schallen, E. 88—58177
Payne, H.E. Power integrated circuits: know the limitations 86—67000
Payne, J. Cost effective cache memory organisation 87—44820
Payne, J. *see* Field, J. 86—47169
Payne, J.B. $A_kU_s=S_{ce}$ (An equation for cost-effectiveness) 85—14821
Payne, J.M. Recent advances in millimeter wave instrumentation for radio astronomy 87—76904
Payne, J.R. *see* Pohlmann, L.D. 86—70499, 88—74911
Payne, J.W. *see* Laughhunn, D. 85—279
Payne, M. GaAs circuits—the way ahead? 85—44954
Payne, M. SEL evaluating DME technology compatible with MLS navaids 85—52455
Payne, M. Parakeet's ideal habitat 86—30666
Payne, M. SSR transmitter is all solid state 86—49730
Payne, M. Local area networks 87—48573
Payne, M. Data communications [WANs] 87—62608
Payne, M.A. The systems approach to computer networks 88—28446
Payne, M.C. Space charge effects in resonant tunnelling 88—19918
Payne, M.C. Time-dependent resonant tunnelling 88—71510
Payne, M.G. Vacuum ultraviolet light generation applications to resonance ionization spectroscopy 87—46813
Payne, P.A. Transducers for the automated factory 85—32968
Payne, P.A. Medical and industrial applications of high resolution ultrasound 85—53234
Payne, P.A. Sensors and transducers for process control 88—42068
Payne, P.A., Banks, R.E., Smith, S., Moss, F., Nicholls, M., Hacking, C.J. Performance characteristics of various types of plastic film ultrasonic transducers 86—56285
Payne, P.A. *see* Taylor, H.R. 87—10062
Payne, P.R. *see* Carder, K.L. 86—6132
Payne, R. Individual differences and performance amongst B&D personnel: some implications for management development 87—65129
Payne, R. *see* Mes, H. 88—29877
Payne, R.C. Noise levels from a jet-engined aircraft measured at ground level and at 1.2 m above the ground 88—68095
Payne, R.E. The MR: a meteorological data sensing, recording and telemetering package for use on moored buoys 88—61645
Payne, R.N. *see* Marinero, E.E. 88—57896
Payne, R.W. *see* Morphet, F.N. 87—40988
Payne, S.A., Chase, L.L. Sm^{2+} sensitization of Nd^{3+} solid state lasers 87—7312
Payne, S.A. *see* Caird, J.A. 88—65791
Payne, S.E., Castor, K.G. Analysis of digital communication techniques in the millimeter wave band 86—17214
Payne, S.J. *see* Morrison, D.L. 85—7838
Payne, S.S., Hussey, T.W., Stinnett, R.W., Roderick, N.F. Two-dimensional modeling of the plasma opening switch 87—17443
Payne, T., Wells, R., Gundel, W. A study of automatic placement strategies for very large gate array designs 88—25141
Payne, T. *see* Ross, L. 88—35829
Payne, T. *see* Wilkins, M.W. 86—21777
Payne, T.R. Electronic control system infrared heating applied to surface cooking 88—49284
Payne, T.S., Lowell, R.E. The Tactical Miniature Crystal Oscillator (TMXO) 87—37063
Payne, W. *see* Sletten, C.J. 87—2367
Payne, W.A., III, Hinton, H.S. Design of lithium niobate based photonic switching systems 87—56143
Payne, W.A., III *see* Erickson, J.R. 87—56146
Payne, W.F. *see* Sultan, N. 85—14197, 85—47453, 88—9465
Payne, W.H. *see* Sarda, I.G. 88—52236
Paynter, H. *see* Johnson, B. 86—40181
Paynter, H.M., Busch-Vishniac, I.J. Wave-scattering approaches to conservation and causality 88—49933
Paynter, H.M. *see* Wu, S.Z. 86—12671
Paynter, R.J., Painter, M.R. Removal of deposits restores Hinkley Point A lost generation 88—36940
Payor, S. Audible indicators for panel lamps 85—17751
Payot, H. Ecological, energy and economic aspects of electrically driven vehicles in Switzerland 85—5420
Payot, H. Electric vehicles—a review of progress in Switzerland 87—79007
Payre, G. *see* Delfour, M. 86—26783
Payre, G. *see* Delfour, M.C. 86—46019
Payre, G. *see* Manitius, A. 87—58880
Payrebrune, M.de *see* de Payrebrune, M.
Pays, G. *see* Du Castel, F. 87—40110, 88—9257
Pays, G. *see* Trouvat, M. 86—64484
Pays, M., Simon, C. Improved fire resistant cables 85—59721
Pays, P.-A., Brun, P. CRMM, a distributed bulletin board 88—59531
Payson, E.P., Weinert, G.F. Fast-flush system speeds turbine lube-oil cleaning 85—32344
Payson, J.S. *see* Den Boer, W. 86—38457
Payson, J.S. *see* Guha, S. 85—2127, 88—24783
Payson, J.S. *see* Van Oort, R.C. 88—24779
Payton, D.W. A symbolic pixel array for representation of spatial knowledge 85—13647
Payton, J., Baldwin, R.E. Comparison of top round steaks cooked by microwave-convection, forced-air convection and conventional ovens 86—66492
Payton, J., Qureshi, S. Trellis encoding: what it is and how it affects data transmission 85—46678
Payton, K.L. Speech processing by a model of the auditory periphery 86—16232
Payton, P.H. *see* Niesen, J. 88—14050
Payton, R.M., Savic, M. SCORPION DAC: a new family of switched-capacitor D/A convertors 87—17168
Payton, R.M. *see* Litynski, D.M. 86—2894
Paz, A. A duality property for the set of all feasible solutions to an integer program 86—46218
Paz, A. Full characterization of pseudographoids in terms of families of undirected graphs 88—18589
Paz, E. Statistical design analysis of MCI's fiber network 88—41681
Paz, E., Hitch, M., Tapjan, T. Jitter characterization of MCI's fiber optic network 87—70072
Paz, E., Mysore, S., Martin, D. Single mode fibre optic splicing techniques and statistical analysis 87—26028
Paz, G. Portable terminal provides access to hidden meters 88—42906
Paz, J.F.de *see* de Paz, J.F.
Paz, O., Auret, F.D. Introduction of electrical defects in p-type silicon due to electron-beam and RF sputtering metallization processes 85—34887
Paz, O., Borrego, J.M. Electron-beam measurements of epitaxial GaAs layers 86—26862
Paz, O., Borrego, J.M. Charge collection microscopy of single crystal and polycrystalline GaAs 87—24800
Paz, O., Borrego, J.M. Collection of electron-beam-generated carriers in the presence of a grain boundary or an epitaxial interface 87—32249
Paz, O., Scheider, C.P. Determination of the denuded zone in Czochralski-grown silicon wafers through MOPS lifetime profiling 86—21650
Paz, O. *see* Auret, F.D. 85—12243
Paz, O. *see* Borrego, J.M. 87—41603
Paz, O. *see* Kleinhenz, R. 85—40668
Paz de Araujo, C.A., Gelpey, J.C., Huang, Y.P. Comparison of the growth kinetics of oxides grown in tungsten-halogen and water cooled arc lamp system 88—44693
Paz de Araujo, C.A., Scott, J.F. A novel high speed nonvolatile memory based on a low coercivity ferroelectric thin film 88—70764
Paz de Araujo, C.A. *see* Dunn, D.E. 88—71537
Paz de Araujo, C.A. *see* Hashemi, F. 88—57449
Paz de Araujo, C.A. *see* Krikos, A.C. 88—71827
Paz de Araujo, C.A. *see* Lu, Y.C. 88—71403
Pazarci, M., LoCiero, J.L. A matched-resolution wide aspect-ratio HDTV system 88—41830
Pazarci, M. *see* LoCicero, J.L. 85—52523, 86—24105, 87—7820, 87—27664
Pazarci, M. *see* Rzeszewski, T.S. 88—29067
Pazderak, J., Kepr, M. Experimental determination of discernible colour differences and its application 85—20742
Pazderak, J. *see* Kepr, M. 86—43341
Pazderak, J. *see* Malek, J. 87—49314
Pazderski, E. *see* Kus, A.J. 85—8501
Pazeev, G.F. *see* Drabovich, Yu.I. 86—7965
Pazhitnov, V.D. *see* Beklemishchev, A.I. 88—47485
Pazin, L.Z. *see* Demenchuk, N.P. 85—36111
Pazinich, L.M. *see* Pudalov, V.M. 86—53482
Pazirandeh, A. *see* Hanitsch, R. 88—17454
Pazman, A. Parameter estimation in nonlinear models with high level noise 86—27036
Pazol, B.G., Ginsberg, D.M. Low-temperature sample-rotating cryostat with two degrees of freedom for measuring the anisotropy of the upper critical field of superconductors 88—53836
Pazol, B.G. *see* Schroeder, J. 85—18629, 86—2653
Pazos, C.M.Dias *see* Dias Pazos, C.M.
Pazos, J. *see* Martinez, V. 88—62935
Pazos, J.A.Saras *see* Saras Pazos, J.A.
Pazos, M. *see* Vieira, S. 88—13693
Pazos, R., Lizarraga, E. Power plant productivity and reliability information system 88—62160
Pazos, R.R. *see* Gerla, M. 87—40036
Pazos R, R.A., Gerla, M. Express pipe network design 87—19995
Pazout, F. On the effectiveness of building hydroelectric power stations 86—51492
Pazout, F. Evaluation of the economic effectiveness of small hydroelectric power plants from the national-economic viewpoint 86—51493
Pazout, F. Evaluation of the economic effectiveness of small hydroelectric power stations from the viewpoint of an organisation 86—70828
Pazout, F. A simplified alternative of assessing economic effectiveness of small hydroelectric power plants (MVE) from the viewpoint of an organisation (co-operative) 86—70829
Pazout, F. National-economic viewpoint on the evaluation of the effectiveness of small hydroelectric power stations according to the FMPE no. 3/63/1985 report 87—4605
Pazout, F. Evaluation of economic effectiveness of small hydroelectric power stations in Western countries 88—11118
Pazurova, T. *see* Trnovcova, V. 87—54005
Pazynin, L.A., Sologub, V.G. Diffraction radiation of a point charge moving along the axis of a segment of a circular waveguide 86—3451
Pazynin, L.A., Sologub, V.G. Excitation of a cylindrical retarding system of finite length by a modulated flux of charge particles 88—27576
Pazyuk, V.S. *see* Basov, N.G. 85—41334
Pazyuk, V.S. *see* Vagin, N.P. 85—24490, 87—12390, 88—27074
Pazzi, R. *see* Calicchio, M. 88—29811
Pchelin, V.M. *see* Burkhanov, G.S. 86—33839
Pchelin, V.M. *see* Karachev, V.M. 86—33836
Pchelkin, A.B. *see* Grebennik, V.S. 88—43965
Pchel'nikov, Yu.N. A broadband helical filter for suppression of converter noise 86—15893
Pchel'nikov, Yu.N. Evaluating wave damping in delay lines on connected helices 87—52467
Pchel'nikov, Yu.N. Unconventional uses of retarding systems 87—66826
Pchel'nikov, Yu.N. *see* Loshakov, L.N. 88—20894, 88—66125
Pchelyakov, O.P. *see* Rzhanov, A.V. 86—57454
Pchelyakov, O.P. *see* Sokolov, L.V. 87—36765
Pchelyakov, Yu.N. *see* Boiko, N.M. 87—21039
Peabody, F., Dunford, W.G., Brdicko, J. An analysis of a thin steel rotor, double sided, annular, linear induction motor 87—4738
Peabody, F., Nyberg, D., Dunford, W.G. The use of a spreadsheet program to design motors on a personal computer 87—42960
Peabody, F., Nyberg, D.W., Dunford, W.G. The use of a spreadsheet program to design motors on a personal computer 87—64521
Peabody, F. *see* Mauch, K. 86—45427
Peabody, R.M. *see* Donoghue, P.J. 87—50509
Peace, M. Using new technology [solar power and digital switching in Sierra Leone] 88—34892
Peace, W.H. Across the great divide: electric power generation in the 1990's 87—64097
Peach, A. Achieving high power from small packages 87—72254
Peach, D.F. *see* FitzPatrick, G. 85—39539
Peach, K. *see* Arnault, C. 87—14216
Peach, K.J. *see* Burkhardt, H. 88—47997
Peach, R. ATE and AI: a possible match? 88—9888
Peach, R.C. A variational method for the design of trapped energy resonators 86—42046
Peach, R.C. Network analyser techniques for the determination of equivalent circuit parameters of generalized crystal resonators 87—18447
Peach, R.C. Network analyser techniques for the determination of crystal resonator circuit parameters 87—60725
Peach, R.C., McClemont, F.S. A simple three transducer low-loss SAW filter structure 88—51134
Peach, R.C., Morris, S.E. A system for precision parameter measurements on quartz crystal resonators and bipoles 86—42062
Peacock, A., Taylor, B.G., White, N., Courvoisier, T., Manzo, G. The in-orbit performance of the Exosat gas scintillation proportional counter 85—43196
Peacock, A. *see* Simons, D.G. 85—43199
Peacock, A. *see* Valero, J. 88—61116
Peacock, A.J., Morgan, M.D.L., Gourlay, A.R., Dennison, D.M. An optical technique of mapping the change in shape of the chest wall with breathing 86—32293
Peacock, A.J. *see* Morgan, M.D.L. 86—32292
Peacock, D.C. *see* Gomati, M.M. 88—8828
Peacock, D.C. *see* Kerr, T.M. 87—38116, 88—50718
Peacock, D.C. *see* Smith, C.G. 88—71328
Peacock, D.C. *see* Wharam, D.A. 88—71327
Peacock, F.N. *see* Beenker, F.P.M. 87—32597

Peacock, G.S. How to use stereo earphones with your amateur receiver 88−9830

Peacock, G.S. *see* Srinath, M.D. 85−30449

Peacock, H.G. The Electronics Manufacturing Productivity Facility—a cooperative program to 'achieve excellence in production through research in manufacturing' 87−23332

Peacock, J.R. *see* Klett, R.D. 85−23851

Peacock, K.I. Kaiser-Bessel weighting of the Hilbert transform high-cut filter 85−46784

Peacock, R. *see* Hawkins, K.C. 85−29763

Peacock, S.L., Accomazzo, M.A., Grant, D.C. Quantitative count calibration of light scattering particle counters 87−31317

Peacock, S.T., Wagstaff, T. A statistical analysis of false fire alarms from hospitals 85−5742

Peacocke, D. The hard facts about software: quality counts [for ESS] 85−19959

Peacocke, D. Online expertise for telecommunications 88−59930

Peacocke, D., Rabie, S. Knowledge based maintenance in networks 88−46803

Peacocke, D. *see* Bult, T. 87−34289, 87−69835

Peacocke, D. *see* Ferguson, I. 88−3403

Peacocke, R.P., Carron, D.A. A review of control systems operation and performance at Hinkley Point 'B' Power Station 85−48819

Peady, G.W. Using the UNIX system on the AAEC network 85−19771

Peaiyoung, S. *see* Salon, S.J. 88−8403

Peak, L.S. *see* Bakich, A.M. 85−15182, 86−60604

Peak, S.C., Oldenkamp, J.L. A study of system losses in a transistorized inverter-induction motor drive system 85−44243

Peak, S.C. *see* Oldenkamp, J.L. 85−44244

Peake, O., Lemons, E., Rowlands, N. Development of the Channel Island Power Station 86−45216

Peaker, A. *see* Thornton, J. 88−57494

Peaker, A.R. *see* Allsopp, D. 85−11929

Peaker, A.R. *see* Evans, J.H. 88−64261

Peaker, A.R. *see* Hamilton, B. 86−53435

Peaker, A.R. *see* Hawkins, I.D. 86−28309

Peaker, A.R. *see* Ke, W.K. 85−50210

Peaker, A.R. *see* Nicholas, D.J. 85−11931, 88−49883

Pealat, M., Bouchardy, P., Lefebvre, M., Taran, J.-P. Precision of multiplex CARS temperature measurements 85−35849

Pealat, M. *see* Bonnet, J. 86−3066

Pealer, N.A. Future of federally operated radionavigation systems 85−3545

Pealer, N.A. Worldwide radionavigation planning 85−37125

Pealer, N.A. *see* Kalafus, R.M. 87−41054

Peall, R.G., Syms, R.R.A. Scalar strong coupled mode theory for slowly-varying waveguide arrays 88−72124

Peall, R.G. *see* Syms, R.R.A. 88−51505

Peana, S. *see* Duyar, A. 88−11395

Peanasky, M.J., Drickamer, H.G. Effect of pressure on the height of the Schottky barrier (ϕ_B) for several semiconductors 85−23549

Peanasky, M.J. *see* Epler, J.E. 85−35778

Peanasky, M.J. *see* Kaliski, R.W. 85−35652

Peaple, L.H.J. *see* Birch, R. 85−37940 to 37941

Pear, J.J., Kinsner, W., Roy, D. Vocal shaping of retarded and autistic individuals using speech synthesis and recognition 88−68456

Pear, J.J. *see* Klein, R. 88−74830

Pearah, P., Henderson, T., Klem, J., Masselink, W.T., Chand, N., Morkoc, H. Reduced light sensitivity and persistent photoconductivity in novel modulation doped heterostructures incorporating an n-GaAs/AlGaAs superlattice as the high bandgap material 85−29008

Pearah, P., Henderson, T., Klem, J., Morkoc, H., Nilsson, B., Wu, O., Swanson, A.W., Ch'en, D.R. Rapid thermal annealing of modulation-doped $Al_xGa_{1-x}As/GaAs$ heterostructures for device applications 85−1372

Pearah, P. *see* Chand, N. 85−41235

Pearah, P. *see* Drummond, T.J. 85−50262

Pearah, P. *see* Masselink, W.T. 85−22462

Pearah, P.J., Klem, J., Peng, C.K., Henderson, T., Masselink, W.T., Morkoc, H., Reynolds, D.C. Optical transitions and acceptor binding energies in $GaAs/Al_xGa_{1-x}As$ single quantum well heterostructures grown by molecular beam epitaxy 85−56421

Pearah, P.J., Masselink, W.T., Henderson, T., Peng, C.K., Morkoc, H., Sanders, G.D., Yia-Chung Chang Optical properties of GaAs/AlGaAs quantum wells grown by molecular beam epitaxy 86−53396

Pearah, P.J. *see* Erickson, L.P. 85−5979

Pearah, P.J. *see* Masselink, W.T. 86−21206

Pearah, P.J. *see* O'Connor, J.M. 88−19400

Pearce, A., Wyvill, B., Wyvill, G., Hill, D. Speech and expression: a computer solution to face animation 87−7702

Pearce, A. *see* Hill, D.R. 88−40872

Pearce, B. A flexible PCB test work-cell: robotic testing reduces human handling and improves yields 88−38890

Pearce, B.K., Jackson, J.E., Dixon, M.W., Bourne, F.R. Reduction of seismic loads in cable tray hangers 85−9592

Pearce, B.K., Norris, R.E. Small-scale dynamic testing of electrical raceway systems for nuclear power plants 85−63984

Pearce, C.W. Defect and contamination control in VLSI fabrication processes 85−1719

Pearce, C.W., Yaney, D.S. Short-channel effects in MOSFETs 85−55826

Pearce, C.W. *see* Fair, R.B. *(editor)* 86−26510

Pearce, D., Webb, M. Rural electrification in developing countries. A reappraisal 88−5271

Pearce, D. *see* Baartman, R. 85−58988

Pearce, D.A.J. *see* Batchellor, C.R. 88−42116, 88−47548

Pearce, D.A.J. *see* Dakin, J.P. 87−49952, 88−39941, 88−42115, 88−74465

Pearce, D.J.B., Whitaker, L.C. Reference formant analysis 86−48839

Pearce, E.J. *see* Capper, P. 87−23614

Pearce, E.M. *see* Min Yu Li 88−13246

Pearce, J. A constructive consistency proof of a fragment of set theory 85−10594

Pearce, J. Current electrosurgical practice: hazards 85−48320

Pearce, J.A. Laser applications in clinical medicine 88−14319

Pearce, J.A. *see* Kim, D.W. 87−50376

Pearce, J.L. Processing of communication signals on-board military satellites 88−41600

Pearce, J.L. *see* Felstead, E.B. 87−40822, 88−41601

Pearce, J.N. A receiving system for practical surveys of mobile radio reception 86−64889

Pearce, J.O. *see* Fiebig, A. 88−61071

Pearce, J.R. Getting the right answers [microprocessors, measuring equipment] 85−31375

Pearce, J.R. Precision Zener references and traceable standards 85−31555

Pearce, J.R. What does your A-D converter Do? 87−44974

Pearce, J.R., Holmes, D.C. Noise contributions to feature dimension measurement in a scanning electron microscope (SEM) 88−16495

Pearce, J.S. *see* Bramer, M.A. 88−61998

Pearce, K. *see* Barnard, R.W. 86−19992

Pearce, L. *see* Couturier, N. 87−2513

Pearce, L.W., Singh, G. How digital low power feedwater control can minimize plant trips 88−62110

Pearce, N., St.Clair, R. Pretreatment of heavy fuel oil for diesel power plants 86−25938

Pearce, O. Design considerations for a 1 KW L-band radar module 87−20607

Pearce, P., Boileau, B., Valbuena, R. The injection and ejection septum magnets of the LEP Electron Positron Accumulator (EPA) 86−50275

Pearce, P., Sherwood, T.R., Bruinsma, P.J.T., Rookhuizen, H.B., Vogel, A. A large aperture pulsed magnet for antiproton injection into the CERN AC ring 86−31860

Pearce, P.D., Lines, B.M., Squire, M.L. HNC in Information Technology designed primarily for people with family responsibilities 88−11660

Pearce, P.R. *see* Knight, D.J.E. 86−36435

Pearce, R. Wheatstone bridge accuracy bettered by DVMs 88−4540

Pearce, R. *see* Grant, D. 88−71548

Pearce, R. *see* Modarres, M. 87−64218

Pearce, R.M. *see* Blackmore, E.W. 85−37839

Pearce, T.A. *see* Patel, P.A. 88−36425

Pearce, T.H. Multiple frequency laser interference microscopy: a new technique 85−29969

Pearce, T.H., Baker, A.C. Analogue to digital conversion requirements for HF radio receivers 88−12466

Pearce, T.H., Baker, A.C., Carter, C.G. The application of DSP techniques in HF radio receiver design 88−47286

Pearce, T.H., Rogers, S.D. Design considerations for an HF digital radio receiver 86−64867

Pearce, T.W. *see* Woodside, C.M. 87−34212

Pearce, W.J. *see* Bones, R.A. 88−11657

Pearcey, T. *see* Bennett, J.M. *(editor)* 86−33918

Pearcy, M.J., Gill, J.M., Whittle, M.W., Johnson, G.R. Dynamic back movement measured using a three-dimensional television system 88−4898

Pearey, L. *see* Pohm, A.V. 85−24142

Pearey, L.A. *see* Hur, J.H. 88−71897

Pearl, D.L. *see* Olson, L.T. 86−52627

Pearl, J. *see* Rebane, G. 88−18590

Pearl, L. Factors involved in the design and manufacture of bonded heat sinks 85−10499

Pearl, N. Cutting the cords [packet radios use] 85−20009

Pearl, P. *see* Birtwhistle, D. 86−39005, 88−62518

Pearl, W.L. *see* Bell, M.J. 86−32971

Pearlman, J. *see* Fisher, A. 86−32045

Pearlman, J.S., Riordan, J.C. Bright discharge plasma sources for X-ray lithography 86−11921

Pearlman, R. *see* Quong, D. 86−14264

Pearlman, W. New algorithms for optimum quantization and $\bar{\rho}$-distance 87−54888

Pearlman, W.A. Variable block rate and blockwise spectral adaptation in cosine transform image coding 88−73249

Pearlman, W.A., Jakatdar, P. Transform tree coding of images 85−13635

Pearlman, W.A., Jakatdar, P. A transform tree code for stationary Gaussian sources 86−29726

Pearlman, W.A., Leung, M.M., Jakatdar, P. Adaptive transform tree coding of images 86−10508

Pearlman, W.A., Mahesh, B. Adaptive minimum-error, minimum correlation image restoration 88−59278

Pearlman, W.A., Woo-Jin Song A robust method for restoration of photon-limited, blurred images 85−30335

Pearlman, W.A. *see* Mazor, B. 86−10259, 86−59215

Pearlman, W.A. *see* Nanda, S. 88−73248

Pearlman, W.A. *see* Shlomot, E. 88−41070

Pearlman, W.A. *see* Song, W.-J. 88−72930

Pearlman, W.A. *see* Toy, R. 87−61777

Pearlman, W.A. *see* Woo-Jin Song 87−47959, 87−47989

Pearlstein, L., Liu, B. Retrieval of sinusoidal signals by adaptive notch filtering 86−64308

Pearlstein, L., Liu, B. Convergence rate of adaptive line enhancer with tap failures 87−62006

Pearmain, A.J., Danikas, M.G. A study of the behavior of uniaxially oriented polyethylene tape/oil insulating system subjected to electrical and thermal stresses 88−5360

Pearmain, A.J., Danikas, M.G. A study of the behaviour of a uniaxially orientated polyethylene tape/dodecylbenzene oil insulating system subjected to electrical and thermal stresses 88−68960

Pearmain, A.J. *see* Danikas, M.G. 85−29397, 86−68123

Pearmain, A.J. *see* Jong, C.C. 87−65976

Pearn, W.L. New lower bounds for the capacitated arc routing problem 88−63179

Pearne, N. Surface mounting technology—a major facet of change 86−47143

Pearne, N. VLSI and custom silicon: their impact on sockets and connectors 88−39655

Pearne, N., Sinnidura, N. Chip carriers: the key to miniaturisation 86−10906

Pearne, N.K. Future trends in IC packaging 87−16408

Pearsall, E.S. *see* Babar, R.A. 87−64288

Pearsall, N. *see* Landis, G.A. 88−37588

Pearsall, N.M., Emery, K.A., Davies, M. Influence of reference cell and spectrum on the measurement of solar cells 88−17962

Pearsall, N.M., Hill, R., Dollery, A.A. The status and prospects of indium phosphide based solar cells for space use 88−5892

Pearsall, N.M. *see* Hill, R. 87−42736 to 42737

Pearsall, N.M. *see* Himrane, F. 87−4939

Pearsall, N.M. *see* Wolfe, P.R. 88−5604, 88−62623

Pearsall, N.M. *see* Hill, R. *(editor)* 88−55848

Pearsall, T.P., Beam, E.A., Temkin, H., Bean, J.C. Ge-Si/Si infra-red, zone-folded superlattice detectors 88−53690

Pearsall, T.P., Bean, J.C. Enhancement- and depletion-mode p-channel Ge_xSi_{1-x} modulation-doped FETs 86−53629

Pearsall, T.P., Bean, J.C., People, R., Fiory, A.T. Ge_xSi_{1-x} modulation-doped p-channel field-effect transistors 87−1559

Pearsall, T.P., DiGuiseppe, M.A. InP-metal barrier junctions with improved I-V characteristics 86−53443

Pearsall, T.P., Temkin, H., Bean, J.C., Luryi, S. Avalanche gain in Ge_xSi_{1-x}/Si infrared waveguide detectors 86−54040

Pearsall, T.P. *see* Luryi, S. 86−44310

Pearsall, T.P. *see* Temkin, H. 86−48289, 86−50094, 86−70136, 87−8627

Pearson, A. The control of Canadian nuclear reactor, an account of its unique features 87−78412

Pearson, A.D., Cohen, L.G., Reed, W.A., Krause, J.T., Sigety, E.A., Dimarcello, F.V., Richardson, A.G. Optical transmission in dispersion-shifted single mode spliced fibers and cables 85−7237

Pearson, A.E. *see* Wuu, C.Y. 85−2813

Pearson, A.R. *see* Argent, S.J. 85−9482

Pearson, A.W. *see* Dill, D.D. 85−72

Pearson, B. Design low-power, rad-hardened satellite systems 86−69705

Pearson, C. *see* Carroll, A. 88−54314

Pearson, C. *see* Leonhardt, W. 88−54317

Pearson, C. *see* Sandberg, J. 88−54318

Pearson, C. *see* Sims, W.P. 88−54315

Pearson, C. *see* Stillman, P. 88−54319

Pearson, C. *see* Walker, J.C. 88−54316

Pearson, C.M. Power conditioning improves system availability, increases yields [ATE] 85−37449

Pearson, D. Transmitting sign language for the deaf 86−54847

Pearson, D. *see* Hanna, E. 87−33776

Pearson, D.E., Robinson, J.A. Visual communication at very low data rates 85−51739

Pearson, D.E. *see* Cazin, J. 86−16505

Pearson, D.E. *see* Ghanbari, M. 88−41789

Pearson, D.E. *see* Martinez, K. 85−46963, 87−20996

Pearson, D.I.C. *see* Van Oost, G. 88−48572

Pearson, D.L. *see* Thomas, A.G. 87−46260

Pearson, D.T. *see* Poslad, S.J. 87−77599

Pearson, D.T. *see* Sutherland, K.M. 88−61392

Pearson, D.W. *see* Meger, C.M. 88−39336

Pearson, E., Takai, T., Halicioglu, T., Tiller, W.A. Computer modeling of Si and SiC surfaces and surface processes relevant to crystal growth from the vapor 85−39692

Pearson, E.M. Computer conferencing for enhanced communication: its potential for academic and research communities 88−46750

Pearson, G.A. Recent investigations into W-band pulsed IMPATT oscillator design 88−32475

Pearson, G.G. Field experience with optical data links 87−13743

Pearson, G.N., Hall, D.R. Carbon monoxide laser excited by radio-frequency discharge 87−46744

Pearson, G.W. *see* Grilliland, R.G. 87−4732

Pearson, H.J. Status of ISO protocols in the presentation and application layers 88−9240

Pearson, I. *see* May, D. 86−8271

Pearson, J. *see* Bing Chen 88−23802

Pearson, J.B., Curzon, F.L. Glass calorimeter for spatially resolved studies in arc lamps 86−38600

Pearson, J.B., DeVita, E., Laxdal, R., Lee, R., Mackenzie, G.H., Ries, T.C., Trelle, R., Zach, M. Magnetic channel design concepts for the extraction of H^- ions from the TRIUMF cyclotron 88−54352

Pearson, J.B., Hilko, B., Houtman, H., Curzon, F.L. Laser speckle measurements of flow velocity in a simplified gas jet 86−38611

Pearson, J.B. *see* Curzon, F.L. 86−40282

Pearson, J.B. *see* Dahleh, M.A. 87−502

Pearson, J.B. *see* Mackenzie, G.H. 88−54311

Pearson, J.C., Gelfand, J.J., Sullivan, W.E., Peterson, R.M., Spence, C.D. Neural network approach to sensory fusion 88−74262

Pearson, J.F., Fraser, G.W., Whiteley, M.J. Variation of microchannel plate resistance with temperature and applied voltage 87−71015

Pearson, J.F., Lees, J.E., Fraser, G.W. Operating characteristics of sandwich microchannel plates 88−61106

Pearson, J.F. *see* Fraser, G.W. 87−35346, 87−57032, 88−61108

Pearson, J.F. *see* Simons, D.G. 88−16641

Pearson, J.J. *see* Pischel, E.F. 86−24372

Pearson, J.M. Polymeric optical disk recording media 86−66863

Pearson, J.M. *see* Richardson, S. 85−60556

Pearson, K.V. Printed circuit board fault detection and isolation using thermal imaging techniques 87−11189

Pearson, L.H., Murri, W.J., Gardiner, D.S. Ultrasonic detection of in-plane properties of composite laminates 87−373

Pearson, L.W. The singularity expansion representation of surface current on a perfectly conducting scatterer 85−36000

Pearson, L.W. A technique for organizing large moment calculations for use with iterative solution methods 86−3476

Pearson, L.W. A construction of the fields radiated by *z*-directed point sources of current in the presence of a cylindrically layered obstacle 86−68664

Pearson, L.W. The electromagnetic edge wave due to point source of current radiating in the presence of a conducting wedge 87−7516

Pearson, L.W. A ray representation of surface diffraction by a multilayer cylinder 87−61359

Pearson, L.W. A scheme for automatic computation of Fock-type integrals [antenna theory] 88−14474

Pearson, L.W. *see* Cobin, R.D. 85−7619

Pearson, L.W. *see* Naishadham, R. 85−51395

Pearson, L.W. *see* Pal, A. 87−12696

Pearson, L.W. *see* Samaan, S.B. 87−29016

Pearson, M. Stressing the human factor in energy management 87−73

Pearson, M. Implementing MAP/EPA in the manufacturing cell 87−28067

Pearson, M.G. The cost-effectiveness of terrestrial radio-navigation 87−3257

Pearson, N.D., Storeton-West, T.J. The design of an acoustic transponding compass tag for free-swimming fish 87−56280

Pearson, N.M. *see* Ambats, I. 85−43251

Pearson, N.S. *see* Chaddha, R.L. 88−3748

Pearson, P. Proposed baseline for large scale fuel channel replacement of Pickering GS Units 3/4 88−75287

Pearson, P. Analysis of production losses during a major outage, Pickering GS Units 1/2 retube 88−75378

Pearson, P.J. Delayed mains switch-off 85−49741

Pearson, P.J. *see* Hill, C. 88−64392

Pearson, P.J. *see* Logan, J.R. 88−56284

Pearson, R. Software tools—their development and use at Rochester Institute of Technology 86−19780

Pearson, R. Test, measurement and diagnostic equipment (TMDE) memory and storage devices 88−29266

Pearson, R.A., Davies, D.E.N., Cullen, A.L. An array fed dual reflector antenna for limited sector electronic beam scanning 87−47425

Pearson, R.A., El-Shirbini, E., Smith, M.S. Electronic beam scanning using an array-fed dual offset reflector antenna 87−26977

Pearson, R.C., McCloy, R.F., Cutler, W.C., Levitt, J.R., Richards, B., Vickery, J.C. Multichannel digital recording of intraluminal temperature in the upper gastrointestinal tract of man: techniques and analyses 88−74785

Pearson, R.E., Fuller, L.F., Turkman, R., Ramanan, S. PMOS metal gate process, ideal for undergraduate integrated circuit fabrication projects 87−58595

Pearson, R.E. *see* Acito, W.P., Jr. 87−58598

Pearson, R.E. *see* Fuller, L.F. 87−58597, 87−58639

Pearson, R.E. *see* Lemmond, T.C. 87−58596

Pearson, R.E. *see* Ramanan, S. 87−60410

Pearson, R.E. *see* Rogers, L.A. 87−58599

Pearson, R.G. *see* Skrainar, S.F. 85−58430

Pearson, R.H. Designing emitter followers 86−27096

Pearson, R.H. Crystal calibrator 86−35952

Pearson, R.L. Laser listener 88−8387

Pearson, R.M. CMOS logic arrays customised with one mask 86−41012

Pearson, R.P. *see* Stiles, G.J. 87−49155

Pearson, S. *see* Kew, S. 86−58427

Pearson, S.D., Polavarapu, M.S. Protection of a polysilicon gate containing a metal silicide during an annealing step 85−29218

Pearson, S.M., Wilders, M.A., Chambers, A.A. Reactive ion etching of AlSiCu alloy films 87−45802

Pearson, W. *see* Stritter, S. 87−44910

Pearson, W.A. *see* Alsaka, Y.A. 88−66337

Pearson, W.C. *see* Heaslip, J.G. 87−37255

Pearson, W.R., Sen, P.C. Brushless DC motor propulsion using synchronous motors for transit systems 85−16296

Peart, P. *see* Niederreiter, H. 86−46227

Peart, R.F. *see* Chater, R.J. 87−17932

Peart, R.F. *see* Hemment, P.L.F. 85−34655, 85−50288

Peart, R.F. *see* Jager, H.U. 88−71424

Peart, R.F. *see* Kilner, J.A. 85−45519, 86−41682

Peart, R.F. *see* Mynard, J.E. 85−34774

Peart, R.F. *see* Reeson, K.J. 86−41671, 87−11623

Pearton, S. *see* Gurvitch, M. 87−17784

Pearton, S.J., Abernathy, C.R., Caruso, R., Vernon, S.M., Short, K.T., Brown, J.M., Chu, S.N.G., Stavola, M., Haven, V.E. Thickness dependence of material quality in GaAs-on-Si grown by metalorganic chemical vapor deposition 88−31751

Pearton, S.J., Brown, J.M., Short, K.T. Formation of p^+ and high resistivity regions in GaAs-AlGaAs heterojunctions 88−44583

Pearton, S.J., Chantre, A.M., Kimerling, L.C., Cummings, K.D., Dautremont-Smith, W.C. Hydrogen passivation of oxygen donors in Si 87−11345

Pearton, S.J., Cummings, K.D., Vella-Coleiro, G.P. Rapid thermal annealing in GaAs IC processing 86−21654

Pearton, S.J., Dautremont-Smith, W.C., Tu, C.W., Nabity, J.C., Swaminathan, V., Stavola, M., Chevallier, J. Hydrogen passivation of shallow level impurities and deep level defects in GaAs 87−60105

Pearton, S.J., Gibson, J.M., Jacobson, D.C., Poate, J.M., Williams, J.S., Boerma, D.O. Transient thermal processing of GaAs 87−11588

Pearton, S.J., Hull, R., Jacobson, D.C., Poate, J.M., Williams, J.S. Relationship between secondary defects and electrical activation in ion-implanted, rapidly annealed GaAs 86−27858

Pearton, S.J., Poate, J.M., Sette, F., Gibson, J.M., Jacobson, D.C., Williams, J.S. Ion implantation in GaAs 87−38092

Pearton, S.J., Tavendale, A.J., Williams, A.A., Alexiev, D. Low temperature injection mechanisms for acceptor neutralizing species in silicon 87−17933

Pearton, S.J., Von Neida, A.R., Brown, J.M., Short, K.T., Oster, L.J., Chakrabarti, U.K. Ion implantation damage and annealing in InAs, GaSb, and GaP 88−64379

Pearton, S.J., Wu, C.S., Stavola, M., Ren, F., Lopata, J., Dautremont-Smith, W.C., Vernon, S.M., Haven, V.E. Hydrogenation of GaAs on Si: effects on diode reverse leakage current 87−74282

Pearton, S.J. *see* Abernathy, C.R. 88−11950

Pearton, S.J. *see* Chakrabarti, U.K. 88−31503

Pearton, S.J. *see* Chand, N. 87−45759, 88−1470

Pearton, S.J. *see* Chantre, A. 87−38108

Pearton, S.J. *see* Chevallier, J. 86−58386

Pearton, S.J. *see* Corbett, J.W. 88−57295

Pearton, S.J. *see* Cummings, K.D. 86−63144, 87−2016, 87−11590

Pearton, S.J. *see* Dautremont-Smith, W.C. 87−11347

Pearton, S.J. *see* Gossard, A.C. 87−36714

Pearton, S.J. *see* Hubbard, G.S. 85−43232

Pearton, S.J. *see* Jacobson, D.C. 87−11589

Pearton, S.J. *see* Jordan, A.S. 88−49887

Pearton, S.J. *see* Nabity, J.C. 87−45572

Pearton, S.J. *see* Ren, F. 88−63606

Pearton, S.J. *see* Short, K.T. 88−7468

Pearton, S.J. *see* Tavendale, A.J. 86−35283, 87−11734

Pearton, S.J. *see* Tobin, S.P. 88−31041

Pearton, S.J. *see* Tu, C.W. 88−39174

Pearton, S.J. *see* Vernon, S.M. 87−53346, 88−38206

Pearton, S.J. *see* Von Neida, A.R. 87−25066

Pearton, S.J. *see* Weber, J. 87−60337

Pearton, S.J. *see* Werder, D.J. 87−60095

Pease, D.A. *see* Namavar, F. 85−18237

Pease, D.C. *see* Dougal, R.A. 85−5309

Pease, J., Mendelsohn, A. Automating measurements of weak signals 87−41335

Pease, J.S. *see* Scott, J.L. 86−17974

Pease, R. Detecting loss of 4-20 mA signal 85−44902

Pease, R. An overview of temperature sensing 87−21020

Pease, R., Emily, D., Boesch, H.E., Jr. Total dose induced hole trapping and interface state generation in bipolar recessed field oxides 86−35693

Pease, R.A. A new Fahrenheit temperature sensor 85−31455

Pease, R.A. A versatile triangle-wave current pulser 85−54731

Pease, R.A. DAC lends digital control to phase-shifter 86−52974

Pease, R.A. Temperature sensors. Technology and fields of application 86−65289

Pease, R.F. *see* Chae, S.-I. 88−6878, 88−32201

Pease, R.F. *see* Soo-Ik Chae 87−67510

Pease, R.F. *see* Wooley, B.A. 88−26464

Pease, R.F.W. Advances in packaging for VLSI systems 87−43999

Pease, R.F.W., Bravman, J.C., Kwon, O.K., Hong, S., Douglas, S.C., Langley, B.W., Paal, A.F. High performance packaging for VLSI systems 87−67531

Pease, R.F.W. *see* Allee, D.R. 88−39515, 88−39539

Pease, R.F.W. *see* Chou, S.Y. 88−50894, 88−57669

Pease, R.F.W. *see* Crabbe, E. 87−45898, 88−7585

Pease, R.F.W. *see* Dameron, D.H. 88−39309

Pease, R.F.W. *see* de la Houssaye, P.R. 88−39506

Pease, R.F.W. *see* Hoyt, J.L. 87−58914, 88−43896, 88−71326, 88−71414

Pease, R.F.W. *see* Kwon, O.-K. 87−23350, 88−7711, 88−25450

Pease, R.F.W. *see* Kwon, O.K. 88−20269

Pease, R.F.W. *see* McCord, M.A. 85−34417, 86−35490, 87−38009, 87−38401, 88−39255

Pease, R.F.W. *see* Narum, D.H. 88−56239

Pease, R.F.W. *see* Newman, T.H. 85−1438, 87−38381

Pease, R.F.W. *see* Paal, A. 87−16399

Pease, R.F.W. *see* Polasko, K.J. 85−34713, 86−35521

Pease, R.F.W. *see* Thomas, A. 88−13203

Pease, R.L., Enlow, E.W., Dinger, G.L., Marshall, P. Comparison of proton and neutron carrier removal rates 88−26280

Pease, R.L. *see* Tausch, H.J. 88−26292

Pease, W. *see* Fabian, R. 86−58493

Peat, A. SCE's first EHV-GIS 87−78742

Peat, A. *see* Sabath, J. 87−30872

Peat, C. Hotel reservations go worldwide 85−19811

Peat, M. *see* Culham, E.G. 86−60826

Peat, R. *see* Abrantes, L.M. 87−60213

Peat, R. *see* Williams, D.E. 88−40436

Peate, J. Batchweighing technology 85−58916

Peatfield, A.C. Local area networks: standards open markets to multivendors 86−16895

Peatfield, A.C. Standards open markets to multivendors 86−49238

Peatfield, A.M., Duckers, L.J., Lockett, F.P., Loughridge, B.W., White, P.R.S., West, M.J. Energy from low head water sources 85−15918

Peatfield, A.M. *see* Lockett, F.P. 85−15926

Peatfield, A.M. *see* Loughridge, B.W. 87−50710

Peatfield, A.M. *see* White, P.R.S. 87−42710

Peatfield, T. *see* West, M. *(editor)* 85−10338

Peatman, W. *see* Gudat, W. 86−60453

Peatman, W. *see* Pfluger, J. 88−47810

Peatman, W. *see* Schafers, F. 86−55950

Peatman, W. *see* Wolf, F.-P. 86−60492

Peatman, W.B., Bradshaw, A.M. VUV and soft X-ray beam lines in operation at BESSY 86−60646

Peatman, W.B. *see* Kuske, P. 87−21304

Peattie, R. A simple, low-drift circuit for measuring temperatures in fluids 87−56901

Peau, E.W., *see* Wagner, H. 87−71059

Peavey, J. *see* Lachenbruch, R. 86−2064

Peberdy, N.J. *see* Potgieter, J.H. 85−42294

Pebler, A. Transmission electron microscopic examination of phosphoric acid fuel cell components 86−40071

Pebley, D. Multiport averaging pitot tube in gas measurement and control 86−11779

Pecar, J. *see* Priam, S. 86−11713

Pecas Lopes, J.A., Maciel Barbosa, F.P., Ferreira da Silva, F.M. Approximate calculation of the initial trajectories of a power system using the model of the centre of inertia, for studies of transient stability 87−57474

Pecas Lopes, J.A., Maciel Barbosa, F.P., Marques de Sa, J.P. Fast transient stability assessment in electric power systems by pattern recognition 88−5243
Pecas Lopes, J.A., Maciel Barbosa, F.P., Marques de Sa, J.P., Sa da Costa, J.M.G. A new approach for transient security assessment and enhancement by pattern recognition 88−36746
Pecchioli, A. *see* Bini, M. 85−37867
Peccoud *see* Delobel, O. 88−12080
Peccoud, L., Arroyo, J., Chevallier, M., Puech, M. Reactive ion etching of films of aluminium alloys AlSiTi 2% and AlSiCu 2% on TiW 86−58406
Peccoud, L., Laporte, P., Arroyo, J., Charlet, B. New trends and limits in plasma etching 87−60332
Peccoud, L., Laporte, Ph. Plasma etching of silicides and polycides in very-large-scale integration technology 86−63203
Peccoud, L. *see* Andries, B. 88−19823
Peccoud, L. *see* Charlet, B. 88−19834
Peccoud, L. *see* Laporte, Ph. 86−58418
Peccoud, L. *see* Rey, A. 86−28441
Peceli, G. Finite wordlength effects in digital filters 86−1292
Peceli, G. Derivation of recursive signal processing procedures on the basis of observer theory 86−23051
Peceli, G. A common structure for recursive discrete transforms 87−12997
Peceli, G., Feher, B., Nagy, F. Recursive relaxation of discrete transformations 87−24349
Peceli, G., Sztipanovits, J., Zillich, P. The MMT system and its application 86−18274
Peceli, G. *see* Bago, B. 86−60708
Peceli, G. *see* Papp, Z. 86−60707
Peceli, Z. *see* Penny, N. 86−40334, 87−43705
Peceli, Z. *see* Stemmons, W. 85−15598
Pecen, J., Neukermans, A., Kren, G., Galbraith, L. Counting errors in particulate detection on unpatterned wafers 87−60250
Pecena, D.D. *see* Boggs, S.A. 88−39749
Peceny, J., Zizek, F. Measuring of electric torque of AC rotating machines 87−22208
Pecevich, P. Rapid determination of ionic contaminants 85−61814
Pecevich, P.M., Jones, W.R. Ion chromatography speeds analysis of water and steam chemistries 86−33084
Pech, A.L. *see* Angelotti, J.I. 85−3865
Pech, E. Digital signal processing for memory features in TV applications 87−20750
Pech, E., Ruprecht, J. New concept for picture processing: digital TV decoder for picture storing 86−30986
Pech, J. Electrostatic discharges and their influence on electronic instruments 85−23858
Pech, J.W. *see* Wertz, O.D. 86−61340
Pech, T., Chabrerie, J.P., Ricard, A. Plasma diagnostics by optical emission spectroscopy during DC magnetron sputtering of Ti in pure Ar and in Ar-N_2 gas mixtures 88−12079
Pechacek, R.E. *see* Raleigh, M. 85−22988, 88−42379
Pechan, E.H., Graves, K. The emissions strategy integration model: a proposed conceptual approach 85−4503
Pechenegov, S.M. *see* Golikova, S.N. 86−15676
Pechenik, N.V. *see* Popovich, N.G. 86−13126
Pechenina, N.N. *see* Kanevskii, D.Z. 85−13015
Pechenkin, A.N. *see* Ivanov, A.I. 88−4348
Pechenkin, S.A. *see* Isakov, I.F. 86−11825, 88−32052
Pechenkin, S.P. *see* Abramov, A.I. 85−43866
Pechenkin, S.P. *see* Timoshenko, N.I. 88−5442
Pechenkov, V.V. *see* Boguslavskii, A.A. 87−8640
Pechenov, A.N. *see* Akimova, I.V. 86−9811
Pechenov, A.N. *see* Dubrov, V.D. 85−7410, 86−9817, 86−68512
Pechenov, A.N. *see* Gavanin, V.A. 86−29001
Pechenov, A.N. *see* Komolova, L.F. 85−24567
Pechenov, A.N. *see* Nabiev, R.F. 88−20660
Pecheritsa, A.I. *see* Tkachenko, N.N. 85−50278
Pecherkina, T.P. *see* Isakova, A.I. 88−48320
Pecherkina, T.P. *see* Patrushev, G.Ya. 86−4925
Pecherskii, O.P. *see* Belogorskii, V.V. 87−21300
Pecherskii, O.P. *see* Burtsev, V.A. 86−44490
Pecherskii, O.P. *see* Gusev, O.A. 86−44492
Pecherskikh, A.P., Larionov, S.A. Recording digital data with a home cassette recorder 86−44201
Pecheur, G. *see* O'Hanlon, H. 88−54050
Pechewlys, D.A. *see* Borek, S.E. 88−15601
Pechinkin, A.V. A queueing system with absolute priorities 85−28102
Pechinkin, A.V. The analysis of one-server systems with small load 85−49426
Pechinkin, A.V. A new proof Erlang's formula for a lossy multichannel queueing system 88−31603
Pechkovski, I.I. *see* Petrov, L.P. 86−33750
Pechkovskii, A.V. *see* Bachmann, U. 88−61922
Pechkovskii, A.V. *see* Bakhman, U. 87−64205
Pechkovskii, Yu.V. *see* Lyul'ko, V.A. 87−63482
Pechkurov, V.A. *see* Gornov, M.G. 85−4202
Pechlat, M. *see* Braun, J. 85−50946, 86−42300
Pechlat, M. *see* Kostka, F. 87−74685
Pechman, V. *see* Guba, E. 86−19368, 86−51772
Pecho, W. *see* Arnold, W. 87−41738
Pechorskaya, I.M. *see* Tsimerman, A.B. 86−66501
Pecht, J. *T*-recognition of *T*-languages, a new approach to describe and program the parallel pattern recognition capabilities of *d*-dimensional tessellation structures 86−64355
Pecht, J. Solder paste vs. solder preforms−a comparison study 88−12818
Pecht, M. CALCE/RAMCAD for electronics 88−38022
Pecht, M., Naft, J., Palmer, M. Workstation requirements for printed wiring boards design 86−53156
Pecht, M., Palmer, M., Horan, J. Computer-aided heat sink design for printed wiring boards 86−27698
Pecht, M., Palmer, M., III, Naft, J. Thermal reliability management in PCB design 87−45401
Pecht, M., Palmer, M., Schenke, W., Porter, R. An investigation into PWB component-placement tradeoffs 88−38876
Pecht, M., Sawyer, B.T. PCB design for thermal reliability 87−66707
Pecht, M. *see* Azarm, S. 87−58812
Pecht, M. *see* Braunberg, G. 88−55941
Pecht, M.G. What research is underway to advance R&M automation for electronics?−workshop discussion 88−38023
Pecht, M.G., Pandelidis, I. The design of a generic gimbaled antenna structure 87−28694
Pechuk, V.I., Pospeev, A.D., Clofinskii, Yu.V. Strain gauge system for autoclave weighing 85−37587
Pechura, M.A. *see* Mcintyre, D.R. 85−51541
Pechurkin, V.I. *see* Vanyushev, B.V. 85−2422
Peciak, J. The quality measure methods for speech scrambling systems 87−12960
Peciakowski, E. *see* Przybyl, E. 85−49372
Pecile, D. *see* Brunel, C. 86−31552
Pecina, H. Train radio in Brazil 86−55219
Pecina, P. On the determination of the mass distribution index from radar observations [meteor observations] 85−3547
Peck, C. *see* Calicchio, M. 88−29811
Peck, D.D. *see* Sollner, T.C.L.G. 85−23496
Peck, D.S. Extension of the Duane plotting technique 85−54184
Peck, D.S. Comprehensive model for humidity testing correlation 87−132
Peck, E. *see* Caverly, R. 87−45272
Peck, H.I., McLaughlin, M.B. Broadband services−a network evolution view 88−9291
Peck, M.C. *see* Abrams, P.C. 87−63886
Peck, M.K., Salt, H. Measurement of transient temperatures at the centre of a sphere 87−49979
Peck, R.A., Jr. *see* Amols, H.I. 85−20875
Peck, R.D. Developing manufacturing systems for robotic insertion technology 86−27715
Peck, S.C. *see* Chao, H.-P. 85−21102
Peck, S.C. *see* Hung-Po Chao 86−12355, 87−9089
Peck, S.C. *see* Nelson, C.R. 86−18755
Peck, S.D., O'Loughlin, J.M., Christensen, E.H. Vapor-cooled lead and stacks thermal performance and design analysis by finite difference techniques 85−56250
Peck, S.D. *see* Hilal, M.A. 87−38715, 88−45021
Peck, S.D. *see* Ibrahim, E.a. 87−67944
Peck, S.D. *see* Leung, E.M.W. 87−74630
Peck, S.D. *see* Luton, J.N. 85−56230
Peck, S.D. *see* Parmer, J.F. 88−65995
Peck, S.D. *see* Weaver, J.M.R. 85−53218
Peck, S.R., Callen, P., Pierce, P., Wylie, T. STC-DBS electrical power subsystem [satellite power] 85−48418
Peck, S.R., Devaux, R.N. STC/DBS power subsystem control loop stability analysis [satellite power systems] 85−48444
Peck, S.R. *see* Devaux, R.N. 87−42151
Peck, W.F. The leadership transition from scientist to manager in a growing technical organization 87−43871
Peckel, M. *see* Khordoc, K. 86−67136
Peckel, S. *see* Hassler, Y. 87−18635
Peckerar, M. *see* Chaker, M. 88−23016
Peckerar, M. *see* Christou, A. 86−15179
Peckerar, M. *see* Pepin, H. 87−38371
Peckerar, M. *see* Qadri, S.B. 88−13371
Peckerar, M. *see* Saks, N. 86−5111
Peckerar, M. *see* Yao, C.T. 87−1560, 88−39452
Peckerar, M.C., Bosiers, J.T., McCarthy, D., Saks, N.S., Michels, D.J. Modeling UV response of rear-surface sensitized charge-coupled devices 87−49505
Peckerar, M.C. *see* Christou, A. 85−34174
Peckerar, M.C. *see* Yao, C.T. 88−42079
Peckerar, M.D. *see* Bosiers, J.T. 86−47617
Peckham, D.A. *see* Worcester, P.F. 86−65551
Peckham, D.W., Lovelace, C.R. Multimode optical fiber splice loss: relating system and laboratory measurements 88−20351
Peckham, D.W., Mettler, S.C., Kummer, R.B. A systematic approach to specifying multimode fiber manufacturing tolerances 85−29622
Peckham, G. CMOS driver for high threshold MOSFETS 86−943
Peckham, G.E. *see* Curtis, P.D. 87−35488
Peckham, G.E. *see* Flower, D.A. 86−4733
Peckham, G.E. *see* Jaroszyunski, D.A. 87−77159
Peckham, J. Application of voice recognition in word and text processing systems 86−48824
Peckham, J. VODIS—a voice operated database inquiry system 87−8491
Peckham, J. When machines have ears 87−27235
Peckham, J.B. Speech technology assessment activities in the UK 86−3823
Peckham, J.B. The economics of speech input 86−22976
Peckham, L.N., Davis, J.S., Allen, R.C. IRST signal processing concepts 88−21312
Peckham, P.H. Clinical interaction for effective technology implementation 87−42022
Peckham, P.H., Keith, M.W., Thrope, G.B., Memberg, W.D. Intramuscular electrodes for neuromuscular stimulation 88−61460
Peckham, P.H. *see* Buckett, J.R. 86−56167, 87−14926, 88−61466, 88−68478
Peckham, P.H. *see* Hart, R.L. 88−48136
Peckham, P.H. *see* Keith, M.W. 88−48204
Peckham, P.H. *see* Menger, V.L. 87−21679
Peckham, P.H. *see* Smith, B. 87−71169, 88−48237
Peckham, R., Cooper, D., Green, C.W.B. Reconstruction of three dimensional computer models from digitised stereo pictures 87−21010
Peckham, R.F. Thermal writing 1987 87−63274
Peckinpaugh, C.J. Repairable hermetic sealing of large, multilid microelectronics hybrid packages 86−52269
Peckinpaugh, C.L., Newland, D.J., Evans, E.A. Fast Flux Test Facility: first three years of operation and future mission 86−61299
Peckman, P.H. *see* Thrope, G.B. 85−53094
Peckover, R.S. *see* Hall, S.F. 86−6514
Pecontal, G. *see* Guerin, M. 87−41286
Pecorella, F. *see* Luppi, R. 85−26739
Pecorella, W., Petrillo, L., Salina, G., Severi, M. A digital circuit for detecting slow monopole events 85−61223
Pecorella, W., Petrillo, L., Severi, M. Evaluation of the attenuation length of a scintillator 85−59181
Pecorelli, M.A. A primary standard for partial discharges 85−33722
Pecot-Dechavassine, M. *see* Sebille, A. 88−68326
Pecoux, M.P. The challenge of training in Africa 88−62956
Pecque, A. Coaxial cable test equipment 85−168
Pecsok, L. Development tendencies at MIKI-instrumentation 87−14070
Pecsok, L. The development of measurement in industry 87−70348
Pecsok, R.L., Odhner, O.R. Foamable PVDF fluoroplastic for wire and cable applications 85−57910
Pecsvaradi, T. *see* Kang, U. 88−21518
Pecuh, A. Elaboration of control board arrangement drawings 87−22003
Pecur, D. *see* Juras, S. 85−40067
Pecz, B. *see* Horvath, Z.J. 88−1436
Pecz, B. *see* Jaroli, E. 87−37977
Peczalski, A., Chen, C.-H., Shur, M.S., Baier, S.M. Modeling and characterization of ion-implanted GaAs MESFET's 87−45948
Peczalski, A., Lee, G., Betten, W., Somal, H., Plagens, M., Biard, J.R., Burrows, I., Gilbert, B.K., Thompson, R.L., Naused, B.A., Karwoski, M., Samson, M.L., Zahn, S.K. A 6K GaAs gate array with fully functional LSI personalization 87−31849
Peczalski, A., Lee, G., Betten, W., Somal, H., Vu, T., Hanka, S., Novak, R., Lee, G.Y., Gilbert, B., Naused, B., Karwoski, S. The design and performance of a GaAs 2K gate array 87−694
Peczalski, A., Lee, G., Betten, W.R., Somal, H., Plagens, M., Biard, J.R., Burrows, I., Gilbert, B.K., Thompson, R.L., Naused, B.A., Karwoski, S.M., Samson, M.L., Zahn, S.K. A 6 K GaAs gate array with fully functional LSI personalization 88−51039
Peczalski, A., Shur, M.S., Hyun, C.H., Lee, K.W., Vu, T.T. Design analysis of GaAs direct coupled field effect transistor logic 86−53817
Peczalski, A. *see* Betten, W.R. 87−31833
Peczalski, A. *see* Byun, Y.H. 88−64613
Peczalski, A. *see* Chen, C. 86−63299
Peczalski, A. *see* Chen, C.-H. 87−60467
Peczalski, A. *see* Conger, J. 88−39503
Peczalski, A. *see* Hyun, C.H. 87−5793
Peczalski, A. *see* Jingming Xu 86−67671
Peczalski, A. *see* Tho Vu 87−59341
Peczalski, A. *see* Vu, T. 86−2204, 86−67995
Peczalski, A. *see* Vu, T.T. 86−35834, 87−66026, 88−32114, 88−32117
Peczalski, K. *see* Krassowska, W. 85−64601
Peczel, I. *see* Richter, P. 85−31103
Peczeli, I., Lorincz, E., Engard, F., Richter, P. Measurement of frequency dependence of the internal amplification of a He-Ne laser using a heterodyne method 85−56534
Peczeli, I., Richter, P., Engard, F. Frequency-shifted local oscillator produced by a rotating radial grating for a heterodyne detector 85−52776
Pedder, D. *see* Watton, R. 85−45947

Pedder, D.A.G. After SPICE 87–73234
Pedder, D.A.G. Charging and state of charge indication of lead-acid batteries 88–5825
Pedder, D.A.G. SMPS–the next generation 88–62471
Pedder, D.A.G., Duff, I.D. The use of ferrite-cored saturable reactors as power control elements in switched-mode power supplies 85–65350
Pedder, D.J. Flip chip solder bonding for microelectronic applications 88–25752
Pedder, D.J. Future trends in surface mount and high density interconnection technology 88–71170
Pedder, D.J. *see* Brierley, C.J. 85–11740, 86–53132, 86–53137
Pedder, D.J. *see* Curtis, J.C. 88–38856
Pedder, D.J. *see* Parsons, A.D. 88–67793
Pedder, D.J. *see* Watton, R. 87–21097
Peddicord, K.L. *see* Bechler, E.W. 88–23682
Peddicord, K.L. *see* Lyon, W.F. 87–57295
Peddie, C. Weigh PC-board CAD choices to match price and performance 85–508
Peddie, C. The benefits and trends of autorouting 85–40303
Peddie, J.G. Milled circuits compete with wire wrapping and small scale etching 85–61545
Peddie, R.A. Through tariffs to dynamic pricing 87–50705
Peddie, R.A. Management requirements for a communicating customer electronic terminal 87–50898
Peddie, R.A. *see* Allen, J.C.J. 86–70738
Peddie, R.A. *see* Rosenfeld, A.H. 86–44872
Peden, I.C. *see* Hoeber, A.M. 86–13322
Peden, J.F., Weaver, A.C. Performance of priorities on an 802.5 token ring 88–66776
Peden, J.H., Weaver, A.C. Are priorities useful in an 802.5 token ring? 88–73593
Peden, M.E. *see* Brennan, C.J. 87–50549
Peder-Gothoni, A.-M., Leppihalme, M. GeO_2-core/SiO_2-cladding optical fibres made by MCVD process for stimulated Raman applications 87–25935
Peder-Gothoni, A.-M. *see* Kiiveri, P. 87–12214
Pederneira, L.F., Teixeira, J.P.C. Circuit simulation of MOS digital circuits 88–1797
Pedersen, A. On the electrostatic field near the charged surface of an insulator with special reference to surface charge probe measurements 85–24019
Pedersen, A. On the assessment of new gaseous dielectrics for GIS [gas insulated substations] 85–62122
Pedersen, A. Current pulses generated by discharges in voids in solid dielectrics. A field theoretical approach 87–25654
Pedersen, A. Partial discharges in voids in solid dielectrics: an alternative approach 88–26578
Pedersen, A., McAllister, I.W., Crichton, G.C., Vibholm, S. Formulation of the streamer breakdown criterion and its application to strongly electronegative gases and gas mixtures 85–7111
Pedersen, A. *see* Berntsen, T.-O. 86–51109
Pedersen, B. *see* Liebert, R. 85–34767
Pedersen, B. *see* McKenna, C. 86–53534
Pedersen, B.O. Design of accelerators for ion implantation 87–50026
Pedersen, B.O., Liebert, R.B. Three-stage acceleration system for high energy implanter 85–34785
Pedersen, B.S. *see* Wallman, P.H. 87–72603
Pedersen, D.R. *see* Page, R.J. 85–43845
Pedersen, F. A novel RF cavity tuning feedback scheme for heavy beam loading 86–31915
Pedersen, F. Effects of highly charged solid microparticles captured in negatively charged circulating beams 88–54240
Pedersen, F. *see* Carron, G. 88–53998
Pedersen, F. *see* Craddock, M.K. 86–31908
Pedersen, F. *see* Jones, E. 86–31932
Pedersen, F.H., Eeman, J.C.J. Electronic power conditioner for carcinotrons 86–8697
Pedersen, G. Use of mathematical models for working out demand forecasts for telecommunication services 86–16716
Pedersen, G. *see* Tally, R. 87–48485
Pedersen, G.A., Jamieson, D.F. Alternative sources of primary power 85–32630
Pedersen, H., Bojk, A., Agentoft, M., Ebskamp, F. New concept for Gbit/s multiplexer/demultiplexer 88–73965
Pedersen, H. *see* Moeskjaer, H. 88–35330
Pedersen, H.N. New estimate on static conditions and strength of preinsulated district heating pipes 87–57866
Pedersen, J., Crawshaw, A.M., Haddock, J.L., Thanawala, H.L., Woodhouse, M.L., Young, D.J. Features of power electronic and control equipment for thyristor controlled static reactive compensators for CERN-LEP 88–68124
Pedersen, J.F. The benefits and costs of competition in international communications and the impact on small administrations 86–16652
Pedersen, J.F. *see* Hannan, P.W. 85–13270
Pedersen, J.R. Halogenfree cables for ships and offshore oil platforms 86–30542
Pedersen, J.R., Holte, T.A., Johansen, E. Low-smoke, halogenfree ship-offshore/onshore cables with improved flame retardance and fire resistance 85–55218
Pedersen, K. *see* Frankovich, K. 86–12103, 86–44741
Pedersen, K. *see* Stenberg, M. 88–35958
Pedersen, L.A. *see* Moth, K. 87–76436
Pedersen, L.I. *see* Jonsson, T. 85–63489
Pedersen, N.F. Amplitude and phase in half harmonic generation in Josephson junctions 88–20304
Pedersen, N.F. *see* Cronemeyer, D.C. 85–35351
Pedersen, N.F. *see* Hansen, J.B. 88–20274
Pedersen, N.F. *see* Kofoed, B. 85–46087
Pedersen, N.F. *see* Mygind, J. 85–56194
Pedersen, N.F. *see* Pagano, S. 87–74575
Pedersen, N.F. *see* Soerensen, M.P. 85–1879, 85–56193
Pedersen, N.N., Sharp, R. Analysis of channel access schemes for high-speed LANs 85–8145
Pedersen, O. *see* Holmbom, P. 88–39779
Pedersen, O.M. *see* Matre, K. 86–11962
Pedersen, O.M. *see* Rasmussen, J. 85–21327
Pedersen, O.Tonnes *see* Tonnes Pedersen, O.
Pedersen, P. Telematic network: structure 86–16713
Pedersen, P. *see* Christiansen, H. 87–43601
Pedersen, P. *see* Mysore, S.M. 87–26027
Pedersen, P.C., Tretiak, O.J., Bai, J. The inverse acoustical scattering problem for layered media in the presence of broad-band acoustic noise and with limited transducer bandwidth 86–10455
Pedersen, P.C. *see* Green, T.J., Jr. 87–3971
Pedersen, P.C. *see* Lewin, P.A. 86–6171
Pedersen, R.D., Bellamy, J.C., Christensen, R.L. An Integrated Digital Network 85–19989
Pedersen, R.J.S., Garrett, I., Jacobsen, G. Measurement of the statistics of DFB laser frequency fluctuations 88–51797
Pedersen, T. The SECURE reactor 85–38674
Pedersen, T. *see* Sundqvist, C. 86–25753
Pedersen, T.J., Ritacco, J.E., Santillo, J.A. System 75: software development tools 85–36575
Pedersen, T.S., Hansen, T., Andersen, P. Real time simulation of a superheater/attemperator system for control purposes 88–55193
Pedersen, U.P., Johannessen, J.S. A method for characterization of GaAs MESFET channel implants 87–11971
Pederson, B. *see* Shapland, J.E. 87–50423
Pederson, B.D. *see* Salo, R.W. 86–44628
Pederson, D.O. *see* Gyurcsik, R.S. 85–17090, 85–17092, 86–28521
Pederson, D.O. *see* Jacob, G.K. 86–66929, 87–5614, 87–65752
Pederson, D.O. *see* Kelessoglu, T.M. 88–63461
Pederson, D.O. *see* Mayaram, K. 85–39870, 87–65745, 88–18965
Pederson, D.O. *see* Sheu, B.J. 85–1604
Pederson, L.A. *see* Ito, H. 88–64439
Pederson, L.A. *see* Willson, C.G. 88–13240
Pederson, P.C., Lewin, P.A., Bjorno, L. Application of time-delay spectrometry for calibration of ultrasonic transducers 88–54796
Pederson, R. *see* Zbinden, K. 88–53113
Pederson, R.J., Borger, M.A., Carper, H.J. Effects of flow velocity and electrode divergence angle on the performances of a repetitively pulsed, gas-blown spark gap switch 85–27123
Pedicini, G.A. *see* Brown, S.K. 86–60413
Pedinoff, M.E., Tangonan, G.L., Yen, H.W., Persechini, D.L. Single-mode waveguide horn-grating demultiplexer circuit 87–34579
Pedinoff, M.E. *see* Welkowsky, M.S. 88–58254
Pedis, D.De *see* De Pedis, D.
Pedishko, I.V. *see* Korachev, A.A. 87–42274
Ped'ko, S.N. *see* Varchuk, N.K. 88–58111
Ped'ko, V.A. *see* Berzh, D. 86–19160
Ped'ko, V.A. *see* Dubilovich, V.M. 88–62259
Pedley, D.C. *see* Prosser, S.J. 85–52760
Pedley, D.G. *see* Baker, C.J.S. 88–74387
Pedley, D.G. *see* Eddowes, M.J. 86–24512
Pedley, T.A. *see* Fisch, B.J. 88–61352
Pedley, T.A. *see* Sgro, J.A. 86–25231
Pedlingham, H.A. *see* Hughes, A.J. 88–7114
Pedolsky, H.R. Commercial operation of our national resource–the Space Shuttle 86–50679
Pedone, A. *see* Cedrone, G. 86–59992
Pedorenko, A.V. *see* Bogatchuk, S.A. 86–27510
Pedotti, A., Assente, R., Fusi, G., De Rossi, D., Dario, P., Domenici, C. Multisensor piezoelectric polymer insole for pedobarography 85–15264
Pedotti, A. *see* Assente, R. 86–32348, 86–53878
Pedotti, A. *see* Ferrigno, G. 86–18302
Pedraza, L.De *see* De Pedraza, L.
Pedretti, R., Riccardi, S. State of standards for electrical installations in residential buildings 86–56414
Pedretti, U. *see* Padula, A. 85–32686
Pedrini, A. *see* Camagni, P. 88–30172
Pedrini, C. *see* Mares, J.A. 88–65615
Pedrini, D. *see* Amendolia, S.R. 85–15169
Pedrini, D. *see* Bellini, G. 85–9066, 87–21421
Pedrini, D. *see* Giammarchi, M. 87–3890
Pedrini, D. *see* Inzani, P. 86–50433
Pedro, H.de *see* de Pedro, H.
Pedro, H.E.de *see* de Pedro, H.E.
Pedro Marzan, L., Garcia, N. Border detection in images. I 87–7836
Pedron, C., Stauffer, A. Analysis and synthesis of combinational pass transistor circuits 88–63624
Pedron, F. *see* Gilsanz, M. 85–47209
Pedron, T. *see* Skotnicki, T. 88–39440, 88–64483
Pedroni, E. *see* Morenzoni, E. 88–22972
Pedroni, G., Pollachini, L., Vimercati, G., Cori, R., Pretolani, F., Spelta, S. ENEL overall PWR plant models and neutronic integrated computing systems 87–78367
Pedroni, P. *see* Fossati, F. 87–29425
Pedroni, R.S. *see* Saraf, S.K. 88–47999
Pedrono, N. *see* Loisel, B. 87–38249
Pedrotti, G. *see* Alemanni, M. 86–32213
Pedrotti, K. *see* Hausken, T.R. 88–33899
Pedrotti, K. *see* Mendoza-Alvarez, J.G. 88–72158
Pedrotti, K.D. *see* Kilcoyne, M.K. 87–26233, 88–2149
Pedrotti, L.M., Saunders, V., Scully, M.O. On the number-phase uncertainty relationship for a laser 85–35663
Pedrotti, L.M. *see* Chow, W.W. 85–29877
Pedrotti, L.R., Wong, R.L. Tandem Mirror Experiment Upgrade (TMX-U) throttle, mechanical design, construction, installation, and alignment 85–2501
Pedrotti, L.R. *see* Felker, B. 85–994
Pedrotti, M. *see* Domenici, M. 86–58353
Pedrotti, M. *see* Poggi, A. 87–66886
Pedrotti, S., Audone, B., Bolla, L., Oberto, G. Electromagnetic compatibility in the automotive field 85–16371
Pedrow, P.D. *see* Busby, K.O. 87–29394
Pedroza, A. *see* Courtiat, J.P. 86–69458
Pedroza, L. *see* Fortunato, R. 87–77316
Pedrycz, W. Classification in a fuzzy environment 86–10482
Pedulli, L., Correra, L., Galloni, R., Adekoya, O., Barhdadi, A., Muller, J.C., Siffert, P. Incoherent light annealing of glow discharge PF_5-implanted silicon: analysis of damage recovery and electrical activation 86–35538
Pedulli, L. *see* Muller, J.C. 86–45704
Pedziwiatr, A. *see* Wallace, W.E. 85–24190
Pedziwiatr, A.T. *see* Burzo, E. 87–25777
Pee, M., Shenoi, B.A., Lee, E.B. On the stability test for 2-D digital recursive filters 87–17261
Pee, M.-H., Khargonekar, P.P., Lee, E.B. Further results on possible root locations of 2-D polynomials 86–52956
Pee, M.-H., Khargonekar, P.P., Lee, E.B. Comments on 'stability of a class of 2-D recursive filters without distortion of the amplitude spectrum' 87–902
Peebles, A. *see* Marston, A. 87–59602
Peebles, A. *see* Monjes, J.A. 85–7562
Peebles, A.L. A dielectric bifocal lens for multibeam antenna applications 88–66192
Peebles, D.E. *see* Pope, L.E. 87–37621, 88–7110, 88–38811
Peebles, D.L. *see* Francavilla, T.L. 87–74558
Peebles, P.Z., Jr. Bistatic radar cross sections of horizontally oriented chaff 85–25919
Peebles, P.Z., Jr. Monopulse radar angle tracking accuracy with sum channel limiting 85–37096
Peebles, P.Z., Jr. Digital communication systems 87–43836
Peebles, P.Z., Jr., Bartlett, M.C. Modeling and simulation of scattering from continuous surfaces 85–63737
Peebles, W.A. *see* Howard, J. 87–19171
Peebles, W.A. *see* Lehecka, T. 87–7268, 88–33924
Peebles, W.A. *see* Tong, P.P. 85–20508
Peehs, M., Schlosser, G. Prospects of thorium-fuel cycles in a standard pressurized water reactor 86–70776
Peek, H.L., Verwey, J.F. The influence of arsenic S-D implantations on thin oxides 87–17930
Peek, H.L., Wolters, D.R. Enhanced tunneling of implanted MOS structures 87–32357
Peek, H.L., Wolters, R.A.M. Bubble and cavity formation in aluminium-plasma silicon nitride structures 87–1691
Peek, H.L. *see* Collet, M.G. 87–20920
Peek, H.L. *see* Cuppens, R. 85–45047
Peek, H.L. *see* Esser, L.J.M. 87–14194
Peek, H.L. *see* Korma, E.J. 87–25145
Peek, H.L. *see* van de Steeg, M.J.H. 86–5040
Peek, H.L. *see* Wolters, D.R. 87–74132
Peek, H.Z. *see* Van Dantzig, R. 88–23000
Peek, J.A., Vinck, A.J. Bit error rate and complexity of a new coding algorithm for defect- and erasure channels 88–59042
Peek, J.B.H. Communications aspects of the compact disc digital audio system 85–37355
Peek, J.B.H. Digital signal processing–growth of a technology 86–23056
Peek, J.B.H. Digital signal processing: a subject of increasing importance 86–46873
Peek, N.F. *see* Amian, W. 86–5757
Peek, R. *see* Torri, A. 85–43747

Peek, S.A., Mayhew, J.E.W., Frisby, J.P. Obtaining viewing distance and angle of gaze from vertical disparity using a Hough-type accumulator 85—51697
Peekstok, K. *see* Hooyer, J.M. 88—12700
Peel, E. International extension of ISDN and terminal implications 88—67081
Peel, M. Normal force—back to basics [connectors] 88—38838
Peel, M.E. SMT connector design considerations—a users perspective 86—53126
Peel, M.E. SMT—ignored problems 86—53184
Peel, M.E. SMT-ignored problems 86—58156
Peel, M.E. SMT connector design considerations—a users' perspective 87—11253
Peel, R.M.A. The primary *UoSAT*-2 spacecraft computer 88—9478
Peel, R.S. Logic equivalent of analog flywheel sync circuit 85—6288
Peel-Baker, G. Siemens and Australia—partnership with a continent [telecommunication systems] 86—23298
Peele, B.L., Jr. EPRI program status and Duke Power Company's perspective on plant life extension 88—42967
Peelen, J.G.J. *see* de Wert, H.P.J.M. 85—46179
Peelen, T.A., Van de Goor, A.J. Using the page mode of dynamic RAMs to obtain a pseudo cache 88—12372
Peeler, G.B., McDonald, T.A., Kennedy, M.F. RELAP5/MOD1.5 analysis of steam line break transients for a 3-loop and a 4-loop Westinghouse nuclear steam supply system 85—59912
Peeler, J.R. *see* Sciulli, J.A. 85—42092
Peeling, D.A. Use of computer analysis in a mill energy conservation program 85—4584
Peeling, N.E. *see* Morison, J.D. 87—65732
Peeling, N.E. *see* Thorp, T.L. 88—32085
Peelle, R. *see* Hulett, L.D., Jr. 87—56999
Peelo, D.F. Current interrupting capability of air break disconnect switches 86—39998
Peelo, D.F. Cathedral Square—BC hydro's urban underground substation 86—61694
Peelo, D.F. Unloaded transformers can be switched reliably with disconnect switches 88—5752
Peelo, D.F. Correction to 'Current interrupting capability of air break disconnect switches' (Jan. 1986 to 212-16) 88—24084
Peelo, D.F., Avent, B.L., Drakos, J.E., Guidici, B.C., Irvine, J.R. Shunt reactor switching tests in BC Hydro's 500 kV system 88—75860
Peelo, D.F., Jensen, D.A., Polovick, G.S., Ng, P.F., Hahn, J., Nishikawara, K.K., Finch, J.F., MacPhail, G.A. Cathedral square: a major 230/12 kV urban underground substation. II. 230 kV electrical design features 87—35978
Peelo, D.F., Jensen, D.A., Polovick, G.S., Ng, P.F., Hahn, J., Nishikawara, K.K., Wasyliw, M.G., Lefrancois, M.J. Cathedral Square: a major 230/12 kV urban underground substation. III. 12 kV electrical and other general design features 87—35979
Peels, A.H.P.M., Gerritsen, J. Improved electron beam systems for colour TV picture tubes 87—11304
Peels, A.J.H.M. Designing digital systems—SSI and MSI vs. LSI and VLSI 87—52475
Peels, G.L. *see* van der Wal, L.F. 86—12230
Peemoeller, H. *see* Hale, M.E. 86—44125
Pe'er, A. *see* Winokur, M. 86—70622
Peer, F. *see* Schweickardt, H. 88—18108
Peeran, S.M., Kusko, A., Hodgson, W.R., Fellendorf, F.G. Current balance in parallel power diodes in three-phase rectifiers 86—45551
Peeran, S.M., Kusko, A., Hodgson, W.R., Fellendorf, F.G. Current balance in parallel power diodes in three-phase rectifiers 87—64694
Peeran, S.M. *see* Glover, J.D. 85—10185
Peeran, S.M. *see* Kushko, A. 88—30363
Peeran, S.M. *see* Kusko, A. 85—27740, 86—27443, 87—43060, 87—51224, 87—71750
Peercy, P.S., Osbourn, G.C. Strained-layer superlattices 87—74064
Peercy, P.S., Thompson, M.O. Thermodynamic and kinetic studies of pulsed-laser annealing from transient conductivity measurements 86—28109
Peercy, P.S., Thompson, M.O., Tsao, J.Y. Effects of As impurities on the solidification velocity of Si during pulsed laser annealing 85—61831
Peercy, P.S. *see* Galvin, G.J. 85—11910, 85—33378
Peers, J. *see* Daneu, V. 85—50443
Peers, R. Plasma gun uses energy from coal 85—4917
Peery, J.S. *see* Nassersharif, B. 88—61488
Peet, F.G., Sahota, T.S. Surface curvature as a measure of image texture 86—23128
Peet, F.G., Sahota, T.S. A digital image processing system for entomological studies 87—69397
Peet, N.J., Baines, J.T., Macdonald, M.G., Tohill, J.C., Bassett, R.M. Energy supply and net energy in New Zealand 87—64227
Peet, N.J., Baines, J.T., Seeman, P., Sinclair, P.N., Smith, B.J., Stewart, H.J.H. End-use based energy planning for New Zealand 88—23603
Peet, S. *see* Ebihara, B.T. 87—37831
Peet, S. *see* Ramins, P. 88—39003
Peet, V., Sorkina, R., Treshchalov, A. Semiempirical kinetic modelling of lasing processes in a discharge XeCl laser 88—51723
Peet, V., Treshchalov, A. Spatial-time dynamics of the discharge pumping and lasing in a XeCl excimer laser 88—51725
Peet, V. *see* Isaev, A. 88—51726
Peet, V. *see* Kippasto, A. 88—51724
Peet, V. *see* Miidla, P. 88—51722
Peet, V. *see* Treshchalov, A. 85—56491
Peet, V. *see* Treshchalov, A.B. 88—40126
Peet, V.E., Treshchalov, A.B. Investigation of the dynamics of formation of excited atoms, ions, and excimer molecules in the plasma of an electric-discharge XeCl laser 86—48340
Peet, V.E. *see* Miidla, P.Kh. 87—46760
Peeters, F. *see* Van Walle, J. 85—52221
Peeters, F.M., Van Puymbroeck, W., Devreese, J.T. Diffusion-to-streaming transition of transport electrons in polar semiconductors 85—40419
Peeters, F.M., Warmenbol, P., Devreese, J.T. Energy-momentum dispersion relation of a Frohlich polaron confined to two dimensions 87—53236
Peeters, F.M. *see* Warmenbol, P. 85—40449
Peeters, F.M. *see* Wu Xiaoguang 86—14907
Peeters, H. *see* Debuysscher, P. 85—19833, 86—55132
Peeters, I.W.F.J. *see* Brombacher, A.C. 86—34449
Peeters, L. *see* Bourrain, P. 86—19867
Peeters, P. OSI and IBM 88—28259
Peetz, B., Hamilton, B., Kang, J. An 8b 250 MHz A/D converter 87—17184
Peetz, B., Hamilton, B.D., Kang, J. An 8-bit 250 megasample per second analog-to-digital converter: operation without a sample and hold 87—17174
Peetz, B.E. *see* Frohring, B.J. 88—47615
Peev, N.S., Tairov, Yu.M., Smirnova, N.A., Kalnin, A.A. Liquid phase epitaxy of SiC in the system Tb-Si-SiC by temperature gradient zone melting. II. Liquid phase epitaxy of SiC from Tb-Si solvent 87—31502
Peev, N.S., Tairov, Yu.M., Smirnova, N.A., Kalnin, A.A. Liquid phase epitaxy of SiC in the system Tb-Si-SiC by temperature gradient zone melting. III. Epitaxial layer properties 87—36696
Peev, N.S. *see* Tairov, Yu.M. 87—31501
Peeva, P.A. *see* Angelov, A.K. 86—11068
Peeves, R.J. *see* Van Arsdall, P.J. 87—39186
Peffley, M.S. *see* Kramer, G.D. 87—65531
Peffley, M.S. *see* Nair, V.K. 87—1531
Peffley, M.S. *see* Tsui, R.K. 86—7767, 86—40733, 86—46313, 88—1374
Pegamenshchikov, S.M. *see* Konev, V.V. 86—22864
Pegg, D.J. *see* Alton, G.D. 86—38684
Pegg, D.T., Schulz, W.E. Non-linear absorption and dispersion of three-level atoms in a Fabry-Perot etalon 85—41469
Pegg, J.C. New and effective lighting techniques 88—62760
Pegg, R. *see* Lee, B. 85—58413
Pegg, T. *see* Purchon, G. 87—24487, 87—41597
Peggie, J.R. *see* Solomon, S.B. 87—42028
Peggs, S. Hadron collider behavior in the nonlinear numerical model EVOL 86—18215
Peggs, S. The dependence of single particle stability on net chromaticity in CESR, near $Q_h = 9+1/3$ 86—31941
Peggs, S. Detector perturbation of standard IR optics 88—10213
Peggs, S., Talman, R. Empirical Hamiltonians 88—4741
Peggs, S. *see* Harrison, M. 88—47891
Pegoraro, M. *see* Barichello, G. 87—29503
Pegoraro, M. *see* Checchia, P. 86—65330
Pegov, A.A. *see* Georgobiani, A.N. 87—45592
Pegram, T.W. *see* Bodonyi, J. 88—47215
Pegrum, C.M., Donaldson, G.B. Probable limits to high T_c DC SQUID sensitivity 88—20311
Pegrum, C.M., Donaldson, G.B. High critical temperature SQUIDs: how sensitive will they be? 88—26724
Pegrum, C.M., Donaldson, G.B., Carr, A., Hendry, A. Quantum interference effects in $YBa_2Cu_3O_y$ at 4.2 K and 77 K 88—26726
Pegrum, C.M., Donaldson, G.B., Carr, A.H., Hendry, A. Observation of quantum interference effects and SQUID operation in a bulk sample of $YBa_2Cu_3O_y$ at 77 and 4.2 K 88—1899
Pegrum, C.M., Hutson, D., Donadlson, G.B., Tugwell, A. DC SQUIDs with planar input coils 85—56218
Pegrum, C.M. *see* Colclough, M.S. 88—20312
Pegrum, C.M. *see* Tugwell, A. 87—67851
Pegrum, C.M. *see* Tugwell, A.J. 87—67906
Pehani, A. Power systems reliability from the point of view of their development planning 87—57581
Pehani, A., Jakl, F., Plaper, M. Impact of interconnection with Austria on the reliability of Yugoslav power system 88—42779
Peherstorfer, F. Orthogonal polynomials in L^1-approximation 88—43822
Pehkonen, K.P. *see* Heusala, H.H. 86—50523
Pehl, E. Microwave lines and their applications 87—17300
Pehl, R.H., Luke, P.N., Friesel, D.L. High-purity germanium charged-particle detectors: a LBL-IUCF update 86—25128
Pehl, R.H., Madden, N.W., Landis, D.A., Malone, D.F., Cork, C.P. Cryostat and electronic development associated with multi-detector spectrometer systems 85—43305
Pehl, R.H., Madden, N.W., Walton, J.T., Malone, D.F., Landis, D.A., Goulding, F.S., Cork, C.P., Wong, Y.K., Strauss, M.G., Sherman, I.S. The development of an array of cooled large area Si(Li) detectors 86—65346
Pehl, R.H. *see* Goulding, F.S. 85—43217
Pehl, R.H. *see* Raudorf, T.W. 87—50145
Pehl, R.H. *see* Strauss, M.G. 86—32170
Pehle, H.J. *see* Kopp, R. 85—9010
Pehlert, W.K. *see* Carmichael, K.E. 87—28164
Pehlert, W.K., III *see* Morgan, T.W. 88—9297
Pehoushek, J.D. *see* Jellison, T.G. 87—20864
Pehrs, J. Laser exposure for PC-board production 85—23251
Pehrs, J. Flexible assembly soldering and testing of printed circuit board through the use of industrial robots 86—1535
Pehrsson, P.E. *see* Zahavi, J. 88—39272
Pehse, F. *see* Hennig, D. 87—5713
Pei, B.S., Chen, Y.B., Shih, C.K., Lin, W.S. The evaluations of the effects of three fuel element CHF abnormalities on the EPRI-1 correlation 86—70773
Pei, B.S. *see* Jer-Cherng Kang 88—23691
Pei, D., Lauritzen, P.O. A computer model of magnetic saturation and hysteresis for use on SPICE 2 [transformers and inductors] 86—53089
Pei, D., Laurtitzen, P.O. A computer model of magnetic saturation and hysteresis for use on SPICE2 85—1096
Pei, D.C.T. *see* Chen, P. 88—62783
Pei, D.Y., Wang, C.C., Omura, J.K. Normal basis of finite field $GF(2^m)$ 86—59220
Pei, D.Y. *see* Truong, T.K. 88—72928
Pei, L., Guo, F., Wu, S., Chua, L.O. Experimental confirmation of the period-adding route to chaos in a nonlinear circuit 86—46973
Pei, L. *see* Bose, B.K. 87—60684
Pei, L. *see* Brayton, R. 87—37231
Pei, L.Q., Guo, F., Wu, S.X., Chua, L.O. Period-adding route to chaos in a two-transistor nonlinear circuit 86—67083
Pei, S., Jaw, S. Comments, with reply, on 'Highly selective three-dimensional recursive beam filters using intersection resonant planes' by L.T. Bruton and N.R. Bartley 86—62737
Pei, S., Jaw, S. Efficient design of 2D multiplierless FIR filters by transformation 87—59771
Pei, S., Jaw, S. Design of 2D quadrature mirror FIR filters for image subband coding 87—69363
Pei, S., Liu, R. Optimum design of cascade switched capacitor building blocks by linear programming 86—62708
Pei, S., Lu, S. Design of minimum phase FIR digital filters by differential cepstrum 86—62754
Pei, S. *see* Wu, J. 86—40695
Pei, S.-C., Bose, N.K. Comments, with reply, on 'Properties of the Q_n-matrix in bilinear transformation' by N.K. Bose 85—49415
Pei, S.-C., Ho, K.-C. Comments on 'A memory compression scheme for modular arithmetic' by C.H. Huang and F.J. Taylor 85—2721
Pei, S.-C., Huang, E.-F. Improved 2D discrete cosine transforms using generalized polynomial transforms and DFTs 85—13633
Pei, S.-C., Jaw, S.-B. Efficient design of 2-D multiplierless FIR filters by transformation 87—45089
Pei, S.-C., Jaw, S.-B. Design of 2-D quadrature mirror FIR filters for image subband coding 87—45090
Pei, S.-C., Jaw, S.-B. A novel 2-D window for spectral estimation 88—8749
Pei, S.-C., Kiang, J.-F. Simple approach for a class of linear time-varying digital filters with generalized delay elements 86—52955
Pei, S.-C., Lu, S.-T. Design of minimum-phase FIR digital filters by differential cepstrum 86—52957
Pei, S.-C., Wu, J.-L. Pipeline fast biased polynomial transform architecture for two dimensional convolutions 85—13576
Pei, S.-C., Wu, J.-L. Split vector radix 2D fast Fourier transform 87—62070
Pei, S.-C., Wu, J.-L. Split-vector radix 2-D fast Fourier transform 87—73034
Pei, S.-C., Yeh, C.-C., Chiu, S.-C. Modified spatial smoothing for coherent jammer suppression without signal cancellation 88—34483
Pei, S.-S. *see* Shah, N.J. 86—53819
Pei, S.-S. *see* Tu, C.W. 87—6712
Pei, S.S., Shah, N.J., Hendel, R.H., Tu, C.W., Dingle, R. Ultra high speed integrated circuits with selectively doped heterostructure transistors 85—54860
Pei, S.S. *see* Hendel, R.H. 85—6289
Pei, S.S. *see* Hendel, R.L. 85—55974

Pei, S.S. *see* Schlier, A.R. 86–35918
Pei, S.S. *see* Shah, N.J. 85–29322
Pei, S.S. *see* Taylor, A.J. 87–7226
Pei, S.S. *see* Valdmanis, J.A. 87–46134, 88–39653
Pei, X. *see* Nicholls, G. 88–54360
Pei Da Ye *see* Ye Pei Da
Pei Guo-Xi, Zhang Wu, Tian Bao-Ying, Xu Jian-Ming The eddy-current effects of a bending magnet on an electron storage ring during slow acceleration 87–14659
Pei Ho Ping *see* Ping Pei Ho
Pei Liu-qing *see* Guo Fen 86–66974
Pei Liu-qing *see* Xie Jiang-guang 88–56414
Pei Lu-cheng Positive contribution Monte Carlo method 87–65327
Pei Peng *see* Peng Pei
Pei Run *see* Zhang Quan 88–29206
Pei Soo Chang *see* Soo Chang Pei
Pei Soo-Chang *see* Soo-Chang Pei
Pei Yuan-ji *see* Wang De-fa 87–41707
Pei Yuanji, Shen Xiaofeng, Xu Jianming Experiment on the loss impedance in an electron storage ring 88–60995
Pei Yuntian Approach and its analysis of two-dimensional scan in the scan radiometer operating in synchronous Earth orbit 85–31988
Pei Zhang *see* Zhang Pei
Pei Zheng *see* Zheng Pei
Pei Zhongdi Regional power dispatching automation in China 88–30268
Pei-Chih Yao *see* Der-Ray Huang 85–45956, 87–12035
Pei-Chih Yao *see* Hong-Yow Chang 87–67780
Pei-Chin Yao *see* Yung-Hsing Lin 88–17863
Pei-En Lu Sensitivity analysis of a coherent system 85–33232
Pei-En Lu Calculate coherent system's reliability by using SLE 86–13564
Pei-En Lu A general method for turning a coherent system's structure function to SLE 86–13565
Pei-En Lu, Ding-Hua Shi A simple method for calculating the structural importance of a component 87–16428
Pei-Fen, L., Hou-Tian, C., Chang-Yan, C. 8 GHz all-Fet microwave repeater 85–14128
Pei-fen Sun *see* Sun Pei-fen
Pei-fu Ku A guided wave method for measuring refractive index and thickness of thin films 86–60364
Pei-Hong Liao, Hao-Zhong Cheng Optimal control of reactive power and voltage for distribution systems 87–71662
Pei-ji Qiou *see* Qiou Pei-ji
Pei-Kun Zhang *see* Zhang Pei-Kun
Pei-Liang Gu *see* Gu Pei-Liang
Pei-Liang Wang *see* Wang Pei-Liang
Pei-lin Pai, Chetty, A., Roat, R., Cox, N., Chiu Ting Material characteristics of spin-on glasses for interlayer dielectric applications 88–26019
Pei-Ling Pao *see* Liu Ben-lin 88–15900
Pei-nan Jiao *see* Jiao Pei-nan
Pei-Pei Xie *see* Xie Pei-Pei
Pei-qin Li *see* Li Pei-qin
Pei-Ren Wei Thick film sensor 86–5262
Pei-sheng *see* Xu Lu-sheng 87–14848
Pei-xian Ye *see* Ye Pei-xian
Pei-xian Zhang *see* Zhang Pei-xian
Pei-young Qiu *see* Chuan-jie Song 86–21315
Peibst, H.O. As grown defects in semiconductor crystals 87–67063
Peichev, G.I. *see* Vlakhova, R.T. 87–47166
Peiching Ling, Chang, J.-K., Lin, M.-S., Lou, J.-C. Interface study of Mo/GaAs 87–11733
Peichocki, A. *see* Poniecki, W. 86–56866
Peickert, W.R. *see* Kou, A.H. 85–38030
Peicov, Al., Tusaliu, P., Chelaru, R. Electric apparatus stand and high voltage technique achieved within the Institute of Electrotechnics of Craiova 87–58641
Peicov, A.N. The influence of the transitory skin effect appearing during and after short-circuit disconnection on the electromagnetic field distribution from current paths 87–54484
Peida Wang *see* Wang Peida
Peida Ye *see* Ye Peida
Peide Wang *see* Wang Peide
Peidrafita Ramon, S. Transfer of fabrication technology 86–39340
Peidus, I.V. *see* Chistyakov, Yu.D. 87–6800, 87–31533
Peier, D., Stolle, D. Ohmic 1 MV divider for lightning and switching surge-voltage 87–57700
Peier, D. *see* Kaluza, K. 86–22145
Peier, D. *see* Schwartz, H. 86–18098
Peifei Xu *see* Xu Peifei
Peifen Sun *see* Sun Peifen
Peifer, J. *see* Ezquerra, N. 88–10336
Peiffer, D.G. *see* Deckman, H.W. 88–39311
Peigen Mo *see* Ju Wu 88–50627
Peigen Mo *see* Mo Peigen
Peignet, C., Mancuso, Y., Le Meur, G., Remiro, L., Bert, A., Jouen, J.F., Savary, P. A 16 W pulsed *X*-band solid-state transmitter 88–71064
Peigneux, J.P. *see* Alde, D. 88–47996
Peigneux, J.P. *see* Binon, F. 86–65395
Peigneux, J.P. *see* Binon, F.G. 88–54405
Peiheng Wu *see* Wu Peiheng
Peihong Liao *see* Liao Peihong
Peihsin Tsien *see* Tsien Peihsin
Peihua Qiu *see* Qiu Peihua
Peihua Xu *see* Xu Peihua
Peihui Liang *see* Liang Peihui
Peiji Qiu *see* Qiu Peiji
Peijun Wu *see* Wu Peijun
Peikari, B. *see* El-Sharkawy, M. 87–27453
Peikari, B. *see* El-Sharkawy, M.A. 88–14668, 88–70913
Peikari, B. *see* Erfani, S. 85–17724, 85–54614, 86–1303, 86–27466
Peikov, A.N. The effect of uneven current distribution on the stationary temperature field of specially screened conductors 85–15561
Peikov, A.N. Concerning the influence of the transient skin effect produced by short circuits or by the disconnection of short circuits on the distribution of the electromagnetic field in current conductors 88–36846
Peikun Xu *see* Xu Peikun
Peile, R. *see* Wu, W.W. 87–56052
Peile, R.E. Error correction for optical space communications 87–76789
Peile, R.E. Error correction, interleaving and differential pulse position modulation 88–67300
Peile, R.E. *see* Berlekamp, E.R. 87–47501
Peiler, T. Synchronous QPSK-demodulator for digital satellite radio receiver at 12 GHz 87–5722
Peiler, T. Synchronous 4-PSK demodulators for digital sound broadcasting 87–76546
Peili Chen *see* Chen Peili
Peiliang Xie *see* Xie Peiliang
Peilin Cao *see* Cao Peilin
Peilin Zhou *see* Zhou Peilin
Pein, U. *see* Bormann, M. 86–5794, 87–63643
Peinado, C.O. *see* Arbtin, E. 86–33017
Peinado, O.A. *see* Zrimsek, C.J. 87–75646
Peinado, V. *see* Rodellar, V. 86–50601
Peinan Jiao *see* Jiao Peinan
Peinelt, W. *see* Heinemann, A. 85–64186
Peiniger, M., Piel, H. A superconducting Nb_3Sn coated multicell accelerating cavity 86–31859
Peiniger, M. *see* Bensiek, W. 87–41695
Peinke, J., Muhlbach, A., Huebener, R.P., Parisi, J. Spontaneous oscillations and chaos in p-germanium 85–40427
Peinke, J., Parisi, J., Muhlbach, A., Huebener, R.P. Different types of current instabilities during low-temperature avalanche breakdown of p-germanium 87–53171
Peinke, J., Parisi, J., Rohricht, B., Mayer, K.M., Rau, U., Huebener, R.P. Spatio-temporal instabilities in the electric breakdown of p-germanium 88–39049
Peinke, J. *see* Huebener, R.P. 88–44539
Peinke, J. *see* Mannhart, J. 86–47279
Peinke, J. *see* Parisi, J. 88–50616
Peinke, J. *see* Rau, U. 88–1344, 88–64231
Peinke, J. *see* Rohricht, B. 86–27834, 87–53172
Peinke, J. *see* Scholl, E. 87–32231
Peinturier, P. The P20 Controbloc range [N4 reactor project] 87–64263
Peinuo Yu *see* Yu Peinuo
Peiponen, K.-E., Karppinen, V.V.K., Varonen, R. The visualization of leakage flow through building cracks by means of holographic interferometry 86–36599
Peiponen, K.E., Karppinen, V.V.K. An optoelectronic device for the measurement of air tightness of buildings 85–4156
Peiqi Ma *see* Ma Peiqi
Peiqing Huang *see* Huang Peiqing
Peiran Yang *see* Yang Peiran
Peiran Zhu *see* Zhu Peiran
Peiravi, A. *see* Schinzinger, R. 86–611, 86–50968
Peirce, D.C., Hilton, P.D., Mayville, R.A., Reynolds, G.O., Servaes, D.A., Ramos-Izquierdo, L., DeVelis, J.B. Holographic fringe linearization interferometry (FLI) for defect detection. II. Comparison of observation with prediction 86–7872
Peirce, D.C. *see* Reynolds, G.O. 86–3349
Peirce, W.B. Telecommunications for the non-specialist education—the basis for growth 85–39491
Peire, J., Nunez de Celis, F., Martinez, P., Aldana, F. Spanish activities in the field of high temperature solar thermal applications 86–6665
Peire, J., Yeves, F., Aleixandre, J.G., Aldana, F. Design of microprocessor control circuits for power converters by computer 86–33525
Peire, J., Yeves, F., Aleixandre, J.G., Aldana, F. Computer aided design of microprocessor control circuits for static power converters 86–45589
Peire, J., Yeves, F., Aleixandre, J.G., Aldana, F. Automatic design of microprocessor control circuits for static power converters 86–66173
Peire, J. *see* Aleixandre, J.G. 87–30609
Peire, J. *see* Alonso, M. 86–51788, 86–57652
Peire, J. *see* Castro, M. 86–33220, 87–58335, 88–5615, 88–30913
Peire, J. *see* Diaz, J. 88–5612
Peire, J. *see* Penalver, C.M. 85–65334
Peire, J. *see* Yeves, F. 86–6911, 86–45288, 88–43113
Peirine, R., Busch-Vishniac, I. Magnetically levitated micro-machines 88–43432
Peiris, M. Voicing a mail opinion 88–28288
Peiris, M. Selecting a PABX 88–35273
Peiris, M.G.C., Perera, I.K. A simple inexpensive photometer using light-dependent resistors 88–19424
Peiris, M.S. *see* Singh, N. 87–65336
Peirong Zhang *see* Zhang Peirong
Peiruo Shen *see* Shen Peiruo
Peisakhov, L.A., Raskin, V.K., Shakhmaev, M.M. A transmitter frequency doubler using silicon diode multipliers 87–45253
Peisakhovich, V.A. High-frequency welding of metallic products along crimped edges 88–18475
Peisakhovich, V.A. *see* Bogdanov, V.N. 85–22010
Peisakhovich, V.Ya., Pershikova, E.A. Trends in the efficient use of gas-oil fuel in the unified electric power systems of the USSR 87–64333
Peisakhovich, V.Ya. *see* Borodkin, Yu.D. 86–66480
Peisakhovich, V.Ya. *see* Ershevich, V.V. 87–4204
Peisert, A., Sauli, F. A two-dimensional parallel-plate chamber for high-rate soft X-ray detection 86–60582
Peisert, A. *see* Amendolia, S.R. 85–37901, 85–43179, 86–5779, 87–21426
Peisert, A. *see* Benetta, M. 85–43239
Peisert, A. *see* Bouclier, R. 87–21422
Peisert, A. *see* Caccia, M. 87–77553
Peisert, A. *see* Glass, H. 85–43249
Peisert, A. *see* Gruhn, C. 86–60583
Peisert, A. *see* Konoplyannikov, A. 85–42924
Peisert, A. *see* McCarthy, R. 86–65355
Peisheng, L. Problems in China's nuclear power development 86–39437
Peisheng Fang *see* Fang Peisheng
Peisheng Shi *see* Shi Peisheng
Peisino, M. *see* Carlucci, D. 86–31186
Peisker, P. A multilevel algorithm for the biharmonic problem 85–60917
Peisker, P., Braess, D. A conjugate gradient method and a multigrid algorithm for Morley's finite element approximation of the biharmonic equation 87–52042
Peisl, J. *see* Dorner, B. 86–60667
Peissard, W.G. Unique identification of detectors in alarm systems 86–26573
Peissard, W.G. *see* Datwyler, F. 85–10422
Peitchev, G.I. Estimating electromagnetic field strength distribution around a transmitting station 85–14402
Peiter, A. Calibration methods and calibration curves for inductive linear position transducers 85–26310
Peiter, A., Schneider, E., Wern, H. Measuring welding internal stresses by ε-field analysis and ultrasonic method 87–52247
Peitsch, T., Ward, P. CAD software not in the classic mould [PCB design] 86–41399
Peix, G., Queniart, E., Villard, A., Villard, D. Standardisation of emitter-receiver followers separated at oblique incidence 85–61019
Peixeiro, C. Design of log-periodic dipole antennas 88–40720
Peixia, O. *see* Guishen, T. 86–36534
Peixia Qiu *see* Qiu Peixia
Peixoto, C.A.O., Pargamin, L., Marrone, G., Carrara, G. Failure of transmission line cap and pin insulators under DC stresses 88–68884
Peixoto, C.A.O., Porangaba, H.D. Problems and solutions in the interface of an isolated hydroelectric station and an HVDC converter station 86–12386
Peixoto, C.A.O. *see* Gavrilovic, A. 88–68821
Peixoto, C.A.O. *see* Lampe, W. 86–51078
Peixoto, C.A.O. *see* Sobral, S.T. 86–39210
Peixoto, C.A.O. *see* Wey, A. 86–12913
Peiyi Niu *see* Niu Peiyi
Peiying Song *see* Song Peiying
Peiyong Li *see* Li Peiyong
Peiyong Qiu *see* Qiu Peiyong
Peiyu, R. *see* Gedeon, S.S. 87–25712
Peizhen Deng *see* Deng Peizhen
Peizhou Liu *see* Liu Peizhou
Peizhuang, W. *see* Baowen, L. 88–63157
Pejanovic, M.M., Edwards, J.A., Stojanovic, I.S. Error rate prediction for NCFSK digital mobile radio systems 87–27139
Pejcoch, J. Interactive graphical systems for the design of VLSI integrated circuits 85–40787
Pejcoch, J. Software for designing ICs 88–63455
Pejeva, R.A. *see* Zartov, G.D. 88–7971
Pejkovic, M. Integrated office system ASB 501 for voice and data integration 88–3768
Pejkovic, M. *see* Kotlo, S. 86–23630
Pejovic, S., Obradovic, D., Gajic, A. Hydraulic transients in a power plant—mathematical modelling confirmed by field tests 85–53603
Pejovic, S., Obradovic, D., Gajic, A. Transient regimes in the reversible hydro plant Bajina Basta—an experimentally proved mathematical model 85–65174

Pejsek, Z. *see* Roubicek, O. 85−16285, 86−71163, 87−43702, 88−24177, 88−69419, 88−69731, 88−69818
Pek, V. *see* Koci, J. 85−43527
Peka, G.P., Pulemetov, D.A., Radzivilyuk, V.A., Smolyar, A.N., Shimulite, E.A. Photosensitivity of long diode structures made of variable-gap $Al_xGa_{1-x}As$ solid solutions 88−58355
Peka, G.P., Pulemetov, D.A., Smolyar, A.N. Photosensitivity of long diodes with variable-gap bases under double injection conditions 85−29720
Peka, G.P., Pulemetov, D.A., Smolyar, A.N. Dependence of the spectral characteristics of long photodiodes with a variable-band base on the excitation level 88−14030
Peka, G.P., Rossokhatyi, V.K., Smolyar, A.N. Negative differential resistance in long graded-gap base diodes in case of reabsorption of recombination radiation 85−1547
Peka, G.P., Rossokhatyi, V.K., Smolyar, A.N. Influence of self-absorption of recombination radiation on the current-voltage characteristics of long diodes with a variable base 85−23727
Peka, G.P., Smolyar, A.N., Pulemetov, D.A. Injection amplification of the photocurrent in long diodes with variable-gap bases 85−29719
Peka, G.P. *see* Bazyk, A.I. 87−61050
Peka, G.P. *see* Derikot, N.Z. 86−47504, 87−11493
Peka, G.P. *see* Dryapiko, N.K. 85−50358
Peka, G.P. *see* Gozak, A.Ch. 87−12323, 88−19919
Peka, G.P. *see* Kovalenko, V.F. 86−14891
Peka, G.P. *see* Kudinov, V.A. 87−46697
Pekala, W., Pietrzak, M., Szalinska, H., Jipa, S., Ilie, D., Ilie, S., Cazac, C., Setnescu, R., Radulescu, C. Radio-luminescence of some polyestheric and epoxy resins 88−58348
Pekanmaki, K., Kolari, P.K. Sequential and graded intermittent pneumatic compression device for treatment of swollen limbs 87−50380
Pekar', G.S. *see* Bereza, V.N. 87−38794
Pekar', I.R., Bocharov, V.A., Mel'nikov, P.N. Distorted-field dischargers 87−65935
Pekar', I.R. *see* Grabchenko, M.I. 86−20370
Pekar, J. On measurements of the packet switching network−methods and experiments 86−64738
Pekarchik, A.S. *see* Kornienko, P.M. 87−64701
Pekarchik, L.S. *see* Kornienko, P.M. 87−64701
Pekarek, L. *see* Dubovskii, P.E. 85−62495
Pekarek, L. *see* Skala, I. 85−41336
Pekarek, O. *see* Roubicek, O. 86−71163
Pekarek, S. *see* Rosenkranz, J. 85−37678, 88−16273
Pekarev, A.I., Nemtsev, G.Z. The growth of oxide precipitates during intrinsic getter formation 85−1434
Pekaric, N., Popovic, B. Radiation from rectangular waveguide terminated in infinite flange 86−29554
Pekarich, S.P. UNIX time-sharing system: No.4 ESS diagnostic environment 87−48803
Pekarskii, G.Sh. Neutron backscattering in nondestructive monitoring 86−552
Pekarskii, G.Sh. Physical principles of neutron-gamma materials monitoring 86−52568
Pekarskii, G.Sh. Quality control of single-layer materials and products by the method of neutron backscatter 88−488
Pekarskii, G.Sh. Neutron backscattering in monitoring engineering processes 88−49898
Pekarskii, G.Sh. Neutron backscattering nondestructive-test instruments 88−70383
Pekelis, V.G., Rozenberg, A.E. A method of finding the best reactive power for transmission by a power system into a distribution network 87−42287
Pekelis, V.G. *see* Vorotnitskii, V.E. 87−72642
Pekelsky, J.R., Cowan, W.B., Rowell, N.L. Real-time measurement systems for colour CRT characterization [human perceptual response] 88−67975
Pekelsma, N. *see* Denton, R.V. 87−50516
Peker, B.N. *see* Ryaben'kii, V.M. 87−42434
Peker, B.N. *see* Ryaben'skii, V.M. 87−43206
Peker, M.Kh. *see* Simuni, M.M. 88−53549
Peker, Y.M. *see* Reedy, E.K. 86−4741, 86−55372
Pekerman, G.A. *see* Verber, O.L. 86−39765
Pekhterev, A.A. *see* Il'inskaya, L.S. 85−47955
Pekic, S. *see* Skendzic, V. 88−60819
Pekin, B.I., Aronova, A.M., Kuznetsova, E.N. Managerial information systems in subdivisions of regional electric power administrations 88−17048
Pekin, B.I. *see* Zagyanskii, A.I. 86−61545
Pekker, I.I. *see* Vasil'eva, I.B. 87−18537, 88−57992
Pekker, I.I. *see* Zatolokin, A.A. 85−43077, 88−55295
Pekker, Ya.S., Psakhis, M.B. Choice of probe current parameters in channel time-division rheographic equipment 88−36484
Pekker, Ya.S. *see* Anan'ev, L.M. 86−25244
Peklum, V.F. *see* Ivanov, A.A. 88−16252
Peklun, V.F. *see* Senchenko, V.R. 86−44236
Pekne, V.Z. *see* Gerasimenko, Yu.N. 86−39727
Pekne, V.Z. *see* Moz, L.S. 86−33334
Peknice, J. Some aspects of RTG lithography in microelectronics 86−1921
Peknice, J. The past, present and future of the VHSIC program 87−67355
Pekrul Bicknese, E. *see* Prussin, S.G. 86−32206
Pekur, P.P. *see* Denisenko, G.I. 86−51534, 87−64486
Pela, C.A., Ghilardi, A.J.P., Ghilardi Netto, T. Long-term stability of electret dosimeters 88−68506
Pela, C.A. *see* Baffa, O. 88−67734
Pelaca, E. *see* Capone, R. 87−27037
Pelacchi, P. *see* Azzerboni, B. 86−71106
Pelaez, J.I. Testing PC boards containing SMDs 87−52970
Pelagatti, M. Lightning protection−premises with explosion risk and classes of volumes to be protected 86−19796
Pelagatti, M. Italian Standard CEI 64-2 and flammable powders 88−6208
Pelagatti, M. *see* Allievi, G. 86−61703
Pelagatti, M. *see* Magnaguagno, C. 88−62983
Pelagatti, R. *see* Furcolo, B. 86−17513
Pelan, D.C. PLAFST: computer aided design of synchronous finite-state machines 85−40053
Pelanchon, F., Mialhe, P., Charles, J.-P. Solar cell efficiency optimisation 88−62600
Pelanchon, F. *see* Belorgeot, C. 88−24136
Pelaprat, J.M. *see* Adhav, R.S. 88−2368
Pelayo, F. *see* Prieto, A. 85−54833, 88−70730
Pelc, A. Solution of Ulam's problem on searching with a lie 87−33605
Pelc, A. Prefix search with a lie 88−63149
Pelc, C.E. GPS program status 87−41069
Pelc, C.E. GPS programme status 87−63088
Pelc, K.I. Management of R and D for reduction of technological delay: a strategic viewpoint 86−57141
Pelc, N.J. *see* Harris, G.F. 88−42514
Pelc, R. *see* Frankeny, R.F. 85−977, 85−11479, 85−40009
Peleato, J.M., Mills, F.W., Cheng, S.K. Automation of regression testing for packet switches 88−46830
Peled, A. Photodeposition recording and display technology 86−11658
Peled, A., Perakh, M. Electrical and photoelectric properties of photodeposited a-Se films 85−56407
Peled, A. *see* Gavan, J. 87−73689
Peled, E. Primary lithium batteries-electrochemical-research supporting battery technology 88−17845
Peled, E., Tulman, R., Golan, A., Meitav, A. Calcium/$Ca(AlCl_4)_2$-thionyl chloride high rate cell 85−16197
Peled, E. *see* Elster, E. 88−62573
Peled, E. *see* Yamin, H. 88−62564
Peled, I. *see* Akselrod, S. 88−10363
Peled, I. *see* Koren, I. 87−66211
Peled, U. *see* Harary, F. 87−23469
Peled, U.N. *see* Beissinger, J.S. 87−72923
Peleg, D., Upfal, E. The token distribution problem 87−33855
Peleg, D., Upfal, E. The generalized packet routing problem 88−14865
Peleg, K., Shpigler, S. Dynamic matching of acceleration transducers 87−35209
Peleg, S., Keren, D., Schweitzer, L. Improving image resolution using subpixel motion 87−47946
Peleg, S., Naor, J., Hartley, R., Avnir, D. Multiple resolution texture analysis and classification 85−19540
Peleg, S., Werman, M. Histograms distance 87−48242
Peleg, S. *see* Harouche, E. 85−30342
Peleg, S. *see* Keren, D. 88−73370
Peleg, S. *see* Rom, H. 88−73319
Peleg, S. *see* Shvayster, H. 87−39928
Peleg, S. *see* Shvaytser, H. 86−4023, 87−55267
Peleg, S. *see* Werman, M. 85−30378, 86−23127, 87−48210, 88−66677
Pelegov, Yu.F. The synthesis of signals, networks, and antennas based on new sets of functions with double orthogonality 87−51915
Pelegov, Yu.F., Repkin, V.P., Mazharova, A.V. A method of reception as a whole and its implementation in the M-1200 modem 85−8249
Pelegov, Yu.F., Turetskiy, S.I., Repkin, V.P. Problems of data transmission in automated radio links in the decameter band 88−9404
Pelekh, L.N. *see* Varshava, S.S. 88−57332
Pelekhatyi, V.M. *see* Akhmedzhanov, I.M. 85−50987
Pelekhatyi, V.M. *see* Zolotov, E.M. 88−72150
Pelekhov, S.P. *see* Dodonov, A.G. 86−14095
Pelenc, L. Gallium arsenide or silicon array for near future? 87−78943
Pelenc, L. *see* Juillet, J.J. 87−42132, 88−5096
Pelenc, L. *see* Ziliani, M.A. 87−4901
Pelenc, Y. Cut in high voltage circuit breakers: an atemporal model of dielectric failure 87−9692
Peles, Z. *see* Crnosija, P. 85−44206, 87−30676
Peles, Z. *see* Zoricic, D. 86−61498
Peletier, D.P. The application of a distributed computer organization to ocean research 85−21020
Pelfer, P. *see* Cecchet, G. 85−37942
Pelfer, P. *see* Marchionni, A.. 85−26663
Pelfer, P.G. *see* Alberini, C. 86−65387
Pelgrom, M., Termeer, H. A 32 Kbit variable length shift register for digital audio application 87−28870
Pelgrom, M., Wulms, H., van der Stokker, P., Bergamaski, R. FEBRIS, a chip for pattern recognition 87−24260
Pelgrom, M.J.M., Herrmann, J., Van Gijn, H.P., Vreeswijk, F.W.P. Compact noise-reduction system for quasistatic TV pictures 85−58335
Pelgrom, M.J.M., Jochijms, T., Heijns, H. A CCD delay line for video applications 88−20155
Pelgrom, M.J.M., Termeer, H.A.H. A 32-Kbit variable-length shift register for digital audio application 87−53717
Pelgrom, M.J.M., Wulms, H.E.J., van der Stokker, P., Bergamaschi, R.A. FEBRIS: a chip for pattern recognition 87−52625
Pelgrom, M.J.M. *see* Slotboom, J.W. 85−50738
Peli, E. Adaptive enhancement based on a visual model 87−69300
Peli, E. Perception of high-pass filtered images 88−41068
Peli, E., McCormack, G., Sokol, S. Comparison of synchronous detection methods for sweep stimulus VEP 88−48181
Peli, E. *see* Goldstein, R.B. 88−46243
Peli, L. *see* Ardizzone, D. 85−25664
Peli, T. Evaluation of a wideband direction estimation algorithm for acoustic arrays 87−62106
Peli, T. Corner extraction from radar images 88−73258
Peli, T. *see* Verly, J.G. 85−46777
Pelikan, G., Shipley, F., Gilbert, J., LaFave, K. Holter ECG improvements through 16-bit microprocessor architecture 85−43409
Pelikan, J. Electrification of the agriculture and the grouped remote control of the electric energy consumption 86−45879
Pelikan, M. *see* Moravec, F. 85−33381
Pelikan, P. The design of a voltage regulator with the MAA 723 circuit 85−17152
Pelikan, S. Type EH 621 hydraulic excavators with electric drive 87−79018
Pelikanova, J. *see* Pacak, M. 87−56744
Pelikant, A. *see* Turowski, J. 85−9895
Pelipeiko, V.A. *see* Yakubaitis, E.A. 86−10590
Pelipenko, A.S., Dvoinishnikov, V.A., Chernyaev, V.I., Kozlov, Yu.A. Results of a change-over to combustion of pit coal in PT-240-1 boilers 88−5503
Pelipenko, V.P., Dzyubenko, M.I., Shevchenko, V.V. Powerful microsecond discharges in flash lamps 87−7422
Pelis, J. *see* Benda, B. 87−64297
Pelisse, F., Geiger, D., Marie, F. The use of force-plate and CCD cameras for gait analysis 88−68351
Pelisse, F. *see* Geiger, D. 85−64039
Pelissier, J.-L. *see* Collin, J.-P. 88−39603
Pelissou, S., St-Onge, H., Wertheimer, M.R. Temperature dependence of electrical strength of polyethylene 87−18381
Pelissou, S., St-Onge, H., Wertheimer, M.R. Electrical conduction of polyethylene below and above its melting point 88−71848
Pelissou, S. *see* Bartnikas, R. 88−75181
Pelissou, S. *see* Bose, T.K. 88−63393
Pelissou, S. *see* Epstein, M.M. 87−30209
Pelizzari, C. *see* Rauchas, A. 86−5712
Pelizzari, C.A. *see* Ostrowski, G.E. 86−56025
Pelizzari, G. *see* Paolillo, A. 86−45365
Pelizzola, A. *see* Damia, G. 87−50377
Pelizzone, M. *see* Williamson, S.J. 85−43331
Pelka, D.G., Santos, A. Natural gas-fired thermophotovoltaic system 88−18097
Pelka, E.J., Agler, R., Daly, K., Quarteraro, R., Sesak, J., Solt, R., Velman, J., Williams, I.J., Williamson, R.K., Waldman, J.M. The Military Space System Technology Plan−a guidance, navigation and control perspective from Technology Workshop III 85−37139
Pelka, H. A practical course on integrated circuits. V 85−5112
Pelka, H. Integrated modules for the practice. VI. Measurement value recording with window discriminator 85−14840
Pelka, H. Integrated modules in use−voltage regulators 85−54640
Pelka, H. The advanced CMOS logic units of TI 87−74420
Pelka, H. *see* Herfurth, M. 85−6928, 85−18361, 85−28665
Pelka, J., Muller, K.P., Mader, H. Simulation of dry etch processes by COMPOSITE 88−33031
Pelka, J. *see* Buchmann, L.-M. 86−21410
Pelka, J. *see* Lorenz, J. 86−21646
Pelka, J. *see* Muller, K.P. 88−26082
Pelka, M.D. *see* Chen, M.D. 85−60154
Pelka, P. *see* Dornan, B. 86−8515
Pelka, R. *see* Cwirko, R. 87−70358
Pelka, R. *see* Kalisz, J. 85−43111, 86−65278, 88−16022, 88−74603
Pelkie, R.E. *see* Lansing, S.G. 85−15041
Pelkola, J. Why organizations don't integrate [PBXs] 85−13695
Pelkola, T. Slick VIC trick [teletype interface] 85−57704

Pelkowitz, K., Schwartz, S.C. Asymptotically optimum sample size for quickest detection 87−55074
Pelkowitz, L. Automatic tracking of infrared targets 87−3501
Pell, A. *see* Cole, R. 88−67283
Pell, C. Multi-static radar for long range air defense 86−55363
Pell, C., Fairhead, A.C., Thomas, M.B. VHPIC for radar 86−11178
Pell, C., Fairhead, A.C., Thomas, M.B. Advanced signal processing technology for future radar systems 86−59949
Pell, C. *see* Hanle, E. 87−13772
Pella, E., Giazzi, G., Colombo, B. Modern method in nitrogen determination 85−43121
Pella, S. *see* Aragona, A. 88−54128
Pellandini, F. *see* Farine, P.-A. 85−46843
Pellandini, F. *see* Mokeddem, A. 85−36232, 85−46741, 87−27315
Pellar, L. *see* Anisimov, Yu.S. 87−23788
Pellat, R. *see* Montes, C. 88−2001
Pellat-Finet, P., de Bougrenet de la Tocnaye, J.-L. Optical generator of spheroidal wave functions, using a BSO crystal 86−9959
Pellat-Finet, P. *see* Bondiou, M. 88−39919
Pellat-Finet, P. *see* de Bougrenet de la Tocnaye, J.-L. 88−45091
Pellat-Finet, P. *see* de Bougrenet de la Tocnaye, J.L. 86−36568
Pellatt, D.A. The implementation of image processing algorithms 86−59379
Pellaumail, J. Steady-state probalities for Markovian systems 88−38051
Pellaux, J.-P., Gisin, N., Meihsl, Ch., Jauch, K.M. Current developments in phase shift techniques applied to fiber measurements 88−72077
Pellaux, J.-P., Witschi, A., Bischofberger, T. Measuring set to determine the optical transmission characteristics of single-mode glass fibre 87−14110
Pellaux, J.-P., Witschi, A., Bischofberger, T. Apparatus for measuring the refractive index profile of an optical fibre 87−21267
Pellaux, J.-P. *see* Thevenaz, L. 87−74680, 88−36013, 88−45151
Pellaux, J.-P. *see* Witschi, A. 85−35512
Pellaux, J.P. *see* Von Der Weid, J.P. 87−32938
Pelle, J. *see* Berger, C. 88−22937
Pellecchia, M.A. Design of EMI shielded electronic enclosures 85−24877
Pellecchia, M.A. Design of EMI shielded electronic enclosures 86−29499
Pellechi, M., Colley, R., Ming-Huei Lee Simulator qualification using the EPRI methodology 87−78393
Pellechi, M., Gaddy, C., Trent, C., Colley, R. An EPRI methodology for evaluation of the operational impact of simulator discrepancies 88−75300
Pelleg, J. *see* Liu, R. 87−17950
Pellegatta, L. *see* Walters, E. 86−44345
Pellegrin, J., Ross, M.C., Scott, B.D., Wilson, D.S. Beam trajectory acquisition system for the arcs of the Standard Linear Collider 88−54150
Pellegrin, J. *see* Morton, P.L. 88−54276
Pellegrin, J.-L. *see* Denard, J.-C. 88−54152
Pellegrin, J.L. *see* Morton, P.L. 86−24957
Pellegrin, Y. *see* Laparra, O. 87−5498
Pellegrineschi, G. Mobile Earth stations to broadcast live TV programs via satellite 86−59837
Pellegrineschi, G. A new SMS station configuration suitable for moderate data traffic 87−34520
Pellegrini, A., Pinciroli, F., Ross, R., Vergani, L. Persistency of the direction of some virtual leads experimented on the BIH/MIT arrhythmia database 85−9210
Pellegrini, A., Pinciroli, F., Rossi, R., Vergani, L. Virtual leads for ambulatory ECG monitoring: remarks on the persistency of their direction 85−31838
Pellegrini, A. *see* Pinciroli, F. 88−36474
Pellegrini, B. Shot and flicker noise of p-n junction in the generation-recombination, diffusion and high-injection regions 86−67833
Pellegrini, B. On mobility-fluctuation origin of 1/f noise 87−18055
Pellegrini, B. The fundamentals of electronics through a single equation 88−20839
Pellegrini, B., Neri, B., Saletti, R. Minimum number of Lorentzian spectra sufficient to yield $1/f^{\gamma}$ spectrum 87−23450
Pellegrini, B., Saletti, R. Coloured noise generators 88−16224
Pellegrini, B., Saletti, R., Neri, B., Terreni, P. $1/f^{\gamma}$ noise generators 86−67065
Pellegrini, B., Saletti, R., Neri, B., Terreni, P. Minimization of low frequency noise sources in electronic measurements 88−16368
Pellegrini, B., Terreni, P. New reactance theory 87−44444
Pellegrini, C., Sprangle, P., Zakowicz, W. Conceptual design of a 300 GeV accelerator based on the Inverse Free Electron Laser mechanism 85−26633
Pellegrini, C. *see* Bisognano, J. 86−70268
Pellegrini, C. *see* Bonifacio, R. 85−2184, 87−26438
Pellegrini, C. *see* Boscolo, I. 85−24590
Pellegrini, C. *see* Cornacchia, M. 87−2146, 88−47744
Pellegrini, C. *see* Jackson, A. 87−19015
Pellegrini, C. *see* Kim, K.-J. 87−12509
Pellegrini, C. *see* Kincaid, B.M. 85−2173
Pellegrini, C. *see* Murphy, J.B. 85−24589, 85−35806, 85−56696
Pellegrini, C. *see* Vignola, G. 86−32136
Pellegrini, F., Pisani, E., Ansuini, G., Bosetto, A., Flaiani, R., De Martinis, C. A monitoring system for intensive therapy wards 85−38183
Pellegrini, G. Applications of optical fibres in telecommunication networks 85−14246
Pellegrini, G. Plans for ISDN introduction in Italy and prospects towards the broadband 88−28512
Pellegrini, G., Pandini, L. Criteria adopted at ENEL for the design of electromagnetically compatible systems 88−8510
Pellegrini, G. *see* Bonaventura, G. 86−23263
Pellegrini, G. *see* Bortoli, M.De. 85−57577
Pellegrini, G. *see* De Bortoli, M. 86−4620, 88−4037, 88−22066
Pellegrini, G. *see* de Julio, U. 86−16750, 86−59456
Pellegrini, G. *see* Dogliotti, R. 85−20229
Pellegrini, G. *see* Parente, F. 88−4025
Pellegrini, G.N. Back-EMF control for brushless DC motors 87−4727
Pellegrini, L. *see* Biardi, G. 88−31214
Pellegrini, P. *see* Silvermann, J. 87−6661
Pellegrini, P.F. *see* Cappellini, V. 85−20171
Pellegrini, P.W., Golubovic, A., Ludington, C.E. A comparison of iridium silicide and platinum silicide photodiodes 88−29408
Pellegrini, P.W. *see* Tsaur, B.-Y. 88−35994
Pellegrini, R. *see* Pani, R. 85−52992, 87−77644, 88−4912
Pellegrino, A. *see* Egiziano, L. 87−50838
Pellegrino, J. Thermal analysis for stepping motor applications 87−51277
Pellegrino, J.M., Berg, N.J., Casseday, M.W., Filipov, A.N. Compact architecture for spectrum analysis and correlation 85−13536
Pellegrino, J.M., Goff, J.R. Three-dimensional photorefractive signal processing in bismuth silicon oxide 87−55301
Pellegrino, J.M., Harrison, L.J., Berg, N.J. Ruggedization and miniaturization of real-time acousto-optic correlators and spectrum analyzers 87−46615
Pellegrino, J.M., Sadler, B.M., Casey, S.D. A residue number system for wideband acousto-optic spectrum analysis 87−2000
Pellegrino, J.M. *see* Messick, G.C. 88−26906
Pellegrino, J.M. *see* Sadler, B.M. 87−46619
Pellegrino, M. *see* Doniants, V.N. 85−23837
Pellegrino, M. *see* Ioli, N. 86−3012
Pellegrino, S., Komori, K., Suzuki, H., Lee, K.S., Aoki, M., Arai, S., Suematsu, Y. Novel single-longitudinal-mode 1.5 µm GaInAsP/InP distributed reflector (DR) laser 88−40208
Pellegrino, S. *see* Franzosi, P. 88−39061
Peller, H., Buchele-Buecher, S. Jet reaction control system for autonomous precision munition 88−17025
Peller, V.V. *see* Gruzintsev, S.A. 87−20853
Pellerin, D. Software tools for modern programmable logic design 86−67211
Pellerin, D., French, B. New design tools for programmable logic 86−46700
Pellerin, D. *see* Nicolas, P. 88−14929
Pellerin, D.B., Ehr, V. Advanced software tools for PLD design 86−46715
Pellerin, D.B. *see* McClure, M.D. 87−59353, 88−710, 88−6773, 88−6793
Pellerin, D.B. *see* Weil, S. 86−62348
Pellet, C. *see* Schwebel, C. 87−10445
Pelletier, A. *see* Thouvenin, P. 88−39012
Pelletier, C.M. *see* Granger, R. 85−55496, 88−32789
Pelletier, C.M. *see* Lasbley, A. 85−23478
Pelletier, C.M. *see* Rustom-Dalouche, R. 85−55507
Pelletier, D.J. *see* Ashrit, P.V. 85−56367
Pelletier, E. Control of the formation of multilayer optical filters 85−12695
Pelletier, E. *see* Commandre, M. 88−45266
Pelletier, E. *see* Fornier, A. 87−54150, 87−56832
Pelletier, E. *see* Grezes-Besset, C. 88−60123
Pelletier, J. A model for the halogen-based plasma etching of silicon 87−60333
Pelletier, J., Arnal, Y., Debrie, R., Pomathiod, L., Rifflet, J.C. New application for multipolar plasmas: high-temperature treatment of materials 85−6844
Pelletier, J., Arnal, Y., Durandet, A. SF_6 plasma etching of silicon: evidence of sequential multilayer fluorine adsorption 88−7472
Pelletier, J., Arnal, Y., Petit, B., Pomot, C., Pichot, M. Microwave multipolar plasmas: a possible solution for etching in microelectronics? 86−47474
Pelletier, J. *see* Arnal, Y. 86−58423
Pelletier, J. *see* Burity, L.O. 86−64531
Pelletier, J. *see* Cooke, M.J. 88−64397
Pelletier, J. *see* Durandet, A. 88−19826
Pelletier, J. *see* Petit, B. 85−45594, 86−58430, 87−38153, 87−60335
Pelletier, J. *see* Pomot, C. 86−35583
Pelletier, L. A new architecture and algorithm for implementation of the Walsh transform in silicon 88−1774
Pelletier, L.J. *see* Posner, R.D. 87−41179
Pelletier, M., Delisle, G.Y., Cummins, J.A. Characteristics features of nonlinear adaptive array antennas 86−42974
Pelletier, M. *see* Vinet, R. 88−48241
Pelletier, R. *see* Pelletier-Allard, N. 85−2389
Pelletier, R.E. Spatial variation analyses of Thematic Mapper data for the identification of linear features in agricultural landscapes 85−59518
Pelletier, R.E., Ochoa, M.C., Hejek, B.F. Agricultural applications for Thermal Infrared Multispectral Scanner data 86−18612
Pelletier-Allard, N., Pelletier, R. Simple and inexpensive laser wavelength calibrating system with a 0.01-Å accuracy over all the visible range 85−2389
Pellett, D.E. *see* Shoemaker, G.H.N. 86−38710
Pelley, P.H. *see* Yu, R.J. 88−32209
Pelli, R.F. *see* Miguel, D. 87−21043
Pellicane, J.P., Jr. *see* Hanak, J.J. 87−9752
Pellicano, R., Zisa, M. Drive methods and optimization of a DC motor controller 88−75989
Pelliccioni, M. *see* Esposito, A. 88−54677
Pelliciari, B. State of the art of LPE HgCdTe at LIR 88−31757
Pelliciari, B., Baret, G. Role of dislocations in *n*-type annealed CdHgTe grown by liquid-phase epitaxy 88−24707
Pelliciari, B., Chamonal, J.P., Destefanis, G.L., Di Cioccio, L. Growth and characterization of LPE CdHgTe/CdZnTe/CdZnTe structure 88−70325
Pelliciari, B. *see* Destefanis, G.L. 87−3486
Pelligrini, F. *see* Pisani, E. 87−21593, 87−21612
Pellin, R. *see* Ferber, R.E. 86−34297
Pellinen-Wannberg, A. *see* Tsunoda, R.T. 85−63763
Pelling, E.E., Doubt, G.L., Stevens-Guille, P.D., Rajagopalan, R.R. Substitute valve packing qualification tests case history 88−6219
Pellissier-Tanon, A. *see* Leny, J.C. 85−4817
Pellizzoni, G. *see* Catanesi, M.G. 87−29686
Pellkofer, D., Engelhard, G., Forner, S. The advantages of TIG narrow-gap welding 86−46081
Pellkofer, D. *see* Ruf, R. 85−10275
Pellner, A., Kuhrt, H., Krauss, K.-H. 80186 experimental computer 87−37317
Pello, P.M. Feasibility studies of hydroelectric power from agricultural irrigation systems 86−65948
Pello, P.M. Energy parks−factors in the siting of power stations 87−78430
Pello, R. *see* Bonhoure, J. 88−68057
Pelloie, B., Perriere, J., Siejka, J., Debenest, P., Straboni, A., Vuillermoz, B. Investigation of ionic transport mechanisms during plasma anodization of Si and Si through ZrO_2 88−56291
Pelloie, J.L., Guillot, G., Nouailhat, A., Antolini, A.G. A study of deep levels by transient spectroscopy on *p*-type liquid-phase-epitaxial $Ga_2In_{1-x}As_yP_{1-y}$ grown on semi-insulating InP 86−41532
Pelloie, J.L. *see* Felix, P. 87−45988
Pellon, L.E. *see* Tower, J.R. 86−5058, 86−12151, 86−70047, 87−20935
Pelloni, P. *see* Di Montenegro, G.N. 87−9352
Pelloni, P. *see* Negri Di Montenegro, G. 87−30379, 87−30399, 88−5570
Pelloth, W. *see* Wurnik, F. 85−10468, 88−64068
Pelloux, A., Fabry, P., Durante, P. Design and testing of a potentiometric chlorine gauge 86−24824
Pelly, B., Taylor, B. High power HF switching converters 87−51340
Pel'menev, A.G. *see* Dimakov, S.A. 87−68361
Pel'menev, A.G. *see* Kimakov, S.A. 86−9755
Pelon, J., Godin, S., Megie, G. Upper stratospheric (30-50 km) lidar observations of the ozone vertical distribution 87−4133
Pelon, J., Megie, G., Loth, C., Flamant, P. Narrow bandwidth Q-switched alexandrite laser for atmospheric applications 86−68508
Pelon, J. *see* Flamant, P.H. 86−54232
Pelon, J. *see* Megie, G.J. 86−18561
Pelonnier, V.Magimel *see* Magimel Pelonnier, V.
Peloquin, M.A. *see* Grasso, L.J. 88−12282
Pelosi, C. *see* Attolini, G. 86−67669
Pelosi, C. *see* Gombia, E. 85−16911, 85−16914
Pelosi, C. *see* Vidal, J. 88−50642
Pelosi, G., Manara, G., Tiberio, R., Bessi, F., Bettini, G., Pathak, P.H. Equivalent currents for RCS calculations of flat plates−improvements and applications to surface impedance coatings 87−28666
Pelosi, G. *see* Biffi Gentili, G. 88−44330
Pelosi, G. *see* Manara, G. 87−28664, 87−54512
Pelosi, G. *see* Tiberio, R. 85−13092, 85−13343, 85−62746, 85−62880, 86−42829, 88−2542
Pelosi, L. *see* Pace, S.J. 86−56088
Pelosi, S.G. *see* Campbell, L.W. 87−40209

Peloso, R.A. *see* Bull, J.F. 87−33557
Pelouard, J., Hesto, P., Castagne, R. Modelling of the InP/InGaAs ballistic HJBT 86−63266
Pelouard, J.-L., Castagne, R., Hesto, P. Monte-Carlo study of ballistic transport in heterojunction bipolar transistors (HJBTs) and in high electron mobility transistors (HEMTs) 88−39518
Pelouard, J.-L., Hesto, P., Castagne, R. Monte-Carlo study of the double heterojunction bipolar transistor 88−33182
Pelouard, J.-L., Hesto, P., Praseuth, J.-P., Goldstein, L. Double-heterojunction GaAlInAs/GaInAs bipolar transistor grown by molecular-beam epitaxy 87−6674
Pelouard, J.-L. *see* Hesto, F. 85−1259
Pelouard, J.L., Hesto, P., Praseuth, J.P., Goldstein, L. InGaAlAs/InGaAs/InGaAlAs nnpnn double heterojunction bipolar transistors: experimental characteristics and Monte-Carlo interpretation 87−25254
Pelouard, J.L., Hesto, P., Praseuth, J.P., Goldstein, L. Realisation and Monte-Carlo modelling of heterojunction bipolar transistors NnpnN InGaAlAs/InGaAs/InGaAlAs 87−67228
Pelouard, J.L. *see* Goldstein, L. 87−45892
Pelouard, J.L. *see* Hesto, P. 85−34904
Pelous, G. *see* Caquot, E. 87−25368
Pelous, G. *see* L'Haridon, H. 86−21259
Pelous, G. *see* Piotrowska, A. 85−29037
Pelous, G. *see* Saletes, A. 86−40142, 87−16000
Pelovitz, M., Bronner, G., Christensen, U. Trade-off studies for CIT PF power supply configuration 88−63520
Pelovsky, S.P. Optimizing the choice of MV oil and dry transformers 88−24014
Pel'por, D.S., Salychev, O.S. Identifying location of slowly-moving object 86−25357
Pelser, F.A. *see* Schouwenaars, H.J. 86−34908
Pelser, J., Davids, J.A.G., de Meulemeester, F.M. Low flux reactor—a quarter of a century 86−25746
Pelsmaekers, J. *see* van Asbroeck, P. 86−33996
Pelsskii, V.P. *see* Grigor'evskii, V.I. 85−56018
Pelsue, K. *see* Colonna, R. 87−2246
Pelt, B.Van *see* Van Pelt, B.
Pelt, P.van *see* van Pelt, P.
Pelta, E.R. Direct linear and Cartesian coordinate stepping motors 86−51666
Pelta, E.R. Two-axis Sawyer motor 87−30642
Pelta, E.R. Sawyer motors in optical scanning systems 87−34982
Pelta, E.R. Precise positioning without geartrains 87−58114
Pelta, E.R. Two-axis Sawyer motor for motion systems 88−11250
Pelta, E.R. *see* Nordquist, J.I. 87−30654
Peltan, J.C. *see* Giroux, C. 85−27214
Peltan, S.G., Long, S.I., Butner, S.E. An accurate DC SPICE model for the GaAs MESFET 87--67594
Peltier, M. *see* Duquesnoy, J.Y. 86−2561
Peltier, M. *see* Gahinet, P. 87−45436
Pel'tikhin, O.A. *see* Gerasimov, V.B. 88−14235
Pelto, P.J. *see* Leverenz, F.L., Jr. 86−51408
Peltola, E. Computer technology under arctic conditions 87−34132
Peltola, E. A comparison of constant and variable-speed drives for wind turbines 88−30628
Peltola, E., Pihala, H. Wind and diesel power plant as alternatives in electric power supply of the rural district of Enontekio 86−39656
Peltomaa, A.S. *see* Johansson, L. 85−4880
Pelton, G.A. Application architecture for communications on the manufacturing floor 87−27700
Pelton, J., McDougal, P. ISDN must incorporate satellite technology to close possible gaps in the global network 87−48338
Pelton, J.N. Satellite telenets: a techno-economic assessment of major trends for the future 85−14169
Pelton, J.N. Global communications: promises and pitfalls 86−54640
Pelton, J.N. INTELSAT: the Pacific and communications development 88−28795
Pelton, J.N., Kelley, T.M. Global thin-route services using Intelsat: digital and analog solutions 85−47487
Pelton, J.N., Lemus, R.A. INTELSAT's plans for the Pacific region 86−59864
Pelton, J.N., McDougal, P.J. ISDN: a case for satellites 87−28449
Pelton, J.N., McDougal, P.J. ISDN: the case for satellites 87−55525
Pelton, J.N., McDougal, P.J. ISDN: the case for satellites 87−55529
Pelton, J.N., McDougal, P.J. Don't overlook satellites 87−62498
Pelton, J.N., Wu, W.W. The challenge of 21st century satellite communications: INTELSAT enters the second millenium 87−56041
Peltonen, J.K., Raisanen, A.V., Lehto, A.O. 90 GHz spectral line receiver for the Metsahovi 14-m telescope 88−60356
Pel'ts, B.B., Davydov, V.P., Pirogov, N.A., Ponomarev, E.M. Efficiency of new designs of superpower electric arc steel melting furnaces 85−65645
Pel'ts, B.B. *see* Egorov, A.P. 85−44196
Pel'ts, B.B. *see* Kallistratov, V.A. 87−58458
Pel'ts, B.B. *see* Krutyanskii, M.M. 85−65649
Pel'ts, B.B. *see* Rozenberg, V.L. 85−65654
Pel'tsman, S.S. *see* Apollonov, V.V. 85−24476, 86−15626
Peltz, G. Optical rotation speed measurer with analogue display 85−31595
Peltz, G. Direction of rotation changeover for small motors: left and right no expense 85−32662
Peltz, G. Analogue DC voltage reference with decimal voltage divider 85−49727
Peltz, G. Simulated pH values 85−52724
Peltz, G. Quartz stable 50 Hz generator from two components 86−2491
Peltz, G. Resistance measurement freely by Wheatstone 86−5471
Peltz, G. Selective IR garage door remote control 86−14428
Peltz, G. Current-economising multiple display . . . for four to eight LEDs 86−24359
Peltz, G. Relative frequency monitor for mains voltage 86−27055
Peltz, G. Low voltage dimmer 86−27504
Peltz, G. High power PWM output amplifiers for low frequencies and direct current 86−40919
Peltz, G. 'Off' in five minutes: battery protection through operating time limiting 86−47021
Peltz, G. 10000 years of communications techniques. II. From hieroglyphs to infrared remote control 86−64153
Peltz, G. A simple measuring interface. CPC hardware extension 88−29225
Peltzer, D.L. Testing of wafer scale devices 85−33812
Peltzman, D. *see* Kwatny, E. 88−4979
Peluffo, M. *see* Rosatelli, F. 85−46112
Peluso, G. *see* Andreozzi, F. 85−46089
Peluso, G. *see* Barone, A. 88−7827
Peluso, G. *see* De Stefano, S. 85−62234, 87−38676
Peluso, G. *see* Merlina, S. 86−19687, 86−45271
Peluso, S.E. *see* Milam, D. 85−51232
Peluso, V. *see* Isastia, V. 86−70916 to 70917
Pelyukhova, E.B. Stability of the steady-state operation of a coupled system with a nonideal oscillator entrance mirror 86−48457
Pelyukhova, E.B. *see* Vladimirov, A.G. 88−72243
Pelyukhova, E.B. *see* Zeiger, S.G. 85−24613
Pelyushenko, S.A. Absolute measurements of antenna parameters by illumination method 86−31576
Pelyushenko, S.A. Measurement of antenna directional patterns using extended radio sources 87−33503
Pelyushenko, S.A. *see* Tseitlin, N.M. 87−70168
Pelz, D.A. *see* Liu, D.-M.D. 88−46833
Pelz, H. Electromagnetic interference effects on electronic devices and equipment 85−7673
Pelz, L. Electromagnetic compatibility in process control 88−40584
Pelz, S. Emergency power supply systems 85−38473
Pelzer, W., Ziegler, K. The time structure of the heavy-ion beam of the VICKSI accelerator 85−52934
Pelzer, W. *see* Busse, W. 86−55918
Pelzer, W. *see* Martin, B. 88−53977
Pelzer, W. *see* Renner, D. 88−47763
Pelzl, G., Zaschke, H., Demus, D. Liquid crystalline tetrazine compounds as dyes for guest-host displays with positive contrast 86−11639
Pelzl, J. *see* Netzelmann, U. 85−24163
Pelzner, E. Quasi-plane electromagnetic wave of optical frequency 85−13140
Pelzner, E. *see* Majewski, A. 85−12544, 85−50905
Pemberton, A. Pressure scanning: rotary vs. electronic 88−42318
Pemberton, K.G. *see* Schofield, J.W. 85−31367
Pemberton, M.E. The Marconi 16 mm fast pulldown television recorder 87−28801
Pemberton, W.B. *see* Gilmore, J.F. 85−36407
Pembury, M. The Paltex E-Series [editing systems] 87−77009
Pen, E.F. *see* Blok, A.A. 85−2423
Pen, E.F. *see* Dombrovskii, V.A. 86−22539
Pen Chenglin *see* Chenglin Pen
Pen-fei Lang *see* Lang Pen-fei
Pen-Shu Yeh, Antoy, S., Litcher, A., Rosenfeld, A. Address location on envelopes 87−47939
Pen-Shu Yeh *see* Hashizume, A. 86−59344
Pen-zhong Yi *see* Yi Pen-zhong
Pena, E. *see* Gupta, P. 87−51889
Pena, J. A rotary position indicator 86−60284
Pena, J.J. *see* Vega, M.J. 85−6454
Pena, J.L. *see* Castanedo, R. 86−67748
Pena, J.L. *see* Garcia, N. 86−5525
Pena, J.L. *see* Hernandez-Calderon, I. 88−31820
Pena, J.L. *see* Zelaya, O. 88−457
Pena, R.T., Masada, G.Y., Flake, R.H. A boiler-turbine mathematical model for power plant operation studies 88−23759
Pena Ramos, E. An automatic musical end-of-transmission signal generator for CB 87−48952
Pena-Bernal, J.J. *see* Duque-Carrillo, J.F. 86−34489, 87−498, 87−59742
Pena-Finol, J., Connelly, J.A. A four quadrant MOS analog multiplier 87−59805
Pena-Finol, J.S., Connelly, J.A. A MOS four-quadrant analog multiplier using the quarter-square technique 88−20114
Penafiel, M. *see* Gupta, A.K. 86−64257
Penaforte, J.C., Baseia, B. Laser theory in the absence of adiabatic hypothesis: linear approximation 85−29737
Penalver, C.M., Bernardez, J., Farina, J. PWM inverter using high voltage and frequency BI-MOS switches 86−61656
Penalver, C.M., Farina, J. An improved high frequency Bi-MOS switch application to 300 kHz switch mode power supply 88−69594
Penalver, C.M., Peire, J., Martinez, P.M. Microprocessor control of DC/AC static converters 85−65334
Penalver, J. *see* Baars, J.W.M. 88−47246
Penard, E. *see* Daniel, J.-P. 85−41774
Penard, E. *see* Daniel, J.P. 86−68920
Penard, E. *see* Demeure, L. 88−40744
Penard, E. *see* Mahdjoubi, K. 87−26916
Penard, P. *see* Carlac'h, J.-C. 88−57800
Penas Abella, A. *see* Ladra Brana, D. 86−39355
Penatzer, J. *see* Koplik, C.M. 88−68714
Penazzi, G. *see* Petitdidier, M. 86−23966
Penazzi, N. *see* Maja, M. 88−17876
Penbeci, S.S., Fidanboylu, K.M. A new switched-capacitor high pass filter realization using the MLDD transformation 88−6970
Penbeci, S.S. *see* Al-Sunaidi, M.A. 88−50278
Penberth, M.J., Rix, N.F. Performance modelling of pattern recognition techniques for calibration and registration mark detection 88−26125
Penberth, M.J. *see* Melot, J.P. 88−26126
Pence, J.A. Using SIMAN to model an Ethernet local area network 86−49330
Pence, J.L. The system and methodologies of Bell Communications Research Inc.'s quality assurance function 85−39572
Pence, J.L. Is zero defects economical? [manufacturing companies] 86−52309
Pence, S. Build this video sync separator for your oscilloscope 85−52804
Pence, S. Build this bar-graph voltmeter for your car 86−5359
Pence, W.E., Krusius, J.P. The fundamental limits for electronic packaging and systems 88−177
Pencheva, V.H. *see* Belovolov, M.I. 88−45102
Pencheva, V.Kh. *see* Bazhenov, V.Yu. 88−34047
Pencheva, V.Kh. *see* Belovolov, M.I. 87−68592, 87−74710, 88−2018, 88−40226
Penchina, C.M. *see* Flesner, L.D. 86−47345
Pencikowski, P. *see* Davis, M.C. 88−68569
Penciner, J. *see* Yamin, H. 88−62564
Pencinger, C.J. CMOS/SOS technology and its resistance to penetrating radiation 86−47796
Pencke, M.D. *see* Lewellen, T.K. 88−61260, 88−61271
Penco, E. *see* Armandillo, E. 85−51131
Penco, E. *see* Benedetti Michelangeli, G. 86−58908
Penco, E. *see* Marchetti, R. 85−18848, 86−22285, 88−27103
Penco, E. *see* Vietri, G. 85−51123
Penco, G. Optical spectral analysis in real time 86−5150
Penco, R., Bonito-Oliva, A., Musenich, R. Prospects for the use of high T_c superconductors in magnet production 88−26733
Penco, R. *see* Carosio, R. 85−24251
Pencz, J. *see* Afghahi, M. 87−7792, 87−48048
Pencz, J. *see* Sikstrom, B. 88−784
Pencz, J. *see* Wanhammar, L. 87−7790
Penczek, P., Grochulski, W., Grzyb, J., Kowalczyk, M. The use of a multi-channel Kalman filter algorithm in structural analysis of the epileptic EEG 87−29776
Pend, S. *see* Colinge, J.-P. 86−53816
Pendegrass, L.L., Studebaker, L.G. SAW resonators above 2 GHz with low loss, high *Q* 87−60773
Pendelton, J.M., Kong, S.I., Brown, E.W., Dunlap, F., Marino, C., Ungar, D.M., Patterson, D.A., Hodges, D.A. A 32b microprocessor for Smalltalk 87−17154
Pender, A. *see* Beach, B. 85−63354
Pender, S.E. Microprocessor-based laser videodisc information systems—new tools for interactive training and simulation 86−7424
Pendergast, K.D., Danley, B.G., Temkin, R.J., Wurtele, J.S. Self-consistent simulation of cyclotron autoresonance maser amplifiers 88−65535
Pendergast, K.D., Danly, B.G., Temkin, R.J., Tran, T.M. Design of a high power, 140 GHz CARM amplifier 88−27003
Pendergast, K.D. *see* Danly, B.G. 88−51714
Pendergrass, J.H. Improving inertial confinement fusion power plant and effective driver efficiencies by generating electricity from KrF laser reject heat 87−64252
Pendergrass, J.H. Heavy-ion fusion systems: assessment implications for reactors 88−48625
Pendergrass, L.L. Ferroelectric microdomains in lithium niobate 88−51068
Pendergrass, L.L., Studebaker, L.G. SAW resonator design and fabrication for 2.0, 2.6 and 3.3 GHz 88−57879
Pendergrass, L.L. *see* Bray, R.C. 87−6983

Pendergrass, M.L. Engineering services to support operating nuclear power plants 86−25779
Penders, E. *see* Gubbels, G.H.M. 87−43480
Penders-Vankova, E., Gubbels, G.H.M., Wolff, L.R. Measuring thermionic emission of W-Al_2O_3 and W-$LaCrO_3$ cermets 88−7246
Pendlebury, J.M. *see* Ageron, P. 86−70323
Pendlebury, J.M. *see* Sumner, T.J. 87−75467
Pendlebury, N.H. *see* Andrews, K.F.D. 88−66878
Pendleton, J. *see* Namjoo, M. 88−44228
Pendleton, J.M., Kong, S.I., Brown, E.W., Dunlap, F., Marino, C., Ungar, D.M., Patterson, D.A., Hodges, D.A. A 32-bit microprocessor for Smalltalk 87−10905
Pendleton, K.M. *see* Anschel, M. 85−26921
Pendleton, W.K. *see* Schaefer, G. 85−1210
Pendleton-Hughes, S., Weston, N., Carter, A.C. Forty channel wavelength multiplexing for short haul wideband communications networks 86−43872
Pendley, W.L. *see* Roemer, J.M. 87−7982
Pendock, N. Dimension reduction and interpretation of multispectral imagery using Chebyshev polynomials 87−2608
Pendock, N. Fast classification of image data with large spectral dimension 87−4161
Pendock, N.E. *see* Struthers, H.E. 87−4164
Pendrick, V. *see* Fathy, A. 87−45269
Pendrill, L.R. Density of moist air monitored by laser refractometry 88−68045
Pendse, H.P., Marlow, B.J. A novel sensor for electrokinetic characterization of concentrated colloidal slurries 88−29362
Pendse, R., Shanker, B.J. A study of thermal performance of packages using a new test die 88−50983
Pendse, S. *see* Soueid, E. 86−37554
Pendurov, O.V., Dinkel', A.D., Vasil'ev, B.V. Investigating the dynamic properties of a static source of reactive power 88−30248
Pendyala, S. *see* Hulett, L.D., Jr. 87−56999
Pendyur, S.A. *see* Basov, N.G. 87−74978
Pendyur, S.A. *see* Klementov, A.D. 85−41346
Pendzich, A. *see* Stillman, P. 88−54319
Pendzick, A. *see* Carroll, A. 88−54314
Pendzick, A. *see* Leonhardt, W. 88−54317
Pendzick, A. *see* Sandberg, J. 88−54318
Pendzick, A. *see* Sims, W.P. 88−54315
Pendzick, A. *see* Walker, J.C. 88−54316
Pene, F. *see* Rancy, F. 85−20139
Peneder, F., Bertschi, R. Static excitation systems with and without a compounding ancillary [synchronous generator excitation] 86−26010
Penenkov, M.N. *see* Budkin, L.A. 86−3269
Penescu, M. *see* Banches, E. 86−5480
Penescu, M. *see* Ghita, I. 86−1666
Penetrante, B.M., Kunhardt, E.E. Kinetics of hydrogen thyratron plasmas during the conduction phase 86−53312
Penetrante, B.M., Kunhardt, E.E. Gas heating effects in hydrogen thyratron discharges 87−1160
Penetrante, B.M., Kunhardt, E.E. Self-consistent modeling of thyratron plasmas 87−17582
Penetrante, B.M., Kunhardt, E.E. Gas heating effects on the quenching of hydrogen thyratron discharges 87−37852
Penev, I., Andrejtscheff, W., Protochristov, Ch., Zhelev, Zh. On the timing properties of germanium detectors: the centroid diagrams of prompt photopeaks and Compton events 87−63634
Penev, I., Kolev, V., Protochristow, C., Zhelev, Z. A simple arrangement for time analysis using a standard MCA 85−31758
Penev, V. *see* Georgiev, P. 88−4823
Peneva, S. *see* Baleva, M. 85−39788
Peneva, Ya.P. *see* Yershov, V.A. 85−8252
Penfield, P., Jr. *see* Wyatt, J.L., Jr. 86−52925
Penfield, P., Jr. *see* Zippel, R.E. 87−38439
Penfield, S.E., Jr., Russ, J.R., III The cogeneration potential for small high temperature gas cooled reactors 86−33023
Penfold, A. Dimmers 85−29204
Penfold, A.B., Williams, D.C. Laser alignment system 88−34183
Penfold, A.R. Short circuit testing of circuit breakers 86−61690
Penfold, B. Switch mode PSU design 87−59158
Penfold, J., Tomkinson, J., Lobo, M., Davidson, I. First results on the crystal analyser spectrometer, TFXA, at the SNS 86−56063
Penfold, J. *see* Felici, R. 88−4735
Penfold, R. Amstrad A/D convertor 85−11341
Penfold, R. Active antenna 87−2369
Penfold, R. Real world interfacing. I 88−32288
Penfold, R. *see* Herman, G. 85−8666
Penfold, R.A. Ultrasonic intruder alarm 85−10408
Penfold, R.A. Just whistle 85−13827
Penfold, R.A. Tremoleko 85−14511
Penfold, R.A. Audio level meter 85−14541
Penfold, R.A. Moisture gauge 85−14832
Penfold, R.A. Computer DFM adaptor 85−26207
Penfold, R.A. Spectrum DAC/ADC board 85−40138
Penfold, R.A. Time out [mains timer] 85−45191
Penfold, R.A. A look at light dimmers 85−45193
Penfold, R.A. Ultrasonic fire alarm 85−45194
Penfold, R.A. Mains intercom 85−47400
Penfold, R.A. Springline reverb 85−47737
Penfold, R.A. Digital test set 85−47990
Penfold, R.A. Audio millivoltmeter 85−47996
Penfold, R.A. Milliohm meter 85−47998
Penfold, R.A. CBM 64 music keyboard 85−63915
Penfold, R.A. Touch controlled PSU 86−13991
Penfold, R.A. Modulated syndrum 86−17721
Penfold, R.A. Commodore user port expander 86−20669
Penfold, R.A. Computer envelope shaper 86−31097
Penfold, R.A. Fibre optic audio link 86−49601
Penfold, R.A. Noise limiter 86−55214
Penfold, R.A. Sound activated switch 86−55480
Penfold, R.A. Temperature-analogue interface 86−55537
Penfold, R.A. Build the PW RF speech processor 86−64872
Penfold, R.A. PW 'Westbury' basic wobbulator 87−31741
Penfold, R.A. Liquid crystal displays: the display technology of the future 87−41579
Penfold, R.A. CAT interface 87−62836
Penfold, R.A. CAT interface. II 87−69933
Penfold, R.A. DXer's tone control 87−69936
Penfold, R.A. The PW 'Downton' frequency to voltage converter 87−70694
Penfold, R.A. Audio signal generator 88−6692
Penfold, R.A. RTTY tuning indicator 88−9052
Penfold, R.A. Audio frequency meter 88−36126
Penfold, R.A. Battery checker 88−60635
Peng, C. *see* Fischer, R.J. 86−41809
Peng, C. *see* Huang, Z. 87−57075
Peng, C. *see* Priddy, K.L. 87−38281
Peng, C. *see* Yin, Z. 87−57179
Peng, C. *see* Zheng, X. 88−68344
Peng, C.-K. *see* Ketterson, A.A. 86−53633
Peng, C.-K. *see* Liu, S.-M.J. 86−53635
Peng, C.K., Aksun, M.I., Ketterson, A.A., Morkoc, H., Gleason, K.R. Microwave performance of InAlAs/InGaAs/InP MOSFETs 87−32069
Peng, C.K., Chen, J., Chyi, J., Morkoc, H. Extremely low nonalloyed and alloyed contact resistance using an InAs cap layer on InGaAs by molecular-beam epitaxy 88−71347
Peng, C.K., Ketterson, A., Morkoc, H. Molecular beam epitaxy growth and characterization of lattice matched and strained channel $In_xGa_{1-x}As/In_yAl_{1-y}As$ modulation doped structures on InP 88−415
Peng, C.K., Sinha, S., Morkoc, H. Characterization of graded interface $In_xGa_{1-x}As/In_{0.52}Al_{0.48}As$ $(0.53<x<0.70)$ structures grown by molecular-beam epitaxy 88−7339
Peng, C.K., Won, T., Litton, C.W., Morkoc, H. A high-performance InGaAs/InAlAs double-heterojunction bipolar transistor with nonalloyed n^+-InAs cap layer on InP(n) grown by molecular beam epitaxy 88−64516
Peng, C.K. *see* Agarwala, S. 88−71546
Peng, C.K. *see* Aksun, M.I. 87−45282
Peng, C.K. *see* Bajaj, K.K. 87−74088
Peng, C.K. *see* Caldwell, P.J. 85−29848
Peng, C.K. *see* Chen, J. 88−7569
Peng, C.K. *see* Fischer, R. 86−9282, 86−28357, 86−35818, 86−41322
Peng, C.K. *see* Henderson, I. 86−47565
Peng, C.K. *see* Henderson, T. 87−17351, 87−45278
Peng, C.K. *see* Iyengar, V. 88−57691
Peng, C.K. *see* Ketterson, A. 86−28322
Peng, C.K. *see* Klem, J. 86−8826
Peng, C.K. *see* Look, D.C. 87−60501
Peng, C.K. *see* Masselink, W.T. 86−21206
Peng, C.K. *see* Morkoc, H. 85−55833, 86−53031
Peng, C.K. *see* Otsuka, N. 86−66809
Peng, C.K. *see* Pearah, P.J. 85−56421, 86−53396
Peng, C.K. *see* Reddy, U.K. 86−63249
Peng, C.K. *see* Reynolds, D.C. 86−42415
Peng, C.K. *see* Shewchuk, T.J. 86−8828
Peng, C.K. *see* Shih-Ming Liu 87−45967
Peng, C.K. *see* Won, T. 88−64517
Peng, C.K. *see* Yu, P.W. 86−47355
Peng, C.L. *see* Xu, Y. 88−48141
Peng, C.M., Ipakchi, A., Kim, J.H. PWR-PSMS benchmarking results using thermocouple data from the Summer-1 plant 86−61287
Peng, D., Kingma, Y.J., Bowes, K.L. Design of a self-adhering gastric multichannel electrode assembly 88−68438
Peng, D.L. *see* Kingma, Y.J. 88−48191
Peng, F.Z., Akagi, H., Nabae, A. A study of active power filters using quad-series voltage-source PWM converters for harmonic compensation 87−66338
Peng, F.Z., Akagi, H., Nabae, A., Sugawara, S. High frequency current-source inverters using SI thyristors for induction heating applications 88−31213
Peng, G.-D., Huang, S.-Y., Lin, Z.-Q. Intensity noise characteristics of lasers in fiber-optic gyroscopes 87−54030
Peng, G.-D., Huang, S.-Y., Lin, Z.-Q. A new heterodyne fiber-optic gyroscope using electronic frequency shifter 87−68103
Peng, H.-S. *see* Maron, Y. 86−70180
Peng, H.D. *see* Wang, C.M. 88−15464
Peng, H.K. *see* Tsai, F.Y. 88−28628
Peng, H.S. *see* Maron, Y. 87−63615
Peng, J. *see* Lo, T.L. 85−47259, 86−54752
Peng, J.-L. *see* Schowalter, L.J. 85−49553
Peng, J.-P. *see* Chen, C.-W. 87−66166
Peng, J.C., Leitch, M.J., Bowman, J.D., Irom, F., Kapustinsky, J., Li, T.K., Simmons, J.E., Wong, Z.F., Smith, C. Performance of a lead-glass spectrometer for detecting η mesons 88−10290
Peng, J.C. *see* Tang, S.M. 87−29506
Peng, J.D. *see* Forbes, L. 86−28523
Peng, J.D. *see* Yue, C.Y. 88−51444
Peng, J.P., Salon, S., Chari, M.V.K. A comparison of finite element and boundary element formulations for three-dimensional magnetostatic problems 85−24713
Peng, J.P., Varner, J.R. Head saturation in magnetic recording 88−71926
Peng, J.P., Victora, R.H. Micromagnetic recording process simulation 88−51290
Peng, J.P. *see* Salon, S.J. 85−24728
Peng, K.-C., Ling-An Wu, Kimble, H.J. Frequency-stabilized Nd:YAG laser with high output power 85−35716
Peng, K.-L., Oh, S.-Y., Afromowitz, M.A., Moll, J.L. Basic parameter measurement and channel broadening effect in the submicrometer MOSFET 85−12295
Peng, K.J., Onda, K., Yamamoto, T., Aoki, Y. Plex grammars for the predicate logic programming and its application to the structural analysis of electronic circuits 88−18846
Peng, M.L. *see* Ouyang, H. 86−8984
Peng, M.L. *see* Yang, C.B. 86−21362, 86−28111
Peng, Q., Birbas, A.N., van der Ziel, A., van Rheenen, A.D., Amberiadis, K. Channel length dependence of the 1/*f* noise in silicon metal-oxide-semiconductor field-effect transistors. II. Verification of the acceleration 1/*f* noise process 88−64575
Peng, R. *see* Rao, B.D. 87−62045, 88−46120
Peng, S., Chen, D.C., Liu, E.D. Optimization of submicron polysilicon etching and the effect of organic and inorganic masks, and their aspect ratios 87−1417
Peng, S. *see* Colinge, J.P. 86−13790
Peng, S. *see* Kershenbaum, A. 86−54993
Peng, S. *see* Perner, F. 87−24187
Peng, S.K. *see* Hsu, Y.-Y. 88−24279
Peng, S.T. Transitions in open millimeter waveguides 86−36778
Peng, S.T. Guidance of waves by dielectric gratings—a general formulation 88−2666
Peng, S.T., Dong, J.M., Wang, L.M. Wave interaction in doubly periodic structures 86−10162
Peng, S.T., Shiau, M.J., Oliner, A.A., Borowick, J., Bayha, W., Schwering, F. A simple analysis procedure for dielectric grating antennas of finite width 85−13301
Peng, S.T., Tang, M.G., Fasano, J.J., Zavada, J.M. Polarization independent coupling in prism- and grating-loaded optical waveguides 88−7934
Peng, S.T., Wang, S.L., Schwering, F.K. Simple analytic formulas for dielectric waveguides 87−75511
Peng, S.T., Xu, S.J., Schwering, F.K. Scattering of surface waves by nonuniform waveguides 86−10171
Peng, S.T., Xu, S.J., Schwering, F.K. Omni-directional periodic rod antenna 87−27033
Peng, S.T. *see* Chen, K.S. 88−72631
Peng, S.T. *see* Mentzer, M.A. 88−51642
Peng, S.T. *see* Oliner, A.A. 85−1959, 85−6484, 86−10169
Peng, S.T. *see* Wu, T.H. 87−75560
Peng, S.T. *see* Xu, S.J. 88−8551
Peng, S.Y. *see* Chung, H.H. 88−2850
Peng, T.K., Armstrong, J.W., Breidenthal, J.C., Donivan, F.F., Ham, N.C. Deep Space Network enhancement for the Galileo mission to Jupiter 88−60118
Peng, V., Samudrala, S., Gavrielov, M. On the implementation of shifters, multipliers, and dividers in VLSI floating point units 87−60609
Peng, W. Development of integrated switching circuits with standard cells 86−20432
Peng, W., Scholtz, R.A. A study of discrete link jamming games 87−40732
Peng, W., Scholtz, R.A., Welch, L.R. Some link jamming games 87−54618
Peng, W. *see* Rudd, W.G. 85−54380
Peng, W.C. *see* Alley, G.D. 88−52215
Peng, Y. *see* Antreasyan, D. 87−21413
Peng, Y. *see* Hartjes, F. 88−61127
Peng, Y.-K.M. *see* Flanagan, C.A. 85−46110
Peng, Y.C.J. Laser beam processing—a manufacturer's viewpoint 86−22576
Peng, Z. Synthesis of VLSI systems with the CAMAD design aid 87−6832
Peng, Z., Kuchcinski, K. Synthesis of control structures from Petri net descriptions 87−1600
Peng, Z., Li, M.S., Wu, C.Y., Cheng, T.C., Ning, T.S. A dynamic state space model of a MHO distance relay 86−32852
Peng, Z. *see* Kuchcinski, K. 88−1724, 88−39612

Peng Bingzhong *see* Wang Baoyi 87—77662
Peng Chang *see* Chang Peng
Peng Chen *see* Chen Peng
Peng Cheng Chi *see* Chi Peng Cheng
Peng Chengji A study on comparing sea surface temperature patterns from satellites with that from ship data on the Huanghai and Bohai seas 86—18583
Peng Chenglian Evaluation of a coding method of diagnosis dictionaries 86—43140
Peng Chenglin *see* Chenglin Peng
Peng Chin-Kun *see* Chin-Kun Peng
Peng Chun-Mou *see* Chun-Mou Peng
Peng Fang *see* Van Der Ziel, A. 87—6660
Peng Fuyuan *see* Liu Wu 88—27992
Peng Gangding, Huang Shangyuan, Lin Zangqi Observation and analysis of noise due to birefringence modulation in a fibre-optic gyroscope 87—18615
Peng Gangding, Huang Shangyuan, Lin Zhongqi Investigation of intensity noise of laser due to signal wave feedback in a fiber-optic gyroscope 88—67807
Peng Gangding, Huang Shangyuan, Lin Zonggi Application of electro-optic frequency shifters in heterodyne interferometric systems 87—12245
Peng Guifang *see* Yang Jingran 88—6507
Peng Guo-xian The indium-tin oxide transparent conductive film 85—28971
Peng Heng Chang *see* Hung-Yu Liu 88—44646
Peng Hu *see* Lan Jin 88—15147
Peng Huaide *see* Li Jianmeng 87—39087
Peng Hui *see* Chen Cunli 88—57369
Peng Hui *see* Hui Peng
Peng Hui-min *see* Hui-min Peng
Peng Jia-xiong The local accuracy of mean squared difference template matching systems 86—64320
Peng Jia-xiong *see* Zhang Tian-xu 88—41003
Peng Jiaxiong, Zhang Tianxu The investigation of statistical model of discrete random images 85—2876
Peng Jihu, Li Dejie, Fan Chongcheng, Li Peiyong 16×16 optical fiber star coupler with waveguide mixer 88—58101
Peng Jihu *see* Sun Weimin 87—60920
Peng Jinghong *see* Miao Rencai 88—74613
Peng Ke-Ou *see* Ke-Ou Peng
Peng Kun-Chi *see* Kun-Chi Peng
Peng Lin *see* Lin Peng
Peng Liu *see* Liu Peng
Peng Pei The modified multilevel Newton algorithm for the analysis of large scale circuits in the time domain 88—38363
Peng Qingke, Wu Shouzhang Optimal control of air SO$_2$-pollution for Xi'an City 88—68647
Peng Ruiwu, Chen Ziyao, Shao Yongfu Electrochemical characterization of GaAlAs-GaAs multilayer structure materials 85—34691
Peng Ruiwu, Xu Chenmei, Li Chuiyu The cadmium incorporation and the preparation of *p-n* junction materials in Ga-AsCl$_3$-H$_2$ system 86—15027
Peng Shao-jin *see* Zheng Yi-yang 87—60395
Peng Shao-qi *see* Zhang Pei-xian 88—25895
Peng Shaojin, Lu Wenhung, Zheng Guoxian A control technology of compositional repeatability for the growth in In$_{1-x}$Ga$_x$As epilayers by LPE 85—49542
Peng Shaoqi, Su Zimin, Lin Zaimin, Chen Guanghua Voltage dependent internal photoemission study of the energy band structure of the Al/a-Si:H interface 87—45687
Peng Shaoqi *see* Su Zimin 88—26955
Peng Shi-Xiang The prospects for application of optical-controlled excitation of synchronous generator 86—39741
Peng Shirong *see* Zhang Dengguo 88—25425, 88—50314
Peng Shui-zhen Active filter using operational amplifier pole 86—62678
Peng Songcun *see* Li Binhong 85—35571
Peng Wenda Approximate formulae about the temporal and spatial transfer functions of a streak image tube 88—47582
Peng Wenda, Gao Zhiming, Niu Hanben, Chen Guofu, Wang Zhiping The elementary analysis on the electro-optical system of a magnetically focused and electric field deflected PS streak tube 88—47585
Peng Wenda, Zhuang Jiaren, Li Bing Difference of arcing time, a factor influencing the design of circuit-breakers 86—51860
Peng Wu *see* Ying-chang Yang 86—28614
Peng Xiufeng *see* Xu Daoquan 88—74698
Peng Yi, Zhang You-zheng A unified version of transform methods and the duality theory of sequences 85—44582
Peng Yi *see* Tang Su 87—59221
Peng Yong *see* Zhang Xingying 85—59335
Peng Yulan *see* Pan Jinfang 88—14298
Peng Yulan *see* Wang Shuying 88—33599
Peng Zebo *see* Zebo Peng
Peng Zhang *see* Zhang Peng
Peng Zhao *see* Zhao Peng
Peng Zhengfu Analysis of thermal field on synthesis of InP by radiant heat of a heater to control phosphorus temperature 87—65467
Peng Zhiyong *see* Chen Tienxin 87—71595
Peng Zhiyong *see* Ma Nianzu 86—25532
Peng-Heng Chang, Bor-Yen Mao High resolution transmission electron microscopy of silicon-on-insulator formed by high dose oxygen implantation 87—32408
Peng-Heng Chang, Hawkins, R., Bonifield, T.D., Melton, L.A. Aluminum spiking at contact windows in Al/Ti-W/Si 88—33077
Peng-Ji Zhai *see* Zhai Peng-Ji
Peng-njan Shen *see* Shen Peng-njan
Peng-ye Wang *see* Hong-jun Zhang 86—36565
Peng-ye Wang *see* Jian-hua Dai 86—36265
Peng-ye Wang *see* Wang Peng-ye
Pengelley, R. Pocket sized frequency-hopping radio 88—21977
Pengelley, R. Australia expands its sonar horizons 88—28988
Pengelley, R. Ground air defense sensors for the 1990s: technologies enter gradually 88—30217
Pengelley, R. Australia pushes technological bounds [electronic warfare] 88—36702
Pengelley, R. Jindalee—Australia's all-purpose early warner 88—41732
Pengelley, R. *see* Boyle, D. 88—41505
Pengelly, B.W., Ast, G.E. A computer based multi-point vibration system for process plant rotating equipment 88—18261
Pengelly, R.S. GaAs MMIC low-noise amplifiers designed for radar and communications applications 85—603
Pengelly, R.S. GaAs MMICs enter the stage 85—1021
Pengelly, R.S. Transmit/receive module using GaAs ICs 85—14354
Pengelly, R.S. A decade of GaAs MMICs 85—34197
Pengelly, R.S. A decade of GaAs MMICs 85—50038
Pengelly, R.S. Integrated T/R modules employ GaAs ICs 85—63757
Pengelly, R.S. GaAs IC amplifiers for radar and communication receivers 86—8524
Pengelly, R.S. A review of broadband monolithic microwave integrated circuits 87—37571
Pengelly, R.S., Ezzeddine, A., Maoz, B. GaAs switch modules for high performance applications 88—56942
Pengelly, R.S., Schumacher, P. High-performance 20-GHz package for GaAs MMICs 88—38739
Pengelly, R.S. *see* Cooper, P.D. 85—23146, 85—55175
Pengelly, R.S. *see* Maoz, B. 88—32454
Pengelly, R.S. *see* Shukla, R. 85—44914, 85—45246, 86—41351
Pengelly, R.S. *see* Sobhy, M.I. 85—34198
Pengelly, R.S. *see* Swift, J.B. 86—35124
Pengfa Zhang *see* Zhang Pengfa
Pengfei Wang *see* Wang Pengfei
Pengji Zhai *see* Zhai Pengji
Pengnian Shen *see* Shen Pengnian
Pengo, R., Boccaccio, P., Manente, G., Vannucci, L., Massa, I., Vannini, G. Preparation of thin films for use as electron emitters for micro-channel plate detectors 85—59129
Pengo, R. *see* Beghini, S. 86—5673
Pengue, L. GaAs gate arrays and ECL logic 88—63612
Pengue, L., McCormack, G., Strid, E., Smith, D., Bowman, T. The quick-chip—a depletion mode digital/analog array 85—55976
Pengue, L., Walters, E. Examine and verify GaAs IC performance 86—67909
Pengue, L. *see* Davenport, W. 88—25069
Pengue, M.L., Reeder, T.M., Rosario, B.A. GaAs cell array lets designers fit a fast subsystem into a chip 85—22785
Pengxia Zhu *see* Zhu Pengxia
Pengye Wang *see* Wang Pengye
Penicaud, J.-P. *see* Ravier, P. 88—45645
Penicaud, J.P. *see* Barthes, M. 86—50274
Penin, A.N. *see* Sergienko, A.V. 87—63424
Penin, I.V. *see* Potapov, G.A. 88—4821
Penin, J.A.Delgado *see* Delgado Penin, J.A.
Penin, N.A. Distribution of admixture atoms in a Schottky barrier or in a p$^+$-n junction barrier in the case of a linear dependence of the barrier capacity on voltage 88—1431
Penin, N.A. *see* Kurbatov, V.A. 86—15552
Penin, P.I. *see* Morozov, A.K. 87—75810
Penionzhkevich, Yu.E. *see* Kavalov, R.L. 85—26709, 86—50448
Penionzhkevich, Yu.E. *see* Schilling, K.D. 87—63692
Penjak, V. *see* Huta, A. 85—39679
Penkethman, J.A. An apparatus for wide range feedback control of Nd:YAG laser pulse energy 88—51871
Penkin, N.P. *see* Egorov, V.S. 85—46332
Penkin, V.N. *see* Borodkin, A.A. 87—18868
Penkin, Yu.M., Semenikhin, V.A., Yatsuk, L.P. Study of the internal and external characteristics of Clavin-type antenna elements 88—72669
Penkin, Yu.M. *see* Gorobets, N.N. 87—37519
Penkin, Yu.M. *see* Lyakhovskii, A.F. 87—19265
Penkin, Yu.M. *see* Yatsuk, L.P. 87—68835, 88—27573
Penkov, G., Traianov, B. Closed-box loudspeaker system equalization and power requirements 85—52584
Pen'kov, V.B. *see* Kakovkin, O.S. 88—55983
Penla, N. *see* Somani, A.K. 88—57781
Penland, J.R. *see* Pierce, W.R. 87—78334
Penman, A.D.M., Hussain, A. Deflection measurements of the upstream asphaltic membrane of Marchlyn dam 85—9561
Penman, C. *see* Elgin, J.N. 86—36521
Penman, C.L. *see* Eriksson, A.J. 85—27046, 86—6425
Penman, J., Dey, M.N., Tait, A.J., Bryan, W.E. Condition monitoring of electrical drives 86—45742
Penman, J., Ellis, G. Categorising defect geometries by electromagnetic modelling 88—43985
Penman, J., Grieve, M.D. An approach to self adaptive mesh generation 86—42712
Penman, J., Grieve, M.D. Efficient calculation of force in electromagnetic devices 86—59010
Penman, J., Grieve, M.D. Self-adaptive finite element techniques for the computation of electrostatic fields 87—39294
Penman, J., Grieve, M.D. Self-adaptive mesh generation technique for the finite-element method 87—68685
Penman, J., Grieve, M.D., Wilson, A.F. On the solution of open boundary field problems using the finite-element method 87—19120
Penman, J., Innes, D.G. Some techniques for monitoring the condition of electrical machines 87—15776
Penman, J., Tait, A.J., Smith, J.R., Bryan, W.E. A software based approach to machine condition monitoring systems 86—33309
Penman, J. *see* Smith, J.R. 88—43067
Penman, J. *see* Wilson, A.F. 87—39293
Penn, B.S. Design considerations in the development of the Meta-Expert system 86—70501
Penn, D., Levy, S., Loker, E. A standard computer bus for MIL-STD-1750A avionics computers 86—18455
Penn, D. *see* Uhlig, R.P. 86—37298
Penn, D.W. Wholesale electric rate cases: a municipal customer's viewpoint 85—21105
Penn, E.J. Lead scanning—luxury or necessity? 86—20937
Penn, F.M. Pegus Unit 11 combined-cycle cogeneration plant is a prime example of fuel economy 85—15899
Penn, J. *see* Turman, B.N. 85—5323
Penn, J.E. *see* Snelling, W.E. 85—45139
Penn, K.J. *see* Adams, R.G. 85—5322
Penn, K.J. *see* Humphreys, D.R. 87—17581
Penn, K.J. *see* Neau, E.L. 85—27526
Penn, M. Impact and opportunities for application specific integrated circuits (ASICs) 86—35808
Penn, M.G. Impact and opportunities for application specific integrated circuits (ASICs) 85—35086
Penn, M.G. Impact and opportunities for application specific integrated circuits (ASICs) 85—35189
Penn, W.A. Status report on the acousto-optic adaptive processor 88—4088
Penn, W.A. *see* Lis, S. 87—13783
Penn, W.B. Compatibility—the neglected factor in insulation evaluation 88—51073
Penn, W.J. *see* Morison, W.G. 88—37004
Penna, A.F.S., Shah, J., Pinczuk, A., Sivco, D., Cho, A.Y. Optical investigation of modulation-doped In$_{0.53}$Ga$_{0.47}$As/In$_{0.48}$In$_{0.52}$As multiple quantum well heterostructures 85—23505
Penna, C. *see* Capasso, A. 87—36227
Penna, G.L. *see* Aumayer, R. 88—49252
Penna, M. *see* Su-shing Chen 87—62202
Penna, M.A., Su-shing Chen A spherical approach to optical flow 88—46238
Penna, T., Tell, B., Liao, A.S.H., Bridges, T.J., Burkhardt, G. Ion implantation of Si and Se donors in In$_{0.53}$Ga$_{0.47}$As 85—23640
Penna, T.C. *see* Koren, U. 85—35629
Pennacchi, R. *see* Brown, G. 88—47962
Pennacchietti, V. *see* Monegato, G. 86—57390
Pennanec'h, J.-C., Hauri, J. Advanced switches are key to ISDN 88—8957
Pennanec'h, J.-C. *see* Trouvat, M. 88—46681
Pennanec'h, J.C. *see* Bodin, P. 88—9247
Pennanec'h, J.C. *see* Guitonneau, J. 87—76177
Pennanec'h, J.C. *see* Lamy, J. 87—69840
Pennanen, R. *see* Perry, G. 88—7883
Pennarola, R. *see* d'Ambrosio, G. 86—18388
Pennazzi, M. *see* Cavicchia, V. 85—48756, 86—39327
Pennebaker, W.B. *see* Anastassiou, D. 86—49865
Pennebaker, W.B. *see* Anderson, K.L. 87—40297
Penneck, R.J., Day, S. Correlation of low voltage tracking behaviour with chemical structure 88—20197
Penneck, R.J., Day, S. Correlation of low voltage tracking behaviour with chemical structure 88—64854
Penneck, R.J. *see* Booth, M.C. 86—53103
Penneck, R.J. *see* Fox, D.R. 87—70628 to 70629
Pennell, G.F., Price, L.A., II, Stevens, K.T., Varmha, R. Motor on/off sensing device by monitoring the RF conducted noise 85—32437
Pennell, G.F. *see* Chan, J.Y. 85—28056
Pennell, G.F. *see* Dunn, R.M. 85—3955
Pennell, R., Catero, R., Lovelis, S. Fabrication of high voltage polysilicon TFT's on an insulator 87—11797

Penner, K., Parisi, J., Muhlemeier, B., Huebener, R.P. Influence of the measuring-circuit configuration on the time-dependent flux-flow voltage 86—28733
Penner, R. *see* De Maio, J. 86—12095
Penner, R. *see* Mountford, S.J. 86—18454
Penner, S. Linacs for microtrons and pulse stretchers 87—41691
Penner, S. RF linac based free electron lasers 88—45477
Penner, S., Ayres, R.L., Cutler, R.I., Debenham, P.H., Lindstrom, E.R., Mohr, D.L., Rose, J.E., UnterWeger, M.P., Wilson, M.A.D., Biddle, R., Martin, E.R., Stovall, J.E., Tallerico, P.J., Wilkerson, L., Young, L.M. Progress report on the NBS/Los Alamos RTM 86—24905
Penner, S. *see* Cha-Mei Tang 88—65753
Penner, S. *see* Debenham, P.H. 88—54279
Penner, S. *see* Lawson, J.D. 85—35804
Penner, S. *see* Maruyama, X.K. 87—75109
Penner, S. *see* Tang, C.-M. 87—2171, 88—45482
Penner, S. *see* Wilson, M.A. 86—32055, 88—47791, 88—54282
Penner, S.S., Alpert, S.B., Beer, J.M., Denn, M., Haag, W., Magee, R., Reichl, E., Rubin, E.S., Solomon, P.R., Wender, I., Woodcock, K. Coal gasification: direct applications and syntheses of chemicals and fuels 87—78236
Penner-Hahn, J.E. *see* Warburton, W.K. 86—60566
Penney, B. Data PBXs impact LANs 88—35278
Penney, B.C. Theory and cardiac applications of electrical impedance measurements 86—38736
Penney, B.C., King, M.A., Schwinger, R.B., Baker, S.P., Stritzke, P., Doherty, P.W. Constrained least-squares restoration of nuclear medicine images: selecting the coarseness function 88—10324
Penney, B.C., King, M.A., Schwinger, R.B., Stritzke, P., Doherty, P.W., Baker, S.P. Convolution squared error versus observer preference. [Nuclear medicine images] 88—21308
Penney, B.C., Patwardhan, N.A., Wheeler, H.B. Simplified electrode array for impedance cardiography 85—26775
Penney, C. *see* Horacek, B.M. 86—5960
Penney, C.M., Jone, M.G. Commercial/industrial lasers in a demanding environment 85—56902
Penney, G.W., Uber, J.G. Movement of dust between electrodes in an electrostatically augmented fabric filter 85—41566
Penney, P.L. *see* Bates, C.P. 88—3833
Penney, W. Processing pictures in HSI space [hue, saturation, intensity] 88—52510
Pennick, A.M. *see* Stewart, G. 87—35738
Penning, K.-F. *see* Dietrich, D. 88—38458, 88—44120, 88—56572 to 56573, 88—70648
Penning, P.D. *see* Baldock, N.M. 88—10356
Penning, U. *see* Bauer, R. 88—45176
Penning de Vries, R.G.M., Wallinga, H. Small-signal charge transfer inefficiency experiments explained by the McWhorter interface state model 85—6933
Penning De Vries, R.G.M., Wallinga, H. Charge loss experiments in surface channel CCDs explained by the McWhorter interface states model 85—40771
Penning de Vries, R.G.M. *see* Vandamme, L.K.J. 86—9164
Penninga, J. *see* Verplancke, J. 86—50455
Penninger, A. Analysis of the stability of heating processes from the point of view of measurement 87—36255
Penninger, A., Karpati, L. Signal analysis from pressure fluctuation in the furnace chamber of high-power coal dust steam boilers to determine the stability of burning 87—71980
Penninger, A. *see* Czinkoczky, B. 87—15641
Pennings, A.J. *see* Wedemeyer, D.J. *(editor)* 86—57101
Pennings, E.C.M., Manhoudt, G.H., Smit, M.K. Low-loss bends in planar optical ridge waveguides 88—65348
Pennington, A.M. A systems engineering approach to the design of a security system for mobile resources 85—132
Pennington, A.M. The 1984 Los Angeles Olympics integrated electronic security 86—138
Pennington, C. *see* Flax, A. 87—54070
Pennington, C.W., Duck, D.J. Bath County Pumped Storage Project update 86—61429
Pennington, D.C., Eaton, R.M. The measured electrical performance of microwave packages for GaAs integrated circuits 87—52868
Pennington, D.C. *see* Harvey, A.R. 87—62922, 87—76693
Pennington, E.C. *see* Jani, S.K. 88—10453
Pennington, G.G. *see* Ashman, K.E. 85—9599
Pennington, J. Interference tests on HF modems 88—46786
Pennington, J., Wilkinson, R.G. Ionospheric sounding and its application to real time channel selection systems 85—30908
Pennington, K.S., Stuckert, P.E. Plane finder for navigation system 85—31391
Pennington, K.S. *see* Anderson, K.L. 87—40297
Pennington, K.S. *see* Chen, Y. 87—19935
Pennington, P.J. *see* Morris, R.L. 85—4583
Pennino, T.P. *see* Burling, W.A. 88—31479
Pennino, U.Del *see* Del Pennino, U.
Pennise, C.A. *see* Simpson, T.B. 88—64293
Pennisi, A. *see* Mancini, N.A. 87—22686
Pennisi, R. Simulation and analysis of thermal and microwave curing of TAB encapsulants 88—24580
Pennline, B.H. *see* Murphy, K.R. 86—60979
Pennline, H. *see* Shilling, N.Z. 87—77897
Penno, R., Murthy, P.K., Thiele, G.A. Results of the application of the hybrid iterative method to scattering from a cube 88—2529
Pennock, J. Switched-capacitor filters—without the switches? 86—52946
Pennock, J., Frith, P., Barker, R.G. CMOS triode transconductor continuous time filters 86—67357
Pennock, J., Johnson, A. Power transconductance H-bridge driver IC 88—12221
Pennock, J., Johnson, A. Monolithic full bridge transconductance smartpower IC for servo applications 88—70554
Pennock, J.L. CMOS triode transconductor for continuous-time active integrated filters 85—61367
Pennock, J.L. *see* Frith, P.J. 86—46986
Pennock, S. *see* King, R.J. 86—43037
Pennock, S.R., Rozzi, T. Scattering properties of optically ionised tapers 86—27537
Pennock, S.R., Rycroft, C.M.D., Shepherd, P.R., Rozzi, T. Transition characterisation for de-embedding purposes 88—36199
Pennock, S.T., Bevensee, R.M., Barth, M.J. A finite difference approach to microstrip antenna design 88—962
Pennock, S.T. *see* Bevensee, R.M. 88—2524
Pennock, S.T. *see* Kunz, K.S. 87—58654
Pennoni, G. A TST/SS-TDMA telecommunications system: from cable to switchboard in the sky 85—14159
Pennoni, G. A TST/SS-TDMA telecommunication system 85—14230
Pennoni, G. Bit and burst synchronization in regenerative SS-TDMA systems 86—17350
Pennoni, G., Alaria, G.B. An SS-TDMA satellite system incorporating an onboard time/space/time switching facility: overall system characteristics and equipment description 85—20141
Pennoni, G. *see* Alaria, G. 86—30693
Pennoni, G. *see* Alaria, G.B. 86—4444, 86—55087
Pennoni, G. *see* Bellaccini, S. 87—40821
Pennoni, G. *see* Colombo, G. 87—20438, 87—76644
Pennotti, R.J. *see* Murphy, L.E. 88—21593
Penny, M.F., Abbot, R.H., Phillips, D.M., Billard, B., Rees, D., Faulkner, D.W., Cartwright, D.G., Woodcock, B., Perry, G.J., Wilsen, P.J., Richards, J. Laser airborne depth surrounding in Australia 86—56254
Penny, M.F., Abbot, R.H., Phillips, D.M., Billard, B., Rees, D., Faulkner, D.W., Cartwright, D.G., Woodcock, B., Perry, G.J., Wilsen, P.J., Adams, T.R., Richards, J. Airborne laser hydrography in Australia 86—65516
Penny, M.F. *see* Billard, B. 86—65520 to 65521
Penny, N. Electrical specifications for packaged mechanical equipment 87—31301
Penny, N., Peceli, Z. Electrical area classification—basic application, experience and judgment 86—40334
Penny, N., Peceli, Z. Electrical area classification—basic application, experience, and judgment 87—43705
Penny, R.D. *see* van Kann, F.J. 85—59434
Pennybacker, E. Selecting a form of power protection 88—5780
Pennycook, B.W. Computer-music interfaces: a survey 86—31094
Pennycook, S.J., Culbertson, R.J. Transient-enhanced diffusion in ion-implanted silicon 88—13107
Pennycook, S.J., Culbertson, R.J., Narayan, J. Formation of stable dopant interstitials during ion implantation of silicon 86—63165
Pennycook, S.J., Narayan, J., Culbertson, R.J. Transient enhanced diffusion and gettering of dopants in ion implanted silicon 86—28116
Pennycook, S.J., Narayan, J., Holland, O.W. Enhanced diffusion from interstitial trapping during solid-phase-epitaxial growth of silicon alloys 85—39770
Pennycook, S.J. *see* Appleton, B.R. 87—44341, 88—31813
Pennycook, S.J. *see* Culbertson, R.J. 87—6552, 88—7299
Pennycook, S.J. *see* Herbots, N. 86—40772, 87—5478
Pennycook, S.J. *see* Lowndes, D.H. 88—50644
Pennycook, S.J. *see* Narayan, J. 86—58374, 86—67813, 87—11707, 88—13108
Pennycook, S.J. *see* Zuhr, R.A. 88—406
Pennypacker, C.R. *see* Kare, J.T. 88—74493
Pennywitt, K.E. Robotic tactile sensing 86—24474
Penot, J.P. A new constraint qualification condition [nonlinear programming] 86—40641
Penoyer, R.F. Semiconductor substrate contact 85—18444
Penoyer, R.F. Integrated JFET/IGFET memory cell 85—33904
Penoza, R.W. *see* Cohen, M.F. 85—59960
Penrose, D. Reliability with the self-stripping contact 86—53204
Penry, M.D. High leadcount packaging: a semiconductor manufacturer viewpoint 85—16807
Pens, J.P., Salon, S.J., Chari, M.V.K. Boundary element and finite element solutions to three dimensional magnetostatic problems 85—29984
Pensack, R. *see* Fuhrman, D.A. 87—33463
Pensado, A. *see* Azpiroz, J. 88—48178
Penschke, V. *see* Eichler, H.-J. 88—33810
Penselin, S. *see* Ertmer, W. 86—60313
Pen'shin, I.V. *see* Kononenko, E.V. 88—17556
Pensl, G., Helbig, R., Hong Zhang, Ziegler, G., Lanig, P. Rapid isothermal annealing of N-implanted 6H-SiC layers used for fabrication of p-n photodiodes 88—44654
Pensl, G., Schulz, M., Stolz, P., Johnson, N.M., Gibbons, J.F., Hoyt, J. Electronic defects in silicon after transient isothermal annealing 85—12110
Pensl, G. *see* Glasow, P. 88—67804
Pensl, G. *see* Schaub, R. 87—3481
Penso, G. *see* Catanesi, M.G. 87—29686, 87—77548
Penso, G. *see* de Vincenzi, M. 85—4206, 86—65331
Penso, R. *see* Acerbi, E. 88—68203
Penson, G. Comparing features on digital oscilloscopes 88—47601
Penson, I. Shop floor links using optical fibre 87—62936
Pensotti, S., Rancoita, P.G., Seidman, A., Vismara, L. Silicon sampling calorimetry 88—29868
Pensotti, S., Rancoita, P.G., Seidman, A., Vismara, L., Zambelli, M. Large-area silicon detection in hadronic sampling calorimetry 87—63649
Pensotti, S., Rancoita, P.G., Simeone, C., Vismara, L., Barbiellini, G., Seidman, A. Experimental results from a sandwich calorimeter using U absorbers and 0.25 m^2 of Si active area 88—68237
Pensotti, S. *see* Campanella, M. 86—32180
Pensotti, S. *see* Furetta, C. 88—68222
Pensotti-Rancoita, S. *see* Bene, P. 88—56532
Pensotti-Rancoita, S. *see* Bonesini, M. 88—23001, 88—29823, 88—61141
Penstone, S.R. *see* Kostiuk, A.R. 88—38354
Penstone, S.R. *see* Serbin, B.M. 88—38493
Penstone, S.R. *see* Thompson, A.C. 87—32667
Penstone, S.R. *see* Wittke, P.H. 85—13783, 85—13793
Pent, M., Lo Presti, L., D'Aria, G., De Luca, G. Semianalytic BER evaluation by simulation for noisy nonlinear bandpass channels 88—34527
Pent, M. *see* Lorenzelli, F. 88—22053
Pentecost, F. *see* Plant, G. 85—48332
Pentegov, I.V. Energy principle of the optimization of electrotechnical devices and electric power installations 86—50794
Pentegov, I.V., Makmak, N.I. Optimization of losses in the windings of a transformer-type inductive energy accumulator 86—66137
Pentegov, I.V., Sidorets, V.N., Genis, A.I. Modelling the dynamics of the welding arc as part of an electric circuit 86—7326
Pentegov, I.V., Tarasenko, O.A. Calculation of the effectiveness of screening by plane screens [electromagnetic shielding] 85—41648
Pentegov, I.V. *see* Lyakhovich, A.L. 86—7330
Pentegov, I.V. *see* Umanskii, M.S. 86—66516
Penten, P. *see* Olsson, C. 87—15506
Pentin, W.I. Common flaws in small hydro plants 87—57945
Pentland, A.P. Part models 87—2625
Pentland, A.P. Recognition by parts 87—62373
Pentland, A.P. A new sense for depth of field 87—69275
Pentland, A.P. Fractal surface models for communication about terrain 88—41084
Pentney, J.M. *see* Ansorge, R.E. 88—29842
Penton, S. Surface mounted technology: give a thought to the test fixture! 85—62039
Penton, S. Design for testability 87—24557
Pentrun'kin, V.Yu., Selishchev, A.V., Sysuev, V.M., Shcherbakov, A.S. Soliton mode of light pulse propagation in single-mode optical fibers and the question of its experimental realization 87—46515
Pentsya, E. *see* Amov, B. 86—50386
Penttila, R. *see* Niininen, H. 87—15517
Penttila, S. *see* Jarmer, J.J. 87—3879
Penttinen, A. *see* Odehnal, M. 85—7181
Penty, R.V., Davison, A.S., White, I.H. Optically induced Kerr phase shifting in optical fibre gates at diode laser pump powers 88—58322
Penty, R.V. *see* White, I.H. 88—40032
Penu, A. *see* Barca, F. 87—9239
Penumalli, B.R. Physical models and numerical methods for VLSI process simulation 87—67360
Penumalli, B.R. *see* Seidel, T.E. 86—9004
Penunuri, D. Acousto-optic Bragg cells for signal processing 87—38888
Penunuri, D., Brooks, R.E. SAW RF spectrum analyzer: detection issues 87—63318

Penunuri, D., Mai, K.A. Wideband acousto-optic Bragg cells using phased-array techniques: experimental results 88−40020
Penunuri, D. *see* Mai, K.A. 88−40019
Penwright, F. Test circuits optimise A/D performance 86−52897
Penz, P.A., Sampsell, J., Collins, D., Petcavich, R., Sanders, L., Stearns, W. Color-free plastic LCD with high-reliability 85−14931
Penz, P.A., Sampsell, J.B., Collins, D.R. A plastic LCD design with high reliability and color-free readability 86−24602
Penz, P.A. *see* Collins, D.R. 88−58321
Penz, P.A. *see* Younse, J.M. 85−58573
Penzel, R. Management service of packet switching processors 86−64721
Penzel, W.H. Fourier transform mass spectrometry in the microelectronics service laboratory 87−23385
Penzenstadler, W. Functions plotter for the mc-graphics card 87−14373
Penzenstadler, W. *see* Moser, K. 86−15586
Penzes, W. *see* Serbyn, R. 86−14055
Penzhorn, W.T. The design of a truly random monolithic noise generator 85−6199
Penzin, K.V. Synthesis of multiple-scale measuring systems 88−74226
Penzin, O.Yu. *see* Kol'dyaev, V.I. 87−67001
Penzina, E.E. *see* Sobolev, L.M. 85−2271, 85−2366, 85−56753
Penzkofer, A. Passive Q-switching and mode-locking for the generation of nanosecond to femtosecond pulses 88−51878
Penzkofer, A. Solid state lasers 88−65654
Penzkofer, A., Graf, F. Theoretical analysis of picosecond pulse development of passively mode-locked Nd-glass lasers 85−62545
Penzkofer, A. *see* Graf, F. 85−51152
Penzkofer, A. *see* Leupacher, W. 85−19019
Penzkofer, A. *see* Schmidt, J. 86−63789
Penzkofer, A. *see* Sperber, P. 85−51151, 86−63743, 87−39018
Penzo, A. *see* Arignon, M. 85−48171
Penzo, A. *see* Bystricky, J. 85−52940, 86−5671
Penzo, A. *see* Cecchet, G. 85−37942
Penzo, A. *see* Kewisch, J. 88−16604
Penzo, A. *see* Kuroda, K. 87−77551
Penzo, A. *see* Marchionni, A. 85−26663
Peo, M. *see* Barto, R.M., Jr. 88−1137
Peoglos, V. Measurement of the magnetostatic force of a current circuit on a part of itself 88−58784
People, J.M. *see* Smith, T.P., III 87−11487
People, R. Physics and applications of Ge_xSi_{1-x}/Si strained-layer heterostructures 87−6419
People, R., Bean, J.C. Calculation of critical layer thickness versus lattice mismatch for Ge_xSi_{1-x}/Si strained-layer heterostructures 85−60953
People, R., Bean, J.C. Band alignments of coherently strained Ge_xSi_{1-x}/Si heterostructures on <001> Ge_ySi_{1-y} substrates 86−35387
People, R., Bean, J.C., Lang, D.V. Modulation doping in Ge(x)Si($1-x$)/Si strained layer heterostructures: Effects of alloy layer thickness, doping setback, and cladding layer dopant concentration 85−55532
People, R., Bean, J.C., Lang, D.V. Temperature dependence of hole mobilities in selectively doped Ge(x)Si(1−x)/Si strained layer heterojunctions 87−1279
People, R., Bean, J.C., Lang, D.V., Sergent, A.M., Stormer, H.L., Wecht, K.W., Lynch, R.T., Baldwin, K. Modulation doping in Ge_xSi_{1-x}/Si strained layer heterostructures 85−18132
People, R., Smith, T.P., III, Phillips, J.M., Augustyniak, W.M., Wecht, K.W. Electrical characterization of the CaF_2/Si-epitaxial insulator/semiconductor interface by MIS admittance 86−14969
People, R. *see* Chand, N. 87−5402, 88−49812
People, R. *see* Lang, D.V. 86−21171, 87−11424
People, R. *see* Pearsall, T.P. 87−1559
People, R. *see* Smith, T.P., III 86−15182
People, R. *see* Xie, Y.H. 86−67713, 87−74065
Peoples, D.L. *see* Corey, G.R. 88−42932
Peoples, J., Jr. Status of the Tevatron 88−74671
Peoples, J.A. *see* Kesavan, K. 87−42621
Peoples, J.T. *see* Hertz, D. 86−10328
Peot, M.A. Electronic warfare signal processing in the year 2000 87−39798
Pepe, D.F. Industrial frequency high voltage railway electrification. Design of substations 86−51993
Pepe, M. *see* Dietl, H. 87−29550
Pepe, M. *see* Kelsey, D.P. 88−4837
Pepe, M. *see* Saxon, D.H. 88−42416
Pepe, R. Tester capitalizes on its unique properties [fibre OTDR] 85−24298
Pepe, R.A. *see* Pantaleo, G.G. 85−9121
Pepe, R.C. Using OTDRs to locate faults and measure power loss 85−46148
Pepe, R.C. Single sideband microwave radio system measurements using a network/spectrum analyzer 85−63525
Pepe, R.C. Techniques for optimizing a single-mode splice [optical fibres] 85−63684
Pepe, R.C. Single sideband microwave radio system measurements using a network/spectrum analyzer 87−28402
Pepe, R.C. Fiber optic calibration considerations 88−33702
Pepe, R.C. Fiber testing in the FOG-M 88−33703
Pepelnik, R., Westphal, G.P., Anders, B. Application of the virtual pulse generator method to real-time correction of counting losses in high-rate gamma ray spectroscopy 85−15249
Peper, A., Jonges, R., Losekoot, T.G., Grimbergen, C.A. Recording of surface His-Purkinje potentials 85−64595
Peper, W.A., Allor, D.R., Corace, R.A., Magilligan, D.J., Jr. Epicardial mapping of the right atrial cardiac conduction system 85−43407
Pepik, N.I. *see* Kiseleva, E.V. 86−21133
Pepik, N.I. *see* Vekshina, V.S. 85−23452
Pepin, H., Alaterre, P., Chaker, M., Fabbro, R., Faral, B., Toubhans, I., Nagel, D.J., Peckerar, M. X-ray sources for microlithography created by laser radiation at $\lambda=0.26\ \mu m$ 87−38371
Pepin, H. *see* Chaker, M. 88−23016, 88−33095, 88−50772, 88−64447
Pepin, H. *see* Ebrahim, N.A. 87−41711
Pepin, H. *see* Martin, F. 87−70906
Pepin, H. *see* Toubhans, I. 88−26139
Pepin, M. Heat-up effects of gamma showers on nine sample materials in TRIUMF neutron source geometry 86−5765
Pepin, M. *see* Atchison, F. 85−64446, 86−55998
Pepka, J.M., Bond, C.B. CMS records transient data and performs on-line analysis [nuclear plants] 87−71883
Pepler, D.A. *see* Key, M.H. 87−12373
Pepler, J.H., Farham, C.J., Douglas, R.J. An inexpensive programmable stimulator for the study of thermal sensation 86−32217
Peplinski, D.M., Balanis, C.A., Brumley, S.A. Higher order diffractions from a circular disk 87−28665
Pepmiller, P.L. Safety and efficiency ideas for electrostatic accelerators 86−55917
Pepmiller, P.L. *see* Olsen, D.K. 87−56948
Pepori, P. Linear circuits for sophisticated applications 85−6995
Pepori, P. The MA 2000 moduli for system integration 85−34265
Pepori, P. Micro CMOS−how and why 86−2371
Pepori, P. SMD: always more reliability 87−1075
Pepori, P. *see* Biey, M. 86−1199
Peppard, L.E. *see* Frenette, N.J.P. 86−43108
Peppard, L.E. *see* Kostiuk, A.R. 87−67527, 88−38354
Peppard, L.E. *see* Lampropoulos, G.A. 85−23020
Peppard, L.E. *see* Orton, G. 86−67295
Peppard, L.E. *see* Orton, G.A. 88−39707, 88−40835
Peppard, L.E. *see* Scott, P.A. 86−41185, 88−50103
Peppard, L.E. *see* Serbin, B.M. 88−38493
Peppard, L.E. *see* Thompson, A.C. 87−32667
Peppas, N.A. *see* Parsonage, E.E. 87−74158
Peppel, F., Brunschen, G. Digitally-controlled sound desk for studio 10 at RIAS-Berlin 87−34860
Peppel, M., Salzmann, T., Schonherr, A. Application of gate turn-off thyristors [GTO]−concepts and problems today 86−61651
Peppel, M. *see* Salzmann, T. 87−37002, 88−43276
Peppen, J.C.L.van *see* van Peppen, J.C.L.
Pepper, B. *see* Jarvis, D. 85−3345
Pepper, D.M. Nonlinear optical phase conjugation 86−36585
Pepper, D.M. Applications of optical phase conjugation 86−42642
Pepper, D.M. Hybrid phase conjugator/modulators using self-pumped 0°-cut and 45°-cut $BaTiO_3$ crystals 87−12555
Pepper, D.M. Remote sensors using hybrid phase-conjugator/modulators 88−20767
Pepper, D.M., Klein, M.B. Tunable optical filters, modulators, and limiters using Stark-induced birefringence and dichroism 86−36255
Pepper, D.M., Rockwell, D.A., Bruesselbach, H.W. Phase conjugation: reversing laser aberrations 87−26535
Pepper, G. *see* Jackson, T.N. 88−39528
Pepper, J., Mullins, D.R. Artificial intelligence applied to audio systems diagnosis 87−49411
Pepper, M. Localisation and interaction effects in semiconductor structures 86−2156
Pepper, M. 2D localisation and interaction effects in semiconductor structures 87−24799
Pepper, M. *see* Couch, N.R. 85−18351
Pepper, M. *see* Dean, C.C. 85−12028, 86−47628
Pepper, M. *see* Gibbings, C.J. 86−47629
Pepper, M. *see* Judd, T. 87−25201
Pepper, M. *see* Judd, T.P.C. 88−64595
Pepper, M. *see* Long, A.P. 86−47283
Pepper, M. *see* McFadeen, C. 85−40486
Pepper, M. *see* Newson, D.J. 86−1817, 86−53672, 86−67724, 88−25947
Pepper, M. *see* Paquin, N. 88−64552, 88−71362
Pepper, M. *see* Pooke, D. 88−32949
Pepper, M. *see* Powell, T.G. 85−50301, 86−53669
Pepper, M. *see* Smith, C.G. 88−71328
Pepper, M. *see* Thornton, T.J. 86−35675, 86−41582
Pepper, M. *see* Vranch, R.L. 88−44595
Pepper, M. *see* Wharam, D.A. 88−71327
Pepper, M.G., Crawley, B.E. Calculation and display of the rate/pressure product during anaesthesia using binary rate multipliers 85−31868
Pepper, M.W. *see* Korosi, A. 85−38868
Pepper, R.L., Spain, E.H., Cole, R.E. Design issues in teleoperator vision systems 87−21170
Pepper, S.E. *see* Bandyopadhyay, K.K. 88−75336
Peppercorn, A.G. Training for change−the manager's view 88−11643
Peppercorn, D. R&D in a small company 87−23243
Peppiatt, S.J., Jordan, H.O.W. The 30 mm high-resolution diode gun Leddicon 85−6669
Peppink, G. Integration of an organic Rankine cycle in combined-cycle plants, either with or without district-heating facilities 86−25871
Peppink, G. Investment capacity for the first cell 86−66314
Peppink, G., van Wunnik, A.W.M. To look into the future of central and decentral energy production in the Netherlands 87−78225
Peppler, W.W. *see* Hasegawa, B.H. 85−38039, 86−11956, 87−29740
Peppler, W.W. *see* Swanson, D.K. 85−38052
Pera, F. *see* Silard, A. 86−40076, 87−22762, 87−51481
Pera, L., Bruno, A., Gay, P., Marinoni, G. Laser technology in batch production 88−27338
Perabo, R. Up-to-date telefax technology 85−8078
Peracaula, J., Bordonau, J., Soler, X. Analog versus digital control in power electronics: a performance comparison on controlled and switching converters 88−69603
Peracaula, J., Rubio, A. Distributed data processing structures in power systems: impact in power electronic application 87−57568
Peracaula, J., Sabate, J.A., Bordonau, J. Hardware implementation of a multimicro configuration for application to power electronic systems control 86−33524
Peracaula, J., Sabate, J.A., Bordonau, J. Implementation of a control and monitoring system for power converters 86−66183
Peraccini, R. *see* Fissore, L. 88−66383
Peraino, J. *see* Chandler, J.A. 85−9436
Peraire, S. *see* Bosser, J. 86−24853
Peraire, S. *see* Gyr, M. 86−32030
Perakh, M. *see* Peled, A. 85−56407
Peral, I., Rubio de Francia, J.-L. *(editor)* Recent Progress in Fourier Analysis. Proceedings of the Seminar on Fourier Analysis 86−61865
Peral, J. The precision measurement of inductances using a digital multimeter 86−60318
Perala, R.A. *see* Collier, R.S. 87−26858
Perala, R.A. *see* Elliott, J.R. 87−26860
Perala, R.A. *see* Papazian, P.B. 87−26859
Perala, R.A. *see* Pitts, F.L. 88−58764, 88−74925
Peraldo Bicelli, L., Razzini, G., Arfelli, M., Scrosati, B. Characterization of n-$AgIn_5Se_8$ polycrystalline semiconductor electrodes by photoelectrochemical techniques 88−1468
Peraldo Bicelli, L., Rivolta, B., Bonino, F., Maffi, S., Malitesta, C. Lead oxides as cathode materials for voltage-compatible lithium cells 87−4860
Peraldo Bicelli, L. *see* Bonino, F. 86−6989
Peraldo Bicelli, L. *see* Razzini, G. 86−66331, 88−57400
Perale, F. *see* Cossalter, V. 87−78684
Perals, C., Veciana, A. External office automation: mechanization of external management through portable equipment 88−14934
Peralta, L. *see* Alami, M. 88−21352
Peralta, R. *see* Berger, R. 87−69031
Peralta, R. *see* Chaum, D. 88−40827
Peralta, R.C. A simple and fast probabilistic algorithm for computing square roots modulo a prime number 87−23447
Peralta, S.B. Ionization and excitation of gas lasers by electron-beams 86−36421
Peralta, S.B., Williams, A.W. Photoacoustic analysis of metal oxide homogeneity in magnetic tapes 88−20246
Peralta, W. *see* Viciana, J. 87−21918
Peralta, W.H., Nozica, R., Rivera, J.F. Analysis of proposals to improve convergence properties of optimum power flow calculation algorithm based on reduced gradient method 86−61048
Peralta, W.H., Vargas, A., Rivera, J.F. Optimisation procedures for sizing and locating distribution transformer substations 87−9635
Peralta-Fabi, R. Photomechanical evaluation of dynamic behaviour of multicomponent materials 88−53865
Peralta-Fabi, R., Mendieta-Jimenez, J. Remote IR temperature measurement for microgravity experiment 88−47705

Peralta-Fabi, R., Vicente-Vivas, E. Enhancement and quantification of features in electron microscope images 88—59299
Peraltra, W. *see* Viciana, J. 87—15217
Peran, J.R. *see* Coronado, J.L. 88—14316
Peran, J.R. *see* Lorenzo, S. 88—37304
Peran, J.R. *see* Lorenzo Matilla, S. 85—28330, 86—732, 86—7954
Peran, J.R. *see* Matilla, S.L. 86—18709
Peran, J.R. *see* Ruiz Gonzalez, J.M. 85—52740
Peran, J.Raman *see* Raman Peran, J.
Peran Gonzalez, J.R. *see* del Alamo del Sarmiento, J.L. 86—51602
Peran-Gonzalez, J.R. *see* Gutierrez-Diez, V.M. 87—27631
Peransin, J.-M. *see* Vandamme, L.K.J. 88—64610
Peransin, J.M., Da Silva, B.E.F., Bresse, J.F. Characterization of Au-n-InP Schottky diodes by EBIC 86—53590
Peransin, J.M., Rigaud, D., Alabedra, R. Avalanche noise associated with gate current of Si JFET 87—74287
Peranskii, D.V. Approach to the problem of reducing diagnostic information 85—11137
Perard, J. *see* Ferrieux, J.P. 85—44887, 86—40909, 87—15910, 88—62434
Perard, J. *see* Oliver, E. 87—43018
Perard, J. *see* Olivier, E. 85—43966
Perard, J. *see* Zaza, J.M. 88—69534
Perardi, F. *see* Belforte, P. 87—62451, 87—76038
Perardi, F. *see* Garetti, E. 87—7908
Perardi, F. *see* Melen, R. 87—27867
Perardi, F. *see* Perucca, G. 87—33962, 88—15199
Peras, A.Ya. Crack resistance and crack sensitivity of refractories with different structures 87—44401
Perassi, M. *see* Belforte, P. 87—76038
Perasso, L. *see* Amendolia, S.R. 85—15169
Perasso, L. *see* Bellini, G. 85—9066
Perat, V., Rous, Z., Titer, J. New construction of the TESLA protection equipment for telecommunications 87—68816
Peratt, A.L., Freeman, B.L., Hoeberling, R., Thode, L.E., Toevs, J.W. A high-power reflex triode 85—23325
Peratt, A.L., Mostrom, M.A., Kwan, T.J.T., Thode, L.E. Pulsed-power diode generation of high-power microwaves 85—1018
Peratt, A.L., Snell, C.M., Thode, L.E. A high-power reflex triode microwave source 86—21033
Peratt, A.L. *see* Freeman, B.L. 88—43316
Perault, H. *see* Castets, A. 88—47245
Peray, J.F. *see* Alnot, P. 88—44792
Peray, J.F. *see* Boulitrop, F. 86—8735
Peray, J.F. *see* Harrang, J.P. 87—38299
Peraza, J.F. *see* Ayala, A. 87—64829
Perazzini, C. *see* Betti, S. 87—56166
Perazzini, C. *see* Fioretti, A. 88—60175
Perazzo, N.L. *see* Bruce, A.J. 85—18627, 85—56268
Perbal, P. *see* Friart, D. 85—7503
Perbandt, A. *see* Fugert, E. 85—35116
Perbet, J.-N. *see* Szydlo, N. 86—9633
Perbet, J.N. *see* Szydlo, N. 85—64203
Perbos, J.L. Combined effects of AWGN and laser phase noise on the BER performance of DPSK in heterodyne optical communication systems 85—42616
Perbos, J.L. Optical communications for DRS system and technological issues 87—34627
Perbos, J.L., Laurent, B. Laser diodes communications for the European Data Relay System 87—76791
Perbos, J.L. *see* Laurent, B. 87—70083
Perbos, J.L. *see* Vanhove, J.L. 88—22163
Perbos, J.R. *see* Durand, J.M. 88—16889
Perbyakin, V.A. *see* Vlasov, A.N. 86—63760
Percak, H. Optimization of passive stabilization of gas laser frequency 85—35692
Percak, H. An electronic network of jump-mode of a gas laser 86—54099
Percak, H. *see* Michalski, W. 88—51746
Percello, L.J., Harding, D.K., Annon, M.C. Truth-analysis technique review of plant protection logic design for the Chalk Point balanced draft conversion project 86—6561
Perchanok, M., Ferregut, C., Brown, R. Generation of a probabilistic climatology for Arctic sea ice 88—48339
Perche, C. *see* Caroubalos, C. 88—68418
Perchenok, Yu.G. *see* Avdushev, S.A. 86—37964
Perchermeier, J. *see* Derfler, H. 85—30107
Perchiazzi, M. *see* Castellano, M. 87—41858
Perchiazzi, M. *see* De Marzo, C. 87—29473
Perchtold, E. *see* Keen, N.J. 85—40240, 86—43928
Percich, M. *see* Hura, M. 88—23222
Percival, C. *see* Bertrand, O. 86—38743
Percival, C.M. *see* Bennett, R.H. 85—48461
Percival, L. *see* Mantelman, L. 87—48578
Percival, L.C., Johnson, S.K. Network management software usability test design and implementation 87—2875
Percival, M.D. *see* Corden, M.J. 85—64462
Percival, R. LASARRAY—a quick turn-around maskless gate array 86—41067
Percival, R. *see* Krautner, G. 86—47770
Percival, R.M. *see* Hanna, D.C. 88—65285
Percival, T.M. A matched active microwave switch 85—11546
Percival, T.M. *see* Jones, I.G. 85—42691
Percival, T.M.P., Thorn, J.S., Driver, R. Measurements of high-T_c superconductivity in a microwave cavity 88—7816
Percival, W.S., Pollock, H.C., Smith, A.L. Power inductors made by power metallurgy 87—30718
Perco, D. *see* El Nahas, I. 86—66128
Percy, M.N. *see* Brown, W.A. 85—15345
Perdichizzi, A. *see* Lozza, G. 87—42680
Perdicouris, A., Kosmopoulos, S., Kouris, S. An approximation technique for Nyquist/sin c^{-1} filter realization 86—27492
Perdieu, L.H., Teat, W.H., Marten, B.L. The importance of substrate penetration during resistor laser trimming 88—1034
Perdigao, F.S. *see* de Sa, L. 88—42005
Perdigon, P. *see* Ambier, J. 85—53791
Perdikaris, G. *see* Lesavich, S. 87—23858
Perdikaris, G. *see* Rao, A.S. 86—51955
Perdikaris, G.A. Quantization noise and filtering schemes for digital control systems 88—46128
Perdikaris, G.A. *see* Rao, A.S. 88—75974
Perdriau, R. Using waveform recording and generating capabilities to provide better test stimuli 85—47889
Perdrigeat, J. *see* Collas, P. 87—53575, 88—19950
Perdrix, M. *see* Corneloup, G. 88—16989, 88—49923
Perdrix, M. *see* Jayet, Y. 85—64779, 86—25462, 88—16972 to 16973
Perdrizet, M. *see* Meslier, F. 87—30110
Perdu, X. *see* Rafiq, D. 86—69248
Perdue, E.M. Vibration effects on EHF system performance employing low noise rubidium standard and crystal filters 85—62148
Perdue, E.M. Agile high frequency synthesis 86—67066
Perdue, R.J., Rissanen, E.L. Conversant 1 voice system: architecture and applications 87—41283
Perdzock, J.M. *see* Sebring, D.L. 85—4419
Pere, J.F. *see* Auberton-Herve, A.J. 88—64779
Perea, E. Progress in digital GaAs ICs 87—31787
Perea, E., Centeno, M. Dedicated and semi-dedicated integrated circuits 87—38418
Perea, E.H. GaAs digital integrated circuits, design and evaluation 88—7668
Perea, E.H. *see* Dubois, A. 88—57821
Perea, E.H. *see* Schou, G. 88—57820
Perebyakin, V.A. *see* Abramov, V.Ya. 85—2218
Perebyakin, V.A. *see* Kulikova, N.I. 87—54385
Perebyakin, V.A. *see* Vlasov, A.N. 85—12804
Pereda, J.A.M. Present situation of optical communications 87—49045
Pereda, O. *see* Ahtiainen, A. 86—69246
Pereda, O. *see* Mestras, J.P. 88—52904
Pereda, O. *see* Tomas, J.G. 87—76320
Peredel'skii, G.I. Separate balancing of bridge circuits for measuring the parameters of multicomponent two-terminal networks 85—45196
Peredel'skii, G.I. Theoretical design of bridge circuits for measuring the parameters of four-element two-terminal network 88—16000
Peredel'skii, G.I. *see* Ivanov, V.P. 85—39371
Perederii, A.D. *see* Akhmedov, R.B. 88—75957
Perederii, A.D. *see* Voronkov, M.E. 88—5504
Peredo, R. *see* Armistead, D.J. 88—54022
Perego, U. *see* Nappi, A. 85—28158
Peregory, P. *see* Polisky, L.E. 85—62843
Peregrim, W.D. *see* Schriver, S.J. 87—65613
Peregrin, L.T. Recent trends in the noise and vibration investigations of asynchronous motors 85—60194
Peregrin, L.Timar *see* Timar Peregrin, L.
Peregrino, L. Frequency counter/processor as analog/digital filter enhances measurement of FMS [filter design application] 85—45141
Peregrino, L. Optimum solution for IF bandwidth and LO frequencies in a microwave counter 86—70207
Peregud, B.P. *see* Klyuev, V.V. 87—73178
Peregud, V.I. *see* Ageev, A.I. 88—47779
Peregud, V.I. *see* Balbekov, V.I. 85—26562
Pereguda, V.L., Storozhik, D.L. Welding thin-walled shells of AMtsS alloy in a longitudinal magnetic field 85—27875
Peregudov, A.F., Alekseeva, K.A., Nikitina, N.M. Research on color distinction characteristics 86—55861
Peregudov, A.F., Alekseeva, K.A., Nikitina, N.M. Color discrimination characteristics in TV observation conditions 86—69928
Peregudov, A.N., Shevel'ko, M.M., Yakovlev, L.A., Kostyuk, A.N. Ultrasonic quality control of single crystals for acoustoelectronic applications 87—65587
Peregudov, G.V., Chirkov, V.A. Knife-edge diffraction as one of the methods of coupling vacuum ultraviolet radiation out of a nontransmitting laser resonator 85—46433
Pereira, C.S. *see* Parada, N.J. 87—34496
Pereira, D., Ferrari, C.A., Scalabrin, A. New optically pumped FIR lasers lines in CD_3OH 86—68441
Pereira, D., Scalabrin, A. Measurement and assignment of new FIR laser lines in $^{12}CH_3OH$ and $^{13}CH_3OH$ 87—68329
Pereira, D., Vasconcellos, E.C.C., Scalabrin, A., Evenson, K.M., Petersen, F.R., Jennings, D.A. Measurements of new FIR laser lines in CD_3OD 86—9733
Pereira, D. *see* Acquadro, J.C. 86—31872
Pereira, D. *see* Carelli, G. 88—8095
Pereira, D. *see* Ioli, N. 88—27077
Pereira, D. *see* Scalabrin, A. 86—15619
Pereira, D.V. *see* Perruzzi, J.J. 87—69123
Pereira, E. *see* Millard, R.K. 87—29788
Pereira, J. *see* Simon, E. 88—61462
Pereira, J.C. *see* Allen, R.D. 85—49125
Pereira, J.F.R. An improved method for the determination of array functions to be used in N/F measurements of microwave antennas without anechoic environments 86—29569
Pereira, J.F.R., Anderson, A.P., Bennett, J.C. New procedure for near-field measurements of microwave antennas without anechoic environments 85—13284
Pereira, J.L.R. *see* Aitchison, P.W. 87—42444
Pereira, J.M. *see* Kobetic, R. 87—14906, 88—61391
Pereira, L. *see* Buckley, F. 87—17153
Pereira, L.C.P., Hasselmann, F.J.V. Approximation of shaped reflector surfaces by pseudo-splines 85—13338
Pereira, L.C.P., Hasselmann, F.J.V., Felsen, L.B. Complex theory of diffraction 85—13106
Pereira, M.F., Jr., Sermage, B., Alexandre, F., Beerens, J., Azoulay, R., Jean Louis, A.M. Time resolved study of nonradiative recombination in GaAs GaAlAs heterostructures 88—45425
Pereira, M.V. *see* Fouad, A.A. 87—42344
Pereira, M.V.F., Cunha, S.H.F., Oliveira, G.C. Application of reliability evaluation methods to the planning of large hydroelectric systems 88—68845
Pereira, M.V.F., Pinto, L.M.V.G. Application of sensitivity analysis of load supplying capability to interactive transmission expansion planning 85—38481
Pereira, M.V.F., Pinto, L.M.V.G., Cunha, S.H.F., Oliveira, G.C. A decomposition approach to automated generation/transmission expansion planning 86—18751
Pereira, M.V.F., Pinto, L.M.V.G., Monticelli, A. Economic dispatch with security-constrained rescheduling 87—50661
Pereira, M.V.F. *see* Cunha, S.H.F. 86—18637
Pereira, M.V.F. *see* de A. Araripe Neto, T. 85—38902
Pereira, M.V.F. *see* Gorenstin, B.G. 87—78009, 88—68789
Pereira, M.V.F. *see* Monticelli, A. 87—42353
Pereira, M.V.F. *see* Nordlund, P. 87—42405
Pereira, M.V.F. *see* Oliveira, G.C. 88—23336
Pereira, M.V.F. *see* Pinto, L.M.V.G. 87—71604, 88—75125
Pereira, N. *see* Bromborsky, A. 88—50584
Pereira, N.C. Estimates for the Chebyshev function $\psi(x)-\theta(x)$ 85—39667
Pereira, N.R. Radioactive preionization in space lasers 85—2213
Pereira, N.R. *see* Ambrosiano, J.J. 87—21382
Pereira, N.R. *see* Brandenburg, J.E. 88—43336
Pereira, R.R. *see* Niclas, K.B. 86—47063, 87—37553, 87—73773
Pereira, T.J., Stevens, D.L., Field, C. Flexible rural systems [telecommunications] 88—60202
Pereira Cabrita, C. The DC-current motor. Deduction and analysis of the power and torque expressions 85—27430
Pereira Cabrita, C.M. The direct current motor. Drawbacks of the permanent ohmic shunting of the winding of main poles 85—39008
Pereira Netto, A.C., Dhein, N.R. Reduction of fadings due to ducts in line-of-sight links by path inclination 86—69600
Pereira Pinto, A.do Carmo *see* do Carmo Pereira Pinto, A.
Pereira-Ramos, J.-P., Messina, R., Perichon, J. Sulfone-based electrolytes for lithium intercalation batteries 86—40045
Pereira-ramos, J.-P., Messina, R., Piolet, C., Devynck, J. Investigation of lithium intercalation materials with organic solvents and molten salts as electrolytes at temperatures between 60 and 175°C 87—78856
Perekatov, A.E. *see* Mikhalevich, V.S. 86—13675, 87—52003
Perekatov, V.I. *see* Ryabov, G.G. 88—41173
Perekhod, N.G. *see* Bogomolov, S.I. 85—47781, 86—4931
Perekhodnik, I.G. *see* Rabkin, L.I. 86—35153
Perekhozhev, S.V. *see* Zhivilova, L.M. 86—6572
Perekhvatov, S.D. *see* Karushev, I.P. 88—70110
Perekrest, V.V. *see* Pasenkov, V.P. 88—32231
Perel', E.A., Kozlov, D.N., Kovalev, A.A. Parametric vibration diagnosis of mechanical systems in instruments 87—56919
Perel', E.A. *see* Suminov, V.M. 87—56587
Perel, J. *see* Mahoney, J.F. 85—28267
Pereleshina, V.P. *see* Popova, T.M. 87—43739
Pereletov, A.I. *see* Sokolov, K.Yu. 86—39310

Perelli, S.J. *see* Magalhaes, F.M. 85–17868, 86–1368
Perello, M. The Spanish Nuclear Safety Council and nuclear power stations in operation in Spain 85–21321
Perel'man, B.S. *see* Konyukhov, B.A. 86–563
Perel'man, L.A. *see* Undzenas, A.J. 86–28961
Perel'man, L.S. Analysis of the electric field in a system of conductors with given and floating potentials 87–61304
Perel'man, L.S. Calculation of the electric field in a system of conductors with set and 'floating' potentials 88–61923
Perel'man, L.S., Voitekhovich, L.L. The electric field of an 1150 kV transmission line with allowance for supports and sag of conductors 87–71709
Perel'man, L.S. *see* Bogomol'nyi, P.Ya. 88–68984
Perel'man, L.S. *see* Iossel', Yu.Ya. 87–11073
Perel'man, L.S. *see* Messerman, D.G. 85–38518, 87–35631
Perel'man, M.P. *see* Gasin, I.G. 87–48463
Perelman, S. Filter model aids 'window' design 86–53298
Perel'man, S.M. Method of measuring radial slack and deviations from coaxiality in concentric surfaces 87–3752
Perel'man, V.Sh. *see* Gel'fand, Ya.S. 86–32779
Perel'muter, G.I. *see* Saliy, I.N. 86–62873
Perel'muter, V.M. A pulse model of a thyristor-controlled drive 85–49143
Perel'muter, V.M. Features of microprocessor application to control of frequency-regulated asynchronous electric drives on the basis of direct-coupled frequency converters 85–49152
Perel'muter, V.M. Regulating the load current of thyristor converters in an equivalent twelve-pulse rectification circuit 87–36019
Perelmutter, L., Glaser, I. Digital incoherent optical interconnections 87–49080
Perelroizen, E.Z. *see* Basok, B.M. 87–16788
Perel'shtein, E.A., Shevtsov, V.F., Shirkov, G.D., Shchinov, B.G. Simulation of ion accumulation in electron beams 85–9022
Perel'shtein, E.A. *see* Aver'yanov, V.I. 88–38988
Perel'shtein, E.A. *see* Dinev, D.Kh. 87–41664
Perel'shtein, G.N. *see* Glazkov, Yu.P. 87–22197, 87–22401
Perel'shtein, G.N. *see* Vasil'ev, S.A. 87–35946
Perelta, S.B., Al-Khafaji, H.H., Williams, A.W. Photoacoustic optical power meter using piezoelectric detection 88–34091
Perelygin, A.I. *see* Oreshkin, P.T. 85–12037
Perelygin, V. *see* Dersch, R. 86–50408
Perelygin, V.P., Stetsenko, S.G., Otgonsuren, O., Birkholz, W., Ignatova, R., Starodub, G.J., Hashegan, D., Haiduc, M., Bytyci, M., Jakupi, B., Antanasijevic, R., Todorovic, Z., Dersch, R., Vater, P., Brandt, R., Spohr, R., Armbruster, P., Jadav, D.S., Sharma, A.M., Kurat, G., Friedlander, E.M. Track length of very heavy ion tracks in olivines 87–29590
Perelygin, V.P. *see* Sharma, A.P. 87–29597
Perelygin, V.P. *see* Yadav, J.S. 86–50406, 87–29606
Peremans, H. *see* Vandewege, J. 87–31687
Perenboom, J.A.A.J. *see* Janssen, J.J.M. 87–61346
Perenboom, J.A.A.J. *see* van Hulst, K. 88–65074
Perendi, J. *see* Rosta, L. 88–74688
Perenic, L.J. *see* Freud, E.L. 88–72599
Perennec, A., Jarry, P. Real frequency broadband microwave matching using a modified Marquardt optimization 88–1020
Perennec, A. *see* Jarry, P. 88–25522
Perepecha, Yu.A. *see* Glebov, I.A. 85–9830
Perepelitsa, A.A. *see* Onishchuk, A.G. 85–40252
Perepelitsa, V.A. A class of multicriterial problems on graphs and hypergraphs 85–61045
Perepelitsyn, O.P. *see* Mikhailov, I.T. 86–11551
Perepelkin, A.V. *see* Nekrasov, A.S. 88–11039
Perepelkin, V.A. *see* Koudel'nyi, A.V. 86–31566
Perepelkin, V.A. *see* Panteleeva, T.R. 86–44407
Perepelko, Ye.V. *see* Masliy, V.N. 87–52448
Perepukhov, M.V. *see* Kapustin, G.A. 86–7958
Perera, A. *see* Krusius, J.P. 86–35513
Perera, A. *see* Nulman, J. 86–62841
Perera, A.G.U., Coon, D.D. Far infrared detection without preamplifiers 88–29413
Perera, A.G.U., Coon, D.D. New hardware for massive neural networks 88–32915
Perera, A.G.U. *see* Coon, D.D. 87–3619, 87–21080, 87–38170, 87–67203, 88–4430, 88–9908, 88–16103, 88–39369
Perera, A.H. *see* Mele, T.C. 88–64464
Perera, B.S.P., Smith, B.H. Experimental determination of equivalent circuit parameters of single-frame cascaded induction machines having phase-wound rotors 88–48965
Perera, I.K. *see* Peiris, M.G.C. 88–19424
Perera, J. Middle East nations call for more solar technology 85–27639
Perera, R.C.C. *see* Brennan, S. 86–60451
Perera, R.C.C. *see* Kortright, J.B. 88–42363
Perera, S. Noise temperature measurements at the National Bureau of Standards 86–18170
Perera, T. *see* Watts, M. 88–57559
Perera, T. *see* Watts, M.P.C. 87–11902
Perera, W.A. Architectures for multiplierless fast Fourier transform hardware implementation in VLSI 88–12413
Perera, W.A., Rayner, P.J.W. Optimal design of discrete coefficient DFTs for spectral analysis 86–29841
Perera, W.A., Rayner, P.J.W. Optimal design of discrete coefficient DFTs for spectral analysis: extension to multiplierless FFTs 86–29842
Perera, W.A., Rayner, P.J.W. Optimal design of multiplierless DFTs and FFTs 87–19749
Perera, W.R. *see* Rajaraman, K.C. 87–64584
Pererva, V.F. *see* Gagauz, I.B. 85–31720
Peres, P.L.D. *see* Geromel, J.C. 85–64820
Peresada, S. *see* Taylor, D.G. 87–30531
Peresada, S.M. *see* Ilic'-Spong, M. 87–51169
Pereskokov, A.V. *see* Karasev, M.V. 86–36562
Pereslavtsev, A.V. Calculation of the characteristics of the rotor of a turbomolecular vacuum pump 87–53108
Pereslegin, S.V. *see* Lobytsyn, V.V. 87–50567
Peressini, M.A. *see* Smiley, V.N. 85–35406, 85–35409
Peressini, P.P., Sims, L.L., Wilbarg, R.R. Registrable multilayer mask fabrication technique 85–1458
Peressini, P.P. *see* Anderson, G. 85–1534
Peresvetov, N.N. *see* Lyskov, V.P. 87–66780
Peresypkin, A.I. Measurement of the transparency of plastic scintillators 87–71021
Peresypkin, A.I. *see* Gorin, A.M. 87–8853, 87–63669
Peresypkin, E.V. *see* Parshin, Yu.N. 87–69150
Peretokin, B.P. *see* Figurnov, E.P. 87–37614
Peretti, C.D., Trutt, F.C. Capacitor assignment in mine power systems based upon electrical-cost optimization 87–65027
Peretti, R. *see* Alfano, G. 85–46539
Peretto, P. *see* Baudry, A. 87–77586
Peretyagin, G.I. Representation of images with Gaussian random fields 85–36302
Peretyagin, G.I. Software implementation of a learning classifier of two-dimensional fields in a digital complex of image processing 87–69258
Peretyagin, G.I. *see* Kirichuk, V.S. 87–69252 to 69253
Peretyagin, I.V., Tsybul'nik, A.N. Television display for electrical signals 86–60159
Peretyagin, I.V., Tsybul'nik, A.N. Time-scale converter 86–60212
Peretyatko, D.V. *see* Nosul'ko, D.R. 86–33043
Peretyat'ko, V.N. *see* Kuznetsov, V.A. 87–22532
Peretz, R. The preheating temperature parameter for deep penetration welding with high energy focused beams 88–65929
Perevalov, S.P., Apakhov, M.I. Detection of cracks in the threaded part of the fastener by the ultrasound method 87–36518
Perevalov, V.F. *see* Galzman, E.G. 87–63536
Perevalova, E.G. *see* Bunkin, F.V. 87–23717
Perevedentsev, E.A., Skrinsky, A.N. On the proton klystron 85–26639
Perevedentsev, E.A. *see* Anashin, V.V. 88–4713
Perevertailo, V.L. *see* Frolov, O.S. 86–1874
Pereverzev, D.A., Lebedev, A.G., Palei, V.A. Investigating the processes of cooling of a nuclear power station turbine of type K-1000-60/1500 87–9261
Pereverzev, L.A. Use of G5-60 generator for checking radio-noise meters at frequencies below 30 MHz 85–64164
Pereverzev, L.A. Pulsed spectrum generators with current break-off and differentiation as a measure of spectral density 87–63430
Perevezentsev, A.A., Sergeev, A.O. Designing joints with predetermined contact thermal resistance 85–45270
Perevodchikov, V.I., Loginov, L.V., Shapenko, V.N., Skibityanskii, D.A., Yakovlev, A.N., Rachitskii, D.G. Electron-beam rectifier for 1 A and 200 kV 85–44098
Perevodchikov, V.I., Shapenko, V.N., Stuchenkov, V.M., Savin, A.S., Skibyatinskii, D.A., Mirzabekyan, G.Z., Vorob'ev, P.V., Lipatov, V.S., Aleksandrova, L.P., Ubiennykh, V.I. Electron-beam rectifier based commutator supplying dust-trapping electric filters with alternating-sign voltage 88–52144
Perevodchikov, V.I. *see* Borovoi, A.I. 85–40390
Perevodchikov, V.I. *see* Kuklinskii, B.D. 88–38979
Perevodchikov, V.I. *see* Zav'yalov, M.A. 85–40392
Perevodchikova, T.V. *see* Kozlovsky, M.Y. 85–45367
Perevoshchikov, I.V. *see* Malyshev, V.A. 88–1057
Perevoznyuk, V.Ya. *see* Denis, B.D. 86–45819
Perevoznyuk, V.Ya. *see* Lozinskii, O.Yu. 87–72592, 88–31199, 88–76056
Perex, E.Mandado *see* Mandado Perex, E.
Pereyaslavets, M.L. Contribution to the theory of synthesizing a waveguide field converter 85–1014
Pereyaslavets, M.L. Synthesis of a waveguide filter and mode converter with a decreased nonresonant pedestal 86–20804
Pereyaslavets, M.L. *see* Katsenelenbaum, B.Z. 85–55123
Pereyaslova, N.K. *see* Avdyushin, S.I. 86–65373
Pereyma, M. *see* Noel, J.-M: 87–22190
Pereyra, I., Andrade, A.M., Sanematsu, M.S., Martins, R. Electro-optical characterization of amorphous silicon films deposited in a two consecutive decomposition and deposition chambers system 86–35358
Pereyra, I., Carreno, M.P., Onmori, R.K., Andrade, A.M., Martins, R.F.P. Influence of a DC electric field on hydrogen incorporation and doping efficiency of a-Si:H films 88–12961
Pereyra, I. *see* Martins, R. 86–40144
Pereyra, I. *see* Sanematsu, M.S. 86–7841
Perez, A. VLSI convolvers for computer vision 87–69350
Perez, A., Abidi, M.A., Bouldin, D.W. The use of a VLSI sorter coprocessor to find the convex hull 87–67382
Perez, A., Abidi, M.A., Gonzalez, R.C. Parallel fitting of quadratic patches for structural analysis of range imagery 88–41065
Perez, A., Gonzalez, R.C. An iterative thresholding algorithm for image segmentation 88–14765
Perez, A., Roura, P., Esteve, J., Altelarrea, H., Anton, J.A., Cornet, A., Morante, J.R. Boron implantation effects on Au:GaAs Schottky barrier 88–13029
Perez, A. *see* Angulo, J.M. 87–44776
Perez, A. *see* Furht, B. 88–48183, 88–68410
Perez, A. *see* Maes, G. 87–20551
Perez, A. *see* Villaronga, V. 87–17796
Perez, A.Mananes *see* Mananes Perez, A.
Perez, A.M.Sanchez *see* Sanchez Perez, A.M.
Perez, C.A. A standard resistance group. The evolution of the ohm by the Electrical Laboratory for Metrology (ELM) 87–70754
Perez, C.A. A new installation of standards of EMF 88–36170
Perez, C.A. The expression of tolerances of measurement by instruments with digital display 88–74514
Perez, C.C. *see* Martin, R.G. 87–63026, 87–70122
Perez, D. *see* Biscontin, A. 86–50143
Perez, E., Harris, B., Wolfe, R. Virtual instruments simplify IEEE-488 programming 87–77120
Perez, E. *see* Gra, R. 87–77892
Perez, E.H. *see* Wick, D.G. 87–11943
Perez, E.M. *see* Hunter, W.T. 88–68166
Perez, E.Mandado *see* Mandado Perez, E.
Perez, F., Ballesteros, E., Perez, J. Linearisation of microwave power amplifiers using active feedback networks 85–17821
Perez, F., Perez, J., Caceres, J.L., Ballesteros, E., Tabuyo, J.M. A low cost microstrip Ku band receiver for point-to-multipoint radio application 87–20406
Perez, F., Takaoka, T. A prime factor FFT algorithm implementation using a program generation technique 87–73033
Perez, F. *see* Allona, J.D. 86–30889
Perez, F. *see* Alonso, J.I. 88–1023
Perez, F. *see* Asensio, A. 88–56982
Perez, F. *see* Ballesteros, E. 88–38718, 88–56957
Perez, F. *see* Civit, A. 87–59514
Perez, F. *see* Villar, J.C. 85–34179
Perez, F.A. *see* Adler, E. 87–42143
Perez, F.G. *see* Martinez, J. 87–45574
Perez, G.Sanchez *see* Sanchez Perez, G.
Perez, H., Tsujii, S. IIR adaptive filtering via discrete Legendre functions 88–44287
Perez, H. *see* Valdivia, R. 86–56465
Perez, J. The Hall effect [IC applications] 85–45789
Perez, J. A low cost rhythm unit 85–47775
Perez, J. An interrupter for 220V 85–49747
Perez, J. A transmitter/receiver system for remote control 85–63814
Perez, J. Time delay circuit for model trains 86–52985
Perez, J. A signal controller for a toy train 86–67442
Perez, J. Speed control for an electric drill 87–37485
Perez, J. Automatic digital frequency meter 87–56739
Perez, J., Consoni, D., Howes, M.J. An efficient MESFET circuit model for time-domain analysis 88–56950
Perez, J., Dorta, P., Trueba, A., Sierra, F. Application of harmonic injection dividers to frequency synthesizers in millimeter band 88–916
Perez, J., Lobon, J., Caceres, J.L. Improved method for dielectric resonator feedback oscillators design 87–17389
Perez, J., Marchandeau, R. Prediffused networks and precharacterized circuits [logic design] 85–54847
Perez, J. *see* Ballesteros, E. 88–38718
Perez, J. *see* Bettoni, D. 85–52968, 87–21407
Perez, J. *see* Caceres, J.L. 88–71098
Perez, J. *see* Cisneros, G. 86–27016
Perez, J. *see* Dorta, P. 88–73802
Perez, J. *see* Florez, J. 88–15154
Perez, J. *see* Gil, F.H. 86–8442, 86–27565
Perez, J. *see* Gismero, J. 88–56888
Perez, J. *see* Hernandez-Gil, F. 87–7575, 87–73655

Perez, J. *see* Perez, F. 85−17821, 87−20406
Perez, J. *see* Rodriguez, I. 88−60015
Perez, J. *see* Sierra, F. 88−38713
Perez, J.A.E.Menendez *see* Menendez Perez, J.A.E.
Perez, J.A.Garcia *see* Garcia Perez, J.A.
Perez, J.Asensi *see* Asensi Perez, J.
Perez, J.C. *see* Michon, S. 88−31502
Perez, J.D. A wave equation for the SGEMP boundary layer 85−24863
Perez, J.J. *see* Boisde, G. 85−62373, 88−36045
Perez, J.L., Gonzalez-Santalo, J.M., Gonzalez, S. A physically based model of a feedwater heater for training simulators 85−27308
Perez, J.L. *see* Secker, P.A. 85−27309
Perez, J.M. A high-sensitivity stressed photoconductor for observing luminescence from germanium 85−31477
Perez, J.M. Mechanism for global features of chaos in a driven nonlinear oscillator 86−8854
Perez, J.M. *see* Kruzelecky, R.V. 88−71316
Perez, J.M. *see* Meyer, J.R. 88−64243
Perez, J.M.G. *see* Sanz, J.S. 87−31062
Perez, J.M.Sanchez *see* Sanchez Perez, J.M.
Perez, J.Munoz *see* Munoz Perez, J.
Perez, L., Castillo, A., Warzanskyj, W. Switched capacitors filter banks using multirate techniques 86−27461
Perez, L. *see* Warzanskyj, W. 86−27463
Perez, M. *see* Hardy, D. 86−30182
Perez, M.A. *see* Sebastian, J. 88−70526
Perez, M.C.Carrion *see* Carrion Perez, M.C.
Perez, M.F. *see* Arranz, A.M. 87−40272
Perez, M.S., Aguilar, J.L., Alcantara, A.R. Integrated terrain mapping with digital Landsat images in Mexico 86−18556
Perez, M.S., Rebollal, E.L. Balanced finline mixer for Ku band 86−27635
Perez, M.V., Gomez-Reino, C., Bara, S. Holographically produced parabolic zone plates 87−61258
Perez, M.Vega *see* Vega Perez, M.
Perez, M.Veiga *see* Veiga Perez, M.
Perez, R., Catedra, M.F. Input impedance of wire antennas attached to bodies of revolution 87−27023
Perez, R., Gil, M.A., Gil, P. Estimating the uncertainty associated with a variable in a finite population 87−7643
Perez, R., Resto, O., Weisz, S.Z., Goldstein, Y. Alloying effects on the optical absorption edge and photoconductance of RF sputtered a-Sn_xSi_{1-x}:H films 88−45276
Perez, R. *see* Gil, M.A. 88−2910
Perez, R. *see* Weisz, S.Z. 85−16984
Perez, R.Navarro *see* Navarro Perez, R.
Perez, S. *see* Tijero, J. 88−16045
Perez, T.A.De *see* De Perez, T.A.
Perez Berro, M. *see* Angelotti, J.I. 85−3865
Perez Casero, R., Paule, E., Climent, A., Martinez-Duart, J.M., Perriere, J. Sputtered silicon nitride thin films on silicon 88−19759
Perez de la Rosa, J.R. Intelligent oscilloscopes 88−47632
Perez De Paula, R., Moore, E.L. Fiber optic sensor overview 87−12146
Perez Enriquez, R. *see* Thayer, G.R. 85−4772
Perez Ferreira, E. *see* Fazzini, N. 86−38637
Perez Gomez, A. *see* Iglesias, G.E. 87−70508
Perez Lopez, J.J. Semicustom integrated circuits: a comprehensive approach to the state-of-the-art technology 85−45786
Perez Martinez, J. *see* Gil, F.H. 86−27548
Perez Mendez, V. *see* Del Guerra, A. 88−61300
Perez Naredo, F. *see* Cohen, J.D. 86−39345
Perez Oria, J. Polar axis tracking with bifacial solar panels 86−45267
Perez Oria, J., Arriaga, J., Sala, G. Improvement of the albedo collecting effect by varying the rotation axis in a bifacial polar tracker [solar power] 86−33218
Perez S., M. *see* Afuso H., A. 87−71624
Perez Sainz, A. Role and participation of the quality assurance department in manufacturing technology transfer 86−39324
Perez Santos, C. *see* Mananes Perez, A. 88−42411
Perez Silva, F. *see* Diaz Caneja, J. 85−4948
Perez Toca, J.M. *see* Garcia de Madinabeitia, P. 88−42004
Perez-Albuerne, E.A. *see* Tyan, Y.-S. 86−7119
Perez-Amor, M. Industrial applications of lasers 87−47031
Perez-Aranda Ortega, J.L. *see* Medina Lopez, M. 88−14980
Perez-Arriaga, I.J. *see* Conejo, A.J. 86−33223
Perez-Arriaga, I.J. *see* Fuentes, F.N. 88−11099
Perez-Arriaga, I.J. *see* Garcia, S. 87−9271
Perez-Blanco, H. *see* Klatt, L.N. 88−36019
Perez-Coyto, A. *see* Jimenez, J.A. 88−69866
Perez-Davis, M.E. *see* Kohout, L.L. 87−42183
Perez-Guerrero, I.A. *see* Zapata-Ferrer, A.R. 87−14912
Perez-Ilzarbe, M.J. *see* Lagunas, A.R. 88−17996
Perez-Leal, R. *see* Hernandez-Gil, F. 87−73628
Perez-Leal, R. *see* Hernandez-Gil, J.F. 88−46884
Perez-Mendez, V., Kaplan, S.N., Ward, W., Qureshi, S., Street, R.A. Signal, recombination effects and noise in amorphous silicon detectors 87−77557
Perez-Mendez, V., Morel, J., Kaplan, S.N., Street, R.A. Detection of charged particles in amorphous silicon layers 87−21438
Perez-Mendez, V., Wiedenbeck, P., Wagner, C.N.J., Wolfel, E. Curved anode wire chambers for X-ray diffraction applications 85−31771
Perez-Mendez, V. *see* Conti, M. 87−41854
Perez-Mendez, V. *see* Del Duerra, A. 87−63660
Perez-Mendez, V. *see* del Guerra, A. 85−43265, 86−50326, 87−21457, 88−54536
Perez-Mendez, V. *see* Fujieda, I. 85−43248, 86−50353, 87−35398, 88−22977
Perez-Mendez, V. *see* Lehmer, R.D. 85−43227
Perez-Mendez, V. *see* Schwartz, G. 85−59205
Perez-Mendez, V. *see* Sleaford, B.W. 86−56040
Perez-Rodriguez, R. *see* Ungvichian, V. 88−45733
Perez-Rodriquez, R. *see* Ungvichian, V. 87−68798
Perez-Verdu, B., Huertas, J.L., Rodriguez-Vazquez, A. A new nonlinear time-domain op-amp macromodel using threshold functions and digitally controlled network elements 88−63536
Perez-Verdu, B. *see* Huertas, J.L. 86−62462
Perez-Verdu, B. *see* Rodriguez-Vazquez, A. 87−549, 87−44653, 87−65793, 87−73528
Perezhigin, E.A. *see* Kornilov, G.P. 85−27510
Perezhozin, G.A. *see* Bespalov, V.A. 88−49840
Perfect, T. Going off-line to boost productivity 85−34310
Perfetti, M. *see* Bouhadana, M. 88−59908
Perfetti, M. *see* Lavergne, R. 85−52137
Perfetti, P. Amorphous semiconductor heterojunctions: technological impact 86−47358
Perfetti, P., Quaresima, C., Coluzza, C., Fortunato, C., Margaritondo, G. Dipole-induced changes of the band discontinuities at the SiO_2-Si interface 87−11472
Perfetti, P. *see* Coluzza, C. 86−27986
Perfetti, P. *see* Daniels, R.R. 85−55533
Perfetti, P. *see* Evanfelisti, F. 86−35423
Perfetti, P. *see* Franciosi, A. 86−14936
Perfetti, P. *see* Niles, D.W. 86−14889, 86−63083
Perfetti, P. *see* Patella, F. 85−18135
Perfetti, P. *see* Russo, B. 88−57367
Perfetto, A. Electronics and electrotechnology in machine tools. Electrical actuation 87−43701
Perfetto, A. *see* Attaianese, C. 85−65527, 87−22381, 87−42959, 88−48883
Perfetto, A. *see* Cecconi, V. 85−27425, 86−45416
Perfetto, A. *see* Del Pizzo, A. 86−45320, 87−42975
Perfetto, A. *see* Pagano, E. 88−43133
Perfil'ev, Yu.S. *see* Bondarenko, A.V. 87−31629
Perfil'ev, Yu.S. *see* Sheremet, O.G. 85−43462
Perfiliev, E.P. *see* Buyanov, V.F. 85−30255
Perfilov, A.V. *see* Borovoi, A.A. 85−20824
Perfilov, N.I., Sheftel, A.M. Reduction in costs in fuel, power, labor and material resources in power engineering 85−4710
Perfil'yev, E.P. *see* Astapkovich, K.F. 86−37621
Perfil'yev, V.I., Detinko, V.N. Investigation of the energy characteristics of multitank-circuit frequency multipliers employing a varactor with an abrupt p-n junction 88−913
Perfors, G.J. Can a consumer be influenced [by tariff differentiation]? 86−70577
Perga, V.M. *see* Kalitenko, V.A. 87−1466, 87−45840
Pergal, F.J. Adaptive threshold A/D conversion techniques for interference rejection in DSPN receiver applications 88−28672
Pergament, A.Kh. *see* Tikhonov, A.N. 85−35731
Pergament, M.I. *see* Boiko, V.A. 85−24487
Pergamentseva, E.D. *see* Iossel, Yu.Ya. 87−21926
Pergande, A., Ladd, J. Integrated Ka-band transmitter miniaturizes mm-wave hardware 86−37936
Pergantis, C.G. *see* Hinton, Y.L. 85−49667
Perhay, M.J. *see* Mazur, E.M. 85−51877, 85−63209
Perhonen, H. *see* Mankamo, T. 85−43754
Peri, D. Optical implementation of a phase retrieval algorithm 87−47881
Peri, D. Imaging through a scattering medium with a passive phase conjugate mirror 87−55288
Peri, D., Fainaro, I. Display of the deflection function of an optical-fiber preform by spatial filtering 85−7240
Peri, D., Fainaro, I. Direct display of optical fiber preform deflection functions 86−28871
Peri, D., Ritter, D. Spatial filtering property of volume grating having variable depth modulation 86−28940
Peri, D. *see* Fischer, B. 85−35883
Peri, R., Chan, M.L., Osborne, R.W., Weber, W.A. A coordinated load management system for Allegheny Electric Cooperative Inc 87−77986
Periale, L. *see* Aglietta, M. 86−65378
Periale, L. *see* Alberini, C. 86−65387
Periard, J.R. *see* Graniero, J.A. 85−24987
Periasamy, A., Singh, M. Reconstruction of cardiac displacement patterns on the chest wall by laser speckle interferometry 85−48225
Periasamy, A. *see* Ramachandran, G. 86−60771
Periaswami, G., Vana Varamban, S., Rajan Babu, S., Mathews, C.K. Low-temperature zirconia oxygen gauges based on RuO_2 electrode 88−60707
Peric, M., Rakvin, B., Dulcic, A. Measurement of microwave field strength in ESR by a pulsed modulation technique 86−24725
Peric, M., Rakvin, B., Prester, M., Brnicevic, N., Dulcic, A. Size of Josephson junctions in Ba-Y-Cu-O compounds 88−20296
Peric, M. *see* Dulcic, A. 88−13701
Peric, N. A time-optimal positioning system with controlled DC drive 85−39230
Peric, N., Crnosija, P. Microprocessor-based control of DC motor drives 86−56977
Peric, N. *see* Crnosija, P. 85−44206, 86−66101, 87−30676
Perica, G. Elimination of leakage effects related to the use of windings with fractions or turns 85−572
Perica, G. Elimination of leakage effects related to the use of windings with fractions of turns 86−51759
Perica, G. Voltage-controlled RF phase shifter 87−5994
Pericart, G. *see* Lusseau, G. 88−37681
Perichon, A. *see* Mottet, S. 87−18283
Perichon, J. *see* Pereira-Ramos, J.-P. 86−40045
Perichon, J. *see* Sarradin, J. 88−5832
Perichon, R. *see* Rouger, J.-M. 85−50517
Perichon, R.A. *see* Camargo, E. 86−62835
Perichon, R.A. *see* Fuste, A.E. 85−39966
Perie, J.-P., Richard, S., Ross, A. Architecture for vision systems 86−60190
Perier, L. High current switches for bridge leg 86−58101
Perier, L. High speed commutation for power rectifiers 88−17719
Perier, L., Barret, J. An innovative high frequency high current transistor chopper 88−17750
Perier, L., Charreton, J.-M. High frequency switches on the 380/440 V mains 88−71155
Perier, L., Maugest, P. Power Darlington modules make possible new circuit concepts 86−58449
Perier, L., Maugest, P. An innovative high frequency high current transistor chopper 87−44591
Perier, L., Maugest, P. New possibilities with advanced power Darlington modules 87−51518
Perier, L., Rischmuller, K. Switched regulator for high output currents and high switching frequencies 88−31985
Perier, L. *see* Maugest, P. 87−15908, 87−58184
Perier, L. *see* Patni, C.K. 88−69526
Periera, M.V.F. *see* Terry, L.A. 86−45232
Perillan, L. The international switchboard [INTELSAT Ku-band service] 85−20129
Perillan, L. *see* Hinchman, W.R. 86−59849
Perillan, L.B., Wu, W.W. INTELSAT services and their evolution 88−3928
Perillo, L. *see* Cheng, W.H. 86−3132
Perin, A., Foch, H., Cheron, Y. A direct frequency converter 85−60276
Perin, J.P. *see* Ane, J.M. 85−46108
Perin, R. The CERN Large Hadron Collider (LHC) and its high field superconducting magnets 88−26734
Perin, R. Progress on the superconducting magnets for the Large Hadron Collider 88−68134
Perin, R. *see* Hagedorn, D. 86−44523
Perin, R. *see* Leroy, D. 88−65070
Perina, J. *see* Krepelka, J. 87−47934
Perinati, A. *see* Molinari, M. 85−28707
Perinati, A. *see* Molo, F. 85−42412
Perini, J. A new general solution to the field to wire coupling and crosstalk problems 88−2696
Perini, J., Adams, A.T., Miyabayashi, M., Shau, D.H. A new general solution to the field to wire coupling and crosstalk problems 88−12654
Perini, J. *see* Adams, A.T. 87−26893, 87−61412
Perini, J. *see* Leviatan, Y. 85−50029
Perini, J. *see* Rahman, H. 86−15960, 86−27662, 88−58922
Perini, J.B. *see* Galand, C. 87−19617
Perini, L. *see* Bene, P. 88−56532
Perini, L. *see* Bonesini, M. 88−23001, 88−29823, 88−61141
Perini, U. *see* Kim, J.S. 88−14285
Perinic, D., Tietzsch, M. Induction heat in studying the safety of nuclear power plant 86−25700
Perino, M. *see* Brosio, A. 86−30461
Perino, P. *see* Bellato, G. 87−78820
Perio, A. *see* Golanski, A. 87−24948
Perio, A. *see* Maillet, S. 87−38083
Perio, A. *see* Regolini, J.L. 88−38146
Perio, A. *see* Torres, J. 88−13189, 88−33080
Periot, R. *see* Saadate, S. 88−69856
Perise, S.J., Stechhoefer, W. Domestic Digital Bus D^2B 88−3366
Perisic, D. *see* Vucetic, B. 88−27701
Perisse, J. *see* Castanie, F. 88−42561
Perisse, J. *see* Sitbon, S. 88−23093
Perissi, R. *see* Arri, E. 86−24267, 87−8497, 87−14061

Perissinotti, L. *see* Baranek, B.I. 85−16198
Perissinotto, B., Tantillo, G. Car information system: an integrated solution to the problem 85−16361
Periu, C.C. *see* Geany, G. 85−34109
Perju, M. *see* Conecini, I. 87−52941
Perkach, V.S. *see* Glovatskii, G.G. 88−69290
Perkalski, E. *see* Barboy, B. 86−37924, 87−75777
Perkarek, L. *see* Stirand, O. 87−68360
Perkatyuk, I.I. *see* Freik, D.M. 85−55511, 86−63056
Perkell, J.S. Coarticulation strategies: preliminary implications of a detailed analysis of lower lip protrusion movements 86−54478
Perkett, W.H. Process flow control 86−41456
Perkey, D.J. *see* Hewett, T.T. 86−57118
Perkhach, O.V. *see* Glukhivskii, L.I. 87−72078, 88−62343
Perkhach, T.V. *see* Glukhivskii, L.I. 87−72078, 88−62343
Perkhach, V.S., Gogolyuk, P.F., Segeda, M.S. Modelling transients of an electrical network with static thyristor compensators 87−36995
Perkhach, V.S., Kharchenko, V.A., Varetskii, Yu.E., Gudym, V.I. Modelling quasisteady-state electromagnetic processes in the power supply to an arc furnace with the use of capacitor batteries 87−31079
Perkhach, V.S., Skrypnik, A.I., Stryapan, V.N., Dembitskaya, Ya.D., Kidyba, V.P. Digital logic-dynamic model of the electrical part of the power unit of an automated system of instruction and training of the operating personnel of thermal power stations 87−22120
Perkhach, V.S. *see* Sklyarov, V.F. 85−39462
Perkin, R.G. *see* Topham, D.R. 87−71369, 88−74980
Perkin, R.M. The modelling of radio frequency coupled circuits 88−11495
Perkins, B.R. The economics of voice and data networks using small Earth terminals 87−62918
Perkins, C.C. *see* Corder, R.J. 88−67167
Perkins, C.C., Sr., Sharp, S. The impact of silicon interconnect technology on the design engineer 88−44843
Perkins, C.L. *see* Katz, R.H. 86−2441
Perkins, D. *see* Aliphas, A. 86−14390
Perkins, D. *see* Davenport, W. 88−25069
Perkins, D. *see* Selph, C. 85−31957
Perkins, D. *see* Spann, M.L. 87−26713
Perkins, D.E., Nalty, K.E., Walls, W.A. Self excitation of iron core homopolar generators 87−30598
Perkins, D.M. Uninterruptable power supply 88−37306
Perkins, E. *see* Stevens, G.C. 88−64860
Perkins, F., Haymond, K. A DES replacement crypto chip 87−12929
Perkins, F.A. *see* McRae, D.D. 85−30779, 88−46785
Perkins, F.H. Build the Dixie whistler [two-tone SSB analysis] 85−58723
Perkins, F.W. Magnetic shielding by a Faraday shield 85−30056
Perkins, F.W. Reentrant waveguide antennas for ICRF heating of Tokamaks 85−30104
Perkins, G. *see* Pri-Tal, S. 88−44259
Perkins, G. *see* Roy, O.Z. 86−18362
Perkins, G. *see* Shlomo Pri Tal 88−38457
Perkins, H.A., Kettler, D.J. Early completion of the Somerset (625 MW) coal-fired electric generating station within an extensive environmental framework 86−61383
Perkins, J., Graves, R.J., MacGregor Smith, J. Planning for space assignment and material flow routing in multilevel facilities 88−70105
Perkins, J.D. *see* Paloschi, J.R. 86−66759
Perkins, J.F. Application software tools in speech technology 88−66440
Perkins, J.F. *see* Cason, C. 85−62509
Perkins, J.F. *see* Ferguson, T.R. 86−36526
Perkins, J.F. *see* Roberts, T.G. 85−62641
Perkins, J.K. *see* Rogerson, S.P. 86−2524
Perkins, K.R., Yang, J.W., Greene, G.A. Containment performance for core melt accidents in BWRs with Mark I and Mark II containments 85−53525
Perkins, L.J. Radiation-induced electrical breakdown of helium in fusion reactor superconducting magnet systems 85−1938
Perkins, L.J. Materials considerations for highly irradiated normal-conducting magnets in fusion reactor applications 85−2492
Perkins, L.J., Miley, G.H., Logan, B.G. Novel fusion energy conversion methods 88−75269
Perkins, L.J. *see* Henning, C.D. 85−1922
Perkins, M., Ormondroyd, R.F., Rozzi, T.E. Bistability in split stripe lasers 85−18956
Perkins, M., Pollard, R.D., Howes, M.J. Analysis of the relationship between noise performance and tuning elements in MESFET VCOS 88−25052
Perkins, M.A. *see* Duck, F.A. 86−5899, 88−54775
Perkins, M.C., Ormondroyd, R.F. Transient analysis of optical bistability in inhomogeneously pumped lasers 88−40330
Perkins, M.C., Ormondroyd, R.F., Rozzi, T.E. Effect of photon lifetime on absorptive bistability in inhomogeneously pumped lasers 86−3134
Perkins, M.C., Ormondroyd, R.F., Rozzi, T.E. Analysis of absorptive bistable characteristics of multisegment lasers 86−68525
Perkins, M.D. *see* Brown, G.W. 85−9520
Perkins, M.D. *see* Carter, R.T. 87−51309
Perkins, M.E. *see* Blum, L. 88−13258
Perkins, M.G. A separable Hartley-like transform in two or more dimensions 88−278
Perkins, M.G. A comparison of the Hartley, Cas-Cas, Fourier, and discrete cosine transforms for image coding 88−59214
Perkins, M.T. *see* Gates, H.M. 86−4542, 86−43913
Perkins, O. Tough repair 88−7158
Perkins, P.E., Driscoll, T.A. Efficient intracavity doubling in flash-lamp-pumped Nd:YLF 87−68607
Perkins, P.E., Fahlen, T.S. Half watt average power at 25 kHz from fourth harmonic of Nd:YAG 86−22513
Perkins, P.E., Fahlen, T.S. 20-W average-power KTP intracavity-doubled Nd:YAG laser 87−68415
Perkins, P.E. *see* Driscoll, T.A. 86−54211
Perkins, R.P., Smith, R.D., Manfred, R.K., Taylor, B.E. Coal-water slurry test in an industrial boiler 86−32912
Perkins, R.W. *see* Kokini, K. 85−16797
Perkins, S. *see* Miczo, A. 87−44748
Perkins, T.A. Versatile three-channel stimulation controller for restoration of bladder function in paraplegia 86−60819
Perkins, T.A. *see* Chaffey, N.J. 88−75897
Perkins, T.O., III Microstrip patch antenna with embedded IMPATT diode oscillator 87−26986
Perkins, T.O., III Active microstrip circular patch antenna 87−61484
Perkins, T.O., III., Teunas, J.A., Cann, A.J., Richmond, M.R., Bradley, W.J. A low cost, accurate, target detecting device for altimetry and fusing 86−11195
Perkins, W.A., Austin, A. Experiments with temporal reasoning applied to analysis of telemetry data 88−41996
Perkins, W.A., Laffey, T.J., Firschein, O. LES: a model-based expert system for fault diagnosis of electronic systems 85−117
Perkins, W.A. *see* Laffey, T.J. 85−39547
Perkins, W.A. *see* Read, J.Y. 87−29871, 87−63864
Perkins, W.H. Manufacturing disciplines for GaAs MMICs 86−47088
Perkins, W.H., Midford, T.A. MMIC technology: better performance at affordable cost 88−44361
Perkins, W.J., Stenning, B.F. Control units for operation of computers by severely physically handicapped persons 86−25254
Perkinson, J. UPS systems: a review 88−55501
Perkinson, W.B. Circuit Switch Automated Test System (CSATS): a system description 88−3745
Perkis, A., Hergum, R., Ramstad, T. The digital mobile telephone: a milestone in communications 87−55993
Perko, A. Implementation of algorithms for *K* shortest loopless paths 86−49054
Perkosz, A. Thyristor control of the auxiliary equipment output in power stations 86−45043
Perkosz, A. *see* Dacko, L. 88−11102
Perkov, N.K. *see* Novozhilova, L.M. 87−52295
Perkov, S.D. *see* Manusov, V.Z. 87−4285, 88−23241
Per'kov, V.V. Optimal threshold and weight sorting of direction readings for a fading direction-finding signal 86−37961
Per'kov, V.V. A comparative analysis of the potential noise immunity of various direction-finding methods using omnidirectional scanning 86−49748
Per'kov, V.V. The resolving power of a radio direction-finder with circular scanning 87−49203
Perkovic, B. *see* Delic, D. 88−28318
Perkowitz, S. Far infrared characterization of semiconductor microstructures 88−24847
Perkowitz, S., Sudharsanan, R., Yom, S.S., Drummond, T.J. AlAs phonon parameters and heterostructure characterization 87−53258
Perkowitz, S. *see* Jones, C.E. 86−67684
Perkowski, J. *see* Szczepanski, Z. 87−60037
Perkowski, M., Jyh-Ming F. Lin, Wieclawski, A. EXPO: an expert system for optimization of multi-level logic circuits 88−44021
Perkowski, M., Smith, D. Intelligent user interface for the Diades VLSI design automation system 87−58603
Perkowski, M. *see* Tuan Cao Minh 87−59440
Perkowski, M. *see* Wleclawski, A. 85−761
Perkowski, M.A. Systolic architecture for the logic design machine 86−28423
Perkowski, M.A. *see* Nguyen, L.B. 87−59441, 87−65719
Perkowski, P. *see* Kolodziejski, J. 88−32565
Perkowski, Z. Transmission properties of shielded pair balanced circuits with flattened shield [transmission line theory] 85−30067
Perkowski, Z. Propagation properties of multipair telecommunication cables: calculation of shunt admittance of balanced circuits. I 85−36893
Perkowski, Z. Propagation properties of multipair telecommunication cable. II. Calculation of shunt admittance of balanced circuits 85−36894
Perkowski, Z. Propagation properties of multipair telecommunication cables: Calculation of series impedance of balanced circuits. I 85−52258
Perkowski, Z. Propagation properties of multipair telecommunication cables: calculation of series impedance of balanced circuits. II 85−63494
Perks, C. Condition monitoring makes planned maintenance possible 87−58632
Perks, G. *see* Stephan, K.D. 86−8520
Perl, J., Chapman, R.A. New image-processing frame memory 87−46179
Perl, J., Schwarz, A.S., Seiden, A., Weinstein, A.J. Track finding with the Mark II/SLC drift chamber 87−29465
Perl, J. *see* Sturm, K.-H. 85−32871
Perl, J.M. Simulator simplifies real time testing of HF channels 85−20451
Perl, J.M. A real time HF adaptive communications system 88−3802
Perl, J.M., Aharoni, M. TMS32010 implementation of an improved Kineplex type HF modem 88−621
Perl, J.M., Bar, A., Cohen, J. TMS-320 implementation of a 2400 bps V.26 modem 87−55884
Perl, J.M., Kagan, D. Real-time HF channel parameter estimation 86−29374
Perl, J.M., Paul, H.D. MESA−a real time HF frequency management system 86−30936
Perl, J.M., Rainish, D. Optimal signalling rates for HF communication 87−40682
Perl, J.M., Shpigel, A., Reichman, A. Performance of adaptive detection and channel estimation methods in multipath environment 87−27548
Perl, J.M., Shpigel, A., Reichman, A. Adaptive receiver for digital communication over HF channels 87−34351
Perl, J.M., Trachtman, E.J. Viterbi decoder on HF channels 87−40536
Perl, J.M. *see* Shpigel, A. 88−46876
Perl, M. *see* Innes, W. 87−14515
Perl, P. Service integration in digital ISDN networks 87−55917
Perl, Y. *see* Becker, R.I. 85−44600
Perl, Y. *see* McHugh, J. 88−31651
Perl, Y. *see* Ronen, D. 85−19646
Perla, H.F., Sattison, M.B. Shaping preventive maintenance programs to improve power plant availability 85−59898
Perla, H.F., Sattison, M.B. Developing preventive maintenance programs 86−45136
Perlado, J.M. *see* Velarde, G. 88−62489
Perlado, M.J. *see* Velarde, G. 86−39362
Perlaky, R.W. *see* Colombo, L. 85−33386
Perlatov, V.G., Gusarov, V.R., Antipin, V.E. Structural diagram of a general purpose flaw detector 86−546
Perlatov, V.G. *see* Gusarov, V.R. 87−16731
Perle, R.C. *see* Harrison, T.L. 85−31002
Perleberg, C.R. *see* Randles, M.H. 87−36693
Perlee, C. *see* Casasent, D. 86−43290
Perlee, H.E., Pinkerton, J.E., Sapko, M.J. Monochromatic reflectance meter 87−41632
Perlin, V.M. *see* Bayev, A.P. 87−55606
Perlin, Yu.E. *see* Antipenko, B.M. 86−36446, 86−58905
Perlinski, L. *see* Badziak, J. 86−42486
Perlitch, M.D. Networks: the management dimension 87−48697
Perlman, G., Erickson, T.D. Graphical abstractions of technical documents 85−39463
Perlman, M.M., Haridoss, S. Bulk modification of charge trapping and conductivity in linear low-density polyethylene 87−46268
Perlman, R. Bipolar and CMOS technologies become partners in digital signal processing 85−45794
Perlman, R. Hierarchical networks and the subnetwork partition problem 86−4266
Perlman, R. An algorithm for distributed computation of a spanning tree in an extended LAN 86−23511
Perlman, R., Harvey, A., Varghese, G. Choosing the appropriate ISO layer for LAN interconnection 88−52874
Perlman, R. *see* Cohen, R. 85−7856
Perlman, R. *see* Quong, D. 86−1086
Perlman, R. *see* Soha, M. 88−52867
Perlman, R. *see* Varghese, G. 88−59614
Perlman, R.M. Floating-point array processor improves computational power. II 86−27327
Perlman, S.S., Eisenhandler, S., Lyons, P.W., Shumila, M.J. Adaptive median filtering for impulse noise elimination in real-time TV signals 87−63141
Perlman, S.S. *see* Christopher, L.A. 88−38630
Perlmutter, D., Yuen, A.K.-W. The 80387 and its applications 88−783
Perlmutter, D. *see* Vidal, J. 85−11370
Perlmutter, P., Baran, J.E., Liu, P.L., Silberberg, Y. Symmetric coplanar electrodes for high speed Ti:LiNbO$_3$ devices 87−46583

Perlmutter, P., Baran, J.E., Silberberg, Y. Optical crosstalk due to electrical coupling in high-speed lithium niobate devices 87−74836
Perlmutter, P., Shtrikman, S., Treves, D. Electric surface current model for the analysis of a microstrip rectangular element 85−13262
Perlmutter, P., Shtrikman, S., Treves, D. Electric surface current model for the analysis of microstrip antennas with application to rectangular elements 85−41703
Perlmutter, P. *see* Levine, E. 86−29589
Perlmutter, P. *see* Silberberg, Y. 88−7951
Perlmutter, R.J. *see* Spencer, C.M. 88−68358
Perlmutter, S. *see* Kare, J.T. 88−74493
Perlmutter, S.H. *see* Shelby, R.M. 86−68630, 88−34111
Perlo, P. Propagation of a multikilowatt laser beam: experimental characterization 87−46959
Perloff, D.S. Characterizing process nonuniformities on large-diameter wafers: an overview 85−1475
Perloff, D.S., Mallory, C.L., Smith, A.K., Kumagai, S. Advances in data management for implantation process control 85−34818
Perloff, D.S., Smith, A.K. Software aids transfer of processes from lab to line 88−31440
Perloff, D.S., Smith, A.K., Lybeck, L.V., Lane, L.A. Advances in the use of resistivity measurements for on-line process control 87−60251
Perloff, D.S. *see* Hansan, T.F. 85−62027
Perloff, D.S. *see* Hasan, T.F. 85−62047
Perloff, D.S. *see* Smith, A.K. 85−35069
Perloff, M. *see* de Pedro, H. 86−30213
Perlov, C. *see* Minuhin, V.B. 86−42116
Perlov, C.M., Bertram, H.N. A simple iterative model of perpendicular recording 88−51288
Perlov, C.M., Christner, J.A., Lopez, O. A comparison of perpendicular and longitudinal recording 88−71917
Perlov, S.A. *see* Demin, Yu.I. 85−5068
Perlov, V.A. *see* Artemyev, A.N. 88−10229
Perlovsky, L.I. Cramer-Rao bounds for the estimation of means in a clustering problem 88−73204
Perlow, S. *see* Rhodes, D. 86−13937
Perlow, S.M. New algorithms for the automated microwave tuner test system 86−24322
Perlow, S.M. Simplified expressions for calculating the impedance of shielded slab line of any shape ratio 87−26901
Perlow, S.M. Analysis of edge-coupled shielded strip and slabline structures 87−47260
Perlow, S.M., Presser, A. The interdigitated three-strip coupler 85−6495
Perlow, S.M. *see* Epstein, B.R. 88−71627
Perlstein, H.J. The quality of military grade electronic parts 86−52297
Perlstein, J. Environmental test rooms prove vital for quality control 85−203
Perluzzo, G., Aktik, C., Currie, J.F., Poulin-Dandurand, S., Yelon, A., Brebner, J.L., Cochrane, R.W. Doping glow-discharge amorphous silicon by metal coevaporation 88−32991
Perluzzo, G. *see* Barclay, R.P. 88−26945
Perluzzo, G. *see* Pickup, C. 88−44554
Perman, M.M. Location of a telephone exchange 87−2988
Perman, M.M., Torres, P.A., Varra, D.S. The computer in the planning of telephone networks 87−76207
Perman, W.H. *see* Kalender, W.A. 86−65413
Perman, W.H. *see* Vetter, J.R. 86−65414
Permar, K. *see* Joshi, A. 88−30734
Permar, K.K., Chatterjee, B.N., Khandelwal, D.N. Decentralized control and stabilization of large scale systems 85−38439
Permer, K.K. *see* Patel, N.K. 86−61049
Perminov, N.I., Merzlyakov, B.L., Ushakova, T.V. Calculation of paper-tape tension in insulation of oil-filled cables 85−43612
Perminov, N.I. *see* Bazanova, N.N. 87−9177
Perminov, S.M. *see* Damgov, V.N. 87−65914
Perminov, S.V. *see* Korovkin, V.V. 88−9150
Perminov, Yu.N., Sivkovich, A.Yu. Study of internal excitation systems for DC motors with a hollow armature 86−56774
Perminov, Yu.N. *see* Balun, A.I. 88−43144
Perminova, V.N., Sysoev, V.K. Evaluation of the sensitivity of fiber-optic sensors employing IR lightguides made of fluoride and germanate glasses 86−15492
Perminova, V.N. *see* Dianov, E.M. 88−7942, 88−51490
Permitin, G.V., Petrukhina, V.I., Khazanov, I.V. Cascade processes of stimulated wave scattering in bounded nonlinear media 86−63954
Permovskii, O.S., Zagal'skii, V.S., Bugaev, V.G. Type SRM-01 specialized workplace for assembly of printed circuit boards 87−53037
Permuy, A. *see* Paris, N. 87−31894
Permyakov, V.N. *see* Barinberg, V.A. 86−39773
Pern, F.J., Goral, J., Matson, R.J., Gessert, T.A., Noufi, R. Device quality thin films of CuInSe$_2$ by a one-step electrodeposition process 88−56285
Pern, F.J., Noufi, R., Mason, A., Swartzlander, A. Fabrication of polycrystalline thin film of CuInSe$_2$ by a one-step electrodeposition process 88−37571
Perna, M.B. *see* Chen, C.L. 88−6809
Perneczky, L. *see* Ezsol, G. 87−57843
Perneczky, L. *see* Szabados, L. 87−57844
Perner, B. *see* Kvapil, J. 86−48371, 86−63778, 88−33972
Perner, F., Joly, R., Roylance, L.M., Peters, D., Sum, J., Liu, E.D., Clark, R., Hsu, S.H., Kruger, J., Lin, C.H., Marcoux, P.J., Peng, S., Ray, G. Fast direct write E-beam 16 K static RAM 87−24187
Pernet, M., Obradors, X., Fontcubert, J., Joubert, J.C., Tejada, J. Magnetic structure and supermagnetic properties of δ-FeOOH 85−24075
Pernet, M., Obradors, X., Vallet, M., Hernandez, T., Germi, P. Synthesis and characterization of new substituted barium-ferrite particles for magnetic recording 88−57920
Pernet, M. *see* Ardiaca, R. 87−46331
Pernet, M. *see* Vallet, M. 88−57919
Perng Wen-Sheng *see* Wen-Sheng Perng
Perng-fei, Yuh., Wang, K.L. One-dimensional transport in quantum well wire-high electron mobility transistor 87−25268
Perng-fei Yuh, Wang, K.L. Novel infrared band-aligned superlattice laser 88−14171
Pernice, F. The transition from analogue to digital transmission methods in the radio telephone service 86−23711
Pernici, S. *see* Nicollini, G. 88−20141
Perniciaro, A. *see* Pignataro, S. 86−34031
Pernick, B.J. Area-modulated recordings for one-dimensional optical signal processors 88−65815
Pernicka, B.J. *see* Jones, R.C. 87−23156
Pernicka, M., Schmid, S. FB-time digitizer 87−29677
Pernicka, M. *see* Anguilar-Benitez, M. 87−71031
Pernier, J. *see* Bertrand, O. 86−50569, 88−36478
Pernier, J. *see* Giard, M.H. 85−53047
Pernier, J. *see* Perrin, F. 87−50333
Pernin, J.-L. Multiservice and RNIS [ISDN] 86−54685
Pernin, J.-L., Randall, T.M., Schwartz, A.J. Integrating subscribers into evolving digital networks 85−13746
Pernin, J.-L., Schwartz, A.J. ISDN evolution in France: an existing all-digital plant driven by the will to innovate 87−2788
Pernin, J.L. *see* Gheysen, A. 87−48346
Pernisek, M. *see* Fauquembergue, R. 85−35026, 85−50546, 88−33263, 88−57700
Pernisek, M. *see* Friscourt, M.R. 86−20816
Pernisek, M. *see* Zimmermann, J. 88−25892
Pernisz, U.C., Sharp, K.G., Tarhay, L., D'Errico, J.J. Preparation of solar-grade amorphous silicon from fluorinated silanes 87−65566
Pernisz, U.C., Tarhay, L., D'Errico, J.J., Sharp, K.G. Fluorinated silane precursors to amorphous silicon 88−37473
Pernock, J.B. *see* Jacobe, J. 85−15201
Pernot, J.-C. *see* Beaudin, G. 85−40244
Pernot, J.-C. *see* Letrou, C. 87−60848
Pernot, J.-M., Le Ber, J. Wafer scale memory 87−31911
Pernot, J.C. *see* Crete, D. 85−3549
Pernot, J.C. *see* Marechal, J.C. 87−20647
Pernot, J.C. *see* Regent, A. 85−41064
Pernpeintner, R. Offshore siting of large wind energy converter systems in the North Sea and Baltic Sea regions 86−51539
Pernsteiner, P. Amateur radio: conference via ether 86−23685
Pernsteiner, P. For the Atari ST: layout with programming package 'Platine ST' 87−17486
Pernsteiner, P. Test report: dual band Handie Yaesu FT-727 R 87−34435
Pernsteiner, P. Test report on the shortwave receiver R-5000 of Kenwood: the ear to the world 87−62816
Pernsteiner, P. Circuit simulation on the Atari ST. A simulation program even for non professional users 88−49952
Pernsteiner, P. Radio telefax. Pictures from radio and computer 88−59552
Perntz, C. *see* Noren, M. 87−28333
Pernu, J., Vuorenmaa, A. Outage management in Finland 87−78300
Perny, B., Dousse, J.-Cl., Gasser, M., Kern, J., Lanners, R., Rheme, Ch., Schwitz, W. Dumond curved crystal spectrometer for in-beam X- and gamma-ray spectroscopy 88−42465
Perochaud, P. Screen printing techniques for flat surface mounting of components 86−27720
Peroche, B. *see* Nakayama, A. 87−31415
Perocheau, A. *see* Dube, B. 88−75526
Perocheau, A. *see* Lefebvre, S. 85−48913
Perodi, J. *see* Terrio, V.J. 87−8401
Perol, P. Very short pulse modulator using asymmetrical thyristors [ATC application] 85−20998
Perold, W.J. Novel method for calculating maximum bulk electric field in high-voltage diodes with large negative bevel angles 85−50480
Perold, W.J. Calculation of maximum bulk electric field in high-voltage diodes with small and intermediate negative bevel angles 86−15101
Peron, B. *see* Morell, A. 88−39798
Peron, F. *see* Bain, G. 86−31659
Perona, G. *see* Canavero, F. 86−32549
Perona, G.E. *see* Canavero, F. 86−6125
Perona, P., Malik, J. Scale space and edge detection using anisotropic diffusion 88−28092
Perone, A. *see* Cantoni, V. 85−57532
Perone, J. Reducing test costs through strategic changes in maintenance and service 87−28941
Peroni, P. Standard enclosures reduce tooling cost 88−37978
Peroni, R. Analyses of state and time 86−11494
Peronneau, P. *see* Herment, A. 88−8867
Peronneau, P. *see* Piechocki, M. 87−29987
Peronnet, F. *see* Giard, M.H. 85−53047
Peronnet, G., Bolomey, J.C., Jofre, L. Linear array arrangement for microwave tomography 85−9171
Peronnet, G. *see* Coldefy, H. 85−48250
Peronnet, G. *see* Pichot, C. 85−43084
Perosino, F. *see* Copperi, M. 86−64229, 88−41586, 88−46992, 88−59083
Perosino, F. *see* Dal Degan, N. 85−13980, 85−51585, 86−4566, 86−23826
Perossier, J.L. *see* Stremsdoerfer, G. 86−63208
Perot, J. Superconducting magnets for accelerators 86−38679
Perot, J. *see* Bazin, C. 88−47812
Perot, J. *see* Jacquemin, J.P. 88−65060
Perotin, M., Gouskov, L., Luquet, H., Jean, A., Silvestre, P., Magallon, D., Martinez, C., Bougnot, G. Ga$_{0.96}$Al$_{0.04}$Sb junctions adapted for 1.55 μm photodetection realised by liquid phase epitaxy 87−70659
Perotin, M. *see* Luquet, H. 85−32710, 87−23642, 88−58363
Perotti, F. *see* Baker, R.E. 85−31769
Perotti, F. *see* Boella, G. 85−52994, 86−50371
Perotti, F. *see* Dean, A.J. 85−59172
Perotto, C., Ziffermayer, G., Svoboda, R. The long-term accessibility of a boiling water reactor turbine building 88−23674
Perotto, C. *see* Steringer, A. 86−51423
Perotto, E. *see* Alberini, C. 87−35339
Perotto, J.-F. Testing combinatorial CMOS logic circuits 87−59290
Perotto, J.-F. *see* Piguet, C. 87−74435
Perotto, J.F. *see* Piguet, C. 88−56538
Perov, A.I. Sensitivity analysis of adaptive filtration algorithms 87−39776
Perov, A.I. Quasi-optimal continuous discrete filtration of continuous processes 87−39783
Perov, A.I. An algorithm of Kalman filter adaptation to unknown intensity of fluctuating noise 87−39784
Perov, A.I. Synthesis of follow-up measurement devices with controllable parameters 88−29195
Perov, A.I. Optimal linear discrete filtering with grouping 88−34675
Perov, A.I. An adaptive tracker 88−46064
Perov, A.I., Pervachev, S.V. A comparison of two discrete algorithms of adaptive message filtration 87−61862
Perov, A.I. *see* Pervachev, S.V. 86−43254
Perov, A.M. An adaptive filter for a radio range finder 86−11148
Perov, A.P. Low-temperature attachment to X-ray diffractometer 86−18267
Perov, A.S., Kuznetsov, V.P., Perova, V.I. Transitional concentration regions in autoepitaxial layers of silicon 86−41679
Perov, A.S., Postnikov, V.V. Doping epitaxial layers of silicon with acceptor impurities from molecular beams in vacuum 85−18228
Perov, A.S., Postnikov, V.V. Donor transition regions in epitaxial structures of silicon 86−1996
Perov, A.S., Postnikov, V.V., Perova, V.I. Influence of donor impurity on the (110) growth surface of a diamond-like crystal 86−397
Perov, M.V. *see* Davydov, Yu.G. 87−48465
Perov, P.I. *see* Golik, L.L. 85−33805
Perov, P.I. *see* Polyakov, V.I. 86−1771, 86−53387, 87−33032
Perov, P.I. *see* Rukovishnikov, A.I. 88−67998
Perov, S.P. *see* Acharya, Y.B. 85−48471
Perov, V. *see* Koppel, Kh. 87−52204
Perova, V.I. *see* Berezenko, L.E. 87−58321
Perova, V.I. *see* Perov, A.S. 86−397, 86−41679
Perova, V.I. *see* Tkachenko, N.N. 85−50278, 87−61035
Perova, V.I. *see* Zinchenko, E.A. 85−51030
Perozny, R. Selecting a soft-start system 87−64602
Perpelea, M. *see* Iordache, M. 87−73229
Perrachione, D. *see* Cheng, W.H. 87−26377, 87−68439, 88−8208, 88−14186
Perrachione, D. *see* Hess, K.L. 87−44378
Perraki, V. *see* Rodot, M. 87−72424
Perraki-Goutsou, V. *see* Bouree, J.E. 86−45717
Perram, G.P., Davis, S.J. Spectroscopic and kinetic studies of a dye laser pumped Br$_2$ $B^3\Pi(0_u^+)$—$X^1\Sigma_g^+$ laser 86−36385
Perratt, D.W. *see* Gregory, A.R. 85−48800
Perraud, B. From estimate to implementation: integration of the CAD tool into a CIM project 88−62292
Perraudin, C. *see* Tronc, D. 86−24917
Perreault, D., Koval, D.O. Digital computer simulation and modelling of light aircraft flight performance 87−71205
Perreault, D. *see* Meyer, C. 88−41459
Perreault, J. *see* Barutciski, T. 88−23788

Perregaux, A.E., Stephany, J.F., Faucz, E.C., Hudson, R.A., Hull, V.J., Lakatos, A.I., Martel, R.A., Narang, R., Richter, B. Transient nematic liquid-crystal image bar for electrophotographic printers 88−13952
Perrella, M. *see* Carosio, R. 85−24251
Perrelli, G. *see* Dinaro, M. 86−17138
Perrelli, L., Black, T., Brady, J. The maintenance system for the 80s moves toward the next decade [nuclear power plants] 88−62083
Perrelli, L. *see* Brake, T. 87−57793
Perrels, A.H. *see* Nijkamp, P. 85−65641
Perren, J.D. *see* Brown, G.M. 86−45039
Perrenod, S.C., Bucy, R.S. Supercomputer performance for convolution 86−43277
Perrenoud, A., Tran, M.Q., Isaak, B. On the design of open resonators for quasi-optical gyrotrons 86−47228
Perrenoud, A., Tran, M.Q., Isaak, B., Alberti, S., Muggli, P. Low power measurements of the quality factor of an open resonator with stepped mirrors 87−24421
Perrenoud, A., Tran, T.M., Tan, M.Q., Rieder, C., Schleipen, M., Bondeson, A. Open resonator for quasi-optical gyrotrons: structure of the modes and their influence 85−55373
Perrenoud, A. *see* Agosti, G. 88−64210
Perrenoud, A. *see* Mathews, H. 87−45521
Perrenoud, A. *see* Mathews, H.-G. 88−25812
Perrenoud, A. *see* Rieder, C. 85−11838
Perrenoud, A. *see* Tran, M.Q. 87−24700
Perret, A. A universal method for the computer-aided design of small and middle-sized electrical motors 87−42812
Perret, A.-E. *see* Vuilleumier, R. 86−5404
Perret, B. Aeronautical standards 88−60326
Perret, J. Fast plug-in converter for waveform analyzer 85−37521
Perret, J., Paris, M. Silicone oils for transformers 87−78716
Perret, J. *see* Chapeau, F. 88−42861
Perret, J. *see* Grob, R. 85−29368
Perret, J. *see* Guerin, P. 85−50790, 87−15304
Perret, R., Prest, M.R., Bosshard, Ch., Medrano, C., Arend, H. Organic-inorganic double halides for second harmonic generation 87−26526
Perret, R. *see* Allano, S. 87−64537
Perret, R. *see* Hoang Le-Huy 86−45450
Perret, R. *see* Le-Huy, H. 87−4986
Perret, R. *see* Noblet, P. 85−27711
Perret, R. *see* Olivier, E. 85−43966, 86−45586
Perret, R. *see* Piriou, F. 87−43058
Perret, R. *see* Roeckel, J.-M. 87−43083
Perret, R. *see* Roye, D. 85−38965, 86−19278, 87−43253
Perret, S. *see* Haond, M. 87−74423
Perret-Gallix, D. *see* Bakken, J.A. 87−35350
Perret-Gallix, D. *see* Gonzalez-Mestres, L. 88−36382
Perrett, B.A. *see* Irven, J. 86−30772
Perrett, J.R. *see* Collar, P.G. 87−57408
Perreur, A. The optimisation of logic cells with the aid of diagrams and histograms of events [logic analyser] 85−52701
Perreur, A. A system of logic analysis for tomorrow's numerical technologies 86−20398
Perrey, A.G. *see* Bell, B.A. 86−15583, 86−38317
Perrey, A.G. *see* Stenbakken, G.N. 88−30425
Perri, A.G. *see* Andresciani, V. 85−30211, 88−13430
Perri, A.G. *see* Armenise, M.N. 88−56988, 88−65313
Perri, F. *see* Zimmermann, J. 85−45430
Perricone, F. *see* Loewen, T. 88−10943
Perrier, G., Dao, L.H. Improvement of the performance of a hydroxyaluminum phthalocyanine photoelectrochemical cell by a phthalic acid treatment 87−58264
Perrier, G., Gauthier, R., Dao, Le.H. Spectral cosensitization in phthalocyanine-porphyrin photoelectrochemical cells 88−49106
Perrier, J. *see* Bernstein, D. 85−15253
Perrier, J. *see* Fabrizio, R. 85−20812
Perrier, J.C. *see* Allen, D. 88−54188
Perrier, P.A. *see* Prucnal, P.R. 87−56145, 87−60964, 87−70065, 88−2961
Perrier, R.L. *see* Gaucher, P. 88−32489
Perrier, R.L. *see* Tao, M. 88−38777
Perrier de la Bathie, R. *see* Givord, D. 86−15354, 86−15366
Perriere, J., Siejka, J., Chang, R.P.H. Study of oxygen transport processes during plasma anodization of Si between room temperature and 600°C 85−12183
Perriere, J., Siejka, J., Climent, A., Navarro, E., Martinez-Duart, J.M. Low-temperature plasma anodization of tantalum silicides 87−60326
Perriere, J., Siejka, J., Laurent, A., Enard, J.P., D'Heurle, F. Low temperature plasma anodization of silicides 86−28222
Perriere, J., Siejka, J., Remili, N., Laurent, A., Straboni, A., Vuillermoz, B. Transport number measurements during plasma anodization of Si, GaAs, and ZrSi$_2$ 86−47471
Perriere, J. *see* Martinez-Duart, J.M. 86−2032
Perriere, J. *see* Pelloie, B. 88−56291
Perriere, J. *see* Perez Casero, R. 88−19759
Perriere, J. *see* Pribat, D. 85−50412
Perriere, J. *see* Siejka, J. 86−28221
Perrin, A., Vinet, F., Muller, F., Clerc, J.F. Characteristics of multiplexed dyed dot-matrix LC displays 86−5424
Perrin, A. *see* Clerc, J.F. 85−14930, 85−14944
Perrin, A.J. Developments in fossil fired boilers 86−56590
Perrin, B. *see* Piguet, C. 88−56538
Perrin, C. *see* Bertails, J.C. 87−20318
Perrin, D. *see* Baudry, A. 87−77586
Perrin, D. *see* Bene, P. 88−56532
Perrin, D. *see* Berstel, J. 87−47489
Perrin, D. *see* Bonesini, M. 88−23001, 88−29823, 88−61141
Perrin, D. *see* Burmeister, H. 85−9051
Perrin, E. *see* Bakken, J.A. 87−35350
Perrin, F., Bertrand, O., Pernier, J. Scalp current density mapping: value and estimation from potential data 87−50333
Perrin, F. *see* Bertrand, O. 86−50569
Perrin, G.G., Jr. *see* John, K. 87−37703, 88−25692
Perrin, J., Broekhuizen, T. Modelling of Hg($^3P_1$) photosensitization of SiH$_4$ and surface reactions of the SiH$_3$ radical 88−38253
Perrin, J. *see* Chanaron, J.J. 88−11681
Perrin, J. *see* Gindre, M. 88−68668
Perrin, J. *see* Laugier, P. 88−54522
Perrin, J. *see* Richard, B. 87−21797
Perrin, J.-C. General principles of thermal imagers 88−47521
Perrin, J.C. Wide angle distortion free holographic head-up display 87−19095
Perrin, M., Le Coq, G. SICLE: a general software for simulating power plant behavior 88−75252
Perrin, M. *see* Callias, F. 88−74886
Perrin, N. *see* de Bellefon, A. 88−61082
Perrin, R. *see* Koo, Y.C. 88−43929
Perrin-Pelletier, F. The electric vehicle in Europe 85−65562
Perrine, J.P. *see* Louis-Jacquet, M. 87−12376
Perring, D. European Space Agency satellite tube developments 87−8238
Perring, D., Smidt, J.J. Linearised L-band 200 watt amplifier 85−58082
Perring, D. *see* Smidt, J.J. 85−61134
Perring, T.G. *see* Boland, B.C. 86−56065
Perrino, R. *see* Castro, O. 86−55574
Perriollat, F., Gagnaire, A., Debordes, R. The main operator consoles of the PS accelerator complex 86−24874
Perriollat, F. *see* Delahaye, J.P. 88−54153
Perriollat, F. *see* Di Maio, F. 88−54124
Perrissin, G. *see* Bernard, G. 88−49078
Perrissin, G. *see* Bokshorn, Y. 86−56919
Perro, I. *see* Karasov, Yu.S. 87−1976
Perrocheau, J. *see* de Chambost, E. 86−35487
Perrocheau, J. *see* Pircher, G. 87−25519
Perrodo, P. *see* Braunschweig, W. 88−29874, 88−68282
Perron, C. On heavy ion identification in a mineral track detector 87−29588
Perron, C., Bourot-Denise, M. Heavy ion track etch rate measurements and track structure in a mineral 87−29560
Perron, C., Maury, M. Very heavy ion track etching in olivine 86−50409
Perron, C. *see* Althaus, U. 86−69520, 87−3002
Perron, C. *see* Matti, H. 87−3006, 87−13506
Perron, P., Ronde, R. Functional tests adapted to memory cards 86−52816
Perron, P. *see* O'Connor, M. 86−748
Perrone, A., Puccio, A., Tirro, S. Optimization of connection techniques for multipoint satellite videoconference 86−24179
Perrone, A., Zanotti, G., Arenaccio, S. A satellite DAMA system for rural communications 88−60111
Perrone, A. *see* D'Anna, E. 85−52960
Perrone, A. *see* Lo Forti, R. 85−13298, 88−2742
Perrone, F. *see* Arcari, F. 85−16353
Perrone, M.R. *see* Armandillo, E. 85−24438, 85−24460, 85−51122, 86−22529
Perrone, M.R. *see* D'Anna, E. 85−52960, 88−1520
Perrone, M.R. *see* Luches, A. 85−24459, 85−52951, 86−54073, 87−68340, 88−20754, 88−36172, 88−40145, 88−72395
Perrone, P.E. Practical application of robotics and automation to nuclear field services 85−53476
Perronnet, A. *see* Camarcat, N. 86−20366
Perronnet, A. *see* Etlicher, B. 85−1777
Perros, H. *see* Korner, U. 88−41340
Perros, H.G. A model for predicting the response time of an on-line system for electronic fund transfer 86−69215
Perros, H.G., Mirchandani, D. An analytic model of a file server for bulk file transfers 86−23486
Perros, H.G., Nilsson, A.A., Liu, Y.C. Approximate analysis of product-form type queueing networks with blocking and deadlock 88−41137
Perros, H.G. *see* Altiok, T. 87−10242
Perros, H.G. *see* Fletcher, G.Y. 86−30083
Perros, J.-P. *see* Hernandez, A. 86−7869
Perrot, F. *see* Arignon, M. 85−48171, 88−22877
Perrot, F. *see* Bystricky, J. 85−52940, 86−5671
Perrot, G. Adapting large existing boilers to new fuel—analysis of the Langerlo case (2×280 MW) 87−4566
Perrot, G., Vanhee, J. Conversion of the Langerlo thermal power station to coal firing 86−65902
Perrot, J. Maintenance and operation of the MT20/25 system 85−57864
Perroton, G. How to protect hardened facilities from very high level transients induced on power line by lightning or EMP 86−32857
Perrott, R.A. The effect of mutual coupling on interferometer accuracy 85−42678
Perrott, R.A., Carr, A.D., Harvey, P.C., Lewis, F. A low sidelobe linear array with independent control of sidelobes of sum and difference beams 87−47409
Perrott, R.A., Steele, G.P., Brewster, D.C. Design of a simple radiating element for array antennas 87−54752
Perrott, R.A. *see* Guy, R.F.E. 85−41801
Perrott, R.H. *see* Clint, M. 85−60899
Perrotta, G. The design of the ITALSAT payload for 20/30 GHz domestic preoperational communications and 40/50 GHz propagation experiments 85−20144
Perrotta, G. Accuracy limitations of RF sensor fine pointing systems in multibeam antennas 85−58067
Perrotta, G. Direct broadcasting from satellite: is 'transparency' the only approach to satellite repeaters? 86−59838
Perrotta, G., Losquadro, G., Giubilei, R. Satellite communication systems for domestic business services 87−76645
Perrotta, G. *see* Leite da Silva, A.M. 86−6242
Perrotti, S.J. *see* Abraham, K.M. 88−37355
Perroud, J.P. *see* Bay, A. 88−74749
Perruzzi, J.E. *see* Obloy, E.J. 88−35614
Perruzzi, J.J., Hilliard, E.J., Jr., Pereira, D.V. The application of conditional beta density functions to model time-delay measurement errors 87−69123
Perry, B., Cohen, M.N. Polarimetric pulse compression 85−14367
Perry, B.D., Abraham, L.G. A wideband HF interference and noise model based on measured data 88−40604
Perry, B.D., Palo, E.A., Haggarty, R.D., Key, E.L. Trade-off considerations in the use of wideband HF communications 88−3812
Perry, B.M. *see* Neumann, S.A. 86−51453
Perry, B.M. *see* Van Meeteren, H.P. 86−50906, 87−30061
Perry, B.N., Rabinowitz, P. Optical eigenmodes of a free electron laser 85−56685
Perry, B.N., Rabinowitz, P., Bomse, D.S. Stimulated Raman scattering with a tightly focused pump beam 85−29931
Perry, B.N. *see* Rabinowitz, P. 86−68618
Perry, C., Hartsell, E., Jr. Evaluating ultrasonic test indications in a combustion turbine wheel 85−65136
Perry, C. *see* Hairabedian, B. 87−41569
Perry, C.C. Troubleshooting a closed Wheatstone-bridge circuit from external resistance measurements 87−21196
Perry, C.H. Pin repair using ultrasonic aluminum bonding 85−28885
Perry, C.H. *see* Parker, D.E. 85−4049
Perry, C.H. *see* Petrou, A. 85−61746
Perry, D. Using a LAN chip set 86−52916
Perry, D. Token passing local network with five specialised integrated circuits 87−62621
Perry, D. *see* Binder, R. 88−22047
Perry, D.D., Bolcar, J.P. Aging characteristics of silicone greases in assembled premolded separable connectors 87−66641
Perry, D.E., Hasibar, R.M., Chadwick, J.W., Ware, B.J., Fakheri, A.J., Bayless, R.S. Investigation and evaluation of single-phase switching on EHV networks in the United States 86−50960
Perry, D.E. *see* Kundur, P. 88−54911
Perry, D.G., Blumenthal, S.H., Hinden, R.M. The ARPANET and the DARPA Internet 88−67008
Perry, D.L. Timing verification problems facing system designers 87−37256
Perry, D.M., Knudsen, J.K., Skelcher, W.L. Design of flying heads for tensioned flexible recording media 87−25826
Perry, D.M., Moran, P.J., Robinson, G.M. Three-dimensional surface metrology of magnetic recording materials through direct-phase-detecting microscopic interferometry 85−43136
Perry, D.V., Jr., Huffines, W.H. Quality evaluation of CO$_2$ and Nd:YAG laser marking of ceramic chip capacitors 86−62864
Perry, E.H., Ray, J.D., Bada, H.S. A microcomputer-based system for monitoring premature infants 87−14837
Perry, E.H. *see* Ray, J.D. 87−3935
Perry, F. *see* Berman, S.M. 87−64939
Perry, F.S. *see* Galus, W. 85−20623
Perry, G., Kurki, J. High-speed optical fiber drawing systems 88−13896
Perry, G., Kurki, J., Rajala, M.J., Kykkanen, P.J., Pennanen, R. Optical fiber manufacturing by the MCVD process 88−7883
Perry, G. *see* Rajala, M. 88−45157

Perry, G.E. Observations of the second Chinese satellite 88−22018

Perry, G.E. The Kettering Group [amateur satellite observers] 88−22019

Perry, G.E. *see* Daly, P. 86−49529, 88−22017

Perry, G.E. *see* Thomson, G.H. 88−74956

Perry, G.J. *see* Penny, M.F. 86−56254, 86−65516

Perry, H., Mantel, J., Vieau, D.M., Higden, D.L., Lefkofsky, M.M. Dynamic treatment: automation of a multileaf collimator 85−43427

Perry, H.S. *see* Uttley-Moore, W.J. 85−9320

Perry, I.R. *see* Hanna, D.C. 88−65285

Perry, J. DMS SuperNode: technology overview 88−67187

Perry, J. *see* Gammage, N. 85−30581

Perry, J. *see* Leinweber, D. 87−63863

Perry, J. *see* Souchkevitch, G.N. 88−54502

Perry, J. *see* Symons, J. 87−21680

Perry, J. *see* Wang, Y. 88−36568

Perry, J. *see* Yen Wang 88−54686

Perry, J.A. RPL dosimetry. Radiophotoluminescence in health physics 88−24341

Perry, J.E. *see* Page, L.B. 87−31337, 87−36545, 88−38038, 88−70162

Perry, J.F. *see* Goodman, R.M. 88−38848

Perry, J.F.W. Larger format display holography 88−27332

Perry, J.H. *see* Schwank, J.R. 87−32339

Perry, J.L. Theoretical projections of anomalous propagation effects on the performance of a modern 3-D radar 87−3222

Perry, J.L. Modern radar clutter suppression techniques−a comparison of theoretical and measured results 87−28683

Perry, J.L. *see* Callaghan, T.G. 86−29872

Perry, J.R., Johnston, R.E., Pizer, S.M., Loendorf, D.D., Rogers, D.C., Thompson, B.C., Parrish, D.M., Brenton, B.C., Staab, E.V. PACS and the digital storage of medical images 86−44653

Perry, J.R., Johnston, R.E., Staab, E.V., Thompson, B.G., Yankaskas, B.C., Brenton, B.C. Digital image display console design issues 85−31817

Perry, J.R. *see* Gaston, G.G. 86−18439

Perry, J.R. *see* Johnston, R.E. 87−14882, 88−36542

Perry, J.R. *see* Parrish, D.M. 87−29836

Perry, J.R. *see* Thomas, J.O. 85−47565

Perry, J.R. *see* Thompson, B.G. 86−32411

Perry, J.R. *see* Tsui, B.M.W. 86−70398

Perry, J.W. *see* Shing, Y.H. 88−37472, 88−56310

Perry, K.H., Hamshere, P.A. An experimental HF ground wave radar 88−47216

Perry, K.J., Toueg, S. Distributed agreement in the presence of processor and communication faults 86−49278

Perry, L.C. *see* Salwen, H.C. 86−23499

Perry, M. *see* Wilson, D.E. 88−27453

Perry, M.D. *see* Prussin, S.G. 86−32206

Perry, M.J. A flexible system for visual performance studies 85−60542

Perry, M.J., Campbell, F.W., Rothwell, S.E. A physiological phenomenon and its implications for lighting design 88−6031

Perry, M.P. A coupled-circuit transient electromagnetic formulation with external constraints 88−8418

Perry, M.W. An inside look at a LAN data archive system 87−62597

Perry, M.W., Reinold, G.A., Yeisley, P.A. Physical design of the SL repeater 85−37027

Perry, M.W., Reinold, G.A., Yeisley, P.A. Physical design of the SL branching repeater 85−37031

Perry, O.H. Rectifiers for metal finishing 85−27882

Perry, P. The Semiconductor Products (Protection of Topographies) Regulations 1987 88−37888

Perry, P. *see* Daniels, R.G. 85−7075

Perry, R. *see* Connell, M. 86−8171, 86−46702

Perry, R. *see* Hsu, C.P. 87−60594

Perry, R.A. *see* Hsu, C.P. 86−21778, 87−686

Perry, R.E. Functional testing using pattern generators 87−11926

Perry, R.E. *see* Tozun, O. 88−44838

Perry, R.J. A computer software interfacing laboratory for electrical engineering students 85−33023

Perry, R.J. Isolated diesel power stations in Western Australia 86−12712

Perry, R.J. *see* Hepler, E.L. 87−25483

Perry, R.J. *see* Schuster, S.E. 87−10866, 87−17079

Perry, R.L., Lee, G. Holographic interferometry applied to symmetric aerodynamic models in a wind tunnel 86−5584

Perry, S., Kalman, S., Pilling, D. Edge-based layout verification 86−15237

Perry, S., Mitchell, M., Pilling, D. Yield analysis modeling 86−20215

Perry, S. *see* Allen, G.H. 85−62095

Perry, S.D. *see* Revelli, J.F. 87−54136

Perry, S.J. *see* McMillan, C.F. 88−29656

Perry, T. *see* Talukdar, S.N. 86−51118, 87−4214

Perry, T.J. *see* Czarnecki, S.J. 85−52209

Perry, T.S. TV networks vie for viewer's votes [TV computer graphics] 85−20299

Perry, T.S. Technology '85: consumer electronics 85−31177

Perry, T.S. Portia's perfect pad: superhigh-tech [house] 85−49313

Perry, T.S. Eaglecrest: a commuter's dream 85−52109

Perry, T.S. From lab to lap [flat-screen displays] 85−64198

Perry, T.S. Consumer electronics [developments in 1985] 86−26583

Perry, T.S. Technology '87: consumer electronics 87−41276

Perry, T.S. Semiconductors go to Korea 88−18476

Perry, T.S., Molitoris, J.J. Coupling between plastic scintillators and light fibers for remote detection of X-rays 87−21441

Perry, T.S., Wallich, P. Computer displays: new choices, new tradeoffs 85−64197

Perry, T.S., Wallich, P. Inside the PARC: the 'information architects' 86−13360

Perry, T.S., Wallich, P., Zorpette, G., Voelcker, J., Horgan, J. Our burdened skies: system hazards 87−29905

Perry, T.S. *see* Fischetti, M.A. 85−22132, 87−29845

Perry, W.D. *see* Light, G.M. 85−17040

Perry, W.L. *see* Schmeing, H. 87−70985

Perryman, G. Choice of EF and I vendors 87−72298

Perryman, M.D. *see* Weston, K.C. 87−13990

Perryman, M.R. Alternative simulations of an energy demand model derived from a general regional empirical system as a means of establishing forecast confidence bounds 86−61105

Perryman, R. Developments in the design and manufacture of the induction motor and inverter drive 87−15724

Pers, O. *see* Krigh, M. 87−26043

Persad, C., Peterson, D.R. High energy rate modification of surface layers of conductors [railguns] 87−26698

Persans, P. *see* Tiedje, T. 86−27988

Persans, P. *see* Wronski, C.R. 87−12290

Persans, P.D. *see* Abeles, B. 85−55545, 86−63082

Persans, P.D. *see* Roxlo, C.B. 85−18125

Persans, P.D. *see* Wronski, C.R. 87−1228, 87−18830

Persechini, D.L. *see* Jackson, D.J. 85−18683, 86−31427, 87−49765, 87−74943, 88−45326, 88−65509

Persechini, D.L. *see* Juang, F.-Y. 87−74930

Persechini, D.L. *see* Pedinoff, M.E. 87−34579

Persechini, J. *see* Tangonan, G.L. 88−35479

Persegol, D., Pic, E., Plantier, J. Experimental study of a ZnO modulator using guided wave resonance 88−2055

Persegol, D., Pic, E., Plantier, J. A novel type of electrooptic light modulator 88−58242

Perseh, A. *see* Bridge, B. 87−31605

Persels, S. *see* Archer, D. 87−59604

Persels, S. *see* Rubinfeld, P. 88−19205

Persels, S.D. *see* Archer, D.W. 88−6903

Persels, S.D. *see* Healey, S.T. 85−29347

Persensky, J.J. *see* Booher, H.R. 86−51303

Persephonis, P. On the performance conditions of a N_2 laser 87−7267

Persephonis, P. A contribution to the light pulse instability of an N_2 laser 87−54246

Persephonis, P. Electrical behavior of a Blumlein-line N_2 laser 88−2169

Persephonis, P. *see* Giannetas, B. 86−3050

Persh, J. *see* Lynch, T. *(editor)* 88−43601

Persheev, S.K. *see* Imankulov, Z. 88−51749

Pershenkov, V.S., Shal'nov, A.V. Coefficient of radiation damage for bipolar microelectronic structures with emitter and collector junctions at submicrometric depths 86−35851

Pershikov, P.F. *see* Alekseev, V.A. 86−19200

Pershikov, S.F., Shelukhin, N.N., Yurovskii, A.G. Computer-aided formulation of theoretical models for electric power systems 88−23252

Pershikova, E.A. *see* Peisakhovich, V.Ya. 87−64333

Pershin, A.A. *see* Stroikovskii, A.K. 86−44480

Pershin, A.S. *see* Bobkov, S.G. 87−8872

Pershin, A.S. *see* Kantserov, V.A. 88−36091

Pershin, M.P. *see* Sosenskii, A.M. 85−35549

Pershin, N.A. *see* Kotserzhinskii, B.A. 87−16923, 87−16927, 88−63913

Pershin, N.A. *see* Zaritskaya, E.A. 87−45245

Pershin, O.Yu. Synthesis of optimal radial networks 86−34434

Pershin, O.Yu. A class of problems of optimal net synthesis 86−57340

Pershin, O.Yu. Synthesis of optimal radial networks. II 86−57533

Pershin, S.M. *see* Arumov, G.P. 88−20603

Pershin, S.M. *see* Egorov, K.D. 87−19002

Pershin, S.M. *see* Kovrigin, A.I. 85−41361, 85−46353

Pershin, S.M. *see* Kovryghin, A.I. 85−35713

Pershin, S.M. *see* Nekhaenko, V.A. 86−68418

Pershin, S.M. *see* Vysloukh, V.A. 86−63771

Pershin, V.I. A desorption slotted cathode of an electron gun for a linear induction accelerator 88−7251

Pershin, V.I. *see* Gripas, V.A. 87−4422

Pershin, V.V., Til'k, V.T. A statistical investigation of the magnetic characteristics of isotropic electrical steel 85−44596

Pershin, V.V. *see* Burova, T.V. 86−24371

Pershin, V.V. *see* Kalinin, E.V. 87−6993

Pershing, D. *see* Merdinian, G. 86−47226

Pershing, D.E., Jackson, R.H. Test results from the NRL ubitron 88−27205

Pershing, D.E. *see* Jackson, R.H. 87−53120, 87−75142

Pershing, D.E. *see* Mako, F. 85−2500

Pershing, D.W. *see* Greene, S.B. 87−9353

Pershko, N.Yu. *see* Sidorik, E.P. 86−60757

Persiano, R.C.M. *see* Szwarcfiter, J.L. 85−28126

Persiantseva, N.M. *see* Gribov, I.V. 86−50387

Persin, A. *see* Andreic, Z. 88−29398

Persin, A. *see* Risovic, D. 86−44169

Persin, M. *see* Urli, N. 87−74053

Persing, R. *see* Lawson, J.E. 88−63521

Persiyanov, T.V. *see* Iofan, A.A. 88−47489

Persiyantsev, I.V. *see* Borisov, V.V. 86−49986

Persky, G., Tran, L.V. Topological routing of multi-bit data buses [LSI/VLSI layout] 85−1709

Persky, G. *see* Powell, S. 86−28427

Persky, G. *see* Smith, W.R. 87−67334

Person, D.C. *see* Bennett, W.R. 87−60878

Person, H.Le *see* Le Person, H.

Person, J.-L. *see* Barton, J.P. *(editor)* 88−30

Person, L.H., Jr. *see* Jones, D.R. 86−18457

Person, R. *see* Peyrin, F. 86−30064

Persone, V.de Nitto *see* de Nitto Persone, V.

Personick, S.D. A review of alternative fiber optic distributed access network designs−and the problems they may solve 85−20230

Personick, S.D. Switches take to optics 85−35661

Personick, S.D. An engineering perspective on the applications of photonic switching technology 85−42609

Personick, S.D. Protocols for fiber-optic local area networks 85−63652

Personick, S.D. A view of network architecture options 86−23305

Personick, S.D. Photonic switching: technology and applications 87−56138

Personick, S.D. Update on photonic switching 87−76494

Personick, S.D., Fleckenstein, W.O. Communications switching−from operators to photonics 88−21856

Personick, S.D., Jalali, A., Muoi, T.V., Arstein, D., Jackson, A. Digital video supertrunking on single-mode optical fibers 85−37284

Personick, S.D. *see* Cheng, S.S. 85−36800

Personne, J. *see* de Vecchis, M. 85−58138

Personne, P., Duroure, C. Influence of the frost roughness on growth habit by supercooled water droplet collection. Application to ice accretion on electrical cables 87−71676

Personne, P., Gayet, J.F. Theoretical and experimental wind tunnel studies of ice accretion processes on overhead electric cables 85−64947

Persoon, E. A pipelined image analysis system using custom integrated circuits 88−33299

Persoon, E., Fu, K.S. Shape discrimination using Fourier descriptors 86−54538

Persoon, E.H.J., Vandenbulcke, C.J.B. Digital audio: examples of the application of the ASP integrated signal processor 86−49882

Persoon, J.H. General introduction to the arrangement of operational control centres 86−12264

Persov, B.Z. *see* Karliner, M.M. 88−57262

Persoz, H. Interest of implementing the 2000 MW France-United Kingdom link 86−18717

Persson, A. *see* Andersson, P.-O. 85−29558

Persson, A. *see* Andersson, P.O. 86−9584

Persson, A. *see* Edvall, G. 85−20587

Persson, A. *see* Wang, T.Y. 88−31726

Persson, A.H. The filtered venting system under construction at Barseback 85−64770

Persson, B. *see* Nilsson, P. 85−38207

Persson, B. *see* Uddenfeldt, J. 87−69969

Persson, B.N.J. Electronic conductivity of Si(111)-7×7 87−11335

Persson, B.N.J., Demuth, J.E. Inelastic scattering of slow electrons from Si(111) surfaces 85−11902

Persson, E. *see* Simpson, E. 85−18568

Persson, E.G. *see* Indeck, R.S. 88−57954

Persson, E.K., Meshkat, S. Brushless servo system with expanded torque-speed operating range 86−51948

Persson, E.K. *see* Meshkat, S. 85−27588

Persson, G. Videotex 85−13838

Persson, G. The switchgear of the 1990s for 12-24 kV 85−21735

Persson, G. Local manufacturing of Safesix 88−24074

Persson, H.W., Hertz, C.H. Acoustic impedance matching of medical ultrasound transducers 85−38372

Persson, K. Design assurance programme for modifications at the Ringhals Nuclear Power Plant 86−19029

Persson, K. *see* Hagg, U. 87−8110

Persson, K.B. *see* Walls, F.L. 85−58912

Persson, K.G., Tunwall, B. High voltage XLPE power cables with sector-shaped cores 86–32764
Persson, L. Barsebeck Nuclear Power Plant—the first plant in the world to install a filter vented containment—is it necessary? 86–51336
Persson, P.O. *see* Lorke, H. 85–62732, 85–62851
Persson, P.O. *see* Scuka, V. 88–30856
Persson, P.O.G., Andersson, T. A real-time system for automatic single-Doppler wind field analysis 88–15590
Persson, R. *see* Margulis, W. 85–64088
Persson, S., Ostman, E. Use of computed tomography in nondestructive testing of polymeric materials 86–20120
Persson, S., Ostman, E. The use of computed tomography in non-destructive testing of polymeric materials, aluminium and concrete. I. Basic principles 87–16752
Persson, S., Ostman, E. The use of computed tomography in non-destructive testing of polymeric materials, aluminium and concrete. II. Applications 87–16753
Persson, S. *see* Garpman, S. 88–54439
Persson, S. *see* Ostman, E. 88–63408
Persson, S.Y. *see* Cheng-Wen Cheng 87–62785
Persson, T., Jander, L. Stockholm—the city of large heat pumps 87–30368
Persson, U. *see* Ahlberg, H. 86–18588
Persson, U. *see* Lundquist, S. 86–65567
Pert, G.J. Recombination lasers in the XUV spectral region 86–22322
Pert, G.J. XUV lasers: a review 86–36424
Pert, G.J. A survey of current XUV laser experiments 87–12357
Pert, G.J. Modelling studies of XUV lasers 87–12381
Pert, G.J., Shorrock, L.D., Tallents, G.J., Corbett, R., Lamb, M.J., Lewis, C.L.S., Mahoney, E., Eason, R.B., Hooker, C., Key, M.H. Population inversion and gain in expanding carbon fibre plasmas 85–7357
Pert, G.J. *see* Chenais-Popovics, C. 88–14118
Pert, G.J. *see* Dave, A.K. 85–18850
Pert, G.J. *see* Key, M.H. 87–12373
Pert, G.J. *see* Lewis, C.L.S. 88–33919
Pert, G.J. *see* Willi, O. 88–2174
Perthel, R. *see* Haubenreisser, W. 85–18672
Perti, D. *see* Manley, T.O. 85–32020
Pertica, A.J. *see* Birnbaum, M. 87–75053
Pertierra, C.Lazaro *see* Lazaro Pertierra, C.
Pertizzi, J.B. *see* Kirsch, H.C. 86–14226
Pertold, K., Vesely, Z. Riedersbach II power plant building lay-out and details of operation 87–78493
Perton, D. *see* Heindl, H. 87–43153
Pertsch, P. *see* Kley, E.-B. 85–35338
Pertsch, P. *see* Loreit, U. 85–56129
Pertsev, A.A. *see* Ryl'skaya, L.A. 86–45606, 88–39746
Pertsev, A.N. *see* Gulakov, I.R. 86–31440
Pertsev, A.N. *see* Vetokhin, S.S. 88–25847, 88–71291
Pertsev, K.V. *see* Kukhtetskii, S.V. 87–19157
Pertseva, V.A., Sitnyakovskiy, I.V., Nekhayev, A.L. Modified adaptive differential pulse-code modulation for speech transmission 88–8669
Pertseva, V.A. *see* Nekhayev, A.L. 86–17056
Pertsov, A.M. *see* Barilko, Sh.I. 87–57140
Pertsovskiy, R.A. *see* Tkachenko, B.V. 87–26762
Perttila, P. *see* Kiilo, M. 88–36865
Perttula, K. *see* Lindenfelser, T. 88–13547
Pertusio, F. Quality and profitability 86–61953
Pertusio, F. Audit and the improvement of quality 87–44011
Perucca, G. Prospects of research on integrated switching of voice data and video 86–59740
Perucca, G. Prospects of research on integrated switching of voice data and video 87–34318
Perucca, G. Integrated switching of voice data and video 87–48817
Perucca, G., Belforte, P., Garetti, E., Perardi, F. Research on advanced switching techniques for the evolution to ISDN and broadband ISDN 87–33962
Perucca, G., Belforte, P., Garetti, E., Perardi, F. Research on advanced switching techniques for the evolution to ISDN and broadband ISDN 88–15199
Perucca, G. *see* Belforte, P. 87–62451
Perucca, G. *see* Mossotto, C. 86–59466
Peruchetti, J.C. *see* Pirri, C. 85–16946
Peruchitti, J.C. *see* Pirri, C. 86–28031
Perujo, A. *see* Bigham, C.B. 85–64406
Perujo, A. *see* Campbell, J.L. 85–43315, 88–10236
Perunicic, B., Lakhani, S., Milutinovic, V. Modelling and analysis of stochastic propagation delays in GaAs adders 88–32179
Perunova, V.S. *see* Lisitsyn, V.P. 86–22770
Perusek, A. *see* Lim, C.B. 85–43353
Perusko, D. *see* Milosavljevic, M. 87–11460
Perusse, E.T. *see* Kisch, J.J. 87–44572, 88–62446
Peruvkhin, S.N. *see* Moiseenko, V.I. 88–68740
Peruzzi, I. *see* Ash, W.W. 88–10244
Peruzzi, I. *see* Callegari, G. 86–50323
Peruzzi, P. *see* Avanzini, P.G. 85–15788
Peruzzi, R. *see* Conte, G. 86–35357, 88–17988
Peruzzi, R. *see* Galluzzi, F. 86–33666, 87–30992
Pervachev, S.V., Nefedov, N.A. Algorithm for accelerated adjustment of weight factors for a two-channel adaptive noise compensator 88–52240
Pervachev, S.V., Perov, A.I. Statistical analysis of adaptation algorithms for filtering messages with unknown characteristics 86–43254
Pervachev, S.V. *see* Perov, A.I. 87–61862
Pervak, Yu.A. *see* Gorban, S.I. 86–48242
Perveev, A.F. *see* Muranova, G.A. 88–13922
Pervere, M., Browne, J. Network analyzer enhancements expand microwave applications 87–56579
Pervez, A., Wrobel, P.Z. New approaches to low bit rate digital and wideband analogue optical systems 85–63723
Pervez Kazmi Design of a cooperative processing application to link PROFS and Telebox for cross-system electronic mailing 88–35025
Pervomaiskii, V.A. *see* Medvedev, V.S. 86–38924
Pervozvanskii, A.A. *see* Gaitsgory, V.A. 86–57353
Pervukhin, A.V. *see* Khopunov, E.A. 88–18811
Pervukhina, G.P. Analysis of the combined operation of a frequency-shift modulator and a mixer 87–73370
Pery, A., Rufray, J.-C. A digital controlled videoprocessor IC for color TV-set 87–13874
Pery, A., Rufray, J.C. A fully automatic multistandard TV chrominance decoder 86–11262
Peryshkin, A.N. *see* Golubev, V.B. 85–26688
Perz, J., Przygoda, Z. Relay contact bounce measurements using a microprocessor system 87–70827
Perz, J.M. *see* Kruzelekcky, R.V. 86–28153
Perz, P. *see* Niewiarowicz, M. 88–53477
Perz, W. Automation of distribution networks 88–10728
Perz, W. *see* Kosmowski, J. 88–75872
Perzanowski, W. *see* Bill, K. 88–62364
Perzl, P. *see* Opower, H. 87–46787
Perzynski, R. *see* Bacri, J.-C. 86–31736, 88–18266
Pesando, L. *see* Biino, C. 88–22930, 88–74742
Pesant, J.C. *see* Constant, E. 87–73673, 88–57695
Pesant, J.C. *see* Mostefaoui, R. 88–71409
Pesant, J.P.le *see* le Pesant, J.P.
Pesavento, G.-C. *see* Bertazzi, A. 87–11983 to 11986
Pescatori, L. An integrated supervisory system for the maintenance and management of the telecommunications network 88–8994
Pescatori, L., Silli, S. SELCHECK: a distributed intelligence system for the supervision of electromechanical exchanges 85–19978
Pescatori, L., Zarone, G. A design method for field service centres 85–19580
Pesce, C. *see* Bisi, V. 87–14769
Pesch, H. Battery load-levelling: activities in the Federal Republic of Germany and the Republic of South Africa 88–55604
Pesch, H., Ranade, S., Schubert, M., Sieber, P., Goosen, P.V., MacFarlane, R.D. Static VAr-compensators for stabilizing traction and transmission systems in South Africa 85–65356
Pesch, H., Ring, H. Coordination of arrester stresses and overvoltage protection levels in HVDC converter stations 86–12391
Pesch, H. *see* Goosen, P.V. 86–50958
Pesch, R. *see* Brunnee, C. 87–41318
Peschanskii, V.A. *see* Zhuravina, L.N. 87–37141
Peschansky, V.A. *see* Baranov, S.I. 85–6261
Peschardt, E., Sladen, J.P.H. Transmission of a stabilised RF phase reference over a monomode fibre-optic link 86–64970
Peschardt, E., Sladen, J.P.H. RF synchronization of the LEP accelerator 87–63603
Peschardt, E. *see* Brown, P. 86–24873
Peschartdt, E. *see* Hofmann, A. 86–31930
Peschel, D. *see* Kokert, W. 88–53174
Pescher, H. Operating experience of DC Railways' Stray current behaviour 87–9913
Peschges, G. Powerful enough [printed circuit board CAD system] 88–57061
Peschi, R., Danthine, A. High performance interface to the MAC of a wideband backbone network 88–21727
Peschina, R. *see* Dutty, W. 87–29457
Peschke, D. *see* Schulke, W. 86–1558
Peschke, E. Voltage tests on cable systems 87–4397
Peschke, E.F., Schroth, R.G. Comparative tests for the evaluation of XLPE-WTR cables 88–48578
Peschke, E.F., Wiedenmann, R. A new VPE medium voltage cable with water tree retarding (WTR) insulation 87–42473
Peschke, G. *see* Cattin, M. 85–16817
Peschke, W. Application of ZnO varistors in transformers 87–51298
Peschke, W. The Leitz AUTOSCOPE P—the new problem solution for automatic particle analysis 87–56490
Peschke, W. Quality control by means of image analysis 88–60639
Peschke, W. *see* Einschutz, W. 86–56816
Peschke, W. *see* Knorr, W. 85–39056, 86–39870, 86–68116
Peschmann, K.R., Napel, S., Couch, J.L., Rand, R.E., Alei, R., Ackelsberg, S.M., Gould, R., Boyd, D.P. High-speed computed tomography: systems and performance 86–25192
Pesci, C. *see* Gazzi, M. 87–71312
Pesciarelli, U. *see* Cancellieri, G. 85–35387
Pescod, C.R., Crickmore, R.J., Nawaz, M., Keenan, M.M. A 560 MBit/s direct detection optical ISL demonstrator 88–22166
Pescod, C.R. *see* Easton, N.J. 86–29649
Pescu, G. *see* Arturi, C.M. 85–21260
Pesetskii, B.I., Steriopolo, E.A. Eigenmodes of dipole radiators 87–12816
Peshekhonov, S.V. *see* Valiev, K.A. 85–29149
Peshekhonov, V.D. Wire gaseous coordinate detectors and their applications in biomedical research 87–50127
Peshekhonov, V.D. *see* Abdushukurov, D.A. 85–59187
Peshekhonov, V.D. *see* Anisimov, Yu.S. 85–48227, 87–14745, 87–23788, 87–29693, 87–63670
Peshekhonov, V.D. *see* Budilov, A.A. 86–44588
Peshekhonov, V.D. *see* Zanevskii, Yu.V. 86–70340
Peshekhonov, V.I. *see* Kruchinin, A.M. 86–45516
Peshekhonov, V.P. *see* Zanevskii, Yu.V. 88–36370
Peshetov, S.A. Location of electrical equipment in electricity supply systems 86–18745
Peshin, S.V. *see* Kucha, V.V. 87–12280
Peshin, S.V. *see* Mirgorodskii, V.I. 88–47491, 88–67336
Peshko, I.I., Khizhnyak, A.I. Visualization of CO_2-laser radiation by holographic methods 85–2443
Peshko, I.I. *see* Grodzinskaya, M.D. 88–33985
Peshko, I.I. *see* Vasnetsov, M.V. 85–56739
Peshkov, A.V. *see* Aref'ev, I.M. 86–25213
Peshkov, G.A. *see* Klyaus, Kh.I. 87–67549
Peshkov, I.B. New development trends in the assessment of lifetimes of cables and conductors 85–64907
Peshkov, I.B. Cables and conductors for the agroindustrial complex 85–64917
Peshkov, I.B. Present state of cable technology 88–30377
Peshkov, I.B., Povelichenko, A.P., Obraztsov, Yu.V. Plastic-insulated high-voltage cables for 110 and 220 kV 85–43615
Peshkov, I.B., Sytnikov, V.E., Svalov, G.G. Theory of current distribution in multiwire superconductive conductors under the influence of natural and external magnetic fields 87–35654
Peshkov, I.B. *see* Braginskii, R.P. 85–40274
Peshkov, I.B. *see* Finkel, E.E. 85–17915
Peshkov, I.B. *see* Gleizer, S.E. 86–44978, 87–57650
Peshkov, I.B. *see* Kazanchyan, G.P. 88–20192
Peshkov, I.B. *see* Meshchanov, G.I. 85–64922
Peshkov, I.B. *see* Obraztsov, Yu.V. 87–42474
Peshkov, I.B. *see* Shuvalov, M.Yu. 88–36854
Peshkov, I.V. *see* Braginskii, R.P. 87–9198
Peshkov, V.P., Sen'ko, A.E. The noise immunity of an adaptive detector of a noisy broadband signal in the case of training with a teacher 86–43239
Pesic, B., Dimitrijev, S., Stojadinovic, N. Sudden failures associated with the gate oxide of CMOS transistors 88–71567
Pesic, M. Coupled fast-thermal system at the 'RB' nuclear reactor 87–57812
Pesigolovets, L.F. *see* Borisov, R.I. 87–64105
Peska, A. Functions of MPA 80 command unit 88–23308
Peski, C.K.Van *see* Van Peski, C.K.
Peski, C.Van *see* Van Peski, C.
Peskin, A.A. Procedure for precise conversion in operational inductive voltage dividers 85–23070
Peskin, C.S. *see* Sherman, A.S. 87–10349
Peskoe, S.E. *see* Walsh, F.J. 88–68697
Peskov, B.G. *see* Kezerashvili, V.Ya. 88–54096, 88–61045
Peskov, O.L. *see* Kozina, N.V. 88–55110
Peskov, V., Charpak, G., Mine, P., Sauli, F., Scigocki, D., Seguinot, J., Schmidt, W.F., Ypsilantis, T. Liquid and solid organic photocathodes 88–54409
Peskov, V. *see* Charpak, G. 88–61102
Peskov, V.D. Wire chamber for recording ultraviolet and X-radiation with resolution of $\sim 50 \times 80$ μm 86–44590
Peskov, V.D. Multisectional wire chamber for the investigation of pulsed X-ray and VUV plasma radiations 87–21435
Peskov, V.D. *see* Bogomolov, G.D. 86–60599
Peskovatskii, A.S. *see* Eru, I.I. 86–59766
Peskovatskii, S.A. *see* Blinov, A.K. 88–33909
Peskovatsky, S.A. *see* Kopylov, A.A. 85–56466
Peslyak, A.E., Litvak, A.L. Microcomputer for the checkout of instruments having built-in microprocessors 87–28921
Peslyak, P.M. *see* Bredikhin, S.V. 85–3916
Peso, J.Del *see* Del Peso, J.
Pesochenko, O.A. *see* Gafarov, P.M. 87–18144

Pesonen, A.J., Maaskola, J., Elovaara, J. Special features of earth-fault currents 88−55077
Pesoshin, V.A. *see* Kir'yanov, B.F. 86−10329
Pesotchinsky, L. Problems associated with quality control sampling in modern IC manufacturing 87−53065
Pesotchinsky, L. Plans for very low fraction nonconforming [QC] 88−6294
Pesotchinsky, L.L. A model for IC yield analysis and process control 87−18243
Pesotchinsky, L.L., Chen, J.R. A relationship between process yield, test system noise, and specifications and test limits 85−54168
Pesotchinsky, L.L., Fichtenholz, Z. Comparison of two wafer inspection methods for particle monitoring on semiconductor manufacturing 88−39569
Pesotskii, F.G. *see* Bruev, I.V. 88−75980
Pesotskii, V.S. *see* Konovalov, S.A. 87−22538
Pesotskii, V.S. *see* Volkov, I.V. 87−78780
Pesotskii, Yu.S. *see* Gryzov, S.N. 88−16035
Pesout, J. Statistics of the development of Czechoslovak power industry in the years 1945 to 1985 85−59574
Pesout, J. The development of power requirements of Czechoslovak national economy in 1985 87−35554
Pesque, P., Coursant, R.H., Mequio, C. Methodology for the characterization and design of linear arrays of ultrasonic transducers 85−15452
Pesque, P., Fink, M., Bonnefous, O. Diffraction effects on the measurement of phase array element acousto-electric response 87−71445
Pesque, P., Mequio, C. A new and fast calibration method for ultrasonic hydrophones 86−6172
Pesque, P. *see* Bonnefous, O. 87−71113
Pesque, P. *see* Mequio, C. 85−15451
Pessa, M., Jylha, O. Growth of $Cd_{1-x}Mn_xTe$ films with $0<x<0.9$ by atomic layer epitaxy 85−368
Pessa, M., Lilja, J., Jylha, O., Ishiko, M., Asonen, H. Atomic layer epitaxy of diluted magnetic semiconductors 88−43895
Pessa, M. *see* Herman, M.A. 85−51043, 86−13752, 87−5407
Pessa, M. *see* Varrio, J. 88−11971
Pessa, M. *see* Vulli, M. 85−44758
Pessa, M.V. *see* Goodman, C.H.L. 87−5411
Pessall, N. *see* Cresswell, M.W. 87−1699, 88−19879
Pessall, N. *see* Linholm, L.W. 88−7720
Pessanha, L. *see* Almeida, R. 87−57375
Pessel, D. *see* Beach, R. 85−19887
Pessina, G., Vicario, G., Zimaglia, C. Reliability of irrepairable electrical systems: theoretical approach and analysis of basic series and parallel configurations 85−33215
Pessina, G., Vicario, G., Zimaglia, C. Evaluation of reliability characteristics of complex irreparable electrical systems 85−54180
Pessina, G., Vicario, G., Zimaglia, C. Evaluation of reliability characteristics for a transformer section 85−65290
Pessina, G., Vicario, G., Zimaglia, C. Evaluation method of mean time to failure for continuity supply electrical systems 86−18654
Pessina, G., Zimaglia, C. Global representation of polyphase structures. I [machine theory] 86−45321
Pessina, G., Zimaglia, C. Two speed commutated 5-phase induction motor 87−15753
Pessina, G., Zimaglia, C. Global geometry of polyphase structures fed by complex current systems 87−22512
Pessina, G., Zimaglia, C. Compact modelization of universal motor and experimental results 87−42808
Pessina, G., Zimaglia, C. Harmonic identification of a three-phase winding in generalized feeding conditions, and experimental confirmations 87−42978
Pessina, G., Zimaglia, C., Piglione, M.C. Fractional power universal motor: equivalent circuit and test settlements 86−33325
Pessina, G. *see* Alessandrello, A. 88−29821
Pessina, G. *see* Camin, D.V. 88−25002
Pessina, G. *see* Zimaglia, C. 88−18139
Pessina, V. *see* Paorici, C. 86−20036
Pessini, V. *see* Paorici, C. 87−16661
Pessoa, F. Characterization of a density by minimizing the logarithmic information of degree q 87−27121
Pessoa, F. *see* Bouchon, B. 86−16090
Pessot, M. *see* Bado, P. 88−65638
Pessot, M. *see* Maine, P. 88−20628, 88−40173
Pesta, A. *see* Genello, G. 86−29453
Pesta, Z. Analytical solution of the surface phenomenon of a nonmagnetic rectangular conductor with a rectangular hole situated in the slot of an electric machine for $\mu_r \rightarrow \infty$ 85−5040
Pesta, Z. Diffraction of a plane electromagnetic wave in anisotropic dielectrics 86−29334
Pesta, Z. Diffraction of a planar electromagnetic wave during its transmission through atmosphere 88−14384
Pestalozzi, J. *see* Gode, E. 87−78550
Pestaner, J., Bergath, M. Ensuring quality and reliability in SMT designs 87−24583
Pester, P.D. *see* Cabe, E.M.M.C. 88−37943
Pester, P.D. *see* Wilson, T. 87−60146, 87−61015
Pestie, J.P. *see* Fourrier, J.Y. 85−37033
Pestka, J. Electromagnetic interference as a result of high frequency transients in high voltage networks 88−48429
Pestka, J. *see* Nevries, K.-B. 86−38469, 87−50765, 88−23260
Pestka, J. *see* Paul, H.-U. 86−43699
Pestle, J.P., Gallant, T.A. The modern design of reliable squirrel cage rotors 88−17619
Pestle, J.W. Financing alternatives for cogeneration and small-power facilities 87−82
Pestov, E.G. The theory of ring quantum-mechanical oscillators in a magnetic field of arbitrary direction 88−51866
Pestov, Yu.N. The status of spark counters with a localized discharge 88−29856
Pestrikov, D.V. *see* Derbenev, Ya.S. 85−26560
Pestrikov, D.V. *see* Dikanskii, N.S. 87−21305, 87−29386
Pestryakov, A.V. Calculation of the spectral characteristics of frequency synthesizers using discrete phase-lock loops 88−598
Pestryakov, A.V. *see* Kabanov, A.I. 86−27119
Pestryakov, A.V. *see* Shakhgil'dyan, V.V. 85−33701
Pestryakov, E.V., Trunov, V.I., Alimpiev, A.I. Generation of tunable radiation in a $BeAl_2O_4$:Ti^{3+} laser subjected to pulsed coherent pumping at a high repetition frequency 88−14153
Pestryakov, E.V. *see* Alimpiev, A.I. 87−12437
Pestryakov, E.V. *see* Kolyago, S.S. 86−48379
Pestryakov, E.V. *see* Lisitsyn, V.N. 88−8160
Pestunov, V.Yu. *see* Iogansen, A.A. 87−61211
Pesuit, D.R. Growing role for microcomputers in powerplant operations 86−12535
Pesut, D. Adapted method for estimation of daily load diagram in electric power systems 85−4542
Pesut, D., Topic, J. Analysis of power consumption in Yugoslavia and SR Croatia. II. Structure of power consumption in households in SR Croatia 88−68732
Pesut, D. *see* Granic, G. 86−12349, 86−65653
Pesut, D. *see* Topic, J. 86−39096
Petajan, E.D. Automatic lipreading to enhance speech recognition 85−41885
Petajan, E.D. Automatic lipreading to enhance speech recognition 86−10323
Petajan, E.D. *see* Brooke, N.M. 86−48852
Petasch, H. Modular digital exchange with distributed control 85−52146
Petcantchine, L. Interconnected networks: control algorithms for static VAr systems 87−15197
Petcavich, R. *see* Penz, P.A. 85−14931
Pete, J.A., Krasinski, J., Bromiley, R., Heller, D.F. Alexandrite laser amplifiers 87−46833
Pete, J.A. *see* Walling, J.C. 86−22349
Peteghem, A.P.van *see* van Peteghem, A.P.
Peteghem, P.M.Van *see* Van Peteghem, P.M.
Peteghem, P.Van *see* Van Peteghem, P.
Petek, B. *see* Argyle, B.E. 87−60989, 88−64947
Petek, B. *see* Herman, D.A., Jr. 88−64948
Petel, M. *see* Holzapfel, G. 87−50449
Petel, M.R., Barthe, J.R. Measurement of the mean energy of soft betas using thermoluminescence and thermally stimulated exoelectron emission 87−50450
Petelenz, D. *see* Bezegh, K. 87−53502
Petelenz, D. *see* Brown, R.B. 86−55660
Petelin, A.N., Ury, M.G. Plasma sources for deep-UV lithography 86−8956
Petelin, M.I. Space-charge effects in the excitation of a cavity resonator by steady flow of excited classical oscillators 86−29520
Petelin, M.I. *see* Aver'yanov, V.I. 88−38988
Petelin, M.I. *see* Botvinnik, I.E. 85−7336
Petelin, M.I. *see* Burtsev, V.A. 85−11849
Petelin, M.I. *see* Ginzberg, N.S. 87−39149
Petelin, M.I. *see* Ginzburg, N.S. 86−3227, 86−3231
Petelin, Yu.V. Programmable Walsh-function generator 86−829
Petello, J. *see* Bailey, V. 88−54020
Petenyi, V., Majercik, J., Darilek, P., Chrapciak, V. Programs of neutron-physical calculations for start-up and operation of WWER reactors 88−17305
Petenyi, V. *see* Liptak, P. 85−65083
Peter, Ch. Easy-to-service thyristor power controlling element TLS3.1−an electronic power controlling element for electric heating 86−66164
Peter, E. Does the supplementary communications network open up new communications possibilities? 85−19634
Peter, E. *see* Baumann, A. 88−35444
Peter, E.G. Multistage RAM: an FIR filter for echo cancellation in a digital two-wire subscriber loop 87−47688
Peter, E.St. *see* St. Peter, E.
Peter, F.A. Current applications of amorphous silicon photocells and prospects for the near future 88−62624
Peter, F.von *see* von Peter, F.
Peter, G., Genter, W. Noise measurement instrumentation 87−20900
Peter, G. *see* Polland, H.-J. 88−32891
Peter, H., Hey, W., Fordemwalt, J.N. LPCVD tungsten from solid sources 87−5499
Peter, I. *see* Nagel, F. 88−37714
Peter, J. *see* Blair, B. 86−38542, 87−41645
Peter, J. *see* Desrosiers, B. 87−44919, 87−52647
Peter, J.-M. The fast rectifiers in the high frequency converters 86−51794
Peter, J.-M. Medium power semiconductors: state of developments and tends 86−53576
Peter, J.-M., Rates, I. A new component family presents itself 'indestructible': power drivers−they can take punishment 86−46583
Peter, J.M. Switching behavior of fast diodes in the converter circuits 85−12245
Peter, J.M. Fast diodes in converter switching 85−34916
Peter, J.M. High speed diodes: new parameters which are better suited to the user's needs 86−2086
Peter, J.M. Needs evolve; the transistor diversifies 86−9095
Peter, J.M. State of the art and development in the field of medium power devices 86−67851
Peter, J.M. State of the art and development in the field of medium power devices 87−11750
Peter, J.M. Power components−good look at the function leads to cost reduction 88−44821
Peter, J.M. Fast recovery rectifiers: how to reduce the switching losses 88−75790
Peter, J.M., Nadd, B. Power electronics, from the discrete component to the function 88−57640
Peter, J.M., Nadd, B. Power electronics, from the discrete component to the function 88−64584
Peter, J.M., Nadd, B.C. Smart power: a way to improve discrete components 88−26320
Peter, J.M., Rates, I. Self-protecting controllers [monolithic switch devices] 86−52987
Peter, J.M., Rates, I. A new family of intelligent drivers 87−36268
Peter, K. Logic simulation with BASIC 87−10813
Peter, K. Topical local networks 87−13398
Peter, L.M. *see* Abrantes, L.M. 87−60213
Peter, U., Vykoupil, P. Measurements of structure-borne noise on turbine generator sets−state of development and application in power plant operating practice 87−64541
Peter, W., Faehl, R., Snell, C., Jones, M.E. Collective ion acceleration by means of virtual cathodes 86−31837
Peter, W., Faehl, R.J., Jones, M.E. Analysis of a microwave electron gun for accelerator applications 87−57014
Peter, W., Kwan, T.J.T. Microwave propagation through an apertured coaxial waveguide 88−27590
Peter, W. *see* Kadish, A. 86−21014
Peter, W.K. *see* Faehl, R.J. 86−31835
Peter, W.K. *see* Jones, M.E. 86−32125
Peter Linner, L.J. Design of high resistance nongrounded broadband loads in terminations and attenuators 88−56902
Peter Yu *see* Lee, H.P. 88−24705
Peterat, M. *see* Gessert, C. 86−34298
Peterat, M. *see* Helmreich, D. 88−18010
Peterghem, P.M.Van *see* Van Peterghem, P.M.
Peterherych, S., Davies, A.F., Muttitt, G. Application of the Seasat scatterometer to observations of wind speed and direction and Arctic ice/water boundaries 87−57379
Peterka, J. Application of solar programs of the SLEN series in designs of solar equipment 88−11397
Peterka, R. Synthesis of broadband transformerless matching circuits with a maximum bandwidth 87−10628
Peterka, R. *see* Tysl, V. 86−50075
Peterkin, F.E., Williams, P.F. Physical mechanism of triggering in trigatron spark gaps 88−64164
Peterman, D., Lemonnier, M., Megtert, S. X-ray camera for photons counting 88−4872
Peterman, D.J., Franciosi, A. HgCdTe-Cr interface chemistry 85−23539
Peterman, D.J., Wroge, M.L., Morris, B.J., Leopold, D.J., Broerman, J.D. *p*-on-*n* heterojunctions of (Hg,Cd)Te by molecular-beam epitaxy: controlled silver doping and compositional grading 88−43870
Peterman, D.J. *see* Ballingall, J.M. 85−60950, 87−5403
Peterman, D.J. *see* Philip, P. 85−55564
Peterman, D.J. *see* Wroge, M.L. 87−23658, 88−64384
Petermann, G. DC and AC characterization of grain boundaries in float zone silicon 88−50620
Petermann, G. *see* Szkielo, W. 86−47287
Petermann, J. *see* Fuchs, H. 85−61804
Petermann, K. Analysis of reduced chirping of semiconductor lasers for improved single-mode-fibre transmission capacity 86−15702
Petermann, K. A semiconductor laser as transmitter in optical communication technology 87−2132
Petermann, K. Coherent optical communications−present status and future prospects 88−15487
Petermann, K. Coherent optical fibre transmission technique: state of the art and prospects for the future 88−60208

Petermann, K., Kruger, U. Chirp reduction in intensity-modulated semiconductor lasers for maximum transmission capacity of single-mode fibres 87−8250
Petermann, K., Kruger, U. Limits of dispersive optical fibre transmission for chirped pulses of finite extinction ratio 88−65242
Petermann, K., Kuhne, R. Upper and lower limits for the microbending loss in arbitrary single-mode fibers 86−28813
Petermann, K., Mitzscherlich, P. Spectroscopic and laser properties of Cr^{3+}-doped $Al_2(WO_4)_3$ and $SC_2(WO_4)_3$ 87−68413
Petermann, K. *see* Aretz, K. 88−45217
Petermann, K. *see* Bohm, K. 88−10002
Petermann, K. *see* Clausen, R. 88−65636
Petermann, K. *see* Huber, G. 88−65619
Petermann, K. *see* Kolbe, W. 86−22351
Petermann, K. *see* Kruger, U. 87−18609, 88−45460
Petermann, K. *see* Kuhne, R. 86−42319
Petermann, K. *see* Schaffer, C. 87−54140
Petermann, K. *see* Schunk, K. 86−48417
Petermann, K. *see* Schunk, N. 86−58925, 88−9554, 88−72316
Petermann, K. *see* Tewari, R. 88−45153
Petermann, K. *see* Wang, J. 87−68450
Petermann, R. *see* Buhling, D. 85−50049
Peterreins, T., Probst, F., Feilitzsch, F.V., Kraus, H. Phonon mediated position resolved detection of α-particles with superconducting tunnel junctions 88−61081
Peterreins, T. *see* Kraus, H. 86−38693
Peterreins, Th. *see* von Feilitzsch, F. 88−74740
Peters, A. Help phones for grannies and grandads 86−30462
Peters, A.F., Kuk-Kvon, R. An adjustment controller for capacitive current compensation 86−65699
Peters, B., Hacker, J. Agile modulator reliability 88−67550
Peters, B.F. *see* Matthews, J.R. 88−47235
Peters, C., Gilbert, W., Hassenzahl, W., Mirk, K., Rechen, J., Scanlan, R., Taylor, C. Design and performance of 40 mm, 6.5 T, collared, cold-iron model magnets 86−25064
Peters, C., Mirk, K., Wandesforde, A., Taylor, C. Use of tapered key collars in dipole models for the SSC 88−68137
Peters, C. *see* Dahl, P. 86−44521
Peters, C. *see* Hassenzahl, W. 85−64387
Peters, C. *see* Strait, J. 87−74617, 88−54294, 88−68133
Peters, C. *see* Taylor, C. 85−59029 to 59030, 88−54037
Peters, C.R., Hollingshad, W.R. A new generation of cooling water treatment [power station corrosion] 86−32901
Peters, D. Implanted-silicided polysilicon gates for VLSI transistors 87−1317
Peters, D. The basics of RF power amplifier design 87−16908
Peters, D., Chiang, S.Y., Carey, P., Cham, K. Shallow p^+ junctions for VLSI CMOS 85−23669
Peters, D. *see* Drowley, C.I. 86−9009
Peters, D. *see* Perner, F. 87−24187
Peters, D.C., Shearer, J.C., Carroll, J.E. FTIR microspectrophotometry−advances and applications 85−49346
Peters, D.G. *see* Martlew, B.G. 88−54148
Peters, D.L. Visual simulation: the unsolved problem 86−32433
Peters, D.W. Examining competitive submicron lithography 88−57554
Peters, D.W. Lithographic technology at the support of the micron 88−71472
Peters, D.W., Drumheller, J.P., Frankel, R.D., Kaplan, A.S., Preston, S.M., Tomes, D.N. Application and analysis of production suitability of a laser-based plasma X-ray stepper 88−64448
Peters, D.W. *see* Kornblit, A. 88−19818
Peters, D.W. *see* Pol, V. 87−60541
Peters, E.B. Motivational needs in entrepreneurial organizations 86−7456
Peters, E.F. *see* Friedman, P.S. 87−21174
Peters, E.F. *see* Stoller, R.A. 87−21175
Peters, E.W. *see* O'Malley, M.H. 87−8490, 87−61808
Peters, F., Rossman, D.L. A malfunction analysis response system (MARS) for nuclear power plant control rooms 86−12603
Peters, F. *see* Degele, D. 85−26601
Peters, G. Pattern generator moves big-system resources onto designer's desktop [HP 8175A digital signal generator] 86−11612
Peters, G., Hinzpeter, H., Baumann, G. Measurements of heat flux in the atmospheric boundary layer by sodar and RASS: a first attempt 86−23982
Peters, G. *see* Feister, U. 86−38958
Peters, G. *see* MacKinlay, R.R. 88−71838
Peters, G.P. *see* Brady, R.L. 85−3292
Peters, G.P. *see* Kimberly, D.W. 85−3293
Peters, H. Into the 90s with neon tester 85−3569
Peters, H. All about field strength 85−3664
Peters, H. Waveforms from space 85−52504
Peters, H. More about RC5 remote control 86−24073
Peters, H. Satellite TVRO installation. I 87−3292
Peters, H. Satellite TVRO installation. II 87−8245
Peters, H. C-MAC and its variants 87−8385
Peters, H. Recent Philips CTV chassis 87−70209
Peters, H. The Philips 3A chassis 88−29053
Peters, H. Features of the Panasonic NV-D80 88−29135
Peters, H. All about bar codes 88−47336
Peters, H. Conditional programme access 88−53398
Peters, H., Owings, B., Oakley, T., Beno, L. Hydrogen masers for radio astronomy 88−20525
Peters, H. *see* Gonschorek, K.H. 88−2622
Peters, H. *see* Hingorani, N.G. 86−12381
Peters, H.C. *see* Kosky, P.G. 85−60210
Peters, H.C. *see* van Heteren, J. 86−65532
Peters, H.E. Design and performance of new hydrogen masers using cavity frequency switching servos 85−58811
Peters, H.J. *see* Cleff, B. 85−37817
Peters, H.L. Civil engineering peculiarities of the natural draught cooling tower at Volklingen model power plant 85−4869
Peters, H.P. The acceptance of nuclear power after Chernobyl 88−69119
Peters, H.P. *see* Renn, O. 85−77
Peters, I.V. *see* Byr'ka, V.F. 85−54012
Peters, J., White, D. The DSA 300 distributed system model 86−49311
Peters, J. *see* Berger, C. 88−22937
Peters, J. *see* Turrell, D.L. 88−44257
Peters, J.-J., Dalton, C. Real samples set for camera colour-rendering measurement 88−53422
Peters, J.-M., Nado, B. 'Smart' power transistors not requiring auxiliary circuits 88−57641
Peters, J.E. Peltier oven for thermistor mounts 85−64226
Peters, J.E. Asia Pacific intercomparison of attenuation 86−44378
Peters, J.H., Kanters, J.T. CAROT: a digital method of increasing the robustness of an analog colour television signal 86−49778
Peters, J.H. *see* Catanesi, M.G. 87−77548
Peters, J.H. *see* Driessen, L.M.H.E. 87−13962
Peters, J.I.C. *see* Sprengers, L.M. 86−52038
Peters, J.J. Journeying forth with the MAGNUM Group−a few milestones along the way to digital television tape recording 86−31029
Peters, J.J. The EBU's activity in the standardization of recording systems and practices 88−47342
Peters, J.J., Wood, D. The standardization frontiers 87−28759
Peters, J.K. *see* Abrams, G.O. 86−59638
Peters, J.M.H. The impulse, frequency response and transfer functions 85−6103
Peters, J.M.H. Acoustic horns and non-uniform electrical transmission lines 85−13170
Peters, J.V. Derivative norm estimates for the Radon transform with application to tomography 85−31788
Peters, J.W. Underground placement of fiber optic cable 85−25897
Peters, J.W. *see* Chen, J.Y. 85−10774, 85−12393
Peters, K. High dynamic regulation of rapid control techniques in processes requiring many drives 87−31011
Peters, K.-H., Ringkloff, G., Schmitz, D. Expansion turbine on the Schwelgern blast furnace 85−9762
Peters, L. *see* Brown, R.W. 88−46909
Peters, L., Jr. *see* Dominek, A.K. 87−54513, 87−54518, 87−61358
Peters, L., Jr. *see* Volakis, J.L. 85−56989, 85−62745
Peters, L.S., Brackmann, E.J., Park, W.T. Future directions in automation and robotics for manufacturing 87−23330
Peters, L.S., Brackmann, E.J., Park, W.T. Future directions in automation and robotics for manufacturing 87−43973
Peters, M. The realization of forces up to 1 MN on an international level 86−11732
Peters, M., Pinneo, J.M., Plano, L.S., Ravi, K.V., Versteeg, V., Yokota, S. The commercialization of engineered diamond technology 88−63375
Peters, M., Sawla, A. Intercomparison of force standard machines at the Statens Provningsanstalt, Sweden and the Physikalisch-Technische Bundesanstalt, FRG 85−8683
Peters, M., Wilkening, G. Report on the measurements carried out within the framework of the EC comparison between the PTB, Braunschweig and the LNE, Paris (October 1980) 85−4121
Peters, M. *see* Humphreys, R.L. 85−4766
Peters, M. *see* O'Clock, G.D., Jr. 85−39525
Peters, M. *see* Sawla, A. 86−24789
Peters, M.F. *see* Roesch, W.J. 88−20161
Peters, M.G. *see* Anthony, T.C. 85−23441
Peters, M.H. *see* Miller, R.J. 88−71379
Peters, M.S. Interaction between component and system design examined for radar development 88−47207
Peters, M.S. *see* O'Clock, G.D. 87−66768
Peters, N. Mode 7. Getting to grips with graphics 85−25394
Peters, P.J.M., Bastiaens, H.M.J., Witteman, W.J. Improved operation of a coaxial excited high energy density KrF laser 85−51128
Peters, P.J.M., Bastiaens, H.M.J., Witteman, W.J., Gerber, T. A study of the electron quenching of excimers in a KrF* laser excited by a coaxial electron beam 87−68324
Peters, P.J.M., Fierkens, I.H.T., Witteman, W.J. Effect of Ne and Ar on the performance of a high-pressure ArF* laser pumped by a small coaxial electron beam 88−2155
Peters, P.J.M. *see* Gerber, T. 85−2198, 85−41314, 85−41332, 85−51127, 86−3071
Peters, P.J.M. *see* Kleikamp, B.M.H.H. 86−42471
Peters, P.J.M. *see* Witteman, W.J. 87−46774, 88−27024
Peters, P.N. *see* Huang, C.Y. 88−71968
Peters, R., Blischke, F., Meyr, H. Parameter estimator for the mean flow velocity based on the correlation principle 86−31719
Peters, R., Blischke, F., Meyr, H. Transit-time estimation in turbulent flows 88−27891
Peters, R. *see* Betaharon, K. 87−76648
Peters, R. *see* Hudson, J.A. 86−46491
Peters, R. *see* Koepf, G.A. 87−20451
Peters, R. *see* Magar, S. 86−8305
Peters, R. *see* Nuspl, P.P. 87−76643
Peters, R.A. SS-TDMA switch matrices using optical technology 87−76649
Peters, R.A. ISL performance requirements to meet integrated services digital network standards [intersatellite links] 88−53016
Peters, R.A. Optical ISL tracking considerations in meeting ISDN requirements 88−67299
Peters, R.A., Lo, G.J.P. Applications of optical technologies to commercial geostationary satellites 85−14154
Peters, R.A., Lo, G.J.P. Application of intersatellite links to operational satellite systems 88−53228
Peters, R.A., Sasaki, M. Effect of coding on the BER of an optical ISL [intersatellite links] 87−70086
Peters, R.A., Sasaki, M. An iterative approach to calculating the performance of two coupled optical intersatellite link tracking subsystems 87−70087
Peters, R.A. *see* Sasaki, M. 87−20527
Peters, R.A., II, Strickland, R.N. Image analysis using hit-or-miss transforms with resolution pyramids 87−39954
Peters, R.C. *see* Baum, R.A. 85−15392
Peters, R.C. *see* Hudson, J.A. 85−1708, 87−60603
Peters, R.C. *see* Wisniewski, J.A. 85−40057
Peters, R.D. *see* Petersen, C.K. 87−11287, 87−66819
Peters, R.J. My mother and OSI [telecommunication networks] 85−47016
Peters, R.M. *see* Schnurmann, H.D. 85−793, 85−33162
Peters, R.W. *see* Morris, D. 85−28430
Peters, S. *see* Showers, R.M. 88−14411
Peters, S.J., Showers, R.M. Crosstalk in coaxial transmission systems 88−15307
Peters, T. *see* Sincerny, P. 85−1228
Peters, T. *see* Stringfield, R. 85−1116
Peters, T.B., Pitt, M.B., McMahon, R.A., Hasko, D.G., Ahmed, H. Performance of CMOS devices in silicon-on-sapphire films after solid-phase epitaxial growth with rapid electron-beam heating 86−2378
Peters, T.B. *see* Smith, D.A. 88−49804
Peters, T.E., Pappalardo, R.G., Hunt, R.B., Jr. Unusual green emission from Mn^{2+} in $Gd(BO_2)_3$ 85−35616
Peters, T.F.J. Safety in the unearthing of cable 85−64895
Peters, T.J. Automobile navigation using a magnetic flux-gate compass 87−1904
Peters, T.J., Volakis, J.L. Scattering from thin planar material plates with arbitrary perimeter 88−2532
Peters, T.J., Volakis, J.L. Application of a conjugate gradient FFT method to scattering from thin planar material plates 88−66029
Peters, T.J.M. The electrical auxiliary power supply of the Amercentrale 8 power station 85−65139
Peters, T.J.M. Improvement of the auxiliary power supply of electric power stations, all or nothing in combination with gas turbines 85−65149
Peters, T.M. *see* Pike, B. 88−10449
Peters, T.M. *see* Tremewan, R.N. 88−54494
Peters, U. Image localization with adaptive preprocessing for alignment 87−48013
Peters, U., Trondle, K. Optimization criteria and bounds of digital transmission systems 85−30129
Peters, V.G., Herer, A.S. Modification of a standard cobalt-60 unit for total body irradiation at 150 cm SSD 85−4356
Peters, W. ISDN and our information orientated society 85−63184
Peters, W. *see* Holler, Y. 85−43302

Peters, W. *see* Juergens, W. 87−22780, 88−17983
Peters, W. *see* Kausche, H. 86−45699
Peters, W. *see* Schroter, H.J. 85−38688
Peters, W.H. *see* Chao, Y.J. 88−10131
Peters, W.H. *see* Russell, S.S. 87−31618
Peters, W.H. *see* Sutton, M.A. 87−19672
Peters, W.H. *see* Umeagukwu, C.I. 87−50597
Peters, W.H., III *see* Umeagukwu, C.I. 88−22487
Peters, W.L. *see* Ables, J.G. 87−49212
Peters, W.L. *see* Batty, M.J. 87−34695
Peters, W.L. *see* Levy, G.S. 87−28712
Peters, W.N., Scribner, D. Transformation for the unified linear analysis of optics and electronics 85−46210
Peters, W.P. The situation of switching technology in ISDN−what is still missing? 87−13216
Peters, W.P. The local pay off in ISDN pilot projects 87−33928
Peters, W.P. A large number of units would make ISDN payable 88−21785
Peters, W.P. Recommendations for the development and inauguration of new telematic services and applications 88−73550
Peterschinegg, H. Application of CAD-systems for image-evaluation 87−13082
Petersen, A. Silicon temperature sensors 85−26291
Petersen, A. Magnetoresistive sensors in motor vehicles. Applications: position, angle, and current measurements 85−48041
Petersen, A. Linearization of signals from resistance bridge measuring instruments 85−64086
Petersen, A. Sensors from piezoelectric ceramics 88−53611
Petersen, A. *see* Abrams, G.S. 88−54244
Petersen, A. *see* Seeman, J.T. 88−47834, 88−54272
Petersen, A.B. Enhanced CW ion laser operation in the range $270\ \text{nm} \leqslant \lambda \leqslant 380\ \text{nm}$ 88−20578
Petersen, A.C. Image compression for video teleconferencing 85−58404
Petersen, A.E. Experience in supervision and maintenance of transformers 85−39063
Petersen, A.H., Jr. *see* Ledeboer, B. 88−75238
Petersen, A.J. The magnetoresistive sensor−a versatile device for transducers 86−5270
Petersen, B.R., White, B.A., Salomon, D.J., Elmasry, M.I. SPIL: a silicon compiler with performance evaluation 87−38572
Petersen, B.R. *see* White, B.A. 88−38434
Petersen, B.S. *see* Henningsen, O. 86−60067
Petersen, C.K., Brunhart, W., Peters, R.D. Electron-optic effects and X-ray generation in switching high-voltage vacuum-tube design 87−11287
Petersen, C.K., Brunhart, W., Peters, R.D. Electron-optic effects and X-ray generation in switching high-voltage vacuum-tube design 87−66819
Petersen, D.A., Ko, H., Jewett, R.E., Nakajima, K., Nandakumar, V., Spargo, J.W., Van Duzer, T. A high-speed analog-to-digital converter using Josephson self-gating-AND comparators 85−54953
Petersen, D.A., Ko, H., Van Duzer, T. Dynamic behavior of a Josephson latching comparator for use in a high-speed analog-to-digital converter 87−67871
Petersen, D.A., Nadakumar, V., Fang, E., Herbert, D.F., Van Duzer, T. Flash-type A/D converters and shift registers 88−58040
Petersen, D.A. *see* Coleman, C.H. 85−56110
Petersen, D.A. *see* Fang, E. 88−12359
Petersen, D.A. *see* Ko, H. 87−66029
Petersen, D.A. *see* Wood, R.W. 86−54433
Petersen, D.E. The automotive world of the 21st century 87−72530
Petersen, D.E. *see* Bell, H.H. 88−69056
Petersen, D.P., Cho, K.H. Sampling and reconstruction of a turbulence-distorted wave front 86−59328
Petersen, E.L. *see* Bendel, W.L. 85−22883
Petersen, E.L. *see* Knudson, A.R. 85−18145
Petersen, E.L. *see* Melendez, W.A. 87−20223 to 20224
Petersen, F.R., Wells, J.S., Siemsen, K.J., Robinson, A.M., Maki, A.G. Heterodyne frequency measurements and analysis of CO$_2$ laser hot band transitions 85−2216
Petersen, F.R. *see* Inguscio, M. 85−18847
Petersen, F.R. *see* Pereira, D. 86−9733
Petersen, F.R. *see* Scalabrin, A. 86−15619
Petersen, H. The scaling laws applied to wind turbine design 85−9812
Petersen, H. The high energy plane grating monochromators at BESSY 86−60474
Petersen, H. *see* Jayadev, T.S. 85−35054
Petersen, H. *see* Mueller, J.J. 86−47673
Petersen, H.A. *see* Lundsgaard, J.S. 85−65524, 86−66272
Petersen, H.E. *see* Tseng, B.-D. 87−7747
Petersen, I.R. A class of stability regions for which a Kharitonov like theorem holds 88−38047
Petersen, J. Absent trainees? 10 reasons why they don't participate 87−36378
Petersen, J. Never fail electronic mail 88−66916
Petersen, J.C. Nuclear power plant performance incentives established by state PUCs 87−22045
Petersen, J.C., Duxbury, G. New submillimetre laser lines from CH$_3$OD and CD$_3$OD 85−56479
Petersen, J.C. *see* Duxbury, G. 85−7363
Petersen, J.N. *see* Oxford, R.J. 87−57055
Petersen, J.S., Kozlowski, A., Eastwood, K., Swan, M.K., Stan, M. Dissolution rate studies of some metal-ion-free developers during various modes of automated spray development 86−1909
Petersen, J.V. Nicolet DXFTIR: real-time, multitasking FORTH and other tricks 85−47840
Petersen, K. I^{2}C bus monitor−comfortable auxiliary testing means for the Inter-IC (I^{2}C) bus in European card size 85−878
Petersen, K. An A/D convertor for the microcontroller 85−49941
Petersen, K. Silicon as a mechanical material 87−66888
Petersen, K. The silicon micromechanics foundry 88−39657
Petersen, K., Brown, J., Renken, W. High-precision, high-performance mass-flow sensor with integrated laminar flow micro-channels 86−55704
Petersen, K., Kowalski, C., Brown, J., Allen, H., Knutti, J. A force sensing chip designed for robotic and manufacturing automation applications 86−55642
Petersen, K. *see* Hlubek, W. 85−27212
Petersen, K. *see* Merrill, M.D. 86−60184
Petersen, K.A. *see* Abdalla, M.I. 86−17841
Petersen, K.E. Silicon sensor technologies 86−50088
Petersen, K.E. *see* Mankamo, T. 85−48761
Petersen, K.M. *see* Hashemian, H.M. 87−71842, 88−22575
Petersen, K.P. Higher operating potential is the road to lower installation costs [substations] 87−15862
Petersen, O.G., Davis, P.C., Novotny, M.A. Transmitter and receiver integrated circuits for a 200 Mbit/s optical data link 87−3208
Petersen, P. Wireless helps out in the field 86−43718
Petersen, P. Ribbon systems keep communications open [radio] 86−69585
Petersen, P. TMRS keeps up with technology [Telephone Maintenance Radio Service] 88−41513
Petersen, P.C. Cellular systems: applications to rural markets 85−47444
Petersen, P.C. IMTS: an attractive alternative to cellular 85−63239
Petersen, P.M. Period-doublings and chaos in electro-optic bistable device with short delay times in the feedback 85−51003
Petersen, P.M. Hysteresis in the bifurcation structure of a nonlinear optical device with a time-dependent bifurcation parameter 87−68209
Petersen, P.M. Self-induced changes in the refractive index in CdS at $\lambda=532$ nm 87−68632
Petersen, P.M. A simple analytic approach to degenerate four-wave mixing by comparison with real-time holography 88−20733
Petersen, R.C., Sliney, D.H. Toward the development of laser safety standards for fiber-optic communication systems 86−42518
Petersen, R.C. *see* Philen, D.L. 87−20565
Petersen, R.H., Smith, D.N. Automatic inspection of thick film circuits 85−34411
Petersen, S.A., Li, G.P. Hot carrier effects in advanced self-aligned bipolar transistors 86−47542
Petersen, T.N., Iwata, B.Y., Capaccio, R.S., Chopourian, D. Cleanliness counts [PCB manufacture] 86−8622
Petersen, W. Solar energy generator for the holiday resort Pellworm 85−5012
Petersen, W., Ketelsen, P., Knochel, A., Pausch, R. New developments of X-ray fluorescence analysis with synchrotron radiation (SYXFA) 86−60695
Petersen, W. *see* Bavdaz, M. 88−48059
Petersen, W. *see* Gupta, A. 85−55178
Petersen-Overleir, K. Frequency planning for NMT [Norwegian mobile telephone system] 87−8202
Peterson, A.F. An analysis of the spectral iterative technique for electromagnetic scattering from individual and periodic structures 87−39342
Peterson, A.F. A comparison of the volume MFIE and unimoment methods for TE scattering from lossy, inhomogeneous dielectric cylinders 88−2546
Peterson, A.F. Absorbing boundary conditions for the vector wave equation 88−66045
Peterson, A.F., Klock, P.W. An improved MFIE formulation for TE-wave scattering from lossy, inhomogeneous dielectric cylinders 88−45662
Peterson, A.F., Mittra, R. Convergence of the conjugate gradient method when applied to matrix equations representing electromagnetic scattering problems 87−26734
Peterson, A.F., Mittra, R. Strategies for the implementation of iterative methods in computational electromagnetics 87−26753
Peterson, A.F., Mittra, R. Iterative-based computational methods for electromagnetic scattering from individual or periodic structures 88−8434
Peterson, A.F., Sultan, M.F., Mittra, R. Solution of large body scattering problems using the method of conjugate gradients 85−13102
Peterson, A.F. *see* Smith, C.F. 88−2530
Peterson, A.M. *see* Despain, A.M. 86−23050
Peterson, A.M. *see* Erbilgin, B. 85−2850
Peterson, A.M. *see* Song, M.S. 86−1318
Peterson, A.V., Jr. *see* Kronmal, R.A. 85−28109
Peterson, B. Big pictures LCDs 85−4040
Peterson, B.B., Hartnett, R.J. Graphical techniques for digital filter design and 87−32022
Peterson, B.B., Hartnett, R.J. New methods for teaching discrete/continuous time transient equivalents 88−24458
Peterson, B.G. *see* Washwell, E.R. 87−13791
Peterson, B.L. *see* Muller, K.E. 85−5892
Peterson, C. Disco duckie? [headphones for hand-held transceivers] 85−3771
Peterson, C. The sub-LAN solution to office connectivity needs 88−15129
Peterson, C., Givonetti, R. Municipal solid waste for energy: a technology review 85−27153
Peterson, C. *see* Hara, T. 88−64418
Peterson, C.A. *see* Becker, D.S. 87−25131
Peterson, C.M. Wind based natural energy power supply for telecommunications systems 87−22193
Peterson, C.S. *see* Nygren, S. 88−25979
Peterson, C.W. Process-insensitive level sensing circuit 85−7093
Peterson, D., Kells, W., Marriner, J., Mayer, G. Measurement and performance of the Fermilab antiproton source debuncher betatron stochastic cooling system 88−54313
Peterson, D., Webb, C.D. The effect of video-assisted instruction on student achievement and attitude in first grade mathematics 88−60457
Peterson, D. *see* Cassel, D.G. 87−21416
Peterson, D. *see* Pasquinelli, R.J. 88−47900
Peterson, D. *see* Pisharody, M. 86−50315
Peterson, D.E. *see* Phelps, R.F. 85−33047
Peterson, D.F. Efficient, broadband circuit performance of millimeter-wave IMPATT diode power amplifiers 85−17862
Peterson, D.F. *see* Busse, D.W. 86−11588
Peterson, D.F. *see* Klemer, D.P. 87−40733
Peterson, D.G. Data communications and autonomous control for a mass spectrometer on the EXOS-D satellite 88−66932
Peterson, D.G. *see* Chasteen, D.L. 85−31324
Peterson, D.K., Bennett, S.D., Kino, G.S. Visualization of surface-breaking flaws by shadow imaging 85−6089
Peterson, D.K., Kino, G.S. Real-time digital image reconstruction: a description of imaging hardware and an analysis of quantization errors 85−9386
Peterson, D.L. *see* Bowers, R.L. 88−37318
Peterson, D.M. *see* Bowen, R.C. 87−16705, 88−24544
Peterson, D.R., Fowler, C.M., Kerrisk, J.F. High pressure acceleration of an arc-driven metal slug in a railgun 87−19162
Peterson, D.R., Weeks, D.A., Zowarka, R.C., Jr., Cook, R.W., Weldon, W.F. Testing of a high performance, precision-bore railgun 87−26699
Peterson, D.R., Zowarka, R.C., Rech, B.M. Switch development at CEM-UT 87−17448
Peterson, D.R. *see* Fowler, C.M. 87−26673
Peterson, D.R. *see* Persad, C. 87−26698
Peterson, E., Forma, J. Development of an infant bedside monitor 85−48301
Peterson, E. *see* Lobkowicz, F. 85−43185
Peterson, E.L. *see* Diehl-Nagle, S.E. 85−17276
Peterson, E.L. *see* Duffin, R.J. 87−196
Peterson, E.M. Managing power plant construction at Commonwealth Edison 87−78417
Peterson, F.F. *see* Borengasser, M.X. 88−67478
Peterson, G. *see* Botez, D. 88−65683, 88−72309
Peterson, G. *see* Mawst, L.J. 88−65676
Peterson, G. *see* Wilcox, J.Z. 88−2214
Peterson, G.D., Goldstein, S.A., Holman, G.T., McAtee, W.H. Large scale operational pulsed power research facilities; how well have we made them a reality? 87−21338
Peterson, G.D., Peterson, R.D., Blake, G. MITEG: an integrated test program generation system 88−22450
Peterson, G.D., Rebucci, G. Experience with flowmeters for kiln feeding at Ideal Basic Industries, Cris Dobbins Plant, Theodore, Alabama 85−14629
Peterson, G.D. *see* Boyer, W.B. 85−4180
Peterson, G.D. *see* Cook, D.L. 87−43208
Peterson, G.D. *see* Hudson, C.L., Jr. 88−25121
Peterson, G.E. Electrical transmission lines on models for soliton propagation in materials: elementary aspects of video solitons 85−1102
Peterson, G.E., Lunt, S.R. Testing lithium niobate boules for integrated optics applications 86−53935
Peterson, G.E., Lunt, S.R. Refractive index measurements of lithium niobate integrated optical substrates by total internal reflection 87−68006

Peterson, G.E., Lunt, S.R., Holmes, R.J., Kim, Y.S. Refractive index measurements of lithium niobate integrated optical substrates by total internal reflection 87−12228
Peterson, G.E., Maki, G.K. Binary tree structured logic circuits: design and fault detection 85−33871
Peterson, G.E., Maki, G.K. A modified CORDIC algorithm 85−34022
Peterson, G.E., Stawicki, R.P., Paek, U.C. Radio frequency properties of ceramic, high-Tc superconductors 88−68020
Peterson, G.E. *see* Lunt, S.R. 87−12227, 87−68602, 88−1916
Peterson, G.G. *see* Black, J.F. 88−7312
Peterson, G.G. *see* Brown, R.T. 88−33074
Peterson, G.G. *see* Weinberger, B.R. 87−17948
Peterson, G.K. *see* Heikkila, K.E. 85−11745
Peterson, G.R. *see* Bloomquist, D.D. 87−17672
Peterson, H. *see* Hallewell, G. 88−68213
Peterson, H. *see* Johnson, R. 88−68277
Peterson, H.A. *see* Abdelsalam, M.K. 88−51402
Peterson, H.A. *see* Brown, A. 85−17282
Peterson, H.G., Hopp, S.E. Individuals charts for conformance documentation−a simple solution to a difficult problem 86−61964
Peterson, H.T. *see* Sunderland, D.A. 85−624
Peterson, I.R. Graphical design of multistage feedback amplifiers 85−11050
Peterson, I.R. *see* Earls, J.D. 87−26515
Peterson, I.R. *see* Kajzar, F. 87−12557
Peterson, I.R. *see* Neal, D.B. 86−42625, 87−46988
Peterson, J. Cryopumps pay off in optical coatings 87−2009
Peterson, J., Leibowitz, R.N. Processor chip set shrinks latency, boosts throughput 87−44729
Peterson, J. *see* Bisognano, J. 86−70268
Peterson, J. *see* Carlson, D. 87−15853
Peterson, J. *see* Chern, G.C. 86−28230
Peterson, J. *see* Chow, E. 88−28439
Peterson, J. *see* Cornacchia, M. 87−2146
Peterson, J. *see* Elkind, B. 88−12444
Peterson, J. *see* Gill, M. 88−33402
Peterson, J. *see* Jackson, A. 87−19015
Peterson, J. *see* Ramsey, T.H. 86−57220
Peterson, J.B., Goldman, M.A. Reflectance of broad band waveguide bolometers 88−42101
Peterson, J.C. MASHER: an automatic VLSI layout system 86−47677
Peterson, J.D. *see* Midulla, R.J. 86−33100
Peterson, J.E. Can expert systems help production scheduling 88−142
Peterson, J.E., Paulsson, B.N.P., McEvilly, T.V. Applications of algebraic reconstruction techniques to crosshole seismic data 86−23110
Peterson, J.F. Cryopump regeneration for optimized uptime 86−47445
Peterson, J.G., Nadler, G., Chignell, M. Perspectives on design: problems, processes, and purposes 88−31446
Peterson, J.G. *see* Chignell, M.H. 88−31447
Peterson, J.I. Fiber optic chemical sensors−a view from the past to the future 85−35528
Peterson, J.M., Bisognano, J.J., Garren, A.A., Halbach, K., Kim, K.J., Sah, R.C. A storage ring FEL for the VUV 85−56721
Peterson, J.M., Sessler, A.M. Report of the Storage Ring Design Group 85−4174
Peterson, J.M. *see* Bijleveld, J. 88−65981
Peterson, J.M. *see* Chao, A.W. 88−10219
Peterson, J.M. *see* Kim, K.-J. 85−62614, 86−31821
Peterson, J.M. *see* Neuffer, D.V. 88−54290
Peterson, J.R., Chandler, E.W. The effects of EMI on factory communication system performance 87−26867
Peterson, J.R., Smathers, D.B. Vanadium: an overview of industrial capacity and other factors 87−31089
Peterson, J.R. *see* Agrawal, A. 88−44225
Peterson, J.R. *see* Bennett, G.L. 87−42174
Peterson, J.R. *see* Smathers, D.B. 87−74552
Peterson, J.T., Pohorecky, L.A. The development of a microprocessor system for simultaneously monitoring heart rate from multiple subjects 87−57144
Peterson, J.W. CMOS A/D converter with serial interface reduces system cost 85−11360
Peterson, J.W. Distributed computation for computer animation 88−46637
Peterson, J.W. *see* Hoskins, M.H. 87−32823
Peterson, K., Wang, S., Gal, L. Double-bit error correction chip set 87−59405
Peterson, K. *see* Lee, W. 87−67451
Peterson, K. *see* McCune, E. 86−21041
Peterson, K. *see* Marston, A. 87−59602
Peterson, K.A. ECOs on MLBs 86−8630
Peterson, K.D., Geiger, R.L. CMOS OTA structures with improved linearity 86−796
Peterson, K.D., Geiger, R.L. Area-bandwidth tradeoffs for CMOS current mirrors 86−62456
Peterson, K.E. *see* Hung, H.-L. 88−63919
Peterson, K.J. *see* Bahrman, M.P. 87−35559
Peterson, K.L. *see* Shure, D. 87−41951
Peterson, K.M. *see* Weiss, N.A. 87−36580
Peterson, L.D. *see* Farrell, H.H. 88−12003
Peterson, L.D. *see* Harbison, J.P. 87−36705
Peterson, L.L. A yellow-pages service for a local-area network 88−59605
Peterson, L.L., Reznikovskii, A.Sh. The role of the hydroelectric and hydronuclear power stations in amalgamated and single power systems in the USSR 86−25942
Peterson, L.L. *see* Comer, D.E. 86−23378, 86−23387, 87−13293
Peterson, L.M. Optical control using stimulated light scattering 86−36579
Peterson, L.M. Optical switching using stimulated Rayleigh scattering 87−12591
Peterson, L.M. *see* Aleksoff, C.C. 86−49736, 88−28971
Peterson, L.S., Dixon, R.D., Siferd, R.E. Design of a VLSI 32-bit word-addressable hardware stack for a stack-frame microprocessor 87−73437
Peterson, L.S. *see* Dixon, R.D. 88−63687
Peterson, M.M. *see* Appleton, J.M. 86−54574
Peterson, M.R., Grant, D.G. The Polar BEAR spacecraft 88−27504
Peterson, M.R. *see* Dassoulas, J. 85−53157
Peterson, M.R. *see* Pataki, L. 86−33641
Peterson, M.W., Parkinson, B.A. Photoelectrochemical investigation of several II-IV-V_2 semiconducting glasses 87−26164
Peterson, M.W., Parkinson, B.A. Photoelectrochemical characterization of novel rhodium iodide photoconductors 88−65466
Peterson, M.W. *see* Bolger, J.C. 88−471
Peterson, N. A solder paste dispenser for SMD assembly 87−11226
Peterson, N.M. *see* Griffith, R.W. 88−10772
Peterson, P., Gavrielides, A. Laser-induced thermal blooming in rectangular waveguides 86−9946
Peterson, P. *see* Gunther, E. 86−41442
Peterson, P.M. Using linearly-constrained adaptive beamforming to reduce interference in hearing aids from competing talkers in reverberant rooms 87−63846
Peterson, P.M., Frisbie, J.A. An interactive environment for signal processing on a VAX computer 87−62068
Peterson, P.M. *see* Durlach, N.I. 88−54646
Peterson, P.W. A comparison of power Schottky rectifier design and performance 88−24995
Peterson, R. Video display processors draw the line on expensive graphic systems 85−14451
Peterson, R., Hartman, K., Mackey, L. Development of a real-time RF/IR hardware-in-the-loop simulation facility 87−8972
Peterson, R. *see* Bostwick, S. 88−41306
Peterson, R. *see* Lowry, M. 88−7940
Peterson, R.A. Graphic biofeedback monitor 87−5731
Peterson, R.A., Keyser, D.A. An evaluation of various forms of VAS retrievals in the analysis of a preconvective environment 87−71352
Peterson, R.D. *see* Peterson, G.D. 88−22450
Peterson, R.E., Jr. Flat-panel displays beat CRTs for military systems 85−42887
Peterson, R.E., Jr. Electroluminescent modules simplify flat panel display use 86−50149
Peterson, R.G. *see* Sargent, M.A. 85−11674
Peterson, R.H., Woo, S.L.-Y. A new methodology to determine the mechanical properties of ligaments at high strain rates 87−35405
Peterson, R.K. Managing the reliability function in the development process 85−39574
Peterson, R.K. Switching system analysis and modeling for fault tolerance and diagnosability 88−46800
Peterson, R.L. Numerical study of currents and fields in a photoconductive detector 87−70643
Peterson, R.L. Sinusoidal response of DC SQUIDs for RF power measurements 88−7824
Peterson, R.L., Oldham, N.M. Josephson AC voltmeter 88−65015
Peterson, R.L. *see* Christner, J.A. 88−71921
Peterson, R.L. *see* Lottis, D.K. 88−71887
Peterson, R.L. *see* Talbot, P.D. 86−50696
Peterson, R.L. *see* Ziemer, R.E. 86−33973
Peterson, R.M. *see* Pearson, J.C. 88−74262
Peterson, R.R., Moses, G.A., Watrous, J.J., Olson, R.E. Plasma channels for light ion beam propagation in the target development facility 87−14665
Peterson, R.R. *see* Van Aken, J.R. 86−20396
Peterson, R.T. *see* Lowry, M. 88−51571
Peterson, R.T. *see* Pruett, B.L. 85−35407
Peterson, R.T. *see* Roeske, F. 88−33750
Peterson, R.W., Jenkins, L., Mitchell, R.A. Interlaboratory comparison of force calibrations using ASTM method E74-74 86−31116
Peterson, R.W. *see* Robinson, G.M. 85−24154
Peterson, R.W. *see* Williams, J.E. 87−10401
Peterson, S. Software tool generates test programs for GPIB in hours, not weeks 85−31313
Peterson, S. An ASIC vendor relationship you can count on 87−589
Peterson, S. *see* Goetting, E. 88−48128
Peterson, S.K. *see* Atkinson, E.S. 88−4326
Peterson, S.R., Kassam, S.A. Edge preserving signal enhancement using generalizations of order statistic filtering 86−10449
Peterson, S.R., Lee, Y.H., Kassam, S.A. Some statistical properties of alpha-trimmed mean and standard type *M* filers 88−52426
Peterson, S.R. *see* Gandhi, P.P. 88−66554
Peterson, S.R. *see* Kassam, S.A. 87−69228
Peterson, T. Anatomy of a clean room robot 85−39520
Peterson, T. *see* Rode, C.H. 86−31850
Peterson, T.F. Criteria and method for specification and evaluation of distributed digital control systems 85−9425
Peterson, V. Microwave components for instrumentation 88−50357
Peterson, W. VME bus requester releases bus four ways 85−61344
Peterson, W. The fixed point theorem application to eddy currents in nonlinear medium computation 88−58792
Peterson, W.A. Design techniques for very wide input range power converters 86−66188
Peterson, W.A. Bipolar transistor operation and drive for high efficiency above 500 kHz [SMPS] 88−75808
Peterson, W.A. *see* Dickinson, J.F. 86−35246
Peterson, W.D. VME system controller reduces parts count 87−44986
Peterson, W.E., Colgan, J.C., Wood, C.T. MATE compliant mobile tester technology emerges 87−20897
Peterson, W.G. *see* Vithayathil, J.J. 86−19422
Peterson, W.K. *see* Sagawa, E. 88−36671
Peterson, W.L., Girgis, A.A. Multiple bad data detection in power system state estimation using linear programming 88−54953
Peterson, W.M. An innovative VLSI solution to video display applications. The Raster Memory System (RMS) 85−17597
Petersons, O., Mehta, S.P. Calibration of test systems for measuring power losses of transformers 86−45483
Petersons, O., Mehta, S.P. An active high voltage divider and phase shifter 87−11009
Petersons, O., Mehta, S.P. An active high-voltage divider and phase shifter 88−16397
Petersons, O. *see* Mehta, S.P. 87−30724
Petersons, O. *see* Oldham, N.M. 86−18062, 86−25660
Petersson, B. On the use of giant magnetostrictive devices for moment excitation 87−74529
Petersson, C.S. *see* Blom, H.-O. 86−67804
Petersson, C.S. *see* d'Heurle, F.M. 86−13793, 86−15037
Petersson, C.S. *see* Jiang, H. 87−11679
Petersson, C.S. *see* Norstrom, H. 86−15048
Petersson, C.S. *see* Nygren, S. 87−11705
Petersson, C.S. *see* Ostling, M. 87−11675, 87−17791, 87−74207
Petersson, C.S. *see* Whitlow, H.J. 88−50695
Petersson, C.S. *see* Zhang, S.-L. 88−26104
Petersson, H. *see* Odman, S. 86−5876
Petersson, J. *see* Beige, H. 86−53868
Petersson, L., Ehrenberg, A. Highly sensitive Faraday balance for magnetic susceptibility studies of dilute protein solutions 85−37734
Petersson, R. Slotted waveguide array with shaped fan beam 88−14550
Petersson, R. *see* Derneryd, A. 85−41782
Petersson, T. Power system computer studies 85−32050
Petersson, T. Computer simulation−a vital tool for power technology [power system analysis computing] 85−48528
Petersson, T., Eitzmann, M. Railway system oscillatory overvoltages 88−5986
Petersson, T. *see* Booth, R.R. 86−12905, 86−52096
Peterstrom, S., Holmen, G. Electrical characteristics of ion beam improved silicon on sapphire 87−11484
Peterstrom, S., Holmen, G., Alestig, G. CW laser annealing of boron implanted polycrystalline silicon 85−50363
Peterstrom, S. *see* Holman, G. 85−6918
Peterstrom, S. *see* Holmen, G. 87−11483
Petesch, B., Druette, L., Schmid, R., Robin, M. Weldability of similar and dissimilar materials 88−45590
Petesch, B., Sakout, A., Laurent, M., Robin, M. CO_2 laser welding of 304 L steel 88−45591
Petford-Long, A.K. *see* Ceglio, N.M. 87−12524
Petford-Long, A.K. *see* Rai, A.K. 87−53536
Petford-Long, A.K. *see* Smith, D.J. 88−39077
Petford-Long, A.K. *see* Stearns, D.G. 88−2332
Pethe, V.A. *see* Vaidya, P.P. 85−20853, 86−8323, 86−14305, 87−807
Pether, M.I. *see* Gale, D.M. 88−20051
Petheram, J.C. *see* Kagann, R.H. 88−20626
Petheram, J.C. *see* Rosenberg, A. 88−72312
Pethica, J.B. *see* Baumann, T. 87−18383
Pethica, J.B. *see* Gobrecht, J. 87−25436
Pethig, R. *see* Morgan, H. 86−31585
Petho, A. On the solution of the diophantine equation $G_n=p^z$ 86−62132
Petho, A. *see* Fazekas, G. 87−75689
Petho, A. *see* Nemes, I. 86−66711
Petho, G. Aspects of finite difference modelling of the electromagnetic field of an oscillating electric dipole 88−30136
Pethrick, R.A. Conductivity in polymeric materials [solid-state batteries] 86−66234
Pethrick, R.A. Molecular electronics, electronic applications of organic molecules and polymers 88−1288
Pethrick, R.A. *see* Affrossman, S. 88−64475
Pethrick, R.A. *see* Hayward, D. 88−13206

Pethrick, R.A. *see* Sharma, V.K. 85−1662 to 1663, 85−55867
Peticolas, L.J. *see* Bethea, C.G. 86−38380
Peticolas, L.J. *see* Chi, G.C. 87−54181
Peticolas, L.J. *see* DiGiuseppe, M.A. 86−13749
Petig, D. Colour test-image generator—improved resolution 87−56723
Petillo, J. *see* Bailey, V.L., Jr. 88−54089
Petillo, J.J., Davidson, R.C. Kinetic equilibrium and stability properties of high-current betatrons 87−77485
Petin, G.P. *see* Blaivas, V.L. 88−64198
Petin, S.M. *see* Aminov, R.Z. 86−25870
Petit, A. *see* Latour, Y. 85−32247, 86−32853, 87−30269
Petit, A. *see* Ozawa, J. 86−39239
Petit, A. *see* St.-Jean, G. 88−69073
Petit, B., Durandet, A., Pelletier, J. Etching of SiO_2 in SF_6 plasmas: the role of ions and electrons in etching mechanisms 87−38153
Petit, B., Pelletier, J. Application of mass spectrometry to the study of etching mechanisms—a new model for the etching of silicon 86−58430
Petit, B., Pelletier, J. A parametric study of the etching of silicon in SF_6 microwave multipolar plasmas: interpretation of etching mechanisms 87−60335
Petit, B., Pelletier, J., Molins, R. A novel processing technique for the fabrication of thick silicon grids by anisotropic etching 85−45594
Petit, B. *see* Pelletier, J. 86−47474
Petit, B. *see* Pomot, C. 86−35583
Petit, F. *see* Arignon, M. 88−22877
Petit, G., Palais, G. The asynchronous transmission of the Z20500 double-deck motor trainsets 88−37680
Petit, G. *see* Antoine, P. 86−45110
Petit, G. *see* Preston, R. 86−30928
Petit, G. *see* Preston, R.A. 86−55400
Petit, G.H. *see* Fontana, B. 87−40599
Petit, J. *see* Douteau, A. 88−67599
Petit, J.-L., Demathieu, P. Operational cartography applied to airborne reconnaissance 87−15005
Petit, J.-P. *see* Le Tourneur, G. 87−40506
Petit, J.-P. *see* Milon, J. 86−10122
Petit, J.C. Galaxie: towards the auto configuration of distributed switching systems 86−4411
Petit, J.C., Andre, J.P. GALAXIE: toward adaptive distributed control systems 85−52206
Petit, J.L. SIRIUS: an advanced concept for photo-interpretation 85−3921
Petit, J.P. *see* Charbonnier, A. 86−20623, 88−73094
Petit, J.P. *see* Rault, J.C. 87−33956
Petit, M. *see* Lemonier, M. 86−24389
Petit, P. *see* Barillet, R. 87−26250, 88−58400
Petit, R., Cadilhac, M. On the roles of physical intuition, computation, and mathematical analysis in electromagnetic diffraction theory 88−27487
Petit, R., Hugonin, J.P. On locally deformed stratified media: applications to rough surfaces and guided wave devices with corrugated boundaries 85−35431
Petit, R. *see* Bischoff, B. 87−53076
Petit, R. *see* Bugeat, J.P. 87−35955
Petit, R. *see* Cabannes, J.-L. 85−21388
Petit, R. *see* Suratteau, J.Y. 85−19114, 85−41582
Petit-Poilvert, C. *see* Tarriere, C. 88−69876
Petitbon, I., Gallion, P., Debarge, G., Chabran, C. Locking bandwidth and relaxation oscillations of an injection-locked semiconductor laser [AlGaAs] 86−68522
Petitbon, I., Gallion, P., Debarge, G., Chabran, C. Locking bandwidth and relaxation oscillations of an injection-locked semiconductor laser 88−40214
Petitdidier, M., Desautez, A., Glass, M., Penazzi, G. A decoder for a 30-m height resolution ST radar 86−23966
Petitdidier, M. *see* Bertin, F. 87−34658
Petite, G., Agostini, P., Wu, C.K. High intensity picosecond Fourier limited pulses: design of a synchronously pumped dye laser system 85−56575
Petitpierre, C. Local area computer network: optimized hardware and software design 85−8185
Petitpierre, C. Influence of the network topology upon the throughput limitations 85−13935
Petitpierre, C. *see* Conti, G. 88−41144
Petkantschin, L., Haritonowa, J. The dynamic characteristics of a power supply network as a system with distribution of parameters 85−59575
Petkau, A.J. *see* Chernoff, H. 86−46163
Petkeeva, L.N. *see* Kulish, U.M. 86−21184
Petkevitch, I.V. *see* Katsnelson, N.L. 87−69340
Petkov, A., Terziev, A., Dimitrov, V. Transport service in local area computer network 87−40403
Pet'kov, G.M. *see* Pogarskii, S.A. 88−19344
Petkov, K. Characteristics of thin chromium films obtained by different methods of deposition 85−33506
Petkov, K. Adhesion of sputtered chromium films 88−13295
Petkov, K., Sachatchieva, M., Dikova, J. Selective dissolution of thin As_xS_{100-x} films 88−50765
Petkov, M. *see* Beshkov, G. 86−26818
Petkov, M. *see* Menova, A. 87−25106
Petkov, N. Systolic arrays for matrix I/O format conversion 88−56648
Petkov, N. *see* Gospodinov, M. 88−64824
Petkovic, B. *see* Lovasic, Z. 85−15758
Petkovic, D., Hinkel, E.B. A rule-based system for verifying engineering specifications in industrial visual inspection applications 87−44012
Petkovic, D., Mohiuddin, K. Component combining features from multiple image frames 86−37157
Petkovic, D., Sanz, J., Mohiuddin, K., Hinkle, E., Flickner, M., Cox, C., Wong, K. An experimental system for disk head inspection 87−44042
Petkovic, D. *see* Baringer, W.B. 88−25300
Petkovic, D. *see* Blanz, W.E. 87−62348
Petkovic, D. *see* Niblack, W. 88−73353
Petkovic, D. *see* Sanz, J.L.C. 86−10543
Petkovic, I., Markov, Z. Elaboration of documentation for device wiring by computers 88−57125
Petkovic, M., Stefanovic, L. On the convergence order of accelerated root iterations 85−325
Petkovic, M. *see* Franzen, R.L. 87−77729
Petkovic, M.S. Some interval iterations for finding a zero of a polynomial with error bounds 88−11901
Petkovic, M.S., Milovanovic, G.V., Stefanovic, L.V. Some higher-order methods for the simultaneous approximation of multiple polynomial zeros 87−5356
Petkovic, M.S., Stefanovic, L.V. The numerical stability of the generalised root iterations for polynomial zeros 85−327
Petkovic, M.S., Stefanovic, L.V. On a second order method for the simultaneous inclusion of polynomial complex zeros in rectangular arithmetic 86−40665
Petkovic, M.S., Stefanovic, L.V. On some improvements of square root iteration for polynomial complex zeros 86−46240
Petkovic, M.S., Stefanovic, L.V. On some iteration functions for the simultaneous computation of multiple complex polynomial zeros 87−36623
Petkovic, M.S. *see* Milovanovic, G.V. 87−52016
Petkovic, P., Litovski, V. Macromodeling and macroanalysis of CMOS LSI electronic circuits 87−67403
Petkovic, T. *see* Cierjacks, S. 85−64470
Petkovski, D. Robustness of decentralized control subject to nonlinear perturbation in the system dynamics [power system] 85−27030
Petkovski, D. Decentralised design of robust controllers 87−71538
Petkovski, D. *see* Grujic, L.T. 87−64331
Petkovski, D.B. Multivariable control systems design: a case study of robust control of nuclear power plants 88−36962
Petkovski, D.B., Athans, M. Robust decentralized control of multiterminal DC/AC power systems 86−18671
Petlenko, B.I., Chanov, L.G. Determination of the mechanical characteristics of a linear induction motor under open-load starting conditions 85−60175
Petlenko, B.I., Chanov, L.G. Quasistatic measurement of the mechanical characteristic of a linear induction motor 86−26073
Petlenko, B.I., Naumenko, B.Yu. Special features of analog simulation of magnetic fields in linear induction machines with a moving secondary circuit 85−60170
Petlenko, V.A., Nesterenko, M.V. Current distribution and resonance of rod conductors in a rectangular waveguide 86−3620
Petlenko, V.A. *see* Efanov, I.M. 88−21004
Petlenko, Yu.A. *see* Prokopenko, A.G. 85−27987
Petler, J.S., Scott, M.C. The effect of charged particles produced in detector walls on the use of proton recoil proportional counters for neutron spectrometry 85−31706
Petler, J.S. *see* Mellema, S. 86−32161
Petlevannyi, A.N. *see* Nesterov, V.I. 86−31570
Petley, B.W. Fundamental metrology towards the year 2000 85−3827
Petley, B.W. Fundamental physical constants and the frontier of measurement 85−44441
Petley, B.W. Physical constants & the SI: the natural units for science and industry 87−56460
Petley, B.W., Kibble, B.P., Hartland, A. A measurement of the Planck constant 87−56459
Petley, G.W., Hames, T.K. Ultrasonic imaging of bone 88−42541
Petnikov, A.E. *see* Ashcheulov, Yu.V. 86−58991
Petnikov, A.E. *see* Sukhanov, V.I. 85−56873, 86−15809
Petnikov, V.G. *see* Dargeiko, M.M. 86−3624
Petnikova, V.M., Plashanov, S.A., Shuvalov, V.V. Strong compression of dye laser pulses by single-pulse picosecond excitation 85−24640
Petnikova, V.M., Pleshanov, S.A., Shuvalov, V.V. Dye picosecond pulse generation with self-modulated Q switching 86−36441
Petnikova, V.M. *see* Egorov, K.D. 85−51142
Peto, G. *see* Andriashin, A.V. 87−29690
Peto, G. *see* Ormai, P. 88−36956
Peto, G. *see* Suu, H.V. 85−12013, 86−47492
Petolino, J. *see* Agrawal, A. 88−44225
Petoussi, N., Durrani, S.A. Track registration properties of Lexan and CR-39 for ^{12}C and ^{16}O ions in the energy range relevant to neutron radiotherapy 87−29616
Petoussi, N., Durrani, S.A., Fremlin, J.H., Mast, H.U. Neutron-beam depth-dose dosimetry and spectrometry in water phantom using SSNTDS and multigroup transport calculations 86−50407
Petr, F. Thermal power station in Bangladesh 86−33153
Petr, I. Activation energy of trapping centres in SiO_2 gate insulator 86−35461
Petr, I. A detector with a flat diagram of the directional sensitivity 87−71001
Petr, I. Image of a radiation field by a directional detector with a flat directivity diagram 88−29805
Petr, I. Statistical limitations in the directional detection of γ-rays using a combined scintillation detector 88−29834
Petr, I. The light transmission through various scintillators 88−36354
Petr, I. Design criteria for a combined scintillation detector 88−47980
Petr, I., Gilar, O. Irradiation of MOS transistors and resulting transport processes in SiO_2 85−55592
Petr, I. *see* Burian, A. 87−14947, 87−35449
Petr, I. *see* Gilar, O. 85−37934, 85−43261
Petr, J. *see* Gricova, M. 88−19848
Petr, R.A., Fisher, C.H., Byron, S.R., Demboski, J.S., Ewing, J.J., Kushner, M.J., Turnquist, D. A summary on linear thyratron development 87−17669
Petr, R.A., Nunnally, W.C., Smith, C.V., Jr. Switching performance of a cryogenic silicon photoconductive power switch 88−65484
Petr, R.A., Nunnally, W.C., Smith, C.V., Jr. Cryogenic silicon photoconductive switches for high power lasers 88−65491
Petr, R.A., Nunnally, W.C., Smith, C.V., Jr., Clark, M.H. Investigation of a radial transmission line transformer for high-gradient particle accelerators 88−29734
Petr, R.A., Zumdieck, J.F., Demboski, J., Smilanski, I., Ewing, J.J., Center, R.E. Magnetic pulse compression for copper-vapor lasers 85−5230
Petr, R.A. *see* Albrecht, G.F. 87−46830
Petr, R.A. *see* Eggleston, J.M. 87−12433
Petr, R.A. *see* Fisher, C.H. 86−58863
Petr, R.A. *see* Kushner, M.J. 87−37851
Petra, R., Fisher, C., Znotins, T., DeHart, T., McDaniel, J., Burkes, T., Ewing, J.J. A parallel thyratron pulser with magnetic sharpening for large HgBr lasers 88−24058
Petrakis, J. *see* Bower, C.R. 87−14732
Petrakis, J. *see* Calicchio, M. 88−29811
Petrakis, J. *see* Zamani, M. 87−21474
Petrakopoulos, N.L. The numerical treatment of initial and boundary value problems in differential equations by the Volterra-Petra method 87−5383
Petrakov, M.D. *see* Arkhipov, A.N. 87−35921
Petrakov, M.D. *see* Gringauz, M.I. 87−22319
Petrakov, M.D. *see* Ptakh, G.K. 86−26056
Petrakov, M.D. *see* Simonyan, S.A. 88−62357
Petrakov, V.P. *see* Bakhtizin, R.Z. 86−66859, 87−6314
Petrakova, T.V. *see* Bazarov, A.E. 87−75104
Petrakova, T.V. *see* Goldobin, I.S. 88−34041
Petrakovskii, G.A., Aplesnin, S.S., Piskorskii, V.P. Amorphous magnets and magnetic metallopolymers 86−9375
Petranovic, D. The application of computers to implementation of circuit diagrams 87−22002
Petranovic, D. Computer aided design of electric power plant wiring 87−22004
Petranovic, D. Computation of electric power plant outdoor lighting 87−22891
Petranovic, D. *see* Ravlic, V. 87−21952
Petras, D.S., Davenport, K.G. Procedural guidance and supporting analyses for natural circulation cooldown 85−9665
Petras, L. *see* Jaroli, E. 87−37977
Petras, L. *see* Lendvay, E. 85−54456, 86−412, 86−7791, 87−32306
Petras, S.V., Smirnov, B.N., Dyatchenko, A.A., Maslenkov, I.P. The influence of defects in permeable films on the separation of gas volumes in photoelectric devices 88−19639
Petrascu, H. *see* Cosma, B.T. 85−24471
Petrascu, H. *see* Petrascu, M. 87−8860
Petrascu, M., Berceanu, I., Brancus, I., Buta, A., Demian, A., Grama, C., Ion, I.X., Lazar, I., Mihai, I., Petrovici, M., Simion, V., Petrascu, H. Position sensitive multiwire proportional chamber 87−8860
Petrasek, J. *see* Meninger, M. 85−47391
Petrash, G. *see* Astadjov, D. 85−56542
Petrash, G. *see* Isaev, A. 88−51726
Petrash, G.G. *see* Aleinikov, V.S. 85−12607
Petrash, G.G. *see* Astadzhov, D.A. 85−12806
Petrash, G.G. *see* Astadzhov, D.N. 87−68354, 87−68382
Petrash, G.G. *see* Dumarevskii, Yu.D. 88−4549
Petrash, G.G. *see* Isaev, A.A. 87−12388, 87−46767 to 46768
Petrash, G.G. *see* Kazakov, V.V. 85−18862
Petrash, G.G. *see* Kazaryan, M.A. 85−19005

Petrash, G.G. *see* Zemskov, K.I. 85−2452, 86−31209
Petrashen', P.V., Lidovskii, S.L. Stepper-motor controller implemented by K155IR1 integrated circuit 87−72169
Petrashenko, N.P. *see* Andrushko, L.M. 85−46185
Petrashko, A.I., Kravtseva, I.I. A new approach to heat-resistance evaluation and classification of electrical insulating materials 85−40985
Petrashko, A.I. *see* Grigor'yants, A.G. 85−44352
Petrashko, A.I. *see* Shapiro, D.A. 85−40989
Petrashko, M. *see* Zhuikov, V.Ya. 87−44498
Petrashko, V.V. *see* Gololobov, E.M. 87−77241
Petrasko, B. Voice data coding and compression for a digital switching system featuring mass conferencing 85−63076
Petrasko, B. *see* Belkerdid, M.A. 86−2538
Petrasko, B.E. A high performance switching architecture for mass voice conferencing 85−63245
Petratos, G.G. *see* Katramatou, A.T. 88−48036
Petrauskas, G. *see* Abisalas, A. 87−45582
Petrauskas, G. *see* Matukas, J. 87−53470
Petrauskas, G.B. *see* Pranevicius, L.J. 86−35597
Petrazhitskii, A. *see* Kuzmin, J. 85−32243
Petrazhitskii, A.S. Investigation of three-dimensional magnetostatic fields using an integral equation for the magnetisation vector 88−40484
Petre, M. *see* Miron, N. 86−24586
Petre, N. *see* Stoleru, B. 87−51285
Petre, P. Application to the weighted residual method for one and two dimensional wave propagation problems 87−47152
Petre, P. Wave propagation in one-dimensional inhomogeneous medium: analysis with finite element method 88−34270
Petre, P. The weighted residual method for wave propagation in a one-dimensional inhomogeneous medium 88−45675
Petre, P., Zombory, L. Application of the generalized biconjugate gradient FFT method for analysing planar frequency selective surfaces 88−45661
Petre, P. *see* Lenart, F. 87−47304
Petre, P. *see* Szekeres, B. 88−2802
Petre, T. *see* Gleiss, N. 86−16794
Petrecca, G. Power electronic components for electrical drives 85−16279
Petrecca, G. Electric vehicles: actual experience, road tests and future prospects 85−65526
Petrecca, G., Tonin, G. Capacitors for power electronics—switching, filtering and protecting 87−30795
Petrecca, G., Tonin, G. Commutation, filtering and protection [power electronics capacitors] 87−64767
Petrecca, G., Tosolini, M. How to design by planning 85−51460
Petrecca, G. *see* Piccolo, A. 86−71100
Petree, F., Woolley, R.D., Christensen, U.R., Brown, D.I. Computer simulation of the electrical characteristics of TFTR and its power system 87−15887
Petree, F. *see* Giesen, B. 87−22547
Petrek, J.P., Qaude, R.N., McDonald, C.F. Small HTGR nuclear power plant concept for combined power generation and desalination 85−53511
Petrelis, P.G., Stieritz, W., Wiggins, R., Wirick, K. New technologies enable advanced digital receiver 87−62827
Petremann, M. The Novix NC4016 [reduced instruction set parallel microprocessor] 88−50188
Petrenko, A. *see* Lombardo, A. 87−48289
Petrenko, A.F. Testing a time mechanism in a protocol realization 87−48554
Petrenko, A.I., Kiselev, G.D., Giorgizova-Gai, V.Sh. Mixed logic and scheme-technical simulation of digital-analog equipment 87−409
Petrenko, A.I., Ladogubets, V.V., Tsirfa, A.I. An algorithm of sensitivity calculation for extremal parameters of time responses in electronic circuits 88−31910
Petrenko, A.I., Podladchikov, V.N. Differentiation and integration with respect to matrix argument in electronic network theory 87−399
Petrenko, A.I., Podladchikov, V.N. Differentiation and integration with respect to a matrix argument in electronic-circuit theory 87−10549
Petrenko, A.I., Slyusar, P.B. Stiffness estimates for systems of ordinary differential equations, and automatic selection of integration method 87−10328
Petrenko, A.I., Slyusar, P.B. Automatic switching of explicit and implicit integration techniques in solution of systems of ordinary differential equations 87−31461
Petrenko, A.I., Timchenko, A.P., Ladogubets, V.V., Kolomiets, O.V. A minimax optimization algorithm with step-by-step selection of the active functions 86−7918
Petrenko, A.I., Timchenko, A.P., Slyusar, P.B. An algorithm for analyzing electronic circuits in the time domain with automatic replacement of explicit and implicit methods of integration based on an estimate of the stiffness of the problem 87−52261
Petrenko, A.N. *see* Zheltov, K.A. 86−60438, 88−25056
Petrenko, B.I. *see* Mikheev, A.F. 88−19005
Petrenko, I.A. Concerning solution of equations for electric circuit diagnosis 85−28285
Petrenko, I.D. *see* Shalynin, V.D. 85−14614
Petrenko, I.E. *see* Avdyushin, S.I. 86−65373
Petrenko, I.V. *see* Averin, S.V. 85−55757
Petrenko, L.G., Bin'kov, S.B. On self-recovery of the electric strength of metallised dielectrics 85−32668
Petrenko, N.V. *see* Boldyrev, G.A. 86−35745
Petrenko, R.A. *see* Belyi, M.U. 85−18910
Petrenko, R.A. *see* Butkus, K.D. 85−41376
Petrenko, R.A. *see* Gryadunov, A.I. 85−12912
Petrenko, R.A. *see* Kokurin, Yu.L. 87−54281
Petrenko, R.A. *see* Nedbaev, N.Ya. 88−72392
Petrenko, T.I. *see* Chernovskii, K.G. 87−5020
Petrenko, V.A., Zakusilo, O.K., Gontarev, Yu.F. Use of optical fibres and devices in automated technological complexes 85−47527
Petrenko, V.A. *see* Shchetinina, N.A. 88−24278
Petrenko, V.A. *see* Timofeev, B.B. 85−47229
Petrenko, V.F. *see* Zaretskii, A.V. 85−28967
Petrenko, V.I., Lavrenyuk, V.I. Study of a mathematical model of an electric drive for centrifugal test benches with gaps in the mechanical transmission 88−5922
Petrenko, V.K. Method of measuring peak power in SHF pulses having an arbitrary shape and complex amplitude modulation 88−29575
Petrenko, V.M. *see* Mazor, Yu.L. 87−19688
Petrenko, Yu.N., Gul'kov, G.I. Regulating the speed of an induction motor with constant load power 86−33381
Petrenko, Yu.N. *see* Orlov, Yu.I. 87−9671
Petrenko, Yu.N. *see* Polityko, E.D. 87−64595
Petrera, S. *see* Auriemma, G. 88−22965
Petrera, S. *see* Baroni, G. 85−9097
Petrera, S. *see* Calicchio, M. 88−29811
Petrera, S. *see* Catanesi, M.G. 87−29686
Petrera, S. *see* Dameri, M. 85−43176
Petrera, S. *see* De Vincenzi, M. 86−65331
Petrescu, A.M. *see* Bordeian, N. 88−17110
Petrescu, A.M. *see* Manolescu, G. 85−15542
Petrescu, F. *see* Andonie, R. 87−27113
Petrescu, R. *see* Fata, V.L. 85−15934
Petrescu, S. *see* Tanasescu, E. 86−70834
Petrescu Prahova, B.I. Optoelectronic devices in the GaAs-AlAs system 86−28944
Petretis, Br. *see* Kubilius, A. 87−12296
Petretto, C. *see* Cameresi, G. 85−8984
Petri, A. *see* Carlotti, G. 88−53953
Petri, A. *see* D'Amico, A. 88−57890
Petri, C.A. Tools of general net theory 88−302
Petri, H. Automatic assembly of video cassettes 86−15389
Petri, K., Kisvolcsey, J., Kovacs, Z., Tombor, A. Development of microprocessor protection 88−23548
Petri, K. *see* Tevan, G. 88−69045
Petri, M. RFI: focus on the standards in force 86−29440
Petri, M. Alusec: a serious challenger for tantalum [electrolytic capacitors] 87−52903
Petri, M. Solid aluminium capacitors, technologies and performances 87−59921
Petri, M. A plus for the logic analyser: the architecture 87−65968
Petri, M. The alloys with shape memory: a plus for connectivity 88−18761
Petri, R.J., Benjamin, T.G. Molten carbonate fuel cell component design requirements 87−43410
Petri, R.J., Ong, E.T., Martin, J. High temperature composite thermal energy storage (TES) systems for industrial applications 87−36174
Petri, R.J. *see* Acampora, A.A. 87−28788
Petri, U., de la Fuente, P. High resolution in direction estimation with circularly arranged antenna arrays 87−61521
Petri, U., de la Fuente, P. Applying superresolution to circular arrays 88−2873
Petri, U. *see* Kaspar, B. 87−2473
Petric, P.F., Schoeffel, J.A. High resolution E-beam lithography with the VLS-1000. Performance of the microseal vacuum interface 86−8934
Petrica, I., Stefanescu, V. Informational energy and correlation used in data transmission without encoding 87−19349
Petrica, I., Stefanescu, V. On the average length of encoding sequences 87−19350
Petriccione, M. *see* Molinari, G. 85−32350
Petricek, O. *see* Pastrnak, J. 87−12496
Petricek, V. *see* Tichy, R. 88−20272
Petricevic, V., Gayen, S.K., Alfano, R.R., Yamagishi, K., Anzai, H., Yamaguchi, Y. Laser action in chromium-doped forsterite 88−40170
Petricevic, V. *see* Gayen, S.K. 87−7305, 87−68432
Petrich, A.V. *see* Yemin, V.I. 86−30818
Petrich, D. Achieving accurate timing measurements on TTL/CMOS devices in a manufacturing/incoming inspection environment 86−46747
Petrich, D. Achieving accurate timing measurements on TTL/CMOS devices 87−5786
Petrichenko, A.D. An appraisal of the existing method of testing the condition of transformer oil 88−17680
Petrichenko, V.F. *see* Parkhomenko, A.I. 86−45735
Petrick, L.J., Benz, A.D., Kensinger, S.G. A case study in the correlation of analytical and experimental analysis 86−57199
Petrick, M. *see* Branover, H. 85−21536
Petrick, M. *see* Doss, E.D. 85−15966
Petrick, P. The behaviour of capacitors at higher temperatures 86−41362
Petrick, P. Life improvement of tantalum electrolytic capacitors 87−11082
Petrick, P. Small metal film AC capacitors of improved stability 88−12629
Petrick, P., Konig, F. Capacitors for interference protection of digital circuits 87−66590
Petrick, R. *see* Casper, M.P. 87−24581, 87−60012, 88−44344
Petrick, R.D. Microwave substrate materials used for MLS antennas 87−7594
Petrick, S.W. Generalized approach to cooling charge-coupled devices using thermoelectric coolers 88−22643
Petrick, S.W. *see* Salazar, R.P. 85−64660
Petridis, V. *see* Margaris, N. 85−5127, 85−28419
Petridis, V. *see* Theocharis, J. 86−6905, 87−43280, 87−64848, 88−18908
Petridou, C.I. *see* Woody, C.L. 86−50309
Petrie, B., Prilik, R.J. VLSI functional vehicle for a junction temperature measurement technique 85−29289
Petrie, C.R. *see* Hurson, A.R. 88−32262
Petrie, G.R., Jones, K.W., Jones, R. An optical fibre sensor array for the measurement of displacements of complex engineering structures 87−29298
Petrie, H. *see* Nilsson, S. 85−65399
Petrie, H.L., Samimy, M., Addy, A.L. An evaluation of LDV velocity and fringe bias effects in separated high speed turbulent flows 86−38617
Petrie, J. Twin 16 bit timers operate independently 86−52915
Petrie, J. Timer generates pulse trains and interrupts 87−10946
Petrie, L.E. Equipment: antenna systems 87−12799
Petrie, L.E. Adaptive systems in operation [HF radio telephone] 87−13287
Petrie, L.E. Introduction: civilian and diplomatic requirements [HF radio] 87−13573
Petrie, M. *see* Kimberly, D.W. 85−3291
Petrie, N. *see* Mavor, J. 85−45188, 85−62112
Petrie, N. *see* Reekie, H.M. 85−960
Petrig, B.L., Riva, C.E. Retinal laser Doppler velocimetry: toward its computer-assisted clinical use 88−48104
Petrig, B.L. *see* Riva, C.E. 85−31787
Petrik, O. Investigation of the functioning of electrical contacts by means of high speed photography [video recording] 87−59936
Petrik, S. *see* Turan, J. 86−50044, 87−8591, 87−60908, 88−36015, 88−72064
Petrik, T. On the derivation of the discrete Fourier transform 86−16288
Petrikeev, V.V. *see* Vinogradov, G.V. 86−19665
Petrill, E. *see* Drenker, S. 86−61337
Petrillo, C. *see* Andreani, C. 87−35369
Petrillo, E.D. *see* Chen, T.C. 88−13346
Petrillo, E.J. *see* Danner, D.A. 87−17999
Petrillo, E.J. *see* Dhong, S.H. 86−63187
Petrillo, E.J. *see* Lai, F.J. 87−1743
Petrillo, E.J. *see* Lai, F.S. 86−47854
Petrillo, E.J. *see* Oehrlein, G.S. 85−61854
Petrillo, E.J. *see* Tang, D.D. 87−17028
Petrillo, K. *see* Lin, B. 86−2443
Petrillo, K.E. *see* Lai, F.J. 87−1743
Petrillo, K.E. *see* Lai, F.S. 86−47854
Petrillo, K.E. *see* Lin, B.J. 87−17872
Petrillo, K.E. *see* Taur, Y. 85−35168
Petrillo, L. *see* Baglin, C. 85−26605
Petrillo, L. *see* Calicchio, M. 88−29811
Petrillo, L. *see* Pecorella, W. 85−59181, 85−61223
Petrin, M., Maki, A.H. Molecular luminescence cryothermometer 87−26046
Petrin, M.F. *see* Sivaprasad, K. 88−16924
Petrin, Yu.M. *see* Gorshkov, A.S. 88−50039
Petrin, Yu.M. *see* Vinyarskii, V.F. 85−11485
Petrina, J. Contemporary problems of accrediting electrical products 87−5208
Petrioli, R. Information systems and information representation 86−37399
Petrischchev, L.S. *see* Zil'Berman, V.A. 88−23421
Petrishchen, L.S. *see* Katson, V.D. 86−61130
Petrishchev, L.S. *see* Katson, V.D. 87−9213
Petrishchev, O.N. *see* Maslova, A.V. 86−2598
Petrishin, O.I. *see* Yatsimirskiy, M.N. 88−6428
Petriu, D.C. *see* Miernik, J.W. 88−52949
Petriu, E. Absolute-type pseudorandom shaft encoder with any desired resolution 85−28606
Petriu, E.M. New pseudorandom encoding technique for shaft encoders with any desired resolution 87−44988
Petriu, E.M. Absolute-type position transducers using a pseudo-random encoding 87−70534
Petriu, E.M. Absolute-type position transducers using a pseudorandom encoding 88−16069
Petrizzo, C.A. *see* Migliaro, M.W. 87−78519

Petrizzo, S. 2-μm standard-cell family builds VLSI semicustom circuits 85−62067
Petrlenko, V.A. *see* Gorobets, N.N. 86−16038
Petro, W.G., Cairns, B.R., Anand, K.V. Properties and applications of a novel low-temperature plasma nitridation process for silicon 87−17996
Petro, W.G. *see* Bertness, K.A. 85−61862
Petro, W.G. *see* Kendelewicz, T. 85−18166, 85−50279
Petro, W.G. *see* Newman, N. 85−29041, 85−55562
Petro, W.G. *see* Pan Shihong 85−50264
Petro, W.G. *see* Spicer, W.E. 86−1805
Petrocco, G. *see* D'Amico, A. 86−17982, 88−9973
Petrocco, G. *see* Gentili, M. 88−57561
Petrochenko, L.T. *see* Bokk, O.F. 85−33729
Petrochenko, V.P. *see* Turetskii, L.I. 85−15781
Petrock, F., Grummon, P.T.H. The adoption of technological change: management issues and practices 85−44463
Petroczki, L. *see* Csefalvay, K. 86−27186
Petroff, I. *see* Gupta, A. 85−55178
Petroff, L. Controlling material shift in fine line PWB fabrication 88−32579
Petroff, M.D., Stapelbroek, M.G., Kleinhans, W.A. Detection of individual 0.4-μm wavelength photons via impurity-impact ionization in a solid-state photomultiplier 87−66855
Petroff, P. *see* Arnold, R. 88−68234 to 68235
Petroff, P.M. Role of electron microscopy in semiconductor electronic defects analysis 86−20149
Petroff, P.M. Microcharacterization of interfaces in III-V compound semiconductors 87−37966
Petroff, P.M., Gossard, A.C., Wiegmann, W. Structure of AlAs-GaAs interfaces grown on (100) vicinal surfaces by molecular beam epitaxy 85−366
Petroff, P.M. *see* Dupuis, R.D. 85−10709
Petroff, P.M. *see* Gossard, A.C. 87−36714
Petroff, P.M. *see* Magnea, N. 85−24394, 85−40509, 85−45416
Petroff, P.M. *see* Malik, R.J. 87−44351
Petroff, P.M. *see* Temkin, H. 86−2937
Petroff, P.M. *see* Tu, C.W. 87−36718, 87−73088
Petroff, W. Industrial microcontrollers capitalize on EEPROMS to reduce size and improve reliability 86−46898
Petroff, Y. Free electron lasers in storage rings 86−22426
Petroff, Y., Billardon, M. Relativistic electrons and coherent radiation 86−5869
Petroff, Y. *see* Billardon, M. 85−56708, 86−3194, 87−2141, 87−39146, 87−75139
Petroff, Y. *see* Deacon, D.A.G. 85−41419
Petroff, Y. *see* Girard, B. 85−18960
Petroff, Y. *see* Orgeta, J.M. 86−3201
Petroff, Y. *see* Ortega, J.M. 85−2171, 85−56710
Petroff, Y. *see* Robinson, K.E. 85−18957
Petrofsky, J.S. Cyberkinetic assisted walking 86−70437
Petrofsky, J.S., Phillips, C.A. Computer controlled stimulation of paralysed muscles 85−15348
Petrofsky, J.S., Phillips, C.A., Almeyda, J., Briggs, R., Couch, W., Colby, W. Aerobic trainer with physiological monitoring for exercise in paraplegic and quadriplegic patients 86−44683
Petrofsky, J.S., Phillips, C.A., Douglas, R., Larson, P. Integration of orthosis with computer-controlled movement 86−12043
Petrofsky, J.S., Phillips, C.A., Douglas, R., Larson, P. A computer-controlled walking systems: the combination of an orthosis with functional electrical stimulation 86−65460
Petrofsky, J.S. *see* Phillips, C.A. 86−12042
Petrohilos, H. *see* Godshall, J. 87−49709
Petroianu, A. *see* Aschower, N. 86−50838, 86−56372
Petrolito, J. *see* Golley, B.W. 87−5382
Petrolli, J.P. A systolic device for image transformation 87−31949
Petrolli, J.P., Saucier, G. A systolic device for image transformation 87−1682
Petrolo, E. *see* Albrow, M.G. 88−29872
Petrolo, E. *see* Catanesi, M.G. 87−29686
Petrolo, E. *see* Frenkel, A. 86−44593
Petromilli, M. *see* Beggiato, E. 85−64888
Petrone, G., Stucchi, A., Vergani, L. Analyses of the finite elements of an integrated circuit 85−40808
Petroni, R. *see* Draghi, S. 88−10597
Petronio, C.F. *see* Einolf, C.W., Jr. 86−4335
Petronio, J. *see* Stinson, D.G. 87−54134, 88−33589
Petronis, T. Tool exchange is basis for generic workcells [PCB assembly] 87−60013
Petropavlovskii, A.I. *see* Vasnetsov, M.V. 88−27302
Petropavlovskii, A.Yu. *see* Shashurin, A.K. 85−17614
Petroplavlovskii, A.Yu., Shashurin, A.K. Optimization of the structure of the measurement channels of IMS with resistive transducers 88−4275
Petropoulos, A., Kagarakis, C. Solar silicon from phosphate fertilizers wastes 86−26870
Petropulu, A., Nikias, C.L., Proakis, J.G. Cumulant cepstrum of FM signals and high-resolution time delay estimation 88−73110
Petroselli, B. *see* Cancellieri, G. 85−20173
Petrosino, J., Estienne, C. Analogue linearisation of transducer characteristics 88−60702
Petrosino, L. *see* Harris, D. 87−8895
Petroski, F. *see* Bleistein, S. 87−42199
Petroski, J. Predicting heat-sink temperature 88−37985
Petrosov, V.A. *see* Baranov, V.I. 87−60048, 88−64178
Petrosyan, A.G. *see* Arutyunyan, S.M. 88−27121
Petrosyan, A.Kh., Nshanyan, M.A. Noise immunity of fiber-optic communication lines with spectral multiplexing of the channels 86−30819
Petrosyan, A.S. *see* Dargeiko, M.M. 86−3624
Petrosyan, A.Zh. *see* Aleksanyan, A.S. 88−61153
Petrosyan, E.E. *see* Antoshchuk, V.V. 88−57491
Petrosyan, E.E. *see* Gutsul, I.V. 86−14848
Petrosyan, E.E. *see* Kirnas, I.G. 87−3902, 87−77564
Petrosyan, G.G. *see* Vostrikova, G.A. 85−45370
Petrosyan, K.B., Pokhsraryan, K.M. Noncollinear stimulated Raman scattering by polaritons in LiJO$_3$ crystals at picosecond pumping 85−35861
Petrosyan, K.B. *see* Avalyan, R.E. 88−65647
Petrosyan, N.N., Shitov, V.A. Thyristor key with damping capacitor for supplying electrotechnical plant [power convertor circuits] 85−44110
Petrosyan, N.N., Shitov, V.A. Pulse converter with damping capacitor 85−54757
Petrosyan, O.G., Abramova, O.S., Gol'ba, V.A., Zhdanova, T.Ya., Yurchuk, E.F. Low-temperature millimeter-band noise generator 86−8427
Petrosyan, O.G., Aderikhin, V.I., Abramova, O.S., Gol'ba, V.A., Zhdanova, T.Ya., Yurchuk, E.F. Noise-power spectral density reference in the 37.5-78.3-GHz frequency band 87−63504
Petrosyan, O.G., Zhdanova, T.Ya., Yurchuk, E.F. Measurement of temperature distribution in waveguide noise generators 86−38595
Petrosyan, O.G. *see* Gol'ba, V.A. 87−29268
Petrosyan, P.G. *see* Vul', A.Ya. 86−14955, 88−1359
Petrosyan, P.V. *see* Davtyan, G.V. 87−63216
Petrosyan, S.G. Photoconductivity and photoluminescence of amorphous materials in the model of fluctuating band-gap semiconductor alloys 86−9657
Petrosyan, S.G. Negative differential conductivity of a reverse-biased graded heterojunction 86−28011
Petrosyan, S.G. *see* Arutyunyan, V.M. 87−45869
Petrosyan, S.G. *see* Vul', A.Ya. 88−33858
Petros'yants, A.M. Influence of nuclear power stations on the waters of rivers and seas 85−4785
Petros'yants, A.M. The world's first nuclear power station is 30 years old 85−48704
Petrosyants, K.O., Gurov, A.I. Quasi-three-dimensional modeling of functionally integrated LSI elements 85−12407
Petrosyants, K.O., Gurov, A.I., Mishin, A.A., Ryabov, N.I., Kanunnikov, A.I., Kozhushner, A.M., Mazing, O.V., Mikhailova, O.M., Pugachev, A.A. Software for LSIC component simulation 87−52292
Petrosyants, K.O., Pugachev, A.A. An algorithm and program for the two-dimensional calculation of the breakdown voltage of the junctions of integrated transistors 87−74056
Petrosyants, K.O., Ryabov, N.I. Modeling of the electrical and thermal regimes of elements of large-scale integrated circuits having small dimensions 87−32678
Petrosyants, K.O. *see* Mikhailova, O.M. 87−52476
Petrou, A., Smith, M.C., Perry, C.H., Worlock, J.M., Warnock, J., Aggarwal, R.L. Magneto-photoluminescence studies of manganese acceptors in GaAs/AlGaAs multiple quantum wells 85−61746
Petrou, A., Warnock, J., Bicknell, R.N., Giles-Taylor, N.C., Schetzina, J.F. Photoluminescence of a Cd$_{0.55}$Mn$_{0.45}$Te-CdTe multiple quantum well structure in a magnetic field 85−35608
Petrou, M. *see* Tailor, A. 88−5207
Petrou, N. *see* Ferrando, P. 88−4812
Petrou, N. *see* Goret, P. 88−68252
Petrov, A.A. Portable device for testing autosynchronizers 86−31469
Petrov, A.A., Karkazov, E.I. The adjustment of automatic excitation regulator type RVA-62 86−61462
Petrov, A.A. *see* Andronov, O.I. 87−71020
Petrov, A.A. *see* Atamanchuk, L.M. 87−1984
Petrov, A.A. *see* Il'in, D.A. 86−26015
Petrov, A.E. *see* Barykova, N.G. 86−40399
Petrov, A.E. *see* Belyaev, G.B. 85−59999
Petrov, A.E. *see* Brezgunov, M.M. 85−7146
Petrov, A.F., Shneps, M.A. Optimization of grade-of-service indices in a telephone network in the case of a nonpersistent subscriber 87−76212
Petrov, A.F. *see* Milokostyy, I.V. 86−16677
Petrov, A.F. *see* Shneps-Shneppe, M.A. 88−3292
Petrov, A.G. *see* Dvoryankina, G.G. 86−20039, 86−28133, 87−37887
Petrov, A.G. *see* Khutoretskii, G.M. 86−33254
Petrov, A.I. *see* Adomaitis, I.E.I. 86−24842
Petrov, A.I. *see* Berman, L.V. 85−62440
Petrov, A.I. *see* Isakova, A.I. 88−48320
Petrov, A.I. *see* Kulakova, L.V. 87−28986
Petrov, A.I. *see* Monastyrnyi, E.A. 86−10086
Petrov, A.I. *see* Rozhkov, V.A. 85−34680, 86−1844
Petrov, A.I. *see* Sadykov, V.N. 87−34996
Petrov, A.L. *see* Azjazov, V.N. 86−3058
Petrov, A.L. *see* Bezpal'ko, E.B. 88−51908
Petrov, A.L. *see* Gizatullin, R.M. 88−33938
Petrov, A.L. *see* Katulin, V.A. 85−2381
Petrov, A.N. *see* Lipatov, N.I. 88−72276
Petrov, A.N. *see* Zybin, D.N. 87−33246
Petrov, A.P. *see* Andrianov, V.R. 86−11499
Petrov, A.S., Potylitsyn, E.A. Low-noise preamplifier for low-impedance signal sources 86−17911
Petrov, A.S., Povarov, V.V., Lebedev, I.V. Solid state waveguide phase shifter with a resonant grating as a control element 87−66445
Petrov, A.S. *see* Akhmanaev, V.B. 87−23770
Petrov, A.S. *see* Antonov, V.V. 88−64343
Petrov, A.S. *see* Danilov, G.N. 87−41346
Petrov, A.S. *see* Davydov, V.N. 87−17814
Petrov, A.S. *see* Kriulin, A.V. 87−6486
Petrov, A.V. *see* Bordachev, E.G. 87−7423
Petrov, A.V. *see* Bystritskii, V.M. 87−24525, 87−64743, 88−68111
Petrov, A.V. *see* Il'ich, A.A. 86−53970
Petrov, A.V. *see* Kashkarov, P.K. 85−28931
Petrov, A.V. *see* Kondrat'ev, N.A. 87−60053
Petrov, B.A. Electrodynamic levitation system excited by alternating current 85−16295
Petrov, B.A. Linear traction motors for high-speed surface transport 87−22410
Petrov, B.A., Satsukevich, P.N. Generalized characteristics of the eddy current converter with a Hall generator as the magnetic field meter 88−65967
Petrov, B.A. *see* Likhomanov, A.M. 86−70109
Petrov, B.F. *see* Alkhazov, I.D. 87−50175, 88−68285
Petrov, B.I. Control-pulse shaper for thyristor converters 85−6241
Petrov, B.I. Statistical pulse analyzer 87−65960
Petrov, B.I. Commutator for high-power radio-frequency pulses 88−32067
Petrov, B.M. *see* Klimov, A.V. 86−42813
Petrov, B.M. *see* Lazareva, T.N. 86−54349
Petrov, B.V., Glebin, V.K. Analysis of the interference generated by rectifiers with a capacitance load 86−20295
Petrov, D. Long range laser alignment systems 88−8377
Petrov, D., Lamontagne, J., Laganiere, J. A feasibility study of a VLF radio compass for Arctic navigation 86−4775
Petrov, D.M. *see* Dokolin, O.A. 87−45501
Petrov, D.M. *see* Lysak, A.Yu. 87−47262
Petrov, D.V. Influence of emission processes on the collinear acoustooptic interaction of guided modes 85−18722
Petrov, D.V., Ctyroky, J. Optimal parameters of single-mode LiNbO$_3$:Ti waveguides for collinear acoustooptic interaction 85−50933
Petrov, D.V., Ctyroky, J. Acoustooptic conversion of a guided mode in a leaky wave in an LiNbO$_3$:Ti waveguide 86−9606
Petrov, D.V., Tsarev, A.V., Yakovkin, I.B. Spectral properties of the acoustooptic guided-to-leaky wave conversion in an anisotropic waveguide 88−65322
Petrov, D.V. *see* Gurevich, S.A. 87−74747
Petrov, D.V. *see* Ilyich, A.A. 86−22153
Petrov, D.V. *see* Kolosovksy, E.A. 87−18658
Petrov, D.V. *see* Kolosovskii, E.A. 88−26839
Petrov, E.A. *see* Pozhidaev, V.M. 86−40029
Petrov, E.M. *see* Chikhachev, N.P. 85−44090
Petrov, G.A. *see* Abrosimov, N.K. 86−25155
Petrov, G.D. *see* Aleksandrov, A.F. 85−13049
Petrov, G.E. *see* Vorobyov, A.A. 88−68244
Petrov, G.I. *see* Abdullaev, A.Yu. 88−74269
Petrov, G.M. *see* Rzhiga, O.N. 85−8474
Petrov, G.P., Plakhtiev, A.M. Noncontacting pulse current meter 88−53743
Petrov, G.P. *see* Kuleshov, V.I. 88−75594
Petrov, G.S. *see* Rat'kov, V.B. 86−49911
Petrov, G.V. Analysis and design of linear SHF transistor amplifiers 85−49767
Petrov, G.V. Investigation and design of transistor microwave mixers 86−27616
Petrov, G.V., Khramov, A.V. Design of locked microwave generators using the large-signal scattering parameters of transistors 85−22698
Petrov, G.V., Khramov, A.V. Synchronization of FET generators 87−59859
Petrov, G.V., Salakhov, Kh.Kh., Tolstoy, A.I. Balanced microwave amplifiers for the 2-4 GHz frequency band 85−6535
Petrov, G.V., Tolstoi, A.I. Main trends in the modeling of submicrometer metal Schottky gate field-effect transistors (a review) 87−67271
Petrov, G.V. *see* Gromov, M.V. 85−11055, 86−27106
Petrov, G.V. *see* Kushnirenko, A.I. 87−45241
Petrov, G.V. *see* Tolstoi, A.I. 86−41339

Petrov, I., Orlinov, V., Misiuk, A. Highly oriented ZnO films obtained by DC reactive sputtering of a zinc target 85−22541
Petrov, I.A. *see* Glikman, L.G. 85−56969
Petrov, I.N. *see* Alekseev, A.G. 86−53386
Petrov, I.N. *see* Gueorguiev, V.K. 86−47458
Petrov, I.N. *see* Vassilev, I.S. 86−15021
Petrov, I.R. *see* Velchev, N.B. 85−29324
Petrov, L.A. *see* Avdeev, S.P. 86−60600
Petrov, L.N. *see* Kovalev, M.N. 85−65657
Petrov, L.P., Ladenzon, V.A., Pechkovski, I.I. Physical and mathematical modelling of asynchronous drive motors operated in conjunction with frequency converters 86−33750
Petrov, L.P., Podzolov, R.G., Kheruntsev, P.E. Computer simulation of thyristor-controlled induction motor drives 86−33751
Petrov, L.P., Vinakov, A.F., Kheruntsev, P.E. Automation of asynchronous electric drive model design from models of certain elements 88−75603
Petrov, M.P. Light modulators for coherent optical systems 85−57427
Petrov, M.P. Introduction to optical signal processing with photorefractive materials 87−69380
Petrov, M.P., Kuzin, E.A. Commutation of optical signals by SMBS in the optical fiber 86−3278
Petrov, M.P., Marakhonov, V.I., Berezkin, V.I., Krasin'kova, M.V., Khomenko, A.V. Spatial modulation of light in $Bi_{12}TiO_{20}$ 86−15521
Petrov, M.P., Shalaevskii, N.O., Khomenko, A.V., Shlyagin, M.G., Petrov, V.M., Bryksin, V.V., Korovin, L.I. Pulsed readout of an image from a PRIZ space-time light modulator 87−38862
Petrov, M.P., Shlyagin, M.G., Shalevskii, N.O., Petrov, V.M., Khomenko, A.V. New mechanism for recording images in photorefractive crystals 86−63692
Petrov, M.P., Yakovlev, V.V. Digital floating sonde for investigating the thermal structure of the upper layer of a body of water 88−30150
Petrov, M.P. *see* Bryskin, V.V. 85−35550
Petrov, M.P. *see* Kamshilin, A.A. 85−29951
Petrov, M.P. *see* Kuzin, E.A. 85−51272, 86−22164, 87−32930, 87−33285
Petrov, M.P. *see* Shlyagin, M.G. 85−62408
Petrov, M.P. *see* Sochava, S.L. 88−40350
Petrov, M.P. *see* Stepanov, S.I. 85−24658, 85−29922, 85−29948, 85−41521
Petrov, M.P. *see* Trofimov, G.S. 88−14012
Petrov, M.S. *see* Ioffe, M.G. 85−37181
Petrov, M.S. *see* Kotikova, R.A. 85−63797
Petrov, M.Yu. *see* Vysogorets, M.V. 86−1646
Petrov, N.I. *see* Garitchev, V.P. 86−9516
Petrov, N.I. *see* Krivoshlykov, S.G. 86−36193, 86−53985, 87−7155
Petrov, N.I. *see* Kruglyanskii, M.E. 85−4433
Petrov, N.N. *see* Ban'Kovskiy, N.G. 87−66807
Petrov, O.A., Ershov, A.M., Khabarov, A.N., Belousov, V.S., Efimov, Yu.K., Katson, V.D. Using phase unbalance in a transformer for automatic tuning of arc-extinction reactors 86−39224
Petrov, O.A., Ershov, A.M., Khabarov, A.N., Khabibullin, R.A., Gryaznov, A.I. Automatic tuning of plunger-type arc-suppression reactance coils in cable networks 86−32845
Petrov, O.A., Sidorov, A.I., Dudinova, V.I., Bukhmetova, M.P. Measurement of the capacitance current of a single-phase short circuit to earth in 6 kV and 10 kV overhead networks 87−64180
Petrov, O.A., Stasyak, V.I., Semenov, V.V. Use of boosting systems for arc-suppression reactors with field magnetization 87−15823
Petrov, O.A. *see* Ershov, A.M. 86−39248
Petrov, P. *see* Mishev, D. 86−25453
Petrov, P.G., Lopatin, V.V., Kukhta, V.R. Visualization of 3-D phase objects in holography 86−42651
Petrov, P.I. *see* Lenivkin, V.A. 87−16206
Petrov, P.O., Vassilev, V., Boncheva-Mladenova, Z. Transport properties of monocrystalline silver telluride 87−45635
Petrov, P.P. *see* Mavrin, I.I. 87−77240
Petrov, P.P. *see* Mavrin, O.I. 87−1222
Petrov, R.L. *see* Golub, V.V. 85−18841
Petrov, R.P. *see* Gorkunov, E.S. 87−59160
Petrov, R.P. *see* Kuznetsov, P.G. 86−62292
Petrov, S., Greyvulis, J. Methods and analysis of arcless devices for direct determination of electric drive dynamic torque 87−51510
Petrov, S., Greyvulis, J. Classification and construction principles of a variable reluctance pickup of multiple frequencies for rotating electric drives 87−51511
Petrov, S. *see* Yakimova, R.T. 85−18108
Petrov, S.A. *see* Evtushenko, V.A. 88−62538
Petrov, S.I. *see* Lavrov, V.Ya. 85−41559
Petrov, S.I. *see* Sukhoivanov, I.A. 87−38833
Petrov, S.P. *see* Anashin, V.V. 86−58721
Petrov, S.R. Analysis of equivalent skin-layer parameters allowing for resistive heating 87−71666
Petrov, S.R. A practical method of calculating optimum parameters of induction-dynamic solenoidal devices 88−37270
Petrov, S.R. *see* Bondaletov, V.N. 85−31649, 87−9877
Petrov, S.S., Greyvulis, Ya.P. Construction analysis of some rotation frequency sensing units with longitudinal magnetic flux pulsations 87−8604
Petrov, S.S., Greyvulis, Ya.P. The choice of package number and angular displacement in multi-package-induction sensing units of multiple frequencies 87−8605
Petrov, S.S. *see* Gavrilenko, V.G. 86−3538, 86−36733, 86−63952, 87−33412
Petrov, S.V. *see* Lysenko, V.S. 86−19650
Petrov, S.V. *see* Zavaritskii, N.B. 88−51393
Petrov, S.Ya. *see* Kutsovskii, S.M. 86−61678
Petrov, V., Rempel, C. Laser action of DODCI 88−65600
Petrov, V., Rudolph, W., Wilhelmi, B. Computer simulation of passive mode-locking of dye lasers with consideration of coherent light-matter interaction 88−14263
Petrov, V., Rudolph, W., Wilhelmi, B. Evolution of chirped light pulses and the steady state regime in passively mode-locked femtosecond dye lasers 88−20595
Petrov, V. *see* Dietel, W. 88−58479
Petrov, V. *see* Rentsch, S. 88−65782
Petrov, V.A. Effectiveness of a tubular air heater with the Z-cross flow system of the P-57-3 boiler 85−48841
Petrov, V.A. *see* Dement'ev, B.A. 85−15741
Petrov, V.A. *see* Dolbilov, G.V. 87−5718
Petrov, V.A. *see* Dolbilov, V.G. 87−41683
Petrov, V.A. *see* Makeev, S.N. 86−70343, 87−17660, 88−32730
Petrov, V.A. *see* Romanov, A.D. 87−5225
Petrov, V.A. *see* Venikov, V.A. 87−42494, 88−42866
Petrov, V.A. *see* Voskresenskii, F.F. 86−45099
Petrov, V.F. Electromagnetic characteristics of linear induction machine with non-smooth linear current load wave 86−26077
Petrov, V.F., Siplivyi, B.N. Effect of higher spatial field harmonics on characteristics of a linear induction machine 85−32486
Petrov, V.F., Siplivyi, B.N. Influence of upper time harmonics of current load on the linear induction motor characteristics 86−19305
Petrov, V.F. *see* Dimakov, S.A. 87−68361
Petrov, V.F. *see* Kimakov, S.A. 86−9755
Petrov, V.F. *see* Oplenskin, A.L. 87−51887
Petrov, V.I. *see* Bessolov, V.N. 86−13745
Petrov, V.I. *see* Dobrynina, E.S. 86−66821, 87−67039
Petrov, V.I. *see* Gvozdover, R.S. 85−49668
Petrov, V.I. *see* Matveev, B.A. 87−36701
Petrov, V.K., Smirnov, E.A. Reception of digital signals with frequency-phase-shift keying when acted upon by structural interference 87−55090
Petrov, V.M. Use of MT-3 standard thermistor bridge for SHF power measurements with bolometric receiving transducers 86−44373
Petrov, V.M. Statistical optimization of coherent multiposition systems taking into account the directivity of the antennas at the receiving points 88−15572
Petrov, V.M., Korkin, V.E., Motin, E.A., Ershueva, S.A., Tubis, Ya.B., Kovteba, E.M. Fusible substances in electrical machines and their properties 86−45336
Petrov, V.M., Rezvyakov, N.A. Synthesis of an axisymmetric inductor with specified magnetic-field distribution 88−19436
Petrov, V.M., Shapiro, S.M., Tabatskii, V.A. Optimal reception of random signals in multiposition systems 88−27915
Petrov, V.M., Tubis, Ya.B., Fanar, M.S., Ershueva, S.A. Effectiveness of heat-conducting compounds for induction motors in short-time operating modes 85−43989
Petrov, V.M., Vyatkina, T.G. Signal processing in multistation radar systems 88−28948
Petrov, V.M. *see* Bronnikov, A.N. 86−8529
Petrov, V.M. *see* Didenko, A.N. 87−75003
Petrov, V.M. *see* Gubanov, V.V. 87−16866
Petrov, V.M. *see* Kremer, I.Ya. 86−48945
Petrov, V.M. *see* Petrov, M.P. 86−63692, 87−38862
Petrov, V.M. *see* Zykin, F.A. 86−56342
Petrov, V.P., Ryasnyi, Yu.V., Zhuravleva, O.B. Multipole measuring transducers of microwave circuit analyzers 88−22758
Petrov, V.P., Ryasnyi, Yu.V., Zhuravleva, O.B., Pologrudov, V.P. Analysis of methods of 12-pole reflectometer calibration 87−3731
Petrov, V.P., Sugrei, V.I. Two-component constant-temperature hot-wire hydrometer with digital signal recording 87−3802
Petrov, V.P. *see* Kozin, A.L. 87−21032
Petrov, V.P. *see* Mitrofanov, S.S. 87−68288
Petrov, V.S. *see* Antyukhov, V.A. 86−60637
Petrov, V.S. *see* Jukoniya, V.E. 85−20306
Petrov, V.V. Attachment to measuring microscope for preparing planar structures of micron size 86−28394
Petrov, V.V., Antonova, T.I. Stamping of electric motor fan housings on multiposition automatic presses 88−30643
Petrov, V.V., Paliichuk, A.S., Dolgonosov, N.S., Dul'skis, A.A. Technological treatment of the automatic starting procedure of a 160 MW power unit at Litov State regional power station 87−15637
Petrov, V.V., Sverkunov, Yu.D. Correction of analog multiplier error 88−70942
Petrov, V.V. *see* Alliluev, V.A. 88−17679
Petrov, V.V. *see* Blinov, A.E. 85−26540
Petrov, V.V. *see* Blokhin, S.V. 87−29267
Petrov, V.V. *see* Dashevskii, M.Ya. 88−38123
Petrov, V.V. *see* Dorofeeva, M.B. 88−29604
Petrov, V.V. *see* Grigor'ev, M.A. 86−35959, 86−42074
Petrov, V.V. *see* Kabanov, D.A. 87−3730
Petrov, V.V. *see* Kostritskii, S.N. 85−43924
Petrov, V.V. *see* Kozin, G.I. 88−34072, 88−51976
Petrov, V.V. *see* Meerson, I.G. 85−65661
Petrov, V.V. *see* Nikulin, S.M. 86−14513
Petrov, V.V. *see* Sergienko, T.I. 86−40775
Petrov, V.V. *see* Vakser, B.D. 86−61453, 87−35868
Petrov, V.V. *see* Yermolovich, A.B. 87−60818
Petrov, V.V. *see* Zhabko, G.P. 87−58005
Petrov, Yu.A. *see* Gross, L.G. 85−64342
Petrov, Yu.B. *see* Nezhentsev, V.V. 85−16514
Petrov, Yu.I., Pokryvailo, A.D. High-voltage converter 87−37607
Petrov, Yu.N. *see* Bayanov, B.F. 85−26660
Petrov, Yu.N. *see* Dudkin, V.P. 85−58865
Petrov, Yu.N. *see* Popov, V.I. 88−24027
Petrov, Yu.P., Siverin, V.A. Optimisation of electric drives with flexible and elastic couplings 85−65471
Petrov, Yu.P., Siverin, V.A. Optimization of electric drives with flexible and elastic couplings 86−40196
Petrov, Yu.P. *see* Pokrovskii, S.V. 85−44096
Petrov, Yu.V., Svidchenkov, M.V., Shurina, E.P. Algorithm and results of numerical modelling of the cooling system of the windings of a turbogenerator rotor 88−17528
Petrov, Yu.V. *see* Budenkov, G.A. 86−20134
Petrov, Yu.V. *see* Erykalov, A.N. 86−58384
Petrov, Yu.V. *see* Koshelev, A.S. 87−29437
Petrov, Yu.V. *see* Volle, V.M. 86−21356
Petrov, Y.V., Sakhnovsky, E.G. On the boundary perturbation theory as applied to nuclear reactors 86−6516
Petrov, Z.E. *see* Bogod, V.M. 87−34680
Petrov, Z.E. *see* Mingaliev, M.G. 86−43922
Petrova, A.G. *see* Bliznetsov, V.N. 87−45799
Petrova, A.G. *see* Ignat'ev, A.S. 87−37288
Petrova, E.A. *see* Voronkova, G.I. 86−28087
Petrova, E.S. *see* Dikin, Yu.I. 86−42670, 87−22247
Petrova, I.I. *see* Brik, E.B. 88−13995
Petrova, I.I. *see* Melkov, G.A. 88−12555
Petrova, I.M. *see* Goryachkin, D.A. 85−2409
Petrova, I.R. *see* Flegontov, Yu.A. 88−14355
Petrova, L. *see* Parvanov, P. 87−43193
Petrova, L.G. *see* Dobryak, D.S. 88−2600
Petrova, L.I. *see* Vladimirov, F.L. 88−20451, 88−26896
Petrova, L.V. *see* Gurgenidze, A.M. 86−39187
Petrova, N.G. *see* Asanov, O.M. 88−32779
Petrova, N.G. *see* Beloglovskaya, T.I. 86−33833
Petrova, N.G. *see* Vershinskii, A.E. 88−50571
Petrova, N.N. *see* Makkaveev, V.I. 88−53266
Petrova, O.I. *see* Vorob'ev, V.V. 88−58017
Petrova, O.S. *see* Ivashchenko, A.V. 87−68212
Petrova, R. Mobile ions in very thin silicon dioxide films 85−45464
Petrova, R., Grancharov, S. Mobile ion gettering in MOS structures with polysilicon gate electrodes 86−41833
Petrova, R., Kamburova, R., Vitanov, P. Hot carriers' effects in short channel devices 86−41829
Petrova, R.S., Kamburova, R.S., Nachev, I.S. Carrier mobility determination in short-channel MOS devices 86−21600
Petrova, R.S., Kamburova, R.S., Vitanov, P.K., Stefanov, E.N. Hot electron effects in narrow width MOS devices 88−26310
Petrova, T. *see* Stoyanova, K. 85−12691
Petrova, T.A. *see* Zharova, N.A. 87−68742
Petrova, T.I., Pruglo, N.V., Chuiko, V.G. Interchangeability in the verification of waveguide and coaxial reference microwave wattmeters 87−35177
Petrova, V. *see* Zarev, Z. 87−40404
Petrova, V.K. *see* Drugoveiko, O.P. 87−16709
Petrova, V.Z. *see* Gan'shin, V.A. 86−63679
Petrova, W. *see* Uzunova, T. 86−27949
Petrova-Koch, V. *see* Muller, F. 88−64301
Petrovcic, J., Strmcnik, S. A microcomputer based speed controller for lift drives 88−24240
Petrovcic, J., Strmcnik, S. A microcomputer-based speed controller for lift drives 88−69741
Petrovcic, J. *see* Strmcnik, S. 88−17601
Petrovic, B. A new type of microstrip directional coupler 86−53020
Petrovic, D. Determination of parameters of equivalent scheme of synchronous machines at standstill 87−22280
Petrovic, D., Krzavic, J. The analysis of the accuracy of the method for measuring the quadrature synchronous reactance by means of the negative excitation [synchronous machines] 87−42870
Petrovic, D. *see* Popovic, D. 86−39033

Petrovic, G., Drajic, D. On efficient synchronization of convolutional codes 87−54970
Petrovic, G. *see* Glisic, S. 87−40201, 87−62470
Petrovic, J. *see* Bartl, J. 88−33012
Petrovic, M. Specific tolerance power of electric machine 87−78622
Petrovic, M., Mandic, I. Numerical procedure for determining parameters of electrical machines 88−55286
Petrovic, M. *see* Cuk, N. 87−64341
Petrovic, M. *see* Volckov, I. 87−43047
Petrovic, N. *see* Vulanovic, R. 86−34202
Petrovic, P. Digital technique to transmit speech in mobile radio connections 85−42485
Petrovic, P.M. Digitized speech transmission through VHF FM repeaters 85−63534
Petrovic, P.M. Digitized speech transmission through VHF FM repeaters 86−69688
Petrovic, P.M., Krsmanovic, Z.B., Remenski, N.K. Automatic real-time HF signal classification 88−622
Petrovic, P.M., Krsmanovic, Z.B., Remenski, N.K. Automatic HF signal classification 88−47270
Petrovic, R. 5B6B optical fibre line code bearing auxiliary signals 88−35478
Petrovic, R., Cvijetic, M. Bidirectional digital optical fiber system with transmitters synchronized with receivers 87−76769
Petrovic, R., Misic, S. Comparison of pulse error correction procedures in data transmission 87−69535
Petrovic, R. *see* Kralj, B.L. 88−43030
Petrovic, S., Garche, J., Wiesener, K., Mrha, J., Jindra, J. Oxygen recombination rate on plastic-bonded cadmium electrodes doped with nickel(II) hydroxide 87−30910
Petrovic, V. VHF SSB transmitter employing cartesian feedback 85−57960
Petrovic, V., Brown, A.N. Application of cartesian feedback to HF SSB transmitters 85−31166
Petrovic, V., Kaya, E. Spurious emissions from EER type transmitters 86−38009
Petrovic, V. *see* Brown, A.N. 88−47278
Petrovic, V. *see* Uskokovic, D. 85−33519
Petrovic, Z. *see* Ratkovic, Z. 88−2906
Petrovic, Z.R. *see* Beca, H.O. 86−30615
Petrovic, Z.R. *see* Rasajski, S.B. 88−2589
Petrovich, I.L. *see* Evstropov, V.V. 85−34590
Petrovich, I.P. *see* Boiko, B.B. 85−41426
Petrovich, K.I., Rusek, A. Determination of the effect of slip in linear cylindrical induction motor on resistance and reactance coefficients of two-layer track 88−23973
Petrovich, N.T., Porokhov, O.N. Three-position keying in communication systems 85−63187
Petrovich, N.T., Raskin, V.K. Noise immunity of a multiphase demodulator with an ideal classifier 86−36904
Petrovich, N.T., Raskin, V.K. The protection of pauses in communication systems with phase-shift keyed signals 88−66796
Petrovich, N.T., Voronov, N.D. Data transmission by means of Walsh signals with differential modulation 88−46069
Petrovich, T. *see* Gray, F. 87−11135
Petrovich, T. *see* Pavio, J.S. 85−34284
Petrovich, V.I. Frequency multiplier with pulse feedback for low-frequency digital measuring instruments 87−3544
Petrovich, V.I. Interference vibration speed meter 87−3745
Petrovich, V.I. Vibration measuring apparatus for testing the technical state of thermal power plants 88−37038
Petrovich, V.I., Manokhin, A.E., Zusman, G.V. Checking transducers for mean-square values of compound signals 88−22849
Petrovich, V.I., Zusman, G.V., Nikulin, A.A., Shpankin, V.A. Fixed vibration control apparatus for auxiliary equipment in a thermal power station 87−4541
Petrovich, V.I. *see* Korytko, E.P. 86−5519, 86−11702
Petrovich, V.I. *see* Zusman, G.V. 87−3567
Petrovich, Z. *see* Astrahan, M. 88−4985
Petrovichev, V.A. Automated system for checking the condition on the winding of power transformers in the process of testing them 87−30709
Petrovichev, V.A., Tolkachev, A.IK., Shleifman, I.L. An automated monitoring system for testing mechanical stability of high-voltage breakers 86−51799
Petrovicheva, G.A. *see* Dumarevskii, Yu.D. 85−12669, 85−56373, 86−9632, 86−63696, 87−18765, 88−46148
Petrovici, M. *see* Petrascu, M. 87−8860
Petrovska, B. *see* Lezal, D. 88−39861
Petrovskii, A.A. A real-time microprocessing system handling digital compound signal processing 86−59286
Petrovskii, A.A., Ganushkin, Yu.A. Variable-parameter time window requiring no multiplication 85−30268
Petrovskii, A.A., Ganushkin, Yu.A. Assessing sensitivity of resonance frequency to quantisation of transfer function coefficients of digital resonators 86−47051
Petrovskii, A.A., Klyns, V.B. Digital device generating sine functions with variable frequency 85−17207
Petrovskii, A.A., Samoilov, E.B., Kachinskii, M.V., Tsyrul'nikov, A.N. A programmable communication channel containing a control object 88−60551
Petrovskii, A.A., Tsyrul'nikov, A.N. Dual FFT-processor for digital processing of vector signals in real time 87−47698
Petrovskii, A.N. *see* Mavritskii, O.B. 86−53973, 88−20604
Petrovskii, B.S. *see* Sorokin, G.M. 88−38307
Petrovskii, Ch.K. *see* Bernotas, K.E. 87−41468
Petrovskii, G.T., Red'ko, V.P., Khomchenko, A.V. Homogeneous thin-film waveguides from optical glass 85−46187
Petrovskii, G.T. *see* Andryunas, K. 86−42641
Petrovskii, G.T. *see* Babukova, M.V. 85−50937, 86−29114, 86−42206, 88−1976
Petrovskii, G.T. *see* Borodin, V.G. 87−68587
Petrovskii, G.T. *see* Glebov, L.B. 85−2394, 85−12540, 86−68218, 87−1958, 87−25999, 88−20418
Petrovskii, G.T. *see* Landa, K.A. 86−15457, 87−7101
Petrovskii, G.T. *see* Nesterova, Z.V. 85−12978, 86−9461
Petrovskii, G.T. *see* Solov'ev, V.V. 87−68112
Petrovskii, G.T. *see* Voitenkov, A.I. 85−7271
Petrovskii, V.I. *see* Grigor'ev, V.K. 85−48093
Petrovskii, V.I. *see* Kiseleva, E.V. 86−21133
Petrovskii, V.I. *see* Vorontsova, E.I. 86−35528
Petrovskii, V.I. *see* Zotov, L.V. 85−12246, 87−37976
Petrovskii, V.N., Rurukin, A.N., Shananin, R.A. Device for measuring the frequency characteristics of photoelectric transducers for the infrared range 86−17979
Petrovskii, V.N., Rurukin, A.N., Shananin, R.A. Metrological characteristics of a two-mode CO_2 laser 87−54225
Petrovskii, V.N. *see* Anishchenko, M.L. 88−65571
Petrovskii, V.N. *see* Bakaev, D.S. 87−33100, 88−65569
Petrovskii, V.N. *see* Ermachenko, V.M. 85−56516, 87−61089
Petrovskii, V.N. *see* Vas'kov, V.A. 88−53814
Petrovskii, V.P. *see* Chemeris, V.T. 85−65378, 86−66163
Petrovskii, V.P. *see* Vas'kovskii, Yu.N. 87−22934
Petrovskii, V.Ya., Kirilenko, V.M., Gnesin, G.G., Kas'yanenko, A.A. A method of determination of the dielectric characteristics of very fine silicon nitride powders 86−18078
Petrovskii, Ya. *see* Bykovskii, N.E. 88−58515
Petrovskii, Yu.V. *see* Fisher, L.M. 88−51377
Petrovskiy, A.A., Ganushkin, Yu.A. The signal-quantizing noise variance in second-order digital recursive filters 87−45101
Petrovskiy, A.A., Ganushkin, Yu.A. Synthesis of band-pass digital filters having a specified Q-factor 87−52749
Petrovskiy, V.N. *see* Basov, N.G. 86−3090
Petrovsky, I. *see* Havelka, Z. 85−65142
Petrovykh, L.P. *see* Gritsaenko, I.A. 86−60614
Petrovykh, Yu.L. *see* Gritsaenko, I.A. 86−60614
Petrozolin, C. *see* Nash, J.G. 86−15238
Petru, C. New kinds of power-factor compensation devices 85−5344
Petru, C. Power semiconductor switches 85−17923
Petru, C. Compensating system PLYCOS+SYNCOS 85−21081
Petru, C. *see* Chura, V. 88−57984
Petru, F. Emergency power supply inverter 88−30792
Petru, F., Popela, B., Stejskal, A., Krsek, J. Laser interferometer measurement systems for machine tool industry and microelectronics 85−58887
Petru, F., Popela, B., Stejskal, A., Krsek, J., Vesela, Z., Jakl, M. Laser interference measuring system for electronics 85−52871
Petru, F., Popela, B., Stejskal, A., Krsek, J., Vesela, Z., Jakl, M. Laser interferometer measurement systems for machine tool industry and microelectronics 87−54458
Petru, F., Vesela, Z. The principle of detecting interference signals from laser interferometers 85−7561
Petru, F. *see* Valsa, J. 88−57610
Petrucci, F. *see* Bardin, G. 87−77536
Petrucci, F. *see* Biagini, M.E. 86−24989
Petrucci, F. *see* Bizzarri, U. 85−59064
Petrucci, F. *see* Calabrese, R. 88−22872
Petrucci, G. *see* Coc, A. 85−64509
Petrucci, M., Pitt, C.W. Reflection high-energy electron diffraction from lithium niobate single-crystal surfaces for application in molecular beam epitaxy 86−53999
Petrukha, V.M. Updating of an automatic reconnection-standby connection unit for 6 to 10 kV buses 86−39980
Petrukhin, A.A. *see* Alalykin, V.G. 86−1652
Petrukhin, E.A. *see* Klementov, A.D. 87−46773
Petrukhin, G.D., Fanasov, O.V. Photodetector with stabilizer anode stability 86−11604
Petrukhin, G.D., Shiyanov, N.V. Phase adjustment characteristics of photoreceivers 87−24724
Petrukhin, S.V. *see* Iskhakov, K.F. 87−44509
Petrukhin, V.A. *see* Shevchuk, B.M. 87−41919
Petrukhina, V.I. *see* Permitin, G.V. 86−63954
Petrukhina, V.V. *see* Meleshkin, V.N. 87−5944
Petrukhov, V.O., Tochitskii, S.Ya., Churakov, V.V. Possibility of effective lasing at the $02^0 1(10^0 1) \rightarrow 01^1 1$ transitions of the CO_2 molecule 88−51755
Petrunin, A.A. *see* Beer, W. 85−64518
Petrunin, A.F., Zaitsev, V.V. A stepping drive for NC bevel gear-cutting machines 86−19319
Petrunin, V.V. *see* Anan'ev, V.Yu. 86−29051
Petrun'kin, E.Z. *see* Novikov, G.M. 85−50852
Petrun'kin, V.Yu., Kotov, O.I., Filippov, V.N. Modal noise suppression in multimode optical fibers 85−24317
Petrun'kin, V.Yu., Kotov, O.I., Filippov, V.N. Frequency mixing in multimode fiber-optic modulators 85−24318
Petrun'kin, V.Yu., Nikolaev, V.M., Zhakhov, V.V., Kotov, O.I., Filippov, V.N. Theoretical and experimental study of modal noise in optical fibers 86−36217
Petrun'kin, V.Yu., Vodavatov, I.A. Multifrequency diffraction of light by ultrasound 86−2884
Petrun'kin, V.Yu., Vodovatov, I.A., Lipovskii, A.A. Acousticooptical interaction of surface waves in waveguide structures 86−2885
Petrun'kin, V.Yu. *see* Aksenov, E.T. 88−33801
Petrunkin, V.Yu. *see* Andreyev, P.A. 86−29198
Petrun'kin, V.Yu. *see* Belokurova, O.I. 88−33799
Petrun'kin, V.Yu. *see* Daribazaron, E.Ch. 86−15502, 87−3577
Petrunkin, V.Yu. *see* Gusev, A.A. 85−46365
Petrun'kin, V.Yu. *see* Gutsaki, V.N. 88−20835
Petrun'kin, V.Yu. *see* Kravtsov, N.V. 88−45379
Petrun'kin, V.Yu. *see* Kruzhalov, S.V. 85−46371, 86−15675, 86−54182
Petrun'kin, V.Yu. *see* Kukharev, A.V. 86−48209
Petrun'kin, V.Yu. *see* Vodovatov, I.A. 87−20906
Petrus, A.A. *see* Deryugin, L.N. 85−14282
Petrus, O., Kuhn, S., Dinescu, G. Simulation of ultrafast switching of infrared radiation by laser-produced semiconductor plasma 87−7416
Petrusch, W. *see* Cortina, R. 86−50977
Petruschka, O., Torng, H.C. An innovative compiler for programming and designing real-time signal processors 87−49635
Petrusenko, I.V., Dmitryuk, S.G. Method of solving the generalized problem of waveguide branching 88−8555
Petrusenko, I.V. *see* Lozyanoy, V.I. 85−35995
Petrusevics, P. *see* Wegener, M. 87−75635
Petrusha, Yu.S. The effect of the use of inductive energy stores in power systems 88−48444
Petrushchenkov, V.A., Filippov, Yu.A. Heat removal by radiation in split thin-wall components of current-carrying systems 88−38773
Petrushechkina, L.M. *see* Kurennyi, E.G. 87−30012
Petrushechkina, L.M. *see* Makarov, M.I. 85−10378
Petrushechkina, L.M. *see* Sovpel, V.B. 86−51601
Petrushenko, E.I. *see* Pashko, A.I. 85−9969, 85−44062
Petrushenya, A.V. *see* Efremenko, D.A. 88−12260
Petrushevich, Yu.V. *see* Baranov, V.Yu. 85−2417, 87−46759
Petrushin, A.D. *see* Khashimov, A.A. 85−65248, 86−40199, 87−22812
Petrushko, I.V. *see* Odinokov, S.B. 88−59193
Petrushko, Yu.I. *see* Vlakhova, R.T. 87−47166
Petruzelka, L. *see* Prokes, K. 88−74899
Petruzzello, J., Greenberg, B.L., Cammack, D.A., Dalby, R. Structural properties of the ZnSe/GaAs system grown by molecular-beam epitaxy 88−43873
Petruzzello, J., McGee, T.F., Frommer, M.H., Rumennik, V., Walters, P.A., Chou, C.J. Transmission electron microscopy and Auger electron spectroscopy of silicon-on-insulator structures prepared by high-dose implantation of nitrogen 86−21365
Petruzzello, J., Olego, D.J., Chu, X., Faurie, J.P. Transmission electron microscopy of (001) ZnTe on (001) GaAs grown by molecular-beam epitaxy 88−49806
Petruzzello, J. *see* Baumgart, H. 85−50332
Petruzziello, M. *see* Mason, C.P. 88−48202
Petruzzielo, F. *see* Manoussakis, E. 87−50507
Petry, E. Practical technique for the reduction of output ripple voltage in switching regulators and converters 85−33664
Petry, H. *see* Koepsch, G. 88−55518
Petry, H. *see* Kroepsch, D. 87−43291
Petry, H.P. Methods and results of the antenna and operating tests of the qualification and flight models of the German communications satellite DFS Kopernikus 87−54675
Petryaev, E.I. *see* Avramenko, A.V. 87−64113
Petryaev, E.I. *see* Varvarskii, V.S. 86−32657
Petryaev, E.P. *see* Brusentseva, S.A. 87−42265
Petryakov, S.V., Kachal'nikov, Yu.V. Monolithic quartz filters for clock-frequency detection in digital communication systems 86−34948
Petryakov, V.M. *see* Apanasevich, P.A. 85−18907

Petryakov, V.N. *see* Babin, A.A. 86−15767
Petryk, E. Harness ASIC speed, density with a multichip package 88−7226
Petrzhak, K.A. *see* Alkhazov, I.D. 87−50175
Petrzilka, M. *see* Schadt, M. 86−2656
Petsch, J. Collection of data from patients by means of light conductor cable 85−25867
Petsch, J. A CPU-board with the iAPX 286 need not be expensive 86−8275
Petschacher, R. SDA 8010—an ultrafast 8-bit A/D converter with 100 MHz clock rate 87−808
Petschacher, R., Zojer, B., Luschnig, W. New methods improving static and dynamic performance of an 8-bit/120-MHz A/D converter 86−34909
Petschacher, R. *see* Lechner, A. 88−38449
Petschacher, R. *see* Zojer, B. 85−61338, 86−41179, 86−62645
Petsche, T., Dickinson, B.W. A trellis-structured neural network 88−34581
Petschenig, O. Parallel operation with the transputer 88−25240
Petschke, U. *see* Beyer, E. 86−54234
Petsis, W. *see* Sayers, P. 88−50548
Petskus, A.M. *see* Bumyalis, A.-V.I. 86−68607
Pett, J.G., Beuret, A. Dynamic behaviour of the LEP power converters 88−54040
Pett, J.G. *see* Isch, H.W. 88−55484
Pett, J.G. *see* Proudlock, P. 88−55491
Pettenati, G. *see* Casarico, A. 87−46338
Pettenello, V. *see* Bucciarelli, T. 87−76838, 88−3950
Pettengill, R.C., Jr. *see* Yun, D.Y.Y. 85−39884
Pettenpaul, E. Computer assisted design of analogue GaAs monolithic microwave integrated circuits (MMIC) 87−45260
Pettenpaul, E. State-of-the-art of MMIC technology and design in West Germany 87−73767
Pettenpaul, E., Heidenreich, W., Huber, J., Flossmann, W. A high-temperature sensor on monolithic GaAs Hall IC 86−38372
Pettenpaul, E., Ponse, F., Berger, O., Kapusta, H. Device-physics model and equivalent circuit model for GaAs MESFETs 88−7631
Petter, J., Marriner, J., McCarthy, J. Transverse beam dampers for the FNAL antiproton rings 88−54182
Petter, J. *see* Castellano, T. 86−32032
Petternella, M., Vitelli, R. Harmonic analysis of time-limited signals 85−36270
Petters, J. Discovering 28 MHz [radiocommunication] 86−17229
Pettersen, B. *see* Forli, O. 86−13855
Pettersen, H. Network optimization [telecommunications] 87−33948
Pettersen, M. Broadcast applications for voice-activated microphones 86−30938
Pettersen, O.K.O. *see* Berge, T. 88−37252
Pettersen, T. Diversity of aerials and combination techniques for car radio systems 87−7596
Petterson, B.J. *see* Bower, W.I. 86−6654
Petterson, M. Automated troubleshooting of digital surface-mounted boards 87−59978
Petterson, M. *see* Clodfelter, J. 87−60000, 87−66678
Petterson, O., Tew, A.J. Components for submerged repeaters and their qualification 86−69749
Petterson, R.L. Introduction to telecommunication cables 86−30535
Petterson, R.L. Introduction to power cables 86−32762
Petterssen, G. *see* Mesa, J.P. 88−41466
Pettersson, A. Computer program gives cheaper electrical power transmission network 87−21849
Pettersson, A. Tuned filter stops harmonics 87−22516
Pettersson, A.R., Nuder, J., Hjalmarsson, G. A new HVDC cable to the island of Gotland 86−12450
Pettersson, B. Calibration of seven-hole probes within Mach number range 0.50-1.30 in FFA high speed wind tunnel facility 87−71221
Pettersson, G. *see* Messa, J.-P. 87−62620
Pettersson, H. *see* Engstrom, O. 86−63107
Pettersson, J. *see* Jonsson, G. 87−2749
Pettersson, K. *see* Alvinsson, R. 86−51858
Pettersson, K. *see* Sabath, J. 87−30872
Pettersson, K. *see* Scherer, H.N. 86−50889
Pettersson, K.G., Todell, L.G. Influence of earthquakes and other loads on the layout of gas-insulated substations 85−27560
Pettersson, L. *see* Lampe, W. 86−51703
Pettersson, L.E. *see* Derneryd, A.G. 88−34468
Pettersson, L.O. Computer replacement project: background and general concept 86−70798
Pettersson, R. Electronic publishing and its consequences 86−43436
Pettersson, T. *see* Allen, D. 88−54188
Pettersson, T. *see* Chanel, M. 86−60416
Pettet, M.R., Sitaramachandrarao, R. Three-term relations for Hardy sums 87−36597
Petti, C.J., Plummer, J.D. The field assisted turn-off thyristor: a regenerative device with voltage controlled turn-off 88−39430
Petti, D.A., Adams, J.P., Anderson, J.L., Hobbins, R.R. Analysis of fission product release behavior during the TMI-2 accident 88−75404
Petti, R.J. *see* Davenport, J.M. 86−40269
Pettibone, D.W., Suarez, J.R., Gat, A. The effect of thin dielectric films on the accuracy of pyrometric temperature measurement 87−14604
Pettigrew, M.J. *see* Frisina, V.C. 88−75388
Pettigrew, M.J. *see* Kupca, S. 88−10996
Pettigrew, N.R., Beardsley, R.C., Irish, J.D. Field evaluations of a bottom-mounted acoustic Doppler profiler and conventional current meter moorings 87−9021
Pettigrew, N.R., Irish, J.D. An evaluation of a bottom-mounted Doppler acoustic profiling current meter 85−4459
Pettigrew, N.R., Wood, J.D., Pape, E.H., Needell, G.J., Irish, J.D. Acoustic Doppler current profiling from moored subsurface floats 88−48346
Pettigrew, R.M. *see* Gardner, K. 86−42215
Pettigrew, T. Data capture on the rebound 87−8168
Pettijohn, C.L. Achieving quality in the development process 87−23369
Pettinga, J.A.J. The use of MV installations with SF_6 in circuit breakers and busbars 88−43244
Pettinga, J.A.J. Full-scale high-current model tests on busbar constructions for GIS 88−55565
Pettinger, M. Reception from communications and broadcast satellites 86−4791
Pettinger, M. Reception potential from communication and broadcast satellites. I 86−11015
Pettinger, M. *see* Lange, W.R. 85−63619
Pettipher, R. *see* Newstead, M.A. 87−1066
Pettissalo, S. *see* Bollstrom, T. 88−17804
Pettit, D. New EMS expands SCADA capability 86−18735
Pettit, G.D. *see* Brillson, L.J. 87−1294
Pettit, G.D. *see* Kirchner, P.D. 85−34976, 85−55551
Pettit, G.D. *see* Kleinsasser, A.W. 85−55515, 86−2114, 87−25882, 87−67855
Pettit, G.D. *see* Offsey, S.D. 86−35569
Pettit, G.D. *see* Rogers, D.L. 88−42100
Pettit, G.D. *see* Rosenberg, J.J. 86−21548
Pettit, G.D. *see* Rossi, D.V. 88−13006
Pettit, G.D. *see* Warren, A.C. 88−13194
Pettit, G.D. *see* Woodall, J.M. 87−6446
Pettit, G.S., Grebenkemper, C.J. Calibration of a semi-anechoic chamber for FCC open field site radiated emissions measurements 86−31117
Pettit, R., Wagner, P., Shaw, K. Synchronous AC motors for process control over wide speed ranges 88−62332
Pettit, R.B., Brinker, C.J. Use of sol-gel thin films in solar energy applications 87−18795
Pettit, R.B., Brinker, C.J., Ashley, C.S. Sol-gel double-layer antireflection coatings for silicon solar cells 86−26306
Pettit, R.G. *see* Seager, C.H. 87−66889
Pettiti, V. *see* Cordara, F. 85−42827, 86−60362
Pettiti, V. *see* Kirchner, D. 85−58906, 86−24797
Pettitt, M.J., Davis, A.W., Wright, S., King, J.P. Coherent transmission experiments using a wideband homodyne phase diversity receiver 87−49073
Pettitt, M.J., Remedios, D., Davis, A.W. Distributed feedback lasers for coherent communication systems 88−20666
Pettitt, M.J., Remedios, D., Davis, A.W., Hadjifotiou, A., Wright, S. A coherent transmission system using DFB lasers and phase diversity reception 87−40975
Pettitt, M.J., Remediss, D., Davis, A.W., Hadjifotiou, A., Wright, S. Optical FSK transmission system using a phase-diversity receiver 87−76757
Pettitt, M.J., Remedios, D., Davis, A.W., Hadjifotiou, A., Wright, S. Broad linewidth DFB lasers n a coherent transmission system employing phase diversity reception 88−47138
Pettitt, M.J. *see* Davis, A.W. 86−23850, 87−56164, 88−47139
Pettorino, M. A model of syllabic organization: a spectrographic study on coarticulation in English 86−48890
Petts, C.R., Laycock, L.C., McCall, M.W. A real-time optical image processing system 85−14691
Petts, C.R. *see* Cooper, I.R. 86−29973, 87−62229
Petts, C.R. *see* Gibbons, G.G. 88−20802
Petts, C.R. *see* McCall, M.W. 85−29918
Petts, C.R. *see* Nicholson, M.G. 87−13060, 87−62177, 88−41055
Pettus, R.O. Why we decided not to go the personal computer route [engineering educational computing] 85−33050
Petty, C.C., Smith, D.K., Smatlak, D.L., Goodman, D.L. Studies of high charge-state ions in the Constance B quadrupole mirror 88−74708
Petty, E. *see* McQuade, E. 85−60677
Petty, E.R. Materials curriculum development 87−58574
Petty, H.C. *see* Watson, W. 86−51859
Petty, J.S. How to pick your modem: doing it right means not going by the book 85−25604
Petty, K. Ampacity of wrapped cables 88−55001
Petty, M.C. Conduction mechanisms in Pd/SiO_2/*n*-Si Schottky diode hydrogen detectors 86−31407
Petty, M.C., Batey, P.J., Roberts, G.G. A comparison of the photovoltaic and electroluminescent effects in GaP/Langmuir-Blodgett film diodes 85−46269
Petty, M.C. *see* Ahmad, M.M. 87−61229
Petty, M.C. *see* Christie, P. 86−70144
Petty, M.C. *see* Evans, N.J. 86−60237
Petty, M.C. *see* Fowler, M.T. 86−48290
Petty, M.C. *see* Hua, Y.L. 87−41573, 87−53286
Petty, M.C. *see* Neal, D.B. 86−42625, 87−46988, 87−61230
Petty, M.C. *see* Roberts, G.G. 86−58435
Petty, M.C. *see* Thomas, N.J. 85−1591, 87−24972
Petty, M.C. *see* Yulin Hua 88−39362
Petty, M.S. Image analysis for product inspection at low cost and high speed 85−44536
Petty, R.J. *see* Heggie, J.C.P. 85−64549, 86−32246
Petty, R.L. *see* Matthews, R.B. 88−36620
Petty, S.M. *see* Bautista, J.J. 85−56263
Petty, V.G., Janik, J. Application of traction motors in the cement industry 87−65013
Petty-Weeks, S., Polak, A.J. Differential scanning of calorimetry and complex admittance analysis of PVA/H_3PO_4 proton conducting polymer blends 87−70852
Petuchowski, S.J. *see* Julien, F. 85−51271
Petukh, A.M., Obodnik, D.T., Romanyuk, A.N. Algorithm for coded linear interpolation 88−43816
Petukh, A.M., Romanyuk, A.N., Obadnik, D.T. Converting irregularity characteristics into continued fraction parameters 87−44194
Petukhov, A.G. *see* Barikhin, B.A. 86−29087, 87−68408, 88−20701
Petukhov, A.P. Heterogeneity of the composition of layers of solid solutions of lead-tin chalcogenides obtained by liquid-phase epitaxy 85−22479
Petukhov, A.P. Thermographic study of aging in a zinc oxide ceramic 86−35320
Petukhov, A.P., Teslenko, S.P., Rumyantseva, I.A., Fedotova, O.I. Study of zinc oxide ceramics 87−1569
Petukhov, A.P. *see* Leikina, B.B. 87−45306
Petukhov, A.V. *see* Aktsipetrov, O.A. 87−70800
Petukhov, G.B., Shumilov, K.A., Yakunin, V.I. Mathematical model of measurement process in problems involving evaluation of measurement quality 88−35761
Petukhov, I.S. Assessment of the precision of a numerical calculation of the characteristics of a variable electromagnetic field in the presence of a surface effect 87−39289
Petukhov, I.S. *see* Chemeris, V.T. 88−17527
Petukhov, I.S. *see* Podoltsev, A.D. 85−60158
Petukhov, I.S. *see* Vas'kovskii, Yu.N. 86−6733
Petukhov, P.A., Zakharov, I.S. Photocurrent kinetics in bismuth germanosillenite metal-semiconductor-metal structures illuminated by short-wave light 87−11491
Petukhov, V.A. *see* Goncharov, V.A. 87−29030
Petukhov, V.A. *see* Krymova, A.I. 86−36436, 86−68480
Petukhov, V.A. *see* Markin, A.S. 86−54120
Petukhov, V.I., Baranik, Yu.S., Shablygin, S.V. Power-line resonance-type secondary power-supply sources without transformers 87−65826
Petukhov, V.I., Tufanov, A.N., Kuznetsov, A.M. Analysing pulsed SESSs using logical functions [secondary electrical-supply sources] 87−64702
Petukhov, V.M., Pruglov, F.G. Linear and angular velocity measurement for effector units 85−48105
Petukhov, V.O., Churakov, V.V. Investigation of the influence of small amounts of tri-*n*-propylamine on the output characteristics of a TEA CO_2 laser 85−12809
Petukhov, V.O., Pivovarchik, V.F., Solodukhin, A.S., Tochitskii, S.Ya., Trushin, S.A., Churakov, V.V. Stabilized continuous CO_2 laser that is tunable over lines of five bands 88−51747
Petukhov, V.O., Sazhina, N.N., Seregin, A.M., Solodukhin, A.S., Starovoitov, V.S., Trushin, S.A., Cheburkin, N.V., Churakov, V.V. Investigation of the properties of the active medium of a CO_2 laser containing isotopically substituted carbon dioxide and nitrogen molecules 87−26300
Petukhov, V.O., Sazhina, N.N., Starovoitov, V.S., Trushin, S.A., Cherburkin, N.V., Chekin, S.K., Churakov, V.V. Investigation of the gain and emission spectrum of a TE laser utilizing a mixture of isotopically substituted carbon dioxide molecules 85−56509
Petukhov, V.O., Tochitskii, S.Ya., Churakov, V.V. Efficient simultaneous stimulated emission of two lines in different sequence bands in a TEA CO_2 laser 87−74981
Petukhov, V.O., Trushin, S.A., Churakov, V.V. Investigation of the gain and output parameters of a TEA CO_2 laser emitting in the 11-μ region ($01^{1}1$-$11^{1}0$ band) 87−2074
Petukhov, V.O. *see* Bertel', I.M. 88−33959
Petukhov, V.O. *see* Churakov, V.V. 87−54218, 88−65567

Petukhov, V.Yu., Khaibullin, I.B., Zaripov, M.M., Groetzschel, R., Voelskow, M., Klabes, R. Investigation of silicides obtained by Fe^+ implantation into silicon 87−1397
Petukhov, Yu.I. *see* Tsekh, A.R. 87−9302
Petukhova, S.A. *see* Ivakhnenko, A.G. 87−47882
Petunin, Yu.I., Shul'deshov, G.A. Calculating the perimeter of a plane figure from its discretized image 87−19862
Petushko, I.V. Design of ultrasound process units 87−77906
Petushko, I.V., Korichev, A.A., Klyachko, V.M. Ways of automatically regulating the output parameters of generators for ultrasound technical processes 87−9049
Petushkov, A.A., Musyankov, S.I., Shchebiot, U.V., Kaminskii, V.P. One-dimensional array based on Si(Li) detectors for scanning X-ray introscopes 88−36364
Petushkov, A.A. *see* Gusev, E.A. 85−10861, 85−49626
Petushkov, A.A. *see* Veselovskii, L.N. 85−17025
Petyashin, N.B. *see* Goncharov, I.A. 87−44616
Petz, E. Reactor control, reactor dynamics 85−32310
Petz, E. Control of nuclear power plant units 85−53396
Petz, E. Establishment of optimum control system [power plants] 87−50910
Petz, J. Switching matrices. The central nervous system of the automatic test station 88−41960
Petzel, H.-K. Important aspects of the overall design of Volklingen model power plant−method of operation and layout of the unit 85−4864
Petzel, H.-K. Operational experience with the Volklingen Model Power Station 85−27292
Petzel, H.-K., Bruckner, H., Stadie, L., Breucker, H. Operational experience with the Benson boiler using multistage firing systems for burning low-grade coal at Volklingen model power plant 88−43056
Petzold, F., Kullig, P. To the influence of additions on the long-time electric behaviour of polyethylene insulations 85−53329
Petzold, F., Schwarz, J., Eberhardt, M. Influence of the diffusion of SF_6 on the channel application time of polyethylene and epoxy resin model insulations 85−50804
Petzold, F. *see* Eberhardt, M. 86−47917
Petzold, F. *see* Mosch, W. 85−18496, 85−23998
Petzold, H.-C., Putzar, R., Weigmann, U., Wilke, I. Repair of clear X-ray mask defects by laser-induced metal deposition 88−19869
Petzold, H.-C. *see* Kuhne, M. 86−25159
Petzold, I. *see* Kullig, P. 85−4635
Petzold, J. *see* Freund, E. 85−19420
Petzold, K., Schwarz, J. Disruptive behaviour of SF insulation with lattice distortions at the electrodes during loading with oscillating pulse voltages 85−12443
Petzold, K. *see* Hauschild, W. 85−27576, 85−65372
Petzold, L. Numerical solution of differential/algebraic systems by implicit Runge-Kutta methods 86−368
Petzold, L., Lotstedt, P. Numerical solution of nonlinear differential equations with algebraic constraints. II. Practical implications 86−62183
Petzold, L. *see* Lotstedt, P. 86−52406
Petzold, L.R. Observations on an adaptive moving grid method for one-dimensional systems of partial differential equations 87−73016
Petzold, L.R. Recent developments in the numerical solution of differential/algebraic systems 88−43843
Petzold, R. *see* Handschag, G. 88−36888
Petzoldt, H. Suitable for SMDs: Visula [surface mounted device CAD system] 86−41410
Peubez, P. *see* Jaffard, J. 87−10907
Peuch, B. *see* Guidoux, L. 85−14003, 85−14010
Peugnet, C. *see* Camarcat, N. 85−4173
Peuker, G. *see* Seipel, H. 85−54080
Peuker, R. *see* Buhn, U. 85−52647
Peukert, M. *see* Fercher, A.F. 87−29741
Peura, R.A. Cardiac assist devices 86−65457
Peura, R.A., Mendelson, Y. Blood glucose sensors: an overview 85−38026
Peura, R.A. *see* Clermont, A. 88−54531
Peura, R.A. *see* Dino, W.C. 87−4023
Peura, R.A. *see* Lin, B. 88−54530
Peura, R.A. *see* Vassallo, V.R. 88−10397
Peura, R.A. *see* Walsh, E.G. 88−10395
Peurian, P.Le *see* Le Peurian, P.
Peuron, A. *see* Purcell, J. 86−25061
Peursem, R.S.Van *see* Van Peursem, R.S.
Peuscher, H.J.F., Beem, D.J.L. Yield analysis and improvement of CCD devices 86−41963
Peuscher, J.H.J. *see* Bergveld, P. 86−60782
Peuto, A., Sacconi, A., Panciera, R., Pasin, W., Rasetti, W. Precision measurements on solid artifacts for a redetermination of the density of water 85−64310
Peuto, A. *see* Balhorn, R. 86−50233
Peuto, A. *see* Seyfried, P. 87−14063
Peuto, A.M. *see* Seyfried, P. 88−15896
Peuziat, C. *see* Lampert, M.O. 85−15167
Peuzin, J.C. Comment on 'Domain inversion effects in Ti-$LiNbO_3$ integrated optical devices' 86−48204
Pevar, M. Spacecraft slip ring brush spring contact materials 85−11695
Pevchev, B.G. Influence of low-amplitude alternating on unipolar corona discharge 87−32755
Pevchev, B.G. Breakdown of a gap with corona under an impulse action 88−33426
Pevchev, B.G. *see* Bogdanova, N.B. 88−75863
Pevchev, B.G. *see* Lyapin, A.G. 87−6947
Peverett, T. Getting the facts on PC-based fax 88−46510
Peverett, T. When power is down . . . UPS helps make sure you're not out 88−69485
Pevnev, A.A. *see* Garbuzov, I.P. 87−4498
Pevsner, B.M. *see* Gofizen, O.V. 88−9727, 88−22259
Pevtschin, V., Ezekiel, S. Investigation of absolute stability of water-vapor-stabilized semiconductor laser 87−39046
Pevtsov, N.V. An estimate of the effect of subscriber behavior on the load of a long-distance telephone network 85−8236
Pevtsov, N.V. *see* Iokhvin, B.M. 85−8266
Pevtsov, V.F. *see* Bogdankevich, O.V. 86−22357 to 22358, 87−75030, 87−75056
Pevzner, A.G. *see* Zhuravin, L.G. 85−14565, 86−10718, 88−8754
Pevzner, B.N. *see* Chistyakov, V.A. 86−32519
Pevzner, E.M., Golev, S.P., Boev, V.S., Yaure, A.G. Switch-pulse regulation of electric drives for crane moving mechanisms 88−11422
Pevzner, E.M., Yaure, A.G. Design of crane electric drives with allowance for mechanism reduced flywheel masses 85−44228
Pevzner, L.D., Kolodezev, S.V. Dynamic monitoring of the main mechanism electric drive control system in a stepper-type excavator 85−10181
Pevzner, V.M. *see* Gofaizen, O.V. 86−43962
Pewcq, W. Increasing the resistance to short circuiting of licenced autotransformers RTdxP 125000/200 during an overhaul 88−75688
Pexa, G. *see* Hornung, F. 85−63848
Pexton, A.F. Improved characteristics of Scottish AGRs 85−53463
Peyerl, P. *see* Schroter, E. 87−3537
Peyeva, R.A. *see* Panajotov, K. 88−65830
Peyeva, R.A. *see* Zartov, G.D. 85−46213, 85−50995, 85−56755, 86−9620, 86−9961, 86−22188, 86−28894, 87−12244, 87−26506, 87−26530
Peyghambarian, N. Recent advances in optical bistability 87−39209
Peyghambarian, N. Materials for fast switching and logic devices 88−58307
Peyghambarian, N., Gibbs, H.M. Optical bistability for optical signal processing and computing 85−35877
Peyghambarian, N., Gibbs, H.M. Optical nonlinearity, bistability, and signal processing in semiconductors 85−56794
Peyghambarian, N., Gibbs, H.M. Bistable optical devices and logic gates 87−26511
Peyghambarian, N., Gibbs, H.M., Hulin, D., Antonetti, A., Migus, A., Mysyrowicz, A. Overview of optical switching and bistability 87−26548
Peyghambarian, N., Gibbs, H.M., Jewell, J.L., Migus, A., Antonetti, A., Hulin, D., Mysyrowicz, A. A study of exciton and carrier dynamics and a demonstration of one-picosecond optical NOR gate operation of a GaAs-AlGaAs device 87−26542
Peyghambarian, N. *see* Derstine, M.W. 88−65868
Peyghambarian, N. *see* Gibbs, H.M. 85−41481, 87−46585, 87−54418, 87−75254, 88−8292
Peyghambarian, N. *see* Hulin, D. 87−7434, 88−8015
Peyghambarian, N. *see* Jewell, J.L. 85−46486, 85−51242
Peyghambarian, N. *see* Jin, R. 87−33311, 88−51635
Peyghambarian, N. *see* Koch, S.W. 88−27294
Peyghambarian, N. *see* Lee, Y.H. 86−42621, 88−8013
Peyghambarian, N. *see* Migus, A. 85−24641, 87−33306
Peyghambarian, N. *see* Morgan, R.A. 88−27125
Peyghambarian, N. *see* Mysyrowicz, A. 87−45673
Peyghambarian, N. *see* Ojima, M. 86−68615
Peyghambarian, N. *see* Olbright, G.R. 85−18767
Peyghambarian, N. *see* Ovadia, S. 86−2652
Peyghambarian, N. *see* Park, S.H. 88−65869
Peyghambarian, N. *see* Potts, J.E. 88−65865
Peyghambarian, N. *see* Sarid, D. 86−22487
Peyghambarian, N. *see* Tai, K. 85−46475
Peyghambarian, N. *see* Tsao, M.T. 87−39220
Peyghambarian, N. *see* Venkatesan, T. 86−36558
Peyghambarian, N. *see* Wang, L. 88−33816
Peyghambarian, N. *see* Warren, M. 87−33305
Peyghambarian, N. *see* Gibbs, H.M. *(editor)* 87−31134
Peykov, P.H. Process and device modelling by CAPROSS II 87−24951
Peykov, P.H., Lazarov, R.D. Modeling and investigation by stimulation of semiconductor pressure sensors 88−47467
Peyrade, M. Network planning and graphic informatics 87−62437
Peyrade, M. Computer-aided telecommunications network planning 87−62446
Peyre, J. *see* Beaujeu, G. 85−190
Peyrelavigne, A. *see* Mansour-Bahloul, F. 87−67109
Peyrelongue, J.-P. *see* Dupraz, R. 87−64311
Peyret, R. *see* Guillard, H. 88−24677
Peyrichou, F. *see* Fournie, R. 88−5743
Peyriere, C., Lisse, J.-P., Martinod, Y. Functional and overall characteristics of batteries for electric propulsion 85−65517
Peyriere, C. *see* Lisse, J.-P. 85−65518
Peyriere, C. *see* Martinod, Y. 85−65570
Peyrin, F., Goutte, R., Courteille, F. Vectorization of the computation of the discrete Wigner distribution on Cyber 205 87−13035
Peyrin, F., Prost, R. A unified definition for the discrete-time, discrete-frequency, and discrete-time/frequency Wigner distributions 87−7722
Peyrin, F., Vray, D., Gimenez, G., Person, R. Application of the Wigner Ville transform to fish echo-sounder signals 86−30064
Peyrin, F., Yue Min Zhu, Goutte, R. Extension of the notion of analytic signal for multidimensional signals. Application to images 87−48020
Peyrin, F. *see* Ekoule, A. 87−50290
Peyrin, F. *see* Yue Min Zhu 87−55056, 88−21230
Peyrin, F.C. *see* Magnin, I.E. 85−51752
Peyroche, P. *see* Denis, M. 86−45827
Peyronneau, J., Madon, M., Poirier, J.P. Indirect pressure measurements in diamond cell up to 1 megabar 85−31625
Peyronnet, P. *see* Havlik, P. 87−42014
Peyrot, A.H. Microcomputer-based nonlinear structural analysis of transmission line systems 86−18819
Peyrucat, J.-F. Electronic CAD-test linking: fiction is becoming reality 85−6114
Peyrucat, J.-F. Analysis of microwave signals: the end of laborious adjustments? 85−31418
Peyrucat, J.-F. Motor oils: automated slow-running tests 85−37426
Peyrucat, J.-F. Maintenance: a problem to be solved for each case on its merits 85−54927
Peyrucat, J.-F. MAP: operational but still some questions 86−49284
Peyrucat, J.-F. Distances of 50 metres known to the nearest millimetre: this is the Wiedmann effect 86−60348
Peyrucat, J.-F. Electronic CAD/CAM advances towards integrated solutions 87−5575
Peyrucat, J.-F. Intelligent transmitters: the most difficult is still to be done 87−77233
Peyrucat, J.-F. Proximity detectors: get away from the conventional 88−16084
Peyrucat, J.-F. Sensors: when the sixth sense? 88−35940
Peyrucat, J.-F. When optical cells are measurement wise 88−53862
Peyrucat, J.-F. Density: definitions and units 88−60523
Peyrucat, J.-F. Acquisition on PC . . . in real time 88−60615
Peyrucat, J.-F. Ground buses: Periflex gives some ideas 88−61929
Peyrucat, J.F. Flexible printed connections as a substitute for wiring 85−40371
Peyrucat, J.F. CAD/CAM electronics: towards integrated solutions 86−41889
Peyrucat, J.L.F. Electronic circuit diagrams: stick to computer-aided engineering 85−28447
Peyser, T. *see* Antoniades, J.A. 87−35017
Peytier, A., Belmans, R., Reekmans, R., Geysen, W. Assessment of fire risks due to low voltage, low power cables in domestic and office applications 87−42484
Peytier, A. *see* Ector, H. 86−38832
Peyton, A.J. Circuit for monitoring the median frequency of the spectrum of the surface EMG signal 87−50335
Peyton, J.C. *see* Hopson, W.H. 87−4539
Pezant, C., Jegou, R. The image detectors used in star trackers 88−10482
Pezant, C. *see* Gouni, P. 88−23168
Pezzani, R. *see* Coulthard, N.C. 85−61879
Pezze, M. *see* Borgonovo, F. 87−20197
Pezzoli, F. Protection of alternators by electronic relays. I 86−39735
Pezzoli, F. Electronic relays for alternator protection 86−45341
Pezzoli, F. Protection of transformers with electronic relays 86−61552
Pezzoli, F. Electronic relays for busbar protection 87−30262
Pezzoli, F. Protection of asynchronous motors with electronic relays 87−51198
Pezzoli, F. Notes on the reliability of protective gear systems 87−57703
Pezzoli, F. Superconductivity and its applications 87−60839
Pezzoli, F. Test devices for protection systems 88−61979
Pezzucchi, G. *see* Lanzavecchia, P. 88−31224, 88−61832

Pezzulloo, W.V. Custom calling features utilizing common channel signaling (CCS) capabilities 86—54717

Pezzuoli, G. *see* Voci, C. 88—29943

Pezzutti, D.A. *see* Kennedy, T.S. 85—36574

Pfadler, H. Ergonomics—a challenge to the engineer? 85—54127

Pfaeffel, B. *see* Klar, H. 88—44799

Pfaeffli, J.L. Uranium resources and expansion of nuclear power generation 88—23609

Pfaehler, B., Carey, J. Electronic text: a new path for higher education 86—16867

Pfaff, B., Harp, T. A high performance 256K DRAM 86—1069

Pfaff, E. *see* Hofmann, A. 87—3815

Pfaff, G., Weschta, A., Wick, A.F. Design and experimental results of a brushless AC servo drive 85—10074

Pfaff, G. *see* Mayer, H.R. 86—66083

Pfaff, G. *see* Pauly, D. 85—27696

Pfaff, J. *see* Hedetniemi, S.T. 86—46179

Pfaff, R. *see* Hauschild, W. 85—165, 85—10449

Pfaff, R. *see* Kotlo, S. 86—23630

Pfaff, W. *see* Feser, K. 85—14954, 86—55799, 88—4509

Pfaffenberger, B. Research networks, scientific communication, and the personal computer 86—40440

Pfaffenberger, B. AST Reach! modem and Crosstalk XVI 87—8092

Pfaffenberger, R.C. *see* Stein, W.E. 85—49409

Pfaffle, H. Brown coal dust explosions—cause, cost and consequences at Lausward Power Plant 88—30561

Pfafflin, G.E. Options in the rehabilitation and modernization of Francis turbines 87—72048

Pfahlbusch, H. *see* Baldauf, E. 86—14433

Pfahlbusch, H. *see* Rettelbusch, L. 87—20335

Pfahlbusch, H. *see* Strecke, V. 85—17416

Pfahlert, V. *see* Varchmin, U. 85—48276

Pfahlgusch, H., Precht, M., Rettelbusch, L. Programmable matrices as universal logic structures 87—73413

Pfalzgraf, B.W., Spreckels, H., Muscher, H. Four-point DC-resistance measurement apparatus for anisotropic crystals 86—55812

Pfandl, W. Rheology of polymer blends 87—52923

Pfandler, M. *see* Pfeifer, H. 85—4167

Pfann, Ya. *see* Krett, V. 85—38691

Pfanner, K., Franke, D., Sartorius, B., Schlak, M. A comparative study on protection methods against InP substrate decomposition in liquid phase epitaxy 88—38154

Pfannerstill, E. A pattern recognition system for the re-identification of motor vehicles 85—36294

Pfannerstill, E., Ziegler, R. A traffic data acquisition system for motorways—object recognition and modelling 85—63032

Pfannerstill, E. *see* Bohnke, P. 87—51532

Pfannschmidt, H. Internal communication with LANs 87—55708

Pfannschmidt, H. In-house-operated high-speed-networks—LAN 87—69649

Pfannschmidt, H., Guenther, H. The GSM specification: implications for the European industry 88—60051

Pfannschmidt, H., Rolle, G.W. Architecture and radio technology of EC 900—a new high capacity automatic mobile telephone system 85—47445

Pfannschmidt, H., Schmidt, W. MATS-E—a cellular mobile automatic telephone system 85—20086

Pfannschmidt, H. *see* Eizenhofer, A. 87—20425, 87—76603

Pfau, B., Welter, H., Bauer, K. Vibration in protection equipment against excess pressure of the supercritically operated power plant unit 7 at Mannheim large power station 85—15852

Pfeffer, H. The Tevatron extraction pulsar 86—25069

Pfeffer, H. *see* Ankenbrandt, C. 85—26647

Pfeffer, H. *see* Chapman, L. 86—32058

Pfeffer, H. *see* Koepke, K. 86—31897

Pfeffer, H. *see* Merz, W. 86—26142

Pfeffer, J.L. Policies governing transmission access and pricing: the wheeling debate revisited 86—39050

Pfeffer, R. *see* Kao, J.-N. 87—61339

Pfeffer, R. *see* Kao, J.N. 87—39290

Pfeffer, R.L. *see* Kung, R. 87—50003

Pfeffer, S., Schubert, B. The dependence of layer thickness of final cell voltage for anodic oxide films grown galvanostatically on Hg$_{1-x}$Cd$_x$Te 88—39158

Pfeffer, U. On the approximation of optimum hardware structures to solve control tasks for production processes in studios 85—37202

Pfeffer, U. A trial solution to bring about a speedier introduction and increased reliability of rationalization solutions for technological processes in studios 86—65046

Pfeffer, U. *see* Gerhardt, H.-J. 88—57762

Pfeffer, W., Kraut, A. Qualification, training, licensing and retraining of operating shift personnel in nuclear power plants. Presentation of different procedures in the countries of the European Community, Spain, Sweden, Switzerland and the USA 86—32961

Pfefferkorn, J.R., Hilgenberg, F., Loser, H., Wehefritz, A., Kronholz, H.L., Ibing, B. Digital subtraction angiography in paediatric cardiology: investigations into contrast medium dose, radiation exposure and diagnostic value 88—4911

Pfeffermann, E., Briel, U.G., Hippmann, H., Kettenring, G., Metzner, G., Predehl, P., Reger, G., Stephan, K.-H., Zombeck, M.V., Chappell, J., Murray, S.S. The focal plane instrumentation of the ROSAT telescope 88—23023

Pfeffermann, E. *see* Briel, U.G. 86—32168

Pfeifer, B.W. *see* Uchiyama, M. 88—23638

Pfeifer, G. The use of microcomputers in the training of electrical engineers 88—49418

Pfeifer, G., Kretschmer, T. State analysis of electric networks with the KC85/3 88—18855

Pfeifer, H. Digital signal processing—basics and applications 85—815

Pfeifer, H. Analogue/digital conversion with a pulse density modulator 86—1147

Pfeifer, H., Dreyer, V., Pfandler, M. Transversal vibrating systems for level limit detection of liquids 85—4167

Pfeifer, H., Fett, F.N. Solar cell test installation 86—19489

Pfeifer, H., Fett, F.N., Heinen, K.-H. Improving the energy balance of arc furnaces 88—49289

Pfeifer, H. *see* Bunten, B. 85—53254, 85—60566

Pfeifer, H.J. A new optical system for three-dimensional laser-Doppler-anemometry using an argon-ion and a dye laser [for use in wind tunnels] 86—32439

Pfeifer, J.L., Wertheimer, H.P. Heated oxygen sensor based on thick-film titania [car emission control system application] 86—50085

Pfeifer, K. *see* Bathelt, P. 88—9217

Pfeifer, L. *see* Butz, U. 88—23589

Pfeifer, P. *see* Lee, V. 87—65988

Pfeifer, S.J. Multiline Raman beam combination 87—12562

Pfeifer, S.J. Broadband and multiline Raman beam combination 88—27270

Pfeifer, T. Sensor interfaces for intelligent measurement 86—60137

Pfeifer, T., Broermann, E. A non-contact system for the measurement of cutting edge angles of rotary tools 88—42284

Pfeifer, T., Busing, K. Laser smoothness measuring system interprets geometry 86—18108

Pfeifer, T., Heiler, K.-U. Objectives and applications of field bus systems 88—21594

Pfeifer, T., Held, H.-J. Interface buses and graphics support for test systems 85—49331

Pfeifer, T., Held, H.J. ATEPS—a programming system for computer-aided testing systems 85—58529

Pfeifer, T., Herkenrath, P., Volkel, M., Komischke, M. Automated material testing systems 86—49932

Pfeifer, T., Hof, A. Self-calibrating spatial distance measuring system for coordinate determination in space 86—31657

Pfeifer, T., Hof, A., Neugebauer, D. Beam position stability of laser diodes 86—18109

Pfeifer, T., Komischke, M. Low-level communications systems for sensors 88—46464

Pfeifer, T., Koppe, D. Commercial CAQ systems—a survey 87—44023

Pfeifer, T., Mecklenburg, R. QUAPS—a system for quality assessment 85—8704

Pfeifer, T., Molitor, M., vom Hemdt, A. Optoelectronic measurement of wheel diameter on rail vehicles 87—70790

Pfeifer, T., Simon, H., Preising, M. MOPS—a mobile test system 85—8703

Pfeifer, T., von Wachter, F.K. Nondestructive testing of composite fibre material 88—49921

Pfeiffer, B. *see* Kaufmann, H. 88—68651

Pfeiffer, D. International videotex information exchange with multistandard system VTX20000. Application examples of international videotex systems 88—9103

Pfeiffer, D. Bildschirmtext. Dialog without frontiers. I 88—59566

Pfeiffer, D. Bildschirmtext. Dialog without frontiers. II 88—59567

Pfeiffer, G., Liebscher, K. The design of power handling facilities on 500-MW units in the GDR [transmission lines and pylons] 85—21221

Pfeiffer, G. *see* Grubb, J.P. 87—66794

Pfeiffer, G. *see* Moritz, H. 85—12359

Pfeiffer, H. Solar and wind energy systems for isolated areas 85—60078

Pfeiffer, H. Solar guided photovoltaic generators 86—45303

Pfeiffer, H., Hergt, R. Grain boundary segregation and coercivity of Co/Cr films for perpendicular magnetic recording 87—74509

Pfeiffer, H. *see* Hergt, R. 87—25844

Pfeiffer, H. *see* Rhein, D. 87—1762

Pfeiffer, H. *see* Werndli, J. 88—59506

Pfeiffer, H.C. Direct write electron beam lithography—a production line reality 85—7033

Pfeiffer, H.C. The mask making challenge 87—60236

Pfeiffer, H.C., Simpson, R.A. Pattern generation and inspection with electron beams 86—1949

Pfeiffer, H.C., Sturans, M.A. Electron beam deflection without off-axis aberrations 85—45503

Pfeiffer, H.C. *see* Essig, M. 86—35489

Pfeiffer, H.C. *see* Groves, T.R. 88—12878

Pfeiffer, H.C. *see* Kern, D.P. 86—1959

Pfeiffer, H.G. Automatic microphone mixer for radio and TV studios 87—8373

Pfeiffer, H.G. Sound in the round at home. Live atmosphere from a video cassette. Dolby surround decoder HTS 5000 from Shure 87—13956

Pfeiffer, H.G. Dolby stereo sound in television transmission 87—76914

Pfeiffer, J. *see* Koch, H.R. 88—74695

Pfeiffer, K. ZZF tests a construction kit: a muzzle for the watch dog 86—7479

Pfeiffer, K.P. Stepwise variable selection and maximum likelihood estimation of smoothing factors of kernel functions for nonparametric discriminant functions evaluated different criteria 85—28110

Pfeiffer, L., Gelman, A.E., Jackson, K.A., West, K.W. Growth mechanisms during thin film crystallization from the melt 88—12026

Pfeiffer, L., Kovacs, T., West, K.W. Si-on-insulator films of high crystal perfection by zone melting under a SiO$_2$ cap provided with vent openings 85—54480

Pfeiffer, L., Phillips, J.M., Smith, T.P., III, Augustyniak, W.M., West, K.W. Use of a rapid anneal to improve CaF$_2$:Si (100) epitaxy 85—49540

Pfeiffer, L., West, K.W., Wong, Y.H. Self-aligned controlled collapse chip connect (SAC4) 88—26391

Pfeiffer, L. *see* Duguay, M.A. 86—63605

Pfeiffer, L. *see* Miller, W.M. 87—32346

Pfeiffer, L. *see* Smith, T.P., III 87—11487

Pfeiffer, L. *see* Sturm, J.C. 87—38203

Pfeiffer, L.N. *see* Gibson, J.M. 87—17883

Pfeiffer, L.N. *see* White, A.E. 88—44696

Pfeiffer, M. *see* Geitner, G.-H. 88—49175

Pfeiffer, P., Meyrueis, P. Optical processor with wavelength division multiplexing 85—30305

Pfeiffer, P., Meyrueis, P. Contribution to the study of the realisation of intelligent local area networks with optical fibres 86—11085

Pfeiffer, P. *see* Meyrueis, P. 86—4669

Pfeiffer, P.A., Marchertas, A.H. Long-term creep calculation of reactor containment 85—4770

Pfeiffer, P.L. *see* Zins, R. 86—19554

Pfeiffer, R. Behavior under electrical and thermal stress of insulation materials used in dry-type transformers 86—70964

Pfeiffer, R. *see* Alber, F. 87—15834

Pfeiffer, R. *see* Altmann, G. 85—21683, 85—53730

Pfeiffer, R. *see* Andresen, E.C. 88—24188

Pfeiffer, R. *see* Bauer, H.-P. 86—40235

Pfeiffer, T., Dudek, D. PCS—photoformed conductors on ceramic substrates 88—64128

Pfeiffer, T., Kuhl, J., Gobel, E.O., Palmetshofer, L. Temperature dependence of the picosecond carrier relaxation in silicon-irradiated silicon-on-sapphire films 87—74912

Pfeiffer, T. *see* Dudek, D. 88—1268

Pfeiffer, T. *see* Veith, G. 88—45556

Pfeiffer, Th., Kuhl, J., Serenyi, M., Habermeier, H.-U., Gobel, E.O., Palmetshofer, L., Axmann, A. Picosecond optoelectronic switches 87—46690

Pfeiffer, T.J. *see* Horvath, V.V. 86—31161

Pfeiffer, V. Reset pulse of defined length 87—960

Pfeiffer, W. Zeiss develops lasers 85—29960

Pfeiffer, W. Laser development at Zeiss 85—46357

Pfeiffer, W. Recent techniques for high-speed photography and low-level image recording 86—60163

Pfeiffer, W. Ultrafast electrical voltage and current monitors 86—60302

Pfeiffer, W. Fast measurement techniques for research in dielectrics 87—21208

Pfeiffer, W., Aulbach, B., Lieberoth-Leden, B., Wittmer, D. Fast photographic diagnostics applied to breakdown phenomena 85—1208

Pfeiffer, W., Richter, K., Schau, P.V. Electric strength of small insulating distances 88—1817

Pfeiffer, W., Richter, K., von Schau, P. Electric strength of small creepage distances under natural environmental conditions 85—24033

Pfeiffer, W., Wittmer, D. High-speed gating of image intensifiers with proximity focus 86—5078

Pfeiffer, W., Wolf, J., Zipfl, P. Impulse breakdown in SF$_6$ for divergent fields, generation of primary electrons and formative time lags 88—20182

Pfeiffer, W. *see* Facklam, T. 88—57844

Pfeiffer, W. *see* Giesselmann, M. 85—24020, 85—29373, 85—35232, 87—18411, 87—25668

Pfeiffer, W. *see* Lieberoth-Leden, B. 87—66851, 88—19629

Pfeil, D.von *see* von Pfeil, D.

Pfeil, G., Berger, A., Henneberger, J. The current state of the art and trends in hybrid film technology 85—1198

Pfeiler, M. *see* Neufang, K.F.R. 87—50242

Pfeiler, V. *see* Oswald, B. 86—65758

Pfennigstorf, J. *see* Ettner, N. 88—75968
Pfenning, H. *see* Binder, J. 87—77250
Pfenninger, E. Practical circuit analysis 85—49704
Pfenninger, E. Computer-aided design of bandpass filters 86—41195
Pfenninger, E. Computations for electric filters in Turbo Pascal 87—24305
Pfenninger, E. A program for practical equalizing calculations 87—65638
Pfenninger, S., Forrer, J., Schweiger, A. Bridged loop-gap resonator: a resonant structure for pulsed ESR transparent to high-frequency radiation 88—50318
Pfennings, L.C.M.G., Mol, W.G.J., Bastiaens, J.J.J., van Dijk, J.M.F. Differential split-level CMOS logic for sub-nanosecond speeds 86—8193
Pfennings, L.C.M.G., Mol, W.G.L., Bastiaens, J.J.J., van Dijk, J.M.F. Differential split-level CMOS logic for subnanosecond speeds 86—20441
Pfestorf, W. *see* Matthes, H. 86—38686
Pfeufer, W. *see* Schmitt, H. 88—67713
Pfiester, J.R. LDD MOSFETs using disposable sidewall spacer technology 88—39713
Pfiester, J.R., Alvis, J.R. Novel germanium channel-stop implantation for submicron CMOS 88—39700
Pfiester, J.R., Alvis, J.R. Improved CMOS field isolation using germanium/boron implantation 88—71766
Pfiester, J.R., Baker, F.K. Asymmetrical high field effects in submicron MOSFETs 88—39468
Pfiester, J.R., Herr, N. Characterization and modeling of dual ion-implanted N+/P+ poly gates for submicron CMOS 88—71793
Pfiester, J.R., Law, M.E., Dutton, R.W. Improved MOSFET short-channel device using germanium implantation 88—64558
Pfiester, J.R., Parrillo, L.C. A novel dual p^-/p^+ poly gate CMOS VLSI technology 88—64758
Pfiester, J.R., Shott, J.D., Meindl, J.D. Performance limits of CMOS ULSI 85—40903
Pfingsten, W. *see* Ludewigt, K. 87—12360, 87—26314
Pfirrmann, M. *see* Seel, O. 88—19298
Pfister, B.F., Korrodi, H.U. Programmable electronic line identification—the 'PEL' system 86—60072
Pfister, G. Going downtown with digital 85—13772
Pfister, G. Supervision of devices by time sequence monitors [electrical device computerised monitoring] 86—7580
Pfister, G. 'Intelligent' put into protocol [building surveillance] 86—19800
Pfister, G. Whatever happened to Bypass? [telecommunications] 87—62422
Pfister, G. Avoiding the 'Bitfalls' of T1 multiplexers 87—69791
Pfister, G. Why the private voice network market will shrink 88—21529
Pfister, G., Maier, P., Hehn, G., Stier, G., Kegreiss, W. A neutron tomography scanner for application in nondestructive testing 87—36842
Pfister, G.F. Algorithm for deducing the logical behavior of arbitrary FET circuits 85—6279
Pfister, G.F. Improved gate model of dynamic FET networks 85—6280
Pfister, G.F. Omega-crossbar network 85—30708
Pfister, G.F. *see* Darema, F. 88—7650
Pfister, G.M. A call for standards [PBX] 85—3269
Pfister, H.J. Creation and results of a videotext proposal for the travel department 86—59597
Pfister, H.L. Image processing for a combined staring and scanning IR sensor 88—28064
Pfister, J.C., Rosencher, E., Belhaddad, K., Poncet, A. Electrical influence of pinholes in metal-base transistors 87—1493
Pfister, J.C. *see* Barla, K. 85—18057
Pfister, J.C. *see* Glastre, G. 88—39380
Pfister, J.C. *see* Golanski, A. 86—35537
Pfister, J.C. *see* Mathiot, D. 86—35573
Pfister, J.C. *see* Rosencher, E. 86—21524, 86—67835, 88—33189, 88—39424
Pfister, J.C. *see* Vu, D.P. 87—18158, 88—25981
Pfister, M. *see* Dutoit, M. 85—45455
Pfister, M. *see* Piffaretti, J. 88—72078
Pfister, R.G. *see* Meyer, M.J. 85—1696
Pfister, U. *see* Schwartz, U. 88—69518
Pfister, U. *see* Schwarz, U. 85—49028, 87—15885 to 15886
Pfister, W. *see* Arnold, G. 86—2989, 86—22256
Pfister, W. *see* Lund, J. 88—47591
Pfisterer, F. Polycrystalline thin film solar cells—state of the art 88—37617
Pfisterer, F. *see* Arndt, W. 86—40134, 87—16026
Pfisterer, F. *see* Bloss, W.H. 86—13067
Pfisterer, F. *see* Kimmerle, J. 86—13043, 86—40127
Pfisterer, H. Reference samples of DIN 54141 Part 2 for the eddy current test of tubes 86—20145
Pfisterer, H., Fuchs, E. Solid-state analysis in electronics and microelectronics 85—61817
Pfisterer, H., Witting, G. Eddy current testing: present state of standardization in Germany 88—493
Pfitzenmaier, G. Adjustable delay equalizers creating fixed delay points at prescribed frequencies 85—17762
Pfitzenmaier, G. *see* Bucherl, E. 85—63843
Pfitzmann, A., Pfitzmann, B., Waidner, M. Data protection guaranteeing public communication networks 88—73598
Pfitzmann, A., Waidner, M. Networks without user observability 87—55492
Pfitzmann, B. *see* Pfitzmann, A. 88—73598
Pfitzner, G., Zimmermann, E. Zero-sequence field impedances of three-phase oil transformers 87—58147
Pfitzner, M.L. The FLINDERS platform: a low-cost multimission platform for Australia 87—77726
Pflanz, H.M., Acree, J.A., Schaffer, J.S. Development and testing of power assisted current limiting fuses to 600 amperes and 38 kV 88—75862
Pflaum, E. The world-wide application of SF_6 switchgear and the SF_6 switching installation of Berlin 88—5794
Pflaum, E. Developments in SF_6 switchgear and switch installations 88—17772
Pflaum, E. Development of quenching principles of high voltage heavy duty switches 88—55526
Pflaum, E., Schramm, H.-H. Extension of testing stations at the Siemens switchgear works in Berlin 86—51813
Pflaum, W.R. Manufacturing process for high stability precision crystals 87—18444
Pfledderer, J.A. *see* Fakult, N. 88—62950
Pfleger, H., Wegenstein, P. The electric track diagram push-button system of the VGS 80 structure, a building block of modern signal technology 88—5938
Pfleger, H. *see* Habacht, K. 88—5941
Pfleger, J.A.H. Field multiplexer requirements 87—55885
Pfleiderer, H. Elementary ambipolar field-effect transistor model 86—28333
Pfleiderer, H., Kusian, W. Ambipolar field-effect transistor 86—35718
Pfleiderer, H., Kusian, W. Ambipolar field effect transistor 86—35726
Pfleiderer, H., Kusian, W., Bullemer, B. An ambipolar field-effect transistor model 85—35001
Pfleiderer, H., Kusin, W., Bullemer, B. An ambipolar amorphous-silicon field-effect transistor 85—50549
Pfleiderer, H. *see* Kruhler, W. 85—23732, 87—24802
Pfleiderer, H. *see* Kusian, W. 86—33670, 87—78909, 88—26947, 88—31014
Pfleiderer, H.-J. *see* Noll, T.G. 87—44769
Pfleiderer, H.-J. *see* Ulbrich, W. 85—6373
Pfleiderer, H.J. *see* Ulbrich, W. 85—50704
Pfleiderer, J. *see* Reiter, J. 87—7807
Pfleiderer, P. Loudspeaker reproduction in the living room: reflections provide the good tone 87—20760
Pfleiderer, P. Loudspeaker boxes: small, but fine 88—15859
Pflicke, W., Lemke, E. The problem of partial discharges at disk segment electrodes 86—63480
Pflicke, W., Lemke, E. To the leader's ignition at large high-voltage electrodes in air with positive switching pulse voltage 87—74458
Pfliegel, P. Optimized computer-aided design of AC mains transformers for communications applications 86—8535
Pflug, D.R., Schuman, H.K. Radiation from infinite arrays of microstrip elements 85—13392
Pflug, L. *see* Jacquot, P. 86—5994
Pflugbeil, M., Iloff, F.-K. Flue gas desulphurisation at the Neurath power plant 87—42263
Pfluger, J., Bernstorff, S., Braun, W., Gudat, W., Heinen, W., Isoyama, G., Koch, E.-E., Krausz, C., Kuske, P., Maier, R., Peatman, W., Schafers, F., Schroeter, T., Weidemann, R., Wolf, F.-P. The undulator at BESSY: first operational experience 88—47810
Pfluger, J., Gudat, W. Optimization of pole parameters for a REC multipole wiggler magnet 87—18539
Pfluger, J., Heinen, W., Gudat, W. On the thermal stability of the $SmCo_5$ magnet structure for the BESSY undulator 88—20251
Pfluger, J., Klotz, W.-D., Gudat, W. Electron optical properties and electron trajectories of the multipole magnet for BESSY 87—29412
Pfluger, J. *see* Gudat, W. 86—25085, 86—60453
Pfluger, J. *see* Kuske, P. 87—21304
Pfluger, K., Popp, E. Determination of expected lightning overvoltages in smaller telecommunication buildings by simulation of lightning strokes 86—54660
Pfluger, K.H. A method for gradual improvement of the reliability of electronic components and subassemblies 87—65256
Pfluger, P., Baumann, T., Cartier, E., Dersch, H., Stucki, F., Zeller, H.R. Carrier injection and conduction under high fields in dielectrics 88—26563
Pfluger, P., Bernasconi, J., Bubeck, C., Hibma, T., Mauri, D., el Sabee, M., Zeller, H.R. Hot electron transport and dielectric breakdown in polymeric dielectrics 85—40971
Pfluger, P. *see* Baumann, T. 87—18383, 88—51093
Pfluger, P. *see* Hkibma, T. 85—37748
Pfluger, P. *see* Schmidt, W. 87—25723
Pfluger, P. *see* Zeller, H.R. 85—35223
Pfluger, T., Reinfelder, H.E., Dorschky, K., Oppelt, A. Comparison of the various filtering methods in digital image processing 88—16697
Pflumm, H. *see* Beer, A. 85—9043
Pfohl, R., Debeauvais, M., Massue, J.P., Bucker, H. Advanced biostack: experiment 1ES027 on Spacelab 1 87—29619
Pfohl, W. *see* Brosch, P.F. 88—35789
Pfost, D. *see* Merk, E. 85—24374
Pfost, D.R. *see* Bharadwaj, V.K. 85—31695
Pfotenhauer, J.M. Experimental investigations on the stability of a He II cooled superconducting solenoid 87—67943
Pfranger, R. *see* Plusa, D. 86—63538
Pfranger, R. *see* Szafranska-Miller, B. 87—74504
Pfulb, W. *see* Schluter, K. 88—71211
Pfund, J. Features of a modern intruder detection control unit 87—16341
Pfund, N. *see* Noyce, R. 85—55884
Pfunder, P. *see* Prohaska, O.J. 86—44659
Pfundlin, E. *see* Borst, W. 88—22530
Pfuntner, W.A., Jr., McGrath, P.B. Optical electric field assessment in a dielectric liquid 86—50199
Pfurtscheller, G. Rolandic mu rhythms and assessment of cerebral functions 86—70412
Pfurtscheller, G., Ladurner, G. ERD mapping in cerebral ischemia 85—4343
Pfurtscheller, G., Maresch, H., Schuy, S. ERD (event-related-desynchronization)-mapping—a new method for functional diagnosis of the brain 85—38143
Pfurtscheller, G. *see* Kondraske, G.V. 85—64542
Pfutzner, G. *see* Kayser, N. 86—43675
Pfutzner, H., Fidler, J. Magnetic measuring and analysis techniques: investigations on soft magnetic materials 87—41592
Pfutzner, H. *see* Bengtsson, C. 85—12478
Pfyffer, H.-K. Integrated services digital networks—ISDNs 85—30570
Pfyffer, H.K. Integrated services digital networks—ISDNs 85—25275
Pfyffer, H.K. Overview of ISDN 87—27832
Pguey, C. *see* Doll, A. 85—42624
Phadke, A. *see* Ilic-Spong, M. 86—50962, 87—4215
Phadke, A.G. A modern power system simulation laboratory 86—32624
Phadke, A.G., Hankun, H. Detection of broken distribution conductors 85—64930
Phadke, A.G., Jihuang, L. A new computer based integrated distance relay for parallel transmission lines 85—38560
Phadke, A.G., Lu, J. Implementation of a microcomputer based distance relay for parallel transmission lines 87—15378
Phadke, A.G., Thorp, J.S., Karimi, K.J. State estimation with phasor measurements [power systems] 86—50836
Phadke, A.G., Thorp, J.S., Karimi, K.J. State estimation with phasor measurements [power systems] 86—56371
Phadke, A.G., Thorp, J.S., Karimi, K.J. Power system monitoring with state vector measurement 86—70737
Phadke, A.G. *see* MacMinn, S.R. 85—21595
Phadke, A.G. *see* Phaniraj, V. 88—11333
Phadke, A.G. *see* Shah, K.R. 87—78206
Phadke, A.G. *see* Thomas, R.J. 88—54915
Phadke, A.G. *see* Thorp, J.S. 86—18898, 88—10909
Phadke, A.G. *see* Van Landingham, H.F. 86—6725
Phadke, G.M. Review of the electrical industry (1983) 85—26952
Phadke, G.M. Review of the electrical industry (1984) [in India] 86—7361
Phadke, M.S. Design optimization case studies 87—23368
Phadke, M.S., Dehnad, K. Optimization of product and process design for quality and cost 88—49481
Phadke, M.S., Kackar, R.N., Speeney, D.V., Grieco, M.J. Off-line quality control in integrated circuit fabrication using experimental design 88—20122
Phadke, M.S., Taguchi, G. Selection of quality characteristics and S/N ratios for robust design 88—43735
Phadke, M.S. *see* Jugle, D.B. 85—11795
Phadke, M.S. *see* Katz, L.E. 86—35236
Phadke, M.S. *see* Taguchi, G. 85—39571
Phadke, R.S. *see* Sonawat, H.M. 85—27630
Phadke, S. *see* Chiu, S.K.L. 87—12969
Phadke, S.D. *see* Jadhav, M.L. 87—24640, 88—7072, 88—50360
Phadke, S.D. *see* Uzagare, D.M. 85—10097
Phaff, A. *see* Bom, N. 88—36426
Phaff, A.C. *see* Slager, C.J. 88—36500
Phail, F.H. *see* Toombs, H.D. 87—51589
Phalippou, D. *see* Polack, F. 88—4870

Pham, B.V. *see* Haley, S.B. 86−66987, 87−59118
Pham, C. *see* Cote, G. 87−42298
Pham, D. GaAs FET replaces TWT amplifiers 85−584
Pham, D. *see* Greub, H.J. 88−25271
Pham, D. *see* Steck, J.A. 87−70004
Pham, F., Porter, C. A high speed fibre optic data link 85−14324
Pham, G.N. *see* Sarma, D. 86−57842
Pham, H. *see* Yacoub, G.Y. 88−64670
Pham, L.T., Rutledge, A.L. Earthquake protection upgrading of New Zealand's HVDC link 86−12397
Pham, M.T. *see* Skorupa, W. 86−41655
Pham, N.K. *see* Bach, H.K. 87−55351
Pham, S. Digital straight segments 87−7809
Pham, T. *see* Botez, D. 87−46864
Pham, T. *see* Ngan, Y.C. 88−19381
Pham, T. *see* Tahim, R.S. 86−1358, 86−20828, 87−6082, 87−24453
Pham, T. *see* Yen, Y.E. 88−12591
Pham, T.Phan *see* Phan Pham, T.
Pham, T.T., de Figueiredo, R.J.P. A new nonlinear technique for IC fixed tolerance design centering based on a modified simplex method 87−67492
Pham, T.T., DeFigueiredo, R.J.P. A new generalized l_p deconvolution algorithm for oceanic signals based on linear programming 86−60959
Pham, T.T., deFigueiredo, R.J.P. Maximum likelihood estimation of a class of non-Gaussian densities with application to deconvolution 87−61922
Pham, T.T. *see* deFigueiredo, R.J.P. 88−73103
Pham, V.V., Esteve, D., Farre, J., El Mahdy, A., Ronda, M., Simonne, J.J. InP native oxide: a drift factor in InP-MIS 88−13038
Pham, V.V. *see* Bunuel, A. 87−32744, 88−4441
Pham, V.V. *see* Farre, J. 87−25144
Pham, V.V. *see* Reynes, A. 88−74476
Pham Bich Hoa, Vlcek, M. Design of two dimensional FIR filters 88−56770
Pham Bich Hoe *see* Vlcek, M. 88−56810
Pham Dinh Huan *see* Nguyen Van Khai 87−44357
Pham Dinh Tao Some methods for computing the maximum of quadratic forms on the unit ball of the maximum norm 85−22394
Pham Gia Dung *see* Mraz, Z. 87−72140
Pham Huu Phut *see* Berthon, A. 87−22368
Pham Huu Phut *see* Casella, P. 88−75834
Pham Huu Phut *see* Karmous, M. 88−17669
Pham Huu Sach Regularity, calmness and support principle 88−43805
Pham Khac Di Two-dimensional recursive filter synthesis 87−59749
Pham Khac Di *see* Psenicka, B. 85−17059, 87−401
Pham Ngoc Dinh, A. Linear approximation, asymptotic expansion and mixed problem for some semi-linear wave equation in one dimension 87−44256
Pham Ngoc Dinh, A. *see* Martinez, Y. 87−31464
Pham Phung Thai, Ivan'ko, A.A. A method of determining the time phase characteristics of complex electronic circuits 85−17075
Pham Tat, D., Kozamernik, F. The EBU test programme for broadcasting satellite service 87−76695
Pham Thang *see* Thang Pham
Pham Thi, M., Velasco, G. Random study of WO_3 thin films 85−18773
Pham Thi Bich Hoa, Psenicka, B., Simak, B. A new algorithm for fast Fourier transformation 88−49782
Pham Trong Quat A subgradient method with space dilation for minimizing convex functions 85−54293
Pham Trong Quat An exact penalty function algorithm using the operation of space dilation for constrained optimization with convex functions 88−18595
Pham Trung Dung *see* Laznicka, M. 87−248
Pham Van Hoi *see* Eliseev, P.G. 87−19109
Pham Van Hoi *see* Manko, M.A. 85−29839
Pham Van Nho *see* Nguyen An 87−65545
Pham-Dong Minh *see* Minh Pham-Dong
Pham-Thi, Velasco, G., Colomban, P. All-solid HUP/C supercapacitors: processing and performances 88−32500
Pham-Thi, M., Adet, P., Velasco, G., Colomban, P. Performance of a hydrogen uranyl phosphate−carbon double-layer solid capacitor 86−53078
Pham-thi, M., Velasco, G., Colomban, P. Percolation threshold and interface optimization in a HUP/C double-layer supercapacitor 86−35134
Phan, B.C. *see* Hu, Y.H. 88−34690
Phan, B.C. *see* Yu Hen Hu 88−21252
Phan, H.K., Phu, L.H., Binh, P.H. Electron surface trapping effects on the switching voltage of metal-insulator (tunnel)-Si(n)-Si(p^+) devices 86−35646
Phan, H.K., Phu, L.H., Nguyet Anh, N.T. Switching characteristics of MISS devices containing electron surface traps 87−37998
Phan, L.C. *see* Bui, H.T. 85−32207
Phan, L.C. *see* Farzaneh, M. 85−9518, 86−18845
Phan, N. *see* Graydon, J. 87−67537
Phan, N.V. *see* Cahill, J.J. 85−44978
Phan, T. On the accuracy of trajectory tracking and prediction 88−67481
Phan Anh On a compound surface-wave structure used in antenna engineering: the disk-on-helical rod structure 87−75562
Phan Dang Cau On moving average composition and predictive deconvolution of long-run stationary time series 88−63154
Phan Hoa *see* Hoa Phan
Phan Long, L., Hai Hoc, H., Houle, J.-L. Planning a corporate teleprocessing network 86−43444
Phan Ngoc Ha *see* Dinh Van Hoang 86−68580 to 68581
Phan Pham, T. *see* Roizes, A. 87−17725
Phan Pham, T. *see* Sanchez, J.L. 86−15169
Phan Thien Thach, Hoang Tuy Parametric approach to a class of nonconvex global optimization problems 88−43804
Phan Van, D. *see* Rouan, D. 87−20964
Phan Van Doan *see* Rahal, A.M. 86−26233
Phaneuf, R.A. Charting millimeter-wave systems development 86−17467
Phang, J.C.H., Chan, D.S.H. A new curve fitting error criterion for solar cell I-V characteristics 87−4954
Phang, J.C.H., Chan, D.S.H. A review of curve fitting error criteria for solar cell *I-V* characteristics 87−22748
Phang, J.C.H. *see* Chan, D.S.H. 86−40093, 87−43427, 87−72447
Phang, J.C.H. *see* Chim, W.K. 88−25858
Phani, K.K. Analysis of fatigue failure of optical glass fibres 88−26779
Phani Raj Kumar, K. *see* Chandra Mouly, M.C. 85−57170
Phaniraj, V., Phadke, A.G. Modelling of circuit breakers in the electromagnetic transients program 88−11333
Phanos, J. *see* Lowenstein, G. 87−41117, 88−74062
Pharaoh, K.I. *see* Davis, I.H. 88−2165
Pharaoh, K.I. *see* Knight, D.J.E. 86−36435
Pharaoh, P. Selective vibration detection 88−43661
Phariseau, P. *see* Wille, L. 86−46284
Phatak, A.V., Karmali, M.S., Jain, A.K. Image enhancement techniques for the development of a self-contained airborne radar navigation system 85−31097
Pheanis, D.C., Welch, L.E., III Galaxy: review of a software project 87−20306
Pheasant, M. Wiring up the highlands [data communications] 85−52033
Phelan, J. *see* Karshmer, A.I. 88−60449
Phelan, M. Servicing the Grundig 2×4 Super. II 85−3670
Phelan, M. Servicing the Grundig 2×4 Super. III 85−3747
Phelan, M. VCR servicing. XXV 85−3753
Phelan, M. VCR servicing. XXVII 85−3754
Phelan, M. Servicing the Grundig 2×4 Super. I. [VCR] 85−3756
Phelan, M. VCR servicing. XXIV 85−8609
Phelan, M. VCR servicing. XXVI 85−8612
Phelan, M. VCR servicing. XXVIII 85−8613
Phelan, M. The lid off microcomputers. II 85−49930
Phelan, M. The lid off microcomputers. VII. Microcomputer monitors 86−17847
Phelan, M. Servicing teletext receivers. I 86−24075
Phelan, M. Servicing teletext receivers. III 86−43992
Phelan, M. Servicing teletext receivers. IV 86−49815
Phelan, M. Servicing teletext decoders. V. Fault finding 86−59568
Phelan, M. The operation of electric motors. II 87−9454
Phelan, M. The operation of electric motors. IV 87−9584
Phelan, M. The operation of electric motors. III 87−9611
Phelan, M. Servicing mechanical VCRs. I 87−56404
Phelan, P., Bradley, D.J. Hybrid mode-locking of an angled-stripe C^3 laser 86−58919
Phelan, P., O'Gorman, J., McInerney, J., Heffernan, D. Instabilities in external cavity injection lasers due to resonant self-pulsing 87−26380
Phelan, P., Reekie, L., Bradley, D.J., Stallard, W.A. Hysteretical and spectral behaviour of bistable cleaved coupled cavity semiconductor diode lasers 86−48456
Phelan, P. *see* O'Gorman, J. 88−51854
Phelan, P. *see* Tada, E. 87−67979
Phelan, P.E. Investigation of a Nb-Ti cable-in-conduit conductor: experimantal results 87−74632
Phelan, P.E., Takahashi, Y., Tsuji, H., Nishi, M., Tada, E., Yoshida, K., Shimamoto, S., Iwasa, Y. Transient stability of a NbTi cable-in-conduit superconductor 88−68966
Phelan, R., Talpe, P. Photographic documentation in real time radiographic imaging procedures and other inspection procedures using video imaging techniques 88−22523
Phelan, R.J. *see* Engelsrath, A. 85−41124
Phelan, R.J., Jr. Fast detectors and modulators 85−64491
Phelan, R.J., Jr., Larson, D.R., Frederick, N.V., Fransen, D.L. Detectors for picosecond optical power measurements 85−52778
Phelan, R.J., Jr., Larson, D.R., Simpson, P.A. A sensitive, high frequency, electromagnetic field probe using a semiconductor laser in a small loop antenna 87−21219
Phelan, R.J., Jr. *see* Hickernell, R.K. 88−65288
Phelan, R.J., Jr. *see* Larson, D.R. 88−53697, 88−67795
Phelan, R.M. *see* Bhushan, B. 88−54697
Phellepps, F.R. *see* Hung, H.-A. 87−73711
Phelleps, F. *see* Hegazi, G. 88−71062
Phelleps, F. *see* Hung, H.-L. 88−19416
Phelleps, F.R. *see* Hung, H.-A.L. 88−32453
Phelleps, F.R. *see* Hung, H.-L.A. 87−59893, 88−63963
Phelps, A.D., Garvey, T., Hasaani, A.S. Pulsed electron cyclotron maser experiments 85−56460
Phelps, A.D.R., Garvey, T. Electron cyclotron maser emission from pulsed electron beams 87−18873
Phelps, A.V. *see* Siddagangappa, M.C. 87−25675
Phelps, B. VCR servicing basics 88−74159
Phelps, B. *see* Warwick, J. 86−16518
Phelps, C.V. *see* Woo, D.L. 87−23511
Phelps, D. *see* Jeffers, F. 88−44979
Phelps, D.W., Samuelson, S.J., Ward, W.C. Module printing enhancement 85−10466
Phelps, D.W., Jr. *see* Gautesen, V.B. 85−10463
Phelps, J.D.M. *see* Nichols, D.K. 86−65780
Phelps, J.H. Satellite supremacy [60 W uplink amp for OSCAR 10] 85−28387
Phelps, K.R., Althouse, M.L. Chemical agent remote sensing 88−28982
Phelps, K.T. A product construction for perfect codes over arbitrary alphabets 85−19335
Phelps, K.T. Dual product constructions of Reed-Muller type codes 86−48769
Phelps, K.T. Every finite group is the automorphism group of some perfect code 87−12912
Phelps, L. Combining test with burn in: an examination of benefits 88−6243
Phelps, L. Test engineering made easier with C language 88−22428
Phelps, M.E. *see* Hoffman, E.J. 86−50494
Phelps, M.W.L. *see* Hochmuth, C.H. 88−73610
Phelps, P.L. *see* Kaifer, R.C. 86−50358
Phelps, R.F. US nuclear energy after Three Mile Island and Chernobyl 88−75344
Phelps, R.F., Moody, T.J. The first classes complete the sequential, integrated laboratory program what we learned-what they learned 88−24478
Phelps, R.F., Peterson, D.E., Royer, E.G., Klayton, A.R. Teaching EE to non-EE's: a USAF Academy perspective [teaching electrical engineering] 85−33047
Phelps, R.L., Jr., Wells, K.P., Dinsel, M.R., Quinn, E.L., Jr., Meininger, R.D. Baseline characterization of electrical circuits to support plant life extension 87−22050
Phelps, R.M., Pullen, K.A. Improvements in tactical grounding techniques 88−45722
Phelps, T.K. Improving transformer designs with Lotus 1-2-3 86−53093
Phelps, T.K. Coping with current mode regulators 86−62437
Phelps, T.K., Cardwell, G.I. Determining switching frequency for a high voltage square wave converter 88−30924
Phelps, W.L., Stahl, A.L. Automatic Electronic Traction Aid (AETA) control for off-highway trucks 85−60515
Phelps Brown, N., Davidson, T. A new British ophthalmic camera 88−23036
Phemister, T.G. *see* Wood, J.W. 88−69304
Phetteplace, G.E. A simple design procedure for heat transmission system piping 85−60010
Phiel, J.F. *see* Barnett, J. 86−4580
Phil, D. *see* Davies, E.R. 85−57466
Phil, D. *see* Norwood, H.M. 88−42502
Phil, M. *see* Analouei, A.R. 85−23003
Phil Hyon Kim *see* Shiokawa, T. 86−21405
Philatov, N.I. *see* Mnatsakanov, T.T. 87−53456
Philbert, M., Deron, R., Faleni, J.P., Bion, J.R., Sulaun, H. Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel 87−29890
Philbert, M. *see* Deron, R. 88−40580
Philbrick, C.R., Bufton, J.L., Gardner, C.S. A solid state tunable laser for resonance measurements of atmospheric sodium 87−42245
Philbrick, S.E., Bungay, E.W.G., Barber, M.D., Williamson, A.E. Cables for new power stations 87−15287
Philbrick, S.E., Hillyard, C.D., Drumont, C. Elastic rubber terminations for medium voltage cables 85−59799
Philbrick, S.E. *see* Hyde, H.B. 87−15286
Philbrick, S.E. *see* White, T.M. 87−15285
Philen, D.L., Petersen, R.C., Wakefoose, A.P., Edwards, J.G. A look at safety and liability in optical fiber communications 87−20565
Philen, D.L. *see* Brinkmeyer, E. 85−12587

Philhower, R., McDonald, J.F. Interconnection complexity study for a piggy back WSHP GaAs systolic processor 88−63734
Philhower, R. *see* McDonald, J.F. 88−64146
Philibert, B., Kofman, W. Influence of the sampling frequency on the performance of the LMS algorithm 88−21055
Philibert, C.L. Watch out for harmonics when specifying SCR motor drives 87−9894
Philibert, C.L. Improved process control and higher yields justify conversion to adjustable frequency compressor drives 87−36201
Philibert, J. Oxidation of high technology materials 88−71408
Philip, B.K. *see* Philip, J.H. 86−32234, 86−50475
Philip, G. Packet switching and the communication networks of the eighties and beyond 85−42318
Philip, G. Digital communication of voice: development of Integrated Services Digital Networks (ISDN) and its implications for information management 86−43686
Philip, G., Young, E.S. Man-machine interaction by voice: developments in speech technology. I. The state-of-the-art 87−39693
Philip, G. *see* Holder, K.L. 87−42692
Philip, G.M., Watson, D.F. Automatic interpolation methods for mapping piezometric surfaces 87−29945
Philip, J., Carlsson, K. Monte Carlo simulation of blooming and crosstalk in an RL1024G diode array 88−26975
Philip, J.H., Philip, B.K. Hydrostatic and central venous pressure measurement by the IVAC 560 infusion pump 86−32234
Philip, J.H., Philip, B.K., Lehr, J.L. Accuracy of hydrostatic pressure measurement with a disposable dome transducer system. [Vascular pressure measurement] 86−50475
Philip, M.P. *see* Alex, T.K. 85−26860
Philip, P., Franciosi, A., Peterman, D.J. Interface chemistry of $Hg_{1-x}Cd_xTe$ 85−55564
Philip, P. *see* Chang, S. 86−67805, 87−38148, 87−74222
Philip, P. *see* Franciosi, A. 85−55722, 88−1382
Philip, P.S. *see* Nayar, S.R. 85−36128
Philip, T. Performance of Fetex exchanges in Delhi telecom network 88−35294
Philip, T. Problem of call jam in '331' exchange, New Delhi 88−35305
Philip, T. *see* Srikantaiah, D.V. 85−20757, 88−53940
Philip Lam *see* Ming Chang 86−18104
Philipona, R. *see* Kuttel, O.N. 88−67785
Philipott, E. *see* Detaint, J. 88−20214
Philipov, P. *see* Rahnyev, P. 88−12857
Philipp, A. *see* Mayr, W. 86−31612
Philipp, C. Programming of EPROM U 2716 C by means of LC 80 87−44834
Philipp, G. *see* Hasse, P. 88−52682
Philipp, H. Universal Genius [CAD systems] 86−34444
Philipp, H. CAE systems−evolution in the development laboratory 87−10755
Philipp, H. Time interval in switching of contactors 88−37327
Philipp, H.K., Scholtz, A.L., Leeb, W.R. Homodyning of subnanowatt 140 Mbit/s data at $\lambda=10.6$ μm 86−11104
Philipp, H.K. *see* Scholtz, A.L. 87−56168
Philipp, H.R. Grain resistivity and conduction in metal oxide varistors 87−38331
Philipp, H.R., Cole, H.S., Liu, Y.S., Sitnik, T.A. Optical absorption of some polymers in the region 240-170 nm 86−36112
Philipp, H.R. *see* Cole, H.S. 87−25530
Philipp, H.R. *see* Gambino, J.P. 87−60513
Philipp, H.R. *see* Levinson, L.M. 86−47094
Philipp, H.R. *see* Liu, Y.S. 88−13286
Philipp, L.D. *see* Hower, G.L. 86−13875
Philipp-Rutz, E. *see* Ceruzzi, A. 87−46716
Philippart, E. The paradigms of natural sciences dealing with information and communication in sociology 88−63108
Philippe, D. *see* Tobazeon, R. 85−55997
Philippe, G., Robin-Jouan, Y. Development and industrialization of 2/8/34 Mbit/s optical terminal equipments with complexity saving−application to videocommunication networks 87−20544
Philippe, J.-L. *see* Kouka, E.F.M. 88−19024
Philippe, P., Poulain, P., Kazmierski, K., de Cremoux, B. Dark-current and capacitance analysis of InGaAs/InP photodiodes grown by metalorganic chemical vapor deposition 86−42433
Philippe, P., Valette, S., Mendez, O.M., Maystre, D. Wavelength demultiplexer: using echelette gratings on silicon substrate 85−37002
Philippe, P. *see* Dusausay, S. 88−18860
Philippe, P. *see* Kazmierski, K. 87−37938
Philippe, P. *see* Maystre, D. 85−37011
Philippe, P. *see* Pulain, P. 85−41261
Philippe, R. *see* Curran, J.S. 87−10506
Philippe, R. *see* Lawrence, M.F. 87−73071
Philippe-Auguste, S. *see* Gibbons, D.T. 87−71168, 88−74877
Philippi, G. *see* Turck, B. 87−74635
Philippin, N. Comparison test for 21 types of tape recording cassettes of the ferro-type 86−9414
Philippin, N. The favourites: 19 chrome tapes under test 86−28697
Philippin, N. Comparative tests on 8 pure iron cassettes 86−28698
Philippin, N. Technics RS-B 66 W twin cassette deck 86−31080
Philippin, N. Fine tuning [cassette recorder comparisons] 86−38149
Philippin, N. The cheap ones. Six 'low-cost'-cassettes under test. II 87−14038
Philippin, N. A head to head race [tape decks testing] 87−20782
Philippin, N. Soundsurround [Hi-Fi equipment] 88−4235
Philippin, N. What is DAT? 88−4241
Philippin, N. Uncertain decision [headphones] 88−9815
Philippin, N. Japanese invasion [loudspeakers] 88−9826
Philippin, N. Good old school. 4 analogue record players for 1000 Franken 88−22362
Philippin, N. Sound dimensions: two CD-players with special features 88−22363
Philippin, N. Massive and supple. Tests on the Diva. three-unit, ribbon loudspeaker system by Apogee 88−22369
Philippin, N. British High Society [Quad amplifiers and Celestian loudspeaker] 88−29167
Philippin, N. The second one to follow immediately−test of the first Grundig DAT recorder 88−35751
Philippin, N. Design and Hi-Fi, a nonsense? 88−41913
Philippin, N. DAT−trendsetter? [digital audio tape recorders] 88−41923
Philippin, N. JVC DAT recorder XD-Z1100 on the test stand 88−53489
Philippin, N. The big catch. The high society of audio cassettes under test 88−74205
Philippo, Th.J. An explanation of the design and construction of the transformers destined for the new Dutch Standard series of 1984 85−32534
Philippot, E. *see* Detaint, J. 86−40709, 87−32792, 87−58913
Philippot, P. Review of present electric light sources 85−60518
Philippot, P. *see* Leroueille, J. 85−44676
Philippou, A.N., Makri, F.S. Closed formulas for the failure probability of a strict-consecutive-*k*-out-of-*n*:F system 87−58721
Philippou, G. *see* Watson, B.K. 87−54724
Philippou, G.Y., Dang, N.D., Watson, B.K. Corrugated waveguide polarisers 86−8447
Philippou, G.Y., Pues, H.F., Bustamante, R. Numerical analysis of wire antennas divorced or attached to arbitrary closed or open surfaces 85−41726
Philippou, G.Y. *see* Kuhn, E. 85−13360
Philippou, G.Y. *see* Tun, S.M. 86−54335, 87−47322
Philippou, G.Y. *see* Watson, B.K. 85−24967
Philippov, G.N. *see* Bozhko, N.I. 86−38711
Philippov, P., Allexandrov, D., Doichinova, R. Optical logical integrated circuit 88−20326
Philippov, P., Dimitrov, G., Gospodinova, M. Studying the influence of the surface on the base current and current gain of bipolar transistor structures 88−19921
Philippov, Ph. *see* Dimov, V. 88−22584
Philippov, Ph. *see* Rachnev, P. 87−5467
Philippow, E., Jakubenko, W. A small-signal model of the bipolar transistor using higher order elements 85−12266
Philippow, E., Marinowa, N. Active analogue RC filter with combination elements of high order 85−55029
Philippow, E., Marinowa, N. Stability of higher order circuit elements, and their microelectronic implementation 85−55335
Philippow, E., Schuchardt, D. Chaotic solutions in the threefold frequency distribution 87−65767
Philippow, E.S. Some properties of frequency-dividing networks 86−58024
Philippow, E.S., Ta, D.T. Frequency dividing networks−modeling, analysis and network-synthesis 85−23083
Philipps, C., Guiet, C. The data management control system [N4 reactor] 87−64266
Philips, B. *see* Ekelman, E.P. 86−36806
Philips, B. *see* Narasimhan, M.S. 85−7713, 86−3650, 87−39502, 88−27659
Philips, C. Portable RCBs versus fixed ones 87−36047
Philips, C.F. Evolution of the air traffic control beacon system 86−32498
Philips, D. *see* Harlow, C.A. 86−43325
Philips, D. *see* Laude, J.-P. 87−76784
Philips, D.A. *see* Michaelson, P.F. 86−42161
Philips, J.C. *see* Kellman, D.H. 88−69515
Philips, J.M. *see* Chand, N. 88−49812
Philips, J.R. *see* Allen, L.H. 87−66979
Philips, M.D. The quantification of operational suitability 87−42198
Philips, M.H., Jr. *see* Shields, W.M. 88−42955
Philips, T.G., Rutledge, D.B. Superconducting tunnel detectors in radio astronomy 86−48007
Philips, T.K., Sahraoui, A. A sequence of upper and lower bounds for the *Q* function 85−30138
Philipson, L. VLSI based design principles for MIMD multiprocessor computers with distributed memory management 85−17484
Philipson, L. Adaptable myoelectric prosthetic control with functional visual feedback using microprocessor techniques 85−26795
Philipson, L., Sorbye, R. Control accuracy and response time in multiple-state myoelectric control of upper-limb prostheses. Initial results in nondisabled volunteers 87−57232
Philipson, L. *see* Andersson, P. 88−26435
Philipson, L. *see* Breidegard, B. 86−21842
Phillimore, M. TV camera design 86−38059
Phillion, D.W. *see* Manes, K.R. 86−15815
Phillion, D.W. *see* Young, P.E. 88−47578
Phillipp, F. *see* Baumgart, H. 85−50329
Phillippe, P., El-Kamali, W., Pauker, V. Physical equivalent circuit model for planar Schottky varactor diode 88−32435
Phillippi, G. A minimodule with the 80535−a good buy microcontroller board together with development software 88−56674
Phillips, A. Humpty Dumpty had a great fall [telecommunications competition] 87−20006
Phillips, A.H. Geometrical determination of PDOP [Position Dilution of Precision] 86−4774
Phillips, A.L. *see* Hillman, P.D. 85−16996
Phillips, B. Performance and development considerations for semi-custom CMOS ICs 87−6890
Phillips, B. Integrating CMOS number-crunchers using CAE 88−6621
Phillips, B. Integrating CMOS number-crunchers using CAE 88−6622
Phillips, B. Projecting real-time video output 88−74145
Phillips, B., Chang, T., Yu, A. Structural system design using datapath modules 87−66077
Phillips, B., Chang, W. Applications of parameterized storage arrays in application specific integrated circuits 88−753
Phillips, B., Yu, A., Chang, T. Implementation of the configurable core 80C51 microcontroller using datapath modules 87−59636
Phillips, B., Yu, A., Chang, T. Implementation of the configurable core 80C51 microcontroller using Datapath Modules 87−73492
Phillips, B. *see* Arzbaecher, R. 87−50396
Phillips, B. *see* Melin, D. 85−63358
Phillips, B.R. *see* Collins, B.S. 88−40712
Phillips, B.W. Flexible 19-in. power-supply rack eases system reconfiguration 88−6639
Phillips, B.W. Module generation speeds IC design, extends ASIC library 88−7641
Phillips, B.W. Macro-block ICs: advances in CMOS structural system design 88−7741
Phillips, B.W. Five-board set manages real-time digital video on PC AT 88−22320
Phillips, B.W. Intelligent compiler adds ATG and random-logic synthesis 88−33276
Phillips, B.W. Novel DSP boards break through speed bottlenecks 88−34633
Phillips, B.W. BiCMOS arrays combine density, speed, and power 88−38446
Phillips, B.W. Integrated SCSI controller chip hastens disk data transfer 88−56562
Phillips, B.W. Intelligent VLSI controllers give laser printing a boost 88−63597
Phillips, C., Mohamed, J.L., Delves, L.M. Evaluation of the residual vector in global element calculations 87−58876
Phillips, C. *see* Haines, R. 87−17130
Phillips, C. *see* Lingel, C. 87−28071
Phillips, C.A., Petrofsky, J.S. A cognitive feedback system: approach toward the total neural prosthesis 86−12042
Phillips, C.A. *see* Petrofsky, J.S. 85−15348, 86−12043, 86−44683, 86−65460
Phillips, C.C. *see* Baggs, M.R. 86−5072
Phillips, C.J.E. *see* Zakarevicius, R.A. 87−24383
Phillips, C.L., Oranc, B.T. Centroid estimation for phased-array radar used in automatic aircraft landings 86−30878
Phillips, C.R. *see* Bandi, F. 88−54682
Phillips, C.R. *see* Khan, A. 86−18391, 86−25326
Phillips, D. Performance expectations in multiprocessing applications 85−11337
Phillips, D. Picking the right strategy for protocol conversion 85−36708
Phillips, D. Mainframe tricks raise performance of 32-bit micros 85−55872
Phillips, D. *see* Grunblatt, G. 88−51398
Phillips, D. *see* Kanithi, H. 88−64987
Phillips, D. *see* Lennard, W.N. 86−65344
Phillips, D. *see* Meech, S.R. 85−19064
Phillips, D. *see* Morrow, G.R. 87−41964
Phillips, D. *see* Zeitlin, B.A. 87−38716
Phillips, D.C. *see* Lee, R.J. 85−476
Phillips, D.E. Random noise in digital gates and dividers 88−19020
Phillips, D.H. Aerospace requirements for VLSI circuits 85−23840
Phillips, D.H. Future directions in manufacturing science: University/industry research and education needs of the American semiconductor industry in the 1990s 87−25482
Phillips, D.H. Future directions in manufacturing science 87−45839

Phillips, D.H. University/industry research and education needs of the American semiconductor industry in the 1990's 88−18383
Phillips, D.J. *see* McBean, G.A. 87−71340
Phillips, D.M. *see* Penny, M.F. 86−56254, 86−65516
Phillips, D.W. *see* Hall, S.F. 86−6514
Phillips, E.A. Apparent limitations of phase retrieval method 87−33763
Phillips, E.C. Defence integrated secure communications network (DISCON) 85−63218
Phillips, E.J. *see* Royston, A. 86−26627
Phillips, F.M. *see* Sutton, L.S. 87−62886
Phillips, G. *see* Huson, F.R. 86−31828
Phillips, G.C. *see* Colvin, J.C. 88−68232
Phillips, G.C. *see* Xie, W. 87−74615
Phillips, G.C., Jr. Planar pin grid array (PGA) ceramic packaging 88−63054
Phillips, G.F. *see* Andrews, B.J. 88−42578, 88−74879
Phillips, G.J. Low-cost stable current source [0-20 mA] 85−14741
Phillips, G.J. Temperature sensor and DVM interface 86−5197
Phillips, G.J. Satellite transmitter powers for DBS 86−60001
Phillips, G.J. Optimum satellite powers and other factors for the best use of the 12 GHz band 87−48965
Phillips, G.J. Optimum satellite powers and other factors for the best use of the 12 GHz band 88−28809
Phillips, G.J. *(editor)* Canadian Nuclear Society/American Nuclear Society International Conference on Numerical Methods in Nuclear Engineering 87−5150
Phillips, G.M. *see* McCabe, J.H. 86−26762
Phillips, G.N., Bibles, L.D., Currie, D.E., Toepperwein, C.L. Pneumatic pressure switch for communication 86−25280
Phillips, G.W. *see* Beach, L.A. 86−32178, 86−50428
Phillips, G.W. *see* Glagola, B.G. 85−20860
Phillips, H. *see* Fairbank, J.C.T. 86−32237
Phillips, H. *see* Rozsa, K. 86−1613
Phillips, H.L. *see* Bensiek, W. 87−41695
Phillips, H.L. *see* Biallas, G. 87−35296
Phillips, H.L. *see* Kneisel, P. 85−59038
Phillips, J. Hot driving sounds: a guide to car stereo '84 85−31239
Phillips, J. A new intellectual property right? A hidden landmine in the Cable and Broadcasting Act 1984 87−41159
Phillips, J. Computers and copyright: a note on the Copyright, Designs and Patents Bill 88−24498
Phillips, J. *see* Hall, J.C. 88−17892
Phillips, J. *see* Mazutis, J. 86−37532
Phillips, J.A. What one can actually do with GaAs today 85−35148
Phillips, J.A. GaAs digital integrated circuits 88−26551
Phillips, J.A., Harrold, S.J. GaAs sampled analogue integrated circuits 88−56720
Phillips, J.A., Harrold, S.J., Barker, G.K. GaAs sampled-analogue integrated circuits 87−32610
Phillips, J.A., Harrold, S.J., Haigh, D.G. A GaAs switched-capacitor bandpass filter operating at a switching frequency of 250 MHz 86−41231
Phillips, J.A. *see* Barker, G.K. 87−32005
Phillips, J.A. *see* Chowdhuri, P. 85−5397
Phillips, J.A. *see* Haigh, D.G. 87−66368
Phillips, J.A. *see* Honsberg, C. 88−37549
Phillips, J.A. *see* Richardson, S. 85−60556
Phillips, J.C. Submicrostructural clusters and doping of amorphous silicon 86−28139
Phillips, J.C. A programmable bus emulation technique for processor based and peripheral printed circuit boards 86−46913
Phillips, J.C. Low-dimensional modulated structures 88−8036
Phillips, J.C., Baldwin, K.J., Lehnert, W.F., LeGrand, A.D., Prewitt, C.T. The SUNY X21 beamline at NSLS: a multi-use port on a dedicated high brightness synchrotron radiation source 86−60459
Phillips, J.C. *see* Eng, P.J. 88−48047
Phillips, J.C. *see* LeGrand, A.D. 88−42002
Phillips, J.D. *see* Koch, T.L. 85−52683, 86−5060
Phillips, J.E. *see* Birkmire, R.W. 86−7105, 86−7151, 86−40136, 86−66339, 87−9857, 88−37533
Phillips, J.E. *see* Damaskinos, S. 88−37572
Phillips, J.E. *see* Irving, D.H. 86−2662
Phillips, J.E. *see* McCandless, B.E. 86−40161
Phillips, J.E. *see* Meakin, J.D. 86−66341
Phillips, J.M. Growth and characterization of epitaxial insulating CaF_2 on Si 87−16645
Phillips, J.M., Augustyniak, W.M. Growth of an epitaxial insulator-metal-semiconductor structure on Si by molecular beam epitaxy 85−34306
Phillips, J.M., Augustyniak, W.M. MBE growth of an epitaxial insulator-metal-semiconductor structure $CaF_2/CoSi_2/Si(111)$ 87−10465
Phillips, J.M. *see* Ancsin, J. 85−3972
Phillips, J.M. *see* Batstone, J.L. 88−38215
Phillips, J.M. *see* Gibson, J.M. 85−50302
Phillips, J.M. *see* People, R. 86−14969
Phillips, J.M. *see* Pfeiffer, L. 85−49540
Phillips, J.M. *see* Smith, T.P., III 85−6921, 86−15182, 87−11487
Phillips, J.M. *see* Tu, C.W. 86−53472
Phillips, J.M. *see* Fan, J.C.C. *(editor)* 88−37844
Phillips, J.N. *see* Erbes, M.R. 87−78456
Phillips, J.P. *see* Flindall, J.D. 88−19908
Phillips, J.R., Sims, A.V. Working fluid water content and direct contact heat exchange power [geothermal power] 86−39596
Phillips, J.R. *see* Chan, D.S.H. 86−40093
Phillips, J.T. *see* Amer, P.D. 87−48707
Phillips, J.W., Miller, R.E. Microcomputers in solid mechanics and stress analysis 88−24470
Phillips, K. *see* Manthey, M.J. 88−49658
Phillips, K.C. Rotary switch indicator 86−48293
Phillips, K.J. Telemetry applied to strain gauging 85−26230
Phillips, K.J. Telemetry applied to extensometry 87−49588
Phillips, L. *see* Biallas, G. 87−70938
Phillips, L. *see* Brindza, P. 87−70939
Phillips, L. *see* Kirchgessner, J. 86−24926
Phillips, L.C., Kelly, R.G., Wagner, J.W., Moran, P.J. An investigation of the volume change associated with discharge of lithium/iodine batteries via holographic interferometric techniques 86−40038
Phillips, M. *see* Cole, R. 87−19598
Phillips, M. *see* Shimasaki, K.W. 88−54667
Phillips, M.A. *see* Dormer, K.J. 87−63839
Phillips, M.D. *see* Davies, D.K. 87−21744
Phillips, M.E. *see* Harris, A.M. 86−19002
Phillips, M.G. *see* Crosbie, G.A. 85−481
Phillips, M.G. *see* Russell-Floyd, R. 88−63416
Phillips, M.W., Gong, H., Ferguson, A.I., Hanna, D.C. Optical chaos and hysteresis in a laser-diode pumped Nd doped fibre laser 87−33134
Phillips, M.W. *see* Alcock, I.P. 88−8170
Phillips, N. *see* Brayton, R. 87−37231
Phillips, N. *see* Goh, K.H. 87−12643
Phillips, N.A. Weigh options before converting from nuclear to coal firing 85−59891
Phillips, N.J. The role of silver halide materials in the formation of holographic images 86−10012
Phillips, N.J. Some meanderings through holography 86−22541
Phillips, N.J., Done, S. Microlithographic applications of holography 88−8340
Phillips, N.J., Heyworth, H. Some problems of computer controlled holography 87−12616
Phillips, N.J., Martens, D. Aspects of the copying of holograms using incoherent light 87−12617
Phillips, N.J. *see* Done, S. 88−8345
Phillips, N.J. *see* Kun, Z.K. 88−67944
Phillips, N.J. *see* Leksell, D. 88−45319
Phillips, N.R. *see* Thayer, G.R. 88−68119
Phillips, P., Saulnier, G.J., Das, P. Gate array implementation of a Widrow-Hoff least mean squared (LMS) adaptive filter 87−948
Phillips, P. *see* Kundu, K. 87−18844
Phillips, P.G. Meeting the quality challenge: developing an acceptable quality control system 86−7544
Phillips, P.G. *see* Tu, S. 86−64810
Phillips, P.J. The morphology of crosslinked polyethylene and its influence on treeing 85−1799
Phillips, P.J., Vatansever, A. The influence of cure method on the sol content and physical structure of crosslinked polyethylene insulation 88−5359
Phillips, P.L. Minimum colour differences required to recognise small objects on a colour CRT 86−17834
Phillips, P.L. Minimum colour differences required to recognize small objects on a colour CRT 86−38274
Phillips, P.L. *see* Borg, P.J. 85−59215
Phillips, P.L. *see* Davies, P.A.W. 88−30079
Phillips, P.M., Marshall, E.M., Shaughnessy, C.H., Walsh, J.E. A comparison at infrared wavelengths of metal-grating and dielectric-film free-electron lasers 88−27196
Phillips, P.M. *see* Marshall, E.M. 88−25823, 88−64195
Phillips, P.M. *see* Walsh, J.E. 88−19607
Phillips, R. The light at the end of the cable [fibre optics] 85−20178
Phillips, R. *see* Danby, G. 86−31881 to 31882, 88−52157
Phillips, R.B. *see* Clark, T.A. 85−59428
Phillips, R.B. *see* White, T.M. 87−15285
Phillips, R.C. *see* Finley, L.A. 85−59585
Phillips, R.D. Microprocessor controlled recorders 85−14878
Phillips, R.E. *see* Smith, D.G. 85−33041
Phillips, R.J. Microchannel heat sinks 88−63043
Phillips, R.L., Andrews, L.C. Noise problems in rotation sensors 87−12155
Phillips, R.O. Review of the INMARSAT system 85−47490
Phillips, R.R. *see* Silver, A.H. 85−54825
Phillips, R.R. *see* Spargo, J.W. 88−12461
Phillips, R.T. *see* Yoffe, A.D. 87−66928
Phillips, S. *see* Planton, S. 88−74144
Phillips, S.G. Micro-to-mainframe communications: what managers should know 85−13922
Phillips, S.R. High-voltage high-power resistive divider for TFTR neutral-beam power supply 88−24040
Phillips, S.R. *see* Ikeda, M.H. 88−67842, 88−67877
Phillips, T. *see* MacGowan, B.J. 88−2177
Phillips, T. *see* Matthews, D.L. 87−12369
Phillips, T.-Y., Rosenfeld, A. An ISODATA algorithm for straight line fitting 88−66652
Phillips, T.-Y. *see* Matsuyama, T. 85−36400
Phillips, T.C., Fabrizio, R. Systolic architecture for extended Kalman filtering 88−40915
Phillips, T.E. *see* Fristrom, R.M. 87−23780
Phillips, T.G. Submillimeter and far-infrared detectors 88−60349
Phillips, T.G. *see* Brown, E.R. 86−5314, 86−24534
Phillips, T.G. *see* Buttgenbach, T.H. 88−71067
Phillips, T.G. *see* Wengler, M.J. 86−2627, 87−20646
Phillips, T.H. A shrinking technique for complex object decomposition 85−63110
Phillips, T.H., Rosenfeld, A. Decomposition of 3D objects into compact subobjects by analysis of cross-sections 88−28032
Phillips, T.L. *see* Johnson, R.W. 88−64141
Phillips, T.N. An embedding method for the Cauchy-Riemann equations 86−13674
Phillips, T.N. Relaxation schemes for spectral multigrid methods 87−61868
Phillips, T.N., Davies, A.R. On semi-infinite spectral elements for Poisson problems with re-entrant boundary singularities 88−24681
Phillips, T.N., Rose, M.E. A finite difference scheme for a class of first-order elliptic partial differential equations 85−44650
Phillips, T.N. *see* Hafex, M.M. 85−54386
Phillips, T.W. *see* Rosen, M.D. 88−14119
Phillips, V. Installing undercarpet wiring. How to stay ahead of the carpet layers 85−57903
Phillips, V.J. Optical, chemical and capillary oscillographs 86−24601
Phillips, W. *see* Keating, T. 88−23173
Phillips, W.C. *see* Oldenbourg, R. 87−7024
Phillips, W.D. *see* Metcalf, H.J. 86−70286
Phillips, W.D. *see* Olsen, P.T. 85−58794, 85−64225, 86−24635, 87−14430
Phillips, W.D. *see* Williams, E.R. 85−63938, 86−24261, 87−14066
Phillips, W.D. *see* Taylor, B.N. *(editor)* 86−56
Phillips, W.G., Curtis, S.P. Plutonium detection in humans using octagonal computer-generated color patterns 85−48355
Phillips, W.J. *see* Lazear, N.R. 85−13164, 85−19167
Phillips, W.M., Stearns, J.W. Advanced latent heat of fusion thermal energy storage for solar power systems 86−39623
Phillips, W.R. *see* Stern, R.L. 87−77590, 88−36394
Phillips Tsaiyun Hong *see* Tsaiyun Hong Phillips
Phillipson, J.T. *see* Mensinga, J. 86−7211
Phillis, B.C. *see* Bliss, A.G. 85−42048
Phillis, Y.A., D'Angelo, H., Saussy, G.C. Analysis of series-parallel production networks without buffers 86−61978
Philofsky, E. *see* Fior, G. 87−18355
Philogene, B.J.R. *see* Schwartz, J.L. 86−56201
Philokyprou, G. *see* Nikolos, D. 85−19361, 85−46709
Philokyprou, G. *see* Paschalis, A.M. 87−44902
Philp, G. Fibre optics in field transmitters 88−47538
Philp, G.S. *see* Jones, B.E. 86−36203
Philpchuk, N.I. *see* Larin, A.L. 86−36935
Philpot, B.J. 33% energy saving by changing luminaires 85−39289
Philpot, G. Integrated speech synthesisers with unlimited vocabulary 86−49896
Philpot, W.D. Spectral curvature algorithms and insensitivity to atmospheric effects 88−5146
Philpot, W.D. *see* Vodacek, A. 87−42252
Philpott, D.R. Pressure measurement in a blowdown wind tunnel 87−8968
Philpott, M.R. *see* Corn, R.M. 85−12951
Philpott, R.J. *see* Sanderson, D.P. 87−77516
Phinney, D.D. *see* Casey, W.L. 88−61594
Phinney, N. Report on the SLC control system 86−31785
Phinney, N., Shoaee, H. The SLC control system−status and development 88−54181
Phinney, N. *see* Abrams, G.S. 88−54244
Phinney, N. *see* Bogart, J. 86−24887, 88−54184
Phinney, N. *see* Jobe, R.K. 86−31782, 88−54157, 88−54163
Phinney, N. *see* Ross, M.C. 88−54160
Phinney, N. *see* Seeman, J.T. 88−54272
Phinney, N. *see* Sheppard, J.C. 88−54097, 88−54171
Phinney, N. *see* Spencer, N. 86−31787
Phinney, N. *see* Thompson, K. 86−31786
Phinney, N. *see* Thompson, K.A. 88−54168
Phippard, C. Printing hybrid circuits on larger substrates 85−28860
Phippard, C. Scaling up to yield quality results 85−34379
Phippard, C. Large substrate thick film printing and handling 85−45334
Phipps, J.B., Hayes, T.G., Skarstad, P.M., Untereker, D.F. In-situ formation of a solid/liquid composite electrolyte in Li/I_2 batteries 86−45638

Phipps, J.P., Gauen, K. New insights affect power MOSFET ruggedness 88−50863
Phipps, M., Jacobs, J., Pico, C., Tang, M., Lagally, M.G. Kinetics of $TiSi_2$ thin-film formation from Ti-Si reaction couples 85−40667
Phipps, M.S. *see* Aumann, C.E. 86−28459
Phizackerley, R.P., Cork, C.W., Merritt, E.A. An area detector data acquisition system for protein crystallography using multiple-energy anomalous dispersion techniques 86−60571
Phizacklea, J., Harrison, S.J. Automatic weather station instrumentation: a system appraisal 87−71361
Phlippen, P.-W. *see* Jaroni, U. 85−4739
Phneah, P.K. *see* Teo, C.Y. 87−4306
Phoenix, R.L. *see* Fleisher, H. 85−22764, 86−27277
Pholchen, R. *see* Koppendorfer, W. 86−42181
Phong Bui Minh *see* Minh Phong Bui
Phoon, W.O. *see* Ong, C.N. 88−23125
Phu, H.X. Optimal control of a hydroelectric power plant with unregulated spilling water 88−30610
Phu, L.H. *see* Phan, H.K. 86−35646, 87−37998
Phu, X.Nguyen *see* Nguyen Phu, X.
Phu Hoang Xuan *see* Hoang Xuan Phu
Phuah, E.C. *see* Dyson, P.R. 86−12041
Phukan, B.D. *see* Chalmers, I.D. 87−25678
Phung, B.T. *see* James, R.E. 87−22458, 88−48886
Phung, D.L. Economics of nuclear power: past record, present trends and future prospects 86−12606
Phung, D.L. Economics of nuclear power, past record, present trends, and future prospects 86−32967
Phung, D.L. *see* Burwell, C.C. 85−21961
Phung, D.L. *see* Weinberg, A.M. 85−65037
Phung Thai Pham *see* Pham Phung Thai
Phuoc, D.M. *see* Minh, L.Q. 87−74916
Phuoc, Tran-Gia, Jans, H. Delay analysis of clock-driven message transfer in distributed processing systems 86−4068
Phuoc Tran-Gia *see* Manfield, D. 88−14861
Phuoc Tran-Gia Discrete-time analysis for the interdeparture distribution of GI/G/1 queues 87−40453
Phuong Ha-Vinh *see* Ha-Vinh Phuong
Phut, P.H. *see* Berthon, A. 86−61662
Phut Pham Huu *see* Pham Huu Phut
Phy, W. *see* Myers, D.K. 85−17949
Physicist, D.W. Microelectronics the next fifteen years 88−51025
Phythian, W.J. Use of spark erosion for the production of mechanical test samples 88−62826
Pi, F., Schmidt-Iglesias, C., Orriols, G. Thermally induced optical multistability with a beam splitter in the degenerate two-beam interferometer configuration 86−48500
Pi, F., Schmidt-Iglesias, C., Orriols, G. Thermally-induced optical bistability with two holding beams 87−33260
Pi, F. *see* Orriols, G. 87−33329
Pi Mingjia *see* Tian Enrui 86−567
Pi Xiao-qing *see* Lei Yuan-han 87−61378
Pi-jin Chen *see* Chen Pi-jin
Pia, M.G. *see* Baglin, C. 85−26605
Pia, M.G. *see* Buzzo, A. 85−20833
Pia, M.G. *see* Mouellic, B. 88−22920
Piacente, A. *see* Blanco, A. 85−46550
Piacente, P. *see* Brown, D.M. 87−38155
Piacente, P. *see* Kim, M.J. 85−55737
Piacente, P.A. *see* Brown, D.M. 87−45832
Piacente, P.A. *see* Chang, H.R. 88−39481
Piacente, P.A. *see* Kim, M.J. 85−18771, 85−50464
Piacente, P.A. *see* Wilson, R.H. 85−40849, 86−53756, 86−58536
Piacentini, G.F. High density interconnections 85−28764
Piacentini, G.F. *see* Brambilla, P. 87−32064
Piacentini, G.F. *see* Marzocchi, G. 87−53734
Piacentini, G.F. *see* Molinari, M. 85−28707
Piacentini, M. Choice of PRF for error-tolerant range destaggering of radar targets 86−17419
Piacentini, M. General closed form computation of clutter power density spectra 87−76821
Piacentini, M., Cafforio, C., Rocca, F. Algorithms for image reconstruction after nonuniform sampling 87−75861
Piacentini, M., Rocca, F. Linear image processing models 85−41978
Piacentini, W.J. *see* Hollis, M.A. 86−47545
Piacenza, M. No-twist phone cord: from idea to reality 88−3700
Piacitelli, L. *see* Whiting, W.B. 87−31210
Piaget, C. Image intensification or how to detect, amplify and display 88−4489
Piaget, C. *see* Fouassier, M. 86−24381, 88−4491, 88−19633, 88−19636
Piaget, C. *see* Lemonier, M. 86−24389, 88−16193
Piaguet, J. *see* Fontaine, C. 86−20064, 87−44310
Piaguet, J. *see* Million, A. 88−63321
Pialoux, J.-M., Faure, A. Trolleybuses in Nancy: traffic regulation allows higher commercial speed 87−5034
Piana, G. *see* Giambiasi, N. 87−25503
Piana, P.La *see* La Piana, P.
Piane, A.Delle *see* Delle Piane, A.
Pianelli, A. *see* Gerbaux, X. 87−16605
Pianelli, G. *see* Biscontin, A. 86−50143
Pianetta, P. X-ray lithography at SSRL 86−8968
Pianetta, P., Barbee, T.W., Jr. Applications of multilayers to synchrotron radiation 88−42448
Pianetta, P., Barbee, T.W., Jr., Redaelli, R. Performance of layered synthetic microstructures in monochromator applications in the soft X-ray region 86−60652
Pianetta, P., Redaelli, R., Jaeger, R., Barbee, T.W., Jr. X-ray lithography at the Stanford Synchrotron Radiation Laboratory (SSRL) 86−8940
Pianetta, P., Redaelli, R., Jaeger, R., Barbee, T.W. X-ray lithography at the Stanford Synchrotron Radiation Laboratory 86−60682
Pianetta, P. *see* Bachrach, R.Z. 88−47747
Pianetta, P. *see* Hecht, M.H. 86−60703
Pianetta, P. *see* Jaeger, R.P. 85−1628
Pianetta, P. *see* Kania, D.R. 86−60560
Pianetta, P. *see* Katnani, A.D. 86−1788
Pianetta, P. *see* King, P. 88−13222
Pianetta, P. *see* King, P.L. 88−39298
Pianetta, P. *see* Pan, L. 88−48055
Pianetta, P. *see* Piestrup, M.A. 88−13212
Pianetta, P. *see* Redaelli, R. 87−11539
Pianetta, P. *see* Rowen, M. 86−60665
Pianetta, P. *see* Seligson, D. 88−42458
Pianetta, P. *see* Tung-Yi Chan 88−64581
Piano, A., Pallone, K. Solvent swell [PCB manufacture] 88−64104
Piano, E. *see* Falciai, R. 87−18594, 88−10017
Piano, M. *see* Buttafava, P. 86−36001
Pianta, A.M. *see* Cercone, A.C. 87−35621
Piantanida, T. *see* Larimer, J. 88−67574
Piantanida, T.P. *see* Ploeger, D.W. 85−38008
Pianzola, F. *see* Eri, G. 88−60143
Piao, Y.B. *see* Jiang, X.L. 88−54198
Piao Yubo, Ma Shuxun, Ma Yongli A stepping motor driven ion beam scanner with double probe 86−50269
Piascik, T.G., Patenaude, R.S. In-pool damaged fuel bundle recovery 88−62133
Piasco, J.M., Doncarli, C. Azimuth measurement: recursive and global approaches, detection of evolution of target 88−22791
Piasecki, K. Fuzzy probability spaces defined by means of the fuzzy relation ‘less than’ 86−62023
Piasecki, K. Fuzzy P-measure on the real line 87−58794
Piasetsky, J., Murphy, R. DCM systems to expand TAT-8 circuit capacity 87−40936
Piat, G. *see* Hennebicq, J.-P. 86−33207
Piatkowski, A. *see* Wardaszko, T. 87−3394
Piatkowski, T.F. The state of the art in protocol engineering 87−20185
Piatosa, M. *see* Gitel, A. 87−75634
Piatosa, M. *see* Lukasiewicz, Z. 87−47314
Piattelli, P. *see* Agodi, C. 88−61132
Piattelli, P. *see* Finocchiaro, P. 88−74753
Piattino, G. *see* Brosio, A. 87−8466, 87−28861
Piau, G., Brown, X., Dangoisse, D., Glorieux, P. Heterodyne detection of tunable FIR sidebands 88−2364
Piau, P. Processing of airborne SAR images of ocean waves 88−10580
Piazena, H. *see* Panin, G.N. 85−59486
Piazza, C. *see* Garcia-Tenorio, R. 87−29683
Piazza, F. *see* Baroncini, C. 88−22824
Piazza, F. *see* Capparelli, F. 86−70935
Piazza, F. *see* Cipriani, R. 86−61246
Piazza, F. *see* Di Claudio, E.D. 88−63722
Piazza, F. *see* Lombardi, P. 87−62872
Piazza, F. *see* Morandi, C. 86−43295, 87−33742, 88−52508
Piazza, G. Numerical methods for Volterra equations of the second kind 85−28199
Piazza, L.J. *see* Bressler, R.D. 85−3128
Piazza, S., Tributsch, H. Photoelectrochemical properties of p-RuS_2 87−60215
Piazza, W.J. *see* Jensen, D.D. 85−23258
Piazza, W.J. *see* Kuntz, J.J. 85−28034
Piazzi, G. Bar codes print checking 86−44214
Piazzoli, A. Electromechanical contactors−automated testing equipment 87−64754
Piazzoli, A. The electro-mechanical contact maker 88−22440
Piazzoli, A. DC operated contactors 88−25617
Piazzoli, A. *see* Bressi, G. 87−29467
Piazzoli, A. *see* Chiampi, M. 86−36669
Piazzoli, A. *see* Passera, G. 86−71006
Piazzoli, B.D’Ettorre *see* D’Ettorre Piazzoli, B.
Piazzoli, B.D’Ettorre *see* D’Ettorre Piazzoli, B.
Piazzolla, S., Spano, P. Analytical evaluation of the line shape of single-mode semiconductor lasers 85−7457
Piazzolla, S., Spano, P., Tamburrini, M. Small signal analysis of frequency chirping in injection-locked semiconductor lasers 87−26403
Piazzolla, S., Tamburrini, M., Spano, P. Influence of the non-Lorentzian emission lineshape of laser diodes on the BER_{floor} in DPSK heterodyne optical systems 88−41668
Piazzolla, S. *see* Crosignani, B. 85−29595
Piazzolla, S. *see* Mecozzi, A. 88−2240
Piazzolla, S. *see* Sapia, A. 88−2274, 88−45457
Piazzolla, S. *see* Spano, P. 86−9864, 86−42556
Piazzolla, S. *see* Tamburrini, M. 86−48416, 88−65734
Pic, E. *see* Arlot, P. 87−33320
Pic, E. *see* Persegol, D. 88−2055, 88−58242
Pic, E. *see* Rauly, D. 88−20447
Pic, E. *see* Reinisch, R. 85−56365, 86−22477
Pic, E. *see* Tedjini, S. 85−23126, 88−26864, 88−63888
Pica, A.P. Simulation of alphanumeric characters on color monitors 85−14663
Pica, A.P. On towards the future and high definition television 86−49787
Pica, A.P. Perceptual analysis of sampled color monitor displays 88−67970
Pica, A.P., Klopfenstein, R.W. Perceptual analysis and simulation of color monitor displays 88−22707
Picard, A., Angelopoulos, B. City centre duo-mode minibus 85−65539
Picard, A. *see* Backe, H. 88−61201
Picard, C. *see* Baruch, P. 86−7092
Picard, D. *see* Bolomey, J.-C. 85−36079, 88−72661
Picard, D. *see* Cown, B.J. 88−2715, 88−45758
Picard, D. *see* Mostafavi, M. 85−41690, 88−2840
Picard, E.-J. *see* Blac-Russac, J.-M. 86−63567
Picard, G. Simulation of complementary shipboard defence systems 88−17004
Picard, G., Weissenstein, D. Diagnostics for a compressed air installation using central measurement 88−62637
Picard, J. Robustness of solutions to problems of filtering with independent white noise 85−2841
Picard, J. Nonlinear filtering of one-dimensional diffusions in the case of a high signal-to-noise ratio 86−16356
Picard, J. A filtering problem with a small nonlinear term 87−7740
Picard, J. Nonlinear filtering of one-dimensional diffusions in the case of a high signal-to-noise ratio 87−27409
Picard, M., Ravel, G. The SARDE system for electronic document storage and retrieval 86−37236
Picard, P., Kramer, H., van der Neyen, H. A controller for the cellular mobile radio system ‘C-Netz’ 86−4553
Picard, P., Rey, P. Cooperation and research-development: some theoretical thoughts drawn from Esprit programme 88−31413
Picard, T. *see* Backe, H. 88−36398
Picardi, C. *see* Bellini, A. 86−33400, 87−30581, 87−36040, 87−58193, 88−69495, 88−69567
Picardi, C.E. *see* Bellini, A. 87−43247
Picardi, G., Seu, R. Direct MLE approach to solve multipath problems in tracking radar 87−49145
Picardi, G., Seu, R., Zei, D. Log-normal clutter cancellation 87−28638
Picardi, G., Spina, G. The superresolution applications in tracking radar 86−17492
Picardi, G. *see* Addario, M.G. 86−30875
Picardi, G. *see* Barbarossa, S. 85−58164, 85−58179, 86−30866, 88−4105
Picardi, G. *see* Bucciarelli, T. 86−30851
Picardi, G. *see* Cacopardi, S. 85−46828
Picardi, G. *see* Levrini, G. 87−76837
Picardi, L. *see* Biagini, M.E. 86−24989
Picardi, L. *see* Bizzarri, U. 85−59064, 87−2168, 88−29729
Picasso, E. The European electron-positron collider (LEP) 86−31868
Picasso, E. *see* Bernard, P. 87−77498
Picat, J.P. *see* Mellier, Y. 86−38256
Picault, J.P. *see* Gazalet, M.G. 86−22194
Picault, J.P. *see* Thomin, G. 86−68354
Picault, Y. The quality of the distribution infrastructure [telephone network] 88−73499
Picaut, J. The reactor building of the Saint-Alban nuclear power station 86−18950
Piccardo, V. *see* Calzolari, P. 85−20002
Piccari, L. *see* Scotti, S. 86−22753
Piccarolo, P. *see* Gervasio, V. 86−40253
Piccarozzi, A. *see* Del Pistoia, A. 87−8079, 87−33903
Piccarozzi, A. *see* del Pistola, A. 87−34247
Piccarreta, L. *see* Colombo, E. 88−55293
Picchi, G., Prati, G. ‘Stop-and-go’ decision directed algorithm for joint blind equalization and carrier recovery 87−39567
Picchi, G., Prati, G. Blind equalization and carrier recovery using a ‘stop-and-go’ decision-directed algorithm 88−8644
Picchi, G., Prati, G., Prosperi, L., Terreni, P. Bit-slice digital signal processor for high baud rate models 85−45115
Picchi, G., Prati, G., Raheli, R. DM-based doubly incremental adaptive equalizer with reduced number of bits 86−14440
Picchi, G., Prati, G., Raheli, R. Incremental adaptive equalizers using ternary +1, 0, −1 tap coefficients and/or delta modulation input encoding 86−64188
Picchi, G., Prati, G., Santerini, D. Algorithms for spatial laser beacon acquisition 86−49590
Picchi, G., Prati, G., Santerini, D. Algorithms for spatial laser beacon acquisition in cluttered optical communications 87−49121

Picchi, G., Raheli, R., Prati, G. Multiplication-free incremental adaptive equalizer using DM encoding 85−19302
Picchi, P. *see* Aglietta, M. 86−65378
Picchi, P. *see* Albrizio, R. 88−74766
Picchi, P. *see* Amendolia, S.R. 85−15169
Picchi, P. *see* Bagliesi, G. 88−48025
Picchi, P. *see* Baldini, R. 87−8865
Picchi, P. *see* Battistoni, G. 86−50396, 87−8864
Picchi, P. *see* Catanesi, M.G. 86−60606
Picci, G., Pizoni, S. Dynamic factor-analysis models for stationary processes 87−51940
Picci, G. *see* Lindquist, A. 86−317
Piccialli, A. *see* Cavaliere, S. 88−47384
Piccialli, A. *see* De Poli, G. 85−7846
Picciano, F.G. The NESC, probability, reliability and the future 88−48577
Picciarelli, V. *see* Cinquepalmi, R. 85−49292
Piccin, I. *see* Grasso, G. 86−9575
Piccinelli, G. *see* Auriemma, G. 88−22965
Piccinelli, P. *see* Barcia, E. 88−41405, 88−46717
Piccinelli, P. *see* Camiciottoli, R. 87−34322
Piccini, F. A flexible automatic assembly line for PCBs 88−1155
Piccini, L. Prospect of using IR emission in searching for people in disasters 88−29379
Piccini, L. *see* Bernardi, P.L. 87−3492
Piccini, L. *see* Fossi, M. 85−46821, 85−47593
Piccini, P., Benedetti, C., Grelli, A., Pasquali, L. Theoretical evaluation of monopulse SSR and comparison with experimental measurements 88−15538
Piccinini, G. *see* Civera, P. 87−66240
Piccinini, G.L. *see* Civera, P.L. 87−60619
Piccinini, L. *see* Avanzini, P.G. 85−15788
Picciolo, J.J. *see* Fee, D.C. 87−43413
Piccione, D.A. How planning in advance benefits steam generator replacement 85−15732
Piccioni, A. *see* Bendinelli, O. 88−8811
Piccioni, M. *see* d'Alessandro, P. 85−252
Piccioni, M. *see* Germani, A. 87−75766
Picciotto, L.A.De *see* De Picciotto, L.A.
Piccirilli, A.B., Dutta, N.K., Napholtz, S.G., Cella, T., Brown, R.L. 1.3-μm integrated external cavity distributed Bragg reflector laser 87−61159
Piccirilli, A.B. *see* Cella, T. 87−75094
Piccirilli, A.B. *see* Dutta, N.K. 86−58912, 86−58914, 86−63801, 87−18998, 87−39156, 88−27249, 88−40100, 88−40234
Piccirillo, A. *see* Cucchietti, F. 87−13706, 87−62939
Picco, A. *see* Barazesh, B. 86−69506, 88−56664
Picco, A. *see* Laborie, J.L. 87−17136
Picco, A. *see* Mary, L. 87−38480
Picco, M. Integrating video 88−22341
Piccoli, G. *see* Chiarottino, W. 86−5965
Piccoli, R. Small-rating hydroelectric plant: economic and financial aspects 86−6600
Piccolo, A. Winning card for historic centres [vehicle with hybrid motor] 87−64888
Piccolo, A. A trump card for city centres [hybrid vehicles] 88−18175
Piccolo, A., Brambilla, E. Electric hybrid vehicle for urban transportation 85−65531
Piccolo, A., Brambilla, E., Petrecca, G., Boldrini, W. A hybrid car for urban transport systems 86−71100
Piccolo, A., Rotondale, N. Computer representation of traction chopper for harmonic analysis 88−69620
Piccolo, M. *see* Ash, W.W. 88−10244
Piccolo, M. *see* Callegari, G. 86−50323
Piccolo, M. *see* Pagliai, G. 86−23229, 86−61644
Piccone, D.E. *see* Somos, I.L. 88−26243, 88−57632
Piccone, R.P. A case for an HTG hybrid 88−47721
Piccotti, A. *see* Biino, C. 88−22930
Piccotti, A. *see* Chiavassa, E. 86−50325
Picel, Z. *see* Auclair, J.Y. 88−59860
Picel, Z. *see* Charbonnier, A. 86−54426
Picel, Z. *see* Evci, C.C. 87−55846
Picel, Z. *see* Langlais, T. 87−48736, 88−22002
Picel, Z. *see* Masson, J. 86−8392
Pich, H.C. Nuclear technology transfer: some considerations concerning Portugal 86−39447
Pich, M. *see* Noack, W. 87−41451
Picha, G. *see* Sarangapani, S. 88−54477
Picha, R. Integrated circuit for signal processing (DSP) series SP50, with high data throughput 87−46061
Pichaiah, B. *see* Pal, S. 87−20474
Pichakhchi, A.F. *see* Grankina, T.M. 85−48876
Pichal, J., Maloch, J. Shock waves in plasma parallel plate accelerator 88−4708
Pichard, B. *see* Cribier, M. 88−29784
Pichard, B. *see* Michau, J.C. 86−44559
Pichard, C.R. *see* Tosser, A.J. 87−53877
Pichard, G. *see* Alabedra, R. 85−58105, 86−42419
Pichard, G. *see* Flatchet, J.C. 87−41524
Pichard, G. *see* Nguyen Duy, T. 86−9683
Pichard, G. *see* Orsal, B. 86−9684
Pichaud, B., Burle-Durbec, N., Minari, F., Duseaux, M. Study of dislocations in highly In doped GaAs crystals grown by liquid encapsulation Czochralski technique 86−391
Pichault, F. *see* Qvortrup, L. *(editor)* 87−72713
Piche, F. *see* Johannet, P. 87−23449
Piche, L., Massines, F., Lessard, G., Hamel, A. Ultrasonic characterization of polymers as function of temperature, pressure and frequency 88−49929
Piche, M., Belanger, P.-A. On the losses of the counterpropagating modes of ring cavities 85−18972
Piche, M. *see* Belanger, P.A. 85−41422
Piche, M. *see* Couture, M. 87−61187, 88−27215
Piche, M. *see* Kovar, G. 86−15743, 87−7265, 87−39009
Piche, M. *see* Ouellette, F. 87−7428
Piche, M. *see* Pare, C. 88−51845
Piche, M. *see* Snell, K.J. 88−40275
Piche, P. *see* Krieger, M. 85−33974
Pichel, M. *see* DuRon, B. 87−72580
Pichel, R.H. *see* Herrera, M.C. 86−65405
Pichel, R.H. *see* Spinelli, J.C. 87−50368
Pichel, W.G. *see* McClain, E.P. 86−32564
Picheny, M. *see* Averbuch, A. 87−20775, 87−61680
Picheny, M.A. Speech to text transcription using statistical methods 86−22975
Picheny, M.A. *see* Bahl, L.R. 88−72812
Picheny, M.A. *see* Gopalakrishnan, P.S. 88−66338
Picheny, M.A. *see* Nadas, A. 88−72817 to 72818
Pichereau, P. *see* Ducourant, M. 86−43470
Picherit, F. An ultrasonic sensor using optical fibres with spatial resolution of the order of the sonic wavelength 87−35514
Pichetjamroen, V., Kubota, H., Yoshioka, Y., Matsuse, K. Principles of operation for a new PWM-controlled three-phase GTO converter 86−19388
Pichetjamroen, V., Utsumi, T. Consideration of sinusoidal PWM AC currents in a new GTO converter 87−64709
Pichkasov, V.M. *see* Gizatullin, R.M. 88−33938
Pichkhadze, K.M. *see* Kremnev, R.S. 86−30313
Pichko, S.V. *see* Belkin, V.S. 88−16393
Pichler, F. Application of automata theory in cryptology 88−45879
Pichler, G., Bahns, J.T., Sando, K.M., Stwalley, W.C., Muller, W., Konowalow, D.D., Li, L., Field, R.W. Electronic assignments of the violet bands of sodium 87−7248
Pichler, H. Data transmission using the lighting and power mains cables. Fundamentals and forms of implementation of data networks with high voltages present 85−13895
Pichler, H. User-friendly spectrum analyser 85−31417
Pichler, H. Views on systems for data transmission over two-line networks subject to high noise 86−49335
Pichler, H., Pavuza, F. Criteria for selecting magnetic tapes for analog and digital recording of audio and video signals according to dropout 86−42127
Pichler, H., Pavuza, F. Sine wave generators for high quality audio measurements: implementation and performance 87−77293
Pichler, H., Pavuza, F., Kraker, A. Digital sinewave generators 87−59244
Pichler, H., Steinhauser, F. Switching type power supply regulators with sinusoidal current input 87−52383
Pichler, H. *see* Pavuza, F. 87−70540
Pichler, H. *see* Thoma, J. 85−33669, 86−40885
Pichler, M. Computer based techniques for the detection and analysis of powerline waveform distortion 88−42757
Pichler, M., Tranter, J. Computer based techniques for predictive maintenance of rotating machinery 88−48888
Pichler, P., Bauer, G., Clemens, H., Jantsch, W. Transport and magneto-optical properties of PbTe doping superlattices 87−6456
Pichler, P., Bauer, G., Clemens, H., Jantsch, W., Lischka, K., Eisenbeiss, A., Heinrich, H. Electronic properties of PbTe doping superlattices under illumination 88−19713
Pichler, P., Jungling, W., Selberherr, S., Guerrero, E., Potzl, H.W. Simulation of critical IC-fabrication steps 86−21645
Pichler, P., Jungling, W., Selberherr, S., Potzl, H. Two-dimensional coupled diffusion modeling 85−45556
Pichler, P. *see* Jantsch, W. 86−8823, 87−61012
Pichler, P. *see* Jungling, W. 85−34807, 85−44852
Pichler, S. *see* Lebrun, P. 88−68167
Pichon, L. *see* Ferran, J. 85−59795
Pichot, C., Chommeloux, L. Numerical simulations for active microwave imaging of buried objects 86−56273
Pichot, C., Jofre, L., Peronnet, G., Bolomey, J. Active microwave imaging of inhomogeneous bodies 85−43084
Pichot, C. *see* Besnault, B. 85−7659
Pichot, C. *see* Chommeloux, L. 87−15035
Pichot, C. *see* Jofre, L. 86−31618
Pichot, Ch. *see* Tabbara, W. 88−54511
Pichot, M. *see* Arnal, Y. 86−58423
Pichot, M. *see* Durandet, A. 88−16548
Pichot, M. *see* Guillaume, M.E. 86−21672
Pichot, M. *see* Pelletier, J. 86−47474
Pichot, M.A., Weldon, J.M. Design of a 15 megajoule industrial homopolar generator 87−22408
Pichot, M.A. *see* Hildenbrand, D.J. 87−30779
Pichot, M.G. Microwave multipolar plasma etching at low pressure: a novel reactor concept 86−21409
Pichugin, A.P., Elenskii, L.V., Efimov, V.B., Kalmykov, A.I., Kurekin, A.S. Digital processing of imagery returned by Cosmos-1500 satellite side-looking radar 87−35483
Pichugin, A.P. *see* Bin'ko, G.F. 86−5729
Pichugin, A.P. *see* Gornov, M.G. 85−4202
Pichugin, A.P. *see* Kalmykov, A.I. 85−64698, 87−35491
Pichugin, A.P. *see* Shestopalov, V.P. 86−12130
Pichugin, A.P. *see* Spiridonov, Yu.G. 87−35482
Pichugin, E.D. *see* Shakirov, A.Sh. 87−57920
Pichugin, I.G. *see* Bugge, F. 87−36697
Pichugin, S.Yu. *see* Igoshin, V.I. 85−56543
Pichugin, S.Yu. *see* Zagidullin, M.V. 87−68362, 88−65575
Pichugin, V.M. *see* Belkin, Ya.I. 86−44994
Pichugin, V.M. *see* Davydova, L.I. 87−35666
Pichugin, Yu.P. *see* Kogan, B.V. 85−22714
Pichugin, Yu.P. *see* Pavlov, V.A. 86−47264, 87−9217
Pichugina, M.T. *see* Gromova, L.A. 88−32063
Pichugina, M.T. *see* Korshunov, G.S. 88−25763
Pichumani, S. *see* Majewski, M. 88−1747
Picinbono, B. Detection with uncertainty: nonparametric, robust or adaptive approaches 85−57415
Picinbono, B. Some comments on signal interpolation 87−27411
Picinbono, B. Deterministic and random signals. Analysis and modelling 88−8805
Picinbono, B. Detection and estimation problems and perspectives 88−21225
Picinbono, B. Linear-quadratic array processing for coherent sources 88−73129
Picinbono, B., Benidir, M. On a class of signals and matrices giving very fast algorithms for linear problems 86−16350
Picinbono, B., Benidir, M. Some properties of lattice autoregressive filters 86−41237
Picinbono, B., Bouvet, M. Constrained prediction 86−16431
Picinbono, B., Bouvet, M. Constrained Wiener filtering 87−39771
Picinbono, B., Devaut, P. Optimal linear-quadratic systems for detection and estimation 88−66490
Picinbono, B., Duvaut, P. Quantization and detection 86−64186
Picinbono, B., Duvaut, P. Optimal linear-quadratic systems for detection and estimation 87−55173
Picinbono, B., Duvaut, P. Optimal quadratic systems for detection and estimation 87−55233
Picinbono, B., Duvaut, P. Optimal vectorial quantisation for detection 88−21235
Picinbono, B., Kerilis, J.-M. Some properties of prediction and interpolation errors 88−46034
Picinbono, B., Kerilis, J.M. Some properties of prediction and interpolation errors 87−61945
Picinbono, B. *see* Benidir, M. 87−47656, 87−55196, 88−66471, 88−66591
Picinbono, B. *see* Bouvet, M. 86−16421, 86−23081, 87−61990
Picinbono, B. *see* Duvaut, P. 88−21245
Piciorgros, A. *see* Winnewisser, G. 87−34699
Piciorgros, A. *see* Zensen, W. 87−20654
Pick, G. Use of adaptive filters in signal-processing hearing aids 85−20968
Pick, H. EPROM programmer and assembler for the Commodore C64 87−44816
Pick, M.A. *see* Heald, S.M. 86−60642
Picka, J. *see* Hruby, J. 87−4040
Pickar, M.A. *see* Henneck, R. 87−77517
Pickard, A. Computer and TV video interface 85−31190
Pickard, A. BBC Micro volume control 85−31228
Pickard, A. An introduction to communications satellites 87−13650
Pickard, A. Unilab schools satellite project. I 87−76673
Pickard, A. Unilab schools satellite project. II. UoSAT ground station package 88−15423
Pickard, P.S. *see* Hays, G.N. 87−18876
Pickard, R.M. *see* Garside, J.R. 85−40582
Pickard, R.M. *see* Hardy, C.J. 85−12410, 85−22118, 86−941
Pickel, E. *see* Schenk, H. 85−27183
Pickel, J.C. Laboratory simulation of cosmic-ray-induced upset in microelectronics 88−57765
Pickel, J.C., Blandford, J.T., Jr., Waskiewicz, A.E., Strahan, V.H., Jr. Heavy ion induced permanent damage in MNOS gate insulators 86−35886
Pickel, J.C. *see* Blandford, J.T., Jr. 85−22887, 86−35773
Pickel, J.C. *see* Friedman, A.L. 86−34705
Pickel, J.C. *see* Nichols, D.K. 86−35770

Pickenhain, R., Geist, V., Siefert, W., Jacobs, K. Green and yellow light emitting diodes produced from vapour phase epitaxial GaP:N. II. Defects produced by 1 MeV proton irradiation 85–41292
Pickenhain, R., Jacobs, K., Seifert, W., Chernyi, V., Brehme, S. Green and yellow light emitting diodes produced from vapour phase epitaxial GaP:N. I. Deep levels in diodes produced by either diffusion or implantation of zinc 85–12744
Pickenhain, R. *see* Chernyi, V.D. 85–24415
Pickenhain, R. *see* Diegner, B. 87–11619
Pickenhain, R. *see* Grummt, G. 88–58378
Pickenhain, R. *see* Oelgart, G. 85–24412
Pickenhain, R. *see* Rheinlander, B. 85–24413
Pickenhain, R. *see* Schwetlick, S. 88–6458
Pickenhain, R. *see* Seifert, W. 85–54451
Pickens, D.R. *see* Krechmer, K. 85–13869
Pickens, D.R. *see* Zheng, J. 87–63755
Pickens, G.A., Leyland, B.W., Duder, J.N. The Aniwhenua hydroelectric scheme 88–17421
Pickens, J. *see* Dickson, C.R. 87–36152
Pickens, J. *see* Fieselmann, B. 88–33022
Pickens, R.A. Communication, navigation, and surveillance services for the aviation industry using satellite technology 87–57268
Pickerd, J.J. *see* Bodmer, R.C. 85–20487
Pickerell, T.W. A semi-custom CMOS array for analog applications 86–41969
Pickerill, P.J.W., Scott, D.S. Projected economic and environmental impact of hydrogen: the case for Ontario 86–56954
Pickering, A.H., Rowlands, G.J. Tuning-fork design improves magnetron performance in frequency-agile radars 87–3228
Pickering, A.J. *see* Butler, A.L. 87–25059
Pickering, C., Dixon, S., Gasson, D.B., Robbins, D.J., Hodge, A.M. Angle-resolved light scattering studies of silicon-on-sapphire 87–74150
Pickering, C., Hodge, A.M., Glasper, J.L., Robbins, D.J. Optical studies for non-destructive quality control techniques for silicon-on-sapphire wafers 88–57827
Pickering, C., Robbins, D.J., Young, I.M., Glasper, J.L., Johnson, M., Jones, R. In-situ ellipsometry and light scattering studies of substrate cleaning and initial layer deposition in low temperature CVD of crystalline Si 88–43905
Pickering, C., Robbins, D.J., Young, I.M., Glasper, J.L., Pidduck, A.J. Real-time in-situ optical diagnostics during reduced temperature silicon vapour-phase epitaxy 88–56276
Pickering, C. *see* Hodge, A.M. 87–11687
Pickering, C. *see* Robbins, D.J. 88–43904
Pickering, C.J.D., Halliwell, N.A. Laser speckle photography and particle image velocimetry: photographic film noise 85–2444
Pickering, C.J.D., Halliwell, N.A. Particle image velocimetry: fringe visibility and pedestal removal 85–64333
Pickering, C.J.D. *see* Kirita, A. 88–53884
Pickering, E.F. *see* Cain, S.R. 85–35962
Pickering, G.N. *see* Worthington, H.M. 88–69473
Pickering, H.W. *see* Kaja, S. 86–46390
Pickering, J. The networking code of practice 88–41167
Pickering, J.A. *see* Swiffin, A.L. 86–25271
Pickering, J.J. *see* Eichhorn, R.M. 86–51028
Pickering, J.J. *see* McClung, L.B. 85–23178
Pickering, J.L. *see* Scanlan, R.M. 85–56247
Pickering, J.R. A new AC/DC transfer technique 85–64016
Pickering, J.R. A new AC/DC transfer technique 86–24470
Pickering, M. A new concept in heat-shrinkable, HV terminations 87–50833
Pickering, M.A., Taylor, R.L. ZnSe optical fiber for CO_2 laser medical applications 87–41997
Pickering, M.A., Taylor, R.L., Armirotto, A.L. Development of ZnSe infrared optical fiber 87–18716
Pickering, S. Turning night into day [night vision for military aircraft] 87–71241
Pickering, S. *see* Rodger, D. 87–15804
Pickering, T. Office automation–can it be justified? 87–55494
Pickering, W.M., Piff, M.J. On the inverse of a quasi-tridiagonal matrix 86–52398
Pickert, J., Hutchins, C.L. Surface mount technology–the future of electronic assembly 87–43988
Pickett, B. *see* Rahim, C. 86–67201
Pickett, B.L. *see* Rahim, C.F. 87–48834
Pickett, D.F., Lim, H.S., Krause, S.J., Verzwyvelt, S.A. Advanced nickel-cadmium batteries for geosynchronous spacecraft 88–48289
Pickett, D.F. *see* Lim, H.S. 85–48440
Pickett, D.F., Jr. *see* Zirkes-Falco, M.B. 87–43382
Pickett, H.M., Farhoomand, J., Chiou, A.E. Performance of metal meshes as a function of incidence angle 85–18645
Pickett, H.M., Hardy, J.C., Farhoomand, J. Characterization of a dual-mode horn for submillimeter wavelengths 85–2673
Pickett, H.M. *see* Batelaan, P.D. 88–41777
Pickett, H.M. *see* Cheng, L.J. 88–44336
Pickett, H.M. *see* Farhoomand, J. 85–35865, 87–18911, 87–54223
Pickett, H.M. *see* Waters, J.W. 85–38345
Pickett, J.M. Shadows, echoes and auditory analysis of speech 85–62998
Pickett, J.M., McFarland, W. Auditory implants and tactile aids for the profoundly deaf 85–38218
Pickett, M.J. Ada [for signal processing] 86–10466
Pickett, M.P. *see* Kirby, J.D. 88–28433
Pickett, R.E. System 12: Network 2000 evolution in the United States 85–25661
Pickett, R.E. Introducing ISDN in a decentralized network 85–47386
Pickett, R.E. What's fuelling the ISDN fires? 86–16708
Pickett, R.E. *see* Cox, J.E. 85–25662
Pickett, S. *see* Swift, A. 87–59287
Pickett, T. Electronics controls for forage harvesters 85–65583
Pickett, T. Developing multi-channel voice applications under DOS 87–61797
Pickett, W.E., Papaconstantopoulos, D.A. Electronic structure and interface states of the (100)Fe/Ge interface 88–19740
Picketts, E. *see* Ely, S.R. 86–30959
Pickholtz, R.L., Abdelaziz, M.H. Performance analysis of a priority user protocol embedded in a CSMA/CD channel 86–10829
Pickholtz, R.L. *see* Abdelaziz, M.H. 85–42288, 86–16616
pickholtz, R.L. *see* Bahie-El Din, M. 86–29632
Pickholtz, R.L. *see* Hill, F.R. 88–21095
Pickholtz, R.L. *see* Lang, R.H. 85–30120, 86–10180
Pickholtz, R.L. *see* McDysan, D.E. 88–53027
Pickholtz, R.L. *see* Milstein, L.B. 87–27728, 87–34342, 87–40683
Pickholtz, R.L. *see* Moussavi, M.K. 85–42117
Pickholtz, R.L. *see* Newman, D.B., Jr. 87–2426, 87–47503
Pickholtz, R.L. *see* Schilling, D.L. 88–21096
Pickholtz, R.L. *(editor)* Local area and multiple access networks 86–69429
Pickin, J. Communication services of the future [radio telephone technology and its applications] 88–3435
Pickin, W., Mendoza, D., Alonso, J.C. Transient photoconductivity studies in a-Si:H 88–26944
Pickles, J.H. A stochastic domino model for a sequential failure process [insulator strings] 87–9201
Pickles, J.H. Monte-Carlo calculation of electrically induced human-body currents 88–16794
Pickles, J.H., Macqueen, J.F., Cook, M.C. Geometrical factors in corona discharge 88–69044
Pickles, J.H. *see* Edwards, N.A. 86–32219
Pickles, W.R. *see* Vernon, R.J. 88–2665
Pickover, C.A. Use of symmetrized dot-patterns to produce polar graphs of speech waveforms 85–36213
Pickover, C.A. Representation of melody patterns using topographic spectral distribution functions 87–14044
Pickover, C.A. *see* Cohen, L. 86–69026
Pickrell, J. *see* Poss, D.L. 86–59915
Pickup, C., Cochrane, R.W., Brebner, J.L., Perluzzo, G. Application of a low frequency technique to the study of amorphous materials 88–44554
Pickup, C.P. *see* White, D.R. 87–49617
Pickup, I.E.D., Russell, A.P. Stabilisation of hybrid permanent-magnet stepping motors 87–22431
Pickup, I.E.D., Russell, A.P. Dynamic instability in permanent-magnet synchronous/stepping motors 87–35961
Pickup, I.E.D. *see* Russell, A.P. 87–15808, 87–30535
Pickup, I.M. *see* Almond, D.P. 85–39832
Pickup, J.C. Continuous insulin infusion 87–21622
Pickup, M. A grating linac at microwave frequencies 86–5626
Pickup, M. Voice response 87–7676
Pickup, M. Data transmission over cellular radio 88–67270
Pickup, M. *see* Palmer, R.B. 86–5623
Pickus, L.C. Is anyone out there learning? 85–39479
Pickvance, R. A single chip digital signal processor. I. Architecture and addressing 85–28556
Pickvance, R. A single chip digital signal processor. II. Instructions and algorithms 85–33937
Pickvance, R. A single chip digital signal processor. III. Input/output methods 85–33938
Pickvance, R.E. Digital signal processor nimbly jumps over CPU overhead hurdles 85–808
Pickvance, R.E. Digital signal processing ICs 86–8273
Pico, C. *see* Aumann, C.E. 86–28459
Pico, C. *see* Phipps, M. 85–40667
Pico, C.A., Iran, N.C., Jacobs, J.R., Lagally, M.G. Comparison of kinetics of $TiSi_2$ formation on Si(100) and Si(111) 87–24945
Picola, A. *see* Pallas, R. 85–11052
Picon, O., Hanna, V.F., Citerne, J. Three dimensional finite-element formulation for finline discontinuity problems 87–7581
Picon, O., Hanna, V.F., Citerne, J., Lefevre, J.-P. Exact calculation of scattering parameters of the coplanar-slot transition in unilateral finline technology 88–27559
Picon, O., Hanna, V.F., Helard, M., Citerne, J. Analysis of coupled lines of the unilateral finline type 85–11516
Picon, O., Lefevre, J.-P., Hanna, V.F., Citerne, J. Exact calculation of scattering parameters of the coplanar-slot transition in a unilateral finline technology 87–75504
Picon, O. *see* Helard, M. 85–50034, 86–10147
Picone, J., Doddington, G.R. Low rate speech coding using contour quantization 87–61761
Picone, J., Doddington, G.R., Secrest, B.G. Robust pitch detection in a noisy telephone environment 87–61747
Picone, J., Goudie-Marshall, K.M., Doddington, G.R., Fisher, W. Automatic text alignment for speech system evaluation 87–7688
Picone, J., Johnson, M.A., Hartwell, W.T. Enhancing the performance of speech recognition with echo cancellation 88–72820
Picone, J., Prezas, D.P., Hartwell, W.T., LoCicero, J.L. The stepdown procedure for complex predictor coefficients 87–7732
Picone, J., Prezas, D.P., Hartwell, W.T., Locicero, J.L. Joint estimation of the LPC parameters and the multi-pulse excitation 87–19430
Picone, J., Prezas, D.P., Hartwell, W.T., LoCicero, J.L. Multi-pulse LPC using analytic signals 87–39709
Picone, J., Prezas, D.P., Hartwell, W.T., Locicero, J.L. Spectrum estimation using an analytic signal representation 88–72961
Picone, J. *see* Bronson, E.C. 87–61778
Picone, J. *see* Prezas, D.P. 87–19454
Picone, J.W. *see* Goudie-Marshall, K.M. 86–22968
Picone, J.W. *see* Rajasekaran, P.K. 87–19502
Picone, J.W. *see* Sukkar, R.A. 88–40865
Picone, P.J. *see* Seymour, R.S. 85–18697
Picot, B. Building multi-vendor corporate networks 86–64781
Picot, J. *see* Gurd, G. 88–46635
Picotto, G.B. *see* Bertinetto, F. 85–56497, 86–3091, 86–22333, 86–24661, 86–48355, 87–12406, 88–14254
Picou, J.-L. *see* Clauzon, P.-P. 85–32319
Picoy, R. *see* Serreault, J.Y. 87–40168
Picozza, P. *see* Bernabei, R. 88–54411
Picozza, P. *see* Schaerf, C. 87–41802
Picq, J.-P. *see* Buchanan, G.F. 88–9124
Picraux, S.T., Arnold, G.W., Myers, D.R., Dawson, L.R., Biefeld, R.M., Fritz, I.J., Zipperian, T.E. Ion implantation into strained-layer superlattices 85–45537
Picraux, S.T. *see* Adler, R.J. 85–37871
Picraux, S.T. *see* Fritz, I.J. 85–50228
Picraux, S.T. *see* Haynes, T.E. 87–53320, 88–13096, 88–44593
Picraux, S.T. *see* Knapp, J.A. 85–12053, 86–34307, 87–10460
Picraux, S.T. *see* Myers, D.R. 87–25074
Picraux, S.T. *see* Wu, C.S. 85–34637
Picton, D. *see* Carne, A. 86–5762
Picton, D.J., Beynon, T.D. Scoping calculations for a booster on the RAL SNS 86–56011
Picton, T., Hunt, M., Mowrey, R., Rodriguez, R., Maru, J. Evaluation of brain-stem auditory evoked potentials using dynamic time warping 88–61353
Picton, T.W., Skinner, C.R., Champagne, S.C., Kellett, A.J.C., Maiste, A.C. Potentials evoked by the sinusoidal modulation of the amplitude or frequency of a tone 87–71137
Pidancet, B. *see* Bertrand, O. 88–5749
Pidcock, M.K. *see* Breckon, W.R. 87–50316
Pidcock, M.K. *see* Tarassenko, L. 86–32244
Pidduck, A. *see* Beale, M.I.J. 86–21320
Pidduck, A.J., Robbins, D.J., Glasper, J.L., Young, I.M. Silicon precleaning for reduced temperature epitaxy 88–57498
Pidduck, A.J. *see* Beale, M.I.J. 87–45741
Pidduck, A.J. *see* Hodge, A.M. 87–11687
Pidduck, A.J. *see* Pickering, C. 88–56276
Pidduck, A.J. *see* Robbins, D.J. 88–43904
Pidenko, V.P. *see* Vlasik, V.F. 86–25691
Pidermann, B., Jaluvka, J., Zacek, V. Operation of Czechoslovak 220-MW power-production units at a sliding pressure 86–19059
Pidgeon, B.G., Yates, P. The use of radar techniques in the mining industry 85–31099
Pidgeon, C.R., Firth, W.J. The free electron laser 85–24593
Pidgeon, C.R., Jaroszynski, D.A., Tratt, D.M., Smith, S.D., Firth, W.J., Kimmitt, M.F., Cheng, C.W., Poole, M.W., Saxon, G., Walker, R.P., Mackay, J.S., Reid, J.M., Kelliher, M.G., Laing, E.W., Land, D.V., Gillespie, W.A. The UK FEL project: status and measurement of optical gain 87–75209
Pidgeon, C.R., Smith, S.D., Firth, W.J., Jarozynski, D.A., Tratt, D.M., Mackay, J.S., Kimmitt, M.F., Reid, J.M., Kelliher, M.G., Poole, M.W., Saxon, G., Walker, R.P., Gillespie, W.A., Martin, P.F. The UK free-electron laser: optical and electron beam diagnostics 86–3223
Pidgeon, C.R. *see* Gillespie, W.A. 87–2165
Pidgeon, C.R. *see* Jaroszynski, D.A. 88–2339

Pidgeon, C.R. *see* Jaroszyunski, D.A. 87—77159
Pidgeon, C.R. *see* Poole, M.W. 85—56702
Pidgeon, N.R. *see* Gregory, W.K. 87—42307
Pidgeon, R. Distortion testing of LAN systems 88—9105
Pidgeon, R., Jr. Distortion testing of broadband LAN distribution systems 88—15089
Pidgeon, R., Jr. Characteristics of cross modulation 88—29104
Pidgeon, S. *see* Callaghan, J.K. 88—62567
Pidgeon, W.A. *see* Chunn, G. 88—67778
Pidick, G. *see* Aubel, J.L. 85—31330
Pidick, G. *see* Clarke, L.P. 87—3981
Pidlinsyi, E.V. *see* Litovchenko, V.G. 87—36760
Pidsan, V.A. *see* Syut'ev, A.N. 85—22014
Pie, A.Garcia *see* Garcia Pie, A.
Piech, M.A. Comments on fingerprints of two-dimensional edge models 88—46158
Piech, Z., Nazarko, J., Lakota, W., Tall, M. Influence of slotting and edge effect on computation accuracy of the cylindrical linear induction motor 85—9929
Piecha, J. 32-bit computer system in VLSI technology. Architecture, performance and characteristics 86—47687
Piechocki, A. High voltage circuit breaker with SF_6, made in Poland 87—22664
Piechocki, A. Chosen problems concerning the current breaking process by a SF_6 filled circuit-breaker 87—36074
Piechocki, A. Operators aren't standing by [DTMF decoder] 87—37130
Piechocki, A. Calculation of the dimensions of the extinguishing chamber of a SF_6 circuit-breaker 87—64752
Piechocki, A. *see* Guntzel, P. 85—5274
Piechocki, M. Flow perturbation measurements by numerical analysis of the power spectrum of a Doppler signal 87—27360
Piechocki, M. Bi-directional continuous wave Doppler flowmeter and its application in investigations of disturbed blood flows 87—50235
Piechocki, M., Xhaard, M., Peronneau, P. Application of a phase loop system to analysis of a Doppler signal in ultrasonic systems 87—29987
Piechowka, M., Wieremjewicz, J., Goczyla, K. A real time database for a telex exchange 86—16821
Piechowski, A. *see* Panayotatos, P. 87—22755, 88—5871
Piecuch, M. *see* Maloufi, N. 86—53364
Piecuch, M. *see* Vergnat, M. 88—18731
Pieczynski, A. *see* Bolikowski, J. 87—4141
Pieda Wang *see* Wang Pieda
Piedade, M.S., Martins, J.M. Monolithic signal processors: a comparative study 85—61312
Piedade, M.S., Silva, M.M. An improved method for the evaluation of filter sensitivity performance 86—46951
Piedade, M.S. *see* Castro Simas, M.I. 88—50867
Piedade, M.S. *see* Gerald, J.A.B. 85—63430
Piedade, M.S. *see* Simas, M.I. 88—71502
Piedade, M.S. *see* Simas, M.I.C. 87—67302
Piedade, M.Simoes *see* Simoes Piedade, M.
Piednoir, J.O. *see* Hild, M. 85—61234
Piednoir, P. *see* Kluzinski, C. 86—48520
Piee, E.E. For speeding drivers: radar jammer. Counter-radar knowledge 85—3504
Pieffer, F.R. *see* Yaney, D.S. 86—46853
Pieffet, M. ISDN: a big step towards universality 88—35212
Piegl, L. Hermite- and Coons-like interpolants using rational Bezier approximation form with infinite control points 88—24659
Piegorsch, W., Stark, H., Farahani, M. Application of image correlation for optical character recognition in printed circuit board inspection 85—34296
Piegorsch, W. *see* Kidorf, H. 85—30323
Piehl, E. *see* Bahde, C. 85—27794
Piehl, E. *see* Helling, K. 88—69447
Piekarczyk, W. *see* Soluch, W. 86—2475
Piekarski, J.A. Cost engineering as a support service for senior utility management [electric utilities] 86—32692
Piekarski, K. *see* Kalwa, E. 87—16723, 88—12114, 88—18803, 88—18821, 88—38297
Piekarski, M.S. *see* Domanski, M. 86—52954
Piekarski, M.S. *see* Jakubowska, T. 86—34954
Piekarz, H. *see* Brandenburg, G. 88—47984
Piekarz, J. *see* Banerjee, S. 88—54447
Piekarz, M. Coin operated telephone apparatus. I 86—23573
Piekarz, M. Public single-coin telephones with repeatable time counting. II 86—59707
Piekoszewski, J., Werner, Z., Pochrybniak, C., Gryzinski, M., Langner, J., Gebalski, S., Klimkiewicz, M., Horodenski, A. Boron doped silicon layers produced by pulse implantation doping 86—28163
Piekoszewski, J. *see* Langner, J. 86—28170
Piekoszewski, J. *see* Werner, Z. 86—28016
Piekutowski, M., Rose, I.A. A linear programming method for unit commitment incorporating generator configurations, reserve and flow constraints [power system with thermal power plants] 86—32634
Piel, H. Superconducting RF cavities 85—26655
Piel, H. Recent progress in RF superconductivity 86—31852
Piel, H. Fundamental features of superconducting cavities for high energy accelerators 87—63588
Piel, H. *see* Alrutz-Ziemssen, K. 87—41706
Piel, H. *see* Arnolds-Mayer, G. 86—31857
Piel, H. *see* Bensiek, W. 87—41695
Piel, H. *see* Bernard, P. 85—26600
Piel, H. *see* Lengeler, H. 85—59039
Piel, H. *see* Peiniger, M. 86—31859
Piel, R. *see* Liegeois, C. 86—42647, 88—34160
Piel, W.F., Jr. *see* Deyoung, P.A. 85—20809
Piel, W.F., Jr. *see* Hildingsson, L. 87—14805
Pieles, H. *see* Neuleib, H. 85—62488
Pielhauer, W. International communications for small firms 88—28325
Pielou, J.M. Sky-wave radar propagation predictions for HF radar system planning 85—42657
Pielou, J.M., Milsom, J.D., Herring, R.N. HF-ground-wave propagation from a cliff-top site 87—54558
Pielou, J.M. *see* Gill, R.S. 87—28677
Pielou, J.M. *see* Rotheram, S. 85—41637
Pieltain, A. Use of the videotex medium in agriculture by national firms 86—37413
Piemontese, L. Particle identification by detection of Cerenkov light 88—48010
Piemontese, L. *see* Benvenuti, A.C. 85—15254
Piemontese, L. *see* Callegari, G. 86—50323
Pien, C.C. *see* Moss, B.F. 85—2502
Piena, M. *see* Zieren, V. 87—18499
Piena, M.J. *see* Zieren, V. 88—57950
Pienaar, D. van V. *see* Hattingh, H.V. 86—38877
Pienimaa, S. *see* Leppavuori, S. 85—28788
Pienkos, J., Dworak, A., Moszczynski, S., Guryn, J., Grzybek, M. Automated assembly line for integrated circuits 88—1738
Pienkowski, J., Nowicki, R. The CO_2 laser output power stabilization system with an internal sensor of power changes 86—68466
Pienkowski, J. *see* Michalski, W. 88—51746
Pienkowski, K. Eddy-current resistance for the braking of slip-ring induction motors 86—39809
Pienkowski, K. Digital investigation of the influence of electromechanical system parameters on the dynamic states of an induction machine during DC braking 87—42942
Pienkowski, K. Analysis of dynamic states in three-phase induction motors during DC dynamic braking 87—43042
Pienkowski, K. Analysis of the rotor field in high power induction motors after disconnection 87—78673
Pienkowski, K. Dynamic braking performance of double-sided linear induction motors 88—23975
Pienkowski, R. DC machines—development trends, designs and drive systems 87—58107
Pienkowski, R. Permanent magnets used in electrical machines. Present state and development trends 88—55299
Piepen, H.van der *see* van der Piepen, H.
Piepenbreier, B. General theory of the inverter-fed m-phase synchronous machine taking into account the space harmonics 85—27389
Piepenbreier, B. Losses and oscillating torques of self-controlled M-phase synchronous machines 87—15714
Piepenbreier, B. Digital control of a self-controlled synchronous machine for minimizing the losses and oscillating torques 88—75586
Pieper, B. Floating drive schemes for dual-frequency addressing of complex liquid crystal displays 86—11641
Pieper, B. Dual-frequency addressing of liquid crystal matrix displays with three drive frequencies 86—11642
Pieper, B. *see* Greuel, G. 87—35795
Pieper, B.V. *see* Haddad, H.A. 86—54356
Pieper, C. Stimulus data interchange format. II. Test specifications 87—5744
Pieper, C. Stimulus Data Interchange Format. I. Test issues 87—5804
Pieper, D. Halogen-free power cables with better fire performance 85—32173
Pieper, H. *see* Graff, K. 86—28113
Pieper, M. Methodological problems of human factors research in long-termed CBMS field-trials 85—3056
Pieper, M. Computer conferencing: the gap between intention and reality 87—76258
Pieper, O.R. Voice authentication technology wages a war on database fraud 85—2786
Pieper, R., Korpel, A. Comparison of phased-array Bragg cells operating in the second order 85—2105
Pieper, R.J. A heuristic approach to fiber optics 87—53995
Pieper, R.J., Poon, T.-C. An acoustooptic FM receiver demonstrating some principles of modern signal processing 85—36260
Pieper, R.J. *see* Hu, G.-H. 87—69379
Pieper, S., Garbe, O. 200-MHz video FIFO buffer juggles multiple windows 87—44819
Piepers, M. *see* Montoya, F. 85—26019
Piepers, M. *see* Verbrugge, J. 88—67577
Piepiorra, F. Logic analysis in microcomputer controlled instruments 87—41444
Piepiorra, F. *see* Meusel, K.-H. 86—44225
Pieprzyk, J. On some cryptographic morphisms 87—19400
Pieprzyk, J., Rutkowski, D. The design of enciphering systems for information protection 85—41849
Pieprzyk, J.P. Nonlinear functions and their application to cryptography 86—48754
Pieprzyk, J.P. Algebraical structures of cryptographic transformations 87—69009
Pieprzyk, J.P., Rutkowski, D.A. Application of public key cryptosystems to data security 85—51554
Pieprzyk, J.P., Rutkowski, D.A. Design of public key cryptosystems using idempotent elements 85—62980
Pieprzyk, J.P., Rutkowski, D.A. Design of public key cryptosystems using idempotent elements 86—22894
Piepszownik, L., Procaccia, H. Failure analysis of the rupture in steel pins of the control rod assemblies in French nuclear plants 85—48801
Pier, T.J. *see* Anthon, D.W. 88—65820
Pieraccini, R. Pattern compression in isolated word recognition 85—2780
Pieraccini, R. *see* Ciaramella, A. 87—7677
Pieraccini, R. *see* Cravero, M. 86—3798, 86—54467, 87—19415, 87—19593, 87—47620
Pieraccini, R. *see* Fissore, L. 88—66398, 88—72791
Pieraccini, R. *see* Gemello, R. 85—30231, 85—51559
Pieraccini, R. *see* Jarre, A. 87—61731, 88—21117
Pieraccini, R. *see* Kaltenmeier, A. 87—47545
Pieraccini, R. *see* Laface, P. 87—61691, 87—75734, 88—40853
Pieraccini, R. *see* Oreglia, M. 85—13496, 85—51590
Pieraggi, B. *see* Bielle-Daspet, D. 87—52203
Pieralli, C., Tribillon, G. Optical profilometry and three-dimensional digital image processing as a tool for the prevision of cavitation erosion 88—34791
Pieralli, F. *see* Conforti, G. 85—4241, 85—17150
Pieranski, P. *see* Gauthier-Manuel, B. 85—15091
Pieranti, O. *see* Cunha, W.J.L. 88—68893
Pierantozzi, D.C. On counting the number of cycles in graphs 87—65358
Pierard, A., Contratto, R.J., Prokopovich, S.R. A methodology to respond to emergency situations—emergency response guidelines 85—21336
Pierattini, G. *see* Bloisi, F. 88—58244
Pierazzini, G. *see* Arnault, C. 87—14216
Pierazzini, G. *see* Burkhardt, H. 88—47997
Pierbon, M. *see* Cattin Vidal, P. 88—57133
Pierce, B.L. *see* Elia, G.G. 86—61446
Pierce, B.L. *see* Lance, J.R. 85—48916
Pierce, D. Bubble memories—still a powerful option 85—35327
Pierce, D.A., Stroud, C.E. A highly automated design system for rapid development from architecture to ASICs 88—64702
Pierce, D.A. *see* Stroud, C.E. 87—37232
Pierce, D.G. Critical issues regarding ESD sensitivity classification testing 88—49507
Pierce, G. *see* Mehl, B. 86—18485
Pierce, G.A. Development of the Drexler optical-card reader/writer system 88—65137
Pierce, G.F., Troyk, P.R. Switchmode power supply transfer determination using SPICE-2 85—574
Pierce, G.F. *see* Conroy, D.K. 88—55512
Pierce, J. A voice recognition application: Burlington Industries fabric inspection system 86—48813
Pierce, J. *see* Marvel, O. 85—9272
Pierce, J.E., Rust, B.W. Constrained least squares interval estimation 85—60892
Pierce, J.M. *see* El-Diwany, M.H. 88—44875
Pierce, J.R. *see* Mathews, M.V. 87—41293
Pierce, J.W. *see* Cote, R.E. 85—28840
Pierce, J.W. *see* Goldberg, B. 85—59496
Pierce, J.W. *see* Needes, C.R.S. 85—55330
Pierce, K., Nance, S., Vo, D., Banerjee, K., Yang, M.H. Configurable 6845 megacell incorporated with 2 μm CMOS gate array 87—697
Pierce, K. *see* Or-Bach, Z. 87—59400
Pierce, K. *see* Rowson, J. 87—37233
Pierce, K. *see* Steinweg, R.L. 86—20489
Pierce, L.H. *see* Graham, J. 86—31655
Pierce, L.L. Co-op SCADA includes total communications concept [for power systems control] 88—48501
Pierce, L.M. *see* French, H.T. 88—28524
Pierce, M. Floodlighting of the Melbourne Cricket Ground. Planning and design 87—9942
Pierce, N. *see* Montgomery, D.B. 88—65989
Pierce, P. *see* Peck, S.R. 85—48418
Pierce, R. *see* Hahn, S.R. 88—47990
Pierce, R.D. *see* Fratello, V.J. 85—45968
Pierce, R.E., Baker, M.R. Wave dynamics and surface weather measurements utilizing wireless data transmission between distributed microprocessors 85—4460
Pierce, R.M., Shu, H.-T. System evaluation of advanced technology gas turbines for naval ship propulsion 85—53899
Pierce, S.B. Digital transmission on customer premises wiring 88—21802
Pierce, T.D. *see* Moser, A.T. 85—9206
Pierce, T.J. *see* O'Shea, D.W. 88—3681
Pierce, W. *see* Paffrath, L. 85—43289

Pierce, W.B. The Vernier delay unit 85—43293
Pierce, W.H. Generalized and statistical estimator matrix inverses 86—57300
Pierce, W.H. *see* Shvartsman, V.A. 87—14355
Pierce, W.R., Penland, J.R., Hammer, M.F. Fault tolerant digital feedwater control system replacement for Monticello nuclear plant 87—78334
Pierce, W.S. *see* Fikse, T.H. 85—38230
Pierce, W.S. *see* Hanson, K.L. 86—56196
Pierce, W.S. *see* Kern, S.E. 86—56197
Pierce, W.S. *see* Kloss, D.A. 87—50419
Pierce, W.S. *see* Lewis, J.B. 85—38226
Pierce, W.S. *see* Rosenberg, G. 88—36520
Pierce, W.S. *see* Weiss, W.J. 88—36519
Piercey, R.B., McKisson, J.E., Banda, M.A.H., Shavers, M.R. Neutron-gamma pulse shape discrimination at high count rates 87—41884
Piercey, R.B. *see* Eichhorn, G. 87—2315
Piercey, R.B. *see* Rester, A.C. 86—50441
Piercy, A.R. *see* Andrews, G.W. 86—52540
Piercy, A.R. *see* Branwood, A. 86—56284
Piercy, A.R. *see* Hughes, S.T. 87—49870
Piercy, G.R. *see* Bruce, R.A. 87—66992
Piercy, G.R. *see* Ivey, D.G. 88—71351
Pierdicca, N. *see* Ricottilli, M. 87—4163
Piereson, R., Jin, M.Y. Magellan SAR processor design 87—28716
Pierfederici, A. *see* Lee, B. 87—67149
Pierfederici, G. *see* Imondi, G. 87—34886
Pierini, P., Nielsen, C., Tsang, F. High power characteristics of the Dow hollow fiber sodium sulfur cell 88—17888
Pierini, P. *see* Bonifacio, R. 88—45471
Pierini, P. *see* Mancini, A.M. 85—54519, 86—40786
Pierobon, G.L. *see* Monti, C.M. 85—57227
Pierobon, G.L. *see* Padovani, R. 85—13441
Pieron, S.P. Computer aided design of distribution systems 85—4614
Pieroni, G.G., Costabile, M.F. A method for detecting correspondences in a sequence of modifying shapes 86—23139
Pieroni, G.G. *see* Costabile, M.F. 85—41943, 87—48149, 87—75920
Pieroni, R. *see* Benelli, G. 87—2683
Pierpoint, M., Pollard, R.D., Richardson, J.R. An automated measurement technique for measuring amplifier load-pull and verifying large-signal device models 87—6150
Pierpoint, M. *see* Pollard, R.D. 87—56498
Pierraccini, R. Pattern compression in isolated word recognition 85—25061
Pierrard, J.H. *see* Bellet, J. 85—38625
Pierrat, L., Labrique, F.E., Mauhin, B. Static and dynamic behaviour of salient pole rectified output generators with a large number of phases 85—32474
Pierrat, L., Meyer, J.-P. Unbalance factor . . . it is as simple as ABC. [3-phase networks] 87—78102
Pierrat, L. *see* Goyet, R. 88—69344
Pierre, C.R.St. *see* St. Pierre, C.R.
Pierre, D.A. An optimal scaling method 87—36610
Pierre, D.A. A perspective on adaptive control of power systems 87—57543
Pierre, D.A., Smith, J.R. Alternative adaptive control methods for power systems 87—78013
Pierre, D.A. *see* Shore, R.S. 86—42938
Pierre, M. *see* d'Hoe, M. 86—34935
Pierre, M.De La *see* De La Pierre, M.
Pierre Dit Mery, C., Bachar, I., Bacis, R., Churassy, S., Verges, J. Investigations of transfers in the $O_2(^1\Delta_g)$-I_2 reaction of the chemical oxygen iodine laser (COIL) 86—48354
Pierrejean, D. Spectral purity and oscillator stability characteristics by the correlation method 87—52439
Pierrel, J. *see* Alinat, P. 87—61660
Pierrel, J.M. *see* Carbonell, N. 87—27220, 88—72904
Pierrel, J.M. *see* Haton, J.P. 87—47617
Pierret, R.F. Extension of the approximate two-dimensional electron gas formulation 85—55841
Pierret, R.F. Comments on 'A desktop-computer-based calculation of high-frequency MOS *C-V* curves' by L. Forbes and B. Rastegar 87—60470
Pierret, R.F., Au, W.-M. Photo-accelerated MOS-C *C-t* transient measurements 87—67019
Pierret, R.F. *see* Klausemeier-Brown, M.E. 88—37553
Pierret, R.F. *see* Rancour, D.P. 87—74062
Pierret, R.F. *see* Schwartz, S.S. 86—2551, 86—9357
Pierret, R.F. *see* Studtmann, G.D. 88—39500
Pierret, R.F. *see* Studtmann, G.S. 88—33218
Pierri, R. *see* Bresciani, D. 85—13204
Pierri, R. *see* Bucci, O.M. 86—64069
Pierri, R. *see* D'Elia, G. 85—7752, 85—13314, 85—19238, 86—29568, 86—42832, 86—43028, 87—26954, 87—47295, 88—2681, 88—8568, 88—34401
Pierrisnard, R. *see* Francois, J.C. 86—13093
Pierro, A.R.De *see* De Pierro, A.R.
Pierro, J., Clouse, R. An ultraminiature 5-10 GHz, 2-W transmit module for active aperture application 88—12604
Pierrus, J., Sigalas, I. A pulsed plane wave technique for measuring the thermophysical properties of dielectric materials under pressure 85—37783
Pierschel, D., Hounam, D. Derivation of the technical specification of the ERS-1 Active Microwave Instrument to meet the SAR-image quality requirements 88—10555
Piersiak-Zurawicz, M. *see* Burek, R. 86—70254
Piersig, H.-J. *see* Haser, C. 88—9967
Piersma, B.J., Greatbatch, W. Coupling reactions at the metal-tissue interface in electrical stimulation with cardiac pacemaker electrodes 88—23116
Pierson, C. *see* LaPatra, J. 86—49069, 86—54742
Pierson, E. *see* Berote, G. 86—27886
Pierson, E. *see* Cossement, D. 86—40790
Pierson, E.S. A team-based senior-design sequence 88—24439
Pierson, E.S. *see* Branover, H. 85—21536
Pierson, G. *see* Menn, R. 85—4054
Pierson, H.O. *see* Harding, J.T. 87—26679
Pierson, P.B. *see* Freedman, L.A. 85—26098
Pierson, R.A. Automated material handling 87—10141
Pierson, R.L. *see* Gupta, A.K. 85—28721
Pierson, R.L., Jr. *see* Sahai, R. 85—14689
Pierson, S.W. *see* Barnhart, S.R. 85—10511
Pierson, W.J., Jr. Some approaches for comparing remote and in-situ estimates of directional wave spectra 87—71384
Pierson, W.J., Jr. *see* Donelan, M.A. 87—57393, 87—63970
Pierson-Savage, J.M. *see* Wood, R.G. 88—42488
Pierucci, P. *see* Mumolo, E. 88—3003
Pierz, K., Mell, H., Terukov, J. Subbandgap absorption in a-Si:H from photoconductivity spectra 86—27920
Pierzchala, M. *see* Glowacki, M. 88—25031
Pierzina, R. Optimisation of pulsed avalanche diode oscillators for millimeter waves 87—52859
Pierzina, R., Freyer, J. High-power pulsed beam-lead impatt diodes for millimetre waves 86—1359
Pierzina, R., Freyer, J. Power increase of pulsed millimeter-wave IMPATT diodes 86—20821
Pierzina, R., Grothe, H. Pulse driven MBE GaAs IMPATT diodes for MM-waves 87—66517
Pierzina, R. *see* Claasen, M. 88—19911
Pierzina, R. *see* Freyer, J. 86—53060, 87—6072
Pies, W. Ultrasonic testing electronics for automated production lines 85—9401
Pies, W. New possibilities for calibration and control using ultrasonic test equipment for representation and documentation of test results 85—58525
Piesch, E., Burgkhardt, B., Comper, W. The single sphere albedo system—a useful technique in neutron dosimetry 85—26805
Piesch, E., Urban, M. Dosimetric properties of different CR-39 plastics used as neutron recoil track etch detector 87—29632
Piesch, E. *see* Burgkhardt, B. 87—21692
Piesch, E. *see* Doerfel, H.R. 86—56213
Piesch, E. *see* Hofert, M. 85—26806, 88—23137
Piesch, E. *see* Hofmann, B. 88—69114
Pieschel, H., Roberts, T. Plug connectors for mixed contacts in accordance with DIN 41612 86—20975
Pieschel, H., Roberts, T. Connectors for mixed contacts 86—62899
Piesert, A. *see* Evensen, L. 88—68219
Pieslak, R. Error correction and detection architectures—discrete vs. VLSI 85—17435
Piesse, R.G., Daws, E.H. Motor starting on an undersized generator 88—48954
Piessens, R., Branders, M. Computations of Fourier and Laplace transforms of singular functions using modified moments 87—31443
Piessens, R., Huysmans, R. Algorithm 619 automatic numerical inversion of the Laplace transform [D5] 85—28200
Piessens, R. *see* Roose, D. 85—49501
Piestrack, S.J. Design of fast self-testing checkers for a class of Berger codes 87—47507
Piestrak, S.J. Design of fast self-testing checkers for a class of Berger codes 86—1020
Piestrak, S.J. PLA implementations of totally self-checking circuits using *m*-out-of-*n* codes 86—46739
Piestrup, M. An X-ray free-electron laser loaded with a periodic dielectric 88—58573
Piestrup, M.A., Boyers, D., Li, Q., Moran, M.J., Buskirk, F.R., Maruyama, X.K., Neighbours, J.R., Robinson, R.M., Snyder, D.L. Detection of coherent transition radiation and its application in beam diagnostics and particle identification 88—68226
Piestrup, M.A., Edighoffer, J.A. Increasing the acceleration gradient of the transverse-field accelerator using a dielectric medium 86—3226
Piestrup, M.A., Edighoffer, J.A. A gas-loaded transverse-field accelerator 86—5630
Piestrup, M.A., Moran, M.J., Berman, B.L., Pianetta, P., Seligson, D. Transition radiation as an X-ray source for lithography 88—13212
Piestrup, M.A. *see* Moran, M.J. 87—14485
Pietarinen, E. *see* Arnison, G. 85—43272
Pietarinen, E. *see* Busetto, G. 87—14788
Pietch, H. *see* Fridkin, V.M. 85—56403
Pieterman, K. *see* Commeaux, C. 88—68161
Pieterman, K. *see* Spoorenberg, C.J.G. 85—35367, 86—42196
Pieters, F.A. Quality-dry reed switches 88—64021
Pieters, G.C. *see* Miller, R.L. 85—56067
Pieters, J. *see* Campbell, C.K. 87—25216
Pieters, J.F., Moons, E., Willocx, E., Beckers, S. A monolithic 70 V subscriber line interface circuit 86—4381
Pieters, J.F., Moons, E., Willocx, E., Beckers, S. A monolithic 70-V subscriber line interface circuit 86—47666
Pieters, R. *see* Stacey, C. 86—30476
Pieters, R. *see* Stracey, C. 86—69509
Pietersen, O.B.M. Automatic null-steering antenna systems for Navstar GPS 85—7766
Pietersen, O.B.M. *see* Klinker, F. 85—25956
Pietersen, O.M.B. The right combination unlocks aerospace EMC 86—42864
Pietikainen, M. Edge-based stereo matching 88—14827
Pietikainen, M., Harwood, D. Depth from three-camera stereo 87—2615
Pietikainen, M., Harwood, D. Edge information in color images based on histograms of differences 87—48150
Pietikainen, M., Harwood, D. Multiple-camera contour stereo 87—48228
Pietikainen, M. *see* Ailisto, H. 87—62312
Pietikainen, M. *see* Moring, I. 88—53594
Pietikainen, M. *see* Roning, J. 87—51554
Pietikainen, M. *see* Silven, O. 85—34337, 85—45303
Pietikainen, M. *see* Virtanen, I. 85—33963
Pietila, D.A., Masson, D.B. Evaluation of intrinsic gettering of gold by oxide precipitation in Czochralski silicon 88—44538
Pietka, E. Combining syntactic and decision making methods in the analysis of the ECG signal 88—48197
Pietkiewicz, A., Tollik, D. Systematic derivation of two-state switching DC-DC converter structure 85—65368
Pietkiewicz, A., Tollik, D. An unified topological approach to modelling of switching DC-DC converters 86—12932
Pietkiewicz, A., Tollik, D. Basic DC properties of a new switch-mode power amplifier 86—57688
Pietkiewicz, A., Tollik, D. Small-signal analysis of a coupled-inductor step-down switching DC-DC converter 87—30818
Pietkiewicz, A., Tollik, D. Unified topological modeling method of switching DC-DC converters in duty-ratio programmed mode 88—5767
Pietkiewicz, A., Tollik, D. Application of the unified topological modelling method to switching converters in current-programmed mode 88—24994
Pietkiewicz, A., Tollik, D. Current-mode control in coupled-inductor step-down switching DC-DC converter 88—69579
Pietkiewicz, A., Tollik, D. Modeling and analysis of the current-mode controlled Cuk converter with coupled inductors 88—75755
Pietkiewicz, S. *see* McGlinchey, G. 88—74853
Pietkiwicz, A., Tollik, D. Modelling and analysis of the coupled-inductor Cuk converter 87—17293
Pietra, P. *see* Brezzi, F. 88—44729
Pietra, P. *see* Douglas, J., Jr. 87—36640
Pietrak, M.E. *see* Fletcher, A.N. 85—51140, 87—61104, 88—8154
Pietrak, R. *see* Kaminska, E. 88—7361
Pietralunga, E. *see* Karsas, M. 85—47352
Pietranera, L. *see* Ceccarelli, C. 85—20286
Pietras, J.S., Smith, S.R. Photomultiplier tubes and detector packaging for hostile environments 88—61621
Pietrasienski, J. *see* Jozefik, W. 85—20555
Pietraszek, A. Operational reliability of the MASTER sequential control system 87—64214
Pietraszewski, D., Spalding, J., Viehweg, C., Luft, L. US coast guard differential GPS navigation field test findings 88—74070
Pietraszewski, D. *see* Sennott, J.W. 88—15706
Pietraszkiewicz, K. *see* Kowalik, W. 87—74761
Pietravalle, R.J. Perspectives in wide-area distributed applications 87—55828
Pietrik, I. *see* Moravek, J. 88—17263
Pietrogrande, M. *see* Ching Jiang Lee 86—59509
Pietrogrande, M.M. Network planning when digital equipment is introduced in an analog environment 85—42148
Pietrogrande, P., Brown, J., Murphy, A., Tien, J. The coal gasification fuel cell system for efficient economic and environmentally acceptable power production from coal 86—71051
Pietroiusti, R. *see* Bonaventura, G. 85—58151
Pietroiusti, R. *see* Brosio, A. 87—7909, 87—34232
Pietroiusti, R. *see* Calabrese, M. 85—2767
Pietroiusti, R. *see* Camiciottoli, R. 87—34322
Pietroiusti, R. *see* Cordaro, G. 86—4645
Pietroiusti, R. *see* Cucchetti, F. 85—25253
Pietroiusti, R. *see* Cucchietti, F. 85—47097
Pietroiusti, R. *see* Di Biase, V. 87—76956
Pietroiusti, R. *see* Di Biase, V.C. 88—13831

Pietroiusti, R. *see* Parente, F. 88—4025
Pietrojusti, R. *see* Grillo, D. 85—51577
Pietropaoli, L. How to evaluate, justify stator winding automation 88—37150
Pietrousti, R. *see* Gandini, M. 85—25682, 85—42104
Pietrowski, K.W. *see* Walsh, P.J. 85—1206
Pietrucha, B., Lalevic, B. Detection of hydrocarbon gases using Pd—MNOS capacitors 88—35964
Pietrusgkiewicz, J. *see* Bomkamp, D.H. 85—53570
Pietruszka, M. The method of computation of the distribution of electromagnetic field and power losses in the 3-phase transformer cores 88—24007
Pietruszkiewicz, J., Richard, M. Puna Geothermal Venture project—Preliminary plant concept 85—53585
Pietruszkiewicz, J. *see* Doss, H.S. 85—53575
Pietruszkiewicz, J. *see* Schmoe, L.A. 87—57885
Pietruszko, S. Amorphous silicon thin film transistors 87—60451
Pietruszynski, D.M. *see* Banak, M.A. 87—60586
Pietryka, M. *see* Pitthan, R. 88—54038
Pietryka, P. *see* Siva, A.J. 85—48462
Pietrzak, M. *see* Pekala, W. 88—58348
Pietrzak, P. *see* Dunn, G. 85—7946
Pietrzak, S., Lakrzewski, K. Double sided linear motor static characteristics measurement 85—9932
Pietrzak-David *see* Lima, A.M.N. 88—69791
Pietrzak-David, M. *see* De Fornel, B. 86—66084
Pietrzak-David, M. *see* Li, Y.D. 88—69760
Pietrzyk, B. The LHC, problems of Jet detection and hadron calorimetry 88—10264
Pietrzyk, B. *see* Berger, C. 88—22937
Pietrzykoski, J. The use of impulse welding in the electrical and electronic industries 87—72636
Pietrzykowska, T. *see* Dumania, P. 85—813
Pietrzykowski, J. Radiation crosslinked materials deployment in electronic and electrotechnical equipment 85—17003
Pietsch, A., Trimble, S. Space station Brayton power system 86—32471
Pietsch, A., Trimble, S.W., Harper, A.D. Brayton cycle space power systems 86—38901
Pietsch, G. *see* Dasbach, A. 86—26232
Pietsch, H. *see* Fridkin, V.M. 87—38897
Pietsch, H. *see* Opfermann, J. 88—8042
Pietsch, K. *see* Stein, N. 86—51725
Pietsch, P. *see* Buess, C. 87—3943, 87—41936
Pietsch, T. System for computer-aided design of printed circuit boards. (Revised edition) 87—17494
Pietsch, T.D. Laser interaction with thermal imagers in a battlefield model 85—13167
Piette, S.A. *see* Eden, J.G. 88—6512
Piette, S.A. *see* King, K.K. 88—38251
Piety, K.R., Pardue, E.F. A new approach for implementing a computer-based predictive maintenance program 85—43820
Piety, K.R., Pardue, E.F. Predictive maintenance programs for the power generation industry 86—70594
Piety, R. *see* Patterson, J. 85—54175
Piety, R.A. When the mains supply becomes a local network [communications] 88—28381
Pietzner, B., Surkow, R., Roth, R. System for measuring the vertical distribution of the horizontal visibility distance between altitudes of 2 meters and 300 meters 86—18575
Pietzsch, J. The influence of phase noise on the error rate for transmission of frequency shift keyed signals 88—45843
Pietzsch, J., Kamiya, T. Determination of carrier density dependent lifetime and quantum efficiency in semiconductors with a photoluminescence method (Application to InGaAsP/InP heterostructures) 87—33046
Pietzsch, J. *see* Schneider, R. 88—47164
Pietzsch, K. Laser-scanner system for testing compact discs 87—70278
Pietzsch, N. *see* Gottwald, E. 88—33608
Pieuchot, M. Seismic instrumentation 85—16631
Pifer, A.E. *see* Bowen, T. 86—11970, 86—12207
Pifer, G. *see* Chang, M.F. 87—32600
Pifer, G.C. *see* Chang, M.F. 85—50575, 87—46124
Pifer, G.C. *see* Chow, T.P. 86—47604
Pifer, G.C. *see* Wildi, E.J. 85—50665
Pifer, G.C. *see* Yilmaz, H. 86—41843, 86—67861
Piff, M.J. *see* Pickering, W.M. 86—52398
Piffard, Y. *see* Goodenough, J.B. 85—16244
Piffaretti, J., Pfister, M., Rickli, O. A new switching device allowing automatic OTDR measurement of series of single-mode fibres 88—72078
Piffaretti, J. *see* Sandoz, F. 86—9558
Pigache, D. Chemical oxygen ionide laser (COIL) prospects of industrial use 88—45584
Pigache, D. *see* Bonnet, J. 85—18828, 86—3059, 86—3066
Pigeolet, A. *see* Baufay, L. 85—50452
Pigeolet, A. *see* Hanus, F. 86—57464
Pigeon, G. *see* Slobodrian, R.J. 86—25096
Pigeon, M. Eddy current testing—evaluation of cracks propagation in austenitic steel cladding 85—39838
Pigeon, M., Levy, R. In-service inspection of PWR steam generators by eddy currents; French achievements in defect detection and evaluation 85—9710
Pigeon, M. *see* Jerominek, H. 88—33720, 88—33735
Pigeroulet, J. *see* Banzhaf, W. 87—34917
Piggin, B.P., Segredo, E., O'Hanlon, J.F., Staples, J.L. Integrated electron sources for multibeam CRTs 86—38462
Piggin, B.P., Segredo, E., O'Hanlon, J.F., Staples, J.L., Brown, A.V. Integrated electron sources for multibeam CRTs 87—1151
Piggin, B.P. *see* Beck, V.D. 86—35241, 87—3430
Piggins, J.M. *see* Speake, J.H. 85—20491
Piggott, A., Owen, C. Primary education and learning resources 88—31345
Piggott, S., Kettler, H.W. British Telecom's digital derived services network 87—13540
Piggott, S., Kettler, H.W. British Telecom's digital derived services network 87—48416
Piggott, S., Lemstra, W. Telemarketing: using advanced telecommunication facilities to create and support new business opportunities 87—13285
Pigilov, Yu.D. *see* Svistunov, E.P. 86—25698
Pigini, A., Sartorio, G., Moreno, M., Ramirez, M., Cortina, R., Garbagnati, E., Britten, A.C., Sadurski, K.J. Influence of air density on the impulse strength of external insulation [transmission line air gaps] 86—12508
Pigini, A. *see* Bargigia, A. 85—24021, 86—68055, 88—43340
Pigini, A. *see* Bertazzi, A. 87—11983 to 11986
Pigini, A. *see* Brambilla, R. 86—28551
Pigini, A. *see* Cortina, R. 86—18856, 86—50977
Pigini, A. *see* Farneti, F. 86—70678
Pigini, A. *see* Feser, K. 87—67640
Pigini, A. *see* Fini, G.P. 85—15642
Pigion, R.G. *see* Hunter, M.W. 88—16303
Pigler, F. Effective screening in instrumentation and control systems 87—12738
Pigler, F., Kronauer, P., Terzer, R. Prediction of lightning-induced interference voltages on the basis of measurements taken in similar installations 86—15933
Pigler, F., Terzer, R. Simulation of lightning-produced overvoltages in cable ducts 88—8518
Pigler, F. *see* Cupsa, A. 86—56475
Pigler, F. *see* Kraft, M. 88—48748
Piglione, F. *see* Carpaneto, E. 86—44839
Piglione, F. *see* Napoli, R. 86—44840, 86—50925
Piglione, L., Vagati, A. Power MOS in induction heating applications 85—39332
Piglione, M.C. *see* Pessina, G. 86—33325
Piglmayer, K. *see* Du, Y.C. 86—34356
Piglmayer, K. *see* Mogyorosi, P. 88—44533
Pigmans, H.J.M. *see* Schaake, R.C.F. 87—46350
Pignal, M. *see* Loubere, A. 85—13790
Pignal, P.I. Analysis of a communication system with imperfect repair 87—40127
Pignanelli, M. Heavy ion accelerators: status and prospects 86—24933
Pignastii, S.S. *see* Podol'tsev, A.D. 86—1419
Pignataro, S., Torrisi, A., Ferla, G. Interfacial chemistry at real resin-metal interfaces of electronic devices 86—520
Pignataro, S., Torrisi, A., Puglishi, O., Cavallaro, A., Perniciaro, A., Ferla, G. Influence of surface chemical composition on the reliability of Al/Cu bond in electronic devices 86—34031
Pignataro, S. *see* Vasquez, P. 87—73166
Pignatel, G. *see* Boragno, C. 87—41622
Pignatel, G. *see* Cerofolini, G.F. 85—50388
Pignatel, G.U. *see* Cerofolini, G.F. 86—15035
Pignatel, G.U. *see* Gualandris, F. 86—26892
Pignatelli *see* Bessette 85—46111
Pignato, J. New phase in vapor phase [for SMT] 88—7164
Pigneret, J. The chopped X-ray source concept: an efficient method for tree analysis and control 86—38726
Pigneri, A.M., Galgoci, E.C., Jackson, R.J., Young, G.C. New high performance thermoset resin systems for electrical laminates 88—12803
Pigneri, A.M., Galgoci, E.C., Jackson, R.J., Young, G.C. New high performance thermoset resin systems for electrical laminates 88—19548
Pigneri, A.M. *see* Jackson, R.J. 88—24821
Pignie, G. *see* Levine, J. 87—2530
Pignolet, P. *see* Lespinasse, G. 87—68377
Pignone, A.A. *see* Huser, J.M. 88—63729
Pignone, C. *see* Kahn, E. 87—64064
Pigorsch, W. *see* Caselitz, P. 88—17455
Pigos, C.R. *see* Acciai, M.A. 85—40163
Pigot, C. *see* Albrow, M.G. 87—41857, 88—29872
Pigott, A., Marshall, L. Pooling knowledge—the easy way [network management] 87—55485
Pigott, A.C. *see* Cheney, J.E. 88—46443
Pigott, B.B., Giles, F. A microprocessor-controlled automatic fire detection system 85—5734
Pigott, G.M. *see* Davidovich, L.A. 85—10294
Pigrukh, V.V. *see* Duzhii, T.M. 86—1641
Piguet, C., Dijkstra, E., Berweiler, G. Automatic generation of CMOS layout cells from a hardware description language 87—18352
Piguet, C., Dijkstra, E., Berweiler, G. Automatic generation of CMOS layout cells under topological constraints 87—25599
Piguet, C., Dijkstra, E., Berweiler, G., Voirol, C., Stauffer, M., Joss, M. Module generators for both sea of gates and full custom IC's 88—71686
Piguet, C., Dijkstra, E., Theys, A., Stauffer, M., Perotto, J.-F. A design methodology of microprogrammed controllers for custom CMOS IC's 87—74435
Piguet, C., Pache, R., Aubert, P., Clement, P., Perrin, B., Perotto, J.F., Ansorge, M., Joss, J.F., Leuthold, H. From the sequential synchronised machine to the RISC processor 88—56538
Piguet, C., Zinszner, R., Dijkstra, E., Berweiler, G. CAD systems for very large scale integrated circuits 86—21625
Piguet, C. *see* Ansorge, M. 87—425
Piguet, C. *see* Dijkstra, E. 86—62621, 87—19467, 88—73015
Piguet, C. *see* Theys, A. 88—39705
Piguet, S. *see* Kayal, M. 88—71679
Pigulevskaya, L.D. *see* Gurevich, E.S. 88—19872
Pigulevskii, E.D. *see* Bystrov, Yu.M. 86—2501
Pigul'skaya, V.V. *see* Baranov, V.Yu. 87—12386
Pigul'skii, S.V. *see* Andreev, Yu.M. 87—75240
Pigul'skii, S.V. *see* Baranov, V.Yu. 86—29066, 88—20547
Pihala, H. *see* Peltola, E. 86—39656
Pihant, B., Bonzom, A. Insulating mineral oils: paraffins or naphthenics 87—1812
Pihir, V. *see* Podkrajsek, V. 85—21905
Pihl, J. A global system for seismic data exchange 88—14998
Pihlar, B. Cyanide analyser MA 5400 Iskra 86—18171
Pihos, G. *see* Callahan, P.S. 86—12153
Pihuan Jiang *see* Jiang Pihuan
Pi'il, E.I. *see* Doniants, V.N. 85—23837
Piil, M. *see* Frederiksen, E. 87—41643
Piilma, M. *see* Kuznetsov, A.S. 88—10232
Piilonen, L.E. *see* Wilson, S.L. 88—29827
Piirainen, E. *see* Rieppo, R. 85—43270
Piirainen, E. *see* Vanska, R. 85—43271
Piironen, T. Visual inspection of printed circuit boards by image processing methods 85—1133
Piironen, T., Elsila, M., Silven, O., Virtanen, I. Automatic visual inspection system for PCB-fabrication process 85—61535
Piironen, T. *see* Silven, O. 85—34337, 86—3756, 87—17476
Piirto, A. *see* Heinonen, R. 86—19037
Pijlgroms, B. *see* Arnault, C. 87—14216
Pijlgroms, B. *see* Burkhardt, H. 88—47997
Pijll, G.A.van der *see* van der Pijll, G.A.
Pijnacker Hordijk, W.P. *see* Rompelman, O. 88—10362
Pijolat, C., Lalauze, R. Influence of adsorbed hydroxyl species on the electrical conductance of SnO_2 88—44560
Pijolat, C. *see* Lalauze, R. 85—37558, 88—60948
Pijpelink, J. *see* Schotanus, P. 87—29727, 87—50129, 88—4798
Pijpelink, J. *see* van Eijk, C.W.E. 85—59269
Pijper, F.J. *see* van der Mast, K.D. 87—25009
Pijper, H. *see* ten Kate, H.H.J. 86—47989
Pijpker, B.B., Keppel, W.E. Amsterdam to have first 140 MWe gas turbine 86—61406
Pik, J. Structural analysis of experimental curves in numerical taxonomy 87—48118
Pik, L.I. Scientific and technical progress in engineering-geodetic surveys 88—16886
Pike, B., Podgorsak, E.B., Peters, T.M., Pla, C. Dose distributions in dynamic stereotactic radiosurgery 88—10449
Pike, C. *see* Gough, D. 88—54200
Pike, C.D. *see* Avery, R.T. 86—25025
Pike, C.W. HACBSS—the first national broadcasting satellite service [in Australia] 86—59980
Pike, D. Desired specifications of pay cable traps [TV] 87—13947
Pike, E.R., McWhirter, J.G., Bertero, M., de Mol, C. Generalised information theory for inverse problems in signal processing 85—2822
Pike, E.R. *see* Bertero, M. 85—57006 to 57007, 87—75380
Pike, E.R. *see* Broomhead, D.S. 88—72721
Pike, G.E. Comment on 'Conduction mechanisms and temperature dependence of the electroluminescence in ZnO varistors' 88—44797
Pike, G.E., Kurtz, S.R., Gourley, P.L. Electroluminescence in ZnO varistors: evidence for hole contributions to the breakdown mechanism 85—55862
Pike, G.E., Seager, C.H., Dosch, R.G. A study of Co and Mn in ZnO varistors 86—21149
Pike, G.E. *see* Gambino, J.P. 87—60513
Pike, G.H.S. Commercial launch systems—the foreseeable future for AUSSAT 87—4100
Pike, G.H.S. *see* Simmons, J.M. 87—77727
Pike, J.A. Transport A/D conversion 86—1159
Pike, J.M. An advanced measurement concept: the integrated sensor [meteorology] 87—71338
Pike, J.M. *see* Harris, C.G. 88—52440
Pike, K. Better lighting for less money 85—39315
Pike, M.G. *see* Gibbins, C.J. 85—41622, 87—47197, 88—8472

Pike, R., Mosco, V. Canadian consumers and telephone pricing 87−2807
Pike, R., Weinberger, P.J. The hideous name [UNIX] 86−37566
Pike, T.K. Analysis of ERS-1 SAR performance through simulation 86−55373
Pike, T.K., Sappl, E. Analysis of amplitude nonlinearities in the ERS-1 SAR receiver system 87−63049
Pike, T.K., Wolframm, A.P. Computer simulation of quantisation effects on ERS-1 wave-mode spectra 86−30880
Pikeroen, B. *see* Lock, S. 88−57866
Pikhtelev, A.I. *see* Budkin, L.A. 85−35666, 86−3269
Pikhtelev, R.N. *see* Aleksanyan, A.S. 88−61153
Pikhtin, A.N. *see* Nurmagomedov, Sh.A. 87−58943
Pikielny, J., Oczkos, K., Borodziewicz, W., Jaszczak, K. Comparison of tracking filters 88−27942
Pikkel', E.V. *see* Pleshanov, Yu.V. 88−60912
Pikkov, V. *see* Sirk, A. 87−57413
Pikna, M. *see* Saro, S. 86−56037, 87−50572
Pikna, P., Trickle, W. Discovery of a new VLSI failure mechanism through the applications of a particular failure analysis methodology 85−54904
Pikna, P.J. Micromanipulator acid probe isolation 85−49348
Pikovskii, A.A. *see* Bagiev, G.L. 88−48537
Pikovskii, A.A. *see* Zadorina, T.O. 86−26108
Pikovskii, A.S. Influence of noise on the statistics of random self-oscillations 87−33454
Pikovskii, A.S. *see* Matorin, I.I. 85−41304
Pikovskii, A.V. *see* Dmitriev, S.G. 86−25954
Pikovskii, A.V. *see* Labunets, I.A. 86−61458
Pikovskiy, A.S. Synchronization of the stochastic self-excited oscillation phase using a periodic external signal 87−13027
Pikovskiy, A.S. Discrete-time dynamic noise filtering 88−3037
Pikovskiy, V.N. *see* Kremenetskiy, S.D. 85−36050
Pikshris, R.A., Piragas, K.A., Tamashyavichyus, A.V. Circuits for converting an LC oscillator into a noise generator 88−38415
Pikthelev, A.I. *see* Dubkov, V.A. 85−20689
Pikua, I., Dubravcova, V. Pressure measurement in vacuum solar collectors 88−69713
Pikula, D.G. *see* Bow, K.E. 86−47118
Pikulik, I.I. *see* Kashcheev, S.B. 85−2591
Pikulik, L.G. *see* Gul'binas, V.B. 88−40167
Pikulski, J. *see* Tangonan, G.L. 88−35479
Pikul'skii, V.A., Chistikov, A.A., Livshits, A.L. Stabilization of compression pressure in turbogenerator stator cores 88−37161
Pikulskii, V.A., Khutoretskii, G.M., Tsvetkov, V.A. Electrodynamics forces on the end turns of stator windings in large turbogenerators 85−60110
Pikul'skii, V.A., Khutoretskii, G.M., Tsvetkov, V.A. Electrodynamic forces in the front parts of the stator winding of high-power turbogenerators 85−60114
Pikul'skii, V.A., Podol'skii, V.V., Ryabov, E.V., Tsvetkov, V.A., Chistikov, A.A. Study of thermomechanical stresses in component parts of the stator for the TVV-200-2 turbogenerator 86−61459
Pikul'skii, V.A., Ryabov, E.V., Tsvetkov, V.A., Chistikov, A.A. Thermomechanical investigations of the stator of a TGV-300 turbogenerator 86−33263
Pikul'skii, V.A. *see* Avrukh, V.Yu. 86−51548
Pikul'skii, V.A. *see* Kislitskii, B.V. 87−9470
Pikunov, V.M., Prokop'yev, V.Ye., Sandalov, A.N. A fast method of calculating nonlinear processes in devices with longitudinal interaction 86−27796
Pikunov, V.M., Sandalov, A.N. Amplification of two signals of neighboring frequency in a multiresonator klystron 88−1322
Pikus, G.E. *see* Averkiev, N.S. 85−7308 to 7309
Pikus, G.E. *see* Belinicher, V.I. 87−18810
Pikus, G.E. *see* Ivchenko, E.L. 85−1264, 85−40451
Pikus, S.A. *see* Papadichev, V.A. 88−61061
Pikus, V.Yu. *see* Yakhilevich, F.M. 85−48839, 87−42673
Pikusov, S.G. *see* Lunin, V.M. 87−56835
Pil Hyon Kim *see* Shiokawa, T. 87−74164
Pil Joong Lee Performance of a normalized energy metric without jammer state information for an FH/MFSK system in worst case partial band jamming 85−63518
Pil Joong Lee, Das, J. Comments, with reply, on 'A technique for improving the efficiency of M-ary signaling' 85−62943
Pil Lee Kang *see* Kang Pil Lee
Pil Lee Sung *see* Sung Pil Lee
Pilaire, A. *see* Journet, M. 88−43456
Pilarski, A. Ultrasonic evaluation of the adhesion degree in layered joints 85−49661
Pilarski, A., Rose, J.L. Ultrasonic oblique incidence for improved sensitivity in interface weakness determination 88−63415
Pilarski, A., Rose, J.L., Balasubramaniam, K., Lecuru, D. Angular characteristics of reflectivity for layered structures with imperfections 88−6577
Pilarski, S. *see* Krasniewski, A. 87−67450, 88−28595
Pilastrini, R. *see* Bollini, D. 86−65332
Pilat, K. *see* Kesei, E. 85−14812
Pilati, L. *see* Belforte, P. 87−76959, 87−76988
Pilati, L. *see* Bondonno, M. 86−59440, 87−13524
Pilatowicz, A. EMI problems in Poland−effect of power supply plants 88−36906
Pilatzek, M. *see* Quick, J. 87−60207
Pilaud, D. *see* Halbwachs, N. 87−37250
Pilaud, E., Saucier, G. The concept of online tests 86−11436
Pilayer, A.V. *see* Parfenov, A.N. 87−29035
Pilch, C. *see* Shah, A.H. 87−17093
Pilch, C.J., Jr. *see* Shah, A.H. 87−10854
Pilch, C.J., Jr. *see* Wills, K.S. 87−1754
Pilch, W. The economic significance of patent documentation 87−65
Pilch, Z., Winkler, W. Phase-comparison and distance protection performance during simultaneous double faults 85−64968
Pilcher, H. Assembly techniques suitable for use on polymer thick film 88−191
Pilcher, J.E. *see* An Ji-Gang 88−48016 to 48017
Pilcher, J.E. *see* Biino, C. 86−38719
Pilcher, J.V. *see* Brooks, F.D. 88−61200
Pile, P.H. BNL hypernuclear spectrometers and instrumentation present and future 85−26728
Pile, P.H. Beams for kaon research 86−38653
Pileggi, D.J. *see* Orr, J.A. 85−9992
Pileggi, F. *see* Mattar, J.A. 88−36471
Pilenko, B.I. *see* Bocharov, E.P. 85−37333, 86−8712
Pilfold, D. Accuracy in technical reporting−implication and verbal reports to avoid commitment 85−39499
Pilfold, D. Legal style in specifications 88−6176
Pilgrim, M. Millimetre-waves applied to TV distribution 87−56331
Pilgrim, S.M., Newnham, R.E. 3-0: a new composite connectivity 87−53788
Pilgrim, S.M. *see* Semple, A.E. 87−38620
Pili, P. *see* Bruscaglioni, P. 87−75451, 88−20920
Piliero, P. *see* Takeuchi, E.S. 88−5823
Pilinevich, L.P. *see* Vityaz', P.A. 85−33548
Pilinyi, A. *see* Neveri, I. 88−62509
Pilipchak, M.S. *see* Oleinik, V.V. 87−4657
Pilipchak, S.I. Parameter evaluation for a local area network 87−69624
Pilipchuk, M.I. Errors in measuring the spectrum of a stationary random process using discrete data 86−37065
Pilipchuk, N.I. Noise immunity of an adaptive time sampler 86−16085
Pilipchuk, N.I. *see* Gabidulin, E.M. 86−37943
Pilipchuk, N.I. *see* Voronov, Ye.V. 88−34609
Pilipeiko, L.G. Pulse count tracking electrical drive 85−27681
Pilipeiko, L.G. Asynchronous microprocessor control systems for objects with inverters 88−49042
Pilipenko, N.V. *see* Migitko, I.A. 88−53909
Pilipenko, S.I. *see* Bessonov, Yu.L. 86−18222
Pilipenko, T.D. *see* Bel'zer, L.I. 88−36369
Pilipenko, V.S. *see* Pomerantsev, V.V. 88−54388
Pilipenko, Yu.K. *see* Anishchenko, N.G. 85−52942
Pilipenko, Yu.K. *see* Belushkina, A.A. 88−42409
Pilipetskii, A.N., Shkunov, V.V. Calculation of the threshold and of the efficiency of conversion by stimulated scattering in an amplifying medium 85−56798
Pilipetskii, A.N. *see* Dianov, E.M. 86−3311, 86−63863, 87−61223
Pilipetskii, A.N. *see* Zel'dovich, B.Ya. 88−58667
Pilipetskii, N.F. *see* Krivoshchekov, V.A. 87−18650
Pilipetskii, N.F. *see* Kulikov, O.L. 88−20697
Pilipetskii, N.F. *see* Mamaev, A.V. 85−24661
Pilipetskii, N.F. *see* Zel-dovich, B.Ya. 86−58974
Pilipetskii, N.F. *see* Zel'dovich, B.Ya. 86−29113, 88−58667
Piliposyan, P.M. *see* Vardenburg, A.K. 85−40994
Pilipovich, I.V. *see* Apanasevich, P.A. 85−7534, 87−19034, 87−75199
Pilipovich, V.A., Esman, A.K., Posed'ko, V.S., Dubrovskii, V.P. Photoelectric transducer with nonuniform raster 88−40075
Pilipovich, V.A., Kovalev, A.A., Levashkevich, L.V. Dynamics of ultrashort pulse formation in a ruby laser with a passively switched electrooptical shutter 87−61123
Pilipovich, V.A., Malevich, V.L., Ivlev, G.D., Zhidkov, V.V. Dynamics of nanosecond laser annealing of silicon 86−14982
Pilipovich, V.A., Polyakov, V.I., Konoiko, A.I. Electrooptic light modulators 88−13943
Pilipyuk, O.I., Trofimenko, I.T. Interfacing an F595 transcriber to an F5007 counter 85−26275
Pilipyuk, V.E. *see* Ocyka, M.I. 87−29078
Pilkey, R.M. *see* Shen, H.C. 88−6292
Pilkington, D. Auto-chime modifications 85−23059
Pilkington, J.B. A post-Finniston first year B.Eng. laboratory course in basic electronics 87−31170
Pilkington, J.D.H. The use of Satnav systems for precise time transfer 85−3536
Pilkington, M.J. *see* Marshall, W.G. 86−33608
Pilkington, R.D. *see* Hitchman, M.L. 86−499
Pilkington, T.C. *see* Claydon, F.J. 85−43402, 87−50398
Pilkington, T.C. *see* Laxer, C. 85−38150
Pilkington, T.C. *see* Mastrototaro, J.J. 87−63795
Pilkington, T.C. *see* Potvin, A.R. 86−32216
Pil'ko, G.V. Photoelectric angular displacement sensor 87−14293
Pil'ko, G.V. Reference-pulse shaper 88−56534
Pil'ko, V.V. *see* Belyi, I.M. 85−18492
Pilkuhn, M.H. *see* Hausser, S. 86−9878
Pilkuhn, M.H. *see* Mozer, A. 85−45398, 86−2988
Pilkuhn, M.H. *see* Mozer, A.P. 85−62596
Pilkuhn, M.H. *see* Schweizer, H. 87−68489
Pilkuhn, M.H. *see* Zielinski, E. 86−54163, 87−68488
Pill, K. *see* Kuznetsov, A.S. 88−10232
Pilla, A.A. *see* Schmukler, R. 88−10396
Pillage, L.T., Huang, X., Rohrer, R.A. Tree/link partitioning for the implicit solution of circuit equations 87−65754
Pillage, L.T. *see* Huang, X. 88−24898
Pillai, A.S. Upgrading of existing accelerator energy level 87−14638
Pillai, A.S., Doshi, D.A. Impulse withstand strength of HT motor coil turn insulation 88−43155
Pillai, A.S., Hackam, R. Optimal electrode-solid insulator geometry with accumulated surface charges 85−1787
Pillai, A.S., Hackam, R. Improved performance of cylindrical solid insulators with concave curved edges in vacuum 85−9524
Pillai, A.S., Hackam, R. Electrical breakdown of solid insulators in air and in vacuum 85−23999
Pillai, A.S., Hackam, R. Electric field distribution at solid insulator-vacuum interface of different electrode-insulator geometries 85−24032
Pillai, A.S., Hackam, R. Influence of electron impact energy and dielectric permittivity on surface flashover in vacuum 85−40961
Pillai, A.S., Hackam, R. Effects of glow discharge conditioning and addition of gases on surface flashover 86−9316
Pillai, A.S., Shah, M.K. ERDA's experience in evaluation of household electrical appliances 87−79231
Pillai, C.T. *see* Barlow, D.B. 88−74697
Pillai, C.V.R. *see* Gupta, N.K. 86−6051
Pillai, K.Chandrasekara *see* Chandrasekara Pillai, K.
Pillai, K.K. Downtown Stockholm site for first PFBC power plant 88−69165
Pillai, K.K., Jansson, S.A. PFBC retrofits increase efficiency 88−55215
Pillai, K.P.B. *see* Subramanian, D.V. 87−15059
Pillai, K.P.P. *see* Varadakumari, G. 85−7603
Pillai, N.S. *see* Jha, A.M. 88−9652
Pillai, N.S. *see* Lesrado, L. 85−26836
Pillai, N.S. *see* Misra, T. 88−2738
Pillai, P.K.C., Goel, T.C., Tripathi, A.K., Sekar Surface potential decay characteristics of corona charged CuPh-PMMA layers 86−2918
Pillai, P.K.C., Paramdeep Khurana Applications of polymer electrets for pollution studies 88−54765
Pillai, P.K.C., Sharma, P.K., Gupta, A.K. Electrophotographic characteristics of zinc cadmium sulphide (Ag)/polyvinyl carbazole double layer system 86−68378
Pillai, P.K.C., Sharma, P.K., Shroff, N. On the photoconductivity of ZnCdS:Ag/Cd(S,Se):Cu mixed systems 88−26940
Pillai, P.K.C., Sharma, P.K., Tripathi, A.K. Michler's ketone−Cd(S, Se):Cu mixed photoconductor system for electrophotography 86−68387
Pillai, P.K.C., Shroff, N. Some studies on a PC-EL type solid-state image intensifier 87−68297
Pillai, P.K.C., Shroff, N., Tripathi, A.K. Electrophotographic properties of Michlers ketone-polymer double-layer systems 86−3456
Pillai, P.K.C. *see* Murali Dhar, C. 87−32114
Pillai, P.K.C. *see* Navneet 85−18787
Pillai, P.K.C. *see* Sharma, B.L. 87−12295
Pillai, P.K.C. *see* Sharma, P.K. 87−74914
Pillai, P.K.C. *see* Sharma, S.K. 86−28531
Pillai, P.R.S. *see* Joseph, P.M. 88−74054
Pillai, P.R.Saseendran *see* Saseendran Pillai, P.R.
Pillai, P.V.Sivasankara *see* Sivasankara Pillai, P.V.
Pillai, S.G.K. Paperless trunk exchange 86−17136
Pillai, S.G.K. Investment resources for telecommunication growth 86−69259
Pillai, S.G.K. A plea to jack up telephone demand−selectively 88−34982
Pillai, S.K. *see* George, V. 85−5413
Pillai, S.K. *see* Sivalingham, A. 88−49207

Pillai, S.M., Vallabhan, C.P.G. New AC thin-film electroluminescent device with frequency-controlled brightness characteristics 86−54046
Pillai, S.S., Harisankar, M. Simulated performance of a spread spectrum communication system in atmospheric noise 86−10963
Pillai, S.S., Harisankar, M. Simulated performance of a DS spread-spectrum system in impulsive atmospheric noise 87−40652
Pillai, S.S., Harisankar, M. A direct sequence spread spectrum modem for the multipath and impulsive channel 88−28676
Pillai, S.U. A MAP estimate that maximizes entropy−an alternative interpretation for an autoregressive model 85−49487
Pillai, S.U., Bar-Ness, Y., Haber, F. A new approach to array geometry for improved spatial spectrum estimation 86−16332
Pillai, S.U., Haber, F. A new test in factor analysis based on higher powers of the samples eigenvalues 87−54818
Pillai, S.U., Haber, F. Statistical analysis of a high resolution spatial spectrum estimator utilizing an augmented covariance matrix 88−14665
Pillai, S.U. *see* Lee, Y. 88−74003
Pillar, C.S., Dooley, R.B. Strategy determination for fossil plant life extension 87−9391
Pillar, C.S. *see* Tome, A.E., Jr. 87−9233
Pillat, P. *see* Barber, D. 88−54002
Pillat, P. *see* Bothe, W. 86−20272
Pillay, N. Visual, brainstem auditory and somatosensory evoked potentials: clinical uses 85−48275
Pillay, P., Harley, R.G. Comparison of models for predicting disturbances caused by induction motor starting 85−39001
Pillay, P., Harley, R.G., Odendal, E.J. The effect of link current ripple on the torque pulsations in a current source inverter-fed induction motor 85−21613
Pillay, P., Harley, R.G., Odendal, E.J. A comparison between star and delta connected induction motors when supplied by current source inverters 85−21614
Pillay, P., Krishnan, R. Control characteristics and speed controller design for a high performance permanent magnet synchronous motor drive 87−78650
Pillay, P., Krishnan, R. Application characteristics of permanent magnet synchronous and brushless DC motors for servo drives 88−23968
Pillay, P., Krishnan, R. Modeling, simulation and analysis of a permanent magnet brushless DC motor drive 88−24201
Pillay, P., Krishnan, R. Modeling, analysis and simulation of a high performance, vector controlled, permanent magnet synchronous motor drive 88−30687
Pillay, P., Krishnan, R. Modeling of permanent magnet motor drives 88−43422
Pillay, P., Odendal, E.J., Harley, R.G. Torque and speed harmonic analysis of a PWM CSI-fed induction motor drive 85−39241
Pillay, P. *see* Harley, R.G. 85−39000
Pillay, P. *see* Krishnan, R. 87−42954, 88−43417
Pillay, P. *see* Lee, R.J. 85−21612
Pillay, R. *see* Brennan, J.M. 86−31815
Piller, B. The DSI-020: a coprocessor for the IBM-PC 87−17124
Piller, E. Smart-cards for videotex security 86−37439
Piller, H. Faraday rotation and ellipticity in silicon MOSFETs. Properties of the 2D electron gas 86−2187
Piller, U. Design of microcomputer-controlled products 85−3142
Piller, U. The design of microprocessor controlled products. VI. Comparison of the most important functions in the example 85−36607
Piller, W. The heat market−a challenge for the electricity economy 85−60547
Piller, W. *see* Hausner, O. 88−17340
Pillet, E. *see* Antoniu, I.S. 85−15468
Pillet, E. *see* Kamoun, M. 86−26029
Pillet, E. *see* Poloujadoff, M. 87−78637
Pillet, E. *see* Rehaoulia, H. 87−42943
Pilleteri, J., Sun, S.C. Subsynchronous resonance detection [turbine-generators] 86−33303
Pilling, D. *see* Cuong Do 87−1718
Pilling, D. *see* Perry, S. 86−15237, 86−20215
Pilling, J., Lemke, E. To dimensioning the primary lightning protection of transformer stations on base of the streamer-leader-model of long air sparking gaps 88−55396
Pilling, J. *see* Menzel, W. 86−65738
Pilling, M.W. *see* Culpin, B. 88−75908
Pilling, M.W. *see* Slifkin, M.A. 87−30906
Pillinger, C.T. *see* Franchi, I.A. 86−50736
Pillis, J.de *see* de Pillis, J.
Pillo, G.Di *see* Di Pillo, G.
Pillon, D., Jauffret, C. Observability criteria in trajectory plotting by angle measurement for targets in uniform nonrectilinear movement 88−22192
Pilloni, I. *see* Butto, M. 87−13638
Pillonnet, A. *see* Ongaro, R. 85−14985, 86−55814, 88−22747
Pillot, P. *see* Jaulent, P. 88−56693
Pillou, J.-P. Graphic display processor evolution 85−42903
Pillsbury, R. *see* Montgomery, D.B. 88−65989
Pillsbury, R.D. *see* Ellis, J.F. 85−56240
Pillsbury, R.D. *see* Thome, R.J. 86−28767
Pillsbury, R.D., Jr., Punchard, W.F.B. A finite element/Fourier expansion technique for the design of a pulsed radial gradient system for magnetic resonance imaging (MRI) 86−44640
Pillsbury, R.D., Jr., Thome, R.J., Mann, W.R., Minervini, J.V. A program for evaluating the effects of short circuits in coil systems 88−65092
Pillsbury, R.D., Jr, Thome, R.J., Tarrh, J.M., Mann, W.R. Poloidal field coil system design using a field expansion technique 86−48048
Pillsbury, R.D., Jr. *see* Babrov, E.S. 87−74629
Pillsbury, R.D., Jr. *see* Thome, R.J. 85−1941, 86−48049, 88−64001
Pillsticker, M. *see* Koppendorfer, W. 86−42181
Pillutla, R. *see* Taube, J.C. 88−68459
Pilon, P. *see* Walker, R.A.P. 86−50360
Piloni, M., Crema, S. A microstrip crossbar up converter for ITALSAT global payload 88−25563
Pilorge, P. How to connect 3000 microcomputers 87−13452
Pilosof, N.H. *see* Koinakov, G.P. 86−55898
Pilost, D. *see* Cukier, M. 85−47300
Pilot, M.A. *see* Barnett, T.G. 88−23082
Pilotto, L.A. *see* Hammad, A.E. 86−12319
Pilotto, L.A.S. *see* Roitman, M. 86−12337
Pilsak, O. Traffic control: information and guidance electronics keep the traffic flowing 85−37119
Pil'skii, V.I. *see* Marin, M.Yu. 87−59946, 88−57244
Piltch, N.D. *see* Adamovsky, G. 87−25929
Piltz, D. *see* Burton, J. 88−9574
Piltz, D.J. *see* Burton, J.M. 85−31057
Pilucha, J., Psenicka, B. State space matrix analysis of digital filters 88−56769
Pilyaev, S.N. *see* Kurakin, A.S. 85−5134, 87−78589
Pilyak, L.M. *see* Denisyuk, Yu.N. 86−29260
Pilyak, L.M. *see* Semenov, G.B. 85−35920
Pilyankevich, A.N. *see* Fedorchenko, I.M. 87−59937
Pilyar, A.V. *see* Parfenov, A.N. 88−607
Pilyugin, N.N. *see* Andreev, E.P. 86−44319
Pilyugin, S.V. *see* Aizenberg, N.N. 87−69345
Pilyutik, V.N., Kudoyarov, A.L. Selection of nominal power of power transformers in conditions of uncertainty of the initial data 86−66121
Pilz, D. *see* Tobolka, G. 86−2517
Pilz, H. *see* Dietze, K.-H. 86−11657
Pilz, R. Analysis of stochastical signals by the microcomputer K 1520 85−14722
Pilz, W., Sponholz, T., Pongratz, S., Mader, H. Submicron patterns formed by reactive ion etching 86−21412
Pilz, W. *see* Rangelow, I.W. 86−21413
Pilz, W. *see* Stiehler, T. 85−52989
Pilz, W. *see* Windbracke, W. 87−25005
Pilzer, E.H., Engler, G. A new ion source for fission-yield measurements of rare-earth isotopes 87−57007
Pim, D.N. Telesoftware via full channel teletext 85−13856
Pim, D.N. What's happening to teletext? 86−37393
Pim, D.N. The World System Teletext Specification 87−13341
Pimanikhin, S.A. *see* Borisenok, V.A. 86−56073
Pimbley, J.M. A measurement method for the increase of digital switching time due to hot-electron stress 85−55830
Pimbley, J.M. Two-dimensional current flow in the MOSFET source-drain 86−63313
Pimbley, J.M. Dual-level transmission line model for current flow in metal-semiconductor contacts 87−24918
Pimbley, J.M. Resistor trim modeling 87−37754
Pimbley, J.M. Johnson noise in one- and two-dimensional distributed resistor-capacitor systems 87−53437
Pimbley, J.M. Approximation of the electron emission integral [semiconductor devices] 88−71498
Pimbley, J.M., Brown, D.M. Current crowding in high-density VLSI metallization structures 87−1445
Pimbley, J.M., Cumberbatch, E., Hagan, P.S. Analytical treatment of MOSFET source-drain resistance 87−45951
Pimbley, J.M., Gildenblat, G. Effect of hot-electron stress on low frequency MOSFET noise 85−6943
Pimbley, J.M., Lu, T.-M. Structural effects in the initial stages of epitaxy 85−33457
Pimbley, J.M., Michon, G.J. Charge detection modeling in solid-state image sensors 87−41372
Pimbley, J.M., Michon, G.J. Simple measurement of the properties of a distributed resistor-capacitor line 88−64663
Pimbley, J.M. *see* Brown, D.M. 87−25574
Pimbley, J.M. *see* Gildenblat, G. 85−1403
Pimbley, J.M. *see* Wei, C.-Y. 86−63159
Pimenov, P.V. *see* Davydova, L.I. 87−35666
Pimenov, S.M. *see* Belov, A.V. 88−20365
Pimenov, V.N. *see* Gruba, V.I. 87−22816
Pimenov, V.N. *see* Shchutskii, V.I. 85−21264
Pimenov, V.V. *see* Goloskokov, V.V. 85−10441
Pimenov, Yu.D., Kuzilin, Yu.E., Sintsov, V.N., Sitnik, N.A. Holographic corrector in an objective having a sectional main mirror 85−46237
Pimenov, Yu.D. *see* Borodin, V.G. 87−68587
Pimenov, Yu.V. Asymptotic solution of problems of electromagnetic-wave diffraction by nonclosed surfaces 85−30023
Pimenov, Yu.V. The evaluation of several integrals encountered in diffraction problems using physical analogies 86−29342
Pimenov, Yu.V., Chervenko, M.Yu. Diffraction of a plane wave by arrays consisting of parallel strips 88−2513
Pimenov, Yu.V., Prostakov, Ye.I. Radiation from an Elementary electric dipole on a perfectly conducting strip perpendicular to its edge 88−27635
Pimenov, Yu.V., Salakh, A.K. Analysis of the effect of a corner reflector on the field structure of a line radiator 86−42926
Pimenov, Yu.V. *see* Denisenko, N.I. 85−7676
Pimenov, Yu.V. *see* Zakharov, E.V. 87−61369
Pimenta, M. *see* Burmeister, H. 85−9051
Pimenta, M. *see* Gago, J.M. 88−4822
Pimental, J.R. Performance evaluation of MAP networks 86−49321
Pimentel, C. *see* Gibson, J.M. 87−11463
Pimentel, C.A. *see* Gibson, J.M. 86−58324
Pimentel, C.A. *see* Joy, D.C. 86−58224
Pimentel, E., Look, D.C. Resistivity and Hall-effect topography on photoexcited semi-insulating GaAs 88−39064
Pimentel, J.M.Menezes *see* Menezes Pimentel, J.M.
Pimentel, J.R. Performance simulation of the IEEE token bus protocol using SIMAN 86−23523
Pimentel, J.R. *see* Muralidhar, K.H. 87−62682
Pimentel, K.D., Gavel, D.T., Roblee, J.W. Preliminary findings for integrated modeling and simulation of directed energy weapons 87−35462
Pimentel, S., Lobo, A. The induction generator as an alternative to the synchronous alternator is very small hydroelectric plants 88−62224
Pimia, M. *see* Arnison, G. 85−43272
Pimkin, A.V. *see* Aleksandrovskii, A.Yu. 87−15579
Pimkin, K.V. *see* Agluilov, E.I. 86−9499
Pimmel, R.L. *see* Hoft, R.G. 86−7200
Pimonov, A.A., Solovetskii, Yu.I. Switching full-wave synchronous detector 86−40973
Pimonov, A.P. *see* Ivanenko, V.N. 86−26053, 86−45763
Pimpale, A., Paranjape, B.V. Interface plasma excitations in step *p-n* junctions 86−63079
Pimpl, W. *see* Konoplyannikov, A. 85−42924
Pimpot, P. *see* Greywell, K. 87−77234
Pin, M. The target park and future sites [nuclear plants] 88−48660
Pin Ao Chen The performance of a dielectric coated mesh filter 87−45016
Pin Long, Da-Hsiung Hsu, Wang, B. Circular fringe carrier technique in holographic interferometry 88−8308
Pin Tay Sing *see* Sing Pin Tay
Pin-cheng Wu *see* Wu Pin-cheng
Pin-chia Wang *see* Wang Pin-chia
Pin-Chieh Hsu, Pao-Shan Weng Tests of Teledyne multi-area TLD foi mixed beta-gamma personnel monitoring 86−50645
Pin-Chieh Hsu *see* Min-Sum Ouyang 88−74869
Pin-Chieh Hsu *see* Pao-Shan Weng 87−57036
Pin-de Xiao *see* Xiao Pin-de
Pin-Hua Huang, Chu, J., Bjarngard, B.E. The effects of collimator backscatter radiation on photon output of linear accelerators 87−57217
Pin-Kuan Chou *see* Yu Hen Hu 86−62139
Pin-Yee Chen, Wan Zhong Li Retransmission schemes for CSMA/CD networks 86−16621
Pin-Yee Chen *see* Ibe, O.C. 85−63299
Pin-zhong Du *see* Du Pin-zhong
Pina, B. Plasma in four-layer semiconductor structures 87−66959
Pina, B. *see* Chobola, Z. 88−57630
Pina, B. *see* Frank, H. 86−67832
Pina, B. *see* Tulach, L. 86−58239
Pina, L. *see* Kalal, M. 85−41442
Pina, R.de *see* de Pina, R.
Pinak, M. *see* Burian, A. 87−35449
Pinak, M. *see* Spurny, F. 88−23132
Pinamaneni, S., Solomon, D.A. Rapidly solidified soft solder die-attach technology 86−62951
Pinamaneni, S., Solomon, D.A. The effect of microstructure and impurities on fatigue resistance of soft solders 87−10155
Pinamaneni, S. *see* DiOrio, M. 88−63049, 88−63056
Pinamaneni, S. *see* Lang, B. 88−64160
Pinar, M., Ramirez, V. Matrix interpretation of formal orthogonal polynomials for non-definite functionals 87−58840
Pinarbasi, M., Lih Hsin Chou, Maley, N., Myers, A., Leet, D., Thornton, J.A. Hydrogenated amorphous silicon films deposited by DC planar magnetron reactive sputtering 88−25912
Pinard, J. *see* Segalini, S. 86−13877

Pinard, M., Kleinmann, B., Grynberg, G. Theory of degenerate four-wave mixing in three-level atoms 85−7532
Pinard, M. *see* Giacobino, E. 88−27283
Pinard, M. *see* Grynberg, G. 88−72409
Pinard, M. *see* Horowicz, R. 87−33239
Pinard, M. *see* Kleinmann, B. 85−46459
Pinard, M. *see* Le Bihan, E. 86−22528
Pinard, P. *see* Balland, B. 85−34674, 85−34683
Pinard, P. *see* Chambonnet, D. 86−40761, 87−16765, 87−65473, 88−18028
Pinard, P. *see* Chemisky, G. 86−41522
Pinard, P. *see* Marchand, J.J. 87−32232
Pinard, P. *see* M'ghaieth, R. 88−32983
Pinard, P., Kalbitzer, S. *(editor)* Poly-Micro-Crystalline and Amorphous Semiconductors 86−41499
Pinard-Legry, G. *see* Nordmann, F. 85−4849
Pinault, J.-C. *see* Leclert, A. 86−29370
Pinault, S.C., Potasek, M.J. Frequency broadening by self-phase modulation in optical fibers 85−62329
Pinault, S.C. *see* Potasek, M.J. 86−36162
Pinceti, P. *see* Bassoli, G. 87−22308
Pinceti, P. *see* Canepa, A. 88−23430
Pinceti, P. *see* Delfino, B. 86−33246, 87−64991, 87−71594, 88−5330
Pincetl, P., Barnett, G.O., Famiglietti, K.T., Hoffer, E.P. Computer controlled videodiscs for medical education 88−29143
Pincevicius, A., Sakalas, A. The effect of intrinsic and extrinsic illumination on the volt-ampere characteristics of a short-base S-diode 87−53471
Pincevicius, A. *see* Matukas, J. 87−53470
Pinchang Chu *see* Chu Pinchang
Pinchaux, R. *see* Barski, A. 85−55572
Pinchbeck, D. The optical fibre cryogenic leak detection system 87−14288
Pinchbeck, D. *see* Dakin, J.P. 88−16178, 88−22619
Pinches, M. Switched on Vodafone 85−14147
Pinches, M. *see* Beddoes, E. 88−9425
Pinchon, D., Brudny, J.-F. Numerical simulation applied to the control of stepping-motors 86−39854
Pinchot, G., III Introducing the 'entrepreneur' [product management] 85−44461
Pinchuk, A.R., Crowley, C.W., Silvester, P.P. Spurious solutions to vector diffusion and wave field problems 88−52003
Pinchuk, A.R., Silvester, P.P. Error estimation for automatic adaptive finite element mesh generation 86−42104
Pinchuk, A.R. *see* Ferrari, R.L. 86−42757
Pinchuk, G.A., Stotskii, A.A. Certain aspects of the use of radio holography to test the RATAN-600 radio telescope 86−43921
Pinchuk, V.M., Boychuk, L.M. The frequency approach to the synthesis of finite discrete functional Volterra series for prediction purposes 85−41922
Pinchuk, V.N. *see* Areshkin, A.A. 86−13799
Pincik, E., Matatko, B., Bartos, J., Thurzo, I., Grendel, M., Nadazdy, V., Zubekova, M., Morvic, M. Some properties of MIS structures prepared by plasma oxidation of Al layers on GaAs 88−50677
Pincik, E., Thurzo, I., Bartos, J., Dilinger, J., Kutik, P. Anodic oxidation of GaAs in the oxygen plasma of the HF discharge 85−34836
Pincik, E. *see* Thurzo, I. 85−23590, 87−67009
Pinciroli, F., Brusoni, B., Castelli, V., Mosca, G. Computer aided iterative instructions system for arrhythmia in electrocardiography 86−50585
Pinciroli, F., Castelli, A. Pre-clinical experimentation of a quantitative synthesis of the local variability in the original R-R interval sequence in the presence of arrhythmia 86−50565
Pinciroli, F., Minella, M., Rossi, R., Vergani, L. Longitudinality L, transversality T and unplanarity U as a set of new virtual leads for the electrocardiography 88−10352
Pinciroli, F., Pellegrini, A., Falcetti, G., Antognini, F. Electrocardiomultigraphimeter using a home computer 88−36474
Pinciroli, F., Ronchi, S., Vigo, M., Zoccola, A. An interactive educational system in dynamic electrocardiography 85−53065
Pinciroli, F., Rossi, R., Vergani, L. Detection of electrical axis variation for the extraction of respiratory information 87−21616
Pinciroli, F., Rossi, R., Vergani, L. Virtual versus original ambulatory ECG tracing and the classification performances of an automatic arrhythmia detector 88−10382
Pinciroli, F., Rossi, R., Vergani, L., Carnevali, P., Mantero, S., Parigi, O. Remarks and experiments on the construction of respiratory waveforms from electrocardiographic tracings 87−14891
Pinciroli, F., Toppeta, D. The 'signed area' as a morphological feature to discriminate normal beats from PVC ones in dual lead Holter tapes 86−50594
Pinciroli, F., Turri, E. An investigation by correlation techniques of the variability in some quantities measured on the Politecnico/CA' Granda VCG database 86−50593
Pinciroli, F. *see* Bottoni, R. 85−9198
Pinciroli, F. *see* Duca, G.P. 88−4974
Pinciroli, F. *see* Oldano, G. 85−9186
Pinciroli, F. *see* Pellegrini, A. 85−9210, 85−31838
Pinckard, D. The application and design of 2 Mbit/s wideband switches 85−52181
Pinckley, M.C. *see* Murray, T.M., Jr. 87−30071
Pinckney, J.T. *see* Kowalski, F.V. 87−61072
Pincock, D. *see* Bolton, R. 88−66866
Pincock, D. *see* Church, D. 85−45932
Pincock, D. *see* Robertson, W. 85−64079, 88−12414
Pincosy, P.A. *see* Hill, D.N. 87−3456
Pincosy, P.A. *see* Leung, K.N. 85−18015
Pincura, S. *see* Frantz, J. 87−40772
Pincus, J.D., Despain, A.M. Delay reduction using simulated annealing 87−6750
Pinczuk, A. *see* Cerdeira, F. 85−55539
Pinczuk, A. *see* Menendez, J. 87−1254, 87−32318
Pinczuk, A. *see* Penna, A.F.S. 85−23505
Pinczuk, A. *see* Shah, J. 85−40495, 86−28001, 86−47370
Pind, C. The SECURE heating reactor 88−36993
Pind, C., Rolandson, S. Safety requirements and regulatory aspects of siting reactors for heat-supply systems near population centres 85−38689
Pindak, R. *see* Kleiman, R.N. 86−15311
Pindar, A.C.E. *see* Shapiro, G.R. 86−17103, 86−37626
Pinder, J. *see* Chang, T. 87−24628
Pinder, M.G. Automation on longwall faces: System 70000 86−7359
Pindera, G. Design limitations and rationality of applying unsymmetrical commutation in step motors type EDS-11 85−39045
Pindiak, M. *see* Maly, P. 85−61368
Pindiurin, V.F. *see* Mezentsev, N.A. 88−10327
Pindler, A. Modernization of command and control in the southwest Pacific basin 85−42087
Pindroh, A. *see* Robinson, K. 87−18996
Pindroh, A. *see* Robinson, K.E. 87−2154
Pindroh, A.L. *see* Kushner, M.J. 85−12772, 85−41318, 87−7262
Pindroh, A.L. *see* Quimby, D.C. 87−32881, 87−77493
Pindyurin, V.F. *see* Borodin, Yu.I. 86−60684
Pindyurin, V.F. *see* Dementyev, E.N. 86−60572
Pine, G. *see* Yarar, B. 87−59016
Pine, R., Brown, H., Haworth, C. Digital advance leads the world [ISDN] 86−23625
Pine, V.W. *see* Bloomberg, H.W. 85−24862
Pineau, J.F. Routine use of cellulose nitrate films for the dosimetry of underground miners in France 87−29646
Pineau, R., Ryherd, E. Semi custom gate array chip to handle 60 Hz noninterlaced video 85−49837
Pineault, R. *see* Hensel, J.P. 87−77445
Pineda, C.F.Lopez *see* Lopez Pineda, C.F.
Pineda, D. *see* Gray, D. 87−28938
Pineda, H. *see* Balcazar-Garcia, M. 85−37960
Pineda, M. *see* Roger, J. 87−63474
Pineda, M. *see* Serrano, L. 87−51189
Pineda de Gyvez, J. *see* Vinck, A.J. 87−47528
Pinede, P. *see* Allali, L. 87−25607
Pinede, P. *see* Landrault, C. 87−726
Pinedo, A. *see* Leon, G. 88−3413
Pineiro, J.Bernardez *see* Bernardez Pineiro, J.
Pineiro, L.A., Biezad, D.J. Parameter-adaptive model-following for in-flight simulation 87−77745
Pinel, J.-J. *see* Bourdin, J. 88−36936
Pinel, J.F. *see* Coatrieux, J.L. 86−56134
Pinel, J.M. *see* Val, C.M. 87−46144
Pinelle, M. *see* Rogard, R. 88−3935
Pinelli, M.M. *see* Duitsman, L.L. 88−3512
Pinelli, T. *see* Fossati, F. 87−29425
Pinelli, T.E., Cordle, V.M. Toward the development of guidelines for technical report preparation 86−40467
Pinelli, T.E., Hubbard, H.M. Guidelines for improving illustrated technical talks 86−40470
Pinello, J.A., Naumann, S.T., Rehor, G.M. An analysis of spontaneous oscillations on a large power system 86−32689
Piner, E.W., Morley, J.F. The evolution of a new range of telecounting instruments for dial-up data transmission employing the serial-coded telemetering techniques. (SCTM) 87−49589
Pinet, A. Underground cables: new laying methods 85−27089
Pinet, A., Ferran, J. Operating experience with the 20 kV XLPE cable used on the French network 87−15284
Pinet, A. *see* Bernard, G. 88−23467
Pinet, A. *see* Deschamps, L. 86−70689
Pinet, A. *see* Ferran, J. 85−59795
Pinet, D. *see* Savelli, M. 86−4995
Piney, C., Joosten, J. Bridges open the way to metanetworking 88−9230
Piney, C. *see* Joosten, J. 88−9198
Pinfold, J.L., Bouchard, C. Channel electron multiplier arrays for scintillating fibre readout 87−63659
Ping, F.Y. *see* Farish, O. 87−25670
Ping, L., Sewell, J.I. The LUD approach to switched-capacitor filter design 87−45062
Ping, L., Sewell, J.I. The LUD approach to switched-capacitor filter design 88−25318
Ping, R. *see* Kimura, T. 88−67843
Ping, W.W. *see* Szechtman, M. 85−4550
Ping Chang Enhanced magnetron sputtering of planarized silica coatings 85−40616
Ping Chang, McGarr, D.M. A new reactive sputtering system developed for the GaAs manufacturer to deposit silicon nitride encapsulation films 88−7511
Ping Dong *see* Kato, A. 88−35053
Ping Fan Yan, Chen, C.H. An algorithm for filtering multiplicative noise in wide range 87−13149
Ping Gu Qian *see* Gu Qian Ping
Ping Han *see* Han Ping
Ping Huang *see* Huang Ping
ping Huang Shi *see* Huang Shi ping
Ping Jiang He *see* He Ping Jiang
Ping Ju *see* Ju Ping
Ping Li *see* Li Ping
Ping Liang *see* Wenn-Jei Chen 88−29653
Ping Liao *see* Liao Ping
Ping Lu *see* Howe, R.M. 88−61744, 88−68715
Ping Lu *see* Lu Ping
Ping Pei Ho *see* Yao Li 88−13979
Ping Shi *see* Shi Ping
Ping Su *see* Su Ping
Ping Wang *see* Wang Ping
Ping Wei *see* Wei Ping
Ping Wu *see* Wu Ping
Ping Xu *see* Xu Ping
Ping Yang, Shian Aur Modeling of device lifetime due to hot carrier effects 86−21613
Ping Yang *see* Hocevar, D.E. 86−21823
Ping Yang Wang *see* Wang Ping Yang
Ping Zhang *see* Zhang Ping
Ping Zheng *see* Zheng Ping
Ping Zhou *see* Zhou Ping
Ping-chian Pao *see* Hsiuan Chou 85−54733
Ping-Keung Ko *see* Tong-Chern Ong 86−9142
Ping-Kong Yu *see* Kwai-Man Luk 85−36074, 85−46443
Ping-Pei Ho *see* Tsung-Yuan Yang 85−56781
Ping-Po Gong, Thompson, R.T., Smith, B.A. Vacuum interface to a soft X-ray synchrotron beam line 87−14632
Ping-Shen Song *see* Hou-Lung Lee 88−61151
Ping-Ya Zhao *see* Zhao Ping-Ya
Pingault, D. *see* Joubert, J.C. 86−15387
Pingel, T.C. *see* Graden, M.E. 87−7901
Pingeon, G., Lauer, L., Oulovsky, J.-L. Mechanism of electrostatic and electromagnetic interference associated with the electrification of railway lines and means of reducing it 88−62709
Pingfan Yan *see* Yan Pingfan
Pinglier, A. Possible Euro-African cooperation in the field of regional/domestic telecommunication satellite systems 88−3947
Pingmao Xu *see* Xu Pingmao
Pingnan Shi, Ward, R.K. Restoration of images distorted by sampling jitter 88−34828
Pingot, O. *see* Anguilar-Benitez, M. 87−71031
Pingot, O. *see* Daubie, E. 87−21467
Pingot, O. *see* de Clerq, C. 86−32194
Pingot, O. *see* Fernandez, C. 85−4216
Pingping Zhu *see* Zhu Pingping
Pingry, D., Rassenti, S., Smith, V. An optimizing market mechanism for the pricing and allocation of electric power under deregulation 86−50922
Pingry, J. Designing printed circuit boards from the workstation 85−10921
Pingry, J. Refined media extend magnetic recording capabilities 85−12485
Pingry, J. Lasers and fiber optics: data at the speed of light 85−14239
Pingry, J. Printed circuit board design demands versatile integrated tools 85−55253
Pingry, J. Silicon solutions for IAN connections 86−4255
Pingry, J., Walko, J. Streamlining Ethernet boards 85−25512
Pingxuan Jing *see* Jing Pingxuan
Pingyang, W. *(editor)* Power Systems and Power Plant Control. Proceedings of the IFAC Symposium 87−65085
Pingzhi Fan *see* Fan Pingzhi
Pinhas, H. *see* Erman, M. 87−18758
Pinhas, S., Shtrikman, S. Vertical currents in microstrip antennas 88−27621
Pinheiro, B. *see* Maly, V. 86−39482
Pinheiro, R.F., Watanabe, E.H., Carneiro, S., Jr. Reactive power compensator for self-excited induction generator with unbalanced load 87−15754
Pinheiro, W.G. All-pass delay equalization 86−1202
Pinho, A. *see* Dawalibi, F. 86−50995
Pini, M. *see* Bernardi, P.L. 87−3492
Pini, R., Salimbeni, R., Haider, A.F.M.Y., Matera, M., Lin, C. Frequency conversion in the UV and visible spectral regions by stimulated Raman scattering and four-photon mixing in multimode silica fibers 86−15793
Pini, R., Salimbeni, R., Vannini, M. Optical fiber transmission of high power excimer laser radiation 88−7847

Pini, R., Salimbeni, R., Vannini, M., Haider, A.F.M.Y., Lin, C. High conversion efficiency ultraviolet fiber Raman oscillator-amplifier system 86−42618

Pini, R. *see* Falsini, P. 85−41475

Piniarski, W. *see* Bednarz, W. 87−16114

Pinilla, A.E. *see* Kenna, J.P. 88−5622

Pinilla, J.R. Control of stepping motors. I 86−66107

Pinillos Rodriguez, J.L. FM broadcast planning: an example for the Spanish mainland 86−4797

Pinion, D.J. *see* Anderson, H.R. 87−21184

Pinizzotto, R.F. A review of silicon-on-insulator formation by oxygen ion implantation 85−16955

Pinizzotto, R.F. Silicon on insulator by ion implantation: a dream or a reality? 85−45517

Pinizzotto, R.F., Clark, F.Y., Jarvis, M.L. Quality and reliability assurance of semiconductor devices through transmission electron microscopy 87−25532

Pinizzotto, R.F., Clark, F.Y., Malhi, S.D.D., Shah, R.R. Polysilicon grain growth by rapid isothermal annealing 85−50195

Pinizzotto, R.F. *see* Malhi, S.D.S. 85−7095

Pinjo, Z., Cyganski, D., Orr, J.A. Determination of 3-D object orientation from projections 86−10486

Pink, F.X. *see* Gabbe, D.R. 87−74660

Pink, H. *see* Aulich, H.A. 86−40717

Pink, J.J. New scalar network analyzer boasts powerful processing 87−77174

Pink, J.M. *see* Baker, C.J. 88−60233

Pinkel, R. Doppler sonar measurements of ocean waves and currents 87−77886

Pinkel, R. *see* Beck, S. 87−9022

Pinkenburg, C. *see* Kreutz, P. 87−77552

Pinkerton, F.E. High coercivity in melt-spun Dy-Fe-B and Tb-Fe-B alloys 86−28625

Pinkerton, F.E., Dunham, W.R. Mossbauer effect studies of $Nd_2Fe_{14}B$ and related melt-spun permanent magnet alloys 85−18544

Pinkerton, F.E. *see* Herbst, J.F. 87−12034

Pinkerton, J.E. *see* Perlee, H.E. 87−41632

Pinkerton, J.E. *see* Sapko, M.J. 87−63324, 88−67929

Pinkerton, R. *see* Smith, B.S. 87−4944

Pinkerton, W. *see* Nelson, V. 86−19187

Pinkevich, I.P. *see* Voronyuk, L.V. 86−3033

Pinkham, C. Stat muxing solves C&P's data woes 87−40410

Pinkham, G. AXE 10 open system interface 88−9355

Pinkham, G. The next move must be an intelligent one [telecommunication networks] 88−59450

Pinkham, R. Dual port memory with high speed serial access 85−17433

Pinkham, R. Video memory technology and applications 85−49874

Pinkham, R., Anderson, D.F. A technique for modelling *p-n* junction depletion capacitance of multiple doping regions in integrated circuits 87−1751

Pinkham, R., Redwine, D.J., Valente, F.A., Herndon, T.H., Anderson, D.F. A high speed dual port memory with simultaneous serial and random mode access for video applications 85−28527

Pinkham, T.A. Alternate insulator configurations for high and extra-high voltage transmission systems 88−69027

Pinkiewicz, I. *see* Kazmierski, M. 86−51713

Pinko, L. Power engineering and the environment 88−17347

Pin'kovskii, I.V. Special features of resistance welding VT1-0 titanium to low carbon steel 88−62823

Pinkowitz, D.C. Deglitched DACs improve vector-stroke displays 85−52658

Pinkowitz, D.C. A standard local network for industrial use 86−17104

Pinkowitz, D.C. Two stage conversion increases the speed of A/D converters 87−52674

Pinkowitz, D.C. Histograms simplify A/D converter testing 88−4340

Pinkowski, A., Thiessen, K.-P. The capacitance of passivated iron electrodes under simulated erosion-corrosion conditions 87−1433

Pinkstaff, C. *see* Lim, C.B. 85−43353, 86−50504

Pinkston, W.H. *see* Lee, K.R. 88−14351

Pinkus, A., Strauss, H. Best approximation with coefficient constraints 88−31670

Pinkus, A.R. *see* Schiffler, R.J. 86−70487, 88−5059

Pinkus, A.R. *see* Task, H.L. 88−16319

Pinkwart, C., Borchers, H.W. Miniature three-function transmitting system for single neuron recording, wireless brain stimulation and marking 88−4953

Pinna, G., Mazzoleni, C., Cobelli, F., Opasich, C., Specchia, G. A catheterization laboratory with off-line, fully automated analysis of 12-lead ECG and hemodynamic curves during exercise testing 85−59245

Pinna, G. *see* Mazzoleni, C. 87−21611

Pinna, S. *see* Delpiano, F. 85−12839, 88−20644

Pinnaduwage, L.A., Christophorou, L.G., Hunter, S.R. Laser-enhanced electron attachment and its possible application for optical switching 88−39028

Pinnekamp, F. *see* Edlinger, A. 86−51845

Pinnel, M.R., Knausenberger, W.H. Interconnection system requirements and modeling 88−26372

Pinnel, M.R. *see* Knausenberger, W.H. 87−25531

Pinnell, T. Damp detector 86−52983

Pinneo, C.M., Heydt, G.T. The harmonic impact of industrial rectifiers served by open wye and open delta connected transformers 88−24070

Pinneo, J.M. *see* Peters, M. 88−63375

Pinner, M. Sizing up the benefits of using a radiant space heating system 85−16441

Pinnes, E.L., Bigelow, G.W. Local assignment in the digital age 85−47292

Pinnes, E.L. *see* Hines, W.J. 88−52711

Pinnes, E.L. *see* Noe, N.H. 86−43393

Pinney, S. *see* Schrum, L. 88−62909

Pinnock, R.A., Extance, P., Cockshott, C.P. Combustion sensing using optical fibres 88−4411

Pinnock, R.A., Extance, P., Hazelden, R.J., Pacaud, S.J., Cockshott, C.P. Colour-modulation optical displacement sensors 88−16175

Pino, A.G., Calvo, M., Montesano, C.E. Deterministic distortion analysis for satellite reflector antennas 88−2805

Pino, A.Garcia *see* Garcia Pino, A.

Pino, D., Hall, W. Overcome testing hurdles posed by new CMOS logic 88−25088

Pino, D.Di *see* Di Pino, D.

Pino, E.A. *see* Glerum, J.J. 87−63723

Pino, F., Ash, E.A. Imaging with thick acoustic lenses 86−6191

Pino, F. *see* Burton, N.J. 85−7926

Pino, J.A. *see* Corovic, R. 88−70060

Pino, J.del *see* del Pino, J.

Pinola, L. *see* Maranesi, P. 87−73306, 88−75763

Pinoli, J.-C. *see* Chalindar, B. 86−45852

Pinoli, J.-C. *see* Jourlin, M. 88−59218

Pinon, C. *see* April, G.E. 87−14122

Pinon, O., Castro, E. Diversity radiolink control using a digital comparator 85−63506

Pinoteau, J. *see* Barache, J.-M. 87−64267

Pinotti, P.C. *see* Dario, P. 85−15349

Pinov, A.B. *see* Bugulov, M.E. 88−43382

Pinsent, H.G. *see* Collins, R. 86−62301

Pinsker, M.S., Gorbunov, A.K. Epsilon-entropy with delay for small mean-square reproduction error 88−27725

Pinsker, M.S., Sofman, L.B. (ϵ, δ)-entropy of completely ergodic stochastic processes 87−75671

Pinsker, M.S. *see* Efroimovich, S.Yu. 87−36584

Pinsker, M.S. *see* Gelfand, S.I. 86−16137

Pinsker, M.S. *see* Golubev, G.K. 85−49463, 86−48723

Pinskii, A.B. *see* Yusupbenkov, N.R. 87−14295

Pinskii, G.B. *see* Ananyants, S.S. 85−21550

Pinskii, G.B. *see* Basin, S.E. 88−69315

Pinskii, G.B. *see* Dukshtau, A.A. 87−9403, 87−9480

Pinskii, G.B. *see* Gagarinov, V.A. 85−43892

Pinskii, G.B. *see* Ovinskii, V.M. 86−56693

Pinskii, G.B. *see* Vakser, B.D. 87−35868

Pinskii, Yu.A. *see* Grigor'ev, V.N. 87−46822

Pinsky, D.A. Hermeticity measurements for large microelectronic packages 88−6282

Pinsky, D.A., Ryan, J.J. Corrosion resistance of wire-wrap pins and inspection techniques 85−11686

Pinsky, E., Yemini, Y. The asymptotic analysis of some packet radio networks 87−13564

Pinsky, E., Yemini, Y., Sidi, M. The canonical approximation in the performance analysis of packet radio networks 86−55177

Pinsky, E., Yemini, Y., Sidi, M. The canonical approximation in the performance analysis of packet radio networks 87−19994

Pinsky, I. *see* Shappir, J. 86−46800

Pinsky, I.M. *see* Voronov, A.D. 86−43701

Pinsky, L. *see* Bachman, M. 85−26527

Pinsky, L. *see* Hackenburg, R. 85−15178

Pinsky, N. *see* Rowlette, J.J. 87−43374

Pinsl, J., Deeg, F.W., Brauchle, C. Two-photon four-level hologram recording in poly-(alkyl-α-cyanoacrylates) 86−54221

Pinsl, J. *see* Gehrtz, M. 87−54431

Pinsler, H. Time-of-flight transient signals of two-layer electrophotographic photoreceptors 88−51662

Pinson, C.C. *see* Estes, W.J. 85−37102

Pinson, G.S. *see* Haydon, G.W. 88−66068

Pinson, L.J., Wolfe, W.J. Error sources in four-point attitude calculations 88−47680

Pinson, L.J. *see* Rogers, S.K. 85−30339

Pinson, L.J. *see* Wolfe, W.J. 87−20941, 87−63390

Pinson, P. *see* Legoff, D. 88−58468

Pinsonneault, M.B. *see* Gustafson, D.E. 86−50916

Pintado, O.I., Radicella, S.M., Fernandez, P.M. Experimental estimates of electron density variations at the reflection height of VLF signals 87−33428

Pintal, Yu.S. *see* Gleizer, S.E. 86−44978

Pintaric, J. Network management functions in the exchange AXE 10 87−55898

Pintaric, J. *see* Marovic, D. 85−63440

Pintaske, J. Speech output made easy 85−26137

Pintaux, J.-B., Kumar, V. Bit-rate-recovery digital filter 88−19289

Pintaux, J.B. *see* Marcos, S. 87−55845

Pintchovski, F., Tobin, P.J., Kottke, M., Price, J.B. Antimony diffusion in silicon: effects of ambient gas and time 85−1487

Pintchovski, F. *see* Parrillo, L.C. 87−46217

Pintchovski, F. *see* Schmiesing, J. 88−64775

Pintchovski, F. *see* Sun, S.W. 88−39274

Pintel, S. The power of CMOS allied to the speed and levers of TTL/ALS 87−38515

Pintel, S. Analogue devices for UHF applications 87−60625

Pintel, S. High level integration and analogue circuits 87−60627

Pintel, S. Simulation of mixed ASICs 88−57717

Pintelon, R. *see* Schoukens, J. 88−60518, 88−74304

Pinter, F. Meteorological image processing in the Institute for Atmospheric Physics 87−50559

Pinter, F. *see* Bodolai-Jakus, E. 88−15595

Pinter, G. New Dubbing studio at MAFILM Studios 87−41277

Pinter, G. *see* Denes, E. 85−4412, 87−20753

Pinter, G.R. *see* Young, N.E. 85−4251

Pinter, Gy. *see* Denes, E. 85−37436

Pinter, I. *see* Gyuris, A. 88−41247

Pinter, J. A modified Bernstein-technique for estimating noise-perturbed function values 86−34178

Pinter, J. Extended univariate algorithms for n-dimensional global optimization 86−34179

Pinter, J. Branch- and bound algorithms for solving global optimization problems with Lipschitzian structure 88−43811

Pinter, P.J., Jr. *see* Hatfield, J.L. 88−67699

Pinter, R.Y. Optimal layer assignment for interconnect 85−12345

Pinter, R.Y. *see* Bar-Yehuda, R. 88−44881

Pinter, R.Y. *see* Garey, M.R. 85−1183, 87−6855

Pinter, R.Y. *see* Wimer, S. 87−38558, 88−1794

Pinter, S., Wolfstahl, Y. On mapping processes to processors in distributed systems 87−55784

Pinter, S.S., Wolfstahl, Y. Embedding ternary trees in VLSI arrays 88−19011

Pinter, S.S. *see* Chlamtac, I. 87−62850

Pinter, S.S. *see* Dolev, D. 87−55719

Pinter, T. *see* Ormai, P. 88−36956

Pinteric, F., Cergolj, J., Dezelan, A. Laboratory microprocessor-controlled conductivity meter MA 5964 87−14456

Pintiere, L.de la *see* de la Pintiere, L.

Pinto, A.do Carmo Pereira *see* do Carmo Pereira Pinto, A.

Pinto, D.F. *see* Baker, J.M. 87−19505, 87−55038

Pinto, E.L., Brandao, J.C.B. A way of efficiently using computer simulated digital signals to evaluate error probability 87−33959

Pinto, E.L., Brandao, J.C. A comparison of four methods for estimating the power spectrum of PSK signals 88−8792

Pinto, E.L., Brandao, J.C. On the efficient use of computer simulated digital signals to evaluate performance parameters 88−34529

Pinto, G. *see* Liberati, F. 87−68570

Pinto, I. *see* Bucci, O.M. 85−8462

Pinto, I.M. *see* Corona, P. 87−68702, 88−14332

Pinto, J.F., Georgiou, E., Pollock, C.R. Stable color-center laser in OH-doped NaCl operating in the 1.41- to 1.81-μm region 86−68510

Pinto, J.F., Stratton, L.W., Pollock, C.R. Stable color-center laser in K-doped NaCl tunable from 1.42 to 1.76 μm 85−56600

Pinto, J.F., Yakymyshyn, C.P., Pollock, C.R. Acousto-optic mode-locked soliton laser 88−51911

Pinto, J.F. *see* Culpepper, C.F. 88−14157

Pinto, J.F. *see* Zabar, Z. 87−78113

Pinto, J.K., Slevin, D.P. Critical factors in successful project implementation 87−43931

Pinto, J.M. *see* Ricardo, J. 88−55070

Pinto, J.R.Caldas *see* Caldas Pinto, J.R.

Pinto, J.Sousa *see* Sousa Pinto, J.

Pinto, L.J. *see* Caroli, C.E. 87−35612

Pinto, L.M.V. LV installations for using electric power: systems for evaluating feed power 87−51657

Pinto, L.M.V. The service quality in LV installations protected by apparatus sensitive to residual-differential current 87−72316

Pinto, L.M.V.G., Pereira, M.V.F. Short-term operation of hydrothermal systems 87−71604

Pinto, L.M.V.G., Pereira, M.V.F. Application of sensitivity analysis to generation/transmission expansion planning 88−75125

Pinto, L.M.V.G. *see* Cunha, S.H.F. 86−18637

Pinto, L.M.V.G. *see* Gorenstin, B.G. 87−78009, 88−68789

Pinto, L.M.V.G. *see* Pereira, M.V.F. 85−38481, 86−18751, 87−50661

Pinto, L.M.Vilela *see* Vilela Pinto, L.M.

Pinto, M. *see* Werner, J. 88−25969

Pinto, M.A. A new approach to axisymmetric problems in magnetics 88−8411
Pinto, M.R., Dutton, R.W. Accurate trigger condition analysis for CMOS latchup 85−29338
Pinto, M.R., Dutton, R.W., Iwai, H., Rafferty, C.S. Computer-aids for analysis and scaling of extrinsic devices 85−50733
Pinto, M.R. *see* Coughran, W.M., Jr. 88−33382
Pinto, M.R. *see* Dutton, R.W. 87−25451
Pinto, M.R. *see* Iwai, H. 85−34979, 87−38277
Pinto, M.R. *see* Rafferty, C.S. 86−21473
Pinto, M.R. *see* Sangiorgi, E. 86−41951, 88−26254
Pinto, M.R. *see* Sangiorgi, E.C. 86−21822
Pinto, N., Lewington, P. The economic evaluation of pumped storage plant 88−62256
Pinto, N.M., Webb, M.G. Power system planning in the presence of economic, social and environmental objectives and constraints 86−50937
Pinto, R. Ion implantation system 86−28160
Pinto, R., Ramanathan, K.V., Babu, R.S. Reactive Ion etching in SF_6 gas mixtures 87−38117
Pinto, R., Sachidananda Babu, R., Bhattacharya, P.K. Annealing of Si damage caused by reactive ion etching in SF_6 gas mixtures 86−58395
Pinto, R., Sachidananda Babu, R., Purandare, S.C. Design and development of a 180 keV ion implantation system 87−11600
Pinto, R. *see* Arora, B.M. 88−13133
Pinto, R.M. *see* Fernandez, A. 87−21442
Pinto, R.W., Seaquist, J.C. A vulnerability/connectivity analysis model for distributed communications networks 85−7792
Pinto, S. *see* Cividati, E. 87−32154
Pinto Cajetan *see* Cajetan Pinto
Pinto de Sa, J.L. *see* Sucena Paiva, J.P. 85−60269
Pinto Paixao, J., Branco, I.M. A quasi-assignment algorithm for bus scheduling 87−65295
Pinto-Guedes, M., Chan, P.C. A circuit simulation model for bipolar-induced breakdown in MOSFET 88−33210
Pinto-Guedes, M. *see* Chan, P.C. 87−74425
Pintos, V.H.P. *see* Diaz, S.B. 87−57214
Pintos, V.H.Padula *see* Padula Pintos, V.H.
Pintos, V.P. *see* Oriolo, L.M. 87−43912
Pintsov, V.A. Cross-correlation and symmetry 88−66692
Pinus, E.A. *see* Rozenberg, E.I. 85−43105
Pinyan, J.A. *see* Grewe, A.J. 85−36802
Pinzhen Lu *see* Lu Pinzhen
Pinzhong Du *see* Du Pinzhong
Pinzone, C.J. *see* Dupuis, R.D. 87−33151
Pinzone, C.J. *see* van der Ziel, J.P. 87−39079, 87−68437
Pio, F. *see* Grilli, E. 85−18116
Pioch, T. *see* Baumann, H. 87−32474
Pioger, G., Pavard, M., Leost, J.Y. Methods and tools used by CEGB, ENEL and EDF to study steady state stability problems 85−26942
Pioger, G. *see* Auges, P. 85−38375
Pioger, Y. Direct space heating. Annual consumption and load curve analysis on a sample of 134 metered homes 87−31080
Pioger, Y. Control on system capacity requirements through load management policy 88−54882
Piolet, C. *see* Pereira-ramos, J.-P. 87−78856
Pioli Di Marco, F. *see* Kearsey, B.N. 87−40084, 88−41414
Pion, G. *see* Breville, T. 86−42709
Pion, J.-P. *see* Lechuga, I. 86−50897
Pion, M., Specht, A., Appelman, H., Ebersohl, R., Begley, D., Waters, R., Guido, T., Stazak, S. Low-threshold interrupted-growth step-index separate-confinement heterostructure GaAs/(Al,Ga)As lasers grown by molecular-beam epitaxy 88−34024
Pion, M. *see* Fischer, R. 86−54131
Piontek, C. *see* Arndt, F. 85−34032, 87−10579
Piontek, R.W., Kase, K.R. Design and dosimetric properties of an intraoperative radiation therapy system using an orthovoltage X-ray unit 86−50626
Piontek, S. The simulation of the PWM waves for harmonic analysis and synthesis 86−59201
Piontkowski, J.A. *see* Allred, D.D. 85−16997
Pioro, M. *see* Dziong, Z. 87−27810, 87−27894
Pioro, Z. *see* Dmowski, K. 87−27408, 88−21208
Piorunneck, H. *see* Diehl, R.P. 87−11255
Piosczyk, B., Dammertz, G. Beam properties of a high-perveance single-aperture DC extraction system 85−4189
Piosczyk, B., Dammertz, G. Continuous operated H^--surface plasma ion source 86−55989
Piosczyk, B. *see* Dammertz, G. 88−19596
Piosczyk, B. *see* Jodicke, B. 88−25808
Piosczyk, B. *see* Maurer, W. 88−65985
Piotr, K. *see* Ring, G. 87−29336
Piotrkowska, T. *see* Tota-Ramisz, E. 85−925
Piotrovskii, Yu.A., Reutova, N.M., Tolmachev, Yu.A. Role of multistage ionization in producing an inverted population in lasers using self-limited transitions 85−41301
Piotrowicz, J. *see* Glowacki, B. 87−8655
Piotrowska, A., Auvray, P., Guenais, B., Guivarc'h, A., Pelous, G., Henoc, P. Metallurgical and electrical properties of metal-indium phosphide contacts 85−29037
Piotrowska, A., Kaminska, E. Application of ohmic contacts on the base of gold in technology of optoelectronic devices realized from $A^{III}B^{V}$ semiconductor compounds 85−18162
Piotrowska, A., Kaminska, E. The fundamentals of the theory and the methods of the technology for a $A^{III}B^{V}$ compound semiconductor ohmic contact 87−32331
Piotrowska, A., Kaminska, E., Barcz, A., Adamczewska, J., Turos, A. Gold-based ohmic contacts on III-V compounds: thermally induced reactions between metallization and the semiconductor compound 86−21258
Piotrowska, A., Mroziewicz, B. Optoelectronics 87−38892
Piotrowska, A. *see* Barcz, A.J. 87−53287
Piotrowska, A. *see* Kaminska, E. 86−1798, 86−35431, 87−45677, 88−7361, 88−44585
Piotrowski, A. Fresnel pseudocorrelator 85−25165
Piotrowski, A., Gill, R.L., McDonald, D.C. A new high-temperature plasma ion source for the TRISTAN ISOL facility 87−57013
Piotrowski, A. *see* Gill, R.L. 85−31684
Piotrowski, A. *see* Grill, R.L. 85−37864
Piotrowski, A. *see* Kordysz, A. 86−18244
Piotrowski, H., Kuhn, M.H., Geppert, R. A microprocessor system for speaker dependent word recognition using CACF spectral analysis 85−51589
Piotrowski, J. New digital circuit simulation method−an event sequence concept 86−27181
Piotrowski, J., Djuric, Z., Galus, W., Jovic, V., Grudzien, M., Djinovic, Z., Nowak, Z. Composition and thickness control of $Cd_xHg_{1-x}Te$ layers grown by open tube isothermal vapour phase epitaxy 87−58935
Piotrowski, J., Nowak, Z., Grudzien, M., Galus, W., Adamiec, K., Djuric, Z., Jovic, V., Djinovic, Z. High capability, quasi-closed growth system for isothermal vapour phase epitaxy of (Hg, Cd)Te 88−74433
Piotrowski, J., Rogalski, A. A simple method of evaluating the performance of near-background-limited photodiodes 86−42436
Piotrowski, J. *see* Bucholc, K. 88−682
Piotrowski, J. *see* Djuric, Z. 88−56234
Piotrowski, J. *see* Grudzien, M. 85−42999
Piotrowski, J. *see* Igras, E. 85−64158
Piotrowski, J. *see* Jozwikowska, A. 85−28733
Piotrowski, J. *see* Jozwikowski, K. 86−8525, 86−20857
Piotrowski, J. *see* Nguyen Van Khai 86−26809
Piotrowski, J. *see* Niedziela, T. 87−41511, 87−56697
Piotrowski, J. *see* Nowak, Z. 88−56206
Piotrowski, J. *see* Omar, A.S. 87−6008
Piotrowski, J. *see* Rogalski, A. 88−16114
Piotrowski, J.K. Accurate and simple formulas for dispersion in finlines 85−19203
Piotrowski, J.K. Efficient analysis of finline with finite metallization thickness 87−7574
Piotrowski, J.K. Second-order solution for fin-line characteristics 87−75532
Piotrowski, J.K., Lipka, W., Galwas, B. High power Gunn VCO with improved temperature characteristics 88−56978
Piotrowski, J.K., Pramanick, P., Bhartia, P. Comments on 'computer-aided design models for millimeter-wave finlines and suspended-substrate microstrip lines' [and reply] 87−17297
Piotrowski, J.K. *see* Schieblich, C. 85−24901
Piotrowski, J.L. C^3I for space control 87−77701
Piotrowski, J.L. The R&M 2000 initiative Air Force R&M policy letters 88−10669
Piotrowski, K., Chabaev, A. Study of the electric and dielectric behaviour of a plane cell with a screen electrode, filled with a dielectric liquid, subjected to a step tension. Application: study of the electric charge mobility 85−52845
Piotrowski, L. Matrix equalization of intersymbol interference for signal transmission with QAM modulation 85−51967
Piotrowski, L. *see* Zientkiewicz, J. 86−43838
Piotrowski, P. *see* Hopkins, R.H. 87−51461
Piotrowski, T. Isothermal growth of homogeneous $Hg_{1-x-y}Cd_xMn_yTe$ crystals 85−49599
Piotrowski, T., Jung, W., Jaroszewicz, B. Investigation of internal gettering in silicon wafers 88−50921
Piotrowski, T., Niewodniczanska-Zawadzka, J. First approach to the energy gap investigations of $Hg_{1-x-y}Cd_xMn_yTe$ 85−34559
Piotrowski, T. *see* Marciniak, M. 88−15937
Piotrowski, W. *see* Brunner, W. 85−11543
Piotrowski, W. *see* Kai Chang 86−8438
Piotrowski, W.G. Commodore cassette interface 85−20396
Piotrowski, W.S. *see* Kai Chang 86−27587
Piotrowski, Z., Jalmuzny, W., Kawczynski, R. Some problems of measurement of complex error with respect to overcurrent conditions of CT 86−56815
Piotrowski, Z., Kasprzak, J. Analogue simulation of current transformer−nonlinear burden system 85−21691
Piotrowski, Z., Nowakowski, J. Low voltage standard current transformers 85−60246
Piotrowsky, J. *see* Djuric, Z. 88−11967
Piotrwoski, K. *see* Ney, H. 85−46733
Piotrzkowski, R., Litwin-Staszewska, E., Suski, T. The mobility anomalies in low-concentration InSb−role of impurity distribution 86−53329
Piotrzkowski, R., Robert, J.L., Azema, S., Litwin-Staszewska, E., Andre, J.P. The metastable character of Si-impurity in GaAlAs from study of GaAlAs under hydrostatic pressure 88−64258
Piotter, K. The fast alternative [ECL gate arrays] 87−24047
Piotter, K. Distributed signal processor achieves high speeds for parallel working by the use of transputers 88−53585
Piova, J.L. *see* Niquil, M. 86−64962, 87−70059
Piovan, R. *see* Benfatto, I. 87−15897, 87−22605
Piovan, R. *see* De Lorenzi, A. 87−22607
Piovan, R. *see* Gaio, E. 88−69547
Piovan, R. *see* Guarnieri, M. 85−4694
Piovan, R. *see* Maschio, A. 87−72286
Piovano, M. *see* Masoero Regis, M. 87−50810
Piovella, N. *see* Bonifacio, R. 88−45471
Piovesan, B. The gallium arsenide riddle 86−53332
Pipard, E. Inconsistencies detection in knowledge base systems which have monovalued items 87−23519
Piparo, G.Lo *see* Lo Piparo, G.
Piparo, L. *see* Dellera, L. 85−4669, 85−4686
Pipberger, H. *see* Kyle, M.C. 85−59311
Pipberger, H.A. *see* Beattie, J.M. 85−59295
Pipberger, H.A. *see* Seibert, G.B. 87−21590
Pipchenko, V.P. *see* Abramov, V.Ya. 85−2218
Pipe, G.R. The ultimate bypass [GATT, international services trade] 87−69435
Pipe, J.G. *see* Rizzoni, G. 88−74277
Pipe, K. Application of advanced pattern recognition techniques in machinery failure prognosis for turbo-machinery 88−37941
Pipe, R. *see* Woodard, O. 85−34775
Pipe, R. *see* Woodard, O.C. 85−34822
Pipek, M. *see* Kus, Z. 86−59925
Piper, B.F. *see* Stegmann, G.C. 85−53571
Piper, E. *see* Hersener, J. 87−38036
Piper, F. Stream ciphers 88−27753
Piper, F. *see* Beker, H.J. 87−61617
Piper, F.C. *see* Beth, T. 87−69015
Piper, F.C. *see* Mitchell, C.J. 86−16160
Piper, H. *see* Beer, H. 88−55551
Piper, H. *see* Duarte, G. 86−51855
Piper, I., Guha, A., Tator, C.H., Gentles, W. A microcomputer system for on-line collection of blood flow and related physiological data 87−77604
Piper, J. Efficient implementation of skeletonisation using interval coding 86−23138
Piper, J. Classification of chromosomes constrained by expected class size 87−21524
Piper, J. The effect of zero feature correlation assumption on maximum likelihood based classification of chromosomes 87−33796
Piper, J., Granum, E. Computing distance transformations in convex and non-convex domains 88−14789
Piper, J., Rutovitz, D. A parallel processor implementation of a chromosome analysis system 87−21525
Piper, J.A. *see* Butler, M.S. 85−7346, 86−22280, 87−39000
Piper, J.A. *see* Duarte, F.J. 88−8149
Piper, J.A. *see* Ward, B.K. 88−45523, 88−72274
Piper, L.J., Offord, G.E., Govind, P.K. Basic access I.430 subscriber interface circuit for ISDN terminals 88−3651
Piper, L.J. *see* Govind, P.K. 87−69451, 88−20015
Piper, R. Mix 'n' match in your network [Netware/S] 86−10779
Piper, R. A new dimension to networks [North Star Business Series] 87−8044
Piper, R. The heart of the high-tech link 87−28271
Piper, R. Make a mammoth from your RAM [spreadsheets] 87−52581
Piper, R. Can you trust the bargains? [networks] 87−69674
Piper, R.M. *see* Lay, D.M. 85−4851
Piper, S.E., Seed, A. The testing, evaluation and application of Nagao and Matsuyama's edge preserving smoothing algorithm 85−30477
Piper, W.W., Bigelow, J.E., Castleberry, D.E., Possin, G.E. The demands of the a-Si FET as a pixel switch for liquid crystal displays 87−21165
Piper, W.W., Possin, G.E. Electrical and optical properties of PECVD amorphous silicon grown at low frequencies 86−35359
Piper, W.W. *see* Bigelow, J.E. 87−18769
Piper, W.W. *see* Castleberry, D.E. 86−18448
Piper, W.W. *see* Possin, G.E. 86−50163
Pipho, S.L. Cutting the gordian knot of interoperability [military systems] 87−76078
Pipinis, P.A. *see* Brazis, R.S. 87−32465
Pipinys, P. *see* Brazis, R. 85−50280
Pipitone, F. Telephase [cable tester] 85−23179
Pipkin, F.M. *see* Giles, R.T. 87−14728
Pipkins, J.F. *see* Woo, J.T. 88−75626
Pipko, T.V. *see* Reshko, B.A. 87−22259
Piplies, L. *see* Addabbo, C. 85−38770

Piplitz, K. *see* Guerrero, E. 86−28144
Pipovic, R.S., Widmer, R. Sensitivity and noise of a lateral bipolar magnetotransistor in CMOS technology 85−50505
Pippenger, D. ICs extend RS-422 to multistation applications 85−37223
Pippenger, D. Data-line standards keep pace with technology 86−37481
Pippenger, N. Parallel communication with limited buffers 85−36496
Pippenger, N. The memory refresh problem 88−44175
Pippenger, N. Reliable computation by formulas in the presence of noise 88−66246
Pippenger, N.J. *see* Coppersmith, D. 86−40837
Pippi, I., Radicati, B. Data analysis of a coastal zone remote sensing campaign by the NASA C130 airplane 88−61667
Pippi, I. *see* Castagnoli, F. 87−41043
Pippi, I. *see* Ignjatijevic, D. 86−3254
Piprek, J. *see* Beuthner, P. 87−67022
Piqueras, J. *see* Garcia, B.J. 85−40536
Piqueras, J. *see* Martinez, J. 85−34989
Piqueras, J.Piqueras *see* Piqueras Piqueras, J.
Piqueras Piqueras, J. GaAs ICs: technological challenge and future evolution 85−29299
Piquet, J.-M. An introduction to SPAG Services [OSI products testing] 88−14878
Piragas, K.A. *see* Pikshris, R.A. 88−38415
Piragino, G. *see* Balestra, F. 85−37946, 87−63677
Pirani, G. COST 209: linking different European languages [speech technology research] 87−61806
Pirani, G., Zingarelli, V. An analytical formula for the design of quadrature mirror filters 85−6437
Pirani, G., Zingarelli, V. Adaptive multiplication-free transversal equalizers with application to digital radio systems 85−8301
Pirani, G., Zingarelli, V. Adaptive multiplication-free transversal equalizers for digital radio systems 85−25709
Pirani, G. *see* Arcella, F. 87−47549, 87−47621
Pirani, G. *see* Audisio, G. 85−7824, 85−25060
Pirani, G. *see* Ciaramella, A. 87−7677
Pirani, G. *see* Codogno, M. 88−40851
Pirani, G. *see* Colombo, M. 85−51593
Pirani, G. *see* Fissore, L. 87−47548, 87−55034
Pirani, G. *see* Kriedte, W. 85−30954
Pirani, G. *see* Montagna, R. 85−7827
Pirani, P. *see* Briguet, V. 87−60927
Pirani, P. *see* Lukosz, W. 87−33319, 87−38784
Pirani, S., Rinaldi, M., Tassoni, C. Experimental investigation on switched reluctance motor in various operating conditions 88−17568
Pirani, S., Spazzoli, R. A microprocessor based UPS control unit 88−69597
Pirani, S. *see* Franceschini, G. 88−17567
Pirard, J.P. *see* Paquay, V. 86−12680
Pirard, T. Keeping track of traffic [radionavigation] 85−63775
Pirard, T. The UK's DBS dilemma 86−11216
Pirard, T. On land, in the air, on the seas [International Maritime Satellite Organisation] 86−17322
Pirard, T. India rich in telecommunications 86−59824
Pirard, T. Europe's national satellite systems 87−8242
Pirard, T. CNES, Geostar link for Locstar 87−49204
Pirard, T. Italsat: moving to Ka-band 88−67317
Pirard, T. Mobile Europe: an overview 88−67318
Pirastehfar, H. *see* Moyer, C.D. 85−37064
Pircher, G., Perrocheau, J. Submicron lithography tools 87−25519
Pircon, J.J. *see* Gese, R.A. 88−75428
Pircon, J.S. Advantages of specifying hi-tech custom switchers [switching power supplies] 85−28366
Pireaux, J.J., Caudano, R. Photoelectron spectroscopy for (micro)electronics 87−65606
Piredda, G. *see* Anguilar-Benitez, M. 87−71031
Piredda, G. *see* DeWulf, J.P. 87−21468, 88−22985
Pires, A.S. *see* Malavazi, H.J.F. 87−2811
Pires, F.Braz *see* Braz Pires, F.
Pires, J.de Sousa *see* de Sousa Pires, J.
Pires, J.J.O., da Rocha, J.R.F. Digital pulse position modulation over optical fibres with avalanche photodiode receivers 87−8279
Pires, P.S.da Motta *see* da Motta Pires, P.S.
Pires de Souza, E.J.S., Cardoso, E.N. Dynamic equivalent utilizing the REI approach to aggregate coherent generators 85−21136
Pires de Souza, E.J.S., Leite da Silva, A.M. Identification of coherent generators for transient stability equivalents 86−65600
Piret, P. Multiple-word correcting convolutional codes 85−2753
Piret, P. Binary codes for compound channels 85−57238
Piret, P. An upper bound on the weight distribution of some systematic codes 86−3767
Piret, P. Word correction by means of convolutional codes 86−43153
Piret, P. Bounds for codes over the unit circle 87−27171
Piret, P. Convolutional codes on time-varying channels 87−54950
Piret, P. On the number of divisions of a polynomial over GF(2) 87−65278
Piret, P. *see* Delsarte, P. 86−16128, 87−27175, 87−69020
Piret, P. *see* Kittel, L. 86−23732
Piret, Ph. *see* Couvreur, Ch. 85−25039
Pirich, A.R. Data handling recording system (DH/RS) 85−4406
Pirich, R.G. *see* Cadieu, F.J. 87−67722
Pirih, A., Nose, C., Tekavec, T., Glavic, E. Testing of varistors 85−34202
Pirih, A. *see* Likar, I. 87−52904
Pirini, M.F. *see* Fiegna, A. 88−4583
Pirio, F. *see* Duret, C. 85−52188
Piriou, F., Razek, A. Numerical simulation of permanent magnet synchronous machines associated with voltage or current inverters 85−32471
Piriou, F., Razek, A. Modelling of self-driven synchronous machines taking into account magnetic saturation 86−6711
Piriou, F., Razek, A. Modelling of saturated synchronous machines in variable speed drives 86−6721
Piriou, F., Razek, A. Numerical model for determining the inductances in synchronous motors 86−33343
Piriou, F., Razek, A. Modelling of transient operations of self controlled current fed synchronous motors 86−70890
Piriou, F., Razek, A. A model for inverter fed synchronous motors considering control strategy: study of torque pulsations and efficiency 87−30548
Piriou, F., Razek, A. Coupling of saturated electromagnetic systems to non-linear power electronic devices 88−52010
Piriou, F., Razek, A. Modelling of synchronous motor drives using PWM controlled current for robotic applications 88−69819
Piriou, F., Razek, A., Perret, R., Le-Huy, H. Torque characteristics of brushless DC motors with imposed current waveform 87−43058
Piriou, F. *see* Attia, T.E. 88−43175
Piriou, F. *see* Semail, B. 88−18146
Pirjola, R. On currents induced in power transmission systems during geomagnetic variations 86−12433
Pirjola, R., Lehtinen, M. Currents produced in the Finnish 400 kV power transmission grid and in the Finnish natural gas pipeline by geomagnetically-induced electric fields 86−3546
Pirjola, R. *see* Lehtinen, M. 86−3545
Pirk, H. *see* Closs, K.D. 85−9644
Pirker, E. *see* Egender, G. 85−38079
Pirkl, W. *see* Boltezar, E. 85−26642
Pirkl, W. *see* Brouzet, E. 86−31914
Pirklbauer, H. *see* Schauer, F. 88−42862
Pirkle, D. *see* Craig, L.J. 88−71283
Pirkle, D.R., Conrad, J.R. Gas flow measurements of a novel geometry for neutral beam neutralizers 86−11810
Pirkul, H. Location of concentrators in designing local access networks 86−54994
Pirkul, H. Efficient algorithms for the capacitated concentrator location problem 87−40342
Pirkul, H., Narasimhan, S., De, P. Locating concentrators for primary and secondary coverage in a computer communications network 88−46550
Pirkul, H. *see* Gavish, B. 85−60863
Pirkul, H. *see* Narasimhan, S. 88−59355
Pirlo, G. *see* Impedovo, S. 87−55360
Pirlot, A. *see* Balout, A. 86−37891
Pirmatov, I.I. *see* Akbarov, R.Yu. 86−61818
Pirmatov, I.I. *see* Azimov, S.A. 86−19164, 87−28822
Pirmatov, N.B. *see* Akhmatov, M.G. 87−51176, 88−43165
Piro, G. *see* Califano, F.P. 85−7301
Piro, G. *see* Caruso, A. 87−36146
Piro, G. *see* Cavagnaro, M. 87−5008
Piro, L., Massaro, E., Fiacconi, S., Gigante, G.E., Costa, E. Temperature dependence of BGO-CsI(Tl) phoswich detector properties 87−63639
Piro, L. *see* Costa, E. 85−52978, 86−38699
Piro, O. *see* Feingold, M. 88−56504
Piro, P. *see* Merenda, J.L. 88−71094
Piro, P. *see* Neuf, D. 85−54748, 88−6704
Piro, R. *see* Hornung, R. 87−59381
Piro, R.A., Sporck, F.R. Buffered CMOS master-slice cell for logic 85−33788
Piro, R.A., Sporck, F.R. CMOS LSSD shift register latch 85−40010
Piro, R.A., Sporck, F.R., DuPasquier, M.P. Latchup-free substrate bias generators in CMOS 86−2439
Piro, S. *see* Bernabini, M. 88−68612
Pirog, A. The NRD-525 communication receiver from JRC 87−62837
Piroga, S.A. *see* Lyskovich, A.B. 86−47339
Pirogov, A.I. *see* Krokhin, V.V. 88−72473
Pirogov, G.A. *see* Basin, S.E. 88−69315
Pirogov, L.E. *see* Zinchenko, I.I. 88−4143
Pirogov, N.A. *see* Khainson, A.V. 85−44316
Pirogov, N.A. *see* Pel'ts, B.B. 85−65645
Pirogov, N.A. *see* Smolyarenko, V.D. 85−44317
Pirogov, S.G. *see* Kuchinskii, A.G. 86−44234
Pirogov, S.P., Abyshev, M.I. Selection of tubular springs for manometers 88−4528
Pirogov, V.V., Gaisterov, S.F., Artamonov, V.A., Liivak, Yu.E., Ostel, E.V., Svirskii, I.P. The instrumental equipment in the regional computing network 'Pribaltika' 87−62650
Pirogov, V.V., Karnitis, E.K., Svirskii, I.P., Yakobson, Ya.A. Network research installation for analyzing application systems 86−8569
Pirogov, V.V., Leitan, N.V. Structure of terminal installations based on SM-4 computers 85−25467
Pirogov, Yu.A. *see* Borshchevskiy, V.V. 86−20789
Pirogov, Yu.A. *see* Isyanova, E.D. 86−15671
Pirogov, Yu.A. *see* Klepikov, I.N. 85−6410, 85−6538
Pirogov, Yu.A. *see* Mashtakova, V.A. 86−27780
Pirogov, Yu.A. *see* Vinogradov, S.V. 85−46554, 86−29390
Pirogov, Yu.A. *see* Volkov, A.A. 85−47983
Pirogova, I.Yu., Sukhorukov, A.P. Effect of the dispersion of nonlinear wave coupling or frequency doubling of subpicosecond light pulses 86−58970
Pirogova, R.A. *see* Gridchin, V.A. 87−3571
Pirola, L. *see* Bassini, R. 86−44632, 88−74858
Pirola, L. *see* Groppi, F. 86−38809
Piromalli, M. *see* Arossa, W. 85−15265
Piron, B. *see* Duhamel, P. 88−31701
Pirot, J., Vercammen, R. Syntax 7000 videotex system 88−41472
Pirotte, C. *see* Ducourant, M. 85−52093
Pirotte, P. *see* Dubois, H. 88−5414
Pirotte, P.P. Disturbances in electrical and electronic equipment 85−38542
Piroue, P. *see* Dietl, H. 85−48166
Piroue, P.A. *see* Bakken, J.A. 85−31696, 87−35350
Pirouz, P., Chorey, C.M., Cheng, T.T., Powell, J.A. Lattice defects in β-SiC grown epitaxially on silicon substrates 88−38213
Pirouz, P. *see* Powell, J.A. 88−6443
Pirouz, P. *see* Roberts, S.G. 85−45552
Pirozhenko, V.A. *see* Borodenko, E.I. 85−61408
Pirozhenko, V.K. Coupled transmission lines in waveguide channels 87−37518
Pirozhenko, V.K. *see* Litvinov, A.G. 88−70974
Pirozhnik, A.A. *see* Platonov, V.V. 88−18101
Pirozzi, L. *see* Garozzo, M. 88−18055
Pirri, C., Peruchitti, J.C., Gewinner, G., Bolmont, D. Annealing studies of the Co/Si(111) interface 86−28031
Pirri, C., Peruchetti, J.C., Gewinner, G., Derrien, J. Nucleation of a two-dimensional compound during epitaxial growth of $CoSi_2$ in Si(111) 85−16946
Pirri, F. *see* Boscolo, P. 88−3602
Pirri, F. *see* Calamia, M. 87−33982
Pirrie, C.A. *see* Menown, H. 87−37849
Pirrone, C. Video generator 85−52521
Pirrotti, D.L. The global satellite cooperative: is the US cooperating? 88−28755
Pirsch, P. Coding the sources of image signals 85−2897
Pirsch, P. Source coding of picture signals. X 85−7933
Pirsch, P. Source coding of picture signals 85−20341
Pirsch, P. Source coding of picture signals. XIII 85−25162
Pirsch, P. Source coding of visual signals. IX. Methods with band separation 85−31200
Pirsch, P. Communication technology. VI (xv). Source coding of video signals 85−36190
Pirsch, P. Design of a DPCM codec for VLSI realization in CMOS technology 85−52106
Pirsch, P. Video codec for broadband communication 85−57817
Pirsch, P. Architecture and switching methods of CMOS integrated circuits for differential PCM coding of video signals 87−40501
Pirsch, P., Micke, T., Bao, H. Digital filters for video codecs with oversampled ADC and DAC 87−66344
Pirsch, P. *see* Bostelmann, G. 85−47663
Pirsch, P. *see* Drews, S. 85−13985
Pirsch, P. *see* Musmann, H.G. 85−51737
Pirvola, I. Survey report of heat measurement advantages and disadvantages of the solutions chosen in different European countries 87−72605
Piryatinskii, Yu.P. *see* Brodin, M.S. 86−54121, 88−8162, 88−58516
Pisa, E.J. *see* Towfiq, F. 85−15277
Pisa, T. *see* Browne, J. 85−20634
Pisacane, V.L., Yionoulis, S.M., Jenkins, R.E. Nature and reduction of errors in near-Earth autonomous satellite navigation 86−23995
Pisacreta, R., Rilling, M. Infrared touch technology as a response detector in animal research 88−4216
Pisana, C. Optical fibre networks in the Lyons Metro 85−3463
Pisani, D. *see* Cimbrico, P.L. 86−25993
Pisani, E., Pelligrini, F., Ansuini, G., Agostini, A., Russo, P. Evaluation of frequency-domain QRS classification algorithm using an annotated ECG database 87−21593

Pisani, E., Pelligrini, F., Ansuini, G., Di Noto, G., Rimatori, C., Russo, P. Performance evaluation of algorithms for QT interval measurements in ambulatory ECG recordings 87–21612
Pisani, E. *see* Pellegrini, F. 85–38183
Pisani, P. *see* Falchi, E. 86–25204
Pisani, U. *see* Bava, G.P. 86–28347
Pisanko, V.V. *see* Afonin, A.A. 87–58117
Pisano, A. *see* Caruso, S. 85–20005
Pisano, A. *see* Sponzilli, F. 85–30546
Pisano, D.J., Jr. *see* Huizenga, T.P. 87–65238
Pisano, N.A. *see* Kaiser, R.S. 87–78369
Pisarchik, A.N. CO$_2$ laser dynamics by optical modulation of inversion 88–65817
Pisarchik, A.N. *see* Kuntsevich, B.F. 87–26327, 88–58442
Pisarchik, A.N. *see* Kuntsevich, V.F. 88–40450
Pisarenko, A.N. *see* Bezborodov, Yu.M. 85–62184
Pisarenko, G.G. *see* Khaustov, V.K. 88–43975
Pisarenko, V.F. *see* Avanesov, A.G. 86–54217, 88–51772
Pisarenko, V.F. *see* Diasamidze, G.N. 86–29924
Pisarenko, V.F. *see* Kushnir, A.F. 86–6074 to 6075
Pisarenko, V.M. *see* Golovash, S.A. 85–28692
Pisarenko, V.M. *see* Zhdanov, N.N. 87–37836
Pisarenko, V.P. *see* Krylov, V.A. 88–36798
Pisarenko, V.Ya., Sbitnev, S.A. Analysis of the process of magnetization of an annular ferromagnetic specimen 87–53879
Pisarenko, V.Ya. *see* Maslov, Yu.N. 87–53875
Pisarenko, Yu.V. *see* Bondarenko, B.V. 88–19585
Pisarev, V.A. *see* Kolpakov, F.F. 88–47487
Pisarev, V.S., Shchepinov, V.P., Yakovlev, V.V. Optimization of a holographic interferometer for determining the components of the displacement vector from the relative orders of the fringes 85–29952
Pisarev, V.S., Shchepinov, V.P., Yakovlev, V.V. Optimal holographic interferometers for deformation measurements by interpreting the fringe patterns using relative orders 88–20775
Pisarev, V.V., Del'vin, N.N. On quotas for permissible heating of water in the cooling reservoirs for nuclear power plants 88–23624
Pisarev, V.V., Del'vin, N.N. The rating of heat dumping in nuclear power plants 88–23626
Pisarev, V.V., Del'vin, N.N., Zvonnikov, A.V. A simplified analysis method for average heating of water-cooling reservoirs for nuclear power plants under steady-state and transient operating conditions 88–23623
Pisarev, V.V., Del'vin, N.N., Zvonnikov, A.V. Assessment of the thermal situation in water-cooling reservoirs of three working nuclear power plants and its forecast for a very hot summer 88–23625
Pisarev, V.V. *see* Nosov, A.V. 88–23627
Pisarev, V.V. *see* Usanov, D.A. 86–60320
Pisarev, Yu.G. *see* Sivov, V.A. 87–10738, 88–67221
Pisarevskii, A.M. *see* Gorokhova, L.Ya. 86–33032
Pisarevskii, Yu.V. *see* Kononenko, E.V. 86–19294, 86–45455
Pisarik, L.S. Analysing the statics of the system of excitation regulation of traction diesel generators 87–51551
Pisarik, L.S., Kucheryavenko, V.F. Testing automobile and locomotive diesel generators 87–5027
Pisarkiewicz, T., Zakrzewska, K., Leja, E. Preparation, electrical properties and optical characterization of Cd$_2$SnO$_4$ and CdIn$_2$O$_4$ thin films as transparent and conductive coatings 88–18740
Pisarkiewicz, T. *see* Zakrzewska, K. 87–45607
Pisarski, A., Sr. *see* Molkenthin, J. 85–9609
Piscalar, W. *see* Mulombe, N. 87–52449
Pischel, E.F., Pearson, J.J. Image processing and display in three dimensions 86–24372
Pischinger, R., Krassnig, G., Glaser, J. Methods for the evaluation of quartz pressure transducers 86–24523
Pischof, P. *see* Egerbacher, H. 88–23723
Piscitelli, F. *see* Bittar, C. 87–66310
Piscitello, D. *see* Gruchevsky, S. 87–76318
Piscitello, D.M. The ISO Internetwork Protocol Standard 85–13875
Piscitello, D.M., Chapin, A.L. An international internetwork protocol standard 85–25478
Piscitello, D.M., E Weissberger, A.J., Stein, S.A., Lyman Chapin, A. Internetworking in an OSI environment 86–49253
Piscitello, D.M. *see* Rosenberg, J.L. 88–66780
Piscotta, J., Wei, V.K. A comparison of data compression algorithms 87–55000
Pisella, C. *see* Fedeli, J.M. 85–29657
Pisharody, M., Cassel, D., Desalvo, R., Dobbins, J., Galik, R., Gilchriese, M., Gray, S., Hartil, D., Mueller, J., Peterson, D., Riley, D., Kinoshita, K. Construction of the CLEO II drift chamber 86–50315
Pisharody, M. *see* Cassel, D.G. 87–21416
Pishcal'nikov, Yu.M. *see* Krasnokutskii, R.N. 87–8881
Pishchalko, V.D. Influence of inhomogeneous Auger heating on the intrinsic photoconductivity of Cd$_x$Hg$_{1-x}$Te-type semiconductors 86–15555
Pishchalko, V.D. *see* Lubashevskii, I.A. 85–29697
Pishchal'nikov, Yu.M. *see* Antipov, Yu.M. 85–9108
Pishchal'nikov, Yu.M. *see* Arkhangel'skii, B.V. 86–5187, 87–17661
Pishchal'nikov, Yu.M. *see* Krasnokutskii, R.N. 86–5808, 87–71018
Pishchikov, S.I. *see* Bashilov, V.A. 85–21824
Pishchikov, V.I., Blitshtein, A.A. Analysis, synthesis, optimisation, identification of electronic networks, environments and systems. On the determination of input resistances of infinite chain networks 85–6100
Pisiks, N.A. *see* Strekaler, A.A. 87–62651
Pisin Chen A possible final focusing mechanism for linear colliders 87–41739
Pisin Chen, Dawson, J.M. The plasma wake field accelerator 86–5620
Pisin Chen, Ruth, R.D. A comparison of the plasma beat wave accelerator and the plasma wake field accelerator 86–5621
Piskarev, A.N. *see* Dmitriev, B.F. 86–56836 to 56837, 87–803
Piskarev, I.M. *see* Ishkhanov, B.S. 87–35257, 88–36344
Piskarev, I.M. *see* Nikol'skiy, M.Yu. 87–54506
Piskarev, V.A. *see* Filanovsky, I.M. 85–17205, 86–821 to 822, 86–62501, 87–23953, 88–18971, 88–32043
Piskarev, V.I. *see* Belyantsev, A.M. 87–1267, 88–32899
Piskarev, V.I. *see* Ignatov, A.A. 86–53384
Piskarev, V.V. Procedure and results of probabilistic estimation of seismic stability of electrical components 87–4645
Piskarev, V.V., Babulin, V.A. Increasing the reliability of operation of equipment for providing an uninterrupted power supply under conditions of seismic activity 87–15224
Piskarev, V.V. *see* Kirillov, A.P. 86–32937
Piskarev, V.V. *see* Minakov, N.V. 87–64165
Piskareva, I.I. Accuracy of the noise level measurement by the quantile and canonical methods 86–18097
Piskareva, T.Yu. *see* Balagurov, A.Ya. 87–38764
Piskarskas, A., Sirutkaitis, V., Yuozapavichyus, A., Yankauskas, A. Stability of the temporal and energy characteristics of a picosecond lanthanum beryllate laser 85–24521
Piskarskas, A., Smil'gyavichyus, V., Umbrasas, A., Chesnulyavichyus, I. Distributed-feedback dye laser pumped by nanosecond and subnanosecond light pulses 85–46355
Piskarskas, A., Smil'gyavichyus, V., Umbrasas, A., Yuodishyus, I. Parametric generation of picosecond light pulses in an LiNbO$_3$ crystal at repetition frequencies up to 10 kHz 87–19036
Piskarskas, A., Stabinis, A., Umbrasas, A., Yankauskas, A. Parametric chirp and 20-fold compression of pulses from a quasi-CW picosecond optical parametric oscillator 86–48494
Piskarskas, A., Stabinis, A., Yanauskas, A. Phase modulation of a picosecond optical parametric oscillator 85–41512
Piskarskas, A., Stabinis, A., Yankauskas, A. Parametric frequency modulation of picosecond light pulses in quadratically nonlinear crystals 86–29236
Piskarskas, A., Stabinis, A., Yankauskas, A. Phase phenomena in parametric amplifiers and generators of ultrashort light pulses 87–75253
Piskarskas, A. *see* Bareika, B. 85–7409
Piskarskas, A. *see* Danelyus, R. 86–29111, 87–46974
Piskarskas, A. *see* Ionushauskas, G. 88–45543
Piskarskas, A. *see* Varanavichyus, A. 87–54277
Piskarskas, A. *see* Vasilyauskas, V. 86–63861, 87–75235
Piskarskas, A.S. *see* Bareika, B.F. 87–19046
Piskarskas, A.S. *see* Krushas, V.V. 88–27301
Piskarskas, A.S. *see* Nedbaev, N.Ya. 88–72392
Piskarsras, A.S. *see* Butkus, K.D. 85–41376
Pisko, J. Automatic recording of fuel and power base 86–70555
Piskorowski, W. *see* Abate, J.A. 85–7501
Piskorskii, V.P. *see* Petrakovskii, G.A. 86–9375
Piskounov, G. *see* Batley, R. 86–25127
Piskun, F.I. *see* Cherkashina, Z.S. 85–21729
Piskun, F.I. *see* Kurilo, I.A. 85–38957, 86–51567
Piskunov, A.K. *see* Gavrikov, V.F. 87–39176
Piskunov, A.N. *see* Dmitrievskaya, T.Yu. 86–42809, 86–48055
Piskunov, D.K., Efimenko, V.M., Seleznev, V.Yu. Programmable clock-pulse generator for studying periodic signals 85–6223
Piskunov, D.K. *see* Dobrovol'skii, S.M. 87–73170
Piskunov, N.E. *see* Grishin, M.P. 86–23142
Pisler, E., Schutte, T. A new method for measurement of the tracking error in lightning tracking systems–description and first results 86–54373
Pisler, E. *see* Oladiran, E.O. 88–23549
Pislyak, Yu.V. *see* Vetokhin, S.S. 86–1644
Pis'menetskii, V.A., Savchenko, I.S., Yashkov, O.V. A simple apparatus model of the signals from a spectrum analyser 88–21202
Pis'menetskii, V.A., Yashkov, O.V. Measuring instantaneous frequency using simultaneous-action spectrum analyser 87–70507
Pismenny, A.S. Calculation of two-dimensional electromagnetic field in ferromagnetic bodies under a spatially-sinusoidal exciting field 88–72479
Pis'mennyi, A.S., Tarasenko, O.A. The possibility of reducing the magnetic leakage field strength in the welding circuit during high frequency welding 87–16195
Pis'mennyi, G.V., Pashchenko, Zh.F., Tereshchenko, A.I. Parameter analysis of regular resonators 87–978
Pis'mennyi, G.V. *see* Pashchenko, Zh.F. 85–28691
Pis'mennyi, G.V. *see* Tereshchenko, A.I. 87–39363
Pis'mennyi, V.A. *see* Antipenko, B.M. 86–29119, 87–18944, 88–58504
Pis'mennyi, V.D. *see* Andreev, Yu.M. 88–51904
Pis'mennyi, V.D. *see* Antyukhov, V.V. 87–26315
Pis'mennyi, V.D. *see* Arutyunyan, R.V. 87–61272, 87–68673
Pis'mennyi, V.D. *see* Glova, A.F. 86–22319
Pisoni, D.B. A brief overview of speech synthesis and recognition technologies 87–27351
Pisoni, D.B., Bernacki, R.H., Nusbaum, H.C., Yuchtman, M. Some acoustic-phonetic correlates of speech produced in noise 86–16264
Pisoni, D.B., Greene, B.G., Nusbaum, H.C. Some human factors issues in the perception of synthetic speech 86–3810
Pisoni, D.B., Nusbaum, H.C., Greene, B.G. Perception of synthetic speech generated by rule 86–22952
Pisoni, D.B., Nusbaum, H.C., Luce, P.A., Slowiaczek, L.M. Speech perception, word recognition and the structure of the lexicon 85–63002
Pisoni, D.B. *see* Nusbaum, H.C. 85–37383, 86–10274, 87–61790
Pissanetzky, S. A simple infinite element 85–337
Pissanetzky, S. Design of crenellated magnets 85–59054
Pissanetzky, S. The design of superferric magnets for the Superconducting Supercollider and the new program MAGNUS for three-dimensional magnetostatics 86–44486
Pissanetzky, S. The interpolation of magnetization tables 86–47950
Pissanetzky, S., Fan, M., Kalbfleish, G.R., Whalen, E. MAGNUS: a computer program for 3-D magnet design 88–54307
Pissanetzky, S., Schmidt, W. Design of the dipole magnet for the 'C' version of the Superconducting Supercollider 20 TeV twin-beam proton accelerator (SSC) 86–25067
Pissanetzky, S. *see* Colvin, J.C. 88–68232
Pissanetzky, S. *see* Fan, M. 88–7835, 88–54306
Pissanetzky, S. *see* Huson, F.R. 86–31828
Pissarello, M. Microcomputer system for audiological investigations 87–35386
Pissis, P. *see* Apekis, L. 88–64802
Pissolato, J., Jr. *see* Bui, H.T. 85–32207
Pistelak, J. *see* Jurecka, J. 86–4825
Pistelak, V., Komarek, P., Vecera, S. The impact of system influences upon the generation in nuclear power plants in prospective future 88–42931
Pistelak, V., Vecera, S. On the future building of pumped-storage hydro power plants in context with the assumed development of load curves and with the available primary energy sources 86–12733
Pister-Bourjot, C., Haton, J.-P. Automatic learning: an approach to the adaptation of a speech recognition system to one or several speakers 87–39705
Pistilli, P. *see* Calicchio, M. 88–29811
Pistilli, P. *see* Catanesi, M.G. 87–29686, 87–77548
Pistilli, P. *see* De Vincenzi, M. 86–65331
Pistoia, A.Del *see* Del Pistoia, A.
Pistoia, G., Pasquali, M., Rodante, F. Button cells based on the Li/Bi$_2$O$_3$ couple 86–45635
Pistoia, G., Pasquali, M., Tocci, M., Manev, V., Moshtev, R.V. Lithium/lithium vanadium oxide secondary batteries IV. Evaluation of factors affecting the performance of test cells 85–53811
Pistoia, G., Pasquali, M., Tocci, M., Moshtev, R.V., Maner, V. Li/Li$_{1+x}$V$_3$O$_8$ secondary batteries III. Further characterization of the mechanism of Li$^+$ insertion and of the cycling behavior 85–49068
Pistoia, G. *see* Bonino, F. 87–72384, 88–37364
Pistoia, G. *see* Moshtev, R. 86–66301
Pistoia, G. *see* Moshtev, R.V. 85–39188
Pistoia, G. *see* Pasquali, M. 87–30905, 87–72385
Pistola, A.del *see* del Pistola, A.
Pistole, C., Bein, J. Investigation of expert system application to spacecraft power system control 85–48411
Pistole, C.O. Impact of power distribution on the space station EMI environment 86–32477
Pistole, C.O. *see* Masson, J.H. 87–42088

Pistolkors, A.A. *see* Smolkov, G.Ya. 86–37967
Pistone, D.R. *see* Hallenbeck, K.S. 87–59399
Pistoni, C. *see* De Maria, L. 88–74449
Pistor, F., Bock, H.W., Osterrieder, A. Development of a contactless control system for control rod actuation as a security alternative 86–51418
Pistor, H.H. IR simulation with diffusion image transfer film 87–70459
Pistora, J., Bok, J., Visnovsky, S., Nitsch, K., Prosser, V., Vasinek, V. Mode spectroscopy of double-layer magnetic garnet films 85–24303
Pistora, J., Matyas, M., Jr., Nitsch, K., Palasova, A. Determination of basic parameters of doublelayer waveguide 87–25941
Pistorius, C.W.I., Burnside, W.D. An improved main reflector design for compact range applications 87–54759
Pistorius, C.W.I., Burnside, W.D. The design of blended rolled edges for compact range main reflectors 87–54768
Pistorius, C.W.I., Clerici, G., Burnside, W.D. A dual chamber compact range configuration 88–2755
Pistorius, C.W.I. *see* Gupta, I.J. 88–40533
Pistorius, C.W.I. *see* Malherbe, J.A.G. 88–15503
Pistorius, J.A. *see* Haisma, J. 87–58940, 88–24713
Pistoulet, B., Abdalla, S. Field-enhanced conductivity in semi-insulating GaAs 86–67678
Pistoulet, B., Girard, P., Hamamdjian, G. Effect of potential fluctuations on the transport properties and the photoconductivity of compensated semiconductors. Application to semi-insulating GaAs. I. Semiconductor under equilibrium conditions 85–6705
Pistoulet, B., Girard, P., Hamamdjian, G. Effect of potential fluctuations on the transport properties and the photoconductivity of compensated semiconductors. Application to semi-insulating GaAs. II. Excess carrier lifetimes and photoconductivity 85–6706
Pistoulet, B., Roche, F.M., Abdalla, S. AC band conductivity in compensated semiconductors with potential fluctuations 85–11937
Pistoulet, B. *see* Abdalla, S. 86–8764
Pistoulet, B. *see* Girard, P. 87–32734, 88–39717
Pistrak, M.Ya., Lapidus, M.I. Improving the economic indices of broad-strip hot-rolling mills 86–45841
Pistrak, M.Ya. *see* Lapidus, M.I. 86–13099
Pistre, J.D., Zardini, C., Drabowitch, S. Radar detector for automatic control of trains 88–22202
Pistre, J.D. *see* Zardini, C. 87–18156, 88–1267, 88–25737
Pistun, E.P. An international standard for flow-rate measurement 85–9000
Pistun, E.P., Kruk, I.S. Estimating the accuracy of microcomputer flowmeter systems 87–34928
Pistun, E.P., Kruk, I.S., Lesovoi, L.V. Solution of the inverse problem of parameter conversion of variable pressure drop flowmeters 88–16559
Pistun, E.P., Kruk, I.S., Lesovoi, L.V. Calculating the parmeters of constriction devices for liquid flowmeters giving optimal measurement accuracy 88–36284
Pistun, E.P., Kruk, I.S., Lesovoi, L.V., Kruk, I. Calculation of standard convergent devices of variable pressure gradient flowmeters on a digital computer according to RD 50-213-80 88–4693
Pistun, E.P., Lesovoi, L.V., Kruk, I.S. Analytic determination of limiting nominal pressure difference in a differential manometer and relative standard-orifice plate areas for gas and vapor flowmeters 88–74634
Pistun, E.P., Teplyukh, Z.N. Mathematical modeling of bridge circuits for measurement in gas-dynamic throttling transducers 86–44243
Pistun, E.P., Teplyukh, Z.N., Stasyuk, I.D. Watch jewels in gas microflow measurement 85–9003
Pisut, J. *see* Antyukhov, V.A. 86–60637
Pisutova, N. *see* Antyukhov, V.A. 86–60637
Piszczek, J. *see* Jozwik, T. 85–21950
Piszczor, M.F. *see* Hart, R.E., Jr. 87–16051
Piszczor, M.F. *see* O'Neill, M.J. 88–36626
Piszczor, M.F., Jr., Ghalla-Goradia, M. Preliminary design of a 10 kW thermophotovoltaic system for space applications 85–48383
Piszczor, M.F., Jr. *see* Leon, R.P. 87–4908
Piszkin, T.A. *see* Maki, S.C. 88–5080
Pitacco, G. *see* Bardin, G. 87–77536
Pitaev, I.M. *see* Zazhirko, V.N. 86–26957
Pitaevskii, L.P. *see* Ginzburg, V.L. 88–18550
Pitale, L.A. A variational analysis of a cross field amplifier 88–25839
Pitale, L.A. *see* Mulholland, J.E. 88–24473
Pitalieri, M. *see* Amaud, J. 87–69777
Pitanov, V.S. Characteristics of the resistance of a small-area *l-h* junction under carrier heating conditions 86–21175
Pitanov, V.S., Kornfel'd, I.N., Il'ina, T.N. Accelerated diffusion of phosphorus in silicon 86–28137
Pitanov, V.S., Lyubivyi, V.A. A balanced mixer based on the hot charge-carrier thermoelectric effect in semiconductors 85–40253
Pitanov, V.S., Lyubivyy, V.A. Frequency conversion based on the thermo-EMF effect of hot charge carriers in semiconductors 86–20773
Pitarque, T., Houri, A., Rosso, M., Alengrin, G. Extraction of evoked potential by filtering and smoothing algorithms 85–53083
Pitas, I. A Viterbi algorithm for image edge detection 88–21339
Pitas, I., Strintzis, M.G. Algorithms and structures for convolutions over Galois fields 85–46793
Pitas, I., Strintzis, M.G. Two-dimensional convolution algorithms with the minimal number of multiplications 85–51658
Pitas, I., Strintzis, M.G. Special algorithms for convolutions over Galois fields 86–43102
Pitas, I., Strintzis, M.G. General in-place calculation of discrete Fourier transforms of multidimensional sequences 86–69063
Pitas, I., Strintzis, M.G. Multidimensional cyclic convolution algorithms with minimal multiplicative complexity 87–39548
Pitas, I., Strintzis, M.G. Algorithms for the reduction of the input-output operations in the calculation of the two-dimensional discrete Fourier transform 87–44276
Pitas, I., Strintzis, M.G. An efficient and systematic technique for the parallel implementation of DFT algorithms 87–44279
Pitas, I., Strintzis, M.G. Floating point error analysis of two-dimensional, fast Fourier transform algorithms 88–31664
Pitas, I., Venetsanopoulos, A. Nonlinear statistical means and their application to image filtering 86–3997
Pitas, I., Venetsanopoulos, A. Bayesian estimation in seismic migration 88–34650
Pitas, I., Venetsanopoulos, A.N. Transform decomposition in two-dimensional digital filter realization 86–14378
Pitas, I., Venetsanopoulos, A.N. Bayesian estimation of medium properties in wavefield inversion techniques 86–18629
Pitas, I., Venetsanopoulos, A.N. Nonlinear order statistic filters for image filtering and edge detection 86–59347
Pitas, I., Venetsanopoulos, A.N. Symmetries of three-dimensional digital filters and their application to filter design 86–62767
Pitas, I., Venetsanopoulos, A.N. Nonlinear mean filters in image processing 86–64330
Pitas, I., Venetsanopoulos, A.N. Edge detectors based on nonlinear filters 86–69136
Pitas, I., Venetsanopoulos, A.N. Edge detectors based on nonlinear filters 87–55341
Pitas, I., Venetsanopoulos, A.N. Shape decomposition by mathematical morphology 87–62374
Pitas, I., Venetsanopoulos, A.N. AGIS: an expert system for automated geophysical interpretation of seismic images 87–63926
Pitas, I., Venetsanopoulos, A.N. Towards a knowledge-based system for automated geophysical interpretation of seismic data (AGIS) 88–3202
Pitas, I., Venetsanopoulos, A.N. A novel general class of nonlinear filters for image processing 88–3215
Pitas, I., Venetsanopoulos, A.N. Probabilistic seismic migration based on Bayesian estimation 88–23177
Pitas, I., Venetsanopoulos, A.N. Bayesian estimation of medium properties in wavefield downward extrapolation problems 88–54810
Pitas, I., Venetsanopoulos, A.N. A new filter structure for the implementation of certain classes of image processing operations 88–56792
Pitas, I. *see* Venetsanopoulos, A. 87–2602
Pitas, J.K., Venetsanopoulos, A.N. Two-dimensional realization of digital filters by transform decomposition 86–1282
Pitas, J.K., Venetsanopoulos, A.N. The use of symmetries in the design of multidimensional digital filters 87–904
Pitatelev, M.M. *see* Varfolomeev, A.A. 87–26450
Pitault, B. *see* Ameurlaine, J. 87–3485
Pitaval, M., Ambri, M., Tholomier, M., Barbier, D., Chemisky, G., Laugier, A. Effects of heating samples on the extended defect generation during pulsed electron beam annealing of silicon 85–12112
Pitaval, M. *see* Joseph, J. 88–50857
Pitchai, A., Chaganty, S., Morgan, T.W. Net-Help: an on-line rule based help system for the network 88–67017
Pitcher, C.S., Stangeby, P.C., Austin, G.E., McCracken, G.M. A pyrolytic graphite resistive heating element 87–64964
Pitcher, E.M. *see* Jackson, P.C. 87–35391
Pitcher, M.J. A case of videotex in the liquor trade. What actually happened! 85–25437
Pitcher, N., McKee, S. Two sided error bounds for discretisation methods in special *q*th order ordinary differential equations 85–5956
Pitcher, T.J., Lawrence, J.E.T. A simple stereo television system with application to the measurement of three-dimensional coordinates of fish in schools 85–48084
Pitchford, J. Supervision and control of telecommunication power supplies for unmanned sites 85–30596
Pitchford, J.R. Broadband fibre optic cable restoration by satellite service, network and performance considerations 88–53244
Pitchford, M. *see* Hewitt, L. 88–35523
Pitchford, N. *see* Mills, R. 86–17629
Pitchumani, B. *see* Ganapathy, R. 85–59504
Pitchumani, V., Soman, S. An application of unate function theory to functional testing 87–1105
Pitchumani, V., Soman, S.S. Functional test generation based on unate function theory 88–63622
Pitchumani, V., Zhang, Q. A mixed HVH-VHV algorithm for three-layer channel routing 87–74354
Pitchumani, V. *see* Ng, T.-K. 88–24912
Pitek, M.T. Connecticut Yankee life extension studies 86–61235
Pitel, I.J. Emerging lighting control technologies: the alternatives and trade-offs 86–40290
Pitel, I.J. Phase-modulated, resonant power conversion techniques for high-frequency link inverters 86–45571
Pitel, I.J. Phase-modulated, resonant power conversion techniques for high-frequency link inverters 87–30775
Pitel, J., Cesnak, L., Hlasnik, I. Winding geometry optimization of superconducting multipole magnets for a linear open gradient magnetic separator 86–48028
Pitel, J. *see* Cesnak, L. 85–62738
Pitel, J. *see* Chovanec, F. 85–51389
Piterbarg, L.I. Median filtering of random processes 85–19457
Piterbarg, L.I. Robust filtration of random fields 87–27607
Piterbarg, L.I. Median filtering of deterministic and stationary random signals 87–39808
Piterbarg, L.I. Reconstruction of signals corrupted by pulse noise 88–3032
Pithan, H., Crombach, U. Personal computer for monitoring construction costs [cable laying] 87–35670
Pithie, J. *see* Ross, I.E. 88–27067
Pitie, J.-M. *see* Boyer, P. 85–25233, 85–51902
Pitkaaho, R. Complete scattering matrix of circular polarizer 86–42840
Pitkaaho, R. How to calculate characteristics of circular polarized feed assembly 88–2907
Pitkanen, M. *see* Manninen, H. 85–38034
Pitkanen, T.M., Kivilahti, J.K., Sundqvist, H.A., Lindroos, V.K. Thermal stability of the Al/Ti-W/Au metallization 88–7520
Pitkaranta, J. *see* Johnson, C. 86–34247
Pitke, M.V. Technology innovations for special applications [telecommunications] 85–42046
Pitke, M.V. C-DOT DSS technology 87–69823
Pitke, M.V., Chandrasekaran, T. A digital conferencing technique 86–23345
Pitke, M.V. *see* Anand, K.C. 86–17160
Pitke, M.V. *see* Chandrasekaran, T. 86–43667, 86–59257
Pitkevich, G.G. *see* Maleiko, L.V. 85–14779
Pitlak, R.T. A low-cost system for holographic fringe interpretation 88–20793
Pitlak, R.T., Page, R. Pulsed lasers for holographic interferometry 86–3397
Pitlak, R.T. *see* Page, R. 87–16760
Pitluck, S. *see* Chen, G.T.Y. 86–32357
Pitlyk, P.J. *see* Ploeger, D.W. 85–38008
Pitman, D. The MARK III vertex chamber: studies using DME 88–29847
Pitman, D. *see* Cennini, P. 86–50312
Pitman, J. *see* Low, L. 88–49693
Pitman, K.C. The magnetostrictive rare earth/iron compounds. I 86–56283
Pitman, L.C. *see* Dallos, A. 86–14811
Pitnava, V.D. Automated system of online control of R&D work 85–49298
Pitner, H. *see* Bittinger, W. 87–72533
Pitner, P. Statistical analysis of steam generators tube lifetime and probabilistic method for tube bundle inspection 88–30530
Pitner, P. Statistical analysis of steam generator tube lifetime and probabilistic method for tube bundle inspection 88–62176
Pitner, P. *see* Wazzan, A.R. 88–30516
Pitner, P.M. *see* Hellman, E.S. 86–46337
Pitner, P.M. *see* Wolak, E. 88–64495
Piton, G. *see* Lepeltier, P. 85–46644, 88–34459
Pitre, A. *see* Bourdeau, M. 85–60884
Pitrelli, J.F. Recognition of word-final unstressed syllables 87–27324
Pitrone, N. *see* Brucoli, M. 88–36779
Pitrone, N. *see* Fortuna, L. 86–6279
Pitrou, J. Telecommunications: a remedy for the drawbacks of metallic links: optical fibres 86–55303
Pitrou, J. Method of acoustic detection for tests on metalclad high-voltage substations 86–56870

Pitsch, P.K. The impact of divestiture on quality—a consumer based view [telecommunications] 85—39567
Pitsiladis, E. Propagation experiments at Ka-band using a transportable earth station 88—9514
Pitstick, G.M., Cruz, J.R., Mulholland, R.J. Approximate realization algorithms for truncated impulse response data 87—19657
Pitt, A. *see* Mahringer, F. 88—60799
Pitt, A.D. *see* Bass, S.J. 87—23650
Pitt, A.D. *see* Cockayne, B. 86—7775
Pitt, A.M. *see* Lewis, K.L. 87—16680
Pitt, B. *see* Hsia, P.-W. 86—65436
Pitt, C.W. Optical waveguides for application in acousto-optic components 87—2003
Pitt, C.W., Burbie, G., Tat Wan Electric-field-assisted proton-exchanged optical waveguides in lithium niobate 87—74675
Pitt, C.W., Reid, S., Reynolds, S., Skinner, J. Waveguiding Fresnel lenses: modelling and fabrication 88—65317
Pitt, C.W., Skinner, J.D., Townsend, P.D. SAW diffraction of light using ion implanted quartz optical waveguides 86—48181
Pitt, C.W., Skinner, J.D., Trotter, G.R. Computer simulation of thin film lenses 85—35486
Pitt, C.W. *see* Bailey, A.H. 86—15515, 88—6526
Pitt, C.W. *see* Betts, R.A. 86—419
Pitt, C.W. *see* Darbyshire, D.A. 87—74205, 88—7968
Pitt, C.W. *see* Petrucci, M. 86—53999
Pitt, C.W. *see* Walpita, L.M. 85—7281
Pitt, D. Standards for the token ring 87—34118
Pitt, D. *see* Bux, W. 86—37183
Pitt, D.A. The distribution of function in local area networks of personal computers 86—17046
Pitt, D.A. Current and future medium access control standards 86—55001
Pitt, D.A., Farzaneh, F. Topologies and routing for bridged local area networks 86—54981
Pitt, D.A., Sy, K.-B.K. Address-based and non-address-based routing schemes for interconnected local area networks 86—69437
Pitt, D.A., Winkler, J.L. Table-free bridging [LANs] 88—21628
Pitt, D.A. *see* Berntsen, J.A. 86—30357
Pitt, D.A. *see* Dixon, R.C. 88—52865
Pitt, D.A. *see* Sy, K.K. 86—54926
Pitt, D.H. *see* Cohen, B. 87—28142
Pitt, E., Werner, B. Angular dependent response of nuclear track detectors used as fast neutron dosemeters 88—36526
Pitt, E., Werner, B. Estimation of the tip field of electrochemically etched nuclear track detectors 88—61121
Pitt, G.D. Optical fibres as sensors 85—26284
Pitt, G.D., Extance, P., Neat, R.C., Batchelder, D.N., Jones, R.E., Barnett, J.A., Pratt, R.H. Optical-fibre sensors 85—62307
Pitt, G.D., Prabakaran, A.M., Williamson, R.J., Wilson, D., Batchelder, D.N. Optical fibre flowmeters 85—62343
Pitt, G.D. *see* Byron, K.C. 86—2674
Pitt, G.D. *see* Chaney, R.J. 88—60923
Pitt, G.D. *see* Extance, P. 85—7258, 86—55692
Pitt, G.D. *see* Pratt, R.H. 85—62347
Pitt, H. A modern strategy for process improvement 85—60705
Pitt, K. *see* Bober, B. 87—45461
Pitt, M. *see* de Werdt, R. 88—38533
Pitt, M.B. *see* Peters, T.B. 86—2378
Pitt, N. *see* Barnes, S.R. 86—30773
Pitt, N.J. Loss mechanisms in chalcogenide glass optical fibres 88—39905
Pitt, N.J., Marshall, A., Irven, J., Day, S. Long term interactions of hydrogen with single-mode optical fibres 86—9562
Pitt, N.J., Sapsford, G.S., Clapp, T.V., Worthington, R., Scott, M.G. Telluride glass fibres for transmission in the 8-12 micrometers waveband 87—18718
Pitt, N.J., Scott, M.G. Glass fibres for transmission in the 8-12 micrometres waveband 86—68300
Pitt, N.J. *see* Barnes, S.R. 86—49649, 86—49680
Pitt, N.J. *see* Marshall, A. 85—46161
Pitt, R. *see* Lehan, D. 85—24879
Pitt-Steele, B. Costing the voice and data solution [integrated voice and data network] 88—35199
Pittack, U. TWT transmitter interface 85—55410
Pittanyak, D.N. *see* Chow, T.P. 88—33162
Pittard, T.S. The verified data base for custom chips 87—38485
Pitteloud, J. Electronic Mail in 1990 85—8066
Pitteloud, J. Electronic message handling for the nineties 87—7991
Pitteloud, J. Electronic message handling in the nineties 87—27933
Pitteloud, J. Electronic message handling in the nineties 87—27934
Pitteloud, J. *see* Beyschlag, U. 88—59717
Pitteloud, J.P. Man in the context of modern communication, technological development 'electronic mail': a backward step for man? 87—76254
Pittet, A. *see* Bhat, S.R. 87—42732, 88—23916
Pitthan, R., Bell, B., Friedsam, H., Pietryka, M., Oren, W., Ruland, R. Alignment of the Stanford Linear Collider arcs—concepts and results 88—54038
Pittion, J.P. *see* Banquet, G. 86—43735, 87—8181
Pittl, K. *see* Clausnitzer, W. 87—1108
Pittle, I. Studies on slot clamping techniques used in the electrical engineering industry 87—24529
Pittman, C.E. Transmission performance monitoring for digital services 87—40190
Pittman, C.U., Jr. *see* Wallace, E., Jr. 85—54540
Pittman, D.J. *see* Codazzi, D. 87—70870
Pittman, E.S. *see* Benson, R.G. 87—1922
Pittman, E.S. *see* Ekin, J.W. 85—50888
Pittman, E.S. *see* Goodrich, L.F. 85—37406, 85—50865, 87—67998
Pittman, G.D. *see* Aldridge, A.W. 87—59382
Pittman, J.S., Bruce, W.C. Test logic economic considerations in a commercial VLSI chip environment 85—35122
Pittman, P. *see* Taylor, R. 86—19165
Pittman, S. *see* Hill, W.A. 86—34987
Pittman, S. *see* Sahai, R. 87—1775
Pittroff, W. *see* Bachert, H. 86—48410
Pitts, D. Energy management by coaxial cable in an all electric hotel 85—64905
Pitts, D.E., Badhwar, G.D., Reyna, E. The use of a helicopter mounted ranging scatterometer for estimation of extinction and scattering properties of forest canopies. II. Experimental results for high-density aspen 88—42635
Pitts, D.E., Badhwar, G.D., Reyna, E., Ulaby, F.T., Brunfeldt, D.R. The use of a helicopter mounted ranging scatterometer for estimation of extinction and backscattering properties of forest canopies. I. Experimental approach and calibration 88—42634
Pitts, F.L., Fisher, B.D., Mazur, V., Perala, R.A. Aircraft jolts from lightning bolts [electronic systems protection] 88—74925
Pitts, F.L., Perala, R.A., Rudolph, T.H., Lee, L.D. New results for quantification of lightning/aircraft electrodynamics 88—58764
Pitts, J.F., Zagardo, V.S. Digital processing for emerging avionics systems 87—42091
Pitts, K. *see* Karwowski, H.J. 86—44564
Pitts, L. *see* Abraham, K.M. 86—26250
Pitts, P.A. *see* Daly, P. 85—25786, 85—30947, 85—36957
Pitts, R. The 8X305 microcontroller. A special processor for intelligent control systems 85—17502
Pitts, S. *see* Virdhagriswaran, S. 87—44489
Pittsfield, R.J. *see* Evans, G.A. 85—65007
Pittsyk, M.V. *see* Chikrii, A.A. 87—58782
Pitty, E.B. *see* Salmon, J.V. 88—12360
Pitz, E. *see* Marien, K.-H. 88—4461
Pitzalis, O. *see* Rosenbaum, S.E. 88—38746
Pitzalis, O. *see* Sango, M. 88—71123
Pitzalis, O., Jr. *see* Gupta, M.S. 87—73743, 88—25461
Pitzen, L. Use of data base for diagnostic flow charts 88—35852
Pitzner, L.J. *see* Long, A.H. 88—24816
Piukovici, I. *see* Rosca, D.M. 85—8799
Piulle, W. *see* Landham, E.C., Jr. 88—27459
Piunov, V.D. *see* Mel'gui, M.A. 85—6056, 88—6544
Piuri, V., Sciuto, D. Testing of bussed cellular arrays: a case study on PLA 88—723
Piuri, V., Stefanelli, R., Traverso, G. Error detection in serial multipliers and in systolic arrays: an approach based upon A*N codes 88—39609
Piuri, V. *see* Caviglia, D.D. 88—19044
Piuri, V. *see* Distante, F. 87—1103, 87—37123
Piussaro, J.S. *see* Algeria, C.M. 86—32873
Piuz, F. *see* Alberganti, R. 86—65333
Piuz, F. *see* Bettoni, D. 85—52968, 87—21407
Piuz, F. *see* Beuttenmuller, R. 86—56035, 87—21437
Piuz, F. *see* Beuttenmuller, R.H. 87—29554
Pivac, B. *see* Urli, N. 87—74053
Pivarc, J. Vacuum and accelerators 88—68108
Pivcevich, J. From computer assisted design to computer assisted engineering manufacture 85—164
Pivec, A., Hyman, E.A., Radimer, B.M. Application testing of batteries for utility load leveling and customer applications at the battery energy storage test (BEST) facility 86—66267
Pivec, A., Radimer, B.M., Hyman, E.A. Utility operation of battery energy storage at the BEST Facility 87—9719
Pivec, A., Strickland, M.F. Energy storage and the BEST facility [battery energy storage test facility] 85—54124
Pivec, A. *see* Radimer, B.M. 88—17906
Piven, Ye.B. *see* Lachashvili, R.A. 86—67640
Pivert, P.Le *see* Le Pivert, P.
Pivinskii, E.G. *see* Golubenko, I.V. 85—7270
Pivirotto, T.J., Deininger, W.D. Analysis of a used pair of arcjet electrodes 88—61588
Pivirotto, T.J., Deininger, W.D., Seidel, D.J. Velocity measurements in the plume of an arcjet engine 88—61586
Pivirotto, T.J. *see* Deininger, W.D. 88—61587, 88—61589
Pivit, E. *see* Feldhutter, W. 86—6403
Pivit, E. *see* Hauth, W. 86—27540
Pivnenko, V.T. *see* Andrianov, V.K. 87—66610
Pivniceru, I. Reliability evaluation for power network computer based SCADA systems 86—50884
Pivnichny, J.R. *see* Grau, P.M. 87—72856
Pivnyak, G.G., Berkovich, E.I., Magidson, V.V., Akselrod, B.E., Chernenko, S. Nonlinear regression model of an inverter with frequency doubling 88—75732
Pivnyak, G.G., Magidson, V.V., Berkovich, E.I., Aksel'rod, B.E., Chernenko, S.D. Analysis of transients in inverters with frequency doubling by the method of conceptual programming 87—59167
Pivnyak, G.G., Vypanasenko, S.I. Study of the characteristics of a resonance inverter with energy recuperation 85—21728
Pivnyak, G.G., Vypanasenko, S.I. Optimizing the characteristics of a traction frequency converter 85—32603
Pivnyak, G.G., Vypanasenko, S.I. Increase in starting stability of a parallel current inverter 85—44106
Pivnyak, G.G., Vypanasenko, S.I. Improving the energy characteristics of a traction frequency converter 86—56992
Pivnyak, G.G., Zaika, V.T., Razumnyi, Yu.T. On standardising the errors of calculating electrical loads in industrial plants 88—68917
Pivot, J. *see* Barbier, D. 87—53355
Pivovar, A.V. *see* Kosyachenko, L.A. 85—2164
Pivovar, E.P. *see* Vetokhin, S.S. 85—40412
Pivovarchik, V.F. *see* Petukhov, V.O. 88—51747
Pivovarov, B.L. *see* Danilov, G.N. 87—41346
Pivovarov, L.V. *see* Kazakov, L.V. 86—5364, 87—29307, 87—75337, 88—14366, 88—36291
Pivovarov, Yu.A. *see* Buber, V.B. 85—48016, 88—16246
Pivovarova, A.G. *see* Alekseev, G.A. 85—28903
Pivovarova, L.N. *see* Golubovskii, Yu.M. 85—48098
Pivovarova, N.O., Gorina, M.Yu. Aeronika-NO$_2$ automated standard apparatus for reproducing the unit of mass concentration for nitric oxide and nitrogen dioxide 86—44463
Pivrnec, M., Allen, P.H.G., Havlicek, K. Calculation of the forced, directed oil-circulation rate through a transformer cooling system 87—64659
Pivryak, G.G., Vypanasenko, S.I. Analysis of the operating conditions of a resonance inverter with regenerative power 85—10005
Piwczyk, B.P. *see* Elliott, D.J. 87—25433, 87—67129, 88—13290
Piwczyk, B.P. *see* Polasko, K.J. 88—39574
Piwinski, A. Computer simulation of the beam-beam interaction at a crossing angle 86—31938
Piwinski, A. Intra-beam scattering 87—63604
Piwinski, A. *see* Degele, D. 85—26601
Piwko, R.J., Jr. *see* Miske, S.A. 86—50892
Piwonski, W. Distributed microprocessor systems—local area networks 86—59677
Piwowar, J. *see* Barnes, B. 87—30836
Piwowarska, E. *see* Korzec, D. 88—26463
Pixler, H.D. APLnet—a local area computer network 85—19827
Pixley, P.T. Challenges of space station navigation 87—34670
Pixley, R.E., Stussi, H. A simple method for measuring tritium surface contamination 88—16643
Piyarali, A. *see* Aspandiar, R. 86—58125
Piyu Yue *see* Yue Piyu
Pizante, G. *see* Steinfield, C.W. 88—28178
Pizer, M. *see* Mosher, C.E., Jr. 87—50400
Pizer, S. *see* Beard, D. 88—36545
Pizer, S.M., Amburn, E.P., Austin, J.D., Cromartie, R., Geselowitz, A., Greer, T., ter Haar Romeny, B., Zimmerman, J.B., Zuiderveld, K. Adaptive histogram equalization and its variations 87—77671
Pizer, S.M., Fuchs, H., Mosher, C., Lifshitz, L., Abram, G.D., Ramanathan, S., Whitney, B.T., Rosenman, J.G., Staab, E.V., Chaney, E.L., Sherouse, G. 3-D shaded graphics in radiotherapy and diagnostic imaging 88—48228
Pizer, S.M., Oliver, W.R., Bloomberg, S.H. Hierarchical shape description via the multiresolution symmetric axis transform 87—69273
Pizer, S.M., Zimmerman, J.B. Image structure and multiresolution stack models: perception, quality, and contrast requirements 86—70389
Pizer, S.M. *see* Hemminger, B.M. 87—21708
Pizer, S.M. *see* Johnston, R.E. 86—32269, 86—70054, 87—14882, 88—36542
Pizer, S.M. *see* Mills, P.H. 85—52669
Pizer, S.M. *see* Nackman, L.R. 85—41958
Pizer, S.M. *see* Perry, J.R. 86—44653
Pizer, S.M. *see* Zimmerman, J.B. 86—69183
Pizey, C. Programmable logic—the silent revolution 86—57789
Pizhang Chen *see* Chen Pizhang
Pizikov, V.M. *see* Kostyukhin, S.L. 87—9934
Pizlo, Z. *see* Maly, W. 85—40798
Pizoni, S. *see* Picci, G. 87—51940
Pizzano, F. Reliability and maintenance simulation of the Hubble Space Telescope 86—60870
Pizzari, M. *see* Oreglia, M. 86—16507
Pizzella, G. *see* Frasca, S. 87—47315
Pizzella, V. *see* Erne, S.N. 87—77634
Pizzi, J.R. *see* Bedjidian, M. 87—63631

Pizzi, P. Lasers in automobile production 85−51330
Pizzi, P. Lasers in automobile industry 88−2424
Pizzi, R. *see* Cadotte, R. 87−44563
Pizzi, R.E., Badr, A.M. Isolating the factors that predict successful completion of a mechanical engineering degree in the Egyptian university system 88−24402
Pizzi, R.E. *see* Haug, P. 85−60706
Pizzi, S. A 'split-track' recording technique for improved ENG audio 85−42800
Pizzi, S.V., Wilson, S.G. Convolutional coding combined with continuous phase modulation 85−25027
Pizzicaroli, G. *see* Bartiromo, R. 85−4219
Pizzinelli, P. *see* Brovelli, M. 85−9204
Pizzini, S., Calligarich, C. On the effect of impurities on the photovoltaic behavior of solar-grade silicon. I. The role of boron and phosphorus primary impurities in p-type single-crystal silicon 85−12701
Pizzini, S., Rustioni, M. Low cost silicon feedstocks for crystalline silicon solar cells 86−34296
Pizzini, S., Sandrinelli, A., Beghi, M., Narducci, D., Allegretti, F., Torchio, S., Fabbri, G., Ottaviani, G.P., Demartin, F., Fusi, A. Influence of extended defects and native impurities on the electrical properties of directionally solidified polycrystalline silicon 88−32752
Pizzini, S. *see* Beghi, M. 86−40718
Pizzini, S. *see* Caymax, M. 88−18026
Pizzini, S. *see* Chemelli, C. 86−45714
Pizzni, S., Bigoni, L., Beghi, M., Chemelli, C. On the effect of impurities on the photovoltaic behavior of solar grade silicon. II. Influence of titanium, vanadium, chromium, iron, and zirconium on photovoltaic behavior of polycrystalline solar cells 87−22737
Pizzo, A.Del *see* Del Pizzo, A.
Pizzo, P. *see* Wu, N.R. 87−25361
Pizzoferrato, R. *see* Casalboni, M. 85−31709
Pizzolati, P.L. *see* Ferrario, A. 88−10598
Pizzolati, P.L. *see* Fiorina, L. 85−31971
Pizzutelli, P.A. *see* Kramer, C.J. 86−36607
Pizzuti, G.P. Feature selection in ECG pattern classification 88−48174
Pizzuti, G.P., Cifaldi, S., Nolfe, G. Digital sampling rate and ECG analysis 85−59293
Pizzuto, A. *see* Laurenti, A. 87−74634
Pizzuto, D. *see* Buchholz, D. 87−63684
Pkhoriler, V.L. A dynamic model for the heating of components of a power plant with two-dimensional temperature field 86−6565
Pla, C. *see* Pike, B. 88−10449
Pla, E., Grau, P. Vandellos I: a specific case of technology transfer 86−39382
Plaag, R.E. *see* Johnston, A.H. 88−26495
Placci, A. *see* Albrow, M.G. 88−29872
Placci, A. *see* Bauer, G. 87−29544, 87−77572
Placci, A. *see* Bettini, A. 87−29545
Place, D.R. *see* Sinnott, R.D. 86−30597
Place, J. Specifying enclosures to suit the hazard 85−28017
Place, J.D. A fibre optic pressure transducer using a wavelength modulation sensor 86−36207
Place, J.D. Fibre optics 87−14287
Place, J.D. A remote measurement and control computer 87−28992
Place, J.D., Maurer, R. A non-invasive fibre optic pick-up for a turbine flowmeter 87−38825
Place, J.R. Magnetizing techniques for rare-earth magnets 88−64881
Place, T. Fibre optics in process sensing 86−42243
Place, W. *see* Fontoynont, M. 85−27781
Placek, R.J. *see* Walker, D.N. 86−51580
Placek, R.J. *see* Williams, R.A. 87−9491
Placha, M.F., Cavalet, J.R. Subbituminous coal characterization at the EPRI coal cleaning test facility 86−32910
Plachenov, A.B. *see* Radin, A.M. 87−19005
Plachetka, K. *see* Culek, A. 88−47435
Plachetka, S. Gentle motor brake using electronics 87−30490
Plachetka, S. Areas of application of different motor braking units 88−5679
Plachetka, S. Emergency stop controls for industrial machines 88−75880
Plachkova, S.K. *see* Christakudis, G.Ch. 85−23485
Plachky, M. *see* Shi-Lun Guo 86−50400
Placidi, M. *see* Bovet, C. 86−31912
Placidi, M. *see* Hutton, A. 85−26537
Placko, D. *see* Clergeot, H. 88−31486
Placzek, D. DAKS data communication system for the parallel on-line access to ESER data bases 86−30381
Placzek, D. Distributed on-line processing with the aid of compatible file communication systems 87−28109
Placzek-Popko, E. Comments on the trap tunneling in $Cd_xHg_{1-x}Te$ p-n junctions 85−28992
Placzek-Popko, E. Acceptor-related tunneling in $Cd_xHg_{1-x}Te$ p-n junctions 86−53373
Placzek-Popko, E. Transport mechanisms in p-n $Cd_xHg_{1-x}Te$ ($x\simeq0.3$-0.4) junctions 87−37922
Placzek-Popko, E., Becla, P. Resonant tunneling in $Cd_xHg_{1-x}Te$ p-n junctions 88−44566
Placzek-Popko, E., Jedral, L. Dark current in far-infrared $Hg_{(1-x-y)}Cd_xMn_yTe$ detectors 88−74407
Placzek-Popko, E., Pawlikowski, J.M. Tunneling effect in $Cd_xHg_{1-x}Te$ photodiodes 85−41266
Placzek-Popko, E., Pawlikowski, J.M. Tunnelling spectroscopy of $Cd_xHg_{1-x}Te$ detectors 86−8843
Pladellorens, J., Ros, D., Juvells, I. Application of unidimensional invariant functions for determination of the angular periodicities in images 87−75853
Plaetzer, S. *see* Bernstein, D. 85−15253
Plaetzer, S.A. *see* Becker, J.J. 85−48186
Plag, P. *see* Kortright, J.B. 88−42363
Plagemann, J. Subsidiary companies in foreign telecommunications administrations 88−34888
Plagens, M. *see* Peczalski, A. 87−31849, 88−51039
Plagne, A. *see* Mamode, A. 87−78940
Plagnol, E. *see* Pouliot, J. 88−61144
Plaignaud, A. *see* Heydemann, M. 88−70452
Plainchamp, P. *see* Dansac, J. 87−20629
Plaisent, M. Electronic mail, a contributor to the effectiveness of managers 88−46508
Plaisier, J. *see* van Wijngaarden, M.H. 85−53110
Plakhotnik, A.I. Coherent-optical spectrum analyzer of low-frequency electrical signals 88−22499
Plakhotnik, T.V., Pydnyk, A.M. Neodymium-doped yttrium aluminate laser with a pulse repetition frequency of 12.5 Hz and efficient second and third harmonic generation 88−27120
Plakhotnik, T.V., Pyndyk, A.M. Pulsed tunable dye laser with a low level of wide-band background 88−51902
Plakhotnikov, V.V. *see* Abakumov, V.N. 86−8564
Plakhotnyi, V.P., Smovzh, A.K. On the applicability of a simple approximation in the analysis of distributed resistive structures 85−50051
Plakhotnyi, V.P., Smovzh, A.K. Features of the calculation of optoelectronic potentiometric devices by the method of finite elements 88−26983
Plakhotnyi, V.P. *see* Kul'chitskii, V.L. 85−11589
Plakhotnyuk, A.N. Comparative analysis of the spectral methods of forming a multidimensional signal in multiparameter electromagnetic inspection of the structural and mechanical characteristics of products 86−13859
Plakhotnyuk, S.A., Khenkin, E.A. A digital method of measuring the power of noise processes by means of a nonlinear analog-to-digital converter 88−74581
Plakhov, I.M. *see* Rezhko, N.A. 85−39268
Plakhtiev, A.M. *see* Petrov, G.P. 88−53743
Plakhtyna, E.G. A numerical approach to finding differential EM parameters of electromechanical converters 87−58046
Plakhtyna, E.G., Ryabov, V.N., Vasyliv, K.N., Ivanov, V.G. Mathematical model of an alternating-current rectifier motor 86−51604
Plakhtyna, E.G. *see* Ovchinnikov, I.E. 85−65201, 87−58040
Plakhtyna, Ye.G. *see* Ovchinnikov, I.Ye. 86−39684
Plaks, A.V. Analytical calculation of the control stages of electrical rolling stock 87−5016
Plaks, N. Fabric filtration with integral particle charging and collection in a combined electric and flow field. I. Background, experimental work, analysis of data, and approach to the development of a mathematical engineering design model 88−58803
Plaks, N. Fabric filtration with integral particle charging and collection in a combined electric and flow field. II. Development and verification of the mathematical engineering design model 88−58804
Plakseev, A.A. *see* Kharitonov, V.V. 86−3251
Plaksii, V.T., Svetlichnyi, V.M., Shalaev, V.A., Dyadchenko, A.V. Investigating the basic characteristics of microwave-radiation indicators based on semimetals. I. The volt-watt sensitivity 88−23141
Plaksii, V.T., Svetlichnyi, V.M., Shalaev, V.A., Dyadchenko, A.V. Negative differential resistance on the V/I response of microwave signal indicators based on a metal-semimetal point contact 88−71375
Plaksin, V.A. Description of the operation of trigger circuits for automation equipment 87−73374
Plakushchaya, A.F. *see* Tarasova, T.F. 86−44268
Plamann, W. *see* Schneider, R. 85−21930
Plambeck, L., Chambers, W.J., Donald, D.S., Eaton, D.F., Cairncross, A. Camera-speed photopolymer compositions. III. Applications to litho plates and films 87−73855
Plambeck, R. *see* Hudson, J.A. 88−21026
Plambeck, R.L. *see* Carlstrom, J.E. 85−61452
Plambeck, T.E. *see* Magliveras, S.S. 87−31402
Plamenevskii, B.A., Senichkin, V.N. On C-algebras of singular integral operators with discontinuous coefficients on a complex contour. II 85−54235
Plamondon, R., Monte-Genest, G. Data acquisition on a microcomputer and data processing on a mainframe: a communication problem 86−4283
Plamondon, R. *see* Gagne, S. 87−35377
Plamondon, R. *see* Sabourin, R. 87−48147
Planas, M.A., Treurniet, W.C. The effects of feedback during delays in simulated teletext reception 88−46518
Planas, M.A. *see* Treurniet, W.C. 86−16853
Planas, S.A., Bochove, E.J., Srivstava, R. Propagation characteristics of liquid core fibers. II. Interference 85−46180
Planat, M. Excitation, detection and reflexion of Rayleigh and surface skimming bulk waves 87−1869
Planat, M. $1/f$ noise and dispersive waves 88−2649
Planat, M., Gagnepain, J.J. Temperature dependence of $1/f$ noise in quartz resonators in relation with acoustic attenuation 86−63517
Planat, M., Gagnepain, J.J. $1/f$ noise in quartz crystal resonators in relation with acoustic losses and frequency dispersion 87−38637
Planat, M., Schiavone, P. Efficiency of surface interdigital transducers on anisotropic media 85−24046
Planat, M., Vanderborck, G., Gautier, H., Maerfeld, C. A finite element analysis of the piezoelectric waveguide convolver 85−56066
Planat, M. *see* Zhang, Y.W. 87−29977, 88−33483
Planchard, A., Mignot, L., Junter, G.A. Microbial sensor based on lipoic acid reduction 88−48092
Planchard, J. Vibrations of reactor fuel assemblies: simplified model 85−4807
Planchard, J. Added mass effects on fast breeder reactor or BWR fuel assemblies 88−11015
Planchard, J. *see* Bossavit, A. 85−24720, 86−47949
Planchat, J.P., Descroix, J.P., Sarre, G. Development of an aluminum silver oxide torpedo battery 88−17844
Planche, R. Artificial unloaded lines for testing high voltage circuit-breakers 85−10055
Planche, R. Artificial unloaded lines for testing high voltage circuit breakers 85−27548
Plancherel, A. *see* Jungers, G. 88−62167
Plancherel, A. *see* Kehlhofer, R. 85−32335
Planck, P.Ver *see* Ver Planck, P.
Plancke, J.J. *see* Briend, J.F. 87−76289
Plancot, M., Prevost, B., Chive, M., Ledee, R. Bidimensional modelisation for thermal dosimetry in microwave hyperthermia 88−61432
Plancot, M., Prevost, B., Fabre, J.J., Chive, M., Moschetto, Y., Giaux, G. Thermal dosimetry based on radiometry in multilayered media 87−57227
Plancot, M. *see* Chive, M. 85−38205
Plancot, M. *see* Ledee, R. 85−38198, 87−63830
Plancoulaine, J. *see* Anderson, R.J. 87−72275
Plancoulaine, J. *see* Arbez, J. 85−30106
Plander, I. Trends in the development of sensor systems and their use in some technological areas 88−4385
Plandsoen, W.C.G., de Jong, D.A., Maas, A.I.R., Stroink, H., Avezaat, C.J.J. Fontanelle pressure monitoring in infants with the Rotterdam Teletransducer: a reliable technique 88−29964
Plane, J.H. Dynamic monitoring of output on a superficial X-ray set using a solid-state device 88−42501
Planel, R. *see* Julien, F.H. 88−65828
Planert, W. The use of direct neutral earthing and of short-time direct neutral earthing in industrial electric supply systems—a means for increasing security of supply 86−39216
Planes, J. *see* Stradling, G.L. 87−57051
Planes, J.G., Morucci, J.P., Grandjean, H., Favretto, R. External recording and processing of fast electrical activity of the uterus in human parturition 85−9187
Planeta, S. *see* de Pedro, H. 86−30213
Planinc, A. *see* Jezernik, K. 88−69816
Planinsek, F. *see* Ackerman, E.R. 85−11873
Plank, K.-L. Information forms as elements of communication 87−20054
Plank, K.-L. Hazard signalling via ISDN: alarm over the D-channel 87−43908
Plank, K.-L. 'Translation agencies' for ISDN services 88−21783
Plank, K.L. The history of fully electronic coupling networks in switching— systems 87−69817
Plankenbuhler, R. *see* Oehme, F. 87−46386
Planner, C.W. *see* Craddock, M.K. 86−31908
Planner, C.W. *see* Raparia, D. 86−25005
Plano, L.S. *see* Peters, M. 88−63375
Plano, R. *see* Hallewell, G. 88−68213
Plano, R. *see* Va'Vra, J. 88−61103
Plano, W.E. *see* Deppe, D.G. 88−40197
Plano, W.E. *see* Guido, L.J. 87−39081, 87−61131, 88−33993
Plant, A.B. The transmission line as an impedance transformer 87−11092
Plant, B.J. *see* Farooq, M. 88−43420
Plant, C. Cleaning up the image [medical scanning] 88−5310
Plant, D.F. The Mobile One: a ubiquitous base power supply 87−51335

Plant, D.F. The Handy-Pack—build some portable power for your handheld [radio equipment] 87—76526
Plant, D.V. *see* Lawandy, N.M. 86—68460
Plant, G. A single-transducer vibrotactile aid to lipreading 88—23121
Plant, G., Macrae, J., Dillon, H., Pentecost, F. A single-channel vibrotactile aid to lipreading: preliminary results with an experienced subject 85—48332
Plant, G.R. *see* Crawford, A.J. 85—9126
Plant, J.B. *see* Boyer, H.D. 85—61385
Plant, J.B. *see* Dubecutel, J.C.F. 86—6794
Plant, J.B. *see* Farooq, M. 86—3916, 86—51956, 86—59939
Plant, R. *see* Rives, S. 88—61768
Plant, T.K. *see* Schuitemaker, P. 86—63250
Plant, T.K. *see* Schumm, G. 87—33060
Plant, W.J. The microwave measurement of ocean-wave directional spectra 87—71385
Plant, W.J., Keller, W.C., Reeves, A.B., Uliana, E.A., Johnson, J.W. Airborne microwave Doppler measurements of ocean wave directional spectra 87—57325
Plant, W.J. *see* Schuler, D.L. 85—32013, 85—64758
Planta, A.von *see* von Planta, A.
Plantard, M. *see* Ledys, J.L. 87—17972
Plante, A.G., Christopher, G.L. Probabilistic modelling without random numbers: Canadian experience in land wargaming 88—17007
Plante, C.D.de la *see* de la Plante, C.D.
Plante, M.S. *see* Moser, M.R. 87—58606
Plante, T.D. *see* Cogan, S.F. 87—18580, 87—26086, 87—68206, 88—45273
Plantegenest, M.T. *see* Pocholle, J.-P. 85—1977
Plantholt, M. *see* Eggan, L. 86—34152
Plantholt, M. *see* Guttner, E. 85—47656, 85—52483
Plantholt, M.J. Modelling properties of spanning trees: diameter and distance sum 88—43802
Plantier, A., Beraud, R., Ollivier, T., Charvet, A., Duffait, R., Emsallem, A., Redon, N., Boninchi, V., Vanzetto, S., Gizon, A., Treherne, J., Idrissi, N., Genevey, J., Vieux-Rochaz, J.L. Connection of a He-jet to the medium-current source of the SARA on-line separator 87—70984
Plantier, B. Doppler processing for phase-coded continuous wave 88—15542
Plantier, J. *see* Persegol, D. 88—2055, 88—58242
Plantinga, H., Dyer, C.R. The asp: A continuous viewer-centered representation for 3D object recognition 87—62375
Planton, S., Phillips, S. Videotaping your computer's output 88—74144
Plants, D. *see* Coon, D. 85—9073
Plants, D. *see* Engels, E., Jr. 85—15165, 87—29488
Plants, H.L. Teaching technology in times to come 88—24417
Plantz, V.C. *see* Schulz, R.B. 88—72572
Plany, J. *see* Daubert, S.J. 88—71784
Plany, J. *see* Fairfield, R.C. 85—57343
Plany, J. *see* Fischer, J.H. 87—62756, 88—21840
Plaper, M. Problems and prospects of power engineering 87—57739
Plaper, M. Basic principles of economic laws in electric power systems. I 88—5265
Plaper, M. Basic principles of economic laws in electric power system (II) 88—23320
Plaper, M. Basic principles of economic laws in electric power systems 88—36773
Plaper, M. *see* Bakic, K. 87—57527
Plaper, M. *see* Pehani, A. 88—42779
Plapp, G. *see* Felger, G. 86—45776
Plappart, L. Videotex in Austria 86—59583
Plas, D. *see* Eyraud, L. 88—38949
Plas, H.A.Vander *see* Vander Plas, H.A.
Plas, J.van der *see* van der Plas, J.
Plas, P.A.Van der *see* Van der Plas, P.A.
Plas, P.van der *see* van der Plas, P.
Plas, R.J.Q.van den *see* van den Plas, R.J.Q.
Plaschke, D., Rohmann, J. Eddy current testing of heat exchanger pipes 88—31897
Plasek, P. Optimization of the number of illumination units for lighting of outer railway spaces 86—33817
Plasek, P. Uniformity of illumination 88—62733
Plashanov, S.A. *see* Petnikova, V.M. 85—24640
Plashchanskii, L.A., Anikeev, V.M. Quality of electric energy in the distribution networks of large coal mines 86—26463
Plashchanskii, L.A., Artyukh, I.V. Optimisation of underground power supply systems 87—43724
Plashkin, E.I. *see* Aksenova, E.N. 85—12512
Plashkin, E.I. *see* Dorofejev, G.L. 86—47984, 88—64991
Plaskett, J. Monolithic capacitor design keeping up with SMT techniques 88—12638
Plaskett, T.S. *see* Reim, W. 87—60787
Plaskowski, A., Beck, M.S. The transputer 88—50192
Plaskowski, A., Beck, M.S., Krawaczynski, J.S. Flow imaging for multicomponent flow measurement 87—70876
Plaskowski, A. *see* Huang, S. 88—74340
Plaskowski, A. *see* Krawaczynski, J.S. 87—56910
Plaskowski, A. *see* Omotosho, O.J. 88—60720
Plaskowski, A. *see* Xu, L.A. 88—47480
Plaskowski, A.B. *see* Huang, S.M. 88—42323, 88—60714, 88—67994
Plass, C., Heinecke, H., Kayser, O., Luth, H., Balk, P. A comparative study of $Ga(CH_3)_3$, $Ga(C_2H_5)_3$ and $Ga(C_4H_9)_3$ in the low pressure MOCVD of GaAs 88—43874
Plass, C. *see* Heinecke, H. 87—10417
Plass, D.W. Data bus sense amp with switched isolators 85—6184
Plass, D.W. Triple-poly shared word line cell [dynamic RAM] 85—40088
Plass, L., Daradimos, G., Beisswenger, H., Lienhard, H. A conception of the installations and the operating features of power stations with circulating fluidized bed combustion (CFBC) 87—15524
Plass, L. *see* Wein, W. 85—38803
Plassa, M., Tolomelli, M., Torino, A. Chemical properties of alloys for mass standards 86—11746
Plassche, R.Van de *see* Van de Plassche, R.
Plaster, J.A. *see* Ianno, N.J. 86—21463
Plaster, J.S. *see* Lai, E.C.Y. 88—55704
Plastow, R. LEDs for fiber optic communication systems 87—20515
Plastow, R., Carter, A.C., Williams, P.J. A comparison of C^3 and novel passive cavity single frequency lasers operating at 1.55 micron 85—35797
Plastow, R., Monham, K.L., Carter, A.C. Transmission over 107 km of dispersion-shifted fibre at 16 Mbit/s using a 1.55 μm edge-emitting source 85—42575
Plastow, R. *see* Buus, J. 85—62577, 86—9873
Plastow, R. *see* Mills, P. 85—56625
Plastow, R. *see* Monham, K.L. 85—58091
Plastria, F. Two hierarchies associated with each clustering scheme 86—49012
Plata, O., Rivera, F.F., Zapata, E.L. Accumulative depth concept in application to broadcasting figure in computer networks 88—67019
Plata, O., Zapata, E.L. Optimal broadcasting figure in computer networks: An algorithmic solution 87—33862
Plata-Bedmar, A. Artificial radioisotopes in hydrological investigation 88—68643
Platanov, E.M. *see* Zeilikovich, I.S. 88—72302
Platbrood, G. *see* Randoux, M. 87—4488
Plate, D. *see* Halbach, K. 86—25040
Plate, D. *see* Hoyer, E. 88—54457
Plate, D. *see* Tirsell, K.G. 87—29408
Plate, J. Serial data communications: always in turn 85—8231
Plate, J. Colour with obstacles 86—62494
Plate, J. Measured value curves depicted graphically: linear, logarithmic, and exponential approximation 87—23546
Plate, J. Safer transmission—data transmission by radio 87—40658
Plate, J. *see* Zoicas, A. 85—19371
Plate, K. *see* Nauck, J. 86—37813
Plate, N.A. *see* Shibaev, V.P. 86—9453
Plate, S. *see* Danby, G. 86—31881 to 31882
Plate, S. *see* Thompson, P.A. 86—25056, 87—21342, 88—54288
Plateau, G., Roucairol, C., Valabregue, I. Algorithm PR^2 for the parallel size reduction of the 0.1 multiknapsack problem 88—70257
Platek, T. *see* Garyba, T. 85—25674
Platek, T. *see* Gryba, T. 85—23292
Platel, G., Galand, C., Vermot-Gauchy, R. Voice packets recovery in a voice data network 85—41891
Platel, G., Wiest, S. Optimal retention delay in the receiver of a digital voice network 85—51561
Platel, G. *see* Couturier, C. 85—30613
Platel, G. *see* Daugan, G. 85—19552
Platel, G. *see* Galand, C. 85—47277
Platen, E. *see* Brehmer, L. 87—67643
Platen, E. *see* Liske, H. 87—72990
Platen, W., Kohl, D., Brauchle, K.-A., Wolter, K. DLTS investigations of UHV prepared n-GaAs(110)-Au Schottky diodes 87—32333
Platen, W., Kohl, D., Brauchle, K.A., Wolter, K. Deep level at semiconductor surfaces 87—60407
Platero, G. *see* Duran, J.C. 87—1302
Platet, F. Maintenance and quality of videotex service 85—63273
Platin, B.E., Celik, B. Modelling and analysis of a stepper motor driven feed-drive system of a CNC lathe 88—18122
Platko, J. Detecting pulse-related faults in a system environment 86—14291
Platner, E.D. *see* Eiseman, S.E. 86—50425
Platnieks, I., Uhlmann, G. Hot-wire sensor for liquid sodium 85—3961
Plato, J.J. *see* Evans, M.H. 87—40189
Plato, P., Miklos, J. Performance testing of neutron dosemeters at the University of Michigan 85—26814
Plato, P., Miklos, J. Production of element correction factors for thermoluminescent dosimeters 86—18392
Plato, S. Power protection through rotary power conversion 87—9680
Plato, S. *see* Sachs, K. 87—43255, 88—11290
Platonenko, B.T. *see* Kandidov, V.P. 85—24483
Platonenko, V.T., Taranukhin, V.D. Amplification of pulsed radiation in a regenerative TEA CO_2 amplifier 85—51107
Platonenko, V.T., Taranukhin, V.D. Electron density wave and generation of ultrashort pulses in a high-pressure CO_2 amplifier 86—68609
Platonenko, V.T., Taranukhin, V.D. Characteristics of the amplification of picosecond ultraviolet pulses in an XeCl amplifier 87—68341
Platonenko, V.T., Taranukhin, V.D. Electron-density waves and ultrashort IR pulse generation 87—68583
Platonenko, V.T. *see* Akhmanov, S.A. 85—41335, 87—33098, 87—33101
Platonenko, V.T. *see* Chechenin, N.G. 87—67038
Platonenko, V.T. *see* Dobrynina, E.S. 87—67039
Platonenko, V.T. *see* Dzhidzhoev, M.S. 86—36418, 86—48491, 86—54186
Platonenko, V.T. *see* Kandidov, V.P. 86—9750
Platonenko, V.T. *see* Karabutov, A.A. 86—36553
Platonenko, V.T. *see* Korenchenko, A.E. 88—14086
Platonenko, V.T. *see* Val'shin, A.M. 87—26361
Platonenko, V.T. *see* Vernigor, E.M. 86—68594
Platoniv, N.I. *see* Veselov, G.I. 86—41272
Platonov, A.K., Sokolov, S.M. Vision system for manufacturing and testing of pointer instruments 87—49497
Platonov, E. *see* Zeilikovich, I. 86—36598
Platonov, E.D. *see* Akhmetshin, A.M. 85—470
Platonov, E.M. Holographic system for studying phase inhomogeneities 87—68657
Platonov, E.M. *see* Zeilikovich, I.S. 85—56864, 86—36601, 86—36613, 87—19105
Platonov, F.A., Popov, V.A., Chashechkin, Yu.D. Measuring the characteristics of stratified flows by the color-shadow method 85—48144
Platonov, L.M. *see* Miryuk, Yu.P. 85—10000
Platonov, M.N. *see* Ionov, N.P. 88—9756
Platonov, N.I. *see* Veselov, G.I. 86—29286, 86—34187, 86—35057, 86—36766, 86—48636, 86—68709, 87—53932
Platonov, S.A. *see* Matlashov, A.N. 87—50205
Platonov, V.A. *see* Kashnikov, G.N. 85—41341
Platonov, V.D. *see* Ipatov, V.P. 85—7874 to 7875, 87—13026
Platonov, V.I. *see* Muizhnieks, A.R. 88—34261
Platonov, V.N., Chulkin, A.D. Image data processing based on Pericolor-1000 for streak cameras 86—11503
Platonov, V.N. *see* Degtyareva, V.P. 85—11861, 86—5075
Platonov, V.N. *see* Vorob'ev, N.S. 88—4479
Platonov, V.N. *see* Vysogorets, M.V. 86—1646
Platonov, V.V., Bykadorov, V.F., Pirozhnik, A.A. Application of rectifiers with voltage multiplication for the charging of capacitive energy stores 88—18101
Platonov, V.V. *see* Bykadorov, V.F. 86—6368
Platonova, E.I. Investigation of the effect of quantization on a measurement of the threshold sensitivity of an optoelectronic device 88—13998
Platonova, E.V. On heating losses in an RLC-discharge network, allowing for the spark resistance 86—7913
Platonova, E.V. *see* Koliushko, G.M. 87—5675
Platonova, L.A. *see* Muizhnieks, A.R. 88—34261
Platov, E.A. *see* Shyutte, N.M. 88—12899
Platov, K.Yu. *see* Kornev, V.K. 85—56189
Platov, V.S. *see* Fialkov, A.S. 85—44013
Platshon, M. Acoustic touch technology adds a new input dimension 88—42200
Platt, D. Resistance of squirrel cage rotors on axial flux machines 88—48952
Platt, D., Smith, B.H. Some characteristics of axial flux machines 87—51217
Platt, D., Smith, B.H. A twin, composite, axial flux induction machine for an electric vehicle drive 88—49246
Platt, D. *see* Leung, M.Y.A. 87—22348
Platt, E. MAP and GEC 88—9123
Platt, J.C., Hopfield, J.J. Analog decoding using neural networks 87—27156
Platt, J.C. *see* Mead, C.N. 85—53069
Platt, R.H. *see* Gagliano, J.A. 86—38955
Platt, R.H. *see* McMillan, R.W. 86—38957
Platt, S. Electronic switchboards—PABXs 85—19942
Platte, Siebert, H.P. Digital sound transmission and storage: good sound quality with 4 bit only 87—14014
Platte, H.-J., Oberjatzas, G., Voessing, W. A new intelligent remote control unit for consumer electronic devices 85—36669
Platte, H.-J. *see* Schroeder, E.F. 88—22356
Platte, M. Barker-coded multilayer transducers of polyvinylidenefluoride for use in the ultrasonic pulse-echo technique 85—21026
Platte, M. A polyvinylidene fluoride needle hydrophone for ultrasonic applications 85—45941
Platte, M. PVDF ultrasonic transducers 87—71429
Platte, M. *see* Buchler, J. 87—31614
Platte, M. *see* Grabec, I. 85—14744
Platte, W. Optoelectronic microwave switching 85—34160
Platte, W. Optoelectronic generation of short microwave pulses 87—17342

Platte, W. Optoelectronic production of short microwave pulses. A review of the processes known since 1975 87—45258
Platte, W. Effective photoconductivity and plasma depth in optically quasi-CW controlled microwave switching devices 88—56915
Platteter, D.G. *see* Titus, J.L. 88—26497
Platteter, G. *see* Ramsey, J.L. 85—50688
Plattig, K.-H. Gustatory and olfactory evoked potential in man 88—54578
Plattner, A. *see* Schroth, J. 86—27611
Plattner, B. Computer aided report transmission—an overview [message handling systems] 86—4207
Plattner, B., Blau, E.A., Walter, T. PROSPECT, a tool for protocol specification and conformance testing 88—59545
Plattner, B., Steinparz, F.X. Electronic message processing: aspects of filing and retrieving messages 88—59534
Plattner, B. *see* Degen, R. 88—35142
Plattner, B., Gunzburger, P. *(editor)* 1988 International Zurich Seminar on Digital Communications: Mapping New Applications onto New Technologies (Cat. No.88TH0202-2) 88—55828
Plattner, G.R. *see* Abegg, R. 85—37899
Plattner, H. *see* Bettge, H. 86—12975
Plattner, H. *see* Fink, H. 86—70992
Plattner, R., Guenzel, E., Moeller, M., Kruhler, W. Influence of impurities and doping residues on the stability behavior of a-Si:H and a-SiGe:H-PIN cells 87—16019
Plattner, R., Stetter, W., Kohler, P. Transparent conductive tin-oxide layers for thin-film solar cells 88—62604
Plattner, R. *see* Juergens, W. 88—17983
Plattner, R. *see* Kausche, H. 86—45699
Plattner, R. *see* Kruhler, W. 85—23732
Plattner, R. *see* Kusian, W. 87—78909
Plattner, R.D. *see* Grabmaier, J.G. 85—21807
Plattor, E. *see* Winn, B. 86—37326
Platts, D. 10-joule 200 kV Mini Marx [pulse generator] 87—22629
Platts, D.L. *see* Henins, I. 88—40527
Platts, D.R. *see* Demiryont, H. 88—2082
Platts, J.C. *see* Bramer, M.A. 88—61998
Platunov, E.S. Methods for measurement of thermal conductivity and specific heat at moderate, low, and cryogenic temperatures 88—74257
Platunov, E.S. *see* Belov, E.A. 86—5563
Platunov, E.S. *see* Kozin, V.M. 86—50239
Platz, W. *see* von der Ohe, J. 88—74480
Platzer, A. *see* Assmann, W. 86—44520
Platzer, A. *see* Trinks, U. 86—31952
Platzer, D., Kaufman, H. Model reference adaptive control of thyristor driven DC motor systems subject to current limitations 86—12847
Platzer, H. *see* Gerhard, A. 87—48135
Platzer, H. *see* Lebreton, G. 85—29938
Platzker, A., Huettner, S. Half-watt X-band amplifier tests layout sensitivity 86—35114
Platzker, A. *see* Dao, T. 87—6134
Platzman, P.M. *see* Levi, A.F.J. 86—14862
Platzman, P.M. *see* McCall, S.L. 86—29145
Plaum, J.M., Roeterdink, J.A., Eikelboom, J.A., Lijbrink, E., Klok, J. Development toroidal field conductor for NET 88—65083
Plaum, J.M. *see* Franken, W.M.P. 86—48034
Plaumann, H.-J. Bipolar single-phase synchronous motor with high-remanence permanent-magnet rotor 86—6708
Plaunov, S.I. Power consumption criteria in mechanical machining of metals 85—16491
Plaut, D.C., Hinton, G.E. Learning sets of filters using back-propagation 88—21116
Plaut, S.E., Ilan, Y. The optimal degree of diversification in 'high-tech' firms 87—65130
Plaut, T.Z. *see* Jenkins, S.P. 87—7903
Plavchyan, G.Kh. *see* Egiyan, K.A. 87—38667
Plavenek, A.G., Rachkov, I.A., Yaklubovich, S.-D. Optical signal with high-frequency amplitude beats formed in a frequency-modulated injection laser and an interferometer 87—46893
Plavina, I. *see* Bratslavets, P. 88—2131, 88—4660, 88—8060
Plavka, J., Trochta, Z., Hora, J. Technical application of superconductivity at the Bratislava's Electrotechnical Industries 88—1898
Plavka, J. *see* Mraz, J. 85—65298
Plavka, Ya. *see* Gavrilov, O.G. 85—44060
Plavneva, E.G. *see* Trokhimenko, Ya.K. 88—38328
Plawski, E. *see* Bourgarel, M.P. 85—64404
Player, M.A. A simple wide-range thermistor thermometer 87—14283
Player, M.A. *see* Collie, D.A.L. 88—10654
Player, M.A. *see* Smith, P.F. 88—47678
Playez, E. *see* Dambrine, G. 88—63907
Playez, E. *see* Ledee, R. 87—63830
Playfer, S.M. *see* Kernel, G. 86—44601
Plaza, A.de la *see* de la Plaza, A.
Plaza, G.de la *see* de la Plaza, G.
Plaza, I.Martil De La *see* Martil De La Plaza, I.
Plaza, P., Nguyen Quy Dao, Jouan, M., Fevrier, H., Saisse, H. Simulation and optimisation of collections of adjacent optical fibers 87—18589
Pleach, A. *see* Hartog, A.H. 86—9471
Pleasance, C.A. Private line service—are there options? 85—14048
Pleasance, C.A. *see* Connolly, R.D. 86—55106
Pleasance, L. *see* Matthews, D. 85—7350
Pleasance, L.D. *see* Matthews, D.L. 85—24467
Please, C.P., King, J.R. One- and two-dimensional nonlinear dopant diffusion in crystalline silicon—some analytical results 88—33018
Please, C.P. *see* Baines, M.J. 86—8749, 87—6560
Plecas, I. Analysis of solid radioactive waste production in BWR and PWR nuclear power plants 86—18932
Plechacek, V. NbTi superconducting wires for AC use 87—74542
Plechaty, L., Vostracky, Z. Type range of 123 to 420 kV outdoor circuit breakers with SF$_6$ arc extinguishing and insulating medium 85—60342
Plechaty, L. *see* Vostracky, Z. 85—53796
Plechaty, M. *see* Rihova, D. 87—41852
Plechkov, V.M. *see* Pugachev, V.F. 87—41988
Plechkov, V.M. *see* Troitskii, V.S. 86—18315
Plecks, P. Lighting console at low expenditure 85—53927
Pleesz, R. *see* Kinn, T. 87—15405
Plehiers, P., Fastrez, M., Bauwens, J., De Prycker, M. Evolution towards a Belgian broadband experiment 87—76133
Pleibel, W. *see* Simpson, J.R. 88—13879
Pleibel, W. *see* Stolen, R.H. 85—12574, 86—9517, 86—22124, 88—45074
Pleibel, W. *see* Tom, H.W.K. 88—58671
Pleijsier, A. *see* van Ingen Schenau, H.A. 85—37545
Pleijsier, K. *see* Goedhart, F.J.M. 87—64190
Pleil, G.J. Integration of telecommunications and computers 88—21867
Pleil, M.W., Gangopadhyay, S., Borst, W.L. Primary scintillant fluorescent decay times in binary and ternary scintillations by near UV pulsed laser excitation 87—57026
Pleinevaux, P. Field Bus: a new and efficient tool in process control 88—15153
Pleinevaux, P. MAP and communications standards in the factory 88—35055
Pleinevaux, P., Decotignie, J.-D. Time critical communication networks: field buses 88—66991
Pleinevaux, P., Decotignie, J.D., Desmons, D. Network management architecture of a centrally controlled field bus 88—9207
Pleinevaux, P., Mortazavi, B., Moreaux, M., Auderset, H., Decotignie, J.-D. The application of MMS to remote CNC control 88—73543
Plekac, R. Efficient radiography examination method using TV-techniques 88—49915
Plekhanov, S.N., Domanina, E.V. Identification of the transfer function for the electromagnets of a magnetic-suspension stabilization system 85—44252
Plekhanov, S.P. Classification and development of logic functions for multistable systems 87—52539
Plekhanov, V.G. *see* Gulyaev, Yu.V. 86—15472
Plekhanov, V.G. *see* Gulyayev, Yu.V. 86—63675
Plekhanov, V.S., Sidorov, V.M., Shakhtshneider, V.G. Sample-and-hold circuit with enhanced linearity 86—58015
Plekhanov, V.V. *see* Bernoskuni, Yu.V. 86—36744
Plekhov, V.V. *see* Akulov, A.T. 86—39600
Plekin, V.Ya., Lednev, M.M. The efficiency with which the signals from several targets can be detected in radar data digital processing devices 87—47710
Plekin, V.Ya., Lednev, M.M. Efficiency of nonrecursive rejective filters with variable parameters 87—61865
Plekin, V.Ya., Lednev, M.M. The efficiency of fast Fourier transform algorithms with high bases 88—18665
Plemmons, R.J. *see* Alexander, S.T. 87—61955, 88—34687
Plemmons, R.J. *see* Barlow, J.L. 87—55111
Plemmons, R.J. *see* Heath, M.T. 85—5941
Plenge, G., Spikofski, G., Theile, G. Variable dynamic range—a concept for improved supply in radio and television 86—44053
Plenge, G., Spikofski, G., Theile, G. Variable dynamic range: a method for improving the sound broadcasting and television service 87—28737
Plenge, G., Spikofski, G.E., Theile, G. Variable dynamic range—a method for improving the sound broadcasting and television services 87—3276
Plenkovich, D., Kruger, R.A., Sorenson, J.A. Electronic scanning-slit fluorography: design and performance of a prototype unit 87—41944
Plenkovich, D., Sorenson, J.A., Kruger, R.A. Scatter rejection by electronic collimation 86—56106
Plenty, B. Soft start motor controls 86—6731
Plenzler, G. Transient analysis of DC voltage converter during 3-phase symmetric shortings in electromagnetic system 87—22534
Plenzler, G. *see* Kordus, A. 87—15846
Plescan, E. *see* Miron, D. 87—64982
Plesch, A., Klingbeil, U., Bille, J. Digital laser scanning fundus camera 87—50228
Pleshanov, A.S. *see* Vershinin, Yu.N. 88—64810, 88—71836
Pleshanov, N.K. *see* Kezerashvili, V.Ya. 88—54096, 88—61045
Pleshanov, S.A. *see* Egorov, K.D. 85—51142, 86—29088, 87—19002
Pleshanov, S.A. *see* Petnikova, V.M. 86—36441
Pleshanov, Yu.V., Pikkel', E.V., Samoilov, V.D., Chukin, M.S. Errors in measuring the temporal position of light pulses passing through a turbulent atmosphere 88—60912
Pleshchunov, N.N. *see* Trusov, N.B. 87—1924
Pleshkevich, V.M., Shukh, A.M. Stroboscopic converter for low-frequency periodic signals 86—50030
Pleshko, A.D. *see* Osipov, A.I. 86—46595
Pleshko, P. IBM's 581 AC plasma display technology 85—14935
Pleshko, P. AC plasma high information content display 86—49989
Pleshko, P. *see* Hairabedian, B. 87—41569
Pleshkov, G.A. *see* Kalinin, B.N. 86—50297
Pleshkov, G.M. *see* Belyaev, S.V. 85—26920
Pleshkov, G.M. *see* Dorozhkin, L.M. 86—47942
Pleshkov, G.M. *see* Kas'yanov, Yu.S. 85—35889
Pleshkov, G.M. *see* Veselovskii, I.A. 88—42688
Pleshkova, T.A., Ragozin, A.A. The effect of excitation regulation based on the derivative of rotor current on the steady-state stability of generators, taking their damping windings into account 88—23857
Pleshkova, T.A. *see* Ragozin, A.A. 88—30663
Plesich, J.M. How to build a simple 'J' antenna for 2 meters 87—47329
Plesich, J.M. The HF half-sloper [antenna] 88—8572
Plesiewicz, W. *see* Chmielowski, M. 88—32832
Plesiewicz, W. *see* Sawicki, M. 86—67668
Plesiewicz, W. *see* Suski, T. 86—35332
Plesinger, B., Brown, L. Furnace muffle design for firing multilayer substrates using a copper paste system 88—1259
Pleskacz, W. *see* Korzec, D. 88—26463
Plesken, W., Pohst, M. Constructing integral lattices with prescribed minimum. I 86—7628
Plesko, I. A discrete chip artwork model with interactions 88—24935
Plesko, M. *see* Stanovnik, A. 86—5780
Plesko, M. *see* Zavrtanik, D. 85—20814
Pleskov, G.I., Fadeev, V.N., Avdeev, G.I., Vlasov, G.G., Gorelov, Yu.V. The design of the 1200 MW generating unit 86—61363
Pleskov, Yu.V. Solar energy conversion in photoelectrochemical cells with semiconductor electrodes 85—21804
Pleskov, Yu.V. *see* Kharkats, Yu.I. 87—30941
Plesniak, W. *see* Chesnais, P. 88—66678
Plesniak, W. *see* Purcell, P. 88—34138
Plesnik, J. A construction of geodetic graphs based on pulling subgraphs homeomorphic to complete graphs 85—10603
Plesnik, J. A heuristic for the *p*-center problem in graphs 87—51955
Plesnik, J. On the interchange heuristic for locating centres and medians in a graph 87—58806
Plesowicz, S. Digital method of linearization of transfer functions of measuring circuits employing an inverse function module 87—41453
Pless, I. *see* Haridas, P. 86—3346, 86—5828
Pless, I.A. *see* Goloskie, D. 85—59208
Pless, I.A. *see* Murphy, T. 87—8854
Pless, L.C. *see* Deininger, W.D. 87—56829
Pless, V. Decoding the Golay codes 87—2436
Pless, V. *Q*-codes 87—23484
Pless, V. Cyclic projective planes and binary, extended cyclic self-dual codes 87—23485
Pless, V. *Q*-codes 87—54901
Pless, V. Cyclic codes and their weights 88—34588
Pless, V., Masley, J.M., Leon, J.S. On weights in duadic codes 87—33602
Pless, V., Rushanan, J.J. Triadic codes 88—34572
Pless, V., Tonchev, V.D. Self-dual codes over GF(7) 87—54902
Pless, V. *see* Leon, J.S. 85—19329
Pless, V. *see* Orlowski, M. 88—50713
Pless, V.S., Tonchev, V.D. Self-dual codes over GF(7) 88—27767
Pless, W. *see* Berkel, W. 85—26489
Plessa, A., Mergui, A., Casini, R. Superphenix near to completion 86—18986
Plessa, A. *see* Barberger, M. 88—5444
Plessis, J.J.Du *see* Du Plessis, J.J.
Plessis, M.Du *see* Du Plessis, M.
Plesskii, V.P. *see* Alyakna, Yu.Yu. 85—12467, 85—35282, 85—45939
Plessl, A., Poole, D. A new SF$_6$ self-extinguishing, MV distribution circuit-breaker 87—64731
Plessl, A. *see* Ragaller, K. 86—51835
Plessmann, K.W. Local networks in process control data handling 88—15083
Plessner, K.W., Stannard-Powell, S.J., White, C.J., Iddin, A.D. Hydrogen effects in installed cables and under accelerated conditions 86—42255
Plessner, K.W. *see* Fox, M. 86—42256
Plested, G.N. *see* Flemming, M.A. 88—29628
Plestys, R.V. Characteristic properties of justification in plesiochronous digital networks 88—8991
Pleszkun, A.R. *see* Craig, G.L. 87—59541
Pletcher, D. *see* Hedges, W.M. 88—17853
Pletcher, D. *see* Mengoli, G. 86—13014, 87—64779 to 64780

Pletersek, T., Trontelj, J., Trontelj, L., Jones, I., Shenton, G. High-performance designs with CMOS analog standard cells 86−47802
Pletersek, T., Trontelj, T., Trontelj, L., Jones, I., Shenton, G., Sun, Y. Analog LSI designs with CMOS standard cells 86−2436
Pletersek, T. *see* Trontelj, J. 87−46067, 87−59110, 88−64770
Pletka, H. *see* Seitz, M. 86−31074
Pletnev, A.I. *see* Gusev, A.A. 86−33892
Pletnev, G.P., Lesnichuk, A.N., Shelikhov, A.N., Kovelenov, V.I. Control of heat input of a drum steam boiler using a signal from heat absorption of the furnace waterwalls 85−48845
Pletnev, G.P., Mukhin, V.S., Sakov, I.A. Synthesising the best frequency correction equipment for a power-regulating system power-generating unit 87−57871
Pletnev, G.P., Sakov, I.A., Lesnichuk, A.N., Volkov, V.Yu. Finding the regulator settings for fuel feed, taking account of the random nature of the input signal describing the heat absorption of the tube panels 86−25912
Pletnev, N.V. *see* Gerasimenko, N.I. 87−38863
Pletnev, V.A. *see* Buachidze, E.E. 86−28890
Pletnev, V.A. *see* Buachidze, Z.E. 87−1975, 87−54055, 88−26853
Pletnev, V.A. *see* Hofman, M. 87−12140
Pletnev, V.A. *see* Miler, M. 88−26873
Pletneva, N.I., Semenov, E.P. Resolution capability of electron-optical image luminance amplifiers 87−24717
Pletneva, N.I. *see* Vladimirov, F.L. 85−12668, 85−18760, 86−22190, 86−28915, 86−36533, 88−20451, 88−26896
Pletnikov, A.K. Improving planning for the future and development of electrical-equipment industry through utilization of the intra-industry inter-product balance 86−40502
Pletnikov, L.B. *see* Argarkova, L.V. 86−70310
Pletschen, S. *see* Koppitz, M. 85−10689
Pletschen, W. *see* Esser, N. 88−13015
Plett, C., Copeland, M.A., Hadaway, R.A. Continuous time filters using open loop tuneable transconductance amplifiers 86−67350
Plett, E.G. *see* Bernier, M.A. 88−55962
Pletta, J.B. *see* Gage, D.W. 88−54829
Plette, D.L. *see* Hapeman, M.J. 86−7275, 86−71092
Plettner, H., Rossig, R. 420 kV single-column pantograph isolators for short-circuit current peaks up to 200 kA 87−78169
Pletyushkin, A.A. *see* Akimchenko, I.P. 87−44377
Pletyushkin, V.A. *see* Aleksandrov, A.F. 85−13049
Pletzian, R. *see* Kohn, E. 87−77317
Plevak, J.F. *see* Van Pelt, B. 86−26946
Pleven, C. *see* Dossier, E. 86−12048
Plevin, J., Lynn, D. Earth observation from the Space Station 88−10502
Plevnik, F. *see* Hrovat, M. 88−57172
Plevyak, T.J. *see* Herr, T.J. 87−20040
Plewa, R.C. *see* Trombka, J.A. 86−41449
Plewes, D.B., Vogelstein, E. Grid controlled X-ray tube switching time: implications for rapid exposure control 85−15303
Plewes, D.B., Vogelstein, E.E. An X-ray collimator design for raster scanning geometries 85−59267
Plewes, D.B. *see* McFaul, J. 87−35403
Plewko, K. Technical and social evolution of telecommunications 86−49078
Plewko, K. *see* Brodowski, A. 85−57636
Plewko, K. *see* Grabowski, W. 85−47060
Plewnia, M. Analysis of a main-coupled photovoltaic household electric supply 88−62257
Plews, D.B. *see* Holtas, S.L. 88−29954
Plews, M.J., Wakerley, M.W., Winyard, R.A. Comparing PWR exposures worldwide 86−39418
Plexico, P.S. *see* Sullivan, J.E. 88−28436
Pley, M., Wai Cheung Tang A Ku-band contiguous multiplexer employing low-loss, odd-order, mixed dual-triple mode cavity filters 86−11041
Pleydell, M., Birchenough, A. Laser Doppler measurements for vibration and the motion of solid targets 86−5531
Pleynet, B., Lusson, O. PERCHE in existing premises: rules for a proper operation 88−18212
Plhak, G.C. *see* Collier, J.A. 85−32626
Plichczewski, Z. Digital and measurement of hysteresis and eddy current losses 86−5446
Plichczewski, Z. Phase systems with a $^{\Pi}/_2$ shift applied in the construction of VAr meters 86−5450
Plichczewski, Z. The control system of the reversible counters on the numerical meter of hysteresis and eddy-current losses 87−77322
Plichczewski, Z. Measuring aspects at determining the dynamic characteristics of electrical sheets 88−66016
Plicht, J.Van Der *see* Van Der Plicht, J.
Plichta, E., Salomon, M., Slane, S., Uchiyama, M., Chua, D., Ebner, W.B., Lin, H.W. A rechargeable Li/Li_xCoO_2 cell 87−78888
Plichta, E. *see* Uchiyama, M. 87−72379, 88−17897
Plichta, E.J., Salomon, M. Low temperature studies on rechargeable lithium cells 85−21780
Plichta, J. *see* Bryknar, Z. 88−68230
Plidschun, H.-G. Testing of highly integrated circuits on a job shop basis 86−26610
Plidschun, H.-G. Testing of integrated circuits 87−16416
Plies, E., Otto, J. Voltage measurements inside integrated circuits using mechanical and electron probes 86−35804
Plies, E., Schweizer, M. Testing different methods of deconvolution for electron beam measured waveforms 88−39583
Plies, E. *see* Argyo, W. 85−62024
Plies, E. *see* Frosien, J. 88−39582
Plies, E. *see* Gorlich, S. 88−39580
Plies, E. *see* Otto, J. 85−50640
Pliet, H. *see* Welschinger, M. 88−42826
Plieth, W.J. *see* Felske, A. 86−53491
Pligin, S.G., Tekshev, V.B., Terekhova, V.A. Minimization of the noise factor of microwave amplifiers when the oscillator impedance changes 88−71014
Pligt, J.van der *see* van der Pligt, J.
Plihal, M. *see* Albrecht, H. 86−35717, 86−36358
Plihal, M. *see* Haussler, W. 88−72238
Plimpton, G. High power radome panel design considerations 85−13425
Plimpton, G., Cerullo, M. Antenna patterns in the presence of a radome using the reaction integration method 86−42940
Plimpton, G., Kliger, R. A comparison of radome reaction integration asymptotic solutions 86−43094
Pliner, V.M. *see* Zabolotnyy, A.M. 87−36617
Plinski, E.F. Theoretical and experimental investigations on coupling-out mirrors with hole for a CW CO_2 laser 85−51224
Plinski, E.F., Abramski, K.M. Representation of CO_2 laser grain curve in optovoltaic signal 86−29190
Plinski, E.F., Nowicki, R., Rzepka, J. Frequency stabilization of CW CO_2/SF_6 lasers 86−42489
Plinski, E.F. *see* Nowicki, R. 85−35831
Plis, A.I. *see* Veselovskii, A.S. 85−21537, 86−56713, 87−22221
Plis, V.I. *see* Mikulyak, S.P. 87−5018
Plischke, P. *see* Gemmeke, H. 88−68204
Pliskin, W.A. Refractive index dispersion of dielectric films used in the semiconductor industry 88−26555
Pliskin, W.A. *see* Beyer, K.D. 85−6795, 85−7008, 85−45771
Pliskin, Yu.S. *see* Bortkevich, V.I. 86−11557
Pliskin, Yu.S. *see* Sergienko, Yu.M. 87−49968
Plisko, A.L. *see* Andreev, V.A. 86−56859
Pliss, A.D. *see* Gladkikh, M.A. 86−40972
Pliss, A.Z. *see* Aleksandrov, G.N. 87−3386
Pliss, A.Z. *see* Vladimirov, E.N. 86−60617
Plisson, F., Dantec, A. A floating point processor for missile guidance 86−60902
Plitnikas, A. *see* Lideikis, T. 86−14883
Plitsyn, V.T., Kuz'michev, G.M., Sapozhnikov, F.F., Reshetov, A.G. Operational statistical monitoring in modern serial production 85−54164
Plitz, I., Warren, P.C. Evaluation of hydrogen generation from optical fiber cable 88−22153
Pljushev, V.M. *see* Berezin, A.G. 86−24230
Plnsky, J.R. PC LAN systems 85−13965
Plochinger, E. *see* Lutz, E. 86−23736, 86−42842, 87−13664
Plochl, G. The NEWAG-NIOGAS-City Stromer electromobile−experience and developments 87−43573
Plock, R. *see* Smith, C. 88−17016
Ploeg, T.J. Derivation of strength factors related to the co-ordination of the strength of transmission-line components 87−64160
Ploeger, D.W., Piantanida, T.P., Pitlyk, P.J. Noninvasive intracranial pressure monitor 85−38008
Ploeger, G.R. *see* Wildeman, K.J. 87−35951
Ploger, G., Langewellpott, U. GRANAS-IC a new satellite-based navigation system with integrated communication 87−41138
Plohotnjuk, E.F. *see* Aganbekjan, K.A. 87−75439
Plokarz, H. *see* Kowalik, W. 87−74761
Plokhikh, S.A., Sazonov, D.M., Shcherbakov, V.I. Reconstruction of the radiation pattern of antennas by the standard-antenna method using amplitude-phase measurements in the near zone 88−14483
Plokhotnyuk, Ye.F. *see* Aganbekyan, K.A. 86−46631, 87−52863
Plokhova, L.A. *see* Gershenzon, E.M. 85−635
Plokhova, L.A. *see* Gershenzon, Ye.M. 86−20352, 86−46614
Plomadeala, D. *see* Mitrofan, G. 87−56589
Plomgren, D. *see* Kalish, R. 85−6340
Plomp, R. The negative effect of amplitude compression in multichannel hearing aids in the light of the modulation-transfer function 88−68474
Plomp, R. *see* Pols, L.C.W. 87−27270
Plompen, R.H.J.M., Biemond, J., Heideman, G.H.L.M. The evaluation of a hybrid DPCM/transform codec for low bit rates 87−76411
Plompen, R.H.J.M., Boekee, D.E. Motion estimation in a hybrid coding configuration 85−57545
Plompen, R.H.J.M., Groenveld, J.G.P., Biemond, J., Booman, F. The application of a translation invariant transform for low bitrate video coding 87−47830
Plompen, R.H.J.M., Groenveld, J.G.P., Boekee, D.E., Booman, F. The performance of a hybrid videoconferencing coder using displacement estimation in the transform domain 87−19926
Plompen, R.H.J.M., Groenveld, J.G.P., Booman, F., Boekee, D.E. An image knowledge based video codec for low bitrates 88−28067
Plompen, R.H.J.M., Schuurink, B.F., Biemond, J. A new motion-compensated transform coding scheme 86−10519
Plompen, R.H.J.M. *see* Aartsen, G. 88−73734
Plompen, R.H.J.M. *see* Biemond, J. 88−14807
Ploner, L. Laser soldering−an alternative to current techniques? 87−31294
Plonko, M.C. *see* Groves, S.H. 85−22463
Plonsey, R. Electrophysiological systems−a quantitative description 87−41980
Plonsey, R. *see* Altman, K.W. 86−44681, 87−57202
Plonsey, R. *see* Liebman, J. 86−11996
Plonsey, R. *see* Liebman, J. *(editor)* 88−6100
Plonski, G.A., de Almeida, H.S. The emergence of 'engimation': the case of the Brazilian engineering services firms 88−31398
Plonski, J.P. Design of a high speed VLSI interconnection board−case study 87−37682
Plontke, J. *see* Manthey, W. 87−35203
Plontke, R. Application of electron-optical instruments for measuring small pattern features in microlithography 85−29247
Ploog, K. Doping superlattices 85−29029
Ploog, K. Preparation and characterization of GaAs doping superlattices 85−29030
Ploog, K. Effect of barrier configuration and interface quality on structural and electronic properties of MBE grown $GaAs/Al_x Ga_{1-x}As$, $GaSb/Al_xGa_{1-x}Sb$, and $Ga_xIn_{1-x}As/Al_xIn_{1-x}As$ superlattices 87−24879
Ploog, K. Molecular beam epitaxy of semiconductor quantum wells and superlattices 87−31519
Ploog, K. Delta-(δ)-doping in MBE-grown GaAs: concept and device application 87−44325
Ploog, K. Molecular beam epitaxy of artificially layered III-V semiconductors: ultrathin-layer $(GaAs)_m(AlAs)_m$ superlattices and delta (δ-) doping in GaAs 88−18691
Ploog, K. Formation of semiconductor interfaces during molecular beam epitaxy 88−31815
Ploog, K., Fischer, A. High-throughput high-yield fabrication of selectively doped $Al_xGa_{1-x}As/GaAs$ heterostructures by molecular beam epitaxy 86−53493
Ploog, K., Fischer, A., Schubert, E.F. Preparation and properties of a new GaAs sawtooth doping superlattice 87−1274
Ploog, K., Fronius, H., Fischer, A. Improved electron mobility by AlAs spacer in one-sided selectively doped $Al_xGa_{1-x}As/GaAs$ multiple quantum well heterostructures 87−45646
Ploog, K., Hauser, M., Fischer, A. Fundamental studies and device application of δ-doping in GaAs layers and in $Al_xGa_{1-x}As/GaAs$ heterostructures 88−32986
Ploog, K., Hauser, M., Fischer, A. Delta ($\delta-$) doping in molecular beam epitaxially grown GaAs and $Al_xGa_{1-x}As/GaAs$ device structures 88−56260
Ploog, K., Ohmori, Y., Okamoto, H., Stolz, W., Wagner, J. Free-exciton luminescence in GaSb quantum wells confined by short-period AlSb-GaSb superlattices 86−2936
Ploog, K. *see* Bliek, L. 85−47792, 85−58830, 86−24684
Ploog, K. *see* Brinkop, F. 88−50651
Ploog, K. *see* Collins, R.T. 86−47346, 87−1244, 87−2012, 87−74918
Ploog, K. *see* Contour, J.P. 88−39223
Ploog, K. *see* de Miguel, J. 86−58825
Ploog, K. *see* de Miguel, J.L. 86−9665
Ploog, K. *see* Dohler, G.H. 86−35415
Ploog, K. *see* Fasol, G. 86−53429, 88−19715
Ploog, K. *see* Fronius, H. 86−34332, 87−36720
Ploog, K. *see* Fujiwara, K. 85−18796, 85−61738
Ploog, K. *see* Gerhardts, R.R. 88−32859
Ploog, K. *see* Gobel, E.O. 86−9829
Ploog, K. *see* Haug, R.J. 88−1424
Ploog, K. *see* Heuken, M. 86−53649
Ploog, K. *see* Hoger, R. 85−18799
Ploog, K. *see* Horikoshi, Y. 85−8846, 85−42994, 85−43005, 85−46276, 86−2940, 86−11610, 86−22226, 87−45655
Ploog, K. *see* Horst, M. 85−23525
Ploog, K. *see* Isu, T. 87−52102
Ploog, K. *see* Jung, H. 85−45420
Ploog, K. *see* Koch, F. 87−66918
Ploog, K. *see* Leo, K. 88−71334
Ploog, K. *see* Obloh, H. 86−53422
Ploog, K. *see* Polland, H.-J. 86−21223, 88−32891
Ploog, K. *see* Prost, W. 86−53642
Ploog, K. *see* Schneider, H. 88−32860

Ploog, K. *see* Schubert, E.F. 85–35592, 85–41286, 85–55537, 85–56616, 86–8834, 86–9151, 86–28965, 86–53639, 86–66832
Ploog, K. *see* Smoliner, J. 87–53505, 88–32867
Ploog, K. *see* Tapfer, L. 87–24882
Ploog, K. *see* Tarucha, S. 88–33760, 88–64311
Ploog, K. *see* von Klitzing, K. 85–63939
Ploog, K. *see* Wagner, J. 86–8855, 86–35416
Ploog, K. *see* Weiss, D. 86–53421
Ploog, K. *see* Werner, J. 87–11445
Ploog, K. *see* Zrenner, A. 88–56262
Ploog, K. *see* Chang, L.L. *(editor)* 85–27975
Plooy, B.du *see* du Plooy, B.
Ploppa, M.G. *see* Gulidov, E.N. 86–35525
Ploppa, M.G. *see* Kalinushkin, V.P. 87–73988
Ploppa, M.G. *see* Zabolotskii, S.E. 86–7868
Ploscaru, M. *see* Canciu, L. 86–6742
Plosceanu, L. *see* Podoleanu, A.G. 85–56812
Ploshay, L.L., Filimonov, V.P., Chertov, V.G., Davidenko, V.F., Kolpashchikov, V.L., Kuchinskiy, G.S. Apparatus for fusing multimode fiber lightguides 87–62951
Ploshinskii, A.V., Khazhuev, V.N. Primary sensors with hydrodynamic smoothing for conductometry on turbulent flows 87–35044
Ploshinskii, A.V., Khazhuev, V.N., Khakhamov, I.V. Conductivity comparator 87–4146
Plosila, W.H., Tellefsen, F.R., Cook, W.J. Pennsylvania's advanced technology program–the Ben Franklin Partnership 86–7441
Ploskon, S. Optoelectronic sensors 85–26331
Plossu, C. *see* Balland, B. 85–34674, 85–34683, 87–53302
Plossu, C. *see* Lubowiecki, V. 87–60370, 88–26523
Plossu, C. *see* Ronda, A. 87–25105
Ploszajski, G. Models of teletransmission networks for research of reconfigurations 87–27805
Ploszynska, J., Rut, R. Heating of short-circuited deep-grooved trapezoid rods of the squirrel-cage coils of an induction motor 88–30716
Plothow-besch, H. *see* Bourgeois, F. 87–29460
Plotin, E.R. *see* Avrutskii, G.D. 86–33141
Plotka, A. *see* Nieznanski, J. 88–24194
Plotka, P. Excess gate current in the static induction transistor 85–45721
Plotkin, E. *see* Kazovsky, L.G. 85–2843
Plotkin, E. *see* Roytman, L.M. 86–27470
Plotkin, E.I., Roytman, L.M., Swamy, M.N.S. Reconstruction of nonuniformly sampled band-limited signals and jitter error reduction 85–13571
Plotkin, E.I., Roytman, L.M., Swamy, M.N.S. Estimating the steady-state frequency of a sinewave burst with extremely short record length 86–37023
Plotkin, E.I., Roytman, L.M., Swany, M.N.S. Estimation of an initial phase over extremely short record-length of a sinewave signal 86–29867
Plotkin, E.I., Swamy, M.N.S. Shift-invariant nonlinear null filters for cancellation of AR-signal with unknown parameters 87–69215
Plotkin, E.I., Swany, M.N.S. Synchronous phase estimation of a signal corrupted by a close sinusoid 88–66569
Plotkin, E.I. *see* Swamy, M.N.S. 85–34083, 86–1269, 86–20736, 86–62765 to 62766
Plotkin, E.R., Zinger, M.N. The thermally stressed state of an integral-disc rotor 85–38855
Plotkin, E.R. *see* Belevtseva, L.K. 85–48877
Plotkin, M. *see* Sanders, R. 88–61068
Plotkin, M.A., Zingerenko, Yu.A. A digital fiber-optics transmission system for intrazonal networks 87–62946
Plotkin, M.B. *see* Varshavskii, V.D. 86–56692
Plotkin, M.E. *see* Vinogradov, A.V. 88–16665
Plotkin, S.A. *see* Afek, Y. 88–14971
Plotkin, S.C. *see* Pulido, M.A. 85–27161
Plotkin, V.A. *see* Yastrebenetskii, M.A. 85–21441
Plotkin, V.V., Izraileva, N.I. Resonance scattering of radiowaves in the acoustically disturbed ionosphere 88–34306
Plotkina, S.M. *see* Kuraev, A.A. 86–3481
Plotkowski, P.D., Hung, Y.Y., Hovanesian, J.D., Gerhart, G. Improved fringe carrier technique for unambiguous determination of holographically recorded displacements 86–3348
Plotkowski, P.D., Hung, Y.Y., Hovanesian, J.D., Gerhart, G. A fringe carrier technique for unambiguous determination of holographically recorded displacements 86–11709
Plotner, M. *see* Dittmar, G. 86–36335
Plotnichenko, V.G., Sysoev, V.K. Estimate of the sensitivity of fiber-optic transducers on the basis of the properties of the component fiber waveguides 85–2030
Plotnichenko, V.G. *see* Bagrov, A.M. 86–36169
Plotnichenko, V.G. *see* Baikalov, P.I. 86–9519
Plotnichenko, V.G. *see* Borisevich, V.G. 87–74751
Plotnichenko, V.G. *see* Dianov, E.M. 85–24255, 85–50914, 88–39908
Plotnichenko, V.G. *see* Svet, D.Ya. 85–37634
Plotnichenko, V.G. *see* Vasil'ev, A.V. 86–9908, 86–36192, 86–48121, 87–74709
Plotnichenko, V.G. *see* Vasiljev, A.V. 87–32936
Plotnichenko, V.G. *see* Voronin, N.I. 86–36137
Plotnick, J. *see* Lear, J.L. 87–77637
Plotnik, I., Porter, M.E., Toth, M., Akhtar, S., Smith, H.I. Ion-implant compensation of tensile stress in tungsten absorber for low distortion X-ray masks 87–25002
Plotnik, I. *see* Warren, A.C. 86–35708
Plotnikov, A.F., Seleznev, V.N., Sagitov, R.G. Effect of an electric field on the relaxation of trapped charge in metal–silicon nitride–silicon oxide–semiconductor structures 85–12040
Plotnikov, A.F., Tokarchuk, D.N. Thermoactivational spectroscopic study of the degradation and thermal annealing of metal, nitride, oxide. semiconductor (MNOS) structures 87–6488
Plotnikov, A.F. *see* Agafonov, A.I. 85–23463, 85–40546, 85–45472
Plotnikov, A.F. *see* Bogdanov, S.V. 86–35458
Plotnikov, A.F. *see* Dolgov, M.V. 87–74649
Plotnikov, A.F. *see* Dovgaleva, N.A. 87–54171
Plotnikov, A.F. *see* Kravchenko, A.B. 86–35459
Plotnikov, A.F. *see* Zheleznykh, I.M. 86–11606
Plotnikov, A.I. *see* Fedorov, Yu.A. 85–28232
Plotnikov, E.V. *see* Gorelov, O.I. 85–25463, 87–28025
Plotnikov, G.A. *see* Trifonov, G.P. 86–18574
Plotnikov, G.S. *see* Bespalov, V.A. 86–21279
Plotnikov, I.L. *see* Yolodin, V.V. 85–64807
Plotnikov, I.V. *see* Senova, O.N. 87–3794
Plotnikov, S.V. *see* Kapchinskiy, I.M. 87–41647, 87–41676
Plotnikov, V.A. *see* Stavitsky, R.V. 85–38253
Plotnikov, V.G. *see* Shtamberger, G.A. 86–65230
Plotnikov, V.N. *see* Demchenko, P.A. 86–60638
Plotnikov, V.P. *see* Koklyuev, G.A. 88–5542
Plotnikov, V.P. *see* Zelenskii, V.G. 88–30559
Plotnikov, V.V. *see* Kabanov, V.I. 86–44280
Plotnikov, V.V. *see* Vlasov, A.M. 87–65996, 87–66693, 87–69625
Plotnikov, Yu.N. *see* Khrushchev, Yu.V. 87–30066
Plotnikova, T.S. *see* Zykin, F.A. 85–31421, 86–56342
Plotnikova, T.V. *see* Blotskii, N.N. 88–23851
Plotsky, P. *see* Abraham, F. 85–4258
Plott, C.C. *see* Laughery, K.R. 88–75308
Plotz, E. Purpose built power supplies with multiple outputs 86–712
Plotz, E. Modular circuit regulators for equipment and OEM applications 88–63495
Plouffe, D.M. *see* Parent, R.M. 87–59482
Plouffe, M. *see* Couturier, J.-F. 87–8280
Plouffe, M. *see* Williams, R.J. 88–22158
Ploug, C. Is supply security increased with decentralized heat and power generating stations? 88–11041
Plourde, G. *see* Thompson, W. 87–11532
Plourde, J.K. *see* Chen, C.Y. 85–37620
Plourde, J.K. *see* Jhee, Y.K. 86–28991
Plouse, L.M. *see* Kafadar, K. 88–57068
Plouzeau, N. Termination detection: an algorithm based on observation 88–41352
Plow, R.J. Powering a CATV system 85–65361
Plow, R.J. Match the battery to charger technology 87–30798
Plow, R.J. *see* Wehman, A.W. 85–44105
Plowman, F.A. *see* Schuette, W.H. 88–42489
Plows, G.S. *see* Henning, S.S. 88–39598
Ploysongsang, A. *see* Hayden, C.H. 87–69304
Ploysongsang, Y. *see* Iyer, V.K. 87–57071
Ploysongsang, Y. *see* Ramamoorthy, P.A. 87–62018
Plsek, J. *see* Matal, O. 87–50963
Plsek, P.E. *see* Ackerman, R.B. 87–31319
Plsek, R. EH 621, EH 921 hydraulic excavators with electrical drive 88–24216
Pluchino, B. *see* Banker, D.C. 85–22739
Pluchino, F., Melcarne, A., Russo, V., Margheri, G., Cubeddu, R., Pascucci, M., Boero, P., Ridi, N. Power optical fibers and components for laser surgery 88–8383
Plucinski, M.D. *see* Chan, J.Y. 85–5798
Pluckhan, J. On the road to technology with a human face. Siemens' Norwegian subsiding as a pioneer in ergonomics 88–28213
Pluff, K. *see* Xue, Q. 88–61389
Plugatar', A.P., Radchenko, A.L. Investigation of conditions for controlling the current in the excitation winding of a motor fed from a controlled rectifier with a relay regulator 87–9509
Plugatar', A.P. *see* Isakov, V.N. 86–26348, 88–37651
Pluijmers, R. Computer simulation of a mobile packet radio system 88–35389
Pluimakers, G.M.J., van Leeuwen, J. Authentication: a concise survey 86–69386
Plum, H. The introduction of graphical data processing (GDP) and the establishment of an integrated network information system (NIS) at the Heag [distribution network] 85–53320
Plum, M. *see* Neuffer, D. 88–68180
Plum, M.A. *see* Zhi Fu Wang 86–38722
Plum, R.R. Digging up the roots of the peg count 86–23600
Plum, T. *see* Kalaba, R. 87–73013
Plumb, F.G. *see* Steen, L.S. 87–53381
Plumb, J. *see* Miller, M.R. 87–8680
Plumb, J.L. *see* Abdalla, M.I. 85–14949, 86–17841
Plumb, J.L. *see* Mellor, C.E. 85–8909
Plumb, L.J. The future of fibre optics in army communications 86–37881
Plumb, P. RELTEST–a reliability testing method 86–57270
Plumb, R.G., Armistead, C.J., Collar, A.J., Butler, B.R., Kirkby, P.A. The effect of facets on the stability of DFB lasers 87–39130
Plumb, R.G. *see* Armistead, C.J. 87–7359
Plumb, R.G. *see* Gallagher, D.F.G. 88–20736
Plumb, R.G. *see* Gibb, R.M. 88–35535
Plumb, R.G. *see* Heasman, K.C. 87–54313
Plumb, R.G. *see* MacLean, D. 86–3148, 87–68622, 88–65874
Plumb, R.G. *see* Throssell, W.R. 87–39137
Plumelle, F. *see* Jardino, M. 85–58813
Plumereau, C., Bouchoux, A.-M., Cachard, A. Electrooptic light modulator using long-range surface plasmons 88–40002
Plumey, J.-P. *see* Roubertou, D. 85–19223
Plumey, J.P. *see* Paladian, F. 86–15990
Plumey, J.P. *see* Roubertou, D. 86–3596
Plumley, D.R. Cool Water Coal Gasification–a progress report 86–45213
Plumley, D.R., Adams, T.J. Integrated coal gasification combined-cycle operating experience at Cool Water 86–61339
Plumley, D.R., Thompson, B.H., Vierrath, H.E., Weinzierl, K. Integrated coal gasification combined cycles 87–4571
Plumley, D.R. *see* Gluckman, M.J. 85–21442
Plummer, C.J.G., Evetts, J.E. Dependence of the shape of the resistive transition on composite inhomogeneity in multifilamentary wires 87–74549
Plummer, D.P. *see* Brown, A.D. 87–16821
Plummer, E.W. *see* Eberhardt, W. 86–60398
Plummer, I.R. *see* Turner, D.W. 87–1163
Plummer, J., Lasdon, L.S., Ahmed, M. Solving a large nonlinear programming problem on a vector processing computer 88–63185
Plummer, J. *see* Bronner, G. 86–41917
Plummer, J. *see* Lasdon, L.S. 88–14536
Plummer, J.D. Process and device modeling for VLSI structures 85–55937
Plummer, J.D. Process physics: implications for manufacturing of submicron silicon devices 86–41899
Plummer, J.D. Low temperature CMOS devices and technology 87–53738
Plummer, J.D. *see* Akinwande, A.I. 88–19749 to 19750
Plummer, J.D. *see* Bampi, S. 86–47610, 87–25289
Plummer, J.D. *see* Bravman, J.C. 85–50409
Plummer, J.D. *see* Bronner, G.B. 85–29114, 87–60071
Plummer, J.D. *see* Deal, M.D. 88–39737
Plummer, J.D. *see* Dunham, S.T. 86–47469 to 47470
Plummer, J.D. *see* Fishbein, B.J. 87–60193
Plummer, J.D. *see* Fu-Chia Shone 86–21854
Plummer, J.D. *see* Griffin, P.B. 87–17898, 87–45777, 88–44835
Plummer, J.D. *see* Henning, A.K. 86–47857, 87–32695, 88–13051
Plummer, J.D. *see* Liu, D.K.Y. 88–64555
Plummer, J.D. *see* MacWilliams, K.P. 86–47515, 87–53569
Plummer, J.D. *see* Massoud, H.Z. 85–61858, 86–21391
Plummer, J.D. *see* Patton, G.L. 85–50690, 86–47544, 87–25231
Plummer, J.D. *see* Petti, C.J. 88–39430
Plummer, J.D. *see* Rafferty, C.S. 87–17888
Plummer, J.D. *see* Reed, M.L. 85–61768, 87–11489, 87–32341, 87–74119, 88–64333
Plummer, J.D. *see* Shone, F.C. 86–47848, 87–45695
Plummer, J.D. *see* Sturm, J.C. 85–55576
Plummer, J.D. *see* Watt, J.T. 87–32693, 88–7396, 88–12633, 88–39698
Plummer, J.D. *see* Williams, R.K. 87–32689
Plummer, J.D. *see* Woo, J.C.S. 86–63316, 87–32488, 88–39412, 88–64524
Plummer, J.L. *see* Thomas, T.C. 87–9109
Plummer, M.C. *see* Nelson, D.V. 86–33307
Plummer, M.D. Matching extension and the genus of a graph 88–49676
Plummer, M.J. *see* Ward, R. 86–35491
Plummer, R. Advances in automating steam shell boilers 86–19794
Plummer, R.W. SDLC protocol throughput analysis 86–49332
Plumpton, A.T., Haydock, K.J. A double etched profile for improved breakdown voltage in *p-n* junctions: theory and practice 86–14895
Plumstead, W.C., Cady, D.R. NDE applications in power plant life assessment studies 86–51328
Plumton, D.L., Duncan, W.M., Tran, L.T. A two step rapid thermal annealing process for Be implant activation in GaAs 88–44651
Plumton, D.L. *see* Wan, C.F. 88–20007
Plung, D.L. *see* Glasstetter, S.R. 87–36411
Plung, D.L. *see* Moore, L.K. 85–44574
Plunkenbuhler, R. *see* Oehme, W.F. 88–57974
Plunkett, A. *see* Rinehart, L. 88–49186, 88–75567

Plunkett, A.B. Switching transient analyzer aids development of heat pump motor/controller 87−29011
Plunkett, A.B., Kliman, G.B., Boyle, M.J. Digital techniques in the evaluation of high-efficiency induction motors for inverter drives 85−43977
Plunkett, A.B., Turnbull, F.G. System design method for a load commutated inverter-synchronous motor drive 85−10143
Plunkett, A.B. *see* Kaufman, G.A. 85−10145
Plunkett, B., Kunzmann, A. Cases for VME bus systems 87−31296
Plunkett, J.J., Dale, B.G. Quality costing: a summary of research findings 86−61960
Plunkett, J.J., Dale, B.G. Quality-related costing: findings from an industry-based research study 88−31379
Plunkett, P.L. The Defense Data Network: a new look at the host interface 85−30735
Plunkett, P.V. *see* Hund, T.D. 86−14763
Plunkett, R. *see* Apollinari, G. 87−21436, 87−29489
Plunkett, R.T., Inculet, I.I., Klein, R.G. A high voltage isolator for conductive liquids 85−32858
Plunkett, R.T., Inculet, I.I., Klein, R.G. A high-voltage isolator for conductive liquids 86−68684
Plunkett, T.F. Scram prevention techniques a River Bend station 88−62082
Plus, D. *see* Brucker, G.J. 87−31874
Plus, D. *see* Stewart, R. 87−24195
Plusa, D., Wyslocki, J.J., Wyslocki, B., Pfranger, R. Domain-wall energy in sintered $Nd_{15}Fe_{77}B_8$ permanent magnet 86−63538
Plusa, D. *see* Szafranska-Miller, B. 87−74504
Pluschkell, W., Redenz, B., Recknagel, W. Shrouded teeming between ladle and tundish to improve oxide cleanliness of slab caster strand 85−10255
Plush, P.H. *see* Weinrich, A.W. 87−28515
Pluskwik, A., Lamp, H. Practical training for works under tension 85−44468
Pluss, A.E. Nam Ngum project in Laos completed 86−65954
Plut, T.A. *see* Drummond, T.J. 87−1503
Plut, T.A. *see* Hughes, R.C. 87−70573
Pluta, M. Numerical examination of contrast improvement in incoherent 2-D Fourier transform registration process 86−3951
Pluta, M. Optical Fourier transforms of birefringent fibres. I. Polymeric textile fibres 88−13827
Pluta, S. *see* Grobelny, M. 87−32137
Pluta, W. *see* Otreba, R. 86−44181
Pluvinage, C. Storage batteries—construction and characteristics 86−45642
Pluzhnikov, A.D., Savchenko, V.V. Threshold signals for a detector with false-alarm probability stabilization 85−41916
Pluzhnikov, M.S. *see* Berezin, Yu.D. 87−14928
Pluzhnikov, V.M. *see* Venevtsev, S.Yu. 86−2471
Plyasheshnikov, A.V. *see* Akimov, V.V. 85−9085
Plyaskin, M.Yu. *see* Veshkurtsev, Yu.M. 86−70076
Plyaskin, V. *see* Galaktionov, Yu. 87−8841
Plyasulya, V.M. *see* Lebedev, V.V. 86−3294, 88−65855
Plyatsko, S.V. *see* Gutsulyak, V.G. 85−40479
Plyatsko, S.V. *see* Sizov, F.F. 87−60118
Plyavenek, A.G., Solodkov, A.F., Yakubovich, D.S. Transient process in an injection laser with a non-quasi-Fermi electron distribution function 87−68520
Plyavenek, A.G. *see* Goldobin, I.S. 88−20662
Plyavenek, A.G. *see* Kocherov, D.A. 88−51901
Plymate, C.L. *see* Smith, M.A. 87−77147
Plyshevskaya, T.M. *see* Koterov, V.N. 87−12404
Plysyuk, I.A. Preparation of ohmic contacts to p-type CdTe specimens 86−15074
Plytnikas, A. *see* Krotkus, A. 87−53219
Plyushch, Yu.A. *see* Evdokimov, V.F. 85−28178
Plyusnin, N.A. *see* Gurman, P.E. 86−23364
Plyusnin, N.I., Lobachev, S.A., Galkin, N.G. Regulated power supplies for slow-electron diffraction analyzer 86−13998
Plyusnin, N.I. *see* Lifshits, V.G. 85−28215
Plyutinskii, V.I., Okhotin, V.V. Requirements as to the accuracy of dynamic simulator models 85−32076
Pnev, V.V. *see* V'yun, V.A. 88−20229
Pniewski, J. On the identification of hypernuclei 87−21500
Pnnes, E.L. *see* Rathore, R.N.S. 88−9300
Pnueli, A. *see* Dori, D. 88−41011
Po Chen How to make the most of ISDN's new LAPD protocol 87−76039
Po Ching Liu *see* Scott, B. 85−17556
Po Li-Chi Cliff *see* Li-Chi Cliff Po
Po Lung Yu, Rex Chou, Si Chong Chen, Lei Mean Shiea, Yiang I An efficient method of jointing foam skin STP and paper insulated STP cables 88−25602
Po-Chieh Hung Color rendition using three-dimensional interpolation 88−52587
Po-Ning Chen, Yung-Sheng Chen, Wen-Hsing Hsu Reduced processing element architecture for parallel local image processing 88−25250
Po-zhang Zhao *see* Zhao Po-zhang
Po-zhang Zho *see* Zho Po-zhang
Poate, J.M. Epitaxial silicides and silicon heterostructures 87−18036
Poate, J.M. High speed crystal growth and solidification using laser heating 87−23655
Poate, J.M. Silicon-on-insulator heterostructures 87−24970
Poate, J.M., Dynes, R.C. Progress toward a metal-base transistor 86−41752
Poate, J.M., Williams, J.S. Amorphization and crystallization of semiconductors 85−45504
Poate, J.M. *see* Campisano, S.U. 85−18092, 85−33413
Poate, J.M. *see* Hensel, J.C. 86−53461
Poate, J.M. *see* Jacobson, D.C. 87−11589
Poate, J.M. *see* Nygren, E. 85−54449
Poate, J.M. *see* Pearton, S.J. 86−27858, 87−11588, 87−38092
Poate, J.M. *see* White, A.E. 87−25103
Poate, J.M. *see* Fan, J.C.C. *(editor)* 87−43794
Poate, J.M. *see* Williams, J.S. *(editor)* 85−44377
Pober, R.L. *see* Itoh, H. 87−339
Pober, R.L. *see* Lee, H.D. 86−20979
Poberezhnyuk, M.M., Yatsenko, L.V., Bezuglaya, L.Ya., Dovgaya, V.T., Ral'chuk, V.V., Kudrya, S.A. Thermal-storage system for greenhouses 88−24276
Poberezhskii, E.S. Analysis of a method of digitizing narrowband signals 86−10374
Poberezhskii, L.P., Dialektov, V.B., Lomonosova, L.E., Chudnov, V.K. Parameter calculation of windings for linear induction motors by an admittance method for toothed networks 87−72159
Poberezhskii, L.P., Dialektov, V.B., Lomonosova, L.Ye., Chudnov, V.K. Tooth contour admittance analysis of the winding parameters of linear inductor motors 88−62342
Poberezhskii, L.P. *see* Belikov, V.T. 88−23971
Poberezhskii, L.P. *see* Lavrent'ev, V.S. 87−43577
Poberezhskii, L.P. *see* Makarychev, Yu.M. 86−12770, 86−21996
Poberezhskii, L.P. *see* Molotkov, V.I. 85−39215
Poberezhskiy, E.S., Sokolovskiy, M.N. The logical method of phase-sine conversion for digital frequency synthesizers 86−27120
Poberezhskiy, Ye.S. Gating time for analog-digital conversion in digital reception circuits 85−36204
Poberezhskiy, Ye.S. Digital radio receivers and the problem of analog-to-digital conversion of narrow-band signals 86−37724
Poberezhskiy, Ye.S. *see* Zarubinskiy, M.V. 87−61888
Poberovskii, A.V., Sirota, T.V. Calibration of remote infrared laser gas analysis systems 88−42650
Pobl, K. Power transistors—key components in communications 87−11775
Pobl, K. Optical fibre components and special applications 87−28559
Pobl, K. Fibre optics—components and special applications 87−49047
Pobl, K. Microwave power devices—key to communications engineering 88−1006
Pobl, K. Semiconductor-laser: towards new applications 88−58564
Poblet, J.Mompin *see* Mompin Poblet, J.
Poblete, P.V. Approximating functions by their Poisson transform 87−10301
Poborchiy, Ye.D. The Kurs-8-02 analog-digital radio relay transmission system 87−48892
Pocajt, N. Characteristic impedance of electrical, long untransposed high voltage cables 87−9179
Pocajt, N. Attenuation of vertical three-phase high tension cables without phase interweaving 87−62814
Pocata, A., Georgescu, G., Poeata, N., Taranu, V., Sufletel, N. Practicality of the user load diagrams for the development studies and for the urban electrical networks' rational service [distribution networks] 85−38498
Pocek, K. Training system engineers in IC design: two contrasting approaches 85−10356
Pocek, K. Megacells—high density standard cell building blocks 87−723
Pocek, K.L. *see* Aylor, J.H. 86−52166
Pocek, S. Smart monitoring gives a new look at network vitals 85−47878
Pocek, S. Poll substitution: a basis for AI in network testing and management 86−64626
Poch, G. *see* Ecker, A. 87−27162
Pocha, J.J. Propellant slosh and spacecraft stability 86−12060
Pocha, J.J., Webber, M.C. Operational strategies for multi-burn apogee manoeuvres of geostationary spacecraft 87−21740
Pocha, M.D., Wiedwald, J.D., Dease, C.G., Contreras, M.M. Silicon pulse sharpening diodes—switching kilovolts in 10s of picoseconds 87−45877
Pocha, M.D. *see* Benzel, D.M. 85−54736
Pocha, M.D. *see* Current, K.W. 85−55962
Pocha, M.D. *see* Koo, J.C. 85−18804, 86−14597
Pocha, M.D. *see* Morse, J.D. 87−43309
Pocha, M.D. *see* Wang, C.L. 87−8858, 88−54427
Pochanke, A. *see* Kosowicz, A. 85−9940
Pochanke, A. *see* Kuczmanski, A. 85−21664 to 21665
Pochapskii, E.P. *see* Bukhalo, O.P. 86−24715
Pochapskii, E.P. *see* Klim, B.P. 86−18160
Pochapsky, E., Casasent, D. Linear acousto-optic heterodyning processors for complex-valued data processing 88−33800
Pochapsky, E., Casasent, D. Optical linear heterodyne matrix-vector processor 88−72190
Pochapsky, E. *see* Kumar, B.V.K.V. 86−15545, 86−59325
Pochard, R. *see* Bars, G. 85−53442
Pochecheuv, S.V. *see* Liseev, M.S. 87−4279
Pochechuev, S.V. *see* Liseev, M.S. 85−43521, 87−35570
Pocheim, H. New withdrawable truck system for metal-clad 36 kV switchgear type PAD 307: new approach to stringent demands 86−51822
Pocheim, N. AM directional broadcasting: a Ludwigshafen speciality. Feeders for cable networks 85−8524
Pocheim, N. New schemes for signal collection and programme distribution in wideband communication systems 85−14398
Pochi Yeh, Chiou, A.E.T., Hong, J. Optical interconnection using photorefractive dynamic holograms 88−58699
Pochi Yeh *see* Chiou, A.E. 88−65440
Pochikaev, G.V. *see* Garb, Kh.L. 86−22751
Pochikayev, G.V. *see* Garb, Kh.L. 88−20984
Pochinchuk, N.G. *see* Vorob'yev, L.A. 87−62731
Pochodzalla, J., Butsch, R., Heck, B., Hlawatsch, G., Miczaika, A., Rabe, H.J., Rosner, G. A three dimensionally position sensitive large area detector 85−37905
Pochodzalla, J. *see* Butsch, R. 85−31710
Pochodzalla, J. *see* Kreutz, P. 87−77552
Pocholle, J.-P., Raffy, J., Combemale, Y., Papuchon, M., Roosen, G., Plantegenest, M.T. Optical levitation using single mode fibers and its application to self-centering of microlenses 85−1977
Pocholle, J.-P., Raffy, J., Randrianandrasana, E., Papuchon, M. Optical amplification based on the nonlinear process in single mode fibers 86−15794
Pocholle, J.P., Papuchon, M., Raffy, J., Puech, C. Nonlinearities in optical fibres. Applications 87−18730
Pocholle, J.P., Raffy, J., Papuchon, M., Desurvire, E. Raman and four photon mixing amplification in single mode fibers 86−3305
Pocholle, J.P., Razeghi, M., Hirtz, J.P., Schnell, J.P., Raffy, J., Guyon, B., Papuchon, M., Puech, C., Dandria, P., Vanderstichel, H. Optical properties and nonlinearities in multiple quantum well structures 88−58687
Pocholle, J.P., Razeghi, M., Raffy, J., Papuchon, M., Weisbuch, C., Puech, C., Vandenborre, A., Bezy, J.L., Heinrich, L., Vimont, J.E. Observation of excitonic states at room temperature in InGaAs-InP multiquantum wells (applications) 88−8297
Pocholle, J.P. *see* Charasse, M.N. 88−44631
Pocholle, J.P. *see* Julien, F.H. 88−65828
Pocholle, J.P. *see* Le Barny, P. 88−58682
Pocholle, J.P. *see* Li, M.-J. 88−65296
Pocholle, J.P. *see* Loulergue, J.C. 88−72428
Pochowski, R.J. *see* Marks, G.T. 86−46066
Pochrybniak, C. *see* Piekoszewski, J. 86−28163
Pochrybniak, C. *see* Werner, Z. 86−28016
Pochtarenko, A.M. *see* Mironyuk, A.G. 86−50582
Pochuyev, S.I. Comparison of the effectiveness of various direction-finding algorithms for point signal sources 86−17528
Pochwalski, K., Broda, R., Radoszewski, T. Standardization of pure beta emitters by liquid-scintillation counting 88−29771
Pochwalski, K. *see* Broda, R. 88−29793
Pocidalo, J.-J. *see* Renault, G. 88−16721
Pock, H. *see* Floner, F. 88−23722
Pock, H. *see* Jagob, C. 88−23721
Pockrand, I. Optical gas analysis in medicine 86−11932
Pockrandt, W. Electronic mileage counter 87−79185
Pocock, A. Security alarm systems 86−23342
Pocock, D. *see* Paik, C. 88−53699
Pocock, D.N., Luke, C.A. Infrared imaging sensors for long-range target recognition 88−22658
Pocock, R.A. Communicating in the global office 88−66966
Pocock, R.E. Safe and efficient combustion control requires selecting the right sensors 86−60217
Pocock, S. Distance and bearing programs for the ZX81, BBC-B and HP41C/V 85−30851
Pocock, S.N. Social alarm systems—aids for the elderly and handicapped 85−25323
Pocock, W., Geremia, J. Cable fire studies using the Ohio State University release rate apparatus 85−63474
Pocza, A. *see* Adams, C. 86−24743
Poczobutt, M.T., Lewin, P.A., Schafer, M.E. A computerized acoustic output acquisition system 88−10349
Poczobutt, M.T. *see* Lewin, P.A. 88−16732
Poczter, A. *see* Cerny, J.D. 88−61746

Pocztowski, G., Zielinski, G., Szibel, E., Rzepa, B., Jarzabek, B., Jurusik, J., Zdanowicz, L. Preparation, structure and some properties of Mn-doped Cd_3As_2-films 85−28236
Podaima, B.W., Hortensius, P.D., Schneider, R.D., Card, H.C., McLeod, R.D. CALBO−cellular automaton logic block observation 87−44809
Podamsky, A. Determining nonlinear distortions of color TV signals 86−30952
Podany, M.E. *see* Sitterle, J.J. 88−74970
Podaras, C. *see* Serro, F. 88−22507
Podavalova, O.P. *see* Bolotskikh, L.T. 85−12943
Podbielska, H., Kasprzak, H. Comparison of the geometrical parameters of one-lens and two-lens systems for rainbow holography 85−12998
Podbielska, H., von Bally, G., Kasprzak, H. Mechanical reaction of human skull bones to external load examined by holographic interferometry 88−42529
Podbielska, H. *see* Kasprzak, H. 85−56845, 87−54435
Podbielski, R., Moller, H.J. Electrical properties of polycrystalline silicon 86−47286
Podbielski, R. *see* Moller, H.J. 85−40432
Podbrdsky, J. Excitation coils of improved design for magnetic electron lenses 88−32736
Podbrdsky, J. *see* Filipensky, J. 85−24782
Podcameni, A. Symmetrical and asymmetrical edge-coupled-line impedance transformers with a prescribed insertion loss design 86−41290
Podcameni, A., Conrado, L.F.M. A new approach for the design of microwave oscillators and filters using dielectric resonators 86−14484
Podcameni, A., Conrado, L.F.M. Design of microwave oscillators and filters using transmission-mode dielectric resonators coupled to microstrip lines 86−27582
Podcameni, A., Mosso, M., Dias de Macedo Filho, A. Dielectric overlay compensated slotline printed antennas 88−34456
Podchernyaeva, I.A. *see* Kovalenko, V.S. 88−65924
Podczerwinski, C. Computer-aided approaches to piping and support design [nuclear power plants] 86−32965
Poddar, D.R. *see* Lier, E. 85−7731
Poddar, D.R. *see* Sanyal, S.A. 88−66225
Poddar, M. *see* Caleb Dhanasekaran, P. 85−41577
Poddar, M. *see* Dhanasekaran, P.C. 85−38317
Poddel'skiy, N.P. *see* Gorshkova, E.Z. 86−22671
Poddig, R. *see* Last, R. 85−45211
Poddubnyi, V.N. *see* Ovcharenko, L.A. 87−55948
Podejko, J. *see* Borzycki, K. 87−76782
Podejko, J. *see* Kowar, J. 87−74763
Podell, A., Lockie, D. Testing monolithic GaAs MMIC circuits 88−38745
Podell, A., Lockie, D., Moghe, S. Practical GaAs ICs designed for microwave subsystems 87−999
Podell, A., Moghe, S., Lockie, D., Ali, F. GaAs real estate: making the most efficient use of semiconductor surface area 88−19372
Podell, A. *see* Ali, F. 88−19370, 88−71115
Podell, A. *see* Benton, R. 87−37581
Podell, A. *see* Ferguson, D. 85−1050
Podell, A. *see* Genin, R. 87−32091
Podell, A. *see* Jamison, S. 85−61471
Podell, A. *see* Lockie, D. 87−998
Podell, A. *see* Ramachandran, R. 87−59882, 88−63949
Podell, A. *see* Trubitt, D. 85−10937
Podell, A. *see* Turner, E. 88−63948
Podell, A.F. GaAs MMICs−getting those system insertions 88−19397
Podell, A.F., Nelson, W.W. High volume, low cost, MMIC receiver front end 86−67507
Podell, A.F. *see* Andrews, J.E. 88−71071
Podell, A.F. *see* Ramachandran, R. 88−25452, 88−25476
Podelpetskiy, B.I. *see* Kvitka, A.A. 86−42850
Podemski, A. Correction of nonlinear amplitude distortions of TV signals 85−47673
Podemski, A. Correction of differential phase distortions 86−60003
Podenas, D. *see* Varanavichyus, A. 87−54277
Podest, M. *see* Konstantinov, L.V. 86−51321
Podest, M. *see* Novak, S. 88−55116
Podesta, C. *(editor)* Rapid Transport Systems. From Feasibility Studies to Operation 87−10037
Podesta, O.A., Rovira, C.E. Latest advances in electronic instrumentation 85−26210
Podgaiskii, A.G. *see* Astapkovich, K.F. 86−37621
Podgornik, R.G. *see* Leopold, M.M. 87−12466
Podgorny, P. Telephone as computer terminal 86−4382
Podgornyi, E.V. Probabilistic characteristics of aperiodic currents in relay protection networks as a function of switching phase 88−10904
Podgornyi, E.V., Malyi, A.P., Nudel'man, G.S. A comparative analysis of the technical level of measuring current relays 87−37625
Podgornyi, E.V., Rybalkin, A.D., Nudel'man, G.S. Characteristics of currents applied to measurement elements of zero-sequence protection apparatus 88−30414
Podgornyi, E.V., Tsygulev, N.I. Calculating three-phase short circuits when phase unbalance is present 88−30407
Podgornyy, V.I., Batygov, S.Kh., Lomanova, Ye.Ye. Investigation of the thermionic emission and optical transmission of yttrium oxide single crystals 86−27785
Podgornyy, V.I., Kul'varskaya, B.S. Investigation of the thermionic emission of an oxide cathode with a solid oxygen-containing electrolyte as substrate 86−27784
Podgorsak, E.B. *see* Fallone, B.G. 85−29386
Podgorsak, E.B. *see* Heese, R.N. 86−38698
Podgorsak, E.B. *see* Pike, B. 88−10449
Podgorska, M. Properties of the chain of simple group-homogeneous replacement 86−66682
Podgorski, A. Application of coreless transformers with new generation electronic integrators for measuring high AC currents 85−58798
Podgorski, A. A method for evaluating the values of capacitors and resistors needed for setting the standard values of rated TRV represented by two parameters 86−56865
Podgorski, A. On the novel principle of determining small values of the power factor of short-circuit test circuits 88−49500
Podgorski, A., Zalewski, S. System for checking the performance of switchgear during a mechanical endurance test 88−37338
Podgorski, A. *see* Landheer, D. 87−74862
Podgorski, A. *see* Morawski, R.Z. 85−37464
Podgorski, A.S. Three dimensional modelling of HV systems 85−13024
Podgorski, A.S. Measurements of transients in high-voltage systems 86−38472
Podgorski, A.S. A new system for measurement of lightning currents on towers 86−60943
Podgorski, A.S., Landt, J.A. Numerical analysis of the lightning-CN tower interaction 86−15921
Podgorski, A.S., Podgorski, E.M. Lightning and NEMP protection of HF and VHF antennas−numerical simulation 87−26965
Podgorski, E.M. *see* Podgorski, A.S. 87−26965
Podgurski, R. Solder-wave soldering of SMDs 87−5113
Podhajecky, P., Klapste, B., Novak, P., Mrha, J., Moshtev, R., Manev, V., Nassalevska, A. The influence of preparation conditions on the electrochemical behaviour of CuO in a Li/CuO cell 85−44150
Podhajecky, P., Scrosati, B. Copper oxide cathodes for lithium organic electrolyte batteries 86−45636
Podhajecky, P. *see* Novak, P. 86−6972
Podhovsky, V., Stefanik, J. Design of ARC filters with identical functional blocks 85−39961
Podilchuk, C.I. *see* Mammone, J. 88−41073
Podilchuk, C.I. *see* Mammone, R.J. 88−8786, 88−41110
Podini, P. *see* Reverberi, R. 86−24793
Podkatov, V.I. *see* Arbuzov, A.I. 88−24970
Podkolodnyi, E.S., Fesenko, M.N., Bandurin, V.V., Samusev, V.V., Kapelinskii, A.V. Dynamic characteristics of rectifier generator with exciter 86−39853
Podkolzin, A.Z. Design of maximum speed digital functional devices 86−14168
Podkopaev, B.P., Shumskii, A.E. Adaptable automata structures based on shift registers 85−6267
Podkopaev, K.P., Taranenko, S.T., Shonin, L.N., Makarov, Yu.M., Ershova, O.N. A method of standardizing and analyzing the components of the weighted mean error of a water meter 87−35239
Podkopaev, N.N. *see* Roitman, M.S. 85−58788
Podkovyrov, V.G. *see* Basov, G.F. 86−46621
Podkrajsek, V. Asynchronous generators 85−21631
Podkrajsek, V., Jaksic, Z., Pihir, V., Polak, J. DC electromagnetic brakes of the series 3K1 85−21905
Podkrajsek, V., Srb, N. The electromechanical equipment of small hydroelectric generating sets 86−6595
Podkrajsek, V., Srb, N. Asynchronous generators 86−45402
Podladchikov, V.N. *see* Petrenko, A.I. 87−399, 87−10549
Podlasov, S.A., Sidyakin, V.G. Some electrically active centers in cubic silicon carbide 87−6391
Podlazov, L.N. *see* Adamov, E.O. 88−30510
Podlazov, L.N. *see* Emel'yanov, I.Ya. 86−32976, 86−61224
Podlazov, V.S., Yalkapov, P.Ya. Estimating the reliability of information in small local computer networks 87−62591
Podlejski, K. The optimization problem of digital reading fields 86−44182
Podlejski, K., Myszkowski, R. Device for the visualization of multiparameter measurement information 85−58493
Podlejski, K. *see* Myszkowski, R. 85−33720, 86−44081
Podlepetskii, B.I., Fomenko, S.V. A method of increasing the sensitivity of an ion-concentration sensor 88−29326
Podlesak, J. Mean power estimation with a recursive filter [radar signals] 87−47640
Podlesak, M., Lee, A.R. A photovoltaic detector for string vibration measurement 86−60226
Podlesak, T.F. *see* Clark, G.S. 87−43064
Podlesnik, B. *see* Zlahtic, F. 85−9419
Podlesnik, D. *see* Gilgen, H.H. 85−50444
Podlesnik, D.V., Gilgen, H.H., Osgood, R.M., Jr. Deep-ultraviolet induced wet etching of GaAs 85−1497
Podlesnik, D.V., Gilgen, H.H., Osgood, R.M. Deep-UV, light-assisted, wet etching of compound semiconductors 85−50447
Podlesnik, D.V., Gilgen, H.H., Osgood, R.M., Jr. Waveguiding effects in laser-induced aqueous etching of semiconductors 86−35571
Podlesnik, D.V., Gilgen, H.H., Willner, A.E., Osgood, R.M., Jr. Interaction of deep-ultraviolet laser light with GaAs surfaces in aqueous solutions 86−54190
Podlesnik, D.V. *see* Schmidt, M.T. 88−64321
Podlesnik, D.V. *see* Willner, A.E. 88−33073
Podlesnik, D.V. *see* Yu, C.F. 88−19810, 88−39235
Podlipenko, Yu.K. *see* Bilenko, V.I. 86−40689
Podlozhenov, Yu.A., Rutshtein, L.M., Selyutin, O.N. Automated system for checking and adjusting of hybrid integrated circuits 87−45468
Podlyagin, V.A. *see* Zaitsev, A.P. 88−5947
Podmaniczky, A., Barabas, M. Microinterferometric method for relative diameter measurement of optical fibres 85−50964
Podmaniczky, A., Barabas, M., Markus, A. Micro-interferometric method for relative diameter measurement of optical fibres 88−60910
Podmaniczky, A., Tokes, S.B. A multi-beam laser film plotter 85−56917
Podmaniczky, A. *see* Barabas, M. 85−56341
Podmar'kov, Yu.P. *see* Bashkin, A.S. 87−33102
Podmiotko, W. Current-voltage characteristics of narrow-channel MOS transistors 85−1594
Podmiotko, W.J., Bakowski, A. A mixed CMOS-DMOS-JFET technology for switching circuits with high voltage output stages 87−38544
Podmore, R. *see* Anderson, M.D. 87−43
Podmoshenskii, I.V. *see* Lavrentyuk, V.E. 87−26288, 87−46772
Podmurnaya, O.A. *see* Dubovikov, N.I. 86−55902
Podnar, I. *see* Lesan, B. 88−30944
Podnebesnov, V.V. Deformation transfer in cemented high-temperature strain gauges 85−58675
Podnebesnov, V.V., Dubinin, E.F., Il'inskaya, L.S. Evaluation of the errors of strain reproduction in life tests of high-temperature tensoresistors 88−53888
Podnebesnov, V.V. *see* Il'inskaya, L.S. 85−47955
Podney, W.N. *see* Czipott, P.V. 87−77832
Podobas, J. Technique and vacuum technology in production of generation tubes and semiconductors 85−1226
Podobed, D.P. *see* Voroshilov, I.A. 86−32799
Podobedov, E.G. *see* Krailin, V.F. 86−39926
Podogov, Yu.L. *see* Artemyev, A.N. 88−10229
Podola, N.V., Gavrish, V.S., Romanyuk, I.V. An automatic system based on an Elektronika-60 microcomputer for experimental research into microspot welding 87−10146
Podola, N.V., Krivonos, V.P., Grabchev, B.L. A new control system for the K-190P rail flash welding machine 85−32845
Podola, N.V., Rudenko, P.M., Kobylin, A.M., Karapata, P.A. An automatic control system for the argon TIG welding of nonrotatable butt joints in tubes 87−79242
Podola, N.V. *see* Gavrish, V.S. 85−53968
Podoleanu, A. *see* Cristescu, C.P. 86−68430
Podoleanu, A.G., Popescu, I.M. Theoretical study on the mode-locking regime obtained by the variation of the length of the passive cavity coupled with the laser cavity 86−3244
Podoleanu, A.G., Popescu, I.M., Dumitru, M.A., Plosceanu, L. He-Ne laser bistable device with liquid crystal in the coupled cavity 85−56812
Podoleanu, A.G., Sterian, P.E., Popescu, I.M. Laser pulse generator 87−75017
Podoleanu, A.G. *see* Sterian, P.E. 88−72398
Podoleanu, A.Gh. *see* Catuneanu, V.M. 86−3055
Podoleanu, A.Gh. *see* Popescu, I.M. 86−3054
Podoletz, G. *see* Olaszy, G. 87−14048, 87−27231
Podoloff, R.M., Seering, W.P., Hunter, B. An accuracy test procedure for robotic manipulators utilizing a vision based, 3-D position sensing system 85−3907
Podol'skaya, G.V. *see* Aronshtam, Yu.L. 85−40959
Podolski, M. *see* Macfarlane, P.W. 85−26770
Podolski, W.F. *see* Henry, R.F. 86−3455
Podol'skii, L.Z. *see* Kononenko, V.I. 87−45042
Podol'skii, M.R. Computer-aided functional block optimization of electronic circuits 87−36879
Podol'skii, V.V. *see* Bletkin, N.P. 86−25991
Podol'skii, V.V. *see* Pikul'skii, V.A. 86−61459
Podol'skiy, L.Z. *see* Kononenko, V.I. 85−34054
Podolsky, D. Technology for the TEMEX pilot test in Munich 86−43494
Podolsky, G. The effect of annealing on the structure of cobalt modified iron oxide particles. II 87−46333

Podolsky, J., Malat, V. On the problems of solar radiation concentrators 85−27669
Podol'tsev, A.D., Chemeris, V.T. Rapid extraction of magnetic energy from massive current-carrying conductors forming a two-conductor line 87−6166
Podoltsev, A.D., Petukhov, I.S. Power characteristics and parameters of the pulse of a compression alternator operating on an ohmic load 85−60158
Podol'tsev, A.D., Pignastii, S.S. Influence of skin effect on energetic characteristics of an iron-free pulse transformer 86−1419
Podol'tsev, A.D. *see* Abashina, I.N. 86−48548
Podol'tsev, A.D. *see* Chemeris, V.T. 85−56980, 85−65378, 88−17527, 88−65966
Podol'tsev, A.D. *see* Kucheryavaya, I.N. 87−30629
Podolyak, E.E. *see* Burlakov, M.V. 86−52334
Podolyak, E.R. *see* Bogomolov, G.D. 86−60599
Podolyan, V.A. *see* Domrachev, V.G. 85−61403, 86−8321, 87−2443
Podolyanchuk, S.P. *see* Dovgy, Ya.-O. 88−40148
Podoprigora, L.V. *see* Volkov, I.V. 87−78780
Podor, B. On the temperature dependence of the $1/f$ noise Hooge parameter α_H in n-channel silicon JFETs 87−18127
Podor, B., Ogunkoya, K.O., Williams, V.A. A simple Al-thin SiO_2-pSi MIS solar cell 87−74281
Podor, B. *see* Kazi, K. 88−56981
Podowski, M.Z. *see* Kasprzak, S. 86−65882
Podporkin, G.V. *see* Aleksandrov, G.N. 86−25610, 86−65725, 86−65757, 87−21950, 87−64181
Podporkyn, G.V. *see* Alexandrov, G.N. 86−51056
Podrebarac, M.L. *see* Dirilten, H. 85−52218
Podrouzek, J. Seismic tests of Czechoslovak nuclear power plants 85−38624
Podrugina, V.D. *see* Kurova, I.A. 86−63715
Podsekin, A.K. *see* Zaitsev, V.N. 86−27168
Podshivalin, N.V. *see* Lyamets, Yu.Ya. 87−9205, 87−50873
Podshivalov, A.A. *see* Egorov, K.D. 87−19002
Podshivalov, A.A. *see* Kovrigin, A.I. 85−41361, 85−46353
Podshivalov, A.A. *see* Kovryghin, A.I. 85−35713
Podshivalov, A.A. *see* Nekhaenko, V.A. 86−68418
Podshivalov, A.A. *see* Vysloukh, V.A. 86−63771
Podshivalov, A.B. An automated system for the operational control of locomotive and locomotive crew deployment on the Soviet Railways (SZD) 88−18165
Podshivalov, A.Yu. *see* Gal'perovich, D.Ya. 86−37692
Podshivalov, V.N. *see* Borodkin, A.I. 88−71039
Podshivalov, V.V. *see* Osin, A.V. 87−66838
Podsosonnyi, A.S. *see* Klementov, A.D. 87−46773
Podsosov, E.V. *see* Bogdanov, V.P. 86−24758
Podstolski, H., Camisani, F. Protection for the 800 kV power system of EDELCA in Venezuela 87−15365
Podubecky, J. *see* Mach, J. 88−35871
Poduje, N., Baylies, W. Wafer geometry characterization: an overview. I 88−64368
Poduzhailo, V.G., Red'ko, V.G. Conversion of a stripe magnetic domain from the (0,2,0) state to the (1,0,0) state 88−20257
Poduzhailo, V.G., Red'ko, V.G., Serechenko, V.A., Shermergor, T.D. Physics of operation of a generator of vertical Bloch lines 87−1903
Podval'nyi, S.L., Prokhonchukov, S.R. Interface between the 'Elektronika-60' microcomputer and peripheral equipment 88−73756
Podvidz, G.L. *see* Bogod, A.B. 87−4558
Podvin, C. Illumination for visual photomask inspection 87−60548
Podvyaznikov, V.A., Chevokin, V.K. Temporal dispersion of photoelectrons in photocathodes for X-ray image converters 88−32727
Podvyaznikov, V.A. *see* Belyaev, V.K. 88−64035
Podvyaznikov, V.A. *see* Degtyareva, V.P. 88−53738
Podvyaznikov, V.A. *see* Savinov, E.P. 86−63006
Podvyaznikov, V.N. *see* Belyaev, V.K. 86−57632
Podvysotskii, Yu.S., Supe, V.V. Elements of a formalized definition of a session protocol 88−28142
Podwapinski, T. *see* Drozdzal, A. 86−18989
Podwapinski, T. *see* Dumania, J. 86−18931
Pod'yachiy, Yu.I. *see* Taran, V.I. 87−39381
Pod'yapol'skii, G.V. *see* Katsiya, K.V. 85−27874
Pod'yapol'skii, G.V. *see* Nerovnyi, V.M. 86−26436, 86−66515, 88−11518
Podzelinskii, A.V. *see* Kazakevich, O.Ya. 85−5392
Podzimek, O. D/A converter with $V=N^{-1}$ conversion 85−17541
Podzimek, O. Deformation energy under optical surfaces 88−40289
Podzimek, O., Lhota, E. Calculation of the magnetic field in a superconducting separator with cylindrical coils 85−19106
Podzimek, O., Rozprim, J. Accurate positioning mechanisms with linear stepping motors 85−21658
Podzimek, O. *see* Roubicek, O. 85−16285, 87−43702, 88−69419
Podzolov, R.G. *see* Petrov, L.P. 86−33751
Poe, B.L. *see* Franke, D. 88−35826
Poe, C.C. *see* Madaras, E.I. 87−71474
Poe, R., Gadacz, O., McHale, T. Networking in the North Pacific 88−34917
Poeata, N. *see* Pocata, A. 85−38498
Poedinchuk, A.E. *see* Koshparenok, V.N. 85−45948, 85−50030, 86−3623, 86−14458, 86−27563
Poedinchuk, A.E. *see* Lukin, K.A. 87−26897
Poedinchuk, A.E. *see* Nosich, A.I. 86−64027, 88−34370
Poehler, P.L. Digital map data compression techniques 86−18532
Poehler, T.O. *see* Potember, R.S. 87−1224, 87−53222
Poehlman, W.F.S., Pollock, R.J., McNaught, R.A. Multi-processor control of the 100 keV McMaster Mark IV sputter ion source 86−25098
Poehlman, W.F.S. *see* Wong, J. 88−61015
Poel, C.J.van der *see* van der Poel, C.J.
Poel, R.van de *see* van de Poel, R.
Poelje, O.E.van *see* van Poelje, O.E.
Poelker, J. *see* Robertson, R.S. 88−74035
Poelman, A.J., Guy, J.F.R. Polarization information utilization in primary radar: an introduction and up-date to activities at SHAPE Technical Centre 85−58183
Poelz, G. Aerogel Cherenkov counters at DESY 86−65359
Poelzleitner, W. A Hough transform method to segment images of wooden boards 87−48091
Poelzleitner, W., Meyer, A.U., Stephens, G.M. Data acquisition and modeling in clinical electro-oculography 86−11995
Poenaru, D.N., Ivascu, M., Greiner, W. Half lives for the spontaneous emission of heavy ions from atomic nuclei 87−14781
Poensgen, Th. *see* Schonbucher, B. 87−57894
Poeppel, F.C. *see* Fee, D.C. 87−43413
Poeppel, R.B. *see* Delayen, J.R. 88−39852
Poeschel, R.L. Ion propulsion for communications satellites 85−31922
Poeschel, R.L. *see* Beattie, J.R. 85−31948
Poeschel, R.L. *see* Dulgeroff, C.R. 85−31918
Poesio, M., Rullent, C. Modified caseframe parsing for speech understanding systems 88−59085
Poetsch, D. Recent improvements of television picture quality from film 85−3763
Poetsch, D. System approaches to HDTV telecine 87−13932
Poetzl, H. *see* Budil, M. 88−1338, 88−7300
Poey, P., Dubost, G., Bahram, M., Guigue, P.L. Analysis of microstrip slot antenna with large bandwidth 88−27605
Poey, P., Guigue, P.L. Determination of the current distribution on a bidimensional infinite periodic structure of thin metallic wires using the method of the singular integral equation 87−39351
Poezd, A.D., Poezd, E.D., Reznikov, A.E., Fiala, V. Method for numerical computing of wave fields of sources in nonuniform media 88−40571
Poezd, A.D. *see* Afonin, A.M. 86−47232, 88−1325
Poezd, A.D. *see* Maikov, A.R. 87−53116, 87−73348
Poezd, E.D. *see* Maikov, A.R. 87−53116
Poezd, E.D. *see* Poezd, A.D. 88−40571
Pofahl, E. *see* Winnewisser, G. 87−13805
Poffel, W. *see* Mank, G. 88−74736
Poffenberger, P.R. *see* Abegg, R. 85−37899
Poffet, P., Osseni, R. PM generator for micro hydraulic turbine 87−22164
Poffet, P. *see* Jufer, M. 87−42877, 88−17636
Poffijn, A. *see* Janssens, A. 86−70236
Pogacnik, A. Standardization as an integrated professional function 88−18510
Pogacnik, F. *see* Sutlar, Z. 85−25320
Pogacnik, J., Jug, M. An instrument for measuring, displaying, storing, and specific data processing 86−18002
Pogacnik, L. *see* Kosmac, M. 87−15946
Pogany, A. *see* Harrison, H.B. 86−35536
Pogany, A.P., Preuss, T.E. X-ray measurements of lattice strain in doped epitaxial silicon 88−44653
Pogany, A.P. *see* Harrison, H.B. 88−39195
Pogany, A.P. *see* Lee, Y.H. 88−44541
Pogany, A.P. *see* Li, Y.H. 87−45768
Pogany, A.P. *see* Short, K.T. 85−18208
Pogany, L. *see* Fustoss-Wegner, M. 88−20492, 88−26952
Pogany, L. *see* Khaibullin, I.B. 86−28167
Pogarev, S.V. *see* Agekyan, V.F. 85−12706
Pogarskii, S.A., Saprykin, I.I., Pet'kov, G.M., Poluyanenko, A.P. Synthesizing a directional coupler with a weak coupling based on a multimode transmission line 88−19344
Pogasyan, A.S. *see* Arutyunyan, V.M. 85−6962
Poggi, A., Reiche, M., Susi, E. Denuded zone stability in a SPAD diode as a function of outdiffusion parameters 87−60225
Poggi, A., Soncini, G., Susi, E., Pedrotti, M. Post denuded zone formation heat treatment effect in P(100) silicon 87−66886
Poggi, A., Susi, E. Effect of high carbon contents on denuded zone stability in intrinsic gettering processes 88−32985
Poggi, A. *see* Negrini, P. 86−21105
Poggi, A. *see* Susi, E. 88−71383
Poggi, A. *see* Tredicce, J.R. 87−2084
Poggi, G. *see* Bini, M. 85−37867
Poggi, G. *see* Bruschi, M. 88−48031
Poggi, G. *see* Gong, W.G. 88−47998
Poggi, L. Rectifier transformers zig-zag/double wye without interphase transformers 86−717
Poggi, Y. *see* Chen, J.L. 86−68044
Poggi, Y. *see* de Bellet, J.J. 87−53760
Poggi, Y. *see* Filippini, J.C. 86−68045, 87−25643
Poggio, A. *see* Garcia Luna Aceves, J.J. 85−25352
Poggio, E.C. *see* Ausherman, D.A. 85−8486
Poggio, T. MIT progress in understanding images 88−3265
Poggio, T., Voorhees, H., Yuille, A. A regularized solution to edge detection 88−59161
Poggio, T. *see* Drumheller, M. 86−59376
Poggio, T. *see* Little, J. 88−3282
Poggio, T. *see* Verri, A. 87−62327, 88−3274
Poggio, T. *see* Voorhees, H. 87−62334, 88−3279
Poggio, T. *see* Yuille, A.L. 85−46922
Poggio, T.A. *see* Torre, V. 86−48973
Poggio, T.A. *see* Yuille, A.L. 86−43306
Pogibenko, A.V. *see* Matukhnov, V.M. 86−18368
Pogliani, L. *see* Danielutti, P. 88−3412
Pogliani, L. *see* Roncatti, T. 86−64315
Pogliano, U. *see* Cabiati, F. 87−14359, 88−16221
Poglitsch, A. *see* Genzel, L. 86−5498
Poglitsch, A. *see* Kremer, F. 85−58866
Pogodin, A.A. Unequal scale models of radar-carrying craft 88−8579
Pogodin, V.I., Tikhomirov, N.P., Uvarov, A.A. Galvanomagnetic instruments for operation in cryogenic electrical-engineering installations 87−35175
Pogodin, V.I. *see* Voitelev, A.I. 88−15988
Pogodin, V.N. *see* Kurakin, A.S. 85−5134, 87−9597
Pogodin, Y.S. *see* Kozlovsky, M.Y. 85−45367
Pogorel, G. The international contagion of deregulation in telecommunications: critical study 88−21439
Pogorelov, B.V., Kistichenko, A.A. Tracking pneumatic drive for assembly robot 87−32168
Pogorelov, L.M., Lisitsyna, S.P., Byankina, N.M. A compromise equivalent circuit for a load node 88−23240
Pogorelov, L.M. *see* Moiseenko, V.I. 88−68740
Pogorelskii, N.N. *see* Kosarev, V.M. 86−9674
Pogorelskii, Yu.V. *see* Alferov, Zh.I. 86−68603
Pogorel'skii, Yu.V. *see* Arutyunov, E.N. 85−61841
Pogorelyi, A.N. *see* Vakhrushev, V.P. 87−69151
Pogorelyi, L.G. *see* Knizhnik, R.G. 87−42493, 88−42865
Pogorelyi, P.A. *see* Kotel'nikova, N.A. 85−35381
Pogorilko, G.A. *see* Beril, S.I. 85−61727
Pogortzelski, R.J., Mallery, D.C. Complex polynomial phase integration 85−54375
Pogorzelska, J. Reliability and ageing of ceramic capacitors 88−12631
Pogorzelski, R.J. Comments on 'On expansion of cylindrical Bessel function' by M.M. Narasimhan and S. Christopher 85−44580
Pogorzelski, R.J. Quadratic phase integration using a Chebyshev expansion 85−46517
Pogorzelski, R.J. The Ludwig integration algorithm for triangular subregions 85−49507
Pogorzelski, R.J. *see* Rusch, W.V.T. 86−68698
Pogosov, A.G. *see* Frantsuzov, A.A. 87−1331
Pogosov, A.Yu. High-speed parallel-series analog-digital converter 88−35907
Pogosov, A.Yu., Polonnikov, D.E. Improving the speed of integrated-circuit successive-approximation precision analog-to-digital converters 87−59647
Pogosov, A.Yu. *see* Danilov, A.A. 88−35909
Pogosov, O.K. *see* Martynov, A.A. 87−74690, 88−58199
Pogosov, V.G. Possibility of using isostatic cold pressing to make piezoceramic elements 86−28555
Pogosov, V.S. *see* Akopova, A.B. 87−29602
Pogosova, L.I. *see* Shigorin, V.P. 86−24671
Pogossyan, E.S. *see* Laziev, E.M. 86−31804
Pogostin, V.M. *see* Gurin, V.V. 88−69449
Pogostkin, L.S. *see* Britik, V.I. 88−26925
Pogosyan, A.S. *see* Abovyan, E.S. 88−62762
Pogosyan, A.S. *see* Moshchinskii, Yu.A. 86−6704
Pogosyan, A.S. *see* Yuferov, F.M. 86−39733
Pogosyan, N.L. *see* Karapetyan, M.M. 87−66576
Pogosyan, P.D. *see* Avetisyan, Yu.O. 86−9919
Pogosyan, T.A. Errors in analysing electromechanical transients in power systems 85−32062
Pogosyan, T.A. Calculation methods for long electromechanical transients [power systems] 85−43523

Pogosyan, T.A. Stability of numerical methods for integrating differential equations in the solution of power-engineering problems 87−4219
Pogosyan, T.A. Choosing mathematical models and numerical methods of integration for analysing the stability of a power system 88−17035
Pogosyan, T.A. *see* Pogosyan, Ya.M. 86−28695
Pogosyan, T.A. *see* Venikov, V.A. 85−64804, 86−12239, 86−50775
Pogosyan, Ya.M., Ovsepyan, A.K., Olikyan, E.A. Lorentz-microscopic image of nonuniform magnetic fields of heads 87−46382
Pogosyan, Ya.M., Pogosyan, T.A., Ovsepyan, A.K. The magnetic field configuration at the surface of a magnetic head 86−28695
Pogosyan, Zh.T. Design of multipole high-frequency motors for a given level of vibration, using the winding quality index as a criterion 87−78667
Pogosyan, Zh.T. Optimization of vibration damping parameters of supports of electrical machines 88−17516
Pogozhev, V.A. *see* Kolotov, O.S. 87−18775, 87−59268, 88−42255
Pogran, K.T., Michel, A. A packet-switched overlay for tactical multi-channel and satellite systems 88−22044
Pogrebenko, S.V. *see* Armand, N.A. 86−37388
Pogrebenko, S.V. *see* Gurvits, L.I. 85−58261
Pogrebenko, S.V. *see* Preston, R.A. 86−55400
Pogrebinskii, E.L. Method for modeling the actual operational load spectrum in the laboratory 88−63407
Pogrebitskii, K.Yu. *see* Alferov, Zh.I. 87−58944
Pogrebitskii, K.Yu. *see* Andreev, V.M. 87−31534
Pogrebnjak, A.D., Vorobiev, S.A. Improvement of semiconductor detector characteristics during supercurrent proton irradiation 85−31688
Pogrebnoi, M.V. *see* Gavrish, V.S. 85−53968
Pogrebnyak, V.A. *see* Gorbatyuk, I.N. 85−28970
Pogrebnyak, V.A. *see* Vakser, A.I. 86−35311
Pogribnoi, V.A. Cross-correlator with symmetrical shifts 85−51606
Pogribnoi, V.A. Technique for construction of correlators with delta-modulation 86−43124
Pogribnoi, V.A., Rozhankovskii, I.V. Procedure for determining noise-resistance of multiple-channel combined-balancing analogue-digital converter 85−45122
Pogribnoi, V.A., Timchenko, A.V. A method of designing nonrecursive digital filters with delta modulation 87−52744
Pogribnoi, V.A., Yakovlev, V.P. Realization of the discrete Fourier transform with delta modulation 87−44272
Pogribnoi, V.A., Yavorskii, B.I. Recursive digital filters with delta modulation 87−24340
Pogribnoi, V.A. *see* Kutsenko, O.K. 86−70361
Pogribnoi, V.A. *see* Magin, I.D. 88−35906
Pogribnoy, V.A. Series-operating digital filters with PCM and delta modulation 86−35014
Pogribnoy, V.A. Linear delta modulation in pulse-code modulation signal-processing systems 86−37062
Pogribnoy, V.A. The use of variable delta modulation in digital filtering and correlation analysis 87−19711
Pogribnoy, V.A. *see* Blazhkevich, B.I. 87−3502
Pogson, J. Energy saving by inverters 86−66147
Pogudin, A.I., Ivzhenko, G.D. A noise-immune current pulse shaper 87−44709
Pogue, E.W., Buskirk, F.R. Cavity-coupling investigation for the PHERMEX 50 MHz RF accelerator 86−31993
Pogue, L. Five external modems designed to keep educators talking: buyer's guide 87−55873
Pogue, S.D. *see* Hasenbeck, G.T. 86−39150
Poh, B.S. Refractive index to gain derivative ratio in GaAs/GaAlAs semiconductor injection lasers 85−2333
Poh, B.S. Prediction of self-sustained oscillations in buried-heterostructure stripe lasers 85−24573
Poh, B.S. Kinks and near-field shifts intrinsic to semiconductor striped lasers 88−14206
Poh, B.S. Effect of stripewidth on severity of kinks in semiconductor injection lasers 88−14207
Poh, B.S., Poh, L.K., Yap, C.L. Stability analysis of a laser model for buried heterostructure stripe lasers 85−56645
Poh, B.S. *see* Yap, C.L. 85−2326
Poh, L.K. *see* Poh, B.S. 85−56645
Pohanka, R.C. *see* Jackson, K.A. *(editor)* 87−23022
Poher, C., Delaplace, J. French research into electro-nuclear generators for use in space 87−77789
Poher, C., Delaplace, J. Space electronuclear generators studies in France 88−10488
Poher, C. *see* Delaplace, J. 87−63888
Pohjavirta, A. *see* Eriksson, J.-T. 88−62697
Pohjolainen, O. *see* Tanttu, M. 85−44113
Pohl, A., Muller, D., Fischer, B. Numerical parameter determination of electromagnetic power converters 87−78761
Pohl, A. *see* Budig, P.-K. 87−22200
Pohl, A. *see* Frankenstein, B. 87−35754
Pohl, D.W. Dynamic piezoelectric translation devices 87−25738
Pohl, D.W., Gimzewski, J.K., Humbert, A., Veprek, S. Surface topography studies of nanocrystalline Si by STM 87−11339
Pohl, D.W. *see* Muralt, P. 87−12006, 87−53229
Pohl, G., Schmid, H.J. Producing and jointly processing base laminates for multilayer printed circuit cards 85−45324
Pohl, H.A. Giant polarization in high polymers 86−63478
Pohl, H.A. Superdielectric polymers 87−18358
Pohl, J., Hunicke, U.-D. Application of ultrasonic waves which travel along phase boundaries in materials testing 85−44823
Pohl, J. *see* Dolezal, Z. 88−24217
Pohl, J.P., Schlechtriemen, G.L. Concentration, mobility and thermodynamic behaviour of the quasi-free electrons in lead dioxide 85−5362
Pohl, J.P., Scholz, W. Electrochemical investigations on the stationary and non-stationary behaviour of the PbO_2 electrode 86−45632
Pohl, K.-H. The X25 networks: the point of view of a user 85−30722
Pohl, K.D., L'Esperance, L.D., Jang, S.J., Sanchez, J. Transmission properties of graded-index triple-clad single-mode fiber for 1.55-μm system operation 85−62314
Pohl, K.P. *see* Sparks, R.J. 85−20856
Pohl, L.A. *see* Menkes, H.E. 85−65021, 85−65342
Pohl, M. Dead beat controller design for a water power plant 88−75495
Pohl, M. *see* Anderhub, H. 87−21420, 88−22984, 88−29843
Pohl, M. *see* Fasol, K.H. 88−17425
Pohl, M. *see* Tasevski, M. 88−29403
Pohl, R.O. *see* Swartz, E.T. 88−26367
Pohl, V., Tolksdorf, D. Comparison of various methods for the obtainment of a mode equilibrium distribution in gradient-section optical waveguides 87−25993
Pohl, W.-D. Ramjet development for missile propulsion 88−74944
Pohl, W.C., Sobottke, M.D. Design of helium-neon optical systems for construction and agricultural leveling and alignment instruments 88−33955
Pohl, Z. Usefulness of criteria modification for ground classification into pollution areas and for insulator selection [power system protection] 85−21248
Pohl, Z. More about anti-soiling insulators 88−75208
Pohl, Z., Kaminski, Z. The effect of the use of sulphur cement for insulator assembly on the mechanical properties 87−15341
Pohl, Z., Winkler, J. Insulators made of plastics for Polish EHV overhead lines 88−75196
Pohl, Z. *see* Chrzan, K. 86−65736
Pohlack, H. Optically enhanced Schottky barrier photodetectors for IR image sensor application 87−14339
Pohlchen, R. *see* Malavasi, G. 86−42184, 87−67986
Pohlchen, R. *see* Salpietro, E. 87−67983
Pohle, U. Wideband communication in the ISDN−experience from BIGFON project 85−47110
Pohlenz, M.H. *see* Ohtomo, R.H. 85−50164
Pohlenz, O., Hagemann, J.R., Jotten, G., Possel, E., Leichtle, P., Ochmann, R. A computerized automatic exposure system 85−4296
Pohlenz, O. *see* Broemel, T. 88−16698
Pohler, S. *see* Bammert, U. 88−39764
Pohlers, H., Altenburger, G., Brey, W. Ten years of teaching and research in the field of optical fibre communications at the Wismar Engineering College 88−49416
Pohlers, H., Frenz, H.-P. Influencing reflection loss at fibre optic connections 87−25990
Pohley, T. Hardware simulator for evaluating the reliability of technical systems 87−23422
Pohlig, K. *see* Chudyk, W. 87−63980
Pohlig, S.C. Hybrid adaptive feedback nulling in the presence of channel mismatch 88−66567
Pohlman, J.C. Footings tested with towers at TLMRF 86−18861
Pohlman, J.C. *see* Havard, D.G. 87−71722
Pohlmann, E. Electromobile drive and control 87−43572
Pohlmann, H. Satellite communication−user experience 86−37860
Pohlmann, H., Wassermeier, M., Kotthaus, J.P. Dynamic magnetoconductivity of inversion electrons in periodic MOS-microstructures on Si 87−17819
Pohlmann, H. *see* Conrad, K.-H. 86−32801
Pohlmann, H. *see* Wassermeier, M. 88−19763
Pohlmann, K. Studer Digital: a prototype recorder 85−26129
Pohlmann, K.C. The compact disc formats: technology and applications 88−53497
Pohlmann, L.D., Dickey, F.J. Avionics as an expert system domain 85−9306
Pohlmann, L.D., Marks, P.S., Fehling, M.R. The Crew Station Information Manager: an avionics expert system 86−12081
Pohlmann, L.D., Payne, J.R. Pilot's Associate Demonstration one: a look back and ahead 86−70499
Pohlmann, L.D., Payne, J.R. Pilots's Associate Demonstration One 88−74911
Pohlmann, N. *see* Jansen, H. 86−3775
Pohlmann, T., Neyer, A., Vages, E. Ti:$LiNbO_3$ interferometric activated X-switch for high-speed applications: IAX 88−45216
Pohlmann, T. *see* Neyer, A. 88−1973
Pohls, A., Roth, W. User-friendly CAD tools for microelectronics development 86−629
Pohls, A., Roth, W. An example for system design with gate arrays−user experiences 87−17055
Pohm, A.V., Comstock, C.S. 0.075, 1.25 and 2.0 μm wide M-R transducers 86−36031
Pohm, A.V., Comstock, C.S., Pearey, L. Magnetization in minimum geometry M-R heads with multilayer films 85−24142
Pohm, A.V., Daughton, J.M., Comstock, C.S., Hah Young Yoo, Jae Hur Threshold properties of 1, 2 and 4 μm multilayer magneto-resistive memory cells 88−58007
Pohm, A.V., Movall, P., Comstock, C.S. Signal-noise performance of 1-4-μm-wide multilayer *M-R* transducers 87−70572
Pohm, A.V. *see* Comstock, C.S. 87−67762, 88−64977
Pohm, A.V. *see* Gopal, S.H. 87−25812
Pohm, A.V. *see* Hur, J.H. 88−71897
Pohm, A.V. *see* Waite, R.I. 88−71962
Pohn, E., Stecher, M. Spectrum monitor EZM with controller function 88−53577
Pohorecky, L.A. *see* Peterson, J.T. 87−57144
Pohoryles, B. Conduction along the dislocation cores in Si 86−41730
Pohoryles, B. Tunneling transitions in silicon Schottky barriers with dislocations 87−24911
Pohoryles, B. *see* Nitecki, R. 85−18279
Pohst, M. *see* Fincke, U. 85−49498
Pohst, M. *see* Plesken, W. 86−7628
Poiana, C.D. Method for calculating the harmonic filters rating 88−56732
Poiana, C.D. Capacitor unbalance protection 88−57013
Poiani, E.L., Protomastro, G.P. A game of chance on the boardwalk 85−22307
Poiares Baptista, J.P., Zhang, Z.W., McEwan, N.J. Stability of rain-rate cumulative distributions 86−43770
Poiares Baptista, J.P.V., McEwan, N.J. Prediction of slant-path rain crosspolarisation discrimination ratio and phase using dual-polarisation radar data 85−46561
Poiares Baptista, J.P.V. *see* Watson, P.A. 87−76641
Poidevin, C.O., DiStanislao, E., Mildner, J. Leakage from biological shield cooling system in Pickering NGS A 87−50974
Poidevin, G.J.Le *see* Le Poidevin, G.J.
Poignant, H. Infrared ZrF_4 based fluoride glass optical fibres 86−9602
Poignant, H. *see* Auzel, F. 88−65616
Poignant, H. *see* Durteste, Y. 86−42316
Poikonen, L., Lahdenpera, K. In-service inspection of steam generators at Loviisa 86−61274
Poindexter, C.H. Small bites avoid indigestion: a capacity planning strategy 86−18727
Poindexter, E.H., Gerardi, G.J., Rueckel, M.-E., Caplan, P.J., Johnson, N.M., Biegelsen, D.K. Electronic traps and P_b centers at the Si/SiO_2 interface: Band-gap energy distribution 85−12022
Poindexter, E.H. *see* Biegelsen, D.K. 85−55580
Poindexter, E.H. *see* Caplan, P.J. 87−66891
Poindexter, E.H. *see* Fonash, S.J. 85−61851
Poindexter, R. Use simple circuit to program EPROMs 86−27281
Poindexter-Wilson, P.M. The 10 Ps of why we are in the videotex market 86−37422
Poinelli, R. *see* Attuati, F. 88−18479
Poingt, F. *see* Artigue, C. 87−39132
Poingt, P. *see* Artigue, C. 86−36508
Poinot, C. *see* Fleury, A. 85−59143
Poinot, C. *see* Jean, D. 87−71063
Poinsard, P. *see* Brunel, C. 86−31552
Poinsignon, J. *see* Barber, G. 87−29555
Poinsot, A., Lamalle, B., Jarek, R. A detector for maximum values 88−42027
Poinsot, A. *see* Lamalle, B. 85−48078
Point, B., Ferrant, J.L., Pressicaud, J.M., Sire, A., Decourt, R. TNE1-3G PCM system for interexchange transmission 85−3270
Point, R., Alberola, N. Build a 3-chip EKG simulator 85−34106
Pointer, C. Towards accurate logic timing analysis 87−577
Pointer, C.S. IEEE-488 systems instrumentation and applications 85−31376
Pointer, D.J. *see* Hanna, D.C. 86−68477
Pointer, D.J. *see* Ure, K.A. 87−12417
Pointer, I. Temperature measurement 86−31138
Pointer, M.R. Measuring colour rendering−a new approach 87−63543
Pointner, E. Electrical installations in Zone 2 explosion hazard areas 85−101
Pointner, E. Overload protection of electrical machines in locations subject to explosion hazards 88−23845
Pointner, M. Adapting the basic concepts of power supplies for communication systems to the circuit technologies used in these systems 86−59502

Pointner, P. *see* Bauer, J. 88–21492
Pointon, A.J. *see* Barlow, R.D. 87–63496
Pointon, C. *see* Roddis, N. 88–53219
Pointon, T.D., De Groot, J.S. Particle simulations of plasma and dielectric Cerenkov masers 88–45331
Pointon, T.D. *see* De Groot, J.S. 88–65536
Pointu, A.M. *see* Bandelier, B. 88–50444
Pointu, B. *see* Mouchart, J. 88–51875
Poiraud, C. *see* Lechaczynski, M. 85–3218
Poiret, C. *see* Daubie, E. 87–21467
Poiret, C. *see* de Clerq, C. 86–32194
Poiret, C. *see* Etienne, L. 86–25145
Poirier, A. *see* Guichard, J. 86–65056
Poirier, A. *see* Saintonge, G. 88–24688
Poirier, C.J. Excellerator: automatic leaf cell layout agent 88–26526
Poirier, D.R. *see* Demer, L.J. 87–63808
Poirier, J., Canough, G., Funk, E., Kinney, P., LoSecco, J., Mikocki, S., Rettig, T. A new method to detect gamma ray extensive air showers which directly measures angles and identifies muons 88–29819
Poirier, J.A. *see* Brun, R. 86–65335
Poirier, J.L., Murdza, G.E. An RF look-up perimeter sensor for intruder detection 86–4742
Poirier, J.P. *see* Peyronneau, J. 85–31625
Poirier, K. CATV transition to satellite delivered signals 85–47695
Poirier, K. Emergency communications potential of cable television systems 85–47702
Poirier, M., Quirion, G., Seguin, P.-E., Cheeke, J.D.N. AC impurity hopping conduction in p-InSb 86–35329
Poirier, M. *see* Caldecott, R. 88–67470
Poirier, M. *see* D'Ambrosia, D. 88–9923
Poirier, M. *see* Jouve, H. 85–46021
Poirier, M. *see* Magnin, J. 85–24210
Poirier, M. *see* Quirion, G. 87–37895
Poirier, P. *see* Trakalo, M. 88–4426
Poirier, R. *see* Baartman, R. 85–58988
Poirier, R. *see* Dohan, D. 85–59083
Poirier, R. *see* Nicholls, G. 88–54360
Poirier, R. *see* Rigaud, D. 86–58487
Poirier, R. *see* Worsham, R.E. 85–59084
Poirier, R.A. *see* Pataki, L. 86–33641
Poirier, R.H. *see* Niesz, D.E. 85–16901
Poirier, R.L., Enegren, T. Status of RF development work on a ferrite tuned amplifier cavity for the TRIUMF KAON Factory booster ring 88–42387
Poirier, R.L., Enegren, T. Status of RF development work on a ferrite tuned amplifier cavity for the TRIUMF kaon factory 88–54289
Poirier, R.L. *see* Blackmore, E.W. 85–37839
Poirier, R.N. *see* McIntosh, G.E. 88–49170
Poirier, S. *see* Rochon, G. 87–49182
Poirier, S.J. *see* McConnelee, P.A. 87–6806
Poirier, V. *see* Levine, A. 87–50420
Poirier, V. *see* Sherman, C.W. 86–65458
Poirot, F. *see* Saucier, G. 88–26468
Poiroux, R. Induction heating 85–60555
Poiroux, R. From metal casting to paper, induction, a technology which adapts to the industrial tool 87–16172
Poirson, A. *see* Watson, A.B. 87–34958
Poissard, P. *see* Drouet, M.G. 87–37781, 87–63470
Poisson, J., Gagnon, L., Gagnon, D. Via contact dry etching using a plasma low resistance photoresist 87–1440
Poisson, M.A. *see* Duchemin, J.P. 85–28256
Poisson, M.A. *see* Moy, J.P. 88–42169
Poisson Di Forte, M.A. *see* Delacourt, D. 87–54119
Poissondi Forte, M.A. *see* Delacourt, D. 87–74868
Poite-Hanoteau, E. *see* Papoff, F. 88–65814
Poitevin, H., Mathian, G., Zurletto, C., Martinuzzi, S. Dislocation enhanced gettering of polycrystalline silicon cells by aluminum 88–18081
Poitevin, H. *see* Martinuzzi, S. 87–6370, 87–66884, 88–37540
Poitevin, J.-P. The impact of research on the development of new services [telecommunications] 88–34935
Poitevin, P. *see* Roy, G. 85–27505, 86–45432
Poitou, J. *see* Alard, J.P. 88–10243
Poitras, A.E. *see* Spurling, K.L. 88–24173
Poitras, P. *see* Kocsis, A. 86–19508
Poize, M. *see* Boucher, D. 85–22600
Poize, M. *see* El Tahawy, H. 85–33838, 87–24028
Poizner, H., Wooten, E., Salot, D. Computer-graphic modeling and analysis: a portable system for tracking arm movements in three-dimensional space 87–29279
Pojares Baptista, J.P.V. *see* Fedi, F. 86–17285
Pojarkov, Ya.B. *see* Krylov, I.P. 87–54173
Pojidaev, V. *see* Celletti, F. 85–9042
Pojidaev, V. *see* Galaktionov, Yu. 87–8841
Poka, G. Special protection and automatic devices for railway electric supply 87–72497
Poka, G. New method for phase selection in effectively earthed network 88–10905
Pokala, R. *see* Bridgewater, W.F. 87–59387
Pokala, R. *see* Patel, A.G. 87–690
Pokalyakin, V.I. *see* Baru, V.G. 86–35714
Pokasov, V.V. *see* Monastyrnyi, E.A. 86–10086
Pokasov, V.V. *see* Monastyrnyy, E.A. 87–26804
Pokatilov, E.P., Fomin, V.M. Excitons in superlattices of covalent semiconductors 85–29022
Pokatilov, E.P. *see* Beril, S.I. 85–61727
Pokazan'ev, G.V. *see* Sukhorukov, Yu.P. 87–68734
Pokazan'eva, V.A. *see* Shteiner, A.L. 87–21916
PoKempner, M. *see* Rush, C.M. 86–54292
Poker, D. *see* Snyder, P.G. 86–68591
Pokerznik, V., Simon, G., Betz, G. Design and operation of resistance furnaces of the heat pipe principle 86–40299
Pokerznik, V., Simon, G., Betz, G. Continuous strip coating furnace—integration of a pressure-controlled heat pipe 86–66490
Pokhil, G.P. *see* Dvurechenskii, A.V. 85–1492
Pokhil, Yu.A., Lototskaya, V.A., Lavrent'ev, F.F., Il'ichev, V.Ya. Characteristics of plastic deformation and fracture of NT-50 cables 88–10867
Pokhil'ko, V.K. *see* Naumov, V.F. 87–22251
Pokhilyuk, A.P. Measurement of radio-frequency pulse parameters using electronic frequency counters 85–64228
Pokhilyuk, A.P., Trotsishin, I.V. Devices for wide-band-noise protection 88–16031
Pokhilyuk, A.P. *see* Goroshkova, T.V. 85–52839, 88–4579
Pokhitailo, V.N., Sprusa, V.V., Tsygankov, V.V. Testing the insulation of turbogenerator type TVV-100-4U3 86–39673
Pokhitailo, V.N. *see* Glovatskii, G.G. 86–57916
Pokhitonov, Yu.P., Alfimova, N.V., Oskolkov, I.N., Kuritsyn, A.M. A line of lighting units for marionette films and specialized film shooting 87–72581
Pokhmurskii, V.I., Gnyp, I.P., Popov, A.A., Tarasyuk, G.P., Dutsyak, I.Z., Timonin, V.M. Method aspects of autoclave cyclic crack resistance tests of compact samples 85–17022
Pokhodnya, I.K., Makarenko, V.D., Gorpenyuk, V.N., Ponomarev, V.E., Kasatkin, O.G., Taraborkin, L.A., Milichenko, S.S. Research into the special features of metal transfer and arc running stability in welding using basic-coated electrodes 85–60597
Pokhodnya, I.K., Makarenko, V.D., Gorpenyuk, V.N., Taraborkin, L.A. Relationship between short-circuiting time and mass of electrode droplets [electric welding] 85–16474
Pokhodnya, I.L. *see* Efimochkin, G.I. 86–39510
Pokhodylo, E.V., Sogolovskii, E.P., Khoma, V.V. CLR converter with enhanced noise immunity 85–47946
Pokhoriler, V.L. Optimisation of warming up of the rotor in an automated start up of a steam turbine, using an electronic computer 86–19108
Pokhoriler, V.L., Danilov, S.N., Vlasov, A.P. Improvement of startup conditions of 500 MW monoblock power units 88–69135
Pokhoriler, V.L., Katsnel'son, V.B., Kremenchugskii, V.M., Voloshin, V.M., Grigor'ev, Yu.I., Polykovskii, G.M., Uzbekov, F.K., Yampol'skii, V.B. Automated starting of an 800 MW turbogenerator 87–22206
Pokhoriler, V.L., Palei, V.A., Danilov, S.N., Fiskind, E.E. Optimising the starting modes of a 500 MW generating unit with a K-500-240-2 turbine 86–33155
Pokhoriler, V.L., Pashnin, V.M., Galimulin, N.N., Markovskii, V.M. A study of the thermal stress condition of the rotor in a PT-135/165-130/15 turbine during startup 85–4926
Pokhoriler, V.L., Shlopak, L.A. Optimization of starting conditions of K500-240-2 turbine by the use of modular computers 86–33040
Pokhoriler, V.L., Vul'for, E.E. Schemes for cooling steam turbines while shutting down 86–33134
Pokhoriler, V.L., Vul'fov, E.E., Bukhman, G.D. Improving the design of the air shut-down cooling system of turbine type K-200-130 87–9337
Pokhsraryan, K.M. Efficient excitation of parametric picosecond continuum in a LiIO$_3$ crystal 86–9962
Pokhsraryan, K.M. *see* Karmenyan, A.V. 87–39022
Pokhsraryan, K.M. *see* Petrosyan, K.B. 85–35861
Pokhvalina, L.S. *see* Adamsone, A.I. 87–67533
Pokhvalina, L.S. *see* Katsnel'son, L.Z. 87–44467
Poklad, V.P. *see* Nechaev, E.A. 87–29029
Poklemba, J.J. A joint estimator-detector for QPSK data transmission 85–57202
Poklemba, J.J. Pole-zero approximations for the raised cosine filter family 88–880
Poklemba, J.J. An all-pole approximation for the reciprocal sin $(x)/(x)$ frequency response 88–52411
Poklemba, R. *see* Karmann, D. 88–1058
Poklonov, S.V., Feofanova, N.A., Fil'chakov, V.V. The electromagnetic field and losses in a solid rotor of an induction motor 86–26040
Poklonskii, E.V. *see* Dronnik, L.M. 85–9910
Poklonskii, E.V. *see* Lifits, S.A. 86–66360
Poklonskii, N.A. Screening of the electric field in covalent crystals containing point defects 86–1659
Poklonskii, N.A. *see* Klimkovich, B.V. 86–1658, 86–21094
Pokojski, M. *see* Bruhl, B. 87–64340
Pokora, L., Zybura, A. Three-channel nitrogen laser 85–56537
Pokorny, F. *see* Bures, Z. 85–60018, 88–17257, 88–62178
Pokorny, J. The ANPS programming system 85–28786
Pokorny, J. Biological effects of microwaves and cancer treatment 86–5980
Pokorny, J., Wallmeier, H.-M. Random coding bound and codes produced by permutations for the multiple-access channel 86–29725
Pokorny, J. *see* Vrba, J. 87–77685
Pokorny, P., Horky, M. Optimisation of narrow-band anti-reflective film 86–58810
Pokorny, P. *see* Horky, M. 86–70219
Pokorny, W.F. *see* Schuster, S.E. 87–10866, 87–17079
Pokoski, J.L. *see* Walker, C.F. 85–59612
Pokotilo, I.L. *see* Koldunov, M.F. 88–70389
Pokotilovskii, Y.N. *see* Novopoltsev, M.I. 88–29928
Pokotilovskii, Yu.N. *see* Novopol'tsev, M.I. 86–60505
Pokovny, J., Skoloud, O. Digitisation of a video signal from a television camera for a microcomputer 87–70510
Pokras, A.M. *see* Kaptsov, S.N. 86–36839
Pokropivnyy, Ye.Ye. *see* Lev, A.Yu. 86–36936
Pokrovskaya, E.V. *see* Lerer, A.M. 88–27575
Pokrovskaya, M.V. ECG analysis: input-parameter and output-diagnosis specifications 88–61358
Pokrovskaya, S.V. *see* Gorokhov, E.B. 85–34658, 87–74128
Pokrovskaya, S.V. *see* Volkov, S.A. 85–34448
Pokrovskii, A.V., Samokhina, A.Ya., Goryaeva, L.I., Kitaeva, I.B. Certifying laboratories for measuring petroleum quality parameters 86–44460
Pokrovskii, A.V. *see* Alekseev, L.F. 86–34514
Pokrovskii, A.V. *see* Ziatdinov, S.I. 85–44939, 85–52791, 86–47005
Pokrovskii, F.G., Popov, V.I., Trukhanov, A.I. Use of microprocessors in ultrasonic medical diagnosis 86–38988
Pokrovskii, F.N. Quality control of integrated circuits by methods of parametric identification 86–14724
Pokrovskii, F.N. Quality control of the components of radioelectronic apparatus based on their external characteristics in the frequency domain 87–48871
Pokrovskii, K.K. *see* Gres', V.N. 86–50271
Pokrovskii, M.Yu. *see* Babak, L.I. 87–65876
Pokrovskii, O.M., Malygina, A.K. Optimizing the ozone sensing and data acquisition procedure in the northern hemisphere 88–61640
Pokrovskii, S.F., Kim En Dar, Garasova, N.F. On reduction of the level of radio interference by suspension insulators 87–15329
Pokrovskii, S.F., Kim En Dar, Novikov, A.A., Kuks, S.V. Features of the operation of glass insulators in regions of intensive industrial pollution 86–18852
Pokrovskii, S.F. *see* Novikov, A.A. 86–39186
Pokrovskii, S.F. *see* Shumilov, Yu.N. 85–21233
Pokrovskii, S.V., Popov, V.V., Soval'skaya, L.K., Kozlov, L.V., Petrov, Yu.P. High-voltage sections using semiconductor breakdown diodes of tablet structure 85–44096
Pokrovskii, S.V., Rubchinskii, A.V. Anode supply for electron-beam process installation for melting of steel ingots with vacuum breaker on direct-current side 85–44330
Pokrovskii, S.V. *see* Batrak, I.K. 85–1220
Pokrovskii, S.V. *see* Borovoi, A.I. 85–40390
Pokrovskii, S.V. *see* Gurov, A.I. 85–44345
Pokrovskii, S.V. *see* Pozdnov, V.I. 85–40391
Pokrovskii, V.P. *see* Vitrishchak, I.B. 88–65767
Pokrovskii, V.P. *see* Vladimirov, F.L. 86–36533
Pokrovskii, Yu.A. Fundamentals of the radiooptical theory of resonant and guiding quasioptical devices 85–7700
Pokrovskiy, V.I. *see* Varyukhin, V.A. 85–14381
Pokrovskiy, Yu.A. *see* Afromeyev, V.I. 87–70763, 88–63870
Pokrovskiy, Yu.O. *see* Filatov, K.V. 86–29901
Pokryska, M. *see* Hastings, R.M. 86–6636
Pokryvailo, A.D. *see* Petrov, Yu.I. 87–37607
Poksheva, J.G. *see* Pattanayak, D.N. 85–34911
Poku, I.T. Surface mounting of discrete components 86–14714
Pokuls, R., Pavlasek, T. Semi-analytical determination of specular points 87–47303
Pokusaev, B.G. *see* Evseev, A.R. 88–16118
Pokusai, V.V. *see* Bondarenko, I.N. 85–1015
Pol', A.De *see* De Pol', A.
Pol, D.Van de *see* Van de Pol, D.
Pol, H.A.J.Th. *see* Claassen, W.A.P. 87–310
Pol, H.D.Van de *see* Van de Pol, H.D.
Pol, J.A.van der *see* van der Pol, J.A.
Pol, M.De *see* De Pol, M.
Pol, S. *see* Ramana, D.V. 85–26861
Pol, V. High resolution optical lithography: a deep ultraviolet laser-based wafer stepper 87–32383

Pol, V., Bennewitz, J.H., Clemens, J.T. 0.5 μm device processing with excimer laser-based lithography 88−7530
Pol, V., Bennewitz, J.H., Escher, G.C., Feldman, M., Firtion, V.A., Jewell, T.E., Wilcomb, B.E., Clemens, J.T. Excimer laser-based lithography: a deep ultraviolet wafer stepper 87−11540
Pol, V., Bennewitz, J.H., Jewell, T.E., Peters, D.W. Excimer laser based lithography: a deep-ultraviolet wafer stepper for VLSI processing 87−60541
Pol, V. *see* Bennewitz, J.H. 87−45748
Pol, V. *see* Jewell, T.E. 88−13285
Pol', V.K. *see* Gritsenko, I.P. 85−15904
Polacek, M., Miller, S. On adaptive array performance in the main beam using a statistical criterion 86−29641
Polacek, M., Shitz, S., Bar-David, I. On FM threshold extension by click noise elimination 88−40896
Polach, H. *see* Kojola, H. 85−20866
Polach, H. *see* Rubin, M. 85−20794
Polach, H.A. Radiocarbon targets for AMS: a review of perceptions, aims and achievements 85−20792
Polack, F., Lowenthal, S., Phalippou, D., Fournet, P. High resolution image converter for soft X-ray microscopy 88−4870
Polack, F. *see* Bigler, E. 85−37896, 88−10295
Polacki, Z., Stuglik, Z. Stabilizing influence of ionizing radiation on excitation energy transfer in polystyrene scintillators 87−57037
Polaczek, A. *see* Geppart, A. 88−76047
Poladich, A.V., Strizhko, L.P., Sulima, V.S. Superconducting lead tunnel junctions with an artificial barrier 87−25896
Polaert, R. *see* Farrayre, A. 86−31243
Polak, A.J. *see* Petty-Weeks, S. 87−70852
Polak, E. On the mathematical foundations of nondifferentiable optimization in engineering design 87−43935
Polak, E. *see* Mayne, D.Q. 87−16515
Polak, G.G. *see* Kortanek, K.O. 86−23208
Polak, I., Harovnik, Z. The MONET-X2 program for design verification of integrated circuit masks, applicable to arbitrary production techniques 86−7510
Polak, J., Srb, N. Insulating materials for rotary electric motors 85−5046
Polak, J., Srb, N. Insulating materials for rotary electric motors 85−21557
Polak, J., Srb, N. Insulating materials for rotating electrical machines. II 85−60167
Polak, J. *see* Podkrajsek, V. 85−21905
Polak, J.F. *see* Mueller, S.P. 87−50270
Polak, M. Metrological aspects of the voltage-current characteristics measurements of superconducting materials 86−31556
Polak, M., Majoros, M. Influence of Cu-Ni matrix on AC losses and voltage-current characteristics of fine filament Nb-Ti superconductors 87−74544
Polak, M., Mints, R.G., Majoros, M., Hlasnik, I. Spiral superconducting Nb-Ti filaments: electric field and critical current 87−46403
Polak, M. *see* Cernusko, V. 87−67932
Polak, M. *see* Grossman, E. 85−22538, 86−58242
Polak, M. *see* Majoros, M. 88−1887
Polak, M. *see* Mirovsky, Y. 85−60380
Polak, S. Contribution to the problem of means of operation of the run-of-the-river power plants in a chain 88−23775
Polak, S., den Heijer, C. A schematic presentation of some methods for the solution of sets of linear equations 85−28180
Polak, S., Schilders, W., Driessen, M. The CURRY algorithm [semiconductor device modelling] 87−6638
Polak, S.J., Den Heijer, C., Schilders, W.H.A., Markowich, P. Semiconductor device modelling from the numerical point of view 87−45849
Polak, S.J. *see* Schilders, W.H.A. 86−42680
Polak, S.J. *see* van der Linden, W.P.M. 88−52122
Polak, V., Misak, J., Nyulassyova, M. Upgrading of safety, reliability and economy of nuclear power plants' operation 88−62032
Polak, V. *see* Misak, J. 86−19046
Polak-Dingels, P., Burdge, G., Lee, C.H., Seabaugh, A.C., Brundage, R.T., Bell, M.I., Albers, J. Investigation of photoconductive picosecond microstripline switches on self-implanted silicon on sapphire (SOS) 87−45778
Polak-Dingels, P., Hung, H.-L.A., Smith, T., Huang, H.C., Webb, K.J., Lee, C.H. On-wafer characterization of monolithic millimeter-wave integrated circuits by a picosecond optical electronic technique 88−71044
Polak-Dingels, P. *see* Butler, D. 88−63933
Polak-Dingels, P. *see* Butler, D.L. 88−25442
Polak-Dingels, P. *see* Clark, C.J. 87−45292
Polak-Dingels, P. *see* Hung, H.A. 88−25535
Polak-Dingels, P. *see* Li, M.G. 87−23984
Polak-Dingels, P. *see* Rosen, A. 88−63827
Polak-Dingles, P. *see* Clark, C.J. 87−46730
Polakas, P.A. *see* Beauchamp, N.A. 88−21868
Polakos, P. *see* Fent, J. 85−9046
Polakos, P.A. *see* White, A.E. 88−71963
Polakovic, F. Contaminants and their effect on the electroless copper process 85−61569
Polakovic, F., DiMargo, D. Determining silicon level in glass etching baths [PCB manufacture] 85−61566
Polakowski, H. *see* Nowak, M. 85−8853
Polakowski, J.R. Resistive components for surface mount 86−47100
Polakowski, J.R. Resistive components for surface mount 86−62909
Polakowski, J.R. Resistive components for surface mount 87−6170
Polan, B.A. *see* Hubelbank, M. 85−53075
Polanco, J.I., Luetchford, J.C. ISDN numbering and interworking 86−64843
Polanco, R.Romero *see* Romero Polanco, R.
Poland, J. *see* Lally, R.W. 86−44432, 87−21044
Polandov, I.N., Savinkov, A.I., Kachalov, N.P., Syrkin, L.N. Tensometric differential manometer 86−60377
Polanschutz, W. Inverse magnetostrictive effect and electromagnetic non-destructive testing methods 87−5553
Polanski, X., Bizzak, D., Gaertner, J. An application of risk-based methods to facilitate changes in problem technical specifications [nuclear power stations] 87−71838
Polansky, D. *see* Jones, T.S. 88−63418
Polansky, L. Paratactical tuning: an agenda for the use of computers in experimental intonation 87−49428
Polansky, W.M. US accelerator research program for heavy-ion fusion 88−47732
Polanyi, T.G., Woker, G.M. Dual wavelength (Nd-YAG, CO_2) laser system for surgery 87−29801
Polasek, F. New methods of cooling power cables 88−17165
Polasek, F., Nassler, J., Stulc, P. The use of heat pipes in electrical engineering. II. Applications survey 88−62300
Polasek, F., Stulc, P., Nassler, J. Use of heat pipes in electrical engineering. I. Properties and design of heat pipes from the point of view of cooling in electrical engineering 88−48857
Polasek, F. *see* Drnec, J. 88−11346
Polasek, H., Hafner, R. Analogue model of synchronous machines 87−9521
Polasko, K. *see* Nissan-Cohen, Y. 88−7535
Polasko, K. *see* Ramayarananan, R. 87−38388
Polasko, K.J., Elliott, D.J., Piwczyk, B.P. Very large scale integrated pattern registration improvement by photoablation of resist-covered alignment targets 88−39574
Polasko, K.J., Griffing, B.F. Thin silicon films used as antireflection coatings for metal coated substrates 87−11893
Polasko, K.J., Pease, R.F.W., Marinero, E.E., Cagan, M.R. Excimer laser exposure of $Ag_2Se/GeSe_2$: High contrast effects 85−34713
Polasko, K.J., Tsai, C.C., Cagan, M.R., Pease, R.F.W. Silver diffusion in $Ag_2Se/GeSe_2$ inorganic resist system 86−35521
Polasko, K.J. *see* Elliott, D.J. 88−13290
Polasko, K.J. *see* Kwasnick, R.F. 88−71769
Polasko, K.J. *see* Thomas, A. 88−13203
Polasko, K.J. *see* West, P.R. 87−38405
Polaszek, E., Sypniewski, J., Mazurkiewicz, A. Statistical method for ECG isoelectric lines plotting 85−20924
Polat, N. *see* Komjath, P. 88−49671
Polavarapu, M.S. *see* Barber, J.R. 85−29285
Polavarapu, M.S. *see* Pearson, S.D. 85−29218
Polazhinets, N.V. *see* Bletskan, D.I. 86−47335
Polbennikov, E.E. *see* Gubrienko, K.I. 88−16575
Polcari, M. *see* Rishton, S.A. 88−39716
Polcari, M.R. *see* Chen, T.C. 88−13346
Polcari, M.R. *see* Danner, D.A. 87−17999
Polcari, M.R. *see* Davari, B. 88−7615
Polcari, M.R. *see* Lai, F.J. 87−1743
Polcari, M.R. *see* Lai, F.S. 86−47854
Polcari, M.R. *see* Moy, D. 88−39368
Polcari, M.R. *see* Ng, H.Y. 87−67126
Polcari, M.R. *see* Sai-Halasz, G.A. 88−1654
Polcaro, V.F. *see* Baker, R.E. 85−31769
Polcer, J. *see* Dawson, B.E. 87−65005
Polcer, J. *see* Salyk, O. 88−24781
Polchai, A., Hsu, C.S. Domain of stability of synchronous generators by a cell mapping approach 85−53680
Polchlopek, S. *see* Nespor, J.F. 88−1036
Polcyn, T., Anderson, P., Brann, T. The basics of differential phase shift keying and 2400 baud packet 86−69497
Polcyn, T. *see* Anderson, P. 86−69498
Polczynski, C.E. Applications of wavelength division multiplexing (WDM) and time division multiplexing (TDM) to aircraft data links 85−42570
Polczynski, C.E. Intra-aircraft fiber optic communication system 88−28918
Polczynski, C.E., Duck, G. Applications of wavelength-division multiplexing and time-division multiplexing to aircraft data links 86−23864
Polden, J.R. Add on components and attachment methods [for thick-film hybrids] 85−23295
Polden, N.R.P. *see* Moberly, R.V. 85−51924
Polder, L.J.van de *see* van de Polder, L.J.
Pole-Baker, M.E. Printed circuits−origins and development. III 85−11738
Polednik, B. *see* Burek, R. 86−70254
Polek, A.M. *see* Fel'dman, B.Kh. 85−11321
Polenik, G. Reversing rolling mill motor with the most efficient operation in Austria−construction concept 85−32504
Polenske, E.E. *see* Kou, A.H. 85−38030
Polenta, H.P., Ray, A. Implementation and testing of a microcomputer-based fault detection system 86−55541
Polenta, H.P., Ray, A. Microcomputer-based fault detection using redundant sensors 87−41351
Polenta, H.P., Ray, A., Menadier, P.T., Benard, J.A., Lanning, D.D. Implementation of a fault detection procedure [for faulty sensors] 87−3606
Polentz, L.M. Zircaloy corrosion in boiling water reactors 86−6525
Polenz, S. *see* Krell, L. 85−52902
Polese, M. The communication network: a tool for information management 86−17053
Polese, N., Betta, G., Landi, C. Intelligent measurement for quality testing of AC motors 87−4718
Polese, P.A., Treves, S.R. Residential subscriber system in a broadband ISDN environment 86−54675
Poleshchuh, A.G. *see* Koronkevich, V.P. 85−56860
Poleshchuk, A.G., Churin, E.G., Yurlov, Yu.I., Mednikarov, B. Application of an evaporated photoresist (As_2S_3) in the production of kinoform optical elements 86−58982
Poleshchuk, L.S. *see* Ushakov, G.D. 87−77907
Poleshchuk, V.E. *see* Lyubimov, V.V. 87−68589
Polesky, R.W. *see* Lauby, M.G. 86−18778
Polesskii, V.P. Obstacles to partitioning a graph into trees 88−49706
Polet, T.W. Is VLSI technology in Eastern Europe really behind the West? 85−149
Polet, T.W. THE designs chips by means of TDU 85−39847
Polet, T.W. Microwire−new form of chip carrier connections 85−49353
Polet, T.W. Rapid surface mounting 85−50099
Polet, T.W. Glue pot versus solder bath−can solder hold its own against epoxy glues? 85−50101
Polet, T.W. Metamorphosis of the connecting substrate 85−50128
Polet, T.W. Assembly techniques for surface mounting 85−55341
Polet, T.W. Layout work in silicon: design methods for semicustom integrated circuits 85−61043
Polet, T.W. Fourth generation measurement system 85−63958
Polet, T.W. New pattern bonds in the world of chips 86−46676
Polet, T.W. A Russian view of Halley's nucleus 86−60989
Polet, T.W. Leipzig Spring Fair: surprising standardization 87−2689
Polet, T.W. Siemens stimulate SMT via the applications laboratory 87−11259
Polet, T.W. Production automation at Merlin Gerin 87−43946
Polet, T.W. Intelligent observation. Developments in sensor technology 88−29312
Poletaev, A.S. *see* Baryshev, V.I. 85−4426
Poletaev, B.V. *see* Balakshii, V.I. 85−62418
Poletaev, E.D. *see* Kononov, V.N. 85−37920
Poletaev, L.N. *see* Malakhov, I.A. 87−78423
Poletaev, V.A. *see* Kilmashevskii, I.P. 87−56776
Poletaev, V.I. *see* Bozhko, N.I. 86−44572
Poletaev, Yu.V., Zubchenko, A.S. Structure and properties of welded joints in chromium-manganese steels 88−55997
Poletkin, B.N., Dzhalalov, N.B., Pulatov, Kh.F. Ferromagnetic frequency multipliers with three-phase output and stepped regulation of output frequency 87−52786
Poletti, J.L. Performance assessment of CT scanners 87−63732
Poletti, J.L., Le Heron, J.C. Performance assessment of X-ray image intensified television fluoroscopy systems in New Zealand 88−54497
Poletti, M., Terreni, P. Topological conditions for the unique solvability of linear time-invariant and time-varying networks 88−6628
Poletti, M.A. Linearly swept frequency measurements, time-delay spectrometry, and the Wigner distribution 88−59160
Poletti, M.A. The development of a discrete transform for the Wigner distribution and ambiguity function 88−66492
Poletto, G. *see* Mareachen, R. 87−4753
Poletto, V. *see* Belforte, P. 86−37595
Polevin, S.D. *see* Bratman, V.L. 85−18018, 85−50146, 86−2997, 87−37817
Polevin, S.D. *see* Korovin, S.D. 85−61627
Polevoi, A.I. Calculation of forces acting on the radial spreaders of split phase overhead power lines 87−42491
Polevoi, A.I. The conditions for stability of the conductors of overhead lines subjected to side winds 87−57664

Polevoi, A.I. A method of approximating the position of equilibrium of overhead-line conductors which have concentrated weights attached to them 87−78159
Polevoi, A.I. Conditions for occurrence of conductor galloping under the action of wind and ice 88−68985
Polevoi, E.N. *see* Buskunov, R.Sh. 86−33053
Polevoi, E.N. *see* Rossikhin, L.Ya. 87−78505
Polevoi, V.A., Pavlovskii, V.E., Filatov, E.Ya., Novikov, V.I., Garf, E.F., Dubenko, G.P. Equipment for fatigue testing welded tube assemblies 85−49616
Polevoi, V.G. Method of surface admittance in the theory of planar optical waveguides 86−2710
Polevoi, V.G. Equation for the surface impedance of an anisotropic medium 86−3488
Polevoi, V.V. *see* Kotlyarov, V.N. 85−22677
Poley, N.M. *see* Parker, D.E. 85−4049
Polezhaev, V.V. *see* Gordon, G.A. 85−44508
Polezhaev, V.V. *see* Korzhov, E.I. 88−14288
Polferov, K.Ya. *see* Kushnarenko, V.V. 85−48856
Polferov, K.Ya. *see* Nikolaev, L.A. 86−39512, 87−88
Polgar, I., Katona, E., Somogyi, A. Computer assisted evaluation of dose measurements of the hand 86−44714
Polgar, I. *see* Zarand, P. 85−38274
Polgar, K. *see* Halasz, S. 87−43009
Polgar, K. *see* Kuti, C. 87−74646
Polgar, L.G., Stall, R.A., Schumaker, N.E. Role of reactants in the quality of MOCVD epilayers 87−36772
Polgar, L.G. *see* Schachter, R. 86−47330
Polgar, L.G. *see* Schumaker, N.E. 87−263
Polgar, T. Interplay: miniature print relays for AC operation 88−57032
Polgardi, Z. Analysis of the network loss 88−5333
Polge, R.J. A general solution for the synthesis of binary sequences with desired correlation sequence 87−13759
Polge, R.J. A new technique for the direct design of discrete IIR lowpass filters 88−44304
Polge, R.J., Mahafza, B.R., Kim, J.G. Invariant mapping of sensor information 88−47199
Polge, R.J., Stern, H.E. A formula for the moments of piecewise polynomial probability densities 87−65288
Polge, R.J. *see* Adhami, R. 88−56202
Polge, R.J. *see* Richardson, T.E. 88−4093
Polge, R.J. *see* Stern, H.E. 88−66264
Polge, R.J. *see* Welden, S.E. 88−63812
Polgreen, T. *see* Aur, S. 88−57664
Polhemus, G. *see* Sebille, D. 86−67286
Polhemus, W.L. The integration of GPS and Loran-C 88−60328
Poli, A. Important algebraic calculations for *n*-variables polynomial codes 86−43154
Poli, A. Construction of primitive idempotents for n variable codes 87−68978
Poli, A. Some algebraic tools for error-correcting codes 87−68993
Poli, A., Gennero, M.C. Correcting codes: theory and applications 86−48751
Poli, A., Rigoni, C. Self dual 2K circulant codes 85−57263
Poli, A., Rigoni, C. Enumeration of self dual 2 K circulant codes 87−68980
Poli, A., Rigoni, C. Self-dual codes 2n circulant over F_q ($q=2^r$) 87−69006
Poli, A., Thiong-Ly, J.A. Principal nilpotent self dual codes in $A=F_{2r}[X_1, \ldots, X_n]/(X_1^{2l1}-1, \ldots, X_n^{2ln}-1)$ 85−57264
Poli, A., Thiong-ly, J.A. Automorphisms of principal nilpotent self-dual codes in certain modular algebras 86−43155
Poli, A. *see* Kaminski, C.L. 85−58673
Poli, A. *(editor)* Applied Algebra, Algorithmics and Error-Correcting Codes. 2nd International Conference, AAECC-2 Proceedings 87−65081
Poli, C. *see* Behuniak, J. 87−43940
Poli, E. *see* Bertazzi, A. 87−11983 to 11986
Poli, G. *see* Seidel, T.E. 85−23668
Poli, G. *see* Sieverding, H. 88−76024
Poli, G.De *see* De Poli, G.
Poliak, J. Determination of axial distribution of temperature in the winding of the armature of a DC electric machine on a computer 86−33417
Poliak, J. Comparison of the results of calculation of the ageing time and residual time of life of the insulation of electrical machines according to Montsinger and Bussing 86−61467
Poliak, J. *see* Paratte, P.-A. 85−50963
Poliak, R.M. *see* Angelo, R.W. 85−3924
Poliakoff, A. What's in store for the bleepers? 85−25759
Polianski, J. *see* Renault, G. 88−16721
Polibin, V.P. *see* Grishin, V.M. 88−43274
Policarpo, A.J.P.L. *see* de Lima, E.P. 85−20842, 85−43224, 87−8867
Policastro, M., Torriano, D. On the location of the eigenvalues of a generalized model of the asynchronous machine 87−72147
Policastro, S.G., Sullivan, T.E. Improved oxide breakdown by contoured epitaxial island formation 86−58544
Police, G. *see* Belardini, P. 85−15076
Polich, J., Lawson, D. Event-related potential paradigms using tin electrodes 86−25224
Policroniades, R. *see* Cherubini, R. 86−44538, 88−61135
Polifroni, J.H. *see* Rudnicky, A.I. 88−72805
Polignano, M.L., Cerofolini, G.F., Bender, H., Claeys, C., Reffle, J. The role of oxygen in silicon p-n junction gettering 88−12989
Polignano, M.L. *see* Cappelletti, P. 85−23736
Polignano, M.L. *see* Cerofolini, G.F. 85−29007, 85−29229, 85−40489, 86−21363, 86−41686, 88−12990
Poligradov, B.G. *see* Zhidiyatov, A.M. 88−5555
Polikarpov, A.G. *see* Buzykin, S.G. 87−59147
Polikarpov, A.M. *see* Isaev, A.E. 85−47743
Polikarpov, M.A. *see* Goncharov, V.Ya. 87−41345
Polikarpov, S.N. A method for the static measurement of the absolute scattering matrix of radar targets 86−30858
Polikarpov, S.N. Standard spherical reflectors for calibrating amplitude channels of radar target scattering-matrix measuring systems 88−4102
Polikarpov, Yu.I., Burtsev, V.G., Fomin, A.L., Udovichenko, N.A. Computerized equipment for measuring the amplitude and phase of ULF harmonic signals 87−63233
Polikarpov, Yu.I. *see* Udovichenko, N.A. 88−15939
Polikarpova, R.G., Sergiyenko, Ye.F., Titkin, V.M. A half-wave DC voltage converter 87−44543
Polikarpova, T.I. *see* Okorokov, V.R. 85−15500, 85−27275
Polikronakis, I. *see* Merlo, U. 87−13648
Polimatidi, V.P. *see* Boiko, G.N. 85−24823, 86−42845
Polimene, F. Micro-sized amplifier 88−70568
Polimeno, E. Standardisation, reliability and compatibility of power supply apparatus 86−45540
Poliner, L.R. *see* Lacy, J.L. 85−15291
Poling, R. *see* Harada, H. 88−29855
Polini, M. *see* Martinelli, M. 86−2792
Polinkovskii, I.A. *see* Fel'dman, B.N. 86−65947
Polis, J. *see* Marchetti, P. 85−55936
Poliscuk, W.W., Rojo, B.L. A note on statistical sensitivity computation in switched-capacitor networks 88−56748
Poliscuk, W.W. *see* Rojo, B.L. 88−551
Polishchuk, A.I. *see* Yaglo, G.I. 87−38650
Polishchuk, A.S. *see* Voitovich, I.D. 86−2639
Polishchuk, D.F. *see* Leonov, Yu.V. 87−78659
Polishchuk, I.M. The optimum current distributions along dipoles in antenna arrays 87−27052
Polishchuk, I.M. The problem of synthesizing antennas to give a specified dependence of the antenna gain on the direction to the point of observation 87−39491
Polishchuk, I.M. Antenna synthesis problems, considering thermal losses 87−75581
Polishchuk, I.M. *see* Babkin, N.I. 86−36852
Polishchuk, M.N. *see* D'yachenko, V.A. 85−48932, 88−74598
Polishchuk, O.F. *see* Bozhko, A.E. 85−8926, 86−49926
Polishchuk, P.F. *see* Musabaeva, L.I. 88−30039
Polishchuk, R.F. Time-scale service in the vicinity of the Earth 87−56862
Polishchuk, S.M. *see* Tokar', I.Ya. 87−64390
Polishchuk, S.N. *see* Fesechko, V.A. 87−53609
Polishchuk, S.V. *see* Ignatkov, V.D. 86−47099
Polishchuk, V.A. *see* Kulibaba, V.D. 87−45626
Polishchuk, V.M. *see* Dem'yanenko, P.A. 88−3985
Polishchuk, V.P., Sychev, P.E., Shabashov, V.I., Yartsev, I.M. Anchoring of a steady vacuum arc on a hot thermionic cathode 87−66815
Polishuk, P. Fiber optics developments in the United States, progress since FOC/LAN 83 85−14296
Polishuk, P. US ISDN activities 87−33999
Polishuk, P. Recent developments in fiber optics in the United States 88−3987
Polishuk, P. An overview of fibre optics in the united states 88−35527
Polishuk, P., Guenther, R., Lawlor, J. Cost comparison of microwave, satellite and fibre optic systems 87−31239
Polishuk, P. *see* Barry, J. *(editor)* 85−10337
Polishuk, P. *see* Berube, R. *(editor)* 88−31299
Polishuk, P. *see* Fasano, D. *(editor)* 88−31286
Polisky, L.E., Stemple, H.L., III, Peregory, P. EMI filter kit for the automated control system on the FFG 7 class ships 85−62843
Polisskii, G.N. *see* Baidullaeva, A. 85−6714, 86−68377
Politaki, S. *see* Tzannes, N.S. 87−39796
Politch, J. Methods of strain measurement and their comparison 85−37770
Politch, J. *see* Felsteiner, J. 85−37619, 87−54209
Politch, J. *see* Pantzer, D. 86−3273
Politch, J. *see* Rosenberg, A. 86−68413
Politi, A., Oppo, G.L., Badii, R. Coexistence of conservative and dissipative behavior in reversible dynamical systems 86−58858
Politi, A. *see* Badii, R. 88−46051
Politi, A. *see* Oppo, G.-L. 87−74958
Politi, A. *see* Paoli, P. 88−65545
Politi, M., Macchiarella, G., Stracca, G.B. A refined CAD model for coupled stepped-impedance resonators in comb-line filters 88−56896
Politi, M., Stracca, G.B., Macchiarella, G. Input admittance of periodic uniform-overlap split-finger SAW transducers 87−1824
Politi, M. *see* Macchiarella, G. 87−6965, 88−56991
Politi, M. *see* Stracca, G.B. 86−35061, 86−42874
Politi, M. *see* Van der Walt, P.W. 88−20965
Politiek, J. *see* Ligthart, H.J. 87−74191
Politiek, J. *see* van Ommen, A.H. 88−44604
Politis, D. *see* Tzannes, M.A. 85−63046
Politis, G.K., Loukakis, T.A. On lifting line analysis of horizontal axis wind turbines 85−5026
Politis, K. The GI AY-3-8930 sound generator 88−67616
Politof, T. On a property of cyclic covers of *p*-graphs 88−24641
Politof, T., Satyanarayana, A. Efficient algorithms for reliability analysis of planar networks—a survey 87−5274
Politopoulos, A.S. *see* Kato, D.N. 88−53379
Politopoulos, A.S. *see* Yin, B.H. 88−22223
Politova, N.F. *see* Lozovskii, V.N. 88−38124
Polityko, E.D., Panasyuk, V.I., Panasyuk, A.I., Petrenko, Yu.N., Lopatin, Yu.V. Frequency-current control of the positioning of an induction motor optimised for power losses 87−64595
Polityko, E.D. *see* Panasyuk, V.I. 87−16073
Politzer, I.R. *see* Pavlopoulos, T.G. 87−26333, 87−75028, 88−14126
Polivanov, K.M. The attractive force of a magnet 85−56123
Polivanov, V.A. *see* Vanyushev, B.V. 85−2422
Polivanov, V.G. *see* Mirokov, M.M. 85−4963
Polivanov, Yu.N. *see* Belyanko, A.E. 85−2232, 85−7274
Polivanov, Yu.N. *see* Doil'nitsyna, O.A. 85−41507
Polivanov, Yu.N. *see* Vartapetov, S.K. 86−68584
Polivanova, V.I. *see* Korsunskii, V.S. 85−33186
Polivka, A.L., Lawandales, E.F., Greene, H.K., Blake, T.M. Survivable space-based C^2 communications network performance 88−22038
Polivka, A.L. *see* Hambley, A.R. 87−39602
Polivka, J. Commencement of the satellite broadcasting service in Japan 85−20127
Polivka, J. Automatic measurement of the noise figure of receivers 85−58870
Polivka, J. Atmospheric attenuation measurement in the 12 GHz band 87−75437
Polivka, J. Weather and antennas of satellite Earth stations 88−22013
Polivka, J. Utilization of noise in measuring microwave attenuation 88−52280
Polivka, J. Time dependences of atmospheric attenuation and their effect on the satellite relay systems 88−73870
Polivka, J. *see* Balas, K. 88−46970
Polivoda, M.A. *see* Novikov, I.I. 88−41982
Polivtsev, L.A. *see* Oleinik, G.S. 85−11962
Polivtsev, V.A. *see* Bazykin, R.V. 87−43288
Polivtseva, A.M. *see* Bilik, Yu.Z. 88−6548
Poljak, M. Capacitor voltage transformer with improved characteristics of transient response 85−32556
Poljak, M. The newly developed instrument transformers 86−56810
Poljak, M., Kolibas, N. Computation of the behavior of current transformers with and without automatic reclosure for short circuit in the network 88−11266
Poljak, M. *see* Ivankovic, I. 86−12969
Poljak, S., Turzik, D. On an application of convexity to discrete systems 86−34126
Poljak, S., Turzik, D. On pre-periods of discrete influence systems 86−34127
Poljak, S., Tuza, Z. Maximum Bipartite subgraphs of Kneser graphs 87−65345
Poljak, S. *see* Chrobak, M. 88−56122
Poljak, S. *see* Loebl, M. 88−49677
Poljak, S. *see* Nesetril, J. 86−46207
Poljakov, V.N. *see* Menshikov, A.L. 88−42172
Poljancic, K. *see* Bego, V. 87−14413, 88−16370
Poljovka, P. Determining thermal conditions in power cables housed in plastic pipes located in free air 86−32770
Poljovka, P. *see* Slaninka, P. 88−71965
Polk, D. *see* Kruzelekcky, R.V. 86−28153
Polk, D.B. A three-layer gridless channel router with compaction 87−65706
Polk, D.H. *see* Frye, R.W. 87−7479
Polk, D.R., Rakes, J.M. Method for digital dual-channel direction sensing 85−7810
Polk, I. *see* Brown, D. 88−68107
Polka, F. *see* Webb, B. 88−32696
Polkanov, Yu.A. On regular structure of scattering inhomogeneities for optical radiation in the atmosphere 86−6099
Polke, H. *see* Felkel, L. 88−48677
Polke, H. *see* Kafka, P. 88−62045
Polkovnichenko, Yu.G. *see* Prisedskii, V.V. 87−329
Polky, J.N., Miller, D.D., Altschul, R.E. A VLSI implementation of the core function for residue number system signal processing 88−826
Polky, J.N. *see* Altschul, R.E. 87−66298, 88−2976

Polky, J.N. *see* Miller, D.D. 88−317
Poll, G. *see* Sieverding, H. 88−62712
Poll, H.-U. *see* Drechsler, N. 87−25130
Poll, H.-U. *see* Hille, N. 88−33061
Poll, H.-U. *see* Meichsner, J. 85−40642, 88−13172
Poll, N.J. *see* Lloyd, M.R. 87−58022
Poll, R., Henssge, R. Facilities for digital pattern recognition: an ECG detective trick 88−36476
Polla, D.L., Chang, W.T., Muller, R.S., White, R.M. Integrated zinc oxide-on-silicon tactile-sensor array 86−50090
Polla, D.L., Muller, R.S., White, R.M. Fully-integrated ZnO on silicon pyroelectric infrared detector array 85−52685
Polla, D.L., Muller, R.S., White, R.M. Integrated multisensor chip 86−50050
Polla, D.L., Muller, R.S., White, R.M. Pyroelectric properties and applications of sputtered zinc-oxide thin films 86−68151
Polla, D.L., Ottoboni, S.L., Wong, S.M., Chan, J.T. Technology considerations for integrated multifunctional silicon sensors 88−29407
Polla, D.L., White, R.M., Muller, R.S. Integrated chemical-reaction sensor 86−55744
Pollacco, E. *see* Alarja, J. 86−18250
Pollacco, E.C., Jacmart, J.C., Blumenfeld, Y., Chomaz, Ph., Frascaria, N., Garron, J.P., Roynette, J.C. A compact gridless channel plate detector for time-of-flight measurements 85−4235
Pollachini, L. *see* Pedroni, G. 87−78367
Pollack, G. *see* Mao, B.-Y. 87−32710, 88−51017
Pollack, G. *see* Teng, C.W. 85−35163
Pollack, G.P., Richardson, W.F., Malhi, S.D.S., Bonifield, T., Shichijo, H., Banerjee, S., Elahy, M., Shah, A.H., Womack, R., Chatterjee, P.K. Hydrogen passivation of polysilicon MOSFETs from a plasma nitride source 85−12182
Pollack, G.P. *see* Banerjee, S.K. 87−24190
Pollack, G.P. *see* Malhi, S.D.S. 85−35171, 86−41845
Pollack, G.P. *see* Richardson, W.F. 86−46857
Pollack, G.P. *see* Schichijo, H. 85−50597
Pollack, G.P. *see* Shah, A.H. 87−10854, 87−17093
Pollack, G.P. *see* Shichijo, H. 85−40108, 85−50725, 86−34779
Pollack, J. Motor drives−a technology update 88−55643
Pollack, J., Srb, N. Insulating materials for rotary electric motors 87−9512
Pollack, J.M., Haven, T.J. Liquid-crystal color shutter operation and applications 87−68216
Pollack, K.J. *see* Glance, B. 87−62943
Pollack, M.A. *see* Bowers, J.E. 86−31424
Pollack, M.A. *see* Caneau, C. 85−62557, 86−63806, 87−7348, 88−2220
Pollack, M.A. *see* DeWinter, J.C. 86−13755
Pollack, M.A. *see* Srivastava, A.K. 86−48259
Pollack, M.A. *see* Zyskind, J.L. 87−52117, 88−15479
Pollack, R.E. Ion synchrotrons and storage rings for nuclear and atomic physics 88−47844
Pollack, S.A., Chang, D.B., I-Fu Shih, Tzeng, R. Upconversion use for viewing and recording infrared images 88−8278
Pollack, S.A., Chang, D.B., Moise, N.L. Continuous wave and *Q*-switched infrared erbium laser 87−26348
Pollack, S.A., Chang, D.B., Moise, N.L. Upconversion-pumped infrared erbium laser 87−26354
Pollack, S.A., Robinson, M. Laser emission of Er^{+3} in ZrF_4-based fluoride glass 88−33973
Pollack, S.H. *see* Hoffman, B.D. 85−50109
Pollaco, E. *see* Alarja, J. 86−32165
Pollak, F.H. Semiconductor characterization by Raman spectroscopy 86−2093
Pollak, F.H. *see* Amirtharaj, P.M. 85−6823
Pollak, F.H. *see* Bhattacharya, R.N. 88−1432
Pollak, F.H. *see* Ksendzov, A. 87−6479, 88−32942
Pollak, F.H. *see* Shen, H. 85−1499
Pollak, F.H. *see* Welch, D.F. 85−24389
Pollak, J. Selected problems related to presentation of informations and to the succour operators in the modern power plant control rooms 88−75233
Pollak, J., Srb, N. Insulating materials for rotary electric motors 87−15636
Pollak, M., Voss, G. The advanced modular low voltage switchgear system MNS 85−21737
Pollak, M., Voss, G. The continued development of the modular low-voltage switchgear system 85−44121
Pollak, M. *see* Chrobak, E. 86−61674, 88−5793, 88−49073
Pollak, M. *see* Kenett, R. 87−5280
Pollak, P. Design and installation of aluminium conductor systems 85−43602
Pollak, P. Neher-McGrath calculations for insulated power cables 86−12437
Pollak, R.A., Breault, G. Improving teacher effectiveness through the use of interactive microcomputer videodisc instruction 88−60471
Pollak, R.A. *see* Cros, A. 85−40632
Pollak, R.A. *see* Cros, A.M. 85−6837
Pollak, R.A. *see* Jordan, J.L. 86−63212
Pollak, R.A. *see* Kang, S.K. 86−46116
Pollak, V. *see* Takahashi, M. 85−26774, 85−64567
Pollak, W. *see* Cichocki, B. 85−9734
Pollan, T. *see* Martinez, P.A. 85−55843, 86−774
Pollan Santamaria, T. *see* Martinez Martinez, P.A. 86−20344
Polland, H.-J., Horikoshi, Y., Hoger, R., Gobel, E.O., Kuhl, J., Ploog, K. Influence of electric fields on the hot carrier kinetics in AlGaAs/GaAs quantum wells 86−21223
Polland, H.-J., Leo, K., Ploog, K., Feldmann, J., Peter, G., Gobel, E.O., Fujiwara, K., Nakayama, T. Hot carrier trapping in GaAs/AlGaAs single quantum wells with different confinement structures 88−32891
Polland, H.-J., Schultheis, L., Kuhl, J., Gobel, E.O., Tu, C.W. Lifetime enhancement of two-dimensional excitons by the quantum-confined Stark effect 86−21212
Polland, H.-J. *see* Lobentanzer, H. 87−46809
Polland, H.J. *see* Gobel, E.O. 86−9829
Pollara, F. Concurrent Viterbi algorithm on a hypercube 86−64207
Pollara, F. Concurrent Viterbi algorithm with trace-back 87−54874
Pollard, A. *see* Tabatabai, M. 87−21275
Pollard, A.E., Barr, R.C. Adaptive sampling of intracellular and extracellular cardiac potentials with the fan method 87−57152
Pollard, C.J., Barraclough, K.G., Skolnick, M.S. Transient annealing of neutron-transmutation-doped silicon 86−9010
Pollard, D. Protecting the investment of a standby generator 87−4337
Pollard, D. Fuel cell development and prospects for the future 87−78898
Pollard, D. Fuel cells for electric vehicles? 88−5837
Pollard, D. *see* Smith, P.R. 86−61868
Pollard, D.L. *see* Hoeber, C.F. 86−64932
Pollard, E.M. *see* Grund, C.E. 86−50973
Pollard, G., Hordos, B. VLSI−bridging the gap between CAE and ATE 86−35841
Pollard, G., Masters, T. Digital test system attacks the evaluation of VLSI prototypes 85−63964
Pollard, H.E. *see* Baron, W.R. 88−37456
Pollard, H.E. *see* Neff, R.E. 87−9770
Pollard, J.H. *see* Balcerak, R. 87−41381
Pollard, J.M., Schnorr, C.P. An efficient solution of the congruence $x^2+ky^2=m(\mathrm{mod}\ n)$ 88−27709
Pollard, J.P. *see* Barry, J.M. 87−10323
Pollard, J.R. Switching and signalling-general introduction 86−64556
Pollard, K. *see* Rohatgi, A. 88−56304
Pollard, K.J. *see* Pratt, T. 87−47188
Pollard, L.H., Patel, J.H. Fault tolerant techniques for control signals in bus communication protocols 85−19875
Pollard, M. The future for facsimile 85−36650
Pollard, N.E. *see* Simons, R.H. 88−43486
Pollard, R. *see* Driscoll, J.R. 86−40040
Pollard, R. *see* Jenkinson, J.P. 85−28247
Pollard, R. *see* Rebenne, H. 86−484
Pollard, R. *see* Tirtowidjojo, M. 87−10405
Pollard, R.D., Pierpoint, M., Maury, M., Jr., March, S.L., Simpson, G.R. Programmable tuner system characterizes gain and noise 87−56498
Pollard, R.D. *see* Harrison, D.M. 87−73745
Pollard, R.D. *see* Healy, M. 88−32461
Pollard, R.D. *see* Perkins, M. 88−25052
Pollard, R.D. *see* Pierpoint, M. 87−6150
Pollard, R.D. *see* Shepherd, P.R. 87−8730, 87−17363
Pollard, R.D. *see* Snowden, C.M. 86−41894
Pollard, R.J., Morrish, A.H. High-field magnetism in non-polar γ-Fe_2O_3 recording particles 87−46334
Pollard, R.J., Oesterreicher, H. Novel recording media: $Fe_{14}R_2B$ particles 87−25762
Pollard, R.J. *see* Parker, S.F.H. 88−51174
Pollard, R.J.E., Schuster, A. The DART control system 88−47214
Pollard, S.B., Porrill, J., Mayhew, J.E.W., Frisby, J.P. Matching geometrical descriptions in three-space 87−62156
Pollard, S.B. *see* Porrill, J. 87−62165
Pollard, T. Low cost links 87−20249
Pollari, G. *see* Vogel, R. 86−11969
Pollari, P. *see* Huuskonen, A. 88−53340
Pollen, L. *see* Chernikoff, L. 86−30215
Polleros, R. *see* Skritek, P. 85−3807, 87−49409
Pollert, E. Photoelectrolytical conversion of solar energy−problem of anode material 85−5374
Pollert, E. *see* Durcok, S. 87−44300
Pollert, E. *see* Nevriva, M. 86−393
Pollert, E. *see* Tichy, R. 88−20272
Pollet, P. *see* Frick, A. 86−46395
Pollett, P.K. Analysis of response times and optimal allocation of resources in message and packet switched networks 87−75956
Polli, E. *see* Anghinolfi, M. 85−59196
Pollice, C. New techniques for illumination of motorway tunnels 85−53925
Pollini, A. Variable speed pumping installations−the importance of operating costs. [electric drives] 86−26347
Pollini, H. Quality assurance for producing 19-in. current supply subassemblies 87−4783
Pollino, E. *see* Ferrero, P. 87−6662, 87−23434
Pollins, H. Global search and rescue by beacon and satellite 85−52290
Pollitt, S. End user Boolean searching on viewdata using numeric keypads 86−37414
Pollmann, A. Software pulse width modulation for μP control of AC drives 86−40223
Pollmann, A.J. Software pulsewidth modulation for μP control of AC drives 87−4981
Pollmann, D. *see* Benetta, M. 85−43239
Pollmann, D. *see* Hubricht, G. 85−31701
Pollner, J. Microelectronic pressure transducers for process measuring systems 86−65189
Pollock, C., Williams, B.W. An integrated approach to switched reluctance motor design 88−69341
Pollock, C.R. *see* Culpepper, C.F. 88−14157
Pollock, C.R. *see* German, K.R. 87−68428
Pollock, C.R. *see* Gosnell, T.R. 85−29800, 88−72300
Pollock, C.R. *see* Jennings, D.A. 87−56451
Pollock, C.R. *see* Morris, J.A. 87−68093, 88−4361
Pollock, C.R. *see* Pinto, J.F. 85−56600, 86−68510, 88−51911
Pollock, C.R. *see* Yakymyshyn, C.P. 87−54059, 87−68096
Pollock, C.W. *see* King, C.W. 88−54678
Pollock, D. *see* Brauner, R. 85−12324
Pollock, D.C. *see* Imler, D.L. 86−32919
Pollock, H.C., Smith, A.L. Slim profile power inductors made by powder metallurgy 87−22460
Pollock, H.C. *see* Percival, W.S. 87−30718
Pollock, J., Turner, N., Milgate, R., Resnek, R., Hertel, R. Particulate performance of a wafer handler for serial process ion implantation 85−35068
Pollock, J.T.A., Rose, A. Surface temperatures and dissociation loss during the pulsed laser annealing of GaAs 85−12114
Pollock, J.T.A. *see* Jones, P.L. 85−33502
Pollock, K. *see* Glance, B. 87−76737
Pollock, K. *see* Glance, B.S. 88−35495
Pollock, K.J. *see* Glance, B. 88−9536
Pollock, K.J. *see* Gnauck, A.H. 87−40879
Pollock, K.L., Hodgkins, C.E. Fracture strength of multilayer ceramic capacitors 85−33551
Pollock, K.R., Di Marco, R.R. Computerized fault service 87−42531
Pollock, L. *see* Wong, C.-C.D. 86−28123
Pollock, M.A. *see* Chang, K. 88−28952
Pollock, M.E. *see* Dries, D.J. 88−16778
Pollock, M.E. *see* Eugene, J. 87−21654, 87−42001
Pollock, M.L. *see* Jackson, A.S. 88−61357
Pollock, R. From pots to broadband with fiber 87−56178
Pollock, R.E. Storage rings for cyclotrons 85−59018
Pollock, R.E. End effect corrections in a short Lambertson septum magnet 85−64398
Pollock, R.E. *see* Friesel, D.L. 85−58989, 85−59061
Pollock, R.H., Kisisel, I.T. Power plant condenser design 86−25930
Pollock, R.J. *see* Poehlman, W.F.S. 86−25098
Pollock, R.W. High thermoluminescent dosimeter readings outside a medical accelerator 86−6008
Pollock, R.W. Low-cost imaging system for semi-automatic track counting 87−29626
Pollock, S.J. *see* Lockhart, J.M. 85−48075
Pollock, S.R. *see* Marlett, R. 88−64692
Pollock, V., Mills, D.M. A Microvax compatible data acquisition system for the collection of time-resolved X-ray data 88−42003
Pollok, P. *see* Bruchez, J.A. 88−1785
Pollok, P. *see* Welsh, P. 88−6728
Pollok, W. *see* Spaanenburg, L. 85−39985
Polloni, R. *see* Bergamasco, G. 85−29790, 85−62499, 86−42607
Pollvogt, U. *see* Hagemeister, B. 87−64975
Polman, A., Roorda, S., Sinke, W., Saris, F.W. Improved short-circuit current of ion-implanted crystalline silicon solar cells 88−18046
Polman, A., Van Sark, W.G.J.H.M., Sinke, W., Saris, F.W. A new method for the evaluation of solar cell parameters 87−15995
Polman, A. *see* Miyao, M. 87−25045
Polman, A. *see* Sinke, W. 86−45709, 87−43450
Polman, A. *see* Sinke, W.C. 87−15969
Polman, A. *see* Stewart, S.H. 87−32606
Polmann, E. Setup and operation of a multi-vendor LAN (Local Area network) 88−73605
Polmann, K., Remshardt, R., Schettler, H., Zuehlke, R. Latch oscillator 85−17288
Polner, P.B. *see* Botvinnik, A.Ye. 86−36874
Polngratz, S. *see* Betz, H. 87−25001
Polniaszek, J.P. *see* Jones, E.J. 87−13786
Polnitskii, A.A. *see* Nesterova, Z.V. 85−12978, 86−3307
Pologikh, B.G. *see* Khlopkin, N.S. 86−7222
Pologikh, S.B. *see* Aksenov, P.V. 86−27070
Pologrudov, V.P. *see* Petrov, V.P. 87−3731

Polok, G. *see* Bailey, R. 85—15164
Polon, M. Stereo television: market forces and issues 86—38047
Polonis, J.J. *see* Johnson, M.J. 86—15914
Polonnikov, D.E. *see* Danilov, A.A. 88—35909
Polonnikov, D.E. *see* Pogosov, A.Yu. 87—59647
Polonnikov, D.Ye., Dmitriyev, N.V. A method of improving the speed of response of amplifiers using digitally programmable gain 86—20333
Polonnikov, D.Ye., Dmitriyev, N.V. A method of selecting the type of active three-pole for amplifiers with programmed transfer ratio 87—44639
Polonnikov, D.Ye., Mustafin, T.A., Shishkova, V.A. A voltage controller for adjusting DAC and ADC 86—41172
Polonovski, J.-P., Tomizawa, K. Phonon scatterings of quasi two-dimensional electron gas in a single heterostructure 86—27997
Polonovskii, I.A. *see* Berezinskii, S.A. 86—45245
Polonskii, A.E., Vakul'chuk, G.A. Standardising design procedures for instrument construction 88—41935
Polonskii, L.Ya. *see* Marin, M.Yu. 87—59946, 88—57244
Polonsky, A.L. *see* Dolbilkin, B.S. 85—15109
Polosin, A.V. *see* Khramov, D.A. 87—63698
Polosin, L.L. *see* Rosselevich, I.A. 87—41173
Polosin, S.S. *see* Kostandi, G.G. 86—14426
Poloskin, D.S. *see* Bagraev, N.T. 86—28962
Polosky, M.J. *see* Appel, J.J. 88—52990
Polos'mak, V.G. *see* Efimov, V.M. 87—19633
Polosukhin, B.G., Goshchitskii, B.N., Chudinov, V.G. Cold-neutron selector 87—71062
Polotec, L.Le *see* Le Polotec, L.
Polotski, V.A. *see* Boiko, B.T. 87—56690
Polotskii, V.A. *see* Boiko, B.T. 86—15033
Poloujadoff, M. An introduction to Park's transform [electric machine theory] 87—15663
Poloujadoff, M. The theory of three phase induction squirrel cage motors 88—23908
Poloujadoff, M. Directions of current research in electrical power engineering 88—43659
Poloujadoff, M., Findlay, R.D. A procedure for illustrating the effect of variation of parameters on optimal transformer design 87—30730
Poloujadoff, M., Morel, A., Reboux, J. Industrial applications and prospects for induction heating 87—36251
Poloujadoff, M., Pillet, E., Camargo, I. Improved determination of Floquet's reference frame for the phase-to-ground short circuit of a nonsalient-pole damped alternator 87—78637
Poloujadoff, M. *see* Biedinger, H.M. 85—32483
Poloujadoff, M. *see* Bolopion, A. 87—9590
Poloujadoff, M. *see* de Siqueira Campos Araujo, M. 85—21580
Poloujadoff, M. *see* El Nahas, I. 86—66128, 88—52089
Poloujadoff, M. *see* Elleuch, M. 88—62404
Poloujadoff, M. *see* Haouari, M. 87—35997
Poloujadoff, M. *see* Jimoh, A.A. 85—60185
Poloujadoff, M. *see* Jinoh, A.A. 85—60186
Poloujadoff, M. *see* Kamoun, M. 86—26029, 86—26080, 86—39722
Poloujadoff, M. *see* Parra, E.L. 86—18786
Poloujadoff, M. *see* Rehaoulia, H. 87—30563, 87—42943
Poloujadoff, M. *see* Szabados, B. 87—72194
Polous, A.I. *see* Berezhnoi, V.P. 87—40662
Polous, A.I. *see* Bogin, E.S. 85—215
Polov, K.P. *see* Kashaev, S.M. 87—19696
Polovick, G.S. *see* Peelo, D.F. 87—35978 to 35979
Polovina, A.I. *see* Bulakh, G.I. 85—1421
Polovinkin, A.V., Saichev, A.I. The effectiveness of phase conjugation systems in a turbulent atmosphere 86—29383
Polovinkin, A.V. *see* Malakhov, A.N. 88—72527
Polovinkin, B.I. Mains harmonics in compensated rectifiers with neutral-point diodes 85—16118
Polovinkin, B.I. *see* Kashkalov, V.I. 85—21721
Polovinkin, B.I. *see* Kolchev, E.V. 85—60314, 86—6877
Polovinkin, V.G. *see* Gurtov, V.A. 87—17805
Polovinkin, V.G. *see* Kovchavtsev, A.P. 87—3740
Polovko, S.A. *see* Galochkin, D.V. 88—6542
Polovko, Yu.A., Tropp, E.A. Asymptotic and numerical solution of MHD problems on transverse edge problems in planar induction pumps 85—10123
Polovko, Yu.A., Tropp, E.A. Asymptotic and numerical investigation of a one-dimensional turbulent flow model in an inductive cylindrical MHD pump 87—78962
Polovko, Yu.A. *see* Andreev, A.M. 88—37224
Polovnikov, S.A. *see* Antipov, Yu.M. 85—9108
Polovnikov, V.A., Tarasov, N.A. Raising the sensitivity of a discrete electrical signal transformation 87—3546
Polowczyk, W. Proposed test circuit of the endurance of the components of electric circuits to the hazard brought about by short-duration current pulses 88—49501
Polowczyk, W., Stanczak, W. Chances of development of low voltage AC hybrid contactors 87—36076
Polozkov, N.M. *see* Bogodaev, N.V. 88—14307
Polozkov, N.M. *see* Knyaz'kov, A.V. 85—35925, 85—41522
Polozkov, N.M. *see* Krumin', A.E. 87—12575
Polozkov, N.M. *see* Vokhnik, O.M. 87—26524
Polozkov, V.G. *see* Nikitin, Yu.M. 88—70111
Polozok, Y.V. *see* Buga, N.N. 85—62855, 86—15955
Polozova, O.A. *see* Bagiev, G.L. 88—48537
Pols, E. Earthing of instruments 88—22415
Pols, L.C.W., Boxelaar, G.W. Comparative evaluation of the speech quality of speech coders and text-to-speech synthesizers 87—19534
Pols, L.C.W., Plomp, R. How to make more efficient use of the fact that the speech signal is dynamic and redundant 87—27270
Pols, L.C.W. *see* van Bergem, D.R. 88—45983
Pol'shchikov, B.V. *see* Aga, O.B. 86—35630
Polshchikov, G.V. *see* Gusarova, N.F. 88—2084
Pol'shchikov, G.V. *see* Ishanin, G.G. 86—5312, 88—9981, 88—27036
Pol'skii, B.S., Rimshans, Ya.S. Modelling of electrical characteristics for heavily doped transistor structures 86—15131
Pol'skii, B.S., Rimshans, Ya.S. Two-dimensional simulation of transient processes in bipolar structures 87—53450
Pol'skii, B.S. *see* Adamsone, A.I. 87—53487, 87—67533
Pol'skii, Yu.E., Aibatov, L.R., Khokhlov, Yu.M. Energy efficiency of different methods of ionizing the active media of gas lasers with a non-self-sustained discharge 86—22451
Pol'skii, Yu.E. *see* Kolesnikov, V.Yu. 85—18863
Pol'skii, Yu.E. *see* Voronov, V.I. 86—22468
Pol'skikh, E.D. *see* Belyaev, S.V. 85—26920
Pol'skikh, S.D. *see* Bakut, P.A. 85—46949, 85—51750, 86—37145
Pol'skiy, Yu.Ye. *see* Aybatov, L.R. 88—7272
Polsky, B.S., Rimshans, J.S. Half-implicit difference scheme for numerical simulation of transient processes in semiconductor devices 86—35634
Polsky, M.P. Cogeneration versus generation 86—12285
Polsler, W.D., Michelfelder, J. Signal conditioning system based on 'intelligent sensor' philosophy for test stands 85—14743
Polson, M.J.R. *see* Freeston, I.L. 85—43430
Polster, M.A. *see* Annand, J.R.M. 85—37928
Polstvin, V.I. *see* Roitman, M.S. 85—58788
Polstyanov, P.A. *see* Aliev, E.V. 86—33190
Polta, J.A., Thiel, P.A. Simple, inexpensive delay circuit for protection against vacuum loss from power interruptions 87—59802
Poltavets, R.F. *see* Lugin, L.I. 87—56933
Poltavets, V.A. *see* Lazarev, B.G. 86—15434
Poltinnikov, S.A. Photocurrent converter 88—53593
Poltinnikov, S.A., Vodakov, Yu.A., Lomakina, G.A., Mokhov, E.N., Semenov, V.V., Roenkov, A.D. Silicon carbide parametric voltage regulator 87—31702
Poltmann, R.D. Stochastic gradient algorithm for system identification using adaptive FIR-filters with too low number of coefficients 88—34669
Poltorak, D.A. *see* Nelson, T.M. 87—77822
Poltorak, V.P. *see* Zhurakovskii, Yu.P. 85—62974
Poltoratskii, E.A. *see* Afanas'ev, S.M. 87—32237
Poltoratskii, E.A. *see* Akhmediev, N.N. 86—28839
Poltoratskii, E.A. *see* Il'chev, E.A. 85—40773, 87—11467
Poltoratskii, E.A. *see* Il'ichev, E.A. 87—6481, 87—37986
Poltoratskii, E.A. *see* Laiko, E.I. 88—71491
Poltoratskii, E.A. *see* Orlov, A.O. 87—6731
Poltoratskii, V.A. *see* Vsevolodov, N.N. 86—58994
Poltyrev, G.Sh. Improved upper bound on the probability of decoding error for codes of complex structure 88—72749
Poltz, J., Kuffel, E. A method of magnetic field synthesis for medical NMR imaging 85—48243
Poltz, J., Kuffel, E. A simple and accurate evaluation of eddy-current loss in magnetic pipe of a cable 85—59733
Poltz, J., Kuffel, E. Application of boundary element techniques for 2D eddy-current problems 86—42759
Poltz, J., Wexler, A. Transmission-line analysis of PC boards 86—58119
Poltz, J. *see* Ang, A. 86—66941, 87—37684, 88—1120
Poltz, J. *see* Kinsner, W. 85—24712
Poltz, J. *see* Romanowski, K. 85—24724
Polubabkin, Yu.V. *see* Solodimov, A.A. 87—29033, 88—4349
Polubotko, S.S. *see* Vasil'chenko, Yu.A. 87—58157
Poludniak, S.R. *see* Butters, K.A. 85—41529
Poluektova, A.F. *see* Vaivod, A.S. 87—78709
Polukhin, A.T. Geometric-optical characteristics of a monochromatic wave in an inhomogeneous single-mode fiber lightguide 85—24308
Polukhin, A.T., Telegin, G.I. Thermal noise and thermodynamic sensitivity limit of a fiber ring interferometer 85—2032
Polukhin, A.T., Telegin, G.I. Dependence of the noise in a fiber ring interferometer on the coherence of the radiation source 85—2033
Polukhin, A.T., Telegin, G.I. Thermal polarization noise in a single-mode optical fiber 85—24316
Polukhin, A.T., Telegin, G.I. The noise of a fiber ring interferometer caused by spectral fluctuations of the interfering waves 86—36212
Polukhin, A.T. *see* Bazarov, E.N. 85—7275
Polukhin, A.T. *see* Bazarov, Ye.N. 85—7278, 85—51287, 86—28859
Polukhin, G.A. Radiation characteristics of an antenna with a Gaussian amplitude distribution of the field over the aperture 85—30078
Polukhin, G.A. Analysis of the beam pattern of a transmission array excited by a directional feed 87—47394
Polukhin, V.N. *see* Vasin, L.N. 85—12539
Polukhin, V.V. *see* Skachko, Yu.N. 85—32849
Polukin, A.T. *see* Barazov, E.N. 85—24315
Polulekh, A.V. *see* Steblev, Yu.I. 86—20137
Polulikhov, V.V. *see* Latainikova, A.L. 88—50487
Polulyakh, K.S., Romanov, A.A., Terent'ev, S.N. Estimation of the spectral power density of a sinusoidal signal by maximum-entropy methods 88—59129
Polulyakh, V.S. *see* Koval'kov, G.A. 86—39678
Polumin, Yu.P. *see* Evtushenko, G.S. 85—7376
Polunin, A.A. *see* Lysenko, A.P. 86—70267
Polunin, S.P., Astrov, D.N., Belyanskii, L.B., Dedikov, Yu.A., Zakharov, A.A. Gas thermometer for precision measurement of thermodynamic temperatures below 300°K 88—22542
Polunin, S.P. *see* Zakharov, A.A. 87—63567, 88—22842
Polunin, Yu.P., Troitskii, V.O. Nonlinear frequency conversion of copper vapor laser radiation 88—58663
Polunov, Yu.D. *see* Gal'chenko, V.D. 88—16524
Polunov, Yu.L. Accuracy and speed of intracyclic algorithms for weight-space dispensing 88—36249
Polunov, Yu.L. *see* Astashev, V.K. 87—70823
Polunov, Yu.L. *see* Makarov, V.V. 86—45625
Polunov, Yu.L. *see* Miryuk, Yu.P. 85—10000, 87—70855, 88—29337
Polupan, V.A. *see* Kosovich, V.A. 87—72632
Polupanov, A.F. *see* Kogan, Sh.M. 87—6315
Polushchuk, E.S. *see* Dunets, B.V. 87—49981
Polushin, P.A. *see* Nemirovsky, A.S. 88—59984
Polushkin, V.G. *see* Zelenskii, A.N. 86—50291, 86—60514, 87—3858
Polushkin, V.N. Adjustment of point contact of SQUID fluxmeter 85—29499
Polushkin, V.N. SQUID-based magnetometer 85—64117
Polushkin, V.N. *see* Bobrakov, V.F. 87—21522
Poluyanenko, A.P. *see* Pogarskii, S.A. 88—19344
Poluyanov, B.M. *see* Kosyak, Yu.F. 85—4780
Poluyanov, M.I., Trusov, V.A. Finding the characteristics of distribution networks from parameters of the fault state 86—44959
Poluyanov, M.I., Trusov, V.A. The informing parameter for finding the short circuit to ground in distribution networks 88—17123
Poluzzi, R. *see* Chiariglione, L. 87—34038, 87—62450
Polvalyashko, S.V. *see* Belyaev, A.A. 85—48048
Polvani, D.G. Harmonic mean sound speed is adequate for transponder navigation 85—31115
Polvani, R. *see* Evans, C. 88—42336
Polyachek, M.M. *see* Bushuev, V.V. 88—75954
Polyagoshko, V.I. *see* Aleksandrov, I.N. 86—61131
Polyak, B.T. *see* Nemirovskii, A.S. 85—51612, 86—68951
Polyak, B.T. *see* Nemirovskiy, A.S. 85—49490
Polyak, L.M. *see* Kapyrin, V.V. 86—31267
Polyak, L.M. *see* Ptichnikov, M.M. 85—8020
Polyak, M.N. *see* Goldenberg, L.M. 85—7890, 86—37084, 87—32017
Polyak, M.N. *see* Gol'denberg, M.N. 87—61901
Polyak, V.Ye., Filatov, V.A. Features of electron bunching and energy exchange with a traveling wave in optimal O-type interaction 88—25833
Polyak, V.Ye. *see* Man'kin, I.A. 85—6665
Polyak, Z.B. *see* Rzhepetskii, V.P. 86—28232
Polyakhov, N.D. *see* Zelenkov, G.S. 85—13218
Polyakhov, V.I. *see* Zyatin, V.M. 88—69445
Polyakoshko, V.I. *see* Kalentionok, E.V. 86—32880
Polyakov, A.A. *see* Bogdanov, A.L. 88—13261
Polyakov, A.A. *see* Dikerman, D.N. 87—35728
Polyakov, A.F., Troitsky, V.V., Shehter, Yu.L., Jorgensen, F.E. Shear stress measurements on heat transfer surfaces 88—47470
Polyakov, A.F. *see* Ivanov, F.P. 88—47717
Polyakov, A.G. *see* Wagner, H. 87—71059
Polyakov, A.J. *see* Kuznetsov, V.P. 86—53349
Polyakov, A.L., Mogil'nyi, B.V., Klokova, N.P., Lupinskii, M.M., Ignatov, A.V., Kosov, L.I., Lyudmirskaya, O.B. New document of technical standards specifying the evaluation of the error of measuring deformations with wire and foil strain gauges 88—53642
Polyakov, A.L. *see* Bazzhin, Yu.M. 85—8815
Polyakov, A.L. *see* Lupinskii, M.M. 88—53887
Polyakov, A.L. *see* Lyudmirskaya, O.B. 85—58898, 87—35040
Polyakov, A.S. *see* Rozenberg, V.L. 87—43650
Polyakov, A.V. *see* Belan, V.R. 87—75238
Polyakov, A.Ya. *see* Kuznetsov, V.P. 85—61681
Polyakov, B.F. *see* Anguilar-Benitez, M. 87—71031

Polyakov, B.F. *see* Balandin, V.P. 88−61037
Polyakov, B.F. *see* Boratav, M. 86−5801
Polyakov, B.F. *see* Boratave, M. 86−50449
Polyakov, B.G. *see* Bronnikov, A.N. 86−8529
Polyakov, B.I. *see* Abakumov, G.A. 85−56517
Polyakov, E.A. *see* Grigor'ev, I.N. 86−57723
Polyakov, E.V. *see* Bazarov, A.E. 86−28836
Polyakov, G.A., Brandis, P.A., Kozlov, V.E. Method of determining primary parameters of radar signals in digital processing devices 85−31083
Polyakov, G.A., Brandis, P.A., Kozlov, V.E. Analysis and synthesis of devices for digital processing of radar data by means of algebra of coded matrices 87−3221
Polyakov, G.F., Rukin, S.N. High-voltage impulse generator with a dielectric ultraviolet reflector 88−562
Polyakov, G.N. *see* Zhezhelenko, I.V. 88−54867
Polyakov, L.A., Galkin, N.P. A measurement demodulator for signals used in FSK telegraphy and DFSK telegraphy 85−57710
Polyakov, L.A., Galkin, N.P., Alekseyev, V.M., V'yushkov, A.F. Equipment for measuring the quality of trunk communications radio transmitters 86−44088
Polyakov, M.A. *see* Grishanov, B.I. 87−63621
Polyakov, N.N. *see* Gorbunov, V.A. 85−10118
Polyakov, N.P., Sinenko, V.V. Protection of thyristors from switching surges in magneto-thyristor surge generators 85−32237
Polyakov, N.P. *see* Ageev, V.P. 87−2085
Polyakov, N.P. *see* Anan'ev, L.M. 85−11001
Polyakov, P.F. *see* Sobolev, Yu.V. 85−13558, 85−46761, 87−47701
Polyakov, P.I. *see* Doroshev, V.D. 86−11768
Polyakov, S.N. *see* Bochkar', E.P. 87−41519
Polyakov, S.N. *see* Bockhar', E.P. 88−15023
Polyakov, S.S. *see* Kozhainov, A.I. 86−19363
Polyakov, S.V. *see* Babichenko, A.M. 85−36010
Polyakov, S.V. *see* Belyaev, P.P. 88−34299
Polyakov, S.Yu *see* Vlasov, A.N. 85−12804, 86−63760
Polyakov, V.A. *see* Bitsadze, G.S. 88−54407
Polyakov, V.A. *see* Evdokimov, V.N. 88−54426
Polyakov, V.A. *see* Gorin, A.M. 87−8853
Polyakov, V.D. *see* Bulatov, O.G. 87−9653, 88−58611
Polyakov, V.D. *see* Ivanov, V.S. 88−58612
Polyakov, V.E., Sinyutin, P.A., Trotsenko, A.A. Algorithm for the operation of protection for current conductors 88−5387
Polyakov, V.E., Trotsenko, A.A. Synthesis of the logic part for relay protection and automation devices 86−6401
Polyakov, V.E., Trotsenko, A.A., Gofman, R.A. Programmed earth-fault protection with increased information-handling capacity 88−48607
Polyakov, V.E. *see* Borisov, V.A. 87−42527, 87−64198
Polyakov, V.E. *see* Bukhtoyarov, V.F. 86−25639, 87−78200, 88−61965
Polyakov, V.E. *see* Gofman, R.A. 86−6408
Polyakov, V.E. *see* Kletsel', M.Ya. 86−56715
Polyakov, V.E. *see* Lystsova, L.A. 85−4688, 86−39207
Polyakov, V.E. *see* Nikitin, A.A. 87−9699
Polyakov, V.G., Aidu, E.A.I., Nagornov, V.S., Trunov, V.G. Choice of parametric representation in numerical approximation and encoding of curves 85−51734
Polyakov, V.G., Naumov, A.M., Shneerson, E.M., Fedorov, E.K. A resistance relay for directional high-frequency protection of 110-330 kV lines 86−25632
Polyakov, V.G. *see* Pavlov, V.A. 87−9217
Polyakov, V.I. Algorithm for determining list of connections when designing computers 85−28282
Polyakov, V.I. Algorithm for channel tracing of connections in LSI matrix circuits 86−15219
Polyakov, V.I. Testing of steel for motors and generators 87−4652
Polyakov, V.I. Effect of temperatures on reliability of the stator winding in a generator 87−4661
Polyakov, V.I. Finding the rated excitation current of a synchronous generator 87−42827
Polyakov, V.I., Ermakov, M.G., Perov, P.I. Above-barrier photoemission of electrons in the photoresponse spectra of *n*-CdS-*n*-CdSe heterojunctions 86−1771
Polyakov, V.I., Ermakov, M.G., Perov, P.I., Khomich, A.V. Influence of free exciton transport parameters in CdSe on the barrier photoresponse spectrum 86−53387
Polyakov, V.I., Minaev, E.K. Finding the design inductive reactance of a synchronous generator 86−61492
Polyakov, V.I., Perov, P.I., Ermakov, M.G., Ermakova, O.N. Photosensitivity spectra of GaAs-GaAs-Al$_x$Ga$_{1-x}$As heterostructures 87−33032
Polyakov, V.I. *see* Kozlov, A.P. 87−4653
Polyakov, V.I. *see* Pilipovich, V.A. 88−13943
Polyakov, V.I. *see* Rukovishnikov, A.I. 88−67998
Polyakov, V.M. *see* Nazikyan, A.G. 88−17633, 88−37300
Polyakov, V.S., Aristov, E.V. Experience of the operation of TFKN-330 current transformers 86−19327
Polyakov, V.T. An integral criterion for the thermal state of the insulation in machine windings 86−19202
Polyakov, Yu.A. *see* Kosichkin, Yu.V. 86−21108
Polyakov, Yu.A. *see* Vinogradov, E.A. 86−22211
Polyakova, A.I. *see* Baranetskii, N.V. 85−49000
Polyakova, E.N. *see* Kochanov, K.N. 85−4450
Polyakova, L.I. *see* Abashev, Yu.G. 87−29230
Polyakova, L.L. *see* Pyatin, Yu.M. 86−31355
Polyakova, L.L. *see* Sbitnev, S.A. 87−5539, 87−6994
Polyakova, L.N. *see* Baikov, V.D. 86−1096
Polyakova, N.A. *see* Popa, O.A. 87−11859
Polyakova, N.V. *see* Dolgosheev, P.I. 85−43616, 88−68965
Polyan, L.Ye, Novoselova, M.V. Accumulation of quantization distortions in PCM channels 86−36872
Polyanina, G.D. *see* Kravtsov, Yu.A. 85−6201
Polyanitsa, Yu.A. *see* Murugov, V.M. 86−14436
Polyanka, M.A. *see* Freik, D.M. 87−44376
Polyanko, O.S. *see* Matlak, V.V. 85−11924
Polyanovskii, V.M. Longitudinal magnetoresistance in superlattice semiconductors. II 85−29021
Polyanovskii, V.M. Influence of the finite width of the conduction band on galvanomagnetic effects in semiconductors 85−61731
Polyanskaya, G.S. *see* Vishnivetskii, M.G. 86−39517
Polyanskaya, T.A., Bil'gil'deeva, T.Yu. Possibility of determination of the anisotropy coefficient of the mobility in unoriented cubic semiconductors 87−6358
Polyanskaya, T.A. *see* Alferov, Zh.I. 85−23531 to 23532, 85−34592, 86−21176
Polyanskaya, T.A. *see* Maronchuk, Yu.E. 85−22478
Polyanskaya, T.A. *see* Nazhmudinov, Kh.G. 87−41583, 88−32920
Polyanskaya, T.A. *see* Sharonova, L.V. 88−57370
Polyanskaya, T.M. *see* Kogan, Yu.M. 87−21855
Polyanskaya, T.M. *see* Nekrasov, A.S. 88−11039
Polyanskaya, V.P. *see* Bilenko, D.I. 86−34316, 88−64419
Polyanskii, M.N. *see* Grilikhes, S.F. 85−41175
Polyanskii, P.V. *see* Lazurka, I.I. 88−45580
Polyanskii, P.V. *see* Shirkovskii, N.A. 88−24294
Polyanskii, V.K. *see* Angel'skii, O.V. 85−2436
Polyanskiy, N.Ye. *see* Drogachenko, A.A. 86−47502
Polyanskiy, V.A. An investigation of the back scattering from a rough surface as a function of surface parameters 86−22662
Polyashov, L.I. *see* Beryulyaev, Yu.A. 86−6737
Polyayev, N.L. Nonstationary characteristics of a single channel system with a constraint on the waiting time 87−44112
Polychronakos, V.A. *see* Beuttenmuller, R. 86−56035, 87−21437
Polychronakos, V.A. *see* Beuttenmuller, R.H. 87−29554
Polychroniadis, E.K. *see* Toubektsis, S.N. 86−26810, 87−23605
Polychronopoulos, C.D. *see* Houstis, E.N. *(editor)* 88−69999
Polydorides, N.D. Engineering education and industry in Greece: towards a long overdue convergence 86−40409
Polydoros, A., Nikias, C.L. Detection of unknown-frequency sinusoids in noise via autoregressive modeling 87−27500
Polydoros, A., Nikias, C.L. Advanced detection of unknown-frequency sinusoids in broadband noise 87−27536
Polydoros, A., Nikias, C.L. Detection of unknown-frequency sinusoids in noise: Spectral versus correlation domain 87−61842
Polydoros, A., Silvester, J. An analytical framework for slotted random access spread spectrum networks 86−30595
Polydoros, A., Silvester, J. Slotted random access spread-spectrum networks: an analytical framework 87−75968
Polydoros, A., Simon, M.K. Generalized serial search code acquisition: the equivalent circular state diagram approach 85−20016
Polydoros, A., Weber, C.L. Analysis and optimization of correlative code-tracking loops in spread-spectrum systems 85−25705
Polydoros, A., Weber, C.L. Detection performance considerations for direct-sequence and time-hopping LPI waveforms 86−10340
Polydoros, A., Woo, K.T. LPI detection of frequency-hopping signals using autocorrelation techniques 86−10339
Polydoros, A. *see* Ketseoglou, T. 88−41517
Polydoros, A. *see* Pawlowski, P.R. 86−30579, 87−40691
Polydoros, A. *see* Pronios, N.B. 88−21939, 88−52653
Polydoros, A. *see* Sampaio-Neto, R. 87−20381
Polydoros, A. *see* Ward, R. 86−29745
Polykovskii, G.M. *see* Pokhoriler, V.L. 87−22206
Polynkov, A.V. *see* Konavolv, S.F. 87−63308
Polynkov, A.V. *see* Konovalov, S.F. 86−24759
Polyukhova, I.R. *see* Mkrtumov, A.S. 88−74165
Polyzos, G.C., Molle, M.L. The delay distribution of tree conflict resolution algorithms using constant size window access 87−55408
Polyzos, G.C., Molle, M.L. A generalized busy period approach to the delay analysis of window access tree conflict resolution algorithms 88−8907
Polyzos, G.C., Molle, M.L. Delay analysis of a window tree conflict resolution algorithm in a local area network environment 88−59669
Polyzos, G.C., Molle, M.L., Venetsanopoulos, A.N. Delay analysis of tree conflict resolution algorithms: the non-homogeneous case 86−54620
Polyzos, G.C., Molle, M.L., Venetsanopoulos, A.N. Performance analysis of finite nonhomogeneous population tree conflict resolution algorithms using constant size window access 88−14855
Polz, J. Gang warning system on the new DB lines−a project study 88−62990
Polz, R. IF amplifier and demodulator for wide-band FM 87−16905
Polz, R. Developments in integrated optical components 87−26068
Polz, R. Possibilities of integrated optics. II 87−33002
Polz, R. The possibilities of integrated optics. III 87−33003
Polz, R., Hutton, S. A practical digital filter 86−14372
Polz, R., Hutton, S. Digital filter in a practical form 88−32329
Polz, R. *see* Paddan, P.S. 85−29321
Polze, S. *see* Korn, G. 85−51294
Polzella, D.J., Hubbard, D.C. Utility and utilization of aircrew training device advanced instructional features 87−21717
Polzer, G. *see* Meyr, H. 87−33694
Polzi, L.Zanetti *see* Zanetti Polzi, L.
Polzler, K. Control of convertor supplied test drives 88−62659
Pomajevich, G.R. *see* Forster, F.K. 87−71125
Pomakov, P.J. *see* Georgiev, G.M. 85−1829
Pomakov, P.J. *see* Jordanova, M.I. 85−1832
Pomalaza, J.C. *see* Serrano, A. 86−37831
Pomalaza Raez, C.A. A fast robust estimator for applications to image processing 85−36461
Pomalaza-Raez, C.A., Fong, Y. Estimation of the location parameter of a multispectral distribution by a median operation 86−16576
Pomalaza-Raez, C.A., Hurd, W.J. Improved carrier tracking by smoothing estimators 86−20680
Pomalaza-Raez, C.A., Hurd, W.J. Carrier tracking by smoothing filter improves symbol SNR 87−33571
Pomalaza-Raez, C.A., Hurd, W.J. Carrier tracking by smoothing filter can improve symbol SNR 87−55186
Pomalaza-Raez, C.A., McGillem, C.D. Digital phase-locked loop behavior with clock and sampler quantization 85−61165
Pomalaza-Raez, C.A. *see* Fong, Y.-S. 86−11966
Pomalyuk, V.N. *see* Chernokhlebov, V.E. 87−5023, 87−58402
Pomansky, A.A. *see* Barabash, A.S. 87−14737
Pomansky, A.A. *see* Klimenko, A.A. 87−14736
Pomansky, A.A. *see* Kuzminov, V.V. 87−14738
Pomarede, J.-M.L. *see* Berning, S. 88−68578
Pomarleanu, M., Bejuschu, L. Analysis of interconnected systems by means of REI-DIMO equivalent models 86−6263
Pomarleanu, M., Bejuscu, L. Use of Lyapunov direct method of transient stability analysis of complex power system 87−15131
Pomathiod, L. *see* Pelletier, J. 85−6844
Pombortsis, A., Vlahavas, J., Halatsis, C. On the performance of packet switching interconnection networks for multiprocessor systems 88−66800
Pombortsis, A.S., Lambros, A.P. A simple method for analysing and predicting telecommunication traffic volume 85−8011
Pombra, S., Cover, T.M. Feedback increasing capacity of Gaussian channels by at most half a bit 87−54809
Pombra, S., Lev-Ari, H., Kailath, T. Levinson and Schur algorithms for Toeplitz matrices with singular minors 88−63137
Pomer, F. *see* Segura, A. 86−33689, 86−40152, 88−17980
Pomerance, C. The quadratic sieve factoring algorithm 87−65367
Pomerance, C. *see* Erdos, P. 86−19929, 86−34162
Pomerantsev, V.V., Gagauz, I.B., Mitsai, L.I., Pilipenko, V.S., Solomonov, V.M., Chernikov, V.V., Tsirlin, Yu.A. Gamma spectrometry and plastic-scintillator inherent background 88−54388
Pomerantsev, V.V., Gagauz, I.B., Tsirlin, Yu.A., Levchina, O.V. Stability of scintillation detectors vis-a-vis radiation 85−31719
Pomerantsev, V.V. *see* Gagauz, I.B. 85−31720
Pomerantz, M. *see* Aviram, A. 88−57229
Pomerene, A.T.S. *see* Flagello, D.G. 88−1577
Pomerene, A.T.S. *see* Magerlein, J.H. 87−60649

Pomerenk, K., Wong, C., Eichmeir, D., Leong, P., Wade, W.D. Interactive filter simulation design using ICSSM 88−7000
Pomerleau, J.Y.D. *see* Jerominek, H. 85−12643, 85−41228, 87−32989
Pomerol, J.-C. A note on limiting infisup theorems 85−311
Pomeroy, R.J. Telemetry in railroad applications 88−3474
Pomeroy, S., Dixon, H., Wybrow, M., Knight, J.A. Ultrasonic sensor development for robots 86−55386
Pomeroy, S. *see* Knight, J. 88−5228
Pomeroy, W.R.M. *see* Brown, D. 87−49194
Pomeroy, W.R.M. *see* Brown, D.W. 87−3246
Pomery, M.J., O'Brien, P. Production of steam for electicity generation or other purposes using fluidised bed combustion techniques when applied to a high sulphur anthracite 85−15889
Pometun, B.V. *see* Zinchenko, E.A. 85−51030
Pomey, A. Circuit design study of wheel drive electronic for telecommunication satellite 85−38305
Pomian, P. *see* Calviello, J.A. 86−47567
Pomian, R. *see* Calviello, J.A. 87−986
Pomian, R. *see* Cappello, A. 87−73774
Pomian, R.J. *see* Calviello, J.A. 86−21590
Pomian, R.J. *see* Meier, P.J. 86−8480, 86−47062
Pomichalek, J. Piezoelectric resonators in the synthesis of active RC filters 85−23007
Pommerrenig, D.H. *see* Dereniak, E.L. 85−58578, 86−24388
Pommier, D. Unified approach to modulation methods for broadcasting and distribution of digital signals 85−25016
Pommier, D. Unified approach to digital modulation schemes 86−54402
Pommier, D. Infrared thermography and power electronics 87−37603
Pommier, D., Yi Wu Interleaving or spectrum-spreading in digital radio intended for vehicles 87−3061
Pommier, D. *see* Sabatier, J. 86−17590, 86−55402
Pommier, J.C. *see* Cachard, A. 88−20423
Pomortseva, A.A., Lesnikova, T.A., Pavlov, O.N., Shilkin, A.N., Nisnevich, E.B., Poturaiko, D.V. Raising the reliability of the ash pneumatic transport system at power stations 88−36903
Pomortseva, L.I. *see* Zubrilov, A.S. 86−67718
Pomoshchnikov, V.S. Functional scope of multiple-parameter microwave moisture meter 87−21287
Pomoshchnikov, V.S. *see* Ismatullaev, P.R. 85−31522, 86−38432, 86−44479
Pomot, C., Mahi, B., Petit, B., Arnal, Y., Pelletier, J. Anisotropic etching of silicon using an SF$_6$/Ar microwave multipolar plasma 86−35583
Pomot, C. *see* Arnal, Y. 86−58423, 88−13157
Pomot, C. *see* Burke, R.R. 88−33055
Pomot, C. *see* Durandet, A. 88−19826
Pomot, C. *see* Mahi, B. 86−58413, 87−67106
Pomot, C. *see* Pelletier, J. 86−47474
Pomozov, Yu.V. *see* Bugai, A.A. 87−11336, 87−37867
Pompei, D., Messaoudi, O., Benevello, O., Papiernik, A. New applications of transmission line matrix−selection of modes on microwaves lines, characterisation of radiating elements 88−66114
Pompei, D., Papiernik, A. Direct determination of phase and group velocities in microwave lines by TLM method 86−64034
Pompei, G. *see* De Paulis, U. 85−30658
Pompeo, F. *see* Bieleski, D. 85−49354
Pompignac, F. *see* Napieralski, A. 88−25738
Pompignac, F. *see* Napieralsky, A. 88−56433
Pompili, M. *see* Honorati, O. 88−51090
Pompili, M. *see* Mazzetti, C. 86−33242, 87−25653, 88−44901, 88−51048
Pompon, J.-P. Sodium-sulfur batteries for electric vehicle 85−65519
Pomponi, R. *see* Dellera, L. 85−4668 to 4669, 85−4686
Pomponi, R. *see* Esposto, F. 87−62729, 88−8525
Pomposo, T.F., Coates, V.J. Computerized electron-beam linewidth measuring and inspection: a new tool 85−1726
Pompushkin, V.S. *see* Eliseev, A.A. 87−55063
Pomrenke, G. *see* Ennen, H. 85−35648
Pomrenke, G.S., Ennen, H., Haydl, W. Photoluminescence optimization and characteristics of the rare-earth element erbium implanted in GaAs, InP, and GaP 86−28972
Pomyalov, A.V., Andreyev, A.S. Waves of coupled oscillations in a periodic system of thin-film ferrite resonators 88−20255
Pomylalov, A.V., Zil'berman, P.E. Magnetic resonances in small thin-film samples of yttrium iron garnet 87−25759
Pon, C.J. *see* Havard, D.G. 86−66124, 87−71722
Pon, F.E. *see* Eltgen, J.-J.P. 85−24055
Pon, G.A. Significant engineering developments [CANDU nuclear power system] 87−78406
Pon, H. *see* Allan, D.G. 86−55325
Pon, R. *see* Valley, J.F. 87−39238
Pon, R.W., Bird, S.C., Deane, P.D. Digital design of a high-speed waveform recorder 88−47614
Ponath, H.-E., Trutschel, U., Langbein, U., Lederer, F. Cross trapping of two counterpropagating nonlinear guided waves 88−33736
Ponath, H.-E. *see* Arnz, M. 87−25976, 88−72111 to 72112
Ponath, H.-E. *see* Lanbein, U. 87−46985
Ponath, H.-E. *see* Langbein, U. 85−18701, 85−35856, 85−41162
Ponath, H.-E. *see* Trutschel, U. 86−22514
Ponce, E., Aracil, J. Qualitative methods in electrical systems. An application to load flow in 3-machine combinations 85−26945
Ponce, F. *see* Tsai, C.C. 86−27985
Ponce, F.A., Anderson, G.B., Ballingall, J.M. Atomic structure of HgTe and CdTe epitaxial layers grown by MBE on GaAs substrates 87−65540
Ponce, F.A., Biegelsen, D.K., Tramontana, J.C., Smith, A.J. Defect generation in the initial stages of epitaxial growth of GaAs on silicon by MBE 87−58941
Ponce, F.A. *see* Biegelsen, D.K. 88−49797
Ponce, F.A. *see* Bonnefoi, A.R. 85−23507, 87−1245
Ponce, F.A. *see* Bulla, D.A.P. 88−13101
Ponce, F.A. *see* Eglash, S.J. 87−60406
Ponce, F.A. *see* Hahn, S. 87−11581
Ponce, F.A. *see* Nemanich, R.J. 87−10459, 88−13014
Ponce, F.A. *see* Schowalter, L.J. 87−45719
Ponce, F.A. *see* Tsai, C.C. 87−17775
Ponce, F.A. *see* Wong, C.-C.D. 87−17896
Ponce, F.A. *see* Wroge, M.L. 87−23658
Ponce, J., Chelberg, D. Finding the limbs and cusps of generalized cylinders 87−62301
Ponce, J., Chelberg, D., Mann, W. Invariant properties of the projections of straight homogeneous generalized cylinders 87−62376
Poncelet, A.M. *see* De Groote, X. 85−79, 85−4729
Poncelet, J.-P. *see* Nicolas, J. 86−57043
Poncet, A. Finite-element simulation of local oxidation of silicon 85−23680
Poncet, A. *see* Baconnier, Y. 88−54004
Poncet, A. *see* Bartalucci, S. 88−54236
Poncet, A. *see* Battisti, S. 85−26584
Poncet, A. *see* Caquot, E. 86−2095
Poncet, A. *see* Carron, G. 88−53998
Poncet, A. *see* Jones, E. 86−31932
Poncet, A. *see* Madsen, J.H.B. 88−47790
Poncet, A. *see* Pfister, J.C. 87−1493
Poncet, A.R. *see* Corbex, C.H. 88−50778
Ponchak, D.S., Spence, R.L. Application of intersatellite links to domestic satellite systems 86−59843
Ponchak, D.S. *see* Miller, E.F. 88−47007
Ponchak, G.E., Downey, A.N. A new model for broadband waveguide-to-microstrip transition design 88−50315
Ponchak, G.E. *see* Bhasin, K.B. 86−14636
Ponchak, G.E. *see* Romanofsky, R.R. 86−14477
Ponchak, G.E. *see* Simons, R.N. 88−72626
Poncin, R. Induction heating installations for the extrusion of steel tubes 85−39367
Poncin, R. Efficiency of induction heating in forges and metallurgy 86−66484
Poncio, A.R., Deon, D. Signal generator. IV. Interface of the IEEE 488 bus 86−65225
Poncot, J.C., Nyeki, P., Defranould, P., Hiugnard, J.P. 3 GHz bandwidth Bragg cells 88−51613
Poncot, J.C. *see* Duquesnoy, J.Y. 86−2561
Pond, I.F. Message switching in Bahrain into the 1990s 88−3416
Pond, J.M., Claasen, J.H., Carter, W.L. Measurements and modeling of kinetic inductance microstrip delay lines 88−26707
Pond, J.M., Claassen, J.H., Carter, W.L. Kinetic inductance microstrip delay lines 87−66469
Pond, J.M., Claassen, J.H., Carter, W.L. Measurements and modeling of kinetic inductance microstrip delay lines 88−12559
Pond, J.M., Kirchoefer, S.W., Cukauskas, E.J. Microwave amplification to 2.5 GHz in a quantum state transfer device 86−14492
Pond, J.M., Krowne, C.M. Slow-wave properties of superconducting microstrip transmission lines 88−72629
Pond, L.G. *see* Lee, K.Y. 86−56337
Pond, N.H. Status and prospects for microwave tubes 87−45515
Pond, R.B., Jr. *see* Buxbaum, S.R. 85−22565
Pond, R.G., Sabo, C.J., Vitriol, W.A., Brown, R.L. Processing and reliability of resistors incorporated within low temperature cofired ceramic structures 88−7224
Pond, R.G., Vitriol, W.A. Custom packaging in a thick film house using low temperature cofired multilayer ceramic technology 85−34386
Pond, R.G. *see* Vitriol, W.A. 88−7212
Pondelicek, B. *see* Krajnik, E. 87−167
Ponder, C.W. *see* Blum, K.P. 86−49309, 86−69381
Ponder, T.C., Jr. *see* Baker, G.E. 85−9746
Pondrom, L. *see* Atac, M. 85−43237
Pondrom, L. *see* Byrum, K. 88−48020
Pondrom, L. *see* Dworkin, J.S. 86−60580
Pondrom, L.G. CDF muon detection 86−11848
Pone, J.-F. *see* Hesto, F. 85−1259
Pone, J.-F. *see* Mouis, M. 86−63339, 87−24470, 88−19998
Pone, J.E. *see* Mouis, M. 85−6957
Pone, J.F. *see* Dusausay, S. 88−18860
Pone, J.F. *see* Hesto, P. 85−34904
Pone, J.F. *see* Mouis, M. 85−50545
Ponenko, N.A. *see* Vertii, A.A. 86−3625
Poness, J. Producing heat pictures by the TV thermography method 86−44184
Poness, J. *see* Norkus, V. 87−49742
Pong, M.H., Jackson, R.D. Computer-aided design of power electronic circuits 86−7893
Pong, M.H., Jackson, R.D. Simulation of power transistor in its circuit environment 86−41763
Pong, M.H., Jackson, R.D. Simulating power transistors using SPICE 2 86−58460
Pong, M.H., Jackson, R.D. Computer-aided design of power transistor inverter snubber circuits 87−36020
Pong, M.H. *see* Wijesundera, D.S. 88−69566
Pong, T.-C., Shapiro, L.G., Haralick, R.M. Shape estimation from topographic primal sketch: an initial feasibility study 85−30435
Pong, T.-C. *see* Chang, J.H. 88−66632
Pong, W., Brandt, D., He, Z.X. Contact charging of insulating polymers 85−61776
Pong, W. *see* Liese, G.J. 86−5898
Pong-Chi Chu *see* Lir-Fang Sun 88−70416
Pong-Fei Lu Low-frequency noise in self-aligned bipolar transistors 87−67221
Pong-Fei Lu, Tsui, D.C., Cox, H.M. Tunneling spectroscopy of In$_{0.53}$Ga$_{0.47}$As thin films 85−6754
Ponge, M. Disposal of discharge lamps 85−10200
Pongracz, D.J., Marinis, T.F. A UNIX based system for making four point resistance measurements during temperature cycling 88−10101
Pongracz, J. *see* Balazs, A. 85−38309
Pongratz, H.J. Computer graphics in videotex 85−57736
Pongratz, P., Sitter, H. TEM analysis of lead telluride films grown by hot-wall epitaxy on KCl and BaF$_2$ 87−31525
Pongratz, S., Reimer, K., Demmeler, R., Ehrlich, C. High resolution e-beam lithography for X-ray mask making 88−26123
Pongratz, S. *see* Huber, H.L. 86−1970
Pongratz, S. *see* Mackens, U. 88−64445
Pongratz, S. *see* Pilz, W. 86−21412
Pongratz, S. *see* Windbracke, W. 87−25005
Poniatowski, M. Create design files to simulate PLDs on a CAE workstation 86−8074
Poniatowski, M. Walk through board design with an all-in-one system 88−1106
Poniatowski, M. Using CAE simulation results as LSI test routines for ATE 88−20029
Poniczky, K. *see* Huszar, T. 87−29904
Poniecki, W., Peichocki, A., Sibilski, H., Les, I., Dzierzynski, A. Modeling and testing of high voltage circuit-breakers 86−56866
Poniewierski, T. *see* Szlenk, K. 87−21177
Ponik, W. Teradyne's J967 VLSI test system: getting VLSI to the market on time 86−31151
Ponikiewski, J. *see* Jablonski, M. 85−19838
Ponikiewski, W. *see* Dembinski, L. 86−18912
Ponikowski, J.D. Computative method of investigation of temperature influence on Gunn oscillator energy characteristics 86−1362
Poninska, E. *see* Kociszewski, L. 87−74652, 88−13781
Poninski, M. Clamp phase meter without galvanic connection to the mains 85−43033
Poniozovskii, A.Z. *see* Aleksandrov, G.N. 86−6400
Ponisch, G. Computing simple bifurcation points using a minimally extended system of nonlinear equations 86−26771
Ponisch, G. Computing hysteresis points of nonlinear equations depending on two parameters 87−73002
Ponisch, G. *see* Elst, G. 87−485
Ponisch, K. *see* Willing, P. 86−71155
Ponizko, A.S. Ways of reducing metals intensiveness and improving the characteristics of explosion-proof electric motors 87−58010
Ponjee, J.J., van Velzen, P.N.T. Chemical modification of surfaces 88−64422
Pon'kin, V.A., Radziyevskiy, V.G. Space-time signal processing in multichannel receiving and transmitting systems 85−7879
Ponkratov, A.B. *see* Marakhtanov, M.K. 88−55244
Ponkratov, A.N. *see* Malamed, E.R. 86−48273
Ponkratov, E.I. *see* Kucherenko, A.A. 88−749
Ponkratov, V.P. *see* Mozalevskaya, V.A. 87−43338
Ponman, T., Hammersley, A., Skinner, G. Error analysis for a noncyclic imaging system 88−22932
Ponnaganti, V., Kane, T.R., White, J.W. Dynamics of head-disk contact/impact in magnetic recording 88−51317
Ponnaganti, V., Noteboom, R., Eshel, A. On nonlinear response of head-disk interface to wavy excitation 87−25827
Ponnappan, R., Beam, J.E., Mahefkey, E.T. Roll-out-fin expandable space radiator concept 88−74914

Ponnavaikko, M., Prakasa Rao, K.S., Venkata, S.S. Distribution system planning through a quadratic mixed integer programming approach 88−23404
Ponnuraju, K., Vaya, P.R. Study of $Pb_{1-x}Sn_xTe$ epitaxial films deposited by MBE technique 87−73080
Ponomar', V.V. *see* Andriesh, A.M. 85−24321, 85−29604, 85−41176, 86−28837, 87−18572, 87−74703
Ponomarenko, A.A. *see* Namitokov, K.K. 87−22660
Ponomarenko, A.G., Surkov, A.S. Simulation of the transient response in a pulse voltage generator 85−22715
Ponomarenko, A.G., Tishchenko, V.N. Optimal conditions for the formation of quasi-CW radiation pulses in a CO_2 amplifier 86−9753
Ponomarenko, A.G. *see* Gutenberg, V.Ya. 88−58417
Ponomarenko, A.G. *see* Ivanchenko, A.I. 86−36393, 88−8146, 88−58419
Ponomarenko, B.V. Estimate of the time position of a pulse−amplitude modulated signal acted on by impulse interference with unknown parameters and noise 87−55087
Ponomarenko, B.V. Analysis of a group of discrete radio-measuring instruments by methods of the theory of Markov chains 87−76880
Ponomarenko, B.V. Analysis of the characteristics of radio measurement systems using Markov-chain theoretic methods 88−35571
Ponomarenko, B.V., Chukanov, L.I. Multilevel clamping of signal time position 87−39790
Ponomarenko, B.V. *see* Gromov, G.N. 88−29006
Ponomarenko, I.N. *see* Strizhalo, V.A. 86−40808
Ponomarenko, I.S. *see* Venikov, V.A. 88−48426
Ponomarenko, S.F. *see* Russin, F.S. 86−41302
Ponomarenko, V.A. *see* Kaminskii, V.Yu. 86−69999
Ponomarenko, V.I., Berzhanskiy, V.N., Mirovitskiy, D.I. Absorption of electromagnetic waves by thin multilayer magnetogyrotropic structures 88−40548
Ponomarenko, V.I., Mirovitskiy, D.I., Budagyan, I.F. Calculation of the reflection coefficient of electromagnetic waves by a compartmented grating of conducting strips 86−36701
Ponomarenko, V.I., Stadnik, I.P. Calculation of the reflection coefficient of EM waves for wedge-shaped RF absorbing structures 86−59123
Ponomarenko, V.P. Dynamic properties of a complex signal synchronization system with additional coupling via the control circuits 86−29881
Ponomarenko, V.P. Operating modes and pull-in range of a phase-lock system with an automatic gain control (AGC) circuit 88−19000
Ponomarenko, V.P., Shimanskii, I.V., Stafeev, V.I. Static characteristics of metal-insulator-semiconductor transistors made of $Cd_xHa_{1-x}Te$ 88−57642
Ponomarenko, V.P. *see* Zaulin, I.A. 88−8771
Ponomarenko, V.S. *see* Belous, N.P. 88−49472
Ponomarenko, Yu.I. *see* Ozhiganov, Yu.V. 88−43025
Ponomarev, A.M. Transient current-voltage characteristics of MIS-transistors at low temperatures 87−67274
Ponomarev, A.M. Response time of a CMOS integrated circuit in the 300-4.3 K temperature range 88−39685
Ponomarev, A.M. *see* Berlin, N.S. 87−4365
Ponomarev, A.M. *see* Biryukov, V.N. 87−74310
Ponomarev, A.M. *see* Krokhin, V.V. 87−7020
Ponomarev, A.N. *see* Aleksandrov, A.L. 86−24318
Ponomarev, A.S. *see* Zotov, N.M. 88−4627
Ponomarev, D.I., Dubovskii, P.E., Lotkova, E.N., Sobolev, N.N. The output power of gas discharge lasers with different mechanisms for expanding the spectral lines 88−14121
Ponomarev, D.I. *see* Dubovskii, P.E. 86−22306, 88−65770
Ponomarev, D.I. *see* Kon'kov, A.A. 87−61083
Ponomarev, D.M. *see* Glebovich, G.V. 85−4097
Ponomarev, D.M. *see* Goryachev, A.V. 85−12498
Ponomarev, D.M. *see* Vvedenskii, Yu.V. 87−2364
Ponomarev, E.M. *see* Pel'ts, B.B. 85−65645
Ponomarev, G.A., Fortes, V.B. Signal distortion in communications channels with large-scale discrete screening nonuniformities 85−7780
Ponomarev, G.A., Kulikov, A.N. Average intensity of a UHF field in a city 86−22686
Ponomarev, G.A., Tel'pukhovskiy, E.D., Chuzhkov, Yu.P. Determination of the local polarization characteristics of an electromagnetic field 86−42716
Ponomarev, G.A., Tel'pukhovskiy, Ye.D., Kulikov, A.N. Spatial correlation of an ultrashort wave field under urban conditions 85−57064
Ponomarev, G.M. *see* Agapov, A.P. 87−45376
Ponomarev, I. *see* Isaev, A. 88−51726
Ponomarev, I.V. *see* Astadzhov, D.N. 87−68354, 87−68382
Ponomarev, I.V. *see* Isaev, A.A. 87−46767
Ponomarev, I.Yu. *see* Aleksandrov, Yu.M. 88−13843
Ponomarev, I.Yu. *see* Lastochkin, Yu.A. 86−32099
Ponomarev, L.I. Matrix analysis of multifrequency combined periodic antenna arrays 86−43055
Ponomarev, L.I., Dolgii, A.V. Minimization of the field scattered by thin dipoles 85−7719
Ponomarev, L.I., Dolgii, A.V., Shatalov, A.V. The use of active quenching to reduce the power dissipated by a dipole antenna array 86−43058
Ponomarev, L.I., Shatalov, A.V. The scattering of a plane electromagnetic wave by a periodic dipole array with concentrated and distributed loads 87−33539
Ponomarev, L.I., Stepaneko, V.I., Kul'kov, M.Yu. Expanding the scanning sector of two-frequency aligned waveguide PAA [phased antenna array] 87−33535
Ponomarev, L.I. *see* Il'inskii, A.S. 85−62924
Ponomarev, L.I. *see* Il'inskiy, A.S. 87−39508
Ponomarev, L.T. A new design for high-voltage insulation 86−2483
Ponomarev, L.T. A new high-voltage insulation system 86−68127
Ponomarev, M.F. *see* Erokhin, A.V. 87−45041
Ponomarev, N.A. *see* Fefelov, V.I. 85−15881
Ponomarev, N.M. *see* Bogdanov, V.V. 87−70213
Ponomarev, S.I. *see* Alferov, Zh.I. 87−67311
Ponomarev, S.I. *see* Korol'kov, V.I. 85−34593, 85−55523
Ponomarev, S.I. *see* Zadiranov, Yu.M. 88−26242
Ponomarev, S.N., Zhuk, S.Ya. Use of discrete α-β- and α-β-γ-filters with variable coefficients to track moving objects 87−47721
Ponomarev, V.A. Reactive power compensators for 6-10 kV industrial supplies [compensating reactors] 85−27474
Ponomarev, V.A. Structure of a system of discrete exponential functions 87−39721
Ponomarev, V.A., Ponomareva, O.V. Generalization of discrete Fourier transformation for interpolation in time domain 85−10579
Ponomarev, V.A., Ponomareva, O.V. A modification of discrete Fourier transform for solution of interpolation and functional convolution problems 85−51617
Ponomarev, V.A. *see* Buryak, S.F. 87−57499
Ponomarev, V.A. *see* Gogolitsyn, Yu.L. 87−57137
Ponomarev, V.A. *see* Kulish, A.K 88−44276
Ponomarev, V.A. *see* Yatsenko, A.A. 87−43161, 88−24004, 88−30302
Ponomarev, V.B. *see* Buyanov, Yu.I. 85−48037
Ponomarev, V.B. *see* Gostishchev, E.A. 87−29221
Ponomarev, V.E. *see* Pokhodnya, I.K. 85−60597
Ponomarev, V.G. *see* Gasin, I.G. 87−48463
Ponomarev, V.I. *see* Andrusenko, A.M. 87−35189
Ponomarev, V.I. *see* Armand, N.A. 88−29655
Ponomarev, V.I. *see* Astapkovich, K.F. 86−37621
Ponomarev, V.K., Panferov, A.I. Using spectral approach to the synthesis of adaptive systems for complex processing of navigational data 88−14701
Ponomarev, V.M. *see* Sychev, Yu.P. 85−32295
Ponomarev, V.N. *see* Astrakhantsev, Yu.G. 86−38934
Ponomarev, V.S. *see* Mikheev, M.N. 87−36836
Ponomarev, V.S. *see* Nikulenko, V.N. 86−24488
Ponomarev, Ya.G. *see* Evseev, V.V. 87−5801
Ponomarev, Ye.P. Synthesis of nonlinear models of Markov sequences 85−2827
Ponomarev, Yu.A. *see* Panfilov, E.N. 86−66507
Ponomarev, Yu.F. Regularities of the harmonic components of magnetization of cyclically remagnetized ferromagnetic cores and the possibilities of their use. II. Review of the fundamental analytical calculations 85−2478
Ponomarev, Yu.F. Relationships governing harmonic components of the magnetization of cyclically remagnetized ferromagnetic cores and applications of these relationships. III. A method of graphical examination 86−2601
Ponomarev, Yu.F. Harmonic analysis of the magnetization of ferromagnets remagnetized by an AC field, with magnetic hysteresis taken into account. IV. Application to nondestructive inspection 88−70375
Ponomareva, A.N. *see* Alekseev, S.V. 86−18675
Ponomareva, I.P. *see* Magdich, L.N. 85−46229
Ponomareva, N.I. *see* Mittova, I.Ya. 87−45789
Ponomareva, N.P. *see* Gokhberg, Zh.L. 87−71928
Ponomareva, O.I. *see* Mitrofanov, V.P. 87−70762
Ponomareva, O.V. *see* Ponomarev, V.A. 85−10579, 85−51617
Ponomareva, T.O., Orlova, M.P., Korolev, Ya.A., Zarubin, L.I., Eliseeva, N.G. Calibrating KG thermometers in the range 3-90K 86−38594
Ponomareva, T.P. *see* Lazarev, V.G. 87−48307
Ponomaryov, V.I. Determination of propagation medium statistical characteristics from remote sensing radio data 86−68767
Ponomaryov, V.I., Gorb, A.I. Determination of turbulent atmosphere, statistical characteristics 87−47214
Ponomaryov, V.I., Shkvarko, Y.V. The adaptive restoration of heat images of objects in energetical solution spaces 88−46207
Ponomaryov, V.I. *see* Shkvarko, Y.V. 88−46208
Ponpon, J.P. A review of ohmic and rectifying contacts on cadmium telluride 85−55569
Ponpon, J.P. Surface treatment and stability of silicon Schottky diodes 86−21504
Ponpon, J.P., Grob, J.J., Grob, A., Stuck, R. Formation of thin silicon oxide films by rapid thermal heating 86−53547
Ponpon, J.P. *see* Barhdadi, A. 87−17793
Ponpon, J.P. *see* Levy, D. 85−6746, 85−45500, 86−41688
Ponrajah, R.A., Galiana, F.D. Derivation and applications of optimum bus incremental costs in power system operation and planning 86−32701
Pons, A. Testing components with an oscilloscope 85−54126
Pons, A. *see* Andres, P. 85−57451
Pons, A. *see* Campos, J. 85−8855
Pons, A. *see* Ferreira, C. 85−12692
Pons, A. *see* Millan, M.S. 88−46181
Pons, A. *see* Ojeda-Castaneda, J. 88−66097
Pons, C. Automatic adjustment of colour picture tubes 87−70253
Pons, C. *see* Mansuripur, M. 88−65140
Pons, D. *see* Guillemaud-Mueller, D. 86−50348
Pons, D. *see* Lerose, S. 86−50349
Pons, D. *see* Wallis, R.H. 86−9176
Pons, E. Electronic smoke warning 85−55076
Pons, E. A double battery charger 85−65340
Pons, E. Customised integrated circuits 86−58546
Pons, F., Geogel, B., Jossinet, J., Lebrun, A. Response to the evolution of NDT: the laboratory for studying measurement systems 85−43833
Pons, F., Georgel, B. Ultrasonic and eddy current imaging: signal processing for defect visualization [nuclear power plants] 86−25689
Pons, F., Verite, J.-C., Carre, M., Martin, E. The use of digital models in non-destructive testing 88−6572
Pons, F. *see* Alias, P. 86−12221
Pons, F. *see* Bernard, A. 88−12104
Pons, F. *see* Le Brun, A. 88−12105
Pons, J.M. *see* Cabanne, M.D. 86−39648
Pons, M., Delpech, P., Schiltz, A., Inard, A. Mini-trench isolation: trench etching, oxidation and refilling planarization 87−25566
Pons, M., Inard, A., Henry, D. Anisotropic reactive ionic etching of silicon using SF_6-O_2 plasma at high O_2/SF_6 flux ratio 88−13168
Pons, M., Inard, A., Henry, D., Ranson, P., Laure, C., Bouchoule, A. Externally excited plasma reactor characterisation for etching silicon in SF_6 and SF_6-O_2 plasmas 88−13167
Pons, M., Moschini, P., Henry, D. Etching of a trilevel film by a hydrogen plasma in a high pressure reactor 86−58419
Pons, M. *see* Glastre, G. 88−39380
Pons, M. *see* Schiltz, A. 86−21416, 86−41644, 86−58416
Pons, P. *see* Blasquez, G. 87−70593, 88−35989
Pons, R. Training and nuclear technology transfer: the French experience 86−39376
Pons, S. *see* McAleer, J.F. 87−65584
Ponse, F., Masselink, W.T., Morkoc, H. Quasi-Fermi level bending in MODFETs and its effect on FET transfer characteristics 85−50531
Ponse, F. *see* Arnold, D. 85−45681
Ponse, F. *see* Ketterson, A. 85−40764
Ponse, F. *see* Ketterson, A.A. 86−21572
Ponse, F. *see* Masselink, W.T. 85−18314, 85−45696
Ponse, F. *see* Moloney, M.J. 86−9139
Ponse, F. *see* Mueller, K.H. 87−25302
Ponse, F. *see* Pettenpaul, E. 88−7631
Ponsford, A.M., Bagwell, D.J. Receiver design for HF ground-wave radar 88−47217
Ponsford, A.M., Bagwell, D.J., Money, D.G., Gledhill, M.H. Progress in ship tracking by HF ground-wave radar 88−15523
Ponsford, A.M. *see* Wyatt, L.R. 86−65531
Ponsioen, J. L-SEP: SF_6 insulated switchgear for the higher intermediate voltages 86−33540
Ponsioen, Y., Wouda, J.W. Compact 72.5 kV SF_6 insulated switchgear design 86−56925
Ponsonby, J.E.B. Quadrature hybrid made from transmission line of a single characteristic impedance 85−998
Ponsonby, J.E.B. *see* Ananthakrishnan, S. 85−58262
Pont, F. *see* Beyer, J. 88−58752
Ponta, A. *see* Danis, A. 87−29658
Pontano, B. The INTELSAT TDMA/DSI system. An overview of the special issue 86−4574
Pontano, B.A., Campanella, S.J., Dicks, J.L. The INTELSAT TDMA/DSI system 87−8220
Pontano, B.A. *see* Campanella, S.J. 87−20436, 87−40793
Pontano, B.A. *see* Clopp, W., Jr. 86−64936
Pontarollo, E., Solimene, L. Oil and the electrical industry 87−22010
Pontcharra, J.de *see* de Pontcharra, J.
Pontcharra, J.du Port de *see* du Port de Pontcharra, J.
Ponte, G. *see* Italiano, P. 86−11385

Pontecorvo, G.B. *see* Balestra, F. 85–37946, 87–63677
Pontecorvo, G.B. *see* Falomkin, I.V. 85–52981
Pontes, A. *see* Gomez, I. 87–59552
Pontet, J. Test of video-frequency coders 86–5191
Ponthot, J.P. *see* Lilien, J.L. 88–10881
Ponti, F.De *see* De Ponti, F.
Pontier, R. New range of steam turbines from 500 to 7000 kW 85–9750
Pontier, R. Siphon-mounted Kaplan turbines at two French mini hydro schemes 88–43083
Pontiggia, C. *see* Falciai, R. 87–18594, 88–10017
Pontin, T.J. *see* Cowan, D.A. 87–24610, 88–64731
Ponting, D. Turning terminal into telephone 87–27926
Ponting, D. Make the right connections ... [multi-user systems] 87–40373
Ponting, K. *see* Varga, A. 88–72808
Pontius, B. *see* Rawat, B. 88–56877
Pontius, B.E., Thielke, H.G. SMR trunking systems vs. cellular mobile telephone 85–63591
Pontius, B.E. *see* Rawat, B. 85–30933
Pontius, D.H. *see* Snyder, T.R. 87–33394
Pontius, J. *see* Nadeski, K. 85–26083
Pontius, P.E. *see* Yano, H. 86–11747
Ponton, C.W. *see* Procter, M.A. 87–29699
Pontonnier, M. *see* Geller, R. 88–74699
Pontonnnier, M. *see* Geller, R. 85–64425
Pontopidan, K. Reflector antennas–an overview of surface distortion effects 88–34443
Pontoppidan, K. Simple approach for evaluating mechanical reflector antenna distortions 87–12828
Pontoppidan, K. Reflector surface tolerance effects 87–19301
Pontoppidan, K. Contoured beam reflector antennas–design and analysis considerations 88–14507
Pontoppidan, K. *see* Albertsen, N.C. 86–43026
Pontoppidan, K. *see* Kellermeier, H. 86–59152
Pontual, A.De *see* De Pontual, A.
Pontzen, D. *see* Gorlich, E. 85–33369
Pontzen, D. *see* Kanz, O. 86–4236
Ponurovskii, Ya.Ya. *see* Godlevskii, A.P. 87–4135
Ponurovskii, Ya.Ya. *see* Godlevsky, A.P. 87–56269
Ponya, J. *see* Kapolyi, L. 86–19043
Ponzi, G. Local networks technology 87–28087
Ponzi, U. *see* Arduini, C. 87–12862
Ponzi, U. *see* Graglia, R.D. 87–12854
Ponziani, G. *see* Fossi, M. 85–47593
Ponzio, R.M. *see* Fasano, V.A. 86–5975
Poo, A.N. *see* Liu, C.Y. 87–56662
Poo, A.N. *see* Rahman, M.F. 85–65285, 86–6820
Poo, G.S. Power spectra of mB1C codes for optical communication 85–63640
Poo, G.S., Tan, T.S. Performance characteristics of a broadband PC LAN: an experimental study 88–3503
Poo Gee Swee *see* Gee Swee Poo
Poo Gee-Swee *see* Gee-Swee Poo
Pooch, U.W. *see* Hebert, K.R. 87–40055
Pooch, U.W. *see* Kiemele, M.J. 85–57811
Poojary, A., Rajagopalan, S.R. Use of phase-locked loop for generation of reference square waves for higher harmonic AC polarography 87–44684
Pook, H. *see* Henrich, G. 85–54002
Pook, J. Choosing surface temperature sensors 88–47702
Pook, L.P. *see* Mackinnon, J.A. 88–18759
Pookaiyaudom, S., Jantarang, S. Simulations for sinusoidal oscillators with random numbers and initial impulses 87–5704
Pookaiyaudom, S., Samootrut, K. Current-mirror phase-shifter oscillator 87–23974
Pookaiyaudom, S., Samootrut, K. Efficient circuit implementations of current conveyors, negative impedance converters and nonlinear impedance converters using operational transconductance amplifiers 88–56751
Pookaiyaudom, S., Samootrut, K. A differential-current electronically-variable current-mirror phase-shifter 88–56817
Pookaiyaudom, S., Samootrut, K., Kurutach, W. Current-mirrors RC-oscillators 87–59231
Pookaiyaudom, S., Srisuchinwong, B., Kurutach, W. A current-tunable sinusoidal oscillator 88–18967
Pooke, D., Mottahedeh, R., Pepper, M., Gundlach, A. Quantum transport in narrow Si accumulation layers 88–32949
Pool, F. Developments in building energy management and low-energy lighting systems 87–51628
Pool, F., Hop, J., Lagerberg, J.P.L., Da Costa, C. Testing a 317K bit high speed video memory with a VLSI test system 85–37456
Pool, F., Kossut, J., Debska, U., Refenberger, R., Furdyna, J.K. Electronic transport properties of $Hg_{1-x}Fe_xSe$ 88–44548
Pool, F. *see* Franciosi, A. 88–1382
Pool, K.van der *see* van der Pool, K.
Pooladdej, J. *see* Cheng, W.H. 88–14186
Pooladdej, J. *see* Jones, M.W. 87–46903
Poole, A.D. Ku-band small aperture earth stations for cost effective communications 88–28802
Poole, A.G. The hidden costs of constructing a cable television duct system: who's responsibility? A civil engineering contractor's viewpoint 86–4861
Poole, A.W.V. Advanced sounding. I. The FMCW alternative 86–25430
Poole, A.W.V., Evans, G.P. Advanced sounding. II. First results from an advanced chirp ionosonde 86–25431
Poole, C.D. Electrical distribution in buildings 88–18372
Poole, C.D. Statistical treatment of polarization dispersion in single-mode fiber 88–72044
Poole, C.D., Bergano, N.S., Schulte, H.J., Wagner, R.E., Nathu, V.P., Amon, J.M., Rosenberg, R.L. Polarisation fluctuations in a 147 km undersea lightwave cable during installation 88–3974
Poole, C.D., Bergano, N.S., Wagner, R.E., Schulte, H.J. Polarization dispersion in a 147 km undersea lightwave cable 88–47141
Poole, C.D., Bergano, N.S., Wagner, R.E., Schulte, H.J. Polarization dispersion and principal states in a 147-km undersea lightwave cable 88–73925
Poole, C.D., Garmire, E.M. Bandgap resonant optical nonlinearities in InAs and their use in optical bistability 86–22486
Poole, C.D., Giles, C.R. Polarization-dependent pulse compression and broadening due to polarization dispersion in dispersion-shifted fiber 88–33661
Poole, C.D., Wagner, R.E. Phenomenological approach to polarisation dispersion in long single-mode fibres 87–7086
Poole, C.D. *see* Bergano, N.S. 88–20350
Poole, C.D. *see* Garmire, E. 85–41483
Poole, C.R., Paul, D.K. Optimum noise measure terminations for microwave transistor amplifiers 86–20826
Poole, C.R., Taylor, H.R. Proportional temperature controller using a solid-state heat pump [for Gunn diode oscillator] 85–11480
Poole, C.R. *see* Collier, C.J. 88–28751
Poole, D. Connecting optical fibres 88–72016
Poole, D., Barker, D. Digitally coded track circuit 87–79142
Poole, D. *see* Plessl, A. 87–64731
Poole, D.E. *see* Dykes, D.M. 86–31976
Poole, D.E. *see* Martlew, B.G. 88–54148
Poole, D.R., Kwong, D.L. Two-dimensional analytical modeling of threshold voltages of short-channel MOSFETs 85–12289
Poole, D.R., Kwong, D.L. Analytical modeling of the subthreshold current in short-channel MOSFETs 86–63289
Poole, G. First half of new Britain-France submarine power link now ready for commissioning 86–56339
Poole, G. Insulation and high-voltage cables 87–35646
Poole, H.E., Cox, J.W., Couch, R.H., Fuller, W.H., Jr. A lidar technology experiment from space shuttle: lidar in-space technology experiment (LITE) 87–41041
Poole, I. Power supply unit for two-metre transceivers 86–743
Poole, I. Speech processing 86–64225
Poole, I., Lee, M.E., Missous, M., Singer, K.E. In situ Schottky contacts to molecular-beam epitaxially grown gallium antimonide 88–25959
Poole, I., Lee, M.E., Singer, K.E., Frost, J.E.F., Kerr, T.M., Wood, C.E.C., Andrews, D.A., Rothwell, W.J.M., Davies, G.J. Sulphur doping behavior of gallium antimonide grown by molecular-beam epitaxy 88–24711
Poole, J. *see* Brat, T. 88–24789, 88–39277
Poole, J. *see* Hofmann, A. 86–31930
Poole, J. *see* Koutchouk, J.-P. 88–53991
Poole, J.B.le *see* le Poole, J.B.
Poole, J.N., Frey, W.J. Retrofit of a recovery boiler ID fan with a dual channel high reliability LCI drive 88–76063
Poole, K.F. The development of a low cost integrated circuit facility for a university environment 88–24489
Poole, K.F. *see* Frost, D.F. 87–60648, 87–67516, 88–71787
Poole, K.F. *see* Kemp, K.G. 87–53675
Poole, K.F. *see* Lathrop, J.W. 87–60613
Poole, K.F. *see* Smithies, S.A. 87–46161
Poole, L.M.G. The Grahamstown all-sky meteor radar 88–60248
Poole, M.E. *see* Milner, M.O. 88–22025
Poole, M.J. *see* Crook, M.J. 87–5554
Poole, M.W., Saxon, G., Walker, R.P., Pidgeon, C.R., Smith, S.D., Firth, W.J., Jaroszinski, D., Tratt, D., Mackay, J., Kimmitt, M., Reid, J.M., Kelliher, M.G., Gillespie, W.A. Status of the UK FEL project 85–56702
Poole, M.W. *see* Gillespie, W.A. 87–2165
Poole, M.W. *see* Jaroszynski, D.A. 88–2339
Poole, M.W. *see* Pidgeon, C.R. 86–3223, 87–75209
Poole, M.W. *see* Suller, V.P. 88–47970
Poole, M.W. *see* Walker, R.P. 88–47969
Poole, N.J., Sarvar, F., Witting, P.A., McKenzie, W.H. Thermal modelling using ASTEC3 software 88–70424
Poole, R., Bourne, J., Rondeau, E., Cutshall, D. Capacitor trends in power supplies 86–20867
Poole, S. *see* Reekie, L. 88–65873
Poole, S.B., Payne, D.N. Fabrication of optical fibres containing low levels of rare-earth ions 86–36222
Poole, S.B., Payne, D.N. Special optical fibres 88–20382
Poole, S.B., Payne, D.N., Fermann, M.E. Fabrication of low-loss optical fibres containing rare-earth ions 85–62294
Poole, S.B. *see* Barnes, W.L. 88–65284
Poole, S.B. *see* Farries, M.C. 86–44253, 87–7095
Poole, S.B. *see* Fermann, M.E. 86–55866, 87–54074, 88–45079
Poole, S.B. *see* Mears, R.J. 85–62542, 86–29095
Poole, S.B. *see* Morkel, P.R. 88–65646
Poole, S.B. *see* Payne, D.N. 87–46814
Poole, S.B. *see* Reekie, L. 86–48382, 87–75047, 87–76738
Poole, S.B. *see* Townsend, J.E. 87–38749
Poole, S.B. *see* Varnham, M.P. 85–12563, 85–29620
Poole, S.B. *see* Zurn, M. 87–54285
Poole, T. Phototools: the designer's link to the manufacturing process 87–45394
Poole, W., Walshak, L. A five-year quest to prove MW power transistor reliability 85–18293
Poole, W.E., Jr. *see* Talwar, A.K. 88–50381
Pooley, J., Homsley, T., Teoh, W., Jones, J., Lewallen, P. Rocket engine health monitoring system (HMS) via an embedded expert system (EES) 88–36639
Poon, C., Ward, S.A. A device to provide respiratory-mechanical unloading 86–44704
Poon, E., Hwang, W., Yang, E.S., Evans, H.L. Photoconductance transient response in polycrystalline silicon 85–24369
Poon, F. *see* Halsall, F. 85–63364
Poon, H.W. *see* Ooi, T.H. 88–44850
Poon, J.E., Matulaitis, M.D. Telcos fight crime with derived channel technology 88–41274
Poon, J.K., Pulfrey, D.L., Lawrence, P.D. Arithmetic processor chip for robot control 86–20632
Poon, M.C. Degradation of the $Mg/SiO_x/p\text{-}Si$ contact 88–26207
Poon, M.C. *see* Kwok, H.L. 86–67794, 87–11615
Poon, M.C. *see* Wong, S.P. 87–17727
Poon, S. *see* Jaggi, B. 87–77621 to 77622
Poon, S. *see* Parrillo, L.C. 87–46217
Poon, S.S.S. *see* Jaggi, B. 87–57130
Poon, S.W.H. *see* Kaps, P. 85–33328
Poon, T. *see* Park, J. 87–7869
Poon, T.-C. Scanning holography and two-dimensional image processing by acousto-optic two-pupil synthesis 85–36346
Poon, T.-C., Motamedi, M. Optical/digital incoherent image processing for extended depth of field 88–14746
Poon, T.-C. *see* Park, J. 86–69105
Poon, T.-C. *see* Pieper, R.J. 85–36260
Poon, T.C., Hwang, S.J., Fowlis, D.C., Sampson, G.P., Yang, W.Y., Kerestes, M., Fischer, R.F., Willis, M.L. Design of a high performance CMOS DRAM controller using a modified standard cell approach 86–1062
Poon, T.C., Kerestes, M., Fischer, R.F., Sampson, G.P., Hwang, S., Yang, W.J., Willis, M.L. A CMOS DRAM controller chip implementation 87–52579
Poon, T.C. *see* Hu, G.-H. 87–69379
Poon Ting-Chung *see* Ting-Chung Poon
Poor, H.V. Robust quantization of ε-contaminated data 85–36264
Poor, H.V. Quantization effects in filtering of stationary Gaussian processes 85–51678
Poor, H.V. Minimax linear smoothing for capacities: the case of correlated signals and noise 87–2511
Poor, H.V. Uncertainty tolerance in underwater acoustic signal processing 87–69108
Poor, H.V., Chein-I Chang A reduced-complexity quadratic structure for the detection of stochastic signals 86–10376
Poor, H.V., Verdu, S. Single-user detectors for multiuser channels 88–27909
Poor, H.V. *see* Aazhang, B. 85–30897, 86–30576, 88–15317, 88–28646
Poor, H.V. *see* Barton, R. 87–55170
Poor, H.V. *see* Geraniotis, E.A. 86–13627, 88–22078
Poor, H.V. *see* Kassam, S.A. 85–46803
Poor, H.V. *see* Tantaratana, S. 86–16079
Poor, H.V. *see* Verdu, S. 85–54323
Poor, H.V. *see* Zabin, S. 87–54795
Poor, S. *see* Birx, D.L. 85–5307
Poor, S.E. *see* Birx, D.L. 85–26668, 85–58965, 86–31957, 87–2145, 87–50047
Poore, A.B., Tiahrt, C.A. Bifurcation problems in nonlinear parametric programming 88–11891
Poore, R.E. *see* Kosel, P.B. 88–39735, 88–53722
Poore, R.V. *see* Nelson, R.O. 85–43308, 86–56071
Poorman, P. *see* Day, C.K. 86–58678
Poorman, R.N. *see* Beheim, G. 87–77255

Poormand, R. *see* Nayeb-Hashemi, H. 87−73189
Poornachandra Rao, B. *see* Balasubramanian, N. 88−55020
Poornachandra Rao, B. *see* Udupa, A.H. 88−59937
Poornaiah, D.V., Ahmad, M.O. Flexible interrupt structure with 8085 micro 85−49955
Poornaiah, D.V., Ahmad, M.O. Design of a flexible power-saving logic circuit for CMOS microprocessors employing power-down/save feature 87−59305
Poornaiah, D.V., Ahmad, M.O. An AI approach for hierarchical circuit consistency verification in VLSI design 88−39667
Poornaiah, D.V., Omair Ahmad, M. Logic gates guard microprocessor during start-up 85−6260
Poornaiah, D.V. *see* Ahmad, M.O. 85−55056, 86−41907
Poorten, A.J.van der *see* van der Poorten, A.J.
Poorter, T., Zoestbergen, P. Hot carriers effects in MOS transistors 85−50566
Poortmans, F. *see* Bockhoff, K.H. 86−55944
Poortmans, F. *see* Dekempeneer, E. 87−63691
Poortmans, F. *see* Kohler, R. 85−31759
Poortmans, J. *see* Baert, K. 88−18675
Pop, G. *see* Ursu, I. 88−36463 to 36464
Pop, I., Focsa, I., Niac, G. Combined electricity generation cycle using underground coal gasification 87−71918
Pop, M., Karger, J.P., Tarta, M., Ningiuc, C. Romanian nuclear power program: a progress report 88−36964
Pop, M.G.M. *see* Forje, A. 86−63234
Pop, P. *see* Qvortrup, L. *(editor)* 87−72713
Pop, R. Using the base emitter junction as voltage limiting device for measuring instrument protection 87−5993
Pop, S.S. *see* Bandurin, Yu.A. 87−45563
Popa, A. *see* Ursu, I. 87−60355, 88−19794
Popa, A.E. Military and aerospace applications of lightwave technology 88−73949
Popa, A.E., Gee, C.M., Yen, H.W. Lightwave technology in microwave systems 87−19324
Popa, A.E. *see* Anderson, S.J. 87−74745
Popa, A.E. *see* Gee, C.M. 86−69838
Popa, A.E. *see* Yen, H.W. 88−72696
Popa, D. Automation equipment with in-built test programs 88−35781
Popa, D. *see* Vlad, V.I. 87−47016
Popa, O.A., Polyakova, N.A., Slepoi, B.Kh. Use of noncoherent optical filtering for automating the testing of semiconductor structures 87−11859
Popa, O.A., Slepoi, B.Kh. Calculating parameters of spatial-frequency image filtering in laser scanning microscopes 87−27574
Popa, R. *see* Diacon, A. 85−9788
Popa, S. *see* Bradea, I. 87−7051
Popa, S.D. *see* Maris, O. 87−6319
Popa Fotino, I.A., Schroeder, J.A., Decker, M.T. Ground-based detection of aircraft icing conditions using microwave radiometers 87−15051
Popadyin, St.V., Sokolov, E.R., Zhetchev, D.P., Culov, A., Nikolaitchev, N.G. Multipurpose computer program for fed induction motors investigation 87−16099
Popazov, I.A. *see* Kustikov, Yu.A. 86−44462
Popchev, I.P., Monov, V.V., Savov, S.G. Decentralized load-frequency control of interconnected energy systems 88−23371
Popczyk, J. Actual and expected values of short circuit currents in power systems 87−4251
Popczyk, J., Blaszczyk, A. Results of probabilistic short-circuit studies for HV networks 88−55071
Popczyk, J., Buchta, F. Division of the investment costs for the development of the low and medium voltage as well as 110 kV distribution networks 86−44957
Popczyk, J., Ciura, J., Buchta, F., Michnowicz, J. Assessment of the cost proportions of energy losses in the distribution networks, supply discontinuity and voltage level deviation of consumer supplies 86−18798
Popczyk, J., Ciura, S., Trybus, A. The costs and benefits of improving the reliability of power supplies to selected consumers from the existing distribution network 88−48553
Popczyk, J., Trybus, A. Microcomputer-aided systems in regional dispatching centres of the power supplying establishment of Gliwice 88−75076
Popczyk, J., Zmuda, K. Probability analysis of the personal dangers from the surface voltage gradient near the masts of the 7500 kV Polish openwire line 86−12455
Popczyk, J. *see* Macelko, J. 85−21222
Pope, B.G. *see* Aronson, S. 88−61122
Pope, B.G. *see* Baltay, C. 88−4829
Pope, D. *see* Jenkins, R.D. 87−22950
Pope, D.L. *see* Parker, D.L. 87−63734
Pope, E.J.A., Mackenzie, J.D. Metalorganic polymer route to superconducting yttrium-barium-copper-oxide wire 88−65006
Pope, G.L. *see* Merritt, S.Y. 86−70867, 87−78630
Pope, K., Threewit, B., Venkatesh, B. Mbit EPROM challenges the disk 86−14178
Pope, K., Threewit, B., Venkateoh, B. One megabit CMOS EPROM advances system design 86−47789
Pope, K., Threewit, B., Ventakesh, B. A CMOS 1 Mbit EPROM to satisfy the memory needs of future systems 86−46790
Pope, K.W. High density EPROMs 85−49870
Pope, K.W. Applications of large EPROMS 86−1066
Pope, K.W. Applications of large EE-PROMS 86−1075
Pope, L.E., Peebles, D.E. In situ examination of segregation and wear processes of precious metal electrical contact alloys 87−37621
Pope, L.E., Peebles, D.E. Gaseous contaminants modify the friction and wear response of precious metal electrical contact alloys 88−7110
Pope, L.E., Peebles, D.E. Gaseous contaminants modify the friction and wear response of precious metal electrical contact alloys 88−38811
Pope, L.E. *see* Vook, R.W. 85−50073
Pope, M. Expanding simulation capabilities to system design 85−22845
Pope, M., Indrajo, G. Design-stage fault simulation ensures testable ICs 85−18414
Pope, M. *see* Indrajo, G. 85−44841
Pope, M. *see* Lucas, S. 88−23704
Pope, M.H. *see* Beynnon, B.D. 87−14842
Pope, M.H. *see* Seroussi, R. 88−54593
Pope, M.J. *see* Williams, D.R. 85−15851, 85−65137
Pope, N. EDI and X.400: towards unification−technical issues and standards initiatives 88−52799
Pope, N. *see* Corcoran, J. 86−42123
Pope, N.H., Clark, P.F. Project ADMIRAL and UNISON two views on the use of an advanced high speed wide area network 86−17016
Pope, N.H., Wilbur, S.R., Rosner, R.A., Tolcher, D.J. Project ADMIRAL [computer systems integration] 86−37579
Pope, N.H. *see* Lord, S.P. 87−13263
Pope, R., Irwin, R. Enhancing the accuracy of spectrum analysis 86−50009
Pope, R.A., Schoenbauer, D.J. Temperature rise and its importance to connector users 87−66648
Pope, S. *see* Tomsovic, K. 87−71539
Pope, S.P., Rabaev, J.M., Brodersen, R.W. Automatic generation of digital signal processing circuits 88−8796
Pope, S.P., Solberg, B., Brodersen, R.W. A single-chip linear-predictive-coding vocoder 87−52687
Pope, S.P. *see* Berlekamp, E.R. 87−47501
Pope, S.P. *see* Rabaey, J.M. 86−662, 86−2381
Pope, S.P. *see* Ruetz, P.A. 86−52958
Pope, S.W. Aircraft electronics 1939 to 1945 86−23993
Pope, W. *see* Iles, P.A. 88−37440
Popechitelev, Ye.P., Yuldasheb, Z.M. The effect of color signal fluctuations on the control of picture color parameters 86−16538
Popek, G.J. *see* Downing, A.R. 88−52970
Popek, G.J. *see* Sheltzer, A.B. 87−20230
Popek, M. *see* Beaudet, W.R. 87−46612
Popek, M.H. Electrooptic system components for phased array radar applications 88−72689
Popek, M.H. *see* Pape, D.R. 87−46295
Popeko, L.A., Derbin, A.V., Kondurov, I.A., Martynov, V.V., Klapdor, H.V., Metzinger, J. New possibilities in a double beta decay experiment using enriched ^{76}Ge inside of an active Si(Li) shielding 87−29533
Popeko, L.A. *see* Derbin, A.V. 86−70337
Popel, R. *see* Hinken, J.H. 87−977
Popela, B. *see* Petru, F. 85−52871, 85−58887, 87−54458
Popelenskii, Yu.A. Operating experience with oil headers of Kaplan turbines of the cascade of middle Chirchik hydroelectric stations 87−4608
Popelis, M., Javorsky, E. Dielectric breakdown of polyethylene film insulation in liquid nitrogen 86−47921
Popelka, G.R. *see* Mason, D. 86−60821
Popella, A. *see* Noack, W. 87−41451, 88−9640
Popella, A. *see* Sieber, A.J. 86−12087
Popenko, N.A. *see* Vertii, A.A. 86−10090, 86−59033, 86−63919, 88−942
Popenko, N.A. *see* Vertiy, A.A. 87−24434
Popenko, N.I. *see* Belousov, V.I. 86−13764
Popenko, N.N. *see* Vertii, A.A. 86−14463
Popenko, V.A. *see* Afanas'ev, N.G. 86−32100
Popenkov, A.Ya. *see* Lotonov, M.A. 88−29188
Popentiu, F. *see* Catuneanu, V.M. 86−30250, 86−54805, 87−13408, 87−36538, 87−40374, 87−58811, 87−72768, 88−49575, 88−70747
Popentiu, Fl. *see* Catuneanu, V.M. 87−23416
Poperenko, L.V. *see* Drozd, P.I. 85−42898
Popernack, T.G., Jr. *see* Ng, W.F. 87−71217, 88−47474
Popescu, A. The making in our country of Rumanian transformer insulation electro insulating oils 85−53735
Popescu, A. *see* Cristovici, A. 87−9191
Popescu, A. *see* Musa, G. 88−33921
Popescu, A. *see* Nastase, L. 86−4856
Popescu, A. *see* Reiland, W. 88−51750, 88−67363
Popescu, A.F., Huber, P., Reiland, W. Experimental investigation of the influence of tracking errors on the performance of free-space laser links 88−53294
Popescu, A.F., Reiland, W. Tracking error statistics considerations in optical intersatellite links 88−22169
Popescu, A.P. *see* Puflea, I. 88−62295
Popescu, B. A low cost technology for realization of professional thin film hybrid integrated circuits 85−34402
Popescu, B. A fabrication technology for high stability and accuracy thin film Ta$_2$N resistive networks 88−7217
Popescu, B., Curiac, P. Rotor heating measurement of large motors started by direct coupling to the network 85−65198
Popescu, C. Application of the homomorphic system concept in seismic data processing 87−8997
Popescu, C. Research studies on energy solution improvement for heliostat and tower power systems 87−64472
Popescu, C., Marin, S., Turcu, I., Lauric, M. Experimental heliostats for the solar electric plant 85−53605
Popescu, C., Potlog, D.M. The determination of power losses due to the systematic positioning deviations of the heliostats at a solar power plant with a tower 85−53606
Popescu, C., Stoica, T., Dragomir, A., Nenciu, A., Nicolae, M., Ivan, P. GD amorphous silicon obtained from trichlorosilane 88−24780
Popescu, C., Stoica, T., Savane, A.G. An equation for the current-voltage curve of the a-Si:H solar cells 87−78925
Popescu, C. *see* Grigorovici, R. 86−8811
Popescu, C. *see* Mihaila, A. 87−64831
Popescu, C. *see* Tanasescu, F.T. 85−32390
Popescu, C. *see* Turcu, I. 87−64475
Popescu, C.A., Neagoe, O. Nonconnected logic network−RN-2000 88−33366
Popescu, C.I., Cetina, C., Chisleag, R. Photovoltaic module testing by means of the holographic method 86−45690
Popescu, C.I. *see* Goldenblum, A. 86−40155
Popescu, C.I. *see* Tanasescu, F.T. 86−45299, 88−23820
Popescu, D. *see* Curiac, P. 86−56762, 87−51211
Popescu, D. *see* Guriac, P. 86−6732
Popescu, D. *see* Tertisco, M. 85−302
Popescu, D. *see* Trusca, V. 87−64734
Popescu, E., Toaxen, E., Sima, F. Design and construction characteristics of low voltage asynchronous motors in ship building 88−62675
Popescu, E. *see* Grosu, N.D. 85−35638
Popescu, F. *see* Ghita, T. 88−59950
Popescu, G. Opto-electronic mode selector for long He-Ne lasers 85−2227
Popescu, G. He-Ne laser frequency stabilization: a new modular electronic system 85−2229
Popescu, G. Single frequency He-Ne laser used as sub-angstrom detector 86−36417
Popescu, Gh., Blanaru, C., Brumfeld, A. LASINTERF T-20: Laser interferometric transducer used as a numeric display for length 85−19070
Popescu, I. Electrical components specific to transportation automation designed by ICPE 88−62702
Popescu, I., Barbulescu, D., Sufletel, N., Zarharia, I. On the determination of the power and active energy dissipated in the nonbranched electrical networks which supply nonlinear receivers 88−61981
Popescu, I., Sincraian, N. Improvement and modernization solutions of equipment of Francis turbine equipped electric power plants 85−21504
Popescu, I.M., Dumitry, A., Sterian, P.E. Liquid crystal bistable electro-optic device 85−56375
Popescu, I.M., Podoleanu, A.Gh., Dumitru, M.A., Sterian, P.E. Experimental study on self-locking operation of the He-Ne laser with coupled cavity 86−3054
Popescu, I.M., Puscas, N.N., Sterian, P.E., Irimescu, D. The model of the seventh harmonic generation by two-photon resonant absorption in nonlinear media 85−24656
Popescu, I.M., Sachelarie, D., Gatlan, D., Sachelarie, M., Dragan, M., Stoica, M. Applications of laser scanning in semiconductor device technology 85−6801
Popescu, I.M. *see* Cilea, M.I. 85−2228, 86−3051
Popescu, I.M. *see* Cristescu, C.P. 86−68430
Popescu, I.M. *see* Gilea, M.I. 85−56547
Popescu, I.M. *see* Podoleanu, A.G. 85−56812, 86−3244, 87−75017
Popescu, I.M. *see* Sterian, P.E. 88−72398
Popescu, M. Computation of hydraulic transients in complex hydro schemes 87−9410
Popescu, M., Halanay, A. Resonance sensitivity of hydropower and pumping stations 85−9795
Popescu, M. *see* Cocos, E. 85−39325
Popescu, M. *see* Ursu, I. 87−60355
Popescu, N. *see* Iancovici, P. 88−11793
Popescu, N. *see* Stein, M. 88−49097
Popescu, S., Calin, O. Considerations regarding the behaviour in an electrical field of 110 kV cable oils 88−36856
Popescu, V. *see* Brauer, G. 87−57614
Popescu, V. *see* Mateescu, A. 87−3206
Popescu-vifor, B. *see* Bratianu, C. 88−11042

Popescu-Zeletin, R. Some critical considerations on the ISO/OSI RM from a network implementation point of view 85−8148
Popescu-Zeletin, R. 'Y' a distributed resource sharing system in nuclear research environment 87−13434
Popescu-Zeletin, R. Structuring mechanisms in distributed systems 88−73626
Popescu-Zeletin, R., Egloff, P., Butscher, B. BERKOM−a broadband ISDN project 88−59843
Popesku, A.A. *see* Andriesh, A.M. 87−54006
Popham, S.J. *see* Morton, S.K. 88−3176
Pophillat, L. Video transmission using a 1.3 μm LED and monomode fibre 86−11105
Pophillat, L. *see* Leboutet, A. 85−3448
Pophillat, L. *see* Ronarch, D. 87−40877
Popichko, V.V. *see* Osidach, Yu.V. 86−12859
Popitaev, A.N. *see* Burtsev, V.A. 87−43487
Popivanov, D., Todorov, A. Statistical procedures for interference EMG power spectra estimation 86−60788
Popivnenko, V.V., Grinbert, B.V., Kraevskaya, N.P., Tyukhai, G.G., Chipinskaya, G.E. Small stabilized-voltage source with transformerless input 86−20288
Popivnenko, V.V. *see* Palagin, V.A. 85−49791
Popken, L. *see* Meyr, H. 86−54410
Popkirov, G., Schindler, R.N. Spectral dependence of the quantum efficiency of thin film semiconductor photoelectrodes 86−35472
Popkirov, G. *see* Hartig, K.J. 86−1854
Popkirov, I. *see* Toneva, A. 85−6810
Popko, J. Assessing the ISDN revolution: it's on its way and it will be here sooner than you may think 87−27751
Popko, J.A. *see* Slate, E.L. 86−30202
Popkov, A.F. Fluxon dynamics in a long shunted Josephson junction 85−24243
Popkov, A.F. *see* Gulyaev, Yu.V. 86−15472, 87−25864
Popkov, A.F. *see* Gulyayev, Yu.V. 86−63675
Popkov, N.F. *see* Shakalo, V.V. 86−19095
Popkov, N.F. *see* Shakalov, V.V. 85−15880
Popkov, V.G. *see* Aleksandrov, K.S. 87−26507
Popkov, V.I., Lyapin, A.G., Samadashvili, A.D. Dielectric strength of sulfur hexafluoride insulation 87−1800
Popkov, V.I. *see* Aksenov, Yu.P. 85−62126, 87−43187
Popkov, V.I. *see* Antonov, A.V. 85−44114
Popkov, V.I. *see* Kurnosov, A.I. 86−12473
Popkov, V.L. *see* Bagdanskis, N.I. 88−67796
Popkov, V.T. *see* Dokhikyan, R.G. 85−18747
Popkov, V.T. *see* Evtikhiev, N.N. 87−68307
Popkov, V.T. *see* Karinskii, S.S. 85−35538
Popkov, Yu.A. *see* Malakhovskii, V.A. 86−19663
Popkov, Yu.P. *see* Vertii, A.A. 86−3625, 86−10090, 86−14463
Popkov, Yu.S. *see* Asaubaev, K.Sh. 86−3962
Popkov, Yu.S. *see* Dubov, Yu.A. 85−39642
Popkova, T.L. *see* Kobylinskii, Yu.V. 88−38118
Poplavko, Yu.M. *see* Zavorotnyi, V.F. 86−18168
Poplawski, E. Driving system of an electric car with an induction motor 86−13142
Poplawski, E. High reliability voltage inverter 86−56840
Poplawski, E. Start-up examination of an electric car inverter drive system 87−64882
Poplawski, E. Investigation into braking by generator action in electric cars with inverter drive systems 88−62703
Poplawski, J., Kuntz, M. Supercomputer network enhances productivity at Grumman 87−13358
Poplawski, J.M., Jr. *see* Fitzgerald, B.F. 85−1743
Poplawski, J.M., Jr. *see* Kalter, H.L. 86−20531
Poplawski, M. *see* Kalter, H.L. 86−8263
Pople, C.H. Digital instruments for the enhancement of manual ultrasonic testing 88−38310
Pople, C.H. *see* Naybour, P.J. 87−56515
Pople, H., Jr. *see* Woods, D.D. 88−62040
Pople, J. Errors in strain measurement−the human factor (or how much do I contribute?) 85−52622
Pople, J. Errors and uncertainties in strain measurements employing metal foil gauges 86−5274
Poplett, J., Kurver, R. The DSI Transputer development system 88−25221
Popli, S.P., Bayoumi, M.A. Fault diagnosis and reconfiguration for reliable VLSI arrays 88−50202
Popli, S.P., Bayoumi, M.A. A reconfigurable VLSI array for reliability and yield enhancement 88−63584
Popma, Th. *see* Fluitman, J. 87−26047
Popma, Th.J.A. *see* Lodder, J.C. 88−44950
Popma, T.J.A. *see* Hemmes, K. 87−46314
Popma, T.J.A. *see* Kreuwel, H.J.M. 88−35946
Popma, T.J.A. *see* Stam, M.T.H.C.W. 87−46312
Popman, Th.J.A. *see* Kreuwel, H.J.M. 88−2048
Popoli, A.P. *see* Feyder, F.J. 86−45235
Popoli, R., Blackman, S. Expert system allocation for the electronically scanned antenna radar 88−9655
Popoli, R.F., Mendel, J.M. Relative sufficiency 88−34540
Popolitov, V.I. Hydrothermal crystallization of piezoelectric and ferroelectric single crystals based on antimony trioxide 86−398
Popolitov, V.I. *see* Jaroslavsky, I.M. 86−9345
Poponiak, M.R. *see* Ahlgren, D.C. 85−1651
Popot, M. Satellites for specialised services: an essential trump card for multiservice European telecommunication networks 85−25827
Popov, A. The properties of undoped InP and GaP bulk crystals prepared by floating zone melting 87−32236
Popov, A., Zheneva, S., Ivanov, I., Papadimitriou, L., Dimitriadis, C.A. Deep levels in polycrystalline silicon solar cells 88−17937
Popov, A. *see* Sirkova, I. 88−66057
Popov, A.A. Electrical networks and the requirements for testing 35 kV circuit breakers 86−33536
Popov, A.A., Stoyanov, A.K., Yanisov, V.V. Dynamic synthesis of tomograms of the moving object 87−361
Popov, A.A., Vladimirov, A.M., Alekseev, V.L. Contactless reversive starters of the PBR series for automatic systems 85−48925
Popov, A.A. *see* Barabash, L.S. 85−52969
Popov, A.A. *see* Dorf, G.A. 86−33537
Popov, A.A. *see* Maksimenko, N.N. 88−69647
Popov, A.A. *see* Mamaev, V.N. 88−61359
Popov, A.A. *see* Parvatov, G.N. 87−23772
Popov, A.A. *see* Pokhmurskii, V.I. 85−17022
Popov, A.D. *see* Berezin, A.B. 86−11761
Popov, A.F. *see* Undzenas, A.J. 86−28961
Popov, A.G. *see* Khrabrov, V.I. 85−35288
Popov, A.G. *see* Pan, V.M. 85−46029
Popov, A.I. Economic retardation of motor with independent excitation when armature winding is shunted 86−26003
Popov, A.I. Basic aspects of measuring turbulent pulsations 86−31711
Popov, A.I. Dependence of thermoanemometer readings on sensor contamination 86−44474
Popov, A.I., Onishchenko, V.Ya., Meshcheryakov, A.V. The technical and economic aspects of the use of pressurised-water reactors in fuel-processing installations for the preparation of oil shales 86−56525
Popov, A.I., Shuparskii, A.I., Golub', N.V. The optimum water content of water-fuel systems, taking protection of the environment against the effluents of district-heating power stations into account 88−23713
Popov, A.I. *see* Abdullin, R.M. 87−7412
Popov, A.I. *see* Adlivankin, A.S. 85−51193
Popov, A.I. *see* Andryushchenko, A.I. 88−17094, 88−17338
Popov, A.I. *see* Boiko, S.A. 88−65580
Popov, A.I. *see* Karakozov, E. 87−16207
Popov, A.I. *see* Shiyan, V.P. 88−603
Popov, A.I. *see* Suchkova, R.V. 88−30639
Popov, A.K. Upconversion of IR radiation into the visible and UV ranges 85−35860
Popov, A.K. *see* Aleksandrov, K.S. 87−26507
Popov, A.K. *see* Arkhipkin, V.G. 85−46453
Popov, A.K. *see* Bolotskikh, L.T. 85−12943
Popov, A.K. *see* Kiyashko, V.A. 85−19020, 85−46489
Popov, A.K. *see* Lukinykh, V.F. 88−2376
Popov, A.K. *see* Myslivets, S.A. 86−9957
Popov, A.M. *see* Kuz'minykh, Yu.V. 85−31976
Popov, A.N. Regulating the speed of a separately-excited motor by varying the flux [DC motors] 85−60205
Popov, A.N. Quasioptimal control of continuous current in electrical drives 86−26344
Popov, A.N. Working procedure for calculating mechanical characteristics of series-excited machines 87−22227
Popov, A.N. The use of the Hamilton-Ostrogradsky principle in determining the energy properties of a DC machine 87−64613
Popov, A.N. A method of reducing losses in adjustable DC motors 87−64615
Popov, A.N. On the existence of modes of a resonant cavity open to a waveguide 87−68843
Popov, A.N. Electrothermal equipment at the Elektro-87 exhibition 88−31201
Popov, A.N. The theory and practice of optimum control of drives 88−69743
Popov, A.N., Vasiliev, S.A. Dynamics properties of the optimized current circuit in the system of automatic electric drive control 88−37637
Popov, A.N. *see* Al'tgauzen, A.P. 87−43643
Popov, A.N. *see* Demskii, M.I. 86−25079
Popov, A.N. *see* Mednikov, E.I. 86−32681
Popov, A.P., Buchel'nikova, N.V. Response of a current-carrying coil to a spherical body moving in the field of the coil 88−20867
Popov, A.P., Kurakina, O.P. An induction transducer for measuring linear displacements and a numerical calculation of its characteristics 87−29099
Popov, A.P. *see* Kaloshin, V.A. 85−51487
Popov, A.R., Rizunenko, V.I., Kopylov, A.F. Allowing for the phenomenon of negative differential conductivity in a simple model of a gallium arsenide Schottky-barrier field-effect transistor 88−71618
Popov, A.R. *see* Kopylov, A.F. 86−53015
Popov, A.S. Synthesis of an algorithm for the optimal stochastic control of the weighting amplifiers of an adaptive antenna array 86−22840
Popov, A.S. Signal and interference levels in an antenna array with an optimum radiation pattern 86−43059
Popov, A.S. A markov model of a phase-keyed pseudorandom multistation signal in the receiving antenna array 87−33542
Popov, A.S. Concurrent optimal filtration of continuous and discrete Markov processes and a Markov chain 87−39789
Popov, A.S. Loss of efficiency of adaptive antenna array when weights vector estimation is inexact 87−47393
Popov, A.S. Degradation processes in visible GaP and GaAsP LED's 88−8070
Popov, A.S., Davydenko, V.V., Skobel'tsev, Yu.V., Antis, E.M. Analysis of the effectiveness of spatial processing. Remarks on the paper by A.S. Popov et al. 'Analysis of the effectiveness of space-time processing of radio signals in the presence of interference' [and reply] 86−23048
Popov, A.S., Krymskii, I.L., Lavnikovich, S.S., Bykov, A.B. A concentration-type flowmeter 86−60387
Popov, A.S. *see* Rodimov, A.P. 88−40898
Popov, A.S. *see* Vlasov, G.I. 88−29165
Popov, A.V. *see* Bagdasarov, Kh.S. 88−72304
Popov, A.V. *see* Boldyshev, V.F. 88−54012
Popov, A.V. *see* Brunet, R.M. 88−8478
Popov, A.V. *see* Goncharov, V.A. 87−29030, 87−29675
Popov, A.V. *see* Markovich, L.M. 87−78723
Popov, A.V. *see* Meiyerova, R.S. 87−19260
Popov, A.V. *see* Meyerova, R.S. 87−75529, 88−20980
Popov, A.V. *see* Romanov, O.V. 85−29050
Popov, A.Yu. *see* Vakarov, B.S. 85−40469
Popov, A.Yu. *see* Vendik, O.G. 87−12069, 88−72622
Popov, B.A. Uniform approximation of even and odd functions by splines 88−18622
Popov, B.A., Svenson, A.N. Analysis of noise immunity and adaptive properties of a nonlinear correlation receiver 85−51609
Popov, B.A. *see* Zorii, V.I. 85−55085
Popov, C. *see* Leyarovski, E.I. 87−38680
Popov, D.I. Synthesis and analysis of effectiveness of adaptive interperiod signal processing systems with noise of unknown correlation properties 85−2826
Popov, D.I., Gorkin, V.B. Synthesis of instruments for measuring passive interference parameters using sum-difference algorithms 86−29433
Popov, D.I., Gus'kov, S.V. Synthesis and analysis of digital recursive rejector filters operating under transient conditions 86−27482
Popov, D.I., Gus'kov, S.V. Synthesis of systems for adaptive processing of transient signals, based on probability criteria 88−14709
Popov, D.I., Gus'kov, S.V., Koshelev, V.I. Design of adaptive processing systems based on probabilistic criteria 87−47742
Popov, D.I. *see* Bakulev, P.A. 86−37047
Popov, E., Mashev, L. Dispersion characteristics of multilayer waveguides 85−29588
Popov, E., Mashev, L. Analysis of mode coupling in planar optical waveguides 85−46164
Popov, E., Mashev, L. The determination of mode coupling coefficients 86−2753
Popov, E., Mashev, L. Rigorous electromagnetic treatment of planar corrugated waveguides 87−25975
Popov, E., Mashev, L. Diffraction from planar corrugated waveguides at normal incidence 87−32977
Popov, E. *see* Golubenko, G.A. 86−63666
Popov, E. *see* Mashev, L. 86−2844
Popov, E. *see* Savatinova, I. 88−65325
Popov, E. *see* Stanilov, K. 85−44355
Popov, E.A. *see* Nazikyan, A.G. 88−17633, 88−37300
Popov, E.I. *see* Kadochnikov, A.I. 85−29988
Popov, E.I. *see* Karamansky, P.A. 85−5175
Popov, E.I. *see* Mironyuk, N.E. 88−42243
Popov, E.I. *see* Zakharov, V.A. 86−2581
Popov, G.A. Some expressions for virtual waiting times in $M_R|G_R|I|\infty$ systems with absolute priority 86−52340
Popov, G.M., Kiryakin, A.V. Complex magnetic permeability of specimens of 35Kh3NM chrome-nickel-molybdenum steel after heat treatment in various conditions 87−348
Popov, G.V. *see* Borodulin, Yu.B. 85−9961, 87−22461, 87−22463, 87−58158
Popov, I.A., Chen, A.L. The equivalent circuit of a high-power MOS transistor in the switch mode 85−35002
Popov, I.A. *see* Kozyrev, V.B. 86−34608
Popov, I.I., Pyatlina, G.S., Shulyakovskii, E.A. Contactless position transducer 85−14777
Popov, I.V., Syrkin, A.L., Chelnokov, V.E. Reactive ion-plasma etching of silicon carbide 87−17962
Popov, I.V. *see* Anikin, M.M. 85−55767, 87−18063, 87−32289, 88−57343

Popov, I.V. *see* Dmitriev, V.A. 86−21236, 86−22262, 86−47521, 87−33068, 87−35155, 87−60155, 88−70323
Popov, I.Yu. Zero-width silt and the Dirichlet condition 88−45658
Popov, L.A. *see* Baum, O.V. 86−5955
Popov, L.K. *see* Krymskii, A.I. 88−7384 to 7385
Popov, M. *see* Ban, V.S. 88−12013
Popov, M. *see* White, L.K. 85−1462
Popov, M.A. *see* Il'inskii, N.F. 88−62645
Popov, M.A. *see* Solomakhin, D.V. 86−19539
Popov, M.B. *see* Krymova, A.I. 86−36436
Popov, M.Yu. *see* Dolgov, M.V. 87−74649
Popov, N.F. *see* Dorezyuk, N.I. 85−47395
Popov, N.N. *see* Il'in, Yu.A. 87−35493
Popov, O.I., Bolonin, A.A., Khavinson, L.F., Fedorin, V.L., Shur, V.L. Experience with designing and using a copy standard for the unit of length, the meter 87−63516
Popov, O.M., Sergeev, S.I., Vishnev, I.P. Heating and convection of a boiling fluid in rotated devices 87−22220
Popov, O.P. *see* Raimond, E.D. 85−5577
Popov, P. The development of hardware improving the reliability of drives controlled by the CKD semiconductors thyristor convertors 86−13100
Popov, P.A., Moshnina, E.N. A method of analyzing combination oscillations of an arbitrary nonlinear spectrum conversion system 86−16346
Popov, P.A., Shorov, V.I. Compilation of an electromechanical analog system in a 'force-voltage' system of variables 85−33557
Popov, P.A. *see* Chebakova, A.V. 86−46950
Popov, P.A. *see* Veselov, G.I. 87−63467
Popov, P.G. The rotating moments of an electric machine as a function of the EM field of a finite-element model 86−39783
Popov, P.G., Shumilov, Yu.A. New method of calculating starting indicators of induction motors with straight slots 87−9551
Popov, P.G. *see* Boryu, N.V. 85−21694
Popov, P.G. *see* Kislenko, V.I. 88−55357
Popov, P.G. *see* Maziya, L.V. 88−17507
Popov, P.K. *see* Klypin, A.V. 87−22817
Popov, P.K. *see* Mamoshin, R.R. 86−61784, 86−66434
Popov, S.A. Synchronization of isolated words of SMD codes in noise 86−48779
Popov, S.A. *see* Gudnov, A.G. 87−20702
Popov, S.D. *see* Lezov, P.P. 88−43449, 88−69828
Popov, S.G. *see* Evstigneev, A.V. 85−59140
Popov, S.I. *see* Obyden, S.K. 85−11869
Popov, S.I. *see* Saparin, G.V. 87−2023
Popov, S.M. *see* Lokhanin, A.K. 86−32815
Popov, S.N., Shubin, V.V. Characteristics of photoreceivers employing operational amplifiers 87−18847
Popov, S.N. *see* Anan'yev, A.S. 86−14031
Popov, S.N. *see* Degtyarev, G.F. 86−70191
Popov, S.N. *see* Khokhlov, V.V. 87−57921
Popov, S.O. *see* Orlovskii, V.P. 88−70614
Popov, S.Ya. *see* Kholodnyi, S.D. 87−57649
Popov, V.A. Equivalent circuits of twin-conductor ground-return transmission lines 86−51083
Popov, V.A., Ekel', P.Ya. Fuzzy set theory and problems of controlling the design and operation of electric power systems 87−72943
Popov, V.A., Kostenko, Yu.A. Simple analog-digital converter 87−59650
Popov, V.A., Solov'ev, S.L., Kushkova, E.I., Zykin, Yu.V., Vylegzhanin, V.A. Results of an experiment on the use of incompletely phasal operating conditions in a 500 kV overhead line 88−42868
Popov, V.A. *see* Ekel, P.Ya. 86−50966
Popov, V.A. *see* Platonov, F.A. 85−48144
Popov, V.B. A tunable active bandpass filter 87−45053
Popov, V.B. *see* Gelashvili, N.A. 87−1269
Popov, V.B. *see* Lysenko, V.S. 88−7387
Popov, V.F., Zatserklyanyi, A.E., Nemashkalo, A.A., Ranyuk, Yu.N., Chechetenko, V.F. Telescope of proportional chambers for SP-103 magnetic spectrometer of LU-2 GeV linear accelerator 88−36365
Popov, V.G. *see* Andrievsky, V.V. 88−71366
Popov, V.G. *see* Evtukh, A.A. 86−14991, 87−60202
Popov, V.G. *see* Gavrilenko, V.I. 85−28932, 85−28973
Popov, V.G. *see* Litovchenko, V.G. 87−36760
Popov, V.G. *see* Makeev, S.N. 86−70343
Popov, V.G. *see* Zuev, V.A. 85−12700
Popov, V.I. Analysis of differential leakage in multiphase motor windings 85−5048
Popov, V.I. The MMFs of aligned polyphase rotor windings in one-machine frequency converters 85−60282
Popov, V.I. Magnetic noise of jointly-operating rotary frequency converters 85−60294
Popov, V.I. The magnetomotive forces of single-machine frequency-changer polyphase hybrid rotor windings 85−60296
Popov, V.I. Matrix analysis of winding circuits of aligned electrical machines 86−6678
Popov, V.I. Parameters of aligned windings in electrical machines 86−6734
Popov, V.I. Matrix analysis of hybrid electric machine winding schemes 86−25985
Popov, V.I. Electric machine hybrid winding parameters 86−26043
Popov, V.I. Principles of forming aligned windings in electrical machines 86−61464
Popov, V.I. Composite armature windings in a synchronous machine with a third-harmonic magnetic field excitation 87−35916
Popov, V.I. Multiport MMF networks for polyphase heteropolar windings of a composite magnetic-circuit 87−47121
Popov, V.I. The principles of electric machine hybrid windings 87−64512
Popov, V.I. Finding the differential leakage of aligned polyphase rotor windings in single-machine frequency converters 87−72079
Popov, V.I. The hybrid armature windings of synchronous machines with magnetic field third harmonic excitation 88−23877
Popov, V.I. Stabilised asynchronous-synchronous single-machine frequency converters with aligned windings for high speed drives 88−43401
Popov, V.I., Petrov, Yu.N. Dynamoelectric frequency converters for high-speed electrical equipment 88−24027
Popov, V.I. *see* Bochvar, N.R. 85−22520
Popov, V.I. *see* Pokrovskii, F.G. 86−38988
Popov, V.I. *see* Shebolaev, I.V. 87−29405
Popov, V.K. *see* Akhmanov, S.A. 85−41335, 87−33098, 87−33101
Popov, V.K. *see* Chechenin, N.G. 87−67038
Popov, V.K. *see* Dobrynina, E.S. 87−67039
Popov, V.K. *see* Dzhidzhoev, M.S. 86−36418, 86−54186
Popov, V.K. *see* Val'shin, A.M. 87−26361
Popov, V.K. *see* Varvaritsa, V.P. 87−36519
Popov, V.K. *see* Vernigor, E.M. 86−68594
Popov, V.L. *see* Bogdanov, E.V. 85−40958
Popov, V.M. Local electrophysical properties of electrically active defects in IS(MIS) devices 87−74125
Popov, V.N., Zhitomirskii, B.M., Ermakov, A.N., Terebilin, A.V., Stryukov, V.A. Beam dosimetry in high-power electron accelerators 87−41822
Popov, V.N. *see* Anisimov, S.I. 88−68373
Popov, V.N. *see* Dubilovich, V.M. 88−55240
Popov, V.N. *see* Ermakou, V.S. 88−62400
Popov, V.N. *see* Gubanov, V.G. 86−38932
Popov, V.N. *see* Krivotsyuk, V.I. 88−4274
Popov, V.P., Balyuk, A.V. Liquid-phase epitaxy dependent on the formation of Al_nM (M=refractory metal) in the system Si-Al 87−249
Popov, V.P., Dmitriev-Zdorov, V.B. Adaptive models for computerized analysis of electrical networks: a review 87−52293
Popov, V.P., Papkov, I.P., Zotov, L.P. Component distribution of the solid solution $Al_xGa_{1-x}As$ during zone melting with a temperature gradient of the powderlike source 88−11977
Popov, V.P., Semjenov, A.L. Microprocessors and operative metrological maintenance of high-accuracy data conversion in the experiment 88−63747
Popov, V.P. *see* Bogdankevich, O.V. 88−34042
Popov, V.P. *see* Bol'shov, V.M. 86−50584
Popov, V.P. *see* Denisenko, V.V. 85−12254, 85−61964, 87−410
Popov, V.P. *see* Dmitriev-Zdorov, V.B. 85−17105
Popov, V.P. *see* Dvurechenskii, A.V. 85−1492
Popov, V.P. *see* Efremova, N.P. 88−24689
Popov, V.P. *see* Lobkova, L.M. 86−3515
Popov, V.P. *see* Otmakhov, Yu.A. 86−36777
Popov, V.S. *see* Isaev, V.I. 87−3541
Popov, V.S. *see* Kashirin, Yu.V. 87−63341, 88−4343
Popov, V.V. The fields of temperatures, thermoelastic stresses and deformations in the shrouded rotor part of a turbogenerator under asymmetric operating conditions 85−32436
Popov, V.V. Field transistor with a nonuniform carrier mobility over its cross section 86−63326
Popov, V.V. Acoustoelectric instability of a transversely inhomogeneous semiconductor membrane 88−26319
Popov, V.V. *see* Akopyan, V.S. 85−59338
Popov, V.V. *see* Aliev, S.A. 87−45611
Popov, V.V. *see* Avdeev, S.F. 86−60600
Popov, V.V. *see* Efremov, A.I. 87−30942
Popov, V.V. *see* Goncharskii, A.V. 85−2382, 85−12914, 87−7466
Popov, V.V. *see* Govorun, V.N. 86−44221
Popov, V.V. *see* Letnik, D.A. 86−21495
Popov, V.V. *see* Mart'yanov, M.V. 85−60132
Popov, V.V. *see* Pokrovskii, S.V. 85−44096
Popov, V.V. *see* Varshavskii, V.D. 87−51152
Popov, V.Z. *see* Lementuev, V.A. 88−44827
Popov, V.Z. *see* Sonin, M.S. 88−7663
Popov, Ye.D. Pulse-cyclic sound-velocity meter for marine hydrophysical operations 85−59500
Popov, Y.M. *see* Vasil'ev, P.P. 86−42550
Popov, Yu.A., Berezin, V.V., Semenov, V.G., Korostelev, V.M. Complex detailed investigations of the thermal properties of rocks on the basis of a moving point source 86−70522
Popov, Yu.A. *see* Belomestnykh, V.A. 85−31221, 87−69091
Popov, Yu.A. *see* Kozik, V.I. 86−3965
Popov, Yu.A. *see* Merkulov, V.V. 85−62752
Popov, Yu.M., Skopin, I.A. An investigation of the dynamics of stripe-lasers: selfmodulation, nonlinear losses, mode 'chirping' 88−8229
Popov, Yu.M. *see* Akhekyan, A.M. 86−9807
Popov, Yu.M. *see* Akhmediev, N.N. 88−52182
Popov, Yu.M. *see* Aleksanyan, Al.G. 85−35788
Popov, Yu.M. *see* Basov, N.G. 87−18988, 88−8224
Popov, Yu.M. *see* Dubrov, V.D. 85−7410, 86−9817, 86−68512
Popov, Yu.M. *see* Gavanin, V.A. 86−29001
Popov, Yu.M. *see* Kompanets, I.N. 86−41621
Popov, Yu.M. *see* Lavrushin, B.M. 86−9804, 88−65644
Popov, Yu.M. *see* Morozov, V.N. 88−65809
Popov, Yu.M. *see* Nabiev, R.F. 88−20660
Popov, Yu.M. *see* Vasil'ev, P.P. 86−9860
Popov, Yu.M. *see* Zolotarev, A.I. 85−62691
Popov, Yu.N. *see* Goncharov, A.F. 87−72501
Popov, Yu.N. *see* Shchutskii, V.I. 86−26376, 87−72087
Popov, Yu.V., Gordeev, D.D., Buchin, A.V., Kantorovich, Yu.L., Manoilenko, E.I. PCM station for investigating contact and contact-free polarisation curve methods 87−21758
Popov, Yu.V. *see* Asnis, L.N. 86−10037, 88−8759
Popov, Yu.V. *see* Berezhnoi, A.A. 85−18755, 85−24256, 85−35547, 85−35551, 85−56369, 86−15439, 86−15520, 86−42371, 88−20445
Popov, Yu.V. *see* Bublyaev, R.A. 87−46500
Popov, Yu.V. *see* Deryagin, V.N. 87−18736
Popov, Yu.V. *see* Nizhenskii, A.D. 85−20272
Popov, Yu.V. *see* Obradovich, K.A. 85−4113
Popova, A.A. *see* Lotosh, Ya.M. 85−20445
Popova, A.G., Karasik, M.M. Application of microprocessors in the control units of switching centers 86−30503
Popova, A.S. *see* Bervida, I. 86−14501
Popova, E. *see* Stankov, A. 86−69883
Popova, E. *see* Zarev, Z. 87−40404
Popova, E.A. *see* Brailov, V.P. 86−45056
Popova, G.M. *see* Kurbanmagomedov, K.D. 87−73386
Popova, G.S. *see* Nekrasov, A.S. 87−21858
Popova, I.M. *see* Muzykin, Yu.D. 86−55890
Popova, L.G. *see* Eshmemet'eva, E.V. 85−41367
Popova, L.I. *see* Gueorguiev, V.K. 86−47458
Popova, M.N. *see* Georgescu, S. 85−12836
Popova, M.V. *see* Gorbatyuk, A.V. 85−55800
Popova, N., Kuryanov, B. The image quality of holograms with distortion 85−56849
Popova, N.F. *see* Kats, B.M. 86−67484
Popova, N.G. *see* Glibitskii, M.M. 87−32878
Popova, N.N. *see* Alfeev, E.B. 88−16600
Popova, N.R. *see* Merzlyakov, N.S. 88−58703
Popova, O.N. The AMK-1-TTTs editing system of enhanced capabilities for video editing rooms 88−47335
Popova, T.B. *see* Elyukhin, V.A. 88−27185
Popova, T.M., Pereleshina, V.P., Kukuruznyak, A.P. The classification characteristic of an engineer−what is it? 87−43739
Popova, T.S., Yakovlev, A.V. Microassemblies for analogue-to-digital converters 85−34000
Popova, T.S. *see* Levental', V.F. 88−63545
Popova, T.S. *see* Makhan'kov, V.E. 86−18346
Popova, V.A. *see* Alfeev, E.B. 88−16600
Popova, V.I. *see* Mukhachev, L.F. 85−22711
Popova, Ye.Yu. *see* Bodrov, V.V. 87−54742
Popovchenko, O.V. *see* Gus'kov, L.N. 88−48042
Popovic, A. *see* Compton, R.C. 87−61456
Popovic, B. *see* Pekaric, N. 86−29554
Popovic, B.D. A method for synthesis of small arrays of printed dipole antennas backed by a ground plane 87−75628
Popovic, B.D. A method for synthesis of small arrays of printed dipole antennas backed by a ground plane 88−21032
Popovic, B.D. Frequency-domain analysis of a large NEMP-simulator wire antenna 88−40686
Popovic, B.D. Synthesis of monopulse antenna arrays consisting of approximately antiresonant dipoles printed on dielectric substrate 88−40717
Popovic, B.D. New general method for analysis of wire antennas and scatterers 88−72673
Popovic, B.D., Djordjevic, A.R. A comparison between two efficient methods for analysis of wire antennas 87−47298
Popovic, B.D., Dragovic, M.B., Dordevic, A.R. A solution for loss reduction in ferromagnetic casings of 160 MVA transformers at hydroelectric power plant 'bajina basta' 88−75681
Popovic, B.D., Kolundzija, B.M. Analysis of a class of symmetrical thin-plate triangular antennas 87−39459
Popovic, B.D., Nesic, A. Some extensions of the concept of complementary electromagnetic structures 85−36063
Popovic, B.D., Nesic, A.D. The concept of complementary/dual electromagnetic structures and some applications 87−39275
Popovic, B.D., Nesic, A.D. Generalisation of the concept of equivalent radius of thin radiating structures 87−39452
Popovic, B.D. *see* Kolundzija, B.M. 87−47294, 87−75567
Popovic, B.D. *see* Nesic, A. 86−29598

Popovic, B.M. New sequences for asynchronous frequency-hopping multiplex 86–54387
Popovic, B.M., Budisin, S.Z. Generalised subcomplementary sets of sequences 87–47494
Popovic, B.M. *see* Budisin, S.Z. 88–15564
Popovic, D. A new procedure of analyses of the transient dynamic processes of electric power systems 85–64814
Popovic, D. Interconnective models in analysis of power system short and long term dynamics 86–39030
Popovic, D. State-of-the-art and future trends in industrial process automation 87–43849
Popovic, D. Fast decoupled method for the calculation of voltage distribution and load flow under conditions of long-term dynamic processes in electric power systems 88–5261
Popovic, D. The methodology supplements to analysis of static reliability of power systems 88–68731
Popovic, D. Automatic load-shedding of consumers in studies of static security of electric power systems 88–75071
Popovic, D., Dukanovic, M. One conception of a quantitative analysis of dynamic security of electric power systems during greater structural disturbances 87–64054
Popovic, D., Jovanovic, S. Characteristics and possibilities of an interactive computer program TRANSPLAN in the function of transmission network development planning and past experience in its practical application 86–25534
Popovic, D., Jovanovic, S. An efficient and reliable procedure for solving the power flow problems 87–15125
Popovic, D., Petrovic, D., Ljubic, V. Underexcited operation of power plants in regulation of voltage and reactive power in minimum condition of Yugoslav power system 86–39033
Popovic, D., Stropnik, A. Application of the OSI model and standard communication protocols in the dispatch control systems 88–23319
Popovic, D. *see* Jovanovic, S. 86–65628
Popovic, D. *see* Moller, D.P.F. 86–12034
Popovic, D. *see* Strezoski, V. 88–23257
Popovic, D.P. A simple and reliable procedure of the evaluation of short-term dynamic processes in power systems 87–21820
Popovic, D.P. Efficient decoupled procedure for solving the load-flow problems during long-term dynamic processes in power systems 87–77942
Popovic, D.P. A fast decoupled procedure for solving the load flow problems during short-term dynamic processes in power systems 88–10692
Popovic, D.P. An efficient methodology for steady-state security assessment of power systems 88–54925
Popovic, D.P. *see* Jovanovic, S.M. 86–50890
Popovic, L.M. Proximity effect between an earthing grid and external electrodes in an earthing system of high-voltage installations 87–4443
Popovic, L.M. Dissipation of the partial ground fault current across the shield wires of transmission lines 87–30244
Popovic, L.M. The effects of partial compensation on the unfavourable influence of increased soil resistivity in long earthing conductors 88–55088
Popovic, M., Obradovic, M. Conception of ground station for 'Yugoslavia 3' satellite transmission and TDMA terminal 88–22022
Popovic, M., Sakota, G. Presentation of digital audio mixer 87–49394
Popovic, M.A., Chan, K.H., Lin, J.C. Microprocessor-based noncontact heart rate/respiration monitor 85–48274
Popovic, N. Novel feedline for linearly tapered slotline antenna (LTSA) 88–14491
Popovic, N. GaAs FET oscillator with dielectric resonator for 4 GHz 88–32449
Popovic, N. Synthesis of the digital system for exciting control of the synchronous generator 88–48930
Popovic, N. *see* Prokic, M. 85–38275
Popovic, P. Analysis of methods of optimizing a decentralized network with emphasis on defining the initial number of exchanges 85–30787
Popovic, P. *see* Kolonic, D. 87–20377
Popovic, R.S. The vertical Hall-effect device 85–6881
Popovic, R.S. Numerical analysis of MOS magnetic field sensors 85–58694
Popovic, R.S., Widmer, R. Magnetotransistor in CMOS technology 87–1487
Popovic, R.S. *see* Baltes, H.P. 87–3589
Popovic, S. *see* Urli, N. 87–74053
Popovic, V. *see* Valigursky, S. 88–16654
Popovic, Z. Characterization of semiconducting materials by spectroscopic method 86–41541
Popovic, Z., Markovic, A. The THD characteristics of the phase detector 86–69070
Popovic, Z., Spasojevic, Z., Markovic, M. Optoelectronic measurement of attracting time and anchor reverse with fast direct current electromagnets 85–51382
Popovic, Z. *see* Rutledge, D. 88–1017
Popovic, Z.D. Application of digital filtering to noise reduction in exponential decays 87–47726
Popovic, Z.D., Sprague, R.A., Connell, G.A.N. Technique for monolithic fabrication of microlens arrays 88–45202
Popovic, Z.D., Sprague, R.A., Connell, G.A.N. A process for monolithic fabrication of microlenses on integrated circuits 88–65522
Popovich, A.V. *see* Bavykina, V.V. 87–69169
Popovich, B. *see* Jong, H.Y. 85–13235
Popovich, I.N. *see* Prakhovnik, A.V. 85–27872
Popovich, M. A numerical solution of a class of differential games with many participants 87–58785
Popovich, M.M. Comment on 'Flow visualisation with stroboscopic illumination to provide an unambiguous record of direction' 85–58947
Popovich, M.V., Misic, V.B. Comparison of GIC-based active-*RC* allpass biquads 85–932
Popovich, N.G., Denisov, A.I., Sipenko, S.M. System for controlling rate of travel of magnetic recording medium 85–7159
Popovich, N.G., Pechenik, N.V., Mamalyga, V.M., Khomenko, S.N. Synthesis of the optimum system for automatic control of minimal complexity with restriction of jolt value [electric drives] 86–13126
Popovich, N.S. *see* Gitsu, D.V. 88–57329
Popovich, N.V. *see* Gapchenko, M.N. 85–5581
Popovichenko, S.D. *see* Efimov, M.I. 87–63429
Popovichev, V.V. *see* Eliseev, P.G. 87–75105
Popovici, A. Gaussian regression for fitting and extrapolation of bit error rate measurements in digital transmission 86–10232
Popovici, A. Automatic evaluation of emergency minimal modes in the fault-tree 86–46669
Popovici, A.C. Fast measurement of bit error rate in digital links 86–30226
Popovici, A.C. Fast measurement of bit error rate in digital links 87–69746
Popovici, C. *see* Balaceanu, M. 85–40383
Popovici, F. *see* Duma, M. 87–57583
Popovici, G. *see* Goldenblum, A. 86–40155, 87–4888
Popovici, M. *see* Fata, V.L. 85–15934
Popovidi-Zaridze, R.S., Talakvadze, G.M. Investigation of the resonant properties of arrays made of metallic cylinders with a dielectric layer of a finite thickness 85–2544
Popovskaya, I.F. *see* Fradkin, B.M. 87–78133
Popovskaya, I.F. *see* Gordyukhina, N.M. 88–38789
Popovskii, V.V. A noise canceller for multichannel measurements 86–48609
Popovskii, V.V., Glushankov, E.I. Features of the microprocessor realization of algorithms for processing radio signals and interference in large antenna arrays 86–10371
Popovskii, V.V., Kobin, S.V. The use of adaptive AA in the processing of partially coherent signals 87–33698
Popovskii, V.V., Krymov, S.M. Methods for correction of cross-polarization distortion in communications links with repeated frequency utilization 88–28682
Popovskii, V.Yu. *see* Zvezdin, S.M. 86–66517
Popovskiy, V.V., Glushankov, Ye.I. Regularization of signal and interference processing algorithms in adaptive antenna arrays 85–36133
Popovyan, F.E. *see* Filatov, A.V. 85–1304
Popowicz, W. Microcomputers in power plants 86–18911
Popp, D. Improved multibeam sonar shallow water mapping system 85–32016
Popp, E. Special features in screening modern digital communication systems 88–34933
Popp, E. *see* Pfluger, K. 86–54660
Popp, H. *see* Brandenburg, K.H. 88–73091
Popp, K. *see* Bergner, F. 88–31886
Popp, M. *see* Brodwolf, A. 87–14069
Popp, P. Functions and basic concepts of reactor pressure vessel manipulators 87–35751
Popp, R.L. *see* Wear, K.A. 87–3958
Popp, T. *see* Bonde, L.W. 85–4474
Poppe, A. *see* Olaszy, G. 87–14048
Poppe, E. *see* Drott, H.-J. 86–13214
Poppe, G. *see* Holler, Y. 85–43302
Poppe, K. The new standard for indoor illumination 88–62741
Poppe, L.J., Eliason, A.H., Fredericks, J.J. A computerized particle-size analysis system 86–44759
Poppe, N. *see* Henderson, R.S. 87–29497
Poppei, W. *see* Brod, U. 88–5961
Poppel, I. *see* Nederhand, F.A. 87–57837
Popperova, E. *see* Hulin, I. 86–5953
Poppert, K.-H. *see* Vogele, A. 86–43672
Poppert, P., Novak, S., Wright, P. Lithography for a submicron CMOS process 86–15265
Poppinger, M. Silicon diaphragm pressure sensors 87–41498
Poppinger, M. *see* Binder, J. 85–20606
Poppitz, R.A. AV-8B fiber optic interconnect production experiences 85–12624
Poppke, H. *see* Angerer, G.H. 85–4737
Poppl, S.J., Herrmann, G., Luft, R. An ECG program for conventional leads and its integration into a mobile ECG recording and evaluating system 85–20920
Popple, G.W. *see* Moss, J.P. 85–63720
Popple, R.T. *see* Lee, D.A. 87–78313
Popple, R.T. *see* Simmons, R.B.V. 85–43721
Popplestone, A. Instrument for fast dielectric measurement at audio and sub-audio frequencies 86–31597
Poppleton, A. *see* Anguilar-Benitez, M. 87–71031
Poppleton, A.J. The survivability of battlefield communications 85–47413
Popplewell, A., O'Reilly, J.-J. Spectral characteristics of a class of DC free error-correcting transmission codes 88–66281
Popplewell, B. Quality across the board 88–43717
Popplewell, J. *see* Davies, P. 88–57996
Popplewell, N. *see* Mathur, R.K. 87–71721
Popplewell, N. *see* Semercigil, S.E. 86–50097
Popplewell, N. *see* Trainor, P.G.S. 85–43636
Poprawe, R., Beyer, E., Herziger, G. Material ablation by excimer lasers 85–56558
Poprawe, R., Wehner, M., Brown, G., Herziger, G. Plasma-spectra in materials processing by excimer lasers 88–40444
Poprawe, R. *see* Beyer, E. 86–10038
Poprawe, R. *see* Treusch, H.G. 88–14313
Popruzhko, L.A. *see* Yanovskii, A.P. 85–48175
Pops, H. Copper rod requirements for magnetic wire 86–62882
Popushoi, V.V. *see* Bezhan, N.P. 87–33194, 88–14218, 88–22127
Popushoi, V.V. *see* Gitsu, D.V. 86–54147
Popyack, J.L., White, C.C., III Suboptimal policy determination for large-scale Markov decision processes. II. Implementation and numerical evaluation 85–54256
Popyack, J.L. *see* White, C.C., III 85–54255
Popyrin, L.S. Systems formulation for the selection of nuclear power station parameters 87–15438
Popyrin, L.S. Optimizing the parameters of power-plant equipment 87–21999
Popyrin, L.S. Optimization of circuits and parameters of energy facilities in the presence of incomplete information 88–55101
Popyrin, L.S., Mai, V.A., Naumov, Yu.V. A system of optimal developments and design for the condensing section of thermal and nuclear power stations 85–48710
Popyrin, L.S., Moseev, G.I. The future prospects for the development of steam power plant burning organic fuel 86–70819
Popyrin, L.S. *see* Buinov, N.E. 85–53445
Popyrin, L.S. *see* Klemin, A.I. 87–22115
Popyrin, L.S. *see* Melentjew, L.A. 85–43863
Popytaev, A.N. *see* Kuz'min, V.A. 85–9077
Por, G. Remarks on division of the record into blocks when estimating spectral densities 85–51631
Por, G. Zonamozgas megfigyelese neutronzaj diagnosztikaval (Neutron noise diagnostics) 86–12626
Por, G., Adorjan, F., Czibok, T., Glockler, O., Makai, M., Valko, J. Sophisticated systems for analysing standard signals of a PWR NPP for diagnostic purposes 87–35765
Por, G., Glockler, O., Izsak, E., Valko, J. Hutokozeg forrasallapotanak diagnosztikaja neutronfluktuaciok alapjan a Paksi atomeromuben (Neutron measurements at Paks Nuclear Power Station) 86–12629
Por, G. *see* Aguilar, O. 88–11012
Por, G. *see* Glockler, O. 87–35764
Por, G. *see* Novothny, F. 88–30768
Porad, K.D. *see* Melnick, E.K. 88–55943
Porada, Z. Dynamic characteristics of a thin film light amplifier 86–2975
Porada, Z., Schabowska-Osiowska, E. PC-EL thin film system as AND- as well as OR-type optoelectronic logic gate 88–58312
Porada, Z.W., Kubel, W.J. Thin film PC-EL system as optoelectronic logical gate 87–18854
Poradish, F. High density modular avionics packaging 86–18477
Poradish, F. Modular ICNIA packaging technology 87–42104
Poradish, F. Modular ICNIA packaging technology 87–58676
Porangaba, H.D. *see* Cunha, W.J.L. 88–68893
Porangaba, H.D. *see* Frontin, S.O. 86–12915
Porangaba, H.D. *see* Peixoto, C.A.O. 86–12386
Porat, B. Computation of additive decompositions of ARMA spectra 85–10588
Porat, B. Second-order equivalence of rectangular and exponential windows in least-squares estimation of Gaussian autoregressive processes 86–23014
Porat, B. Modern techniques in parametric spectrum estimation 86–26721
Porat, B., Friedlander, B. Parametric techniques for adaptive detection of Gaussian signals 85–2812
Porat, B., Friedlander, B. ARMA spectral estimation of time series with missing observations 85–30260
Porat, B., Friedlander, B. Adaptive detection of transient signals 86–16415
Porat, B., Friedlander, B. Computation of the exact information matrix of Gaussian time series with stationary random components 86–37014
Porat, B., Friedlander, B. On the estimation of variance for autoregressive and moving average processes [signal processing] 86–48925

Porat, B., Friedlander, B. The exact Cramer-Rao bound for Gaussian autoregressive processes 87–7754
Porat, B., Friedlander, B. A modification of the Kumaresan-Tufts method for estimating rational impulse responses 87–12989
Porat, B., Friedlander, B. On the limiting behavior of estimates based on sample covariances 87–19373
Porat, B., Friedlander, B. Adaptive detection of transient signals 87–19649
Porat, B., Friedlander, B. Parameter estimation of continuous-time stationary Gaussian processes with rational spectra 87–39728
Porat, B., Friedlander, B. On the accuracy of the Kumaresan-Tufts method for estimating complex damped exponentials 87–39749
Porat, B., Friedlander, B. A frequency domain approach to multiframe detection and estimation of dim targets 87–62254
Porat, B., Friedlander, B. The exact Cramer-Rao bound for Gaussian autoregressive processes 88–14566
Porat, B., Friedlander, B. Analysis of the asymptotic relative efficiency of the MUSIC algorithm 88–46035
Porat, B., Friedlander, B. On the asymptotic relative efficiency of the MUSIC algorithm 88–73067
Porat, B., Rosen, Y. The asymptotic Cramer-Rao bound for Gaussian ARMA processes with periodically missing data 86–59184
Porat, B. *see* Friedlander, B. 85–2715, 85–2852, 85–25082, 85–51627, 86–10441, 87–61961, 87–62047, 88–73075
Porat, B. *see* Lepschy, A.M. 87–2398
Porat, B. *see* Nehorai, A. 86–10419, 87–12977
Porat, B. *see* Rosen, Y. 86–48713, 87–19740
Porat, D. *see* Briggs, D. 85–43242
Porat, M., Zeevi, Y.Y. The generalized Gabor scheme of image representation in biological and machine vision 88–66624
Porat, Z. *see* Alon, I. 86–30871
Porath, J., Aulin, T. Fast algorithmic construction of mostly optimal trellis codes 87–54933
Porcar, R. *see* Prenel, J.P. 86–70243
Porcas, R.W. *see* Alef, W. 87–20640
Porcas, R.W. *see* Ananthakrishnan, S. 85–58262
Porch, R. Homebase 1990 86–30184
Porcheron, Y. Guide for endurance tests of conductors inside clamps 85–64924
Porcheron, Y. *see* Chanal, A. 86–56443
Pore, J. The PCI (microprocessor controlled signal box) 87–79137
Porebski, S., Machalica, P. Instruments for measuring electrophysical parameters of semiconductor wafers 86–9221
Poremba, J. Speech synthesis in remote circuit testing 86–69357
Porep, H.G. *see* Jonas, E. 88–53094
Poresh, S.B., Tager, A.S. Formation of an anode static domain in Gunn diodes with a nonlocal velocity-field dependence 85–1552
Poret, J.C. *see* Thompson, R.G. 88–64681
Poret, M. Time switch 85–8052
Poretskii, S.A. *see* Bulanin, M.O. 85–29680
Poretta, A., Santomauro, M., Somenzi, F. TAU: a fast heuristic logic minimizer 85–45022
Porfir'ev, L.F., Usachev, V.A. Quantum threshold sensitivity of photomultipliers for recording ultraviolet radiation 87–49751
Porfir'eva, N.N. Method of estimating the number of luminance quantization levels on the screen of a thermal-imaging system 88–16293
Porfir'eva, N.N. *see* Lalyko, L.B. 86–16527, 88–13994
Porfirio C., C. *see* Foch, H. 85–10026
Porges, M. *see* Lalinsky, T. 86–63098
Porges, S.W. The vagal tone monitor: application in sleep research 86–56159
Porile, N.T. *see* Stringfellow, B.C. 87–8813
Porinelli, R. *see* Del Guerra, A. 87–77645
Porinelli, R. *see* Lettera, C. 87–47887, 87–48157
Porins, V. *see* Grigulis, J. 85–61810
Porinsh, V. *see* Bondar, L. 88–1440
Porinsh, V. *see* Grigulis, Yu. 88–1484
Porin'sh, V.M. *see* Grigulis, Yu.K. 88–6551
Poris, U. *see* Gavrilin, V. 87–14502 to 14503
Poris, U. *see* Grigulis, Yu. 88–2661, 88–4380
Poritskii, A.L. *see* Kolodii, B.I. 86–22615
Poritz, A.B. Hidden Markov models: a guided tour 88–66520
Poritz, A.B., Richter, A.G. On hidden Markov models in isolated work recognition 87–19495
Poritzky, S.B. Communications, navigation, and surveillance (CNS) services in the future air traffic management system 86–50724
Porizek, R. One relational model of layered network architectures 86–64718
Porizek, R. A basis for the taxonomy of error control methods in data communication 87–28081
Porizek, R., Siran, J., Maly, O. A survey of methods of error control 87–2442
Porizek, R. *see* Maly, O. 87–33922
Porjesz, T., Kovacs, G., Kirschner, I., Karman, T., Zsolt, G. Long time relaxation process in MOS-FET devices 88–26304
Porjesz, T., Zsolt, G., Kovacs, Gy., Karman, T. Size- and high field effects in MOS-FET devices 88–1644
Porjesz, T. *see* Bankuti, J. 88–71989
Porjesz, T. *see* Kovacs, G. 88–1447
Porjesz, T. *see* Zsolt, G. 88–1645
Porle, K. Reduced emission and energy consumption with pulsed energization of electrostatic precipitators 85–46538
Porle, K. Ensted proves pulsed ESP advantages 87–4154
Porn, K. Which prior distributions are robust in nuclear safety applications? 85–48732
Porn, K. *see* Mankamo, T. 85–48761
Pornbacher, F. Switch-level-simulation using the CSA-theory 87–74440
Porneczi, T. Fast analysis of active switched-capacitor filters 87–873
Porneczi, T. Fast analysis of active switched-capacitor filters. III 87–45050
Pornin, M., Bassac, C., Glatzel, F.-J., Porter, D. Cooperation agreement between EC (UK), EDF (France) and RWE (FRG) for promoting the development of electric vehicles 85–65552
Pornitz, M. Motor speed regulation for energy economy 87–58471
Pornitz, M., Chollet, B.C. Electronic speed regulating systems for reducing drive current consumption in building technology 87–43491
Porod, R.F. *see* Chimielewski, R. 86–8631
Porod, W., Ferry, D.K. Pattern recognition in highly-integrated circuits 85–42941
Porod, W., Landauer, R. Comment on 'Energy requirements in communication' [and reply] 88–66237
Porod, W., Lent, C.S. Effect of continuum resonances on hot carrier transport in quantum wells 88–32894
Porod, W. *see* Ferry, D.K. 88–57770
Porod, W. *see* Ho, J. 86–21231
Porod, W. *see* Potz, W. 86–21227
Porod, W. *see* Yi, K.S. 85–29132
Porodin, B.M. Digital meter of time shifts between periodic pulse trains 87–63533
Porodinkov, O.E. *see* Baikov, E.U. 85–41344
Porodinkov, O.E. *see* Bashkin, A.S. 87–33102, 87–46771
Porokhnenko, O.P. *see* Surant, I.V. 86–61686
Porokhov, O.N. Bipulse regenerators for optical communications systems 86–30812
Porokhov, O.N., Radev, P. 3B2T-RBS—an efficient transmission method for digital fibre-optic communications 87–8275
Porokhov, O.N. *see* Maglitzkiy, V.N. 87–55862
Porokhov, O.N. *see* Petrovich, N.T. 85–63187
Poropat, G.V. The effect of bias voltage on SPRITE detector modulation transfer function (MTF) 86–24532
Poropat, P. *see* Anguilar-Benitez, M. 87–71031
Poropat, P. *see* Checchia, P. 86–65330
Poroshina, M.Yu. *see* Evdokimov, M.V. 86–36620
Porotikov, A.P., Kozhin, V.V., Mikhaleva, L.F., Dvoryankin, V.F. Investigation of meniscal lines in growth of layers of heterostructure *p*-InGaAsP-InGaAsP-InP/{100} InP by the method of liquid-phase epitaxy 88–70321
Porotikov, A.P. *see* Dvoryankina, G.G. 86–20039
Porowski, S. *see* Aladashvili, D.I. 85–18083
Porowski, S. *see* Kadri, A. 85–18088
Porowski, S. *see* Karpinski, J. 85–16920
Porowski, S. *see* Suski, T. 85–18049
Porpachev, P.A. *see* Voropai, E.S. 86–44313
Porpaczy, E. 12 channel carrier frequency system for symmetrical cable lines 85–3326
Porpaczy, E. BK-12-E-2 twelve-channel FDM transmission system for symmetric cable pair 86–43631
Porras, G.Sanchez *see* Sanchez Porras, G.
Porret, F. *see* Vuilleumier, R. 86–5404
Porretta, B., Kiguel, D.L. Bulk power system reliability evaluation. I. PROCOSE—a computer program for probabilistic composite system evaluation 88–10808
Porrill, J., Pollard, S.B., Mayhew, J.E.W. Optimal combination of multiple sensors including stereo vision 87–62165
Porrill, J. *see* Pollard, S.B. 87–62156
Porrino, A., Santagostino, G. Metal oxide surge divertors 87–71751
Porrino, A., Santagostino, G. Metal oxide dischargers 88–17202
Porrino, A. *see* Bargigia, A. 86–51862
Porro, S. *see* Tenedorio, J.G. 88–63935
Porsani, M.J. *see* Vetter, W.J. 87–58771
Porsch, D. *see* Sommer, D. 88–5490
Porsche, H. *see* Edenhofer, P. 86–55401, 87–76717
Porsching, T.A. Estimation of the error in the reduced basis method solution of nonlinear equations 86–26773
Porschke, U. *see* Busse, R. 87–78426
Porshnev, Yu.V. *see* Goryagin, V.F. 87–58074
Porshnev, Yu.V. *see* Zbarskii, L.A. 85–21633, 88–43188
Porsinger, W. Operating experiences with electric road vehicles in Berlin 87–64865
Porsinger, W. Practical experience with electric vehicles in Germany 87–79015
Porst, A., Herberg, H., Miller, G., Strack, H. The transistor behavior in a circuit with a shorted load 87–38219
Porst, A. *see* Miller, G. 86–47546, 87–45902, 88–26232, 88–44742
Port, D.L., Field-Rayner, M. Power systems and machines in a rural water undertaking 87–22945
Port, E. *see* Ahmadi, H. 88–52634
Port, M. *see* Ebeling, K.J. 87–2118
Port, R.F., Reilly, W.T., Maki, D.P. Use of syllable-scale timing to discriminate words 88–27838
Port de Pontcharra, J.du *see* du Port de Pontcharra, J.
Portafaix *see* Bessette 85–46111
Portafaix, C. *see* Riband, P. 87–74636
Portakal, S., Fukai, R., Ballestra, S. Alpha tracks of sea sediment plutonium in cellulose nitrate film 87–50180
Portal, G. Requirements of instruments in radiological protection 85–26816
Portal, G. *see* Spurny, F. 87–21693
Portal, H.C. *see* Payling, C.A. 88–33145
Portal, J.-C. *see* Guillemot, C. 87–24863
Portal, J.C. *see* Barker, J.R. 86–21215
Portal, J.C. *see* Basmaji, P. 88–64257
Portal, J.C. *see* Beerens, J. 87–37957, 88–19706
Portal, J.C. *see* Ben Amor, S. 88–71320
Portal, J.C. *see* Berus, T. 86–21146
Portal, J.C. *see* Brummell, M.A. 86–35412
Portal, J.C. *see* Chan, K.S. 88–39114
Portal, J.C. *see* Chroboczek, J.A. 86–53352
Portal, J.C. *see* Dmowski, L. 87–66972
Portal, J.C. *see* Eaves, L. 85–18078, 86–58310
Portal, J.C. *see* Gauthier, D. 87–1270
Portal, J.C. *see* Guillemot, C. 87–45657
Portal, J.C. *see* Guimaraes, P.S.S. 86–21218, 86–47383
Portal, J.C. *see* Mercy, J.M. 86–53434
Portal, J.C. *see* Nicholas, R.J. 85–11987, 85–34606, 86–47372, 86–53372
Portal, J.C. *see* Payling, C.A. 87–24862
Portal, J.C. *see* Razeghi, M. 85–23498, 86–53374, 87–11400
Portal, J.C. *see* Robert, J.L. 85–29031
Portal, J.C. *see* Rogers, D.C. 87–11413
Portal, J.C. *see* Taylor, D.C. 87–6636
Portal, J.C. *see* Toombs, G.A. 88–64314
Portal, J.C. *see* Vuong, T.H.H. 86–35413, 86–53423
Portal, J.C. *see* Zdanowicz, W. 85–28979, 85–61701
Portal, J.C. *see* Sotomayor Torres, C.M. *(editor)* 87–72707
Portal, X.Ruiz del *see* Ruiz del Portal, X.
Portas, J.-Y. *see* Feuga, J.-R. 87–36246
Portat, M. *see* Godefroy, J.C. 88–22552
Porte, H., Ferriere, R., Goedgebuer, J.-P. Construction of a multiplexer/demultiplexer suitable for signal transmission in white light 86–17119
Porte, H., Ferriere, R., Goedgebuer, J.-P. Integrated waveguide modulator using a $LiNbO_3$ TE$\rightleftarrows$TM convertor for electrooptic coherence modulation of light 88–72141
Porte, H., Goedgebuer, J.-P. Bistability in wavelength using an electro-optically tuned dye laser 85–24499
Porte, H., Goedgebuer, J.-P. Rapid tuning of a Rh 6G CW dye laser applied to the transmission of signals by wavelength modulation in the visible region 86–15661
Porte, H., Goedgebuer, J.P., Hamel, A. Two TV channel multimode fibre link using a single multilongitudinal mode laser diode (820 nm) and path-difference multiplexing 87–13694
Porte, H., Goedgebuer, P. Wavelength-modulation of a dye laser with a low voltage device; application to signal transmission and analog-to-digital conversion 86–68335
Porte, H. *see* Goedgebuer, J.-P. 87–68578
Porte, H. *see* Goedgebuer, J.P. 85–18752, 87–38884
Porte, M. *see* Bernstein, P. 85–18553
Porteanu, M. Noise hazard in switching circuits 85–61402
Portegijs, J. Large-scale electricity generating with the circular track wind turbine 88–48833
Portejoie, J.F., Le Moan, S. A new approach of performance monitoring in a centralized digital transmission network maintenance 85–57663
Portejoie, J.F., Le Moan, S. G 821 CCITT recommendation consequences on the design of digital line sections and operation system 87–27846
Portella, M.T., Brito Cruz, C.H., Scarparo, M.A. Picosecond optoelectronic semiconductor switches 86–63735
Portella, M.T., Montelmacher, P., Bourdon, A., Evesque, P., Duran, J. Four-wave mixing experiments in Cresyl violet thin films: inadequacy of a two-level interpretation 87–75237
Portella, M.T., Montelmacher, P., Bourdon, A., Evesque, P., Duran, J., Boltz, J.C. Characteristics of a Nd-doped yttrium-aluminum-perovskite picosecond laser 87–54275
Portelli, B. A hardware accelerator based system for ATPG of sequential circuits 87–59292

Porteous, I.M. AC motors under variable speed control 87−64501
Porteous, M. The choice and application of AC variable speed drives 86−33732
Porteous, R.K. *see* Boswell, R.W. 88−7475, 88−13158
Porter, A. Sampling sees skinny signals 85−26377
Porter, A. Guidelines minimise vertical-channel errors in scopes 86−24566
Porter, A. Bandwidth and sampling rate in digital 'scopes 86−38418
Porter, A. The educational uses of Prestel 86−54843
Porter, A. Interpreting DSO sampling and bandwidth specifications 86−55763
Porter, A. Bandwidth and sampling rate as selection criteria for digital oscilloscopes 87−29161
Porter, A. *see* Rampey, F.D. 85−8871
Porter, A.J. *see* Edmonds, E.W. 86−11957, 87−14875, 88−23059
Porter, A.J. *see* Hynes, D.M. 87−14873
Porter, A.J., II *see* von Guggenberg, P.A. 87−19153
Porter, A.L., Rossini, F.A. Current and future uses of the computer: industrial R and D in the United States 87−10081
Porter, A.L., Rossini, F.A. Trends and implications of computer use in industrial research and development 87−43864
Porter, A.L. *see* Xiao-Yin Jin 88−6187
Porter, B., Khaki-Sedigh, A. Design of digital set-point tracking PID controllers for warships 88−36724
Porter, B., Khaki-Sedigh, A. Design of robust adaptive digital set-point tracking PI controllers incorporating recursive step-response matrix identifiers for gas turbines 88−37066
Porter, B., Khaki-Sedigh, A. Design of robust adaptive digital setpoint tracking PI controllers incorporating recursive step-response matrix identifiers for gas turbines 88−43060
Porter, C. *see* Namjoo, M. 88−44228
Porter, C. *see* Pham, F. 85−14324
Porter, C.A. *see* Kesavan, K. 87−42621
Porter, C.A. *see* Schmidt, J.E. 87−42622
Porter, D. *see* Biswas, D. 87−40954
Porter, D. *see* Pornin, M. 85−65552
Porter, D. *see* Van Alen, D. 85−55336
Porter, D.A. *see* Whalley, A.M. 88−37457
Porter, D.C. DPA and military specifications 86−13464
Porter, D.L. Update on the cellular revolution [radio systems] 85−8327
Porter, D.L., Williams, R.G., Swassing, C.R., II CODAR intercomparison: Delaware Bay 1984 87−9011
Porter, D.L. *see* Trizna, D.B. 85−32011
Porter, D.W. Applying lasers for productivity and quality [in aircraft gas turbine fabrication] 87−47041
Porter, E. AI emerges as design automation force 86−57548
Porter, E. *see* Buelow, F. 87−10135
Porter, G. Summary of discussion on industrial applications of solar energy 87−58327
Porter, G.N. Electrostatic damage: cause and effect with suggested solutions 88−18471
Porter, H.Q. *see* Turner, D.W. 87−1163
Porter, J. Aeropbrake for the Centaur Aerobrake Flight Experiment 88−30067
Porter, J. Stagger-tuned bandpass active filters 88−50248
Porter, J. *see* Bachmann, B. 86−6938
Porter, J. *see* Barker, A.T. 86−25304
Porter, J. *see* Boll, S. 88−66377
Porter, J. *see* Geddes, E. 87−63185
Porter, J. *see* Milburn, J. 86−25042
Porter, J. *see* Reimers, R.M. 85−26734
Porter, J., Sr. *see* Lee, A. 86−19425
Porter, J.D. *see* Aspnes, D.E. 87−18571
Porter, J.E. Truth in technical advertising: A case study 88−6179
Porter, J.E. *see* Li, K.-P. 88−72835
Porter, J.L., Hussey, T.W. Measurements of plasma implosion driven X-ray laser target closure 88−40115
Porter, J.L., Jr. Essential engineering/incremental conversion [telecommunication network maps] 88−52750
Porter, J.M., Swain, I.D. Measurement of cardiac output by electrical impedance plethysmography 87−63785
Porter, J.P., Hite, W.A. Overview/current status of the Navstar Global Positioning System 85−37131
Porter, J.W. *see* Dick, E.P. 88−75547
Porter, J.W. *see* Sokoly, T.O. 85−9966
Porter, J.W. *see* Vithayathil, J.J. 86−19422
Porter, K., Kath, J. Floating-point methods combine to boost performance 86−52751
Porter, K.A., Jr. AI applications to automatic testing: Trend for the future 88−35842
Porter, M. Copper-on-ceramic technology development 88−50557
Porter, M.B., Dicus, R.L., Fizell, R.G. Simulations of matched-field processing in a deep-water Pacific environment 87−71364
Porter, M.B. *see* Li, S.T. 86−42971
Porter, M.E. *see* Plotnik, I. 87−25002
Porter, N.S. *see* Kine, P.L. 86−51374
Porter, P. 'Dear PPO5', interpersonal communication and the computer: entering a brave new world 85−13808
Porter, P.T. Relationships for three-dimensional modeling of co-channel reuse 86−4523
Porter, P.T. Relationships for three-dimensional modeling of co-channel reuse 86−17248
Porter, P.T. *see* Bernhardt, R.C. 86−55228
Porter, P.T. *see* Cox, D.C. 87−20423, 87−28439, 87−69921
Porter, R. Data acquisition with the PC. New architectures 88−9903
Porter, R., Reed, P., Young, J.D. Edge treatment of trihedrals 88−2904
Porter, R. *see* Pecht, M. 88−38876
Porter, R. *see* Tan, S.B. 87−65695
Porter, R.E. *see* Pratt, T. 87−47188
Porter, R.J., Molinari, J. Image processing in the reconnaissance revolution 87−27606
Porter, R.J., Molinari, J. Inexpensive frame grabbers herald the automated factory of the future [image processing] 88−8815
Porter, R.J., Jr. Pavlov Institute research in speech perception: finding phonetic messages in modulations 85−62999
Porter, R.J., Jr. Micros invade nuclear medicine 86−32351
Porter, R.L. *see* Bond, F.E. 85−30977
Porter, R.P. Holographic shape determination of reflecting objects 86−15798
Porter, R.P. *see* Wolf, E. 86−68702
Porter, R.W. Economic distribution distance for cogenerated district heating and cooling 86−6555
Porter, S. Inspecting hybrid circuits with machine vision 86−14739
Porter, S. *see* Watton, R. 85−45947
Porter, S.C., Gradman, A.H. ECG template matching and alignment in the frequency domain: use of a geometric best fit algorithm 85−59302
Porter, S.G. Pyroelectric detector arrays 87−3483
Porter, S.G. *see* Shorrocks, N.M. 87−21096
Porter, S.G. *see* Twiney, R.C. 88−29401
Porter, S.G. *see* Watton, R. 87−21097
Porter, S.T., Moore, R.L., Carodiskey, T., Hackenberger, D. The use of ultrasonic testing for bonded stripline assembly process development, process control and failure analysis 86−26603
Porter, S.W., Jr. *see* Sherbini, S. 85−64642
Porter, T. *see* Cordier, J.-M. 88−34767
Porter, T.H., Jr. *see* Jones, D.W. 85−29444
Porter, W.A. Computational aspects of quadratic signal processing 87−69209
Porter, W.A. Orbital architectures for matrix products 88−739
Porter, W.A. Comments on fast polynomic processing 88−52463
Porter, W.A., Aravena, J.L. Local state models for *m*-dimensional operators 86−1267
Porter, W.A., Aravena, J.L. Array resolutions of linear maps 87−69092
Porter, W.A., Smilowitz, B. Frequency synthesis is using a multimode SAW oscillator with varactor tuning 87−1853
Porter, W.A. *see* Aravena, J.L. 85−46931, 86−48982, 87−59729, 88−38443
Porter, W.A. *see* DeSantis, R.M. 85−36324
Porter, W.A. *see* Shafiee, M. 87−66412
Porter, W.B. *see* Vaughan, J. 86−37452
Porter, W.W. *see* Kruczynski, L.R. 86−69851
Porterfied, M.C. *see* Fisher, E.J. 87−78148
Porteseil, J.L. *see* Komatsubara, M. 88−51227
Portesine, M. *see* Barberis, L. 85−61891
Portesine, M. *see* Passerini, B. 88−30880
Porteus, J.O., Franck, J.B., Seitel, S.C. Defect characteristics of optical surfaces using pulsed laser damage methods 87−26497
Porteus, J.O., Seitel, S.C. Absolute onset of optical surface damage using distributed defect ensembles 85−12925
Porteus, J.O. *see* Allen, S.D. 85−7491
Porteus, J.O. *see* Decker, D.L. 85−7497
Porteus, J.O. *see* Franck, J.B. 85−51236
Porteus, J.O. *see* Marrs, C.D. 85−35847
Porteus, J.O. *see* Seitel, S.C. 85−12922
Portier, J. *see* Kayer, P. 87−14307
Portilla, M.J., Casanueva, A., Garcia, J.L. Propagation characteristics of E-plane coplanar lines 88−58896
Portillo-Garcia, J., Vergara-Dominguez, L., Paez-Borrallo, J.M., Ruiz-Mezcua, B. Modulated signal classification: a general approach 88−45870
Portmann, M. *see* Schwarz, U. 87−72278
Portner, P.M. *see* Brugler, J.S. 86−32378, 87−50421
Portner, P.M. *see* Jassawalla, J.S. 85−31879
Portner, P.M. *see* Miller, P.J. 85−38229
Portniagin, A.I. *see* Bunkin, F.V. 85−45570
Portnoi, E.L. *see* Alferov, Zh.I. 85−41249, 86−46347, 87−33202, 87−61164, 88−27170
Portnoi, E.L. *see* Alferov, Z.I. 87−68478
Portnoi, E.L. *see* An, V.A. 87−39140
Portnoi, E.L. *see* Barazov, A.E. 88−34053
Portnoi, E.L. *see* Gel'mont, B.L. 87−54324
Portnoi, E.L. *see* Gonsales, K. 88−58201
Portnoi, E.L. *see* Gurevich, S.A. 85−18950, 86−1373, 86−29165 to 29166, 87−33198
Portnoi, E.L. *see* Karpov, S.Yu. 85−12883, 86−54149, 87−16632
Portnoi, E.L. *see* Kizhaev, K.Yu. 87−18976, 87−26399, 88−8201, 88−34046
Portnoi, E.L. *see* Kuchinskii, V.I. 87−33199
Portnoi, E.L. *see* Vasil'ev, M.G. 86−58942
Portnoi, E.L. *see* Zhuravlev, A.B. 87−2124
Portnoi, G.N. *see* Iossel, Yu.Ya. 88−20845, 88−51042
Portnoi, M.G., Shlyakhov, I.N., Epshtein, G.L. Optimizing antifault load-relief actions on complex power systems 85−43520
Portnoi, M.G. *see* Avramenko, A.V. 87−64113
Portnoi, N.Ya., Stroinikov, V.G. Design of temperature-sensing protection for motors 86−56685
Portnoi, S.L. Characteristics of coding and modulation systems from the standpoint of concatenated codes 86−48778
Portnoi, S.L., Ankudinov, D.R. Efficiency of signal code constructions in satellite systems with time diversity and multistation access (TDMA) 86−37819
Portnoi, S.L. *see* Nemirovskii, E.E. 87−40292
Portnoi, S.L. *see* Zyablov, V.V. 88−52351
Portnov, E.L. Coefficient of mutual inductance between high-voltage lines and communications lines for ground with a two-layer structure 88−66100
Portnova, I.G. *see* Khristoforov, K.K. 87−23752
Portnoy, S.L., Kovalev, S.I. Matching of nonbinary majorant codes with multiphase modulation 87−61559
Portnoy, S.L. *see* Ankudinov, D.R. 88−34560
Portnoy, W.M., Kristiansen, M. Solid state pulsed power switching—a review of the Tamarron workshop 85−5252
Portnoy, W.M. *see* Hudgins, J.L. 86−9126, 87−67242 to 67243
Portnoy, W.M. *see* McMullen, S.A. 86−9110
Porto, A.Di *see* Di Porto, A.
Porto, P.Di *see* Di Porto, P.
Porto, S.O. The implantation of a public computer message system: a Brazilian experience 88−9224
Portscht, R., Swoboda, J. Design of local area token-ring communications networks 85−52064
Portscht, R. *see* Progler, M. 85−2743
Portscht, V.R. A polynomial classifier for a dual-time multifrequency receiver 86−55050
Portsel', L.M. *see* Astrov, Yu.A. 85−12709
Portsel, L.N. *see* Astrov, Yu.A. 86−5325
Portugalov, Yu.I. *see* Daikovskii, A.G. 86−31877
Portunato, P.L. *see* Bellomo, P. 88−3410
Portuondo, I. *see* Bustamante, C.M. 85−11354
Portuondo, I. *see* Leininger, J.C. 85−28465
Portway, P.S. What teleconferencing adds, not eliminates 85−13775
Portwood, T., Henshaw, D.L. The effect of gamma dose on the alpha response of CR-39 87−29576
Portwood, T., Henshaw, D.L., Stejny, J. Ageing effects in CR-39 87−29577
Portwood, T., Stejny, J. Polymerization kinetics of CR-39 by FTIR 87−29578
Portwood, T., Stejny, J. Computer simulation of polymerizing CR-39 87−29579
Portwood, T. *see* Henshaw, D.L. 87−29575
Portwood, T. *see* Stejny, J. 87−29565, 87−29580
Portwood, T. *see* Worley, A. 87−21695
Porubszky, T. Calculations concerning voltage ripple of X-ray generators 86−50639
Poruchikov, P.V. *see* Antonov, S.N. 88−72176
Porudominskii, V.V. *see* Leites, L.V. 86−27439
Porumbescu, S.D. Using HiPox SiO_2 as interlevel dielectric in refractory metal gate technology—contact hole formation in VLSI 85−40646
Porven, A. *see* Prime, J.B. 85−27105
Porven, A. *see* Prime, J.B., Jr. 85−15610
Porwol, H. *see* Loreit, U. 85−56129
Poryvayev, I.N. *see* Artamonov, A.A. 88−67507
Poryvkina, L., Vill, A. Comparison of VUV-preionization methods in excimer lasers 86−54100
Porzel, R., Linsel, K.-H. Insulation testing device of high-voltage windings of electric machines 88−69266
Porzel, R. *see* Linsel, K.-H. 88−69262
Porzhetskii, S.A. *see* Grilikhes, S.F. 85−41175
Porzio Giusto, P. *see* Alaria, G. 86−30693
Porzio Giusto, P. *see* Alaria, G.B. 86−4444
Porzio Giusto, P. *see* Damosso, E. 87−62845
Porzio Giusto, P. *see* D'Aria, G. 86−30662
Porzio Giusto, P. *see* Pattini, F. 86−4567, 86−17348, 86−37618
Porzio Gusto, P. *see* Pattini, F. 86−55076
Porzio-Giusto, P. *see* Alaria, G.B. 85−25790
Posa, C., Chiper, D. Computer-aided analysis of logic circuits using symbolic method 88−63610
Posa, F. *see* Calicchio, M. 88−29811
Posa, F. *see* Castellano, M. 87−41858
Posa, F. *see* De Marzo, C. 87−29473
Posa, J.G. Lithium-based batteries: charged and ready to back up CMOS systems 85−44144
Posa, J.G. Uniting silicon and gallium arsenide 87−32596
Posa, J.G. MOCVD systems for various III-V and II-VI alloys 88−6485

Posadas, L., Tohmori, Y., Komori, K., Arai, S., Suematsu, Y. Direct modulation properties of bundle-integrated-guide dynamic single mode (BIG=DSM) lasers 86−68556

Posadas, L.S., Komori, K., Tohmori, Y., Arai, S., Suematsu, Y. Spectral behavior of 1.5 μm BIG-DBR-DSM lasers 87−68468

Posadowski, W. *see* Muszynska, D. 86−7830

Posadskaya, L.A. *see* Antonenko, V.M. 87−45174

Posadskiy, V.N. *see* Zaslavskiy, A.M. 87−31743

Posafalvi, A., Sztrik, J. On the $\langle(m, n)(\bar{M}/\bar{M})1\rangle$ priority queues and their applications 88−18556

Posakony, G.J. Influence of the pulser on the ultrasonic spectrum: the results of an experiment 85−54559

Posakony, G.J. Experimental analysis of ultrasonic responses from artificial defects 87−23784

Posashkov, S.A. *see* Galaktionov, V.A. 88−63142

Posbic, J., Mercier, D., Paquier, A. Stand-alone PV generators for medical centres in Zaire and remote villages in Pakistan 86−45283

Posch, H.E., Wolfbeis, O.S. Fibre-optic humidity sensor based on fluorescence quenching 88−74450

Posch, J. Hail electrification project [Saudi Arabia] 87−21865

Posch, R. Use of dynamic code compression methods for improving the performance of low speed data links 86−23251

Posch, R., Schinnerl, W. Will there be a European videotex standard? 86−54842

Posch, R. *see* Fellner, W.D. 88−15030

Posch, T.E. *see* Cohen, L. 85−46763, 86−16401

Poschadel, J. *see* Mayer, R. 88−43164

Poschadel, J. *see* Weh, H. 87−22292

Poschel, R. *see* Rebel, B. 86−66793

Poschenrieder, W. *see* Donner, H. 86−64419

Poscolieri, M. *see* Capria, M.T. 85−51806

Poscolieri, M. *see* Cirillo, T. 85−64725

Posdziech, G. Stationary current and capacity model 'ARON 4' for the enhancement mode transistor 87−1540

Posedel, Z. *see* Ammann, C. 88−69278

Posed'ko, V.S. *see* Pilipovich, V.A. 88−40075

Posenau, J.H., McGovern, J.C. A portable data acquisition for Lagrangian investigations of plankton distributions 88−61662

Posenau, J.H., Neilson, B.J. A portable PC based data acquisition system for water quality monitoring 87−70398

Posevin, A.T. Studies of air flows in the ventilation tubes in nuclear power stations 88−5430

Posey, F.L. *see* Ratcliff, M. 85−53816

Posey, L.D., Wrobel, T.F., Evans, D.C., Beezhold, W., Kelly, J.G., MacCallum, C.J., Coppage, F.N., Luera, T.F., Lorence, L.J., Smith, A.J. MOS-transistor radiation detectors and X-ray dose-enhancement effects 86−35890

Posey, L.D. *see* Browning, J.S. 88−25187

Posey, L.D. *see* Hedemann, M.A. 86−38725

Posey, L.D. *see* Smith, A.J. 85−57059

Posey, M.L. *see* Hoelscher, J.F. 86−7155

Poshkas, P.S. *see* Adomaitis, I.E.I. 86−24842

Poshkus, A. *see* Balyavichyus, S. 85−28977

Poshyunas, R.L., Sagaitis, V.V. Measuring the setting time of a high-speed digital-to-analog converter 85−8780

Posiello, J. A frost indicator and warning of the state of the vehicle lights 85−10198

Posiello, J. Checking heat losses with a 'degrees per day' meter 85−14875

Posiello, J. An automatic sound attenuator 85−20403

Posiello, J. Headphones with an infrared link 85−47532

Posiello, J. A temperature meter with an indication of its rise or fall 85−48018

Posiello, J. A high precision digital frequency counter 85−48020

Posiello, J. A video carrier wave generator−an instrument with many applications for adjusting TV sets 85−52792

Posiello, J. Power control in AC circuits 85−54670

Posiello, J. A 'booster' for an automobile radio 85−54706

Posiello, J. 1000 W three channel microphone-controlled psychedelic lights 85−60543

Posiello, J. An integrated four-pole filter for audio applications 85−61371

Posiello, J. A rhythm box 86−24247

Posiello, J. An isolating transformer for 220 V 86−27653

Posiello, J. Equalized RIAA stereo preamplifier 86−46596

Posiello, J. Superhet for CB: Selective receiver for the Citizens Band 86−55157

Posiello, J. A high-power audio amplifier 86−57687

Posiello, J. Nickel-cadmium batteries 86−71045

Posiello, J. Printed circuits for the amateur 87−17490

Posiello, J. The electronics of the compact disc (CD). III 87−20781

Posiello, J. The electronics of the compact disc. IV 87−20798

Posiello, J. Ultraviolet exposure equipment for the production of printed circuits 87−37736

Posiello, J. A capacitance meter with a liquid crystal display 87−41563

Posiello, J. A musical synthesizer. A means of providing a vibrato effect and of producing two channels to give stereoscopic and choral effects 87−49435

Posiello, J. Oscilloscope beam divider 87−56738

Posieszalski, M. *see* Weinreb, S. 86−8509

Poskachei, A.I., Semushev, M.I. The possibilities of employing gamma-gamma methods of testing iron-ore slurries 86−18507

Poskanzer, A. Smear removal techniques: pros and cons 86−8617

Poskanzer, A.M. *see* Albrecht, R. 86−44563

Poskus, A. *see* Babenskas, E. 87−53312

Poskus, A. *see* Balevicius, S. 86−21469

Posl, R. Switch safety devices as alternatives to overload protection components 86−8548

Poslad, S.J., Pearson, D.T., Murray, A. Clinical comparison of one in vitro and three in-line blood gas $P(O_2)$ sensors during cardiopulmonary bypass 87−77599

Poslanescu, A. *see* Cristea, C.N. 88−61833

Posluszny, S.D. SLS: an advanced symbolic layout system for bipolar and FET design 86−34479

Posluszny, S.D. SLS: an advanced symbolic layout system for bipolar and FEI design 87−23827

Posnecker, K.U. *see* Kotz, U. 85−48168

Posner, A.S. *see* MacArthur, J.L. 85−59431

Posner, B.Z. What's all the fighting about? Conflicts in project management 87−23298

Posner, D.I. *see* Auckland, D.W. 85−15044

Posner, E.C., Hortorr, R.L., Grant, T.L. Communications from the limits of the solar system 87−76716

Posner, E.C., Horttor, R.L., Grant, T.L. Communicating from the edge of the solar system 86−64957

Posner, E.C., Reichstein, Z. Configurations for file transfer protocol error protection 86−43360

Posner, E.C., Rodemich, E.R. Capacity loss in the Hopfield associative memory due to quantization 87−54827

Posner, E.C. *see* McEliece, R.J. 87−75663

Posner, E.C. *see* Merkey, P. 85−30177

Posner, M.J.M. *see* Easton, G. 85−275 to 276

Posner, M.J.M. *see* Rao, B.M. 87−16456

Posner, R.D., Pelletier, L.J. An overview of class A versus class AB power amplifiers or how linear is linear! 87−41179

Posocco, A.J. *see* Homa, T.R. 86−61950

Posocco, M. *see* Bardin, G. 87−77536

Posocco, M. *see* Gasparini, F. 88−42440

Posokh, S.V., Gavrilov, O.D., Mikhailenko, F.A., Ryl'kov, V.V., Slominskii, Yu.L., Stepanov, A.I. Effect of securing the structure on the lasing efficiency of polymethene dyes 85−24498

Pososhenko, L.Z. *see* Aleksandrov, A.L. 86−24318

Pososyan, L.A. *see* Agaronyan, F.A. 86−60634

Pospeev, A.D. *see* Pechuk, V.I. 85−37587

Pospelov, D.A. *see* Vagin, V.N. 85−28127

Pospelov, G.E. Cost effectiveness conditions for the efficiency of high-voltage AC power transmission 87−78073

Pospelov, G.E., Fedin, V.T., Cherentskii, M.S. Estimating the cost of two-circuit overhead lines of increased carrying capacity 86−70697

Pospelov, G.E., Fedin, V.T., Seliverstov, G.I. Possibilities of a compact controlled transmission line 87−21906

Pospelov, G.E., Fedin, V.T., Seliverstov, G.I., Dykhovich, G.L. The parameters of compact controlled double circuit transmission lines of concentric design 85−15629

Pospelov, G.E., Fedorovskii, G.K., Fedorovskaya, T.A. A method of finding the optimising increments of currents from reactive power sources when positioning such sources, taking load effects into account 87−15185

Pospelov, L.V. *see* Goryashko, A.P. 86−38217

Pospelov, V.V. A method for investigating the stability and approximation of difference schemes 88−38116

Pospelov, V.V. *see* Bobrova, E.A. 85−6766

Pospelova, L.A. *see* Dvoretskii, S.A. 87−75188

Pospelova, L.A. *see* Zaitsev, L.M. 87−38918

Pospelova, T.G. Formalising the conditions for rational control of power transmission conditions 86−44946

Pospelova, T.G. Optimization of transmission-line regimes 87−21928

Pospelova, T.G., Sviderskaya, O.V. On application of substations with sulphur hexafluoride units in switchgear for industrial plants 87−43300

Pospelova, T.G., Sviderskaya, O.V. On standardisation of 6-10 kV cable line cross-sections for power supplies of industrial plants 88−31223

Pospich, M. *see* Griebl, L. 86−69362, 87−2839

Pospichal, L. Analysis of the results of priorities simulation in modal communication equipment 85−3214

Pospichal, L. Analysis of statistical characteristics of telemetering 87−21990

Pospichal, L. Disturbances on the NTZ channels 87−41600

Pospichal, L. Regular and inverse front regimes for communication equipment 87−55709

Pospiech, G. *see* Kirchgraber, U. 86−46236

Pospieszalski, M. *see* Maj, S. 85−17791

Pospieszalski, M.W. On the noise parameters of isolator and receiver with isolator at the input 86−47059

Pospieszalski, M.W. On the measurement of noise parameters of microwave two-ports 86−50206

Pospieszalski, M.W. Comments, with reply, on 'Simultaneous determinations of transistor noise, gain, and scattering parameters for amplifier design through noise figure measurement only' by G. Martines and M. Sannino 86−62457

Pospieszalski, M.W., Martines, G., Sannino, M. Comments on 'A method for measurement of losses in the noise-matching microwave network while measuring transistor noise parameters' [and reply] 88−29611

Pospieszalski, M.W., Weinreb, S. FETs and HEMTs at cryogenic temperatures−their properties and use in low-noise amplifiers 88−12605

Pospieszalski, M.W., Weinreb, S., Chao, P., Mishra, U.K., Palmateer, S.C., Smith, P.M., Hwang, J.C.M. Noise parameters and light sensitivity of low-noise high-electron-mobility transistors at 300 and 12.5K 86−41810

Pospieszalski, M.W., Wiatr, W. Comments on 'Design of microwave GaAs MESFETs for broad-band, low-noise amplifier' 86−41331

Pospieszalski, M.W. *see* Duh, K.H.G. 88−39507

Pospieszalski, M.W. *see* Weinreb, S. 88−71114

Pospieszczyk, A., Abdel Harith, M., Stritzker, B. Lattice temperature of GaAs and Si during nanosecond laser annealing 85−12102

Pospiezalski, M.W., Weinreb, S., Norrod, R.D., Harris, R. FETs and HEMTs at cryogenic temperatures−their properties and use in low-noise amplifiers 88−38720

Pospischil, R., Thoma, W. Linking up in wide-band ISDN 87−28324

Pospischil, R. *see* Kill, M. 87−48456

Pospischil, R. *see* Thoma, W. 87−27839, 87−76167

Pospisil, A. *see* Mauersberger, W. 86−59705

Pospisil, B. SECAM/PAL decoder in a portable colour television receiver 86−30976

Pospisil, J. Characteristics of the starting components of the D400 line protection in an analytical form 86−25653

Pospisil, J. Linear network analysis using scattering matrix decomposition 86−66969

Pospisil, J. Generalized analysis of linear networks using double transformation procedure 87−44500

Pospisil, J. Synthesis of resistive multiport networks by decomposition of an arbitrary circuit matrix 88−12171

Pospisil, J., Brzobohaty, J. Nonlinear network synthesis using transformation multiports and M, N matrix description 88−49996

Pospisil, J., Daniel, O. Calculation of electromechanical transient phenomena in the electric power system for the needs of relay protection and automation 86−12252

Pospisil, J., Daniel, O. On the utilization of the operational P-Q load curve of large turbogenerators 88−42930

Pospisil, J., Dohnalek, P. Overexcitation protection relay of block transformers and alternators 86−66053

Pospisil, J., Hovak, P. Current conveyors with two operational amplifiers 85−28640

Pospisil, J., Hrdy, J. Graphical-numerical and electrical digital method of summing time intervals for determining the values of the distribution function of probability of planar transparent random structures 86−50017

Pospisil, J., Hurkova, J. Optimisation of the setting of a thermal model of the ALOX M200 protection in HV asynchronous motors 87−58068

Pospisil, J. *see* Brzobohaty, J. 87−470, 88−24941, 88−70495

Pospisil, J. *see* Cajka, J. 87−59043

Pospisil, J. *see* Dostal, T. 87−31683

Pospisil, J. *see* Maderova, V. 87−63490

Pospisil, R.E. Computers in network test and measurement 85−42091

Pospisil, R.S., Jost, S.R., Beasom, J.D. A 500V dielectric isolation process for very high voltage integrated circuits 87−1721

Pospisil, R.S., Klaasen, J.A. Applications of a monolithic induction motor energy saver (IMES) 85−23899

Pospisil, R.S. *see* Jost, S.R. 87−65847

Pospisil, S., Janout, Z., Hirsl, P., Fukatko, T., Jursik, J. Portable device for registration of slow neutrons 86−60552

Pospisilova, M., Vesely, M. Anodic oxidation and its use for checking the concentration and mobility profile in epitaxial GaAs layers 85−40638

Pospisilova, M. *see* Lezal, D. 88−39861

Pospisilova, M. *see* Vesely, J. 87−12202

Poss, D.L., Manous, S., Pickrell, J. FO trestle wrestle [fibre optic cable] 86−59915

Posse, A.V., Merzheevskii, V.A. Converters in power engineering 86−61589

Posse, A.V., Teterin, V.P., Yargomskii, Yu.I. Using a thyristor delta to regulate current in a three-phase inductance circuit 88−18911

Posse, E.A. *see* Gol'dberg, Yu.A. 87−24917
Possel, E. *see* Pohlenz, O. 85−4296
Posselt, M., Skorupa, W. The electronic stopping and range profile calculations for high energy implantation of phosphorous into silicon 87−38100
Posselt, M. *see* Skorupa, W. 87−38087
Posselt, W., Ratzinger, U., Rohrer, L., Gartner, N., Nolte, E. An 'emittance conserving' chopper for particle beams 85−43150
Possenti, G. Earth segment configuration of a possible communication satellite system in the African region 85−20169
Possin, G.E. Design of optimized amorphous silicon FETs for active device addressed liquid crystal displays: parasitic capacitance and contacts 86−5418
Possin, G.E., Castleberry, D.E., Piper, W.W., Parks, H.G. Contact-limited behaviour in amorphous-silicon FET for applications to matrix-addressed liquid-crystal displays 86−50163
Possin, G.E. *see* Bigelow, J.E. 87−18769
Possin, G.E. *see* Castleberry, D.E. 86−18448
Possin, G.E. *see* Piper, W.W. 86−35359, 87−21165
Possinger, J. *see* Hartmann, G. 87−43967
Possnert, G. AMS with the Uppsala EN tandem accelerator 85−20857
Possoz, A. *see* An Ji-Gang 88−48016 to 48017
Possoz, A. *see* Binon, F.G. 88−54405
Post, B.M. *see* Kulkarni, A.K. 85−45461, 85−60758
Post, B.M. *see* Watkins, E.T. 86−27095, 87−3044
Post, D., Czarnek, R. Holographic interferometry: errors caused by thermal gradients in holographic plates 85−56861
Post, D.L. Effects of color on CRT symbol legibility 86−31524
Post, D.L., Calhoun, C.S. An evaluation of methods for producing specific colors on CRTs 88−29565
Post, D.L., Greene, F.A. Color-name boundaries for equally bright stimuli on a CRT: Phase I 87−3463
Post, D.L. *see* Zimmerman, D.L. 86−59876
Post, G. *see* Choujaa, A. 88−50859
Post, G. *see* Descouts, B. 86−21423
Post, G. *see* Dimitriou, P. 85−45719
Post, G. *see* Scavennec, A. 87−25369
Post, H.-. *see* Kessler, R. 87−67416
Post, H.-G. *see* Barsch, R. 86−19405
Post, H.A. *see* Berghout, C.W. 88−32498
Post, H.N., Arvizu, D.E., Thomas, M.G. A comparison of photovoltaic system options for today's and tomorrow's technologies 87−9435
Post, H.N., Garvison, P. Photovoltaic water pumping for Bolivia 88−37113
Post, H.N., Noel, G.T. A comparative evaluation of new low-cost array field designs for grid-connected photovoltaic systems 85−53626
Post, H.N. *see* Jones, G.J. 87−9430, 88−30623
Post, H.N. *see* Noel, G.T. 86−7103
Post, I.G. *see* Norsworthy, S.R. 88−70880
Post, J.F.M. *see* Cook, B.W. 85−54698
Post, K. *see* Vinck, H. 87−75730
Post, K.A. Convexity of the nonachievable rate region for the collision channel without feedback 85−51518
Post, K.A. *see* Schalkwijk, J.P.M. 88−59041
Post, K.A. *see* Vinck, A.J. 86−3726, 87−47528
Post, L. *see* Maurer, B. 88−27409
Post, M.J., Kershenbaum, A.S., Sarachik, P.E. A distributed evolutionary algorithm for reorganizing network communications 86−30107
Post, M.J., Kershenbaum, A.S., Sarachik, P.E., Yu, Y. A distributed algorithm for reorganization and communication scheduling in mobile multi-hop radio networks 87−56018
Post, P.W., Chambers, R.E. Tactical electronic support measures (ESM)/imaging sensor synergism 87−13775
Post, R.E. *see* Aurand, J.F. 86−43750
Post, R.E. *see* Bacon, L.D. 85−3532
Post, R.F. The 'mirrortron'−an application of mirror physics principles to particle accelerators 88−29740
Post, R.T. *see* Melngailis, J. 86−35790
Posta, J. Main tasks and the further development of the control system of the Czechoslovak electric power system 86−65603
Postacioglu, N., Kapadia, P., Davis, M., Dowden, J. Upwelling in the liquid region surrounding the keyhole in penetration welding with a laser 87−47029
Postacioglu, N. *see* Dowden, J. 87−31097
Postaire, J.-G., Hache, J.-C., Diaf, M. Fully automated screening procedure for early detection of visual field defects 86−38738
Postal, Z. Speed control of squirrel-cage asynchronous motions 87−4704
Postan, A. Laser spot dynamics 87−39196
Postan, M.Ya. A single-line queueing system with relative priority and exponentially bounded waiting time 85−28099
Postasy, C., Vesztergombi, G. Electro- and magnetostatic variations in SSC tunnel 85−43153
Postavnoy, V.I. *see* Tuzov, G.I. 85−46674
Postavnoy, V.U. *see* Tuzov, G.I. 88−3045
Postec, H. *see* Clement, J. 88−22483
Postek, M. *see* Evans, C. 88−42336
Postek, M.T. Low accelerating voltage inspection and linewidth measurement in the scanning electron microscope 85−10542
Postek, M.T. Critical dimension measurement in the scanning electron microscope 85−29246
Postek, M.T. Submicrometer dimensional metrology in the scanning electron microscope 88−16497
Postek, M.T., Joy, D.C. Microelectronics dimensional metrology in the scanning electron microscope. I 87−18248
Postek, M.T., Joy, D.C. Microelectronics dimensional metrology in the scanning electron microscope. II 87−35200
Postek, M.T., Joy, D.C. Submicrometer microelectronics dimensional metrology: scanning electron microscopy 87−73409
Postek, M.T., Keery, W.J., Larrabee, R.D. The relationship between accelerating voltage and electron detection modes to linewidth measurement in an SEM 88−57280
Postek, M.T. *see* Nyyssonen, D. 87−11867
Postel, C.E. *see* Chen, H.Y.K. 86−56377, 86−61029
Postel, J. Internetwork applications using the DARPA protocol suite 86−17030
Postel, J. *see* Leiner, B. 86−17029
Postel, J. *see* Leiner, B.M. 85−42256
Postel, J. *see* Mockapetris, P. 86−10824
Postel, J.B., Finn, G.G., Katz, A.R., Reynolds, J.K. An experimental multimedia mail system 88−52777
Postel, J.B. *see* Reynolds, J.k. 86−16826
Postel, T. *see* Fleetwood, D.M. 85−17888
Postell, B. Alascom video conference network shortens the distance between two points 85−58412
Postema, G.B. Range ambiguity resolution for high PRF pulse-Doppler radar 86−17441
Postema, G.B. Generation and performance analysis of wideband radar waveforms 88−15540
Postema, L. *see* DiFilippo, D. 87−20616
Postenlnicescu, M., Golestanu, I. Burning of lignite dust in an ultrasonic field 88−5422
Postepski, J. Contactless tachometer generator 85−9946
Postforoosh, J. Computer program coordinates relay operations 87−64200
Postforoosh, J. *see* Ramaswami, R. 86−39211, 86−56463
Postforoosh, J. *see* Venkata, S.S. 87−71736
Posthauer, L. Investigating used CAD/CAE equipment 87−36420
Posthill, J.B. *see* Das, K. 88−18681
Posthill, J.B. *see* Fountain, G.G. 88−64329
Posthill, J.B. *see* Lee, D.M. 88−71442
Posthill, J.B. *see* Ozguz, V.H. 88−64530
Postiaux, J.-M. Modele EURECA: etat de la question et simulations (EURECA model: the points in question and simulations) 85−59864
Postl, R. Automatic testing of digital component dynamic parameters 85−37414
Postl, W. Detection of linear oblique structures and skew scan in digitized documents 87−55358
Postle, B. *see* Adams, D. 87−60339
Postle, O. The ST800−antient and modern 87−20386
Postle, O. The ST900−50 years on 88−28717
Postlethwaite, D. Enhancements to BT's PSS service. II. The TP4000 packet switch 85−36833
Postlethwaite, I., O'Young, S.D., Gu, D.-W. Assessment of the computer-aided design package CTRL-C and the simulation package ACSL 87−30133
Postlethwaite, P. CAD simulations improve resistor trimming results 85−11803
Postlewaite, J.C., Miers, J.B., Reiner, C.C., Dlott, D.D. Picosecond Nd:YAG regenerative amplifier with acoustooptic injection and electrooptic VFET pulse switchout 88−40174
Postma, H. *see* Shaw, R.W. 87−72753
Postma, H., Harmans, C. *(editor)* CPEM 84 Digest. Conference on Precision Electromagnetic Measurements 86−19727
Postner, H. *see* Hammer, J.W. 86−44603
Postnikov, E.B. *see* Golubev, V.P. 88−57278
Postnikov, I.I. Calculation of the selectivity of HF quartz resonators to local variations of the thickness of AT-cut lens piezoelectric elements 85−29412
Postnikov, I.I. Capacitive ratio of HF quartz resonators with lens-shaped piezoelectric elements 86−28572
Postnikov, I.I. A generalized relationship for the capacitance ratio of HF quartz resonators with lens piezoelectric elements 86−42070
Postnikov, I.I. Eigenmodes of piezoelectric lenses 87−32780
Postnikov, I.I. Capacitance ratio of AT-cut high-frequency lens piezoelectric resonators 87−46279
Postnikov, I.I. Dynamic inductance of quartz HF resonators with anharmonic oscillations 88−6693
Postnikov, I.I. Dependence of the capacitance ratio on the electrode radius in the case of anharmonic oscillations of quartz resonators with lens piezoelectric elements 88−71868
Postnikov, I.I., Samoylov, V.S., Morgalovskiy, V.P. Calculation of the dynamic inductance of the fundamental and secondary oscillations of high-frequency quartz resonators with axisymmetric AT-cut piezoelectric elements 85−12461
Postnikov, I.I. *see* Veselov, G.I. 85−18518
Postnikov, I.M. On correct application of L.R. Neiman's formula for eddy current power losses in the case of a ferromagnetic prism 88−39792
Postnikov, I.M., Fink, A.F., Vishtak, T.V. Static conditions of control of biaxial synchronous turbogenerators 85−21594
Postnikov, I.M., Postnikov, V.I., Ostapchuk, L.B. Promising asynchronous turbogenerators with stator excitation 86−51628
Postnikov, K.O. *see* Kovchavtsev, A.P. 86−53468, 88−50678
Postnikov, V.I., Ostapchuk, L.B. Wave method for the calculation of AC machines 87−42792
Postnikov, V.I. *see* Postnikov, I.M. 86−51628
Postnikov, V.V. *see* Perov, A.S. 85−18228, 86−397, 86−1996
Postnikov, V.V. *see* Volod'ko, Yu.I. 88−29795
Postnikov, Yu.V. *see* Sokolovskii, G.G. 88−24185
Postnikova, L.N. Mobile ENG units 85−26048
Postnikova, L.N. Color correction matrix adjustment 88−9762
Postnov, A.I. *see* Bocharova, Yu.V. 86−70442
Postnov, A.I. *see* Borisov, V.A. 86−70106
Postnov, A.I. *see* Ignatov, A.V. 86−70108
Postnov, D.E. *see* Anishchenko, V.S. 85−61153
Postoenko, Yu.K. *see* Shivris, O.N. 85−42680
Postoev, V.B. *see* Vasil'chenko, V.G. 87−8868
Postolache, P. *see* Cristescu, D. 86−51059
Postolaki, I.T. *see* Gel'mont, B.L. 86−58249
Postolatij, V.M. Controlled and self-compensating high-voltage transmission lines 87−57604
Postollec, J.-C. *see* Mackowiack, I. 87−64268
Postolov, V.G., Litvinov, Yu.M., Leikin, V.N., Bublik, V.T. Microdefect inheritance by epitaxial films in silicon structures 86−66812
Poston, D., Hughes, R.S. DC-coupled video logamp processes 10-ns pulses. II 86−780
Poston, G.S., Fornaro, R.J. Concurrent process structured software models for time domain harmonic scaling of speech 86−16269
Poston, J.A. *see* Mancha, S.D. 88−58676
Poston, R. Customers rule the airwaves 88−3797
Poston, T.D., Stancil, D.D. Magnetostatic wave ring resonator exhibiting a single resonance 87−67797
Poston, T.D. *see* Simpson, T.L. 88−2691
Postovalov, V.E. *see* Ainbund, M.R. 86−67643
Postovalov, V.E. *see* Degtyareva, V.P. 86−5075
Postovalov, V.E. *see* Vysogorets, M.V. 86−1646
Postovalova, L.Ya. *see* Veksler, A.Z. 87−8715
Postovnoy, V.I. *see* Tuzov, G.I. 88−72957
Postow, E. Radiofrequency radiation safety standards 88−54672
Postow, E. *see* Chen, K.-M. 86−70393
Postoyalko, V. Green's function treatment of edge singularities in the quasi-TEM analysis of microstrip 87−19234
Postoyalko, V. *see* Krier, P. 88−27644
Postranecky, M. *see* Fountain, T.J. 87−37352
Postruzin, Z. *see* Curkovic, J. 87−78484
Postupolski, T. Soft ferrites 86−15386
Postweiler, W. *see* Schoffa, G. 85−59307
Postyushkov, V.P., Chukhvantsev, V.Yu. Control of the energy parameters in radio links 87−47186
Postyushkov, V.P. *see* Dorokhov, F.M. 88−35363
Postyushkov, V.P. *see* Onyshko, A.G. 86−37727, 86−43716
Postyushkov, V.P. *see* Onyshko, A.V. 86−17200
Posukh, V.G. *see* Orishich, A.M. 87−18901
Posylek, Z. Two-dimensional cylindrical model of the sector motor with a solid rotor 88−55331
Pot, W. The determination of the ageing of large electric machine insulation 85−38952
Pot, W. A five-year plan for transformers 87−72183
Pot, W. *see* Bohmer, T.J.M. 88−69947
Pota, E. Application of noise source analysis for reducing the environmental noise of industrial plants 88−74641
Pota, H.R., Moylan, P.J. Lyapunov function for power system with transfer conductances 85−32081
Potachits, V.A. *see* Kovalev, A.A. 88−26897
Potage, J., Rochette, D., Mathevon, G. Speech encoding technique for low bit rate coding applicable to naval communications 87−39817
Potage, J. *see* Albarello, A. 88−66323
Potakhin, V.V. *see* Oleinik, A.S. 85−6673
Potakhova, L.Yu. *see* Romanova, I.D. 86−58322, 88−13003
Potalitsyn, Yu.F. *see* Basov, G.F. 86−46621
Potalitsyn, Yu.F. *see* El'chaninov, A.S. 86−57721
Potalitsyn, Yu.F. *see* Kumpyak, E.V. 88−25618, 88−34187
Potalui, V.P., Semanov, B.A. High-speed programmable frequency divider 88−32365

Potamianos, A.G. *see* Ray, W.F. 86-7203
Potapchuk, V.A. Trends in the development of bipolar power transistors 86-21509
Potapenko, P.T., Dunaev, V.G., Luk'yanets, I.A. Control of radial energy distribution in water-water power reactors by an inverse operator method 85-27233
Potapenko, P.T., Dunaev, V.G., Luk'yanets, I.A. Axial energy distribution control of VVER-1000 reactor in the manoeuvring mode 87-71875
Potapenko, P.T., Dunaev, V.G., Lukianets, I.A. Optimization of radial power distribution in VVER-1000 reactor 87-50958
Potapenko, P.T. *see* Bozhenkov, O.L. 86-56557
Potapenko, P.T. *see* Filipchuk, E.V. 85-21387, 87-30322
Potapenko, V.Ya. *see* Zyubrovskii, L.G. 87-43508
Potapenko, Yu.F. *see* Golyshev, L.V. 86-25856
Potapov, A.A. Measuring the gas humidity by a dielectric method 86-38620
Potapov, A.A., Kuklin, E.A. A microwave hygrometer 87-35178
Potapov, A.A., Metsner, E.P. Gas dispersometer for the millimeter range 86-24702
Potapov, A.A., Voitov, S.I. Apparatus for measuring relaxation time and dipole moments of molecules in extremely weak solutions 85-8935
Potapov, A.A. *see* Andreyev, G.A. 87-75445, 88-2515
Potapov, A.A. *see* Lebedev, I.V. 86-55903
Potapov, A.M. *see* Arkhipova, T.A. 86-47263
Potapov, A.N. *see* Blok, A.A. 85-2421
Potapov, A.N. *see* Kosyak, Yu.F. 85-4780
Potapov, A.N. *see* Vanyushev, B.V. 85-2422
Potapov, A.Yu. *see* Kozlov, S.N. 88-71368
Potapov, E.I. *see* Barmenko, Yu.O. 88-53564
Potapov, E.N. *see* Violin, E.E. 85-61744
Potapov, E.V. *see* Bliznetsov, V.N. 87-45799
Potapov, G.A., Penin, I.V. Wide-range charge-to-code converter for a large-volume Cherenkov detector 88-4821
Potapov, G.A. *see* Alalykin, V.G. 86-1652
Potapov, I.A. The torque equation of an electromagnetic brake with a ferromagnetic rotor 87-26650
Potapov, L.A. Refinement of the Kloss formula [induction motor theory] 85-38988
Potapov, N.A. The accuracy of the determination of the coordinates of a single resolved element of the radio image of a target in the presence of low-level noise 88-73998
Potapov, N.A. *see* Kremer, I.Ya. 86-29601
Potapov, N.N. *see* Smolkov, G.Ya. 86-37967
Potapov, S.L. *see* Alekseev, V.P. 87-7460
Potapov, S.L. *see* Guba, B.S. 85-35839
Potapov, S.V. Volt realization using integrated Josephson circuits—principles and problems 87-14411
Potapov, S.V. *see* Andreev, S.I. 88-1903
Potapov, S.V. *see* Mostepanenko, V.M. 87-56777
Potapov, V.D. *see* Lysenko, S.B. 87-19012
Potapov, V.I., Shafeeva, O.P., Palijanov, I.A. Iterative code for correcting errors in binary data array 87-27182
Potapov, V.I. *see* Moiseyev, V.V. 87-70591
Potapov, V.K. *see* Orlov, V.Yu. 87-54376
Potapov, V.K. *see* Saksonskii, V.A. 85-31606
Potapov, V.M. *see* Kantor, E.L. 86-27817
Potapov, V.N. *see* Askarov, S.M. 86-51901
Potapov, V.N. *see* Irodionov, A.E. 88--43101
Potapov, V.N. *see* Strebkov, D.S. 86-26285, 86-65986
Potapov, V.S. *see* Kapishnikov, N.K. 86-834
Potapov, V.T., Shpilevskiy, R.V., Elenkrig, B.B. An interference method of measuring distance using a fiber light guide 85-7277
Potapov, V.T. *see* Gulyaev, Yu.V. 85-46186
Potapov, V.T. *see* Kutsaenko, V.V. 86-36218
Potapov, V.V. *see* Binon, F. 86-65395
Potapov, V.V. *see* Gumerova, N.I. 86-12438, 87-35647, 87-57639, 88-17115
Potapov, Yu.V. *see* Akopova, A.B. 87-29614
Potapova, L.S., Rusinova, T.A., Izhboldina, V.I. Experience in the making of translucent screens 86-65235
Potapova, L.V. *see* Kononenko, A.S. 87-38665
Potapova, T.J. *see* Gorbunov, S.A. 88-8485
Potapova, V.M., Tarasov, E.P. Improvements of symmetrical inputs in electroacoustical devices 87-50595
Potard, C. *see* Minster, O. 87-51463
Potard, Y. *see* Rodet, X. 85-19368
Potasek, M.J. Experimental and numerical results of optical subpulse formation of long optical pulses in monomode fibers 87-74732
Potasek, M.J. An analysis of the coefficients of a perturbed nonlinear Schrodinger equation for femtosecond behavior in an optical waveguide 88-66147
Potasek, M.J., Agrawal, G.P. Power-dependent enhancement in repeater spacing for dispersion-limited optical communication systems 86-59895
Potasek, M.J., Agrawal, G.P., Pinault, S.C. Analytic and numerical study of pulse broadening in nonlinear dispersive optical fibers 86-36162
Potasek, M.J. *see* Agrawal, G.P. 86-36190, 86-49600
Potasek, M.J. *see* Pinault, S.C. 85-62329
Potash, L. *see* Banks, W.W. 86-51307
Potash, R.L. *see* Maris, A.T. 85-5460
Potashkin, V.G., Khromykh, V.G. Redistribution of resources in radio systems operating under nonstationary conditions 88-27721
Potashnik, S.I. *see* Sklyarov, V.F. 86-33186
Potashnikov, A.I. *see* Gamburg, E.A. 88-74162
Potaturkin, O.I. *see* Borzov, S.M. 85-2426
Potaturkin, O.I. *see* Korzhov, E.I. 88-14288
Potaturkin, O.I. *see* Kozik, V.I. 86-3965, 87-20983, 88-14287
Potaturkin, O.I. *see* Oparin, A.N. 85-2425
Potaux, D. *see* Laisne, A. 85-58984
Potdar, M.G. *see* Sarangapani, K.B. 85-5355, 86-26252
Pote, A. A 0.5 to 3 GHz monolithic microwave amplifier 88-50415
Poteat, T.L. *see* Kang, W.P. 87-49670, 88-22566
Poteat, T.L. *see* Xu, J.F. 88-42038
Potecz, B. *see* Deak, I. 86-12309
Poteet, K. *see* McAdams, H. 87-10856
Poteet, K. *see* Neal, J. 87-17091
Poteet, K. *see* White, L. 87-5895
Potekhetskiy, S.V. *see* Koziratskiy, L.Yu. 87-70120
Potekhin, K.F. *see* Shalimov, V.V. 87-78592
Potekhin, S.A., Aminov, R.Z. The effect that the accumulating properties of heat-supply systems have on the regulating range of the electrical load on a district-heating power station [nuclear power stations] 85-53394
Potekhin, S.K., Yakovenko, V.A. Statistical analysis of microwave power transistor sensitivity to parameter deviations 86-47079
Potekhina, I.Yu. Processing the noisy images of finite objects whose diffraction resolution is close to the limit 87-69301
Potemans, M. Belgian electric power generation and the development of nuclear power 85-15719
Potember, R.S., Hoffman, R.C., Hu, H.S., Cocchiaro, J.E., Viands, C.A., Murphy, R.A., Poehler, T.O. Conducting organics and polymers for electronic and optical devices 87-53222
Potember, R.S., Hoffman, R.C., Kim, S.H., Speck, K.R., Stetyick, K.A. Molecular optical devices 88-58291
Potember, R.S., Hoffman, R.C., Poehler, T.O. Molecular electronics 87-1224
Potemkin, A.K. *see* Andreev, N.F. 86-15770
Potemkin, A.K. *see* Averbakh, V.S. 85-41505
Potemkin, A.K. *see* Bredikhin, V.I. 88-20739
Potemkin, A.K. *see* Makarov, A.I. 86-9802
Potemkin, A.V., Burnev, V.B. Results of statistical modeling of a device for extraction of a digital message from a signal with random parameters 88-34680
Potemkin, A.V. *see* Bagdasarov, Kh.S. 86-54114
Potemkin, V.V., Stepanov, A.V. Equilibrium noise voltage and fluctuations of the resistance 85-531
Potemkin, V.V. *see* Belov, A.A. 87-56806
Potemkin, V.V. *see* Vainshtein, R.A. 86-57069, 88-17216
Potempa, T. A numerical model of two-dimensional, two-component, single phase miscible displacement in a porous medium 85-60922
Potempa, W. *see* Grzonkowski, J. 86-68277
Potemra, T.A., Bythrow, P.F., Zanetti, L.J., Mobley, F.F., Scheer, W.L. The HILAT Magnetic Field Experiment 85-9257
Potemra, T.A., Zanetti, L.J., Acuna, M.H. The AMPTE CCE magnetic field experiment 85-53164
Potemra, T.A. *see* Bythrow, P.F. 88-30163
Potemra, T.A. *see* Fremouw, E.J. 85-53115
Potemski, M., Wilamowski, Z., Paracchini, C. High electric field transport in CdF_2:Y 85-34535
Potemski, R. *see* Kuech, T.F. 85-61836, 86-7758, 87-10412, 87-11641, 87-65489
Potencki, J. *see* Kieras, M. 87-53067
Potencki, J. *see* Rzasa, B. 85-1069, 85-11807, 86-55600, 87-56616
Potenza, J. *see* Lai, D.C. 85-25179
Potenza, L.Z. *see* Tonolli, A. 86-10262
Potenza, M. *see* Artiglia, M. 88-39929, 88-45161, 88-58071, 88-58076
Potenza, M. *see* Bava, G.P. 86-54135, 87-39128
Potenza, M. *see* Calzavara, M. 86-53943
Potenza, M. *see* Coppa, G. 85-5881, 85-7432, 85-12549, 85-36077, 86-15453, 86-22078, 86-28789, 86-42322, 87-7088, 87-18601, 88-58075
Potenza, R. *see* Lombardi, M. 85-64471, 86-50351
Potenziani, E., Clarke, J.P., Leupold, H.A. The production of laminar fields with permanent magnets 87-67784
Potenziani, E., II, Leupold, H.A. Permanent magnets for magnetic resonance imaging 87-29701
Potenziani, E., II, Leupold, H.A., Clarke, J.P., Tauber, A. The temperature dependence of the magnetic properties of commercial magnets of greater than 25 MGOe energy product 85-56085
Potenziani, E., II *see* Clarke, J.P. 87-67785
Potenziani, E., II. *see* Leupold, H.A. 85-24183, 88-26684, 88-57988
Potenziani, E., II *see* Morcos, A.B.C. 87-25855
Potenziani II, E. *see* Leupold, H.A. 88-65968
Poterailo, V.M. *see* Sovpel, V.B. 87-16839
Poteralski, D.C. Application of nuclear analysis methods for operating plant support 86-25780
Potet, P., Jeannin, P., Bathias, C. The use of digital image processing in vibrothermographic detection of impact damage in composite materials 87-52244
Potgieter, J.H., Peberdy, N.J. The potential for mine-wide information and control systems (MICS) 85-42294
Poth, A., Seligmann, B., Woertge, M., Wolf, A. The Karlsruhe electron collector testbench 88-61034
Poth, H. Electron cooling 87-63607
Poth, H. *see* Habfast, C. 86-65314
Poth, H. *see* Hutten, L. 85-26595
Pothan, W. 'The benefits in integrating card testing with VLSI design' 86-870
Pothecary, I.J.W., Marsh, J. Meteorological and oceanographic support during the Falklands conflict 85-26889
Pothen, A. *see* Coleman, T.F. 87-187
Pothier, E. *see* Engels, E., Jr. 87-29488
Pothier, E. *see* Lobkowicz, F. 85-43185
Pothier, R.G. Improved microwave power measurement accuracy for automatic module testing 88-36198
Potic, P. *see* Arnautovic, D. 86-32884
Potienko, V.P., Narytnik, T.N. Investigation of multifrequency operation of a mixer receiver 88-53128
Potier, C., Vercken, C. Surface smoothing with finite elements 85-54355
Potier, C., Vercken, C. Surface smoothing with finite elements: application in analysis of meteorological data 86-48905
Potier, D., Veran, M. Markovian solver of QNAP2 and applications 86-7605
Potier, D. *(editor)* Modelling Techniques and Tools for Performance Analysis. Proceedings of the International Conference 86-26499
Potier, J.-P. *see* Asseo, E. 85-26681
Potier, J.P. *see* Baconnier, Y. 88-54004
Potier, J.P. *see* Delahaye, J.P. 88-54153
Potier, J.P. *see* Madsen, J.H.B. 88-47790
Potier, O.N.R. Economical solar-powered piezoelectric propulsion and guidance of spacecraft 86-70511
Potier, P. *see* Dubost, G. 85-41775
Potin, A. *see* Bonnet, J.-P. 88-7080
Potin, M. Reliability methodology on test vehicle to qualify process and cell libraries 87-32639
Potishchuk, V.P. *see* Gorn, R.K. 88-62416
Potisk, G., Zwahlen, K.W. The new breaker failure protection system SX91 87-43285
Potlog, D.M. *see* Popescu, C. 85-53606
Potnis, S.P. *see* Shenoy, M.A. 88-50455
Potocki, K.A. The HILAT spacecraft 85-9254
Potocky, L. *see* Kollar, P. 87-63224
Potocnik, O. Ageing of transformer board under thermal overload and algorithmic interpretation of the measured characteristics 86-39882
Potocnik, O. *see* Kiss, L. 87-15841
Potopowicz, J.R. *see* Brown, M.G. 85-56456, 86-48300
Potopowicz, J.R. *see* Ota, Y. 88-3995
Potopowitz, J.R. *see* Deimel, P.P. 86-22255
Potorii, M.V. *see* Bletskan, D.I. 86-47335
Potosnak, K.M., Koffler, R.P. Ergonomics testing of new technologies 87-16349
Potra, F.A., Rheinboldt, W.C. On the monotone convergence of Newton's method 86-34229
Potrebich, A.A. Calculating the energy losses in power networks, taking the statistical characteristics of the loads into account 87-4283
Potrebich, A.A. Using the Gaussian exclusion method for calculating steady-state processes [distribution networks] 87-50777
Potrebich, A.A. *see* Gritsenko, N.I. 88-10838
Potrous, S.M. *see* Fitzgerald, A.G. 88-57358
Potrzebowski, H. *see* Dudzinski, K. 86-49364
Potschkat, G. Modelling earth mats for vertically-polarized transmitting antennas utilization of an artificial ground-plane and the evaluation of its conductivity 87-75576
Potschkat, G., Tippe, W. Erection of an MF broadband omnidirectional and directive antenna on a high-rise antenna tower supporting MF antennas 88-66172
Potschke, J. *see* Weiglin, W.G. 87-44397
Potseluyeva, L.P. *see* Romanovskiy, M.N. 87-45709
Potson, D., Hughes, R.S. Extremely fast logamp handles narrow pulse 86-778
Potson, D. *see* Evans, S. 88-25030
Potstade, H. *see* Humpfer, P. 88-69125
Potsyunas, V. *see* Adomaitis, E. 87-61037
Pott, R. *see* Wohlleben, D. 87-60809
Pott, R.A., Koch, W., Leitner, L. Correlations between the orientation of magnetic recording media determined by Mossbauer spectroscopy and magnetic methods 86-47960
Pott, R.A. *see* Eiling, A. 86-28681, 87-25755, 88-51248
Pottala, E.W. *see* Le, H.T. 85-38149

Potte, L.C. *see* Arun, K.S. 88−40981
Pottel, R. *see* Kaatze, U. 87−70897
Potter, A.R. Switching and signalling 86−10924
Potter, A.R. Digital cellular radiophone−challenge and promise 86−11002
Potter, A.R. Second generation cellular radio: UK industrial R&D 88−60053
Potter, A.R. *see* McFarlane, D.A. 86−37789
Potter, B. *see* Aina, L. 88−11969
Potter, B.A. *see* Watson, P.A. 87−76641
Potter, C.D. Testing ICs by computer 87−52276
Potter, C.D. Integrating PCB development 87−59962
Potter, C.D. Electronics design automation: push for integration continues 88−18848
Potter, C.D. Computerized project management: do you really need it? 88−49458
Potter, C.N. *see* Kroger, H. 85−62251
Potter, D. IBM−their leadership and role in local networks 86−54975
Potter, D.J. *see* Ip, H.H.-S. 87−41924
Potter, D.J. *see* Woods, J.W. 87−62046
Potter, D.K., Stephenson, A. Gyroremanent magnetization in magnetic tape and in iron and iron-alloy particles 88−57971
Potter, D.K. *see* Stephenson, A. 88−51241
Potter, D.M. Optical readout of a high resolution parallel plate avalanche chamber 85−26700
Potter, D.M. *see* Edelstein, R.M. 87−41839
Potter, D.R. *see* Lowry, L.A. 86−25525
Potter, E.D. Austenitic stainless steel pipe welds intergranular stress corrosion cracking and how to live with them 85−43835
Potter, G. *see* Winn, B. 86−37326
Potter, H. Electroporation: a general method of gene transfer 88−54460
Potter, J. *see* Madey, G.R. 88−18409
Potter, J.F. Two-frequency lidar inversion technique 87−49187
Potter, J.L. A scene analysis SIMD processor 85−37539
Potter, J.M. A canonical form for lossless multiport transmission lines 85−7680
Potter, J.M. An RFQ resonator modeling computer program 86−31994
Potter, J.M., Barnes, M.L., Bjorklund, E.A. Programmable master-timer system 88−54135
Potter, J.M. *see* Billen, J.H. 86−25024
Potter, J.M. *see* Carlini, R.D. 85−26643
Potter, J.M. *see* Hamm, R.W. 87−41670
Potter, J.M. *see* Iwashita, Y. 86−31991
Potter, J.M. *see* Miller, R.H. 86−25029
Potter, J.M. *see* Schonberg, R.G. 86−24916
Potter, J.M. *see* Vaughan, D.R. 86−31995
Potter, K. Beam profiles 86−44515
Potter, K. Luminosity measurements and calculations 86−44516
Potter, K. *see* Guignard, G. 86−24898
Potter, K. *see* Rutledge, D. 88−1017
Potter, K.E. Multifunction millimetre-wave radar for all-weather ground attack aircraft 87−20613
Potter, K.F. *see* Bartle, D.A. 86−50118
Potter, K.M. Luminosity monitoring at LEP 88−4760
Potter, K.M. *see* von Holtey, G. 88−54033
Potter, L. *see* Arun, K.S. 88−3118
Potter, L.C., Arun, K.S. Extrapolation of multidimensional bandlimited sequences using energy concentration information 87−61997
Potter, L.D., Jr. *see* Macdonald, J.R. 87−63491
Potter, M.A. Voltage regulator diodes as DC voltage standards 85−31551
Potter, M.de *see* de Potter, M.
Potter, M.E. *see* Hassler, S.P. 85−21211, 86−61174
Potter, M.E. *see* Reid, W.E. 85−21212
Potter, M.E. *see* Wroge, D.M. 86−2416
Potter, M.M. Communication link between a PDP-11 computer and the central computer at CRNL 86−16983
Potter, P.G. Optimum pulse shapes for local digital transmission systems with impulsive noise 85−57667
Potter, P.G., Smith, B.M. Statistics of impulsive noise crosstalk in digital line systems on multipair cable 85−36895
Potter, P.G. *see* Demytko, N. 86−30488
Potter, P.G. *see* Smith, B.M. 86−54307
Potter, R. Auto electronics for safety, comfort and convenience 85−39279
Potter, R. *see* Bhansali, P.V. 87−12889
Potter, R. *see* Cheeseman, D.S. 87−69962
Potter, R. *see* Mitchell, K. 88−31025
Potter, R. *see* Morel, D.L. 87−9786
Potter, R.C., Lakhani, A.A., Beyea, D., Hier, H. Enhancement of current peak-to-valley ratio in In$_{0.52}$Al$_{0.48}$As/In$_{0.53}$Ga$_{0.47}$As-based resonant tunneling diodes 88−64503
Potter, R.C., Lakhani, A.A., Beyea, D., Hier, H., Hempfling, E., Fathimulla, A. Three-dimensional integration of resonant tunneling structures for signal processing and three-state logic 88−64493
Potter, R.C. *see* Lakhani, A.A. 88−26202, 88−50096, 88−50788
Potter, R.F. The optical characterization of electronic materials 88−53903
Potter, R.J. Computerisation of overhead line survey and design in the electrical supply industry 87−21957
Potter, R.J. *see* Cameron, D.S. 88−75919
Potter, R.J. *see* Mudge, J.C. 85−37537
Potter, R.M. ISDN protocol and architecture models 86−23255
Potter, R.R. Enhanced photocurrent ZnO/CdS/CuInSe$_2$ solar cells 86−66345
Potter, R.R., Eberspacher, C., Fabick, L.B. Device analysis of CuInSe$_2$/(Cd, Zn)S/ZnO solar cells 87−16024
Potter, R.R. *see* Eberspacher, C. 87−9812
Potter, R.R. *see* Gay, C.F. 86−7025
Potter, R.T. Stress analysis in laminated fibre composites by thermoelastic emission 88−12116
Potter, R.W. *see* Blackham, R.C. 88−4327
Potter, S. *see* Price, D.R. 88−17545
Potter, S.M. *see* Ide, J.P. 87−21221
Potter, W. Eurovision operations with EUTELSAT transponders 86−38002
Potter, W. Terra or ether? [terrestrial and satellite networks] 87−76911
Potter, W.D. *see* Luther, M.R. 87−9000
Potter, W.H., Wood, M.E. Refrigerant capacity of europium sulfide and its use in magnetic refrigeration 87−32835
Potter, W.R. The theory of photodynamic therapy dosimetry: consequences of photodestruction of sensitizer 88−16761
Pottergate, W. *see* Williamson, R. 85−6228
Potters, C.J.T. *see* Nicia, A.J.A. 88−28878
Pottgen, H.B., Samotyj, M.J. Power electronics controls: specifications from the user's point of view 88−68834
Potthaus, J. *see* Birli, H.J. 87−76383
Potthoff-Bockel Active loudspeaker: microphone on the woofer cone. Acoustic feedback improves bass response 85−20411
Pottie, G.J., Taylor, D.P. An approach to Ungerboeck coding for rectangular signal sets 87−47513
Pottie, G.J., Taylor, D.P. Two sphere-packing bounds on the free distance of trellis codes 88−45957
Pottier, D.E. *see* Lampropoulos, G.A. 87−52756
Pottiger, M.T., Goff, D.L., Lautenberger, W.J. Photodefinable polyimides. II. The characterization and processing of photosensitive polyimide systems 88−64472
Pottinger, H.J. *see* Anderson, M.D. 87−78606
Pottinger, J.R. *see* Haworth, D.J. 88−36106
Pottle, C. *see* Gharachorloo, N. 86−11483
Pottle, C. *see* Thomas, R.J. 86−82, 88−54915
Potton, J.A. *see* Kilner, M. 85−24054
Potton, R.J. Optimization of optical fibres for second-harmonic generation 88−51451
Potton, R.J., Boardman, A.D., Cooper, G.S., Papadopoulos, P. Fabrication and simulation of optical fibre gratings 87−38827
Potts, A., Hasko, D.G., Cleaver, J.R.A., Ahmed, H. Fabrication of free-standing single-crystal silicon wires 88−39280
Potts, C., Brumwell, F., Norem, J., Rauchas, A., Stipp, V., Volk, G. Beam intensity increases at the Intense Pulsed Neutron Source accelerator 86−31811
Potts, C., Brumwell, F., Rauchas, A., Stipp, V., Volk, G., Donley, L. Recent performance of the Intense Pulsed Neutron Source accelerator system 88−54059
Potts, C. *see* Duschenes, J. 86−32521
Potts, C. *see* Rauchas, A. 86−56000
Potts, C.N. Analysis of a linear programming heuristic for scheduling unrelated parallel machines 85−28143
Potts, C.W., Brumwell, F.R., Stripp, V.F. Intense Pulsed Neutron Source accelerator status 86−5768
Potts, C.W. *see* Carpenter, J.M. 86−55993
Potts, D. Micros bring down system costs 86−19810
Potts, D. MAP−making AMT come together 86−23451
Potts, D. Fibre optics wrap up CNC tape problems 86−53962
Potts, G.R. *see* Elder, W.L. 85−14594
Potts, J. LANs−where we stand today 85−13902
Potts, J. ISDN and satellites 87−55562
Potts, J. *see* Simar, R., Jr. 87−59571
Potts, J.E., Cheng, H., Mohapatra, S., Smith, T.L. Effect of elastic strain on the energy band gap in heteroepitaxially grown ZnSe 87−31506
Potts, J.E., Cheng, H., Park, S.H., Fluegel, B., Joffre, M., Koch, S.W., Peyghambarian, N. Excitonic optical nonlinearities in ZnSe epitaxial films 88−65865
Potts, J.E., Smith, T.L., Cheng, H. Electron beam pumped lasing in ZnSe grown by molecular beam epitaxy 87−26390
Potts, J.E., Smith, T.L., Cheng, H., Yang, B., Wessels, B.W. Electron-beam-pumped lasing in epitaxial ZnSe thin films 88−34033
Potts, J.E. *see* Cheng, H. 87−36735, 88−1379
Potts, J.E. *see* DePuydt, J.M. 88−18682, 88−31776
Potts, J.E. *see* Smith, T.L. 88−12952
Potts, J.K. An electronic warfare simulator for aircraft penetrating ground defences 87−13778
Potts, K. Uninterruptible power for 'on line' computers 85−27494
Potts, K.G. Electronics in lighting 85−60536
Potts, P.J., Thorpe, O.W. A simple method of estimating the position of a germanium gamma-ray detector crystal within its spectrometer housing using common gamma-ray calibration sources requiring the suppression of coincidence summing losses 85−15258
Potts, R., Clark, R.P. Tidal energy and the environment 88−62252
Potts, R.L. *see* Wassel, A.T. 85−15937
Potts, R.W. *see* Iocca, J.M. 86−71072
Pottschul, D. *see* Gutena, J. 87−71919
Potu, B., Ramamoorthy, P.A. A pipelined bit-serial squarer 88−19101
Potu, B. *see* Ramamoorthy, P.A. 87−62267
Potucek, R. Low-loss charge system of high-voltage capacitors 87−45314
Potuit, A. First long-distance 18 MHz transmission project in China completed 87−55936
Potukuchi, J., Gupta, R., Mott, R. Design and development of monolithic subsystems for satellite applications 88−19389
Potukuchi, J. *see* Gupta, R. 88−19414
Potukuchi, J.R., Assal, F.T., Mott, R.C. A computer-controlled satellite communications monitoring system for time division multiple access 85−58042
Potukuchi, J.R. *see* Cahana, D. 86−37808
Potulski, E. One-metre comparator of end dimensions 86−44416
Poturaiko, D.V. *see* Pomortseva, A.A. 88−36903
Potushoi, V.V. *see* Bezhan, N.P. 87−63423
Potvin, A.R. Targeting engineering research to impact medical practice 87−3926
Potvin, A.R., Crosier, W.G., Fromm, E., Lin, J.C., Neuman, M.R., Pilkington, T.C., Robinson, C.J., Schneider, L.W., Strohbehn, J.W., Szolovits, P., Tompkins, W.J. Report of an IEEE Task Force−an IEEE opinion on research needs for biomedical engineering systems 86−32216
Potvin, A.R., Neuman, M.R. *(editor)* Proceedings of the Symposium on Biosensors (Cat. No. 84CH2068-5) 85−32926
Potvin, J.H. Using team reporting projects to teach concepts of audience and written, oral, and interpersonal communication skills [engineering communication course] 85−5666
Potvin, J.H. Using team reporting projects to teach concepts of audience and written, oral, and interpersonal communication skills 85−5681
Potvin, L. *see* Bougault, R. 86−50379
Potyka, R. *see* Fowler, D. 85−11551
Potylitsyn, A.P. *see* Anan'in, P.S. 86−50385
Potylitsyn, A.P. *see* Kalinin, B.N. 86−50297
Potylitsyn, E.A. *see* Petrov, A.S. 86−17911
Potylitsyna, T.S. *see* Khitruk, B.S. 88−69273
Potyraj, P.A., Chen, D.-L., Hatalis, M.K., Greve, D.W. Interfacial oxide, grain size, and hydrogen passivation effects on polysilicon emitter transistors 88−64526
Potyraj, P.A., Greve, D.W. Emitter resistance in polysilicon emitter transistors and the influence of interfacial oxides 88−13353
Potyraj, P.A. *see* Greve, D.W. 86−14913
Potz, W., Ferry, D.K. Strain dependence of localized states in quantum-well structures 87−1249
Potz, W., Porod, W., Ferry, D.K. Multi-quantum-wells to reveal the band offsets at semiconductor interfaces 86−21227
Potz, W. *see* Kluksdahl, N. 87−45874
Potz, W. *see* Ravaioli, U. 86−21217
Potzel, W., Halder, N. A fast pulse amplifier for spectroscopy at very high count rates 85−15250
Potzick, J. On the accuracy of low flow rate gas calibrations at the National Bureau of Standards 86−60378
Potzl, H. *see* Budil, M. 87−6602
Potzl, H. *see* Guerrero, E. 86−28144
Potzl, H. *see* Jungling, W. 85−44852
Potzl, H. *see* Pichler, P. 85−45556
Potzl, H. *see* Selberherr, S. 85−29182
Potzl, H.W. *see* Jungling, W. 85−34807
Potzl, H.W. *see* Pichler, P. 86−21645
Potzlberger, H.W. Magnetron sputtering of permalloy for thin-film heads 85−22522
Potzsch, W., Svartengren, J.O. Powerful alternatives to network automation 85−53239
Pou, C.Serrano *see* Serrano Pou, C.
Poucet, A. CAFTS: Computer Aided Fault Tree Analysis [nuclear safety] 85−53439
Poucet, A., Carletti, C. Instrumentation system models for computer-aided fault tree analysis 88−254
Pouch, J.J. *see* Alterovitz, S.A. 87−16688
Pouch, J.J. *see* Jones, S.H. 88−63308
Pouch, J.J. *see* Oh, J.E. 87−24921, 88−57506
Pouch, J.J. *see* Radens, C.J. 88−51514
Pouch, J.J. *see* Wilt, D.M. 88−37442
Pouchard, M. *see* Dordor, P. 88−70306
Pouchkine, S.B. *see* Clairon, A. 88−47656
Poucke, M.Van *see* Van Poucke, M.
Poudoulec, A. *see* Guivarc'h, A. 88−49845
Poudoulec, A. *see* Loisel, B. 85−10667
Pouey, M. Stigmatic properties of spherical holographic gratings 85−51293

Pouey, M. Dedicated undulator monochromators 86—60473
Pouey, M. Stigmatic monochromators for synchrotron sources 88—42447
Pouey, M. *see* Lai, B. 86—60483
Poufet, J. Optical fibres-general principles of transmission and manufacture 87—13745
Pouget, J. *see* Mugnier, J. 87—36134
Pougheon, F. Production, identification and spectroscopy of exotic nuclei on the 'LISE' line at GANIL 87—50196
Pougheon, R. *see* Lavoisard, J.-L. 88—8955
Pougnet, A.-M. *see* Mircea, A. 87—259
Pouillange, J. *see* Lucidarme, J. 87—64562
Pouillange, J.P. Permanent-magnet cylindrical motors: good performance at medium and high speeds 87—64564
Poujois, R. *see* Bisotto, S. 86—5415, 86—50166
Poukey, J.W., Leifeste, G.T. Particle simulations of relativistic BWO 85—23357
Poukey, J.W. *see* Coleman, P.D. 86—25035, 87—63591, 88—54024
Poukey, J.W. *see* Frost, C.A. 87—41789
Poukey, J.W. *see* Hasti, D.E. 85—26670
Poukey, J.W. *see* Johnson, D.J. 88—19604
Poukey, J.W. *see* Leifeste, G.T. 85—23359, 86—35270
Poukey, J.W. *see* Lockner, T.R. 87—77511
Poukey, J.W. *see* Mazarakis, M.G. 86—25030, 87—41788, 88—16597, 88—54017
Poukey, J.W. *see* Miller, R.B. 88—25769
Poukey, J.W. *see* Olson, C.L. 86—5636, 86—31842, 86—55908
Poukey, J.W. *see* Ramirez, J.J. 87—21309
Poukey, J.W. *see* Sanford, T.W.L. 86—25036, 87—21353, 88—32714, 88—42377, 88—54384
Poukey, J.W. *see* Shope, S.L. 86—32056, 87—21355, 88—54026, 88—54191
Poukey, J.W. *see* Swegle, J.A. 86—1639
Pouladian-Kari, R., Parkes, D., Jones, R.M., Benson, T.M. A multiple coil solenoid to provide an axial magnetic field with near-linear gradient 88—65986
Poulain, M. Optical fibre vitreous materials 86—9452
Poulain, M. New glasses for optical fibres 87—46429
Poulain, M., Saad, M. Absorption loss due to complex anions in fluorozirconate glasses 85—12535
Poulain, M., Saad, M., Maze, G., Cardin, V. Analysis of optical losses in fluoride glass fibers 85—35373
Poulain, M. *see* Abgrall, A. 87—18709
Poulain, M. *see* Durteste, Y. 86—42316
Poulain, M. *see* Maze, G. 85—1995, 85—12534, 85—18663, 87—18708, 87—41950
Poulain, P., Di Forte-Poisson, M.A., Kazmierski, K., de Cremoux, B. $In_xGa_{1-x}As$ photodiodes for the 1.0 to 2.4 micron spectral region prepared by low-pressure MOCVD 86—2968
Poulain, P. *see* di Forte-Poisson, M.A. 88—58368
Poulain, P. *see* Kazmierski, K. 87—37938
Poulain, P. *see* Philippe, P. 86—42433
Poulard, G. *see* Calicchio, M. 88—29811
Poulard, G. *see* Catanesi, M.G. 87—29686
Poulard, G. *see* De Vincenzi, M. 86—65331
Poularikas, A. *see* Katsinis, C. 88—41062
Poularikas, A.D. *see* Katsinis, C. 85—36318, 87—19903, 87—69299
Poularikis, A.D. *see* Katsinis, C. 88—14770
Poulek, V. Radiation-proof satellite technology 85—48381
Poulek, V. Very low temperature rise laser annealing of the radiation damaged solar cells in-orbit 87—78950
Poulet, A. *see* Abbiate, J.C. 85—3217
Poulet, M. *see* Baglin, C. 85—26605
Poulet, M. *see* Kuroda, K. 87—77551
Pouligny, B. *see* Dimmier, K. 87—67654
Pouligny, B. *see* Scott, J.F. 88—33468, 88—44915, 88—57835
Poulin, B. Cryopumps boost solar cell production 86—26296
Poulin, B. *see* Malewski, R. 86—19347, 88—75691
Poulin, D., Reid, J., Znotins, T. Excimer lasers 88—71221
Poulin, D. *see* Ho, V.Q. 88—7658
Poulin, D. *see* Znotins, T. 88—20817
Poulin, D. *see* Znotins, T.A. 87—75273
Poulin, J.-P. *see* Bedard, N. 88—56326
Poulin, J.E. Practical considerations in DC motor and amplifier selection 85—21643
Poulin, J.E., Fejes, W. Design of high frequency PWM servo amplifiers using power MOSFETs 86—51870
Poulin, J.El *see* El Poulin, J.
Poulin-Dandurand, S. *see* Brebner, J.L. 86—6995
Poulin-Dandurand, S. *see* Perluzzo, G. 88—32991
Poulin-Dandurand, S. *see* Tessier, Y. 87—16692, 88—31824
Poulios, J. *see* Fruhwirth, O. 85—61799
Pouliot, J., Chan, Y., Dacal, A., Harmon, A., Knop, R., Oritz, M.E., Plagnol, E., Stokstad, R.G. Performance of a phoswich detector array for light particles and heavy ions 88—61144
Pouliot, L. *see* Slobodrian, R.J. 86—25096
Pouliquen, J., Decarpigny, J.N. Undamping method to study vibration modes in solid and solid-liquid structures 88—10634
Pouliquen, J. *see* Jakani, M. 85—34693
Pouliquen, J.-L. *see* Obermeyer, P. 88—69821
Poulis, J.A., Koppius, A.M., Kuypers, W.J.J. The optimization of measuring current through strain gauges 88—16042
Poulissen, J. *see* Khoe, G.D. 86—3178
Poullain, G., Mercey, B., Nouet, G. Conductivity, EBIC and structural studies on silicon bicrystals 86—47285
Poullain, G., Mercey, B., Nouet, G. Conductance of silicon grain boundaries in as-grown and annealed bicrystals 87—32229
Poulo, L. *see* Dolazza, E. 85—9143
Poulose, M.M., Mahapatra, P.R. ILS glidescope evaluation of imperfect terrain 88—54725
Poulose, M.M., Mahapatra, P.R., Balakrishnan, N. Microwave landing system—a favoured alternative to current ILS 86—43914
Poulose, M.M., Mahapatra, P.R., Balakrishnan, N. Terrain modelling of glideslope for instrument landing system 87—63877
Poulose, M.M., Mahapatra, P.R., Balakrishnan, N. Accurate estimation of ILS glideslope in the presence of terrain irregularities 88—10476
Poulose, M.M. *see* Balakrishnan, N. 87—57309
Poulsen, F. Quality assurance of electrical cables used offshore 87—72651
Poulsen, F.W. The effect of different internal surfaces in composite lithium electrolytes 87—72361
Poulsen, H. Teledata system of the future: new system for reduction of picture data 88—34747
Poulsen, J.H. Design tolerances for dispersion flattened SiO_2-cladded single mode fibres 85—12564
Poulsen, J.M. *see* Ventura, G. 85—20874
Poulsen, R.S. Some useful results on the simulation of optical imagery 88—21323
Poulson, B., Robinson, R. The local enhancement of mass transfer at 180° bends 88—69107
Poulson, G.W. *see* Martin, D.H. 86—38540
Poulson, G.W. *see* Martin, R.J. 87—11027
Poulson, W. *see* Bouvard, A. 85—58130
Poulter, K.F. Computer aided dimensional engineering metrology, advantages and disadvantages 85—47838
Poulter, K.F. International compatibility of low pressure measurements 88—36276
Poulter, K.F., Hales, J.L., Forton, A.G., Pragnell, R.F. The UK National Humidity Standard—justification and concept 87—8780
Poulter, L.N.J. Signal processing methods applied in the ultrasonic inspection of PWR inlet nozzles 86—66875
Poulter, L.N.J. *see* Green, V.R. 88—42704
Poulter, L.N.J. *see* Rogerson, A. 88—31875
Poulter, M.W. *see* Brassington, M.P. 88—71558
Poulter, M.W. *see* El-Diwany, M.H. 88—71771
Poulter, R. *see* Tsal, R. 87—58824
Poulter, S. Growing importance of SMDs [surface-mounting technology] 86—47144
Poulter, S. Switching speed gets a boost [IGBT] 87—60450
Poulter, S. High voltage bipolar IC technology 87—67535
Poulton, G.T. Antenna power pattern synthesis using method to successive projections 87—7586
Poulton, G.T. Power pattern synthesis using the method of successive projections 87—26955
Poulton, G.T., Bird, T.S. Earth-station antennas for multiple satellite access 87—2359
Poulton, G.T., Bird, T.S. Improved rear-radiating waveguide cup feeds 87—27098
Poulton, G.T., Bird, T.S. Shaped-beam antenna design for second-generation AUSSAT satellites 87—75611
Poulton, G.T. *see* Bird, T.S. 86—54351
Poulton, J., Fuchs, H., Austin, J.D., Eyles, J.G., Heinecke, J., Cheng-Hong Hsieh, Goldfeather, J., Hultquist, J.P., Spach, S. Pixel-planes: building a VLSI-based graphic system 86—11481
Poulton, J. *see* Fuchs, H. 86—46825
Poulton, K., Corcoran, J.J., Hornak, T. A 1-GHz 6-bit ADC system 88—19222
Poulton, K. *see* Corcoran, J. 87—59666
Poulton, K. *see* Corcoran, J.J. 88—56709
Pouly, J. Economic and political energy aspects of the Chernobyl reactor accident 87—4494
Poumellec, B., Marcelet, F., Lagnel, F., Marucco, J.F. Computer-controlled simultaneous measurements of the thermopower and conductivity of thin films 88—35809
Pound, B.G., Singh, R.P., Macdonald, D.D. A thermodynamic framework for estimating the efficiencies of alkaline batteries 87—4867
Pound, B;G. *see* Lenhart, S.J. 85—49077
Pound, R. Thermal CAD brings hot spots under control 85—144
Pound, R. Keen machine vision guides assembly operations 85—11752
Pound, R. Fasteners and hardware secure gains in quality and productivity 85—11786
Pound, R. Stitch wire: packaging from prototypes to operational systems 85—22250
Pound, R. Solvents flush solder flux from tight spaces 85—23224
Pound, R. PC boards team up with protective packaging in tough environments 85—28779
Pound, R. Computer aids reflect packaging trends and resource constraints 85—40296
Pound, R. Smaller PCB geometries shape soldering systems trends 85—40336
Pound, R. Pick-and-places faces a variety of SMCs 85—45311
Pound, R. Conductive epoxy is tested for SMT solder replacement 85—55285
Pound, R. Image processing boosts the power of non-destructive testing 85—61522
Pound, R. Digital systems and mobile phones drive telecom packaging 86—4499
Pound, R. Robots lend consistency and quality to assembled products 86—7495
Pound, R. Packaging links fast GaAs dice to high-speed systems 86—15192
Pound, R. Thermal management balances cooling and size demands 86—19847
Pound, R. Computer power shapes systems' test 86—24285
Pound, R. Discrete wiring supports higher signal speed and circuit density 86—27655
Pound, R. Assemblies are moved by flexible material handlers 86—27722
Pound, R. Inspection equipment exposes quality of soldered joints 86—52293
Pound, R. Maintain the speed of GaAs in digital systems 87—24560
Pound, R. Thick-film inks mark hybrids with today's circuits 87—37757
Pound, R. IC surface mounting gains with standard packages 87—65193
Pound, R. Passive components lead users into surface mounting terminations are crucial on the billions of chip capacitors and chip resistors used annually—and new standards will boost the use of resistor networks 88—7135
Pound, R. Ceramic materials for high performance 88—49891
Pounder, A. *see* Josef, G. 86—69986
Pounds, C.G., Ishibashi, Y., Kawabata, H., Horie, M., Morita, T. Fuji's SF_6 gas circuit breakers and cubicles delivered to Dow Chemical, USA 85—10050
Pounds, C.G., McWilliams, A. Design and construction of cogeneration power plant electrical systems 86—25906
Pounds, T.A. Early planning is key to substation conversions 86—39944
Poundsford, J.H. *(editor)* International Conference on Measuring Techniques of Hydraulic Phenomena in Offshore, Coastal and Inland Waters 86—45941
Pountain, D. Telephone computers 85—47280
Pountain, D. Modem mysteries revealed 86—55062
Pountain, D. Integration on a new scale [Wafer-scale integration] 87—6770
Pountain, D. Fast track vs. failsafe [RISC microprocessor] 88—56638
Poupeau, Y., Lefevre, F. Evaluation of methods of restoration of eddy-current signals: combination of frequencies; correlation filter 88—21274
Pourbabai, B. Analysis of a G/M/K/O queueing loss system with heterogeneous servers and retrials 87—51920
Pourbabai, B. Markovian queueing systems with retrials and heterogeneous servers 87—65293
Pourbabai, B., Sonderman, D. A stochastic recirculation system with random access 85—60837
Pourbaix, F. *see* Bornard, P. 88—17147
Pourbaix, F. *see* Gary, C. 86—51053
Pourbaix, F. *see* Gary, G. 86—56446
Pourboghrat, F. Failure detection in dynamical systems 87—51902
Pourboghrat, F. *see* Sayeh, M.R. 88—52556
Pourcelot, L. *see* Berson, M. 87—57111
Pourciau, C. *see* Somerton, C.W. 87—64401
Pourciau, L.L. High-resolution TV for the production of motion pictures 85—26095
Pourcin, Y. Metering equipment and rate signals available to the user 86—25662
Pourcq, M.De *see* De Pourcq, M.
Pouris, A. Forecasting system thermal efficiencies in technology importing countries 86—25881
Pouris, A. Future sources of thermal efficiency in generation technology 87—16060
Pouris, A. The cost of photovoltaic cells in South Africa 87—64477
Pourkeramati, A. *see* Lee, S.M.J. 88—6811
Pourmand, B. *see* Jabbari, B. 88—46990
Pourmand, B. *see* Sharifi, M.H. 87—28511
Pourparviz, G., Goforth, G., Wahid, P.F., Belkerdid, M.A. Frequency domain analysis of crosstalk in coupled microstrip lines 88—63842
Pourprix, M. *see* Daniel, F. 87—47109
Pourprix, M. *see* Larigaldie, S. 87—47108
Pourrahima, S., Thieme, C.L.H., Foner, S. 21 Tesla powder metallurgy processed $Nb_3Sn(Ti)$ using (Nb-1.2-wt%-Ti) powders 87—67822
Pourrahimi, S., Thieme, C.L.H., Foner, S., Suenaga, M. $Nb_3Sn(Ti)$ powder metallurgy processed high field superconductors 86—63578
Pourrahimi, S., Thieme, C.L.H., Schwartz, B.B., Foner, S. Powder metallurgy processed Nb_3Sn employing extrusion and varying Nb content 86—28728
Pourrahimi, S. *see* Foner, S. 85—46045

Pourrahimi, S. *see* Thieme, C.L.H. 86−28726
Pourrezaei, K. *see* D'Cruz, C. 85−28244
Pourrezaei, K. *see* Kumar, N. 87−16696, 87−44393, 87−60363, 88−1478, 88−7705, 88−20158, 88−63365, 88−64668
Pourrezaei, K. *see* Lee, B. 87−67163
Pourrezaei, K. *see* Ratnajeevan, S. 88−86
Pous, J., Badiella, P., Ninerola, J.M. New gradient method for the automatic interpretation of electrical soundings 86−6073
Poussart, D. *see* Blais, F. 86−11476
Poussart, D. *see* Blanchet, M. 88−3240, 88−41118, 88−56684
Poussart, D. *see* Laurendeau, D. 87−47958, 88−28016
Poussart, D. *see* Maldague, X. 87−49597
Poussart, D. *see* Tervo, R. 87−69383
Poussart, Y. *see* Aubry-Frize, M. 86−50610
Pousse, A., Mendel, C., Kachelhoffer, J. Detection of intestinal spike bursts using a microcomputer 88−54588
Poutanen, T. *see* Liukkonen, J. 87−37045
Poutissou, J.-M. *see* Blackmore, E.W. 85−37839
Poutissou, J.-M. *see* Bryman, D.A. 85−37900
Poutissou, J.-M. *see* Waltham, C.E. 87−41864
Poutissou, J.M. *see* Mes, H. 85−9054
Poutissou, R. *see* Bryman, D.A. 85−37900
Poutissou, R. *see* Mes, H. 85−9054
Pouvil, P., Gautier, J.-L., Pasquet, D. A new analytical model for the GaAs MESFET in the saturation region 88−64611
Pouvil, P. *see* Fougnion, J.-M. 85−3853
Pouvil, P. *see* Gautier, J.L. 85−61929
Pouvil, P. *see* Pasquet, D. 85−35467, 86−42888, 86−48094, 87−33241, 88−7922, 88−27587, 88−66145
Pouwels, H., Aartman, L.J. A modular and versatile acquisition, recording and preprocessing system for airborne remote sensing 87−71287
Pouyat, F. *see* Bjelkhagen, H. 85−26717
Pouyez, P. Multichannel tactical fiber optic connector 88−41714
Pouyez, Ph. *see* Malinge, J.L. 88−13867
Pouysegur, M., Graffeuil, J. $1/f^{3/2}$ noise in GaAs structures. Model of thermal surface noise 87−66911
Pouysegur, M., Graffeuil, J., Cazaux, J.-L. Origin of $1/f^{3/2}$ noise in GaAs thin-film resistors and MESFETs 88−13425
Pouysegur, M., Graffeuil, J., Sautereau, J.F., Fortea, J.P. Comparative study of phase noise in HEMT and MESFET microwave oscillators 87−73747
Pouysegur, M. *see* Dieudonne, J.-M. 86−53634
Pouysegur, M. *see* Graffeuil, J. 87−6739
Pouzin, L. OSI progress and issues 87−48642
Pouzin, L. Computer message systems−current status and prognosis 88−21707
Pouzin, L. Personal computers as communication tools 88−28551
Pouzin, L. Impact on national and international networks on the use of supercomputer centers 88−59744
Povadek, J. Organic solvents for the preparation of electrolytes in lithium cells 85−60387
Povalyaev, E.I., Schcherbakov, Yu.I. Hardware-oriented method for solution of a system of equations of binary BCH codes for a triple error parallel correction procedure 88−40779
Povalyaev, O.A. *see* Zhupanov, V.G. 87−66813
Povalyayev, A.A., Pal'mbakh, D.G. Calculation of the performance characteristics and the synthesis of a multiscale measuring system for the successive resolution of ambiguity 85−58483
Povarov, O.A. Superheating of steam before entering the turbines of a nuclear power station 87−9262
Povarov, O.A., Gordeeva, I.V., Simanovskii, G.P., Semenov, V.N. Expansion of wet steam in the first stage of wet-steam turbines 85−4784
Povarov, O.A., Pryakhin, V.V., Ryzhenkov, V.A., Bodrov, A.A. Erosion wear of metals during collisions with drops of liquid 87−22114
Povarov, O.A., Semenov, V.N., Bogomolov, B.V. The effect of corrosive media on reliability of steam turbines 87−71986
Povarov, V.N. *see* Lopukhov, G.I. 85−65684
Povarov, V.V. *see* Petrov, A.S. 87−66445
Povazan, I. *see* Hulenyi, L. 86−2155
Povazhuk, Yu.I. *see* Girganov, M.Z. 87−7495
Pove, D.-J. *see* Maassen, B. 85−7829
Poveda, A., Martinez, L., Bordonau, J., Cabestany, J. Small signal model of a Cuk-type PWM shunt regulator 88−5882
Poveda, A. *see* Bertran, E. 88−5786
Poveda, A. *see* Cabestany, J. 86−62787, 88−12445
Poveda, A. *see* Garcia, J. 86−33526, 88−17953
Poveda, A. *see* Martinez, L. 86−14005, 86−26152, 86−34519, 86−46551, 86−52670, 87−4818, 87−30841, 87−58212
Povel, D.-J., Wansink, M. A computer-controlled vowel corrector for the hearing impaired 86−44687
Povel, H. *see* Stenflo, J.O. 86−17818
Povelichenko, A.P. *see* Derazhne, A.M. 86−44979, 86−44981
Povelichenko, A.P. *see* Peshkov, I.B. 85−43615
Povey, M.A. *see* Clark, O.M. 86−56846
Povh, B. *see* Baumann, P. 88−53982
Povh, B. *see* Bruckner, W. 88−61126
Povh, D. AC filter circuits for HVDC converter stations 85−5199
Povh, D. High voltage direct current transmission technology 85−15568
Povh, D. Transmission of electric energy today 86−39089
Povh, D. Electrical power transmission today−economical and safe 87−15233
Povh, D. *see* Bayer, W. 88−68820
Povh, D. *see* Ekstrom, A. 85−39089
Povh, D. *see* Kannngiesser, K.W. 86−50972
Povilonis, E.I. *see* Celler, G.K. 85−50595
Povilonis, E.I. *see* Ng, K.K. 85−12316
Povinec, P. *see* Antyukhov, V.A. 86−60637
Povinec, P. *see* Baranov, V.A. 87−14796
Povinec, P. *see* Budagov, Yu.A. 85−64459, 87−50140
Povinec, P. *see* Hlinka, V. 87−8837
Povinec, P. *see* Kubinec, P. 87−14739
Povinec, P. *see* Kuzminov, V.V. 87−14738
Povinelli, M.J. A planar broad-band flared microstrip slot antenna 88−8586
Povlsen, J.H. Two-parameter characterisation of single-cladded, dispersion-shifted single-mode fibres 85−35449
Povlsen, J.H., Andreasen, S.B. Analysis on splice-microbending- and Rayleigh losses in GeO_2 doped, dispersion-shifted, single-mode fibres 86−42321
Povlsen, J.H., Andreasen, S.B. Microbending theory and its implications 88−65238
Povoden, M. *see* Borko, M. 88−63009
Povolny, M. How to continue with the SCP 02 [fuel and energy savings] 88−31059
Povolotskii, E.G. *see* Bogatin, Ya.G. 86−9390
Povolotskiy, F.K. Solution of the problem of obtaining a stable difference between signal phases 87−13028
Povse, M.R. *see* Fleurbaaij, J.M. 85−6274, 85−6357
Povstugar, V.I. *see* Vasil'ev, E.A. 87−29014
Povstyanoi, M.V. *see* Zuev, V.S. 85−2258
Povstyanoi, Yu.P. *see* Oleinikov, A.M. 87−9566
Povtar', V.I. *see* Kachmin, V.A. 85−26035
Povtoreiko, A.A. *see* Abashidze, L.I. 86−25133
Povysil, R. A method of economical load distribution under probabilistically definite conditions of decision 87−15143
Povysil, R., Nulicek, V. Economic evaluation of alternatives for the development of a power system with variable level of reliability 87−57532
Povzner, A.Ya. Numerical investigation of slowly varying signals 88−14726
Powazinik, W., Olshansky, R., Meland, E., Lauer, R.B. Semiconductor light sources fabricated by vapor phase epitaxial regrowth 88−8214
Powazinik, W. *see* Fye, D.M. 86−22253
Powazinik, W. *see* Hill, P. 87−46677, 87−61135
Powazinik, W. *see* Manning, J. 85−46392
Powazinik, W. *see* Olshansky, R. 85−62457, 86−42458, 86−68518, 87−33146, 87−39157, 87−75079, 88−2248
Powazinik, W. *see* Schlafer, J. 85−46265, 86−31434, 86−42439
Powazinik, W. *see* Su, C.B. 85−29804, 85−51162, 86−36497, 86−63834
Powe, J.S. *see* Goldhammer, L.J. 88−36628
Powell, A. Making the most of cache memory 88−32190
Powell, A.K., Foote, P.D., Hall, T.J., Burge, R.E. Stimulated photorefractive scattering in barium titanate 88−58685
Powell, A.L., Mistry, P., Roberts, J.S., Rockett, P.I. $Al_{0.45}Ga_{0.55}As$/GaAs HEMTs grown by MOVPE exhibiting high transconductance 87−53510
Powell, A.L., Rockett, P.I., Robson, P.N. A low cost deep-ultraviolet (UV) light source for bilevel resist applications 87−67050
Powell, B. Direct drive DC servo motors for gearless motion control 87−30671
Powell, B. A television illuminant consistency index 88−18202
Powell, B. *see* Anguilar-Benitez, M. 87−71031
Powell, B. *see* Boratav, M. 86−5801
Powell, B.D., Spring, D.J., Adams, S.J. An infrared flame detector with fire-ranging ability 88−29397
Powell, B.L. Generic Integrated Maintenance Diagnostics (GIMADS) 86−5003
Powell, C. Early history of the Decca Navigator system 85−58250
Powell, C. Radio navigation in the 1920s 87−8369
Powell, C. European inputs to radio navigation history 88−60308
Powell, C.D. Troubleshooting tools for structural dynamics problems 88−55960
Powell, C.D., Dietz, C.P., Spaniel, F.A. A vibration control case history trilogy 86−7511
Powell, C.G. *see* Feigenblatt, R.I. 87−3452
Powell, C.J. Reference materials, reference data and reference procedures for surface analysis: national and international standards activities 88−24854
Powell, C.M.R., Sinha, M.C., Carter, P.W., Leonard, J.R. A sea bottom multichannel hydrophone array 87−15040
Powell, D. Implementing an international S/3X network 86−64677
Powell, D. Interconnection systems for board prototyping 87−6207
Powell, D. Are standardized modems an illusion? 88−15254
Powell, D. Modems tackle real work 88−41467
Powell, D.B. A screen printable encapsulant for hybrid circuits 86−53269
Powell, D.B. *see* Collins, W.R. 86−13485
Powell, D.C., Connell, J.R. Verification of theoretically computed spectra for a point rotating in a vertical plane 87−78571
Powell, D.E. *see* Stelling, C.B. 85−48253
Powell, D.G. Improving the interface with the inspection and enforcement activity 87−64281
Powell, D.J. Optical multilayer registration 86−67593
Powell, D.R., Valadier, J.C. Dependable avionic data transmission 86−25367
Powell, D.R. *see* Valadier, J.C. 85−25547
Powell, E.N. Optimal control systems involving human functional elements 85−33131
Powell, E.N. The importance of good industrial design and ergonomics for user-friendly ATE 85−37448
Powell, G. *see* Davies, K. 88−4191
Powell, G. *see* Smith, D.C. 85−45026
Powell, G.A., Darlington, P., Wheeler, P.D. Practical adaptive noise reduction in the aircraft cockpit environment 87−64000
Powell, G.A. *see* Darlington, P. 86−17271, 88−75012
Powell, G.P., Borgini, F., Sharma, S.S. 1.25-micron CMOS/SOS double-level-metal automated universal arrays 85−40931
Powell, G.P., Smith, A.M., Stebnisky, M.W., Prost, K. A high performance microprogrammed IC for signal processing applications 86−2426
Powell, H.D., Jr. *see* Snyder, W.L., Jr. 87−57540
Powell, H.M., Barber, D.C., Freeston, I.L. Impedance imaging using a linear electrode array 86−32245
Powell, H.M., Barber, D.C., Freeston, I.L. Impedance imaging using linear electrode arrays 87−50321
Powell, H.M. *see* Freeston, I.L. 85−43410
Powell, H.T., Frlandson, A.C., Jancaitis, K.S. Characterization of high power flashlamps and application to Nd:glass laser pumping 87−39190
Powell, H.T. *see* Murray, J.E. 87−39191
Powell, I. Design of a laser beam line expander 88−2327
Powell, J., Frass, K., Menzies, I.A. 2.5 kW laser cutting of steels: factors affecting cut quality in sections up to 20 mm 88−45597
Powell, J., King, T.G., Menzies, I.A. Cut edge quality improvement by laser pulsing 85−51336
Powell, J., Rhyne, E., Ward, G. A 62.5 kVA 3-phase ferroresonant transformer cures equipment failures caused by severe utility interface conditions 85−65308
Powell, J. *see* Bultitude, R.J.C. 88−45707
Powell, J. *see* Hall, J. 88−74244
Powell, J.A. Silicon carbide: progress in crystal growth 88−43859
Powell, J.A., Matus, L.G., Kuczmarski, M.A. Growth and characterization of cubic SiC single-crystal films on Si 87−74039
Powell, J.A., Matus, L.G., Kuczmarski, M.A., Chorey, C.M., Cheng, T.T., Pirouz, P. Improved β-SiC heteroepitaxial films using off-axis Si substrates 88−6443
Powell, J.A. *see* Pirouz, P. 88−38213
Powell, J.D., Jamison, K.A. Analysis of an inverse railgun power source 87−26700
Powell, J.D. *see* Batteh, J.H. 88−66015
Powell, J.D. *see* Jamison, K.A. 87−26685
Powell, J.E. Reactive power compensation with capacitors 87−50673
Powell, J.R., Horn, F.L., Benenati, R., Lowrey, A. Technology of thermal hypervelocity launchers 87−26701
Powell, J.R., Takahashi, H. Very-high-flux research reactors based on particle fuels 85−64444
Powell, J.R. *see* Bogart, S.L. 88−61743
Powell, J.R. *see* Fullwood, R.R. 85−48437
Powell, J.R. *see* Horn, F.L. 87−42160
Powell, J.W., Richards, G.R. The Orbiting Vehicle series of satellites 88−10460
Powell, K. *see* O'Brien, J. 86−67215
Powell, K.B. The responsibilities of an expert witness 86−40462
Powell, K.D., Kelly, W.R. Picture tube packing system 85−6668
Powell, K.E., Watkins, H.E. Supervision device for contact sense points 85−40203
Powell, L.A. *see* Schneider, J.F. 88−5107
Powell, L.J. An industrial view of utility cogeneration protection requirements 87−35589
Powell, L.J. An industrial view of utility cogeneration protection requirements 88−30568
Powell, L.J. An industrial view of utility cogeneration protection requirements 88−43034
Powell, L.J. *see* Linders, J.R. 86−32826

Powell, M., Sewell, J.I., Taylor, R.C.J. On time-sharing and noise minimisation in switched-capacitor filters 85−49985
Powell, M. *see* Di Sessa, P. 86−1590
Powell, M.A. *see* Cooper, I.R. 85−29956, 87−62229
Powell, M.J. Material properties controlling the performance of amorphous silicon thin film transistors 85−50600
Powell, M.J. Amorphous silicon thin film transistors: performance and material properties 86−2193
Powell, M.J. Amorphous-silicon thin-film transistors: performance and material properties 86−50164
Powell, M.J., Chapman, J.A., Stroomer, M.V.C. Amorphous-silicon TFT matrix for large-area liquid-crystal displays 85−64204
Powell, M.J., Orton, J.W. Bulk and interface densities of states from measurements on amorphous silicon thin film transistors 86−47631
Powell, M.J., van Berkel, C., French, I.D. The resolution of a-Si thin film transistor instability mechanisms 88−26299
Powell, M.J., van Berkel, C., French, I.D., Nicholls, D.H. Bias dependence of instability mechanisms in amorphous silicon thin-film transistors 88−7621
Powell, M.J. *see* Hepburn, A.R. 86−28344, 86−53663, 88−19995
Powell, M.J. *see* Lowe, A.J. 86−35344
Powell, M.J. *see* Robertson, J. 86−27987
Powell, M.J. *see* Van Berkel, C. 86−42435, 86−63320, 88−1676, 88−44770
Powell, M.J.D. Matrix calculations in optimization algorithms 85−54369
Powell, M.J.D. How bad are the BFGS and DFP methods when the objective function is quadratic? 86−19955
Powell, M.J.D. Updating conjugate directions by the BFGS formula 87−72999
Powell, M.J.D., Yuan, Y. A recursive quadratic programming algorithm that uses differentiable exact penalty functions 86−66743
Powell, M.S., Murphy, E.B. A thermally opaque, millimeter-wave radome for space 87−33570
Powell, M.W. *see* Allison, R.W., Jr. 88−44451
Powell, P. Australia's wind of change 85−15910
Powell, P. Paltex post-production edit controllers 85−63859
Powell, P. *see* Kay, P. 85−63161
Powell, P.A.D., Elmasry, M.I. The ICEWATER language and interpreter [for VLSI CAD] 85−1673
Powell, P.W. *see* Dick, E.P. 88−75547
Powell, R. The challenge of music software 86−55497
Powell, R., Fry, T. The use of electronic newsrooms and information systems within the BBC 85−3592
Powell, R. *see* Anderson, K. 85−755
Powell, R. *see* Coon, W. 88−49007
Powell, R. *see* Durville, F. 88−45542
Powell, R. *see* Noufi, R. 86−40151, 87−11386
Powell, R. *see* Wilson, S.R. *(editor)* 88−43592
Powell, R.A. Activation of shallow, high-dose BF_2^+ implants into silicon by rapid thermal processing 85−12130
Powell, R.A., Chow, R. Dopant activation and redistribution in As^+-implanted polycrystalline Si by rapid thermal processing 85−34467
Powell, R.A., Cooper, C.B., III, Chow, R. Rapid thermal processing of titanium silicide films 85−40568
Powell, R.A., Manion, M.L. Rapid thermal processing: a bibliography 87−11596
Powell, R.A. *see* Chow, R. 85−55668, 86−2018
Powell, R.A. *see* Chow, T.P. 87−11523
Powell, R.A. *see* Cooper, C.B., III 85−22549, 85−23723, 85−45618
Powell, R.A. *see* Felch, S.B. 87−60293
Powell, R.A. *see* Kirillov, D. 86−8980, 87−24783, 87−67121
Powell, R.A. *see* Ritz, K.N. 86−67790
Powell, R.A. *see* Smith, W.L. 86−2010
Powell, R.A. *see* Sridhar, C.G. 86−26894
Powell, R.A. *(editor)* Dry etching for microelectronics 85−22063
Powell, R.C. Determination of the reflection correction when using a two resistors power splitter to compare power standards 87−14437
Powell, R.C. Calibration of a waveguide below cutoff attenuation standard using a repeatable attenuation step 87−14508
Powell, R.C. Calibration of a waveguide-below-cutoff attenuator using a voltage doubler 88−12566
Powell, R.C., Miller, A.C. Determination of the reflection correction when using a symmetrical two-resistor power splitter to calibrate a power sensor 88−16398
Powell, R.C., Noufi, R., Herrington, C., Coutts, T. Thin-film $CuGaSe_2$−physical properties and photovoltaic potential 87−6396
Powell, R.C., Olson, J.M. Rate limiting step in CVT purification of silicon using a $Si:Cu_3Si$ source 85−39697
Powell, R.C., Quarles, G.J., Martin, J.J., Hunt, C.A., Sibley, W.A. Stimulated emission and tunable gain from Rh^{2+} ions in $RbCaF_3$ crystals 85−46366
Powell, R.C., Suchoki, A., Durville, F.M., Gilliland, G.D., Behrens, E.G., Quarles, G.J., Boulon, G. Four-wave mixing studies of ions in solids 88−45540
Powell, R.C. *see* Arizmendi, L. 87−33336
Powell, R.C. *see* Behrens, E.G. 87−19064
Powell, R.C. *see* Durville, F.M. 87−61260
Powell, R.C. *see* Loiacono, G.M. 86−36444
Powell, R.C. *see* Matson, R.J. 86−66344, 87−16022
Powell, R.C. *see* Noufi, R. 86−66343, 87−66934, 87−66936
Powell, R.C. *see* Olson, J.M. 86−7137
Powell, R.C. *see* Ramanathan, V. 88−32854
Powell, R.C. *see* Sardar, D.K. 87−7307
Powell, R.C. *see* Tyminski, J.K. 85−35912
Powell, R.C. *see* Vaidhyanathan, R. 87−6397
Powell, R.C. *see* Weinschel, B.O. 86−60331
Powell, R.F. Testing transistors with ATE 87−72804
Powell, R.J. Relative vertical positioning using ground-level transponders with the ERS-1 altimeter 86−56231
Powell, R.J. *see* Lees, A.R. 88−75368
Powell, R.J.W. *see* Ashpole, R.S. 85−46159
Powell, R.W. *see* Palayanon, V. 87−42406
Powell, R.W. *see* Willis, H.L. 86−18806, 86−19378, 86−32630, 87−78040, 87−78728, 88−23456
Powell, S. Key ring protection of magnetic tapes 85−7152
Powell, S. Study suggests savings are possible by using LAN Cables insulated with fluorocarbon resin 87−55933
Powell, S., Barouch, B. MAP: a parameterizable module generator development system oriented to IC designers 87−60580
Powell, S., Iodice, E., Friedman, E. An automated, low power, high speed complementary PLA design system for VLSI applications 85−6295
Powell, S., Iodice, E., Friedman, E. An automated, low power, high speed complementary PLA design system for VLSI applications 85−33847
Powell, S., Smith, W.R., Persky, G. A parasitic extraction program for closely-spaced VLSI interconnections 86−28427
Powell, S. *see* Freidman, E.G. 85−55961
Powell, S. *see* Friedman, E. 86−669
Powell, S. *see* Friedman, E.G. 86−46942
Powell, S. *see* Smith, W.R. 87−67334
Powell, S.D. 18 to 40 GHz single-pole, 4-throw switch 87−6081
Powell, S.H., Hamrick, J.T. Gas turbine burns wood in Tennessee 87−30403
Powell, S.J. Cost savings in computer cable selection 87−59931
Powell, S.J. Implementing a broadband LAN 88−9180
Powell, S.J. Teflon insulation reduces cabling costs 88−28618
Powell, S.J., Kennel, G.L. Noise in film-to-video transfers 87−41254
Powell, S.J., Sehlin, R.C., Zavada, R.J., Bogdanowicz, M.J. Interface of motion-picture films and video 86−60036
Powell, T. Post processing of logic analyser data 85−58626
Powell, T. Chest radiography using a large-image intensifier 87−77627
Powell, T.E., Harding, G.F.A. Twenty-four hour ambulatory EEG monitoring: development and applications 87−14902
Powell, T.E., Harding, G.F.A. Ambulatory EEG monitoring in the diagnosis of epilepsy and in the recording of sleep in the home 88−61380
Powell, T.G., Newbury, R., Long, A.P., McFadden, C., Myron, H.W., Pepper, M. Frequency-dependent magnetoconductance quantisation in 2D systems−a disorder effect 85−50301
Powell, T.G., Newbury, R., Long, A.P., Myron, H.W., Pepper, M. Frequency dependence of the quantised Hall effect 86−53669
Powell, T.G. *see* Davies, R.A. 87−24860
Powell, T.J. *see* Sridhar, T. 87−70491
Powell, V.G. *see* Siler, W. 86−5919
Powell, W. *see* Bahl, I. 86−67504
Powell, W.E. *see* Agrawal, A.K. 86−22833, 86−43067, 86−48704, 87−12836, 87−27080, 88−2860
Powell, W.H. One bit coding: an effective digital technique for baseband, VSB and FM systems 87−13938
Powell, W.H., Dyke, P.J., Bellis, R.W. FM transmission of multichannel TV and digital signals over optical fibre 87−20538
Powell, W.S. *see* Karnas, J.A. 87−30136
Powell-Evans, G. *see* Hollidge, G. 88−15792
Powelson, J.C., Dewey, M.S., Dunford, R.W. Detector for metastable helium ions 88−4805
Power, B. Vacuum instruments for measuring and controlling laser gases 86−22452
Power, D. *see* Blumann, W. 87−20279
Power, D.R. Automatic target recognizer database requirements 88−22211
Power, E.R. Amplifier phase shift measured automatically 85−58521
Power, G.A., Morin, M., Smith, J. Precise navigation for high resolution geophysics in Hudson Bay 88−53391
Power, G.D. *see* Kapteyn, H.C. 88−48079
Power, I., Searles, S. A VLSI implementation of an edge detection circuit 88−3239
Power, J. District structures [telecommunication services] 88−8995
Power, J.A. *see* Cahill, C.G. 87−25613
Power, J.F., Blind, B., Jason, A.J. The Los Alamos Proton Storage Ring fast extraction kicker system 86−32037
Power, J.F., Mandelis, A. Photopyroelectric thin-film instrumentation and impulse-response detection. I. A theoretical model 88−22604
Power, J.F., Mandelis, A. Photopyroelectric thin-film instrumentation and impulse-response detection. II. Methodology 88−22605
Power, J.F., Mandelis, A. Photopyroelectric thin-film instrumentation and impulse-response detection. III. Performance and signal recovery techniques 88−22606
Power, J.F., Nunnally, W.C., Rust, K.R., Samuels, J.S., Spalek, G. Fast extraction modulators for the Los Alamos Proton Storage Ring 85−5235
Power, J.L. Ground correlation investigation of thruster/spacecraft interactions to be measured on the IAPS flight test 85−31892
Power, J.M., Wilbur, S.R. Authentication in a heterogeneous environment 87−54851
Power, N.B. *see* Nauss, K. 87−30099
Power, R. *see* Kruger, R.A. 86−50544
Power, R. *see* Sergent, J.E. 86−53245
Power, R.C., Hughes, R.D., King, R.A. Verification, archetype updating, and automatic token set selection, as a means of improving the performance of menu driven isolated word recognition systems using time encoded speech descriptors in high acoustic noise backgrounds 86−48860
Power, W.H., Baity, F.W., Hoffman, D.J. Capacitor analysis for RF antennas 88−66175
Powers, B.L. *see* Hamilton, M.C. 87−75244
Powers, D. Lack of standards limits your selection of rad-hardened μPs and board-level μCs [technology update] 85−28561
Powers, D. Lithium cells suit high-energy military needs 85−44145
Powers, D.E. *see* Anthony, P. 87−75284
Powers, E. Redundant communication system uses microwave plus fiber-optics 87−57606
Powers, E.J. *see* An, C.K. 88−73070
Powers, E.J. *see* Hong, J.Y. 85−46834, 88−15558
Powers, E.J. *see* Khadra, L. 85−51539
Powers, E.J. *see* Koh, T. 86−10229, 86−29849
Powers, E.J., Jr. *see* Kimm, K.I. 86−64265
Powers, F.W. Administering a technology protection program 85−16679
Powers, G. A front-end TELNET/rlogin server implementation 86−55023
Powers, H. Buried-via board shop benefits from new techniques 88−57104
Powers, J. Fiber optics comes of age in telecom 85−35395
Powers, J. The use of X.25 NPSI at the University of London Computer Centre 87−76403
Powers, J., Shavit, Z., Biblarz, O., Miller, J.A. Variable focal length radiometer for particle sizing [combustion diagnostics application] 86−31660
Powers, J.E. *see* Gall, T.P. 85−28810
Powers, J.H. Automating electronics manufacturing 87−23328
Powers, J.H., Jr. Robotics applications in electronics manufacturing 85−39531
Powers, J.H., Jr. Automating electronics manufacturing 87−43951
Powers, J.K. *see* Bryan, D.A. 87−12182
Powers, J.K. *see* Henry, P.M. 87−38934
Powers, J.M. *see* Moffett, M.B. 86−70545
Powers, J.P. A fiber optic digital uplink for ocean-floor experimentation 85−37006
Powers, J.V. *see* Acosta, R.E. 86−21324
Powers, K.H. Future developments for enhanced television in DBS, cable, and other new media 85−3575
Powers, K.H. Techniques for increasing the picture quality of NTSC transmissions in direct satellite broadcasting 85−37215
Powers, K.H. A universal system for electronic film production 85−37273
Powers, L. Noise characteristics of US synchrotron radiation sources 87−29694
Powers, L. *see* Chance, B. 85−37982, 86−60491
Powers, L. *see* Sims, S. 88−26465
Powers, M.H. Resistance probes in the science laboratory. I. The thermistor thermometer 87−63373
Powers, M.H. Resistance probes in the science laboratory. II. Interfacing a light sensitive device 87−70647
Powers, M.H. Resistance probes in the science laboratory. III. A potpourri of probes 88−16430
Powers, M.P. The diazo phototool [quality control standards] 86−40563
Powers, R. *see* Davey, K. 87−43496, 87−58081

Powers, R.J. *see* Fisk, H.E. 86−31827
Powers, R.J. *see* Niemann, R.C. 85−37848, 85−59034, 87−70928, 88−45030
Powers, R.S. Broadcasting standards and the FCC 85−14395
Powers, R.S. The FCC's technical standards program and automotive electronics 85−63590
Powers, S. *see* Coleman, T. 85−11277
Powers, S.J., Sisle, M.E. Design criteria for hardware-in-the-loop simulation facilities 88−68705
Powers, T.B., Galucci, R.H.V. Capabilities of probabilistic risk assessments modeled on a microcomputer [nuclear safety] 85−53438
Powers, T.J. *see* Schoenbach, K.H. 88−57035
Powers, T.L. *see* Boza, L.B. 88−31478
Powers, V.M. *see* Kirkpatrick, D.C. 87−17037
Powers, W. *see* Blosser, H. 86−25296
Powers, W.B. Piezo film sensing devices 87−56674
Powers, W.D., Hartigan, A.M. The Defense Satellite Communications System 86−11031
Powers, W.E. Treatment planning−past shortfalls and future needs 85−38208
Powers, W.E. *see* Blosser, H.G. 85−64629
Powers, W.E. *see* Ragan, D.P. 85−43426
Powers, W.F. Discussion of 'Diesel electric locomotive propulsion systems−a look into the future' by M.J. Hapeman, et al 87−64875
Powers, W.J. *see* Booker, H.G. 86−36712
Powichroski, D., Patel, M. Understanding switchboard short-circuit ratings 86−51795
Powis, D. A 12-element Yagi for 430 MHz 85−30112
Powis, D. PW Meon 2 50 MHz transverter 86−69579
Powis, D., Jewell, S. PW Meon 50 MHz transverter 86−14448
Powis, D.S. The development of an advanced cordless telephone 88−28565
Powles, R.W. *see* Cerniglia, T.J. 85−44529
Pownall, J.A. Reduction of fire hazards due to cables fitted to warships 88−21893
Pownall, P. *see* Brglez, F. 85−40039, 86−62565
Pownall, P. *see* Hum, R. 86−44128
Powner, E.T. Networks for teaching and research 86−30438
Powrie, H.E.G. *see* Beet, S.W. 88−66351
Powshok, A. *see* Chang, R. 86−49541
Powsner, S., Wood, J., Prieto, P., Charleston, D., Feinstein, S. High speed interface for myocardial sonicated echocontrast studies 88−48125
Powter, E.J. Broadband networks and CATV in the United Kingdom 85−20360
Powter, E.J., Beckwith, R.C. LIVE-NET−an interactive switched video network for the University of London 88−46734
Powter, J. Initial experience with the British Telecom switched star system installed in Westminster 86−60042
Powter, J., Fox, J. The Westminster cable TV system 87−20720
Po"yachev, S.P. *see* Barkan, I.B. 88−8316
Poyarkov, A.M. *see* Lokhnin, V.V. 87−78608
Poyarkov, A.M. *see* Zubkov, A.S. 86−25999
Poyarkov, K.B. *see* Glazov, V.M. 85−1349
Poyarkov, Ya.B., Kontarev, V.Ya., Krylov, I.P., Sharvin, Yu.V. Observation of quantum oscillations of the magnetoresistance of multiply connected objects with a hopping conductivity 87−32276
Poyarkov, Ya.B. *see* Krylov, I.P. 85−23483
Poyatos, M. Industry faced with a new tariff system 87−35556
Poyedinchik, A.Ye. *see* Koshparenok, V.N. 88−38695
Poyedinchuk, A.E. *see* Koshparenok, V.N. 87−37517
Poyet, B. *see* Lentiez, G. 86−30298
Poyezd, A.D. *see* Afonin, A.M. 88−44518
Poyezdala, J. *see* Troyk, P.R. 86−44629, 88−48236, 88−61459
Poyhonen, P., Lahdelma, R. Multimodel reasoning in DX200 digital switching system diagnosis 87−69836
Poyhonen, P. *see* Tammela, S. 88−45073
Poynton, B. *see* Hope, W. 87−3143
Poyntz-Wright, L. *see* Fermann, M.E. 88−45547
Poyntz-Wright, L.J., Fermann, M.E., Russell, P.St.J. Non-linear transmission in germanosilicate fibres at blue/green wavelengths 88−58174
Poyntz-Wright, L.J., St. Russell, P. Photochromic dynamics and nonlinear transmission at modulated CW blue/green wavelengths in germanosilicate optical fibres 88−65183
Poyntz-Wright, L.J. *see* Bergot, M.-V. 88−65198
Poyser, T.D. MAP−manufacturing automation protocol, industrial local area networks for data communications based upon international standards 87−2935
Poyser, T.D., Yannucci, D.A., Templeton, J.B., Lenderking, B.N. Online monitoring of power transformers 85−32551
Poza, T. *see* Bernstein, J. 86−16257
Pozadzides, J. Paper and pencil help guide initial calculations in move to standard-cell ICs 86−53703
Pozar, D.M. Improved computational efficiency for the moment method solution of printed dipoles and patches 85−13319
Pozar, D.M. General relations for a phased array of printed antennas derived from infinite current sheets 85−46619
Pozar, D.M. Analysis of finite phased arrays of printed dipoles 86−22827
Pozar, D.M. A monolithic phased array architecture using an aperture coupled microstrip antenna 86−48697
Pozar, D.M. Finite phased arrays of rectangular microstrip patches 86−64052
Pozar, D.M. Phased arrays of printed antennas 86−64128
Pozar, D.M. A reciprocity method of analysis for printed slot and slot-coupled microstrip antennas 87−26923
Pozar, D.M. Antenna design using personal computers 87−26953
Pozar, D.M. Radiation and scattering from a microstrip patch on a uniaxial substrate 87−61455
Pozar, D.M. Five novel feeding techniques for microstrip antennas 88−2902
Pozar, D.M. New architectures for millimeter wave phased array antennas 88−34496
Pozar, D.M., Das, N.K., Das, B.N., Joshi, K.K. Comments, with reply, on 'Impedance of a radiating slot in the ground plane of a microstripline' 86−67455
Pozar, D.M., Jackson, R.W., Jr. An aperture coupled microstrip antenna with a proximity feed on a perpendicular substrate 87−61513
Pozar, D.M., Kang, Y.-W., Schaubert, D.H., McIntosh, R.E. Optimization of the transient radiation from a dipole array 85−24979
Pozar, D.M., Kaufman, B. Increasing the bandwidth of a microstrip antenna by proximity coupling 87−47331
Pozar, D.M., Kaufman, B. Comparison of three methods for the measurement of printed antenna efficiency 88−45752
Pozar, D.M., Sanchez, V. Magnetic tuning of a microstrip antenna on a ferrite substrate 88−58940
Pozar, D.M., Schaubert, D.H. Analysis of an infinite array of rectangular microstrip patches with idealized probe feeds 85−13177
Pozar, D.M., Schaubert, D.H. Analysis of infinite phased arrays of printed dipoles 85−13393
Pozar, D.M., Schaubert, D.H. Comparison of architectures for monolithic phased array antennas 86−54380
Pozar, D.M., Voda, S.M. A rigorous analysis of a microstripline fed patch antenna 88−40664
Pozar, D.M. *see* Buck, A.C. 86−29593
Pozar, D.M. *see* Das, N.K. 87−39420, 87−63494
Pozar, D.M. *see* Harackiewicz, F.J. 86−48649
Pozar, D.M. *see* Herd, J.S. 85−13391
Pozar, D.M. *see* Jackson, R.W. 86−10153, 86−10167
Pozar, D.M. *see* Janaswamy, R. 87−7610
Pozar, D.M. *see* Kang, Y. 87−26918
Pozar, D.M. *see* Kominami, M. 85−13352, 85−51480
Pozar, D.M. *see* Schaubert, D.H. 85−13239
Pozar, D.M. *see* Voda, S.M. 87−27045
Pozar, D.M. *see* Yoon-Won Kang 86−3642
Pozar, H. Inclusion of electric energy production from hydro, process-steam and solar power plants into the electric power system 85−38418
Pozar, H. Long term development of electric power generation in Yugoslavia by conventional power plants 87−42400
Pozarsky, A.B. *see* Derbenjova, T.A. 87−328
Pozarsky, B.G. *see* Batjunja, L.P. 87−327
Pozas, J. *see* Meneses, J. 85−14721
Pozdeev, A.D., Afanas'ev, A.A., Korolev, E.G., Makarov, V.A., Nesterin, V.A., Selivanov, N.M., Noskov, V.A. A permanent-magnet synchronous motor for electric drives of metal-working machine tools 85−48952
Pozdeev, A.D., Al'tschuller, M.I., Afanas'ev, A.A., Gorchakov, V.V., Makarov, V.A., Nesterin, V.A., Sushentsov, A.A., Nikiforov, V., Saevich, V.L. Permanent magnet thyratron motor with a direct frequency converter 88−69313
Pozdeev, A.D., Ivanov, A.G., Ushakov, I.I. Symistor direct-current electric drives: problems and design principles 86−45732
Pozdeev, A.D. *see* Kiryushin, Yu.S. 85−44354
Pozdeev, D.A. On the synthesis of DC thyristor-controlled drives with a flexible mechanical coupling 86−56975
Pozdeev, D.A. *see* Sirotin, A.A. 86−51941, 87−9965, 87−22424
Pozdeev, O.D. Influence exerted by nonlinearities in components of magnetic-suspension control system on stability of equilibrium state in pendulum gyro compass 85−46542
Pozdeev, O.D. Evaluating hysteresis forces and moments acting on ferromagnetic ball in field of axisymmetrical magnetic suspension 87−61334
Pozdeev, O.D. *see* Voronkov, V.S. 87−47117
Pozdeev, V.A. *see* Vovchenko, A.I. 85−55991
Pozdeev, Yu.L. *see* Boiko, B.T. 86−21285, 86−58336
Pozdeyev, V.N. *see* Zatsepina, L.P. 88−15578
Pozdneev, S.A. *see* Basov, N.G. 88−33936 to 33937
Pozdniakov, V.K. A device interfacing the K2-35 TV signal parameter meter with the MPU16-3 small-size digital printer 87−34800
Pozdnov, V.I., Pokrovskii, S.V., Mareev, V.E. Control system for electron beam of axial electron-beam gun 85−40391
Pozdnov, V.I. *see* Batrak, I.K. 85−1220
Pozdnyakov, A.E. *see* Buzhinskii, I.M. 87−25913
Pozdnyakov, S.G. *see* Korneev, A.A. 86−68026
Pozdnyakov, Yu.V. Development and study of method and means of temperature measurement with self-calibration of measurement channel 88−22829
Poze, D. *see* Golutvin, I.A. 88−16656
Pozefsky, D.P. *see* Baratz, A.E. 85−52047, 86−37571
Pozefsky, M., Rafalow, L.M., Gray, J.P. A perspective on mixed system networking 86−37570
Pozela, J., Juciene, V. Ultra-high-speed transistors 86−21523
Pozela, J., Tamasevicius, A., Ulbikas, J. Quantitative characterization of chaotic current oscillations in GaAs:Cr 88−39072
Pozela, J. *see* Asmontas, S. 88−39070
Pozela, J. *see* Bareikis, V. 87−24469, 88−32873
Pozela, J. *see* Bumeliene, S. 86−41518
Pozela, J. *see* Gruzinskis, V. 88−33183, 88−39097, 88−71488
Pozela, J.K., Starikov, E.V., Shiktorov, P.N. Hole population inversion in p-type germanium in crossed electric and magnetic fields 85−40430
Pozela, K. *see* Knishevskaya, L. 87−73598
Pozela, K. *see* Laurinavicius, A. 85−46598, 88−58919
Pozer, D.M. Microstrip antenna aperture-coupled to a microstripline 85−19246
Pozer, D.M. *see* Schaubert, D.H. 87−47405
Pozesky, M.T., Koslow, S. FAA telecommunications 85−31970
Pozhar, V.E. *see* Ananev, E.G. 88−13970
Pozharnov, B.A. *see* Akhmedov, R.B. 86−25960
Pozharnov, V.A. *see* Akhmedov, R.B. 86−19161, 86−19524, 86−51524, 86−66367, 87−51089
Pozharov, I.I. *see* Goryashko, A.P. 86−38217
Pozhdeyev, V.S. *see* Kuznetsov, P.G. 86−36960
Pozhela, Yu.K., Starikov, E.V., Shiktorov, P.N. Transverse negative differential mobility due to the negative mass of ballistically moving heavy holes 86−27843
Pozhela, Yu.K., Starikov, E.V., Shiktorov, P.N. Saturation of the gain in direct optical transitions in the valence band of germanium 88−2197
Pozhela, Yu.K. *see* Bartashevich, Z.N. 87−60152
Pozhela, Yu.K. *see* Vorob'ev, L.E. 86−21091
Pozhera, R. *see* Mazheika, R. 87−7201
Pozhera, R.Yu., Tolutis, R.B., Ebersonas, T.S. Contactless measurement of carrier mobility and concentration in semiconductors 87−21202
Pozhidaev, E.D. *see* Abramov, V.N. 86−35353
Pozhidaev, E.D. *see* Troshina, G.S. 87−1404
Pozhidaev, V.M., Omel'chenko, V.V., Shupruta, V.V. Sensor detecting rotational frequency of high-precision contact-free DC electrical drives 85−8804
Pozhidaev, V.M., Omel'chenko, V.V., Shupruta, V.V., Putnikov, V.V., Uvarov, V.B., Petrov, E.A. Device regulating rotational frequency of contactless DC electric motor 86−40029
Pozhidayev, S.Z. *see* Alimov, V.A. 86−37771
Pozhidayev, V.N. *see* Trukhanova, L.P. 88−21952
Pozhidayev, V.N. *see* Yermakov, V.B. 86−49523
Pozhidayev, V.N. *see* Zakharyan, M.V. 88−27519
Pozin, M.B., Grigoryan, M.O. Control of a staircase sinusoidal voltage with a minimum nonlinear distortion 88−43267
Pozin, M.B. *see* Grigoryan, M.O. 86−27073
Pozniak, T. Three-phase solid state contactor with switching phase control 87−22338
Pozniak, T. *see* Duszczyk, K. 87−4812
Poznyak, R.I. *see* Vinogradov, S.V. 88−34099
Poznyak, S.K., Kulak, A.I. Photoinduced processes in the n^+-n-Si-Bi_2O_3-electrolyte system 86−14973
Poznyanskiy, A.Yu. Automatic evaluation of tests of radiotelephone equipment 86−37702
Poznyanskiy, A.Yu. Selection of generalized indices for solution of a multicriterial optimization problem by means of a correlation matrix [radar stations] 88−4072
Pozo, F.del *see* del Pozo, F.
Pozo, M.del *see* del Pozo, M.
Pozo Quintero, A.del *see* del Pozo Quintero, A.
Pozolotin, V.A. *see* Germogenov, V.P. 86−26826
Pozolotin, V.A. *see* Vyatkin, A.P. 86−53385
Pozrarsky, B.G. *see* Derbenjova, T.A. 87−328
Pozsgai, I. *see* Lendvay, E. 86−7729, 86−7791
Pozueta, M.A.R., Feito, J.S. Finite-element analysis of linear induction motors with slotted stator 87−15803
Pozueta, M.A.Rodriguez *see* Rodriguez Pozueta, M.A.
Pozza, D. *see* Irrera, F. 88−65837
Pozzana, S. *see* Bittleson, R. 86−16742
Pozzana, S. *see* Bittleston, R. 86−10835
Pozzana, S. *see* Blumann, W. 87−20279

Pozzato, G. *see* Galloni, R. 88−18045
Pozzetto, D. *see* Benedetti, P. 86−7320 to 7322
Pozzi, D. *see* Bigi, F. 86−49589
Pozzi, G. *see* Frabboni, S. 86−14909
Pozzi, L. *see* Masilamani, V. 85−41350
Pozzi, M. *see* Bonati, P. 88−59466
Pozzo, A. *see* Baglin, C. 85−26605
Pozzo, G. *see* Braccini, C. 87−33772
Pozzolo, V. *see* Bava, G.P. 86−28347
Praag, P.M.Van *see* Van Praag, P.M.
Prabakaran, A.M. *see* Pitt, G.D. 85−62343
Prabhakar, A., McGill, T.C. Thermally induced transition metal contamination of silicide Schottky barriers on silicon 85−29036
Prabhakar, A. *see* Ajit, C.N. 86−651
Prabhakar, A. *see* Kumar, A.V. 87−60533
Prabhakar, A. *see* Singh, S.P. 88−19225
Prabhakar, B.R. *see* Mugeraya, S. 86−36647, 86−42778
Prabhakar, B.R. *see* Sokar, S.K. 86−42779
Prabhakar, P.D.R. *see* Deshpande, M.D. 87−61514
Prabhakar, V. *see* Hobbes, P. 86−33021
Prabhakar Rao, P., Srinivasan, S. New design for an 82720-based colour graphics generator 87−3439
Prabhakara, F.S. General overview of interconnected electrical power system planning and operating practices in the US 88−68850
Prabhakara Rao, C.V.K., Dewilde, P. On the convergence of Levinson-type tone detectors 85−19478
Prabhakara Rao, C.V.K., Dewilde, P. On lossless transfer functions and orthogonal realizations 87−59054
Prabhakara Rao, C.V.K. *see* Dewilde, P. 85−17704
Prabhakara Rao, K.V.R. *see* Arora, C.P. 85−31138
Prabhakaran, N., Palaniswami, M. A semantical database for analysis and control of power systems 86−38995
Prabhakaran, R., Naik, R.A. A fiber-optic technique for the measurement of contact angle in a clearance-fit pin-loaded hole 87−63514
Prabhakaran, U. *see* Lakshmeesha, V.K. 87−17325
Prabhaker, A. *see* Singh, S.P. 88−63757
Prabhashanker, V. *see* Narayanachar, M.N. 88−26615
Prabhashanker, V. *see* Prathap, B. 88−26582
Prabhashanker, V. *see* Sen, I. 88−26581
Prabhu, A.N. *see* Hang, K.W. 88−64130
Prabhu, A.V., Aatre, V.K., Soumini, T., Karipel, S.A. Frequency zooming techniques for high resolution spectrum analysis 86−36993
Prabhu, B.S. *see* Santhanakrishnan, G. 87−72158
Prabhu, D.K., Tannehill, J.C. Numerical solution of space shuttle orbiter flowfield including real-gas effects 87−4069
Prabhu, G.M., Deo, N. On the power of a perturbation for testing non-isomorphism of graphs 85−10596
Prabhu, K.A. A predictor switching scheme for DPCM coding of video signals 85−36351
Prabhu, K.M.M. A set of sum-cosine window functions 86−3868
Prabhu, K.M.M. Optimum binary windows for discrete Fourier transform 86−16378
Prabhu, K.M.M. Generalized families of windows for use in signal processing 87−69162
Prabhu, K.M.M., Renganathan, H. Optimum binary windows for discrete Fourier transforms 86−37024
Prabhu, K.M.M., Shenoy, R.D. Some results on time and lag weighting for spectral estimation 87−62057
Prabhu, K.M.M. *see* Prakash, K.V.S. 87−63030
Prabhu, K.M.M. *see* Renganathan, H. 85−44674
Prabhu, K.M.M. *see* Venkateswaran, N. 86−14173
Prabhu, M.S.S. *see* Prakash, B.G. 85−48373
Prabhu, N.U. A bibliography of books and survey papers on queueing systems: theory and applications 88−31598
Prabhu, R.P., Drew, J.H., Wallent, T.S. Subscriber loop impulse noise measurements and calibration 86−30477
Prabhu, R.P., Drew, J.H., Wallent, T.S. Subscriber loop noise measurements and calibration 87−69759
Prabhu, R.P. *see* Bollen, R.E. 85−57812
Prabhu, R.P. *see* Modestino, J.W. 85−42333, 87−12873
Prabhu, S.S. *see* Anjaneyulu, P.B. 86−6783
Prabhu, S.S. *see* Bandyopadhayay, G. 88−68764
Prabhu, S.S. *see* Namburi, N.R. 86−45426
Prabhu, S.S. *see* Prasad, E.S.N. 85−44217
Prabhu, S.S. *see* Raja Rao, A.S. 88−30076
Prabhu, V.K. Communication efficiency of digital QAM under multipath fading conditions 85−14124
Prabhu, V.K. *see* Kostal, H. 88−3834
Prabhu, V.K. *see* Pagones, M.J. 86−55174
Prabhu, V.K. *see* Steele, R. 85−58003
Prabhu Desai, R.Y. *see* de Sa, E.S. 87−34503
Prabhugaonkar, V.B. *see* Syunry, T.S. 86−53301
Praca, R. *see* Fonroget, J. 88−54537
Prachownik, A.W., Neumann, I. Process control technique in industrial power systems 86−12270
Pracht, B.R., Bowyer, K.W. Adaptations of run-length encoding for image data 87−55362
Pracser, E. *see* Kakas, K. 86−38938
Prada, K.E. Real time ambient noise spectra acquisition and display 86−60971
Prada, K.E., Koelsch, D., Witzell, W., Singer, R. An Arctic Remote Autonomous Measurement Platform 88−48337
Prada, R.B. Swing busbar reactive power generation constraints in power flow calculations 86−50781
Prada, R.B., Nascimento, E., Muller, N. An algorithm for alleviating transmission branch overloads using a linear formulation 87−78017
Prada, R.B., Palmeira, P.F.M. Solution of DC multiterminal networks embedded in AC electric power systems 85−27031
Prada, R.B. *see* Leite da Silva, A.M. 86−6242
Pradal, T., Maerfeld, C. A specific absorbing acoustic lens to reduce artifacts in tissue characterization 87−71114
Prade, B. *see* Andre, Y.-B. 87−25918
Prade, B. *see* Lamouroux, B. 85−46153, 86−63667, 88−26787, 88−51433
Prade, B.S. *see* Boyer, G.R. 87−75063
Prade, G. Modular system software — the key to easy handling of SIMADYN D [for electric drives] 87−16091
Prade, H. *see* Buisson, J.-C. 86−30335
Prade, H. *see* Dubois, D. 87−13161, 88−8638, 88−11848
Prade, N.La *see* La Prade, N.
Pradeep, B. *see* George, J. 86−1760, 87−5463
Pradeep Kumar, P., Rai, J. Design and fabrication of electric field sensors for the measurement of lightning parameters 85−64734
Pradeep Sindhu *see* Barth, R. 88−44859
Pradel, W., Ziobro, A., Kaczmarek, R., Kozlowski, P. Construction and parameters of hybrid system of a preamplifier for electretic microphone 87−41270
Pradere, F. *see* Chiquier, J.-M. 86−22436
Pradere, F. *see* de Rougemont, F. 85−7536, 85−51276, 85−56809, 86−15781
Pradere, G. *see* Segarra, G. 85−13757
Prades, J. The technology of RMS measurements of complex waveforms 87−21187
Prades Parcerisa, J.M. Analogue/digital converters 88−6946
Prades Parcerisa, J.Ma. An introduction to logic analysis 88−50078
Pradhan, A. *see* Alfano, R.R. 88−8366
Pradhan, A.S. Influence of various parameters on photon-energy response of TLDs and their impact on radiation dosimetry 86−11838
Pradhan, A.S. Fast-neutron response of sensitized LiF TLD-700 88−22974
Pradhan, A.S., Rassow, J. Radiation induced thermoluminescence in CaF$_2$:Tm detectors 87−38914
Pradhan, B.D. *see* Pai, K.N. 86−51869
Pradhan, D. *see* Jarwala, N. 88−19151
Pradhan, D.H. Fault-tolerant multiprocessor and VLSI-based system communication architectures 86−69442
Pradhan, D.K. *see* Jarwala, N. 87−66196
Pradhan, D.K. *see* Koren, I. 86−2340, 86−62627, 87−38357, 87−60601, 88−57734
Pradhan, D.K. *see* Meyer, F.J. 87−69426
Pradhan, D.K. *see* Samatham, M.R. 85−17485
Pradhan, D.K. *(editor)* Fault-tolerant computing. Theory and techniques 86−66534
Pradhan, M.M., Garg, R.K., Arora, M. Pyroelectric detector-modulator and remote transmission 87−3609
Pradhan, M.M., Garg, R.K., Arora, M. Study of valence band structure of silicon by FTIR at liquid helium temperatures 88−25876
Pradhan, M.M., Tulloss, R.E., Bleeker, H., Beenker, F.P.M. Developing a standard for boundary scan implementation 88−24535
Pradhan, N.K. *see* Mitra, S. 88−55028
Pradhan, S., Raol, K., Gupta, A., Roenker, K.P. Positive charge generation and electron trapping in oxide and nitrided oxide gate dielectrics 87−60261
Pradhan, S. *see* Gupta, A. 87−60511
Pradinas, L. *see* Garcia-Echave, V. 86−50900
Prado, B. *see* Marraud, A. 87−62189
Prado, H.V., Jr. *see* Vieira F, X. 86−50882
Prado, J. Fast discrete Hartley transform 86−13710
Prado, J. Comments on 'The fast Hartley transform' by R.N. Bracewell 86−26790
Prado, J., Alcantara, R. A fast square-rooting algorithm using a digital signal processor 87−37353
Prado, J. *see* Alcantara, R. 87−47842
Prado, J. *see* Duhamel, P. 88−70290
Prado, J. *see* Simon, B. 88−20067
Pradon, D. Energy economy: a novel type of cooling system, SCAM 85−27187
Praeg, W. An all solid state high voltage power supply for neutral beam sources 85−49033
Praeg, W., McGhee, D. Power supplies for the ring magnets of the synchrotron X-ray source at ANL 88−55493
Praeg, W. *see* McGhee, D. 86−26139
Praeg, W.F. A multi-function ring magnet power supply for rapid-cycling synchrotrons 86−26140
Praeg, W.F. Detailed design of a 13 kA 13 kV DC solid-state turn-off switch [fusion reactor pulsed power supplies] 86−45577
Praeg, W.F., Thompson, K.M., Kim, S.H. Ring magnets for the synchrotron X-ray source at ANL 88−54287
Praeg, W.F. *see* Colton, E.P. 85−20768
Praeg, W.F. *see* Foss, M.H. 85−26654
Praeg, W.G. *see* Turner, L.R. 86−42691
Praehauser, Th. *see* Burton, P. 86−51720
Prael, R.E. *see* Gilmore, J.S. 86−5758
Praet, A., Vercruysse, G., Gomes, W.P., Divigalpitiya, W.M.R., Morrison, S.R. The effect of surface damage on photoelectrochemical and metal-insulator-semiconductor silicon solar cells 87−9737
Prag, M. Which parameters of circulation can be made visible by electronic oscillography? 85−4256
Pragai, G. Development problems of a compact multi-purpose power supply system 88−61784
Pragai, G. *see* Nemeth, G. 87−30766
Prager, B.T. *see* Narod, B.B. 88−54747
Prager, D. *see* McClure, M.D. 87−59438
Prager, E. Synchronization of subscriber telephone networks with digital transmission 86−4181
Prager, E. Optical switching elements−the switching technology perspectives 86−4677
Prager, E. Implementation of integrated systems and networks of the Ericsson firms 86−17156
Prager, E. Telephone set with built-in answer facilities based on voice digitisation 86−59702
Prager, E. Remote videoconferencing 87−13997
Prager, L. *see* Mackens, U. 85−6760
Prager, P., Neumann, D., Geiger, K., Jaschke, W., Diezler, P., Brundin, K. Supine chest radiography with a mobile X-ray unit: comparison between low-kV and high kV technique 85−38080
Prager, R.W., Harrison, T.D., Fallside, F. Boltzmann machines for speech recognition 87−39678
Pragnell, R.F. *see* Poulter, K.F. 87−8780
Prahl, S.A. *see* Patel, P.A. 88−36425
Prahl, W. Interior lighting of workplaces with display 87−64961
Prahlad, T.S. Some aerodynamic problems of satellite launch vehicles 88−30066
Prahlad, T.S. A profile of aerodynamic research in VSSC with application to satellite launch vehicles 88−74909
Prahlad, V.N., Robert, R. Cast resin dry type transformers as a definite cost effective alternative combined with reliability for conventional oil filled transformers 85−16076
Prahova, B.I.Petrescu *see* Petrescu Prahova, B.I.
Praitano, S. *see* Chiappori, A. 88−42945
Prajuntaboribal, K., Chaikum, N. Photogalvanic effect in the riboflavin-diethanolamine system 87−38910
Prajzner, A. *see* Kirczuk, C. 87−36791
Prajzner, A. *see* Markowski, J. 86−40764
Prak, J.W.L. High performance technology circuits and packaging for the 80386 87−44914
Prak, J.W.L. *see* Keating, T.J. 86−14241, 86−52856
Prakasa Rao, K.S. *see* Nath, R. 85−59603
Prakasa Rao, K.S. *see* Ponnavaikko, M. 88−23404
Prakasa Rao, K.S. *see* Srinivasan, N. 85−9415, 85−43525, 85−59607, 87−35564
Prakasarao, A.S. *see* Ramachandran, P. 85−26838
Prakasarao, K.S. *see* Srinivasan, N. 85−32098
Prakash, A. Beam dynamics in high-current recirculating accelerators with stellarator/torsatron fields 88−54021
Prakash, A., Marsh, S.J., Dialetis, D., Agritellis, C., Sprangle, P., Kapetanakos, C.A. Recent REBATRON studies 86−24921
Prakash, A. *see* Chen, Y. 87−34189
Prakash, A. *see* Kapentanakos, C.A. 86−70291
Prakash, A.L.Satya *see* Satya Prakash, A.L.
Prakash, B.G., Prabhu, M.S.S. Application of component-mode synthesis to the structure of the Indian Remote-Sensing Satellite 85−48373
Prakash, D. *see* Oruc, A.Y. 85−11192
Prakash, G. *see* Swaroop, G. 88−37315
Prakash, H. Characterization and kinetics of Al$_x$Ga$_{1-x}$As by organometallic-CVD 87−16681
Prakash, H. MOCVD Al$_x$Ga$_{1-x}$As solar cells 87−22745
Prakash, K.V.S., Prabhu, K.M.M., Srinivasan, V. Simulation and evaluation of an experimental radar clutter model 87−63030
Prakash, M.N., Morton, C.H. A virtual circuit throughput model for X.25 packet switching services 86−16995
Prakash, M.N., Morton, C.H. Combining nonlinear distortion measures for voiceband networks 87−33462
Prakash, M.V.Lakshmi *see* Lakshmi Prakash, M.V.
Prakash, O. Trends in the technology of micron-range varactor diodes 85−6891

Prakash, O. Choice of capacitors for improvement of power factor of industries 87−43669
Prakash, O. *see* Das, S.R. 88−43478
Prakash, P. Human comforts−telecom building 88−31436
Prakash, R. Non-destructive evaluation of fibre composites 87−10522
Prakash, R., Newman, A.L., Giles, G.R., McCoy, R.D. Video processing in an optical tracking system 86−4004
Prakash, R., Rao, S.V., Kern, F.J. Robust control of a CSI-fed induction motor drive system 87−43521
Prakash, R., Rao, S.V., Kern, F.J. Robust control of a CSI-fed induction motor drive system 87−78985
Prakash, R., Sharaf, A.M., Balasubramanian, R., Luke, D.M. Design and implementation of a digital optimal controller for a current source inverter fed induction motor drive system 87−22820
Prakash, R. *see* Srivastava, V.K. 86−7865
Prakash, S. FETEX-100L system outline 88−35291
Prakash, S. National level Fetex-100L hardware repair facility at ALTTC 88−35292
Prakash, S. Facilities for operation and maintenance (Fetex 100L) 88−35296
Prakash, S., Budhani, R.C., Bunshah, R.F. Development of thin film temperature sensors for high performance turbo-jet engines 88−35938
Prakash, S. *see* Budhani, R.C. 87−29068
Prakash, S.G., Kumar, K. Radiation controlled electroluminescence studies in ZnO phosphors under joint action of electric field and UV radiation 85−35622
Prakash, S.K.L.V.Sai *see* Sai Prakash, S.K.L.V.
Prakash, V., Koul, R., Tripathi, K.C., Choudhary, S.S., Karnal, A. Versatile timer controls firing angle for voltage stabilisation 86−34528
Prakash, V., Tewari, C.R. Effect of manganese on the magnetic properties of Co-14% Al alloys 85−24062
Prakash, V. *see* Karnal, A. 87−44673
Prakash, V. *see* Roberts, J. 88−29590
Prakash, V.P. *see* Prasad, V.C. 88−31970
Prakash, V.Prem *see* Prem Prakash, V.
Prakash Om *see* Om Prakash
Prakash singh, V., Saha, S.K. Linear sinusoidal VCO 88−63563
Prakelt, H. *see* Schmidt, F. 86−49828
Prakhovnik, A.V., Abramov, V.A., Gudymenko, S.V., Kudovbenko, K.P., Popovich, I.N., Kholyavenko, V.G., Antonov, V.A. A microcomputer-based automatic control system for plant power consumption 85−27872
Prakhovnik, A.V., Banik, O.A. A data base model for analysis, scheduling and normalising of power consumption 86−7314
Prakhovnik, A.V., Kalinchik, V.P., Ekel', P.Ya. The electricity-demand equation under conditions of energy shortage 87−15182
Prakhovnik, A.V., Makov, D.K., Kudovbenko, K.P. General-purpose voltage converter [measurement convertor and voltage transducer] 86−56507
Prakhovnik, A.V. *see* Sklyarov, V.F. 87−4240
Pralas, J., Kalic, D. Simulation of electric resistance furnace operation by means of numerical modelling: possibilities and limitations 87−79207
Prall, K., Kinney, W.I., Macro, J. Characterization and suppression of drain coupling in submicrometer EPROM cells 88−25184
Pralus, Y. *see* Cohen-Tenoudji, F. 85−6083
Pramanick, P., Bhartia, P. Design of image guide-microstrip line couplers 85−6496
Pramanick, P., Bhartia, P. Analysis and synthesis of tapered finlines 85−17774
Pramanick, P., Bhartia, P. Closed-form equations for suspended microstrip circuit on quartz substrate 85−23135
Pramanick, P., Bhartia, P. Accurate analysis and synthesis equations for insulated fin-lines 85−24890
Pramanick, P., Bhartia, P. Accurate analysis equations and synthesis technique for unilateral finlines 85−24905
Pramanick, P., Bhartia, P. Analysis and synthesis of suspended and inverted microstrip lines 86−1338
Pramanick, P., Bhartia, P. CAD models for millimeter-wave suspended substrate microstrip lines and fin-lines 86−8506
Pramanick, P., Bhartia, P. Simple formulae for dispersion in bilateral fin-lines 86−15994
Pramanick, P., Bhartia, P. Computer-aided design models for millimeter-wave finlines and suspended-substrate microstrip lines 86−29517
Pramanick, P., Bhartia, P. Frequency dependence of equivalent dielectric constant in finlines 86−42907
Pramanick, P., Bhartia, P. Modeling of the apparent characteristic impedance of finned-waveguide and finlines 87−7576
Pramanick, P., Bhartia, P. A new model for the apparent characteristic impedance of finned waveguide and finlines 87−19246
Pramanick, P., Bhartia, P. A fin-line dispersion model 87−26912
Pramanick, P., Bhartia, P. Design tapered finlines using a calculator 87−68838
Pramanick, P., Bhartia, P. A generalized theory of tapered transmission line matching transformers and asymmetric 180° couplers supporting non-TEM modes 87−73632
Pramanick, P., Mansour, R.R., MacPhie, R.H. Computer aided design models for unilateral finlines with finite metallization thickness and arbitrarily located slot widths 87−75508
Pramanick, P. *see* Bhartia, P. 85−7691, 88−25362
Pramanick, P. *see* Piotrowski, J.K. 87−17297
Pramanik, A. *see* Prem Kumar, C. 87−26626
Pramanik, D., Deal, M., Saxena, A.N., Wu, O.K.T. Formation of titanium silicide by rapid thermal annealing 86−2392
Pramanik, D., Saxena, A.N. MeV implantation for VLSI 85−55669
Pramanik, D., Saxena, A.N. Programming of ROMs after metal definition using MeV ion implantation 87−52584
Pramanik, D., Saxena, A.N. Measurement of temperature profiles across single wafers in rapid thermal annealers 87−53336
Pramanik, D. *see* Deal, M.D. 86−28528
Pramanik, D. *see* Lie, L. 86−28046
Pramanik, D. *see* Saxena, A.N. 85−23721, 87−1686, 87−18245
Pramanik, D. *see* Tanielian, M. 85−45586, 85−61761
Pramanik, P., Basu, P.K., Biswas, S. Preparation and characterization of chemically deposited tin(II) sulphide thin films 87−65544
Pramanik, P., Bhattacharya, S., Basu, P.K. A solution growth technique for the deposition of cobalt selenide thin film 87−58954
Pramanik, P., Biswas, S. Deposition of zinc selenide thin films by solution growth technique 86−62239
Pramanik, P. *see* Basu, P.K. 87−16653
Pramanik, P. *see* Biswas, S. 86−34351 to 34352
Pramanik, P. *see* Mondal, A. 85−10782
Pramanik, P.K. *see* Pal, S.K. 87−2589
Pramatarov, P. *see* Stefanova, M. 86−29073, 87−33118
Pramatarov, V.S. *see* Antonov, R. 85−6888
Pramatarova, L.D., Baeva, M.B., Yordanova, I.M. Chemical and LP-etching of gallium antimonide substrates 86−15038
Pramatarova, L.D., Savova, E.B., Minchev, G.M., Mihailov, M.G. Preparation of GaAs substrates for MBE 88−44659
Pranaitis, R. *see* Kietis, B.-P. 86−58821
Prance, H., Prance, R.J., Spiller, T.P., Mutton, J.E., Clark, T.C., Nest, R. Charge band behaviour in a superconducting weak link driven by a normal Faraday law voltage source 86−2634
Prance, H., Spiller, T.P., Mutton, J.E., Prance, R.J., Clark, T.D., Nest, R. Quantum mechanical flux band dynamics of a superconducting weak link constriction ring 86−42171
Prance, H. *see* Prance, R.J. 85−24240, 86−31555, 86−63596
Prance, R.J., Clark, T.D., Mutton, J.E., Prance, H., Spiller, T.P. Macroscopic quantum mechanical circuits in electromagnetic measurements 86−31555
Prance, R.J., Clark, T.D., Mutton, J.E., Prance, H., Spiller, T.P., Nest, R. Localisation of pair charge states in a superconducting weak link constriction ring 85−24240
Prance, R.J., Prance, H., Clark, T.D., Mutton, J.E., Spiller, T.P., Nest, R. Measurement of the electron pair transfer frequency in a superconducting weak line device 86−63596
Prance, R.J. *see* Prance, H. 86−2634, 86−42171
Pranchov, R.B., Campbell, D.S. Stability observations and surface analysis of air fired nickel thick film conductors 85−50120
Prandl, W. *see* Hohlwein, D. 85−15232
Prandle, D. The fine-structure of nearshore tidal and residual circulations revealed by H.F. radar surface current measurements 87−71381
Prandle, D., Ryder, D.K. Measurement of surface currents in Liverpool Bay by high-frequency radar 85−43486
Prandoni, W. *see* Di Caprio, U. 88−37192
Prandoni, W. *see* Maffezzoni, C. 87−71968
Pranevicius, L. *see* Dudenis, J. 86−41658
Pranevicius, L. *see* Giedrys, T. 85−34463
Pranevicius, L.J., Vosylius, J.J., Zilinskas, E.V., Rekasius, V.L., Petrauskas, G.B. Phenomenological model of plasmochemical etching of silicon 86−35597
Pranevitchius, H. Automatic construction of numerical models for systems represented by Markovian Processes 86−26703
Prang, J., Gambino, K. Lay out boards correctly with rule-driven design 87−73876
Prang, J. *see* Gambino, K. 87−11149, 88−71177
Prang, J.A. Board level physical design for testability 87−24551
Prang, J.A. Expert router meets design rule and completion requirements 88−12747
Prang, N., Schutz, M. An active low-pass filter with distributed RC elements based on thin-film technology 85−28635
Prange, H. *see* Blasche, K. 86−24902
Prange, M.D. *see* Matarese, J.R. 88−10536
Prange, T.W., Soule, G.B. Series capacitor SF$_6$ bypass interrupter 87−71671
Prangishvili, I.V. *see* Veselovskii, G.G. 85−29479
Pranke, J.B. *see* Hecht, J.H. 86−32545
Pranovich, V.I. Dynamic analog memories for time-interval-flow analysis 88−29663
Prantl, G. *see* Martens, H. 87−50992
Prantskunas, A.M. *see* Tass, O.A. 86−25858
Pranyavichus, L. *see* Bernotas, G. 85−34845
Pranyavichus, L.I. *see* Tamulevichus, S.I. 87−45624
Pranyavichyus, G.I., Gorelik, Ya.E., Gurevich, I.M., Bogolepova, R.V. Simulation of data networks based on the aggregate approach 87−28028
Prapas, D.E., Norton, B., Probert, S.D. Sensor system for aligning a single-axis tracker with direct solar insolation 87−16056
Pras, A. TWENTENET for industrial applications 88−41363
Prasad, A.N. *see* Jones, G.R. 87−22654
Prasad, A.N. *see* Lewis, E. 86−26219
Prasad, A.N. *see* Parr, D.T. 88−16172
Prasad, A.R., Ziogas, P.D., Manias, S. A comparative evaluation of VSF and CSF SMR converters 88−55508
Prasad, A.R., Ziogas, P.D., Manias, S. A comparative evaluation of SMR converters with and without active input current waveshaping 88−75722
Prasad, A.R., Ziogas, P.D., Manias, S., Olivier, G. A higher frequency offline SMR converter with improved performance characteristics 88−30897
Prasad, A.R. *see* Manias, S. 87−64692, 87−73303, 88−69593
Prasad, A.R. *see* Venkateswarlu, P. 86−51705
Prasad, B., Babu, B.N.S. EMP effects on the performance of a direct sequence spread-spectrum communication system 85−20015
Prasad, B., Ravindra, N.M. Minority-carrier lifetime in polycrystalline semiconductors−some analytical considerations 86−27829
Prasad, B. *see* Agarwal, A. 86−6999
Prasad, B. *see* Jain, R.K. 88−37117
Prasad, C., Sundriyal, R.R., Verma, V.K. Studies in environmental geomorphology of Dudhatoli Ridge Garhwal, Himalaya, India 85−64727
Prasad, C. *see* Hamilton, G. 85−11825
Prasad, C.R., Nirmala, K.A., Venkatesh, P. Measurement of sensitivities for the thermal recording of laser beams 86−22574
Prasad, C.R. *see* Sood, R.K. 87−46449, 87−50382
Prasad, D.K.Guru *see* Guru Prasad, D.K.
Prasad, E.S. *see* Mukherjee, B.K. 88−57841
Prasad, E.S.N., Dubey, G.K., Prabhu, S.S. High-performance DC motor drive with phase-locked loop regulation 85−44217
Prasad, E.V. *see* Rai, S. 87−2910 to 2911
Prasad, G., Rao, N.N., Srivastava, O.N. Growth, structural characteristics and photoelectrochemical behaviour of tungsten diselenide (WSe$_2$) single crystals 87−16557
Prasad, G., Srivastava, O.N. The high-efficiency (17.1%) WSe$_2$ photo-electrochemical solar cell 88−62559
Prasad, G.D., Hanmandlu, M., Saha, T.K. Real-time decoupled equivalent models for static security analysis [power systems] 87−4210
Prasad, G.Durga *see* Durga Prasad, G.
Prasad, G.E. *see* Murthy, K.B.S. 85−37937
Prasad, G.S.V.V.S. *see* Raja, N.S. 85−25562
Prasad, G.V. *see* Chandra Mouly, M.C. 86−11042
Prasad, J. *see* Rao, P.N.A.P. 85−62835
Prasad, J.J.B., Krishna Rao, D., Sobhanadri, J. Studies on *n*-CdTe/*p*-CuInSe$_2$ heterojunctions 86−41577
Prasad, J.J.B., Krishna Rao, D., Sridevi, D., Majhi, J., Reddy, K.V., Sobhanadri, J. Characteristics of *n*-CuInSe$_2$/Au Schottky diodes 86−15125
Prasad, J.J.B. *see* Rao, D.K. 86−47520
Prasad, J.J.B. *see* Sridevi, D. 87−299
Prasad, K. Design of 'TRANSNET'−a special local area network 87−28188
Prasad, K., Singhal, A. Simulation of ethernet performance based on single server and single queue model 88−15167
Prasad, K. *see* Curtins, H. 88−37493, 88−56311
Prasad, K. *see* Eranna, G. 85−50398
Prasad, K. *see* Gupta, M.M. 85−31858
Prasad, K. *see* Kushwaha, R.K. 86−56163
Prasad, K. *see* Ling, C.H. 86−21402, 87−16674
Prasad, K. *see* Meglicki, Z. 88−44739, 88−50795
Prasad, K. *see* Murthi, K.H. 86−56161
Prasad, K.M., Shafai, L. Performance of offset prime focus reflectors as a function of feed orientation 87−61459
Prasad, K.M., Shafai, L. Higher order mode excitation in circular loop and annular slot antennas 88−2778
Prasad, K.M., Shafai, L. Improving the symmetry of radiation patterns for offset reflectors illuminated by matched feeds 88−45760

Prasad, K.P., Sathyanarayana, P. A new scaling procedure for cascade digital filters 87—59766
Prasad, K.P., Satyanarayana, P. Fast interpolation algorithm using FFT 86—26759
Prasad, K.P., Satyanarayana, P. Fast implementation of 2-D digital filters 86—47009
Prasad, K.S., Eswaran, C. Sensitivity of driving-point function based wave digital filters 87—24332
Prasad, K.S., Eswaran, C., Murti, V.G.K. On the stopband sensitivity of digital filters 87—59736
Prasad, K.V.K.K. ISDN: an Indian perspective 88—41408
Prasad, K.V.K.K., Lamba, T.S. A 2.4 kilobits per second linear prediction vocoder 85—25584
Prasad, K.V.K.K., Lamba, T.S. Experiments on automatic transliteration of text into phonetic symbols 86—48871
Prasad, K.V.K.K., Lamba, T.S. Automatic transliteration of English text into phonetic symbols 86—54471
Prasad, K.V.S.V.R. *see* Das, B.N. 85—13178, 85—13181, 85—19181, 85—51466, 86—42904
Prasad, M. Introducing field testing of EHV system 85—15563
Prasad, M., Rao, R.R., Chaudhuri, A.K.R. A versatile AC mutual inductance bridge 87—29192
Prasad, M., Singh, S.P., Tiwari, R.N. Corrosion and operational problems in 110 MW steam power plant 87—71978
Prasad, M., Tandon, R.K. Transmission system management 85—15507
Prasad, M. *see* Chandra, M.M. 85—29191, 85—55761, 86—21500
Prasad, M. *see* Chen, Z.M. 86—8809
Prasad, M. *see* Soueid, E. 86—49315
Prasad, M.D., Sathyanarayana, S. Open circuit voltage recovery of discharged and shorted nickel-cadmium cells 87—64777
Prasad, M.Durga *see* Durga Prasad, M.
Prasad, M.R.Krishna *see* Krishna Prasad, M.R.
Prasad, M.V.Durga *see* Durga Prasad, M.V.
Prasad, M.V.S.N., Dua, M.K., Reddy, B.M. A study of VHF TV signal propagation far beyond the primary service zone 87—19185
Prasad, M.V.S.N. *see* Sarkar, S.K. 87—68768
Prasad, N.R., Heyeck, M., Herling, S.R. System disturbance analysis with field data constraints [power system disturbances] 86—32690
Prasad, N.R., Ranade, S.J., Dietrich, E., Hartley, R.T. Speculation on the nature of knowledge-based systems in a power system environment 88—23384
Prasad, N.R. *see* Smith, R.D. 88—23389
Prasad, N.V.P.R.D. *see* Doradla, S.R. 86—39826
Prasad, N.V.P.R.Durga *see* Durga Prasad, N.V.P.R.
Prasad, P., Fitzsimmons, D. Troubleshooting wave soldering problems with statistical quality control (SQC) 85—11739
Prasad, P. *see* Aspandiar, R. 86—58125, 88—12813
Prasad, P.N. Nonlinear optical interactions in polymer thin films 88—8289
Prasad, P.N. *see* Singh, B.P. 88—34115
Prasad, P.S.K.S. *see* Mouly, M.C.C. 87—75655
Prasad, R. Personal-computer-based software helps you to limit CAE costs [electronics] 85—507
Prasad, R., Ahson, S.I., Mahalanabis, A.K. Decentralized observer for interconnected systems 88—61848
Prasad, R., Arnbak, J.C. Enhanced throughput in packet radio channels with shadowing 88—67251
Prasad, R., Aspandiar, R. VPS and IR soldering for SMAs 88—38930
Prasad, R., Kalluri, D., Sataindra, S. Guided waves in a warm lossy transversely drifting plasma with a strong transverse magnetic field 86—3537
Prasad, R., Kalluri, D., Sataindra, S. Rectangular waveguide filled with a warm isotropic lossy drifting electron plasma 86—20781
Prasad, R., Khan, I.A., Prasad, R. Simulation of a plasma-filled rectangular cavity 88—19337
Prasad, R., Mgombelo, H.R. Radiation patterns of a horn antenna in a simulated plasma using rodded medium 88—21010
Prasad, R., Prasad, R. Characteristics of one boundary-corrugated parallel-plate waveguide filled with isotropic warm drifting plasma 88—70953
Prasad, R. *see* Kalluri, D. 86—64010
Prasad, R. *see* Li, H.F. 87—37259
Prasad, R. *see* Linnartz, J.-P.M.G. 88—41539
Prasad, R. *see* Mahalanabis, A.K. 85—4581
Prasad, R. *see* Mneney, S.H. 87—27118, 87—62900
Prasad, R. *see* Prasad, R. 88—19337, 88—70953
Prasad, R.K., Rao, B.V. Adaptive algorithm using two Kalman filters for parameter estimation and forecasting 88—27979
Prasad, R.L.N.Sai *see* Sai Prasad, R.L.N.
Prasad, R.N. *see* Li, H.F. 88—20030, 88—38495
Prasad, R.P. Surface mount land patterns and design rules—the key to SMT reliability 87—11152
Prasad, R.P. Surface mount land patterns and design rules 87—37673
Prasad, R.P. Designing surface mount for manufacturability 87—66706
Prasad, R.R.N. Some aspects of software maintenance of FETEX 100 L electronic switching system 86—69538
Prasad, R.R.N. Some aspects of software maintenance of Fetex 100L electronic switching system 88—35303
Prasad, R.R.N. Automatic system recovery processing in Fetex 100L electronic switching system 88—35304
Prasad, R.Sai *see* Sai Prasad, R.
Prasad, R.V., Selim, F.A., Chung, D.D.L. Semi-insulating polysilicon: growth, processing and structural characterization 86—34386
Prasad, S. Nonlinear corrections in a high-gain free-electron laser 85—51201
Prasad, S. Onset of saturation in a high-gain free-electron laser 86—22424
Prasad, S. Effective presentations: a bibliography 87—43828
Prasad, S., Chandna, B. Signal subspace algorithms for direction of arrival estimation in the presence of a class of unknown noise fields 88—73155
Prasad, S., Charan, R. On the constrained synthesis of array patterns with applications to circular and arc arrays 85—2688
Prasad, S., Haase, J., Fruchtnicht, R., Ferretti, R., Haack, D. Characteristics of thin layers of SiO_2 fabricated by rapid thermal oxidation 88—44689
Prasad, S., Hari, K.V.S. Improved ARMA spectral estimation using the canonical variate method 87—61843
Prasad, S., Joshi, S.D. Exact recursive least squares algorithms for ARMA modeling 87—61976
Prasad, S., Moore, G.T. Three-dimensional small-signal analysis of a free-electron laser 85—18963
Prasad, S., Moore, G.T. Three-dimensional small-signal analysis of a free electron laser 85—56690
Prasad, S., Narayanan, M.S., Desai, S.R. Time-delay estimation performance in a scattering medium 85—46765
Prasad, S., Narayanan, M.S., Desai, S.R. Time delay estimation performance in a scattering medium 86—36994
Prasad, S., Pathak, S.S. An approach to recursive equalization via white sequence estimation techniques 88—8751
Prasad, S., Quynh, L.C. Equivalent linear span analysis of binary sequences having an interleaved structure 86—48762
Prasad, S., Wei, H.P., Tsui, D.C., Schlapp, W., Weimann, G. Transport and persistent photoconductivity in atomic-planar-doped GaAs-AlAs/GaAs heterostructures 88—51661
Prasad, S., Williams, R.T., Mahalanabis, A.K., Sibul, L.H. A transform-based covariance differencing approach for some classes of parameter estimation problems 88—52421
Prasad, S., Williams, R.T., Mahalnanbis, A.K., Sibul, L.H. A transform based covariance differencing approach to bearing estimation 87—63028
Prasad, S. *see* Dagli, N. 88—1636
Prasad, S. *see* Lee, W. 88—12616
Prasad, S. *see* Mahalanabis, A.K. 87—8351
Prasad, S. *see* Pathak, S.S. 87—68932
Prasad, S. *see* Quynh, L.C. 86—16293, 86—48761, 87—61537
Prasad, S. *see* Ramayya, K. 86—21775
Prasad, S. *see* Wiliams, R.T. 88—73141
Prasad, S. *see* Williams, R.T. 87—62128, 88—46026
Prasad, S.C. *see* Purdy, J.A. 86—38846
Prasad, S.D., Tiku, P., Vijayaraghavan, M.S., Rao, S.B. Ion plating of copper film on ultrasmooth nonconducting substrates 88—25723
Prasad, S.E., Balbaa, I.S., Patel, N.D., Sturrock, W.R. Acoustic characteristics of composites based on lead zirconate titanate 86—2481
Prasad, S.J. *see* Wager, J.F. 87—18185, 87—38301
Prasad, S.Jayasimha *see* Jayasimha Prasad, S.
Prasad, S.M. *see* Carlsson, L. 88—68877
Prasad, S.N., Beyer, J.B., Chang, I.-S. Power-bandwidth considerations in the design of MESFET distributed amplifiers 88—63905
Prasad, S.N. *see* Chen, Y.W. 85—55145
Prasad, T. *see* Tewari, S.S. 88—5433
Prasad, T.V. *see* Rama Krishna, D. 87—28959
Prasad, V.B. Reliability of digital systems in mixed intermittent and permanent fault environments 88—18537
Prasad, V.B. A connection assignment for maximum fault detection 88—18538
Prasad, V.C., Prakash, V.P. Homeomorphic piecewise-linear resistive networks 88—31970
Prasad, V.C., Prem Prakash, V. Piecewise linear resistive networks with unique solutions 86—20235
Prasad, V.C., Sharma, R.P. Sufficient conditions for existence and diffeomorphism of a nonlinear vector function 87—65769
Prasad, V.C.S., Choudhary, J.Y., Rao, K.K. Rapid firing of ceramic capacitor dielectrics 86—34400
Prasad, V.C.S., Krishna Rao, D.U. Production technology for piezoceramic sound elements—an assessment 88—33466
Prasad, V.R.Rama *see* Rama Prasad, V.R.
Prasad, V.V.R. *see* Mouly, M.C.C. 87—75655
Prasad, Y.V.R.K. *see* Ho, J.C. 87—21936
Prasad Ghatak, K. *see* Biswas, S. 88—39163
Prasad Rajendra *see* Rajendra Prasad
Prasad Ramjee *see* Ramjee Prasad
Prasad Rao, K.V.S.S. *see* Basu, D. 88—36594
Prasada, B. *see* Dubois, E. 85—19536
Prasada, B. *see* Sabri, S. 85—20300, 85—52561
Prasada Rao, K. The role. Status and importance of telegraph service in a developing country like India 88—35003
Prasada Rao, M.V. *see* Shridhar, M. 85—41940
Prasada Rao, T.A. *see* Srigouri, K. 87—26272, 87—33086
Prasadarao, M.V. *see* Cristi, R. 86—16554
Prasanna, S. *see* Kadrichu, A. 88—9502
Prasanna, S. *see* Mizuno, T. 85—42530, 86—59853
Prasanna, S. *see* Nguyen, N. 86—24022
Prasanna Kumar, V.K., Alnuweiri, H.M. An efficient VLSI architecture with application to geometric problems 87—38493
Prasanna Kumar, V.K., Raghavendra, C.S. An enhanced mesh connected VLSI architecture for parallel image processing 86—1136
Prasanna Kumar, V.K. *see* Ja'Ja, J. 85—19562
Prasanna-Kumar, V.K. *see* Miller, R. 88—44246
Prasdad, V.C. *see* Jain, N.K. 87—44505
Praseuth, J.-P. *see* Pelouard, J.-L. 87—6674
Praseuth, J.P., Joncour, M.C., Gerard, J.M., Henoc, P., Quillec, M. Growth and characterization of AlGaInAs lattice matched to InP grown by molecular-beam epitaxy 88—31747
Praseuth, J.P., Quillec, M., Allovon, M., Joncour, M.C., Gerard, J.M., Henoc, P. Optimized MBE procedure and characterization of AlGaInAs grown on InP 88—64262
Praseuth, J.P., Quillec, M., Gerard, J.M. Molecular beam epitaxy of AlGaInAs for optoelectronics 88—56246
Praseuth, J.P. *see* Ben Amor, S. 88—71320
Praseuth, J.P. *see* Goldstein, L. 87—45892
Praseuth, J.P. *see* Pelouard, J.L. 87—25254, 87—67228
Prashad, H. Experimental study on influence of electrical fields on behaviour of greases in statically-bounded conditions and when used in noninsulated bearings 87—30477
Prashad, H. Effects of operating parameters and lubricant characteristics on threshold voltages and impedance of noninsulated roller bearings under the influence of electric currents 88—11162
Prashad, H. *see* Bhargava, S.C. 87—15389
Prasil, A. *see* Trousil, J. 85—64646
Prasil, I. *see* Jesenai, M. 85—3805
Prasil, J. Designing parallel commutator windings with continuous auxiliary winding for indivisible numbers V-U 86—19208
Prasil, J. Analysis and design of parallel commutator windings with progressive auxiliary winding for divisible v-u 87—42774
Prasil, Z. *see* Kojecky, B. 87—38190
Prasil, Z. *see* Kucharski, M. 87—38831
Prasil, Z. *see* Tulach, L. 87—53168
Prasol, G.A. *see* Malenchenko, Z.Yu. 86—36972
Prasol, I.V. *see* Ogorodneichuk, I.F. 88—28655
Prasolov, A.V., Fomin, E.A. High-speed linear-voltage generator 85—6221
Prasolov, V.A. *see* Aleksandrov, Yu.N. 86—38289
Prasse, J., Regniet, N. An electronic circuit board with battery protection 88—32540
Prasser, H.-M. *see* Ackermann, G. 85—48784
Prassinos, P. *see* Alesso, H.P. 85—54283
Prassinos, P.G., Moore, D.L., Amico, P.J. Seismic margin reviews of nuclear power plants: identification of important functions and systems 88—42942
Prast, G. Quantitative measurements by the Schlieren method 87—77407
Prastacos, G.P. *see* Cosmetatos, G.P. 85—54240
Prasuhn, D. *see* Berg, G. 85—59020
Prasuhn, D. *see* Martin, S.A. 85—52949
Prat, J. An equalised RIAA stereo preamplifier 85—44909
Prat, J.B.P. *see* Ona, R.M. 87—4194
Prat, J.P. Performance of evaluation techniques for planning preventive repair of leakages on BWR vessel stub tubes 86—51364
Prat, L., Garcia-Moreno, E., Alcubilla, R., Castaner, L., Ruiz, J.M. Modelling bifacial silicon solar cells for space degradation prediction 87—78947
Prat, L., Moreno, E.G., Castaner, L. Heteroface gallium arsenide solar cells electron induced degradation analytical model 86—67719
Prat, L. *see* Alcubilla, R. 88—18043
Prat, L. *see* Garcia Moreno, E. 86—33688, 88—5901
Prat, L. *see* Moreno, E.G. 88—69685
Prat, M. A controller for a toy electric train 85—17213

Prat, M. A random peal of bells. [electronic door bell] 85−45205
Prat, M. An electronic traffic signal for miniature cars 85−55074
Prat, M. DX TV signal detector 85−58353
Prat, M. A comparator tester for CMOS integrated circuits 85−62088
Prat, M. A filter decoder for RTTY 86−10700
Prat, M. A precision laboratory clock 86−11743
Prat, M. A five tone stereo graphic equaliser 86−24217
Prat, M. Tester for digital integrated circuits. I 86−40998
Prat, M. Tester for digital integrated circuits. II 86−46647
Prat, M. Tester for digital ICs. III 86−52764
Prat, M. Multiple path distortion in FM radio transmissions 86−68750
Prat, M. A time-delayed switch 87−17438
Prat, M. Short waves in compact receivers 87−20677
Prat, O. *see* Bourbin, Y. 88−58205
Prat, R. *see* Kas, I. 88−34197
Prat, R. *see* Monchaud, S. 86−17849, 87−49530
Prat, R. *see* Shi Jie 88−43140
Prat, R. *see* Shi-Jie 88−36079
Prata, A., Jr., Filho, E.A., Ghjosh, S. A high performance-wideband-diplexing-tracking-depolarization correcting satellite communication antenna feed 86−10224
Prata, A., Jr., Rusch, W.V.T. The gain-optimized offset-fed radial rib umbrella reflector 87−19302
Prata, A., Jr., Rusch, W.V.T. Radiation properties of the optimized offset-fed radial rib umbrella reflector antenna 88−8587
Prata, A., Jr., Rusch, W.V.T., Shore, R.A. Evaluation of focal-region fields of offset dual-reflector antennas for low-sidelobe beam scanning applications 88−2728
Pratap, K.J., Nagabhushanam, M., Balaramaiah, A., Babu, V.H. Electrical transport properties of CdTe:Sb films 88−32776
Pratap, K.J. *see* Venugopal Reddy, P. 88−1384
Pratap, S.B., Driga, M.D., Weldon, W.F., Spann, M.L. Future trends for compulsators driving railguns 87−26702
Pratap, S.B., Spann, M.L., Brinkman, W.G., Werst, M.D., Vaughn, M.R. A compulsator-driven rapid-fire railgun system 87−19168
Pratap, S.B. *see* Bird, W.L. 85−5120
Pratap, S.B. *see* Gully, J.H. 85−5119
Pratap, S.B. *see* Spann, M.L. 87−26713
Pratapachandran Nair, P. *see* Gopal, M. 86−39501
Prater, B. *see* Moy, G. 87−14606
Prater, J. *see* Williams, B. 88−25328
Prater, J.S. Equivalences and optimal designs of PTV systems 88−73012
Prater, M. *see* Keller, R. 88−23237
Prater, R. The fax factor [facsimile] 85−36652
Prater, R. *see* Corke, M. 87−76811
Prater, R.L., Corke, M., Kale, B.M., Sweeney, K.L. Real time performance analysis of multimode couplers during fabrication 88−13865
Prater, R.L. *see* Akhavan Leilabady, P. 88−16150
Prater, R.L. *see* Muhs, J.D. 88−14304
Prater, R.L. *see* Schmidt, K.M. 87−74788
Pratesi, R. Diode lasers in photomedicine 85−20955
Pratesi, R. *see* Brancato, R. 88−8386
Prathap, B., Prabhashanker, V. Understanding of electrical trees in PMMA with partial discharges 88−26582
Prathap, V.R. *see* Thomas, V.A. 85−26837
Prather, W. *see* Ritt, D.M. 87−42090
Prather, W.A. *see* Moore, D.L. 87−9269
Prather, W.D. *see* Hoeft, L.O. 88−14426, 88−16434
Prather, W.H. Mixed media optimize phased-array module 86−23963
Prati, C. Time-varying filters realized by polyphase FIR networks 87−47811
Prati, C. *see* Dal Degan, N. 88−59099
Prati, C. *see* Degan, N.D. 87−47574
Prati, F. *see* Lugiato, L.A. 88−2322, 88−58607, 88−65852
Prati, G. Joint pulse spreading estimation and decoding in stretched pulse PPM optical channels 85−62953
Prati, G. *see* Elia, M. 86−3766
Prati, G. *see* Gangopadhyay, R. 87−40949
Prati, G. *see* Picchi, G. 85−19302, 85−45115, 86−14440, 86−49590, 86−64188, 87−39567, 87−49121, 88−8644
Prati, G. *see* Biglieri, E. *(editor)* 86−61849
Pratim Basu, P., Sarkar, C.K., Chattopadhyay, D. Ionised-impurity-scattering mobility of semiconductors with broadened density of states 87−53151
Prato, G. *see* Merletti, R. 85−38147
Prats, D.J. Using finite element analysis as a design engineering tool 86−46020
Prats, J. *see* Llobet, E. 87−57970
Prats, J.J. X.25: recommendation versus implementation 85−19569
Prats, J.J. *see* Charapich, D.R. 86−10888
Pratt, A.J., Gander, R.E., Brandell, B.R. Real-time median frequency estimator 88−68432
Pratt, A.P. *see* Laurenti, A. 87−74634
Pratt, B., Weil, R. Post-hydrogenation of evaporated a-Si 87−32262
Pratt, B. *see* Janai, M. 85−18779, 85−40463
Pratt, B.A. *see* Linebarger, R.N. 87−28143
Pratt, B.G. *see* Bowers, G.H., Jr. 85−33156, 85−63982
Pratt, C. Characterising fibres using signal recovery techniques 85−12558
Pratt, C.A. *see* Chanaud, C.M. 88−16739
Pratt, C.L., Lawson, P. Technical and economic implications in fossil fuel substitutions for increased industrial productivity 87−22944
Pratt, D.J. The discharge probe− its role in the application of an ESD pulse 88−2476
Pratt, D.J., Davis, J.H. Electrostatic discharge (ESD) failure rate prediction 85−62725
Pratt, D.J. *see* Calcavechhio, R.J. 87−26617
Pratt, D.J. *see* Dakin, J.P. 85−50910, 86−48190, 86−48194, 87−18686, 87−48614, 88−36037
Pratt, D.J. *see* Davis, J.H. 85−166
Pratt, D.T. *see* Bui, T.D. 85−22411
Pratt, D.T. *see* Dakin, J.P. 86−17375
Pratt, D.T. *see* Lamkin, F.M., Jr. 86−7683
Pratt, H. *see* Hod, Y. 87−35419
Pratt, H. *see* Urbach, D. 87−14893
Pratt, J.D. *see* Horstmann, R.E. 85−11702
Pratt, J.M.K. *see* Holmes, P.G. 87−43051
Pratt, J.P., Gruber, S. A real-time digital simulation of synchronous machines: stability considerations and implementation 88−11204
Pratt, K. *see* Lashmore, D.S. 86−52511
Pratt, K.W. *see* Ratzker, M. 87−10475
Pratt, L.E. *see* Hartman, W.J. 86−30639
Pratt, L.E. *see* Hoffmeyer, J.A. 87−40734
Pratt, M. *see* Atac, M. 86−70350
Pratt, M.K. *see* Ballakur, A. 88−24517
Pratt, N.S. *see* Jellison, T.G. 87−20864
Pratt, R. Smart chips win 88−13446
Pratt, R.G., Hewett, J., Capper, P., Jones, C.L., Judd, N. Minority-carrier lifetime in doped and undoped *n*-type $\mathrm{Cd}_x\mathrm{Hg}_{1-x}\mathrm{Te}$ 87−11349
Pratt, R.G. *see* Samaratunga, R.C. 88−61286
Pratt, R.H., Jones, R.E., Extance, P., Pitt, G.D., Foulds, K.W. Optical fibre magnetometer using a stabilised semiconductor laser source 85−62347
Pratt, R.H. *see* Pitt, G.D. 85−62307
Pratt, R.L. Assessing the intelligibility and acceptability of voice communication systems 86−29803
Pratt, R.L. Quantifying the performance of text-to-speech synthesizers 87−63198
Pratt, R.W. Review of radiosonde humidity and temperature errors 87−71323
Pratt, T., Stutzman, W.L., Bostian, C.W., Pollard, K.J., Porter, R.E. The prediction of slant path attenuation and depolarization from multiple polarization radar measurements 87−47188
Pratt, T. *see* Bostian, C.W. 86−37825, 87−62877
Pratt, T. *see* Hayes, D.P. 87−56103
Pratt, T. *see* Kim, J. 88−46869, 88−53143
Pratt, T. *see* Maggenti, M. 87−76655
Pratt, T. *see* Maggenti, M.A. 88−28761, 88−47009
Pratt, T. *see* Richharia, M. 86−3522
Pratt, T. *see* Stutzman, W.L. 86−43773
Pratt, T.L. *see* Belcher, S.W. 87−15031
Pratt, W.K., Cooper, T.J., Kabir, I. Pseudomedian filter 86−30017
Pratt, W.R. *see* Jung, D.Y. 85−28812
Pratt, W.T., Khatib-Rahbar, M., Bari, R.A., Rosenthal, J. Insights gained from in-depth reviews of several industry generated PRAs 85−43745
Pratt, W.T. *see* Higgins, J.C. 85−48741
Pratt, W.T. *see* Ludewig, H. 85−43751
Pratt, W.T. *see* Yang, J.W. 85−53526
Pratusevich, R.M., Litvak, A.S. Automated calculation of the power losses in the main motion drives of machine tools 87−31022
Pratx, J.-M. *see* Mingam, H. 88−73450
Prause, L., Hering, P. Optical fibers for pulsed laser radiation: transmission, attenuation, damage thresholds 87−54017
Prautzsch, F. Stepping motors in microstepping operation 88−17659
Pravda, V.I., Borisenko, A.A. A solid-state microwave generator using a mirror dielectric waveguide 87−16929
Pravda, V.I. *see* Kokhno, A.G. 88−72610
Pravdic, M. A microcomputer station database organization for accounting measurement of electrical energy consumption 88−42908
Pravdic, M., Bosnjakovic, P. Microcomputer system for pulse data acquisition, recording, local processing and remote data transmission 87−28990
Pravdic, M., Bosnjakovic, P., Rodic, M. Multimicrocomputer device for metering and billing of electrical energy consumption on the large number of participants 88−5413
Pravdic, M. *see* Kon, J. 88−41990
Pravdin, L.S. *see* Burtseva, V.A. 88−6545
Pravednikov, A.N. *see* Myl'nikov, V.S. 86−2873, 86−15527
Praver, G.A., Theisinger, P.C. Spacecraft solid state power distribution switch 87−42050
Pravikoff, M.S. *see* Armbruster, P. 88−36393
Pravikoff, M.S. *see* Fleury, A. 85−59143
Pravikoff, M.S. *see* Jean, D. 87−71063
Pravossoudovitch, S. *see* El Maidi, E. 87−66095
Pravotorov, I.V., Sobolev, E.A. A signal transceiver for antibreakdown automatic equipment 86−65753
Pravoverov, B.L., Bagirov, A.G. Length of disconnection arc for contacts made from pure materials 87−64749
Pravoverov, N.L., Afonin, M.P. Accrued layers and erosion resistance of breaking contacts 86−35148
Pravoverov, N.L., Afonin, M.P., Malinina, E.I. Influence of deformation on the structure and properties of contacts of an extruded silver-cadmium oxide composite 88−44405
Pravoverov, N.L., Bagirov, A.G. Study of arc duration upon break of contacts manufactured from silver and copper compositions and alloys 87−78824
Pravoverov, N.L., Duksin, Yu.I. Erosion of pure metals in pairs of unlike contacts 85−40280
Pravoverov, N.L., Duksin, Yu.I. Arc erosion and physical properties of transition metals 87−6182
Pravoverov, N.L., Korotkaya, M.V., Kuznetsov, A.V., Zhuzhin, M.G. A unit and a method for erosion testing of rods of electric soldering irons 88−31482
Pravoverov, N.L., Roizman, S.F., Struchkov, A.I. Arc erosion of Ag-Cd-In alloys dependent on composition 86−46389
Pravoverov, N.L. *see* Struchkov, A.I. 85−44128
Prawitz, N. Microprocessor types V60 and V70 for high level language environments 87−52604
Praxl, G. *see* Gsodam, H. 88−13616
Prazak, C. *see* Palac, K. 87−32214
Prazak, C.J. *see* Strauss, P. 87−3699
Prazak, F. *see* Morozov, V.A. 86−50437
Prazdnikov, V.I. *see* Khutoretskii, G.M. 85−21549
Prazdny, K. Position-, rotation-, and scale-invariant pattern recognition using parallel distributed processing 87−62377
Prazeres, R., Lapierre, Y., Ortega, J.M. Monte Carlo simulation of the harmonic generation in an optical klystron or undulator 87−75153
Prazeres, R. *see* Billardon, M. 87−39146, 87−75139
Prazewska, M., Zaremba, M. Idea of complex inspection of professional electronic equipment reliability 87−65171
Prazic, B. Support environment for semi-custom VLSI development 87−32588
Praznik, H. Documentation-information activities in electric enterprise 87−42336
Prchal, I. Coder for the 5B6B line code [optical links application] 87−13734
Prchal, J., Roucka, M. Integrated set of programs for a complex strength check of pipeline systems of nuclear power stations 86−61226
Prchal, J., Zenisek, J. A modem for the transmission of a digital signal over an analog circuit 88−21844
Preas, B., Chow, C.-S. Placement and routing algorithms for topological integrated circuit layout 86−63394
Preas, B.T., Karger, P.G. Automatic placement: a review of current techniques 87−5615
Preat, M. *see* Govaerts, P. 86−32998
Preater, R.W.T. Analysis of rotating component strains using electronic speckle pattern interferometry 85−58903
Preater, R.W.T. Pulsed laser ESPI applied to particular rotating component problems 87−19087
Preater, R.W.T. Optical strain measurement of rotating components 88−53893
Preater, R.W.T. *see* Fagan, W.F. 88−20792
Preatoni, L. *see* Hubler, E. 86−68120
Preble, J. *see* Sikora, J. 88−54362
Prebys, E. *see* Aronson, S. 88−61122
Prebys, E. *see* Engels, E., Jr. 87−29488
Precechtel, D. *see* Wilson, N.G. 88−54353
Prechner, P.B., Bowen, A.N. A generalised sonar simulation model 88−60287
Precht, M. *see* Pfahlgusch, H. 87−73413
Prechtel, J.R. Home computer provides burn-in for new inverter product 88−75851
Prechtel, U. *see* Abstreiter, G. 86−21226
Prechtel, U. *see* Kemmer, J. 87−29483
Prechtel, U. *see* Struder, L. 88−68207
Prechter, R. *see* Scalise, D.T. 87−50089
Prechtl, H.F.R. *see* Scholten, C.A. 85−26748
Precioso, H. *see* Algalarrondo, D. 86−37230
Precious, R.W., Pasha, A. The design of gas turbine heat recovery systems 85−4960
Preckajlo, S., Krzanowski, W. Strip circular aerials resonant frequencies dependencies 87−39481
Preckajlo, S., Krzynowski, W. Survey of strip antennae 85−2665
Preda, A.M. *see* Cilea, M.I. 85−2228, 86−3051
Preda, A.M. *see* Cristescu, C.P. 86−68430
Preda, A.M. *see* Gilea, M.I. 85−56547
Preda, I. System for 32-channel on-line exercise mapping 86−5958
Preda, I. *see* Kozmann, G. 86−5962

Preda, M., Cristea, P., Spinei, F., Ionescu, G. A variation theorem for Mason matrix graphs used in linear electrical circuit analysis 87−73248
Preda, M., Spinei, F., Andrei, H., Durghinescu, D. Developments in signal flow graphs used for complex system analysis 87−10276
Preda, M., Spinei, F., Ionescu, G., Andrei, H. A simplified combinatorial analysis method of the PWL resistive networks 86−27039
Predan, F. Experimental determination of the parameters of a power system needed for the operation regimes analysis of another system interconnected to the first one 88−17058
Predecki, P.K. *see* Donaldson, A.L. 87−17584
Predehl, P. *see* Pfeffermann, E. 88−23023
Predescu, C. *see* Carasel, V. 88−69735
Predica, A. *see* Mihaila, A. 85−53840
Predick, P.R. *see* Dharmarajan, N.N. 86−33099
Predko, K.G. *see* Dovnar, D.V. 85−36306, 85−57442
Predko, S. *see* Overley, J.C. 85−59230
Predmerszky, T. *see* Szabo, L.D. 87−77694
Predmore, C.R., Erickson, N.R., Huguenin, G.R., Goldsmith, P.F. A continuous comparison radiometer at 97 GHz 85−25958
Predmore, C.R. *see* Erickson, N.R. 88−29013
Predmore, R.E. *see* Viehmann, W. 87−74905
Predoi, A. Remote diagnosis system 88−41950
Predonzan, C. *see* Benco, C. 85−16007
Predota, M. *see* Lostak, P. 87−17746
Predtechenskii, A.A. *see* Brodskii, I.I. 85−31296
Predtechenskii, A.A. *see* Gromilin, G.I. 85−39
Predtechenskii, M.R. *see* Vostrikov, A.A. 87−24728
Preece, A. *see* Johnson, R.H. 86−56184
Preece, A.W., Murfin, J.L. The use of an infrared camera for imaging the heating effect of RF applicators 87−50266
Preece, A.W., Murfin, J.L., Johnson, R.H. RE field penetration from electrically small hyperthermia applicators 88−16759
Preece, A.W. *see* Johnson, R.H. 87−77683, 88−30029, 88−54615, 88−54617
Preedy, A.R. *see* Lawrence, R.K. 87−13860
Preedy, K.A., Larsen, R. COVMOD—a software tool for mobile and broadcast network planning 88−60389
Pregenezer, A.L., Gerber, R.A., Bieg, K.W., Cianciabella, C.J. Large-area liquid-lithium ion source for inertial confinement fusion 87−21379
Pregenzer, A.L., Halbleib, J.A. Accuracy of coupled Monte-Carlo/next-event-estimator for bremsstrahlung dose predictions 86−38694
Pregenzer, A.L. *see* Bieg, K.W. 88−16622
Pregenzer, A.L. *see* Gerber, R.A. 86−32102
Pregenzer, A.L. *see* Hedemann, M.A. 86−38725
Pregenzer, A.L. *see* McKay, P.F. 88−22906
Preger, M., Spataro, B., Bernabei, R., de Pascale, M.P., Schaerf, C. Monochromatic and polarized tagged LADON gamma ray beams 86−70307
Preger, M. *see* Ambrosio, M. 86−58949, 87−2166
Preger, M. *see* Aragona, A. 88−54128
Preger, M. *see* Biagini, M. 85−56711
Preger, M. *see* Biagini, M.E. 88−47971
Preger, M. *see* Schaerf, C. 87−41802
Preger, M.A. State of art of storage rings for FEL operation 85−56719
Preger, M.A. *see* Guiducci, S. 85−56720
Preger, M.A. *see* Patteri, P. 87−75176
Preger, W. Futuristic applications of communications technology at the workplace, in the home and on the move 87−20005
Pregernig, L. *see* Arnault, C. 87−14216
Pregernig, L. *see* Downing, R.W. 87−59090
Pregernig, L. *see* Lo, C.C. 88−61177
Pregibon, D. *see* Nair, V.N. 87−5250
Pregla, R. Analysis of planar microwave structures on magnetized ferrite substrate 87−6012
Pregla, R. About the nature of the method of lines 88−20955
Pregla, R., Koch, M., Pascher, W. Analysis of hybrid waveguide structures consisting of microstrips and dielectric waveguides 88−25370
Pregla, R., Worm, S.B. The method of lines for the analysis of planar waveguides with magnetized ferrite substrate 85−19205
Pregla, R. *see* Pascher, W. 87−73593, 88−20979
Prehn, H., Herget, M., Kempe, L., Rehwald, U., Will, B.-E. Objective and quantitative investigation of sensomotoric effects of magnetic fields in man 86−50604
Preibisch, H. Operation of a radome on a radio antenna 86−10223
Preidunov, Yu.B. *see* Basharin, G.P. 87−40330
Preier, H., Grisar, R. Application of semiconductor radiation detectors and diode lasers for infrared spectroscopy 87−7374
Preier, H. *see* Bachem, K.-H. 85−33512
Preier, H.M. *see* Rosman, R. 87−33180
Preier, H.M. *see* Shani, Y. 86−48390, 88−65699, 88−72308
Preikshaite, R.K. *see* Macheikene, A.B. 88−12087
Prein, F. *see* Makosch, G. 87−67031
Preininger, G. Short-circuiting problems in transformers 86−6831
Preininger, G. Resonance behaviour of high-voltage transformers 86−51715
Preininger, G. *see* Felber, W. 86−51706
Preiningerova, V. Calculation of the distribution of losses and temperature rise in windings of rectifier transformers 88−17686
Preiningerova, V., Krizek, M. Thermal calculation of magnetic cores of large oil transformers 85−9957
Preiningerova, V. *see* Krizek, M. 88−23996
Preis, D. Nominal resistance of a complex impedance 86−52600
Preis, D., Bloom, P.J. Perception of phase distortion in anti-alias filters 85−17600
Preis, D., Hlawatsch, F., Bloom, P.J., Deer, J.A. Wigner distribution analysis of filters with perceptible phase distortion 88−27929
Preis, D. *see* Deer, J.A. 86−14376
Preis, D. *see* Totzek, U. 87−67740, 88−22376
Preis, D. *see* Willey, T. 86−3852
Preis, H. *see* Koppendorfer, W. 86−42181
Preis, J. Defects in the protective oxide layer of ICs 87−74382
Preis, J. Leakage currents as a result of integrated circuits components 88−26408
Preis, J. On the decapsulation of integrated circuits in epoxide packages 88−33315
Preis, J., Svec, J. Physical and chemical changes in aluminium metallization of ICs 87−32445
Preis, K. Calculation of eddy current distributions in infinitely long parallel conductors 85−7579
Preis, K., Richter, K.R. Investigation of asymmetrical and symmetrical inductive diaphragms of finite thickness 86−29552
Preis, K. *see* Magele, C. 88−52075
Preis, K. *see* Renhart, W. 88−52108
Preis, K. *see* Rinolfi, L. 86−31861
Preis, K. *see* Rucker, W.M. 87−33363
Preis, K. *see* Stogner, H. 87−35912
Preiser, K. *see* Bernhardt, U. 86−15264
Preiser, K. *see* Taschner, G. 87−826, 87−10952
Preising, M. *see* Pfeifer, T. 85−8703
Preiss, B. *see* Loucks, W.M. 85−8221
Preiss, B.R. *see* Loucks, W.M. 86−23467
Preiss, D., Rodl, V. Note on decomposition of spheres in Hilbert spaces 87−10254
Preiss, E. CMOS standard cell architecture TSGSM: digital and analogue on one chip 87−53707
Preiss, E. SPICE circuit simulation of a video graphic interface 88−849
Preiss, E. Signal recognition using switched capacitor filters 88−12490
Preiss, E. FILCAD: tool for the design of custom filters 88−25314
Preiss, E. Hybrids: analogue/digital design on CMOS standard cells 88−57797
Preiss, E. Transistor arrays: where is their application sensible? 88−71748
Preiss, E., Nnauer, K., Wild, E. Design of a digital signal processor integrated circuit from modular macrocells 85−49924
Preiss, E. *see* Knauer, K. 87−7739
Preiss, I.L., Ptak, T., Frank, A.S. Trace element profiles of biological samples using radioisotope X-ray fluorescence 86−32261
Preiss, K.-D. Power supply computations with the HX-20 86−27069
Preiss, L.L., III *see* Gelling, C.W. 87−4327
Preiss, P. *see* Dirnbock, J. 85−5143, 86−19354
Preissmann, M., de Werra, D. A note on strong perfectness of graphs 85−33294
Preissner, J. *see* Klement, D. 88−47195
Preist, D. *see* Shrader, M. 86−47237
Preist, D.H. Fascinating tubes 85−11826
Preist, D.H., Shrader, M.E. Klystrode TV amplifier performance at UHF 85−3627
Preist, D.H. *see* Shrader, M.B. 85−55398, 86−31959
Preiswerk, Hp., Sheu, C.C., Allen, S.D. Laser repair of transparent microfaults in IC photomasks 87−45742
Prejda, M. *see* Nagl, V. 88−32938
Prejda, M. *see* Roman, P. 87−37640
Prejsa, M. *see* Slama, J. 85−21674
Prekopa, A., Ganczer, S., Deak, I., Patyi, K. The STABIL stochastic programming model and its experimental application to the electrical energy sector of the Hungarian economy 86−39009
Prekopa, A. *see* Deak, I. 86−12309
Prelas, M.A. Status of nuclear-pumped laser research 85−18878
Prelas, M.A., Boody, F.P., Miley, G.H., Kunze, F. Nuclear driven flashlamps 88−33917
Prelas, M.A., Boody, F.P., Zediker, M.S., Rowe, M. A direct energy conversion technique based on an aerosol core reactor concept 85−18879
Prelas, M.A., Kunze, J.F., Boody, F.P. High energy laser interfaces with nuclear fuel energy sources 87−7235
Prelas, M.A. *see* Zediker, M.S. 85−41320
Prelaz, J.C. The conception of truly flexible robotic installations in microengineering 88−63021
Prelec, K. Progress in the development of H$^-$ ion sources 87−35323
Prelec, K., Alessi, J.G., Kponou, A., McNerney, A. Development of H$^-$ ion sources at BNL 87−8824
Prelec, K. *see* Alessi, J.G. 86−11817, 88−47789, 88−47936
Prelec, K. *see* Hershcovitch, A.I. 86−55987
Preli, J.J. *see* Griffin, W.R. 85−6277, 85−7091
Prell, E.M. *see* Carney, D.L. 86−10895, 86−49415, 87−40612
Prell, E.M. *see* Gitten, L.J. 85−52204
Prelle, M.J. *see* Brando, T.J. 87−17165
Preller, H.G., Koch, W. MATS-E, an advanced 900 MHz cellular radio telephone system: description, performance, evaluation, and field measurements 86−43747
Prelov, V.V. Transmission over a multiple-access channel with a special source hierarchy 86−3733
Prelov, V.V. Zero-error capacity of memoryless channels with weak input signals 87−33577
Prelov, V.V. On the Slepian and Wolf multiple-access channel with Gaussian noise 87−75678
Prelov, V.V. *see* De Bruyn, K. 85−57578, 88−27712
Prem Kumar, C., Pramanik, A. Estimation of magnetic field due to an arbitrarily-shaped current-carrying coil 87−26626
Prem Prakash, V. *see* Prasad, V.C. 86−20235
Premachandran, V. *see* Narasimhan, K.L. 85−5381
Premaratne, L.P.J.P., Yeow, Y.T. Numerical evaluation of the scanning method for the determination of minority carrier diffusion length in *p-n* junctions 88−1433
Premauer, T. IXMO—an expert system for engine diagnosis in the automotive industry 87−14118
Premerlani, W.J. *see* Musser, D.R. 88−39358
Preminger, J., Arestiano, V. Forecasting of electrical demand as functions of ambient temperature in Israeli power system 86−32708
Preminger, J., Silbiger, A. Stabilization of the Israeli power system by local control 86−32693
Premji, A., Taylor, D.P. Receiver structures for multi-*h* signaling formats 87−39767
Premji, A.-N., Taylor, D.P. A practical receiver structure for multi-*h* CPM signals 88−8660
Premoli, A. All-pole transfer functions with upper-bounded-Q poles [filter design] 86−1198
Premoli, A., Rastello, L. An analysis algorithm for thermal detectors of radiation 87−29121
Premoli, A. *see* Biey, M. 86−1199
Premoli, A. *see* de Marchi, A. 88−22723
Premoli, G. *see* Goboi, B. 87−69838
Prempraneerach, Y. A single-diode full-wave rectifier 86−724
Premur, K. Mutual electricity between East and West [power system interconnection] 85−26967
Premur, K. 2000 MW is going to connect England with the continent 87−4399
Premur, K. The pyramids from Itaipu [hydroelectric power plant] 87−15575
Premur, K. Thyristors for control of blind load 87−15863
Premur, K. *see* Schminke, W. 88−7254
Premur, K. *see* Vitins, J. 87−10659
Prencipe, P. Slow scan video in security control 87−20724
Prencipe, P.P. *see* Fulgosi, A.C. 85−127
Prendergast, E.J., Lloyd, P. A highly automated integrated modeling system: MECCA 86−2098
Prendergast, E.J., Lloyd, P., Cochran, W.T. The application of process and device simulation tools to VLSI development 87−67365
Prendergast, E.J., Lloyd, P., Dirks, H. The extraction of terminal charges from two-dimensional device simulations of MOS transistors 88−1630
Prendergast, E.J., Lloyd, P., Dirks, H. The extraction of terminal charges from two-dimensional device simulations of MOS transistors 88−7620
Prendergast, E.J. *see* Kull, G.M. 85−50495
Prendergast, E.J. *see* Lee, S.W. 85−55787
Prendergast, G.F. Design, construction approach encourages diverse participation 85−4945
Prendergast, J., Jones, R., O'Dell, W. Computer aided design application in the development of diagnostic medical positioning devices 85−38117
Prenel, J.P., Porcar, R., Reiniche, S., Diemunsch, G. Optical oscilloscope for three-dimensional flow visualization 86−70243
Prengaman, D. Improved lead alloys for battery making 85−27620
Prengaman, D. *see* Little, K. 86−49327
Prengaman, R.J., Thurber, R.E., Bath, W.G. A retrospective detection algorithm for enhanced target acquisition in clutter and interference environments 85−3493
Prengle, H.W., Jr. *see* Ranade, S.M. 85−60080
Prengle, H.William, Jr. *see* William Prengle, H., Jr.
Prentice, D.R., Hughes, A.J. Automatic on-wafer probing of gallium arsenide devices and integrated circuits from DC to 1 MHz 86−44152
Prentice, J.W. *see* Dellow, F. 85−16620
Prentice, R.M. *see* Amundsen, M.J. 86−67266
Prentiss, D.D. *see* Fanning, B.L. 88−48349
Prentslau, N.N., Beskorsyi, A.P., Kharchenko, I.F. Selecting material to manufacture cooled resonant systems 87−37520
Prentslau, N.N., Dmitriev, V.M., Beskorsyi, A.P. Increased accuracy of determination of goodness of a straight-through blocking filter in lightly-loaded conditions 87−39814

Prentslau, N.N., Dmitriev, V.M., Ofitserov, M.N., Beskorsyi, A.P. High-speed AFC system for microwave oscillator 87−17338

Prenzlau, H. Short circuit forces and moments in three-phase busbars forming right-angle bends 87−64026

Prenzlow, H.G. Principles of international numbering and addressing in the ISDN 85−19984

Preobrazhenskii, L.A. *see* Shloma, A.M. 87−61858, 87−69152

Preobrazhenskii, S.M. *see* Khvostov, V.S. 87−36013

Preobrazhenskii, V.B. *see* Myznikov, V.P. 86−44778

Preobrazhensky, I.A. *see* Klimashin, V.P. 85−23368, 87−17657

Preotescu, D. *see* Ursu, I. 88−49059

Preotesescu, E. *see* Miron, D. 87−64982

Preotesescu, V. *see* Miron, D. 86−7310

Preparata, F.P., Sarrafzadeh, M. Channel routing of nets bounded degree 86−21735

Preparata, F.P. *see* Bilardi, G. 85−35082, 85−40815, 86−67899, 88−891

Preparata, F.P. *see* Lee, D.T. 85−293

Preparata, F.P. *see* Lipski, Jr., W. 87−36880

Preparata, F.P. *see* Mehlhorn, K. 86−46260, 86−52593, 86−67900, 87−38367

Preparata, F.P. *see* Muller, D.E. 88−28163

Preparata, F.P. *see* Sarrafzadeh, M. 88−20031

Preparata, G. Quantum field theory of the free-electron laser 88−72346

Preparata, G. *see* Del Giudice, E. 88−72347

Prepelitsa, G.P. *see* Archakov, A.V. 85−17602

Prepost, R. *see* Ash, W.W. 88−10244

Prerau, D.S., Gunderson, A.S., Reinke, R.E., Goyal, S.K. The COMPASS expert system: verification, technology transfer, and expansion 86−49370

Prerau, D.S., Lemmon, A.V., Gunderson, A.S., Reinke, R.E. A multi-paradigm expert system for maintenance of an electronic telephone exchange 86−43679

Prerau, D.S. *see* Goyal, S.K. 85−57867, 86−43642, 86−59511

Presby, H.M. Realization of intentionally introduced mode-coupling in optical fibres by downward axial vapor deposition 85−50922

Presby, H.M., Amitay, N., Dimarcello, F.V., Nelson, K.T. Optical fiber tapers at 1.3 μm for self-aligned beam expansion and single-mode hardware 88−1942

Presby, H.M., Amitay, N., Scotti, R., Benner, A. Simplified laser to fibre coupling via optical fibre up-tapers 88−33611

Presby, H.M., Benner, A., Amitay, N. Research on an expanded beam single-mode fiber-optic connector 88−72009

Presby, H.M. *see* Amitay, N. 86−53956, 87−32966

Prescher, T., Richter, M., Sonntag, B., Wetzel, H.E. Electron heated high temperature atomic beam source for VUV photoelectron spectroscopy 87−35318

Prescott, A.J. *see* Bolton, B. 85−16609

Prescott, A.J. *see* Russell, J.P. 88−60039

Prescott, C.Y. *see* Atwood, W.B. 87−21411

Prescott, C.Y. *see* Hodges, C. 86−50313

Prescott, C.Y. *see* Young, C.C. 86−50316

Prescott, D.S. *see* Hintze, M.M. 86−51339

Prescott, E.H.A. *see* Purdy, P.W. 85−28277

Prescott, G.E. Time domain simulation of amplitude and group delay distortion on a line-of-sight PSK communication channel 86−17055

Prescott, G.E., Hammond, J.L., Hertling, D.R. On-line measurement of transmission distortion in a digital radio channel 87−34386

Prescott, G.E. *see* DeSimio, M.P. 88−66277

Prescott, G.E. *see* Horton, R.S. 88−2947

Prescott, G.E. *see* Keith, T.E. 88−66604

Prescott, G.E. *see* McCall, E.M., II 86−69590

Prescott, G.E. *see* Navas, M.J. 86−69740

Prescott, G.E. *see* Ownby, M.R. 88−28689

Prescott, G.E. *see* Stephens, J.P. 88−3956

Prescott, J.R. *see* Fox, P.J. 88−26967

Presdee, B. Optic fibre communication 88−41634

Presern, S. Quality control based on feature extraction for CCD linear image inspection system 86−61965

Presky, H.M., Amitay, N., Benner, A. Straight-tip optical fibre up-tapers for single-mode hardware applications 88−26762

Preslar, D. *see* Stewart, R. 87−24195

Preslenev, L.N. The transfer constant of an acoustooptical delay line 87−44710

Preslenev, L.N. Effect of a mismatch of light beams of the characteristics of photomixing acousto-optic devices 88−40030

Preslenev, L.N., Stashkevich, A.A. Nonlinear distortion in optoacoustic devices with optical heterodyning 87−33017

Preslenev, L.N. *see* Kludzin, V.V. 87−26111, 88−33798

Presler, A.M. *see* Gerhardt, L.A. 87−16345

Presley, H.W., Bardos, A.M. Acoustic phased-array channelization in anisotropic media 88−72692

Presley, R. The need for remote micro networks 85−13920

Presmanes, J.L. *see* Kuti, C. 87−74646

Presnov, V.A., Kanchukovskii, O.P., Shenkevich, A.L. A fast thermally stable linear pressure transducer based on a rectifying metal-silicon contact 85−14761

Presnyakov, D.A. *see* Radchenko, Yu.S. 85−59292

Presnyakov, I.I., Sytnik, O.V. Parameter estimation of spatially-unresolved fluctuating signals 88−72954

Presnyakov, I.N., Kochkin, M.I., Smol'yaninov, S.S., But, V.A. Evaluation of the amplitude-phase models in correlation measurements of signals from artificial Earth satellites 86−25348

Presnyakov, I.N., Kochkin, M.I., Smol'yaninov, S.S., But, V.A. Synthesising algorithms for recurrent evaluation of parameters of incoherent-scattered signals 87−19197

Presnyakov, I.N., Kochkin, M.I., Tverdokhleb, V.I. Modelling of stochastic signals in the spectrally-correlated domain. II. The structure and description of modelling programs 85−2836

Presnyakov, I.N., Kochkin, M.I., Tverdokhlet, V.I. Simulating stochastic signals in spectral-correlation region. I. Basic theoretical correlations 85−30275

Presnyakov, I.N., Rudenko, O.G., Sytnik, O.V. Adaptation of an antenna array under non-steady-state conditions 88−66228

Presnyakov, I.N., Rudenko, S.G., Sytnik, O.V. An adaptive system for suppressing interference under conditions of apriori indeterminacy 88−20928

Presnyakov, I.N., Sytnik, O.V. Algorithm for formalising the resolution of angular coordinates with the aid of Kalman filtering [antenna arrays] 86−42924

Presnyakov, I.N., Sytnik, O.V. Processing signals with complex spectrum structure in adaptive antenna arrays 87−39511

Presnyakov, I.N., Sytnik, O.V. Characteristics of the use of the Doppler effect during the space-time processing of signals. II 87−39813

Presnyakov, I.N., Zolotarev, V.A., Titarenko, A.M. A linear modelling filter of incoherently scattered signals 85−63053

Presnyakov, I.N. *see* Bidnyi, Yu.M. 87−69170, 88−21201

Presnyakov, I.N. *see* Bidnyy, Yu.M. 86−23064

Presnyakov, V.A. *see* Vodovatov, I.A. 87−74412

Presnyakov, Yu.P. *see* Mal'tseva, N.A. 88−74586

Presnyakova, L.F. *see* Lotosh, Ya.M. 85−20445

Presnykov, I.N., Sytnik, O.V. Kalman filtering in adaptive antenna arrays 86−48691

Presotto, D.L. Upas−a simpler approach to network mail 86−37372

Presperin, V. *see* Bogdzel', A.A. 85−9078

Press, A.A. Self-impedance of an electric dipole located near an infinite elliptic cylinder parallel to its axis 88−8578

Press, A.M. *see* Chervinskiy, V.R. 85−36886

Press, L. What you see is what you hear 85−58449

Press, L. Home computer III: the Philips/Sony CD-I proposal 86−65068

Press, R.L. *see* Carey, P.G. 85−50695, 85−55924

Press, R.L. *see* Sigmon, T.W. 85−12158

Press, R.W. *see* Rowe, J.M.T. 88−35565

Pressdee, A.W. Low voltage field-emission cathode 86−8687

Pressdee, B. Computer screening by metal-coated glass 88−58885

Pressdee, B. Avionics and aircraft 88−61529

Pressdee, B. When light flies from tower to tower [overhead fibre-optic cable] 88−73936

Pressel, P.I. Mismatch: a major source of error in shielding effectiveness measurements 85−11676

Presser, A. A FET L-band phase/amplitude control module 85−17860

Presser, A. *see* Perlow, S.M. 85−6495

Presser, S. An introduction to jet type high voltage electrode steam boilers: what they are and how they work 85−4953

Pressesky, J.L. *see* Fisher, R.D. 87−18494

Pressicaud, J.M. *see* Auclair, J.Y. 88−59860

Pressicaud, J.M. *see* Point, B. 85−3270

Pressigout, P. Test bench for teletext receiver terminals (B3T) 85−25408

Pressing, J. Nonlinear maps as generators of musical design 88−67613

Presslein, P., Kirsch, K., Bauer, N. Computer-aided design of PLL-circuits 88−70596

Pressler, H. *see* Richter, K.P. 85−43339

Pressley, R.J. Excimer laser processing of semiconductors 85−55632

Pressley, R.J. Semiconductor processing using excimer lasers 88−20816

Pressley, R.J., Sigmon, T.W., Fahlen, T.S. Gas immersion laser doping 85−12120

Pressley, R.J. *see* Sigmon, T.W. 85−12158

Pressman, D. Patent your inventions properly to avoid legal pitfalls 85−5705

Pressman, D.E. Videotex and health care: a diagnostic application in speech pathology 85−3119

Pressman, F., Weisman, R.L. Enhanced solder wettability of multilayer ceramic substrates 85−28053

Pressman, H. *see* Reynolds, W.N. 87−365

Pressman, L. *see* Muraida, G.T. 85−3415

Pressman, N.J., Frost, J.K. BIDAS: A microscope imaging, communications, processing and analysis system for cytopathology 85−31830

Pressnell, R. Superconductivity 88−33555

Pressutti, W.D., Jr. Total quality control: focus on preventive maintenance 88−6297

Prest, M.R. *see* Perret, R. 87−26526

Prest, R.B., Van Wyk, J.D. Base drive for high current low loss bipolar power transistor switches 87−18115

Prest, R.B., Van Wyk, J.D. A critical evaluation of the problem of reverse bipolar transistor conduction in high current PWM inverters 87−22582

Prest, R.B., Van Wyk, J.D. Pulsed transformer base drives for high-efficiency high-current low-voltage switches 88−55456

Prest, R.B., Van Wyk, J.D. Three-phase transistor inverter for low voltage, high current, battery fed applications 88−69857

Prest, R.B., van Wyk, J.D., Ackva, A. Loss minimisation in large bipolar power switches up to 500 A, in relation to base drive technology 87−11753

Prest, R.B., van Wyk, J.D., Schultz, J. Development of a three-phase variable speed drive system for a battery fed underground mining locomotive 88−69858

Presta, E., Casullo, A.M., Costa, R., Slonim, A., Van Itallie, T.B. Body composition in adolescents: estimation by total body electrical conductivity 88−30012

Presta, E. *see* Segal, K.R. 86−11978

Prestage, J.D., Dick, G.J., Maleki, L. JPL trapped ion frequency standard development 88−22405

Prestage, J.D. *see* Bollinger, J.J. 85−37704

Prestat, P. The realisation of a characterisation chain for VLSI circuits [computerised system] 88−32069

Prester, M. *see* Peric, M. 88−20296

Presterl, H. Electrical power system protection for the Voitsberg 3 thermal power station 85−9725

Presti, G.Lo *see* Lo Presti, G.

Presti, L.L. *see* Albertengo, G. 87−55502

Presti, L.Lo *see* Lo Presti, L.

Prestifilippo, E. *see* Cacopardi, S. 85−46828

Presting, H. *see* Koren, U. 87−33006

Preston, B. Reliability gains through burn-in 85−60797

Preston, B. Burn-in or burn-out? 86−27740

Preston, B. What is reliability−the burning question [semiconductor IC testing] 86−28397

Preston, B. Ensuring reliability of avionics systems 87−35463

Preston, B. Burn-in and stress screening 88−6328

Preston, C., Molinari, F. Applications proliferate as digital image processing enters mainstream design 86−37125

Preston, C., Molinari, J. Frame-grabber boards acquire and process images in real time 87−8561

Preston, D.F. *see* Cook, L.T. 85−53028

Preston, D.J. Dual counter trip meter 85−21915

Preston, G. Management aspects of statistical process control implementation 87−44025

Preston, G.T. *see* Armor, A.F. 86−61372

Preston, H.F. *see* Tilly, J.F. 86−59914

Preston, H.f. *see* Tilly, T.F. 85−47545

Preston, J. New training methods for energy equipment controls 87−50

Preston, J. A Bachelor of Science degree in energy management technology 87−55

Preston, J. *see* Wielinga, R.F. 87−77052

Preston, J.A. *see* Bertolaccini, M. 88−29909

Preston, J.M. New media systems and the computer 86−23276

Preston, J.R. *see* Bigg, D.M. 87−30210

Preston, J.S., van Driel, H.M., Sipe, J.E. Infrared measurement of carrier density, lattice temperature and melt depth during nanosecond pulsed laser annealing of silicon and germanium 85−12095

Preston, K., Jr. Image processing in medical microscopy 87−35408

Preston, K., Jr. High-resolution leukocyte analyzers: retrospective and prospective 87−77615

Preston, K.R. *see* Hooper, R.C. 85−20219

Preston, K.R. *see* Matthews, M.R. 86−36197

Preston, K.R. *see* Stallard, W.A. 86−9604

Preston, M. *see* Raymond, E. 88−8344

Preston, M.A., Edwards, J.D., Williams, G. A novel PWM inverter using transformer-isolated power MOSFETs 88−69560

Preston, M.A. *see* Edwards, J.D. 86−71098, 88−55372

Preston, R., Sagdeev, R.Z., Blamont, J., Matveenko, L.I., Linkin, V.M., Kerzhanovich, V.V., Severnyj, A.B., Laurans, G., Hildebrand, C., Purcell, G., Finley, S., Stelzried, Ch., Ellis, J., Petit, G., Boloh, L., Ortega-Molina, A., Rosolen, L., Boichot, A., Biraud, F., Collin, D. VEGA balloon experiment: the global network of radio telescopes and first results 86−30928

Preston, R. *see* Kremnev, R.S. 86−30313

Preston, R.A., Hildebrand, C.E., Purcell, G.H., Jr., Ellis, J., Stelzried, C.T., Finley, S.G., Sagdeev, R.Z., Linkin, V.M., Kerzhanovich, V.V., Altunin, V.I., Kogan, L.R., Kostenko, V.I.,

Matveenko, L.I., Pogrebenko, S.V., Strukov, I.A., Akim, E.L., Alexandrov, Yu.N., Armand, N.A., Bakitko, R.N., Vyshlov, A.S., Bogomolov, A.F., Gorchankov, Yu.N., Selivanov, A.S., Ivanov, N.M., Tichonov, V.F., Blamont, J.E., Boloh, L., Laurans, G., Boischot, A., Biraud, F., Ortega-Molina, A., Rosolen, C., Petit, G. Determination of Venus winds by ground-based radio tracking of the Vega balloons 86−55400
Preston, R.A. *see* Levy, G.S. 87−28712
Preston, R.C. Measurement and characterisation of the acoustic output of medical ultrasonic equipment. I 86−38760
Preston, R.C. Measurement and characterisation of the acoustic output of medical ultrasonic equipment. II 86−50529
Preston, R.C. The NPL ultrasound beam calibrator 88−54774
Preston, R.C., Bacon, D.R., Corbett, S.S., III, Harris, G.R., Lewin, P.A., McGregor, J.A., O'Brien, W.D., Jr., Szabo, T.L. Interlaboratory comparison of hydrophone calibrations 88−54797
Preston, R.C., Bacon, D.R., Smith, R.A. Calibration of medical ultrasonic equipment—procedures and accuracy assessment 88−54507
Preston, R.C., Mason, C.E. Performance of the NPL ultrasound beam calibrator: part I physiotherapy transducers 87−35438
Preston, R.J., Hayner, J.A., Sahjani, P. Unleash the potential of the new PIN diodes 86−41743
Preston, S., Johnson, G.W. Effect of grain size and orientation on the initial permeability of 36 wt.% Ni-Fe alloys 85−18554
Preston, S.M. *see* Peters, D.W. 88−64448
Preston, T. *see* Short, G. 86−1177, 88−63718
Preston, T.C. Cost effective accelerated testing and analysis 86−283
Preston, T.W., Reece, A.B.J. The finite-element contribution to electrical machine design 85−15988
Preston, T.W., Reece, A.B.J., Sangha, P.S. Induction motor analysis by time-stepping techniques 88−55341
Preston, T.W. *see* Coulson, M.A. 85−24733, 86−42699
Preston, T.W. *see* Creek, F.R.L. 86−33313
Preston, T.W. *see* Woolman, D. 86−40504
Preston-Thomas, H., Quinn, T.J., Hudson, R.P. The International Practical Temperature Scale 85−52891
Prestridge, E.B. *see* Moustakas, T.D. 86−26916
Prestridge, J. Controlling testing costs—the management challenge of the next decade 88−41979
Presttun, K. Security measures in communication networks 86−54678
Presttun, K. Normalisation always more necessary: security in communication networks 87−76075
Prestwich, K.R., Lee, J.R., Ramirez, J.J., Sanford, T.W.L., Agee, F.J., Frazier, G.B., Miller, A.R. Overview of high intensity X-ray and gamma-ray sources 88−54014
Prestwich, K.R. *see* Buttram, M.T. 85−58967
Prestwich, K.R. *see* Cook, D.L. 87−43208
Prestwich, K.R. *see* Hasti, D.E. 85−26670
Prestwich, K.R. *see* Mazarakis, M.G. 86−25030, 87−41788, 88−54017
Prestwich, K.R. *see* Ramirez, J.J. 87−21309
Prestwich, R. *see* Smith, D.L. 88−24054
Prestwood, D.C.L. *see* Vanston, J.H. 88−58021
Presutti, V.J., Jr. The AFLC management sciences program 86−7463
Pretap, S.B., Brown, D.R., Bird, W.L. Transient overvoltages on rotary flux compressor/compensated pulsed alternator windings 85−5061
Prete, C.A. *see* Corsini, P. 87−24175
Prete, G., Fornal, B., Yunian, L., Viesti, G., Fabris, D., Natowitz, J.B., Nebbia, G., Wada, R. The use of CsI(Tl) scintillations with photodiode read-out in heavy ion experiments 87−41827
Prete, G., Viesti, G. Discrimination capability of avalanche counters detecting different ionizing particles 85−37916
Prete, G. *see* Moroni, A. 85−4236
Prete, G. *see* Viesti, G. 87−14730, 87−14757
Prete, T.Del *see* Del Prete, T.
Pretel, Ya. *see* Tsvang, L.R. 85−43475
Preteux, F. *see* Boulanger, F. 88−21357
Preteux, F. *see* Lavayssiere-Lecourt, B. 88−23072
Pretolani, F. *see* Pedroni, G. 87−78367
Pretorius, J.A., Shubak, A.S., Salama, C.A.T. Latched domino CMOS logic 85−33763
Pretorius, J.A., Shubat, A.S., Salama, C.A.T. Testability enhancement of domino CMOS logic 85−33765
Pretorius, J.A., Shubat, A.S., Salama, C.A.T. Analysis and design optimization of domino CMOS logic with application to standard cells 85−44969
Pretorius, J.A., Shubat, A.S., Salama, C.A.T. Latched domino CMOS logic 87−623
Pretorius, J.A., Shubat, A.S., Salama, C.A.T. Charge redistribution and noise margins in domino CMOS logic 87−627
Pretorius, J.A. *see* Shubat, A.S. 86−34674, 87−44762
Pretorius, L., Eyre, D. Spline-Gauss rules and the Nystrom method for solving integral equations in quantum scattering 87−58839
Pretorius, R. *see* Strydom, W.J. 87−67112
Pretorius, R.E., Goosen, P.V. Practical investigation into repeated failures of 400/220 kV autotransformers in the Escom network—results and solutions 86−51711
Prettl, W. *see* Bock, W. 87−2041, 88−60137
Prettl, W. *see* Moser, K. 85−7325, 85−51064 to 51065, 86−15586, 86−36355, 88−26938
Prettl, W. *see* Obermaier, R. 85−7306
Pretty, E. Precision data acquisition goes distributed 85−20518
Prettyjohns, K.N., Dereniak, E.L. Software for a universal CCD test facility 85−58592
Pretzer, D.D. Automatic target recognizer (ATR) system: a Hughes perspective 88−22219
Pretzl, K. *see* Atkinson, M. 87−35349
Pretzl, K. *see* Atkinson, M.N. 87−71027, 88−22987
Pretzl, K., Schmitz, N., Stodolsky, L. *(editor)* Low Temperature Detectors for Neutrinos and Dark Matter. Proceedings of a Workshop 88−37853
Pretzl, K.P. *see* Fent, J. 85−9046
Pretzl, K.P. *see* Fessler, H. 85−31697
Pretzsch, G. Electret charging utilizing the electret ionization chamber 85−19082
Pretzsch, G. Neutron sensitivity of a polyethylene-walled electret ionization chamber 85−37911
Pretzsch, G. Detection properties of the electret pulse chamber 87−8848
Pretzsch, G., Dorschel, B. A re-usable electret dosemeter 86−38854
Pretzsch, G., Dorschel, B., Schonmuth, T., Geiss, D. Dosimetric properties of electret ionisation chambers 86−56050
Pretzsch, G., Dorschel, B., Seifert, H., Streil, T., Seeliger, D. Measurement of tritium activity concentration in air by means of the electret ionisation chamber 86−38853
Pretzsch, G. *see* Apel, P.Yu. 86−50405
Pretzsch, G. *see* Dorschel, B. 85−20972, 86−38852
Preuer, G. *see* Theil, G. 87−21967
Preumont, A. The generation of non-separable artificial earthquake accelerograms for the design of nuclear power plants 86−12578
Preumont, A. Bayesian analysis of the extreme value of a time history 88−31587
Preuss, A. *see* Roubicek, O. 88−24177
Preuss, D.R. *see* Tyan, Y.-S. 86−36550, 87−53942
Preuss, E.R. The baking in the system. I. The properties of the baked varnish insulation system 87−67637
Preuss, E.R. System stoving. II. Examples of application for VST windings 88−11247
Preuss, H. *see* Knop, C. 88−60618
Preuss, K.P. A novel approach for complex Chebyshev-approximation with FIR filters using the Remez exchange algorithm 87−61969
Preuss, L.E. *see* Bolin, F.P. 86−32262, 88−8357
Preuss, P. Management system for battery-driven hall transporters 88−24238
Preuss, R.D. Stochastic signal classification procedures with reference to electroencephalogram analysis 86−32326
Preuss, T.E. *see* Pogany, A.P. 88−44653
Preuss, W. *see* Kleinjohann, B. 87−17167
Preuss, W. *see* Kossow, A. 87−23420, 88−38027
Preusser, S., Cocivera, M. Electrodeposition of CdS using nonaqueous triphenylstibine sulfide 87−44363
Preussler, D.R. *see* Brink, D.J. 86−68621
Prevett, S. Familiarity brings PC benefits 88−62293
Previ, A. The Vulcano Project [rural stand-alone photovoltaic power system] 86−19167
Previ, A. *see* Belli, G. 86−45277
Prevignano, A. *see* Corvi, F. 88−29880, 88−61164
Prevo, C.T. *see* Kaifer, R.C. 86−50358
Prevost, B. *see* Chive, M. 85−38205
Prevost, B. *see* Plancot, M. 87−57227, 88−61432
Prevost, C. *see* Brown, R.J. 86−18609
Prevost, J. High speed networking and TELECOM I 87−3126
Prevost, J. Barriers in HEP networking 87−13428
Prevost, J. *see* Cohen, A. 88−28805
Prevost, J. *see* Radureau, J. 86−30410
Prevost, M. Stieltjes- and Geronimus-type polynomials 88−24614
Prevost, M.P., Laffey, T.J. Knowledge-based diagnosis of electronic instrumentation 86−44153
Prevost, R.D. Uses and abuses of inductive proximity switches 86−41381
Prevot, B. *see* Chambon, P. 85−23631
Prevot, C. *see* Bendali, A. 85−46631
Prevot, J., Smissaert, G., Bucalo, C. Belgian experience in NPP construction 86−32997
Prevot, J. *see* Gaube, M. 86−32996
Prevot, P. *see* Jolion, J.-M. 87−27613
Prewer, B.E. *see* Bathe, S.E. 88−28984
Prewer, D.C. An introduction to data communications 85−2962
Prewett, P.D. Focused ion beam systems for materials analysis and modification 85−34750
Prewett, P.D. Liquid metal ion sources for FIB applications: current status and future prospects 86−11831
Prewett, P.D. FIB machining and deposition 88−57576
Prewett, P.D., Heard, P.J. Repair of opaque defects in photomasks using focused ion beams 87−74155
Prewett, P.D., Kellogg, E.M. Liquid metal ion sources for FIB microfabrication systems—recent advances 85−37874
Prewett, P.D., McMillan, D.J. Liquid metal ion sources for ion beam systems 85−23921
Prewett, P.D. *see* Cleaver, J.R.A. 86−21675
Prewett, P.D. *see* Heard, P.J. 88−19866
Prewitt, C.T. *see* Phillips, J.C. 86−60459
Prewitt, J.M.S., Selfridge, P.G., Anderson, A.C. Name-value pair specification for image data headers and logical standards for image data exchange 85−30278
Prewitt, J.M.S. *see* Hegde, S.S. 85−31833
Prewitt, J.M.S. *see* Duerinckx, A. *(editor)* 85−27935
Prezas, D.P., Picone, J., Thomson, D.L. Fast and accurate pitch detection using pattern recognition and adaptive time-domain analysis 87−19454
Prezas, D.P. *see* Picone, J. 87−7732, 87−19430, 87−39709, 88−72961
Prezas, D.P. *see* Thomson, D.L. 87−27344
Pri Tal Shlomo *see* Shlomo Pri Tal
Pri-Tal, S., Gregorcyk, A.J., Harris, M., Kraft, D., Perkins, G., Rush, M. A chip for all boards [VME interface chip] 88−44259
Pria, J.A. *see* Baughman, N.B. 87−71712
Priam, R. *see* Gouni, P. 88−23168
Priam, S., Pecar, J. Optimization of determining the additional constant of an electronic distance meter 86−11713
Priaroggia, P.G. Superconductivity 88−58013
Priban, M. *see* Culek, A. 88−47435
Pribat, D., Dieumegard, D., Dessertenne, B., Chaplart, J. Doping of GaAs from silane decomposition under pulsed laser irradiation 85−50405
Pribat, D., Mercandalli, L.M., Croset, M., Dieumegard, D., Siejka, J. Heteroepitaxial growth of silicon on (100) yttria-stabilized zirconia (YSZ) and thermal oxidation of the Si-YSZ interface 85−10676
Pribat, D., Mercandalli, L.M., Croset, M., Siejka, J. Pulsed laser annealing of zirconia capped, native oxides free GaAs surfaces 85−12217
Pribat, D., Mercandalli, L.M., Siejka, J., Perriere, J. Interface oxidation of epitaxial silicon deposits on (100) yttria stabilized cubic zirconia 85−50412
Pribat, D., Velasco, G. Microionic gas sensor for pollution and energy control in the consumer market 88−35957
Pribega, S.V., Stepanyuk, V.V., Kolomiets, Yu.A. Stabilized power supply for a DNK-90 ultraviolet lamp 86−20289
Pribetich, J. *see* de Jaeger, J.C. 88−57683
Pribetich, P., Delrue, R., Legier, J.F., Seguinot, C., Kennis, P. Microwave study of GaAs semiconductor electrooptic waveguide modulator at 10.6 μm 88−58246
Pribetich, P., Kennis, P. Comments, with reply, on 'The hybrid-mode analysis of coupled microstrip-slop resonators' by K. Kawano 86−41300
Pribetich, P., Kennis, P., Seguinot, C. Experimental determination of propagation parameters of a microstrip line with tuning septums 85−62902
Pribetich, P., Kennis, P., Seguinot, C., Toutain, S., Gelin, P. A slot antenna radiating in muscle 85−19261
Pribetich, P. *see* Delrue, R. 88−56990, 88−63911
Pribetich, P. *see* Ledee, R. 87−77679, 88−56894
Pribetich, P. *see* Legier, J.P. 87−19269
Pribetich, P. *see* Remiens, D. 87−26077
Pribetich, P. *see* Roudot, B. 86−16010, 86−48661, 87−75604, 88−40706
Pribetich, P. *see* Seguinot, C. 86−15998, 86−27579, 86−35066, 87−73596
Pribetich, P. *see* Seguinot, Ch. 85−6489, 87−17392
Pribiag, G. *see* Duma, M. 87−57583
Pribilla, P. The information-technology office 85−42077
Pribilla, P. The office marketplace. Office communications secure the place in the market 88−15188
Pribyl, F. Application of nuclear magnetic resonance in medical diagnostics 85−20902
Pribyl, F. Magnetic resonance tomography 85−38096
Pribyl, F. Wigner distribution and its possible applications 86−43268
Pribyl, F. Reconstruction of a three dimensional image and its application to computer tomography 86−43343

Pribyl, F. Cathode-ray tubes with hue control by means of accelerated voltage or electron beam current 86—44187
Pribyl, F. Colour cameras with one pick-up tube or a solid-state sensor 87—32212
Pribyl, F. The SIT very sensitive image sensor 88—29461
Pribyl, F. High-contrast electroluminescent display 88—74539
Pribyl, J. *see* Dlabola, F. 86—64745
Pribyl, P. Power amplifier efficiency enhancement possibilities 88—32033
Pribyl, P. Classification of AF power amplifiers 88—56493
Pribyl, V. *see* Culek, A. 88—47435
Pribyl, W., Harter, J., Muller, W. A 4 megabit dynamic RAM in submicron CMOS technology with a FOBIC trench cell 88—12374
Pribyl, W., Harter, J., Reczek, W., Sommer, D., Hausele, H. CMOS output buffers for megabit DRAMs 88—56616
Pribyl, W. *see* Vogel, D. 85—62101
Pribylov, V.Ye., Khomiakov, N.A. A stabilized sawtooth current generator 86—20363
Pribytkov, A.V. *see* Musikhin, V.A. 88—65775
Pribytok, G.A. *see* Demchuk, M.I. 88—39999
Price, A.J. *see* Dudek, M.T. 85—57976
Price, A.T., Alberry, P.J. Welding—the critical link 88—49515
Price, B.J., Marsh, G.E., II. Interactive video in secondary schools: implications for the learning disabled 85—49283
Price, C.C., Salama, M.A. Parallel algorithms for Toeplitz matrix operations 86—13686
Price, C.D.E., Boulter, R.A. Integrated services digital network 85—30833
Price, C.D.E. *see* Moberly, R.V. 85—51924
Price, C.F. *see* Jackson, R.L. 88—55036
Price, D., Fittinghoff, D., Benford, J., Sze, H., Woo, W. Operational features and microwave characteristics of the Vircator II experiment 88—64192
Price, D. *see* Benford, J. 87—17637, 87—37047
Price, D. *see* Foust, O. 87—43408
Price, D. *see* Sze, H. 88—25818, 88—50586
Price, D.B. *see* Suit, W.T. 88—61547
Price, D.F. *see* Wang, C.L. 87—8857
Price, D.H.R., Sharp, J.A. Demand forecasting and aggregate planning in the electrical supply industry 85—59643
Price, D.H.R., Sharp, J.A. Investigation of the impact of changes in demand forecasting method on the financial performance of an electricity supply undertaking 86—6294
Price, D.R., McLean, W.E. Aeromedical lessons learned with night vision devices 86—65494
Price, D.R., Walmsley, H.L., Buckley, S., Clark, P.E., Ewin, D.J., Robb, D.A., Williamson, S., Gasper, B., Potter, S. Experimental validation of a finite element method for predicting transient stator end winding vibration in large electric motors 88—17545
Price, D.R. *see* Bevan, A.V. 86—5829
Price, D.W., Baker, W.L., Beason, J.D., Degnan, J.H., Hall, D.J., Holmes, J.L., Graham, J.D., Lopez, E.A., Seiler, S., Turchi, P.J. Enhanced load current delivery from the SHIVA Star vacuum inductive store/plasma flow switch 88—43397
Price, D.W., Baker, W.L., Beason, J.D., Degnan, J.H., Hall, D.J., Holmes, J.L., Graham, J.D., Lopez, E.A., Seiler, S.W., Turchi, P.J. Enhanced load current delivery from the SHIVA star vacuum inductive store/plasma flow switch 88—75956
Price, D.W. *see* Degnan, J.H. 88—43396
Price, E.G., Moan, G.D., Coleman, C.E. Leak-before-break experience in CANDU reactors 88—43009
Price, E.J., Ricker, W.G. New approaches to transducer excitation and conditioning 85—64110
Price, E.M., Sprosen, B. Potential impact of NAVSTAR GPS on NATO tactical operations 85—25852
Price, G.B. A generalized circle diagram approach for global analysis of transmission system performance 85—15559
Price, G.D. Harmonic analyses of wound rotor and inverter systems 85—16043
Price, G.G. Automatic set up for professional monitors 87—13902
Price, G.H. On the relationship between the transmitting and receiving properties of an antenna 87—12793
Price, G.L. Gallium arsenide and related compounds 85—28962
Price, G.L. Multiple specimen-exchange system for molecular beam epitaxy 87—23665
Price, G.R. *see* Marshall, J.F. 87—56466
Price, H., Okamoto, T., Kuhlen, H., Guelzow, P., Moe, D. Birds 'n' Bauds [communication satellites for packet radio] 86—69702
Price, H.E. *see* Karn, P.R. 85—52295
Price, H.E. *see* Ward, J.W. 88—9481
Price, H.G., Aitken, T.W., Alexander, J., Charlesworth, T.R., Joy, T., O'Gara, J., Owen, E.C.G., Doucas, G., McK.Hyder, H.R., Knox, B., Marsh, M. Proposed addition of superconducting linac modules to the Daresbury tandem 88—53980
Price, H.G. *see* Aitken, T.W. 86—38665, 88—47758
Price, H.G. *see* James, A.N. 88—48033
Price, H.M. A computer based HF spectrum monitoring system 85—42716
Price, I. *see* Braun, W. 88—22832
Price, I.W. IANS: a sophisticated tool for emergency management 88—5967
Price, J. Going to school via fiber [interactive TV system] 88—53447
Price, J.A. Virginia Power's safety system functional inspection 88—62130
Price, J.B. *see* Pintchovski, F. 85—1487
Price, J.C. Combining panchromatic and multispectral imagery from dual resolution satellite instruments 87—71285
Price, J.C. Air navigation: the development of international standards by ICAO for aeronautical charts and operational information 88—35613
Price, J.C. *see* Innes, W. 87—14515
Price, J.C. *see* Klein, S. 86—787
Price, J.D. *see* Lu, K.S. 85—36572
Price, J.H., Gully, J.H., Driga, M.D. The high voltage homopolar generator 87—30600
Price, J.H., Kitzmiller, J.R. Design of a homopolar generator for 400 m/s slip ring velocity brush testing 87—30599
Price, J.H. *see* Hildenbrand, D.J. 87—30779
Price, J.K. Remote data acquisition and control for the personal computer 87—63292
Price, J.T. *see* Adkins, F.E. 87—72028
Price, K. Anything you can do, I can do better (no you can't) ... [computer vision] 87—27571
Price, K. Test methods for whole vehicle radiated susceptibility 88—40607
Price, K.E. Matching closed contours [picture processing] 85—36432
Price, K.E. Relaxation matching techniques—a comparison 86—10474
Price, K.E. *see* Shariat, H. 88—8875
Price, K.E. *see* Vilnrotter, F.M. 86—43311
Price, K.M., Matthews, E.W., Han, C.C., English, W.J. Spacecraft reconfigurable multibeam antenna feed network technology 85—24985
Price, K.M. *see* Fetterolf, P.C. 86—29633
Price, K.M. *see* Turner, A.E. 88—67313
Price, L. Australia under the B-MAC beam [satellite communications] 85—25802
Price, L. First in the ground [Swindon's cable TV network] 85—26051
Price, L. Canada's satellite service pioneer 85—30957
Price, L. Building satellites—a complex business 85—47461
Price, L. From TV transmitters to TVROs 85—63785
Price, L. *see* Claus, R. 88—16639
Price, L.A. Studying the mouse for CAD systems 85—146
Price, L.A., II Radar detection and measurement system 85—47572
Price, L.A., II *see* Pennell, G.F. 85—32437
Price, L.E. *see* Ambats, I. 85—43251
Price, M. *see* Agrawal, P. 86—20201
Price, M. *see* Amendolia, S.R. 85—43179
Price, M. *see* Battistoni, G. 86—50396
Price, M. *see* Benetta, M. 85—43239
Price, M. *see* Vaughan, C. 87—35414
Price, M. *see* Zehl, O. 85—41229
Price, M.G. *see* Rosenbaum, J. 85—46228
Price, M.G. *see* Zehl, O. 85—29659
Price, M.H. *see* Overshott, K.J. 85—29435
Price, M.J. Noise considerations in a 'room temperature' induction technique magnetic monopole detector 85—31735
Price, M.J. A search for magnetic monopoles in the Mont Blanc nucleon decay apparatus 85—31745
Price, M.J. Experimental searches for magnetic monopoles at particle colliders 85—31748
Price, M.J. *see* Amendolia, S.R. 85—37901, 86—5779, 87—21426 to 21428
Price, N., McClelland, S. Case study: quality and automation at Rank Xerox 88—71235
Price, O.R. Logic design and validation on a personal workstation 87—454
Price, P. Selecting contactors 86—33532
Price, P. *see* Chow, Y.-L. 87—19585
Price, P. *see* Kubala, F. 88—66401
Price, P.B Magnetic monopoles and other highly ionizing particles at the SSC 88—68291
Price, P.B., Cook, L.M., Marker, A. Phosphate glasses for identification of heavy ions 87—29535
Price, P.B., Drach, J. Dependence of response of plastic track detectors on post-irradiation aging time, temperature, and atmosphere 87—77577
Price, P.B., Gerbier, G., Park, H.S., Salamon, M.H. Systematics of annealing of tracks of relativistic nuclei in phosphate glass detectors 87—77575
Price, P.B., Park, H.-S., Gerbier, G., Drach, J., Salamon, M.H. VG-13: a nuclear-track-recording glass detector with uniquely high resolution 87—41878
Price, P.B., Salamon, M.H. Fossil tracks of α-particle interactions in minerals 86—44582
Price, P.B., Salamon, M.H. Advances in solid state nuclear track detectors 87—29557
Price, P.B., Tarle, G. CR-73: a new, high-resolution plastic track-etch detector 85—37949
Price, P.B *see* Ahlen, S.P. 85—31754
Price, P.B *see* Bower, C.R. 87—14732
Price, P.B *see* Drach, J. 87—77574
Price, P.B *see* Salamon, M.H. 85—37948, 86—65386
Price, P.B *see* Shi-Lun Guo 85—64482, 87—29591
Price, P.E. Theory of equipment grounding 87—58637
Price, P.J. Hot electrons in heterolayers 85—1383
Price, P.J. Hot phonon effects in heterolayers 86—27875
Price, P.J. Phonon scattering in heterolayer transport 86—47379
Price, P.J. On the flow equation in device simulation 88—57592
Price, P.J. *see* Chow, Y.L. 87—61637
Price, P.J. *see* Dang, C. 86—39240
Price, P.J. *see* Jacoboni, C. 88—32965
Price, P.R., Vadgama, A.P., Cooper, P. Inrush current in three phase transformers with interconnected magnetic and electric circuits 87—22500
Price, P.W. *see* Randall, R.E. 86—60964
Price, R., Stuart, T., Effland, J., Sato, I., Tamagawa, S., Mori, I., Iwata, R. Dual frequency band antenna for INTELSAT Earth stations 86—69733
Price, R., Yurtal, L. An overview of parallel processing techniques and critique of contemporary ATS support capability 85—31340
Price, R. *see* Frost, C. 88—21791, 88—46679
Price, R. *see* Matthews, D. 85—7350
Price, R. *see* Rusnak, J. 88—53020
Price, R. *see* Zeiderman, M.R. 85—37988
Price, R.E., VanLaar, J.A., Ullman, A.Z., Kelly, B.D., Blake, F.A. Design for the Carrisa Plains central-receiver project 85—27349
Price, R.R. *see* Zheng, J. 87—63755
Price, R.W. *see* Curtis, S.B. 85—17286
Price, S. DTI support for OSI 86—43526
Price, S. Direct-conversion CW transceivers 86—43728
Price, S. Video DRAM suits graphics 86—46787
Price, S. The G4BWE CW memory Mk2 86—52840
Price, S. The Maplin TU1000 RTTY terminal unit 87—34053
Price, S. The GW 4BWE versafilter 87—66333
Price, S. The RC14 beginners' receiver 87—76542
Price, S. The ESbus protocol 88—59644
Price, S. *see* Vesuna, S. 88—53260
Price, S.E. *see* Frewin, L.F. 85—22276
Price, S.J. Automation for audio production and post-production 85—3818
Price, S.L. Electron-beam induced current measurement of HgCdTe heterojunction infrared detectors 85—52788
Price, S.M. CMOS 256-Kbit video RAM, with wide two-way bus, picks up speed, drops power 86—8203
Price, S.M. CMOS video RAM architecture for rapid access 86—62584
Price, T. Uranium supplies and nuclear energy policy 85—9650
Price, T.E. *see* Deans, N.D. 85—5675
Price, T.E. *see* Proietti-Orlandi, F. 88—68363
Price, W. Standards for data security—the state of the art 86—10627
Price, W.E. *see* Nicholas, D.K. 85—22807
Price, W.E. *see* Nichols, D.K. 85—23724, 86—35770, 87—32709, 88—26388
Price, W.E. *see* Smith, L.S. 88—25201
Price, W.H. *see* Murakami, M. 88—1435, 88—7363 to 7364, 88—57379
Price, W.H. *see* Stewart, D.W. 86—30496
Price, W.H. *see* Tiwari, S. 85—45743
Price, W.L. Data security in Open Systems Interconnection (OSI) 85—8199
Price, W.L. A review of the development of standards for data encipherment 85—57272
Price, W.L. Security in electronic mail 86—43475
Price, W.L. Security in an open systems environment 86—64478
Price, W.L. Standards for data security—are they really needed? 87—10229
Price, W.L. *see* Chorley, B.J. 87—47527
Price, W.L. *see* Davies, D.W. 85—36205
Price, W.L. *see* Woodhams, F.W.D. 88—63704
Price, W.O., Canaga, K.W. Accuracy estimation in anechoic chamber testing 86—29460
Price, W.O. *see* Canaga, K.W. 85—3806
Price, W.W., Schulz, R.P., Bhavaraju, M.P., Dunlop, R.D., Krogh, B.H. Detection and control of power system emergencies 86—50898
Price, W.W., Wirgau, K.A., Murdoch, A., Mitsche, J.V., Vaahedi, E., El-Kady, M. Load modeling for power flow and transient stability computer studies 88—54912
Price, W.W. *see* Nozari, F. 88—23917
Price, W.W. *see* Schulz, R.P. 85—26974

Pricer, W.D. Combination CMOS/bipolar driver for high capacitance 85–18407
Pricetoe, R.N., Gill, H.S., Vadher, V.V. Microprocessors in electrical systems for combat vehicles 87–24271
Pricha, W. *see* O'Hara, J.G. 88–69985
Prichard, H.M., Marien, K. A passive diffusion ^{222}Rn sampler based on activated carbon adsorption 85–53106
Prichett, W.R., Grzybowski, T.A. Design considerations for power applications of surface mount technology 86–62447
Prickett, D., Dow, P., Wilkes, A. Installation practice within the pharmaceutical industry 88–55914
Pridantsev, A.I. *see* Subbotin, V.I. 85–41048
Pridatchenko, Yu.V. *see* Solomko, A.A. 88–33748
Pridatkov, A.G., Volkov, L.R. A control, regulation, and protection system for a high-voltage power supply 86–45518
Pridatkov, A.G. *see* Iskhakov, A.S. 87–64697
Priddey, M.D. Titanium—an attractive proposition 86–47997
Priddy, K.L., Kitchen, D.R., Grzyb, J.A., Litton, C.W., Henderson, T.S., Peng, C., Kopp, W.F., Morkoc, H. Design of enhanced Schottky-barrier AlGaAs/GaAs MODFETs using highly doped p$^+$ surface layers 87–38281
Priddy, R. *see* Karalekas, N. 88–35843
Priddy, R. *see* Karelekas, N. 87–20891
Priddy, R.W., Boylston, G.L. Ground laser designator test set 86–43907
Priddy, T. *see* Kelly, F.J. 88–66075
Prideaux, P.H. Optical fiber reliability: a review 87–12172
Prideaux, P.H. *see* Finney, M.J. 88–39860
Prideaux, P.H. *see* in't Veld, S.H. 85–58146
Prideaux, P.H. *see* McEnroe, D.J. 88–39906, 88–58115
Prideaux, P.H. *see* Swiler, D.R. 88–475
Pridgen, E.H. Combining wave soldering and solder cream processes 87–11238
Pridgen, J.H. *see* McWilliams, J.K. 86–59380
Pridgeon, G. The Card Phone 87–76422
Pridmore, J. *see* Chow, P. 88–44202
Priebe, E., Shepherd, P. Corporate networking: local area networks 88–35127
Priebe, E.P. Design improvements in transit auxiliary motors 87–79087
Priedka, J., Pyplacz, J.K. Investigation of the fault-current breaking selectivity of Bi-Wts fuses in selected AC and DC circuits 85–21755
Priegnitz, B. An examination of power supply markets 88–44031
Priel, B., Shaked, U. Optimal filtering of discrete-time linear stationary processes under high signal-to-noise ratio conditions 85–30258
Priel. M. *see* Legras, J.C. 88–4388
Priemer, R. Switched capacitor D/A converter 86–57606
Priemskii, D.G. *see* Alekseev, O.G. 86–63893
Pries, W., McLeod, R.D., Card, H.C., Kao, K.C. A mechanism for in situ monitoring of hydrogen incorporation into amorphous silicon 85–6003
Pries, W., McLeod, R.D., Herak, T.V., Mejia, S.R., Card, H.C., Kao, K.C. Properties of a-Si:H deposited by activated reactive evaporation (ARE) 86–46382
Pries, W. *see* Bridges, G.E. 86–12245
Pries, W. *see* Card, H.C. 86–63369, 87–25397, 87–25408
Pries, W. *see* McLeod, R.D. 87–29998
Pries, W. *see* Mejia, S.R. 86–34369
Pries, W. *see* Tsalides, P. 87–67388
Priese, J. Radiation resistance of the low, thin, horizontal, resonant half-wave dipole over real horizontal half-space 86–68878
Priese, J. Gain of the horizontal half-wave dipole above ground in the decametre wave region 87–27002
Priesmeyer, H.G. *see* Asmussen, B. 86–70363
Priess, A. *see* Luxa, A. 86–12976
Priess, F. *see* Schaper, H. 88–63425
Priest, J.W. Insuring reliability in the design process 86–57183
Priest, J.W. A cooperative industry-university continuing education program in engineering design for reliability 87–23080
Priest, J.W. *see* Bodensteiner, W. 87–65240
Priest, K.W. *see* Lancaster, J.T. 87–71754
Priest, K.W. *see* Lannes, W.J. 85–10058
Priest, K.W. *see* Wilhelm, M.R. 88–61908
Priest, R.G., Giallorenzi, T.G. Dispersion compensation in coherent-fiber-optic communications 87–68133
Priest, R.G. *see* Flick, T.E. 88–72982
Priester, C., Allan, G., Lannoo, M. Tight-binding calculation of the band offset at the Ge-GaAs (110) interface using a local charge-neutrality condition 86–58303
Priestley, J.T., Hill, R.J. Measuring high-frequency humidity, temperature and radio refractive index in the surface layer 87–71313
Priestley, J.T. *see* McMillan, R.W. 86–38957
Priestly, J.T. *see* Bohlander, R.A. 88–58847
Priestly, J.T. *see* Hill, R.J. 88–58846
Priestly, R.N. Future inertial-integrated navigation systems 87–42119
Priestman, S. SQC and JIT: partnership in quality 85–60792
Priestman, T. Interactive video and its applications 85–26065
Prieto, A., Martin-Smith, P., Pelayo, F., Lloris, A. The design of decoders for Q-valued logic circuits 88–70730
Prieto, A., Pelayo, F., Lloris, A. Multithreshold logic circuits implemented with operational amplifiers 85–54833
Prieto, A., Rodriguez, J., Solano, M.A. Y-junctions in dielectric waveguides using very wide-aperture angles 87–32036
Prieto, A., Rodriguez, J., Solano, M.A. Study of multiple discontinuities in dielectric waveguides 88–2663
Prieto, A., Solano, M.A., Rodriguez, J. Reduction losses in dielectric waveguide Y-junctions with wide aperture angles 87–17328
Prieto, A. *see* Mariano Aceves, M. 87–52735
Prieto, A. *see* Rodriguez, J. 85–34145, 87–66479, 87–73591, 88–56848
Prieto, A. *see* Rubio, E. 85–36065
Prieto, A. *see* Solano, M.A. 87–25916, 88–19330
Prieto, A. *see* Valero, J.L. 86–17816
Prieto, A.E. *see* Aceves, M.M. 87–10709
Prieto, A.R., Tomas, J.G. A model to order the encryption algorithms according to their quality 88–14578
Prieto, J.L.San Emeterio *see* San Emeterio Prieto, J.L.
Prieto, J.L.San Emeterio *see* San Emeterio Prieto, J.L.
Prieto, J.Villoslada *see* Villoslada Prieto, J.
Prieto, N. *see* Vidal, E. 88–72890
Prieto, P. *see* Alvarez, F. 88–26964
Prieto, P. *see* Bacca, E. 88–2108
Prieto, P. *see* Powsner, S. 88–48125
Prieto, P.S., Wood, J.C., Charleston, D.B., Kume, Y., Doi, K. Positioning system for multiple-slit array in digital radiography 88–48124
Prieto, T. *see* Chilbert, M. 88–74779
Prieto, T. *see* Myklebust, J. 88–48096
Prieto Fernandez, F.J. *see* Jaen Gallego, J.A. 87–5172
Prieto Montalvo, J.A. *see* Guimaraes, C.C. 86–59679
Prietsch, M., Domke, M., Laubschat, C., Kaindl, G. Formation of Schottky barrier at the Tm/GaAs(110) interface 88–32927
Prietzel, G., Witibschlager, F. More safety with new LV circuit-breakers 87–15938
Prieur, P. *see* Munier, B. 88–42161
Prieur-Drevon, P. *see* Fedeli, J.M. 85–29657
Priewe, K. Cost comparison using SMD (surface mounted devices) 87–37651
Priezzhev, A.V. *see* Bersenev, V.I. 88–5164
Priezzhev, A.V. *see* Evdokimov, M.V. 86–36620
Prigarin, V.E. *see* Ustinov, N.D. 86–22480
Prigent, C., Abba, P., Beaudin, G., Gheudin, M., Ruffie, G. Millimeter-wave receiver for atmospheric studies. Utilisation of quasi-optical elements 88–61650
Prigent, C., Abba, P., Cheudin, M. A quasi-optical polarization rotator 88–71010
Prigent, M., Obregon, J. Phase noise reduction in FET oscillators by low-frequency loading and feedback circuitry optimization 87–37556
Prigoda, B.A. *see* Vlasov, E.A. 85–28626
Prigorovskii, V.M. *see* Kravtsov, M.S. 87–26888
Prihoda, K. Band-stop filter of 2nd order—a notch filter of the interference signal 86–41199
Prihoda, K. A contribution to analysis and realization of a synchronous detector 87–73373
Priimak, I.A., Gordienko, A.A. Estimation of the noise immunity of a frequency discriminator with advanced technological capabilities 87–37075
Priimak, N.A. *see* Shepelevskii, L.Yu. 85–4171
Prikhno, V.L. *see* Chernenko, P.A. 86–25478, 87–21848
Prikhodchenko, V.I. *see* Veretenkov, A.V. 85–10065
Prikhod'ko, A.I. *see* Kharchenko, V.N. 87–61384
Prikhod'ko, A.M. *see* Prikhod'ko, V.M. 86–33449
Prikhod'ko, A.V., Tauras, V.K. Investigation of the coordinate distribution of the radiation temperature in a semiconductor with a current filament 87–17685
Prikhod'ko, A.V. *see* Alferov, Zh.I. 85–23532
Prikhod'ko, A.V. *see* Gorelenok, A.T. 85–23533, 87–24832
Prikhod'ko, D.V. *see* Ageyev, A.I. 85–50890
Prikhod'ko, G.L. *see* Legkii, V.N. 85–7474, 86–20371
Prikhod'ko, G.L. *see* Vvedenskii, Yu.V. 86–40964
Prikhod'ko, L.I. *see* Gusev, V.D. 87–68778, 88–8475
Prikhodko, O.A. *see* Gusev, E.V. 88–61003
Prikhodko, O.Yu. *see* Sarsembinov, Sh.Sh. 88–25936
Prikhod'ko, P.S., Shchetinin, Yu.I. A method of reducing the power density of a VLSI EPROM using thyristors 88–44170
Prikhod'ko, S.I., Karbovskii, V.L. The registration system of the infrared photometer 85–26329
Prikhod'ko, S.I. *see* Aleksandrov, V.A. 87–39659
Prikhod'ko, S.I. *see* Bereznyakov, G.E. 87–39657
Prikhod'ko, S.I. *see* Klyuchko, V.I. 85–62973, 86–43177
Prikhodko, V.I. *see* Menshikov, A.L. 88–42172
Prikhod'ko, V.M., Kravchenko, V.I., Prikhod'ko, A.M. Universal instrument for determining the connection series of windings and for taking circle diagrams of the changeover switches of three-phase transformers 86–33449
Prikhod'ko, V.N., Kirillova, L.G. Interaction between superposed transducer and product damaged by intercrystalline corrosion 87–73171
Prikhod'ko, V.P., Nikolaenko, A.E. Time delay counter module with continuously variable setting 85–17234
Prikhozhii, V.D. *see* Ioffe, M.A. 85–65644
Prikner, K., Vagner, V. Changes in the reflectivity of the midlatitude ionosphere with respect to the ULF (Pc 1) signal 88–66085
Prikryl, H. *see* Kolouch, J. 85–15981
Prikryl, H. *see* Valsa, J. 87–4819, 87–15640
Prikryl, I. WORM media read signal dependence on optical imperfections of optical memory system 88–65143
Prikryl, P., Andre, D., Sofko, G.J., Koehler, J.A., McKibben, M.J. Observations of ion cyclotron harmonic structure in type 1 to 4 VHF auroral echoes 88–67464
Prikryl, P., Koehler, J.A., Sofko, G.J. Simultaneous CW radio measurements of meteor and auroral drifts 86–49701
Prikryl, P. *see* Sofko, G. 85–62771
Prilepskiy, V.V., Yermakov, V.A. Distribution function of the zeros of a mixture of a PSK signal and narrow-band Gaussian noise 87–47750
Prilepskiy, Ye.D. *see* Mints, N.Ya. 88–66227
Prilezhaev, D.S. *see* Golubenko, I.V. 85–7270
Prilezhaev, D.S. *see* Mak, A.A. 87–68414
Prilezhaev, D.S. *see* Murzin, A.G. 85–56594
Prilik, R., VanHorn, J., Leet, D. The loophole in logic test: mixed signal ASIC 88–74274
Prilik, R.J. *see* Petrie, B. 85–29289
Prilik, R.J. *see* Turner, M.E. 86–47836
Prim, A. *see* Zemp, F. 85–36670
Prima, N.A. *see* Amrakhov, A.Sh. 86–8742
Prima, N.A. *see* Beridze, B.Sh. 86–14837
Primachenko, D.V. *see* Adamenko, A.I. 87–64597
Primachenko, V.E. *see* Antoshchuk, V.V. 86–58822, 88–57491
Primachenko, V.E. *see* Kirillova, S.I. 85–11886, 85–29065, 85–34678
Primachenko, V.E. *see* Shkrebty, A.I. 85–55599
Primak, V.I. *see* Saletskii, A.M. 85–41356
Primatic, A., Doran, R., Orehotsky, J. Polarization effects in polymer dielectrics: theoretical model and experimental results 88–51044
Primatic, A. *see* Doran, R. 88–51045
Primdahl, F., Anker Jensen, P. Noise in the tuned fluxgate 87–63379
Prime, J.B., Valdes, J.G., Macias, C.J., Porven, A. Computer system monitors cable temperature 85–27105
Prime, J.B., Valdes, J.G., Silver, D.A., Seman, G.W., Smiles, M.I. Update on the development of reduced wall 138 kV HPOF cables and joints for re-conductoring of existing 69 kV lines on the Florida Power and Light Company system 87–30201
Prime, J.B., Jr., Valdes, J.G., Macias, C.J., Porven, A. Application of a system to monitor the conductor temperature of underground cables 85–15610
Prime, J.B., Jr., Valdes, J.G., Macias, C.J., Selsing, J. Thermal performance of splices and terminals in pipe-type cable systems 85–48592
Prime, J.B., Jr., Valdes, J.G., Macias, C.J., Selsing, J. Thermal performance of direct buried pipe-type cable splices 86–51067
Primeaux, W.J., Jr. Estimate of the price effect of competition: the case of electricity 86–44886
Primelalagan, R. *see* Pavithran, K.N. 87–551
Primenko, G.I. *see* Usikov, Yu.I. 85–9086
Primig, R. *see* Holzenkampfer, E. 86–50114
Primig, R. *see* Hundhausen, M. 87–32415
Primig, R. *see* Rosan, K. 86–24550
Primin, M.A. *see* Tozoni, O.V. 85–39263
Primiskii, V.F. System for analysis of exhaust gases of ASGA-T automobile engine 85–64322
Primiskii, V.F. Digital logarithm formulating convertors 87–10950
Primot, J. *see* Benchimol, J.L. 87–36768, 87–74091
Primot, J. *see* Gerard, J.M. 88–31803
Primot, J. *see* Goldstein, L. 87–45892
Primot, J. *see* Mani, H. 87–73079
Primot, J. *see* Quillec, M. 86–46327, 87–38917
Primout, M. *see* Barber, G. 87–29555
Primshits, P.P. *see* Il'in, O.P. 88–17596
Primus, I.-F. *see* Heiss, W. 87–78722
Prina, S.R., Taft, C.K. VR stepping motor phase plane analysis 87–30537
Prina Ricotti, L. *see* Martinelli, G. 85–36273
Prina Ricotti, L. *see* Ragazzini, S. 87–61707
Prince, B. A 256 K bit solution [DRAM] 85–17437

Prince, B. *see* Horton, J.S. 86—56363, 87—4269

Prince, C. *see* Crabtree, S.J., Jr. 85—19495

Prince, F.C., Armiento, C.A. Application of a solution proximity annealing technique for fabrication of ion-implanted GaAs integrated circuits 86—41673

Prince, F.C., Mattos, T.J.S., Patel, N.B., Kasemset, D., Hong, C.S. Waveguiding, spectral, and threshold properties of a stripe geometry single quantum well laser 85—62581

Prince, F.C., Oren, M., Lam, M. High mobility GaAs layers obtained by open tube sulfur diffusion 86—35542

Prince, F.C. *see* Armiento, C.A. 86—53825, 86—58377, 88—7307

Prince, F.C. *see* Liang-Hui Chen 85—7460

Prince, F.C. *see* Oren, M. 86—28482

Prince, F.C. *see* Patel, N.B. 87—68490

Prince, G. A complete classification of dynamical symmetries in classical mechanics 86—34240

Prince, I. Keyboard customisation trends 87—66621

Prince, I. *see* Tuck, W. 86—37199

Prince, J., Scheinfein, M., Sinthenathan, R., Palusinski, O. Electrical characteristics of buried microstrip in the TEM approximation 87—45169

Prince, J. *see* Scheinfein, M. 87—23348, 87—74400

Prince, J. *see* Senthinathan, R. 87—74399

Prince, J.C., Bruce, A.G., Luo, F.-C., Malmberg, P.R. Active matrix liquid crystal display—-status and expectations 87—21176

Prince, J.L., Hamilton, D.J., Matz, E.M., Staszak, Z.J. The role of universities in electronic packaging engineering 86—194

Prince, J.L., Hamilton, D.J., Staszak, Z.J., Johnson, B.C., Palusinski, O.A., Fahey, W.J., Jones, R.C. Electronic packaging engineering at the University of Arizona 86—45974

Prince, J.L., Willsky, A.S. A projection space map method for limited angle reconstruction 88—73263

Prince, J.L. *see* Hamilton, D.J. 87—51793

Prince, J.L. *see* Palusinski, O.A. 86—61943, 87—37683, 88—182

Prince, J.L. *see* Scheinfein, M.R. 88—26384

Prince, J.L. *see* Shope, D.A. 88—50982

Prince, J.L. *see* Staszak, Z.J. 87—72847

Prince, J.M., Auld, B.A. Development of active microwave ferromagnetic resonance eddy current probes and associated signal processing methods 85—17041

Prince, J.M., Reid, L.D., Lessor, D.L. Two-frequency eddy current instrument for measuring the thickness of zircaloy cladding on uranium under conditions of varying lift-off 86—13890

Prince, J.R. *see* Goodman Mumma, C.H. 88—68384

Prince, J.S. *see* Gianisis, D.A. 86—35916

Prince, M.B., Herwig, L.O. Cell efficiency and module cost goals to achieve economic photovoltaic central power systems in the United States 86—39645

Prince, M.B. *see* Herwig, L.O. 86—40129

Prince, M.D. A survey of electronics R and D in the USA 86—26973

Prince, M.P. DOE goals for making photovoltaics a significant contributor to terrestrial electrical energy in the 21st century 86—39630

Prince, M.P. *see* Nguyen, H.T. 88—49102

Prince, M.R., LaMuraglia, G.M., Teng, P., Deutsch, T.F., Anderson, R.R. Preferential ablation of calcified arterial plaque with laser-induced plasmas 88—8362

Prince, N.A. *see* Lytle, V.A. 85—10286

Prince, P., Baird, J.M., Jackson, R.H. A numerical method for predicting Brillouin plots of coupled cavity circuits [microwave tube design] 85—55400

Prince, P.J. *see* Dormand, J.R. 86—13696, 86—57396, 87—5374, 87—52060

Princen, J.P., Johnson, A.W., Bradley, A.B. Subband/transform coding using filter bank designs based on time domain aliasing cancellation 87—61596

Principe, J.C., Smith, J.R. Design and implementation of linear phase FIR filters for biological signal processing 86—65434

Principe, J.C., Smith, J.R. SAMICOS—a sleep analyzing microcomputer system 87—14898

Principe, J.C. *see* Chang, T.G. 88—68439

Principe, J.C. *see* Dunoes, P. 86—31316

Principe, J.C. *see* Guedes de Oliveira, P. 88—23075, 88—61368

Principe, J.C. *see* Mclochlin, C. 88—48148

Principe, J.C. *see* Vaz, F. 87—29773

Principe, J.C. *see* Vaz, F.C. 86—27384

Principe, L. Chromatic dispersion measurement technique 86—63656

Princova, H. *see* Balajka, J. 87—42604, 88—23708

Princz, J. *see* Raney, R.K. 87—63047

Princz, J.G. *see* Raney, R.K. 88—74023

Prine, D. *see* Kupperman, D.S. 88—11025

Prinetto, P. *see* Cabodi, G. 86—13940, 86—67131, 87—415, 87—65659

Prinetto, P. *see* Camurati, P. 88—26456, 88—35824

Prinetto, P. *see* Gai, S. 86—918

Prinetto, P. *see* Meo, A.R. 85—6253

Prinetto, P. *see* Somenzi, F. 85—28457, 85—49827

Pringle, D.M., Catford, W.N., Winfield, J.S., Lewis, D.G., Jelley, N.A., Allen, K.W., Coupland, J.H. The Oxford MDM-2 magnetic spectrometer 86—50442

Pringle, D.M. *see* Winfield, J.S. 87—8844

Pringle, J.E. LAN at SDSM&T [university] 86—59690

Pringle, J.W.S. The work of TRE in the invasion of Europe 86—11145

Pringle, R.D. *see* Millar, A.G. 85—3875, 85—29363

Pringle, R.D. *see* Spruce, G. 88—36187

Pringle, R.M. *see* Railton, R. 88—42566

Prini *see* Bessette 85—46111

Prini, A., Lawrence, A.H., Laframboise, S. Compact digital signal averager for ion mobility spectrometer (IMS) signals 88—22511

Prini, A. *see* Hanff, E.S. 86—38874

Prinn, A.E. Measurements of surges on underground telephone cables 85—36619

Prinoth, R. *see* Baumgarten, B. 86—69228, 87—28223

Prinoth, R. *see* Burkhardt, H.J. 87—48291

Prins, A.D. *see* Greene, P.D. 87—37930

Prins, C. The Dutch answer to the need for protection of chips 87—72741

Prins, C. *see* Fresia, F. 87—56055

Prins, H.J. *see* Goedbloed, J.J. 88—2624

Prins, M., Reints, H., Hagedoorn, H.L. Achromatic focusing of a 3.5 MeV proton beam with magnetic dipoles, quadrupoles and sextupoles 85—59055

Printon, T. ISDN: end user perspectives and requirements 88—59825

Prints, V.Ya. *see* Rechkunov, S.N. 87—66864

Prints, V.Ya. *see* Samoilov, V.A. 86—70083

Printz, G.W. *see* Litofsky, B. 86—54770

Printz, G.W. *see* Moe, W.R. 86—10917

Printz, H. Finding the orientation of a cone or cylinder 88—28102

Printz, J. Cogeneration plants call for special designs in water treatment 86—19082

Prinz, E. *see* Elsner, G. 85—41027

Prinz, F.B. *see* Estochen, E.L. 85—4517

Prinz, F.B. *see* Sherry, W.M. 86—14711

Prinz, G.A. Metallic epitaxy of transition metals on semiconductors 87—10471

Prinz, G.A. *see* Jonker, B.T. 87—58916, 88—63317, 88—64403

Prinz, L. Small voltages digitised reliably 86—27400

Prinz, V.Ya. *see* Yakusheva, N.A. 86—57450

Prinz, W. The Flensburg concept for a cogeneration plant under consideration of environmental requirements 87—57865

Prinz, W., Speth, R. Group communication and related aspects in office automation 88—59530

Prinzhausen, F. *see* Grunwald, W. 85—32780

Priolo, F., Baeri, P., Grimaldi, M.G., Rimini, E. Formation of a metastable NiSi phase on ⟨111⟩ Si induced by pulsed laser irradiation 88—38222

Priolo, P. *see* D'Amato, E. 88—2746

Prionas, S.D. *see* Kapp, D.S. 88—30034

Prior, B.J. Advanced custom/semi custom design systems: a review 87—66120

Prior, B.J. MEGACELL: fast turnround cell based design 88—19116

Prior, B.J., Williams, J.S., Pritchard, W.D., Ray, N.J.C. Megacell—a cell based approach to VLSI design 85—45907

Prior, B.J. *see* Williams, J.S. 85—62108

Prior, C. *see* Bilderback, D. 86—60461

Prior, C.J., Crescenzi, E.J., Jr. MIC techniques push the high temperature frontier 88—32443

Prior, C.J., Hall, P.S. Microstrip disc antenna with short-circuited annular ring 85—62901

Prior, C.J., Hall, P.S. Wideband microstrip reflector feeds 86—10193

Prior, C.J. *see* Hall, P.S. 85—11507, 87—39532, 88—40745

Prior, C.J. *see* James, J.R. 86—64149

Prior, C.R. Particle tracking in solenoid channels 87—50051

Prior, D.L. *see* Omeish, T.M. 87—43135

Prior, K.A. *see* Heckingbottom, R. 87—275

Prior, K.A. *see* Iliadis, A. 86—62221

Prior, M. *see* Davis, C. 88—35037

Prior, M.V. *see* Hand, J.W. 88—54619

Prior, Y. *see* Tenne, R. 85—55693

Priore, C.Del *see* Del Priore, C.

Priore, D.F. *see* Denton, D.D. 85—45782

Priorello, R.A., Osbrink, N.K. Solid state driver a 43.5 to 45.5 GHz for uplink-transmitter power amplifiers 87—66556

Prioretti, P., Turchetti, C., Masetti, G., Profumo, E., Vanzi, M. A Meyer-like model for the MOST satisfying gate charge conservation 86—41995

Prioretti, P. *see* Turchetti, C. 87—23832

Priori, S. *see* Chiaradia, P. 88—4869

Priouret, P. *see* Metivier, M. 86—64238

Pripstein, M. *see* Albrow, M.G. 88—29872

Prisbe, M.A. *see* Dorman, M.G. 86—18358, 86—38788

Prisbe, M.A. *see* Smith, M.J.S. 85—43334, 86—5891, 86—56128

Prisco, G., Cindolo, F., Solimeno, S. Gain of a Gaussian beam in a free electron laser for finite emittance electron beams 85—41420

Prisco, G. *see* Alberini, C. 86—65387, 87—35339

Prisco, G. *see* Bari, G. 87—8843

Prisco, J.J. A low-crosstalk liquid crystal optical switch 85—41220

Prisco, J.J. Fiber optic regional area networks in New York and Dallas 87—8294

Prisco, J.J., Hoss, R.J. Fiber optic regional area networks 86—17382

Prise, M.E., Downs, M.M., McCormick, F.B., Walker, S.J., Streibl, N. Design of an optical digital computer 88—65421

Prise, M.E., Taghizadeh, M.R., Smith, S.D., Wherrett, B.S. Picosecond measurement of Auger recombination rates in InGaAs 85—1292

Prise, M.E., Taghizadeh, M.R., Smith, S.D., Wherrett, B.S. Carrier dynamics in GaInAs 86—8805

Prise, M.E. *see* Walker, A.C. 85—41482

Prisedskii, V.V., Komarov, V.P., Klimov, V.V., Polkovnichenko, Yu.G. Annealing of a lead zirconate-titanate piezoceramic in gaseous media with controllable composition 87—329

Prisekin, V.L. *see* Badashov, E.Ya. 88—4369

Prisgrove, L.A., Shedler, G.S. Symmetric stochastic Petri nets 86—62036

Prishchepa, G.V. *see* Kalinina, E.V. 86—28029

Prishchepa, S.L. *see* Golovashkin, A.I. 85—46057

Prisk, D.P., Scahfer, S.H. A survey of fund raising in continuing higher education 87—31191

Prisman, E.Z. *see* Passy, U. 85—305, 85—54308

Pristrem, A.M. *see* Labunov, V.A. 86—8998

Pristupa, A.I. *see* Frankevich, E.L. 86—14873

Pritaka, I.P., Kozyrskii, V.V. The sectioning of noninterconnected distribution networks taking indeterminancy in the original data into account 88—30353

Pritaka, I.P., Omel'chuk, A.A. Finding the best powers for three-winding transformers 87—51314

Pritaka, I.P. *see* Sin'kov, E.M. 85—64908

Pritaka, I.P. *see* Sin'kov, V.M. 86—66120

Pritchard, A., Kroczek, D. Third generation MOSFETs 88—71551

Pritchard, A.P. Dynamic IR scene generation: basic requirements and comparative display device design 88—72196

Pritchard, A.P., Lake, S.P. Electrically heated pixel (EHP) arrays for dynamic infrared scene generation 88—74424

Pritchard, A.P. *see* Hart, A.D. 87—20960, 87—49519

Pritchard, B.A. *see* Pritchard, T.B. 87—29718

Pritchard, D.E. *see* Weisskoff, R.M. 88—61117

Pritchard, D.H. US color television fundamentals—a review 86—24036

Pritchard, D.J. Waveform stimulus subsystem: an advanced technology multifunction subsystem on a card 88—29478

Pritchard, D.V. VK2ABQ tribander 87—39507

Pritchard, D.V. Transmitting antennas for small gardens 87—54713

Pritchard, G.T., Symons, W.M. Integrated computer support for network planning and management 86—64521

Pritchard, J. Platinum resistance thermometers on film 86—55604

Pritchard, J. Fax—where to now 86—59548

Pritchard, J. Computers, radio receivers and interference 87—2319

Pritchard, J. *see* Berz, F. 85—18289

Pritchard, J. *see* Murcray, F.H. 87—77862

Pritchard, J.A. Information technology at the National Computing Centre 87—20184

Pritchard, J.A.S. Real-time demodulation of signals using statistical methods 86—16285

Pritchard, J.B. Construction of large turbine-generator units—the module concept 86—56620

Pritchard, J.D. Environmental testing of transducers and effectors 86—17963

Pritchard, J.N., Black, A. Design and calibration of a low energy (150 keV) γ-ray collimation system for the Harwell whole-body monitor 88—29965

Pritchard, L.B. Statistical process control in photolithography 87—60246

Pritchard, L.B. Statistical process control in photolithography applications 88—19876

Pritchard, N. Strategies for power integrated circuits 88—6642

Pritchard, N.B. New technology enables a breakthrough in DC/DC converter design 88—69527

Pritchard, R.H. SDI weapons simulation—'from light to rocks' 88—17023

Pritchard, R.L. Cost and availability of gate arrays and standard cells 85—12330

Pritchard, S. Never underestimate . . . [female cost engineers] 88—49421

Pritchard, S.E. The use of ultrasonics for residual stress analysis 87—31611

Pritchard, T.B., Albright, R.J., Pritchard, B.A. A microprocessor-based signal processing system for measurement of vascular and urethral parameters 87—29718

Pritchard, T.B., Lee, D.S. Custom IC controls dot-matrix impact printers 85—18390

Pritchard, T.I. *see* Bullingham, J.M. 88—24494

Pritchard, T.W. *see* Carter, A.A. 85−4215
Pritchard, T.W.E. *see* Corden, M.J. 85−64462
Pritchard, W.D., Clark, J.L. A module generation language and interpreter 88−63476
Pritchard, W.D., Clark, J.L., Cox, C. A PARACELL composition system with scaleable libraries 87−25596
Pritchard, W.D. *see* Clewett, D.R. 88−64782
Pritchard, W.D. *see* Prior, B.J. 85−45907
Pritchard, W.D. *see* Williams, J.S. 85−62108
Pritchard, W.L. Estimating the mass and power of communications satellites 85−9251
Pritchard, W.L., Stamminger, R. The future use of VSAT systems to support military operation 88−22028
Pritchet, W.C. *see* Berry, B.S. 85−22554
Pritchett, E.L.C. *see* Simpson, E.V. 88−54574
Pritchett, J., Sellers, D. Local area network for patient data management 87−57259
Pritchett, P.L. Electron-cyclotron maser radiation from a relativistic loss-cone distribution 85−7335
Pritchett, R.L., Gupta, A., Baumert, R.J., Hart, D.J. A monolithic 1 to 50 MHz CMOS clock recovery and retiming 87−28279
Pritchie, S. *see* Walker, A.C. 86−42624
Pritichenko, B.V. *see* Kuzminov, V.V. 87−14738
Pritsker, M. *see* Sanders, R. 88−61068
Pritsker, V.I. *see* Domostroeva, N.G. 87−63573
Pritt, A.T., Benard, D.J. Electronic energy transfer from NF(b'Σ) to IF 86−3061
Pritt, A.T. *see* Benard, D.J. 87−26281
Pritty, D.W., Buchanan, J.T., Masson, D., Saad, P. Instanet−a real time LAN architecture 87−48706
Pritty, D.W. *see* Buchanan, J.T. 87−34182
Pritty, D.W. *see* Cherkassky, V. 88−67056
Pritula, G.M. *see* Bass, F.G. 85−36028
Pritzke, B. *see* Schroter, K. 86−67929
Privalov, A.F. *see* Katunin, G.P. 87−63106
Privalov, E.N. *see* Bartashevskii, E.L. 87−3733
Privalov, V.E. Use of He-Ne/I_2 laser in metrology 87−68670
Privalov, V.E., Chulyaeva, E.G. Investigation of the wavelength reproducibility of the 0.63-µm emission of a He-Ne laser with an external neon absorption cell 85−56527
Privalov, V.E., Chulyaeva, E.G. Effect of the geometry of the active element on the emission parameters of gas-discharge lasers 85−62500
Privalov, V.E., Smirnov, E.A. Apparatus for study of gas-discharge impedance 86−70194
Privalov, V.E., Smirnov, E.A. Stabilization of the radiation power of glow-discharge lasers and their application 88−8122
Privalov, V.E., Tkachenko, L.P. Absorbing cell of He-Ne/I_2 laser 88−14281
Privalov, V.E. *see* Bondarchuk, Ya.M. 88−33948
Privalov, V.E. *see* Butkevich, V.I. 87−2065, 87−39014, 87−74992, 88−14246
Privalov, V.E. *see* Demkin, V.N. 88−27253
Privalov, V.E. *see* Golikova, E.V. 87−68368
Privalov, V.E. *see* Kapralov, V.P. 85−2223
Privalov, V.E. *see* Nosal', V.N. 86−55834
Privalov, V.E. *see* Vlasov, A.N. 86−15635, 86−63760, 88−33949
Privalova, T.A. *see* Antipenko, B.M. 86−36446, 86−68456, 87−12439
Privalova, Z.A. *see* Molochko, F.I. 88−48794
Privat, G. A comparative evaluation of direct and transform VLSI convolver architectures 88−21279
Privat, G. *see* Paris, L. 86−35025
Prive, M. *see* Farzaneh, M. 87−30188
Prive, M. *see* Gakwaya, A. 86−65733
Priver, E.L. An amplifier for an oscillator power automatic-control system 88−6677
Priver, L.S. *see* Egorychev, A.N. 86−5183, 88−56533
Prives, D. Issuing of private microwave licenses to users is threatened by FCC crackdown on applications 87−28388
Prives, D. *see* Airgood, J. 87−48969
Prives, D. *see* Hardy, T. 86−17221
Privet, G. *see* Baker, F.S. 85−4077
Privett, R.F. The economics of custom telecommunications VLSI 87−67333
Privette, A.D. *see* Oarker, H.F. 85−59805
Privezentsev, A.P., Filipenko, N.M., Fomenko, G.P. Nonlinear theory of electron beam oscillations in a system with a virtual cathode 86−22625
Privezentsev, A.P., Sablin, N.I., Fomenko, G.P. Oscillations of virtual cathode in a triode system 88−64206
Privis, Yu.S. *see* Ostroumov, V.G. 86−29099
Privis, Yu.S. *see* Zharikov, E.V. 85−24522
Privitera, J.P. *see* Chandrasekhar, M.S. 87−66113
Priye, V. *see* Pal, B.P. 87−74694
Priz, I.A. *see* Kottok, Yu.V. 87−21053
Priz, I.A. *see* Kuz'michev, V.M. 85−31468
Prizant, A.Ya. *see* Gordon, G.A. 85−44508
Prizhanovskiy, V.A. Hybrid modes in a rectangular metal-optical waveguide 86−48140
Pro, S. Magnetic core selection [inductor design] 87−59928
Proakis, J. *see* Theodoridis, S. 87−62102
Proakis, J.G., Khazen-Terezia, A. A decision-feedback tree-search algorithm for digital communication through channels with intersymbol interference 87−27542
Proakis, J.G., Ling, F. Recursive least squares algorithms for adaptive equalization of time-variant multipath channels 85−19304
Proakis, J.G. *see* Ling, F. 85−19473, 85−36908, 86−16457, 86−62081, 87−7719 to 7720, 87−27456, 87−27514
Proakis, J.G. *see* Long, G. 87−61957, 88−66552
Proakis, J.G. *see* Manolakis, D. 85−17736, 87−47691
Proakis, J.G. *see* Petropulu, A. 88−73110
Proakis, J.G. *see* Wesolowski, K. 85−14005
Proano, R.E., Soave, R.J., Ast, D.G. High voltage, high mobility, low leakage current, CVD-polycrystalline based, thin film transistor using conventional processing 88−39493
Probasco, J.W. *see* Rattey, P.A. 85−31118
Prober, D.E. Microfabrication techniques for studies of percolation, localization, and superconductivity, and recent experimental results 85−50372
Prober, D.E. Quantum transport in microstructures 87−24848
Prober, D.E. *see* Cui, G.-J. 87−66528
Prober, D.E. *see* Face, D.W. 86−47999, 88−1904, 88−12619
Prober, D.E. *see* Lin, L.-J. 87−294, 87−67823
Prober, D.E. *see* McGrath, W.R. 88−65012
Prober, D.E. *see* Rooks, M.J. 87−38386, 87−67068
Prober, D.E. *see* Ruggiero, S.T. 85−62233
Prober, D.E. *see* Track, E.K. 88−20288, 88−39833
Probert, D., Newborough, M. Designs, thermal performances and other factors concerning cooking equipment and associated facilities 86−26433
Probert, D.E. *see* Doubleday, C.F. 86−16787
Probert, J.C. Testing aerial-lift devices 87−36438
Probert, N.O., Garnier, J.P. A solution for multitasking systems: a double processor 85−61292
Probert, P.B. *see* Aleman, D.J. 85−53643
Probert, P.J., Carroll, J.E. Modelling bistability in injection-laser amplifiers using lumped-circuit models 88−8283
Probert, P.J. *see* Luff, G.F. 85−15009, 87−21014, 87−63305, 87−63502
Probert, R.L. *see* Hornbeek, M. 87−40417
Probert, R.L. *see* Kanungo, B. 87−34217
Probert, R.L. *see* Ural, H. 85−8144, 86−64622
Probert, S.D., Kerr, K., Brown, J. Harnessing energy from domestic, municipal and industrial refuse 87−71770
Probert, S.D. *see* Abdel-Salam, H.E.A. 87−16140
Probert, S.D. *see* Al-Motawakel, M.K. 87−64814
Probert, S.D. *see* Babus'Haq, R.F. 87−35769
Probert, S.D. *see* Fleming, P.D. 85−9809, 85−21518, 85−32407
Probert, S.D. *see* Kerr, K. 86−65898
Probert, S.D. *see* Neale, A.J. 88−23707
Probert, S.D. *see* Newborough, M. 87−64981, 88−37771
Probert, S.D. *see* Prapas, D.E. 87−16056
Probert, S.D. *see* Tabassum, S.A. 88−5617
Probert, S.D. *see* Tanton, D.M. 87−64968
Probst, D.K., Li, H.F. Abstract specification of synchronous data types for VLSI and proving the correctness of systolic network implementations 88−64657
Probst, D.K. *see* Alagar, V.S. 87−58828
Probst, D.K. *see* Li, H.F. 87−37259, 88−20030
Probst, F. *see* Kraus, H. 86−38693
Probst, F. *see* Peterreins, T. 88−61081
Probst, F. *see* von Feilitzsch, F. 88−74740
Probst, H. International safety standardisation of telecommunication equipment and systems 88−28229
Probst, H. *see* Datta, R. 85−60305
Probst, H.-J. Switch with a very long delay 86−8550
Probst, H.J. Electronic key-set 85−11639
Probst, P.-A. Broadband telecommunication networks: state of the standardisation at the heart of international organisations 87−2708
Probst, P.A., Collet, B. Low-frequency digital lock-in amplifier 85−33693
Probst, R. *see* Kochsiek, M. 86−11734
Probst, R. *see* Schwartz, R. 85−14588
Probst, R.G. *see* Fowler, A.M. 87−41387
Probst, U. Analogue extreme value meter 85−26434
Probst, V., Bohm, H.J., Schaber, H., Oppolzer, H., Weitzel, I. Analysis of polysilicon diffusion sources 88−44537
Probst, W.-P. *see* Gens, W. 86−26046
Procaccia, H. *see* Aupied, J.R. 85−9633, 88−10995
Procaccia, H. *see* Aye, P. 86−18935
Procaccia, H. *see* Piepszownik, L. 85−48801
Procaccia, H. *see* Wazzan, A.R. 87−42612, 88−30516
Procaccini, W. Magnetic edgefinder 86−58704
Procanik, M.J. *see* Weston, H.T. 88−56568
Procevyat, M.M. *see* Palyanytsya, I.F. 88−22828
Proch, D. *see* Diegelmann, M. 86−54072
Proch, D. *see* Dwersteg, B. 86−32076, 88−51414
Prochan, G.G. *see* Lazarev, N.S. 86−39920
Prochazka, I. *see* Jelinkova, H. 88−72363
Prochazka, J. Development of radio transmitting technique in domains of sound broadcasting and television 85−25981
Prochazka, J., Adamec, V., Burda, J., Hrivnac, J. Acoustic methods of fault location in power equipment 87−22100
Prochazka, J., Sassmann, F. Mathematical modelling of power consumption 86−44842
Prochazka, J. *see* Havlik, J. 88−72965
Prochazka, J. *see* Roubicek, O. 86−71163
Prochazka, K. Czechoslovak SKODA electric locomotives and trolleybuses [development trends] 85−10189
Prochazka, K., Mejta, F., Havel, V. Microcomputer control of voltage of the 110/23 kV distribution transformer 85−60222
Prochazka, K. *see* Fiklik, V. 86−12414
Prochazka, P. Four-channel generator of two sinusoidal signals with digital control of pulse shift 87−14353
Prochazka, P. Sinusoidal signal synthesis by piecewise approximation methods 87−69186
Prochazkova, O., Novotny, J., Srobar, F., Zelinka, J., Starosta, K. Preparation and properties of ridge-waveguide lasers on the basis of (Ga,In)(As,P)/InP, emitting at 1.3 µm 86−58922
Prochukhan, V.D. *see* Averkieva, G.K. 85−18146
Prociow, E.L. *see* Berlicki, T.M. 86−35243
Prock, J. Solidification of hat craters on the cathode of vacuum arcs 87−6316
Prock, T. When bipolar violations tests won't do 87−31827
Procop, M., Sandow, B., Raidt, H., Li Do Son The importance of the Ni to Ge ratio and of the annealing cycle for the resistivity and morphology of NiAuGe Ohmic contacts to n-GaAs 88−25970
Procopio, D. *see* Benelli, G. 88−8655
Procter, J.E., Rothwell, N.J. Silver: an integrated composition system for VLSI design 86−47766
Procter, M.A., Ponton, C.W., Jamieson, D.G. Programs to produce high quality dichotic tapes for central auditory testing 87−29699
Procter, P. *see* VanBrunt, L. 87−18241
Proctor, A.H. *see* Martin, R.W. 87−25736
Proctor, D. X.25 driver interfacing 86−37194
Proctor, D. The design of a meter to measure the mass flow-specific heat product of a heat transfer fluid 86−65293
Proctor, D., Czarnecki, J.T. The effect of aging on a 22-year-old solar water heater 86−7170
Proctor, D.R., McStravick, M.C. A device for measuring eye movements aboard spacelab 88−74831
Proctor, D.R., McStravick, M.C., Brown, F.A. A helmet for vestibular investigations aboard Spacelab 87−71091
Proctor, D.R. *see* West, A.K. 87−71090
Proctor, E. *see* Cox, I.J. 87−14854
Proctor, G. *see* Machin, D.J. 88−39585
Proctor, G. *see* Ranasinghe, D.W. 88−39459
Proctor, I.D., Davis, J.C., Eaton, M.R., Garibaldi, J.L., Moore, T.L., Schumacher, B.J., Southon, J.R., Zimmerman, T.A. LLNL multi-user tandem laboratory 88−47762
Proctor, J. *see* Hess, D.W. 85−41705
Proctor, J. *see* Kelsch, A. 86−34542
Proctor, J.E. *see* Gonsalves, J.B. 87−71912
Proctor, J.J. Micropower ICs conserve power in linear systems 86−57613
Proctor, J.J., Kim, P. CMOS chip cup timer's power consumption 86−27496
Proctor, P.E. ISDN service provisioning costs 87−76126
Proctor, P.E. *see* Fleischman, J.S. 88−52709
Proctor, P.P. *see* Bui, M.D. 87−67137
Proctor, T.M. *see* Blessing, G.V. 85−10842
Proctor, T.M., Jr. More recent improvements on the NBS conical transducer 87−73183
Proctor, W.G. *see* Leistiko, O. 88−18040
Procyk, F.J. *see* Kirsch, H.C. 86−14226
Prodan, A.K. A method of calculating direct capacitance in certain types of capacitive sensor 87−63402
Prodan, A.K. *see* Babenko, Yu.G. 88−60917
Prodan, A.K. *see* Grinevich, F.B. 85−42986, 86−24518
Prodan, A.S. *see* Milin, A.I. 88−28547
Prodan, D. *see* Oprean, A. 87−9401
Prodan, R.S. Dual phase multiplier-accumulator digital filter for television scan line decimation 87−32023
Prodan, R.S. Multidimensional digital signal processing for television scan conversion 87−41207
Prodanov, L.V., Beim, R.S. A study of the starting of large synchronous machines at rising frequency, using an electrodynamic model 86−56739
Prodanov, L.V., Lazarenko, P.N. Assessing the stability of slip running in turbogenerators 86−45403

Prodanov, L.V. *see* Beim, R.S. 87—72119
Prodell, A. *see* Brown, D. 88—68107
Prodell, A. *see* Dahl, P. 86—25050, 86—44521, 87—74618, 88—68131
Prodell, A. *see* Ganetis, G. 86—25051, 87—70929 to 70930
Prodell, A. *see* Herrera, J. 85—26653, 86—22056, 88—54285
Prodell, A. *see* Strait, J. 87—74617, 88—54294, 88—68133
Prodell, A. *see* Thompson, P.A. 86—25056, 87—21342, 88—54288
Prodell, A. *see* Wanderer, P. 88—29730, 88—68136
Prodell, A.G. *see* Bleser, E.J. 85—48153
Prodell, A.G. *see* Cottingham, J.G. 85—59040
Prodi, G.A. *see* Cerdonio, M. 88—29331
Prodinger, H. Analysis of an algorithm to construct Fibonacci partitions 85—16860
Prodinger, H. The average height of the *d*-th highest leaf of a planted plane tree 86—34172
Prodon, G.P. Heat treatment of cables in a microwave electromagnetic field 85—48594
Produit, N. *see* Bakken, J.A. 87—35350
Produvnov, A.B. *see* Bobrov, B.D. 86—48349
Proebstel, J., Finke, W. Self-test and calibration boost measurement quality 86—44346
Proebster, W.E., Reiner, H. *(editor)* Proceedings of VLSI and Computers. First International Conference on Computer Technology, Systems and Applications. COMPEURO 87 (Cat. No.87CH2417-4) 87—65068
Proebstle, R.A. Fuel performance-experience to date and future potential 88—30486
Proehl, K.A. *see* Culp, B.W. 88—57925
Proelss, G. *see* Volland, H. 86—59083
Proetel, B. *see* Lowalt, H.-J. 86—45275
Proetel, K. *see* Rupper, U. 85—48983
Proetto, C.R. *see* Sofo, J.O. 88—64280
Profera, C. *see* Zollers, B. 88—2741
Profera, C.E. *see* Cho, S.H. 86—43043
Profera, C.E. *see* Raab, A.R. 86—59164
Profera, C.E., Jr. *see* Ngai, E.C. 85—2640
Professi, J.E. *see* Blanc, D.E. 88—16255 to 16256
Professi, O. *see* Gonzalez, M. 88—54376
Profeta, J. *see* Stockum, L. 88—61595
Proffitt, J.D. Cellular meets Olympic challenge 85—8331
Proffitt, J.D. The portable cell site 87—3096
Proffitt, M. *see* Hilsenrath, E. 87—15058
Profio, A.E. *see* Brodbeck, K.J. 87—77642
Profio, A.E. *see* Doiron, D.R. 85—38193
Profirescu, M.D., Antonoiu, G., Dumitrescu, M., Luca, D. Efficient simulator for microwave bipolar transistors 88—50404
Profirescu, M.D., Dumitrescu, M. Efficient simulation of complex digital structures 85—61243
Profirescu, M.D., Dumitrescu, M., Antonoiu, G., Luca, D. Channel routing based layout method 88—49971
Profirescu, M.D., Moarcas, H.I., Antonoiu, G. Two dimensional analysis of heavily doped microwave bipolar transistors 85—23754
Profirescu, M.D. *see* Dumitrescu, M.M. 87—1626
Profirscu, M.D., Dumitrescu, M. Logic circuits macromodelling 86—27233
Profos, R. *see* Gervasoni, U. 85—59833
Profumo, E. *see* Carpita, M. 88—13600
Profumo, E. *see* Prioretti, P. 86—41995
Profumo, E. *see* Turchetti, C. 87—23832
Profumo, F., Zinger, D., Lipo, T.A. Design of a robust controller for direct field oriented control of an induction motor 88—17611
Profumo, F. *see* Boglietti, A. 87—15757 to 15758
Profumo, F. *see* Bordignon, P. 85—27495, 86—32668
Profumo, F. *see* Carrea, F. 86—70923
Profumo, F. *see* Colombo, L.B. 85—60596
Profumo, F. *see* Delfino, B. 85—65486
Profumo, F. *see* Ferraris, P. 86—66087
Profumo, F. *see* Gaglioti, E. 86—50959
Progar, L.M. *see* Fritz, J.S. 85—22071
Proger, H.-J. *see* Hofmann, C. 87—17561
Progler, M., Portscht, R. Implementation of algebraic error correction using standard microcomputers 85—2743
Progler, M. *see* Kaltenmeier, A. 86—23746
Progov, N.A. *see* Drogin, V.I. 85—65647
Prohaska, B., Zettl, G. Digital signal processing in mobile radio sets 86—23749
Prohaska, O.J. New developments in miniaturized electrochemical sensors 86—56130
Prohaska, O.J., Olcaytug, F., Pfunder, P., Dragaun, H. Thin-film multiple electrode probes: possibilities and limitations 86—44659
Prohaska, R. *see* Blaugrund, A.E. 85—43151
Prohl, H.-J. Decoder/driver for controlling LCD and LED displays 85—26414
Prohl, H.-J. Programmable A/D converter—flexible to use. Conversion rate and resolution as desired 88—63754
Prohl, M. *see* Thierfelder, G. 87—52641, 87—59551
Prohl, R. *see* Lubben, W. 86—12982
Prohofsky, R.A. Optics for system intraconnect 87—63006
Proietti, G. *see* Canuzzi, E. 88—30619
Proietti, M.G. *see* Bertolotti, M. 86—27917
Proietti-Orlandi, F., Varga, R.S., Sheffer, D.B., Price, T.E., Loughry, C.W. Biostereometric analysis for breast cancer detection 88—68363
Proinov, P.D. Discrepancy and integration of continuous functions 88—43817
Proinov, P.D. Integration of smooth functions and ϕ-discrepancy 88—43835
Prokator, L.M. *see* Komisarchik, M.Sh. 85—23692
Prokel, G.J. Photoelastic modulated ellipsometry on magneto optic multilayer films 86—42157
Prokes, J., Macko, L., Vankova, R. Inhibited transformer oil from paraffinic sulphur crude oil 88—17688
Prokes, K., Burian, A., Judas, L., Kasik, P., Keclik, R., Konopasek, B., Petruzelka, L. In vivo dosimetry with the use of silicon photodiodes 88—74899
Prokes, S. *see* Tseng, W. 88—50727
Prokhoda, I.G., Karlov, V.A. Matching a cross coupling of rectangular waveguides in E-plane 87—32039
Prokhoda, I.G. *see* Lozyanoy, V.I. 85—35995
Prokhonchukov, S.R. *see* Podval'nyi, S.L. 88—73756
Prokhorenko, P.A. *see* Kovalev, A.M. 87—49954
Prokhorenko, P.P. Use of magnetic fluids in ultrasonic flaw detection 86—52555
Prokhorenko, P.P., Zaporozhchenko, A.A. Detection of surface defects with the acoustic probing signal directed under the zero angle of slide 86—20130
Prokhorenko, S.V. *see* Kovaljov, B.I. 88—55075
Prokhorenko, T.A. *see* Kurilovich, N.F. 87—37886
Prokhorenko, V.I., Tikhonov, E.A. Time characteristics of a traveling-wave laser subjected to two-photon picosecond optical pumping 87—33120
Prokhorenko, V.I., Tikhonov, E.A., Yatskiv, D.Ya. Tunable ultrashort-pulse laser with synchronized Sagnac-arrangement pumping 88—27100
Prokhorenko, V.I., Tikhonov, E.A., Yatskiv, D.Ya., Bushmakin, E.N. Generation of ultrashort pulses in a $YAG:Nd^{3+}$ laser in a colliding pulse scheme 87—75207
Prokhorenkov, A.M. *see* Baranovskii, V.I. 88—4371
Prokhorov, A.M. Nonlinear phenomena in fiber light guides 85—18651
Prokhorov, A.M. A new generation of solid-state lasers 87—18953
Prokhorov, A.M., Shcherbakov, I.A. Lasers based on chromium-doped rare-earth garnet crystals 88—27113
Prokhorov, A.M., Smolenskii, G.A., Ageev, A.N. Optical phenomena in thin-film magnetic waveguides and their technical application 85—29603
Prokhorov, A.M. *see* Abakumov, A.O. 86—50629, 86—70431
Prokhorov, A.M. *see* Ageev, V.P. 87—2085, 88—33092
Prokhorov, A.M. *see* Ainbund, M.R. 86—67643
Prokhorov, A.M. *see* Akhmedzhanov, I.M. 85—7282, 85—12685, 85—50987, 85—56356, 85—62337, 86—5158
Prokhorov, A.M. *see* Akopyan, V.S. 88—23099
Prokhorov, A.M. *see* Aleinikov, V.S. 85—12607
Prokhorov, A.M. *see* Aliev, A.A. 85—12805, 86—9747
Prokhorov, A.M. *see* Allat'ev, A.N. 87—39039
Prokhorov, A.M. *see* Alt'Shuler, G.B. 85—7531, 86—54210
Prokhorov, A.M. *see* Angelov, A.K. 85—18754
Prokhorov, A.M. *see* Apollonov, V.V. 85—7481, 85—18979, 85—24476, 85—35700, 85—51103, 86—9739, 86—15626, 86—15746, 86—48338, 87—29375, 87—33099, 87—33106, 87—33113, 87—61101, 87—68345, 87—74980, 87—74988, 88—57242 to 57243
Prokhorov, A.M. *see* Appollonov, V.V. 85—18875
Prokhorov, A.M. *see* Artyushenko, V.G. 85—2025, 86—68222
Prokhorov, A.M. *see* Ashurov, M.Kh. 86—9791
Prokhorov, A.M. *see* Atanasov, P.A. 86—36414
Prokhorov, A.M. *see* Atezhev, V.V. 88—51752
Prokhorov, A.M. *see* Avanesov, A.G. 88—51772
Prokhorov, A.M. *see* Avrutskii, I.A. 88—40228
Prokhorov, A.M. *see* Babushkin, A.V. 87—46819
Prokhorov, A.M. *see* Bagdasarov, Kh.S. 86—15673, 88—27127, 88—72304
Prokhorov, A.M. *see* Basiev, T.T. 85—51227, 86—63780
Prokhorov, A.M. *see* Bazakutsa, P.V. 85—24638
Prokhorov, A.M. *see* Belov, A.V. 85—12610, 85—56327, 88—20365, 88—20367
Prokhorov, A.M. *see* Belovolov, M.I. 85—50940, 86—2827, 87—74710, 88—13804, 88—41700
Prokhorov, A.M. *see* Belyaev, V.K. 88—64035
Prokhorov, A.M. *see* Belyanko, A.E. 85—2232, 85—7274, 86—22138
Prokhorov, A.M. *see* Biryukov, A.S. 85—62494, 86—36395
Prokhorov, A.M. *see* Bogdanov, A.L. 86—58362
Prokhorov, A.M. *see* Brodov, M.E. 85—2267
Prokhorov, A.M. *see* Brogdanov, A.L. 86—47444
Prokhorov, A.M. *see* Bulushev, A.G. 88—27225, 88—45192, 88—65260
Prokhorov, A.M. *see* Buritskii, K.S. 85—24664
Prokhorov, A.M. *see* Butvina, L.I. 88—39902
Prokhorov, A.M. *see* Butvina, L.N. 88—26802, 88—58122
Prokhorov, A.M. *see* Colovchenko, E.A. 88—65203
Prokhorov, A.M. *see* Degtyareva, V.P. 86—5075
Prokhorov, A.M. *see* Demchuk, M.I. 85—41513, 87—68590
Prokhorov, A.M. *see* Demchyuk, M.I. 85—12833
Prokhorov, A.M. *see* Denisov, N.N. 85—18905
Prokhorov, A.M. *see* Derzhiev, V.I. 87—68358
Prokhorov, A.M. *see* Devyatykh, G.G. 85—18152
Prokhorov, A.M. *see* Dianov, E.M. 85—12606, 85—18662, 85—19006, 85—24305, 85—29913, 86—2769, 86—3311, 86—15766, 86—36580, 86—58753, 86—58784, 86—58787, 87—26055, 87—33283, 87—39232 to 39233, 87—61223, 87—74688, 87—74708, 88—8270, 88—20613, 88—45152, 88—65193
Prokhorov, A.M. *see* Dokhikyan, R.G. 85—18747
Prokhorov, A.M. *see* D'yakonov, G.I. 88—65643
Prokhorov, A.M. *see* Dyumaev, K.M. 86—68605, 88—26741
Prokhorov, A.M. *see* Fedorov, M.V. 88—72333
Prokhorov, A.M. *see* Georgescu, S. 87—33136
Prokhorov, A.M. *see* Gochelashvili, K.S. 86—54193
Prokhorov, A.M. *see* Golovchenko, E.A. 86—15788
Prokhorov, A.M. *see* Golub, M.A. 85—35501
Prokhorov, A.M. *see* Goncharskii, A.V. 85—2382, 85—12914, 87—7466
Prokhorov, A.M. *see* Gorkovskii, V.P. 85—35704
Prokhorov, A.M. *see* Gromov, D.A. 85—56568, 86—9777
Prokhorov, A.M. *see* Grudinin, A.B. 88—2377, 88—26766, 88—33666
Prokhorov, A.M. *see* Gulidov, E.N. 86—35525
Prokhorov, A.M. *see* Gur'yanov, A.N. 85—24325, 86—24506, 87—74704
Prokhorov, A.M. *see* Gusovskii, D.D. 88—20363
Prokhorov, A.M. *see* Kalinushkin, V.P. 87—73988
Prokhorov, A.M. *see* Kalmykov, I.V. 86—53971
Prokhorov, A.M. *see* Karlov, N.V. 86—9740, 87—33108
Prokhorov, A.M. *see* Kazanskii, P.G. 86—2925
Prokhorov, A.M. *see* Kiselev, A.V. 86—68319
Prokhorov, A.M. *see* Konev, Yu.B. 85—24485
Prokhorov, A.M. *see* Konov, V.I. 86—15752
Prokhorov, A.M. *see* Kozyrev, A.V. 85—7386
Prokhorov, A.M. *see* Lipatov, N.I. 88—72276
Prokhorov, A.M. *see* Makhmutov, R.Kh. 86—58404
Prokhorov, A.M. *see* Manenkov, A.A. 85—7507
Prokhorov, A.M. *see* Milyaev, V.A. 86—58240
Prokhorov, A.M. *see* Shchemelev, V.N. 88—57249
Prokhorov, A.M. *see* Ursu, I. 88—19794
Prokhorov, A.M. *see* Vadkovskaya, T.N. 88—65811
Prokhorov, A.M. *see* Vakhterov, A.A. 86—3049
Prokhorov, A.M. *see* Valiev, K.A. 86—21296, 86—58363, 86—67908
Prokhorov, A.M. *see* Vodop'yanov, K.L. 88—45083
Prokhorov, A.M. *see* Volkov, A.A. 85—43075
Prokhorov, A.M. *see* Vorob'ev, N.S. 87—26536, 88—4479
Prokhorov, A.M. *see* Voronin, N.I. 86—36137
Prokhorov, A.M. *see* Vysogorets, M.V. 86—1646
Prokhorov, A.M. *see* Zavaritskaya, V.A. 85—46246
Prokhorov, A.M. *see* Zharikov, E.V. 86—9790, 86—9795, 86—48375, 87—12438, 87—18999, 87—46821, 88—58492
Prokhorov, A.M. *see* Zhekov, V.I. 85—2268, 86—63781
Prokhorov, A.M. *see* Zybin, D.N. 87—33246
Prokhorov, A.N. *see* Babushkin, A.V. 86—68501
Prokhorov, A.N. *see* Umanskii, M.S. 86—66516
Prokhorov, A.V. *see* Kozintsev, M.S. 85—64153
Prokhorov, E.D., Skorobogatova, S.N. The noise spectrum of a diode with a static cathode domain 86—47078
Prokhorov, E.D. *see* Drogachenko, A.A. 86—47502
Prokhorov, E.F. *see* Vorob'ev, Yu.V. 85—29063
Prokhorov, E.N. *see* Bizyaev, A.S. 87—57692
Prokhorov, E.N. *see* Borisov, R.K. 88—64818
Prokhorov, E.N. *see* Larionov, V.P. 86—6021
Prokhorov, N.I. *see* Busurin, V.I. 88—20412
Prokhorov, N.L. *see* Leont'ev, D.I. 88—58004
Prokhorov, N.L. *see* Zakharyan, S.M. 86—42154
Prokhorov, S.A., Astakhov, Yu.N. Investigating the air gaps and rotor vibration in the high pressure stages of a T-250/300-240 turbine 86—39524
Prokhorov, S.O. Estimation of the measurement error in ultrasonic inspection 86—52563
Prokhorov, V.A. *see* Matveev, B.A. 87—36701
Prokhorov, V.A. *see* Treshchev, I.I. 88—55323
Prokhorov, V.A. *see* Vikulin, I.M. 86—31418
Prokhorov, V.G., Kaminskii, G.G., Tret'yachenko, K.G. Features of the resistive state of Pb-22% Bi superconducting films in magnetic fields 87—32904
Prokhorov, V.P. *see* Ivanov, V.N. 85—41203, 87—74826

Prokhorov, V.V. *see* Zhbanov, A.I. 87–71689
Prokhorov, Yu.M. *see* Nazarov, M.V. 86–16164
Prokhorov, Yu.N., Anisimov, I.K. Study of ADPCM with recurrent preemphasis for speech and digital message transmission 88–8978
Prokhorov, Yu.N. *see* Minin, A.V. 87–75740
Prokhorova, G.A. *see* Frishman, V.S. 88–75607
Prokhorovich, A.V. *see* Kovalenko, V.F. 85–12740, 86–13894, 86–15578
Prokhozhev, O.V. *see* Gusev, O.Z. 85–3834
Prokic, D. A method for measuring low pressures of fluids with increased precision 85–52906
Prokic, D. A concept for measurement of electric power on the basis of mass measurement 86–70189
Prokic, D. Application of modern analytical scales for measuring small torques 87–14561
Prokic, D.D. Measuring and dosing of mass with high preciseness by means of electronic scales 85–31607
Prokic, M., Glodic, S., Hadzic, D. Microcomputer data processing in a TLD automated system for personnel dosimetry 86–44720
Prokic, M., Popovic, N., Hadzic, D. The automated/computerized TLD-monitoring system at the Boris Kidric Institute, Vinca 85–38275
Prokic, M.S. Beta dosimetry with newly developed graphite mixed TL detectors 85–38267
Prokin, V.L. *see* Akimov, V.V. 85–9085
Prokisch, G. The dual-frequency system locomotive class Rh 1146 of the Austrian Federal Railway with three-phase drive technology 88–24218
Proklin, A.I. *see* Barbashov, M.N. 87–52359
Proklov, V.V. *see* Gulyaev, Yu.V. 86–22163, 86–36191, 87–26017
Proklov, V.V. *see* Gulyayev, Yu.V. 88–40955
Proklov, V.V. *see* Korablev, E.M. 87–26112
Prokof'ev, A.A., Sapozhnikov, V.V., Sapozhnikov, V.V. Logic method for testing electrical installations 85–10424
Prokof'ev, V.A. *see* Grigor'yants, V.V. 85–14288, 87–54408
Prokof'ev, V.N., Rumyantsev, K.E., Firsov, V.S. Detection of a packet of pulse optical signals in background noise of unknown intensity 88–40903
Prokof'ev, V.S. *see* Krivich, E.A. 87–43209
Prokof'eva, G.I. *see* Strebkov, D.S. 87–51087
Prokof'eva, L.V., Gurieva, E.A., Zhumaksanov, Sh.M., Konstantinov, P.P., Mailina, Kh.R., Ravich, Yu.I., Stil'bans, L.S. Characteristics of the donor effect of indium in PbSe 88–32827
Prokof'eva, L.V. *see* Gurieva, E.A. 87–37912
Prokof'eva, N.K., Makarova, I.A., Belova, S.A., Kosaganova, M.G., Dem'yanchik, D.V. Morphology and properties of silicon carbide epitaxial layers grown from the vapor phase 85–11965
Prokof'eva, S.P. *see* Goldobin, I.S. 85–35787
Prokof'eva, T.V. *see* Gelashvili, N.V. 88–35806
Prokof'eva, Zh.S. *see* Zelekin, N.V. 86–68220
Prokof'iev, V.A. *see* Grigor'yants, V.V. 85–62704
Prokofjew, W., Wologdin, E., Kogan, A. Error correction in CD-players 87–34874
Prokof'yev, V.A. *see* Dvornikov, A.A. 86–27127, 88–63569
Prokop, J. A method of analysing dynamic properties of direct current machines with regard to the real brush width 85–21638
Prokop, J. *see* Gray, F. 87–11135
Prokop, J.S. *see* Cadenhead, R.L. 87–5175
Prokop, R.J. *see* Reeves, A.P. 85–30429, 86–4037
Prokop, W. *see* Lisowski, W. 88–15961, 88–16540
Prokopalo, O.I. *see* Bondarenko, E.I. 88–19428
Prokopalo, O.I. *see* Raevskii, I.P. 87–45630, 88–7324
Prokopchik, V.V., Kudrin, B.I., Yakimov, A.E. Forecasting the energy demands of factories on the basis of the inductive self-organising method 86–61098
Prokopchik, V.V., Kurganov, V.V. Control of the self-starting motor 88–62839
Prokopchuk, Yu.A. *see* Borodaev, V.A. 87–979
Prokopenja, M.V. *see* Habovick, P. 86–27862
Prokopenko, A.G., Dolgonosov, N.S., Tsiptsyura, R.D., Petlenko, Yu.A. The status and problems of using technological resources and methods for power industry operations personnel [power station operator training] 85–27987
Prokopenko, A.G., Mysak, I.S., Klinovyi, A.S. Experimental study of minimum loading of 160 and 200 MW power blocks following updating of the equipment 88–62192
Prokopenko, S.A. *see* Mikaelyan, A.L. 88–13784
Prokopenko, V.E. *see* Astrov, Yu.A. 86–5325
Prokopenko, V.G. A practical method of accounting for active-power losses in sources of reactive power, when finding the best voltage and reactive-power conditions in power systems 85–43539
Prokopenko, V.I. *see* Belomestnykh, V.A. 86–34891
Prokopenko, V.I. *see* Bondarenko, Yu.V. 88–29147
Prokopenko, V.M. *see* Nemoshkalenko, V.V. 85–28954
Prokopenko, V.O. *see* Bredikhin, S.V. 85–3916
Prokopenko, V.S. *see* Gabeskiriya, V.Ya. 85–43707
Prokopenko, V.V. *see* Sklyarov, V.F. 87–4240
Prokopenko, Yu.V. *see* Molchanov, V.I. 87–66486
Prokopenkov, Yu.M. Constant-temperature hot-wire anemometer 85–31630
Prokopets, G.A. *see* Degtyarev, A.P. 87–50189
Prokop'ev, A.I. Comparison of the electrical and fundamental approaches to modelling gallium-arsenide Schottky-barrier transistors 85–18269
Prokop'ev, A.I. Numerical analysis of charge-transfer properties in gallium arsenide charge-coupled devices 86–47584
Prokop'ev, A.I. Analysis of the transit time of a single electron for estimating the speed of response of gallium arsenide charge-coupled devices 86–53654
Prokop'ev, A.I. Use of fast Fourier transform in calculation of potential and field distributions in gallium arsenide charge-coupled devices in the absence of mobile charge 87–11793
Prokop'ev, A.N. Analysis of the dynamic characteristics of gallium arsenide CCD register in the temperature range of 77-600 K 87–53724
Prokop'ev, V.E., Solomonov, V.I. Investigation of a strontium vapor laser 86–9754
Prokop'ev, V.E. *see* Gerasimov, V.A. 85–7390
Prokop'ev, V.I. *see* Shmelev, O.Ya. 86–70123
Prokop'ev, V.M. *see* Gabeskiriya, V.Ya. 85–43707
Prokop'ev, V.S. *see* Bichenkov, E.I. 88–55635
Prokoph, G. 80-channel handheld transceiver for the 2 m band 86–55221
Prokoph, G., Jirmann, J. Additional notes on the 70 cm handheld DB 1 NV 004 88–15325
Prokopiev, A.I. Synthesis of fast methods for digital calculation of basic equations for two-dimensional analysis of semiconductor devices 85–29177
Prokopiev, V.S. *see* Bichenkov, E.I. 88–49058
Prokopiv, M.D. *see* Dem'yanchuk, T.M. 88–60654
Prokopiv, V.V. *see* Freik, D.M. 88–57331
Prokopov, A.P. *see* Bertel', I.M. 88–33959
Prokopov, A.V. *see* Andrusenko, A.M. 87–35189, 88–65306
Prokopova, N.M. *see* Kornilov, S.T. 87–49749
Prokopovic, P. Changes of control limits of a converter by close short-circuits in the network 85–5169
Prokopovic, P. Multiple-bridge control at single phase short-circuit in network [transmission networks] 85–32117
Prokopovic, P. Regulation boundaries of a multibridge converter by close short circuits in an AC grid 85–53758
Prokopovic, P. Changes of commutating angles of a converter due to a three-phase short-circuit in a network 86–19367
Prokopovic, P. Changes in the commutation angle of converters during a two-phase short in AC networks 86–33486
Prokopovic, P. Operational ranges of convertor during single-phase short-circuits in a network 86–45504
Prokopovic, P. The operating ranges of a convertor during two-phase short-circuit currents in an AC network 86–61594
Prokopovic, P. Symmetrically controlled converter during a two-phase mains short circuit 86–70972
Prokopovic, P., Juszozyk, W. Control limits of a multi-bridge converter under a phase-to-phase fault in the supply network 88–30357
Prokopovich, A.V. *see* Stepanov, A.D. 87–43497
Prokopovich, I.P. *see* Denisenko, V.N. 88–25068
Prokopovich, M.R. *see* Apter, B.F. 85–58248
Prokopovich, S.R. *see* Pierard, A. 85–21336
Prokopp, M. The testing of unpopulated SMD printed circuit boards 87–59986
Prokopp, R. *see* Lambat, J. 85–65508
Prokop'yev, V.Ye. *see* Pikunov, V.M. 86–27796
Prokopyshin, V.P. *see* Malinovksii, V.N. 88–42054
Prokopyuk, Yu.F. *see* Koval'kov, G.A. 86–39678
Prokosch, M.W. *see* Hopkins, D.B. 88–54341
Prokoshev, V.G. *see* Mamatova, T.A. 87–12059
Prokoshin, P.V. *see* Demchuk, M.I. 85–28667
Prokoshin, V.I., Shepelevich, V.G. A linear-displacement transducer 86–28256
Prokoshin, V.I. *see* Gusakova, S.V. 87–49950
Prokoshkin, Yu.D. Cherenkov detectors in experiments at the IHEP 70 GeV accelerator 86–65353
Prokoshkin, Yu.D. *see* Alde, D. 88–47996
Prokoshkin, Yu.D. *see* Binon, F. 86–65395
Prokoshkin, Yu.D. *see* Binon, F.G. 88–54405
Prokoshkin, Yu.D. *see* Datsko, V.S. 87–50164
Prokpenko, A.G., Ruchko, V.G., Dolgonosov, N.C., Doroshenko, G.A., Klimchenko, O.I., Isaev, V.A. Departmental system of learning and training for dispatchers of electric power systems and operating personnel of distribution networks 88–68721
Proksa, R. *see* Schomberg, H. 85–15279, 87–21556
Prokter, G. The logic simulator-tester link: It's a two-way street 88–19067
Prokudenkov, N.P. *see* Kovalev, A.M. 87–45040
Prokudenkov, N.P. *see* Kruglov, V.V. 87–41607
Prokudin, A.S. *see* Bol'shov, V.M. 86–50584
Prokudin, V.S. *see* Basov, Yu.G. 87–36242
Prokudin, V.S. *see* Bryukhanov, V.M. 87–72582
Prokuntsev, A.F. Generalized procedure for the derivation of invariant equations for the parameters of complex two-terminal elements on the basis of similarity 86–55811
Prokuntsev, A.F., Sharonov, G.I., Zakharova, I.N., Bugreeva, L.A. Investigation of methods of individual balancing of null AC measuring circuits 85–26401
Prokushkin, V.N., Kudashova, N.A. Numerical analysis of cyclotron microwave converter with homogeneous crossed fields 87–45500
Prokushkin, V.N., Stal'makhov, V.S., Sharaevskii, Yu.P. Magnetostatic waves in a normally magnetized ferrite structure with impedance boundaries 86–54259
Prokushkin, V.N. *see* Grechuskin, K.V. 87–53900
Prokysek, J. Power supply to electronic clocks and watches 85–32687
Proleiko, E.V. *see* Rubin, L.B. 86–26280
Proleyko, V.M. *see* Devyatkov, N.D. 86–19875
Proleyko, V.M. *see* Naumenko, Ye.D. 85–52928
Proll, L.G. An improved formulation of the PWR core management model 85–4808
Prolov, I.A., Tomchinskii, A.M., Averyanov, V.E., Lukichev, A.V. Influence of thermal inhomogeneity on vapor-phase doping processes 86–35546
Prolss, G.W. *see* Volland, H. 87–26773
Prom, J.L., Castagne, J., Sarrabayrouse, G., Munoz-Yague, A. Influence of the preoxidation cleaning on the electrical properties of thin SiO_2 layers 88–26057
Promashkov, V.A., Rudnev, O.V., Trifel', A.E. Automatic displacement of scale during recording of radiation logging curves 87–21502
Promashkov, V.A. *see* Rudnev, O.V. 87–21108
Prome, M., David, L., Lecorche, E., Luong, T.T., Martina, M., Ulrich, M., Labiche, J.C., Loyant, J.M., Loyer, F., Leveel, S., Sauret, J. The operation of the GANIL control system 85–59017
Promel, H.J. Partition properties of *q*-hypergraphs 87–16491
Promel, H.J. Counting unlabeled structures 87–31406
Promel, H.J., Rodl, V. An elementary proof of the canonizing version of Gallai-Witt's theorem 86–66702
Promis, G.G., Smith, G.L. Multipurpose high resolution on-track tachometer 85–37767
Promislow, M.R., Larson, N.L.J., Guidry, P.J., Jr., Fisher, E.L., Joost, M.G. Concepts in multimodal communication 88–66453
Promyslovskii, A.S. *see* Leikina, B.B. 85–34207
Pron, A. *see* Budrowski, C. 87–17750
Pron, A. *see* Suski, T. 85–11957
Pron', N.I. *see* Gorodkov, V.E. 85–10859
Pronchenko, I.P. *see* Borisenko, V.A. 87–59035
Prondzinski, G.Von *see* Von Prondzinski, G.
Pronevich, V.B. *see* Klimenko, E.Yu. 88–71987
Prongue, D. *see* Van Den Vlekkert, H.-H. 88–48093
Pronichkin, V.D. *see* Ignatov, A.V. 86–41529
Pronin, A.M. *see* Nemkov, V.S. 86–45820
Pronin, A.M. *see* Pavlov, N.A. 85–16428
Pronin, A.M. *see* Strel'nikov, V.P. 85–53969
Pronin, B.P. *see* Vavilov, A.A. 87–9961
Pronin, M.S. *see* Mishuta, Yu.M. 86–32903
Pronin, S.P. *see* Gos'kov, P.I. 88–29380
Pronin, S.V. *see* Artem'yev, V.A. 85–42662
Pronin, V.P. Simultaneous determination of the electrostatic charge and other parameters of dielectric layers 85–35965
Pronin, V.P. Panoramic device for studying electric charge accumulation and relaxation 88–42269
Pronios, N.B., Polydoros, A. Slotted ALOHA-type fully connected networks in jamming. I. Unspread ALOHA 88–21939
Pronios, N.B., Polydoros, A. Approximate methods for analyzing slotted random-access spread-spectrum networks 88–52653
Pronk, C.N.A., Elfving, A., Ersu, E., Lippay, A.L. Simulation of space manipulator operations (EUROSIM) 88–16821
Pronk, F.A., Groenland, J.P.J., Lammerink, T.S.J. Simulation model for a silicon Hall sensor in an absolute digital position detection system 86–55636
Pronkin, N.S. *see* Zhernov, A.I. 87–8871
Pronkina, A.E. *see* Novikov, V.N. 87–3586
Pron'kinov, I.T. *see* Asalkhanov, Yu.I. 85–15075
Pronko, J.G. *see* Bardin, T.T. 87–24925
Pronko, J.G. *see* Budhani, R.C. 87–32325
Pron'ko, M.G. *see* Efimov, V.F. 85–65683
Pronko, P. *see* Snyder, P.G. 86–68591
Pronko, P.P. *see* Bhattacharya, R.S. 86–1821, 86–21453
Pronko, P.P. *see* Thompson, P.E. 88–44552
Pronko, P.P. *see* Wilson, R.G. 88–57493
Pronko, P.P. *see* Gibson, U. *(editor)* 88–43593
Pronko, S.G.E. *see* Germer, R.K.F. 88–65485

Prono, D.S. Recent progress of the Advanced Test Accelerator 86−31818
Prono, D.S. *see* Barletta, W.A. 85−59110
Prono, D.S. *see* Briggs, R.J. 88−45476
Prono, D.S. *see* Caporaso, G.J. 87−8798
Prono, D.S. *see* Weir, J.T. 86−25089
Pronobis, M.T. *see* Burns, D.J. 85−7040
Pronobis, M.T. *see* Fam, A.T. 88−740
Pronyakin, V.A. *see* Stroikovskii, A.K. 86−44480
Pronyakin, V.I. *see* Kiselev, M.I. 88−35926
Pronzato, L., Walter, E., Venot, A., Lebruchec, J.-F. A general-purpose global optimizer: implementation and applications 85−5923
Propato, C.M. Uninterruptible power supplies 87−51356
Prophet, G. Novel low-cost 200 MHz oscilloscope 85−14856
Prophet, G. Semicustom design of linear functions 85−55879
Prophet, G. More power for end-to-end CAE 86−8572
Prophet, G. Solving PCB thermal design problems 86−58132
Prophet, G. Digitally enhanced linear CMOS 87−45029
Propkop'ev, A.I. Numerical estimate of the charge-transfer time in a gallium-arsenide charge-coupled device with a buried channel 86−15162
Propst, J. *see* Horne, C.J. 85−53074
Propst, J. *see* Murthy, V.K. 85−9209
Propst, J.W. Developing effective service level agreements 86−52197
Propst, R.H., Bagnell, C.R., DiBianca, F.A., Cole, E., Johnson, D., Oxford, W., Smith, C.A. Digital image processing methods for device failure analysis 85−33252
Propst, R.H. *see* Cole, E.I., Jr. 86−35733, 88−26179, 88−57757
Propst, R.H. *see* Oxford, W.V. 86−35776
Propst, R.H. *see* Smith, C.A. 86−40572
Prorok, B.C. *see* Blakley, J.R. 88−21148
Prorok, J.G. *see* Melo, E.B. 86−49393
Prorvich, V.A. *see* Lyapidevskii, V.K. 85−20823
Prosch, T. Degree of coverage and complementary coverage in VHF/FM broadcasting transmitter networks 86−38007
Prosch, T., Radke, G.L. Broadcasting coverage: where prognoses are no longer good enough 86−11210
Prosch, T.A. Computer based monitoring of the USW service 86−43950
Proschan, F. *see* Hollander, M. 86−40580
Proschan, F. *see* Joe, H. 85−33248
Proscia, J. *see* Kurtz, S.R. 86−21101
Proscia, J.W. *see* Gordon, R.G. 88−75924
Prosenkov, B.I. *see* Kuzichkin, A.V. 87−55947
Proshin, A.A. *see* Chunikhin, A.A. 88−62505
Proshin, S.V. *see* Abramov, B.M. 86−65367
Proshkin, E.G., Simovskaya, S.F., Mikhailova, V.G. Using a tracking filter with digital-analog control in a radioacoustic atmospheric-probe system 88−23182
Proshkin, E.G. *see* Babkin, S.I. 85−64747, 86−23939, 88−23183
Proshkin, I.T. *see* Mineev, R.V. 86−45818
Proshlyakov, V.V. *see* Galenko, V.G. 87−5210
Proshutin, N.V. The realization of a polyharmonic mode in double-sideband transmitters 86−23661
Proshutinskii, A.P. *see* Lobachev, A.G. 87−30336
Prosikov, A.A. *see* Chistyakov, V.A. 86−32519
Prosin, B.V., Chernyi, S.A. Microwave pulse phase meter 88−53815
Prosin, B.V. *see* Bryukhanov, N.S. 86−18257
Prosin, B.V. *see* Ivanov, A.A. 86−65362, 86−70339
Prosin, V.V. *see* Alimov, T.A. 85−15238
Proskawetz, K.O. Effects of errors in the measurements on the parameters of aircraft longitudinal movements identified with maximum likelihood methods 86−38174
Proske, D. *see* Blau, R. 85−10038
Proske, D. *see* Engelage, D. 85−3442
Proske, M., Seifert, P. Application of a dry flue gas desulphurization technique at a heat and power plant 87−57890
Proskow, S. *see* Weigert, F.J. 88−1475
Proskow, S. *see* Welgert, F.J. 88−1080
Proskurenko, S.S. *see* Boronina, L.F. 86−61787
Proskurenko, S.S. *see* Vladimirova, E.G. 85−39261
Proskurin, A.D. *see* Suvorov, N.P. 87−2521
Proskurin, V.I. Probability distribution of a quadratic functional of a Gaussian random process 86−48727
Proskurin, V.V., Shepilov, V.B. Rig for mechanical testing of materials at low temperature 88−38305
Proskurnicki, J., Birkett, M., McIntosh, G. Mobile diagnostics of electrical systems using expert-system based thermal analysis software 88−68804
Proskurovskii, D.I. *see* Dvurechenskii, A.V. 86−28168
Proskurovskii, D.I. *see* El'chaninov, A.S. 88−68197
Proskurovsky, D.I. *see* Mesyats, G.A. 86−27788
Proskurowski, A., Ruskey, F. Binary tree Gray codes 85−62971
Proskurowski, W. Decomposing a sequence of matrices that differ only in one submatrix 88−49609
Proskurowski, W. *see* Dryja, M. 85−54384
Proskuryakov, A.G., Kalinov, V.F., Videneev, E.N. The economic performance of a nuclear power plant with a water-cooled reactor under prolonged operating conditions 88−10965
Proskuryakov, A.G. *see* Dement'ev, B.A. 85−15741
Proskuryakov, A.I. *see* Davydova, L.I. 86−39188
Proskuryakov, G.V. *see* Dyban, E.P. 87−22152
Proskuryakov, V.M., Blyakhman, A.S., Mulev, S.N., Drabkin, A.L., Ustavnikov, A.A. System for gathering and transmitting data on the stressed state of a rock mass through radio channels 87−20158
Proskuryakova, A.I. *see* Belkin, Ya.I. 86−44994
Proskuryakova, S.F. *see* Yagola, G.K. 86−44401
Prosnitz, D. Review of free electron laser theory and experiment 85−2192
Prosnitz, D. Induction linac-driven free-electron lasers: status and future prospects 88−58592
Prosnitz, D., Scharlemann, E.T. High gain amplifiers 85−56695
Prosnitz, D. *see* Barletta, W.A. 85−62613
Prosnitz, D. *see* Briggs, R.J. 88−45476
Prosnitz, D. *see* Christensen, T.C. 88−66013
Prosnitz, D. *see* Deis, G.A. 88−65746 to 65747
Prosnitz, D. *see* Fawley, W.M. 85−12888
Prosnitz, D. *see* Hopkins, D.B. 87−39151, 88−47835
Prosnitz, D. *see* Orzechowski, T.J. 85−35808, 86−3233, 87−2161, 87−12519
Prosnitz, D. *see* Orzenchowski, T.J. 86−3196
Prosper, H.B. *see* Allison, J. 85−64456 to 64457
Prosperi, D. *see* Bernabei, R. 88−54411
Prosperi, D. *see* Schaerf, C. 87−41802
Prosperi, L. *see* Picchi, G. 85−45115
Prosperi, P. *see* Scrosati, B. 87−30908
Pross, E., Dammann, H., Tolksdorf, W., Rabe, G., Zinke, M. Tuning of $\Delta\beta$ in non-reciprocal waveguides 88−65344
Pross, E., Dammann, H., Tolksdorf, W., Zinke, M. Single-mode magneto-optic waveguides in multiple-layer garnet 86−9586
Pross, E., Tolksdorf, W., Dammann, H. Single-mode buried channel waveguides in YIG 88−45200
Pross, E. *see* Dammann, H. 86−42310, 87−26100, 87−54133
Pross, E. *see* Tolksdorf, W. 87−60912, 87−73078
Prossdorf, S., Rathsfeld, A. On spline Galerkin methods for singular integral equations with piecewise continuous coefficients 86−34217
Prossdorf, T., Kainz, Ch. New fire protection concepts for electronic data processing installations 88−55922
Prosser, A.G., Bath, W.G. Macroscopic spatial-temporal correlation properties of radar clutter 86−55346
Prosser, D.P.B. The IEE working party on guidelines for design and achievement of testability: a summary of current status and progress 87−10116
Prosser, F., Wu, X. Design of the one-zero-hot controller 88−38465
Prosser, F. *see* Wu, X. 87−52690, 88−70734
Prosser, M. *see* Hutt, P.R. 87−50901
Prosser, R.T. *see* Moses, H.E. 86−48522
Prosser, S.J., Pedley, D.C., Webb, B.C. Application of MOS structures to humidity and tactile sensing 85−52760
Prosser, S.J. *see* Frere, P.E.M. 88−4410
Prosser, V. *see* Pistora, J. 85−24303
Prosser, V. *see* Zvara, M. 87−1266
Prosser, W.H., Green, R.E., Jr. Ultrasonic characterization of the nonlinear elastic properties of graphite/epoxy composites 88−10646
Prost, C.de *see* de Prost, C.
Prost, J. *see* Matthias, H.-B. 86−50762
Prost, K. *see* Powell, G.P. 86−2426
Prost, M. *see* Gabillard, B. 87−59495, 88−6826
Prost, M. *see* Rocher, C. 87−59468
Prost, R., Goutte, R. Discrete constrained iterative deconvolution algorithms with optimized rate of convergence 85−19463
Prost, R. *see* Peyrin, F. 87−7722
Prost, W., Brockerhoff, W., Heime, K., Ploog, K., Schlapp, W., Weimann, G., Morkoc, H. Gate-voltage-dependent transport measurements on heterostructure field-effect transistors 86−53642
Prost, W., Brockerhoff, W., Heime, K., Schlapp, W., Weinmann, G. Device performance and transport properties of HFETs at low temperatures .88−57693
Prost, W. *see* Heuken, M. 87−60502
Prostakov, Ye.I. *see* Pimenov, Yu.V. 88−27635
Prosteder, H. ISDN. Pilot projects in Mannheim and Stuttgart, Germany 88−67101
Prostyakov, A.A., Ladozhskii, V.G. Development and construction of new series of induction furnaces for the melting of ferrous metals 85−65650
Prostyakov, A.A. *see* Tir, L.L. 85−65651
Prosunko, O.N. *see* Ivanov, M.A. 88−21205
Prosvirin, K.A., Shumov, Yu.S. Diffusion currents and photoeffect during pulsed illumination of a metal-porous pigment film-electrolyte system 85−29685
Prosvirnin, S.L. Method of moments in problem of diffraction at a plane flanged waveguide 86−36772
Prosvirnin, S.L., Seleznev, D.G. An investigation of some types of open resonant systems containing inhomogeneities 86−20803
Prosvirnin, S.L. *see* Zamyatin, Ye.V. 87−19176
Prosvirnin, V.G. *see* Yemelianov, G.F. 86−23346
Prosyankina, N.Z. *see* Dudko, B.G. 87−21780
Protasevich, E.T. *see* Golovkov, V.M. 86−70371
Protasevich, V.I., Sadykov, Sh.I., Skochilov, A.F. Improving the recognition reliability in systems with matched filtering 88−46150
Protasevich, V.I. *see* Mokhun', I.I. 85−12690
Protasevich, V.I. *see* Pavlichenkov, S.A. 86−23092
Protasewicz, I. *see* Depczynski, T. 88−15288
Protasewicz, I. *see* Zientalski, M. 86−23645
Protasov, V.D. Mechanics in engineering science of composite structures 88−37924
Protasov, V.P. *see* Abubakirov, A.S. 88−45375
Protasov, V.P. *see* Bin'ko, G.F. 86−5729
Protasov, Yu.S. *see* Bazhulin, S.P. 87−18895, 87−18900, 87−26290, 87−75004
Protasov, Yu.S. *see* Dolgikh, V.A. 88−8126
Protasov, Yu.S. *see* Kamrukov, A.S. 85−44201
Protasov, Yu.S. *see* Zuev, V.S. 87−54239
Protasov, Yu.V. *see* Bodrova, T.K. 87−21225
Prothero, J.N., Lukecart, B.W., DeNardo, C.M. A field investigation of the effects of neutral separation and supplemental grounding on primary neutral-to-earth voltage levels 88−54983
Protic, D., Riepe, G. Position-sensitive germanium detectors 85−43233
Protic, D. *see* Riepe, G. 85−15173
Protic, S. *see* Matic, S. 87−8128, 88−14982
Protin, L. *see* Dakyo, B. 88−69343, 88−69347
Protin, L. *see* Kraif, C. 88−17485
Protin, L. *see* Rolland, J.M. 88−69225
Proto, G. *see* Chi, C.C. 85−46078
Proto, G. *see* Dueholm, B. 85−46081
Proto, G. *see* Tesche, C.D. 85−46070, 85−56217
Proto, G. *see* Vanneste, C. 85−35354
Proto, G.R. *see* Magerlein, J.H. 85−24030
Protochristov, Ch. *see* Penev, I. 87−63634
Protochristow, C. *see* Penev, I. 85−31758
Protomastro, G.P. *see* Poiani, E.L. 85−22307
Protonotarios, E.N., Anagnostou, M.E. Data link protocols for digital communications 85−51837
Protonotarios, E.N., Stassinopoulos, G.I., Sykas, E.D., Anagnostou, M.E. Broadband communication networks with asynchronous time division (ATD) multiplexing and switching. I. Resource sharing for efficient flow control and congestion avoidance 87−34007
Protonotarios, E.N., Stassinopoulos, G.I., Sykas, E.D., Anagnostou, M.E. Broadband communication networks with asynchronous time division (ATD) multiplexing and switching. II. Analytic tools 87−34008
Protonotarios, E.N., Sykas, E.D. Queueing analysis of CSMA protocols 87−55412
Protonotarios, E.N. *see* Anagnostou, M.E. 85−47236, 85−63145, 86−30124, 86−40615, 86−43352, 86−64735, 87−48296, 87−55424
Protonotarios, E.N. *see* Apostolopoulos, T.K. 85−25474, 85−47205, 86−30121, 87−7882, 87−62641
Protonotarios, E.N. *see* Drigas, A.S. 88−3411
Protonotarios, E.N. *see* Kehagias, G.K. 88−3312
Protonotarios, E.N. *see* Mitrou, N.M. 87−47762
Protonotarios, E.N. *see* Sgardoni, V.J. 88−3314
Protonotarios, E.N. *see* Skyas, E.D. 86−30118
Protonotarios, E.N. *see* Stassinopulos, G.I. 87−28156
Protonotarios, E.N. *see* Sykas, E.D. 86−43595, 87−2673
Protonotarious, E.N. *see* Mitrou, N.M. 87−47783
Protopapa, A. *see* Farina, A. 88−67443
Protopapas, D.A., Denenberg, J.N. A new model for performance analysis of large scale multimicrocomputer networks 87−55431
Protopopescu, S. *see* Iwasaki, H. 88−10269
Protopopov, A.P., Cherepukhin, V.I. A field-effect transistor microwave oscillator for the three-centimeter band, stabilized by a dielectric resonator 87−45246
Protopopov, A.P., Cherepukhin, V.I. A heterodyne for microwave transceivers in a radio-relay station 88−44353
Protopopov, A.P. *see* Bezborodov, Yu.M. 87−44693
Protopopov, I.Ya. Electron-positron storage ring VEPP-4. Status and prospects 85−26539
Protopopov, I.Ya. *see* Avdienko, A.A. 85−26586
Protopopov, I.Ya. *see* Blinov, A.E. 85−26540, 86−18202
Protopopov, O.D. *see* Gorelik, V.A. 88−52456
Protopopov, O.S. *see* Krichevskii, E.S. 87−32113
Protopopov, V.N. Reflection of a guided mode from a metallized waveguide face 86−10155
Protopopov, V.V. *see* Ustinov, N.D. 86−48997
Protopotov, V.V. *see* Ustinov, N.D. 85−52439

Prots', R.V., Pavlov, S.K., Shtus, T.I., Dobrokhotova, I.A., Renard, I.V., Oveshnikov, S.Z. Equipment for measuring ratios of low-frequency magnetic field strengths 87−21754
Prots', R.V. *see* Kalashnikov, N.I. 87−21757
Prot's, V.I., Stavitskii, I.P., Stupak, M.F. Spectral dynamics, intensity, and spatial characteristics of radiation from a laser with STBS/STTS mirrors and acted on by an external signal 88−8247
Prots, V.I., Stavitskii, I.P., Stupak, M.F. Production of single subnanosecond pulses in a laser with a (stimulated-Brillouin-scattering)-(stimulated-thermal-scattering) mirror 88−14269
Protscenko, E.D. *see* Basov, N.G. 86−3090
Protsch, W. *see* Albrecht, H.-J. 86−18195
Protschka, H. *see* Moy, D. 88−71796
Protsenko, A.R. *see* Brzhezitskii, V.A. 87−37486, 88−56813
Protsenko, A.R. *see* Terusalimov, M.E. 88−72472
Protsenko, E. *see* Gerasimchuk, A. 88−45524
Protsenko, E. *see* Kornilov, S. 86−29035
Protsenko, E.D. *see* Anishchenko, M.L. 88−65571
Protsenko, E.D. *see* Baev, V.M. 86−9818
Protsenko, E.D. *see* Bakaev, D.S. 87−33100, 88−65569
Protsenko, E.D. *see* Basov, N.G. 85−18871, 87−68383, 87−74984
Protsenko, E.D. *see* Ermachenko, V.M. 85−56516, 87−61089
Protsenko, E.D. *see* Gerasimchuk, A.G. 86−29058, 87−26297
Protsenko, E.D. *see* Gonchukov, S.A. 85−35702, 87−18899, 87−46499
Protsenko, E.D. *see* Kornilov, S.T. 85−24474, 86−25451, 87−49749, 87−54240
Protsenko, E.D. *see* Kozin, G.I. 86−58879, 88−34072, 88−51976
Protsenko, E.D. *see* Vas'kov, V.A. 87−19013, 87−26326
Protsenko, L.D. Impulse interference and optimal detection of a deterministic signal on a background of such interference 87−47705
Protsenko, L.D., Steklov, A.V. Transformation of impulse and Gaussian noise in a radio-receiver circuit 88−27928
Protsenko, L.D. *see* Guzii, V.I. 87−19692
Protsenko, L.D. *see* Marchenko, B.G. 85−65209, 88−3044
Protsenko, L.D. *see* Zvarich, V.N. 87−22216
Protsenko, N.M. On one method of calculating the mean queueing length for a large-scale type M/M/1 service system 85−22302
Protsenko, V.G. *see* Eidelman, L.G. 85−33382
Protsyk, V.I. *see* Bazhenov, N.L. 87−2033, 87−46661
Protz, R. Technology of active optics 87−46946
Protze, J., Gottowski, H. Hi-Fi set HMK-100. II. Stereo amplifier HMK-V100 87−63189
Protzel, P. *see* Badach, A. 85−42037
Protzel, P. *see* Hartmann, H.L. 85−42389
Proud, J.M. *see* Byszewski, W.W. 85−1782
Proud, J.M. *see* Cooper, J.R. 87−22800
Proud, J.M. *see* Lester, J.N. 87−64942
Proudfoot, A.T. *see* Davidson, W.S.M. 86−16871
Proudfoot, D.A. *see* Turner, G.W. 87−76132
Proudfoot, E., Rooney, J. Investigations in the SNL SCOT loop of Dungeness 'B' pendant liner vibrations 85−48788
Proudfoot, G., Green, T.S., Inman, M., Mahony, C.M.O. Development of a 200 kV high current accelerator with post acceleration mass analysis for O^+ implantation into silicon 87−53377
Proudfoot, J. *see* Balka, L. 88−47985
Proudfoot, J. *see* Hahn, S.R. 88−47990
Proudler, G.J. *see* Marshall, A.D. 88−9077
Proudler, I.K., Rayner, P.J.W. New design procedure for digital filters based on a finite-state machine implementation 86−14375
Proudlock, P., Isch, H.W., Pett, J.G. The use of switch-mode power converters for the LEP main ring power converter system 88−55491
Proudlock, P. *see* Boidin, M. 85−39122, 86−46532
Proudlock, P. *see* Isch, H.W. 88−55484
Prough, D.S. *see* Tiernan, T. 88−61266
Prough, S. VLSI surface mount directions 87−11210
Prouillac, C. *see* Labat, P. 86−6543
Proulx, D.R. *see* Hoffmann, C.R. 85−59076, 86−31805
Proulx, G. *see* Benford, J. 86−21039
Proulx, G. *see* Demeter, L. 85−1118
Proulx, G. *see* Ecker, B. 85−5311
Proulx, G.A., Lackner, H., Spence, P., Wright, T.P. Modelling of the PROTO II crossover network 87−22620
Proulx, G.A. *see* Creedon, J.M. 85−39228
Proulx, R., Lefebvre, S. Multi-terminal DC control modeling in a transient stability program 86−12405
Proulx, R., Valette, A., Gingras, J.-P., Soulier, D. User-oriented simulation of HVDC control in a transient stability program 85−59661
Proulx, V.Krnanova *see* Krnanova Proulx, V.
Prous, V.R. *see* Mikhailov, V.V. 88−5400
Prouse, D. *see* Dutronc, J. 87−34486
Prouse, D.W. *see* Fowler, K.R.G. 88−10472
Proust, N. *see* Bisaro, R. 86−34363
Proust, N. *see* Boulitrop, F. 86−8735
Proust, N. *see* Chartier, E. 87−18162
Proust, N. *see* Landouar, P. 85−44796
Proust, N. *see* Magarino, J. 88−10085
Proust, N. *see* Szydlo, N. 85−64203
Prout, J. Managed data networks in the OSI context 86−54784
Prout, J., Holmes, C. British Telecom's open network architecture 88−15183
Prouty, M.D., Neureuther, A.R. Optical imaging with phase shift masks [photolithography] 85−12075
Prouty, M.D. *see* Rosenfield, M.G. 85−29089
Prouza, L. On a method of detection of nonperiodic pseudonoise binary sequences 85−7777
Prouza, L. A PPI radar with coded pulse and some kinds of jamming 85−42648
Prouza, L. Receiving binary coded spread spectrum signals 86−64271
Prouza, Z., Hermanska, J., Spurny, F., Skubal, A., Nazarov, V.M. Dosimetric measurements on beams of Soviet reactors IBR-2 and IBR-30 87−35315
Prouza, Z., Hermanska, J., Sujak, P., Carny, P. The need for neutron personnel dosemeters at nuclear power plants 87−14948
Prouza, Z. *see* Skubal, A. 86−60553
Provalov, S.A. *see* Kryzhanovskii, V.V. 88−44324
Provan, J.S. Polyhedral combinatorics and network reliability 86−40573
Provan, J.S. The complexity of reliability computations in planar and acyclic graphs 87−185
Provan, J.S. Bounds on the reliability of networks 87−5275
Provan, J.S. Convexity and the Steiner tree problem 88−24642
Provan, J.S., Ball, M.O. Computing network reliability in time polynomial in the number of cuts 85−33240
Provan, J.W. *see* Berrada, S. 87−79096
Provanzana, J.H. *see* Kogan, V.I. 88−75698
Provence, J.D. Systolic array implementation for an adaptive Viterbi receiver 88−6767
Provence, J.D. Neural network implementation for maximum-likelihood sequence estimation of binary signals in Gaussian noise 88−59182
Provencher, C., Spence, R. A laser communication experiment utilizing the ACT satellite and an airborne laser transceiver 88−53296
Providakes, G. *see* Heim, P. 88−41677
Providakes, G.F. *see* Zimmerman, D.L. 86−59876
Providakes, J., Farley, D.T., Fejer, B.G., Sahr, J., Swartz, W.E., Haggstrom, I., Hedberg, A., Nordling, J.A. Observations of auroral *E*-region plasma waves and electron heating with EISCAT and a VHF radar interferometer 88−53346
Provo, F. *see* Bovy, E. 86−70792
Provorov, A.M. *see* Isyanova, E.D. 86−15671
Provorov, A.M. *see* Ivanov, N.A. 87−46820
Provorov, A.M. *see* Vasil'ev, S.G. 85−18909
Provorov, A.S. *see* Arkhipkin, V.G. 85−46453
Provorov, A.S. *see* Bakarev, A.E. 88−8245
Provorov, M.M., Kozlovich, Yu.I., Sibirtsev, S.N., Alimov, E.V., Ioffe, M.A. Improving the technology of casting under pressure by using sets of mechanization equipment alongside the machine 87−5224
Provost, J. *see* Robbes, D. 88−20295, 88−29596
Provost, J. *see* Vizot, J. 88−33508
Provost, P., Masciarelli, F. Integrated AC line monitoring in large computer power systems 88−55514
Provotorov, S.V. *see* Aleksandrov, E.B. 87−21213
Provozin, A.S. *see* Bederov, V.M. 86−26350
Provskii, V.S.Dne *see* Dne Provskii, V.S.
Prowse, D.B. *see* Berman, M. 87−56908
Prowse, D.B. *see* Patterson, J.B. 86−5550
Prowse, I. Editdroid−the future of editing 85−63862
Prowse, I. Eight-machine video tape editing 87−77007
Prowse, I. The necessity of routing switchers 88−60429
Proyanenkov, V.V. *see* Komolova, L.F. 85−11922
Prozorov, S.P. Digital accumulator of recurrent signals 85−26273
Prozorov, V.A. Classification characteristics of electric machines in standardization systems 88−55275
Prozorov, V.A. *see* Bocharova, V.M. 87−9483
Prozorov, V.A. *see* Nenashev, A.I. 88−37246
Prozorov, Yu.P., Lomtsev, E.A., Shlyandin, V.M. Components of dynamic error in analogue-to-digital converters 86−60211
Prozorovskii, V.D., Reshidova, I.Yu. Resonator with magnetic-field concentrator for study of specimens under axial compression 86−67467
Prozorovskii, V.D. *see* Bratashevskii, Yu.A. 86−67703
Prozorovskiy, V.L. *see* Klimov, V.V. 88−20895
Prozorovskiy, V.Ye. *see* Biryukov, V.N. 88−39461
Prpic, B. *see* Raseta, M. 85−32461
Prsa, M.A. Numerical prediction of optimal switching angle for VR step motors 88−17676
Prucha, J. *see* Jiru, V. 87−10995
Prucha, L., Simsa, J. Time domain simulation of noise effect in FM communication systems 87−2323
Pruchkina, F.M. *see* Kushnir, A.F. 86−6074
Prucnal, P.R. Optical interconnections for VLSI local-area networks 87−28568
Prucnal, P.R. VLSI fiber optic local area network 87−48618
Prucnal, P.R. All-optical ultra-fast networks 87−69684
Prucnal, P.R. VLSI optical interconnection networks 88−4003
Prucnal, P.R., Blumenthal, D.J., Perrier, P.A. Photonic switch with optically self-routed bit switching 87−56145
Prucnal, P.R., Blumenthal, D.J., Perrier, P.A. Self-routing photonic switching demonstration with optical control 87−60964
Prucnal, P.R., Blumenthal, D.J., Santoro, M.A. 12.5 Gbit/s fibre-optic network using all-optical processing 87−56130
Prucnal, P.R., Eskin, J.D., Fossum, E.R., Osgood, R.M. Integrated fiber optic coupler for VLSI interconnects 86−48303
Prucnal, P.R., Fossum, E.R., Osgood, R.M. Integrated fibre-optic coupler for very-large-scale integration interconnects 86−28850
Prucnal, P.R., Fossum, E.R., Osgood, R.M. Fiber optic coupler for VHSIC/VLSI interconnects 87−16968
Prucnal, P.R., Perrier, P.A. A rate-transparent, self-clocking line code 88−2961
Prucnal, P.R., Perrier, P.A., Brandmaier, C. A low DC, self-clocking, two-color transmission code for optical communications 87−70065
Prucnal, P.R., Santoro, M.A. Spread spectrum fiber optic local area network using optical processing 86−64751
Prucnal, P.R., Santoro, M.A., Fan, T.R. Spread spectrum fiber-optic local area network using optical processing 86−64341
Prucnal, P.R., Santoro, M.A., Sehgal, S.K. Ultrafast all-optical synchronous multiple access fiber networks 87−28580
Prucnal, P.R., Santoro, M.A., Sehgal, S.K., Kaminow, I.P. TDMA fibre-optic network with optical processing 87−13697
Prucnal, P.R., Santoro, M.A., Ting Rui Fan Orthogonal modulation in fiber optic communications 86−37887
Prucnal, P.R. *see* Ade, R.W. 87−46586, 87−61040
Prucnal, P.R. *see* Blumenthal, D.J. 88−13930
Prucnal, P.R. *see* Santoro, M.A. 88−9564
Prudaev, V.P. *see* Belykh, B.P. 86−7357
Prudaev, V.P. *see* Zaslavets, B.I. 87−21871
Prudan, A.M. *see* Kalyuzhnaya, L.V. 87−46275
Pruden, B. Taming the Sony KV1810UB [TV receivers] 85−47659
Prudencio, J.F.Rivera *see* Rivera Prudencio, J.F.
Prudents, V.E. *see* Medvid', A.P. 88−7281
Prudenziati, M. A thin film strain gauge and its applications 86−5204
Prudenziati, M., Masoero, A., Rietto, A.M. Conduction mechanism and flicker noise in ZnO varistors 85−55864
Prudenziati, M., Morten, B. Piezoresistive properties of thick-film resistors: an overview 86−53220
Prudenziati, M., Morten, B. Thick-film sensors: an overview 87−29098
Prudenziati, M., Morten, B. Thick film sensors and transducers 87−56620
Prudenziati, M., Morten, B., Brigatti, M.F. Evolution of the microstructure and performance of Pd/Ag-based thick conductors 86−14738
Prudenziati, M., Morten, B., Moro, L., Olumekor, L., Tombesi, A. Interactions between thick-film resistors and terminations: the role of bismuth 86−35127
Prudenziati, M., Morten, B., Moro, L., Ruffi, G., Argentino, E., Jachetti, C. Alumina interactions with high lead glasses 88−1224
Prudenziati, M. *see* Capizzi, M. 86−45707
Prudenziati, M. *see* Masoero, A. 86−62958
Prudenziati, M. *see* Morten, B. 88−44495
Prudenziati, M. *see* Singh, A. 85−7026, 85−34382, 85−45336, 86−8659, 86−14931, 87−53658, 88−42080
Prudham, D. Disc magnet motor with integrated angular encoder construction and performance 88−75574
Prudham, D. *see* Regnier, D. 87−30670
Prud'homme, R.K. *see* Heydon, A. 86−24580
Prudkiy, V.P. *see* Lozyanoy, V.I. 85−35995
Prudkov, M.L. Subordinated control systems for electric drives employing series-parallel correction 87−16072
Prudkov, M.L. Synthesis of a quasi-optimal fast speed optimisation system for a drive 87−51493
Prudkov, M.L. Overvoltage limitation for controlled DC electric drives 87−58364
Prudkov, M.L., Akselrod, B.E. Investigation of an automatic speed-control system for motors that acts on excitation flux 86−45441

Prudkovskii, G.P. *see* Karabadzhak, G.F. 87-21510
Prudnikov, A.I. *see* Namitokov, K.K. 88-30947
Prudnikov, N.A., Gudko, N.A. Methods for performing engineering calculations of the process of vacuum drying of heavy-duty capacitors 88-44390
Prudnikov, N.A. *see* Tkhostov, M.Kh.-M. 85-27761
Pruess, K. *see* Bodvarsson, G.S. 85-32368, 87-42686
Pruess, S. Interpolation schemes for collocation solutions of two point boundary value problems 86-46287
Pruett, B. *see* Hagans, K. 88-7873
Pruett, B.L., Peterson, R.T., Smith, D.E., Looney, L.D., Shelton, R.N., Jr. Gamma-ray to Cerenkov-light conversion efficiency for pure-silica-core optical fibers 85-35407
Pruett, B.L., Roeske, F., Jones, R.A., Hagans, K.G., Davies, T.J., Nelson, M.A., Gong, G.C. A high-bandwidth fiber-optic system using laser-diode transmitters 87-20516
Pruett, B.L. *see* Roeske, F. 85-35410
Pruett, C.H. *see* Hansen, R.W.C. 88-42369
Pruett, D.R., Swech, H.P. High speed clocked video interface 85-3901
Pruett, J.K., Francis, W.W. An electronic device for triggering a stimulator during membrane responsiveness determinations in cardiac tissues 88-54554
Prufer, L. *see* Brandes, M. 87-76503
Pruglo, N.V. *see* Petrova, T.I. 87-35177
Pruglov, F.G. *see* Petukhov, V.M. 85-48105
Prugne, P. *see* Dinh, S.T. 86-11941
Pruidze, E.V. *see* Alekseev, R.P. 87-42838
Pruim, H. VLSI and the customer's requirements 85-35034
Pruisken, A.M.M. *see* Wei, H.P. 86-28000, 86-53418
Pruitt, C. *see* Steen, L.S. 87-53381
Pruitt, D. *see* Anderson, D. 86-25323
Pruitt, D.W. *see* Nielsen, L.A. 88-23700
Pruitt, J. Automating outside plant inventory 87-76002
Pruitt, J. Software that helps reduce costs and improve service 88-9001
Pruitt, J.G. *see* Garrett, D.L. 86-33503
Pruitt, J.S. Calibration of beta-particle ophthalmic applicators at the National Bureau of Standards 87-29797
Pruitt, J.S. Calibration of beta-particle-emitting ophthalmic applicators 88-68508
Pruitt, J.S., Wilson, D.L. Automatic target hand-off system—now and future 87-40537
Pruitt, J.S. *see* Soares, C.G. 85-59159
Pruitt, L. *see* Gregory, O.J. 87-67023
Pruitt, L.A. *see* Gregory, O.J. 88-50721
Pruitt, P.M. *see* Chan, M.G. 87-7165
Pruitt, R. *see* Matloff, N. 85-7913
Pruitt, W. *see* Bensiek, W. 88-54365
Pruitt, W.B. *see* Williamson, M.R. 88-74828
Pruna, S., Ionescu-Tirgoviste, C. Dual-channel self-balancing electrodermal impedance reactometer for autonomic response studies 88-23080
Pruna, S., Ionescu, T.C., Mamulas, I., Bajenaru, O. Noninvasive evaluation in autonomic response using a dual-channel self-balancing electrodermal impedance reactometer 88-54558
Pruna, S. *see* Ionescu-Tirgoviste, C. 88-48180
Prunele, M.G.De *see* De Prunele, M.G.
Pruner, N.L. NCR interactive teller training 88-6168
Prunier, C. *see* Oberlin, J.C. 87-44340
Prunieras, J. French radionavigation plan 88-60321
Prunty, S.L. A compact formula for the coupling efficiency associated with mirrors in waveguide lasers 85-56752
Pruppers, M.J.M., Maessen, K.H.M., Bezemer, J., Habraken, F.H.P.M., Van Der Weg, W.F. Phosphorus and boron doping of a-Si:H: effects of deposition temperature 88-44645
Pruppers, M.J.M. *see* Bezemer, J. 86-47331
Pruppers, M.J.M. *see* Maessen, K.M.H. 86-34373
Prusa, J. *see* Bana, J.N. 86-20234
Prusacov, N. *see* Ionescu, C. 88-62345
Prusaczyk, E. Fast soldering of semiconductor chips of large dimensions 87-45476
Prusakov, Yu.I. *see* Sonin, U.P. 88-49033
Prusakov, Yu.I. *see* Sonin, Yu.P. 87-4668, 88-11167
Pruschek, R. *see* Frewer, H. 86-12618
Prusenko, V.A. *see* Aleksandrov, A.A. 87-19282
Prusenko, V.A. *see* Komolov, V.M. 87-41298
Prusik, E.W. Evaluation of drilled holes in circuit boards 85-6582
Pruski, E. *see* Tehon, S.W. 86-2474
Prusova, L.N. *see* Makarova, N.V. 86-6100
Pruss, A., Beck, F. Polybenzene as a positive electrode in aqueous secondary batteries 86-40044
Pruss, D., Dreyer, P., Koch, E. Applications of IR-fibers in remote gas-spectroscopy 88-42120
Pruss, E.V., Nichiporovich, L.V. Allowing for technical characteristics of a distribution network when calculating the numerical strength of the personnel maintaining it 88-17124
Pruss, E.V. *see* Nichiporovich, L.V. 85-38500, 86-56420
Pruss, E.V. *see* Pruss, V.L. 88-48561
Pruss, J. *see* Grimmer, R. 85-44653
Pruss, S. *see* Amos, N. 87-21405
Pruss, S. *see* Gerig, R. 86-31894, 88-47897
Pruss, V.L., Limonov, A.I. Assessing the effect of installing sectioning substations 85-16154
Pruss, V.L., Limonov, A.I. Taking the technical characteristics of networks into account when planning personnel establishment levels 86-12425
Pruss, V.L., Limonov, A.I. Models and algorithms of effect estimation in problems of improving control of rural power networks 88-36770
Pruss, V.L., Pruss, E.V. The cascade principle of automatic control for overhead distribution networks 88-48561
Pruss-Zhukovskii, S.V. *see* Abramyan, L.E. 87-34679
Pruss-Zhukovskii, S.V. *see* Esepkina, N.A. 85-3550, 87-34690
Prussel, M. *see* Cirillo, J. 86-51213
Prussin, S., Jones, K.S. Role of implant energy on defect structures for phosphorus implanted silicon 87-17706
Prussin, S., Margolese, D.I., Tauber, R.N. Formation of amorphous layers by ion implantation 85-23637
Prussin, S., Margolese, D.I., Tauber, R.N., Hewitt, W.B. Defect structures in arsenic implanted silicon 85-23429
Prussin, S. *see* Jones, K.S. 87-17705
Prussin, S. *see* Kania, D.R. 88-68210
Prussin, S.G., Perry, M.D., Pekrul Bicknese, E., Lamb, J.F. A small Compton suppression shield for Si(Li) detectors 86-32206
Prussin, S.G. *see* Derzon, M.S. 86-50439
Prussin, S.G. *see* Ohm, H. 87-41863
Prussin, S.G. *see* Sailor, W.C. 88-68309
Prussin, S.G. *see* Zendel, M. 87-41807
Prussog, A., Blohm, W., Romahn, G. Multi-service terminals—human factors studies with an experimental system 88-21819
Prussog, A., Romahn, G., Blohm, W. Multi-service broadband terminals—convenient in form and in operating concepts 88-73728
Prussog, A. *see* Kellner, B. 86-11327
Prussog, A. *see* Romahn, G. 87-40273
Prusty, S., Panda, M. Predetermination of lateral length to prevent overvoltage problems due to open conductors in three-phase systems 85-21254
Prusty, S., Panda, M. Novel approach to study and prevent failure of an electromagnetic voltage transformer due to sustained overvoltage on switching 85-21684
Prusty, S., Panda, M. Critical conditions for the multimodal behaviour of single phase series ferroresonant circuit 85-28328
Prusty, S., Sanyal, S.K., Satapathy, J.K. A new approach to compensation of extra high voltage transmission lines 86-6308
Prusty, S., Sanyal, S.K., Satapathy, J.K. A contribution to the compensation of extra high voltage transmission lines 87-64155
Prut, L.Ya. *see* Mesenzhnik, Ya.Z. 85-21548, 85-64912, 87-4387
Prut, L.Ya. *see* Tareev, B.M. 87-25702
Prut, V.V. *see* Medvedeva, I.V. 88-40478
Prut, V.V. *see* Zemskov, A.I. 85-16277
Prut, V.V. *see* Znatnov, E.V. 86-44614
Pruthee, S.K. The optical fibre cable 86-9463
Prutkovskii, E.I. *see* Markov, N.M. 86-56607
Prutseva, T.A. *see* Andronov, A.M. 86-37176
Prutton, M. *see* Gomati, M.M. 88-8828
Prutzer, S., Shanley, J.F., Chinnock, C.B., Witman, S.L. Advanced technologies and state-of-the-art for high bandwidth CO_2 heterodyne detection 88-53377
Prutzer, S. *see* Gallagher, D.L. 88-19377
Pruymboom, A., Kes, P.H., van der Drift, E., Radelaar, S. Shear-limited flux pinning studied in superconducting thin-film devices 88-33567
Pruymboom, A. *see* van der Drift, E. 88-26711, 88-39822
Pruzhanovskii, V.A. Passband of a hollow metal-optical waveguide 86-9511
Pruzhanovskiy, V.A. The cutoff conditions of hybrid waves in rectangular planar metal-optical waveguides 88-19319
Pryadkin, B.K. *see* Lazarev, B.G. 86-15434
Pryakhin, A.E., Faibyshev, A.E. Signal converter for nuclear-magnetic flow meter 86-44240
Pryakhin, A.E., Shushkevich, S.S., Orobei, I.O. Nutation flowmeter for a proton-bearing liquid 85-8997
Pryakhin, V.V. *see* Povarov, O.A. 87-22114
Pryakhin, V.Ya. Device protecting electrical motors from damage 88-75553
Pryalkin, V.I. *see* Abdullin, U.A. 85-12975
Pryalkin, V.I. *see* Aleksandrovskii, A.L. 86-22520
Pryalkin, V.I. *see* Dovchenko, D.N. 88-14271
Pryanichnikov, V.I. *see* Alenitskij, Y.G. 88-68103
Pryanishnikov, V.A., Chapaikin, V.M. Measuring mean pulse current by double integration method 86-60309
Pryanishnikov, V.A., Chapaikin, V.M. Analysing error in digital averager with accumulating adder 88-56723
Pryanishnikov, V.A., Lepeshkin, P.N. Temperature error in thermostabilised logarithmic current convertors 85-43059
Pryanishnikov, V.A. *see* Gubanov, N.N. 87-44623
Pryanishnikov, V.A. *see* Verman, B.S. 85-20438
Pryashnikov, I.P. *see* Artem'ev, B.V. 87-75193
Pryazhina, E.I. *see* Deryagin, V.N. 87-18736
Prybella, J.R. *see* Li, X. 87-4197
Pryce, D. Switch-mode power-supply ICs extend performance boundaries 87-65803
Pryce, D. Off-the-shelf GaAs ICs serve both military and commercial applications 88-977
Pryce, D. Semicustom ICs' ratings and architectures aid analog- and digital-circuit designers 88-1698
Pryce, D. Motor-control ICs extend performance levels of stepper and brushless DC motors 88-23980
Pryce, D. Growing array of 1-chip DC/DC converters provides power for diverse applications 88-31979
Pryce, D. Advances in speed and voltage ratings enhance applications for optocouplers 88-51674
Pryce, D. Telecomm ICs offer improved functions for telephone- and PABX-system designs 88-53066
Pryce, D. Fiber-optic ICs accelerate communication over data links 88-53248
Pryce, D. High-power switching supplies stress efficiency 88-56429
Pryce, D. Flat-panel displays 88-74518
Pryce, G.J. *see* Gill, S.S. 85-45620
Pryce, G.J. *see* Wight, D.R. 88-26880
Pryce, G.R. *see* Twynam, J.K. 88-58367
Pryce, J.D. Multiplicative error analysis of matrix transformation algorithms 86-13666
Prycker, M.De *see* De Prycker, M.
Pryde, C.A. Thermal reactions of bisazides in resists containing double bonds 87-67073
Pryde, G.C. *see* Delves, L.M. 88-73996
Pryima, M.V. *see* Ageyev, A.I. 88-45015
Pryma, J. Three steps to successfully cabling a local-area network 87-69696
Prymak, J. Ceramic capacitors for switching mode power supply applications 86-14573
Prymak, J. MLC capacitors offer improved output filtering for HF SMPS 87-24497
Prymak, J. MLC capacitor designs for switch mode power supplies 87-32116
Prymak, J. Ceramic multilayer capacitors in HF SMPS applications 87-78807
Prymak, J. MLCs in power applications 88-70547
Pryor, B.M. Factors affecting the deterioration of HV switchgear 87-51417
Pryor, D.E. *see* Andreasen, C. 88-74987
Pryor, L.A. *see* Foster, J.W. 86-19678, 86-52082
Pryor, M. *see* Bristol, R. 85-64171
Pryor, N. ACDs: an operator's ally [automatic call distributors] 88-73730
Pryor, R.W. Isotope effects in MNOS transistors 85-23801
Pryor, R.W. *see* Topich, J.A. 85-55832
Pryor, T.A. *see* Gardner, R.M. 85-63371
Pryor, T.M., Weaver, C.G.K. The future of competition in the telecommunications industry 87-55517
Pryputniewicz, R.J. Time average holography in vibration analysis 86-3361
Pryputniewicz, R.J. Heterodyne holography applications in studies of small components 86-3362
Pryputniewicz, R.J. Pulsed laser holography in studied of bone motions and deformations 86-5916
Pryputniewicz, R.J. Quantitative holographic analysis of small components 87-19101
Pryputniewicz, R.J. Quantitative interpretation of time-average holograms in vibration analysis 88-4706
Pryputniewicz, R.J. Computer aided fringe analysis 88-40410
Pryputniewicz, R.J. Quantitative interpretation of holograms and specklegrams 88-51966
Pryputniewicz, R.J. Review of methods for automatic analysis of fringes in hologram interferometry 88-51971
Pryputniewicz, R.J. *see* Kardestuncer, H. 88-2151
Pryputniewicz, R.J. *see* Khan, A. 88-20794
Prys-Roberts, C. *see* Millard, R.K. 87-29788, 88-36494
Pryse, S.E. *see* Kersley, L. 87-47201, 88-58855, 88-66080
Prystajecky, A.H., Englefield, C.G., Goud, P.A Power spectrum of the 16B9Q line code 88-45959
Prystajecky, A.H., Goud, P.A., Englefield, C.G. High-speed encoder for the 16B9Q line code 86-37591
Prytherch, D.R., Evans, D.H. Versatile microcomputer-based system for the capture, storage and processing of spectrum-analysed Doppler ultrasound blood flow signals 86-5911

Prytkov, S.I. *see* Golikov, A.P. 87−75257
Prytkov, V.I. *see* Sivov, V.A. 88−67221
Pryzbylek, G.J. *see* Koszi, L.A. 88−27133
Pryztula, K.W. *see* Nash, J.G. 87−66208
Przadka, A. *see* Tsvang, L.R. 85−43475
Przbylek, G.J. *see* Oberg, M.G. 88−22068
Przedpelski, A.B. Special low pass filters 85−6413
Przedpelski, A.B. PIN diode switches. I 87−18075
Przedpelski, A.B. PIN diode switches. II. Transmit/receive switch applications 87−75647
Przedpelski, A.B. PIN diode switches. II 88−1071
Przedpelski, A.B. PLL primer. IV. Description of a loop integrator circuit 88−19001
Przedpelski, A.B. Distortion in nonlinear circuits: approximation can calculate distortion magnitude 88−31974
Przemyslaw, B., Adam, P. LIDO−a silicon compiler preprocessor 87−53624
Przeorski, Z. *see* Karatnicki, P. 85−64007
Przewlocki, H. *see* Czerwinski, A.A. 85−18458
Przewlocki, H. *see* Kobus, A. 85−810
Przewlocki, H.M. Determination of trapped charge distributions in the dielectric of a metal-oxide-semiconductor structure 85−50298
Przewlocki, H.M. Influence of processing on the effective contact potential difference in the Al-SiO_2-Si system 87−17825
Przewlocki, H.M. Factories of the future in the semiconductor industry 88−55946
Przezdziak, Z. *see* Wrobel, T. 88−51104
Przezdziecki, S., Hurd, R.A. Diffraction by a half-plane in a gyrotropic medium 88−2554
Przezdziecki, S. *see* Hurd, R.A. 85−62743
Przhevskii, S.S. *see* Antonov, E.N. 87−68581
Przhevskii, S.S. *see* Ishanin, G.G. 88−9981
Przhevskii, S.S. *see* Zaslavskii, V.Ya. 87−75203
Przhonskaya, O.V. *see* Bondar, M.V. 85−7399, 86−9779, 86−48357, 88−8153, 88−40346
Przhonskaya, O.V. *see* Vashchuk, V.I. 87−68409
Przyblek, G. *see* Olsson, N.A. 88−22067
Przyblski, S. *see* Hansen, C. 87−44912
Przyborowski, W. Remarks on the selection of measurement points and vibration parameters of turbine generator stators 85−21552
Przyborowski, W., Klopotowski, J. Some comments on the logging and processing of measuring results of turbine set vibrations 88−75540
Przyborowski, W. *see* Kaminski, G. 85−32493, 86−25994
Przybyklski, S. *see* Rowen, C. 86−57871
Przybyl, E., Peciakowski, E. Reliability compliance testing of electronic components for consumer electronics 85−49372
Przybyla, H., Morita, T. Electron Beam Recording: the transfer of HDTV signals onto 35 mm film 87−8444
Przybyla, H. *see* Richards, J.W. 88−35680, 88−47291
Przybyla, H. *see* Wilkinson, J. 87−34826
Przybylak, D., Ketner, A. Application of the Heller-Hlavka-Veverka theory to calculation of lightning surges in transformers 88−75686
Przybylak, D. *see* Kazmierski, M. 88−34339
Przybylek, G. *see* Corzine, S.W. 88−27138
Przybylek, G. *see* Dutta, N.K. 86−58912
Przybylinska, H. On a use of ESR in studying AC conductivity in semiconductors 85−34529
Przybylinska, H. *see* Stapor, A. 87−53332
Przybyliski, A.E.M., Sedra, A.S. Speech recognition feature extraction using switched-capacitor techniques in a VLSI circuit 85−17647
Przybylo, W. Information methods in large construction systems mechanics 88−10858
Przybylska, E. Ultrasonic asymmetric sandwich transducers 85−4507
Przybylski, J., Koczara, W. Drive system with double-fed machine/DFM/with oriented control 88−49214
Przybylski, J., Walczyna, A. Static and dynamic properties of a drive system with doubly-fed induction machine 86−6749
Przybylski, J. *see* Koczara, W. 86−66082
Przybylski, M., Helberg, H.-W. Frequency-dependent transport in the pure and irradiation-disordered organic semiconductor N-methyl-(4-methyl) pyridinium (7,7,8,8-tetracyano-p-quinodimethanide) 85−55502
Przybylski, M. *see* Pukacki, W. 85−11970
Przybylski, S. *see* Horowitz, M. 88−6899
Przybylski, S. *see* Moussouris, J. 86−52889
Przybylski, S.A., Gross, T.R., Hennessy, J.L., Jouppi, N.P., Rowen, C. Organization and VLSI implementation of MIPS 85−11310
Przybylski, S.A. *see* Gross, T.R. 88−71812
Przybylski, S.A. *see* Hennessy, J.L. 87−66234
Przybylski, S.A. *see* Horowitz, M. 87−59603
Przybys, G.A. Automated testing of high voltage insulation using a microprocessor controlled tangent delta bridge and power supply 86−65257
Przybysz, C., Gruchala, H., Stec, B. Coaxial resistive microwave attenuators 86−41284
Przybysz, J. Experience gathered from the operation of home-made turbogenerators 86−19216
Przybysz, J. *see* Przywara, G. 85−16025
Przybysz, J.X. Laser trimming of thyristors to add an overvoltage self-protected turn-on feature 86−9127
Przybysz, J.X., Blaugher, R.D. Josephson shift register for high speed serial memory 88−13733
Przybysz, J.X., Blaugher, R.D. High-speed serial shift registers 88−58041
Przybysz, J.X., Blllaugher, R.D. Josephson data latch for frequency agile shift registers 87−66033
Przybysz, J.X., Miller, D.L., Leslie, S.G., Kao, Y.C. High dI/dT light-triggered thyristors 88−13364
Przybysz, J.X. *see* Blaugher, R.D. 87−67850
Przygoda, Z. *see* Perz, J. 87−70827
Przygodzki, J.R., Kusmierz, J. Design of oscillometric inductance transducers, considering the dimensions of the coil and the medium 87−77230
Przygodzki, J.R. *see* Dudek, Z. 88−60564
Przygodzki, J.R. *see* Jaworski, J. 86−26528
Przyluski, J., Zagorska, M. Conductive polymers and possibilities of putting them into practice 86−66864
Przyluski, J. *see* Borkowski, K. 87−36806
Przyluski, J. *see* Budrowski, C. 87−17750
Przyluski, J.S., Tomsia, M.J. Feasibility of Co-P plated floppy disks 85−24132
Przytula, K.W., Lee, E.B. Multi-dimensional real-time convolver 88−25262
Przytula, K.W., Nash, J.G. Implementation of synthetic aperture radar algorithms on a systolic/cellular architecture 88−74007
Przytula, K.W., Nash, J.G., Hansen, S. Fast Fourier transform algorithm for two-dimensional array of processors 88−40931
Przytula, K.W. *see* Nash, J.G. 87−55134
Przytulski, A., Gens, W. Computation of the voltage ratings of power diodes connected in series 85−55773
Przywara, G., Przybysz, J., Matras, P. Thyristor controlled speed of a high power synchronous motor 85−16025
Przywarty, F. *see* Hopkins, R.H. 87−51461
Psakhis, M.B. *see* Anan'ev, L.M. 86−25244
Psakhis, M.B. *see* Pekker, Ya.S. 88−36484
Psaltis, D. Nonlinear optical associative memories 87−33299
Psaltis, D., Athale, R.A. High accuracy computation with linear analog optical systems: a critical study 87−7800
Psaltis, D., Brady, D. A photorefractive integrated optical vector matrix multiplier 88−58221
Psaltis, D., Brady, D., Wagner, K. Adaptive optical networks using photorefractive crystals 88−51950
Psaltis, D., Farhat, N. Optical information processing based on an associative-memory model of neural nets with thresholding and feedback 85−30355
Psaltis, D., Hong, J. Adaptive acoustooptic filter 85−7290
Psaltis, D., Hong, J. Adaptive acoustooptic processor 86−15541
Psaltis, D., Lee, H., Sirat, G. Acousto-electro-optic light modulation 85−12683
Psaltis, D., Lee, H., Sirat, G. Acousto-electro-optic light modulation 85−24348
Psaltis, D., Mok, F., Paek, F.G. On the use of the Litton magneto-optic device in optical processors 85−12673
Psaltis, D., Paek, E.G., Venkatesh, S.S. Optical image correlation with a binary spatial light modulator 85−25170
Psaltis, D., Wagner, K., Brady, D. Learning in optical neural computers 88−58313
Psaltis, D., Yu, J., Hong, J. Bias-free time-integrating optical correlator using a photorefractive crystal 86−15532
Psaltis, D., Yu, J., Marrakchi, A., Tanguay, A.R., Jr. Photorefractive incoherent-to-coherent optical conversion 85−12982
Psaltis, D. *see* Abu-Mostafa, Y.S. 85−19518, 85−36353
Psaltis, D. *see* Brady, D. 88−65132
Psaltis, D. *see* Fai Mok 87−19065
Psaltis, D. *see* Haney, M. 85−31085, 85−56891, 86−37942, 88−53376
Psaltis, D. *see* Hong, J. 86−48237, 87−26567, 88−26905
Psaltis, D. *see* Hou, H.S. 87−39942
Psaltis, D. *see* Hudson, S. 88−66658
Psaltis, D. *see* Hyuk Lee 87−68202
Psaltis, D. *see* Khitrova, G. 88−65432
Psaltis, D. *see* Marrakchi, A. 85−12983, 85−35921
Psaltis, D. *see* Paek, E.G. 87−38887
Psaltis, D. *see* Riza, N.A. 88−26907
Psaltis, D. *see* Sirat, G. 85−24681, 86−10005, 87−47015
Psaltis, D. *see* Sirat, G.Y. 88−34147
Psaltis, D. *see* Wagner, K. 85−24349, 87−13023, 87−33301, 88−20461, 88−33825, 88−58316
Psaltis, D. *see* Wang, L. 88−51629
Psaltis, D. *see* Yu, J. 88−59267
Psaltis Demetri *see* Demetri Psaltis
Psaras, P.A., Eizenberg, M., Tu, K.N. Metal rich silicide formation between thin films of vanadium and amorphous silicon 86−28038
Psaras, P.A., Gupta, D. Glancing angle X-ray analysis of titanium copper compound formations 86−15097
Psaras, P.A., Thompson, R.D., Tu, K.N. Effect of dopant on reaction between polycrystalline silicon and thin-film rhodium 85−61750
Psaras, P.A. *see* Herd, S.R. 86−28041
Psarev, Yu.I. *see* Gerasimenko, A.V. 85−53981
Psarev, Yu.I. *see* Kaplan, A.A. 85−22000
Psarras, J. *see* Samouilidis, J.-E. 85−9571
Psenak, S. An analysis of pulse disturbance in power plants 86−68789
Psencik, K. *see* Hoder, K. 86−24326
Psencik, R.A., Eckel, J.S., Cantrell, G.W. AFTI/F-16 digital terrain management and display system 86−70477
Psenicka, B., Pham Khac Di, Tamayo Fajardo, M.H. Utilisation of a cyclic matrix in analysis of discrete circuits 85−17059
Psenicka, B., Simak, B., Schink, T., Pham Khac Di Z transformation by the P_n and D_n matrix 87−401
Psenicka, B. *see* Di, P.K. 86−20182
Psenicka, B. *see* Khac, P. 86−1294
Psenicka, B. *see* Pham Thi Bich Hoa 88−49782
Psenicka, B. *see* Pilucha, J. 88−56769
Pshaenich, A. Power MOSFETs add simplicity and cost effectiveness to high voltage converter designs 85−11007
Pshaenich, A. High voltage, high current, nondestructive FBSOA testing. I 85−23751
Pshaenich, A. High voltage, high current, nondestructive FBSOA testing. II [power transistor testing] 85−29200
Pshaenich, A. New power semi package allows 100A rating 87−23344
Pshaenich, A. Nondestruct tester determines power MOSFETs UIS limits. I 88−26314
Pshaenich, A. Nondestruct tester determines power MOSFETs UIS limits. II 88−26315
Pshaenich, A., Backhaus, R. Storage-time tester uses two ICs 85−50466
Pshaenich, A., Saladin, H. Versatile test fixture verifies the switching capability of UFR rectifiers under high di/dt conditions 87−30791
Pshaenich, A. *see* Culbertson, D. 87−74230
Pshaenich, A. *see* Hollander, D. 88−70544
Pshaenisch, A. *see* Saladin, H. 86−13987
Pshanenich, A. Relative efficiencies of Motorola power semiconductors in a PWM DC motor controller 85−60199
Pshechenkova, T.V. *see* Abagyan, A.A. 86−32975
Pshenichnikov, A.G. *see* Kharkats, Yu.I. 87−30941
Pshenichnikov, A.M. *see* Artibilov, M.A. 86−32662
Pshenichnikov, A.P. *see* Metel'skiy, G.B. 86−30506
Pshenichnikov, M.S. *see* Krasnikov, V.V. 85−7540
Pshenichnikov, S.M. *see* Arkhipov, R.N. 87−12440
Pshenichnyi, B.N. Theorems on implicit functions for multivalued mappings 87−51914
Pshenichnyi, B.N., Kirik, E.E. Application of the linearization method to problems of large dimension 85−60869
Pshenichnyi, G.I., Deineka, V.N., Rumyantsev, R.N., Levchenko, G.P., Khmara, N.N. An automatic line for transverse cutting of coiled electrical steel with forming of stacks and plates 87−58483
Pshenichnyi, S.A. *see* Andreev, E.A. 86−5918, 86−50450
Pshenichnyj, B.N. The linearization method 87−52007
Pshenichnyy, B.N. The method of linearization 88−38097
Pshenin, E.S., Voinov, V.G. On the momentum and the energy estimation for charged tracks in nuclear emulsions and bubble chambers 85−64494
Pshenitsyn, V.I., Red'ko, V.P., Starostina, G.P., Shteingart, L.M. Optical waveguides from doped quartz glasses irradiated by helium ions 86−28882
Pshenitsyn, V.I. *see* Khramtsovskii, I.A. 88−72127
Pshennikov, B.V. Testing program for the ARM-M complex for the coding of printed-circuit board drawings 85−23266
Pshezhetskii, V.S. *see* Rubin, L.B. 86−26280
Pshukov, A.M. *see* Barabanov, I.R. 86−60639, 87−35370, 88−4790
Psiemeatos, N. *see* Gruber, J. 85−57661
Psillides, C., Issaias, R., Farrell, P.G., Gott, G.F. Soft decision decoding for the HF channel 85−30216
Psillos, D., Koumaras, P., Tiberghien, A. Voltage presented as a primary concept in an introductory teaching sequence on DC circuits 88−55877
Psimenatos, N., Gruber, J., Goddard, G., Mondor, D. The application of 32 kb/s ADPCM systems in telecommunications networks 85−41844
Psimopoulos, M. On the direct generation of electricity from heat in plasmas via a self-organization process 87−78957
Psiuk, J. *see* Kordas, L. 86−21010

Psota, F., Shanahan, T. Gravity effects on high accuracy inertial navigation 85—9312
Psota-Kelty, L.A., Muller, A.J. Chromatographic studies to evaluate circuit board cleanliness 88—64064
Psurtsev, V.P. Asynchronous cascade analog-digital converter, operating in the Gray code 86—34906
Psurtsev, V.P. Analysis of semiconductor-diode amplitude detectors 87—49711
Pszczola, J. Information properties of a simple measurement 86—55510
Ptacek, M. A methodology for the design of frequency filters featuring similar transmission properties 85—17616
Ptacek, M. Direct digital separation of PAL component signals with the aid of two-dimensional complementary filtration 86—11277
Ptacek, M. Analog I/O filtering of TV signals for the 4:2:2 composite and separate digital coding 86—31012
Ptacek, M. Standardisation of the interfaced television equipment during 4:2:2 digital encoding 87—8383
Ptacek, M. SPC organization and software of a switching system 87—20336
Ptacek, M. Temporal-spatial discretization of television picture information and spatial filtering characteristics in the baseband 87—20695
Ptacek, M. Principles and characteristics of direct component signal separation from a PAL composite signal by complementary non-recursive (FIR) digital filtering 87—33702
Ptacek, M. Directional transmission characteristics of a television image with PAL component signal separation based on complementary digital filtering 88—22256
Ptacek, M., Bucek, A., Dvorak, P., Ptackova, V. Recognizer of spoken sentences with separately pronounced sections 87—19428
Ptacek, M., Dvorak, P., Ptackova, V., Bucek, A. Communicating with automata by spoken language 85—2779
Ptacek, M., Ptackova, V. Non-linear time normalization of the speech signal 87—33658
Ptacek, R.J., Schuder, D.E. Surface mount devices: design considerations in leadframe material selection 86—52279
Ptacek, W. *see* Appel, U. 87—49733
Ptackova, G. Effects of feedback on nonlinear distortion 86—46423
Ptackova, V. *see* Ptacek, M. 85—2779, 87—19428, 87—33658
Ptak, T. *see* Preiss, I.L. 86—32261
Ptakh, G.K., Kolomeitsev, L.F., Evsin, N.F., Petrakov, M.D. Investigating nonsinusoidal shape of voltage curve in single-phase induction generator using computer experiments 86—26056
Ptakh, G.K. *see* Kolomeitsev, L.F. 87—58018, 88—43139, 88—49000
Ptashchenko, A.A., Moroz, N.V. Role of dislocations in the degradation of light-emitting diodes 87—54199
Ptashkin, V.A. *see* Nesterov, V.A. 88—36441
Ptasinski, L. Directions of research on control measuring instruments for identification of the hazards caused by static electricity 85—13041
Ptichnikov, M.M., Polyak, L.M., Savchenko, Yu.P. The use of the redundancy of a trunk-line code to obtain supervisory communication for a digital transmission system 85—8020
Ptichnikov, M.M. *see* Savchenkov, Yu.P. 86—40172
Ptitsin, V.Yu. *see* Glinchuk, K.D. 86—35296
Ptitsina, N.G. *see* Gol'tsman, G.N. 85—28939
Ptitsyn, V.E. *see* Krotevich, D.N. 86—8688
Ptitsyn, V.Yu. *see* Glinchuk, K.D. 88—8046
Pu, F.W. *see* Dewan, S.B. 86—45433
Pu, H.-H., Tang, T.-W. Numerical modeling of hot carriers in submicrometer silicon BJT's 87—60422
Pu, J., Wu, X., Li, J. The effect of humidity on thermal ageing of insulating materials 86—68112
Pu, P. *see* Izaguirre, A. 87—13131
Pu Han *see* Han Pu
Pu Huan-shun, Zhong Yuan-yuan, Jiang Jiau-hua, Zhuang Jie-jia Preliminary experimental results of the β-particle detection with superconducting tunnel junction using D.C. Josephson effect 85—64450
Pu Huanshun, Zhong Yuanyuan, Jiang Jiauhua, Zhuang Jiejia Preliminary experimental results of β-particle detection with a superconducting tunnel junction using DC Josephson effect 87—21399
Pu Wang *see* Wang Pu
Pu Wanlin, Xiao Min, Cheng Zhutao 'Keyhole' mechanism in welding thin plates with a low power CO_2 laser 88—2421
Pu Wanlin *see* Xiao Min 86—68649
Pual, D.F. *see* Lewis, M. 86—60470
Pualraj, A., Roy, R., Kailath, T. Estimation of signal parameters via rotational invariance techniques—ESPRIT 87—8347
Puang-ngern, S. *see* Almeida, S.P. 88—3258
Puariea, J.W. *see* Roseke, S.B. 85—23958
Puay Kia Sim, Pang, K.K. Design criterion for zero-input asymptotic overflow-stability of recursive digital filters in the presence of quantization 86—48901
Puay Kia Sim, Pang, K.K. Decoupling of the overflow and quantization phenomena in orthogonal biquad recursive digital filters 88—14652
Puccetti, M.G. *see* Abernathy, M.F. 88—60769
Pucci, P. *see* Cesari, L. 85—49462
Puccini, M. *see* Clarotti, C.A. 88—63103
Puccini, S.E., Lindsay, R.L. An ISDN based data/voice enhancement for a digital end office 85—51904
Puccio, A., Saggese, E. Identification of requirements for intersatellite links 88—67294
Puccio, A. *see* Perrone, A. 86—24179
Puccioni, G. Teleinformatics for Mediterranean countries—INFOMED project 85—19601
Puccioni, G. Teleinformatics services for developing countries 85—19650
Puccioni, G. Teleinformatics services for developing countries 85—57647
Puccioni, G. Sound and TV broadcasting by satellite in developing countries 86—59987
Puccioni, G. *see* Arecchi, F.T. 86—48468
Puccioni, G.P., Tratnik, M.V., Sipe, J.E., Oppo, G.L. Low instability threshold in a laser operating in both states of polarization 87—38969
Puccioni, G.P. *see* Arecchi, F.T. 85—24458
Puccioni, G.P. *see* Boulnois, J.L. 86—48346
Puccioni, G.P. *see* Lippi, G.L. 87—46780, 87—75009
Puccioni, G.P. *see* Tredicce, J.R. 85—24432, 85—62648, 87—2084
Pucel, R.A. On the design of MMICs 85—55172
Pucel, R.A. The GaAs FET oscillator—its signal and noise performance 87—24462
Pucel, R.A. *see* Smith, I.W. 88—26337
Pucel, R.A. *see* Statz, H. 87—38279
Pucel, R.A. *see* Titus, W. 87—32099
Puchalska, I.B., Hubert, A., Winkler, S., Mirecki, B. Strong stripe domains in 80Co 20Ni obliquely deposited films 88—57966
Puchalska, I.B. *see* Barradi, T. 88—33522
Puchalska, I.B. *see* Niedoba, H. 85—24089
Puchalska, I.B. *see* Ovadia, A. 86—15345
Puchar, F. Industrial design of speed-control devices for digitally-controlled asynchronous motors 88—69398
Pucher, E. *see* Schaffer, K.P. 88—23772
Pucher, W. Low-voltage switching devices. Development trends and renewal 87—58216
Pucher, W. Low-voltage switching devices: development trends and renewal 88—17758
Pucher, W. *see* Jakobsson, D. 85—60340
Pucheral, G., Bazin, T., Haudebourg, P., Revelaud, G. The future of electronics in low voltage metering—the outlook and investigations of Electricite de France 88—30424
Pucheral, G., Bazin, T., Haudebourg, P., Revelaud, G. The future of electronics in the low voltage metering prospects and researches at Electricite de France 88—61988
Pucheral, G. *see* Denoble, R. 85—59816
Puchinian, P.M., Eliashov, Z.Sh., Fedorov, V.S., Lanev, V.V. Increasing the technical—economic efficiency of air conditioning systems in film studios 86—71135
Puchinskii, B.V. *see* Ivakhiv, O.V. 88—74224
Puchkov, E.V., Rezchikov, A.A., Bychov, N.V. Independent verification of attenuation meter linearity at intermediate frequency 86—31575
Puchkov, G.G. A mathematical model for an AC grounding connection 85—32226
Puchkov, G.G. Mathematical model of AC earthing 85—38548
Puchkov, V.I. *see* Kremnev, R.S. 86—30313
Puchkov, V.V. *see* Dement'ev, B.A. 85—15741
Puchkov, Yu.I. *see* Kovalev, A.M. 87—45040
Puchta, J. Intelligent controller for bit map graphics 86—27201
Puchta, M. *see* Hofman, M. 87—12140
Puckert, F. Materials and semifinished products for microelectronics and plug connectors 86—46388
Puckett, E. *see* Weyland, N. 87—54898
Puckett, R. Antenna impedance matching using a sweep generator 85—19224
Puckett, R.E., Grubbs, A.B. Microprocessor-based pulse rate monitor 85—64533
Puckette, C.M. *see* Kolavennu, V.R. 85—20090, 85—42492, 87—3064
Puckette, C.M. *see* Zinser, R.L. 87—28247
Pucknell, D.A., Eshraghian, K. Basic VLSI design. Principles and applications 86—13341
Pucknell, D.A., Eshraghian, K. Basic VLSI design: systems and circuits. Second edition 88—56403
Pucknell, D.A., Woloszczuk, R. 'ET'—a friendly interactive editing tool for IC layout 86—9259
Puckorius, P. *see* Strauss, S.D. 87—78494
Puckorius, P.R. *see* Strauss, S.D. 85—4919
Puczko, K. *see* Kazimierczuk, M.K. 87—37023, 87—72308, 87—78803
Pudalov, V.M., Semenchinsky, S.G. Plateau study of the 4/3 fractional quantum Hall effect in Si MOSFETs 85—6960
Pudalov, V.M., Semenchinskii, S.G. Nonlinear phenomena in the quantum Hall effect 85—40545
Pudalov, V.M., Semenchinsky, S.G. Fractional quantization of Hall resistance in 2D-electron layer in Si MOSFETs 85—45474
Pudalov, V.M., Semenchinskii, S.G., Edel'man, V.S. Measurement of the inversion-layer charge of a metal-insulator-semiconductor structure in a quantizing magnetic field 85—12030
Pudalov, V.M., Semenchinskii, S.G., Edel'man, V.S. Valley splitting in the electron spectrum of a Si inversion layer 85—61783
Pudalov, V.M., Semenchinsky, S.G., Edel'man, V.S. Nonstationary phenomena in Si MOSFETs in the quantum Hall effects regime 87—53546
Pudalov, V.M., Semenchinskii, S.G., Kopchikov, A.N., Vernikov, M.A., Pazinich, L.M. Universality of the interrelationships of the components of the resistivity tensor in the integer quantum Hall effect 86—53482
Puddester, D. *see* Cullen, T. 88—71254
Puddu, G., Serci, S., Bressani, T., Chiavassa, E., Costa, S., Dellacasa, G., Gallio, M., Musso, A., Iazzi, F., Minetti, B. A method for calculating the efficiency of large aperture gas Cerenkov counters 85—43245
Puddu, G. *see* Caria, M. 85—43240
Puddu, G. *see* Macciotta, P. 86—50394
Puddu, G.A., Serci, S., Muratori, G., Bressani, T., Chiavassa, E., Costa, S., Dellacasa, G., Gallio, M., Musso, A., Jazzi, F., Minetti, B. A systematic study of a large aperture gas Cherenkov counter 85—37915
Puddu, G.A. *see* Caria, M. 88—29808
Pude, J.R.G. *see* Crockett, R.G.M. 85—45784
Pudensi, M.A.A., Mohammed, K., Merz, J.L., Kasemset, D., Hess, K.L. Effects of growth temperature on optical and deep level spectroscopy of high-quality InP grown by metalorganic chemical vapor deposition 85—49548
Pudensi, M.A.A. *see* Yuan, Y.R. 85—7312
Puder, A.T. The role of ultraviolet curing in PC board assembly automation 86—58130
Pudikov, S.P. *see* Gel'man, B.S. 87—15367
Pudikov, S.P. *see* Korduba, Yu.V. 86—32784
Pudil, P. *see* Blaha, S. 85—2899
Pudlowski, Z.J. An integrated approach to curriculum design for engineering education 88—72
Pudlowski, Z.J., Rados, M. The computer based assessment of student aptitude for electrical engineering 88—18362
Pudney, C. *see* Hobson, L. 86—34521
Puech, C. *see* Duran, H. 85—59860
Puech, C. *see* Lefevre, H.C. 88—7963
Puech, C. *see* Papuchon, M. 85—56371, 88—60699
Puech, C. *see* Pocholle, J.P. 87—18730, 88—8297, 88—58687
Puech, F. *see* Dufresne, D. 85—56559
Puech, M. *see* Attinost, M. 88—20059
Puech, M. *see* Laporte, Ph. 86—58418
Puech, M. *see* Peccoud, L. 86—58406
Puech, S. Strapdown inertial systems applications for tactical missiles (stand-off missiles) 87—15014
Puell, H.B. Material treatment with CO_2 lasers 88—40429
Puente, J. Using CMOS techniques for 1 MHz to 4 MHz and 4 MHz to 10 MHz oscillators 85—11089
Puente, J.A.de la *see* de la Puente, J.A.
Puente, R. *see* Putnam, J. 88—19368
Puers, B., Reynaert, L., Snoeys, W., Sansen, W. A new uniaxial accelerometer in silicon based on the piezojunction effect 88—53619
Puers, B., Sansen, W. A dedicated processing and control IC for pressure telemetry 86—5303
Puers, B., Sansen, W., Paszczynski, S. Assessment of thick-film fabrication methods for force (pressure) sensors 87—70606
Puers, B., Sansen, W., Paszczynski, S., Leuven, K.U. Miniature highly sensitive pressure-force sensors using hybrid technology 88—4408
Puers, B. *see* Callewaert, L. 88—61454
Puers, B. *see* Sansen, W. 85—37796, 85—48267
Puerta, A., Miro, J.Ma. A direct formulation of the nodal charge equations of switched capacitor networks 87—876
Puerta, A., Miro, J.M., Sanz, M. Computer-based frequency analysis of switched capacitor circuits 86—20710
Puerta, A. *see* Sanz, M. 87—52323
Puerto, F.A. *see* Golland, D.I. 88—13518
Pues, H., Van de Capelle, A. Accurate transmission-line model for the rectangular microstrip antenna 85—13219
Pues, H.F., van de Capelle, A.R. Computer-aided experimental characterisation of microstrip-to-coaxial transitions 85—6505
Pues, H.F. *see* Fong, K.S. 85—46639, 86—10192
Pues, H.F. *see* Philippou, G.Y. 85—41726
Pueschner, W. The noise behaviour of amplifiers 86—27114
Puetter, R.C. *see* Friedman, S.D. 87—49554
Puetz, J.M. *see* Wilson, P.J. 86—17062, 87—17150
Puetz, N. *see* Banzaquen, M. 87—11352
Puetz, N. *see* Benzaquen, M. 88—32775
Puetz, N. *see* Gallant, M. 88—58369
Puetz, N. *see* Houston, P.A. 87—74255

Pueyo, H.O. Formation of human resources in engineering for information-based society 85—19592
Pufal, S., Nakwaski, W. The Monte-Carlo model of a light-emitting diode 88—2136
Puffer, L.G. Optical detection of surface flaws on extruded cables 85—58641
Puflea, I., Popescu, A.P. Electronic measurements for the assessment of mechanical strains and efforts on superconducting windings 88—62295
Puga, M.M., Burk, D.E. Impurity segregation correlated with microstructure in buried oxide silicon-on-insulator structures 88—64328
Puga, M.W., Campbell, G., Jr. Error performance on satellite ISDN connections 88—47003
Puga, M.W. *see* Campbell, G. 87—27866
Puga, V.A. Autodoping during homoepitaxy of silicon 86—63161
Puga, V.A. Kinetics and mechanism of polycrystalline silicon layer growth during pyrolysis of monosilane in argon 87—65461
Pugach, I.P. *see* Golokoz, P.P. 86—54177
Pugach, I.P. *see* Kirievskii, A.P. 85—51116
Pugach, V.V. *see* Sudakov, E.N. 86—19651
Pugachev, A.A. *see* Petrosyants, K.O. 87—52292, 87—74056
Pugachev, E.V. Automatic stabilization of current in charge-discharge systems for storage batteries 87—72376
Pugachev, E.V., Rozenshtok, B.Ya., Kozelkov, L.V. Structural analysis of charging systems for storage-battery power sources 88—24121
Pugachev, E.V., Vavilosvskii, V.I. Dynamic characteristics of traction storage battery as automatic control object 86—7254
Pugachev, E.V. *see* Vavilovskii, V.I. 87—22693
Pugachev, G.D. *see* Vishnyakov, V.A. 87—41717
Pugachev, V.A. Excitation duty magnetic field in a parametric transformer 88—64004
Pugachev, V.A., Sytenko, L.V. Magnetometric system for determining the characteristics of ferromagnets in orthogonal magnetic fields 86—42094
Pugachev, V.A. *see* Dirzhis, S.A. 87—22318
Pugachev, V.A. *see* Gringauz, M.I. 87—22319
Pugachev, V.F., Bazanov, V.S., Belov, I.F., Plechkov, V.M., Rumyantsev, A.B., Troitskii, R.V. Microwave thermometry for control of intracavitary hyperthermia 87—41988
Pugachev, V.S. Conditionally optimal filtering and extrapolation of continuous processes 85—2792
Pugachev, V.S. Approximate methods for finding finite-dimensional distributions of random sequences determined by difference equations 87—5313
Pugacheva, T.S., Saidov, M.S., Lutovich, A.S. Ion bombardment effect on Si homoepitaxial growth from ion molecular beams 88—24737
Pugachevich, V.P. *see* Alekseev, G.D. 86—44589
Pugachevich, V.P. *see* Barabash, L.S. 85—52969
Pugacz-Muraszkiewicz, I. Method for determination of silicon-silicon dioxide interface stress in thermally grown extra thin films 85—40529
Pugacz-Muraszkiewicz, I. A methodical approach to accelerated screening of card assemblies, static burn-in case 86—1544
Pugel Carosso, N.J. *see* Carosso, P.A. 87—29321
Puget, P., Cazes, S., Soufflot, A., Bibring, J.-P., Combes, M. Near-infrared mapping spectrometer of the Phobos space mission to the planet Mars 88—67806
Puggelli, G. *see* Bauer, D. 85—54799
Pugh, A. *see* Burgess, D.C. 85—16777
Pugh, A. *see* Hill, J.J. 85—14673
Pugh, A. *see* Selke, K. 88—31485
Pugh, A. *(editor)* Robot sensors. Vol.1. Vision 86—45911
Pugh, A.C. *see* Fleming, A.R. 87—17047
Pugh, A.J. A secure token payment system 87—49835
Pugh, C. 100 KHz transformer equivalent circuit 87—32119
Pugh, D. Computer wiring and installation—the new challenge 86—57153
Pugh, D.B. Cable management systems for raised floors 88—61919
Pugh, D.J., Jackson, K. Automatic gauge block measurement using multiple wavelength interferometry 87—77100
Pugh, E. *see* Oettinger, P.E. 87—60041, 88—47931
Pugh, E.R. *see* Lee, C.H. 86—32133
Pugh, E.W. Ferrite core memories that shaped an industry 85—24179
Pugh, E.W. Technology assessment 86—28395
Pugh, E.W. IEEE's role in the technical community [in Africa] 88—63132
Pugh, F.C. Oscilloscope preamplifier 88—63531
Pugh, G.A. An algorithm for economically setting a uniformly-shifting process 88—56038
Pugh, G.A. Computer simulation of planar fluid flow 88—62921
Pugh, G.E., Krupp, J.C. A value-driven control system for the coordination of autonomous cooperating underwater vehicles 88—36700
Pugh, H. *see* Kristiansen, M. 85—48
Pugh, H.G. A new collider scheme at LBL 85—64381
Pugh, H.L. *see* Hyder, A.K., Jr. 85—4421
Pugh, I.G., Eaton, J.R.P., Dutton, L.M.C., Youell, R.P. The application of the 'ALARP' principle to the design of nuclear power stations 87—57850
Pugh, J.H. *see* Williams, R.S. 87—11443
Pugh, L.A. *see* Burde, D.H. 87—61069
Pugh, L.A. *see* Yang, T.T. 88—27010
Pugh, N.J., Evetts, J.E., Wallach, E.R. The microstructure of Nb$_3$Sn in modified jelly roll superconducting composites 86—53905
Pugh, P.F. SF$_6$ gas-pressurized cable and conduit system (type IGS) 88—36847
Pugh, R. *see* Pathak, J. 87—5790, 87—17033
Pugh, R.D., Johnston, A.H., Galloway, K.F. Characteristics of the breakdown voltage of power MOSFETs after total dose irradiation 87—32546
Pugh, V.T., Hendy, B.W. CRISPY MIX and FLEXI MIX—high boron carbide content, reson bonded, neutron shielding materials 86—56024
Pugliani, L. *see* Bartolotta, A. 85—26735
Pugliese, P. *see* Brucoli, M. 85—21121
Pugliese, P. *see* Cafaro, G. 85—22573, 86—50805
Pugliese, P. *see* Castagna, V. 87—30881
Puglishi, O. *see* Pignataro, S. 86—34031
Puglisi, C. *see* Greig, W. 87—24463
Puglisi, L. *see* Bertini, S. 86—52006
Puglisi, L. *see* Carpita, M. 88—13600, 88—75771
Puglisi, L. *see* Cesario, P. 87—44590, 88—18129, 88—49065
Puglisi, L. *see* Franzo, G. 85—27703, 86—7186, 87—43007
Puglisi, L. *see* Liberti, G. 88—62447
Puglisi, M. The radiofrequency quadrupole linear accelerator 87—41797
Puglisi, M. The radiofrequency quadrupole linear accelerator 87—63587
Puglisi, M. *see* Griffin, J. 88—42386
Puglisi, O. *see* Burrafato, G. 85—34509, 86—47313
Puglisi, O. *see* Vasquez, P. 87—73166
Pugnaloni, A. *see* Martinino, F. 88—46956
Pugnet, M. *see* Collet, J. 88—58284
Pugnet, M. *see* Collet, J.H. 88—46195, 88—65420
Pugo, V.I. *see* Liktens, I.V. 85—32058
Pugovkin, A.V. Binary detection of signals in acoustooptical receivers 85—13560
Pugovkin, A.V., Krakovskiy, V.A., Kolchina, G.A. An acousto-optical demodulator of phase-manipulated signals 86—28931
Pugovkin, A.V. *see* Kolchina, G.A. 87—68224
Pugovkin, A.V. *see* Vernigorov, N.S. 87—39871
Pugovkin, P.R., Bezzubtseva, M.M. A model of the linking force generation for EM powder clutches 88—24227
Pugsley, J.H. *see* Agarwal, V.K. 85—17425
Pugsley, M. *see* Thoman, E.B. 87—57078
Pugsley, P. Derivations of a PPSN analysis program: training and maintenance procedures 87—36379
Puhach, P.A. *see* Hutchins, D.A. 86—65580
Puharic, M. The choice of the grounding transformer 86—51133
Puhl, L. *see* Levine, S. 88—35399 to 35400
Puhler, J. Load measurement with multiple strain gauges 87—3778
Puhlhofer, F., Rohrich, D., Keidel, R. Track recognition in digitized streamer chamber pictures 88—22988
Puhlmann, R. *see* Otto, P. 88—26400
Puhlvers, S. *see* Baumann, F.M. 86—60543
Pui, D.Y.H. *see* Liu, B.Y.H. 88—1474
Puida, S.K., Nagornaya, N.N., Sidenko, A.F. Analysis of nonlinear circuits with simplified component models 87—52314
Puida, S.K. *see* Zdorikov, S.V. 87—59057
Puig, F. *see* Figueras, J. 85—30675
Puigcerver, M. *see* Burgueno, A. 87—19190, 87—39374, 87—54576
Puigcerver, M. *see* Vilar, E. 88—58842
Puippe, J.C. Optalloy—an electrolytically produced Cu-Zn-Sn alloy 85—54523
Puisha, A.E. *see* Kutasov, V.A. 85—46182
Puisha, A.E. *see* Mikheev, P.A. 88—72045
Puissant, C. *see* Glastre, G. 88—26170, 88—33165, 88—39380
Puissochet, A. *see* Boucher, D. 85—22600
Puissochet, A. *see* El Tahawy, H. 85—33838, 87—24028
Pujadas, J. Digitalisation of wave forms 87—21111
Pujadas, L. *see* Fernandez, M. 88—29243
Pujadas, M. *see* Razzini, G. 88—57400
Pujara, L.R. *see* Rattan, K.S. 85—9324
Pujare, N.U., Semkow, K.W., Sammells, A.F. A direct H$_2$S/air solid oxide fuel cell 88—17921
Pujare, N.U., Semkow, K.W., Sammells, A.F. A calcium oxygen secondary battery 88—37370
Pujare, N.U. *see* Sammells, A.F. 86—54006, 87—3672
Pujari, A. *see* Dudek, R. 88—49455
Pujol, G. Lubrication and maintenance 87—51817
Pujol, J. Measuring thickness of coatings by X-ray fluorescence 88—42276
Pujol, J., Laguarta, F., Vilaseca, R., Corbalan, R. Influence of pump coherence on the dynamic behavior of a laser 88—51849
Pujol, J., Vilaseca, R., Corbalan, R., Laguarta, F. Instabilities in optically pumped infrared lasers 87—46751
Pujol, J. *see* Laguarta, F. 88—65564
Pujol, J.B. The manager's role in millwide control projects 85—16695
Pujol, J.L. New technologies for LEDs 87—46717
Pujolle, G. Data networks: LANs and RDNs (remote distance networks) 87—69523
Pujolle, G., Fdida, S. General resource sharing systems 87—34172
Pujolle, G., Hernandez, J.A., Horlait, E., Joly, R. A second-generation business network: the ESCALIBUR network 85—25304
Pujolle, G., Hernandez, J.A., Horlait, E., Joly, R. The local network: the only alternative for business communications? Balance and perspectives 86—30222
Pujolle, G., Wu Ai Approximation by a diffusion process of GI/GI/1 queues with state dependence 85—54239
Pujolle, G. *see* Bechtold, M. 85—41999
Pujolle, G. *see* Fdida, S. 86—62006
Pujolle, G. *see* Hernandez, J.A. 85—8033, 85—19878
Pujolle, G. *see* Seret, D. 85—14150
Pukacki, W., Przybylski, M. Charge transport in the irradiated quasi 2-D methyl-pyridinum-TCNQ salt 85—11970
Pukanic, R. Flexibility and integration are key material handling concepts in electronic assembly environment 85—49333
Pukas, V. *see* Lazenas, G. 87—49438
Pukash, S., Castenschiold, R. NEPA 110 and its impact on transfer switching of emergency and standby power 88—62460
Pukha, A.I., Kerne, Yu., Nesterenko, I.A. Development and study of a DC voltage storage convertor 87—58195
Pukha, V.E. *see* Vus, A.S. 87—36809
Pukhal'skii, A.A. *see* Kogan, Ya.A. 86—26716
Pukhalsky, A.A. *see* Kogan, Ya.A. 88—52617
Pukhov, A.A. *see* Alymkulov, K.A. 85—5070
Pukhov, A.M. *see* Bayunov, V.I. 86—5320
Pukhov, G.E. Differential analogues of the successive approximation method 86—66762
Pukhov, G.E. Methods to determine functions by their differential spectral 87—55061
Pukhov, G.E., Blavdzevich, Yu.G., Nizheradze, A.A. Modeling the electromagnetic-field distributions required in electrical devices 88—65939
Pukhov, G.E., Korolev, Yu.V. Formalization of transition to Chebyshev's basis in differential Taylor transforms 88—49939
Pukhov, G.E., Semagina, E.P. Differential transforms and circuit analysis 87—400
Pukhov, G.E., Zlatkin, A.A. Structural synthesis of a transversal filter 86—62664
Pukhov, G.E., Zlatkin, A.A. Unified approach to optimization of acoustic surface wave filters 88—57874
Pukhov, I.K. *see* Standnik, I.P. 86—53903
Pukhov, V.G. *see* Afanas'ev, A.A. 87—78504
Pukhova, V.V. *see* Mittova, I.Ya. 87—45788, 88—39204
Pukhta, M. *see* Buachidze, Z.E. 88—26853
Pukis, M.V. *see* Drits, M.S. 88—30709
Pukite, P.R., Batra, S., Cohen, P.I. Anisotropic growth processes on GaAs(100) and Ge(100) 88—1376
Pukite, P.R., Cohen, P.I. Suppression of antiphase domains in the growth of GaAs on Ge(100) by molecular beam epitaxy 87—36725
Pukite, P.R., Cohen, P.I. Control of GaAs domain formation via monolayer and multilayer steps on misoriented Si(100) 88—38189
Pukite, P.R. *see* Van Der Ziel, A. 87—6660
Pukite, P.R. *see* Van Hove, J.M. 85—39741
Pukkila, T.M., Krishnaiah, P.R. On the use of autoregressive order determination criteria in univariate white noise tests 88—52317
Pukspuu, T.R. *see* Aver'yanov, N.A. 86—17749
Pulain, P., Razeghu, M., Kazmierski, K., Blondeau, R., Philippe, P. InGaAs photodiodes prepared by low-pressure MOCVD 85—41261
Pulaski, D.P. *see* Atwood, B.C. 85—29151
Pulaski, D.P. *see* Lajza, J.J., Jr. 85—3925
Pulat, P.S. Network reliability with arc failures and repairs 88—70163
Pulatov, A.A. *see* Abdullaev, Kh.O. 88—33849
Pulatov, A.A. *see* Alferov, Zh.I. 88—12976
Pulatov, A.A. *see* Volkov, L.A. 86—36305
Pulatov, Kh.F. *see* Poletkin, B.N. 87—52786
Pulatov, P.A. *see* Vabishchevich, P.N. 85—60928
Pulatov, R.L. Method of calculating the number of channels in asynchronous pulse systems of the radiotelemetry of moving objects 87—13319
Pulatov, R.L. *see* Sulaimanov, A.A. 86—36925
Pulavskaya, I.G. *see* Brandenburgskii, V.A. 87—60039
Pulcinelli, F., Redi, P. A photovoltaic and wind hybrid system for level-crossing 86—45301
Pulcinelli, F. *see* Redi, P. 88—62622
Pulcini, G. *see* Calabria, R. 88—18532, 88—63099

Pulemetov, D.A. *see* Peka, G.P. 85−29719 to 29720, 88−14030, 88−58355
Puleo, M. *see* Cinguino, P. 88−45329
Puleo, M. *see* Costa, B. 85−12546, 86−2818
Puleo, P. *see* Mele, N. 86−49670
Puleston-Jones, J.E. *see* Bland, S.W. 86−41083
Puletic, M. *see* Jelenkovic, E. 87−66193
Pulford, J. Aurora system is built to grow 85−8328
Pulford, W.C.A. *see* Johnson, M.W. 86−56029
Pulfrey, D.L., Ward, P.R.B., Dunford, W.G. A photovoltaic-powered system for medium head pumping 87−15609
Pulfrey, D.L., Ward, P.R.B., Dunford, W.G. A photovoltaic-powered system for medium-head pumping 87−51103
Pulfrey, D.L. *see* Camporese, D.S. 85−23583
Pulfrey, D.L. *see* Chu, K.M. 87−16993, 87−66020, 88−26278
Pulfrey, D.L. *see* Jinks, B.W. 86−20561, 86−34869
Pulfrey, D.L. *see* Lee, S.-P. 87−1492
Pulfrey, D.L. *see* Lester, T.P. 85−8851
Pulfrey, D.L. *see* Poon, J.K. 86−20632
Pulfrey, D.L. *see* Szeto, N. 88−50804
Pulfrey, D.L. *see* Van Halen, P. 85−49413, 85−55784, 86−9094
Pulges, V., Lightner, M.R. A recursive bipartitioning approach for PLA partitioning and layout 85−33848
Pulham, D. *see* Biggs, T.C. 88−35775
Puliafito, C.A., Steinert, R.F. Short-pulsed Nd:YAG laser microsurgery of the eye: biophysical considerations 85−20956
Puliafito, C.A., Steinert, R.F. Lasers in ophthalmology: an update 86−18374
Puliafito, C.A. *see* Birngruber, R. 88−8269
Pulido, M.A., Jennings, J.R., Plotkin, S.C., Masters, B., Dzitzer, C. Economical conversion of unfueled nuclear generating stations 85−27161
Pulikesi, M. *see* Subramanian, N. 85−54060
Pulin, A.D. *see* Ignatyev, O.V. 88−16666
Pulinets, T.S. *see* Abrosimov, G.V. 86−48330
Pulini, G. *see* Pantano, G. 88−44019
Puljic, N., Rajic, I. A new series of auxiliary contactors produced by Rade Koncar 86−71016
Puljic, Z. *see* Arizanovic, V. 88−59913
Pul'kin, S.A. *see* Zeilikovich, I.S. 85−46352, 87−74993
Pulkkinen, U. *see* Hirschberg, S. 85−59890
Pulkkinen, U. *see* Mankamo, T. 85−43754
Pulko, S.H. *see* Kirk, D.L. 88−7346
Pulkowski, J.H., Wedel, G.L. Moisture profiling by induction heating 85−22024
Pulkrabek, Z. *see* Stiborova, E. 85−44120
Pullam, M.L. Fabrication checkpoints for PCB customized electrical specifics 86−47186
Pullam, M.L. *see* Coulombe, D. 85−61533
Pullan, B. *see* Moores, B.M. 85−26762
Pullan, S.E., MacAulay, H.A. An in-hole shotgun source for engineering seismic surveys 88−10498
Pulle, D.W.J. Importance of stepping motor drive matching on the performance 86−56976
Pulle, D.W.J. Improving the performance and power supply utilisation of stepmotor chopper drives 87−43510
Pulle, D.W.J. Power limits in stepping motors and the Blondel circle diagram 88−49211
Pulle, D.W.J., Hughes, A. Normalised high-speed performance analysis of small hybrid stepping motors 88−11249
Pulle, D.W.J., Hughes, A. High-speed performance of variable-reluctance stepmotors 88−37645
Pulle, D.W.J. *see* Harrap, M.J. 87−42753
Pulle, D.W.J. *see* Hughes, A. 88−55876
Pullen, D. *see* Lawrence, L.A.J. 86−61312
Pullen, J.M., Kaura, M.A. Continuous speech recognition using a vector associative processor 86−48827
Pullen, J.M., Mercer, R.T. TUTOR301−a successful application of CAI for electrical engineering problem solving 88−31341
Pullen, J.M. *see* Berkovich, S. 85−33972
Pullen, J.M. *see* Litynski, D.M. 85−33046
Pullen, K.A. *see* Phelps, R.M. 88−45722
Pullen, K.W. A random network model of message transmission 87−27688
Pullen, K.W., Thomas, M.U. Evaluation of an opportunistic replacement policy for a 2-unit system 87−5189
Pullen, R.A. AFTP fault tree analysis program 85−16828
Pullen, R.A. Employing PRA techniques in an operational environment 86−32995
Pullen, R.A. *see* Horne, B.E. 85−43760
Pulleyblank, R. Concept for voice on broadband coaxial cable systems 86−4450
Pulleyblank, R.W., Kapenga, J.A. The feasibility of a VLSI chip for ray tracing bicubic patches 87−37417
Pulleyblank, W. *see* White, K. 85−28131
Pulleyblank, W.R. Fractional matching and the Edmonds-Gallai theorem 87−23471
Pulli, T. The redundancy of two three-state devices 86−13583
Pulli, T. Integrated voter for triple modular redundancy 87−24127
Pullia, A. *see* Alessandrello, A. 87−14733
Pullia, A. *see* Battistoni, G. 86−50396
Pulliam, G.R., MacNeal, B.E., Warren, D.M., Anderson, R.H. Magneto-optical thin film devices for image and signal processing in real time 85−29481
Pulliam, K. Cyclic number codes for optical computing 85−30307
Pulliam, R. *see* Hartley, C.S. 87−50525, 88−68543
Pullin, P.R. Stereo preamplifier 85−11020
Pullin, R.J. Jointing LV cables−two techniques 86−47109
Pullin, W.T. *see* McHenry, C.W. 87−23380
Pulling, M.J.L., Bridgewater, T.H. Eurovision−the early years 87−28755
Pullinger, D. *see* Dodd, P. 88−46747
Pullinger, D.J. Chit-chat to electronic journals: computer conferencing supports scientific communication 86−40439
Pullinger, D.J. Using an electronic communication system 88−46492
Pullinger, D.J., Shackel, B., Dodd, W.P., Maude, T.I. User surveys in the BLEND-LINC 'electronic journal' project 85−3052
Pullinger, D.J. *see* Maude, T.I. 85−30644
Pullinger, D.J. *see* Shackel, B. 86−23386
Pullman, R.T. *see* Corney, A.C. 87−49802
Pullo, F.A., Beardsley, A.C. COSM: a Space Station EVAS test challenge 88−30083
Pullola, E. Safety specifications for equipment supplying energy to telecommunication network 88−30873
Pullum, G.G., Chown, M., Whitmore, G.A. Reliability analysis of a multipath switching network 88−70182
Pulou, J. *see* Thorel, P. 88−25266
Pulpitlova, J. Application of exterior horizontal illumination characteristics in Czechoslovakia for the design and evaluation of systems of daylighting and interior illumination 86−66467
Puls, J. *see* Henneberger, F. 85−35869, 87−39231, 88−51920
Puls, J.H. *see* Dytch, H.E. 87−77617
Puls, W. With HICOM to economical office communication 85−42076
Puls, W., Raab, G. New entry in ISDN competition 85−47304
Pulsipher, D.C., Frost, R.L. Bandwidth compression of voice and modem signals using variable-rate ATC encoding 87−39847
Pulskamp, B.E. *see* Stinson, G.H. 86−33165
Pultar, M. Numerical methods of solution of evolution equations of hyperbolic type 87−44252
Pulter, N., Frank, P. Computer aided planning in district heating 85−28006
Pultorak, J. Current-voltage characteristic of the p-n junction with an exponential impurity distribution at its base contact 85−1381
Pultorak, J. Influence of the charge carrier recombination and generation at the surface of the depletion layer on the static characteristic of the silicon *p-n* junction 86−1764
Pultorak, J. Influence of the charge carrier recombination at the depletion layer surface on the forward characteristic of a germanium *p-n* junction 86−1765
Pultorak, J. Low current level properties of the *p-n* junction diode structure with the nonhomogeneous base contact 86−2106
Pultorak, J. Current induced shift of the maximum radiation plane in LE GaAs:Si diodes obtained by LPE technique 86−42456
Pultorak, J. Influence of the current density on a position of the maximum radiation plane in LE GaAs:Si diodes obtained by LPE technique 87−12324
Pultr, A., Ulehla, J. Remarks on strategies in combinatorial games 86−7606
Pultz, G.N. *see* Carlin, D.B. 87−70081
Pulver, D. *see* Kim, S.Y. 86−35518
Pulver, E.F. *see* Chung, D.Y. 88−62122
Pulver, M., AboElFotoh, H., Buset, O., Hodgson, L., Menzel, S.P., Morrison, J.D., Oshisanwo, A.O., Rashid, A., Smelters, M., Vopni, E.A., Yeung, C., Elmasry, M.I. VLSI layout using the ICEWATER procedural language 87−32670
Pulver, M., Elmasry, M.I. Using Igloo: a constraint based layout language for VLSI design 88−39660
Pulyaevskii, D.V. *see* Gorelenok, A.T. 86−22210, 88−25922
Pumar, J.Blanco *see* Blanco Pumar, J.
Pumfrey, J. *see* Cristoloveanu, S. 85−61834, 87−17806, 87−24971
Pummer, H. The excimer laser: 10 years of fast growth 85−56530
Pummer, H. The excimer laser−a useful tool? 86−3048
Pummer, H. Commercial excimer lasers 87−46781
Pummer, H., Sowada, U., Oesterlin, P., Rebhan, U., Basting, D. Commercial excimer lasers 85−62497
Pummer, H. *see* Andrellos, J. 88−8127
Pummer, H. *see* Burghardt, B. 87−39003
Pummer, H. *see* Egger, H. 85−12776
Pummer, H. *see* Shahidi, M. 86−3102
Pumpe, G. *see* Merz, G. 85−8010
Pumple, S. Data broadcasting 87−40494
Pumple, S.F. Home shopping via cable TV: the Canadian Home Shopping Network 88−15809
Pun, C.K., Sewell, J.I. Symbolic analysis of ideal and non-ideal switched capacitor networks 86−62415
Pun, K.-S. *see* Ortiz, E.L. 85−54402, 87−31457
Pun, T., Eden, M. Estimation of first- and second-order moments of a quantized stationary signal 86−36941
Pun, T. *see* Unser, M. 87−75823
Punchard, W.F.B. *see* Babrov, E.S. 87−74629
Punchard, W.F.B. *see* Bobrov, E.S. 88−50445
Punchard, W.F.B. *see* Pillsbury, R.D., Jr. 86−44640
Punches, K. Random tendencies and event dependencies 85−22314
Puncochar, J. Astable system with the MAA 723 integrated circuit 86−838
Puncochar, J. Multivibrator which makes use of the hysteresis in the Schmitt circuit or a comparator of the MZK 105 circuit 86−14089
Puncochar, J. Bootstrapped band-pass filter 87−66335
Puncochar, J. Turnstile waveguide trifurcation 87−66507
Puncochar, J., Jr. AF amplifier circuit with adjustable frequency characteristics [audio mixer] 85−8652
Puncochar, J., Jr. Maximal input voltage for RC filters 85−11414
Puncochar, J., Jr. All-pass components with operational amplifiers and their utilisation. I 85−49981
Puncochar, J., Jr. All-pass components with operational amplifiers and their utilisation (final part) 85−55024
Puncochar, J., Jr. Bootstrapped band-pass filter using inverting operational amplifiers 88−19267
Puncochar, J., Jr. Circuit with a controllable negative resistance region 88−70945
Punda, D.I. *see* Saptsin, V.M. 86−28105
Pundak, N. STRIX-1/4 W Split Stirling Cooler reliability status 88−48408
Punderson, J.O., Heacock, J.F. Polyimide film insulation for aerospace wire and cable: why long-term performance exceeds some limited laboratory projections 86−47117
Punderson, J.O. *see* Hoover, J.R. 85−63473
Pundt, H. Commissioning of the 100 kV overhead transmission line Lauchhammer-Riesa 75 years ago, a milestone of the electric energy transfer of Europe 88−5365
Pundt, H. Development of the three-phase transmission with specific consideration of interference problems 88−36844
Punene, Yu.L. *see* Kiselyus, A.B. 86−44944
Pung, H.K., Davies, P.A. Data/voice integration for fibre optic LANs with arbitrary topology 85−19784
Pung, H.K., Davies, P.A. A new flood routing technique for fibre optic local area networks with arbitrary topology 85−19855
Pung, H.K., Davies, P.A. Arbitrary fibre optic LANs−performance and design issues 86−17042
Pungaliya, P., Seals, D. BDFA−AT&T Bell Laboratories' data-flow architecture 85−8476
Puniene, J.L. *see* Nemura, A.A. 87−50626
Punjani, M. *see* Bond, L.J. 85−6079
Punkasirikul, C. *see* Thajchayapong, P. 86−62690
Punkevich, V.S. *see* Bogoroditskii, A.A. 86−7543
Punkevich, V.S. *see* Danilov, V.V. 87−14098, 88−64680
Punkevich, V.S. *see* Korablin, A.Yu. 87−14099
Punkevich, V.S. *see* Rutshtein, L.M. 88−33311
Punkka, E. *see* Keinonen, J. 88−50704
Punkkinen, R.K. Automatic colorimetric detector for traces of nitrogen dioxide in air 88−29692
Puntambekar, P.N., Mohanty, P.K., Dahiya, H.S. Frequency stabilization of 0.633 μm He-Ne laser using polarization modulation 87−12408
Puntambekar, P.N., Mohanty, P.K., Dahiya, H.S. Frequency stabilization of 0.633-μm He-Ne laser using polarization modulation 88−14085
Puntel, W.R., Wood, A.J., Clements, K.A., Dohner, C.A. Efficient calculation of frequency and duration models for large composite electric generating plants 85−59839
Puntel, W.R., Wood, A.J., Sager, M.A., Dohner, C.V. Utility system economic benefits of improving gas turbine reliability 86−61408
Puntel, W.R. *see* Gellings, C.W. 85−59540
Puntigam, K. Energy recovery from cooling systems 88−23727
Puntigam, K., Lederer, H., Czerny, M. The district heating system [Mellach CHP station] 88−23731
Puntis, H., Strubin, P. Determination of protection requirements for DC traction systems and the development of a solid state protection relay to optimise current availability 87−79129
Punwani, D.V., Hill, A.H., Feldkirchner, H.L., Leppin, D. Gasification characteristics of deashed and desulfurized coals 87−35717
Punzi, G. *see* Bertolucci, S. 88−47987
Pupat, F. *see* Ravary, S. 88−72218
Pupin, V.M. *see* Gamazin, S.I. 88−54933

Pupkov, K.A. *see* Zhukov, S.A. 85−27293
Pupolin, S., Greenstein, L.J. Digital radio performance when the transmitter spectral shaping follows the power amplifier 87−34376
Pupolin, S., Greenstein, L.J. Digital radio performance when the transmitter spectral shaping follows the power amplifier 87−40648
Pupolin, S., Greenstein, L.J. Performance analysis of digital radio links with nonlinear transmit amplifiers 87−48904
Pupolin, S. *see* Baccolini, G. 88−3741 to 3742
Pupolin, S. *see* Benvenuto, N. 87−40672
Pupolin, S. *see* Cherubini, G. 85−63517
Pupolin, S. *see* Lo Muzio, P. 88−8463, 88−53165
Puppin, E. Hydrogen implanted polycrystalline silicon: resistivity and grain boundary chemistry 87−73987
Puppin, E., Nogami, J., Carbone, C., Shen, Z.X., Lindau, I., Pate, B.B., Abbati, I., Braicovich, L. A photoemission study of the Si(111)/Gd interface: a comparison with the bulk silicides 88−13022
Puppin, E. *see* Abbati, I. 85−12011
Puppo, E. *see* Ancona, M. 87−65668
Pura, R. *see* Swoboda, M. 86−44048
Purakayastha, G.P. *see* Chattopadhyay, P.K. 86−61047
Purakayastha, P. Distributed control system architecture for a thermal power plant 88−17333
Purandare, S.C., Lakshmanna, V., Vengurlekar, A.S. Digital control of avalanche injection method for studying transport of carriers in silicon dioxide film on silicon 87−32347
Purandare, S.C. *see* Pinto, R. 87−11600
Puranik, S.A. Discharge lamps−analysis of life 88−24251
Puranik, S.K. High potential field testing of high voltage cables 86−25596
Purba, S.H., Amano, H., Shobatake, Y., Aiso, H. A VLSI switch for a digital PBX 87−3015
Purcaru, I. On unilateral entropic correlation factor 88−34523
Purcell, E.M. *see* Van Vleck, J.H. 88−66092
Purcell, E.M. *see* Montgomery, C.G. *(editor)* 88−62871
Purcell, E.T. Fault diagnosis assistant [VLSI chips] 88−39560
Purcell, F.J., Kaminski, R. A complete system for semiconductor characterization by both photoluminescence and Raman spectroscopy 88−7446
Purcell, F.J., Kaminski, R. A system for semiconductor characterization by both photoluminescence and Raman spectroscopy 88−44615
Purcell, G. *see* Preston, R. 86−30928
Purcell, G.H., Jr. *see* Crow, R.B. 85−38312
Purcell, G.H., Jr. *see* Preston, R.A. 86−55400
Purcell, J., Chen, W., Peuron, A. Magnet correction by figure eights 86−25061
Purcell, J. *see* Blosser, H. 86−25296
Purcell, J. *see* Loyd, R.J. 85−53860, 86−40188
Purcell, J.J. *see* Gambhir, S.K. 88−62072
Purcell, J.R. Superconducting magnet frontiers 85−56257
Purcell, J.R. The Argonne bubble chamber supermagnet 87−77571
Purcell, J.R. *see* Alcorn, J.A. 88−68359
Purcell, J.R. *see* Hsu, Y.H. 87−67930
Purcell, J.R. *see* Loyd, R.J. 87−31004, 87−78967, 88−5909
Purcell, P., Plesniak, W. Computer generated spatial imaging 88−34138
Purcell, R. Using a BBS calendar [library applications] 88−46500
Purcell, R.D. *see* Zargham, M.R. 86−30427
Purchase, J. Mapping out a new communication standard [CIM] 87−20178
Purchon, G., Pegg, T. Enhancement of accuracy and functionality in microwave instruments 87−24487
Purchon, G., Pegg, T. The digital control-architecture of a microwave sweeper 87−41597
Purczynski, A. *see* Broekere, D. 85−53789
Purczynski, J., Brykalski, A. Electromagnetic field in a three-phase cable line 85−11622
Purczynski, J., Kaszycki, L. Calculation of power losses and driving torque in spherical symmetry induction motor 86−19249
Purczynski, J., Kaszycki, L. Application of current flow function *I* to the analysis of gyromagnetic compass bearings 87−19128
Purczynski, J., Krason, P., Brykalski, A. Force acting on the core of a thin ellipsoidal coil 85−17904
Purczynski, J. *see* Brykalski, A. 85−19092, 85−59726
Purdes, A.J. *see* Smith, G.C. 86−20082
Purdom, N. Cell talk [cell control] 87−69617
Purdom, P. *see* Nau, D. 87−36577
Purdue, D.R. MAP version 3.0 88−28452
Purdue, M., Kemp, R., O'Riordan, T. The context and conduct of the Sizewell B inquiry 85−9586
Purdy, C.N., Purdy, G.B. Integer division in linear time with bounded fan-in 87−44760
Purdy, D., Chiruvolu, M. Safety aspects of nuclear containment coatings [nuclear power plants] 86−25706
Purdy, D.R. *see* Blackman, M.V. 87−74176
Purdy, G.B. *see* Purdy, C.N. 87−44760
Purdy, G.L., Jr. *see* Epstein, J.S. 85−26251
Purdy, G.M. *see* Berteaux, H.O. 86−65555
Purdy, G.M. *see* Koelsch, D.E. 87−29915
Purdy, J. *see* Oliver, J. 88−47126
Purdy, J.A., Prasad, S.C., Walz, B.J., Cotter, G.W. Radiation protection considerations for endocavitary X-ray units 86−38846
Purdy, P. *see* Homan, R.W. 87−57146
Purdy, P.W., Brownsey, G.J., Prescott, E.H.A. Torque control feedback circuit−rheometer control for creep 85−28277
Purdy, S. *see* Holme, A.E. 88−74789
Purdy, T., Thorslund, D., Witchlow, N. Meridian SL Messaging−an integrated messaging service 86−69453
Purdy, T. *see* Uhlig, R.P. 86−37298
Puresev, N.I. *see* Ermolovich, E.S. 86−39930
Puresev, N.I. *see* Labuntsov, V.A. 88−24031
Puresheva, B. *see* Moshtev, R. 86−66301
Puretz, D.M. Transborder data flow implications for southeast Asia 86−16758
Puretz, J. Dimensional analysis and energy broadening in particle beams 87−21346
Puretz, J., De Freez, R.K., Elliot, R.A., Orloff, J., Paoli, T.L. 300 mW operation of a surface-emitting phase-locked array of diode lasers 87−33158
Puretz, J., Orloff, J., Swanson, L. An application of focused ion beams to electron beam testing of integrated circuits 85−1622
Puretz, J. *see* Defreez, R.K. 86−68523
Puretz, J. *see* Elliott, R.A. 88−51873
Puretz, J. *see* Milgram, A. 85−50354
Puretz, J. *see* Milgram, A.A. 86−35534
Puretz, P., De Freez, R.K., Elliot, R.A., Orloff, J. Focused-ion-beam micromachined AlGaAs semiconductor laser mirrors 86−54184
Puretzky, A.A. *see* Evseev, A.V. 86−3038
Purga, N. *see* Mosetti, F. 87−21787
Purgalis, P., Ackerman, G., Kwan, J.W., Paterson, J.A., Wandesforde, A.H. Measured and calculated pressure in the transverse field focusing (TFF) matching/pumping section of a negative ion beamline 87−14668
Purgalis, P., Anderson, O.A., Cooper, W.S., Cummings, C., Koehler, G.W., Matuk, C.A., Wells, R.P. Mechanical design and construction of a 200 mA, 100 keV, DC, negative ion accelerator 88−68118
Purgalis, P., Anderson, O.A., Koehler, G.W., Maruyama, Y., Matuk, C.A., Owren, H.M., Paterson, J.A., Wandesforde, A.H. Mechanical design and fabrication of the transverse field focusing (TFF) matching/pumping section for negative ion based neutral beam systems 87−14667
Purgalis, P. *see* Anderson, O.A. 86−31838, 88−47932
Purgalis, P. *see* Matuk, C.A. 87−14666
Purgalis, V. *see* Bariss, V. 85−55728
Purgalis, V. *see* Klotynsh, E. 86−35596
Purho, T., Aflatuni, Z., Soitinaho, J. Field experience with the DX 200 switching system 87−34286
Purho, T., Aflatuni, Z., Soitinaho, J. Operational reliability of the DX 200 switching system 87−48805
Puri, A., Hang, H., Schilling, D.L. An efficient block-matching algorithm for motion-compensated coding 87−62272
Puri, A., Hang, H.-M., Schilling, D.L. Motion-compensated transform coding based on block motion-tracking algorithm 88−3210
Puri, A., Hang, H.-M., Schilling, D.L. Interframe coding with variable block-size motion compensation 88−45937
Puri, D., Hardy, R.H.S., Davall, P.W., Kennedy, W.O., McCuskee, L.B., Misskey, W.J. A local area network for an electrical substation 85−8180
Puri, G. The error of measurement−a criterion for optimal choice of manufacture dimensions and tolerances of amplifying lever elements for mechanical measuring instruments used in length measurement 87−21237
Puri, M.P. *see* Handy, R.A. 87−45533
Puri, M.P. *see* Harper, R. 87−45530
Puri, N.N. *see* Schwering, F. 85−13238, 87−12791
Puri, S. Optimum antenna for Alfven wave heating 88−20997
Puri, S. *see* Wesner, F. 85−30101
Purica, M., Budianu, E. Mechanisms of limiting short wavelengths of the spectral response of silicon photodetectors 88−33872
Puritis, T., Liberis, J., Maciulaitis, C., Lauza, T. The influence of a transverse magnetic field on the electrical parameters of a microplasma in p-n junctions in silicon 88−39106
Puritis, T. *see* Balodis, J. 85−55534
Purkayastha, P., Pal, J.K. Design of man machine interface for a thermal power plant−concepts and philosophy 85−48868
Purkayastha, P., Pal, J.K. Fault detection in a distributed environment−study of a thermal power plant 88−17372
Purkayastha, S., Jain, H.S., Vinayakumar, S. Development and production of ultra-pure gas-free copper 87−10512
Purkey, R.C. *see* Spencer, S.P. 87−40171
Purkiser, C., Kardach, J. The Intel 376 family for embedded processor applications 88−63706
Purkovic, A. *see* Nedic, S. 86−23053
Purll, D.J. *see* Hopkinson, G.R. 87−14204, 88−4459
Purnachandra Rao, M. *see* Kumar, A.R. 86−59955
Purnell, D. *see* Parsons, P.L. 87−5229
Purohit, D.P. Quality management in organisations 86−46117
Purohit, D.P. Power generation in mountain regions 88−37077
Purohit, M.V. *see* Blair, R. 85−15110
Purohit, M.V. *see* Foley, K.J. 88−68313
Purohit, M.V. *see* Morrison, R.J. 88−68303
Purohit, R.K. *see* Jain, B.P. 85−10721
Purohit, R.K. *see* Trivedi, P.L. 86−41819
Purol, H. *see* Downarowicz, J. 87−78865
Puron, E. *see* Andreev, V.M. 87−31534
Puron, E. *see* Diaz, P. 85−28212
Purprix, P. *see* Taillet, J. 88−27446
Purrer, C. *see* Kresnik, E. 88−48486
Purschke, M., Nuxoll, W., Gaul, G., Santo, R. An improved quadrant anode image sensor with microchannel plates 88−16638
Purschwitz, R. Implementation of the LS 5G logic sampler 88−47457
Purser, K.H., Cleland, M., Naylor, H., Smick, T.H. The Ionex MeV implanter system 86−2001
Purser, K.H. *see* Al-Juwair, H. 87−50034
Purser, K.H. *see* Turner, N. 87−53375
Purser, M. The role of standards in networking 86−49269
Purser, M. Multitasking across a LAN for communications switching 86−54875
Purser, M. *see* Patel, A. 87−2667
Purser, P.E. *see* Hocott, C.R. 85−4493
Purshotham, M., Mukerjee, A.K., Chopra, K.L. Logarithmic *I-V* plotter for solar cells 85−8881
Pursley, M.B. Frequency-hop transmission for satellite packet switching and terrestrial packet radio networks 87−13182
Pursley, M.B. Packet error probabilities in frequency-hop radio networks−coping with statistical dependence and noisy side information 87−34361
Pursley, M.B. The role of spread spectrum in packet radio networks 87−34448
Pursley, M.B. Multiple-access capability of frequency-hop transmission with noisy side information 87−55971
Pursley, M.B. Tradeoffs between side information and code rate in slow-frequency-hop packet radio networks 88−3814
Pursley, M.B., Stark, W.E. Performance of Reed-Solomon coded frequency-hop spread-spectrum communications in partial-band interference 85−63514
Pursley, M.B., Taipale, D.J. Error probabilities for spread-spectrum packet radio with convolutional codes and Viterbi decoding 86−30591
Pursley, M.B., Taipale, D.J. Error probabilities for spread-spectrum packet radio with convolutional codes and Viterbi decoding 87−34352
Pursley, M.B. *see* Garber, F.D. 88−28645
Pursley, M.B. *see* Geraniotis, E.A. 85−57943, 86−43713
Pursley, M.B. *see* Kelle, C.M. 88−21912
Pursley, M.B. *see* Keller, C.M. 85−30889, 86−30600, 87−34348, 87−34360
Pursley, M.B. *see* Lehnert, J.S. 87−34353, 87−55972, 88−15318
Pursley, M.V. *see* Lin, S.H. 86−55186
Pursley, W.C. The calibration of flowmeters 86−60381
Purtell, J.R. *see* Seong-ju Park 88−13137
Purtill, M.R. *see* Brickell, E.F. 88−40814
Purton, P. Cellular radio. A pocket-sized solution for users 85−20076
Purton, P. Intelsat's dilemma: the changing face of satellite communications 85−52289
Purton, P. Voicing views along the same lines [data communication standards] 86−4302
Purton, P. Buying a cheap modem 86−30478
Purton, P. International developments in digital cellular radio 86−49481
Purton, P. Optical components for communications 86−49570
Purton, P. Road to wide-area networks 86−54869
Purton, P. Teletex 0, mailboxes 1−standards are not everything 86−59562
Purton, P. A bit part on the world stage [British Telecom] 87−2691
Purton, P. Shifting sands of the PTTs 87−33908
Purton, P. Fax and data: more than just good friends 87−55645
Purton, P. Can the voice 87−62776
Purton, P., Tate, P. The ISDN ingredient 87−27760
Purton, P. *see* Williamson, J. 88−46384
Purtscher, P.T. *see* Reed, R.P. 87−44398
Puru Liu, Fulin Li, Liang Chen, Zhenchun Li Microanalysis of nonoriented P containing silicon steel 88−71894
Purucker, S.L. The Athens automation and control experiment distribution automation project 86−65648

Purucker, S.L. Expert systems and power system planning in developing countries 88−68858
Purucker, S.L., Reddoch, T.W., Detwiler, J.S., Monteen, L.D. The design of an integrated distribution control system 85−43591
Purucker, S.L., Thomas, R.J., Monteen, L.D. Feeder automation designs for installing an integrated distribution control system 86−12273
Purucker, S.L. *see* Stevens, R.A. 87−9131
Purushotham, G. *see* Chander, T. 88−36908
Purushothaman, C. *see* Ajith Kumar, P.T. 87−19060
Purushothaman, S. *see* Caulfield, T. 85−41070
Purves, D.W., Howard, J.G. High speed multi-octave switches and the problems associated with video breakthrough 87−45351
Purves, D.W. *see* Mead, N.S. 86−52291
Purviance, J. Understanding negative frequencies 87−44100
Purviance, J., Brakensiek, W., Monteith, D., Ferguson, T. Matching structures for high yield amplifier design 88−71059
Purviance, J., Criss, D., Monteith, D. FET model statistics and their effects on design centering and yield prediction for microwave amplifiers 88−71050
Purviance, J. *see* MacFarland, A. 87−73663
Purviance, J.E., Meehan, M.D. A sensitivity figure for yield improvement [manufacturable microwave circuit design] 88−32408
Purviance, J.E. *see* Tylee, J.L. 85−3826
Purvis, A. Television production: keeping the costs low 85−3561
Purvis, A. Towards a common format 85−26135
Purvis, D.E. *see* Cochran, D.R. 87−18269
Purvis, G.M. *see* Hammer, E.E. 87−64941
Purvis, J. MAPshows way to better lab communications 87−62665
Purvis, J., III The personal computer as instrument controller 86−49933
Purvis, J.R., III. *see* Erickson, I.L. 86−4336
Purvis, M. *see* Riemenschneider, P. 86−35486
Purvis, M.E. *see* Anderson, G.D. 86−13131
Purvis, R., Yee, J. Expand or shrink clock cycles to the system's needs 88−19241
Purviss, J.R., III *see* Nadon, D.J. 86−17751
Purvs, J. A custom computer could calm your instrument chaos 86−4979
Purwins, H.-G. *see* Baumann, H. 87−74249
Purwins, H.-G. *see* Berkemeier, J. 87−16842
Purwins, H.-G. *see* Radehaus, C. 87−32221
Pus, V.V. Invariant reception of multiposition incoherent signals 85−41913
Puscas, N.N. *see* Popescu, I.M. 85−24656
Puscasu, S., Carstea, I. Numerical computation of time-dependent electromagnetic field using finite element method 87−47073
Puscasu, S., Carstea, I.T. Numerical calculation of the nonstationary electromagnetic field using the finite element method 86−3412
Puscasu, S., Stefanescu, F. Present and future trends in designing and producing superconducting electrical machines 87−78583
Puscasu, S., Stefanescu, F., Calota, G., Toaxen, V. Design problems of the cryotransformer output pins 87−58143
Pusch, E. Protection against frost damage and iced surfaces by means of electrical heating: open-surface, root-gutter and piping heating 87−22896
Pusch, H. Aspects of CCS7 network configurations 88−9004
Puschak, N. *see* Onaral, B. 86−56141
Puschel, G., Seibert, J. Stepping motor control on a CNC measuring projector 88−17658
Puschel, K. Selected components of low-voltage equipment in passenger coaches 86−33800
Puseljic, D., Baumbaugh, B., Bishop, J., Busenitz, J., Cason, N., Cunningham, J., Gardner, R., Kennedy, C., Mannel, E., Mountain, R.J., Ruchti, R., Shephard, W., Zanabria, M., Baumbaugh, A., Knickerbocker, K., Rogers, A., Kinchen, B., Hill, C.G.A. A new scintillating glass for high energy physics applications 88−61100
Puseljic, D. *see* Rogers, A. 87−41844
Puseljic, D. *see* Ruchti, R. 87−41845, 88−68221
Pusen Lan *see* Lan Pusen
Pusenjak, R., Oblak, M. Describes the use of continuous finite element analysis for engineering applications 85−343
Pusep, Yu.A. *see* Neizvestnyi, I.G. 87−45629
Pusey, E. Advanced Schottky TTL process extended 87−46167
Pushan Tang *see* Tang Pushan
Pushin, A.Ye., Ratynskiy, M.V., Cheremisin, O.P. The effect of input signal decorrelation on the effectiveness of digital filters in extracting signals from noise 88−27952
Pushin, V.F. *see* Martynenko, S.I. 87−7531
Pushin, V.S. *see* Chakhlov, V.L. 86−32081, 87−63583
Pushin, V.S. *see* Zvorygin, V.P. 86−25078
Pushkarev, A.I., Zakharov, I.S. MOS structure noise in thermodynamic equilibrium 86−47501
Pushkarev, A.I., Zakharov, I.S., Shirokov, A.A. Surface-state noise in MOS structures based on indium antimonide 85−18180
Pushkarev, G.P. *see* Andrusenko, A.M. 88−36213
Pushkarev, K.P. *see* Mishchenko, I.A. 88−53644
Pushkarev, O.I. *see* Berdikov, V.F. 87−46342
Pushkarev, V.I. *see* Ermakov, S.V. 88−62034
Pushkarev, V.V. *see* Gross, L.G. 85−64342
Pushkarev, V.V. *see* Savchenko, V.E. 88−35927
Pushkarev, Yu.A. A method for synthesis of an optimal nondivergent filtration algorithm without using distribution density 88−3026
Pushkarev, Yu.A. *see* Bondarev, B.G. 88−32347
Pushkareva, O.G. *see* Belov, V.S. 87−35130
Pushkarova, R.M. Acoustical coupling of thickness-twist double-mode quartz resonators 85−56058
Pushkarova, R.M., Mileva, A.A. Acoustical coupling of thickness-shear double-mode quartz resonators 86−42068
Pushkin, A.A. *see* Bagrov, A.M. 86−36169
Pushkin, S.B., Elkin, G.A., Tatarenkov, V.M. The primary time and frequency standard of the USSR 86−24653
Pushkin, S.B. *see* Abashev, Y.G. 88−16518
Pushkin, S.B. *see* Abashev, Yu.G. 85−8676, 87−29230
Pushkin, S.B. *see* Dudnik, B.S. 87−29312
Pushkin, S.B. *see* Il'in, V.G. 85−31600, 86−31675
Pushkin, S.B. *see* Korobov, V.K. 85−47785
Pushkin, S.B. *see* Palii, G.N. 86−44438
Pushkin, S.B. *see* Zagirova, E.G. 87−34901
Pushkin, S.F. *see* Katunin, G.P. 87−63106
Pushkin, S.G. *see* Anisimov, V.V. 86−34117
Pushkina, G.A. *see* Scheinkmann, A.G. 86−70853
Pushkina, G.A. *see* Sheinkman, A.G. 86−18867
Pushkina, I.Yu. *see* Voronin, F.V. 87−36278
Pushkina, T.N. *see* Bazarov, A.E. 87−75104
Pushkina, T.N. *see* Goldobin, I.S. 86−36496, 88−34041
Pushkov, P.M. *see* Samoilenko, B.F. 85−16068
Pushnaya, I.V. *see* Kurennyi, E.G. 87−30012
Pushnyi, B.V. *see* Kuchinskii, V.I. 87−33199
Pushparatnam, C. Interactive power supply programmers 86−45496
Puskar, M., Harris, P. Reserve, flowing electrolyte, high rate lithium battery 88−17843
Puskas, A. X-Y recorder and plotter 87−29179
Puskorius, G.V., Feldkamp, L.A. Camera calibration methodology based on a linear perspective transformation error model 88−73287
Pust, L. *see* Mitchell, T.B. 88−51267
Pustai, J. Keeping account of connector standards 87−24533
Pustai, J. More challenges ahead for connector design 87−24535
Pustai, J. MM-wave transistors: the key to advanced systems 87−52842
Pustai, J. The permeable-base transistor 87−52845
Pustai, J. Compact ranges get radar cross-section data abundance 87−56235
Pustai, J. Prime focus feed key to operation of largest range 87−56240
Pustai, J. Dielectric resonators become more popular and more challenging 88−945
Pustai, J. DOD/NASA probe processing challenges 88−1486
Pustelny, T. *see* Kubik, Z. 86−14831
Pustelny, T. *see* Opilski, A. 87−9047
Pusterla, M., Servizi, G., Turchetti, G. Nonlinear beam-beam forces in storage rings: particular analysis for SSC and LHC parameters 86−24988
Pustina, V. *see* Sebesta, V. 87−70497
Pustogarov, A.V., Karabut, A.B., Zakharkin, R.Ta., Sharshakov, V.N., Vishnevskii, V.Yu. High-efficiency air plasmatron 87−64828
Pustogarov, A.V., Kucherov, Ya.R., Zavidei, V.I., Sukhinin, V.A. A zirconium cathode in a nitrogen plasmatron 85−6640
Pustogarov, A.V. *see* Gordeev, V.F. 87−58489, 87−60044
Pustogarov, A.V. *see* Kucherov, Ya.R. 85−5562
Pustogarov, A.V. *see* Vertiprakhov, A.I. 87−51666
Pustogarov, A.V. *see* Zhukov, M.F. 87−24664
Pustogarov, A.V. *see* Zhupanov, V.G. 87−66813
Pustola, J. Considerations of the torque of DC motors 85−9918
Pustola, J. Electrical actuators in robots 86 26086
Pustovalov, G.A. *see* Borisenko, V.A. 87−59035
Pustovalov, N.D. *see* Novik, A.I. 87−29193
Pustovalov, V.G. Unified measurements in adjusting, checking, and testing forging presses 85−44507
Pustovalov, V.G. Planarity checking on surfaces of frame-flange type 85−48088
Pustovalov, V.K., Khorunzhii, I.A. Bleaching of a moving polydisperse aerosol by a laser radiation beam 85−56802
Pustovalov, V.V. *see* Kovalev, V.F. 87−26602
Pustovarov, V.Ya., Smirnov, V.K. Stability of *R*-filter frequency responses 86−46982
Pustovarov, V.Ye., Sokolov, V.O. Determination of the tuning parameters of polynomial ladder filters 87−45021
Pustovarov, V.Ye. *see* Aleshin, G.V. 87−55961
Pustovarov, V.Ye. *see* Masliy, V.N. 87−52448
Pustovit, V.P. *see* Nikolayenko, V.N. 87−55146, 88−72717
Pustovitov, V.I. *see* Bushuev, V.V. 87−35566
Pustovoit, A.K. *see* Afanas'eva, N.P. 86−44573
Pustovoit, V.I. *see* Ananev, E.G. 88−13970
Pustovoit, V.I. *see* Bezdenezhnykh, S.V. 88−53580
Pustovoitovskiy, A.S. White Russian sound broadcasting MW synchronous network shared with television 86−17550
Pustovskikh, A.I. *see* Kirichnk, V.S. 85−30289
Pustovskikh, A.I. *see* Kirichuk, V.S. 87−69252
Pustovskikh, A.I. *see* Kosykh, V.P. 85−2866
Pustyl'nik, M.L. *see* Asnovich, E.Z. 85−40983
Pustyl'nik, O.D., Rarenko, I.M., Tal'yanskii, E.B. Experimental observation of thermal oscillations of the resistance in $Mn_xHg_{1-x}Te$ 86−8790
Pustyl'nikov, L.D. A method for control of frequency and active power 87−71764
Put, P. *see* Huet, M. 87−48432
Put, P.J.van der *see* van der Put, P.J.
Putanec, I. Electric power costs for NPP and TPP on coal 88−17259
Putatunda, R. AUTODELAY: a second-generation automatic delay calculation program for LSI/VLSI chips 85−45018
Putatunda, R., Feller, A., Smith, D.C., Noto, R. An optimized automatic layout approach for 40K-50K gate ICs with multilevel interconnect 85−40858
Putatunda, R., Smith, A., Noto, R., Sharma, S., Crabbe, J. An optimized and unique placement approach for very large semicustom IC designs 86−47708
Putatunda, R., Smith, D., McNeary, S., Crabbe, J. HAPPI: a chip compiler based on double-level-metal technology 87−5625
Putatunda, R. *see* McNeary, S. 87−10760
Putaux, J.C., Obert, J., Boissier, G., Paris, P. Comparison between Nier-Bernas and Nielsen type ion sources for extracted ion-beam intensities in the mA range 87−57006
Putcha, A. *see* Sinha, L.P. 86−64514
Putcha, C.S. Education towards becoming a well-rounded engineering professional 85−33051
Puteh, R. Studies and computing techniques in the spectral characterisation of solids 85−4081
Puterbaugh, L.J. *see* Bakos, P. 85−189
Puterbaugh, L.J. *see* Turner, J.F. 85−54578
Puternicki, P. Properties of magnetic circuit of two-rotor commutator motor 85−21570
Putgens, L. A high resolution converter with a microprocessor simplifies data recording for metering and control techniques 88−12451
Puthenpura, S., Sinha, N.K. Iterative method for obtaining the argument of the dominant complex pole-pair 87−52018
Puthoff, R.L. *see* Miller, D.R. 85−53655
Putignani, M. *see* Mayos, M. 88−56346
Putignani, M. *see* Segalini, S. 88−31889
Putilin, A. *see* Morozov, V. 88−45568
Putilin, A.L. *see* Dunaev, A.N. 86−38211
Putilin, A.N. *see* Bablumyan, A.S. 86−22171, 86−22555
Putilin, A.N. *see* Balagurov, A.Ya. 87−33332, 87−46551
Putilin, E.S. *see* Bol'shanin, A.F. 86−36549
Putilin, K.P. *see* Ivanov, V.V. 85−43981
Putilin, V.M. *see* Belykh, A.D. 86−48336, 88−14099
Putilov, B.A. Parasitic inductive interactions in hybrid integrated circuits 88−7231
Putilov, V.A. *see* Smolkov, G.Ya. 86−37967
Putivskii, Yu.Ya. *see* Bersenev, V.I. 88−5164
Putkovich, K. VOA network control and automation [Voice of America, radio broadcasting] 88−67522
Putkovish, K. Measurement standards laboratory 86−24611
Putland, D.E. *see* Hutley, M.C. 85−35398, 87−25966
Putley, E.H. *see* McDonald, A. 85−58225
Putlin, A.N. *see* Miler, M. 88−26873
Putlitz, G.Zu *see* Zu Putlitz, G.
Putman, C.A. Synchronization of frequency hopped spread spectrum signals 86−48957
Putman, C.A., Rappaport, S.S., Schilling, D.L. Comparison of strategies for serial acquisition of frequency-hopped spread-spectrum signals 86−37715
Putman, P. Everyman's microwave amp 88−7256
Putman, P. Power play comparison [RF Concepts RFC 2-23 and Tokyo Hi-Power HL-37 V 30-Watt 144-MHz power amplifiers] 88−12222
Putman, P. ICOM's classic IC-2AT: the most popular hand-held of all time 88−15346
Putman, P. ICOM IC-12AT: the exotic 23-cm hand-held transceiver 88−15347
Putman, P. ICOM IC-475A 70 cm multimode transceiver/ICOM AG-35S mast-mounted 70 cm preamplifier 88−21963
Putman, P. Down East Microwave 3333-LYK 902 MHz and 1345-LYK 2304 MHz loop Yagis 88−40713
Putman, P. Cushcraft 124WB and Tonna 20804 4-element 144 MHz broadband Yagis 88−40716
Putman, P. ICOM IC-900 multi-band FM transceiver system 88−41536

Putman, P. ICOM IC-375A 220-MHz multimode transceiver 88–60019
Putman, P. Create X-209 9-element 144 MHz Yagi 88–40715
Putman, P.H. Elementary, my dear: watts 'n' SWR [VHF/UHF wattmeter design] 85–4008
Putman, P.H. That glorious Gonset [300 W amplifier for 2 m band] 85–28386
Putman, P.H. The piggy-bank patch [amateur radio equipment] 86–69565
Putman, P.H. 144-MHz antenna test: three for two 87–39496
Putman, P.H. ICOM IC-275A 2 m multimode [transceiver] 87–48847
Putman, P.H. Microwave Modules MMT 220/28 220-MHz linear transverter 87–48848
Putman, P.H. Alinco ALR-206T 144-MHz FM mobile transceiver 87–48921
Putman, P.H. Microwave Modules MMT 50/144 and MMT 50/28S 50-MHz linear transverters 87–69875
Putman, P.H. ICOM IC-38A and Kenwood TM-3530A 220-MHz transceivers 87–69910
Putman, R.E.J. The design of industrial energy management systems: some interesting case histories 86–7344
Putman, R.E.J. The design of industrial energy management systems: some interesting case histories 86–33868
Putman, R.E.J., Allen, T. On-line optimizing strategies for energy conversion systems 87–35809
Putnam, C.U. *see* Yung-Chang Lai 88–22981
Putnam, H.A. *see* Kusic, G.L. 86–6249
Putnam, J., King, R. Mesa Hotline School: A cooperative success 86–13331
Putnam, J., Puente, R. A monolithic image-rejection mixer on GaAs using lumped elements 88–19368
Putnam, J.M. Millimeter-wave receivers 87–37540
Putnam, J.M., Medgyesi-Mitschang, L.N. Electromagnetic scattering from ducts with irregular edges. II. Noncircular case 88–66024
Putnam, J.M. *see* Huddleston, P.L. 86–54279
Putnam, J.M. *see* Medgyesi-Mitschang, L.N. 85–7609, 85–35984, 87–75349, 88–66023
Putnam, J.M. *see* Medgyesi-Mitschang, N. 86–22643
Putnam, J.M. *see* Rogers, J.R. 86–22649
Putnam, J.R., Shepherd, M.D. The etiology of loosened connections in hospital-grade plugs 85–15361
Putnam, L.K., Lucht, P., Davis, J. A high-speed architecture for image computation 88–66684
Putnam, M.H. *see* Helmer, R.G. 86–32173
Putnam, R.S. Limits to pulse advance and delay in mode-locked lasers 85–18824
Putnam, R.S. 2-D neighborhood operator using a single channel AO cell demonstrates near ultimate data flow efficiency 87–46616
Putnam, R.S. *see* Caulfield, H.J. 85–36374
Putnam, R.S. *see* McManus, J.B. 87–46720
Putnam, S. *see* Bailey, V. 88–54020
Putnam, S.D. Survey of compact high current electron accelerators 88–54013
Putnam, S.D. *see* Bailey, V.L., Jr. 88–54089
Putney, B. *see* Chu, B. 85–43784
Putney, B. *see* Koren, J. 86–57245
Putney, B. *see* Riley, J. 86–57274
Putney, B.F., Jr. *see* Koren, J.M. 87–5297
Putney, B.F., Jr. *see* Riley, J.E. 87–9283
Putnikov, V.V. *see* Pozhidaev, V.M. 86–40029
Putnins, Z.A., Wilson, G.A., Kumar, J., Trupp, R.D. A multi-pulse LPC synthesizer for telecommunications use 86–17723
Putov, V.V. *see* Zelenkov, G.S. 85–13218
Putova, T.E. *see* Bazanov, V.P. 87–43147
Putrino, M., Vassiliadio, S., Schwarz, E. Array two's-complement multiplier and square function 88–645
Putrino, M., Vassilliadis, S., Schwarz, E. Parallel binary byte adder/subtracter 88–63627
Putrino, M. *see* Schwarz, E. 88–44154
Putrino, M. *see* Vassiliadis, S. 88–44847
Putrus, G.A. *see* Al-Tikriti, M.N. 87–57555
Putschogl, G., Ruess, F. KWU's three-loop pressurized water reactor for the international market 87–78246
Putschogl, G. *see* Baumgartl, B.J. 86–18927
Putt, E.J., Castor, K.G. Margin leveling algorithm for fully saturated satellite transponder with CDMA signalling 86–17356
Puttaswamy, A.L. Present-day problems of interconnected power systems in India 85–15504
Putte, P.Van der *see* Van der Putte, P.
Putten, A.E.van *see* van Putten, A.E.
Putten, A.F.P.van *see* van Putten, A.F.P.
Putten, A.M.T.P.van der *see* van der Putten, A.M.T.P.
Putten, F.G.van der *see* van der Putten, F.G.
Putten, F.van der *see* van der Putten, F.
Putten, M.H.P.M.van *see* van Putten, M.H.P.M.
Putter, A.H. A microprocessor-based PWM waveform generator for voltage source inverters 88–17712
Putter, J., Kairies, K.-D. IBM-PC in metrology 85–8691
Putter, P.S. *see* Wagner, N.R. 86–54462, 88–40840
Puttgen, H.B., Ferreira, L. Accuracy enhancements of adjoint network based sensitivity computations for state variables for large power networks 86–70609
Puttgen, H.B., Ferreira, L.A.F.M. Adjoint network sensitivity based state variable evaluation for large-scale contingency events 87–64019
Puttgen, H.B., Jansen, J.F. An expert system for the design of a power plant electrical auxiliary system 88–10990
Puttgen, H.B., Jansen, J.F. Knowledge based systems applied to power systems: a passing fad or a useful tool here to stay? 88–42807
Puttgen, H.B., Jansen, J.F. An expert system for the design of a power plant electrical auxiliary system 88–54959
Puttgen, H.B. *see* Ferreira, L.A.F.M. 88–30236
Puttgen, H.B. *see* Fink, L.H. 85–53281
Puttgen, H.B. *see* Ghoudjehbaklou, H. 87–57869
Puttgen, H.B. *see* Jansen, J.f. 88–23452
Puttgen, H.B. *see* Jansen, J.J. 87–42402
Puttgen, H.B. *see* Webb, R.P. 85–54055
Putti, M. *see* Bracco, R. 87–67282
Puttick, K.E. Thermal NDT methods 88–12122
Puttick, K.E. *see* Aindow, J.D. 86–34419
Puttick, K.E. *see* Shahid, M.A. 85–18080
Puttjer, K. *see* Ritscherle, H. 86–40321
Puttkamer, D.von *see* von Puttkamer, D.
Puttkamer, E.von *see* von Puttkamer, E.
Puttlitz, A.F. *see* Albaugh, K.B. 86–47680
Puttlitz, A.F. *see* Bakeman, P.E., Jr. 85–34799
Puttlitz, A.F. *see* El-Kareh, B. 86–63434
Puttlitz, A.F. *see* Kim, S.U. 86–15274
Puttlitz, F.J. *see* Cannon, J.W. 85–782
Puttner, C. The urban railway in the densely populated area of Dusseldorf. II 85–44238
Puttner, G. The urban railway in the densely populated area of Dusseldorf. I 85–21882
Puttner, G. The urban railway of the densely populated area of Dusseldorf. III [rapid-transit system] 86–33768
Putvinskii, A.V. *see* Betskii, O.V. 87–71181
Putyakin, E.P. *see* Zhitomirskii, M.Ya. 88–14753
Putyatin, E.P. *see* Gorokhovatskii, V.A. 87–69259
Putyatin, V.G. *see* Boychuk, L.M. 86–10330
Putyatin, V.P. *see* Stoyan, Yu.G. 86–46084
Putyn, Z.N. *see* Regel, V.R. 87–56745
Putz, A. C-64 hardware tip, ventriloquist 85–6182
Putz, C. *see* Heinecke, H. 87–10417
Putz, E. *see* Whale, H.A. 87–12848
Putz, K.J. Analysis of heavy traffic performance for a class of switching system processors 85–41812
Putz, K.J. *see* Hartmann, H.L. 85–47058
Putz, K.J. *see* Seung-Kuk Choi 88–28585
Putz, N., Heinecke, H., Heyen, M., Balk, P., Weyers, M., Luth, H. A comparative study of $Ga(CH_3)_3$ and $Ga(C_2H_5)_3$ in the MOMBE of GaAs 86–40741
Putz, N., Heinecke, H., Veuhoff, E., Arens, G., Heyen, M., Luth, H., Balk, P. Photostimulated growth of GaAs in the MOCVD system 85–10696
Putz, N., Sauerbrey, A., Veuhoff, E., Kirchmann, R., Heyen, M., Luth, H., Balk, P. Effect of total pressure on the uniformity of epitaxial GaAs films grown in the Ga-HCl-AsH_3H_2 system 86–13754
Putz, N., Veuhoff, E., Heinecke, H., Heyen, M., Luth, H., Balk, P. GaAs growth in metal-organic MBE 85–44701
Putz, N. *see* Arens, G. 87–10384
Putz, N. *see* Heinecke, H. 85–435
Putz, N. *see* Weyers, M. 86–47454
Putz, P. *see* Hahn, M. 88–75405
Putz, R. Network voltage constancy maintainer with MOSFETs 87–32686
Putz, U. Current source inverter–monoverter–for high voltage induction motors 86–51635
Putzar, R. *see* Petzold, H.-C. 88–19869
Putzylo, V.I. *see* Shmorgun, E.I. 86–50139
Puupponen, M. Efficiency measurements in hydro power plants 85–60065
Puurtinen, J. *see* Nieminen, S. 85–43414
Puurtinen, J. *see* Seppanen, M. 85–43337
Puustinen, M. *see* Hamala, S. 88–69146
Puwein, W. *see* Rummel, G. 85–15856
Puydt, Y.De *see* De Puydt, Y.
Puyenbroeck, T.van *see* van Puyenbroeck, T.
Puylaert, G. *see* Gloesener, D. 88–26103
Puymbroeck, W.Van *see* Van Puymbroeck, W.
Puza, M. *see* Hofmann, A. 87–70391
Puzak, M. *see* Pasalic, N. 85–39351
Puzakov, A.N. *see* Knichevskaya, L.V. 88–38669
Puzakov, A.N. *see* Knishevskaya, L.V. 87–45161
Puzakov, A.V. Fundamental principles of the design of driving-signal generators for modulation-type frequency converters 86–46618
Puzakov, A.V. Synthesis of fundamental quasi-sinusoidal signals on the basis of an orthonormalised system of Walsh functions 86–59283
Puzakov, A.V. Analysis of the spectral content of the inverter output voltage with a closed loop of control 87–51348
Puzakov, A.V. Calculation of losses in an asynchronous motor fed from an inverter with pulse-duration modulation 87–58094
Puzakov, E.S. *see* Berezhnoi, A.A. 85–18755
Puzankov, A.A. *see* Sheinkman, A.G. 86–65827
Puzankov, A.F. *see* Antipin, A.G. 88–66230
Puzanov, A.D. *see* Karev, A.P. 85–10187
Puzanov, A.I. *see* Vissarionov, V.I. 87–78541
Puzanov, M.V. *see* Ivashkov, S.V. 87–8430
Puzanov, M.V. *see* Marigodov, V.K. 88–21178
Puzanov, N.I. *see* Eidenzon, A.M. 86–40706
Puzanov, S.L. *see* Budkin, L.A. 85–35666, 86–3269
Puzar, M., Car, S. The design of electric machines by interactive computer program 87–64531
Puzev, N.A. *see* Kirmonas, A.A. 86–60787
Puzhalovskii, S.V. A combiner for two television retransmitters using a common antenna feeder 87–76938
Puzhlyakov, A.F. *see* Novikov, V.N. 86–67523
Puzin, I.B., Evsyukov, V.G. Apparatus for study of defect centers in semiconductors 86–67654
Puzin, I.B., Khorunzhii, A.I., Aleksandrov, V.T. Controller for deep-level spectrometer 88–71337
Puzin, I.B., Khrounzhii, A.I. Fast capacitance meter for deep-level spectrometers 88–42198
Puzin, I.B. *see* Torchinskaya, T.V. 85–24416
Puzio, C.L. *see* Lee, H.-S. 87–45962
Puzio, G., Mabie, S. Requirements for dynamic testing in an Army depot environment 88–29265
Puzio, L.C. *see* Jain, K.C. 85–33986
Puzio, L.C. *see* Lee, H. 87–18128
Puzman, J. New computer and telecommunication services 86–4134
Puzman, J. The relational approach to the computer-communication architectures 86–64671
Puzman, J. The TRANSPAC public data network 87–33942
Puzman, J. The DDX Japanese public data network 87–69521
Puzman, J. The Datanet 1 public data network 87–76090
Puzman, J. ITAPAC public data network 87–76092
Puzman, J. The Iberpac public data network (RETD) 88–8997
Puzman, J. *see* Orvaec, P. 88–3542
Puzman, J.F. Network services VS. OSI/RM 86–64719
Puzman, J.F. The architecture models of PDNs: how do they fit in the OSI/RM? 88–9234
Puzyrev, V.A., Danilevich, A.B. Automatic control of the compensation of phase distortions in strained radiotelescope reflectors 87–34692
Puzyrevskaya, G.E. *see* Klivadenko, V.A. 87–46800
Puzyriiskii, G.S. *see* Buinov, A.L. 87–4830
Pvsyannikov, P.P. *see* Mamchev, G.V. 85–20541
Py, M. *see* Gueret, P. 87–24796
Py, M. *see* Schwitz, W. 87–14468
Py, M.A. *see* Achtnich, T. 87–52107
Py, M.A. *see* Schwitz, W. 88–16419
Pyabus, G.V., Mel'kanovich, A.F., Kushkulei, L.M. Installation for measuring the attenuation factor of ultrasound in solids 88–18784
Pyabus, G.V. *see* Mel'kanovich, A.F. 85–4515
Pyadin, V.P. *see* Arsh, A.M. 85–7115
P'yankov, V.A. Sensitivity distribution in the cross section of a ring during 'tandem' inspection 88–43964
P'yankov, V.A., Kalabin, S.N., Mikhailov, E.A., Arsent'eva, N.M., Shemyakinskii, E.N., Kogan, B.P., Mal'tsev, V.I., Tokarev, V.F., Golodaev, B.G. Device for automated ultrasonic inspection of complex disks 88–18781
P'Yankov, V.A., Mikhailov, E.A. Increasing the reliability of ultrasonic inspection of resistance butt welded joints 85–38373
P'yankov, V.A., Sadadinov, R.A. Studying the scattering of ultrasonic waves in contact butt-welded seams 86–545
P'yankov, V.Ya. *see* Belyakov, Yu.S. 87–4378
P'yankova, I.A. *see* Taev, I.S. 88–25626
P'yanykh, B.E., Chekhet, E.M., Cherzhovski, Z., Lettl, I. Direct conversion of frequency in key circuits [frequency converters] 85–44107
P'yanykh, B.E. *see* Mikhal'skii, V.M. 85–10011
P'yanzin, S.A. *see* Mil'shtein, G.N. 86–16281, 88–59126
Pyastolov, A.A. Transformer relay protection from winding faults 85–32542
Pyataev, V.I. *see* Ergorov, E.A. 87–63507
Pyatak, N.I., Korobkin, V.A., Yushchenko, A.G. Calculation of the resonant frequencies of a dielectric parallelepiped, rotated in the H-plane of a rectangular waveguide 87–47268
Pyatak, N.I. *see* Korobkin, V.A. 86–67468, 88–66151
Pyatakhin, M.V., Suchkov, A.F. Suppression of small-scale self-focusing in diverging beams 88–65807
Pyatakhin, M.V. *see* Dolinina, V.I. 86–29043
Pyatakhin, M.V. *see* Kovsh, I.B. 87–39015
Pyatakhin, V.I. *see* Aksenov, V.N. 88–54391
Pyatakhin, V.I. *see* Balaev, V.I. 85–2026
Pyatakhin, V.I. *see* Eliseev, P.G. 87–62988
Pyatakov, P.A. *see* Deev, V.N. 85–24029

Pyatchanin, S.V. *see* Molchanov, V.I. 87−66486
Pyatetskii, R.E. *see* Gurskii, V.B. 88−70613
Pyati, V.P. Simplified Biot-Savart law for planar circuits 86−42744
Pyati, V.P. An exponential second-order probability-density function 88−22178
Pyatibratov, G.Ya. Optimisation of subordinate drive regulation systems allowing for resilience of mechanical transmissions 86−71078
Pyatidvernyi, V.A. *see* Romanov, S.S. 87−49684
Pyatigorskii, B.Ya. *see* Zaitman, G.A. 87−57138
Pyatin, M.M. *see* Ishchenko, V.N. 88−27256
Pyatin, S.I. *see* Rudnik, V.D. 85−8927
Pyatin, Yu.M., Sbitnev, S.A., Shmelev, V.E., Polyakova, L.L. Calculation of a permanent-magnet electromechanical transducer for a device measuring dynamic magnetostriction 86−31355
Pyatina, O.N. *see* Galikyan, G.S. 85−39264, 88−69369
Pyatko, S.N. *see* Anikin, M.M. 88−57343
Pyatkov, A.V. *see* Efremov, I.A. 85−59751
Pyatkova, T.S. *see* Vilenskaya, R.M. 87−57918
Pyatkunas, M.A. *see* Kuchis, E.V. 87−21017
Pyatlina, G.S. *see* Popov, I.I. 85−14777
Pyatlina, N.G. *see* Rogozin, G.G. 85−65234
Pyatnitskaya, G.N. *see* Lobunina, I.I. 86−38176
Pyatnitskii, L.N. *see* Marin, M.Yu. 87−59946, 88−57244
Pyatov, A.P. *see* Korochentsev, V.I. 86−50764
Pyatrauskas, A.-V.V. *see* Lebedeva, S.I. 85−33962
Pyatrauskas, M. *see* Baltrameyunas, R. 88−50715
Pyatt, A.J. A manufacturer's view of ESD control 88−18473
Pyber, L. How to find many counterfeit coins? 86−66693
Pyber, L. A new generalization of the Erdos-Ko-Rado theorem 87−10258
Pybot, P. *see* Mulcey, P. 88−48041
Pychlau, P., Schule, E. The exposure rate of a radioactive check device 87−14951
Pyck, J. Microwave absorbers and anechoic chambers 86−1335
Pydnyk, A.M. *see* Plakhotnik, T.V. 88−27120
Pye, A. Properties and applications of Piezoelectric polymers 87−46256
Pye, A. MAP and TOP−how and when. II. Inception: users lead the way 87−48585
Pye, A. MAP & TOP−how and when? III. Reflection−is widespread use of MAP and TOP a distant prospect? 87−62615
Pye, A. More polymers for higher temperature service 88−31871
Pye, C. Interworking with MAP 86−49298
Pye, D.W. *see* Smith, M.A. 87−8910
Pye, J.D. Sonar signals as clues to system performance 87−8364
Pye, J.P. The ground system for the XUV Wide Field Camera on Rosat 88−74946
Pye, R., Lauder, G. Regional aid for telecommunications in Europe: a force for economic development 87−55463
Pye, W.C. *see* Jeter, M.W. 88−6342
Pye, W.D.F. Test equipment [medical equipment safety testing] 87−29828
Pyee, M. *see* Balladore, J.L. 88−26128
Pyfer, M.F., Ansari, R. The design and application of optimal FIR fractional-slope phase filters 87−59760
Pygott, C.H. The specification and verification of complex digital electronics for safety or security critical systems 86−27187
Pygott, C.H. *see* Cullyer, W.J. 87−10928, 87−44892
Pyi, H.-S. *see* Mitra, S.K. 85−17721
Pyke, R.B. A gridless switchbox router 87−60598
Pykerman, K. *see* Miller, B. 85−52461
Pykett, K. *see* Ellis, D. 85−31262
Pykhov, R.L. *see* Baranov, A.N. 87−46770
Pykhtin, Yu.D. *see* Ermakov, S.V. 88−62033 to 62034
Pykkonen, M. The technology behind fiber optic communications systems 85−8410
Pyko, K. Why most US students can't get into engineering schools 87−72723
Pyko, K. *see* Zorpette, G. 87−31167
Pykosz, T.L., Morimoto, K., Imaizumi, E. Color graphic front luminous VFD 86−31255
Pykosz, T.L. *see* Itoh, S. 88−26966
Pyl, T. *see* Brasel, E. 85−5141
Pyl, Th. *see* Brasel, E. 85−5142
Pyl, T.Van der *see* Van der Pyl, T.
Pylaev, V.M. *see* Borodachev, A.S. 85−44318
Pylant, J.K. *see* West, S.E. 88−50492
Pyle, A.J. *see* Artingstall, S. 88−28624
Pyle, B. *see* Fabick, L.B. 87−9803
Pyle, B. *see* Mitchell, K.W. 87−30962
Pyle, G.J. *see* Brook, F.D. 88−47801
Pyle, I.C. Uses for computing conferencing 86−10753
Pyle, R. *see* Conn, T. 86−57843, 88−56027
Pyle, R. *see* Domangue, E. 86−15292
Pyle, R. *see* Eib, N. 88−57566
Pyle, R. *see* Klema, J. 85−6860
Pyle, R.B. *see* Orville, R.E. 87−29930
Pyle, R.E., Stevens, H.A. Characterization of die attach failure modes in leadless chip carrier (LCC) packages by Auger electron spectroscopy 85−7043
Pyle, R.E. *see* Hance, R.L. 88−18737
Pyle, R.E. *see* Hong, C. 88−26095
Pyle, R.E. *see* Stevens, H.A. 85−55739
Pyle, R.V. *see* Ehlers, K.W. 88−4770
Pyle, R.V. *see* Jimbo, K. 86−65322
Pyle, R.V. *see* Kaplan, S.N. 86−32106
Pyle, R.V. *see* Leung, K.N. 85−59100, 87−8823
Pyle, R.V. *see* Morse, E.C. 85−56463
Pyle, R.V. *see* Stearns, J.W. 85−59109
Pylev, I.M. *see* Aronson, A.Ya. 87−35836
Pylkkanen, M., Rahko, K. The speech transmission system of a LAN network 88−46586
Pylkki, R.J. *see* Heikkila, K.E. 85−11745
Pyl'nikova, G.E. *see* Dubilovich, V.M. 88−62259
Pylov, A.P. *see* Anuchin, E.N. 88−12208
Pyl'tsev, P.I. *see* Volkolupov, Yu.Ya. 87−66859
Pymm, A., Leonard, I. Testing of in the ear hearing aids 86−44707
Pyndyk, A.M. *see* Plakhotnik, T.V. 88−51902
Pyne, A.E., Newman, P.C. The commercial prospects for gallium arsenide ICs 86−2352
Pyne, D., Khokle, W.S. Analysis of the Early voltage in bipolar transistors 87−6676
Pynn, C.T. New strategies for board test 88−57145
Pynn, R. *see* Robinson, R.A. 86−25152
Pynsent, P.B. *see* Fairbank, J.C.T. 86−32237
Pyo, S.S., Yazdani, M. Design and automatic generation of a CMOS NOR-NOR testable programmable logic array (CTPLA) 88−63643
Pyo, S.S. *see* Suk, M. 87−17005
Pyon, R.G., Aozasa, M., Ando, K. Preparation of a-Si:H film by the triode glow discharge system 85−436
Pyon, R.G., Aozasa, M., Ando, K. High rate deposition of a-Si:H films in a triode glow discharge system 86−57478
Pyon, R.G., Aozasa, M., Ando, K. Bias effects on morphology and growth rate of glow discharge a-Si:H films in a triode system 86−66854
Pyon, R.G. *see* Aozasa, M. 86−46375, 87−65558
Pyon, R.G. *see* Satomi, K. 86−487
Pyong Sik Pak, Suzuki, Y. Comparison of NO_x emission characteristics of a gas turbine according to its efficiency and fuel 88−55212
Pyong Sik Pak *see* Tsuji, K. 88−23413
Pyplacz, J.K. *see* Priedka, J. 85−21755
Pyra, B.C., Deuar, K.J. Application of computing and mathematical analysis techniques to the management of wood pole resources 88−23547
Pyragas, K., Cenys, A. The volt-ampere characteristics of a ballistic semiconductor diode 88−33146
Pyrkina, O.E. *see* Aleksandrov, A.F. 86−68416, 87−46301
Pyrkova, T.M. *see* Makarov, M.S. 87−41400
Pyrlik, J. *see* Ash, W.W. 88−10244
Pyrlya, M.N. *see* Dragomeretsky, V.V. 87−17919
Pyschik, U. ISDN communication system for inhouse operation 86−4127
Pyschik, U. When networks sometimes catch the user Utopia would be realised 86−23267
Pyshkin, S.L. *see* Budyanu, V.A. 85−6742, 86−14911
Pyshkin, V.B., Rudychev, V.G., Chugunov, V.P. Economical variable current supply 88−70511
Pyskov, V.P., Ryabukhin, A.V., Skwortsov, A.K. Mode selection for laser scribing in production of ceramic microplates 87−12648
Pyszczek, J. Assembling features of microelectronic circuits as a problem in designing electronic units 86−8668
Pytches, D. Zinc-air−the pollution-free battery of the future 85−16193
Pytel', I.D. *see* Dao Tchai Zuei 85−64317
Pytel', I.D. *see* Koval'chuk, N.G. 86−38340
Pytel, J. *see* Karolewski, B. 85−5095
Pytel, W. Oxygen varistor 88−63982
Pyt'ev, Yu.P., Chulichkov, A.I., Chulichkova, N.M. Reduction of images distorted by a turbulent atmosphere 88−34809
Pyt'ev, Yu.P. *see* Ermolaev, A.G. 85−30293, 88−10605
Pyt'ev, Yu.P. *see* Kozlov, A.A. 87−47775
Pyt'ev, Yu.P. *see* Zhuravlevo, O.V. 87−70626
Pytkin, Yu.N., Lobov, V.I., Zverkov, V.V., Staroverov, G.A., Ignatenko, E.I. Experimental studies of transient conditions when (all) six main circulating pumps are tripped while a VVER-440 reactor is on load 86−39407
Pytkin, Yu.N. *see* Andrushechko, S.A. 88−17300
Pytkin, Yu.N. *see* Deshchenya, N.T. 87−22063
Pytkin, Yu.N. *see* Gutsalov, A.T. 87−57805
Pytkin, Yu.N. *see* Ignatenko, E.I. 87−15472
Pytkin, Yu.N. *see* Ivanov, V.A. 85−38621, 86−32940
Pytlak, A. Power losses and efficiency of medium power DC thyristor driving systems 86−51764
Pytlak, A. Breakdown of supply network voltage caused by three-phase bridge-type thyristor convertors 86−56399
Pytlak, A. Notches in the mains voltage waveform, caused by semiconductor converters 87−22540
Pyt'yev, Yu.P. *see* Antonyuk, V.A. 87−16419
Pyun Jae Jeong *see* Jae Jeong Pyun
Pyun Su-Il *see* Su-Il Pyun
Pyung Mah Jae *see* Jae Pyung Mah
Pywell, A. The AVC Century vision mixer 87−70235
Pyy, P., Wahlstrom, B. Modelling the human in PSA studies 88−62119
Pyykko, I. *see* Juhola, M. 86−25169, 86−29833, 88−61348
Pyykko, J.P., Kortela, U. Evaluation of the fuel inventory in the bed in fluidized bed boilers 88−75474
Pyykkonen, M. 'Economic considerations for metropolitan and intercity fiber optics networks' 85−14305
Pyykkonen, M. Handicapping LANs 85−36725
Pyykkonen, M. Fiber for LANS−the high-performance alternative 87−62647
Pyykkonen, M. Current status and trends in long haul fiber optics networks 87−70073
Pyykkonen, M. Putting LAN plans to work. II 88−15079
Pyykkonen, M. *see* Vesterinen, R. 86−39547
Pyykkonen, M.P. The upside and downside potential for fiber optics in local area networks 88−35163
Pyzalski, R., Vala, M. Conversion of decimal numbers to irreducible rational fractions 86−46154
Pyzdek, T. A ten-step plan for statistical process control studies 86−7547
Pyzhkov, A.I., Lyutov, S.A., Nikolin, S.V. Stable source of infrared radiation for photometer calibration 87−33067

Q, A.Camacho *see* Camacho Q, A.
Q. Bui Long *see* Long Q. Bui
Qadri, S. *see* Ritson, D.C. 88-52698
Qadri, S.B., Ma, D., Peckerar, M. Double-crystal X-ray topographic determination of local strain in metal-oxide-semiconductor device structures 88-13371
Qadri, S.B. *see* Cukauskas, E.J. 85-56159
Qadri, S.B. *see* Dinan, J.H. 85-54464
Qadri, S.B. *see* Jonker, B.T. 87-58916, 88-63317
Qadri, S.B. *see* Kennedy, J.J. 88-31710
Qadri, S.B. *see* Wolf, S.A. 86-62228
Qamaruzzaman, A.Mostavan *see* Mostavan Qamaruzzaman, A.
Qaqish, W. *see* Lant, C.T. 88-51982
Qashou, M., El-Mulki, H., Jaradat, A., Ta'ani, R. Compilation and evaluation of solar and wind energy resources in Jordan 87-30295
Qasrawi, A.M.S. Determination of air fuel ratio from exhaust gas analysis 85-15072
Qaude, R.N. *see* Petrek, J.P. 85-53511
Qauntin, X. Teletel and the new means of payment in the smart card town of Blois 85-25442
Qehrlein, G.S. *see* Spirito, P. 86-67809
Qhashi, Y. *see* Kuwata, Y. 86-51732
Qhshita, S., Koyama, S. Application of double-jump-spectrum to DPSK communication system 86-3751
Qi, F.-H. *see* Young, T.Y. 88-28127
Qi, L., Gu, C. A method for obtaining dispersion characteristics of shielded microstrip lines 88-72628
Qi, L., Wu, L., Lo, Y. Image guide couplers used in millimeter wave integrated circuits 88-25549
Qi, N. *see* Ash, W.W. 88-10244
Qi, X. *see* Shu, Y. 87-75507
Qi Beien *see* Qiu Jingwu 87-36006
qi Dong *see* Dong qi
Qi Fehu *see* Wu Shiguang 86-24411
Qi Guiyun, Yu Shipeng, Cao Yuli, Yu Gang, Han Yong A RF excited CO_2 waveguide laser 85-46310
Qi Guiyun *see* Yu Gong 86-15610
Qi Hongain *see* Pan Zhonghan 88-72402
Qi Jianhua *see* Pan Ji 85-50380
Qi Jianping, Lou Qihong, Ding Zean, Huo Yunsheng, Wang Runwen Gas flow effects in pulse avalanche discharge XeCl excimer lasers 88-33922
Qi Jianping *see* Lou Qihong 86-68616, 87-54220, 88-2158
Qi Jilan, Wu Yiwen Tunable CW $C^{18}O_2$ laser 86-15614
Qi Jin *see* Jin Qi
Qi Lan *see* Lan Qi
Qi Lanfen *see* Lanfen Qi
Qi Li *see* Li Qi
Qi Lin *see* Lin Qi
Qi Merg *see* Merg Qi
Qi Ming *see* Wang Wenshan 87-31482
Qi Niansheng *see* Niansheng Qi
Qi Ning On a conjecture of Foulds and Robinson about deltahedra 88-11846
Qi Qinian *see* Li Tongnin 86-54064
Qi Sheng-yong *see* Zong Xiang-fu 85-45380
Qi Tian, Lee, S.H., Fainman, Y., Guest, C. Hybrid optical implementation of the Hough transform 85-57445
Qi Tu Zhang A new approach to near optimum MTI filter design using adaptive techniques 88-74033
Qi Wang *see* Wang Qi
Qi Wang Song *see* Yu, F.T.S. 87-74854
Qi Wei-Hao *see* Wei-Hao Qi
Qi Weijia *see* Bao Minhang 87-70545
Qi Xiaoshi *see* Hu Zhiqiang 85-62483
Qi Xu Huai *see* Huai Qi Xu
Qi Yizhi *see* Shi Xiangqing 88-20271
Qi Yongtang The design of a drive circuit of the Mossbauer spectrometer 86-50457
Qi Zengfang A new method for measuring the resistivity of a high resistance compound 87-70748
Qi Zhang *see* Zhang Qi
Qi Zhangfen, Wang Xiaoyi, Gao Shujuan, Gao Fukang, Fu Shufen, Fang Honglie, Wang Zhijiang Ultrashort cavity dye laser pumped by XeCl laser 88-27091
Qi Zhangfen *see* Fu Shufen 88-20587, 88-33933
Qi Zhaung *see* Zhaung Qi
Qi Zheng *see* Zheng Qi
Qi Zhiru *see* Yu Fumin 85-25607
Qi Zhuang *see* Zhuang Qi
Qi-Chu Mei *see* Mei Qi-Chu
Qi-dong Wei *see* Wei Qi-dong
Qi-guo Hou *see* Hou Qi-guo
Qi-hong Lou *see* Lou Qi-hong
Qi-hu Li *see* Li Qi-hu
Qi-hua Shen *see* Shen Qi-hua
Qi-hui Su *see* Su Qi-hui
Qi-ji Lai *see* Lai Qi-ji
Qi-ji Yang *see* Yang Qi-ji
Qi-lun Zheng *see* Zheng Qi-lun
Qi-Min Shang *see* Shang Qi-Min
Qi-min Wang *see* Wang Qi-min
Qi-ming Wang *see* Wang Qi-ming
Qi-Ming Zhu *see* Zhu Qi-Ming
Qi-ping Cao *see* Cao Qi-ping
Qi-ping Wang *see* Wang Qi-ping
Qi-rong Xing *see* Ching-yue Wang 85-62632
Qi-shao Lu *see* Lu Qi-shao
Qi-tang Lin *see* Lin Qi-tang
Qi-wan Sun *see* Sun Qi-wan
Qi-Wei Ge *see* Onaga, K. 87-44164
Qi-wei Lian *see* Lian Qi-wei
Qi-xiang Jiao *see* Jiao Qi-xiang
Qi-Xiang Zhuang *see* Zhuang Qi-Xiang
Qi-yuan Feng *see* Xing-yu Yang 86-63759
Qi-yuan Feng *see* Feng Qi-yuan
Qi-yue Sun *see* Sun Qi-yue
Qi-zhong Hu *see* Hu Qi-zhong
Qian, F., Kim, D.M., Kawamoto, G.H. Inversion/accumulation-mode polysilicon thin-film transistors: characterization and unified modeling 88-71564
Qian, F., Kim, D.M., Park, H.K., Sachitano, J.L. Inversion-mode MOSFETs in polycrystalline silicon thin films: characterization and modeling 88-26264
Qian, F. *see* Kim, D.M. 87-66873
Qian, J., Barlow, J.S., Beddoes, M.P. A simplified arithmetic detector for EEG sharp transients—preliminary results 88-30011
Qian, J., Chow, Y.L. The optimized image of an oscillating magnetic dipole near and normal to a conducting sphere 86-63905
Qian, J., Huang, W. Coupled-mode theory for LP modes 86-63640
Qian, J., Huang, W. LP modes and ideal modes on optical fibers 86-63641
Qian, J., Hussey, C.D. Circular birefringence in helical-core fibre 86-48083
Qian, J., Yu, K.-B., Haralick, R.M. A multi-threshold adaptive filtering for image enhancement 87-27653
Qian, J. *see* Beddoes, M.P. 87-63793
Qian, J. *see* Mohan, S. 88-66956
Qian, J.-R. *see* Li, L. 88-22615
Qian, J.R. *see* Snyder, R.V. 85-40224
Qian, K.X., Fei, Q. Haemolysis test of nonpulsatile and pulsatile impeller blood pumps 88-61393
Qian, Q., Melloch, M.R., Cooper, J.A., Jr. Multiday dynamic storage of holes at the AlAs/GaAs interface 87-17759
Qian, Q. *see* Cooper, J.A., Jr. 87-44848
Qian, Q.-D., Melloch, M.R., Cooper, J.A., Jr. Photosensitive capacitance-voltage characteristics of molecular beam epitaxially grown GaAs/AlGaAs/GaAs heterostructures 86-35389
Qian, Q.-D. *see* Cooper, J.A., Jr. 86-35384, 86-63118
Qian, Q.-D. *see* Melloch, M.R. 87-24820, 87-33047, 87-60131, 87-74067, 88-5867
Qian, W.S. *see* Liang, Z.X. 86-32008
Qian, X. *see* Hu, Y. 85-58969
Qian, Y. *see* Arvas, E. 88-66020
Qian, Y.J., Schenstrom, A., Xu, M.-F., Baum, H.-P., Sarma, B.K., Levy, M., Ketterson, J.B. Oscillations in ultrasonic attenuation: real or spurious? 88-29716
Qian, Y.J. *see* Levy, M. 88-51385
Qian, Y.J. *see* Schenstrom, A. 88-32885
Qian, Y.S., She, Y.E. Automatic and continuous system for measurement of superconductive transition temperatures using a dynamic technique 86-44451
Qian, Z.-T. *see* Tong, G.-Q. 87-14435
Qian, Z.B. *see* Xu, G.S. 86-55948
Qian Baojun, Qian Cheng, Tian Hongjiang, Wang Hua Evolution of a new thermomechanical tester for fibers and films 88-22473
Qian Bin *see* Bin Qian
Qian Binjiang *see* Yang Qiangsheng 86-70811
Qian Bosen The λ bipolar transistor with adjustable negative-resistance 88-57608
Qian Cheng *see* Qian Baojun 88-22473
Qian Chunliang *see* Wang Yuzheng 86-11911
Qian Cong Zheng A new calibration method for six-port reflectometers 86-24736
Qian Cong-zheng *see* Cong-zheng Qian
Qian Dayuan *see* Dayuan Qian
Qian De-chu *see* Wang Hong-zhang 87-6959
Qian Enrong, Cheng Wan-jun, Niu Hiu-chang An experiment of backwave tube reviving by means of laser beam welding 87-12646
Qian Feng *see* Feng Qian
Qian Guanyue *see* Gu Guobiao 87-22269
Qian Ji-peng *see* Ji-peng Qian
Qian Jiadong, Zhao Heyun Earth resistivity modelling and observational system with multi-separation of electrodes 88-68607
Qian Jiakuang *see* Wang Enyao 85-20683, 85-64222
Qian Jiakuang *see* Zheng Zhiqin 85-29513
Qian Jianmin *see* Wei Wende 87-43075
Qian Jianming *see* Shi Daojun 86-22445
Qian Jing-Ren *see* Jing-Ren Qian
Qian Jingren *see* Jingren Qian
Qian Juling *see* Chen Jianpu 88-36320
Qian Junqiang A general microcomputer-implemented thyristor trigger control system 88-56447
Qian Keyou, Jiang Chuanqui, Li Gangru A method to obtain the true field intensities from their deviated measured values 88-47654
Qian Li *see* Li Qian
Qian Li-shing *see* Lee Hua-deh 88-62362
Qian Lin-jun *see* Zhang Shi-min 85-16884
Qian Linxing *see* Zhao Qinchun 88-40161
Qian Linxing *see* Zhao Qungchun 87-7279
Qian Linzing *see* Zhao Qinchun 88-20588
Qian Liu *see* Liu Qian
Qian Min *see* Wu, P.H. 87-77385
Qian Niu, Thouless, D.J. Coupling of source and drain to a quantum Hall system 86-41612
Qian Ping Gu *see* Gu Qian Ping
Qian Qing-da, Leng Shan, Cao Zu-qing A simulation research on the differential expansion of 125 MW steam turbine during starting and stopping 88-30581
Qian Shenfa *see* Shenfa Qian
Qian Song *see* Song Qian
Qian Tang *see* Tang Qian
Qian Tien *see* Tien Qian
Qian Wang *see* Wang Qian
Qian Wei Zhong, Zhang Feng Analysis and suppression of interference modes in coaxial magnetrons 87-37813
Qian Xianggeng, Zhu Aiping New method for faults—diagnostics in micro system 86-8286
Qian Xiu-ying, Ni Guang-zheng, Cheng Zhi-guang, Gao Sheng, Xie Yu-Cheng Numerical analysis on electric field intensity around elbow-shaped connection of EHV transformer with FEM 85-5146
Qian Xuejian *see* Xu Yuansen 88-44133
Qian Yong-geng, Thompson, C.J. Use of a pulsed magnetic field to increase the position sensitivity of a photomultiplier 87-45546
Qian Yongjia *see* Qiu Jingwu 87-36006
Qian Youhua *see* Wu Zhongchi 85-50184
Qian Yulan *see* Zhao Meicun 88-58480
Qian Yunlong A double focusing non spatial dispersion magnet for medical accelerator 87-50094
Qian Yunlong, Derrig, G., Laune, B., May, D. Influence of trim coil current variation on vertical behaviour of the beam extracted from AVF cyclotron 88-68175
Qian Yunlong, Laune, B., Derrig, G. Determination of beam emittance using SEM multiwire devices 88-29760
Qian Zhaoming, Wang Junmai, Luo Gongwei, Pan Xitang Reducing errors in measuring minority carrier lifetime in silicon solar cells from photoinduced open-circuit voltage decay 86-13044
Qian Zhenxing, Zhang Xiaozhong, Zhao Mingzhou, Wu Xizhang, Lin Yujin A modified ZnO film model for calculating elastic and piezoelectric properties 86-9328
Qian Zhonghou, Wang Jimei, Shang Wenkai Analysis of single side axial magnetic field electrode [vacuum interrupters] 87-21986
Qian-Ling Zhang *see* Tung-Wei Tang 86-9149
Qian-sheng Cheng *see* Cheng Qian-sheng
Qianbao Zhan *see* Zhan Qianbao
Qiang, B. *see* Ren, K. 86-3696
Qiang Bohan, Chang Yilin An experimental underground radar for historical archaeology 86-30886
Qiang Ding *see* Ding Qiang
Qiang Fu *see* Fu Qiang
Qiang Jin-Neng *see* Jin-Neng Qiang
Qiang Jinlong *see* Xia Qing 86-39609
Qiang Lu *see* Wenyuan Xu 88-75038
Qiang Shen *see* Shen Qiang
Qiang Sun *see* Sun Qiang
Qiang Xu *see* Xu Qiang
Qiang Ye *see* Ye Qiang
Qiang Yujun *see* Bassini, R. 85-43298, 86-27149
Qiang Zhang *see* Zhang Qiang
qiang Zhang Guan *see* Zhang Guan qiang
Qiang-ji Zhang *see* Zhang Qiang-ji
Qiang-Sheng Hu *see* Li-Xue Chen 88-51898
Qiang-zhong Zha *see* Zha Qiang-zhong
Qiangao Li *see* Li Qiangao
Qiangfu Zhao *see* Zhao Qiangfu
Qiangji Zhang *see* Zhang Qiangji
Qiangsheng Yang *see* Yang Qiangsheng
Qiangxu Guo *see* Guo Qiangxu
Qiansheng Cheng Convolution decomposition of 1-D and 2-D linear stationary signals 88-66529
Qiansuo Yang *see* Yang Qiansuo
Qianyu Zhang *see* Zhang Qianyu
Qianzhi Yang *see* Yang Qianzhi
Qiao, T. *see* Wang, H. 88-68940
Qiao, X.F. *see* Zhang, Y. 86-42195
Qiao, Z.-G., Morkrid, L., Grimnes, S. Simultaneous measurement of electrical admittance, blood flow and temperature at the same skin site with a specially designed probe 87-57060
Qiao, Z.-G., Morkrid, L., Grimnes, S. Three-electrode method to study event-related responses in skin electrical potential, admittance and blood flow 88-10365
Qiao Feng, Cotton, T.M. A study of charge transfer at an illuminated p-InP electrode in aqueous solution 88-44608
Qiao Futang *see* Jiang Jinquan 88-72284

Qiao Fuzheng Anti-interference measures for microcomputer-based tele-equipment installation and field operation 87−49584
Qiao Gu *see* Gu Qiao
Qiao Jian *see* Chai Tianen 87−53477
Qiao Li *see* Li Qiao
Qiao San *see* Luan Guixing 87−59546
Qiao Sang *see* Luan Guixing 88−790
Qiao Sanzheng *see* Sanzheng Qiao
Qiao Shi-zhong *see* Hu Nan-shan 88−25721
Qiao Shizhong *see* Hu Nanshan 86−14575
Qiao Wang *see* Wang Qiao
Qiao Weimin *see* Guo Zhongyan 87−63663
Qiao Xiaolin *see* Wang Li 86−65016
Qiao Yi-zeng *see* Wei Mao-xin 86−21316
Qiao Yimin *see* Dia Ning 88−38142
Qiao Yimin *see* Zhang Suying 85−31480, 85−45632
Qiao Yong *see* Wang Wei-huan 85−45386
Qiaolin, Z. *see* Chen, D. 85−43195
Qiaomin Wang *see* Chengtian Xue 88−56863 to 56864
Qibo Zhou *see* Chipman, R.A. 88−40004
Qichang Gao *see* Gao Qichang
Qichang Li *see* Li Qichang
Qichang Pang *see* Pang Qichang
Qicheng Huang *see* Huang Qicheng
Qichuan Hu *see* Hu Qichuan
Qidi Guo *see* Guo Qidi
Qidwai, A.A., Husain, S.A. Effects of indium or gallium doping on Au-ZnSe 86−63106
Qienxin Jia *see* Guangyan Hong 88−33867
Qifan Wang, Dong Jianglin A strategic study on the development of electronic industry in China 87−16322
Qifong Song *see* Song Qifong
Qifu Xiao *see* Xiao Qifu
Qigong Shen *see* Shen Qigong
Qiguo Hou *see* Hou Qiguo
Qiheng Cheng *see* Cheng Qiheng
Qihong Lou The effect of specific input energy on the performance of an X-ray preionised XeCl discharge laser 88−20558
Qihong Lou UV excimer laser produced plasma and it's application to laser plasma switching 88−58449
Qihong Lou *see* Lou Qihong
Qihua Shen *see* Shen Qihua
Qihua Yu *see* Yu Qihua
Qiji Lai *see* Lai Qiji
Qiji Yang *see* Yang Qiji
Qijiang Xing *see* Xing Qijiang
Qijin Ye *see* Ye Qijin
Qijing Ye *see* Hongyuan Shen 86−68502
Qijun Fu *see* Fu Qijun
Qijun Huang *see* Huang Qijun
Qijun Wang *see* Wang Qijun
Qili Huang *see* Huang Qili
Qili Liu *see* Liu Qili
Qiliang Wang *see* Wang Qiliang
Qimei Jin *see* Jin Qimei
Qimin Shen *see* Shen Qimin
Qimin Wang *see* Wang Qimin
Qiming Cai *see* Cai Qiming
Qiming Wang *see* Wang Qiming
Qiming Wu *see* Wu Qiming
Qin, B.L., Sheng, J.N., Yan, Z., Gela, G. Accurate calculation of ion flow field under HVDC bipolar transmission lines 88−48591
Qin, B.L. *see* Sheng, J. 88−52076
Qin, B.L. *see* Sheng, J.N. 88−52049, 88−69069
Qin, B.L. *see* Yan, Z. 87−30227
Qin, G., Kawakubo, T. Electrical circuit simulation of membrane excitation 87−10599
Qin, G., Ma, P., Gao, Q., Wang, N. A non-invasive device for evaluating fiber composition of human skeletal muscle types 88−74851
Qin, H.S. Some sufficient conditions for occurring bifurcation 87−16541
Qin, J., Enpuku, K., Yoshida, K. Flux-flow-type Josephson oscillator for millimeter and submillimeter wave region. IV. Thin-film coupling 88−33571
Qin, J. *see* Pan, J. 88−61382
Qin, J. *see* Yan, L. 88−65057
Qin, J. *see* Yoshida, K. 88−26716
Qin, L.-J. *see* Wang, Z.-G. 85−2220
Qin, L.C. A further study on the self-consistent algebraic reconstruction algorithm 87−62179
Qin, M.-S., Li, Y.-J., Lai, Y.-L. Reverse erection of transmission-tower 88−69034
Qin, S. *see* Luan, D.F. 85−11092
Qin, S.-C., Geiger, R.L. A ±5-V CMOS analog multiplier 88−20116
Qin, X.Y. *see* Barnett, T.G. 88−23082
Qin Chuansheng *see* Zhu Wensen 85−12821
Qin Delin, Hu, N.C. A new method of synthetic Chinese speech on unlimited vocabulary 88−52401
Qin Fuguang *see* Yang Guangrong 85−33419
Qin Guoyi Surface spectrum of electron collective excitations in a type-II semiconducting superlattice with the hole-layer as the surface layer 85−34560
Qin Hu *see* Hu Qin
Qin Jiamei *see* Song Shuwu 88−34759
Qin Jichang *see* Liu Rongxun 87−21244
Qin Jiuchang, Yu Juexian, Yang Suichun, Du Xueren, Liu Zhengying, Wang Haipeng, Chen Wenkui, Hu Yaoming, Zhang Guilian, Yang Bingfan, Yu Yunfeng, Guan Xialing, Ning Shulan, Yang Weimin, Ge Jiyun, Bi Decai, Zheng Zhanyi Testing and commissioning of the HI-13 tandem accelerator 88−47756
Qin Kao Extraction of fault information from power system by microcomputer 86−12248
Qin Ke-Qi Effect of vibration on the statistical correlation of an optical field produced by multimode optical fibers 87−54019
Qin Ke-Qi *see* Ke-Qi Qin
Qin Keqi, Chen Jianwen, Lei Shizhan, Wang Runwen Research on variable period Wiggler free electron lasers 88−20685
Qin Keqi, Chen Jianwen, Wang Runwen Low noise phase-difference amplification by nonlinear holograms 88−40359
Qin Keqi, Chen Jianwen, Wang Runwen Statistical correlation properties of optical field produced by single mode and multi-mode optical fibers 88−58068
Qin Li *see* Li Qin
Qin Rui-ping *see* Li Tian-duo 87−71967
Qin Shi, Ju Yaoming An S-band PLL frequency synthesizer for agile radar 88−35589
Qin Tao *see* Zong Xiang-fu 85−45380
Qin Teng *see* Teng Qin
Qin Wei *see* Wei Qin
Qin Wenhua, Cai Xijie, Wang Zhijiang, Wu Hongxing Broad-band SHG of *Q*-switched Nd:glass laser 88−72404
Qin Yali *see* Lu Baida 87−54364
Qin Yi, Pan Chengzhi, Han Shaoping, Hou Qiguo Study of CH_2Br_2, CH_2I_2, CH_3F and D_2O FIR media and laser lines 86−3016
Qin Yi *see* Pan Cheng-zhi 85−46304, 87−33117
Qin Yi-chun *see* Zhang Wei-ping 88−30041
Qin Ying *see* Zhong Lichen 87−54305
Qin Yong, Cal Bin Mechanism and suppression of SSR in induction motor-group 85−4621
Qin Yuying *see* Ma Shusen 86−22275
Qin Yuying *see* Yao Yongbang 88−27018
Qin Zhang, Qizhi Mei Element importance and system failure frequency of a 2-state system 86−13548
Qin Zhang *see* Zhipeng Zhang 88−42112
Qin Zhongping *see* Zhang Huanguo 88−59011
Qin Zhou *see* Zhou Qin
Qin Zhouren An analysis for the 12 bit ADC board of Apple microcomputer 88−56704
Qin Zhuo Beam optics design of the dipole caesium beam tube 86−63918
Qin Zi-kai, Zhang Zhong-yuan, Zhang Kai-jun Analysis of frequency spectrum of coupled *T*-type wave in *AT*-cut quartz vibrator 88−51099
Qin-Liang Yuan *see* Yuan Qin-Liang
Qin-ren Sun *see* Sun Qin-ren
Qin-tang Wang *see* Wang Qin-tang
Qin-xian Xiao *see* Xiao Qin-xian
Qin-yi Tong *see* Tong Qin-yi
Qinbao Wu *see* Wu Qinbao
Qinchun Zhao *see* Zhao Qinchun
Qinfen Zheng *see* Zheng Qinfen
Qing, H., Oliner, A.A., Sanchez, A. A new leaky waveguide for millimeter waves using nonradiative dielectric (NRD) waveguide. II: Comparison with experiments 87−66470
Qing Bai Lin, Fu Geng Zhang Coumarin 120 laser pulses close to the Fourier transform limit from a simplified resonant cavity 87−61103
Qing Gao *see* Gao Qing
Qing Hanguang *see* Ding Yibing 87−43068
Qing Liu *see* Liu Qing
Qing Minghua *see* Song Yaozhu 85−12783
Qing Shen *see* Shen Qing
Qing Sun *see* Sun Qing
Qing Wang *see* Wang Qing
Qing Xia *see* Xia Qing
Qing Xu *see* Xu Qing
Qing Yu *see* Yu Qing
Qing Yuan *see* Bo Huang 88−40096
Qing Zhang *see* Zhang Qing
Qing Zhu *see* Zhu Qing
Qing Zhu Gao, Hariu, T., Ono, S. Low-temperature surface cleaning of Si and successive plasma-assisted epitaxial growth of GaAs 88−12007
Qing-Chang Qu The improvements of magnetic measuring equipment of electrical sheet steels 86−24718
Qing-Chang Qu *see* Qu Qing-Chang
Qing-da Qian *see* Qian Qing-da
Qing-gai Shen *see* Shen Qing-gai
Qing-guong Zhang *see* Zhang Qing-guong
Qing-hui Meng *see* Meng Qing-hui
Qing-ji Wang *see* Wang Qing-ji
Qing-jing Lin *see* Lin Qing-jing
Qing-li Da *see* Da Qing-li
Qing-lin Wang *see* Wang Qing-lin
Qing-ming Zhao *see* Zhao Qing-ming
Qing-Qi Zhu *see* Zhu Qing-Qi
Qing-rong Lian *see* Lian Qing-rong
Qing-Shin Ru *see* Takeda, M. 86−3325
Qing-shou Huang *see* Huang Qing-shou
Qing-yang Li *see* Li Qing-yang
Qing-Yi Zhou *see* Zhou Qing-Yi
Qing-yu Zeng *see* Zeng Qing-yu
Qing-Yuan Zhu *see* Zhu Qing-Yuan
Qing-zhong Zhang *see* Zhang Qing-zhong
Qingchang Yu *see* Yu Qingchang
Qingchang Zhou *see* Zhou Qingchang
Qingde Zhuang *see* Zhuang Qingde
Qingdong Yao *see* Yao Qingdong
Qingfu Zhao *see* Zhao Qingfu
Qinggai Shen *see* Shen Qinggai
Qinggen Kong *see* Kong Qinggen
Qinggui Chen *see* Chen Qinggui
Qingguo Feng *see* Feng Qingguo
Qinghai Miao *see* Miao Qinghai
Qinghan Xiao *see* Xiao Qinghan
Qinghua Jiang *see* Jiang Qinghua
Qinghua Wu *see* Wu Qinghua
Qinghuai Liu *see* Liu Qinghuai
Qinghuan Zhang *see* Zhang Qinghuan
Qinghui Zhang *see* Zhang Qinghui
Qingji Guo *see* Guo Qingji
Qingju Meng *see* Meng Qingju
Qingke Peng *see* Peng Qingke
Qingke Zeng, Xianfu Zeng Preparation of epitaxial GaAs layers for negative electron affinity photocathodes by using the electrical current-induced liquid phase epitaxy 88−38166
Qinglan Hu *see* Hu Qinglan
Qinglin Chen *see* Chen Qinglin
Qinglin Wang *see* Wang Qinglin
Qinglin Yao *see* Yao Qinglin
Qingmei Chen *see* Chen Qingmei
Qingming Zeng *see* Zeng Qingming
Qingping Zhang *see* Zhang Qingping
Qingqing Huang *see* Wenzhong Hu 87−67799
Qingrong Zhang *see* Zhang Qingrong
Qingru Fan *see* Fan Qingru
Qingsen Gan *see* Gan Qingsen
Qingsheng Liao *see* Liao Qingsheng
Qingsheng Tan *see* Tan Qingsheng
Qingsong Li *see* Li Qingsong
Qingsu Zhan *see* Zhan Qingsu
Qingwen Yu *see* Yu Qingwen
Qingxi Song *see* Song Qingxi
Qingxian Li *see* Li Qingxian
Qingxiang Li *see* Li Qingxiang
Qingxu Yu *see* Yu Qingxu
Qingyong Hu *see* Hu Qingyong
Qingyu, Z., Sili, F., Zenghuang, L. Low frequency oscillation and field tests on power system stabilizer 86−12318
Qingyu Fei *see* Fei Qingyu
Qingyu Zeng *see* Zeng Qingyu
Qingyuan Han *see* Han Qingyuan
Qingyuan Zhu *see* Zhu Qingyuan
Qingyue Wang *see* Wang Qingyue
Qingyue Zhang *see* Zhang Qingyue
Qingyun Ma *see* Ma Qingyun
Qinhae Chen *see* Chen Qinhae
Qinhai Zhang *see* Zhang Qinhai
Qinhao Chen *see* Chen Qinhao
Qinian Qi *see* Qi Qinian
Qinian Yuan *see* Yuan Qinian
Qinke, Z. *see* Yuanren, C. 88−49001
Qinling Shi *see* Shi Qinling
Qinmin Chen *see* Chen Qinmin
Qinqin Xu *see* Xu Qinqin
Qinren Sun *see* Sun Qinren
Qinyi Tong *see* Tong Qinyi
Qinyi Zhang *see* Zhang Qinyi
Qiong-ru Li *see* Li Qiong-ru
Qionghua, Z. *see* Hammond, P. 85−51357
Qiou Pei-ji *see* Yang Wen 87−15756
Qiping Han *see* Han Qiping
Qiqing Yuan *see* Yuan Qiqing
Qiquan Hu *see* Hu Qiquan
Qirong Huang *see* Huang Qirong
Qirong Xing *see* Xing Qirong
Qiru Yang *see* Yang Qiru
Qishan, G., Andresen, E., Chun, G. Airgap permeance of vernier-type, doubly-slotted magnetic structures 88−23983
Qishan Gu *see* Gu Qishan
Qishan Liu *see* Liu Qishan
Qitai Gu *see* Gu Qitai
Qitang Lin *see* Lin Qitang
Qiu, C., Liang, Z. Optimal parameter design of OEC for restraining torsional vibration caused by SSR using random search technique 88−68941
Qiu, C.X., Shih, I. Tin- and indium-doped zinc oxide films prepared by RF magnetron sputtering 86−26899
Qiu, C.X., Shih, I. Investigation of electrodeposited $CuInSe_2$ films 88−31817
Qiu, C.X. *see* Qiu, S.N. 87−58981, 88−12067
Qiu, C.X. *see* Shih, I. 85−49587, 86−460, 86−57463, 88−32922, 88−37570
Qiu, G.-Y. *see* He, J.-S. 87−45036
Qiu, G.Y., He, J.S. A general analysis of pole deviations of actively-compensated filters 86−67342
Qiu, J. *see* Shahidehpour, S.M. 87−29992
Qiu, J.H. *see* Li, A.Z. 88−49814
Qiu, P., Zhao, C., Shi, Z. SAW group-type multistrip coupler 88−51121
Qiu, S., Filanovsky, I.M. Periodic solutions of the Van der Pol equation with moderate values of damping coefficient 87−73017
Qiu, S.N., Qiu, C.X., Shih, I. Air heat treatment of In-doped ZnO thin films 87−58981
Qiu, S.N., Qiu, C.X., Shih, I. Preparation of $Zn_xCd_{1-x}O$ thin films 88−12067
Qiu, S.N. *see* Shih, I. 88−32922

Qiu, Y. Comments on ‘Effect of electrode geometry on the positive impulse breakdown in carbon dioxide’ by T.V. Babu Rajendran, et al 85−24003
Qiu, Y. Effect of field uniformity on the dielectric strength of SF_6-N_2 and SF_6-CO_2 86−68064
Qiu, Y. Simple expression of field nonuniformity factor for hemispherically capped rod-plane gaps 87−18399
Qiu, Y., Liu, Y.F. A new approach to measurement of the figure-of-merit for strongly electronegative gases and gas mixtures 88−26593
Qiu, Y., Liu, Y.F., Sun, A., Kuffel, E. Dielectric strengths of SF_6/N_2 and SF_6/CO_2 gas mixtures at low pressure-gap separation values 88−26594
Qiu, Y., Siddagangappa, M.C. Comments, with reply, on ‘Prediction of breakdown voltages of binary gas mixtures in uniform electric fields’ by M.C. Siddagangappa, et al 85−60183
Qiu, Y., Weng, X., Zhang, M.C. Measurement of ionisation and attachment coefficients in trichlorotrifluoroethane and SF_6 mixtures 87−53769
Qiu, Y., Zhang, M., Li, L. Variation of the impulse breakdown voltage for nonuniform field gaps in air and SF_6 with different wavefronts 87−25672
Qiu, Y., Zhang, M., Liu, R., Chalmers, I.D. Effect of wavefront on impulse breakdown voltages of slightly nonuniform field gaps in nitrogen, air and SF_6 87−18397
Qiu, Y. *see* Chalmers, I.D. 85−56016
Qiu, Y. *see* Ren, X. 88−64823
Qiu, Z. *see* Yan, W. 88−52148
Qiu Baicang *see* Zhou Liwei 88−20855
Qiu Bingsheng, Yang Jianxun, Luo Xizhang, Lin Yikun Experimental investigation on optically pumped pulsed NH_3 FIR laser 88−40120
Qiu Bingsheng *see* Lin Yikun 85−12756, 85−62475, 86−9710, 87−68317
Qiu Bingsheng *see* Xing Fuhao 88−27008
Qiu Changhua, Wu Wenhao, Zhao Shifu, Han Daxing The effect of light soaking on the photoconductivity response in a-Si:H 87−26183
Qiu Changhua *see* Han Daxing 86−48249
Qiu Changhua *see* Changhua Qiu
Qiu Changtao, Wang Yupeng, Deng Jixiang, Xu Lijie Optimization design of multivariable control in multimachine power systems 87−71609
Qiu Daxiong *see* Zhou Xianming 88−42818
Qiu Dongming *see* Dongming Qiu
Qiu Fu-yuan *see* Zhou Zhen-zhou 85−24443
Qiu Guan-yuan *see* He Jian-she 87−59699
Qiu Guoyi *see* Xia Dexin 85−16022
Qiu Han quan *see* Ning Ding 88−32374
Qiu He-Nina Improvement of the machining performance for the new casting insulating material 87−12003
Qiu Hongjie *see* Hongjie Qiu
Qiu Jiabai *see* Yang Junhui 85−29941
Qiu Jiaju Online voltage control for power systems 85−15474
Qiu Jiaju *see* Han Zhenxiang 85−38483
Qiu Jianhua *see* Jianhua Qiu
Qiu Jingwu, Qian Yongjia, Qi Beien, Wang Dehua Development of a 0-100 A high stability superconducting magnet power supply 87−36006
Qiu Junlin, Gong Zhiwei, Tang Zhonghua, Sun Shuhua, Liu Yangman, Yuan Yu, Li Wanrong Study of 1 kW transverse flow CW helium-free CO_2 laser 88−65553
Qiu Junlin *see* Qu Jianan 88−72253
Qiu Junlin *see* Xia Zuyong 88−65549
Qiu Junlin *see* Yu Jianhua 85−46308
Qiu Lanhua *see* Chen Keming 85−50263
Qiu Ming-xin *see* Zhou Zhen-zhou 85−24443
Qiu Mingxin Far infrared laser magnetic resonance 88−20584
Qiu Mingxin, Zhou Zhenzhuo, Li Ding, Shen Guangping Some investigations of laser induced chemical processes on solid surfaces 88−45605
Qiu Mingxin, Zhou Zhengzhuo, Niu Ji’er, Yang Weirong 20 new laser transitions of Cl, O, N and Ti in UV and visible bands 85−12794
Qiu Mingxin *see* Li Ding 88−39209, 88−39282
Qiu Mingxin *see* Wang Bo 88−65550
Qiu Mingxin *see* Zeng Yongjian 87−33265
Qiu Mingxin *see* Zhou Zhengzhuo 88−40062
Qiu Minwang *see* Huang Yichuan 88−40171
Qiu Pei-young *see* Pei-young Qiu
Qiu Peihua, Li Qun, Wang Wenyao, Zhuang Dakui, Luo Yi SHG and THG of laser dye molecules adsorbed on optical surface 87−33264
Qiu Peiji *see* Ren Yiyou 87−51186
Qiu Peixia *see* Chen Youming 88−65611
Qiu Peixia *see* Tang Guishen 87−74952
Qiu Peixia *see* Tang Guisheng 85−46358
Qiu Peiyong *see* Song Chuanjie 87−6594
Qiu Rhu-Zhen *see* Rhu-Zhen Qiu
Qiu Rongsheng, Huelsman, L.P. Two methods of compensating for the effects of operational amplifier gain-bandwidth in the low-pass Sallen and Key filter 86−57966
Qiu Shui-Sheng *see* Shui-Sheng Qiu
Qiu Xiaoling *see* Xiaoling Qiu
Qiu Xushi *see* Yu Erkeng 87−50678
Qiu Yuanheng *see* Jin Ronghong 88−34430
Qiu Zhi-He *see* Zhi-He Qiu
Qiu-sheng Tian *see* Tian Qiu-sheng
Qiu-xia Jun-ru Xu *see* Xu Qiu-xia Jun-ru
Qiu-xin Gu *see* Gu Qiu-xin
Qiu-yi Ye, Zhi-cheng Wang Transition region effect in the SiO_2-SiO_x-Si system on the Si two-dimensional electron gas 85−29058
Qiu-yi Ye *see* Ye Qiu-yi
Qiuheng Yang *see* Yang Qiuheng
Qiujiang Zhang *see* Zhang Qiujiang
Qiuqin Shen *see* Shen Qiuqin
Qiuqing Sheng *see* Sheng Qiuqing
Qiusi Xiong *see* Xiong Qiusi
Qiuting, H., Sansen, W. Design techniques for switched-capacitor broad-band phase-splitting networks 88−6968
Qiuting, H., Sansen, W. Design techniques for improved capacitor area efficiency in switched-capacitor biquads 88−25317
Qiuting, H., Sansen, W.M.C., Steyaert, M.S.J., Van Peteghem, P.M. Design and implementation of a CMOS VCXO for FM stereo decoders 88−56500
Qiuting, H. *see* Sansen, W.M.C. 87−45033
Qiuxia Xu *see* Xu Qiuxia
Qiuxin Gu *see* Gu Qiuxin
Qixiao Gao *see* Gao Qixiao
Qiying Fu *see* Fu Qiying
Qiyu Xia *see* Xia Qiyu
Qiyuan Gao *see* Gao Qiyuan
Qizhe Shan *see* Shan Qizhe
Qizhi Mei *see* Qin Zhang 86−13548
Ql Weiguo Electromagnetic transient of current transformer and its digital simulation 86−19325
Qoushen Lin *see* Lin Qoushen
Qoyama, Y. *see* Ikehara, S. 86−48785
Qu, A.-L. *see* Luo, S. 88−42491
Qu, J.-G. *see* Kao, C. 87−14414, 88−16373
Qu, J.X. *see* Tan, D.G.H. 86−43331
Qu, L.Z., Bershad, N.J. Comments on ‘Time delay estimation using the LMS adaptive filter−static behavior’ by F.A. Reed, et al 86−29855
Qu, L.Z., Nalcioglu, O., Roeck, W.W., Rabbani, B., Colman, M. Video based X-ray computed tomography 86−50509
Qu, L.Z. *see* Bershad, N.J. 85−2810, 85−25097, 87−61927
Qu, M., Webster, J.G., Tompkins, W.J., Voss, S., Bogenhagen, B., Nagel, F. Portable impedance cardiograph for ambulatory subjects 88−61381
Qu, M., Zhang, Y., Webster, J.G., Tompkins, W.J. Motion artifact from spot and band electrodes during impedance cardiography 87−21562
Qu, M. *see* Zhang, Y. 86−56148, 87−21563
Qu, X. *see* Zhang, Y. 88−63385
Qu, Y. *see* Gordon, D.M. 88−52955
Qu, Y. *see* Shen, D. 86−54700
Qu, Z., Fan, C., Liu, Z. Power transfer capability enhancement in interconnected systems by power system synthesis control 88−68827
Qu Cun-rang The application of adaptive digital filtering technique to geosound signal detection 87−12961
Qu Delin *see* Sun Dengwen 88−21381
Qu Guo-Ying *see* Li Jian-ping 88−47974
Qu Jianan, Qiu Junlin, Zhang Yuening, Gong Zhiwei Operating characteristics of He-Kr II laser pumped by pulsed HCD 88−72253
Qu Qing-Chang Precise magnetic properties measurement on electrical sheet steels under deep saturation 85−26459
Qu Qing-Chang *see* Qing-Chang Qu
Qu Yanzhen *see* Wan Yuliang 87−2901
Qu Zhimin, Liu Jingsheng New method of making flat holographic stereograms 88−40380
Qu Zhimin, Xu Yingming, Li Meiyue, Cai Xuequang A method for making large rainbow holograms 88−40393
Qu-Tu Zwang, Haykin, S. Adaptive radar detection 85−63731
Qua, G.J. *see* Campbell, J.C. 85−41262, 86−22239, 87−38924, 88−14026, 88−33874, 88−40083, 88−45298
Qua, G.J. *see* Chandrasekhar, S. 87−46724, 88−8078, 88−33871, 88−33903, 88−72136
Qua, G.J. *see* Dentai, A.G. 87−26194
Qua, G.J. *see* Desurvive, E. 88−40101
Qua, G.J. *see* Dupuis, R.D. 86−36331, 86−54039
Qua, G.J. *see* Tsang, W.-T. 87−61038
Quaas, M. *see* Corke, M. 87−18691
Quacchia, M. *see* D’Aria, G. 86−30662
Quacchia, M. *see* Lazzari, V. 88−67245
Quach, H.A. *see* Hsing, T.R. 85−13999, 85−36793
Quach, L., Chueh, R. CMOS gate array implementation of SPARC 88−44227
Quach, L. *see* Namjoo, M. 88−44226
Quach, N.T., Reif, R. Solid phase epitaxy of polycrystalline silicon films: effects of ion implantation damage 85−5976
Quack, H. New developments in the design of refrigerators for large superconductive magnet systems 86−48056
Quack, H. *see* Arpagaus, M. 85−21968
Quackenbos, G. *see* Lilienfeld, P. 87−18523
Quackenbush, S. Hardware implementation of a 16 kbps subband coder using vector quantization 88−66425
Quackenbush, S.R., Barnwell, T.P., III Objective estimation of perceptually specific subjective qualities 86−10303
Quackenbush, S.R. *see* Cox, R.V. 88−41446
Quackenbush, T.R. Testing of a stall flutter suppression system for helicopter rotors using individual-blade-control 85−38281
Quaddus, M.A. Efficient solution via goal programming: an interactive method and an application to energy rationing problem 86−57364
Quaddus, M.A., Goh, T.N. Electric power generation expansion: planning with multiple objectives 85−38594
Quade, R.N., Rao, R. Recovery of heavy oil and tar sands using a high temperature nuclear steam supply 85−53420
Quade, U. *see* Lobner, K.E.G. 87−71049
Quader, K.N. *see* Letham, L. 88−19223
Quadflieg, H., Cialla, G. Analysis of movement using photogrammetric methods 86−5533
Quadrat, J.P. *see* Delebecque, F. 85−5894
Quadri, F., Zannol, S. Making a store with a static RAM 87−37272
Quadrini, E. *see* Baker, R.E. 85−31769
Quaeyhaegens, J. Technology transfer to Korea [telecommunication] 87−62427
Quaggia, D. *see* Parmigiani, B. 86−39165
Quaglia, A. *see* Moffat, A.J. 86−12107
Quaglia, G. *see* Denasi, S. 88−23073
Quaglia, G. *see* Guiducci, A. 85−51657
Quagliata, R. *see* Giordano, N. 88−55615
Quaglione, G., Lembo, D. Satellite networks for business users 88−28757
Quahabi, A., Halilali, A. On the L_1 norm in multi-pulse analysis 88−21232
Quaicoe, J.E. Control strategies in AC-AC frequency converters for induction heating 88−69937
Quaicoe, J.E., Dewan, S.B. A clamped six-pulse cycloinverter with a series tuned load 86−33498
Quaicoe, J.E., Dewan, S.B. A clamped six-pulse cycloinverter with a parallel compensated load 86−45576
Quaicoe, J.E., Dewan, S.B. A clamped AC-AC frequency converter for induction heating 87−31076
Quaicoe, J.E. *see* Rahman, M.A. 85−27407, 86−7978, 86−61663, 87−16883, 87−30828, 88−5768, 88−70530
Quaicoe, J.E. *see* Srivastava, R.K. 88−30905
Quaily, M. *see* Rubin, I. 88−59459
Quak, D., de Hoop, A.T. Time domain Born approximation to the far-field scattering of plane electromagnetic waves by a penetrable object 87−7521
Quak, D., de Hoop, A.T. Time-domain far-field scattering of plane electromagnetic waves by a penetrable object in the Born approximation 87−75368
Quak, D. *see* Ruigrok, J.J.M. 87−74514
Quakulinsky, H. The programming with menus and with forms. The software package simplifies the test of radio sets 87−76530
Quale, J.E. ISDN standards: overview and update 86−69312
Quale, J.E. ISDN standards: overview and update 87−69499
Qualid, J. *see* Dugas, J. 86−40110, 87−38909, 87−72423
Qualls, L. *see* Kerlin, T.W. 88−23685
Quam, W. *see* Brackenbush, L.W. 85−26812 to 26813
Quamara, J.K. *see* Sharma, B.L. 87−12295
Quan, D.T. SnSe thin films synthesized by solid state reactions 87−52164
Quan, E.S.K. *see* Shushan, B. 87−24741
Quan, F. The fibered battlefield 88−1995
Quan, J.P. *see* Novotny, D.R. 85−14604
Quan, L., Frear, D., Grivas, D., Morris, J.W., Jr. Tensile behavior of Pb-Sn solder/Cu joints 87−59014
Quan, L. *see* Frear, D. 87−23804
Quan, L. *see* Grivas, D. 87−23335
Quan, T. Object oriented CAE 88−1735
Quan, T. Layout synthesis promises tightly packed ICs quickly 88−6727
Quan, V., Dickerson, R.A. Pressure-geometry scaling for chemical laser performance 86−3008
Quan, W., Elia, J.J. SAMT-AN/GSC-52−a new generation satellite communications ground terminal with self-diagnostic capability and low life cycle costs 87−40827
Quan, X. *see* Blyler, L.L., Jr. 85−58134
Quan, X. *see* Etemad, S. 86−35611
Quan Baofu *see* Tang Guangping 87−16584, 88−397
Quan Chen, Chanan Singh A comparative study of load models in power system reliability evaluation 88−10807
Quan Gu *see* Gu Quan
Quan Hui-yun *see* Kang Li-shan 86−7703
quan Qiu Han *see* Qiu Han quan
Quan sheng Zhang *see* Zhang Quan sheng
Quan Xiang, Li Chang-yu Development of the electrical distribution system in the Zhengzhou region 85−59686
Quan Yi-nan *see* Guan Xin 87−59044
Quan Yi-nan *see* Zhao Hai-tian 87−71505

Quan Yinan *see* Ma Zhaoyan 86−39045, 87−21992
Quan Zhang *see* Zhang Quan
Quan Zheng *see* Zheng Quan
Quan Zhou *see* Shahriari, M.R. 88−42149
Quan-de Wu *see* Wu Quan-de
Quan-sheng Zhang *see* Zhang Quan-sheng
Quan-yuan Shao *see* Shao Quan-yuan
Quanbury, A. *see* Hortensius, P. 86−25315, 87−14839, 87−50340, 87−63835
Quanbury, A.O., Cooper, J.E., Grahame, R.E. An electrogoniometer for the measurement of thoracolumbar rotation 87−14826
Quanbury, A.O. *see* McKenzie, M.M. 86−56137
Quanbury, A.O. *see* Safaee-Rad, R. 88−42492
Quancheng Cao *see* Cao Quancheng
Quang, A.Nguyen *see* Nguyen Quang, A.
Quang, A.Q. *see* Ashar, P.C. 88−30321
Quang, B.V.Le *see* Le Quang, B.V.
Quang, N.V., Shih, I., Champness, C.H. Etching studies on Czochralski grown Te-rich Se_xTe_{1-x} crystals 85−33383
Quang, N.V., Shih, I., Champness, C.H. Growth of monocrystalline Te-rich Se_xTe_{1-x} alloys 85−40471
Quang, N.V., Shih, I., Champness, C.H. Czochralski growth of Te-rich Se_xTe_{1-x} crystals 86−7725
Quang A. Nguyen Mixed Nakagami-lognormal distribution−a feasible statistical model of fading in mobile radio environment 85−62786
Quang A Nguyen *see* Nguyen Quang A
Quang Minh Nguyen *see* Nguyen Quang Minh
Quang Nam Le *see* Le Quang Nam
Quang Thang Nguyen *see* Nguyen Quang Thang
Quang Tran Minh *see* Minh Quang Tran
Quanlin Yang *see* Yang Quanlin
Quanqing Xia *see* Shunshi Zhong 86−68893
Quanren, C. *see* Rossing, N.K. 85−52440
Quanrui Yi *see* Yi Quanrui
Quansen Chen *see* Chen Quansen
Quansheng et al Guo *see* Guo Quansheng et al
Quansheng Guo *see* Guo Quansheng
Quansheng Han *see* Han Quansheng
Quansheng Zhang *see* Zhang Quansheng
Quanshou Zhang *see* Zhang Quanshou
Quanshu Ye *see* Ye Quanshu
Quantai Yao *see* Yao Quantai
Quante, M. *see* Lorenzen, H.W. 87−43001
Quantin, X. Banking takes videotex seriously 86−37427
Quanxi Jia *see* Jia Quanxi
Quanxin Xi *see* Xi Quanxin
Quaranta, A.Alberigi *see* Alberigi Quaranta, A.
Quarello, F. *see* Chiarottino, W. 86−5965
Quarendon, P. *see* Smith, L.D.R. 87−3984
Quareni Vignudelli, A. *see* Bocciolini, M. 86−5793
Quareni-Vignudelli, A. *see* Forino, A. 85−37976
Quaresima, C. *see* Coluzza, C. 86−27986
Quaresima, C. *see* Daniels, R.R. 85−55533
Quaresima, C. *see* Evanfelisti, F. 86−35423
Quaresima, C. *see* Franciosi, A. 86−14936
Quaresima, C. *see* Niles, D.W. 86−14889, 86−63083
Quaresima, C. *see* Patella, F. 85−18135
Quaresima, C. *see* Perfetti, P. 87−11472
Quaresima, C. *see* Russo, B. 88−57367
Quaresma, R. *see* Boroumand, I. 87−33399
Quarles, C.A. *see* Altman, J.C. 87−50153
Quarles, G.J. *see* Loiacono, G.M. 86−36444
Quarles, G.J. *see* Powell, R.C. 85−46366, 88−45540
Quarles, G.J. *see* Sardar, D.K. 87−7307
Quarmby, D.J., Holmes, J.N. Implementation of a parallel-formant speech synthesiser using a single-chip programmable signal processor 85−2776
Quarmby, D.J. *(editor)* Signal processor chips 85−10324
Quarmby, N.A. A flexible approach to image processing for office documents 87−44949
Quarmby, R.B. Connectors, screening and filtering 87--26878
Quarrie, D. *see* Barsotti, E. 88−54403
Quart, I. *see* Wong, K.L. 87−50528
Quarta, P., Zoppi, E. Computer aid to design and production: history and revolution in TLC Corporation 87−65181
Quarta, P. *see* Decina, W. 85−47349
Quarteraro, R. *see* Pelka, E.J. 85−37139
Quartermaine, M.L. EMP protection of mobile radio equipment 85−36056
Quarterman, J.S. *see* Carl-Mitchell, S. 87−13410
Quartieri, J. *see* Bloisi, F. 86−33210, 88−58244
Quartly, J., Galbiati, L. The design and manufacture of television systems for inspection and maintenance in the JET torus 88−22343
Quarton, D.C., Garrad, A.D. Symbolic computing for the analysis of wind turbine dynamics 87−9450
Quarton, D.C. *see* Garrad, A.D. 87−4642
Quarton, D.C. *see* Lindley, D. 87−51120, 87−57981
Quarzeddini, A., Adachihara, H., Moloney, J.V., McLaughlin, D.W., Newell, A.C. Spontaneous spatial symmetry breaking in passive optical feedback systems 88−72407
Quast, A.W. Detection of transition by infrared image technique 87−70887
Quast, G. *see* Arnault, C. 87−14216
Quast, G. *see* Burkhardt, H. 88−47997
Quast, H. *see* Fabricius, N. 88−72133
Quat Pham Trong *see* Pham Trong Quat
Quat Tran *see* Amitai, Z. 87−73449
Quate, C.F. Acoustic microscopy: recollections 85−53201
Quate, C.F. Acoustic microscopy 85−64774
Quate, C.F. *see* Hadimioglu, B. 87−64001, 87−67685
Quate, C.F. *see* Hadimiouglu, B. 88−61693
Quate, C.F. *see* Heiserman, J.E. 87−9040
Quate, C.F. *see* Park, S.-I. 87−59743
Quatela, S. *see* Corbi, L. 88−30572
Quatela, S. *see* Maffezzoni, C. 85−43899, 86−39616
Quateman, J.H., Sisak, S. High-temperature behavior of tungsten and TiN films on polycrystalline silicon 88−1438
Quateman, J.H. *see* Lynn, K.G. 85−64384
Quatieri, T.E., McAulay, R.J. Speech transformations based on a sinusoidal representation 86−10310
Quatieri, T.F., Danisewicz, R.G. An approach to co-channel talker interference suppression using a sinusoidal model for speech 88−72828
Quatieri, T.F., McAulay, R.J. Speech transformations based on a sinusoidal representation 87−19421
Quatieri, T.F., McAulay, R.J. Mixed-phase deconvolution of speech based on a sine-wave model 87−61674
Quatieri, T.F., McAulay, R.J. Sinewave-based phase dispersion for audio preprocessing 88−72862
Quatieri, T.F., O'Leary, G.C. Decision-directed echo cancellation for full-duplex data transmission at 4800 bps 87−20316
Quatieri, T.F. *see* McAulay, R.J. 86−16221, 87−7685, 87−27266, 87−61759, 88−66421, 88−72870
Quatieri, T.F. *see* Therrien, C.W. 86−64356
Quatse, J.T. An architecture for real-time cell control 88−3510
Quay, R. *see* Berg, R. 87−26658
Quayle, A.M. Selection and application of data security products in the business environment 87−12924
Quayle, R.S., Harrison, C.G., Hadfield, I.J., Aldous, R.G. False alarm rate and its implication in a range ambiguous radar 88−15675
Quayle, R.S. *see* Hardy, C.J. 85−12410, 85−22118, 86−941
Qubaisi, D.M.Khamis Al *see* Khamis Al Qubaisi, D.M.
Quddus, M.A. *see* Nichols, K.B. 88−38767
Que Jia-zhen *see* Fang Fu-lin 85−16081
Que Lianyuan *see* Ye Shixun 88−30273, 88−61806
Que You-kuen *see* Lu Chang-guo 87−70999, 88−4842
Queau, M.Le *see* Le Queau, M.
Queck, U. Cable as transmission medium. I. In the spotlight interference, screening and overvoltage protection 86−43700
Queck, U. The transmission medium 'Cable'. II. In focus: interference, screening, and overvoltage protection 86−45001
Queck, U. No longer a special kind: characteristics and types of halogen-free electrical installation cables 87−78139
Queen, C.B. *see* Burns, D. 85−52441
Queen, C.C. *see* Taylor, D.J. 85−1916
Queen, C.C., Jr. Assembly and installation of the Large Coil Test Facility test stand 85−1924
Queen, G. Elka project Series X30 [electronic organ] 85−31268
Queen, G. OSC Advanced Sound Generator computer music system 85−42815
Queen, G. SDS DX7 voice editor. Software for Sinclair Spectrum 85−52605
Queen, G. Genset load sharing 86−50812
Queen, L.R. *see* Millas, R.J. 85−22893
Queenan, J. *see* Zilberstein, R.M. 86−14715
Queenan, P.T. *see* Ostrowski, E.T. 87−71982
Queening, J.R. Guidelines for selection of optimum capacity and components for small hydroelectric schemes 86−65961
Queeny, K.M. *see* Labs, W. 87−56794
Queffelec, J.L. *see* Jemaa, N.B. 87−53092
Quegan, S. Measurement of geometric distortion in airborne SAR images 86−6085
Quegan, S., Hendry, A. Edge detection in the presence of speckle 87−33825
Quegan, S., Lamont, J. Ionospheric and tropospheric effects on synthetic aperture radar performance 86−60934
Quegan, S., Lamont, J.M., Miller, R.J., Meadows, P.J., Wright, A., Veck, N.J. The simulation of SAR data products 87−49178
Quegan, S., Milsom, J.D., Herring, R.N. Ionospheric modelling and HF radio systems at high latitudes 86−54291
Quegan, S., Milsom, J.D., Herring, R.N. Ionospheric modelling and HF radio systems at high latitudes 86−59068
Quegan, S. *see* Blacknell, D. 88−9635
Quegan, S. *see* Deane, G.C. 87−49183
Quegan, S. *see* Skingley, J. 87−49181
Quehl, H. *see* Deuter, A. 87−14636
Quehl, H. *see* Neff, W. 85−48163
Queinnec, O. A graphics co-processor and its display processor ICs 88−19181
Queirolo, G., Bresolin, C., Meda, L., Anderle, M., Canteri, R. BF_2^+ ion implantation in silicon. Effects of the in-flight dissociation 88−50614
Queirolo, G., Caprara, P., Meda, L., Guareschi, C., Anderle, M., Ottaviani, G., Armigliato, A. Lattice damage, boron diffusion, and dopant activation in BF_2 implanted layers 88−26037
Queirolo, G., Caprara, P., Meda, L., Ottaviani, G., Anderle, M., Bassi, D. Current effects BF_2 implants in silicon 87−38086
Queirolo, G., De Santi, G., Ottaviani, G. Low temperature oxidation of titanium and titanium silicide 87−11674
Queirolo, G., Ghidini, G., Meda, L., Signorini, C., Armigliato, A. Polycrystalline silicon oxidation kinetics and Si/SiO_2 interface width 87−17955
Queirolo, G. *see* Armigliato, A. 87−1449
Queirolo, G. *see* Bacci, L. 88−26102
Queirolo, G. *see* Cerofolini, G.F. 85−12132, 85−50388, 86−15035, 86−21363, 86−41686
Queirolo, G. *see* Manzini, S. 87−53317
Queirolo, G. *see* Nava, F. 86−63109
Queiros, C.E., Gelsema, E.S. On feature selection 85−30386
Queiros, J.S.Correa de *see* Correa de Queiros, J.S.
Queiroz, A.G., Orlando, A.F., Saboya, F.E.M. Performance analysis of an air drier for a liquid dehumidifier solar air conditioning system 88−62791
Queisser, H.-J. From the valve to microelectronics−the progress of electronics since Walter Schottky 87−23442
Queisser, H.J. Nonexponential relaxation of conductance near semiconductor interfaces 85−23515
Queisser, H.J. Electronic transport in semiconductor materials 86−1668
Quek, E. *see* Atherton, D.L. 88−74285
Quek, H.M., Yan, M.F. Sol-gel preparation and dielectric properties of lead iron niobate thin films 87−65579
Quel, E.J. *see* Hnilo, A.A. 86−42494
Quemada, J., Fernandez, A. Introduction of quantitative relative time into LOTOS 88−21422
Quemada, J., Vazquez, E., Berrocal, J., Saras, J.A. A portable X.25 design derived from its formal specification 86−30116
Quemada, J. *see* Vazquez, E. 88−3606, 88−73400
Quemada Vives, J. *see* Vinyes Sanz, J. 85−13811
Quemada-Vives, J. *see* Vinyes-Sanze, J. 86−30123
Quemener, J. *see* Collin, D. 86−37405
Quemeneur, A. Objectives and organisation of start-up tests for the 1300 MWe generation programme and the schedule for commissioning new plants 86−61278
Quemeneur, A. Objectives and organisation of the 1300 MW generation start-up tests 87−50945
Quemerais, A. *see* Roquais, J.M. 87−45689
Quen-rong Yang *see* Yang Quen-rong
Quenard, P. *see* Carlac'h, J.-C. 88−57800
Quenby, J.J. *see* Spooner, N.J.C. 86−65348
Quendt, W., Rupp, D. Data display microcomputer 85−52499
Quenet, J.F., Michel, B., Pastorini, S., Schomberg, R., Vidrascu, A., Vosi, D. Two emergency systems training simulators for the Super Phenix fast breeder plant 87−42626
Queniart, D. *see* Duco, J. 88−75400
Queniart, E. *see* Peix, G. 85−61019
Quenon, P., Wautelet, M., Dumont, M. A model for the laser-stimulated oxidation of silicon 87−60325
Quenot, G., Gauvain, J.-L., Gangolf, J.-J., Mariani, J. A dynamic programming processor for speech recognition 88−70842
Quenot, G., Gauvain, J.-L., Gangolf, J.J., Mariani, J. A dynamic time warp VLSI processor for continuous speech recognition 87−19574
Quente, J., Zimmermann, P. Brushless motors for tooling machines: concepts for auxiliary and main drives 88−62812
Quentin, G. *see* Cohen-Tenoudji, F. 85−6083
Quentin, G. *see* Ko, R. 85−17035
Quentin, G.H., Weber, D.S. Simulation software to insure the operability of large, new coal gasification power plants for the 1990s 87−9362
Quentin, G.H. *see* Brower, A.S. 85−9760
Quentin, G.H. *see* Terwilliger, G.E. 85−9758
Quentin, P. *see* Versnaeyen, C. 88−56941
Quenzel, H. *see* Muller, H. 85−31080
Quer, J. *see* Llorente, P. 88−49702
Quercioli, F., Molesini, G. Pseudocolor contouring based on light-in-flight holography 85−56851
Quercioli, F., Molesini, G. White light-in-flight holography 86−9974
Quercioli, F., Molesini, G., Jacobs, S.F. Zero-path difference rainbow holography 86−9986
Quercioli, F., Molesini, G., Jacobs, S.F. Rainbow holography with a multimode laser source 87−19093
Quercioli, F., Tiribilli, B., Molesini, G. Optical surface profile transducer 88−47679
Quercioli, F. *see* Francini, F. 88−10134
Quercioli, F. *see* Molesini, G. 86−15799, 86−54226, 87−70642, 88−4645, 88−40372

Quere, R. *see* Gayral, M. 87–73718, 88–66461
Quere, R. *see* Guo, C. 88–71133
Quere, R. *see* Joer, J.P. 87–6145
Queree, C. Applications of information and telecommunication technologies to road safety 87–79188
Querido, R.J. The holographic interference method 88–58725
Querin, J. Ultrasonic flowmetering—a simple, reliable technique 88–30206
Querns, J. *see* Dente, G.C. 88–14166
Quero, J.-R. *see* Boissonnet, B. 86–18954
Querre, M. *see* Bigorgne, D. 88–66404
Querrou, M. *see* el Manouni, A. 88–12880
Querry, M. *see* Yuan, S.F. 88–45589
Quershi, S.U. *see* Eyuboglu, V.M. 87–39592
Queru, D. The arsenal of protection. Electronics: don't cry out fire 88–62987
Queru, P. *see* Bettoni, D. 85–52968
Quervain, A.de *see* de Quervain, A.
Quervel *see* Mejane, J.R. 87–34302
Quesada, J. *see* Amarray, E. 87–45790
Quesada, J. *see* Carriere, B. 86–21424
Quesada, J.F.Carballido *see* Carballido Quesada, J.F.
Quesenberry, C.P. Screening outliers in normal process control data with uniform residuals 87–10196
Quesnel, G., Vergniol, G. Pulverization techniques in coal-firing 87–4537
Quesnel, J.-P. Applied metrology for LEP. II. Data logging and management of geodetic measurements with a database 87–41727
Questo, W. *see* Black, W.C., Jr. 86–68185
Quet *see* Bessette 85–46111
Qui, C.X., Shih, I., Champness, C.H. Characteristics of $ZnO/CuInSe_2$ heterojunctions 88–57357
Qui, H.-H. *see* Sun, J.-Z. 87–61291
Qui, J., Shahidehpour, S.M. A new approach for minimizing power losses and improving voltage profile 87–57636
Qui, S.-S., Filanovsky, I.M. On verification of stability of periodic oscillations in nonlinear systems 88–24942
Qui, Y. Comments on 'Breakdown in compressed He/SF_6 gas mixtures in uniform field' by D.-I. Lee 87–46254
Qui, Y., Sun, A., Kuffel, E. Improved dielectric strength of SF_6 gas with a trichlorotrifluoroethane vapor additive 88–26589
Qui Hai Nguyen Thi *see* Nguyen Thi Qui Hai
Qui Ma Zhen *see* Zhen Qui Ma
Qui Mulan, Su Fan, Geng Yusheng Optimal design of aspherical mesh PDA system 87–66848
Quian, Z.-T. *see* Liu, L.-X. 87–14476
Quichaud, G. *see* Andriamanana, E. 86–6752
Quichaud, G. *see* Bastos, J.P. 85–43962, 86–6709
Quichaud, G. *see* Bastos, J.P.A. 86–42694
Quichaud, G. *see* Diop, A. 88–58794
Quick, A.G., Gill, M.C. Algorithms of three antenna interferometric direction finders 88–58963
Quick, C.R. *see* Tiee, J.J. 88–27040
Quick, J., Pilatzek, M., Karsch, B., Sorge, R. Determination of lifetime in high quality silicon devices using the pulsed MIS capacitor 87–60207
Quick, R.G. *see* Odenthal, C.J. 87–3461
Quick, R.G., Jr. Multibeam CRT for direct-view display of photographic quality medical images 86–32270
Quickenden, T.I., Harrison, I.R. The power conversion efficiency of the thionine photoelectrochemical cell containing uncoated and thionine coated photoelectrodes 85–39168
Quickenden, T.I., Vernon, C.E. Thermogalvanic conversion of heat to electricity 86–33584
Quickfall, G. *see* Ross, M.C. 88–54160
Quickle, R.J. *see* Landon, T.V. 85–18408
Quidort, J. *see* Comby, G. 86–27764
Quiesser, H.J. *see* Hoger, R. 85–18799
Quigley, J. PLCs speed inspection of electronic connectors 88–49556
Quigley, J. *see* Chong Chiu 86–25728
Quigley, J.J. Access method for dialog manager (monitor) in an open system interconnection network 85–19817
Quigley, J.T. *see* Garcia, R. 87–23168
Quigley, M. INMARSAT and the development of mobile satellite services 86–49560
Quigley, M.P. *see* Morris, D.J. 88–41614
Quigley, P.D. *see* Fenderson, G.L. 85–14114
Quigley, P.S. Carbon brushes and commutation in coal mining 87–22946
Quigley, R.M. *see* Inculet, I.I. 85–41553, 87–47111, 88–69962
Quigley, S.F. *see* Razaz, M. 87–6753, 87–6763
Quigmao Kong *see* Kong Quigmao
Quignon, J., Faure, C. A hybrid decision system for the automatic interpretation of electromyograms 85–31856
Quiguang He *see* He Quiguang
Quijada, R. *see* Hattori, R.S. 88–26624
Quijano, A., Riera, M. A three-phase static frequency converter with programmable waveform and programmable voltage 88–56827
Quilez, A. Pressure sensors (transducers) 87–63394
Quilez, V. *see* Alonso, P. 88–73572
Quilez, V. *see* Heidemann, R. 88–67423
Quilici, M.D. *see* Moore, D.L. 87–9269
Quilis, A. *see* Rodriguez, M. 85–13518
Quill, L.L. *see* Berry, B.A. 88–62947
Quill, T.C. *see* McDonald, A. 85–58225
Quillacq, P., Dessaix, M.-J., Maffert, J. Infrared imagery simulation system 87–20966
Quillec, M. Structural characterization of superlattices by X-ray diffraction 87–24893
Quillec, M., Marzin, J.Y., Benchimol, J.L., Primot, J., Le Roux, G. Strained layer superlattices covering the range 1.6-2μm 87–38917
Quillec, M., Marzin, J.Y., Primot, J., le Roux, G., Benchimol, J.L., Burgeat, J. Growth and characterization of $In_xGa_{1-x}As/In_yGa_{1-y}As$ strained layer superlattice on InP substrate 86–46327
Quillec, M. *see* Benchimol, J.L. 86–14858
Quillec, M. *see* Chan, Y.J. 88–39526
Quillec, M. *see* Jaffe, M.D. 88–39533
Quillec, M. *see* Launois, H. 86–8800
Quillec, M. *see* Praseuth, J.P. 88–31747, 88–56246, 88–64262
Quillec, M. *see* Seklguchl, Y. 88–64629
Quilliam, J.F. *see* Hewitt, J.R. 85–48743
Quillin, R. *see* Miksell, S. 88–28819
Quilliot, A. On the Helly property working as a compactness criterion on graphs 86–34149
Quillot, D. A power hybrid technology specially designed for military and civil applications 86–67608
Quillot, D. Power hybrid technology applicable to HF power supplies 88–70542
Quilter, P. Soft multiplexers 87–13500
Quilter, P. The soft option [multiplexer design] 87–69792
Quilter, P.M. Short-haul data communications 85–25276
Quimbly, D.C. *see* Robinson, K.E. 88–2287
Quimby, D. *see* Robinson, K. 87–18996
Quimby, D. *see* Slater, J. 87–2164
Quimby, D.C. Transverse mode structure in free electron lasers 85–56677
Quimby, D.C. Betatron-synchrotron resonances and misalignment in free electron laser oscillators with quadrupole focusing 87–2203
Quimby, D.C. Prevention of sideband-induced detrapping in tapered-undulator free-electron lasers 88–14219
Quimby, D.C. Sideband generation and mode structure in free-electron lasers 88–58590
Quimby, D.C., Pindroh, A.L. High field strength wedged-pole hybrid undulator 87–32881
Quimby, D.C., Pindroh, A.L., Robinson, K.E. The wedged-pole concept for improving the performance of permanent magnet hybrid undulators 87–77493
Quimby, D.C., Slater, J.M. Electron-beam quality requirements for tapered-wiggler free-electron lasers 86–3210
Quimby, D.C., Slater, J.M., Wilcoxon, J.P. Sideband suppression in free-electron lasers with multiple synchrotron periods 86–3209
Quimby, D.C. *see* Robinson, K.E. 87–2154, 87–75137 to 75138
Quimby, D.C. *see* Shemwell, D.M. 87–75175, 88–2318
Quimby, D.C. *see* Steinhauer, L.C. 88–40258
Quimby, R.S., Drexhage, M.G., Suscavage, M.J. Efficient frequency up-conversion via energy transfer in fluoride glasses 87–26510
Quimby, R.S. *see* Miniscalco, W.J. 88–27106
Quin, N.B. Military application of the transputer in naval command systems 88–38577
Quin, P.A. *see* Masson, G.S. 86–32146, 87–3864
Quin, P.A. *see* Sromicki, J. 87–50107
Quin Yi-jun *see* Chen, T.J. 88–45494
Quin-Lan Cheng, Ho Soo Lee, Thakor, N.V. ECG waveform analysis by significant point extraction. II. Pattern matching 88–10355
Quin-lan Cheng, Thakor, N.V. ECG pattern recognition by relational matching of significant points 87–50363
Quin-lan Cheng *see* Ho Soo Lee 88–10354
Quin-Zin, Z. *see* Monjes, J.A. 85–7562
Quinata, J.F., Ferrera, S. BPA specifies GIS for Taft substation 87–51414
Quinaud, M.R. *see* Sakai, T. 86–12903
Quinby, T.C. *see* Sonder, E. 86–47095
Quinby-Hunt, M.S. *see* Lewis, L.F. 86–56676
Quincey, P.G., Dew-Hughes, D. Effects of titanium additions to in-situ Nb_3Sn wire 87–67817
Quincke, J., Dielacher, F., Goser, K. Investigation of surface-induced latch-up in VLSI CMOS using the laser probe 88–39687
Quincy, E.A. PROLOG-based expert pattern recognition system shell for technology independent, user-oriented classification of voice transmission quality 88–3002
Quincy, E.A., Tomich, D.J. Image enhancement using coherence processing with applications to seismograms 86–10510
Quincy, E.A. *see* Kubichek, R.F. 86–18529 to 18530
Quine, J.P., Watrous, D.L., Glascock, H.H. Comparison of calculated and measured crosstalk in VLSI circuits 88–7716
Quine, J.P., Webster, H.F., Glascock, H.H., II, Carlson, R.O. Characterization of via connections in silicon circuit boards 88–25484
Quinet, M. *see* Delobel, O. 88–12080
Quingan Zhang *see* Zhang Quingan
Quingyuan Li *see* Li Quingyuan
Quinlan, D. *see* Wong, C.Y. 88–71429
Quinlan, D.L. *see* Nguyen, T.N. 87–25150
Quinlan, H. *see* Hedden, S. 87–70394
Quinlan, K.P. Equilibrium analysis of the deposition of $In_xGa_{1-x}As$ by the VPE hydride technique; method to predict the composition of the ternary 87–65493
Quinlan, K.P., Erstfeld, T.E. Formation of a limiting composition of $Ga_xIn_{1-x}As$ in the VPE-hydride technique using a continuous hydrogen chloride etch 85–39771
Quinlan, K.P. *see* Erstfeld, T.E. 85–22483
Quinlan, P.J., Ahern, M.F., Shuman, A. New lead-before-break criteria cuts design, maintenance cost 88–23611
Quinlan, S. *see* Kolodzey, J. 86–27931, 87–17779
Quinlan, S. *see* Schwarz, R. 87–6457
Quinlan, S.C. *see* Brader, S.J.H. 87–1783, 87–1786, 87–25611, 87–25616, 88–7743
Quinlan, S.C. *see* Walker, M.J. 87–1460, 87–25147
Quinlan, S.M., Clube, F.S.M. Low cost germanium diffracting lenses with high performance 88–58326
Quinn, C.L. Commercial calibration services 86–38192
Quinn, D.J., Bond, R.H. New process for automated IC assembly manufacturing 87–18272
Quinn, D.J., Bond, R.H. New process for automated IC assembly manufacturing 88–25757
Quinn, D.M. *see* Bruno, F.J. 88–21930
Quinn, D.W. A finite element method for computing sound propagation in ducts 87–44203
Quinn, D.W. Modeling of lightning 87–57690
Quinn, E.L., Dykes, A.A., Bockhurst, R. Risk-based evaluation of surveillance test procedures at San Onofre Nuclear Generating Station 88–62058
Quinn, E.L., Mills, R.H., Groves, J.E. Prototype for an automated technical specification information system 86–25726
Quinn, E.L., Jr. *see* Phelps, R.L., Jr. 87–22050
Quinn, E.W. The cell enhancer 86–69669
Quinn, E.W. Baltimore's Fort McHenry tunnel cellular booster 87–69975
Quinn, G. Seeing the light [optical fibre testing] 86–15449
Quinn, G.B. *see* Dean, G.D. 85–6063
Quinn, G.B. *see* Ennos, A.E. 85–48101
Quinn, G.C. Ingenuity is alive and thriving in circuit interconnect technology 85–10498
Quinn, G.C. Reviewing high-speed oscilloscopes 85–26367
Quinn, G.C. Burn-in/screening services: a status report 85–44486
Quinn, G.C. Test instruments: rent, buy or both? 85–47796
Quinn, G.C. SMT puts the squeeze on probes and fixtures 85–55266
Quinn, G.C. Trends and tradeoffs in power-supply testing 85–61072
Quinn, G.C. Getting started in fiber-optic testing 85–62300
Quinn, G.F., Breza, M.J. Integrating avionics into the conceptual design phase of aeronautical systems 87–77779
Quinn, G.F., Breza, M.J. Integrating avionics in the conceptual design phase 88–16826
Quinn, G.R. Determining receiver performance with a computer spreadsheet 86–11245
Quinn, J. Circular polarity with linear antennas 88–58839
Quinn, J. *see* Menkveld, S. 86–56168
Quinn, J. *see* Weitzen, J.A. 88–9517
Quinn, J.E., Hurwitch, J.W. Customer-side-of-the-meter battery storage: Technology transfer strategy 87–43367
Quinn, J.E., Landgrebe, A.R., Hurwitch, J.W., Hauser, S.G. The mission and status of the US Department of Energy's battery energy storage program 86–40052
Quinn, J.E. *see* Berglund, R.C. 87–64324
Quinn, J.E. *see* Imhoff, C.H. 86–40051
Quinn, J.F. *see* Rhodes, M.L. 85–64583
Quinn, J.J. Videotex—distributed information utility 85–47185
Quinn, J.J. Monitoring the technological environment 86–66571
Quinn, J.J. *see* Ji-Wei Wu 87–66948
Quinn, J.M. *see* Osergaard, J.C. 86–59087
Quinn, J.M. *see* Sowa, M.J. 88–52228
Quinn, K., Travis, J., Ganjei, J. Injection molded thermoplastic printed circuit boards 87–17479
Quinn, K. *see* Travis, J. 88–19493
Quinn, K.R., Bailey, T., Wolverton, M.P., O'Brien, G. High temperature thermoplastic composites 88–38272
Quinn, L. *see* Kelly, F.J. 88–66075
Quinn, M.F. Reliability improvement in the commercial truck industry 87–51568

Quinn, M.J., Buckle, D.F. Millimetre-wave radar modelling for smart munitions 88-60236
Quinn, P.D. *see* Niles, G.B. 86-51068 to 51069
Quinn, P.W., Takaki, K.A., Serino, A.A., McCune, C.G. A system for measuring leakage X-radiation from diagnostic source assemblies 86-44654
Quinn, R. *see* Tablawi, T. 88-37793
Quinn, R.K. *see* Bunker, B.C. 87-58271
Quinn, S. X.400-the reality of message handling 88-46493
Quinn, S. *see* Kaiser, P. 86-17642, 87-41255
Quinn, S.W. *see* Garvey, M.J. 87-13713
Quinn, S.W. *see* Keiser, G.E. 86-30837
Quinn, T. From home to office: Acorn's challenge to the LAN giants 85-19809
Quinn, T.J., Martin, J.E. Radiometric measurements of the Stafan-Boltzmann constant and thermodynamic temperature between −40°C and +100°C 85-48127
Quinn, T.J., Martin, J.E. Final results of a radiometric determination of Stefan-Boltzmann constant 86-24271
Quinn, T.J., Martin, J.E. A black-body cavity for total radiation thermometry 87-29338
Quinn, T.J., Speake, C.C., Davis, R.S. A 1 kg mass comparator using flexure-strip suspensions: preliminary results 87-29320
Quinn, T.J. *see* Gawron, V.J. 86-70484
Quinn, T.J. *see* Martin, J.E. 88-68058
Quinn, T.J. *see* Preston-Thomas, H. 85-52891
Quinn, W.E., Rainer, D. Flow restricting devices used with semiconductor process gases 86-67784
Quinn, W.E. *see* Bagley, B.G. 87-74821
Quinn, W.J. Underfloor electrical distribution systems 86-32731
Quinn, W.J. Office of the future [cable management] 88-10845
Quinn, W.M., Jr., Cutchins, M.A. Limited evaluation of the longitudinal flying qualities of a centerstick aircraft with variations in stick feel parameters 88-42613
Quinnez, S. *see* Hillion, P. 85-35879, 85-62860, 86-63648, 87-1957
Quinones, L. *see* Sidi, Y. 88-32230
Quinones, L.K. The NS32605 cache controller 88-44173
Quinque, C. *see* Merard, R. 88-40141
Quinquis, M. *see* Dieudonne, M. 87-76434
Quint, S.R., Greenwood, R.S., Howard, J.F., Jr., Gomez, J.V. Automated data acquisition and analysis of neural evoked potentials 85-53049
Quint, S.R., Wunk, D.F., Messenheimer, J.A., Johnson, R.N. Multi-computer based power spectra for the operating room 85-38161
Quintana, J., Fuster, J.M. A microelectrode for depth recording in awake animals 86-50567
Quintana, J.A. *see* Boj, P.G. 87-19055, 88-8334
Quintana, J.A. *see* Crespo, J. 86-54220
Quintana, V.H., Mota-Palomino, R. Node-tearing decomposition for the solution of load flow problems 86-65671
Quintana, V.H., Scott, B.W., Chikhani, A.Y. Power system state estimation with quality constraints 87-71497
Quintana, V.H., Van Cutsem, T. Real-time processing of transformer tap positions 88-23995
Quintana, V.H. *see* Chikhani, A.Y. 86-56426, 87-30279, 87-78019
Quintana, V.H. *see* Keene, G. 86-65690
Quintana, V.H. *see* Mayorga, R.V. 87-65375
Quintana, V.H. *see* Mota-Palomino, R. 85-21130, 87-4256
Quintana, V.H. *see* Santos-Nieto, M. 87-78014
Quintana, V.H. *see* Van Cutsem, T. 88-23322
Quintana, V.H. *see* Wang, J.W. 85-26994
Quintana da Silva, F. *see* Lacroix, S. 86-51770
Quintard, A. Thermography in production control. [PC testing] 87-17535
Quintart, A.-D. *see* Gennart, B. 85-54842
Quintas, M.Mazo *see* Mazo Quintas, M.
Quintenz, J.P. *see* Cook, D.L. 87-43208
Quintenz, J.P. *see* Johnson, D.J. 85-37876, 85-59105
Quintenz, J.P. *see* Lee, J.R. 85-19093
Quintenz, J.P. *see* Mendel, C.W., Jr. 88-29744
Quintenz, J.P. *see* Miller, P.A. 85-16271
Quintenz, J.P. *see* Sanford, T.W.L. 86-55980
Quintenz, R., Reinhold, A. D-channel protocols in ISDN and their meaning for communications 87-48420
Quintenz, R. *see* Mudrack, H. 85-30839
Quintern, J. *see* Yarkony, G. 88-61473
Quintero, A.del Pozo *see* del Pozo Quintero, A.
Quintero, F. *see* Palusinski, O.A. 86-61943, 88-182
Quintero-Marmol, E. *see* Garcia-Zenteno, A. 88-10992
Quintet, J.L. *see* Fontaine, J.P. 85-9648
Quintian Tao *see* Tao Quintian
Quintillan, M. Analysis of a discontinuous empty and H plane loaded guide ended by a short circuit 86-52998
Quinton, P. Automatic synthesis of systolic arrays from uniform recurrent equations 85-17338
Quinton, P. An introduction to systolic architectures 88-70678
Quinton, P., Gachet, P. Manuel d'utilisation de DIASTOL. Version preliminaire. (DIASTOL user's manual. Preliminary version) 85-40027
Quinton, P., Gachet, P. Automatic design of systolic chips 86-20475
Quinton, P., Joinnault, B., Gachet, P. A new matrix multiplication systolic array 87-23563
Quinton, P. *see* Andre, F. 85-13525
Quinton, P. *see* Charot, F. 87-7687
Quinton, P. *see* Frison, P. 86-21843, 87-31783
Quinton, P. *see* Gachet, P. 87-31955, 87-37247
Quinton, P. *see* Hochet, B. 87-52491, 87-58865
Quinton, P. *see* Van Dongen, V. 88-70465
Quinton, R. *see* Bennett, J.M. 87-13307
Quinton, R. *see* Davies, J. 85-25371
Quinton, R. *see* Marshall, P. 88-46505
Quinton, R.E. *see* Kovach, D.G. 88-46503
Quinton, S., Johnson, M. The SNS Data Acquisition Electronics 86-56028
Quinton, S.P.H. *see* Johnson, M.W. 86-56029
Quinty, C. *see* Gombert, J. 87-7154
Quinzio, M.V. *see* Bittner, H.F. 86-33617
Quirighetti, R. *see* Kirchdorfer, G. 85-15510
Quirini, A. *see* Iacobelli, G. 85-3871
Quirini, A. *see* Mancini, A.M. 85-54519, 86-8844, 86-40786
Quirini, A. *see* Vasanelli, L. 88-17998
Quirion, G., Poirier, M., Cheeke, J.D.N. An ultrasonic study of the magnetoconductivity of p-InSb at low temperatures 87-37895
Quirion, G. *see* Poirier, M. 86-35329
Quirk, D. Pay-per-view: state of the art 85-47697
Quirk, J.R.F. Teaching computer networks as a writing intensive course 88-55882
Quiros, B.de *see* de Quiros, B.
Quiros, R. *see* Field, K. 88-72869
Quiros, R.A., Scherson, I.D. Stubborn: a medium access protocol for expert assistants in distributed control systems 88-59704
Quirt, R. Voltage offsets to ground in load commutated inverters 87-30884
Quirt, R. Voltages to ground to load commutated inverters 87-36203
Quirt, R.C. Voltages to ground in load-commutated inverters 88-69742
Quisquater, J.-j. *see* Bermond, J.-C. 87-40019
Quisquater, J.-J. *see* Davio, M. 87-69013
Quisquater, J.-J. *see* Desmedt, Y. 88-40822
Quist, D.J. *see* Fee, J.M. 88-25604
Quistgaard, J.U., Ritcey, J.A. An adaptive window median filter 87-66437
Quitana, V.H. *see* Gill, J.S. 88-23302
Quitevis, E.L., Kenney-Wallace, G.A. Synchronization of a picosecond mode-locked dye laser oscillator-amplifier with a streak camera system 85-2378
Quittner, P. *see* Mosko, M. 88-32895
Quixin Gu *see* Gu Quixin
Quizhi Liu *see* Liu Quizhi
Qujiang Xing *see* Xing Qujiang
Qun Cui Xiang *see* Cui Xiang Qun
Qun Li *see* Li Qun
Qun Shi, Haber, F. On the decorrelation of scatter using forward-backward averaging 88-72536
Qun Wan *see* Wan Qun
Qun Wei *see* Wei Qun
Qun Wu *see* Wu Qun
Qun Xia Guan *see* Guan Qun Xia
Qun Zhang Yi *see* Yi Qun Zhang
Qun Zou *see* Duan Feng 86-58964
Qun Zou *see* Zou Qun
Qun-ji Xu *see* Xu Qun-ji
Qungchun Zhao *see* Zhao Qungchun
Qunshan Gu *see* Gu Qunshan
Quoc Chien Tran *see* Tran Quoc Chien
Quoirin, J.-B. *see* Roulston, D.J. 88-26213
Quoirin, J.B. New technology for high-voltage transistor 87-53480
Quoirin, J.B. ETD: a new technology for a high voltage transistor 87-60426
Quoirin, J.B. High voltage, easy to use, transistors 87-74269
Quong, D. Floating-point μP implements high-speed math functions. III 86-27328
Quong, D., Gibertini, G. A floating point processor 86-62614
Quong, D., Pearlman, R. New floating point processor: internal feedback gives faster computation 86-14264
Quong, D., Perlman, R. Single-chip floating-point processor with maximum performance capacity 86-1086
Quraeshi, S. Solar/wind power plants 87-42740
Quraeshi, S. Costs and economics of wind turbine generators for electrical power production 87-42741
Qureshi, A.G., Fahmy, M.M. Image restoration with respect to a visual fidelity criterion using a 2-D Kalman-type filter 87-69360
Qureshi, A.G., Fahmy, M.M. 2-D Kalman filtering for the restoration of stochastically blurred images 88-66721
Qureshi, A.H. Calculations of breakdown voltages in systems containing compressed sulphur hexafluoride and its mixtures with other cases 86-68062
Qureshi, A.H. *see* Bedi, J.S. 87-26598
Qureshi, A.H. *see* Hiziroglu, H.R. 85-29369
Qureshi, E. *see* Blain, T. 86-57560
Qureshi, I.E. *see* Khan, H.A. 87-29583, 87-77573
Qureshi, M.A., Kharbanda, V.P. Choice of technology in China and India-the case of biogas 85-39225
Qureshi, M.I. *see* Chadband, W.G. 88-44899
Qureshi, M.I. *see* El-Sulaiman, A. 85-1788
Qureshi, M.I. *see* El-Sulaiman, A.A. 85-50811, 86-33446
Qureshi, M.K.Z. Negative feedback-an application to stabilized voltage 88-56430
Qureshi, M.S., Nagrial, M.H. Development of renewable energy sources in Pakistan 87-42566
Qureshi, Q., Fischer, T.R. A hardware pyramid vector quantizer 87-62009
Qureshi, S. *see* Payton, J. 85-46678
Qureshi, S. *see* Perez-Mendez, V. 87-77557
Qureshi, S.H. *see* Bedi, J.S. 88-50947
Qureshi, S.U. *see* Forney, G.D., Jr. 85-13436
Qureshi, S.U.H. Adaptive equalization 86-3883
Qureshi, S.U.H., Ahmed, H.M. A custom VLSI chip set for digital signal processing in high-speed voiceband modems 86-43629
Qureshi, S.U.H. *see* Eyuboglu, M.V. 88-27704
Qureshi, S.U.H. *see* Ling, F. 87-39562
Qureshi, U. The impact of precision components on analog measurements in automated test systems 86-44138
Qureshi, U. One-off calibration of DVMs 86-44341
Qureshi, U. Will your DMM cost more to keep than it does to buy? 88-29487
Qureshi, U., Neidig, M. Calibrated for life [measuring instruments] 87-14057
Qureshy, F.A., Alden, R.T.H. Multiterminal HVDC-AC load flow method 86-39098
Qureshy, F.A., Alden, R.T.H. A sensitivity based approach to eigenvalue determination for large power systems 87-30095
Qureshy, F.A. *see* Abu-El-Magd, M.A. 88-5249
Qureshy, F.A. *see* Alden, R.T.H. 85-15566
Qureshy, F.A. *see* El-Sobki, M.S. 86-61082
Quwu, G. *see* Zhou Zhenshu 88-40413
Quy Dao Nguyen *see* Nguyen Quy Dao
Quynh, L.C., Prasad, S. Class of binary cipher sequences with best possible autocorrelation function 86-16293
Quynh, L.C., Prasad, S. New class of sequence sets with good auto- and crosscorrelation functions 86-48761
Quynh, L.C., Prasad, S. New class of sequence sets with good auto- and crosscorrelation functions 87-61537
Quynh, L.C. *see* Prasad, S. 86-48762
Qvale, B. *see* Boldt, J. 88-55169
Qvarfort, R. New electrochemical cell for pitting corrosion testing 88-30972
Qvist, S.-I. Packaged gas turbines for offshore rigs 88-69169
Qvortrup, L., Ancelin, C., Frawley, J., Hartley, J., Pichault, F., Pop, P. *(editor)* Social Experiments with Information Technology and the Challenges of Innovation. EEC Conference (EUR-11028-EN) 87-72713
Qwaqazeh, A. On the analysis of shifted time series: principles of interpretation on artificial data sets 88-49637

R, J.Damy *see* Damy R, J.
R, R.A.Pazos *see* Pazos R, R.A.
R. Chow Louis *see* Louis R. Chow
Ra, D.J. *see* Kim, T.K. 87−7470
Ra, J.-W. *see* Ahn, C.-H. 88−52118
Ra, J.-W. *see* Kim, S.-Y. 88−2543
Ra, J.-W. *see* Lee, J.-M. 88−45660
Ra, J.B., Hilal, S.K., Oh, C.H., Park, H.W., Cho, M.H., Cho, Z.H. Quadrature multiplexed RF excitation in NMR imaging−Application to slice by slice and chunk 3-D techniques 86−50518
Ra, J.B. *see* Min, H.B. 87−50255
Ra, J.W. *see* Berntsen, S. 85−19112
Ra, J.W. *see* Choi, Y.H. 87−75558
Ra, J.W. *see* Hong, D.H. 87−77639
Ra, J.W. *see* Hwang, C.K. 87−47158
Ra Jung-Woong *see* Jung-Woong Ra
Ra Keuk Hwan *see* Keuk Hwan Ra
Ra Tsol Su, Rudolph, A.F., Herrmann, K.H. Computer controlled reflection and transmission measurements with the Specord 75 IR spectrometer 87−3780
Raab, A.R., Profera, C.E. Wideband beam-forming networks for satellite antenna systems−mass, schedule and cost-effective route to better RF performance 86−59164
Raab, A.R. *see* Kudsia, C.M. 86−64919
Raab, B. Israel Steering Committee on Telematics in Government 86−19781
Raab, F.H. Signal processing for through-the-earth electromagnetic systems 85−13580
Raab, F.H. Alternative power-line proximity-warning techniques 85−25955
Raab, F.H. Efficiency of outphasing RF power-amplifier systems 86−8011
Raab, F.H. Average efficiency of class-G power amplifiers 86−67049
Raab, F.H. Average efficiency of power amplifiers 87−16914
Raab, F.H. Efficiency of Doherty RF power-amplifier systems 88−575
Raab, F.H. Signal processing for through-the-earth electromagnetic systems 88−52435
Raab, G. Private ISDN communications systems and their interoperation with the public ISDN 85−47379
Raab, G. HICOM. The key ISDN product in communication and office automation 87−55519
Raab, G., Rambold, T., Ruckdeschel, H. Architectural aspects for ISDN-PABXs in office communications systems 85−52236
Raab, G. *see* Apfelauer, G. 88−59748
Raab, G. *see* Puls, W. 85−47304
Raab, H. Optical reflection sensors used in the chemical industry 85−26339
Raab, H. Fibre optics in factory measuring technology 87−1937
Raab, H.H. Industrial robot application in the safety testing of current fault protection switches 86−18878
Raab, H.H. Use of industrial robots in safety checks of earth leakage units 86−26630
Raab, J. *see* Goller, U. 88−31967, 88−50010
Raab, M. *see* Tysl, V. 86−50075
Raab, R.H. Signal processing for through-the-earth electromagnetic systems 85−25136
Raab, T.J. *see* Golecki, I. 86−9030
Raab, T.J. *see* McAffee, G.D. 86−53276
Raabe, A. *see* Panin, G.N. 85−59486
Raabe, B. Decentralised processing of measurement data 85−47872
Raabe, H. *see* Fischer, V. 85−8062
Raaberg, M. *see* Goharla'ee, M. 87−45437
Raack, G.A., Sable, E.G., Stewart, R.J. Customer control of network services 85−25225
Raack, G.A., Sable, E.G., Stewart, R.J. Customer control of network features 85−47345
Raacke, K. *see* Nesbit, L.A. 85−29292
Raad, B.de *see* de Raad, B.
Raad, J.A.de *see* de Raad, J.A.
Raad, W., Beckhoff, G.F. A microprocessor based digital talking clock 88−44239
Raaf, A.J.de *see* de Raaf, A.J.
Raafat, H.M. *see* Wong, A.K.C. 86−49030
Raag, V. *see* Danielson, L.R. 86−33719
Raag, V. *see* McLane, G. 88−18093
Raaijmakers, M.J. *see* van de Ven, J. 87−10487
Raalte, A.van *see* van Raalte, A.
Raam, S. *see* Modarres, H. 88−70625
Raamat, R. *see* Berik, E. 85−56565
Raamat, R. *see* Hilpus, A. 88−51870
Raamat, R. *see* Julge, K. 88−51869
Raamot, J. Electronic battery feed circuit 86−7963
Raasch, D. *see* Ramohalli, K. 88−63390
Raasch, E.M., Hatfield, W.B. Designing a fiber-optic communications system 87−76801
Raasch, W. *see* Duarte, G. 86−51855
Raatsch, P.-P. Bipolar 1999 analogue-digital converter using C520D 85−22954
Raatsch, P.-P. Battery current supply for operational amplifier 86−7960
Raatsch, P.-P. Area automation for the C7136D 87−35025
Raatz, J.E., Rathmell, R.D., Stelson, P.H., Ziegler, N.F. Tests of compressed geometry NEC acceleration tubes 86−38641
Raatz, J.E. *see* Jones, C.M. 88−53960
Raba, O.B. *see* Antipenko, B.M. 85−24513, 86−36446, 86−58905
Rabach, G. *see* Benco, C. 85−16007
Rabach, G. *see* Boglich, F. 86−70870
Rabaev, J.M. *see* Pope, S.P. 88−8796
Rabaey, D. *see* Danneels, J. 88−26418
Rabaey, D. *see* Defraeye, P. 85−63411
Rabaey, D. *see* Gill, M. 86−35903
Rabaey, D.H. *see* Sallaerts, D. 88−21758
Rabaey, J., Vanhoof, J., Goossens, G., Catthoor, F., De Man, H. CATHEDRAL-II: computer aided synthesis of digital signal processing systems 87−59588
Rabaey, J. *see* Catthoor, F. 86−67187, 88−34651
Rabaey, J. *see* De Man, H. 87−31639, 88−6926, 88−43994, 88−70436
Rabaey, J. *see* Goossens, G. 88−26423
Rabaey, J. *see* Six, P. 87−5624
Rabaey, J. *see* Vanhoof, J. 88−31942
Rabaey, J.M., Brodersen, R.W. Experiences with automatic generation of audio band digital signal processing circuits 87−19820
Rabaey, J.M., Pope, S.P., Brodersen, R.W. An integrated automated layout generation system for digital signal processing circuits 86−662
Rabaey, J.M., Pope, S.P., Brodersen, R.W. An integrated automated layout generation system for DSP circuits 86−2381
Rabaey, J.M. *see* Ruetz, P.A. 87−775
Rabal, H., Zerbino, L., Ojeda-Castaneda, J. Continuous order derivative for optical signals and images 88−66646
Rabal, H.J., Furlan, W.D., Garavaglia, M. Astigmatic holographic processor for local pattern recognition 88−40360
Rabal, H.J., Trivi, M., Sicre, E.E., Garavaglia, M. Stereo enhancement in holographic imaging 86−48506
Rabal, H.J *see* Torroba, R. 87−7446
Rabal, H.J. *see* Trivi, M. 87−14385, 87−77325, 88−46183
Rabalais, J.W. *see* Tachi, S. 87−24769
Raballand, J. *see* Clauzon, P.-P. 85−32319
Rabanda, H.U., Schroder, D. The use of special centrifuges for washing and drying silicon wafers 85−55906
Rabanos, J.M.H. Digital mobile communications: range and reliability 87−56006
Rabanos, J.M.Hernando *see* Hernando Rabanos, J.M.
Rabany, M. *see* Borer, J. 88−54178
Rabany, M. *see* Cojan, A. 87−13437
Rabara, V., Hronec, R. The use of LSI circuits in signalling safety systems 87−37200
Rabara, V. *see* Kocis, I. 85−40119
Rabasso, J.M.Guell *see* Guell Rabasso, J.M.
Rabb, L. Delta Transfer Stage−design application and performance 86−12122
Rabbaa, A. *see* Dubost, G. 85−46617, 86−48646, 87−39472
Rabbani, B. *see* Qu, L.Z. 86−50509
Rabbani, K.S. Investigations on field enhanced generation in semiconductors 87−53153
Rabbani, K.S., Unter, T.F., Lamb, D.R. Improved diffusion technology to obtain low and uniform thermal generation in silicon devices 87−25146
Rabbani, M. Use of local statistics in adaptive filtering of Poisson noise 88−46298
Rabbani, M. Bayesian filtering of Poisson noise using local statistics 88−59207
Rabbani, M., Ray, L., Sullivan, J.R. Low-distortion compression of radiographs 85−57431
Rabbani, M., Ray, L.A., Sullivan, J.R. Adaptive predictive coding with applications to radiographs 87−21538
Rabbani, M., Saleh, B.E.A. Bayesian filtering of speckled images 85−36367
Rabbani, M. *see* Burns, P.D. 86−63884
Rabbani, M. *see* Jones, P.W. 86−69175
Rabbani, M. *see* Sezan, M.I. 88−41058
Rabbat, G. VLSI and AI are getting closer 88−39559
Rabbel, V., Stoehlker, U., Muenzel, J., Wollnik, H., Bloennigen, F., Klobras, K., Lippert, W. A negative surface-ionization ion source for the on-line mass separator OSTIS 87−57012
Rabbett, M.D., King, T.A. The role of mercury dimers in the atomic mercury laser 85−41323
Rabbie, H., Jacobsson, J. Gridless channel routing and compaction for cell-based custom IC layout 87−1638
Rabbie, H.M., Dahlberg, R.W., Hinstorff, H.L., Jr. A workstation for cell-based IC layout 86−62509
Rabchuk, A.V. *see* Giniyatullin, N.I. 88−51468
Rabchun, A.V. *see* Emel'yanov, V.S. 87−78341
Rabchun, A.V. *see* Klemin, A.I. 85−59925
Rabczuk, G. Multipass cavity for a high-power flow laser 86−3245
Rabczuk, G. *see* Sliwinski, G. 87−33081
Rabczuk, G. *see* Stanco, J. 87−18880, 88−14076
Rabe, B. *see* Herman, G.T. 87−57122
Rabe, G. *see* Dammann, H. 87−26100
Rabe, G. *see* Pross, E. 88−65344
Rabe, H.J. *see* Pochodzalla, J. 85−37905
Rabe, J. *see* Bemmann, H.B. 87−37405
Rabe, R.L. *see* Passow, R.H. 87−31879
Rabe, S. *see* Bozler, C.O. 86−2128
Rabe, S. *see* Hollis, M.A. 86−47545
Rabe, S. *see* Nichols, K.B. 88−38767
Rabe, U. The purchase of satellite systems 86−49503
Rabedzhanov, N.P., Kuknariev, R.D. Universal function generator based on reproduction of differential equation with an arbitrary argument 85−33715
Rabek, J.F. Applications of polymers in solar energy utilization 88−75521
Rabel, J. *see* Brunner, W. 85−11543
Rabel, J.A., Schell, S.W., Davidson, D. 140 and 220 GHz ferrite components 86−14475
Rabel, M. *see* Khalid-Naciri, A. 86−34706
Rabelo, N.R. *see* Dos Santos, M.L.X. 87−26962
Raben, K.U.von *see* von Raben, K.U.
Rabenovets, H. *see* Mandir, N. 88−21516
Rabenstein, R. One and two dimensional window sequences with few coefficients 86−29953
Rabenstein, R. A signal processing approach to the digital simulation of multi-dimensional continuous systems 87−47822
Rabenstein, R., Czarnach, R. Stability of recursive time-varying digital filters by state vector transformation 85−41924
Rabensteiner, G. The simulation of storage and pumped storage power stations in optimizing expansion- and operation-planning models for the supply of electricity 85−32387
Rabensteiner, G. Long-term expansion planning for hydrothermal electric power systems 86−18754
Rabensteiner, G. Yearly operation planning of hydrothermal power systems by mixed-integer-programming 86−56387
Rabensteiner, G. Annual operation planning of combined electric power and district heating systems 87−35600
Rabensteiner, G. Sensitivity of economic objectives in strategic dynamic power system planning 87−78037
Raber, M.B., Osman, F.S. User views on standards for defibrillators 87−50385
Raber, M.B., Roy, O.Z. Effects of short-duration transients on cardiac rhythm 85−64597
Raberg, A. CEPT after 25 years: look before you leap 86−37218
Raberg, A. The evolution of Eutelsat 86−37856
Raberg, A. The agreement regarding Eutelsat-II 87−2694
Rabern, D.A. *see* Davidson, R.F. 87−26665
Rabhi, A. *see* Letrou, C. 87−60848
Rabi, V.A. Load management holds utility interest 86−50816
Rabie, N. *see* El-Fiki, M.A. 87−21485
Rabie, S., Bloedon, R., Dockendorff, D., Cohn-Sfetcu, S. Experimental facility for evaluation of the user interface in the PBX environment 85−19972
Rabie, S. *see* Bult, T. 87−34289, 87−69835
Rabie, S. *see* Ferguson, I. 88−3403
Rabie, S. *see* Peacocke, D. 88−46803
Rabiee, M., Cathey, J.J. Verification of a field theory analysis applied to a helical motion induction motor 88−75612
Rabiee, M. *see* Cathey, J.J. 88−55641
Rabiega, R. Experiences from the operation of remote control systems used in the power supply establishment of (ZE) Zamosc [power station control] 85−21429
Rabiega, R. *see* Usidus, J. 85−48562
Rabiega, R. *see* Zielinski, J.S. 85−64938, 86−19339, 87−15363
Rabier, J. *see* Castaing, J. 85−40433
Rabier, P.J. Definition and properties of a particular notion of convexity 86−34231
Rabiger, T. A microcomputer-aided analogue/digital convertor using the synchronous-timing charge-balancing method 87−56606
Rabilloud, M. *see* Boiteux, G. 88−33413
Rabin, R. Audiotex−a voice application that makes money!!! 87−55627
Rabin, R.M. Diagnosing short term changes in temperature and moisture profiles from single Doppler radar data 88−15591
Rabin, R.M., Engles, D.E., Koscielny, A.J. Applications of a Doppler radar to diagnose a frontal zone prior to thunderstorms 88−36669
Rabin, S.D. *see* Seitz, C.L. 86−8090
Rabindrakumar, K. The function and use of remote concentrator units 85−30799
Rabiner, L.R. On the application of energy contours to the recognition of connected word sequences 85−19372
Rabiner, L.R. Pattern recognition algorithms for isolated and connected word recognition 86−48829
Rabiner, L.R., Juang, B. An introduction to hidden Markov models [speech recognition and processing] 86−43194
Rabiner, L.R., Juang, B.-H., Levinson, S.E., Sondhi, M.M. Recognition of isolated digits using hidden Markov models with continuous mixture densities 86−10271
Rabiner, L.R., Levinson, S.E. A speaker-independent, syntax-directed, connected word recognition system based on hidden Markov models and level building 85−57292

Rabiner, L.R., Pan, K.C., Soong, F.K. On the performance of isolated word speech recognizers using vector quantization and temporal energy contours 85–13507
Rabiner, L.R., Soong, F.K. Single-frame vowel recognition using vector quantization with several distance measures 86–29759
Rabiner, L.R., Wilpon, J.G., Biing-Hwang Juang A segmental *K*-means training procedure for connected word recognition 87–7675
Rabiner, L.R., Wilpon, J.G., Juang, B.H. A continuous training procedure for connected digital recognition 87–19535
Rabiner, L.R., Wilpon, J.G., Juang, B.H. A performance evaluation of a connected digit recognizer 87–61640
Rabiner, L.R., Wilpon, J.G., Soong, F.K. High performance connected digit recognition, using hidden Markov models 88–66362
Rabiner, L.R. *see* Atal, B.S. 87–41284
Rabiner, L.R. *see* Bergh, A.F. 85–51557
Rabiner, L.R. *see* Biing-Hwang Juang 86–29766
Rabiner, L.R. *see* Ephraim, Y. 87–61630, 87–61736, 88–66339
Rabiner, L.R. *see* Juang, B.-H. 87–62129, 87–69056
Rabiner, L.R. *see* Juang, B.H. 85–39623, 86–16181, 87–19439, 87–19510
Rabiner, L.R. *see* Mikkilineni, R.P. 88–72796
Rabiner, L.R. *see* Nocerino, N. 86–16185, 86–22958
Rabiner, L.R. *see* Pan, K.-C. 85–57291
Rabiner, L.R. *see* Pan, K.C. 86–16215
Rabiner, L.R. *see* Soong, F.K. 86–10296, 86–29797, 87–69049
Rabiner, L.R. *see* Wilpon, J.G. 85–57294, 87–61694
Rabiner, R. *see* Chin-Hui Lee 88–72790
Rabinkin, A. Resistance of copper/copper joints brazed with silver-base and amorphous Metglas alloys 85–11628
Rabinovich, E. *see* Lieberman, R.A. 88–67858
Rabinovich, E.M. *see* Babkina, T.V. 88–33749
Rabinovich, E.M. *see* MacChesney, J.B. 86–22105
Rabinovich, E.M. *see* Melnikov, L.A. 88–51895
Rabinovich, G.I. *see* Zakaryan, A.S. 86–40279
Rabinovich, G.V., Dybman, B.Ya., Marishichev, N.N., Tikhonov, O.S., Firov, V.F. Digital sound broadcasting and data transmission equipment for the 'Intersputnik' system 85–8364
Rabinovich, G.V. *see* Vykodets, A.V. 86–38013
Rabinovich, L.M. Effect of day-night inhomogeneity on ELF fields 87–33426
Rabinovich, M.A., Sovalov, S.A. Effectiveness of anti-fault control in power systems with weak ties 85–32222
Rabinovich, M.A., Sovalov, S.A. A power interconnection probability model 85–38422
Rabinovich, M.A. *see* Andronov, A.A. 88–68724
Rabinovich, M.A. *see* Ornov, V.G. 87–4469
Rabinovich, M.I. *see* Afraimovich, V.S. 87–65908
Rabinovich, M.I. *see* Andresyan, L.A. 85–6200
Rabinovich, M.L. *see* Iordan, G.G. 88–6906
Rabinovich, R.I. *see* Gol'dgur, E.B. 85–18792
Rabinovich, R.L. *see* Bichenkov, E.I. 85–64522
Rabinovich, S.G. *see* Vareshkin, G.L. 86–58214, 87–34995
Rabinovich, S.I. *see* Botvinnik, A.Ye. 86–36874
Rabinovich, S.M. *see* Roberts, S.S. 86–31587
Rabinovich, V.S. *see* Bykov, V.L. 88–67510
Rabinovich, W.S., Adler, C.L., Lawandy, N.M. Self-pulsing and bichromatic emission in homogeneously broadened bidirectional ring lasers 88–14229
Rabinovich, W.S., Lawandy, N.M. Distributed feedback modes in a partially filled ring cavity 87–39161
Rabinovich, W.S., Lawandy, N.M. Coupled Lorenz systems in an optically pumped CH_3F laser 88–14115
Rabinovich, W.S. *see* Lawandy, N.M. 88–2187
Rabinovici, R., Kaplan, B.Z. Major noise reduction in the eddy-current sensor for DC and low-frequency magnetic fields 86–70125
Rabinovici, R., Zaplan, B.Z. Magnetization of a nonlinear ferromagnetic semi-infinite plate by a short coil, in the presence of eddy-currents 86–36650
Rabinovici, R. *see* Kaplan, B.-Z. 88–53623
Rabinovici, R. *see* Kaplan, B.Z. 85–58689, 88–2752
Rabinovitch, K. *see* Gilo, M. 87–61200
Rabinowicz, E. *see* Sanchez-Caldera, L.E. 88–75245
Rabinowitz, D. *see* Eyring, K. 87–13977
Rabinowitz, J.H., Krnanova Proulx, V. An asymptotic approach to the channel assignment problem 85–57190
Rabinowitz, J.H. *see* Ferguson, T.J. 85–2754
Rabinowitz, M. The promise and limitations of the new superconductors 88–13696
Rabinowitz, M. Effect of the fast nuclear electromagnetic pulse on the electric power grid nationwide: a different view 88–23326
Rabinowitz, M. The future of superconductivity in the electric power industry 88–55031
Rabinowitz, M. *see* Lander, V. 86–27612
Rabinowitz, M. *see* Vittitoe, C.N. 88–40598
Rabinowitz, P. On the definiteness of Gauss-Kronrod integration rules 86–34237
Rabinowitz, P. The convergence of interpolatory product integration rules 86–46276
Rabinowitz, P. A stable Gauss-Kronrod algorithm for Cauchy principal-value integrals 87–31465
Rabinowitz, P. Some practical aspects in the numerical evaluation of Cauchy principal value integrals 87–36622
Rabinowitz, P., Perry, B.N., Levinos, N. A continuously tunable sequential Stokes Raman laser 86–68618
Rabinowitz, P. *see* Lubinsky, D.S. 85–5951
Rabinowitz, P. *see* Perry, B.N. 85–29931, 85–56685
Rabinowitz, P.D. *see* Kidd, R. 86–56257
Rabinowitz, S.J., Gager, C.H., Brookner, E., Muehe, C.E., Johnson, C.M. Applications of digital technology to radar 85–47579
Rabinowitz, W.M., Houtsma, A.J.M., Durlach, N.I., Delhorne, L.A. Multidimensional tactile displays: identification of vibratory intensity, frequency, and contactor area 88–10434
Rabinowitz, W.M. *see* Durlach, N.I. 88–54646
Rabins, M.J., Reddy, J.N. Ford Motor Company/Wayne State University approach to continuing education 87–23135
Rabinzohn, P. *see* Boissenot, P. 88–19831
Rabinzohn, P. *see* Iost, M. 88–26119
Rabit, J. Electric actuators. I. Principles and generalisations 85–60372
Rabit, J. *see* Blanze, C. 88–43352
Rabitsch, G. Austrian contribution to current-operated earth-leakage protection techniques 86–51122
Rabitsch, G. *see* Hadrian, W. 86–52209
Rabitti, S. *see* Boldrin, A. 87–21786
Rabitz, H. *see* Caulfield, H.J. 87–7805
Rabitz, H. *see* Shi, S. 88–38114
Rabitz, J. *see* Skritek, P. 85–3807, 87–49409
Rabitz Herschel *see* Herschel Rabitz
Rabjohn, G., Wolczanski, J., Surridge, R. High-frequency wafer-probing techniques 88–36192
Rabkin, E.L. *see* Bataev, V.M. 86–24380
Rabkin, L.I., Drachev, V.A., Perekhodnik, I.G., Litovkin, I.A. Sealed relays with a magnetic memory 86–35153
Rabkin, P.B., Seleninov, K.L. Turn-off time of fast-response voltage thyristors 87–74275
Rabkin, P.B., Togatov, V.V. Nonlinear model of the turn-off process of a p-n-p-n structure with charge removal by the reverse current 85–55748
Rabkin, P.B. *see* Grekhov, I.V. 87–6628
Rabkin, S.S. *see* Nikitin, B.K. 87–78979
Rabkin, V.B. *see* Demchenko, A.S. 88–6549
Rabl, A. Active solar collectors and their applications 87–58343
Rabl, A. *see* McKay, M.E. 86–12647
Rabl, H. The operation of SIPMOS transistors with an earthed return load 85–12278
Rabl, H. Operation of SIPMOS transistors with grounded loads 85–17214
Rabl, H. Op-amps monitor lamp currents in automobiles 85–44283
Rabl, H. Supervision of vehicle lights with operational amplifiers 86–7279
Rabl, H. Delayed switch-off of automobile interior lighting using SIPMOS transistors 86–57005
Rabl, H. Lights off reminder with an alarm tone for car drivers 87–22872
Rabl, H. Acoustic warnings for motor vehicles 87–43602
Rabl, H. The electronic relay with TEMPFET transistors for car applications 88–37706
Rabl, H. *see* Herfurth, M. 85–6928, 85–18361, 85–28665
Rabochii, A.A. A comparative analysis of algorithms of the operation of relays reacting to a forced current component 86–6406
Raboin, P.J. *see* Bobrov, E.S. 88–40496
Raboisson, G. *see* Bernard, A. 85–5247
Raboisson, G. *see* Camarcat, N. 86–20366
Raboisson, G. *see* Devin, A. 85–5326
Raboisson, G. *see* Etlicher, B. 85–1777
Raboisson, P. *see* Huong, P.V. 86–35355
Raboisson, P. *see* Mahan, A.H. 86–27925, 87–12302, 87–33029, 87–68257, 88–58345
Rabold, J. *see* Bauch, H. 85–47053
Rabolt, J.F., Swalen, J.D. Raman studies of polymer structure and morphology in thin films using integrated optical techniques 85–50994
Rabolt, J.F. *see* Schlotter, N.E. 85–7255
Rabou, L.P.L.M. *see* Zwart, P. 87–29530
Rabov, S. *see* Lieber, W. 86–2821
Rabovitser, I.Kh., Dudnikov, S.G., Korovin, V.A., Kurbanov, A.A., Manuilov, V.K., Molotkov, N.V. System of automatic control of air conditions of an oil-fired boiler 85–60030
Rabowsky, I. *see* Sarraf, J. 86–16889
Raboy, S. *see* Brownridge, J. 85–15191
Rabrenovic, D., Jovanovic, V. Sensitivity analysis in the transformed plane [passive filter] 86–1210
Rabrenovic, D. *see* Jovanovic, V. 86–1191
Rabu, Y., Abrams, M., Niblack, W., Chorowicz, J. Interpretations of HCMM data and Landsat data combined for geological analysis. Evaluation of a scale effect in interpretation of a multisource image 85–64720
Raburn, W.D. *see* Buchner, S.P. 88–26492
Raburn, W.D. *see* Singh, R.S. 87–74378
Raby, J., Brunswick, A., Sliper, C. Advances in block truncation coding with applications to digital terrain elevation data 86–68994
Raby, P.S., Banks, P.J. Two-stage nonblocking bidirectional switch networks 88–41126
Raby, P.S. *see* Newbury, R.A. 86–23605
Racanskiy, D. *see* Kruzelekcky, R.V. 86–28153
Racca, C. *see* Alard, J.P. 88–10243
Racca, R. *see* Pallo, J. 86–7625
Racca, R.G., Dewey, J.M. Automatic particle tracking in a three-dimensional flow field 86–11771
Raccah, F. *see* Alfano, R.R. 88–1960
Raccah, F. *see* Baldeck, P.L. 87–75246
Raccah, P.M., Garland, J.W., Zhang, Z., Chu, A.H.M., Reno, J., Sou, I.K., Boukerche, M., Faurie, J.P. Hall and electroreflectance studies of the effects of doping in mercury-cadmium telluride grown by molecular-beam epitaxy 86–67686
Raccah, P.M., Garland, J.W., Zhang, Z., Lee, U., Ugur, S., Mioc, S., Ghandi, S.K., Bhat, I. Study of mercury cadmium telluride epilayers grown by metalorganic vapor-phase epitaxy 85–34498
Raccah, P.M., Garland, J.W., Zhang, Z., Yang, D., Bubulac, L.O., Tennant, W.E. Study of implantation in HgCdTe by electrolyte electroreflectance 88–13105
Raccah, P.M., Zhang, Z., Garland, J.W., Chu, A.H.M., Bevan, M.J., Thompson, J., Woodhouse, K.T. Influence of layer thickness on the quality of mercury cadmium telluride epilayers grown by the interdiffused multilayer process 86–66853
Raccah, P.M. *see* Olego, D.J. 86–15561
Raccah, P.M. *see* Schachter, R. 86–47330, 87–1423
Race, L.B., Jr. *see* Watson, D.C. 88–46253
Race, R.E. The Variable Depth V-FIN Depressor 86–65560
Racek, E. *see* Trhlik, J. 88–57076
Racek, S. *see* Smrha, P. 88–15050
Racette, J. *see* Scholl, F.W. 87–76785
Rach, R. *see* Adomian, G. 86–62155, 86–62170, 88–349, 88–63257
Rachal, J.C. *see* Clark, L.G. 88–22212
Rachdi, F. *see* Audenaert, M. 86–58286
Rachev, P. *see* Pavlov, D. 88–24124
Rachevskii, L.A. *see* Kolesnikov, V.Yu. 85–51109
Rachid, A., Vargas, H.J. Installation travails: how one company implemented a Token-Ring LAN 88–3515
Rachid, A. *see* Hashim, G. 88–40990
Rachid, N., Schemenau, W. New concepts for seawater desalination plants with gas turbines 87–43720
Rachidi, F. *see* Mazzetti, C. 88–8514
Rachitskii, D.G. *see* Perevodchikov, V.I. 85–44098
Rachkin, V.N. *see* Davydov, N.I. 85–37667
Rachko, L.T. *see* Kungs, Ya.A. 86–33853
Rachkov, I.A. *see* Malakhova, V.I. 86–68542
Rachkov, I.A. *see* Plavenek, A.G. 87–46893
Rachkov, I.A. *see* Vasil'ev, M.G. 87–18975
Rachkov, I.A. *see* Volkov, L.A. 88–60732
Rachkov, Yu.G. *see* Golenkov, A.N. 88–36689
Rachman, D.M., Downing, B.J. Novel polar frequency discriminator 86–14460
Rachman, M.J. *see* Evans, S. 88–54621
Rachmaninov, W.I. The electric locomotives class CS7 and CS8 for the passenger train service of the Soviet Railways 86–40237
Rachnev, P., Philippov, Ph., Parashkevov, D. Simultaneous preparation of Cr-SiO_2 and NiCr thin film resistors on a single substrate 87–5467
Rachnikov, A.V. *see* Vanke, V.A. 87–39473, 87–68850, 88–68868, 88–75522
Rachyukaitis, G. *see* Narkyavichyus, V.K. 86–44121
Racicovschi, V. *see* Aron, I. 87–64627
Racine, G.-A. *see* Leemann, Ch. 86–42172
Racionzer, D. *see* Janjua, A. 86–32404
Racionzer, D. *see* Marshall, J. 87–14878
Raciti, A. *see* Bassi, E. 88–69823
Raciti, A. *see* Cantarella, V. 88–17543, 88–31079
Raciti, A. *see* Cantarrella, V. 88–48923
Raciti, A. *see* Consoli, A. 86–66395
Raciti, M. *see* Gandini, S. 88–54581
Raciti, S., Paparo, M. A 2.0 kVA fully integrated PWM motor controller opens the way to a new perspective on power ICs design 88–11181
Raciti, S., Paparo, M. A 2.0 kVA fully integrated PWM motor controller opens the way to a new perspective on power ICs design 88–71762
Racke, W., Effelsberg, W. X.400 recommendations for message handling systems (MHS) 87–2882
Racke, W.F., Fischer, K. Extending an existing mail service to support X.400 message handling 88–52794
Racke, W.F. *see* Fischer, K. 88–59609
Racke, W.F. *see* Schutt, T.E. 88–15004, 88–67021

Rackevich, A.L. *see* Malik, O.P. 86–12798, 87–72130
Rackham, J. A short history of fax 87–69598
Rackl, H. *see* Ip, Y.-C. 88–73649
Rackley, D.P. *see* Kummer, D.A. 85–882, 85–3896 to 3897, 85–3903
Rackliffe, G.B., Crouse, J.C., Legro, J.R., Kruse, V.J. Simulation of geomagnetic currents induced in a power system by magnetohydrodynamic electromagnetic pulses 88–48439
Rackliffe, G.B., Kruse, V.J., Schabel, K.B. Groundwater heat pumps for residential space conditioning–measured performance and application considerations 87–72614
Racko, D. Acoustic emission detection of crack growth in testing ring shaped testpieces of welded joints 88–56355
Rackoff, C. *see* Luby, M. 88–45919
Rackoff, C. *see* Micali, S. 88–40839, 88–45920
Rackson, G.M. *see* Goepel, C.A. 88–35557
Rackson, M.M. *see* Wei, P.S.P. 85–63740
Racoveanu, C. *see* Balan, G. 86–32943
Racquencourt, J. *see* Dubost, G. 87–19311
Racsmany, A. On constructing codes with given distance in Lee-metric 87–39652
Racurow, B., Kraaz, U., Hilbert, A., Hess, G. Analogue-to-digital converter using hybrid techniques 86–8409
Racurow, B., Storch, K. DA/AD convertors in hybrid technology 85–866
Racz, B. *see* Bor, Z. 85–12822, 85–51267, 85–56562
Racz, B. *see* Dick, B. 87–54248
Racz, B. *see* Hebling, J. 85–29780
Racz, B. *see* Santa, I. 86–3034
Racz, B. *see* Szabo, G. 85–56574
Racz, B. *see* Szatmari, S. 87–46808, 87–54247, 87–54257, 87–61105
Racz, I., Ohki, Y. Cause of the higher breakdown strength in ethylene-styrene copolymer, a new insulating material 87–38596
Racz, I., Ohki, Y. Electron-spectroscopy study on the cause of higher breakdown strength in ethylene-styrene copolymer 88–20199
Racz, I., Vas, P. Oscillatory behaviour of induction machines employed in railway traction 86–33806
Racz, L. Transient stability improvement of EHV power transmissions by adaptive single-pole reclosing 86–39147
Racz, M., Dobovics, M. Determination of the modulation transfer function of CCD linear arrays with slit translation method 87–53725
Raczek, J. Analysis of measurement methods of MTF of picture producing systems 87–14142
Raczkowski, C. *see* Gonzalez, A.J. 85–21564
Raczkowski, K. *see* Grejcz, B. 88–15501
Raczowski, C. *see* Gonzalez, A.J. 86–33304
Raczynska, J., Lewandowski, W., Bugajski, M. The influence of growth conditions on electrical and optical properties of high quality LPE GaAs layers 88–6453
Raczynska, J. *see* Jasiolek, G. 87–10359
Raczynska, J. *see* Stapor, A. 87–53332
Rad, C. *see* Bernstein, L. 88–52745
Rad, F.N. *see* Harrison, M. 85–26548
Rada, J. Currents in the windings and supply loads of a generally (unsymmetrically) loaded transformer 86–33453
Rada, J. A nontraditional method of the computation of the induction heating of single or multiple charges using criteria of similarity 86–66482
Rada, V., Nemec, K. Current transformers for differential protection of large power station blocks 86–70953
Radack, D. *see* Booske, J.H. 88–27206, 88–51839
Radack, D.J., Linholm, L.W. On-chip propagation delay measurement 87–59407
Radack, D.J., Swartz, J.C., Linholm, L.W., Cresswell, M.W. A comprehensive test chip for the characterization of multi-level interconnect processes 87–67158
Radack, D.J. *see* Booske, J.H. 88–27198, 88–72503
Radack, D.J. *see* Cresswell, M.W. 87–1699, 88–19879
Radack, D.J. *see* Linholm, L.W. 88–7720
Radacks, D.J., Yao, C.T., Linholm, L.W., Galloways, K.F., Lin, H.C. Comparison of microelectronic test structures for propagation delay measurements 86–21832
Radaev, N.N. *see* Korkh, L.N. 88–63073
Radaev, N.N. *see* Suprunov, V.I. 88–4505
Radaeva, T.D. *see* Li, D.Kh. 86–41494
Radak, B.B., McLaughlin, W.L., Simic, M.G. Enhanced sensitivity of chemical dosimeters using liquid-core optical waveguides 86–32394
Radak, B.B., Radosevic, E., Secerov, B.Lj. Calorimetric measurement of the power of high-intensity electron beams 87–71013
Radant, E. *see* Havermans, G.M.J. 88–3735
Radantsev, V.F., Deryabina, T.I., Zverev, L.P., Kulaev, G.I., Khomutova, S.S. Quantum effects in accumulation and inversion layers of narrow-gap and gapless $Hg_{1-x}Cd_xTe$ 86–27882
Radantsev, V.F., Deryabina, T.I., Zverev, L.P., Kulaev, G.I., Khomutova, S.S. Subband structure and scattering mechanisms of a surface two-dimensional electron gas in heavily-doped InAs 87–53193
Radar, C.M., Steinhardt, A.O. Hyperbolic Householder transformations, definition and application [adaptive antenna arrays] 87–27065
Radar, M. *see* Alexeff, I. 88–14069, 88–65539
Radautsan, S.I., Buzhor, V.P., Nikiforov, K.G., Pasenko, L.Ya. Negative differential resistance and switching effect in ternary magnetic semiconductors 85–18117
Radautsan, S.I., Buzhor, V.P., Nikiforov, K.G., Trnovtseva, V., Tezlevan, V.E. Negative differential resistance and the switching effect in the magnetic semiconductor $CdCr_2S_4$ 85–45412
Radautsan, S.I., Georgobiani, A.N., Tiginyanu, I.M. II-III_2-VI_4 compounds: properties and trends for applications 85–16918
Radautsan, S.I., Kulikova, O.V. Photocapacitance effect in Zn_xCd_{1-x}Te-InSb structures 86–42410
Radautsan, S.I., Morozova, V.I., Knyazev, A.F., Koval', L.S., Arushanov, E.K., Nateprov, A.N. Photoconductivity spectra of cadmium phosphide single crystals 86–15556
Radautsan, S.I., Rebrov, S.A., Tsurkan, A.E. Some properties of ZnTe-InP heterojunctions 85–1379
Radautsan, S.I., Russu, E.V., Kohanyuk, M.B., Strebkov, D.S., Gorchiak, L.V., Kitoroaga, A.D. Influence of temperature and illumination intensity on the InP/CdS hetero-photocells characteristics 85–27659
Radautsan, S.I., Russu, E.V., Russu, M.A., Slobodchikov, S.V., Pavlovskii, M.V., Kobzarenko, V.N., Tarabukin, A.B., Gorchak, L.V., Vdovochenko, A.D. Solar cells with a metal-insulator-semiconductor structure based on *p*-InP 85–16239
Radautsan, S.I. *see* Arushanov, E.K. 87–37913
Radautsan, S.I. *see* Bergner, H. 86–2924
Radautsan, S.I. *see* Gorchak, L.V. 87–51452
Radautsan, S.I. *see* Kulikova, O.V. 87–66941
Radautsan, S.I. *see* Kulyuk, L.L. 85–56666, 87–2122
Radautsan, S.I. *see* Moldovyan, N.A. 87–26175
Radbel, D., Marks, R.J., II. An FIR estimation filter based on the sampling theorem 85–46794
Radbone, J.M. The *UoSAT*-2 spacecraft, CCD imaging and digital store/readout experiments 88–9482
Radbone, J.M., Underwood, C.I. The *UoSAT*-2 particle-wave experiments 88–10461
Radbruch, J. *see* Gengenbach, B. 85–53781
Radbruch, J. *see* Jager, K.-W. 88–55525, 88–75857
Radbruch, J. *see* Mayer, U. 86–33566
Radcenco, L. *see* Simion, F. 88–53942
Radchenko, A.F., Malyshev, I.V. Investigation of a millimeter-band Gunn diode frequency converter 85–23082
Radchenko, A.F. *see* Levterov, A.N. 86–14067
Radchenko, A.F. *see* Malyshev, I.V. 87–66536
Radchenko, A.G. Analog meter for the instantaneous value of a low frequency 86–24650
Radchenko, A.L. *see* Plugatar', A.P. 87–9509
Radchenko, I.F. Approximation of the spectral function of a triangular pulse 88–3027
Radchenko, M.V. *see* Brodovoi, A.V. 85–6722, 85–23491
Radchenko, O.M. *see* Bolotov, V.N. 85–20815
Radchenko, R.V. *see* Ratnikov, E.F. 86–51196
Radchenko, T.A. A statistical model of a communication link through the ionospheric E_s layer 87–39371
Radchenko, T.A. *see* Trifonov, A.P. 85–57021
Radchenko, V.S. *see* Malyutenko, V.K. 86–35315
Radchenko, V.V. *see* Avakyants, L.I. 87–75058
Radchenko, Yu.A. *see* Zhidiyatov, A.M. 88–5555
Radchenko, Yu.S., Presnyakov, D.A. Investigating optimum and suboptimum algorithms for evaluating one parameter of electrocardiogram in presence of noise 85–59292
Radchenko, Yu.S. *see* Trifonov, A.P. 87–19675
Radchuk, N.B., Ushakov, A.Yu. Excited Se impurity states in Ge 85–62434
Radcliff, R. *see* Christman, A. 88–40688
Radcliffe, B., Boaz, J. Modular standards for emerging avionics technologies 86–18476
Radcliffe, C.J. An INMARSAT B cross-coupled diplexer 87–45218
Radcliffe, D.F. Computer-aided rehabilitation engineering–CARE 86–25252
Radcliffe, J. Magnetic amplifiers using magnetically soft material 87–44569
Radcliffe, J.K. *see* Kelkar, S.S. 87–30816
Radcliffe, P. Zone interlocking aids e/f protection 86–18865
Radcliffe, R.L. *see* Janes, G.K. 86–60899
Radcliffe, S. Experiences with Ethernet at the GLC 85–3196
Radcliffe, W. *see* Gallop, J.C. 86–60346
Radcliffe, W.J., Gallop, J.C., Langham, C.D., Gee, M., Stewart, M. Microwave cavity made from high temperature superconductor 88–70966
Radcliffe, W.J. *see* Gallop, J.C. 85–42831, 88–39825, 88–74562
Radder, J.A. *see* Bickel, J.H. 85–48810
Radding, S.B. *see* Mooney, J.B. 86–7152
Radebaugh, R. *see* Louie, B. 85–53955
Radecki, D. *see* Berger, J. 88–45389
Radecki, K.W. *see* Hahn, S.L. 87–14450, 88–16402
Radehaus, C., Kardell, K., Baumann, H., Jager, D., Purwins, H.-G. Pattern formation in S-shaped negative differential conductivity material 87–32221
Radehaus, C. *see* Baumann, H. 87–74249
Radek, P. *see* Kur, J. 88–4630
Radeka, V. Semiconductor position-sensitive detectors 85–9075
Radeka, V. Semiconductor detectors and readout electronics: present directions and outstanding problems 87–29546
Radeka, V., Rehak, P., Rescia, S., Gatti, E., Longoni, A., Sampietro, M., Holl, P., Struder, L., Kemmer, J. Design of a charge sensitive preamplifier on high resistivity silicon 88–61180
Radeka, V., Rescia, S. Speed and noise limits in ionization chamber calorimeters 88–29864
Radeka, V. *see* Batley, R. 86–25127
Radeka, V. *see* Bettoni, D. 85–52968, 87–21407
Radeka, V. *see* Beuttenmuller, R. 86–56035, 87–21437
Radeka, V. *see* Beuttenmuller, R.H. 87–29554
Radeka, V. *see* Fischer, J. 85–15203, 85–64460, 86–50333, 86–60556, 87–29541
Radeka, V. *see* Palmer, R.B. 86–5694
Radeka, V. *see* Smith, G.C. 85–43226, 88–68215
Radelaar, S. Submicron lithography 87–24625
Radelaar, S. Recent developments in electron beam lithography 88–19881
Radelaar, S. Recent developments in electron beam lithography 88–24529
Radelaar, S. Recent developments in electron beam lithography 88–26027
Radelaar, S. Recent developments in electron beam lithography 88–26404
Radelaar, S. Recent developments in electron beam lithography 88–39339
Radelaar, S. Recent developments in electron beam lithography 88–39340
Radelaar, S. *see* Caro, J. 87–25016
Radelaar, S. *see* Hendriks, M. 85–12128
Radelaar, S. *see* Patovan, R. 88–26519
Radelaar, S. *see* Pruymboom, A. 88–33567
Radelaar, S. *see* Reader, A.H. 86–41689, 86–58388
Radelaar, S. *see* van der Drift, E. 88–26711, 88–39822
Radeloff, C., Rauscher, G. Pulse generation with short composite wires 86–28602
Radeloff, C. *see* Rauscher, G. 86–55635
Radeloff, W. A network for up to 255 computers 88–35112
Rademacher, H. *see* Seyfried, P. 88–15896
Rademacher, L.J. Comments, with reply, on 'A spectral-domain analysis of periodically nonuniform microstrip lines' by F.J. Glandorf and I. Wolff 88–40633
Rademacher, L.J. *see* Smolka, G.J. 87–62727, 88–21757, 88–59792
Rademaker, R.T. *see* Kooijman, C.J. 85–31829
Rademeyer, P. *see* Abrie, P.L.D. 85–55141
Rademeyer, P. *see* Du Plessis, M. 86–2149
Radenko, K., Radomir, L. Influence of voltage surges on switching systems controlled by stored program 85–25675
Radenovic, B.M., Cvijetic, M.M. Time response of long wavelength PIN photodiodes based on GaInAs 85–2143
Radens, C.J., Jackson, H.E., Boyd, J.T., Bhasin, K.B., Pouch, J.J., Davis, L. Characterization of GaAlAs optical waveguide heterostructures grown by molecular beam epitaxy 88–51514
Radens, C.J. *see* Borland, W.C. 87–68047
Rader, C.M. A simple method for sampling in-phase and quadrature components 85–25085
Rader, C.M. Wafer-scale systolic array for adaptive antenna processing 88–72704
Rader, C.M., Steinhardt, A.O. Hyperbolic Householder transformations 87–16450
Rader, E.I. *see* Nesterov, V.A. 88–36441
Rader, J. How to test and diagnose an X.21 interface 88–3517
Rader, J.A. DSIS: a real-time radar environment simulation facility 85–9268
Rader, J.A. Operational experience with ASPSS: a simulation facility for a distributed signal processor 88–3081
Rader, M., Alexeff, I., Dyer, F. Cross sectional number density in the pulsed Orbitron maser 88–14068
Rader, M., Dyer, F., Alexeff, I. Steady-state orbitron emissions 87–38968
Rader, M. *see* Alexeff, I. 88–26999
Radermacher, E. *see* Albrow, M.G. 88–29872
Radermacher, W. A high-precision optical connector for optical test and instrumentation 88–7855
Radermacher, W. A high precision optical connector for testing and measuring optical fibres 88–72017
Raderman, A.B., Flakes, R.W. Video and voice communications join Ethernet on broadband cable 85–36533

Rades, M. *see* Craciun, M. 88−53943
Radesi, S.J. Understanding IBM's LU 6.2 87−69698
Radet, F.G. Electrical power control with BECOS 10 Plus for a Swedish local authority 86−70571
Radetic, R.M. *see* Katic, V.A. 88−67949
Radev, N. *see* Kolev, L. 86−62393
Radev, N.A. *see* Farchy, S.L. 87−887
Radev, N.A. *see* Kolev, L.V. 85−54620
Radev, P. *see* Porokhov, O.N. 87−8275
Radev, R.K. An intelligent system for specialised teaching 88−18399
Radeva, E. *see* Borisov, M. 85−29403
Radeva, E. *see* Borissov, M. 87−32775
Radford, C. A standard central air data computer (SCADC) with worldwide applications 85−9316
Radford, C., Parkes, G.R. Safe transporting of men, materials and mineral in coal mines 85−44280
Radford, C.J. Modular stores management system 86−50708
Radford, C.J. Optical flow fields in Hough transform space 87−19880
Radford, D.C. *see* Holzmann, R. 87−77556
Radford, D.C. *see* Martin, J.-P. 88−56716
Radford, M.F. Whither radar? 85−63756
Radford, M.F. *see* Clarke, J. 85−14360
Radford, P. *see* Cebrat, Z. 88−9227
Radford, R. *see* Bowring, N. 87−4587
Radford, R.G. *see* Bowring, N.A. 87−22149
Radford, S. *see* Ceccarelli, C. 85−20286
Radford, W.A., Jones, C.E. $1/f$ noise in ion-implanted and double-layer epitaxial HgCdTe photodiodes 85−35625
Radford, W.E. *see* Bythrow, P.F. 88−30163
Radford, W.E. *see* Eberhart, R.C. 88−36427, 88−74290
Radforth, M.A. Military flight checking of navigation and landing aids 87−41049
Radha, Rao, D. *see* Akin, O. 86−10702
Radha, T.S., Ramprasad, B.S. Speckle based fibre optic sensor for the measurement of the change in refractive index in liquid mixtures 87−7105
Radha Bai, T.S. *see* Ramprasad, B.S. 85−2019
Radhakrishna, C. *see* Krishna Rao, M.V. 88−17138
Radhakrishna, C. *see* Padiyar, K.R. 86−65617
Radhakrishna, C. *see* Pai, M.A. 86−6205
Radhakrishna, H. *see* El-Kady, M.A. 85−9506
Radhakrishna, H.S. *see* Anders, G.J. 88−23506
Radhakrishna, N. *see* Sarkar, T.K. 86−65093
Radhakrishna, Rao, K., Vanugopal, G. A novel technique for the on-chip tuning of monolithic filters 87−37455
Radhakrishna, S. *see* Kaushik, R. 87−73118
Radhakrishna, S. *see* Natarajan, T.S. 85−32954
Radhakrishna, S. *see* Shetty, H.V.K. 85−10288
Radhakrishna, S. *see* Jain, S.C. *(editor)* 87−16281
Radhakrishna Rao, C. *see* Khatri, C.G. 87−47674
Radhakrishna Rao, K. *see* Sasikumar, M. 85−17681
Radhakrishna Rao, K. *see* Subramanyan, R. 86−62729
Radhakrishnamurty, C. *see* Likhite, S.D. 85−43078
Radhakrishnan, D., Sharma, R. Test derivation for CMOS iterative logic arrays 86−981
Radhakrishnan, D., Sharma, R. Easily testable CMOS cellular arrays for VLSI 86−47828
Radhakrishnan, D., Whitaker, S.R., Maki, G.K. Formal design procedures for pass transistor switching circuits 85−44970
Radhakrishnan, D. *see* Feizi, A. 86−46772
Radhakrishnan, D. *see* Feizi, A.R. 86−46652
Radhakrishnan, G., Nouhi, A., Liu, J. Growth and characterization of CdTe on GaAs/Si substrates 88−63334
Radhakrishnan, G. *see* Nouhi, A. 88−56287
Radhakrishnan, G. *see* Shing, Y.H. 88−56310
Radhakrishnan, G. *see* Unlu, M.S. 88−19679
Radhakrishnan, L.M. Two 8 bit DACs make a 12 bit DAC 85−54944
Radhakrishnan, M. *see* Babuji, B. 85−34212
Radhakrishnan, M. *see* Mahalingam, T. 88−12635
Radhakrishnan, P., Sathianandan, K. Damage threshold studies of magnesium fluoride thin films deposited over polyacrilonitrile 86−42610
Radhakrishnan, R., Gopalan, M.N. Stochastic analysis of a two unit adaptive system subject to slow switch with random service 86−7574
Radhakrishnan, R., Gopalan, M.N. Cost-benefit analysis of a two-unit adaptive system subject to slow switch with random service 86−13570
Radhakrishnan, R. *see* Gopalan, M.N. 85−16831, 85−33224, 85−33237, 85−44546, 85−44552, 86−7560 to 7561, 86−40581 to 40582
Radhakrishnan, R. *see* Goplan, M.N. 85−49397
Radhakrishnan, R. *see* Vijayakumar, A. 85−33225
Radhakrishnan, S. *see* Bhosale, S.A. 87−74139
Radhakrishnan, T. *see* Yu, A. 88−15166
Radhakrishnan, T.S. *see* Hariharan, Y. 87−38679
Radhava, R.S., Fort, E.M. Prediction of mechanical properties of mica-epoxy composites and dependence on failure modes 86−62275
Radhy, N.-E. *see* Allamando, E. 85−45717
Radhy, N.E., Allamando, E., Salmer, G. Third order intermodulation distortion in microwave variable gain amplifier 85−11063
Radic, J. The relationship between the control of drives in power stations and their influence on the environment 87−4551
Radic, J. Flexible drives with positional and rotational control 88−62652
Radicati, B. *see* Castagnoli, F. 87−41043
Radicati, B. *see* Pippi, I. 88−61667
Radicati, G. *see* Gazdag, J. 86−50732
Radicati, S. Managing transient internetwork links in the Xerox Internet 85−8167
Radice, A. *see* Abram, M. 86−6586
Radice, A. *see* Corbi, L. 88−30572
Radice, R.J. *see* Bunz, W.J. 85−21495
Radicella, S.M. *see* Pintado, O.I. 87−33428
Radicheva, M.A., Bogoeva, L.A., Apostolova, M.D., Chrisiova, B.G., Shekherov, L.I. Some results of radiation control in the area of the IRT-2000 reactor in Sofia over the 1980-1982 period 86−33004
Radikaynen, Ya.M. An adaptive compensator operating in the frequency domain 86−29891
Radike, S. 5-450 MHz, the transmission area for cable TV systems, results and advantages 85−52538
Radimer, B.M., Pivec, A., Hyman, E.A. Test of a 500 kWh lead-acid battery for customer-side-of-the-meter applications 88−17906
Radimer, B.M. *see* Pivec, A. 86−66267, 87−9719
Radin, A.M. Propagation of waves in a smoothly irregular waveguide with a steplike change of boundary conditions 86−16001
Radin, A.M., Kuryatov, V.N., Glushchenko, Yu.V., Plachenov, A.B. Natural oscillations of a ring resonator with a reflector in the form of a continuously irregular layer 87−19005
Radin, B.I. Problems in the development of electrical motors 88−30698
Radin, H.W. DBS standardization 86−49784
Radin, I.V. *see* Rusov, V.D. 88−36386
Radin, O.N. *see* Ado, Y.M. 86−31902
Radin, V.I. Interelektro unified series of induction motors 85−43993
Radin, V.I., Zagorskii, A.E., Cheburakhin, I.M., Klimenko, E.P., Korolev, V.A., Tsyganova, N.I., Vlasov, S.I., Isachenko, A.V., Radionov, N.I., Shibaev, Yu.A. The type 4APA2E160S4BU1 induction motor for electric vehicles 86−45408
Radin, V.I., Zagorskii, A.E., Langen, S.A. A mathematical model for the problem of optimizing electric machines in independent electricity-supply systems 85−43558
Radin, V.I., Zagorskii, A.E., Par, I.T., Zakharova, Z.A. Using a control microcomputer to control the operation of a general-purpose asynchronous motor 88−24187
Radina, E.V. Algorithms for regulating the voltage of induction motors 85−43984
Radina, E.V. Reducing losses of electric energy in the induction motors of drives with fan load 85−49151
Radina, T.V. *see* Glushchenko, Yu.V. 85−51214
Radioff, R. A laser gyro with optimized resonator geometry 87−49953
Radionov, A.R. *see* Artjushenko, V.G. 88−39909
Radionov, N.I. *see* Radin, V.I. 86−45408
Radionov, N.I. *see* Zadorina, N.A. 86−45507
Radionov, V.V. *see* Sverdlik, M.B. 88−27921
Radionova, L.Kh., Maslova, T.I., Veksler, A.Z., Nuralieva, R.D. Determination of statistical parameters of signal generated by devices with a displaced singular hysteresis loop 88−51168
Radionova, L.Kh. *see* Zhuravlev, I.A. 88−53831
Radishevskii, I.A. *see* Komarov, F.F. 87−32390
Radisson, P. *see* Tribolet, P. 88−74479
Radjabi, B. Frequency switching speed measurements of frequency synthesizers 86−65212
Radjabi, B., Okinaka, K., Jaeger, K.B. Nuclear magnetic resonance—an intrinsic standard for magnetic calibration 88−53837
Radjenovic, B. *see* Djuric, Z. 85−18813
Radke, C.E. *see* Torku, K.E. 87−24197
Radke, C.E. *see* Wu, D.M. 85−18433, 85−40843, 87−23327, 88−13536
Radke, G.-L. Rhine navigation: in the radio shadow of the Loreley 85−31122
Radke, G.-L. Cable pilot projects 85−42757
Radke, G.-L. Cable broadcasting in a test case: tenants need not always accept a connection 85−58367
Radke, G.-L. Electronics secure your home: signals which protect against trouble 86−7477
Radke, G.-L. Datex-L and Datex-P with 64 kbit from house to house 86−10635
Radke, G.-L. Cable television: what remains of the pilot projects? 86−24110
Radke, G.-L. The new radio-telephone network 'C': digital signalling, but speech is still transmitted as analog 86−30667
Radke, G.-L. Car navigation: electronic pilots 87−20634
Radke, G.-L. A three-faced experiment: acoustic post box—speech storage service of the Post Office being tested 87−34062
Radke, G.-L. Videotext: linking with other services 87−48524
Radke, G.-L. The ISO reference model: a framework for open communications 87−48594
Radke, G.-L. Fruitful innovation: ISDN at the workstation 87−55498
Radke, G.-L. The changing working environment: the ISDN and its consequences 87−55499
Radke, G.-L. Wideband communications of the future: planning missing the requirements? Experimental network helps clearing usage questions 87−69497
Radke, G.-L. Air safety is up-dated: 'Wias' keeps flight controllers in touch 87−71261
Radke, G.L. New broadcasts from St. Chrischona: tower construction near Basle 85−13369
Radke, G.L. Video conferences. Business trip by satellite 85−20382
Radke, G.L. Communications networks: every minute counts—a visit to the German Press Agency 86−10634
Radke, G.L. Ham radio. Wave-hitch-hiking to the moon 86−10958
Radke, G.L. Security techniques for radio and television: scrambling and encoding 87−33595
Radke, G.L. By telephone and data key: analog transmission of digital data. Now even more attractive due to new Post Office regulation 87−34250
Radke, G.L. The eye as a key: protection against unauthorized use or sabotage 87−34964
Radke, G.L. Video conference studios: custom-made 87−49362
Radke, G.L. *see* Feichtinger, H. 85−36639
Radke, G.L. *see* Prosch, T. 86−11210
Radke, G.L. *see* Tetzner, K. 86−11209
Radke, J. *see* Taylor, F.J. 88−32247
Radke, K., Jamar, P., Levitan, L. Head-ported display analysis for space station applications 87−50498
Radkevich, A.V. *see* Eidelman, L.G. 85−33382
Radkevich, I.A., Ratnikov, F.D., Tkach, N.G. Improved voltage divider for FEU-63 86−60623
Radkevich, I.A. *see* Abramov, B.M. 86−65367
Radkevich, N.S. *see* Fofanov, O.N. 87−73212
Rad'ko, V.I., Grebennik, V.S. Operational control of continuity of metal pipes made from double-layer steel for nuclear power plants 86−65824
Rad'ko, V.P. *see* Zhuk, V.V. 85−49615
Radkowsky, A. The seed-blanket core concept 86−12614
Radkowsky, A., Adamantiades, A.G., Segev, M., Galperin, A., Goldfeld, A. The potential for the elimination of soluble poison control in PWRs 85−53514
Radl, B.M. LCD pupil expansion for stereo viewing 88−4565
Radl, G.W. Office communication from the suppliers' point of view 86−30443
Radlauer, M.A., Bauman, D.S., Chapel, S.W. The impact of project management on nuclear construction lead times [nuclear power plants] 85−43705
Radler, B. *see* Goncz, G. 85−59440
Radler, B. *see* Mod, G. 85−59441
Radlett, A. A matter of choice [voice communication] 88−21531
Radley, C.J. Computers talk to standard AC drives 87−15650
Radley, D.E. The CODUS databank—a source of information on electronic components subject to quality-assurance procedures 86−40566
Radley, J. *see* Reeds, J. 85−29077
Radley, P.E. Optical fibre technology, reality and potential 86−24133
Radlinski, E.R. *see* Atwood, M.E. 87−105, 87−2997
Radloff, W. *see* Barber, D. 88−54002
Radloff, W. *see* Hartung, C. 86−65568
Radloff, W. *see* Kirchhof, J. 87−68011
Radman, G., Smaili, Y. Performance evaluation of PID power system stabilizer for synchronous generator 88−69336
Radmanesh, M., Chu, C.-M., Haddad, G.I. Magnetostatic wave propagation in a finite YIG-loaded rectangular waveguide 87−18543
Radmanesh, M., Chu, C.-M., Haddad, G.I. Magnetostatic waves in a normally magnetized waveguide structure 88−26686
Radmanesh, M., Chu, C.M., Haddad, G.I. Magnetostatic-wave propagation in a finite YIG-loaded rectangular waveguide 87−7028
Radmanesh, M., Chu, C.M., Haddad, G.I. Magnetostatic wave propagation in a yttrium iron garnet (YIG)-loaded waveguide 87−7572
Radmanesh, M., Chu, C.M., Haddad, G.I. Magnetostatic waves in a normally magnetized waveguide structure 87−75519
Radmanesh, M., Chu, C.M., Haddad, G.I. The analysis of magnetostatic waves in a waveguide using the integral equation method 88−71954
Radmili, I. A brief calculation of LOG periodical aerials 87−12809
Radmore, P.M. *see* Ioannidis, Z.K. 88−51467, 88−67840

Radmuller, J. Integrated circuits for video receivers. Modern integrated circuits make it possible to implement new ideas 87—70197
Radner, R. *see* Linhart, P.B. 88—31369, 88—34886
Radnoczi, F. *see* Mester, L. 86—18286
Radnoczi, G. *see* Gong, S.F. 88—26036
Rado, P. *see* Bozso, I. 87—71649
Radoccia, M., Kobza, R., Ecklund, B. Improving plant availability through maintainability factors in power plant design 85—9610
Radoi, A.A. The hybrid drive of the mining transport system, ROM-BAND-AR-1 86—26459
Radojcic, I.Z. *see* Jeftenic, B.I. 88—62366
Radojcic, R. Some aspects of hot-electron aging in MOSFETs 85—6930
Radojcic, R. Hot-electron aging in p-channel MOSFETs for VLSI CMOS 85—18467
Radojcic, R. Generic qualification of semi-custom IC product families 87—1599
Radojevic, Z. Analytical expression for the optimal value of installed capacity of metropolitan distribution networks high to medium voltage transformer substations 85—65306
Radojevic, Z. *see* Muzdeka, G. 85—32429, 87—9153
Radojevic, Z. *see* Rajkovic, N. 88—49326
Radojewska, E.B., Bryskiewicz, T., Jedral, L.Z., Radojewski, J.M. Ta_2O_5 antireflection coatings for near-IR $GaAs_{0.80}Sb_{0.20}$ photodiodes 86—58811
Radojewska, E.B., Bryskiewicz, T., Pawlikowski, J.M. Photovoltaic effect in GaAs-rich $GaAs_{1-x}Sb_x$ mixed crystals 85—29684
Radojewska, E.B., Bryskiewicz, T., Pawlikowski, J.M. Compositionally step-graded GaAsSb p^+-ν-n heterostructure for optoelectronic applications 86—54045
Radojewska, E.B. *see* Radojewski, J.M. 87—74831
Radojewska, E.B. *see* Rakojewski, J. 87—56594
Radojewski, J. *see* Jezowska-Trzebiatowska, B. 86—51910
Radojewski, J. *see* Kadziela, J. 85—46208, 87—74773
Radojewski, J. *see* Patela, S. 85—46207, 86—9638
Radojewski, J.M., Kadziela, J., Patela, S. Ta_2O_5 thin-film optical waveguide Luneburg lenses on SiO_2-Si substrate 85—46206
Radojewski, J.M., Kadziela, J., Patela, S., Sochacki, J., Radojewska, E.B. New generation of planar waveguide Luneburg lenses 87—74831
Radojewski, J.M. *see* Radojewska, E.B. 86—58811
Radomir, L. *see* Radenko, K. 85—25675
Radomskii, A.O. *see* Gromov, V.I. 87—52873
Radonic, D. *see* Zanic, V. 85—65225
Radonja, P.J. Roundoff noise in estimation of the signal random parameter 86—16455
Radonov, G.K. *see* Angelov, A.H. 85—31651
Radonyi, L., Gacs, I. Computer aided evaluation and error analysis of the efficiency measurement of steam cycle in a power station 87—35817
Rados, M. *see* Pudlowski, Z.J. 88—18362
Radosevic, E. *see* Radak, B.B. 87—71013
Radosevich, R., Robles, F. Improving matrix relationships in R&D organizations—marketing support services 85—5713
Radostitz, J.V. *see* Overley, J.C. 85—59230
Radoszewski, T. *see* Broda, R. 88—29793
Radoszewski, T. *see* Pochwalski, K. 88—29771
Radot, M. *see* Akani, M. 88—1351
Radovanovic, G. Double feed motors [asynchronous motors] 85—5102
Radovanovic, G. Some characteristics of asynchronous motor regulations from the rotor side 85—16042
Radovanovic, G. Managing lift drives with asynchronous motors as operating machines by means of semiconducting units 87—9918
Radovic, M. Direct inward dialling into subscriber switchboards 87—76423
Radovinskii, A.L. On the equations for electromagnetic processes in thin conducting shells 88—34237
Radovinskii, A.L. Determination of the electromagnetic field in a thin strip moving in a harmonic magnetic field 88—52097
Radovskii, I.Z. *see* Konovalov, S.V. 88—42256
Radovsky, J.S. *see* Chen, R.K. 87—20305
Radparvar, K., Kaplan, B.-Z. Experimental and analytical investigation of synchronization dynamics of two coupled multivibrators 85—33707
Radparvar, K., Kaplan, B.Z. Canonic coupling of oscillators in a ring 86—27125
Radparvar, K. *see* Kaplan, B.-Z. 87—542
Radparvar, K. *see* Kaplan, B.Z. 88—18974
Radparvar, M., Berry, M.J., Drake, R.E., Faris, S.M., Whiteley, S.R., Yu, L.S. Fabrication and performance of all NbN Josephson junction circuits 87—67888
Radparvar, M., Nordman, J.E. Effect of bias electrodes on characteristics of long Josephson junctions 85—56198
Radparvar, M. *see* Yu, L.S. 87—67887
Radpour, F., Anandakugan, S., Chou, P., Singh, R. Incorporation of rapid isothermal processor in a vacuum system 88—39177
Radpour, F., Singh, R. Three dimensional integrated circuits: semiconductor on epitaxial dielectric approach 87—53673
Radpour, F. *see* Singh, R. 88—7413, 88—31814, 88—37568, 88—63332
Radriguez, A.Xavier *see* Xavier Radriguez, A.
Radtke, B. *see* Schildwach, B. 87—48398
Radtke, H. Adjustment of the operational characteristics of the ORWO audio magnetic tape cassettes 88—60499
Radtkey, R. *see* Ryan, F. 86—12283
Radu, A. Transient electromagnetic field mode in an anisotropic lamina core given an uneven periodic distribution of the magnetising windings 85—12495
Radu, A. Transient electromagnetic field of an anisotropic laminated core with nonuniform periodic distribution of the magnetizing windings 85—34223
Radu, A. Laminated cores equivalent schemes for magnetising coils of periodic distribution in a transitional regime 85—50846
Radu, A. Equivalent scheme of an anisotropic laminated core transformer with a nonuniform periodic distribution of the coils, in the transient state of the electromagnetic field 86—6848
Radu, A. Transient parameters of an anisotropic laminated core with a periodic distribution of magnetising coils 87—12055
Radu, A. An experimental determination of the transient parameters of anisotropic laminated cores during periodic distribution of the magnetization windings 88—37273
Radu, A. Plane-parallel long magnetic line in the transient mode of an electromagnetic field 88—50448
Radu, A. *see* Ursu, I. 88—49059
Radu, D. *see* Filip, D. 85—41016
Radu, R. *see* Huch, R. 87—51288
Raducan, P. *see* Nerodea, T. 87—51166
Radul, R.D. *see* Ivanchenko, O.N. 85—43072
Radulescu, C. *see* Cramariuc, R. 87—59020 to 59021, 88—56327
Radulescu, C. *see* Pekala, W. 88—58348
Radulescu, D.C., Schaff, W.J., Wicks, G.W., Calawa, A.R., Eastman, L.F. The effect of substrate orientation on deep levels in N-AlGaAs grown by molecular beam epitaxy 88—50631
Radulescu, D.C., Wicks, G.W., Schaff, W.J., Calawa, A.R., Eastman, L.F. Anisotropic transport in modulation doped quantum well structures 87—37942
Radulescu, D.C., Wicks, G.W., Schaff, W.J., Calawa, A.R., Eastman, L.F. Anisotropic transport in modulation-doped quantum-well structures 87—60145
Radulescu, D.C., Wicks, G.W., Schaff, W.J., Calawa, A.R., Eastman, L.F. Effects of substrate misorientation and background impurities on electron transport in molecular-beam-epitaxial grown GaAs/AlGaAs modulation-doped quantum-well structures 87—74060
Radulescu, D.C., Wicks, G.W., Schaff, W.J., Calawa, A.R., Eastman, L.F. Influence of substrate misorientation on defect and impurity incorporation in GaAs/AlGaAs heterostructures grown by molecular-beam epitaxy 88—63303
Radulescu, D.C. *see* Chen, Y.K. 87—60504, 88—25449, 88—25474, 88—32428, 88—38761
Radulescu, D.C. *see* Lepore, A.N. 88—13432
Radulescu, D.C. *see* Najjar, F.E. 87—60412, 88—39420
Radulescu, D.C. *see* Nguyen, L.D. 88—71608
Radulescu, D.C. *see* Wang, G.W. 88—26330, 88—56966
Radulescu, D.C. *see* Wicks, G.W. 88—31732
Radulescu, E., Grunwald, B., Apostolescu, N. On water effects in the emulsified fuels of some internal combustion engines 87—78240
Radulescu, M., Banu, V. Test results concerning combined coal dust and oil burning at a 2.8 kg/s (10 t/h) oil fired steam boiler 88—5506
Radulescu, M., Rosu, A. The improvement of the lignite grinding and burning facilities of the 330 MW unit boiler 87—57908
Radulescu, M., Totolo, C. The results of the experimental research regarding the performance of the 165 t/h boiler with coal dust centrifugal concentrators at the thermal power plant at Oradea 86—25862
Radulescu, M. *see* Cazacu, C. 87—57916
Radulescu, M.M., Viorel, I.A. The applications of the finite element method to the computation of stationary, magnetic field forces 87—47069
Radulescu, M.M., Viorel, I.A., Biro, K., Iancu, V., Stoia, D. Finite-element transient field analysis of permanent-magnet DC machines 85—39019
Radulescu, M.M. *see* Iancu, V. 87—43097, 88—69950
Radulescu, M.M. *see* Jufer, M. 87—30702
Radulescu, M.M. *see* Stoia, D. 85—9920
Radulescu, M.M. *see* Viorel, I.A. 87—15765, 87—42972
Radulescu, O. *see* Ristici, E. 88—34131
Radunovic, D.P. Analysis of five-point difference scheme on an 'oblique cross' pattern in approximating the mixed problem for the Laplace equation 85—54408
Radunovic, D.P. On the analysis of a modified difference scheme for the Laplace equation with mixed boundary conditions 85—54409
Radunovic, J.B. The influence of large-scale fluctuations on the anomalous conductivity in piezoelectric semiconductors 85—34449
Radunovic, M. WLS and LO algorithms for estimating statistical states of electric power systems 85—9420
Radureau, J., Fallour, H., Basalo, H., Prevost, J. The HELIOS project. The future network for high energy physics laboratories 86—30410
Radureau, J. *see* Bolus, D. 85—25480
Radureau, J. *see* Duarte, O.C. 85—25556
Radureau, J. *see* Goyer, P. 88—21849
Raduschewski, H. An equaliser with a B 2761 85—34113
Raduschewski, H. An active frequency crossover network 85—40176
Raduschewski, H. Digital receiving frequency indication for FM tuner 85—58324
Raduti, C., Tigler, M. On the behaviour of asynchronous motors supplied by static frequency convertors and constructive measures regarding the asynchronous motors 87—64568
Raduti, C., Tigler, M. The electromagnetic torque of synchronous motors supplied by static frequency convertors 87—72113
Radvan, S.A. Brain studies by computerized regional rheoencephalography (CRREG) 87—57159
Radvanskii, S.L. *see* Sinkov, M.V. 87—29717, 87—71092
Radvanyi, P. Heavy ions at Saturne. MIMAS and DIONE 86—32148
Radvanyi, P. *see* Bedjidian, M. 87—63631
Radwaan, E. *see* Saad, E.M. 88—56800
Radwan, M.M. *see* Kotkata, M.F. 86—27939
Radwan, R.M., Eish, T.D., Ramadan, S. Factors affecting breakdown phenomenon in transformer oil with uniform and nonuniform fields 88—33456
Radwanski, R.J. *see* Sinnema, S. 86—15363
Rady, B. *see* Behrend, J. 86—43997
Radynov, A.G. *see* Mel'nikov, V.N. 86—44437
Radyush, V.P. *see* Vodichev, V.I. 87—42676
Radza, B.P. *see* Greenspan, M. 88—60270
Radzewicz, C. *see* Li, Z.W. 87—54267
Radzewicz, C. *see* McMackin, I. 88—72291
Radzewitz, G. With a simple timer IC: reset logic, voltage monitoring and watchdog for microprocessor systems 85—49960
Radzey, E. Universal automatics. Internal lighting for motor vehicles 85—21919
Radzhabli, K.T. Protective control of the excitation system of a generator, while varying the power of the prime mover 87—64529
Radzhabli, K.T. *see* Murganov, B.P. 87—4670
Radzhabov, A.R. *see* Aliev, T.M. 86—70172
Radzhabov, T.S. *see* Gusev, V.D. 85—15418
Radzhapov, S.A. *see* Azimov, S.A. 87—14719
Radziejewski, I. *see* Hardy, R.H.S. 87—69740, 88—59698
Radzievskii, B.V., Nepogodin, V.I., On'kin, M.I., Zabegailo, V.I. Instrument for measuring humidity in climatic chambers 88—36295
Radzievskii, S.G. *see* Gorkin, Yu.S. 86—43116
Radzievskii, V.G., Myazitova, L.Sh. Reception of an elliptically polarized space-time signal in the presence of interference set up by external sources 88—34350
Radzik, T. On some games of timing of mixed type 87—65320
Radzimski, Z., Honeycutt, J., Rozgonyi, G.A. Minority-carrier lifetime analysis of silicon epitaxy and bulk crystals with nonuniformly distributed defects 88—25867
Radzimski, Z. *see* Ejna, J. 85—61659
Radzimski, Z. *see* Rozgonyi, G.A. 88—11987
Radzimski, Z. *see* Salih, A.S.M. 87—60401
Radzimski, Z.J. Scanning electron microscope solid state detectors 88—16649
Radzinskii, E.A. *see* Maltsev, G.I. 87—6322
Radzion, J. *see* Seguin, H.J.J. 86—29220
Radziszewska-Kepka, E. *see* Adamiec, M. 85—447
Radziszewski, A., Skrabka, T. Hafnium-*n* type silicon Schottky barriers 85—55156
Radziszewski, A. *see* Szreter, M. 88—7624
Radzivilyuk, V.A. *see* Peka, G.P. 88—58355
Radziyevskiy, V.G., Myazitova, L.Sh. Polarization processing of signals in multichannel transmitting-and-receiving systems 88—72948
Radziyevskiy, V.G. *see* Pon'kin, V.A. 85—7879
Rae, A.I.M., Gough, C.E. The effect of the resonant mode structure on flux tunneling in SQUIDs 87—18563
Rae, A.I.M. *see* Gough, C.E. 87—67883
Rae, A.U.Mac *see* Mac Rae, A.U.
Rae, B. Towards a new approach to fault location on PCBs 88—7183
Rae, C. *see* Abraham, E. 87—47931
Rae, G.J. *see* Barraclough, K.G. 87—16578
Rae, G.L. The significance of secondary lead 87—58288
Rae, J.B. *see* Palin, R.I.R. 87—55833

Rae, J.W., Swart, D.P. Variable frequency oscillator using a frequency discriminator 85−626
Rae, S. *see* Wood, I.C. 86−37917
Rae, W.D.M. *see* Woods, P.J. 88−36348
Rae Hong Park *see* Geun Hyung Kim 88−46172
Rae Hong Park *see* In Hong Lee 88−46175
Rae Hong Park *see* Woo Young Choi 87−47927
Rae Park Hyung *see* Hyung Rae Park
Rae-Hong Park, Woo Young Choi A new interpretation of the compass gradient edge operators 88−8827
Rae-Hong Park *see* Jae Seop Shin 88−46176
Raedel, J. An application of optical waveguiding to a control system 85−46157
Raeder, E. *see* Hullin, C.G. 85−10852
Raedt, H.De *see* De Raedt, H.
Raedt, W.De *see* De Raedt, W.
Raeisinia, M.N. *see* Dube, D.A. 87−9282
Raekken, R.H. Cell arrangement in mobile telephone systems 88−15378
Raelin, J.A., Balachandra, R. R and D project termination in high-tech industries 85−33064
Raemer, H.R. Sampling errors in estimation of mean terrain height 86−69803
Raes, J. *see* Janssens, G.K. 88−66970
Raes, J. *see* Lissens, G. 88−25714
Raeside, D. Cut cable costs and specify for safety 87−78129
Raeth, P.G. An expert systems approach to decision support in a time-dependent, data sampling environment 88−75015
Raeth, U., Schlaps, D., Limberg, B., Zuna, I., Lorenz, A., van Kaick, G., Lorenz, W.J., Kommerell, B. Diagnostic accuracy of computerized B-scan texture analysis and conventional ultrasonography in diffuse parenchymal and malignant liver disease 85−43342
Raether, A.M. *see* Leith, J.R. 88−54696
Raether, C. *see* Bullinger, H.-J. 88−62996
Raets, H.C. *see* Lutteke, G. 85−6167, 86−7974, 86−12887, 87−31066, 88−5765
Raetz, J.E. *see* Coleman, G.C. 87−36167
Raetzke, J. *see* Mennenga, H. 85−61578
Raev, H.P. *see* Donchev, D.S. 87−39535
Raev, V.K., Smirnov, S.N. Bubble memory with logic data duplication and with paraphase readout 85−24218
Raev, V.K. *see* Leont'ev, D.I. 88−58004
Raev, V.K. *see* Zakharyan, S.M. 86−42154
Raeve, J.de *see* de Raeve, J.
Raevskii, E.I., Lebedev, Yu.G., Filippov, B.N. Theoretical investigation of behaviour of bubble domains in Permalloy propagation circuits. II. Distribution of magnetization in control devices 86−9425
Raevskii, I.P., Bondarenko, E.I., Pavlov, A.N., Prokopalo, O.I. PTCR effect in $KNbO_3$ 88−7324
Raevskii, I.P., Malitskaya, M.A., Filippenko, V.P., Prokopalo, O.I., Pavlov, A.N., Bondarenko, E.I. Characteristics of the effect of a positive temperature coefficient of the resistivity of lead ferroniobate 87−45630
Raevskii, I.P. *see* Bondarenko, E.I. 88−19428
Raevskii, M.A. *see* Artel'nyi, V.V. 86−3626, 86−36688, 88−72611
Raevskii, M.A. *see* Bellyushtin, N.S. 86−10112
Raevskii, M.A. *see* Gorskaya, N.S. 86−41274
Raevskii, M.A. *see* Zaitsev, V.Yu. 86−14451
Raevskii, V.G. *see* Govorkov, B.B. 87−35283
Raevskii, V.K., Davtyan, M.G. Precision linear detector 86−67107
Raez, C.A.Pomalaza *see* Pomalaza Raez, C.A.
Rafaelli, L. *see* Goldwasser, R. 88−63955
Rafailov, M.Kh. Detection of local image anomalies under conditions for which their statistical characteristics are uncertain 86−37144
Rafalovich, M.L. *see* Demchenko, A.S. 88−6549
Rafalow, L.M. *see* Pozefsky, M. 86−37570
Rafalowicz, J. *see* Halaczek, T.L. 87−6938
Rafalski, W., Wilk, A. Some work hazards due to sliding contact of electrical machines 87−78626
Rafat, H., Jyn-Bang Shyu Implementation of V.22 bis modem receiver using 7720 digital signal processor 87−62752
Rafat, H., Jyn-Bang Shyu Implementation of V.22 bis modem receiver using 7720 digital signal processor 87−62759
Rafat, H.A. *see* Allen, P.E. 85−22707, 85−23975
Raff, B.E. *see* McDonough, R.N. 86−32573
Raff, L. *see* Wiedenmann, H.-M. 85−31619
Raff, V., Daniels, M.G. Considerations for thermal stability of oil impregnated EHV condenser bushings 85−32204
Raff, V.S. *see* Brodetskii, A.M. 88−37163
Raffaele, R.Di *see* Di Raffaele, R.
Raffaelli, L. A computer simulation to aid in the design of microwave GaAs FET limiting amplifiers 87−66542
Raffaelli, L., Goldwasser, R. Temperature compensation for microwave GaAs FET amplifiers 87−988
Raffaelli, L. *see* Bandla, S. 88−63976, 88−71047
Raffaj, V. *see* Bilik, V. 88−53840
Raffel, J., Mann, J., Berger, R., Soares, A., Gilbert, S. A generic architecture for wafer-scale neuromorphic systems 88−56701
Raffel, J. *see* Mann, J. 88−70840
Raffel, J.I. Laser linking for defect avoidance and customization 88−13090
Raffel, J.I. The application of wafer-scale technology to neuromorphic systems 88−44852
Raffel, J.I. Electronic implementation of neuromorphic systems 88−71680
Raffel, J.I., Anderson, A.H., Chapman, G.H., Konkle, K.H., Mathur, B., Soares, A.M., Wyatt, P.W. A wafer-scale digital integrator 85−28617
Raffel, J.I., Anderson, A.H., Chapman, G.H., Konkle, K.H., Mathur, B., Soares, A.M., Wyatt, P.W. A wafer-scale digital integrator using restructurable VLSI 85−35175
Raffel, J.I. *see* Rhodes, F.M. 88−33298
Raffel, J.I. *see* Schmidt, M.A. 85−40747
Raffel, J.I. *see* Wyatt, P.W. 85−50755
Raffelsberger, N., Novak, M. Planning and operation of the flue-gas cleaning plant at the Durnrohr power station 88−62184
Raffelsberger, P. Overview of coating thickness measurements for printed wiring board applications 87−45413
Raffenetti, R.C. VAX/VMS computer participation in an IBM file-transfer network 85−13898
Rafferty, C.S., Law, M.E., Griffin, P.B., Shott, J.D., Dutton, R.W., Plummer, J.D. Modeling LOCOS effects on diffusion 87−17888
Rafferty, C.S., Pinto, M.R., Dutton, R.W. Iterative methods in semiconductor device simulation 86−21473
Rafferty, C.S. *see* Iwai, H. 85−34979, 87−38277
Rafferty, C.S. *see* Law, M.E. 87−45750
Rafferty, C.S. *see* Pinto, M.R. 85−50733
Rafferty, T. Private viewdata may make sense 85−25391
Rafferty, W., Anderson, J.B., Holm, J.R., Saulnier, G.J. Laboratory measurements of the TCT fading channel radio system 87−28441
Rafferty, W., Anderson, J.B., Saulnier, G.J., Holm, J.R. Laboratory measurements and a theoretical analysis of the TCT fading channel radio system 87−40645
Rafferty, W., Saulnier, G.J. Variable-delay, sine/cosine noncoherent detector 85−54742
Rafferty, W. *see* Jedrey, T.C. 88−67165
Rafferty, W. *see* Saulnier, G.J. 87−28442
Raffety, M.S., Tuohig, W.D. Thermally induced failures of thick-film glaze resistors 86−14560
Raffo, C.A., Rebollo, M.A., Doti, R. Assessment of beam intensity profiles in an iodine laser using optical fibers 85−51132
Raffy, J. *see* Le Barny, P. 88−58682
Raffy, J. *see* Pocholle, J.-P. 85−1977, 86−15794
Raffy, J. *see* Pocholle, J.P. 86−3305, 87−18730, 88−8297, 88−58687
Rafian, M., Sterling, M.J.H., Irving, M.R. Decomposed load-flow algorithm suitable for parallel processor implementation 86−12234
Rafian, M., Sterling, M.J.H., Irving, M.R. Real-time power system simulation 87−57536
Rafian, M., Sterling, M.J.H., Irving, M.R. Parallel processor algorithm for power system simulation 88−61839
Rafian, M.R., Sterling, M.J.H. Multi-processor decomposed load flow 87−4307
Rafiee, M.H. *see* Bynum, J.E. 86−25901
Rafik, T.A., Griffiths, J.W.R. A simulation of high resolution DF algorithms on the T800 transputer 88−60346
Rafik, T.A. *see* Abu Al-Khail, M.N. 87−70746
Rafikov, R.A. *see* Gorodetskii, A.A. 87−26563
Rafila, K.S., Dedes, I., Dhadesugoor, V.R., Chakravarty, C.V. Signal identification using time averaged autocorrelation function of the ADPCM digital output 87−19833
Rafila, K.S. *see* Abdel-Fattah, A. 85−7844
Rafiq, D., Castanet, R., Chraibi, C., Goursaud, J.P., Haddad, J., Perdu, X. Towards an environment for testing OSI protocols 86−69248
Rafiq, M.Q. *see* Rehman, M. 85−8900
Rafiq, O., Haddad, J. Description of protocol testing scenarios 86−64732
Rafiq, O. *see* Ansart, J.P. 85−7948
Rafiq, O. *see* Chraibi, C. 87−48288
Rafique, S. *see* Faruque, S.M. 86−67339
Raflan, M., Irving, M.R., Sterling, M.J.H. A real time power system simulator 87−15136
Raflan, M., Sterling, M.J.H., Irving, M.R. Application of an array processor to real time power system simulation 88−5288
Rafol, S., Woo, K.C., Faurie, J.P. Properties of P-type $Hg_{1-x}Cd_xTe$-CdTe superlattice 88−19720
Rafol, S. *see* Faurie, J.P. 87−17765, 87−23693
Rafol, S. *see* Woo, K.C. 87−17764, 88−12949
Raftery, D. *see* Winn, D.R. 85−43255
Raftery, E.B. *see* Lahiri, A. 87−21558
Ragachurin, R.G. *see* Gulyamov, M.G. 87−21503
Ragadale, A. A generic desktop aircraft simulator 86−12069
Ragadini, M. *see* Cerri, C. 85−20813
Ragaie, H.F., El-Ghitani, H.A. Light-beam-induced current analysis for preferentially doped polysilicon solar cells 86−66325
Ragaie, H.F., Elghitani, H.A. Photoresponse enhancement in preferentially-doped thin film polycrystalline solar cells calculated by the Green's function method 86−33684
Ragaie, H.V. A simple analytical model for calculating the photoresponse of preferentially doped polycrystalline solar cells 86−13054
Ragaller, K., Plessl, A., Hermann, W., Egli, W. Calculation methods for the arc quenching system of gas circuit-breakers 86−51835
Ragan, D.P., Powers, W.E., English, P. Archiving radiotherapy information on a video disc 85−43426
Ragan, D.P. *see* Blosser, H.G. 85−64629
Ragan, G.E. *see* Mihalczo, J.T. 88−60547
Ragan, R.R. Inertial technology for the future 85−9290
Raganella, L., Tiberio, C.A., Banci, G., Franconi, C., Vannucci, I. Hyperthermia by combined capacitive and inductive applicators 88−61428
Raganella, L. *see* Franconi, C. 86−60809
Raganella, L. *see* Tiberio, C.A. 88−68469
Ragauskas, A. *see* Giedrys, T. 85−34463
Ragauskas, A.V., Danilov, V.G., Daubaris, G.A., Insoda, L.V., Shliteris, R.Z. Digital ultrasonic flow velocimeter of elevated fast response 85−48143
Ragazzi, S. *see* Alessandrello, A. 87−14733, 87−29540
Ragazzi, S. *see* Battistoni, G. 86−50396
Ragazzi, S. *see* Cattai, A. 85−43181, 85−43250
Ragazzini, S., Prina Ricotti, L., Orlandi, G., Martinelli, G. Elimination of the pitch bias in the non-stationary characterization of speech 87−61707
Ragazzini, S., Ricotti, L.P., Orlandi, G., Martinelli, G. Long term characterisation of speech. I. Vocal tract modelling and identification 86−64224
Ragazzini, S. *see* Martinelli, G. 86−64272, 87−47607
Ragdale, C. *see* De Fornel, F. 86−15507
Ragdale, C.M., Goodman, S.E. Simplified design equation for fused tapered single-mode fiber couplers 87−12188
Ragdale, C.M., Slonecker, M.H., Williams, J.C. Review of fused single-mode coupler technology 85−7212
Ragdale, C.M. *see* Nowak, G.H. 86−28791
Ragdale, C.M. *see* Varnham, M.P. 86−2781
Ragent, B. *see* Kremnev, R.S. 86−30313
Rager, D. 100 per cent automatic routing: What does it really mean? 86−58116
Rager, D. Adapting CAD to advanced surface mounted technology 86−67581
Rager, D. Autorouting manufacturable boards 87−6217
Rager, D. PC and workstation integration for effective PC design 88−1117
Rager, D. *see* Shaw, P.J. 87−59975
Rager, D. *see* Weisenberger, F. 87−17492
Rager, D.N. CAD cornerstones fast, economical PCB reliability 88−1108
Rager, D.N., Schenk, W. A low-cost PCB workstation 86−27011
Rager, D.N., Schenk, W. A high performance PCB workstation 86−41407
Rager, J.P. Gyrotron development in the framework of the European Fusion Programme 85−55359
Rager, J.P. Gyrotron development in the framework of the European Fusion Programme 87−24678
Ragg, J.S. Interpretation of DTA/DSC thermograms for measurement of oxidative induction time 87−5534
Raggam, J. *see* Leberl, F.W. 85−38326
Raggett, M. Videotex design services 85−57739
Raggett, M. Graphic production houses carve out a niche 86−10722
Raggett, M. IBM leaps into public access [Info Window] 87−76277
Raggett, M.R. Teletext's uncertain future 85−30663
Raggett, R.J. Singapore turns to computer power to solve maintenance problems [in telecommunications] 86−4168
Ragghianti, D. *see* Capizzi, M. 86−45707
Ragghianti, P. *see* Sollami, R. 88−29999, 88−30001
Ragghianti, P. *see* Toscani, L. 88−30000
Raggio, N. *see* Kowalewski, V.L. 87−56799
Raghavan, A.S. An economical optical direct write design and prototype method for integrated circuits 88−7541
Raghavan, A.S. *see* Berkin, G.M. 86−15106
Raghavan, C. *see* Satheeshkumar, M.K. 87−75185
Raghavan, K., Olver, A.D., Brown, R.C. Dual offset bifocal reflector antenna for multibeam Earth station 85−41755
Raghavan, K., Olver, A.D., Clarricoats, P.J.B. Compact dual-mode dielectric-loaded horn 87−7587
Raghavan, K., Olver, A.D., Clarricoats, P.J.B. Computer-aided design of dielectric loaded horns 87−47321
Raghavan, K. *see* Kitchener, D. 88−2813
Raghavan, K. *see* Olver, A.D. 87−54769, 88−52308

Raghavan, K. *see* Sinha, B.K. 86–3586
Raghavan, K. *see* Venkatachalam, P.A. 85–19276, 85–51499
Raghavan, M., Wheeler, P.K. Powerful support chips simplify graphics design [HD63485 and HD63486] 86–67910
Raghavan, N., Glover, J.R., Jr., Sheer, D.E. A microprocessor-based system for diagnosis of cognitive dysfunction 87–14899
Raghavan, N. *see* Glover, J.R., Jr. 87–29768
Raghavan, P. *see* Coppersmith, D. 88–11876
Raghavan, P. *see* Ng, A.P. 87–5616
Raghavan, P. *see* Ng, A.P.-C. 87–59291
Raghavan, R., Belapurkar, R.K., Nene, P.L., Kale, A.J. Urban electrification planning—management aspect 85–15538
Raghavan, R., Cohoon, J., Sahni, S. Single bend wiring 86–58534
Raghavan, R. *see* Miller, K.S. 85–30347
Raghavan, R.S., McIntosh, R.E., Swift, C.T. Minimizing errors of ocean currents measured by electromagnetic backscatter 85–26913
Raghavan, R.S., McIntosh, R.E., Swift, C.T. Increasing the azimuthal resolution of ocean surface currents for dual-frequency radars 86–25438
Raghavan, R.S. *see* McIntosh, R.E. 85–26912, 85–32014
Raghavan, S.V., Moghe, C.S., Kalyanakrishnan, R. LINK: an approach to networking minis and micros 85–25557
Raghavan, V., Aswathanarayana, Rao, G. Dissolved gas analysis and the quality control in the manufacture of transformers 87–64645
Raghavarao, R. *see* Sridharan, R. 88–10545
Raghaven, M.S.S., De, D. Planned outage management at the Tarapur atomic power station 85–27196
Raghavender, D., Naidu, M.S. Non-uniform field breakdown study in three component gas mixtures containing SF_6 under impulse voltages at elevated pressures 88–20181
Raghavender, D., Naidu, M.S. Lightning impulse study of SF_6/N_2 mixtures with 0.1% to 20% SF_6 content for rod-plane gaps with both positive and negative voltages 88–51066
Raghavendra, C.S., Silvester, J.A. A comparative study of a class of double loop network architectures 85–13931
Raghavendra, C.S., Silvester, J.A. Double loop network architectures—a performance study 85–30145
Raghavendra, C.S., Silvester, J.A. A survey of multi-connected loop topologies for local computer networks 86–49246
Raghavendra, C.S., Varma, A. INDRA: a class of interconnection networks with redundant paths 85–36488
Raghavendra, C.S., Varma, A. Rearrangeability of the five-stage shuffle/exchange network for $N=8$ 87–75977
Raghavendra, C.S. *see* Al-Hariri, S. 85–36771
Raghavendra, C.S. *see* Fortes, J.A.B. 86–21642
Raghavendra, C.S. *see* Hariri, S. 86–55000
Raghavendra, C.S. *see* Hwang, J.H. 87–37375
Raghavendra, C.S. *see* Khiem Van Le 88–52926
Raghavendra, C.S. *see* Lin, H.-C. 88–52927
Raghavendra, C.S. *see* Mangir, T.E. 85–29311
Raghavendra, C.S. *see* Prasanna Kumar, V.K. 86–1136
Raghavendra, C.S. *see* Sawchuk, A.A. 87–20584
Raghavendra, C.S. *see* Silvester, J.A. 85–8205
Raghavendra, S., Nagaraj, K. Telephonometric measurements 85–3017
Raghavendra Rao, K., Jenkins, L. Design of a near optimum regulator for a power plant 85–48639
Raghavendra Rao, K., Jenkins, L., Parthasarathy, K., Balasubramanian, R. Multi-time scale analysis applied to long time simulation of power systems 85–26979
Raghavendra Rao, P. On some experimental aspects of ferrite W/G circulator at the overlapping frequencies in X and Ku bands 85–28688
Ragheb, H., Elsherbeni, A., Hamid, M. On the optimum design of the corner array 86–22844
Ragheb, H.A., Hamid, M. Scattering by *N* parallel conducting circular cylinders 86–10084
Ragheb, H.A., Hamid, M. Rigorous solution of multiply fed dipole antenna 86–42987
Ragheb, H.A., Hamid, M. Scattering by two parallel multi-layered dielectric cylinders 86–68700
Ragheb, H.A., Hamid, M. Multiple interaction between a radiating dipole and parallel conducting cylinder 87–47328
Ragheb, H.A., Hamid, M. Simulation of a cylindrical reflector by conducting circular cylinders 87–54698
Ragheb, H.A., Hamid, M. An approximation of Planck's formula for the inverse black body radiation problem 87–61362
Ragheb, H.A., Hamid, M. A survey of the inverse black body radiation problem 87–75656
Ragheb, H.A., Hamid, M. Multiple scattering by two conducting strips 88–2533
Ragheb, H.A., Hamid, M. Scattering of a long dipole field by parallel cylindrical scatterers 88–40652
Ragheb, H.A., Hamid, M. Simulation of cylindrical scattering surface by conducting strips 88–45672
Ragheb, H.A. *see* Elsherbeni, A.Z. 87–26747
Ragheb, M. Advanced energy systems based on coupled D-^{3}He fusion satellites and ^{3}He generators 85–53513
Ragheb, M. *see* Durham, J.S. 88–61487
Ragheb, T. *see* Geddes, L. 88–10297
Raghemi-Azar, A., Maxwell, P.C. Suitable polynomials for aliasing reduction by test vector reversal in signature analysers 87–599
Ragher, H.A., Elsherbeni, A.Z., Hamid, M. Radiation characteristics of the corner array 86–36787
Raghu, D. *see* Lehman, F.G. 85–33018
Raghunath *see* Mohan, A. 87–56714
Raghunath, B. Parallel operation of alternators with grid supply 88–42759
Raghunath, B., Palani, R. Standby power supply for telecommunications equipment 87–30840
Raghunath, B.K. *see* Maheshwari, L.K. 85–32887
Raghunath Rao, T.S. Conservation/reuse of water in fossil/fuel power plants including water treatment plants 85–4894
Raghunath Reddy, S., Mallik, A.K., Jawalekar, S.R. Electrical and optical properties of chemically vapour deposited fluorine doped SnO_2 films 87–316
Raghunathan, A., Thompson, C.D. Signal delay in *RC* trees with charge sharing or leakage 87–5572
Raghunathan, A. *see* Bauer, R.L. 88–26544
Raghunathan, A. *see* Yegnanarayana, B. 87–39883
Raghunathan, K. Materials priorities in solar industry 85–29519
Raghunathan, K., Skruhak, R.J., Vaughn, H.A. Microprocessor architecture [MC68HC11] 87–24238
Raghunathan, K.R. Datacom facilities in India 86–69425
Raghunathan, S. The aerodynamic aspects of Wells turbine [wave energy conversion] 86–65970
Raghunathan, S., Ombaka, O.O. The Wells turbine in an oscillating air flow 85–53602
Raghunathan, S., Setoguchi, T., Kaneko, K. The Wells air turbine subjected to inlet flow distortion and high levels of turbulence 87–72055
Raghunathan, S., Tan, C.P. Performance prediction of the Wells self-rectifying air turbine 85–53599
Raghupathi Chetty, G., Uthanna, S., Reddy, P.J. Hot-wall epitaxy technique for the growth of cadmium telluride films 88–56216
Raghupati, M., Ramkumar, K., Satyam, M. Priority-oriented reservation multiple access scheme for data communication through satellites 85–25787
Raghuram, R. *see* Paliwal, K.K. 87–49146
Raghuraman, M.K. *see* Liao, Y.-C. 88–46369
Raghuraman, P. *see* Cox, C.H., III 86–19517
Raghuramireddy, D., Rao, V.V. An error analysis of the chirp Z-transform 86–29873
Raghuramireddy, D., Schmerisser, G., Unbehauen, R. PLSI polynomials: stabilization of 2-D recursive filters 87–10987
Raghuramireddy, D., Unbehauen, R. Stability of a class of 2-D recursive filters without distortion of the amplitude spectrum 86–20737
Raghuramireddy, D., Unbehauen, R. The two-dimensional differential cepstrum 86–23026
Raghuramireddy, D., Unbehauen, R. Multidimensional homomorphic deconvolution systems 86–54514
Raghuramireddy, D., Unbehauen, R. An efficient method for formation of the matrix used in two-dimensional PLSI 87–921
Raghuramireddy, D., Unbehauen, R. *N*-D recursive digital filter stabilization using the concept of reciprocity 87–24330
Raghuramireddy, D., Unbehauen, R. Reply to comments on 'Stability of a class of 2-D recursive filters without distortion of the amplitude spectrum' by M.-H. Pee 87–59737
Raghuramireddy, D., Unbehauen, R. Multidimensional spectral root homomorphic deconvolution 87–61878
Raghuramireddy, D., Unbehauen, R. On the stabilization of multidimensional recursive digital filters 87–66384
Raghuramireddy, D., Unbehauen, R. Formation of the block Toeplitz matrix for two-dimensional PLSI polynomials 88–14651
Raghuramireddy, D. *see* Schmeisser, G. 87–206
Raghuveer, M.R., Krishnamurthy, K.A., Mathur, R.M. Methods of generating switching surges using a distribution type transformer 85–56023
Raghuveer, M.R., Nikias, C.L. Bispectrum estimation for short length data 86–16435
Raghuveer, M.R., Nikias, C.L. Bispectrum estimation: a parametric approach 86–23015
Raghuveer, M.R., Nikias, C.L. Bispectrum estimation via AR modeling 86–29916
Raghuveer, M.R., Nikias, L., Siegel, J.H. A new parametric frequency-wavenumber spectrum estimation algorithm and its application to the analysis of 3-dimensional epicardial ECG signals 85–59284
Raghuveer, M.R. *see* Aboelsaad, M.M. 86–63486, 87–53097
Raghuveer, M.R. *see* Bania, J.W. 86–42000
Raghuveer, M.R. *see* Kazibwe, W.E. 86–20868
Raghuveer, M.R. *see* Nagasaka, D.M. 88–30246, 88–42241
Raghuveer, M.R. *see* Nikias, C. 87–75827
Raghuveer, M.R. *see* Nikias, C.L. 86–10388, 86–50573, 86–50590, 86–56150
Raghuveer, M.R. *see* Xiaobai, L. 88–61895
Ragimov, M.I., Babaev, V.M. Frequency-to-voltage converter 86–31326
Ragimov, S.E. *see* Abil'siitov, G.A. 86–38805
Ragimov, S.E. *see* Furzikov, N.P. 88–61420
Ragland, F.R., Jr., D'Amato, R.J., Godfrey, R.H. Development of the square-planar color picture tube 85–18027
Ragland, J. Automating innerlayer inspection 85–55272
Ragland, K.W., Madding, R.P., Ham, R.K., Vetter, R.J., Smith, M.L. Refuse-derived fuel evaluation in an industrial spreader-stoker boiler 85–21464
Ragland, M.A. Application of ground/air data link to general aviation operations 87–42103
Ragland, M.A. Application of ground/air data link to general aviation operations 87–63898
Ragland, R. *see* Morgan, D. 86–57919
Ragland, R.J. *see* Melsa, J.L. 87–27494
Ragni, A. *see* Bordignon, P. 88–71543
Ragnoy, A. *see* Berthelsen, J. 87–8203
Rago, K. Semiconductor device simulation method using boundary-fitted curvilinear coordinates and the Voronoi discretization 88–7553
Ragon, M. *see* Cheron, H. 86–4360
Ragona, R. *see* Federico, A. 88–48681
Ragonese, L.J. *see* Altes, S.K. 86–67509, 87–31991
Ragonese, L.J. *see* Chen, Y.K. 86–35117
Ragot, J. *see* Fayolle, J. 87–56446
Ragot, Ph., Desmettre, D., Paes, P., Royer, D., Servant, J.M. Outdoor testing of photovoltaic modules and arrays 88–17466
Ragothama Rao, P. *see* Garg, K.G. 88–68521
Ragovska, M. *see* Abramova, H. 85–64829
Ragovska, M. *see* Abramova, Kh. 87–15261
Ragozin, A.A., Orsoeva, A.A. Improvement of the excitation regulation efficiency in motor-generators for water-storage power plants 85–60049
Ragozin, A.A., Pleshkova, T.A. Simulating the solid rotor of a turbogenerator when solving steady-state stability problems 88–30663
Ragozin, A.A. *see* Kalenik, V.A. 86–56516
Ragozin, A.A. *see* Orsoeva, A.A. 85–60069
Ragozin, A.A. *see* Pleshkova, T.A. 88–23857
Raguet, J. *see* Berger, C. 88–22937
Raguhuram, A., Morgan, T.W., Bosworth, K., Stiles, G.S., Wheeler, P. A multi-criteria model for optimal design of distributed database and telecommunication networks 88–41366
Raguideau, J.-L. *see* Cossie, A. 87–51561
Ragulin, I.A. *see* Taev, I.S. 86–6941, 86–8547, 88–1069, 88–50463
Ragulskis, K.M., Shukelis, A.V. Investigation and application of vibration drives in precise machinery 88–18144
Ragul'skis, K.M. *see* Snitko, V.Yu. 86–31385
Ragusa, F. *see* Amendolia, S.R. 85–15169, 85–37901, 85–43179, 86–5779, 87–21426
Ragusa, F. *see* Benetta, M. 85–43239
Ragusa, F. *see* Manfredi, P.F. 85–43276, 87–29539
Raguzin, A.A., Girenkov, V.N. The steady-state stability of the generators in a power station with automatic excitation regulation, operating under conditions of phase asymmetry 87–4675
Rah, B.W. *see* Oh, C.H. 87–54265
Rah Byoung-Wook *see* Byoung-Wook Rah
Rahaim, P.T. *see* Miklos, M.J. 85–5770
Rahal, A.M., Delacroix, H., Gleizes, A., Papadopoulos, S., Rolland, J., Phan Van Doan Pressure transients in a self-blow circuit breaker 86–26233
Rahal, A.M., Rahhaoui, B., Vacquie, S. The effect of copper emission on voltage in a N_2 arc at atmospheric pressure 86–28545
Rahal, A.M., Rahhaoui, B., Vacquie, S. A study of the copper vapour flux from the anode in a nitrogen arc 88–57240
Rahalarabi, T. *see* Sarkar, T.K. 87–66473
Rahali, F. *see* Wegmann, G. 88–20140
Rahaman, M.N. *see* De Jonghe, L.C. 85–26317
Raharimalala, J.J. *see* Filippini, J.C. 87–25643
Raharimalala, V. *see* de Bellet, J.J. 87–53760
Raharimalala, V. *see* Filippini, J.C. 86–68045
Rahban, T. Bringing into use fast static CMOS memory 87–52570
Rahbar, A. *see* Massey, G.A. 88–19575
Rahbar, F. ADM vs. PDM [scheduling] 87–23294
Rahder, C. The contribution of district heating schemes to the reliability of electrical power systems 87–78482
Rahe, G. *see* Adler, W. 85–37498
Rahe, G. *see* Bitterling, H. 88–66846

Rahe, W. Switched-capacitor audio filter: variable bandwidth, tunable centre-frequency, steep-sided flanks 87−65788
Rahe, W.J., Jr. *see* Kim, K.S. 87−28521
Raheja, U.T., Rajgara, F.A. Pelletron accelerator and its vacuum system 88−60994
Raheli, R. *see* Baccetti, B. 88−53135
Raheli, R. *see* Picchi, G. 85−19302, 86−14440, 86−64188
Rahenkamp, C.A., Kumar, B.V.K.V. Modifications to the McClellan, Parks, and Rabiner computer program for designing higher order differentiating FIR filters 87−17244
Rahenkamp, C.A. *see* Kumar, B.V.K.V. 87−39933
Rahenkamp, C.A. *see* Vijaya Kumar, B.V.K. 86−43287, 87−13106
Rahf, L., Sievert, J.D. Microprocessor-controlled test assembly for electrical steel sheets 88−16446
Rahf, L. *see* Ahlers, H. 85−58726, 86−24561
Rahgozar, M., Allebach, J.P. Determination of velocity fields from time-sequentially sampled data 88−34826
Rahhaoui, B. *see* Rahal, A.M. 86−28545, 88−57240
Rahier, M. *see* Danneels, J. 88−26418
Rahier, M. *see* Dierckx, R. 87−76155
Rahier, M. *see* Gill, M. 86−35903
Rahier, M. *see* Sallaerts, D. 88−26421
Rahier, M.C., Sallaerts, D., Dierckx, R. Integrated services digital network line termination chip set 86−10671
Rahier, M.C. *see* Danneels, J.M. 87−32587
Rahier, M.C. *see* Frank, W. 85−25642
Rahier, M.C. *see* Van Iseghem, P. 87−40597
Rahier, M.C. *see* Van Simaeys, F.C. 86−47805
Rahier, M.Y. *see* Sallaerts, D. 87−62739
Rahikka, R.G. *see* Bethel, R.E. 88−27702
Rahilly, A. Divisions of symmetric designs into two parts 88−56131
Rahim, A. *see* Khin Maung Yin 86−57363
Rahim, A.H.M.A., El-Amin, I.M. Stabilization of a high voltage ACDC power system. II. Multimachine system subjected to large perturbation 86−18695
Rahim, A.H.M.A., El-Amin, I.M. Stabilization of a high voltage ACDC power system. I. Evaluation of control strategies 86−18698
Rahim, A.H.M.A., Gourishankar, V.G. A strategy for power system stabilization by control-effort and response-time minimization 86−32682
Rahim, A.H.M.A., Laldin, A.R. A least-squares estimation algorithm for dynamic equivalencing of induction motor loads 85−21637
Rahim, A.H.M.A., Laldin, A.R. Aggregation of induction motor loads for transient stability studies 87−51200
Rahim, C., Laber, C., Pickett, B., Baechtold, F. A high performance custom standard cell CMOS equalizer for telecommunications applications 86−67201
Rahim, C. *see* Armstrong, M. 87−59659
Rahim, C. *see* Laber, C. 86−68000
Rahim, C.F., Laber, C.A., Pickett, B.L., Baechtold, F.J. A high-performance custom standard-cell CMOS equalizer for telecommunications applications 87−48834
Rahim, C.F. *see* Laber, C.A. 87−46190
Rahim, C.F. *see* Ohara, H. 88−19218
Rahim, I. *see* Alvarez, A.R. 88−12353
Rahim, J.A. *see* Shalash, S.A.H. 85−44975, 86−1152
Rahim, Y.H. *see* Alyan, M.A.A.S. 87−51171, 88−69318
Rahim, Y.H.A. A numerical model for the variable reluctance stepper motor 88−43236
Rahim, Y.H.A. *see* Osheba, S.M. 88−75546
Rahim, Z. LVDT interface chip's functional blocks offer versatility 86−55592
Rahim, Z. Micropower op amp offers simplicity and versatility 88−50028
Rahim, Z. Designing with low consumption operation equipment 88−70505
Rahimi, A., Novin, A. Security cost effectiveness priority indexes for use in power system expansion planning 85−9462
Rahimi, A., Schaffer, G. Power system transient stability indexes for on-line analysis of 'worst-case' dynamic contingencies 87−77983
Rahimi, M. *see* Briggs, R.P. 87−26149
Rahimi, S. *see* Henisch, H.K. 85−34625
Rahko, K., Myllykangas, A. ISDN architectures and applications 85−51884
Rahko, K., Rokkanen, A. Dimensioning of a digital telephone exchange 85−30792
Rahko, K. *see* Pylkkanen, M. 88−46586
Rahlfs, D., Auch, W., Glaser, O., Ruppert, D. A fiber optic gyro strapdown reference system for guided weapons 88−54821
Rahm, D.C. *see* Bleser, E.J. 85−48153
Rahm, M.W. Broadband network: a user perspective [LAN] 85−3158
Rahman, A., Schiffer, J.P. A condensed state in a system of stored and cooled ions 88−68182
Rahman, A. *see* Coen, J. 87−25515
Rahman, A. *see* Burkley, C. *(editor)* 87−23009
Rahman, A.N.Abdel *see* Abdel Rahman, A.N.
Rahman, A.S.Md., Hogarth, C.A. Some electrical properties of thin films of the complex material SiO/GeO_2 showing the effects of electroforming 86−53833
Rahman, A.S.Md.S., Islam, M.H., Hogarth, C.A. The effect of annealing on the AC electrical properties of SiO/SnO_2 amorphous thin films 88−1454
Rahman, B.M.A., Davies, J.B. Finite-element solution of integrated optical waveguides 85−12641
Rahman, B.M.A., Davies, J.B. Vector-*H* finite element solution of GaAs/GaAlAs rib waveguides 86−15476
Rahman, B.M.A., Davies, J.B. Analysis of optical waveguide discontinuities 88−33723
Rahman, B.M.A., Davies, J.B. Analysis of waveguides containing arbitrary nonlinear material 88−58215
Rahman, B.M.A. *see* Davies, J.B. 85−7266, 87−74799
Rahman, F. Performance evaluation of spacecraft antennas from gain contours 88−8616
Rahman, H., Perini, J. EMP enclosure penetration and cable coupling 86−15960
Rahman, H., Perini, J. Coupoling to wire bundles in rectangular cavity 86−27662
Rahman, H., Perini, J. Current on a wire parallel to two walls of a rectangular cavity 88−58922
Rahman, H.U. *see* Felber, F.S. 88−40474
Rahman, H.U. *see* Wessel, F.J. 87−8717
Rahman, I.U., Fisher, W.A., Hofstadter, R., Shen Jing Behavior of thallium bromide conduction counters 88−10246
Rahman, M., Ahmed, M.T., Murti, V.G.K. A TRA bridge technique for in-circuit impedance measurement 85−20691
Rahman, M., Ahmed, R.E. Performance of multiple-access schemes for data communication 87−2666
Rahman, M., Hasan, A.R., Baria, D.N. Low temperature oxidation of low rank coals 86−32922
Rahman, M. *see* Al-Barghouthi, R.T. 88−66270
Rahman, M. *see* Bianchi, G. 88−22145
Rahman, M. *see* Soomro, A.A. 88−27791
Rahman, M.A. Design and analysis of large permanent magnet synchronous motors 86−26032
Rahman, M.A. Analytical models for exterior-type permanent magnet synchronous motors 88−62325
Rahman, M.A., Beex, A.A. The effect of segment averaging on the quality of the Burg spectral estimator 86−3908
Rahman, M.A., Gangopadhyay, A. Digital simulation of magnetizing inrush currents in three-phase transformers 87−30726
Rahman, M.A., Jeyasurya, B. Microcomputer implementation of transformer differential protection algorithm 87−30745
Rahman, M.A., Jeyasurya, B. A state-of-the-art review of transformer protection algorithms 88−75694
Rahman, M.A., Little, T.A., Slemon, G.R. Analytical models for interior-type permanent magnet synchronous motors 86−33336
Rahman, M.A., McQuade, E. Teaching CAD of electronic circuits to undergraduates 85−16646
Rahman, M.A., Osheiba, A.M. Transient performance analysis of polyphase hysteresis-reluctance motors 85−27392
Rahman, M.A., Osheiba, A.M. Steady-state performance analysis of polyphase hysteresis-reluctance motors 85−27452
Rahman, M.A., Osheiba, A.M. Steady-state performance analysis of polyphase hysteresis-reluctance motors 85−53679
Rahman, M.A., Osheiba, A.M. Steady-state performance of polyphase hysteresis-reluctance motors 87−9601
Rahman, M.A., Osheiba, A.M. Design analysis of polyphase polarised hysteresis motors 87−22311
Rahman, M.A., Osheiba, A.M. Effect of parameter variations on the performance of permanent magnet motors 87−42795
Rahman, M.A., Osheiba, A.M. A generalized approach for evaluating axes reactances of permanent magnet and hysteresis-reluctance synchronous machines 87−42858
Rahman, M.A., Osheiba, A.M. Performance analysis of single-phase permanent magnet motors 88−43149
Rahman, M.A., Osheiba, A.M. Parameter sensitivity analysis for line-start permanent magnet motors 88−69260
Rahman, M.A., Osheiba, A.M., Choudhury, M.A. Run-up response of polyphase permanent magnet synchronous motors 85−27393
Rahman, M.A., Osheiba, A.M., Little, T.A., Slemon, G.R. Effects of samarium cobalt permanent magnet on the performance of polyphase hysteresis-reluctance motors 85−27397
Rahman, M.A., Quaicoe, J.E., Choudhury, M.A. An analysis of delta modulated PWM inverter 86−7978
Rahman, M.A., Quaicoe, J.E., Choudhury, M.A. A comparative study of delta and sine pulse width modulated inverters 86−61663
Rahman, M.A., Quaicoe, J.E., Choudhury, M.A. An optimization delta modulation strategy for inverter operation 87−16883
Rahman, M.A., Quaicoe, J.E., Choudhury, M.A. Performance analysis of delta modulated PWM inverters 88−5768
Rahman, M.A., Quaicoe, J.E., Choudhury, M.A. Harmonic minimization in delta modulated inverters using tuned filters 88−70530
Rahman, M.A., Quaicoe, J.E., Choudhury, M.A., Slemon, G.R. Steady state performance of permanent magnet synchronous motors fed from delta modulated inverters 85−27407
Rahman, M.A., Quaicoe, J.E., Esmail, A.R., Choudhury, M.A. Delta modulated rectifier-inverter for uninterruptible power supplies 87−30828
Rahman, M.A., Slemon, G.R. Promising applications of neodymium boron iron magnets in electrical machines 86−33287
Rahman, M.A., Yu, K.-B. Improved frequency estimation using total least square approach 87−19812
Rahman, M.A., Yu, K.-B. Total least squares approach for frequency estimation using linear prediction 88−8733
Rahman, M.A. *see* Beex, A.A. 87−19651
Rahman, M.A. *see* Collins, D. 87−45109
Rahman, M.A. *see* Gangopadhyay, A. 87−64660
Rahman, M.A. *see* Jeyasurya, B. 86−19345, 86−45010, 86−45429
Rahman, M.A. *see* O'Dwyer, T. 87−24633
Rahman, M.A. *see* Osheiba, A.M. 86−51592, 87−51184, 88−23903
Rahman, M.A. *see* Sebastian, T. 87−22304, 87−30520
Rahman, M.A. *see* Srivastava, R.K. 88−30905
Rahman, M.A.A.A. *see* Chapman, R. 87−24372
Rahman, M.Abdel *see* Abdel Rahman, M.
Rahman, M.E., Al-Fayez, A.A. Probabilistic approach to transmission system planning 87−78054
Rahman, M.Ea., Wong, T.C. Application of load research information to the planning and operation of the AEP transmission and subtransmission systems 86−32639
Rahman, M.Ea. *see* Gutman, R. 86−32673 to 32674
Rahman, M.F., Poo, A.N. A microprocessor based ministepping controller with automatic test procedure for controller determination 86−6820
Rahman, M.F., Poo, A.N., Chang, C.S. Approaches to design of ministepping step motor controllers and their accuracy considerations 85−65285
Rahman, M.F. *see* Er, M.J. 88−31088
Rahman, M.F. *see* Low, T.S. 88−18141
Rahman, M.F. *see* Wee, L.B. 88−43415
Rahman, M.H., Desgroseilliers, J.L., Wilson, J.D. RMCNET: a local area network of multiple connectivity 87−28146
Rahman, M.H. *see* Gosselin, J.M. 88−46639
Rahman, M.H. *see* Keene, G. 86−65690
Rahman, M.H. *see* Salama, M.M.A. 87−35698
Rahman, M.H. *see* Walsh, J. 85−2664
Rahman, M.M. *see* Sasaki, K. 85−50491, 86−47547
Rahman, M.Mominur *see* Mominur Rahman, M.
Rahman, S. Renewable energy resources−assessing the potential 86−25682
Rahman, S. Hierarchical electric energy system planning using micro/mini computers 86−44921
Rahman, S. A microcomputer implementation of an intelligent data acquisition and load forecasting system 88−48529
Rahman, S. Alternate sources of electric energy 88−62590
Rahman, S., Bhatnagar, R. Computerized energy management systems−why and how 87−30068
Rahman, S., Chowdhury, B.H. Effects of clusters on the electric power from windfarms 85−5031
Rahman, S., Coulibaly, I. A microcomputer-based analysis of stand-alone photovoltaic energy systems 87−78559
Rahman, S., Khallat, M.A., Salameh, Z.M. Characterization of insolation data for use in photovoltaic system analysis models 88−30612
Rahman, S., Tam, K.S. A feasibility study of photovoltaic-fuel cell hybrid energy system 88−49121
Rahman, S. *see* Baba, M.F. 87−22894
Rahman, S. *see* Bhatnagar, R. 85−64824, 87−15221, 87−30057
Rahman, S. *see* Chowdhury, B.H. 88−37097
Rahman, S. *see* Claus, R.O. 85−60695
Rahman, S. *see* Greene, J.W., Jr. 88−69684
Rahman, S. *see* Khallat, M.A. 87−9731, 87−15610
Rahman, S. *see* Marathe, H.Y. 87−22184
Rahman, S. *see* Nelms, R.M. 86−32646
Rahman, S. *see* Tam, K.S. 88−49122
Rahman, S.U. *see* Ciskowski, R.D. 88−18514
Rahmann, F.-J. *see* Hendricks, H. 88−24077
Rahmat-Sami, Y. *see* Ling, H. 86−43013
Rahmat-Samii, Y. Surface diagnosis of large reflector antennas using microwave holographic metrology: an iterative approach 85−7733
Rahmat-Samii, Y. Effects of deterministic surface distortions on reflector antenna performance 86−10175

Rahmat-Samii, Y. Microwave holography of large reflector antennas—simulation algorithms 86—22801

Rahmat-Samii, Y. Microwave holography of large reflector antennas—surface diagnosis simulations 86—42659

Rahmat-Samii, Y. Performance evaluation of large reflector antennas for satellite communication applications 86—68894

Rahmat-Samii, Y. Subreflector extension for improved efficiencies in Cassegrain antennas—GTD/PO analysis 87—12790

Rahmat-Samii, Y. Jacobi-Bessel analysis of reflector antennas with elliptical apertures 87—75608

Rahmat-Samii, Y. A generalized reflector/array surface compensation algorithm for gain and sidelobe control 88—2726

Rahmat-Samii, Y. Jacobi-Bessel analysis of reflector antennas with elliptical apertures 88—14495

Rahmat-Samii, Y., Cheung, R. Large antenna shuttle experiment—application of non-uniform sampling techniques 87—26981

Rahmat-Samii, Y., Cheung, R.L. Nonuniform sampling techniques for antenna applications 87—54693

Rahmat-Samii, Y., Gatti, M.S. Far-field patterns of spaceborne antennas from plane-polar near-field measurements 85—51498

Rahmat-Samii, Y., Lee, S.-W. Vector diffraction analysis of reflector antennas with mesh surfaces 85—24932

Rahmat-Samii, Y., Lee, S.W. Vector diffraction analysis of mesh-deployable satellite reflector antennas 85—13337

Rahmat-Samii, Y., Lemanczyk, J. Application of spherical near-field measurements to microwave holographic diagnosis of antennas 88—72686

Rahmat-Samii, Y., Lemanczyk, J.H. Microwave holographic diagnosis of antennas using spherical near-field measurements 88—2711

Rahmat-Samii, Y. *see* Bodnar, D.G. 86—68917, 87—27076

Rahmat-Samii, Y. *see* Cheung, R. 87—61475

Rahmat-Samii, Y. *see* Galindo-Israel, V. 85—14204, 88—2763, 88—66188

Rahmat-Samii, Y. *see* Gatti, M.S. 88—2680, 88—72660

Rahmat-Samii, Y. *see* Rusch, W.V.T. 87—27024

Rahmat-Samil, Y. *see* Ling, H. 86—48678

Rahmatallah, S.F. *see* Chitore, D.S. 88—48230

Rahmati, M. *see* Singh, R. 88—31814

Rahmatullah, M.T. Aramco ISDN migration strategy 88—3417

Rahmeh, J.T. *see* Hsi-ching shih 86—41991

Rahmeh, J.T. *see* Shih, H.-C. 87—23837

Rahmig, G. Reference equivalents for digital and analog/digital connections inside the telephone network of the German Post Office 86—54802

Rahmlow, T.D., Jr. *see* Patel, S.N. 86—3454

Rahmoeller, G.A. Cardiovascular devices—past, present and future direction 87—41905

Rahmoeller, G.A. Ethical issues in the regulation and development of engineering achievements in medical technology—a regulatory perspective 88—42474

Rahmoeller, G.A. Ethical issues in the regulation and development of engineering achievements in medical technology—a regulatory perspective 88—68324

Rahmouni, Y. *see* Dubois, E. 88—41067

Rahn, A. Infrared reflow methods 88—38906

Rahn, A. *see* Down, B. 85—6600, 85--33169

Rahn, C. *see* Reich, R.K. 86—2413

Rahn, C.H. *see* Reich, R.K. 86—47808

Rahn, F.J. *see* Braun, C. 87—71863

Rahn, F.J. *see* Oehlberg, R.N. 86—25832

Rahn, F.J. *see* Schock, W. 88—62112

Rahn, H. Europeanwide dealer network [Btx] 87—48534

Rahn, L.A. Feedback stabilization of an injection-seeded Nd:YAG laser 85—35717

Rahn, L.A. *see* Owyoung, A. 86—9816

Rahn, L.A. *see* Schmitt, R.L. 86—36443

Rahn, T. High-speed network and train of Federal German Railways 86—40226

Rahn, T. Intercity Experimental (ICE)—development for the future 87—16121

Rahn, T. The German Federal Railway high-speed train 87—22855

Rahnamai, H., Ijichi, K., Claused, N.A., Lundorff, O. Microprocessor-based autonomous nickel-hydrogen battery management system [space vehicle power] 85—48414

Rahnavard, M.H., Habibzadeh, A. Millimeter wave transmission coefficient of an illuminated semiconductor panel scanned with a strip of shadow 87—49504

Rahnavard, M.H., Habibzadeh, A. Reflected millimeter wave power from moving strip illuminated semiconductor panel (RMWPFMSISP) 88—4606

Rahnavard, M.H., Habibzadeh, A. Millimeter wave attenuation through and reflection coefficient from moving strip illuminated semiconductor panel 88—10088

Rahnavard, M.H., Habibzadeh, A. Millimeter wave attenuation through and reflection coefficient from moving-strip-illuminated semiconductor panel 88—22661

Rahnavard, M.H., Zare-Moodi, J. Loss calculation in symmetrically infinite strip unstable optical resonator using different techniques 88—2326

Rahnejat, H. *see* Benhadj, R. 87—70566

Rahnema, M. Smart trunk scheduling strategies for future integrated services packet-switched networks 88—34843

Rahnemoon, M. *see* Nahvi, M. 88—5122

Rahnyev, P., Philipov, P., Parashkevov, D. Investigation of the characteristics of negative photoresist used as a dielectric in hybrid integrated circuits 88—12857

Rai, A. *see* Nukii, T. 86—11660

Rai, A.K., Baker, J., Ingram, D.C. Damage annealing behavior of 3 MeV Si$^+$-implanted silicon 87—66869

Rai, A.K., Baker, J.A., Ingram, D.C., McCormick, A.W., Walsh, D.A. Damage profiles of MeV implants of Ga and Si in silicon 87—60289

Rai, A.K., Bhattacharya, Annealing of amorphous layer in S$^+$ implanted GaAs by electron beam inside the electron microscope 86—21370

Rai, A.K., Bhattacharya, R.S., Rashid, M.H. Interaction of TiW film with GaAs 86—47394

Rai, A.K., Ezis, A., Graham, R.J., Sharma, R., Langer, D.W. Microstructural characterization of AlGaAs-GaAs modulation-doped field-effect transistor ohmic contacts formed by transient annealing 88—57500

Rai, A.K., Ezis, A., McCormick, A.W., Petford-Long, A.K., Langer, D.W. Transmission-electron microscope studies of Au-Ni-Ge based ohmic contacts to GaAs-AlGaAs MODFET device 87—53536

Rai, A.K. *see* Bhattacharya, R.S. 86—1821, 86—21453

Rai, A.K. *see* Ezis, A. 87—32510

Rai, A.K. *see* Langer, D.W. 88—13428

Rai, B.S., Tripathi, C.B., Singh, B.P. Microprocessor-based system for the monitoring of underground mine environments 87—34947

Rai, B.S. *see* Singh, B.P. 85—33690

Rai, D.K. *see* Rai, V.N. 88—20716

Rai, G. Current status of scientific instruments industry in India 85—20443

Rai, G. Automatic test equipment industry—-status, technological trends and future perspective 85—22163

Rai, G.I. *see* Bakinovskii, K.N. 88—72359

Rai, J. *see* Izatt, J.R. 88—27078

Rai, J. *see* Pradeep Kumar, P. 85—64734

Rai, J. *see* Rai, S. 87—46925

Rai, J.P. *see* Singh, K. 87—26167

Rai, R. Optical mark and read 88—73536

Rai, R.K. *see* Vyas, B.M. 86—60938

Rai, R.K. *see* Yagnik, H.K. 85—7642

Rai, S., Chopra, S. Photon statistics and squeezing properties of a free-electron laser 85—7343

Rai, S., Jain, R. Procedure for testing a bit-sliced microprocessor 86—14267

Rai, S., Jain, R. A computer-aided technique for fault detection in combinational circuits 87—59317

Rai, S., Khetarpaul, A. Digital revolution in India—a perspective 85—42143

Rai, S., Kumar, A. On path enumeration 86—26670

Rai, S., Kumar, A. Recursive techniques for computing system reliability 87—58712

Rai, S., Kumar, A., Prasad, E.V. Computing terminal reliability of computer network 87—2910

Rai, S., Kumar, A., Prasad, E.V. Computing the performance index of a computer network 87—2911

Rai, S., Rai, J., Chopra, S. Photon statistics and squeezing of a free-electron laser for an initial Bose-Einstein distribution and for an initial nearly pure state 87—46925

Rai, S. *see* Chung, T.Y. 88—59701

Rai, S. *see* Kumar, A. 88—52943

Rai, S. *see* Mehrotra, R. 88—20085

Rai, V.N., Gupta, V.P., Saxena, S.K. Modified preliminary test estimator for average life in one parameter exponential distribution 88—49579

Rai, V.N., Thakur, S.N., Rai, D.K. A simple laser power meter dependent on photoacoustic effect 88—20716

Rai, V.S. Infrared scanning (thermography) 85—8727

Rai, V.S. Transformers—role of diagnostic inspections for better reliability 85—60228

Rai, Y., Mitani, N., Furusawa, T., Kitamura, Y., Kiriyama, Y., Kojima, K., Ikeda, T., Azuma, E., Ohgishi, T. A 600 (H)×502 (V) 1/2″ frame transfer CCD image sensor 87—14193

Rai, Y. *see* Mitani, N. 85—52681, 85—57522

Rai-Choudbury, P. *see* Campbell, R.B. 87—9746

Rai-Choudhury, P. *see* Fonash, S.J. 85—61851

Rai-Choudhury, P. *see* Meier, D.L. 87—9765

Rai-Choudhury, P. *see* Rohatgi, A. 85—1474, 86—7061, 86—33655, 86—61738, 87—4897, 87—4958, 87—15987

Rai-Choudhury, P. *see* Robinson, Mc.D. *(editor)* 85—10345

Raia, E. Fuel cells spark utilities' interest 86—56941

Raia, G. *see* Calabretta, L. 88—54080

Raia, G. *see* Rosatelli, F. 85—46112

Raiber, Th., Weis, O. Low-mode submillimeter wave resonators for piezoelectric surface excitation of sound 87—60730

Raic, D. Some technological considerations for integration of the video D/A converter in CMOS circuits 85—11343

Raic, D. *see* Dobnikar, A. 88—19037

Raic, D. *see* Trontelj, L. 88—39690

RaiChoudhury, P., Campbell, R.B. High efficiency solar cells from dendritic web silicon 87—22769

Raiconi, G. *see* Carotenuto, L. 86—6613, 86—33214, 88—5606

Raics, P. *see* Ormai, P. 88—36956

Raicu, D., Sorger, G.U. Broadband YIG-tuned preselector for VHF and UHF 86—15407

Raid, S.M. *see* Shaarawi, A.M. 86—31308

Raider, J.W., Ward, E.D. Method of testing a bifilar-wound permanent magnet step motor 85—16058

Raider, J.W. *see* Bethel, R.K. 85—28769

Raider, J.W. *see* Dawson Ward, E. 87—30647

Raider, S.I. Josephson tunnel junctions with refractory electrodes 85—56171

Raider, S.I., Clark, G.J. Ion implantation into Nb/Nb oxide/PbAuIn Josephson tunnel junctions 85—7170

Raider, S.I. *see* Clark, G.J. 85—18619

Raider, S.I. *see* Foglietti, V. 87—12072

Raider, S.I. *see* Gallagher, W.J. 85—35340

Raider, S.I. *see* Murakami, M. 85—7178

Raider, S.I. *see* Rogers, C.T. 87—67893

Raider, S.I. *see* Sandstrom, R.L. 87—67889

Raider, S.I. *see* Vanneste, C. 88—71979

Raidt, H. *see* Procop, M. 88—25970

Raieh, M. *see* Aziz, M.M.A. 87—25714

Raifshnaider, V.K. *see* Labuntsov, V.A. 87—42791

Raiha, J. *see* Seppa, H. 86—24666, 87—14410, 88—60847

Raike, W.M. New tools, new challenges [modem and C compiler] 86—55063

Raikerus, P.A. *see* Gurtov, V.A. 88—7386, 88—39157

Raikh, M.E., Ruzin, I.M. Fluctuation mechanism of excess tunnel currents in reverse-biased *p-n* junctions 86—21177

Raikh, M.E. *see* D'yakonov, M.I. 86—28067

Raikh, M.E. *see* Gusyatnikov, V.N. 85—11996

Raikhel, I.N. *see* Danil'chenko, N.V. 88—28335

Raikhert, V.A. *see* Bukovskii, B.L. 85—12931

Raikhman, A.Z. *see* Apakhov, M.I. 86—564

Raikhman, B.A. *see* Al'tshuler, G.B. 85—56392

Raikhman, M.S. *see* Drabovich, Yu.I. 86—66161

Raikhman, S.R. *see* Abramovich, S.V. 88—60553

Raikin, A.L. *see* Shufchuk, Yu.B. 87—16458

Raiko, V.I. *see* Obukhov, V.A. 87—14696

Raila, H., Krug, H. The softener—hardware as flexible as software 88—56570

Raileanu, V. *see* Mihailescu, M. 85—4910

Railey, M.R. Simulation of digital filters on IBM-PC 86—57988

Railey, M.R. Dynamic control structures for cooperating processes 87—2682

Railey, M.R., Liu, J.W.-S. Maximum throughput analysis of connected networks 85—25212

Railey, M.R., Liu, J.W.S. Single leader election protocols using nonuniform merits 86—4320

Railey, M.R. *see* Arington, M.L. 85—37431

Railey, M.R. *see* Henrich, T.C. 85—26321

Railing, B. *see* Nelson, J.K. 87—25667

Railton, C.J. Modelling Yagi antennas 87—61449

Railton, C.J., Rozzi, T. The rigorous analysis of strongly coupled step discontinuities in microstrip 88—32404

Railton, C.J., Rozzi, T. Complex modes in boxed microstrip 88—52263

Railton, C.J., Rozzi, T. The rigorous analysis of cascaded step discontinuities in microstrip 88—66138

Railton, D. Communication skills training for engineering students in British universities 86—61877

Railton, G. A 30 W solid state power amplifier for satellite communications applications 88—56999

Railton, R. Computerized record system for electro-medical equipment management 86—25163

Railton, R., Docker, S.R.P., Munley, A.J., Richardson, W., Harvey, G.M. A bed-mounted mobile intensive-care unit 88—74855

Railton, R., Pringle, R.M., Shaw, A. Evaluation of Makita electric drills for orthopaedic surgery 88—42566

Railton, R. *see* Munley, A.J. 86—11928

Raiman, O. *see* Deves, P. 88—22461

Raimers, E. Analog and microprocessor control scenarios for the electric vehicle 86—7278

Raimond, E.D., Tashchilov, V.S., Shiganov, N.V., Popov, O.P., Pautkin, V.S. Preventing arc wandering in argon-arc welding of steels 85—5577

Raimond, J.-M. *see* Goy, PP. 88—67706

Raimond, J.M. *see* Brune, M. 87—26248, 88—14065, 88—72239

Raimond, J.M. *see* Davidovich, L. 88—14063

Raimond, J.M. *see* Goy, P. 88—29291

Raimond, J.M. *see* Heidmann, A. 85—46297, 85—51076

Raimondi, B. *see* Bianco, L. 88—43073

Raimondi, P. *see* Baldini, R. 87−8865
Raimondi, T. *see* Alonge, F. 88−43431
Raimondi, T. *see* Dean, J.R. 87−41229
Raimondo, E., Herouard, M., Campan, J.L. Qualification of safety-related electrical equipment in France−methods, approach and test facilities 85−48687
Raimondo, M. *see* Caviglia, D.D. 87−32731
Raina, B.L., Kaul, N. Estimating errors of certain Gauss quadrature formulae 86−34188
Raina, G., Malik, O.P. Variable speed wind energy conversion using synchronous machine 85−38941
Raina, G., Malik, O.P. Wind power system using an adaptive Sherbius induction machine 86−51536
Raina, J.P. *see* Chandramohan, S. 87−70048
Raina, J.P. *see* Omoruto, F.E.E. 88−59204
Raina, J.P. *see* Singh, A. 86−48093
Raina, J.P. *see* Udpikar, V. 86−3966
Raina, J.P. *see* Udpikar, V.R. 87−39888
Raina, J.P. *see* Vivek, S. 88−33660
Raina, M.K. Microwave radiometric measurements of rain attenuation and water vapour at National Physical Laboratory 87−19188
Raina, M.K. Propagation characteristics on point to point transmission in the microwave frequency band 87−54577
Raina, M.K. Atmospheric attenuation measurements at 19.4 and 22.235 GHz 87−54584
Raina, R., Rajashekhara, T.N. A generalized approach for automatic test pattern generation 88−44156
Raina, V.M., Castaldo, P.V. Programmable controller fault tree models for use in nuclear power plant risk assessments 86−61245
Raina, V.M. *see* Chan, E.M. 88−5451
Raina, V.M. *see* Chow, P.C.W. 85−48748
Raina, V.M. *see* King, F.K. 85−43787, 88−36977
Rainal, A.J. First and second passage times of Rayleigh processes 87−51938
Rainard, J.L. *see* Jacomino, M. 88−1802
Rainard, J.L. *see* Thorel, P. 88−25266
Rainchik, S.V. System for calibrating critical micronozzles 87−29357
Raine, B. *see* Clement, J. 88−22483
Raine, C. *see* Amendolia, S.R. 87−21426
Raine, C. *see* Drysdale, S.L.T. 87−29450
Raine, C. *see* Ledingham, K.W.D. 85−4217, 86−25123
Raine, G.A. The development of a high-integrity NDT system for the inspection of electric-resistance-welded pipe 85−54546
Raine, G.A., Robinson, A.N., Nolan, P. Magnetic particle inspection of pressure vessels and pipelines and associated field strength measurements 85−10839
Raine, H. *see* Kidd, A.M. 86−59855
Raine, H.R. *see* Kent, J.D.B. 87−28496
Raine, J.G. *see* Fouad, A.A. 87−4211
Raine, J.K. Design innovation and project engineering−paths to profit 87−43937
Raine, K.W., Baines, J., King, R.J. Refractive index profiling and dimensional measurements on optical fibres at NPL 87−54071
Raine, K.W., Baines, J.G., King, R.J. Comparison of refractive index measurements of optical fibres by three methods 88−58088
Rainer, A. *see* Knauer, K. 85−33982
Rainer, A. *see* Pandel, J. 85−49993
Rainer, A. *see* Stolzle, A. 86−62632
Rainer, B.K. Multielement feed networks for beamwidth control in a space-fed phased array antenna 86−43099
Rainer, B.K. *see* Bodnar, D.G. 86−68917
Rainer, D. *see* Quinn, W.E. 86−67784
Rainer, F., Lowdermilk, W.H., Milam, D. Bulk and surface damage threshold of crystals and glasses at 248 nm 85−7495
Rainer, F., Lowdermilk, W.H., Milam, D., Carniglia, C.K., Hart, T.T., Lichtenstein, T.L. Damage thresholds of thin film materials and high reflectors at 248 nm 85−7500
Rainer, F., Lowdermilk, W.H., Milam, D., Carniglia, C.K., Hart, T.T., Lichtenstein, T.L. Materials for optical coatings in the ultraviolet 85−29517
Rainer, F. *see* Caporaso, G.J. 87−8798
Rainer, H. Auxiliary electrical machines for the Voitsberg 3 thermal power station 85−9721
Rainer, K., Johann, H., Hoffmann, K. A sense-signal doubling circuit for DRAMs 87−59483
Raineri, F. *see* Ciaramella, A. 87−7677
Raineri, F. *see* Cravero, M. 86−3798, 86−54467, 87−19593, 87−47620
Raineri, F. *see* Gemello, R. 85−30231, 85−51559
Raineri, F. *see* Oreglia, M. 85−13496, 85−51590
Raines, G.K. *see* Howes, N.R. 88−3629
Raines, J.K. Improve antenna design using 19th-century math 86−68835
Raines, R.M., Blankenship, S.A. The impact of advanced modulation techniques on EW 87−28671
Rainey, G. New concepts in exchange-based private networks 85−3313
Rainey, G., Stewart, I., Samual, J. Digital remotes for network access evolution 87−69839
Rainey, G.L. New programs for new needs 87−23213
Rainey, J., Coombes, J., Burrell, M., Wilding, G.R., Barakat, M.S. TV fault finding 85−3667
Rainin, V.E. *see* Gaidaenko, V.M. 85−49055
Rainish, D. *see* Perl, J.M. 87−40682
Raino, A. *see* Acanfora, F. 85−4211
Raino, A. *see* Boscolo, I. 86−48459, 87−33237
Raino, A. *see* Brautti, G. 86−22628
Rainov, R.I. *see* Milenkov, S.I. 88−76071
Rainsdon, M. *see* Andrews, J.R. 88−74534
Rainville, P. FORTRAN program for impedance matching to complex loads using series transmission lines 88−12161
Rainville, P. *see* Hung, H.-L.A. 88−63963
Raionville, P. *see* Abadie, J. 88−5188
Rais, B.G. *see* Gutkin, T.I. 86−28854
Rais, K. Control of the operation of terminal networks 85−57799
Rais, M. *see* Vostracky, Z. 87−72317
Raisanen, A. Progress in millimetre wave SIS-mixer development 87−32086
Raisanen, A. Approaching the sensitivity limits in radio astronomy at millimeter waves 87−34697
Raisanen, A. The development of millimetre wave techniques in Helsinki University of Technology's Radio Laboratory 87−48908
Raisanen, A. *see* Chang, S. 87−38148
Raisanen, A. *see* Jukkala, P. 88−29627
Raisanen, A.V., Crete, D.G., Richards, P.L., Lloyd, F.L. Wide-band low noise MM-wave SIS mixers with a single tuning element 87−32081
Raisanen, A.V., Crete, D.G., Richards, P.L., Lloyd, F.L. Low noise SIS mixer with gain for 80-155 GHz 87−34698
Raisanen, A.V., Crete, D.G., Richards, P.L., Lloyd, F.L. A 100 GHz SIS quasiparticle mixer with 10 dB coupled gain 88−12603
Raisanen, A.V., McGrath, W.R., Crete, D.G., Richards, P.L. Scaled model measurements of embedding impedances for SIS waveguide mixers 86−27605
Raisanen, A.V., McGrath, W.R., Richards, P.L., Lloyd, F.L. A simple integrated matching element for SIS quasiparticle mixers 86−15433
Raisanen, A.V., McGrath, W.R., Richards, P.L., Lloyd, F.L. Broad-band RF match to a millimeter-wave SIS quasi-particle mixer 86−28741
Raisanen, A.V., Tolmunen, T.J. Development of high efficiency frequency multipliers 88−25530
Raisanen, A.V. *see* Cui, G.-J. 87−66528
Raisanen, A.V. *see* McGrath, W.R. 85−54747, 86−58053
Raisanen, A.V. *see* Peltonen, J.K. 88−60356
Raisanen, A.V. *see* Richards, P.L. 88−12618
Raisanen, A.V. *see* Tolmunen, T.J. 87−17377, 88−25493 to 25494
Raisanen, J. *see* Keinonen, J. 88−50704
Raisch, B.Z. *see* Crofts, D. 88−2612
Raisch, J. *see* Gilles, E.D. 87−70110
Raischi, C., Vasiliu, D.P. Some applications of the extremal statistics order in the quality control 88−31512
Raisic, N. Contribution of quality assurance to effective nuclear power plant operation 85−27203
Raisic, N. *see* Konstantinov, L.V. 86−51321
Raisikh, K.A. *see* Lystsova, L.A. 87−21984
Raisin, C., Saguintaah, B., Tegmousse, H., Lassabatere, L., Girault, B., Alibert, C. Molecular beam epitaxy and optical properties of GaAlSb/GaSb heterojunctions 86−41565
Raisin, C., Tegmousse, H., Lassabatere, L. Formation and properties of MBE grown AlSb-GaSb (100) interfaces 88−31802
Raisin, C. *see* Da Silva, F.W.O. 88−49852
Raisin, C. *see* Silga, M. 88−50732
Raisin, I.B. *see* Adas'ko, V.I. 86−39815, 88−30731
Raisin, I.B. *see* Ivanov, G.V. 87−9627, 87−15654
Raisin, I.B. *see* Kolotii, N.A. 86−33418
Raiskii, E.E., Nashchenko, G.M. Hull structures welded by CO_2 process with hose-fed apparatus and 1.5 mm diameter wire 85−27849
Raiskin, E., Butler, J.F. CdTe low level gamma detectors based on a new crystal growth method 88−61084
Raison, J.C. *see* Payet, G. 85−20155
Raiston, R. *see* Niles, G.B. 86−51069
Raistrick, C. Surface preparation for fine line production 88−64098
Raistrick, I.D. *see* BorYann Liaw 86−40050
Raistrick, I.D. *see* Seung-Ki Joo 85−62280
Raitala, J., Jantunen, H. Remote sensing of shallow water areas with reference to environmental and multitemporal monitoring of the Hailuoto area, Finland 87−57446
Raith, K., Stjernvall, J.-E., Uddenfeldt, J. Multipath equalization for digital cellular radio operating at 300 kbit/s 87−3092
Raith, K. *see* Schonauer, W. 85−49525
Raith, K. *see* Stjernvall, J.-E. 87−12932
Raith, K. *see* Uddenfeldt, J. 88−73835
Raith, T., Tran-Gia, P. Performance analysis of polling mechanisms with receiver blocking 87−48298
Raith, T. *see* Huber, M.N. 87−48301
Raitsin, A.M. Model of a measuring transducer for determining the spatial-energy characteristics of laser radiation 88−9943
Raitsin, A.M. *see* Arbekov, V.I. 88−2342
Raitt, D. Teleports: opportunities for electronic libraries 86−55027
Raitt, D. Electronic publishing: its status and acceptance 87−76298
Raitt, D. Translating speech by computer 88−34597
Raitt, D.I. APOLLO: document delivery by satellite 86−37861
Raitt, D.I., Casas, J.M. The applications and implications of APOLLO for satellite document delivery 87−28462
Raitt, W.J. *see* Banks, P.M. 87−71194
Raizada, S.K. Special considerations for traction drives 85−10137
Raizen, M.G., Orozco, L.A., Rosenberger, A.T., Kimble, H.J. Dynamic instabilities in optical bistability 87−54423
Raizer, M.D. *see* Gelkhviidze, P.K. 87−70973
Raizman, A. *see* Sher, A. 86−67681
Raizman, A. *see* Shtrikman, H. 87−73142, 88−43875, 88−43877
Raizonville, P., Lannelongue, N., Anne, J.C., De Chateau Thierry, P. POSEIDON solid state altimeter 88−36672
Raj, A.P.S. *see* Koplowitz, J. 87−47914, 87−55317
Raj, B. *see* Babu Rao, C. 86−31637
Raj, B. *see* Chadda, V.K. 87−2559
Raj, B. *see* Lopez, E.C. 87−342
Raj, B. *see* Orlove, G.L. 87−10539
Raj, D. *see* Miers, D.R. 88−42144
Raj, J. *see* Chhatwal, H.L. 85−31566
Raj, K. *see* Weiss, R.D. 85−50837
Raj, M.A., Cherem, L.A. Reducing manufacturing cycle times 87−11201
Raj, M.M. *see* Mehta, M.J. 88−22851
Raj, P.A., Mistry, J.F. Hydro power in Gujarat 85−65164
Raj, P.A.Sundar *see* Sundar Raj, P.A.
Raj, P.E. *see* Devara, P.C.S. 87−9004, 88−48322
Raj, R. Deposition results of a transpiration air-cooled turbine vane cascade in a contaminated gas stream 85−4968
Raj, R.K. *see* Abram, I. 87−19045
Raj, S.P. *see* Gupta, A.K. 86−40433
Raj, T.F.Sundar *see* Sundar Raj, T.F.
Raj, V.K. Another automated data path designer 87−36898
Raj, V.K., Pangrle, B.M., Gajski, D.D. Microprocessor synthesis 85−861
Raj Gupta *see* Khanna, A.K. 88−75929
Raj Kumar, K.Phani *see* Phani Raj Kumar, K.
Raj Natarajan, T. *see* Ek, G. 88−41443
Raja, D., Shanthi, R., Rao, S.R. Computerised telephone metering system 88−41481
Raja, M.Y.A., Brueck, S.R.J., Osinski, M., Schaus, C.F., McInerney, J.G., Brennan, T.M., Hammons, B.L. Novel wavelength-resonant optoelectronic structure and its application to surface-emitting semiconductor lasers 88−72234
Raja, N.K.L. *see* Deshmukh, P.R. 88−26172, 88−39335
Raja, N.S., Prasad, G.S.V.V.S., Mehndiratta, S.L., Sinha, M.K. SACHIV: a distributed calendar system 85−25562
Raja, R. *see* Iwasaki, H. 88−10269
Raja, R. *see* Johnson, M. 85−26646
Raja Hassan, R.Mustapha *see* Mustapha Raja Hassan, R.
Raja Kumar, R.V., Pal, R.N. Recursive constrained adaptive filters for line enhancement 85−51645
Raja Kumar, R.V., Pal, R.N. Recursive center-frequency adaptive filters for the enhancement of bandpass signals 86−64259
Raja Kumar, R.V. *see* Pant, R. 85−46835
Raja Ram, P., Thangaraj, R., Agnihotri, O.P. Thin films CdZnS/$CuInSe_2$ solar cells by spray pyrolysis 87−4878
Raja Ram, P., Thangaraj, R., Sharma, A.K., Agnihotri, O.P. Totally sprayed $CuInSe_2$/Cd(Zn)S and $CuInS_2$/Cd(Zn)S solar cells 85−60438
Raja Ram, P. *see* Agnihotri, O.P. 88−37616
Raja Rao, A. *see* Murthy, C.R. 88−5647
Raja Rao, A. *see* Murthy, M.S.S. 87−50753
Raja Rao, A.S., Prabhu, S.S. Design features of the clean vacuum system of A 3m 0 Thermovac 88−30076
Raja Rao, C. *see* Chandra Mouly, M.C. 85−2644, 85−9118, 85−9181, 86−24740
Raja Rao, C. *see* Eswar Reddy, N.C. 85−36271
Raja Rao, C. *see* Reddy, N.C.E. 88−27933
Raja Rao, T., Mahabala, H.N. Extraction of road maps of townships from aerial imagery 85−30470
Raja Reddy, D., Reddy, B.K., Reddy, P.J. Electrical properties of CdS_xSe_{1-x} single crystals 85−1296
Rajagapolan, C. *see* Sauer, P.W. 86−70605
Rajagopal, A.K., Teitler, S. Linear time transformations in accelerated testing 87−43964
Rajagopal, A.K. *see* Teitler, S. 87−23400

Rajagopal, L.R., Dutta Roy, S.C. Matrix approach for the coefficients of maximally flat FIR filter transfer functions expressed in powers of cos w 87−45068

Rajagopal, L.R., Dutta Roy, S.C. Design of maximally-flat FIR filters using the Bernstein polynomial 88−25335

Rajagopal, S. *see* Fouad, A.A. 87−42344

Rajagopal, S. *see* Vittal, V. 87−15127, 88−10781, 88−54856

Rajagopalan, B. Routing and access control in a Metropolitan Area Network 88−59385

Rajagopalan, C. *see* Desodt, A.-M. 88−54565, 88−54591

Rajagopalan, C.S. *see* Rajagopalan, K.S. 85−20478

Rajagopalan, K.R. Quantity control of spares' in spares organisation [telecommunication equipment] 86−69295

Rajagopalan, K.S. Environment requirement for E-10B exchanges 86−69531

Rajagopalan, K.S., Venkoba Rao, H.N., Birlasekaran, S., Venkatachari, G., Rajagopalan, C.S. AC corrosion monitor 85−20478

Rajagopalan, K.S. *see* Sarangapani, K.B. 85−5355

Rajagopalan, R., Barreca, S.L. Improvèments to availability and maintainability of electric motor operated valves by the use of two-out-of-three logic 88−11003

Rajagopalan, R., Carlson, P.J. Input filter−a new approach 88−70891

Rajagopalan, R.G., Fanucci, J.B. Inviscid upwind finite difference model for two-dimensional vertical-axis wind turbines 85−53651

Rajagopalan, R.R. *see* Basso, R. 85−9653

Rajagopalan, R.R. *see* Pelling, E.E. 88−6219

Rajagopalan, S. *see* Chopra, K.L. 85−45400

Rajagopalan, S. *see* Ghose, M.K. 85−33217

Rajagopalan, S.R. *see* Poojary, A. 87−44684

Rajagopalan, V., Al Haddad, K., Ayer, J.B. Innovative utility-interactive DC to AC power conditioning system 86−45590

Rajagopalan, V., Jacob, A., Sevigny, A., Sankara Rao, K. Computation of almost periodic steady-state response of power electronic converter systems 85−32608

Rajagopalan, V. *see* Al Haddad, K. 86−51748, 87−22555, 88−24022

Rajagopalan, V. *see* Al-Haddad, K. 86−6901

Rajagopalan, V. *see* Alhaddad, K. 87−44587

Rajagopalan, V. *see* Khoder, A. 86−45569

Rajagopalan, V. *see* Rajashekara, K.S. 86−67013, 87−43540, 87−78988, 88−30895

Rajagopalan, V. *see* Simard, R. 88−30907

Rajagoplan, V., Rajashekara, K.S., Haddad, K.A. Analysis and design of a dual series resonant converter for utility interface 87−72270

Rajainmaki, H. High-resolution positron lifetime spectrometer with BaF$_2$ scintillators 87−41893

Rajakovic, N. Method of the annual savings of the energy losses via the secondary voltage regulation depending on the weather conditions 85−64834

Rajakovic, N. *see* Muzdeka, G. 87−9153

Rajakovics, G. Over 50% efficiency from treble Rankine cycle 86−33080

Rajakovics, G., Maier, W. A future for three cycles? The Treble Rankine Cycle−results of a study commissioned by the IEA [thermal power stations] 85−48835

Rajala, J., Sarvas, J. Electromagnetic scattering from a plate-like non-uniform conductor 85−56984

Rajala, J., Sarvas, J., Soikkeli, J. Electromagnetic scattering from an inhomogeneity in a half space by the method of successive reflections 85−13064

Rajala, J. *see* Aittoniemi, K. 85−59416

Rajala, M., Perry, G., Kurki, J. The effect of drawing tension on cut-off wavelength and bending characteristics of single-mode optical fibers 88−45157

Rajala, M.J. *see* Perry, G. 88−7883

Rajala, P. New concept to build standby power plants 88−30597

Rajala, R.V. *see* Jaarinen, J.P. 85−53227

Rajala, S.A., Civanlar, M.R., Lee, W.M. A second generation image coding technique using human visual system based segmentation 87−62291

Rajala, S.A., Civanlar, M.R., Lee, W.M. Video data compression using three-dimensional segmentation based on HVS properties 88−67583

Rajala, S.A. *see* Ait-Kheddache, A. 88−66738

Rajala, S.A. *see* Alexander, S.T. 85−63094

Rajala, S.A. *see* Civanlar, M.R. 87−47979 to 47980

Rajala, S.A. *see* Faryar, A.F. 86−10514

Rajala, S.A. *see* Moorehead, R.J., II 86−10513

Rajala, S.A. *see* Moorhead, R.J., II 88−3151

Rajala, S.A. *see* Nobakht, R.A. 87−62290

Rajala, S.A. *see* Padgett, M.L. 87−20590

Rajala, S.A. *see* Santago, P. 85−36322, 86−30041, 87−19889, 88−3153

Rajala, S.A. *see* Trussell, H.J. 86−16546

Rajalakshmi, P.K., Lakshmanan, A.V. A comparison of two methods for assessing the performance of the display system of a clinical radioisotope imaging device 85−38089

Rajalakshmi, R. *see* Chandvankar, S.S. 88−38164

Rajamani, K. Co-ordinated protection system for large motors 87−9542

Rajamani, K. *see* Chakravarthy, S.K. 87−22267

Rajamani, K.S. Improved version of temperature and pressure controls in pressurised chamber 87−63799

Rajamannar, G., Mohsini, R.A. A 'rate of change' based evaluation of task organizations 88−31406

Rajan, F. *see* Grasso, L.J. 88−12282

Rajan, G. *see* Babic, H. 87−45108, 88−56811

Rajan, G. *see* Neuvo, Y. 87−45087, 87−45105

Rajan, J.V., Thomas, D.E. Synthesis by delayed binding of decisions 86−21774

Rajan, J.V. *see* LaPotin, D.P. 85−12344

Rajan, K. Defects in strained layer semiconductors 87−73136

Rajan, K. *see* Bennett, M.S. 87−16015 to 16016, 88−5839, 88−17987, 88−31005, 88−45286 to 45287

Rajan, K. *see* Catalano, A. 86−36344, 87−9852

Rajan, K. *see* Das, S.R. 88−31737

Rajan, K. *see* Denhoff, M.W. 87−45654

Rajan, K. *see* Fortmann, C.M. 88−17974

Rajan, P. *see* Huson, F.R. 86−31828

Rajan, P.K. A study on the properties of multidimensional Fourier transforms 85−256

Rajan, P.K. Fast DFT algorithms for diagonally symmetric 2-D data 88−70292

Rajan, P.K., Reddy, H.C. A simple deductive proof of a stability test for two-dimensional digital filter 85−964

Rajan, P.K., Reddy, H.C. Symmetrical decomposition and transformation 86−14379

Rajan, P.K., Reddy, H.C. Application of symmetrical decomposition to 2-D FIR filter design 86−16428

Rajan, P.K., Reddy, H.C. Some open problems in multivariable networks and systems 86−62341

Rajan, P.K., Reddy, H.C. Tests for 2-D discrete scattering Hurwitz polynomials 86−66655

Rajan, P.K., Reddy, H.C. On the necessary conditions for the BIBO stability of *n*-D filters 87−17247

Rajan, P.K., Reddy, H.C. Modified Ansell's method and testing of very strict Hurwitz polynomials 87−58766

Rajan, P.K., Reddy, H.C. Formulation of 2-D normal equations using 2-D to 1-D form preserving transformations 88−34662

Rajan, P.K., Reddy, H.C., Mori, T. Comments, with reply, on 'Note on the absolute value of the roots of a polynomial' 85−28085

Rajan, P.K., Reddy, H.C., Swamy, M.N.S. Symmetry relations in two-dimensional Fourier transforms 85−19477

Rajan, P.K., Reddy, H.C., Swamy, M.N.S. Semi-Hurwitz polynomials and their properties [two-dimensional digital filter application] 86−46238

Rajan, P.K., Swamy, M.N.S. Symmetry relations in multidimensional Fourier transform pairs 85−49414

Rajan, P.K., Swamy, M.N.S. A unified presentation of symmetry relations for discrete domain signals and their transforms 86−37101

Rajan, P.K. *see* Fountain, D.W. 88−50279

Rajan, P.K. *see* Rajaravivarma, V. 86−37100, 86−67403

Rajan, P.K. *see* Rajaravivrma, V. 88−50280

Rajan, P.K. *see* Reddy, H.C. 85−17715, 86−35033, 86−62412, 86−62761, 86−62786, 86−69075, 87−5309, 87−59776, 87−66414, 88−6592

Rajan, S. *see* Vijaya Kumar, B.V.K. 87−39953

Rajan, S.D. *see* Bakshi, P.M. 88−8433

Rajan Babu, S. *see* Periaswami, G. 88−60707

Rajanathan, C.B. Further developments in 3-D post viewer 88−52051

Rajanathan, C.B., Bryant, C.F., Freeman, E.M. A post-viewer for 3-D finite element solutions 88−52029

Rajanathan, C.B., Lowther, D.A., Freeman, E.M. Stability characteristics of the Xi-core 86−29304

Rajanikanth, K. *see* Limaye, M.V. 85−42868

Rajanna, D. Hermetic sealing by electron beam welding 86−52249

Rajaoferson, S. *see* Comolet, R. 86−33247

Rajaona, R.D., Sulmont, P. A method of spectral analysis applied to periodic and pseudoperiodic signals 86−16317

Rajapakse, R., Lin, H., McDonald, J.F. Applications of the focused ion beam (FIB) for repair of wafer scale integration 87−1648

Rajapakse, R., Lin, H., McDonald, J.F. Focused ion beam repair for thick film multilayer wafer scale interconnections 87−1701

Rajapakse, R. *see* Donlan, B. 87−1634

Rajapakse, R. *see* Lin, H. 87−46109

Rajapakse, R. *see* McDonald, J.F. 88−13496

Rajapakse, R.U. *see* McDonald, J.F. 88−13497

Rajapandian, S. *see* Panneerselvam, M.A. 86−67537

Rajappan, K.P. *see* Sivaraman, K. 85−2819

Rajaram, L. *see* Laxminarayan, S. 86−50589

Rajaram, L.N., Sinha, J.K., Sinha, M.K., Pandey, Y.K. Telecom network management−an integrated approach 88−28255

Rajaram, R., Lebba, P.P., Remadevi, V., Bhatkar, V.P. Microcomputer based load management system−a powerful and versatile tool to improve electrical energy utilisation 85−21089

Rajaram, R., Sridharan, S. Technical aspects of superconductor magnet for MHD application−review and conceptual design. I. Review of superconductor magnets for MHD application 88−49158

Rajaram, R. *see* Ramaraj, N. 87−29993, 88−23714, 88−68797

Rajaram, S. *see* Abraham, K.U. 85−4911

Rajaraman, K.C., Perera, W.R., Subramaniam, G. New wide-ratio pole-changing motors 87−64584

Rajaraman, R. *see* Natarajan, K. 88−64822

Rajaratnam, A. *see* Meelakantaswamy, P.S. 85−31570

Rajaravivarma, R. *see* Broadwater, R.P. 87−71628

Rajaravivarma, V., Rajan, P.K., Reddy, H.C. Some symmetry properties of 3D analog and digital functions 86−37100

Rajaravivarma, V., Rajan, P.K., Reddy, H.C. Symmetry results for the 3-D digital filters 86−67403

Rajaravivrma, V., Rajan, P.K., Reddy, H.C. Symmetry study on the phase response of 2D filters 88−50280

Rajasekaran, P.K., Doddington, G.R. Real-time factoring of the linear prediction polynomial of speech signals 85−51578

Rajasekaran, P.K., Doddington, G.R. Real-time extraction of formant candidates of speech signals 86−10318

Rajasekaran, P.K., Doddington, G.R. Speech recognition in the F-16 cockpit using principal spectral components 86−16217

Rajasekaran, P.K., Doddington, G.R., Picone, J.W. Recognition of speech under stress and in noise 87−19502

Rajasekaran, P.K. *see* Pawate, B.I. 87−61720

Rajasekaran, S. A note on plotting curves 85−10627

Rajasekera, J.R. *see* Fang, S.C. 87−10285, 87−16518

Rajasekharam, P. *see* Padiyar, K.R. 85−26948, 86−65617

Rajasekharan, K. *see* Stimets, R.W. 86−30006

Rajashekara, K.S., Charette, A., Al Haddad, K., Rajagopalan, V. Analysis and design of a dual series resonant converter for utility interface 88−30895

Rajashekara, K.S., Hoang, L., Mahfoudhi, R., Dessaint, L.A. Resonance DC link inverter-fed AC machine control 87−78631

Rajashekara, K.S., Rajagopalan, V., Sevigny, A., Vithayathil, J. DC link filter design considerations in three-phase voltage source inverter-fed induction motor drive system 87−78988

Rajashekara, K.S., Sevigny, A., Rajagopalan, V., Vithayathil, J. DC link filter design considerations in voltage source inverter-fed induction motor drive system 87−43540

Rajashekara, K.S., Vithyathil, J., Rajagopalan, V. Protection and switching-aid networks for transistor bridge inverters 86−67013

Rajashekara, K.S. *see* Al Haddad, K. 87−22555

Rajashekara, K.S. *see* Dessaint, L. 88−31074

Rajashekara, K.S. *see* Karthikeyan, T.V. 85−26201

Rajashekara, K.S. *see* Rajagoplan, V. 87−72270

Rajashekhara, T. *see* Sharma, R. 87−66100

Rajashekhara, T.N. *see* Kal, O. 88−25167, 88−44153

Rajashekhara, T.N. *see* Raina, R. 88−44156

Rajashekhara, T.N. *see* Sharma, R. 87−66088, 88−44152

Rajba, S. *see* Kazimierczak, W. 88−75085

Rajba, S. *see* Kinda, R. 85−37081

Rajba, S. *see* Paczensiak, A. 85−25616

Rajba, S. *see* Rajba, T. 85−51968

Rajba, T., Rajba, S. Some analytical relations between static temporary distortions, Gauss's noise and error probability in digital transmission 85−51968

Rajbenbach, H. Digital optical processing with photorefractive materials: applications of a parallel half-adder circuit to algorithmic state machines 88−20466

Rajbenbach, H., Huignard, J.P. Self-induced coherent oscillations with photorefractive Bi$_{12}$SiO$_{20}$ amplifier 85−29928

Rajbenbach, H., Huignard, J.P., Refregier, P. Amplified phase-conjugate beam reflection by four-wave mixing with photorefractive Bi$_{12}$SiO$_{20}$ crystals 85−19026

Rajbenbach, H., Verdiell, J.M., Huignard, J.P. Visualization of electrical domains in semi-insulating GaAs:Cr and potential use for variable grating mode operation 88−72152

Rajbenbach, H. *see* Huignard, J.P. 86−3302

Rajchman, J.A. *see* Stein, J.A. 86−18044

Raje Urs, B. *see* Balagurumurthy, S.T. 88−69181

Rajeevakumaar, T.V. *see* Bronner, G.B. 88−70777

Rajeevan, N., Ramakrishna, K. A fast algorithm for limited range CT image reconstruction 85−26767

Rajendra, S., McLaren, P.G. Travelling-wave techniques applied to the protection of teed circuits: principle of travelling-wave techniques [power system protection] 86—32824
Rajendra, S., McLaren, P.G. Travelling-wave techniques applied to the protection of teed circuits: multi-phase/multi-circuit system 86—32825
Rajendra, S. *see* McLaren, P.G. 85—64978
Rajendra Prasad *see* Ramjee Prasad 88—56837
Rajendran, N. *see* Sid-Ahmed, M.A. 86—46400, 88—73175
Rajendran, S., Mellen, R.H., Sr. Advances toward 'intelligent processing' of electronic materials. I. Development of local heat transfer control furnace 88—18220
Rajendran, S., Ramasubba Rao, N.P., Kailasam, T.K., Suuriraj, S.J., Rao, K.J. Hardware implementation of moving target detector—an approach 86—30879
Rajendran, S., Wilcox, W.R., Ravishankar, P.S. Solidification behavior in casting of silicon 86—57418
Rajendran, S. *see* Raju, G.S.N. 87—43276
Rajendran, V. *see* Jha, B.B. 87—62968
Rajendran, V. *see* Jhunjhunwala, A. 87—70052
Rajeshwar, K. Materials aspects of photoelectrochemical energy conversion 85—27596
Rajeshwar, K. *see* Bhattacharya, R.N. 85—10756, 85—44762, 86—19484
Rajeshwar, K. *see* Chyan, O.M.-R. 86—63139
Rajeshwar, K.R. *see* Bhattacharya, R.N. 86—57461
Rajeswaran, G., Vanier, P.E., Corderman, R.R., Kampas, F.J. Plasma deposition of wide gap, highly photoconductive a-Si:H thin films from disilane-helium mixtures 86—26915
Rajeswaran, G., Vanier, P.E., Corderman, R.R., Kampas, F.J. Dual-chamber plasma deposition of a-Si:H solar cells at high rates using disilane 86—40167
Rajeswaran, G., Vanier, P.E., Corderman, R.R., Kampas, F.J. Improved blue response and efficiency of a-Si:H solar cells rapidly deposited from disilane using a dual-chamber plasma system 87—9843
Rajeswaran, G., Vanier, P.E., Kampas, F.J., Corderman, R.R. Low temperature (150-250°C) deposition of n^+ and p^+ microcrystalline silicon for VLSI device contacts 85—33507
Rajeswaran, G. *see* Vanier, P.E. 85—429, 85—431
Rajewski, L. Loop-type delay structure of amplitron 87—66842
Rajgara, F.A. *see* Raheja, U.T. 88—60994
Rajgarhia, M.L. Mica—the most perfect motor insulation 88—37148
Rajgopal, K. *see* Ramakrishna, K. 85—17730, 85—40165
Rajgopal, K. *see* Srinivasa, N. 87—27633, 87—61968, 87—62024, 87—69112, 88—28084, 88—66770
Rajhenbah, D. Selective hard gold plating of contact parts in electronics 87—17425
Raji, T. Transfer function parameters in multipath channel modelling 88—52208
Raji, T. *see* Cellini, G. 88—53158
Raji, T. *see* Di Zenobio, D. 87—40720
Raji, T.I. Establishment and maintenance of a native telecommunications industry in African countries 88—66833
Rajic, F. The practical limitations of automatic control in thermal power plants 87—42638
Rajic, I. *see* Puljic, N. 86—71016
Rajic, Z. Development tendencies of methods for optimal distribution network planning 86—39122
Rajic, Z. Determination of distribution net optimal configuration 87—78094
Rajic, Z. An incomplete model for determination of distribution network optimal configuration 88—5341
Rajic, Z. Approximated model for determination of optimal network configuration 88—36828
Rajic, Z. *see* Mihalek, E. 85—32146
Rajicic, D., Bose, A. A modification to the fast decoupled power flow for networks with high *r/x* ratios 88—10791
Rajkai, G. *see* Huszty, G. 88—35208
Rajkal, Gy. *see* Huszty, G. 88—67092
Rajkanan, K., Gheewala, T.R., Diedrick, J. A high-performance BiCMOS technology with double-polysilicon self-aligned bipolar devices 88—7653
Rajkanan, K. *see* Singh, R. 85—23918, 88—64409
Rajkarne, D.G. *see* Billhardt, R.A. 87—28317
Rajki, I. Design problems of single-phase asynchronous generators 85—21609
Rajki, I., Sztano, P. Approximate calculation of the load carrying capacity of stepping motors 86—61469
Rajki, I., Toth, K., Vincze, G., Bohonyei, F. Permanent magnet brushless pump-drive supplied from solar cells 86—13104
Rajkovic, N., Radojevic, Z., Duric, M., Lavros, P. Optimal technical and economic solutions of supply and distribution of electric energy at open coal pit 88—49326
Rajkovic, N. *see* Muzdeka, G. 85—32429
Rajkowski, J.M. *see* Hankins, T.H. 87—49965
Rajkumar, A.D., Somanatham, R., Narasimhaswamy, P. Improved starter for three phase induction motors in rural areas 88—5695
Rajkumar, B.R., Stone, D.H., Gannett, C.P. Analysis of residual stresses in railroad wheels from saw-cutting displacement data using newly developed analytical approach 87—79088
Rajkumar, B.R. *see* Patil, S.P. 87—79089
Rajman, J. The computer technique at the XIV 1984 Winter Olympic Games 85—19837
Rajopadhye, N.R., Dake, S.B., Bhoraskar, S.V. Characterization of Al_2O_3 films deposited by various methods 87—11282
Rajopadhye, N.R. *see* Bhuiyan, A.H. 88—72224
Rajopadhye, S.V., Panangaden, P. Verification of systolic arrays: A stream functional approach 87—16818
Rajopadhye, S.V., Subrahmanyam, P.A. Formal semantics for a symbolic IC design technique: examples and applications 85—50628
Rajora, O.S., Curzon, A.E. A simple method for the determination of film thickness from electron image contrast in a scanning electron microscope 85—52872
Rajoria, D.S., deNeufville, J.P. Improved coatings for lithium anodes 88—17825
Rajot, P. Decommissioning chemical plants [and nuclear plants] 86—13227
Rajotte, Y., Chalifoux, A., Bergeron, R. Underground distribution networks: measurement of rises of potential in manholes when faults occur 85—32155
Rajouani, A., Najim, M., Chiadmi, D. Synthesis of the pharyngealization feature in Arabic 88—2996
Rajouani, A. *see* Mouradi, A. 85—51576
Rajouani, A. *see* Najim, M. 88—66408
Rajpal, S. High-speed CMOS TTL-compatible, numbercrunching elements for fixed- and floating-point arithmetic 87—59634
Rajpal, S. High-speed CMOS TTL-compatible numbercrunching elements for fixed- and floating-point arithmetic 87—66073
Rajpal, S. High-speed CMOS TTL-compatible number-crunching elements for fixed- and floating-point arithmetic 87—73432
Rajpal, S. High-speed CMOS TTL-compatible number-crunching elements for fixed- and floating-point arithmetic 88—6768
Rajpal, S. High-speed, CMOS TTL-compatible number-crunching elements for fixed-, and floating-point arithmetic 88—6787
Rajpal, S. CMOS for fixed and floating point arithmetic 88—19039
Rajpal, S., Mick, J.R. Fast-error-correcting ICs aid large memory systems 87—59672
Rajpal, S., Mick, J.R., Waldo, S. Rely on your data. High speed EDC modules in CMOS techniques 87—7654
Rajpal, S., Sachs, N., Tavana, D. Serializing FIFOs and burst error processor team up to enhance serial data reliability 85—22899
Rajpal, S., Wyland, D. FIFOs and MACs make FIR filters fast 87—66373
Rajpal, S., Wyland, D. Memory devices for improved data communications and integrity 88—6854
Rajpal, S., Wyland, D. Memory devices for improved data communications and integrity 88—6857
Rajpal, S., Wyland, D.C. New features on static RAMS and dual-port RAMS enhance system performance 87—73451
Rajpal, S. *see* Amitai, Z. 85—11261, 85—11273, 86—27315
Rajpal, S. *see* Fine, D. 86—46722
Rajpal, S. *see* Fox, M. 85—17593
Rajpall, S., Sr. *see* Hastings, C. 85—11211
Rajput, A.Q.K. An optimization process for PCC detection of weak signals with duty cycle 87—62140
Rajput, S.A. *see* Bergmans, J.W.M. 88—27940
Rajski, I., Cox, H. A method of test generation and fault diagnosis in very large combinational circuits 88—25119
Rajski, J., Agarwal, V.K. Testing properties and applications of inverter-free PLAs 86—46754
Rajski, J., Agarwal, V.K. Testing and applications of inverter-free PLAs 88—25095
Rajski, J., Ares, J.-M., Girouard, P., Romagnino, S. An accelerator for test generation and fault diagnosis 87—44807
Rajski, J., Cox, H. On the application of a transition logic system to VLSI fault analysis 86—67197
Rajski, J., Cox, H. Stuck-open fault testing in large CMOS networks by dynamic path tracing 87—38575
Rajski, J., Tyszer, J. The detection of small size multiple faults by single fault test sets in programmable logic arrays 85—45017
Rajski, J., Tyszer, J. Easily testable PLA design 85—49845
Rajski, J., Tyszer, J. Combinatorial approach to multiple contact faults coverage in programmable logic arrays 85—54819
Rajski, J., Tyszer, J. The influence of masking phenomenon on coverage capability of single fault rest sets in PLAs 86—27224
Rajski, J. *see* Aboulhamid, M. 87—66143
Rajski, J. *see* Cox, H. 88—38579, 88—63625
Rajski, J. *see* Jajszczyk, A. 85—63146
Rajski, J. *see* Kosarzycki, K. 86—64647
Rajski, J. *see* Maamari, F. 88—644
Rajski, J. *see* Pateras, S. 88—50095
Rajski, J. *see* Robinson, M. 87—66154
Rajsuman, R., Jayasumana, A.P., Malaiya, Y.K. Testing of complex gates 87—74418
Rajsuman, R., Malaiya, Y.K., Jayasumana, A.P. On accuracy of switch-level modeling of bridging faults in complex gates 87—66111
Rajsuman, R. *see* Malaiya, Y.K. 87—37124
Raju, B.B. Acoustic-backscattering studies of transverse cracks in composite thick laminates 86—40802
Raju, D.Sitarama *see* Sitarama Raju, D.
Raju, D.V.S., Krishnamurthy, T.G. Hospital instrumentation—safety and standardisation aspects 88—54687
Raju, G. *see* Vyas, A.D. 85—64761
Raju, G.R.G. Extension of Davidson's theory of formative time lags to a magnetic switch 87—25673
Raju, G.R.G. Some aspects of the sparkover time of a low-pressure magnetic switch 87—66857
Raju, G.R.Govinda *see* Govinda Raju, G.R.
Raju, G.S., Jagannathan, A. Nomograms for trans-horizon path loss calculations for UHF systems 85—36011
Raju, G.S. *see* Bandopadhaya, R.N. 85—9849, 86—12781, 87—42904
Raju, G.S.N., Chakraborty, A., Das, B.N. Generation of sum and SLS type different pattern from one aperture [antennas] 86—64068
Raju, G.S.N., Venkatanarayana, R., Rajendran, S. Precision high voltage regulation scheme for a coherent radar transmitter 87—43276
Raju, G.S.N. *see* Das, B.N. 88—938, 88—2848, 88—38689
Raju, G.V.R. *see* Maken, N.J.S. 85—10116
Raju, G.V.S. Stereo correspondence using dynamic programming technique 88—34815
Raju, G.V.S., Binford, T.O., Shekhar, S. Stereo matching using the Viterbi algorithm 88—8879
Raju, G.V.S., Kisner, R.A. Distributed and hierarchical control techniques for large-scale power plant systems 88—48695
Raju, J.A.S. Project Endeavour—Canister 2 support structure 87—77731
Raju, J.A.S. *see* Simmons, J.M. 87—77727
Raju, K.B., Reddy, G.R., Rao, V.V. Group delay processing of radar signals 87—27443
Raju, L. Turbogenerator rotor windings—growth over decades 88—69295
Raju, P.K. *see* Crocker, M.J. 88—68593
Raju, T.A. *see* Tarey, R.D. 86—13809
Raju, V. Increasing FMS flexibility with lasers and plasma arc machining 87—39273
Raju, V. Need for cost effective rural communication services 88—59464
Raju, V., Mohan, C.S. Store and forward trunk switching 85—42386
Raju, V., Mohan, C.S., Murthy, K.R.S., Sridharan, R., Sudarshan, M.K. Quality service to small communities 88—28252
Raju, V., Sridharan, R., Sudarsham, M.K. Electronic small automatic exchange-200 85—3305
Raju, V.S., Ravindran, M., Korde, U.A. Experiments on the oscillating water column wave energy system 85—32381
Rajulu, R.Govinda *see* Govinda Rajulu, R.
Rajurkar, K.P., Newill, R.E. Multiple series modelling and forecasting of short-term load demand by data dependent systems 86—50942
Rajurkar, K.P., Nissen, J.L. Data-dependent systems approach to short-term load forecasting 85—64866
Rak, B., Mikolaskova, M. Outdoor unit for a 12 GHz-satellite broadcast receiver 86—55249
Rak, F. A logic simulator for microcomputers 86—27241
Rak, J. Investigation of starting dynamics of synchro systems with slip-ring motors 88—48974
Rak, R. *see* Chwaleba, A. 88—22500
Rak Lee Jong *see* Jong Rak Lee
Raka, E., Ahrens, L., Frey, W., Gill, E., Glenn, J.W., Sanders, R., Weng, W. Increased intensity performance of the Brookhaven AGS 86—31812
Raka, E. *see* Reece, R.K. 88—54303
Raka, E. *see* Yamin, P. 88—54230
Raka, E.C. Transient beam loading and RF power distribution in the SSC 88—10214
Raka, E.C. *see* Lee, Y.Y. 88—54006
Rakaev, A.P. *see* Sergienko, Yu.M. 87—49968
Rakcheev, D.A., Silichev, O.O., Fomichev, A.A. Investigation of the influence of a thermally induced anisotropy of an active element on diffraction losses in a single-mode laser 85—7408
Rake, F. Performance of an ethernet local area network in a data acquisition environment 85—42300
Rake, F. VAX/VMS remote procedure call over Ethernet 86—30423
Rake, H. *see* Wiening, W. 88—18228
Rake, S.T. A knowledge based image interpretation system 86—37171

Rakel, D.A. Calibration of neutron correlation counters by calorimetry and gamma-ray measurements 87−21451
Rakels, J.H. The use of Bessel functions to extend the range of optical diffraction techniques for in-process surface finish measurements of high precision turned parts 86−31646
Rakennus, K. *see* Vulli, M. 85−44758
Rakerd, B. *see* Daju, G. 87−61786
Rakes, J.M. *see* Polk, D.R. 85−7810
Rakes, T. *see* Sen, A. 87−76344
Rakes, T.R. *see* Alshammari, S.A. 88−46588
Rakesh Mohan Jha, Bokhari, S.A., Sudhakar, V., Balakrishnan, N. Closed-form expressions for ray geometries on a cone 87−47307
Rakhavl'skii, M.P. *see* Annenkov, D.M. 85−2338
Rakheja, T.D., Gulati, K.K. On symmetry and reversible symmetry concerning generalized directed divergence 88−52318
Rakhimov, A.T., Suetin, N.V. Effect of electronegative impurities on the characteristics of self-sustaining discharges in the active media of excimer lasers 88−45343
Rakhimov, A.T. *see* Abrosimov, G.V. 86−48330
Rakhimov, A.T. *see* Mankelevich, Yu.A. 87−68348
Rakhimov, D.A. *see* Abdurakhmanov, A. 85−19048
Rakhimov, M.E. *see* Mironenko, S.N. 86−54031
Rakhimov, N. *see* Abdullaev, Kh.O. 88−33849
Rakhimov, N. *see* Alferov, Zh.I. 88−12976
Rakhimov, N. *see* Bogdanovich, M.S. 86−2961
Rakhimov, N. *see* Danil'chenko, V.G. 86−28301
Rakhimov, N. *see* Korol'kov, V.I. 88−8056
Rakhimov, N. *see* Volkov, L.A. 86−36305
Rakhimov, N.R. *see* Alferov, Zh.I. 87−25306
Rakhimov, N.R. *see* Bogdanovich, M.S. 86−36336
Rakhimov, R.M., Badrutdinov, O.R., Fishman, I.S., Leibov, V.N. A matrix analyzer for the intensity distribution in a laser beam 86−29216
Rakhimov, V.F., Ermolov, I.N. Theoretical representation of the field of a circular pulsed emitter 88−70385
Rakhimov, V.F., Tkachenko, V.A. Immersion echo method for the inspection of objects with an untreated surface 86−555
Rakhimova, N.R. *see* Alimov, T.A. 85−15238
Rakhlei, S.Yu. *see* Kasparov, K.N. 87−26235
Rakhlin, A.V. *see* Alimov, V.A. 86−37771
Rakhlin, E.L. *see* Boguslavskii, I.Ya. 87−5307
Rakhlin, M.Ya., Smovzh, A.K., Sokolova, T.G. Some features of the growth of films of CdS_xSe_{1-x} during combined pyrolysis of chelate compounds of cadmium and selenium 86−13806
Rakhlin, M.Ya., Smovzh, A.K., Sokolova, T.G. Production of films of the CdS-Te system by cothermolysis of the chelates of organometallic compounds of Cd and Te 87−58963
Rakhlin, M.Ya., Svechnikov, S.V., Smovzh, A.K., Stepanchuk, V.P. Noise in analogue angular-movement pick-ups employing optoelectronic converters 85−52870
Rakhmangulov, R.V. *see* Maltsev, G.I. 87−6322
Rakhmanov, A.L. *see* Andrianov, V.V. 87−32902
Rakhmanov, A.L. *see* Majoros, M. 88−1887
Rakhmanov, A.L. *see* Mints, R.G. 88−71971
Rakhmanov, S.Ju. *see* Minkin, V.M. 88−59801
Rakhmanov, S.Yu. *see* Guk, N.I. 86−37752
Rakhmanov, S.Yu. *see* Kamensky, N.N. 87−34419
Rakhmanova, A.L., Rybak, I.O. Full-scale tests of the trash racks of the Kapchagai hydroelectric station 85−48886
Rakhmatov, O.I. *see* Regel, L.L. 85−5972
Rakhmatov, V.E. *see* Abramov, V.V. 85−48191
Rakhmatov, V.E. *see* Gres', V.N. 86−50271
Rakhmatov, V.E. *see* Vasil'chenko, V.G. 86−70342
Rakhmatov, V.R. *see* Vasil'chenko, V.G. 87−37846
Rakhmatova, V.B. *see* Vasil'chenko, V.G. 86−70342
Rakhmatulin, A.V. *see* Varivodov, V.N. 87−30232
Rakhodai, I. *see* Chantelou, O. 86−17572
Rakhov, A.V. *see* Voronin, Yu.M. 86−22232
Rakhovskii, V.I. *see* Golovach, D.G. 85−58749
Rakhovskii, V.I. *see* Ivanov, B.I. 87−3543
Rakhovskii, V.I. *see* Kirichenko, N.A. 85−8959
Rakhovsky, V.I. Cathode spot of vacuum arc (physical models: state of the art) 87−37785
Rakhshani, A.E. Preparation, characteristics and photovoltaic properties of cuprous oxide−a review 86−28964
Rakhshani, A.E., Varghese, J. Galvanostatic deposition of thin films of cuprous oxide 87−58952
Rakhval'skii, M.P. *see* Bogatov, A.P. 85−29869, 85−41435, 85−51184, 87−33195, 88−8226, 88−8228
Rakhvalsky, M.P. *see* Bazhenov, V.Yu. 85−29868
Rakhymbekov, A.Zh. *see* Razikov, A.Kh. 85−11836
Rakhymov, H. *see* Garyagdyev, G. 88−26959
Rakic, M. *see* Rakic, R. 87−35599, 88−42815
Rakic, R., Rakic, M., Vlaskalic, S. A temperature-sensitive method for short-term load forecasting in electric power systems 87−35599
Rakic, R., Rakic, M., Vlaskalic, S. Program package for short-term load forecasting with computation of temperature impact in the electric power systems 88−42815
Rakic, S. *see* Culig, Z. 85−21591
Rakin, P. *see* Anastasijevic, N. 85−44156
Rakitin, B.V. *see* Mikheyev, A.G. 87−63023
Rakitin, S.P. *see* Ishkhanov, B.S. 88−36344
Rakitin, V.G. *see* Korsunskii, V.S. 85−33186
Rakitin, V.V. *see* Dubrovin, V.S. 86−48006
Rakitskii, V.Ya. *see* Basiladze, S.G. 86−24442
Rakitskii, Yu.V. On solving nonlinear equations with upper and lower bound estimates of an unknown root in an iteration process [power systems] 88−23271
Rakitskii, Yu.V., Belopol'skaya, E.B., Kizimovich, Yu.P., Tsukerman, I.A. Some iterative methods for solution of variational-difference analogs of steady-state field equations 87−33358
Rakitskii, Yu.V. *see* Demirchyan, K.S. 87−2255, 87−5366
Rakityanskii, V.A. *see* Efimov, B.P. 86−27806
Rakoczy, F. *see* Kantor, L.Ya. 88−9472
Rakoczy, J. *see* Bresch, H. 87−58025
Rakoezy, Z. *see* Komeza, K. 85−9931
Rakogon, V.G. *see* Smorodin, V.I. 86−25990, 88−23867, 88−37183
Rakojewski, J., Patela, S., Kadziela, J., Radojewska, E.B. Methods for enhancing the frequency resolution in integrated-optical real-time RF spectrum analyser (in Ta_2O_5-SiO_2-Si structure) 87−56594
Rakosi, F. *see* Berceli, T. 85−47424
Rakosi, F. *see* Kantor, L.J. 87−20441
Rakosi, F. *see* Vanyai, P. 88−60008
Rakotomavo, C. *see* Keddam, M. 85−5360
Rakotondrazafy, C. *see* Boucher, J. 86−41610
Rakov, A.I., Ashirov, V.K. Reliability and stability of channels in radio-relay links 87−55980
Rakov, A.I. *see* Ashirov, V.K. 88−28680
Rakov, A.V. *see* Valiev, K.A. 85−29149, 85−45602, 87−60218, 87−60233
Rakov, A.V. *see* Volkov, V.V. 85−12381
Rakov, I.A. The effect of output current overshoots in the output stages of pulse amplifiers with emitter correction 86−34573
Rakov, I.D. *see* Lekhovitskiy, D.I. 88−40965
Rakov, M. *see* Varichenko, L. 87−4156
Rakov, M.A. Computer structure and the multivalued representation of information 85−11324
Rakov, V.A., Dul'zon, A.A. Results of calculation of the electromagnetic fields of lightning discharges 87−39407
Rakova, N.K. *see* Kulakov, V.P. 86−26127
Rakova, N.K. *see* Lazarev, N.S. 86−39920
Rakovec, A. Digital clock switch 85−53367
Rakovich, B.D., Pavlovic, V.D. Method of designing doubly terminated lossy ladder filters with increased element tolerances 88−12485
Rakovics, V., Fornari, R., Paorici, C., Zanotti, L., Mucchino, C. Indium-silicon co-doping effects in LEC-grown gallium arsenide crystals 87−74175
Rakovics, V., Gorog, T., Lendvay, E. Semitransparent LPE reactor and its application for the growth of the InP/InGaAsP heterosystem 86−52479
Rakovics, V., Gorog, T., Lendvay, E. Growth of InGaAsP/InP heterostructures for optoelectronic application 88−6454
Rakovics, V. *see* Gorog, T. 87−73052
Rakovics, V. *see* Lendvay, E. 86−7789
Rakovits, V., Harsy, M. Growth of PbSe crystals from lead melt 86−379
Rakovskii, Yu.N. Estimate of nonuniform background noise at the output of optoelectronic devices with incomplete background information. I. Full noise range 86−68369
Rakovskii, Yu.N. Estimate of nonuniform background noise at the output of optoelectronic instruments with incomplete information about the background. II. Noise dispersion 87−12289
Rakowska, A., Siodla, K., Grzybowski, S. Influence of partial discharges on properties of the polypropylene film in different insulation arrangements 88−26614
Rakowska, A. *see* Grzybowski, S. 85−35258, 85−38516, 88−26606
Rakowski, H. *see* Buchan, I. 86−50545
Rakowski, R. Statistical summation of basic and some additional errors 85−54331
Rakowski, R. Errors due to entropy in measurement instruments 86−38183
Rakowski, R. Evaluation of measuring instruments quality based on parameters of error distribution 86−52332
Rakowski, R. Entropy errors and loss of information in intermediate measurements 86−55512
Rakowski, R. Trust levels of statistical errors summation 86−60088
Rakowski, R. Intermediate measurement errors summation by devices of the same kind 86−60089
Rakowski, R. Non-guaranteed limit errors of measuring instruments 87−20834
Rakowski, R. Error of line conversion defined by producer and calculated on basis of the boundary value errors of converters 87−22533
Rakowski, R. Calculating the measurement accuracy of complex multi-channel systems using generalized limiting errors 87−34893
Rakowski, R. Decrease of the increments and little constants measuring errors 87−41294
Rakowski, R. Changes of accuracy classes of measuring instruments with the passage of service time 88−35763
Rakowski, R. *see* O'Connor, B. 85−16611, 85−54056
Rakowski, R.S. Inverter matrix simplifies matching power sources: EL lamps 86−15584
Rakowsky, G. Coherent synchrotron relaxation oscillation in an electron storage ring 86−24981
Rakshit, A., Bhattacharyya, S.N., Choudhury, J.K. A microprocessor-based multipoint signal averager for repetitive bioelectric signals 87−8933
Rakshit, A. *see* Chowdhury, J.K. 86−11986
Rakshit, A. *see* Dutta, M. 87−70399, 88−16262
Rakshit, A. *see* Sen Gupta, I. 88−6369
Rakshit, P.C. *see* Bhattacharyya, K. 86−47071, 87−17353
Rakshit, S. Injection locked dynamic single mode lasers for fibre and integrated optic applications 87−68512
Rakshit, S., Chakraborti, N.B., Sarin, R. Transit-time-limited frequency response of avalanche photodiodes 85−7321
Rakshit, S., Maulik, A. High bit rate fibre-optic transmission using bipolar pulsing and duobinary signalling 87−76767
Rakshit, S., Sarin, R. Frequency response of avalanche photodiodes using an equivalent network representation 85−18812
Rakshit, S., Sarin, R. Frequency responses of graded-bandgap low-noise avalanche photodiodes 85−41264
Rakshit, S. *see* Pal, A. 86−55043
Raksi, F. Spatially-hole-burned distributed feedback dye laser produced tunable single picosecond pulses 88−72281
Raksina, F.P. *see* Mikheev, Yu.A. 86−5323
Rakulijic, G.A., Sayano, K., Yariv, A., Neurgaonkar, R.R. Self-starting passive phase conjugate mirror with Ce-doped strontium barium niobate 87−26505
Rakuljic, G.A., Yariv, A. Photorefractive materials for optical computing and image processing 88−65120
Rakuljic, G.A. *see* Kwong, S.-K. 87−13117
Rakuljic, G.A. *see* Kwong, S.K. 86−29225
Rakush, V.V., Stavrov, A.A. Repetitive pulse $YAG{:}Nd^{3+}$ laser with an unstable cavity and a passive LiF-crystal shutter with F_2^- color centers 86−36451
Rakush, V.V. *see* Mikhnov, S.A. 85−41368
Rakush, V.V. *see* Zaporozhchenko, V.A. 87−61122
Rakvin, B. *see* Dulcic, A. 88−13701
Rakvin, B. *see* Peric, M. 86−24725, 88−20296
Ralarosy, J. *see* Debeuavais, M. 85−37962
Ralarosy, J. *see* Fernandez, F. 87−14777
Ralarosy, J. *see* Navarro, J. 87−29589
Ralarosy, J. *see* Zamani, M. 86−44584, 87−21480
Ral'chenko, V.G. *see* Arzuov, M.I. 88−58750
Ral'chenko, V.G. *see* Belyanko, A.E. 86−48073
Ral'chenko, V.I. *see* Barikhin, B.A. 86−29087, 87−68408, 88−20701
Ral'chuk, V.V. *see* Poberezhnyuk, M.M. 88−24276
Raleigh, M., Myers, M.C., Pechacek, R.E., Murphy, D.F., Taggart, D.P. Electron beam transport in current carrying channels 88−42379
Raleigh, M., Pechacek, R.E. Fast passive integrator 85−22988
Raleigh, M., Raleigh, R. Computer-aided design of loudspeaker enclosures. I 86−44057
Raleigh, M., Raleigh, R. Computer-aided design of loudspeaker enclosures. II 86−49873
Raleigh, M. *see* Fiorito, R.B. 87−14660
Raleigh, R. *see* Raleigh, M. 86−44057, 86−49873
Rall, D. A new system for measuring and controlling the fabric temperature profile during drying and finishing of fabric in tenter ranges 87−5119
Rall, D. Performance of a new heat-flux based dew-point sensor in high temperature dirty drier environments 88−29360
Rall, D. *see* Hollomon, J. 88−12821
Rall, L.B. Interval methods for fixed-point problems 87−23536
Rall, L.B. *see* Corliss, G.F. 88−364
Rallis, C.J. *see* Jawurek, H.H. 85−49118
Rallison, R. Applications of holographic optical elements 85−29942
Rallison, R.D. Pulse portraits, the Holochrome process 86−3371
Rallison, R.D. Holographic optical elements (HOEs) in dichromated gelatin (DCG): progress 86−10000
Rallison, R.D., Heidt, G.L. Characteristics of dichromated gelatin (DCG) scanners for printing applications 85−35911

Rallison, R.D., Heidt, G.L. Holographic scanners for machine vision, printing, and bar code applications 88−27326
Ralls, K.S. *see* Howard, R.E. 86−9138
Ralls, M.P. *see* Bridle, J.S. 86−29781
Ralmdonck, R.van *see* van Ralmdonck, R.
Ralph, A.P. Non-linear tracking using Doppler information 86−11151
Ralph, D. *see* Callegari, A. 88−19729
Ralph, E.L. Photovoltaics−10 years after Cherry Hill 86−13072
Ralph, E.L. Photovoltaic technology assessment 87−4889
Ralph, E.L. Photovoltaic technology assessment 87−30943
Ralph, G.W. Enclosures 85−28059
Ralph, H.I. *see* Dawson, P. 85−56426
Ralph, H.I. *see* Duggan, G. 86−1791
Ralph, J.E., Bickner, L.K. Security personnel training using a computer-based game 87−16316
Ralph, J.E., King, R.C., Curran, J.E., Page, J.S. Miniature quartz resonator thermal detector 87−3620
Ralphs, J.D. Principles and practice of multi-frequency telegraphy 85−22069
Ralston, G.R. *see* Burnham, D. 86−24720
Ralston, J., Wicks, G.W., Eastman, L.F., De Cooman, B.C., Carter, C.B. Defect structure and intermixing of ion-implanted $Al_xGa_{1-x}As$/GaAs superlattices 86−21193
Ralston, J. *see* Jarosik, N.C. 85−40494
Ralston, J. *see* Mercy, J.M. 87−2017
Ralston, J.D., Camnitz, L.H., Wicks, G.W., Eastman, L.F. GaAs/AlGaAs waveguide with grating coupler fabricated by selective superlattice intermixing 87−74797
Ralston, J.R. *see* De Cooman, B.C. 88−12992
Ralston, R. *see* Niles, G.B. 86−51068
Ralston, R.W. Signal processing: opportunities for superconductive circuits 85−58633
Ralston, R.W. High-speed analog signal processing with superconductive circuits 87−29039
Ralston, R.W. *see* Oates, D.E. 86−1213
Ral'tsevich, Yu.B. *see* Brainin, V.N. 85−22013
Ralys, D.A., Dadurkevicius, V. Image recovering from the modulated CCD imagers 88−27998
Ram, A., Bers, A. Space-time evolution of relativistic electromagnetic instabilities 85−23332
Ram, B., Balasubramanian, R., Tripathy, S.C. A digital computer method to evaluate load rejection overvoltages on a series compensated line with static shunt compensator 88−5322
Ram, B., Skinner, L. Prioritization of information for a helicopter pilot 87−29898
Ram, B. *see* Tripathy, S.C. 88−23357
Ram, G.V., Tyagi, M.S., Srivatsa, K.M.K. Analysis of DC current gains in lateral transistors 88−57616
Ram, K.S., Iyer, K. Safety of nuclear power plants 88−36945
Ram, K.S. *see* Munshi, P. 85−38708
Ram, M. *see* Krishan, R. 85−63933
Ram, N., Sharma, B.L., Kumar, D., Banerjie, P.C. A sputtering unit for routine work 85−412
Ram, P.Raja *see* Raja Ram, P.
Ram, R. *see* Rudin, S. 88−23051
Ram, R.S. *see* Das, S.R. 88−43478
Ram, S. Development of planar hexagonal Fe_2-Y ferrite particles for millimeter wave devices 88−44969
Ram, S., Bose, S.K. The effect of post-irradiation annealing in CR-39 plastic 85−64488
Ram, S., Bose, S.K. Measurement of fast neutron fluence using nuclear track detector 87−21497
Ram, V. *see* Kohn, G. 87−75295
Ram Badri *see* Badri Ram
Ram Chandran, S., Shu Lin A selective-repeat ARQ scheme for point-to-multipoint communications and its throughput analysis 87−20211
Rama, G., Mikkilineni, R. On the design of a new human machine interface for digital services testing 88−46484
Rama, S.Kalyana *see* Kalyana Rama, S.
Rama Chandrasekhar *see* Indira Devi, M. 88−8468
Rama Krishna, D., Hariprasada Rao, G., Prasad, T.V., Ramana, P.V. Microprocessor based character display on CRO 87−28959
Rama Krishna, D., Rama Krishna, L., Kumar, D.S., Sunil, P.S. Microprocessor based digital IC tester 86−17781
Rama Krishna, L. *see* Rama Krishna, D. 86−17781
Rama Moorthy, G. *see* Eswar Reddy, N.C. 85−36217
Rama Moorthy, L. *see* Buddhudu, S. 85−62527
Rama Murthi, M. *see* Madhava Rao, K. 88−30305
Rama Murthy, J.Sree *see* Sree Rama Murthy, J.
Rama Prasad, V.R. Design and development of conceptual MHD/steam power plant for Western India 85−15958
Rama Rao, J. *see* Jain, R.K. 88−48015
Rama Rao, J. *see* Murty, V.R. 85−20828
Rama Rao, P.V.S. *see* Niranjan, K. 86−36714
Ramaawamy, R. *see* Kondraske, G.V. 87−14276
Ramabadran, T.V., Cohn, D.L. Adaptive source models for data compression 87−54825
Ramabadran, U. *see* Jackson, H.E. 88−44614
Ramachander Rao, J. *see* Sai Prasad, R.L.N. 87−42278
Ramachandra, K.V. Identical steady-state results for a Kalman tracker 87−47687
Ramachandra, K.V. Optimum steady state position, velocity, and acceleration estimation using noisy sampled position data 88−14694
Ramachandra, K.V. State estimation of manoeuvring targets from noisy radar measurements 88−28924
Ramachandra, V. *see* Dey, K.K. 85−19217
Ramachandra Reddy, G., Venkateswara Rao, V. Effect of non-sinusoidal vibrations on the spatial frequency spectrum in a coherent optical processor 85−30296
Ramachandran, A.R. *see* Gururaja, T.R. 87−67630
Ramachandran, A.R. *see* Xu, Q.C. 88−56360
Ramachandran, B.E. *see* Krishnamurthy, R. 86−1934
Ramachandran, G. Performance optimization in LSI digital signal processors 85−22945
Ramachandran, G., Parker, P.A., Scott, R.N. Microprocessor based on-line system for monitoring spinal cord integrity 85−48278
Ramachandran, G., Periasamy, A., Singh, M. Laser speckle displacement cardiography 86−60771
Ramachandran, G. *see* Morin, E. 86−56160
Ramachandran, K. Surface mounted hybrids on preclad laminates 85−34410
Ramachandran, K. *see* Craig, G.L. 87−59541
Ramachandran, M. *see* Hiregange, N.R. 85−30572
Ramachandran, M.P. *see* Parihar, K.S. 87−16527
Ramachandran, P., Chandrasekhar, M.G., Rangarajan, S., Hegde, N.S., Ramesh, L.T., Shivakumar, S.K., Rao, D.M., Bhushan, Y.N., Aravindakumar, N., Prakasarao, A.S., Venkatacharya, K.V., Iyengar, V.S., Somasundaram, K. APPLE mission operations 85−26838
Ramachandran, P. *see* Rao, U.R. 88−22014
Ramachandran, P.O. *see* Hire Gange, N.R. 87−13548
Ramachandran, P.P. *see* Hiregange, N.R. 85−30572
Ramachandran, R., Moghe, S., Girimaji, J., Podell, A. 6 to 18 GHz single-ended and push-pull MMIC amplifiers for high-gain modules 88−63949
Ramachandran, R., Moghe, S., Ho, P., Podell, A. An 8-15 GHz GaAs monolithic frequency converter 87−59882
Ramachandran, R., Moghe, S.B., Lizama, G., Ho, P., Podell, A.F. An 8-15 GHz GaAs monolithic frequency converter 88−25452
Ramachandran, R., Moghe, S.B., Lizama, G., Pang Ho, Podell, A.F. An 8-15 GHz GaAs monolithic frequency converter 88−25476
Ramachandran, R.P., Kabal, P. Stability and performance analysis of pitch filters in speech coders 87−69055
Ramachandran, R.P., Kabal, P. The stability of pitch filters in speech coding 88−40878
Ramachandran, R.P. *see* Kabal, P. 87−19650, 88−66407
Ramachandran, T.B., Saloom, J.A. Issues and impacts of GaAs analog devices 86−28249
Ramachandran, T.V., Lalit, B.Y., Mishra, U.C. Relative population exposures from coal-fired and nuclear power plants in India 87−64358
Ramachandran, T.V., Latit, B.Y., Mishra, U.C. Measurement of radon and thoron present in the environment using nuclear track etch detector technique 87−29673
Ramachandran, T.V. *see* Lalit, B.Y. 87−21700
Ramachandran, V. Theoretical analysis of the switching efficiency of a grating-based laser beam modulator 85−56368
Ramachandran, V. Min-max design of 2-D recursive digital filters satisfying prescribed magnitude and group delay specifications 86−35031
Ramachandran, V. On driving many long wires in a VLSI layout 87−46081
Ramachandran, V. The complexity of minimum cut and maximum flow problems in an acyclic network 88−11870
Ramachandran, V., Ahmad, M.O. The use of polynomial partial derivatives in the synthesis of doubly-terminated multivariable networks 85−40159
Ramachandran, V., Ahmadi, M. Some recent advances in the generation of VSHP and applications in the design of 2D recursive digital filters 86−62760
Ramachandran, V., Ahmadi, M. Some properties of *K*-variable mirror-image and anti-mirror image polynomials 87−51910
Ramachandran, V., Ahmadi, M. Multivariable mirror-image and anti-mirror-image polynomials obtained by bilinear transformations 88−6340
Ramachandran, V., Ahmadi, M., Erfani, S. Some properties of transformation matrices for the general double bilinear transformation of bivariate polynomials 87−65275
Ramachandran, V., Gangadhar, K.A. Vacuum switchgear for HVDC transmission lines 85−21767
Ramachandran, V., Gargour, C.S., Ahmadi, M. Cascade realisation of the irrational immittance $s^{1/2}$ 85−34035
Ramachandran, V., Gargour, C.S., Ahmadi, M., Boraie, M.T.H. Direct design of recursive digital filters based on a new stability test 85−17690
Ramachandran, V., Gargour, C.S., Ahmadi, M., Boraie, M.T. Direct design of recursive digital filters based on a new stability test 85−17727
Ramachandran, V., Visser, J.S., Gargour, C.S., Ahmadi, M. Realisation of irrational immittances containing a square root [comments and reply] 87−23875
Ramachandran, V. *see* Abiri, M. 85−46849
Ramachandran, V. *see* Abiri, M.A. 86−62750, 88−886
Ramachandran, V. *see* Ahmadi, M. 85−46850, 86−20723, 86−35008, 86−52964, 86−67411
Ramachandran, V. *see* Ananda Mohan, P.V. 86−1242, 86−27450
Ramachandran, V. *see* Boraie, M.T. 86−57989
Ramachandran, V. *see* Erfani, S. 86−40816, 86−57987, 86−57992, 87−10550, 87−24347, 87−69235, 88−50267
Ramachandran, V. *see* Gargour, C.S. 86−1251, 86−57961
Ramachandran, V. *see* Kanevsky, A. 88−12137
Ramachandran, V. *see* Mohan, P.V.A. 86−1234, 86−46975
Ramachandran, V. *see* Omprakash Sharma, M.S. 88−49941
Ramachandran, V. *see* Rao, P.S. 88−75978
Ramachandran, V. *see* Sarmiento, H.G. 88−55063
Ramachandran, V. *see* Sharma, M.S.O. 86−57537, 88−18888
Ramacher, U. A cost oriented redundancy model for defect-tolerant VLSI/WSI systems 88−33349
Ramacher, U. A cost orientated redundancy model for defect-tolerant VLSI/WSI systems 88−63745
Ramadan, A.M., Lavers, J.D., Burke, P.E. A comparison of boundary integral formulations for 2D axisymmetric eddy current problems 88−52112
Ramadan, M. Analog signals transmission over optical fiber systems 86−11097
Ramadan, M. Path dependent multi-ray propagation model 87−40671
Ramadan, M. *see* Abdel-Hakim, M.M. 86−12856
Ramadan, M.R.I. Load matching and performance of a nontracking stand-alone photovoltaic generator in Sana'a University 87−15598
Ramadan, M.R.I. Performance investigation of single crystal silicon solar cells fabricated by diffusion technology 88−17948
Ramadan, S. *see* Radwan, R.M. 88−33456
Ramadanovic, L.M. A general method for radio spectrum efficiency defining 87−28730
Ramadas, M.R. *see* Thyagarajan, K. 86−63617, 88−13835
Ramaekers, P.P.J. *see* Wolff, L.R. 87−16664
Ramage, J.G. *see* Commander, R.D. 85−5412
Ramage, J.k., Bennett, W.S. AFTI/F-16 Automated Maneuvering Attack System configuration development and integration 86−70470
Ramahi, O.M., Mittra, R. The real frequency method of synthesizing matching networks for HF antennas 87−27030
Ramahi, O.M., Mittra, R. Experimental demonstration of the real frequency method as a tool for designing matching networks for HF antennas 88−2772
Ramajzl, K. Further trends in the development of semiconductor elements 87−11716
Ramakers, H., Sesing, R. Description and determination of the load voltage curve of magnetic coupled three phase inverters by a space vector 85−5179
Ramakrishna, J. *see* Das, B.N. 85−2632
Ramakrishna, K., Rajgopal, K. On the effects of varying sampling rate on the performance of digital filters 85−17730
Ramakrishna, K., Rajgopal, K. On the design of RC-active highpass filters using 2-OA GIC 85−40165
Ramakrishna, K. *see* Rajeevan, N. 85−26767
Ramakrishna, R.S., Mullick, S.K., Rathore, R.K.S. Iterative image restoration 85−30466
Ramakrishna, V., Oberai, A.S., Farrar, P.A., Kemerer, D.W., Totta, P.A., Koopman, N.G., Small, M.B. Future requirements for high-speed VLSI interconnections 87−67523
Ramakrishna, V. *see* Joshi, M.L. 87−17097
Ramakrishna Iyengar, B.S. *see* Biswas, S.K. 87−64593
Ramakrishna Iyengar, B.S. *see* Gopala Rao, A.S. 86−56728
Ramakrishna Iyengar, B.S. *see* Gunasekhar, N.O. 85−38994
Ramakrishna Iyengar, B.S. *see* Thukaram, D 85−4610, 86−25472, 87−30163
Ramakrishnan, E.S. *see* Chen, S.N. 85−14762
Ramakrishnan, I.V., Fussell, D.S., Silberschatz, A Mapping homogeneous graphs on linear arrays 86−41878
Ramakrishnan, I.V., Varman, P.J. On mapping cube graphs onto VLSI arrays 85−39865

Ramakrishnan, I.V. *see* Nandy, S.K. 87−6850
Ramakrishnan, I.V. *see* Pawagi, S. 86−46185
Ramakrishnan, I.V. *see* Varman, P.J. 85−11377, 87−18340
Ramakrishnan, K.C. *see* Gupta, R.P. 88−11154
Ramakrishnan, K.G. *see* Gay, D.M. 86−52367
Ramakrishnan, K.G. *see* Sinha, L.P. 86−64514
Ramakrishnan, K.K. Analysis of a dynamic window congestion control protocol in heterogeneous environments including satellite links 87−33859
Ramakrishnan, K.K., Emer, J.S. A model of file server performance for a heterogeneous distributed system 87−20215
Ramakrishnan, K.K. *see* Jain, R. 88−67057
Ramakrishnan, K.R. *see* Srinivasa, N. 87−27633, 87−61968, 87−62024, 87−69112, 88−28084, 88−66770
Ramakrishnan, K.R. *see* Srinivasan, R. 87−62383
Ramakrishnan, S. Multimode optical fibre sensors 87−68073
Ramakrishnan, S., Jain, B. An unbounded protocol for point to multipoint communication 88−52669
Ramakrishnan, S., Jain, B.N. Design and analysis of protocols for reliable multicast over broadcast channels 85−25563
Ramakrishnan, S., Jain, B.N. A negative acknowledgement with periodic polling protocol for multicast over LANs 87−55442
Ramakrishnan, S., Jain, B.N. Protocols for reliable multicast over local area networks 87−69711
Ramakrishnan, S., Kersten, R.Th. A multipurpose cross-talk sensor using multimode optical fibers 85−62352
Ramakrishnan, S., Sundaram, S., Pandit, R.S., Chandra, G. An AC susceptometer from 1.5 to 300K 85−58855
Ramakrishnan, S., Unger, L., Kist, R. Line loss independent fiberoptic displacement sensor with electrical subcarrier phase encoding 88−67837
Ramakrishnan, S., van den Heuvel, W.M.C. Short-circuit current interruption in a low-voltage fuse with ablating walls 86−14620
Ramakrishnan, S., van den Heuvel, W.M.C. Fuse with ablating wall 87−66663
Ramakrishnan, S. *see* Kist, R. 87−26038
Ramakrishnan, S. *see* Matair, S. 85−16259
Ramakrishnan, S. *see* Mathur, M.N. 88−21711
Ramakrishnan, S. *see* Wolfelschneider, H. 88−36025
Ramakrishnan, V. *see* Subramanian, V. 85−20750
Ramakumar, R. Wind electric conversion and utilization 85−9817
Ramakumar, R., Shetty, P.S., Ashenayi, K. A linear programming approach to the design of integrated renewable energy systems for developing countries 87−30291
Ramakumar, R. *see* Ashenayi, K. 85−27369, 87−30453, 87−57735
Ramakumar, R. *see* Durham, M.O. 87−35592, 88−23268, 88−30263
Ramakumar, R. *see* Jewell, W. 88−30616
Ramaley, L. Digital waveform generator and potentiostat controller for pulse electrochemical techniques 86−70150
Ramaley, L. *see* Jayaweera, P. 87−28983
Ramalho, M.A. *see* Lechleider, J.W. 87−40235
Ramalhoto, M.F. Markov renewal processes in the modelling of stochastic systems 86−40620
Ramalingam, A. *see* Palanisamy, P.K. 88−58491
Ramalingam, K. *see* Nagappan, K. 85−59621
Ramalingam, K.P. Solution to problems in aluminium wiring in industry and buildings 85−27039
Ramalingam, K.P. Catenary damage due to standing arcs at insulated overlaps in 25 kV AC traction systems 86−33790
Ramalingam, K.P. Performance of square bogies and its influence on the tracks and other rolling stock including locomotives 86−71097
Ramalingam, S. *see* Bischoff, B. 88−56359
Ramam, A., Gulati, R., Sharma, B.L. Variable pinch-off GaAs MESFET 86−9154
Ramam, A. *see* Sharma, B.L. 87−25321
Ramamohan Rao, K. *see* Yip, P. 88−46082
Ramamoorthy, C.V., Bhide, A., Srivastava, J. Reliable clustering techniques for large, mobile packet radio networks 87−56017
Ramamoorthy, C.V., Srivastava, J., Tsai, W. Clustering techniques for large distributed systems 86−55007
Ramamoorthy, C.V., Srivastava, J., Tsai, W.-T. A distributed clustering algorithm for large computer networks 86−64789
Ramamoorthy, C.V., Yaw, Y., Aggarwal, R., Song, J., Tsai, W.T. Synthesis of two-party error-recoverable protocols 87−20205
Ramamoorthy, C.V., Yaw, Y., Tsai, W.T. A Petri net reduction algorithm for protocol analysis 87−20200
Ramamoorthy, C.V. *see* Chen, Y. 87−34189
Ramamoorthy, C.V. *see* Garg, V.K. 88−15142
Ramamoorthy, M. Novel digital scheme for PCR control [phase controlled rectifiers] 86−45535
Ramamoorthy, N. *see* Ghosh, A.K. 85−21390
Ramamoorthy, P.A. Comments on 'Design of inherently stable two-dimensional recursive filter from one-dimensional filters' by R. Bernstein 86−20726
Ramamoorthy, P.A., Chen, T. A high-speed programmable architecture using barrel shifters for FFT and digital filtering 87−27458
Ramamoorthy, P.A., Chen, T. A static-reconfigurable systolic architecture using barrel shifters for high speed digital signal processing 87−39843
Ramamoorthy, P.A., Govind, G. Adaptive optical signal processing architecture using signed-digit number system 88−73221
Ramamoorthy, P.A., Govind, G., Antony, S. Optical implementation of systolic finite impulse response filters 88−20469
Ramamoorthy, P.A., Govind, G., Antony, S. Optical implementation of systolic FIR filters 88−25339
Ramamoorthy, P.A., Iyer, V.K., Ploysongsang, Y. Autoregressive modeling of the Wigner spectrum 87−62018
Ramamoorthy, P.A., Potu, B. Bit serial systolic chip set for real-time image coding 87−62267
Ramamoorthy, P.A., Tau Chen Systolic architectures based on barrel shifters for real-time signal and image processing 86−16395
Ramamoorthy, P.A., Tran, T. A hybrid coding involving ADM and vector quantization for digital video image compression 87−19925
Ramamoorthy, P.A., Tran, T. A high quality image compression scheme for real-time applications 87−33816
Ramamoorthy, P.A., Tran, T. A systolic architecture for real-time composite video image coding 87−41215
Ramamoorthy, P.A. *see* Antony, S. 88−59293
Ramamoorthy, P.A. *see* Iyer, V.K. 87−57071
Ramamoorthy, P.A. *see* Potu, B. 88−19101
Ramamoorthy, S. *see* Klein, J.D. 86−24949
Ramamoorthy, V. Switched predictor adaptation of DPCM-AQB speech coder using an imbedded vector quantisation 85−41869
Ramamoorthy, V. A novel speech coder for medium and high bit rate applications using modulo-PCM principles 85−46725
Ramamoorthy, V. On tandem coding of speech 86−22925
Ramamoorthy, V. An improved modulo-PCM speech encoder with an imbedded vector quantizer 87−19621
Ramamoorthy, V. A 32 kbs table-look up VQ coder for speech 87−40509
Ramamoorthy, V., Abdul-Jabbar, S. A reduced search vector quantizer for speech 87−27332
Ramamoorthy, V., Jayant, N.S. Enhancement of ADPCM speech by adaptive postfiltering 85−13508
Ramamoorthy, V., Jayant, N.S. Enhancement of ADPCM speech by adaptive postfiltering 86−16176
Ramamoorthy, V., Jayant, N.S. High quality image coding with a model-testing vector quantizer and a human visual system model 88−66751
Ramamoorthy, V., Jayant, N.S., Cox, R.V., Sondhi, M.M. Enhancement of ADPCM speech coding with backward-adaptive algorithms for postfiltering and noise feedback 88−40860
Ramamoorthy, V., Natarajan, T.R. Transmission quality of digital audio teleconferencing bridge 87−62547
Ramamoorthy, V. *see* Jayant, N.S. 87−19516
Ramamoorty, M. Computer aided design for alternator 88−23888
Ramamoorty, M., Parameswaran, S., Balasubramanian, P.V., Sainath Moorty, M. New criterion for detecting inrush currents in transformers 88−5736
Ramamoorty, M., Sasi Sekhar, P.V. Optimal design of permanent magnet synchronous motor 88−43182
Ramamoorty, M., Sundararajan, N. Comparative study of effect of rotor slot shape on performance of induction motor using digital computer 85−38992
Ramamorthy, C.V., Yaw, Y., Tsai, W.T., Aggarwal, R., Song, J. Synthesis and performance of two-parity error-recoverable protocols 87−33850
Ramamritham, K. Channel characteristics in local-area hard real-time system 88−9112
Ramamritham, K. *see* Vinter, S. 86−64782
Ramamritham, K. *see* Zhao, W. 87−34196, 87−69413, 88−66802
Ramamurthi, B., Gersho, A. Nonlinear space-variant postprocessing of block coded images 87−13066
Ramamurthi, B., Gersho, A. Classified vector quantization of images 87−13069
Ramamurthi, B., Kavehrad, M. Direct-sequence spread spectrum with DPSK modulation and diversity for indoor wireless communications 87−28378
Ramamurthi, B., Saleh, A.A.M., Goodman, D.J. Perfect-capture ALOHA for local radio communications 87−69924
Ramamurthi, B. *see* Kavehrad, M. 87−40646
Ramamurthi, S.S. *see* Divatia, A.S. 85−64369
Ramamurthi, S.S. *see* Sahoo, G.K. 88−74650
Ramamurthi, S.S. *see* Singh, G. 88−74651
Ramamurthy, G. Dynamic flow control in a computer communication network 87−33858
Ramamurthy, K.G. A review of an optimization problem 88−56165
Ramamurthy, K.G., Mohan, S.R. On the linear complementarity problem with a reflexive inverse of a singular matrix 88−11820
Ramamurthy, M.B. Training in Telecom Training Centre, Jabalpur 86−13329
Ramamurthy, S., Kumar, R., Singh, D.N. Printability of mask defects in negative resist projection photolithography 88−50768
Ramamurthy, V. Doped oxide spin-on source diffusion 88−7457
Ramamurthy, V., Subrahmanyam, J. Doped oxide gallium diffusion in silicon: a simple open tube technique 87−74189
Ramamurthy, V. *see* De Cogan, D. 85−45640
Ramamurthy, V. *see* Shakher, C. 87−75268
Ramamurthy, V. *see* Tiku, P. 87−72420
Raman, G., Gnanam, F.D., Ramasamy, P. Growth of antimony sulphoiodide in gel 85−33393
Raman, G., Gnanam, F.D., Ramasamy, P. The growth of SbSBr, SbSCl and SbSF single crystal in gel 86−62206
Raman, G.S.Seetha *see* Seetha Raman, G.S.
Raman, K. Calibration of tensile testing machines 85−49330
Raman, K.S. *see* Kadalbajoo, M.K. 86−62167, 87−58869
Raman, L.G. OSI upper layer protocol requirements for TMN operations 88−52921
Raman, P.S. *see* Atkins, J.M. 86−135
Raman, R. Continuous monitoring of the loss of large numbers of fiber optic splices 88−26816
Raman, R., Gerdes, R.J. One telco's view of cable shielding 86−15908
Raman, R. *see* Chang, J.-S. 85−53449
Raman, R. *see* Chou, P.B. 88−28097
Raman, R. *see* Sodha, M.S. 88−37748
Raman, R.S., Nutter, R.S., Reddy, Y.V. A production system for intelligent monitoring systems 87−63255
Raman, R.S., Reddy, Y.V., Nutter, R.S. Intelligent mine ventilation planning 86−108
Raman, R.S. *see* Nutter, R.S. 86−45880
Raman, S. *see* Yegnanarayana, B. 86−48838
Raman, V., Iyengar, S.S., Kundu, S. An optimized quadtree structure for pictorial data representation using top and bottom compaction techniques 85−30457
Raman, V. *see* Iyengar, S.S. 85−36416
Raman Peran, J. *see* Lorenzo Matilla, S. 85−59628
Ramana, D.V., Sarma, V.V.S., Ephremides, A. Comments, with reply, on 'Analysis, stability, and optimization of slotted ALOHA with a finite number of buffered users' 85−42006
Ramana, D.V., Shamanna, K., Seshaiah, R., Shetty, K.N., Pol, S. Telemetry, tracking and command system [of the APPLE communication satellite] 85−26861
Ramana, K.V.V. Low latitude ionospheric absorption 87−47170
Ramana, K.V.V. *see* Indira Devi, M. 88−8468
Ramana, K.V.V. *see* Sahu, S.C. 85−51424
Ramana, P.V. *see* Arjuna Rao, C. 88−46209
Ramana, P.V. *see* Rama Krishna, D. 87−28959
Ramana, Y.V., Sarma, L.P. Compensated Ultrasonic Timer Technique 85−15088
Ramana Murphy, P.V. *see* Wuest, C.R. 86−1649
Ramana Murthy, S. *see* Satyanarayana, R. 86−8806
Ramana Murty, B.V. *see* Devara, P.C.S. 85−53177
Ramana Murty, B.V. *see* Manohar, G.K. 85−64768
Ramana Rao, B.V. *see* Nahar, N.M. 87−58341
Ramanaiah, K.V. *see* Sampath, S. 86−8732, 86−60357
Ramanamurthy, B.V. *see* Acharya, Y.B. 85−48471
Ramanan, K.V. Functional electronics 85−22157
Ramanan, R., Hukku, R., Khan, H.H. Design of a generalised server for a heterogeneous multi-service local area network 87−13460
Ramanan, S., Chamberlain, S.G. Drain induced barrier lowering limitations in VLSI MOSFET devices 86−21875
Ramanan, S., Turkman, R., Fuller, L.F., Pearson, R.E. An one-dimensional electro-thermal simulation program for device analysis at cryo temperatures 87−60410
Ramanan, S. *see* Chamberlain, S.G. 87−1770, 87−25288
Ramanan, S. *see* Pearson, R.E. 87−58595
Ramanan, V.R.V., Smith, C.H., Barberi, L. Magnetomechanical resonant losses in metallic glasses 85−45954
Ramanan, V.R.V., Smith, C.H., Fish, G.E. Metallic glasses in magnetic applications 87−74508
Ramanan, V.V. Turning board failures into a success 86−1521
Ramanan, V.V. Achieving high yields at board test through statistical quality control 86−8639
Ramanan, V.V. *see* Bodoh, S. 86−173, 86−35223
Ramanan, V.V. *see* Tiberghien, J. 85−55281

Ramanarayanan, R., Wong, J., Lu, T.-M., Skelly, D. Zero step coverage using a nozzle jet expansion deposition technique 87−11699
Ramanath, M.V.S. *see* Atkinson, H.H. 86−3983
Ramanathan, D. Seal-off and processing techniques for field emission devices 86−53291
Ramanathan, J. *see* Ashok, V. 85−1712, 85−18432
Ramanathan, K.G. Generalisations of some theorems of Ramanujan 88−56145
Ramanathan, K.V. *see* Chandorkar, A.N. 85−40634
Ramanathan, K.V. *see* Pinto, R. 87−38117
Ramanathan, K.V. *see* Sharma, D.K. 85−34993
Ramanathan, M., Engbretson, M., Montano, P.A. A closed loop feedback system for synchrotron radiation double crystal monochromators 88−42453
Ramanathan, N.L. *see* Jain, K.K. 87−15078
Ramanathan, R. Fast economic dispatch based on the penalty factors from Newton's method [power system load dispatching] 85−59605
Ramanathan, R. Real time wheeling losses computation techniques for energy management systems 86−56379
ramanathan, R. Real-time wheeling losses computation techniques for energy management systems [interconnected power systems] 87−4218
Ramanathan, R. An operations-oriented formulation and solution to the load flow problem 87−50641
Ramanathan, R., Natarajan, R. Decoupled load referenced power flows 88−30278
Ramanathan, R., Ramchandani, H., Sackett, S.A. Dynamic load flow technique for power system simulators 87−4255
Ramanathan, R. *see* Gondeck, A. 87−55817
Ramanathan, S. Transformers−special types for use in mines and other hazardous locations on the surface 85−21679
Ramanathan, S. *see* Beard, D. 88−36545
Ramanathan, S. *see* Pizer, S.M. 88−48228
Ramanathan, V., Datta, T., Noufi, R. Photoconductivity in CuInSe$_2$ thin films 88−2090
Ramanathan, V., Noufi, R., Powell, R.C. Defect levels in CdS/CuInSe$_2$ thin-film solar cells 88−32854
Ramanathan, V. *see* Noufi, R. 87−66936, 88−62605
Ramanauskiene, D. *see* Skrobockaja, V. 86−40328
Ramani, A.K. *see* Chande, P.K. 88−47686
Ramani, A.V. *see* Gupta, S.N. 85−1447
Ramani, C. *see* Pandharipande, V.M. 88−63849
Ramani, N., Wang, L., Tanaka, W.H., Macedo, F.X. Probabilistic short-circuit uprating of station strain bus system. III. Reliability and operating considerations 87−30723
Ramani, N. *see* Hanson, W.H. 88−55236
Ramani, S., Chandrasekar, R. Partitioning computations and parallel processing 87−34131
Ramani, S. *see* Bandyopadhyay, K. 86−43799
Ramani, S. *see* Narayanan, K. 88−22052
Ramani, S., Garg, A. *(editor)* Computer Communication for Developing Countries. Proceedings of the Special Conference of the International Council for Computer Communication. Delegate Edition 88−18319
Ramaniah, K.V. *see* Sasi, P.R. 87−57029
Ramanna, R. A 15-year programme for nuclear power in India 85−65040
Ramanna, R. Fast breeder reactors 86−45098
Ramanthan, R., Grigaby, L.L. Optimal decomposition technique for multi-microprocessors based power system analyses 86−56316
Ramanujam, J. Maintenance philosophy and manpower strategy for E-10B exchanges 86−69528
Ramanujam, J. Management of spares and repair in E-10B system 86−69533
Ramanujam, J., Srivastava, J.P. Traffic observation in E-10B exchanges 86−69529
Ramanujam, J., Srivastava, J.P. Circuit group maintenance in E-10B local exchanges 86−69535
Ramanujam, P., Brown, R.C., Clarricoats, P.J.B. Comparative study of small earth station antennas 87−28502
Ramanujam, P., Clarricoats, P.J.B., Brown, R.C. Offset spherical reflector with a low sidelobe radiation 87−39482
Ramanujam, P. *see* Brown, R.C. 85−42560
Ramanujam, P. *see* Clarricoats, P.J.B. 86−43027, 87−47363, 88−15402
Ramanujam, P. *see* Eden, D. 88−14478
Ramanujam, P. *see* Olver, A.D. 88−3943
Ramanujam, P. *see* Venkatachalam, P.A. 85−7744
Ramanujam, R., Khincha, H.P., Parthasarathy, K. Fast accurate transient stability simulations [generators] 87−57991
Ramaprabhu, S. *see* Srigouri, K. 87−26272, 87−33086
Ramaprasad, K.R. *see* Bohm, M. 87−9788
Ramaprasad, K.R. *see* Delahoy, A.E. 86−34395
Ramaprasad, K.R. *see* Eser, E. 87−72433
Ramaprasad, V.R. Coal-gas-based facility for MHD energy conversion studies in India 85−16266
Ramar, K. *see* Srinivas, A. 88−5256
Ramaraj, N., Rajaram, R. Optimization of generation schedule of plants with nonlinear IC curves 88−23714
Ramaraj, N., Rajaram, R. Analytical approach to optimize generation schedule of plant with multiple fuel options 88−68797
Ramaraj, N., Rajaram, R., Parthasarathy, K. A new analytical approach to optimize a generation schedule 87−29993
Ramarao, C.S. *see* Sarkar, T.K.N. 87−58420
Ramarao, K.V.S., Daley, R., Melhem, R. Message complexity of the set intersection problem 88−45796
Ramarao, K.V.S. *see* Melhem, R.G. 88−63220
Ramas Alfonso, F. *see* Matos Gomez, J. 85−13887
Ramasamy, P. *see* Arivuoli, D. 86−26812, 86−62207, 86−63150, 87−23606, 87−36686, 88−376
Ramasamy, P. *see* Attolini, G. 87−10360
Ramasamy, P. *see* Dhanasekaran, R. 86−46321
Ramasamy, P. *see* Mani, V.N. 87−31543, 88−374
Ramasamy, P. *see* Palaniappan, L. 87−5391, 87−6392, 87−23609
Ramasamy, P. *see* Raman, G. 85−33393, 86−62206
Ramasamy, P. *see* Vengatesan, B. 88−373, 88−31828, 88−70305
Ramasamy, S.R., Mahapatra, S. Attenuation of electromagnetic radiation from microwave ovens utilizing corrugated metallic surface combined with magnetic resistive sheets and absorbers 86−15869
Ramasamy, S.R., Mahapatra, S. Attenuation of 5th harmonic radiation from microwave ovens 87−12761
Ramasastry, J. The road to HDTV 88−47297
Ramasastry, J., Knights, G., Yusem, S., Hilaris, S., Miller, B. RADET−a new tool for newsgathering 87−69994
Ramaseshan, K., Viswanathan, M., Thutupalli, G.K.M. Optical black coatings for space applications 88−2083
Ramasubba Rao, N.P. *see* Rajendran, S. 86−30879
Ramasubramanian, V. *see* Bhat, K.N. 87−53486
Ramasubramanian, V. *see* Paliwal, K.K. 87−27218, 87−55018
Ramaswami, B. *see* Yuvarajan, S. 86−7221
Ramaswami, R., Damborg, M.J., Venkata, S.S., Jampala, A.K., Postforoosh, J. Enhanced algorithms for transmission protective relay coordination 86−39211
Ramaswami, R., Damborg, M.J., Venkata, S.S., Jampala, A.K., Postforoosh, J. Enhanced algorithms for transmission protective relay coordination 86−56463
Ramaswami, R., Venkata, S.S., El-Sharkawi, M.A. Six-phase transmission systems: capacitance switching 85−27024
Ramaswami, R. *see* Damborg, M.J. 86−61111
Ramaswami, R. *see* Venkata, S.S. 87−71736
Ramaswamy, M.A., Srinivas, T., Holla, V.S. A simple method for wind tunnel balance calibration including non-linear interaction terms 87−71228
Ramaswamy, R., Dhar, P. Comments on 'An efficient SS/TDMA time slot assignment algorithm' 85−7961
Ramaswamy, R., Dhar, P. Hierarchical topological design of large-scale terrestrial/satellite computer communication network 87−40434
Ramaswamy, R., Dhar, P. Large-scale computer communication network design using a limited-scan spot-beams satellite system 88−9171
Ramaswamy, R. *see* Agrawal, S. 88−9012, 88−59370
Ramaswamy, R. *see* Dhar, P. 85−25571
Ramaswamy, R.V. Ion-exchanged waveguides for optical signal processing 88−72132
Ramaswamy, R.V., Cheng, H.C., Srivastava, R. Process optimization of buried Ag$^+$-Na$^+$ ion-exchanged waveguides: theory and experiment 88−51496
Ramaswamy, R.V., Lagu, R.K., Najafi, S.I. Fabrication of ion-exchanged glass waveguides through electrolytic release of silver ions 85−46128
Ramaswamy, R.V., Najafi, S.I. Planar, buried, ion-exchanged glass-waveguides: diffusion characteristics 86−68254
Ramaswamy, R.V., Srivastava, R. Recent advances in ion-exchanged optical waveguides and components 88−65315
Ramaswamy, R.V., Srivastava, R. Ion-exchanged glass waveguides: a review 88−72094
Ramaswamy, R.V., Srivastava, R., Chludzinski, P., Anderson, T.J. Influence of Ag$^+$-Na$^+$ ion-exchange equilibrium on waveguide index profiles 88−65304
Ramaswamy, R.V., Taipau Chia, Srivastava, R., Miliou, A., West, J. Gel silica waveguides 88−65332
Ramaswamy, R.V. *see* Kim, C.M. 88−72104
Ramaswamy, R.V. *see* Lagu, R.K. 86−28786, 86−42279, 86−68260
Ramaswamy, R.V. *see* Najafi, S.I. 86−2720, 86−58742, 87−25959
Ramaswamy, R.V. *see* Srivastava, R. 88−20406, 88−51536
Ramaswamy, R.V. *see* Suchoski, P.G., Jr. 87−38760, 88−7975, 88−13934
Ramaswamy, R.V. *see* Varshney, R.K. 87−25922
Ramaswamy, R.V. *see* Vershney, R.K. 88−72008
Ramaswamy, S., Nguyen, L., Brooks, T., Gokhale, A. Simultaneous switching noise analysis in VLSI 85−18486
Ramaswamy, U. Second generation PAL programmers 85−17312
Ramaswamy, U., Mattern, E. Second generation PAL programmers 85−11212
Ramaswamy, V. *see* Lagu, R.K. 85−12543, 86−9592
Ramaswamy, V. *see* Suchoski, P.G., Jr. 86−36160
Ramaswani, R. *see* Damborg, M.J. 86−56462
Ramaswany, S. *see* Hopkins, F.K. 86−60258
Ramat, P., Bousquet, J.C., Bleret, J., Chobert, J.P., Ashworth, J. A TDMA satellite transmission network with a new technique for variable channel allocation 85−42543
Ramat, P., Rancy, F. Present and future of the TELECOM 1 system 87−28508
Ramat, P. *see* Juy, M. 87−62874
Ramat, P. *see* Lombard, D. 85−20143
Ramayarananan, R., Polasko, K., Skelly, D., Wong, J., Mei, S.-N., Lu, T.-M. Unidirectional deposition of aluminum using nozzle jet beam technique 87−38388
Ramayya, A.V. *see* Cole, J.D. 88−36392
Ramayya, K., Kumar, A., Prasad, S. An automated data path synthesizer for a canonic structure, implementable in VLSI 86−21775
Ramazan, F.S. *see* Gulyaev, I.M. 87−42492
Ramazanov, P.E. *see* Akhmetbekov, G.D. 87−37186
Ramazashvili, R.R. Transmission of electromagnetic signals through a dense plasma 88−58873
Rambabu, A. *see* Reeve, J. 86−12243
Rambach, G. *see* Bronicki, L.Y. 85−27357
Rambach, G. *see* Matthews, D. 85−7350
Rambach, G. *see* Matthews, D.L. 85−24467
Rambach, G.D. *see* Hawryluk, A.M. 85−35822
Rambaldi, H. *see* Beaujeu, G. 85−190
Rambaud, A. *see* Feltin, D. 85−15214
Rambaud, A. *see* Jacobe, J. 85−15201
Ramberg, E. *see* Mord, A.J. 85−57495
Ramberg, L.P., Chen, Y.-K., Enquist, P.M., Majjar, F.E., Eastman, L.F., Kavanagh, K.L. High-frequency performance of lattice-strained heterojunction GaInAs/GaAs bipolar transistors 87−6665
Ramberg, L.P., Enquist, P.M., Chen, Y.-K., Najjar, F.E., Eastman, L.F., Fitzgerald, E.A., Kavanagh, K.L. Lattice-strained heterojunction InGaAs/GaAs bipolar structures: recombination properties and device performance 87−32298
Ramberg, L.P., Enquist, P.M., Chen, Y.K., Najjar, F.E., Eastman, L.F., Fitzgerald, E.A., Kavanagh, K.L. Lattice-strained double heterojunction InGaAs/GaAs bipolar transistors 87−24480
Ramberg, L.P., Ishibashi, T. Abrupt interface AlGaAs/GaAs heterojunction bipolar transistors: carrier heating and junction characteristics 88−33172
Ramberg, L.P., Westin, J., Andersson, T.G. Transitions in the reflection high-energy electron-diffraction pattern as a substrate temperature probe in molecular-beam epitaxy 88−24728
Ramberg, L.P. *see* Enquist, P.M. 87−45890, 87−60424
Ramberg, L.R. *see* Enquist, P.M. 86−67834
Ramberg, M., Halvorsen, T.A. The signal network 85−36593
Ramberg, M., Hovstad, E. Dimensioning of a signal network 87−55537
Rambidi, N.G. *see* Georgobiani, A.N. 88−50680
Rambidi, N.G. *see* Veniaminov, N.N. 86−18220
Rambo, A., Filion, A., Noirhomme, B. Evaporated and ion beam sputtered ITO films for solar cells 88−18056
Rambo, A. *see* Filion, A. 86−7120
Rambo, A. *see* Langlois, J.-M. 87−60111
Rambo, P.W., Denavit, J. Propagation of a relativistic electron beam along an array of conductors 88−72501
Rambo, S.I., Gardenghi, R.A. Personal computer techniques for analysis and design of pulsed circuits 87−37095
Rambold, K. Safety requirements of telecommunication equipment 86−59537
Rambold, T. *see* Raab, G. 85−52236
Rambold, W.N., Stilburn, J.R. An intensified television system for telescope guiding 88−50607
Ramboz, L., Fouad Hanna, V. A fully planar balanced mixer 88−50333
Ramboz, L. *see* Fouad Hanna, V. 88−63879
Ramboz, L. *see* Hanna, V.F. 87−27100
Rambukwella, N.B., Mellitt, B., Goodman, C.J., Mouneimne, Z.S. Traction equipment modelling and the power network solution for DC supplied rapid transit power systems studies 87−79121
Rambukwella, N.B. *see* Mellitt, B. 88−37698
Ramchandani, H. *see* Biglari, H. 85−59584
Ramchandani, H. *see* Ramanathan, R. 87−4255
Ramchandar Rao, S. *see* Nagabhooshanam, M. 85−1310

Ramchandran, K. *see* Sridharan, T.R. 88–59465
Ramdani, J. *see* Decoster, D. 86–2970, 86–30782
Ramdani, J. *see* Razeghi, M. 86–63733, 88–58396
Ramdani, J. *see* Verriele, H. 86–4635, 87–56706
Ramdas, A.K. *see* Harper, R.L. 88–50700
Ramdas, A.K. *see* LaBrec, C.R. 88–50694
Ramdeen, T. *see* Jonscher, A.K. 87–46273
Ramech, N.S., Venkatraman, C. Digital signal processing—current and future solutions to telecommunication challenges 86–30454
Rameika, R., Cox, B., Jenkins, C.M., Judd, D.J., Hale, G., Mazur, P.O., Murphy, C.T., Turkot, F., Wagoner, D.E., Conetti, S., Haire, M., Lebrun, P., Leroy, C., Ryan, T., Turnbull, L., Gearhart, R.A., Shen, C. Measurement of electromagnetic shower position and size with a saturated avalanche tube hodoscope and fine grained scintillation hodoscope 85–43186
Rameika, R. *see* Cox, B. 85–64465
Rameika, R. *see* Dworkin, J.S. 86–60580
Rameika, R. *see* Wagoner, D.E. 85–64464
Ramelet, J. *see* Meuwly, M. 85–21063
Ramella, P. *see* Fontanelli, F. 88–61134
Ramello, L. *see* Alberganti, R. 86–65333
Ramello, L. *see* Beuttenmuller, R.H. 87–29554
Ramello, L. *see* Calicchio, M. 88–29811
Ramello, L. *see* Catanesi, M.G. 87–29686
Ramello, L. *see* D'Agostini, G. 87–21466
Ramello, L. *see* De Vincenzi, M. 86–65331
Ramendik, G.I., Khromov, A.Yu., Volkov, V.L., Astaf'ev, P.N. AIS-2 automated meter for spectra recorded on photographic plates 87–41559
Ramer, A. Uniqueness of information measure in the theory of evidence 88–8639
Ramer, A., Lander, L. Classification of possibilistic uncertainty and information functions 88–8641
Ramer, O.G. *see* Marom, E. 85–18695
Ramert, D. *see* Barber, D. 88–54002
Ramesh, B.K., Turner, L.E. A generalized method of designing digital LDI ladder filters using the bilinear transformation 86–67410
Ramesh, B.K. *see* Turner, L.E. 86–62742, 86–67373
Ramesh, B.V. *see* Krishnapur, P.P. 88–54561
Ramesh, H. Development of a computerised energy management system 85–5720
Ramesh, K., Chandorkar, A.N., Vasi, J. Study of electron traps in silicon dioxide due to mobile sodium ions at the Si-SiO_2 interface 88–7377
Ramesh, K. *see* Whitehouse, R.S. 88–68909
Ramesh, K.V., Shukla, A.K. Oxygen-reducing electrodes for acid fuel cells 86–6993
Ramesh, K.V. *see* Shukla, A.K. 87–64790
Ramesh, L.T. *see* Ramachandran, P. 85–26838
Ramesh, N.S., Su, Y.-L. Chip-level solutions for all-digital ISDN networks 87–18194
Ramesh, N.V. *see* Gopalan, T.V. 86–39185
Ramesh, P. *see* Chan, C.-F. 85–41886
Ramesh, P. *see* Chi-Foon Chan 86–3825
Ramesh, R., Thomas, G. High-voltage Lorentz electron microscopy of Fe-Nd-B magnets 87–67724
Ramesh, R. *see* Volonino, L. 87–58786
Ramesh, S., Natarajan, B., Bhagat, G. Peak load prediction using weather variables 88–75119
Ramesh, S. *see* Arnold, E. 88–1661
Ramesh, S.K., Goben, C.A. Receiver modeling for coherent lightwave communications 87–49093
Ramesh, S.K., Goben, C.A., Aalo, V., Ugweje, O. Modeling and evaluation of intersymbol interference (ISI) in coherent optical communications 87–13724
Ramesh, T.G. *see* Shubha, V. 86–38466, 87–49651
Ramesh, T.K. *see* Gopalan, M.N. 86–13568, 86–13579, 86–40590
Ramesh, V. *see* Roach, J.W. 87–2624
Ramesh Babu, V. *see* Buddhudu, S. 85–56569
Ramesh Chandra Multi access VHF/UHF radio systems 86–17208
Ramesh Jain *see* Haynes, S.M. 86–43327
Ramesham, R. *see* Daud, T. 88–38523
Rameshu, C., Shivaprasad, A.P. A simple, wide-range, linear thermistor-based temperature indicator 87–29329
Rameshu, C., Shivaprasad, A.P. Microprocessor-based temperature indicator using a thermistor as the sensor 87–77091
Rameshu, C., Shivaprasad, A.P. Microprocessor-based temperature indicator using platinum resistance as the sensor 88–22431
Rameshwaran, K. *see* Mathialagan, A. 86–57744
Rametti, L.B. *see* Bradlow, H.S. 86–18282
Ramey, D.A. Polymer waveguide fabrication techniques 85–46127
Ramey, D.W. Recovery of tritium from radioluminescent light fixtures 85–53920
Ramey, G.Ed *see* Ed Ramey, G.
Ramey, J. Usability testing: conducting the test procedure itself 88–62971
Ramey, J.A. *see* Coney, M.B. 85–5667, 85–5682
Ramey, R.L. *see* Aylor, J.H. 85–20539
Ramey, T. Sensing thermal mass for gas velocity 86–55602
Ramey-Smith, A. Nuclear power plant control room design reviews—a look at progress 86–45093
Ramezani-Golafzani, M. *see* Makram, E.B. 86–39152
Ramia, M.E., Toloza, G.D. A video amplifier based on the fast Fourier transform for experiments in nuclear magnetic resonance 88–60438
Ramiah, V. *see* Lesrado, L. 85–26836
Ramian, G., Elias, L. The UCSB free electron laser: a tool for scientific research 88–2308
Ramian, G., Elias, L. High-current beam transport in electrostatic accelerator tubes 88–47848
Ramian, G., Elias, L., Kimel, I. Micro-undulator FELS 87–2158
Ramian, G. *see* Amir, A. 86–22414, 88–20689
Ramian, G. *see* Elias, L. 86–36519
Ramian, G. *see* Elias, L.R. 85–56701, 86–31910, 86–68570
Ramian, G. *see* Kimel, I. 87–2181, 88–45489
Ramian, G.J. *see* Amir, A. 87–2142
Ramiarinjaona, C.L., Rialland, J.F., Bonnefille, R. Improvement of dynamic performances by controlled quadrature excitation in synchronous machines 87–22288
Ramiarinjaona, C.L. *see* Millet, A. 88–11210
Ramie, M.E., Toloza, G.D., Martin, C.A. Power amplifiers for radio frequency pulses 88–56491
Ramik, J., Rimanek, J. Inequality relation between fuzzy numbers and its use in fuzzy optimization 85–49461
Ramins, P., Ebihara, B.T. Improvements in MDC and TWT overall efficiency through the application of carbon electrode surfaces 87–24668
Ramins, P., Kosmahl, H.G., Force, D.A., Palmer, R.W., Dayton, J.A., Jr. Verification of an improved computational design procedure for TWT-dynamic refocuser-MDC systems with secondary electron emission losses 86–27801
Ramins, P., Peet, S., Force, D.A. A reexamination of spent beam refocusing for high-efficiency helix TWTs and small MDCs 88–39003
Ramins, P. *see* Curren, A.N. 86–47254
Ramins, P. *see* Ebihara, B.T. 87–37831
Ramio, J., Rivero, J. Transmission of voice packets through a switching network: a study for determination of the optimum packet length. II 85–2922
Ramio, J., Zambrano, C. Software for the design of HF amplifiers, with parameters, using the Smith Chart 87–37032
Ramirez, A.L. Recent experiments using geophysical tomography in fractured granite 86–44772
Ramirez, A.L. *see* Lytle, R.J. 86–25391
Ramirez, A.R., Achilles, R.A. Ultra-high-speed relaying protection: A setting methodology 87–30263
Ramirez, A.R. *see* Achilles, R.A. 85–38480, 87–4457
Ramirez, B., Tilden, M. Personal computer analyzes ATE measurements 85–33140
Ramirez, B. *see* Bristol, R. 85–64171
Ramirez, B. *see* Tilden, M. 85–31315
Ramirez, D.J., Thompson, M.V., Wisler, D.J. Modifying FM analog radio to carry broadband digital signals 87–40717
Ramirez, G. *see* Keane, J. 86–31970
Ramirez, J.-C., McNally, P.J., Cooper, L.S., Rosenberg, J.J., Freund, L.B., Jackson, T.N. Development and experimental verification of a two-dimensional numerical model of piezoelectrically induced threshold voltage shifts in GaAs MESFETs 88–64612
Ramirez, J.-C. *see* McNally, P.J. 88–33250
Ramirez, J.E., Bera, R.K., Hanrahan, R.J. Measurement of kinetic parameters relevant to the operation of an electron-beam initiated atomic iodine laser 85–41319
Ramirez, J.J. e-beam pulsewidth scaling for a large KrF laser 85–2249
Ramirez, J.J., Hasti, D.E., Corley, J.P., Poukey, J.W., Prestwich, K.R., Genuario, R.D., Nishimoto, H.N., Fockler, H.N., Smith, I.D., D'A Champney, P., Nielsen, K.E., Schlitt, L.G., Spence, P.W. The four stage HELIA experiment 87–21309
Ramirez, J.J. *see* Coleman, P.D. 86–25035
Ramirez, J.J. *see* Hasti, D.E. 85–26670, 87–21310
Ramirez, J.J. *see* Prestwich, K.R. 88–54014
Ramirez, J.J. *see* Smith, D.L. 87–21323
Ramirez, J.R., Vinyes, J. A cryptographic control system for buildings access control 85–41854
Ramirez, L.E. *see* Albery, W.B. 88–4982
Ramirez, M. *see* Pigini, A. 86–12508
Ramirez, M.A. Preventing maintenance induced failures 86–131
Ramirez, M.A. Compensating for built-in test failures 86–60135
Ramirez, M.A. Relevancy in fault detection analysis 88–55963
Ramirez, R. *see* Orszag, M. 86–58944
Ramirez, R.W. The evolution of oscilloscopes with numerical memories 85–64172
Ramirez, V., Lorente, J. C^1 rational quadratic spline interpolation to convex data 86–40659
Ramirez, V. *see* Pinar, M. 87–58840
Ramirez-Angulo, J., Geiger, R.L. New laser-trimmed film resistor structures for very high stability requirements 88–38774
Ramirez-Angulo, J., Geiger, R.L., Sanchez-Sinencio, E. Components quantization effects on continuous-time filters 86–62687
Ramirez-Angulo, J., Geiger, R.L., Sanchez-Sinencio, E. Component quantization effects on continuous time filters 86–62715
Ramirez-Angulo, J., Geiger, R.L., Sanchez-Sinencio, E. FIRE: a computer program to predict the performance of laser-trimmed film resistors 86–62857
Ramirez-Angulo, J., Geiger, R.L., Sanchez-Sinencio, E. A circuit analysis approach to the performance evaluation of laser-trimmed film resistors 86–67606
Ramirez-Angulo, J., Geiger, R.L., Sanchez-Sinencio, E. Characterization, evaluation, and comparison of laser-trimmed film resistors 88–19556
Ramirez-Angulo, J. *see* Sanchez-Sinencio, E. 86–1235
Ramirez-Cortes, J.M. *see* Baez-Lopez, D. 85–28619
Ramirez-Flores, G. *see* Lastras-Martinez, A. 88–13034
Ramirez-Rosado, I.J. *see* Gonen, T. 86–61106, 86–61136, 87–30120, 87–30138, 87–30181, 87–50724
Ramirez-Rosado, I.J. *see* Gonon, T. 87–30179
Ramisch, H. *see* Castricher, G. 88–19814
Ramishvili, N.M. *see* Andreyev, A.M. 87–14544
Ramjee Prasad, Rajendra Prasad, Khan, I.A., Jaju, R.P. Characteristics of one boundary corrugated parallel plate waveguide filled with warm plasma 88–56837
Ramjoue, A., Koch, B., Muhlethaler, B. Printing meter 'Monoprint' for charge recording 86–23568
Ramkumar, K., Nagaraj, K. Novel Schmitt trigger based on lambda diode 85–17230
Ramkumar, K., Nagaraj, K. A ternary Schmitt trigger 85–54817
Ramkumar, K., Satyam, M. Secondary breakdown in bipolar transistors 86–9102
Ramkumar, K., Satyam, M. Negative-resistance characteristics of polycrystalline silicon resistors 87–59911
Ramkumar, K., Satyam, M. Analysis of avalanche breakdown in bipolar transistors based on majority carrier transportation 88–7575
Ramkumar, K., Satyam, M. A new static memory cell based on the negative resistance characteristic of a UJT 88–50143
Ramkumar, K., Satyam, M. Analysis of effects of ambients (temperature and light intensity) on the electrical breakdown in bipolar transistors 88–64529
Ramkumar, K. *see* Arivoli, T. 85–1582, 87–1008, 88–44385
Ramkumar, K. *see* Lakshmi, M.V.S. 88–32941
Ramkumar, K. *see* Lalkishore, K. 85–34210, 86–41360, 87–32109, 87–45310
Ramkumar, K. *see* Murthy, K.S.R.C. 85–6024
Ramkumar, K. *see* Raghupati, M. 85–25787
Ramkumar, K. *see* Satyam, M. 85–64208, 86–7860, 88–25718
Ramkumar, R. *see* Kelkar, S.S. 87–65844
Ramler, J.R., Bransford, L.A., Maehl, R.C., Gribbon, W.J., Moran, J.R. Network media 86–23290
Ramlow, K. *see* Hartung, S. 86–21306
Ramlu, M.A. *see* Madisetti, V.K. 86–33755, 87–31017
Ramm, A.G. Extraction of resonances from transient fields 85–35952
Ramm, A.G. Analytic and numerical results in random fields estimation theory 87–55177
Ramm, D., Hilgendorf, R. Short time spectral feature mapping—a diagnostical aid for medical ultrasound 86–32296
Ramm, D. *see* Walach, E. 87–48236
Ramm, D.K. *see* Blair, D.G. 86–58729
Ramm, D.K. *see* Veitch, P.J. 88–9964
Ramm, G. Impedance measurement with AC voltage compensator 85–37712
Ramm, G. Universal relay-interface for IEC-bus systems 85–49959
Ramm, G. Digital pitch measuring instrument for musical notes 85–52798
Ramm, G. Impedance measuring device based on an AC potentiometer 85–58745
Ramm, G. Impedance measuring device based on an AC potentiometer 86–24692
Ramm, G. Error characteristics of inductive voltage dividers 86–47020
Ramm, G. A controllable pre-amplifier for IEC-bus systems 87–70520
Ramm, G., Vollmert, R., Bachmair, H. Microprocessor-controlled binary inductive voltage dividers 85–58648
Ramm, G., Vollmert, R., Bachmair, H. Microprocessor-controlled binary inductive voltage dividers 86–24335
Ramm, G., Vollmert, R., Bachmair, H. Inductive potential divider of binary form 86–67438
Ramm, M. A new tuning system for low voltage applications 88–12416
Ramm, M.G. *see* Mokhov, E.N. 88–38176
Ramm, M.G. *see* Vodakov, Yu.A. 88–25923
Ramm, O.T.von *see* von Ramm, O.T.

Ramm, P., Kulick, J.H., Stryker, M.P., Frost, B.J. Video and scanning microdensitometer-based imaging systems in autoradiographic densitometry 85−4295
Rammal, R. Flicker noise near the percolation threshold 85−28093
Rammal, R. Quantum interference effects in small systems: normal and superconducting networks 87−25905
Rammal, R., Tremblay, A.-M.S. Resistance noise in nonlinear resistor networks 87−31676
Rammelaere, W.De *see* De Rammelaere, W.
Rammig, F.J. Design aids for high distributed hardware 85−45834
Rammig, F.J. The systematic design of a 32-bit microprocessor as a training task 86−67239
Rammig, F.J. Mixed level modelling and simulation of VLSI systems 87−53650
Rammig, F.J., Schrewe, M., Vorloeper, G. A Transputer-based accelerator for multilevel digital simulation 88−70815
Rammig, F.J. *see* Bidjan-Irani, M. 88−1781
Rammig, F.J. *see* Groning, K. 85−39875
Rammig, F.J. *see* Kleinjohann, B. 87−17167
Rammo, I. *see* Koppel, Kh. 87−52204
Rammohan, T.R., Chatterji, B.N. Recognition of distorted Kannada characters 85−41906
Rammos, E. A novel high efficiency planar array for two orthogonal polarisations capability 85−13409
Rammos, E. Suspended-substrate line antenna fits 12 GHz satellite applications 86−54374
Rammos, E. Limited scan array for DRS application: the design approach 88−34507
Rammos, E. *see* Jorgensen, R. 88−34449
Ramnarayan, R., Taylor, F. Limit cycles in large moduli residue number system digital filters 87−908
Ramnarayan, R., Taylor, F.J. On large moduli residue number system recursive digital filters 85−45155
Ramnarayan, R., Taylor, F.J. RNS cellular arrays 86−52802
Ramnarayan, R. *see* Rao, P. 85−757
Ramo, E. *see* Kortekangas, A. 88−3227
Ramo, S., Whinnery, J.R., Van Duzer, T. Fields and waves in communication electronics. Second edition 85−10323
Ramo, S. *see* Booton, R.C., Jr. 85−5750
Ramohalli, K., Raasch, D. Experimental data on accelerated aging of graphite composites 88−63390
Ramola, R.C., Singh, M., Singh, S., Virk, H.S. Efficiency of radon detector LR-115 88−4841
Ramon, C.Fernandez *see* Fernandez Ramon, C.
Ramon, D. *see* Galand, D. 85−59691
Ramon, J.R. *see* Diez Gil, J.L. 85−9183
Ramon, S.Peidrafita *see* Peidrafita Ramon, S.
Ramon Alarcon, J. Electronic chromatic roulette 86−41259
Ramon Alarcon, J. An electronic panel for the presentation of texts 88−4566
Ramon Alarcon Gomez, J. Analogue clock 87−56863
Ramon Alarcon Gomez, J. A digital clock incorporating a microprocessor system 88−44139
Ramon Alique Lopez, J. *see* Ros Torrecillas, S. 87−54608
Ramondt, J., van Kooten, C., Verhoeff, A., Wallenburg, H.C.S. Computer analysis of mechanical and electrical uterine activity 86−60789
Ramooni, G. *see* Sicuranza, G.L. 87−19793
Ramos, A., Sanz, P.T., Montero de Espinosa, F.R. High-frequency ultrasonic arrays control in high resolution ecography applications 87−21795
Ramos, A., Sanz, P.T., Montero de Espinosa, F.R., Riera, E. Generating short ultrasonic pulses with MOSFETs 87−57449
Ramos, A. *see* Conejo, A.J. 86−33223
Ramos, A. *see* Garcia, S. 87−9271
Ramos, A. *see* Montero de Espinosa, F.R. 86−25464, 88−13653
Ramos, E.Pena *see* Pena Ramos, E.
Ramos, F. *see* Eser, E. 87−72433, 88−17989
Ramos, J. *see* Auge, J. 86−37915
Ramos, J. *see* Biet, M. 88−45158
Ramos, J.C., de Albornoz, A., Morales, J. A one dimensional model for the Laguna Verde boiling water reactor 88−75353
Ramos, J.C. *see* Morales, J. 85−59970
Ramos, J.I. Numerical solution of reactive-diffusive systems. II. Methods of lines and implicit algorithms 86−7723
Ramos, M.A. *see* Lorente, J. 85−52348
Ramos, O.A. 16 kbytes of dynamic RAM and the 6800 86−8291
Ramos, O.A. A twin-channel signal recorder 86−55775
Ramos, O.A. Digital trigger circuit 88−56536
Ramos, R. *see* Ardiaca, R. 87−46331
Ramos, R. *see* Valderrama, E. 86−46806
Ramos, T.J., Lim, D.R., Lingenfelter, A.C. Low-cost laser diagnostic system 86−70016
Ramos Fernandez, A. *see* San Emeterio Prieto, J.L. 88−57846
Ramos-Fernandez, A., Montoya-Vitini, F., Gallego-Juarez, J.A. Automatic system for dynamic control of resonance in high power and high Q ultrasonic transducers 85−53233
Ramos-Fernandez, A., Sanz-Sanchez, P.T., Montero de Espinosa, F.R. Broad-band driving of echographic arrays using 10 ns-500 V efficient pulse generators 87−63999
Ramos-Fernandez, A. *see* Gallego-Juarez, J.A. 88−10632
Ramos-Izquierdo, L. *see* Peirce, D.C. 86−7872
Ramos-Izquierdo, L. *see* Reynolds, G.O. 86−3349, 86−7871, 86−7873
Ramos-Niembro, G., Lozano-Sousa, C. Design, construction and field tests of a leakage current monitor 88−42888
Ramos-Niembro, G., Lozano-Sousa, C., Velazquez-Blanco, P., Garcia-Juarez, I., Ortiz-Ahlf, M.L. Measurements and field tests in polluted regions of Mexico: preliminary results 87−78182
Ramos-Niembro, G. *see* Lozano-Sousa, C. 88−42887
Ramotowski, E. *see* Kraczek, S. 86−41447
Ramous, E. *see* Crepaz, G. 86−52053
Rampa, V. *see* Brofferio, S. 88−44218
Rampaigul, I., O'Reilly, J.J. Series-parallel bit-error-ratio measurement for high digit rate transmission systems 86−30225
Rampaigul, I. *see* O'Reilly, J.J. 87−66019
Rampal, V.V. Optical electronics 85−25126
Rampal, V.V., Nayak, K.D., Ganesan, N., Thapliyal, A.K. Design and experimental studies of SAW filters and delay lines for communication systems 87−46293
Rampal, V.V. *see* Tyagi, R.K. 86−22289
Rampel, G. *see* Thierfelder, H.E. 85−48402
Rampey, F.D., Porter, A., Karin, M. 1-GHz digital scope keeps a close watch on subnanosecond logic 85−8871
Rampf, E.J., Slawson, M.R. A 200 MBaud, full duplex, 16-bit parallel in/out, fiber optic chip set 88−35568
Rampil, I.J. Elements of EEG signal processing 87−63782
Rampinelli, R. Bulk level and weighing systems 86−44241
Rampl, I. Thin thermionic emitter of electrons 87−1133
Rampoldi, P. *see* Fantauzzi, G. 88−66869
Ramponi, A.J. *see* Caird, J.A. 88−65791
Ramponi, G. Edge extraction by a class of second-order nonlinear filters 86−43296
Ramponi, G., Sicuranza, G.L. Fast 2-d digital filters using look-up tables 85−49996
Ramponi, G., Sicuranza, G.L. A sign algorithm in memory-oriented implementations of nonlinear adaptive digital filters 87−940
Ramponi, G., Sicuranza, G.L. Decision-directed nonlinear filter for image processing 88−8814
Ramponi, G., Sicuranza, G.L. Quadratic digital filters for image processing 88−59208
Ramponi, G., Sicuranza, G.L., Cucchi, S. 2- and 3-D nonlinear predictors [image coding] 87−62275
Ramponi, G., Sicuranza, G.L., Ukovich, W. An optimization approach to the design of nonlinear Volterra filters 87−47813
Ramponi, G. *see* Cima, G. 86−5500
Ramponi, G. *see* Sicuranza, G.L. 86−16452, 86−67370, 88−8744
Ramponi, R., Svelto, O. Potential applications of free electron lasers in biomedicine 86−5983
Ramprakash, Y., Bose, D.N., Basu, S. Transient response in n-InP PEC cells and effect of surface modification 85−5351
Ramprakash, Y. *see* Krishnakumar, R. 87−30890, 87−52160
Ramprasad, B.S., Radha Bai, T.S. Speckle-based fibre-optic current sensor 85−2019
Ramprasad, B.S. *see* Radha, T.S. 87−7105
Ramprasad, V. *see* Rao, T.V. 86−12950
Rampton, V.W., Newton, M.I., Kent, A.J., Carter, P.J.A., Hardy, G.A., Russell, P.A., Challis, L.J. Quantum oscillations in the phonon scattering by a 2-DEG of a Si-MOSFET 88−26306
Rampton, V.W. *see* Kent, A.J. 88−26307, 88−32952, 88−74616
Ramraj, P.R. CMOS PROM interfaces with COSMAC 85−49848
Ramraj, P.R. Microprocessor bugs packet transmission 85−57842
Ramrus, A. Design concepts for simulators of EMP-induced surges in the electric power system 87−22631
Ramrus, A., Caton, W., Robinson, R., Freeman, B., Fowler, M. A 2.4 MJ bank with fiber optic and pneumatic control links 88−49169
Rams, W. *see* Jazdzynski, W. 85−9893
Ramsauer, F. *see* Kofler, H. 87−41640, 88−69329
Ramsay, B. *see* Gibson, W.G. 87−30463
Ramsay, D.A. The evolution of radar guidance 85−63773
Ramsay, D.C. Engineering instrumentation and control. Second edition 86−33975
Ramsay, F.R. Autolayout of ULA gate arrays on an engineers workstation 85−22841
Ramsay, F.R. Software tools for ULA design 85−28317
Ramsay, F.R. An engineers design tool for the design and development of high performance total system arrays 87−447
Ramsay, F.R. An engineers environment for uncommitted logic array design 87−668
Ramsay, F.R. CAD in the design of full system arraysa 87−729
Ramsay, F.R. CAD for total ASIC design from ULA to full custom solutions 87−67472
Ramsay, K. Macquarie Satellite Network system design 87−62914
Ramsay, M.M., Hale, P.G., Sutehall, R. Single fibre cables for military applications 86−49639
Ramsay, R. The Ferranti Silicon Design System: a complete design system for ULAs 85−708
Ramsay, T.B. *see* Egyhazy, C.J. 85−63138
Ramsay, W. Biomass energy in developing countries 86−12547
Ramsay, W.D. *see* Helaly, A. 86−18238
Ramsberger, P. Producing a library of videodiscs for continuing medical education 86−49857
Ramsbottom, A.P. The copying of dichromated gelatin holographic optical elements from masters 88−8351
Ramsby, G. *see* Ouimette, D. 86−32408
Ramsdale, P.A. *see* Crampton, P.W. 85−41710
Ramsdale, P.A. *see* Masterton, P.A. 85−63570
Ramsdale, P.A. *see* Miles, A.L. 86−37802
Ramsden, A. Novell NetWare 87−28107
Ramsden, D., Zhang, S.N. A simple phoswich system 88−54416
Ramsden, D. *see* Baker, R.E. 85−31769
Ramsden, D. *see* Boella, G. 85−52994
Ramsden, D. *see* Dean, A.J. 88−16628
Ramsden, D. *see* Walton, L. 87−77677
Ramsden, D.B. *see* Lockett, S.J. 86−60764
Ramsden, E. *see* Ruane, M. 86−46657
Ramsden, J.C., Glen, R.M., Murray, R.T. An analysis of the desirable molecular features for a polymer optical fibre 88−39912
Ramsden, J.D. *see* Maguire, J.F. 88−36585
Ramsden, K.W. Continuing engineering education: the UK scene and the contribution of Cranfield Institute of Technology 87−5160
Ramsden, K.W. Continuing engineering education: the UK scene and Cranfield's contribution 87−23087
Ramsden, S. *see* Willi, O. 88−2174
Ramsden, S.A. *see* Lewis, C.L.S. 88−33919
Ramsden, T. Using noise to advantage in military systems 86−44331
Ramsden, V.S., Nguyen, H.T. Brushless DC motors using neodymium iron boron permanent magnets 88−48996
Ramsden, V.S. *see* Smith, G.P. 88−49306
Ramseier, D. *see* von Grunigen, D.C. 86−41219
Ramseier, S. The microprocessors 8086 and 8088 85−22903
Ramseier, U. Plan of automatic pallet warehouse for telecommunication parts 86−23233
Ramsey, A.P. High-voltage analog semicustom ICs 88−44837
Ramsey, B.D., Elsner, R.F., Weisskopf, M.C. The effects of contamination on gaseous X-ray detectors 88−61148
Ramsey, B.D., Weisskopf, M.C. On the energy resolution obtained with a multistep proportional counter 86−65350
Ramsey, B.D., Weisskopf, M.C. The performance of a multistep proportional counter for use in X-ray astronomy 87−63676
Ramsey, D.A. *see* Acarlar, M.S. 88−67430
Ramsey, G.H. *see* Lawless, P.A. 86−63923
Ramsey, G.H. *see* Mclean, K.J. 86−63924
Ramsey, J.D. *see* Lee, C.H. 88−29688
Ramsey, J.E., Jr. Diagnosis: using automatic test equipment and artificial intelligence expert systems 86−11445
Ramsey, J.L., Ellis, T.D., Platteter, G. Radiation hardening status of bipolar integrated circuits 85−50688
Ramsey, J.M., Whitten, W.B. Phase-conjugate feedback into a continuous-wave ring dye laser 85−56822
Ramsey, J.M., Whitten, W.B. Controlled scanning of a continuous-wave dye laser with an intracavity photorefractive element 88−14131
Ramsey, J.M. *see* Whitten, W.B. 87−26472
Ramsey, J.N. Industrial applications of surface analysis to microelectronic materials/processing/devices 85−50346
Ramsey, J.N. Microelectronics processing problem solving: the synergism of complementary techniques 87−25466
Ramsey, J.W., Wedel, J.A., Menken, J.D. Temperature rise characteristics of dual-in-line packages 86−7534
Ramsey, K.A., Busch, J.R., Bibyk, S., Valco, G., Mentzer, M. Proton implanted gallium arsenide optical waveguides 88−51522
Ramsey, L.T., Gribble, D. Information-theoretic compressibility of speech data 87−61628
Ramsey, L.T. *see* Benke, G. 87−39715
Ramsey, L.W. *see* Smith, M.A. 87−77147
Ramsey, M.H. Replacing inefficient steam cycle turbines with electric motors and purchased power−an economic decision 85−16505
Ramsey, M.L., Neher, M.B. Microprocessor control integration applied to a central generating unit 86−61397
Ramsey, M.M. *see* Barnes, S.R. 88−26829
Ramsey, M.M. *see* Houghton, I. 88−9611
Ramsey, N.F. Quantum mechanics and precision measurements 88−15895
Ramsey, R. *see* Ogle, J.W. 85−41125

Ramsey, R.W., Jr., Kotrappa, P., Dempsey, J.C. Basic principles and practical application of the electret passive environmental radon monitor 88−57893

Ramsey, T.H. Aluminum alloy bonding wires in corrosive environments 87−53086

Ramsey, T.H., Peterson, J., Douglas, P., Gehman, B.L. Corrosion failure of Al-Mg alloy bonding wires in plastic packages 86−57220

Ramsey, T.S. *see* Cullen, M.F. 88−46221

Ramsey, W. *see* Grangaard, J.L. 85−52779

Ramsey, W.B. *see* Boelter, W.A. 87−64409

Ramsey, W.D. Inert gas test of two 12-cm magnetostatic thrusters 85−64677

Ramsey, W.E. Space support to military forces 87−76897

Ramsey, W.T., Newport, C. Pseudo-elliptic coupled line microstrip filters 86−47058

Ramsey, W.T. *see* Vaughan, J.A. 86−52932

Ramseyer, E. *see* Dietl, H. 85−48166

Ramseyer, G.L. *see* Molnar, B. 85−18209

Ramshaw, R.S., Xie, G. Dual model of a DC machine with gyrators 85−21644

Ramshaw, R.S., Xie, G. Effect of machine saturation on power system calculations 85−32128

Ramshaw, R.S., Xie, G., Deacon, R., Fyfe, V., Henderson, B.W., Jones, E., Jurek, K., Lenson, D., Opie, M. Power conditioning in a solar energy system with microprocessor control 87−30455

Ramshaw, R.S., Xie, G., Henderson, B.W., de Groot, J.H. A PWM inverter algorithm for adjustable speed AC drives using a nonconstant voltage source 87−4980

Ramshaw, R.S., Xie, G., Henderson, P., de Groot, J. A PWM inverter algorithm for adjustable speed AC drives using a nonconstant voltage source 86−39960

Ramshaw, R.S. *see* Venkataramana, A. 87−42301

Ramshaw, R.S. *see* Xie, G. 87−9525

Ramsperger, N. *see* Jahl, C. 88−9243

Ramstad, T. Digital signal processing−what, why, how and when? 85−25078

Ramstad, T. *see* Perkis, A. 87−55993

Ramstad, T.A. Analysis/synthesis filter banks with critical sampling 85−46859

Ramstad, T.A. Considerations on quantization and dynamic bit-allocation in subband coders 87−19519

Ramstad, T.A. *see* Lundheim, L.M. 87−27342

Ramstein, B. *see* Hourani, E. 88−29926

Ramstein, P. Criteria for the evaluation of range performance in air/air interception 87−13765

Ramstein, Ph., Georges, Ph. A new criterion to assess radar performances 88−15653

Ramsteiner, M. *see* Wagner, J. 87−60270

Ramster, J.W., Robinson, G.A., Fannin, N.G.T. Presenting oceanographic data spatially: dilemma or opportunity? 88−48369

Ramu, T.S. On the estimation of life of power apparatus insulation under combined electrical and thermal stress 85−38960

Ramu, T.S. Hazards of insulation life estimation using censored data and high degrees of acceleration 85−40987

Ramu, T.S., Wertheimer, M.R. Dielectric properties of plasma-polymerized hexamethyldisiloxane films. II. Dielectric breakdown 87−18357

Ramu, T.S., Wertheimer, M.R., Klemberg-Sapieha, J.-E. Dielectric properties of plasma-polymerized hexamethyldisiloxane films . I. Complex permittivity 87−18356

Ramu, T.S., Wertheimer, M.R., Klemberg-Sapieha, J.E. Dielectric properties of plasma-polymerized organo-silicon films produced in microwave discharges 85−29356

Ramu, T.S., Wertheimer, M.R., Klemberg-Sapieha, J.E. Dielectric properties of thin films deposited by microwave plasmas 87−18386

Ramu, T.S. *see* Geetha, H.N. 88−71856

Ramus, R. *see* Murphy, R.J. 87−17022

Ramusat, G.F. *see* Resch, M.T. 85−6072, 86−52574

Ramusch, A. The situation on the standardisation of synthetically insulated medium voltage cables 87−4395

Ramusch, A. *see* Blechschmidt, H. 85−27063

Ramy, J.P., Demeure, L. A new dice bonding method for hybrid technology 85−61601

Ramy, J.P., Guena, J., Thebault, C. New low cost substrate (Duroid) for hybrid microwave integrated circuits (MICs) in wide band 85−11557

Ramy, J.P., Riva, R. Thick film hybrid circuits 86−53248

Ramzaeva, N.A. *see* Voronov, I.D. 86−5582

Ran, L. *see* Ren, Z. 88−68900

Ran Chong-rong *see* Hao Wei-cheng 87−15025

Ran Li *see* Li Ran

Rana, A.P.S., Chang, I.H. A three layer switch box router with obstacle avoidance 87−16804

Rana, D., Levitan, S.P., Carlson, D.A., Hutchinson, C.E. A testable asynchronous systolic array implementation of an IIR filter 86−68010

Rana, P.S. *see* Sharda 86−7599

Rana, S.P. *see* Jain, A. 85−25575

Rana, S.P. *see* Rangarajan, A.R. 85−25568

Rana, S.S. *see* Sen, A.K. 87−47198

Rana, S.S. *see* Vyas, A.D. 85−64761

Rana, V.V.S., Desko, J.C., Jr., Manocha, A.S., Lee, K.-H., Sinha, A.K. Selective tungsten plugs on silicon for advanced CMOS devices 88−39704

Rana, V.V.S., Taylor, J.A., Holschwandner, L.H., Tsai, N.S. Thin layers of TiN and Al as glue layers for blanket tungsten deposition 87−59003

Rana, V.V.S. *see* Hey, H.P.W. 87−45829

Rana, V.V.S. *see* Luther, L.C. 87−52131

Rana, V.V.S. *see* Yeh, J.L. 87−67151

Rana Ajaz-Ur-Rahman *see* Ajaz-Ur-Rahman Rana

Ranachowski, J., Las, T. Acoustic, optical and radiation diagnostic techniques for ceramic insulators evaluation and performance prediction 85−32208

Ranachowski, J., Rejmund, F., Mikiel, W., Ranachowski, Z. Investigation of brittle fracture of ceramic materials using microcomputer processing of acoustic emission signals 88−12129

Ranachowski, J. *see* Bertrand, J. 85−1804

Ranachowski, J. *see* Mazurek, B. 85−32184

Ranachowski, Z. *see* Ranachowski, J. 88−12129

Ranade, A. Statistics of the time dynamics of dispersive multipath fading and its effects on digital microwave radios 86−30578

Ranade, A. A computer simulation of local access radio interference due to building reflections 87−26870

Ranade, A. Frequency and duration of dispersive fades at 6 GHz 88−2573

Ranade, A., Noerpel, A.R. Microwave energy scattered off building surfaces shows strong dependence on orientation of city blocks 87−75423

Ranade, A.G. Interconnection networks and parallel memory organizations for array processing 86−26969

Ranade, A.G., Johnsson, S.L. The communication efficiency of meshes, Boolean cubes and cube connected cycles for wafer scale integration 88−7706

Ranade, D.B. *see* Kanetkar, V.R. 87−9577

Ranade, M.B. Adhesion and removal of fine particles on surfaces [microelectronic circuits] 88−33270

Ranade, S. *see* Amin, A.M.A. 86−57914, 87−42305

Ranade, S. *see* George Broze, J. 85−60082

Ranade, S. *see* Pesch, H. 85−65356

Ranade, S.J. Harmonic characteristics and impact of utility-interactive photovoltaic prototypes on the NUSU distribution feeder 86−51525

Ranade, S.J. *see* McCotter, R.E. 86−39146

Ranade, S.J. *see* Prasad, N.R. 88−23384

Ranade, S.J. *see* Smith, R.D. 88−23389

Ranade, S.M., Nihalani, A., Hindmarsh, E., Boland, D. Industrial heat pumps: a novel approach to their placement, sizing and selection 87−43672

Ranade, S.M., Prengle, H.W., Jr. Solar-fuel fired cogeneration plants−sizing and costing model for molten salt storage systems 85−60080

Ranade, S.M., Robert, W.E. Marginal-utility-cost concept helps maximize plant efficiency 87−78499

Ranade, S.T., Voegtle, K.H., Goosen, P.V., Wess, T. Unsymmetrical control of ESCOM 132 kV and 400 kV static compensators 87−30000

Ranade, S.T. *see* Brandt, D. 87−35611

Ranade, S.T. *see* Goosen, P.V. 86−12908

Ranadive, D. *see* Mehta, S. 87−1462

Ranai, K., Helenelund, K., Soon, S.Y., Low, H.B., Narasimhalu, A.D., Lee, W.K. ADAX: an X.25 protocol implementation in Ada 88−9186

Ranaivo-Hariso, R. *see* Guillaud, G. 85−45460

Ranam, P., Salama, C.A.T. Selectively implanted oxygen isolation technology (SIO) [for VLSI] 85−40803

Ranasinghe, D.W., Machin, D.J., Proctor, G. Electron beam irradiation effects on MOS transistors and its significance to E-beam testing 88−39459

Ranasinghe, D.W. *see* Machin, D.J. 88−39585

Ranawake, U.A. *see* Wallace, A.K. 87−64624

Rance, J. The local area network−a bridge for today and tomorrow 85−57804

Ranchoux, B., Charenton, J.-C., Sacher, E. The effect of atmospheric contaminants on the electrical properties of plasma-deposited hydrogenated amorphous silicon for use in photovoltaic cells 85−39213

Ranchoux, B., Currie, J.F. Study of correlations between preparation parameters, electrical and physicochemical properties of doped and undoped specimens of a-Si:H 85−33483

Ranchoux, B. *see* Brebner, J.L. 86−6995

Rancoita, G.M. *see* Casadei, D. 87−15695

Rancoita, P. *see* Furetta, C. 88−68222

Rancoita, P. *see* Lemeilleur, F. 87−41843

Rancoita, P.G., Seidman, A. Silicon detectors in calorimetry 85−15179

Rancoita, P.G., Seidman, A. Undepleted silicon detectors 85−43254

Rancoita, P.G., Seidman, A. Investigation of electromagnetic calorimeters employing undepleted silicon detectors 86−50308

Rancoita, P.G. *see* Barbiellini, G. 85−20834 to 20835, 85−43161, 85−43169, 85−52973, 87−63650

Rancoita, P.G. *see* Bianco, S. 85−43171

Rancoita, P.G. *see* Campanella, M. 86−32180

Rancoita, P.G. *see* Cecchet, G. 85−37942

Rancoita, P.G. *see* Croitoru, N. 85−15197, 85−37925

Rancoita, P.G. *see* Marchionni, A. 85−26663

Rancoita, P.G. *see* Pensotti, S. 87−63649, 88−29868, 88−68237

Rancoita, R.G., Seidman, A. Silicon detectors in electromagnetic and hadronic calorimetry 88−22954

Rancour, D.P., Melloch, M.R., Pierret, R.F., Lundstrom, M.S., Klausmeier-Brown, M.E., Kyono, C.S. Recombination-current suppression in GaAs *p-n* junctions grown on AlGaAs buffer layers by molecular-beam epitaxy 87−74062

Rancour, D.P. *see* Klausemeier-Brown, M.E. 88−37553

Rancourt, J., Beauchamp, W.T., Foster, V., Sachs, I. Emissivity enhancement of fused silica for space applications 86−7034

Rancourt, J., Beauchamp, W.T., Sanchez, J., Sachs, I. Emissivity enhancement of fused silica for space applications 85−50899

Rancourt, J., Grenawalt, W. Approaches to enhancing VDT viewability and methods of assessing the improvements 87−21167

Rancourt, J., Grenawalt, W., Hunter, M.W., Snyder, H.L. Quantitative evaluation of the effect of an antireflection filter 87−8692

Rancourt, J., Martin, R. Coatings for energy efficient lamps with cylindrical geometry 88−11480

Rancourt, J.D., Martin, R.L., Jr. High temperature lamp coatings 88−8028

Rancy, F., Thebault, D., Brachat, P., Pene, F., du Roizel, T. An optimum satellite system for regional and domestic applications in Africa 85−20139

Rancy, F., Zermizoglou, P., Meunier, J. Technical and economic impact of the use of standard-B Earth stations in the INTELSAT system 87−40796

Rancy, F. *see* Bareyt, C. 86−4583

Rancy, F. *see* Ramat, P. 87−28508

Rand, C. Release 9: stopgap or move forward? 88−31918

Rand, C. Electronic systems: the packaging matters too . . 88−56011

Rand, D.A.J. Overview of Australian lead/acid battery test programmes 86−66258

Rand, D.A.J. Research highlights in lead/acid batteries 87−58303

Rand, D.A.J., Baldsing, W.G.A. Development of lead/acid batteries for domestic remote-area power supplies 88−55606

Rand, D.A.J. *see* Hill, R.J. 87−58393

Rand, D.A.J. *see* McNicol, B.D. *(editor)* 86−20

Rand, E. *see* Groeger, J.H. 86−63503

Rand, J.A., Barnett, A.M. Experimental use of spectral response of the MIS device for diffusion length measurements 87−4967

Rand, J.A. *see* Barnett, A.M. 88−18032, 88−37565

Rand, J.D., Zarobila, C.J., Davis, C.M. Interferometric fiber-optic magnetometers 88−36068

Rand, J.D. *see* Zarobila, C.J. 88−29428

Rand, M. Trends and developments in colour graphics 85−8717

Rand, R.E., Wang, D.Y., Lampel, M.C. Low energy DC electron beam transport by means of a beam-generated plasma 88−47880

Rand, R.E, *see* Lampel, M.C. 86−32119

Rand, R.E. *see* Peschmann, K.R. 86−25192

Rand, R.S. *see* Sommer, A.C. 85−65674, 86−33886

Rand, S.C., DeShazer, L.G. Visible color-center laser in diamond 86−9815

Rand, S.C., DeShazer, L.G. Laser action of H3 color center in diamond 87−39074

Rand, S.C., Sumida, D.S., DeShazer, L.G. Room temperature laser action and Q-switching of F-aggregate color centers in LiF 86−29107

Rand, S.C. *see* DeShazer, L.G. 87−18714, 87−39065

Randa, J., Kanda, M. Multiple-source, multiple-frequency error of an electric field meter 85−26432

Randa, J., Kanda, M. High-frequency errors of an electric-field meter in complicated environments 86−31134

Randa, J., Kanda, M. A directional scanning technique for characterization of complex electromagnetic environments 86−42721

Randa, J., Kanda, M. Directional scanning of complex electromagnetic environments 86−68802

Randa, J., Kanda, M. A lattice approach to complex electromagnetic environments 87−26849

Randa, J., Kanda, M. Lattice approach to volumes irradiated by unknown sources 87−54461

Randa, J., Kanda, M. A lattice approach to environments irradiated by unknown sources 88−2608

Randa, J., Kanda, M. A new approach to volumes irradiated by unknown sources 88−14402

Randa, J. *see* Kanda, M. 86−15911
Randa, J.P., Kanda, M. Directional scanning of complex electromagnetic environments 86−22595
Randa, M. Guaranteeing the reliability of Skoda steam turbines 86−25911
Randa, M. *see* Bernstein, W. 88−62197
Randa, M. *see* Filip, R. 88−75363
Randa, S.K., Fyrwald, C.R., Reifschneider, D.P. Extrusion foaming of ETFE fluoropolymer resin 88−24819
Randa, S.T., Carlson, M.A., Reifschneider, D.P. Equipment and design changes in extrusion of foamed fluoropolymer resins 85−57921
Randak, O. The concept of controlling the power plants from the viewpoint of increasing operational reliability 85−59975
Randak, O., Cichon, S. Protective system of power blocks (SOS) 86−32836
Randall, C.J., Stanke, F.E. Mathematical model for internal ultrasonic inspection of cylindrically layered structures 88−48392
Randall, C.J. *see* Stanke, F.E. 88−61694
Randall, D. *see* Reynolds, J. 88−32105
Randall, E.W., Flach, L. A serial interface for process control 86−37491
Randall, J. Digital potentiometer brings μP-based control to audio systems 88−4237
Randall, J.L. Full-time outage planning: the ultimate answer 85−9608
Randall, J.N. Prospects for printing very large scale integrated circuits with masked ion beam lithography 86−67925
Randall, J.N., Bellavance, D., Sivasankar, R. The stability of ion projection lithography masks 87−67070
Randall, J.N., Bromley, E.I., Economou, N.P. Linewidth control with masked ion beam lithography using stencil masks 86−35483
Randall, J.N., Ehrlich, D.J., Tsao, J.Y. Repair of X-ray lithography masks using UV-laser photodeposition 85−35047
Randall, J.N., Flanders, D.C., Economou, N.P. Masked ion beam lithography using stencil masks 85−1439
Randall, J.N., Flanders, D.C., Economou, N.P., Donnelly, J.P., Bromley, E.I. Masked ion beam resist exposure using grid support stencil masks 85−29075
Randall, J.N., Reed, M.A., Moore, T.M., Matyi, R.J., Lee, J.W. Microstructure fabrication and transport through quantum dots 88−39363
Randall, J.N., Sivasankar, R. The thermomechanical stability of ion beam masks 87−38030
Randall, J.N., Stern, L.A., Donnelly, J.P. The contrast of ion beam stencil masks 86−35499
Randall, J.N. *see* El-Masry, A.M. 88−44668
Randall, J.N. *see* Fong, F.-O. 88−39320
Randall, J.N. *see* Geis, M.W. 85−34719
Randall, J.N. *see* Kim, S.Y. 86−35518
Randall, J.N. *see* Melngailis, J. 87−38389
Randall, J.N. *see* Pang, S.W. 86−35589, 87−38028, 88−44666
Randall, M. Graphics IC simplifies design, boosts performance 87−10888
Randall, M., Johary, A. Graphics coprocessor chip gives small systems a look at the big picture [Intel 82786] 86−52854
Randall, M., Johary, A. A graphics coprocessor chip—the 82786 86−62605
Randall, M., Johary, A. Graphic co-processor gives big picture to small systems 87−10897
Randall, M.D. *see* Ely, K.J. 86−52326
Randall, M.E. *see* Hutton, B.L. 88−47430
Randall, M.J. *see* Gledhill, K.R. 87−15028
Randall, N. *see* Lynn, P.A. 86−1291
Randall, N.C. *see* Bodson, D. 87−7996
Randall, N.J., Steer, P.J., Sutherland, I.A. Detection of the fetal ECG during labour by an intrauterine probe 88−42547
Randall, P.G. PAL decoders: the front line in coding [colour TV broadcasting] 85−25972
Randall, P.G. Picture monitor test waveforms in operational areas 87−76994
Randall, P.K. *see* Krauss, I.K. 87−70275
Randall, R. *see* Steeves, M.M. 88−65067
Randall, R.E., Price, P.W. An instrumentation and data acquisition system for measuring brine plumes in coastal waters 86−60964
Randall, R.G. *see* Abbott, E.C. 85−43706
Randall, R.L. Application of acoustic monitoring to steam turbine systems 85−9602
Randall, R.P. Photodetectors in hostile environments 85−4410
Randall, R.R. Application of accelerator sources for pulsed neutron logging of oil and gas wells 85−59448
Randall, R.R., Craik, G.C. Applications and fabrication of flasks for hostile environment electronics 88−61619
Randall, S.P. *see* Sugden, D.M. 88−24214, 88−69757, 88−69804
Randall, T. Evolving toward a true ISDN 85−42100
Randall, T. *see* Kotula, J. 85−52159
Randall, T.M. *see* Pernin, J.-L. 85−13746
Randawa, H., Johnson, P.C. Cathodic arc deposition advances coating technology 87−58978
Randazzo, E. *see* Meyers, R. 87−43963
Randazzo, T. *see* Guckel, H. 85−33492
Randell, B. *see* Panzieri, F. 86−23470
Randell, C.F. *see* Barnard, R. 87−51430 to 51432
Randell, G. Telemetry systems 86−10716
Randen, H. *see* Fossdal, K. 87−71592
Randers-Pehrson, G. *see* Ahmad, M. 85−31761
Randesi, S.J. Systems Application Architecture redefines IBM compatibility 87−76307
Randesi, S.J. IBM in the networked 1990s− t/the coming of SAA 88−46533
Randesi, S.J. Update: IBM's NetView 88−59583
Randeu, W.L., Riedler, W., Witternigg, N. Quadruple-site radiometric diversity measurements at 11.6 GHz 86−29406
Randhawa, S.U., McDowell, E.D., Faruqui, S.-D. An integer programming application to solve sequencer mix problems in printed circuit board production 85−55303
Randic, M. On the characteristic equations of the characteristic polynomial 85−33286
Randin, J.-P. Determination of state-of-discharge of zinc-silver oxide button cells. I. Galvanostatic measurements 85−53804
Randin, J.-P. Determination of state-of-discharge of zinc-silver oxide button cells. II. impedance measurements 85−60384
Randin, J.-P. Determination of state-of-discharge of zinc-silver oxide button cells. III. In situ impedance measurements of each electrode 85−65416
Randin, J.P., Zullig, F. Relative humidity measurements using a coated piezoelectric quartz crystal sensor 87−70598
Randise, P.A. *see* Allen, W.R., Jr. 88−22454
Randjelovic, P.Z. *see* Jovicic, S.T. 88−14609
Randle, J. An automatic explosive device tester 85−14592
Randles, M. *see* Stokowski, S.E. 88−14137
Randles, M.H., Dawes, D.G., Perleberg, C.R. Growth of alexandrite and garnet laser crystals 87−36693
Randles, M.H. *see* Kueny, A.W. 88−2208
Randles, M.H. *see* Stokowski, S.E. 88−65621
Rando, J. *see* Capobianco, J. 88−35536
Rando, J. *see* Roberts, H. 87−8308
Randolph, B.P. R&M 2000 and the Air Force acquisition process 88−10671
Randolph, C., Parker, D., Taylor, D. A United States Army Strategic Defense Command focal plane test facility 88−74488
Randolph, C.A. *see* Meier, R.H. 88−74416
Randolph, D.A. Winning proposals: what evaluators look for 87−36414
Randolph, D.I., Schmeisser, E.T., Beatrice, E.S. Foveal flashes and human performance 86−65464
Randolph, J.T. *see* Randolph, P.H. 88−35731
Randolph, M. *see* Zue, V.W. 87−19463
Randolph, M.W. *see* Marshall, E.D. 86−1820
Randolph, P.H., Green, R.E., Randolph, J.T. Application of a simulation model to smoothing [TV tracker] 88−35731
Randolph, R.L. The outlook for space produced III-V crystals 86−46351
Randolph, W.R. *see* Miller, G.E. 86−18363
Randone, G. *see* Ghergia, V. 86−11074, 86−48399
Randoshkin, V.V., Rybak, V.I., Sigahev, V.B., Chani, V.I., Chervonenkis, A.Ya. Cultivation and properties of ferrite-garnet films containing bismuth for controllable transparencies 87−7002
Randoshkin, V.V. *see* Bakhteuzov, V.E. 86−28637
Randoshkin, V.V. *see* Dudorov, V.N. 86−31303
Randoshkin, V.V. *see* Gubarev, A.P. 86−36275
Randoshkin, V.V. *see* Khodenkov, H.E. 85−1837
Randoshkin, V.V. *see* Kudel'kin, N.N. 85−45969
Randoshkin, V.V. *see* Zabolotnaya, N.V. 85−50830
Randoshkin, V.V. *see* Zorya, V.I. 85−35300
Randoux, M., Platbrood, G. Characterization and classification of coals—determination of the deposits forming tendency of the coal ashes 87−4488
Randow, R.von *see* von Randow, R.
Randrianandraina, N. *see* Granveaud, M. 86−24795
Randrianandrasana, E. *see* Pocholle, J.-P. 86−15794
Randriananja, D. *see* Gennero, M.C. 87−68997
Rands, J.B. *see* Yano, H. 86−11747
Rane, A.G. *see* Acarlar, M.S. 88−67430
Ranea Sandoval, H.F. *see* Schinca, D. 87−26276
Ranea-Sandoval, H.F., Von Reichenbach, M.C., Rodriguez, R., Schaposnik, F.A. Phase-locking of lasers with injected signal fluctuations 86−68422
Ranea-Sandoval, H.F. *see* Scaffardi, L. 85−24439
Ranea-Sandoval, H.F. *see* Wernsman, B. 87−17591
Raney, J.L. *see* Kine, P.L. 85−8007
Raney, R.K. Theory and measure of certain image norms in SAR 85−53189
Raney, R.K. Conceptual design of satellite SAR 86−11174
Raney, R.K. The making of a precedent: the synthetic-aperture radar (SAR) on Magellan 87−28713
Raney, R.K. SAR system test and calibration [Magellan] 87−28714
Raney, R.K. A comment on Doppler FM rate 87−77833
Raney, R.K. A free 3 dB in cross-polarized SAR data 88−4109
Raney, R.K., Gray, A.L., Princz, J.G. An effect of coherent scattering in spaceborne and airborne SAR images 88−74023
Raney, R.K., Princz, J. Reconsideration of azimuth ambiguities in SARs 87−63047
Raney, R.K., Wessels, G.J. Spatial considerations in speckle simulation 88−10531
Raney, T.J., Hellerung, R.M. Reliability analysis of a dual owned cogeneration facility 86−61344
Raney, T.J., Iotti, R.C. Probabilistic risk assessment for regulatory requirement moderation [nuclear power plants] 86−25737
Rang, E.R., Thelen, K.H. Flight control software for test generation 87−42073
Rang, E.R. *see* Hartman, G.L. 86−25369
Rang, M. *see* Naumann, S. 86−25264
Rang, T. One-dimensional numerical simulation of complementary power Schottky structures 86−15108
Rang, T. The impact-ionization coefficients of carriers and their temperature dependence in silicon 86−53317
Rang, T., Udal, A. Computer modelling of high-power Schottky diodes 85−18273
Ranga Rao, K.S., Chakraborty, A., Das, B.N. Modified Elliott's technique for sector beam synthesis 87−19297
Ranga Rao, K.S., Chakraborty, A., Das, B.N. Synthesis of Elliot's technique for a sector beam with a prescribed null from an array of non-isotropic radiators 88−2837
Ranga Rao, K.S. *see* Sen, B. 86−42911
Rangaiah, G.P. Comparison of two algorithms for solving stiff differential equations 85−49509
Rangam, D.Pandu *see* Pandu Rangam, D.
Rangan, A., Grace, R.E. On a class of optimal preventive replacement policies of systems subject to shocks 88−70178
Rangan, L.K. *see* Loos, J.S. 86−70317
Rangan, P.V. An axiomatic basis of trust in distributed systems 88−52358
Rangan, P.V. *see* Anderson, D.P. 88−15137
Rangan, R., Chen, D.Y., Yang, J., Lee, J. Application of IGT/COMFET to zero-current switching resonant converters 87−65845
Ranganadha Rao, V. *see* Chandra Mouly, C. 86−1347
Ranganadha Rao, V. *see* Chandra Mouly, M.C. 86−24740
Ranganadhachar, M.V.S.S. *see* Kulkarni, D.K. 85−38995
Ranganath, H.S. Analysis of bilevel quantizers used in binary image correlators 88−73192
Ranganath, M.V. *see* Dhawan, A.P. 88−66660, 88−68396
Ranganath, M.V. *see* Mitra, T.J. 85−32302
Ranganath, S., Jain, A.K. Two-dimensional linear prediction models. I. Spectral factorization and realization 85−46776
Ranganath, T.R. *see* Antreasyan, A. 85−2354
Ranganath, T.R. *see* Donald, D.K. 87−2029
Ranganatha Rao, K., Singh, R. Steady state analysis of single-phase parallel resistance-inductance circuits controlled by force commutated SCR pairs 85−34949
Ranganathan, C. *see* Patterson, R. 87−50375, 88−23087
Ranganathan, N., Shah, M. A VLSI architecture for computing scale space 88−64637
Ranganathan, R., Gal, M., Taylor, P.C. Photoluminescence absorption spectroscopy in a-Si:H and related alloys 88−69695
Ranganathan, R., Gal, M., Viner, J.M., Taylor, P.C., Yuan, J.S., Stringfellow, G.B. Time resolved photoluminescence in InP doping superlattices 88−19719
Ranganathan, V.T. *see* Manjunath, H.V. 86−45556, 87−38329
Rangappan, A. *see* Naguib, H.M. 87−67602
Rangarajan, A. *see* Yegnanarayana, B. 86−10343
Rangarajan, A.R., Sharma, Y.K., Rana, S.P. A distribution database management system for NICNET: schema definition languages and happings 85−25568
Rangarajan, L.M., Katti, V.R. Development of high resolution thin film patterns on curved photocathode substrates of image tubes 87−1148
Rangarajan, L.M., Varadarajan, K. Electron-optical zooming using a modified image tube configuration 86−21061
Rangarajan, S. *see* Ramachandran, P. 85−26838
Rangarajan, S.V. *see* Singh, C.V.K. 85−42899
Rangari, K.P. *see* Yogeshwar, G.K. 87−44658
Rangasamy, M. *see* Shanmugasundaram, A. 88−5712, 88−18184, 88−23972
Rangayyan, R.M. Multichannel phonocardiography for localization of heart sound sources 88−36454
Rangayyan, R.M., Gordon, R. Expanding the dynamic range of X-ray videodensitometry using ordinary image digitizing devices 85−2869

Rangayyan, R.M., Nguyen, H.N. Pixel-independent image processing techniques for noise removal and feature enhancement 87−69387
Rangayyan, R.M. *see* Dhawan, A.P. 85−43388
Rangayyan, R.M. *see* Gordon, R. 85−31834
Rangchi, H., Huner, B., Ajmera, P.K. A model for deposition of thick films by the screen printing technique 88−1212
Rangchi, H. *see* Huner, B. 88−57161
Range, W.H. *see* Bene, P. 88−56532
Range, W.H. *see* Bonesini, M. 88−23001, 88−29823, 88−61141
Rangel, R.D. *see* Campos Barros, J.G. 86−12244
Rangel, R.D. *see* Guarini, A.P. 86−12881
Rangelow, I.W. Ion-beam etching, and chemically-assisted ion-beam etching to produce X-ray masks for synchrotron-radiation-lithography 86−21418
Rangelow, I.W., Masseli, K., Niewohner, L., Kassing, R., Pilz, W. SIMS and AES investigations of contamination effects by RIE of PIQ layers 86−21413
Rangelow, I.W., Thoren, P., Kassing, R. Computer simulation of pattern profiles through physical etching with shadow, trenching, and redeposition 86−21417
Rangelow, I.W., Thoren, P., Masseli, K., Kassing, R., Engelhardt, M., Schwarzl, S. Secondary effects of single crystalline silicon deep-trench etching in a chlorine-containing plasma for 3-dimensional capacitor cells 87−25122
Rangelow, I.W. *see* Kakoschke, R. 87−53731
Rangelow, I.W. *see* Olschimke, J. 88−26169
Ranger, M., Regnier, J.-L., Andreu, M., le Pape, Y. A program for the calculation of radio-wave transmission loss over the spherical Earth and over obstacles 88−34324
Ranger, N. *see* Robert, P. 85−44593
Ranger, T.C. *see* Gellings, C.W. 85−59540
Rangnekar, S., Rao, K.V.N., Gupta, M.K., Saxena, S.N. Development of time constant regulator for micromachine 86−26082
Rango, R.A. *see* Clark, M.H. 85−45101
Rangole, P.K., Swami, N.K., Singh, B. Exotic propagation of TV signals across the Indian subcontinent 87−49264
Rangole, P.K. *see* Saini, S.P.S. 87−48938
Rani, S. *see* Mehra, R.M. 85−28975
Rani Murthy, K. *see* Chandra Mouly, M.C. 88−40692
Ranieri, A. *see* Albrizio, R. 88−74766
Ranieri, A. *see* Bagliesi, G. 88−48025
Ranieri, A. *see* Baldini, R. 87−8865
Ranieri, A. *see* Catanesi, M.G. 86−60606
Ranieri, A. *see* De Palma, M. 85−59203
Ranieri, R. Analysis of the effects of equipment ageing on the performance of plant systems 88−48710
Ranieri, R., Redaelli, R. Automatic error detection and recovery techniques in onboard intelligent units for space and avionic application 85−38304
Ranieri, V. Television transmission by satellite 86−17551
Raniriharinosy, K.D. *see* Alabedra, R. 88−58352
Ranjamina, V. *see* Roguin, J. 86−51673
Ranjan, R. Current-limiting fuses: flexibility in design and application 86−40017
Ranjan, R. *see* Christner, J.A. 88−71921
Ranjan, R. *see* Kameda, J. 87−59025 to 59026
Ranjit Kumar, A.B. *see* Venmuri, S. 85−38388
Ranjith Divigalpitiya, W.M., Morrison, S.R. Effect of dislocations in metal-insulator-semiconductor solar cells 86−66327
Rank, D. *see* Goebel, J.H. 87−49556
Ranke, H. *see* Dietrich, W. 88−7247
Ranke, H. *see* Feuerstein, A. 86−2600
Ranke, K. *see* Kiessling, F. 87−21960
Rankenhohn, J. Microphones for studio and stage. Good sound is not a hit-and-miss affair 87−56421
Rankin, A. Engineering education in Scotland 88−6138
Rankin, C.R. Overview of laser system integration 86−22581
Rankin, D. Temperature transmitter fundamentals and selection 86−31321
Rankin, D. *see* Singh, R.P. 88−5108
Rankin, D.M., Covill, I.D., Read, P.J., Whaley, H. Progress in the use of coal water fuel for electrical power generation in eastern Canada 87−64421
Rankin, D.M., Whaley, H., Read, P.J. Coal-water fuel for utility boilers in eastern Canada—burner selection 86−33168
Rankin, D.M. *see* Raskin, N.R. 86−32913
Rankin, G.W. *see* Swaminasthan, M.K. 85−15083
Rankin, I. Screening plastics enclosures 87−26877
Rankin, J.B. *see* Gopinath, A. 85−55840, 86−63252, 86−63269
Rankin, L. A perspective of the emerging applications on satellite 88−22058
Rankin, L. Spectrum needs for satellite services beyond the year 2000 88−35459
Rankin, L.M. Applications of satellite mobile Earth stations—the Canadian experience 86−59867
Rankin, P. *see* Bevan, A.V. 86−5829
Rankin, P. *see* Spence, R. 85−44855
Rankin, P.J. *see* Soin, R.S. 85−54585
Rankin, R.C. *see* Beving, J.E. 85−9309
Rankin, R.C. *see* Sieron, P.K. 87−15007
Rankin, S.D. *see* Tiwald, T.E. 87−10611, 88−1458
Rankin, W. *see* Sinkule, M.V. 87−57779
Rankine, D. *see* Chaudhuri, B.B. 85−30226
Rankine, G. THOMAS—a complete single chip RSA device 88−40846
Rankine, I. Plastics enclosures problems 87−5228
Rankine, L.J. 'Data communications standards: the international issues and challenges in the emerging digital environment' 85−42139
Rankine, L.J. Integrated services digital networks—a major challenge for international standardization 87−20022
Ranko, I. New technology—basis of the development of information technology 85−25280
Rannacher, R. *see* Blum, H. 86−62113, 88−56178
Ranne, A. Improvements in the control of the district heating network 88−23737
Ranner, P.J., Horne, J.M. Submarine optical-fibre cable systems: future trends 86−69763
Ranninger, C., Sala, A. Technology transfer in the construction stage of a nuclear power plant 86−39470
Rannou, A., Jeanmaire, L., Tymen, G., Mouden, A., Naour, E., Parmentier, N., Renouard, H. Use of cellulose nitrate as radon and radon daughters detectors for indoor measurements 87−29651
Rannou, J. *see* Bergery, D. 88−58957
Ranon, P., Donaldson, A., Engel, T., Kristiansen, M., Watson, A. Insulator and electrode damages resulting from high current (500 kA) pulses 88−43337
Ranon, P.M., Kristiansen, M., Lehr, F.M., Hatfield, L.L. Insulator damage in high current discharges 87−25698
Ranon, P.M., Krompholz, H., Kristiansen, M., Hatfield, L.L. High current surface discharge switch 87−18389
Ranon, P.M., Watson, A., Engel, T.G., Kristiansen, M., Hatfield, L.L. Insulator damage from a moving arc in a surface discharge switch 88−55538
Ranong, C.na *see* na Ranong, C.
Ranov, E.V. *see* Kovalenko, Yu.V. 87−8477
Ransevich, B.N. *see* Karpova, G.I. 88−55220
Ransford, G.A., Ioup, J.W. Locating and determining the orientation of underwater research equipment: acoustic range and range rate data 88−36674
Ransford, P.E., Hooper, A. Irradiation effects in commercial optical fibres 88−33693
Ranshaw, M.J. *see* Vass, D.G. 88−20454
Ransier, R.M. *see* Craine, E.R. 85−3885
Ransom, B.R. *see* Borrelli, M.J. 86−32323
Ransom, C.M., Sedgwick, T.O., Cohen, S.A. DLTS characterization of N-type silicon after rapid thermal annealing of boron implantation 87−6570
Ransom, C.M. *see* Kanicki, J. 85−1334
Ransom, C.M. *see* Kuech, T.F. 87−11641
Ransom, C.M. *see* Oehrlein, G.S. 85−34835
Ransom, C.M. *see* Spirito, P. 86−67809
Ransom, H.L., Jr. *see* Cutler, C. 87−4174
Ransom, H.L., Jr. *see* Tan, M.R.T. 85−53229
Ransom, M.N. Local Area Data Transport service overview 85−2964
Ransom, M.N. LADTs: what are the characteristics? [Local area data transport communication service] 85−25538
Ransom, R.A. *see* Partain, L.D. 86−14855, 88−5857
Ransom, V.H. RELAP5/MOD2: for PWR transient analysis 87−9323
Ransome, R.D. *see* Bruckner, W. 88−61126
Ransome, S. *see* Hill, A.J. 86−53686, 86−63338
Ransome, S.J., Hipwood, L.G., Wheeler, M.J. Surface patterning of gallium arsenide wafers for monolithic microwave integrated circuits 87−1727
Ransome, S.J. *see* Nicholas, J.M.C. 85−17884
Ranson, C. *see* Legras, J.C. 88−4388
Ranson, K.J., Daughtry, C.S.T., Biehl, L.L. Sun angle and background effects on spectral response of simulated forest canopies 86−18615
Ranson, P. *see* Boswell, R.W. 88−13158
Ranson, P. *see* Bouchoule, A. 85−12203
Ranson, P. *see* Pons, M. 88−13167
Ranson, R.G., Galli, J.G., Hey-Shipton, G. Rapid channel identifier for real-time sorting of frequency data 88−9393
Ranson, W.F. *see* Umeagukwu, C.I. 87−50597
Ranst, A.Van *see* Van Ranst, A.
Rant, J. The 82786: opening a hardware window to the world 87−52643
Rant, J., Loose, A., Ilic, R. The use of radiographic techniques for contrast enhancement and indirect evaluation of relief autoradiographic images (lithographs) 87−23790
Rant, J. *see* Ilic, R. 87−29663
Ranta, A. *see* Hargreaves, J.K. 87−47174
Ranta, H. *see* Hargreaves, J.K. 87−47174
Ranta, J.-P. The influence of the development of component technology [manufacturing industries] 85−10437
Ranta, M. Reactive ion etching of molybdenum on silicon nitride 86−58410
Ranta, M. Evaluation of photoresist technique or A 3 micrometer CMOS process 87−11969
Rantala, E.P. *see* Friberg, A.T. 85−51270
Rantala, P., Granroth, T.T. Continuing education on developing countries 87−23161
Rantsevich, V.B. Calculation of an optical system with a hollow mirror lightguide and diaphragms for photoelectric devices 87−25970
Ranu, H.S. Biomedical engineering at the Louisiana Technical University 86−18270
Ranu, H.S. Miniature load cells for the measurement of foot-ground reaction forces and centre of foot pressure during gait 86−38740
Ranu, H.Singh *see* Singh Ranu, H.
Ranucci, D. *see* Dogliotti, R. 88−54596
Ranyuk, Yu.N. *see* Afanas'ev, N.G. 86−32100
Ranyuk, Yu.N. *see* Popov, V.F. 88−36365
Ranz, C. *see* Cobo, P. 87−28697
Ranze, W. *see* von Seebach, M. 87−65015
Rao, A.C. *see* Vani, A. 88−64800
Rao, A.Janaki *see* Janaki Rao, A.
Rao, A.K., Huang, Y.F. Statistical properties of a novel recursive estimation algorithm with information-dependent updating 88−70205
Rao, A.K., Murthy, C.R.L. Analysis of acoustic emission: a view 86−34428
Rao, A.K. *see* Huang, Y.F. 87−47859, 87−61979
Rao, A.K. *see* Mangalgiri, P.D. 86−20114
Rao, A.K. *see* Murthy, C.R.L. 87−73186
Rao, A.K. *see* Naidu, D.S. 85−43875
Rao, A.K.Lakshman *see* Lakshman Rao, A.K.
Rao, A.M. A portable instrument for the measurement of salinity of rainwater using FETs 86−32541
Rao, A.R. *see* Gildenblat, G.S. 87−37884, 87−60093, 88−12910
Rao, A.Raja *see* Raja Rao, A.
Rao, A.S. Space-power demonstrator engine employs SmCo magnets 88−69334
Rao, A.S., Perdikaris, G. Computer aided controller design of DC motor drive systems 86−51955
Rao, A.S., Perdikaris, G.A. Computer-aided compensator design 88−75974
Rao, A.S., Rao, K.R. Steady-state analysis of single phase transformer coupled loads controlled by force commutated SCR pairs 86−61574
Rao, A.S. *see* Safari, A. 88−65007
Rao, A.S.Gopala *see* Gopala Rao, A.S.
Rao, A.S.Mohana *see* Mohana Rao, A.S.
Rao, A.S.Raja *see* Raja Rao, A.S.
Rao, A.Subba *see* Subba Rao, A.
Rao, A.V. *see* Hasan, A.R. 86−32925
Rao, A.Venkateswara *see* Venkateswara Rao, A.
Rao, B.B., Anderson, W.A. Comparing furnace to laser annealing in ion implanted surface passivated MINP solar cells 85−32709
Rao, B.B., Banerjee, S., Anderson, W.A., Han, M.K. Excess currents in high efficiency Si solar cells 86−13085
Rao, B.B. *see* Anderson, W.A. 87−9773
Rao, B.B. *see* Jackson, M.A. 85−53819
Rao, B.B.V.R. *see* Menon, S.G. 87−30118
Rao, B.D. Sensitivity analysis of state space methods in spectrum estimation 87−62020
Rao, B.D. Perturbation analysis of an SVD-based linear prediction method for estimating the frequencies of multiple sinusoids 88−66476
Rao, B.D. Lowering the threshold SNR of singular value decomposition based methods 88−73087
Rao, B.D., Peng, R. Tracking analysis of an ARMA parameter estimation algorithm using weak convergence theory 87−62045
Rao, B.D., Peng, R. Tracking characteristics of the constrained IIR adaptive notch filter 88−46120
Rao, B.D. *see* Arun, K.S. 88−73061
Rao, B.L.K., Usmani, T. Telephone quality assessment—some inherent limitations 86−69493
Rao, B.M., Posner, M.J.M. Parallel exponential queues with dependent service rates 87−16456
Rao, B.Poornachandra *see* Poornachandra Rao, B.
Rao, B.S. *see* Lazim, M.T. 88−5706
Rao, B.V., Rao, R. Optimum acquisition of PN sequences with adaptive threshold [spread-spectrum systems] 88−28675
Rao, B.V. *see* Merchant, S.N. 85−30465
Rao, B.V. *see* Murali, T. 85−2795, 85−13543, 85−30279, 85−45162, 85−55045, 86−3881 to 3882, 86−52959, 87−69095
Rao, B.V. *see* Pardikar, V.P. 87−73559
Rao, B.V. *see* Prasad, R.K. 88−27979
Rao, B.V. *see* Shet, K.C. 86−23041 to 23042, 86−37093, 87−2519, 87−27552, 87−47695, 87−69135
Rao, B.V. *see* Tummala, M. 87−75809, 88−3008
Rao, B.V.A. *see* Santhanakrishnan, G. 87−72158
Rao, B.Venkateswara *see* Venkateswara Rao, B.
Rao, B.V.Ramana *see* Ramana Rao, B.V.
Rao, B.V.Subba *see* Subba Rao, B.V.
Rao, C.Arjuna *see* Arjuna Rao, C.
Rao, C.B. *see* Lopez, E.C. 87−342

Rao, C.Babu *see* Babu Rao, C.
Rao, C.D. *see* Chandra Mouly, M.C. 86−11042
Rao, C.Damodara *see* Damodara Rao, C.
Rao, C.Lakshmana *see* Lakshmana Rao, C.
Rao, C.N.R. *see* Hedge, M.S. 85−37977
Rao, C.R., Nayak, T.K. Cross entropy dissimilarity measures, and characterizations of quadratic entropy 86−13624
Rao, C.R. *see* Bai, Z.D. 87−63762
Rao, C.Radhakrishna *see* Radhakrishna Rao, C.
Rao, C.Raja *see* Raja Rao, C.
Rao, C.S. *see* Arasu, V.T. 85−26875
Rao, C.S. *see* Singh, G. 86−33197
Rao, C.S.R. *see* Rashid, M.A. 85−24814
Rao, C.Sreehari *see* Sreehari Rao, C.
Rao, C.Veerendra *see* Veerendra Rao, C.
Rao, C.V.K.P. Signal modeling with stochastic and deterministic data: a lossless inverse scattering approach 88−73051
Rao, C.V.K.P., Dewilde, P. A state space approach to the lossless inverse scattering problem 86−62337
Rao, C.V.K.Prabhakara *see* Prabhakara Rao, C.V.K.
Rao, D.A.V.K. PCB design and process techniques 87−45398
Rao, D.A.V.Krishna *see* Krishna Rao, D.A.V.
Rao, D.B. *see* Kamins, T.I. 86−47869
Rao, D.Bhogeswara *see* Bhogeswara Rao, D.
Rao, D.K., Prasad, J.J.B., Sridevi, D., Reddy, K.V., Sobhanadri, J. Properties of p-CuInSe$_2$/Al Schottky devices 86−47520
Rao, D.Krishna *see* Krishna Rao, D.
Rao, D.M. *see* Bologna, S. 87−15495
Rao, D.M. *see* Ramachandran, P. 85−26838
Rao, D.N., Murthy, M.J.K., Sarkar, S.K., Pasricha, P.K., Dutta, H.N., Reddy, B.M. Hilly terrain LOS fadeouts and Fresnel zone considerations from ray tracing techniques 88−27499
Rao, D.Narayana *see* Narayana Rao, D.
Rao, D.Narayano *see* Narayano Rao, D.
Rao, D.N.Madhusudhana *see* Madhusudhana Rao, D.N.
Rao, D.U.Krishna *see* Krishna Rao, D.U.
Rao, D.V.B. Analysis of coefficient quantization errors in state-space digital filters 86−35001
Rao, D.V.B. An analysis of the Kumaresan-Prony method 88−3116
Rao, D.V.B. *see* Jain, Y.K. 85−58597, 88−16205
Rao, D.V.Bhaskar *see* Bhaskar Rao, D.V.
Rao, D.V.G.L.N. *see* Ghosh Roy, D.N. 86−29230
Rao, E.V.K. Intermixing in AlAs-GaAs superlattices 88−57356
Rao, E.V.K., Djamei, M., Krauz, P. Anneal behavior of Zn acceptor implanted In$_{0.53}$Ga$_{0.47}$As layers: a study of carrier distributions 86−63170
Rao, E.V.K., Djamei, M., Krauz, P. Defect-induced compensation in the bulk of implanted indium phosphide 87−60091
Rao, E.V.K., Thibierge, H., Brillouet, F., Alexandre, F., Azoulay, R. Disordering of Ga$_{1-x}$Al$_x$As-GaAs quantum well structures 85−40482
Rao, E.V.K. *see* Azoulay, R. 85−12137
Rao, E.V.K. *see* Brillouet, F. 88−20639, 88−58570
Rao, E.V.K. *see* Gauneau, M. 85−29123
Rao, G. *see* Raghavan, V. 87−64645
Rao, G.G. Some new concepts in protection of distribution transformers 87−43143
Rao, G.Hariprasada *see* Hariprasada Rao, G.
Rao, G.K., Chauhan, D.S., Khan, A.M. Effect of modes of oscillation of the mechanical system in series compensated power systems [turbogenerators] 87−64506
Rao, G.K. *see* Khan, A.M. 88−30276
Rao, G.K. *see* Yen, D.L.W. 88−71810
Rao, G.Kashipati *see* Kashipati Rao, G.
Rao, G.Krishna *see* Krishna Rao, G.
Rao, G.M. *see* Haribabu, K. 87−69902
Rao, G.M. *see* Reddy, K.V.V.S. 88−25352
Rao, G.Madhusudhana *see* Madhusudhana Rao, G.
Rao, G.Mohan *see* Mohan Rao, G.
Rao, G.R. *see* Fix, J.J. 88−74900
Rao, G.R.Mohan *see* Mohan Rao, G.R.
Rao, G.Sridhara *see* Sridhara Rao, G.
Rao, G.U. *see* Wist, A.O. 87−63741
Rao, G.V. Geo communication—a novel transmitting system by geophysical method 88−68616
Rao, G.V. *see* Gopalan, T.V. 85−33137, 86−12454, 86−18833, 86−39185
Rao, G.V.Chelapathi *see* Chelapathi Rao, G.V.
Rao, G.Venkata *see* Venkata Rao, G.
Rao, G.V.S. *see* Arunachalam, S.A. 85−16264
Rao, G.V.Subba *see* Subba Rao, G.V.
Rao, H.N.Venkoba *see* Venkoba Rao, H.N.
Rao, H.V., Wolf, M.A. Sidegating characteristics as a function of distance and dose for implanted and metallic sidegates on proton-isolated GaAs 88−71617
Rao, J.B.L. Modified bicollimated Gregorian reflector antennas 85−13308
Rao, J.B.L., Laxpati, S.R., Wright, B.D. Wide-band phased array of coaxially-fed probes in parallel plate waveguides 88−2845
Rao, J.B.L., Shelton, J.P., Hsiao, J.K. Phased-array fed dual-reflector antennas 86−29592
Rao, J.R. Packet distribution network 88−15176
Rao, J.R. *see* David, E. 88−16784
Rao, J.R. *see* Reddy, L.R.G. 86−10099
Rao, J.R. *see* Tiwari, R.N. 86−62073
Rao, J.Rama *see* Rama Rao, J.
Rao, J.Ramachander *see* Ramachander Rao, J.
Rao, J.S., Bhaskara Sarma, K.V. Simulation of multishaft rotors mounted on fluid film bearing to determine unbalance response [power plants] 85−60143
Rao, K., Nevatia, R. Generalized cone descriptions from sparse 3-D data 87−2627
Rao, K. *see* Bell, A.E. 88−42401
Rao, K.A. *see* Rao, V.V.B. 86−13906
Rao, K.B. *see* Rao, P.P. 85−31526
Rao, K.H.S., Shah, A. Natural birth control: a brief review and some bioelectronic solutions 85−20884
Rao, K.H.S. *see* Shah, A.V. 86−54406
Rao, K.H.S. *see* Tscharner, R. 85−53823
Rao, K.J., Parthasarathy, G., Selvaraj, U., Gopal, E.S.R. The effect of pressure on the electrical transport of potassium phosphomolybdate glasses 85−61695
Rao, K.J. *see* Rajendran, S. 86−30879
Rao, K.Jagannath *see* Jagannath Rao, K.
Rao, K.K. *see* Chung, M.J. 87−38472
Rao, K.K. *see* Prasad, V.C.S. 86−34400
Rao, K.K. *see* Redinbo, G.R. 85−2748, 86−13718, 86−57411
Rao, K.Kenkata *see* Kenkata Rao, K.
Rao, K.L., Rustogi, D., Sengupta, N., Vembu, N.S. Comments on 'in-orbit tests of Insat-1B communication subsystems' [with reply] 85−63789
Rao, K.Madhava *see* Madhava Rao, K.
Rao, K.Nagabhushana *see* Nagabhushana Rao, K.
Rao, K.Nageswara *see* Nageswara Rao, K.
Rao, K.Narayana *see* Narayana Rao, K.
Rao, K.N.N., Thakur, N.K., Agrawal, P.K. FORTRAN IV subroutines for the inversion of MAGSAT data using an algorithm of one-dimensional arrays 85−39657
Rao, K.N.Suryanarayana *see* Suryanarayana Rao, K.N.
Rao, K.Prasada *see* Prasada Rao, K.
Rao, K.R. Discrete transforms 85−260
Rao, K.R. Discrete transforms 86−16320
Rao, K.R. Digital filtering in image coding 86−69188
Rao, K.R. Digital signal processing for low bit rate TV image codecs 87−70248
Rao, K.R., Ashar, P. Magnitude locked loop 88−32362
Rao, K.R., Jenkins, L. Studies on power systems that are subjected to cyclic loads 88−54849
Rao, K.R. *see* Chelemal-D, M. 87−5387
Rao, K.R. *see* Hwang, C.J. 86−37152
Rao, K.R. *see* Kappagantula, S. 86−3971, 86−4016
Rao, K.R. *see* Li, C.E. 85−31205, 86−49833
Rao, K.R. *see* Natarajan, R. 85−37327
Rao, K.R. *see* Rao, A.S. 86−61574
Rao, K.R. *see* Rao, P.R.S. 87−18150
Rao, K.R. *see* Rath, O. 88−371, 88−72925
Rao, K.R. *see* Sasikumar, M. 86−1323
Rao, K.R. *see* Srinivasan, R. 85−13639, 85−63096, 86−24178, 87−20291, 87−41263, 88−29151
Rao, K.R. *see* Tadokoro, Y. 87−39765
Rao, K.R. *see* Venkataraman, S. 86−54560, 88−49618
Rao, K.R. *see* Walker, D.R. 85−13640, 85−14442, 85−41997, 88−15776
Rao, K.R. *see* Yeung, K. 87−52088
Rao, K.R. *see* Yip, P. 85−49531, 86−57412, 87−36565, 88−31584
Rao, K.R. *see* Yip, P.C. 86−16382
Rao, K.Radhakrishna *see* Radhakrishna Rao, K.
Rao, K.Raghavendra *see* Raghavendra Rao, K.
Rao, K.Ramamohan *see* Ramamohan Rao, K.
Rao, K.Ranganatha *see* Ranganatha Rao, K.
Rao, K.S., Karlsson, I. Low sidelobe design considerations of large linear array antennas with contiguous subarrays 87−54734
Rao, K.S., Moody, H.J. A new parametric template for shaped beam satellite antenna patterns 87−26939
Rao, K.S., Moody, H.J. Modeling of shaped beam satellite antenna patterns 87−61457
Rao, K.S., Shafai, L. Phase center calculations of reflector antenna feeds 85−2704
Rao, K.S., Venkatachalam, P., Sowmya, A., Krishnamohan, B., Kandya, A.K., Majumdar, T.J. Study on soil moisture over Indian land mass using satellite microwave radiometer data 85−59466
Rao, K.S. *see* Newell, R.J. 86−18642
Rao, K.Sankara *see* Sankara Rao, K.
Rao, K.S.P. *see* Mohan, P. 87−4212
Rao, K.S.Prakasa *see* Prakasa Rao, K.S.
Rao, K.S.Ranga *see* Ranga Rao, K.S.
Rao, K.Srinivasa *see* Srinivasa Rao, K.
Rao, K.Subba *see* Subba Rao, K.
Rao, K.Sudhakar *see* Sudhakar Rao, K.
Rao, K.V., Elahy, M., Bordelon, D.M., Banerjee, S.K., Tsai, H.L., Richardson, W.F., Womack, R.H. Trench capacitor design issues in VLSI DRAM cells 87−44844
Rao, K.V., Malmhall, R., Gudimetta, K., Hadjipanayis, G.C. Crystallization and magnetic studies in melt-spun Fe$_{77}$Nd$_{15-x}$R$_x$B$_8$ ribbons 87−12038
Rao, K.V., Malmhall, R., Hadjipanayis, G.C. Low-field magnetic properties of Fe-Nd-based permanent magnets 86−15357
Rao, K.V. *see* Varma, S. 85−11985
Rao, K.V.Chalapathi *see* Chalapathi Rao, K.V.
Rao, K.Veerabhadra *see* Veerabhadra Rao, K.
Rao, K.Venkata *see* Venkata Rao, K.
Rao, K.V.N., Buch, N.J. Role of ERDA in achieving economy and reliability in rural electrification [distribution networks] 85−15581
Rao, K.V.N., Nagaraja, G.R. Types of system disturbances and overvoltages: an overview 85−53313
Rao, K.V.N., Saxena, S.N., Suryanarayana, T., Mukhopadhyay, S.C. Static frequency converter starting of microsynchronous motor 85−5130
Rao, K.V.N. *see* Rangnekar, S. 86−26082
Rao, K.V.R.Prabhakara *see* Prabhakara Rao, K.V.R.
Rao, K.V.S. *see* Das, B.N. 86−42904
Rao, K.V.Seshagiri *see* Seshagiri Rao, K.V.
Rao, K.V.Seshargiri *see* Seshargiri Rao, K.V.
Rao, K.V.S.Hanumantha *see* Hanumantha Rao, K.V.S.
Rao, K.V.S.S.Prasad *see* Prasad Rao, K.V.S.S.
Rao, L. A user's perspective on ISDN 87−40248
Rao, L., Blount, G. The EDS evolution to a private ISDN 87−40615
Rao, L.Kameswara *see* Kameswara Rao, L.
Rao, L.V. *see* Kapur, S.B. 85−15535
Rao, L.Venkateswara *see* Venkateswara Rao, L.
Rao, L.V.Gangadhara *see* Gangadhara Rao, L.V.
Rao, M., Acharya, S., Samuel, A.M., Srivastava, O.N. The electronic behaviour of polytypes relevance to energy conversion 87−22723
Rao, M., Ula, S. Magnetostatic analysis of electrical systems using three-dimensional finite element modelling 86−59012
Rao, M. *see* Krishnan, S. 85−62836
Rao, M.A., Caine, E.J., Kroemer, H., Long, S.I., Babic, D.I. Determination of valence and conduction-band discontinuities at the (Ga,In) P/GaAs heterojunction by *C-V* profiling 87−32295
Rao, M.A., Caine, E.J., Long, S.I., Kroemer, H. An (Al,Ga)As/GaAs heterostructure bipolar transistor with nonalloyed graded-gap ohmic contacts to the base and emitter 87−32486
Rao, M.A., Long, S.I., Kroemer, H. A self-aligned AlGaAs/GaAs heterostructure bipolar transistor with non-alloyed graded-gap ohmic contacts to the base and emitter 88−39419
Rao, M.G., Scurlock, R.G. Recent advances in Si and Ge diode cryogenic thermometers 85−47964
Rao, M.G., Scurlock, R.G. A silicon diode thermometer with integrated circuit instrumentation package for operation between 77.5 K and 290 K 87−70635
Rao, M.G. *see* Chhatwal, H.L. 85−31566
Rao, M.G. *see* Dubey, G.C. 87−295
Rao, M.G. *see* Haseler, L.E. 85−53659
Rao, M.G. *see* Igra, R.M. 87−41503
Rao, M.J.M., Sastry, V.A. System level simulation for training simulators 86−45975
Rao, M.K., Chua, K.Y., Lim, S.L. Fabrication of 16-bit DAC using infra-red fired thick film process 87−17574
Rao, M.K., Chua, K.Y., Lim, S.L. Effects of infra-red firing on the properties of low-K thick film dielectric compositions 88−1201
Rao, M.K., Chua, K.Y., Lim, S.L. Fabrication of 16-bit DAC using infrared fired thick-film process 88−25286
Rao, M.K., Goh, C.C. Computer aided laser ranging and detection system 88−28978
Rao, M.K., Lee, B., Hai, L.C., Yeo, D. Receiver uses thick film technology 87−13680
Rao, M.K., Looh Chee Wai Investigations on infra-red fired thick film resistor layers 86−53278
Rao, M.K. *see* Chin, E. 85−9389
Rao, M.K. *see* Reddi, C.K. 88−66821
Rao, M.Mukunda *see* Mukunda Rao, M.
Rao, M.P. *see* Jain, A. 85−25575
Rao, M.P.U. Production assembly and testing 87−98
Rao, M.Purnachandra *see* Purnachandra Rao, M.
Rao, M.R. *see* Conforti, M. 87−72998
Rao, M.R. *see* Subbaiah, R.R. 86−12951
Rao, M.S. *see* Gupta, G.D. 86−33088
Rao, M.S. *see* Mukundan, T.R. 88−43159
Rao, M.Srirama *see* Srirama Rao, M.
Rao, M.V. Liquid-phase epitaxial growth and characterization of low carrier concentration *n*- and *p*-type In$_{0.53}$Ga$_{0.47}$As 86−13747
Rao, M.V. Electrical and optical nonuniformity of Si-implanted and rapid thermal annealed InP:Fe 86−58375
Rao, M.V. Photoluminescence study of the Si-implanted and rapid thermal annealed InP:Fe 87−32391

Rao, M.V., Bhattacharya, P.K. High-gain $In_{0.53}Ga_{0.47}As$:Fe photoconductive detectors 85–3991
Rao, M.V., Bhattacharya, P.K. Fe and Cr doping of liquid-phase epitaxial $In_{0.53}Ga_{0.47}As$/InP 85–23639
Rao, M.V., Bhattacharya, P.K. Properties of semi-insulating $In_{0.53}Ga_{0.47}As$ epitaxial lasers and photoconductive detectors 86–2969
Rao, M.V., Bhattacharya, P.K., Chung-yih Chen Low-noise $In_{0.53}Ga_{0.47}As$:Fe photoconductive detectors for optical communication 86–30791
Rao, M.V., Keating, M.P., Thompson, P.E. Si- and Be-implantations in InP:Fe activated by halogen lamp rapid thermal annealing 88–64382
Rao, M.V., Kruppa, W. Ion implantation of Si in semi-insulating $In_{0.53}Ga_{0.47}As$:Fe 86–35544
Rao, M.V., Thompson, P.E. Two-step rapid thermal annealing of Si-implanted InP:Fe 87–60267
Rao, M.V. *see* Kundu, M.K. 87–27605
Rao, M.V. *see* Samuel, R. 87–35461
Rao, M.V.C., Chandra, K.S. A new line search for optimization algorithms 85–28154
Rao, M.Venkateshwara *see* Venkateshwara Rao, M.
Rao, M.Venkateswara *see* Venkateswara Rao, M.
Rao, M.V.Krishna *see* Krishna Rao, M.V.
Rao, M.V.Prasada *see* Prasada Rao, M.V.
Rao, N. Microcomputer spreadsheet calculations for application in power systems 85–9430
Rao, N.D. Second generation microcomputer spreadsheets: advanced applications to electrical power systems 87–30094
Rao, N.D. Reply to comment on 'Real-time monitoring of power systems using fast second-order method' 87–64066
Rao, N.D. Typical applications of a microcomputer database manager to power system problems 87–77939
Rao, N.L. *see* Mohan, S. 88–66956
Rao, N.N. *see* Prasad, G. 87–16557
Rao, N.P.Ramasubba *see* Ramasubba Rao, N.P.
Rao, N.R. *see* Huraib, F.S. 88–17465
Rao, N.R. *see* Salim, A.A. 87–15603, 87–42729
Rao, N.S.R., Veluchamy, V.K. Applications of optical fibres for power systems communications 86–37909
Rao, N.U. The General Motors GF6C electric locomotive 86–7273
Rao, N.U.M. *see* Pal, S. 87–20474
Rao, N.Umesh *see* Umesh Rao, N.
Rao, N.V. *see* Franken, A. 86–67642
Rao, N.Venkateswara *see* Venkateswara Rao, N.
Rao, P., Ramnarayan, R., Zimmermann, G. SPIDER, a chip planner for ISL technology 85–757
Rao, P.A.D. *see* Kotrappa, P. 85–20973
Rao, P.B. *see* Balan, N. 85–13116
Rao, P.B. *see* Nayar, S.R. 85–36128
Rao, P.K., Anderson, R.K., Ellrod, G.P. Water vapor imagery: a new observation for weather analysis 87–29942
Rao, P.K., Anderson, R.K., Ellrod, G.P. Water vapor imagery: a new observation for weather analysis 88–15403
Rao, P.Kamaleswara *see* Kamaleswara Rao, P.
Rao, P.M.Shanker *see* Shanker Rao, P.M.
Rao, P.N.A.P. The impact of power amplifiers on spectrum occupancy—theoretical models and denied channel calculations 85–612
Rao, P.N.A.P. Design of modern military communication systems for electromagnetic compatibility 87–2731
Rao, P.N.A.P., Boopathy, G. Analysis and classification of communication signals 86–36995
Rao, P.N.A.P., Boopathy, G., Prasad, J. EMC math models of voltage controlled oscillators and frequency synthesizers analysis and measurements 85–62835
Rao, P.P., Rao, K.B. Continuous Hg microflow meter for ion thruster ground tests 85–31526
Rao, P.P., Sundar, R. A compatible and economical 3-D TV system 85–52513
Rao, P.Prabhakar *see* Prabhakar Rao, P.
Rao, P.R. On development of circulators in mm-wave region 87–45190
Rao, P.R., Shah, K.V., Mahida, N.U. Energy conservation: steps taken at a fertilizer company 86–13226
Rao, P.R. *see* Kalyanasundaram, N. 86–37089
Rao, P.Raghavendra *see* Raghavendra Rao, P.
Rao, P.Ragothama *see* Ragothama Rao, P.
Rao, P.R.K. *see* Visweswariah, S. 86–30849
Rao, P.R.S., Bhat, K.N., Rao, K.R. High-sensitivity MOS varactor 87–18150
Rao, P.S. Maximisation of power and energy from existing hydro plants 85–4988
Rao, P.S. Insulating oils for transformers-operational aspects and maintenance approaches 85–44037
Rao, PS. Reactive power balance in system planning and necessity of series compensation for long lines 85–48518
Rao, P.S. Field performance of high voltage switchgear 86–12948
Rao, P.S. Modern protection schemes and their performance in large system [power networks protection] 86–56486
Rao, P.S., Johnson, D.H. A first-order AR model for non-Gaussian time series 88–66557
Rao, P.S., Misra, S.C. Neutron sensitivity of vanadium self-powered neutron detectors 87–29468
Rao, P.S., Ramachandran, V. Evaluation of performance criteria of the CSI-IM drive system 88–75978
Rao, P.S. *see* Batta, K.K. 85–38895
Rao, P.S. *see* Chawla, M.M. 85–22410, 85–44645, 86–46280, 86–62169, 87–5376, 87–44226
Rao, P.S. *see* Johnson, D.H. 87–61919
Rao, P.S. *see* Sharma, S.N. 85–15534
Rao, P.S.Nagendra *see* Nagendra Rao, P.S.
Rao, P.Sudhakara *see* Sudhakara Rao, P.
Rao, P.V., Kong, T.C., Sastry, V.V. A new algorithm for a nonlinear multicriteria decision-making problem 85–44046
Rao, P.V.Dharma *see* Dharma Rao, P.V.
Rao, P.V.S. Microelectronics and digital systems impact on the Indian scene 85–27946
Rao, P.V.S., Paliwal, K.K. Automatic speech recognition 87–33657
Rao, P.V.S. *see* Anand, K.C. 86–17160
Rao, P.V.S. *see* Narasimhan, R. 85–51845
Rao, P.V.S.Rama *see* Rama Rao, P.V.S.
Rao, R. Field dispersion measurements—a swept frequency technique [optical fibres] 85–29637
Rao, R. Pakistan's space profile 87–71198
Rao, R. Stability analysis of interacting queues in the ALOHA system 88–46371
Rao, R., Cook, J.S. High return loss connector design without using fibre contact or index matching 86–58757
Rao, R., Ephremides, A. Application of countable Markov chain theory to the transient and asymptotic behavior of multiple access protocols 85–51838
Rao, R., Meixner, W.C. Field dispersion measurement techniques 85–12628
Rao, R. *see* Aggarwal, S.K. 88–54395
Rao, R. *see* Ho, K.K.Y. 87–55433
Rao, R. *see* Malone, T.W. 87–76013
Rao, R. *see* Quade, R.N. 85–53420
Rao, R. *see* Rao, B.V. 88–28675
Rao, R. *see* Rodrigues, M.A. 87–55560
Rao, R.Adinarayana *see* Adinarayana Rao, R.
Rao, R.B., Banerjee, S., Anderson, W.A., Han, M.K. Excess currents in MINP-type solar cells 85–44184
Rao, R.C., Srinivasan, T.M. Biomedical and clinical engineering in third world countries 86–56082
Rao, R.C. *see* Keck, K.L. 88–31366
Rao, R.G. *see* Ahson, S.I. 85–38441, 86–61046
Rao, R.R. *see* Kwak. K.S. 88–46344
Rao, R.R. *see* Masry, E. 86–54577
Rao, R.R. *see* Prasad, M. 87–29192
Rao, R.S. *see* El-Hawary, M.E. 87–21867
Rao, R.Sankara *see* Sankara Rao, R.
Rao, S. Finding near optimal separators in planar graphs 88–12134
Rao, S. Broadband ISDN and the subscriber premises network 88–59796
Rao, S.B. *see* Prasad, S.D. 88–25723
Rao, S.G. *see* Chatopadhyay, R. 85–28675
Rao, S.H. *see* Yun, D.Y.Y. 85–39884
Rao, S.K., Kailath, T. Orthogonal digital filters for VLSI implementation 85–6445
Rao, S.K., Kailath, T. VLSI arrays for digital signal processing. I. A model identification approach to digital filter realizations 86–20600
Rao, S.K., Kailath, T. What is a systolic algorithm? 87–17006
Rao, S.M., Arvas, E., Sarkar, T.K. Combined field solution for TM scattering from multiple conducting and dielectric cylinders of arbitrary cross section 87–54520
Rao, S.M., Arvas, E., Sarkar, T.K. Combined field solution for TM scattering from multiple conducting and dielectric cylinders of arbitrary cross section 88–8459
Rao, S.M., Sarkar, T.K., Dianat, S.A. The application of the conjugate gradient method to the solution of transient electromagnetic scattering from thin wires 85–7621
Rao, S.M., Sarkar, T.K., Dianat, S.A. A novel technique to the solution of transient electromagnetic scattering from thin wires 86–63932
Rao, S.M., Sarkar, T.K., Dianat, S.A. A novel technique to the solution of transient electromagnetic scattering from conducting bodies 86–68733
Rao, S.M., Sarkar, T.K., Harrington, R.F. The electrostatic field of conducting bodies in multiple dielectric media 85–13183
Rao, S.M., Sarkar, T.K., Harrington, R.F. Analysis of multiconductor systems in multilayer dielectrics 86–28465
Rao, S.M. *see* Arvas, E. 87–7514
Rao, S.M. *see* Djordjevic, A.R. 86–10131
Rao, S.M. *see* Nayanathara, K. 86–42823
Rao, S.M. *see* Nayanthara, K. 87–54521
Rao, S.M. *see* Sarkar, T.K. 86–24431, 86–59023, 86–63933, 87–75373
Rao, S.M. *see* Umashankar, K. 86–63941
Rao, S.M. *see* Venkataraman, J. 86–10143
Rao, S.N. *see* Krithivas, G. 87–21684
Rao, S.R. *see* Raja, D. 88–41481
Rao, S.Ramchandar *see* Ramchandar Rao, S.
Rao, S.S., Gnanaprakasam, D.C. A criterion for identifying dominant singular values in the SVD based method of harmonic retrieval 88–73084
Rao, S.S. *see* Dhayanandhan, J. 85–21628
Rao, S.S. *see* Kapur, S.B. 85–15633
Rao, S.S. *see* McKee, B.W. 88–2919, 88–46132
Rao, S.Sathyanarayan *see* Sathyanarayan Rao, S.
Rao, S.S.S.P. *see* Kolluri, S.V. 87–17051
Rao, S.S.S.P. *see* Narayanan, K. 88–22052
Rao, S.S.S.P. *see* Sharma, A.K. 87–17052
Rao, S.S.S.P. *see* Vin, H.M. 88–32248
Rao, S.Subba *see* Subba Rao, S.
Rao, S.T., Trager, L., Slawny, T. Test for determining acceptability of brightener 85–44819
Rao, S.U.M. *see* Padam, G.K. 86–46358, 87–44365, 88–31819
Rao, S.V. *see* Prakash, R. 87–43521, 87–78985
Rao, S.V.L.N. *see* Johnson, J.H. 87–7863
Rao, S.V.S.P.Sudhakara *see* Sudhakara Rao, S.V.S.P.
Rao, S.V.Subba *see* Subba Rao, S.V.
Rao, T., Lacourse, J.R. A discrete electro-oculographic system controlled robotic arm for the handicapped 88–16790
Rao, T.A.P. *see* Dixit, P.S. 86–58796
Rao, T.A.Prasada *see* Prasada Rao, T.A.
Rao, T.C.K. Electromagnetic wave propagation over a rotating dielectric cylinder 85–13194
Rao, T.C.K. Electromagnetic-wave propagation over a rotating dielectric cylinder 87–26895
Rao, T.C.K. Discrete modes of a coaxial metallized dielectric waveguide 87–33493
Rao, T.C.K. Bistatic scattering from a vegetative medium simulated by cylinders 87–61365
Rao, T.N. *see* Bohn, P.P. 85–30755
Rao, T.Raja *see* Raja Rao, T.
Rao, T.R.N. Joint encryption and error correction schemes 85–19357
Rao, T.R.N., Kil-Hyun Nam Private-key algebraic-coded cryptosystems 88–40816
Rao, T.R.N., Vathanvit, K. A class of $A(N+C)$ codes and its properties 86–3790
Rao, T.S., Arce, G.R. Vector dithering: binarization through unconventional image plane tessellation 88–34829
Rao, T.S., Arce, G.R. Halftone patterns for arbitrary screen periodicities 88–66704
Rao, T.S., Webb, J.B., Houghton, D.C., Baribeau, J.M., Moore, W.T., Noad, J.P. Heteroepitaxy of InSb on silicon by metalorganic magnetron sputtering 88–63290
Rao, T.S. *see* Reddy, P.V. 86–21150
Rao, T.Seshagiri *see* Seshagiri Rao, T.
Rao, T.S.Raghunath *see* Raghunath Rao, T.S.
Rao, T.Subba *see* Subba Rao, T.
Rao, T.Sudersena *see* Sudersena Rao, T.
Rao, T.Sugunakara *see* Sugunakara Rao, T.
Rao, T.V., Ramprasad, V. Switchgear for capacitor switching 86–12950
Rao, T.V. *see* Mokhariwale, N.R. 87–76569
Rao, U. *see* Barber, D.C. 87–33713
Rao, U.D.N. The Store-and-Forward Telegraph system 85–36631
Rao, U.M. *see* Acharya, G.N. 85–27388, 86–51753
Rao, U.R., Pant, N., Kale, P.P., Narayanan, K., Ramachandran, P., Singh, J.P. The Indian National Satellite System—INSAT 88–22014
Rao, U.V.Subba *see* Subba Rao, U.V.
Rao, V. PROM and octal latch make a simple, versatile 7-bit counter 85–6397
Rao, V. PAL circuit puts unused op. codes to work as 8085 interrupts 85–22786
Rao, V. Gate and instruction place nonmaskable interrupt under software control 85–22788
Rao, V., Gallagher, A., Hakoopian, H., Hatle, R. Truly modular MATE computer system 87–21729
Rao, V., Hoelzeman, R. A SPICE interactive graphics preprocessor 86–62360
Rao, V. *see* Overhauser, D. 86–67192
Rao, V.B. Flow-induced noise of a sonar dome. I 85–25940
Rao, V.B., Desai, M.P. Vertex eliminations in graphs 87–65362
Rao, V.B., Trick, T.N. A new approach to processing strongly connected circuit blocks in a waveform relaxation switch-level timing simulator 85–33864
Rao, V.B., Trick, T.N. Switch-level timing simulation of MOS VLSI circuits 86–58557
Rao, V.B., Trick, T.N. Network partitioning and ordering for MOS VLSI circuits 87–25558
Rao, V.B. *see* Arun, K.S. 88–1777
Rao, V.B. *see* Lai, F. 87–67597, 88–26531
Rao, V.B. *see* Shun-Lin Su 87–65716
Rao, V.B. *see* Su, L. 87–36938
Rao, V.B. *see* Yeh, D.C. 88–25166
Rao, V.J., Murthy, G.S.R.K., Sinha, A.P.B. Theoretical calculations on the performance of a-Si/c-Si heterojunction solar cells 85–44186
Rao, V.J., Samuel, V., Sinha, A.P.B. Study of the gap states in vacuum-deposited Zn_3P_2 Schottky barriers using admittance spectroscopy 87–60176
Rao, V.Koteswara *see* Koteswara Rao, V.
Rao, V.L. *see* Vyas, M.N. 87–44628
Rao, V.Lakshmana *see* Lakshmana Rao, V.

Rao, V.R. *see* May, T.C. 85−6252
Rao, V.Ranganadha *see* Ranganadha Rao, V.
Rao, V.S. *see* Pal, S. 87−10703, 87−17324, 87−20474
Rao, V.Seshagiri *see* Seshagiri Rao, V.
Rao, V.S.Subba *see* Subba Rao, V.S.
Rao, V.Subba *see* Subba Rao, V.
Rao, V.V. Over specifications in busbar interconnections—a techno-commercial analysis 86−56288
Rao, V.V. Maintenance criteria for generator and industrial bus systems 88−23311
Rao, V.V. *see* Dutta, H.N. 87−54545
Rao, V.V. *see* Raghuramireddy, D. 86−29873
Rao, V.V. *see* Raju, K.B. 87−27443
Rao, V.V. *see* Reddy, D.R. 85−46855
Rao, V.V. *see* Reddy, G.R. 87−33706, 87−69184, 88−8742
Rao, V.V. *see* Reddy, L.R.G. 86−10099
Rao, V.V. *see* Reedy, G.R. 87−47798
Rao, V.Vasudeva *see* Vasudeva Rao, V.
Rao, V.V.B., Rao, K.A. Enumeration of Hamiltonian circuits in digraphs 86−13906
Rao, V.V.B. *see* Vasu, E. 86−18779, 87−21191, 87−57483
Rao, V.V.Bapeswara *see* Bapeswara Rao, V.V.
Rao, V.Venkateswara *see* Venkateswara Rao, V.
Rao, Y.Mohan *see* Mohan Rao, Y.
Rao, Y.R., Deshpande, M.D. Analysis of stub-loaded square microstrip antenna for circular polarisation 88−20998
Rao, Y.S., Ghose, A.K. Voice transmission in satellite based packet networks 88−21414
Rao, Y.Syamasundara *see* Syamasundara Rao, Y.
Rao Bailiang *see* Song Ximing 88−27631
Rao Chervu, L. *see* Davis, L. 85−43398
Rao Kanaparty *see* Nichols, B. 86−23469
Rao Machiraju, N. *see* Havard, R. 88−3334
Rao Mie, P.S. *see* Batta, K.K. 85−27339
Rao S Hari *see* Hari Rao S
Rao Tata *see* Tata Rao
Rao Tummala, V.M. *see* Ellis, W.C. 86−61982
Rao Tummala, V.M. *see* Yono, F.W. 85−32301
Rao Tvkh *see* Tvkh Rao
Raol, J.R., Sinha, N.K. Orbit determination via UD-filters 85−51664
Raol, J.R., Sinha, N.K. On the orbit determination problem 85−59375
Raol, J.R., Sinha, N.K. Estimation of states and parameters of stochastic nonlinear systems with measurements corrupted by correlated noise 88−72942
Raol, K. *see* Gupta, A. 87−60511
Raol, K. *see* Pradhan, S. 87−60261
Raouf, D.N. *see* Bishop, G.J. 86−15605
Raouf, D.N. *see* Dyer, P.E. 85−29772, 86−3011
Raouf, S.S., Sadik, A.R., Wafi, N.K., Aboud, K.M. Measurement of noise power spectrum in photon counting PMTs and the effect of the observed ($1/f$) noise on astronomical photometry 87−17659
Raouf, W.Z.A. *see* Razzaq Al-Chlabi, A. 87−73192
Raoul, J.-C. A readout system for the Delphi TPC prototype 85−43279
Raoul, J.C. *see* Brand, C. 87−21430
Raoult, F. *see* Fortin, B. 86−21145
Raoux, D. *see* Bazin, C. 88−47812
Raoux, D. *see* Frouin, J. 88−42456
Raoux, D. *see* Goulon, J. 87−29401
Raoux, D. *see* Jucha, A. 85−15162
Rapa, A.C. Forms of contamination affecting device processing 85−55651
Rapacki, B.R. *see* Link, P.A. 86−49654
Rapagnani, N.L. The effect of heat release in a chemical laser cavity 86−3087
Rapagnani, N.L., Davis, S.L. Laser-induced fluorescence: a diagnostic for fluid mechanics 85−58948
Rapaport, J. *see* Taddeucci, T.N. 86−25153
Rapaport, L.M. *see* Gorfinkel, A.G. 88−29202
Rapaport, M.S., Engler, G. The internal conversion electron counting station at the Soreq online isotope separator 85−43303
Raparia, D., Planner, C.W., Mackenzie, G.H., Richardson, J.R. Efficient capture in an accumulator ring of 20000 turns of beam injected from TRIUMF 86−25005
Raparia, D. *see* Bizek, H.M. 88−16586, 88−57256
Raparia, D. *see* Craddock, M.K. 86−31908
Raparia, D. *see* DiBitonto, D. 87−50027, 87−56973
Raparia, D. *see* Heifets, S. 86−24961
Raparia, D. *see* Huson, F.R. 86−31828
Raparia, D. *see* McIntyre, P.M. 88−54067
Rapazian, P.B. *see* Collier, R.S. 87−26858
Rapeli, J., Leppavuori, S. Laser customization of silicon integrated circuits 87−53659
Rapeli, J. *see* Murto, T. 87−11930
Rapeli, J.H.A. Distributed RC filters in thick and thin film techniques 85−906
Raphael, H. *see* Braten, S. 88−30992
Raphaelian, M.L.A. *see* Dunford, R.W. 88−48078
Rapidis, P.A. *see* Blair, R. 85−15110
Rapidis, P.A. *see* Kuchnir, M. 85−59037
Rapier, A.C., Rule, I.C., Green, R.A. Flow meters for the PAT loop 87−14625
Rapier, J.L. Scaling methods for rapid estimation of background clutter leakage 88−47522
Rapier, J.L., Liu, C.-C.C., Watson, D.C. Reconstruction of images made through turbulent media: analysis and comparison of selected methods 88−46251
Rapillo, A. *see* Carlomagno, G.M. 87−70891
Rapillo, S. *see* Colombo, S. 85−42400
Rapin, D. *see* Arignon, M. 85−48171
Rapin, V.V. The approximation of the amplifier transfer characteristic in an oscillator 86−34578
Rapin, V.V. Self-excited tracking filter 87−31740
Rapisarda, L., DeCarlo, R. Fault diagnosis in the tableau context with the assumption of limited simultaneous faults 85−22583
Rapley, C.G. *see* Griffiths, H.D. 87−57360
Rapley, C.G. *see* Wingham, D.J. 87−56301
Raponi, F. *see* Tommasino, L. 87−14774
Rapoport, B. *see* Bratslavets, P. 88−2131, 88−4660, 88−8060
Rapoport, B.M. *see* Gostev, A.V. 88−57601
Rapoport, D.A., Budadin, O.N. A model of automated nondestructive active thermal inspection 85−471
Rapoport, D.A. *see* Aleshin, V.I. 87−68759
Rapoport, D.A. *see* Bogomolov, N.M. 88−6559
Rapoport, E.S. Possibility of constructing a laser-radiation measurement device based on a scattering attenuator 87−75205
Rapoport, E.Ya., Zimin, L.S., Maleshkin, N.I. The induction heater as an element in a flexible automated production facility 87−9947
Rapoport, G.N., Shevchenko, L.V. H_{10} wave scattering in rectangular waveguide at opposed capacitative diaphragms with dielectric plate 87−45155
Rapoport, I., Itskov, B. PC controlled instrument for fetal breathing monitoring 88−48209
Rapoport, L.B. *see* Ignatov, I.I. 88−37776, 88−69928
Rapoport, N., Riddick, G., Machado, J.R.S. The effect of fast fire processing on thick film resistor properties 88−50555
Rapoport, R.W. *see* Sam, R.C. 86−22366
Rapoport, V.E., Minulin, R.S., Maratkanova, L.V. Testing a type P-57-2 boiler and auxiliary plant on Ekibastuz coal 86−33138
Rapoport, V.E. *see* Rogozhkin, V.V. 86−39270
Rapoport, V.O. *see* Babichenko, A.M. 85−36010
Rapoport, V.O. *see* Belyaev, P.P. 88−34299
Rapoport, W.R., Khattak, C.P. Titanium sapphire laser characteristics 88−65609
Rapoport, W.R., Samelson, H. Alexandrite slab laser 88−8173
Rapoport, W.R., Strauch, S. Nd:YAG slab oscillators, amplifiers and optical phase conjugation 88−20622
Rapoport, W.R. *see* Sam, R.C. 88−65793
Rapoport, Yu.G. *see* Kostenyuk, E.A. 88−27572
Rapoport, Yu.G. *see* Zavislyak, I.V. 86−42097
Rapoport, Yu.M. Ultrasonic flaw detection in refractory products 87−10537
Rapp, C. *see* Franz, J. 86−43247
Rapp, C.J. *see* Moers, H. 85−32287
Rapp, D., Bjorkvall, C. Handling of software—the backbone of information technology 86−59491
Rapp, D. *see* de Rochemont, P. 88−67862
Rapp, E.W. Water cooling of lasers: design considerations and techniques 85−41363
Rapp, J.E. *see* Wheeler, R. 86−2020
Rapp, K. *see* Murphy, R.J. 87−17022
Rapp, L., Brady, J., Fisher, T., Park, C. 64 mm module gap simulation 86−46114
Rapp, P. Quenching gases for limited-streamer operation 86−44583
Rapp, P. *see* Chang, C.Y. 88−29902
Rapp, V., Holzl, G., Georgiou, C. An expert system functional description for parameterized cells 87−59383
Rappaport, A. Hands-on semicustom-IC design assesses core-μP systems 85−1733
Rappaport, A. Hands-on partitioning yields optimum chip spec. II [Semicustom-IC design] 85−7080
Rappaport, A. Determining semicustom-IC users' needs 85−22827
Rappaport, A. Hands-on behavioral modeling precedes full system analysis [semicustom IC design] 85−33577
Rappaport, A.S. Semicustom ICs: addressing the mainstream 86−35807
Rappaport, A.S. The profit motive for creativity [electronic design] 86−46028
Rappaport, A.S. The forgotten role of quality in automated design 86−66626
Rappaport, A.S. Expectation meets reality: the impact of user-specific ICs on the worldwide semiconductor market 87−6819
Rappaport, C.M. An offset bifocal reflector antenna design for wide-angle beam scanning 85−19214
Rappaport, C.M. High resolution thinned array synthesis based on an optimized mapping function 87−19294
Rappaport, C.M., Morgenthaler, F.R. Localized hyperthermia with electromagnetic arrays and the leaky-wave troughguide applicator 86−60813
Rappaport, C.M., Morgenthaler, F.R., Lele, P.P. Experimental study of the controllable microwave troughguide applicator 87−71163
Rappaport, C.M., Zaghloul, A.I. Optimized three-dimensional lenses for two-dimensional scanning 85−13431
Rappaport, C.M., Zaghloul, A.I. Optimized three-dimensional lenses for wide-angle scanning 86−22802
Rappaport, D.M. The integrated office—realizing a dream 85−8017
Rappaport, D.M. Voice mail: key tool or costly toy? 87−7962
Rappaport, D.M. The intelligent network manager 88−9185
Rappaport, D.M. *see* Ginsburg, L.D. 86−37478
Rappaport, G. US markets for fiber optic military systems 85−63676
Rappaport, G., Kelbel, J. Microwave antenna systems advanced through plastic technology 85−46628
Rappaport, G., Kelbel, J. Microwave antenna systems advanced through plastic technology 87−39477
Rappaport, S.S. Rapid code acquisition schemes for spread spectrum packet signals 88−53130
Rappaport, S.S. *see* Choudhury, G.L. 85−63131
Rappaport, S.S. *see* Hong, D. 86−55226, 87−20418, 87−28444, 88−46935
Rappaport, S.S. *see* Joseph, K. 86−16624, 87−28440
Rappaport, S.S. *see* Kolavennu, V.R. 85−20090, 87−3064
Rappaport, S.S. *see* Putman, C.A. 86−37715
Rappaport, S.S. *see* Su, S.-L. 85−10589
Rappaport, S.S. *see* Wilson, N.D. 86−4501, 86−10998, 86−54637, 87−39829, 88−28642
Rappaport, T.S. Wide-band test antennas 88−52289
Rappaport, T.S. Delay spread and time delay jitter for the UHF factory multipath channel 88−72561
Rappaport, T.S., McGillem, C.D. Characterising the UHF factory radio channel 87−75424
Rappaport, Y. *see* Tamir, I. 87−56058
Rappard, A.von *see* von Rappard, A.
Rappaz, J. *see* Descloux, J. 86−7706
Rappaz, M., Dekumbis, R. Numerical simulation of treatment of materials by laser 88−20819
Rappeneau, T. *see* Gheorghiu, A. 85−28253
Rappeneau, T. *see* Theye, M.-L. 87−66927
Rappengluck, W. The production of 3-phase locomotives of series 120 on the DB 87−79039
Rappoport, E. *see* Benzschawel, T. 87−8695
Rappoport, G., Russo, D. The robot dons a uniform. [Fiber optics/robotics connection] 86−11084
Rappoport, M.E. *see* Leventseva, I.F. 87−45504
Rappoport, P., Goetz, M.L. Ridge estimation of price sensitivities for long distance telephone demand for Bell competitors 85−8047
Rapson, J., Grainer, W. The routine use of wind and solar data in the sizing of small wind turbine and photovoltaic power plants 88−62287
Raptis, A.C. *see* Sheen, S.H. 86−18181
Raptis, S., Dimitriadis, G. Artificial beta-cell: past, present and future 87−57204
Raptodimos, T. *see* King, W. 87−19078
Raptsun, N.V. *see* Tonkal', V.E. 88−69289
Raquet, C.A. *see* Kunath, R.R. 88−2854
Raquib, M.A. *see* Sarkar, M.R. 85−34461
Rarback, H., Jacobsen, C., Kirz, J., McNulty, I. The performance of the NSLS mini-undulator 88−47806
Rarback, H., Krinsky, S., Mortazavi, P., Shu, D., Kirz, J., Jacobsen, C., Howells, M. An undulator source beamline for soft X-ray imaging 86−60650
Rarback, H., Shu, D., Feng, S.C., Ade, H., Kirz, J., McNulty, I., Kern, D.P., Chang, T.H.P., Vladimirsky, Y., Iskander, N., Attwood, D., McQuaid, K., Rothman, S. Scanning X-ray microscope with 75-nm resolution 88−29937
Rarback, H. *see* DiGennaro, R. 88−42365
Rarback, H. *see* Howells, M. 86−10008
Rarback, H. *see* Jacobsen, C. 87−26638
Rarback, H. *see* Kirz, J. 85−31773
Rarback, H. *see* Mortazavi, P. 86−60660
Rarback, H. *see* Shu, D. 86−60495, 88−48060
Rarback, H. *see* Vladimirsky, Y. 88−48062
Rarback, H.M. *see* Nawrocky, R.J. 88−47814, 88−47853
Rardin, R.L. *see* Richey, M.B. 85−44608
Rarenko, I.M. *see* Baranskii, P.I. 87−17744
Rarenko, I.M. *see* Gorbatyuk, I.N. 85−28970
Rarenko, I.M. *see* Pustyl'nik, O.D. 86−8790
Rarich, T.D. Data communications: how did we manage without them? 85−13873
Rarick, J.A. A short review of fiber optics technology 85−3479
Rarick, J.A. A mathematical model for the minimum detectable effective cross-section for an ultrasonic motion sensor (UMS) 87−77913
Rarick, J.A. *see* Robertson, M.D. 85−138
Raridon, R.J., Whealton, J.H., Wooten, J.W., McGaffey, R.W., Wooten, D.E., Tsai, C.C. An example of energy straggling in an ion accelerator 85−37878
Raridon, R.J. *see* Whealton, J.H. 87−8806 to 8807, 88−4782, 88−40642, 88−47875

Rarig, H.M. *see* Russell, D.L. 88−21695

Rarinca, O., Defta, M. Equipment for predicting transitory recovery voltage presumed in testing circuits for commutation capacity 88−60846

Rarity, J.G., Ridley, K.D., Tapster, P.R. Absolute measurement of detector quantum efficiency using parametric downconversion 88−14268

Rarity, J.G. *see* Brown, R.G.W. 87−26187, 87−68273

Rarity, J.G. *see* Tapster, P.R. 87−74932, 88−45550

Rasajski, S.B., Petrovic, Z.R. Computer aided calculation of the effect of correction terrain factors and its usage in determination of coverage area 88−2589

Rasakhoo, N. *see* Kagiwada, H. 85−33365

Rasala, E. A RISC implementation on chip and board 87−44871

Rasaratnam, D.K. An accurate wideband noise generator and a high-stability reference source 88−35800

Rasat Muhamad, M., Salam, R., Abdul Gani, S.M. $Cd_xZn_{1-x}S$: compositional effects on the fundamental absorption edge and photoconductivity 85−1299

Rasch, A., Buss, W., Rottschalk, M., Karthe, W. Fast integrated optical modulator of Mach-Zehnder type on $LiNbO_3$ substrate 85−50986

Rasch, A., Karthe, W. Integrated optics for monomode optical fibre communication 87−76776

Rasch, A., Rottschalk, M., Karthe, W. Suppression of outdiffusion in $Ti:LiNbO_3$ 85−41112

Rasch, A., Rottschalk, M., Karthe, W. Optimization of $Ti:LiNbO_3$ directional couplers and their application to a Mach-Zehnder interferometer modulator 86−9599

Rasch, A. *see* Rottschalk, M. 85−41111, 85−50941, 88−39964

Rasch, E. Strike-up and operating characteristics of HF fluorescent lamps 87−51614

Rasch, J. Facsimile: an effective mode of business communication 85−13817

Rasch, K.-D. *see* Roy, K. 87−9825

Rasch, K.-D. *see* Schilling, R. 87−78934

Rasch, K.-D. *see* Schmidt, W. 86−34344

Rasch, K.-D. *see* Strobl, G. 87−9743

Rasch, K.-D. *see* Uebele, P. 88−5899

Raschbichler, H.G. The TRANSRAPID Maglev fast train 87−64869

Raschbichler, H.G., Wackers, M. Status in the Maglev and linear drive technology program in the Federal Republic of Germany 87−64919

Raschke, C., Wilde, P., Hill, C. Sputtering dose control of ion mill processing 88−51137

Raschke, E. *see* Armbruster, P. 87−42215

Raschke, T. *see* Kaufmann, C. 86−28238

Raschke, T. *see* Krauss, D. 88−33062

Raschke, T. *see* Rockoff, A. 87−32446

Raschke, T. *see* Temmler, D. 85−39814

Rascoe, T., Sorek, S. An efficient algorithm integrating a discretized mesh and a profile solver 85−28201

Rascon-Chavez, O.A., Moreno-Pecero, G. Prospectives to continuing education in the faculty of engineering of the National Autonomous University of Mexico 87−23084

Rascu, E.P. Electrical energy distribution in Romania at the highest alternating voltage used worldwide in power systems. The 750/400 kV substation at Isaccea 87−72189

Rascu, P., Stoleru, B., Voinea, D. Some specific features of the solution applied by ISPE to the Isaccea 750/400 kV transformer substation design 87−50635

Rascu, P.E. Main energy-related problems at the nuclear power plant construction. High voltage diagrams used. The worldwide situation 88−62024

Rascu, P.E. Main electrical equipment and the locations of high voltage substations of nuclear power plants. A worldwide survey 88−62025

Rascu, P.Emil *see* Emil Rascu, P.

Rasdorf, W.J., Storaasli, O.O. Educational fundamentals of computer-aided engineering 88−69

Rase, W.D. Internationally applicable [extensions to ASCII] 86−43174

Rasek, E. The technique of magnetomotive stores. I. The fundamentals of storage techniques 86−47964

Rasek, E. The technique of magneto-motor storage. II. Special modulation codes 86−48776

Rasek, E. Present-day developments in magnetic tape data storage 88−51340

Rasenberg, C.J.F.M., Huisman, H.F. Measurement of the critical pigment volume concentration of particulate magnetic tape 85−18560

Rasenberg, C.J.F.M. *see* Huisman, H.F. 85−29450

Rasera, R.L. *see* Jaeger, H. 87−77591

Raseta, M., Prpic, B. General overhaul of large synchronous generators 85−32461

Rasetti, M. *see* D'Ariano, G. 86−62464

Rasetti, W. *see* Peuto, A. 85−64310

Rash, B., Bodenkamp, J. MS-DOS and Unix in one processor: the 80386 unit processes instruction codes of the iAPX family 86−14254

Rash, B. *see* Slager, J. 86−1112

Rash, C.E., Verona, R.W. Temporal aspects of electro-optical imaging systems 87−70450

Rash, J. A prototype expert systems in OPS5 for data error detection 87−34524

Rash, J.P.S., Gledhill, J.A. Ionospheric propagation from Sanae, Antarctica, to Grahamstown, South Africa 85−36032

Rash, J.P.S., Gledhill, J.A. Ionospheric propagation over the 4469 Km path from Sanae, Antarctica, to Grahamstown, South Africa: a preliminary analysis 85−42469

Rash, J.P.S. *see* Gledhill, J.A. 86−59057

Rash, N.M., Spooner, E., Howe, D. A permanent magnet alternator for use as an electrodynamic railway brake 86−33366

Rash, P. Marketing [teleconferencing] 85−8616

Rash, P.R. Video-teleconferencing 86−17667

Rash, W., Jr. E-mail for the masses 85−19713

Rash, W., Jr. CQ reviews: the Heathkit HD-3030 RTTY terminal interface 85−30633

Rash, W., Jr. Meeting the challenges of computer communications 85−30712

Rashad Said, A. Improvement of the success of single-phase reclosing on long transmission lines 87−30219

Rashchenkin, A.P., Kondratenko, I.P., Vishtak, P.A., Krutilin, V.A. Transverse edge effect in asynchronous machines with a ferromagnetic working body 86−66077

Rashchenkin, A.P. *see* Vishtak, P.A. 88−23977

Rashchepkin, A.P. *see* Vishtak, P.A. 85−60258, 86−12812, 86−52057, 87−58168

Rashed, A.F., Metwally, M. Statistical simulation methods for investigating the structure of reliability optimization 88−43745

Rashed, A.M., El Hamalaway, H.A. A new microprocessor-based automatic stress-test medical system 88−48101

Rashed, A.M.H., Awad, M.M. Power system reinforcement through reliability and revenue considerations 88−36811

Rashev, T.A. Determination of the characteristics necessary for the design of systems for the diagnostics of complex radioelectronic objects 85−158

Rashevi, K.K. *see* Krogeris, A.F. 87−9665

Rashevics, K. *see* Krogeris, A. 87−50623, 88−1625, 88−5325, 88−7091

Rashevits, K.K. *see* Krogeris, A.F. 87−78062

Rashid, A. *see* Collar, A.J. 88−45450

Rashid, A. *see* Pulver, M. 87−32670

Rashid, A.A. *see* Goodwin, A.R. 88−20684

Rashid, A.A.M., Butlin, R.S., Murison, R.F., Griffiths, I.R., Anslow, P., Collar, A.J., Moule, D.J. Characteristics and reliability of DFB RWG lasers emitting at 1.5 μm wavelength 88−4061

Rashid, A.A.M., Janssen, A.P. Characteristics and reliability of long wavelength semiconductor lasers 87−54350

Rashid, A.A.M., Murison, R.F., Haynes, J.D., Janssen, A.P., Stockton, T.E., Henshall, G.D. High reliability low threshold in InGaAsP ridge wavelength lasers emitting at 1.3 μm 88−20652

Rashid, A.M., Murison, R., Haynes, J., Henshall, G.D., Stockton, T.E., Janssen, A. High reliability low-threshold InGaAsP ridge waveguide lasers emitting at 1.3 μm 88−34035

Rashid, A.R. The effective shielding effectiveness of a space vehicle 86−60866

Rashid, A.R. The effective shielding effectiveness of a space vehicle 87−26825

Rashid, H. *see* Bhattacharya, R.S. 86−1821

Rashid, K., Talaat, H., Moret, R. Optimal output local control of multimachine power systems 86−50813

Rashid, K., Talaat, H., Moret, R. A multimachine power system model including transient saliency for linear optimal control application 87−35593

Rashid, M.A., Bhuiyan, M.A.H. An aerial system for high power shortwave transmitter 86−17568

Rashid, M.A., Rao, C.S.R. Ground conductivity of Bangladesh 85−24814

Rashid, M.A. *see* Dunlop, J. 85−36216, 86−54894, 87−55772, 88−3317

Rashid, M.H. Dynamic responses of automatic armature and field control DC series motor 85−27429

Rashid, M.H. Transient responses of combined regenerative and rheostatic braking for DC chopper-fed motors 86−19290

Rashid, M.H. Power electronics. Circuits, devices, and applications 88−62865

Rashid, M.H., Aboudeana, M. Analysis of forced commutated techniques for AC-DC converters 86−66181

Rashid, M.H., Bhadra, S.N. Filter design for multiphase DC choppers 85−28622

Rashid, M.H., Bhadra, S.N. Sequential choppers for field control of DC series motors [traction drive applications] 87−43082

Rashid, M.H., Maswood, A.I. Analysis of 3-phase AC-DC converters under unbalanced supply conditions 86−45573

Rashid, M.H., Maswood, A.I. Harmonics generated by AC-DC converters into the power supply 86−57648

Rashid, M.H., Maswood, A.I. A novel method of harmonic assessment generated by 3-phase AC-DC converters under unbalanced supply conditions 87−43244

Rashid, M.H., Maswood, A.I. Analysis of three-phase AC-DC converters under unbalanced supply conditions 88−69493

Rashid, M.H. *see* Bhadra, S.N. 86−39955

Rashid, M.H. *see* Bhattacharya, R.S. 86−21453

Rashid, M.H. *see* Chowdhury, N.A. 85−27534

Rashid, M.H. *see* Enjeti, P. 86−39748, 86−51614, 87−43221, 88−30670 to 30671, 88−62444

Rashid, M.H. *see* Khan, S.I. 86−51790, 87−30753, 87−43223, 87−78767, 88−30889

Rashid, M.H. *see* Rai, A.K. 86−47394

Rashid, M.H. *see* Sood, V.K. 86−7268

Rashid, M.H. *see* Tso, S.K. 88−43261

Rashid, M.H. *see* Ziogas, P.D. 85−27529, 86−12897, 86−12938, 87−4791

Rashid, R. Mach: layered protocols vs. distributed systems: a position paper 87−48711

Rashid, R. *see* Accetta, M. 87−2941

Rashid, R. *see* Papachristou, C.A. 85−33981

Rashid, R.F. *see* Mogul, J.C. 88−21654

Rashid, R.F. *see* Sansom, R.D. 87−20209

Rashid, Y.R. *see* Dunham, R.S. 85−65120

Rashid Ansari *see* Enis Cetin, A. 88−73196

Rashid Khan, A. *see* Basher, E. 86−39812

Rashidi, N.H., Trzynadlowski, A.M. Modelling of a current-controlled inverter operation under various control options 88−44052

Rashidzadeh, B., Lopes, L.B., Matthews, P.A. Design and performance of a Viterbi equaliser for GMSK modulation 88−15383

Rashidzadeh, B., Matthews, P.A. A channel estimation and synchronization technique for wideband TDMA systems 88−28155

Rashidzadeh, B. *see* Matthews, P.A. 86−37795, 86−37798, 87−8213

Rashkes, V.S. *see* Belyakov, N.N. 85−21160, 85−21225, 86−32846, 86−39226, 88−5790, 88−30394

Rashkes, V.S. *see* Kuz'micheva, K.I. 87−4452

Rashkes, V.S. *see* Scherer, H.N., Jr. 85−59757

Rashkinis, A.V. *see* Bloznyalis, M.Yu. 85−38440, 88−36791

Rashkov, S. *see* Todorov, I. 85−54140

Rashkovich, L.N. *see* Akhamanov, S.A. 85−35890

Rashleigh, S.C. *see* Czaplak, D. 86−48167

Rashleigh, S.C. *see* Czaplak, D.S. 86−28820

Rashupkin, V.I. *see* Antonov, V.E. 86−68193

Rashvand, H.F. Multilevel signals and trellis coding for data communication modems 86−10870

Rashvand, H.F. Nonlinear stream cipher cryptography 88−40803

Rashwan, A. *see* Kamel, M.S.A. 88−54566

Rashwan, A.A. *see* Taher, M.F. 88−68414

Rashwan, H.M., Aboul-Saoud, A.K., Kheirallah, H.N. Analytical investigation of LOS multipath propagation 87−61379

Rashwan, H.M. *see* Kheirallah, H.N. 87−26760

Rashwan, M. *see* Brandt, D. 87−35611

Rashwan, M.A., Fahmy, M.M. New technique for speaker-independent isolated-word recognition 88−52370

Rashwan, M.A., Fahmy, M.M. A new technique for speaker-independent isolated word recognition 88−66381

Rasig, W. *see* Heiss, W. 85−27455

Rasile, J. *see* Felice, D.B. 85−1132

Rasim, W. *see* Munser, H. 85−27276 to 27277

Rasin, W.H., Abrams, E.B. Nuclear construction in six years? 88−23641

Rasin, W.H., Beliveau, P.A. Pipe-wall thinning at nuclear power plants: the NUMARC program 88−62060

Rasinger, J. A mains operated time control switch 86−14594

Rasinkangas, R. *see* Kaila, K. 88−30167

Rask, M. Transistor for the future in GaAs−TEGFET 85−12277

Rask, M., Landgren, G. Process requirements for GaAs-DCFL 87−11970

Rask, M., Landgren, G., Andersson, S.G., Lundberg, A. Abrupt *p*-type doping transitions using bis(cyclopentadienyl)-magnesium in metal-organic vapor phase epitaxy of GaAs 88−64381

Rask, M. *see* Sahlen, O. 88−40328

Rask, S.D. *see* Nagarajan, R.M. 88−13558, 88−19874, 88−64797 to 64798

Raske, D.T. *see* Horak, J.A. 86−51368

Raski, G. Releasement investigation of polymer insulating foils by means of the analysis of the transient current 88−20193

Raski, G. Investigation of the high time-constant polarization of polymer insulating foils through the measurement of direct current transient 88−26609

Raski, G. *see* Balczo, Z. 86−2484

Raskin, L.Ya. Calculation of a stabilized parallel-series current inverter with improved utilization of capacitors 88−43273

Raskin, M.G., Tugarinov, V.N., Fomin, B.A. Characteristics of large hydroelectric generators for Chirkeiskaya Hydroelectric Power Plant 86−56694

Raskin, M.G. *see* Gol'denberg, S.I. 86−33203

Raskin, N.R., Adkin, P., Rankin, D.M., Campbell, J.C., Whaley, H. Coal/water fuel: its first full scale demonstration of manufacture, and use in a utility steam generator 86−32913

Raskin, V.K. Noise immunity of a coherent PSK demodulator with an optimum clock synchronization device and an ideal detector 87−44687

Raskin, V.K. *see* Peisakhov, L.A. 87−45253

Raskin, V.K. *see* Petrovich, N.T. 86−36904, 88−66796

Raskin, V.K. *see* Shakhmaev, M.M. 85−40212

Raskina, I.Kh. *see* Shesternina, G.P. 86−55863

Raskinis, A. *see* Paulauskas, M. 87−9104

Raskinis, A.V. *see* Bloznelis, M.Yu. 86−39041

Raskinis, A.V. *see* Paulauskas, M.A. 86−39042

Raskmark, P. Electromagnetic heating of cancer growths 85−4350

Raskmark, P. Build a simple real-time Smith chart reflectometer [using phase discriminator] 85−8934

Raskmark, P., Andersen, J.B. Focused electromagnetic heating of muscle tissue 85−4353

Raskmark, P. *see* Andersen, J.B. 86−56176

Raskosnov, M.A. *see* D'yakonov, V.N. 87−24342

Raskovalkina, E.A. *see* Ovodov, G.I. 86−55889

Rasky, P.D. *see* McLaughlin, M.J. 88−40786

Rasky, P.H.L., Greve, D.W., Kryder, M.H., Dutta, S. The feasibility of silicon on garnet technology 85−45712

Rasky, P.H.L. *see* Greve, D.W. 87−18329

Raslan, N.A. Computation of DC solution using hybrid formulation and PWL of nonlinear circuit elements 85−6133

Raslan, N.A. *see* Abou-Elsoud, M.E.A. 85−34059

Rasmussen, A.L., Sanders, A.A. Transfer standards for energy and peak power of low-level 1.064 micrometer laser pulses and continuous wave laser power 86−42469

Rasmussen, B. The Danish wind energy programme 85−15946

Rasmussen, C.E., Banks, P.M., Harker, K.J. The minimum distance to the far field in a magnetized plasma 87−19203

Rasmussen, C.E., Sojka, J.J., Schunk, R.W., Wickwar, V.B., De La Beaujardiere, O., Foster, J., Holt, J. Comparison of simultaneous Chatanika and Millstone Hill temperature measurements with ionospheric model predictions 88−36668

Rasmussen, D.J., Stillwell, J.H. Serial MSK modems for TDMA satellite equipment 87−20319

Rasmussen, E. *see* Jensen, A.S. 87−47880

Rasmussen, G., Rasmussen, P. Diagnostics by gated intensity 87−69199

Rasmussen, H. *see* Deakin, A.S. 88−355

Rasmussen, J. Conceptual models in man-machine design verification 86−45089

Rasmussen, J., Pedersen, O.M. Human factors in probabilistic risk analysis and in risk management 85−21327

Rasmussen, J.E. *see* Kossey, P.A. 86−59082

Rasmussen, J.E. *see* Osergaard, J.C. 86−59087

Rasmussen, J.E. *see* Sowa, M.J. 88−52228

Rasmussen, J.J. *see* Shukla, P.K. 86−36184

Rasmussen, J.L. Tools for testing in the SNA environment 87−55829

Rasmussen, J.R. Development of an advanced sodium/mixed sulfur-selenium battery system for space power applications 86−33624

Rasmussen, J.R. Advances in the development of sodium/sulfur-selenium cells 88−17886

Rasmussen, L. Audio design considerations for handicapped consumers 85−37347

Rasmussen, N. MOSFET-gate driver has unlimited on time 86−20250

Rasmussen, N. *see* Gelato, G. 88−54258

Rasmussen, N.J. *see* Cooper, T.C. 87−764

Rasmussen, P. Vector intensity measurements 88−68096

Rasmussen, P. *see* Rasmussen, G. 87−69199

Rasmussen, R., Carney, W. What means the degree of use in a gate array? Actually, very little, so one has to be critical 88−19035

Rasmussen, R., Chang, Y., White, F. Advanced testing techniques for structured ASIC products 86−67965

Rasmussen, R. *see* Chan, T. 87−59475

Rasmussen, R. *see* Gamal, A.E. 86−62604

Rasmussen, R. *see* Mills, T. 86−8032

Rasmussen, R. *see* Watkins, D. 87−59388

Rasmussen, R.A. *see* DasGupta, S. 85−1681

Rasmussen, S. RE digital 565 Mb/s CATV (RS 250 B, long haul) super trunking system 85−14462

Rasmussen, S.J. Expert system for depot maintenance of the dual miniature inertial navigation system 88−68581

Rasmussen, T.M. *see* Nordstrom, L.A. 88−61422

Rasmy, M.E. *see* Taher, M.F. 88−68414

Rasmy, M.E.M. *see* Kamel, M.S.A. 88−54566

Rasneur, J., Eba, F. Comparative study of electrical properties and stability of ZnO, CdO and HgO as a function of oxygen pressure at middle and high temperatures 88−32822

Rasnow, B. *see* Nelson, M.E. 88−36487

Raso, G. *see* Albrizio, R. 88−74766

Raso, G. *see* Amendolia, S.R. 85−9069, 85−15170

Raso, G. *see* Bagliesi, G. 88−48025

Raso, M.A., Tortajada, J., Escolar, D., Accion, F. A general fitting program for resolution of complex profiles 87−44186

Rasoanarivo, I. *see* Jufer, M. 87−30703

Rasolt, M., Halperin, B.I., Vanderbilt, D. Dissipation due to a 'valley wave' channel in the quantum Hall effect of a multivalley semiconductor 86−63024

Rasool, S.I. Potential or remote sensing for the study of global change 88−5105

Rasor, N.S. Analytical coadsorption model 85−21845

Rasor, N.S. Second-generation thermionic reactor (TRICE) 87−43479

Raspollini, C. *see* Bertolino, A. 87−7861, 87−48243

Raspollini, C. *see* Cappellina, V. 88−28021

Raspollini, C. *see* Cappellini, V. 86−3944, 87−19841, 87−75918

Raspollini, C. *see* Pareschi, M.T. 87−55339

Raspopov, O.M. *see* Titova, E.E. 86−22670

Raspopov, S.F. *see* Pashinin, P.P. 85−24503, 87−46811

Raspopova, S.F. *see* Pashinin, P.P. 85−12828

Rasquin, W. The expansion potentials and limitations of cable with built-in cooling 85−21205

Rasquin, W. Method for optimization of self-cooled cables 86−44982

Rasquin, W. Increasing of the limiting cable length by using forked arrangements 87−15333

Rasquin, W. Rear-drive for self-control cables 87−35638

Rasquin, W. Optimisation of forked cable connections 87−42476

Rasquin, W. The effect of thermal interferences of self-cooled cables 88−23503

Rasquin, W. The motor-cable in the low load region 88−43135

Rasquin, W. *see* Brakelmann, H. 87−78137

Rasquin, W. *see* Obojski, M.O. 88−54997

Rassadin, V.V. *see* Baev, V.K. 85−20783

Rassadin, V.V. *see* Vlasov, V.A. 86−24932

Rassadovskiy, V.A., Troitskiy, A.V., Volokhov, S.A., Sinenko, A.S. A five-millimeter band multichannel radiometer for remote thermal probing of the atmosphere 86−50108

Rassai, R., Newcomb, R.W. A two-torus oscillator 86−57714

Rassai, R., Newcomb, R.W. Realization of the connected sum of two knots 86−66900

Rassai, R., Newcomb, R.W. Van der Pol realization of torus knot oscillators 88−32041

Rassamakin, V.Ya. *see* Aivazov, V.Ya. 87−36807

Rassel, B.van *see* van Rassel, B.

Rassell, B.van *see* van Rassell, B.

Rassenti, S. *see* Pingry, D. 86−50922

Rasset, T.L., Niederland, R.A., Lane, J.H., Geideman, W.A. A 32-bit RISC implemented in enhancement-mode JFET GaAs 87−17105

Rasset, T.L., Niederland, R.A., Lane, J.H., Geideman, W.A. A 32-bit RISC implemented in enhancement-mode JFET GaAs 87−31943

Rasset, T.L., Niederland, R.A., Lane, J.H., Geideman, W.A. A 32-bit RISC implemented in enhancement-mode JFET GaAs 87−37370

Rasset, T.L. *see* Geideman, W.A. 88−6907

Rasset, T.L. *see* Misko, T.A. 88−19199

Rasshcheplyayev, Yu.S. *see* Pavlov, V.M. 87−20635

Rassi, D. *see* Ballhorn, R.K. 85−24778

Rassi, D. *see* Watson, J.H.P. 86−29328

Rasskazov, S.A. *see* Khaitun, F.I. 88−21184, 88−29393

Rasskazov, S.A. *see* Voznitskiy, M.V. 88−65492

Rasslan, N. *see* Elmansy, F. 88−22054

Rassmuson, G., Ohman, K. Evolution towards ISDN in Sweden 85−47101

Rassokhin, N.G., Kabanov, L.P., Kuznetsov, V.D., Adam, E., Wetzel, L., Kirchner, A., Kretschmer, S., Lippmann, W., Volker, U. Nonstationary processes in a pressurized water nuclear power plant 88−36987

Rassokhin, V.N. *see* Veksler, A.Z. 88−53832

Rassomakhin, S.G. *see* Klyuchko, V.I. 87−45003

Rasson, J., De Meyer, F. Transfer function measurement of an Askania GS11CN gravimeter 86−60928

Rasson, J.P., Hardy, A., Weverbergh, D. Point process, classification and data analysis 88−56113

Rassovska, M. *see* Dimov, V. 88−22584

Rassow, B. *see* Kusel, R. 85−64550

Rassow, B. *see* Wesemann, W. 88−4887

Rassow, J. *see* Meissner, P. 88−61483

Rassow, J. *see* Pradhan, A.S. 87−38914

Rasstrigin, A.K. Analytical investigations of the stability of a complex load node with nonlinear power swings in power systems 88−23279

Rasstrigin, A.K., Loginov, N.P. The interaction between the elements of a complex load node with weak oscillations 88−30664

Rasstrigin, A.K., Svetlanov-Polypezhentev, A.V. Increasing the resultant stability levels of load nodes by means of automatically-regulated thyristor reactive-power sources 86−25508

Rasstrigin, A.K., Svetlanov-Polupezhentsev, A.V., Shtrobel', V.A. Experiments on electrical hunting centres in power systems [load stability] 85−15496

Rasstrigin, V.N. Electrification of thermal processes in agricultural production 85−65679

Rassu, A.L. 'Who' for the new information technology 86−43414

Rassudova, N.V., Slukhotskii, A.E. Operating modes of centralised power supplies to forges 85−16469

Rassvetalov, L.A. Generation of echo signals in a nonlinear resonant medium 88−38372

Rast, H. *see* Bendow, B. 85−41128, 86−22157

Rast, M., Reynolds, M.L. Concept of a future multispectral TIR push-broom mission for Earth observation from space 87−57338

Rast, R.M. System considerations for US Advanced Television Systems 88−41827

Rastani, K., Inan, U.S., Helliwell, R.A. DE 1 observations of Siple transmitter signals and associated sidebands 85−51428

Rastegaev, V.P. *see* Anikin, M.M. 88−57343

Rastegaev, V.P. *see* Komov, A.N. 85−13009

Rastegar, B. *see* Forbes, L. 87−38293

Rastello, L. *see* Premoli, A. 87−29121

Rastello, M.L. *see* Key, P.J. 85−52774

Rasten, E. *see* von Krogh, J. 87−79041

Rastetter, R. Alarm timer . . 85−11170

Rastetter, T. *see* Brauer, R. 88−67603

Rastgoufard, P., Avent, R.K. Extrapolated analog to digital transformations: a theoretical justification 87−5986

Rastgoufard, P., Schlueter, R.A. Loss of power system stability due to sequential decoupling of individual generators of the critical group 88−54875

Rastgoufard, P., Schlueter, R.A. Determination of power system transient stability via global kinetic energy accounting 88−54876

Rastgoufard, P., Yazdankhah, A., Schlueter, R.A. Multi-machine equal area based power system transient stability measure 88−54855

Rastler, D.M., Kobayashi, M., Handley, L.M. 4.5 MW fuel cell tackles Tokyo's power generation problems 87−51442

Rastogi, A. *see* Yao, J. 87−5474

Rastogi, A.C. Photovoltaic performance of thin-film CdS-Cu_2S solar cells with electroformed junctions 86−13035

Rastogi, A.C., Dembinski, M., John, P.K., Tong, B.Y., Wu, X.W., Wong, S.K. Dynamics of Ni-Si interface reactions induced by pulsed incoherent light 87−17989

Rastogi, A.C., Salkalachen, S. Improvements in stoichiometry and stability of p-Cu_xS in thin-film CdS solar cells 86−26289

Rastogi, A.C., Salkalachen, S., Balakrishna, K.S. An electrochemical barrier process for inhibiting p-Cu_xS grain boundary growth in thin film CdS solar cells 86−66333

Rastogi, A.C., Teh, C.K., Weichman, F.L. A mechanism for induced surface degradation of high-resistive GaAs during device fabrication 86−8760

Rastogi, A.C. *see* Chik, K.P. 86−27936

Rastogi, A.C. *see* John, P.K. 88−32918

Rastogi, A.K. *see* Goel, L.R. 85−5849

Rastogi, A.K. *see* Kumar, A. 85−5848

Rastogi, A.K. *see* Tiwari, A.K. 86−64041

Rastogi, P.K. Comparative holographic interferometry—a tool for nondestructive inspection 85−10845

Rastogi, P.K. Observation of difference displacement fringes using comparative holography and its application to the detection of concealed flaws 87−59036

Rastogi, P.K., Mathews, J.D., Ying, W.-P., Rottger, J. Simultaneous VHF and UHF radar observations of the mesosphere at Arecibo during a solar flare: a check on the gradient-mixing hypothesis 88−53372

Rastogi, P.K. *see* Jacquot, P. 86−5994

Rastogi, P.K. *see* Ying, W.-P. 87−56245

Rastogi, R., Gupta, P.K., Kumaresan, R. Array signal processing with interconnected neuron-like elements 87−62124

Rastogi, R. *see* Kara, A. 87−37121

Rastogi, R.G. Study of equatorial ionospheric F-region irregularities by reflection, backscatter and transmission of radio waves 85−7641

Rastogi, R.G. Equatorial VHF backscattering and scintillations related to ionospheric spread-F 86−59042

Rastogi, R.G. *see* Bhattacharyya, A. 85−62779, 86−54294, 87−12713, 87−75434

Rastogi, R.G. *see* Koparkar, P.V. 86−15877, 86−59041

Rastogi, R.S., Vankar, V.D., Chopra, K.L. Simple planar magnetron sputtering source 87−65560

Rastogi, S.C. *see* Starzyk, J.A. 86−61011

Rastogi, S.K. *see* Pandya, J.D. 88−62581

Rastoin, J. *see* Bastien, D. 87−15491

Rastoix, M. *see* Zbinden, M. 86−24833

Rastopov, S.F., Sukhodol'skii, A.T. Transport of objects along a support by a laser beam 88−65930

Rastopov, S.F. *see* Pashinin, P.P. 87−75272

Rastorguev, Yu. *see* Titov, A. 88−51739

Rastorguev, Yu.G. *see* Malyshev, Yu.M. 85−24660

Rastorgueva, N.A. *see* Tesis, A.M. 87−64389

Rastoskuev, B.A. *see* Boyarskii, V.M. 88−11120

Rastoskuev, V.V. *see* Ivanov, E.K. 86−44813

Rastrigin, L.A. Sequential binary random search in problems of stochastic programming 88−38098
Rastrigin, L.A., Ermuizha, A.A. Aggregate model of protocol with adaptation of frame length 86−10589
Rastsvetalov, Ya.N. *see* Britvich, G.I. 87−8955
Rastyapin, V.I. Thematic discussions as a method of improving the knowledge of the specialists of electric power stations 87−30348
Rasulo, L., Roth, G. UNI standards for mini-hydraulic turbines 88−43077
Rasulov, A.N. *see* Kadyrov, T.M. 85−21113
Rasulov, B.Kh. A checking unit for automatic reconnection equipment 88−48877
Rasulov, D. *see* Akhmedov, R. 86−9650
Rasulov, D.T. Research on the photoelectrical properties of p-CdTe-n-CdTe-n-CdSe film structures 86−21185
Rasulov, D.T. Electrical properties of $Zn_xCd_{1-x}S$ films 87−74012
Rasulov, D.T., Akhmedov, R., Niyazov, Sh.K. Investigation of solar cells on the basis of polycrystalline films 88−17931
Rasulov, D.T. *see* Akhmedov, R. 85−44171
Rasulov, K. *see* Bordina, N.M. 88−43381
Rasulov, K. *see* Mirzabaev, M. 86−19475, 86−19483
Rasulov, K. *see* Mirzabaev, M.M. 86−8831
Rasulov, K. *see* Zaveryukhin, B.N. 87−60135
Rasulov, M.M., Abdulov, G.B., Medvedev, I.A. Device for measuring active and reactive currents in electrical energy detectors without disrupting their electrical circuits 86−32871
Rasulov, R.Ya. *see* Ivchenko, E.L. 85−40451
Rasulov, R.Ya. *see* Lyanda-Geller, Yu.B. 86−1700
Rasulov, T.M. Organizing the acquisition and transmission of data for power accounting in the automated dispatch control system of a power grid 85−32091
Rasure, J., Argiro, D., Engguist, E., Hallette, S., Neher, R., Wilson, S., Young, M. Interactive image processing using X Windows 88−28010
Rasuvaev, E.A. *see* Cerri, C. 85−20813
Raszczuk, Z. Pick-up tubes−actual state of technique and perspectives of development 88−12898
Rata, J.M.A. The roles of standards in systems reliability, safety and security 88−55927
Rataf'ev, S.V. Discrete technical-economic optimization of radio links 87−20405
Ratajack, M.T. *see* Erickson, J.R. 87−56146
Ratajczak, A.F. *see* Bifano, W.J. 86−6644
Ratajczak, A.F. *see* Groumpos, P.P. 85−15935
Ratajczyk, D.M. Optical methods of surface roughness measurement based on light beam focus penetration 86−31740
Ratajewicz, Z., Zlonkiewicz, Z. Performance tests of weak current contacts with galvanically deposited three-component layer 85−34254
Ratanaphanyarat, S., Verdonckt, S.V., Wong, S.S., Drowley, C.I. Oxygen implantation for improved CMOS latchup immunity 88−39701
Ratanov, G.S. *see* Beketov, N.P. 86−24490
Ratcheva, T., Nanova, M. Etching of In_2O_3:Sn and In_2O_3:Te thin films in dilute HCl and H_3PO_4 87−1434
Ratcheva, T.M., Nanova, M.D., Vassilev, L.V., Mikhailov, M.G. Properties of In_2O_3:Te films prepared by the spraying method 86−58265
Ratchford, G.J., Wallace, J.E. Long life sensor head assembly for a magnetic hand scanner 86−5246
Ratchinsky, K. *see* Lodwick, G.D. 87−29924
Ratcliff, B. *see* Ashford, V. 86−50391, 87−41835
Ratcliff, B. *see* Hallewell, G. 88−68213
Ratcliff, B. *see* Johnson, R. 88−68277
Ratcliff, B. *see* Spencer, E. 88−61189
Ratcliff, B. *see* Va'Vra, J. 88−61103
Ratcliff, D. How to modify a CB beam for the novice 10 meter band 88−27610
Ratcliff, J.A. *see* Budd, G.C. 87−15467
Ratcliff, M., Posey, F.L., Johnson, D.K., Chum, H.L. Operational study of a phosphoric acid fuel cell with hydrogen and methanol/steam 85−53816
Ratcliff, P.R. *see* Leake, J.W. 88−54422
Ratcliff, R.T. Fixturing trends in surface mount technology 86−1572
Ratcliffe, B.J. Development of a non-reactor neutron radiographic assembly using a 12 MeV linear electron accelerator 88−31876
Ratcliffe, B.J. Investigation into the use of track-etch imaging to produce neutron radiographs from a non-reactor neutron source 88−43957
Ratcliffe, C.A., Benton, V.A. Automated source wells for instrument calibration 85−20800
Ratcliffe, C.A. *see* Braby, L.A. 85−26822
Ratcliffe, F.W., Hummels, D.R. Transient nonstationary behaviour of a delay line discriminator [frequency measurement application] 86−24647
Ratcliffe, G. Industrial gas turbines−a trend setter 85−60044
Ratcliffe, P.J. Thyristor current pulser for high magnetic fields 87−31769
Ratcliffe, P.J. General analysis of twin-T filter−and some bandpass filter theorems 87−52700
Ratcliffe, S. Devices for the avoidance of collision in the air [warning systems] 85−59384
Ratcliffe, S. Automation in air traffic management 86−12125
Ratcliffe, S. Semi-automatic cross-checking between different copies of the same flight plan 87−57288
Rateb, E.M. *see* Ali El Moghazy 88−21070
Rateb, M., Abulshohoud, W., Elmoghazy, A. A proposed approach to photodetection of synthetic speech data transmitted over noisy channels 88−21149
Ratel, F. *see* Jacobe, J. 85−15201
Ratel, J. *see* Feltin, D. 85−15214
Rates, I. Trouble-free current supply for microcomputer systems 86−13973
Rates, I. A voltage regulator with all the refinements 88−18901
Rates, I. *see* Peter, J.-M. 86−46583
Rates, I. *see* Peter, J.M. 86−52987, 87−36268
Ratford, V., Gill, M. Software verification techniques [VLSI test systems] 85−42871
Ratford, V., Keating, P. Integrating guided probe and fault dictionary: an enhanced diagnostic approach 87−17537
Ratford, V., Keating, P. Integrating guided probe and fault dictionary: an enhanced diagnostic approach 87−24601
Rath, A.R., Roeder, S.B.W., Fukushima, E. Opposed coil magnet calculations for large sample and unilateral nuclear-magnetic-resonance 85−34222
Rath, C.A. *see* McCullough, V.A. 85−5509
Rath, D. *see* Lins, A. 87−78490
Rath, D.L. *see* Herman, D.A., Jr. 88−64948
Rath, G.S. *see* Mathialagan, A. 85−30192
Rath, H., Krhon, H. Electronic anti-lock systems for front wheel drive cars 88−69893
Rath, H.-L. *see* Eichel, K. 88−67324
Rath, J. Satellite power supply using solar arrays 86−12113
Rath, J.A. Voice processing: a new wave small businesses ride, too 88−14635
Rath, O., Rao, K.R., Yeung, K. FFT via the Walsh-Hadamard transform 88−371
Rath, O., Rao, K.R., Yeung, K. Recursive generation of the DIF-FFT algorithm for 1-D DFT 88−72925
Rath, O. *see* Yeung, K. 87−52088
Rath, P.C. *see* Leipold, W.C. 85−18476
Rath, W. *see* Christiansen, J. 86−15639
Rathai, U. Innovations and trends in power distribution control 86−6227
Rathbone, K.A. *see* Brammer, R.C. 88−74784
Rathbun, D., Modarres, M. Development of safety goals for nuclear power plants 88−10986
Rathbun, G.P., Dunlop, G.R. Commensurate positioning of a stepmotor actuated Stewart Platform 88−49315
Rathbun, J.L. FFTF ex-vessel flux monitor response due to in-vessel stored fuel 86−61288
Rathbun, K. *see* Akiyama, H. 85−57143
Rathbun, K. *see* Ikuta, K. 87−19156
Rathbun, L. *see* Capani, P.M. 86−28312, 86−58320, 87−11440
Rathbun, L. *see* Mukherjee, S.D. 86−28355
Rathbun, L. *see* Nulman, J. 85−50437
Rathbun, L. *see* Schaff, W.J. 86−14917
Rathbun, L. *see* Zwicknagl, P. 86−53448
Rathbun, L.C. *see* Fonash, S.J. 88−57472
Rathbun, T.D. *see* Mills, F.E. 86−70257
Rathburn, L. *see* Zwicknagl, P. 86−2226
Rathe, E.J. *see* Stirnemann, A. 85−43100
Ratheal, S., Lombardi, F. Intelligent adaptability in large scale systems: distributed networks for triplet testing [VLSI application] 85−18425
Ratheal, S. *see* Lombardi, F. 85−4413, 85−13941
Rathenow, F.R. Oil cooling for high-power tubes 86−53303
Rather, E.D. *see* Bailey, G. 85−42312
Rathge, R.D. *see* Schlie, L.A. 85−7367, 88−51740, 88−58428
Rathgeb, E. *see* Tran-Gia, P. 87−62419
Rathgeb, E.P., Homann, C., Hong Linh Truong, Waldmann, G. Protocol testing for the ISDN D-channel network layer 88−21524
Rathgeb, E.P., Hong Linh Truong, Kirchner, W. Simulation and testing of the D-channel protocol [ISDN] 88−53004
Rathgeb, W. *see* Bohn, H. 87−71457
Rathi, B.D. *see* Kunda, R.P. 88−25219
Rathi, B.D. *see* Malek, M. 87−69714
Rathi, D. Detection performance of soft-limited phase-coded signals 86−43232
Rathier, G., Mobasser, B., Savary, H. Integrated services digital subscriber connection unit and ISDN bearer services 85−52231
Rathikov, B.E. *see* Gitel'man, L.D. 88−30238
Rathjen, D. Analysis by sound emission 85−39836
Rathjen, D. Beamforming for sonar signal by means of an incoherent acousto-optical processor: experimental results 85−57421
Rathjen, D., Bodecker, G., Siegel, M. Omnidirectional beam forming for linear antennas by means of interpolated signals 85−62878
Rathke, G.-E. *see* Kirchner, R. 86−60542
Rathke, H. ATV-FM driver for the 13 cm band 88−47304
Rathke, J. *see* Spampinato, P.T. 85−115
Rathke, J.E. *see* Cooperman, M. 86−4451, 86−49382
Rathke, R. *see* Rummel, W. 85−6093
Rathman, D.D., Niblack, W.K. Silicon permeable base transistors for low-phase-noise oscillator applications up to 20 GHz 88−71078
Rathman, D.D., Vojak, B.A., Flanders, D.C., Economou, N.P. Silicon permeable base transistors 85−40710
Rathman, D.D. *see* Deutsch, T.F. 85−408
Rathman, D.D. *see* Forte, A.R. 88−71433
Rathman, D.D. *see* Geis, M.W. 87−74240, 88−64228
Rathman, S. *see* Faria, D. 87−22557
Rathmann, C.E. *see* Drake, P.A. 87−26667
Rathmann, H. Qualification of a foil keyboard for communication equipment that meets high requirements 86−4391
Rathmann, J.E. *see* Harvey, M.W. 87−40551
Rathmann, R. Statistical errors-simulation−a pathway for VLSI design? 86−14112
Rathmann, S. *see* Andersen, G. 88−30836
Rathmann, S. *see* Anderson, G. 88−62478
Rathmell, J.G. Analysis of I/O syntax 86−8086
Rathmell, J.G. Information flow in VLSI design 86−63370
Rathmell, R.D. Developments in small electrostatic accelerators 86−55916
Rathmell, R.D., Hollman, G.E., Linton, G.A. Performance of the MV-H20 ion implanter 86−2000
Rathmell, R.D., Norton, G.A. Production MeV ion implanters for energies from 200 keV to 4 MeV 87−53372
Rathmell, R.D., Sundquist, M.L. Design considerations of MeV implanters 85−34771
Rathmell, R.D. *see* Jones, C.M. 88−53960
Rathmell, R.D. *see* Raatz, J.E. 86−38641
Rathmore, T.S. Digitally-controlled all-pass and notch filters 85−28651
Rathnayaka, D. *see* Naugle, D.G. 87−65559
Rathod, H.J. *see* Dubhashi, A.U. 86−728
Rathod, M.S. *see* Chan, J.Y. 85−5798
Rathore, R.K.S. *see* Ramakrishna, R.S. 85−30466
Rathore, R.N.S., Pnnes, E.L. Service provisioning operations for public packet switched network (PPSN) access 88−9300
Rathore, T.S. Theorems on power, mean and RMS values of uniformly sampled periodic signals 85−8925
Rathore, T.S. A novel backlash circuit and scheme for capacitance measurement 85−26446
Rathore, T.S. Improved temperature-to-frequency converters 85−42966
Rathore, T.S. A zero-shifting technique and its applications 86−40813
Rathore, T.S., Bhattacharyya, B.B. A new type of analog multiplier 85−916
Rathore, T.S., Bhattacharyya, B.B. Canonic realization of RC oscillators−a synthesis approach 86−57710
Rathore, T.S., Bhattacharyya, B.B. Stray-insensitive active-SC realization of high-order filters with reduced number of components 86−67330
Rathore, T.S., Bhattacharyya, B.B. Single grounded-resistor-controlled variable frequency active *RC* notch filters 87−856
Rathore, T.S., Bhattacharyya, B.B. Systematic approach to the time multiplexing of stray-insensitive SC networks 87−37444
Rathore, T.S., Bhattacharyya, B.B. Minimal realization of *RC* oscillators−A synthesis approach 87−73363
Rathore, T.S., Bhattacharyya, B.B. A systematic approach to the design of stray-insensitive SC circuits from active-*RL* or *RLC* prototypes 88−6969
Rathore, T.S., Faruque, S.M., Bhattacharyya, B.B. A stray-insensitive single switched-capacitor ladder realization of an arbitrary order low-pass filter 87−31999
Rathore, T.S., Faruque, S.M., Bhattacharyya, B.B. A stray-insensitive switched-capacitor biquad with reduced number of capacitors 88−32320
Rathore, T.S., Joshi, N.S., Chitale, S.V. Digital maximum/minimum indicator 88−16242
Rathore, T.S., Pai, K.R. New high-frequency voltage-controlled voltage sources 85−927
Rathore, T.S., Pai, K.R. Optimum design and study of an NIC compensated inverting amplifier 85−17178
Rathore, T.S., Pai, K.R. A two-op-amp non-inverting VCVS 87−37440
Rathore, T.S., Watanabe, K., Chung, W.S. Comment on 'Active-*RC*-circuit synthesis for the simulation of a grounded inductor' [by K. Watanabe and W.S. Chung, with their reply] 85−34045
Rathore, T.S. *see* Bhattacharyya, B.B. 87−66328
Rathore, T.S. *see* Carr, J.M. 85−48638
Rathore, T.S. *see* Chande, P.K. 86−5580
Rathore, T.S. *see* Faruque, S.M. 86−57960
Rathsfeld, A. *see* Prossdorf, S. 86−34217
Ratier, B. *see* Moliton, A. 88−39188
Ratinen, H. Home-made lock-in-phase amplifier for inelastic electron tunneling spectroscopy: measuring frequency 2 kHz 86−34587

Ratinen, H. Home-made lock-in-phase amplifier for inelastic electron tunneling spectroscopy: measuring frequency 200 kHz 87−16906
Ratislav, J. Degradation processes in systems of paper-oil insulation in machines and apparatus of high and very high voltage 86−6670
Ratislav, J. Electrical braking of synchronous machines 87−58037
Ratka, J.O. *see* Schriver, S.J. 87−65613
Ratkevich, M.G. *see* Shelepaev, A.G. 87−29079
Ratkevich, V.K. *see* Burtsev, V.A. 88−65808
Rat'kov, V.B., Petrov, G.S. Instruments for scientific research 86−49911
Ratkovic, Z., Marincic, A., Petrovic, Z. Computer aided design of X-band microstrip Butler matrix 88−2906
Ratkovic, Z. *see* Reljin, B. 86−27567
Ratliff, B.D. *see* Collison, R.R. 86−65207
Ratliff, J. *see* Tsang, C.S. 87−40220
Ratliff, J.E. *see* Tsang, C. 87−34525
Ratliff, J.R. *see* Rosocha, L.A. 87−7252
Ratliff, P.A. The MAC debate 86−4070
Ratliff, P.A. The MAC debate [problems for cable TV] 86−24135
Ratmirov, N.L. *see* Vlasov, A.M. 87−69625
Ratnajeevan, S., Hoole, H. Rotor motion in the dynamic finite element analysis of rotating electrical machinery 86−45348
Ratnajeevan, S., Hoole, H. Nodal perturbations in adaptive expert finite element mesh generation 88−56192
Ratnajeevan, S., Hoole, H., Cendes, Z.J. Direct vector solution of three-dimensional magnetic field problems 85−51360
Ratnajeevan, S., Hoole, H., Cendes, Z.J. Projective methods for Laplacian fields 86−42723
Ratnajeevan, S., Hoole, H., Pourrezaei, K., Onaral, B. Introducing computer-aided instruction in electromagnetics courses at Drexel University 88−86
Ratnajeevan, S., Hoole, H., Ratnamahilan, P., Hoole, P. On finite element force computation from two- and three-dimensional magnetostatic fields 85−46524
Ratnajeevan, S. *see* Ratnamahilan, P. 86−63909
Ratnakumar, B.V. Passive film on magnesium anodes in primary batteries 88−49108
Ratnalingham, R., Chong, C.S., Chong, H.Y., Jamel Basha, M. Photocurrent and decay time studies of solution-sprayed $Cd_{0.8}Zn_{0.2}S$ films from liquid nitrogen to room temperature 87−26176
Ratnam, B.A. *see* Zatet, M.C. 86−21289
Ratnam, K.V., Sivananda, N. Study of a sudden 3 phase fault of a turbogenerator using Galerkin method 88−11196
Ratnam, K.Venkata *see* Venkata Ratnam, K.
Ratnam, P. Selectively implanted buried oxide (SIBO) process for VLSI applications 88−13068
Ratnam, P. *see* Bhattacharyya, A.B. 85−40739
Ratnam, P. *see* Lau, W.M. 87−6539
Ratnam, S.S. *see* Lilja, H. 88−68419
Ratnam, V., Kumar, R., Pal, R.N. Adaptive separation of spectrally non-overlapping bandpass signals using the recursive centre frequency adaptive filters 85−51637
Ratnamahilan, P., Hoole, P., Ratnajeevan, S., Hoole, H. Charge simulation method for the calculation of electromagnetic fields radiated from lightning 86−63909
Ratnamahilan, P. *see* Ratnajeevan, S. 85−46524
Ratnaparkhi, M.V., Park, W.J. Lognormal distribution−model for fatigue life and residual strength of composite materials 87−5513
Ratner, A.M., Medhani, R. Engineering education vs. liberal arts education−which is 'broader' ? 87−31209
Ratner, D.V. *see* Wittlin, R.I. 85−36716
Ratner, I.S., Lyul'ko, G.B. Use of a computer in investigating systems of automatic control of gas turbine plant 86−19128
Ratner, L. *see* Yamin, P. 88−54230
Ratner, L.G. Acceleration of polarized protons at the AGS 85−26516
Ratner, L.G. A sample of depolarization resonance correction from the initial commissioning of the polarized beam at the AGS 85−52922
Ratner, L.G. Constructing and testing a demonstration Siberian snake 86−70273
Ratner, L.G. AGS Polarized Beam Facility 87−3842
Ratner, L.G., Ahrens, L.A. Tune space manipulations in jumping depolarizing resonances 88−54273
Ratner, L.G., Brown, H., Chiang, I.-H., Courant, E., Gardner, C., Lazarus, D., Lee, Y.Y., Makdisi, Y., Sidhu, S., Skelly, J., Thern, R., Cameron, P., Crabb, D.G., Krisch, A.D., Raymond, R., Terwilliger, K.M., Roberts, J.B. Commissioning the polarized beam in the AGS 86−31891
Ratner, O.B. *see* Veniaminov, A.V. 87−19061
Ratnikov, B.E. *see* Gitel'man, L.D. 87−30305
Ratnikov, D.G. Induction equipment for no-crucible zone melting of silicon and other materials 88−37750
Ratnikov, D.G. *see* Dobrovol'skaya, V.I. 85−16906
Ratnikov, E.F., Radchenko, R.V., Akif'eva, N.N., Shagalov, A.G., Mekhaeva, E.E. Choice of a data collection system for the reliability of nuclear power stations 86−51196
Ratnikov, F.D. *see* Radkevich, I.A. 86−60623
Ratnikov, M.V. *see* Zharova, N.Ya. 85−59319
Ratnikova, E.K. *see* Bakhtizin, R.Z. 86−66859, 87−6314
Ratnovskii, A.A. *see* Abaliev, A.E. 88−58418
Ratovondrahanta, R., Baudrand, H., Atechian, J. Generalized method for analysis of multidielectric waveguides 87−75523
Ratra, M.C. Investigation of behaviour of power capacitor under overvoltages 86−6959
Ratra, M.C. Insulation of power equipment 87−71685
Ratra, M.C., Manjunath, R. Techniques for detection and analysis of treeing in polymeric insulation of power cables 88−55018
Ratsaratany, R. *see* Tonye, E. 85−49673
Ratschek, H. Inclusion functions and global optimization 86−19951
Ratsin, Yu.V. *see* Korobkov, V.P. 87−28034
Ratta, G. *see* Mombello, E.E. 88−11270
Ratta, G. *see* Nombello, E.E. 88−5742
Ratta, G. *see* Rivera, J.F. 85−4592
Rattan, K.S., Pujara, L.R. Simplification of digital control system via frequency matching 85−9324
Rattan, K.S. *see* Abbasi, A.A. 88−23166
Rattan, K.S. *see* Aziz, S.A. 88−5051
Rattan, K.S. *see* Barazanji, K.W. 88−68527
Rattan, K.S. *see* Bera, R.N. 88−23160
Rattay, F. Electrical models for artificial hearing simulation 85−38236
Rattay, F. The arrival at functional electrostimulation by modelling of fiber excitation 88−61400
Ratte, G. *see* Delisle, G.Y. 86−55345
Ratterree, H. *see* Schuetzenduebel, W. 87−57877
Rattey, P.A., Probasco, J.W. Application of the Radon transform to automatic detection 85−31118
Rattey, P.A. *see* Lindgren, A.G. 85−36385
Ratti, A. *see* Marshall, J.F. 86−30233, 86−37320
Ratti, L., Deroubaix, P. French pressurized water reactor power stations in frequency control and load following operation 86−12590
Ratti, S.P. *see* Introzzi, G. 88−54410
Rattner, S., Boesch, H.E., Jr. A comparison of linac and ^{60}Co response of the CD4007UBE CMOS inverter 86−53822
Ratto, J.J. *see* Wu, E.T. 87−53805
Ratto, J.O. *see* Simon, J.M. 86−68646
Rattray, H.D. Quality control of weighing balances at Springfields Nuclear Power Development Laboratories 86−7553
Rattunde, B. *see* Dossereck, F. 85−14624
Ratushnyi, V.I. *see* Gaponenko, V.N. 87−5410
Ratushnyi, V.I. *see* Lunin, L.S. 88−38172
Ratusnik, J. *see* Bubulac, L.O. 87−53231
Ratuszek, M., Panek, M., Tlaczala, M. Application of Bi for LPE deposition of GaAs layers from Ga-As-Bi solutions 88−425
Ratuszek, M., Panek, M., Tlaczala, M. The use of Ga-As-Bi solutions in the preparation of GaAs structures for MESFET technology 88−6455
Ratuszek, M. *see* Bugajski, M. 88−33863
Ratuszek, M. *see* Kozlowski, J. 88−11965
Ratuszek, M. *see* Paneck, M. 88−6451
Ratuszek, M. *see* Panek, M. 86−20034, 86−52457, 87−16609, 87−53395, 87−73107
Ratuszek, M. *see* Szreter, M. 88−7624
Ratuzek, M. *see* Panek, M. 87−52149
Ratyni, A.K. *see* Myasoedov, V.E. 87−4803
Ratynskiy, M.V. *see* Pushin, A.Ye. 88−27952
Ratz, H.C. *see* Field, J.A. 85−8117
Ratz, J. Performance tests on PC boards 87−66752
Ratz, J. *see* Lipko, K. 88−17070
Ratzek, W. On the road in Scandinavia. The telephone travels with you 85−20068
Ratzel, A.C. *see* Kempka, S.N. 85−9621
Ratzer, G. Air traffic control systems using IBM PCs 87−15024
Ratzer, H. *see* Gehringer, F. 86−10987
Ratzinger, U., Nolte, E., Geier, R., Gartner, N., Morinaga, H. The upgraded Munich linear heavy ion postaccelerator 88−22864
Ratzinger, U. *see* Haberstock, G. 87−14794
Ratzinger, U. *see* Posselt, W. 85−43150
Ratzka, K., Robl, R., Bell, R.-P. Computer-aided calculation of cost recovery 87−4478
Ratzker, M., Lashmore, D.S., Pratt, K.W. Electrodeposition and corrosion performance of nickel-phosphorus amorphous alloys 87−10475
Rau, D., Fortes, J.A.B. Destination tag controlled fault-tolerant networks 88−52322
Rau, D., Warda, A. An optical broadband receiver for analogue signals 88−28857
Rau, E.I. *see* Antonyuk, V.A. 87−16419
Rau, E.I. *see* Gostev, A.V. 86−9212, 86−27823, 86−28245, 88−56348, 88−57601
Rau, E.I. *see* Kartamyshev, M.G. 85−7066
Rau, E.I. *see* Koltun, M.M. 85−24396
Rau, F. *see* Harmeyer, E. 87−12684
Rau, G. The architecture of Altbach/Deizisau power station, unit no.5 87−64365
Rau, G. The construction of the GKN II nuclear power station. I. General design principles 88−30499
Rau, G., Reucher, H., Schneider, J., Silny, J. Design and application of spatially filtering EMG electrode configurations 87−57171
Rau, G., Schieder, R., Vowinkel, B. Characterization and measurement of radiometer stability 85−14818
Rau, G. *see* Boning, K. 85−64445
Rau, G. *see* Reucher, H. 87−41967 to 41968
Rau, G. *see* Schieder, R. 87−20657
Rau, G. *see* Silny, J. 85−53073
Rau, G. *see* Vondenbusch, B. 87−21580, 88−4978
Rau, G. *see* Winnewisser, G. 87−13805, 87−34699
Rau, H., Trafford, B., Wehr, H. Incorporation of OH in PCVD optical fibers and its reduction by fluorine doping 85−29585
Rau, H. *see* Kunzmann, L. 88−46815
Rau, J., Daspit, T. Everything you always wanted to know about designing a 100000-gate ASIC 88−44000
Rau, J.L., Callahan, W.L. Automatic electronic steering−a new approach 87−51591
Rau, J.W., Graham, A.H., Guerra, V. Thermal stability and substrate dependent creep corrosion of palladium-nickel alloy with a soft gold flash 88−19472
Rau, M.-F. *see* Hall, M. 87−11644
Rau, N.S., Necsulescu, C. Probability distributions of incremental cost of production and production cost [power systems] 86−32633
Rau, P. *see* Bittermann, D. 85−38676
Rau, P. *see* Goetzmann, C. 87−71808
Rau, P.J. *see* Batheja, P. 88−36994
Rau, R.R. *see* Anderhub, H. 87−21420, 88−22984, 88−29843
Rau, R.S.N. Anode processes in vacuum arcs 88−55522
Rau, S. *see* Geurts, J. 85−28235
Rau, S. *see* Soutar, A. 86−60965
Rau, T. *see* Kent, S. 85−63349
Rau, U., Peinke, J., Parisi, J., Huebener, R.P. Switching behavior of current filaments in *p*-germanium connected in parallel 88−64231
Rau, U., Peinke, J., Parisi, J., Huebener, R.P., Scholl, E. Exemplary locking sequence during self-generated quasiperiodicity of extrinsic germanium 88−1344
Rau, U. *see* Parisi, J. 88−50616
Rau, U. *see* Peinke, J. 88−39049
Rau, V.G. State feedback decoupling applied to the design of a controller for an unregulated synchronous machine 88−23894
Rau, V.G., Saha, A., Banerjee, G. Analysis of a solar photovoltaic converter fed electric motor drive 87−51113
Rau, V.Guruprasada *see* Guruprasada Rau, V.
Rau, Z. Assessment of the group standard based on intercomparison of results 88−22400
Raub, C.J. *see* Friedrich, F. 87−16651
Raub, F., Schmidt, F. Integrated optical switching in a local area network 88−35115
Raub, F. *see* Burmeister, M. 87−76374
Raub, W. *see* Onodera, T. 88−39002
Raubach, H. *see* Dohring, D. 87−73893
Raubenheimer, T. *see* Morton, P.L. 86−24957, 88−54276
Rauber, A. *see* Eyer, A. 87−5395, 87−51462
Rauber, K. *see* Lehmann, R. 88−62646
Rauber, R.M. *see* Heggli, M. 87−63955
Raucci, R.F. The integration of record and packet communications 86−10664
Rauch, G., Gambale, F., Spadavecchia, L., Gagna, P., Menini, A., Gaggero, E. A microcomputer-based system for data acquisition and analysis of step-like current jumps due to the opening of single ionic channels in model membranes 86−65438
Rauch, G., Schmeil, U., Reckwerth, B. Concept of and operational experience with the redeveloped control rod at the Gundremmingen boiling-water-reactor power station 86−51419
Rauch, H. Novel beam bunching methods by perfect crystals and electromagnetic means 85−64414
Rauch, H., Summhammer, J., Weinfurter, H. Travelling wave and neutron magnetic resonance bunching 85−64415
Rauch, H., Ziegler, W. A self-supporting, modular navigational system for automobiles 86−52015
Rauch, H. *see* Bauer, R. 88−45176
Rauch, H.E., Winarske, T. Neural networks for routing communication traffic 88−52708
Rauch, H.E., Zele, F. Clutter rejection in the presence of jitter with imaging sensors 88−22179
Rauch, J. *see* Halpern, L. 88−319
Rauch, J. *see* Vecsey, G. 85−56231
Rauch, J. *see* Ware, K. 87−21384
Rauch, J.C. *see* Horvath, I. 85−1935
Rauch, J.C. *see* Maix, R.K. 87−38703
Rauch, K. Math chips: how they work 87−66224
Rauch, M., Gottwald, Th. Active stepping motors with reduced energy consumption for instrumental technique 87−58123
Rauch, M., Kuhne, E. Optimization of the control of stepping motor 87−4739

Rauch, N. Flexible ASIC concept 87—38341
Rauch, N. Every beginning is . . . Selection criteria for entry into the custom IC world 87—59278
Rauch, N. *see* Kajal, A.H. 88—60676
Rauch, N. *see* Kayal, H.A. 88—53607
Rauch, S. CADAM applications in the design and evaluation of aircraft displays 87—21735
Rauch, V., Jelinek, H. New rolling mill for special materials for electrical engineering industry 85—60582
Rauch, W. *see* Ahlers, R.-J. 88—4444
Rauch-Hindin, W. Communication standards: OSI is not a paper tiger 85—63353
Rauch-Hindin, W. Expert system to plan PC board assembly in the factory 86—20971
Rauch-hindin, W. Flexible automation [factory networking] 86—23491
Rauch-Hindin, W. Revamped MAP and TOP mean business 87—28091
Rauchas, A., Brumwell, F., Potts, C., Stipp, V., Volk, G. Status of the Intense Pulsed Neutron Source Accelerator System 86—56000
Rauchas, A., Gunderson, G., Stipp, V., Volk, G., Zolecki, R. Intensity stability improvements for the intense pulsed neutron source accelerator system 86—32131
Rauchas, A., Ostrowski, G., Pelizzari, C., Volk, G. IPNS accelerator system and neutron chopper synchronization 86—5712
Rauchas, A. *see* Norem, J. 86—24946
Rauchas, A. *see* Potts, C. 86—31811, 88—54059
Rauchas, A.V. *see* Ostrowski, G.E. 86—56025
Rauchfuss, J.E. *see* Newman, W.H. 86—34785
Rauchle, E. *see* Bauch, H. 88—20354
Rauchle, T., Toueg, S. Exposure to deadlock for communicating processes is hard to detect 85—63135
Rauchle, T. *see* Abbadi, A.E. 86—23516
Rauchmiller, R.F., Jr., Schowengerdt, R.A. Measurement of the landsat thematic mapper MTF using a 2-dimensional target array 87—39951
Rauchwerger, E. Use of flexible and rigid/flex circuits in high density interconnect 86—53155
Raud, R. A language environment for ASIC design 88—70427
Raudenbush, E.R. *see* Boreman, G.D. 87—46600, 88—65383
Raudorf, T.W., Pehl, R.H. Effect of charge carrier trapping on germanium coaxial detector line shapes 87—50145
Raudorf, T.W. *see* Lowndes, D.H. 86—8851
Raudsep, E. Give more freedom, less restrictions to increase your engineers' productivity 85—10375
Raudszus, F. Maintenance and fault diagnosis for technical plant with expert systems 88—37914
Raudszus, G., Zimmermann, F. Exact temperature measurement: a prerequisite for close quality-control 87—35220
Raudszus, W., Auer, R. Nickel-cadmium accumulators—the economical alternative to dry batteries 86—33601
Raudvere, S. *see* Coletti, V. 85—31368
Raue, J. *see* Brunner, W. 85—11543
Raue, J.E. Extremely high frequency (EHF) satellite communications (SATCOM) technology—transmitters and receivers 85—8344
Raue, M. *see* Kloeppel, F.W. 86—12344
Raue, R. *see* Busselt, W. 88—50602
Rauen, D., Aufderheide, E., Vogelpohl, A. Automatic adjustment of a suction probe for drop size measurement 85—48100
Rauf, A. *see* Durrani, T.S. 87—59041, 88—63427
Rauf, Z., Zubairy, M.S. Phase fluctuations in a degenerate parametric amplifier 87—65875
Raufmann, B. Development of a ground-conductivity map for the area of the Federal Republic of Germany from measured field-strength contours 88—36185
Raugel, G. Finite dimensional approximation of bifurcation problems in presence of symmetries 86—34232
Raugel, G. *see* Bernardi, C. 85—39648, 85—49523
Raugh, M.R. Absolute 2-D sub-micron metrology for electron beam lithography 85—31589
Raugh, M.R. Modeling California earthquakes and Earth structures 86—18492
Raugh, M.R. Modeling California earthquakes and earth structures 86—25379
Rauh, G., Moseley, G. Generalized data transfer engine for CSMA and token local area networks 85—52087
Rauh, J. Laboratory and system power supplies in changing technology 86—711
Rauh, K. Developing telecommunications infrastructures 86—49550
Rauh, K. *see* Feldmann, U. 87—65665
Rauh, K.-G. A table model for SPICE-type circuit simulators 87—23863
Rauh, K.-G. A table model for circuit simulation 87—25604
Rauh, R.D., LeLievre, R.A. Microphotoelectrochemical etching of n-GaAs using a scanned focused laser 86—21395
Rauh, R.D., Rose, T.L., Benoit, S.N. Variable barrier height semiconductor/H_xWO_3 diodes 86—35637
Rauh, R.D. *see* Carrabba, M.M. 87—38120, 88—33110
Rauh, R.D. *see* Cogan, S.F. 87—18580, 87—26086, 87—68206, 88—45273
Rauh, R.D. *see* Kavassalis, C.A. 85—50446
Rauh, W. *see* Ahlers, R.-J. 88—53871
Rauh, W. *see* Keferstein, C.P. 87—70388
Rauh, W. *see* Warnecke, H.J. 88—49564
Rauhala, E. *see* Keinonen, J. 88—50704
Rauhala, E. *see* Varrio, J. 88—11971
Rauhut, H.W. Low-stress and T-shock resistant semiconductor device encapsulation 85—44527
Raukhman, M.R., Korneev, E.V., Khavzhu, D.M. Distribution of tellurium along indium antimonide crystals with facc effect 87—36685
Raukhman, M.R. *see* Zemskov, V.S. 86—40698, 87—236, 87—10353, 88—31707
Raul Martin, M. Frequency analysis of the reactances and time constants of a generator (operational inductance). Examples. Data Sheet DNC/PO/PS No. 9/86 88—62313
Raulin, J.-M., Jeandot, J.-L., Bellanger, M. ADPCM encoding of telephone signal at 32 kb/s 85—25040
Raulin, J.M., Belfield, W.R., Nishitani, T. Objective test results for the 32 kb/s ADPCM coder 85—41842
Raulin, J.Y., Thorngren, E., di Forte-Poisson, M.A., Razeghi, M., Colomer, G. Very high transconductance InGaAs/InP junction field-effect transistor with submicrometer gate 87—38242
Raulin, J.Y., Vassilakis, E., di Forte-Poisson, M.A., Brylinski, C., Razeghi, M. Microwave characteristics of an InGaAs junction field effect transistor grown by MOCVD 88—56965
Rault, D.F.G. Radiation energy receiver for solar propulsion systems 86—32496
Rault, J. *see* Takahashi, N. 87—25637
Rault, J.-B. *see* Charbonnier, A. 88—66589
Rault, J.C., Petit, J.P., Milon, J. Joint adaptive decision feedback equalization and timing recovery for the basic ISDN U interface access 87—33956
Rault, J.C. *see* Milon, J. 85—63485
Rault, P. The TRISIL: a new generation of protection components 86—32837
Rault, P. Universal motor speed control—how to optimize microprocessor triac control 86—51868
Rault, P. Trisil—a new generation of protective elements 86—52975
Rault, P. *see* Bahout, Y. 86—51867
Rauluszkiewicz, J. *see* Susla, B. 85—55601
Rauly, D., Pic, E., Tedjini, S. Theoretical design of a new GaAs/AlGaAs electrooptic modulator with voltage controlled bandwidth 88—20447
Rauly, D. *see* Tedjini, S. 87—73798, 88—26864, 88—63888
Raum, K.-F., Funke, L. Microcomputer-guided excavator program control guarantees optimum operation of the handling plant 85—60633
Raunig, B. LC matrix RMS value selection [liquid crystal displays] 86—18035
Rauno, H. *see* Ari, K. 88—17237
Raup, D. Coming in 1988: Primary Rate ISDN 88—46687
Raupach, F. *see* Berger, C. 88—22937
Raupach, M.R. *see* Legg, B.J. 85—15082
Raupp, H. *see* Halm, R. 87—12826
Raupp, M.A. *see* Baoicchi, O.R. 86—59115
Rausand, M. *see* Lydersen, S. 87—58757
Rausch, B. Advanced control centre and real time monitoring system in the Doel 3 and 4 nuclear power stations 85—59866
Rausch, B. *see* Titel, W. 87—63286
Rausch, D., Unte, U. Checking technical measurements on climatic data during sand blasting and spraying work in the condensation chamber of the boiling water reactor at Gundremmingen 86—39399
Rausch, E.O. *see* Rowe, W.J. 88—16168
Rausch, F., Lindeman, H., Josquin, W., de Lang, D., Jochems, P.J.W. An analog BIMOS technology 87—25488
Rausch, H. Stress due to torsional vibration of the squirrel-cage in induction motors 85—5084
Rausch, H. *see* Weidner, G. 87—66872
Rausch, M. The VLSI evaluation lab: a practical implementation 88—20069
Rausch, N.A. *see* Conner, D.E. 85—49329
Rausch, R. A large token-ring control network for the CERN LEP and SPS accelerators and collider rings 88—16579
Rausch, R. *see* Altaber, J. 85—43141
Rausch, R. *see* Anderson, G. 85—47900
Rausch, W. *see* Gelpey, J.C. 87—53335
Rausch, W. *see* Huang, H.-C.W. 88—32923
Rausch, W. *see* Michel, A.E. 87—32388
Rauschenbach, K., Lee, C.A. The opposed gate-source transistor 87—52844
Rauschenbach, W. The synthetic test circuit at the Technical University, Ilmenau, for the investigation of arcs in a flow of SF_6 86—71023
Rauscher, A. *see* Kretschmer, W. 86—25154, 87—3913
Rauscher, C. Regenerative frequency division with a GaAs FET 85—11559
Rauscher, C. Distributed microwave active filters with GaAs FETs 86—8373
Rauscher, C. Microwave active filters based on transversal and recursive principles 86—27585
Rauscher, C. Picosecond reflectometry technique for on-chip characterization of millimeter-wave semiconductor devices 87—73784
Rauscher, C., Goldberg, L., Yurek, A.M. GaAs FET demodulator and down-convertor for optical-microwave links 86—55182
Rauscher, C., Goldberg, L., Yurek, A.M. Self-oscillating GaAs FET demodulator and down-converter for microwave modulated optical signals 87—6155
Rauscher, G., Radeloff, C. Pulse wires as magnetic pulse generators for motion and field sensors 86—55635
Rauscher, G. *see* Gerlinger, H. 88—36259
Rauscher, G. *see* Radeloff, C. 86—28602
Rauscher, G. *see* Socher, W. 85—26258
Rauscher, N.F. Military applications of meteorological satellite (METSAT) data 85—26905
Rauscher, R., Kuckendahl, P., Payer, M. A system for estimation of numerical stability for matrix operations in systolic arrays 88—70667
Rauscher, R. *see* Buken, G. 85—27242
Rauscher, W. *see* Reichelt, A. 85—14266
Rauschnabel, K. *see* Braunschweig, W. 88—29874, 88—68282
Rausell, J.A., Soler, F., Casacuberta, F., Vidal, E. Speech parametrization using a microprocessor. II. Mean amplitude and density of zero crossings 85—13517
Rausendorf, S. Application of linear optimization in optimizing the electric regime oriented to reliability 86—65627
Rausendorf, S., Schufft, W. Computation of the electric field of ball shaped disk segment electrodes 86—63894
Rausendorf, S. *see* Dietrich, M. 88—54965
Raushagen, A., Wolf, H. Business communication in AXE 88—9340
Raushagen, A. *see* Linder, G. 87—76171
Raust, E.H. Rain fade in Ku-band VSAT networks: a design consideration 87—28530
Rauste, Y., Kuittinen, R. Digital rectification of satellite images 85—64685
Raut, M.K. *see* Vaughan, J.G. 85—34408
Raut, R. On the computation of electromagnetic field components from a practical printed circuit board 87—26837
Raut, R., Steenaart, W.J., Costache, G.I. A note on the optimum layout of electronic circuits to minimize the radiated electromagnetic field strength 88—38875
Rautaharhu, P.M. *see* Kornreich, F. 86—12005
Rautaharju, P.M. *see* Kornreich, F. 86—12004
Rautanen, M. On water turbine governors and governing systems 87—15585
Rautanen, M. *see* Kortelainen, T. 88—23782
Rautenberg, J. *see* Baust, E. 86—18975
Rautenberg, J. *see* Wohler, JH. 88—17310
Rautenberg, M., Malobabic, M., Mobarek, A., Abdel Kader, M. A small Pelton turbine for steam turbocharger 85—53568
Rautenberg, M. *see* Engeda, A. 87—42708, 88—69184
Rautenberg, M. *see* Haupt, U. 85—52910
Rautenberg, P. *see* Muller, H. 87—49044
Rautenfeldt, V. *see* Senf, F. 86—60486
Rauterberg, U. Minimization of thermo-electric voltages across relay contacts 85—34255
Rauterberg, U. Relays: miniaturisation and quality 86—1435
Rauterberg, U. Switching power and longevity of a unipolar microminiature-relay 87—66625
Rauthan, D.B., Garg, V.K. Geostationary satellite signal degradation due to Sun interference 87—8229
Rauthan, D.B., Garg, V.K. Moon's shadow on a geostationary satellite 87—8986
Rauthan, D.B. *see* Garg, V.K. 86—7006, 86—11023, 86—37833
Rautio, J.C., Harrington, R.F. An electromagnetic time-harmonic analysis of shielded microstrip circuits 87—66481
Rautio, J.C., Harrington, R.F. An efficient electromagnetic analysis of arbitrary microstrip circuits 87—73661
Rautio, J.C., Harrington, R.F. Results and experimental verification of an electromagnetic analysis of microstrip circuits 88—50296
Rautioaho, R. *see* Jaakola, T. 88—26552
Rautmann, D.A. *see* Kern, R.C. 85—59921
Rauvola, R. Advanced frequency synthesizer developed for radar and communications applications 87—41534
Rauwerdink, J.L. Computer guided logic IC fault location 88—725
Rauzino, V. Tying the micro-mainframe knot 86—17022
Rav-Noy, Z. *see* Izadpanah, S.H. 85—2298, 85—46380
Rav-Noy, Z. *see* Kapon, E. 85—18916, 85—24627, 86—42589
Rav-Noy, Z. *see* Mukai, S. 85—7423
Rav-Noy, Z. *see* Yi, M.B. 85—29803
Rava, P., Demichelis, F., Kaniadakis, G., Mpawenayo, P., Tagliaferro, A., Tresso, E. Influence of thickness and hydrogen concentration on optical and electrical properties of *a*-Si:H thin films 88—7319

Rava, P. *see* Demichelis, F. 86–27895, 86–35356, 86–53323, 87–24808, 87–53212
Rava, P. *see* Mpawenayo, P. 87–37911
Ravaglia, R. Field experience with installing and splicing multimode and single-mode optical fiber cables 86–30769
Ravaglia, R., Mengoli, G., Melani, B. Planning and implementation of nationwide telecommunication networks in Nigeria 85–19606
Ravaglia, R. *see* Calamia, M. 87–33982
Ravaglia, R. *see* Fagotti, A. 88–4054
Ravaine, D. Ionic conductive glasses 85–65436
Ravaioli, G. *see* Barbaliscia, F. 88–17474 to 17475
Ravaioli, U., Ferry, D.K. MODFET ensemble Monte Carlo model including the quasi-two-dimensional electron gas 86–53647
Ravaioli, U., Ferry, D.K. Monte Carlo study of the quasi two-dimensional electron gas in the high electron mobility transistor 86–58489
Ravaioli, U., Ferry, D.K. Electron transport in the conduction channel of the HEMT 87–18155
Ravaioli, U., Ferry, D.K. Monte Carlo investigation of the high electron mobility transistor 87–25344
Ravaioli, U., Lugli, P., Osman, M.A., Ferry, D.K. Advantages of collocation methods over finite differences in one-dimensional Monte Carlo simulations of submicron devices 86–21479
Ravaioli, U., Osman, M.A., Potz, W., Kluksdahl, N., Ferry, D.K. Investigation of ballistic transport through resonant-tunneling quantum wells using Wigner function approach 86–21217
Ravaioli, U. *see* Cancellieri, G. 85–1983
Ravaioli, U. *see* Kluksdahl, N. 87–45874
Ravaioli, U. *see* Lugli, P. 85–29035
Ravaioli, U. *see* Osman, M.A. 87–25217, 87–26210
Ravaioli, U. *see* Shapo, B. 88–50783
Raval, G.M. Application of low-waste no waste technology to thermal power plants 85–4895
Ravalitera, G. *see* Notelet, F. 87–43040
Ravan, H.L., Bjornstad, T., Hoff, P., Jonsson, O.C., Kugler, E., Sundell, S., Vosicki, B. User of refractory oxides, carbides and borides as targets for on-line mass separation 87–57002
Ravani, M. *see* Badii, R. 88–46051
Ravani, M. *see* Brun, E. 85–24506, 87–46826
Ravani, M. *see* Derighetti, B. 87–12636
Ravani, M. *see* Holzner, R. 87–75066
Ravary, S., Pupat, F. Silicon optoelectronic components behaviour under pulsed gamma irradiation 88–72218
Ravas, R.J. *see* Calpin, J.E. 85–5287
Ravat, C.J.C. *see* Salmon, J.A. 88–61549
Ravaux, G. *see* Le Barny, P. 88–2380
Ravazzola, P. *see* Le Cadre, J.P. 88–21006
Ravazzotti, M.T., Festa, A. MEGALOS: Multimission European Geostationary Ariane Launched Orbital Station 85–47452
Ravdszus, W. Back-up supply with small accumulators 88–69489
Rave, W., Cain, W.C., Hubert, A., Kryder, M.H. Calculation of the magnetization in an exchange coupled layer 88–51282
Rave, W. *see* Re, M.E. 88–51310
Rave, W. *see* Schmidt, F. 86–31601
Raveau, B. *see* Alliouat, M. 87–73158
Raveau, B. *see* Desgardin, G. 85–39816, 88–62776
Raveau, B. *see* Dubots, P. 88–26695
Raveau, B. *see* Halmi, M. 88–56318
Raveau, B. *see* Haussonne, J.M. 88–31867
Raveau, B. *see* Michel, C. 87–52910
Raveau, B. *see* Robbes, D. 88–20295, 88–29596
Raveau, B. *see* Vizot, J. 88–33508
Raveendra, K.R., Srinivasan, R. Coherent detection of binary multi-*h* CPM 87–61562
Raveendra, K.S. Modification in the design of an outdoor substation layout to prevent incorrect operation 86–19398
Raveendra, K.S., Murthy, C.N.S., Mudduveerappa Incorrect operation of circuit breakers at both ends of the transmission lines 85–48563
Raveh, Z. *see* Branover, H. 85–21536
Ravel, G. *see* Andries, B. 88–19823
Ravel, G. *see* Picard, M. 86–37236
Ravelet, S. *see* Bouchikhi, B. 87–1334, 87–67010, 87–67020
Ravelet, S. *see* Easwarakhantan, T. 85–10108
Ravelet, S. *see* Easwarakhanthan, T. 87–15600
Ravelet, S. *see* Nguyen, P.H. 86–13046
Raven, B. On the null representation of polarization parameters 85–58186
Raven, J.G. High definition MAC: the compatible route to HDTV 88–41831
Raven, J.G. *see* Annegarn, M.J.J.C. 86–49806
Raven, M.S. DC magnetron sputtering of Y-Ba-Cu-O on Si(100) 88–31831
Raven, M.S. *see* Parton, J.E. 86–40372
Raven, P.F. *see* Brailsford, J.R. 88–10853
Raven, V.M. SINUMERIK: controls and variable-speed SIMODRIVE for future-oriented machine tool concepts 86–40206
Ravenscroft, D. *see* Bostick, D. 88–25132
Ravenscroft, D.L., Lightner, M.R. Functional language extractor and Boolean cover generator 87–36894
Ravenscroft, D.L. *see* Bye, C.T. 85–39874
Raventtino, C.I. *see* Biscontin, A. 86–50143
Raver, N. Open loop gain limitations for push-pull off-chip-drivers 87–573
Raver, N. Open-loop gain limitations for push-pull off-chip drivers 87–44708
Raver, N. *see* Beha, H.A. 86–40555
Ravert, H.T. *see* Bice, A.N. 86–70397
Ravetto, M. *see* Nicolas, P. 87–49759
Ravetto, P. *see* Colombo, V. 87–42623
Ravetto, P. *see* Lavagno, E. 87–30385
Ravez, J., Simon, A. Thirty years of research in ferroelectric oxyfluorides 88–71865
Ravfogel, M. *see* Kopeika, N.A. 85–6524
Ravi, J., Benenson, D.M. Arc mantle studies in dual flow plasmas 87–22658
Ravi, J. *see* Lau, Y.C. 85–21770
Ravi, K.V., Gonsiorawski, R.C., Chaudhuri, A.R. Progress in EFG technology for low cost photovoltaics 87–5396
Ravi, K.V., Palsule, V.S., Lal, P.M.C. Costas loop BPSK demodulation for spread spectrum system 87–47478
Ravi, K.V. *see* Lal, P.M.C. 87–3042
Ravi, K.V. *see* Maskara, S.L. 87–47521
Ravi, K.V. *see* Palsule, V.S. 87–47522
Ravi, K.V. *see* Peters, M. 88–63375
Ravi, K.V. *see* Khattak, C.P. *(editor)* 88–20
Ravi, N., Wendell, R.E. The tolerance approach to sensitivity analysis in network linear programming 88–63177
Ravi, R. A necessary and sufficient condition for acyclic graphs 85–44609
Ravi, S.C. Stability and performance characterization of thick film microresistors 88–12622
Ravi, S.C., Leung, S.M. Stable high resistivity thin film resistors on ceramic substrates 88–7218
Ravi, S.S. *see* Lloyd, E.L. 85–23214
Ravi Kumar, G., Chaddah, P. Optimization of superconducting solenoid magnet geometries for minimum inductance 87–46422
Ravi Kumar, S.V. *see* Venkateswara Rao, B. 88–59294
Ravi Shankar, T.M., Webster, J.G., Shao, S.-Y. The contribution of vessel volume change and blood resistivity change to the electrical impedance pulse 85–48280
Raviart, A. *see* Goret, P. 88–68252
Raviart, P.A. *see* Mas-Gallic, S. 87–65439
Ravich, G. *see* Modlin, D.N. 87–46093
Ravich, L. Head-up displays in avionics 87–8983
Ravich, L.E. Pyroelectric infrared detectors 85–14804
Ravich, L.E. Solid-state lasers and applications 85–29966
Ravich, L.E. Electronic imaging: promises and threats 86–38277
Ravich, L.E. Thermal imaging: a review 86–44173
Ravich, L.E. Pyroelectric detectors and imaging 87–14336
Ravich, L.E. Digital processing is key to imaging functions 87–62172
Ravich, L.E. Charge-coupled devices: a primer 87–74316
Ravich, L.E. Still video camera systems offer alternative to traditional photography 88–4206
Ravich, L.E. Spotlight on the world 88–10030
Ravich, V.N. *see* Georgobiani, A.N. 85–55521
Ravich, Yu.I. *see* Gol'tsman, B.M. 88–1407, 88–4360
Ravich, Yu.I. *see* Gurieva, E.A. 87–37912
Ravich, Yu.I. *see* Iordanishvili, E.K. 88–49161
Ravich, Yu.I. *see* Kaidanov, V.I. 85–28982
Ravich, Yu.I. *see* Prokof'eva, L.V. 88–32827
Ravichandran, M.S. *see* Ghose, A.K. 86–11039
Ravid, E., Nerat, T. Problems in logic-array design on engineering workstation 85–23852
Ravid, E.V., Lu, L.Y. A 'foolproof' IC macro cell design system 86–47831
Ravid, Y. *see* Brish, A. 88–32164
Raviendra *see* Goyal, R.P. 85–22509
Raviendra, D. Transparent conducting PbO_2 films prepared by activated reactive evaporation 86–35340
Raviendra, D., Sharma, J.K. n-CdS/p-$AgInSe_2$ solar cells by electrodeposition 85–39204
Raviendra, D., Sharma, J.K. Electroless deposition of SnO_2 and antimony doped SnO_2 films 85–54489
Raviendra, D., Sharma, J.K. Electroless deposition of cadmium stannate, zinc oxide, and aluminum-doped zinc oxide films 85–60975
Raviendra, D., Sundeep, Sharma, J.K. In_2O_3 and In_2O_3:Sn (ITO) films by post-oxidation of metal films 85–33474
Ravier, P., Penicaud, J.-P. Finite element study of charged particle beams 88–45645
Ravikumar, B., Lakshmanan, K.B. Coping with known patterns of lies in a search game 85–10586
Ravikumar, B. *see* Chung, M.J. 88–7708
Ravikumar, C., Balakrishnan, N. A low cost microprocessor based multiple pressure measuring system 87–28917
Ravikumar, C., Balakrishnan, N., Holla, V.S. A microprocessor based system for wind tunnel measurements 87–71215
RaviKumar, C.P., Patnaik, L.M. Parallel placement by simulated annealing 88–24927
Ravikumar, K.G., Koentjoro, S., Shimomura, K., Arai, S., Suematsu, Y., Komori, K. Mass-transport buried heterostructure lasers with narrow active width 88–65726
Ravikumar, K.G., Shimomura, K., Kikugawa, T., Izumi, A., Arai, S., Suematsu, Y., Matsubara, K. Switching operation in intersectional type field effect MQW optical switch 88–39992
Ravikumar, K.G. *see* Koentjoro, S. 87–18984
Ravikumar, K.G. *see* Miyamoto, Y. 88–45447
Ravikumar, R. *see* Hall, E.H. 87–57886
Ravikumar, S. *see* Mallon, R.E. 88–45833
Ravin, C.E. *see* Stockbridge, C. 87–21707, 87–77699
Ravin, C.E. *see* Suddarth, S.A. 87–57094
Ravina, E. *see* Lucifredi, A. 88–5098
Ravindhran, K.S., Rivas, I.V., Kulkarni, N.M. Tungsten silicide-aluminium system for multilevel metalization in VLSI 85–40928
Ravindhran, K.S. *see* Mak, S. 87–1784
Ravindhran, K.S. *see* Rivas, I.V. 85–40932
Ravindra, H. *see* Leung, C.K.C. 85–11150
Ravindra, H. *see* Patil, S.S. 87–1776
Ravindra, M.K. Seismic probabilistic risk assessment and its impact on margin studies [nuclear plants] 88–48635
Ravindra, M.K., Kennedy, R.P., Sues, R.H. Role of seismic PRA in seismic safety decisions of nuclear power plants 85–43772
Ravindra, N.M., Demichelis, F. Influence of electrical and optical losses on fundamental solar-cell parameters 86–13045
Ravindra, N.M., Fathy, D., Narayan, J., Srivastava, J.K., Irene, E.A. Two-step oxidation processes in silicon 87–1427
Ravindra, N.M., Narayan, J., Fathy, D., Srivastava, J.K., Irene, E.A. Silicon oxidation and Si-SiO_2 interface of thin oxides 87–53412
Ravindra, N.M. *see* Prasad, B. 86–27829
Ravindran, A., Foote, B.L., Badiru, A., Leemis, L., Williams, L. Mechanized material handling systems design and routing 88–55937
Ravindran, G., Padma, L.R. New approach in recording foetal electrocardiogram and location of the foetal cardiac vector 88–54583
Ravindran, K. *see* Chanson, S.T. 86–10775, 87–34197, 88–59707, 88–66973
Ravindran, M. *see* Raju, V.S. 85–32381
Ravindran, S., Manohar, M. Algorithm for converting a forest of quadtrees to a binary array 88–14777
Ravindranath, K. *see* El-Hawary, F. 87–35499
Ravindranath, K.M., El-hawary, M.E. The hydrothermal optimal power flow problem in rectangular coordinates 88–75066
Ravindranath, K.M. *see* El-Hawary, M.E. 87–42322, 88–42764
Ravindranathan, P., Patil, K.C. A one-step process for the preparation of γ-Fe_2O_3 86–26931
Ravini, E. CAE in the electronics industry: once there was a pencil 88–31936
Ravinowitz, A. *see* Davis, L. 85–43398
Ravipati, D., Sivertsen, J.M., Judy, J.H. Effect of substrate and deposition rate on DC magnetron sputtered Co-Cr thin films 87–32829
Ravipati, D.P., Haines, W.G., Dockendorf, J.L. Effects of argon pressure and substrate heating on the chromium underlayer used for high-density longitudinal CoNiCr media 88–442
Ravipati, D.P., Haines, W.G., Sivertsen, J.M., Judy, J.H. Study of magnetic and recording properties of DC magnetron sputtered CoCr thin films 87–67709
Ravishankar, M.K., Pappu, S.V. Fiber-optic sensor-based refractometer-cum-liquid level indicator 86–36129
Ravishankar, P.S. Kyropolous crystal growth of silicon for solar cell applications 86–7746
Ravishankar, P.S. *see* Amick, J.A. 85–49106
Ravishankar, P.S. *see* Rajendran, S. 86–57418
Ravishankar, S. *see* Narasimhan, M.S. 85–41704
Ravita, J. *see* Lewis, N. 87–13728
Raviv, D., Pao, Y.H., Loparo, K. 3D surface reconstruction from 2D binary images 88–59270
Raviv, G., Marhic, M.E., Epstein, M. Fiber optic beam delivery for endoscopic holography 86–2758
Ravkin, V.Z. *see* Aleksenko, A.G. 87–6213
Ravlic, V., Petranovic, D. The computation of mechanical overloads of terminals in case of bad connections 87–21952
Ravlik, A.M. *see* Skrypnik, A.I. 87–71634
Ravn, H. *see* Coron, N. 88–36402
Ravn, H.F. Optimizing combined power and heat production with dual fuels 85–32102
Ravn, H.F. A forward maximum principle algorithm with decision horizon results 88–5496
Ravn, H.L. *see* Andersen, H.H. 87–71028
Ravn, H.L. *see* Bjornstad, T. 87–57001
Ravn, H.L. *see* Coron, N. 85–37975
Ravn, H.L. *see* Eaton, T.W. 87–57003
Ravn, H.L. *see* Sinapius, G. 87–50103
Ravn, H.L. *see* Stroke, H.H. 86–50372
Ravn, J., Bergsland, P. Burma plans to meet its future [electricity supply] 88–68849
Ravn, M. A mixed-signal test program development environment 87–74393

Ravn, M. Test programs for mixed signals VLSI 88–60542
Ravnik, M., Najzer, M. Reactor calculations as a part of nuclear power development efforts 86–39479
Ravon, J.P., Ridon, J. Calculation and correction of the discrimination created by a Nier ion source without an auxiliary magnetic field using a transverse atomic beam 86–18228
Rawa, H. Changes detection of admittance or impedance parameters of arms situated in such part of multipole or of *n*-port network which is inaccessible for measurements. I. Formulation of mathematical bases of algorithms 85–49677
Rawa, H. Analysis of potential fields in heterogeneous environments 87–12656
Rawa, H. Certain formulation problems of equations describing electromagnetic field in heterogeneous environments 87–39277
Rawa, H. Composite distribution of the potential field 87–54472
Rawal, B.S., Childs, M., Cooper, A., McLaughlin, B. Reliability of multilayer ceramic capacitors after thermal shock 88–63996
Rawal, B.S., Ladew, R., Garcia, R. Factors responsible for thermal shock behavior of chip capacitors 87–66598
Rawal, B.S. *see* Chan, N.-H. 88–63999
Rawal, B.S. *see* Chang, D.D. 88–1819
Rawal, B.S. *see* Chung, D. 85–35221
Rawal, B.S. *see* Opalko, L.M. 86–14530, 86–41336
Rawald, J. Light waveguide and computer: digital sound mixing console for the WDR 87–14015
Rawald, J. New principles, concepts and parameters. I [digital audio techniques] 88–29152
Rawald, J. New principles, concepts and parameters. II [digital audio techniques] 88–29153
Rawald, J. Digital audio techniques. III. New principles, concepts and parameters 88–29632
Rawat, A.S. *see* Aggarwal, S.K. 85–64505
Rawat, B. Determination of coupled microstrip line parameters using Green's function techniques 85–36072
Rawat, B., Dalmia, M. Computer aided design of inverted strip dielectric waveguide millimeter wave ring-resonator and coupler 85–34159
Rawat, B., Kumar, G. Scattering matrix analysis of inverted strip dielectric waveguides 88–25365
Rawat, B., Miller, R. Simplified loss analysis of homogeneous dielectric loaded coaxial resonator with linearly tapered inner conduction 87–75548
Rawat, B., Miller, R., Pontius, B. New type of band-pass filter for mobile communication using stepped impedance resonators 88–56877
Rawat, B., Miller, R., Pontius, B.E. Bandpass filter for mobile communications 85–30933
Rawat, S., Balsara, P.T., Irwin, M.J., Mackowiak, T. Design and implementation of real time video processor 87–17196
Rawat, S., Irwin, M.J. C-testability of unilateral and bilateral sequential arrays 88–12343
Rawat, V.S. *see* Cuha, D. 86–55336
Rawe, R.L. *see* Henry, P.M. 87–38934
Rawer, K. *see* Bilitza, D. 88–67309
Rawes, J., Cramp, I.S.W. Electrical engineering at the new Birmingham International Airport 85–64679
Rawicki, S. Investigation of the influence of the space harmonics interaction phenomenon on transient and steady state characteristics of a three-phase slip-ring induction machine 85–38978
Rawicki, S. Calculation of currents for internal short-circuits in a stator of a three-phase slip-ring induction machine 85–38979
Rawicki, S. Dynamical model of three-phase slip-ring induction machine with consideration of higher harmonics of magnetic field 85–65238
Rawicki, S. Mathematical model of zero-sequence component of three-phase induction machine 86–19252
Rawicki, S. Damages of windings of a three-phase slip-ring induction machine having parallel paths in the stator or in the rotor. I. The mathematical model 88–55333
Rawicki, S. Damages of windings of a three-phase slip-ring induction machine having parallel paths in the stator or in the rotor. II. Results of calculations 88–55334
Rawicz, A. Relationship between tearing strength and electrical resistance in welded microjoints 85–54525
Rawicz, A.H. Burn-in of incandescent sign lamps 87–31067
Rawicz, A.H. Comparative studies of vibrational reliability of electroconductive adhesive and soldered microjoints 88–38024
Rawicz-Szczerbo, A. A hard coin acceptor: a care study 85–33883
Rawle, A.F. Business opportunities in fibre optics 88–20383
Rawle, W.D. On CATV system interference problems 87–28821
Rawles, J.W. The mighty five 88–23228
Rawles, J.W. US military upgrades its battlefield eyes and ears [tactical intelligence] 88–42721
Rawles, J.W. Soviet SIGINT platforms range from trawlers to consulates 88–42723
Rawles, J.W. Military satellites: the next generation 88–60075
Rawles, J.W. LIGHTSAT: all systems are go [military satellites] 88–60076
Rawlings, B. Solar thermal electric systems for Australia 86–45259
Rawlings, K.J. Circuit analysis of the Harwell solid state alpha detectors 86–32163
Rawlings, K.J. Measurement of series resistance in large area diodes 86–38517
Rawlings, K.J. Large diameter radial semiconductor drift chambers for low noise radiation detection 87–29470
Rawlings, K.J. Sources of series resistance in the Harwell solid state alpha detector 87–29526
Rawlings, K.J. Radial semiconductor drift chambers 87–50150
Rawlings, K.J. The generation lifetime in high resistivity silicon 87–74248
Rawlings, K.J. Signal rise times and energy resolution in radial semiconductor drift chambers 88–4800
Rawlings, K.J. Passive filter calculations for semiconductor drift chamber signal pulse processing 88–36374
Rawlings, K.J., Jain, S.C., Leake, J.W., van Overstraeten, R. Note on flat band voltage due to interface states 88–33236
Rawlings, K.J., Leake, J.W., Jain, S.C. The application of high-low junctions to silicon radiation detectors 86–53406
Rawlings, K.J., Leake, J.W., Jain, S.C. Reverse biased p^+nn^+ structure 87–21455
Rawlings, R.C. Future ATS in europe 88–61599
Rawlings, R.R., Eckardt, M.J., Begleiter, H. Multivariate spectral methods for the analysis of event-related brain potentials 88–54552
Rawlings, R.R., Rohrbaugh, J.W., Begleiter, H., Eckardt, M.J. Spectral methods for principal components analysis of event-related brain potentials 87–29763
Rawlins, A.D., Johnson, M.A. The measurement of radio noise levels on ships 87–12754
Rawlins, A.D. *see* Jalaly, I. 88–28750
Rawlins, A.D. *see* Lui, P.L. 88–66099
Rawlins, C.B. Research on vibration of overhead ground wires 88–68981
Rawlins, M.J. Lightning performance of the CEGB 275 kV and 400 kV system 1977/8 to 1981/2 85–64955
Rawlinson, B. *see* Linacre, H. 85–44277
Rawlinson, J.A. *see* Galbraith, D.M. 85–53021
Rawlinson, J.A. *see* Martell, E. 86–50638
Rawlinson, J.A. *see* Munro, P. 88–23113
Rawlinson, J.D.S. Development of radar for the Royal Navy 1935-44 86–11164
Rawlinson, J.D.S. *see* Coales, J.F. 85–58227
Rawlinson, M. The introduction of CAD into the company: the pitfalls and the prizes 86–35191
Rawlinson, P.E., Beltran, F. Affordable(?) array radiating elements 88–2883
Rawlinson, W.R., Bellani, L. An instrumented vehicle for measuring and recording road geometry data 85–14684
Rawnsley, W.R., Mackenzie, G.H., Oram, C.J. The production and measurement of 150 ps beam pulses from the TRIUMF cyclotron 85–58992
Rawnsley, W.R., Ries, T.C., Mackenzie, G.H. A scanning secondary emission profile monitor 88–54109
Rawnsley, W.R. *see* Ries, T.C. 88–54149
Rawson, E.G. Issues in fiber optic LAN systems 85–42567
Rawson, E.G. The Fibernet II Ethernet-compatible fiber optic LAN 85–63660
Rawson, E.G., Schmidt, R.V., Gunning, W.F., Bailey, M.D., Truman, A.K., Toyama, G.K. AstraNet: an active, hierarchical-star, fiber optic Ethernet 87–34586
Rawson, F.F. Ultrasonic technology in today's industry 87–77916
Rawson, FF. High power ultrasonic resonant horns. I. Basic design concepts: velocity of ultrasound at 20 kHz; effects of material and horn dimensions 88–16953
Rawson, H. Glass and its history of service 88–56333
Rawson, R.F. *see* Kozma, A. 87–63931
Rawson, R.F. *see* Sullivan, R.J. 88–60259
Rawsthorne, E.D. *see* Demanet, C.M. 86–9036
Ray, A. A microcomputer-based fault-tolerant control system for industrial applications [industrial nuclear power plants] 86–12576
Ray, A. Service access procedure (SAP) for a transport layer protocol 88–52908
Ray, A., Angevine, R.M., Haughney, J.F. Service access procedure (SAP) in support of the WIS architecture 86–30109
Ray, A., Ayyagari, A. Networking for real-time control of integrated manufacturing processes 88–67031
Ray, A., Desai, M. A redundancy management procedure for fault detection and isolation 87–15492
Ray, A., Halevi, Y., Lee, S., Hong, S.H. Network access protocols for real-time distributed digital control systems 87–40415
Ray, A. *see* Bernard, J.A. 86–6548, 86–18938
Ray, A. *see* Datta, A.K. 86–66479, 87–47616
Ray, A. *see* Desai, M. 85–4708
Ray, A. *see* Lala, J.H. 85–8087
Ray, A. *see* Polenta, H.P. 86–55541, 87–3606, 87–41351
Ray, A. *see* Seifritz, W. 85–38681, 86–45176
Ray, A.B. *see* Castel, E.D. 88–26115
Ray, A.B. *see* El-Diwany, M.H. 88–44875
Ray, A.E. The development of high energy product permanent magnets from 2:17 Re-Tm alloys 85–18582
Ray, A.E., Soffa, W.A., Blachere, J.R., Zhang, B. Cellular microstructure development in Sm(Co, Fe, Cu, Zr)$_{8.35}$ alloys 88–51195
Ray, A.E. *see* Harmer, R.S. 86–22009
Ray, A.E. *see* Xiao, Y. 88–51190
Ray, A.G., Burgess, G. The personal computer as an IEEE 488 bus controller 85–64010
Ray, A.K. Bird's break-free full-ROX isolation scheme 85–29104
Ray, A.K. High-rate magnetron sputtering 86–26901
Ray, A.K., Chatterjee, B. Design of a nearest neighbour classifier system for Bengali character recognition 85–41907
Ray, A.K., Hogarth, C.A. A mathematical analysis for the peak of the conduction characteristic of formed MIM devices 85–45478
Ray, A.K., Hogarth, C.A. A note on the normal distribution of filamentary resistances in formed metal-insulator/metal devices 86–8906
Ray, A.K., Hogarth, C.A. On the relationship between the conduction characteristics and the statistical parameters of a normal distribution of filamentary resistances in an electroformed metal/insulator/metal device 87–1349
Ray, A.K., Hogarth, C.A. On the calculation of the rupture potential of a filamentary system in an electroformed metal/insulator/metal structure 87–24980
Ray, A.K., Hogarth, C.A. A novel description of polyfilamentary conduction in an electroformed insulating film 87–53313
Ray, A.K., Hogarth, C.A., Pank, R.S. Analytical examination of the functional form of the experimental conduction characteristic for a formed MIM device showing VCNR 85–55604
Ray, A.K., Merz, C.J., Nguyen, T.N. Nitrided SiO$_2$ films for VLSI applications 86–21430
Ray, A.K. *see* Berkenblit, M. 85–12181
Ray, A.K. *see* Nguyen, T.N. 85–50788
Ray, A.K. *see* Osburn, C.M. 85–12180
Ray, A.R. *see* Laycock, P.J. 88–41519
Ray, B. Integrating the digital scope peripheral into the engineering PC workstation 87–3649
Ray, B. PC based analog data capture and analysis 88–15955
Ray, B. PC based instrumentation versus standalones 88–60584
Ray, B., Dubey, G.K., Bhattacharya, S. Simple digital simulation for steady-state performance of static Kramer drive [electric drives] 85–44210
Ray, B., Stuart, T.A. An analysis of *N* Schwarz inverters driving a common AC bus 87–78783
Ray, B., Stuart, T.A. A cascaded Schwarz converter for high frequency power distribution 88–75780
Ray, B. *see* Datta, A.K. 86–7265
Ray, B.S., Cord, T.J. Supermaneuverability and flying qualities issues 86–70465
Ray, D., Gorecki, J. Novel single-ended CMOS transconductance amplifiers 85–54998
Ray, D. *see* Aldous, A. 85–65534
Ray, D.T. The local telco's flight for change 88–28241
Ray, F. Adjunction of an ISDN interface to a didactical model of a digital switching exchange 88–15277
Ray, F.D. *see* Neve, J.M. 88–32681
Ray, G. *see* Mahalanabis, A.K. 87–21860
Ray, G. *see* Perner, F. 87–24187
Ray, G.A., Dunsmore, J.J. Reliability of network topologies 88–52942
Ray, G.C. A new frequency divider for complex waves 86–1333
Ray, G.C. Design of electrocardiometer 86–56158
Ray, G.C., Jha, R. A new method of linear control for optimum transfer of power from a solar cell array to the distribution network 85–5009
Ray, G.C. *see* Bhasin, S.S. 88–4952
Ray, G.C. *see* Singh, S.K. 88–48161
Ray, G.T. Quality: a commitment [telecommunications] 85–39568
Ray, G.T. Quality—a commitment by NYNEX 87–10192
Ray, G.T. *see* Giloth, P.K. 87–27847
Ray, G.W., Marcoux, P.J. Development and application of a plasma planarization process 86–28440
Ray, J.D., Perry, E.H., Bada, H.S. Data acquisition system for monitoring low birth weight neonates 87–3935
Ray, J.D. *see* Perry, E.H. 87–14837
Ray, J.J. *see* Legate, A.C. 88–49080
Ray, J.M. *see* Taylor, D.J. 88–66173
Ray, K. BER measurement of modem 85–57841
Ray, K.K. *see* Catterjee, J.K. 88–30901

Ray, K.P. *see* Chattopadhyay, R. 87—73611
Ray, K.S., Dutta Majumder, D. A new approach to image restoration 87—75951
Ray, K.S., Majumder, D.D. Simulation of a nonlinear steam generating unit 85—32358
Ray, K.S., Pal, S., Sinha, A. Recursive least square technique and parallel implementation approach for image restoration 88—21334
Ray, L. *see* Jarmer, J.J. 87—3879
Ray, L. *see* Rabbani, M. 85—57431
Ray, L. *see* Sullivan, J. 87—47879
Ray, L.A. *see* Burns, P.D. 86—63884
Ray, L.A. *see* Rabbani, M. 87—21538
Ray, M. Incandescent lamps 85—27756
Ray, M. Preparing material for video disc 87—3317
Ray, M.L. Business and industrial energy management 86—71150
Ray, N. *see* Mukherjee, P.K. 87—57553
Ray, N.J.C. *see* Prior, B.J. 85—45907
Ray, P.K. Friction in rail guns [aerospace propulsion] 85—31934
Ray, P.K. Arc diagnostics in a rail accelerator 86—29301
Ray, P.K. Railgun performance and plasma characteristics due to wall ablation 87—26703
Ray, P.K. *see* Stow, R.G. 87—13346
Ray, P.S., Baoxiang Xu Evolution of a multicell storm from a single Doppler radar observation 88—68639
Ray, P.S., Jorgensen, D.P. Uncertainties associated with combining airborne and ground-based Doppler radar data [weather analysis] 88—60245
Ray, P.S. *see* Hane, C.E. 85—48479
Ray, P.S. *see* Kessinger, C.J. 88—42651
Ray, R. Automated visual inspection of solder bumps 88—63069
Ray, R., Datta, A.D. An approach to the development of a small-scale linear induction accelerator 88—74656
Ray, R., Datta, A.K. External electrostatic deflector techniques for pulse selection from the 37 inch cyclotron at SINP, Calcutta 87—35278
Ray, R., Datta, A.K. Design considerations of an external electrostatic deflector system for a cyclotron beam 87—70962
Ray, R. *see* Yang, C.J. 88—64916
Ray, R.N., Surendar, C., Chandra, U., Kumar, V., Ahmad, S.N. Computer controlled on-power fuel handling systems for nuclear power plants 85—32304
Ray, R.N. *see* Subramaniam, K. 85—32303
Ray, S. A heuristic noise reduction algorithm applied to handwritten numeric characters 88—28048
Ray, S. Digital simulation of B/H excursions for power system studies 88—48436
Ray, S., Behari, J. Ultrasound attenuation in biological tissues using a bone transducer 88—23042
Ray, S., Behari, J. Electrical parameters of bone substrate in microstrip line configuration 88—54549
Ray, S., Chaudhuri, P., Batabyal, A.K., Barua, A.K. Electronic and optical properties of boron doped hydrogenated amorphous silicon thin films 85—11961
Ray, S., Chow, H.Z. Digital computer can do the jobs the protective devices do for the electrical systems 85—27134
Ray, S., Das, D., Barua, A.K. Structural studies on hydrogenated amorphous silicon carbide thin films by infrared vibrational spectroscopy 86—41557
Ray, S., De, S.C., Barua, A.K. Characterization of microcrystalline silicon films prepared by the glow discharge method under different deposition conditions 88—31858
Ray, S., Ganguly, G., Barua, A.K. Characterization of p-type a-SiC:H films for the use as window layer of amorphous silicon solar cells 88—17981
Ray, S., Kolbas, R.M., Hafich, M.J., Dies, B.E. Monolithic matrix-addressable AlGaAs-GaAs array 86—63729
Ray, S., Mittra, R. Numerical analysis of open waveguide discontinuities 85—7695
Ray, S., Ruden, P., Sokolov, V., Kolbas, R., Boonstra, T., Williams, J. Resonant tunneling transport at 300K in GaAs-AlGaAs quantum wells grown by metalorganic chemical vapor deposition 86—58293
Ray, S., Sen, S. Some new facts about three phase ferroresonance 88—24006
Ray, S., Walton, M.P. Monolithic optoelectronic receiver for Gbit operation 86—68410
Ray, S., Walton, M.P., Palmquist, S., Hibbs-Brenner, M., Kalweit, E. Monolithic optoelectronic circuits for high-speed optical interconnects 88—4001
Ray, S. *see* Banerjee, R. 86—21152, 87—32261, 87—74198
Ray, S. *see* Chaudhuri, P. 85—28254
Ray, S. *see* Gangully, G. 88—57326
Ray, S. *see* Ganguly, G. 87—18819
Ray, S.C., Das, J.K. Analysis and performance of thyristor chopper controlled closed loop DC drive for DC separately excited motor 85—39240
Ray, S.K. Digital generation of very-wide band FM 86—22882
Ray, S.K. A simple digital CPMFSK generator 87—23970
Ray, S.K. A fast pipelined ADC suitable for VLSI implementation 88—25292
Ray, S.K., Seshan, K., Lewis, R.K. Ultrasonic bonding of wires to Cr-Cu-Cr metallurgy 86—62985
Ray, S.K., Utku, S., Wada, B.K. A numerical simulation to verify the stress-free growth of silicon crystal ribbon 87—44280
Ray, S.K. *see* Biswas, B.N. 87—73686
Ray, S.K. *see* Das Gupta, K. 87—44674
Ray, S.K. *see* Dasgupta, G. 87—10715
Ray, S.K. *see* Moskowitz, P.A. 86—67611
Ray, S.K. *see* Seshan, K. 87—24655, 87—74219
Ray, S.K. *see* Utku, S. 86—66795
Ray, S.Kumar *see* Kumar Ray, S.
Ray, S.R., Lee, W.D., Morgan, C.D., Airth-Kindree, W. Computer sleep stage scoring—an expert system approach 86—65439
Ray, U.C., Agarwal, S.K. Wavelength dependence of short-circuit current decay in solar cells 88—37385
Ray, U.C., Agarwal, S.K., Jain, S.C. Measurement of base lifetime and effective back surface recombination velocity in BSF solar cells 85—27652
Ray, U.C. *see* Aggarwal, A.K. 87—73693
Ray, U.C. *see* Jain, S.C. 86—53594
Ray, W. *see* Roth, S. 88—57488
Ray, W.F. The switched reluctance motor—an exciting alternative 85—21862
Ray, W.F. The effect of supply reactance on regulation and power factor for an uncontrolled 3-phase bridge rectifier with a capacitive load 85—61105
Ray, W.F. Snubber design for diodes with 'soft' turn-off 87—11735
Ray, W.F., Davis, R.M., Stephenson, J.M., Lawrenson, P.J., Blake, R.J., Fulton, N.N. Industrial switched reluctance drives—concepts and performance 86—7217
Ray, W.F., Davis, R.M., Weatherhogg, I.D. The three-phase bridge rectifier with a capacitive load 88—63526
Ray, W.F., Lawrenson, P.J., Davis, R.M., Stephenson, J.M., Fulton, N.N., Blake, R.J. High performance switched reluctance brushless drives 86—45751
Ray, W.F., Lawrenson, P.J., Davis, R.M., Stephenson, J.M., Fulton, N.N., Blake, R.J. High-performance switched reluctance brushless drives 87—4984
Ray, W.F., Potamianos, A.G. Microprocessor control of a DC motor drive 86—7203
Ray, W.F. *see* Blake, R.J. 86—7267
Ray, W.F. *see* French, P.St.-J.R. 85—10146
Ray, W.F. *see* Fulton, N.N. 86—33759
Ray Chiu, K.C., Zetterquist, N.E. Adhesion of blanket tungsten to oxide 87—59002
Raya, G.L. Telco moves movies with cable link 87—8439
Raya, J. *see* Hazony, D. 88—68662
Rayachadhuri, D. *see* Joseph, K. 88—3303
Rayapati, N. *see* Dhillon, B.S. 87—515
Rayapati, S.N. *see* Dhillon, B.S. 85—16832, 85—33234, 85—44554, 85—48547, 86—275, 86—7572, 86—51250, 86—57251, 87—157, 87—5304, 87—58760, 87—65252, 87—65257, 88—233, 88—11799, 88—36739, 88—49591, 88—56076, 88—63085, 88—63101, 88—70180
Rayat, S. CMOS power and density in ECL arrays 88—12298
Raybon, G. *see* Darcie, T.E. 88—28832
Raybon, G. *see* Eisenstein, G. 87—54363, 87—75091, 88—3975, 88—34076, 88—47169
Raybon, G. *see* Jopson, R.M. 87—8273, 87—46969
Raybon, G. *see* Koren, U. 88—27143
Raybon, G. *see* Korotky, S.K. 87—46560, 87—60970
Raybon, G. *see* Tucker, R.S. 87—40876, 88—15445, 88—45206
Raybon, G. *see* Whalen, M.S. 87—39158
Raybourn, M.S. *see* Tenforde, T.S. 86—18384
Rayburn, J.C. *see* Snyder, W.L., Jr. 87—57540
Raychaudhuri, A. The lead/acid battery industry in India—major applications 88—55586
Raychaudhuri, A.K. *see* Mukhopadhyay, P.K. 87—14284, 87—56917
Raychaudhuri, D. Increasing the capacity of broadcast random access channels using an announced retransmission protocol 85—13677
Raychaudhuri, D. Stability and optimal retransmission control of announced retransmission random access systems 86—16617
Raychaudhuri, D. Announced retransmission random access protocols 86—23188
Raychaudhuri, D. On the stability of announced retransmission random access systems 86—30088
Raychaudhuri, D. High capacity asynchronous random access using time-of-arrival based collision resolution 86—54623
Raychaudhuri, D. Performance evaluation of asynchronous selective reject ALOHA 87—27732
Raychaudhuri, D. Stability, throughput, and delay of asynchronous selective reject ALOHA 87—69411
Raychaudhuri, D. Ku-band satellite data networks using very small aperture terminals. II. System design 88—28763
Raychaudhuri, D., Joseph, K. Satellite multiaccess protocols for single channel data networks 87—40806
Raychaudhuri, D., Joseph, K. Ku-band satellite data networks using very small aperture terminals. I. Multi-access protocols 87—76653
Raychaudhuri, D., Joseph, K. Channel access protocols for Ku-band VSAT networks: a comparative evaluation 88—60083
Raychaudhuri, D. *see* Joseph, K. 87—40040, 88—34846
Raychaudhuri, D. *see* Ng, S.B. 86—23037
Raychaudhuri, K.D., De, H., Chatterjee, S.D. Hysteresis effect of dielectric constant and electrical conductivity of carnauba wax during thermal treatment 85—56033
Raychaudhuri, P.K. High-efficiency Au/CdTe photovoltaic cells 88—5859
Raychaudhuri, S. *see* Trieu, B. 86—22701
Raychowdhury, P.N. *see* Boyd, J.N. 88—6343
Rayers, D.J. Telesoftware by teletext 85—3112
Rayers, D.J. The UK teletext standard for telesoftware transmissions 85—13851
Rayes, I.M., Stoebe, T.G. Mixed field multi-element beta/gamma dosemeter design 87—50446
Rayes, L.G. *see* Sun-Koo Kang 85—48747
Rayes Davo, E.de los *see* de los Rayes Davo, E.
Rayevskiy, G.P. *see* Vzyatyshev, V.F. 88—63866
Rayfield, J.T., Silverman, H.F. An approach to DFT calculations using standard microprocessors 85—47892
Rayfield, J.T., Silverman, H.F. Implementation of 2-D DFT algorithms on a loosely-coupled parallel system 88—70301
Rayfield, N.W. A forced outage database for transmission system reliability evaluation 87—42426
Rayfield, N.W., Cook, A.S. A voltage contingency selection technique for transmission planning studies 86—44931
Rayfield, N.W., Cook, A.S. A voltage contingency selection technique for transmission planning studies 87—30126
Rayit, N.S., Arnold, L.J. A monomode optical time domain reflectometer using a photon counting technique 87—20486
Rayit, N.S. *see* Boucouvalas, A.C. 86—48188, 88—33685
Raykerus, P.A., Laleko, V.A. Differential method of calculating the volt-ampere characteristics of space-charge-limited currents in a semiconductor diode 85—55754
Raykhlin, A.Kh. *see* Arzumanyan, Yu.V. 86—27480
Raykhman, S.R. *see* Abramovich, S.V. 86—55750
Raykin, A.L. *see* Nechitaylenko, V.A. 85—49425
Raylyan, V.Ya. *see* Moldovyan, N.A. 87—26175
Raymakers, J. *see* ter Haar Romeny, B.M. 88—36563
Rayman, M.D., Robinson, D.L. Modulation techniques for deep-space pulse-position modulation (PPM) optical communication 88—53288
Raymer, M.G., Deng, Z., Beck, M. Strong-field dynamics of a multimode, standing-wave dye laser 88—72357
Raymer, M.G. *see* Duling, I.N., III 85—7339
Raymer, M.G. *see* Li, Z.W. 87—54267
Raymer, M.G. *see* McMackin, I. 88—72291
Raymer, M.G. *see* Walmsley, I.A. 85—35874
Raymer, M.G. *see* Westling, L.A. 86—58895
Raymond, A., Butti, C., Masse, G. Evidence of neutral impurity scattering in mercury sulphide (α-HgS) in the temperature range 77-300K. Correlation with chemical analysis 85—34501
Raymond, A., Robert, J.L., Bousquet, C. Magnetic field induced metal-nonmetal transition in GaAs-GaAlAs heterostructures with a spacer 87—66977
Raymond, A., Robert, J.L., Bousquet, C., Mulot, J.Y., Andre, J.P., Martin, G.M. Persistent current in 2D GaAs/GaAlAs rings 88—57319
Raymond, A. *see* Ghenim, L. 86—8782
Raymond, A. *see* Mercy, J.M. 86—53434
Raymond, A. *see* Robert, J.L. 85—29031, 86—47349, 87—74095, 88—64315
Raymond, A. *see* Wojtowicz, T. 86—8820
Raymond, C. *see* Bonicelli, T. 88—69511
Raymond, C. *see* Eriksson, T. 85—49031
Raymond, C. *see* Huart, M. 87—72282
Raymond, D.B. Static control: a complete quality process for one company 87—72870
Raymond, D.M., Cottrall, M.F. Use of a monolithic dual JFET in a low cost, low noise, charge-sensitive preamplifier for semiconductor radiation detectors [medical application] 88—42522
Raymond, D.W. In-circuit testability factors: shoot with a rifle 85—39974
Raymond, E., Tyrer, J., Preston, M. Use of display holography in computer aided design 88—8344
Raymond, F. *see* Brossat, T. 86—8779
Raymond, F. *see* Brossat, Th. 87—18729

Raymond, F. *see* Leroux, M. 88−37506
Raymond, G. *see* Saliah, H.H. 85−32157, 86−18813
Raymond, J. The computerized overhead projector 87−70215
Raymond, J. *see* Garg, V.K. 88−52134
Raymond, L.S. *see* Krisht, M.H. 87−6621
Raymond, M. TCP (/IP): a cure for all networking ills? 88−28347
Raymond, M. Big blue does the comms shuffle 88−41286
Raymond, M. European data comms market to contract as deregulation bites 88−59431
Raymond, M. Let's talk modulation [modems survey] 88−59864
Raymond, M. Email emerges from the mailbox 88−66907
Raymond, M. Integrating information [dealing room communication systems] 88−73447
Raymond, M.J. High vacuum aluminium metallising of plastic electronic housings for EMI/RFI shielding 87−10184
Raymond, M.J. High vacuum aluminium metallising of plastic, electronic housings for EMI/RFI shielding 87−26879
Raymond, M.J., Borst, F.J. Fort St. Vrain—an innovative approach to meeting the requirements of 10 CFR 55.45 88−75314
Raymond, R. *see* Ratner, L.G. 86−31891
Raymond, R.B. *see* Bones, P.J. 85−9202
Raymond, R.E. Dedrudging reliability prediction 87−44067
Raymond, R.S., Cameron, P.R., Crabb, D.G., Roser, T. A jet of ultracold polarized hydrogen atoms 86−55968
Raymond, R.S., Cameron, P.R., Crabb, D.G., Roser, T. Dynamic polarization in a $^3He/^4He$ evaporation cryostat 86−60524
Raymond, R.S. *see* Cameron, P.R. 86−60525
Raymond, T. Coping with static electricity. XC. Failure of analysis of ESD-induced mechanisms in integrated circuits 88−44810
Raymond, W. Stringing the conductors of the 380 kV Bosphorus Crossing 85−15651
Raymond, W. *see* Keissling, F. 85−4654
Raymond, W.H., Garder, A. A spatial filter for use in finite area calculations [meteorology] 88−72941
Raynal *see* Cartier, R. 87−58705
Raynal, A., Clossan, Y. Repairing the upper internals of the EDF gas-cooled graphite-moderated natural uranium reactor Chinon A3. Operation ISIS 85−48798
Raynaud, A. *see* Duval, P. 86−70945, 87−22263
Raynaud, B. *see* Salome, M. 85−34445
Raynaud, G. *see* Dusausay, S. 88−18860
Raynaud, J. *see* Bettoni, D. 87−21407
Raynauld, J.-P., Laviolette, J.R. The silver-silver chloride electrode: a possible generator of offset voltages and currents 87−63787
Rayner, B. High-level switcher interface improves editing techniques 86−4877
Rayner, D. Testing protocol implementations 85−57568
Rayner, D. Harmonising the definition and evaluation of conformance testing on an international basis 86−64544
Rayner, D. Standardizing conformance testing for OSI 86−64696
Rayner, D. Towards standardized OSI conformance tests 86−69460
Rayner, D. Conformance testing of network protocols 88−28445
Rayner, D. OSI conformance testing 88−41293
Rayner, D., Wells, T., Halliwell, J., De Raeve, J. Advances in OSI conformance testing in the UK and ISO 88−21610
Rayner, D. *see* Zeng, H.X. 85−36766, 86−69464
Rayner, D.M. *see* Bourne, O.L. 88−14130
Rayner, G.H. *see* Kibble, B.P. 85−39419
Rayner, M. *see* Duschenes, J. 86−32521
Rayner, P. Economics proves the key to PCB testing 85−23220
Rayner, P.J.W. Number theoretic and finite field processing 85−63069
Rayner, P.J.W. *see* Critchley, J. 88−52422
Rayner, P.J.W. *see* Lynch, M.R. 88−66703
Rayner, P.J.W. *see* Mathys, M. 88−66799
Rayner, P.J.W. *see* Perera, W.A. 86−29841 to 29842, 87−19749
Rayner, P.J.W. *see* Proudler, I.K. 86−14375
Rayner, P.J.W. *see* Vaseghi, S.V. 88−9833, 88−73096
Rayner, P.T. *see* Ables, J.G. 87−49212
Raynes, E.P. The theory of supertwist transitions 87−12265
Raynes, E.P. The optical properties of supertwisted liquid crystal layers 87−38874
Raynes, E.P. Electro-optic devices using liquid crystals 87−74882
Raynes, E.P. The optical properties of the optical mode interference supertwist display 87−77332
Raynes, E.P., Waters, C.M. Supertwisted nematic liquid crystal displays 87−49839
Raynes, E.P. *see* Bradshaw, M.J. 87−33012
Raynes, E.P. *see* Waters, C.M. 85−64202, 87−1987
Raynor, B.C. The living schedule: an effective tool for the architect-engineer 85−4759
Rayssiguier, M. *see* Laporte, M. 85−64686
Rayudu, C.R. Development of hydro-power potential of Andhra Pradesh 85−4989
Rayward-Smith, V.J., Clare, A. On finding Steiner vertices 86−66721
Raz, B. Education and infrastructure: considerations in developing countries 85−5696
Raz, G.H. Coexistence of frequency hopping and FM: an interleaving overlay approach 88−46859
Raz, G.H. A mathematical model and simulation of frequency hopping interferences to FM systems 88−53129
Raz, J. *see* Fein, G. 88−68405
Raz, R. *see* Bigu, J. 85−4385, 85−31715
Raz, S. Beam stacking: a generalized preprocessing technique 88−21166
Raz, T. Integration of new computer technologies in an industrial engineering academic department 87−58563
Raz, T. *see* Wang, J.-H. 88−43748
Raz, Z., Borth, D.E. A digital signal processing approach to multichannel television sound decoding 87−13822
Raz Tzvi *see* Tzvi Raz
Raza, S.A. Physical design for channelless standard cells 86−955
Raza, S.A., Fillmore, R., Gulett, M.R., Martin, J. Channelless architecture: a new approach for CMOS standard cell design 86−872
Raza, S.A. *see* Martin, J. 85−62068
Raza, S.Atiq *see* Atiq Raza, S.
Raza, S.M., Farooqi, N., Abidi, S.B.H., Khan, I.U. Track revelation and identification of particles 88−68263
Razafinimanana, M., Gleizes, A., Vacquie, S. Electron density measurement and departure from equilibrium composition in SF_6-N_2 arcs 88−57833
Razafinimanana, M. *see* Gleizes, A. 86−26214
Razas, M., Gan, J. Fuzzy algorithms for placement of integrated circuits 88−63478
Razavi, H.M. A dynamic programming approach to the synthesis of threshold elements 85−22842
Razavi, H.M. A dynamically programmable circuit for realization of symmetric functions 87−24149
Razavi, H.M. Realistic realizations of threshold circuits 88−32151
Razavi, H.M., Bou-Ghazale, S.E. Design of a fast CMOS ternary adder 87−52689
Razavi, H.M., Shim, K.S. VLSI design of a ternary adder 87−10833
Razavi, H.M., Shim, K.S. An NMOS realization of a multi-threshold threshold gate 87−17035
Razavi, H.M., Yunus, K. An NMOS realization of threshold gates 85−61238
Razavi, H.M., Yunus, K. A programmable digital summation threshold gate 86−57803
Razavi, H.M. *see* Shim, K.S. 88−50130
Razaz, M. SEDSIM: a new dynamic and static device simulator 87−67195
Razaz, M., Gan, J. A novel placement method for VLSI design 87−67419
Razaz, M., Quigley, S.F. Transient simulation of MOSFETS 87−6753
Razaz, M., Quigley, S.F. An investigation of the effects of recessed-gate geometry on MESFET performance 87−6763
Razaz, M. *see* Khalid, K.B. 88−53614
Razaz, M. *see* Obaid, A.A.S. 86−29513
Razban, T. Transient analysis of partially coupled lines 87−47246
Razban, T., Bouthinon, M., Coumes, A. Microstrip circuit for converting microwave low power to DC energy 85−34158
Razban, T., Lemaitre, R., Bouthinon, M., Coumes, A. Passive transponder card system: identifying objects through microwave interrogation 88−15320
Razban, T. *see* Chilo, J. 87−40624
Razban-Haghighi, T. *see* Chilo, J. 87−74406
Razbegaev, V.N. *see* Nurmagomedov, Sh.A. 87−58943
Razdan, R., Capjack, C.E., Seguin, H.J.J. Influence of a magnetic field on the growth of instabilities in a helium glow discharge using Monte Carlo simulation of the cathode fall region 85−50131
Razdan, R., Capjack, C.E., Seguin, H.J.J. Charge carrier dynamics of a CO_2 laser plasma in a magnetized cathode glow 86−58862
Razdan, R., Capjack, C.E., Seguin, H.J.J. Monte Carlo simulation of the cathode fall region of a CO_2 laser glow discharge for studying the influence of magnetic fields on instability growth 87−2055
Razdan, R., Strojwas, A. Statistical design rule developer 86−34471
Razdan, R., Strojwas, A.J. A statistical design rule developer 87−23833
Razdin, A.E. *see* Komissarov, Ya.S. 87−78558
Razdobarin, G.T. *see* Batishche, S.A. 86−3315
Raze, G. *see* Lemonier, M. 86−5093
Raze, G. *see* Mens, A. 86−24382
Raze, J.D., Nelson, J.J., Diaz, C., Simard, D. US Army mechanical RAMCAD models 88−61757
Raze, J.D., Nelson, J.J., Simard, D.J. Reliability models for mechanical equipment 86−57273
Raze, J.D., Nelson, J.J., Simard, D.J., Bradley, M. Reliability models for mechanical equipment 87−44069
Raze, J.D. *see* Rhodes, S. 88−56071
Razeghi, M. Structural optical and electrical properties of thin films InP-$Ga_{0.47}In_{0.53}As$ layered structures grown by LP-MOCVD 88−57355
Razeghi, M., Blondeau, R. First fabrication of CW high power phase-locked laser arrays emitting at 1.3 μm grown by LP-MOCVD 87−75128
Razeghi, M., Blondeau, R., Boulay, J.C., de Cremoux, B., Duchemin, J.P. LP-MOCVD growth and CW operation of high quality SLM and DFB semiconductor $Ga_xIn_{1-x}As_yP_{1-y}$-InP lasers 86−3188
Razeghi, M., Blondeau, R., Duchemin, J.P. $Ga_xIn_{1-y}As_yP_{1-y}$-InP, DH lasers emitting at 1.3 μm grown on GaAs substrates by LP-MOCVD growth technique 86−15726
Razeghi, M., Blondeau, R., Kazmierski, K., Krakowski, M., de Cremoux, B., Duchemin, J.P., Bouley, J.C. CW operation of 1.57-μm $Ga_xIn_{1-x}As_yP_{1-y}InP$ distributed feedback lasers grown by low-pressure metalorganic chemical vapor deposition 85−7419
Razeghi, M., Blondeau, R., Kazmierski, K., Krakowski, M., Duchemin, J.P. Very low threshold buried ridge structure lasers emitting at 1.3 μm grown by low pressure metalorganic chemical vapor deposition 85−24548
Razeghi, M., Blondeau, R., Krakowski, M., Bouley, J.C., Papuchon, M., de Cremoux, B., Duchemin, J.P. Low-threshold distributed feedback lasers fabricated on material grown completely by LP-MOCVD 85−62563
Razeghi, M., Blondeau, R., Krakowski, M., de Cremoux, B., Duchemin, J.P., Lozes, F., Martinot, M., Bensoussan, M.A. CW phase-locked array $Ga_{0.25}In_{0.75}As_{0.5}P_{0.5}$-InP high power semiconductor laser grown by low-pressure metalorganic chemical vapor deposition 87−33143
Razeghi, M., De Cremoux, B., Duchemin, J.P. 1.2-1.6 μm $Ga_xIn_{1-x}As_yP_{1-y}$ -InP DH lasers grown by LPMOCVD 85−12872
Razeghi, M., Duchemin, J.P. MOCVD growth for heterostructures and two-dimensional electronic systems 85−33510
Razeghi, M., Duchemin, J.P. Recent advances in MOCVD growth of $In_xGa_{1-x}As_yP_{1-y}$ alloys 85−39756
Razeghi, M., Duchemin, J.P., Portal, J.C. Two-dimensional electron gases in quantum well and superlattices of $Ga_{0.25}In_{0.75}As_{0.50}P_{0.50}$/InP heterostructures grown by low pressure metalorganic chemical vapor deposition 85−23498
Razeghi, M., Hosseini Therani, A., Vilcot, J.P., Decoster, D. Monolithic integration of a Schottky photodiode and a FET using a $GA_{0.49}In_{0.51}P/Ga_{0.47}In_{0.53}As$ strained material 88−58394
Razeghi, M., Maurel, P., Omnes, F., Armor, S.B., Dmowski, L., Portal, J.C. First observation of the two-dimensional properties of the electron gas in $Ga_{0.49}In_{051}P$/GaAs heterojunctions grown by low pressure metalorganic chemical vapor deposition 86−53374
Razeghi, M., Maurel, P., Omnes, F., Defour, M., Acher, O., Tsui, D., Wei, H.P., Guldner, Y., Vieren, J.P. First observation of quantum Hall effect in a GaInAsP-InP heterostructure grown by metalorganic chemical vapor deposition 88−12972
Razeghi, M., Maurel, P., Omnes, F., Nagle, J. Monolayer epitaxy of III-V compounds by low-pressure metalorganic chemical vapor deposition 88−24749
Razeghi, M., Maurel, P., Omnes, F., Thorngren, E. MOCVD-growth, characterisation and application of III-V semiconductor strained heterostructures 87−73149
Razeghi, M., Maurel, P., Tardella, A., Dmowski, L., Gauthier, D., Portal, J.C. First observation of two-dimensional hole gas in a $Ga_{0.47}In_{0.53}As$/InP heterojunction grown by metalorganic vapor deposition 87−11400
Razeghi, M., Meunier, P.-L., Maurel, P. Growth of GaInAs-InP multiquantum wells on garnet ($GGG=Gd_3Ga_5O_{12}$) substrate by metalorganic chemical vapor deposition 86−40740
Razeghi, M., Omnes, F., Defour, M., Maurel, P. High-quality GaInAsP/InP heterostructures grown by low-pressure metalorganic chemical vapor deposition on silicon substrates 88−24751
Razeghi, M., Omnes, F., Maurel, P., Blondeau, R., Krakowski, M. State of the arts of $Ga_xIn_{1-x}As_yP_{1-y}$-InP laser grown by low-pressure metalorganic chemical vapor deposition 88−40229
Razeghi, M., Ramdani, J., Legry, P., Vilcot, J.P., Decoster, D. Monolithic integration of a GaInAs/GaAs photoconductor with a GaAs FET for 1.3-1.55 μm wavelength applications 88−58396

Razeghi, M., Ramdani, J., Verriele, H., Decoster, D., Constant, M., Vanbremeersch, J. Planar monolithic integrated photoreceiver for 1.3-1.55 μm wavelength applications using GaInAs-GaAs heteroepitaxies 86−63733
Razeghi, M., Sato, N., Suzuki, T., Yokoo, K., Ono, S. Modified peniotron using a TE$_{11}$ rectangular waveguide cavity 86−14807
Razeghi, M., Tardella, A., Davies, R.A., Long, A.P., Kelly, M.J., Britton, E., Boothroyd, C., Stobbs, W.M. Negative differential resistance at room temperature from resonant tunnelling in GaInAs/InP double-barrier heterostructures 87−32286
Razeghi, M. *see* Bimberg, D. 86−21221
Razeghi, M. *see* Blondeau, R. 85−2318
Razeghi, M. *see* Bourbin, Y. 87−74811, 88−33770
Razeghi, M. *see* Brummell, M.A. 86−35412
Razeghi, M. *see* Chazelas, J. 88−49848
Razeghi, M. *see* Correc, P. 87−39127
Razeghi, M. *see* Delacourt, D. 87−46455, 87−54119
Razeghi, M. *see* Delahaye, F. 86−44385
Razeghi, M. *see* Dmowski, L. 87−66972
Razeghi, M. *see* Duchemin, J.P. 85−28256
Razeghi, M. *see* Favennec, P.N. 86−53540
Razeghi, M. *see* Gauthier, D. 87−1270
Razeghi, M. *see* Kazmierski, K. 87−18992
Razeghi, M. *see* Krakowski, M. 86−48437, 87−18969
Razeghi, M. *see* L'Haridon, H. 85−23634
Razeghi, M. *see* Martin, E A. 88−13389
Razeghi, M. *see* Nagle, J. 87−2129
Razeghi, M. *see* Nicholas, R.J. 86−47372, 86−53372
Razeghi, M. *see* Pocholle, J.P. 88−8297, 88−58687
Razeghi, M. *see* Raulin, J.Y. 87−38242, 88−56965
Razeghi, M. *see* Sato, N. 86−21052
Razeghi, M. *see* Vuong, T.H.H. 86−53423
Razeghi, M. *see* Wei, H.P. 85−2120, 86−14908, 86−53418
Razeghu, M. *see* Pulain, P. 85−41261
Razek, A. *see* Attia, T. 88−17564
Razek, A. *see* Attia, T.E. 88−43175
Razek, A. *see* Ayasse, J.B. 87−26649
Razek, A. *see* Bouillault, F. 85−27399, 86−6696, 86−39744, 87−7505, 87−30507, 88−55310
Razek, A. *see* Goby, F. 86−36674, 88−8427
Razek, A. *see* Kladas, A. 87−30509, 87−30571, 88−55309
Razek, A. *see* Mostafa, R. 85−38933
Razek, A. *see* Piriou, F. 85−32471, 86−6711, 86−6721, 86−33343, 86−70890, 87−30548, 87−43058, 88−52010, 88−69819
Razek, A. *see* Semail, B. 88−18146
Razek, A. *see* Shorrab, R. 86−66051
Razenkov, I.A. *see* Balin, Yu.S. 87−26803
Razenshtein, P.S. *see* Andreev, N.F. 86−15770
Razenshtein, P.S. *see* Vasil'ev, Yu.P. 86−36542
Razgonyaev, I.V. *see* Shpak, I.V. 86−22442, 87−18656
Razgonyaev, Yu.V., Kholodov, E.V., Nesmeev, V.P., Nagaikin, A.S. Photovoltaic power source with partial shunting 87−30433
Razgonyaev, Yu.V. *see* Kochubei, A.A. 88−24129
Razgulyaeva, L.K. *see* Medved', O.E. 86−61935
Razhba, N.A. *see* Astrov, D.N. 88−22543
Razhba, Ya.E. *see* Astrov, D.N. 88−22543
Razhev, A.M. Two processes that lower the emission energy of an electric-discharge KrF laser 88−8109
Razhev, A.M. *see* Ishchenko, V.N. 87−12391, 87−26316, 88−8111, 88−27256
Razhev, A.M. *see* Malov, A.N. 85−2242, 86−15646, 86−48332
Razi, S., Tanton, G.A. Semiconductor processing technique based on Faraday rotation measurement using a CO$_2$ laser 87−46604
Razi, S. *see* Tanton, G.A. 85−34700
Razi Husain, M. Conduction model for vacuum deposited SiO$_x$ films in Al-SiO$_x$-Pt structure 85−45480
Razikov, A.Kh., Rakhymbekov, A.Zh., Timoshchenko, N.E. Input characteristic of an oxygen pump at high vacuum 85−11836
Razilov, I.A. *see* Zhurakhovskii, V.A. 86−29311
Razin, A.V. Calculation of sound fields in the atmospheric refraction waveguide 86−6098
Razin, S.V. *see* Belikovich, V.V. 87−33423
Razin, S.V. *see* Didenko, A.N. 86−20788
Razin, S.V. *see* Novikov, S.A. 87−17609, 88−954, 88−39747, 88−64208
Razina, N.S. *see* Mironov, Yu.V. 87−22060
Razinger, J. *see* Osredkar, R. 87−44373
Razinkin, V.P. Broadband bridge-type semiconductor microwave attenuators 87−17205
Razinkin, V.P. Compensating for the capacitances of semiconductor diodes in microwave attenuators 88−71027
Razinkov, A.M. *see* Kalinin, A.I. 88−60013
Razmilovic, T. The advantages and disadvantages of MAP 88−15151
Razmus, G. *see* Grigulis, T. 86−36828
Razmyshlyaev, A.D. *see* Shaferovskii, V.A. 88−55988
Razmyslov, V.A. Aspects of realisation of a finite-element method for the analysis of EM fields 86−3414
Razmyslov, V.A. Programmed implementation of a finite-element method for the analysis of two-dimensional EM fields 87−61311
Raznikov, Yu.N., Kulikov, V.P. On the design of electric machine combined windings with one set of leads 88−37165
Razouk, R.R. The derivation of performance expressions for communication protocols from timed Petri net models 85−7950
Razouk, R.R. The use of Petri nets for modeling pipelined processors 88−70848
Razouk, R.R. *see* Brassington, M.P. 88−7613, 88−26274, 88−39450, 88−71737
Razouk, R.R. *see* Chan, T.Y. 86−41790
Razouk, R.R. *see* El-Diwany, M.H. 88−44875, 88−71771
Razov, E.N. *see* Devyatykh, G.C. 85−16936
Razov, E.N. *see* Zhuk, B.V. 88−51683
Razovskii, N.P. *see* Starikov, A.I. 88−19913
Razpet, M. Loop antenna 88−34392
Razpet, M. Some applications of elliptic integrals 88−63238
Razskazovskiy, V.B., Sugak, V.G. Errors in estimating reflection spectra in the case of a pulse probing signal 87−20592
Razso, P. The reconstruction of the electrical equipment of the House of Parliament 88−18209
Razumikhina, T.B., Telegin, L.S., Kholodnykh, A.I., Chirkin, A.S. Three-frequency interactions of high-intensity light waves in media with quadratic and cubic nonlinearities 85−41503
Razumnaya, M.L. *see* Ermakov, I.A. 88−5028
Razumnyi, Yu.T. *see* Pivnyak, G.G. 88−68917
Razumnyi, Yu.T. *see* Voloshchenko, N.I. 85−15515
Razumov, A.S. *see* Baranov, V.Yu. 87−68357
Razumov, G.N., Shalabaev, V.Kh. Increasing the deaerating power and economy of condensers to a T-110/120-130-3 TMZ turbine 85−15884
Razumov, L.D. Determination of the voltages and currents in the cores of communications cables with a slotted screen 87−55926
Razumov, L.D. The screening actions of wires under the galvanic influence of electrical transmission lines 88−27534
Razumova, I.I. *see* Afanas'eva, O.A. 87−33735
Razumova, I.I. *see* Gibin, I.S. 87−33736
Razumovskaya, I.V. *see* Komolova, L.F. 85−11922
Razumovskii, L.G. *see* Dmitrikov, V.F. 88−70583
Razumovskii, N.A. Energy flow in a slightly irregular waveguide 88−27585
Razumovskii, V.N. Space-time analysis of low-frequency component of optical signal from laser-based visual scanning system 87−47027
Razumow, L.D. *see* Nikolsky, K.K. 88−34971
Razuvaev, E.A. *see* Krasnokutskii, R.N. 87−8881
Razuvakin, V.N. *see* Dolbilov, G.V. 86−5832
Razvin, Yu.V. *see* Kovalev, A.A. 88−26897
Razvina, T.M. *see* Verenik, V.N. 85−56758
Razygraev, N.P. Ultrasonic inspection of crack formation below a corrosion-resistant austenitic deposit 85−6058
Razykov, T.M. Physical properties of Zn$_x$Cd$_{1-x}$S films fabricated by CVD in hydrogen flow for use in solar cells 85−61000
Razykov, T.M. Physical properties of Zn$_x$Cd$_{1-x}$S films obtained by chemical deposition from the vapor phase in a hydrogen flux 86−19482
Razykov, T.M., Kadyrov, B.Kh., Khodyaeva, M.A. Energy band models of n-Zn$_x$Cd$_{1-x}$S-p-CdTe and n-Zn$_x$Cd$_{1-x}$S-p-Si($0 \leqslant x \leqslant 1$) heterojunctions 86−8864
Razykov, T.M., Nigmatov, R.N., Khusainova, N.F., Pak, A.T. Several properties of heterojunctions in the zinc telluride-cadmium telluride system 86−8832
Razykov, T.M., Vialiy, V.I., Khodjaeva, M.A. Physical properties of thin film Cu$_2$S/Zn$_x$Cd$_{1-x}$S heterojunction solar cells fabricated by aqueous treatment and solid state reaction 85−32716
Razykov, T.M., Vyalyi, V.I. Physical properties of CdTe films obtained by chemical vapor-phase deposition in a quasiclosed space in a stream of hydrogen from elementary sources 87−45573
Razykov, T.M. *see* Azimov, S.A. 86−7831, 87−43422
Razymshlyaev, A.D. *see* Serenko, A.N. 85−53980
Razzack, I.A. *see* Bridgwood, M.A. 87−53458
Razzaghi, K. *see* Stephenson, F.W. 85−34384
Razzaghi, M., Razzaghi, M. Least-squares determination of the inversion of Laplace transforms via Taylor series 88−31585
Razzaghi, M. *see* Razzaghi, M. 88−31585
Razzaq Al-Chlabi, A., Raouf, W.Z.A., Al-Tak, H.H., Abdul Karim, M.A.H. Concrete strength ultrasonic digital tester 87−73192
Razzaque, A. Important factors governing working of colour TV receivers 86−17591
Razzetti, C., Lottici, P.P., Tarricone, L., Zanotti, L. Study of the layered phases in the Cd(In$_x$Ga$_{1-x}$)$_2$S$_4$ system 85−16917
Razzini, G., Peraldo Bicelli, L., Scrosati, B., Pujadas, M., Salvador, P. Characterization of the polycrystalline n-CuInSe$_2$-indium oxide/polyiodide junction by electrolyte electroreflectance, cyclic voltammetry, and scanning electron microscopy 88−57400
Razzini, G., Peraldo Bicelli, L., Scrosati, B., Zanotti, L. A 12% efficient photoelectrochemical cell based on polycrystalline n-CuInSe$_2$ electrodes 86−66331
Razzini, G. *see* Bicelli, L.P. 86−14887, 86−26310
Razzini, G. *see* Peraldo Bicelli, L. 88−1468
Re, D. *see* Selmi, L. 88−50994
Re, E.Del *see* Del Re, E.
Re, G.Del *see* Del Re, G.
Re, M. Using the personal computer to design printed circuits 88−44439
Re, M.A. *see* Caranti, J.M. 85−43071
Re, M.E., Katti, R.R., Rave, W., Kryder, M.H. Nonuniform response in the pole tips of thin film recording heads 88−51310
Re, M.E., Katti, R.R., Zeder, S.L., Kryder, M.H. Magneto-optic determination of magnetic recording head fields 87−25810
Re, M.E., Shenton, D.N., Kryder, M.H. Magnetic switching characteristics at the pole tips of thin film heads 86−36015
Re, M.E. *see* Argyle, B.E. 88−64947
Re, M.E. *see* Koeppe, P.V. 88−64950
Re, S. *see* Celi, F. 85−48176
Re, S. *see* Lamb. P. 88−10237
Re, S. *see* Manzo, G. 85−43198
Re, V. The semiconductor field: the other view 85−34899
Re, V. The revolutionary promise of superconductivity 87−78150
Re, V. New energy solutions. Magnetohydrodynamics: a concrete proposal 88−18087
Re, V. *see* Lutz, G. 88−29908
Re, V.Dal *see* Dal Re, V.
Rea, E.G.Cuevas *see* Cuevas Rea, E.G.
Rea, J. *see* Riley, K. 86−39583
Rea, J. *see* Sigmund, F. 86−19445
Rea, M. *see* Dinelli, G. 86−12682, 86−40961, 86−42775
Rea, M.S. Practical implications of a new visual performance model 87−57243
Rea, M.S. Toward a model of visual performance: a review of methodologies 87−64955
Rea, M.S., Jaekel, R.R. Monitoring occupancy and light operation 88−6032
Rea, M.S., Ouellette, M.J., Kennedy, M.E. Lighting and task parameters affecting posture, performance and subjective ratings 86−52045
Rea, M.S. *see* Carriere, L.A. 87−51620, 88−69911
Rea, P. Aussat: Australia's first national communications satellite system 85−63611
Rea, P.A., Rolfe, P., Goddard, P.J. Assessment and optimisation of dip-coating procedure for the preparation of electroenzymic glucose transducers 85−31783
Rea, S.N. *see* Uno, F.M. 87−9806
Rea, T. How one ECA firm has tackled QA 87−65138
Rea, T. Industrial space heating 87−79216
Rea, T. Maintenance by remote control 88−6202
Read, A.A. MLAYERS: a dielectric layer-optical fiber simulation 87−33495
Read, A.A., Stephenson, D.T. Computers and computer graphics in teaching electromagnetic fields 88−24474
Read, A.L., Jr. *see* Ash, W.W. 88−10244
Read, B. *see* Acosta, R.D. 88−63464
Read, B.M. Data broadcasting techniques 88−3430
Read, C. *see* Li, T. 87−62007
Read, C.E. The development of a fast response variable frequency inverter for position control 87−15912
Read, C.J., Arnold, D.V., Chabries, D.M., Christiansen, R.W. A computation compression technique for SAR based on vector quantization 88−60223
Read, C.J. *see* Nelson, B.E. 87−10771, 87−24283
Read, E. *see* Saucier, G. *(editor)* 88−18330
Read, E.A. Communications recorders. Keeping it on the record 86−4895
Read, E.G., Culy, J.G., Halliburton, T.S., Winter, N.L. A simulation model for electricity planning in New Zealand 88−75127
Read, J. *see* Kao, S. 88−28316
Read, J.A. *see* Ikeda, M. 88−52913
Read, J.W. *(editor)* Gate arrays. Design and applications 85−44383
Read, J.Y., Howland, T.P., Perkins, W.A. Complex system monitoring and fault diagnosis using communicating expert systems 87−29871
Read, J.Y., Howland, T.P., Perkins, W.A. Use of communicating expert systems in fault diagnosis for Space Station applications 87−63864
Read, K., Reimers, E. Surprising energy efficiency of the OTEC power plant 86−45258
Read, L., Singh, O.P., Smith, K.S., Galasko, C.S.B. A clinical approach to the use of direct current stimulation in bone nonunion 86−25291

Read, L.R., Hagreen, M. ISO narrow spectrum series of filtered X-radiations at NPL 88—29938

Read, M., Taylor-Robinson, G. Bad for bandits—good for business [vehicle location] 86—64875

Read, M. *see* Lawson, W. 88—25821

Read, M. *see* White, P.A. 87—78939

Read, M.E. Prospects for multimegawatt quasi-optical gyrotrons 88—19611

Read, M.E., Seeley, R., Manheimer, W.M. Observations of phase locking in a single-cavity gyrotron oscillator 86—21023

Read, M.E. *see* Carmel, Y. 85—11496, 86—11462

Read, M.E. *see* Hargreaves, T.A. 85—23343, 85—55372

Read, M.E. *see* Lawson, W. 88—25811, 88—57263

Read, M.E. *see* Lee, R. 85—23342

Read, M.E. *see* McDonald, S.W. 87—24686

Read, M.E. *see* Manheimer, W.M. 87—24701

Read, M.E. *see* Rhinewine, M. 87—24681

Read, M.R. *see* Jones, T.P.H. 87—8140

Read, N.W. *see* Mangnall, Y.F. 87—50322, 88—74836

Read, P.H. *see* Korotky, S.K. 85—2089, 85—41195

Read, P.H. *see* Lipson, J. 85—42581

Read, P.H. *see* Murphy, E.J. 85—2052, 86—2726

Read, P.J. *see* Rankin, D.M. 86—33168, 87—64421

Read, P.M., Alton, G.D., Maskrey, J.T. High brightness sources for MeV microprobe applications 88—47920

Read, P.M., Stevens, J.H. Commissioning experience with the rebuilt Harwell 5 MV van de Graaff accelerator 86—70261

Read, P.M., Stevens, J.H. Improvements to the Harwell Van de Graaff accelerator 87—29388

Read, R.B. *see* Hurford, G.J. 85—31137

Read, R.F. *see* McKeown, P.A. 88—42282

Read, R.R. Remote monitoring of the calibration of a system of tracking arrays 87—70146

Read, S. *see* Bullen, P.R. 87—51131

Readdie, J. *see* Murphy, R.J. 87—17022

Readdy, H.P. *see* Swanson, H.E. 86—55933

Reader, A. *see* Broadbent, E.K. 87—5486

Reader, A.H., Schapink, F.W., Radelaar, S. Grain growth and dopant redistribution in heavily arsenic-implanted CVD polysilicon layers after isothermal annealing 86—41689

Reader, A.H., Schapink, F.W., Radelaar, S. Grain growth in heavily implanted LPCVD polysilicon layers during annealing 86—58388

Reader, A.H., Van Ommen, A.H., Van Houtum, H.J.W. Resistivity differences in C49 TiSi$_2$ films formed by rapid thermal processing 88—39275

Reader, A.H. *see* Morgan, A.E. 87—11713

Reader, A.H. *see* van Ommen, A.H. 87—11583

Reader, A.H. *see* Willemsen, M.F.C. 88—39254

Reader, C., Weiner, L., Searing, S. Address generation and memory management for memory centered image processing systems 87—70527

Reader, C. *see* Thacker, B. 87—70461

Reader, G. *see* Angwin, J. 85—40847

Reader, G. *see* Drake, P. 85—62037

Reader, H.C., Evans, S. Feed-point reflection coefficient of an element in a scanning antenna array: time-domain measurements 87—39499

Reader, H.C., Evans, S., Yeung, W.K. Illumination of a rectangular slot radiator over a 3 octave bandwidth 85—41754

Reader, H.C. *see* Evans, S. 88—74570

Reader, J., Sugar, J., Kaufman, V. Spectra of highly-ionized atoms 88—58460

Reader, K.N., Clarke, J., Lappage, R. A new calibration method for pulse-Doppler and MTI radar 88—15663

Reader, R. SUDS: a design system for logic circuit designers 87—5803

Reader-Harris, M.J. *see* Weegans, M. 87—35238

Readi Nasser, C., Octavio, M. Chaos induced anomalies in the DC I-V characteristics and noise temperatures of RF-biased Josephson junctions 85—46092

Reading, K., Rubino, S., Kociuba, T. The application of a large induction generator to a fluid catalytic cracking power recovery train 87—51674

Readings, C.J. *see* Foot, J.S. 85—59471

Readman, G., Fippl, P. Completely programmable data recording simplifies automation 85—52697

Readwin, N. *see* Elgin, J.N. 87—26473

Ready, M. *see* Gooch, R. 88—3103

Ready, M.J. *see* Wood, S.L. 88—73002

Reagan, C. *see* Key, M.H. 87—12373

Reagan, J. Classifying adoptors and nonadoptors of four technologies using political activity, media use and demographic variables 87—58763

Reagan, J.A., Scott-Fleming, I.C., Hermand, B.M., Schotland, R.M. Recovery of spectral optical depth and zero-airmass solar spectral irradiance under conditions of temporally varying optical depth 86—6122

Reagan, J.B. *see* Imhof, W.L. 85—57031

Reagan, P.H. Mountain Bell: a case study in local and wide area networking 87—40348

Reagor, B.T. Interconnection reliability 88—64046

Reagor, B.T., Russell, C.A. A survey of problems in telecommunication equipment resulting from chemical contamination 87—2690

Reagor, B.T. *see* Mottine, J.J. 85—50115

Reagor, D. *see* Sridhar, S. 86—5479

Reagor, D. *see* Tae Wan Kim 88—74555

Real, M.G., Cadegg, J., Freiburghaus, W.E., Zuppiger, J. First solar tunnel lighting on the Grimsel Pass 87—58444

Real, R.R. Fast digital image processing for scoliosis screening 85—38132

Reale, A. *see* Calicchio, M. 88—29811

Reale, F., Vigo, P., Cutolo, A. The problem of the losses in the optimum design of dielectric guides for energy transmission 87—68153

Reale, F., Vigo, P., Cutolo, A. Tapered optical fibers for solar energy applications 88—7868

Reali, G. *see* Gobbi, P.G. 85—51220, 88—8254

Reali, G. *see* Mohebi, M. 85—56824

Reali, G.C. *see* Bianchi, A. 88—8255

Reali, G.C. *see* Gobbi, P.G. 85—24599, 85—24611, 86—29197, 86—42605

Reama, A. *see* Lajoie-Mazenc, M. 86—39830

Reams, D.A. What users expect from packet service 85—63205

Rean, J.L. HERO susceptibility of 2.75 inch FFAR: comparative results obtained from mode-stirred chambers, anechoic chambers, and ground plane test facilities 86—18419

Reardon, E.J. *see* Hecht, J.K. 87—11569, 88—1490

Reardon, E.S. *see* Baker, G.T. 88—28590

Reardon, K.A., Oliver, C.G., Warren, R. Flight simulation training using standard and non-standard tasks 88—30090

Reardon, P. Cold iron $\cos\theta$ magnet option for the SSC 86—31829

Reardon, R. A worldwide network for IBM itself 85—3208

Rearick, T.C. A texture analysis algorithm inspired by a theory of preattentive vision 86—3934

Rearick, T.C., Frawley, J.L. The generalized cylinder picture element 88—28120

Rearick, T.C. *see* Cortopassi, P.P. 88—73354

Reason, J. How to design condenser cathodic protection systems 85—4921

Reason, J. Steam bypass systems for drum boilers and turbines—how much capacity do you need? 85—15871

Reason, J. Controllable-parameter displays: keeping the operator informed 85—32262

Reason, J. Large multi-speed motor drives—the alternatives 85—32739

Reason, J. Substation maintenance: in-house or contract? 85—65304

Reason, J. Update powerplant controls—and update and update and update 86—12536

Reason, J. Measure how fast you're expending boiler life 86—12683

Reason, J. Microphones in the boiler give early warning of tube leaks 86—12684

Reason, J. Vibration monitoring: systematic data collection/analysis is key to higher availability 86—24773

Reason, J. High-voltage, high-power inverters now commonplace 86—39938

Reason, J. Powerplant motors 86—51565

Reason, J. Avoid the chaos of incompatible powerplant control hardware 86—56517

Reason, J. Make turbine life extension part of economic planning 86—56595

Reason, J. Next step for waste-to-energy: better availability, efficiency 86—70836

Reason, J. Ceramics improve performance, extend life of today's power plant 87—50998

Reason, J. Startup monitor helps operators conserve turbine life 87—51032

Reason, J. Continuous vibration monitoring moves into diagnostics [power plants] 87—56847

Reason, J. Expert systems promise to cut critical machine downtime 87—70382

Reason, J. Contractor-selection process streamlines controls upgrade 87—71984

Reason, J. Plan fan gas-turbine silencers to meet long-term demands 87—72007

Reason, J. Cut the cost of inspecting hot-reheat steam lines 87—78498

Reason, J. Cogen-system breakers switched by distributed controls [petroleum refining] 87—79257

Reason, J. Acoustic leak detection provides early warning of piping failure 88—10612

Reason, J. Pinpoint induction motor faults by analyzing load current 88—17597

Reason, J. Control, protection functions turn to software 88—36910

Reason, J. Trouble-free connections need meticulous care [electric connectors] 88—57042

Reason, J. Auxiliary power systems 88—61798

Reason, J. When a slower ramp rate makes economic sense 88—61818

Reason, J. When it pays to change out the whole generator 88—62001

Reason, J. Modelling the basic error tendencies of human operators [nuclear power plants] 88—62039

Reason, J. Use all the benefits of digital transient recorders 88—62535

Reason, J. *see* Makansi, J. 85—15832

Reason, J. *see* O'Keefe, W. 85—4898

Reasoner, R. *see* Rush, C.M. 86—54292

Reass, W.A. Design, construction, and operational results of an 800-A, 10-kV hot deck amplifier 85—23384

Reass, W.A., Garcia, J.G., Kasik, R.J., Velasquez, A.M. Design, construction, and electrical test results of a 4 channel, 52 megawatt equilibrium amplifier system for ZT-P 88—69666

Reass, W.R. *see* Schoenberg, K.F. 85—2499

Reau, B.Le *see* Le Reau, B.

Reaume, L. CMOS technology in the serial telecommunication bus 85—8277

Reaume, L. An ISDN subscriber loop interface 85—63407

Reaume, L. Bridges between T-Carrier and CEPT [digital communications] 86—49097

Reaume, L. The D-Phone integrated circuit 88—3436

Reaume, L. *see* Roberts, M. 87—40498

Reaume, L. *see* Saloman, R. 85—8272

Reaume, L. *see* Tweedle, H. 85—57881

Reaux, R.A., Shannon, R.L., Sheppard, S.B. Human factors analysis of extravehicular servicing of payloads within the space station servicing facility 88—68516

Reavell, F.C. *see* Gale, D.M. 88—20051

Reaves, J. *see* Namjoo, M. 88—44228

Reaves, J.R. *see* Dornetto, L.D. 87—28927

Reavis, R.J., Zielonka, J.S. Picture archiving and communications systems (PACS) and radiation therapy planning: data and workstation requirements 87—29841

Reavley, J. *see* Clarke, T.E. 88—37897

Reay, D.A. *see* Zegers, P. 88—17922

Reay, D.W. The economics of television production 87—13828

Reay, N.K., Atherton, P.D., Hicks, T.R. A new miniature Fabry-Perot wavelength demultiplexer 88—41672

Reay, N.K. *see* Atherton, P.D. 88—51095

Reay, N.W. *see* Foley, K.J. 88—68313

Reazer, J.S., Serrano, A.V., Walko, L.C., Burket, H.D. Analysis of correlated electromagnetic fields and current pulses during airborne lightning attachments 88—58766

Reb, M. NSSS incorporates advances in Framatome technology [Guangdong NPP] 87—78356

Reba, R.C., Goodenough, D.J., Davidson, H.F. *(editor)* Diagnostic Imaging in Medicine. Proceedings of the NATO Advanced Study Institute 85—34

Rebaglia, B.I. *see* Bertinetto, F. 86—3091

Rebane, A. Associative space-and-time domain recall of picosecond light signals via photochemical hole burning holography 88—33595

Rebane, A. Compression and recovery of temporal profiles of picosecond light signals by persistent spectral hole-burning holograms 88—65894

Rebane, A. *see* Saari, P. 86—48509, 88—40385

Rebane, A.K., Kaarli, R.K. Picosecond space-time holography on the basis of photochemical hole-burning of a dip 86—9976

Rebane, A.K. *see* Kaarli, R.K. 87—68645

Rebane, A.K. *see* Saari, P.M. 85—62685

Rebane, G., Pearl, J. Recovery of causal poly-trees from statistical data 88—18590

Rebane, G.J. Beyond video in industrial/commercial interactive systems 86—49858

Rebane, G.P. *see* Leyman, V.A. 87—54489

Rebane, K.K., Saari, P.M. Spectral hole burning and its applications for picosecond optical data-processing 88—27306

Rebane, K.K. *see* Kaarli, R.K. 87—68645

Rebane, R.-V.P. *see* Volgin, L.I. 86—46977

Rebar, J., Jr. *see* Greninger, C.E. 86—3248

Rebarbar, Ya.M., Romanov, V.A., Smetannikova, T.L., Tevzadze, T.N. The VLR-1 water-content meter for linen raw material 87—35250

Rebato, J.R. *see* Del Barrio, J.I. 86—3047, 86—58871

Rebattet, C. *see* Mestayer, P. 86—25432, 88—23184

Rebaudo, R. On a class of linear matrices with degenerate specialisations 85—54219

Rebbapragada, R.V., Jain, K.R., Tuohy, J.J. Design approaches to mitigate electrical installation problems in nuclear power generating stations 86—65839

Rebe, P. *see* Schwartz, D. 88—17900

Rebeck, B. What's happening to vertical processing? [PCBs] 88—7176

Rebeck, K.J., Danna, R., Miller, G.S., Hollingsworth, R.T. Recertification analysis and inspection planning for environmental test facilities 85—26851

Rebeiz, G.M., Guo, Y., Rutledge, D.B., Kasilingam, D.P. Two-dimensional horn imaging arrays 88—27682

Rebeiz, G.M., Regehr, W.G., Compton, R.C., Rutledge, D.B., Savage, R.L., Luhmann, N.C., Jr. Integrated-circuit antennas on thin membranes 88—21025

Rebeiz, G.M., Regehr, W.G., Rutledge, D.B., Savage, R.L., Luhmann, N.C., Jr. Submillimeter-wave antennas on thin membranes 88—2884

Rebeiz, G.M., Regehr, W.G., Rutledge, D.B., Savage, R.L., Luhmann, N.C., Jr. Submillimeter-wave antennas on thin membranes 88–27664
Rebeiz, G.M., Yong Guo, Ruttledge, D.B., Kasilingam, D.P. Two-dimensional horn imaging arrays 88–58973
Rebeiz, G.M. *see* Compton, R.C. 87–61456
Rebel, B., Poschel, R. Data preparation for special Fourier processors 86–66793
Rebellius, H. Processor system or analog computer? Two methods of loudspeaker correction 87–8473
Rebello, C.A. Acoustic noise testing at NTS 86–57200
Rebello, R. *see* Amini, H. 86–671
Rebellon, P. *see* Cartina, G. 87–57557
Rebelo, N. Finite elements for better forgings 86–40322
Rebenne, H., Pollard, R. The sensitivity of CVD calculations to physical property values 86–484
Rebenstorff, D. *see* Havenith, H. 87–14547
Reber, A. *see* Jacomet, M. 87–59289
Reber, F. *see* Zimmer, C. 88–1272
Reberga, J. Switched capacitance filters for signal detection 88–12491
Reberga, J. *see* Macor, G. 88–50241
Reberry, D.L. An RBOC view of network operations 88–73475
Rebersek, S. *see* Stefanovska, A. 88–61406
Rebersek, S. *see* Vodovnik, L. 86–18359, 88–74860
Rebetez, M. *see* Chambaudet, A. 85–37961
Rebeyre, J. *see* Camus, J. 85–27729
Rebhan, U. *see* Pummer, H. 85–62497
Rebholz, G.E. *see* Coffman, D.H. 85–23067
Rebman, J., Lauducci, J. The 'transparent' earth station 85–30988
Rebmann, K.L. Automatic placing of components on PCBs using oscillating arm robots 88–50527
Rebmeister, R. *see* Haas, F. 88–54375
Rebner, R. Vision sensor technology 86–17985
Rebold, J., Schultz, W. Low-cost, closed-loop DC motor controller 88–75628
Rebold, T.A., Irons, F.H. A phase-plane approach to the compensation of high-speed analog-to-digital converters 87–66281
Rebollal, E.L. *see* Perez, M.S. 86–27635
Rebollar, J.M. Optimization of open-ended waveguide applicators for medical applications 85–43320
Rebollar, J.M. Linear transformers in rectangular waveguides 86–29553
Rebollar, J.M. Broad-band corrugated polarisers using different kinds of corrugations 86–41282
Rebollar, J.M. Response of waveguides terminated in a tapered metallic wall 86–42889
Rebollar, J.M., Encinar, J.A. Design and optimization of multistepped waveguide applicators for medical applications 85–38206
Rebollar, J.M., Encinar, J.A. Field theory analysis of multiport-multidiscontinuity structures: application to short-circuited *E*-plane septum 88–27547
Rebollar, J.M., Page, J.E. On the limitations of equivalent circuits for waveguide discontinuities 87–75526
Rebollar, J.M. *see* Banos, J.D. 87–75486, 88–2774, 88–53111
Rebollar, J.M. *see* Banos-Polglase, J.D. 88–36416
Rebollar, J.M. *see* Encinar, J.A. 86–10168, 86–29617, 86–43020, 86–64038, 87–2345, 87–75650
Rebollar, J.M. *see* Page, J.E. 86–27571, 88–50298
Rebollar Machain, J.M. *see* Zapata Ferrer, J. 86–32298
Rebollo, J., Figueras, E., Millan, J., Lora-Tamayo, E., Serra-Mestres, F. Analysis of the quasi-saturation region of high voltage VDMOS devices 87–38314
Rebollo, J., Millan, J., Paredes, J., Lora-Tamayo, E., Serra-Mestres, F. Influence of the epitaxial layer on the current-voltage characteristics in high voltage VDMOS devices. Analysis of the quasi-saturation point 88–13400
Rebollo, J.A. *see* Millan, J. 88–1806
Rebollo, M.A. *see* Raffo, C.A. 85–51132
Rebondy, J. *see* Moy, J.P. 88–4486
Rebonen, T.A. *see* Tsirkin, M.Z. 88–11172
Rebora, A. Tantalum disilicides etching by halocarbons 85–1526
Reboul, T.T. *see* Bordogna, J. 85–32976
Rebourg, J.C. *see* Feldmann, M. 85–23002
Reboux, A. *see* Berger, C. 88–22937
Reboux, J. *see* Poloujadoff, M. 87–36251
Reboux, V. *see* Labeau, M. 86–13817, 86–46359
Rebrin, Yu.I., Romanov, V.A., Kolodin, M.I., Sandovskii, V.A. Equipment D7-07 for inspecting the strength properties of steel components 85–17028
Rebrov, S.A. *see* Radautsan, S.I. 85–1379
Rebrov, S.I. *see* Ovechkin, S.M. 85–40254
Rebrova, T.B. *see* Golant, M.B. 87–71182
Rebstock, F. The assessment of factors which are difficult to quantify in energy investments 86–33985
Rebucci, G. *see* Peterson, G.D. 85–14629
Rebuffat, L., Lanfranconi, G.M., Magnani, F., Arnaud, U., Monti, G. Installation of submarine power cables in difficult environmental conditions. The experience with 400 kV Messina cables 86–51076
Rebuffi, L. *see* van der Geer, C.A.J. 87–78068
Rebuffie, J.-C. Study of the modulation transfer function and spatial resolution of double proximity focused image intensifier tubes 88–19634
Rebuffie, J.C. *see* Eschard, G. 85–61651
Rebuffie, J.C. *see* Girard, A. 85–61649
Rebut, P.H. *see* Claesen, R. 87–72291
Rec, J. *see* Handschuh, J. 86–39368
Rec, J. *see* Hyde, A. 86–65848
Reca, N.E.Walsoe de *see* Walsoe de Reca, N.E.
Reca, N.E.Walsoe de *see* Walsoe de Reca, N.E.
Reca, N.E.Walsoede *see* Walsoede Reca, N.E.
Recalcati, F. *see* Attaianese, C. 87–22943
Recalde, J.A. *see* Gonzalez, A.J. 87–57745, 88–62105
Recchuite, M.C. *see* Cheatham, J.B. 85–53622
Rech, B.M., Zowarka, R.C., Jr. Design and construction of a two-stage opening switch [for homopolar generator] 87–30601
Rech, B.M. *see* Peterson, D.R. 87–17448
Rech, B.M. *see* Zowarka, R.C., Jr. 87–26726
Recha, M. *see* Kindlarski, E. 86–4823
Rechberger, M. *see* Hulak, W.H. 87–66615
Reche, J.J.H. Magnetic thin film head technology for high density disc storage 85–35317
Reche, J.J.H. Polyimides in hybrid circuit processing 87–6299
Rechel, E.F. *see* Soule, D.E. 87–30443
Rechen, J. *see* Dahl, P. 86–44521
Rechen, J. *see* Peters, C. 86–25064
Rechen, J. *see* Strait, J. 87–74617, 88–54294, 88–68133
Rechen, J. *see* Taylor, C. 85–59029 to 59030
Rechen, J.B., Gilbert, W.S., Hassenzahl, W.V. Sextupole correction coils for SSC model dipoles 86–25065
Rechenberg, F. The microcomputer control of an electronic motor for use as a variable drive 85–27684
Rechenberg, I., Zeimer, U., Staske, R., Rimpler, R., Wagner, G. Characterization of (Ga,In), (As,P)/InP-DHS by means of IR-microscopy, SEM modes and photoluminescence 88–8182
Rechenberg, I. *see* Bachert, H. 86–48410
Rechester, N.I. *see* Abraizov, M.G. 85–50053
Rechkunov, S.N., Prints, V.Ya. Low-frequency deep-level capacitance spectrometer 87–66864
Rechner, D.S. Inductive and capacitive limit switches 88–60667
Rechner, M.R. *see* Beak, W.E. 88–70401
Rechner, M.R. *see* Harth, G.H. 86–45198
Rechner, M.R. *see* Weitzel, P.S. 86–25898
Rechsteiner, E.B. Advantages of isolation/regulation devices 85–549
Rechsteiner, E.B. Longer term trends in computer power protection 87–9679
Rechsteiner, E.B. Do it yourself–conduct a power protection requirements study 87–35688
Recht, J. *see* Guttormsen, M. 85–26729
Recht, P. Admissible doses: national and international standards 88–61485
Rechter, R.J. PLRS-JTIDS Hybrid (PJH) satellite overlay concept 85–30994
Rechtschaffen, R.N. *see* So, K. 87–44840
Recio, M. *see* Briones, D. 88–56261
Recio, M. *see* Briones, F. 87–65512
Recio Ciuro, R. The operating system of the E10S system 86–23609
Reck, B. *see* Eich, M. 88–8326
Reck, W. ALBIS-COMTEL 2 87–55868
Recke, L. An example for bifurcation of solutions of the basic equations for carrier distributions in semiconductors 87–66868
Recker, M. *see* Eitz, A.W. 87–22022
Reckleff, J.G., McCabe, A.K., Scherer, H.N., Jr. Maintenance procedures and experience with circuit-breakers on the American Electric Power System 86–51848
Reckleff, J.G., Nelson, J.K., Musil, R.J., Wenger, S. Characterization of fast rise-time transients when energizing large 13.2 kV motors 88–75548
Recklinghausen, D.R.Von *see* Von Recklinghausen, D.R.
Recknagel, W. *see* Pluschkell, W. 85–10255
Recktenwald, H.-P. Adjustable switched power supply: high voltage for the lab 86–26133
Recktenwald, K., Ruther, T., Scott, R. SenseFET linear power supply 88–31994
Reckwerth, B. *see* Rauch, G. 86–51419
Record, J.R. *see* Bauer, E.H. 86–39597
Record, P., Ahmon, M., Hitchcock, E. An electronically controlled micro-welder 88–61397
Record, T.E. Smart power (the million $ automotive question) 87–79189
Recoskie, L.J. *see* Vandergeest, J.H. 88–75389
Recoupe, P. *see* Calevo, R. 86–63676
Recourt, P. *see* Delobel, O. 88–12080
Recski, A. Unique solvability of linear memoryless networks–a survey 85–6428
Recski, A. Elementary strong maps of graphic matroids 88–11858
Rector, B.J. *see* Aylor, J.H. 86–57554
Rector, D. *see* Hungerford, G.A. 87–11548
Rector, H., Wasko, C.R. Papermachine retro-fit using AC vector control drives 86–7346
Rector, N.L. *see* Patrick, W.C. 85–64274
Recucro Lopez, M., Mazo Quintas, M. Mechanical vibrating systems. Theoretical design and experimental results 85–12460
Recuero, M., Lopez Luesma, M.A. Acoustic filters: designing and experimentation 85–43501
Reczek, W. *see* Pribyl, W. 88–56616
Reczek, W. *see* Takacs, D. 86–47852
Reczynski, T. High-current pulse modulator for a semiconductor injection laser supply 86–737
Reczynski, T. *see* Nowak, R. 87–77394
Reda, H.M. A review of a 'kanban'–the Japanese 'just-in-time' production system 87–58642
Reda, I. *see* Urban, G. 86–5812
Reda, I.M. *see* Urban, G. 86–41558
Reda Elkaraksy, M., Abdel Hai, S., Ezzat ElHenawy, M. An implementation of a distributed multi-level security system 87–34202
Redaelli, G. *see* Coppadoro, F. 87–9629
Redaelli, N. *see* Baland, J.F. 88–48000
Redaelli, N. *see* Borer, K. 87–29491, 87–63656
Redaelli, N. *see* Caccia, M. 87–35341
Redaelli, N. *see* Goessling, C. 86–50336
Redaelli, N. *see* Igiuni, A. 85–15171
Redaelli, R., Cerrina, F. Synchrotron radiation X-ray lithography 88–57560
Redaelli, R., Tatchyn, R., Pianetta, P. Fresnel phase effects for X-ray microlithography 87–11539
Redaelli, R., Wells, G.M., Cerrina, F., Crapella, S., Vento, G. Evaluation of X-ray resists for submicron lithography 88–26166
Redaelli, R. *see* Boudry, J. 88–48066
Redaelli, R. *see* Meger, C.M. 88–39336
Redaelli, R. *see* Pianetta, P. 86–8940, 86–60652, 86–60682
Redaelli, R. *see* Ranieri, R. 85–38304
Redaelli, R. *see* Visser, C.C.G. 88–26142, 88–39337
Redaelli, R. *see* Wells, G.M. 88–44719
Redarce, T., Yonnet, J.-P. The use of permanent magnets in the construction of magnetic bearings 85–27381
Redd, J. *see* Bowes, J. 85–17627, 85–30967
Reddaway, S.F. Signal processing on a processor array 88–16039
Redder, A. *see* Gorres, J. 86–25111
Reddersen, B. *see* Hellekson, R. 88–33838
Reddi, A.V. Terminal buffer memory analysis in resource sharing local computer networks 87–2664
Reddi, C.K., Rao, M.K. Technological change and the future of the ITU 88–66821
Reddi, P.Ammi *see* Ammi Reddi, P.
Reddi, R., Chen, C. Hierarchical timing verification system 87–11825
Reddi, S. Combining two computational algorithms for analysing optical flow 88–28137
Reddi, S.S. Eigenvector properties of Toeplitz matrices and their application to spectral analysis of time series 85–2844
Reddi, S.S. On a spatial smoothing technique for multiple source location 87–47680
Reddi, S.S. Spatial smoothing and a class of stochastic filters 87–47681
Reddi, S.S. Corrections and modifications to 'On a spatial smoothing technique for multiple source location' (May 87 709) 87–75802
Reddi, S.S., Rudin, S.F., Keshavan, H.R. An optimal multiple threshold scheme for image segmentation 85–7931
Reddi, U.V. Television in higher education: the Indian experience 88–35441
Reddi, V.U. *see* Bresler, Y. 87–62116
Reddien, G.W. *see* Griewank, A. 86–52410
Reddig, H. Trends in developments of integrated circuit carriers, especially chip carriers 86–26648
Redding, B. Using the S5/8 [IC interface] 87–8053
Redding, B. FM sidebands and carrier shift data 87–19379
Redding, B. Error correction in data-on-radio systems 87–39656
Redding, B. Wireless control and measurement 88–52701
Redding, J. *see* Nicholls, G. 88–54360
Redding, J.R. *see* Conder, P.C. 85–35679, 88–27068
Redding, N. Network services databases 87–40200
Redding, R. A question of vortices versus ultrasonics 86–44470
Redding, R.J. High speed data: the next venture in amateur radio 85–30742
Redding, R.J. MODEMS: a link between radio and computers 85–30764
Redding, R.J. Sound as a measurement tool 86–12227
Redding, R.J. Packet radio 86–23751
Redding, R.J. Wide range flow quantity measurement using coherently modulated ultrasound 87–3804
Redding, R.J. Update on packet radio 87–69891
Redding, R.J. Gasflow and energy measurement using coherently modulated ultrasound 88–60990

Redding, R.J. Measuring by ultrasound 88−68081
Redding, R.J., Miessler, M.H. The application of IT to domestic gas and water meters 88−60977
Redding, R.J., Moore, T.W. Amateur packet radio operation 88−46879
Reddoch, T.W. *see* Davis, R.T., Jr. 87−15215
Reddoch, T.W. *see* Herrera, J.I. 87−15629, 88−69234
Reddoch, T.W. *see* Javid, S.H. 85−60100
Reddoch, T.W. *see* Purucker, S.L. 85−43591
Reddoch, T.W. *see* Schlueter, R.A. 85−60101
Reddy, A. *see* Hastings, C. 87−59472, 87−73430, 88−6856, 88−6861
Reddy, A.K. *see* Reed, K.W. 86−9423
Reddy, A.L.N. *see* Abraham, J.A. 87−66001
Reddy, A.P. *see* Yearout, R.D. 87−5277
Reddy, A.R. Design of SAW bandpass filters using new window functions 88−33486
Reddy, A.R., Lahiri, S.K. Scattering parameters of interdigital and group type unidirectional SAW transducers 85−56070
Reddy, A.R., Lahiri, S.K. Scattering parameters of electrically loaded SAW group type unidirectional transducers 86−42084
Reddy, A.R., Lahiri, S.K. SAW injection locking oscillator using built-in injector 87−25747
Reddy, A.R., Lahiri, S.K. Frequency tuning of low-loss SAW delay-line oscillator 87−59229
Reddy, A.R., Lahiri, S.K. Surface acoustic wave unidirectional transducers—a brief review 87−67671
Reddy, A.R., Lahiri, S.K. Surface wave reflection from metal-strips and transducers 88−26639
Reddy, B.G.Krishna *see* Krishna Reddy, B.G.
Reddy, B.K. *see* Raja Reddy, D. 85−1296
Reddy, B.M. Constraints in Radio propagation through ionized and non-ionized media: a synoptic view 87−47171
Reddy, B.M. *see* Dabas, R.S. 87−47202
Reddy, B.M. *see* Dutta, H.N. 87−54545
Reddy, B.M. *see* Lakshmi, D.R. 86−29375, 87−48919
Reddy, B.M. *see* Maheshwary, H.V. 85−41626, 85−41631
Reddy, B.M. *see* Mohan, M. 86−10190, 88−66071
Reddy, B.M. *see* Narayana Rao, D. 85−57024, 86−10098
Reddy, B.M. *see* Narayano Rao, D. 87−2305
Reddy, B.M. *see* Pasricha, P.K. 86−68737, 87−33434, 87−47218
Reddy, B.M. *see* Prasad, M.V.S.N. 87−19185
Reddy, B.M. *see* Rao, D.N. 88−27499
Reddy, B.M. *see* Sarkar, S.K. 87−47216, 87−68768
Reddy, B.R. PET and the reticon 85−47802
Reddy, B.R. Curve fitting of heterodyne data 86−3838
Reddy, B.R. Microcomputer-controlled signal integration 87−49647
Reddy, B.R.K., Pai, A.L. Reed-Muller transform image coding 88−41014
Reddy, B.R.K. *see* Mullick, S.K. 88−34538
Reddy, B.R.S., Moore, T.W., Kepics, F., Hrebien, L., Jaron, D. An improved controller for a pulsating anti-G suit 88−10301
Reddy, B.R.S., Murthy, I.S.N. ECG data compression using Fourier descriptors 86−50572
Reddy, B.R.S., Murthy, I.S.N. An integrated approach to analysis and data compression of electrocardiograms 88−23096
Reddy, B.R.S., Murthy, I.S.N. On shape description of vectorcardiograms 88−48168
Reddy, B.R.S., Murthy, I.S.N., Chatterjee, P.C. Rhythm analysis using vectorcardiograms 85−38153
Reddy, B.R.S., Murthy, I.S.N., Chatterjee, P.C. A new technique for shape analysis of vectorcardiograms 87−50366
Reddy, B.R.S. *see* Jaron, D. 88−5050
Reddy, C.J., Deshpande, M.D. Analysis of cylindrical stripline with multilayer dielectrics 86−59119
Reddy, C.J., Deshpande, M.D. Characteristics of inhomogeneous coupled cylindrical striplines 87−75481
Reddy, C.J., Deshpande, M.D. Analysis of coupled cylindrical striplines filled with multilayered dielectrics 88−72608
Reddy, C.J. *see* Deshpande, M.D. 87−61429
Reddy, C.Jagadeswara *see* Jagadeswara Reddy, C.
Reddy, C.M., Webster, J.G. Uniform current density electrodes for transcutaneous electrical nerve stimulation 85−38185
Reddy, C.N., Lakshmipathi, R., Abraham, K.U. Surface flashover characteristics of epoxy spacers in compressed gases 85−24017
Reddy, D.C. *see* Reddy, G.M.M. 85−31859
Reddy, D.C. *see* Venkateshwara Rao, M. 88−4883
Reddy, D.R., Jost, R.J., Yaghjian, A.D. Correction for probe-position errors in planar, near-field scanning 86−68867
Reddy, D.R., Rao, V.V. Error analysis of chirp z-transform 85−46855
Reddy, D.R., Unbehauen, R. The N-dimensional differential cepstrum 85−51640
Reddy, D.R. *see* Murthy, H.S.N. 85−34084
Reddy, D.Raja *see* Raja Reddy, D.
Reddy, D.R.R. *see* Reddy, P.S. 85−10629
Reddy, D.S., Lakshmi Prakash, M.V., Subrahmanyam, V. Analysis of voltage source inverter fed induction motor 88−5694
Reddy, D.Saibaba *see* Saibaba Reddy, D.
Reddy, G.B. *see* Chopra, K.L. 86−68366
Reddy, G.M.M., Venkateswara Rao, M. Sleep mode for transistor receivers 87−34734
Reddy, G.M.M., Venkateswara Rao, M., Reddy, D.C. Multi-channel FFT analyser for respiratory signals 85−31859
Reddy, G.M.M. *see* Venkateshwara Rao, M. 88−4883
Reddy, G.N., Mittal, A. Design automation of digital filters through the CHDLs 87−66432
Reddy, G.N. *see* Chen, W.J. 87−66256
Reddy, G.N.N. Health care technology in third world countries: neuropsychiatric services in developing countries—India 87−63810
Reddy, G.R. Design of minimum-phase FIR digital filter through cepstrum 87−10980
Reddy, G.R., Rao, V.V. Group delay functions for complex signals 87−33706
Reddy, G.R., Rao, V.V. On the computation of complex cepstrum through differential cepstrum 87−69184
Reddy, G.R., Rao, V.V. Signal delay and waveform estimation through differential cepstrum averaging 88−8742
Reddy, G.R. *see* Raju, K.B. 87−27443
Reddy, G.R. *see* Sarna, C.S. 86−67918
Reddy, G.Ramachandra *see* Ramachandra Reddy, G.
Reddy, H.C., Jury, E.I. Study of the BIBO stability of 2-D recursive digital filters in the presence of nonessential singularities of the second-kind—analog approach 87−45076
Reddy, H.C., Lan, F.L. Further results in the ladder form realizations of two-variable network function 86−8355
Reddy, H.C., Rajan, P.K. All pass function based stability test for continuous time systems 86−62412
Reddy, H.C., Rajan, P.K. Wave digital filter realization—driving point function approach 86−62761
Reddy, H.C., Rajan, P.K. A simpler test set for two-variable very strict Hurwitz polynomials 86−69075
Reddy, H.C., Rajan, P.K. Two-variable Hurwitz polynomials—a comprehensive study 87−5309
Reddy, H.C., Rajan, P.K. Continued fraction expansion of 1-D complex discrete reactance functions with application to 2-D stability testing 87−59776
Reddy, H.C., Rajan, P.K. A new test-procedure for the Hurwitz nature of two-dimensional analog polynomials using complex lossless function theory 87−66414
Reddy, H.C., Rajan, P.K. A general continued fraction expansion of 1-D complex lossless positive real function with application to 2-D 88−6592
Reddy, H.C., Rajan, P.K., Jury, E.I. Stability of 2-D recursive digital filters in the presence of nonessential singularities of the second kind—Analog approach 85−17715
Reddy, H.C., Rajan, P.K., Murti, V.G.K. Certain *z* domain circuit theoretic results in more than one dimension 86−62786
Reddy, H.C., Rajan, P.K., Swamy, M.N.S. Stability of half-plane two-dimensional digital systems 86−35033
Reddy, H.C. *see* Fountain, D.W. 88−50279
Reddy, H.C. *see* Rajan, P.K. 85−964, 85−19477, 85−28085, 86−14379, 86−16428, 86−46238, 86−62341, 86−66655, 87−17247, 87−58766, 88−34662
Reddy, H.C. *see* Rajaravivarma, V. 86−37100, 86−67403
Reddy, H.C. *see* Rajaravivrma, V. 88−50280
Reddy, J.N. *see* Rabins, M.J. 87−23135
Reddy, K.Bhupathi *see* Bhupathi Reddy, K.
Reddy, K.P.J. Stability criteria for single pulse solutions of CW passive mode-locked lasers 86−29027
Reddy, K.P.J., Reddy, N.M. Review of theoretical gain-optimization studies in 10.6 μm CO_2-N_2 gasdynamic lasers 85−62504
Reddy, K.P.J. *see* Chakravarty, P. 86−48347, 87−54215
Reddy, K.P.J. *see* Reddy, N.M. 86−3009, 87−26258
Reddy, K.V. *see* Prasad, J.J.B. 86−15125
Reddy, K.V. *see* Rao, D.K. 86−47520
Reddy, K.V. *see* Sridevi, D. 87−299, 87−1226
Reddy, K.V. *see* Wiswall, C.E. 85−56500
Reddy, K.Virupaksha *see* Virupaksha Reddy, K.
Reddy, K.V.V.S., Haribabu, K., Rao, G.M. A frequency independent integral multiple digital frequency multiplier 88−25352
Reddy, L.R.G., Rao, V.V., Rao, J.R., Sarkar, S.K., Dutta, H.N. VHF transhorizon propagation studies at Warangal 86−10099
Reddy, M.A. *see* Sasikumar, M. 85−17681
Reddy, M.K., Reddy, S.M. On FET stuck-open fault-detectable CMOS memory elements 86−2210
Reddy, M.K., Reddy, S.M. Detecting FET stuck-open faults in CMOS latches and flip-flops 87−18125
Reddy, M.K., Reddy, S.M., Agrawal, P. Transistor level test generation for MOS circuits 86−20508
Reddy, M.K. *see* Reddy, S.M. 85−17343, 87−630
Reddy, M.N., Shenoy, S.R. Non-linear OFF-state characteristics of Ovshinsky switching devices 87−18188
Reddy, M.S., Dutta Roy, S.C., Hazra, S.N. A note on 'Realization of first-order two-dimensional all-pass digital filters' 87−75790
Reddy, M.S., Hazra, S.N. Design of elliptically symmetric two-dimensional FIR filters using the McClellan transformation 87−37466
Reddy, M.S., Hazra, S.N. Design of elliptically symmetric two-dimensional FIR filters with arbitrary orientation 87−73549
Reddy, M.S. *see* Hazra, S.N. 87−10988, 87−66376
Reddy, M.S. *see* Kotynek, G.R. 86−61381
Reddy, M.S.K. *see* Chandra Mouly, M.C. 88−40692
Reddy, M.Sudhakara *see* Sudhakara Reddy, M.
Reddy, N.C.E., Raja Rao, C. Averaging algorithm suitable for microprocessor implementation 88−27933
Reddy, N.C.Eswar *see* Eswar Reddy, N.C.
Reddy, N.M. Voluntary product standards: linking technical criteria to marketing decisions 88−18432
Reddy, N.M., Reddy, K.P.J. Theoretical gain optimization studies in 16-μm CO_2-N_2-H_2 gasdynamic lasers 86−3009
Reddy, N.M., Reddy, K.P.J., Krishna Prasad, M.R. Theoretical gain optimization in CO_2-N_2-H_2 gasdynamic lasers with two-dimensional wedge nozzles 87−26258
Reddy, N.M. *see* Chakravarthy, P. 86−36371
Reddy, N.M. *see* Chakravarty, P. 86−48347, 87−54215
Reddy, N.M. *see* Reddy, K.P.J. 85−62504
Reddy, N.M. *see* Thulasiram, R.K. 87−61074
Reddy, N.M.S., Shanta, V., Krishnamurthi, S. On minimisation of toxicity to skin during capacitive radio-frequency hyperthermia 87−14927
Reddy, N.P. *see* Ferguson-Pell, M.W. 86−32371
Reddy, N.S., Swamy, M.N.S. Switched-capacitor realization of FIR filters 85−17700
Reddy, N.S., Swamy, M.N.S. High-resolution formant extraction from linear-prediction phase spectra 85−25056
Reddy, N.S., Swamy, M.N.S. Derivative of phase spectrum of truncated autoregressive signals 85−57361
Reddy, N.S., Swamy, M.N.S. Resolution of range and Doppler ambiguities in medium PRF radars in multiple-target environment 87−13757
Reddy, N.Sivasankara *see* Sivasankara Reddy, N.
Reddy, P.J. *see* Raghupathi Chetty, G. 88−56216
Reddy, P.J. *see* Raja Reddy, D. 85−1296
Reddy, P.J. *see* Reddy, U.K. 85−55487
Reddy, P.J. *see* Sreedhara Reddy, P. 88−56277
Reddy, P.Jayarama *see* Jayarama Reddy, P.
Reddy, P.Narayana *see* Narayana Reddy, P.
Reddy, P.R., Subramaniam, P., Kuppurajulu, A. A fast numerical algorithm for transient stability studies of power systems 85−32072
Reddy, P.S., Reddy, D.R.R., Swamy, M.N.S. Proof of a modified form of Shanks' conjecture on the stability of 2-D planar least square inverse polynomials and its implications [recursive filter design] 85−10629
Reddy, P.S. *see* Bai, Z.D. 87−63762
Reddy, P.S. *see* Murthy, H.S.N. 85−34084, 85−51626, 87−896
Reddy, P.Sreedhara *see* Sreedhara Reddy, P.
Reddy, P.V. Charge transport in manganese-magnesium ferrites 88−1385
Reddy, P.V., Rao, T.S. Thermoelectric power studies of Li-Ni mixed ferrites 86−21150
Reddy, P.Venugopal *see* Venugopal Reddy, P.
Reddy, R. Super chips for artificial intelligence 86−14297
Reddy, R. *see* Namjoo, M. 88−44228
Reddy, R. *see* Shikano, K. 87−27303
Reddy, R.G. *see* Agrawal, J.P. 87−40052
Reddy, R.M., Cupschalk, S.G., Molen, G.M., Kuhlman, J.M. Erosion of yellow brass and type 304 stainless steel in a gas-blown spark gap 87−17585
Reddy, S. *see* Jung Hwa Kim 88−63746
Reddy, S.Bhuioka *see* Bhuioka Reddy, S.
Reddy, S.Bhuloka *see* Bhuloka Reddy, S.
Reddy, S.M., Agrawal, V.D., Jain, S.K. A gate level model for CMOS combinational logic circuits with application to fault detection 85−754
Reddy, S.M., Dandapani, R. Scan design using standard flip-flops 87−37162
Reddy, S.M., Ha, D.S. A new approach to the design of testable PLAs 87−31801
Reddy, S.M., Ha, D.S. On pseudo-exhaustive testable PLAs 88−25171
Reddy, S.M., Kuhl, J.G. Distributed fault-tolerance in computing networks 85−19844

Reddy, S.M., Lin, C.J., Patil, S. An automatic test pattern generation for the detection of path delay faults 88−25145
Reddy, S.M., Reddy, M.K. Testable realizations for FET stuck-open faults in CMOS combinational logic circuits 87−630
Reddy, S.M., Reddy, M.K., Agrawal, V.D. Robust tests for stuck-open faults in CMOS combinational logic circuits 85−17343
Reddy, S.M., Saluja, K.K., Karpovsky, M. A data compression technique for built-in self test 86−1014
Reddy, S.M., Saluja, K.K., Karpovsky, M.G. A data compression technique for built-in self-test 88−70660
Reddy, S.M. *see* Dong Sam Ha 88−44127
Reddy, S.M. *see* Galivanche, R. 87−65718
Reddy, S.M. *see* Gulati, R.K. 87−46116
Reddy, S.M. *see* Ha, D.S. 85−33844, 86−46757, 87−1106, 87−31835, 88−19073
Reddy, S.M. *see* Hosseini, S.H. 86−47728
Reddy, S.M. *see* Iyengar, S. 88−32177
Reddy, S.M. *see* Iyengar, S.N. 88−70744
Reddy, S.M. *see* Kim, J. 86−46738
Reddy, S.M. *see* Kim, J.H. 88−6937, 88−33351
Reddy, S.M. *see* Kundu, S. 87−37263, 87−44792, 88−71801
Reddy, S.M. *see* Li, W.N. 88−63468
Reddy, S.M. *see* Lin, C.J. 87−37211, 88−668
Reddy, S.M. *see* Manthani, S.R. 85−40045
Reddy, S.M. *see* Reddy, M.K. 86−2210, 86−20508, 87−18125
Reddy, S.N. *see* Kamath, M.V. 87−63781, 88−23077
Reddy, S.N.S. *see* Seshan, K. 87−74219
Reddy, S.P. Electromagnetic inductions effect of power cables on control cables 86−68801
Reddy, S.P. Future applications of superconductors for industrial use 88−75560
Reddy, S.Raghunath *see* Raghunath Reddy, S.
Reddy, S.V. *see* Arunkumar, S. 85−35118
Reddy, T.A. *see* Gordon, J.M. 88−48820
Reddy, U.K., Chen, J., Peng, C.K., Morkoc, H. InGaAs/InAlAs hot-electron transistor 86−63249
Reddy, U.K., Henisch, H.K., Callarotti, R.C. Space-charge controlled pseudo-capacitance in thin films 85−50338
Reddy, U.K., Reddy, P.J. *I-U* characteristics of non-crystalline As-Se-Cd thin films 85−55487
Reddy, U.K. *see* Aubel, J.L. 85−31330
Reddy, U.K. *see* Chen, J. 88−7569
Reddy, U.K. *see* Henderson, T. 88−39524
Reddy, U.K. *see* Ji, G. 88−12986
Reddy, U.K. *see* Morkoc, H. 86−63072
Reddy, U.K. *see* Wolak, E. 87−53232
Reddy, U.K. *see* Wrobel, J.M. 86−63136
Reddy, V.U., Paulraj, A., Kailath, T. Performance analysis of the optimum beamformer in the presence of correlated sources and its behavior under spatial smoothing 87−69128
Reddy, V.U., Shan, T.J., Kailath, T. Modified Capon beamformer for coherent interference 88−2699
Reddy, V.U., Yoganandam, Y., Kumar, R. AR and eigenstructure methods for estimating direction of arrival of multiple plane waves 87−75818
Reddy, V.U. *see* Ajaya Kumari, K. 88−9622
Reddy, V.U. *see* Bresler, Y. 88−59137
Reddy, V.U. *see* Paulraj, A. 87−39850, 87−55120, 87−68891
Reddy, V.U. *see* Veerabhadra Rao, K. 86−49706, 87−16452
Reddy, Y.N. *see* Kadalbajoo, M.K. 87−36562, 87−51913, 88−6347
Reddy, Y.V., Kalpagam, K., Naidu, P.S. Microprocessor-controlled photodiode array for measurement of diffraction patterns 85−58520
Reddy, Y.V. *see* Naidu, P.S. 88−68642
Reddy, Y.V. *see* Nutter, R.S. 86−45880
Reddy, Y.V. *see* Raman, R.S. 86−108, 87−63255
Redeker, F. *see* Ding, L. 86−20557
Redeker, F. *see* Hsiuan-Ming Shih 86−21810
Redeker, H. Notices via a terminal 85−63185
Redekop, A.P. *see* Kaasik, P.Yu. 86−39689
Redenz, B. *see* Gerdom, K.-H. 85−10261
Redenz, B. *see* Pluschkell, W. 85−10255
Reder, S.M. *see* Conklin, N.F. 85−57726
Redfern, T. CMOS in linear IC fabrication 85−50693
Redfern, T. Simplifying and improving the accuracy of a bang-bang control loop 87−38512
Redfern, T. *see* Williams, J. 85−50692
Redfield, D. Reinterpretation of reciprocity in degradations of a-Si:H 88−37436
Redfield, D. 'Stable' defects as metastable defects in a-Si:H 88−44556
Redhead, D.L. PMTs: a realistic look at what's available 87−1158
Redi, P. Development of a brushless submersible pump 86−45359
Redi, P. Microwave heating in solar module production 88−18008
Redi, P., Pulcinelli, F. Small photovoltaics system for traffic control and other transport applications 88−62622
Redi, P. *see* Pulcinelli, F. 86−45301
Rediker, R.H., Anderson, K.K., Schloss, R.P., Van Ruyven, L.J. High-special-purity coherent-array of diode lasers with feedback in the Fourier plane 86−48466
Rediker, R.H., Lind, T.A. Integrated optics wavefront measurement sensor 86−48208
Rediker, R.H., Lind, T.A., Becker, R.A., Johnson, L.M. Design, fabrication and characterization of horn antennas in Ti-indiffused $LiNbO_3$ channel waveguides 85−2043
Rediker, R.H., Lind, T.A., Burke, B.E. Optical wavefront measurement and/or modification using integrated optics 88−72143
Rediker, R.H., Schloss, R.P., Van Ruyven, L.J. Operation of individual diode lasers as a coherent ensemble controlled by a spatial filter within an external cavity 85−24549
Rediker, R.H. *see* Anderson, K.K. 87−26388
Rediker, R.H. *see* Becker, R.A. 85−41206
Redin, S.G. *see* Ishchenko, V.N. 88−8111
Redinbo, G.R. Optimum mean-square error use of convolutional codes 85−30182
Redinbo, G.R. Fault-tolerant digital filtering architectures using fast finite field transforms 85−63064
Redinbo, G.R. Distributed error correction performance analyses for high-speed logic systems 87−5746
Redinbo, G.R. New fault-tolerant design methods for BCH decoders 87−19411
Redinbo, G.R. Fault-tolerant decoders for cyclic error-correcting codes 87−27170
Redinbo, G.R. Fault-tolerant convolution using real systematic cyclic codes 87−68977
Redinbo, G.R. Signal processing architectures containing distributed fault tolerance 88−825
Redinbo, G.R. Finite field fault-tolerant digital filtering architectures 88−883
Redinbo, G.R., Brown, A. The Boolean partial derivative and the probability of undetected errors in checked logic 86−46727
Redinbo, G.R., Rao, K.K. Fast transform algorithm for use in decoding BCH-type codes 85−2748
Redinbo, G.R., Rao, K.K. The chord property speeds finite field FFTs 86−13718
Redinbo, G.R., Rao, K.K. Expediting factor-type fast finite field transform algorithms 86−57411
Redinbo, G.R. *see* LaMacchia, B.W. 86−41234
Redinbo, R. Fault-tolerant digital filtering structures for wafer scale VLSI 87−19797
Redinbo, R. Faster decoding methods for cyclic codes 87−47531
Redinbo, R. *see* Zagar, B. 88−70935
Reding, J.L. Development and installation of BPAs new generation transmission conductors 87−71708
Reding, J.L., Bennett, E.H. Optimizing conductor selection with a new stranding construction 88−17176
Reding, J.L. *see* Vakili, F. 86−56430
Reding, M. Quality assurance and quality system as applied to the construction of Belgian nuclear power plants 86−70760
Redington, D. Towards real-time identification of sleep states 85−48303
Redington, R.W. Developments in diagnostic imaging 87−41963
Rediske, J.F., Bath, W.G. A low distortion adaptive process for removal of impulse noise in the presence of large narrowband interference 86−69089
Red'kin, B.S., Kurlov, V.N., Tatarchenko, V.A. The Stepanov growth of $LiNbO_3$ crystals 87−46257
Redkin, S.V. *see* Aristov, V.V. 88−26124
Redkin, S.V. *see* Koveshnikov, S.V. 88−33076
Red'kin, V.M. *see* Ivanov-Smolenskii, A.V. 85−43931
Red'ko, E.D. *see* Makeev, S.N. 85−40547
Red'ko, I.Yu., Serednyakov, S.I., Aksenov, V.A., Kazakevich, G.M., Kuznetsova, L.A. NaI(Tl) scintillation counter with vacuum photodiode 87−29518
Redko, I.Yu. *see* Anashin, V.V. 88−29871
Redko, I.Yu. *see* Golubev, V.B. 85−26688
Red'ko, N.A. *see* Regel, L.L. 85−5972
Red'ko, V.A., Samchenko, A.V. Version of a high-speed local-area network station with deterministic access 85−25196
Red'ko, V.A. *see* Andronov, A.M. 86−7596
Red'ko, V.G., Serechenko, V.A. Motion of vertical Bloch lines along a domain wall in the presence of a potential relief 86−58702
Red'ko, V.G. *see* Poduzhailo, V.G. 87−1903, 88−20257
Red'ko, V.P. *see* Gusev, Yu.M. 85−18746
Red'ko, V.P. *see* Petrovskii, G.T. 85−46187
Red'ko, V.P. *see* Pshenitsyn, V.I. 86−28882
Red'ko, V.P. *see* Voitenko, I.G. 85−18713, 88−13935
Red'ko, V.P. *see* Voitenkov, A.I. 85−7271, 85−62386
Red'ko, V.P. *see* Voitenkov, I.A. 88−33718
Red'ko, Yu.P. *see* Belostotskii, M.B. 87−37435
Redkokasha, A.A., Sedykh, A.V., Tyurin, Yu.Ya. Resistance-voltage converters for SM-1 and SM-2 computers 85−55083
Redkorechev, V.I. *see* Arifzhanov, S.B. 86−22462
Redkorechev, V.I. *see* Begishev, I.A. 85−19010, 87−33277
Redkov, V.P. *see* Aleksandrov, G.N. 87−21949
Redkov, V.P. *see* Gerasimov, Yu.A. 86−32795, 87−35689
Redkov, V.P. *see* Gorbunov, P.V. 86−61162
Redkovets, S.N. *see* Bondarenko, V.M. 86−25581
Redkovskii, N.N. A solution of the nonlinear programming problem with equality constraints 86−40649
Redkovskii, N.N. *see* Mikhalevich, V.S. 86−13675, 87−52003, 88−6407
Redl, A. *see* Farago, M. 85−37437
Redl, R., Molnar, B., Sokal, N.O. Small-signal dynamic analysis of regulated class-E DC/DC converters 85−6168
Redl, R., Molnar, B., Sokal, N.O. Class E resonant regulated DC/DC power converters: analysis of operations, and experimental results at 1.5 MHz 86−52663
Redl, R., Molnar, B., Sokal, N.O. Small-signal dynamic analysis of regulated Class E DC/DC converters 86−52664
Redl, R., Sokal, N.O. Current-mode control, five different types, used with the three basic classes of power converters: small-signal AC and classes large-signal DC characterization, stability requirements, and implementation of practical circuits 86−7995
Redl, R., Sokal, N.O. What a design engineer should know about current-mode control 86−56848
Redl, R., Sokal, N.O. Near-optimum dynamic regulation of DC-DC converters using feedforward of output current and input voltage with current-mode control 86−67018
Redl, R., Sokal, N.O. Frequency stabilization and synchronization of free-running current-mode-controlled converters 87−22583
Redl, R., Sokal, N.O. High-frequency switching-mode power converters: general considerations, and design examples at 0.6, 1, and 14 MHz 87−31721
Redl, R., Sokal, N.O. How to use current-mode control with capacitively coupled half-bridge converters 87−44581
Redl, R., Sokal, N.O. A 14 MHz 100 watt class E resonant converter: principles, design considerations and measured performance 87−64721
Redl, R., Sokal, N.O. Overload-protection methods for switching-mode DC/DC converters: classification, analysis, and improvements 87−65848
Redl, R. *see* Balazs, A. 85−37435
Redl, R. *see* Domb, M. 86−34536
Redl, R. *see* Sokal, N.O. 87−60392, 88−30932
Redler, L. *see* Varga, D. 85−64502
Redlich, H., Joschko, G. CD direct metal mastering technology: a step toward a more efficient manufacturing process for compact discs 87−49417
Redlich, J. *see* Bienia, K. 86−15117, 86−23236
Redlinger, A., Escassut, R. A rerouter for optimizing via count and wire length in channels and switchboxes for double-layer layout 87−46121
Redlinger, A., Escassut, R., Lepinay, P. On the adaptation of the aspect ratio of flexible cells to minimize chip area 87−24026
Redlinger, G. *see* Amidei, D. 86−50416, 88−54400
Redlinger, G. *see* Amidel, D. 88−29913
Redlinger, G. *see* Sanders, H. 86−50430
Redlinger, G. *see* Ting, J. 86−50189
Redman, B.E. Who answers your telephone when you're in the information age? 86−37616
Redman, J.D. *see* Sugiura, N. 86−32523
Redman, S. *see* Finkel, A.S. 85−4340
Redman, T.C. *see* Healy, J.D. 85−20526
Redman, T.C. *see* Ingle, J.F. 87−34268
Redman, T.M. *see* Baier, E. 85−11195
Redman, T.M. *see* Parent, R.M. 87−59482
Redman, W.C. *see* Doss, E.D. 85−15966
Redman-White, W. *see* Hall, A.M. 88−6687
Redmile, G.J. *see* Taylor, B. 86−70647
Redmill, F.J. Telecommunication switching systems [maintenance] 85−25628
Redmill, F.J. A step-by-step plan for CO maintenance 85−36828
Redmill, F.J. Teletraffic engineering 86−30265
Redmill, F.J. Teletraffic engineering 87−69574
Redmill, F.J., Johnson, E.A., Runge, B. Document quality−inspection 88−24584
Redmond, B.M. *see* Campbell, R.K. 85−9709, 86−12674
Redmond, I. *see* Smith, S.D. 87−39221
Redmond, I. *see* Walker, A.C. 88−33813
Redmond, I.R. *see* Taghizadeh, M.R. 88−2406
Redmond, J.J. *see* Badley, D.E. 86−6240
Redmond, K.P. *see* Denman, D.L. 88−48215
Redmond, P. *see* Sweeney, E. 85−5777, 88−18480
Redmond, R.J. *see* Howard, R.T. 86−13465
Rednov, F.A. *see* Lozitskii, O.E. 87−9592
Redola, R. *see* Duchateau, F. 87−15353
Redolat, R. *see* DeJean, P.M. 87−15359
Redon, A.M. Photoelectrochemical behavior of RuS_2 semiconducting electrodes 86−13003
Redon, M. *see* Fourrier, M. 85−29754, 88−20557

Redon, M. *see* Gastaud, C. 85−2210, 85−41316, 88−8101
Redon, N. *see* Plantier, A. 87−70984
Redondo, A. *see* Iverson, A.E. 88−65477
Redondo, A. *see* Srinivasan, S. 88−49124
Redondo, L. Automation of hydroelectric power stations. Example: 'El Mulato' hydroelectric power station 86−61413
Redoutey, J. Circuits for assisting commutation in transistors 87−45137
Redoutey, J., Servet, Y. High voltage, very fast switches design 88−71533
Redpath, D. Putting speech into the system 85−36218
Redpath, D. Trends in multi-function feature phone technology 86−37597
Redpath, T.W., Hutchison, J.M.S., Eastwood, L.M., Selbie, R.D., Johnson, G., Jones, R.A., Mallard, J.R. A low field NMR imager for clinical use 88−10318
Redpath, T.W. *see* Deans, H.E. 88−74808
Redpath, T.W. *see* McOwan, P.W. 87−35402
Redrugina, M.N., Shur, S.S., Sergeev, A.S. Predicting the service life of nonlinear voltage surge limiters acted on by switching effects 87−71748
Redtung, L.D. *see* Beck, R.N. 85−48230
Redus, J. *see* Rock, D. 88−30111
Redwine, D. *see* Duvvury, C. 88−756
Redwine, D.J. *see* Pinkham, R. 85−28527
Redwood-Sawyerr, J.A.S. A novel classification of phase codes 87−54967
Redwood-Sawyerr, J.A.S., Lind, L.F. Some useful criteria for the optimisation of phase code spectra 86−22900
Redwood-Sawyerr, J.A.S. *see* Lind, L.F. 87−27141, 87−61578
Ree, J. *see* Kubota, H. 87−30567
Ree, J.-H. *see* Kubota, H. 85−53765
Ree, J.De La *see* De La Ree, J.
Ree, J.H. *see* Kubota, H. 86−12941
Ree, L.Del La *see* Del La Ree, L.
Ree, L.J.van der *see* van der Ree, L.J.
Reeb, H. Radio interference suppression regulations 86−15891
Reece, A.B.J. *see* Coulson, M.A. 85−24733, 86−42699
Reece, A.B.J. *see* Creek, F.R.L. 86−33313
Reece, A.B.J. *see* Macdonald, D.C. 85−43921
Reece, A.B.J. *see* Preston, T.W. 85−15988, 88−55341
Reece, C., Sundelin, R. Simulation of multiturn transverse instabilities in electron storage rings 86−24972
Reece, C. *see* Bensiek, W. 87−41695
Reece, C. *see* Kneisel, P. 85−59038, 87−67993
Reece, C. *see* Padamsee, H. 88−54344
Reece, C. *see* York, R.C. 88−54261
Reece, C.E., Reiner, P.J., Melissinos, A.C. Parametric converters for detection of small harmonic displacements 86−50065
Reece, E. How we use engineering software for our rural electric cooperative 87−78025
Reece, G.H. The INPO SRO peer evaluator program: INPO IS US 87−57784
Reece, P.H. *see* Cronin, N.J. 87−11071
Reece, P.H. *see* Marsh, S.P. 88−25538
Reece, R.K., Ahrens, L.A., Barton, D.S., Beavis, D., Benjamin, J., Foelsche, H., Gardner, C., Gill, E., Raka, E., Sidhu, S., Thieberger, P., Van Asselt, W. Operational experience with light ions at BNL 88−54303
Reed, A. Interrupts with the 32000 series interrupt control unit 87−5797
Reed, A. Software approach to contact measurement 88−38815
Reed, A.G. UNISAT: a performed combined direct broadcasting telecommunications satellite 85−8380
Reed, A.G. The advantages of satellites over terrestrial facilities for public telecommunications 88−53241
Reed, A.G., Cockburn, P.B. Microterminal services in Intelsat & Eutelsat 87−28537
Reed, A.H. Stabilized peroxide-sulfuric acid etchants 87−6265
Reed, A.H. Chemical cleaning and microetching of copper 88−64099
Reed, A.M. Keeping towers safe in an icy environment 86−4099
Reed, A.M. Keeping towers safe in an icy environment. II 86−17231
Reed, A.P.C., Hopkinson, J.N. Adaptive data link protocols: design and performance over automated HF skywave links 88−46897
Reed, A.P.C. *see* Cannon, P.S. 87−56107
Reed, A.W. *see* Kempka, S.N. 85−9621
Reed, B. A semi-strong perfect graph theorem 87−72937
Reed, B. *see* Chang, Y.F. 87−78372
Reed, B.J., Sherman, J.M., Hemmaplardh, K. An efficient line ratings program with probabilistic considerations for real time operations [transmission line load ratings] 86−12467
Reed, C.W., Kennedy, W.N., Schneider, H.M. Compressed-SF_6 gas insulation technology development for advanced concepts in gas-insulated power transformers 86−51719
Reed, C.W., Schwabe, R.J. Influence of temperature on the transient breakdown in SF_6 gas-impregnated polymer film structures 85−24023
Reed, C.W. *see* Atkins, J.M. 85−32565
Reed, C.W. *see* Schwabe, R.J. 85−27483
Reed, C.W. *see* Sletbak, J. 86−47909
Reed, D. Overview of high voltage resistor characteristics 88−69662
Reed, D. *see* Kewley-Port, D. 87−61661
Reed, D. *see* McMonagle, R. 88−38924
Reed, D.A., Chong-kwon Kim Packet routing algorithms for integrated switching networks 88−59369
Reed, D.A., Malony, A.D., McCredie, B.D. Parallel discrete event simulation: a shared memory approach 88−56099
Reed, D.A., McKinley, P.K., Barr, M.F. Performance analysis of switching strategies 88−3625
Reed, D.A., Reed, W. Interactive power flow design considerations for microcomputers 87−9074
Reed, D.A. *see* Morgan, A.E. 85−12020
Reed, D.A. *see* Patrick, M.L. 87−65443
Reed, D.E., Draheim, W.A. Viterbi decoding burst error and their effects on digital communication performance 86−29746
Reed, D.E., Wickert, M.A. Minimization of detection of baud rate spectral lines by delay and multiply receivers 87−39837
Reed, D.E., Wickert, M.A. Exceedance distribution for the output of a delay and multiply receiver with Gaussian noise input 87−39860
Reed, D.E., Wickert, M.A. Minimization of detection of symbol-rate spectral lines by delay and multiply receivers 88−28649
Reed, D.E., Wickert, M.A. Symbol rate detectability of filtered OQPSK by a delay and multiply receiver 88−52332
Reed, D.E., Wickert, M.A. Symbol-rate detection by a power-series-nonlinear envelope detector receiver 88−52333
Reed, D.E., Wickert, M.A. A performance comparison of optimum and sub-optimum receiver structures for rate-line detection of digitally modulated carriers 88−73172
Reed, D.E., Ziemer, R.E. Detection models for radar ground targets 88−74008
Reed, D.E. *see* Roberts, A.L. 87−59500
Reed, D.J. *see* Jolly, W.D. 85−9399
Reed, D.J. *see* Light, G.M. 85−10892
Reed, D.L., Gartner, B.W. Thermal modeling of hybrid microelectronics 88−71257
Reed, E. A flashlamp-pumped, *Q*-switched Cr:Nd:GSGG laser 86−22355
Reed, E., Guch, S., Jr. Performance study of a Cr:Nd:GSGG laser 87−39073
Reed, F. *see* Avila, K.P. 88−14642
Reed, F.A. The behavior of absolute optimal array filters for sensor arrays in the presence of noise 88−8743
Reed, F.A., Feintuch, P.L., Bershad, N.J. The application of the frequency domain LMS adaptive filter to split array bearing estimation with a sinusoidal signal 85−47609
Reed, F.A., Feintuch, P.L., Weber, C.L. The LMS cancellation of narrow, extended interferences in sonar 86−11181
Reed, G.A.L. *see* Sander, K.F. 87−10072
Reed, G.M. *see* Malupin, R.P. 88−73845
Reed, G.T., Weiss, B.L. The fabrication of ion implanted stripe optical waveguide in $LiNbO_3$ 87−46496
Reed, G.T., Weiss, B.L. Electro-optic effect in He^+-implanted optical waveguides in $LiNbO_3$ 87−46571
Reed, G.T., Weiss, B.L. Low-loss optical stripe waveguides in $LiNbO_3$ formed by He^+ implantation 87−60961
Reed, G.T., Weiss, B.L. Characteristics of He^+ implanted stripe waveguides in $LiNbO_3$ 88−51534
Reed, G.T. *see* Naden, J.M. 86−42277
Reed, H.E. *see* Duvoisin, M.R. 87−57070
Reed, I.S. Brief history of adaptive arrays 86−29631
Reed, I.S., Chang, J.J., Truong, T.K. Array microprogramming for designing assembly-line VLSI structures 85−6303
Reed, I.S., Truong, T.K. Error-trellis syndrome decoding techniques for convolutional codes 85−36186
Reed, I.S., Truong, T.K., Chang, J.J., Shao, H.M., Hsu, I.S. VLSI residue multiplier modulo a Fermat number 86−1186
Reed, I.S., Truong, T.K., Jensen, J.M., Hsu, I.-S. The VLSI design of an error-trellis syndrome decoder for certain convolutional codes 87−2429
Reed, I.S. *see* Arcese, A. 85−46861
Reed, I.S. *see* Chang, J.J. 86−14324
Reed, I.S. *see* Chen, J.Y. 87−47684
Reed, I.S. *see* Hsu, I.-S. 85−13477
Reed, I.S. *see* Hsu, I.S. 87−69046, 87−69048, 88−32143, 88−64790
Reed, I.S. *see* Jaw John Chang 86−27422
Reed, I.S. *see* Jensen, J.M. 86−64192
Reed, I.S. *see* Kwoh, Y.S. 85−43384, 85−59271
Reed, I.S. *see* Margalit, A. 85−58170
Reed, I.S. *see* Shao, H.M. 85−49915, 86−16149, 86−50616, 87−27207
Reed, I.S. *see* Shyu, H.C. 87−66025, 87−72995
Reed, I.S. *see* Truong, T.K. 85−45185, 88−27820, 88−28920, 88−34567, 88−72928
Reed, I.S. *see* Wang, C.C. 85−55897
Reed, I.S. *see* Wang Ke 86−16126
Reed, J. Fire alarm systems—now and in the future 85−39506
Reed, J. Operate OSCAR on 10 meters? 86−17280
Reed, J. Oulton in action 86−19546
Reed, J. Non-etched SWR bridge 88−10064
Reed, J., Sangiovanni-Vincentelli, A., Santomauro, M. A new symbolic channel router: YACR2 86−632
Reed, J., Sharma, N. Large parallel UPS systems utilizing PWM technology 85−64875
Reed, J. *see* Sangiovanni-Vincetelli, A. 85−39877
Reed, J.B. *see* de Geus, A.J. 85−1758
Reed, J.C. A simple phase-locked-loop method 85−54740
Reed, J.C. Hear, hear! [low-noise preamplifier] 85−58298
Reed, J.E., Conner, W.A. An 11 GHz SSB entrance link 87−28401
Reed, J.E. *see* Sinsky, A.I. 86−18470
Reed, J.F. *see* Welch, W. 88−56106
Reed, J.H., Hsia, T.C. Decision directed adaptive demodulation 86−59202
Reed, J.H., Hsia, T.C. Application of adaptive short-term correlation algorithms to interference rejection 87−13041
Reed, J.H., Khan, A.H., Broadwater, R.P., Chandrasekaran, A. Analysis of energy usage data for water heaters under load control 88−69925
Reed, J.H., Oka, A.A., Chandrasekaran, A., Broadwater, R.P. Analysis of appliance energy usage data from residential load control experiment 88−69939
Reed, J.R. *see* Bowden, A.L. 85−7574
Reed, J.S. *see* Dey, S.K. 85−41019
Reed, K. *see* Maxon, S. 85−29759
Reed, K.A. *see* Steadman, J.W. 85−49991
Reed, K.B. *see* Battersby, G.A. 85−16606
Reed, K.W., Nunnally, W.C., Smith, C.V., Jr., Birchman, J. Using pulse forming networks for railgun energy sources 87−47127
Reed, K.W., Owens, J.M., Carter, R.L. Current status of magnetostatic reflective array filters 86−22028
Reed, K.W., Reddy, A.K., Davis, W.A. Collinearly excited edge coupled resonators 86−9423
Reed, K.W. *see* Ataiiyan, Y.J. 87−7032
Reed, L. *see* Westerhoff, C.J. 85−57314
Reed, L.A. *see* Sun-Koo Kang 85−48747
Reed, L.H. *see* Maa, J.S. 85−50276
Reed, L.W. *see* Dentino, A.V. 85−15381
Reed, M. DC motor solves processing problem 86−56770
Reed, M., Kuhn, K., Unternahrer, J., Byer, R.L. Static gas conduction cooled slab geometry Nd:glass laser 85−51145
Reed, M. *see* Guerra, M. 85−34772
Reed, M.A. Excited state resonant tunnelling in GaAs-$Al_xGa_{1-x}As$ double barrier heterostructures 86−58311
Reed, M.A. Quantum semiconductor devices 87−25185
Reed, M.A., Bate, R.T., Bradshaw, K., Duncan, W.M., Frensley, W.R., Lee, J.W., Shih, H.D. Spatial quantization in GaAs-AlGaAs multiple dots 86−35396
Reed, M.A., Bate, R.T., Duncan, W.M., Frensley, W.R., Shih, H.D. Reduction of electron-phonon scattering rates by total spatial quantization 87−24872
Reed, M.A., Bate, R.T., Lee, J.W. Resonant tunneling in double barrier heterostructure 88−7348
Reed, M.A., Kirk, W.P., Kobiela, P.S. Investigation of parallel conduction in GaAs/$Al_xGa_{1-x}As$ modulation-doped structures in the quantum limit 87−6423
Reed, M.A., Koestner, R.J., Goodwin, M.W. Resonant tunnelling through a HgTe/$Hg_{1-x}Cd_xTe$ double barrier, single quantum well heterostructure 87−17755
Reed, M.A., Koestner, R.J., Goodwin, M.W., Schaake, H.F. Resonant tunneling through a HgTe/$Hg_{1-x}Cd_xTe$ double-barrier, single-quantum-well heterostructure 88−12980
Reed, M.A., Lee, J.W. Resonant tunneling in a GaAs/AlGaAs barrier/InGaAs quantum well heterostructure 87−60130
Reed, M.A., Lee, J.W. Resonant tunneling in a double GaAs/AlAs superlattice barrier heterostructure 87−60163
Reed, M.A., Lee, J.W., Tsai, H.-L. Resonant tunneling through a double GaAs/AlAs superlattice barrier, single quantum well heterostructure 86−67712
Reed, M.A. *see* Bate, R.T. 88−7664
Reed, M.A. *see* Kirk, W.P. 86−67761, 88−19768
Reed, M.A. *see* Lee, J.W. 87−73099
Reed, M.A. *see* Palm, E.C. 88−26004
Reed, M.A. *see* Randall, J.N. 88−39363
Reed, M.K., Byer, R.L. Performance of a conduction cooled Nd:glass slab laser 88−20620

Reed, M.K., Kozlovsky, W.J., Byer, R.L., Harnagel, G.L., Cross, P.S. Diode-laser-array-pumped neodymium slab oscillators 88−45526
Reed, M.K., Yamada, T., Byer, R.L. Conduction cooling of Nd:glass slab lasers 87−46832
Reed, M.L., Fishbein, B., Plummer, J.D. Rapid thermal annealing of interface states in aluminum gate metal-oxide-silicon capacitors 85−61768
Reed, M.L., Plummer, J.D. Kinetic studies of silicon-silicon dioxide interface trap annealing using rapid thermal processing 87−11489
Reed, M.L., Plummer, J.D. Two reaction model of interface trap annealing 87−32341
Reed, M.L., Plummer, J.D. Si-SiO$_2$ interface trap production by low-temperature thermal processing 87−74119
Reed, M.L., Plummer, J.D. Chemistry of SiSiO$_2$ interface trap annealing 88−64333
Reed, M.L. *see* Erasmus, S.J. 85−29241
Reed, M.W. Fourier series representation of industrial load profiles 87−50694
Reed, N. *see* Kraus, N. 87−71134
Reed, P. *see* Dobbs, C. 88−44214
Reed, P. *see* Porter, R. 88−2904
Reed, P.A. *see* Flannagan, S.T. 87−10865, 87−17080
Reed, R. *see* Nissen, J.C.D. 86−49171
Reed, R.P., Simon, N.J., Purtscher, P.T., Tobler, R.L. Alloy 316LN for low temperature structures: a summary of tensile and fracture data 87−44398
Reed, R.P. *see* Clark, A.F. *(editor)* 85−32903, 88−37859
Reed, R.W. Fixturing methods for improved testability 88−50504
Reed, S., Sautter, R.C. Video education. Taking a new look at an old technology 87−28827
Reed, T. Operating and managing a commercial worldwide network 85−47206
Reed, T., Wechsler, H. Tracking of nonstationarities for texture fields 88−34793
Reed, T. *see* Wilson, S.D. 85−51234
Reed, T.L. *see* McCarthy, C.B. 85−21451
Reed, W. *see* Reed, D.A. 87−9074
Reed, W.A., Cohen, L.G., Hen-Tai Shang Tailoring optical characteristics of dispersion-shifted lightguides for applications near 1.55 μm 87−38734
Reed, W.A. *see* Ciemiecki Nelson, K. 86−22104
Reed, W.A. *see* Klemas, A.T. 86−22110
Reed, W.A. *see* Krause, J.T. 86−42342
Reed, W.A. *see* Pearson, A.D. 85−7237
Reed, W.A. *see* Stolen, R.H. 88−45074
Reed, W.C. *see* Angel, C.E. 86−47121
Reed, W.C. *see* Campbell, E.R. 88−22154
Reed, W.C. *see* Mullin, F.J. 88−22151
Reed, W.J. Optimal preventive maintenance, protection, and replacement of a revenue-earning asset 88−18421
Reed, W.P. *see* Taylor, L.S. 87−77674
Reed, W.R. *see* Bryan, D.A. 87−12182
Reeder, A.A. Infra red studies of Indium Phosphide and related semi-conductors 86−22225
Reeder, A.A., McCombe, B.D., Chambers, F.A., Devane, G.P. A far infrared study of shallow acceptors in GaAs/AlGaAs quantum wells 88−25951
Reeder, A.A. *see* Chamberlain, J.M. 86−22222, 87−38905
Reeder, A.A. *see* Kim, T.W. 88−12984
Reeder, D. *see* Atac, M. 85−43237
Reeder, D. *see* Resvanis, L.K. 88−54421
Reeder, D.D. *see* Duffy, M.E. 85−26697
Reeder, R.E. *see* Linden, K.J. 85−12874
Reeder, T., Fraser, A., Roesch, B., Wilson, T., Ogbonnah, D., Crispin, B. Reliability and yield assessment of digital GaAs integrated circuits 87−1774
Reeder, T.M. High reliability GaAs IC technology for communications systems 86−28411
Reeder, T.M. GaAs ICs prove match for hi-rel demands 86−41890
Reeder, T.M. GaAs: a spectrum of applications 86−47091
Reeder, T.M. The gallium-arsenide integrated-circuit foundry 87−18211
Reeder, T.M., Rode, A.G. High speed systems look to GaAs for low power LSI 85−672
Reeder, T.M. *see* Anderson, W.T. 88−19103
Reeder, T.M. *see* Larson, D.C. 88−1808
Reeder, T.M. *see* Pengue, M.L. 85−22785
Reeder, T.M. *see* Strid, E.W. 87−49906
Reedich, J. The role of network management in evolving T1 voice/data networks 88−9293
Reeds, J., Hansen, S., Otto, O., Carroll, A.M., McCarthy, D.J., Radley, J. High speed precision *X-Y* stage 85−29077
Reeds, J.A., Sloane, N.J.A. Shift-register synthesis (modulo *m*) 85−61226
Reeds, J.A. *see* Lagarias, J.C. 88−43794
Reedtz, G.M., Cage, M.E. An automated potentiometric system for precision measurement of the quantized Hall resistance 88−10100
Reedy, E.K., Alexander, N.T., Butterworth, J.C., Scheer, J.A. High-power, coherent 95 GHz radar system: HIPCOR-95 85−8464
Reedy, E.K., Eaves, J.L., Brookshire, S.P., Peker, Y.M. Millimeter-wave radar technology: high resolution instrumentation radar−HIRES-95 86−4741
Reedy, E.K., Eaves, J.L., Brookshire, S.P., Peker, Y.M. Three-dimensional imaging of radar targets at 95 GHz 86−55372
Reedy, E.K. *see* Ewell, G.W. 88−15656
Reedy, G. A packet primer [radio systems] 86−69566
Reedy, G.R., Rao, V.V. A phase unwrapping algorithm 87−47798
Reedy, H.E. *see* Varanasi, N.S. 87−19017
Reedy, J.W. The TDM ring−a fiber optic transport system for campus or metropolitan networks 87−28579
Reedy, J.W., Bhatt, V.J., Jones, J.R. Fibre optic local area networks 85−52364
Reedy, J.W., Jones, J.R. Methods of collision detection in fiber optic CSMA/CD networks 86−23866
Reedy, R. *see* Clayton, S. 88−57418
Reedy, R.E. *see* Albares, D.J. 87−38951, 87−40552
Reedy, R.E. *see* Garcia, G.A. 86−47412, 88−26504
Reedy, R.E. *see* Harris, J.H. 85−42572
Reedy, R.F. Optimizing the design/construction interface [nuclear plants] 88−23642
Reedy, R.F., Borter, W.H. AWS and ASME welding problems in the nuclear industry 86−32966
Reedy, R.F., Jones, G.B. The engineer's role in the assurance of quality [nuclear plants] 88−48651
Reedy, R.F. *see* Jones, G.B. 88−42965
Reedy, R.P. Fore-optics systems designed for electronic streak cameras using fiber optics 85−35572
Reedy, R.P. Fiber optic components: three new designs [and use in nuclear testing] 86−59908
Reedy, R.P. Multichannel fiber-optic spectral-streak equalizer 88−9915
Reedy, R.P. Unique components for photonics diagnostic systems using fiber optics 88−58131
Reedy, R.P., Roeske, F., Jr., Smith, D.E. Fiber-optic spectral-streak equalizer [plasma diagnostics] 85−56345
Reedy, R.P., Schumacher, F.A. Three new fibre-optic components 87−12178
Reedy, R.P. *see* Roeske, F. 85−35410
Reedyk, K. *see* Carew, E. 87−8089
Reedyk, K. *see* Lynch, D. 86−10846
Reehal, H.S., Thomas, C.B. Electrical characteristics of Al/ZnS/p-n^+Si diode structures for electroluminescent devices 86−42445
Reehal, H.S. *see* Brunson, K.M. 87−24959, 87−60191
Reehal, H.S. *see* Sands, D. 87−73115
Reek, E.J. *see* SippensGroenewegen, A. 87−4001
Reekie, H.M., Petrie, N., Mavor, J., Denyer, P.B., Lau, C.H. Design and implementation of digital wave filters using universal adaptor structures 85−960
Reekie, H.M. *see* Mavor, J. 85−45188
Reekie, L. Optical fibres in telecommunications 88−58105
Reekie, L., Jauncey, I.M., Payne, D.N. Near optimum operation of a diode-laser pumped fibre laser 88−45456
Reekie, L., Jauncey, I.M., Poole, S.B., Payne, D.N. Diode-laser-pumped operation of an Er^{3+}-doped single-mode fibre laser 87−75047
Reekie, L., Jauncey, I.M., Poole, S.B., Payne, D.N. Diode-laser-pumped Nd^{3+}-doped fibre laser operating at 938 nm 87−76738
Reekie, L., Mears, R., Poole, S., Payne, D. Optical bistability at 1.54 μm in an Er^{3+}-doped single-mode fibre laser 88−65873
Reekie, L., Mears, R.J., Payne, D.N., Poole, S.B. Tunable single mode fibre lasers 86−48382
Reekie, L., Ruddock, I.S., Illingworth, R. Difference frequency generation with a synchronously mode-locked CW dye laser system 85−51263
Reekie, L. *see* Barnes, W.L. 88−65284
Reekie, L. *see* Heffernan, D.M. 86−22505
Reekie, L. *see* Jauncey, I.M. 86−29096, 86−54124, 87−7347, 87−39045, 88−27105
Reekie, L. *see* Lin, J.T. 88−45395
Reekie, L. *see* McInerney, J. 85−29842
Reekie, L. *see* Mears, R.J. 85−62542, 86−29095, 87−75046
Reekie, L. *see* Payne, D.N. 87−46814, 88−45397
Reekie, L. *see* Phelan, P. 86−48456
Reekie, M. *see* Lam, S. 88−51040
Reekmans, R. *see* Belmans, R. 87−22359, 88−17622
Reekmans, R. *see* De Meester, J. 88−24203
Reekmans, R. *see* Geysen, W. 86−40526
Reekmans, R. *see* Peytier, A. 87−42484
Reel, N.H., Hawranek, J.P. The preservation of network integrity with encryption 85−51887
Reelsen, H. Atari-600/800-XL hardware tip: recorder interface 85−6230
Reelsen, H. Dynamic ram for 68000 systems 86−1035
Reemer, R. *see* de Valk, J.P.J. 88−36561
Reemtsen, R. On discretization errors in nonlinear approximation problems 87−52027
Reemtsma, J.-H., Heime, K. P-type ohmic contacts to AlGaAs/GaAs heterostructures 88−50666
Reeneboog, J. *see* Van den Eijnde, E. 87−65774
Reents, W.D., Jr., Green, M.L., Ali, Y.S. The purity of tungsten hexafluoride determined by Fourier transform mass spectrometry 88−49867
Reents, W.D., Jr., Mandich, M.L., Bondybey, V.E. The chemistry of size-selected silicon clusters as studied by Fourier transform mass spectrometry 88−13113
Reep, D.H., Ghandhi, S.K. Electrical properties of organometallic chemical vapor deposited GaAs epitaxial layers 85−22528
Reep, D.H. *see* Smith, R.P. 88−50353
Rees, B.Van *see* Van Rees, B.
Rees, D. VLSI system implementation by structured design methodology 86−40999
Rees, D. Controller implementation using digital signal processors 87−37385
Rees, D., Wells, M. A precision wavelength meter for a pulsed laser 86−48470
Rees, D., Witting, P.A. Use of novel processor architectures for controller realisation 85−61311
Rees, D. *see* Edward, B. 87−68869
Rees, D. *see* Kinzel, J.A. 87−33546
Rees, D. *see* Penny, M.F. 86−56254, 86−65516
Rees, D. *see* Stewart, R.D. 86−6110
Rees, D. *see* Winser, K.J. 88−53348
Rees, D.B., Jessop, J.G. Bedford CF electric van design, test and line production 85−65537
Rees, D.C. A RAM workstation [power plant productivity] 87−9363
Rees, D.C. *see* Kripps, L.J. 87−78287
Rees, D.J. A high level system for the correct composition of VLSI designs 85−45837
Rees, D.W. *see* Gibbs, M.R.J. 86−56282
Rees, E., Cocks, R., Silbert, J. Complex analysis of classroom interactions using RACER computer-based technology 85−22109
Rees, G. South Pacific Education and Research Network SPEARNET 88−21708
Rees, G. Low dimensional devices 88−33259
Rees, G.H. Experiments on the ISIS synchrotron 87−41651
Rees, G.H. Status report on ISIS 88−54382
Rees, G.H. *see* Gray, D.A. 87−63622
Rees, G.J. Calculation of mixing in nonlinear circuits 85−17216
Rees, G.J. Surface recombination velocity−a useful concept? 85−50181
Rees, G.J. *see* Goodfellow, R.C. 86−30796
Rees, G.J. *see* Stewart, W.J. 86−2833
Rees, H.D. *see* Holden, A.J. 85−23114
Rees, J. A progress report on the SLAC Linear Collider 87−35268
Rees, J. Linear colliders: prospects 1985 87−41661
Rees, J. The principles and construction of linear colliders 88−42399
Rees, J., Hobson, G.S., Tozer, R.C., Busby, T.S. Microwave measurement of furnace wall thickness 87−41610
Rees, J. *see* Diletti, H. 85−23286
Rees, J.A. Microwave etching systems and laser assisted etching 87−18030
Rees, J.A. *see* Al-Assadi, K.F. 88−7505
Rees, J.M. *see* Hobson, G.S. 88−29649
Rees, J.R. *see* Hand, L.N. 86−5704
Rees, J.van *see* van Rees, J.
Rees, N. Flexible voice response software speeds development for resellers 88−52725
Rees, N.W., Burge, K. The application of an adaptive controller to a simulated 660 MW plant model 86−70817
Rees, P.E. *see* Fredericks, R.M. 88−9015
Rees, P.K. Two terminal triangular barrier devices 87−67212
Rees, P.K., Barnard, J.A. Turn-on response of the triangular barrier switch 86−9078
Rees, P.K., Parker, D.G., Barnard, J.A. Optical switching of a GaAs triangular barrier switch grown by MBE 86−28932
Rees, P.K. *see* Al-Bustani, A.A. 88−13321
Rees, R. MAP and you: the time to act is now 87−20233
Rees, R. *see* Gustafson, J. 87−705, 87−5813
Rees, R.A. Randomness in reliability 85−28083
Rees, R.G. *see* Tennant, D.R. 85−48493
Rees, S. A classification of a class of C_3 geometries 87−51963
Rees, S. *see* Buekenhout, F. 88−49607
Rees, T. *see* Edmond, W. 87−20430
Rees, V. *see* Korner, G. 85−21740
Rees, V. *see* Neumann, C. 86−51842
Rees-Roberts, T.M. *see* Spreadbury, D.J. 85−47611, 85−49939, 86−13720
Reese, A. *see* Rutherford, H.G. 85−31820
Reese, D.L., Cupal, J.J. An enhanced multichannel biotelemetry system 88−61343
Reese, E. *see* Ishak, W. 85−23130
Reese, E. *see* Ishak, W.S. 86−22033
Reese, E., Jr., Beall, J.M. Optimized *X* and *Ku* band GaAs MMIC varactor tuned FET oscillators 88−71070
Reese, E., Jr., Ishak, W.S. Automatic phase noise measurements using MSW-delay-line-based discriminators 87−7036

Reese, F.D. Technology yesterday, today and tomorrow 88−28172
Reese, G.M. *see* Hickernell, F.S. 87−6981, 87−67664
Reese, M. *see* Nussberger, G.J. 88−57197
Reese, N.D. *see* Surbrook, T.C. 86−50983, 87−78115
Reese, P.S., Mayotte, M.E. Managing HP PCDS with the Design System Manager 88−44003
Reese, R. Status of the National Synchrotron Light Source 88−47950
Reese, R.L., Anker, L.S. Two-port network parameters: an application of linear algebraic techniques 85−28318
Reese, S.S. Complex monopulse processing, a technique for hydrographic mapping 85−31108
Reeser, G.A. Test and measurement in the '90s 87−70372
Reesink, A.L., Steuten, H.M., Bremer, J., Durieux, M. Noise thermometry below 4 K 88−29679
Reeson, K., Hemment, P. Oxygen breathes new life into silicon wafers [ion implantation] 88−39192
Reeson, K. *see* Barklie, R.C. 87−17956
Reeson, K. *see* Davis, J.R. 87−11784
Reeson, K. *see* Hobbs, A. 87−17957
Reeson, K. *see* Meekison, C.D. 86−58393
Reeson, K.J. Fabrication of buried layers of SiO_2 and Si_3N_4 using ion beam synthesis 87−38081
Reeson, K.J., Hemment, P.L.F., Kilner, J.A., Chater, R.J., Meekison, C.D., Marsh, C., Booker, G.R., Davis, J.R. Formation mechanism and structures of buried oxy-nitride layers produced by ion beam synthesis 87−38104
Reeson, K.J., Hemment, P.L.F., Meekison, C.D., Booker, G.R., Kilner, J.A., Chater, R.J., Davis, J.R., Celler, G.K. Improved quality Si-on-Si_3N_4 structures by ion beam synthesis and lamp annealing 87−60183
Reeson, K.J., Hemment, P.L.F., Meekison, C.D., Marsh, C.D., Booker, G.R., Chater, R.J., Kilner, J.A., Davis, J. Buried layers of silicon oxynitride fabricated using ion beam synthesis 88−57444
Reeson, K.J., Hemment, P.L.F., Peart, R.F., Meekison, C.D., Booker, G.R., Davis, J. Formation of multilayer Si_3N_4 structures by nitrogen ion implantation 86−41671
Reeson, K.J., Hemment, P.L.F., Peart, R.F., Meekison, C.D., Marsh, C., Booker, G.R., Chater, R.J., Kilner, J.A., Davis, J. Formation mechanisms and structures of insulating compounds formed in silicon by ion beam synthesis 87−11623
Reeson, K.J., Hemment, P.L.F., Stoemenos, J., Davis, J., Celler, G.E. Formation of buried layers of β-SiC using ion beam synthesis and incoherent lamp annealing 88−26029
Reeson, K.J. *see* Chater, R.J. 87−17932
Reeson, K.J. *see* Davis, J.R. 87−60642, 87−67557, 88−13572
Reeson, K.J. *see* Hemment, P.L.F. 87−38102, 87−53297
Reeson, K.J. *see* Jager, H.U. 88−71424
Reeson, K.J. *see* Kilner, J.A. 86−41682
Reeson, K.J. *see* Marsh, C.D. 88−33065
Reeson, K.J. *see* Whitlow, H.J. 88−50695
Reesor, D.B. *see* Cathey, J.J. 86−12848
Reetz, B. The possibilities and limits of steam condensation in industrial heat supply systems 85−48831
Reetz, B. *see* Herrmann, D. 85−38692, 85−43680
Reetz, B. *see* Munser, H. 87−15437
Reetz, F., III *see* Breitmaier, W.A. 86−65492
Reetz, R. *see* Mach, R. 88−42204
Reetz, T. *see* Buhling, D. 87−8594
Reeuwijk, M.van *see* van Reeuwijk, M.
Reeve, A. Instrumentation for hazardous areas 87−77070
Reeve, A. Flow and energy techniques for success 88−4688
Reeve, A. Protecting instruments with enclosures 88−6267
Reeve, A. Continuous water quality monitoring 88−9859
Reeve, A. SCADA for pipeline monitoring and control 88−15965
Reeve, A. Data loggers are distributed 88−15975
Reeve, A. Fibre optic sensors find footholds 88−16119
Reeve, A. Selecting symbols for identifying instruments 88−29207
Reeve, A. Biosensors bring new life to process control 88−29208
Reeve, A. Machinery monitoring minimises malfunctions 88−30634
Reeve, A. Fibre optics for process control 88−51437
Reeve, A. Down on the tank farm [tank gauging] 88−74633
Reeve, A.H.E. EMP protection 86−60004
Reeve, C.G., Ottobre, A.M. Videotex at American Express: lessons learned from the role of packager 86−37433
Reeve, C.P. *see* Linholm, L.W. 88−7720
Reeve, G. *see* Bensema, W. 86−18049
Reeve, G.R. *see* Adair, R.T. 86−60335
Reeve, J., Chen, S.P. Versatile interactive digital simulator based on EMTP for AC/DC power system transient studies 85−26977
Reeve, J., Chen, S.P. Digital simulation of a multiterminal HVDC transmission system 85−27029
Reeve, J., Rambabu, A. Advances in AC transient stability studies including detailed DC modelling 86−12243
Reeve, J. *see* Chen, S.P. 86−12927
Reeve, J. *see* Grund, C.E. 86−50973
Reeve, J. *see* Long, W.F. 86−6330
Reeve, J.M. *see* Taylor, B. 86−70647
Reeve, M. *see* Cripps, M. 85−3188
Reeve, M.H., Allwood, A.R., Cretch, P.P. Control of an optical network by a commercial PABX 86−55099
Reeve, M.H., Cassidy, S.A., Hornung, S., Yennadhiou, P. Design and implementation of an optical link using the blown-fibre cable 86−11054
Reeve, M.H., Hunwicks, A.R., Zhao, W., Methley, S.G., Bickers, L., Hornung, S. LED spectral slicing for single-mode local loop applications 88−41625
Reeve, M.H., Millar, C.A. An initial fibre and cable specification for monomode trunk systems 85−20235
Reeve, M.H. *see* Cassidy, S.A. 85−56351, 86−43859
Reeve, M.H. *see* Hooper, R.C. 85−63634
Reeve, M.H. *see* Hornung, S. 85−29625, 86−48156, 87−8283
Reeve, M.H. *see* Payne, D.B. 85−29608
Reeve, M.H. *see* Wiltshire, B. 88−33637
Reeve, M.J. *see* Cripps, M.D. 85−47197
Reeve, P. A splash of colour for on-line analysis [colorimetry] 85−64319
Reeve, P. JET test-bed chooses ultrasonic flowmetering 86−44471
Reeve, P.A., Foo, S., Di Iorio, D. Magnet design programs MAGDES and SUPERMAG 86−48052
Reeve, P.A. *see* Craddock, M.K. 86−31908
Reeve, P.A. *see* Lobb, D.E. 85−58983
Reeves, A.A. *see* McKelvey, M.E. 85−64021
Reeves, A.B. *see* Plant, W.J. 87−57325
Reeves, A.B. *see* Schuler, D.L. 85−64758
Reeves, A.H., Hooper, J.E.N. Oboe: history and development 86−11159
Reeves, A.P., Prokop, R.J., Andrews, S.E., Kuhl, F.P. Three dimensional shape analysis using moments and Fourier descriptors 85−30429
Reeves, A.P., Prokop, R.J., Taylor, R.W. Shape analysis of three dimensional objects using range information 86−4037
Reeves, A.P. *see* Rostampour, A.R. 88−52493, 88−66768
Reeves, A.P. *see* Taylor, R.W. 88−28134, 88−34814
Reeves, C.V. *see* Paterson, N.R. 86−32507
Reeves, D.B., Skears, J. The effects of weir flow assumptions on the Bruce B PATRIC code dousing simulation 85−65076
Reeves, D.B. *see* Akalin, O. 87−9331
Reeves, D.S., Irwin, M.J. Functional verification of digital MOS circuits 87−38571
Reeves, D.S., Irwin, M.J. Fast methods for switch-level verification of MOS circuits 88−1805
Reeves, E.F. Heavy-duty gas turbine maintenance practices 86−56645
Reeves, G., Harrison, H.B. Determination of contact parameters of interconnecting layers in VLSI circuits 86−41883
Reeves, G.K. *see* Dexin, C.X. 88−44662
Reeves, G.K. *see* Harrison, H.B. 85−35125, 85−62018, 86−38511, 87−11935
Reeves, G.R., Franz, L.S. A simplified interactive multiple objective linear programming procedure 86−13657
Reeves, J. Benefits of X.25 87−62603
Reeves, J.D. *see* Olsen, R.G. 88−14458
Reeves, J.H. Partial discharge testing in live high voltage switchgear 87−4825
Reeves, J.H. Non-invasive detection, location and monitoring of partial discharges in substation HV plant 87−51321
Reeves, J.H., Cocivera, M. Comparison of behavior of single-crystal and polycrystalline CdS in photoelectrochemical cells 85−16189
Reeves, J.H., Hensley, W.K., Brodzinski, R.L. Second generation ultralow background germanium gamma-ray spectrometer using super clean materials and improved multilayered cosmic ray anticoincidence and passive shielding 85−43316
Reeves, J.H. *see* Arthur, R.J. 88−61112
Reeves, J.H. *see* Bloor, J.E. 85−60264
Reeves, J.H. *see* Brodzinski, R.L. 86−5837, 87−35348
Reeves, J.M. *see* Feng, F.Z. 88−8354
Reeves, J.M. *see* Hosseini, S. 85−9392, 85−59521
Reeves, R. Calculating the field functions of circular coils by direct numerical integration 88−19437
Reeves, R. Nuclear energy: pay now, pay later 88−36942
Reeves, R.D. *see* Arsenault, R.H. 87−68217
Reeves, R.J. *see* Swift, C.D. 87−39184
Reeves, S.W.G. *see* Henrichs, S. 88−75986
Reeves, T.C., King, J.M. Development, production, and programming of an interactive videodisc adult literacy program 88−6161
Reeves, T.W. *see* Atwood, W.B. 87−21411
Reeves, T.W. *see* Hodges, C. 86−50313
Reeves, T.W. *see* Young, C.C. 86−50316
Refaei, S.M. *see* Ali, G.AE-F. 86−42399
Refaey, W.M. *see* El-Sayed, M.L. 87−42894
Refai, M.K. Microprocessor-based digital controller for DC motor speed control 87−30603
Refai, T.F., Shehata, L.N. Simulation of I-V steps sharpening for Josephson junctions 87−38685
Refai, T.F., Shehata, L.N. Simulation of I-V steps sharpening for Josephson junctions 87−74564
Refai, W., Gupta, S.C. Performance evaluation of partial response CPM with optimum MSK-type receivers in the presence of adjacent channel interference 87−68940
Refai, W., Gupta, S.C. Performance analysis for CPM with MSE optimum detector in a mobile Gaussian channel with interfering signals 88−72733
Refenberger, R. *see* Pool, F. 88−44548
Reffay, M. UAF1780−a low-loss monolithic switching module 87−10654
Reffay, M. Power switching with low insertion loss 87−59140
Reffle, J. *see* Bath, H.J. 86−27854
Reffle, J. *see* Polignano, M.L. 88−12989
Reffye, J.de *see* de Reffye, J.
Refi, J.J. LED bandwidth of multimode fibers as a function of laser bandwidth and LED spectral characteristics 86−48108
Refi, J.J. Fibre bandwidth and its relation to system design 88−20345
Refi, J.J., Hen-Tai Shang Determining the zero dispersion wavelength and dispersion slope of fibers used for the fiber distributed data interface (FDDI) 88−45112
Refioglu, I. Monolithic tone decoders using ICs. I 85−667
Refioglu, I. Monolithic IC tone decoders. II. Parameters and principal characteristics 85−1666
Refling, J.G. *see* Miller, G.D. 85−65092
Refre, A.E. *see* Bartolome, Z.M. 85−59877
Refregier, P. *see* Huignard, J.P. 86−3302
Refregier, P. *see* Rajbenbach, H. 85−19026
Refsum, A. Tiltmeter 88−30134
Refsum, A. Characterisation of SiC loaded insulators 88−71855
Refsum, A., Thompson, D.C.H. Full-scale testing of small hydro turbines 88−43081
Reft, C.S., Becher, J., Kernell, R.L. PIN photodiodes irradiated with 40- and 85-MeV protons 86−22244
Rega, A. *see* D'Amelio, F.D. 85−38071, 86−5914
Regab, A.H.M., Coakley, F.P. A high capacity multiple microprocessor X.25 packet switching node 85−36768
Regad, E. *see* Whiting, W.B. 87−31210
Regal, R. *see* Vartsky, D. 88−29803
Regalado, J.A. Frequency control with Kaplan turbines 88−11131
Regalia, P. *see* Vaidyanathan, P.P. 87−27480, 87−45086
Regalia, P.A., Fujii, N., Mitra, S.K., Neuvo, Y. Active RC crossover networks with adjustable characteristics 87−31994
Regalia, P.A., Mitra, S.K. Tunable digital frequency response equalization filters 87−33684
Regalia, P.A., Mitra, S.K. Low-sensitivity active filter realization using a complex all-pass filter 87−45035
Regalia, P.A., Mitra, S.K. A class of magnitude complementary loudspeaker crossovers 88−15849
Regalia, P.A., Mitra, S.K. Phase sensitivity properties of cascaded digital lattice allpass filters 88−56803
Regalia, P.A., Mitra, S.K., Fadavi-Ardekani, J. Complex coefficient digital filters 86−67429
Regalia, P.A., Mitra, S.K., Fadavi-Ardekani, J. Implementation of real coefficient digital filters using complex arithmetic 87−45085
Regalia, P.A., Mitra, S.K., Fujii, N., Neuvo, Y. Universal active RC crossover networks 86−67324
Regalia, P.A., Mitra, S.K., Vaidyanathan, P.P. The digital all-pass filter: a versatile signal processing building block 88−32349
Regalia, P.A., Mitra, S.K., Vaidyanathan, P.P., Renfors, M.K., Neuvo, Y.A. Tree-structured complementary filter banks using all-pass sections 88−25332
Regalia, P.A. *see* Mitra, S.K. 86−62783
Regamey, P.-F. Matched filtering using a signal microprocessor TMS320 86−48937
Regan, C. *see* Chenais-Popovics, C. 88−14118
Regan, C. *see* Lewis, C.L.S. 88−33919
Regan, C. *see* Willi, O. 88−2174
Regan, E. Global banking data-dependent 86−43391
Regan, E.J. Telecom liberalisation and electronic banking 88−67143
Regan, F. *see* Grimm, M. 86−26253
Regan, J.D., Anderson, I., Clarke, C.F. Laser diodes with polarisation preserving fibre pigtails 88−72331

Regan, J.H. Colloquium on '11 kV overhead circuits—can the fault rate be reduced' 85—38581
Regan, J.H. *see* Aubrey, D.R. 85—65391
Regan, J.J. *see* Andersen, D.R. 88—34106
Regan, R., Bencuya, I., Butler, S., Stites, S., Harrison, W. New UHF power transistor operates at high voltage 86—2184
Regan, R., Cogan, A., Butler, S., Bencuya, I., Haugsjaa, P. Improved performance of high voltage, microwave power, static induction transistors 85—6977
Regan, R.J., Butler, S.J., Armiento, C.A., Rock, F.C. Static induction transistors: HF to X-band 88—7628
Regan, R.J. *see* Bencuya, I. 85—55138
Regan, R.J. *see* Butler, S.J. 87—16912
Regan, R.R. *see* Snyder, D. 85—10472
Regan, T. Monolithic active filters using switched capacitors 85—49979
Regan, T. Switched capacitor ICs aid active filter design 85—55021
Regan, T. Applying the LM35 temperature sensor 85—58654
Regan, T. Power op amp has build-in fault protection 87—37027
Regan, T. Monolithic operational amplifier with 150 W output power and protection against misoperation 87—65863
Regan, T.J. The foreign side of deregulation [telecommunications] 86—10614
Regard, P. *see* Schwartz, P. 85—52160
Regas, K.A., Kendig, S.D. Step-motors that perform like servos 88—30745
Regazzi, J.R. *see* Sayed, M.M. 88—38712
Regazzo, R., Regazzova, M. Automatic ultrasonic mapping of porosity in semifinished and finished products of aluminium and its alloys 87—65595
Regazzova, M. *see* Regazzo, R. 87—65595
Rege, K.M., Sengupta, B. A priority-based admission scheme for a multiclass queueing system 86—16594
Rege, K.M., Sengupta, B. Response time distribution in a multiprogrammed computer with terminal traffic 88—41138
Rege, K.M. *see* Doshi, B.T. 85—39614
Regehr, W.G. *see* Rebeiz, G.M. 88—2884, 88—21025, 88—27664
Regel, A.V. *see* Kozlov, A.P. 88—5027
Regel', L.L., Nguyen Thanh Nghi, Akchurin, M.Sh. The surface structure of semiconductor crystals grown under the Halong program microgravity conditions 86—57425
Regel, L.L., Rakhmatov, O.I., Red'ko, N.A., Parfen'ev, R.V. Investigation of transport phenomena in a *p*-type PbTe single crystal grown under weightless conditions 85—5972
Regel, L.L. *see* Lendvay, E. 86—7729
Regel, P. Deriving an efficient set of features for classifying phonemes 87—47591
Regel, P. *see* Muhlfeld, R. 87—2480
Regel, P. *see* Niemann, H. 85—2771
Regel, V.R., Opekunov, V.N., Kats, M.S., Gross, Ya.G., Putyn, Z.N. Instrument for study of kinetics of microindentation 87—56745
Regel', V.R., Stepantsov, E.A., Tsalenchuk, A.Ya., Kishneva, M.E., Barboi, A.B., Tovmasyan, A.B., Vasil'ev, A.L. Distribution of the electrical conductivity in the vicinity of a solid-phase intergrowth boundary in *p-n* bicrystals 88—12975
Regel, W. *see* Standfuss, B. 88—58379
Regelson, E.C. Developing a printed circuit board design system 88—44001
Regenberg, R. Optical fibre compatible sensors for the non-contacting length measurement 85—64276
Regenberg, R. *see* Kapitola, S. 87—53990
Regenberg, R. *see* Rothe, A. 87—49467
Regener, E. A transition sequence generator for RAM fault detection 88—33381
Regener, R. Integrated optics for the fiber optic gyroscope 88—58230
Regener, R., Sohler, W. Loss in low-finesse Ti:LiNbO$_3$ optical waveguide resonators 85—35532
Regener, R., Sohler, W. Efficient second-harmonic generation in Ti:LiNbO$_3$ channel waveguide resonators 88—40340
Regener, R., Sohler, W. Efficient second harmonic generation in matched waveguide resonators 88—65771
Regener, R. *see* Sohler, W. 86—48503
Regenie, T.R. *see* Cleveland, J.W. 85—48685
Regenold, D.R. An HVIC gate array 87—695
Regenold, D.R. *see* Huber, W.R. 87—60679
Regent, A., Zaquine, I., Matheron, G., Villegier, J.C., Pernot, J.C., Letrou, C., Crete, D., Encrenaz, P. Recent results on SIS mixers at LETI (Grenoble) and ENS (Paris) with Nb/Ox/PbIn and NbN/Ox/PbIn junctions 85—41064
Reger, G., Gerber, R., Friedlaender, F.J., Hoffmann, H. The efficiency of particle capture by an infinite array of ferromagnetic wires at low Reynolds numbers 85—51386
Reger, G., Hoffmann, H., Friedlaender, F.J. Ordered HGMS filters in the transverse configuration 88—2498
Reger, G. *see* Greiner, H. 85—24771
Reger, G. *see* Pfeffermann, E. 88—23023
Reger, J.D. The development cycle of a typical semi-custom IC 87—6821
Reger, J.D. *see* Forty, P.J. 87—66127
Reger, J.J. Visually displayed force feedback in delayed and non-delayed bilateral teleoperation 88—16872
Reger, R.K. *see* Sparks, D.R. 88—1786
Reger, S. *see* McGovern, T. 88—61238
Reger, S.I. *see* Aylor, J.H. 85—20539
Reger, S.I. *see* McGovern, T.F. 88—54490
Regereau, P., Servant, D. ECLA an asynchronous link encryption device 86—64422
Reges, H. Pumped storage for the German railway 85—5003
Regge, H.-J. *see* Jager, R. 85—6337
Reggi, A.De *see* De Reggi, A.
Reggi, A.S.De *see* De Reggi, A.S.
Reggiani, L., Brunetti, R., Normantas, E. Comparison between Monte Carlo and Davydov approaches to hot-carrier transport in semiconductors 87—24735
Reggiani, L., Lugli, P., Mitin, V. Monte Carlo algorithm for generation-recombination noise in semiconductors 88—1337
Reggiani, L., Lugli, P., Mitin, V. Generation-recombination noise of hot carriers in semiconductors 88—32744
Reggiani, L., Lugli, P., van der Ziel, A. Comments on van der Ziel's 'A generalized expression for diffusion noise and hot-electron noise at arbitrary drift velocities' [with reply] 87—37861
Reggiani, L. *see* Ali Omar, M. 87—66885
Reggiani, L. *see* Bordone, P. 87—32227
Reggiani, L. *see* Jauho, A.-P. 88—32743
Reggiani, L. *see* Lugli, P. 86—63029, 86—67655
Reggiani, L. *see* Omar, M.A. 88—12925
Reggiani, L. *see* Rieger, M. 88—32810
Reggiani, L. *(editor)* Hot-electron transport in semiconductors 86—33909
Reggiannini, R. *see* Bedini, L. 86—36878
Reggiannini, R. *see* Cantoni, A. 87—49130
Reggiannini, R. *see* D'Andrea, A.N. 88—8667
Reggiannini, R. *see* D'Andrea, N.A. 86—64182
Reggio, U. *see* Coletti, A. 85—49034
Reggio, U.G., Varesano, G., Chinnici, R., Denegri, G.B. Comparison of frequency response and DC decay tests for identifying turbogenerator models 87—42871
Reghbati, H.K. Tutorial: fault detection in PLAs 87—31799
Reghbati, H.K. *see* Abadir, M.S. 86—27171, 86—41881, 86—47737, 87—67319
Reghbati, H.K. *see* Adolph, W.S. 87—5617
Reghbatic, H.K. *see* Abadir, M.S. 85—1680
Reghinot, J.-C. Electronic measurements 85—26345
Reghinot, J.-C. Constraints and peculiarities of industrial measurements 85—31406
Reghinot, J.-C. Measuring instruments and methods in the field of microwaves 85—31431
Reghinot, J.-C. Frequency synthesis: today's techniques 85—49769
Reghinot, J.-C. Modern technology of direct voltage standards 85—58488
Reghinot, J.-C. Curve tracers 85—64173
Reghinot, J.-C. Testing commercial receivers [using signal generators] 86—52241
Reghinot, J.-C. Arbitrary waveform synthesizer for dynamic testing 87—29151
Reghinot, J.-C. The choice between 20000 and 200000 point multimeters 88—47623
Reghinot, J.-C. The application guides the choice of a pulse generator 88—70595
Reghinot, J.C. Super-high-frequencies and Hertzian beams [microwave communications] 85—30868
Reghinot, J.C. Electronic CAD: principles and applications 86—40838
Regier, F.A. Full-wave rectifier uses one diode 87—16851
Regier, L. *see* Kosro, P.M. 87—9017
Regimbart, R. *see* Bougault, R. 87—77542
Regin, T.M. *see* O'Boyle, T.J. 88—5031
Reginato, L. *see* Birx, D.L. 85—5307, 87—50047
Reginato, L.L. *see* Birx, D.L. 85—26668, 85—58965, 86—31957, 87—2145
Reginato, L.L. *see* Briggs, R.J. 88—45476
Reginato, L.L. *see* Rogers, D. 85—27130
Reginelli, A. *see* Sica, G.F. 85—27200
Reginska, T. Superconvergence of external approximation for two-point boundary problems 87—58867
Regis, M. *see* Bevilacqua, L. 86—39472
Regis, M.Masoero *see* Masoero Regis, M.
Register, L.F., Littlejohn, M.A., Stroscio, M.A. Feynman path integral study of confined carriers subject to a statistical potential 88—32908
Regitz, J. *see* Bush, C.E. 87—65017
Regitz, M. *see* Willson, C.G. 88—13240
Regli, H. *see* Cuenod, M. 88—17427
Regnard, F. Noise parameters of selected modified two-terminal pair network 85—17175
Regnault, J.C. *see* Cooper, D.M. 88—45413
Regnault, J.C. *see* Devlin, W.J. 86—54137
Regnault, J.C. *see* Mellis, J. 88—67352
Regnault, J.C. *see* Nelson, A.W. 85—35759, 85—46391
Regnault, J.C. *see* O'Mahony, M.J. 85—47503
Regnault, W.F., Yoo, K.C. Lifetime enhancement in semicrystalline silicon by structural defect density reduction 86—1687
Regnault, W.F. *see* Yoo, K.C. 85—44188
Regnell, B., Koski, S. Finland backfits to mitigate severe accidents 87—78271
Regner, K. Economics in power transmission in HF induction heating 85—53928
Regner, L. *see* Asker, P. 85—59776, 86—39172
Regner, R. The combination technique of gas heat pump/block heat and power plant—tandem/power heat pump THKW 85—4891
Regner, R.G. *see* Tsai, H.S. 88—35457
Regnier, D. Very accurate positioning system for high speed, high acceleration motion control 88—11254
Regnier, D. Damping circuit and rotor encoder cut disc magnet step motor overshoot, settling time, resonances 88—69432
Regnier, D. Use of a damping circuit with disc magnet motors. Hardware requirements, benefits for various applications 88—75570
Regnier, D. Very accurate positioning system for high speed, high acceleration motion control 88—75671
Regnier, D. The disc magnet motor: its technology and features [stepping motors] 88—75673
Regnier, D., Oudet, C., Prudham, D. Starting brushless DC motors utilizing velocity sensors 87—30670
Regnier, J. *see* Bourret, D. 85—31571
Regnier, J.-L. *see* Ranger, M. 88—34324
Regnier, J.F. *see* Maham, Y. 85—8936
Regnier, P. *see* Oudin, M. 88—47283
Regnier, P. *see* Tesseraud, M. 87—50943
Regnier, T., Dou, M. Telecom 1 and service to business 85—25803
Regnier, T., Dou, M. The video disc: its interactive applications 85—52550
Regniet, N. *see* Prasse, J. 88—32540
Regnitter, F. *see* Rosenstock, H.G. 85—10262
Rego, J. *see* Deis, G.A. 88—65747
Rego, J. *see* Hawke, R.S. 87—26680, 88—40505
Rego, J.I., Kaszkurewicz, E., Hsu, L. Quasi-Jacobi matrices, RC networks and Aizerman's conjecture 86—608
Rego, V., Hughes, H.D. A comparison of two token-passing bus protocols 87—20190
Rego, V. *see* Marinescu, D. 88—3612
Rego, V. *see* Marinescu, D.C. 87—34180, 87—55791
Rego, V. *see* Szpankowski, W. 87—40057, 88—35192
Rego, V.J., Hughes, H.D. Modelling an adaptive token-passing protocol 86—54619
Regoci, I. Technology for the manufacturing of the service supervision and maintenance system LOTRIMOS 88—9345
Regoli, A. *see* Paganin, F.G. 85—39942
Regolini, J.L., Bensahel, D., Nissim, Y.I., Mercier, J., Scheid, E., Perio, A., Andre, E. Silicon epitaxy at low temperature, using UV cleaning in a reduced pressure CVD system 88—38146
Regolini, J.L., Dutartre, D., Bensahel, D., Karapiperis, L., Garry, G., Dieumegard, D. Laser recrystallised SOI with periodical seeding filled by selective epitaxial growth 87—44312
Regolini, J.L. *see* Fogarassy, E. 87—38145, 87—66870
Regolini, J.L. *see* Nissim, Y.I. 88—44660, 88—49879
Regondi, P. *see* Docchio, F. 88—8256
Regos, L. *see* Wolf, T. 86—12007
Regoyos, J., Gomez, G. Modular equipment for the automatic control of small hydro plants 85—9781
Regreny, A. *see* Block, D. 88—44577
Regreny, A. *see* Burgoin, J.C. 87—53261
Regreny, A. *see* Chomette, A. 85—40503, 86—47381
Regreny, A. *see* Deveaud, B. 87—24889
Regreny, A. *see* Guillemot, C. 87—24863, 87—45657
Regreny, A. *see* Guivarc'h, A. 88—49845
Regreny, A. *see* Lambert, B. 87—24890, 88—12995
Regreny, A. *see* Palmier, J.F. 85—61747
Regreny, A. *see* Stienvenard, D. 86—67715
Regreny, O. *see* Thual, M. 88—31864
Regt, C.de *see* de Regt, C.
Regtien, P.L.P. Microprocessor-based measurement system for domestic heat-consumption 88—43495
Regtien, P.P.L. Sensors in robotics 85—64137
Regtien, P.P.L. Sensors for applications in robotics 87—41486
Regtien, P.P.L. Silicon sensors for robot applications 87—56684
Regtien, P.P.L. Sensors for robotic applications 88—67745
Regtien, P.P.L., Hakkesteegt, H.C. A low-cost sonar system for object identification 88—61715
Regtien, P.P.L., Wolffenbuttel, R.F. A novel solid-state colour sensor suitable for robotic applications 86—17984
Regtien, P.P.L. *see* Koelman, W.A. 85—14678
Regtien, P.P.L. *see* Woffenbuttel, R.F. 87—70631

Regtien, P.P.L. *see* Wolfenbuttel, R.F. 88–16427
Regtien, P.P.L. *see* Wolffenbuttel, R.F. 87–3617
Regulinski, S.G. *see* North, D.W. 87–63988
Regulinski, T.L.D. One score and fifteen years ago 85–10558
Regulla, D.F. The radiation environment and its effect on the spectral response requirements of environmental dosemeters 86–18405
Reh, T.L. Master/slave TIMS operation increases productivity 85–14605
Rehaber, E. *see* Werner, W.M. 88–71752
Rehacek, L., Slouf, R. The use of large-scale remote control in the Czechoslovak Power Industries Concern 88–61886
Rehak, B., Frumar, M., Koudelka, L. Effect of atmosphere on the electrical conductivity of RuO_2 and ruthenate layers 85–11587
Rehak, D.R. *see* Nanson, B.N. 86–19805
Rehak, J.L. How to add CW break-in to the Kenwood TR-9000 85–30857
Rehak, J.L. Razor-sharp CW [active audio filter] 86–34957
Rehak, P., Gatti, E., Longoni, A., Kemmer, J., Holl, P., Klanner, R., Lutz, G., Wylie, A. Semiconductor drift chambers for position and energy measurements 85–43170
Rehak, P., Walton, J., Gatti, E., Longoni, A., Sanpietro, M., Kemmer, J., Dietl, H., Holl, P., Klanner, R., Lutz, G., Wylie, A., Becker, H. Progress in semiconductor drift detectors 86–65336
Rehak, P. *see* Becker, H. 87–14750
Rehak, P. *see* Fischer, J. 85–64460
Rehak, P. *see* Gatti, E. 85–9064, 85–9072, 85–59168, 87–29548, 87–29722, 87–29729
Rehak, P. *see* Radeka, V. 88–61180
Rehak, P. *see* Struder, L. 88–68207
Rehak, P.H. Diagnostic evaluation of right ventricular function–an experimental study on cardiac output and ventricular volume measurements by conductivity dilution 88–54550
Rehaoulia, H., Capolino, G.A., Pillet, E., Poloujadoff, M. Accidental self-starting of three-phase asynchronous machines on a capacitive network 87–42943
Rehaoulia, H., Poloujadoff, M. Transient behavior of the resultant airgap field during run-up of an induction motor 87–30563
Rehaoulia, H. *see* Sood, P.K. 86–39802
Rehbein, D.K., Skillings, B.J., Smith, J.F., Thompson, D.O. Ultrasonic reflection from a stressed interface 86–13873
Rehbein, D.K., Smith, J.F., Thompson, D.O. Inference of compressive stresses from clamped interfaces with ultrasonic measurements 85–17038
Rehbein, H.-P. Experimental determination of cutting power frequency spectra in horizontal metal band sawing 86–5545
Rehberg, P. *see* Witte, W. 88–1228
Rehberg, R.L. *see* Black, W.Z. 86–12468
Rehbock, G. *see* Rosenstock, H.G. 85–10262
Rehbock, H. Ludus 86–20423
Rehfeld, R. New assembly process builds better phones 85–47289
Rehfeldt, H. *see* Schneider, V. 87–64284
Rehfeldt, K.-H. A multistandard chip set for VHS VCRs 85–3738
Rehfus, E. *see* Maurer, A. 87–71826
Rehfuss, S., Alexander, J., Freiling, M., Messick, S., Shulman, S. A troubleshooting assistant for the Tektronix 2236 oscilloscope 87–3393
Rehim, S.S.Abd El *see* Abd El Rehim, S.S.
Rehkopf, P.G. *see* Cambier, J.L. 85–38119
Rehkopf, P.G. *see* Nelson, M.R. 85–4265
Rehkopf, P.G. *see* Warnicki, J.W. 88–48105
Rehlich, K. *see* Binnie, D.M. 85–31693
Rehm, B. *see* Assmann, W. 86–44520
Rehm, B. *see* Trinks, U. 86–31952
Rehm, H., Kupka, P. Radio-surveillance and radiolocation systems–mobilized by Rohde & Schwarz 88–53387
Rehm, H., Wildmoser, H. Realization of the 5B6B line codec of a 565 MBit/s optical fibre transmission system with ECL gate arrays 87–40915
Rehm, H. *see* Panzer, K. 85–2963
Rehm, K.-E. *see* Thomas, G.E. 85–59136
Rehm, K.E. *see* Pardo, R. 88–68233
Rehm, S.M. Two-channel up/down converter UX 001 88–35749
Rehm, S.M. *see* Knirsch, H. 86–49452
Rehm, W. Universal 16-bit system USS 8000 85–54935
Rehm, W. *see* Dorn, R. 86–36230, 88–45138, 88–58139
Rehman, A.U., Farooqui, M.Z., Guardalben, G.V., Wight, A.L. Comparison of commissioning test results with physics simulations in a CANDU reactor 87–50954
Rehman, A.U. *see* Frescura, G.M. 85–59974
Rehman, M., Ahmed, M.T., Arif, M. A self-balancing bridge for in-circuit resistance measurement 86–24596
Rehman, M., Ahmed, M.T., Rafiq, M.Q. Realization of electronically compensated precision-type dynamometer wattmeter 85–8900
Rehman, M., Murti, V.G.K., Gupta, M.R. A novel precision type liquid conductivity measuring system 86–18068
Rehman, M.A. Device design for analog ICs 86–58552
Rehman, M.A. MOS device design for analog ICs. II 86–63454
Rehmann, W., Sesterhenn, H. Calculations on technical requirements for protection devices against a nuclear light flash 86–65474
Rehmann, W., Sesterhenn, H. German development of a LC-flashblindness device 86–65475
Rehme, H., Oppolzer, H. Cross-sectional electron microscopy of device structures and p-n junctions 85–62022
Rehme, H. *see* Criegern, R.V. 85–61876, 85–62023
Rehme, H. *see* Oppolzer, H. 85–61875
Rehmert, H. Correcting shipboard databases 88–35607
Rehn, A., Schroter, E., Rothe, T. MFA 103 metering computer for signal and network analysis 86–70088
Rehn, L. *see* Eberhart, R.C. 87–63730
Rehn, L.A. *see* Bertolaccini, M. 88–29909
Rehn, V. Optics for insertion-device beam lines 87–26117
Rehn, V., Green, A.K. Growth of strained and unstrained epitaxial InGaAs on InP 88–18695
Rehnitz, J., Nitzschke, P. Effects of environmental influences on equipment design and construction and their evaluation 88–49559
Rehor, G.M. *see* Pinello, J.A. 86–32689
Rehrig, D.L. *see* Davis, W.H. 87–23590
Rehspringer, J.L., Bernier, J.C. Chemical processing of $BaTiO_3$ based ceramics 87–24500
Rehwald, U. *see* Prehn, H. 86–50604
Rehwald, W. *see* Widmer, A.E. 87–17866
Rei-Min Huang, Ruey-Shing Huang Impurity profiling in mixed diffusion by neutron activation analysis 87–32370
Rei-Rong Huang *see* Fuhua Cheng 86–20629
Reibaldi, G. *see* Bernasconi, M. 87–19303
Reibaldi, G. *see* Bernasconi, M.C. 86–54353
Reibaldi, G.G. Antenna mechanical technologies within ESA 87–12810
Reibaldi, G.G., Bernasconi, M.C. Quasat program: the ESA reflector 87–56307
Reibaldi, G.G., Hammer, J., Bernasconi, M.C., Pagana, E. Inflatable space rigidized reflector development for land mobile missions 86–59155
Reibaldi, R. *see* Bernasconi, M.C. 86–37811
Reibel, R.S. *see* Hart, D.L. 88–761
Reiber, A. Network behaviour at the terminals 87–31622
Reiber, J.H.C., Kooijman, C.J., Slager, C.J. Improved densitometric assessment of percent area-stenosis from coronary cineangiograms 88–29981
Reiber, J.H.C. *see* Gerbrands, J.J. 88–29977
Reiber, J.H.C. *see* Kooijman, C.J. 85–31829, 87–48055
Reiber, J.H.C. *see* Reijs, A.E.M. 87–48054
Reiber, J.H.C. *see* van Leeuwen, P.J. 87–48056, 88–29979
Reiber, J.H.C. *see* van Ommeren, J. 87–50220
Reibiger, A. On the terminal behaviour of networks 87–395
Reibiger, A. Fundamentals of network theory 88–63431
Reibiger, A. *see* Albrecht, W. 85–17083
Reibiger, A. *see* Haase, J. 86–26967
Reible, G.A., Jr. Time interlaced plasma panel drive 85–31540
Reible, S.A. Superconductive convolver with junction ring mixers 85–54745
Reible, S.A. Future for cryogenic devices for signal processing applications 86–9442
Reible, S.A. *see* Green, J.B. 87–67872
Reible, S.A. *see* Withers, R.S. 85–52707, 85–56262
Reible, V. Bildscrimtext-telephones as components of the integrated communications technology 86–49223
Reible, V. Support of internal organisations communication. Btx with the PC 8810 87–27987
Reibman, A.L. *see* Marie, R.A. 88–285
Reibman, A.R., Nolte, L.W. Optimal detection and performance of distributed sensor systems 87–47682
Reibman, A.R., Nolte, L.W. Performance of distributed detection networks 87–75848
Reibman, A.R., Nolte, L.W. Design and performance comparison of distributed detection networks 88–27906
Reibman, A.R., Nolte, L.W. Detection performance of two-sensor distributed systems for normal local ROCs 88–40987
Reibman, A.R., Nolte, L.W. Performance of redundant and distributed detection systems with processor faults 88–73135
Reibold, R., Molkenstruck, W. Investigation of pulse-excited hydrophones for ultrasonic field measurements using laser interferometry 87–35524
Reibold, R. *see* Holzer, F. 86–60991
Reibold, R. *see* Kwiek, P. 85–12981
Reich, D.F., Fray, D.J., Evanson, A.F., Cleaver, J.R.A., Ahmed, H. Metallurgy and microfabrication applications of gold-silicon-beryllium liquid-metal field-ion sources 87–29423
Reich, D.H. *see* Field, S.B. 86–47304
Reich, E. *see* Domzalski, T. 88–5732
Reich, G. The significance of physical quantities in the measurement of low gas pressures 87–8772
Reich, G. Industrial vacuum measurement 88–36275
Reich, G. *see* Townsend, D. 88–48111
Reich, H. Instructions for a low-loss fiber optic termination system 85–12556
Reich, H. A simple procedure for determining the average heating of electric machines [DC machines] 85–60203
Reich, J. *see* Beuscher, H. 88–74700
Reich, J. *see* Brautigam, W. 85–64431
Reich, J. *see* Hagedoorn, H.L. 88–74726
Reich, J. *see* Krauss-Vogt, W. 88–47917
Reich, K.H., Schindl, K., Schonauer, H. An approach to the design of space-charge limited high intensity synchrotrons 85–26625
Reich, M., Schieder, R., Clar, H.J., Winnewisser, G. Internally coupled Fabry-Perot interferometer for high precision wavelength control of tunable diode lasers 86–29125
Reich, M., Schieder, R., Clar, H.J., Winnewisser, G. High precision wavelength control of tunable diode lasers 86–48441
Reich, M., Schieder, R., Clar, H.J., Winnewisser, G. Wavelength stabilization of tunable diode lasers using an internally-coupled Fabry-Perot interferometer 87–18978
Reich, M. *see* Hallmann, W. 85–22201
Reich, M. *see* Hartl, P. 87–57441, 88–5140
Reich, M. *see* Winnewisser, G. 87–34699
Reich, R.K., Ju, D.-H., Sekela, A.M. Velocity saturation limitations of lightly doped drain transistors 88–39456
Reich, R.K., Rahn, C., Holt, M., Schrankler, J.W., Ju, D.H., Kirchner, G.D. An enhanced fully-scaled 1.2 μm CMOS process for analog applications 86–2413
Reich, R.K., Rahn, C.H., Holt, M.S., Schrankler, J.W., Ju, D.-H., Kirchner, G.D. An enhanced fully scaled 1.2-μm CMOS process for analog 86–47808
Reich, R.K., Schrankler, J.W., Ju, D.-H., Holt, M.S., Kirchner, G.D. Radiation-dependent hot-carrier effects 86–47577
Reich, R.K. *see* Ferry, D.K. 85–34908
Reich, R.K. *see* Ju, D.-H. 86–47856
Reich, R.K. *see* Schrankler, J.W. 86–35696
Reich, S., Tuchman, I. Precision digital position encoding for resonant scanners 85–36179
Reich, W. *see* Kroschel, K. 87–2809
Reich, W. *see* Morsi, H.W. 86–65038
Reichard, H.S. *see* Sladen, F.M.E. 86–63621
Reichardt, J.W. *see* Smith, R.C. 88–61620
Reichart, G. *see* Hoertner, H. 85–48744
Reichart, G. *see* Hortner, H. 86–51256
Reiche, H. The economical meaning of soft magnetic materials for rotating electrical machines 85–39006
Reiche, H. Reliable electric drives through control of the aging processes 85–53867
Reiche, H. Useful life oriented design and use of asynchronous motor drives 87–42994
Reiche, H., Schenderlein, B. Lithium thionyl chloride batteries for industrial and military applications 86–19448
Reiche, H. *see* Berger, D. 86–56745
Reiche, J. *see* Idselis, M. 87–61492
Reiche, K. The experimental determination of the heat conductivity of thin films 85–1188
Reiche, M. *see* Kirscht, F.-G. 88–44628
Reiche, M. *see* Nitzsche, W. 88–44627
Reiche, M. *see* Poggi, A. 87–60225
Reiche, W. *see* Grunberg, D. 87–16169
Reichek, N. *see* Trivedi, S.S. 87–57066
Reichel, E. *see* Schmidt-Kloiber, H. 85–12591, 85–64619
Reichel, G., Maiwald, H., Rethfeldt, K.-H. Integrated CMOS-circuits. III 87–46206
Reichel, H.-H. Flue gas corrosion in German fossil fuel-fired power plants–manifestation, mechanisms, causes 88–37060
Reichel, K. Double decker: transient recorder with an MS-DOS computer 88–15985
Reichel, K. Compact transient recorder with integrated computer 88–35783
Reichel, L. On the determination of boundary collocation points for solving some problems for the Laplace operator 85–5957
Reichel, L. An asymptotically orthonormal polynomial family 85–22368
Reichel, L. On polynomial approximation in the complex plane with application to conformal mapping 85–49481
Reichel, L. A fast method for solving certain integral equations of the first kind with application to conformal mapping 86–19986
Reichel, L. Some computational aspects of a method for rational approximation 86–62126
Reichel, L. A method for preconditioning matrices arising from linear integral equations for elliptic boundary value problems 86–66775
Reichel, L. On polynomial approximation in the uniform norm by the discrete least squares method 87–10293
Reichel, L., Chapman, P. Edge waves by boundary collocation 86–46241
Reichel, L. *see* Ammar, G.S. 88–40925
Reichel, P. *see* Himsl, L. 88–37045

Reichel, T. Shortwave power heads for power reflection meter NAP 88−36114
Reichel, T. *see* Anderson, D. 88−33649
Reichel, T. *see* Betz, T. 85−26386
Reichel, T. *see* Kohlen, D. 88−36115
Reichel, W.-C. Potentials and limits of combined heat and power supplies to industrial works 86−33064
Reichel, W.L. *see* McCann, D.R. 88−37056
Reichelderfer, R.F. *see* Sibbett, K.H. 88−50746
Reichelderfier, M. *see* Bellahsene, B.E. 86−18331
Reichelt, A., Michel, H., Rauscher, W. Wavelength-division multi demultiplexers for two-channel single-mode transmission systems 85−14266
Reichelt, A. *see* Mahlein, H.F. 86−23598
Reichelt, A. *see* Trimmel, H. 86−11115
Reichelt, H. *see* Krause, E. 86−13207
Reichelt, J. EMC regulations and methods of measurement for sound and television broadcast receivers in the Federal Republic of Germany 85−37230
Reichelt, J. EMC regulations and methods of measurement for sound and television broadcast receivers in the Federal Republic of Germany 85−37256
Reichelt, M., Wolf, W. An improved cell model for hierarchical constraint-graph compaction 87−38569
Reichelt, T. *see* Gassen, H.-J. 85−52955
Reichelt, T. *see* Gassen, H.J. 86−50292
Reichenbach, M.C.Von *see* Von Reichenbach, M.C.
Reichenberger, H., Naser, G. Electromagnetic acoustic source for the extracorporeal generation of shock waves in lithotripsy 86−70433
Reicheneder, A. For the active musician. An analog echo- and reverberation equipment. I 85−20395
Reicheneder, A. For the active musician: analog echo- and reverberation equipment. III 85−26114
Reicheneder, A. For the active musician: an analog echo- and reverberation equipment. II 85−31278
Reichenstein, H.W., Gomez, J.C. Relationship of X/R, I_p, and I_{rms}' to asymmetry in resistance/reactance circuits [power system protection] 85−43648
Reichert, D. *see* Heinrich, W. 87−76201
Reichert, G. 110-MW-traction power turbogenerator set of the power station at Lunen [railway power supplies] 85−10169
Reichert, G. The statute for large combustion plant: its significance for the environment and power generation cost [power stations] 85−65014
Reichert, G., Breidenbach, H. Help towards self-help in design, construction and operation of power stations 86−51175
Reichert, K. The design of overhead lines 85−32192
Reichert, K., Handschin, E. The application of personal computers in the electricity supply industry 85−32051
Reichert, K., Handschin, E. The use of personal computers for the processing of operational data 85−32052
Reichert, K. *see* Ammann, C. 86−66055, 88−69278
Reichert, K. *see* Berchten, S. 87−22276, 88−11199
Reichert, K. *see* Busarello, L. 85−32126
Reichert, K. *see* Schnirel, K. 85−26940
Reichert, K. *see* Tarnhuvud, T. 88−51991
Reichert, K. *see* Vetter, W. 88−11212
Reichert, K. *(editor)* Proceedings of the International Conference on Electrical Machines 87−35970
Reichert, M. *see* Andrade, J.D. 88−16679
Reichert, M.A. Explicit determination of nontrivial torsion structures of elliptic curves over quadratic number fields 86−52389
Reichert, T., Bittner, G., Heinzelmann, K.G., Soldner, L., Vetter, J. Siemens Helicon: a novel 2 tesla superconducting whole-body MR magnet 88−68357
Reichert, T. *see* Siebold, H. 88−52150
Reichert, T. *see* Vetter, J. 88−65062
Reichert, W.F. *see* Camisa, R.L. 85−40247
Reichert, W.F. *see* Carlson, N.W. 88−40192
Reichert, W.F. *see* Evans, G.A. 88−14174, 88−40194
Reichert, W.M., Bruckner, C.J., Joseph, J. Langmuir-Blodgett films and black lipid membranes in biospecific surface-selective sensors 88−4884
Reichert, W.M. *see* Ives, J.T. 88−45205
Reichl, A. News about district heating 87−57879
Reichl, A. The energy economy in Austria 87−78232
Reichl, E. *see* Penner, S.S. 87−78236
Reichl, H. Silicon substrates for chip interconnection 87−6291
Reichl, H. Dimming of starting signals in SpDrS 600 installations on new line working 87−79064
Reichl, H. Light signal circuitry in electronic signal boxes 88−18171
Reichl, R. Inductive connections. Inductive couplers as signal junctions in automated equipment 85−50063
Reichl, W. *see* Kresnik, E. 88−48486
Reichle, H.G., Jr., Wallio, H.A., Casas, J.C., Condon, E.P. Gas filter radiometer for carbon monoxide measurements during the 1979 Summer Monsoon Experiment (MONEX) 87−9002
Reichlin, R. Electrical resistance measurements of metals to 40 GPa in the diamond cell 85−31567
Reichman, A. Least-square cancellation decision feedback receiver 87−55844
Reichman, A., Scholtz, R.A. Adaptive spread-spectrum systems using least-squares lattice algorithms 86−10335
Reichman, A., Scholtz, R.A. Applications of least-square lattice filters in adaptive data communication 87−39853
Reichman, A., Scholtz, R.A., Lev-Ari, H. Equalization in a direct sequence spread spectrum system using a least squares lattice filter 85−30876
Reichman, A. *see* Perl, J.M. 87−27548, 87−34351
Reichman, B.M. *see* Shelton, J.W. 86−61487
Reichmanis, E., Smith, B.C., Smolinsky, G., Wilkins, C.W., Jr. P(SI-MA)/2-nitrobenzyl cholate: a two-level, solution-inhibition, deep-UV resist system 87−60227
Reichmanis, E., Smolinsky, G. Oxygen RIE-resistant deep-UV positive resists: poly(trimethylsilylmethyl methacrylate) and poly(trimethylsilylmethyl methacrylate-co-3-oximo-2-butanone methacrylate) 85−55628
Reichmanis, E., Smolinsky, G., Wilkins, C.W., Jr. Approaches to resists for two-level RIE pattern transfer applications 86−2295
Reichmanis, E., Thompson, L.F. Polymer materials for microlithography 88−1502
Reichmanis, E. *see* Frackoviak, J. 88−13255
Reichmanis, E. *see* Novembre, A.E. 87−11874
Reichmanis, E. *see* Tarascon, R.G. 87−11878, 87−67130, 88−13247
Reichmanis, E. *see* Wilkins, C.W., Jr. 85−35048
Reichmann, K. The design in stages: the stepwise design of a PC-controlled test system 88−29220
Reichmann, K.C. *see* Giles, R.C. 88−3977
Reichmann, K.C. *see* Gnauck, A.H. 87−40879
Reichmann, K.C. *see* Valenzuela, R.A. 88−58524
Reichmann, W. *see* Dreisbach, K. 86−19630
Reichmeyer, H., Stockinger, J. ASIC module concept with great flexibility of application 87−32592
Reichstein, Z. *see* Posner, E.C. 86−43360
Reichwald, R. Some results and conclusions of the teletex-field trials in West Germany 85−19725
Reichwaldt, H.-W. Megabit chip−the result of evolution 87−24161
Reichwaldt, H.W. Radio telegram in the jacket pocket 87−13610
Reichwaldt, H.W. Further developments in the S900D mobile radiotelephone system 87−28418
Reichwein, E. *see* Dwivedi, K.K. 87−14766
Reicker, E.L. *see* Farag, I.H. 87−58499
Reid, A. Switches−miniature and PCB mounting 86−27667
Reid, A. Display technologies−flat panels compete for CRT market 86−44356
Reid, A. CAE for the chip of your choice 86−57743
Reid, A. Passive components−the leading edge of SMA 86−62925
Reid, A. ATE−increased sophistication for VLSI boards 87−3374
Reid, A. *see* Murray, B.G. 87−22951
Reid, A. *see* Palmer, C. 86−5330
Reid, A. *see* Tomantschger, K. 86−33642, 87−22721
Reid, A.W.Y. *see* Barton, J.S. 88−5057
Reid, B.B., Nelms, R.M., Grigsby, L.L. Simulation of power converter devices with nonlinear elements 88−54720
Reid, B.B. *see* Newton, S.R. 88−54721
Reid, C.H. *see* Zacharski, J.J. 88−18125
Reid, C.J. *see* Vij, J.K. 86−68440
Reid, C.S.W. *see* Beach, A.D. 86−5912
Reid, D. A night in the cells 85−27607
Reid, D.A. A 50/144 MHz delta loop 87−75600
Reid, D.B. *see* Fingerote, S.I. 88−16841
Reid, D.B. *see* Hepburn, J.S.A. 85−37111
Reid, D.C.J. *see* Bennion, I. 86−36151
Reid, D.C.J. *see* Jauncey, I.M. 87−7347
Reid, D.C.J. *see* Kean, P.N. 88−8282, 88−39889
Reid, D.C.J. *see* Park, C.A. 87−7357
Reid, D.C.J. *see* Rowe, C.J. 86−48200, 87−53993
Reid, D.C.J. *see* Stewart, W.J. 86−2833
Reid, D.P. Thermal design and simulation of in-cabinet electronic equipment [telecommunication and power equipment] 86−61630
Reid, D.P. A microprocessor-controlled, high capacity, single cell, battery test set 87−30925
Reid, D.P., Glasa, I. A new concept: intermittent charge of lead acid batteries in telecommunication systems 85−60409
Reid, D.W. RF power sources for 1990 and beyond 87−35286
Reid, D.W. High-powered, solid-state RF systems 88−50046
Reid, D.W. *see* Vaughan, D.R. 86−31995
Reid, F.T., Olsen, G. Design rules allow easy wire wrapping of ECL prototypes 88−641
Reid, G. *see* Gibbons, J.F. 88−12031, 88−38260
Reid, G.A. *see* Adkisson, J.W. 88−49815
Reid, G.A. *see* Carey, P.G. 88−44582
Reid, G.A. *see* Drowley, C.I. 88−31728
Reid, G.A. *see* Kamins, T.I. 87−31567
Reid, G.A. *see* Scott, M.P. 85−40785
Reid, G.B. *see* Albery, W.B. 88−4982
Reid, G.M., Bygrave, J.W., Morrison, D.G., Corbett, J.M., Kenyon, N.D. Application study for still-picture television 85−58402
Reid, G.M. *see* Best, J. 88−21812
Reid, G.M. *see* Kenyon, N.D. 85−52562
Reid, G.T. Phase-measuring moire topography 88−4647
Reid, G.T., Messer, H., Stewart, H. Optical sensors for position and displacement measurement 85−47987
Reid, G.T., Rixon, R.C. Machine vision techniques for 3-D surface form measurement 86−23170
Reid, G.T., Rixon, R.C. Automatic inspection of quasi-cylindrical objects by phase measuring moire topography 87−49932
Reid, G.T., Rixon, R.C., Marshall, S.J. 3-D machine vision for automatic measurements of complex shapes 85−46967
Reid, G.T., Rixon, R.C., Stewart, H. Stripe scanning for engineering 88−45606
Reid, I. *see* Lehockey, E.M. 88−33087
Reid, I.M. MF Doppler and spaced antenna radar measurements of upper middle atmosphere winds 88−36664
Reid, I.P. *see* Collins-Cope, M. 87−458
Reid, J., Vilkomerson, D. State of the art of ultrasonic imaging 86−50539
Reid, J. *see* Brimacombe, R.K. 85−7347, 85−18968, 85−35670, 85−51098, 85−62491
Reid, J. *see* Chakrabarti, A. 87−68379
Reid, J. *see* Fox, K.E. 85−46319
Reid, J. *see* Kerns, Q. 86−31979
Reid, J. *see* Kroeker, D.F. 86−48348, 87−2057, 87−26320
Reid, J. *see* Martin, P. 88−47832
Reid, J. *see* Morrison, H.D. 85−2194, 85−2207 to 2208, 85−41312, 85−51083
Reid, J. *see* Poulin, D. 88−71221
Reid, J. *see* Rolland, C. 85−24437
Reid, J. *see* Siemsen, K.J. 86−29033, 87−75000, 88−14108
Reid, J. *see* Sinclair, R.L. 85−46318
Reid, J. *see* Znotins, T. 88−20817
Reid, J. *see* Znotins, T.A. 87−75273
Reid, J.A. *see* Kenny, G.N.C. 85−64615
Reid, J.G. Custom design power supplies 87−10682
Reid, J.G. Normal functions of normal random variables 88−282
Reid, J.G. Implementation of low cost automation for smaller electronic companies 88−11748
Reid, J.J.E. *see* Hagan, D.J. 85−56785
Reid, J.J.E. *see* Mackenzie, H.A. 87−12576
Reid, J.J.E. *see* Smith, S.D. 86−3300
Reid, J.J.E. *see* Tooley, F.A.P. 86−22484
Reid, J.K., Duff, I.S. Advances in the exploitation of sparsity 85−28181
Reid, J.M. *see* Gillespie, W.A. 87−2165
Reid, J.M. *see* Nowicki, A. 85−38031
Reid, J.M. *see* Pidgeon, C.R. 86−3223, 87−75209
Reid, J.M. *see* Poole, M.W. 85−56702
Reid, J.M. *see* Schafer, M.E. 88−59179
Reid, J.M. *see* Teo, T.J. 87−3962
Reid, J.P. *see* Arambepola, B. 87−44951
Reid, J.R.C., Dix, J.F. A programmable digital transversal filter for compact sonar applications 85−52452
Reid, J.R.C. *see* Holland, P.G. 86−34875
Reid, J.R.C. *see* Thomson, R. 87−6895
Reid, J.T. *see* Chahley, J.R. 85−57973
Reid, K. EMI and the shielded connector 86−36738
Reid, L.D., Grant, P.R., Greig, G.L. The interaction between visually induced motion and physical motion in a flight simulator 88−16818
Reid, L.D. *see* Doctor, S.R. 86−66878
Reid, L.D. *see* Gammell, P.M. 85−6091
Reid, L.D. *see* Grant, P.R. 87−8969
Reid, L.D. *see* Prince, J.M. 86−13890
Reid, L.O. *see* McGuffin, L.J. 88−66990
Reid, M.A. *see* Diamond, C.A. 85−12746
Reid, M.A. *see* Gonzalez-Sanabria, O.D. 87−22706
Reid, M.A. *see* Johnson, D.A. 85−60378
Reid, M.B., Feinstein, J., Pantell, R.H., Fisher, A.S. Gain in spatially varying optical fields: applications to high emittance beams and gas dielectric FEL's 88−2289
Reid, M.B., Fisher, A.S., Pantell, R.H., Feinstein, J., Deloney, T.L., Ho, A.H. Design of a gas-loaded free electron laser experiment 87−75150
Reid, M.B. *see* Feinsten, J. 88−27190
Reid, M.B. *see* Fisher, A.S. 87−2183, 88−72502
Reid, M.B. *see* Pantell, R.H. 87−2179
Reid, M.C. *see* Fong, R. 87−58276
Reid, M.D. *see* Drummond, P.D. 88−45549
Reid, M.D. *see* Lane, A.S. 88−72421

Reid, M.S., Lyman, P.T., Force, C.T. Communicating across the Solar System 86–11046
Reid, P. OSI in Europe 87–40484
Reid, P. *see* Cutler, R. 87–56727
Reid, P.R. Considerations in utilization of implanted devices to treat ventricular tachyarrhythmias 87–42021
Reid, R. *see* Anway, H. 86–21779
Reid, R.L. *see* Campbell, J.C. 87–48859
Reid, S. Earth stations bring an end to White Alice 85–63596
Reid, S. Performance characteristics of two local area network access methods 87–28148
Reid, S. *see* Crozier, M. 88–46445
Reid, S. *see* Pitt, C.W. 88–65317
Reid, S. *see* Varasi, M. 88–58203
Reid, S.A. The teaching of materials in UK engineering degree courses 87–58571
Reid, S.A. *see* Howell, P.G.T. 86–67646
Reid, S.J. *see* Tainsky, S. 88–22269
Reid, W.E., Secrest, S.R., Hassler, S.P., Potter, M.E. MOV arrester protection of shield interrupts on 138-kV extruded dielectric cables 85–21212
Reid, W.E. *see* Bayless, R.S. 88–49025
Reid, W.E. *see* Hassler, S.P. 85–21211, 86–61174
Reid, W.E. *see* Wiggins, C.M. 88–17803
Reid, W.S., Tschetter, K.D., Johnson, R.M. Analysis of a rank-based radar detection system operating on real data 86–17466
Reid, W.S. *see* Desjardins, R.L. 87–21779
Reid Rowlett, J. A wavefront array architecture for executing sequences of matrix operations 88–29304
Reidel, R.A., Gertner, E.R., Edwall, D.D., Tennant, W.E. High performance photovoltaic infrared devices in Hg$_{1-x}$Cd$_x$Te on sapphire 85–26326
Reider, G.A. *see* Kuhnle, G. 88–65778
Reider, W.L. VCRs silently take over the classroom 86–40416
Reiderman, A.F., Shur, M.L., Dyakin, V.V. Representing randomly oriented fields in a magnetic tape 88–44972
Reidick, O.H. Grinding and firing of brown coal with high incombustibles 87–4538
Reidl, J. Dear money for fast memory: market survey of CMOS-SRAM's 88–63671
Reidlinger, R.E. Self-focusing piezoelectric high-power sound-pulser for painless disintegration of urinary calculi 88–10430
Reidy, J. Connection of a 12-bit A/D converter to fact DSPs 87–24274
Reidy, J. Improved analog switch accepts wider input range 88–69505
Reidy, J., Wynne, J. CMOS ADC achieves reliable 12-bit resolution 87–38513
Reidy, J. *see* Coleman, B. 88–834, 88–63751
Reidy, J. *see* Meehan, P. 88–67710
Reier, M. The use of Cf-252 to measure latchup cross sections as a function of LET 87–32708
Reiersen, W.T., Flanagan, C.A., Miller, J.B. Parametric system studies of candidate TF coil system options for the Tokamak Fusion Core Experiment (TFCX) 85–1910
Reierson, J.D., Lay, R.K. An application of expert system technology to nuclear power plant operations 85–38657
Reif, A.R. *see* Huelsman, A.D. 88–43915
Reif, C. A fast, precise, single-source/sine output SMPs control IC 86–52682
Reif, H. *see* Carne, A. 86–5762
Reif, J., Nielsen, H.B., Semmler, O., Tepper, P., Matthias, E., Westin, E., Rosen, A. SHG and laser-induced desorption at the surface of BaF$_2$ 88–20755
Reif, J. *see* Barakat, R. 87–69249
Reif, J. *see* Nair, R. 86–21847
Reif, J. *see* Pan, V. 87–16528
Reif, P.-D. Interactive measuring equipment in vehicles 87–5071
Reif, P.-D. *see* Mage, B. 86–31412
Reif, P.G. *see* Efron, U. 85–29654
Reif, R. Plasma-enhanced chemical vapor deposition of silicon epitaxial layers 85–10685
Reif, R. Plasma enhanced chemical vapor deposition of silicon epitaxial layers 85–10746
Reif, R. Low temperature and low pressure silicon epitaxy by plasma-enhanced CVD 88–6477
Reif, R. *see* Ashford, V. 86–50391, 87–41835
Reif, R. *see* Bird, F. 86–50334
Reif, R. *see* Burger, W.R. 86–27836, 86–47573, 87–38204, 87–60411, 88–11979, 88–13358, 88–24708 to 24709, 88–31745
Reif, R. *see* Comfort, J.H. 88–7285, 88–12913, 88–18679
Reif, R. *see* Donahue, T.J. 85–49546, 86–20061, 87–10439 to 10440, 87–11611
Reif, R. *see* Garverick, L.M. 88–7286
Reif, R. *see* Hajjar, J.-J.J. 87–11333
Reif, R. *see* Hallewell, G. 88–68213
Reif, R. *see* Huelsman, A.D. 87–23706
Reif, R. *see* Iiderem, V. 88–70340
Reif, R. *see* Iverson, R.B. 85–18210, 85–54487
Reif, R. *see* Johnson, R. 88–68277
Reif, R. *see* Kung, K.T.-Y. 85–33468, 85–33481, 86–13772, 87–32552, 87–74312, 88–44756
Reif, R. *see* Quach, N.T. 85–5976
Reif, R. *see* Sodini, C. 87–73455
Reif, R. *see* Szeto, S. 87–74231, 87–74268
Reif, R. *see* Tedrow, P.K. 86–26907
Reif, R. *see* Tokuda, K.L. 88–56312
Reif, R. *see* Wong, M. 85–34730
Reif, R. *see* Yew, T.R. 88–43878, 88–49799
Reif, W. *see* Fathimula, A. 88–38755
Reif, W.P. *see* O'Connor, J.M. 88–33044
Reifenberger, R. *see* Datta, S. 86–14910, 87–6450
Reifenberger, R. *see* Franciosi, A. 88–1382
Reifenberger, R. *see* Vaziri, M. 85–61676, 86–1715
Reifenberger, R.G. *see* Melloch, M.R. 86–53402
Reiff, E.-C. *see* Homburg, D. 88–62387 to 62388, 88–75538
Reiff, E.-G. *see* Homburg, D. 88–55383
Reiff, E.C. *see* Homburg, D. 88–74331
Reiff, G. *see* Squillante, M.R. 85–41267
Reiff, J.E. *see* Blonnigen, F.B. 87–70986
Reiff, J.P., LaCourse, J. A biotelemetry system to obtain electromyograms from marine animals in situ 87–4012
Reiff, W.M. *see* Takacs, L. 88–39840
Reifferscheid, C. *see* Schmitt, C. 85–59221
Reifler, E. Video and TV surveillance equipment: a promising market for the electrician 87–23273
Reifschneider, D.P. *see* Randa, S.K. 88–24819
Reifschneider, D.P. *see* Randa, S.T. 85–57921
Reifschneider, L. Mole minimizes cable-replacement damage 86–32808
Reifsteck, J.E. *see* Robbins, K.V. 88–23110
Reig, J. Monitoring of the operation of a nuclear power station with design problems in an importing country: the Almaraz power station 85–21340
Reigber, C. *see* Hartl, P. 87–63060
Reigger, S., Wiesbeck, W., Sieber, A.J. On the origin of cross-polarization in remote sensing 88–5145
Reightler, J.W. *see* Ziger, D.H. 88–57556
Reightley, T. *see* Marks, R.J., II 86–7720
Reigl, A. Data transmission with communications networks 88–21639
Reigle, D.L. *see* Timm, R.E. 85–130
Reignier, H. *see* Fernin, P. 88–74025
Reihardt, K. *see* Elkins, P. 87–1787
Reihl, R.F. *see* Katz, W. 85–12106
Reihlen, E.H. *see* Wang, T.Y. 88–31726
Reihong Ge *see* Ge Reihong
Reihua, W., Fortunato, G., D'Amico, A. The correlation of the transient current response of H$_2$ absorption and desorption with the H$_2$ sensitivity in Pd-gated MOS capacitors 86–21282
Reihua, W. *see* D'Amico, A. 85–37708, 86–55683
Reijen, G.Van *see* Van Reijen, G.
Reijers, H.T.J., van Kleef, R.P.A.R., Myron, H.W., Wyder, P., Parker, M.R. Particle diffusion effects in high gradient magnetic filtration of ultra-fine colloids 86–36679
Reijn, J.M. *see* Li, Z.K. 85–52729 to 52730
Reijnders, M. Safety in working with cable resins 85–61012
Reijns, G.L., Kraus, U.E., Kirana, G., Hildering, W.C. Parallel processing of video images 87–28793
Reijns, G.L. *see* Boogaard, H. 85–47266
Reijns, G.L. *see* de Valk, J.P.J. 88–36561
Reijns, G.L. *see* Massar, A.D.A. 87–57258
Reijns, G.L. *see* van Aken, I.W. 88–21087
Reijns, G.L., Dagless, E.L. *(editor)* Concurrent Languages in Distributed Systems. Hardware Supported Implementation. Proceedings of the IFIP WG 10.3 Workshop 85–44403
Reijntjens, W.J.M. *see* Wouda, K.J. 85–13771
Reijntjes, P.J., van Rijswijk, W., Vermeulen, G.A., Frossati, G. Comparison of a glass thermometer against a nuclear orientation thermometer in high magnetic fields 86–65184
Reijs, A.E.M., Reiber, J.H.C., Fioretti, P., Gerbrands, J.J., Simoons, M.L., Kooij, P.P.M. Thallium-201 tomography; developments towards quantitative analysis 87–48054
Reijs, A.E.M. *see* Gerbrands, J.J. 88–29977
Reil, F. *see* Schmidt, J. 86–63789
Reiland, J.K. *see* Beauchaine, K.A. 86–44705
Reiland, W. Realization of intersatellite optical data links using CO$_2$ laser technology 87–20581
Reiland, W., Englisch, W., Endemann, M. Optical intersatellite communication links: state of CO$_2$ laser technology 87–20450
Reiland, W., Popescu, A. On-ground experiment of a full-scale CO$_2$ laser transceiver for free-space communications 88–51750
Reiland, W., Popescu, A. On-ground testing of a full-scale homodyne CO$_2$ laser transceiver for free-space communications applications 88–67363
Reiland, W. *see* Johann, U. 88–67364
Reiland, W. *see* Popescu, A.F. 88–22169, 88–53294
Reiley, T.C., Badding, J.V., Payne, D.A., Chance, D.A. A low-temperature firing thick film capacitor material based on lead iron niobate/tungstate 85–28843
Reiley, T.C. *see* Hollis, R.L., Jr. 85–39528
Reilhan, S. *see* Smigielski, P. 86–10024
Reillo, C. *see* Carlsson, S. 87–19927
Reilly, B. *see* Helmich, R.C. 85–2506
Reilly, C.H. A satellite system synthesis model for orbital arc allotment optimization 88–66243
Reilly, C.H., Mount-Campbell, C.A., Gonsalvez, D.J., Martin, C.H., Levis, C.A., Cou-Way Wang Broadcasting satellite service synthesis using gradient and cyclic coordinate search procedures 86–64921
Reilly, C.H. *see* Levis, C.A. 86–59854, 88–73863
Reilly, D.L. *see* Scofield, C.L. 88–32831
Reilly, E.L. *see* Glover, J.R., Jr. 87–29768
Reilly, J. *see* Geddes, L. 88–10297
Reilly, J.J. Post mold EMI shielding techniques for plastics 85–13162
Reilly, J.P. Window concepts for gas lasers 85–62639
Reilly, J.P. Systolic array evaluation of polynomials with application to nonlinear spectrum estimation 87–19643
Reilly, J.P. CO$_2$ frequency stable amplifier assessment 88–27072
Reilly, J.P. A real-time high-resolution technique for angle-of-arrival estimation 88–29338
Reilly, J.P. Electrical models for neural excitation studies 88–74782
Reilly, J.P., Larkin, W.D. Understanding transient electric shock 85–16725
Reilly, J.P., Larkin, W.D. Human sensitivity to electric shock induced by power-frequency electric fields 88–10444
Reilly, J.P. *see* Castella, F.R. 88–15549
Reilly, J.P. *see* Larkin, W.D. 86–60837
Reilly, J.P. *see* Litva, J. 88–2761
Reilly, J.P. *see* Wong, K.M. 88–73126
Reilly, J.W., Holden, G. Design and installation of an optical fibre local wideband distribution system in an urban environment 86–49665
Reilly, K.D. *see* Suter, B.W. 87–11922
Reilly, M.H. Ionospheric true height profiles from oblique ionograms 85–51432
Reilly, M.H., Daehler, M. Sounder updates for statistical model predictions of maximum usable frequencies on HF sky wave paths 87–19195
Reilly, M.H., Daehler, M. Sounder updates for statistical model predictions of maximum usable frequencies on HF sky wave paths 87–39390
Reilly, M.H., Strobel, E.L. Efficient ray tracing through a realistic ionosphere 88–66076
Reilly, M.H., Yamanura, E.K. Oblique ionograms and HF propagation assessment 85–30041
Reilly, M.H. *see* Goodman, J.M. 88–66067
Reilly, M.T. Correlation of submicron linewidths derived from electrical and electron-optical methods 87–11520
Reilly, M.T. A hybridized linear prediction code speech synthesizer 87–40513
Reilly, P. Using explosion-protected equipment 86–52079
Reilly, P. *see* Sommer, T. 87–51790
Reilly, P.J. Tree structure detect multiple inputs 87–44727
Reilly, R.F. Robots keep 180,000 keys for New York Telephone 88–73729
Reilly, T.S., McIntyre, L.A., Maiuzzo, M.A. Model of speech intelligibility for channels subjected to intermittent interference 88–21146
Reilly, W.T. *see* Port, R.F. 88–27838
Reim, G. *see* Dopheide, D. 88–4650
Reim, W., Gambino, R.J., Ruf, R.R., Plaskett, T.S. Tb$_x$Nd$_y$(FeCo)$_{1-x-y}$ promising materials for magneto-optical storage? 87–60787
Reim, W., Schoenes, J., Wachter, P. New high-efficiency Kerr-rotators 85–29424
Reim, W. *see* Weller, D. 88–56301
Reimal, L.R. *see* Kapusta, A.B. 85–10119
Reiman, M.I. Optimal buffer allocation in light traffic 88–43763
Reiman, M.I. *see* Chung, F.R.K. 87–48269
Reiman, S.I. *see* Bogomolova, L.D. 87–1213
Reimann, A. *see* Funke, P. 86–60698
Reimann, D. Surface quality requirements and inspection techniques for semiconductor slices 86–21420
Reimann, D. *see* Sauermann, H.J. 85–5439
Reimann, D.O. *see* Bloedner, C.D. 85–21419
Reimann, H. Sensing pressure with silicon crystals 86–55603
Reimann, H. *see* Fathi, Y. 88–35986
Reimann, H. *see* Schmidt, H. 86–12625
Reimann, J. Wideband transistor amplifier for the 2 GHz range 86–57676
Reimann, J. Electricity from water power in W Germany 88–43068
Reimann, J. *see* Fitt, J. 87–52821
Reimann, K.J. *see* Kupperman, D.S. 87–65598
Reimann, L. *see* Heimburger, H. 88–62093
Reimann, M. *see* Albrecht, H. 87–22069
Reimann, R. Getting the message across quickly [communications] 87–8194
Reimann, R., Rein, H. A bipolar 4:1 time division multiplexer IC operating up to 5.5 Gb/s 87–17200
Reimann, R., Rein, H. A 4 Gb/s limiting amplifier for optical-fiber receivers 87–59214
Reimann, R., Rein, H.-M. Bipolar high-gain limiting amplifier IC for optical-fiber receivers operating up to 4 Gbit/s 87–65866

Reimann, R., Rein, H.R. A 4:1 time-division multiplexer IC for bit rates up to 6 Gbit/s based on a standard bipolar technology 87−5791
Reimann, R. *see* Rein, H.-M. 87−40541
Reimann, R. *see* Rein, H.M. 86−46672
Reimann, R. *see* Weger, P. 87−37488
Reimann, U. *see* Dibelius, G. 87−78528
Reimann, U. *see* Keesen, W. 85−8568
Reimar, Vl. Measurement on physical models of short-circuit currents effects 88−55559
Reimbold, G. Modified 1*f* trapping noise theory and experiments in MOS transistors biased from weak to strong inversions—influence of interface states 85−1600
Reimbold, G. Noise associated with charge injection into a CCD by current integration through a MOS transistor 85−40906
Reimbold, W.H. Defining user's requirements for a step motion system 88−75666
Reime, G. The chrominance module of the new VHS recorders 85−14478
Reimenschneider, P. *see* Tejwani, M.J. 87−60290
Reimer, D. *see* Hansford, A. 86−8003
Reimer, J. A single-chip CMOS digital signal processor with a 100-nsec instruction cycle time 87−59576
Reimer, J., Bhattacharyya, A., Ritz, K. Electron beam induced current analysis of voltage breakdown sites in thin MOS oxides 88−7390
Reimer, J., Hames, M. Next generation CMOS chip stakes high-performance claim on 10-MIPS DSP operations 86−41134
Reimer, J.A., Lawrence, P.D. Characterizing Δ^2G filtered images by their zero crossings 87−62238
Reimer, J.A., Lawrence, P.D. Recovering images from partial information using Δ^2G filtering 88−66714
Reimer, J.A., Scott, B.A., Wolford, D.J., Nijs, J. Low spin density amorphous hydrogenated germanium prepared by homogeneous chemical vapor deposition 85−33477
Reimer, J.A. *see* Gleason, K.K. 87−52155
Reimer, J.B. A single chip CMOS synthesis system 85−20435
Reimer, J.B. A single chip CMOS synthesis system 85−51573
Reimer, J.B., McMahan, M., Arjmand, M. ADPCM on a TMS320 DSP chip 86−3919
Reimer, J.B. *see* Papamichalis, P.E. 86−54456
Reimer, J.D. *see* Bhattacharyya, A. 86−41998
Reimer, J.D. *see* de Jong, J.L. 87−38419
Reimer, K. *see* Pongratz, S. 88−26123
Reimer, L., Egelkamp, St., Verst, M. Lock-in technique for depth-profiling and magnetooptical Kerr effect imaging in scanning optical microscopy 87−60990
Reimer, L. *see* Bode, M. 86−8716
Reimer, L. *see* Hejna, J. 88−22980
Reimer, L. *see* Yuan, J. 88−36191
Reimer, M. Best constants occurring with the modulus of continuity in the error estimate for spline interpolants of odd degree on equidistant grids 85−322
Reimer, M. Error estimates for spline interpolants on equidistant grids 85−323
Reimer, M. Optimal interval refinement near singularities 88−63261
Reimer, M., Siepmann, D. An elementary algebraic representation of polynomial spline interpolants for equidistant lattices and its condition 86−62115
Reimer, M., Sundermann, B. A Remez-type algorithm for the calculation of extremal fundamental systems for polynomial spaces on the sphere 86−57369
Reimers, E. Rationale for testing and charging of multicell electric-vehicle batteries 86−26270
Reimers, E. *see* Read, K. 86−45258
Reimers, L. *see* Muhlbach, G. 87−44201
Reimers, P., Gilboy, W.B., Goebbels, J. Recent developments in the industrial application of computerized tomography with ionizing radiation 85−17015
Reimers, R. *see* Milburn, J. 86−25042
Reimers, R.M., Porter, J., Meneghetti, J., Wilde, S., Miller, R. A 344 cm×86 cm low mass vacuum window 85−26734
Reimers, R.M. *see* Alonso, J.R. 88−54003, 88−54042
Reimers, S. Analog Devices—several new creations on the way 86−9193
Reimers, U. Colour camera for HDTV systems 85−52509
Reimers, U., Zappen, W., Zettl, H., Zimmermann, F. The BTS KCF 1 camera 87−56363
Reimers, U. *see* Kalhofer, R. 85−63827, 86−30985
Reimers, U. *see* Klemmer, W. 86−24083
Reimers, U.H., Zappen, W.H., Zettl, H.F. KCF 12—using the leading edge of technology in a small broadcast camera 85−52473
Reimerson, M. Computer aid design for electronics development. I. Choose the right computer system! 85−145
Reimerson, M. Computer support for electronics development. II. The technicians new workbench. [CAD/CAE] 85−5748
Reimund, J. *see* May, D.P. 85−58998
Rein, H. *see* Reimann, R. 87−17200, 87−59214
Rein, H.-M. A simple method for separation of the internal and external (peripheral) currents of bipolar transistors 85−6905
Rein, H.-M. Design of an integrated 16×16 crosspoint array with low power consumption for a bit rate of 280 Mbit/s 85−14022
Rein, H.-M. Multi-gigabit-per-second silicon bipolar ICs for future optical-fiber transmission systems 88−60148
Rein, H.-M., Reimann, R. Monolithic integrated bipolar 4:1 time multiplexer for bit rates up to 5.5 Gbit/s 87−40541
Rein, H.-M., Schroter, M. A compact physical large-signal model for high-speed bipolar transistors at high current densities. II. Two-dimensional model and experimental results 87−67220
Rein, H.-M., Stubing, H., Schroter, M. Verification of the integral charge-control relation for high-speed bipolar transistors at high current densities 85−50493
Rein, H.-M. *see* Derksen, R.H. 86−8457, 86−35123, 88−38719
Rein, H.-M. *see* Reimann, R. 87−65866
Rein, H.-M. *see* Schroter, M. 85−40705
Rein, H.M., Reimann, R. 3.8 Gbit/s bipolar master/slave D-flip-flop IC as a basic element for high-speed optical communication systems 86−46672
Rein, H.M., Riemann, R. 6 Gbit/s multiplexer and regenerating demultiplexer ICs for optical transmission systems based on a standard bipolar technology 87−8264
Rein, H.M. *see* Weger, P. 87−37488
Rein, H.R. *see* Reimann, R. 87−5791
Rein, J. Effects of surface quality on CO_2 optics 86−22456
Rein, J.-M. *see* Stubing, H. 87−67219
Rein, M. *see* Hanack, M. 87−53223
Rein, M. *see* Hua, Y.L. 87−53286
Reina, F.Garcia *see* Garcia Reina, F.
Reinagel, F.G. Trinary logic operations and circuitry with communication systems applications 87−37240
Reinartz, M., Stroh, D. Field trial of common channel signaling system No.7 85−25676
Reinartz, M. *see* Beckmann, J. 86−43439
Reinaudo, C. *see* Boniort, J.-Y. 87−38812
Reinaudo, C. *see* Carratt, M. 87−38816, 88−41613
Reinbach, P. The universal drive—has it arrived? 86−19534
Reinbold, K., Wane, H.T., Donahue, B. A decision analysis for disposition of PCB transformers 85−27486
Reinboth, F. *see* Schellekens, P. 86−70231
Reinboth, R. *see* Mock, P. 88−70328
Reinboth, R. *see* Tillack, B. 86−41657, 86−47475, 87−31553
Reinbrecht, W. *see* Harmsen, H. 87−48540
Reincke, F. The calculation of the stresses on transformer windings by system phenomena in the travelling wave range 85−27479
Reindel, M. *see* Kordesch, K. 88−69675
Reinders, A.G. *see* Bakker, C.N. 86−47222
Reindl, J. Rim generators for the STRAFLO turbines 85−32375
Reindl, K. Gate arrays and standard-cell IC in radiation proof CMOS technologies 87−52533
Reindl, K. Data acquisition—interface on a single chip 88−4317
Reindl, K. Radiation hardened SOS CMOS ASICs for space and milicon applications 88−57811
Reindl, L., Worz, H.-W., Grassl, H.P. CAD of precise SAW convolvers and long delay lines 88−51118
Reindl, L. *see* Grassl, H.P. 87−18456
Reindl, M. *see* Wrobel, W.-G. 87−29807
Reine, M.B. *see* LoVecchio, P. 85−34567
Reineck, K.M., Stephenson, F.W., Steer, R.W., Jaklitsch, M.J. Null depth prediction in active RC notch filters 86−57967
Reineck, K.M. *see* Campbell, C.R.W. 85−930
Reineck, K.M. *see* Staak, A.P. 86−1260
Reineck, K.M. *see* Stephenson, F.W. 86−67060
Reineck, S. *see* Hill, F.A. 86−63561
Reinecke, T.L., Crowne, F. The effects of photoexcitation on excitons in semiconductor doping superlattices 85−34586
Reinecke, T.L. *see* Furneaux, J.E. 86−53475
Reineix, A., Boijaud, A., Jecko, B. Electromagnetic pulse penetration into reinforced-concrete buildings 87−39402
Reineix, A., Jecko, B. A study of microstrip antennas using the time domain finite difference method 88−21015
Reineix, A. *see* Jecko, B. 88−27528
Reineke, H.-H. *see* Fischer, M. 85−27255
Reineke, H.H. *see* Fischer, M. 85−65127
Reinelt, G. *see* Grotschel, M. 86−13649 to 13650
Reinelt, M. *see* Scholch, H.P. 86−47386
Reineman, J.V., Hartshorn, L.L. Product reliability from a telephone operations viewpoint 86−16813
Reiner, A. Torque indicator for motor driven positioning element 87−41616
Reiner, C.C. *see* Postlewaite, J.C. 88−40174
Reiner, E. *see* Fausch, W. 88−7111
Reiner, G., Belic, M.R., Meystre, P. Optical turbulence in phase-conjugate resonators 88−51932
Reiner, G., Meystre, P., Wright, E.M. Period-doubling-induced phase hopping in a phase-conjugate resonator 85−51253
Reiner, G., Wright, E.M., Meystre, P., Firth, W.J. Theory of an all-optical AM-FM generator 86−29231
Reiner, H. Effects of microelectronics on communications technology 85−14281
Reiner, H. VLSI packaging 85−23869
Reiner, H. Integrated circuits for broadband communications systems 86−63367
Reiner, H. Integrated circuits for broadband communications systems 87−40917
Reiner, H. *see* Geyer, K. 87−57815
Reiner, H. *see* Proebster, W.E. *(editor)* 87−65068
Reiner, K. Telefax ahoy! Remote copiers in shipping save time and money 88−41258
Reiner, M. *see* Stronge, B. 88−33323
Reiner, P.J. *see* Reece, C.E. 86−50065
Reiner, R. Paper-end-delay for a printer 88−50100
Reiner, R.H. *see* Holcombe, C.E., Jr. 88−24269
Reiner, R.J. Maintainability prediction using sophisticated task simulation 87−5299
Reiner, T., Bohmann, J. Processor-controlled sheathing of electric conductors 87−50817
Reineri, M.T. *see* Balossino, N. 85−15313
Reinermann, J., Seinsch, H.O. On a new asynchronous generator for isolated operation 86−33384
Reiners, D. Drive technology in the automation compound 88−37635
Reiners, D. Flexibility in automation interconnections 88−43404
Reiners, D. Communication drive systems 88−43405
Reiners, D. Motor technology in automation link 88−62310
Reiners, D. The drive technique in automation setup units 88−62651
Reiners, W., Gorlich, S., Kubalek, E. On the primary electron energy dependence of radiation damage in passivated NMOS transistors 86−58491
Reiners, W., Herrmann, K.D., Kubalek, E. Electron beam testing of passivated devices via capacitive coupling voltage contrast 88−57758
Reiners, W. *see* Gorlich, S. 87−32623
Reinert, D.L. *see* Moreno, F.J. 86−4606
Reinert, G., Steffen, L. Semicustom ICs: small chips pack big punch 87−66017
Reinert, R. LF power amplifiers. The future belongs to the MOSFET 85−23776
Reinert, R. Electronic crossed busbar system for universal application 88−15259
Reinert, R.C. *see* Marinis, T.F. 86−14732
Reinert, W. *see* Burghardt, B. 86−5464
Reines, F. *see* Claus, R. 88−16639
Reines, F. *see* Wuest, C.R. 86−1649
Reines, J. Connectivity is the gateway to the ISDN future 88−35230
Reinex, A., Herault, J., Dafif, O., Jecko, B. Two approaches for the transient analysis of antenna sheets 88−40703
Reinfelde, M.J. *see* Shvarts, K.K. 86−3330
Reinfelder, H.-E. *see* Uebler, J. 87−47566
Reinfelder, H.E. *see* Pfluger, T. 88−16697
Reingeard, C., Maloeuvre, M. CALIBRAT software to facilitate control, setting and calibration of measurement instruments 88−53558
Reingol'd, A.V. *see* Marin, M.Yu. 88−57244
Reinhard, B. Precision contacts: a Swiss speciality 86−14609
Reinhard, D.J. *see* Hopwood, J. 88−44670
Reinhard, D.K. *see* Alavi, M. 87−53468
Reinhard, D.K. *see* Asmussen, J. 88−70362
Reinhard, D.K. *see* Hopwood, J. 88−71435
Reinhard, D.K. *see* McGruer, N. 85−33501
Reinhard, D.K. *see* Roppel, T. 86−35584, 87−45807
Reinhard, E. Optical analysis of germanium doped silica glass fiber splices by the UV absorption method 86−9534
Reinhard, G. *see* Berthold, V. 87−15477
Reinhard, H. *see* Lieberoth-Leden, B. 87−66851
Reinhard, J. *see* Streubel, G. 88−29799
Reinhard, S. *see* Lauper, P. 87−42519
Reinhardt, E. *see* Gahm, T. 85−48260
Reinhardt, E.R. *see* Barth, K. 86−11950
Reinhardt, E.R. *see* Bloss, W.H. 86−7021
Reinhardt, E.R. *see* Laub, G.A. 85−46917
Reinhardt, G. Investigation of application of storage models for the planning of materials economy in textile mills 85−5586
Reinhardt, H.-J. A-posteriori error estimation for finite element modifications of line methods applied to singularly perturbed partial differential equations 85−33367
Reinhardt, H.C. Videotext as a planning and decision-making tool in the health service 86−59602
Reinhardt, H.J. *see* Huhse, P. 87−22657
Reinhardt, K. *see* Johannsen, W. 88−67055, 88−73640

Reinhardt, M. Demonstration vans put our low voltage switchgear and control components on the road 85−16136
Reinhardt, M. *see* Kleinjohann, B. 87−17167
Reinhardt, P. Economic test systems for analog and digital inspection tasks 85−16768
Reinhardt, P. Testers should be usable in the long term 87−36454
Reinhardt, P. *see* Friebel, K.H. 88−55549
Reinhardt, R. *see* Elster, K.-H. 88−316
Reinhardt, T.L. *see* Beck, W.B. 87−1964
Reinhardt, V., Gould, K., McNab, K., Bustamante, M. A short survey of frequency synthesizer techniques 87−23985
Reinhart, E.E. Frequency planning issues for direct broadcasting satellites 85−25987
Reinhart, E.E. An introduction to the RARC '83 plan for DBS systems in the western hemisphere 85−37161
Reinhart, E.E. Factors affecting the choice of frequency band for DBS system in the United States 85−37169
Reinhart, E.E. Direct satellite broadcasting at millimeter wavelengths 86−24035
Reinhart, F.-K. *see* Faist, J. 87−32928
Reinhart, F.-K. *see* Glick, M. 86−9593
Reinhart, F.K. *see* Faist, J. 88−14053, 88−51801
Reinhart, F.K. *see* Glick, M. 85−50236, 86−48480, 88−7334
Reinhart, F.K. *see* Wuthrich, C. 88−65298
Reinhart, J., Serrano, C. Specialised memory for M 68000 86−62616
Reinhart, J.T. Product development for the MC68020 85−45098
Reinhart, M.J. *see* Nelson, T.M. 87−77822
Reinhart, R. In-service inspection of steam turbine blades without disassembly 87−78506
Reinhart, S.E., Jr. *see* Litynski, D.M. 85−33046
Reinhartz, K., Stoewer, H. Space 2000 in Europe 87−77703
Reinharz, M. *see* Atherton, H.W. 88−54321
Reinhold, A. ISDN interface standards for telecommunications systems 88−52995
Reinhold, A. ISDN interface and terminals 88−73718
Reinhold, A. *see* Dietrich, D. 86−23629
Reinhold, A. *see* Mudrack, H. 85−30839
Reinhold, A. *see* Quintenz, R. 87−48420
Reinhold, G. Line-of-sight radio carries LZB data link 85−8316
Reinhold, G. Tuning indication circuit with light-emitting diode chain 85−56453
Reinhold, I. Comb printing for analogue data 88−22481
Reinhold, R.W. *see* Shapiro, J.H. 87−41031
Reinhold, U. *see* Grundmann, P. 86−53098
Reinhold, U. *see* Neidhardt, A. 88−63376
Reinholdtsen, P., Khuri-Yakub, B.T. Removing the effects of surface roughness in acoustic microscopy 87−71418
Reinholdtsen, P. *see* Khuri-Yakub, B.T. 87−368
Reinholdtsen, P.A., Chou, C., Khuri-Yakub, B.T. Quantitative acoustic microscopy using amplitude and phase imaging 88−61709
Reinhoudt, C.J. *see* Opschoor, J. 88−58571
Reinhoudt, D.N. *see* Van den Berg, A. 86−31405
Reinhoudt, J. *see* Lodder, M. 86−61275
Reiniche, S. *see* Prenel, J.P. 86−70243
Reinicke, W. Acoustic noise of steam turbine-generator sets 87−9356
Reinicke, W.L. Sound emissions from smoke stack nitrous oxide removal installations for large boilers 88−43054
Reinig, M.R. *see* Collett, R. 87−66018
Reiniger, G. Semiconductor sensors for the mass market 85−47915
Reiniger, G. Turn angle measurement with magnetic field sensors 87−21026
Reiniger, G. 'Collimator pen'−semiconductor laser with parallel beam 88−34173
Reiniger, K., Lacey, W.K. Dual frequency resonant magnet excitation 88−42391
Reiniger, K. *see* Balzer, W. 87−35486
Reinikainen, K. *see* Ilmoniemi, R. 85−38076
Reinikka, A. *see* Juntunen, T. 88−71658
Reining, W.N., Tompkins, W.J., Webster, J.G. An ambulatory cardiac output monitor 88−54575
Reininger, H., Wolf, D. Speech and speaker independent codebook design in VQ coding schemes 86−16275
Reininger, H., Wolf, D. Speech coding processes for bit rates below 16 kb/s−state-of-the-art and aspects of development 86−69014
Reininger, H., Wolf, D. Fast search algorithms for speech coding schemes using vector quantization 87−47582
Reininger, R. *see* Johnson, L. 87−52927
Reininger, R.C., Gibson, J.D. Backward adaptive lattice and transversal predictors in ADPCM 85−25092
Reininghaus, U. *see* Schiweck, L. 87−78843
Reinis, K. *see* Weinstock, S. 87−78383
Reinisch, B.W. New techniques in ground-based ionospheric sounding and studies 86−60942
Reinisch, B.W., Bibl, K., Ahmed, M., Soicher, H., Gorman, F., Jodogne, J.C. Multipath and Doppler observations during transatlantic digital HF propagation experiments 85−24843
Reinisch, B.W. *see* Ahmed, M. 86−30638
Reinisch, B.W. *see* Buchau, J. 85−51438
Reinisch, P. Saudi Arabia−a pioneer in bilingual telecommunications 88−28283
Reinisch, R., Arlot, P., Vitrant, G., Pic, E. Bistable optical behavior of a nonlinear attenuated total reflection device: resonant excitation of nonlinear guided modes 86−22477
Reinisch, R., Vincent, P., Neviere, M., Pic, E. Fast Pockels light modulator using guided wave resonance 85−56365
Reinisch, R. *see* Arlot, P. 87−33320
Reinisch, R. *see* Neviere, M. 86−9967, 88−45552
Reinisch, R. *see* Vincent, P. 85−56791
Reinisch, R. *see* Vitrant, G. 88−40354
Reinke, E. Position control of drives with programmable controllers (PLCs): capable of extension to even greater performance 87−51254
Reinke, R.E. *see* Goyal, S.K. 85−57867, 86−43642
Reinke, R.E. *see* Prerau, D.S. 86−43679, 86−49370
Reinke, W., Diekmann, V. Uncertainty analysis of human EEG spectra: a multivariate information theoretical method for the analysis of brain activity 88−61347
Reinkenhof, J. Transient heat transfer in cooled cavities with apertures permeable to radiation 85−27356
Reinking, R.D. Lifeline telephone service is a reasonable utility classification 86−16790
Reinking, R.D. *see* Berryhill, E.B. 85−19687
Reinleitner, L.A., Nielsen, E. Self-consistent analysis of electron drift velocity measurements with the STARE/SABRE system 86−12169
Reinman, G.L. *see* Crosby, T.M. 88−75478
Reinman, J.V. Divestiture and its effects on technology 86−30145
Reinmund, D. TI 42−the new standard telephone with a convenient display 86−59704
Reinmuth, J., Stannarius, R. Data displays for microcomputers. I 86−70046
Reinmuth, K. *see* Lorenz, L. 87−67235, 88−71534, 88−71584
Reinoehl, R., Shushnar, G., Berman, E., Caldwell, J., Arnett, J. Large scale photovoltaic energy systems 86−45281
Reinoehl, R. *see* Arnett, J. 85−48911
Reinoehl, R.F. *see* Sushnar, G.J. 85−60073
Reinold, G.A. *see* Perry, M.W. 85−37027, 85−37031
Reinold, J.H. *see* Chiang, A.M. 87−59622
Reinold, W. High-availability power supplies: measures in the high-voltage system 87−72638
Reinold, W., Gutweiler, R. The reliability of the power supply in a chemical factory 87−58498
Reinold, W., Gutweiler, R. The reliability of the electric power supply for a chemical plant 88−17086
Reinold, W. *see* Haas, H. 86−50299
Reinovsky, R.E., Baker, W.L., Chen, Y.G., Holmes, J., Lopez, E.A. SHIVA STAR inductive pulse compression system 85−5228
Reinovsky, R.E., Colclaser, R.G., Welby, J.M., Lopez, E.A. Energy storage transformer power conditioning systems for megajoule class flux compression generators 88−43252
Reinovsky, R.E., Levi, P.S., Bueck, J.C., Goforth, J.H. Parallel, staged opening switch power conditioning techniques for flux compression generator applications 87−22672
Reinovsky, R.E., Levi, P.S., Welby, J.M. An economical, 2 stage flux compression generator system 87−22611
Reinovsky, R.E. *see* Blaher, R.J. 85−5294
Reinovsky, R.E. *see* Bueck, J.C. 85−1127, 87−22675
Reinovsky, R.E. *see* Degnan, J.H. 88−43396
Reinovsky, R.E. *see* Enloe, C.L. 85−4665
Reinovsky, R.E. *see* Goforth, J.H. 87−11112
Reinovsky, R.E. *see* Levi, P.S. 85−5333
Reinovsky, R.E. *see* Lindemuth, I.R. 88−37317
Reinovsky, R.E. *see* Turchi, P.J. 85−23194
Reinoza, A. Solving generalized equations via homotopies 85−33311
Reinsch, R.M. Bechtel's QA contribution to maintaining the reliability of San Onofre 86−25773
Reinschke, J., Reinschke, K. Calculation of RLC-circuits by means of KC85/1 87−31646
Reinschke, K. *see* Reinschke, J. 87−31646
Reinschlussel, R., Schiek, B. Design of a sensitive cavity spectrometer operating at 26.5 to 40 GHz for the analysis of gas mixtures 87−8768
Reinschlussel, R. *see* Spaude, M. 85−20538
Reinsperger, U. *see* Muller, G.O. 88−36155
Reinstein, D., Galiana, F.D., Vojdani, A. Probabilistic simulation of a power system under transmission constrained economic dispatch 86−56380
Reinstein, D., Galiana, F.D., Vojdani, A. Probabilistic simulation of a power system under transmission constrained economic dispatch 86−61033
Reinstein, L.E. *see* Amols, H.I. 87−57250
Reinstra, W.W. *see* Frost, C.A. 86−31960
Reinstra, W.W. *see* Shope, S.L. 87−21355
Reinties, J. *see* Dlabal, M.L.. 85−12945
Reintjes, J., Lehmberg, R.H., Calame, G., Duignan, M.T. Pump replication and related effects in Raman beam cleanup 88−27309
Reintjes, J., Lehmberg, R.H., Chang, R.S.F., Duignan, M.T., Calame, G. Beam cleanup with stimulated Raman scattering in the intensity-averaging regime 87−12565
Reintjes, J. *see* Cooper, D. 88−65769
Reintjes, J. *see* Dlabal, M.L. 85−7517, 88−20761
Reintjes, J. *see* Duncan, M.D. 88−72391
Reintjes, J. *see* Eckardt, R.C. 85−7525
Reintjes, J. *see* Menyuk, C.R. 88−72389
Reintjes, J.F. Coherent ultraviolet and vacuum ultraviolet sources 86−68423
Reintjes, J.F., Stanton, B.J. An automatic threshold-setting technique for two-level digital encoding of analog signals 85−17548
Reints, H. *see* Prins, M. 85−59055
Reip, P.W., Hinkin, C.R., Mitcham, A. The installation and preliminary test programme of REMGUN III−a 6.7 MJ HPG driven railgun 87−26704
Reiplinger, E., Buckow, E. Procedure for measuring transformer noise in environments with high noise level 88−49095
Reiprich, S., Seppelfeld, E. Mammography X-ray tube MBM 60 87−14801
Reiquam, E.T. *see* Mehdi, I.S. 85−9352
Reis, A. Computer assisted quality assurance for purchased components 87−72878
Reis, A. *see* Strassler, S. 87−1205
Reis, H. *see* Meyer, D. 85−61870
Reis, H.da Silva *see* da Silva Reis, H.
Reis, H.L.M.dos *see* dos Reis, H.L.M.
Reis, I. *see* Eyer, A. 88−37530
Reis, J.J., Lindquist, C.S. Amplitude domain filtering of biphase signals in a randomly connected channel 86−69090
Reis, L.A. *see* Melo, E.B. 86−49393
Reis, L.Belico dos *see* Belico dos Reis, L.
Reis, R. A new standard cell CAD methodology 87−59390
Reis, R., Jerraya, A., Jamier, R. Design of the SYCO6502 using the SYCO compiler 87−36918
Reis, R., Letort, R., Riva, R. Integrated circuits for temperature measurement 85−48123
Reis, W. *see* Feuerstein, M. 87−29808
Reis, Z. *see* Bronicki, L.Y. 85−27357
Reis e Costa, J.C.H.D. *see* Cravo, A.J. 87−22352
Reisch, F. Technical note: Sweden's December 1983 grid collapse and the nuclear power plants' responses 85−65089
Reisch, F. Coping with station blackout [nuclear plants] 86−12584
Reisch, F. Modifications can stop new Chernobyl accidents 88−36982
Reisch, M. Carrier multiplication in self-aligned bipolar transistors−applications in process monitoring and failure analysis 87−45908
Reischer, C. *see* Guiasu, S. 86−16082
Reischl, P., Beaucage, C.B. Time constant and transport delay determination of the gas analyzer 87−35380
Reisdorf, J.B., Wainwright, R.M., Sebesta, J.J. Economic impact of availability for a 500 MW power plant 86−61348
Reisdorf, W. *see* Munzenberg, G. 87−71048
Reisenweber, J.H. *see* Kelly, W.H. 86−40171
Reiser, B. There is no such thing as a free lunch: a comment on a new method for reliability demonstration 86−13586
Reiser, D. Lowering cost of network sharing 85−63359
Reiser, H. *see* Bojarsky, E. 88−36953
Reiser, K. *see* Daily, M.J. 88−3269
Reiser, M. High-current beam transport and charge-neutralization effects 86−60441
Reiser, M. High-current beam dynamics and transport, theory and experiment 87−35265
Reiser, M. Impact of new technologies on the structure of communication systems 87−67426
Reiser, M., Change, C.R., Wangler, T.P., Neuschaefer, G.H. Transport of low-energy, high-brightness H^- beams 88−42382
Reiser, M., McAdoo, J., Low, K., Kehne, D., Shea, T. Study misalignment effects in electron beam transport through a periodic solenoid channel 88−47901
Reiser, M. *see* Granatstein, V.L. 87−41757
Reiser, M. *see* Konheim, A.G. 87−40229
Reiser, M. *see* Lawson, W. 87−41758
Reiser, M. *see* Mondelli, A. 87−41708
Reiser, M. *see* O'Shea, P.G. 85−23317
Reiser, M. *see* Rudd, H. 88−47896
Reiser, M. *see* Striffler, C.D. 87−17646
Reiser, M. *see* Struckmeier, J. 85−9027
Reiser, M. *see* Wangler, T.P. 86−60445
Reiser, P.A., Wyner, E.F. Use of the peak shifts of the $3S$-$3P$ sodium resonance lines for the analysis of high-pressure sodium lamps 85−39291
Reisfeld, R. Increase of pumping efficiencies of glass lasers by radiative energy transfer 85−35719

Reisfeld, R. Potential uses of chromium(III)-doped transparent glass ceramics in tunable lasers and luminescent solar concentrators 85−56597
Reisfeld, R. Criteria and prospects of new lasers based on fluorescent dyes in glasses 88−45373
Reisfeld, R. *see* Eyal, M. 87−75042
Reisig, D., DeCarlo, R. Multiple fault diagnosis for analog digital circuits 86−66904
Reisig, D., DeCarlo, R. A method of analogue-digital multiple fault diagnosis 87−31627
Reisig, R. Test pattern attainment from algorithmic descriptions 88−741
Reisig, V.A. *see* Boreisho, A.S. 88−33927
Reisig, W. Petri nets with individual tokens 86−52357
Reisig, W. Coexistence: a refinement of concurrency 87−23516
Reising, J., Zenyuh, J., Barthelemy, K. Head-up display symbology for unusual attitude recovery 88−68576
Reising, J.M., Emerson, T.J. Color in quantitative and qualitative display formats: does color help? 86−5436
Reising, J.M., Emerson, T.J. Colour in quantitative and qualitative display formats 86−17828
Reising, J.M., Moss, R.W. 2010: the symbionic cockpit 86−12099
Reising, J.M., Moss, R.W. 2010: the symbionic cockpit 86−44743
Reising, J.M. *see* Bridges, A.L. 87−77766, 88−5044
Reising, J.M. *see* Curry, D.G. 86−12094, 86−70482
Reising, J.M. *see* Hawkins, J.S. 85−9331
Reising, J.M. *see* Opp, R.E., II 88−5067
Reising, J.M. *see* Sobota, D.A. 86−18459
Reising, J.M. *see* Zenyuh, J.P. 87−21733, 88−4569, 88−30116
Reisinger, A.R., Zory, P.S., Jr., Waters, R.G. Cavity length dependence of the threshold behavior in thin quantum well semiconductor lasers 87−68491
Reisinger, A.R. *see* Zory, P.S. 86−42540, 86−63805
Reisinger, E. Measurement of iron losses due to alternating and rotating magnetization 88−48893
Reisinger, E. *see* Kofler, H. 88−55280
Reisinger, F., Vogler, K. Earth network design and testing at the Kendlerstrasse and South substations 86−6847
Reisinger, F., Wais, W., Aron, A. Measurement of transient overvoltages on secondary lines within 380 kV SF_6 switching stations 86−6945
Reisinger, F. *see* Diessner, A. 87−78828
Reisinger, F. *see* Vogler, K. 86−6844
Reisinger, H. *see* Zeindl, H.P. 87−53347
Reisinger, J. *see* Schmid, E. 85−61339
Reisinger, J. *see* Vogel, D. 86−34999, 87−5973
Reisinger, K. *see* Bacher, W. 86−10660
Reisis, D., Kumar, V.K.P. An efficient reconfigurable VLSI array 87−67385
Reisis, D. *see* Miller, R. 88−44246
Reisman, A. Assisted oxidation and annealing in VLSI and ULSI 87−18345
Reisman, A., Nicollian, E.H., Williams, C.K., Merz, C.J. The modelling of silicon oxidation from 1×10^{-5} to 20 atmospheres 87−38126
Reisman, A. *see* Berkenblit, M. 85−12181
Reisman, A. *see* Bhattacharya, P.K. 88−64576
Reisman, A. *see* Lih-tyng Hwang 88−6274
Reisman, A. *see* Maldonado, J.R. 86−58356, 87−38035
Reisman, A. *see* Nayak, D. 88−1215, 88−6275, 88−56325
Reisman, A. *see* Nicollian, E.H. 88−64406
Reisman, A. *see* Osburn, C.M. 85−12180, 87−74364, 88−71654
Reisman, A. *see* Williams, C.K. 87−18007
Reisman, S.S. Instrument for remote ECG and respiratory monitoring 85−48221
Reisman, S.S., Friedman, K.J. EKG CHALLENGER−a self teaching EKG computer program 88−36488
Reisman, S.S., Yang, S. An algorithm for beat detection and classification in exercise ECGs 88−10387
Reisman, S.S. *see* Sia, J.B. 85−38005
Reismayr, D. Experimental investigation of high-speed SLIM behaviour 87−43595
Reismayr, D. *see* Oberrettl, K. 85−5125
Reismiller, D.R. *see* Roberts, A.L. 87−59500
Reisner, D. *see* Eisenberg, M. 88−17913
Reisner, G.A. *see* Woodland, H.K. 85−36571
Reisner, H. The third edition of the new VDEW Fault and Damage Statistics and its adaption to technological developments 85−4538
Reisner, H. Black-out and failure statistics of the German Power Station Union 85−33091
Reisner, J. The 1200 MW Trakya combined-cycle power plant 88−69127
Reisner, J. *see* Gecek, M. 87−64436
Reiss, A. High-performance board tester, a fault vs. cost economic justification model 86−17750
Reiss, A. Functional board test hybrid diagnostics. The evolution and advent of analog signature analysis. II 88−44429
Reiss, A. Functional board test hybrid diagnostics. The evolution and advent of analog signature analysis. I 88−44461
Reiss, A.C., Silverman, S.W. Glass encapsulation protection for advanced high voltage solar arrays 87−42134
Reiss, A.C. *see* Barton, J.R. 87−4945
Reiss, A.J. Flexible in-circuit architecture resolves guard pin contention 85−20453
Reiss, A.J. FLEXPIN an in-circuit tester multiplexing alternative 86−1574
Reiss, A.J. FLEXPIN, an in-circuit tester multiplexing alternative 86−8638
Reiss, A.J. Automatic wait time (AWT)/fast-analog−a redefinition of analog testing 86−38254
Reiss, A.J. Testing the MIL-STD 1553 serial bus on commercial functional automatic test equipment 88−36698
Reiss, A.J., Noll, G. An integrated approach to test and repair information management 86−34029
Reiss, C. The multi-functional videotex workstation: different approaches 85−25431
Reiss, E. Exchange of experience about special events in nuclear power plants 87−15424
Reiss, G. The future of project planning systems 87−72774
Reiss, H. Small and cool: two critical criteria for power supply designers 88−43706
Reiss, H. *see* Jahnke, B. 87−23362
Reiss, J. *see* Bemmann, H.-B. 86−14102, 86−20460
Reiss, J. *see* Geary, G.A. 86−35216
Reiss, K. *see* Baitinger, U.G. 87−23826, 88−6782
Reiss, L. Introduction to local area networks with microcomputer experiments 88−9165
Reiss, R. *see* Cullum, M. 86−24353
Reiss, R.H. *see* Erikson, E.D. 85−59128
Reiss, R.S. *see* Glasheen, W.M. 85−58609
Reiss, W. A convergence condition of a Volterra series for harmonic inputs 85−17117
Reiss, W., Bruckner, P., Volke, M. 5-MHz transient recorder PTM4 85−52806
Reiss, W.T., Siu, T. A nonlinear analysis of selected structures of active filters 86−67344
Reisse, G. *see* Zscherpe, G. 87−54453
Reissig, M.A., Chung, J.N. A direct contact heat exchanger with a submerged combustion chamber for water heating 85−48867
Reissing, T. *see* Handschin, E. 85−38585, 87−4376
Reissmann, F. *see* Hoffman, U. 88−5889
Reissner, F. *see* Bahr, P. 88−52724
Reissner, G. *see* Kleinau, K.-H. 87−20355
Reissner, R. The management of data security on X25 networks 87−13264
Reistad, D. *see* Ekstrom, C. 88−60999
Reistad, D. *see* Holm, S. 87−29382
Reistad, D. *see* Norman, G. 88−68154
Reistad, G. *see* Bushnell, D. 88−62215
Reistad, G.M. *see* Lee, S.K. 85−53380
Reistad, G.M. *see* Stephenson, J.D. 88−62212
Reister, D.B. The link between energy and GDP in developing countries 87−71773
Reister, D.B. Future demand for fuel and electricity 88−10956
Reister, K.W. A recursive convolution algorithm for causal linear systems 85−333
Reistetter, E.J., Thexton, A.S., Concepcion, J.W., Koe, W.Y., Tien, A.Y. The effect of geometrical and processing parameters on the circular spiral thick film inductor 88−57183
Reitan, A. *see* Malmo, O. 86−12732, 86−51511
Reitberger, H. The system of quality and reliability assurance for European space projects 85−15362
Reitenbach, R. A precision amplifier controllable by means of software. I 86−52694
Reitenbach, R. Precision amplifier controllable by software. II. No more degradation through multiplexer resistance 86−52695
Reitenbach, R., Roesgen, J., Tung, S. CMOS signal processor without internal memory 88−775
Reiter, A. Direct-voltage tests on 380 kV systems 508 and 509 86−6448
Reiter, E. *see* O'Riain, E. 87−25510
Reiter, G. Single mode coupling between cylindrical TE_{011} resonators 87−75549
Reiter, G. Transmission line band-pass filter with wide stop band 88−56738
Reiter, G. *see* Babits, L. 88−53417
Reiter, G. *see* Hofmann, A. 87−3815
Reiter, H. *see* Almond, D.P. 85−39832
Reiter, H. *see* Carney, B. 88−63681
Reiter, H. *see* Horch, S. 85−27263
Reiter, J., Pfleiderer, J. Improvement of MEM-deconvolution by an additional constraint 87−7807
Reiter, L., Lindenmeier, H., Hope, J. Supplementary supply for USW radio using a collector cable consisting of a conductor conduit with parallel wire 86−42997
Reiter, L., Lindenmeier, H., Hopf, J. Improved FM broadcast service using a leakage line formed by a crash barrier and a parallel wire 87−49281
Reiter, L. *see* Hopf, J. 86−42998, 87−75601
Reiter, L. *see* Lindenmeier, H. 87−26997, 87−54671
Reiter, L.J. *see* Daniel, R.E. 87−16020
Reiter, L.M. *see* Hopf, J.F. 88−45776
Reiter, L.M. *see* Lindenmeier, H.K. 86−43046, 86−43707
Reiter, L.M. *see* Lindenmeir, H.K. 88−2583
Reiter, L.R. *see* Smith, J.H. 86−15574
Reiter, R. On the presence and generation of AC and DC electric fields and small ions in closed rooms as a function of building materials, utilization, and electrical installation 85−59359
Reiter, R. *see* Carnuth, W. 87−4125
Reiterman, J. *see* Maehara, H. 88−56129
Reith, H.F. *see* Koningstein, J.A. 88−24095
Reith, J.T.M. *see* de Mul, F.F.M. 85−53031
Reith, L.A., Christodoulides, D.N., Saifi, M.A., Shumate, P.W. Coupling efficiency and sensitivity of an edge-emitting LED to single-mode fiber 88−1956
Reith, L.A., Mann, J.W. Design parameters for a 1.3 μm connectorised low-cost laser package for subscriber loop using graded-index lenses 87−54309
Reith, L.A., Mann, J.W., Shumate, P.W. Design of a low-cost 1.3 μm laser package for local loop applications using graded-index lenses 88−51474
Reith, L.A., Shumate, P.W. Coupling sensitivity of an edge-emitting LED to single-mode fiber 87−32963
Reith, L.A., Shumate, P.W., Koga, Y. Laser coupling to single-mode fibre using graded-index lenses and compact disc 1.3 μm laser package 86−63619
Reith, L.A. *see* Chang, C.-K. 88−47142
Reith, L.A. *see* Chang, G.K. 88−15444
Reith, L.A. *see* Christodoulides, D.N. 87−7093, 88−20516
Reith, L.A. *see* Gee-Kung Chang 88−47078
Reith, L.A. *see* Izadpanah, H. 88−51471
Reith, L.A. *see* Zah, C.E. 87−75089
Reith, T.M., Steving, G. Evaporated NiFe/Al_2O_3 structure 85−10771
Reithi, R. *see* Dahl, H. 88−59631
Reithmaier, E. *see* Krafka, H. 87−76468, 88−28597
Reithmann, E. A set of modules for the economical primary rate connection in ISDN 88−59775
Reithmann, E., Geiger, G., Bry, C., Gerdes, H., Smolka A chip set for the primary rate access [PABX networking] 88−57808
Reithmuller, M.L. *see* Moraitis, C.S. 87−70889
Reithmuller, R. *see* Vogel, J. 86−18985
Reitinger, G. The introduction of process computers and microelectronics for future, safe control technology in high-voltage switchgear plant 87−4838
Reitler, W., Rudolph, M. Direct resistance heating for the conservation of food-stuffs 87−36285
Reitlinger, A.S. *see* Sheremet, O.G. 85−43462
Reitmann, D. From promise to proof [National Accelerator Center facilities] 88−74658
Reitmeier, G.A. Digital television−what does the future have in store? 86−49785
Reitor, V.A. *see* Fedorchenko, I.M. 86−40806
Reits, B.J. *see* Barrett, M. 88−15661
Reits, D. *see* Kooijman, A.C. 86−32310
Reitsema, H.J., Mord, A.J., Fraser, D., Richard, H.L., Speaker, E.E. Simulation of electronic registration of multispectral remote sensing images to 0.1 pixel accuracy 85−38356
Reitsema, H.J. *see* Mord, A.J. 85−57495
Reitsma, G.P. An industrial token-bus network architecture−Modway 86−4329
Reitsma, M. *see* Gaw, H. 86−8251
Reittel, W.C. Powerful impetus for glass fibre transmission technology 85−31052
Reittel, W.C. With '0161' into the mobile radio C network 86−23707
Reitveld, M.T. *see* Barr, R. 85−36019
Reitz, D.J. Automatic vehicle identification technology and applications 86−4547
Reitz, E.L. *see* Anderson, N.C. 85−1189
Reitz, G.A. *see* Burba, J.C. 87−22867
Reitz, H. Active box with sub-woofer: satellites for the living room−small volume, large sound 85−31241
Reitz, H. *see* Adam, E. 87−78350, 88−17286
Reitz, J.A. For greatest accuracy, test circuit boards inside-out 88−6712
Reitz, J.W. Separator technology for lead/acid batteries 87−58297
Reitz, J.W. Update of separator technology for lead/acid batteries 88−55597
Reitz, P.R. Compatibility of national and international standards for optical fiber 85−29616
Reitz, P.R. Optical fiber test standards ensure efficient manufacturing and effective products 86−15468
Reitz, P.R., Hackert, M.J., Matthews, J.E., Murphy, K.W., Hanson, D., Hartmann, M., Huegerich, T., Kevern, K., Odderstol, T. A comparison of loss measurement methods with observed system loss in optical LAN links 87−34582
Reitz, P.R. *see* Matthews, J.E. 85−42568
Reitz, W. *see* Tank, D. 88−39547
Reitze, D.H. *see* Downer, M.C. 87−46667
Reitzle, W. *see* Drecker, H. 85−10271
Reitzschel, K. *see* Herz, W. 85−41097
Reiying Fan *see* Fan Reiying

Reizer, M.Yu. Galvanomagnetic effects in extremely strong magnetic fields at very low temperatures 85−28922
Reizes, J.A. *see* Hessami, M.A. 87−43114
Rejda, Z. *see* Culek, A. 88−47435
Rejent, J., Capoun, J. Contemporary use of pulse converter technique on electric locomotives and its further perspectives 87−64866
Rejkuba, M. *see* Kustovic, I. 86−16800
Rejman, S. *see* Kachlik, J. 86−18893
Rejman-Greene, M. Selective area epitaxy of InP using metalo-organic VPE 85−39783
Rejmund, F. *see* Ranachowski, J. 88−12129
Rejniak, J. *see* Nowacki, Z. 86−61611
Rek, S. *see* Hahn, S. 85−23426
Rek, Z.U. *see* Hahn, S. 87−11581, 87−31473
Rek, Z.U. *see* Wong, C.-C.D. 87−17896
Rekalova, G.I., Kozlov, D.M., Shakhov, A.A., Tairova, D.A. Influence of the conductivity modulation effect on the current magnetosensitivity 86−27975
Rekasius, V.L. *see* Pranevicius, L.J. 86−35597
Reker, E. The automatic digitizer performs a critical function in the production of technical documentation 87−49649
Rekhson, M. *see* de Geus, A.J. 85−1758
Rekhviashvili, D.N. *see* Gorelenok, A.T. 88−25922
Rekhviashvili, D.N. *see* Volkov, L.A. 88−60732
Rekittke, K. The future development goals for command documenting systems in power plant operation 85−32260
Rekittke, K. *see* Adams, H.W. 88−23668
Reklaitis, A., Junevicius, D. The instability of photoexcited charge carriers in a p$^+$-i-n$^+$ submicron structure 87−53247
Reklaitis, A. *see* Bannov, N. 87−18076
Reklaitis, A. *see* Gruzinskis, V. 88−33183, 88−39097, 88−64296, 88−71488
Reklaitis, A. *see* Junevicius, D. 88−40072
Reklaitis, A. *see* Kersulis, S. 88−19996
Reklaitis, A. *see* Mickevicius, R. 85−45391, 85−55470, 86−58222
Reklaitis, I.Yu. *see* Tass, O.A. 86−25858
Rekoff, M.G., Jr. On reverse engineering 85−54107
Rekoff, M.G., Jr. On correlating channel error with bandwidth 87−39553
Rekoff, M.G., Jr. Engineering operations: a finishing school for engineers 88−24425
Rekoff, M.G., Jr Teaching circuit theory from a different perspective 88−24459
Rekoff, M.G., Jr. *see* Conner, D.A. 88−24418, 88−24421
Rekow, E.D., Erdman, A.G., Speidel, T.M. A review of developments in computer-based systems to image teeth and produce dental restorations 88−29952
Reks, A.G. *see* Bashtovoi, V.G. 88−74357
Reksc, W. *see* Skowronski, J.M. 88−55610
Reksnys, R., Urbelis, A., Sokolas, J. The electrical properties of polycrystalline silicon films after phosphorus ion implantation and CO$_2$-laser annealing 87−45562
Reksnys, R. *see* Kietis, B.-P. 86−58821
Reksten, G. *see* Brewer, P. 85−1502
Reksten, G. *see* Holber, W. 85−23677
Reksten, G.M., Holber, W., Osgood, R.M., Jr. Wavelength dependence of laser enhanced plasma etching of semiconductors 86−35572
Reksten, G.M. *see* Brewer, P.D. 85−50433
Rektorys, K. Some aspects of numerical solution of evolution equations by the method of discretization in time 87−44253
Rekus, G.G. *see* Musaev, H.A. 88−62354
Rekveldt, M.T., Kraan, W.H. Neutron Larmor precession and energy analysis 87−77589
Rekveldt, M.T. *see* Kraan, W.H. 88−57968
Rela, M.Z. *see* Fernandes, F.B. 88−9020
Relato, G. *see* Bianco, L. 88−43073
Relf, R. *see* Wong, M. 85−34731
Relin Le *see* Le Relin
Relis, Y., Van Dyke, P. A customizable refinable automatic floorplanning tool 87−46119
Reljic, J. Systems using stepping motors−a new approach to control and application 85−48982
Reljin, B., Ratkovic, Z. Analysis of the Butler matrix with real components 86−27567
Relkie, L. *see* McInerney, J. 85−24632
Rella, R. *see* Di Giulio, H. 87−45623
Rella, R. *see* Di Giulio, M. 88−58049
Relling, E. *see* Botha, A.P. 87−11449
Relph, M. *see* Hart, G. 87−34390
Relwani, S.M., Cole, J.T., Moschandreas, D.J. Laboratory data acquisition system [IBM PC used for air monitoring] 88−15970
Relyea, W.E. *see* Gaz, R. 88−9295
Relyea, W.E. *see* West, E.H. 88−46429
Rem, M. Concurrent computations and VLSI circuits 86−28422
Rem, P.C., Dijkstra, D., van Beckum, F.P.H., van de Klundert, L.J.M. A numerical analysis of saturation in multifilamentary wires, carrying AC-transport current in an AC-transverse field 86−47985
Rem, P.C. *see* de Reuver, J.L. 85−56144
Rem, P.C. *see* Hartmann, R.A. 87−46412, 87−71700
Rem, P.C. *see* Roovers, A.J.M. 87−46411
Rem, P.C. *see* Zeyen, C.M.E. 88−68307
Remadevi, V. *see* Rajaram, R. 85−21089
Remaki, B., Balland, B. A new C-V method for determining free carrier and deep trap distributions in semiconductors 88−19650
Remaki, B. *see* Balland, B. 88−67995
Remark, D. Techniques for testing mercury vapor type lamps for conformance to federal regulations 86−45808
Remark, J.F. *see* Swan, T. 85−27236
Remba, R.D., Suni, I., Nicolet, M.-A. Use of a TiN barrier to improve GaAs FET ohmic contact reliability 86−2163
Remba, R.D. *see* Cantos, B.D. 88−13215, 88−13280, 88−57681
Remba, R.D. *see* Niclas, K.B. 86−47063
Remba, R.D. *see* Thompson, J.A. 88−26349
Rembert, D.L. *see* Rinker, R.E. 88−48560
Rembetski, J. *see* Kenney, D. 88−70778
Rembetski, J.F. *see* Armacost, M.D. 87−67119, 88−13132
Rembges, W. Modern plasma technologies and furnaces for heat-treating machine components 87−5089
Rembold, B. Radar cross section of long wires 85−14331
Rembold, B. *see* Kleische, W. 86−43969
Rembovskiy, A.M. Distribution of the ratio of the numbers of maxima and threshold crossings in a sequence of correlated readings 85−57383
Rembowska, J. Modelling of the window mechanism of flow control in a computer network 86−49043
Remde, H. *see* Balzer, G. 86−26091, 86−39872
Remde, H. *see* Meppeling, J. 87−30855
Remde, H.E. *see* Mathis, M. 87−35680
Remec, T. *see* Rengan, A. 85−14661, 86−14817
Remedios, C.A.Dos *see* Dos Remedios, C.A.
Remedios, D. *see* Davis, A.W. 88−47139
Remedios, D. *see* Hadjifotiou, A. 88−47190
Remedios, D. *see* Pettitt, M.J. 87−40975, 88−20666, 88−47138
Remediss, D. *see* Pettitt, M.J. 87−76757
Remeika, J.P. *see* Gurvitch, M. 85−56160
Remeikis, V.V. Digital stabilization of multichannel gamma spectrometer 86−18264
Remeikis, V.V. *see* Amulyavichyus, A.P. 87−50193
Remeis, P.J. Hardware and software interface to hardware verification tools 86−46064
Remel, I.G. *see* Brodskii, I.I. 85−31296
Remelius, D.K. *see* Barnes, N.P. 87−39066
Remelius, D.K. *see* Meier, J.V. 87−12432
Remen, S.J., Michalowski, R.W. 30 MW cogeneration plant serves Dade County Government Center 88−5561
Remenets, G.F., Beloglazov, M.I. A preliminary analysis of the dynamics of the reflecting properties of the lower ionosphere at sunset for an auroral link (according to VLF data) 86−63982
Remenets, G.F., Beloglazov, M.I. Reflection properties of the lower polar ionosphere, and features of the excitation and propagation of superlong waves (SLW) at high latitudes (review) 86−63991
Remenski, N.K. *see* Petrovic, P.M. 88−622, 88−47270
Remenyi, G., Landwehr, G., Heuring, W., Weimann, G., Schlapp, W. Fractional quantum Hall effect of p-type GaAs-(GaAl)As heterostructures in the Millikelvin range 87−74099
Remenyi, G. *see* Stadler, J.P. 85−1317, 86−35331
Remenyi, G. *see* Uchida, S. 87−66894
Remenyi, K. Possibility of decrease in nitrogen oxides at pulverised coal fired boilers 87−64342
Remenyi, K. Use of low-grade coal as fuel of power plants 88−5421
Remenyi, K., Horvath, F. Application of holography to the study of combustion processes 87−12596
Remer, J., Billmann, B. Microwave Landing System area navigation 87−50534
Remer, J., Billmann, B. Microwave landing system area navigation 88−28996
Remer, J.H., Billman, B.R. Microwave landing system (MLS) area navigation: computed centerline experiments and system accuracy analyses in an RF environment 87−57304
Remesal, A.Vegal *see* Vegal Remesal, A.
Remetey, G.F., Csillag, F., Buttner, G. The image processing facility of the remote sensing center (FOMI)−preprocessing of high-resolution digital satellite imagery 87−49000
Remez, N.V. *see* Mikheev, M.N. 87−36836
Remezov, A.N. *see* Batunov, G.K. 85−21461
Remezov, A.N. *see* Mishkin, N.A. 86−33252
Remiens, D., Mallecot, F., Vilcot, J.P., Decoster, D. GaAs electro-optical travelling-wave modulator 88−20446
Remiens, D., Pribetich, P., Kennis, P., Seguinot, C. Microwave performance prediction of a III-V semiconductor electrooptic waveguide modulator 87−26077
Remiens, D. *see* Verriele, H. 87−56706
Remigailo, Yu.L. *see* Sevast'yanov, B.K. 87−61118
Remijnse, A.G. *see* Sluyters-Rehbach, M. 87−51424
Remili, N. *see* Perriere, J. 86−47471
Remillard, M.M. *see* Welch, R. 88−68650
Remillard, R.L. Data management system for predictive maintenance programs 86−13430
Remille, A. *see* Fenart, J.M. 87−2940, 87−20280
Remington, B. *see* Deak, F. 87−71039
Remington, B.A. *see* Heltsley, J.H. 88−29907
Remington, J. ATE for digital boards−the role of real-time emulation 87−11171
Remington, R., Williams, D. The evaluation of display symbology: a chronometric study of visual search 86−18436
Reminzov, S.A. *see* Asnis, L.N. 86−10037
Remiro, L. *see* Peignet, C. 88−71064
Remizov, A.L. *see* Medvedev, V.A. 86−57496
Remizov, I.I. *see* Farkhadzade, E.M. 86−32697
Remizov, L.T., Kozlov, S.P., Oleynikova, I.V., Frolov, A.P. Impulsive radiation of lightning in the USW band 87−54615
Remizov, L.T., Paskual', A.G., Apraksin, L.V., Oleynikova, I.V. Determination of the characteristics of the weak natural vertical VLF magnetic field by statistical modeling 87−54469
Remizov, L.T., Paskual', A.G., Yepanechnikov, V.A., Oleynikova, I.V. Statistical properties of the time intervals between atmospheric interference pulses in the VLF band 87−19211
Remizov, N.V. *see* Grilikhes, S.F. 85−41175
Remizov, N.V. *see* Gurov, Yu.V. 86−36288
Remizov, N.V. *see* Ilin, V.G. 85−56331, 87−54035
Remizov, S.A. *see* Asnis, L.N. 88−8759
Remizova, E.I. *see* Belova, G.N. 85−2269
Remkes, G.W. Multilayers: from design to end product [printed circuits] 87−17485
Remley, F.M. Digital television tape recording: a report of progress toward a standard 86−4879
Remley, G.W. *see* Crew, A.W. 85−43694
Remme, V. Sensible use of TEMEX 86−43495
Remmel, J.B. *see* Egecioglu, O. 86−66700
Remmel, J.B. *see* Nerode, A. 87−204
Remmel, R.S. A universal and inexpensive servomotor for vestibular research 87−3923
Remmel, T.P. *see* Reuss, R.H. 86−21811
Remmell, J.A., Hughes, R.S. Converting TSS to detection receiver sensitivity 88−27936
Remmerie, G., De Ceulaer, B., Drieskens, M., Van de Pol, D. 350-volt display driver chip 85−62116
Remmerie, J., Maes, H.E. Physical and electrical characterization of LPCVD oxynitride layers 87−25052
Remmington, J. Distributed control increases ATE performance 86−55532
Remnev, G. *see* Isakov, I.F. 88−69631
Remnev, G.E. *see* Isakov, I.F. 86−5680, 86−11825, 88−32052
Remo, J.L. Effect of aberrations and perturbations on frequency pulling and anomalous dispersion 87−7403
Remond, A. Commissioning steam generators 86−61279
Re'mond, C. The French Standard C 17-200 for public lighting 85−10215
Remond, C. Enquiry into the irresistible rise of the neutral-earth scheme [earthing systems] 85−15667
Remond, C. Leakage currents, protection measures and role of the neutral 85−15669
Remond, C. Voltage drops: how can they be limited? 85−38505
Remond, C. Protective measures against electrical shock risks 86−38840
Remond, C. If we speak of coordination of insulation at low voltage 86−45016
Remond, C. When, where and how must installations bè fitted with lightning protection? 87−50859
Remond, C. New NF C13-200: presentation and diagrams of connections to earth 87−58619
Remond, C. *see* Lebreton, A. 88−24263
Remondi, B.W. Performing centimeter-level surveys in seconds with GPS carrier phase: initial results 87−34675
Remondino, V., Verbeeck, T., Walckiers, L., Wolf, R., Wyss, C. Design, manufacture and performance of the LEP magnetic lenses 88−68165
Remonti, D. Domestic installations−the safety of apparatus for control and manoeuvring 85−33098
Remonti, D. Insulating materials for low tension switches 86−47128
Remonti, D. Insulation materials for low-voltage use: polyamidic resins 88−13623
Remortel, J.Van *see* Van Remortel, J.
Rempe, G., Walther, H. The one-atom maser and cavity quantum electrodynamics 86−68417
Rempe, G., Walther, H. Experiments with the single-atom maser 87−46737
Rempe, G., Walther, H. The one-atom maser and the test of quantum electrodynamics 87−61056
Rempe, G., Walther, H., Klein, N. Observation of quantum collapse and revival in a one-atom maser 87−26249
Rempe, N.G. *see* Gruzdev, V.A. 86−27783
Rempel, C. *see* Dietel, W. 88−58479
Rempel, C. *see* Petrov, V. 88−65600
Rempfer, G.F. Unipotential electrostatic lenses: paraxial properties and aberrations of focal length and focal point 85−41567

Remram, M. *see* Barbier, D. 87—24758
Remram, M. *see* Joly, J.F. 88—18050
Remsbottom, R. *see* McInturff, A.D. 85—59031
Remsbottom, R.H. *see* Fisk, H.E. 86—31827
Remsbottom, R.H. *see* Lundy, R.A. 86—25059
Remsbottom, R.H. *see* Niemann, R.C. 85—37848, 85—59034
Remsen, D.B. *see* Overett, T. 88—50592
Remshardt, R. *see* Polmann, K. 85—17288
Remund, R. Store of cable drums in paternoster warehouses 87—8139
Remund, R. Equipment for technical operation in the warehouse for store and transport services 87—48409
Remus, C. *see* Haghiri, M. 86—16125, 87—33769
Remy, B. *see* Meyzonnette, J.L. 88—28980
Remy, C. Flat screens or the image informatics of tomorrow 85—14886
Remy, C. Towards gentle data processing: the biological computer 85—23303
Remy, C. Voice recognition: last stage before conversation 85—36207
Remy, C. Magnetic bubble memories 85—62211
Remy, C. Silicon compliers 87—16802
Remy, C. A new dimension for computing: holography 87—33340
Remy, C. Shape memory: a solution for connector problems 87—37643
Remy, C. The third dimension: a new stage in integration 87—60535
Remy, C. When the motor car becomes intelligent 88—24247
Remy, C. Molecular electronics 88—38952
Remy, C. Intelligent buildings 88—46562
Remy, C. Superconductivity: new ways 88—58016
Remy, J., Baud, S., Treheux, M. ISDN in France: a reality 88—8952
Remy, J., Schmall, L. Frequency generation in modern signal generators 88—22664
Remy, J., Temime, J.-P. Will the demand meet the technical promise [ISDN] 88—59834
Remy, J. *see* Le Roy, J. 87—8643
Remy, J.-C. *see* Bouteville, A. 85—44774
Remy, J.-L., Bernard, R., Evrat, C., Tosser, A.J. Two bits per pixel allow multiple segmentation with pseudo-colours over 128 grey levels 88—29087
Remy, J.L. An iterative method for denominator of binary trees and their application to uncertain generation 85—54282
Remy, M. *see* Gia Tuong Hoang 86—55990
Remzso, G. Applications software for PC LANs 88—67025
Remzso, T. *see* Hannak, L. 88—67024
Ren, C. *see* Zhang, Y. 85—34844
Ren, D. *see* Anderhub, H. 87—21420, 88—22984, 88—29843
Ren, F., Chand, N., Garbinski, P., Pearton, S.J., Wu, C.S., Urbanek, L.D., Fullowan, T., Shah, N., Fewer, M.D. GaAs MESFETs, ring oscillators and divide-by-2 integrated circuits fabricated on MBE grown GaAs on Si substrates 88—63606
Ren, F. *see* Chand, N. 87—45759
Ren, F. *see* Chiu, T.H. 88—56233
Ren, F. *see* Pearton, S.J. 87—74282
Ren, F. *see* Resnick, D.J. 88—64470
Ren, J., Wu, J., Liu, G. Characteristics of water trees grown from needle water electrodes 86—70686
Ren, K., Qiang, B. A new TEM horn for radiated impulsive measurements [antennas] 86—3696
Ren, P., Zhou, J. A method for the calculation of the capacitance increment and dissipation factor tip-up from parallelogram figures 86—68083
Ren, S., Guo, Z., Li, Z. Error analysis of a strapdown inertial navigation system with single axis stabilization 87—77770
Ren, X., Qiu, Y., Kuffel, E., Li, Z. Optical detection of pre-breakdown discharges in gas mixtures under DC, AC, and impulse voltages 88—64823
Ren, Z. Continuing education of scientific and technological personnel in the Academy of Sciences of China 87—23074
Ren, Z., Ran, L. Effects of common mode failures of DC lines on reliability of HVDC systems 88—68900
Ren, Z. *see* Davat, B. 86—42689
Ren, Z. *see* Hu, L. 88—68881
Ren, Z.B., Robert, P., Paratte, P.-A. Linear birefringence measurement in single-mode optical fibre with circularly polarised input light 86—11760
Ren, Z.B., Robert, P., Paratte, P.-A. Ellipsometric characterisation of single mode fibres 87—26041
Ren, Z.B., Robert, P., Paratte, P.-A. Temperature dependence of bend- and twist-induced birefringence in a low-birefringence fiber 88—26796
Ren, Z.B. *see* Paratte, P.-A. 85—50963
Ren Bas *see* Bas Ren
Ren Changxue *see* Changxue Ren
Ren Chuang Ke *see* Ke Ren Chuang
Ren Congxin *see* Fu Xinding 85—55702
Ren Guoguang X-ray lasers 88—20700
Ren Guoliang *see* Yang Yigang 86—39046
Ren Guoquan, Wu Xing, Zhang Zunlin, Ye Zhisheng, Wang Shengping, Zhang Yimo A study of electro-optical framing type multipulsed holography 88—45574
Ren Guoquan *see* Wu Xing 88—40409
Ren Guoxiao Improvement of temperature control of etching bath for plastic track detector 86—11872
Ren Guoxiao Application of solid state track detectors in cosmic ray research 86—11908
Ren Guoxiao *see* Huang Rongqing 86—11855
Ren Guoxiao *see* Zhou Yinzao 87—50182
Ren Guoxin *see* Wang Jingsheng 88—8007
Ren Han-Zai *see* Han-Zai Ren
Ren Hong *see* Liang Peihui 87—74964, 88—40266, 88—72367
Ren Huang *see* Huang Ren
Ren Ji-shi *see* Lue Shan-wei 86—16027
Ren Jianmin *see* Zhang Tingqing 87—74441
Ren Li Ke *see* Ke Ren Li
Ren Ni *see* Chang Shi-liang 85—31964
Ren Ni *see* Hu Yong-nian 85—53136
Ren Rongsheng *see* Chen Zhenmin 85—59378
Ren Shu, Shen Youwang The research of calculating method of fuel loss for domestic 200 MW units in various starting conditions 88—23736
Ren Shu *see* Shu Junzhan 86—39580
Ren Shu-chu Scattering of plane wave by piezoelectric cylinder—transfer function, transient responses and phase reconstruction of transducer 85—24044
Ren Shu-chu Reconstructions of phase spectrum and transient responses of spherical piezoelectric transducer 85—29416
Ren Shu-Chu Representation theorem of H^p functions and its application to acoustics 87—71427
Ren Shu-chu Iterative reconstruction of a class of signals 88—21160
Ren Shu-chu, Wang Rong-jin, Zhang Ke-sen Measurement of input mechanical impedance of plane array element using impulse sound tube 88—54786
Ren Sicong *see* Sicong Ren
Ren Wan Sui *see* Wan Sui Ren
Ren Wei, Wan Changhua Coaxial line consisting of square concentric with circle 88—32514
Ren Wen-Bin, Li Guan-Lin, Yen Bin-Shan Energy doubler 85—59065
Ren Xiao Min, Zhang Lin Tao, Ye Pei Da Achievement of 6 GHz wide, continuous and pure frequency tuning of 1.3 μm external cavity semiconductor laser and its applications in high resolution spectral measurement 88—65677
Ren Xiaomin *see* Zhang Lintao 88—65768
Ren Yiyou, Qiu Peiji On double-purpose single-phase alternator for generating and arc-welding 87—51186
Ren Youlai *see* Chen Guofu 86—5089
Ren Yuehua *see* Jin Weiguo 86—11874, 86—70335
Ren Yunzhu, Sheng Chi, Zhang Ling, Zhang Xin, Sun Henghui Metal/organic high molecular layer/n-InP Schottky barrier 87—66989
Ren Zepei *see* Feng Junkai 87—22136
Ren Zhen, Wang Guangjie HVDC transmission techniques in Canada 85—38490
Ren Zhong-Yue *see* Zhong-Yue Ren
Ren-Chyuan Luo, Fuling Wang, You-xing Liu An imaging tactile sensor with magnetostrictive transduction 85—47851
Ren-han He *see* He Ren-han
Ren-he Gao *see* Gao Ren-he
Ren-hong Wang The dimension and basis of spaces of multivariate splines 85—49479
Ren-Huai Chen *see* Chen Ren-Huai
Ren-Ling Huang *see* Huang Ren-Ling
Ren-Pei, J., Ki-Yu, W. Research on dual-mode ferrite modulator 85—11114
Ren-pei Jiang *see* Jiang Ren-pei
Ren-qiang Huang *see* Huang Ren-qiang
Ren-quan Zhu *see* Zhu Ren-quan
Ren-qui Liang *see* Liang Ren-qui
Ren-rong Jiang *see* Jiang Ren-rong
Ren-sheng Che *see* Che Ren-sheng
Ren-yuan Hu *see* Hu Ren-yuan
Ren-Zhou Wang *see* Kaizu, H. 87—51179
Ren-zhou Wang *see* Wang Ren-zhou
Renals, S. *see* Rohwer, R. 88—72794
Renan, J.-P. *see* Brayer, M. 88—34448
Renard, I.V. *see* Prots', R.V. 87—21754
Renard, J. *see* Carriere, C. 88—51786
Renard, J.C. *see* Dubois, P. 85—46048
Renard, J.C. *see* Dubots, P. 85—56145
Renard, J.P. *see* Beauvillain, P. 86—11684
Renard, M. *see* Lalande, M. 87—7613
Renard, P. Components 1986: the way ahead to shelter from the crisis 87—24076
Renard, P. A/D converters: the advantage of a mixture of techniques 87—24279
Renard, P. Infrared detectors: soldering analysed in real time 87—34973
Renard, P. Measure humidity from the freezer to the oven 87—49701
Renard, P. Integrated power—ready to take off 88—44822
Renard, P. Piezoresistive gauges: silicon makes the grade for pressure measurement 88—53654
Renard, P. Optical fibres: for 'digital' level detection 88—53935
Renard, P. Optical links: the passive king 88—60155
Renard, P. Pressure sensors: the increasing attractiveness of all silicon 88—60695
Renard, P. Humidity: the dew point surrounds the process 88—64875
Renard, P. *see* Villegier, J.C. 85—56181
Renard, S. *see* Valette, S. 85—2064, 88—58224
Renard, V. *see* Furuta, T. 88—9684
Renardy, J.F. *see* Benvenuti, A.C. 85—15254
Renardy, J.F. *see* Deiters, K. 88—68308
Renau, A., Heddle, D.W.O. Geometric aberrations in electrostatic lenses: I. A simple and accurate computer model 86—48539
Renau, A., Heddle, D.W.O. Geometric aberrations in electrostatic lenses: II. Aberration coefficients and their interrelations 86—48540
Renaud, B. Electro-optical inspection for tolerance control as an integral part of a flexible machining cell 87—49487
Renaud, C. *see* Foner, S. 88—65042
Renaud, D. *see* Saury, J.-M. 85—46630
Renaud, D.P. *see* Holden, D.M. 85—7092
Renaud, J. *see* Akesson, T. 86—18235
Renaud, J. *see* Savelli, M. 86—4995
Renaud, J.-C., Scavannec, A., Dawe, P.J.G., Spear, D.A.M. Monolithically integrated opto-electronic receivers for long-wavelength applications 88—73978
Renaud, J.-L. A conceptual framework for the examination of transborder data flows 87—20048
Renaud, J.-L. The ITU and development assistance: north, south and the dynamics of the CCIs 87—55468
Renaud, J.-L., Litman, B.R. Changing dynamics of the overseas marketplace for TV programming: the rise of international co-production 86—49763
Renaud, J.-L. *see* Komiya, M. 85—63214
Renaud, J.C., Allovon, M., Dimitriou, P., Lugiez, F., Scavennec, A. InGaAs photodiode fabricated on semi-insulating InP substrate by molecular beam epitaxy 88—65496
Renaud, J.C., N'Guyen, L., Allovan, M., Heliot, F., Lugiez, F., Scavennec, A. Monolithic photoreceiver integrating GaInAs PIN/JFET with diffused junctions 87—74940
Renaud, J.C., Nguyen, L., Allovon, M., Blanconnier, P., Lugiez, F., Scavennec, A. Monolithic photoreceiver integrating InGaAs PIN/JFET with diffused junctions 88—58395
Renaud, J.C. *see* Allovon, M. 87—38961
Renaud, J.C. *see* Nguyen, N.L. 88—49880
Renaud, J.P. *see* Cavalier, A. 85—167
Renaud, M., Boher, P., Schneider, J., Barrier, J., Heyen, M., Schmitz, D. $Ga_{0.47}In_{0.53}As$ depletion mode MISFETs with negligible drain current drift 88—57639
Renaud, M. *see* Boher, P. 88—13118, 88—50739
Renaud, M. *see* Erman, M. 88—26003
Renaud, P.W. *see* Zijlstra, G.J. 87—42399
Renault, A. *see* Guichard, M. 88—36696
Renault, G. Clinical applications of laser fluorometer 88—48116
Renault, G. In situ laser fluorimetry: present state of the art and perspectives 88—61339
Renault, G., Muffat-Joly, M., Polianski, J., Hardy, R.I., Nottin, R., Weiss, M., Boutineau, J.-L., Binet, J.-P., Pocidalo, J.-J. In situ detection of tissular respiration arrest by NADH laser fluorimetry 88—16721
Renault, M. *see* Bandler, J.W. 85—11399
Renaux, J. Structured arrays in a top-of-the-range application 88—56564
Renben, S., Patton, P.C. RCA: a bus connected architecture 86—27256
Renberg, P.-U. *see* Ekstrom, C. 88—60999
Renbo Zhang *see* Zhang Renbo
Renc, Z., Setikovska, L. Decision trees: a contribution to automatic interpretation of GUHA results 85—54254
Rencai Miao *see* Miao Rencai
Renda, G. *see* Hill, K.W. 85—52983
Renda, G. *see* Medley, S.S. 86—5098
Rendakova, S.V. *see* Vainshtein, S.N. 88—32879
Rendall, D.S. *see* Kenedi, R. 85—42140, 85—47103
Rendas, M.J.D., Moura, J.M.F. Path resolution by coherent averaging: trading spatial and temporal degrees of freedom 88—73107
Rendell, R.W., Girvin, S.M. Quantum Hall effect: role of inversion layer geometry and random impurity potential [resistance standard application] 85—64241
Render, D.J. Progress in underlying technologies for the information age 87—38469
Render, N.G., Sr. Designing for testability in the VHSIC environment 87—16970
Renders, J., Schoukens, J., Vilain, G. High-accuracy spectrum analysis of sampled discrete frequency signals by analytical leakage compensation 85—19426
Rendina, R. *see* Boselli, G. 88—42870
Rendl, F. On the complexity of decomposing matrices arising satellite communication 85—58059
Rendl, F. *see* Rote, G. 87—10605
Rendle, A.A. Telecom premium telephones 85—3245
Rendle, M. *see* Tomlinson, M. 86—59977

Rendzenyak, S.I. *see* Lugin, A.I. 86–46442
Rene, D. *see* Lenormand, R. 88–2841
Rene, R.M., Fitter, J.L., Forsyth, P.M., Kim, K.Y., Murray, D.J., Walters, J.K., Westerman, J.D. Multicomponent seismic studies using complex trace analysis 86–64249
Renedi, J.M., Casacuberta, F., Vidal, E. A new microphonetic fuzzy labeling level for a fuzzy multi-level system of automatic speech recognition 88–14631
Renelt, G. *see* Ehlers, B. 87–13312
Renema, F. *see* Johnston, W.E. 87–41260
Reneman, R.S. *see* Hoeks, A.P.G. 85–4303, 88–74845
Reneman, R.S. *see* Slaaf, D.W. 86–70380
Reneman, R.S. *see* van Leeuwen, G.H. 87–57462
Renes, J.J., v.d. Kraan, P., Eymann, C. Flightpath reconstruction and systematic radar error estimation from multi-radar range-azimuth measurements 86–59929
Renesse, R.L.van *see* van Renesse, R.L.
Renesse, R.van *see* van Renesse, R.
Renevey, M. *see* Catanesi, M.G. 87–29686
Renfors, M., Neuvo, Y., Mitra, S.K. A new class of uniform filter banks based on recursive *N*th-band filters 87–27482
Renfors, M., Saramaki, T. Design and properties of recursive *N*th-band digital filters and their use in sampling rate alteration 86–62744
Renfors, M., Saramaki, T. A class of approximately linear phase digital filters composed of allpass subfilters 86–67413
Renfors, M., Saramaki, T. Recursive *N*th-band digital filters. I. Design and properties 87–32011
Renfors, M., Saramaki, T. Recursive *N*th-band digital filters. II. Design of multistage decimators and interpolators 87–32012
Renfors, M., Saramaki, T., Estola, K.-P. Efficient FIR, IIR, and hybrid Nyquist filters with zero intersymbol interference 87–27488
Renfors, M., Zigouris, E. Signal processor implementation of lattice wave digital filters 85–49997
Renfors, M., Zigouris, E. Signal processor implementation of digital all-pass filters 88–50262
Renfors, M. *see* Kolehamainen, T. 87–7793
Renfors, M. *see* Matsumura, S. 85–45189
Renfors, M. *see* Saramaki, T. 87–66404
Renfors, M.K. *see* Regalia, P.A. 88–25332
Renfrew, A.C., Loh, W.K. Microelectronic control of an energy-efficient electric vehicle 87–22866
Renfrew, A.C. *see* Loh, W.K. 86–61786
Renfrew, N.M. Proposals for peace facilitation in Central America 85–44561
Reng, L., Schumann, H. Microcomputer gate control methods for DC link converters in electric drives [induction motor control] 86–70911
Rengan, A., Remec, T., Park, Y. Radiation damage in projection CRT glass 86–14817
Rengan, A., Remec, T., Park, Y.S. Radiation damage in projection CRT glass 85–14661
Rengan, K. *see* Griffin, H.C. 86–25146
Rengan, K. *see* Zendel, M. 87–41807
Renganathan, H., Prabhu, K.M.M. Improving FFT efficiency in high speed applications 85–44674
Renganathan, H. *see* Prabhu, K.M.M. 86–37024
Renganathan, T., Kakad, Y.P. System identification of sputter deposition phenomenon 87–10511
Rengarajan, S. Finite ground plane effects on planar arrays of microstrip patch elements 85–13394
Rengarajan, S., Agrawal, M.D., Nema, R.S. Behaviour of high voltage machine insulation system in the presence of thermal and electrical stresses 85–38961
Rengarajan, S.R. Critical gimbal angles of ogival radomes 87–33566
Rengarajan, S.R., Gillespie, E.S., Jr. Asymptotic approximations in radome analysis 88–66234
Rengarajan, S.R., Gillespie, S., Jr. Dielectric scattering in radomes 87–33565
Renger, P. Energy saving by using recirculation air of air conditioning plants in the operating theatre area 85–27807
Renggli, H., Steiner, J.L., Vitins, J. Fast-switching reverse conducting thyristors improve performance of high power series resonant circuits 86–61653
Renggli, H. *see* Vitins, J. 86–39916
Renglet, M. *see* Crappe, M. 87–22284
Renglete, M. *see* Crappe, M. 85–32446
Renhart, W., Stogner, H., Preis, K. Calculation of 3D eddy current problems by finite element method using either an electric or a magnetic vector potential 88–52108
Renhe Gao *see* Gao Renhe
Renhorn, I. *see* Ahlberg, H. 87–3244
Renhorn, I. *see* Letalick, D. 87–29925 to 29926, 87–54389
Renhorn, I.G.E. *see* Denti, R. 87–38981
Renhua Wu *see* Wu Renhua
Renhua Zhang *see* Zhang Renhua
Renick, J.D., Anderson, C.E., Jr., O'Donoghue, P.E., O'Kelley, D.K., Felice, C. A methodology for the calibration of stress and motion instrumentation for dry soils 88–53889
Renier, M., Liehr, M., Gates, S.M., O'Sullivan, J., Rubloff, G.W., Meyerson, B.S. Integrated system for studies of thin-film chemical growth processes on silicon wafers 87–73137
Renier, M. *see* Liehr, M. 87–53159, 87–73986
Renieri, A. Free electron generation of extreme ultraviolet coherent radiation: theoretical aspects 85–2168
Renieri, A. Perspectives on free-electron laser driven very high gradient particle accelerators 86–5689
Renieri, A. *see* Bizzarri, U. 85–56703, 87–2168, 87–68542
Renieri, A. *see* Ciocci, F. 85–62615, 87–2163, 87–7387, 87–26444, 87–46917, 87–75149
Renieri, A. *see* Coisson, R. 87–18993
Renieri, A. *see* Dattoli, G. 85–2174, 85–2188, 85–56688, 85–56717, 86–3220, 86–36523, 87–54356, 88–58575, 88–58580 to 58581
Renieri, A. *see* Gallarado, J.C. 87–7396
Renieri, A. *see* Gallardo, J.C. 87–75161, 88–14221
Renieri, A. *see* Walsh, J. 88–40253, 88–58588
Renieri, A. *see* Walsh, J.E. 87–2178
Reniero, E., Tognetti, D. Elaboration of direct satellite signals inside the TV set 86–60018
Renirie, A.C.M. The use of VLSI chips in implantable heart stimulators 85–38216
Renirie, A.G.M. The use of VLSI chips in implantable heart stimulators 85–20962
Renjen, S. *see* Tran, T. 86–2424
Renjie Cheng *see* Cheng Renjie
Renjie Song *see* Song Renjie
Renjie Teng *see* Teng Renjie
Renk, B. *see* Burkhardt, H. 88–47997
Renk, K.F. *see* Chong-yi Wan 85–29760
Renk, K.F. *see* Werling, U. 85–56499, 86–63753, 86–68439
Renk, T.J., Hammer, D.A. Microwave and ion beam studies of an applied B_θ diode 87–73962
Renk, T.J., Weber, B.V. Plasma production from flashboards for opening switch applications 85–23308
Renk, T.J., Zuchowski, N.P. Plasma opening switch experiments on PBFA I using flashboards 87–17442
Renk, T.J. *see* Meger, R.A. 85–1119, 85–4184, 85–27672
Renk, T.J. *see* Stinnett, R.W. 87–17441
Renka, R.J. Interpolatory tension splines with automatic selection of tension factors 87–58851
Renka, R.J. Multivariate interpolation of large sets of scattered data 88–63198
Renken, D. *see* Dwersteg, B. 86–32076, 88–51414
Renken, G.W. Wideband ATE switching systems designed for low fabrication cost and simple field repair 86–38227
Renken, G.W. Wideband switch matrix cuts ATE station costs 86–58040
Renken, W. The future with coaxial cable 85–52256
Renken, W. *see* Petersen, K. 86–55704
Renker, D. *see* Atchison, F. 86–55998
Renker, D. *see* George, D. 86–50285
Renko, J. *see* Rihar, M. 88–5805
Renkuan Yuan *see* Yuan Renkuan
Renliang Deng *see* Deng Renliang
Renlong Huang *see* Huang Renlong
Renlund, A.M. *see* Benson, D.A. 87–74337
Renn, A., Wild, U.P. Spectral hole burning and hologram storage 88–8306
Renn, A. *see* Buesener, H. 86–29223
Renn, A. *see* Wild, U.P. 88–45062
Renn, H.-P. *see* Finkbeiner, M. 85–64892
Renn, L.M. Implementation of statistical process controls in the manufacture of magnet wire 86–61963
Renn, O. Emancipated sun—opportunities and limitations in regenerative energy-carriers 85–43897
Renn, O., Stegelmann, H.U., Albrecht, G., Kotte, U., Peters, H.P. An empirical investigation of citizens' preferences among four energy scenarios 85–77
Rennaker, R. How to build a 3 element 2 meter quad [antenna] 85–41765
Rennaker, R.L. *see* Borneman, J.D. 87–53005
Rennard, R.E. Statistical leveraging: getting the best from your test 88–6247
Rennau, M., Arzt, P., Brauer, W. Measurements of potential with electrometer circuits in process control technology 85–33697
Rennau, M. *see* Brauer, W. 85–34751
Renneboog, J. *see* Dearnley, R.W. 85–15010
Renneboog, J. *see* Matthys, P. 85–37551
Renneboog, J. *see* Schoukens, J. 85–37543, 86–24448, 87–10350, 88–14727, 88–60518, 88–74304
Renneboog, J. *see* van Biesen, L. 85–37397, 86–24738
Renneboog, J. *see* Van den Eijnde, E. 87–31735
Renneboog, J. *see* Van der Ouderaa, E. 88–8750, 88–59154, 88–72933
Renneboog, J. *see* Vanden Bossche, M. 87–801
Rennels, D., Chau, S. A self-exercising self-checking memory design 86–67227
Renner, A. *see* Becker, W. 86–18289
Renner, D. Status report of the new 8 UD tandem injector for VICKSI 86–38631
Renner, D., Arndt, P., Busse, W., Martin, B., Michaelsen, R., Pelzer, W., Ziegler, K. Status of the 8 UD tandem-injector for VICKSI 88–47763
Renner, D., Collar, A.J., Greene, P.D., Henshall, G.D. High-power operation of DCPBH lasers emitting at 1.52 μm wavelength 86–9837
Renner, D., Collar, A.J., Greene, P.D., Henshall, G.D. DCPBH lasers emitting over 50 mW CW power at 1.52 μm wavelength 86–42588
Renner, D., Greene, P.D., Collar, A.J., Moule, D.J. Very low threshold current GaInAsP/InP lasers 85–41415
Renner, D. *see* Busse, W. 86–55918
Renner, D. *see* Cheng, W.H. 87–12456, 87–26377, 87–68439, 87–75072, 88–8208, 88–14186
Renner, D. *see* Collar, A. 85–41407
Renner, F. Flexible maintenance of insulators for overhead power transmission lines 88–69017
Renner, H.J., Zbinden, K. Spectacular cable-laying in Lake Lugano 85–59779
Renner, K. NEWTON: logic simulation with circuit simulation accuracy for ASIC design 87–714
Renner, R. *see* Anderson, K.R. 88–18466
Renner, R. *see* Klingshirn, C. 86–9944
Renner, T. *see* Kane, J. 87–16094
Renner, T. *see* Nyman, M. 86–31924
Renner, T.R., Chu, W.T. Wobbler facility for biomedical experiments 88–10413
Renner, T.R., Chu, W.T., Gough, R.A., Staples, J., Tanabe, J. High energy beam transport system for a heavy ion medical accelerator 86–25037
Renner, T.R. *see* Milburn, J.E. 88–61233
Renner, U. *see* Hartl, P. 86–55353
Rennerberg, F., Hartkorn, H.W. Small-capacity drive in an office machine 86–7184
Rennes, J.Van *see* Van Rennes, J.
Rennick, R.C. *see* D'Arcy, J.L. 86–2208
Rennie, C. Personal computer instruments—the low cost alternative in test and measurement 87–49453
Rennie, D. Holographic optical interconnects working at visible and near infrared wavelengths 88–2405
Rennie, G. Again, the CCD [controlled current distribution antenna] 86–3667
Rennie, J. *see* Sweet, M.A.S. 87–50445, 88–33866
Rennie, J.H.S., Elliott, S.R. Kinetics of photo-dissolution of silver in a-GeSe$_2$ 86–28152
Rennie, R. *see* Kenny, G.N.C. 85–64615
Renninger, A.R. *see* Chen, L. 86–46846
Rennison, D.C. *see* Bremner, P.G. 87–77750
Rennison, W.R. *see* Dobson, J.M. 88–11650
Renolet, C.L. *see* Nelson, O.L. 87–21705
Reno, J., Sou, I.K., Wijewarnasuriya, P.S., Faurie, J.P. Growth and characterization of Hg$_{1-x}$Mn$_x$Te grown by molecular beam epitaxy 86–13739
Reno, J., Sou, I.K., Wijewarnasuriya, P.S., Faurie, J.P. Molecular beam epitaxial growth and characterization of a novel superlattice system: Hg$_{1-x}$Cd$_x$Te-CdTe 86–46316
Reno, J. *see* Arias, J.M. 88–11994
Reno, J. *see* Boukerche, M. 86–67685
Reno, J. *see* Faurie, J.P. 85–23431, 85–33424, 86–8841, 86–46341, 86–66826, 86–67729, 87–66942
Reno, J. *see* Raccah, P.M. 86–67686
Reno, J. *see* Sivananthan, S. 87–252
Reno, R.C. *see* Clark, A.V., Jr. 88–56352
Renou, P. *see* Carlac'h, J.-C. 88–57800
Renouard, H. *see* Rannou, A. 87–29651
Renouiln, R., Fruchard, C., Marti Extension of a local area network from voice and data applications to video communications facilities: the Carthage and Artis networks 87–20553
Renoux, L. Two-wire inductive displacement transducer 85–3949
Renoux, L. For printed circuit CAD, Circad relies on versatility 85–34281
Renoux, L. Automated search of welded joints 85–35940
Renoux, L. Will Intel's OpenNet be the local universal network? 85–57773
Renoux, L. A 128-pin VLSI tester designed in France 86–24282
Renoux, L. High-performance multimeters 86–24570
Renoux, L. Two trends in PROM programming: universality and use of a PC 86–46791
Renoux, L. Portable oscilloscopes for 100 MHz and above: increased performance in smaller volume 87–3632
Renoux, L. Personal instrumentation or a new way of measuring 87–14085
Renoux, L. Arbitrary function generators: when complexity becomes possible 87–37066
Renoux, L. Transmission measurements on optical fibres: why, how? 87–60906
Renoux, L. Spectrum analyzers become more commonplace 87–63297
Renoux, L. Logic analysers 88–12263
Renoux, L. Prototype testers 88–12264
Renoux, L. Logic analysers 88–19009

Renovell, M., Cambon, G. Topology dependence of floating gate faults in MOS integrated circuits 86–28479
Renovell, M., Cambon, G., Auvergne, D. FSPICE: a tool for fault modelling in MOS circuits 86–15261
Renovell, M., Faure, P., Cambon, G. Mask dependent models of faults in MOS integrated circuits 87–25608
Renquan Zhu *see* Zhu Renquan
Rens, J.H.P.van *see* van Rens, J.H.P.
Rensburg, A.J.van *see* van Rensburg, A.J.
Rensburg, D.J.Janse van *see* Janse van Rensburg, D.J.
Rensburg, D.J.J.van *see* van Rensburg, D.J.J.
Rensburg, M.Janse van *see* Janse van Rensburg, M.
Rensburg, M.Van *see* Van Rensburg, M.
Rensch, C. *see* Ulrich, H. 88–26120
Rensch, D.B., Chen, J.Y., Clark, W.M., Jr., DuChesne Courtney, M. Submicrometer FET gate fabrication using resistless and focused ion beam techniques 85–34959
Rensch, D.B., Matthews, D.S., Utlaut, M.W., Courtney, M.D., Clark, W.M., Jr. Performance of the focused-ion-striped transistor (FIST)–a new MESFET structure produced by focused-ion-beam implantation 88–26333
Rensch, D.B., Matthews, D.S., Utlaut, M.W., Courtney, M.D., Clark, W.M., Jr. The focused ion stripe transistor (FIST), a new MESFET structure produced by focused ion-beam implantation 88–33249
Rensch, D.B. *see* Chu, S.D. 86–35660
Rensch, D.B. *see* Jackson, D.J. 88–45326, 88–65509
Rensch, D.B. *see* Johannessen, J.S. 88–57315
Rensch, D.B. *see* Josefowicz, J.Y. 87–32565, 88–25965
Rensch, D.B. *see* Lee, J.Y. 85–55966
Rensch, D.B. *see* Reuss, R.H. 85–29194, 86–35659
Renschke, J. Semi-custom ICs: technology and state-of-the-art 85–11158
Renschke, J. EUROCATs, an integrated CAD system for gate array and standard cell design 87–16823
Renschler, C.L., Stiefeld, R.E., Rodriquez, J.L. Curcumin as a positive resist dye optimized for g- and h-line exposure 87–74153
Renschler, C.L. *see* Casalnuovo, S.A. 88–13259
Rensfelt, K.-G. *see* Barany, A. 87–50088
Renshaw, D., Jordan, J.R. Technology review [ASICs] 87–32673
Renshaw, D., Jordan, J.R. Technology overview 88–26488
Renshaw, D. *see* Chen, W. 88–44197, 88–56661
Renshaw, D. *see* Denyer, P.B. 86–23080
Renshaw, D. *see* Smith, S.G. 87–24365, 87–59565
Renshaw, E.F. Dividends and the regulation of mature electric utilities 85–26962
Rensheng Dou *see* Dou Rensheng
Rensing, P. *see* Hallewell, G. 88–68213
Rensing, P. *see* Spencer, E. 88–61189
Rensing, P. *see* Va'Vra, J. 88–61103
Rensink, H. *see* Meij, D. 87–63443
Rensink, H. *see* van der Meig, D. 88–53754
Renski, A. Choice of main parameters in a district-heating section of a large nuclear heat and power plant 85–38693
Rensner, G.D., Eckhardt, D.A., Page, M. Nuclear radiation response of Intel 64K-bit and 128K-bit HMOS ultraviolet erasable programmable read only memories (UVEPROMs) 86–35877
Rensner, G.D. *see* Williams, J.W. 86–36786
Rensonnet, G. Reconditioning of 4 hydroelectric centres in the Shaba region of the Zaire Republic 88–69175
Rentch, R. *see* Ionov, A.N. 86–41519
Rentea, D., Ghioca, L., Stefanescu, A., Sandulescu, C. New solutions concerning the participation of the secondary energy resources in covering the primary energy consumption in Romania 86–6464
Rentea, I. *see* Georgescu, G. 88–30732
Rentmeister, M. The design of rectifier-fed induction motors 87–58066
Rentmeister, M., Weib, H. Electrical traction vehicle with 400 Hz transformer 87–22861
Rentmeister, M., Weiss, H. A 'high-voltage-solution' for the power-transmission system of electrical traction vehicles 87–43599
Renton, C. RCA satcom Ku-band antenna system 87–26969
Renton, J. The versatile terminal [versatile VDUs] 86–55794
Renton, P. Electronic combination lock 88–19244
Renton, R. *see* Murray, J. 88–62915
Rentrop, P. Partitioned Runge-Kutta methods with stiffness detection and stepsize control 86–34256
Rentsch, S., Dopel, E., Petrov, V. Steady state photoisomer accumulation in the absorber jet of the passively mode-locked femtosecond dye laser 88–65782
Rentschler, I. *see* Strasburger, H. 87–50339
Rentschler, J.A. *see* Coldren, L.A. 85–24535
Rentz, O. *see* Haasis, H.-D. 88–17242
Rentz, R.L., Dolan, W.H. Integrating heating-cooling-hot water cogeneration packages into the health care sector 87–35803
Rentz, R.L., Hagey, G.L., Kirk, R.S. Fuel cells as a long range highway vehicle propulsion alternative 87–43582
Rentzepis, P.M. Laser in biological research 88–10299
Rentzepis, P.M. *see* Hopkins, J.B. 86–9727, 87–12637
Rentzsh, H. Developments and progress in converter-fed drives and motors 88–49204
Renuart, J.F. *see* Audoux, M.S. 87–48638
Renuart, J.F. *see* Roukens, J. *(editor)* 86–7395
Renuart, R.F., Harris, M. Computerized technical specifications 85–9614
Renuart, R.F. *see* Cleveland, A. 87–50938
Renucci, J.B. *see* Bedel, E. 87–1391
Renucci, J.B. *see* Fontaine, C. 86–453
Renvoise, M. *see* Mayousse, C. 88–32455
Renwei Xia *see* Xia Renwei
Renwen Wang *see* Wang Renwen
Renwich, J.T., Babson, P.E. Vibration analysis–a proven technique as a predictive maintenance tool [computerised instrumentation] 85–42850
Renwick, J.T. Condition monitoring of machinery using computerized vibration signature analysis 85–9839
Renwick, J.T. Vibration analysis–a proven technique as a predictive maintenance tool 85–10435
Renxiang Lu *see* Zhengquan Zhang 88–14077
Renxiang Lu *see* Lu Renxiang
Renxing Li *see* Li Renxing
Reny, I. *see* Sagdeev, R.Z. 87–49573
Renyan Fei *see* Fei Renyan
Renyi, I. *see* Apathy, I. 85–37434
Renyi, I. *see* Balazs, A. 85–38309
Renyi, I. *see* Breuer, P. 87–48159
Renyi, I. *see* Denes, E. 85–37436
Renyong Tu *see* Tu Renyong
Renyong Yuan *see* Yuan Renyong
Renyu Zhang *see* Zhang Renyu
Renyuan Hu *see* Hu Renyuan
Renyuan Tang *see* Tang Renyuan
Renz, B.A. *see* Boyer, T.R. 88–30428
Renz, D.D. High voltage-high power components for large space power distribution systems 85–48382
Renz, G. *see* Kraus, G. 85–40374
Renz, H. Optical inspection–are image processing systems sufficiently flexible? 87–70354
Renz, H.W. A digital subscriber system with echo cancellation 85–47045
Renz, H.W. *see* Fiedler, H.-L. 87–40605
Renz, H.W. *see* Fiedler, H.L. 86–37594
Renz, H.W. *see* Gasser, L. 85–25652
Renz, K. *see* Clays, D. 88–67184
Renz, K. *see* Koch, G. 86–12988
Renz, U., Dibelius, G. Operating experience with pressurized fluidized bed steam generator plant at the RWTH district heating power plant in Aachen 87–71940
Renz, U. *see* Stuhlmuller, P. 85–818
Renz, W., Virag, H. Clocked magnet driver 85–6240
Renz, W. *see* Voigt, C. 88–63494
Renzetti *see* Bessette 85–46111
Renzetti, P. *see* Laurenti, A. 87–74639
Renzi, R.De *see* De Renzi, R.
Renzo, G.C.Di *see* Di Renzo, G.C.
Renzoni, P. *see* Sentman, L.H. 86–3083, 86–9722
Reorda, M.Sonza *see* Sonza Reorda, M.
Reotier, P.Dalmas de *see* Dalmas de Reotier, P.
Repa, J.V. *see* Erickson, D.J. 88–49056
Repacholi, M.H. Video display terminals–should operators be concerned? 86–11447
Repacholi, M.H. Radiofrequency electromagnetic field exposure standards 87–50442
Repalov, N.S. *see* Bondarenko, M.B. 85–57047
Repalov, N.S. *see* Korostylev, A.N. 88–40615
Repalov, N.S. *see* Savchenko, I.S. 86–62500
Reparaz, A., Abraham, J.P. A new solution to the baffle jetting problem 85–9658
Repellin, J.P. *see* Ansari, R. 88–22949
Repenko, E.V. *see* Anan'in, P.S. 86–50385
Repeta, L. *see* Danby, G. 86–31881 to 31882
Repeta, M., Dignard-Bailey, L., Currie, J.F., Brebner, J.L., Barla, K. The fabrication of TiN films by reactive evaporation and rapid thermal annealing 88–63347
Repeta, M., Lagarde, C., Currie, J.F. Diagnostic pattern for OMVPE GaAs MESFET process characterization 87–38581
Repeta, M. *see* Thibeault, C. 88–38578
Repeta, T. Equal access equals progress for interexchange subscribers 85–63238
Repetti, T.E. *see* Lucey, R.F., Jr. 88–54202
Repetto, F. *see* Lucifredi, A. 88–5098
Repetto, G.V. A net gain for packet switching 87–48581
Repetto, L., Scotto, M. Digital differentiation algorithms for a computer-aided analysis of human saccadic eye moments 88–48103
Repetto, M., Simkin, J. Engineering analysis for design optimisation of differential transformers 88–44394
Repetto, M. *see* Fernandes, P. 88–52012
Repetto, M. *see* Gotelli, G. 88–52009
Repetto, M. *see* Molfino, P. 88–68356
Rep'ev, V.G. *see* Kovalev, I.I. 88–61780
Rep'ev, V.G. *see* Kovalev, I.N. 87–78086
Rep'ev, V.N. *see* Parusov, V.P. 86–60317
Repic, E. A personal-computer based work planning, authorization, monitoring and feedback system for engineering managers 87–43863
Repic, R.A. *see* Tice, S. 85–48375
Repin, A.M. Economical high-voltage electrical-energy converters 88–24044
Repin, I.A., Svirida, S.V., Semenikhin, A.N. Stable positron-lifetime spectrometer 86–70369
Repin, O.M. *see* Venediktov, Yu.P. 87–58207, 88–31563
Repin, O.N. *see* Koldanov, A.P. 86–29677
Repin, P.B. *see* Gordon, E.B. 87–54242
Repin, P.B. *see* Pavlovskii, A.I. 87–68359
Repin, V.M. *see* Zaushitsyn, V.L. 86–4975
Repinskii, S.M. *see* Semenova, O.I. 86–26885
Repinskiy, V.N. *see* Golovin, O.V. 87–55960, 88–9406
Repitskii, V.V. *see* Lenovenko, A.M. 86–17951
Repitskii, V.V. *see* Ocyka, M.I. 87–29078
Repjar, A.G., Newell, A.C., Francis, M.H. Accurate determination of planar near-field correction parameters for linearly polarized probes 88–72665
Repka, C.P. A sound mixer's guide to videodisc 85–8607
Repkin, V.P. *see* Pelegov, Yu.F. 85–8249, 88–9404
Repkin, Yu.A. *see* Zuev, V.A. 86–52211
Repko, A. The marvellous modular [data transmission over twisted pairs] 86–4464
Repko, M. Modem standards aimed at modern transmission schemes 85–63420
Repko, V.N. *see* Vorob'ev, P.A. 85–61397
Repko, V.P. *see* Olevskii, S.S. 85–28245
Repnikov, A.V., Tikhonov, V.A., Val'dovskii, A.V. Assessing accuracy with which instrument errors in inertial navigation systems can be identified given additional rotation of sensitive element unit 88–16832
Repnow, R. Modern instrumentation of electrostatic accelerators 86–32085
Repnow, R. *see* Baumann, P. 88–53982
Repnow, R. *see* Steck, M. 86–32077
Repond, J. *see* Adiels, L. 86–44602
Reponen, P. The field of activities and responsibility of electricity utility personnel 87–30079
Reponen, T. The profitability comparisons of alternative electric power expansion programs in Finland 86–25866
Report Staff *see* Staff Report
Repp, B.H., Williams, D.R. Categorical trends in vowel imitation: preliminary observations from a replication experiment 85–63004
Repp, B.H., Williams, D.R. Categorical tendencies in imitating self-produced isolated vowels 87–39702
Repp, H. *see* Andress, B. 85–32186
Repp, J.R. *see* Pavlik, D. 88–48907
Reppen, N.D. *see* Bhavajaru, M.P. 88–54956
Reppen, N.D. *see* Endrenyi, J. 88–54909
Repperger, D.W., Jacobson, J., Walbroehl, G.S., Michel, N., Goodyear, C. Design of a computerized device to measure simple reaction time/decision time 86–11929
Repperger, D.W. *see* Albery, W.B. 88–4982
Repperger, D.W. *see* Barazanji, K.W. 88–68527
Repperger, D.W. *see* Morris, A. 86–70436
Repplier, C.C. *see* Twerdochlib, M. 88–11180
Reppucci, G.M., Sorensen, A.A. Space station power system challenges 86–32466
Reppucci, G.M. *see* Decker, D.K. 85–48413
Reppy, J.D. *see* Kleiman, R.N. 86–15311
Represa, J., Dormido, S. Analysis of a frequency control system for microwave oscillators 87–44645
Represa, J., Margineda, J. System to establish the oscillation of microwave cavities at the resonant frequency 86–52712
Reprintsev, L.V. *see* Boldyshev, V.F. 88–54012
Reprintsev, L.V. *see* Bulyak, E.V. 86–5676
Repsas, K. *see* Blonskis, V. 87–74079, 88–71332
Repsas, K. *see* Tauras, V. 87–53162
Repshas, K.K. *see* Taurus, V.K. 88–39038
Repton, C., Jenkins, A. Data security in financial networks 86–4109
Rep'yak, A.N. *see* Shevchenko, A.I. 85–26402
Requa, R. *see* Paul, H.-U. 88–55547
Requardt, H., Offermann, J., Kess, H., Krause, N., Weber, H. Surface coil with variable geometry: a new tool for MR imaging of the spine 88–29985
Requardt, H., Sauter, R., Bayerl, J., Weber, H. Helmholtz coils in magnetic resonance tomography 88–4896
Requardt, H. *see* Leach, M.O. 86–65416
Requardt, H. *see* Sauter, R. 87–8900
Requena, J. *see* di Sciascio, F. 88–24284
Requicha Ferreira, L.F., Conde, C.A.N. Cascade-encoder technique for high speed analog-to-digital conversion 85–40135
Requier, J.P. *see* Annabi, M. 86–33241
Requier, J.P. *see* Barlaud, M. 85–16126, 86–6621, 86–26135
Requier, J.P. *see* Ben Slama, N. 88–69229

Resagk, C., Roppischer, H., Weise, F. Electroreflexion investigations on doped GaAs crystals 86−41544
Resau, J. *see* Kim, K.M. 85−43378
Resca, L. *see* Graft, R.D. 85−40504
Resch, G. Power station chemistry 86−61352
Resch, G. Present position of the water chemistry in power station plants 86−61353
Resch, G. *see* Enrst, J. 87−57799
Resch, G.M. *see* Kuiper, T.B.H. 86−4785
Resch, M.T., London, B.D., Ramusat, G.F., Yuce, H.H., Nelson, D.V., Shyne, J.C. SAW NDE techniques for monitoring the growth behavior of small surface fatigue cracks 85−6072
Resch, M.T., Nelson, D.V., Yuce, H.H., Ramusat, G.F. A surface acoustic wave technique for monitoring the growth behaviour of small surface fatigue cracks 86−52574
Resch, P., Tallosy, J., Valko, J., Voross, L., Czoch, I. Processing of data generated at Paks nuclear power plant for centralized use and operational feedback 85−21399
Resch, R.E. *see* Griffith, D.C. 86−45567
Resch, R.J. *see* Griffith, D.C. 86−66190, 87−64726
Rescher, H., Schadwinkel, E. Videotext in the microcomputer 88−46523
Rescher, H. *see* Schadwinkel, E. 88−46524
Reschke, D. The two- and three-dimensional simulation of semiconductor components using the methods of finite elements 86−7681
Reschke, D. The treatment of mixed boundary conditions in the three-dimensional case for the solution of partial differential equations relating to semiconductor physics using the method of finite elements 86−67993
Reschke, D., Schonefeld, R. Finite element method for 3-dimensional simulation of semiconductors 86−28253
Reschke, R., Fischer, W. Tests with sodium-sulfur batteries for electric vehicles 85−65520
Rescia, S. *see* Gatti, E. 87−77580
Rescia, S. *see* Manfredi, P.F. 85−42589
Rescia, S. *see* Radeka, V. 88−29864, 88−61180
Resco, J.A.Rodriguez *see* Rodriguez Resco, J.A.
Rese, L.di *see* di Rese, L.
Resegotti, L. *see* Billan, J. 88−68143
Resende, J.W. *see* Yacamini, R. 86−61554
Resende, M.G.C. A program for reliability evaluation of undirected networks via polygon-to-chain reductions 86−46126
Resende, M.G.C. *see* Glassey, C.R. 88−37935
Resendiz-Rodriguez, F., Evans, A.G.R. Voltage discharge of light sensors in CCD imaging devices 86−55551
Resenfeld, A. *see* Baugher, E.S. 86−69151
Reshef, H. *see* Cheng, Z. 88−40262
Reshef, H. *see* Nikumb, S.K. 87−68338
Reshef, H. *see* Seguin, V.A. 87−26453
Reshenov, S.P. *see* Gospodinov, G.A. 85−39302
Reshetin, V.P. *see* Anisimov, V.N. 87−74701
Reshetin, V.P. *see* Bol'shov, L.A. 85−51259
Reshetnikov, F.G. *see* Kochetkov, L.A. 86−65859
Reshetnikov, G.P. *see* Shelaev, I.A. 85−26621
Reshetnikov, G.P. *see* Vasilev, P.G. 86−15435
Reshetnikov, G.P. *see* Vassilev, P.G. 85−26649
Reshetnikov, I.E. *see* Salun, V.S. 88−38128
Reshetnikov, M.E. *see* Belokopytov, G.V. 85−61445, 86−58655
Reshetnikov, O.M., Khestanov, R.Kh., Chernykh, Yu.V. Vacuum tubes and transistors in audio amplifiers 86−44061
Reshetnikov, V.I. *see* Alekseev, V.N. 88−8285
Reshetnikov, V.I. *see* Arkhipova, Z.L. 86−63791
Reshetnikov, V.N. *see* Argarkova, L.V. 86−70310
Reshetnikov, Yu.A. *see* Loginov, G.V. 88−23984
Reshetnyak, A.D. *see* Ostrovskaya, B.I. 86−12690
Reshetov, A.G. *see* Plitsyn, V.T. 85−54164
Reshetov, L.A. Parametric stability (robustness) of pseudo-Bayesian estimates 87−12796
Reshetov, S.A. Optimisation of conductor cross-sections and location coordinates of power supply system components 85−21179
Reshetov, V.I. *see* Akimova, I.V. 86−9811
Reshetov, V.I. *see* Komolova, L.F. 85−24567
Reshetov, V.N. *see* Vinogradova, E.L. 85−56380
Reshetova, L.E. *see* Akimova, I.V. 86−9811
Reshey, J. Thick-film thermal stress induced by lid-seal epoxy 86−53240
Reshey, J. New developments in co-fired multilayer ceramic for custom microelectronics 87−1107
Reshidov, I.K. *see* Bulgakova, N.G. 85−31605
Reshidova, I.Yu. *see* Bratashevskii, Yu.A. 86−67703
Reshidova, I.Yu. *see* Prozorovskii, V.D. 86−67467
Reshina, I.I. *see* Arutyunov, E.N. 85−61841
Reshko, B.A., Pipko, T.V. End effect in nonmagnetic-rotor shields of finite length 87−22259
Reshko, B.A. *see* Basin, S.E. 88−69315, 88−75614
Reshko, B.A. *see* Danilevich, O.Ya. 87−9468, 88−11169
Reshko, B.A. *see* Dombrovskii, V.V. 87−4690, 87−78595, 88−43126
Reshko, B.A. *see* Veryaiskaya, L.A. 88−43128
Reshmin, B.I. *see* Lazareva, G.M. 86−45438
Reshod'ko, P.A. *see* Akhmatov, M.G. 87−51176
Resibois, M. Clutter suppressor for an amplitude detection meteorological radar 86−50745
Resin, A.A., Troyanovskii, A.D., Tsil'ker, B.Ya. Evaluating influence of navigational-system accuracy and reliability on flight safety 88−48274
Resinger, F. *see* Aron, A. 86−6944
Resinger, J. *see* Lerach, L. 86−30463
Reslinger *see* Ruello 88−72081
Resmini, F., Salomone, A. Center region studies for axial injection in the Milan superconducting cyclotron 85−64402
Resmini, F. *see* Acerbi, E. 85−58995
Resmini, F.G. *see* Bellomo, G. 85−64401
Resnek, R. *see* Pollock, J. 85−35068
Resnick, A. *see* Christman, A. 88−40688
Resnick, D. *see* Vacca, T. 87−59333
Resnick, D.J., Atwood, D.K., Kuo, T.Y., Shah, N.J., Ren, F. 0.50 μm direct write gate lithography for selectively doped heterostructure transistor devices 88−64470
Resnick, D.J. *see* Atwood, D.K. 88−64457
Resnick, D.J. *see* Johnson, W.A. 87−38037
Resnick, D.J. *see* Levy, R.A. 88−39297
Resnick, D.J. *see* Yanof, A.W. 87−11535
Resnick, D.R. Real world built-in test for VLSI 86−53771
Resnick, J.R. *see* Banik, N.C. 86−32515
Resnick, L.D., Stiglitz, M.R. An airplane powered by microwave radiation 88−36636
Resnick, M.L. SPARTA: a system partitioning aid 87−23831
Resnick, W., Zimmels, Y., Boadi, D. Magnetic structural effects of flow through beds of magnetizable particles 88−66007
Resnik, D. *see* Furlan, J. 87−49669
Resnik, D. *see* Kingsley, T. 88−6624
Resor, G.L. Lithography for flat panel video displays 88−36160
Respondek, P. Security management in energy distribution 88−55059
Respondek, P., Hofmann, W. The development, introduction and application of sensitive protective switches against fault current 86−14593
Ress, G., Seige, P. The Texas Instruments TI TC-104 CCD array, a new sensor for imaging applications 86−5025
Ress, G. *see* Seige, P. 87−14203, 88−23172
Ress, R. *see* Nauck, J. 88−15426
Ressa, J., Kay, J. The paperless test development activity−electronic transfer of information required for test documentation 88−74283
Ressayre, E. *see* Le Berre, M. 85−51252, 86−22491
Ressayre, E. *see* Valley, J.F. 87−39238
Ressayre, E. *see* Zondy, J.J. 88−72412
Ressel, P. *see* Wesch, W. 86−41687
Ressel, R., Kluge, G., Suptitz, P. Investigation of photodoping kinetics in amorphous Ge-chalcogenides 88−26042
Ressl, M.G. *see* Anthon, D.W. 88−65820
Ressler, E. The Navy completes its bridge to RF miniature components 88−59973
Ressler, H. *see* Kirchner, D. 85−58906, 86−24797, 88−74604
Ressmuller, R. *see* Zacharias, P. 87−26477
Rest, D.J.van *see* van Rest, D.J.
Resta, J.L.Tondi *see* Tondi Resta, J.L.
Resta, Y.L.Tondi *see* Tondi Resta, Y.L.
Restall, M.W. *see* Ling, J.T. 87−13309
Restarick, A.S. *see* Brigginshaw, P.M. 87−48916
Restelli, A.Balossi *see* Balossi Restelli, A.
Restelli, G., Cappellani, F. Calibration technique for IR-laser second-derivative monitoring of some trace gases in tropospheric air 85−64732
Restelli, G. *see* Cappellani, F. 86−6097
Rester, A.C., Piercey, R.B., Eichhorn, G., Coldwell, R.L., McKisson, J., Ely, D.W., Mann, H.M., Jenkins, D.A. The GRAD gamma ray spectrometer 86−50441
Restivo, A. *see* De Felice, C. 86−22918
Restivo, M. *see* Craelius, W. 86−56157, 88−4980
Restle, P. *see* Chappell, B. 88−769
Restle, P.J., Hamilton, R.J., Weissman, M.B., Love, M.S. Non-Gaussian effects in $1/f$ noise in small silicon-on-sapphire resistors 85−34208
Restle, P.J. *see* Chappell, B.A. 88−32293
Restle, P.J. *see* Sai-Halasz, G.A. 88−1654
Resto, O. *see* Perez, R. 88−45276
Resto, O. *see* Weisz, S.Z. 85−16984
Restrepo, A., Bovik, A.C. Spectral analysis of order statistic filters 87−19804
Restrepo, A., Bovik, A.C. Adaptive trimmed mean filters for image restoration 88−73185
Restrepo, A. *see* Bovik, A.C. 86−64368, 87−61872
Resvanis, L. *see* Batley, R. 86−25127
Resvanis, L.K., Tzamarias, S., Voulgaris, G., Szentgyorgyi, A., Hudson, J., Kelley, L., Learned, J.G., Sinnis, C., Stenger, V., Weeks, D.D., Gaidos, J., Kertzman, M., Loeffler, F., Palfrey, T., Sembroski, G., Wilson, C., Camerini, U., Finley, J., Frankowski, M., Fry, W., Jaworski, M., Jennings, J., Kenter, A., Koepsel, R., Lomperski, M., Loveless, R., March, R., Matthews, J., Morse, R., Reeder, D., Slane, P. The Haleakala gamma ray observatory 88−54421
Resvanis, L.K. *see* Anassontzis, E. 86−32202
Reswick, J.B. Design considerations for an electric vehicle automatic transmission 87−22864
Res'yan, A.K. *see* Kolosyuk, V.P. 86−6314
Reszke, E. *see* Bajorek, R. 87−62978, 87−74752
Reszke, E. *see* Parosa, R. 88−37749
Retajczyk, T.F. *see* Vaidya, S. 85−50390
Retallack, R.L. AEP tests 123-conductor-bundle spacers [overhead line conductors] 86−32788
Retallack, R.L. *see* Marsico, R. 86−12477
Retaud, J.P. *see* Loyer, F. 86−31774
Retelle, J.P., Jr., Kaul, M. The Pilot's Associate−aerospace application of artificial intelligence 86−70456
Reth, E.A.Von *see* Von Reth, E.A.
Rethfeldt, K.-H. *see* Reichel, G. 87−46206
Reti, K. *see* Baker, C. 88−25276
Reti, K. *see* Weste, N. 88−25275
Reti, S. *see* Szeloczei, L. 87−24989
Reticcioli, M. Numerical simulation of solar panels for communication satellites 86−51895
Reticcioli, M. Thermal-electrical dynamical simulation of spacecraft solar array 87−78945
Retig, D.A. *see* Russell, R.W. 87−49540
Retinskii, P.I. *see* Babayan, R.R. 87−17569
Retiveau, R. Evolution of automatic devices in conjunction with signalling on the SNCF 87−51547
Retivov, A.V. *see* Lupinskii, M.M. 85−58899, 88−16512, 88−53887
Retlewski, P. *see* Mannan, M. 88−12345
Retournard, A., Loos, M., Ascone, I., Goulon, J., Lemonier, M., Cortes, R. A silicon photodiode array detector covering a large solid angle for fluorescence EXAFS measurements from 2 to 25 keV 87−35374
Retout, O. Laser light 86−54067
Retout, O. Laser applications 86−54238
Retout, O. The laser, tool of the future 87−2251
Rets, P.I. *see* Amerbaev, V.M. 88−38049
Retsky, J.E. Evaluation of 68020 and 68881 circuits in a 16-bit system 86−57852
Rett, T., Vedral, J. Testing of dynamic characteristics of high-speed A/D converters 88−56719
Rettberg, P. How to get more value in your precious metal contacts 85−1106
Rettberg, R.D. *see* Bassett, P.D. 87−32730
Rettelbusch, L., Pfahlbusch, H. Digital terminations for private branch exchanges 87−20335
Rettelbusch, L. *see* Kostner, R. 86−9219
Rettelbusch, L. *see* Pfahlgusch, H. 87−73413
Rettelbusch, L. *see* Winkler, L. 88−15201
Rettemeier, W. *see* Dolezal, R. 86−33157
Rettenmaier, H. Integrated office communication. Productivity improvement in the Zahnradfabrik Friedrichshafen AG by means of modern office techniques 86−64664
Retter, G.J. Matrix and space-phasor theory of electrical machines 87−51786
Retter, M.L. *see* Foeth, H. 87−29474
Retter, R. *see* Granski, M. 88−25270
Retter, R. *see* Taylor, D.M. 87−59570
Retterer, B.L., Criscimagna, N.H. Half-maintainability−a formidable goal 88−10681
Retterer, B.L., Kowalski, R.A. Maintainability: a historical perspective 85−10557
Retterer, J.M. *see* Grossbard, N.J. 87−61975
Rettich, J. *see* Glattfelder, A.H. 88−37089
Rettich, R. *see* Huber, H.-P. 86−42330
Rettich, S., Loew, H., Stoy, B. Using regenerative energy 88−48624
Rettig, J.B. *see* Tripathi, V.K. 86−14479, 86−26997
Rettig, S. *see* Barton, H.R., Jr. 88−39845
Rettig, T. *see* Poirier, J. 88−29819
Retting, H. Goods testing, a quality control characteristic of the German Post Office 88−6290
Rettner, C.T., Marinero, E.E., Zare, R.N., Kung, A.H. Pulsed free jets: novel nonlinear for generation of vacuum ultraviolet and extreme ultraviolet radiation 85−19024
Rettner, C.T. *see* Kung, A.H. 85−7511
Rettner, L. *see* Bachmann, K. 88−49496
Retus, A. A recent development in the field of distance protective relaying 87−57709
Retus, A. *see* Castellazzi, G. 85−59688
Retz, D. TCP/IP: DoD suite marches into the business world 88−15077
Retzlaff, W. *see* Fischer, F. 85−49689 to 49690
Retzler, J.P., Zielie, P.A., Edwards, K.B., Susen, P.T. Optical disk radiation hardening considerations 88−65167
Retzler, J.P. *see* Florian, J.R. 87−32876
Retzmann, D., Krebs, R., Zahout, R. Digital real-time space-phasor converter for measurement and analysis of three phase quantities 85−14711
Retzov, K.H. *see* Nestler, W. 85−14797
Reuben, K.A. *see* Morgera, S.D. 86−44810
Reuber, C. Monomode light conducting fibres for communications of the future 85−8424
Reuber, C. Modern measuring techniques for fibre optic conductors 85−12584
Reuber, C. Memories of video at the hifi-video in Dusseldorf 85−14471
Reuber, C. New electronic components for entertainment equipment 85−50617
Reuber, C. Optical fibres become sensors 85−56310

Reuber, C. Optical fibres become sensors. II 85-62304
Reuber, C. Digital technique in entertainment electronics. Bitwise better listening and viewing 85-63854
Reuber, C. 150 MHz telemetry from the hip joint 85-64635
Reuber, C. From ferrite single crystal to video head 86-9398
Reuber, C. Digital and integrated—also in one's own office! New communications technology saves unproductive change over 86-16682
Reuber, C. Electronic displays—the interface to man 86-17822
Reuber, C. To everybody his radio communication 86-54795
Reuber, C. A surer drive from start to destination [information and navigation systems for cars] 86-69630
Reuber, C. Electronics for information and navigation in the car 86-69847
Reuber, C. Many ideas, but few products [fibre optic sensors] 87-12118
Reuber, C. Videotelephones and videoconferencing 87-40268
Reuber, C. Third Generation Optical Storage Discs 87-41236
Reuber, C. Mass produced for electronics. [resistors] 87-59907
Reuber, C. 25 years of analysis sensors 88-74329
Reuber, M., Ho, D. Pressure switch behavior in response to dynamic pressure 87-77269
Reuber, W. Managing quality. Increasing productivity in PCB manufacture 85-6593
Reuber, W. Taking least space: the testability of SMD-mounted component groups 86-9189
Reuber, W. Efficient testing during maintenance 87-1578
Reuber, W. A reliable test data management will reduce quality costs [PCB testing] 87-66753
Reucher, H., Rau, G., Silny, J. Spatial filtering of noninvasive multielectrode EMG. I. Introduction to measuring technique and applications 87-41967
Reucher, H., Silny, J., Rau, G. Spatial filtering of noninvasive multielectrode EMG. II. Filter performance in theory and modeling 87-41968
Reucher, H. *see* Rau, G. 87-57171
Reuck, J.P.de *see* de Reuck, J.P.
Reucroft, P.J. *see* Kim, J.S. 88-67776
Reucroft, S. *see* Anguilar-Benitez, M. 87-71031
Reucroft, S. *see* Baker, S.I. 86-65313
Reuhkala, E. *see* Kohonen, T. 85-2768
Reuhman-Huisken, M.E. *see* Visser, R.-J. 88-13254, 88-19887
Reuiss, R.H. *see* Wilson, S.R. 85-12104
Reukov, Yu.N. *see* Pavlysh, O.N. 86-32938, 86-39298, 86-61217, 86-65870, 88-10966
Reul, M. Definition does not equal resolution [A/D convertors] 87-44961
Reul, S. Low cycle fatigue (LCF) of solar cell welding joints made of silver 87-78937
Reul, S. A finite element simulation model and a temperature measurement method for the solar cell welding process 87-78938
Reuland, W.B. *see* Bley, D.C. 86-70757, 87-42588
Reuland, W.B. *see* Johnson, J.W. 87-78311
Reule, A., Schroder, J. Fluorescence decay temperature sensor with optimized signal processing 87-29132
Reule, A. *see* Bosselmann, T. 85-62358
Reulen, J.P.H., van Heuningen, R., Tiesinga, G., Bos, J.E. Computerised eye-movement processor for clinical applications: basic considerations and design 86-38745
Reulet, J.-F. *see* Bodin, P. 88-68626
Reulet, R. *see* Levy, L. 87-77804
Reulet, R. *see* Roux, M. 86-7028
Reum, D. *see* Wilson, J.W. 88-60246
Reumann, F. Initial operating experiences in the use of speed-controlled pump drives for a mains-heat station 87-43503
Reupke, J. *see* Kratz, G. 85-15661
Reupke, W.A. Inertial fusion systems studies and nuclear pulse propulsion 86-18486
Reus, D. *see* Reus, N. 87-57995
Reus, H.D. *see* Klockhaus, H. 86-6362
Reus, H.D. *see* Wanser, G. 87-42475, 88-36857
Reus, N., Reus, D. The symbolic marking of commutation circuits 87-57995
Reusch, J. Open frame power supplies—a novel concept 88-37289
Reusch, J. Flexibility via function-oriented design [power supply units] 88-63493
Reusch, M.F. *see* Paulson, C.C. 87-7061
Reusch, R.K. Wire sweep in small-outline packages 87-36512
Reusch, R.K. Wire sweep in small outline package 87-58680
Reuschel, K. *see* Boettger, K. 88-30870
Reuschenbach, H. *see* Langen, B. 86-4244
Reuschle, R. GaAs MESFETs in tuner front-end stages 88-57674
Reusens, P. *see* Goubert, J. 87-24135
Reusens, P. *see* Ku, W.H. 85-61316
Reusens, P.P. *see* Lichtenberg, L. 87-40556
Reushkin, N.A. A power divider with autotransformer coupling 88-38682
Reushkin, N.A., Kodaneva, T.A. Methods of improving the efficiency of the in-house part of a community TV distribution network 85-37247
Reushkin, N.A. *see* Kuznetsov, V.D. 86-36801
Reuss, B. *see* Liaw, H.M. 85-10753
Reuss, D.L. Interferometric probing of a cylindrical tube using holography 85-62676
Reuss, D.L., Schultz, P.H. Interferometric temperature measurements of a flame in a cylindrical tube using holography 87-54426
Reuss, G. *see* Grigulewitsch, W. 86-57180
Reuss, H.-C. *see* Naunin, D. 88-75655
Reuss, H.C. *see* Naunin, D. 88-69441
Reuss, R.H. Potential applications of focused ion beam technology for the semiconductor industry 85-55642
Reuss, R.H., Bushey, T.P. Application of RTA to bipolar ICs 88-39678
Reuss, R.H., Morgan, D., Goldenetz, A., Clark, W.M., Rensch, D.B., Utlaut, M. Fabrication of bipolar transistors by maskless ion implantation 86-35659
Reuss, R.H., Morgan, D., Greeneich, E.W., Clark, W.M., Jr., Rensch, D.B. Vertical *npn* transistors by maskless boron implantation 85-29194
Reuss, R.H., Weston, D.F., Brown, J.F., Remmel, T.P. Failure of nitride oxidation mask patterned by a dry etch process 86-21811
Reuss, R.H. *see* Chu, S.D. 86-35660
Reuss, R.H. *see* Clark, W.M. 88-57617
Reuss, R.H. *see* Liaw, H.M. 87-16643
Reusser, R.E. *see* Davis, W.H. 87-23590
Reut, Z., Pace, N.G., Heaton, M.J.P. Computer classification of sea beds by sonar 85-43485
Reuter, A.L. A graphical approach to understanding and preventing the phenomenon of aliasing 85-7906
Reuter, C.D. *see* Wedding, D.K., Sr. 88-16314
Reuter, D. *see* Susskind, J. 86-32565
Reuter, H. *see* Danelewsky, K. 87-35671
Reuter, K.-E. *see* Heine, W. 85-60489
Reuter, M. *see* Arun, K.S. 87-59764
Reuter, R., Franke, H. Monitoring humidity by polyimide lightguides 88-42026
Reuter, R. *see* Franke, H. 88-1920
Reuter, T. Multi-dimensional sampling rate conversion 86-64242
Reuter, T. High definition television standards conversion 87-8435
Reuter, T. Investigation of television standards converters 87-28772
Reuter, T. Motion adaptive downsampling of high definition television signals 87-34792
Reuter, T. Multi-dimensional adaptive sampling rate conversion 87-63152
Reuter, T., Schamel, G., Hilsky, R. Intensity linear processing in a digital HDTV system 86-69905
Reuter, T. *see* Klaas, L. 85-46888
Reuter, V.G. Becoming competitive with value engineering/value analysis 86-13437
Reuter, W.G. *see* Deason, V.A. 88-18806
Reuters, H. *see* Metzdorf, H.J. 88-67685
Reutler, H. Concept of a modular two vessel HTR 86-18983
Reutler, H., Andler, M. The modular high-temperature reactor as a standardized heat source 86-19089
Reutler, H. *see* Burkle, W. 86-51281
Reutlinger, I. *see* Spreng, D. 88-10716
Reutov, V.P. *see* Ezerskii, A.B. 86-57704
Reutov, V.V. Synthesis of autosynchronous combination circuits 85-61192
Reutova, N.M. *see* Egorov, V.S. 87-2070
Reutova, N.M. *see* Piotrovskii, Yu.A. 85-41301
Reutskii, A.V. *see* Borisov, R.K. 88-64818
Reutskii, S.Yu. *see* Anishev, E.Yu. 87-78960
Reutzel, L. *see* O'Clock, G.D., Jr. 86-57709
Reuvekamp, E.M.C.M. *see* Mulder, G.B.J. 87-38713
Reuver, J.L.de *see* de Reuver, J.L.
Reuy-Lin Lee, Schaffer, W.J., Chai, Y.G., Liu, D., Harris, J.S. Material effects on the cracking efficiency of molecular beam epitaxy arsenic cracking furnaces 86-46335
Reva, A.A. *see* Kozlov, E.I. 85-16475
Reva, M.G., Akimov, A.I., Korol'kova, N.V., Kurokhtin, N.V., Uzhinov, B.M. Mechanism for radiative energy transfer and expansion of the spectral lasing range in a rhodamine 6G-oxazine 17 system 86-48358
Reva, M.G. *see* Korol'kova, N.V. 87-75031
Reva, M.G. *see* Levin, M.B. 87-18921, 87-68401
Reva, M.G. *see* Rodchenkova, V.V. 85-2256
Revak, S. *see* Goetting, E. 87-17032
Revak, S. *see* Goldberg, A. 85-63175
Revankar, G.N. Cyclo-converter link AC to AC high frequency induction heating system 85-10228
Revankar, G.N., Bhagawat, R.T. Digital simulation of single phase saturistor circuits 85-5149
Revankar, G.N., Bhagwat, R.T. Digital simulation of three phase saturistor circuit configurations 85-5150
Revankar, G.N., Bhandarkar, S.M. A microprocessor-based high-accuracy speed-measurement system 85-15042
Revankar, G.N. *see* Bhagwat, R.T. 85-21689
Revankar, G.N. *see* Bhagwat, T.R. 86-61519
Revankar, G.N. *see* Pai, K.N. 86-51869
Revankar, S.T. *see* Chang, J.-S. 85-53449
Revankar, U.K. *see* Bhatia, H.S. 85-17823
Revathi, R. *see* Kutty, T.R.N. 85-35621
Revay, L.B. *see* Liljestrand, L.-G. 85-50072
Revay, L.B. *see* Sjogren, L. 86-52510
Revcolevschi, A. *see* Esteve, D. 87-53916
Revcolevschi, A. *see* Vivien, D. 88-20599
Reveillon, P. *see* Catherin, J.M. 88-44373
Revel, D. *see* Bella, G. 87-29447
Revel, G. Growth and characterization of polycrystalline silicon ingots obtained by directional solidification 86-40715
Revel, G., Pastol, J.-L., Hania, D., Nguyen Dinh Huynh Directional solidification study of molten Si for solar energy usage 87-65469
Revel, G. *see* Cabanel, C. 88-18011
Revel, G. *see* Caymax, M. 88-18026
Revel, G. *see* Kishore, R. 88-37566
Revel, G. *see* Rodot, M. 87-72424
Revelaud, G., Dechamp, J.C., Bedier, M. The introduction of electronics in low-voltage metering 87-50908
Revelaud, G. *see* Pucheral, G. 88-30424, 88-61988
Revell, D. *see* Kokke, R. 88-54302
Revell, G. *see* Jones, T.A. 88-42083
Revell, R.K. *see* Enn, H. 88-38798
ReVelle, J.B. Using variables control charts to monitor wave solder attributes data 87-10209
Revelli, J.F., Perry, S.D., Stinson, D.G. Magneto-optic compensator for MO disk substrate birefringence 87-54136
Revellin, G., Blain, G., Desmons, G., Labb, G., Lacoste, J.P., Luce, G., Mourier, C. The colour camera TTV 1525 C 85-20343
Reveman, S. Power supplies—how safe from interruption are they? 85-9468
Reveman, S. What does trouble free mean? [electronic equipment power supplies] 86-713
Reveman, S., Thorsell, L. The specification of power supplies 85-33631
Reveman, S., Thorsell, L. The specification of power packs. II 85-49723
Revenko, A.V. *see* Baldin, S.A. 86-60622
Revenko, M.A. Overload protection for power supply of magnetic-discharge pump 87-71740
Revenko, V.A., Abramov, G.S., Stoma, E.F., Leiferov, V.A. Prospects for saving material and energy resources by improving die-casting technology for rotors 86-19270
Revenko, V.A., Gol'dberg, I.E., Kurskii, D.M. Technology and set of equipment for pressure casting of rotors 85-65660
Revenkov, A.V. *see* Blokhin, A.S. 88-29134
Revenok, V.I., Sup'yan, V.Ya. Digital RF-pulse ratiometer 86-31474
Rever, W.B., III The SUNRAY II photovoltaic system design program 87-4632
Reverberi, R., Podini, P., Lenzi, G. A versatile high-quality time-to-digital converter 86-24793
Revercomb, H.E., Buijs, H., Howell, H.B., LaPorte, D.D., Smith, W.L., Sromovsky, L.A. Radiometric calibration of IR Fourier transform spectrometers: solution to a problem with the High Resolution Interferometer Sounder 88-74964
Reverend, D.Le *see* Le Reverend, D.
Revermann, H. *see* Sonntag, P. 88-53014
Revesz, P. *see* Zheng, L.R. 86-41586
Revett, M.C. Custom CMOS design using hierarchical floor planning and symbolic cell layout 86-28514
Revett, M.C. Custom VLSI design using a structured approach: the ASTRA CAD system 86-66906
Revin, A.V. *see* Lazarev, Yu.N. 87-35725
Revin, A.V. *see* Smutnev, V.I. 86-61216
Revin, D.G. *see* Belyantsev, A.M. 88-33912
Revin, I.D. *see* Abdulkadyrov, V.A. 86-22617
Revin, L.G. *see* Brzhezitskii, V.A. 86-11667
Revin, L.G. *see* Gamazov, Yu.A. 85-8821
Revina, N.A. *see* Komarov, V.A. 88-70387
Revington, A.M. *see* Williams, D.R. 85-65137
Revinskii, V.V. *see* Vinogradov, S.V. 88-34099
Revis, E.I. *see* Nevel'son, M.S. 86-38555
Revkin, S. *see* Sun, M. 85-63302
Revkov, E.G. *see* Voronin, F.V. 87-36278
Revschle, R. Mixer stages with MESFETs 88-60396
Revun, A.D. *see* Kochemasov, V.N. 85-63523, 86-37057, 86-43125
Revyakin, V.V. *see* Roschin, G.V. 85-38423
Revyakin, V.V. *see* Roshchin, G.V. 85-32060
Rewiersma, P. *see* Battiston, R. 85-59224
Rewse-Davis, J. Cabling in construction 86-43704
Rex, H.-G. Electrical fuses. VII. Reliable service line 85-11701
Rex, H.-G. Calculations of models for non-adiabatic processes [fuses] 87-66655
Rex, J.A. *see* Dakin, J.P. 86-68293
Rex Chou *see* Po Lung Yu 88-25602
Rey, A., Jeuch, P. Technology of VLSI contacts 86-21712

Rey, A., LaFond, D., Mirabel, J.M., Tacussel, M.C., Coster, M.F. A double level aluminium interconnection technology with spin on glass based insulator 87−1796
Rey, A., Noel, P., Jeuch, P. Influence of temperature and Cu doping on hillock formation in thin aluminium film deposited on Ti:W 85−40666
Rey, A., Peccoud, L., Chevallier, M., Noel, P. Technological performances of Al 2 wt.% Cu and Al 2 wt.% Ti deposited on Ti:W 86−28441
Rey, A. *see* Fiorese, S. 85−47109
Rey, A. *see* Gueth, G. 88−23333
Rey, B.Molinari de *see* Molinari de Rey, B.
Rey, C. *see* Moreno, E. 86−27640, 88−38325
Rey, G., Bailbe, J.P., Marty, A., Antarasana, C., Cazarre, A., Tasseli, J. Bipolar structures on GaAs for integrated circuits 86−15253
Rey, G. *see* Bailbe, J.P. 85−50500, 88−19936
Rey, G. *see* Briand, P. 85−28682
Rey, G. *see* Cazarre, A. 86−15568
Rey, G. *see* Magne, R. 87−66835
Rey, G. *see* Tasselli, J. 87−1494, 88−56597
Rey, G. *see* Tonon, G. 85−28701
Rey, H.R., Lee, K.I., Fox, H.E., Soulos, T., James, L.S. A microcomputer controlled large-character display system for intra-partum monitoring 85−31778
Rey, H.R. *see* Schulze, K. 85−31861
Rey, J.-C. *see* Gantzer, S. 87−20546
Rey, J.C., Luvison, A. LION: a local integrated optical network 86−11142
Rey, J.C., Luvison, A., Maaloe, J., Toft, F. An ESPRIT project: a local integrated optical network 87−48613
Rey, M.T., Vant, M.R. Image enhancement techniques for SAR ship imagery 87−27629
Rey, P. *see* Meyer, J.J. 85−4313
Rey, P. *see* Picard, P. 88−31413
Rey, V. *see* Kolodziejczyk, E. 88−10649
Rey-Bin Tang *see* Chung-Len Lee 87−74410
Rey-Lin Chou, Min-Shyong Lin, Kan-Sen Chou Characteristics of CdTe grown on Si by low pressure metalorganic chemical vapor deposition 86−34308
Rey-Lin Chou *see* Kan-Sen Chou 86−452
Rey-Lin Chou *see* Min-Shyong Lin 87−10422, 88−12017
Reyer, S.E. A demonstration unit for digital signal processing development and experimentation 87−23200
Reyes, A.F.de Los *see* de Los Reyes, A.F.
Reyes, A.Fernandez de los *see* Fernandez de los Reyes, A.
Reyes, B. *see* Gardner, R.M. 85−36243
Reyes, E.de los *see* de los Reyes, E.
Reyes, F. *see* May, J. 85−20282
Reyes, H. *see* Zahn, M. 87−43171
Reyes, J. *see* Rodriguez, M.A. 85−34451
Reyes, J.D. Deprocessing locates IC failure causes 87−59464
Reyes, P. *see* Maenchen, J. 87−17599
Reyes, W. *see* Currence, R. 87−17430
Reyes, W.A. *see* Martin, F.C. 85−49347
Reyes, W.A. *see* St. Peter, E. 85−22251
Reyes Davo, E.de los *see* de los Reyes Davo, E.
Reyes-Serrato, A. *see* Palomera-Garcia, R. 86−7921
Reyfman, S. *see* Concina, S. 87−32637
Reygaert, P. *see* De Geest, G. 88−10380
Reyhan, T. *see* Parsons, J.D. 85−57997
Reylek, R.S. *see* Hoopman, T.L. 88−64157
Reymann, D. A simple thermoregulated enclosure for standard cells 85−14956
Reymann, D. *see* Delahaye, F. 85−58834
Reymann, D. *see* Delahye, F. 86−24697
Reymann, D. *see* Witt, T.J. 87−14467, 88−16418
Reymers, R.M. *see* Deddens, J.C. 85−21378
Reymond, B. *see* Merlette, A. 87−6699
Reyna, E. *see* Pitts, D.E. 88−42634 to 42635
Reyna, J. *see* Crispin, J. 86−23799
Reyna, J. *see* Cummins, J.M. 85−42554
Reyna, L.G.M. *see* Brown, D.L. 85−60921
Reynaert, L. *see* Puers, B. 88−53619
Reynales, T.E. *see* Botkin, D.B. 86−18604
Reynaud, C. *see* Blinowska, A. 88−61385
Reynaud, C. *see* Strnad, A. 85−65292
Reynaud, F. *see* Barthelemy, A. 88−58681
Reynaud, F. *see* Emplit, P. 87−60923
Reynaud, F. *see* Maneuf, S. 88−51935
Reynaud, G. Elimination of static electricity: conductive flooring 86−29293
Reynaud, J.C. *see* Durandet, A. 88−16548
Reynaud, J.C. *see* Guillaume, M.E. 85−29243
Reynaud, M. *see* Burq, J.P. 87−35362
Reynaud, R., Devod, F., Martin, E. Contribution to integration for signal-processing processors 86−14271
Reynaud, R. *see* Demoment, G. 86−23023, 88−18573
Reynaud, R. *see* Martin, E. 87−10917
Reynaud, S., Giacobino, E. Squeezing in bistable optical systems 88−72410
Reynaud, S. *see* Ansorge, R.E. 88−29842
Reynaud, S. *see* Fabre, C. 88−20756
Reynaud, S. *see* Giacobino, E. 88−27283
Reynaud, S. *see* Heidmann, A. 85−46297, 85−51076
Reynaud, S. *see* Horowicz, R. 87−33239
Reynbot, A.Ye. *see* Avramenko, V.A. 86−37763
Reynders, J.P., Modry, R., Meppelink, J. Breakdown in a coaxial gap with the application of disconnector generated transients 87−60701
Reynders, J.P., Modry, R., Meppelink, J. Volt-time curves of disconnector-generated fast transients inside GIS 88−49090
Reynders, J.P. *see* Chandler, H.D. 86−51079
Reynders, L. Mixed analog and digital design with CMOS standard cells 87−1780
Reynders, L. *see* Bartholomeus, M. 86−976
Reyne, G., Meunier, G., Imhoff, J.F., Euxibie, E. Magnetic forces and mechanical behavior of ferromagnetic materials. Presentation and results on the theoretical, experimental and numerical approaches 88−51171
Reyneri, J. *see* El Gamal, A. 87−18336, 88−70689
Reyneri, J. *see* Gamal, A.E. 86−62604
Reyneri, J.M., Karnin, E.D. Coin flipping by telephone 85−19551
Reyneri, L. *see* Rosgen, T. 87−41419
Reynes, A., Esteve, D., Farre, J., Pham, V.V., Simonne, J.J. Elaboration and properties of a linear pyroelectric PVDF focal plane array 88−74476
Reynes, L., Rolland, P. Projects for pressurized-water power stations of today and tomorrow 88−48661
Reynes, L. *see* Noel, R. 88−43015
Reynes, L.J., Noel, R. Longer plant life through maintenance practices 87−78290
Reynolds, C. Setting standard sizes for tantalum chips 87−37597
Reynolds, C.B. Diode doubling 85−40914
Reynolds, C.B. Analysis and guidelines for high-speed VLSI system interconnections 88−64067
Reynolds, C.E. A subminiature connector designed from the board up for surface mounting 88−32678
Reynolds, C.F., III. *see* Brenner, R.P. 87−50330
Reynolds, C.L., Gibson, W.C., Clemans, J.-E. Uniformity of threshold voltage for MESFETs fabricated on VGF GaAs substrates 88−7625
Reynolds, C.L., Holbrook, W.R., Shimer, J.A., Tharaldsen, S.M., Agra, G.P. Experimental verification of transition from gain- to index-guiding in a rib-waveguide AlGaAs laser 87−18955
Reynolds, C.L., Jr., Holbrook, W.R., Nygren, S.F., Shimer, J.A., Logan, R.A., Temkin, H. Schottky barrier restricted AlGaAs laser with an etched mesa ohmic contact 85−7452
Reynolds, C.L., Jr., Nygren, S.F., Gaw, C.A. Intermittent loss of light output and switching behavior in AlGaAs lasers modulated at 90 Mbit/s 86−48406
Reynolds, C.L., Jr., Nygren, S.F., Gaw, C.A. Mg doping in LPE grown AlGaAs and the temperature dependence of threshold current in injection lasers 87−6534
Reynolds, C.L., Jr., Nygren, S.F., Lapinsky, R.L., Vehse, R.C., Brown, M.G. A reliable package for hermetic encapsulation of InGaAsP edge emitting LEDS 88−2137
Reynolds, C.L., Jr *see* Gaw, C.A. 86−47393
Reynolds, C.L., Jr *see* Shimer, J.A. 85−29845
Reynolds, C.L., Jr. *see* Tamargo, M.C. 85−49556
Reynolds, C.L., Jr. *see* Temkin, H. 85−29807
Reynolds, D., Keys, L. Signal distribution in tomorrow's television plant 87−20697
Reynolds, D.B. *see* Stetson, S.B. 87−49550
Reynolds, D.C., Bajaj, K.K., Litton, C.W., Yu, P.W., Klem, J., Peng, C.K., Morkoc, H., Singh, J. Excitonic photoluminescence linewidths in AlGaAs grown by molecular beam epitaxy 86−42415
Reynolds, D.C., Bajaj, K.K., Litton, C.W., Yu, P.W., Masselink, W.T., Fischer, R., Morkoc, H. Optical characterization of interfaces in MBE grown GaAs-GaAlAs multiquantum-well structures 85−45424
Reynolds, D.C., Bajaj, K.K., Litton, C.W., Yu, P.W., Singh, J., Masselink, W.T., Fischer, R., Morkoc, H. Determination of interfacial quality of GaAs-GaAlAs multi-quantum well structures using photoluminescence spectroscopy 85−23499
Reynolds, D.C. *see* Bajaj, K.K. 87−74088
Reynolds, D.C. *see* Parsons, J.D. 86−52499
Reynolds, D.C. *see* Pearah, P.J. 85−56421
Reynolds, D.C. *see* Yu, P.W. 86−47355, 87−66947
Reynolds, D.D., Basel, R., Wasserman, D.E., Taylor, W. A study of hand vibration on chipping and grinding operators. I. Vibration acceleration levels measured on pneumatic tools used in chipping and grinding operations 85−15032
Reynolds, D.J. Every beam has its moment 85−2666
Reynolds, D.J. Using the AEA 'Micropatch' [RTTY application] 85−25334
Reynolds, D.J. DXing with dipoles: some practical considerations 88−34435
Reynolds, D.J. Wind loading. I 88−40668
Reynolds, D.J. Wind loading. II. [Amateur radio masts] 88−53131
Reynolds, D.K. Power generation and energy management in an Australian steelworks 86−45851
Reynolds, D.K., Smithmeyer, L.P. Optimizating feed systems of end-excited vertical dipoles 85−13423
Reynolds, D.M. *see* Barkanic, J.A. 88−64107
Reynolds, F.H. *see* Keller, A.Z. 85−7989
Reynolds, G. *see* Klinger, A. 85−36414
Reynolds, G. *see* Lehrer, N.B. 87−69365
Reynolds, G.A., Short, M., Whiffen, M.C. Automated reduction of instantaneous flow field images 85−51720
Reynolds, G.F., Dymek, C.J., Jr. Primary and secondary room temperature molten salt electrochemical cells 86−6973
Reynolds, G.F. *see* Dymek, C.J., Jr. 88−11368
Reynolds, G.H. *see* Elsner, N.B. 85−53853, 86−58274
Reynolds, G.J. Low pressure chemical vapor deposition of tantalum silicide 88−63361
Reynolds, G.O. Holographic fringe linearization interferometry (FLI) for defect detection 85−61014
Reynolds, G.O. A concept for a high resolution optical lithographic system for producing one-half micron linewidths 87−11563
Reynolds, G.O., Mueller, P.F., Servaes, D.A., DeVelis, J.B. Phase measurements with image holography 87−12633
Reynolds, G.O., Servaes, D.A., Ramos-Izquierdo, L., DeVelis, J.B. Holographic fringe linearization interferometry (FLI) for defect detection. I. The basic concept 86−7871
Reynolds, G.O., Servaes, D.A., Ramos-Izquierdo, L., DeVelis, J.B. Holographic fringe linearization interferometry (FLI) for defect detection. III. Load desensitization with moire techniques 86−7873
Reynolds, G.O., Servaes, D.A., Ramos-Izquierdo, L., DeVelis, J.B., Peirce, D.C., Hilton, P.D., Mayville, R.A. Holographic fringe linearization interferometry for defect detection 86−3349
Reynolds, G.O. *see* Peirce, D.C. 86−7872
Reynolds, J. A new digital architecture for PAL signal generation 87−70231
Reynolds, J., Randall, D. The design of disc controllers with logic cellular arrays (LCA). Performance is improved with user programmable gate arrays 88−32105
Reynolds, J. *see* Gupta, R. 87−73695
Reynolds, J.A., Fundakowski, D.B. Defect fidelity on chrome and aluminum coated glass wafers 88−1740
Reynolds, J.A. *see* Hilton, R.T. 86−13521
Reynolds, J.C. Information access vs. deliverables 87−16350
Reynolds, J.C. Maintenance 'plateaus'−a transition from mathematical predictions to user controlled reliability levels 88−265
Reynolds, J.H. *see* Gupta, R.K. 88−571
Reynolds, J.k., Postel, J.B., Katz, A.R., Finn, G.G., DeSchon, A.L. The DARPA experimental multimedia mail system 86−16826
Reynolds, J.K. *see* Postel, J.B. 88−52777
Reynolds, J.M. *see* Biddle, A.P. 86−44535
Reynolds, J.S. Frequency/voltage convertor with low output ripple 86−62792
Reynolds, K. Cooling systems in 19-inch cabinets 85−16801
Reynolds, K. Systems need good cooling 85−22253
Reynolds, K. Standards create fresh challenges 85−23271
Reynolds, K. Connectors−the key to integration 86−1462
Reynolds, K. RFI shielding and electromagnetic compatibility 87−7541
Reynolds, K. *see* Freeman, R. 88−1210
Reynolds, K.A. *see* Alexander, W.O. 85−49261
Reynolds, L. *see* Atherton, D.L. 85−10844
Reynolds, L. *see* Jacobs, P.F. 86−36627
Reynolds, L.D. Gas flow pattern studies using holographic interferometry 88−42328
Reynolds, L.D. *see* Deason, V.A. 86−3345
Reynolds, M. *see* Smith, D.J. 87−22118, 88−5419, 88−61854
Reynolds, M.G. Power loss in tubular conductors of induction heating coils 85−32812
Reynolds, M.G. *see* Speck, C.E. 85−32859, 88−8407
Reynolds, M.J. Plastic chip carriers 85−16790
Reynolds, M.I., Soderman, D. Some considerations of the operations of optical imaging space sensors derived from the experience of the Metric Camera Project 85−64707
Reynolds, M.L. *see* Morancais, D. 87−49188
Reynolds, M.L. *see* Rast, M. 87−57338
Reynolds, M.R., Gagen, P.F. Field splicing of single-mode lightguide cable 85−20237
Reynolds, M.R. *see* Hardwick, N.E., III 85−46171
Reynolds, M.R. *see* Jenkins, A.C. 86−49645
Reynolds, N. Recent and future trends in the design of electrical accessories 85−6575
Reynolds, N.S. *see* Shields, W.M. 88−42955
Reynolds, P.F., Jr. *see* Nicol, D.M. 85−63383
Reynolds, P.H. Computer-aided partial discharge measurements 88−29268
Reynolds, P.H., Bilodeau, T.M. Comments, on 'A critical evaluation of conventional partial discharge measurement techniques for discrete capacitors' [and reply] 88−25581

Reynolds, P.H., Leszczynski, S.A. DC insulation analysis: a new and better method 85—59825
Reynolds, P.H., Leszczynski, S.A. Insulation analysis: experience with a new method 88—64835
Reynolds, P.W. *see* Taylor, T. 85—44825
Reynolds, Q. *see* Boyer, S. 88—1225
Reynolds, Q.M., Norton, M.G. Thick film platinum temperature sensors 86—20987
Reynolds, R. Packaging for custom silicon 87—65218
Reynolds, R. General features of the route [optical fibre cable] 88—9572
Reynolds, R. *see* Luecke, H. 88—28222
Reynolds, R. *see* Weis, V. 85—55268
Reynolds, R.A. Surface mount assemblies and leadless ceramic chip carriers combine to provide high performance 85—34289
Reynolds, R.A. SMDs invade military and commercial equipment 85—55244
Reynolds, R.A. Surface-mount electronics meet the military's high reliability needs 86—14622
Reynolds, R.A. Surface-mounting poises for a military takeover 87—43984
Reynolds, R.A. *see* Cairns, J.R. 87—3031
Reynolds, R.A. *see* Chen, L.S. 85—38124
Reynolds, R.A. *see* Goldwasser, S.M. 86—25199, 87—14885, 87—77647
Reynolds, R.A. *see* Gordon, D. 85—41948
Reynolds, R.A. *see* Lih-Shyang Chen 86—25198
Reynolds, R.A. *see* Talton, D.A. 87—57065
Reynolds, R.C. *see* Fischer, N.H. 85—31890
Reynolds, R.E. The academic medical center: can it survive (without) communications networking? 87—34155
Reynolds, R.G. *see* Esteva, J.C. 87—14103
Reynolds, R.L. History of coal mine electrical fatalities since 1970 86—26565
Reynolds, R.L. *see* Helfrich, W.J. 86—32841
Reynolds, R.L. *see* Kaufman, S. 85—37042, 85—52359
Reynolds, S., Belford, R.E. Amorphous semiconductors 88—19675
Reynolds, S., Vook, D.W., Gibbons, J.F. Limited reaction processing: growth of III-V epitaxial layers by rapid thermal metalorganic chemical vapor deposition 87—23627
Reynolds, S., Vook, D.W., Gibbons, J.F. Limited reaction processing: growth of III-V epitaxial layers by rapid thermal metalorganic chemical vapor deposition 88—38262
Reynolds, S. *see* Choi, W.K. 87—24833, 88—25938
Reynolds, S. *see* Gibbons, J.F. 88—12031, 88—38260
Reynolds, S. *see* Lecomber, P.G. 86—41580
Reynolds, S. *see* Pitt, C.W. 88—65317
Reynolds, S. *see* Vook, D.W. 87—52169
Reynolds, S.C. *see* Macari, L. 87—4643
Reynolds, T., Chipman, J. Source effects on long-haul, singlemode fiber attenuation measurements 87—26026
Reynolds, W. *see* Gardner, G.Y. 88—21321
Reynolds, W.L. *see* Graf, H.J. 85—40607
Reynolds, W.N. Thermographic methods applied to industrial materials 87—23766
Reynolds, W.N. TSA and thermography 88—12117
Reynolds, W.N. Inspection of laminates and adhesive bonds by pulse-video thermography 88—63413
Reynolds, W.N., Scudder, L.P., Pressman, H. The use of ultrasonic wave attenuation to monitor polymer and composite quality 87—365
Reynolds, W.N., Smith, R.L. The analysis of ultrasonic wave attenuation spectra in metals 86—527
Reynolds, W.N. *see* Milne, J.M. 85—49665, 87—16764
Reynolds, W.R. *see* Sullivan, S.P. 88—52578
Reynoldson, J. *see* Bower, C.R. 87—14732
Reynoldson, J. *see* Calicchio, M. 88—29811
Reynoso, A. *see* Mimila-Arroyo, J. 88—19990
Reynoso, J.A. *see* Mimila-Arroyo, J. 85—16960
Reyraud, Y. From reliability to maintenance of emergency generator sets in nuclear energy plants 86—65831
Reyrolle, M. *see* Chadelas, R. 86—25144
Rez, I.S. Practical use of ferroelectric properties near phase-transition points 86—53840
Rez, I.S. Multipurpose noncentrosymmetric laser crystals 87—33129
Rez, I.S. *see* Vladimirtsev, Yu.V. 85—51231
Rez, J. Apparatus for surge short-circuit current measurement 88—43240
Reza, F.M. A multiplication theorem for two-variable positive real matrices 86—20155
Reza, F.M. The normal family of linear systems 86—20684
Reza, F.M. The normal *n*-ports; their energy and maximal power transfer behaviour 86—57605
Reza, F.M. Two-element type normal n-ports 87—31668
Reza, F.M. On maximal power transfer problem 88—49984
Reza, K.A. *see* Hussain, M. 87—30460
Rezabek, J. *see* Meninger, M. 85—47391
Rezac, R.R., Smith, L.T. Methodology for and results from the use of a hardware logic simulation engine 85—33860
Rezac, R.R., Turner Smith, L. A simulation engine in the design environment. I. Normal simulation methodology and results 85—33739
Rezac, R.R. *see* Smith, L.T. 85—33826, 86—8159
Rezach, B.D. *see* Minkler, W.S. 88—73597
Rezaev, V.V. *see* Sokolov, V.K. 87—35567
Rezai, K. *see* Chang, W. 87—77651
Rezaie, B., Maghsoodi, R. Registration of rotated images 87—69330
Rezaie, B., Srinath, M.D. Algorithms for fast image registration 85—25153
Rezaie, B. *see* Maghsoodi, R. 87—69331
Rezanov, Yu.V. *see* Goremyshev, V.N. 87—66629
Rezanov, Yu.V. *see* Grigor'ev, B.I. 86—2129
Rezapour, A. *see* Schroer, B.J. 88—63016
Rezavidi, A. *see* Mostavan Qamaruzzaman, A. 86—45293
Rezazadeh, A.A., Barnard, J.A., Kerr, T.M. The role of electron traps in the DC current gain of GaAs/GaAlAs heterojunction bipolar transistors prepared by MBE 86—53607
Rezazadeh, A.A., Frost, M.S., Kerr, T.M., Wood, C.E.C. *npn* and *pnp* GaAs/GaAlAs heterojunction bipolar transistors for high speed and high temperature applications prepared by molecular beam epitaxy 86—53602
Rezazadeh, A.A., Morgan, D.V., Mawby, P.A., Kerr, T.M. Current transport mechanism at the emitter-base junction of an n-p-n GaAs/GaAlAs heterojunction bipolar transistor prepared by MBE 87—45889
Rezazadeh, A.A. *see* Hughes, W.A. 88—56949
Rezazadeh, A.A. *see* Morgan, D.V. 88—57613
Rezazadeh, M., Evans, N.E. Remote vital-signs monitor using a dial-up telephone line 88—74798
Rezazzadeh, A.A. *see* Ashburn, P. 88—13566
Rezchikov, A.A., Kocherga, V.G. Certification of microwave noise generators taking into account the coupling of the thermoelectric parameters 88—42178
Rezchikov, A.A. *see* Puchkov, E.V. 86—31575
Rezek, E.A., Tran, D., Yow, L. Reliable high power 1.3 micron DCPBH laser diodes 87—75127
Rezek, E.A., Yow, L., Burghard, A., Figueroa, L. Junction-current-confinement planar 1.3 μm InGaAsP/InP surface-emitting LEDS 86—29010
Rezek, E.A. *see* Li, K. 85—2155
Rezek, E.A. *see* Lin, C.L. 87—24913
Rezende, A.T., Sato Turtelli, R., Missell, F.P. Magnetic permeability after-effect and the transition from Co-rich to Fe-rich amorphous alloys 88—51179
Rezende, A.T.De *see* De Rezende, A.T.
Rezhko, N.A., Burlutskii, A.S., Plakhov, I.M. Investigation of control gauges for an electromagnetic suspension 85—39268
Rezic, A. The influence of the overlap on the magnetic characteristics of the transformer core 88—43251
Rezig, B., Choukri, H., Bougnot, J., Llinares, C., Savelli, M. Photo-induced junction behaviour of light-degraded CdS-Cu_2S solar cells 86—13047
Rezine, H. *see* Davat, B. 85—44004
Rezkin, V.V.Be *see* Be Rezkin, V.V.
Rezlescu, E. *see* Rezlescu, N. 85—41013, 87—73154
Rezlescu, N., Rezlescu, E. Nickel-zinc ferrites with additives for use in magnetic heads 87—73154
Rezlescu, N., Teodoriu, R., Filip, D., Chiriac, M., Moldovanu, E., Rezlescu, E., Grimberg, R., Badescu, V., Bradu, E.-B., Neagu, M., Cojocaru, N. Progress and trends in magnetism 85—41013
Rezmer, R. *see* Balka, L. 88—47985
Rezmer, R. *see* Hahn, S.R. 88—47990
Rezna, A. *see* Stojan, M. 86—11999
Reznev, A.A. Some problems in designing miniature tunnel-diode oscillators 85—6211
Reznicek, B. *see* Drab, Z. 88—25749
Reznichenko, A.V. *see* Bondar, M.V. 88—40346
Reznichenko, K.N., Fedorov, V.N., Kozlov, V.V. Electron spectroscopy study of the surface films formed on sliding cadmium bronze contacts 87—37617
Reznichenko, V.F. *see* Verigin, A.M. 85—5563
Reznichenko, V.I., Shaganov, N.N., Get'man, V.G. The ATS-3 and ATS-8 master control rooms 86—24032
Reznik, A.E. *see* Gal'perin, M.P. 86—27362
Reznik, A.L. *see* Efimov, V.M. 85—30288, 87—19633
Reznik, A.N. Polarization of centimeter band thermal radiation from rain 86—48583
Reznik, A.N. *see* Barabanov, A.P. 87—35494
Reznik, A.N. *see* Gaikovich, K.P. 88—5185
Reznik, K.A. Method for determining the number of check points on a scale 87—3367
Reznik, L.F., Torbenkov, G.M., Chechushkov, V.G. An approach to finding power components in a circuit 87—78089
Reznik, L.F. *see* Torbenkov, G.M. 85—65002, 86—39252
Reznik, L.K. The use of Ill-defined information to increase the accuracy of evaluation of measured variables 86—24250
Reznik, L.K., Solopchenko, G.N. Use of a priori information on functional relations between measured quantities for improving accuracy of measurement 87—8493
Reznik, M.B. *see* Lisunova, T.N. 85—16396
Reznik, M.M. *see* Duzhii, T.M. 86—1641
Reznik, M.M. *see* Krasnoshchekov, E.P. 86—47183
Reznik, N.I. *see* Levchenko, G.I. 87—57919
Reznik, O.A. *see* Zhidiyatov, A.M. 88—5555
Reznik, V.A. *see* Kushnarenko, V.V. 85—15706, 85—48856
Reznik, V.E. *see* Kuznetsov, N.D. 85—5617
Reznik, V.Ya. *see* Enisherlova, K.L. 87—25116
Reznikov, A.E. *see* Gorbunov, S.A. 85—41752, 88—8485
Reznikov, A.E. *see* Poezd, A.D. 88—40571
Reznikov, A.L. Systematic error of a measurement channel containing pulse-frequency and secondary data converters 87—70340
Reznikov, A.L. Simulating the systematic error in a measurement channel containing pulse-frequency and secondary converters 88—35900
Reznikov, B.L. *see* Ivanov, V.I. 87—77184
Reznikov, B.L. *see* Ukhlinov, G.A. 86—31394
Reznikov, D.V. *see* Golovanivskii, K.S. 88—29788
Reznikov, I.F. *see* Molchanov, A.A. 86—8136, 86—20158
Reznikov, I.V. Effect of input window on noise of photoelectronic devices 88—32732
Reznikov, I.V. *see* Aksenova, L.D. 85—58351
Reznikov, I.V. *see* Godlevskaya, S.V. 87—72792
Reznikov, I.V. *see* Nakhan'kov, A.A. 86—57631
Reznikov, I.V. *see* Vetokhin, S.S. 85—26341, 85—40412, 86—1644, 87—24727, 88—25847, 88—71291
Reznikov, I.V. *see* Zubchenok, V.Ya. 88—31997
Reznikov, M.G. Correcting band-pass filtering with maximal signal compression 85—31974
Reznikov, M.G. Optimal correction filtering of seismic signals with a finite spectrum 86—12132
Reznikov, M.I. *see* Govorkov, S.A. 87—45660
Reznikov, P.V. *see* Braginskaya, A.G. 86—3113
Reznikov, P.V. *see* Galchenkov, D.V. 88—40227
Reznikov, P.V. *see* Gubarev, A.A. 87—75055
Reznikov, P.V. *see* Katsap, V.N. 88—51817
Reznikov, S.B. *see* Bertinov, A.I. 88—49224
Reznikov, S.B. *see* Mizyurin, S.R. 85—61075, 86—7253
Reznikov, S.B. *see* Smirnov, S.V. 85—20991, 85—21073
Reznikov, V.A. *see* Kashnikov, G.N. 85—41341
Reznikova, I.A. *see* Molchanov, A.A. 86—8136, 86—20158
Reznikova, S.P. *see* Ilyushin, V.F. 88—37081
Reznikova, Zh.I., Ryabko, B.Ya. Analysis of the language of ants by information-theoretical methods 87—39560
Reznikovskii, A.M., Rubinshtein, M.I., Stepanov, V.A. Selection of the design production of hydroelectric stations when planning the fuel supplies of power interties with a large share of hydropower 87—9407
Reznikovskii, A.Sh., Rubinshtein, M.I. Control of the conditions for input of hydropower into the unified power system of the USSR 88—55225
Reznikovskii, A.Sh. *see* Peterson, L.L. 86—25942
Reznitskaya, T.D. *see* Kot, A.A. 85—4924
Reznitskii, M.E. *see* Bystrov, L.N. 86—57511
Rezny, J. *see* Stojan, M. 86—11999
Rezny, M.A. *see* Banerjee, S. 86—22966
Rezny, Z. *see* Surova, H. 85—38167
Rezrazi, M., Bohnke, O., Pagetti, J. Electrochromic behaviour of thin films of tungsten trioxide prepared by anodic oxidation of tungsten with pulsed current 87—68004
Rezsofi, F. Investigation of the load capacity of transmission line pole foundations 87—42514
Rezsofi, F., Szabo, T. Investigation of the stresses caused by the founding dislocations in transmission line pylon structures 86—6392
Reztsov, V.F. *see* Glushkov, E.A. 85—49646, 86—7747
Reztsov, V.P., Furshchik, A.B. System for adjustment of the K580 microprocessor, based on the microcomputer 'Elektronika-60' 85—11320
Rezulski, M. Group delays and luminance distribution in edge diode electroluminescence near fields 85—2160
Rezulski, M. Vignetting in electro-optical distance meters 86—36258
Rezulski, M. A method for the prediction of nonlinear additive corrections and return signal amplitudes in an electro-optical distance meter 87—54110
Rezulski, M. Simple model of light propagation in a graded-index optical fibre and its numerical application 87—61390
Rezunkov, Yu.A. *see* Borisov, M.F. 86—29056
Rezvani, B., Hayes, C. Design and analysis of surface coils for NMR imaging 87—77655
Rezvani, F. *see* Guza, R.T. 88—74985
Rezvanov, D.M. *see* Domakov, V.V. 86—49714
Rezvov, A.V. *see* Denisova, N.A. 85—34452
Rezvov, A.V. *see* Kruze, T.A. 85—12194

Rezvov, V.A., Serikov, I.N., Sklyarenko, V.I., Yudin, L.I., Yarosh, V.E. A two-coordinate position-sensitive detector with video display of the information 85-15193
Rezvyakov, N.A. *see* Gubanov, V.V. 87-16866
Rezvyakov, N.A. *see* Petrov, V.M. 88-19436
Rezvykh, K.A. The error of using the finite-difference method in electrostatic problems with complex boundary configurations 85-62722
Rezzonico, C. A methodology for checking ground clearances on overhead lines 87-9195
Rezzonico, L. *see* Joho, W. 86-24904
Rezzoug, A., Mailfert, A., Manfe, P. Cryogenic supersaturated synchronous machine optimization and first experiment results 85-27398
Rezzoug, A., Sargos, F.M. Three-dimensional field computation of charged sectors: A semianalytical method 88-2479
Rezzoug, A., Sargos, F.M., Attaf, M.T. Application of 3-D semi-analytical field computation to cryogenic supersaturated synchronous machine 87-15704
Rezzoug, A. *see* Mailfert, A. 85-27373
Rezzoug, A. *see* Manfe, P. 88-30660
Rezzoug, A. *see* Sargos, F.M. 88-69413
Rha, P.S., Barnett, L.R., Baird, J.M., Grow, R.W. Self-consistent large signal theory and simulation of high harmonic gyrotron and peniotron oscillators operating in a magnetron-type cavity 86-47243
Rha, P.S. *see* Shrivastava, U.A. 86-53293
Rhama, B.M.Zizur *see* Zizur Rhama, B.M.
Rhame, R.J. *see* Wiley, J.L. 85-31345
Rhan, J., Lutz, R.W. An integrated dual power operational amplifier for servo applications 87-44642
Rhea, J. VHSIC program update 85-18383
Rhea, J. Avionics in the sub-microscopic world 87-21719
Rhea, J. Fiberoptics expands design potential for weapons systems 88-1994
Rhea, R.W. The effectiveness of four direct search optimization algorithms 87-73240
Rheault, M. *see* Rochon, G. 87-49182
Rhebergen, B. The choice of conductors and optimisation of the line design for the new 380 kV lines of the NV SEP 86-12464
Rhede, D. *see* Bather, K.-H. 86-2190
Rhee, H.S. *see* Wetch, J.R. 88-61568
Rhee, J.C. *see* Itoh, N. 86-424
Rhee, J.C. *see* Jiang, F.S. 88-26744
Rhee, J.C. *see* Matsushita, T. 86-2651
Rhee, J.C. *see* Okuda, M. 88-26745, 88-45048
Rhee, M.-S., Kang, C.-E. Effects of line code on the echo cancellation scheme in the ISDN U-interface transceiver 88-28506
Rhee, M.J. Inductively insulated Marx generator 86-31876
Rhee, M.J., Chauchard, E.A., Kung, C.C., Lee, C.H., Diadiuk, V. Fast square pulse generation by an optoelectronic opening switch and a current charged transmission line 87-16942
Rhee, M.J., Schneider, R.F. The root-mean-square emittance of an axisymmetric beam with a Maxwellian velocity distribution 87-3828
Rhee, M.J. *see* Chang, C.S. 85-11099, 85-17877, 87-23993
Rhee, M.J. *see* Chauchard, E.A. 86-20879, 87-37068
Rhee, M.J. *see* Kehs, R.A. 85-23349
Rhee, M.J. *see* Lee, C.H. 86-14485
Rhee, M.J. *see* Schneider, R.F. 85-26733, 85-64490, 86-32072, 87-21352, 88-29893
Rhee, M.J. *see* Smith, J.R. 87-29395
Rhee, M.J. *see* Weidman, D.J. 87-21505
Rhee, M.Y. Overview of the coding history 88-21097
Rhee, S. Programs for PWB quotations 85-40352
Rhee, S., Szekely, J. The analysis of plasma-enhanced chemical vapor deposition of silicon films: a comparison of predictions with measurements 87-16671
Rhee, S., Szekely, J., Ilegbusi, O.J. On three-dimensional transport phenomena in CVD processes 88-18725
Rhee, S. *see* Cha, G. 88-43398
Rhee, S.B. Relative performance of omni and directional antenna in an urban environment [cellular radio] 86-68885
Rhee, S.S., Park, J.S., Karunasiri, R.P.G., Ye, Q., Wang, K.L. Resonant tunneling through a $Si/Ge_xSi_{1-x}/Si$ heterostructure on a GeSi buffer layer 88-64279
Rhee, S.S. *see* de Fresart, E. 88-63289
Rhee, S.S. *see* Lin, T.L. 88-38195
Rhee, S.S. *see* Yue, A.S. 87-10452
Rhee, S.W. *see* Zahn, M. 85-24747
Rhee, Z.M. *see* Alexander, S.T. 87-47669, 87-61943
Rhee Chunghi *see* Chunghi Rhee
Rhee Man Young *see* Man Young Rhee
Rhee Sung-Won *see* Sung-Won Rhee
Rhee Tae Won *see* Tae Won Rhee
Rheeden, D.R.Van *see* Van Rheeden, D.R.
Rheem Jaeyeol *see* Jaeyeol Rheem
Rheenen, A.D.Van *see* Van Rheenen, A.D.
Rhein, D. Tasks and realisation of input circuit protection in integrated MOS circuits 87-38547
Rhein, D. Dimensioning of MOS invertors on the basis of the solution of the nonlinear differential equation 87-60659
Rhein, D. Design problems of VLSI semiconductor integrated memory circuits 87-66177
Rhein, D., Pfeiffer, H. Sensitivity analysis and design considerations of sense amplifiers for MOS-DRAMs 87-1762
Rhein, D., Skutsach, W. Analysis of delay time and cut-off frequency of volume CCDs 85-6954
Rheinbaben, H.Von *see* Von Rheinbaben, H.
Rheinboldt, W.C. *see* Fink, J.P. 85-22438
Rheinboldt, W.C. *see* Potra, F.A. 86-34229
Rheinlander, B. On the determination of the minority carrier lifetime in pn-junctions measured by injection luminescence kinetics 85-18816
Rheinlander, B., Heilmann, R., Oelgart, G. Determination of temperature-dependent carrier losses in 1.3 μm InGaAsP/InP double-heterostructures 88-45321
Rheinlander, B., Kovac, J., Nevermann, P., Fieseler, H. On the determination of quantum yield in InGaAsP double-heterostructure LED 87-38942
Rheinlander, B., Oelgart, G., Haefner, H., Pickenhain, R. Degradation of green light emitting diodes LPE-GaP:N II. Injection luminescence spectroscopy and kinetics 85-24413
Rheinlander, B., Schleife, H., Siggelkow, U. On the analysis of the capacitance-voltage characteristics measured on green-emitting VPE-GaP:N(Te,Zn) diodes 85-35649
Rheinlander, B., Thielemann, W., Oelgart, G., Haefner, H., Mitdank, R., Heider, M., Koch, F., Jacobs, B. Properties of red light-emitting (Al, Ga)As single-heterostructure diodes. II. Luminescence, injection, and photoeffect efficiencies 87-46715
Rheinlander, B. *see* Haefner, H. 87-38944
Rheinlander, B. *see* Oelgart, G. 85-24412
Rheinlander, B. *see* Thielemann, W. 86-9689
Rheme, Ch. *see* Perny, B. 88-42465
Rhemes, G. Thermal sensors 85-64093
Rhemes, G. Alarm centres 86-46004
Rhemes, G. Batteries: a solution for each need 87-4857
Rhemes, G. Microprocessor assisted control 87-15635
Rhemes, G. Automatic identification [bar codes] 87-63299
Rhemes, G. VHSIC, military circuits with civilian spin-offs 88-6713
Rhemes, G. The optical computer—let there be light and let light be of service! 88-33806
Rhen Yi-you *see* Yang Wen 87-15756
Rhenius, V. Development of a diffuse field corrected headphone 86-60073
Rhie Dong-Hee *see* Dong-Hee Rhie
Rhiger, D.R. *see* Wager, J.F. 85-34839
Rhim, W., Chung, S.K., Trinh, E., Hyson, M.T., Elleman, D.D. Large charged drop levitation against gravity 87-47110
Rhim, W.-K., Chung, S.K., Hyson, M.T., Trinh, E.H., Elleman, D.D. Large charge drop levitation against gravity 88-20863
Rhim, W.-K. *see* Makin, B. 86-67115
Rhim, W.K. *see* Makin, B. 85-27543
Rhind, W.G. *see* Carder, N. 88-9872
Rhind-Tutt, D. Broadband microstrip diplexers 87-45212
Rhinehart, H., Dougal, R., Nunnally, W.C. Design and analysis of a high power 1 kHz magnetic modulator 87-21356
Rhines, J.M. *see* Davies, R.M. 86-33870
Rhinewine, M., Read, M.E. A $TE_{1,3}$ gyrotron at 85 GHz 87-24681
Rho, D., Yamaura, T., Kobayashi, A. High resolution optical displacement measuring system by improved automated Vernier scale method 87-77424
Rho, S.-R. *see* Ju, B.-K. 88-24740
Rho Seung Ryong *see* Seung Ryong Rho
Rho Seung Yong *see* Seung Yong Rho
Rhoades, C.S., Chin, M.R. Characterization of an Al plasma etching system using fractional factorial experimental designs 87-1459
Rhoades, J. *see* Byrum, K. 88-48020
Rhoades, L.J., Risko, D.G. In-process gaging with capacitance-sensing technology 85-37615
Rhoades, R. *see* Lotfalian, M. 86-56332
Rhoades, R.L. *see* Goldman, K.J. 85-30695
Rhoades, W.T. Characteristics of unusual power main transients 86-15954
Rhoades, W.T. Achieving ESD equipment protection with emission controls 86-29295
Rhoades, W.T. Critical analysis of commercial power main transient designs 88-17193
Rhoads, D.G. *see* Tenga, R.F. 88-70137
Rhoads, F.J. *see* Kelly, F.J. 88-52225, 88-66075
Rhoads, G. *see* Cutler, R. 87-56727
Rhoads, H.S. *see* May, J.T. 85-33010
Rhoads, J.E. Equipment qualification program: a backfit to meet changing requirements 85-43806
Rhoads, K. *see* Zahn, M. 85-23983, 85-29360, 87-43171
Rhoads, K.G., Zahn, M., Ishii, M., Yoda, M. Electrooptic field and charge measurements in water/ethylene glycol mixtures using an optical multichannel analyzer system 87-21228
Rhoads, R., Sigmon, N. Signal transmission considerations for a connector in digital input/output applications 88-38843
Rhoads, S.L. *see* Barnett, A.M. 88-37611
Rhode, U.L. CAD packages improve circuit-optimization methods 85-54606
Rhoden, A.W. *see* Kim, C. 87-27013
Rhodenizer, R.L. *see* Rios, P.A. 88-48147
Rhoderick, E.H. Interpretation of *C/V* characteristics for heterojunctions and high-low junctions 85-1369
Rhoderick, E.H. Recent advances in metal/semiconductor interfaces 87-60181
Rhoderick, E.H., Simeonov, S.S., Simmons, J.G., Taylor, G.W. Comments on 'Generalized theory of conduction in Schottky barriers' [by J.G. Simmons and G.W. Taylor, with their reply] 85-34626
Rhoderick, E.H. *see* Missous, M. 85-45431, 86-35427, 86-41733, 86-47392, 87-10381
Rhodes, A.J. *see* Hopkinson, M. 86-27981
Rhodes, A.M. *see* Blackie, T.C. 87-63260
Rhodes, A.M. *see* Olley, C.A. 88-53168
Rhodes, B. Power protection: an overview of the options [telecommunication systems] 88-55482
Rhodes, C.A. *see* Williamson, T.M. 85-9672
Rhodes, C.J. High performance packages for GaAs 87-52869
Rhodes, C.K. The generation of radiation in the extreme ultraviolet and soft X-ray range with excimer lasers 85-29779
Rhodes, C.K. X-ray and vacuum ultraviolet lasers 87-61062
Rhodes, C.K. *see* Budil, K.S. 88-8249
Rhodes, C.K. *see* Egger, H. 85-12776
Rhodes, C.K. *see* Hutchinson, M.H.R. 87-26500
Rhodes, C.K. *see* Jara, H. 87-26265
Rhodes, C.K. *see* Luk, T.S. 87-46784, 88-8134
Rhodes, C.K. *see* McIntyre, I.A. 87-33110, 88-14280, 88-58631
Rhodes, C.K. *see* Schwarzenbach, A.P. 86-68462, 87-12414
Rhodes, C.K. *see* Shahidi, M. 86-3102
Rhodes, C.W. A tutorial on improved systems for color television transmission by satellite 85-58047
Rhodes, C.W. The B-MAC signal format as applied to 525 line TV systems and to HDTV 86-69908
Rhodes, C.W. *see* Toth, A.G. 88-41828, 88-67570
Rhodes, D., Perlow, S. MIDAS—a new microwave/RF CAD program 86-13937
Rhodes, D. *see* Karas, L. 88-61554
Rhodes, D.D. Maintenance system computer modeling: a logistic tool to influence system front end designs 86-133
Rhodes, D.D., Hsu, I.-C., Frush, N.W. Modeling for ATE system engineering and test assets management 85-31347
Rhodes, D.D., Roeder, R.L. Automatic test techniques—next generation millimeter wave guidance systems 86-43903
Rhodes, D.L., Eron, M. Parametric modeling facilitates design of complex circuits 88-56934
Rhodes, D.L. *see* Epstein, B.R. 88-50376, 88-71627
Rhodes, D.L. *see* Eron, M. 88-71135
Rhodes, E.A. *see* Braid, T.H. 88-36375
Rhodes, F., Roscoe, J. A small 12 volt generating set 87-4810
Rhodes, F.M., Dituri, J.J., Chapman, G.H., Emerson, B.E., Soares, A.M., Raffel, J.I. A monolithic Hough transform processor based on restructurable VLSI 88-33298
Rhodes, F.M. *see* Mann, J.R. 87-19576
Rhodes, F.Matthew *see* Matthew Rhodes, F.
Rhodes, H. *see* Hung, L.S. 85-61749
Rhodes, H. *see* Mehra, M. 87-23741
Rhodes, H.E., Apai, G., Rivaud, L., Hung, L.S., Mayer, J.W. UHV interface studies of palladium silicide formation on hydrogenated amorphous silicon films 87-17798
Rhodes, I.B. *see* Hashemi, H.R. 88-46114
Rhodes, J. Hardware assisted fault simulation in a silicon compiler environment 88-12349
Rhodes, J.D. New technique improves IFM performance [radar warning receivers] 85-63759
Rhodes, J.D. Self adaptive bandpass filters with applications 'frequency set-on' oscillators 87-73523
Rhodes, J.D. *see* Belk, H.J. 85-14363
Rhodes, J.R. *see* Arnold, J.J. 86-51574, 88-11189
Rhodes, J.R. *see* Booth, R.M. 88-17524
Rhodes, J.W. *see* Johnson, R.J. 85-13908
Rhodes, M. Triambic keyer 85-25336
Rhodes, M. *see* Fornaca, S. 88-54342
Rhodes, M.L. Image processing tied to CAD/CAM produces customized prostheses 86-16514
Rhodes, M.L., Azzawi, Y.-M., Quinn, J.F., Glenn, W.V., Jr., Rothman, S.L.G. CT image processing using public digital networks 85-64583

Rhodes, M.L., Jackson, D.-W., Azzawi, Y.-M., Glenn, W.V., Jr., Howland, R.S., Rothman, S.L.G. Computer graphics for CT-assisted knee surgery 85−38122
Rhodes, M.L., Kuo, Y.-M. A simple ray tracing method for speeding 3-D image generation in clinical radiology 88−29983
Rhodes, M.L., Kuo, Y., Rothman, S.L.G., Woznick, C. An application of computer graphics and networks to anatomic model and prosthesis manufacturing 87−42009
Rhodes, M.L., Yu-Ming Azzawi, Tivattanasuk, E.S., Pang, A.T., Ly, K., Panicker, H. Computer communications and graphics for clinical radiology 87−57257
Rhodes, M.L. *see* Lemke, H.U. *(editor)* 86−57096
Rhodes, N. *see* Davidson, P.L. 86−56070
Rhodes, R.B., Jr., Wilson, S.G., Svensson, A.B. MSK-type reception of continuous phase modulation: cochannel and adjacent channel interference 87−39585
Rhodes, R.G. Magnetic levitation and its future prospects in transport 85−44256
Rhodes, R.G. *see* Mahtani, J.L. 85−48973
Rhodes, R.J. *see* Rust, R.D. 85−28801, 85−61565
Rhodes, R.K. Development of low-drift pH electrodes based on neutral carrier in PVC overlayered metallizations 86−44261
Rhodes, R.K. *see* Dror, M. 87−35059
Rhodes, S., Nelson, J.J., Raze, J.D., Bradley, M. Reliability modes for mechanical equipment 88−56071
Rhodes, S. *see* Sandrin, W. 86−4561
Rhodes, S.A. Differentially coherent FEC block coding 88−52335
Rhodes, S.A., Chang, P.Y. Coded M-ary modulation for FDMA satellite communications 85−42538
Rhodes, W.D., Jr. *see* Blank, R.W. 87−41101, 88−67495
Rhodes, W.J. *see* Oakley, R.E. 85−40660
Rhodes, W.L., Jr. The wake of divestiture (AT&T) 85−42051
Rhodes, W.T. Optical signal processing: Fourier transforms and convolution/correlation 88−8839
Rhodes, W.T., Buck, J.A. Optical computing and nonlinear optics 87−12589
Rhodes, W.T. *see* Caulfield, H.J. 85−46892
Rhodes, W.T. *see* Gaynor, E.S. 88−8311
Rhodes, W.T. *see* Goodman, S.D. 88−51628
Rhodes, W.T. *see* Hereford, J.M. 88−59229
Rhodes, W.T. *see* Hsu, F.K. 88−36448
Rhodes, W.T. *see* O'Neill, K.S. 87−39934
Rhodes, W.W. *see* Yan, M.F. 85−17004, 88−65001
Rhodus, N.W. *see* Bowen, R. 86−69855
Rhodus, W. *see* Massatt, P. 87−41116
Rhorer, R. *see* Evans, C. 88−42336
Rhounna, A. *see* Cardinaud, C. 88−64405
Rhounna, A. *see* Cardinaud, Ch. 88−19825
Rhu-Zhen Qiu Glycol/air fuel cells 87−22719
Rhudy, R.G., Owen, E.L., Sharma, D.K. Voltage distribution among the coils and turns of a form wound AC rotating machine exposed to impulse voltage 86−66075
Rhudy, R.G., Snively, H.D., White, J.C. Performance of induction motors operating with unbalanced armature windings 86−61526
Rhudy, R.G., Snively, H.D., White, J.C. Performance of synchronous machines operating with unbalanced armature windings 88−69325
Rhymes, L. Two-sphere YIG multiplier/filter ensures purity 88−50346
Rhyn, P.van *see* van Rhyn, P.
Rhynas, D.J., Wood, J.R. EnvoyPost: a hybrid electronic mail service 85−25362
Rhyne, E., Bratton, D. Scott-T connected 3-phase inverters for telecommunications applications 87−30830
Rhyne, E., Illingworth, L. A new concept for DC to AC inverters and ringing generators 87−23929
Rhyne, E. *see* Gauger, D. 87−30810
Rhyne, E. *see* Powell, J. 85−65308
Rhyne, E.C. *see* White, K.E. 87−22550
Rhyne, G.W., Steer, M.B. A new frequency domain approach to the analysis of nonlinear microwave circuits 86−8498
Rhyne, G.W., Steer, M.B. Simulation of intermodulation distortion in MESFET circuits with arbitrary frequency separation of tones 87−6140
Rhyne, G.W., Steer, M.B. Generalized power series analysis of intermodulation distortion in a MESFET amplifier: simulation and experiment 87−73717
Rhyne, G.W., Steer, M.B. Generalized power series analysis of intermodulation distortion in a MESFET amplifier: simulation and experiment 88−25462
Rhyne, G.W., Steer, M.B., Bates, B.D. Analysis of nonlinear circuits driven by multi-tone signals using generalized power series 87−65782
Rhyne, G.W., Steer, M.B., Bates, B.D. Frequency-domain nonlinear circuit analysis using generalized power series 88−31972
Rhyne, T., Strader, N.R., II A signed bit-sequential multiplier 87−10807
Rhyne, T.L., Sagar, K.B., Wann, S.L., Haasler, G. A myocardial backscatter parameter with maximal sensitivity to cyclic variation 87−71117
Ri, S., Hamano, K., Nakagawa, Z. Debye length and gas sensor mechanism of undoped and Sm_2O_3-doped ZnO ceramics 86−70129
Ri, S. *see* Fujioka, H. 88−39410
Ri-sheng Guan *see* Guan Ri-sheng
Riabchun, A.M. *see* Bichenkov, E.I. 88−40472
Riabokon, M.L. *see* Glebov, B.A. 86−67028, 87−9938
Riabtsov, V.D. *see* Filatova, N.A. 86−32196
Riabtsov, V.D. *see* Golovatyuk, V.M. 85−52982
Riad, A.A. *see* Ahmad, M. 86−24741
Riad, A.A. *see* Shaarawi, A.M. 86−24707
Riad, A.A.R., Burton, L.C., Stephenson, F.W., Engeman, S. Materials interactions in thick film distributed parameter networks 88−1216
Riad, A.A.R. *see* Ahmad, M. 86−14731, 86−20819, 86−53228
Riad, A.A.R. *see* Stephenson, F.W. 85−34384
Riad, A.M. *see* Farghal, S.A. 88−5545
Riad, R. *see* Aicha, A. 85−34139
Riad, S.M. The deconvolution problem: an overview 86−37043
Riad, S.M. Electrical sampling techniques 88−42264
Riad, S.M. *see* Ahmad, M. 86−14731, 86−20819, 86−24741, 86−53228
Riad, S.M. *see* Lawton, R.A. 86−38305
Riad, S.M. *see* Parruck, B. 85−19425
Riad, S.M. *see* Shaarawi, A.M. 86−16482, 86−24430, 86−24707, 86−43236
Riahi, N., Walker, J.S. Frequency dependence of acoustic waves in plasma MHD generators 85−16253
Riala, P. Investigations of a system for transmitting heat from the Loviisa nuclear power station to the Helsinki metropolitan area 85−38684
Rialan, C.P., Scharf, L.L. Fast algorithms for QR and Cholesky factors of Toeplitz operators 87−61920
Rialan, C.P., Scharf, L.L. Vector and cellular pipelines for implementing projection operators 88−3084
Rialan, C.P., Scharf, L.L. Cellular architectures for implementing projection operators 88−14673
Rialan, C.P., Scharf, L.L. Finite precision analysis of the lattice and the Schur algorithms for the autocorrelation method of linear prediction 88−73043
Rialland, J.F. *see* Decalonne, J. 86−9377
Rialland, J.F. *see* Gabsi, M.K. 88−17642
Rialland, J.F. *see* Milimonfared, D. 87−9529
Rialland, J.F. *see* Millet, A. 88−11210
Rialland, J.F. *see* Ramiarinjaona, C.L. 87−22288
Rian, B.J. *see* McMahon, M.D. 88−62426, 88−75704
Rian, M. *see* Schei, A. 86−51708
Rian, V. Are electromagnetic fields dangerous? High-tension lines represent no danger, says ILO 86−44709
Riandwajo, V. *see* Chan, S.M. 86−56305
Riant, Y. *see* Janik, E. 86−7785
Riant, Y. *see* Lemaire, J. 87−21092
Riaz, H. Magnetic characteristic and core loss measurements for steel wires 87−70773
Riaz, H., Biswas, S.K., Ahmed, N.U. Stochastic modelling and stabilization of galloping transmission lines 86−51031
Riaz, H. *see* Biswas, S.K. 87−71701
Riaz, M. The circuit-field connection in two-dimensional AC finite-element analysis of multiply-excited magnetic structures 86−29300
Riaziat, M., Auld, B.A. Angular spectrum analysis applied to undercladding flaws and dipole probes 85−10872
Riaziat, M., Bandy, S., Zdasiuk, G. Coplanar waveguides for MMICs 87−66538
Riaziat, M., Feng, I.J., Auld, B.A., Majidi-Ahy, R. Single-mode operation of coplanar waveguides 88−12551
Riaziat, M., Zdasiuk, G. Waveguide star junction used in Ka band dual six port measurements 86−11512
Riaziat, M., Zubeck, I., Bandy, S., Zdasiuk, G. Coplanar waveguides used in 2-18 GHz distributed amplifier 87−6115
Riaziat, M. *see* Auld, B.A. 85−6095
Riaziat, M. *see* Majidi-Ahy, R. 88−12550, 88−74573
Riaziat, M. *see* Rodwell, M.J.W. 87−6114, 87−17360
Riaziat, M. *see* Yuen, C. 88−63923
Riaziat, M. *see* Zdasiuk, G. 87−45286
Riba, C. The application of the concept of transient power to the design of drives for robots 87−78972
Riba, J. *see* Bondia, E. 85−65397
Riback, L. *see* Andersson, A. 88−30846
Ribagorda, A., Vega, C. On rational approximation to semigroups of linear operators 87−44211
Ribak, E., Roddier, C., Roddier, F., Breckinridge, J.B. Signal-to-noise limitations in white light holography 88−45557
Riband, P., Aymar, R., Bessette, D., Ciazynski, D., Cure, C., Duchateau, JL., Jacquemet, M., Journeaux, J.Y., Kircher, F., Le Coroller, A., Parain, J., Portafaix, C., Turck, B. Tests of the toroidal field coils of Tore Supra 87−74636
Riband, P. *see* Ciazynski, D. 88−65095
Ribar, D. *see* Mandir, N. 88−21516
Ribaric, M. Compstat lectures. Vol.2. Computational methods for parsimonious data fitting 86−304
Ribarsky, M.W. *see* Landman, U. 88−38174
Ribarsky, M.W. *see* Luedtke, W.D. 88−38175
Ribas, A.C.G. The implementation of the Brazilian domestic satellite system 88−15427
Ribas, P.R.F. *see* Dhere, N.G. 88−31859
Ribault, M. *see* Esteve, D. 87−53916
Ribbeck, G. ISDN communication network subscriber channel test methods 85−47126
Ribbeck, G., Skaperda, N. EWSD as a basis for ISDN 85−52162
Ribbens, A. *see* Graf, K.H. 86−56005
Ribbens, D. *see* Milani, H. 86−37369, 87−13455
Ribbens, W.B. Failure diagnosis for automotive applications 88−69874
Ribbens, W.B. *see* Min, P.S. 88−67777
Ribbens-Pavella, M., Evans, F.J. Direct methods for studying dynamics of large-scale electric power systems−a survey 85−38394
Ribbens-Pavella, M. *see* Flatabo, N. 88−54839
Ribbens-Pavella, M. *see* Mallieu, D. 87−71508
Ribbens-Pavella, M. *see* Mili, L. 85−21111, 86−18641, 87−64035
Ribbens-Pavella, M. *see* Rousseaux, P. 86−12306, 88−23414
Ribbens-Pavella, M. *see* Toumi, B. 86−56369, 86−61002
Ribbens-Pavella, M. *see* Van Cutsem, T. 86−56312
Ribbens-Pavella, M. *see* Van Cutsem, Th. 87−71501
Ribbens-Pavella, M. *see* Wehenkel, L. 87−57501
Ribbens-Pavella, M. *see* Xue, Y. 88−36778
Ribbentrop, R. Application field studies [Maglev and railways] 87−64924
Ribberfors, R. *see* Matscheko, G. 87−41895, 87−57099
Ribbing, C.-G. *see* Karlsson, T. 85−33476, 88−33842
Ribbing, C.G. *see* Karlsson, B. 86−19518
Ribble, A. *see* Klein, C.A. 88−58754
Ribble, W.M. Choosing an IC tester 85−33201
Ribe, F.L. *see* Harper, G.C. 85−60254
Ribe, R.L. *see* Friske, D.A. 85−32027
Ribeiro, C.C., Minoux, M. A heuristic approach to hard constrained shortest path problems 85−28118
Ribeiro, C.C. *see* Amado, S.M. 87−78043
Ribeiro, E.E., Saldanha, R.R. Electrostatic fields calculation by finite elements method 88−34199
Ribeiro, E.E. *see* de Araujo, A.E.A. 87−15161
Ribeiro, M.I., Moura, J.M.F. Dual algorithm for ARMA spectrum estimation 87−62092
Ribeiro, M.I., Moura, J.M.F. ARMA processes: order estimation 88−73053
Ribeiro, P.C., Williamson, S.J., Kaufman, L. SQUID arrays for simultaneous magnetic measurements: calibration and source localization performance 88−74837
Ribeiro, P.C. *see* Bruno, A.C. 86−50054
Ribeiro, P.Costa *see* Costa Ribeiro, P.
Ribeiro Seijas, A. *see* Garcia Rosa, R. 87−53042
Ribel, N.E. *see* Nadel, L.A. 87−9622
Ribelles, J.L.Gomez *see* Gomez Ribelles, J.L.
Ribenboim, P. A note on Catalan's equation 87−16501
Ribenboim, P. Remarks on exponential congruences and powerful numbers 88−70225
Ribenyi, A. Microelectronics '84 85−29297
Ribera, J.F. *see* Viciana, J. 86−50949
Ribera, L.M., Villanueva, A., Roy, A. The use of a personal computer as an oscilloscope 86−65215
Ribes, M., Cros, B., Julien, P. Vitreous chalcogenide $GeSe_x$ thin films obtained by plasma enhanced chemical vapor deposition 88−18730
Ribes, M. *see* Julien, P. 88−12077
Ribes Greus, A. *see* Meseguer, J.M. 87−25623
Ribeyre, C. *see* Martin, J.-M. 85−42702
Ribezzo, R. *see* Bernardini, M. 85−29768
Ribezzo, S. *see* Barbini, R. 87−12529
Ribezzo, S. *see* Bernardini, M. 86−42636, 87−12558, 87−26527
Ribezzo, S. *see* Giorgi, M. 85−51117, 85−56525
Ribickis, L., Greywoolis, J., Avkshtol, I. Sub-synchronous converter cascade with amplitude modulation of inverted current 88−69399
Ribinski, P. *see* Doring, R. 86−10934
Riblet, G.P. Use of the FFT to speed analysis of planar symmetrical 3- and 5-ports by the integral equation method 86−8426
Riblet, G.P. Broad-band internally and externally matched lumped element symmetrical 5-ports 86−20683
Riblet, G.P. Matched waveguide five-port with partial symmetry for use in six-port measurement systems 88−27549

Riblet, G.P. A novel quasi-optical 8 port comparator circuit based on a single wire grid 88−56970
Riblet, H. *see* Newman, A.L. 85−34116
Riblet, H.J. Improved approximations for the fringing and shielded slab-line capacitances 87−19238
Riblet, H.J. Expansions for the capacitance of the Bowman squares 88−65949
Ribner, D.B., Copeland, M.A. Design techniques for cascoded CMOS op amps with improved PSRR and common-mode input range 85−28395
Ribner, D.B., Copeland, M.A. Some variations in CMOS operational amplifier design 86−8026
Ribner, D.B., Copeland, M.A. Biquad alternatives for high-frequency switched-capacitor filters 86−34970
Ribner, D.B., Copeland, M.A. Computer-aided analysis of nonideal linear switched-capacitor networks for high-frequency applications 86−62416
Ribner, D.B., Copeland, M.A. Comments on 'On the implementation of fully differential switched-capacitor ladder filters' by G. Roberts, et al 87−17224
Ribner, D.B., Copeland, M.A., Milkovic, M. 80 MHz low offset CMOS fully differential and single-ended op amps 86−802
Ribner, D.B., Copeland, M.A., Milkovic, M. 15 MHz CMOS switched capacitor filters 86−14366
Ribner, D.B. *see* Buttle, K. 86−10882
Ribnikar, S.V. *see* Trtica, M.S. 88−58629
Ribot, H. *see* Sansonetti, P. 87−46871
Ribot, J. *see* Figueras, J. 85−30675
Ribot, J.J., Charrat, O. ADELE: a digital deconvolution procedure which allows the fast reconstitution of a signal distorted by the measuring system 86−24453
Riboulet, P. *see* Bielle-Daspet, D. 87−52203
Ricaldone, P. *see* de Bosio, A. 86−4115
Ricaldone, P.G. *see* de Bosio, A. 86−17086, 86−24085
Ricany, J. *see* Rohar, S. 88−17304
Ricard, A., Chouan, Y., Collobert, D. Correlation between plasma excited states and thin film characteristics in He-SiH$_4$ PECVD 86−26908
Ricard, A. *see* Moutoulas, C. 85−29740
Ricard, A. *see* Pech, T. 88−12079
Ricard, B., Monnier, B., Morel, J. An expert system diagnostic aid for faults in a group of turbogenerators 88−42751
Ricard, B. *see* Monnier, B. 87−58050
Ricard, D. Nonlinear optics at surfaces and in composite materials 87−46994
Ricard, D. *see* Flytzanis, C. 87−26549
Ricard, D. *see* Nunzi, J.M. 85−12942
Ricard, H. *see* Couturier, G. 88−13055
Ricardi, L.J. Some factors that influence EHF SATCOM systems 85−8342
Ricardo, J., Pinto, J.M. Evolution of medium and long term fault currents on the VHV network in Portugal 88−55070
Ricards, C.R. *see* Bethel, R.K. 85−28769, 85−39033
Ricarova, D. *see* Gricova, M. 88−19848
Ricaud, A.M. *see* Wohlgemuth, J.H. 88−37610
Ricaud, C., Rommel, G. The vacuum system of the GANIL beam lines 85−64400
Ricaud, C. *see* Beck, R. 85−64410
Ricaud, J.L., Calais, E. A high performance magnetic-focus electrostatic-deflection pick-up tube 88−1333
Ricca, A.M. *see* Bruzzese, R. 87−46407
Ricca, A.M. *see* Paletta, F. 87−23764
Ricca, M.N. Can anyone make a profit in the PBX market? 88−73760
Ricca, R. *see* De Angelis, T. 86−59481
Riccardi, G. *see* Mazzoleni, C. 87−21611
Riccardi, M. *see* Isola, C. 88−66059
Riccardi, S. *see* Gambino, G. 87−93
Riccardi, S. *see* Pedretti, R. 86−56414
Riccati, L. *see* Catanesi, M.G. 87−29686
Riccati, L. *see* De Vincenzi, M. 86−65331
Ricci, A. *see* Weinberg, I.N. 87−77568
Ricci, A.R. *see* Dahlbom, M. 85−43228
Ricci, A.R. *see* Hoffman, E.J. 86−50494
Ricci, A.R. *see* Nelson, R.S. 87−21547, 88−23052
Ricci, B. The Mini-Comm and Commander II from United Media 86−11307
Ricci, D., Fiore, L., Colombetti, G. Time-domain cross-correlation assembly language routine for the IBM PC and an application in neural signal analysis 88−74847
Ricci, D., Guidarini, D. A Multibus/IEEE-796 compatible interface board for instrumentation control and data acquisition 86−11486
Ricci, D., Lampugnani, L., Papoff, P., Rotunno, T. Programamble scan controller for fast access to individual elements in a self-scanned silicon photodiode array 87−3455
Ricci, F. *see* Carcanc, C. 86−12906
Ricci, F.J. Application of VLSI/VHSIC technology for multimedia communications systems 88−9494
Ricci, F.J. Application of VLSI/VHSIC technology for satellite/platform systems 88−22045
Ricci, L. *see* Andreoni, A. 88−8380
Ricci, M. *see* Green, M.A. 88−65038
Ricci, M.V. *see* Acerbi, E. 88−68203
Ricci, M.V. *see* Balsamo, E.P. 86−48057
Ricci, M.V. *see* Bruzzese, R. 86−48036
Ricci, M.V. *see* Deotto, T. 85−50867
Ricci, M.V. *see* Pasotti, G. 86−40521, 86−50284
Ricci, P.F. Long-term shortage cost analysis: current research at EPRI 86−44896
Ricci, R.A. *see* Boccaccio, P. 88−29888
Ricci, R.A. *see* Tuniz, C. 85−31764
Ricciardi, G., Cantello, M., Micheletti, F.G. Laser welding of light alloys and superalloys 88−40447
Ricciardi, G., Cantello, M., Pasquini, F. Prospects of automation in machining steel plates by laser 85−13021
Ricciardi, J. *see* Kazmierski, K. 87−18992
Ricciardi, J. *see* Krakowski, M. 86−48437, 87−18969
Ricciardi, L.M., Sato, S. On the evaluation of first passage time densities for Gaussian processes 87−16454
Ricciardi, S. *see* Righini, G.C. 88−58225
Riccio, G.E., Cress, J.D., Johnson, W.V. The effects of simulator delays on the acquisition of flight control skills: control of heading and altitude 88−30089
Riccio, R.J. *see* Hess, K.L. 87−10398
Riccius, H.D. The many uses of point-contact diodes 87−29136
Riccius, H.D., Siemsen, K.J. Point-contact diodes 85−1554
Riccius, H.D. *see* Siemsen, K.J. 85−6747
Ricco, A.J. Acoustic wave viscosity sensor 87−57447
Ricco, A.J., Martin, S.J., Zipperian, T.E. Surface acoustic wave gas sensor based on film conductivity changes 86−50074
Ricco, A.J. *see* Hughes, R.C. 88−74898
Ricco, A.J. *see* Martin, S.J. 86−55648, 87−49991, 88−39788, 88−60989
Ricco, A.J. *see* Rye, R.R. 87−70574, 87−77226
Ricco, B. Effects of channel geometries on FET output conductance in saturation 85−6939
Ricco, B. Physics and models of devices for large scale integrated circuits 85−12425
Ricco, B. University training in the field of microelectronics 86−66557
Ricco, B. High-speed digital ICs: a comparison between silicon and GaAs 87−32586
Ricco, B., Olivo, P., Nguyen, T.N., Kuan, T.-S., Ferriani, G. Oxide-thickness determination in thin-insulator MOS structures 88−39152
Ricco, B., Sangiorgi, E., Cantarelli, D. Low voltage hot-electron effects in short channel MOSFETs 85−50564
Ricco, B., Sangiorgi, E., Ferriani, G. High holding voltage CMOS technology with lightly doped source and drain regions 87−46195
Ricco, B., Sangiorgi, E., Venturi, F., Lugli, P. Monte-Carlo modeling of hot electron gate current in MOSFETs 87−46010
Ricco, B., Solomon, P.M. Tunable resonant tunnelling semiconductor emitter structure 85−29000
Ricco, B. *see* Benetti, R. 87−67546
Ricco, B. *see* D'Amico, A. 86−14957
Ricco, B. *see* Fischetti, M.V. 85−50294
Ricco, B. *see* Mendez, E.E. 85−61718
Ricco, B. *see* Modelli, A. 85−50798
Ricco, B. *see* Neri, B. 88−25980
Ricco, B. *see* Nguyen, T.N. 88−1465
Ricco, B. *see* Sangiorgi, E. 86−21553, 87−38530, 88−33209
Ricco, B. *see* Selmi, L. 88−50994
Ricco, B. *see* Wang, W.I. 86−1783
Ricco, L., Locatelli, G.P., Calzavara, F. Constant intermodulation loci measure for power devices using HP 8510 network analyzer 88−74308
Ricco, L. *see* Locatelli, G.P. 88−1013
Ricco Galluzzo, G. *see* Cecconi, V. 86−39718
Ricco Galluzzo, G. *see* Nuccio, S. 88−17610
Rice, A. *see* Swaroop, R. 87−45568
Rice, B.W. *see* Bell, H.H. 88−69056
Rice, C.E. *see* Ballman, A.A. 86−57419
Rice, C.E. *see* Lehr Jackel, J. 85−29544
Rice, C.J. *see* Russell, R.W. 87−49540
Rice, D. *see* Lau, J. 87−73868, 88−197
Rice, D. *see* Littauer, R. 85−26582
Rice, D.A. *see* Watts, R.J. 88−35847
Rice, D.E. Adjustable speed drive and power rectifier harmonics−their effect on power systems components 85−15528
Rice, D.E. Adjustable speed drive and power rectifier harmonics−their effect on power systems components 86−44873
Rice, D.E. Adjustable speed drive and power rectifier harmonics−their effect on power systems components 86−44894
Rice, D.E. A suggested energy savings evaluation method for AC adjustable speed drive applications 88−18126
Rice, D.E. *see* Hogwood, E.E., Jr. 86−39559, 87−78439
Rice, D.H., Keiser, G.E. Interference canceller for a single-wavelength bidirectional optical-fibre link 85−3449
Rice, D.H., Keiser, G.E. Application of fiber optics to tactical communication systems 85−47519
Rice, D.H. *see* Blum, E.B. 85−26683
Rice, D.H. *see* Helmke, R.G. 86−60409
Rice, D.H. *see* Keiser, G.E. 86−30837
Rice, D.W., Bredfeldt, K., Kral, J. Corrosion inhibiting lubricants for separable connectors 86−14615
Rice, D.W. *see* Lau, J.H. 86−20968, 87−11221, 87−16383, 87−16400, 88−24560
Rice, E.F. Professional troubleshooting tricks 88−6240
Rice, E.L. *see* Sherif, Y.S. 86−40562
Rice, G.L. *see* Vanpeteghem, P.M. 88−33376
Rice, H.J. *see* Fitzpatrick, J.A. 88−46047
Rice, I.G. Stream-cooled gas turbine casings, struts, and disks in a reheat gas turbine combined cycle. I. Compressor and combustor 85−4969
Rice, I.G. Steam-cooled gas turbine casings, struts, and disks in a reheat gas turbine combined cycle. II. Gas generator turbine and power turbine 85−4970
Rice, I.G. Thermodynamic evaluation of gas turbine cogeneration cycles. I. Heat balance method analysis 87−51055
Rice, I.G. Thermodynamic evaluation of gas turbine cogeneration cycles. II. Complex cycle analysis 87−51056
Rice, J.A. Would you like to be an op/ed writer? [newspaper writing material criteria] 86−40465
Rice, J.D. Networking micros−principles and practice 85−47196
Rice, J.E. *see* Uo, K. 85−32808
Rice, J.K. The clock is running on discharges from steam/electric power plants 88−17385
Rice, J.K. *see* Gerber, R.A. 86−32102
Rice, J.K. *see* Hays, G.N. 87−2061, 87−18876
Rice, J.R. Parallelism in solving PDEs 87−36671
Rice, J.R. *see* Dyksen, W. 86−62144
Rice, J.R. *see* Dyksen, W.R. 85−33360
Rice, J.R. *see* Houstis, C.E. 85−49491, 87−65441
Rice, J.S. *see* Ott, J.H. 87−29969
Rice, L. *see* Roblin, P. 88−63903
Rice, M. Temperature class standard passes test of time [insulating materials for machines] 85−32435
Rice, M.A. Battlefield data communications 86−37720
Rice, M.R., Skillington, D.E. Engineering education in crisis−an update 86−40421
Rice, P.B., Dorchak, S.F. A course in documentation and technical communication 85−22145
Rice, P.L., DeLawder, D.K. Advantages of point-to-area cellular propagation models 86−4532
Rice, Q.A. Scan converter using two reference voltages 85−55086
Rice, Q.A. Hardware interrupt controller 85−61221
Rice, R. *see* Fischer, R. 86−54131
Rice, R. *see* Lee, J.-j. 88−25268
Rice, R.E. Collection and analysis of data from communication system networks 88−59444
Rice, R.E., Shook, D.E. Access to, usage of and outcomes from electronic messaging 88−59541
Rice, R.E. *see* Hart, P. 86−37458, 88−59568
Rice, R.E. *see* Love, G. 86−37577
Rice, R.E. *see* Manross, G.G. 86−4186, 86−64569
Rice, R.F. *see* Jun-ji Lee 88−50193
Rice, R.G., Baker, G.C. The Annapolis experience [of tidal power generation] 88−43092
Rice, R.K. *see* Lackey, J.R. 88−61046
Rice, R.P., Jr., Cummins, E.J., Turner, R.R. A mixed-media communications architecture for enhanced interoperability 87−40445
Rice, R.P., Jr. *see* Pavey, C.F. 86−59870
Rice, R.R. Space station power system selection 87−42085
Rice, R.R. *see* Begley, D.L. 87−26454 to 26455
Rice, R.R. *see* Bryan, D.A. 85−35878
Rice, R.R. *see* Gerson, R. 87−20525
Rice, R.R. *see* Heidel, J.R. 86−68590
Rice, R.R. *see* Tomaschke, H.E. 87−12241
Rice, R.R. *see* Zabrowski, D.W. 86−48401
Rice, R.W. Mechanically reliable ceramics. Needs and opportunities to understand and control fracture 85−33515
Rice, R.W., Barnhart, E.N. Performance of EHF communications systems in the presence of jamming 85−30914
Rice, R.W., Spann, J.R., McDonough, W.J., Ingel, R.P., Lewis, D. Partially stabilized ZrO$_2$ as a possible IR dome material 85−35374
Rice, R.W. *see* McKinney, K.R. 87−17404
Rice, S. *see* Homola, A.M. 87−67747
Rice, S.C. Environmental considerations associated with experimental units [R&D management] 88−37899
Rice, S.L. *see* Lee, M.H. 85−29999
Rice, S.O. *see* Pawula, R.F. 86−48720, 88−28281
Rice, T.C. *see* Delavaux, J.-M.P. 88−35481
Rice, T.C. *see* Jopson, R.M. 88−15458
Rice, T.C. *see* Lipson, J. 86−23595
Rice, T.C. *see* Minford, W.J. 85−3478
Rice, T.C. *see* Murphy, E.J. 85−2052, 85−2056, 86−2726, 86−68257

Rice, T.C. *see* Watson, J.E. 87—18749
Rice, W.D. *see* Tindall, P.B. 87—72046
Rice, W.E. Space Station—The mainstay of the civil space program 86—50652
Rice, W.E. International participation in space station 87—29866
Rice, W.O. *see* Benkeser, P.J. 88—16971
Rice, W.S. Voice: the first and latest frontier in office communications 86—54666
Rich, A. How to deal with noise without black magic. I. Understanding interference-type noise 85—24867
Rich, A. Shielding and guarding—what to do and why to do it—a rational approach. II. How to exclude interference-type noise 85—24868
Rich, A. Circuit monitors bipolar battery supplies 87—65805
Rich, B. Communications and the PC 86—16982
Rich, B.L. *see* Martz, D.E. 86—56212, 86—56217
Rich, D. The incredible digiohm 85—55182
Rich, D.A. A survey of multivalued memories 86—41114
Rich, D.A., Naiff, K.L.C., Smalley, K.G. A four-state ROM using multilevel process technology 86—1061
Rich, E. *see* Endres, D. 87—35973
Rich, E.L., Suko, S.K., Martin, A.J., Smith, B.H., Onn, D.G., Whittaker, A.J., Giedd, R.E., Patterson, F.K. Thermal management considerations for a low-temperature, co-fireable ceramic system 88—57212
Rich, F.J., Heelis, R.A., Hanson, W.B., Anderson, P.B., Holt, B.J., Harmon, L.L., Zuccaro, D.R., Lippincott, C.R., Girouard, D., Sullivan, W.P. Cold plasma measurements on HILAT 85—9256
Rich, F.J. *see* Fremouw, E.J. 85—53115
Rich, J. *see* Coron, N. 88—36402
Rich, J. *see* Cribier, M. 88—29784
Rich, M. X.25 in layers 86—59673
Rich, M. A method of flexible catch RA display for memory testing 87—24199
Rich, M. *see* Tuck, W. 86—37199
Rich, S.E. *see* van der Merwe, A.J. 85—47582
Rich, T.D. Automating dry film lamination 85—40353
Rich-Hennion, P. *see* Benvenuti, A.C. 85—15254
Richard, B., Roucayrol, J.C., Perrin, J. Wide angle electronic sector scanning with curved arrays 87—21797
Richard, B. *see* Micheron, F. 88—10035
Richard, B.D. A standard cell initial placement strategy 85—1690
Richard, C.C. *see* Nelson, M.E. 87—9232
Richard, C.J. Video signal compression technique 87—33794
Richard, E.B. *see* Bekooij, J.P. 88—47149
Richard, F., Zimmerman, H. Integrating telematique services with information systems through Architel 85—3207
Richard, F. *see* Brand, C. 87—21430
Richard, F.V. *see* Hartman, D.H. 86—30802
Richard, G. *see* Balk, L.J. 86—58220
Richard, G. *see* Beyer, A. 87—17367
Richard, G.L., Barton, K.E., Jr., Chow, R.Y., DiCarlo, P. A semi-implantable hearing device 87—71174
Richard, H.L., Barnes, W.L. Multiband selection with linear array detectors 86—32525
Richard, H.L. *see* Reitsema, H.J. 85—38356
Richard, J. A high-sensitivity positive-ion detector 85—15194
Richard, J., Barraud, A., Vandevyver, M., Ruaudel-Teixier, A. Semi-conducting Langmuir-Blodgett films from a glycerol subphase 87—66933
Richard, J., Bonnel, M., Grandjean, B., Weisse, P., Lebosq, Y., Bessonnat, Y., Gerard, G., Morin, F., Coissard, P. Large LCD panel addressed by 320×320 TFT array 86—5433
Richard, J., Bonnel, M., Vinouze, B., Favennec, J.L., Weisse, P., Bessonnat, Y., Gerard, G., Salaun, S., Le Contellec, M., Morin, F. Large LCD panel addressed by 320×320 TFT array 86—50167
Richard, J. *see* Holcroff, B. 87—46284
Richard, J. *see* le Contellec, M. 88—26295
Richard, J. *see* Roberts, G.G. 87—67666, 88—74385
Richard, J.-C. Low-light level television. Concept and applications 88—22631
Richard, J.-C. *see* Fouassier, M. 88—19633
Richard, J.-L., Bontoux, J.-P., Paoli, Y., Urlacher, J.-M. Utilisation: towards more intelligent lighting and heating 88—43473
Richard, J.-P., Lesenne, J. New algorithm for the determination of the synchronous machine time constants using the sampled outputs 85—32466
Richard, J.B. Management involvement in plant startup at Grand Gulf 85—21367
Richard, J.C., Lemonier, M. Intensified CCD's for low light level imaging 88—4483
Richard, J.C. *see* Lemonier, M. 86—5093, 86—24389
Richard, J.D. Current reading adapter troubleshoots reclosers 85—4702
Richard, L. Use of noise and vibration in quality control 87—44010
Richard, M. *see* Lecoy, P. 85—42606, 86—17417
Richard, M. *see* Pietruszkiewicz, J. 85—53585
Richard, M.B., DeSimone, D.J. FAST-LSI, a second generation advanced Schottky technology 85—12408
Richard, M.D. Artificial intelligence for ATRs (automatic target recognizers) 88—22215
Richard, M.D. *see* Wisted, J.M. 86—67971
Richard, P., Auffray, G. VHF-UHF interferometric measurements, applications to lightning discharge mapping 85—43479
Richard, P. *see* Alinat, P. 87—61660
Richard, P. *see* Cocke, C.O. 85—59060
Richard, P. *see* Labaune, G. 88—58825
Richard, P. *see* Stockli, M.P. 85—59149
Richard, P.D., Markunas, R.J., Lucovsky, G., Fountain, G.G., Mansour, A.N., Tsu, D.V. Remote plasma enhanced CVD deposition of silicon nitride and oxide for gate insulators in (In, Ga)As FET devices 85—54509
Richard, P.D., Tsu, D.V., Lucovsky, G., Lin, S.Y. Low temperature deposition of amorphous silicon oxide and silicon nitride films 86—26888
Richard, P.D. *see* Lucovsky, G. 87—5481
Richard, R., Veilleux, R. Application of a programmable automation to the control of the synthetic test source of the IREQ high-power laboratory [HV protective device testing] 85—32654
Richard, R. *see* Owens, D.R. 88—75236
Richard, R.W. The advantages of rigorous depth planning in applied research 88—119
Richard, S. Finite differences simplify look-up table 86—57740
Richard, S. *see* Perie, J.-P. 86—60190
Richard, T.G. The personal computer as a laboratory instrument. II 87—63225
Richard, V.W., Kammerer, J.E., Wallace, H.B. Rain backscatter measurements at millimeter wavelengths 88—61637
Richard, W. Natel C: mobile communications with AXE 10 88—41477
Richard, W.D. *see* Scandura, P.A. 86—57841
Richard, W.M. Multiwavelength test bench measures scan lens properties 88—34078
Richardon, S., Steele, R., Ellsworth, D. AI for ASICs pinpoints potential problems 88—63445
Richards, A.G. Supply to Farewell Spit by SWER cable 85—15617
Richards, A.J. *see* Jones, T.P. 87—63420
Richards, B. Nonvolatile memory technology and usage 86—20518
Richards, B., Sherstinsky, A., Brodersen, R.W. A parameterized VLSI video-rate histogram processor 87—59564
Richards, B. *see* Pearson, R.C. 88—74785
Richards, B.C. *see* Baringer, W.B. 88—25300
Richards, B.F., Benjannet, H. 4 MW VAWT commissioned at Cap-Chat 88—11160
Richards, B.P. The sensitivity of surface mount technology to component quality 88—71232
Richards, B.P., Footner, P.K. Morphological aspects of electromigration 85—6857
Richards, B.P., Footner, P.K. Is the incoming physical inspection of microelectronic components really necessary? 87—36520
Richards, B.P., Footner, P.K. Is the incoming physical inspection of microelectronic components really necessary? 88—24589
Richards, B.P., Trigg, A.D. SEM techniques for the study of interfaces in semiconductors 86—14888
Richards, B.P. *see* Brown, J. 88—33306
Richards, B.P. *see* Footner, P.K. 87—1125, 87—18207, 87—74380
Richards, B.P. *see* Sugiarto, H. 85—16963
Richards, B.P. *see* Whitehead, A.P. 85—55934
Richards, C. The 10-turn 'chopstick' helical (Mk2) for Oscar 10 435 MHz uplink 85—13333
Richards, C.J. *see* Morris, R.W. 86—50940
Richards, C.L., Jr. A new image segmentation and texture analysis algorithm 87—47966
Richards, C.W. Dual mode (QPSK or 16-QASK) modulator 87—5725
Richards, D. Lock-in amplifiers measure small AC signals 86—57679
Richards, D. Laser soldering makes its mark 87—51857
Richards, D., Liestman, A.L. Generalizations of broadcasting and gossiping 88—52320
Richards, D., Seward, J.S., Weiskopf, F.B., Burcher, E.S. Study of utilization and management of power generated by a pneumatic wave energy conversion system 85—15924
Richards, D. *see* Avery, W.H. 85—5020
Richards, D. *see* Studzinski, W. 88—60981
Richards, D.A. *see* Denniss, A.R. 86—60784
Richards, D.C. Remote manipulator system for nuclear and heavy industrial use 86—25811
Richards, D.J., Grant, S.D., MacDonald, T.E. CATHENA simulation of the Wolsung D_2O spill incident of November 25th 1984 87—50971
Richards, D.J., Lorenc, J.A., Midvidy, W.I. Verification of SOPHT for parallel channel flow stability 87—9326
Richards, D.L., Melling, H. An oceanographic bottle system for CTD calibration 88—48353
Richards, D.O. *see* McDonald, J.B. 88—6362
Richards, D.S. Organizing for effective life extension projects [fossil-fuel power plants] 87—9392
Richards, D.S. Availability improvement programs can accrue significant economic benefits 88—10812
Richards, D.S. *see* Cohoon, J.P. 87—31656, 88—49932
Richards, D.W. Artificial intelligence applications to system maintenance 86—132
Richards, D.W. Smart BIT: a plan for intelligent built-in test 88—4309
Richards, D.W., Klion, J. Smart BIT: an AI approach to better systems-level built-in-test 87—43961
Richards, E. PW review: Scarab RTTY system 87—7985
Richards, E. Kit construction—it's easy [noise bridge] 87—28366
Richards, E.F. *see* Arunachalam, S. 88—54948
Richards, E.F. *see* Lo, C.H. 86—61027
Richards, E.F. *see* Morris, J.F. 87—78027
Richards, E.F. *see* O'Breatuin, C. 88—23473
Richards, E.F. *see* Whiteley, D.A. 87—64128
Richards, E.H., Barlow, R.S. Qualification testing of photovoltaic concentrators 88—37559
Richards, E.H. *see* Chiang, C.J. 88—37558
Richards, E.T. GIDEP—A tool for parts/materials reliability improvement 86—13593
Richards, E.T. Using GIDEP to build reliability into electronics 86—61970
Richards, F. *see* Forrest, J. 86—17514
Richards, F. *see* Langer, U. 85—4957
Richards, F.P., Forrest, J.R. Microwave transmission and control using CW optical carriers 85—25913
Richards, G. *see* Schmidt, W. 87—69412
Richards, G.G. Reduced order model for single and double cage induction motors during start-up 88—69360
Richards, G.G., Tan, O.T. Decomposed, reduced order model for double-cage induction machines 87—9555
Richards, G.G., Tan, O.T., Czarnecki, L.S. Comments on 'considerations on the reactive power in nonsinusoidal situations' [with reply] 87—15180
Richards, G.G., Tan, O.T., Klinkhachorn, P., Santoso, N.I. Cost-constrained power factor optimization with source harmonics using *LC* compensators 87—57484
Richards, G.G. *see* Tan, O.T. 86—61513
Richards, G.M. *see* Jackson, M.N. 86—56912
Richards, G.P. Digital geometry correction in cursive CRT displays 87—3475
Richards, G.R. *see* Powell, J.W. 88—10460
Richards, G.W., Hwang, F.K. A two-stage rearrangeable broadcast switching network 86—10598
Richards, G.W. *see* Garey, M.R. 88—34854
Richards, J. Birefringence compensation in polarization coupled lasers 87—61115
Richards, J. *see* Casasent, D.P. 88—52554, 88—59227
Richards, J. *see* Penny, M.F. 86—56254, 86—65516
Richards, J. *see* Trier, P.E. 88—61718
Richards, J.A., Sun, G.-Q., Simonett, D.S. *L*-band radar backscatter modeling of forest stands 87—71278
Richards, J.A. *see* Swain, P.H. 86—18542
Richards, J.C.S. Some aspects of transducer immittance measurement 86—5484
Richards, J.D. Transient method for measuring thermal conductivity 88—42308
Richards, J.E. *see* MacKoul, L.J. 87—71870
Richards, J.J. Sensitized forecasting: the foundation of profit control 87—36428
Richards, J.T. *see* Gould, J.D. 88—9053
Richards, J.W., Przybyla, H. Digital video standard converter. I 88—35680
Richards, J.W., Przybyla, H. Digital video standards convertor. II 88—47291
Richards, J.W. *see* Roome, S.J. 86—4916
Richards, K. *see* Case, M. 85—41438
Richards, K. *see* Davis, A.W. 86—23850
Richards, K. *see* King, J.P. 87—54003
Richards, K.M. Progress of landfill gas as a fuel 86—51193
Richards, K.M. Landfill gas—the sweet smell of success 87—42567
Richards, K.P. *see* Jackson, L.B. 87—62081
Richards, L.D. Expert systems in engineering management 88—31396
Richards, L.J. *see* Mansi, M.V. 88—29451
Richards, M. Cirkit MSF clock 87—69890
Richards, M. Pac-Comm TNC-220 packet radio 87—76537
Richards, M. ICS Electronics FAX-1 88—9090
Richards, M. PK 232 Intelligent Terminal Unit 88—9438
Richards, M. PW review: TX3 software and TIF1 interface 88—14990
Richards, M. PW review: Smithchart software 88—15321
Richards, M. Revex wave monitor oscilloscope 88—22685
Richards, M. Alinco ALX-2E 144 MHz handheld 88—35406

Richards, M. WXSAT weather satellite station review 88−35449
Richards, M. Howes SWB 30 SWR/power meter 88−36119
Richards, M., Arnold, G. Kenwood TS-680S HF/VHF transceiver 88−41562
Richards, M., Arnold, G. Yaesu FT-212RH VHF mobile transceiver 88−73809
Richards, M.A. Iterative deconvolution in noncoherent systems 86−10421
Richards, M.A. On the efficient implementation of the split-radix FFT 87−62059
Richards, M.A. Iterative noncoherent angular superresolution [radar] 88−60220
Richards, M.A., Lunsford, G.H., Green, A.H., Jr. Modeling of synthetic aperture radar for nonconventional geometry 86−17511
Richards, M.A., Morris, C.E., Hayes, M.H. Iterative enhancement of noncoherent radar data 87−27442
Richards, M.A. *see* Morris, C.E. 87−27590, 87−62029, 88−66475
Richards, M.D. *see* Woodman, K.F. 87−77207
Richards, M.E. A comparison of two nonlinear destriping procedures 86−32596
Richards, M.G., Andrews, A.R., Lusher, C.P., Schratter, J. Cryogenic GaAs FET amplifiers and their use in NMR detection 86−34581
Richards, M.G., Cowan, B.P., Secca, M.F., Machin, K. The ^{3}He nuclear Zeeman maser 88−33910
Richards, M.J. High mast improvements have turned full circle [lighting] 85−16403
Richards, M.J. Designing and producing a new main road luminaire 85−44291
Richards, M.J. Development and production of a road-lighting luminaire 86−52026
Richards, N. The design problems of miniature video monitors 87−14141
Richards, N. Digital amplitude modulation for medium wave broadcast transmitters 88−60390
Richards, O. *see* Easter, B. 87−47437
Richards, O. *see* Ecklund, L. 87−13880
Richards, P. Spectrum analyser project 87−8656
Richards, P. *see* Gray-Thompson, M. 88−23115
Richards, P. *see* Gruber, J.G. 87−13223
Richards, P. *see* Walczak, R. 88−38277
Richards, P.H. *see* Ball, G.J. 88−8337
Richards, P.L. Analog superconducting electronics 86−42204
Richards, P.L. Progress in the development of SIS quasiparticle mixers 87−74586
Richards, P.L., Crete, D.G., Xizhi, L., Lloyd, F.L., Raisanen, A.V. Broad band 100 GHz SIS quasiparticle mixers 88−12618
Richards, P.L. *see* Crete, D. 87−46414
Richards, P.L. *see* Cui, G.-J. 87−66528
Richards, P.L. *see* Face, D.W. 86−47999, 88−12619
Richards, P.L. *see* Hu, Q. 88−56927
Richards, P.L. *see* Lange, A.E. 87−28708
Richards, P.L. *see* Li Xizhi 88−50369
Richards, P.L. *see* McGrath, W.R. 85−54747, 86−58053, 88−65012
Richards, P.L. *see* Raisanen, A.V. 86−15433, 86−27605, 86−28741, 87−32081, 87−34698, 88−12603
Richards, P.L. *see* Sato, S. 87−26994
Richards, P.L. *see* Wang, J.-Q. 87−21074
Richards, P.M. *see* Burrage, J. 87−78932
Richards, P.T., Lehmann, J. Real time data processing for avionics testing on the A-6E 86−18449
Richards, R. *see* Chen, Y. 88−54599
Richards, R.K., Hutchinson, D.P. Detection limits in the measurement of alpha particles by CO laser Thomson scattering 87−2249
Richards, R.T. Understand principles of circulating-water systems 85−32342
Richards, R.T., Snively, L.O. Geostar positioning analysis 87−41067
Richards, R.T., Snively, L.O. Geostar positioning analysis 87−41146
Richards, S. *see* Lundquist, J. 88−35830
Richards, S. *see* Wolfe, R. 87−37698
Richards, S.J. Motor vibration analysis: key to effective troubleshooting 88−37177
Richards, T. Preventing PCB plating, etching and cleaning fires 86−1551
Richards, W., Dawson, B., Whittington, D. Encoding contour shape by curvature extrema 87−2576
Richards, W. *see* Rush, C. 88−67517
Richards, W. *see* Truve, S. 87−62343
Richards, W.B. *see* Englund, D.R. 86−17930
Richards, W.E. Ocean Energy Technology Program 85−5022
Richards, W.F., Davidson, S.E., Long, S.A. Dual-band reactively loaded microstrip antenna 85−46621
Richards, W.F., Lo, Y.T. A simple theory for reactively loaded microstrip antennas 85−11522
Richards, W.F., Lo, Y.T. Theoretical and experimental investigation of a microstrip radiator with multiple lumped linear loads 85−13323
Richards, W.F., Long, S.A. An experimental investigation of loaded microstrip antennas 85−11523
Richards, W.F., Long, S.A. Pattern adaptation using loaded, dual-mode microstrip antennas 86−43007
Richards, W.F., Long, S.A. Matching microstrip antennas using reactive loads 87−26982
Richards, W.F., McInturff, K., Simon, P.S. An efficient technique for computing the potential Green's functions for a thin, periodically excited parallel-plate waveguide bounded by electric and magnetic walls 87−39445
Richards, W.F., Ou, J.-D., Long, S.A. A theoretical and experimental investigation of annular, annular sector, and circular sector microstrip antennas 85−7743
Richards, W.F., Wilton, D.R. One-way differential equations 88−2540
Richards, W.F., Zinecker, J.R., Clark, R.D., Long, S.A. Experimental and theoretical investigation of the inductance associated with a microstrip antenna feed 85−13321
Richards, W.F. *see* Chang, E. 86−64094, 87−33528
Richards, W.F. *see* Davidson, S.E. 86−3680, 86−43035
Richards, W.F. *see* Jackson, D.R. 88−2733
Richards, W.J. *see* Hagmann, D.B. 88−18808
Richards, W.R., Tsang, J.C., Fuller, R.T., Goodwin-Johansson, S. The effect of contact placement on drive currents in 1.25 μm gate arrays: measured and simulated 88−71781
Richards, W.R. *see* Fuller, R.T. 87−60668
Richards Adrion, W. *see* Jennings, D.M. 86−64634
Richardsen, P.W. *see* Danielsen, T. 88−59532
Richardson, A. Measurements (theory and practice) [microwave] 87−70784
Richardson, A.E. *see* Burton, R.P. 88−74533
Richardson, A.G. From galena to gigahertz 88−35667
Richardson, A.G. *see* Pearson, A.D. 85−7237
Richardson, A.J. A suspended substrate stripline lowpass filter with a very broad stopband 88−50237
Richardson, A.J., Parsons, J.D. The effects of co-channel interference on bit error rate in mobile radio area coverage systems 86−37793
Richardson, A.J., Watson, P.A. Use of the 55-65 GHz oxygen absorption band for private local radio networks with minimal regulator control 87−56332
Richardson, A.M., Nolte, L.W. Underwater acoustic multipath signal processing 87−75847
Richardson, A.M.D. *see* Dorey, A.P. 88−56085
Richardson, A.S. The economics of the Wind Energy Group 25 metre wind turbine generator in island systems 86−70843
Richardson, A.S., Jr. Longitudinal dynamic loading of a steel pole transmission line 87−50843
Richardson, B. Transformer core losses 86−51678
Richardson, B. Preventing AC motor and generator failure 87−51138
Richardson, B. Teleconferences for information professionals 88−35249
Richardson, B. *see* Banerjee, S. 88−6870
Richardson, B. *see* Bogle-Rohwer, E. 85−50431
Richardson, B. *see* Howitt, E.L. 88−69471
Richardson, B. *see* Monahan, K. 85−29245
Richardson, B.M. *see* Nerz, R.F. 87−76397
Richardson, C.H., Schafer, R.W. Application of mathematical morphology to FLIR images 88−40937
Richardson, C.J. *see* Bond, D.F. 87−63293
Richardson, C.J. *see* Tang, P.S. 88−15998
Richardson, C.K. A miniature high resolution synthesiser 86−34614
Richardson, C.K. A novel synthesiser for miniature SSB radio equipment 86−40951
Richardson, C.K. A synthesiser for hand held SSB transceivers 87−59219
Richardson, D. Single chip DVM using combined digital-linear ULA 87−77300
Richardson, D., Wilby, W.A. Role of advanced technologies in future EW systems 87−48885
Richardson, D. *see* Jin, R. 88−51635
Richardson, D. *see* Warren, M.E. 88−65430
Richardson, D. *see* Wilby, A. 86−10965
Richardson, D.A., Gungle, W.C. The care and handling of Sylvania BriteArc and BriteBeam lamps 87−9936
Richardson, D.A. *see* Gungle, W.C. 88−18198
Richardson, D.C., Russino, G., Valentini, V. Use of a probabilistic safety study in the design of the Italian reference PWR 85−53444
Richardson, D.C. *see* Hanson, K. 85−30775
Richardson, D.D. Calculations of electrical properties of thin metal bridge foils using the boundary element method 85−23149
Richardson, D.D. Effect of switch resistance on the ringdown of a slapper detonator fireset 87−24382
Richardson, D.D., Jones, D.A. Fast, low resistance switch for small slapper detonators 87−37633
Richardson, D.J. Digilin ULA−the gate arrays with advanced linear performance 86−41069
Richardson, E.B., Jayant, N.S. Subband coding with adaptive prediction for 56 kbits/s audio 87−7656
Richardson, E.G. *see* Jones, C.M. 86−38627
Richardson, E.G. *see* Ziegler, N.F. 86−55913
Richardson, E.H. *see* Anger, C.D. 87−57363
Richardson, E.M. Test, measurement, and control [telecommunication networks] 85−63201
Richardson, G.L. Technical support in the changing environment [British Telecom network modernisation] 88−28218
Richardson, H., Abraham, E., Firth, W.J. Modelling of cross talk in 2-D bistable arrays with carrier diffusion 87−68626
Richardson, H. *see* Young, J. 88−26912
Richardson, I. *see* Jones, D. 86−22972
Richardson, I.S. The realization and maintenance of resilient LANs 88−35151
Richardson, J. Synthesizers benefit from SAW technology 85−14822
Richardson, J. Use of an LSI 11 computer system facility for enhancement of an undergraduate power laboratory 86−87
Richardson, J. Making the most of X.400 [electronic mail standard] 87−27915
Richardson, J., Mohan-Ram, S.V.S. An auto-adjusting PWM waveform generation technique 88−69767
Richardson, J., Rourke, S.J. Microprocessor-based power system protection schemes 87−21980
Richardson, J.E. *see* Arlotto, G.A. 88−48697
Richardson, J.E. *see* Browzin, B.S. 86−65877
Richardson, J.E. *see* Guzy, D.J. 88−48637
Richardson, J.G. *see* Hintze, M.M. 86−51339
Richardson, J.K. Optical cable systems for the Melbourne digital network 87−70098
Richardson, J.K. Planning principles for optical cable installation 87−76800
Richardson, J.M., Elsley, R.K., Graham, L.J. Nonadaptive, semi-adaptive and adaptive approaches to signal processing problems in nondestructive evaluation 85−17007
Richardson, J.M., Marsh, K.A. The conjugate vector method in probabilistic inverse problems [in flaw detection] 85−10896
Richardson, J.M. *see* Elsley, R.K. 85−6070, 86−588
Richardson, J.M. *see* Fertig, K.W. 85−6069
Richardson, J.M. *see* Marsh, K.A. 86−12213, 87−69251, 88−66642
Richardson, J.R. A short anecdotal history of the cyclotron 85−59024
Richardson, J.R. *see* Barton, T.M. 87−6764, 87−53512
Richardson, J.R. *see* Botman, J.I.M. 85−26651
Richardson, J.R. *see* Craddock, M.K. 86−31908
Richardson, J.R. *see* Krier, P. 88−27644
Richardson, J.R. *see* Mackenzie, G.H. 85−59077
Richardson, J.R. *see* Pierpoint, M. 87−6150
Richardson, J.R. *see* Raparia, D. 86−25005
Richardson, J.R. *see* Zach, M. 86−32044
Richardson, K. Guaranteed uptime−giving customers what they really want 87−10221
Richardson, K.M., Spooner, E. The properties of permanent magnet materials for the excitation of large electrical machines 88−13686
Richardson, K.M., Spooner, E. Magnetisation procedures for Nd-Fe-B magnets in electrical machines 88−17645
Richardson, L. *see* Afek, Y. 86−2303
Richardson, L.M. *see* Nelsen, D.E. 87−53744
Richardson, M.C. *see* Brown, C.M. 87−46754
Richardson, M.C. *see* Jaanimagi, P.A. 88−47579, 88−50572
Richardson, M.C. *see* Soures, J.M. 85−2274
Richardson, M.C. *see* Yaakobi, B. 88−58455
Richardson, M.D. *see* Midgley, D. 86−7889
Richardson, M.F. Optical design for laser diode based communication utilizing heterodyne detection 87−28601
Richardson, M.N. What to know about facilities management systems 88−67197
Richardson, N. E-beam probing for VLSI circuit debug 87−74392
Richardson, N., Muray, A. An improved magnetic-collimating secondary electron energy filter for very large scale integrated diagnostics 88−39575
Richardson, N. *see* Concina, S. 87−32637, 88−149, 88−22458, 88−39601
Richardson, N.A. *see* Zimmerman, T.A. 85−60510
Richardson, P.C.A., Stevens, A.L., Cowan, D., Calil, S., Roberts, V.C. Design of a continuous-wave Doppler ultrasonic flowmeter for perivascular application. I. Probe design 88−23041
Richardson, P.H. *see* Clark, W.W., III 85−4440
Richardson, P.N., Hung Yuet Yee Design and analysis of slotted waveguide antenna arrays 88−66220
Richardson, R. *see* Wadsworth, P.K. 88−69952
Richardson, R. *see* Wilkinson, G.M. 87−22616
Richardson, R.A. The 1984 National Electrical Code 85−22029
Richardson, R.B., Higgs, C.M.B., Lea, D.A., Lewis, G.T.R., Laszlo, G. An electronic peak flowmeter with optional coded display 85−4257
Richardson, R.B. *see* Greensmith, R. 86−11934
Richardson, R.C. *see* Freeman, M.R. 85−46072, 86−36090
Richardson, R.C. *see* Germain, R.S. 85−46064
Richardson, R.C. *see* Roukes, M.L. 85−48134
Richardson, R.D. *see* Macari, N.C. 88−43146
Richardson, R.D. *see* Mazarakis, M.G. 86−25030

Richardson, R.E. Mode stirred chamber calibration factor and relaxation time 86−18620

Richardson, R.E. *see* Guarnieri, C.R. 85−6006

Richardson, R.E., Jr. Mode-stirred chamber calibration factor, relaxation time, and scaling laws 86−24433

Richardson, R.E., Jr. *see* Le Vine, S.D. 86−57805

Richardson, R.W., Berman, S.M. The effects of alignment and magnetic fields on the radiant emittance of the Hg-Ar discharge 86−40283

Richardson, R.W. *see* Zhou, T.-M. 87−64946

Richardson, S., Phillips, J.A., Axelson, J.M., Lovingood, R.P., Pearson, J.M., Saltmarch, M. Energy required to heat convenience and home prepared foods with an electric range and a microwave oven 85−60556

Richardson, S. *see* Horowitz, M. 87−59603

Richardson, T. Future for corporate networks 85−63313

Richardson, T. *see* Tuck, W. 86−37199

Richardson, T.E., Polge, R.J. Performance of optimum discrete two, three, and four-state radar waveforms in ground clutter 88−4093

Richardson, W., Shaw, A., Nieman, M., Venner, R.H. An improved automatic tourniquet for regional analgesia 87−14909

Richardson, W. *see* Banerjee, S. 87−74290, 88−25185

Richardson, W. *see* Hall, R.C. 88−30052

Richardson, W. *see* Hosie, C.J. 85−20901

Richardson, W. *see* Nieman, M. 86−18304, 87−50384

Richardson, W. *see* Railton, R. 88−74855

Richardson, W.A. *see* Eng, R.S. 85−4106

Richardson, W.D. The provision of innovative information services in university libraries 85−42191

Richardson, W.F., Bordelon, D.M., Pollack, G.P., Shah, A.H., Malhi, S.D.S., Shichijo, H., Banerjee, S.K., Elahy, M., Womack, R.H., Wang, C.-P., Gallia, J., Davis, H.E., Chatterjee, P.K. A trench transistor cross-point DRAM cell 86−46857

Richardson, W.F. *see* Banerjee, S.K. 87−24190

Richardson, W.F. *see* Malhi, S.D.S. 85−35171

Richardson, W.F. *see* Pollack, G.P. 85−12182

Richardson, W.F. *see* Rao, K.V. 87−44844

Richardson, W.F. *see* Shah, A.H. 87−10854, 87−17093

Richardson, W.F. *see* Shichijo, H. 85−40108, 85−50725, 86−34779

Richardson, W.H. *see* Schichijo, H. 85−50597

Richardson, W.K. *see* McAllister, G.L. 88−8137

Richardson, W.W. *see* Twerski, I.M. 88−1301

Richarts, F. *see* Decker, R. 85−60568

Richaume, A., Lecocq, P., Steenkeste, F., Moschetto, Y. A note-taking technique for blind students 88−68497

Riche, A. *see* Madsen, J.H.B. 88−47790

Riche, J.A. Insertions in the arcs of a separated function circular accelerator 85−26622

Riche, O.le *see* le Riche, O.

Richeh, H.Al *see* Al Richeh, H.

Richenbacher, A.G. *see* Gunasekaran, M. 85−32210

Richens, A. *see* Wroe, S. 88−4945

Richer, J.-P. *see* Arnault, C. 87−14216

Richer, J.W. Quality and reliability trends in VLSI 87−67592

Richer, M.S. *see* Adeyeye, A.A. 88−67531

Richeri, G. Evolution of the European television system 87−77000

Richert, P. *see* Buddefeld, J. 87−24326

Richert, P. *see* Lamkemeyer, M. 86−8312, 87−37410

Richert, W.R. Implicit Runge-Kutta formulae with built-in estimates of the accumulated truncation error 88−18650

Riches, C. Residual current devices 87−72313

Riches, C. Spreading the sound of the gospel [church sound system installation] 88−9813

Riches, C. Conduit and trunking [buyer's guide] 88−42875

Riches, E.E. An overview of linear motor propulsion: present applications and future prospects 88−5969

Riches, E.E. An overview of linear motor propulsion 88−55671

Riches, E.E. *see* Dalgleish, E.H. 87−5044

Riches, E.E. *see* Nenadovic, V. 86−19571

Riches, M. *see* Frost, M.S. 87−1489

Riches, S.T., Stockham, N.R. Ultrasonic ball/wedge bonding of fine Cu wire 88−1307

Riches, S.T., White, G.L. Wire bonding to GaAs electronic devices 87−73938

Riches, S.T., White, G.L. Wire bonding to GaAs electronic devices 88−1309

Richetin, M., Saint-Marc, P., Lapreste, J.T. Describing grey level textures through curvature primal sketching 87−19951

Richetin, M. *see* Dhome, M. 88−73297

Richetin, M. *see* Lapreste, J.T. 88−73389

Richetin, M. *see* Rives, G. 85−36326

Richetin, M. *see* Saint-Marc, P. 87−2550, 88−3191, 88−34797

Richetta, M. *see* Dattoli, G. 85−2174, 85−56688, 86−3220

Richeux, J.-P. *see* Bene, P. 88−56532

Richey, M.B., Parker, R.G. On multiple Steiner subgraph problems 87−23500

Richey, M.B., Parker, R.G., Rardin, R.L. An efficiently solvable case of the minimum weight equivalent subgraph problem 85−44608

Richey, M.F. *see* Ricker, G.G. 86−17481

Richharia, M. An optimal strategy for tracking of geosynchronous satellites 85−25930

Richharia, M. An interactive computer program for elliptical beam optimization 85−36965

Richharia, M. CAD cuts math in RF amp design 86−14017

Richharia, M. Effects of fades and scintillation on the performance of an Earth station step track system 86−23811

Richharia, M. Computer aided system synthesis and costing of direct broadcasting satellite systems 86−49516

Richharia, M. Maximum permissible satellite drift rates for step-track system 87−14967

Richharia, M. Design considerations for an Earth station step-track system 87−20458

Richharia, M. An improved step-track algorithm for tracking geosynchronous satellites 87−34489

Richharia, M. Noise-resistant unit automatically tracks geosynch satellites 88−22011

Richharia, M., Bajwa, A.S. An antenna system for land mobile-satellite links 86−54359

Richharia, M., Pratt, T. Simulate tropospheric amplitude scintillation 86−3522

Richharia, M. *see* Arora, C.P. 85−31138

Richharia, M. *see* Ganeswaran, S. 88−60112

Richi, A. Remote line trunk unit for RMS ALBIS-ECS 10160 88−59952

Richi, A. Speech communication in leased lines 88−59953

Richie, J.E., Kritikos, H.N. Linear program synthesis for direct broadcast satellite phased arrays 88−66208

Richie, J.E., Kritikos, H.N., Parekh, S.V. Beamforming for direct broadcast satellite phased array antennas 87−27075

Richie, S.M., Abbott, B.P., Malocha, D.C. Description and development of a SAW filter CAD system 88−33485

Richie, S.M., Bishop, C.D., Malocha, D. Real time, interactive SAW filter computer aided design and analysis implementation 87−32819

Richie, S.M., Bishop, C.D., Malocha, D.C. SAW filter computer aided design workstation 87−60752

Richie, S.M. *see* Belkerdid, M.A. 86−2538

Richier, J.L., Rodriguez, C., Sifakis, J., Voiron, J. Verification in Xesar of the sliding window protocol 88−21429

Richier, J.L. *see* Fernandez, J.C. 86−69231

Richier, R. *see* Fornier, A. 87−54150, 87−56832

Richier, R. *see* Grezes-Besset, C. 88−60123

Richl, H. Small electromagnets in appliance engineering 88−14359

Richley, E.A. Marx generator for high voltage experiments 87−44676

Richling, W. *see* Koch, T. 87−133

Richling, W.P. *see* Adams, R.F. 85−50675

Richman, B.A., Hansen, J.E., Cameron, K. A deterministic algorithm for automatic CMOS transistor sizing 87−60673

Richman, B.A., Hansen, J.E., Cameron, K. A deterministic algorithm for automatic CMOS transistor sizing 88−51013

Richman, B.A. *see* Hansen, J.E. 87−59386

Richman, D.R. On balanced sets mod p 86−34147

Richman, F. Computers, trees and Abelian groups 88−49660

Richman, G.D. Cancellation of cross-polarisation on a terrestrial link 86−23683

Richman, G.D. Automated signature measurement of operational microwave radio-relay equipment using a novel multipath simulator 86−30643

Richman, G.D. Laboratory assessment of high-level modulation methods for outage-prediction model 87−34397

Richman, G.D. The effect of median level depression on channelling arrangements [radio links] 87−40722

Richman, J., Bowden, K.R. The modern fault dictionary 86−46763

Richman, J., Haessig, D., Jr., Friedland, B. Integrated strapdown avionics for precision guided weapons 86−60894

Richman, J., Haessig, D., Jr., Friedland, B. Integrated strapdown avionics for precision guided vehicles 87−42112

Richman, J., Haessig, D.A., Jr., Friedland, B. Integrated strapdown avionics for precision guided weapons 86−6040

Richman, J. *see* Bauer, G. 87−29544

Richman, J. *see* Bernstein, D. 85−15253

Richman, J. *see* Farrow, W.D. 88−71416

Richman, J. *see* Roehrig, J. 85−15175

Richman, P. Changes to classic surge-test waves required by back-filters used for testing powered equipment 86−13463

Richman, P. Computer modeling the effects of oscilloscope bandwidth on ESD waveforms, including arc oscillations 86−29296

Richman, P. Classification of ESD hand/metal current waves versus approach speed, voltage, electrode geometry and humidity 87−26614

Richman, P. The effects of hand-associated metal object geometry and hand-to-object coupling impedance on ESD current waves 88−2474

Richman, P., Tasker, A. ESD testing: the interface between simulator and equipment under test 86−15838

Richman, P.H. Telecommunications, matter, and the formation of value 88−46381

Richman, R.M. *see* Alles, D.S. 87−38372

Richman, R.M. *see* Nielsen, R.J. 87−38374

Richman, S.H. A comparison of field performance measurements on multi-national packet switching networks 88−46611

Richman, S.H., Statton, R.J., Wang, D.C.C., Warren, G.R. Packet ASPEN−a packet switching field performance measurement tool 86−16994

Richman, S.H. *see* Martinez, D. 86−16998

Richmann, K.-H. *see* Uhlendorf, V. 85−26512

Richmann, S. Modern error writers 86−39989

Richmond, C.A. *see* Huss, W.R. 85−21275

Richmond, C.J. *see* Mynard, J.E. 85−34774

Richmond, D. Color resolution 87−56519

Richmond, E.D., Knudson, A.R. Temperature and dose dependence of an amorphous layer formed by ion implantation 87−6553

Richmond, E.D., Knudson, A.R., Kawayoshi, H. New DSPEG approach to improvement of SOS using low dose self-implantations 88−12021

Richmond, E.D., Knudson, A.R., Magee, T.J., Kawayoshi, H. Ion implantation dependence of the defect reduction in silicon on sapphire during double solid phase epitaxial regrowth 85−54466

Richmond, E.D., Knudson, A.R., Magee, T.J., Kawayoshi, H. Matrix study of material improvement of SOS by DSPEG 87−31526

Richmond, E.D., Turner, N.H. Charging effects and the silicon-on-sapphire interface width during an Auger electron spectroscopy sputter profile 88−7379

Richmond, G., Sowards, D., Khan, S., Nataraj, B.S. Advanced standard cell library provides high performance mixed digital, analog, and EEPROM single chip solutions 88−64713

Richmond, G.L. Second harmonic generation studies of anionic adsorption on polycrystalline and single crystal silver surfaces 85−7518

Richmond, J.H. Scattering by thin dielectric strips 85−24794

Richmond, J.H. Monopole antenna on circular disk 85−24952

Richmond, J.H. Monopole antenna on circular disk over flat earth 85−51481

Richmond, J.H. Propagation on a ported coaxial cable buried in flat earth 85−52254

Richmond, J.H. Scattering by a ferrite-coated conducting sphere 87−47137

Richmond, J.H. Propagation of surface waves on a thin resistive sheet or a coated substrate 88−2510

Richmond, J.H., Leon, P., Jr., Hill, R.A. Surface waves on a lossy planar ferrite slab 87−75350

Richmond, J.M., Abell, R.A. A Telidon-microcomputer training station 85−8119

Richmond, K.R. Coherent systems make gains [optical links] 85−47501

Richmond, L.B. *see* Bender, E.A. 86−57324

Richmond, M. LANs for the lab 87−48627

Richmond, M.R. *see* Perkins, T.O., III. 86−11195

Richmond, R. Reduce your losses with cable management 88−10847

Richmond, R., O'Neal, J. Magnetic field penetration through protective metal screens using an equivalent magnetic dipole representation of an array of elliptical apertures 88−14409

Richmond, R.G. *see* Benton, E.V. 87−29617

Richmond, R.G. *see* Ogunleye, O.T. 86−6007

Richmond, T. Minimizing inductive crosstalk in the design of switch-mode power supplies 88−75793

Richon, C. *see* Giulieri, A. 88−52572

Richon, G. Vacuum pressure impregnation and the resin manufacturer 86−68096

Richon, G.L., Chianese, D.J. Elastomeric polybutadiene sealing compound 86−62278

Richou, F. *see* Le Contellec, M. 86−5419, 87−6696, 88−26295

Richstein, J. *see* Amendolia, S.R. 85−37901, 85−43179, 86−5779, 87−21426 to 21428

Richstein, J. *see* Benetta, M. 85−43239

Richte, K.-P. *see* Lange, P. 86−11679

Richter, A. The Darmstadt superconducting electron accelerator−first stage brought into operation 88−29731

Richter, A. Problems of reliability and availability of digital data exchanges 88−35323

Richter, A. *see* Alrutz-Ziemssen, K. 87−41706

Richter, A. *see* Honekamp, H. 86−18956

Richter, A.G. *see* Poritz, A.B. 87−19495

Richter, A.K., Arimura, I. Simulation of heavy charged particle tracks using focused laser beams 88−26177

Richter, A.N. Using Litz Wire in magnetics design 87−1018

Richter, B. Requirements for very high energy accelerators 86−5609

Richter, B. Corrosion and non-destructive testing in marine technology 88−63422
Richter, B., Stein, G. The IAEO control of nuclear material [nuclear power stations] 85−38696
Richter, B., Stein, G., Neumann, G., Gartner, K.J. A television link with high tamper resistance 87−69874
Richter, B., Stein, G., Neumann, G., Gartner, K.J. A prototype TV-link for authentication of video information 88−41866
Richter, B., Stiening, R. The SLAC linear collider−a status report 88−61021
Richter, B. *see* Gurtler, J. 86−23478
Richter, B. *see* Perregaux, A.E. 88−13952
Richter, C. Calculation methods for nonlinear optimisation and their use in solving practical problems 85−316
Richter, C. The implementation of the embedding technique for nonlinear programming 85−16872
Richter, C. Technical model simulation of electrotechnical operating means in pulse-loaded transformers 86−19330
Richter, C. The impulse transmission behaviour of three-winding transformers 86−66123
Richter, C. *see* Korner, E. 87−44177
Richter, C.-E., Trapp, M. Dopant atom and cluster ion behaviour in silicon arising in SIMS depth profiling 85−12123
Richter, C.E. *see* Panknin, D. 87−45766, 88−7304
Richter, D., Alefeld, B. Bunching spectrometer 86−5859
Richter, D., Berg, H., Wilhelm, H. Large scale trial of an electromagnetic filter for removal of iron from the water-steam circuit of power stations 87−35775
Richter, D. *see* Marten, H. 88−29927
Richter, D. *see* Mezei, F. 86−5856
Richter, D. *see* Schatzler, R. 86−5867
Richter, D.M. *see* Hieke, H. 88−5913
Richter, E. Directional coupler: attenuation is desirable−extending the measuring range of a HF wattmeter 85−31518
Richter, E., Miller, T.J.E., Neumann, T.W., Hudson, T.L. The ferrite permanent magnet AC motor−a technical and economical assessment 85−53665
Richter, E., Miller, T.J.E., Nuemann, T.W., Hudson, T.L. The ferrite permanent magnet AC motor−a technical and economical assessment 85−27387
Richter, E., Neumann, T.W. Line start permanent magnet motors with different materials 85−27396
Richter, E., Neumann, T.W. Saturation effects in salient pole synchronous motors with permanent magnet excitation 87−42878
Richter, E.W., Kampf, R.J., Karalekas, N. New microwave capability for the AN/USM-410(V) automatic test system 85−31584
Richter, F. Microphones: compensation of hand-induced noises 86−11333
Richter, F. *see* Weidner, G. 87−66872
Richter, G. Signal-to-noise ratio on A.D. converters−a simulation program in BASIC 86−46927
Richter, G. Btx knows no knock-off time 86−64608
Richter, G. Fully automatic battery charger 88−11289
Richter, G., Smith, E.T. Security of mobile telephone networks 88−9417
Richter, G. *see* Beister, G. 88−34045
Richter, G. *see* David, E. 88−16784
Richter, G.R. Using the MIL STD-1553 standard to implement laboratory tests for remote terminals 88−24519
Richter, H. Measurement of two-dimensional periodical flow behind turbine guide-vanes by means of a split-fiber probe 86−24837
Richter, H. LENE−a CAD-program for power electronic systems 86−52614
Richter, H. Two-dimensional optical far field power measurements of high angular resolution and/or high dynamic range 87−46529
Richter, H. Gettering in the silicon device technology−an overview 87−67062
Richter, H. The use of surface-active materials in the steam-water systems of steam power stations 88−48793
Richter, H. Interface states and Fermi level pinning in CdSe thin film solar cells 88−55631
Richter, H. Thayer School of Engineering at Dartmouth College. The liberal arts connection 88−70058
Richter, H., Florjancic, M.M., Smernos, S.C. Enamelled metal substrates for thick-film printed circuit boards 88−1100
Richter, H., Hewig, G.H. The deposition parameters of CdSe/ZnSe layers and the photovoltaic properties of CdSe thin film solar cells 88−17979
Richter, H., Leminger, O., Ries, R. 284/81 Mbits/s fibre-optic two-way transmission system for the DOTAN project 86−17566
Richter, H., Orlowski, T.E., Kelly, M., Margaritondo, G. Ultrafast UV-laser-induced oxidation of silicon: control and characterization of the Si-SiO$_2$ interface 85−6842
Richter, H., Ries, R., Sporleder, F. Laser transmitters for optical data communication systems 87−70045
Richter, H. *see* Casajus, A. 87−60263
Richter, H. *see* Eisenhauer, W. 87−38737, 87−39531
Richter, H. *see* Freude, W. 87−1950
Richter, H. *see* Kirscht, F.-G. 87−17891, 88−44629
Richter, H. *see* Leminger, O.G. 87−54044
Richter, H. *see* Neyer, A. 87−74870
Richter, H. *see* Orlowski, T.E. 85−12216
Richter, H. *see* Rickus, E. 86−40162
Richter, H. *see* Schmalz, K. 85−50361
Richter, H. *see* Slowik, J.H. 87−1299
Richter, H. *see* Tanzer, D. 86−14990
Richter, H. *(editor)* 1st International Autumn School 1985: Gettering and Defect Engineering in the Semiconductor Technology (GADEST). Proceedings 87−65079
Richter, H. *(editor)* 2nd International Autumn Meeting Proceedings: Gettering and Defect Engineering in the Semiconductor Technology (GADEST '87) 88−31309
Richter, H.-J. Must we think again on office lighting? 87−16161
Richter, H.-P. Interfaces and signal distribution in the component studio 88−41825
Richter, H.H. *see* Tillack, B. 86−47475, 87−31553, 88−44606, 88−56283
Richter, H.J. Videotex−a communications instrument for the trade in tourism and visitors 86−49226
Richter, H.W. *see* Brillson, L.J. 85−55565, 86−63104
Richter, J. European community policy for telecommunications 86−23246
Richter, J., Terpe, B. ROLANET 1−a local area network of VEB Kombinat Robotron 87−69680
Richter, J. *see* d'Oultremont, P. 87−48429
Richter, J. *see* Holweck, P. 88−43520
Richter, J.A. ISDN and mobile services 88−3346
Richter, J.A. *see* Camborde, J. 87−13260
Richter, J.H. Review of recent developments in evaporation ducting assessment 88−34391
Richter, J.H. *see* Hitney, H.V. 85−46566
Richter, J.L. Reply to 'Comment on 'Transmit versus receive gains for microwave dish antennas' [J. Appl. Phys. 58, 2761 (1985)]' 86−10209
Richter, J.S. Electronic coordinate determination has arrived 85−20533
Richter, K. EMS for 3 [miniature telephone exchange] 87−34275
Richter, K. *see* Dietze, E. 88−37181
Richter, K. *see* Huhnerfuss, H. 87−63974
Richter, K. *see* Kasprzyk, R. 85−57822
Richter, K. *see* Pfeiffer, W. 85−24033, 88−1817
Richter, K.-H. 8-bit A-D converter for video signal processing 86−1161
Richter, K.-P. *see* Jenderka, K.-V. 87−73368
Richter, K.A. *see* Bloom, A.R. 88−38408
Richter, K.A. *see* Egbert, J.H. 86−70072
Richter, K.E., Bennett, J.C., Smith, K.L., Jr. Bottom-moored acoustic array to monitor density and vertical movement of deep-sea benthopelagic animals 85−48486
Richter, K.H. *see* Rinolfi, L. 86−31861
Richter, K.P., Lange, P., Millner, R., Heynemann, H., Richter, M.I., Pressler, H., Drescher, T., Letterer, H. Measurement system for medical ultrasonic pulse spectroscopy 85−43339
Richter, K.P., Millner, R., Holzer, F., Leitgeb, N., Wach, P. Design, construction and experimental investigation of ultrasonic pulse transducers with different bandwidths 87−64009
Richter, K.R. *see* Preis, K. 86−29552
Richter, K.R. *see* Rucker, W.M. 87−33363, 87−75400, 88−52074
Richter, K.R. *see* Stogner, H. 87−35912
Richter, L.E., Mandelberg, H.I., Kruger, M.S., McGrath, P.A. Linewidth determination from self-heterodyne measurements with subcoherence delay times 87−12472
Richter, L.J., Ho, W. Position-sensitive detector performance and relevance to time-resolved electron energy loss spectroscopy 87−3904
Richter, L.J. *see* Lewkowicz, P.E. 86−32451
Richter, L.P. *see* Kowalewski, S. 85−6191
Richter, L.W. *see* Griffin, N.M. 87−683
Richter, M. *see* Berchowitz, D.M. 86−39556
Richter, M. *see* Guttner, E. 88−22321
Richter, M. *see* Holliday, J.C. 87−35849
Richter, M. *see* Prescher, T. 87−35318
Richter, M.I. *see* Richter, K.P. 85−43339
Richter, P., Peczel, I. Signal fluctuations in a CW infrared heterodyne lidar 85−31103
Richter, P. *see* Peczeli, I. 85−52776, 85−56534
Richter, P. *see* Szabo, K. 88−39022
Richter, P. *see* Tarnoczi, T.I. 85−14372
Richter, P.J. *see* Koza, H. 87−43883, 88−31385
Richter, R. *see* Amendolia, S.R. 85−37901, 85−43179, 86−5779, 87−21426 to 21428
Richter, R. *see* Baumuller, F. 85−43855
Richter, R. *see* Benetta, M. 85−43239
Richter, R. *see* Bohl, H.R. 85−64020
Richter, R. *see* Chenevier, F. 86−19802
Richter, R. *see* Gay, J.G. 86−35777
Richter, R. *see* Klotz, W.-D. 87−29419
Richter, R. *see* Konoplyannikov, A. 85−42924
Richter, S. Problems of material utilisation in high voltage electric power transmission line towers 88−69016
Richter, S. *see* Jung, E. 85−18410
Richter, S.B., Fusillo, L.J. Helicopter navigation algorithms for the placement of sonobuoys in an antisubmarine warfare (ASW) environment 88−68689
Richter, S.B., Parry, D.M. Navigation methodology: an investigation of an inertial navigation system (INS) enhancement 86−12092
Richter, S.B., Parry, D.M. Navigational coordinate systems: how to get your surface and air positioning very precise and still be off by 20 nautical miles 86−69862
Richter, S.B. *see* Fusillo, L.J. 88−68682
Richter, U. A new coupler for circumaural earphones 87−50236
Richter, U. Digitising video signals using K 1107 PV 2 88−74124
Richter, U. *see* Biesenack, H. 87−4669
Richter, U. *see* Gittler, G. 88−19229
Richter, V. *see* Neta, U. 88−39184
Richter, V. *see* Shaanan, M. 85−45535
Richter, V. *see* Uzan, C. 88−33004
Richter, W. Optical modelling of incremental displacement systems 86−5532
Richter, W. Problems of measurement and test theory with random technical microprocesses and their solution by an intelligent measurement device 86−17728
Richter, W. Experience in the construction sector with the realization of the 'convoy' concept for nuclear power stations 86−25731
Richter, W. Physics of metal organic chemical vapour deposition 87−52206
Richter, W. Behaviour of the primary battery R6S during discharge with very small currents 88−24119
Richter, W., Hunermann, L. Light scattering diagnostics in MOCVD 88−43922
Richter, W., Moraw, G., Seitlinger, W., Wogerbauer, J. Reduction of inrush current of power transformers 87−15826
Richter, W., Richter, W. Measurement value preprocessing in sensor systems by means of the theory of fractals 88−53521
Richter, W. *see* Balk, P. 88−12001
Richter, W. *see* Esser, N. 88−13015
Richter, W. *see* Geurts, J. 85−28235
Richter, W. *see* Grundmann, D. 88−56274
Richter, W. *see* Koppitz, M. 85−10689
Richter, W. *see* Richter, W. 88−53521
Richter, W.F. *see* Holford, R.M. 88−10455
Richtering, W. *see* Solomun, T. 86−47483
Richton, G. Some processing comparisons between solventless and solvent electrical insulating varnishes 88−64845
Richtr, J. Measures for reducing the crosstalk of the ripple control signal in power networks 88−42825
Richvalsky, J. *see* Dolezal, I. 85−61835, 87−74443
Richwine, R.R. *see* Lofe, J.J. 86−61394
Richy, I. *see* Le Peurian, P. 86−57034
Richy, V. An optoelectronic contactless meter of dimensions with a line CCD sensor of the second generation 87−56530
Richy, V., Volek, V. Satellite television, II 88−3918
Ricka, J. *see* Stierlin, R. 87−53948
Rickard, B. *see* Lowry, M. 88−47580
Rickard, D.C. *see* Chia, S.T.S. 86−48599, 86−69599
Rickard, D.C. *see* Hawkins, N.D. 86−10094
Rickard, J.T. On the detection theory of autocoherence 85−30263
Rickard, J.T. Worst-case signal spectra for broadband detection 86−23020
Rickard, J.T. Signal decorrelation effects due to differential Doppler 87−7525
Rickard, N.H. The lead/acid appliance battery−a popular power source remote from the grid 87−58477
Rickards, A.F. *see* Donaldson, R.M. 85−15353
Rickards, A.J. Components in the studio. II 86−38070
Rickards, A.J. Components in the studio. III. Conclusion 86−44016
Rickards, A.J., Brown, I.G. An intermediate video coding system 85−3581
Rickel, D.G. *see* Freeman, B.L. 88−43316
Rickel, D.G. *see* Jacobson, A.R. 86−68749
Ricken, R. *see* Sohler, W. 86−48503
Ricken, R. *see* Suche, H. 88−2388
Rickenbach, R. High resolution multimode OTDR measurement system 88−41973
Rickenbach, R., Wechsler, E.R. Verifying OTDR calibration quickly 85−35460
Rickenbach, R., Wendland, P. Germanium photodiodes−temperature and uniformity effects 87−35092
Ricker, D.W. Small aperture angle measurement for active echo location systems 87−2509
Ricker, G. *see* McGrath, R.D. 88−25866

Ricker, G.G., Richey, M.F. Application of an advanced signal processing engine to adaptive techniques [radar application] 86−17481
Ricker, G.R., Doty, J.P., Vallerega, J.V., Vanderspek, R.K. The Explosive Transient Camera (ETC): an instrument for the detection of gamma ray burst optical counterparts 85−4244
Ricker, G.R. *see* Bautz, M.W. 88−4864, 88−4866
Ricker, G.R. *see* Doty, J.P. 88−4867, 88−22651
Ricker, G.R. *see* Dunham, E.W. 86−44183
Ricker, G.R. *see* Luppino, G.A. 88−4868
Ricker, G.R. *see* Nousek, J.A. 88−47575
Ricker, T. *see* Bohm, H. 85−48494, 87−4155
Ricker, T. *see* Kasper, E. 87−23694
Ricker, W.G. *see* Price, E.J. 85−64110
Rickerl, P.G., Stephanie, J.G., Slota, P., Jr. Evaluation of photosensitive polyimides for packaging applications 87−74398
Rickerl, P.G., Stephanie, J.G., Slota, P., Jr. Processing of photosensitive polyimides for packaging applications 88−26109
Rickert, J.B. Beyond ISO: the extended network 88−15125
Rickert, R.L. AC servos increase machine tool productivity 85−44024
Rickert, S.E., Lando, J.B. Integrated Langmuir devices: structural and microprocessing methods 88−8086
Rickert, S.E. *see* Biddle, M.B. 88−7777
Rickert, S.E. *see* Shutt, J.D. 87−56918
Rickett, F. Intelligent interactive learning systems 88−74155
Rickett, J. Voice recognition: a question of viability in commercial software 88−52402
Ricketts, B.V., Cage, M.E. Quantized Hall resistance measurement at the National Measurement Laboratory, Australia 87−14460
Ricketts, B.W. Low frequency noise and the quantised Hall effect 85−40492
Ricketts, B.W., Cage, M.E. Quantized Hall resistance measurement at the NML 88−16420
Ricketts, B.W., Kemeny, P.C. Quantum Hall effect devices as circuit elements 88−33133
Ricketts, B.W. *see* Sloggett, G.J. 87−28898
Ricketts, D. Transverse vibrations of composite piezoelectric polymer plates 85−48504
Ricketts, D. The frequency of flexural vibration of completely free composite piezoelectric polymer plates 87−9043
Ricketts, D. *see* Tancrell, R.H. 87−1808
Ricketts, I.W., Norrie, D.K. PC-based signature analysis: a very low cost tool for fault detection in digital electronic systems 87−63259
Ricketts, J.A. *see* Jenkins, A.M. 88−3327
Ricketts, W.B. *see* Wilson, W.J. 87−8541, 87−15034, 87−42268
Ricketts, W.E., Kumar, A.N., Kwon, O.C. Replacement of bearing journals on heat transport pumps at the Wolsung Nuclear Generating Station 88−75370
Rickey, D.M., Toof, M.R. Impact of lithographic process variations on CD measurements 85−62017
Rickfalt, L. Fiplex−computer support for better customer service 85−63198
Rickle, G.K. *see* Paquette, M.S. 88−19554
Rickley, M., Belling, M., Hitchcock, R.N., Laghari, J.R., Dollinger, R. A large, 500 kV double resonant transformer for testing HV probes and HV resistor materials 87−22509
Rickley, M. *see* Belling, M. 87−22508
Rickli, O. *see* Piffaretti, J. 88−72078
Rickman, J., Anderson, S. Communications interface [speech synthesizers] 85−42157
Rickman, J., Haynes, D. PCs on campus 85−13897
Rickman, J.D., Jr. Selected segment hydronic heating system 85−65633
Rickman, S. Three ICs form portable RF burst generator 86−57698
Rickman, S. Using wideband operational amplifiers 87−530
Rickman, W.S. Comparative results of multifuels fluidized bed combustion testing in both bubbling and circulating bed modes 85−21449
Ricks, J. Artificial intelligence and Texas Instruments 88−74281
Ricks, W.R. *see* Schutte, P.C. 88−48280
Rickson, C. Electrical machine core imperfection detection 86−45345
Rickson, C.D. A new technique for core lamination testing 86−66013
Rickus, E. Photoelectric processes in CdSe thin film solar cells 86−7109
Rickus, E., Richter, H. The influence of crystallography and electronic structure on the photovoltaic properties of CdSe thin film solar cells 86−40162
Rickwood, J. RCCBs and shock risk protection 85−33100
Rickwood, K.R., Serafetinides, A.A. Semiconductor preionized nitrogen laser 86−63766
Rickwood, K.R. *see* Serafetinides, A.A. 87−68339, 87−75191, 88−8096, 88−20560
Ricny, V. Operating characteristics of light-sensitive CCD imagers 88−29462
Ricny, V., Volek, V. Satellite television. I 87−70009
Ricny, V. *see* Hanousek, K. 87−13611
Rico, G., Leasure, C.S., Vandiver, V.J., Eiceman, G.A. Signal generator for diagnosing chromatographic and mass spectrometric data systems 86−17988
Rico, M., Uceda, J., Sebastian, J., Aldana, F. Static and dynamics modeling of tapped-inductor DC-to-DC converters 87−73304
Rico, M. *see* Sebastian, J. 88−70526, 88−70550, 88−75831
Rico Secades, M. *see* Sebastian Zuniga, J. 88−5779
Ricolfi, T. *see* Battuello, M. 88−60731
Ricossa, L. Developments for the 80s and 90s in the design of electrical installations in buildings 86−18797
Ricossa, L. Sub-distribution in commercial and industrial buildings−the constructive evolution 86−39129
Ricossa, L. Electrical installations: progress in construction 86−66217
Ricossa, L. *see* Bellato, G. 87−66640
Ricotti, L.P. *see* Martinelli, G. 86−64272, 87−47607
Ricotti, L.P. *see* Ragazzini, S. 86−64224
Ricotti, L.Prina *see* Prina Ricotti, L.
Ricottilli, M., Pierdicca, N., Pauri, F. AVHRR channel 3 noise analysis and filtering for Earth surface parameters retrieval 87−4163
Ricottilli, M. *see* Cannizzaro, G. 87−4149
Ricoux, P. *see* Gauthier, M. 85−39181, 85−60400
Ricoux, P.A., Gauthier, J.M., Armand, M.B. Solid state thin film polymer electrolyte lithium batteries for EV applications−joint research and development program Elf Aquitaine-Hydro Quebec-Anvar 85−65557
Ricoy, M.A. *see* Volakis, J.L. 87−47136
Ricther, K. *see* Kasprzyk, R. 86−23570
Ridane, M. *see* Annabi, M. 88−24400
Ridard, J.-Y. *see* Mazalerat, J.-M. 88−11029
Riddaway, C.J. *see* Frayne, P.G. 87−12786, 87−47415, 88−63890
Riddell, J.G. *see* McCullagh, P.J. 88−42484
Ridder, A. *see* Hordijk, A. 87−40458
Ridder, H.-W. Simple window discriminator 86−40967
Ridder, J., Hoyer, E., Berkhout, A.J. Development of a digital diagnostic workstation for medical ultra-sound 87−50292
Ridder, R.M.de *see* de Ridder, R.M.
Ridders, C.J.F. Accurate determination of threshold voltage levels of a Schmitt trigger 86−854
Ridders, C.J.F. Simulation of the hysteresis of a Schmitt trigger 86−34637
Ridders, C.J.F. Curve fitting of a junction capacitance 87−74055
Riddick, G. *see* Rapoport, N. 88−50555
Riddle, A. High performance parallel coupled microstrip filters 88−70981
Riddle, A.C. *see* Balsley, B.B. 88−45782
Riddle, A.C. *see* Ecklund, W.L. 86−23972
Riddle, A.N., Trew, R.J. A new method of reducing phase noise in GaAs FET oscillators 85−17856
Riddle, A.N., Trew, R.J. A novel GaAs FET oscillator with low phase noise 86−8481
Riddle, A.N., Trew, R.J. A new approach to low phase noise oscillator design 86−62486
Riddle, A.N., Trew, R.J. Low frequency noise measurements of GaAs FETs 87−6092
Riddle, A.N., Trew, R.J. A new measurement system for oscillator noise characterization 87−73742
Riddle, J. High cycle fatigue (ultrasonic) not corrosion in fine microelectronic bonding wire 87−66802
Riddle, L.P. Techniques for estimating digital communication degradation 85−41825
Riddle, L.P. Two-tone intermodulation analysis of communication satellite transponders 86−17344
Riddle, L.P. Causal filter model for estimating degradation from intersymbol interference 87−33723
Riddle, L.P. Self-noise associated with suppressed carrier recovery 88−2602
Riddle, M.H. Modulated pilot tone 85−8603
Riddoch, M. *see* Bacarisse, B.S. 88−67076
Riddoch, M. *see* Crowcroft, J. 88−67079
Riddy, G.D.G., Solymar, L. Theoretical model of reconstructed scatter in volume holograms 86−63878
Rideau, A. *see* Monnom, G. 86−63038
Ridelaire, H. *see* Noblet, A. 85−52999
Ridella, S. *see* Corana, A. 88−11883
Rideout, V.L. Status and trends in CMOS logic 85−765
Rideout, V.L. Device technology limitations in VLSI circuits 85−12332
Rideout, V.L., Wissel, L. Selective substrate biasing for CMOS circuits 85−35183
Rider, G. *see* Clarke, J. 87−26765
Rider, J.G. *see* Aindow, J.D. 86−34419
Rider, L. *see* Adams, W.S. 88−3907
Rider, R.L. *see* Traiforos, S.A. 87−78289
Ridge, C. *see* Fior, G. 87−18355
Ridge, D. *see* Schlegel, K. 87−29933
Ridge, I.T., Brisbane, O.J. LEOPARD−a computer based system for processing telephone service difficulty complaints 85−3020
Ridge, M.I. *see* Jones, M.W. 88−14188
Ridgely, P. Life in the heart of the computer: a bit of thermal physics 87−43991
Ridgley, D.H., Kershaw, R., Dwight, K., Wold, A. Single crystal growth of cadmium manganese selenides with controlled carrier concentration 85−60943
Ridgley, D.H. *see* Shapira, Y. 87−6395
Ridgway, J. Compact discs−a revolution in the making 86−38143
Ridgway, L. *see* Edmands, A. 86−40477
Ridgway, R.W., Busch, J.R., Manning, L.G. An integrated optic vector multiplier for phased array antennas 88−51576
Ridgway, R.W., Davis, D.T. A spatial sampler using integrated optic techniques 87−18748
Ridgway, T.H. *see* Birch, E. 86−67288
Ridgwell, J.F. Long-term performance evaluation of the visual section of television transmitters 85−42718
Ridgwell, J.F. A new range of beam-modulated high-power UHF television transmitters 87−56342
Ridi, N. *see* Pluchino, F. 88−8383
Ridings, R.P., Bomar, J.F., Khoo, F.L. TDMA traffic terminal verification and testing 87−20434
Ridings, R.P., Lindstrom, R.R., Dobyns, T.R. An experimental TDMA traffic terminal 87−8221
Ridler, P., Jennings, B. An electro-fluorescent light-switch principle 86−9670
Ridler, P.J. *see* Jennings, B.R. 87−54112
Ridler, T.W. *see* Keenan, M.A. 87−3488
Ridler, V.K. *see* Tkachenko, B.V. 87−26762
Ridley, B.K. Factors affecting impact ionisation in multilayer avalanche photodiodes 85−46270
Ridley, B.K. Quantum hot electron effects in low-dimensional structures 86−47375
Ridley, B.K. On the effect of plasmon-phonon coupling and phonon reabsorption on scattering-induced NDR 87−1168
Ridley, B.K. On the physics of impact ionization and its application to superlattice avalanche photodiodes 87−33055
Ridley, B.K. Statistically screened impurity scattering in modulation-doped structures 88−32880
Ridley, B.K., Al-Mudares, M. The effect of hot phonons and coupled phonon-plasmon modes on scattering-induced NDR in quantum wells 88−32911
Ridley, B.K. *see* Abou El-Ela, F. 88−32811
Ridley, B.K. *see* Al-Mudares, M. 86−21235
Ridley, B.K. *see* Al-Mudares, M.A.R. 86−63081
Ridley, B.K. *see* Balkan, N. 88−39120
Ridley, B.K. *see* Barlow, M.J. 88−32904
Ridley, C.D., Brignell, J.E. A baud rate independent interface for measurement systems 86−31163
Ridley, D. *see* Cagan, M. 88−26482
Ridley, G.K. Performance tests on UK's first direct-water cooled generator-motor 86−33312
Ridley, I. *see* Beynon, T.G.R. 86−5569
Ridley, J.K., Partington, K.C. A model of satellite radar altimeter return from ice sheets 88−61625
Ridley, K. *see* Brown, R.G.W. 87−26187
Ridley, K.D. *see* Brown, R.G.W. 87−68273
Ridley, K.D. *see* Rarity, J.G. 88−14268
Ridley, R.B. Secondary LC filter analysis and design techniques for current-mode-controlled converters 88−30931
Ridley, R.B., Cho, B.H., Lee, F.C. Analysis and interpretation of loop gains of multi-loop-controlled switching regulators 87−65851
Ridley, R.B., Lee, F.C. Practical nonlinear design optimization tool for power converter components 87−73308
Ridley, R.B., Lee, F.C., Vorperian, V. Multi-loop control for quasi-resonant converters 87−72309
Ridley, R.B., Lee, F.C., Vorperian, V. Multi-loop control for quasi-resonant converters 88−30814
Ridley, R.B., Lotfi, A., Vorperian, V., Lee, F.C. Design and control of a full-wave, quasi-resonant flyback converter 88−55498
Ridley, R.B., Tabisz, W.A., Lee, F.C. Multi-loop control for high-frequency quasi-resonant converters 88−75819
Ridley, R.B. *see* Hsiao, C.J. 87−72272
Ridley, R.B. *see* Kelkar, S.S. 87−65844
Ridley, W.R. Automation of buoy positioning 86−55394
Ridlon, R.N. *see* Carlson, R.L. 87−14661
Ridolf, C. *see* Cataliotti, V. 86−70716
Ridon, J. *see* Ravon, J.P. 86−18228
Ridout, A.J. New feedback control system for overhead cranes 88−49248
Ridout, J. Selecting the right generating set for use with UPSs 86−56577
Ridout, J. Gensets for computer standby 87−72231
Ridout, J. Portable power, heaps of heat 88−62163
Riebesell, M. *see* Bieler, C. 85−37924
Riebold, W.L. *see* Addabbo, C. 85−38770
Riechert, H. *see* Cremer, C. 87−40883
Riechert, W.F. *see* Carlson, N.W. 88−45431
Rieck, W. *see* Gloeckler, G. 85−53162
Ried, J.M. *see* Miwa, H. 85−64552

Ried, R.C. A flight test challenge: aeroassist for reuseable, space-based transportation 87−35460
Riedel, C. *see* Boudry, J. 88−48066
Riedel, D., Voser, L. Retrofitting power plants with BBC-PROCONTROL P 88−11036
Riedel, D., Zimmermann, H. Control engineering in a power station 85−38595
Riedel, E. *see* Schenk, H. 85−38799
Riedel, F. A generalized model for MOS operational amplifier design in analog signal processing 85−54683
Riedel, F. A/D converter function blocks for very high speed and ultra high speed sample rates 86−14298
Riedel, F. Small signal model of short- and narrow-channel MOS transistors 87−32507
Riedel, F., Weder, U. Design of high-performance operational amplifiers 86−57675
Riedel, G.L. *see* Shepherd, A.P. 85−15289
Riedel, J., Vincent, J. The RF systems of the MSU K500 and K800 cyclotrons 85−59007
Riedel, J. *see* Antaya, T.A. 85−64432
Riedel, J. *see* Au, R. 85−64363
Riedel, J. *see* Blosser, H. 85−64630
Riedel, M., Meyer, H.-G., Krech, W. The stationary behaviour of a Josephson junction 85−35333
Riedel, M. *see* Kohler, H.-J. 85−18613
Riedel, M. *see* Meyer, H.G. 85−1873
Riedel, R.A. *see* Davis, G.D. 85−34878
Riedel, R.A. *see* Patella, F. 85−18135
Riedel, R.D. *see* Halter, S.A. 85−43379
Riedel, S. *see* Rossiger, V. 87−44422
Riedel, S.A., Harris, G.F. Measuring postural stability: strategies for signal acquisition and processing 88−48095
Riedel, W. Automated production test in manufacturing integrated thermoprinting heads 87−16363
Riedel, W. *see* Donat, P. 86−23730
Riedel, W.R. *see* Briskin, M. 87−4108
Rieder, C., Perrenoud, A., Schleipen, M., Tran, T.M., Tran, M.Q. Measurement problems at 120 GHz [gyrotrons] 85−11838
Rieder, C. *see* Perrenoud, A. 85−55373
Rieder, J. Amplifier techniques: Abacus Rieder 60-120−loudspeaker at the collector 86−27088
Rieder, W. *see* Filip, G. 87−37812
Rieder, W.G. *see* Gessel, G.R. 87−51761
Riederer, A.J., Czeto, A., Okyere, W.E. ATE techniques in the undergraduate laboratory 88−22468
Riederer, A.J. *see* Okyere, E.W. 88−18392
Riederer, S.J. Digital radiography 85−38078
Riederer, S.J., Lee, J.N., Bobman, S.A. Processing techniques for magnetic resonance image synthesis 87−77659
Riederer-Henderson, M.A. *see* Foster, F.K. 87−3967
Riederman, N.H., Monarchie, D.L., Wisnieff, R.E., Keyworth, A. Thin-film dielectric AC plasma panels 85−14936
Riediker, M. *see* Rohde, O. 86−2061, 87−1374
Riedl, H. Logic analyzers of enhanced power 88−9906
Riedl, J. Laboratory recorders: market tendencies and applications 88−29489
Riedl, J. Mouse drives IEC bus 88−35785
Riedl, J. Many talents and a good memory. The programmable function generator Ballantine 6200A 88−47594
Riedl, J. Handheld counter/timer−Countmaster 50/500 88−47605
Riedl, J. Unix-CPU for VME bus: the Motorola 32-bit single-board computer 88−70799
Riedl, J. User-friendly, low-cost logic analysers 88−74302
Riedl, J. *see* Bhargava, B. 88−35157
Riedl, P. *see* Krafcsik, I. 88−39190
Riedl, S. *see* Casasent, D. 87−54141, 88−40033
Riedlberger, F. *see* Lindner, E. 87−10790
Riedle, K., Baumgartel, G. Development of coal-based power generation with emphasis on the combined-cycle process using PRENFLO gasification 88−37069
Riedle, K., Watzinger, H., Winkler, F. High-tech nuclear testing 87−71879
Riedler, W. Current problems in satellite transmission research 86−30741
Riedler, W. *see* Kirchner, D. 85−14996, 86−31677, 88−74604
Riedler, W. *see* Koudelka, O. 86−30746, 88−53203
Riedler, W. *see* Lang, R. 86−29402
Riedler, W. *see* Randeu, W.L. 86−29406
Riedler, W. *see* Riegler, G. 85−15953
Riedler, W. *see* Watermann, J. 88−48261
Riedling, K. Autonomous liquid encapsulated Czochralski (LEC) growth of single crystal GaAs by 'intelligent' digital control 88−63279
Riedling, K. *see* Kim, K.M. 85−33398
Riedmueller, K. Customised IC design on a PC 87−25375
Riedmuller, K. Customer-specific ICs developed at a PC 87−25383
Riedmuller, K. Development aid. Developing user-specific ICs on the PC 87−59075
Riedmuller, K. Specific circuit development on a PC 88−49950
Rief, B. *see* Busse, G. 87−23767
Rief, C.D. *see* Smith, D.A. 87−47093
Rief, H. *see* Fossati, F. 87−29425
Rief, R. *see* Kung, K.T.Y. 88−33214
Riefenstahl, U., Hansen, R. Rendezvous control of rotating mill shears using microcomputers 85−5549
Riefenstahl, U. *see* Palis, F. 87−58352
Riegart, R.P. Future physical testing of interconnect technology 88−63014
Riege, H. Plasma lenses for focusing particle beams 88−16609
Riege, H. *see* Autin, B. 87−56937
Riege, H. *see* Boggasch, E. 87−21337
Riege, H. *see* DeWulf, J.P. 87−21468, 88−22985
Riege, H. *see* Dothan, F. 88−29745
Riege, H. *see* Frank, K. 88−57275
Riege, H. *see* Theopold, F.A. 86−50415
Riegel, S., Weber, G. A dual-slope method for specific heat measurements 87−14592
Riegel, W. Safe operating area in switching of power transistors 88−19962
Rieger, D., Himpsel, F.J., Karlsson, U.O., McFeely, F.R., Morar, J.F., Yarmoff, J.A. Electronic structure of the $CaF_2/Si(111)$ interface 87−17813
Rieger, D. *see* Himpsel, F.J. 86−34311
Rieger, D. *see* Karlsson, U.O. 87−1324, 87−1329, 88−19760
Rieger, D. *see* Ludeke, R. 88−19736
Rieger, D. *see* Schaffler, F. 88−13016
Rieger, D.J. *see* Herb, G.K. 88−13155
Rieger, G., Rossiger, G. Broadcast licence charges: economics by means of modifications−pay less as schools do 85−47669
Rieger, H. Performance evaluation of lead vapor heat-pipe as a stimulated Raman converter for XeCl lasers 86−42628
Rieger, H. Lead vapor heat pipe as a stimulated Raman converter for XeCl lasers 87−68629
Rieger, H. *see* Henderson, T. 86−68595
Rieger, H. *see* Hofmann, P. 86−45832
Rieger, J. Increased bandwidths challenge designers of telemetry links 88−15022
Rieger, J., Birch, K. Microwave airborne telemetry: unusual problems, unusual hardware 85−31891
Rieger, J. *see* Eichfeld, H. 87−24205
Rieger, J. *see* Ginzburg, S. 88−47073
Rieger, J. *see* Mu, X.C. 86−15045, 86−47462
Rieger, J.H. On the classification of views of piecewise smooth objects 87−62158
Rieger, J.H., Lawton, D.T. Processing differential image motion 85−30345
Rieger, J.H. *see* Krishnaswamy, S.V. 87−73084, 88−464
Rieger, J.H. *see* Sinharoy, S. 85−44707, 85−54463, 86−63322, 87−31513
Rieger, J.L. Good vibrations from Zenith/dbx TV, stereo's missing link 85−20333
Rieger, K. *see* Dietl, L. 86−31858
Rieger, K. *see* Trinks, U. 86−31952
Rieger, M., Kocevar, P., Bordone, P., Lugli, P., Reggiani, L. Transient hot-phonon effects on the velocity overshoot of GaAs: a Monte Carlo analysis 88−32810
Rieger, M. *see* Buchler, J. 86−14493
Rieger, M.L. *see* Schoeffel, J.A. 87−32628
Rieger, O. The inland semiconductor market−new upswing? [Austrian] 87−158
Rieger, O. Stagnation in the first half year: the inland market for semiconductors lacks dynamism 87−16348
Rieger, O. Flat semiconductor sales trends in the Austrian home 87−43852
Rieger, O. Market report: difficult year for semiconductors 88−64477
Rieger, S. *see* Hartl, P. 87−49179
Riegger, H., Muller, P. Optimum design and operation of district heating systems in cogeneration plants with condensing turbines 86−70801
Riegger, S., Hollmann, D., Schone, G., Wiesbeck, W. Measurement and calculation of the complex scattering matrix for a dielectric cylinder 88−27493
Riegger, S., Wiesbeck, W. Coherent polarimetric RCS measurements on trees 87−57440
Riegger, S. *see* Schone, G. 88−25430
Riegger, S. *see* Wiesbeck, W. 88−15547
Riegler, G. 3-minute BOD assessments 87−63562
Riegler, G., Riedler, W. Tethered wind systems for the generation of electricity 85−15953
Riegner, T.M. Simplified methods of assuring safe grounding systems 86−32859
Riehl, D.H. *see* Studebaker, L.G. 87−38382
Riehl, G. *see* Zoubek, N. 87−50054
Riehl, J.W. Data communication education−who needs it? (An industry-defined model for the information systems professional) 86−52159
Riehl, J.W. A curriculum model of telecommunications education requirements for the information systems specialist 87−43830
Riehle, F. A soft X-ray Bragg polarimeter for synchrotron radiation at the storage ring BESSY 86−60659
Riehle, F., Bernstorff, S., Frohling, R., Wolf, F.P. Determination of electron currents below 1 nA in the storage ring BESSY by measurement of the synchrotron radiation of single electrons 88−54073
Riehle, F., Tegeler, E. Simple method for the determination of the characteristic photon energy E_c of a storage ring by X-ray measurement at photon energies around 20 E_c 88−22883
Riehle, F., Tegeler, E., Wende, B. X-ray measurements for the determination of extension and divergence of electron beams in storage rings 88−22882
Riehle, F., Tegeler, E., Wende, B. Spectral efficiency and resolution of Si(Li)-detectors for photon energies between 0.3 keV and 5 keV 88−22978
Riehle, F., Wende, B. Establishment of a spectral irradiance scale in the visible and near infrared using the electron storage ring BESSY 86−44446
Riehle, F. *see* Fox, N.P. 86−65193, 87−14351
Riehle, F. *see* Muller, P. 86−60569
Riehle, M. Technical regulations and norms of tariff switches 85−48624
Riehle, M. Disturbance and fault statistics of remote control receivers 85−48628
Riehle, M. Report on present position on standards work: electricity meters, tariff switching equipment, tariff apparatus (remote metering) 88−36097
Riehle, S. *see* Graubner, W. 85−40124
Riehn, A. An automated systems supplier's perspective of MAP 87−28176
Riehn, A. Industrial communications from the manufacturer's viewpoint. Dataflow is just as important as product flow 87−69650
Riehute, J.R. *see* Markovitz, M. 86−63505
Rieke, K.L., Lew, H.G., Rovesti, W.C. ITSL coal liquid as a combustion turbine fuel 88−30432
Rieke, P.C., Vanderborgh, N.E. Thin film electrode arrays for mapping the current-voltage distributions in proton-exchange-membrane fuel cells 87−58307
Rieke, P.C. *see* Klofta, T.J. 86−9656
Riekel, C. Applications of one-dimensional position-sensitive detectors for neutron diffraction experiments on powders and liquids 85−15219
Rieken, R., Kirchhoff, M. Test aids for 16-bit microcomputer 85−52648
Rieker, L.L. *see* Hoberecht, M.A. 85−48390, 86−32488
Riekert, P. *see* Kuntz, W. 87−25552
Riekert, R.H. *see* Evangelisti, C.J. 85−8732
Riekhof, G.G. *see* Morris, C.L. 88−2978
Riekmann, D. *see* Behr, J.-P. 85−14053
Riel, F.J. *see* Carson, R. *(editor)* 87−72712
Riel, G. *see* Nelson, M.E. 85−20831
Riel, M. The InterCultural Learning Network 87−55701
Riel, P.van *see* van Riel, P.
Riele, H.J.J.te *see* te Riele, H.J.J.
Riele, W.A.M.Te *see* Te Riele, W.A.M.
Rieleit, P. Characteristics plotter: curves on the picture screen for laboratory, instruction and demonstration purposes. III 85−4017
Riemann, H.E. Developments in Germany [videotex] 85−26058
Riemann, R. *see* Rein, H.M. 87−8264
Riemann, S. *see* Golutvin, I.A. 88−16656
Riemann, U., Schonfelder, H., Chmielewski, I. Methods of signal processing in a digital HDTV chromakey mixer 88−67545
Riemann, U., Wieben, W. Fast signal processing in a digital HDTV studio 86−55407
Riemann, U. *see* Bock, G. 88−29062
Riemens, K. *see* Goedbloed, J.J. 88−2624
Riemenschneider, B. *see* Esquivel, A. 88−38542
Riemenschneider, B. *see* Gill, M. 88−33402
Riemenschneider, B.R. *see* Esquivel, A.L. 87−37282, 88−6874, 88−70768
Riemenschneider, G. *see* Dolezal, R. 87−78468
Riemenschneider, P., Bui, Q., Grohs, A., Jenzen, C., Landmeier, P., Morgan, D., Cumming, D., Purvis, M. EBS-5: a vector scan electron beam lithography system for research applications 86−35486
Riemenschneider, P. *see* Liu, L.C.T. 86−35110
Riemenschneider, T.A. *see* Ben-Shachar, G. 88−23104
Riemenschnieder, B. *see* Esquivel, J. 87−44853
Riemer, D.E. Optimized adhesion mechanism for thick-film multilayer gold 86−14733
Riemer, D.E. Ink hydrodynamics of screen printing 86−53224
Riemer, D.E. The function and performance of the stainless steel screen during the screen-print ink transfer process 87−66786
Riemer, D.E. The function and performance of the stainless steel screen during the screen-print ink transfer process 88−1198
Riemer, D.E. More comments on 'The function and performance of the stainless steel screen during the screen-print ink transfer process' 88−44492
Riemer, D.E. The mechanics of solder joint stress relief by leads on surface mounted devices 88−57055
Riemer, D.E. The shear and flow experience of ink during screen printing 88−57162
Riemer, D.E. Analytical engineering model of the screen printing process. I 88−64122

Riemer, D.E., Saulsberry, C.W. Power cycling of ceramic chip carriers on ceramic substrates (an analysis of test results) 85–33193
Riemer, D.E. *see* Kitano, P.T. 86–53242
Riemer, E. *see* Burke, K.M. 87–31495
Riemer, M. *see* Hoehne, K.H. 87–35409
Riemer, M. *see* Hohne, K.H. 85–38121
Riemersma, H. *see* McKee, B.D. 86–33420
Rienecker, W. Image processing systems for robots 87–56593
Rienen, U.van *see* van Rienen, U.
Rieno, K., Greiner, O. On the middle Salzach river power plants, which have been constructed using KOPF 86–19158
Rienobl, K., Greiner, O. Power stations on the middle Salzach are being built by use of KOPE 86–39607
Rienstra, F. Testing services in the area of information technology 88–41302
Rienstra, W.W. Theoretical and computational analysis of IFR beam transport on curved channels 88–54201
Rienstra, W.W. *see* Shope, S.L. 88–54191
Riensubdee, T. The lead/acid battery industry in Thailand 88–55590
Rienzo, M.Di *see* Di Rienzo, M.
Riepe, F. The calculation of the three-phase induction machine with any squirrel-cage rotors considering the geometric locus 85–27409
Riepe, G., Protic, D. Thick silicon strip detectors 85–15173
Riepe, G. *see* Koch, H.R. 88–74695
Riepe, G. *see* Protic, D. 85–43233
Riepe, K.B. *see* Ballard, E.O. 86–32123
Riepe, K.B. *see* Rosocha, L.A. 87–61283
Riepe, K.B. *see* Wilson, D.C. 87–50017
Riepel, G. *see* Casajus, A. 87–60263
Rieppo, R. Absolute low energy photopeak efficiency values for NaI(Tl) and Si(Li) detectors 85–43267
Rieppo, R. Calculated absolute 10-500 keV gamma-ray efficiency values for NaI, BGO and CdWO detectors 85–43268
Rieppo, R. Comparison between the efficiency values of NaI, CdWO, and BGO detectors in the gamma-ray region 0.1-3.0 MeV 85–43269
Rieppo, R. Absolute low-energy photopeak efficiency values for NaI(Tl) and Si(Li) detectors 85–59200
Rieppo, R. Comparison of calculated absolute full-energy peak efficiencies of CdTe and NaI detectors in the photon energy region of 15-2000 keV 86–32151
Rieppo, R. Calculated absolute full-energy peak efficiencies for true coaxial Ge(Li) detectors in the photon energy region 0.1-3.0 MeV with different source-to-detector geometries 86–32152
Rieppo, R. The efficiencies of different photon detectors. A review covering work done between 1975 and 1985 87–57017
Rieppo, R., Vanska, R., Piirainen, E., Hanninen, R. Escape probabilities and escape-to-full-energy peak ratios in NaI(Tl) gamma-ray spectra for varying crystal size at 1.5-15 MeV photon energies 85–43270
Rieppo, R. *see* Cecil, F.E. 85–37927
Rieppo, R. *see* Vanska, R. 85–43271
Riera, E. *see* Ramos, A. 87–57449
Riera, J. *see* Basanez, L. 86–70613, 87–57507
Riera, J. *see* Vazquez, E. 88–3320
Riera, J. *see* Vinyes, J. 86–22881, 87–55639
Riera, J.R. *see* Dawson, S.W., Jr. 85–37018
Riera, M. *see* Quijano, A. 88–56827
Riera Franco De Sarabia, E. *see* San Emeterio Prieto, J.L. 88–57846
Riera Garcia, J. *see* Vinyes Sanz, J. 85–13811
Riera-Garcia, J. *see* Vinyes-Sanz, J. 86–30130, 87–48253
Ries, B. Improved IC sensors move in on thermistor, RTD, and T/C territory 86–5209
Ries, B. *see* Blum, T. 86–68379
Ries, G. Optimisation of feed efficiency of beam waveguides 86–3659
Ries, G. Pattern degradation by subreflector surface tolerances in Cassegrain antennas 86–42913
Ries, G. Effects of subreflector tolerances in Cassegrain antennas 88–2803
Ries, G. Eddy current transients and forces in cryostat walls of superconducting solenoids 88–51400
Ries, G. Numerical experiments on helium flow in superconducting generators 88–69288
Ries, G., Frese, G. Self shielded whole body magnetic resonance magnets 86–50549
Ries, G. *see* Frese, G. 86–50550
Ries, G. *see* Jungst, K.P. 85–13057
Ries, G. *see* Vetter, J. 88–65062
Ries, H. *see* Breskin, A. 88–68214
Ries, H. *see* Fischer, P. 88–68294
Ries, H. *see* Heil, R.D. 86–5841
Ries, H. *see* Spirkl, W. 85–53842, 88–22811
Ries, H.R. *see* Long, E.R., Jr. 87–29250
Ries, P. *see* Rowen, C. 88–63708
Ries, R. Signal transmission with optical carriers in multimode range of single-mode fibres 87–25948
Ries, R., Favre, F., le Guen, D. Influence of extrinsic FM noise on laser diode linewidth measured by self-heterodyning 86–36491
Ries, R. *see* Richter, H. 86–17566, 87–70045
Ries, S. Spline convolution for digital image processing 87–13115
Ries, S.E. On the prediction of bandlimited signals from unequally spaced past samples 87–47462
Ries, S.E., Splettstosser, V.W. On the approximation by truncated sampling series expansions 85–13572
Ries, T.C., Rawnsley, W.R., MacKenzie, G.H., Laxdal, R.E. An external monitor of beam loss in an H^- cyclotron 88–54149
Ries, T.C. *see* Pearson, J.B. 88–54352
Ries, T.C. *see* Rawnsley, W.R. 88–54109
Riescher, H. *see* Struppler, A. 87–22438
Riese, B. High accuracy chopper amplifiers 85–6176
Rieseberg, K.-E. User aspects of personal computer networks 88–67070
Riesen, B. *see* Herrmann, H.U. 85–32960
Riesen, H. *see* Widmer, J. 87–36175 to 36176
Riesen, H.J. *see* Asper, H.K. 87–36177
Riesenbach, R., Ginosar, R., Bruckstein, A. A VLSI architecture for real time image processing 87–39980
Riesener, N. Time base corrector for component signals: to stay in step 87–49345
Riesenhuber, H. The TRANSRAPID Maglev fast train–state of development and further advance 87–64868
Riesenhuber, H.F. Orientation and perspectives of the German Federal Government's research and technology policy 87–72744
Rieser, H.J. *see* Isler, W. 85–20476
Rieser, J.H., Onufry, M. Terrestrial interface architecture (DSI/DNI) 87–8224
Rieser, R., Brosche, D., Faber, P. Planning, construction, and commissioning of the Isar-2 convoy lead project 88–69098
Riess, C. *see* Trinks, U. 86–31952
Riess, H.-J. *see* Gutena, J. 87–71919
Riess, I. Electro-optical dilatometer 87–38859
Riess, I. Voltage-controlled structure of certain *p*-*n* and *p-i-n* junctions 87–53252
Riess, R. Secondary side concept to prevent steam generator tube corrosion 85–38784
Riess, R., Greger, G.-U., Schuster, E. Water chemistry of PWRs to reduce dose and dose rate during operation and maintenance 85–27234
Riess, R. *see* Novotny, R. 88–22924
Riess, R. *see* Schuecktanz, G. 86–33107
Riess, W., Evers, B. Flows in multi-stage turbines with long blades in low load and no-load operation 86–33158
Riess, W., Traulsen, D. Data acquisition and processing in flow measurements using constant-temperature anemometer 88–74637
Riet, B.I.Van Der *see* Van Der Riet, B.I.
Riet, B.I.van der *see* van der Riet, B.I.
Riet, D.Van *see* Van Riet, D.
Riet, K.P.van der *see* van der Riet, K.P.
Riet, M. *see* Andre, J.P. 85–10714
Riet, M.J.M.van *see* van Riet, M.J.M.
Riet, P.van der *see* van der Riet, P.
Rietenbach, F. *see* Bremser, W. 85–55506
Riethmuller, R. *see* Eitz, A.-W. 88–10970
Riethmuller, W., Benecke, W. Thermally excited silicon microactuators 88–50945
Rietjens, L.H.Th. *see* Massee, P. 87–72454
Rietschel, M. Shortening the long path economically–communicating with field staff using the Btx network 88–35047
Rietschote, H.F.van *see* van Rietschote, H.F.
Rietschoten, P.J.van *see* van Rietschoten, P.J.
Rietshcel, M. Btx data processing for carpenters and jointers 87–48531
Rietto, A.M. *see* Fiorillo, F. 88–64887
Rietto, A.M. *see* Prudenziati, M. 85–55864
Rietto, M. *see* Masoero, A. 86–62958
Rietveld, A.C.M., Koopmans-van Beinum, F.J. Vowel reduction and stress 88–2993
Rietveld, A.C.M. *see* van Rossum, N.J.T.M. 85–7831
Rietveld, M. *see* Schlegel, K. 88–20893
Rietveld, M.T., Barr, R., Kopka, H., Nielsen, E., Stubbe, P., Dowden, R.L. Ionospheric heater beam scanning: a new technique for ELF studies of the auroral ionosphere 85–2570
Rietveld, M.T., Stubbe, P. Ionospheric demodulation of powerful pulsed radio waves: a potential new diagnostic for radars suggested by Tromso heater results 88–20904
Rietveld, M.T. *see* Barr, R. 86–3525, 88–23181, 88–58865
Rietveld, T., van Rossum, N. A perceptual evaluation of a voiced/unvoiced detector 87–47603
Rietveld, T. *see* Van Erk, W. 87–79194
Rietz, W. The light arc impact procedure and its significance in cable fault location today 86–25599
Rietzschel, K. *see* Herz, W. 85–35365, 85–56233
Rieubland, M. *see* Bernard, R. 86–70306
Rieul, M. *see* Baltzinger, V.D. 85–59904
Rieux, M. Recent developments in infrared detectors 88–4484
Riew Moon Charn *see* Moon Charn Riew
Riez, M. Technical economic comparative evaluation of the impact of shield wire geometry on lightning performance 86–51150
Rifa, J. *see* Griera, M. 87–69001
Rifa, J. *see* Huguet, L. 87–69002
Rifa, K.D. Monolithic techniques for comms ICs 86–16657
Rifai, R. *see* Fabick, L.B. 88–37412
Rifai, R. *see* Mitchell, K. 88–37411
Rifaldi, A. *see* Sacch, J.N.L. 87–4715
Rifaldi, A. *see* Sacchi, J.N.L. 86–26110, 87–15782, 88–55326
Rife, D.C. *see* Dunlap, E.M., Jr. 85–52125
Rife, J.C., Hunter, W.R., Williams, R.T. Features and initial performance tests of the grating/crystal monochromator 86–60472
Rife, J.C. *see* Kirkland, J.P. 87–14631
Riff, R. *see* Kruchten, P. 86–23620
Riffaldi, D. *see* Bitzer, K.L. 86–64894
Riffat, J. *see* Williams, P.J. 88–65671
Riffat, J.R. *see* Hodson, P.D. 87–74926, 88–43913, 88–63338
Riffat, J.R. *see* Moseley, A.J. 87–53235, 88–2115, 88–33870
Riffat, S.B. A thermochemical/compressor heat pump using 'economy 7' tariff electricity 88–69942
Riffaud, R. *see* Destaing, E. 87–76449
Riffe, D.J. *see* Moss, H.H. 85–5619
Riffe, P.C. *see* Lu, C.-Y. 88–26386
Riffe, P.C. *see* Lu, C.Y. 87–46181
Rifflet, J.C. *see* Pelletier, J. 85–6844
Riffon, P. *see* Mace, G. 85–32656
Rifkin, G. Electronic mail 85–3032
Rifkin, H. *see* McNeary, S. 87–10760
Rifkin, H.S. A unified approach to mask generation 85–45824
Rifkin, J., Bernt, M.L., MacPherson, D.C., Carlsten, J.L. Gain enhancement in a XeCl-pumped Raman amplifier 88–72299
Rifkin, J., Bernt, M.L., MacPherson, D.C., Carlsten, J.L. The role of transiency in the gain enhancement of a Raman amplifier 88–72424
Rifkin, J. *see* Carlsten, J.L. 87–12570
Rifkin, M.D. *see* Vinitski, S. 88–16701
Riganati, J.P. Latent benefits of consensus processes 87–31373
Riganti, R. Evolution of the *n*th probability density and entropy function in stochastic systems 88–63155
Riganti, R. *see* Bellomo, N. 86–62158
Rigas, C. Active plantar-flexion above-knee prosthesis: concept and preliminary design 86–32368
Rigas, C. A conductive walkway system for measurement of temporal and distance parameters of gait 88–74801
Rigas, H.B., Abbott, L.W. An ultra high speed optoelectronic multiplexer bus as an integral design component for a parallel computer 87–40623
Rigaud, B., Geyssant, A., Chauveau, N., Morucci, J.P. Manual L+ lactate analyzer 88–42493
Rigaud, B. *see* Montillot, P. 86–56091
Rigaud, D., Sodini, D., Torbati, K., Touboul, A., Poirier, R. On the charge-handling capacity of epitaxial and ion-implanted GaAs buried channel charge-coupled devices 86–58487
Rigaud, D., Sodini, D., Touboul, A., Torbati, K. Charge handling capacity of silicon buried charge coupled devices 85–12311
Rigaud, D. *see* Carquet, M. 88–71615
Rigaud, D. *see* Peransin, J.M. 87–74287
Rigaud, D. *see* Sodini, D. 85–29208, 85–50547, 87–1553
Rigaud, D. *see* Touboul, A. 87–25615
Rigaud, D. *see* Vandamme, L.K.J. 88–64610
Rigaud, M. Advanced ceramic materials 88–18764
Rigaud, P. *see* Gauthier, M. 85–39181, 85–60400
Rigaux, G. *see* Nicolas, P. 87–49759
Rigby, E.B. Diffusion bonding of NiZn ferrite and nonmagnetic materials 85–24180
Rigby, E.B., Kehr, W.D., Meldrum, C.B. Preparation of coprecipitated NiZn ferrite 85–24098
Rigby, G.A. *see* Lie, C.S. 86–8374
Rigby, K.W. Design of magnets inside cylindrical superconducting shields 88–26728
Rigby, N.E., Thompson, T.D., Allen, J.W. Hot-electron effects in zinc sulphide 88–57600
Rigby, P.N. *see* Cooper, P.D. 85–17885
Rigby, S. Programmable logic design alternatives 87–66044
Rigby, S.D. FDDI speeds networks 88–46539
Rigden, S.M., Ahrens, T.J., Stolper, E.M. Shock compression of molten silicate: results for a model basaltic composition 88–42637
Rigdon, H.K. *see* Hoover, G.M. 85–15406
Riger, E.R. *see* Gol'tsman, G.N. 85–28939
Rigge, L.A. *see* Caren, C.J. 87–59612
Riggins, J., Butler, S. Simulation of synthetic discriminant function optical implementation 85–25174
Riggins, J. *see* Butler, S. 86–15813
Riggins, R.C. Dynamic business planning for dynamic growth 86–26556
Riggins, R.N. *see* Rizzoni, G. 88–74277
Riggio, S.R. *see* Bhansali, M. 85–22654
Riggle, P. *see* White, M.A. 86–32376
Riggs, A. *see* Jacobus, C. 87–70143
Riggs, B.K. *see* Griggs, D.P. 87–30315, 87–30340

Riggs, C.D. *see* Majewski, F.T. 85–6604
Riggs, J.L. An algorithm for solution of hypergeometric probabilities [quality control applications] 87–44119
Riggs, L. *see* McMillan, M.L. 86–29590, 87–12798
Riggs, L.S. A modal identification technique useful in the analysis of frequency selective surfaces 86–29360
Riggs, L.S. *see* Baginski, M.E. 88–72588
Riggs, L.S. *see* Lindsey, J.M. 86–29646
Riggs, M., Mitchell, P.W., Lu, C. TV's new look and sound: digital signal processing 85–52493
Riggs, R.J. *see* Laister, M.J. 85–53064
Riggs, R.R. *see* Jacobson, H.P., Jr. 88–66196
Riggs, V.G. *see* Campbell, J.C. 85–41262
Riggs, V.G. *see* Cheng, J. 85–55834
Riggs, V.G. *see* Long, J.A. 85–18077, 87–11609
Riggs, V.G. *see* Macrander, A.T. 85–23430
Righetti, A. *see* Grasso, G. 87–40924
Righi, E. *see* Bernardi, P. 85–48341
Righi, R., Zanellato, O. Technical implementation of the mass spectrometer for localisation of leakage points in telephone cables 86–69555
Righini, F. *see* Rosso, A. 87–8763
Righini, G. *see* Russo, V. 85–59345, 86–38774
Righini, G.C. Guide manufacture technique and components for optical integration in glass substrate 86–42305
Righini, G.C. Thin film lenses with acircular boundaries 87–74848
Righini, G.C. Integrated optics for sensors: a review of the activity in Italy 88–10027
Righini, G.C., Gasperini, S. Thin film technology for making Head Up Display systems 86–44188
Righini, G.C., Laybourn, P.J.R. Novel thin-film lenses for integrated optics 88–7965
Righini, G.C., Mancinelli Degli Esposti, L., De Gasperis, P., Marcelli, R. Multilayer waveguides for integrated optical magnetostatic-wave signal processing devices 88–40013
Righini, G.C., Molesini, G. Grating structures in integrated optics 85–56360
Righini, G.C., Molesini, G. Refractive waveguide lenses: a new design 87–38846
Righini, G.C., Molesini, G. Design of acircular refractive lenses for integrated optical circuits 88–39983
Righini, G.C., Russo, V., Ricciardi, S. Integrated optical wavelength multiplexers 88–58225
Righini, G.C. *see* Laybourn, P.J.R. 86–36247, 87–46582
Righini, G.C. *see* Russo, V. 85–4345, 85–47526, 86–11132, 86–69793
Righini, G.C. *see* Soares, O.D.D. 88–58388
Righini, L. *see* Schwartz, G. 85–59205
Righter, B., Sur, D. EEPROM technology revitalises PLAs 86–46674
Righter, D., Mercuri, R. The Yamaha DX-7 synthesizer: a new tool for teachers 86–31102
Righter, R.E. *see* Dahlke, W.T. 86–25900
Righter, W.H. Dense static RAM speeds data access in memory-intensive systems 85–6306
Righter, W.H. Static column architecture in CHMOS dynamic RAMs—a graphics memory solution 85–17430
Righter, W.H. Fast and energy-sparing: the new 256K CMOS RAM 85–33898
Righter, W.H. Graphics systems need static column DRAMs 86–17830
Righter, W.H. CMOS chip set provides new high performance solution for digital signal processing 87–772
Righter, W.H. Design methodology for new programmable logic devices (PLDs): leveraging new design tools for PLDs into instant custom silicon 87–5816
Righter, W.H., Suhr, D. EEPROM-cells configure programmable logic-modules 86–20428
Righton, D.W. Transmission line effects in feedthrough suppression capacitors 87–12766
Righton, D.W. *see* Stewart, J. 86–1406
Rigik, M. *see* Smith, A.K. 87–60066
Rigik, M.D. *see* Smith, A.K. 85–35069
Riginos, V.E. *see* Fullett, K.D. 86–36781
Riglet, P., Andre, J.P., Chane, J.P., Deconinck, P., Vingrief, J.J., Baelde, J., Gentric, P. High transconductance JFETs suitable for monolithic PIN-FET receiver integration 88–44789
Rigling, W.S. Application and fabrication of rigid-flex PWBs 87–37728
Rigney, D.M. Multimegawatt fuel cells—the features and the future 85–21793
Rigney, D.M., Lee, S.T., Pang, C.K., Kekela, J. Expansion planning with dispersed fuel cell power plants on actual utility systems 85–9460
Rigo, C. *see* Cinguino, P. 85–29711, 85–51039, 87–38739, 87–54201, 87–74810, 88–20399, 88–45329, 88–51702, 88–58381
Rigo, C. *see* Genova, F. 85–384, 85–33496, 85–49543 to 49544, 87–73101
Rigo, S. Silica films on silica. Techniques and mechanisms of growth; the theories of silicon oxidation 87–60341
Rigo, S. *see* Rochet, F. 87–17936, 87–38146
Rigole, W. *see* Vercruysse, G. 85–40562
Rigoli, C. *see* Lichtenberg, L. 87–40556
Rigoli, L. *see* Bertone, F. 85–19607
Rigoll, G. Speaker-independent recognition based on system theory algorithms 85–51588
Rigoll, G. Development of the German version of an American test-to-speech converter 86–4921
Rigoll, G. Speech synthesis for uncontrolled German text using a cascade/parallel formant synthesiser 86–69987
Rigoll, G. A new algorithm for estimation of formant trajectories directly from the speech signal based on an extended Kalman filter 87–19563
Rigoll, G. The DECtalk system for German: a study of the modification of a text-to-speech converter for a foreign language 87–61749
Rigoll, G. Recursive estimation techniques in speech processing 88–59050
Rigoll, G. Formant tracking with quasilinearization 88–66405
Rigoll, G., Fahnrich, K.-P. Some tools for speaker-independent, isolated word recognition systems based on system theory and system dynamic algorithms 85–36233
Rigoll, G. *see* Bullinger, H.J. 86–36978
Rigoni, C. Construction of *n*-variable codes 86–43156
Rigoni, C. *see* Poli, A. 85–57263, 87–68980, 87–69006
Rigoni, C. *see* Ventou, M. 86–43158
Rigoni, H. *see* Bagliesi, G. 88–48025
Rigopoulos, R. *see* Giannetas, B. 86–3050
Rigterink, B.J. *see* Van Eijk, P.J.A. 85–59214
Rigterink, E.S. *see* Rigterink, P.V. 85–63120
Rigterink, P.V., Rigterink, E.S. Image processing natural quality X-ray images in a small office environment 85–63120
Riguang Wu *see* Yaer Ji 87–77514
Riguet, A. *see* Charles, P. 88–68878
Riha, G. *see* Fleischmann, B. 87–60760, 87–60779
Riha, G. *see* Ruile, W. 87–60758
Riha, J. *see* Micanek, F. 86–19107
Riha, J. *see* Moos, P. 86–48896
Riha, M. *see* Sederholm, M. 87–21586
Rihaczek, K. TeleTrusT-OSIS and communication security 87–69462
Rihaczek, K. Teletrust [organisation for open and secure communication and payment system] 88–14913
Rihar, M., Mohar, R., Muha, V., Renko, J., Sustarsic, A. Testing of the fault condition in the microprocessor controlled thyristor rectifier 88–5805
Rihet, Y. *see* Parguel, V. 87–73998
Rihova, D., Plechaty, M. Comparison of detection parameters of the scintillation camera LFOV and LFOV ZLC 370 87–41852
Rihua Shi *see* Shi Rihua
Riisman, R.R. *see* Aver'yanov, N.A. 86–17749
Riittinen, H. *see* Kohonen, T. 85–2768
Riittinen, H. *see* Torkkola, K. 87–19464, 87–49645
Rij, J.J.van *see* van Rij, J.J.
Rij, M.L.D.van *see* van Rij, M.L.D.
Rijal, K. Evaluation of small hydel units in Nepal 86–51494
Rijal, K. Resource potential and economic evaluation of bio-gas utilization in Nepal 86–56953
Rijanto, H., Beck, R. Failure location in medium voltage network from stored short circuit impedance values of remote safety arrangements by means of a microcomputer 88–42890
Rijanto, H., Hadick, H. Microcomputer-based distance protection for medium voltage system 88–17206
Rijanto, H., Hadick, W. Distance protection in medium voltage networks using a microcomputer 87–57699
Rijckaert, A.M.A. *see* Driessen, L.M.H.E. 87–13962
Rijk, G.de *see* de Rijk, G.
Rijk, P.P.Van *see* Van Rijk, P.P.
Rijk, R. *see* Eijkel, K.J. 88–68024
Rijks, D. *see* Heideman, G.H.L.M. 87–33615
Rijks, E., Vermeesch, J., Goossens, M., Tiberghien, J. Integration of a hardware module for tracing local variables in real-time software 87–77095
Rijllart, A. *see* Alessandrello, A. 88–22963
Rijmenants, J., Schwarz, T., Litsios, J., Zinszner, R. ILAC: an automated layout tool for analog CMOS circuits 88–71779
Rijmenants, J. *see* Degrauwe, M. 87–59111
Rijmenants, J. *see* Degrauwe, M.G.R. 88–20115
Rijmenants, J. *see* Dijkstra, E. 87–66401
Rijmenants, J. *see* Van Vlierberghe, S. 86–20227
Rijn, C.M.van *see* van Rijn, C.M.
Rijn, L.R.M.van *see* van Rijn, L.R.M.
Rijnders, L., Six, P., De Man, H.J. Design of a process-tolerant cell library for regular structures using symbolic layout and hierarchical compaction 88–56579
Rijnders, L. *see* Six, P. 88–20075
Rijnoudt, E. *see* Bareyt, B. 85–49040
Rijnoudt, E. *see* Calmels, C. 85–46109
Rijnsburger, W.H. *see* Woittiez, R.D. 87–41916
Rijnsent, M. *see* Heijne, E.H.M. 85–15166
Rijnsoever, J.W.M.van *see* van Rijnsoever, J.W.M.
Rijsbergen, C.P.van *see* van Rijsbergen, C.P.
Rijsdijk, P. *see* van Eck, W. 86–15969
Rijsenbrij, D.B.B. *see* Bauer, A.H. 88–6224
Rijsterborgh, H. *see* Bom, K. 85–26750
Rijsterborgh, H. *see* Lancee, C.T. 88–61287
Rijswick, M.H.J.van *see* van Rijswick, M.H.J.
Rijswijk, W.van *see* van Rijswijk, W.
Rikabi, J., Bryant, C.F., Freeman, E.M. Error-based derivation of complementary formulations for the eddy-current problem 88–45639
Rikabi, J., Bryant, C.F., Freeman, E.M. Complementary solutions of linear and nonlinear magnetostatic problems 88–72493
Riker, D.C. Digital transmission in the MCI network [microwave network] 85–25708
Riker, D.C. Digital transmission in the MCI network 85–47098
Rikhmanov, A.D. Experience with the development of electrodes of welding low alloy steels 86–26443
Rikhsieva, Sh.T. *see* Imankulov, Z. 88–20552
Rikhter, L.A., Chaika, E.A. Optimisation of preventive maintenance of chimney stacks in thermal and electric power plants 86–25853
Rikhter, L.A., Chaika, E.A. Determination of the zone of corrosion in flue pipes with a brick refractory 88–12090
Rikhter, L.A., Osipov, G.L., Tupov, V.B., Gusev, V.P. Equipment noise protection zone in heat and power plants 88–62142
Rikhter, L.A., Tupov, V.B. Reducing the sonic-power levels at bends in the gas ducts of a steam power station 87–15555
Rikhter, L.A., Tupov, V.B. Reducing the amount of noise from flue gas ducts 88–17339
Rikhter, L.A., Zroichikov, N.A. The effect that the aerodynamic schemes of forced-draft machines have on the effectiveness of regulation by aerodynamic methods 86–6566
Rikhter, L.A. *see* Tupov, V.B. 88–17381
Rikitake, T. Magnetic and electromagnetic shielding 87–72677
Rikiyama, H. *see* Iwakami, T. 88–47111
Rikken, C.L.J.A. *see* Chamberlain, J.M. 87–38905
Rikken, G.L.J.A., Myron, H.W., Langerak, C.J.G.M., Sigg, H. Anomalous cyclotron resonance linewidth and splitting in heterojunctions displaying the fractional quantum Hall effect 86–53409
Rikken, G.L.J.A., Myron, H.W., Wyder, P., Weimann, G., Schlapp, W., Horstman, R.E., Wolter, J. Anomalous cyclotron resonance linewidth in heterojunctions displaying the fractional quantum Hall effect 85–34580
Rikken, G.L.J.A., Wyder, P., Chamberlain, J.M., Grimes, R.T., Halliday, D.P. Compensation ratios and electron mobility in high-purity n-InP: photoluminescence and far-infrared studies of a new theoretical relationship 88–39069
Rikken, G.L.J.A. *see* Chamberlain, J.M. 86–22222
Rikken, G.L.J.A. *see* Horstman, R.E. 85–45434
Rikken, J.M.G. *see* Kelly, J.J. 88–39138
Rikkonen, S.V. *see* Sipailov, G.A. 85–43947
Rikli, N. *see* Sen, P. 88–46330
Rikmenspoel, R., Isles, C.A. Digitized precision measurements of the movements of sea urchin sperm flagella 85–37325
Rikner, G. Characteristics of a p-Si detector in high energy electron fields 85–59365
Rikner, G. Characteristics of a selectively shielded p-Si detector in ^{60}Co and 8 and 16 MV Roentgen radiation 85–59366
Rikner, G., Grusell, E. Selective shielding of a p-Si detector for quality independence 85–59364
Rikner, G., Grusell, E. General specifications for silicon semiconductors for use in radiation dosimetry 88–5029
Rikner, G., Grusell, E. Patient dose measurements in photon fields by means of silicon semiconductor detectors 88–10452
Rikner, G., Grusell, E., Hogstrom, B., Jung, B., Maripuu, E. Variance measurements with two semiconductor dose detectors 85–53103
Rikner, G. *see* Grusell, E. 85–53102, 86–60849
Riko, Y. An optical data highway system for railroads 86–54912
Rikola, R., Forsten, A. Evaluation of soldering methods in SMD and hybrid technologies 88–1181
Riksaasen, T. Service integration in standardized high-speed local networks 85–52080
Rikukawa, H., Sasaki, I., Murakawa, K. Material design system for ferrites (MAGSYS-F) using knowledge engineering 87–7000
Rikukawa, H., Sasaki, I., Murakawa, K. MAGSYS-F: material design system for soft ferrites 88–57918
Riley, A.M. *see* Williams, D.E. 88–40436
Riley, C. *see* Chow, C.-H. 88–59710
Riley, C. *see* Herman, G. 87–76139
Riley, C. *see* Rocks, B.F. 86–38735
Riley, C. *see* Sheya, M.S. 86–32222
Riley, C.A. Experiences with an integrated voice and text message service 88–28297
Riley, C.P. *see* Biddlecombe, C.S. 88–52025
Riley, C.P. *see* Binns, K.J. 86–33363, 86–45378, 87–22299
Riley, D., Sangiovanni-Vincentelli, A. Models for a new profit-based methodology for statistical design of integrated circuits 86–46456

Riley, D. *see* Cassel, D.G. 87−21416
Riley, D. *see* Pisharody, M. 86−50315
Riley, D.C., Sangiovanni-Vincentelli, A. Models for a new, profit-based methodology for statistical design of integrated circuits 87−38561
Riley, D.C. *see* Nye, W. 88−49956
Riley, D.D., Stringer, P.G. Cockpit automation concept development for the NUH-60 (STAR) aircraft 88−30120
Riley, D.D., Stringer, P.G. Cockpit automation concept development for the NUH-60 (STAR) aircraft 88−68574
Riley, D.E. *see* Telley, M.E. 85−65587
Riley, D.J. A simple and accurate resonance expansion for the electromagnetic field scattered by lossy dielectric sphere 86−63940
Riley, D.J., Davis, W.A. Application of an offset mesh for the transient, explicit finite-difference analysis of the perfectly conducting rectangular plate 86−3418
Riley, D.J., Davis, W.A., Besieris, I.M. The singularity expansion method and multiple scattering 85−35992
Riley, E.W. *see* Emig, K.A. 86−49648
Riley, J., Putney, B. The Risk Management Query System 86−57274
Riley, J. *see* Koren, J. 86−57245
Riley, J.C. The accuracy of series and parallel connections of four-terminal resistors 85−8933
Riley, J.E., Parkinson, W.J., Putney, B.F., Jr. The Risk Management Query System 87−9283
Riley, J.E. *see* Koren, J.M. 87−5297
Riley, J.E., Jr. The effects of lithium isotopic anomalies on lithium niobate 87−67621
Riley, J.E., Jr. Neutron activation analysis for contamination control in device processing 88−64372
Riley, J.F. *see* Hodges, R.V. 85−5301
Riley, J.L. Surgically implantable, crystal-controlled, temperature telemetry transmitter 87−35400
Riley, J.P. *see* Georges, T.M. 86−44807
Riley, J.P. *see* Jones, R.M. 86−54293
Riley, J.P. *see* Maresca, J.W., Jr. 86−65527
Riley, J.R. Radar cross section of insects 85−47574
Riley, J.T. *see* Gupta, P.L. 87−10246
Riley, K. The design and implementation of the KRAB steady-state total plant modelling system and the online onsite application of its offspring 85−60017
Riley, K., Batterham, A.J., Rea, J. The performance characteristics of a 500 MW(e) steam turbine condenser and its interaction with the air extraction plant 86−39583
Riley, M. Trends in data conversion 86−20639
Riley, M. *see* Austin, G.L. 86−11193
Riley, M. *see* Chi, K.K. 87−17173, 87−17183
Riley, M. *see* O'Malley, C. 85−3210
Riley, M.D. Beyond quasi-stationarity: designing time-frequency representations for speech signals 87−61676
Riley, M.O. *see* Summers, M.A. 87−46828
Riley, N. *see* Organ, A.E. 87−44298
Riley, N.B. *see* Gruber, G.A. 88−57451
Riley, N.G. An HF interference model—early steps 87−26800
Riley, P., Alaywan, Z., Ying, L., March, D. Processing lightning data for utilities 88−23560
Riley, P.E. Development of a highly uniform silicon dioxide etching process using response-surface methodology 87−11645
Riley, P.E. Trilayer photoresist definition with high pressure plasmas 88−7481
Riley, P.E., Shelley, A. Characterization of a spin-applied dielectric for use in multilevel metallization 88−57504
Riley, P.E. *see* Castel, E.D. 88−71448
Riley, P.E. *see* El-Diwany, M.H. 88−44875
Riley, P.E. *see* Monk, J.L. 88−71808
Riley, P.J. *see* Bachman, M. 85−26527
Riley, R.A., Jr. *see* Forman, A.V., Jr. 85−15382
Riley, R.M. *see* Homewood, K.P. 86−11691
Riley, S. *see* Shaw, R. 86−31715
Riley, S.P. *see* Barnes, S.R. 85−46160, 85−56304, 87−8333
Riley, T.J. *see* Chang, G.K. 85−56447, 87−2030
Riley, T.J. *see* Hoffmeyer, J.A. 87−40734
Riley, T.J. *see* Tse, P.K. 87−3016
Riley, T.S. *see* Smith, D.H. 86−34056
Riley, T.S.J., Dubberley, A., Goricanec, J. ISDN−customer access transmission 87−55531
Riley, W.J., Vaccaro, J.R. A rubidium-crystal oscillator (RbXO) 87−25740
Riley, W.J. *see* Volk, C.H. 85−58809
Riley, W.J., Jr., Vaccaro, J.R. A rubidium-crystal oscillator (RbXO) 88−18968
Riley, W.N., Horne, W.F. RDAS−a color-graphics-based system for radar data acquisition, display and analysis 88−47233
Rill *see* Moritz 85−64343
Rilling, M. *see* Pisacreta, R. 88−4216
Rillo, C., Veldhuis, D., Flokstra, J. Optimization of the dynamic behavior of a SQUID system using an electronic simulation 88−20270
Rilly, G. Switch mode vertical deflection circuits for TV sets 88−60397
Rilly, G., Morizot, G. Induction cooking appliance 2×5 kilowatts 86−61812
Rilsager, K. *see* Andersen, H.H. 87−71028
Rim, C. *see* Algazi, V.R. 86−62734
Rim, C.S., Naclerio, N.J., Masuda, S., Nakajima, K. A linear time algorithm for circular permutation layout 88−31948
Rim, C.S. *see* Hyeong-Ah Choi 88−31905
Rim, C.T., Joung, G.B., Cho, G.H. A practical switch based state-space modeling of DC-DC converters 88−18929
Rim, C.T. *see* Joung, G.B. 88−24999, 88−75766
Rim Chun-taek *see* Chun-taek Rim
Rima, P. Recent developments in tape automated bonding equipments 88−12867
Rima, P.W. TAB gains momentum 88−6266
Rimanek, J. *see* Ramik, J. 85−49461
Rimas, I.Z. *see* Kayatskas, A.A. 85−36592
Rimatori, C. *see* Pisani, E. 87−21612
Rimaud, B. *see* Deschamps, J. 88−67958
Rimbert, G. *see* Ritt, D.M. 87−42090
Rimbert, J.N., Testard, O.A. X-, γ, β-ray detector windows of composite material replacing beryllium in the 4.2-420K temperature range 87−3895
Rimbert, S., Serradj, A. A textural image of Algiers 86−12160
Rimeika, A. *see* Brazis, R. 85−50280
Rimeika, A.K. *see* Brazis, R.S. 87−32465
Rimeika, R. *see* Krauyalene, I. 85−56359
Rimensberger, U. Communications security: requirements and examples of user solutions 86−30168
Rimer, M., Frederick, D.K. Solutions of the second IEEE benchmark control problem [missile autopilot] 88−68691
Rimestad, L., Kjaergaard, C., Moltoft, J. Field failure data from repairable systems, a Danish case study 87−31360
Rimet, R., Voirin, G., Chartier, G. Realization of couplers between one and several multimode optical fibers 86−9572
Rimet, R. *see* McCourt, M. 88−7949
Rimet, R. *see* Voirin, G. 86−9598
Rimey, R.D., Cohen, F.S. A maximum-likelihood approach to segmenting range data 88−52512
Rimey, R.D. *see* Cohen, F.S. 86−16560, 88−73286
Rimidis, A.P. *see* Yefanov, A.I. 88−48730
Rimini, B., Sobrero, E. Simplified model for a direct evaluation of controlled areas surrounding nuclear power plants 85−15737
Rimini, B., Sobrero, E. Calculation method of heat-pipe steam water generators for LMFBR nuclear power plants 86−32954
Rimini, B., Sobrero, E., Dalpane, E. A computer code for the parametric analysis of transients in the Shield Building Annulus of light water reactor containments 86−6528
Rimini, B. *see* Sobrero, E. 85−48875, 86−33003
Rimini, E., Baeri, P., Russo, G. 'Fundamentals of laser pulse irradiation of silicon' 86−28104
Rimini, E. *see* Borghesi, A. 86−8981
Rimini, E. *see* Cannavo, S. 85−55656, 86−58229, 87−6550
Rimini, E. *see* Harith, M.A. 85−49549
Rimini, E. *see* La Ferla, A. 87−45739
Rimini, E. *see* Priolo, F. 88−38222
Rimkus, C.J. *see* Cheng, D.D. 85−487
Rimkus, C.J. *see* Hughes, S.C. 86−21769
Rimkus, W. A modular design system for integrated circuits, offering standardised user interface 85−50638
Rimmer, R.A. Investigation of the electromagnetic fields in the SRS RF cavity window aperture using a perturbation technique 88−54350
Rimner, G., Gee, Q. Introducing CEPT in South Africa [videotex] 85−8092
Rimoldi, B. A decomposition approach to CPM 87−54845
Rimoldi, B.E. A decomposition approach to CPM 88−66269
Rimoldi, O. *see* Baselli, G. 88−68340
Rimoldi, R. *see* Lechi, G.M. 85−64772
Rimpl, G.R., Birnstock, R. Solid state nuclear track detectors and their application in the dosimetry of biological systems 85−38266
Rimpler, R., Both, W. Thermally induced stress in GaAs/GaAlAs stripe laser diodes 88−20645
Rimpler, R. *see* Both, W. 87−33175
Rimpler, R. *see* Rechenberg, I. 88−8182
Rimsa, S.B., Spatola, K.B. Resin selection criteria for molded electronic packages 87−10177
Rimscha, M.von *see* von Rimscha, M.
Rimshans, J.S. *see* Polsky, B.S. 86−35634
Rimshans, Ya.S. *see* Adamsone, A.I. 87−67533
Rimshans, Ya.S. *see* Pol'skii, B.S. 86−15131, 87−53450
Rimvall, M. *see* Mansour, M.A. 85−60678
Rinaldi, G. *see* Alberini, C. 86−65387
Rinaldi, G. *see* Basile, M. 86−5785
Rinaldi, G. *see* Dvorko, I.M. 86−26926
Rinaldi, J.C. *see* Lin, R. 85−44876
Rinaldi, K.A. *see* Huang, T.S. 87−62282
Rinaldi, M. Electrical motor drive for consumer goods manufacturing industry 85−16472
Rinaldi, M. The Energetica programme−research in the electrical sector 87−78899
Rinaldi, M., Testi, G. Power factor compensation in LV networks supplying DC motor drives 85−48550
Rinaldi, M., Zanarini, S. A programmable power unit for a PWM motor control 86−39716
Rinaldi, M. *see* Filicori, F. 85−37548
Rinaldi, M. *see* Franceschini, G. 88−17567
Rinaldi, M. *see* Pirani, S. 88−17568
Rinaldi, R. *see* Thacker, B. 87−70461
Rinaldi, S., Licci, F. Recent advances in the liquid phase epitaxy of hexagonal ferrites for device application at millimeter wave frequency 85−22477
Rinaldo, A. *see* Da Deppo, L. 85−9786
Rinaldo, A. *see* Fiorotto, V. 85−21509
Rinaldo, G. *see* Giovagnetti, A. 88−15228
Rinalducci, E.J. *see* Lassiter, D.L. 87−8677
Rinard, G., Rugg, D.E., Yamamoto, T. High-temperature high-pressure electrostatic precipitator electrical characterization and collection efficiency 87−39317
Rinaudo, G. *see* Baglin, C. 85−26605
Rinck, L.P., Becker, J.H., Mihalik, K.A. Hopper heater design based on computer model and verified by test 85−9743
Rinck, L.P., Walter, H.O. Field performance test for W.H. Sammis Plant, Unit 7, Axial FD fans 86−61393
Rinck, L.P., Walter, R.O. Avoid costly errors in field tests of big fans [power stations] 85−21281
Rinco, S., Chuiv, N.N. Estimation of probability in strength-stress relationship and its use in structural reliability 88−31545
Rincon, C. *see* Cahen, D. 85−21805, 86−13078
Rincon, C. *see* Lacruz, A. 85−16915
Rind, R. Train radio, thoughts on a new generation of equipment 86−55218
Rinde, J. Data networks for transaction applications 87−28531
Rindels, A. *see* Gulliver, J.S. 86−33199
Rinderer, L. *see* Casas, J. 87−67995
Rindfleisch, H.-H. *see* Franke, R. 85−4660
Rindfleisch, H.J. *see* Burton, P. 86−51720
Rindi, A. *see* Alberini, C. 86−65387
Rindi, A. *see* Calicchio, M. 88−29811
Rindone, G. Construction of a family of codes associated with certain finite groups 88−21090
Rine, D.C. Picture processing using multiple-valued logic 88−59215
Rinearson, L.E. Software development for the ZODIAC tactical switch 86−30520
Rinehart, L., Plunkett, A. MOSIGTs and MOSFETs for motor drive inverters 88−49186
Rinehart, L., Plunkett, A. The use of MOSIGTs and MOSFETS in motor drive inverter circuits 88−75567
Rinehart, L. *see* Hirsch, Y. 86−62663, 87−52495, 88−5814, 88−75669
Rinehart, L.F., Buttram, M.T. Self-breakdown spark gap stability under rep-rate conditions 85−27122
Rinehart, L.F., Buttram, M.T. Statistical distribution of breakdown voltages in rep-rate spark gaps 87−18415
Rinehart, L.F., Buttram, M.T. Statistical distributions of breakdown voltages in a high current spark gap 87−37789
Rinehart, L.F. *see* Gray, E.W. 87−17601
Rinehart, T.A. *see* Challener, W.A. 88−2069
Rinehart, T.A. *see* Freese, R.P. 85−50893
Rinehart, T.A. *see* Funkenbusch, A.W. 87−60996
Rinehart, T.A. *see* Gardner, R.N. 87−38880, 87−60877
Rineichkii, A.A. *see* Bagdasarov, Yu.E. 86−65862
Rinerson, D. *see* Suciu, P.I. 86−8254
Rinerson, D. *see* Venkatesh, B. 87−17068
Rinerson, D. *see* Yue, H. 88−26513
Rinerson, D.D. *see* Bill, C.S. 86−20540
Rinerson, D.D. *see* Rogers, D.M. 86−63310
Rines, G. *see* Knights, M.G. 87−46844, 88−65688
Rines, G.A. *see* Harrison, J. 88−27268, 88−45595, 88−65795
Rines, G.A. *see* Moulton, P.F. 88−65623
Rinevich, E.S. Connecting cords and extensions for household electrical appliances 86−65709
Rinewalt, J.R. *see* Banios, E.W. 88−18384
Ring, C. *see* Bahl, I. 86−67504
Ring, E.F. *see* Swain, I.D. 86−38804
Ring, E.F.J. *see* Barker, J.R. 86−50469
Ring, G., Gyurcsek, I., Piotr, K. Measurement of the absorption factor of solar radiation, from the point of view of the thermotechnical design of buildings 87−29336
Ring, H. *see* Joetten, R. 86−6253
Ring, H. *see* Kanngiesser, K.W. 86−12916
Ring, H. *see* Pesch, H. 86−12391
Ring, J. Optimizing the economic return of cogeneration systems 88−69129
Ring, M.W., Schwarz, W. Operating performance of an electric motor under oil 87−72148
Ring, R.B. Pulse-heated reflow soldering methods 88−161
Ringel, H., Knoll, M., Braunig, D., Fahrner, W.R. Charges in metal-oxide-semiconductor samples of various technologies induced by ^{60}Co-γ- and X-ray quanta 85−23584

Ringel, J. *see* Beer, A. 85—9043
Ringel, M., Levin, D., Seginer, A. An external drag measuring element 87—71229
Ringel, M. *see* Nissan, M. 88—74857
Ringel, S.A., Ashok, S. Silicon surface barrier modification by low-energy nitrogen ion implantation 87—74181
Ringel, S.A., Chien, H.C., Ashok, S. Evidence for the formation of polycrystalline silicon by argon implantation and its passivation by atomic hydrogen 87—6526
Ringel, S.A. *see* Ashok, S. 87—45774
Ringel, S.A. *see* Rohatgi, A. 88—56304
Ringelhan, H. *see* Senz, R. 87—63856
Ringer, K. *see* Watson, C.K. 88—66235
Ringermacher, H.I. Laser Doppler heterodyne interferometer for photoacoustic applications 88—10616
Ringger, M., Corb, B.W., Hidber, H.-R., Schlogl, R., Wiesendanger, R., Stemmer, A., Rosenthaler, L., Brunner, A.J., Oelhafen, P.C., Guntherodt, H.-J. STM activity at the University of Basel 87—11316
Ringger, M., Hidber, H.R., Schlogl, R., Oelhafen, P., Guntherodt, H.-J. Nanometer lithography with the scanning tunneling microscope 85—40563
Ringham, M.R. *see* Greenlee, T.L. 88—11114
Ringhofer, C. An asymptotic analysis of a transient *p-n*-junction model 87—66958
Ringhofer, C., Schmeiser, C. A modified Gummel method for the basic semiconductor device equations 88—33124
Ringhofer, C. *see* Kluksdahl, N.C. 88—39118
Ringhofer, C.A. A second order difference scheme for transient semiconductor device simulation 88—33129
Ringhofer, C.A. A singular perturbation analysis for the transient semiconductor device equations in one space dimension 88—50780
Ringhofer, C.A. *see* Markowich, P.A. 85—12235
Ringhofer, Ch.A. *see* Markowich, P.A. 87—74238
Ringhofer, K.H. *see* Hertel, P. 88—27322
Ringhofer, K.H. *see* Marotz, J. 87—7455, 88—8319
Ringhofer, K.H. *see* Rupp, R.A. 88—20735
Ringkloff, G. *see* Peters, K.-H. 85—9762
Ringlee, N.D. *see* Bhavajaru, M.P. 88—54956
Ringlee, R.J. Worth of transmission margin 88—10832
Ringlee, R.J. *see* Crim, H.G., Jr. 86—61399
Ringlee, R.J. *see* Lam, B.P. 88—68737
Ringler, T.J. *see* Downey, S.W. 87—6308
Ringler, T.J. *see* Saunders, J.D. 88—47941
Ringqvist, I. *see* Ahlfeldt, H. 88—5018
Ringqvist, I. *see* Nygards, M.-E. 85—9193, 85—53060
Ringsdorf, H. *see* Eich, M. 88—8326
Ringstrom, A. New series of pushbuttons 87—64729
Ringwald, K. *see* Morton, G. 85—44626
Ringwood, S.R. *see* Newkirk, D.C. 85—42383
Rinholm, B.L., Boag, D.A. Controlling innovation: Ready! Aim! Fire! 88—49435
Rink, K. *see* Melchert, F. 87—50019
Rink, R.E. Combined state estimation and A/D conversion with multipath tree coders 86—36923
Rink, R.E., Gourishankar, V., Zaheeruddin, M. Optimal control of heat-pump/heat-storage systems with time-of-day energy price incentive 88—62763
Rinke, M. *see* Gusten, H. 87—2095
Rinker, G. Nuclear excitation through the dynamic hyperfine effect 87—7299
Rinker, R.E., Rembert, D.L. Using the reactive current profile of a feeder to determine optimal capacitor placement 88—48560
Rinker, U., Melder, W. Noise abatement at the workplace. New ways and means for an analysis of intermitting sources of noise 88—60988
Rinkevichyus, B.S., Timofeev, A.S. Designing optical system for laser Doppler anemometer. I 85—19065
Rinkevicius, V.S. *see* Kavaliauskiene, G.S. 87—45584
Rinklef, P. Making ISDN a reality 88—28490
Rinn, K. *see* Melchert, F. 87—50019
Rinn, L.M. *see* Sangha, S.P.S. 87—58936, 88—38155
Rinne, R.A., Barbour, D.R. Multi-chip module technology 86—14751
Rinner, K. *see* Welten, F.P. 85—61315
Rinnooy Kan, A.H.G. *see* Frenk, J.B.G. 88—11885
Rino, C.L., Owen, J. Propagation effects on satellite-borne synthetic aperture radar 86—59066
Rino, C.L. *see* Cousins, M.D. 85—9255
Rino, C.L. *see* Fremouw, E.J. 85—53115
Rinolfi, L. Special injection region quadrupole for the CERN antiproton collector ring 88—68168
Rinolfi, L., Preis, K., Richter, K.H., Stogner, H. Magnetic field computations of fringe fields between a dipole and a quadrupole magnet 86—31861
Rinolfi, L. *see* Carron, G. 88—53998
Rinolfi, L. *see* Harold, M.R. 86—50277
Rinscheid, J. Customer control of switch-based services via Macstar 86—55129
Rinsland, P. *see* Shull, T.A. 86—18253, 86—24402
Rinsland, P.L. *see* Kist, E.H., Jr. 88—58643
Rinsland, P.L. *see* Shull, T.A. 87—56607
Rintamaa, R. *see* Torronen, K. 88—48716
Rintilla, E. Replacing the process computer systems at Finland's Loviisa PWR 87—71818
Rintoul, T.C. *see* Sherman, C.W. 87—42016
Rinttila, E., Tiitinen, M. Replacement and development of the Loviisa NPS process computer systems 88—48666
Rinttila, E. *see* Wahlstrom, B. 85—21332
Rinzema, G. *see* Opstelten, J.J. 87—64944
Rinzivillo, R. *see* Biagini, M. 85—56711
Rinzivillo, R. *see* Burattini, E. 86—60643
Rio, F., Bernstein, P., Labrune, M. Magnetization process in RE-TM alloys: wall mobility and nucleation 88—51158
Rio, F. *see* Bernstein, P. 87—46302, 88—64957
Rio, F.Gomez del *see* Gomez del Rio, F.
Rio, J.del *see* del Rio, J.
Rio, J.Gil Del *see* Gil Del Rio, J.
Rio, L.Mercader del *see* Mercader del Rio, L.
Rio, P.Del *see* Del Rio, P.
Rio, R. Connecting the multivendor LANscape 86—43537
Rio, S.P.Del *see* Del Rio, S.P.
Rio Vazquez, J.Ma.del *see* del Rio Vazquez, J.Ma.
Riofe, I.M. *see* Nikonov, A.G. 88—16621
Riollet, G. New French impulse turbines feature innovative steam flow 88—10979
Rionda, P. *see* Eden, R.C. 85—12424
Rionda, P. *see* Mouton, A. 85—19905
Riondan, O. *see* Declan, P. 85—36504
Riordan, B.J. Cost estimating within the regulatory process [nuclear power] 87—71869
Riordan, C. Joint EPRI-SERI spectral solar radiation database project 88—5872
Riordan, C., Cannon, T., Myers, D., Bird, R. Solar irradiance models, data, and instrumentation for PV device performance analyses 87—9801
Riordan, C. *see* Bird, R. 85—60444
Riordan, C. *see* Hulstrom, R. 86—40091
Riordan, C.J., Cannon, T.W., Hulstrom, R.L. Spectral solar irradiance data and instrumentation for PV device measurements and analysis 88—37409
Riordan, C.J. *see* Cannon, T.W. 86—13064
Riordan, J.C. *see* Pearlman, J.S. 86—11921
Riordan, J.T. The role of lasers in the military 85—13006
Riordan, J.T. HgCdTe: military high flyer 85—14799
Riordan, J.T. Optical data storage: media is the answer 85—18625
Riordan, T. *see* Hansen, C. 87—44912
Riordan, T. *see* Moussouris, J. 86—52889
Riordan, T. *see* Rowen, C. 86—57871
Riordon, J.S., Shiekh, A.U.H., Hafez, M.H., Tobis, M. Demand time-assigned speech interpolation for land mobile systems 85—57569
Riordon, J.S. *see* Niktash, M. 87—55434, 87—55438
Rios, C. *see* Tsui, E.T. 85—30985
Rios, F., Fondado, A., Navarrina, I., Bruguera, J.D., Docampo, A., Marin, R., Mira, J. A training module for the analysis and design of electronic functions 85—20657
Rios, F., Mira, J. A real time dynamic signals harmonic analyzer 86—11508
Rios, F. *see* Mira, J. 86—29939
Rios, F. *see* Navarrina, I. 85—23006
Rios, F.J.de los *see* de los Rios, F.J.
Rios, M. Practical implementation of a hybrid multiple-access protocol on a bus local area network 87—27697
Rios, M., Georganas, N.D. A hybrid multiple-access protocol for data and voice-packet over local area networks 85—30496
Rios, M., Marianov, V. A hybrid protocol for a bus LAN 86—43578
Rios, M.O. *see* Acuna, F.R. 87—24363
Rios, M.S. *see* Lira, M.R. 87—78850
Rios, P.A., Laskaris, E.T. Magnets for magnetic resonance in medical diagnostics from the laboratory to a product 86—50547
Rios, P.A., Rhodenizer, R.L. The past, present and future of MRI superconducting magnet development 88—48147
Rios, P.A. *see* Keim, T.A. 85—60128
Rios, P.Arco *see* Arco Rios, P.
Rios, R., Rothwarf, A., Magee, C.W., Tyson, S.M. Modeling of effect of interfacial charges on impurity diffusions in silicon-on-sapphire device processing 87—1316
Rios, S. *see* Gonzalez, C. 87—78011
Rios Leite, J.R. *see* Tabosa, J.W.R. 87—2236
Riotte, J.P. *see* Clerc, G. 88—64042
Riou, A. *see* Le Bloch, H. 85—26045
Riou, A. *see* Mitrani, M.S. 87—13818
Riou, G. *see* Furuta, T. 88—9684
Riou, J. *see* Alexandre, F. 86—42586
Riou, J. *see* Bouadma, N. 85—51160
Riou, J. *see* Brillouet, F. 85—2320
Riou, M.T. *see* Clarisse, C. 88—50834
Rious, M. *see* Blais, F. 87—49564
Rioux, C., Bleijs, C.A., Rioux-Damidau, F., Sultanem, F. Ironless machines. Elements for comparison between calculation and model testing 85—27417
Rioux, C., Rioux-Damidau, F., Sultanem, F. Pulsed sources using kinetic storage: a way for very high energy 88—11405
Rioux, C. *see* Bleijs, C.A. 85—43965, 85—65259, 87—42970
Rioux, C. *see* Delmas, A. 87—72335
Rioux, C. *see* Goyet, R. 86—6713, 87—51180, 88—69813
Rioux, C. *see* Lucidarme, J. 87—64562
Rioux, C. *see* Matt, D. 88—30741
Rioux, C. *see* Slobodrian, R.J. 86—11816, 86—25096, 86—38682, 86—70304, 87—3860
Rioux, F. *see* Bleijs, C.A. 87—42970
Rioux, J. *see* Levy-Clement, C. 86—26807
Rioux, J. *see* Licht, S. 85—39193, 86—40108
Rioux, J. *see* Tenne, R. 85—23695
Rioux, M. Laser range finder based on synchronized scanners 85—15021
Rioux, M. Laser range finder based on synchronized scanners 88—74047
Rioux, M., Bechthold, G., Taylor, D., Duggan, M. Design of a large depth of view three-dimensional camera for robot vision 88—27359
Rioux, M., Blais, F. Compact three-dimensional camera for robotic applications 88—74494
Rioux, M., Boulanger, P., Kasvand, T. Segmentation of range images using sine wave coding and Fourier transformation 88—73243
Rioux, M. *see* Beraldin, J.A. 88—53726
Rioux, M. *see* Blais, F. 86—11476, 87—3595, 88—59286
Rioux, M. *see* Boulanger, P. 88—46234
Rioux, M. *see* Bumbaca, F. 86—59951
Rioux, M. *see* Kasvand, T. 88—73242
Rioux, M. *see* Livingstone, F.R. 87—49532
Rioux, M. *see* Oka, R. 86—4039
Rioux, R. *see* Boulanger, P. 88—74048
Rioux-Damidau, F. Modelling of the cylindrical iron free asynchronous machine taking into account finite rotor length 85—38996
Rioux-Damidau, F., Alame, N. Computation of the impedances of the iron free asynchronous machines 86—51620
Rioux-Damidau, F., Bandelier, B., Buret, F. Digital modelling for ironless machines using space-temporal Fourier transform technique. Comparison of performance in various windings 86—6753
Rioux-Damidau, F. *see* Bandelier, B. 86—56761, 87—22362, 87—58033
Rioux-Damidau, F. *see* Bastos, J.P. 85—43962, 86—6709
Rioux-Damidau, F. *see* Bleijs, C.A. 85—65259
Rioux-Damidau, F. *see* Kateb, H. 88—30713
Rioux-Damidau, F. *see* Rioux, C. 85—27417, 88—11405
Ripak, A.M. *see* Kornilov, S.A. 88—992
Ripamonti, G. The dependence of transformer ratio on the shaper weighting function in transformer-coupled low noise preamplifiers 87—77581
Ripamonti, G., Cova, S. Carrier diffusion effects in the time-response of a fast photodiode 85—62451
Ripamonti, G., Cova, S. Optical time-domain reflectometry with centimetre resolution at 10^{-15} W sensitivity 86—63616
Ripamonti, G. *see* Asdente, M. 85—50863, 85—62223
Ripamonti, G. *see* Bruzzese, R. 87—46407
Ripamonti, G. *see* Cova, S. 86—50212, 87—29486
Ripamonti, G. *see* Gatti, E. 87—63683, 87—77580
Ripamonti, G. *see* Ghioni, M. 88—42106
Ripamonti, G. *see* Louis, T. 88—74432
Riper, R.V.Van *see* Van Riper, R.V.
Ripin, B.H. *see* Manheimer, W.M. 86—64042
Ripka, G., Harsanyi, G. Electrochemical migration in thick-film IC-s 85—50119
Ripka, P. Contribution to the theory of toroidal ferromagnetic probes 87—56652
Ripka, P., Draxler, K. Ferromagnetic probes and their application 87—63399
Ripken, G. *see* Barber, D.P. 85—48157, 86—18218
Ripken, G. *see* Borchardt, I. 88—68187
Ripken, G. *see* Mais, H. 87—63612
Ripley, C.P., Simkin, J., Trowbridge, C.W. Accuracy of results from finite element models 88—8398
Ripley, K.L. *see* Mark, R.G. 85—59294
Ripley, K.L. *(editor)* Computers in Cardiology (Cat. No.CH2476-0) 88—37
Ripoche, G., Blanjot, C., Salsac, P., Duda, E. InP/InGaAs avalanche photodiode for high bit-rate systems 88—2128
Ripoche, G., Decor, P., Blanjot, C., Bourdon, B., Salsac, P., Duda, E. First life-test results on planar p-i-n InGaAs/InP photodiodes passivated with SiO_2 or SiN_x+SiO_2 or SiN_x layers 86—28990
Ripoche, J., Maze, G., Izbicki, J.-L. A new acoustic spectroscopy: resonance spectroscopy by the MIIR 86—62300

Ripoche, J., Maze, G., Izbicki, J.L., Pareige, P. Spectrum signatures of passive or active submerged objects 88−22228
Ripoche, P. *see* Aldebert, P. 86−9559
Ripouteau, F. *see* Bertrand, P. 88−68007
Ripp, O. *see* Muller, B. 87−828
Rippa, S. *see* Dyn, N. 86−46256
Rippel, H., Kampf, D. Design and performance data of a space borne helium cooled infrared limb scanning instrument 88−61652
Rippel, H. *see* Kampf, D. 88−68636
Rippel, R. *see* Kastner, W. 85−9647
Rippel, W. Development of a low cost, lightweight traction inverter 87−51382
Rippel, W.E. A high performance, integrable current sensor 88−74394
Rippens, R.A. *see* Crowder, G. 85−6623
Ripper, G., Herzinger, G. Machining of materials by laser beam. V. Focusing of laser beams, taking the CO_2 laser as an example 85−35942
Ripper, H., Weisen, H. Large composite infrared high-vacuum windows made of NaCl 88−14245
Rippert, E.D. *see* Segre, C.U. 87−67728
Rippert, K.-H. *see* Leonhardt, K. 87−77422
Ripplinger, W. Semiconductor relays for metrology 86−1436
Ripplinger, W. Technical advance in semiconductor relays: solution to a coupling problem 87−37623
Ripplinger, W. Interference immune and hardly any leakage current. Integrated technology in semiconductor relays 87−52945
Ripplinger, W. *see* Collins, W. 85−23188, 86−20884, 86−62889
Rippon, S. History of the PWR and its worldwide development [nuclear power stations] 85−9649
Rippon, S. The future of fast breeder reactors 86−32982
Rippon, S. Chernobyl operators mesmerized by mind-set 87−42610
Ripps, D., Mushinsky, B. 32-bit μP speeds code design and execution 85−54911
Ripps, D., Mushinsky, B. Benchmarks contrast 68020 cache-memory operations 85−61248
Rippy, R. BASIC program eases analysis of phase-locked loops 86−57725
Riquel, G. Influence of moisture on the SF_6 insulation in metal-clad substations 88−62534
Riquel, G. *see* Berger, G. 86−35934, 87−25679, 88−39757
Riquel, G. *see* Bertazzi, A. 87−11983 to 11986
Riquelme, F.F. Electric energy from irrigation districts 88−69213
Riris, A., Aitchison, C.S. Linearity and efficiency improvement by active compensation in IMPATT amplifiers 85−28715
Riris, A., Aitchison, C.S. Intermodulation distortion improvement by active compensation in IMPATT amplifiers 85−28716
Rirong Zhang *see* Zhang Rirong
Ris, C. *see* Pasqualotto, C. 88−3769
Ris, H. Electrical installation practice [electrical contacts] 85−1107
Ris, H. Electrical installation techniques−switches and protective devices 85−15680
Ris, H. Electrical installation techniques [circuit breakers and relays] 85−21761
Ris, H. Electrical installation technique. II 85−27556
Ris, H.R. Electric installation 85−28020
Ris, H.R. New graphical symbols−SEV regulations and graphical symbols for electrical diagrams 85−32882
Ris, H.R. Light current installations electrical installation engineering 85−33101
Ris, H.R. Radiowaves and environmental protection 86−38837
Ris, H.R. Electrical engineering 3.V 87−15402
Ris, H.R. Office lighting today: new requirements for office lighting 87−36243
Ris, H.R. Saving electricity 87−57475
Ris, H.R. Corona effects on HV lines 88−10860
Ris, H.R. Saving energy in pumps and ventilators 88−11503
Ris, H.R. The effect of electromagnetic and magnetic fields upon man 88−16792
Ris, H.R. Ultra-high transmission voltages in Europe 88−17160
Ris, H.R. Phase control and reactive power 88−17717
Ris, H.R. Storage battery technology and the electric car 88−37670
Ris, H.R. Lighting technology in industry and trade. Good light=less fatigue=higher efficiency=more motivation 88−37738
Ris, H.R. Modern solar cells 88−43379
Risacher, R. *see* Besanceney, M. 86−19231
Risaliti, R. *see* Ronchi, L. 88−58598
Risan, M.D. *see* Newell, R.J. 86−18642
Risbak, L. Model for switching data 87−55909
Risberg, K.T. Lighting controls−past, present, future 85−27792
Risbourg, B. *see* Fond, A. 86−50472
Risbridger, J.N.A., Stewart, D.W. A protocol tester for message based signalling systems 87−62772
Risbud, S.H. *see* Albin, D.S. 87−36786, 88−6487
Risbud, S.H. *see* Allen, G.D. 88−24807
Risch, L., Mueller, W., Tielert, R. Four megabit memory processing 88−56629
Risch, L. *see* Kircher, R. 87−6757
Risch, L. *see* Werner, C. 85−50590
Risch, M.R. Precision pressure sensor using quartz SAW resonators 85−37559
Rischer, R. *see* Masselink, W.T. 85−22462
Rischmuller, K. A new base drive method for ultra fast, high voltage switching with Darlingtons 85−6908
Rischmuller, K. Fast switching with transistors and Darlingtons 86−714
Rischmuller, K. Fast switching of power transistors and Darlington pairs 86−67839
Rischmuller, K. Rapid switching with a power transistor 87−36974
Rischmuller, K. New intelligent power components 87−37638
Rischmuller, K. Smarties: intelligent semiconductors−a new generation of semiconductors 87−67326
Rischmuller, K. *see* Perier, L. 88−31985
Rischpater, B. Specifying a free-running dielectric resonator oscillator 88−7055
Rischpater, W.E. Predict PLL phase noise from oscillator data 87−52459
Risco, J. *see* Olmos, P. 87−50121
Risdal, E. Regenerative operation of a brushless 3-phase direct current motor 87−22399
Rise, J.L., Larsson, P. Life cycle cost procurement of circuit-breakers 87−9695
Riseman, E. *see* Belknap, R. 87−2623
Riseman, E. *see* Lawton, D. 85−30318
Riseman, E.M. *see* Burns, J.B. 85−36394, 86−69127
Riseman, E.M. *see* Hanson, A.R. 88−3266
Riseman, E.M. *see* Nakatani, H. 85−51743
Riseman, E.M. *see* Wang, R. 87−2639
Riseman, J. Precision-submicron-dimensioned mask for X-ray lithography 85−40817
Riseman, J. *see* Beyer, K.D. 85−6795, 85−45771
Riseman, J. *see* Codella, C. 85−45777
Riseman, J. *see* Gardiner, J.R. 85−50620
Riseman, J. *see* Mader, S.R. 85−6900
Risenberg, V.Kh. *see* Sharonov, A.V. 87−33576
Rish, E. *see* Lowenstein, G. 87−41117, 88−74062
Rish, O.M. *see* Butkevich, V.I. 87−2065
Rish, O.M. *see* Kazantsev, S.A. 86−38950
Rishbeth, H. EISCAT−a new tool for probing the auroral ionosphere 85−15427
Rishbeth, H., Williams, P.J.S. The EISCAT ionospheric radar: the system and its early results 86−25423
Risheng Wu *see* Wu Risheng
Rishoj, E. *see* Broux, J.A. 85−25656
Rishpon, J. *see* Harzion, Z. 86−7012
Rishton, S. *see* Sai-Halasz, G.A. 88−1654, 88−39721
Rishton, S.A., Kern, D.P. Point exposure distribution measurements for proximity correction in electron beam lithography on a sub-100 nm scale 87−38027
Rishton, S.A., Schmid, H., Kern, D.P., Luhn, H.E., Chang, T.H.P., Sai-Halasz, G.A., Wordeman, M.R., Ganin, E., Polcari, M. Lithography for ultrashort channel silicon field effect transistor circuits 88−39716
Rishton, S.A. *see* Rosenfield, M.G. 87−38024
Rishton, S.A. *see* Schmid, H. 88−39294
Risica, S. *see* Casaccia, R. 87−21494
Rising, D.L. *see* Brugler, J.S. 86−32378
Rising, D.L. *see* Jassawalla, J.S. 85−31879
Risk, W.P. Modeling of longitudinally pumped solid-state lasers exhibiting reabsorption losses 88−72298
Risk, W.P., Baumert, J.-C., Bjorklund, G.C., Schellenberg, F.M., Lenth, W. Generation of blue light by intracavity frequency mixing of the laser and pump radiation of a miniature neodymium:yttrium aluminum garnet laser 88−27279
Risk, W.P., Kino, G.S. Acousto-optic polarization coupler and intensity modulator for birefringent fiber 86−28930
Risk, W.P., Kino, G.S. Acousto-optic fiber-optic frequency shifter using periodic contact with a copropagating surface acoustic wave 86−48235
Risk, W.P., Kino, G.S., Khuri-Yakub, B.T. Tunable optical filter in fiber-optic form 87−2007
Risk, W.P., Kino, G.S., Shaw, H.J. Fiber-optic frequency shifter using a surface acoustic wave incident at an oblique angle 86−28852
Risk, W.P., Kino, G.S., Shaw, H.J., Youngquist, R.C. Acoustic fiber-optic modulators 86−2891
Risk, W.P., Lenth, W. Room-temperature, continuous-wave, 946-nm Nd:YAG laser pumped by laser-diode arrays and intracavity frequency doubling to 473 nm 88−20608
Risk, W.P., Youngquist, R.C., Kino, G.S., Shaw, H.J. Acousto-optic birefringent fiber frequency shifters 85−2110
Risk, W.P., Youngquist, R.C., Kino, G.S., Shaw, H.J. Single-sideband frequency shifting in birefringent optical fiber 85−24289
Risk, W.P. *see* Baumert, J.-C. 88−27278
Risk, W.P. *see* Heffner, B.L. 86−63672, 86−68357, 87−65570
Risk, W.P. *see* Kino, G.S. 85−56344
Risk, W.P. *see* Lenth, W. 88−65650
Risk, W.P. *see* Youngquist, R.C. 86−2697
Riska, D.O. *see* Vidberg, H.J. 85−59438
Risken, H. *see* Leiber, T. 88−2190
Risken, H. *see* Vogel, K. 87−61194, 87−68549
Risken, H. *see* Voigtlaender, K. 86−20030
Riski, K. *see* Ikonen, E. 85−52754
Risko, D.G. *see* Rhoades, L.J. 85−37615
Risler, R., Eenmaa, J., Jacky, J., Kalet, I., Wooton, P., Lindbeck, S. Installation of the cyclotron based clinical neutron therapy system in Seattle 85−64628
Risley, A. Verification of master-clock accuracy in telecommunications networks 86−16761
Risley, W. *see* Fish, D.G. 86−43562
Risley, W.B. Data transmission circuit diagnosis 87−13527
Rislove, S.E. *see* Bush, E.D., Jr. 86−32053
Risman, P.O., Ohlsson, T., Wass, B. Principles and models of power density distribution in microwave oven loads 88−24271
Rismand, J. *see* Geiger, D. 85−64039
Riso, R. *see* Rutherford, K.M. 88−68343
Riso, R.R., Ignagni, A.R. Sensory feedback of machine state and shoulder position command information for use with FNS hand orthoses 87−21682
Riso, R.R., Ignani, A.R. Electrocutaneous sensory augmentation affords more precise shoulder position command generation for control of FNS orthoses 86−25313
Risovic, D., Svenda, K., Persin, A. A device for positioning and tracking of luminous targets 86−44169
Rispoli, B. *see* Bacci, C. 88−42588
Rispoli, E. *see* Barbaro, V. 88−42512
Rispoli, F., Badessi, S., Bornemann, W. Reconfigurable Ku-band antenna for frequency re-use international communications satellite 88−2717
Rispoli, F., Badessi, S., Costabile, V., Jorgensen, R., Montero, J.M., Crone, G.A.E. A reconfigurable satellite antenna system for regional and domestic communications in Africa 88−34477
Rispoli, F., Foldes, P., Vita, P. System and technological aspects of the Eutelsat II antennas 87−27036
Rispoli, F., Jorgensen, R., Doro, G., Magnan, J.C. Antenna subsystem for new European satellite telecommunications−EUTELSAT II generation 86−54352
Rispoli, F., Vita, P., Doro, G., Badessi, S., Di Fausto, M., Crone, G., Jorgensen, R. Multi contoured beam antennas for Ku-band frequency re-use satellites 88−34467
Rispoli, F. *see* Alessandri, F. 88−967
Rispoli, F. *see* Doro, G. 88−14487
Rispoli, F. *see* Foldes, P. 87−26970
Rispoli, F. *see* Vegni, L. 86−29645
Riss, J. *see* Millian, K. 87−9520
Rissanen, E.L. *see* Perdue, R.J. 87−41283
Rissanen, J. Universal coding, information, prediction, and estimation 85−2752
Rissanen, J. Complexity of strings in the class of Markov sources 87−2432
Rissanen, J. An image compression system 87−39976
Rissanen, J. The MDL principle, universal coding, and modeling 87−55006
Rissanen, J., Wax, M. Measures of mutual and casual dependence between two time series 87−75669
Rissanen, J. *see* Todd, S. 85−46925
Rissanen, J.J. *see* Langdon, G.G., Jr. 85−13592
Risse, T. On the evaluation of the reliability of *k*-out-of-*n* systems 88−6319
Rissel, U., Hindricks, G., Haverkamp, W., Gulker, H. A new 2-channel stimulation device with integrated ablation-control unit for the diagnosis and treatment of cardiac arrhythmias 88−30023
Risselada, T. *see* Hofmann, A. 86−31930
Risser, T. Distributed image processing and analysis for PACS 85−31821
Risser, V.V. PV power system performance and reliability 88−37098
Risser, V.V., Hutchinson, P., Watson, G. Operation and maintenance of stand-alone photovoltaic systems: data acquisition and analysis 86−6628
Risser, V.V., Schaefer, J.C. PV system failures, test techniques, and analysis 88−17441
Risser, V.V. *see* Watson, G.H. 86−45651
Risser, V.V. *see* Whitaker, C.M. 86−45686
Risser, V.V. *see* Zwibel, H.S. 86−45304, 88−17462
Risset, J.-C. Musical sound models for digital synthesis 87−20815
Rissman, P., Owen, G. GHOST solubility rate ratio: a new parameter for characterization of positive electron resists 85−29088
Rissman, P. *see* Colinge, J.-P. 86−53816
Rissman, P. *see* Kruger, J.B. 86−8954
Rissman, P. *see* Liu, E.D. 85−34961
Rissman, P. *see* Owen, G. 85−29087
Rissmann, G. *see* Fehr, M. 88−11519
Risson, J. *see* Bubbe, J. 85−51907
Rist, A. *see* Olette, M. 85−5552
Ristanovic, P. *see* Bjelogrlic, M. 88−61782

Ristau, D., Schuppler, H. Modern shielding concepts and shield calculations for spatial configurations 86–59098
Ristau, D. *see* Schuppler, H. 86–3597, 86–17186
Ristein, J., Weiser, G. Influence of doping on the optical properties and on the covalent bonds in plasma deposited amorphous silicon 85–60999
Ristein, J., Weiser, G. Quenching by electric fields of the luminescence of As_2Se_3 single crystals 86–36321
Ristenbatt, M.P. Highlights of the IEEE professional practices document 85–44387
Ristenbatt, M.P., Birdsall, T.G., Holland-Moritz, E. Combining PN spread spectrum with an adaptive array 86–30596
Ristenbatt, M.P., Holland-Moritz, E., Metzger, K. A new post-disaster mine communication system 85–25746
Ristenbatt, M.P., Holland-Mortiz, E., Metzger, K. A new post-disaster mine communication system 88–53126
Ristic, B. *see* Zivanovic, G. 86–27163
Ristic, L., Baltes, H.P., Briglio, D.R., Filanovsky, I.M., Smy, T. Optimization of differential lateral magnetotransistor geometry with respect to magnetic field sensitivity 87–35076
Ristic, L., Baltes, H.P., Filanovsky, I., Briglio, D.R., Smy, T., Nathan, A. Lateral transistor structure optimization with respect to current gain 88–33153
Ristic, L., Baltes, H.P., Smy, T., Filanovsky, I. Suppressed sidewall injection magnetotransistor with focused emitter injection and carrier double deflection 87–77378
Ristic, L. *see* Smy, T. 88–42074
Ristic, Lj. *see* Baltes, H.P. 86–63333
Ristic, M. *see* Cardew-Hall, M. 88–43719
Ristic, M. *see* Tsabourakis, N. 88–47675
Ristic, M.M. *see* Kostic, P. 88–57006
Ristic, M.M. *see* Uskokovic, D. 85–33519
Ristic, V.M. *see* Arsenault, R. 88–20414
Ristic, V.M. *see* Arsenault, R.H. 87–68217, 88–13948
Ristic, V.M. *see* Gregoris, D. 85–31444, 85–41227, 88–65402
Ristic, V.M. *see* Jiang, W.Y. 85–12636, 86–68256
Ristic, V.M. *see* Woolven, S. 88–66301
Ristic Stojan *see* Stojan Ristic
Ristici, E., Radulescu, O., Voicu, I., Hurezeanu, D., Lupei, V., Kuzminov, Yu.S., Yu Jin-Liang BNN device for CW YAG:Nd frequency doubling 88–34131
Ristici, M. *see* Vasiliu, V. 85–18857, 85–18988
Ristinen, R.A. *see* Cecil, F.E. 85–37927
Ristori, C. *see* Eaton, G.H. 88–61054
Ristori, L. *see* Amendolia, S.R. 85–9069, 85–15169 to 15170
Ristori, L. *see* Amidei, D. 86–50416, 88–54400
Ristori, L. *see* Apollinari, G. 87–21436, 87–29489, 88–22966
Ristori, L. *see* Barsotti, E. 88–54403
Ristori, L. *see* Bedeschi, F. 86–50310
Ristori, L. *see* Bertolucci, S. 88–47987
Ristov, M., Sinadinovski, G., Grozdanov, I., Mitreski, M. Chemical deposition of ZnO films 87–58953
Ristov, M., Sinadinovski, G.J., Grozdanov, I. Chemical deposition of Cu_2O thin films 85–44767
Ristow, D. *see* Willer, J. 88–32924
Rita, R. *see* Hairabedian, B. 87–41569
Ritacco, J.E. *see* Pedersen, T.J. 85–36575
Ritala, R.K., Salomaa, M.M. High-frequency dynamics of RF SQUIDS 85–46094
Ritala, R.K. *see* Ketoja, J.A. 85–7184, 85–46095
Ritcey, J.A. Performance analysis of the censored mean-level detector 87–3217
Ritcey, J.A. Performance of the order statistic CFAR detector in two multiple target environments 87–8362
Ritcey, J.A. Performance analysis of a robust BFSK FH-SS communication system in partial-band noise jamming 87–40675
Ritcey, J.A. On the probability density of a maximum likelihood mean frequency estimator 87–47665
Ritcey, J.A. *see* Cheung, K.F. 88–8807
Ritcey, J.A. *see* Helstrom, C.W. 85–14335, 85–60908
Ritcey, J.A. *see* Quistgaard, J.U. 87–66437
Ritchey, L.W. Does surface mount make sense for commercial VLSI designs? 86–41905
Ritchey, L.W. The impact of VLSI on PCB design 87–6219
Ritchey, L.W. The impact of high density VLSI on PCB design and manufacture 87–37681
Ritchey, L.W. A comparison of PCB routing methods 88–12734
Ritchey, L.W. The impact of VLSI on PCB design and fabrication 88–12752
Ritchey, L.W. The state of drill tapes 88–44472
Ritchey, N.F. *see* Crowley, J.H. 85–53518
Ritchie, B. Video interactivity [interactive services] 85–36556
Ritchie, D. *see* Stone, J. 86–6646
Ritchie, D.A. *see* Smith, C.G. 88–71328
Ritchie, D.A. *see* Wharam, D.A. 88–71327
Ritchie, E.F. *see* Armitage, J.C. 88–74757
Ritchie, G., Ebert, J.P., Jannett, T.C., Kissin, I., Sheppard, L.C. A microcomputer based controller for neuromuscular block during surgery 85–64608
Ritchie, G.R. SYNTRAN—a new direction for digital transmission terminals 86–17111
Ritchie, G.R. *see* Ballart, R. 85–42030
Ritchie, I., Fenn, J.B., Jr. Transparent conductive coatings for electrophotographic and electrostatic imaging 87–58977
Ritchie, I., Kittler, W.C., Jr. Selective radiation shielding and solar control applications of multilayer metal and dielectric coatings 88–45267
Ritchie, I.M. *see* Bailey, S.I. 88–62570
Ritchie, J. *see* Burgess, D. 87–45541
Ritchie, J.A., Jr. *see* Chamberlin, J.W. 87–48856
Ritchie, M.H. Boeing network architecture 86–55024
Ritchie, M.L. Mind over machine in navigation and air traffic control 85–9340
Ritchie, M.L. The mind of the navigator as a system component 85–38314
Ritchie, M.L. R&D needs in mind-machine system engineering common to military and general aviation 86–70486
Ritchie, R.H. *see* Chu, Y.T. 85–20766
Ritchie, R.H. *see* Marti, A.G. 87–24966
Ritchie, R.J. *see* Irvin, J.N. 86–127
Ritchie, S., Rodgers, P.M. Optical waveguides in III-V semiconductors 87–32958
Ritchie, S., Scott, E.G., Rodgers, P.M. Optical waveguides in $In_{0.52}Al_{0.48}As$ grown on InP by MBE 87–7090
Ritchie, S., Steventon, A.G. The potential of semiconductors for optical integrated circuits 85–56363
Ritchie, S. *see* Adams, M.J. 86–42238
Ritchie, S. *see* Aitchison, J.S. 87–75228, 88–2386
Ritchie, S. *see* Elliot, C.r. 85–40650
Ritchie, S. *see* Houghton, A.J.N. 85–46199
Ritchie, S. *see* Kendall, P.C. 87–68044
Ritchie, S. *see* Nelson, A.W. 86–2945
Ritchie, S. *see* Newman, D.H. 86–55296
Ritchie, S. *see* Robertson, M.J. 85–41192, 86–15475, 87–12197, 88–33869
Ritchie, S. *see* Rodgers, P.M. 87–74866
Ritchie, S. *see* Valera, J.D. 88–72118
Ritchie, S. *see* Walker, A.C. 88–58211
Ritchie, S.T. Automatic antenna-alignment system 88–58945
Ritchie, S.T.D. *see* Walker, A.C. 87–33317
Ritchie, W.K. Switched-star cable TV network 85–20355
Ritchie, W.K. The British Telecom switched star cable TV network. I 85–47689
Ritchie, W.K. The British Telecom switched-star cable TV network. II 86–24109
Ritchie, W.K. Broad-band communication systems in Great Britain 86–64437
Ritchie, W.K. Switched-star networks for integrated service distribution 87–27850
Ritchie, W.K. Multiservice switched-star cable TV developments 88–29109
Ritchie, W.K. Developments in integrated, multiservice, broadband local networks 88–52929
Ritchie, W.M., Beard, P.W., Barker, A., Lewis, D.G.T. Loss reduction—the small utility experience 87–50695
Ritchie, W.M., Rodger, A.F., Northcote-Green, J.E.D. Computer aided distribution planning for the Jordanian Electric Power Co. Ltd 85–59705
Ritchie, W.M., Warham, T.J. Early experience of an interconnected system in the Yemen Arab Republic 87–64086
Ritchie, W.M. *see* Bickford, J.P. 85–9551
Ritchie, W.M. *see* Johns, A.T. 85–27099
Ritchings, R.T., Colchester, A.C.F., Wang, H.-Q. Knowledge-based analysis of carotid angiograms 86–50524
Ritchings, R.T. *see* Brebner, G.E. 88–21294
Ritchken, P.H. Warranty policies for non-repairable items under risk aversion 85–54194
Ritchken, P.H., Fuh, D. Optimal replacement policies for irreparable warrantied items 87–31355
Ritchken, P.H. *see* Tapiero, C.S. 86–13558
Ritenour, D.V., Jr. *see* Koenig, B.E. 87–69062
Ritenour, E.R., Sahu, S.N., Rossi, R.P., Nelson, T.R. Quantitative methods for hard-copy device adjustment [for medical imaging systems] 88–36452
Riter, R.R. *see* Little, J.H. 87–50484
Riter, S., Abdelqader, S. Receiver bandwidth for optical fiber PPM communications 87–13709
Riter, S. *see* Frankel, H. 87–20715
Riter, S. *see* Frankel, H.S. 86–4886
Ritger, A.J. Bandwidth improvement in MCVD multimode fibers by fluorine etching to reduce the center dip 86–48175
Ritger, A.J. *see* Shute, M.W., Sr. 88–39935
Ritger, A.J. *see* Simpson, J.R. 88–13879, 88–45160
Ritger, J. *see* Simpson, J. 87–7065
Ritman, E.L. *see* Behrenbeck, T. 85–4318
Ritman, E.L. *see* Harris, L.D. 86–60730
Ritmanich, W. Understand the limits of passive analog IC components 86–9186
Ritmanich, W., Gill, H. Linear array captures spirit of discrete design 87–45459
Ritmanich, W. *see* Moore, B. 88–33272
Ritoux, G. *see* Zepp, G. 88–66129
Ritsch, H. *see* Marte, M.A. 88–72244
Ritsch, W.J. Configuration management of plant modifications for nuclear power plants 87–78309
Ritscherle, H., Bruckner, J., Schamberger, K., Puttjer, K. Modern electrical equipment for a continuous casting and hot rolling plant producing aluminium strip 86–40321
Ritsema, A.R. *see* Unger, R. 87–42208
Ritsema Van Eck, H.J. *see* Willems, J.L. 86–11975
Ritsko, J.J. *see* Tong, H.M. 87–56881
Ritso, A.E., Katrus, O.A., Laansoo, A.A., Siimar, R.A. Production of laminated magnetic cores in soft magnetic composite materials 86–36052
Ritson, D.C., Qadri, S. CCITT Signalling System No.7: testing strategy for the British Telecom network 88–52698
Ritson, D.M. Prospects for collider vertex detectors 88–29848
Ritson, D.M. *see* Ash, W.W. 88–10244
Ritt, D.M., Brooke, J.M., Packard, H., Prather, W., Rimbert, G. Upset testing methodology for electronic systems which utilize the MIL-STD-1553B data bus 87–42090
Ritt, R.K. Numerical determination of surface fields at an interior resonance 87–75402
Rittenhouse, D.L. *see* Laats, E.T. 88–75305
Rittenhouse, L. The brave new world of debt 85–53268
Rittenhouse, L.E. Power-up/down protection circuit for a DAC driver 85–28595
Rittenhouse, R.C. Meeting the challenge of power plant water treatment 85–9693
Rittenhouse, R.C. Pumps for power plants: design, maintenance and upgrading 85–21282
Rittenhouse, R.C. Diagnostics for operation, maintenance and upgrading [power plants] 85–39511
Rittenhouse, R.C. The intricacies of purchasing power plant equipment 86–110
Rittenhouse, R.C. Pollution control equipment: maintenance and upgrading [power station] 86–25447
Rittenhouse, R.C. Upgrading: new life for hydroelectric systems 86–45237
Rittenhouse, R.C. Equipment retrofits add conformance to emissions control 87–9347
Rittenhouse, R.C. Corrosion control adds years to power plant life 87–30374
Rittenhouse, R.C. Corrosion control adds years to power plant life. II 87–51002
Rittenhouse, R.C. Bulk handling retrofits set the tone for power plant reliability 87–51005
Rittenhouse, R.C. Technology, education, upgrading boost cooling tower performance 88–5526
Rittenhouse, R.C. Piping condition holds a key to power plant life expectancy 88–30431
Rittenhouse, R.C. Technology, education, upgrading boost cooling tower performance. II 88–30553
Rittenhouse, R.C. Quality—the critical element in liquid fuel handling 88–75430
Rittenmyer, K.M., Ting, R.Y., Henriquez, T.A. Piezoelectric properties of calcium-modified lead titanate and its application in underwater transducers 86–60995
Ritter, A.B., Braun, W., Stein, A., Duran, W. Visualization of the coronary microcirculation using digital image processing 86–18294
Ritter, A.L., Dennison, J.R., Dunn, J. (*e*,2*e*) spectrometer for investigating the spectral momentum density of thin films 85–4240
Ritter, A.P. *see* Jawed, I. 87–52217
Ritter, A.P. *see* Winzer, S.R. 87–53799
Ritter, B.J. Media relations a two way street 85–44567
Ritter, C. Determination of synchronous machine parameters by means of DC-tests at standstill 86–56734
Ritter, C., Stiebler, M. A comparative study of control concepts for high performance inverter fed synchronous machines 87–22291
Ritter, C., Stiebler, M. Determination of synchronous machine parameters by means of a DC test at standstill 87–42872
Ritter, C. *see* Stiebler, M. 86–33357
Ritter, D., Seale, M. A multi-purpose, distributed LAN traffic monitoring tool 87–69660
Ritter, D., Weiser, K., Zeldov, E. Steady-state photocarrier grating technique for diffusion-length measurement in semiconductors: theory and experimental results for amorphous silicon and semi-insulating GaAs 88–32824
Ritter, D., Zeldov, E., Weiser, K. Steady-state photocarrier grating technique for diffusion length measurement in photoconductive insulators 87–7197
Ritter, D., Zeldov, E., Weiser, K. Diffusion length measurements in a-Si:H using the steady state photocarrier grating technique 88–25906
Ritter, D., Zeldov, E., Weiser, K. Ambipolar transport in amorphous semiconductors in the relaxation regime 88–25908

Ritter, D. *see* Peri, D. 86−28940
Ritter, G. 110 kV high voltage cable 87−4388
Ritter, G., Lopata, N. How to increase productivity using semiautomatic assembly equipment 88−32624
Ritter, G. *see* Krueger, D. 87−66887
Ritter, G.A. *see* Chan, Y.H. 85−11253
Ritter, G.A. *see* Martin, B.W., Jr. 85−28350
Ritter, G.D. Tone burst add-on unit for sinusoidal generators 85−54727
Ritter, G.X., Ahmad, J. Analysis of variance: a statistical approach to pattern recognition and motion detection 85−30334
Ritter, G.X., Davidson, J.L., Wilson, J.N. Beyond mathematical morphology 88−40938
Ritter, G.X., Gader, P.D., Davidson, J.L. Automated bridge detection in FLIR images 87−49576
Ritter, G.X., Shrader-Frechette, M.A., Wilson, J.N. Image algebra: a rigorous and translucent way of expressing all image processing operations 88−21324
Ritter, G.X., Tou, J.T. The encoding of arbitrary surfaces in 3-dimensional space 85−13489
Ritter, G.X., Wilson, J.-N., Davidson, J.L. Data compression of multispectral images 88−59284
Ritter, G.X., Wilson, J.N. Image algebra: a unified approach to image processing 88−28052
Ritter, G.X. *see* Chen, S. 85−37538
Ritter, G.X. *see* Shrader-Frechette, M.A. 87−55364
Ritter, H. *see* Donicke, H. 86−9399
Ritter, H.C., Muller, B. Built-in test processor for selftesting repairable random access memories 88−19156
Ritter, H.G. *see* Albrecht, R. 86−44563
Ritter, J. *see* Marciniak, Z. 87−36598
Ritter, J. *see* Ohm, G. 86−41202
Ritter, J.C. *see* Maisch, W.G. 88−26692
Ritter, J.E., Helfinstine, J.D. A tougher fiber for the FOG-M 88−13841
Ritter, J.E. *see* Bhagavatula, V.A. 86−22108
Ritter, J.E. *see* Croft, T.D. 86−22103
Ritter, J.E., Jr., Glaesemann, G.S., Jakus, K. Effect of temperature on the strength and fatigue behaviour of optical fibres 85−18698
Ritter, K. Successful for the past 25 years: floor electric storage heating 85−10232
Ritter, K. *see* Best, M.J. 86−13335
Ritter, M. *see* Bottcher, D. 85−59926
Ritter, M.W. *see* Badertscher, A. 85−64417
Ritter, M.W. *see* Wilson, S.L. 88−29827
Ritter, P. *see* O'Donnell, H.B. 87−35466
Ritter, P.D. *see* Caffrey, A.J. 86−50328
Ritter, P.R. *see* Lombardo, M. 87−27668
Ritter, R. *see* Andresen, K. 87−77420
Ritter, R.C., Bernard, B.E., Gillies, G.T. The electronically cooled, corotation inertial clock room temperature results and a low temperature design 87−14566
Ritter, R.C., Molloy, J.A. Improved oscillating buoy viscometer 88−22860
Ritter, R.C. *see* Gillies, G.T. 85−63952
Ritter, S. The macroparticle code MACPAR to simulate the beam-beam interaction of high energy linear electron-positron colliders 86−38663
Ritter, S. A symbolic layout for describing the wiring plane of CMOS gate arrays 87−16806
Ritter, S. *see* Grunert, F. 87−44772
Ritter, T. The great CRC mystery [cyclic redundancy check] 86−29715
Ritter, W., Klipfel, G., Ulbrich, D. Results of trials of a network command simulator on the basis of an input/output colour monitor system 85−38497
Ritterman, P.F., King, A.M. The open-circuit stand behavior of INTELSAT VI nickel-hydrogen batteries and its relationship to charge rates and temperature 86−32475
Rittershaus, E., Federle, H. Online quality control at high production speeds−possibilities of modern image analysing systems 88−6306
Rittich, D. Practicability of determining the modal power distribution by measured near and far fields 85−62320
Rittich, D. Reference measurement method for determining the mode spectrum from near- and far-field intensities in multimode fibres 86−22147
Rittichier, J. How to evaluate PCB laser photoplotters 88−50499
Rittinger, T.E. An avionics integrity mechanical analysis 88−68587
Rittinghaus, D. Short-circuit calculation neglecting parallel admittances and tap changer position 85−39842
Rittmann, G.W., Blades, C.W. Insulation shrinkback in polyethylene power cable 85−59736
Rittner, H. Heat metering with ultrasound 85−15065
Rittstieg, G. Topical questions about current/price structuring [electricity supply industry] 85−64810
Rittstieg, G. *see* Gagel, K. 85−26949
Rituper, R. Management of the energy consumption in electroplating plants. I. Balancing 87−22927
Ritz, A., Luth, H. Determination of space charge layer parameters on InSb(110) by electron energy loss spectroscopy 86−1710
Ritz, D.J. *see* Unger, Y. 87−36160
Ritz, H. *see* Greska, H. 86−37613
Ritz, K. Theoretical considerations on the thermal expansion of copper-invar-copper Metalcore boards for surface mounting technology 87−59980
Ritz, K. *see* Reimer, J. 88−7390
Ritz, K.N., Delfino, M., Cooper, C.B., III, Powell, R.A. Observation of slip dislocations in (100) silicon wafers after BF_2 ion implantation and rapid thermal annealing 86−67790
Ritz, K.N., Stacy, W.T., Broadbent, E.K. The microstructure of ball bond corrosion failures 88−1566
Ritz, K.N. *see* Bhattacharyya, A. 85−12133, 86−41998
Ritz, K.N. *see* De Blasi, J.M. 87−74102
Ritz, K.N. *see* Stacy, W.T. 85−11259, 85−61277, 88−50962
Ritzenhoff, K. *see* Ambrosi, P. 88−68259
Ritzenthaler, D. *see* Carre, C. 87−75264
Ritzman, D. Top-down tool opens new paths to chip design 85−33564
Ritzman, D. *see* Lee, B. 85−12416
Riu, J.P., Hutzler, B., Rowe, S.W., Huc, J., Maurin, P. Wet tests under AC voltage and switching impulses procedure and significant parameters 88−48596
Riubrugent, J., Antonelli, E.G., Esteban, D., Issouribehere, P.E. Discussion of RI measurements on the 500 kV lines of El Chocon-Buenos Aires transmission system 86−50954
Riubrugent, J., Antonelli, G. The design of multiple high-voltage conductors of a given cross section with a view of minimising radio interference 85−38525
Riunaud, J.P. *see* Baconnier, Y. 85−37840, 88−54004
Rius, J.M., Ferrando, M., Jofre, L., De Los Reyes, E., Elias, A., Broquetas, A. Microwave tomography: an algorithm for cylindrical geometries 87−57087
Rius, J.M. *see* Broquetas, A. 88−29593
Riva, A. *see* Bellina, C.R. 85−15293
Riva, A. *see* Federghini, E.M. 86−14125
Riva, A. *see* Ferdeghini, E.M. 85−28565
Riva, C. *see* Bellezza, O. 88−39214
Riva, C.E., Grunwald, J.E., Petrig, B.L. Laser doppler measurement of retinal blood velocity: validity of the single scattering model 85−31787
Riva, C.E. *see* Petrig, B.L. 88−48104
Riva, D. *see* Ferrero, P. 87−6662, 87−23434
Riva, F. *see* Paoli, G. 85−42462, 88−15339, 88−35380
Riva, G. *see* Falciasecca, G. 87−76613, 88−73414
Riva, R. Fibre optics: principles, applications, prospects 85−35455
Riva, R. How to choose a liquid crystal display 85−43043
Riva, R. Electro-optical visualisers 86−65232
Riva, R., DuParc, J., Schneider, J. How to choose a converter structure 87−23903
Riva, R. *see* Bailey, B. 85−54795
Riva, R. *see* Barret, J. 86−47514
Riva, R. *see* Carenco, A. 86−48088
Riva, R. *see* Lamb, J. 86−10222
Riva, R. *see* Mangest, P. 86−6955
Riva, R. *see* Ramy, J.P. 86−53248
Riva, R. *see* Reis, R. 85−48123
Riva, R. *see* Thomas, P. 85−28563
Riva, R. *see* Vellieux, B. 87−1901
Riva Sanseverino, S. *see* Arnone, C. 86−21720
Riva-Sanseverino, S. *see* Arnone, C. 85−49609
Rivacoba, J. *see* del Campo, F. 87−12860
Rivadeneira, C.R. *see* Chan, Y.H. 87−17081
Rivaillier, J. *see* Boubekraoui, A. 85−36419
Rival, I. *see* El-Zahar, M.H. 85−44602
Rival, I. *see* Lonc, Z. 87−51965
Rivano, V., Mazzinghi, P., Burlamacchi, P. Energy transfer in slab dye lasers 85−2251
Rivano, V. *see* Hirst, G.J. 87−41620, 87−61077
Rivard, J.G. Automotive electronics: technologies for the '80s 85−60823
Rivard, J.G. Automotive electronics in the year 2000 87−51583
Rivard, J.G. Automotive electronics−a perspective look at the USA 87−79168
Rivard, J.G. The global automobile−the automobile in 1997 88−24244
Rivard, L. Computerized maintenance management system [CANDU maintenance] 88−75373
Rivard, R. *see* Burnham, G.O. 86−18467
Rivard, R.L. *see* Eversole, W.L. 86−18451
Rivas, G. *see* Gloesener, D. 88−71455
Rivas, I.V., Ravindhran, K.S., Kulkarni, N.M. Patterning and delineation issues in multilevel metallization for VLSI 85−40932
Rivas, I.V. *see* Ravindhran, K.S. 85−40928
Rivas, J., Fondado, A., Moreno, E. A resonant system for the measurement of magnetic disaccommodation of ferrite core coils 86−24717
Rivas, J., Iniguez, J., Moreno, E. Some properties of sintered Fe, Mn, Ni and Co spinel ferrites at low frequencies 85−24099
Rivas, J. *see* Moreno, E. 86−27640
Rivas Lagunes, L. Development of quality assurance for the Laguna Verde nuclear power plant 86−39459
Rivaud, L., Anagnostopoulos, C.N., Erikson, G.R. A transmission electron microscopy (TEM) study of oxygen precipitation induced by internal gettering in low and high oxygen wafers 88−39043
Rivaud, L. *see* Hawkins, G.A. 85−52687
Rivaud, L. *see* Rhodes, H.E. 87−17798
Rivaz, J.de *see* de Rivaz, J.
Rivelis, E.A. *see* Gladkii, A.V. 88−14470
Rivenburg, H.C., Juba, J., Jr. Simple approaches to limiting radiation from foil-shielded computer cables 86−53100
Rivenburg, H.C., Juba, J., Jr. Simple approaches to limiting radiation from foil-shielded computer cables 87−19219
Rivenburgh, D.L. *see* Bakos, P. 85−189, 85−45326
Rivenburgh, J. CATV opportunities 85−3712
Rivenez, J., Lambert, A., Flambard, C. Nondestructive testing and assessment of hardness gradients 88−70394
Rivera, C. *see* Buzo, A. 86−59253, 86−64304
Rivera, F.F. *see* Plata, O. 88−67019
Rivera, F.F. *see* Zapata, E.L. 88−70817
Rivera, G.M.E. An analysis of Guatemalan wind potential 87−71777
Rivera, H.M. New television services and the FCC's classification magic 85−37183
Rivera, H.M. Separate systems and international communications 87−33875
Rivera, J., Andreoni, A., Viciana, J. A methodology for the systematic analysis of the flow of reactive power in electrical systems operating in steady state 86−25520
Rivera, J., Itoh, T. Analysis of a suspended patch antenna excited by an inverted microstrip line 85−13318
Rivera, J. *see* Ventosa, J. 87−30050
Rivera, J.F., Garces, F., Mercado, P.E. Operating reserve determination and its influence on the operating costs of interconnected power systems 85−32071
Rivera, J.F., Garces, F.F., Vargas, A. Fast algorithms for the analysis of short circuits in large electrical networks 85−38445
Rivera, J.F., Gonzalez, P.L., de la Vega, C.E., Cheble, C. The application of modern techniques using sparse matrices to the state estimation of electrical networks 86−50987
Rivera, J.F., Mercado, P.E. A probabilistic model of the areas in the national system interconnected by linkage bars with the subsystem PCIA covering the area, Buenos Aires, Gran Buenos Aires, Litoral (LBAD) in the years 1988 to 1995 85−43554
Rivera, J.F., Ratta, G., Mercado, P.E. The operational adequacy of the Argentine national network with special reference to the electrical system of Buenos Aires Province-GBA-Litoral (1988-1995). The effect of the operational reserve upon costs of operation 85−4592
Rivera, J.F. *see* Mombello, E.E. 88−11270
Rivera, J.F. *see* Muchino, I.A. 86−18783
Rivera, J.F. *see* Nombello, E.E. 88−5742
Rivera, J.F. *see* Peralta, W.H. 86−61048, 87−9635
Rivera, J.F. *see* Strada, T.J. 88−11129
Rivera, J.F. *see* Vargas, A. 86−25559
Rivera, J.F. *see* Viciana, J. 87−15217, 87−21918, 87−30172
Rivera, M. *see* Grace, A.H. 85−28033
Rivera, O.M. *see* Dicello, J.F. 87−32225
Rivera, P. *see* Ano, O. 88−54938
Rivera, P. *see* Rodriguez, G. 87−78328
Rivera, R. *see* Beaumont, A. 85−131
Rivera, R. *see* Domangue, E. 85−6768, 86−15292
Rivera, W.A. *see* Howell, W.M. 88−68713
Rivera Prudencio, J.F. *see* Facchini, M.L. 88−5290
Rivereau, J.C. *see* Fontanel, A. 87−29966
Rivero, F.J.Santillana *see* Santillana Rivero, F.J.
Rivero, J. *see* Ramio, J. 85−2922
Rivero, J.L. *see* Guydosh, N.M. 85−40003
Rivero, J.Santillana *see* Santillana Rivero, J.
Rivero Moreno, C., Munoz Cases, J.J., Vargas Traid, R. Simulation in training 86−39351
Riveron, D.M.Felipe *see* Felipe Riveron, D.M.
Rivers, A. *see* Whitehead, M. 88−20448
Rivers, D. A testing time for mobile radiotelephones 85−42848
Rivers, D. Production testing with mobile radio test sets 87−20838
Rivers, M.L. *see* Spanne, P. 87−57098
Rivers, M.L. *see* Thompson, A.C. 88−48061
Rives, G., Dhome, M., Lapreste, J.T., Richetin, M. Detection of patterns in images from piecewise linear contours 85−36326
Rives, G. *see* Dhome, M. 88−73297
Rives, P., Breuil, E., Espiau, B. Recursive estimation of 3D features using optical flow and camera motion 88−66693
Rives, P., Espiau, B. Recursive estimation of 3D features using a moving camera 88−14817
Rives, P., Espiau, B. Recursive estimation of 3D features for mobile vision system 88−41106
Rives, P. *see* Labit, C. 87−7859

Rives, S., Berk, J.H., Plant, R. Contractor flight testing of cluster munitions 88–61768
Rivest, F. *see* McNicol, J.D. 85–14121
Rivest, L.-P. A new scale step for Huber's *M*-estimators in multiple regression 88–31679
Rivest, N. *see* Varfalvy, L. 86–18818
Rivest, R.L. Network control by Bayesian broadcast 87–55372
Rivest, R.L. RSA chips (past/present/future) [cryptography] 87–69022
Rivest, R.L., Shamir, A. How to expose an eavesdropper 85–2947
Rivest, R.L. *see* Goldwasser, S. 85–41861, 88–45915
Rivest, R.L. *see* Karp, R.M. 87–44453
Rivest, R.L. *see* Leighton, F.T. 87–23465
Rivet, C. *see* Laviron, A. 86–234
Rivet, L. *see* Erhard, P. 86–51115
Rivet, M.F. *see* Gardes, D. 86–60576
Rivetta, C.H. *see* Christiansen, C.F. 87–73284
Rivetti, A., Martini, G., Goria, R., Lorefice, S. Main components and performances of the IMGC calibration facilities for liquid helium flow rate measurements 87–35236
Rivetti, A. *see* Goria, R. 85–37798
Rivier, M. Yield optimization of CMOS logic circuit designs 88–6812
Rivier, M. Random yield simulation applied to physical circuit design 88–64741
Riviere, A.C. Applications for gyrotrons in fusion research 87–24677
Riviere, A.C., Alcock, M.W., Collins, P.R., Ainsworth, N.R., Dellis, A.N., Moody, D., Goodenough, S., Green, S.R. The ECRH system for DITE and COMPASS experiments 87–78800
Riviere, D. *see* Joubert, P. 85–12004
Riviere, J.P. *see* Albarello, A. 88–66323
Riviere, L., Carenco, A., Gugliemlmi, R. Design of fast modulators for 1.5 μm single-mode fibre links 86–9621
Riviere, L., Carenco, A., Yi-Yan, A., Guglielmi, R. Normalized diagrams for diffused waveguides optical properties: application to Ti:LiNbO$_3$ electrooptic directional coupler design 86–9587
Riviere, L., Yi-Yan, A., Carru, H. Properties of single-mode optical planar waveguides with Gaussian index profile 85–56320
Riviere, L. *see* Carenco, A. 88–33754
Riviere, L. *see* Fouchet, S. 87–60917
Riviere, P.D.La *see* La Riviere, P.D.
Riviere, R. *see* Holswade, S. 87–68543
Rivir, R.B., Roquemore, W.M. Flow visualization of turbine film cooling flows 88–42330
Rivkin, L. *see* Bartalucci, S. 88–54236
Rivkin, L. *see* Brown, G. 88–47962
Rivkin, L. *see* Delahaye, J.P. 86–31904
Rivkin, L. *see* Hutton, A.M. 86–31892
Rivkin, L. *see* Morton, P.L. 86–24957
Rivkis, L.A. *see* Bystritskii, V.M. 86–5725
Rivlin, A.M. *see* Naumov, N.M. 88–10098
Rivlin, L.A. 'Febrile' reaction of electrons in a semiconductor laser to an ultrashort light pulse 85–62605
Rivlin, L.A., Semenov, A.T., Shelkov, N.V. Stabilization of the output signal from a double-arm fiber optic interferometer with multimode waveguides 85–50938
Rivlin, L.A. *see* Vasil'ev, M.G. 86–9859
Rivlin, T.J. Optimal recovery of multivariate contractions 87–31444
Rivlin, T.J. A view of approximation theory 87–72987
Rivlin, T.J. *see* Dyn, N. 88–43815
Rivoallan, L., Guilloux, J.Y. Fusion splicing of fluoride glass optical fibre with CO$_2$ laser 88–58079
Rivoallan, L. *see* Auge, J. 86–37915
Rivoire, G. *see* Brekhovskikh, G.L. 85–19015
Rivoire, G. *see* Ferrier, J.L. 85–7533, 85–51313
Rivoire, G. *see* Gazengel, J. 87–12599
Rivoire, P. *see* Vernay, Y.J. 87–25500
Rivoiro, A. *see* Invernizzi, A. 88–36810
Rivolta, B. *see* Bonino, F. 86–6989
Rivolta, B. *see* Peraldo Bicelli, L. 87–4860
Rivoltella, G. *see* Alessandria, F. 87–70949
Rivtsis, A.S. *see* Dvorchik, S.E. 85–60213, 85–60449
Rix, H., Houri, A., Thierry, E., Varenne, A. Selective averaging of high resolution electrocardiograms 88–48170
Rix, H., Jesus, S. Time delay estimation for equal shape signals 85–19424
Rix, H. *see* Houri, A. 88–30018
Rix, H. *see* Jesus, S. 86–32336, 87–50352
Rix, H. *see* Zerubia, J. 88–73078
Rix, L.G., Ludwig, B.W. 'Computer-aided quality control': the use of natural vibration emissions as a means of testing the quality of products or machinery-condition 87–16421
Rix, N.F. *see* Penberth, M.J. 88–26125
Rixon, R.C. *see* Reid, G.T. 85–46967, 86–23170, 87–49932, 88–45606
Riyopoulas, S., Tang, C.M. The structure of the sideband spectrum in free electron lasers 88–65755
Riyopoulos, S., Tang, C.M. The free electron laser sideband instability reconsidered 87–75158
Riyopoulos, S., Tang, C.M. Sidebands in free electron lasers 88–27199
Riyopoulos, S., Tang, C.M. Stochastic electron detrapping caused by sidebands in free electron lasers 88–27209
Riyopoulos, S., Tang, C.M. The sideband instability in free electron laser 88–45488
Riyopoulos, S., Tang, C.M., Sprangle, P. Small-signal analysis of the induced-resonance electron-cyclotron maser 87–68314
Riyopoulos, S., Tang, C.M., Sprangle, P., Levush, B. Higher harmonic generation in the induced resonance electron cyclotron maser 88–45332
Riyopoulos, S. *see* Tang, C.M. 87–74948
Riyou Luo *see* Luo Riyou
Riza, N.A., Psaltis, D. Multiplicative time and space integrating acoustooptic architectures for real time spectrum processing 88–26907
Rizakhanov, M.A., Sheinkman, M.K. Detailed mechanisms of electron transitions responsible for the edge luminescence of wide-gap II-VI compounds 85–28966
Rizik, P.D. Subject modeling refinement for a telecommunications quality baseline using statistical feedback and control 87–27869
Rizk, A. *see* Taufik Mokhsen, A. 87–71544
Rizk, F.A.M., Bourdages, M. Influence of AC source parameters on flashover characteristics of polluted insulators 85–43638
Rizk, F.A.M., Nguyen, D.H. Digital simulation of source-insulator interaction in HVDC pollution tests 88–48600
Rizk, M. Wind characteristics and the available wind energy in Egypt 88–17481
Rizk, M., Morris, G. Broadband dielectric loaded hybrid mode horns 87–39468
Rizk, M. *see* Nosseir, A. 85–29362
Rizk, M.R.M. *see* Elsherbiny, M.M. 86–45680
Rizk, M.R.M. *see* Fahmy, M.M.M. 87–27217
Rizk, M.R.M. *see* Kheirallah, H.N. 88–40549
Rizk, M.S., Hackam, R. Upgrading of gas insulated systems with concave shaped insulators 87–25685
Rizk, M.S., Hackam, R. Performance improvement of insulators in a gas-insulated system 88–1822
Rizk, M.S., Hackam, R. Influence of conductor-spacer-gas junction on surface breakdown in compressed gases 88–20185
Rizk, M.S., Hackam, R., Salama, M.M.A. Calculation of the inception voltage in voids within dielectric materials 87–25656
Rizk, M.S., Salama, M.M.A., Nosseir, A., Hackam, R. Study of the electrical history of partial discharges in solid dielectric 85–35222
Rizk, M.S. *see* Salama, M.M.A. 87–18372
Rizk, M.S.A.S., Morris, G. New class of broadband hybrid mode horn 86–10216
Rizk, M.S.A.S., Morris, G., Clifton, M.P. Projected aperture synthesis method for the design of conformal array antennas 85–41787
Rizk, M.S.A.S. *see* James, J.R. 85–24946
Rizkalla, M.E. Optimizing the performance of a high current superconducting switch 88–51417
Rizkalla, M.E., Hanna, N.N. Application of MOSFETs in the temperature compensation of DC amplifiers 87–44621
Rizkalla, M.E., Mahil, S.S. Optimal design of high current superconducting switches and the feasibility of their testing 87–74596
Rizkin, I.Kh. Analysis and design of radio systems, devices and circuits—the structure of the problems 85–8305
Rizkin, I.Kh. Analysis of radio engineering systems with an incompletely known subsystem 86–29685
Rizkin, I.Kh. Construction of stochastic models of nonlinear electron devices and the analysis of systems containing an incompletely described subsystem 87–53455
Rizkin, I.Kh. *see* Volynskii, V.A. 85–25009
Rizkin, I.Kh. *see* Volynskiy, V.A. 88–7061
Riznic, J. A model for transient thermal hydraulic behaviour of reactor coolant 85–53465
Riznic, J.R. *see* Milivojevic, S.S. 86–70772
Rizq, N. *see* Lindquist, C.S. 88–48185
Rizunenko, V.I. *see* Kopylov, A.F. 86–53015
Rizunenko, V.I. *see* Popov, A.R. 88–71618
Rizvi, A.A. *see* Moaveni, M.K. 88–27491
Rizvi, S.D.H. *see* Taqvi, S.G.H. 85–47323
Rizvi, S.H.S. *see* Ahmad, A. 86–48801
Rizy, D.T., Dugan, R.C. Protection problems related to distribution systems with interconnected dispersed-storage-generation devices 85–59684
Rizy, D.T., Gunther, E.W., McGranaghan, M.F. Transient and harmonic voltages associated with automated capacitor switching on distribution systems 87–78096
Rizy, D.T., Jewell, W.T., Stovall, J.P. Operational and design considerations for electric distribution systems with dispersed storage and generation (DSG) 86–12237
Rizy, D.T. *see* Bowe, T.R. 86–65765
Rizy, D.T. *see* Jewell, W.T. 85–27055
Rizy, D.T. *see* Stevens, R.A. 87–9131
Rizy, T. *see* Jewell, T. 85–64825
Rizzacasa, P. The importance of long-term stability in the data acquisition circuitry of a gamma spectrometry system for low-level measurements 87–14797
Rizzatti, L. Design with logic simulation—a case study 86–19837
Rizzatti, L. *see* Babitz, A. 85–33832
Rizzatto, G. *see* Sirotti, P. 85–7929, 86–5927, 86–32300, 87–19918
Rizzetto, S., Stone, G.C., Boggs, S.A. The influence of X-rays on partial discharges in voids 88–24536
Rizzetto, S. *see* Boggs, S.A. 87–25657, 88–39749
Rizzi, A. *see* Abbati, I. 85–12011
Rizzi, A. *see* Chang, S. 86–67805
Rizzi, G. A high-performance CMOS digital signal processor 87–37322
Rizzi, G. *see* Bargigia, A. 85–24021, 86–51862, 88–43340
Rizzi, G. *see* Bertazzi, A. 87–11983 to 11986
Rizzi, L. *see* Grossoni, M. 88–30875
Rizzi, L. *see* Murelli, U. 87–30807
Rizzi, M.L. *see* Del Vo, P. 88–45578
Rizzi, R. *see* Guzzi, R. 86–6094
Rizzini, E.L. *see* Balestra, F. 87–63677
Rizzini, E.Lodi *see* Lodi Rizzini, E.
Rizzo, A. *see* Cingolani, R. 86–21165
Rizzo, A. *see* Micocci, G. 85–12703, 85–34542, 85–61706
Rizzo, A. *see* Paorici, C. 86–20036
Rizzo, C. *see* Del Guerra, A. 87–77645, 88–54536, 88–61105, 88–61300
Rizzo, F.L. *see* Chiappori, A. 88–42945
Rizzo, G., Bargain, R., De Mendez, M. Shape memory alloys and their applicability in the field of connection 88–32532
Rizzo, G. *see* Baselli, G. 87–29774
Rizzo, G. *see* Spadaro, G. 87–18430
Rizzo, J.F. Weitek's ACCEL products—a processor family tuned to fast numerics for 32-bit microprocessors 88–12433
Rizzo, J.J. Repairability of surface mount assemblies 85–34277
Rizzo, L., Tarini, F., Zini, P. High performance bridge for Ethernet-like networks 88–9199
Rizzo, M., Savini, A., Zimaglia, C. Field investigation on a compensated DC traction motor by finite element method 85–32513
Rizzo, M. *see* Diligenti, A. 86–21435
Rizzo, P.C. *see* Johnson, W.J. 88–55141
Rizzo, S. *see* Esente, S. 87–77675 to 77676
Rizzo, V.J. *see* Bigley, W.J. 87–1980
Rizzo, W.A. Application of speech technology to support military maintenance technicians 85–57317
Rizzo, W.A. *see* Hays, R.T. 86–38241
Rizzoli, R. *see* Bentini, G.G. 86–45705
Rizzoli, R. *see* Galloni, R. 87–45765, 88–18045
Rizzoli, R. *see* Muller, J.C. 86–45704
Rizzoli, V., Cecchetti, C., Lipparini, A. Frequency conversion in general nonlinear multiport devices 87–5645
Rizzoli, V., Cecchetti, C., Lipparini, A. A general-purpose program for the analysis of nonlinear microwave circuits under multitone excitation by multidimensional Fourier transform 88–25552
Rizzoli, V., Cecchetti, C., Lipparini, A. Numerical analysis of intermodulation distortion in microwave mixers 88–71130
Rizzoli, V., Cecchetti, C., Lipparini, A., Neri, A. Optimization of nonlinear microwave circuits by a harmonic-balance technique 86–14541
Rizzoli, V., Cecchetti, C., Lipparini, A., Neri, A. User-oriented software package for the analysis and optimisation of nonlinear microwave circuits 87–10581
Rizzoli, V., Ferlito, M. Vector processing concepts in microwave circuit design 85–6547
Rizzoli, V., Ferlito, M., Neri, A. Vectorized program architectures for supercomputer-aided circuit design [microwave CAD] 86–40828
Rizzoli, V., Lipparini, A. Supercomputer-based stability analysis of nonlinear microwave circuits 85–11544
Rizzoli, V., Lipparini, A. General stability analysis of periodic steady-state regimes in nonlinear microwave circuits 85–23106
Rizzoli, V., Lipparini, A. A CAD solution to the generalized problem of noise figure calculation 86–13936
Rizzoli, V., Lipparini, A. Computer-aided noise analysis of linear multiport networks of arbitrary topology 86–26996
Rizzoli, V., Lipparini, A., Mastri, F. Computation of large-signal *S*-parameters by harmonic-balance techniques 88–31965
Rizzoli, V., Neri, A. Global stability analysis of microwave circuits by a frequency-domain approach 87–73261
Rizzoli, V., Neri, A. State of the art and present trends in nonlinear microwave CAD techniques 88–32407
Rizzolo, M.A. Development of a CATI program for basic nursing students 85–60692
Rizzoni, E.M. Restructuring of telecommunications in the Philippines 88–28245
Rizzoni, G. A passenger vehicle onboard computer system for engine fault diagnosis, performance measurement and control 87–79161
Rizzoni, G. Engine fault diagnosis by signature analysis of crankshaft speed fluctuations 88–63104

Rizzoni, G., Pipe, J.G., Riggins, R.N., VanOyen, M.P. Fault isolation and analysis for IC engine onboard diagnostics 88−74277
Rizzotti, A. Circuit gates data channels 86−46644
Rizzotto, G. *see* Moncalvo, A. 87−13535
Rizzuto, C. *see* Matacotta, F.C. 88−1894
Rizzuto, J. *see* Chan, H. 87−44855
Rjce, J.K. *see* Tisone, G.C. 87−21377
Rjeb, A. *see* Luquet, H. 87−23642
Ro, J.S., Dubner, A.D., Thompson, C.V., Melngailis, J. Ion induced deposition of gold films 88−57543
Ro, Yu.I. *see* Grishkov, O.V. 87−29077, 87−49708
Ro Chae-Gyun *see* Chae-Gyun Ro
Ro Dae-Seok *see* Dae-Seok Ro
Ro Hong-Kyun *see* Hong-Kyun Ro
Ro Sung Ryong *see* Sung Ryong Ro
Roa, K.N. *see* Murthy, V.R. 88−25889
Roa, P.S.Kesava *see* Kesava Roa, P.S.
Roach, B., Moen, G., Acker, A. Ka-band radar−which tube to choose? 87−76854
Roach, C. *see* Squitieri, R. 87−57596
Roach, G.F. *see* Kleinman, R.E. 85−7617
Roach, G.H., Wood, R.M. Applications of novel, flexible, shell and tube heat exchangers 86−33871
Roach, H.N. *see* Roach, P.J. 86−48873
Roach, J.A. The rectangle placement language 85−1692
Roach, J.K. *see* Wilt, D.F. 86−49162
Roach, J.P.A. *see* Medhat, S.S. 88−11653
Roach, J.W., Weider, H.H. Surface properties of semi-insulating indium phosphide 85−1407
Roach, J.W., Wieder, H.H. Space-charge-limited currents and trapping in semi-insulating InP 85−55461
Roach, J.W., Wieder, H.H., Zuleeg, R. Frequency dispersion of sidegrating transconductance of GaAs junction field-effect transistors 86−21540
Roach, J.W., Wieder, H.H., Zuleeg, R. Sidegating in GaAs current limiters 87−38282
Roach, J.W., Wright, J.S. Spherical dual images: a 3D representation method for solid objects that combines dual space and Gaussian spheres 86−59373
Roach, J.W., Wright, J.S., Ramesh, V. Spherical dust images: a 3D representation method for solid objects that combines dual space and Gaussian spheres 87−2624
Roach, J.W. *see* Chu, P. 87−77368
Roach, K. Interactive video: the Cardiff experience 85−26066
Roach, P. *see* Duncan, D. 87−52460
Roach, P. *see* King, C. 86−4578
Roach, P.J., Roach, H.N., Dew, A.M. Assessing accuracy in automatic identification of phonetic segments 86−48873
Roach, P.J. *see* Dew, A.M. 86−48895
Roach, P.W. *see* Trusty, P.A. 87−20435
Roach, W.R., Gorog, I. Preparing master grooves for lapping discs used in micromachining of VideoDisc styli 86−4875
Roache, P.J. The ELF codes: electrode design for lasers and switches 87−7415
Roache, P.J., Happ, H.J., Moeny, W.H. Unsteady 2D electric field modeling with high accuracy on conductor surfaces 85−2462
Roache, P.J., Steinberg, S., Happ, H.J., Moeny, W.M. 3D electric field solutions in boundary-fitted coordinates 85−2463
Roache, P.J. *see* Castillo, J.E. 88−11934
Roache, P.J. *see* von Dadelszen, M. 87−17590
Road, J.D. *see* Van Vliet, B.N. 87−77601
Roads, C. Research in music and artificial intelligence 86−31091
Roads, C. Introduction to granular synthesis 88−67610
Roads, C., Strawn, J. *(editor)* Foundations of computer music 85−60651
Roan, S.J., Aggarwal, J.K., Martin, W.N. Multiple resolution imagery and texture analysis 87−39919
Roark, D. *see* Brunolli, M. 86−1170
Roark, G.L. *see* Vanzant, B.W. 88−4362
Roark, J.D. *see* Blake, M.W. 88−10826
Roark, L.M., Feldman, J.K., Bexfield, J. B-1B avionics/automatic test equipment: maintenance queueing analysis 85−64664
Roat, R. *see* Pei-lin Pai 88−26019
Roatsch, T. *see* Meyer, H.G. 85−1873
Roaux, E. *see* Fouassier, M. 86−24381, 88−4491, 88−19636
Roaux, R.E. *see* Fouassier, M. 88−19633
Roayaie, E., Jorne, J. Mathematical modeling of the chlorine flow-through porous graphite electrode in the zinc-chloride battery 85−60399
Rob, M.A., Izatt, J.R. Intermodal tuning behavior of an etalon tuned SLM TEA-CO$_2$ laser 88−27085
Rob, M.A. *see* Deka, B.K. 86−36536, 87−68597
Roba, G. Molecular hydrogen diffusion in optical fibres and cables: causes, effects and possible remedies 85−56307
Roba, G. Aspects of the construction technology of fibre optics for telecommunications: materials, technique and new prospects 87−1955
Roba, G. *see* Chigo, G. 86−36120
Roba, G. *see* Ghigo, G. 85−35481, 86−15456, 86−42331, 86−53942, 87−1934, 87−12108, 87−38803
Roba, G. *see* Modone, E. 85−52324, 86−4621
Robach, C., Guibert, S. Information based testability measures 87−1679
Robach, C., Guibert, S. Information based testability measures 87−24024
Robach, C. *see* Lutof, D. 88−19081
Robach, Y., Joseph, J., Bergignat, E., Commere, B., Hollinger, G., Viktorovitch, P. New native oxide of InP with improved electrical interface properties 87−17937
Robach, Y. *see* Hollinger, G. 86−21400, 88−19811
Robach, Y. *see* Jalaguier, E. 87−67013
Robach, Y. *see* Joseph, J. 88−50857
Robaczynski, K. *see* Kowalski, K. 88−56956
Robards, R.F., Deguzman, J.S., Runyan, R.A., Flora, H.B., II Spray dryer/ESP testing for utility retrofit applications on high-sulfur coal 87−71998
Robb, A. Band Three Radio: the new option for business mobile communications 88−60057
Robb, A.C. An essay in futurology: groups, networks and complexity in the open society 85−16553
Robb, A.L. *see* Denton, F.T. 88−42750
Robb, C.J. *see* Rozner, J.D. 85−16506, 86−33385
Robb, D.A. *see* Price, D.R. 88−17545
Robb, F. In-process linewidth measurement of polysilicon gates using a scanning electron microscope 88−13082
Robb, F.Y. The control of plasma etch selectivities via oxygen addition to chlorine-based plasmas 85−23681
Robb, F.Y. Plasma etching of oxygen containing titanium silicide films 85−29169
Robb, J.C. Modification of an 0-1695A/U cesium beam frequency standard for retrofit of replacement cesium beam tubes 85−58816
Robb, J.T., Mallon, J. ALARA input into the design of modifications at Philadelphia Electric Company 88−42948
Robb, L.E. *see* Chatigny, J.V. 87−25688
Robb, R.A., Heffernan, P.B., Camp, J.J., Hanson, D.P. A workstation for interactive display and quantitative analysis of 3-D and 4-D biomedical images 87−35411
Robb, R.A., Heffernan, P.B., Camp, J.J., Hanson, D.P. A workstation for multidimensional display and analysis of biomedical images 88−16806
Robb, R.A. *see* Acharya, R.S. 86−18325, 87−77626
Robb, R.A. *see* Behrenbeck, T. 85−4318
Robb, R.A. *see* Erikson, B.J. 88−29950
Robb, R.A. *see* Harris, L.D. 86−60730
Robb, S.P., Sutor, J.L. Comparing power ICs 85−40836
Robb, S.P. *see* Sutor, J.L. 87−46123
Robb, W.L., Brody, W.R. Scanned projection radiography 85−4317
Robba, A.A. *see* Dowdy, E.J. 87−42031
Robba, A.A. *see* Evans, A.E. 88−68258
Robben, A. *see* Bogus, K. 86−45682
Robbes, D., Debuc, C., Lepaisant, J., Bloyet, D., Duret, D. Impedance matching of an RF SQUID to a standard transmission line 85−56199
Robbes, D., Dubuc, C., Lepaisant, J., Bloyet, D. The RF SQUID in a reflectometer arrangement: RF impedance at the pumping frequency and noise effects 88−7831
Robbes, D., Monfort, Y., Lam Chok Sing, M., Bloyet, D., Provost, J., Raveau, B., Stephan, R. Superconducting magnetic sensor using YBaCuO ceramics 88−29596
Robbes, D., Monfort, Y., Sing, M.L.C., Bloyet, D., Provost, J., Raveau, B., Doisy, M., Stephan, R. The AC Josephson effect in constrictions engraved in bulk YBa$_2$Cu$_3$O$_{7-\delta}$ and DC SQUID operation at 77 K 88−20295
Robbiano, L. On the theory of graded structures 86−57378
Robbiano, L. Term orderings on the polynomial ring 86−62133
Robbins, A.H. Troubleshooting microprocessor-based systems 88−4311
Robbins, B. Factors that affect XLP medium voltage cable performance 87−21944
Robbins, C. Laser discs move into play 85−20363
Robbins, C. Magnetic media move towards a vertical future 85−41026
Robbins, C. Developments in temperature sensing using fibre optic techniques 87−14600
Robbins, C.A. *see* Kennedy, W.M. 86−66129
Robbins, C.H. Cost effective optical systems for UK junction network 86−49666
Robbins, C.H., Abbas, G.A.M., Trussler, M.W. A low cost optical fibre digital line system, (OFDLS), for the junction network 85−63721
Robbins, D. *see* Hilsenrath, E. 87−15058
Robbins, D.C. Pascal as a telecommunications software language 85−42381
Robbins, D.J. Lifetime broadening in quantum well lasers 88−40231
Robbins, D.J., Caswell, N.S., Avouris, Ph., Giess, E.A., Chang, I.F., Dove, D.B. A diffusion model for electron-hole recombination in Zn$_2$SiO$_4$:(Mn,As) phosphors 86−22230
Robbins, D.J., Young, I.M. New approach to the kinetics of silicon vapor phase epitaxy at reduced temperature 87−52105
Robbins, D.J., Young, I.M., Pidduck, A.J., Pickering, C., Glasper, J.L., Gasson, D.B. Real time observation of periodic step arrays during silicon vapour phase homoepitaxy 88−43904
Robbins, D.J. *see* Beale, M.I.J. 85−44710
Robbins, D.J. *see* Bennion, I. 85−56840
Robbins, D.J. *see* Boardman, A.D. 86−28851
Robbins, D.J. *see* Canham, L.T. 88−14042
Robbins, D.J. *see* Chew, N.G. 86−57456
Robbins, D.J. *see* Hardeman, R.W. 87−6597
Robbins, D.J. *see* Hodson, P.D. 88−25445
Robbins, D.J. *see* Irvine, S.J.C. 85−49607
Robbins, D.J. *see* Jones, A.P.C. 88−36156
Robbins, D.J. *see* Leong, W.Y. 88−57462
Robbins, D.J. *see* Pickering, C. 87−74150, 88−43905, 88−56276, 88−57827
Robbins, D.J. *see* Pidduck, A.J. 88−57498
Robbins, D.J. *see* Williams, P.J. 88−65671
Robbins, D.P. *see* Mills, W.H. 86−57337
Robbins, H.M. Modelling of linear-scan electro-optical sensors 86−31213
Robbins, J. *see* Fernandez, A. 88−39621, 88−47309
Robbins, J. *see* Gagliardi, R. 88−27734
Robbins, J. *see* Maglaris, B. 88−46363
Robbins, J.D., Le Gall, D.J. Format independent visual communications 87−49308
Robbins, J.D. *see* Maglaris, B. 88−66791
Robbins, J.E. Reference trajectories from GPS measurements 88−74072
Robbins, J.M. *see* Wei, G.C. 85−53124
Robbins, J.R. *see* Jolly, A.C. 86−17534
Robbins, K.V., McCowan, T.C., Ferris, E.J., Reifsteck, J.E., Harshfield, D.L., Baker, M.L. Human laser angioplasty: clinical applications 88−23110
Robbins, K.V. *see* McCowan, T.C. 87−41952
Robbins, M. Properties of electroplated nickel alloy films for contacts 87−52937
Robbins, M. *see* Appelbaum, A. 87−53274
Robbins, M.B. *see* Ledor, K. 85−38073, 86−5915
Robbins, R. AC motors−trends and developments 85−15984
Robbins, R.M. The bigger they are the harder they fall [uninterruptible power systems] 87−4345
Robbins, T.A., Dereski, T.A. Contamination control during Pickering Units 1 and 2 LSFCRP 88−75297
Robbins, V.M., Smith, S.C., Stillman, G.E. Impact ionization in Al$_x$Ga$_{1-x}$As for $x=0.1$-0.4 88−32772
Robbins, V.M., Stillman, G.E. Impact ionization experiments on compound semiconductors 88−25893
Robbins, V.M., Wang, T., Brennan, K.F., Hess, K., Stillman, G.E. Electron and hole impact ionization coefficients in (100) and in (111) Si 86−21099
Robbins, V.M. *see* Bulman, G.E. 85−34513, 86−21131
Robbins, V.M. *see* Haase, M.A. 85−40445
Robbins, V.M. *see* Stillman, G.E. 85−12728, 86−2965, 86−27876
Robbins, V.M. *see* Tabatabaie, N. 85−23731
Robbins, W.L. *see* Ezquerra, N.F. 87−29760
Robbins, W.P., Mueller, R.K., Rudd, E. Thin-film characterization using a scanning laser acoustic microscope with surface acoustic waves 88−75007
Robbins, W.P., Rudd, E.P. Measurement of surface acoustic wave velocity anisotropy with a scanning laser acoustic microscope 88−61672
Robbins, W.P., Young, A. SAW phase modulator using magnetostrictive thin films 85−56065
Robbins, W.P. *see* Bischoff, B. 88−56359
Robbins, W.P. *see* Hannasch, M.J. 86−65249
Robbins, W.P. *see* Hietala, A. 87−60771
Robbins, W.P. *see* Mueller, R.K. 86−6152, 87−4172, 87−71419
Robbins, W.P. *see* Rudd, E.P. 87−29973
Robblee, L.S. *see* Rose, T.L. 85−48196
Robe, T.J. *see* Chao, H.J. 88−9367, 88−35210
Robe, T.J. *see* Wagner, S.S. 88−41619
Robein, D. *see* Mircea, A. 87−259, 88−64254
Robein, D. *see* Rose, B. 85−46396, 88−50708
Robenack, K. Programming device for U2732 88−6848
Robens, E. Mass determination in vacuum 87−14572
Roberge, C., Adoul, J. Fast on-line speech/voiceband-data discrimination for statistical multiplexing of data with telephone conversations 87−2977
Roberge, F.A. Some emerging issues in electrocardiology 87−41911
Roberge, F.A., Drouhard, J.-P. Using $\dot{V}_{\max}$ to estimate changes in the sodium membrane conductance in cardiac cells 88−4570
Roberge, F.A. *see* Victorri, B. 85−28185
Roberge, M.A. *see* Schuster, S.E. 87−10866, 87−17079

Roberge, P.C. *see* Solano, C. 87—54430
Roberge, P.R., Beaudoin, R. Behavior of the corrosion potential and corrosion current of Cu-Ni alloys under erosion corrosion conditions. Effect of oxygen 88—70363
Roberge, R. *see* Alexandrov, N. 85—39079, 87—51306
Roberge, R. *see* de Tourreil, C. 86—12478
Roberge, R. *see* Foner, S. 85—46045
Roberge, R. *see* Schulz, R. 88—69465
Roberge, R.P., Francis, A.W., Jr., Fisher, S.M., Schmitz, S.C. Gaseous impurity effects in silicon epitaxy 87—44343
Roberge, W.G. *see* Flannery, B.P. 88—5117
Roberson, C.W. Free-electron laser beam quality 86—3266
Roberson, C.W., Mondelli, A., Chernin, D. The stellatron accelerator 86—18204
Roberson, D.E. *see* Luerckenotte, D.L. 86—33106
Roberson, N.R. *see* Gould, C.R. 87—3870
Roberson, N.R. *see* Wagenaar, D.J. 85—37978
Robert, A., Derwael-Barchy, C., Fesler, R., Stijns, M., Vliers, A., Brasseur, L.A., Brohet, C.R. Computer interpretation of pediatric vectorcardiograms by multivariate statistical classification techniques 85—9199
Robert, A. *see* Battaille, J.P. 88—17742
Robert, A. *see* Brohet, C. 88—10376
Robert, A. *see* Brohet, C.R. 85—53079, 87—21585
Robert, A. *see* De Vre, R. 85—59677
Robert, A. *see* Even, A. 88—17144
Robert, A. *see* Fesler, R. 87—21614
Robert, C. *see* Horvilleur, J. 85—59647
Robert, C. *see* Moreau, G. 85—64741
Robert, C.H. *see* Bishop, G.A. 87—49985
Robert, D. *see* Tomasovitch, V. 88—9284
Robert, F. Machine iteration for a linear function 87—31445
Robert, F. *see* Rocchi, M. 86—14077, 86—34595
Robert, F.Davis *see* Davis Robert, F.
Robert, G. *see* Badoz-Lambling, J. 88—49109
Robert, G. *see* Fahys, B. 87—72359
Robert, H. *see* Berthet, G. 87—56657
Robert, H. *see* Blanc, J.P. 88—47497
Robert, H. *see* Chague, B. 86—1758
Robert, J. Models of electrical machines based on an analogue representation of magnetic circuits 87—15671
Robert, J. On the transient performance of saturated electrical machines with cylindrical rotor 87—15681
Robert, J., Comans, G., Montfort, R. Simulation of the forced commutation in a static frequency changer 85—32610
Robert, J., Deval, P. A second-order high-resolution incremental A/D converter with offset and charge injection compensation 88—56710
Robert, J., Temes, G.C., Krummenacher, F., Valencic, V., Deval, P. Offset and clock-feedthrough compensated switched-capacitor integrators 86—1221
Robert, J., Temes, G.C., Krummenacher, F., Valencic, V., Deval, P. A low-voltage high-resolution CMOS A/D converter with analog compensation 86—67284
Robert, J., Temes, G.C., Valencic, V., Dessoulavy, R., Deval, P. A 16-bit low-voltage CMOS A/D converter 87—44966
Robert, J., Valencic, V. Offset and charge injection compensation in an incremental analog to digital converter 86—34910
Robert, J. *see* Alzeiu, J. 85—65429
Robert, J. *see* Alzieu, J. 88—11364
Robert, J. *see* Brassard, G. 87—33643
Robert, J. *see* Itty, C. 85—9164
Robert, J. *see* Buyse, H. *(editor)* 85—27934
Robert, J.-M. *see* Bennett, C.H. 88—45818
Robert, J.-M. *see* Brassard, G. 88—40830
Robert, J.L., Mercy, J.M., Bousquet, C., Raymond, A., Portal, J.C., Gregoris, G., Beerens, J. Two-dimensional electron transport under hydrostatic pressure 85—29031
Robert, J.L., Raymond, A., Bousquet, C. High pressure transport experiments in 2D systems 87—74095
Robert, J.L., Raymond, A., Konczewicz, L., Bousquet, C., Zawadzki, W., Alexandre, F., Masson, I.M., Andre, J.P., Frijlink, P.M. Magnetic-field-induced metal-nonmetal transition in GaAs-$Ga_{1-x}Al_xAs$ heterostructures 86—47349
Robert, J.L., Raymond, A., Mulot, J.Y., Bousquet, C. Evidence of nearest neighbor hopping in GaAlAs/GaAs heterojunctions in the zero magnetoresistance state. Study of the conduction at high electric fields 88—64315
Robert, J.L. *see* Ada-Hanifi, M. 87—67015, 87—73984, 88—44534
Robert, J.L. *see* Dusseau, J.M. 85—23582
Robert, J.L. *see* Ghenim, L. 86—8782
Robert, J.L. *see* Kadri, A. 85—18088
Robert, J.L. *see* Mercy, J.M. 86—53434
Robert, J.L. *see* Piotrzkowski, R. 88—64258
Robert, J.L. *see* Raymond, A. 87—66977, 88—57319
Robert, J.L. *see* Vettese, F. 88—32943
Robert, J.L. *see* Wojtowicz, T. 86—8820
Robert, J.T. *see* Doshi, P.K. 86—33011
Robert, M. *see* Auvergne, D. 86—47812, 87—25614, 87—66011
Robert, M. *see* Battiston, R. 85—59224
Robert, P. The future of fiber optics in instrumentation and measurement 86—58790
Robert, P. Presentation of a 64 Kbit/s videophone codec 88—21554
Robert, P., Cafforio, C., Rocca, F. Time/space recursions for differential motion estimation 87—33781
Robert, P., Cleroux, R., Ranger, N. Some results on vector correlation 85—44593
Robert, P., Mitrani, I., King, P.J.B. An intermittently served discrete time queue with applications to meteor scatter communications 88—41605
Robert, P., Treillard, P. Alcatel land mobile system CD900—a fully digital cellular approach using wideband TDMA 87—76606
Robert, P. *see* Deom, A.A. 87—18794
Robert, P. *see* King, P.J.B. 88—22062
Robert, P. *see* Meunier, J.-M. 87—74719
Robert, P. *see* Paratte, P.-A. 85—50963
Robert, P. *see* Ren, Z.B. 86—11760, 87—26041, 88—26796
Robert, P. *see* Roche, N. 85—65176
Robert, Ph. *see* Meunier, J.-M. 87—46531
Robert, Ph. *see* Nicati, P.A. 88—74455
Robert, Ph. *see* Sandoz, P. 88—74456
Robert, R., Witomski, P. On a singular integro-differential evolution equation 85—60912
Robert, R. *see* Prahlad, V.N. 85—16076
Robert, S. *see* Mei, S.-N. 88—1558
Robert, T. *see* Maigret, N. 85—5863
Robert, W. Cables for use in public electricity supply—their requirements and significance for the construction company [cable laying] 86—44998
Robert, W.E. *see* Ranade, S.M. 87—78499
Robert, Y., Tchuente, M. A systolic array for the longest common subsequent problem 86—7897
Robert, Y., Tchuente, M. An efficient systolic array for the 1D recursive convolution problem 86—41151
Robert, Y. *see* Comon, P. 87—61829, 87—69191
Robert, Y. *see* Cosnard, M. 86—66774
Robert, Y. *see* Hochet, B. 87—52491, 87—58865
Robert Li *see* Shuo-Yen 86—49128
Robertazzi, R.P., Hallen, H.D., Buhrman, R.A. Coupled Josephson local oscillator and detector experiments in the tetrahertz regime 88—58037
Robertazzi, R.P., Hunt, B.D., Buhrman, R.A. Coupled tunnel junction experiments at the gap frequency 87—74591
Robertazzi, R.P. *see* Hunt, B.D. 86—28738
Robertazzi, T.G. Population estimation for a multiple access channel 87—28379
Robertazzi, T.G. Computer communications student design projects 88—49406
Robertazzi, T.G. Toroidal networks 88—59637
Robertazzi, T.G., Lazar, A.A. On the modeling and optimal flow control of the Jacksonian network 85—36467
Robertazzi, T.G., Sarachik, P.E. Self-organizing communication networks 86—43105
Robertazzi, T.G. *see* Cheng, Y.-C. 87—34463, 88—21478, 88—67058
Robertazzi, T.G. *see* Lazar, A.A. 87—39572, 87—55807
Robertazzi, T.G. *see* Wilson, N.D. 86—54637
Roberti, D., Ludwig, R., Looft, F.J. A general-purpose computer program for studying ultrasonic beam patterns generated with acoustic lenses 88—61681
Roberti, G., Russo, P., Segre, G. Spectral analysis of electro-oculograms in the quantitative evaluation of nystagmus surgery 88—10366
Roberti, J. *see* Kuo, B.C. 87—30506
Roberto, O.E., Arcilesi, D.A., Hadley, J.S. Electroless deposition on plastics for functional purposes 85—6027
Roberto, V. *see* Nobile, A. 88—31699
Roberts, A., McPhedran, R.C. Bandpass grids with annular apertures 88—66032
Roberts, A. *see* Childs, I. 85—3589, 85—58306, 86—4848
Roberts, A. *see* Dreibelbis, J. 85—49889
Roberts, A. *see* Palazzo, F. 85—37481
Roberts, A. *see* Whitten, G. 86—70055, 87—28951
Roberts, A.C., Hopkin, I.B. Sizewell B PWR reactor building: primary containment foundation design 88—48728
Roberts, A.J. Development of the spare parts program at Shearon Harris 88—23632
Roberts, A.L., Dreibelbis, J.H., Braceras, G.M., Gabric, J.A., Gilbert, L.E., Goodwin, R.B., Hedberg, E.L., Maffitt, T.M., Meunier, L.G., Moran, D.S., Nguyen, P.K., Reed, D.E., Reismiller, D.R., Sasaki, R.A. A 256K SRAM with on-chip power supply conversion 87—59500
Roberts, A.S., Jr. *see* Gartenberg, E. 87—71237
Roberts, A.V. Engineering achievements at Calder Hall, 1956-86 87—35736
Roberts, A.W., Ooms, M., Nath, K.S.M. Feeder load and power requirements in the controlled gravity flow of bulk solids from mass-flow bins 85—5545
Roberts, A.W. *see* Al-Allak, H.M. 88—57320
Roberts, B. The PW 'Blenheim' VHF converter 87—73581
Roberts, B. *see* Borland, J.O. 85—10743, 85—22495, 85—54479
Roberts, B.C. *see* Hill, G.J. 88—63660
Roberts, B.D. *see* Clearfield, A. 86—66241
Roberts, B.D. *see* Finlay, H.J. 85—11062
Roberts, B.H. A graph theoretic approach to evaluating the connectivity of distributed computer communication networks 88—73424
Roberts, B.P. Battery basics for telecomm backup systems 86—19391
Roberts, B.S. *see* Leffler, D.W. 85—4973
Roberts, B.V. *see* Hill, G.J. 88—18463
Roberts, B.W., Ellis, F.V., Viswanathan, R. Utility survey and inspection for life assessment of elevated temperature headers 86—61379
Roberts, C. *see* Berger, A. 86—13481
Roberts, C. *see* Gregory, O.J. 88—50721
Roberts, C. *see* Lacklison, D.E. 88—32834, 88—65471
Roberts, C.C. A proposed code of ethics for infrared thermographic professionals 88—13
Roberts, C.C. Analysis of thermal patterns on a motorized ski deck 88—4678
Roberts, C.C. *see* Shaw, R. 86—31715
Roberts, C.C., Jr. The misuse of infrared thermography 87—14163
Roberts, C.C., Jr. The application of infrared thermography in fire and explosion investigation 88—67895
Roberts, C.C., Jr. The plug calibrator—a useful analytical device for quantitative infrared thermographic analysis 88—67898
Roberts, C.C., Jr. *see* Dubensky, G. 85—53892
Roberts, C.R. *see* Tehon, S.W. 86—70553
Roberts, C.T. *see* Hoschette, J.A. 85—8779
Roberts, D. Utility plant header control and optimization 86—6585
Roberts, D. Approval standards for LV switchgear—Europe and North America have their differences 87—64732
Roberts, D. The Vitrifix process 88—31247
Roberts, D., Cuellar, E., Middleman, L. Static fatigue of optical fibers in bending. II. Effect of humidity and proof stress on fatigue lifetimes 88—47083
Roberts, D., Cuellar, E., Middleman, L., Zucker, J. Static fatigue of optical fibers in bending 88—13844
Roberts, D., Udupa, J.K., Christiansen, E., Chiang, H.M. Joint surface congruency and loading investigated 'in vivo' via quantified, interactive, 3-D imaging 87—57126
Roberts, D. *see* Bresler, M. 88—61472
Roberts, D. *see* Cuellar, E. 88—1932
Roberts, D. *see* Herman, G.T. 87—57122
Roberts, D. *see* Maunder, C. 85—10510, 85—33194
Roberts, D. *see* Mellor, P.H. 86—33402
Roberts, D.A. Laser rangefinder optics 87—49192
Roberts, D.A., David, J.P.R., Hill, G., Houston, P.A., Pate, M.A., Roberts, J.S., Robson, P.N. GaAs/AlGaAs multiple quantum well PIN diodes grown by selective area epitaxy 88—64499
Roberts, D.A., Stern, M.S. Accuracy of method of moments and weighted index method 87—68826
Roberts, D.E., Spreadbury, P.J. Assessment of the performance of Zener references of the very highest quality 87—65842
Roberts, D.E., Spreadbury, P.J. Assessment of the performance of Zener references of the highest quality 88—16386
Roberts, D.E. *see* Fletcher, J.D. 88—14326
Roberts, D.H. Complex integrated circuit testing—some general lessons 85—12390
Roberts, D.H. Directions in future electronic technology 86—63414
Roberts, D.H. Time-division multiplexers for the 64-kbps market 87—20326
Roberts, D.H., Lehar, J., Dreher, J.W. Time series analysis with clean. I. Derivation of a spectrum 87—55251
Roberts, D.I. *see* Johnson, W.R. 85—4845
Roberts, D.J. Rapid prototyping using local area network (LAN) technologies 87—40449
Roberts, D.J., Gregorio, J.J. A high speed, high resolution remote MCA 85—43294
Roberts, D.M., Palmer, J.F., Gustafson, T.L. Picosecond to microsecond decay of photoinduced absorption in hydrogenated amorphous silicon 86—27921
Roberts, D.P. *see* Kilgallon, M.J. 88—30053
Roberts, D.R. *see* Ellis, R.H. 87—20578
Roberts, D.R. *see* Gulati, S.T. 88—45114
Roberts, D.W. TDMA/DSI equipment for trunk telephony systems 85—14213
Roberts, E., Stapinski, T., Rodgers, A., Carden, D. Development of the Starlab large format detectors 85—58606
Roberts, E.D. Improvements to the dry-etch resistance of sensitive positive-working electron resists 86—2059
Roberts, E.D. Resists used in plasma processing 86—28214
Roberts, E.D. Electron beam and X-ray resists 88—7434
Roberts, E.H. *see* Franzen, R.L. 87—77729

Roberts, F.S. Applications of Ramsey theory 85−5910
Roberts, F.S. Applications of edge coverings by cliques 85−22325
Roberts, F.S., Rosenbaum, Z. Scale type, meaningfulness, and the possible psychophysical laws 87−8492
Roberts, G. ULA compatible transition detector 85−44998
Roberts, G. Two 500 kW Darrieus wind turbines installed at test sites 85−60102
Roberts, G. The amateur and artificial satellites 86−49520
Roberts, G. *see* McBride, J.W. 88−38819
Roberts, G. *see* Mapps, D.J. 87−11102
Roberts, G. *see* Wroe, S. 88−4945
Roberts, G.A. An expert system for labeling segments in forward looking infrared (FLIR) imagery 87−13121
Roberts, G.A. Scene matching using edge direction histograms 87−47962
Roberts, G.A. *see* Cowan, W.D. 88−57880
Roberts, G.A. *see* Scalzi, G.J. 88−60628
Roberts, G.A. *see* Slobodnik, A.J., Jr. 85−33709
Roberts, G.C., Yarlott, J.M. Uniform test pattern arrangement for printed circuit board having mixed mounting grids 85−45325
Roberts, G.C. *see* Neal, D.B. 87−46988
Roberts, G.D. *see* Damaskinos, S. 87−1172
Roberts, G.E. The four-frequency process for coupled-duals using error-corrected *S*-parameter measurements 88−57850
Roberts, G.E. *see* Brown. G.A. 86−35974
Roberts, G.G. An applied science perspective of Langmuir-Blodgett films 86−14753
Roberts, G.G., Holcroft, B., Barraud, A., Richard, J. The properties of conducting tetracyanoquinodimethane Langmuir-Blodgett films: a study using acoustoelectric devices 88−74385
Roberts, G.G., Holcroft, B., Ross, J., Barraud, A., Richard, J. Acoustoelectric devices incorporating Langmuir-Blodgett films 87−67666
Roberts, G.G., Petty, M.C., Baker, S., Fowler, M.T., Thomas, N.J. Electronic devices incorporating stable phthalocyanine Langmuir-Blodgett films 86−58435
Roberts, G.G. *see* Ahmad, M.M. 87−61229
Roberts, G.G. *see* Christie, P. 86−70144
Roberts, G.G. *see* Evans, N.J. 86−60237
Roberts, G.G. *see* Fowler, M.T. 86−48290
Roberts, G.G. *see* Holcroff, B. 87−46284
Roberts, G.G. *see* Holcroft, B. 88−74386
Roberts, G.G. *see* Hua, Y.L. 87−41573, 87−53286
Roberts, G.G. *see* Neal, D.B. 86−42625, 87−61230
Roberts, G.G. *see* Petty, M.C. 85−46269
Roberts, G.G. *see* Thomas, N.J. 85−1591, 87−24972
Roberts, G.G. *see* Yulin Hua 88−39362
Roberts, G.J. The digital derived services network 87−69560
Roberts, G.J., Brutnell, R.F. An introduction to the analogue derived services network 86−16772
Roberts, G.K., Andre, G.R. A component wear-out analysis on control rod drive mechanisms 86−51385
Roberts, G.K., Sarver, S.J., Candris, A.S. Quality assurance in nuclear component reliability 86−6498
Roberts, G.K., Sarver, S.J., Candris, A.S. A comparative availability analysis of the nuclear versus non-nuclear quality assurance programs 86−51254
Roberts, G.K., Sarver, S.J., Kitmiller, J.T., Malarik, J.M. Plant availability versus age curves: a comparison between nuclear and fossil units 86−51400
Roberts, G.P., Ferris, R.H., Green, A.A. An experimental Landsat Thematic Mapper acquisition and processing facility 87−77904
Roberts, G.P., Hallam, M.G., Dean, R.B., Parkin, M.W. A theoretical study of Hartlepool AGR stringer vibration during refuelling at power 85−48790
Roberts, G.P. *see* Watson, P.C. 85−48791
Roberts, G.V., Moorey, R.A. The system design of a distribution network monitoring and control system for the MANWEB area 86−70660
Roberts, G.W., Nairn, D.G., Sedra, A.S. On the implementation of fully differential switched-capacitor ladder filters 86−46974
Roberts, G.W., Snelgrove, W.M., Sedra, A.S. Switched-capacitor realization of Nth order transfer function using a single multiplexed op-amp 86−57958
Roberts, G.W., Snelgrove, W.M., Sedra, A.S. Switched-capacitor state-space filters using intermediate-function synthesis 86−67336
Roberts, G.W., Snelgrove, W.M., Sedra, A.S. Switched-capacitor realization of *N*th-order transfer function using a single multiplexed op-amp 87−37447
Roberts, G.W., Snelgrove, W.M., Sedra, A.S. SC circuit simulations of state-space formulations derived from LC ladder network prototypes 87−66354
Roberts, H., Rando, J. WDM active coupler facilitates bidirectional transmission 87−8308
Roberts, H. *see* Bushell, M. 86−36754
Roberts, H. *see* Fleetwood, R. 88−27570 to 27571
Roberts, H.A. Single mode fused wavelength division multiplexer 87−13729
Roberts, H.E. Build REACTS: the Radio-Electronics Advanced Control System. VI 88−55925
Roberts, I. Modern technology at the Curragh Coal Mine, Queensland, Australia 85−48655
Roberts, I. *see* Conolly, H.M. 86−33311
Roberts, I.A. *see* Hargis, C. 86−33310
Roberts, I.A. *see* Muhlhaus, J. 88−11192
Roberts, I.G. *see* Catanesi, M.G. 87−29686
Roberts, J. Teletraffic models for the TELECOM 1 integrated services network 86−16591
Roberts, J., Farrer, J. EMG signal processing: an in-service aid 86−11988
Roberts, J., Liao, K. Traffic models for telecommunication services with advance capacity reservation 86−23258
Roberts, J., Shafer, F., Prakash, V. Dielectric response of material media using the detuning of a resonant microwave cavity 88−29590
Roberts, J. *see* Balkan, N. 88−39120
Roberts, J. *see* Elston, J.T. 88−5436
Roberts, J. *see* Medvedev, N. 86−35940
Roberts, J.A., Steffenhagen, R. The future of the light weight gas turbine in domestic and industrial energy supply 85−38864
Roberts, J.A. *see* Capper, P. 85−45551
Roberts, J.A. *(editor)* Indirect Imaging: Measurement and Processing for Indirect Imaging. Proceedings of an International Symposium 87−28722
Roberts, J.B., Ajmani, D.B.S. Spectral analysis of randomly sample signals using a correlation-based slotting technique 86−37003
Roberts, J.B. *see* Ratner, L.G. 86−31891
Roberts, J.B.G. Image and signal processing using optical and VLSI technologies−a comparison 85−30480
Roberts, J.B.G. Role for optical signal and image processing in the VLSI era 86−29970
Roberts, J.B.G. Digital signal processing in the UK 87−39732
Roberts, J.B.G., Simpson, P., Merrifield, B.C. Applying digital VLSI technology to radar signal processing 86−55360
Roberts, J.B.G., Simpson, P., Merrifield, B.C., Cross, J.F. Signal processing applications of a distributed array processor 85−2821
Roberts, J.B.G. *see* Simpson, P. 86−60900
Roberts, J.D.M. *see* Kingswood, N. 86−56103
Roberts, J.E., Thomas, J.-M. Mixed and hybrid finite element methods 88−18619
Roberts, J.E. *see* Douglas, J., Jr. 85−39647
Roberts, J.G. *see* Walker, R.A.P. 86−50360
Roberts, J.G.B. *see* Broomhead, D.S. 86−14288
Roberts, J.H. Envelope statistics of narrowband Cauchy noise 86−15889
Roberts, J.H. A survey of receiver designs for interference suppression 86−64859
Roberts, J.H. Angle modulation: The theory of system assessment 87−36310
Roberts, J.H. Envelope and phase statistics for non-Gaussian noise and resulting error probabilities for digital communications systems 88−34549
Roberts, J.H., Housden, J.E.M. Principles of channel equalisation in NB TDMA 87−8162
Roberts, J.H. *see* Ruddy, F.H. 87−29668 to 29669
Roberts, J.H.C. Cell design and electrostatic optimisation for the ZEUS central tracking detector 88−54433
Roberts, J.H.C. *see* Corden, M.J. 85−64462
Roberts, J.H.C. *see* Tkaczyk, S.M. 88−54432, 88−68283
Roberts, J.K. How libraries would use the network [JANET−Joint Academic Network] 86−23538
Roberts, J.L. *see* Grossman, D. 88−37012
Roberts, J.L.L., Summers, H.A.T., Barnes, S.R. Bend characteristics of fibres manufactured by CVD, OVD and VAD techniques 88−72075
Roberts, J.P. *see* Taylor, A.J. 88−40117
Roberts, J.S. MOVPE grown $Al_xGa_{1-x}As$/GaAs heterostructures 88−12974
Roberts, J.S., Claxton, P.A., David, J.P.R., Marsh, J.H. Improved molecular beam epitaxial growth of InP using solid sources 86−46324
Roberts, J.S., Mason, N.J., Robinson, M. Factors influencing doping control and abrupt metallurgical transitions during atmospheric pressure MOVPE growth of AlGaAs and GaAs 85−10711
Roberts, J.S., Woodhead, J., Mistry, P., Singh, K.C., Sotomayor-Torres, C.M. *p*-type modulation-doped AlGaAs/GaAs heterostructures grown by atmospheric-pressure metal organic vapour phase epitaxy (MOVPE) 87−52110
Roberts, J.S. *see* Claxton, P.A. 87−44323
Roberts, J.S. *see* David, J.P.R. 86−9090
Roberts, J.S. *see* Hau, S. 88−63604
Roberts, J.S. *see* Li Kam Wa, P. 85−18679, 85−41190, 87−7096, 87−12234, 87−26550, 88−58186, 88−58650
Roberts, J.S. *see* MacBean, M.D.A. 87−60959
Roberts, J.S. *see* Manning, R.J. 88−60141
Roberts, J.S. *see* Marsh, J.H. 85−56419
Roberts, J.S. *see* Powell, A.L. 87−53510
Roberts, J.S. *see* Roberts, D.A. 88−64499
Roberts, J.S. *see* Schuitemaker, P. 86−63250
Roberts, J.S. *see* Sotomayor Torres, C.M. 86−53427
Roberts, J.S. *see* Wheatley, P. 87−26092, 87−26228, 88−2058, 88−8009, 88−20475
Roberts, J.S. *see* Whitehead, M. 87−74052, 88−20448
Roberts, J.T.A., Jones, R.L., Naughton, M. Mitigation of BWR pipe cracking through water chemistry changes 86−33019
Roberts, J.T.A., Jones, R.L., Naughton, M., Machiels, A.J. BWR pipe crack control using hydrogen water chemistry: status report on Dresden-2 program 86−25762
Roberts, J.T.A., Shaw, R., Stahlkopf, K. Decommissioning of commercial nuclear power plants 86−39492
Roberts, J.W., Liao, K.-Q. Videoconference traffic and network design 87−41262
Roberts, J.W., Ohanesian, S. Dielectric analysis of a vacuum pressure impregnation process to evaluate impregnating characteristics of a newly developed VPI tape 86−63495
Roberts, J.W. *see* Dziong, Z. 88−14860
Roberts, J.W. *see* Lutton, J.L. 85−52235
Roberts, K., Kelly, R.N., Branca, T.R. Overview of a comprehensive snubber surveillance program implemented at the Pilgrim nuclear power station 85−43728
Roberts, K., Lawrence, P., Eisen, A., Horich, M. Enhancement and dynamic time warping of somatosensory evoked potential components applied to patients with multiple sclerosis 87−63776
Roberts, K.A., Fredericks, G.E., Skinner, D.M., Layman, D.K., Harris, D.S. Automatic layout in the HIGHLAND system 85−45025
Roberts, K.B. *see* Buckman, S.J. 85−31504
Roberts, K.P. *see* Mogolesko, F.J. 87−9270
Roberts, K.S. A new representation for a line 88−73360
Roberts, K.S., Bishop, G., Ganapathy, S.K. Smooth interpolation of rotational motions 88−73369
Roberts, K.S., Ganapathy, S. Stereo triangulation techniques 88−28125
Roberts, L. Hot tips offer soldering success 85−33168
Roberts, L. *see* Dombro, L. 85−61643
Roberts, L.A., Wilpon, J.G., Egan, D.E., Bakk, J. Improving speaker consistency in an automatic speech recognition framework 87−39681
Roberts, L.A. *see* Wilpon, J.G. 86−48880
Roberts, L.E. *see* Ames, D.L. 87−77853
Roberts, M. Stereo sound generator for sound effects and music synthesis 87−63194
Roberts, M. CAT to RS-232 interface [computer control for Yaesu amateur radio equipment] 88−67219
Roberts, M., Reaume, L. Communications by wire: MT8880 DTMF transceiver supplies link between processor and communications 87−40498
Roberts, M. *see* Baptista, J.L. 88−433
Roberts, M. *see* Iles, P. 88−36629
Roberts, M.C., Yallup, K.J., Booker, G.R. A new TEM technique for evaluating 2-D dopant distributions in silicon with high spatial resolution 86−58392
Roberts, M.C. *see* Foster, D.J. 88−33387
Roberts, M.D. *see* Woodcock, B.H. 88−2404
Roberts, M.J. Cable parameter estimation based on impedance measurements at one end 87−49888
Roberts, M.J. Comparison between two-wire and three-wire models for shielded twisted-pair cables used in Johnson noise thermometry 88−36262
Roberts, M.J., Blalock, T.V. Effect of filter frequency response on the uncertainty in measuring statistical estimators of input noise 85−31586
Roberts, M.M. Fiberoptic LANs: the user's perspective 87−62648
Roberts, M.M. ISDN in university networks 88−28473
Roberts, M.W., Lala, P.K. Algorithm to detect reconvergent fanouts in logic circuits 87−31775
Roberts, M.W.H. Ptarmigan takes off 86−49496
Roberts, N. *see* Rubinstein, M. 87−74221
Roberts, N.C. Digital optical computation of algorithms of high regularity 88−2408
Roberts, N.J., Jr. The biological effects of radiofrequency radiation 85−48343
Roberts, N.J., Jr., Michaelson, S.M. Review of epidemiological studies of human exposures to radiofrequency radiation 85−48344
Roberts, N.J., Jr., Michaelson, S.M., Lu, S.-T. Exposure of human mononuclear leukocytes to microwave energy pulse modulated at 16 or 60 Hz 85−4376
Roberts, P.C.T. *see* Joseph, J.D. 85−58595
Roberts, P.C.T. *see* Lee, K.W. 85−40759
Roberts, P.C.T. *see* Vu, T.T. 88−32114
Roberts, P.M. Automated brazing with induction heating 87−22935
Roberts, P.M. *see* Thomas, R.M. 85−46646
Roberts, P.R. *see* Leung, W.H. 88−59711

Roberts, P.W., Tcheng, P. Strain-gage balance calibration of a magnetic suspension and balance system 87–71234
Roberts, R. A new approach to incoming quality control 87–58703
Roberts, R. Purity is important in gold usage 88–7074
Roberts, R. Vertical axis wind turbines find favour 88–48826
Roberts, R. *see* Berchin, G. 88–506
Roberts, R. *see* Ko, R. 85–17035
Roberts, R. *see* Lacy, J.L. 88–61294
Roberts, R. *see* Murray, C. 87–25056
Roberts, R. *see* Ryan, J.G. 88–18734
Roberts, R. *see* Sartori, M.P. 88–8364
Roberts, R. *see* Steinhardt, A.O. 86–16376
Roberts, R. *see* Van Veen, B. 87–47668
Roberts, R. *see* Van Veen, B.D. 87–7632
Roberts, R.A. A dry-contact coupling technique for ultrasonic nondestructive evaluation of green-state ceramics 88–56343
Roberts, R.A. *see* De Groat, R.D. 86–3923, 87–7770
Roberts, R.A. *see* DeGroat, R.D. 87–55114, 87–62064, 88–3112
Roberts, R.A. *see* Steinhardt, A.O. 86–29664
Roberts, R.A. *see* Van Veen, B.D. 87–62120, 88–2697, 88–14516
Roberts, R.B. *see* Macfarlane, J.C. 88–33554
Roberts, R.D., Wilson, J.W. Nowcasting microbursts using Doppler radar in a forecaster-computer environment 88–15587
Roberts, R.F. Detection of water soluble flux residues on printed wiring boards by ESCA 85–61580
Roberts, R.J. *see* Barnes, O. 88–35699
Roberts, R.S. Dictionary of audio, radio and video 87–31121
Roberts, S. User-friendly pulse generator 85–11102
Roberts, S. Getting the message with Voicebank 85–25341
Roberts, S. Voicebank–the British Telecom voice message service 86–16842
Roberts, S. Heavy-load turn-on sequencer 86–20284
Roberts, S. Standards for cellular radio 86–69684
Roberts, S. Two meters aboard the Winnebiko [mobile radio system] 88–41533
Roberts, S. Standards for cellular radio 88–67267
Roberts, S. Interactivity on VHF tree and branch systems 88–74138
Roberts, S., Dobson, P.J. The microstructure of aluminium thin films on amorphous SiO_2 86–40778
Roberts, S., Ryan, J.G., Martin, D.W. Deposition and properties of ultra-thin high dielectric constant insulators 88–6516
Roberts, S. *see* Choi, K.W. 85–40824, 85--40916, 85–45871
Roberts, S. *see* Minhas, H.S. 87–56019
Roberts, S. *see* Tibbitts, S. 88–13563
Roberts, S.G., Pirouz, P., Hirsch, P.B. Doping effects on indentation plasticity and fracture in germanium 85–45552
Roberts, S.K. Bicycle-mobile packeteering 88–41537
Roberts, S.K., Glassner, G. The Winnebiko's solar power system 88–49127
Roberts, S.M. *see* Fink, H.J. 87–60856, 88–13730, 88–20275, 88–45009
Roberts, S.P. *see* Mosse, C.A. 87–35381
Roberts, S.S., Rabinovich, S.M., Shing, Y.H., Tran, N.T., Josefowicz, J.Y. Thermoelectric thin-film high-temperature measurements by computer control 86–31587
Roberts, T., Lawson, R. Making use of CAD information 85–34288
Roberts, T. *see* Hand, J.W. 88–54619
Roberts, T. *see* Pieschel, H. 86–20975, 86–62899
Roberts, T. *see* Trainor, D.W. 88–27065
Roberts, T.D. *see* Kokjer, K.J. 87–20477
Roberts, T.G., Perkins, J.F. Highly off-axis beam expanders with low aberrations 85–62641
Roberts, T.M. The regulatory mechanism in the US: lessons learned 88–30482
Roberts, T.M. *see* Dickman, T.J. 88–68586
Roberts, V.C. *see* Calil, S.J. 85–7863, 85–64566
Roberts, V.C. *see* Cowan, D. 88–42511
Roberts, V.C. *see* Nitzan, M. 88–68368
Roberts, V.C. *see* Richardson, P.C.A. 88–23041
Roberts, V.C. *see* Teague, M.J. 85–48257
Roberts, V.W. Geothermal energy generating option as viewed by EPRI and the electric utility industry 85–27330
Roberts, V.W. *see* Bigger, J.E. 86–61412
Roberts, W.B. Derivation of external store vibration test spectra from flight data 87–35190
Roberts, W.K. *see* Blue, T.E. 86–25336, 86–50649
Roberts, W.P., Feehley, W.A., Ebner, C.L. Semiconductor laser marking studies on copper TCNQ thin films 88–51425
Roberts, W.R. *see* Gurd, D. 88–54136
Robertshaw, G. How accurate is range correction? 86–55368
Robertshaw, G.A. Effective Earth radius for refraction of radio waves at altitudes above 1 km 87–7533
Robertson, A. *see* Fitzsimons, W.A. 88–59496
Robertson, A. *see* Pacholek, K. 87–64424
Robertson, A. *see* Tsang, W.T. 87–52153
Robertson, A., Jr. *see* Chiu, T.H. 88–400
Robertson, A.J., Goddard, I.J., Worthington, R. Demultiplexers for multichannel networks 88–67176
Robertson, A.J., Leach, J.S., Gurton, P., Jones, S.R. High reliability splicing of single mode fibres 86–37888
Robertson, A.J. *see* Bricheno, T. 87–46537
Robertson, A.J. *see* Chen, C.H. 87–10388
Robertson, A.J. *see* Larsen, C.A. 86–57433
Robertson, A.J. *see* Leach, J.S. 86–28793
Robertson, A.J. *see* Lee, W.S. 88–73906
Robertson, A.R. *see* Lanam, R.D. 85–45269
Robertson, A.W. *see* Chung, J.C. 88–74004
Robertson, B. Micro-based video development surges [video-image processing] 86–31052
Robertson, B. PW 'Woodstock' short wave converter 87–37491
Robertson, B. Stopband filter for the PW 'Blenheim' 88–56733
Robertson, B., Milburn, K. Fax board facts 88–73537
Robertson, B.C. *see* Jagam, P. 86–5781, 88–48038
Robertson, B.C. *see* Waltham, C.E. 87–41864
Robertson, C. Cable management in modern offices and light industry 85–27040
Robertson, C. The installations of electrical wiring enclosure systems in old property 85–32153
Robertson, C. *see* Kleks, J. 88–20162
Robertson, C.D. *see* Hunt, B.D. 87–73095
Robertson, C.J. *see* Davies, D.K. 85–6849
Robertson, C.L. *see* Oki, A.K. 88–19240
Robertson, D. *see* Bott, G.P. 85–8120
Robertson, D. *see* Johnston, W.E. 87–41260
Robertson, D.D. *see* Granholm, J.W. 87–42010, 88–48234
Robertson, D.E., Abel, K.H., Thomas, C.W., Lepel, E.A., Thomas, W.V., Carrick, L.C., Leale, M.W., Evans, J.C. Residual radionuclide contamination within and around nuclear power plants: origin, distribution, inventory and decommissioning assessment 85–27159
Robertson, D.E., Thomas, C.W. Radionuclide source term measurements for power reactor decommissioning assessment 88–75399
Robertson, D.G., Crisford, D.S. Asymmetrical currents arising from short-circuits and earth faults on the CEGB 400 kV system 88–55069
Robertson, D.J. Public lighting–the engineer's viewpoint 86–61808
Robertson, D.J. Versatile multichannel echo canceller architecture with filter length and channel coverage programmability 87–28244
Robertson, D.J., Falconer, D.D. Analysis and simulation of improved echo canceller adaptation algorithms with single-bit correlation multipliers 85–19435
Robertson, D.J. *see* Donaldson, R.R.C. 87–50742
Robertson, D.S. Radio interferometry 87–77837
Robertson, D.S., Carter, W.E., Campbell, J., Schuh, H. Daily Earth rotation determinations from IRIS very long baseline interferometry 85–59446
Robertson, D.S. *see* Born, P.J. 85–46256
Robertson, F.R. *see* Malo, J.E. 88–23604
Robertson, G. *see* Forsdick, H. 85–25353
Robertson, G.D., O'Connor, D.J. Magnetic field effects on float-zone Si crystal growth. II. transverse fields 86–66798
Robertson, G.D., Jr., Baron, R., Vasudev, P.K., Marsh, O.J. Specular reflectance and surface roughness of silicon on sapphire 85–18056
Robertson, G.D., Jr., O'Connor, D. Magnetic field effects on float-zone Si crystal growth. III. Strong axial fields 86–66799
Robertson, G.G. *see* Thomas, R.H. 86–30285
Robertson, G.I. Automatic optical inspection of printed circuit boards during assembly 88–64115
Robertson, H. *see* Frazier, M. 86–65704
Robertson, I.D. *see* Wiemer, L. 86–14532
Robertson, J., Atkins, H.L., Williams, J.R. Commerce Lab.: an enabling facility and test bed for commercial flight opportunities 86–60886
Robertson, J., Powell, M.J. Defect model of charge transfer doping at a-SiN_x:H/a-Si:H interfaces 86–27987
Robertson, J. *see* Cameron, E. 87–6603
Robertson, J. *see* Roger, E. 88–48259
Robertson, J.A., Heberlein, G.E., Jr. Remote fault/smoke detection for motor control centers 88–15968
Robertson, J.B. *see* Miller, M.R. 86–18447
Robertson, J.C. *see* Rowland, M.S. 86–70345
Robertson, J.E. New design for two's complement array multipliers 87–31832
Robertson, J.G. A telecom network's evolution 85–19651
Robertson, J.M., Brouha, M., Stel, H.H., van der Borst, A.J.C. Surface quality and thickness effects of amorphous ribbons for recording head applications 87–38663
Robertson, J.M., Holwill, R., Walton, A.J., Fraser, J. Requirements for automated handling of wafers 85–45511
Robertson, J.M., Walton, A.J. Automated IC fabrication for VLSI 85–55928
Robertson, J.M. *see* Gribben, A. 87–46149
Robertson, J.M. *see* Hansen, P. 85–24214
Robertson, J.M. *see* Holwill, R.J. 88–64733
Robertson, J.M. *see* Jack, M.A. 85–16615
Robertson, J.M. *see* McGillivray, I. 86–2079
Robertson, J.M. *see* McGillivray, I.G. 87–17851, 88–12919, 88–13057, 88–26034
Robertson, J.M. *see* Serack, J.A. 87–32574
Robertson, J.M. *see* Tuohy, P. 88–515
Robertson, J.M. *see* Walton, A.J. 85–18161, 85–31312, 85–45512, 85–45859, 86–35761
Robertson, L.P. *see* Dubois, R. 86–50321
Robertson, M. *see* Jenkins, D.G. 88–45315
Robertson, M.A., Wood, M.J. A low cost 50 kW 900 MHz circulator for industrial microwave heating applications 85–28909
Robertson, M.D., Rarick, J.A. Application of fiber optics technology to physical security 85–138
Robertson, M.E. *see* Nielson, E.K. 88–54910
Robertson, M.J., Dayan, P., Ritchie, S., Adams, M.J. Theoretical analysis of semiconductor rib waveguides 85–41192
Robertson, M.J., Ritchie, S., Dayan, P. Semiconductor waveguides: analysis of optical propagation in single rib structures and directional couplers 86–15475
Robertson, M.J., Ritchie, S., Dayan, P. Semiconductor waveguides: analysis of coupling between rib waveguides and optical fibres 87–12197
Robertson, M.J., Ritchie, S., Sargood, S.K., Nelson, A.W., Davis, L., Walling, R.H., Skrimshire, C.P., Sutherland, R.R. Highly reliable planar GaInAs/InP photodiodes with high yield made by atmospheric pressure MOVPE 88–33869
Robertson, M.J. *see* Adams, M.J. 86–42238
Robertson, M.J. *see* Houghton, A.J.N. 85–46199
Robertson, M.J. *see* Kendall, P.C. 87–68044
Robertson, M.J. *see* Nelson, A.W. 87–10433
Robertson, N., Seymour, P.D. Graph minors. V. Excluding a planar graph 86–62043
Robertson, N., Seymour, P.D. Graph minors. VI. Disjoint paths across a disc 86–62044
Robertson, N.A., Hoggan, S., Mangan, J.B., Hough, J. Intensity stabilisation of an argon laser using an electro-optic modulator–performance and limitations 86–36539
Robertson, N.A. *see* Kerr, G.A. 85–41305
Robertson, N.I.D. Dynamic force measurement 86–60358
Robertson, P.A. Effective oral presentations for engineers: floppy disks and sweaty palms 87–36399
Robertson, P.A., Milne, W.I. Novel technique for deposition of hydrogenated amorphous silicon thin films 86–53494
Robertson, P.A., Milne, W.I. Photoenhanced deposition of silicon oxide thin films using an internal nitrogen discharge lamp 88–38256
Robertson, P.A. *see* Baker, S.D. 88–70335
Robertson, P.A. *see* Milne, W.I. 87–23745
Robertson, P.J., Dumin, D.J. Properties of submicron silicon MOSFETs from 300K to 4.2K 85–35006
Robertson, P.J., Dumin, D.J. Ballistic transport and properties of submicrometer silicon MOSFET's from 300 to 4.2K 86–47582
Robertson, P.J., Dumin, D.J., Carver, G.P., Novotny, D.B., Freytag, M. Silicon quality versus thickness for novel silicon on boron phosphide SOI process 88–39169
Robertson, P.K. Perceptual framework for color image display 88–41069
Robertson, P.K., O'Callaghan, J.F. The application of perceptual color spaces to the display of remotely sensed imagery 88–30141
Robertson, R.C. The *E* perpendicular polarization response of a two-dimensional heterogeneous layer modeled by two thin sheets in a horizontally stratified half-space 87–71275
Robertson, R.C. The electromagnetic response of a heterogeneous layer modeled by two thin sheets in a uniformly conducting half-space 88–27434
Robertson, R.C., Ha, T.T. Noise models for gallium arsenide field-effect transistors at room and cryogenic temperatures 87–1534
Robertson, R.C., Ha, T.T. Optimum noise source impedance determination for GaAs FETs at room and cryogenic temperatures 87–74309
Robertson, R.C. *see* Ha, T.T. 87–56294
Robertson, R.C. *see* Lee, M.W. 88–68019
Robertson, R.E. *see* Bowman, R.C., Jr. 87–45771
Robertson, R.E. *see* Marks, J. 88–38230
Robertson, R.G.H., Koehler, P.E. Calorimetric measurement of thermal neutron flux 87–8845
Robertson, R.M., Bednarczyk, P.J., Denburg, D.L. TPG2–An automatic test program generation system for design and manufacture of ASICs 88–15958
Robertson, R.M., Golden, D.M., Rossi, M.J. Spontaneous thermal etching of silicon by CF_3 radicals 88–71421
Robertson, R.M. *see* Ahrens, D.P. 85–40926
Robertson, R.M. *see* Appel, J.A. 86–38720

Robertson, R.R. *see* Ackenhusen, J.G. 87−40262
Robertson, R.S., Elliott, R.S. The design of transverse slot arrays fed by the meandering strip of a boxed stripline 86−43079
Robertson, R.S., Elliott, R.S. The design of transverse slot arrays fed by the meandering strip of a boxed stripline 87−54691
Robertson, R.S., Kihm, R.T., Holzman, E.L., Poelker, J., Bowen, R.L. A noncoherent *W*-band transceiver 88−74035
Robertson, R.S. *see* Eisenhart, R.L. 86−8508
Robertson, S. Collective focusing of a charge-neutral ion beam with warm electrons 86−42769
Robertson, S.A. *see* Hammond, P. 85−29977
Robertson, S.C., Boucouvalas, A.C. Use of the equalisation wavelength for single mode fibre characterisation 87−54075
Robertson, S.C. *see* Boucouvalas, A.C. 87−54079
Robertson, S.C. *see* McMillan, J.L. 85−35447
Robertson, S.J. *see* Magar, S. 85−33942
Robertson, S.R.M., Rogers, A.J. Measurement of DC electric fields using the electro-optic effect 85−48032
Robertson, S.S.J. Electrical installation standards−the HSE viewpoint 85−49306
Robertson, T. *see* Outcault, R. 87−53383
Robertson, V.S. The role of industry in the formation of the professional engineer 88−11674
Robertson, W. The evolution of commercial insertion [TV advertising] 88−53421
Robertson, W., Lee, G.M.C., McKinnon, B.J., Campbell, D.T., MacNeil, E.D. A microcomputer based automatic metal fatigue testing system 87−23800
Robertson, W., Pincock, D. Architecture for time domain digital beam-forming 85−64079
Robertson, W., Pincock, D. A new architecture for digital time domain beamforming 88−12414
Robertson, W. *see* Jost, A.G. 88−38576
Robertsson, A.E. *see* Gong, S.F. 88−26036
Robeson, G.H. *see* Hack, S.N. 87−29843
Robey, B.L., Napper, S.A., McAfee, PC. An expert system for use in augmentative communication device prescription 88−54657
Robey, S.W. *see* Oehrlein, G.S. 88−44657, 88−44701, 88−64413
Robichaud, J.R. *see* Chandola, V. 88−23692
Robichon, G., Groslambert, J., Gagnepain, J.J. Frequency stability of quartz crystal at very low temperatures: preliminary results 85−62162
Robichon, G. *see* Caret, G. 88−18987
Robien, E.De *see* De Robien, E.
Robillard, J.-C. The open architecture for the developed graphic recorder 88−16229
Robillard, M.J. Robotics [ultrasonic rangers and stepper motors] 86−70546
Robillard, M.J. Robotics: simple solid-state vision 87−10737
Robillard, P. *see* Chalaoui, J. 85−43377
Robillard, R. *see* McNeary, S. 87−10760
Robin, A. *see* Thanisch, P. 85−51698
Robin, G. Binary sequences with good autocorrelation function 85−7772
Robin, G. Evolution of ISDN towards new packet modes 87−2792
Robin, I., Baker, J. Performance analysis for a terminal-priority contentionless access algorithm for multiple-access communications 85−42032
Robin, J.-C. Snapshot video in instrumentation 86−5085
Robin, J.-F. *see* Le Mouel, B. 85−63484
Robin, M. Standards conversion centre at CBC Montreal [TV standards] 85−3551
Robin, M. *see* Large, P. 88−45592
Robin, M. *see* Petesch, B. 88−45590 to 45591
Robin, N.A. Selcal and state machines [radio equipment] 86−37737
Robin, P. *see* Loulergue, J.C. 88−72428
Robin-Jouan, Y. Optical to electrical connection (OEC)−a new concept for interfacing fibers with equipments 87−18723
Robin-Jouan, Y. *see* Beniguel, Y. 85−17911
Robin-Jouan, Y. *see* Philippe, G. 87−20544
Robinet, M. *see* Joindot, I. 86−9704
Robinett, L. *see* Jurgens, R.F. 88−67502
Robinett, W. *see* Fisher, S.S. 87−49507, 87−62481, 88−42239
Robinette, M.S. *see* Harris, R.W. 88−68449
Robing Zhang *see* Zhang Robing
Robino, M. *see* Deiss, J.L. 87−5442
Robino, M. *see* Tapiero, M. 86−402
Robins, F. LC displays have the advantage 87−49844
Robins, G. Product drying by heat pumps 86−19625
Robins, G. Heat pumps halve malting energy costs 88−18272
Robins, H.B. The economics of smaller cellular markets 87−56022
Robins, I., Ross, J.F., Shaw, J.E.A. The logarithmic response of palladium-gate metal-insulator-silicon field-effect transistors to hydrogen 86−67865
Robins, I. *see* Baker, C.J.S. 88−74387
Robins, I. *see* Ross, J.F. 87−35063
Robins, J. Electronic ignition for single-cylinder engines 87−9641
Robins, J. *see* Briskin, M. 87−4108
Robins, K.E. *see* Ghosh, A.K. 85−62218, 87−67946, 88−54280
Robins, M.P. Free-ranging automatic guided-vehicle system 87−13798
Robins, R. *see* Stillman, R. 85−10086
Robins, W.P. Synthesiser phase hitter contributed by TTL & ECL components 86−34615
Robinskii, A.P. *see* Sysoev, B.I. 86−35598
Robinson, A. Ionising radiation effects on doped silica and pure silica core fibres 88−13850
Robinson, A. *see* Cannell, G.J. 88−74458
Robinson, A. *see* Davis, J.R. 88−13572
Robinson, A.G. Acquisition of pseudonoise signals using additive feedback 86−69048
Robinson, A.L., Antonaidis, D.A., Maby, E.W. Fabrication of fully self-aligned joint-gate CMOS structures 85−50697
Robinson, A.L., Glasser, L.A., Antoniadis, D.A. A simple interconnect delay model for multilayer integrated circuits 87−1698
Robinson, A.L., Pattanayak, D.N., Adler, M.S., Baliga, B.J., Wildi, E.J. Lateral insulated gate transistors with improved latching characteristics 86−41792
Robinson, A.L., Pattanayak, D.N., Adler, M.S., Baliga, B.J., Wildi, E.J. Lateral insulated gate transistors with improved latching characteristics 86−47623
Robinson, A.L. *see* Pattanayak, D.N. 87−32524
Robinson, A.L. *see* Trombley, H.W. 88−18459
Robinson, A.M., Billing, M., Garand, D. 500°C infrared absorption cell 88−34082
Robinson, A.M., Parameswaran, M., Ghufran, S. Temperature variation of linewidth of the CO_2 laser P(16) transition 87−26262
Robinson, A.M. *see* Petersen, F.R. 85−2216
Robinson, A.M. *see* Schmidke, B. 87−30456
Robinson, A.N. *see* Raine, G.A. 85−10839
Robinson, A.P. An electrically-steerable array for HF monitoring 85−41796
Robinson, A.P. Electronically-steerable active receiving array for HF 85−46651
Robinson, A.P. NICAM 728 digital two-channel sound with terrestrial television: transmitter performance and parameters to be measured 87−76929
Robinson, A.P., Tupper, G.I.F. Implementation of the UK twin-channel system at transmitters 86−30964
Robinson, A.Z. *see* Schau, H.C. 87−75791
Robinson, B., Hoh, P.D., Madakson, P., Nguyen, T.N., Shivashankar, S.A. High quality deposition of SiO_2 downstream from a microwave discharge 88−49889
Robinson, B. *see* Adamski, J.L. 86−31819
Robinson, B. *see* Fine, D. 86−46722
Robinson, B. *see* Robinson, K.E. 87−75137
Robinson, B. *see* Slater, J. 87−2164
Robinson, B.E. *see* Blomgren, J.C. 87−71862
Robinson, B.F. *see* Jackson, R.D. 85−38328
Robinson, B.J. The Australian radio-telescope 86−30921
Robinson, B.S. *see* Minard, R.A. 85−20899
Robinson, B.W. Sensitivity of analysis of risk from chemical reactor explosion to data used 88−255
Robinson, C. Temperature sensors: old technologies still take the heat 85−58671
Robinson, C. User evaluation of on-line composition analyzers: a mixed bag 85−58933
Robinson, C. Power factor correction−the rewards and the pitfalls 86−12254
Robinson, C. Exploring the design of a new switch 87−4826
Robinson, C. Obstructionless flowmeters: smooth sailing for some, rough passage for others 87−34910
Robinson, C. Hydrostatic tank gauging: what it is, where it's used, what's available 88−41962
Robinson, C.E. *see* Butler, P.C. 85−49075, 86−66273
Robinson, C.E., Jr. *see* Jeter, M.W. 88−6342
Robinson, C.J. Interactive video cable 87−13949
Robinson, C.J. Multilayer films of CoCrTa for perpendicular recording media 87−18490
Robinson, C.J., Baker, M.A. A high stability low cost film thickness monitor 86−11716
Robinson, C.J., Burton, H., Kynast, L. A chronic recording system for studying interactions between cat ipsilateral somatosensory cortical areas 85−15317
Robinson, C.J., Langbein, W.E., Kynast, L.T., Kampschoer, C.J., Wurster, R.D., Dunlap, B., Cramer, R. Design considerations for the wheelchair aerobic fitness trainer 88−74892
Robinson, C.J. *see* Bolam, J.M. 87−57068
Robinson, C.J. *see* Kett, N.A. 88−48207
Robinson, C.J. *see* Potvin, A.R. 86−32216
Robinson, C.J. *see* Kondraske, G.V. *(editor)* 87−43814
Robinson, C.M., Jr., Stetson, M.B., Mochrie, B.N. Minimizing boiler outage during main column replacement 86−33108
Robinson, C.N., Walmsley, C.F., Everett, P.M., Bicket, D., Morris, H. 64×64 element photocurrent multiplexer for infrared staring array application 87−28977
Robinson, C.N., Walmsley, C.F., Everett, P.M., Bicket, D., Morris, H. 64×64-element photocurrent multiplexer for infrared staring array application 87−56523
Robinson, D. Inductive position sensing: insights into manufacturing productivity 88−29650
Robinson, D. Computer integrated quality for the factory of the future 88−37953
Robinson, D., Dietrich, D. A system-level reliability-growth model 88−56074
Robinson, D., Kunzi, K., Kukla, G., Rott, H. Comparative utility of microwave and shortwave satellite data for all-weather charting of snow cover 85−15433
Robinson, D., Zeller, R., Bybee, C., Wagner, G. Telecommunications technology and special education needs in the Pacific region 88−28253
Robinson, D. *see* Albrow, M.G. 87−41857, 88−29872
Robinson, D. *see* Crookes, R.W. 87−72502
Robinson, D. *see* Gibson, H. 88−69528
Robinson, D. *see* Hall, G. 86−50341, 86−50373, 87−29553
Robinson, D. *see* Heard, J.S. 85−45672, 87−15914
Robinson, D. *see* McCalmont, J.S. 88−38209
Robinson, D. *see* Martin, H.R. 88−29723
Robinson, D.C. Requirements for the calibration of mechanical shock transducers 88−29720
Robinson, D.E. Digital reconstruction and display of compound scan ultrasound images 85−7928
Robinson, D.E., Knight, P.C. Image processing in diagnostic ultrasound 88−16686
Robinson, D.E. *see* Chen, C.F. 88−54521
Robinson, D.E. *see* Gilkey, R.H. 88−36683
Robinson, D.E. *see* Knight, P.C. 87−57112
Robinson, D.E. *see* Sorkin, R.D. 88−29563
Robinson, D.G., Dietrich, D. A new nonparametric growth model 88−6316
Robinson, D.G., Stanton, S.A. Exploit EDI before EDI exploits you 87−55501
Robinson, D.J. An EPROM keyer for beacon usage 87−20109
Robinson, D.J. *see* Gurdenli, E. 88−29007
Robinson, D.K. *see* Bachman, M. 85−26527
Robinson, D.L., Lesh, J.R. A cost-performance model for ground-based optical communication receiving telescopes 87−76794
Robinson, D.L., Metscher, B.D. Photon detection with cooled avalanche photodiodes 88−14027
Robinson, D.L., Metscher, B.D. Cooled avalanche photodiodes used for photon detection 88−22599
Robinson, D.L. *see* Rayman, M.D. 88−53288
Robinson, D.T. High performance digital motion control for industrial applications 88−75665
Robinson, D.T. *see* Bonnick, T.W. 88−47413
Robinson, D.W. Flashlamp-pumped HCN gas laser 85−18849
Robinson, D.W. Holography edges closer to the shop floor 87−16720
Robinson, D.W. Holographic and speckle interferometry in the UK. A review of recent developments 88−45575
Robinson, D.W., Williams, D.C. Quantitative measurements by holographic interferometry 86−26956
Robinson, D.W., Williams, D.C. Automatic fringe analysis in double exposure and live fringe holographic interferometry 87−19085
Robinson, D.W. *see* Ennos, A.E. 85−41968
Robinson, D.W. *see* Kujawinska, M. 88−34133
Robinson, E. Microwave landing systems touch down 87−41051
Robinson, E. *see* Diamond, G. 86−12600
Robinson, E.A. Image reconstruction in exploration geophysics 85−9361
Robinson, E.A. Statistical pulse compression 85−15405
Robinson, E.A. *(editor)* Digital seismic inverse methods 86−17
Robinson, E.A. *see* Anderson, O.D. *(editor)* 85−43474
Robinson, F.N.H. An improved stable low-dissipation oscillator with cryogenic applications 87−49980
Robinson, F.N.H. A convenient nuclear resonance magnetometer 87−52436
Robinson, F.N.H. An accurate measuring instrument for capacitance above 0.01 microfarad 88−36180
Robinson, F.V.P., Williams, B.W. Optimising snubbers for high-current emitter-switched transistors 88−63527
Robinson, F.V.P., Williams, B.W. Emitter switching high-power transistors 88−64537
Robinson, F.V.P., Williams, B.W. Minimising snubbers for high-current emitter-switched transistors 88−70539
Robinson, G. Developing the right architecture−the first step to maximizing system reliability 85−47698
Robinson, G. Analysis of discharge spectra for cavities in impregnated paper insulation under AC stresses 88−68959
Robinson, G. *see* Shirley, M. 88−19087
Robinson, G. *see* Stevenson, D.J. 87−71100
Robinson, G.A. *see* Ramster, J.W. 88−48369
Robinson, G.D. Artificial intelligence and testing 85−37453
Robinson, G.E., Baratta, A.J. A course in power plant systems interactions 87−57834
Robinson, G.E. *see* Brownson, D.A. 87−22071

Robinson, G.F., Holmes, M.L. Transient modelling of operational upsets in a special-purpose boiler 85–21465
Robinson, G.M. Competition in research into superconductivity 88–1892
Robinson, G.M., Englund, C.D., Szczech, T.J., Cambronne, R.D. Relationship of surface roughness of video tape to its magnetic performance 86–28660
Robinson, G.M., Hanson, G.D., Palmquist, K.E. The analysis of interferometrically measured surface roughness data 86–36043
Robinson, G.M., Moran, P.J., Peterson, R.W., Englund, C.D. Applications of interferometric measurements of surface topography of moving magnetic recording materials 85–24154
Robinson, G.M. *see* Perry, D.M. 85–43136
Robinson, G.M. *see* Zhenmin, L. 88–47691
Robinson, G.P. *see* Smith, L.D.R. 87–3984
Robinson, G.S. ATR systems: a Northrop perspective [automatic target recognition] 88–22220
Robinson, G.Y. Schottky diodes and ohmic contacts for the III-V semiconductors 86–28277
Robinson, G.Y. *see* Davidson, J.S. 86–35405
Robinson, G.Y. *see* Gillenwater, R.L. 87–21199, 87–45682
Robinson, G.Y. *see* Hafich, M.J. 86–53451, 87–11458
Robinson, G.Y. *see* Lee, K. 85–6932
Robinson, G.Y. *see* Masselink, W.T. 85–22462
Robinson, G.Y. *see* Valois, A.J. 85–40727, 86–53400
Robinson, H., Russell, G.J., Tucker, E.D., Whitaker, E.R., Williamson, K.D., Jr, Edeskuty, F.J. LANSCE liquid hydrogen moderator system hardware-characteristics-operation 86–56014
Robinson, H., Wu, H.F., Ames, M., Schwartz, P. Improved circuit design for electrostatic self-reasoning vibroscopes 87–35212
Robinson, H. *see* Gilmore, J.S. 86–5758
Robinson, H. *see* Hahn, Y. 87–60740
Robinson, H. *see* Russell, G.J. 86–56013, 88–42407
Robinson, H.T. Selection of lighting for use in hazardous areas 85–39313
Robinson, I.A. A review of automatic standard cell measurement at NPL 86–31563
Robinson, I.A. *see* Kibble, B.P. 88–19425
Robinson, I.E. Predicting LVDT performance 86–44302
Robinson, I.M. An undergraduate power electronics laboratory 87–65109
Robinson, I.S. Satellite oceanography. An introduction for oceanographers and remote-sensing scientists 88–31348
Robinson, J. Electronic storage of medium quality audio signals 85–47747
Robinson, J. An LSI-based PCM processor for high-quality sound transmission 85–63793
Robinson, J. Beam me up, Scotty [satellite-delivered learning] 88–31347
Robinson, J., Kim, C.E. Point symmetry of convex digital regions 88–73355
Robinson, J. *see* Chanson, S.T. 88–59707
Robinson, J. *see* Hanna, E. 87–33776
Robinson, J. *see* Markoff, J. 85–40893
Robinson, J. *see* Mayer, J. 85–55311
Robinson, J.A. Low-data-rate visual communication using cartoons: a comparison of data compression techniques 86–48968
Robinson, J.A., Wallen, R.A. How to select a CAM system for process industries 86–19844
Robinson, J.A. *see* Pearson, D.E. 85–51739
Robinson, J.B. An embarrassment of riches: Canada's energy supply resources 87–64224
Robinson, J.B. Insurmountable opportunities? Canada's energy efficiency resources 87–64225
Robinson, J.B. Loaded questions. New approaches to utility forecasting 88–36807
Robinson, J.C. *see* Bubulac, L.O. 86–67795, 87–53231, 88–13103
Robinson, J.C. *see* LeVert, F.E. 87–78443
Robinson, J.E. *see* Aldhouse, S.T.E. 87–5527
Robinson, J.E. *see* Harrison, G.H. 86–56202
Robinson, J.E. *see* Takel, G.N.J. 87–8142
Robinson, J.L. Testing NATO network and transport protocols 88–9244
Robinson, J.L. *see* Borcherding, S.H. 88–23043
Robinson, J.L. *see* Jaeger, W.P. 87–40728
Robinson, J.M. A SAW stabilized monolithic pulse amplitude modulated microtransmitter 88–15363
Robinson, J.M. *see* Dudek, M.T. 85–57976
Robinson, J.P. Segmented testing 85–49798
Robinson, J.P. Golomb rectangles 86–29861
Robinson, J.P. VLSI/LSI testing, a view from the tower 86–67206
Robinson, J.P. Edges in the poset of partitions of an integer 88–63171
Robinson, J.P., Saxena, N.R. Signatures and syndromes are almost orthogonal 87–17042
Robinson, J.P., Saxena, N.R. A unified view of test compression methods 87–24058
Robinson, J.P., Saxena, N.R. Simultaneous signature and syndrome compression 88–50939
Robinson, J.P., Wade, W.D., Leong, P.K., Mortara, M.E. Generic error control coding modules 87–62666
Robinson, J.P. *see* Li, Y.K. 87–37104
Robinson, J.P. *see* Maxted, J.C. 86–29729
Robinson, J.P. *see* Saxena, N.R. 86–1015, 86–41879, 88–44129
Robinson, J.P. *see* Tung, C.-H. 87–37367, 88–32079
Robinson, J.T. Inter-system communications/networking 88–30316
Robinson, J.T., Otaduy, P.J. An object-oriented simulation package for power plants 88–75128
Robinson, J.T.P. Design considerations of TV mobiles. I 86–37994
Robinson, J.T.P. Design considerations of TV mobiles. II 86–44017
Robinson, J.W. *see* Budd, P.A. 85–55352
Robinson, J.W. *see* Coomer, R.J. 87–42541, 88–24098, 88–30356
Robinson, J.W. *see* Downes, M.K. 86–45487
Robinson, J.W. *see* Kaganowicz, G. 86–66849
Robinson, J.W. *see* Thomas, J.H., III 88–57476
Robinson, K. Roland MPU401 MIDI processing unit and MRC real-time recorder program 85–3779
Robinson, K. Allen powered tugs for Forth Ports 85–5458
Robinson, K. With its paged structure, a 512K EPROM relaxes system storage constraints 85–22850
Robinson, K. 512 kbit EPROMs correctly programmed 85–54868
Robinson, K. Use simple circuits, algorithms to program 512k-bit EPROMs 86–1025
Robinson, K. Overcoming addressing limitations with page-addressed EPROMs 86–34755
Robinson, K. Programming 512K EPROMs 86–34758
Robinson, K. Engine controls for integrated aircraft systems 87–8987
Robinson, K., Quimby, D., Slater, J., Churchill, T., Pindroh, A., Valla, A. FEL undulator technology and synchrotron radiation source requirements 87–18996
Robinson, K. *see* Slater, J. 87–2164
Robinson, K.E., Churchill, T.L., Quimby, D.C., Shemwell, D.M., Slater, J.M., Valla, A.S., Vetter, A.A., Adamski, J., Doering, T., Gallagher, W., Kennedy, R., Robinson, B., Shoffstall, D., Tyson, E., Vetter, A., Yeremian, A. Panorama of the visible wavelength FEL oscillator 87–75137
Robinson, K.E., Deacon, D.A.G., Madey, J.M.J., Velghe, M.F., Bazin, C., Bergher, M., Billardon, M., Elleaume, P., Ortega, J.M., Petroff, Y. Characterization of free-electron laser bunch lengthening on the ACO storage ring 85–18957
Robinson, K.E., Quimbly, D.C., Slater, J.M. The tapered hybrid undulator (THUNDER) of the visible free-electron laser oscillator experiment 88–2287
Robinson, K.E., Quimby, D.C., Slater, J.M., Churchill, T.L., Pindroh, A., Valla, A. Hybrid undulator design considerations 87–2154
Robinson, K.E., Quimby, D.C., Slater, J.M., Churchill, T.L., Valla, A.S. Field certification of a high strength tapered hybrid undulator 87–75138
Robinson, K.E. *see* Deacon, D.A.G. 85–41419
Robinson, K.E. *see* Quimby, D.C. 87–77493
Robinson, K.E. *see* Shemwell, D.M. 87–75175, 88–2318
Robinson, K.S., Jones, T.B. Particle-wall adhesion in electropacked beds 85–24745
Robinson, K.S. *see* Bilbrey, A.E. 88–9047
Robinson, K.T. PDS wafers make it safe to dope 87–17917
Robinson, K.T., Tworek, J.L. Effectiveness of planar diffusion sources 88–1521
Robinson, K.W. Ultra short wave generation 85–64396
Robinson, L. The development of ozone resistant materials for wire and cable 86–12436
Robinson, L. Facsimile: an effective form of electronic mail 87–2830
Robinson, L., Osborne, J. A CCD TV camera for telescope guiding 87–49372
Robinson, L. *see* Kibrick, R. 88–4219
Robinson, L. *see* Steen, L.S. 87–53381
Robinson, L.B., Stover, R.J., Osborne, J., Miller, J.S., Vogt, S.S., Allen, S.L. Lick Observatory charge-coupled-device data acquisition system 88–4466
Robinson, L.C. *see* Brand, G.F. 85–50161, 85–55366
Robinson, M. Processing and purification techniques of heavy metal fluoride glass (HMFG) 86–58734
Robinson, M., Rajski, J. PLANET: a test set generation program for PLAs 87–66154
Robinson, M. *see* Chang, G.K. 85–56447, 87–2030
Robinson, M. *see* Pollack, S.A. 88–33973
Robinson, M. *see* Roberts, J.S. 85–10711
Robinson, M. *see* Trontelj, J. 87–59110, 87–59657
Robinson, M. *see* Turiel, I. 87–72467
Robinson, M. *see* Webber, G. 86–57835
Robinson, McD., Celler, G.K., Lischner, D.J. Incoherent light recrystallization of silicon-on-insulator films 85–50330
Robinson, McD. *see* Celler, G.K. 85–33444
Robinson, Mc.D., Van Den Brekel, C.H.J., Cullen, G.W., Blocher, J.M., Jr., Rai-Choudhury, P. *(editor)* Proceedings of the Ninth International Conference on Chemical Vapor Deposition 1984 85–10345
Robinson, M.D. High-voltage safety 85–27038
Robinson, M.D. The Centre for Professional Advancement's approach 87–31188
Robinson, M.G., Evans, G. High voltage motor switching devices–modern trends and applications 86–45754
Robinson, M.G., Watkins, R.E.J. 90° reflecting mirrors in $Ti:LiNbO_3$ waveguide structures 88–39981
Robinson, M.J. *see* Williamson, S. 88–17617
Robinson, M.K. *see* Shorrocks, N.M. 87–21096
Robinson, M.K. *see* Twiney, R.C. 88–29401
Robinson, M.N. *see* Jonscher, A.K. 88–71514
Robinson, N., FitzGerald, K., McDonald, C.M. ISDN trial management 87–69548
Robinson, N.J., Thomas, R. STIE–a tool for studying image processing 87–69283
Robinson, P. Gallium arsenide chips 85–12319
Robinson, P. Telecommunications, trade and TDF 86–43388
Robinson, P. Overview of programmable hardware 87–24032
Robinson, P. Circuit extraction and matching 87–66133
Robinson, P., Jones, A. Amateur packet radio 85–36915
Robinson, P. *see* Markoff, J. 85–19777
Robinson, P.A. *see* Dade, R. 88–21817
Robinson, P.A., Jr. *see* Coakley, P.G. 86–35184
Robinson, P.A., Jr. *see* Leung, P. 87–4089
Robinson, P.B., Krishnamurthy, J. Process optimization using low cost digital instrumentation 86–24344
Robinson, P.E. *see* Malt, A.P.J. 88–23323
Robinson, P.E. *see* Wyatt, T. 88–36793
Robinson, P.F. SCPC equipment for satellite business systems 85–14214
Robinson, P.F. Single-channel-per-carrier access equipment for satellite business systems 85–42505
Robinson, P.F. Single-channel-per-carrier access equipment for the European Communication Satellite multiservice system 85–58078
Robinson, P.F. *see* Fromm, H.-H. 87–28543
Robinson, P.H. *see* D'Aiello, R.V. 88–5880
Robinson, P.H. *see* Russell, J.P. 85–12287
Robinson, P.N. Depth of field for SAR with aircraft acceleration 85–14334
Robinson, R. Lower cost connector for flexible circuits 85–11651
Robinson, R., Ormsby, J. Applying quality control to automatic test processes 88–32602
Robinson, R., Romanelli, A. Evaluation of potential damage following digital in-circuit tests 85–161
Robinson, R. *see* Bassen, H. 86–56180
Robinson, R. *see* Poulson, B. 88–69107
Robinson, R. *see* Ramrus, A. 88–49169
Robinson, R.A. Performance evaluation of a digital readout hyperthermia range ultrasonic wattmeter 85–15346
Robinson, R.A., Pynn, R., Eckert, J. An improved constant-*Q* spectrometer for pulsed neutron sources 86–25152
Robinson, R.H. Digital voice compression 86–43202
Robinson, R.H. Prototyping expert systems–a case study 88–5252
Robinson, R.H. *see* Davis, G.T. 85–42317
Robinson, R.L. *see* Hackler, I.M. 85–59397
Robinson, R.M., Vondrak, R.R. Characteristics and sources of ionization in the continuous aurora 85–51402
Robinson, R.M. *see* Piestrup, M.A. 88–68226
Robinson, R.S., Collins, K.M., West, P.C. No funds? No teachers? Share advanced courses with other schools via interactive cable television 86–17660
Robinson, R.S. *see* Kaufman, H.R. 86–62989, 87–77513
Robinson, R.S. *see* Kerwin, D.B. 86–27952
Robinson, R.S. *see* Stillwell, R.P. 85–61614, 86–32455
Robinson, R.W. Baseline data for boiler diagnostic systems 86–25907
Robinson, R.W. Current trends in fluidized bed boilers 87–4597
Robinson, R.W., Hanson, R.A. Baseline data for boiler diagnostic systems 86–17863
Robinson, R.W. *see* Bender, E.A. 88–49679, 88–63168
Robinson, S. The sweet sound of the future [integrated voice/data communications] 86–43417
Robinson, S.E. The profile algorithm for microwave delay estimation from water vapor radiometer data 88–60001
Robinson, S.E. *see* Paulson, D.N. 87–77633
Robinson, S.H., Shen, J.P. Towards a switch-level test pattern generation program 86–41990
Robinson, S.M. Local structure of feasible sets in nonlinear programming III. Stability and sensitivity 87–23527
Robinson, S.M. *see* Smith, S.L. 88–75809
Robinson, S.R. *see* Cederquist, J. 86–50237, 86–58808

Robinson, T. 32-bit performance [processing] 87−66231
Robinson, T., Turner, S., Paine, K.D. Twenty-one steps to choosing the right IEEE-488 controller 88−35779
Robinson, T. *see* Jones, T.B. 86−59076
Robinson, T. *see* Stattel, P. 88−54305
Robinson, T.A. *see* Majure, R.G. 87−42193
Robinson, T.H. Multimission airborne radar for the 1990s 87−20612
Robinson, T.N., Walters, P.A., Jr. Changing community health behaviors with a health promotion computer network: preliminary findings from Stanford Heath-Net 88−28430
Robinson, T.R., Leigh, R. Evaluation of ionospheric corrections for the ERS-1 altimeter 87−47199
Robinson, T.R. *see* Jones, T.B. 86−59078
Robinson, W. *see* Abdou, E. 86−64529
Robinson, W.A. AR 6A system deployment [radio system] 85−42447
Robinson, W.A. *see* Alley, G.D. 88−52215
Robinson, W.A. *see* Madsen, M.D. 87−28377
Robinson, W.C. *see* McMahon, D.H. 87−62925
Robinson, W.C. *see* Mahapatra, A. 85−56354, 87−12230
Robinson, W.C. *see* Sanford, N.A. 85−35493, 87−46555, 87−54034, 87−60965, 88−7959
Robinson, W.D. *see* Chesters, D. 88−36667
Robinson, W.G. *see* Bates, C.P. 85−57963
Robinson, W.G., III Maintenance of digital radio using remoted performance monitoring 85−14117
Robinson, W.G., III *see* Bates, C.P. 85−42464
Robinson, W.L. *see* Bissinger, H.D. 85−19060
Robinson, W.P., Parker, N.W. Advanced mask repair with the NanoFix 88−13231
Robinson, W.P. *see* Parker, N.W. 86−8715, 87−14703
Robiscoe, R.T. *see* Damas, M.C. 88−71264
Robison, A.D. *see* Edelsbrunner, H. 88−299
Robison, B. *see* Tuffey, P.J. 88−68678
Robison, H., Griffiths, W. Energy storage and heat pumping with liquid desiccants 85−53945
Robison, R. SMD board−testability guidelines 88−57139
Robison, R.L. How to select spring probes for testing PWBs. II 88−32580
Robison, R.W. Advanced digital signal processing techniques and hardware for radio direction-finding applications 87−39835
Robl, F.W., Emanuel, A.S., Van Meter, O.E., Jr. The 1984 National Petroleum Council estimate of potential of EOR for miscible processes 86−39278
Robl, P.E. *see* Thompson, M.A. 88−61184
Robl, R. *see* Ratzka, K. 87−4478
Robl, T. *see* Roskos, H. 86−54110
Robledo, R. *see* Curto, N. 86−39469
Robledo Martinez, A. *see* Hartmann, G. 86−28548
Roblee, J.W. *see* Pimentel, K.D. 87−35462
Roblen, E.De *see* De Roblen, E.
Robles, F. *see* Radosevich, R. 85−5713
Robles, M. *see* Ferrero, J.M. 87−21570, 88−38403
Robles De Medina, E.O. *see* Willems, J.L. 86−11975
Robles-Sotelo, E. *see* Roehrig, H. 88−36159
Robles-Sotelo, E. *see* Seeley, G.W. 88−36544
Roblin, M.L., Gires, F., Grousson, R., Lavallard, P. Recording a volume hologram of a spectral phase law: application to picosecond pulse compression 87−54439
Roblin, M.L. *see* Grousson, R. 88−40374
Roblin, P., Kang, S., Ketterson, A., Morkoc, H. Analysis of MODFET microwave characteristics 87−73684
Roblin, P., Muller, M.W. Time-dependent tunnelling and the injection of coherent Zener oscillations 87−10724
Roblin, P., Rice, L., Bibyk, S.B., Morkoc, H. Nonlinear parasitics in MODFETs and MODFET *I-V* characteristics 88−63903
Roblin, P. *see* Kim, Y.M. 87−25281, 88−64628
Roblin, P. *see* Muller, M.W. 85−34932
Roblin, P. *see* Rohdin, H. 86−53645
Roboam, X. *see* Berry, J.P. 88−68837
Robock, P.V. Stockable plastic semiconductor chip carrier 85−16793
Robortaccio, R. *see* Cavaliere, J.R. 85−7063
Robortaccio, R. *see* Eardly, D.B. 85−22890
Robrock, A.A. *see* Valsecchi, G. 88−52629
Robrock, R.B. *see* Boese, J.O. 88−46593
Robrock, R.B. *see* Hass, K.J. 87−40196
Robson, A.H. Antenna trombone tuner 87−68882
Robson, A.J. *see* Ward, C.R. 85−2696
Robson, B. Surface attachment of custom and standard LSI devices−an overview 85−16809
Robson, D. *see* Grant, M.A. 88−22164
Robson, D. *see* Matthews, N.F. 88−22171
Robson, E.H. Some implications of computing developments for engineering 87−5166
Robson, G. Logic design using behavioural models 85−11148
Robson, G. Automatic placement and routing of gate arrays 85−17069
Robson, G.D. Selecting an IC layout CAD system 85−23848
Robson, J.A.W. *see* Knight, P. 85−2549
Robson, J.M. The development of information seeking behavior in engineering education 88−24429
Robson, M.A. *see* Goodenough, D.G. 86−18611
Robson, M.W. *see* Malherbe, J.A.G. 85−24975
Robson, N.J. Technical authors do it write 88−70071
Robson, P. Using low dimensional structures 87−67055
Robson, P.N. *see* Chand, N. 85−35628, 85−41263
Robson, P.N. *see* David, J.P.R. 86−9090
Robson, P.N. *see* Kendall, P.C. 85−35477, 86−16013, 87−75489, 88−26841
Robson, P.N. *see* Li Kam Wa, P. 85−18679, 85−41190, 87−7096, 87−12234, 87−26550, 88−20405, 88−40352, 88−58186, 88−58213, 88−58650
Robson, P.N. *see* Pape, I.J. 88−64283
Robson, P.N. *see* Powell, A.L. 87−67050
Robson, P.N. *see* Roberts, D.A. 88−64499
Robson, P.N. *see* Schuitemaker, P. 86−63265, 88−38742
Robson, P.N. *see* Stern, M.S. 88−27546
Robson, R.E. Simplified theory of first- and second-order scattering of HF radio waves from the sea 85−24828
Robson, T. High definition−the technical challenge [TV systems] 87−34773
Robson, T.S. The evolution of MAC 85−58288
Robson, T.S. Pioneering Independent Television transmissions 87−28750
Robson, V.R. Three more ways of interconnecting Digital DECnet and IBM SNA a comparative analysis 85−42298
Robu, M. *see* Draganescu, V. 88−14161
Robu, T. *see* Cramariuc, R. 87−59020 to 59021
Robwein, G.J. RAVEN, a 5 kJ, 1.5 MV repetitive pulser 85−5219
Robyn, J.R., Watson, N., Mason, J.H. Application of practical methods for reliability engineering of maintenance program optimization 88−42954
Roca, J. *see* Basanez, L. 87−57507
Roca, J.L. A fast algorithm to formulate Markov system equations 85−5852
Roca, J.L. Reliability analysis of two special three-state devices 85−5853
Roca, J.L. Algebraical algorithm for computing complex systems reliability 85−5854
Roca, J.L. Reliability evaluation of logic circuits 85−44994
Roca, J.L. Introduction to reliability 87−5294
Roca, J.L. An approach in the life cycle cost of integrated logistic support 87−36432
Roca, J.L. Using the results of tests to estimate the reliability of 'one shot' systems 87−51897
Roca, J.L. Analysing the reliability of electronic systems with Markov models 87−65260
Roca, R. A unified network management architecture 88−73474
Roca, R.T. ISDN architecture 86−49089
Roca, R.T., Weber, J.H. The AT&T architecture: evolving to an integrated services digital network 86−64532
Roca, R.T., Weber, J.H. The AT&T architecture: evolving to an integrated services digital network 87−40224
Roca i Cabarrocas, P., Equer, B., Huc, J., Lloret, A., Schmitt, J.P.M. Plasma optimisation for intrinsic and doped a-Si:H films 88−12085
Roca i Cabarrocas, P. *see* Chambouleyron, I. 88−12997, 88−24137
Rocaboy, M. The Rocaboy-Kirchner electric vehicle: design and evolution 85−65563
Rocai Cabarrocas, P. *see* Antoine, A.M. 87−58965
Rocak, D., Hrovat, M., Gorisek, M., Jan, E. Investigation of polymer encapsulation for thick film resistors 87−52881
Rocak, D. *see* Hrovat, M. 87−45305
Rocak, R. Microelectronics in Yugoslavia: state-of-the-art and future trends 87−46062
Rocca, A.V.La *see* La Rocca, A.V.
Rocca, B.A.Della *see* Della Rocca, B.A.
Rocca, C.La *see* La Rocca, C.
Rocca, F. *see* Bellini, S. 86−64314, 88−73041
Rocca, F. *see* Brofferio, S. 87−62879
Rocca, F. *see* Cafforio, C. 87−49642
Rocca, F. *see* Harlan, W.S. 85−25079
Rocca, F. *see* Piacentini, M. 85−41978, 87−75861
Rocca, F. *see* Robert, P. 87−33781
Rocca, F.D.La *see* La Rocca, F.D.
Rocca, F.J. *see* Battistella, F. 88−39040
Rocca, J.J. CW recombination laser in a flowing negative glow plasma 86−15606
Rocca, J.J., Beethe, D.C., Marconi, M.C. Proposal for soft-X-ray and XUV lasers in capillary discharges 88−65584
Rocca, J.J., Mancini, H.L., Wernsman, B. Cd recombination laser in a plasma generated by an electron beam 86−42479
Rocca, J.J., Mancini, H.L., Wernsman, B., Fetzer, G.J. Recombination lasers excited by electron beams 88−8150
Rocca, J.J., Szapiro, B., Verhey, T. High current density hollow cathode electron beam source 87−53098
Rocca, J.J. *see* Boyer, P.K. 88−44700
Rocca, J.J. *see* Emery, K. 85−418
Rocca, J.J. *see* Emery, K.A. 85−49605
Rocca, J.J. *see* Fetzer, G.J. 87−12367
Rocca, J.J. *see* Moore, C.A. 85−12103
Rocca, J.J. *see* Verhey, T.R. 88−1532, 88−44664
Rocca, J.J. *see* Villagran, M. 87−54226
Rocca, J.J. *see* Wernsman, B. 87−17591
Rocca, J.J. *see* Zarnani, H. 86−26912
Roccasecca, D.D. *see* Deimel, P.P. 86−22255
Rocchelli, R., Simonetta, A. Power transistor chips on heat sink: evaluation of different mounting techniques 86−19856
Rocchelli, R., Zanoni, E. Latch-up analysis of CMOS integrated circuits for automotive applications 86−21814
Rocchi, M. Status of the surface and bulk parasitic effects limiting the performances of GaAs ICs 85−40921
Rocchi, M. A critical review of GaAs digital ICs design and performances for computer applications 87−44719
Rocchi, M. GaAs digital IC's for computer applications 87−67299
Rocchi, M. GaAs digital ICs for computer applications 88−32087
Rocchi, M., Chantepie, B., Gabillard, B., Haldemann, G., Debost, J.-P., Andrieux, J.L., Robert, F. A 1.2 GHz frequency synthesizer using a GaAs 20/21/22/23/24 modulus divider 86−14077
Rocchi, M., Chantepie, B., Gabillard, B., Haldemann, G., Debost, J.P., Andrieux, J., Robert, F. A 1.2 GHz frequency synthesizer using a custom-design divide-by-20/21/22/23/24 GaAs circuit 86−34595
Rocchi, M., Gabillard, B., Delhaye, E., Ducourant, T. Digital integrated circuit design 88−56600
Rocchi, M. *see* Andre, J.P. 85−10714, 86−52500
Rocchi, M. *see* Chantepie, B. 86−41013
Rocchi, M. *see* Delhaye, E. 87−24137, 87−52522
Rocchi, M. *see* Gabillard, B. 85−45885
Rocchi, M. *see* Meignant, D. 87−32725
Rocchi, M. *see* Mitonneau, A. 85−55975
Rocchi, O. *see* Babini, G. 85−25683
Rocchi, O. *see* Bostica, B. 86−59741, 87−34319
Rocchi, O. *see* Brosio, A. 88−41404, 88−46715
Rocchi, S. *see* Casini, A. 85−53009, 85−59280
Rocchi, S. *see* Masotti, L. 87−21801
Rocchia, R. *see* Coron, N. 88−36402
Rocchini, C.A. *see* Fioretti, A. 88−9225, 88−21738
Rocchini, C.A. *see* Wilkinson, P.J. 88−21735
Rocci, M. *see* Rocher, C. 87−59468
Rocco, R.E. *see* Moss, B.F. 85−2502
Rocco, T.O. *see* Rudakov, V.V. 88−55642
Rocco, V., Senatore, A., Tuccillo, R. Measurement of air mass flow rate under transient conditions 86−24845
Rocco, V., Senatore, A., Tuccillo, R. A methodology of instantaneous mass flow rate measurements at the intake manifold of an internal combustion engine 88−68089
Roccucci, S., Meneghini, G., Turrini, L. An AC power distribution for satellite 86−12116
Roccucci, S., Turrini, L. An AV power distribution for satellites 87−71254
Rocek, J. *see* Lelek, V. 85−65085
Roch, A. *see* Olcer, S. 85−38923
Roch, M. Periodical safety revaluation of nuclear power plants: whys and wherefores 86−70761
Roch, M. *see* Austin, G.L. 88−15593
Roch, M. *see* Govaerts, P. 86−32998
Rocha, A.P. *see* Lago, P. 85−53085
Rocha, J.R.F.da *see* da Rocha, J.R.F.
Rocha, J.R.F.de *see* de Rocha, J.R.F.
Rocha, L.F. Adaptive signal compression using orthogonal polynomials. I 85−19461
Rocha, L.F. Voice recognition systems 87−56592
Rocha, L.F. Strange attractors in a nonlinear oscillator 88−70591
Rocha, N.P., Alves, J.C., Guedes de Oliveira, P., Sousa Pinto, J. A fast and flexible data communication switch 88−9019
Rocha, N.P. *see* Alves, J.C. 86−30430
Rocha, N.P.da *see* da Rocha, N.P.
Rocha, R. *see* Colvin, J.C. 88−68232
Rocha, R. *see* Fan, M. 88−54306
Rocha, R. *see* Huson, F.R. 86−31828
Rocha, R.L.M. *see* Santana, R.F. 88−55093
Rocha, V.C.Da *see* Da Rocha, V.C.
Rochaix, C. *see* Rolland, A. 88−65503
Rochard, P. Videotex, the inter-bank servants 85−13846
Rochardson, I.F. *see* Norrish, J. 88−37967
Rochas, J.-F. *see* Leroy, Y. 87−41626
Rochat, P. *see* Girardet, P. 87−76026
Rochau, G.E. *see* Cook, D.L. 87−43208
Rochau, G.E. *see* Stinnett, R.W. 87−17441
Roche, A. *see* Josseaux, P. 85−45485
Roche, B. *see* Halter, S.A. 85−43379
Roche, C., Mary, D., Durand, R. French Telecom 1 and TDF 1 satellites 85−30975
Roche, C.T., Strauss, M.G., Brenner, R. Resolution and linearity of Anger-type neutron-position detectors as simulated with different signal processing and optics 85−43202

Roche, C.T. *see* Strauss, M.G. 85–15208, 86–32170
Roche, D., Michaud, J.F., Bruel, M. Outgassing of photoresist during ion implantation 86–35533
Roche, E.M. Transborder data flows: information technology and the global competitive strategies of multinational corporations 86–59684
Roche, F.M. *see* Girard, P. 87–32734
Roche, F.M. *see* Pistoulet, B. 85–11937
Roche, H.R. Clutch-brake eliminates overlap 88–31128
Roche, I.P. *see* Chroboczek, J.A. 86–53352
Roche, J.-L., Molle, M.L. TAP: an independent terminal for microcomputer to mainframe communications 87–28151
Roche, J.-P., Caillon, C. Analog filters come as gate arrays or standard ICs 87–10960
Roche, J.-P. *see* Caillon, C. 86–8368
Roche, J.B., Douglass, D.A. T2 wind motion resistant conductor [overhead line conductors] 86–12466
Roche, J.C. *see* Mandell, M.J. 87–43437
Roche, J.G. Breakthrough in quality education in Ireland 85–32958
Roche, J.P. *see* Caillon, C. 86–8363, 86–46966
Roche, M. *see* Bruno, C. 88–24971
Roche, M. *see* Derive, C. 87–72005
Roche, M.F. *see* Bloom, I. 88–17887
Roche, M.F. *see* Nelson, P.A. 86–40070
Roche, M.Garcia *see* Garcia Roche, M.
Roche, N., Lefervre, D., Robert, P., Jarriand, P., Rondon, J., Lourdeaux, B. Tests on a French adjustable two-stage pump-turbine 85–65176
Roche, P. Logic signature application 85–49796
Roche, P.J., Egan, M.G., Murphy, J.M.D. Intelligent 8096-based multimode control of a variable reluctance motor drive 88–69802
Roche, S.J. *see* McGowan, T.K. 86–40286
Rochefort, M. *see* Burton, P.J. 88–42483
Rochefort, P.A., Brannen, E., Kucerovsky, Z. Pulsed and CW operation of helium-water vapor laser at 28 μm 87–26261
Rochegude, P. *see* Fabre, A. 86–8039, 86–14342, 86–46978, 87–31993, 87–65869
Rocheleau, H. Frozen adhesive advantages in electronic manufacturing 88–64091
Rocheleau, R.E., Hegedus, S.S., Baron, B.N. Properties of intrinsic a-Si film deposited from higher order silanes by chemical vapor deposition 86–34393
Rocheleau, R.E., Hegedus, S.S., Buchanan, W., Tullman, R. Effects of impurities on film quality and device performance in a-Si:H deposited by photo-assisted CVD 88–37494
Rocheleau, R.E., Hegedus, S.S., Buchanan, W.A., Jackson, S.C. Novel photochemical vapor deposition reactor for amorphous silicon solar cell deposition 87–58961
Rocheleau, R.E., Jackson, S.C., Hegedus, S.S., Baron, B.N. Properties of a-Si:H and a-SiGe:H films deposited by photo-assisted CVD 87–16698
Rocheleau, R.E., Meakin, J.D., Birkmire, R.W. Tolerance of CuInSe$_3$ cell performance to variations in film composition and the implications for large cell manufacture 88–37534
Rocheleau, R.E. *see* Hegedus, S.S. 86–7039, 86–67696, 87–36126, 88–37518
Rocheleau, R.E. *see* Russell, T.W.F. 85–21801
Rochelle, A., Mares, E.R. Care and maintenance of large DC motors 87–65016
Rochelle, J.W. *see* Ziegler, N.F. 88–54082
Rochemont, P.de *see* de Rochemont, P.
Rocher, A. *see* Battistella, F. 86–35302, 87–45565
Rocher, A. *see* Charasse, M.N. 88–44631
Rocher, A. *see* Fontaine, C. 87–58926
Rocher, A. *see* Rudra, A. 88–31795
Rocher, C., Maluenda, J., Gabillard, B., Ducourant, T., Prost, M., Rocci, M. Evaluation of the theoretical maximum fabrication yield of GaAs 1 Kbit SRAMs 87–59468
Rocher, C. *see* Chantepie, B. 86–41013
Rocher, C. *see* Delhaye, E. 87–24137, 87–52522, 88–19108
Rocher, C. *see* Ducourant, T. 86–67271, 87–31969
Rocher, C. *see* Gabillard, B. 85–45885, 87–59495, 88–6826
Rocher, E.Y. Roles of monomode fiber in LAN 85–14301
Rocher, E.Y. Applications of monomode fiber to local networks 86–23867
Rocher, E.Y. Information outlet, ULAN versus ISDN 87–48596
Rocher, J.-P. *see* Lambert, C. 88–22060
Rochereau, H. Response of earth electrodes when fast fronted currents are flowing out 88–61975
Rochereau, J. High temperature measurements with a fiber optic pyrometric sensor 87–29341
Roches, L. Zero defects program ensures total product quality for consumer electronics manufacturer 88–31517
Rochester, G.D. The role of the cloud chamber in the strange particle saga 88–61174
Rochester, J., McCann, J.D. Using more than one text editor—a user's point of view 86–45987
Rochester, L.R. Maximum likelihood estimation of point source target amplitude and position in mismatched detector environment 87–47970
Rochester, L.S. *see* Atwood, W.B. 87–21411
Rochester, L.S. *see* Hodges, C. 86–50313
Rochester, L.S. *see* Young, C.C. 86–50316
Rochet, F., Rigo, S., Froment, M., D'Anterroches, C., Maillot, C., Roulet, H., Dufour, G. The thermal oxidation of silicon. The special case of the growth of very thin films 87–17936
Rochet, F., Rigo, S., Froment, M., d'Anterroches, C., Maillot, C., Roulet, H., Dufour, G. The thermal oxidation of silicon. The special case of the growth of very thin films 87–38146
Rochet, J.-C. *see* Amiel, M.-H. 88–34883
Rochette, D., Albarello, A. Very-low-rate speech transmission: implementation of an 800 bit/s vocoder 88–21821
Rochette, D., Mathevon, G., Albarello, A. Real time 800 bits/s linear predictive vocoder for HF communications 88–46764
Rochette, D. *see* Boulay, R. 85–20761
Rochette, D. *see* Potage, J. 87–39817
Rochette, J. *see* Vatus, J. 86–63309
Rochette, J.-F. *see* Jay, P.R. 86–53038
Rochette, J.F. *see* Contour, J.P. 87–73091
Rochette, J.F. *see* Laviron, M. 85–45240, 86–2220
Rochford, K. *see* Assanto, G. 88–65342
Rochier, J. *see* Blanchard, A.J. 88–4611
Rochkind, S. *see* Nissan, M. 88–74857
Rochon, F., Malewski, R., Vaillancourt, G. Acquisition and processing of PD measurement during power transformer testing 85–44065
Rochon, F., Malewski, R., Vaillancourt, G., Gervais, Y. Partial-discharge signal acquisition and processing in electrical tests on large three-phase transformers 85–32570
Rochon, G., Gosselin, C., Rheault, M., Vincent, P., Thomson, K.P.B., Goze Bertin, B., Poirier, S., Cavayas, F. Study on the use of SAR data for agriculture and forestry 87–49182
Rochon, M. Weighing and automation: the indicator gives more than the weight 86–24283
Rochon, P. *see* Wiederick, H.D. 87–58381
Rochow, F., Hardy, A.E. Accuracy of CRT color and luminance measurements with tristimulus colorimeters and silicon-based luminance meters 88–16331
Rochow, F. *see* Dossereck, F. 85–14624
Rochwarger, M.M. *see* Miller, K.S. 85–30347
Rock, B.N. Field and airborne spectral characterization of suspected acid deposition damage in red spruce (Picea rubens) from Vermont 86–18601
Rock, D. IR fiber optics: new tools for the military designer's kit 86–9522
Rock, D., Redus, J., Marr, L., Gohlke, M., Hartnett, D. Falcon Eye forward-looking infrared (FLIR) system 88–30111
Rock, D. *see* Klocek, P. 87–12174
Rock, F. The new MIL electromagnetic compatibility specs 88–8497
Rock, F.C. *see* Regan, R.J. 88–7628
Rock, F.E. EMC issues relative to A 1 MHz switcher 87–31704
Rock, F.E. EMC issues relative to a 1 MHz switcher 87–33460
Rock, I. V-series microprocessors 88–25238
Rock, J.E. *see* Cady, R.C. 85–40092
Rock, K.A. *see* Sime, D.G. 85–52653
Rock, L. *see* Rosenbaum, G. 88–42454, 88–48074
Rock, R., Rosenthal, K. ISDN office communication: communication integration philosophy ensures business success 86–64462
Rock, R.D. *see* Klocek, P. 87–38777
Rockafellar, R.T. Optimization: a case for the development of new mathematical concepts 88–63189
Rockafellar, R.T., Wets, R.J.-B. A Lagrangian finite generation technique for solving linear-quadratic problems in stochastic programming 87–5348
Rockah, Y., Messer, H. Broadband source direction estimation using a circular array 88–73113
Rockah, Y., Schultheiss, P.M. Source localization with two dimensional array subject to uncertainty in sensor location 87–27063
Rockah, Y., Schultheiss, P.M. Array shape calibration using sources in unknown locations. I. Far-field sources 87–39752
Rockah, Y., Schultheiss, P.M. Array calibration: A summary of results 88–4412
Rockah, Y., Shultheiss, P.M. Array shape calibration using sources in unknown locations. II. Near-field sources and estimator implementation 87–61510
Rockah, Y. *see* Messer, H. 88–21267
Rockah, Y. *see* Tuteur, F.B. 87–27501, 88–21236
Rocke, D.M. *see* Shanno, D.F. 86–46249
Rockefeller, G.D. *see* Eriksson, L. 85–38559
Rockefeller, G.D. *see* Feero, W.E. 87–9442
Rockefeller, G.D. *see* Nimmersjo, G. 88–55083
Rockelein, R., Schewe, H. Design of thin-film heads for magnetic recording 88–13692
Rocken, C. *see* Ware, R.H. 87–8993
Rockenfelt, B.R. *see* Kraus, G.D. 85–27717
Rocker, K. Project engineering, construction and commissioning of the Rifaa II gas turbine power station 86–51477
Rockett, A., Barnett, S.A., Greene, J.E. A low-energy, ultrahigh vacuum, solid-metal ion source for accelerated-ion doping during molecular beam epitaxy 85–1484
Rockett, A., Barnett, S.A., Greene, J.E., Knall, J., Sundgren, J.-E. Dopant depth distributions as a function of growth temperature in In-doped Si grown by molecular beam epitaxy 85–55667
Rockett, A., Klem, J., Barnett, S.A., Greene, J.E., Morkoc, H. Si incorporation probabilities and depth distributions in Ga$_{1-x}$Al$_x$As films grown by molecular-beam epitaxy 86–41678
Rockett, A., Klem, J., Barnett, S.A., Greene, J.E., Morkoc, H. Si incorporation and segregation in Ga$_{1-x}$Al$_x$As(100) films grown by molecular beam epitaxy 86–53342
Rockett, A. *see* Greene, J.E. 85–54450
Rockett, A. *see* Hasan, M.-A. 87–44344, 88–11997
Rockett, A. *see* Hirashita, N. 88–43897
Rockett, A. *see* Knall, J. 85–370
Rockett, P., Parish, R.W. A wide-energy range, high-resolution microfocal X-ray source 86–38724
Rockett, P. *see* Hailey, C.J. 85–64523
Rockett, P. *see* Matthews, D. 85–7350
Rockett, P. *see* Watkins, R.E.J. 87–14708, 87–45806
Rockett, P.D. *see* Burkhalter, P.G. 86–22299
Rockett, P.D. *see* Rosen, M.D. 85–24466
Rockett, P.I. Simple technique to improve the computational efficiency of Monte Carlo carrier transport simulations in semiconductors 87–60063
Rockett, P.I. *see* Powell, A.L. 87–53510, 87–67050
Rocketto, H.J., Waldheim, P.A. A leap in productivity—A success story 87–44041
Rockinger, F. Remote operation in the Hicom communications system 87–40562
Rockingham, A.P. *see* Moore, L.F. 86–12543
Rockliff, S.C. *see* Stephens, T.D. 86–11051
Rockoff, A., Raschke, T., Kaufmann, C. The MOSi$_2$-and TaSi$_2$-polycides for solid state circuits metallisations 87–32446
Rockoff, A. *see* Kaufmann, C. 86–28238
Rockoff, A. *see* Temmler, D. 85–39814
Rockot, J.H. Losses in high power bipolar transistors 86–9112
Rockot, J.H. The calculation of transistor losses in motor drive inverters 86–39975
Rockot, J.H. Losses in high-power bipolar transistors 87–38213
Rockower, E.B. Laser beam-quality/aperture-shape scaling relation 86–54187
Rockrohr, C. Important criteria for local area networks 86–30382
Rockrohr, C. Some considerations on local area networks (LAN) 87–40398
Rockrohr, C. Aerials: the wire to the world 87–61480
Rocks, B.F., Riley, C. Automatic analysers in clinical biochemistry 86–38735
Rocks, M. Optical heterodyne reception: the technology of the next but one generation of glass fibre bound optical communication systems 85–47507
Rocks, M. Measurement of bit error rate as a function of optical crosstalk in multimode optical fibre digital transmission systems operating at 140 Mbit/s 86–55291
Rocks, M. Minimum spacing of band-pass filters in optical demultiplexers for unidirectional fiber optic transmission systems 86–64990
Rocks, M. Experiments in optical multiplex operation over single-mode optical fibers using commercial single-mode optical fiber couplers 87–46483
Rocks, M., Gottwald, K. Glass-fibre research projects completed in the West German postal area (in particular Berlin IV) 86–23920
Rocks, M. *see* Giehmann, L. 87–70063
Rockstroh, T.J., Mazumder, J. Infrared thermographic temperature measurement during laser heat treatment 85–48121
Rockswold, G.K. A_0-stable linear multistep formulas of the α-type 87–36624
Rockway, J.W., Logan, J.C., Li, S.T. Extension of shipboard exterior communication design analysis to wideband systems 86–30679
Rockway, J.W. *see* Li, S.T. 86–42971
Rockway, J.W. *see* Lustgarten, M.N. 87–26839
Rockwell, D. AT&T introduces 64-QAM digital microwave radio 85–14090
Rockwell, D.A. Wavelength conversion via stimulated Raman scattering [for remote sensing applications] 87–39243
Rockwell, D.A. A review of phase-conjugate solid-state lasers 88–65836
Rockwell, D.A., Giuliano, C.R. Coherent coupling of laser gain media using phase conjugation 86–36448
Rockwell, D.A., Sumida, D.S. Solid-state laser power scaling using phase conjugation 88–20758
Rockwell, D.A. *see* Mangir, M.S. 86–42504
Rockwell, D.A. *see* Pepper, D.M. 87–26535

Rockwell, D.A. *see* Sumida, D.S. 88—65626
Rockwell, H.P. Computer design of analog DC meter 87—14383
Rockwell, R.J., Jr. Ensuring safety in laser robotics 85—24688
Rockwell, R.J., Jr. Analyzing laser hazards 87—35450
Rockwood, S.D. Development of CO$_2$ and KrF gas lasers as drivers for inertial confinement fusion 85—2245
Rockwood, S.D. Strategic defense initiatives at Los Alamos National Laboratory 86—36628
Rocofyllou, E. *see* Tsamakis, D. 87—37872
Rocque, P. *see* Thibeault, C. 88—38578
Rocquencourt, J. *see* Dubost, G. 88—2789
Roda, G.C., Santarelli, F., Sarti, G.C. A simplified viscoelastic model for the thermal growth of thin SiO$_2$ films 86—2041
Roda, I.M., Valenzuela, M.A. Conversion project of the outside plant telephone registers 88—52774
Rodal, D. *see* Engberg, E. 88—15839
Rodal, E.B. *see* Kelly, W.M. 88—29475
Rodante, F. *see* Pistoia, G. 86—45635
Rodbell, K.P., Rodriguez, M.V., Ficalora, P.J. The kinetics of electromigration 87—60354
Rodbell, K.P. *see* Cottle, J.G. 88—50757
Rodchenkova, L.A. *see* Vasil'ev, M.G. 86—26825
Rodchenkova, V.V., Reva, M.G., Akimov, A.I., Uzhinov, B.M. Use of electron-excitation energy transfer in dye laser active media 85—2256
Rodchenkova, V.V., Tsogoeva, S.A., Muraveva, T.M., Denisov, L.K., Uzhinov, B.M. Effect of polymer matrix on spectral and lasing characteristics of rhodamine 6G 87—18925
Rodchenkova, V.V. *see* Levin, M.B. 87—18921, 87—68401
Rodd, M.G., Deravi, F. Some aspects of real-time in factory communication systems 88—73675
Rodd, M.G. *see* Lings, R.J. 88—6288
Rodd, M.G. *see* Weehuizen, H.F. 88—15146
Rodd, M.G., Muller, K.D. *(editor)* Distributed Computer Control Systems 1986. Proceedings of the Seventh IFAC Workshop 88—11590
Rodda, L., Sechi, G.R. Simulation as a design tool: implementation of systems by means of different technologies 85—54604
Rodda, W.J. Automotive electronics 87—51579
Roddatis, K.F., Shakhsuv-arov, K.V. On the loss to the national economy caused by the lower quality of coal for thermal power stations 87—15410
Rodder, M., Antoniadis, D.A. Comparison of different techniques for passivation of small-grain polycrystalline-Si MOSFETs 86—21560
Rodder, M., Antoniadis, D.A., Scholz, F., Kalnitsky, A. Effects of H$^+$ implant dose and film deposition conditions on polycrystalline-Si MOSFET characteristics 87—32517
Rodder, M. *see* Haller, E.E. 85—23657
Rodder, M.S., Antoniadis, D.A. Hot-carrier effects in hydrogen-passivated p-channel polycrystalline-Si MOSFETs 87—53532
Roddie, A.G. *see* Erasme, D. 87—74873, 88—72144
Roddie, A.G. *see* Henderson, D. 88—65823
Roddier, C. *see* Ribak, E. 88—45557
Roddier, C. *see* Roddier, F. 88—45572, 88—59315
Roddier, F. Triple correlation as a phase closure technique 87—13083
Roddier, F., Roddier, C. Image reconstruction from rotational shear interferograms: laboratory and astronomical results 88—45572
Roddier, F., Roddier, C. Image reconstruction from rotational shearing interferograms 88—59315
Roddier, F. *see* Freeman, J.D. 88—52530
Roddier, F. *see* Ribak, E. 88—45557
Roddier, F. *see* Shaklan, S.B. 87—60884
Roddis, N., Pointon, C. A Ku-band earth terminal designed for experimental and demonstration purposes 88—53219
Roddy, D., Coolen, J. Electronic communications. Third edition 85—22064
Roddy, J. To be or not to be? Cable—the market for interactive and business services 86—24123
Rode, A. *see* Nati, S.F. 86—35917
Rode, A. *see* Rosario, B. 88—44884
Rode, A.G., Roper, J.G. Gallium arsenide digital IC processing—a manufacturing perspective 85—33745
Rode, A.G. *see* Reeder, T.M. 85—672
Rode, B. Early German experiments of radar backscattering of aircraft 85—58189
Rode, B. *see* Hurd, R.A. 86—22640
Rode, C. *see* Biallas, G. 87—70938
Rode, C. *see* Brindza, P. 87—35297
Rode, C.B. Tevatron Cryogenic System 85—26645
Rode, C.H. Cryogenic system for a 100 km superconducting collider 85—52953
Rode, C.H. Implications of the Tevatron operating experience for 1000-W refrigerator systems 86—55949
Rode, C.H., Ferry, B., Fowler, W.B., Makara, J., Peterson, T., Theilacker, J., Walker, R. Operation of large cryogenic systems 86—31850
Rode, C.H. *see* Fisk, H.E. 86—31827
Rode, C.H. *see* Niemann, R.C. 85—37848, 85—59034
Rode, D.L. *see* Ballingall, J.M. 86—52451
Rode, D.L. *see* Esman, R.D. 85—29967, 86—29156
Rode, D.L. *see* Leybovich, I.S. 87—74058, 88—58347
Rode, D.L. *see* Muller, M.W. 85—34932
Rode, D.L. *see* Tsui, R.K. 86—7767
Rode, H. *see* Ghandhi, S.K. 85—39206
Rode, J.P. HgCdTe hybrid focal plane 85—8731
Rode, J.P. *see* Bajaj, J. 85—34565
Rode, J.P. *see* Gertner, E.R. 86—11596
Rode, J.P. *see* Wong, J.Y. 85—58582
Rode, M. Methods for integration of force and motion control components into systems 87—70813
Rode, M. *see* Hillerich, B. 85—63667, 85—63683, 86—4688 to 4689
Rode, M. *see* Krumpholtz, O. 85—52338
Rode, M. *see* Krumpholz, O. 86—4615, 86—30788, 86—30806
Rode, R. *see* Jaeger, D. 86—15932
Rode, V., Moody, J. Advances, trends in small motor production. I 87—22419
Rode, V., Moody, J. Advances and trends in small motor production. II 87—51249
Rode, V.E., Lyalin, A.I., Finkel'berg, S.A., Kavalerov, V.G. Apparatus for measuring thermal-expansion coefficients 86—31652
Rodel, V. *see* Faugeras, P.E. 88—54068
Rodellar, V., Cordoba, M., Gomez, P., Newcomb, R.W. Lattice filter order determination using ARMA spectra of ECG signals 87—7764
Rodellar, V., Peinado, V., Gomez, P., Newcomb, R.W. MA lattice coefficients with application to ECG signal processing 86—50601
Rodellar, V. *see* Newcomb, R. 88—56666
Rodellar Benede, J., Martin Sanchez, J. Adaptive predictive control of a heating tank with variable dead time 86—31692
Rodemeier, R. *see* Bauer, R. 88—45176
Rodemerk, F., Martin, H., Wiesser, H. The information system of reliability work and its application for the computer-aided maintenance of a rolling mill 88—37781
Rodemich, E.R. *see* McEliece, R.J. 86—59186, 87—75663
Rodemich, E.R. *see* Posner, E.C. 87—54827
Rodemich, E.R. *see* Vilnrotter, V.A. 87—39607
Roden, D. Open collector OR gates 85—44996
Roden, J.A., Thomason, V.A. A microcomputer-based speaker-dependent discrete word recognition system 85—63024
Roden, M.S. Digital communication systems design 88—37829
Rodenburg, J.M., McMullan, D. The recording of microdiffraction patterns in scanning transmission electron microscopy 86—14827
Rodenheber, R., Salomon, M., Krappel, A., Guggenmos, J. Ignition timing control circuit for the reduction of nitric oxides emission from motor vehicles 86—33807
Rodenmich, E.R. *see* Statman, J.I. 87—47683
Rodeno, M.J. *see* Garcia, S. 87—9271
Rodenz, G. *see* Klatt, R. 87—35308
Rodenz, G.W. *see* Fraser, J.S. 86—32124
Rodenz, G.W. *see* Warren, J.L. 86—32000
Roder, D., Junge, C. Stations for the geometrical measurement of transit-time coils 87—11298
Roder, G. *see* Grutzmann, D. 87—66585
Roder, H. *see* Gernard, V. 88—11777
Roder, H.-F. *see* Wellhausen, H.-W. 85—46800
Roder, H.F. Bandwide-saving digital transmission with RSB-modulation in broadband distribution-—and community antenna devices 85—52531
Roder, H.F. Vestigial-sideband modulated quaternary signals for signal transmission in cable distribution networks 85—63796
Roder, H.F. Transmission of quaternary signals on symmetrical trunk and subscriber lines 86—48758
Roder, H.F., Bessai, H.J., Lorek, W. Carrier phase distortions in k^2-QAM systems and their equalization 86—59199
Roder, H.F., Fahrendholz, J. Quaternary signal regenerators for high field attenuation ratios 88—21886
Roder, H.F., Wellhausen, H.-W. Comparison of different channel coding methods with bandwidth reduction for the transmission of digital sound and data signals in cable networks 85—26054
Roder, H.W., Rosel, G.S. Strategy for adjustment of the complete boiler control system in power units 86—39560
Roderburg, E., Backer, A., Krieger, H., Mattern, D., Walenta, A.H., Zech, G. The induction drift chamber 87—21409
Roderburg, E. *see* Anderhub, H. 87—21420, 88—22984, 88—29843
Roderburg, E. *see* Commichau, V. 85—43175
Roderburg, E. *see* Walenta, A.H. 88—29845
Roderick, J. *see* Hayes, D.E. 87—78447
Roderick, N. *see* Baker, M.C. 88—58819
Roderick, N.F. *see* Degnan, J.H. 88—43396
Roderick, N.F. *see* Payne, S.S. 87—17443
Roderwieser, D. *see* Lindemann, W. 86—49144
Rodes, C.E. *see* Ott, W.R. 87—4132
Rodes, F. *see* Zardini, C. 87—18156, 88—1267, 88—25737
Rodet, X. Time-domain formant-wave-function synthesis 85—19367
Rodet, X., Cointe, P. FORMES: composition and scheduling of processes 85—20424
Rodet, X., Depalle, P. Synthesis by rule: LPC diphones and calculation of formant trajectories 86—16202
Rodet, X., Potard, Y., Barriere, J.-B. The CHANT project: from the synthesis of the singing voice to synthesis in general 85—19368
Rodewald, A., Kunkel, H., Lutz, M. Interference generated by switching operations and its simulation 86—3570
Rodewald, A., Kunkel, H., Lutz, M., Frey, O. Disturbances caused by switching and their simulation 86—62895
Rodewald, W. Thermal stability and magnetization of Sm(Co, Cu, Fe, Zr)-magnets 85—29470
Rodewald, W. Magnetic properties of Nd$_{15-x}$Dy$_x$Fe$_{77}$B$_8$ alloys 86—21966
Rodger, A.F. *see* Ritchie, W.M. 85—59705
Rodger, A.S., Dudeney, J.R. The variability and predictability of the main F-region trough determined using digital ionospheric sounder data 86—59075
Rodger, A.S. *see* Aarons, J. 88—52230
Rodger, A.S. *see* Stewart, R.D. 86—6110
Rodger, A.S. *see* Williams, P.J.S. 88—53345
Rodger, C.A., Stubbs, S.J. Embedding partial triple systems 87—51967
Rodger, C.A. *see* Hoffman, D.G. 88—49681
Rodger, C.A. *see* Leonard, D.A. 87—68986
Rodger, D. Eddy current problems which include conductors with holes 85—24735
Rodger, D. Computer modelling of eddy current NDT using 3D finite elements 88—43983
Rodger, D. Experience with hierarchical finite elements in 2D electromagnetics 88—52040
Rodger, D. Benchmark problem 3 (the Bath Plate) 88—65961
Rodger, D., Atkinson, N. 3D eddy currents in multiply connected thin sheet conductors 88—52130
Rodger, D., Atkinson, N. Finite element method for 3D eddy current flow in thin conducting sheets 88—58790
Rodger, D., Eastham, J.F. The use of transformations in applying boundary conditions to three-dimensional vector field problems 85—51366
Rodger, D., Eastham, J.F. Characteristics of a linear induction tachometer—a 3D moving conductor eddy current problem 86—44429
Rodger, D., Eastham, J.F. Multiply connected regions in the A-Ψ three-dimensional eddy-current formulation 87—26633
Rodger, D., King, A.F. Three-dimensional finite-element modelling in eddy-current nondestructive testing 87—44423
Rodger, D., Leonard, P.J., Atkinson, N., Lai, H.-C., le Gros Bisson, S. Display of field quantities in a 3D electromagnetics program 88—52053
Rodger, D., Pickering, S., Eastham, J.F. A comparison of results from 1, 2 and 3 dimensional models of a simple linear induction motor 87—15804
Rodger, D. *see* Eastham, J.F. 85—21902, 85—44267, 88—62690
Rodger, D. *see* Leonard, P.J. 88—34235, 88—52100
Rodger, E. *see* Danby, G. 88—52157
Rodger, E. *see* Makdisi, Y. 86—32047
Rodger, K.S. *see* Elliott, M. 85—2607
Rodger, P.M. Magnetron reactive ion etching for integrated opto-electronics 85—40649
Rodgers, A. *see* Roberts, E. 85—58606
Rodgers, A.W. Imaging photon counting, Starlab and Australian space astronomy 85—37479
Rodgers, A.W., van Harmelen, J., King, D., Conroy, P., Harding, P. Large-format photon-counting arrays 88—71290
Rodgers, B. *see* Gunderson, J. 86—56170
Rodgers, B.L. The holistic application of high technology for conversation, writing and computer access aid systems 85—59331
Rodgers, C. *see* Murphy, B.J. 88—67136
Rodgers, D. *see* Kanadjian, A. 87—41354
Rodgers, D. *see* Shepherd, M. 86—46834
Rodgers, D.A. *see* Catalano, G.T. 86—56228
Rodgers, D.N. Early warning system guards against corrosion damage in water/steam systems 85—27237
Rodgers, G.J. Methods for small signal analysis of very large power systems 88—42755
Rodgers, H. *see* Wysoki, J.A. 88—35567
Rodgers, I.R. Remote sensing of power station thermal discharges 87—30137
Rodgers, J. Car alarm 85—27748
Rodgers, J. No standards—so innovate 86—10726
Rodgers, J. Terminals on PSS 86—49243
Rodgers, J. *see* Booske, J.H. 88—51839, 88—72503
Rodgers, J. *see* O'Shea, P.G. 87—29389
Rodgers, J. *see* Sullivan, C.A. 88—66074
Rodgers, J.E. Equipment used in external beam cancer therapy 88—61423
Rodgers, J.E. *see* Rustgi, S.N. 88—10326

Rodgers, J.P. Surface mount design considerations, a designers case study 87-59977
Rodgers, M.M. *see* Cavanagh, P.R. 86-32236
Rodgers, P.M. GaAs-GaAlAs Y-branch interferometric modulator 86-9622
Rodgers, P.M., McIlroy, P.W.A., Ritchie, S., Scott, E.G. Electro-optic directional coupler in $In_{0.52}Al_{0.48}As$ grown on InP by MBE 87-74866
Rodgers, P.M. *see* Aitchison, J.S. 87-75228, 88-2386
Rodgers, P.M. *see* Andrews, D.A. 85-49560
Rodgers, P.M. *see* Henning, I.D. 88-7916
Rodgers, P.M. *see* McIlroy, P.W.A. 87-53984
Rodgers, P.M. *see* Nelson, A.W. 87-10433
Rodgers, P.M. *see* Ritchie, S. 87-7090, 87-32958
Rodgers, P.M. *see* Walker, A.C. 86-42624, 87-33317
Rodgers, P.M. *see* Westbrook, L.D. 88-58354
Rodgers, P.W. *see* Davis, C.M. 88-16895
Rodgers, S. Choosing optical fibre cables 87-49022
Rodgers, S.P. *see* Bhansali, M. 85-22654
Rodgers, T.E., Jr. Multi-helix screw anchors used for transmission line 88-75211
Rodgerson, J.L. *see* Balda, J.C. 88-30683
Rodhammer, P., Kailer, K., Hasele, M. Surface modifications for X-rotary anodes 87-8883
Rodhe, P.M. The bandwidth of a multimode fiber chain 85-41148
Rodhe, P.M. Intramodal part of the transfer function for an optical fiber 85-41149
Rodhe, P.M., Rouhani-Kalleh, A., Andersson, T.G. The geometry of a gate-controlled n-n$^+$-n GaAs wire 88-64626
Rodhe, P.M., Trikopoulos, M. Few parameter method for bandwidth prediction of a fibre chain 85-35444
Rodia, C.M. Precision electroforming for optical disk manufacturing 85-52546
Rodiat, Y. Power distribution control 85-9501
Rodic, M. *see* Pravdic, M. 88-5413
Rodichenko, G.V. *see* Burov, A.A. 87-54280
Rodichkin, V.A. *see* Burtsev, V.A. 88-65808
Rodichkin, V.A. *see* Gamazeishchikov, A.M. 88-65591
Rodichkin, V.A. *see* Kozyuchenok, S.S. 85-46340
Rodick, H. *see* Banse, W. 85-4242
Rodiek, R. *see* Heimburger, T. 87-56509
Rodier, J.C. *see* Cohen Sabban, J. 85-20900
Rodimov, A.P., Glushankov, Ye.I., Davydenko, V.V. A robust algorithm for adjusting the weighting vector of an antenna array 86-43062
Rodimov, A.P., Glushankov, Ye.I., Davydenko, V.V. Analysis of signal processing algorithms in adaptive antenna arrays 86-43064
Rodimov, A.P., Glushankov, Ye.I., Kobin, S.V. Adaptive spatial-temporal processing of radio signals in antenna systems with a synthesized aperture 88-72702
Rodimov, A.P., Nikitchenko, V.V., Konovalov, L.M. A spatial processing algorithm for signals and interference to provide electromagnetic compatibility 88-34693
Rodimov, A.P., Nikitin, S.V., Nikitchenko, V.V. Analysis of the effect of fluctuations of the parameters of short-term interference on the effectiveness of spatial-polarization processing 85-7721
Rodimov, A.P., Popov, A.S. Calculating the potential noise immunity of joint reception of digital signals from several correspondents 88-40898
Rodin, A.M. *see* Veselovskii, I.A. 88-42688
Rodin, A.S. *see* Briskin, A.M. 86-24441
Rodin, E.A., Yakovlev, L.A. An algorithm for the digital measurement of phase 87-61825
Rodin, E.Y. A pursuit-evasion bibliography—version I 87-65318
Rodin, M.E., Hughes, E.A., Morgan, T.A., Gaertner, J.P., Farrell, M.J. Evaluation of an auxiliary feedwater system using reliability centered maintenance 88-11002
Rodin, M.E. *see* Gaertner, J.P. 87-78362
Rodin, S.V. *see* Karpov, E.M. 88-29637
Rodina, L.I. *see* Bobrov, B.D. 86-68457
Rodina, L.I. *see* Kisalev, V.M. 88-20545
Rodina, L.I. *see* Kiselev, V.M. 85-18864, 85-24481
Rodina, L.P., Shoshin, S.A. Calculation of the locking band of tuned microwave oscillators when their parameters are modulated 87-73665
Rodina, L.S. The influence of synchronous-generator magnetic-circuit saturation on static stability 87-64558
Rodina, L.S. Calculating the steady-state processes of power systems containing static reactive-power sources 88-48443
Rodina, L.S. *see* Venikov, V.A. 85-32946, 86-25941
Rodine, T.G. *see* Stever, S.D. 86-70160
Rodini, B.T., Jr. *see* Ismail Abdel-Latif, A. 86-38887
Rodinis, D., Ban, D., Saban, I., Pavusek, V. HV motors for nuclear power plants 86-61227
Rodinis, D. *see* Ban, D. 88-11225
Rodink, R. *see* Geerlings, J.J.C. 87-8836
Rodinkov, N.N. *see* Lipovetskii, S.D. 85-27842
Rodinov, A.M. A new type of filter—prototype for designing digital filters 87-59724
Rodionov, A.G. *see* Gostev, V.I. 87-16895
Rodionov, A.M. Use of functional equations with after-effect for designing digital filters 86-34989
Rodionov, A.S. Analysis of oscillations of high-speed tracked transport vehicles in the pitch symmetry plane 85-39262
Rodionov, A.S., Astakhov, V.I. Analysis of vertical oscillations of high-speed ground transport with an electrodynamic suspension over a finite-width bed 86-51990
Rodionov, A.V. *see* Afanas'ev, S.M. 87-32237
Rodionov, A.V. *see* Belov, N.A. 87-11719
Rodionov, A.V. *see* Borodkin, A.I. 88-71039
Rodionov, A.V. *see* Il'chev, E.A. 85-40773
Rodionov, A.V. *see* Il'ichev, E.A. 87-6481
Rodionov, A.Yu. *see* Dimakov, S.A. 87-68361
Rodionov, A.Yu. *see* Galushkin, M.G. 86-3238
Rodionov, A.Yu. *see* Zavgorodneva, S.I. 87-12525
Rodionov, B.U. *see* Anisimov, S.N. 86-18246
Rodionov, B.U. *see* Bolozdynya, A.I. 86-60613
Rodionov, B.U. *see* Goleminov, N.G. 87-29513
Rodionov, D.A. *see* Blistanov, A.A. 87-54409
Rodionov, E.M., Trofimyuk, L.A. Procedure and facilities for technical diagnosis of instruments according to moment characteristics 87-63215
Rodionov, E.P. *see* Vinogradova, T.A. 86-22204
Rodionov, G.D. *see* Bogdanov, V.L. 88-58490
Rodionov, I.D. *see* Leiman, V.G. 85-7590
Rodionov, I.Yu. *see* Andronov, O.I. 88-63514
Rodionov, L.V. *see* Paskhin, V.M. 85-56074
Rodionov, N.B. *see* Goryachev, S.B. 86-36381
Rodionov, N.E. *see* Kotov, Yu.A. 87-41662
Rodionov, V.I. *see* Bykov, A.D. 87-68347
Rodionov, V.I. *see* Galushkin, M.G. 86-63757
Rodionov, V.I. *see* Vorob'eva, N.N. 85-24477
Rodionov, V.V. Detection of coherent pulsed radar signals with random pulse-to-pulse variations to transmitted signal parameters in the presence of most unfavorable Gaussian interference 85-42637
Rodionov, V.V. *see* Kantserov, V.A. 88-36091
Rodionov, Y.A. *see* Avtjushkov, A.P. 88-6523
Rodionova, I.V. *see* Gordov, A.N. 85-60520
Rodionova, N.V. *see* Morosov, V.A. 86-15959
Rodionova, V.M. *see* Kucheryavyy, A.Ye. 86-48714
Rodionova, V.N., Slepyan, G.Ya. The Q factor of a cylindrical cavity with a coaxial protrusion 88-19339
Roditi, E. *see* Avaritsiotis, J.N. 88-450
Rod'kin, D.I. Control of current harmonics in the power supplies of mine installations 85-16533
Rod'kin, D.I., Desyatnyuk, V.N. Evaluation of the characteristics of linear modulation of the rectified current of a valve motor 85-15991
Rod'kin, D.I. *see* Desyatnyuk, V.N. 85-32512
Rod'kin, D.I. *see* Shchuka, Yu.V. 85-43574, 88-11544
Rodkin, V.S. *see* Dmitriev, V.A. 87-33068
Rodl, V., Tovey, C. Multiple optima in local search 87-65348
Rodl, V. *see* Erdos, P. 86-66689
Rodl, V. *see* Frankl, P. 86-66691, 87-31407, 88-49603, 88-49668
Rodl, V. *see* Gyarfas, A. 87-72932
Rodl, V. *see* Komjath, P. 86-62032
Rodl, V. *see* Maehara, H. 88-56129
Rodl, V. *see* Preiss, D. 87-10254
Rodl, V. *see* Promel, H.J. 86-66702
Rodloff, R. Laser gyroscope with optical resonator geometry 85-35938
Rodloff, R. The laser gyro. Influence of ring laser geometry on gyro performance 85-62700
Rodman, D. *see* Biermann, A.W. 85-52594
Rodman, J.A. *see* McKenzie, J.L. 85-31579
Rodman, L.C. *see* Bell, J.H. 86-38616
Rodman, R. *see* Moody, T. 88-72872
Rodman, R.D., Joost, M.G., Moody, T.S. Performance evaluation of connected speech recognition systems 88-72871
Rodman, S.M., Dean, R.K. Teaching engineers; is there a better way? 85-33004
Rodman, S.M. *see* Dean, R.K. 87-51772
Rodman, S.M. *see* Rosati, P. 88-70049
Rodnov, Yu.V. *see* Alde, D. 88-47996
Rodnov, Yu.V. *see* Binon, F. 86-65395
Rodnyanskii, L.S. *see* Linetskii, S.B. 87-22917
Rodot, M., Barbe, M., Bouree, J.E., Perraki, V., Revel, G., Kishore, R., Pastol, J.L., Mertens, R., Caymax, M., Eyckmans, M. Thin film solar cells using impure polycrystalline silicon 87-72424
Rodot, M., Bouree, J.E. Metallisation by laser assisted CVD 86-15077
Rodot, M., Sharma, K.K. On interface state formation and barrier height control in metal-semiconductor Schottky diodes 87-24940
Rodot, M. *see* Bouree, J.E. 86-45717
Rodot, M. *see* Bremont, M. 87-51111
Rodot, M. *see* Caymax, M. 88-18026
Rodot, M. *see* Kishore, R. 88-37566
Rodricks, B.G. *see* Akerlof, C.W. 87-77550
Rodrigo, F.A. *see* Sedney, M.I. 86-38800
Rodrigo, H. Velocity measurements in mixtures of SF_6 and N_2 in non-uniform field gaps under positive impulse voltage 88-39754
Rodrigo, H. *see* Christophorou, L.G. 85-24002, 85-29365
Rodrigue, G. Technology leads to high-speed modems 88-35267
Rodrigue, G., Hall, D. Chip technology will drive high-speed modems 87-40533
Rodrigue, G., Hall, D. Chips to drive high speed modems 87-48754
Rodrigue, G.P. A generation of microwave ferrite devices 88-33542
Rodrigue, G.P. *see* Harrison, G.R. 87-73651
Rodrigue, G.P. *see* Thompson, S.B. 86-20794
Rodrigues, A. Driver ICs interface μPs with vacuum-fluorescent displays 85-26215
Rodrigues, A.C. Advances in arc welding power source technology 85-65669
Rodrigues, A.C. Secondary controlled welding power sources 87-22937
Rodrigues, A.J. *see* de Sa, L. 88-42005
Rodrigues, A.Leao *see* Leao Rodrigues, A.
Rodrigues, A.M. New developments in low energy electron beam technology 87-50038
Rodrigues, J.M.P., Maclean, T.S.M., Gazey, B.K., Miller, J.F. Variation of coupling ratio in graded-index couplers as a function of physical characteristics of fibre 85-29541
Rodrigues, J.M.P., Maclean, T.S.M., Gazey, B.K., Miller, J.F. Completely fused tapered couplers: comparison of theoretical and experimental results 86-42246
Rodrigues, J.M.P., Maclean, T.S.M., Gazey, B.K., Miller, J.F. Parabolic shape of a tapered fused coupler: comparison with experiment 87-53949
Rodrigues, J.S., Almeida, L.B. Harmonic coding at 8 Kbits/sec 87-62721
Rodrigues, J.S. *see* Trancoso, I.M. 88-66313, 88-66424
Rodrigues, L. *see* Verissimo, P.J. 88-35165
Rodrigues, M.A., Rao, R., Wolf, J.K. Multi-group random access system 87-55560
Rodrigues, M.G. *see* Browse, R.A. 87-62344
Rodrigues, M.J. *see* D'Almeida, F.D. 88-11911
Rodrigues, P., Fratta, L., Gerla, M. Tokenless protocols for fiber optic local area networks 86-23463
Rodrigues, P. *see* Gerla, M. 85-13963, 85-63655
Rodrigues, P.A., Fratta, L., Gerla, M. Token-less protocols for fiber optics local area networks 85-19854
Rodrigues, P.H.Aguiar *see* Aguiar Rodrigues, P.H.
Rodrigues, R. *see* Collares-Pereira, M. 88-24155
Rodrigues, R. *see* Davies, P. 88-1736
Rodrigues, V., Castan, S., Pailhes, L.M. Displacement vector field computation by temporal covariance model 86-10579
Rodrigues Cadete, M.O. A note on piecewise blending function interpolation applied to networks of curves in R^3 87-44199
Rodriguez, A. Alternating current measurements 87-49872
Rodriguez, A. Frequency and time-interval meters. I 87-63450
Rodriguez, A. Time and frequency counters. 2 88-10094
Rodriguez, A., Nour, H., Wang, F., Dale, S.J. Effect of insulator surface temperature on the flashover voltage of outdoor insulators 86-63485
Rodriguez, A. *see* Carter, B.J. 85-53805
Rodriguez, A. *see* Correig, X. 88-18069
Rodriguez, A. *see* Martinez-Duart, J.M. 85-29340
Rodriguez, A.G. Engineering technology transfer experience gained from the Spanish nuclear program 86-39439
Rodriguez, A.Ibanez *see* Ibanez Rodriguez, A.
Rodriguez, A.M.A., Rubio, J.J.L. Calculation of electromagnetic couples by using the voltage dip method, and its application to design of a supervision system of turbogenerator shafts fatigue 88-5655
Rodriguez, C. *see* Beivide, R. 88-11875
Rodriguez, C. *see* Richier, J.L. 88-21429
Rodriguez, C.C., Van Ryzin, J. Large sample properties of maximum entropy histograms 87-27115
Rodriguez, C.E. *see* Vincent, A.B. 85-7305
Rodriguez, E. Three dimensional numerical scattering from oceanlike surfaces 88-5191
Rodriguez, E., Chapman, B., Chi, C.-Y., Liu, E. Deconvolution of sea state parameters from altimeter waveforms 88-10569
Rodriguez, E., Im, K.E., Li, F.K. Evaluation of land altimetry systems 87-57359
Rodriguez, E. *see* Elachi, C. 88-10521
Rodriguez, E. *see* Studer, P. 86-38908
Rodriguez, E.Cortes *see* Cortes Rodriguez, E.
Rodriguez, E.J. *see* Feiner, A. 85-36570
Rodriguez, E.Santos *see* Santos Rodriguez, E.
Rodriguez, E.T. Microswitchmode; cost effective RF resonant power modules for high density, high efficiency distributed power system 86-51783

Rodriguez, F., Groele, R.J., Krasicky, P.D. Dissolution rates of thin polymer films using laser interferometry 86—1884
Rodriguez, F., Krasicky, P.D., Groele, R.J. Dissolution rate measurements 85—50645
Rodriguez, F. *see* Anderson, C.C. 85—34720
Rodriguez, F. *see* Leon, G. 88—3413
Rodriguez, F. *see* Namaste, Y.M.N. 87—11884, 88—13269
Rodriguez, F.D., Chen, J.E. A SPICE model of a 2-phase permanent magnet step motor 88—55389
Rodriguez, F.D., Wasynczuk, O. A refined method of deriving reduced order models of induction machines 87—51199
Rodriguez, F.D., Wasynczuk, O. A method of representing isolated operation of a group of induction motor loads 87—78663
Rodriguez, F.D. *see* Chen, J.E. 88—55499
Rodriguez, F.D. *see* Krause, P.C. 87—42934
Rodriguez, G., Martinez, G., Rivera, P. Fault tree analysis approach to build knowledge bases for engineering applications 87—78328
Rodriguez, G. *see* Gonzalez, S. 85—27384
Rodriguez, G. *see* Sarmina, I. 88—61990
Rodriguez, G.D., DeHaven, N.J., Cole, J.F., Carr, D.S., Schainker, R.B., Morris, D.I. Chino storage plant tests battery potential 87—51439
Rodriguez, G.D. *see* Hingorani, N.G. 88—23484
Rodriguez, G.E. *see* Anand, D.K. 87—42054
Rodriguez, G.P. *see* Butler, P.C. 85—49075
Rodriguez, I., Villagran, R.G., Trueba, A., Perez, J., Dorta, P. An innovative 22 GHz digital multi-channel radio link 88—60015
Rodriguez, I. *see* Dorta, P. 88—73802
Rodriguez, J. A four quadrant three pulse transistor rectifier 85—27540
Rodriguez, J. A four-quadrant transistor rectifier in bridge connection with sinusoidal input currents 86—40908
Rodriguez, J. High performance DC motor drive using a PWM rectifier with power transistors 87—22400
Rodriguez, J. S-parameters and device measurements and characterisation 87—65786
Rodriguez, J. A simple control method for a switching rectifier with power transistors 88—17632
Rodriguez, J., Barba, D. Picture coding scheme based on a two-component model 85—51797
Rodriguez, J., Cagigal, C., Garcia, J.L. Power dividers at optical frequencies: directional couplers and symmetrical Y-junctions 88—58210
Rodriguez, J., Faure, C. Learning waveform structures from examples 87—47851
RodriGuez, J., Kastner, G. Fast measurment of active and reactive power in three-phase systems 87—49875
Rodriguez, J., Prieto, A. Design and performance of π guide directional couplers with very flat couplings 85—34145
Rodriguez, J., Prieto, A. Wide-band directional couplers in dielectric waveguide 87—66479
Rodriguez, J., Prieto, A., Solano, M.A. Theoretical and experimental study of tapers and transitions on dielectric waveguides 88—56848
Rodriguez, J., Solano, M.A., Prieto, A. Discontinuities in shielded dielectric guides 87—73591
Rodriguez, J. *see* Ardiaca, R. 87—46331
Rodriguez, J. *see* Kastner, G. 86—61659
Rodriguez, J. *see* Prieto, A. 87—17328, 87—32036, 88—2663
Rodriguez, J. *see* Solano, M.A. 87—25916, 88—19330
Rodriguez, J. *see* Vallet, M. 88—57919
Rodriguez, J.A. Rotary heads: new directions for tape backup 88—44986
Rodriguez, J.A. Conductance testing by current injection 88—61940
Rodriguez, J.A., Balza, J.J. Simplified use of the IEEE 488 bus for instrumentation control 88—60533
Rodriguez, J.A.Mendez *see* Mendez Rodriguez, J.A.
Rodriguez, J.E.Arias *see* Arias Rodriguez, J.E.
Rodriguez, J.Gavino *see* Gavino Rodriguez, J.
Rodriguez, J.J. An improved bit-reversal algorithm for the fast Fourier transform 88—70291
Rodriguez, J.J., Aggarwal, J.K. Quantization error in stereo imaging 88—73303
Rodriguez, J.J., Lim, J.S., Singer, E. Adaptive noise reduction in aircraft communication systems 87—61935
Rodriguez, J.L. *see* Hughes, R.C. 87—70573
Rodriguez, J.L.Pinillos *see* Pinillos Rodriguez, J.L.
Rodriguez, J.M. A portable computer access architecture for the defense data network 87—55795
Rodriguez, J.S.Acosta *see* Acosta Rodriguez, J.S.
Rodriguez, L.Sanz *see* Sanz Rodriguez, L.
Rodriguez, M., Iglesias, E., Martinez, R., Munoz, E. Alternatives to speech synthesis: applications of linear predictive coding 85—13519
Rodriguez, M., Olabe, J.C., Santos, A., Munoz, P., Villaseca, I., Munoz, E., Martinez, M., Quilis, A. Global view of oral response by machines 85—13518
Rodriguez, M.A., Carrillo, J.L., Reyes, J. Kinetic of the relaxation process of carrier distributions in semiconductors 85—34451
Rodriguez, M.A., Kuo, S.M. Optimized adaptive frequency-sampling line enhancer 87—7761
Rodriguez, M.A. *see* Kuo, S.M. 86—1206, 88—34728
Rodriguez, M.D. *see* Chang, W.-H. 87—53523
Rodriguez, M.D. *see* Sun, J.-Y.-C. 87—32563
Rodriguez, M.J. *see* McClendon, H.M. 88—2647
Rodriguez, M.J.Sanchez *see* Sanchez Rodriguez, M.J.
Rodriguez, M.L. The situation of nuclear energy in Spain 88—10969
Rodriguez, M.V. *see* Rodbell, K.P. 87—60354
Rodriguez, N., Torroba, R.D., Gallardo, M., Garavaglia, M. Holographic nondestructive testing by an optically generated zone plate 86—58976
Rodriguez, N.M. Application of temporal spectral analyzer in characterizing electron flash sources used in photographic systems 85—26253
Rodriguez, P. *see* Fernandez, A. 88—52376
Rodriguez, R., Zadunaisky, P.E. A stable method to estimate perturbations in differential equations 87—31458
Rodriguez, R. *see* Picton, T. 88—61353
Rodriguez, R. *see* Ranea-Sandoval, H.F. 86—68422
Rodriguez, R. *see* Wilson, R. 87—50101
Rodriguez, R.de Sadaba *see* de Sadaba Rodriguez, R.
Rodriguez, R.N. *see* Johnson, N.L. 88—43721
Rodriguez, S. *see* Anderhub, H. 87—21420
Rodriguez, T. *see* Sangrador, J. 85—61675
Rodriguez, T.R. Semiconductors II-VI for detection of infrared radiation 87—63422
Rodriguez, V., Gigord, P., de Gaujac, A.C., Munier, P., Begni, G. Evaluation of the stereoscopic accuracy of the SPOT satellite 88—68619
Rodriguez de la Torre, I. General description of control gear and transformers for resistance welding equipment 85—27866
Rodriguez Fernandez, J., Gomez Sal, J.C. The effects of contact placement and sample shape on the measurement of electrical resistivity studied by means of the three-dimensional finite-element method: application to anisotropic samples 88—60865
Rodriguez Pozueta, M.A., Sanz Feito, J. Two dimensional finite element analysis of linear induction motor unbalances 88—17654
Rodriguez Resco, J.A. A military integrated network 87—13240
Rodriguez Tellez, J., Brown, D.J. Data acquisition and modelling program for high speed discrete and VLSI devices 88—64490
Rodriguez-Corral, G., San Emeterio, J.L., Gallego-Juarez, J.A. Focused high-power ultrasonic transducer with stepped-plate radiator for industrial application in gases 88—16968
Rodriguez-Murcia, H. Telecommunication and professional uses of photovoltaics 88—14969
Rodriguez-Ramos, W.E. Quantitative building site management 87—43869
Rodriguez-Vazquez, A., Huertas, J.L. On a class of SC resistors and its application to the synthesis of non-linear driving-point and transfer-characteristic plots 86—7917
Rodriguez-Vazquez, A., Huertas, J.L., Perez-Verdu, B. High-frequency design of RC-oscillators using active-compensated amplifiers 87—549
Rodriguez-Vazquez, A., Huertas, J.L., Perez-Verdu, B. High-frequency design of the Wien-bridge oscillator using composite amplifiers 87—44653
Rodriguez-Vazquez, A., Rueda, A., Huertas, J.L., Dominguez-Castro, R. Switched-capacitor neural networks for linear programming 88—44312
Rodriguez-Vazquez, A., Rueda, A., Perez-Verdu, B., Huertas, J.L. Novel electronic chaos generators using nonlinear switched-capacitor circuits 87—65793
Rodriguez-Vazquez, A., Rueda, A., Perez-Verdu, B., Huertas, J.L. Chaos via a piecewise-linear switched-capacitor circuit 87—73528
Rodriguez-Vazquez, A. *see* Heurtas, J.L. 85—17126
Rodriguez-Vazquez, A. *see* Huertas, J. 85—17123
Rodriguez-Vazquez, A. *see* Huertas, J.L. 85—11476, 85—40172, 86—62462, 86—67326, 87—32028
Rodriguez-Vazquez, A. *see* Perez-Verdu, B. 88—63536
Rodriguez-Vazquez, A. *see* Rueda, A. 85—54622, 85—54627
Rodriguez-Vazquez, A.B., Heurtas, J.L., Chua, L.O. Chaos in switched-capacitor circuit 86—694
Rodriguez-Vazquez, A.B. *see* Huertas, J.L. 85—45154
Rodriguez-Ventosa, F. Semicustom ICs: gate-arrays, standard cells and silicon foundry 85—29300
Rodriguez-Vidal, M. *see* Martil De La Plaza, I. 85—22539
Rodriquez, A., de la Rosa, R., Wu, C.Y., Cheng, T.C., Dommel, H.W. Dynamic insulation in transmission-line design 85—21200
Rodriquez, F. *see* Trussell, H.J. 86—16546
Rodriquez, J., Kastner, G. Nonlinear current control of an inverter-fed induction machine 87—72146
Rodriquez, J.L. *see* Renschler, C.L. 87—74153
Rodriquez, N. *see* Chan, H. 87—44855
Rodway, D. AES, photoemission and work function study of the deposition of Cs on (100) and (111)B GaAs epitaxial layers 85—18014
Rodway, D.C. *see* Astles, M. 87—31523
Rodwel, M.J.W. *see* Weingarten, K.J. 88—39731
Rodwell, M.J.W., Bloom, D.M., Auld, B.A. Nonlinear transmission line for picosecond pulse compression and broadband phase modulation 87—32590
Rodwell, M.J.W., Madden, C.J., Khuri-Yakub, B.T., Bloom, D.M., Pao, Y.C., Gabriel, N.S., Swierkowski, S.P. Generation of 7.8 ps electrical transients on a monolithic nonlinear transmission line 88—20022
Rodwell, M.J.W., Riaziat, M., Weingarten, K.J., Auld, B.A., Bloom, D.M. Internal microwave propagation and distortion characteristics of travelling-wave amplifiers studied by electrooptic sampling 87—17360
Rodwell, M.J.W., Riaziat, M., Weingarten, K.J., Bloom, D.M. Internal microwave propagation and distortion characteristics of travelling-wave amplifiers studied by electro-optic sampling 87—6114
Rodwell, M.J.W., Weingarten, K.J., Bloom, D.M. Picosecond sampling of integrated circuits 87—46135
Rodwell, M.J.W., Weingarten, K.J., Bloom, D.M., Baer, T., Kolner, B.H. Reduction of timing fluctuations in a mode-locked Nd:YAG laser by electronic feedback 87—18946
Rodwell, M.J.W., Weingarten, K.J., Freeman, J.L., Bloom, D.M. Gate propagation delay and logic timing of GaAs integrated circuits measured by electro-optic sampling 86—40987
Rodwell, M.J.W. *see* Bloom, D.M. 88—993, 88—997
Rodwell, M.J.W. *see* Freeman, J.L. 86—35821
Rodwell, M.J.W. *see* Kolner, B.H. 87—26237
Rodwell, M.J.W. *see* Madden, C.J. 88—56917
Rodwell, M.J.W. *see* Weingarten, K.J. 85—55135, 86—47747, 87—73783, 88—38760
Rodwell, R., Worrall, D.A. Quality control in ultrasonic wire bonding 85—45340
Rodwell, R., Worrall, D.A. Quality control in ultrasonic wire bonding [microelectronic devices] 86—26660
Rodwell, R.G., Lowe, V.A. High power pulsed power supply 87—15913
Rodyakin, V.A. *see* Aulchenko, V.M. 87—21406
Rodyakin, V.E. *see* Lopukhin, V.M. 87—17607
Rodygin, L.V., Smorgonskiy, A.V. Frequency conversion in a klystron-type device 88—1323
Roe, A.L. *see* Warburton, W.K. 86—60566
Roe, B. *see* Homa, J. 86—64679
Roe, B. *see* Wile, G. 85—51932
Roe, D.B. Speech recognition with a noise-adapting codebook 87—61717
Roe, D.B. *see* Gorin, A.L. 88—66402
Roe, G. The custom approach to broadcast routing 87—28741
Roe, G. Routing digital video [switchers] 88—60428
Roe, G.D. Video routing switchers going digital 85—31207
Roe, G.D., Caine, C.R. Signal routing in a digital sound studio 87—13841
Roe, G.D., Caine, C.R. Audio routing in an integrated digital studio 87—28808
Roe, J. *see* Cussons, S. 88—54826
Roe, K., Soohoo, R.E. Longitudinal and perpendicular magnetic thin film media noise 87—25817
Roe, K.D. *see* Coughlin, L.M. 86—40449
Roe, K.D. *see* Hermann, K. 85—10513
Roe, K.K., Oliker, I. Economic feasibility of heat supply from nuclear power plants in the United States 88—30473
Roe, M. *see* Natarajan, S. 85—23016
Roe, M.G. *see* D'Souza, A.I. 87—74037
Roe, M.J. Electric Bo-Bo-Bo locomotives for New Zealand Railways 88—49237
Roe, M.M. *see* Albery, W.B. 88—4982
Roe, P.H. *WATSTAR/pc: a high performance microcomputer network 85—47253
Roe, P.H. Using a local area network for integration of computers into the curriculum: WATSTAR/pc—the University of Waterloo experience 88—24482
Roe, P.H.O'N., Wilson, J.G. The evolution of WATSTAR, a microcomputer network 85—3212
Roe, P.J. *see* Wharf, J.H. 87—77747
Roe, R. Standard cell ASIC technology at BAe plc army weapons division 87—722
Roe, S. The T800: a 32 bit, 10 MIPS transputer with on chip floating point hardware 88—816
Roe, S. *see* Ellison, J. 88—4801
Roebuck, C.A. *see* Martin, J.G. 87—5037
Roebuck, R. *see* Pavio, J. 85—34409
Roeck, W.W. *see* Qu, L.Z. 86—50509
Roeckel, J. *see* Noblet, P. 85—27711

Roeckel, J.-M., Noblet, P., Perret, R., Roye, D. Unfailing drive of an assembly bridge rectified DC machine supplied by a three-phase network with voltage dips 87—43083
Roecken, C. *see* Getting, I.C. 87—73190
Roecker, J.A., McGillem, C.D. Target tracking in maneuver centered coordinates 88—60214
Roeckl, E. *see* Armbruster, P. 88—36393
Roeckl, E. *see* Kirchner, R. 85—37866
Roeckner, W.J. *see* Kosel, P.B. 87—18182, 87—53411
Roed, L.P. *see* Hackett, B. 88—48341
Roedel, R.J., Erkaya, H.H., Edwards, J.L. Sputtered dielectric films for GaAs diffusion masks 88—57431
Roedel, R.J. *see* Ageno, S.K. 86—15017
Roedel, R.J. *see* Erkaya, H.H. 86—8988
Roedel, R.J. *see* Graham, R.J. 88—32925
Roedel, R.J. *see* Holm, P.M. 86—7113
Roeder, A., Degen, R., Nedelko, U. Commissioning Leibstadt nuclear power plant 86—61239
Roeder, A., Rolli, F. Reliability of the basis of calculation of thermal consumption for sets of steam turbine rotors 85—27295
Roeder, A., Schlacter, W., Svoboda, R. Approaches to improve availability on local, compact and system level from the supplier's view 86—51234
Roeder, B.J. *see* Isnardi, M.A. 88—29069, 88—41835, 88—47259
Roeder, D. A new technique for field service 87—1052
Roeder, H. *see* Gernand, U. 85—54163
Roeder, J.L. *see* Mizera, P.F. 86—32537
Roeder, J.M. Stereoscopic and autostereoscopic television: compatible processes 86—65057
Roeder, P.J., Dorfman, J.R., Lantzer, T.D. Fabrication of high-performance, leaded, ceramic-chip carriers using a photoformable gold conductor 88—63058
Roeder, R.L. *see* Rhodes, D.D. 86—43903
Roeder, R.S., Teti, J.J., Jr. Millimeter wave passive and active sensors for terrain mapping 88—22560
Roeder, S.B.W. *see* Rath, A.R. 85—34222
Roederer, A. Satellites antennas for direct television broadcasting 85—47472
Roederer, A. A foldable multibeam array for satellite communications 86—68934
Roederer, A. L-band antennas for regional mobile communication satellites 87—12812
Roederer, A. *see* Alexander, M.J. 87—45208
Roederer, A. *see* Doro, G. 85—13413
Roederer, A.G. *see* Crone, G.A.E. 85—13312
Roedern, B.von *see* von Roedern, B.
Roef, P. Attention focuses on optical fibre biosensors 87—63725
Roefs, H.F.A. *see* Gerritsen, F.A. 86—32453
Roeger, B., Morrison, R. Laser inspection system provides process control data 87—53024
Roehl, J.E. A microprocessor controlled chemical detection and alarm system based on ion mobility spectrometry 85—43494
Roehl, J.E. Microprocessor controlled chemical detection and alarm system based on ion mobility spectrometry 86—24823
Roehler, E., Rotterdam, R. The first large pebble bed HTR is commissioned 86—61260
Roehm, E.A. *see* Kloss, D.A. 87—50419
Roehm, S. *see* Anneberg, L. 87—60536
Roehr, B. Hardening power supplies to line voltage transients 86—52679
Roehr, B. Hardening power supplies to line voltage transients 87—23919
Roehr, B. An effective transient and noise barrier for switching power supplies 87—31705
Roehr, B. Chopper power supplies. An effective protection against transients and noise 87—36963
Roehr, B. An effective transient and noise barrier for switching power supplies 87—51374
Roehr, B. How to design reliable power switches in power converters 88—17753
Roehr, B., Hartwig, B. Relationship of switching speeds and RBSOA to base circuit drive conditions 88—75849
Roehr, B. *see* Cathell, F. 87—44603
Roehr, B. *see* Paul, J.D. 85—35011, 86—41834
Roehr, W. Message-handling protocols 86—64689
Roehr, W. ISDN—is it enough to satisfy military needs? 88—21796
Roehr, W.C., Jr. Inside SS No.7: a detailed look at ISDN's signaling system plan 86—17143
Roehrich, R.R. Transfer of technology through continuing education: a case for individualized instruction 87—23093
Roehrig, H., Ovitt, T.W., Dallas, W.J., Lamoreaux, R.D., Vercillo, R., McNeill, K.M. Development of a high resolution X-ray imaging device for use in coronary angiography 88—23053
Roehrig, H., Seeley, G.W., Dallas, W.J., Robles-Sotelo, E., Cannon, G., Yocky, D., Lamoreaux, R.D., Vercillo, R. Physical evaluation of CRT displays 88—36159
Roehrig, H. *see* Dallas, W.J. 88—36552
Roehrig, H. *see* Dereniak, E.L. 85—58578, 86—24388
Roehrig, H. *see* Fu, T.-Y. 85—9140
Roehrig, H. *see* Seeley, G.W. 88—29971, 88—36555
Roehrig, J., Einsweiler, K., Hutchinson, D., McNerney, E., Odian, A., Skarpaas, K., Unno, Y., Villa, F., Grancagnolo, F., Rowe, W., Seiden, A., Baltrusaitis, R., Hauser, J., Richman, J., Russell, J.J., Blaylock, G., Thaler, J., Wisniewski, W. The central drift chamber for the MARK III detector at SPEAR 85—15175
Roehrig, J. *see* Bernstein, D. 85—15253
Roehrig, J.R., Wang, S.P., Specht, D.F. Digital tomosynthesis using a flat image intensifier tube as the detector 85—4282
Roehrig, R. AFSK, and ye shall transceive 85—54712
Roehrig, R. Tune in the TU-1000 85—57697
Roekel, L.Van *see* Van Roekel, L.
Roeland, L.W., Gersdorf, R., Mattens, W.C.M. Computer-controlled 40 T magnetic field regulation 88—65974
Roeland, L.W. *see* Gersdorf, R. 88—65978
Roelandt, J. *(editor)* Color Doppler flow imaging and other advances in Doppler echocardiography 87—36309
Roelandts, W. Trudging through the interconnect maze: a field guide [computer networks] 85—44466
Roell, K. *see* Hill, F.A. 86—63561
Roelle, R. *see* Vogler, J.G. 88—54825
Roellig, T. *see* Lesyna, L. 88—29623
Roellig, T.P.L. *see* Lesyna, L. 85—3995
Roeloffs, E. Managing a radio paging system 87—8190
Roelofs, B.J.G.M., Barth, J.E. Feasibility of multibeam electron lithography 86—1872
Roelofs, B.J.G.M., Meuwissen, A.M. Automatic column set-up for high speed e-beam pattern generators 88—64174
Roelofs, G.P.T., van der Veer, J.H.C., Wichern, P.H.M. Determination of the dynamic model of electric power plants 85—53374
Roelofs, G.P.T., van der Veer, J.H.C., Wichern, P.H.M. Determination of the dynamic model of electric power plants 86—51172
Roelofs, J.C. Synthetic speech in practice: acceptance and efficiency 88—21112
Roels, L.M. *see* du Toit, Z.B. 85—58985
Roels, L.M.M. *see* Burger, S.J. 85—58979
Roelse, P.J. Floodlighting 88—31188
Roemer, J.F. *see* Cahill, J.J. 85—44978
Roemer, J.M., Pendley, W.L., Stempski, M.O., Borgstrom, M.C. Case study of a voice mail system: environmental considerations in the design process 87—7982
Roemer, L.E. *see* Ida, N. 87—65611, 88—69428
Roemer, R. *see* Hynynen, K. 86—60744, 87—41991
Roemer, R.B., Hynynen, K., Johnson, C., Kress, R. Feedback control and optimization of hyperthermia heating patterns: present status and future needs 87—63828
Roemer, R.B. *see* Hynynen, K. 86—56179
Roemer, R.E., Foster, D.C., Jacobs, S.B. Future cost savings from engineering innovations [nuclear power plants] 88—30470
Roemish, W.R., Wall, E.T. A new synchronous generator out-of-step relay scheme. I. Abbreviated version 85—43950
Roemish, W.R., Wall, E.T. A new synchronous generator out-of-step relay scheme. II Complete version 85—43951
Roemmich, D., Cornuelle, B. Digitization and calibration of the expendable bathythermograph 87—42246
Roenigk, K.F., Jensen, K.F. Analysis of multicomponent LPCVD processes, in situ doping of polycrystalline silicon 85—10812
Roenigk, K.F., Jensen, K.F. Analysis of multicomponent LPCVD processes. Deposition of pure and in situ doped poly-Si 85—39799
Roenker, K.P. Areal inhomogeneities in MIS solar cells 85—21803
Roenker, K.P., Harner, B.L., Linholm, L.W. An NMOS test chip for instruction in semiconductor parameter measurements 86—19779
Roenker, K.P., Parris, M.C., Gupta, A. Understanding hot electron induced degradation in insulated gate field effect transistors 86—21618
Roenker, K.P. *see* Gupta, A. 87—60511
Roenker, K.P. *see* Hof, T.E. 88—39051
Roenker, K.P. *see* Parris, M.C. 85—7106
Roenker, K.P. *see* Pradhan, S. 87—60261
Roenkov, A.D. *see* Litvin, D.P. 88—71335
Roenkov, A.D. *see* Mokhov, E.N. 88—38176
Roenkov, A.D. *see* Poltinnikov, S.A. 87—31702
Roenkov, A.D. *see* Vodakov, Yu.A. 85—34597, 86—1752
Roennspiess, O.E., Aragon, B. Modeling of post electrical fault plant restart and process recovery using computer simulation 86—39132
Roentgen, P., Beneking, H. Comparison between Zn and Mg doping in organometallic GaAs for growth of ultra thin multilayers 86—53538
Roentgen, P., Fernholz, G., Beneking, H. Potential barriers in doped GaAs by OM-VPE 87—24478
Roentgen, P. *see* Beneking, H. 86—41531
Roentgen, P. *see* Bimberg, D. 86—36455
Roentgen, P. *see* Deschler, M. 88—13604
Roentgen, P. *see* Krautle, H. 86—1981
Roentgen, P. *see* Selders, J. 86—21543
Roer, T.G.van de *see* van de Roer, T.G.
Roer, T.G.van der *see* van der Roer, T.G.
Roermund, A.H.M., Coppelmans, P.M.C., Hendrickx, J.H.I., Logie, D.H.B. A switched capacitor stereo decoder 86—17696
Roermund, A.H.M.van *see* van Roermund, A.H.M.
Roerty, D. *see* Akrawi, R. 86—16766
Roesch, A. A 1296 MHz, 200 mW driver using SMD technology 88—44074
Roesch, B. *see* Reeder, T. 87—1774
Roesch, J. *see* Hilmer, R. 87—78321
Roesch, J.F., Jr. An all digital demodulator using off-the-shelf VLSI technology 87—37082
Roesch, P. *see* Koenig, D. 88—30950
Roesch, W.J. Surface mount digital package reliability 86—57221
Roesch, W.J. Surface mount digital package reliability 87—43992
Roesch, W.J., Peters, M.F. Depletion mode GaAs IC reliability 88—20161
Roesch, W.J. *see* Rubalcava, A.L. 87—53741
Roese, J.A. Stereoscopic electro-optic shutter CRT displays—a basic approach 85—52670
Roese, J.A. *see* Goodhart, C.L. 86—4759
Roesems, D. *see* Vandeurzen, U. 88—24531, 88—67687
Roeser, H.P., Schaefer, F., Schmid-Burgk, J., Schultz, G.V., van der Wal, P., Wattenbach, R. A submillimeter heterodyne receiver for the Kuiper Airborne Observatory and the detection of the 372 μm carbon monoxide line J=7-6 in OMC-1 and W3 88—35625
Roeser, H.P., Wattenbach, R., van der Wal, P., Schaefer, F., Schmid-Burgk, J., Schultz, G.V. Submillimeter heterodyne spectroscopy of molecules and atoms 87—35489
Roeser, U. *see* Boettcher, H. 85—15168
Roesgen, J., Tung, S. Moving memory off chip, DSP μP squeezes in more computational power 86—34830
Roesgen, J. *see* Reitenbach, R. 88—775
Roesgen, J.P. The ADSP-2100 DSP microprocessor 87—31928
Roeske, F., Feit, M., Fleck, J., Jander, D., Kidd, B., Koo, J., Lowry, M., McWright, G., Tindall, W. Directional coupler modulators designed for analog modulation of large signals at 810 nm 88—7986
Roeske, F., Jander, D.R., Lancaster, G.D., Lowry, M.E., McWright, G.M., Peterson, R.T., Tindall, W.E. Preliminary radiation hardness testing of $LiNbO_3$:Ti optical directional coupler modulators operating at 810 nm 88—33750
Roeske, F., Smith, D.E., Pruett, B.L., Reedy, R.P. A high-bandwidth multichannel fiber optic system for measuring gamma rays 85—35410
Roeske, F. *see* Lowry, M. 88—7940, 88—51571
Roeske, F. *see* McWright, G. 88—33766, 88—51547, 88—58190, 88—72130
Roeske, F. *see* Ogle, J.W. 88—61158
Roeske, F. *see* Pruett, B.L. 87—20516
Roeske, F. *see* Smith, D.E. 88—13851
Roeske, F., Jr. *see* McWright, G.M. 88—7985
Roeske, F., Jr. *see* Reedy, R.P. 85—56345
Roeske, S.B. *see* Johnston, A.H. 87—32703
Roesle, B. *see* Hammad, A.E. 88—68810
Roesler, D.J. *see* Fuchs, E.F. 85—21620, 86—66133, 87—22361, 87—51307, 87—51653, 88—17588
Roesler, D.J. *see* Fuller, J.F. 88—75162
Roesler, D.P. *see* Bliss, D.H. 88—21961
Roesler, J.F. *see* Averett, W.J. 86—5594
Roesli, H.P., Joss, J., Collier, C.G. COST-73 and its application in very short range forecasting 88—15585
Roesli, H.P. *see* Wilson, J. 86—12167
Roesli, T. Type 8 turbine works well for Shell 88—30551
Roesmer, J. Coolant composition of a pressurized water reactor close to operating temperature 86—70778
Roesner, W. A hardware design language for logic simulation and synthesis in VLSI 87—65676
Roesner, W. A mixed level simulation system for VLSI logic designs 87—67391
Roesner, W. The logic design language and verification environment for the VLSI-/370 88—70811
Roess, E. Properties and uses of thermistors 85—11591
Roess, E. Modern soft ferrites: materials, cores, accessories 88—13674
Roess, E. *see* Meindl, G. 88—39809
Roessel, F.J.Van *see* Van Roessel, F.J.
Roessie, B. *see* Hammad, A. 86—65610
Roessing, T.J. *see* Stratton, A.W. 88—19443
Roessle, P. *see* Park, Y.H. 86—21451
Roessler, B., Wolter, E. CMOS analog front end of a transceiver with digital echo cancellation for ISDN 88—51000
Roessler, B., Wolter, E., Sporer, H. CMOS analog front end of a transceiver with digital echo cancellation for ISDN 87—62707
Roessler, G. SW radio. Between conferences—expectation, hopes and possibilities 86—43938
Roessler, G. WARC '87: waves chaos. Results of the short-wave planning conference 87—69883

Roessner, J.D. The multiple functions of formal aids to decision making in public agencies 85−60702
Roet, G.M. *see* Balbo, G. 88−309
Roeten, A. *see* Dignum, M. 87−67469
Roeterdink, J.A. SULTAN in 1987 88−7832
Roeterdink, J.A., Brieko, M.W., Gijze, A.C., Mertens, H.V. Design and construction of the ECN 12 T niobium tin magnet insert for the SULTAN facility 88−65082
Roeterdink, J.A., Elen, J.D., Franken, W.M.P. The ECN 12 Tesla insert coil for SULTAN 86−42199
Roeterdink, J.A., Klok, J., Elen, J.D., Franken, W.M.P. Application of A-15 conductors in NET TF-coils 86−48037
Roeterdink, J.A. *see* de Boer, A.A. 88−39812
Roeterdink, J.A. *see* Deotto, T. 85−50867
Roeterdink, J.A. *see* Eikelboom, J.A. 88−65089
Roeterdink, J.A. *see* Franken, W.M.P. 86−48034
Roeterdink, J.A. *see* Plaum, J.M. 88−65083
Roeterdink, J.A. *see* Spoorenberg, C.J.G. 85−35367
Roeth, J. *see* Chari, M.V.K. 87−26596
Roeth, J. *see* Konrad, A. 87−39299
Roeth, R. *see* Bensiek, W. 87−41695
Roettcher, U., Fiedler, H.L., Zimmer, G. A compatible CMOS-JFET pulse density modulator for interpolative high-resolution A/D conversion 86−34630
Roettcher, U., Fritz, J., Hess, K.G. HIPARE: circuit and parameter extraction from mask layout data 87−25605
Roettger, W.C. Single-pole switching on transmission lines 86−61121
Roetzer, R.E. CAE and ATE−a good interface 86−1570
Roetzheim, W.H. JTIDS dynamic net management 88−28688
Roey, J.Van *see* Van Roey, J.
Rofail, S.S. Resistance realization using switched capacitors, device and circuit limitations and low temperature effects 88−63789
Rofail, S.S., Chaudhry, A. The temperature dependence of breakdown voltage and on-resistance of LDMOSs 87−45959
Roff, B. *see* Lazow, R. 85−59329
Roff, G. Using local area networks for integrated services 85−2993
Roff, G. ISDN−problems and solutions 86−43402
Roff, G. ISDN−problems and solutions 86−49104
Roff, G. Network management: how LANs and WANs differ 88−59636
Roff, R. The Greater Dhaka power project 87−21915
Roff, R. Greater Dhaka power project 87−50665
Roffelsen, L. *see* Voss, H.D. 85−17279
Roffia, S., Concialini, V., Paradisi, C. The interconversion of electrical and chemical energy. The electrolysis of water and the hydrogen-oxygen fuel cell 88−75922
Roffinella, D., Trinchero, C., Freschi, G. Interworking solutions for a two-level integrated services local area network 88−21627
Roffinella, D., Trinchero, C., Freschi, G. Interworking for an integrated services local area network 88−59746
Roffinella, D. *see* Brosio, A. 86−23456, 87−13688
Roffinella, D. *see* Ferrero, F. 87−8017, 88−35140
Roffinella, D. *see* Gogliardi, F. 87−20547
Roffinella, D. *see* Lambarelli, L. 86−30358, 86−54919, 86−64752
Roffinoli, W. Data acquisition systems 88−67698
Roffler, M. *see* Katzer, G. 87−5007
Roffman, T.A. *see* Campbell, B.J. 86−13321
Rofman, E. Approximation of Hamilton-Jacobi-Bellman equation in deterministic control theory−an application to energy production systems 85−53553
Rofman, E. *see* Gonzalez, R. 88−30434, 88−42804
Rofougaran, A.R., Furman, B., Abidi, A.A. Accurate analog modeling of short channel FETs based o table lookup 88−71574
Rog, A.I., Sirota, A.A. Analysis of losses due to incomplete allowance for correlational structure of Gaussian noise in digital signal reception and discrimination algorithms 86−23058
Rog, A.I., Sirota, A.A. Estimate of the effect of quantization accuracy on the effectiveness of signal discrimination in the presence of correlated noise 87−47713
Rog, A.I., Sirota, A.A., Khokhlov, E.N., Tukhvatulin, V.V. Synthesis of quasi-optimal algorithms for signal recognition on a correlated-noise background using discrete spectral transforms 86−37063
Roga, S.S.H., Dreyer, J., Schilling, O. Measurement method for determining the thermal conductivity 85−4143
Rogach, L.P. *see* Dezhkunova, S.V. 87−36833
Rogachev, A.A. *see* Altukhov, P.D. 87−66938
Rogachev, A.A. *see* Averkiev, N.S. 85−7308 to 7309, 85−23444, 88−27168
Rogachev, A.A. *see* Baranov, A.N. 87−39125, 87−54325
Rogachev, I.G. *see* Ermakov, V.S. 87−35222
Rogachev, N.A., Kolomiets, B.T., Kalmykova, N.P. Diffusion and drift currents in heterojunctions with crystalline and amorphous semiconductors 86−27995
Rogachev, S.I. *see* Ivanenko, V.N. 86−26053, 86−45763, 88−48938
Rogachev, T. Effect of antimony on the anodic corrosion of lead and oxygen evolution at the $Pb/ObO_2/H_2O/O_2/H_2SO_4$ electrode system 88−55608
Rogacheva, E.I. *see* Dzyubenko, N.I. 85−1348
Rogacheva, E.I. *see* Kolomoets, N.V. 86−67673
Rogacheva, L.F. *see* Odintsov, V.I. 86−63865
Rogacheva, N.N. Classification of free piezoceramic shell vibrations 87−53777
Rogachevskaya, G.S., Sidel'nikov, B.V. Electromagnetic forces in direct-current machines 85−39009
Rogachevskaya, G.S. *see* Ivanov, Yu.Ya. 85−44002
Rogachevskii, B.M. *see* Beresnev, V.K. 85−11381, 87−63556
Rogachevskii, B.M. *see* Golyshev, N.V. 87−60849
Rogachevskii, B.M. *see* Lisitsyn, V.A. 86−44278
Rogachevskii, V.I. *see* Zasypkin, A.S. 85−65293
Rogachevskii, V.S. *see* Buki, M.I. 87−58039
Rogachevskiy, B.M. Analysis of the characteristics of a high-frequency SQUID in the hysteresis-free regime 88−7829
Rogachkov, S.F. *see* Voronin, M.Ya. 86−35076
Rogailin, M.I. *see* Basovskii, A.A. 88−56204
Rogal', A.D. *see* Gachurin, V.V. 88−61059
Rogala, J. *see* Amat, J. 87−48224
Rogala-Poprawa, A. *see* Jachimowicz, J. 87−78675
Rogalev, Yu.V., Fateev, N.P. Estimate of checking errors of automatic weather stations 88−16914
Rogalev, Yu.V., Kozhevnikov, B.L., Astvatsaturov, S.L., Man'kov, I.I., Fateev, N.P., Aniskin, P.V. Results of checking the KRAMS automatic weather stations at airports 88−16915
Rogalev, Yu.V. *see* Averkin, A.V. 88−16509
Rogalev, Yu.V. *see* Bokhanov, V.E. 88−16838
Rogaleva, T.I. *see* Volkov, A.V. 88−55662
Rogalin, V.E. *see* Apollonov, V.V. 85−51103
Rogalla, H., David, B., Muck, M., Kato, Y. Study of preparation techniques for a practical microbridge DC-SQUID structure fabricated from Nb_3Ge 85−56185
Rogalla, H., Muck, M. Modulation depth of nanobridge DC-SQUIDs made from high-κ superconductors 88−20291
Rogalla, H. *see* Hauser, B. 88−13728, 88−33568
Rogalla, H. *see* Iansiti, M. 87−60859
Rogalla, H. *see* Kato, Y. 85−29487 to 29488
Rogalla, H. *see* Muck, M. 85−29501, 86−2638, 87−67891, 87−74592, 88−13713, 88−18994, 88−58024
Rogalla, H. *see* Zalm, P.C. 88−58036
Rogalla, K. *see* Sopper, P. 88−56900
Rogal'skaya, I.A. *see* Vasilenko, G.V. 85−38856
Rogalski, A. Analysis of the R_0A product in n^+-p $Hg_{1-x}Cd_xTe$ photodiodes 88−51680
Rogalski, A., Larkowski, W. Comparison of photodiodes for the 3-5.5 μm and 8-14 μm spectral regions 87−29120
Rogalski, A., Orman, Z. Band-to-band recombination in $InAs_{1-x}Sb_x$ 85−45389
Rogalski, A., Piotrowski, J. Intrinsic infrared detectors 88−16114
Rogalski, A. *see* Jozwikowski, K. 86−11603
Rogalski, A. *see* Larkowski, W. 87−74929
Rogalski, A. *see* Piotrowski, J. 86−42436
Rogalski, A. *see* Rutkowski, J. 85−29709
Rogalski, G. Implementing audio systems. . 88−9778
Rogalski, J.E. Evolution of gigabit lightwave transmission systems 88−3964
Rogal'skii, V.I. *see* Armand, N.A. 86−37388
Rogal'skii, Yu.I. *see* Brailovskaya, R.V. 88−14237
Rogal'skii, Yu.I. *see* Gondra, A.D. 88−14152, 88−58501
Rogal'skiy, V.I. *see* Efimov, A.I. 85−36030
Rogan, P., Williamson, L. A technical analysis of a hybrid fiber/coax system [CATV] 88−67585
Roganov, P.S. *see* Shishov, E.V. 88−4690
Roganov, V.S. *see* Belyaev, S.N. 86−70370
Roganshkov, S.A. *see* Armand, N.A. 86−42856
Rogard, R. A land-mobile satellite system for digital communications in Europe 87−13677
Rogard, R. Terrestrial mobile communications 87−27880
Rogard, R., Pinelle, M. PRODAT aeronautical communication system: overall architecture and preliminary test results 88−3935
Rogard, R. *see* Jongejans, A. 87−69941
Rogashkova, A.I., Chernov, Z.S., Shatalova, T.I. Nonlinear effects that arise during the passage of microwave pulses through a slightly ionized gas 85−2585
Rogashkova, A.I., Shatalova, T.I. Nonlinear interaction of a modulated electron beam with a collisional plasma 88−45643
Rogatskin, M.A. *see* Amromin, A.L. 85−65295, 87−9626
Rogatskina, N.E. *see* Zupnik, A.E. 86−41367
Rogatykh, N.P. *see* Kovshov, G.N. 87−21760
Rogeau, F. *see* Comallonga, J. 88−22469
Rogeaux, B. The identification of safety problems 88−31414
Rogelstad, T., Matarese, G. Steam cleaning-sputtering system 85−54507
Rogelstad, T.R. Ceramic substrate cleaning process 85−1179
Roger, A. Theoretical study and numerical resolution of inverse problems via the functional derivatives 85−51412
Roger, A. *see* Vincent, P. 88−66178
Roger, B. *see* Desuche, J. 87−66131
Roger, E., Goldberg, M., Robertson, J. Design of a user interface for a radiological image workstation 88−48259
Roger, F. *see* Carreau, J.-L. 86−33022
Roger, F. *see* Hobbes, P. 86−33021, 86−39499
Roger, G. *see* Brun, A. 87−46932
Roger, G. *see* Georges, P. 88−65841
Roger, G. *see* Salin, F. 86−42497, 86−54104, 88−20727, 88−34095, 88−72287
Roger, J., Pineda, M. The measurement of the load angle of electric machines in dynamic regime 87−63474
Roger, J.A. Monitoring the 5 kW peak photovoltaic system of a community center 85−38932
Roger, J.A., Baruch, P., Bernard, D., David, J.P., Guerin, J., Mounguengi, A., Nourredine, S. Influence of the dispersion in local properties of individual grains on the characteristics of multicrystalline solar cells 86−40111
Roger, J.A., Baruch, P., Bernard, D., David, J.P., Guerin, J., Noureddine, S. On the possible origins of the multicrystalline silicon cells low V_{oc}. Modeling of the influence of grain boundary effects 88−18059
Roger, J.A., Massad, S., Abou El Ela, M. Choice and definition of the best figures of merit for the analysis of PV plants application to the French pilot installation of Paomia 88−17442
Roger, J.A. *see* Abou El Ela, M. 85−21811
Roger, J.A. *see* Baruch, P. 86−7092
Roger, W.A., Walker, R.S. Accurate estimation of source bearings from line arrays 88−40997
Rogers, A., Kinchen, B., Baumbaugh, B., Bishop, J., Busenitz, J., Cason, N., Cunningham, J., Gardner, R., Mannel, E., Mountain, R.J., Puseljic, D., Shephard, W., Baumbaugh, A., Knickerbocker, K., Hill, C.G.A. New scintillating glasses for high energy physics applications 87−41844
Rogers, A. *see* Puseljic, D. 88−61100
Rogers, A. *see* Ruchti, R. 85−37950, 85−43275, 87−41845, 88−68221
Rogers, A.E., Stancavage, P.P. Application of design margins for BWR power uprate 86−25787
Rogers, A.E.E., Moffet, A.T., Backer, D.C., Moran, J.M. Coherence limits in VLBI observations at 3-millimeter wavelength 85−25962
Rogers, A.E.E. *see* Clark, T.A. 85−59428
Rogers, A.E.E. *see* Davis, J.L. 86−25429
Rogers, A.E.E. *see* Levy, G.S. 87−28712
Rogers, A.J. Polarisation optics for monomode fibre sensors 86−2701
Rogers, A.J. Optical measurement of power-system quantities 86−39247
Rogers, A.J. Intrinsic and extrinsic distributed optical-fibre sensors 87−18685
Rogers, A.J. Distributed optical-fibre sensors 87−21038
Rogers, A.J. Intrinsic and extrinsic distributed optical-fibre sensors 87−25968
Rogers, A.J. Principles for optical-fibre applications in electricity supply 87−32948
Rogers, A.J. A vibration-insensitive optical-fibre current sensor 87−38819
Rogers, A.J. Point and distributed polarimetric optical-fibre sensors 87−68049
Rogers, A.J. A vibration-insensitive optical-fibre current sensor 87−68051
Rogers, A.J. Distributed and multiplexed sensor systems 88−4416
Rogers, A.J. Distributed optical-fibre sensors 88−7896
Rogers, A.J. Point and distributed polarimetric optical-fibre sensors 88−16142
Rogers, A.J. Distributed sensors: a review 88−36021
Rogers, A.J. Optical-fibre current measurement 88−74545
Rogers, A.J. *see* Farries, M.C. 85−62355
Rogers, A.J. *see* Robertson, S.R.M. 85−48032
Rogers, B. The packet user's notebook: introduction to packet. III 88−59968
Rogers, B. Connecting you and packet radio in the real world: introduction to packet. II 88−59971
Rogers, B. PICPRO−an introduction to packet picture transfers 88−59994
Rogers, B., Fair, R.B., Dyson, W., Rozgony, G.A. Computer simulation of oxygen precipitation and denuded zone formation 85−23425
Rogers, B.C. Do's and don'ts of street, bridge and tunnel lighting 85−65608
Rogers, B.J. Teletext standards 85−42222
Rogers, B.J. The increasing options for data transmission methods in public service broadcasting 87−13858

Rogers, B.J., Lee, M. Monitoring a liquid level by means of the LM 1830 component 85−31629
Rogers, C. *see* Min, K. 87−58899
Rogers, C.B. A Bragg cell receiver for short RF pulses 85−29668
Rogers, C.D. The VIVID symbolic design system: current overview and future directions 86−41874
Rogers, C.D., Rosenberg, J.B., Daniel, S.W. MCNC's vertically integrated symbolic design system 86−21883
Rogers, C.E. *see* Mohammad, S.N. 88−57289
Rogers, C.E. *see* Noor Mohammad, S. 88−75947
Rogers, C.J. *see* Greenwood, W. 86−69760
Rogers, C.M. *see* Muhlhoff, H.-M. 88−7614
Rogers, C.T., Buhrman, R.A. Composition of 1/*f* noise in metal-insulator-metal tunnel junctions 85−1610
Rogers, C.T., Buhrman, R.A. Observation of discrete Lorentzian structure in low frequency voltage noise spectra of very small area Josephson tunnel junctions 85−46096
Rogers, C.T., Buhrman, R.A. Discrete Lorentzian structure in low frequency voltage noise spectra of very small area Josephson tunnel junctions 85−56174
Rogers, C.T., Buhrman, R.A., Gallagher, W.J., Raider, S.I., Kleinsasser, A.W., Sandstrom, R.L. Electron trap states and low frequency noise in tunnel junctions 87−67893
Rogers, C.T., Buhrman, R.A., Kroger, H., Smith, L.N. Characterization of individual electron traps in amorphous Si by telegraph noise spectroscopy 87−11371
Rogers, C.T. *see* Abraitis, A.M. 85−5795
Rogers, C.T. *see* Farmer, K.R. 87−60479
Rogers, D., Lee, F.D., Newton, M., Reginato, L.L., Smith, M.E. Operating experience with the 50 MeV 10 kA ATA power conditioning system [gas blown spark gaps] 85−27130
Rogers, D. *see* Beard, D. 88−36545
Rogers, D. *see* Lacourse, J. 88−16682
Rogers, D. *see* Nyland, L.S. 87−67447
Rogers, D. *see* Venkatesh, B. 87−17068
Rogers, D., Jr. *see* Birx, D.L. 87−2145
Rogers, D.A. Preparing students for personal issues in professional engineering 88−24428
Rogers, D.A. *see* d'Assuncao, A.G. 87−33494, 87−73734
Rogers, D.A. *see* Filho, R.C. 87−73594
Rogers, D.A. *see* Nelson, R.M. 88−965
Rogers, D.C., Nicholas, R.J., Amor, S.B., Portal, J.C., Cho, A.Y., Sivco, D. Inter-band magneto-absorption in a $Ga_{0.47}In_{0.53}As$-$Al_{0.48}In_{0.52}As$ quantum well 87−11413
Rogers, D.C., Singleton, J., Nicholas, R.J., Foxon, C.T. Magneto-optics in GaAs-GaAlAs quantum wells 87−74101
Rogers, D.C., Singleton, J., Nicholas, R.J., Foxon, C.T., Woodbridge, K. Magneto-optics in $GaAs$-$Ga_{1-x}Al_xAs$ quantum wells 87−11406
Rogers, D.C., Turner, B.J. Connectivity improvement through path and frequency diversity 85−30904
Rogers, D.C., Wallace, R., Thompson, B.G., Parrish, D.M. Information flow analysis as a tool for PACS development 87−14955
Rogers, D.C. *see* Hills, A. 86−55239
Rogers, D.C. *see* Johnston, R.E. 86−32269, 86−70054, 87−14882, 88−36542
Rogers, D.C. *see* Parrish, D.M. 87−29836
Rogers, D.C. *see* Perry, J.R. 86−44653
Rogers, D.G. Irregular, extremal perfect systems of difference sets. II 88−56141
Rogers, D.G. *see* Johnson, P.D. 86−62031
Rogers, D.L. Transimpedance input stage for current amplifiers 85−22675
Rogers, D.L. Monolithic integration of a 3-GHz detector/preamplifier using a refractory-gate, ion-implanted MESFET process 87−18865
Rogers, D.L. Monolithic integration of a 3 GHz, MESFET detector/preamplifier 87−34630
Rogers, D.L. MESFET compatible IMSM detectors 87−49122
Rogers, D.L., Woodall, J.M., Pettit, G.D., McInturff, D. High-performance GaInAs interdigitated metal-semiconductor-metal (IMSM) 1.3-μm photodetector grown on a GaAs substrate 88−42100
Rogers, D.L. *see* Woodall, J.M. 88−39530
Rogers, D.M., Hayden, J.D., Rinerson, D.D. Model for the channel-implanted enhancement-mode IGFET 86−63310
Rogers, D.P., Businger, J.A., Charnock, H. A numerical investigation of the JASIN atmospheric boundary layer 86−6096
Rogers, D.R. The use of load flow programs for cement plant design and modifications 86−18652
Rogers, D.R. The use of load flow programs for cement plant design and modifications 86−52083
Rogers, D.V. Propagation considerations for satellite broadcasting at frequencies above 10 GHz 85−36007
Rogers, D.V., Allnutt, J.E. Some practical considerations for depolarization compensation in 14/11 and 14/12 GHz communications satellite systems 86−17303
Rogers, D.V., Allnutt, J.E. System implications of 14/11 GHz path depolarization. I. Predicting the impairments 86−59819
Rogers, D.V., Allnutt, J.E. A practical tropospheric scintillation model for low elevation angle satellite systems 87−47221
Rogers, D.V. *see* Allnutt, J.E. 86−59820
Rogers, D.W. *see* Higginson, J.F. 88−26474
Rogers, D.W.O., Bielajew, A.F., Nahum, A.E. Ion chamber response and A_{wall} correction factors in a ^{60}Co beam by Monte Carlo simulation 85−48363
Rogers, D.W.O. *see* Bielajew, A.F. 85−48362
Rogers, E. *see* Chung, M.J. 88−49972
Rogers, E. *see* Ryan, T. 88−7652
Rogers, E.E. *see* Stanton, S.E. 87−35862
Rogers, E.H. *see* McDonald, J.F. 85−18402
Rogers, E.M. *see* Awad, R.E. 85−59363
Rogers, F.J.G. *see* Wells, G.M. 88−68301
Rogers, G. Vary frequency without changing duty cycle 85−54713
Rogers, G. The oscilloscope—a novel meaning of the word 88−16231
Rogers, G., Baker, C., Rousseau, T. Touch-screen scopes ease complex measurements 87−14388
Rogers, G., Baker, C., Rousseau, T. The touch screen scope arrives 87−49786
Rogers, G. *see* Eley, J. 88−18747
Rogers, G. *see* Westcott, L.W. 85−52735
Rogers, G.B., Russell, P.E., Tortoreli, M., Baltas, P. Performance evaluation of photovoltaic water pumps based on field experience and testing 87−4641
Rogers, G.F. Dual one-shot forms frequency discriminator 86−46625
Rogers, G.G., Weston, R.H., Harrison, R., Booth, A.H. Progress in the design of electric drives for modular robotic systems 88−5928
Rogers, G.J., Shirmohammadi, D. Induction machine modelling for Electromagnetic Transient Program 88−30702
Rogers, G.J. *see* Lee, D.C. 85−60126
Rogers, G.J. *see* Milthorpe, B.K. 88−42487
Rogers, G.L. *see* Leguire, L.E. 85−48300
Rogers, G.W., Swanger, L.A., Wells, C.H. The role of testing programs in verifying structural integrity of medium speed diesel generator components 85−43699
Rogers, G.W. *see* Pasker, J.I. 85−21142
Rogers, H.D. *see* Summers, C.J. 87−45862
Rogers, H.H. *see* Lim, H.S. 85−48440
Rogers, H.J. *see* Kathman, A.D. 88−65899
Rogers, J. *see* Brader, S.J.H. 87−1786, 87−25616
Rogers, J. *see* Bromborsky, A. 88−50584
Rogers, J. *see* Casaglia, D. 85−26780
Rogers, J. *see* De Panfilis, S. 88−42419
Rogers, J. *see* Moskowitz, B.E. 88−29911
Rogers, J.A.V. Multistage de-interleaving for high pulse density radar environments 85−24883
Rogers, J.A.V. ESM processor system for high pulse density radar environments 86−17474
Rogers, J.C. *see* van Veen, B.D. 86−44478
Rogers, J.C. *see* Young, C.T. 88−61608
Rogers, J.D. Voice and data distribution via satellite using receive only terminals 85−58079
Rogers, J.D. Enhanced heat transfer computations for internally cooled cable superconductor 87−12088
Rogers, J.D. 1.5-2.2m Tx/Rx terminals meeting INTELSAT E1 specification 87−28542
Rogers, J.D. Transportable earth station for 20/30 GHz experiments 88−9507
Rogers, J.D., Boenig, H.J. 30 MJ superconducting magnetic energy storage performance on the Bonneville Power Administration utility transmission system 85−53859
Rogers, J.D., Boenig, H.J., Schermer, R.I., Hauer, J.F. Operation of the 30 MJ superconducting magnetic energy storage system in the Bonneville Power Administration electrical grid 86−33728
Rogers, J.D., Brown, D.L. Transient heat transport in superfluid helium in cylindrical geometry 87−67965
Rogers, J.D., Eckels, P.W., Hackworth, D.T., Shestak, E.J., Singh, S.K. Cryogenic pulsed power transformers 88−43256
Rogers, J.D., Kiburz, M.E. Superconducting magnetic energy storage scaled prototype for the Los Alamos utility 86−40189
Rogers, J.D. *see* Boenig, H.J. 87−46425
Rogers, J.D. *see* Cernuschi-Frias, B. 88−56110
Rogers, J.D. *see* Gribble, R.F. 88−65994
Rogers, J.D. *see* Loyd, R.J. 86−40188, 87−31004, 87−78967, 88−5909
Rogers, J.D. *see* Singh, S.K. 88−69461
Rogers, J.G. Testing an improved scintillation camera for PET and SPECT 86−50507
Rogers, J.G., Harrop, R., Kinahan, P.E., Wilkinson, N.A., Coombes, G.H., Doherty, P.W., Saylor, D.P. Conceptual design of a whole body PET machine 88−61263
Rogers, J.G., Saylor, D.P., Harrop, R., Yao, X.G., Leitao, C.V.M., Pate, B.D. Design of an efficient position sensitive gamma ray detector for nuclear medicine 87−8911
Rogers, J.G. *see* Palmer, M.R. 86−50499
Rogers, J.G. *see* Salomon, M. 87−41840
Rogers, J.H. *see* De Groot, J.S. 88−51712, 88−65536
Rogers, J.R. Moment-method scattering solutions to impedance boundary condition integral equations 85−13101
Rogers, J.R. On combined source solutions for bodies with impedance boundary conditions 85−41585
Rogers, J.R., Medgyesi-Mitschang, L.N., Putnam, J.M. Comments on 'Integral equation formulations for imperfectly conducting scatterers' (and author's reply) 86−22649
Rogers, Jr.C.L. Recloser maintenance pays dividends 87−42538
Rogers, J.S. Planning models are for insight not numbers: a complementary modelling approach 85−4596
Rogers, J.S., Jones, F.W., Rouleau, P. Long-term gain changes in mercury-level tiltmeters of the Stacey type 88−23175
Rogers, J.S. *see* Gunn, E.A. 86−25953
Rogers, K., McDuffee, F.T., Holt, A., Mekkaoui, A. Improvements in fused optical coupler technology 87−12179
Rogers, K.D., Matthews, I.P. A simple ionisation method for determining the tube voltage and total filtration of three phase X-ray units 87−4048
Rogers, K.J. Two novel torque transducers 85−16374
Rogers, L. Measurement software—tools for thinking 87−49792
Rogers, L.A., Fuller, L.F., Pearson, R.E. Maskmaking at Rochester Institute of Technology 87−58599
Rogers, L.J. Executive protection against acts of terrorism directed at the private residence 87−16338
Rogers, M.C. *see* Dalcin, J.R. 88−64390
Rogers, M.D. *see* Harris, K.D.M. 86−40035
Rogers, M.R. *see* Josenhans, J.G. 87−40261
Rogers, P. Genuine modal testing of rotating machinery 88−24532
Rogers, P.G. International seaborne trade in power station coal 87−4486
Rogers, P.G. Application of the minimum scattering antenna theory to mismatched antennas 87−12789
Rogers, P.G. Design of compact low-loss Rotman lenses 88−936
Rogers, P.G., Edwards, S.A., O'Sullivan, J.D. A projection operator for reconstructing images from sparse, ungridded data 87−19965
Rogers, P.H. Mathematical model for a free-flooded piezoelectric cylinder transducer 86−65581
Rogers, R.C. Design of RF systems for compact cyclotrons 85−59004
Rogers, R.C. *see* May, D.P. 85−58998, 88−74722
Rogers, R.E. *see* Flax, A. 88−51492
Rogers, R.E. *see* Matthews, A.L. 88−58163
Rogers, R.E. *see* Wiencko, J.A. 88−36067
Rogers, R.G. US policy makers readying for ISDN's advent 87−62496
Rogers, R.G. *see* Sorens, M.J. 85−33595
Rogers, R.H. Solar powered flow computers at RTU's [computerised instrumentation] 86−38220
Rogers, R.L., Neikirk, D.P., Ling, H. Planar matching of antennas on electrically thick dielectric substrates 88−27641
Rogers, R.M. Optimal and suboptimal filtering for time-invariant systems excited by compound Poisson processes 85−7903
Rogers, R.P. *see* Fournier-Sicre, A.P. 87−71188
Rogers, R.R. *see* Fyfe, A.W. 87−51324
Rogers, S. Learning through a new dimension with interactive video 86−31027
Rogers, S.C., Burmeister, L.C. Cogeneration criteria for a medium size manufacturing plant 87−4578
Rogers, S.D. *see* Pearce, T.H. 86−64867
Rogers, S.K., Kabrisky, M., Anderson, S., Mills, J.P. A knowledge based expert-system for synthetic aperture radar target recognition 88−67479
Rogers, S.K., Pinson, L.J. Practical algorithms for phase retrieval 85−30339
Rogers, S.K., Sega, R.M., Woods, S.A. Microwave measurement for wavefront reconstruction via infrared detection 85−52854
Rogers, S.K. *see* Feldmann, R.J. 87−40960, 88−53287
Rogers, S.K. *see* Hughes, K.D. 87−62144
Rogers, S.K. *see* Martin, T. 87−62197
Rogers, S.K. *see* Roggemann, M.C. 88−74043
Rogers, S.K. *see* Ruck, D.W. 88−74044
Rogers, S.K. *see* Tong, C.W. 88−28964
Rogers, S.M. *see* Bissell, S.A. 88−53045
Rogers, S.P., Evans, K.L., Parsons, M.L. Characterization of molding compounds via polymer reconstruction investigative chromatopyrography 85−54152
Rogers, S.P., Spiker, V.A., Moffitt, K.W. CRT display colors and luminances for use in very low ambient illumination 88−16349
Rogers, S.P. *see* Spiker, A. 85−14664, 86−17833, 87−3464
Rogers, S.P. *see* Spiker, V.A. 87−77155

Rogers, S.R. Accuracy of the decoupled Kalman filter 86−37025
Rogers, S.R. Alpha-beta filter with correlated measurement noise 88−14691
Rogers, S.R. Steady-state performance of the decoupled Kalman filter 88−66603
Rogers, S.R. Tracking multiple targets with correlated measurements and maneuvers 88−67445
Rogers, S.R. *see* Golubev, B. 86−10414
Rogers, T. *see* Thompson, J. 86−13563
Rogers, T.E. The protocol and physical media criteria for choosing a home bus 87−34204
Rogers, T.F. Looking ahead re international audio broadcasting 86−55414
Rogers, T.G. *see* Hearne, M.T. 88−26030, 88−70303
Rogers, V.C., Sandquist, G.M., Murray, T.M. Conceptual study of a nuclear plant used for seabed electrical power 86−25718
Rogers, V.C. *see* Sandquist, G.M. 86−25769
Rogers, W. The effect of task parameters on response times to pictures and words presented on visual displays 86−31235
Rogers, W.A., Abraham, J.A. CHIEFS: A concurrent, hierarchical and extensible fault simulator 86−46765
Rogers, W.A., Abraham, J.A. A performance model for concurrent hierarchical fault simulation 87−37228
Rogers, W.A., Guzolek, J.F., Abraham, J.A. Concurrent hierarchical fault simulation: a performance model and two optimizations 88−519
Rogers, W.A. *see* Abraham, J.A. 86−46734
Rogers, W.A. *see* Chang, H.P. 87−24098
Rogers, W.A. *see* Duba, P.A. 88−71712
Rogers, W.A. *see* Guzolek, J.F. 87−37227
Rogers, W.F. *see* Clark, D.L. 87−12413
Rogers, W.J. *see* Tuscan, M.J. 85−59255
Rogers, W.J.S., Swinnerton, B.W., Brookshaw, T., Lester, G. MANWEB industrial and commercial tariffs and metering 87−50711
Rogers, W.L., Clinthorne, N.H., Stamos, J., Koral, K.F., Mayans, R., Knoll, G.F., Juni, J., Keyes, J.W., Jr., Harkness, B.A. Performance evaluation of SPRINT, a single photon ring tomograph for brain imaging 85−15292
Rogers, W.L. *see* Bradshaw, J. 85−43355
Rogers, W.L. *see* Clinthorne, N.H. 87−41934
Rogers, W.L. *see* Hutchins, G.D. 87−50263
Rogers, W.R. High speed translation and rotation of parts in an E-beam tester 85−5765
Rogers, W.R. Cartesian translation-polar rotation of a memory image to align a part in an E-beam substrate tester 85−5766
Rogerson, A. Data handling in automated NDT 87−56514
Rogerson, A., Poulter, L.N.J., Clough, P., Cooper, A.G. RNL automated ultrasonic inspection of the PISC II PWR inlet nozzle (plate 3) 88−31875
Rogerson, D. Bundespost leads the way in usage dependent tariffing 87−40279
Rogerson, D. Tariff policy and ISDN 88−9282
Rogerson, D.J., Jr. Application of a portable 9 MeV radiographic linear accelerator in a high-hazard environment 85−54574
Rogerson, I. Networking in the North West of England 87−28085
Rogerson, J.E. *see* Apruzese, J.P. 88−58454
Rogerson, S. The computers' 'iron lung' gets a job in the office 85−16092
Rogerson, S. Avionic CRTs hold off LCDs 88−36605
Rogerson, S.P., Perkins, J.K. A new technique for the determination of SAW filter ageing 86−2524
Rogerson, S.P., Sendell, A.A. Jitter measurement using a digital processing oscilloscope 86−31629
Rogerson, S.P. *see* Dawson, P.A. 85−37036
Rogerson, S.P. *see* MacDonald, B.M. 86−2523, 86−15333
Rogg, D. General survey of the possible applications and development tendencies of magnetic levitation technology 85−27725
Rogg, D. The research and development program 'Magnetically suspended high speed transport systems' in the Federal Republic of Germany 87−5048
Rogg, D. *see* Gottzein, E. 85−44258
Rogge, D. *see* Keve, T. 85−16038
Rogge, M. *see* Atencio, L.G. 86−25141
Rogge, M. *see* Berg, G. 85−59020
Rogge, M. *see* Bojowald, J. 87−29478
Roggeman, W. *see* Defraeye, P. 85−63411
Roggemann, M.C., Mills, J.P., Rogers, S.K., Kabrisky, M. Multisensor information fusion for target detection and classification 88−74043
Roggen, A.van *see* van Roggen, A.
Roggen, J. *see* Baert, K. 88−37542
Roggen, J. *see* Beyne, E. 88−1229, 88−64132
Roggen, J. *see* Eyckmans, M. 88−18038
Roggen, J. *see* Nijs, J. 88−5891
Roggendorf, P. Post-processing: multiple use of the control track: perfect video cut now also possible with home recorders 87−49346
Rogger, W.R. F/A-18 Hornet: reliability development testing 86−6028
Roggwiller, P., Gobrecht, J., Voboril, J., Broich, B. A highly interdigitated GTO power switch with recessed gate structure 85−50514
Roggwiller, P. *see* Gruning, H. 87−45914
Rogi, I. *see* Kovacevic, J. 87−51661
Rogic, B., Kulusic, P. Field trials of teletext systems carried out by JRT 85−47167
Rogic, M. *see* Nesic, A. 88−56985
Roginskaya, L.E., Bolotovskii, Yu.I. The formulation of a mathematical model for RLCM circuits containing perfect transformers 86−66896
Roginskaya, L.E., Urazbakhtina, N.G. Determination of resonant frequencies of density pickup 86−11538
Roginskaya, L.E. *see* Bolotovskii, Yu.I. 86−34723
Roginskaya, T.V. *see* Gorfinkel, A.G. 88−29202
Roginskii, L.A. *see* Burshtein, E.L. 85−52952
Rogler, G.G. *see* Lyubarskii, V.G. 88−17554
Rogler, W. *see* Henkel, H. 87−53756
Rogler, W. *see* Henkel, H.-J. 87−25646
Rogler, W. *see* Markert, H. 87−53826
Roglin, H.C. The electricity industry in cross fire of public opinion 88−54931
Rogne, T., Steinbakk, A. Computer aided analysis of a multi-winding flyback converter including the EMI line filter 88−30855
Rogne, T. *see* Undeland, T. 85−10015
Rogne, T.J. *see* Matise, B.K. 86−31212
Rogner, A. *see* Schultheiss, C. 86−70288
Rogner, G. *see* Faugeras, P.E. 88−54068
Rogner, H.-H. The IIASA '83 scenario of energy development 85−32268
Rognerud, K. Data transmission in private branch exchanges 87−48797
Rognon, J. *see* Davoine, J. 86−39833
Rognon, J. *see* Sabrie, J.L. 87−38706
Rognon, J.-P., Zhu, D., Le-Huy, H. Speed measurement and estimation schemes for digitally-controlled DC motor drives 88−24210
Rognon, J.P. *see* Champenois, G. 87−43122, 88−69342
Rognon, J.P. *see* Jakubowicz, A. 86−39827, 87−22429, 88−69345
Rognon, J.P. *see* Mota, P. 85−27585
Rognon, J.P. *see* Olivier, E. 86−45586
Rognon, J.P. *see* Roye, D. 88−23969
Rognon, J.P. *see* Suemitsu, W. 87−22282
Rogoff, G.L., Feuersanger, A.E., Drummey, J.P., Rothwell, H.L., Jr. Determination of two-dimensional temperature and additive density distributions in a high-intensity-discharge lamp arc 88−18199
Rogoff, M. Navigating with full-color electronic charts: differential Loran-C in harbor navigation 85−42674
Rogoff, M. The electronic chart—is it legal? 87−36418
Rogoff, M. The use of calibrated and monitored Loran as a means for precision vessel location 88−4141
Rogora, E., Scire, G. Future trends for the dashboard circuitry: The microprocessor as a management unit 85−16355
Rogov, A.N. *see* Maznev, A.S. 85−39102
Rogov, S.A. *see* Aksenov, E.T. 88−33801
Rogov, S.A. *see* Babushkin, S.R. 87−69260
Rogov, S.A. *see* Vodovatov, I.A. 85−13221, 87−20906, 87−39873, 87−74412
Rogov, V.N. *see* Grishutin, M.M. 87−4090
Rogov, V.P. *see* Tsirul'nikov, L.M. 86−65907
Rogov, V.S. *see* Nazarkin, A.V. 86−27534, 87−68168
Rogova, O.E. *see* Strekaler, A.A. 87−62651
Rogova, V.D. *see* Emel'yanov, I.Ya. 86−32976
Rogovin, D.N. Phase conjugation with a moving source 88−20769
Rogovskii, O.V. *see* Lokhnygin, V.D. 85−29789
Rogovsky, A.J. Some advances in NDT technology for composites 85−10907
Rogovsky, A.J. Ultrasonic and thermographic methods for NDE of composite tubular parts 85−39826
Rogovtsev, P.N. *see* Glebov, L.B. 85−2394
Rogowitz, B.E. A psychophysical approach to image quality 86−23158
Rogowitz, B.E. The psychophysics of spatial sampling 88−68342
Rogowitz, B.E. *see* Benzschawel, T. 87−8695
Rogowski, M. IEEE local area network standard and its application for MPC-800 controllers family 88−3497
Rogowski, R.S., Heyman, J.S., Holben, M.S., Jr. An amplitude modulated laser system for distance and displacement measurement 87−39272
Rogoyski, E. *see* El Gamal, A. 88−70689
Rogoyski, E. *see* Khokhani, K. 86−58115, 87−23825, 87−37664, 88−32550
Rogoyski, E. *see* Kohkani, K. 87−52982
Rogoza, V.V., Tutik, V.L., Kholodenko, Yu.N. Pulse-digital relay for controlling a certain electrical value 86−1179
Rogoza, V.V. *see* Nazarenko, V.M. 87−9219
Rogozhin, A.A. *see* Baev, V.M. 86−9818
Rogozhin, Yu.D. *see* Yalova, A.Ya. 87−78503
Rogozhina, G.P. *see* Akirtava, O.S. 88−58444
Rogozhkin, V.V., Moskvin, A.I., Ivanov, V.I., Minulin, R.S., Rapoport, V.E., Parshukov, V.S. Recovery of metal from coal-preparation systems [power station coal] 86−39270
Rogozhkin, V.V. *see* Gavrilov, N.N. 85−32346
Rogozin, A.G. *see* Rogozin, G.G. 85−65234
Rogozin, A.I. *see* Burdakov, A.V. 85−37828
Rogozin, A.Ya., Sibagatullin, R.S., Tukhvatullin, R.A. Mathematical model for flash lamp luminous distribution 86−33831
Rogozin, G.G., Larina, I.I. On utilization of functional characteristics with allowance for the influence of synchronous-machine saturation 87−72118
Rogozin, G.G., Pyatlina, N.G., Rogozin, A.G. Electromechanical transients accompanying stepwise rotation of turbogenerator rotor 85−65234
Rogozin, G.G. *see* Zabolotnyi, I.P. 86−39696
Rogozin, G.G. *see* Zhmurko, V.A. 85−5283
Rogozin, V.V., Fadeyev, A.O., Kharina, T.G. Optimization of broadband ferrite filters 87−66316
Rogozin, V.V. *see* Veselkov, M.I. 87−59819
Rogozin, V.V. *see* Zagryadskiy, S.V. 88−7803
Rogozinskaya, T.S. *see* Talyshchinskii, R.I. 87−58079
Rogozinskaya, T.S. *see* Talyshinskii, R.I. 87−58075, 88−37166
Rogozinski, R. *see* Blahut, M. 87−74833
Rogozinsky, V.G. *see* Ageev, A.I. 88−47779
Rogozinsky, V.G. *see* Balbekov, V.I. 85−26562
Rogozov, Yu.I., Chernov, N.I. Optimization of the logic base for the synthesis of digital I^2L circuits 88−56592
Rogridgues, P. *see* Gerla, M. 87−75967
Rogrigues, A.J.M.G. *see* de Freitas, V.L.B. 86−30119
Roguin, J., Ranjamina, V. Modeling of magnetic circuits with EMTP 86−51673
Roguin, J., Sabot, A. The study of electric transients 87−64120
Roguin, J. *see* Bartodziej, G. 87−15312
Roguin, J. *see* Sohier, J. 87−78840
Rogulski, A. Switched capacitor as a new component of active filter 86−34962
Rogulyak, S.V. *see* Kirilenko, E.K. 87−68593
Rogunova, T.S. *see* Baranov, A.N. 85−62449
Rogusch, T. The legal possibilities for placing official requirements on nuclear power station operation after official approval has already been issued 86−45143
Roguski, A. Determination of equivalent parameters and circuits of transformers at oscillations 87−78735
Roguski, A.T. *see* Berneryd, S. 86−6825
Roguski, W. *see* Zawadaka, E. 85−4509
Roguski, Z. Computer modelling of lightning surges in lightning protection systems 88−10917
Roh Hi Young *see* Hi Young Roh
Rohac, J. Resistance to frequency transducer 88−16093
Rohan, C. Vibration monitoring: industry's EKG 87−77409
Rohan, M.de *see* de Rohan, M.
Rohar, S., Ricany, J., Sarvaic, I. Content and selected results of the WWER 440 reactor units commissioning programme 88−17304
Rohar, S. *see* Liptak, P. 85−65083
Rohatgi, A. High-efficiency silicon solar cells—opportunity and challenge 86−19492
Rohatgi, A. A review of high-efficiency silicon solar cells 87−4890
Rohatgi, A. Review of high efficiency silicon solar cells 87−72405
Rohatgi, A., Gupta, S., McMullin, P.C., Palaschak, P.A., Rai-Choudhury, P., Gallagher, B.D. Laser-written metallization patterns for low-cost high-efficiency solar cells 87−4958
Rohatgi, A., Meier, D.L., O'Keeffe, T.W., Rai-Choudhury, P. High-efficiency solar cells on low-resistivity dendritic web silicon ribbon 87−4897
Rohatgi, A., Meier, D.L., Rai-Choudhury, P., Fonash, S.J., Singh, R. Effect of low-energy hydrogen ion implantation on dendritic web silicon solar cells 86−61738
Rohatgi, A., Pang, S.K., Gupta, T.K., Straub, W.D. The deep level transient spectroscopy studies of a ZnO varistor as a function of annealing 88−64633
Rohatgi, A., Rai-Choudhury, P. Defects and carrier lifetime in silicon 85−1474
Rohatgi, A., Rai-Choudhury, P. An approach toward 20-percent-efficient silicon solar cells 86−33655
Rohatgi, A., Rai-Choudhury, P. High-efficiency silicon solar cells: development, current issues and future directions 87−15987
Rohatgi, A., Rai-Choudhury, P., Meier, D.L., Milstein, J.B. Surface-passivated high-efficiency silicon solar cells 86−7061
Rohatgi, A., Ringel, S.A., Welch, J., Meeks, E., Pollard, K., Erbil, A., Summers, C.J., Meyers, P.V., Liu, C.H. Growth and characterization of CdMnTe and CdZnTe polycrystalline thin films for solar cells 88−56304
Rohatgi, A. *see* Campbell, R.B. 87−9746
Rohatgi, A. *see* Dawless, R.K. 88−49786
Rohatgi, A. *see* Federmann, E.F. 86−7121

Rohatgi, A. *see* Fonash, S.J. 85—61851, 88—7497
Rohatgi, A. *see* Hopkins, R.H. 86—61739
Rohatgi, A. *see* Meier, D.L. 86—7063, 87—9765
Rohatgi, A. *see* Mu, X.C. 86—15045, 86—47462
Rohatgi, A. *see* Pang, S.K. 88—32764
Rohatgi, N. *see* Hsu, G. 86—508
Rohatgi, P.K. *see* Warrier, K.G.K. 85—33522
Rohatgi, R., Schwettman, H.A., Smith, T.I. A compact energy recovered FEL for biomedical and material science applications 88—45490
Rohatgi, R. *see* Edighoffer, J.A. 88—51830
Rohatgi, R. *see* Smith, T.I. 87—75134
Rohatgi, U.S. *see* Jo, J.H. 86—25756
Rohatgi, V.K., Venkatramani, N. Recent advances in open cycle MHD electrical power generation 85—21524
Rohatgi, V.K. *see* Chen, X. 85—20746
Rohatgi, V.K. *see* Das, A.K. 88—69235
Rohatgi, V.K. *see* Dixit, N.S. 87—43472
Rohatgi, V.K. *see* Gowda, G.P. 85—5393
Rohatgi, V.K. *see* James, M.I. 85—53833
Rohatgi, V.K. *see* Satyamurthy, P. 85—53832
Rohatgi-Mukherjee, K.K. *see* Bhowmik, B.B. 87—51423
Rohde, A. *see* Jager, H. 85—20471
Rohde, H.J., Scharmach, M. Efficient metallization scheme for GaAs microacoustic devices 88—7778
Rohde, L.E. CAD system requirements for SMT design 87—73882
Rohde, L.E. CAD system requirements for SMT design. II 88—12733
Rohde, L.E. Computer-aided design system requirements for surface mount technology design 88—71187
Rohde, M. *see* Anderhub, H. 88—22984, 88—29843
Rohde, M. *see* Hohne, W. 87—4139, 87—29940
Rohde, O., Riediker, M., Schaffner, A., Bateman, J. Recent advances in photoimagable polyimides 86—2061
Rohde, O., Riediker, M., Schaffner, A., Bateman, J. High resolution, high photospeed polyimide for thick film applications 87—1374
Rohde, R.W. *see* Vook, R.W. 85—50073
Rohde, U. The manner in which a CPU operates 85—54930
Rohde, U. Models and nonlinearities: major factors in microwave CAD software. I 86—14483
Rohde, U. Basic, bits and bytes. III. Turing machines and programming 86—34710
Rohde, U. Basic, bits and bytes. IV 86—41891
Rohde, U. Data transmission in TV programs—innovation from the WDR (West German Broadcasting) computer club 86—60012
Rohde, U.L. Models and nonlinearities: major factors in microwave CAD software. II 86—20178
Rohde, U.L. Computer-automated testing of high-performance, double-balanced mixers ensures accuracy 86—52735
Rohde, U.L. Test equipment and verification of microwave CAD 86—57558
Rohde, U.L. A laptop CAD workstation. I. [RF and microwave design] 87—431
Rohde, U.L. Time-domain analysis examined for CAD applications. I 87—5589
Rohde, U.L. Time-domain analysis examined for CAD applications. II 87—10602
Rohde, U.L. Designing a matched low noise amplifier using CAD tools 87—10702
Rohde, U.L. Designing a low noise oscillator using CAD tools 87—23978
Rohde, U.L. Noise prediction in oscillators 87—37061
Rohde, U.L. Modeling noise in microwave bipolar transistors 87—45263
Rohde, U.L. Super-compact enhancement will predict yield 87—66547
Rohde, U.L. Harmonic balance method handles nonlinear microwave CAD problems 88—12581
Rohden, H.von *see* von Rohden, H.
Rohdin, H., Roblin, P. A MODFET DC model with improved pinchoff and saturation characteristics 86—53645
Rohdin, H., Su, C.Y., Stolte, C. A study of the relation between device low-frequency noise and oscillator phase noise for GaAs MESFETs 85—17854
Rohdin, H.G. *see* Kaneshiro, R.T. 88—50878
Rohe, D. *see* David, Y. 87—63712
Rohella, R.S. A high-current variable regulator with overload shut-off 85—17138
Rohen, J.E. Magnetic encoding on depository envelope in an automatic teller machine 85—13479
Rohen, J.E. *see* Callaway, M.B. 85—7252
Rohkel, K., Hartnagel, H.L. GaAs-surface oxidation in air studied by XPS and ISS 86—47467
Rohl, P., Andress, B. Oxidative degradation of polyolefin insulations due to surface influences 87—53827
Rohl, P. *see* Andress, B. 85—32186, 87—16713
Rohl, P. *see* Messer, G. 87—77450
Rohl, S. *see* Becker, F.S. 88—24764
Rohl, S. *see* Binder, H. 87—31904
Rohl, S. *see* Kakoschke, R. 87—53731
Rohl, S. *see* Kusters, K.H. 88—6868
Rohleder, C.F., Bullock, D.W. Life extension: the influence of performance testing [power generating stations] 87—9394
Rohlena, K., Masek, K., Balabanova, E.G., Paulicka, I. Kinetics of the photodissociation iodine laser with slow pumping 88—58416
Rohlena, K., Masek, K., Kodymova, J., Balabanova, E.G., Paulicka, I., Stefanov, B. On kinetics of the photodissociation iodine laser 85—51088
Rohlena, K. *see* Masek, K. 87—12411
Rohlev, T., Loeffler, C. Invertible periodically time-varying digital filters 87—59785
Rohlfing, T. *see* Biesel, H. 88—21320
Rohlfs, K. Tools of radio astronomy 87—22980
Rohlfs, T. Test run for ISDN in the pilot project of the German Post Office 87—33929
Rohlfs, T. Towards large-scale ISDN [West German pilot project] 88—21781
Rohlicek, J. *see* Kubala, F. 88—66401
Rohlicek, J.R., Willsky, A.S. Structural decomposition of multiple time scale Markov processes 88—31628
Rohlicek, J.R., Yen-Lu Chow, Roucos, S. Statistical language modeling using a small corpus from an application domain 88—66395
Rohlich, P. *see* Csanady, A. *(editor)* 86—7380
Rohlig, H. *see* Klemm, M. 86—33562
Rohling, H. New CFAR-processor based on an ordered statistic 86—17456
Rohling, H. Resolution of Doppler frequency and range ambiguities 86—37929
Rohling, H. Algorithms for and performance of radar target detection in non-homogeneous clutter background. I 87—49131
Rohling, H. Radar target detection with MTD processor in exponentially and log normally distributed clutter 87—49143
Rohling, H. Algorithms for and performance of radar target detection in nonhomogeneous clutter background. II 87—56199
Rohling, H. Robust algorithms for point target detection in different background situations 88—21242
Rohling, H., Borchert, W. Range measurement in airborne pulse Doppler radars 88—15648
Rohling, H., Borchert, W. Mismatched filter design for periodical binary phase coded signals 88—53321
Rohling, H., Borchert, W. New pulse Doppler radar 88—67477
Rohlmann, A. *see* Bergmann, G. 88—30048
Rohm, E. On the calculation of time dependent electromagnetic fields, with the integral equation method and the application to a high-frequency field-emission-cathode 87—12663
Rohm, E. *see* Hubner, H. 88—32708
Rohm, R. *see* Friedrich, D. 87—45440, 87—73908, 88—1151
Rohmann, J. *see* Plaschke, D. 88—31897
Rohmer, J. *see* Gonzalez-Rubio, R. 85—20560
Rohmer, K. Multi-vendor systems in information technology on the basis of harmonized OSI standards 86—16688
Rohmfeld, J. Heavy-current cathode for X-ray tubes with electrostatic focusing 87—14803
Rohner, F. *see* Fischer, H.M. 87—21417
Rohner, M. *see* Braunschweig, W. 88—68282
Rohner, P., Ziemek, G. A new concept for fiber optic LAN cables 88—28909
Rohner, P. *see* Meshchanov, G.I. 85—64922
Rohr, A., Schaffer, W. Model switches for the examination of welding behaviour of bouncing contacts 86—71022
Rohr, A. *see* Lubcke, H.-U. 88—19457
Rohr, F.von *see* von Rohr, F.
Rohr, G. *see* Hoffmann, V.E. 87—15330
Rohr, M., Ruck, J. The LC 8525 microcomputer controlled digital multimeter 88—47630
Rohr, M. *see* Meyer, G. 87—35137
Rohr, R. Electricity generation in the south east of the USA 88—42763
Rohra, K. *see* van Otterloo, P.J. 85—57542
Rohrabacher, A., Carlton, R., Gelhaus, F. Considerations in the development and implementation of a maintenance robot for nuclear power facilities 87—78316
Rohrbach, C., Lexow, J. Miniature force transducers with strain gages 86—11574
Rohrbach, C., Lexow, J. Miniature force transducers with strain gauges 88—42047
Rohrbach, F. *see* Alberini, C. 86—65387
Rohrbach, L.E. *see* Addicks, S. 87—40211
Rohrbaugh, J.P. *see* Daher, J.K. 87—25467, 88—8501
Rohrbaugh, J.W. *see* Rawlings, R.R. 87—29763
Rohrbeck, W. Four-channel wavelength division multiplexing and its application to the BIGFON project of the German post office 85—25861
Rohrer, D.K., Leonard, P.F., Svetkoff, D.J. Techniques for recognition of 2D patterns using grey scale and color information 85—30329
Rohrer, D.K. *see* Leonard, P.F. 86—13533
Rohrer, G., Narayan, S., McMillan, L., Kulkarni, A. A new technique for characterization of thin-film ferroelectric memory devices 88—64872
Rohrer, H. *see* Garcia, N. 86—5525
Rohrer, H. *see* Gerber, C. 86—27824
Rohrer, H. *see* Meyer, A. 87—22290, 87—42885, 87—78518
Rohrer, H.J. *see* Meyer, A. 85—32449
Rohrer, L. *see* Munzer, H. 86—38644, 88—47764
Rohrer, L. *see* Posselt, W. 85—43150
Rohrer, R. *see* Frigg, K. 87—43554
Rohrer, R.A. Circuit partitioning simplified 88—31912
Rohrer, R.A. *see* Huang, X. 88—24898
Rohrer, R.A. *see* Pillage, L.T. 87—65754
Rohrer, R.A. *see* Visweswariah, C. 88—24897
Rohrer, R.J. Cost benefits of improving plant hardware at LaSalle station 87—71840
Rohrer, U. *see* Beer, W. 85—64518
Rohrer, V.S. *see* Kendall, B.R.F. 86—63481
Rohrer, W. Unlimited Btx-applications. Conceptional incorporation of personal computers in Btx 87—27992
Rohrer, W. Why BTX integrated computers [Bildscrimtext] 87—69608
Rohrich, D. *see* Puhlhofer, F. 88—22988
Rohrich, H. Equipment for construction and repair of pipework 88—23617
Rohrich, K. *see* Schmitt, C. 85—59221
Rohricht, B., Parisi, J., Peinke, J., Huebener, R.P. Spontaneous resistance oscillations in *p*-germanium at low temperatures and their spatial correlation 87—53172
Rohricht, B., Wessely, B., Parisi, J., Peinke, J. Crosstalk of the dynamical dissipative behavior between different parts in a current-carrying semiconductor 86—27834
Rohricht, B. *see* Huebener, R.P. 88—44539
Rohricht, B. *see* Peinke, J. 88—39049
Rohricht, B. *see* Scholl, E. 87—32231
Rohrig, G. Today already for tomorrow [SPC interface] 87—55897
Rohrig, R. *see* Wartmann, R. 85—49202
Rohringer, H. *see* Anguilar-Benitez, M. 87—71031
Rohrl, G. *see* Heindl, H. 87—43153
Rohrlach, H.-J. Videotex in German pension insurance: A new method of communication between insurance institutions and insured persons. I 87—27964
Rohrle, J. Integrated instrumentation systems for CNC-machines 86—38196
Rohrlein, G. *see* Ermert, H. 87—71108
Rohrmoser, A. *see* Boning, K. 85—64445
Rohrmoser, W. *see* Betz, H. 87—25001
Rohrs, C.E., Johnson, C.R., Mills, J.D. A stability problem in sign-sign adaptive algorithms 87—27526
Rohrs, C.E. *see* Kenney, J.B. 88—66562
Rohrs, C.E. *see* Mills, J.D. 88—46486
Rohrs, C.E. *see* Sethares, W.A. 88—66893
Rohrs, C.E. *see* Tang, K. 87—61930
Rohrweg, A. *see* Sommer, E. 85—32451
Rohsenow, W.M. *see* Herbein, D.S. 88—37063
Rohsler, H., Strnad, A. Overvoltage protection of metal-clad 420 kV gas-insulated substations 85—16148
Rohsler, H., Strnad, A. Lightning conductors for high voltage aerial power lines in the induction regions of switching equipment 86—12491
Rohsler, H. *see* Andersson, B.G. 87—58222
Rohsler, H. *see* Declercq, J.C. 85—60344
Rohsler, H. *see* Haug, O. 87—43290
Rohsler, H. *see* Strnad, A. 86—15943
Rohulich, A.S. *see* De Mara, F. 85—28351
Rohwedder, H. *see* Kruger, M. 85—54166
Rohwein, G. *see* Wright, W. 87—43275
Rohwein, G.J. Design of repetitively pulsed megavolt pulse transformer systems 85—27484
Rohwein, G.J. A 50 kJ repetitively pulsed capacitor bank 85—27591
Rohwein, G.J. Partial discharge formation and breakdown and deionized water under repetitive stressing 87—18395
Rohwein, G.J., Lancaster, K.T., Lawson, R.N. The TEMPO machine 87—44679
Rohwein, G.J. *see* Earley, L.M. 87—17629
Rohwein, G.J. *see* Sarjeant, W.J. 85—5251
Rohwein, G.J. *see* Smith, D.L. 88—24054
Rohwer, R., Renals, S., Terry, M. Unstable connectionist networks in speech recognition 88—72794
Roi, I.N. *see* Kubyshkin, A.P. 88—16905
Roick, E. *see* Moller, T. 86—60669
Roick, U. Integrated circuits A3501D, A3510D and A3520D 87—827
Roid, W. *see* Schorner, J. 88—40419
Roides, R. *see* Abate, J.A. 85—7501
Roife, I.M. *see* Burtsev, V.A. 85—11849
Roife, I.M. *see* Gusev, O.A. 86—44492
Roife, I.M. *see* Vasilevskaya, Yu.A. 85—28900
Roife, V.S. Ways of increasing the accuracy of means of dielcometric measurement 85—48066
Roife, V.S. Determining the components in the compound equivalent circuit of a polarized dielectric 85—48067
Roife, V.S. Method of calibrating a dielectric-loss water-content meter by the use of a multiparameter model 86—11629
Roig, G. *see* Alloca, B. 87—52417
Roig, G. *see* Andrian, J.H. 87—53574, 88—44727
Roig, G. *see* Gomez del Rio, F. 87—52445
Roig, G. *see* Rubinstein, M. 86—791

Roig, G.A. *see* Mundulas, J.M. 88–48898
Roig, J. *see* Deschamps, P. 86–13941
Roign, G. *see* Story, J.R. 88–43629
Roiha, R.W. *see* Burn, N. 86–31871
Roinel, Y. *see* Chaumette, P. 86–60522
Roiron, G. *see* Battiston, R. 85–59224
Roiron, G. *see* Bettoni, D. 87–21407
Roiseland, D., Fick, H. Estimating the thermal conductance of resilient sheet materials: a method 87–29340
Roisin, C. Protocol description with the OCCAM language 86–69238
Roisman, A.Z. Assurance of quality: issues and outlook from a critic's perspective 85–4829
Roitberg, A.Kh. *see* Moskalenko, V.I. 85–48961
Roitel'man, I.G. *see* Avramenko, V.N. 88–36797
Roitel'man, I.G. *see* Lositskii, Yu.E. 88–68792
Roitel'man, I.G. *see* Shcherbina, Yu.V. 87–77995
Roitel'man, N.G. *see* Zaderei, A.V. 87–42634
Roithner, A. High voltage LED 87–2040
Roitman, M., Salgado, E., Pilotto, L.A.S., Szechtman, M. A microprocessor-based implementation of a constant reactive current control strategy for enhancement of HVDC/AC system performance 86–12337
Roitman, M.S., Sokolov, V.S., Rybin, Yu.K., Bolkunov, A.F., Svinolupov, Yu.G., Tsymbalist, E.I., Kalinichenko, N.P. The K2-41 integrated measurements system 88–29284
Roitman, M.S., Svinolulov, Yu.G., Sushentsev, A.N. GKP-3M AC voltage calibrator 85–58789
Roitman, M.S., Svinolupov, Yu.G., Sushentsev, A.N., Podkopaev, N.N., Polstvin, V.I., Laud, T.A. Standard measure of AC voltage 85–58788
Roitman, P., Wilson, C.L., Blue, J.L., Galloway, K.F. Measurements for accurate MOS transistor simulation 87–18173
Roitman, P. *see* Bennett, H.S. 86–63119
Roitman, P. *see* Marchiando, J.F. 86–21098
Roitman, P. *see* Russell, T.J. 87–32534
Roitman, P. *see* Wilson, C.L. 85–55838
Roivainen, P. *see* Kalldahl, A. 87–47965
Roizel, T.du *see* du Roizel, T.
Roizen, J. Television at the Los Angeles Olympics 85–25975
Roizen, J. China turns on TV and radio 86–11218
Roizen, J. Video recording, computer graphics, special effects—an overview 87–13896
Roizen, J. Dubrovnik impasse puts high-definition TV on hold 87–20663
Roizen, J. *see* Faroudja, Y. 88–3203
Roizen, J. *see* Simon, G. 85–26089
Roizen, L.I. *see* Dul'kin, I.N. 87–58156
Roizen-Telegen, J. High-definition television (HDTV)—standardisation problems 87–63107
Roizentok, V.S. *see* Levitas, B.N. 87–29277
Roizes, A., David, J.P., Faucheux, J.F., Phan Pham, T. Electrical homogeneity evaluation of ion implanted layer on LEC non-doped SI substrate 87–17725
Roizin, N.M., Motorin, V.E., Gorbatyi, V.I. Domestic PAL of SECAM videotape recording? 88–74163
Roizin, Ya.O., Khuan, K.S. Effect of high-power laser radiation on characteristics of thin silicon nitride films 87–6513
Roizin, Ya.O., Soloshenko, V.I., Shevtsov, N.N. Mercury probe with stabilized contact area 87–56640
Roizman, S.F. *see* Pravoverov, N.L. 86–46389
Rojas, E. *see* Jimenez, J. 85–26305
Rojas, R., Darius, F., Drepper, J. The 68008-card for the Apple-II 86–1105
Rojas, R.G. Comparison between two asymptotic methods [electromagnetic diffraction] 88–40538
Rojas, R.G. Wiener-Hopf analysis of the EM diffraction by an impedance discontinuity in a planar surface and by an impedance half-plane 88–45665
Rojas, R.G. Scattering by an inhomogeneous dielectric/ferrite cylinder of arbitrary cross-section shape—oblique incidence case 88–45669
Rojas, R.G., Law, P.H., Burnside, W.D. Simulation of the enhanced traffic alert and collision avoidance system (TCAS II) 88–2863
Rojas, R.G., Pathak, P.H. A UTD analysis of the diffraction by a thin dielectric/ferrite half-plane (oblique incidence case) 86–42830
Rojas, S. *see* Gualandris, F. 86–26892
Rojas, V., Cosgrove, M. World Cup—Mexico '86 87–13854
Rojas Varela, J. *see* Bertel, L. 88–40573
Rojas Varela, J. *see* Gourvez, P. 87–54722
Rojat, G. *see* Auriol, P. 86–61697
Rojat, G. *see* Clerc, G. 88–64042
Roje, V. *see* Dekleva, J. 87–39432
Rojek, P. *see* Schumacher, W. 85–47923
Roji Ferrari, J. *see* Joyanes Aguilar, L. 88–53552
Rojo, B.L., Poliscuk, W.W. Analysis of SC real networks 88–551
Rojo, B.L. *see* Poliscuk, W.W. 88–56748
Rojo, M., Munoz, J., Margineda, J. Automatic measuring technique of ferrimagnetic resonance 88–53843
Rok Oh Gil *see* Gil Rok Oh
Roker, W. Digital broadband switching system BBV 140/2 86–30527
Rokhinson, P.Z. *see* Bogomol'nyi, P.Ya. 88–68984, 88–75199
Rokhinson, P.Z. *see* Shkarin, Yu.P. 88–17172
Rokhlenko, A.A. Wide-range meter for measuring average particle sizes in emulsions and suspensions 87–63518
Rokhlenko, A.A. *see* Krivov, O.V. 88–4701
Rokhlin, A.Z. *see* Kurnosov, A.I. 87–78172
Rokhlin, L.I. *see* Akimov, L.V. 85–65473, 86–26342
Rokhlin, S.I., Chang, M.C., Adler, L. Quantitative evaluation of spot welds by ultrasonic waves 85–17036
Rokhlin, S.I., Mayhan, R.J., Adler, L. On-line ultrasonic Lamb wave monitoring of spot welds 85–54554
Rokhlin, V. A fast algorithm for the discrete Laplace transformation 88–49616
Rokkanen, A. *see* Rahko, K. 85–30792
Rokkos, N.S. *see* McCann, J.F. 85–11672
Rokne, J. A low complexity explicit rational centred form 85–54346
Rokne, J. Including iterations for the lambda-matrix eigenproblem 86–7670
Rokne, J. A simple method for computing the values of the derivatives of a rational function 86–34195
Rokne, J. Rational circular complex centered forms 87–44200
Rokne, J.G. Low complexity k-dimensional centered forms 87–10299
Rokni, M., Flusberg, A.M. Laser-controlled optics using near-resonance nonlinear dispersion in gaseous media 85–19023
Rokni, M. *see* Jacob, J.H. 86–36373
Rokos, H. *see* Beesley, C. 86–14349
Roksnoer, P.J. The mechanism of formation of microdefects in silicon 85–10662
Roksnoer, P.J. *see* Haisma, J. 87–58940
Rokude, S., Ohsawa, J., Saga, Y. Support environment for developing domestic switching system software 87–34282
Rokugo, Y. Basic analysis of jitter transfer function 86–43635
Rokugo, Y., Asano, H. Jitter transfer function and its measuring method 85–19159
Rokugo, Y. *see* Okada, T. 86–4406, 87–40548
Rokujo, T. *see* Uchihara, Y. 87–49423
Rokukawa, H. *see* Ogasawara, N. 87–75102
Rokusawa, K. *see* Itoh, Y. 87–2493
Rokushima, K., Yamakita, J., Mori, S. Wave diffraction and guidance by anisotropic dielectric waveguides with space-time periodic index modulation 88–45196
Rokushima, K., Yamakita, J., Mori, S., Tominaga, K. Unified approach to wave diffraction by space-time periodic anisotropic media 88–20872
Rokushima, K. *see* Kominami, M. 86–10179, 86–64104, 87–19284, 87–47290, 88–38680
Rokushima, K. *see* Tominaga, K. 88–2067
Rolader, G., Desai, P. Comparative evaluation of collisional relaxation mechanisms for gasdynamic lasers 87–12365
Rolader, G.E., Batteh, J.H., Desai, P. Partition functions for railgun plasma armatures 88–40515
Rolader, G.E. *see* Batteh, J.H. 88–66015
Rolain, Y. *see* Sevenhans, D. 87–18990, 88–16181
Roland, B., Coopmans, F. Plasmask: a novel plasma developed resist based on selective silylation 87–25038
Roland, B., Lombaerts, R., Coopmans, F. The mechanism of the DESIRE process 88–7532
Roland, B., Lombaerts, R., Jakus, C., Coopmans, F. The mechanism of the DESIRE process 88–13249
Roland, B., Lombaerets, R., Jakus, C., Coopmans, F. The mechanism of the DESIRE process 88–19886
Roland, B. *see* Coopmans, F. 87–11567, 87–11877, 87–25017, 87–60256, 88–1504, 88–1550, 88–13171
Roland, D. *see* in't Veld, S.H. 85–58146
Roland, J.C. Voice technology moves into the nursing home industry 88–14636
Roland, J.P. Two-layer tungsten interconnect 87–6625
Roland, J.R. Performance of Solar Electric Generating Systems on the utility grid 86–56672
Roland, J.R. *see* McEwan, P.F. 87–64484
Roland, L. *see* Grellmann, E. 87–24430
Rolandi, L. Space resolution of the TPC 87–14758
Rolandi, L. Space resolution of the TPC 88–36380
Rolandi, L. *see* Amendolia, S.R. 85–15169, 85–37901, 85–43179, 86–5779, 87–21426 to 21428
Rolandi, L. *see* Benetta, M. 85–43239
Rolandi, L. *see* Blum, W. 87–21429
Rolandson, S. *see* Pind, C. 85–38689
Rol'bin, Ya.Z. Optimising the control of repairs using the computer 86–26671
Roldan-Villasana, E.J., Del-Arco, C.M., Mendez Lecanda, E., Gonzales-Santalo, J.M. Model of the flows and pressures in the water circuit of a forced circulation boiler 85–60014
Roldan-Villasana, E.J. *see* Gonzalez-Santalo, J.M. 85–27307
Roldugin, N.N. *see* Ainbund, M.R. 85–11865
Roldugin, V.I., Sysun, V.V. On the effect of the discharge energy on the flash lamp luminance distribution 86–40277
Roldugin, V.I. *see* Denisov, V.P. 87–22885
Rolenz, M.A. Computer simulation of time-varying transmission channels 87–7644
Roleson, S. A statistical method for frequency list culling in radiated emissions tests 86–29456
Roleson, S. Monitoring measuring repeatability at radiated emissions testing facilities 88–14430
Rolett, E.L. *see* Fitzgerald, P.J. 87–57110
Rolf, K. *see* Ziegler, H. 87–35060
Rolf, R. *see* Stein, R.B. 86–50459
Rolfe, D. Parallel processing with the transputer 87–44863
Rolfe, D. Second generation 32-bit microprocessor 88–32223
Rolfe, E.J. *(editor)* Second ESA Workshop on Mechanical Technology for Antennas (ESA SP-261) 87–10038
Rolfe, J. Trends in cable trunking 88–61901
Rolfe, J., Brown, M.J., Jobe, R.K. The pulsed amplitude unit for the SLC 88–54180
Rolfe, J. *see* Wilson, S.L. 88–29827
Rolfe, L., Hughes, M. Recombination electrolyte technology 86–33598
Rolfe, M.A. Role of the digital principal local exchange 85–30812
Rolfe, P. Neonatal critical care monitoring 86–60802
Rolfe, P. Recent advances in perinatal bioengineering 87–41913
Rolfe, P. *see* Boggett, D. 87–50308
Rolfe, P. *see* Burton, P.J. 88–42483
Rolfe, P. *see* Hutchings, M. 88–42481
Rolfe, P. *see* Murphy, C. 88–42508
Rolfe, P. *see* Murphy, D. 87–50323, 87–57181 to 57182
Rolfe, P. *see* Obeid, A.N. 88–74816
Rolfe, P. *see* O'Dowd, M. 88–42482
Rolfe, P. *see* Rea, P.A. 85–31783
Rolfe, P. *see* Tarassenko, L. 86–32244
Rolfe, P. *see* Wickramasinghe, Y.A.B.D. 87–57135
Rolfe, R.M. *see* Falkenstrom, L.J. 86–49953
Rolfe, R.M. *see* Shoji, M. 85–61305
Rolfe, T.J. On a faster integer square root algorithm 88–18633
Rolfes, H., Boenick, U. Clinical study of the pressure distribution in single- and multichannel-pump-infusions 85–59318
Rolfes, T.J. *see* Hahn, E.F. 88–74273
Rolff, K.-P. A simple mathematical model for the switching hydraulics of high-voltage circuit breakers 87–51411
Rolff, R. Measuring methods for functional electroplating. III. Microscopy, specimen preparation, coating thickness determination by microscopy 88–53851
Rolfs, C. *see* Gorres, J. 85–52945, 86–25111
Rolfs, C. *see* Wustenbecker, S. 87–41735, 88–61014
Rolfs, J.C. *see* Brozovich, R.S. 86–14074
Rolfseng, L. *see* Aase, A. 85–59706
Rolicz, P. Impedances of cylindrical active and rectangular passive rotor-conductors 85–9863
Rolicz, P. Eddy currents generated in an elliptic conductor by a transverse alternating magnetic field 86–3443
Rolih, L. *see* Johnson, M. 85–48162
Rolik, V.A. *see* Vlasenko, N.A. 87–38916
Rolin, P. LYNX: a contention-based factory local area network with guaranteed access bounded delays 86–37550
Rolin, P. *see* Boudenant, J. 87–55789
Rolin, P. *see* Dang, M. 88–21728
Rolin, P. *see* Minet, P. 88–15143
Rolinski, Z., Ginalski, J., Rusiniak, M. A high temperature inductive measuring instrument for strains and stresses 86–18135
Rolison, S.M. *see* Madej, T. 85–42376
Roll, C. A case for a focused ASIC tester 88–18465
Roll, G., Mentel, J. A system for fast measurement of optical gain in discharges 87–14577
Roll, G., Strugala, M., Tavangarian, D., Waldschmidt, K. The associative processor based on modular, fully parallel associative memory field 86–67223
Roll, G. *see* Lehmann, A. 88–71190
Roll, G. *see* Strugala, M. 87–17099, 87–65679
Roll, G. *see* Waldschmidt, K. 87–37295
Roll, I. Going beyond the 8203 85–45055
Roll, K. The impact of process parameters and coating source on the properties of magnetic recording layers 86–36039
Roll, K., Schuller, K.H., Munz, W.D. CoCr thin films prepared by high rate magnetron sputtering 85–18545
Roll, K., Schuller, K.H., Munz, W.D. Initial layer effects in Co-Cr films 85–18546
Roll, K., Wirz, P. Magnetic thin films for data storage 88–51275

Roll, K. *see* Hoffmann, H. 86–28594
Roll, K. *see* Munz, W.D. 85–10799
Roll, K.-F. *see* Hentschel, H.-J. 86–33850
Roll, K.-F. *see* Leibig, J. 85–21944
Roll, Y., Moran, S. Hospital productivity measurement: an engineering approach 85–9242
Roll, Y. *see* Cook, W.D. 88–70075
Roll, Y. *see* Rosenblatt, M.J. 85–54105
Rolla, P.A. *see* Martinelli, M. 85–64244, 86–5487, 86–55821
Rollain, J.M. The peripheral communication circuits of the 68000 family of transmission equipment 85–49957
Rolland, A., Le Corre, A., Favennec, P.N., Gauneau, M., Lambert, B., Lecrosnier, D., L'Haridon, H., Moutonnet, D., Rochaix, C. Erbium-doped GaAs light-emitting diode at 1.54 μm 88–65503
Rolland, C., Corkum, P.B. Amplification of 70 fs pulses in a high repetition rate XeCl pumped dye laser amplifier 86–68483
Rolland, C., Corkum, P.B. Compression of high-power optical pulses 88–51929
Rolland, C., Garside, B.K., Reid, J. Gain saturation in CW 12-μm NH_3 Raman lasers 85–24437
Rolland, C. *see* Corkum, P.B. 87–33111
Rolland, C. *see* Kroeker, D.F. 86–48348
Rolland, C. *see* Sinclair, R.L. 85–46318
Rolland, G. Temperature dependence of internal quantum efficiency in charge coupled device detectors 86–2189
Rolland, G. *see* Bozec, J. 86–71064
Rolland, J. *see* Rahal, A.M. 86–26233
Rolland, J.M. A photovoltaic generator powering an underwater centrifugal pump coupled to a synchronous motor using a current inverter 87–22185
Rolland, J.M., Astier, S., Protin, L., Masselot, C., Lajoie-Mazenc, M. Analytic modelization of a photovoltaic pumping system using a naturally commutated synchronous machine: optimal functioning and constitution criteria 88–69225
Rolland, J.M. *see* Dakyo, B. 88–69347
Rolland, M. PAL combine flexibility of utilisation with high density of integration 85–54780
Rolland, M. *see* Abd-Lefdil, M. 86–21502, 86–48278
Rolland, M. *see* Cadene, M. 86–2957
Rolland, O.C., Meyer, B.D. 3D laser processing: the Renault RL5 87–75285
Rolland, P. *see* Reynes, L. 88–48661
Rolland, P.-A. *see* Friscourt, M.R. 85–40679
Rolland, P.A., Cappy, A., Friscourt, M.R. GaAs monolithic transferred-electron devices for millimeter wave applications 86–8504
Rolland, P.A., Friscourt, M.R., Dalle, C., Lippens, D. Design of two terminal solid-state MM-wave sources 87–11067
Rolland, P.A., Lleti, G., Goral, D., Martin, D., Durand, J.M., Bouvet, J.V., Dalle, C. Improved efficiency high power 94 GHz CW and pulsed IMPATT sources 87–37570
Rolland, P.A. *see* Berbineau-Barre, M. 88–12613
Rolland, P.A. *see* Dalle, C. 86–62844, 88–63557
Rolland, P.A. *see* Degrugillier, D. 85–40211
Rolland, P.A. *see* Friscourt, M.R. 85–12236, 86–20816
Rolland, P.A. *see* Lippens, D. 85–34930, 86–62832, 88–19384
Rolland, R. *see* Glasser, J. 88–42238
Rolland, S. *see* Granger, R. 85–55496, 88–32789
Rolland, S. *see* Lasbley, A. 85–23478
Rolland, S. *see* Rustom-Dalouche, R. 85–55507
Rolle, G. Narrow band for speech and data [mobile radio] 88–46924
Rolle, G. Mobile radio comes of age in the ISDN 88–53185
Rolle, G.W. *see* Pfannschmidt, H. 85–47445
Rollema, D.W. Super-selectable bandpass filters 86–34936
Rollema, D.W. Japan's hush-hush rushbox [World War II transceiver] 86–43733
Rollema, D.W. The Tonschreiber 'b'—a German WWII tape recorder for monitoring services 88–60502
Roller, C.D. Communications signal direction finding and cueing for optical systems 88–47230
Roller, D.H. *see* Herscovici, H. 86–65399
Roller, D.P., Rose, J.L., Saporito, M.J. Benefits of a computer controlled flaw detector for ultrasonic testing 85–10838
Roller, E.S. *see* Jespersen, N.V. 87–75625
Roller, F. *see* Johne, E. 86–13988
Roller, R. *see* Gotze, S. 88–34902
Roller, W. *see* Schmidt, W. 88–74263
Rolleston, R., George, N. Image reconstruction from partial Fresnel zone information 86–29965
Rolleston, R., George, N. Stationary phase approximations in Fresnel-zone magnitude-only reconstructions 87–27584
Rollet, H. The rolling stock for the future TGV lines 85–53895
Rollet, J.M. *see* LeBlanc, J.P. 87–30819
Rollet, P. *see* Lebouleux, P. 85–21322
Rolli, F. *see* Roeder, A. 85–27295
Rollier, M. *see* Battistoni, G. 86–50396
Rollin, E.M. *see* Steven, M.D. 86–60933
Rollinger, H. *see* Jaekel, K.-H. 85–9422
Rollings, R.W. Interconnecting digital circuits: surface-mounted double-density backplane connector 86–53207
Rollins, B., Cullen, J.G. Manufacturing the level 30 system. III. The test system 86–17756
Rollins, J.G., Choma, J., Jr. Mixed-mode PISCES-SPICE coupled circuit and device solver 88–70489
Rollins, J.G., Choma, J., Jr., Kolasinski, W.A. Single event upset in SOS integrated circuits 88–26514
Rollins, J.G., Kolasinski, W.A., Marvin, D.C., Koga, R. Numerical simulation of SEU induced latch-up 87–32604
Rollins, J.G. *see* Barnes, C.E. 88–26515
Rollins, M.R. An approach to the assessment of cogeneration potential 87–71946
Rollins, M.R. *see* Neill, G.V., Jr. 86–61102
Rollins, R.W. *see* Su, Z. 88–6691
Rollins, W.W. Measuring error seconds in digital transmission systems 85–48081
Rollins, W.W., Adams, J.G. Jitter and digital transmission systems 86–30237
Rollins, W.W. *see* Eu, H.J. 88–53035
Rollo, M. *see* Booth, G.W. 85–28821
Rollock, M.W. *see* Norsworthy, K.H. 88–22601
Rolls, A.M. Systems engineering to enhance the performance of long inland and over-water 11 GHz 140 Mbit/s digital radio relay systems 87–34429
Rolls, M.K., Jenner, H.H. Combined cycle conversion increases Alba output 88–62810
Rolls, S. The Pesa CG-4722 and 4711 [character generators] 88–67565
Rolnick, M. *see* Kaplan, B.Z. 86–40974
Roloff, J.J. Processor board handles virtual memory 86–27356
Rolph, N. *see* Neill, G.V., Jr. 86–61102
Rolph, W.D., III. *see* Murray, W.R. 85–64602
Rol'shchikov, V.B. *see* Soldatov, B.I. 86–70359
Rolsma, P.B., Griffin, R.D., Lee, J.N. Optical implementation of a time-domain beam former 87–27602
Rolston, S.L. *see* Gabrielse, G. 88–61031
Rolt, S. *see* Jones, C.J. 87–25153
Rolund, M.W. *see* Becker, J.O. 85–52094
Rom, H., Peleg, S. Image representation using Voronoi tessellation: adaptive and secure 88–73319
Rom, H. *see* Werman, M. 88–66677
Rom, J. *see* Weizman, M. 86–3260
Rom, R. CSMA with collision detection for radio channels 85–19576
Rom, R. Collision detection in radio channels 86–69226
Rom, R., Shacham, N. A reconfiguration algorithm for a double-loop token-ring local area network 86–54990
Rom, R., Shacham, N. A reconfiguration algorithm for a double-loop token ring local area network 88–35094
Rom, R. *see* Ben-Michael, S. 86–54628
Rom, R. *see* Cidon, I. 86–17215, 87–28359, 87–40365
Rom, R. *see* Garcia-Luna-Aceves, J.J. 87–55779
Rom, R. *see* Gopal, I. 88–67052
Rom, R. *see* Nguyen, B. 87–20210
Rom, R. *see* Orda, A. 86–64788, 87–48668, 88–52928, 88–52944, 88–66794
Roma, M. *see* Pandharipande, V.M. 88–63849
Romacker, B. Electric energy—electronically controlled 86–70006
Romagna, F. *see* Pauleau, Y. 88–57375
Romagnino, S. *see* Rajski, J. 87–44807
Romagnoli, M., Boreggi, C., Di Pino, D. The ISDN pilot service in Italy 87–27858
Romagnoli, M., Granello, G. New facilities in the Italian speech and data network 85–47105
Romagnoli, M., Intorrella, M. A new inter-nodal protocol for both connection oriented and connectionless communications in the ISDN 86–37306
Romagnoli, M., Stegman, G.I. Saturation of guided wave index with power in nonlinear planar waveguides 88–13919
Romagnoli, M. *see* Biocca, A. 86–59441
Romagnoli, M. *see* Corn, R.M. 85–12951
Romagnoli, M. *see* Granello, G. 86–23308
Romagnoli, M. *see* Mossotto, C. 86–59466
Romahn, G. System aspects of multipoint videoconferencing 88–46740
Romahn, G. Multiservice terminals for telecommunications 88–73716
Romahn, G. Wideband communications. Terminals in the year 2000 88–73726
Romahn, G., Kellner, B., Muhlbach, L. Video teleconferencing—first experiences with a multipoint experimental system 86–11326
Romahn, G., Prussog, A., Muhlbach, L. Video telephone at the workplace 87–40273
Romahn, G. *see* Kellner, B. 86–11327
Romahn, G. *see* Prussog, A. 88–21819, 88–73728
Romain, R.S. Optical fibres in data communications 87–8259
Romaine, S., Cotton, I.J. Effectiveness of a new volatile oxygen scavenger 87–72001
Romaka, V.A. *see* Gasan-zade, S.G. 85–46248
Romakhin, V.A. *see* Danilova, E.V. 87–8859
Romakin, V.V. Equations in mixed coordinates for asynchronous machines 86–6746
Roman, A. *see* Huber, L. 85–48054
Roman, A.J. Error rate measuring instrument and modem tester according to CCITT Rec. No. V-52 88–4543
Roman, A.J. *see* Bauza, M.I. 88–876
Roman, B.J. *see* DiLorenzo, J.V. 86–47307
Roman, B.J. *see* Hendel, R.L. 85–55974
Roman, B.J. *see* Nelson, T.J. 86–63575
Roman, B.J. *see* O'Conner, P. 86–20541
Roman, C. *see* Szabados, M. 88–48370
Roman, C.M. Weibull calculated failure rates for MIL-C-39003 revision F solid tantalum capacitors 85–11600
Roman, C.P. Three alternatives to a full scope control room simulator for nuclear power plants 88–75345
Roman, D. Reconcilable differences [document exchanges] 85–57718
Roman, G.-C., Laine, A.F., Cox, K.C. Interactive complexity control and high-speed stereo matching 88–73306
Roman, H. Computer aided simulation in the design of electrical power systems 86–12345
Roman, H. To the voltage dependence of the resonance moments during starting of turbocompressors with synchronous motor drive 87–78977
Roman, H., Kolmorgen, H.-D. Simulation of the voltage behaviour of industrial power networks by means of personal computers 88–23432
Roman, H.T. Alternate power production technologies: The promise and the challenge 85–65024
Roman, H.T. Industry-Academia interactions and the PSE and G student project team concept 86–61873
Roman, H.T. *see* McDermott, K.J. 87–30320
Roman, I. *see* Marom, G. 85–477
Roman, J. The SAI system: a solar image analyzer 86–33221
Roman, J. A new approach to LCD reliability 87–18766
Roman, J. *see* Ungvichian, V. 88–45733, 88–48566
Roman, K. *see* Shewchun, J. 86–7084
Roman, M. Mechanism of the transient stimulated Rayleigh scattering in liquids 86–29243
Roman, P., Luby, S., Valicek, J., Prejda, M. The influence of various types of passivation on electromigration resistance of Al-Cu-Si convectors 87–37640
Roman, P. *see* Chenlo, F. 88–17968
Roman, P. *see* Marshak, H. 88–29678
Roman, P.A. *see* Chau, M. 86–61100
Roman, R.C. *see* Campbell, L.W. 87–40209
Roman, R.S. *see* Rustako, A.J., Jr. 86–30618, 87–48865
Roman, R.S. *see* Saleh, A.A.M. 88–3806, 88–21020
Roman, S. *see* Connell, K.A. 87–3865
Roman, T. *see* Vecsey, G. 85–56231
Roman, T.G.S., Caballero, G.M.V., Navvarro, J.R.V. Harmonic distortion. Its origin and effects upon equipment 88–14395
Roman, W. Method of designing of specialized parallel digital systems and its application for synthesis of FIR-filter structural schemes 88–38642
Romanacci, R. *see* Cerullo, N. 85–65128
Romanca, M. *see* Toacse, G. 86–66108
Romanchenko, I.P. *see* Galaktionova, N.M. 87–61121
Romanchenko, I.P. *see* Mak, A.A. 88–45392
Romanchev, V.S., Seryakov, Yu.N., Shabanov, R.I. Application of complex transfer-constant meters in measuring systems 88–2705
Romanchuk, I.F. *see* Baranov, V.N. 86–25857
Romanchuk, V.I. *see* Arion, V.D. 86–18744, 86–70968
Romand, M. *see* Josseaux, P. 85–45485
Romanelli, A. *see* Robinson, R. 85–161
Romanelli, R.P. *see* Kelly, M.R. 86–54687
Romanenko, A.A., Bogdanovich, B.N., Nikiforov, V.V. Flaws of heat-treated drive pipes and their detectability by the ultrasound method 87–31310
Romanenko, I.N. *see* Kogan, B.V. 85–22714
Romanenko, I.N. *see* Pavlov, V.A. 86–47264
Romanenko, P.F. *see* Kostyshin, M.T. 86–3333, 86–29259, 86–48071, 87–26334, 88–58732
Romanenko, P.F. *see* Lisitsa, M.P. 88–8262
Romanenko, V.I. *see* Belenov, E.M. 86–47431
Romanenko, V.I. *see* Danileiko, M.V. 85–41067, 85–41466
Romanenko, V.N., Soltanov, V.S., Shvants, I.A., Karimov, P.Kh. Calculating the optimal parameters of the components in a semiconductor thermal resistance bridge circuit under balanced conditions 88–16078
Romanenko, Yu.V. *see* Sokolovskii, S.A. 87–4762
Romani, F. Computations concerning primes and powers of two 85–10592
Romani, F. *see* Arioli, M. 85–33353
Romani, F. *see* Codenotti, B. 86–9210, 86–15218, 87–44193

Romani, G.L. Biomagnetism: an application of SQUID sensors to medicine and physiology 85−31804
Romani, G.L. SQUID instrumentation in the measurement of biomagnetic fields 86−50548
Romani, G.L. *see* Chapman, R.M. 85−43394
Romani, G.L. *see* Erne, S.N. 87−77634
Romani, S. The Digital approach to distributed departmental systems 87−62667
Romania, J.J., Jr. ICD design for ATE systems 87−20869
Romania, J.J., Jr. *see* Ucci, R.M. 88−36697
Romaniak, M. Dedicated digital equipment in multiple-function systems for analog IC testing 86−44116
Romaniak, M., Bystrzycka, D. Automation of devices measuring integrated circuits predestined for RTV equipment 86−15200
Romaniak, M. *see* Kern, J. 88−1605
Romanishin, I.M., Sinitskii, L.A. A study of dynamic systems during slow variations of the input signal parameters 86−66661
Romanishin, I.M., Sinitskii, L.A. Accelerated search for quasi-periodic modes of operation 87−52263
Romaniuk, R. Optical fibre instrumentation devices 85−2001
Romaniuk, R. Interferential reactions in optical fibres 85−2003
Romaniuk, R. Optical fibre integrated interferometer 85−2057
Romaniuk, R. Optical fibre teleinformatic local area network, topology and construction 85−3165
Romaniuk, R. Wavelength division transmission systems equipment review 85−19939
Romaniuk, R. Multimode telecommunication light guides chromatic correction 85−20218
Romaniuk, R. Basic problems of OH contents reduction in CVD multimode optical fibers 85−35453
Romaniuk, R. New generation of teleinformation networks 85−47538
Romaniuk, R. New generation of teleinformation networks. III. Experimental analysis of optical waveguide networks 86−4681
Romaniuk, R. Optical fibres vocabulary 86−22178
Romaniuk, R. New generation of local area networks? II 86−23497
Romaniuk, R. Optical fibre connectors 86−23926
Romaniuk, R. Robotics and optical fibre technology 86−28856
Romaniuk, R. Optical waveguide telephone. II. The construction and operation of the subscriber set 86−59706
Romaniuk, R. Optical waveguide telephone. I. From Bell's photophone to optical waveguide telephone 86−59918
Romaniuk, R. Connecting elements in light transmitting technology. II 87−12207
Romaniuk, R. Junction devices in optical waveguide technology. I. Optical couplers 87−12208
Romaniuk, R. Reduction of OH^- ions contents in monomode optical fibres 87−38753
Romaniuk, R. Optical fibres sensitivity to radiation 87−38840
Romaniuk, R. Optical fibres digital telecommunication link data throughput enhancing methods 87−40939
Romaniuk, R. Topology of optical fibre network nodes 87−62977
Romaniuk, R. Optical fibre telephone 88−2007
Romaniuk, R., Brochocki, A. Hybrid optoelectronic components for optical fibre communications 86−42457
Romaniuk, R., Brochocki, A. Hybrid optoelectronic components for optical fibre communications 86−43840
Romaniuk, R., Dorosz, J. Some properties of crucible optical fibres from glass with cerium admixtures 85−7235
Romaniuk, R., Dorosz, J. Assumptions concerning the crucible technology of shaped core optical fibres 85−35452
Romaniuk, R., Dorosz, J. Optical fibre transmission with switching of waves and cores 85−47529
Romaniuk, R., Dorosz, J. Optical fibre techniques in medium ultraviolet (TSSP) 87−74796
Romaniuk, R., Jedrzejewski, K., Panta, P. Optical fibre dosimeter 85−2000
Romaniuk, R., Jedrzejewski, K., Panta, P. Comparative radiation investigations of DC, CVD, and PCS optical fibres 85−2004
Romaniuk, R., Marszalec, J. Robotics and optical fibres 86−2805
Romaniuk, R., Marszalec, J. Optical fibres, fibre optic sensors and survey of their application in robotics 86−22167
Romaniuk, R. *see* Darek, B. 85−2158, 85−12741
Romaniuk, R. *see* Dorosz, J. 85−1999
Romaniuk, R. *see* Marszalec, E. 88−16160
Romaniuk, R. *see* Szczot, F. 88−47087
Romaniuk, R.S. Optical fibre technology — a digest 87−12153
Romaniuk, R.S. Multicore optical fibres for sensors 87−18689
Romaniuk, R.S. Hybrid integrated components for optical fibre communication and instrumentation systems 87−18869
Romaniuk, R.S. Broadband buses based on multicore optical fibres 87−20560
Romaniuk, R.S. Fibre optic probes for ophthalmology 87−29732
Romaniuk, R.S. Optical fiber technology in medicine 87−42003
Romaniuk, R.S. Multicore optical fibres 87−54058
Romaniuk, R.S. Fiber optic pulse sequencers/desequencers 88−15477
Romaniuk, R.S. Directions of applications of optical fiber technology in medicine and health protection systems 88−23145
Romaniuk, R.S., Domanski, A., Maciak, T., Dorosz, J. Optical fiber interfaces for integrated optics 88−7961
Romaniuk, R.S., Dorosz, J. A family of multicore optical fibre based sensors and instrumentation systems 86−2771
Romaniuk, R.S., Dorosz, J. Coupled/noncoupled wave transmission in long-length multicore optical fibres 86−9543
Romaniuk, R.S., Dorosz, J. Multiclad monomode optical fibres by MZD technology 87−74755
Romaniuk, R.S., Dorosz, J. Multicore optical fiber components 88−13870
Romaniuk, R.S., Dorosz, J. Ultimate development of hybrid extrusion, multicrucible and multirod-in-tube technologies of tailored/special purpose/optical fibres 88−33681
Romaniuk, R.S., Dorosz, J., Szczot, F. Lightguide technology for adverse industrial environments (review of selected university based work in Poland) 88−20346
Romaniuk, R.S., Szczot, F., Dcrosz, J. Lightguide technology for adverse industrial environments 88−13856
Romaniuk, R.S. *see* Szczot, F. 88−72058
Romankiw, L.T. *see* Herman, D.A., Jr. 88−64948
Romankiw, L.T. *see* Karagounis, V.A. 86−44622
Romankiw, L.T. *see* Von Gutfeld, R.J. 85−49589
Romanko, A.A. Determining the errors in measuring distances by ultrasonic echo-pulse flaw detectors 86−52546
Romanko, M.T. *see* Kerner, B.S. 87−24787
Romano, A. Three-dimensional image reconstruction in audio 88−15852
Romano, A. *see* Margarino, A. 87−74356
Romano, A.M., Chin, F., Simpson, R.D., Rovnak, J.A. Design of distributed control system for Malakoff generating station 86−12676
Romano, D. *see* Antoniucci, P. 85−20050
Romano, D. *see* Gregorich, D.P. 87−16971
Romano, F. *see* Albrizio, R. 88−74766
Romano, F. *see* Bagliesi, G. 88−48025
Romano, F. *see* Baldini, R. 87−8865
Romano, F. *see* Catanesi, M.G. 86−60606
Romano, G. Accurate reference system in stacks of nuclear emulsion 86−38715
Romano, G. *see* Baroni, G. 85−9097, 87−14785, 87−29613
Romano, G. *see* Catanesi, M.G. 87−29686
Romano, G. *see* De Vincenzi, M. 86−65331
Romano, I., Schifani, R. A contribution to the study of partial discharge resistance of dielectric materials 86−68038
Romano, L.T. *see* Barnett, S.A. 86−13786
Romano, M.L., McLeod, B.A. SCOTS Generic 2: a sharper eye on transmission facilities 85−25385
Romano, P. *see* Sandini, G. 85−9185
Romano, R. *see* Barili, A. 86−57655, 88−69556, 88−76015
Romano, R.A. Telecommunications regulation and the realities of a competitive marketplace 85−36498
Romano, R.A. Nontraffic-sensitive telephone costs: examining the components 87−40274
Romanofsky, R. *see* Geddes, J. 88−19406
Romanofsky, R.R., Bhasin, K.B., Ponchak, G.E., Downey, A.N., Connolly, D.J. An experimental investigation of microstrip properties on soft substrates from 2 to 40 GHz 86−14477
Romanofsky, R.R. *see* Bhasin, K.B. 85−61433, 86−14636
Romanosky, R.R., Jr. *see* Hensel, J.P. 87−77445
Romanov, A.A. *see* Nadtochii, V.M. 87−4654
Romanov, A.A. *see* Polulyakh, K.S. 88−59129
Romanov, A.D., Tikhomirova, L.A., Kravtsova, N.A., Petrov, V.A. Manufacture of precision-cast inserts for complex pressure-casting molds 87−5225
Romanov, A.G. *see* Bondar, M.V. 88−8153
Romanov, A.M., Parashchenko, L.G. Treatment of interferograms in a Fourier spectrometer by Wiener filtering 85−51710
Romanov, A.M. *see* Kiselev, B.A. 88−60913
Romanov, A.M. *see* Matveenko, L.I. 86−30929
Romanov, A.N. *see* Gorbachev, A.P. 85−6500, 86−20678, 88−19340
Romanov, A.V. *see* Basov, N.G. 88−33934
Romanov, A.V. *see* Bortnikov, V.V. 87−61903, 88−66501
Romanov, A.V. *see* Ivantsovskii, V.S. 88−35353
Romanov, A.V. *see* Seleznev, L.I. 87−64398
Romanov, E.G., Chayanov, N.V., Yanenko, E.O. General-purpose microprocessor-based CAMAC-compatible control and processing module 86−60182
Romanov, E.S., Ivoilov, N.G. Mossbauer spectrometer based on UNO-4096-90 accumulator and Elektronika D3-28 microcomputer for simultaneous recording of four spectra 87−50191
Romanov, G.N., Makarochkin, A.G. Influence of pulling rate and slot fill factor on quality of stator windings 87−72142
Romanov, G.P. Gas from underground gasification of coal and prospects for its use 88−5427
Romanov, G.V. *see* Gonin, I.V. 86−31982
Romanov, I.A. A mathematical model of an asymmetrical differential amplifier 86−14026
Romanov, I.A., Yazynin, M.P. Voltage-extremum indicator 85−8892
Romanov, I.A. *see* Gorbachev, A.P. 86−20678, 88−19340
Romanov, I.D. *see* Kurilova, L.G. 88−74359
Romanov, K. *see* Samoilovich, G.S. 85−15842
Romanov, M.L. *see* Varvaritsa, V.P. 87−36519
Romanov, N.A. *see* Gadiyak, G.V. 88−7383
Romanov, N.A. *see* Goryachkin, D.A. 85−2409, 85−41340, 86−68583, 87−12384
Romanov, N.D. *see* Kurilova, L.G. 85−58677
Romanov, O.N. *see* Belenko, S.E. 87−8869
Romanov, O.N. *see* Kotov, Yu.D. 87−59270
Romanov, O.V. Physicochemical nature of a semiconductor real surface and its electrophysical properties: monatomic silicon and germanium 85−12178
Romanov, O.V., Bozhevol'nov, V.B., Myasoedov, Yu.N. Field effect on the surface of a semimetal (HgTe) and a semiconductor $(Cd_{0.2}Hg_{0.8}Te)$ 85−12068
Romanov, O.V., Kolodyaznyi, O.A., Sultaimagomedov, S.N. Analysis of a nonuniform impurity distribution in the near-surface layer of a semiconductor 85−34827
Romanov, O.V., Monakhov, V.V. The stages of formation of an ultrathin intrinsic anodic oxide on the silicon surface 85−45580
Romanov, O.V., Sazonov, S.G., Sokolov, M.A., Balakirev, V.V., Popov, A.V., Motaleva, N.V. The physicochemical nature of the native oxide-semiconductor interface. Indium antimonide 85−29050
Romanov, O.V., Uritskii, V.Ya., Yafyasov, A.M. The effect of the conditions of $Si-SiO_2$ structure formation on its electrophysical properties 85−34657
Romanov, O.V., Yafyasov, A.M., Uritskii, V.Ya. The surface hole mobility in the inversion channel of $Si-SiO_2$-based MIS systems 85−40525
Romanov, S.F. *see* Zuev, V.A. 86−52211
Romanov, S.K., Yevstaf'yev, B.N. A mathematical model of a pulse phase-lock loop system with a divider in the feedback loop 87−44696
Romanov, S.K. *see* Malinovskiy, V.N. 85−6202 to 6203
Romanov, S.S., Chernyy, A.M. Effect of mutual radio interference on CW radar 88−73999
Romanov, S.S., Gorkunov, B.M., Pyatidvernyi, V.A., Sebko, V.P. Calculating electrical signals from electromagnetic transducer with transverse inhomogeneous magnetic field 87−49684
Romanov, S.S., Gvozdev, S.M. Investigating characteristics of image converter tubes in pulsed mode 87−49521
Romanov, V.A., Sinel'nikova, D.S. Principles of selection of DC/AC transformation parameters 87−22526
Romanov, V.A. *see* Boiko, I.I. 86−21097, 86−47280
Romanov, V.A. *see* Rebarbar, Ya.M. 87−35250
Romanov, V.A. *see* Rebrin, Yu.I. 85−17028
Romanov, V.A. *see* Sandovskii, V.A. 87−346
Romanov, V.A. *see* Zhad'ko, I.P. 86−58226, 87−67224
Romanov, V.E., Semenov, A.N. The error in a high-speed averaging device with a finite sampling time in the sampling-memory circuit 88−6850
Romanov, V.F. *see* Styrikovich, M.A. 87−72006
Romanov, V.G. *see* Balobaev, V.T. 88−23170
Romanov, V.G. *see* Bidaibekov, E.Y. 85−46559
Romanov, V.G. *see* Ismatullaev, P.R. 88−74640
Romanov, V.I. *see* Tereshchenko, E.D. 85−2553
Romanov, V.L., Teush, L.V. Correcting for systematic errors of circular gauges 87−35039
Romanov, V.N. Aspects of the theory of group adaptive metrological data-acquisition systems 88−53516
Romanov, V.N. *see* Kasatkin, V.A. 86−35317
Romanov, V.P., Usikov, V.D. Finding the Green function for an area bounded by parallel plane surfaces 86−10057
Romanov, V.P. *see* Usikov, V.D. 87−74129
Romanov, V.V., Smirnov, V.A. Analysis of induction along the outer surface of a turbogenerator body 85−60112
Romanov, V.V., Smirnov, V.A. Calculation of the induction on the outside surface of the frame of a turbogenerator 85−60116
Romanov, V.V. *see* Gotovtsev, N.P. 85−39030, 86−39817

Romanov, V.Yu., Baryshnikov, V.N., Vnukov, P.V., Panachev, F.I. Operational amplifiers with increased output voltage [for mass spectrometers] 86−67054
Romanov, V.Yu. *see* Vnukov, P.V. 86−51662
Romanov, Yu.A., Chernov, A.L. The field effect and nonlinear capacitance of a semiconductor layer with intrinsic conductivity 87−60065
Romanov, Yu.A. *see* Aleshkin, V.Ya. 85−45376
Romanov, Yu.A. *see* Demidov, E.V. 86−14896
Romanov, Yu.A. *see* Orlov, L.K. 86−35391
Romanov, Yu.F. *see* Konstantinov, O.V. 88−45905
Romanov, Yu.F. *see* Ochin, E.F. 85−62679
Romanov, Yu.V. *see* Shilin, N.V. 87−15923
Romanova, A.V. *see* Neumann, H. 88−12088
Romanova, G.F. *see* Didenko, P.I. 86−1824
Romanova, G.N. *see* Shaidurov, G.Ya. 87−21756
Romanova, G.N. *see* Shaydurov, G.Ya. 87−21806
Romanova, I.D., Maksimova, N.K., Potakhova, L.Yu., Yakubenya, M.P., Yanovskii, V.P. The effect of Ga and As sublayers on the interphase interactions and thermal stability of Pd-GaAs structures 86−58322
Romanova, I.D., Maksimova, N.K., Potakhova, L.Yu., Yanovskii, V.P., Yakubenya, M.P., Ivleva, O.M., Misik, A.M., Morozov, V.S. Effect of Ga and As sublayers on the structures and properties of Ni-GaAs contacts 88−13003
Romanova, I.D. *see* Maksimova, N.K. 85−50266
Romanova, O.A. *see* Baulina, A.I. 86−32877
Romanova, V.I. *see* Bodulinskiy, V.K. 87−12795, 88−8600
Romanova, V.I. *see* Kinber, B.E. 85−2676
Romanova, V.Kh. *see* Khatapova, R.M. 86−41471, 86−41498
Romanovich, S.S. Concerning simulation of a plane field of a simple layer in a singular point 85−62713
Romanovich, S.S. Regularization of integral equations in problems of electrostatics and magnetostatics 86−36648
Romanovskaya, K.M. *see* Forino, A. 85−37976
Romanovskaya, K.M. *see* Gushchin, E.M. 86−38713
Romanovski, R., Skalevoi, MV. Analogue-digital convertors and data transfer in strain-gauge systems of multicomponent dosing 88−9889
Romanovskii, A.E. *see* Abdurakhmanov, B.M. 85−18805
Romanovskii, A.E. *see* Demchenko, A.M. 87−58319
Romanovskii, G.F., Skorokhodov, V.A., Matveev, I.B. Stability of the system power supply with regard to the actual conditions of operation−DC plasmatron 86−26322
Romanovskii, M.R. Processing of observation results by using inverse problems 88−29194
Romanovskii, M.Yu. Dynamic instability in the amplitude of a light beam in a real optical light guide 87−68157
Romanovskii, M.Yu. Induced thermal damages to fiber lightguides 88−26804
Romanovskii, V.A. *see* Zakharin, M.I. 87−24337
Romanovskii, V.I. *see* Blik, A.M. 88−29891
Romanovskii, V.R. On the stability of composite superconductors with respect to thermal disturbances 87−1906
Romanovskii, V.R. Thermal stability of composite superconductors under variations in fill factor 87−18551
Romanovskii, V.R. Aspects of investigation of thermal processes in composite superconductors 87−32901
Romanovskii, V.R. On mathematical modelling of transition processes of the composite superconductors into the normal state 87−67966
Romanovskii, V.R. An analytic solution for the one-dimensional problem of transition of a superconducting winding to the normal state 87−67980
Romanovskii, V.R. Recovery currents of cooled superconducting windings 87−74610
Romanovskii, V.R. *see* Keilin, V.E. 85−56228, 88−23518
Romanovskis, T.B., Paulins, P.J. Visual demonstrations with a low-cost PLZT modulator 87−1977
Romanovskiy, M.N., Zakharov, I.S., Shirokov, A.A., Potseluyeva, L.P. A two-pulse method of investigating generation processes in an indium antimonide-anodized oxide structure 87−45709
Romanovsky, V.I. *see* Bitsadze, G.S. 88−54407
Romanowski, A. Influence of the additional toroidal yoke on the distribution of magnetic field in the toroidal deflection system, in-line type 86−21064
Romanowski, A. The linear approximation of mesh-deflection unit 86−21065
Romanowski, A. Electron-beam-induced current near the localized defects in a polycrystalline semiconductor 87−11326
Romanowski, A., Buczkowski, A. The measurement of the diffusion length and the recombination velocity at the grain boundary in polycrystalline solar cells by the SEM-EBIC technique 85−60445
Romanowski, A., Buczkowski, A. The contrast characteristics of the grain boundary near the boundary layer in polycrystalline solar cells 86−19502
Romanowski, A., Buczkowski, A. The SEM-EBIV signals near the grain boundary in a polycrystalline solar cell 86−19503
Romanowski, A., Hejna, J. Use of the derivative of the EBIC signal for determining the grain boundary parameters in a polycrystalline solar cell 87−4885
Romanowski, A., Wittry, D.B. Measurement of carrier lifetime, effective recombination velocity, and diffusion length near the grain boundary using the time-dependent electron-beam-induced current 87−15973
Romanowski, A., Wittry, D.B., Tsaur, J.M. Analysis of the short-circuit current of a polycrystalline solar cell with excitation by a gated electron beam 86−33660
Romanowski, C. Automated routing switcher system for radio houses 87−13543
Romanowski, K., Poltz, J. Eddy current induction in flat screens of a microwave cavity 85−24724
Romanowski, T.A. *see* Fitch, J. 85−15180
Romanowski, W. *see* Langmann, R. 87−78847
Romanowski, Z. Methods of maintaining and constructing telecommunication networks in the German Democratic Republic 88−34957
Romanski, H.J., Winkelnkemper, W. Fast I/V-converters with active frequency compensation for signal sources with high output capacity 85−17766
Romantsev, V.A. *see* Korostelev, G.N. 86−18063, 87−3770
Romantsov, V.V., Krokhalev, B.M., Bagautdinov, Z.S., Sidorkin, A.L., Zhuikov, A. Problem of air supply to the main buildings of thermal power stations 86−33049
Romanychev, A.A. *see* Beagon, V.S. 85−8508
Romanychev, A.I. *see* Tarantov, Yu.A. 85−29068
Romanychev, Yu.N. *see* Gel'fer, A.G. 87−56702
Romanycheva, G.V. *see* Semenov, A.N. 85−65315, 86−39251
Romanyuk, A.N. *see* Petukh, A.M. 87−44194, 88−43816
Romanyuk, A.S. *see* Bolotnikov, A.E. 87−63699
Romanyuk, A.S. *see* Dmitrenko, V.V. 87−8884
Romanyuk, B.N. *see* Andrievsky, V.V. 88−71366
Romanyuk, B.N. *see* Litovchenko, V.G. 87−36760 to 36761, 88−44623
Romanyuk, B.N. *see* Rzhepetskii, V.P. 86−15054, 86−28232
Romanyuk, I.V. *see* Podola, N.V. 87−10146
Romanyuk, L.I., Slobodyan, V.M. Possibility of using the rotating instability of a plasma for the design of gas-discharge switches 88−43268
Romanyuk, S.F. *see* Danilov, L.V. 88−38365
Romanyuk, V.A. *see* Kopaenko, V.K. 87−11794, 87−67273
Romanyuk, Yu.F. *see* Kostryko, Ya.-V.I. 86−19219
Romanyuk, Yu.F. *see* Kostyrko, Ya.-V.I. 85−15998
Romanzo, D.J. Remove binary-encoder ambiguities [position control] 85−28662
Romary, D., Lerallut, J.-F., Fontenier, G. Application of image processing techniques to γ-angiography 86−11935
Romash, E.M. An effective method of starting up secondary power supplies of the self-oscillating type 86−34511
Romashin, N.L., Solntsev, V.A. Similarity laws of relativistic and nonrelativistic O-type electron-wave systems 87−53123
Romashin, N.L., Solntsev, V.A. Magnetic-electron-wave interaction of two relativistic electron beams 88−38985
Romashko, S.P. *see* Gnatovskaya, V.N. 88−26026
Romashkov, A.P. *see* Arbekov, V.I. 88−2342
Romashkova, K.A. *see* Gusinskaya, V.A. 85−12451
Romas'ko, V.P. *see* Fursov, G.L. 87−41716
Romas'ko, V.P. *see* Vishnyakov, V.A. 88−61044
Romas'ko, V.P. *see* Zakutin, V.V. 88−61035
Romat, H. *see* Touchard, G. 88−27422
Rombach, H. *see* Kulisch, W. 88−13039
Rombach, H.D. *see* Nehmer, J. 87−69667
Rombaut, C. *see* Cocquerelle, J.L. 86−66180
Rombaut, C. *see* Goerger, P. 88−69589
Rombaut, M., Seguier, G. Constant flux control of asynchronous motor using rotor frequency value 87−30584
Rombaut, M. *see* Boulet, P. 85−32497
Romberger, A.B., Saito, T.T., Siegenthaler, K.E., Mullins, B.W., Shaffer, A.A., Hilbing, J.F., Adams, C.D. Damage resistant plastics: widened application possibilities 85−35376
Romberger, A.B. *see* Mullins, B.W. 86−29218
Romberger, A.B. *see* O'Connell, R.M. 85−19002
Rombough, C.T. Standardizing startup physics testing in pressurized water reactors 85−9663
Rombro, V.S. *see* Oysgel't, M.G. 88−67205
Romceuf, L. *see* Boyer, P. 85−25233
Rome, J.J. *see* Friart, D. 85−7503
Romeas, P. *see* Skowronek, M. 87−37810
Romei, L.K. Voicemail voice mail system 86−59529
Romei, L.K. The message is the medium 86−59530
Romeike, M. *see* Meerkotter, K. 85−17711
Romeiser, M., Stern, M. Sources and systems: 800 nm transmission on 1300 nm SM fiber 88−33704
Romeiser, M.B. *see* Elrefaie, A.F. 88−34930
Romeiser, M.B. *see* Shanmugan, K.S. 86−55314
Romeiser, M.B. *see* Shumate, P.W. 85−47505
Romeiser, M.B. *see* Stern, M. 86−4637, 88−28831, 88−47079
Romenesko, B.M., Charles, H.K., Jr., Clatterbaugh, G.V., Weiner, J.A. Thick film bondability: geometrical and morphological influences 86−53234
Romenesko, B.M., Clatterbaugh, G.V., Charles, H.K., Jr. Design, fabrication and performance testing of large area multilevel thick film surface mount assemblies 87−73887
Romenesko, B.M., Falk, P.R., Hoggarth, K.G. Microelectronic thick-film technology and applications 87−24639
Romenesko, B.M. *see* Benson, R.C. 86−62978, 88−18773
Romenesko, B.M. *see* Sanderson, T.R. 88−4406
Romenesko, B.M. *see* Weiner, J.A. 88−64149
Romeny, B.M.ter Haar *see* ter Haar Romeny, B.M.
Romeny, B.ter Haar *see* ter Haar Romeny, B.
Romeo, A. *see* Mansfield, E. 85−70
Romeo, F., Sangiovanni-Vincentelli, A. Probabilistic hill climbing algorithms: properties and applications 86−9266
Romeo, F., Sangiovanni-Vincentelli, A., Sechen, C. Research on simulated annealing at Berkeley 85−33600
Romeo, F., Santomauro, M. Time-domain simulation of n coupled transmission lines 87−39438
Romeo, F. *see* Braun, D. 87−6842, 88−50942
Romeo, F. *see* Burns, J. 88−31944
Romeo, F. *see* Casotto, A. 87−38444
Romeo, F. *see* Joly, P. 87−34073
Romeo, F. *see* Mitra, D. 86−52373
Romeo, F.C. Robotic installation of electronic components 85−55318
Romeo, F.C. Case history of an automated assembly system 86−47190
Romeo, G.C. *see* Alberini, C. 87−35339
Romeo, G.C. *see* Bari, G. 87−8843
Romeo, G.Cara *see* Cara Romeo, G.
Romeo, L. *see* Andreatta, G. 88−63180
Romeo, M. *see* Martinez, E. 86−43559
Romeo, N. Quasi-rheotaxial growth of large crystalline grain thin films on low cost substrates for photovoltaic applications 85−10723
Romeo, N., Bosio, A., Canevari, V., Seuret, D. Low resistivity CdS thin films grown by r.f. sputtering in an Ar-H_2 atmosphere 87−65567
Romeo, N., Bosio, A., Canevari, V., Zanotti, L. $CuInSe_2$/CdS thin film solar cells by RF sputtering 88−18002
Romeo, N., Canevari, V., Dulak, W. p-type CdTe thin films grown by RF sputtering in an Ar-N_2 atmosphere 87−11368
Romeo, N., Canevari, V., Sberveglieri, G., Bosio, A., Zanotti, L. Growth of large-grain $CuInSe_2$ thin films by flash-evaporation and sputtering 86−57481
Romeo, N., Canevari, V., Sberveglieri, G., Bosio, A., Zanotti, L.P. Large grain (112) oriented $CuInSe_2$ thin films grown by RF sputtering 87−5477
Romeo, N., Canevari, V., Zini, L., Spaggiari, C. HgCdTe thin films for solar cells application prepared by multisource evaporation 88−38245
Romeo, N. *see* Bicelli, L.P. 86−14887
Romer, D. *see* Haussler, W. 88−72238
Romer, E. Technological measurement origins, means and obstacles 86−31699
Romer, J.G.M. *see* Atencio, L.G. 86−25141
Romer, J.G.M. *see* Meissburger, J. 85−64508
Romer, W. *see* Brauer, G. 87−57614
Romero, A. *see* Blumenfeld, H. 85−43184
Romero, A. *see* Checchia, P. 86−65330
Romero, A.J. System multimeters can digitize waveforms 86−38203
Romero, A.J. Digitalising in audio bandwidth applications 86−67451
Romero, A.J. Digitisation of low frequency signal 87−14402
Romero, C.N. *see* Balliet, L. 85−3459, 85−30265
Romero, D. *see* Ackland, B. 87−46113
Romero, D.J. *see* Ackland, B.D. 86−27270
Romero, D.R., Heydt, G.T. An adaptive excitation system controller in a stochastic environment 86−50849
Romero, E. *see* Shaw, L.L. 86−5080
Romero, F. *see* Huang, M.D. 87−36618
Romero, J. *see* Khan, M. 88−57774
Romero, J.L. *see* Brady, F.P. 85−26703
Romero, J.L. *see* Christie, W.B. 87−50138
Romero, J.L. *see* Ford, T.D. 85−26702, 86−70353
Romero, L. *see* Adeva, B. 88−42413
Romero, L.A. *see* Ghiglia, D.C. 87−27597
Romero, R. *see* Diaz, P. 85−28212
Romero, R. *see* Naredo, J.L. 87−35625
Romero, S. *see* Alvarez-F, O. 88−7320
Romero, S. *see* Castanedo, R. 86−67748

Romero, S.L. *see* Lorenzo, E. 86-6640
Romero, S.L. *see* Sala, G. 86-7077
Romero, T.J. *see* Brown, R.D. 88-22865
Romero, V.O. *see* Rosocha, L.A. 87-19020
Romero Polanco, R. *see* Silva Farias, J.L. 87-76520
Romero-Borja, F. *see* Wood, L.T. 86-22160
Romero-Fuster, M.C. *see* Hammond, P. 85-29977
Romert, V. *see* Pavel, E. 85-21047, 85-38379
Romesburg, H.C. Exploring, confirming, and randomization tests 85-39619
Romesburg, H.C., Marshall, K. CHITEST: a Monte-Carlo computer program for contingency table tests 85-39618
Romesser, T. *see* Boehmer, H. 87-2046
Romestain, R. *see* Block, D. 88-44577
Romestain, R. *see* Lambert, B. 87-24890
Romi, G.Del *see* Del Romi, G.
Romich, B., Russell, N. An improved optical headpointer selection technique 86-25279
Romich, B. *see* Trefler, E. 86-25269
Romich, B.A. The manufacturer's decision on new products and the resulting process 87-36555
Romich, B.A. Sixth generation communication system: a technical review 87-71156
Romich, B.A., Vagnini, C.B. Integrating communication, computer access, environmental control & mobility 85-59325
Romijn, J., Van Der Drift, E. Nanometer-scale lithography for large lateral structures 88-71984
Romijn, J. *see* Patovan, R. 88-26519
Romijn, J. *see* Schellingerhout, A.J.G. 87-25891
Romine, C.H. *see* Ortega, J.M. 88-56185
Romine, G.L. *see* Senol, A.J. 86-54308
Romine, J.L. *see* Rose, M.T. 86-37371
Romisch, W. *see* Engl, H.W. 87-23550
Romiuk, R.S. *see* Kociszewski, L. 88-72059
Romjin, J. *see* van der Drift, E. 87-25014
Romkey, J.L. *see* Saltzer, J.H. 85-52049
Romlein, J., Halperin, H.R., Olson, N., Downs, J., Conner, H.A., Tsitlik, J.E. Computerized system for the study of cardiopulmonary resuscitation (CPR) in man 88-10405
Rommel, G. *see* Ricaud, C. 85-64400
Rommel, W., Blume, W., Carl, D. Integrated services digital network (ISDN) 88-41428
Rommelaere, J., Oosterlinck, A. Method for calculating two orthogonal projections in arbitrary directions 88-59304
Rommelaere, J. *see* Tu, G. 88-59291
Rommelaere, J. *see* Van Eycken, L. 87-19900
Rommelaere, J. *see* Vanhoof, K. 88-27801, 88-59024
Rommelaere, J. *see* Wambacq, P. 87-17254
Rommelfanger, H. *see* Auinger, H. 88-24522, 88-63072
Rommelsheim, K., Voll, K. Different lung ventilation using two 900 C servo-ventilators: possibilities of synchronization, frequency splitting and phase shifting 88-5002
Rommerlaere, J. *see* Tu, G. 88-27813
Rommerlaere, J. *see* Vanhoof, K. 88-27817
Romoeuf, L. *see* Boyer, P. 85-51902, 87-75992, 88-8943
Rompe, K., Wallrich, M., Schindler, A. Advantages of anti wheel lock system (ABS) for the average driver in difficult driving situations 87-72529
Rompelman, O., Derkx, R.H.J. Parametric spectral analysis of heart rate variability; application of knowledge based model order selection 87-50353
Rompelman, O., Janssen, R.J., Koeleman, A.S.M., van der Akker, T.J., Ros, H.H. Practical limitations for the estimation of P-wave and QRS complex occurrence times 86-50564
Rompelman, O., Pijnacker Hordijk, W.P. New method for the assessment of neonatal respiratory sinus arrhythmia 88-10362
Rompelman, O., Ros, H.H. Coherent averaging technique: a tutorial review. I. Noise reduction and the equivalent filter [EEG] 86-25233
Rompelman, O., Ros, H.H. Coherent averaging technique: a tutorial review. II. Trigger jitter, overlapping responses and non-periodic stimulation [EEG] 86-25234
Rompelman, O. *see* Koeleman, A.S.M. 85-36278
Rompler, K. Factors governing the implementation of functions at level 3 in the CCITT No.7 Signalling System 88-15202
Romppainen, P., Lantto, V. The effect of microstructure on the height of potential energy barriers in porous tin dioxide gas sensors 88-67759
Romppainen, P., Torvela, H., Vaananen, J., Leppavuori, S. Effect of CH_4, SO_2 and NO on the CO response of an SnO_2-based thick film gas sensor in combustion gases 86-50071
Romppainen, P. *see* Lantto, V. 88-47498
Romppainen, P. *see* Torvela, H. 87-14321, 88-47711
Romwalter, A. Development of a competitive, high conductivity aluminium conductor in Hungary 88-57026
Romy, D. *see* Baligand, B. 86-46407
Ron, A. *see* Botton, M. 88-65752
Ron, A. *see* Golomb, D. 88-57253
Ron, A. *see* Sarfaty, R. 86-35322
Ron, A. *see* Strauss, M. 88-40264
Ron, A. *see* Wessel, F.J. 87-8717
Ron, N. *see* Gal, D. 88-16781
Ron, S. *see* Rosenberg, N. 87-21605
Rona, M., Sullivan, P.W. Molecular beam epitaxy 85-5998
Rona, P. *see* Battistig, G. 86-23691, 88-60004
Rona, T.P. Will smart weapons become decisive in military engagements? 88-60757
Ronaky, J. *see* Ormai, P. 88-69101
Ronan, E.R., Jr. *see* Faris, D.E., Jr. 87-51305
Ronan, G., Clegg, W., Konishi, S. Material consideration for vertical Bloch line memory 86-15382
Ronan, G., Matsuyama, K., Fujita, E., Ohbo, M., Kubota, S., Konishi, S. A three-dimensional computer model of domain wall motion in magnetic bubble material 86-42151
Ronan, G., Theile, J., Krause, H., Engemann, J. Study of VBL punch-through thresholds by pulsed in-plane fields 88-51363
Ronan, G.J., Koschat, M.A. Effect of eccentricity on single-mode splice loss 87-74693
Ronan, H. *see* Wheatley, F. 88-1651, 88-7595
Ronan, H.R., Jr., Wheatley, C.F., Jr. Circuit influences on COMFET (IGT) dynamic latching current 87-18166
Ronan, H.R., Jr. *see* Becke, H.W. 86-66186
Ronan, H.R., Jr. *see* Dolny, G.M. 86-21606, 86-53674, 87-32570, 88-7596
Ronan, H.R., Jr. *see* Whaetley, C.F., Jr. 87-67269
Ronan, H.R., Jr. *see* Wheatley, C.F., Jr. 85-6972
Ronan, J. *see* Moulton, R.J. 87-21577
Ronan, M.T., Jared, R.C., McGathen, T.K., Eisner, A.M., Broeder, W.J., Godfrey, G.L. Readout and trigger electronics for the TPC vertex chamber 88-61191
Ronan, N.J. Synchronization overview [digital communication networks] 86--59493
Ronarch, D., Guibert, M., Pophillat, L. Sensitivity improvement in low-temperature operation of a baseband photoreceiver containing a TEGFET 87-40877
Ronayne, J. The future of the public network: open and integrated 88-73461
Roncatti, T., Pogliani, L. Implementation of a CCITT compatible 32 Kbit/s ADPCM algorithm on a commercial DSP 86-64315
Roncella, R. *see* Melgara, M. 85-22815, 85-23935, 85-33589, 85-33829
Ronchetti, P. *see* Dellera, L. 85-4668 to 4669, 85-4686
Ronchi, F. *see* Maddalena, M. 86-32419
Ronchi, L., Risaliti, R., Scordino, A. Ledatron and orotron: an optimization of the diffraction grating 88-58598
Ronchi, L. *see* Barbarino, S. 85-46469
Ronchi, L. *see* Eijkelenburg, H. 87-41434
Ronchi, L. *see* Molesini, G. 86-15799
Ronchi, L.R., Arecchi, F.T. On the degradation of images on computer generated displays 88-10083
Ronchi, L.R., di Fraia, L. Visual depth of focus measured for various colored displays 86-70029
Ronchi, L.R., Francini, F., Arecchi, F.T. A computerized approach to monitor the time variability of daylight in the frequency range probably related to visual fatigue 88-11488
Ronchi, S. *see* Pinciroli, F. 85-53065
Roncin, A. *see* Berson, M. 87-57111
Roncin, P., Laurent, H., Barat, M. An electrostatic spectrometer for a simultaneous analysis of energy and scattering angle 86-32200
Roncin, S. *see* Culik, J. 86-1686
Ronda, A., Glachant, A., Plossu, C., Balland, B. Improved surface nitridation of SiO_2 thin films in low ammonia pressures 87-25105
Ronda, A. *see* Balland, B. 87-45703
Ronda, M. *see* Pham, V.V. 88-13038
Rondarev, V.S., Stafeev, S.K. Determination of concentrations for donor and acceptor impurities in electronic GaAs by a photopolarimetric method 88-19667
Ronde, F.C.de *see* de Ronde, F.C.
Ronde, R. *see* Perron, P. 86-52816
Ronde, R.R., Merenda, J.T., Szalkowski, A.S. Advanced digital millimeter wave radio using wideband phase-locked loops under microprocessor control 87-40735
Rondeau, E. *see* Poole, R. 86-20867
Rondeau, G., Aborn, J., Greenly, J.B., Hammer, D.A., Kusse, B. Ion diode experiments at the terawatt power level at Cornell University 87-17600
Rondeau, G.D. *see* Greenly, J.B. 87-17444, 88-47907
Rondeel, W. Distribution network: gas-tight breaker fields with air as the isolator medium 87-51397
Rondell, A. Glass resin cable troughs in relation to fire 87-66617
Rondi, D. *see* Bourbin, Y. 88-33770
Rondi, D. *see* Talneau, A. 88-51799
Rondinella, L. *see* Lundy, J.R. 87-8937
Rondinelli, D., Stolov, W.C., Fujimoto, W.Y., Osberg, J.S. Electrodiagnosis of diabetic peripheral polyneuropathy A multivariate analytical approach 88-74835
Rondio, J., Marianski, B., Sochacka, R. Tandem Si(SB) detectors 86-44565
Rondon, J. *see* Roche, N. 85-65176
Rondot, M. *see* Carenco, A. 85-2073
Ronen, D., Perl, Y. Heuristics for finding a maximum number of disjoint bounded paths [telecommunication networks] 85-19646
Ronen, J. Wave-equation trace interpolation 88-10497
Ronen, J., Clarke, R.H. Monitoring techniques for phased-array antennas 86-22834
Ronen, J., Clarke, R.H. Monitoring techniques for phased-array antennas 86-68923
Ronen, Y. Some aspects of the forward method for high-order sensitivity analysis 87-65625
Ronen, Y., Leibson, M.J. An example for the potential applications of americium-242m as a nuclear fuel 88-74942
Roney, B.D. *see* Furby, B.E. 85-13651
Roney, J.M., Thompson, C.J. Detector identification with four BGO crystals on a dual PMT 85-15192
Roney, J.M. *see* Thompson, C.J. 86-60762
Roney, W.W. *see* Burkel, R.J. 86-33115
Rong, A., Li, S. Generalized analysis of E-plane septa discontinuities 87-75510
Rong, A., Li, S. Frequency-dependent characteristics of gap discontinuities in suspended striplines for millimeter-wave applications 88-72627
Rong, A.-S., Li, S.-F. Investigation of finline strip discontinuities and its application to millimeter wave filters 88-25420
Rong, A.-S. *see* Li, S.-F. 88-25418
Rong, M.T. *see* Lin, Z.H. 87-67543
Rong Aosheng, Li Sifan Analysis of shielded multiple dielectric planar transmission lines with the method of lines 88-58904
Rong Cui *see* Cui Rong
Rong Dai Shan *see* Shan Rong Dai
Rong Gang *see* Chen Chao-qing 85-31713
Rong Gang *see* Ma Ji-mao 88-22911
Rong Gu *see* Gu Rong
Rong Haisheng, Kang Hui Image subtraction based on multi-exposure speckle technique 88-66611
Rong han Wu *see* Wu Rong han
Rong Jianmin *see* Huang Yongkai 85-46306
Rong Pan *see* Pan Rong
Rong Sun Ji *see* Sun Ji Rong
Rong Xiao *see* Xiao Rong
Rong Xishen *see* Zheng Jiaqi 88-68608
Rong Yao *see* Yao Rong
Rong Yuan *see* Yuan Rong
Rong Zhou Chun *see* Zhou Chun Rong
Rong-cai Ji *see* Zhi-yong Chen 88-33786
Rong-Feng Xu *see* Xu Rong-Feng
Rong-Guang Liu *see* Liu Rong-Guang
Rong-han Wu *see* Wu Rong-han
Rong-Hauh Ju *see* Tsann-Shyong Liu 88-41061
Rong-Hou Wu *see* Chen, C.H. 87-47974
Rong-Hua Wei *see* Wei Rong-Hua
Rong-hua Xiong *see* Xiong Rong-hua
Rong-jian Xue *see* Xue Rong-jian
Rong-jin Wang *see* Wang Rong-jin
Rong-jiu Wu *see* Wu Rong-jiu
Rong-ju Wu *see* Wu Rong-ju
Rong-Li Ha *see* Ha Rong-Li
Rong-Liang Chen *see* Varaiya, P. 86-32683
Rong-seng Chang The measurement of seeker's aiming point by high speed TV camera 88-22786
Rong-Seng Chang, Chin-Wu Lin, Tung Cheng Laser trigger for high speed camera 88-20818
Rong-Sheng Xu *see* Xu Rong-Sheng
Rong-Tarng Yu *see* Sing T. Bow 87-50547
Rong-Ting Huang, Ghandhi, S.K., Borrego, J.M. Modeling of a GaAs-Ge monolithic tandem solar cell 86-61747
Rong-wen Wang *see* Wang Rong-wen
Rong-Zhu Zhu *see* Ephremides, A. 86-30117
Ronga, F. *see* Auriemma, G. 88-22965
Ronga, F. *see* Battistoni, G. 85-43163, 86-50396
Ronga, F. *see* Calicchio, M. 88-29811
Rongbai Ouyang *see* Ouyang Rongbai
Rongcai Ji *see* Ji Rongcai
Rongchuan Liu *see* Liu Rongchuan
Rongchun Zhao *see* Zhao Rongchun
Ronge, K. *see* Hagelauer, R. 87-16997, 87-67428
Rongfa Wu *see* Wu Rongfa
Rongfen Xu *see* Xu Rongfen
Rongfu Ji *see* Ji Rongfu
Rongfu Xu *see* Xu Rongfu
Ronggang Liu *see* Liu Ronggang
Rongham Wu *see* Wu Rongham
Ronghan Jiang *see* Jiang Ronghan
Ronghan Wu *see* Wu Ronghan
Ronghong Jin *see* Jin Ronghong
Ronghong Jing *see* Jing Ronghong
Ronghua Zhu *see* Zhu Ronghua
Ronghui Xu *see* Xu Ronghui
Rongione, A.J. *see* DeJesus, S.T. 88-23106
Rongjin Yu *see* Yu Rongjin
Rongjin Zhu *see* Zhu Rongjin
Rongjiu Sun *see* Sun Rongjiu
Rongjue Wei *see* Wei Rongjue
Rongliang Yan *see* Yan Rongliang

Rongping Du, Okada, H., Nakanishi, H., Sanda, H., Tezuka, Y. R-CACC scheme for computer communication network with multiaccess broadcast channel 86—16623
Rongqing Huang *see* Huang Rongqing
Rongsen Guo *see* Guo Rongsen
Rongsheng Qiu *see* Qiu Rongsheng
Rongsheng Ren *see* Ren Rongsheng
Rongsheng Wu *see* Wu Rongsheng
Rongxue Ye *see* Ye Rongxue
Rongxun Liu *see* Liu Rongxun
Rongyao Zhang *see* Zhang Rongyao
Rongzhen Wang *see* Wang Rongzhen
Roning, J., Hall, E.L. Shape, form, and texture recognition for automotive brake pad inspection 87—77411
Roning, J., Lindholm, M., Pietikainen, M. Test vehicle for dynamic machine vision 87—51554
Roning, J. *see* Maliniemi, H. 85—63960
Roninson, A.D. Solution of a magnetostatic case of fermagnetic shells having ferromagnetic masses enclosed in their cavities 86—48530
Ronis, M., Moreau, C., Schaegger, M. Mastering of technologies and training requirements for staff 87—31194
Ronis, Z.F. *see* Rybov, V.M. 87—36832
Ronish, E.W. Optical disk tessellated geoid management for digital map 87—50515
Ronk, A. *see* Min, M. 87—3536
Ronk, R. *see* Whiting, W.B. 87—31210
Ronka-Chimielowiec, W. On the convergence of approximate quantities 87—23502
Ronka-Chimielowiec, W. On the convergence of measurement 87—41297
Ronkainen, H. *see* Finetti, M. 87—11488
Ronn, L. Multigigabit multiplexer design 88—53081
Ronn, L., Deichmann, P. 16×8 space switch for 2.24 Gbit/s transmission 87—40622
Ronn, L., Deichmann, P. A regular matrix space switch for 2.4 Gbit/s channels 88—7634
Ronnarg, B.O. *see* Clark, T.A. 85—59428
Ronnau, J.F. *see* Brand, J.C. 87—24426
Ronnau, U. The 80386 microprocessor 88—44208
Ronne-Hansen, J. DSB's suction transformers 87—9909
Ronneberger, D., Flotke, H. The array processor for investigating the noise of tyred wheels 87—3811
Ronneberger, O. Microelectronic control equipment in an underground potash mine 87—31112
Ronnekleiv, A. High *Q* resonators based on surface transverse waves 87—60774
Ronnekleiv, A. Anisotropy in surface transverse wave resonators 88—51146
Ronnekleiv, A. *see* Anhorn, M. 88—53952
Ronnekleiv, A. *see* Ingebrigtsen, K.A. 86—9356
Ronner, A.E. Some further results on moment estimators in an errors-in-variables model 87—8498
Ronner, K. *see* Henzler, M. 87—73087
Ronniger, R. Experience with trimming of chip resistors and how to improve trimming results with CAD simulation and thick film process control 86—20856
Ronning, G. On the curvature of the trigamma function 86—62198
Ronningen, L.A. Architecture of a very fast packet switch 85—52208
Ronningen, L.A. The Nordic VLSI chip set for the C/D/D2-mac/packet receivers 88—29055
Ronningen, R.M. *see* Milton, B. 85—59073
Ronningen, R.M. *see* Nolen, J.A. 85—59095
Ronquist, E.M., Sira, T. A boundary element solution to the problem of interacting AC fields in parallel conductors 85—7584
Ronquist, E.M., Sira, T. A boundary element solution to the problem of interacting AC fields in parallel conductors 85—24696
Ronsch, H., Bauch, H. Calculation of the break time-distribution function for consumers in distributing networks 85—53318
Ronse, C. An isomorphism for digital images 86—16515
Ronse, C. Erosion of narrow image features by combination of local low rank and max filters 87—2655
Ronse, C. On rotators and shifters 88—25109
Ronsheim, P. *see* Huang, H.-C.W. 88—32923
Ronsheim, P.A. *see* Michel, A.E. 87—32388
Ronsheng Jiang *see* Jiang Ronsheng
Ronsin, J. *see* Barba, D. 85—51807
Ronsin, J. *see* Dewitte, J. 86—59348
Ronsivalle, C. *see* Biagini, M.E. 86—24989
Ronsivalle, C. *see* Bizzarri, U. 85—59064
Ronte, S. *see* Yoshimo, S. 86—49371, 88—15258
Ronto, N.I. *T*-transformations of complex systems of differential equations 86—66786
Ronto, N.I. Some special problems of differential T-transform theory 87—44270
Ronto, N.I., Semagina, E.P. An approach to the inverse transform recovery from differential T-spectra 88—21291
Rontu, J.-P. *see* Suominen, K. 85—43338
Rony, P.R. Is anybody listening?: Some thought on the reinvented corporation and the reinvented university 87—31228
Ronzani, D. *see* Chantre, A. 87—17824
Ronzani, D. *see* Vu, D.P. 87—18158
Ronzhin, A.A., Ryabov, E.V., Sharov, V.M. Experience of the monitoring of vibrations in a 1200 MW turbogenerator during its operation 87—64507
Ronzhin, A.A. *see* Zamira, Yu.V. 87—30483
Ronzhin, A.I. Cherenkov radiation-ring spectrometers in accelerator experiments 88—54449
Ronzhin, A.I., Rykalin, V.I., Solyanik, V.I. On the detection of Cherenkov radiation rings with the help of hodoscopes and small-size PMs 86—65366
Ronzhin, A.I. *see* Abramov, V.V. 85—48191
Ronzhin, A.I. *see* Buzulutskov, A.F. 86—32160, 86—60592
Ronzhin, A.I. *see* Vasil'chenko, V.G. 87—8868, 87—37846
Ronzhin, A.T. *see* Kryshkin, V.I. 86—60588
Ronzoni, F. *see* Gentili, M. 88—57561
Roo, K.Nageshwara *see* Nageshwara Roo, K.
Roo G., H. Final stage of Guri completed 87—9411
Roodhuyzen, M. Experience with integrated control systems 88—257
Roodman, A. *see* Amidei, D. 88—54400
Roodman, A. *see* Amidel, D. 88—29913
Roohy-Laleh, E., Abdou, E., Hopkins, J., Wagner, M.A. A procedure for designing a low connected survivable fiber network 87—13705
Roohy-Laleh, E., Ross, N. Network design for survivability: procedure and case study in a dynamic network architecture 87—28629
Roohy-Laleh, E. *see* Abdou, E. 86—64529
Rooij, A.de *see* de Rooij, A.
Rooij, M.van *see* van Rooij, M.
Rooij, N.F.De *see* De Rooij, N.F.
Rooijen, J.J.Van *see* Van Rooijen, J.J.
Rook, P. Project support and IPSEs [software engineering management] 88—37929
Rook, T.R., Evans, M.S. The computerized course deficiency tracking system 87—64276
Rooke, P. *see* Adair, W. 85—13011
Rookhuizen, H.B. *see* Pearce, P. 86—31860
Rooks, B. Attacking the electronic assembly market [industrial robots] 85—39522
Rooks, B. Robot assembly gives flexibility in computer manufacture 86—1543
Rooks, B. Westinghouse takes a consolidated approach to electronics assembly 86—67583
Rooks, B. Advanced technology gives entry into new markets 87—7461
Rooks, B. Danish innovation focusses on design for assembly 87—31291
Rooks, B. Flexibility helps to meet European market demands [automated motor assembly] 88—37141
Rooks, J.A., Rowe, N.E. Could the new high interrupting capacity circuit breaker change your distribution system? 88—75868
Rooks, M.J., McEuen, P., Wind, S., Prober, D.E. 30-nm-scale device fabrication for electron transport studies 87—67068
Rooks, M.J., Wind, S., McEuen, P., Prober, D.E. Fabrication of 30-nm-scale structures for electron transport studies using a polymethylmethacrylate bilayer resist 87—38386
Room, R.J. *see* Veismann, U.K. 85—48472
Roome, S.J. Bibliography on propagation factors affecting microwave links operating in the 10 GHz to 30 GHz frequency range 86—30624
Roome, S.J. Computer simulation of a digital radio system 88—67237
Roome, S.J., Richards, J.W. A new approach to the automatic detection of pressing faults on gramophone records 86—4916
Rooms, G. *see* Hautecler, S. 85—64515
Rooney, D. A happy marriage made in Buffalo [microwave communications] 87—48959
Rooney, J. *see* Kelly, W.M. 88—64465
Rooney, J. *see* Proudfoot, E. 85—48788
Rooney, J.J. *see* Bohn, M.P. 85—48767
Rooney, J.J. *see* Murphy, G.A. 85—43732
Roop, R.M. *see* Seiter, G.J. 88—33177
Roorda, M. Method to reduce the sign bit extension in a multiplier that uses the modified Booth algorithm 87—5928
Roorda, S. *see* Polman, A. 88—18046
Rooryck, M., Fernandez, E., Delmas, J., Benoit-Guyod, G. Actual results of measurements of propagation at 4 GHz in France 86—55155
Rooryck, M. *see* Boithias, L. 88—53157
Rooryck, M. *see* Juy, M. 87—62874
Roos, A., Georgson, M. Optical properties of tin oxide on anodized aluminium 86—40173
Roos, A., Georgson, M. Solar selective properties of tin oxide on pigmented aluminium oxide 88—11401
Roos, A. *see* Karlsson, T. 85—33476, 88—33842
Roos, C.F., Carroll, F.E., Jr. Fiber-optic pressure transducer for use near MF magnetic fields 86—11960
Roos, C.M. *see* Zwijnenburg, A. 88—61244
Roos, D., Hugander, A. Design and test of microwave interstitial applicators with improved longitudinal heating pattern 88—68462
Roos, D.A. *see* Abraham, M. 85—8203
Roos, E. Reliability equivalent models in the reliability evaluation of electric power systems 85—38425
Roos, E. The ZUBER program system [power system reliability] 88—23263
Roos, E. *see* Amano, M. 88—40024
Roos, E. *see* Billinton, R. 87—57537
Roos, E. *see* Charalambus, B. 87—9298
Roos, E. *see* Koglin, H.-J. 87—57663
Roos, E. *see* Kussmaul, K. 86—51378
Roos, G. Quasi-two-dimensionality in narrow channel field-effect transistors—an interpolation model 88—39521
Roos, G., Berggren, K.-F. Quantum limit of a narrow-channel GaAs metal-semiconductor field-effect transistor 88—33251
Roos, G. *see* Berggren, K.-F. 87—25323
Roos, H. *see* Treshchalov, A. 85—56491
Roos, H.-G. A second order monotone upwind scheme 86—34244
Roos, H.-G. *see* Grossmann, C. 86—62176
Roos, J. *see* Andersson, P. 88—26435
Roos, J. *see* van de Polder, L.J. 85—52497
Roos, L. *see* Fisher, L.J. 88—1165
Roos, L. *see* Tilsley, G.M. 87—6236
Roos, M., Sotoudeh, V. A measurement and calibration technique for accurate measurement of amplifier S parameters 87—77182
Roos, M. *see* Sotoudeh, V. 87—77064
Roos, O.von *see* von Roos, O.
Roos, W. Management today [resource utilization] 85—63
Roos-Kozel, B. Advances in solder paste technology to eliminate voids 85—33173
Roos-Kozel, B., Caiazzo, F., Francis, J., Jr. Reliable PTF inks increase design options 86—47217
Roos-Kozel, B.L. Parameters affecting the incidence of pad bridging in surface mounted device attachment 85—23238
Roos-Kozel, B.L. Controlling pad bridging in SMD attachment 85—40317
Roos-Kozel, B.L. Correlating QC results and process yields 86—46122
Roos-Kozel, B.L., Caiazzo, F.M., Francis, J.S., Jr. Improved polymer inks increase applications 86—52538
Roos-Kozel, B.L., Casavecchia, F.M. Parameters affecting silver flake and powder performance in silver filled polymers 85—6029
Roos-Kozel, B.L., Casavecchia, F.M., Giera, K.F., Francis, J.S., Jr. The advantages of processing polymer thick film materials in an infrared furnace 85—28263
Roose, D. An algorithm for the computation of Hopf bifurcation points in comparison with other methods 85—54403
Roose, D., Piessens, R. Numerical computation of nonsimple turning points and cusps 85—49501
Roose, L.D. *see* Earley, L.M. 87—8725 to 8726, 87—17631
Rooseboom, D. *see* Onnasch, D.G.W. 88—4923
Roosen, G. Optically induced light deflection 85—7294
Roosen, G. *see* Herriau, J.P. 86—42325
Roosen, G. *see* Huignard, J.P. 87—46435
Roosen, G. *see* Le Saux, G. 88—20725
Roosen, G. *see* Pauliat, G. 86—36116, 87—12613, 87—46094
Roosen, G. *see* Pocholle, J.-P. 85—1977
Roosen, R. *see* Alberganti, R. 86—65333
Roosen, R. *see* Barth, M. 85—15245
Roosen, R. *see* Bettoni, D. 87—21407
Roosen, R. *see* Beuttenmuller, R.H. 87—29554
Roosen, R. *see* Catanesi, M.G. 87—29686
Roosen, R. *see* De Vincenzi, M. 86—65331
Roosen, R. *see* Frenkel, A. 86—44593
Roosevelt, G. The IC manufacturer's role in breaking the barriers to ASIC design 87—5634
Roosild, S., Firstenberg, A. Applications of GaAs integrated circuits 88—57824
Roosild, S. *see* Firstenberg, A. 85—61460
Roosild, S. *see* Gilbert, B.K. 85—54858
Roosild, S. *see* Karp, S. 87—17102
Roosild, S. *see* McNulty, P.J. 85—18340
Roosild, S.A. DARPA GaAs plans and pilot production line project 85—30872
Roosild, S.A. DARPA GaAs plans and pilot production line project 85—35128
Roosild, S.A. Radiation-hardened GaAs integrated circuit development 85—50658
Roosild, S.A. Survey of manufacturing capabilities for GaAs digital integrated circuits 85—55927
Roosild, S.A. GaAs based electronic technology for space applications 86—2434
Roosild, S.A. GaAs-based electronic technology for space applications 87—32385
Roosild, S.A. The next step in GaAs digital electronics 88—25076
Roosmalen, A.J.van *see* van Roosmalen, A.J.
Roosmalen, F.van *see* van Roosmalen, F.
Roosta, M.R., Hunjan, G.I.S. Improved test patterns for semiconductor random access memories 87—24212
Roosta, M.R., Nikoomanesh, B. A method to improve testability of LSI/VLSI circuits 87—24152
Roosz, J. *see* Kostka, P. 88—53967
Root, A.G. *see* Andriyanov, S.I. 86—70082
Root, B.J., Nagalingam, S.J. Electromigration failure on fine line conductors under pulse test conditions 86—28451
Root, B.J., Turner, T. Wafer level electromigration tests for production monitoring 86—15084

Root, J., Asmussen, J. Experimental performance of a microwave cavity plasma disk ion source 85−64426
Root, J. *see* Asmussen, J. 85−31685
Root, R.W. *see* De Lorenzo, R.A. 85−4821
Root, R.W. *(editor)* Expert Systems in Telecommunications. Proceedings of a Symposium 88−55827
Root, W.L. Ill-posedness and precision in object-field reconstruction problems 87−27587
Root, W.L. Inversion, identification and information 87−54802
Root, W.L. Remarks, mostly historical, on signal detection and signal parameter estimation 88−21185
Root, W.L. *see* Kelly, P.A. 85−51679, 87−39769
Rootenberg, J. *see* Ghozati, S.A. 88−3325
Rooth, F.A., Witteman, W.J. Short-pulse, multiline energy extraction from a transversely excited atmospheric CO$_2$ laser amplifier 85−62489
Rooth, R.A. Rotational relaxation studies in CO$_2$ molecules by means of a multiline TEA CO$_2$ laser system 85−35684
Rooth, R.A., van der Pol, J.A. Optimization of the short pulse energy extraction efficiency in a transversely excited atmospheric (TEA) CO$_2$ laser amplifier 87−46794
Rooth, R.A., van der Pol, J.A., Haselhoff, E.H., Witteman, W.J. Fermi and intramode relaxation phenomena in Co$_2$ lasers 88−2246
Roots, E.N., Gregory, M. Computer aided instruction in active and passive filter theory 86−57915
Roovers, A.J.M., Fornerod, P.P.E., Heida, W. AC losses in ultra-fine filament NbTi superconductors 87−67833
Roovers, A.J.M., Rem, P.C., van de Klundert, L.J.M. AC losses in a mixed matrix multifilamentary superconducting wire 87−46411
Roovers, A.J.M., Uijttewaal, W., ten Kate, H.H.J., ten Haken, B., van de Klundert, L.J.M. A loss measurement system in a test facility for high-current superconducting cables and wires 88−68009
Roovers, A.J.M. *see* de Reuver, J.L. 86−53910
Roovers, A.J.M. *see* ten Kate, H.H.J. 85−62224
Rooy, M.Van *see* Van Rooy, M.
Rooy, T.L.van *see* van Rooy, T.L.
Rooyackers, J.E. An interframe video codec with straight-line approximation 85−57543
Rooyen, E.van *see* van Rooyen, E.
Rooyen, M.vam *see* vam Rooyen, M.
Rooz, A.J.N. *see* Panday, R.K. 87−43464
Rooz, A.J.N. *see* Pandey, R.K. 86−51907, 87−52165, 87−66907, 88−69691
Roozeboom, F., Sikkema, A., Molenkamp, L.W. Multiple quantum well structures and high-power lasers of GaAs-AlGaAs grown by metalorganic vapor phase epitaxy (MOVPE) 88−14201
Roozeboom, F., Sikkema, A., Molenkamp, L.W. GaAs-AlGaAs multiple quantum well structures and high-power lasers grown by metalorganic vapor phase epitaxy (MOVPE) in a chimney reactor 88−40230
Roozeboom, F. *see* 't Hooft, G.W. 86−21202
Roozeboom, J.H. *see* Rosskopf, Th.V. 85−32535
Roozen, H., van Oosterom, A. Computing the activation sequence at the ventricular heart surface from body surface potentials 87−57151
Ropars, C. High resolution universal cycle counters 86−24569
Ropars, C. Application of digital techniques to the calibration of high frequency microwave wobbulators 86−55753
Ropars, C. New measurement architecture for vector network analysers 88−67719
Ropars, G., Le Floch, A., Jezequel, G., La Naour, R., Chen, Y.C., Liu, J.-M. The inhibition mechanism in polarization bistable semiconductor lasers 87−68495
Ropars, G. *see* Guivarc'h, A. 88−49845
Ropars, G. *see* Le Floch, A. 85−12899, 85−35824
Ropcke, J., Zahn, R.-J. Discharge development in AC plasma displays 87−14399
Ropcke, J., Zahn, R.-J. Ignition behavior of discharges in AC plasma displays 87−14400
Ropcke, J., Zahn, R.-J. Discharge development in AC plasma displays 88−64218
Rope, E. *see* Moore, K. 88−4144
Rope, E.L., Tricoles, G. Feasibility of electromagnetic tests of radomes heated by hot gases 87−33568
Rope, E.L. *see* Tricoles, G. 85−62934
Ropelewski, L. *see* Bouclier, R. 86−50314
Roper, A.T. A computer simulation to extend a wind tunnel laboratory learning experience: the virtual experiment 88−24487
Roper, G.B. *see* Jobson-Scott, D.M. 86−35694
Roper, J.G. *see* Rode, A.G. 85−33745
Roper, M.E. VSATs—flexible low cost terminals for satellite business communication 87−28540
Roper, R.D. *see* Watson, W.G. 85−64961
Ropert, A. *see* Aniel, T. 85−48154
Ropiak, S., Sahu, K., Cleveland, D. Total dose effects in the 54HC family of microcircuits 85−17278
Ropii, A.I. Intermodulation in semiconductor microwave protection devices 85−23141
Roping Yao *see* Longnian Li 87−15662
Ropolo, R. *see* Bonazzola, G.C. 85−43352
Roppel, T., Reinhard, D.K., Asmussen, J. Low temperature oxidation of silicon using a microwave plasma disk source 86−35584
Roppel, T., Reinhard, D.K., Salbert, G.T., Asmussen, J. Properties of silicon oxide films grown in a microwave oxygen plasma 87−45807
Roppel, T.A. *see* Tzeng, Y. 87−60344
Roppischer, H. *see* Resagk, C. 86−41544
Ropson, D.J. *see* Kern, R.C. 85−59921
Roquais, J.M., Favennec, P.N., Salvi, M., Quemerais, A. Growth of contamination layer during ion implantation and its influence on the formation of ohmic contacts on p$^+$ implanted InP 87−45689
Roquais, J.M. *see* Bedel, E. 87−1391
Roquais, J.M. *see* Favennec, P.N. 86−35540, 86−53540
Roquefeuil, C. Societe de Fabrication d'Instruments de Mesures (SFIM): its products, techniques and evolution 85−38285
Roquemore, A.L., Medley, S.S. Gyro-electron ghost images due to microchannel-plate operation in transverse magnetic fields 87−24725
Roquemore, L. *see* Buchenauer, D. 88−22979
Roquemore, W.M. *see* Rivir, R.B. 88−42330
Roques, J.P. Fast decoding algorithm for uniformly redundant arrays 88−8806
Roques, S. *see* Casanove, M.J. 87−48017
Roques, S. *see* Denizart, M. 85−31646, 85−45356
Roques, S. *see* Lannes, A. 87−27589, 87−47929, 87−62170
Roques-Carmes, C. *see* Dubuc, B. 88−41079
Roques-Carmes, C. *see* Vaterkowski, J.L. 85−57340
Rorison, J.M., Herbert, D.C. Electron-electron interaction in doped semiconductors including polar LO phonon effects: application to hot-electron spectrometers in GaAs 87−17714
Rorres, C. *see* Siegler, M. 86−61757
Ros, D., Juvells, I., Vallmitjana, S., Egozcue, J.J. Evaluation of the displacement between images with low signal to noise ratio. Different methods of analysis from the phase of the Fourier transform 85−41969
Ros, D., Juvells, I., Vallmitjana, S., Moneo, J.R.de F. A simplified method for the automatic alignment of images affected by random noise 85−19529
Ros, D., Zennaki, M. Microcomputers and communication: tools, offers and trends 86−30406
Ros, D. *see* Bosch, S. 88−8862
Ros, D. *see* Juvells, I. 85−13607
Ros, D. *see* Pladellorens, J. 87−75853
Ros, D. *see* Vallmitjana, S. 87−26136
Ros, E. An electromagnetic calorimeter with optical fiber readout 88−22951
Ros, E. Calorimeter test results from ZEUS 88−68273
Ros, E. *see* Barreiro, F. 87−63633, 88−42414
Ros, E. *see* Bernardi, E. 88−22917
Ros, E. *see* Labarga, L. 86−70319
Ros, E. *see* Loehr, B. 87−29493
Ros, H.H., Booij, L.H.D.J., de Lange, J.J. The use of neurophysiologic monitoring during anaesthesia 87−71136
Ros, H.H. *see* Koeleman, A.S.M. 85−36278, 85−48295
Ros, H.H. *see* Rompelman, O. 86−25233 to 25234, 86−50564
Ros, J.M.Gomez *see* Gomez Ros, J.M.
Ros, S., Alique, J.R., Diez, J.L., Zbanez, A., Cimadevila, E., Cordero, R. Electromagnetic interferences 88−8496
Ros, W. VECOM: a powerful local communication channel between vehicle-borne and roadside systems 87−13625
Ros, W.J. Critical issues in distribution system protection 86−65771
Ros, W.J. Critical issues in distribution system surge protection 88−48556
Ros, W.J., Ward, D.J., Barker, K., Smith, B.E. Technique for determining early retirement of distribution transformers 85−16086
Ros, Y.De *see* De Ros, Y.
Ros Torrecillas, S., Barrios Bravo, L., Ceres Ruiz, R., Vilches Menendez, A., Cordero Martin, R. Electrostatic charges: effects and methods of protection in electronic systems 87−61327
Ros Torrecillas, S., Barrios Bravo, L., Ramon Alique Lopez, J., Estevez, L.C., Cordero Martin, R. Passive components and electromagnetic interference 87−54608
Ros Torrecillas, S., Barrios Bravo, L.J., Cimadevilla Lagc, E., Ceres Ruiz, R., Ibanez Rodriguez, A. Electromagnetic compatibility and printed circuit boards 87−45374
Rosa, A. *see* Colbourn, C.J. 87−23474
Rosa, A. *see* Mathon, R. 86−19909
Rosa, F. *see* Cannalire, G. 87−48735
Rosa, F.De *see* De Rosa, F.
Rosa, F.De la *see* De la Rosa, F.
Rosa, F.Della *see* Della Rosa, F.
Rosa, G. *see* Baroni, G. 85−9097
Rosa, G. *see* Calicchio, M. 88−29811
Rosa, G. *see* Catanesi, M.G. 87−29686
Rosa, G. *see* De Vincenzi, M. 86−65331
Rosa, G. *see* Giacomelli, G. 87−29609
Rosa, G. *see* Hoshino, K. 87−29612
Rosa, G. *see* Ormai, P. 88−69101
Rosa, I.La *see* La Rosa, I.
Rosa, J. Calculation of flux linkages in multiwinding transformers 87−22499
Rosa, J.de la *see* de la Rosa, J.
Rosa, J.de la *see* de la Rosa, J.
Rosa, J.G.de la *see* de la Rosa, J.G.
Rosa, J.M.de *see* de Rosa, J.M.
Rosa, J.R.Perez de la *see* Perez de la Rosa, J.R.
Rosa, L., Tosato, R. Flue gases conditioning in gas-fired condensing boilers to avoid water vapor condensing in flue ducts 85−48883
Rosa, L.A.R.Da *see* Da Rosa, L.A.R.
Rosa, L.Della *see* Della Rosa, L.
Rosa, L.F. *see* Ackenhusen, J.G. 87−41411
Rosa, L.P., Oliveria, L.F., Barros, E.B., Fleming, P.V. Cost effectiveness of risk-reduction measures for nuclear plants 86−51363
Rosa, M.I.de la *see* de la Rosa, M.I.
Rosa, P., Cascelli, S., de Pari, A., Iacchetti, R., Balenz, F. Towards 1.55 μm fibre links in the Italian PTT long distance network 88−73971
Rosa, P. *see* Cellini, G. 88−9608
Rosa, R.de la *see* de la Rosa, R.
Rosa, R.de la *see* de la Rosa, R.
Rosa, R.Garcia *see* Garcia Rosa, R.
Rosa, R.J. Boundary layer arc behavior. II 85−16251
Rosa, T.R. Assessing two methods of phase-noise measurement 88−10118
Rosado, A. *see* Lizzi, F.L. 87−71128
Rosado, I.J.R., Gonen, T., Gutierrez, A.P. Optimal planning of the power distribution system expansion 88−5307
Rosado, J.L. Deployment of the Southern Bell PulseLink network 87−28166
Rosado, J.L., Turman, B., Albers, R.F., Jeanes, D. Packet switching ion the BOC environment 86−59398
Rosado, J.L. *see* Ehlinge, J.C. 85−47235
Rosado, L. Microcomputer simulation of the characteristics curves of a unijunction transistor 88−39375
Rosai, P., Dean, R.K. A small-scale experiment with problem-solving related to the MBTI 87−23233
Rosales, B.C., Goel, P. Results from application of a commercial ATG system to large-scale combinational circuits 86−65122
Rosam, D. Placing communications systems on the rack [testing] 86−55518
Rosam, D. Olivetti casts an eye on networking 88−15055
Rosam, D. Network standards 88−59598
Rosamilia, J.M., Miller, B. Maximum power spectroscopy of n-type a-Si:H, c-Si, CdSe, and InP in nonaqueous photoelectrochemical cells 85−49063
Rosamilia, J.M., Miller, B. Differential maximum power efficiency mapping of photovoltaic devices 86−36343
Rosamilia, J.M. *see* Miller, B. 85−12730
Rosan, K., Brunst, G. a-Si:H image sensors: some aspects of physics and performance 87−26216
Rosan, K., Holzenkampfer, E., Primig, R., Kempter, K. Investigations on the performance of an a-Si:H linear image sensor 86−24550
Rosan, K. *see* Holzenkampfer, E. 86−50114
Rosan, K.H. *see* Brunst, G. 88−29444
Rosander, S. Short-pulse acceleration in a racetrack microtron 85−52947
Rosanics, G. *see* Valko, A. 86−46041
Rosano, F.L. Survivability of emergency lifelines under repeated earthquakes 88−63100
Rosanov, A. *see* DeWulf, J.P. 87−21468, 88−22985
Rosanov, A. *see* Dorenbosch, J. 87−29472
Rosar, M.E. *see* Shaulov, A.A. 87−57454
Rosard, D.D., McCloskey, T. Bypass systems increase cycling capability of drum boilers 85−15872
Rosario, B., Rode, A. GaAs process mixes RF and LSI ICs 88−44884
Rosario, B. *see* Hajj, I.N. 85−45019
Rosario, B.A. *see* Pengue, M.L. 85−22785
Rosario, M.J., Freier, J.C. Microwave mixers analysis based on SPICE2 88−1021
Rosario, M.J., Vitor, P.R.B., Costa Freire, J., Sierra, M. A microstrip down-converter for DBS receivers 87−11060
Rosatelli, F., Avanzini, P.G., Brunelli, B., Derchi, D., Magnasco, M., Grattarola, M., Peluffo, M., Raia, G., Zampaglione, V. Design features of HTMR-hybrid toroidal magnet tokamak reactor 85−46112
Rosati, C. *see* Ghione, G. 88−52014
Rosati, D., Snelgrove, W.M. A knowledge base for a VLSI design environment 87−38490
Rosati, P., Dean, R.K., Rodman, S.M. A study of the relationship between students' learning styles and instructors' lecture styles 88−70049
Rosati, R. *see* Gaglioti, E. 86−50959
Rosati, V., Thompson, P. Further results of temperature compensated crystal oscillator testing 85−56057
Rosati, V. *see* Filler, R. 88−20221

Rosati, V. *see* Schodowski, S. 88—18991

Rosati, V.J. Suppression of vibration-induced phase noise in crystal oscillators: an update 88—18986

Rosati, V.J. *see* Filler, R.L. 85—62164

Rosatkevich, G.K. An electrostatic scan generator 88—72512

Rosato, J.J., Jain, F.C. Long-wavelength Ge/GaAs heterostructure avalanche photodiodes for monolithic integration 88—14037

Rosback, T.J. A digital audio time-base corrector for linear magnetic recording 86—17701

Rosbeck, J.P., Blazejewski, E.R. Investigation of generation processes at the SiO$_2$/HgCdTe interface by gate controlled diodes 85—34654

Rosbeck, J.P., Blazejewski, E.R. Surface leakage current mechanisms in HgCdTe gate controlled photodiodes 85—51055

Rosbeck, J.P., Harper, M.E. Doping and composition profiling in Hg$_{1-x}$Cd$_x$Te by the graded capacitance-voltage method 87—73999

Rosberg, Z. Deterministic routing to buffered channels 86—54393

Rosberg, Z. A hybrid access method in a multiple access channel 86—54622

Rosberg, Z. A hybrid access method in a multiple access channel 86—64665

Rosberg, Z. Bounds for the optimal decentralized access protocol in a local area network 87—28113

Rosberg, Z., Gopal, I.S. Optimal hop-by-hop flow control in computer networks 87—2879

Rosberg, Z., Towsley, D. Customer routing to parallel servers with different rates 86—19894

Rosberg, Z. *see* Hofri, M. 87—55374

Rosberg, Z. *see* Itai, A. 85—2705

Rosberg, Z. *see* Jaffe, J.M. 86—54607, 86—62063

Rosca, D.M., Piukovici, I. Automatic displacement transducer for wear measurement 85—8799

Rosca, I. *see* Bursuc, I. 85—44726

Rosca, I. *see* Zet, G. 85—44727, 86—53484

Rosch, E., Kupferberg, M. Cooperation between the PC and the mainframe host 88—67014

Rosch, G. Principles of the AD converter 86—8310

Rosch, G. ASICs: application specific ICs dominate the market 86—53711

Rosch, W. *see* Michel, C. 86—38721

Rosch, W. *see* Steiner, R. 86—60430

Rosch, W.L. How PCs can face the fax [facsimile communications] 87—76268

Roscher, F. Correct loudspeaker placement for stereoscopic sound 85—8628

Roscher, H.J., Wolf, K. Piezoelectric liquid atomisers 85—35268

Roschger, E.W., Balmer, J.E. High-power regenerative Nd:phosphate glass amplifier 86—3104

Roschger, E.W., Schwarzenbach, A.P., Balmer, J.E., Weber, H.P. An actively mode-locked/*Q*-switched Nd:phosphate glass laser oscillator 85—51146

Roschin, G.V., Ivanov, N.A., Arsamakov, I.I., Kryuchkov, B.I., Revyakin, V.V., Shimarova, T.P. Electronic-physical models of power systems 85—38423

Roschitzki, W. *see* Birke, K. 88—69729

Roschmann, P., Tischler, R. Surface coil proton MR imaging at 2 T 87—14886

Roschmann, P., Wetzel, C. The importance of RF-coils for the magnetic resonance tomography 87—3940

Roschmann, P. *see* Bomsdorf, H. 85—9165

Rosci, G. *see* Bagnoli, P. 85—51923

Rosci, G. *see* Giandonato, G. 85—2952, 85—52177

Roscioli, A.J. *see* Miller, G.D. 85—65092

Roscioli, A.J. *see* Nielsen, L.A. 88—23700

Roscoe, A.W. *see* Kong, T.Y. 86—23098

Roscoe, B.J. Human factors in annunciator systems 86—45131

Roscoe, D.D. *see* Schild, J.H. 86—60773

Roscoe, D.D. *see* Smith, B. 87—71169

Roscoe, J. Single-valve transmitters 86—23753

Roscoe, J. *see* Rhodes, F. 87—4810

Roscoe, O.S. Technical and economic models of a DBS system for Canada 85—20146

Roscoe, R., Atkinson, B., Harris, L., Coombes, J. VCR clinic 85—3750

Roscoe, S.N. Judgments of size and distance with imaging displays 86—6022

Roscoe, S.N. Training good eyes to see better [imaging displays] 86—31194

Rosczak, J.S. *see* Hsueh-Rong Chang 88—6478

Rosdahl, A.R. *see* Miller, J.R. 88—65081

Rose, A. Software review [Viewpoint, project management package] 88—49475

Rose, A. Software review [Flow Charting II+] 88—62995

Rose, A. The effect of application variables on thick-film capacitor dielectrics 88—64131

Rose, A., Nie, Y.-X., Gupta, R. Laser beam profile measurement by photothermal deflection technique 86—58957

Rose, A. *see* Kalkur, T.S. 86—21244, 87—38066

Rose, A. *see* Pollock, J.T.A. 85—12114

Rose, A.M. A high performance embedded servo system 85—24161

Rose, B. A look at electroluminescent displays 85—24405

Rose, B. Displays for instruments 87—34960

Rose, B. A laser-based mechanical measurement device for computer-aided quality control 88—45607

Rose, B., Devoldere, P., Mircea, A., Robein, D., Trotte, M. Low-threshold 1.3 μm GaInAsP/InP lasers grown by atmospheric-pressure MOVPE 85—46396

Rose, B., Kazmierski, C., Robein, D. Incorporation of Zn into GaInAs/InP during MOCVD growth 88—50708

Rose, B. *see* Bach, H.G. 88—73976

Rose, B. *see* Mircea, A. 87—259, 87—16591, 88—64254

Rose, B.E. Maximizing crystal oscillator frequency stability 87—16938

Rose, B.E. Choosing the right crystal and oscillator for the application 87—18440

Rose, B.E. Fractional reactance slopes and crystal oscillator frequency stability models 87—59242

Rose, B.H., Weaver, H.T. Emitter recombination and minority carrier lifetime measurements on high efficiency Si solar cells 86—7093

Rose, C. A numerical two-dimensional modelling of eddy currents: an application to nondestructive testing 85—24721

Rose, C. A numerical two-dimensional modelling of eddy-currents: an application to non-destructive test 85—27246

Rose, C. Mind the skills gap [training] 88—80

Rose, C. Computation of current flow distribution in rotor-slot wedges of turbo-alternators 88—55316

Rose, C., Hlughyj, M.G. The performance of random and optimal scheduling in a time-multiplex switch 87—75978

Rose, C.M., Arnold, W.H. Commercialisation of dendritic web single crystal photovoltaic systems 86—45674

Rose, C.M. *see* Alles, D.S. 87—38372

Rose, C.M. *see* Campbell, R.B. 87—64826

Rose, C.R. *see* Dunbar, W.G. 87—42147, 88—24597

Rose, C.W., Buchner, M., Trivedi, Y. Integrating stochastic performance analysis with system design tools 86—20220

Rose, D. Wide area network: sewing a patchwork of pieces together 88—66979

Rose, D.B., Munn, J.E. SNA network management directions 88—52849

Rose, D.J. Addressing packaging and assembly weaknesses 85—62005

Rose, D.J. *see* Bank, R.E. 86—21647, 87—67192, 88—26199

Rose, D.J. *see* Coughran, W.M., Jr. 86—47510

Rose, D.J. *see* Mohammad Hassan Khandani, S. 86—12544

Rose, D.M. *see* de la Rosa, J.G. 86—48515

Rose, E.A., Greenspan, M.A. MEDEA II: a two-pulse electron beam generator 87—21308

Rose, E.A. *see* Greenspan, M.A. 85—23315

Rose, F. Application of a hierarchical layout system to VLSI 85—40881

Rose, F. *see* Williams, D. 86—46947

Rose, F.L. *see* Knapp, J.P. 86—30572

Rose, G.D., Kappagantula, S. Design and performance of a digital voice privacy system for land mobile radio 87—3101

Rose, H. *see* Zach, J. 87—37855

Rose, I. SMPS input filters made simple 88—12184

Rose, I., Schneider, L.M. Take the guesswork out of emission filter design 88—75711

Rose, I.A., Hoddinott, J.P., Loh, L.K. Wivenhoe pumped storage hydro station—its role in QEC system operations 87—42713

Rose, I.A. *see* Piekutowski, M. 86—32634

Rose, I.G., Parkinson, J.R. A multi-beam toroidal antenna for local network radio systems 87—47369

Rose, J. Ship to satellite to shore [INMARSAT] 85—3399

Rose, J. Community TV from space 85—25965

Rose, J. Applying the ACTS to user costs [communication satellites research] 85—47462

Rose, J. In search of . . . the perfect solder joint 88—6258

Rose, J. Rectangular connectors—miniaturization, EMI/RFI, contact design, impact standardization efforts 88—7124

Rose, J. Socket manufacturers respond to packaging trends 88—12849

Rose, J. Backplane design guide 88—32674

Rose, J. Soldering military/aerospace systems 88—48407

Rose, J. The parallel decomposition and implementation of an integrated circuit global router 88—70433

Rose, J. LocusRoute: a parallel global router for standard cells 88—71697

Rose, J. *see* Cole, H.S. 88—64139

Rose, J. *see* Liaw, H.M. 85—10753

Rose, J. *see* Schmidt, B. 87—3193

Rose, J. *see* Wilson, M.A. 88—47791

Rose, J.E. *see* Fair, R.B. 88—26438, 88—33318

Rose, J.E. *see* Penner, S. 86—24905

Rose, J.H. Elements of an ultrasonic inspection protocol for IN100 jet engine materials 85—17043

Rose, J.H., Gray, T.A., Lopes, E.F. Near-surface inspection of flaws using bulk ultrasonic waves 85—10900

Rose, J.H. *see* Bond, L.J. 88—10656

Rose, J.H. *see* Kogan, V.G. 86—62299

Rose, J.L. Potential for SMATV and other competing delivery services 86—24128

Rose, J.L. Satellite communications in the 30/20 GHz band 86—49559

Rose, J.L., Karpur, P., Newhouse, V.L. Utility of split-spectrum processing in ultrasonic nondestructive evaluation 88—24841

Rose, J.L., Nestleroth, J.B., Balasubramaniam, K. Utility of feature mapping in ultrasonic nondestructive evaluation 88—48401

Rose, J.L., Orenstein, H. The use of small customer premises terminals to establish multipoint satellite communication networks 87—28532

Rose, J.L. *see* Brewster, B.D. 86—11045

Rose, J.L. *see* Karpur, P. 88—56354

Rose, J.L. *see* Nestleroth, J.B. 85—39825

Rose, J.L. *see* Newhouse, V.L. 87—375

Rose, J.L. *see* Pilarski, A. 88—6577, 88—63415

Rose, J.L. *see* Roller, D.P. 85—10838

Rose, J.S., Blythe, D.R., Snelgrove, W.M., Vranesic, Z.G. Fast, high quality VLSI placement on an MIMD multiprocessor 87—38446

Rose, J.S., Snelgrove, W.M., Vranesic, Z.G. Parallel standard cell placement algorithms with quality equivalent to simulated annealing 88—39563

Rose, J.W. *see* Fejes, P.L. 86—21864

Rose, J.W. *see* Ming Liaw, H. 88—7440

Rose, J.W. *see* Secco d'Aragona, F. 86—21863

Rose, K. Database management for VLSI design 86—9250

Rose, K. Test technology in a university setting 86—45970

Rose, K. High frequency testing and the academic community 88—18469

Rose, K., Heiman, A., Dinstein, I. DCT/DST alternate-transform image coding 88—46285

Rose, K. *see* Giridhar, R.V. 85—1498, 86—28223

Rose, K. *see* Heiman, A. 88—3160, 88—21336

Rose, K. *see* McDonald, J.F. 85—18402

Rose, K. *see* Nagy, D. 86—53774

Rose, K. *see* Sarma, K. 85—11984

Rose, K. *see* Zara, R.V. 86—20500

Rose, K.A. *see* Hildebrandt, A.F. 85—60096, 86—6614

Rose, K.G. *see* Guttag, K.M. 88—63707

Rose, K.M., Heiman, A. Enhancement of 1D variable-length DPCM images corrupted by transmission errors 87—27663

Rose, K.R., Forse, N.J.A. Speech echo control in the UK network 85—63249

Rose, K.S.B., Billington, D.E. Studies on the risk of electricity generation: a comparative assessment. Class A: coal 88—36919

Rose, L. *see* de Bellet, J.J. 87—53760

Rose, L.J., Rose, V., de Bellet, J.J. The effect of polymer microstructure on water-tree performance in crosslinked polyethylene for cable insulation 87—25641

Rose, L.J. *see* Cartwright, P. 85—41554

Rose, L.R.F. *see* Burke, S.K. 88—58793

Rose, M., Wiesel, M., Kirkpatrick, D., Nettleton, N. Dense, performance directed, auto place and route 88—70684

Rose, M.E. *see* Phillips, T.N. 85—44650

Rose, M.F. Compact capacitor powered railgun systems 87—26705

Rose, M.F. Electrical insulation and dielectrics in the space environment 88—39762

Rose, M.F., Hyder, A.K., Kristiansen, M. Overview of applications and needs 86—60104

Rose, M.F. *see* Bernardes, J. 85—1764

Rose, M.F. *see* Fitch, O. 85—2517

Rose, M.F., Martin, T.H. *(editor)* Digest of Technical Papers of the 4th IEEE Pulsed Power Conference (cat. no. 83CH1908-3) 85—22

Rose, M.F. *see* Turchi, P.J. *(editor)* 87—16295

Rose, M.H. A computational of the reflection and transmission coefficients for dielectric coated waveguides 86—42906

Rose, M.J. *see* Choi, W.K. 87—24833, 88—25938

Rose, M.J. *see* Lecomber, P.G. 86—41580

Rose, M.T. Comments on 'Comments on "Congestion Control in TCP/IP internetworks"' or the Holy Wars begin again 86—43528

Rose, M.T., Cass, D.E. OSI transport services on top of the TCP 87—48571

Rose, M.T., Farber, D.J., Walker, S.T. Design of the TTI prototype Trusted Mail Agent 86—69349

Rose, M.T., Farber, D.J., Walker, S.T. Design and implementation of a Trusted Mail Agent 87—48499

Rose, M.T., Romine, J.L. MH.5: how to process 200 messages a day and still get some real work done 86—37371

Rose, M.T., Stefferud, E.A., Sweet, J.N. MH: a multifarious user agent [Message Handling system] 86—23380

Rose, N.L. *see* Joskow, P.L. 85—59992

Rose, P. Considerations in the normalisation of the fundamental frequency of linguistic tone 88–21134
Rose, P. *see* Daum, W. 86–52581, 87–36825
Rose, P. *see* Hecht, A. 87–23787
Rose, P. *see* O'Kane, M. 87–19591
Rose, P.A. *see* Brown, S.K. 86–60413
Rose, P.A. *see* Schaller, S.C. 86–24882
Rose, P.H. A history of commercial implantation 85–34766
Rose, P.h., Faretra, R., Ryding, G. A high-energy, high-current ion implantation system 85–34768
Rose, P.H., Ryding, G., Wittkower, A.B. Some recent developments in high current ion implanters 85–12146
Rose, P.H. *see* Hoffman, A.L. 86–11922
Rose, P.R. Dry film resist stripping 87–60010
Rose, R.B. High-resolution HF time of arrival measurements (1981-1985) 88–66077
Rose, R.C., Barnwell, T.P., III The self excited vocoder–an alternate approach to toll quality at 4800 bps 87–19471
Rose, R.C., Barnwell, T.P., III Quality comparison of low complexity 4800 bps self excited and code excited vocoders 87–62722
Rose, R.C., Clements, M.A. All-pole speech modeling with a maximally pulse-like residual 86–10308
Rose, R.C. *see* Barnwell, T.P., III 88–73736
Rose, R.C. *see* Blake, W. 87–17199
Rose, R.C. *see* Chi, K.K. 87–17173, 87–17183
Rose, R.C. *see* Townes, S.A. 87–39716
Rose, R.E. *see* Culican, E.F. 85–784
Rose, R.J. *see* Heron, M.L. 86–65530
Rose, S. *see* Ladner, R. 88–28219
Rose, S.C. High speed data communications: applications & trends 87–8068
Rose, S.J. *see* Chenais-Popovics, C. 88–14118
Rose, S.J. *see* Key, M.H. 87–12373
Rose, S.J. *see* Lewis, C.L.S. 88–33919
Rose, S.J. *see* Willi, O. 88–2174
Rose, S.L. *see* Ballantine, D.S., Jr. 87–25743
Rose, S.T., Cole, R.F. Avoiding the past, improving the future–operating experience management and analysis 87–64278
Rose, T. *see* Borchert, G.L. 86–50445
Rose, T.L., Kelliher, E.M., Robblee, L.S. Assessment of capacitor electrodes for intracortical neural stimulation 85–48196
Rose, T.L. *see* Beebe, X. 88–68445
Rose, T.L. *see* Levy, B.P. 87–21624*
Rose, T.L. *see* Rauh, R.D. 86–35637
Rose, T.S. *see* Newell, V.J. 86–21156
Rose, V. *see* de Bellet, J.J. 87–53760
Rose, V. *see* Maslowski, R. 86–34001
Rose, V. *see* Rose, L.J. 87–25641
Rose, V.G. *see* Goldberg, S. 88–23459
Rose, W. *see* Henkel, H. 87–53756
Rose, W. *see* Henkel, H.-J. 87–25646
Rose, W.C. *see* Craig, J.E. 88–40581
Rose, W.S. *see* Lee, K.R. 87–14605
Roseberry, L.M. Fifty years in synthetic fuels information: have we lost a strategic national resource? 88–5429
Roseberry, M.L. *see* Faw, R.E. 86–25722
Rosebrugh, C. *see* Blackman, T. 86–20202
Rosebrugh, C.P., Vellenga, J.H. Circuit synthesis for the SILC silicon compiler 86–668
Roseburg, D., Braune, R. Two-dimensional calculation of stray fields in large power transformers 88–30775
Roseburg, D., Korting, R. Application of minicomputers in the numerical stray field computation in large transformers 88–17682
Roseburg, D., Liermann, A. Additional losses in the core of transformers 88–17703
Roseburg, D. *see* Braune, R. 87–78720
Roseburg, D. *see* Liermann, A. 85–27480
Rosei, R. *see* Cornacchia, M. 88–47744
Roseke, S.B., Edwards, W.H., Zipay, J.W., Puariea, J.W., Gammill, P.E. A comparison of conventional ^{60}Co testing and low dose-accumulation-rate exposure of metal-gate CMOS ICs 85–23958
Rosel, G. Contribution to the estimation of the necessary degree of transversal filters for application as equaliser and Hilbert filter in data modems 87–37469
Rosel, G.S. *see* Roder, H.W. 86–39560
Roseler, A. *see* Adam, V. 85–31609
Rosell, C.M. *see* Bell, G.C., Jr. 87–73943, 88–57236
Rosell, F.J. *see* Pallas-Areny, R. 86–32334
Rosell, J. *see* Pallas, R. 85–11052
Rosell, J.I. *see* Moneo, J.R. de F. 87–62171
Rosell Ferrer, F.Javier *see* Javier Rosell Ferrer, F.
Roselle, P.J., Benkusky, R.T. Sealing connectors to meet conformal coating requirements 88–38853
Roselli, P. *see* Ioli, N. 85–2215, 86–58872
Rosello, A. *see* Chaput, F. 88–31868
Roseman, D.P., Barr, R.A. Restricted draft geometry–an alternative to dredging 85–4483
Rosemblatt, D.H., Hitchens, W.R., Anholt, R.E., Sigmon, T.W. GaAs MESFET device dependences on ion-implant tilt and rotation angles 88–38714
Rosemeier, R.G., Soos, J.I., Rosenbaum, J. A single element 2-D acousto-optic GaP laser beam steerer 88–65403
Rosemeier, R.G. *see* Soos, J.I. 88–26908, 88–58281
Rosen, A., Abramovich, H. Investigation of the structural behavior of the blades of a Darrieus wind turbine 86–6668
Rosen, A., Stabile, P., Herczfeld, P.R., Daryoush, A.S. Optically controlled microwave devices and subsystems 88–7071
Rosen, A., Stabile, P.J., Sharma, A.K., Lee, C.H., Polak-Dingels, P. Direct DC-to-RF conversion by impulse excitation utilizing a lateral PIN diode as a switch 88–63827
Rosen, A. *see* Chang, C.S. 85–11099, 85–17877, 87–23993
Rosen, A. *see* Contarino, V. 87–40955
Rosen, A. *see* Daryoush, A. 87–61518
Rosen, A. *see* Daryoush, A.S. 87–6099
Rosen, A. *see* Herczfeld, P.R. 85–11570, 86–14520, 86–35106, 86–47085, 87–17362, 88–50375
Rosen, A. *see* Jespersen, N. 87–19331
Rosen, A. *see* Kim, A. 88–71154
Rosen, A. *see* Lee, C.H. 86–14485
Rosen, A. *see* Li, M.G. 87–23984
Rosen, A. *see* Reif, J. 88–20755
Rosen, A. *see* Rosenberg, A. 88–72312
Rosen, A. *see* Sharma, A.K. 86–43008
Rosen, A. *see* Stabile, P.J. 85–6518, 85–17871, 85–40246, 87–45268
Rosen, A. *see* Yarman, B.S. 85–23144
Rosen, B. Raster displays hit 3000-line resolution 87–70413
Rosen, B. *see* McCaig, M. 87–20250
Rosen, B. *see* Waicukauski, J.A. 87–24126
Rosen, B.E. *see* Goodwin, J.M. 88–58008
Rosen, B.K. *see* Barzilai, Z. 85–11196, 85–29345, 86–46767, 87–24124, 87–74427
Rosen, B.K. *see* Carter, J.L. 86–62562, 88–19074
Rosen, B.K. *see* Waicukauski, J.A. 87–44746
Rosen, C. What's new in 32-bit microprocessors 88–6889
Rosen, D. Computerization of telecommunications operations for a digital world 85–42149
Rosen, D. Photovoltaic balance of system development requirements for large terrestrial power plants 85–53617
Rosen, D., Simburger, E.J., Sugimura, R.S. An overview of the DC wiring system design issues in the SMUD phase I photovoltaic power plant 85–9490
Rosen, D.I. *see* DeFaccio, M.A. 87–7234
Rosen, D.J. *see* Daniels, R.E. 86–6655
Rosen, G., Ng, D. Multiple rate voice terminal (MRVT) 86–3813
Rosen, H., Mayschak, R. UL 1446–a practical electrical insulation systems standard 86–9332
Rosen, H. *see* Stone, G.C. 85–49373
Rosen, H.-G. *see* Hamann, C. 88–40438
Rosen, H.A. Syncom and its successors 85–14168
Rosen, H.G. *see* Beyer, E. 86–54234
Rosen, I.I. Isodose plotting for pen plotters 86–6010
Rosen, J. Superconductivity: obstacles persist on the path of no resistance 88–64998
Rosen, J., Garcia de Viedma, L. The NEA Data Bank: software and data for nuclear energy calculations 86–39452
Rosen, J., Shamir, J. Circular harmonic phase filters for efficient rotation-invariant pattern recognition 88–66608
Rosen, J. *see* Rowe, R.W. 85–4264
Rosen, J. *see* Sakumoto, W. 85–43162
Rosen, J. *see* Wise, S.A. 88–54484
Rosen, J.A. *see* East, J.H. 88–53283
Rosen, J.B. *see* Pardalos, P.M. 87–5353, 87–51994, 88–18593, 88–49712
Rosen, J.M., Hofmann, D.J., Gringel, W. Measurements of ion mobility to 30 km 85–59478
Rosen, J.M., Stephanides, M.C., Grosser, M., Kovacs, G., Marshal, D., Hentz, V.R. The development of a microelectronic axon processor silicon chip neuroprosthesis 88–54656
Rosen, J.M. *see* Kovacs, G.T.A. 88–48242, 88–54631
Rosen, K.G. *see* Lilja, H. 88–68419
Rosen, K.G. *see* Lindecrantz, K.G. 88–68420
Rosen, L. An integrated environment for test program development 86–2306
Rosen, M. Operational safety–the IAEA response 85–21313
Rosen, M. The internationalization of nuclear safety. The IAEA safety programme 88–36968
Rosen, M. *see* Cornell, G. 88–31639
Rosen, M. *see* Elkind, B.J. 87–44429
Rosen, M. *see* Keane, C. 88–27087
Rosen, M. *see* MacGowan, B.J. 88–2177
Rosen, M. *see* Matthews, D. 85–7350, 87–12339, 87–46756
Rosen, M. *see* Matthews, D.L. 87–12369
Rosen, M. *see* Maxon, S. 88–40137
Rosen, M.A., Scott, D.S. Energy and exergy analyses of a nuclear steam power plant 87–50972
Rosen, M.D., Hagelstein, P.L. Progress in the analysis of selenium X-ray laser 87–12349
Rosen, M.D., Hagelstein, P.L., Matthews, D.L., Campbell, E.M., Hazi, A.U., Whitten, B.L., MacGowan, B., Turner, R.E., Lee, R.W., Charatis, G., Busch, G.E., Shepard, C.L., Rockett, P.D. Exploding-foil technique for achieving a soft X-ray laser 85–24466
Rosen, M.D., London, R.A., Hagelstein, P.L. The scaling of Ne-like X-ray laser schemes to short wavelength 88–40114
Rosen, M.D., Matthews, D.L., Hagelstein, P.L. Progress and prospects for soft X-ray lasing driven by high power optical lasers 87–33112
Rosen, M.D., Trebes, J.E., MacGowan, B.J., Hagelstein, P.L., London, R.A., Matthews, D.L., Nilson, D.G., Phillips, T.W., Whelan, D.A., Charatis, G., Busch, G.E., Shepard, C.L., Jacobs, V.L. Dynamics of collisional-excitation X-ray lasers 88–14119
Rosen, M.D. *see* Casini, E. 86–11359
Rosen, M.D. *see* Charatis, G. 87–12375
Rosen, M.D. *see* Eder, D.C. 88–27042
Rosen, M.D. *see* Matthews, D.L. 85–24467
Rosen, M.J., Adelstein, B.D. Design of a two-degree-of-freedom manipulandum for tremor research 85–38182
Rosen, M.J. *see* Goodenough-Trepagnier, C. 87–71161
Rosen, M.J. *see* Goodenough-Trepagnier, G. 88–54661
Rosen, M.J. *(editor)* Surfactants in Emerging Technologies 88–55839
Rosen, P. A survey of protection devices for overhead line protection 85–38582
Rosen, P. Distribution-system protection–the way ahead 87–57697
Rosen, P., Golden, F. A single phase automatic sectionaliser [distribution network] 88–23525
Rosen, P. *see* Clarke, G.J. 88–24102
Rosen, P.A. *see* Marouf, E.A. 87–20641
Rosen, P.R. Merz-Price to microprocessor: a brief history of power system protection 85–9538
Rosen, R.D., Kelley, B.A. The application of memory card technology to machine diagnostics: the prospects 85–5779
Rosen, R.D. *see* Kelley, B.A. 85–42849
Rosen, R.L., Zuspan, G.W. Small is appropriate: appropriate technology education and developing nations 85–32992
Rosen, R.P. Matched impedance transmission-line options 88–1060
Rosen, R.P. New insulation for flat cables 88–57023
Rosen, S. *see* Walliker, J. 86–48869
Rosen, S.L. INPO human performance programs [nuclear plants] 86–45078
Rosen, W.A., Chromey, F.R. The implications of photomultiplier fatigue for pulse-counting photometry 85–23369
Rosen, W.A. *see* Bermingham, W.J. 87–77760
Rosen, Y. ARMA spectral estimation of data with misses, based on the sample covariances 86–26722
Rosen, Y., Porat, B. ARMA spectral estimation based on partial autocorrelations. II. Statistical analysis 86–48713
Rosen, Y., Porat, B. ARMA parameter estimation based on simple covariances, for missing data 87–19740
Rosen, Y. *see* Porat, B. 86–59184
Rosenau, B. A French EMC test facility 86–3565
Rosenau, P. A quasi-continuous description of a nonlinear transmission line 87–26890
Rosenbauer, H., Grunwaldt, H., Livi, S., Witte, M., Zwick, R. The mass-separating ion spectrometer on the AMPTE ion-release module 85–53170
Rosenbaum, D., Stolp, K.-H. The feeding conception of the ISDN basic access [power supply] 86–61638
Rosenbaum, F.J. *see* Gilmore, R.J. 85–18364, 86–8501
Rosenbaum, F.J. *see* Godshalk, E.M. 85–17776
Rosenbaum, F.J. *see* Javan, H. 85–45235, 88–50368
Rosenbaum, F.J. *see* Kawai, T. 87–73714
Rosenbaum, F.J. *see* Sachs, R. 88–72604
Rosenbaum, F.J. *see* Teng, S.J.J. 86–46319
Rosenbaum, G. Use network analyzer to model components 86–44218
Rosenbaum, G., Rock, L., Sullivan, M. High-flux, elliptically-bent, UHV-compatible mirror with simple external bending mechanism for beam line X9A at NSLS 88–48074
Rosenbaum, G., Rock, L., Sullivan, M., Khalid, S. High-flux, UHV-compatible, water-cooled double crystal monochromator for beam line X9 at NSLS 88–42454
Rosenbaum, G.V. Feedback mapping applied to the GOES RF amplifier 85–54700
Rosenbaum, J. Design of ultra high frequency composite piezoelectric resonators 87–53864
Rosenbaum, J., Price, M.G., Bonney, R., Zehl, O.G. Fabrication of wideband Bragg cells using thermocompression bonding and ion beam milling 85–46228
Rosenbaum, J., Salvo, H.L., Jr., Krishnaswamy, S.V. Overtone response of composite bulk acoustic resonators 87–32806
Rosenbaum, J. *see* Driscoll, M. 87–73367
Rosenbaum, J. *see* Rosemeier, R.G. 88–65403
Rosenbaum, J. *see* Soos, J.I. 88–26908, 88–58281

Rosenbaum, J. *see* Zehl, O. 85–29659
Rosenbaum, J.F. Bulk acoustic wave theory and devices 88–74998
Rosenbaum, J.F. *see* Driscoll, M.M. 87–67686
Rosenbaum, M., Dalton, D., Tong, B. New test set helps maintain vital FAA communications links 88–46850
Rosenbaum, M.J. Correct timing of sample-and-hold system improves leveling performance 87–66446
Rosenbaum, O. The LAN with Molecular 16/300 87–55726
Rosenbaum, P.J. Design productivity using an integrated silicon compilation tool system on IC design 87–1667
Rosenbaum, R.H. Integrating diverse communications media 85–19654
Rosenbaum, R.H. Terminal servers are tailored to a variety of networks 87–55874
Rosenbaum, S. *see* Walters, D. 87–67
Rosenbaum, S.E., Pitzalis, O., Marzan, J.M. Improved electrical measurement techniques for the characterization of microwave field effect transistors 88–38746
Rosenbaum, S.E. *see* Gupta, M.S. 87–73743, 88–25461
Rosenbaum, T.F. *see* Field, S.B. 86–47304
Rosenbaum, T.L., Siebert, J.E., Oosterwijk, H. Software development issues for network node equipment 87–28116
Rosenbaum, T.L. *see* Siebert, J.E. 86–32397, 87–20244
Rosenbaum, Z. *see* Roberts, F.S. 87–8492
Rosenberber, R., Heuck, K. Behaviour of important estimators in cases of considerable measurement errors 88–41936
Rosenberg, A., Felsteiner, J., Ben-Aryeh, Y., Politch, J. The orbitron as a stimulated-bremsstrahlung glow-discharge maser 86–68413
Rosenberg, A., Hogan, D.B. Accommodation of a Nd:YAG lidar on a polar meteorological satellite 87–42241
Rosenberg, A., McShea, J.C., Bogdan, A.R., Petheram, J.C., Rosen, A., Bechtle, D., Zory, P.S., Sprague, J.W., Shealy, J.R. High power, high-efficiency 770 nm 2D laser diode array 88–72312
Rosenberg, A. *see* Felsteiner, J. 85–37619, 87–54209
Rosenberg, A. *see* Hemmer, P.R. 86–38575
Rosenberg, A. *see* Kagann, R.H. 88–20626
Rosenberg, A.E. Recognition error measurements from parameterized distance distributions 86–16214
Rosenberg, A.E. Connected sentence recognition using diphone-like templates 88–72806
Rosenberg, A.E., Colla, A.M. A connected speech recognition system based on spotting diphone-like segments—preliminary results 87–61636
Rosenberg, A.E., Shipley, K.L. Talker recognition in tandem with talker-independent isolated word recognition 85–57293
Rosenberg, A.E., Soong, F.K. Evaluation of a vector quantization talker recognition system in text independent and text dependent modes 87–19527
Rosenberg, A.E. *see* Colla, A.M. 87–61733
Rosenberg, A.E. *see* Soong, F.K. 86–10296, 86–29797, 87–19528, 87–69049, 88–59091
Rosenberg, A.L. References to the literature on VLSI algorithmics and related mathematical and practical issues 85–22330
Rosenberg, A.L. References to the literature on VLSI algorithmics and related mathematical and practical issues 85–35031
Rosenberg, A.L. A hypergraph model for fault-tolerant VLSI processor arrays 85–54926
Rosenberg, A.L. Challenges and opportunities in VLSI theory 85–55868
Rosenberg, A.L. The DIOGENES design methodology: toward automatic physical layout 87–25491
Rosenberg, A.L. DIOGENES, circa 1986 88–1753
Rosenberg, A.L. *see* Bhatt, S.N. 87–31857
Rosenberg, A.L. *see* Koren, I. 86–26995
Rosenberg, A.L. *see* Leighton, F.T. 87–432
Rosenberg, A.N. Simulation of power control and voice-channel selection in cellular systems 86–4524
Rosenberg, B.J. The Navy Integrated Diagnostic Support System—system overview, architecture and interfaces 88–29260
Rosenberg, C. Exponential queueing systems with nonstationary parameters 86–54571
Rosenberg, C.W., Jr. *see* Sullivan, J.A. 86–36402
Rosenberg, D.N. *see* Eckstein, E.C. 85–64541
Rosenberg, E. Exact penalty functions and stability in locally Lipschitz programming 85–10616
Rosenberg, E. A new iterative supply/demand router with rip-up capability for printed circuit boards 87–66711
Rosenberg, E. A nonlinear programming heuristic for computing optimal link capacities in a multihour alternate routing communications network 88–27723
Rosenberg, E. *see* Chopra, S. 88–71682
Rosenberg, E.I. *see* Biino, C. 86–38719
Rosenberg, E.I. *see* Crawley, H.B. 86–50431, 87–44968
Rosenberg, G., Snyder, A.J., Weiss, W.J., Pierce, W.S., Geselowitz, D.B. Power requirements for an electric motor-driven total artificial heart 88–36520
Rosenberg, G. *see* Fikse, T.H. 85–38230
Rosenberg, G. *see* Hanson, K.L. 86–56196
Rosenberg, G. *see* Kern, S.E. 86–56197
Rosenberg, G. *see* Kloss, D.A. 87–50419
Rosenberg, G. *see* Lewis, J.B. 85–38226
Rosenberg, G. *see* Weiss, W.J. 88–36519
Rosenberg, H., Vollertzen Electric natural gas pipelines—protection from corrosion and accessible dangerous voltages 87–71706
Rosenberg, H.S. *see* Oxley, J.H. 86–33118
Rosenberg, I.J. *see* Howell, R.H. 85–59144, 87–29418
Rosenberg, J., Everhart, C.F., Borenstein, N.S. An overview of the Andrew message system—a portable, distributed system for multi-media electronic communication 88–66960
Rosenberg, J. *see* Abramson, D. 86–8301
Rosenberg, J. *see* Borenstein, N. 88–52792
Rosenberg, J. *see* Derry, P.L. 87–61143, 88–51812
Rosenberg, J. *see* Bilal, A.Y. *(editor)* 85–5642
Rosenberg, J.B. Geographical data structures compared: a study of data structures supporting region queries [VLSI CAD] 85–22591
Rosenberg, J.B. Auto-interactive schematics to layout translation 86–21770
Rosenberg, J.B. The making of VIVID. A software engineering perspective 87–65699
Rosenberg, J.B. *see* Rogers, C.D. 86–21883
Rosenberg, J.B. *see* Sullivan, N.G. 88–527
Rosenberg, J.C., Hoiles, D. GaAs FET amplifiers operate over military temperature range 87–66519
Rosenberg, J.C., Hoiles, D. GaAs FET amplifiers for the military temperature range requirement 88–44364
Rosenberg, J.J., Benlamri, M., Kirchner, P.D., Woodall, J.M., Pettit, G.D. An $In_{0.15}Ga_{0.85}As$/GaAs pseudomorphic single quantum well HEMT 86–21548
Rosenberg, J.J. *see* Gregory, O.J. 87–67023
Rosenberg, J.J. *see* Hymes, D.J. 88–57470
Rosenberg, J.J. *see* Kirchner, P.D. 85–34976
Rosenberg, J.J. *see* McNally, P.J. 88–33250, 88–50869
Rosenberg, J.J. *see* Ramirez, J.-C. 88–64612
Rosenberg, J.J. *see* Woodall, J.M. 87–6446, 88–39530
Rosenberg, J.J. *see* Young, A.B. 88–24763
Rosenberg, J.L. Effective management reporting: How to optimally present results to management 86–52194
Rosenberg, J.L., Gruchevsky, S.A., Piscitello, D.M. Adaptive routing in Burroughs network architecture 88–66780
Rosenberg, L.J. *see* Ash, W.W. 88–10244
Rosenberg, M. *see* Alner, G.J. 88–10288
Rosenberg, M.A. *see* Chung, H.K. 85–35626
Rosenberg, N., Ron, S., Cocos, M., Green, M. Arrhythmia detection in Holter records: reliability of multi-lead vs. single-lead analysis 87–21605
Rosenberg, N. *see* Livni, I. 85–30332, 86–30047
Rosenberg, R. Test men, experts, brother engineers, and members of the fraternity: whence the early electrical work force? 85–16550
Rosenberg, R. New buses and 32-bit engines herald a new generation of powerful desktop computers 85–22929
Rosenberg, R. The old data storage frontiers crumble before new mass storage technology 85–24111
Rosenberg, R. The all-digital PBXs stake their claim on office automation 85–47325
Rosenberg, R. Testing of materials on the spot using digital ultrasonic testers 86–40809
Rosenberg, R. Telecommunications 87–27768
Rosenberg, R. Data communications 87–28064
Rosenberg, R. Ultrasonic measurements of wall thicknesses and materials tests on plastics 88–10639
Rosenberg, R. Are users up in the air over network management? 88–21472
Rosenberg, R. Continuous wall thickness measurement during extrusion 88–36230
Rosenberg, R. The dividend cutting experience of electric utilities: when the unthinkable becomes merely the unusual 88–54935
Rosenberg, R., Barney, C., Gosch, J., Lineback, J.R. ISDN chip sets: users face a risky choice 87–27765
Rosenberg, R., Crumlish, T. Two-wire transmitters: advantages and problems 87–77191
Rosenberg, R., Feldt, T.E. Local nets arrive in force 85–19800
Rosenberg, R. *see* Cerrina, F. 88–48046
Rosenberg, R. *see* Feldt, T. 85–25881
Rosenberg, R. *see* Howe, C.L. 87–40081
Rosenberg, R.A., Crossley, D.B. Oxygen RF-discharge cleaning: plasma characterization and implementation on a grasshopper beam line 88 –48072
Rosenberg, R.C. *see* Beaman, J.J. 88–8678
Rosenberg, R.C. *see* Hood, S.J. 88–342
Rosenberg, R.C. *see* Zeid, A.. 87–16770
Rosenberg, R.L., Chamzas, C., Fishman, D.A. Timing recovery with SAW transversal filters in the regenerators of undersea long-haul fiber transmission systems 85–37035
Rosenberg, R.L. *see* Fishman, D.A. 85–63179
Rosenberg, R.L. *see* Poole, C.D. 88–3974
Rosenberg, S., Meloni, A. A practical approach to standardizing data items for competitive procurement of test program sets 86–44140
Rosenberg, S.A. Trends in telecom power supplies 87–30800
Rosenberg, S.A., Estabrooks, J.R. Switched mode rectifiers—the next generation 87–23926
Rosenberg, T.J. *see* Krishnaswamy, S. 85–36027
Rosenberg, T.J. *see* Tolstoy, A. 85–57034, 85–62776, 87–26775
Rosenberg, U. *see* Hauth, W. 88–15432
Rosenberg, W. Specific organizational methods for making the management system more stable and flexible 85–33055
Rosenberg, Z. Determination of dynamic release curves of manganin stress gauges from their resistive hysteresis 87–21036
Rosenberg, Z. Use of Manganin stress gauges for determining rarefaction wave velocities at high pressures 87–29094
Rosenberg, Z. On the source of the resistive hysteresis in dynamically loaded piezo-resistance gauges 87–56631
Rosenberg, Z., Bless, S.J. Possibility of measuring shear waves in oblique impact experiments with in-material piezoresistance gauges 86–55904
Rosenberg, Z., Brar, N.S. Accounting for the crossover phenomenon in the response of longitudinal and transverse piezoresistance gauges in shock wave experiments 88–29327
Rosenberg, Z., Charest, J. Accounting for the response of dynamically loaded annealed manganin gauges 87–21034
Rosenberg, Z., Partom, Y. The pressure dependence of the yield strength of shock-loaded Manganin gauges 85–50816
Rosenberg, Z., Partom, Y. Longitudinal dynamic stress measurements with in-material piezoresistive gauges 86–5222
Rosenberg, Z., Partom, Y. On the lateral stress measurement in shock loaded targets with transverse piezoresistance gauges 87–21068
Rosenberger, A. Should developing nations go for nuclear power? 85–15727
Rosenberger, A. Malaysia completes the Paka cycle [combined cycle power plant] 86–33029
Rosenberger, A. Drives and PCs—getting friendlier 88–11409
Rosenberger, A. Motor control—a quiet revolution 88–30637
Rosenberger, A. Meter maker . . . automator [solid state electricity meters] 88–31454
Rosenberger, A. Motor safety—the case for type 'c' 88–37149
Rosenberger, A. Why efficient drives find new takers 88–37634
Rosenberger, A., Hubler, A., Luscher, E. Pattern formation of metallic particles in electric and magnetic fields 88–14352
Rosenberger, A.T., Orozco, L.A., Brecha, R.J., Kimble, H.J. Influence of cavity properties on the interpretation of experimental results in bistability 87–39235
Rosenberger, A.T. *see* Raizen, M.G. 87–54423
Rosenberger, D., Witte, H. Optical LAN activities in Europe 85–63653
Rosenberger, F.U., Molnar, C.E., Chaney, T.J., Fang, T.-P. *Q*-modules: internally clocked delay-insensitive modules 88–70656
Rosenberger, F.U. *see* Molnar, C.E. 86–8092
Rosenberger, G.J. *see* Selwood, R.K. 88–1227
Rosenberger, G.R. *see* Selwood, R.K. 86–62959
Rosenberger, J.R. *see* Dvorak, C.A. 88–40856
Rosenberger, J.R. *see* Lessman, A.M. 87–40504
Rosenberger, R. Optimised computer aided planning of cabled low and medium voltage networks 86–61022
Rosenberger, R. *see* Heuck, K. 86–70556, 87–71478, 88–48541
Rosenberger, R.J. Burnishing thick film gold and its impact on automatic wire bonding 88–1222
Rosenberger, W. *see* Brennecke, P. 86–45644
Rosenblatt, D.H., Hitchens, W.R., Shatas, S., Gat, A., Betts, D.A. Rapid thermal annealing of Si-implanted GaAs 85–12165
Rosenblatt, D.J., Zemel, J.N., Feely, W.E. Processing photostructural materials 88–13260
Rosenblatt, G. *see* Shushan, B. 87–24741
Rosenblatt, G.M. *see* Veirs, D.K. 88–1329
Rosenblatt, J., Friedman, M.H. Direct and alternating current machinery 85–5694
Rosenblatt, M. Low Rate Multiplexer 85–30791
Rosenblatt, M. Some models exhibiting non-Gaussian intermittency 87–47444
Rosenblatt, M.J., Roll, Y. A future value approach to determining project duration 85–54105
Rosenblitt, D. *see* Malone, T.W. 87–76013
Rosenbloom, M.E. Automation and computer control of accelerators 87–63833
Rosenblueth, E., Karmeshu Procedures for extrapolation and interpolation 85–22359

Rosenbluh, M. *see* Berkovitz, B. 85-2380
Rosenblum, A.V. *see* Fridberg, P.Sh. 88-2456
Rosenblum, J.M. *see* Namaste, Y.M.N. 88-13269
Rosenblum, L., Mied, R., Ostrow, M., Lindemann, G., Mattey, R. A menu-driven software package for the animation of ocean hydrodynamics numerical simulations 88-48386
Rosenblum, L.J. Digital imaging of ocean temperature finestructure patches 86-60972
Rosenblum, S.S. *see* Faltens, A. 85-45955, 86-31817
Rosenbluth, A. *see* Bobroff, N. 88-39325
Rosenbluth, M.L., Casagrande, L.G., Tufts, B.J., Lewis, N.S. Studies of Si and GaAs semiconductor/liquid junction devices 87-6499
Rosenbluth, M.N. Two-dimensional effects in free-electron lasers 86-3207
Rosenbluth, M.N., Moore, B.N., Wong, H.V. Steady-state operation of FEL oscillator using phase area displacement wiggler 86-3215
Rosenblyum, F.M. An antifault automation device 87-9229
Rosenblyum, L.M. *see* Varshavskii, V.I. 85-33142
Rosenblyum, L.Ya. *see* Varashavskiy, V.I. 86-57792
Rosenbohm, W. Packeted speech transmission with CSMA/CD protocols 85-30747
Rosenbrock, K.-H. The concept of the Deutsche Bundespost during the introduction of ISDN 88-59758
Rosenbrock, K.H. The ISDN pilot project of the Deutsche Bundespost 86-49136
Rosenbrock, K.H. The ISDN services: quicker, clearer, more versatile 87-69496
Rosenbrock, K.H. Rome was not built in a day [ISDN within the West German network] 88-21771
Rosenbrock, K.H. What ISDN can offer the user 88-21777
Rosenbrock, K.H. The development of the integrated services digital network (ISDN) in Europe 88-41413
Rosenbrock, K.H. The Deutsche Bundespost and the introduction of ISDN 88-67099
Rosenbrock, K.H. The service features offered by the German post office at the start of ISDN's regular operation 88-73700
Rosenbruch, K.-J. *see* Weingartner, I. 87-68658
Rosenburg, A. Selecting a voice messaging system 88-35006
Rosenburg, A.M., Murray, J. Can we talk? [telephone systems] 88-28270
Rosenburg, J.C. *see* Osbrink, N.K. 86-14494
Rosenbury, E.T. *see* Booske, J.H. 88-27198, 88-51839, 88-72503
Rosenbury, T. *see* Booske, J.H. 88-27206
Rosenbusch, C., Gordon, D., Fraula, D. New solder mask technologies, an evaluation and justification 88-12832
Rosencher, E. Metal-base transistors 87-6663
Rosencher, E. The metal base transistors 87-25255
Rosencher, E. Metal-base transistors 87-32330
Rosencher, E., Arnaud d'Avitaya, F., Badoz, P.A., d'Anterroches, C., Glastre, G., Vincent, G., Pfister, J.C. The physics of metal base transistors 88-33189
Rosencher, E., Arnaud d'Avitaya, F., Badoz, P.A., d'Anterroches, C., Glastre, G., Vincent, G., Pfister, J.C. The physics of metal base transistors 88-39424
Rosencher, E., Badoz, P.A., Briggs, A., Campidelli, Y., Arnaud, F. Tunneling spectroscopy of epitaxial $CoSi_2$.Si ⟨111⟩ Schottky barriers 87-6468
Rosencher, E., Badoz, P.A., Pfister, J.C., Arnaud d'Avitaya, F., Vincent, G., Delage, S. Study of ballistic transport in Si-$CoSi_2$-Si metal base transistors 86-67835
Rosencher, E., Coppard, R., Bois, D. Probing of impurity potential wall at the Si/SiO_2 interface by electric-field-enhanced emission 85-50291
Rosencher, E., Delage, S., Arnaud D'Avitaya, F. Transient capacitance study of epitaxial $CoSi_2$/Si⟨111⟩ Schottky barriers 85-45448
Rosencher, E., Delage, S., Arnaud D'Avitaya, F., D'Anterroches, C., Belhaddad, K., Pfister, J.C. Realization and electrical properties of a monolithic metal-base transistor: the Si/$CoSi_2$/Si structure 86-21524
Rosencher, E., Delage, S., Campidelli, Y., Arnaud D'avitaya, F. Transistor effect in monolithic Si/$CoSi_2$/Si epitaxial structures 85-1613
Rosencher, E., Glastre, G., Vincent, G., Vareille, A., Arnaud D'Avitaya, F. Si/$CoSi_2$/Si permeable base transistor obtained by silicon molecular beam epitaxy over a $CoSi_2$ grating 86-53600
Rosencher, E. *see* Arnaud D'Avitaya, F. 85-44718, 86-46349, 87-45893
Rosencher, E. *see* Badoz, P.A. 87-24985, 88-13030, 88-19739
Rosencher, E. *see* Delage, S. 86-28280
Rosencher, E. *see* Glastre, G. 88-26170, 88-33165, 88-39380
Rosencher, E. *see* Pfister, J.C. 87-1493
Rosencher, E. *see* Thomas, O. 85-54436
Rosencwaig, A. Thermal wave inspection in IC manufacturing 87-25535
Rosencwaig, A. Thermal-wave measurement of thin-film thickness 87-29301
Rosencwaig, A. Applications of thermal-wave physics to microelectronics 87-60565
Rosencwaig, A. *see* Schuur, J. 87-60079
Rosencwaig, A. *see* Smith, W.L. 86-1983, 86-28503, 87-60303, 88-7447
Rosendaal, G.Jansen von *see* Jansen von Rosendaal, G.
Rosendahl, H. Motorola: even less power consumption than normal CMOS 88-13465
Rosendahl, R. *see* Cramer, G. 88-55250
Rosener, K., Fink, P. An AI-based design for testability and TPS expert development tool 88-29253
Rosenfalck, A. On-line monitoring of EEG—an appropriate technology for health care? 88-54589
Rosenfalck, A., Kristensen, L.E., Nielsen, K.D., Thomsen, C.E. On-line analysis of EEG 87-57162
Rosenfalck, A. *see* Thomsen, C.E. 88-61367
Rosenfeld, A. The fuzzy geometry of image subsets 85-7918
Rosenfeld, A. Measuring the sizes of concavities 85-30343
Rosenfeld, A. The fuzzy geometry of image subsets 85-30473
Rosenfeld, A. Parallel algorithms for image analysis 85-46952
Rosenfeld, A. Picture processing: 1984 85-51684
Rosenfeld, A. Computer-aided classification and recognition 85-51813
Rosenfeld, A. 'Continuous' functions on digital pictures 87-2591
Rosenfeld, A. A note on shrinking and expanding operations in pyramids 88-8834
Rosenfeld, A. Recognizing unexpected objects: a proposed approach 88-8871
Rosenfeld, A., Haber, S. The perimeter of a fuzzy set 85-41972
Rosenfeld, A., Klette, R. Degree of adjacency or surroundedness 85-41976
Rosenfeld, A., Mory, S., Konig, R. A simple method for the absolute wavelength calibration of tunable lasers in the visible and near IR region with the optogalvanic effect 86-58855
Rosenfeld, A., Sher, A.C. Detection and delineation of compact objects using intensity pyramids 88-59242
Rosenfeld, A. *see* Babu, M.D.R. 85-36381
Rosenfeld, A. *see* Chang, S. 87-55277
Rosenfeld, A. *see* Chia-Hoang Lee 85-7922
Rosenfeld, A. *see* Dunn, S.M. 88-73207
Rosenfeld, A. *see* Hartley, R. 86-30068
Rosenfeld, A. *see* Hashizume, A. 86-59344
Rosenfeld, A. *see* Konig, R. 87-39165
Rosenfeld, A. *see* Lee, C. 87-2630, 87-62367
Rosenfeld, A. *see* Lee, C.-H. 85-46886
Rosenfeld, A. *see* Meer, P. 87-69274, 88-59247
Rosenfeld, A. *see* Naito, S. 88-46157
Rosenfeld, A. *see* Pal, S.K. 88-34768
Rosenfeld, A. *see* Pen-Shu Yeh 87-47939
Rosenfeld, A. *see* Phillips, T.-Y. 88-66652
Rosenfeld, A. *see* Phillips, T.H. 88-28032
Rosenfeld, A. *see* Tsaiyun Hong Phillips 87-2596
Rosenfeld, A. *see* Yokobori, N. 86-59362
Rosenfeld, A. *see* Yaroslavskii, L.P. *(editor)* 88-11601
Rosenfeld, A.H., Bulleit, D.A., Peddie, R.A. Smart meters and spot pricing: experiments and potential 86-44872
Rosenfeld, D. Objective method for analysis and tracking of convective cells as seen by radar 88-16909
Rosenfeld, D. *see* Bombardieri, J. 87-77567
Rosenfeld, D. *see* Braun, M. 88-16688
Rosenfeld, D. *see* Ching, N.H. 88-16689, 88-29975
Rosenfeld, D. *see* Nemirovsky, Y. 88-45300
Rosenfeld, D. *see* Town, G. 88-16687, 88-23048
Rosenfeld, D. *see* Tsui, K. 88-36546
Rosenfeld, D.P. *see* Alles, D.S. 87-38372
Rosenfeld, E. Accuracy and repeatability with DSP test methods 87-41457
Rosenfeld, E. DSP measurement of frequency 87-41587
Rosenfeld, E. Test fixture design for high speed converter testing 88-19236
Rosenfeld, E., Janec, J. Automatic test of high data rate modems 88-15257
Rosenfeld, E. *see* Bilbrey, A.E. 88-9047
Rosenfeld, J.P., Tsikos, C.J. High-speed space encoding projector for 3D imaging 87-49560
Rosenfeld, M. *see* Alspach, B. 86-62025
Rosenfeld, P., Brenna, C. Integrated engineering system 85-25270
Rosenfeld, P., Brenna, C. Stability of power systems 85-48510
Rosenfeld, R.C., Hays, R.M., Jr. A review of surface acoustic wave devices and their current applications 85-62175
Rosenfield, G.H., Fitzpatrick-Lins, K. Analysis of a classification error matrix using categorical data techniques 85-57540
Rosenfield, M. *see* Gallace, L. 85-194
Rosenfield, M. *see* Paraszczak, J. 87-38129
Rosenfield, M.G. Analysis of backscattered electron signals for X-ray mask inspection 86-13526
Rosenfield, M.G. Analysis of linewidth measurement techniques using the low voltage SEM 88-13502
Rosenfield, M.G., Bucchignano, J.J., Rishton, S.A., Kern, D.P., Kettell, L.M., Molzen, W.W., Hohn, F.J., Viswanathan, R., Warlaumont, J.M. Submicron electron-beam lithography using a beam size comparable to the linewidth control tolerance 87-38024
Rosenfield, M.G., Goodman, D.S., Neureuther, A.R., Prouty, M.D. A comparison of backscattered electron and optical images for submicron defect detection 85-29089
Rosenfield, M.G. *see* Molzen, W.W. 88-64456
Rosenfield, M.G. *see* Seeger, D.E. 88-39324
Rosenga, G. *see* Ferrara, F. 85-13282
Rosenga, G. *see* Fiammengo, A. 87-48972
Rosengard, U. *see* Solin, O. 88-54072
Rosengarth, K.W., Jr., Winkler, E.R. Surface mounting fine-pitch chip carriers 86-47168
Rosengen, J.P. A high performance microprocessor for DSP applications 87-17138
Rosenhall, U. *see* Tjellstrom, A. 85-43433
Rosenhoover, F.A. AFTI/F-16 voice interactive avionics 86-70476
Rosenkold, H.C. *see* Henningsen, O. 86-60067
Rosenkrantz, W.A. Some theorems on the instability of the exponential back-off protocol 86-30415
Rosenkrantz, W.A. Some remarks on the asymptotic behavior of the lengths of a collision resolution interval 87-7886
Rosenkranz, J., Lonekova, H., Pekarek, S. Plasma displays 85-37678
Rosenkranz, J., Pekarek, S., Lonekova, H., Krejci, M., Bursa, J. Seven segment plasma display unit 88-16273
Rosenkranz, J. *see* Jakes, D. 86-25767
Rosenkranz, M. *see* Heitmann, H. 86-15335
Rosenkranz, M. *see* Hietmann, H. 87-67698
Rosenkranz, P.W. *see* Nathan, K.S. 85-64736
Rosenkranz, W. Design and optimization of a digital FM receiver using DPLL techniques 86-11249
Rosenkranz, W., Hauke, W. Design and optimisation of a digital FM receiver with DPLL demodulator taking into account quantisation effects 86-43982
Rosenkranz, W. *see* Hauke, W. 87-569
Rosenlund, H., Makitalo, O. Cellular technique for the Nordic Mobile Telephone system (NMT) in the Stockholm area 86-23771
Rosenman, G. *see* Mosher, C.E., Jr. 87-50400
Rosenman, J.G. *see* Mosher, C.E., Jr. 88-74870
Rosenman, J.G. *see* Pizer, S.M. 88-48228
Rosenmann, M. *see* Gevargiz, J. 85-30891
Rosenow, K. Overview of automating low, high resistance measurement. I 86-24670
Rosenow, K. Overview of automating low, high resistance measurement. II 86-31142
Rosenqvist, M., Lagergren, H., Strandberg, H., Edhag, O. Valsalva-induced variations in the intracardiac signal—a cause of undersensing? 86-38798
Rosenqvist, R. *see* Hansson, B. 88-68818
Rosenshein, J.S. *see* Benedetto, M.D. 86-70407
Rosenson, L. *see* Callegari, G. 86-50323
Rosenson, L. *see* Johnson, A.S. 86-50322
Rosenstark, S. Loop gain measurement in feedback amplifiers 85-4070
Rosenstark, S. Re-examination of frequency response calculations for feedback amplifiers 85-44898
Rosensteil, W. Optimization in high level synthesis 87-423
Rosensteil, W. *see* Schmid, D. 87-24029
Rosenstiel, S.F. *see* Deane, E.R.I. 87-63805
Rosenstiel, W., Bergstrasser, T. Artificial intelligence for logic design 87-52489
Rosenstiel, W., Schmid, D., Sandweg, G. Logic synthesis 87-52544
Rosenstiel, W. *see* Camposano, R. 85-33867, 86-21844, 87-16827
Rosenstiel, W. *see* Wunderlich, H. 87-6913
Rosenstock, E. *see* Canelos, J.J. 85-33024
Rosenstock, H.G., Charlier, A., Lowenkamp, H., Regnitter, F., Rehbock, G., Bourscheid, G. Yield and energy consumption in wire rod light and heavy section mills with continuous casting as starting material [rolling mills] 85-10262
Rosenthal, A., Scheuermann, P. Universal rankings for broadcasting in tree networks 88-34874
Rosenthal, A.J., Thorne, S.N. A versatile pressure transducer 85-52738
Rosenthal, B. For greater durability: Mn-Al-C permanent magnets for motors 86-21997
Rosenthal, B. *see* Spehn, R. 87-24043
Rosenthal, C.W. Physical design and manufacturing information aspects of the AT&T Bell Laboratories CAD system 85-1148
Rosenthal, C.W., Dioshman, J.M. Computer-aided engineering and design for interconnection technology 88-24548
Rosenthal, C.W. *see* Foster, J.C. 85-33565
Rosenthal, D., Garza, R. Holographic NDT and the real world 88-45566

Rosenthal, D.L. *see* Hall, T.L. 87—77616
Rosenthal, D.S.H. *see* Morris, J.H. 86—37463
Rosenthal, F. *see* Maiello, M.L. 86—38843
Rosenthal, H. *see* Abrams, G.O. 86—59638
Rosenthal, J. *see* Chizeck, H.J. 85—48339
Rosenthal, J. *see* Pratt, W.T. 85—43745
Rosenthal, J.A. *see* Chizeck, H.J. 86—25314
Rosenthal, K. *see* Rock, R. 86—64462
Rosenthal, M.S. *see* Hutchins, G.D. 85—43369
Rosenthal, M.S. *see* Nickles, R.J. 85—59261
Rosenthal, P.H., Farr, P., Kwong Yong Sin Dual data center processing and telecommunication architecture: a contingency planning case study 88—31410
Rosenthal, P.L., Brownlow, J.D. An application of Kalman filtering and time averaging to inertial guidance evaluation 86—23035
Rosenthal, R. The National Bureau of Standards program in open system interconnection 87—48714
Rosenthal, R. *see* Cecil, J. 85—60615
Rosenthal, R. *(editor)* Workshop on Analytical and Simulation Modeling of IEEE 802.4 Token Bus Local Area Networks (NBS-SP-500-127) 86—19750
Rosenthal, R.E. Representing inverses in pure network flow optimization 86—26742
Rosenthal, R.W., Rubinstein, A. Repeated two-player games with ruin 85—283
Rosenthal, S. The PF474 [coprocessor chip] 85—11280
Rosenthal, S. Cogeneration—is it economic? 85—53370
Rosenthal, S., Garan, H., Ruskin, J. A portable microprocessor-based system for the electrophysiological study of ventricular arrhythmias 85—20925
Rosenthal, S.E. *see* Cook, D.L. 87—43208
Rosenthal, S.E. *see* Miller, P.A. 85—16271
Rosenthal, S.E. *see* Olsen, J.N. 85—4185
Rosenthal, T.J. *see* Allen, R.W. 87—5370
Rosenthal, W. *see* Atanassov, V. 85—32005, 86—6136
Rosenthal, W. *see* Young, I.R. 86—6133
Rosenthal, W. *see* Ziemer, F. 88—10582
Rosenthal, W.D., Blanchard, B.J., Blanchard, A.J. Visible/infrared/microwave agriculture classification, biomass, and plant height algorithms 85—38358
Rosenthal, Y. *see* Adam, G. 87—34924
Rosenthal, Y.A. *see* Adam, G. 88—41963
Rosenthaler, L. *see* Ringger, M. 87—11316
Rosentiel, W. Computer aided synthesis of VLSI systems by AI techniques 87—65670
Rosenwaks, S. Novel approaches to short-wavelength chemical lasers 88—40131
Rosenwaks, S., Bachar, J. Potential visible chemical lasers via interactions of singlet molecular oxygen with heavy metal atoms and oxides 85—56560
Rosenwaks, S. *see* Bar, I. 88—58463
Rosenwaks, S. *see* Churassy, S. 87—74973
Rosenwasser, B. *see* Goldring, G. 87—29429
Rosenwasser, S.N., Stevenson, R.D. Selection and evaluation of insulator materials for high performance railgun bores 87—26706
Rosenzweig, A. YIG oscillators tune to 20 GHz 87—52851
Rosenzweig, A.E. *see* Dick, D. 85—40162
Rosenzweig, J. Characterization of photoconducting CdTe using acoustoelectric methods 88—33853
Rosenzweig, J., Cline, D., Cole, B., Detra, J., Sealy, P. The UW/ANL plasma wakefield acceleration experiment 87—70914
Rosenzweig, J. *see* Birkholz, U. 87—70661
Rosenzweig, J.B., Cline, D.B., Dexter, R.N., Larson, D.J., Leonard, A.W., Mengelt, K.R., Sprott, J.C., Mills, F.E., Cole, F.T. Plasma wake field acceleration: a proposed experimental test 86—5622
Rosenzweig, J.B. *see* Cline, D.B. 87—75165
Rosenzweig, J.B. *see* Larson, D.J. 87—39150, 88—45485
Rosenzweig, M. Dynamic single-mode lasers 88—58572
Rosenzweig, M. *see* Hausser, S. 86—9878
Rosenzweig, M. *see* Sartorius, B. 87—26406
Rosenzweig, M. *see* Su, L.M. 86—2136
Rosenzweig, M.B., Bar-Lev, J. Transmission access and pricing: some other approaches 87—9110
Roser, G. *see* Brandes, S. 87—71790
Roser, H. *see* Fischer, H.M. 87—21417
Roser, H.P., Wattenbach, R. The optically pumped molecular laser for the spectral range between 10 μm and 2 mm 85—12778
Roser, H.P. *see* Densing, R. 87—18874
Roser, H.P. *see* Kimmitt, M.F. 86—11594
Roser, H.P. *see* Nett, H. 87—17374
Roser, H.P. *see* Wattenbach, R. 85—63777
Roser, R. *see* Engels, E., Jr. 87—29488
Roser, T. Test of the Siberian Snake concept at the IUCF cooler ring 88—42384
Roser, T. *see* Cameron, P.R. 86—60525
Roser, T. *see* Krisch, A.D. 88—68176
Roser, T. *see* Raymond, R.S. 86—55968, 86—60524
Rosetelli, F. *see* Green, M.A. 88—65038
Roseth, G. PHONLINK interactive remote control 87—69603
Roseth, G. Phonlink interactive remote control. II 87—69604
Rosetti, C. NAVSAT in the year 2000 87—41137
Rosetti, C. The concept of a worldwide satellite-based communications, navigation and surveillance system 88—22008
Rosetti, C., Carnebianca, C. NAVSAT: a global satellite based navigation system 87—41066
Rosetti, C., Carnebianca, C. NAVSAT: a global satellite based navigation system 88—28995
Rosetti, C. *see* Chaplin, J. 85—3604, 85—25982
Rosevear, R.D., Williams, G., Parmigiani, B. High voltage XLPE cable and accessories 87—15357
Rosgen, T., Reyneri, L., Devit, O.N. Feasibility of a cryogenic multiplexer for spaceborne applications 87—41419
Roshal', A.S. *see* Leyman, V.A. 87—54489
Roshal, A.S. *see* Mikhailov, A.V. 85—56974
Roshal, A.S. *see* Mikhaylov, A.V. 87—47104
Roshchin, G.V., Ivanov, N.A., Arsamakov, I.I., Kryuchkov, B.I., Revyakin, V.V., Shimarova, T.P. Electronic physical models for power systems 85—32060
Roshchin, G.V. *see* Sokolov, N.I. 88—10856
Roshchin, V.A., Sergienko, I.V. An approach to the solution of the set-covering problem 86—7626
Roshchin, V.A. *see* Vavriv, D.M. 87—37823
Roshchin, V.A. *see* Volkovich, O.V. 88—38094
Roshchina, A.S. *see* Ryazansev, V.I. 85—27851
Roshchina, T.N. *see* Betin, A.A. 87—26460
Rosher, P.A. Receiver penalty calculations in duplex optical systems 88—4039
Rosher, P.A., Fenning, S.C., Cochrane, P., Hunwicks, A.R. An automatic optical fibre break location scheme for duplex and diplex transmission systems 88—28824
Rosher, P.A., Hunwicks, A.R. Analysis of cross-talk penalties in WDM optical transmission systems 87—40971
Rosher, P.A. *see* Cochrane, P. 87—49031, 88—4027
Rosher, P.A. *see* Hunwicks, A.R. 87—56128, 88—47036, 88—47094
Roshin, G.V. *see* Khoudiakov, V.V. 86—12451
Rosi, U. *see* Coppa, G. 85—41115
Rosic, A. Single-phase insulated busbars of 13.8 kV rated voltage and 4 kA rated current with natural cooling for the hydroelectric power plant PLAYAS in Colombia 88—11127
Rosic, M. Reliability improvement of digital circuits by means of triple majority redundancy 85—17255
Rosich, N.P. *see* Bilenko, V.A. 88—55184
Rosich, R.K., Mohr, R.J. Comments on 'Correction of Maxwell's equations for signals I and II' [by R.J. Mohr] 88—51996
Rosick, M. *see* Nanson, B.N. 86—19805
Rosier, L.E., Hsu-Chun Yen On exact, critical and unique versions of some graph problems 88—31655
Rosier, L.E., Yen, H.-C. Boundedness, empty channel detection, and synchronization for communicating finite automata 87—2400
Rosier, L.E. *see* Gouda, M.G. 85—63351, 86—64396
Rosier, P. Central processing cards for PC compatibles on the OEM market 87—5903
Rosier, P. Modem cards: standards and performances 87—20299
Rosier, S. *see* Bakken, J.A. 87—35350
Rosiewicz, A. High reliability packaging for fibre optic sources 87—74787
Rosiewicz, A., Butler, B.R., Hinton, R.E.P. Temperature-dependent lifetests of IRW lasers operating at 1.3 μm 85—29843
Rosiewicz, A., Park, C.A., Butler, B.R., Jones, C.J., Palin, M.G. Improvement of high reliability inverted rib-waveguide lasers by the observation of degradation mechanisms 86—15666
Rosik, V. *see* Tysler, M. 86—5957
Rosik-Dulewska, C. Waste heat in energetics—possibilities of its utilization [agriculture] 86—19682
Rosilio, A. *see* Buiguez, F. 86—1974 to 1975
Rosilio, A. *see* Rosilio, C. 85—1446, 88—26150
Rosilio, C., Rosilio, A., Buiguez, F. Application of polysiloxane resists to multilayer resist systems for high-resolution microlithography 85—1446
Rosilio, C., Rosilio, A., Serre, B. Contribution to the study of polysilanes for photolithography 88—26150
Rosilio, C. *see* Buiguez, F. 86—1974 to 1975
Rosilio, C. *see* Holil, B. 85—35101
Rosilio, C. *see* Schue, F. 87—25019
Rosin, E.A., Frantz, R.A. Photovoltaic power for remote hub sites 87—30450
Rosin, T. *see* Ehrke, H.-J. 86—4815
Rosina, J. Control of cascade hydroelectric power plants 85—38892
Rosing, D. *see* Im, K.E. 88—5173
Rosing, M.G., Conrad, J.R. Discharge and ion extraction properties of a beam-plasma ion source 85—37877
Rosinski, A. *see* Chachulsi, M. 85—811
Rosinski, A.T., Chachulski, M., Michalski, A. FLORET: a simulation approach to verifying MOS-LSI logic design 86—892
Rosinski, D. *see* Rybinski, J. 88—60733
Rosinski, R.R. *see* Josenhans, J.G. 87—40261
Rosinski, W. Quality of electronic materials and inspection thereof 85—18193
Roska, H.-J. *see* Gast, J.-P. 87—31046
Roske, E. Piezoelectric oscillator quartz crystals 85—7124
Roske, E. Piezoelectric crystals. II 85—12456
Roskell, D. *see* Short, G. 87—59586
Roskell, D. *see* Wientjes, B. 86—27330
Roskelley, K.S. *see* Hodges, J. 86—58676
Rosker, M.J., Cheng, K., Tang, C.L. Practical urea optical parametric oscillator for tunable generation throughout the visible and near-infrared 86—22511
Rosker, M.J., Tang, C.L. Widely tunable optical parametric oscillator using urea 85—46457
Rosker, M.J., Wise, F.W., Tang, C.L. Femtosecond optical measurement of hot-carrier relaxation in GaAs, AlGaAs and GaAs/AlGaAs multiple quantum well structures 87—24823
Rosker, M.J. *see* Tang, C.L. 87—26182
Roskind, J.A. A fast sort-selection filter chip with effectively linear hardware complexity 86—14412
Roskind, J.A. *see* Mott, J.S. 87—19890
Roskos, H., Optiz, S., Seilmeier, A., Kaiser, W. Operation of an infrared dye laser synchronously pumped by a mode-locked CW Nd:YAG laser 86—58893
Roskos, H., Robl, T., Seilmeier, A. Pulse shortening to 25 ps in a CW mode-locked Nd:YAG laser by introducing an intracavity etalon 86—54110
Roskova, G.P. *see* Altshuler, G.B. 88—33967
Roskova, M., Pavlikova, M. Influence of thermal ageing on some properties of complex ester based liquid impregnants 86—15285
Roskovcova, L. *see* Skula, J. 85—18815
Rosky, D. *see* Lin, T. 87—59375
Roslaniec, H. *see* Jacewicz, M. 88—41492
Rosleniec, S. A computer algorithm for automatic design of R-transformers 87—66475
Rosler, G. Freely programmable colorimetric system with high spectral dissolution 85—63993
Rosler, K. Development and introduction of a decision-oriented cost analysis in power generating plants 87—4470
Rosler, R.S., Engle, G.M. Plasma-enhanced CVD of titanium silicide 85—22519
Rosler, U. *see* Tenckhoff, E. 86—39400
Rosli, U. No outstanding breakthroughs [digital sound recording equipment] 85—8626
Rosli, U. The gauging-computer 86—4908
Rosli, U. Hi-Fi compact disc sound for the car. CDX-1 from Pioneer 87—14023
Rosli, U. The quest for improved CD-sound 87—14025
Rosling, D., Rundel, R. 4TEL in TXK1 local exchanges 85—63435
Rosloniec, S. Subject-matter of synthesis of microwave strip lines 85—988
Rosloniec, S. New model of broad-band impedance transformer of distributed constants 85—50024
Rosloniec, S. Impedance transformer with connected transfer bands 86—14455
Rosloniec, S. On the realization of microwave, ring-shaped directional couplers 86—58031
Rosloniec, S. A new approach to the synthesis of three-port TEM-mode hybrid power dividers 87—66476
Rosloniec, S. Application of the R-transformer to the design of microwave harmonic filters 87—66511
Rosloniec, S. Design of coupled microstrip lines by optimization methods 88—19313
Rosloniec, S. On the application of the *R*-transformer in designing coupled transmission-line directional couplers 88—19325
Rosloniec, S. Design of *R*-transformers on the basis of the insertion loss function 88—38691
Rosloniec, S. A new approach to the synthesis of microwave impedance transformers 88—56860
Roslund, S. *see* Manhag, K. 85—4892
Roslyakov, G.V. *see* Davydenko, R.I. 88—4785
Roslyakov, P.V. Effect of water addition and moisture content in fuel on formation of thermal and combustible nitrogen oxides 88—75457
Roslyakov, S.N. *see* Mokhun', I.I. 86—22557, 87—39872
Rosmalen, G.E.van *see* van Rosmalen, G.E.
Rosmalen, G.van *see* van Rosmalen, G.
Rosman, G.E. Fleet-footed photons flatten faltering fermions: a fundamental comparison of optical and electrical transmission 87—32975
Rosman, G.E. *see* Garth, S.J. 88—39901
Rosman, H., Savin, G. The energy regime of conservative parametric circuit elements 86—6671
Rosman, H., Savin, G. Optimal method of calculation of a filtering-compensation installation 88—32300
Rosman, H. *see* Goras, L. 86—27033
Rosman, L.V. Automation of load monitoring and the setting of standards for transformer load-handling capability 85—5154

Rosman, L.V. Checking the insulation useful life of transformers in substation automatic control systems for technical processes 85−44053
Rosman, L.V. *see* Kupershnidt, Yu.Ya. 86−45041
Rosman, R., Katzir, A., Norton, P., Bachem, K.-H., Preier, H.M. On the performance of selenium rich lead-salt heterostructure lasers with remote p-n junction 87−33180
Rosman, R. *see* Shani, Y. 85−7443, 85−29521, 88−65699
Rosman, R.L. *see* Katz, R. 85−37954
Rosnagel, S.M. *see* Cuomo, J.J. 85−40823
Rosner, C.H. *see* Morrow, G.R. 87−74627
Rosner, G. *see* Pochodzalla, J. 85−37905
Rosner, J.L. Can we do fundamental particle physics without the SSC? 88−4717
Rosner, M., Russell, M. Designing operator manuals for GE [General Electric] 88−63117
Rosner, R. Networked computer services for universities 86−64698
Rosner, R.A. Data networks and open systems 86−17008
Rosner, R.A. *see* Pope, N.H. 86−37579
Rosner, R.D. Migrating to ISDN−a manufacturer's view 88−41398
Rosner, S.J., Koch, S.M., Harris, J.S., Jr. Nucleation and initial growth of GaAs on Si substrate 87−23629
Rosner, S.J., Koch, S.M., Harris, J.S., Jr. Structural characterization of thin, low temperature films of GaAs on Si substrates 88−38201
Rosner, S.J. *see* Adkisson, J.W. 88−49815
Rosner, S.J. *see* Harris, J.S., Jr. 88−38130
Rosner, S.J. *see* Hull, R. 87−23626, 88−11968
Rosner, S.J. *see* Koch, S.M. 87−36724
Rosner, W., Hansch, W., Moore, B., Orlowski, M., Spitzer, A., Werner, C. Determination of lateral drain profiles from gate drain overlap capacitances 88−71587
Rosner, W. *see* Seidl, A. 88−50938
Rosny, G.de *see* de Rosny, G.
Roso, G. *see* D'Angelo, A. 85−2951, 85−51908
Roso, G. *see* Del Pistoia, A. 87−8079, 87−33903
Roso, G. *see* del Pistola, A. 87−34247
Roso-Franco, L. Bistability by self-reflection in a saturable absorber 88−51944
Rosocha, H. Bit compression: ROM optimization methods 85−45038
Rosocha, H. Mach 1 for ASIC 86−63439
Rosocha, H. *see* Tappmeyer, D. 86−47791
Rosocha, L. *see* Hanlon, J. 86−29078
Rosocha, L. *see* Stine, R. 86−8682
Rosocha, L.A., Bowling, P.L., Burrows, M.D., Kang, M., Hanlow, J., Mcleod, J., York, G.W., Jr. An overview of Aurora: a multi-kilojoule KrF laser system for inertial confinement fusion 86−36400
Rosocha, L.A., Bowling, P.S., Burrows, M.D., Hanlon, J.A., Kang, M., McLeod, J., Ratliff, J.R., Whitcomb, D.O., York, G.W., Jr. Aurora: multi-kilojoule KrF laser system for ICF studies 87−7252
Rosocha, L.A., Hanlon, J.A., McLeod, J. Beam propagation problems in the Aurora laser system 87−75022
Rosocha, L.A., Hanlon, J.A., McLeod, J., Kang, M., Kortegaard, B.L., Burrows, M.D., Bowling, P.S. Aurora multikilojoule KrF laser system prototype for inertial confinement fusion 87−61278
Rosocha, L.A., Kang, M., Romero, V.O., Van Haaften, F.W., Brucker, J.P. Design and performance of large area monolithic electron guns for the Aurora KrF laser system 87−19020
Rosocha, L.A., Mansfield, C.R. Performance of the Antares large area cold cathode electron gun 85−1224
Rosocha, L.A., McLeod, J., Hanlon, J.A. Beam propagation considerations in the Aurora laser system 87−61285
Rosocha, L.A., Riepe, K.B. Electron-beam sources for pumping large aperture KrF lasers 87−61283
Rosocha, L.A. *see* Jensen, R.J. 87−46782
Rosolen, C. *see* Biraud, F. 87−20830
Rosolen, C. *see* Boischot, A. 87−20653
Rosolen, C. *see* Preston, R.A. 86−55400
Rosolen, L. *see* Preston, R. 86−30928
Rosolen, N. Component part number substitution in MRP 88−11715
Rosolowski, E., Szafran, J. Functional modelling of fast transients of power system 88−30250
Rosow, D.F., Clayton, W.T. Recent developments for mechanized examinations of reactor pressure vessels 86−61284
Rospendowski, S. *see* Werheit, H. 86−63054
Rospini, P. Turbine, condenser and preheat installation for the Voitsberg 3 thermal power station 85−9715
Rospini, P. The cooling water systems for the Voitsberg 3 thermal power station 85−9717
Rospopo, S.D. *see* Allen, T.A. 88−11747
Ross, A. Practical jointing for medium voltage polymeric cables 87−15289
Ross, A. High-voltage polymeric insulated cables 87−21946
Ross, A. *see* Klemp, P.F.B. 86−44692
Ross, A. *see* Perie, J.-P. 86−60190
Ross, A.J., Sontag, K. Leaky lightwave? Manitoba Telephone keeps FO cables dry with special monitoring system 87−56180
Ross, B.A. Railroad electrification: an opportunity and a challenge 88−11452
Ross, B.A. *see* Buckles, D.S. 88−54570
Ross, C.A., Evetts, J.E. A model for electromigration behaviour in terms of flux divergences 87−67141
Ross, C.D., Campbell, K.W., Barker, R.E., Jr. Time domain spectroscopic measurements of the dielectric properties of heterogeneous materials 88−29594
Ross, C.F. Active control of vibrations in spacecraft 88−74910
Ross, D. Wave energy supplies power grid for the first time 86−56660
Ross, D. Tidal power: the debate on technology 87−35844
Ross, D. How the CEGB weathered the storm 87−64045
Ross, D. *see* Amerson, T. 88−54669
Ross, D. *see* Bertelsen, B. 88−35777
Ross, D. *see* Davey, K.R. 88−55646
Ross, D. *see* Eargle, J. 85−58429
Ross, D. *see* Gerischer, H. 85−49110
Ross, D. *see* Shuchman, R. 86−6137
Ross, D.A. *see* Kelly, G.W. 87−8940
Ross, D.C. Algorithm for singular value decomposition 85−30245
Ross, D.De *see* De Ross, D.
Ross, D.E. *see* Gaede, R.K. 88−70719
Ross, D.F., Ernst, M.L., Murphy, J. Current perspectives on nuclear power plant risks and the use of risk-based information in regulation 87−71881
Ross, D.G., Moyer, S.F., Eckton, W.H., Jr., Paski, R.M., Ehrenberg, D.G. Regenerator chip set for high-speed digital transmission 86−47774
Ross, D.G., Paski, R.M., Ehrenberg, D.G., Homsey, G.M. A highly integrated regenerator for 295.6-Mbit/s undersea optical transmission 85−37032
Ross, D.H. AFTI/F-16 program−phase II overview: Automated Maneuvering Attack System 86−70469
Ross, D.K. *see* Allen, A.J. 85−15218
Ross, D.L. *see* Denniss, A.R. 86−60784
Ross, E. Software systems for power supply testing 88−11288
Ross, E. *see* Daniels, R.G. 85−7075
Ross, E.M. DECnet communications 86−59637
Ross, E.R. I'm an electronic mail freak 87−34063
Ross, F.E. FDDI−fiber, farther, faster [fiber distributed data interface] 86−55328
Ross, F.E. FDDI−a tutorial [fibre distributed data interface] 86−59647
Ross, F.E. Rings are around for good 87−34119
Ross, F.E. FDDI−an overview [fibre distributed data interface a 100 Mb/s token ring] 87−49124
Ross, F.E., Moulton, R.K. FDDI overview−a 100 megabit per second solution 85−47237
Ross, F.E. *see* Burr, W.E. 85−13958
Ross, G. Practically yours [multipurpose test unit design] 85−22226
Ross, G. Practically yours [RF filters] 85−22980
Ross, G. 'Practically yours' [capacitance measurement] 85−31517
Ross, G. 'Practically yours' [20 to 20000 Hz waveform generator design] 85−54732
Ross, G. 'Practically Yours' [signal generator] 86−814
Ross, G. 'Practically yours' [50 MHz receiver] 86−10968
Ross, G. Marker generator. II 86−14033
Ross, G. 'Practically yours' [10 GHz band frequency marker] 86−20850
Ross, G. 'Practically yours' [dipole antenna] 86−22815
Ross, G. 'Practically Yours' [audio filters] 86−34955
Ross, G. Alinco ALM-203E handheld transceiver 86−43756
Ross, G. 'Practically yours' [power supplies] 87−16872
Ross, G. Yaesu-Musen FT-290R Mk. II handheld transceiver 87−48955
Ross, G. Steel trunking systems 87−71713
Ross, G. Practically Yours [multimeter] 88−42192
Ross, H.H. *see* Heemels, J.P. 86−38761
Ross, H.H. *see* Rucker, T. 88−16652
Ross, H.H. *see* Rucker, T.L. 88−47994
Ross, H.P. *see* Wright, P.M. 86−32509
Ross, H.P., Jr., Novak, F. Suburban substation designed for minimized impact 85−39074
Ross, I. Cellular benefits await standards 86−17238
Ross, I. Toward ISDN−networking for the nineties 88−41409
Ross, I.E. The CO_2 waveguide laser (a laser with designs on industry) 85−51138
Ross, I.E., Pithie, J. The design of a miniature CO_2 laser for hand-held and beamriding applications 88−27067
Ross, I.M. Technology for tomorrow [telecommunications] 85−19582
Ross, I.M. Two years into the future−a view form AT&T Bell Laboratories 86−30146
Ross, I.M. Network evolution for the information age 87−33892
Ross, I.N., Davis, G.M., Klemitz, D. High resolution holographic image projection at visible and ultraviolet wavelengths 88−2409
Ross, I.N., Davis, G.M., Klemitz, D. High-resolution holographic image projection at visible and ultraviolet wavelengths 88−45558
Ross, I.N., Mbanu, A. Optical monitoring of glucose concentration 85−53025
Ross, I.N. *see* Barr, J.R.M. 88−45362
Ross, I.N. *see* Danson, C.N. 86−3396
Ross, I.N. *see* Key, M.H. 87−12373
Ross, I.N. *see* Lewis, C.L.S. 88−33919
Ross, I.N. *see* O'Neill, F. 87−39174
Ross, I.N. *see* Shaw, M.J. 87−12569
Ross, J. Making m.c.bs−how it's done at MK 85−27550
Ross, J., Guillemette, R. Smart telemetry−transmitter and recorder 85−3910
Ross, J. *see* Limuti, D. 88−55506
Ross, J. *see* Roberts, G.G. 87−67666
Ross, J. *see* Shemwell, D.M. 87−75175
Ross, J.A. Modern technical surveillance countermeasures 87−76555
Ross, J.A. Control of raster positional movement in high resolution multicolor projectors 87−77744
Ross, J.D., Ashman, R.B. A thin foot switch 87−71070
Ross, J.F., Robins, I., Webb, B.C. The ammonia sensitivity of platinum-gate MOSFET devices: dependence on gate electrode morphology 87−35063
Ross, J.F., Terry, C.I., Webb, B.C. A new method for protection against electrical overheating using a sacrificial coating and a CHEMFET gas sensor 86−65174
Ross, J.F. *see* Robins, I. 86−67865
Ross, J.G. *see* Cocks, R. 87−20136
Ross, J.M. *see* Shemwell, D.M. 88−2318
Ross, J.N. Photon counting with avalanche photodiodes for OTDR sensors 88−4446
Ross, J.N. *see* Dakin, J.P. 85−50910, 87−18686
Ross, J.N. *see* Gaydon, B.G. 85−32659
Ross, J.R., Duncan, T.W., Jr., Larsen, A.M. Transfer Orbit Stage off-line processing 86−60920
Ross, J.S., O'Donovan, P.B., Paushter, D.M. Tracheobronchial tree and pulmonary arteries: MR imaging using electronic axial rotation 87−8915
Ross, K. *see* Breuer, K.D. 87−34654
Ross, K. *see* Evans, N.T.S. 86−32265
Ross, K.W., Chen, B. Optimal scheduling of interactive and noninteractive traffic in telecommunication systems 88−34848
Ross, K.W. *see* Beutler, F.J. 87−51948
Ross, K.W. *see* Hofri, M. 87−58778
Ross, K.W. *see* Nain, P. 85−54246, 86−64381
Ross, K.W. *see* Tsang, D. 88−67116
Ross, L. Integrated optics in glass 88−58231
Ross, L., Campbell, R. The processing of sensors signals in portable data collectors 88−35914
Ross, L., Fabricius, N., Oeste, H. Single mode integrated optical waveguides by ion-exchange in glass 88−7947
Ross, L., Lilienhof, H.-J., Holscher, H.W. Buried waveguides for passive integrated optics by Cs^+-ion-exchange 87−54090
Ross, L., Stribling, A., Payne, T., Watts, D. Automated calibration of PEACEKEEPER support equipment 88−35829
Ross, L. *see* Fabricius, N. 88−72133
Ross, L.D., III *see* Lauby, M.G. 86−50846
Ross, M. Trends in the use of electricity in manufacturing 86−45860
Ross, M. The history of space laser communications 88−53284
Ross, M., Harrison, R.G. Optimization of distributed monolithic GaAs amplifiers using an analytical/graphical technique 88−71060
Ross, M. *see* Abrams, G.S. 88−54244
Ross, M. *see* Arvas, E. 88−66020
Ross, M. *see* Begley, D.L. 88−8168, 88−67293
Ross, M. *see* Bogart, J. 86−24887
Ross, M. *see* Hutton, A.M. 86−31892
Ross, M. *see* Morton, P.L. 86−24957, 88−54276
Ross, M. *see* Paffrath, L. 85−43289
Ross, M. *see* Seeman, J. 87−41773
Ross, M. *see* Seeman, J.T. 88−54272
Ross, M. *see* Shamir, J. 88−53246
Ross, M.C. Beam diagnostics and control for SLC 88−47797
Ross, M.C., Browne, M.J., Clendenin, J.E., Jobe, R.K., Seeman, J.C., Sheppard, J.C., Steining, R.F. Generation and acceleration of high intensity beams in the SLC injector 86−25019
Ross, M.C., Phinney, N., Quickfall, G., Shoaee, H., Sheppard, J.C. Automated emittance measurements in the SLC 88−54160
Ross, M.C., Seeman, J.T., Jobe, R.K., Sheppard, J.C., Stiening, R.F. High resolution beam profile monitors in the SLC 86−24865
Ross, M.C. *see* Denard, J.-C. 88−54152
Ross, M.C. *see* Pellegrin, J. 88−54150
Ross, M.C. *see* Seeman, J.T. 86−31893

Ross, M.C. *see* Shappard, J.C. 86-31925
Ross, M.C. *see* Sheppard, J.C. 86-24866, 88-54171
Ross, M.H. An overview of the worldwide use of cellular radio 88-67268
Ross, M.J., Covo, A.A., Hart, C.D., Jr. An AI-based network management system 88-67040
Ross, M.J., Walsh, T.D. A common channel signalling standard for the defence switched network 86-30217
Ross, M.J. *see* Haughney, J.F. 85-30790
Ross, M.L. *see* McNally, J.M. 88-36970
Ross, N. *see* Roohy-Laleh, E. 87-28629
Ross, N.W. Harmonic disturbance limits and capacitor currents with series resonance 85-59679
Ross, P.B., Geller, B.D. A broadband microwave test fixture 87-70777
Ross, P.B. *see* Chou, S.M. 85-54684
Ross, P.N., Jr. Feasibility study of a new zinc-air battery concept using flowing alkaline electrolyte 87-43377
Ross, P.W., Crossland, W.A. Ferroelectric liquid crystal displays for computer and television applications 88-67978
Ross, P.W. *see* Bone, M.F. 87-70711
Ross, P.W. *see* Crossland, W.A. 86-50162
Ross, R., Mohr, R., Fournier, J., Yang, J. Status of fluorinated amorphous silicon-germanium alloys and multijunction devices 88-37439
Ross, R. *see* Pellegrini, A. 85-9210
Ross, R. *see* Wang, N. 88-60688
Ross, R. *see* Yang, J. 87-16008, 88-31011, 88-49151
Ross, R. *see* Yasng, J. 87-22776
Ross, R., Jr. *see* Mon, G. 88-37557
Ross, R., Jr. *see* Mon, G.R. 86-33654
Ross, R.B. *see* Stewart, S.H. 87-32606
Ross, R.C., Strand, D.A., Bjornard, E.J., DeNeufville, J.P. Crystallization rate and thermal stability of Te-based alloy thin films for erasable optical recording 87-25915
Ross, R.D. Overview of the voice information services market 88-35027
Ross, R.G., Mon, G.R., Wen, L., Gonzalez, C.C., Sugimura, R.S. Measurement and characterization of thin film module reliability 88-69697
Ross, R.G. *see* Chen, C.P. 86-13087
Ross, R.G., Jr. Technology developments toward 30-year-life of photovoltaic modules 86-7070
Ross, R.G., Jr. Crystalline-silicon reliability lessons for thin-film modules 87-9809
Ross, R.G., Jr. Characterization of photovoltaic array performance: an overview 87-30968
Ross, R.G., Jr. Reliability of photovoltaic modules 87-72410
Ross, R.G., Jr. Recent achievements in module reliability research 88-37535
Ross, R.G., Jr., Sugimura, R.S. Long-term experimental testing of a-silicon modules 88-5850
Ross, R.G., Jr. *see* Gonzalez, C. 88-5848
Ross, R.G., Jr. *see* Gonzalez, C.C. 86-6623, 88-37585
Ross, R.G., Jr. *see* Mon, G. 87-9831
Ross, R.G., Jr. *see* Mon, G.R. 85-27660, 86-13061, 87-9826, 88-5849, 88-37544
Ross, R.G., Jr. *see* Smokler, M.I. 87-9827
Ross, R.G., Jr. *see* Sugimura, R.S. 86-7074, 87-9829
Ross, R.I. A small and light thyratron grid driver 85-5225
Ross, R.L. *see* Ondria, J. 87-73791, 88-25555
Ross, R.L. *see* Paolella, A. 86-52478
Ross, R.L. *see* Savage, R.O. 86-407
Ross, R.N., Sourkes, A.M., Sandeman, J.M. Survey of ultrasound therapy devices in Manitoba 85-20948
Ross, R.R. *see* Eberhard, P.H. 86-48030
Ross, R.S. *see* Zyda, M.J. 88-36707
Ross, R.W., Jr. *see* Butkus, R.T. 88-28239
Ross, S. Unipolar/bipolar circuit eases data flow 86-14315
Ross, S. Circuit deletes power-line cycles 87-59243
Ross, S.J. *see* Kezer, R.C. 88-19106
Ross, S.J. *see* Tsen, C.T. 88-19163
Ross, S.M. *see* Derman, C. 85-33244
Ross, T. *see* Kaiser, H.D. 85-12518
Ross, T.K. *see* Moss, B.F. 85-2502
Ross, W. *see* Beyer, H. 87-12412
Ross, W. *see* Gundel, H. 86-9728
Ross, W. *see* Kersten, R.T. 88-65364
Ross, W.C. *see* Edmonds, P.D. 87-4027
Ross, W.E. *see* Mills, S.A. 88-40012
Ross, W.S., Shah, P.M. Vertical seismic profile reflectivity: ups over downs 88-3015
Ross Stone, W. An approach to a numerically well-posed solution to the inverse scattering problem 86-68726
Ross-Ross, P.A. Some engineering aspects in the development of pressure tubes for CANDU 87-78413
Ross-Ross, P.A., Joynes, R., Aikens, A.E., Conrath, J.J., Mellors, W. Developments in remote handling equipment for Canadian nuclear reactors and facilities 85-44478
Rossa, E. Time autocorrelation of short ($\sigma=40$ ps), single shot, intense X-ray pulses 88-54429
Rossa, G. *see* Wustemann, A. 88-21664 to 21665
Rossanino, A. *see* Arossa, W. 85-15265
Rossano, G.S. *see* Russell, R.W. 87-49540
Rossano-Roman, M. *see* Mendez-Lecanda, E. 85-27306
Rossati, C. *see* Merlina, S. 86-19687, 86-45271
Rossbach, J. Closed-orbit distortions of periodic FODO lattices due to plane ground waves 88-68179
Rossbach, J., Brinkmann, R. HERA straight sections for head on electron-proton interactions 86-31761
Rossbach, J. *see* Bialowons, W. 85-26627
Rossbach, J. *see* Degele, D. 85-26601
Rossbach, P.C., Linderman, R.W., Gallagher, D.M. An optimizing XROM silicon compiler 87-59474
Rossbach, P.C. *see* Linderman, R.W. 87-59590, 88-50175
Rossbander, W., Sahre, P. A computer aided method for discriminating between beta and gamma doses in a thick thermoluminescent dosimeter 86-44713
Rossberg, R. Optical plugs for optical fibres 86-23903
Rossberg, R. *see* Fussgaenger, K. 85-3446
Rossberg, R.H. *see* Bludau, W. 85-50926
Rossberg, R.H. *see* Schmid, P. 86-9533
Rossberg, R.R. The contact wire reaches the Baltic Sea—the electric traction of the Deutsche Reichsbahn 86-26362
Rossby, H.T. The RAFOS navigation system 88-5193
Rossby, H.T., Levine, E.R., Connors, D.N. The isopycnal Swallow float—a simple device for tracking water parcels in the ocean 85-26915
Rossby, H.T. *see* Carter, E.F. 87-29950
Rossby, T., Dorson, D., Fontaine, J. The RAFOS system [oceanic float] 87-77883
Rossdeutscher, W., Boenick, U., Matute, V. A new EMG-training device with automatic data storage for amputees 88-61445
Rosse, G., Ghers, M., Lebigot, J., Guyader, J., Laurent, Y., Colin, Y. Selective detection of ammonia by semiconducting pellets of zinc and germanium oxynitrides 88-47712
Rosse, G. *see* Fortin, B. 86-21145
Rosse, G. *see* Ghers, M. 88-35963
Rosseel, T.M. *see* Hulett, L.D., Jr. 87-56999
Rossel, C. *see* Torikachvili, M.S. 86-27959
Rossel, K. Interactive video. I. The prospects of success 86-11255
Rossel, K. Interactive video. II. Video picture production 86-11290
Rossel, K. Interactive video. III. The dialogue with the video 86-24173
Rossel, P. MOS technologies for smart power and high-voltage circuits 88-13599
Rossel, P., Buxo, J. Discrete and integrated MOS power technologies 85-40767
Rossel, P. *see* Bellaouar, A. 85-55824
Rossel, P. *see* Latreche, S. 87-53548
Rossel, P. *see* Sanchez, J.L. 85-23795, 86-15169
Rossel, P. *see* Sarrabayrouse, G. 86-38707, 86-44575
Rossel, P. *see* Tranduc, H. 85-12308, 85-40768, 85-61937
Rosselet, A. *see* Martens, H. 87-50992
Rosselet, L. *see* Akesson, T. 86-18235
Rosselet, L. *see* Bene, P. 88-56532
Rosselet, L. *see* Bonesini, M. 88-23001, 88-29823, 88-61141
Rosselevich, I.A., Novakovskii, S.V., Borisov, A.A., Korolev, A.V., Liapunov, V.N., Polosin, L.L., Bezrukov, V.N. Promising parameters of higher definition television system 87-41173
Rosselevich, I.A. *see* Ivanov, V.B. 86-17620
Rosselli, G. Series capacitors increase transfer capability 87-78123
Rossem, W.J.C.de Lorme van *see* de Lorme van Rossem, W.J.C.
Rossen, M.L., Niles, L.T., Tajchman, G.N., Bush, M.A., Anderson, J.A., Blumstein, S.E. A connectionist model for consonant-vowel syllable recognition 88-66347
Rossen, P. *see* Berg, G. 85-59020
Rossen, P.v., Euler, K., Hinterberger, F. A new method for high precision dee voltage stabilization 85-59087
Rossen, P.Von *see* Von Rossen, P.
Rossen, R.A., Sawin, H.H. Ion-enhanced gas-surface kinetics of the $Si-Cl_2-Ar^+$ system 85-55720
Rossen, R.A., Sawin, H.H. Time-of-flight and surface residence time measurements for ion-enhanced $Si-Cl_2$ reaction products 88-1538
Rossen, T. *see* Sirazi, S. 85-37304
Rosser, P. Silicides—advanced interconnects? 88-39252
Rosser, P., Tomkins, G. Silicides for VLSI interconnects 86-28407
Rosser, P.J., Moynagh, P.B., Duckworth, C.N. Modelling of rapid thermal and furnace oxide growth 87-6609
Rosser, P.J., Tomkins, G.J. Rapid thermal annealing of $TiSi_2$ for interconnects 86-21344
Rosser, P.J., Tomkins, G.J. Self aligned nitridation of $TiSi_2$. A $TiN/TiSi_2$ contact structure 86-28239
Rosser, P.J. *see* Affolter, K.B. 87-67152, 88-57495
Rosser, P.J. *see* Brown, A.A. 87-67168, 88-64393
Rosser, P.J. *see* Jones, N.C. 88-56317
Rosser, P.J. *see* Moynagh, P.B. 88-64795
Rosser, P.J. *see* Scovell, P.D. 87-38058
Rosser, R. *see* Howells, M. 86-10008
Rosser, R.J. *see* Cheng, P.C. 86-60686
Rosser, T.E. *see* DasGupta, S. 85-28484
Rosser, W.A. *see* I-Wu Shen, P. 85-62519
Rosset, J.-P. *see* Carolus-Duran, J. 87-62763
Rossetti, G.A., Jr. *see* Moser, W.R. 87-32421
Rossetti, G.P. *see* Ballada, R. 88-5796
Rossettini, A. *see* Giuli, D. 88-15532
Rossetto, L. *see* Malesani, L. 87-22574
Rossgotterer, R. *see* Meindl, G. 88-39809
Rossi, A. Voice in the office: six solutions 85-58477
Rossi, A., Angeli, F. Behaviour of TV receiver in the presence of a considerable number of television signals in adjacent channels 86-4814
Rossi, A. *see* Angrilli, F. 86-40182
Rossi, B., Sartucci, F., Starita, A. Automatic analysis of the spontaneous EMG activity during ischaemic test in tetany 85-4334
Rossi, B., Serafini, D. Emerging telematic services & their impact on the ISDN 88-59814
Rossi, B. *see* Alonso, M. 87-40083
Rossi, B. *see* Coronaro, M. 86-54884
Rossi, B. *see* Foust, O. 87-43408
Rossi, B. *see* Haerens, F. 85-25647
Rossi, B.R. *see* Ketler, D.J. 86-25895
Rossi, C. *see* Titterington, D.M. 86-3889
Rossi, D. Choosing the proper device sealing technique 86-52254
Rossi, D. *see* Cini, C. 86-35836, 87-30661, 87-37639, 87-44561
Rossi, D. *see* Diazzi, C. 87-38504
Rossi, D. *see* Rumi, G. 85-42932
Rossi, D.De *see* De Rossi, D.
Rossi, D.J., Lang, S.W. Optimized shift varying filters for image interpolation 87-19948
Rossi, D.J., Willsky, A.S. Reconstruction from projections based on detection and estimation of objects. I and II. Performance analysis and robustness analysis 85-2817
Rossi, D.T., Pardue, H.L. An inexpensive fast memory module for rapid acquisition of digital data 86-5130
Rossi, D.V., Fossum, E.R., Pettit, G.D., Kirchner, P.D., Woodall, J.M. Reduced reverse bias current in Al-GaAs and $In_{0.75}Ga_{0.25}As$-GaAs junctions containing an interfacial arsenic layer 88-13006
Rossi, E. *see* Blaesser, G. 86-45274, 88-17469
Rossi, E.-M. *see* Arnoldussen, T.C. 86-28702
Rossi, E.M. *see* Arnoldussen, T.C. 85-24064
Rossi, F. *see* Brucoli, M. 86-38997
Rossi, F. *see* Gagliardi, F. 87-71577
Rossi, F.R., Straehle, W. Advanced multichip memory interconnection 88-12378
Rossi, G. *see* Abbati, I. 86-21255
Rossi, G. *see* Anzini, L. 88-15753
Rossi, G. *see* Barski, A. 85-55572
Rossi, G. *see* Camagni, P. 88-30172
Rossi, G. *see* Ceravola, O. 88-43071
Rossi, G. *see* De Mori, R. 86-16248
Rossi, G. *see* Dell'Acqua, R. 85-14789
Rossi, G. *see* Denegri, G.B. 85-44245
Rossi, G.B. *see* Michelini, R.C. 87-3813, 88-16488
Rossi, G.B. *see* White, P.J. 87-11101
Rossi, G.P., Garavaglia, C. A proposal for an improved network layer of a LAN 86-69391
Rossi, G.P., Garavaglia, C. A communication system providing transport services on a local network of microcomputers 87-20289
Rossi, G.P., Garavaglia, C. Link layer for cooperating process on a LAN with enhanced communication services 87-55693
Rossi, G.P., Mattasoglio, A. Application and architectural issues for local area networks 85-19886
Rossi, J.A., Dyson, W., Hellwig, L.G., Hanley, T.M. Defect density reduction in epitaxial silicon 86-423
Rossi, J.A. *see* Dyson, W. 85-10744, 85-23427
Rossi, J.P., McMann, R.H., Goldberg, A.A. A two channel compatible HDTV broadcast system 85-20310
Rossi, J.P. *see* McMann, R.H. 85-20352
Rossi, L. *see* Acerbi, E. 85-58980 to 58981, 85-58995, 86-44524, 86-50262, 88-65079, 88-68203
Rossi, L. *see* Alessandrello, A. 87-14733, 87-29540
Rossi, L. *see* Alessandria, F. 87-70949
Rossi, L. *see* Baland, J.F. 88-48000
Rossi, L. *see* Borfecchia, F. 88-53732
Rossi, L. *see* Dameri, M. 85-43176
Rossi, L. *see* Goessling, C. 86-50336
Rossi, L. *see* Gracco, V. 87-29458
Rossi, L. *see* Heijne, E.H.M. 85-15166
Rossi, L. *see* Navarria, F.L. 87-50149
Rossi, M., Martin-Laval, E. The effect of selective adaptation on the perception of place of articulation in French voiced stops 85-63012
Rossi, M. *see* Lamberti, C. 88-68350
Rossi, M. *see* Zanca, M. 87-50267

Rossi, M.C. *see* Chicault, R. 85—1861
Rossi, M.F. *see* Alzner, E. 85—31823
Rossi, M.Flaminia *see* Flaminia Rossi, M.
Rossi, M.J. *see* Robertson, R.M. 88—71421
Rossi, M.J. *see* Tolbert, M.A. 88—58466
Rossi, P. *see* Bauer, G. 87—29544, 87—77572
Rossi, P. *see* Bettini, A. 87—29545
Rossi, P. *see* Busetto, G. 87—14788
Rossi, R. *see* Maguire, C.V. 88—19444
Rossi, R. *see* Pellegrini, A. 85—31838
Rossi, R. *see* Pinciroli, F. 87—14891, 87—21616, 88—10352, 88—10382
Rossi, R.C. LPCVD process equipment evaluation using statistical methods 85—23624
Rossi, R.C., Schuegraf, K.K. Photochemical CVD for VLSI fabrication 85—419
Rossi, R.C., Schuegraf, K.K., Tai, S. VLSI multilayer circuits using W-CVD interconnections and photo-enhanced CVD of SiO_2 dielectric layers 85—40864
Rossi, R.J. *see* Hall, J.K. 88—9807
Rossi, R.P., Ahrens, C., Groves, B.M. Comparative performance of a standard and high line rate video imaging system in a cardiac catheterization laboratory 87—29733
Rossi, R.P., Hendrick, R.E. Performance evaluation of a new dedicated mammography system 87—29735
Rossi, R.P. *see* Ritenour, E.R. 88—36452
Rossi, R.R. Electrostatic lenses and an electron gun 86—58202
Rossi, T. *see* Sheik-bahae, M. 88—27298
Rossi, T.M. *see* Kwok, H.S. 88—45525
Rossi, U. New items in optical cables and systems standardization within CCITT 87—34622
Rossi, U. *see* Bonaventura, G. 85—25887, 85—42618
Rossi, U. *see* Caponi, R. 85—18684, 85—29615, 85—35480
Rossi, U. *see* Coppa, G. 85—12547 to 12548, 85—18732, 85—24304, 85—29591, 85—35479, 85—36077, 86—2760, 86—2832, 86—36136, 87—46524
Rossi, U. *see* Di Vita, P. 86—2816
Rossi, V. *see* Bossart, R. 86—31766
Rossi, W. *see* Pariani, A. 88—67194
Rossi, Z.G.B. *see* Michelini, R.C. 87—3395
Rossi-Gianoli, E., Krebs, KJ. Survey of module tests executed by the Joint Research Centre of the EC according to EUR specifications 101 and 501 (502) 88—17443
Rossier, C. *see* Virdis, P. 88—17089
Rossier, D., Mathys, W. Methods for the acquisition and processing of metering data 88—17229
Rossig, R. *see* Plettner, H. 87—78169
Rossiger, G. *see* Rieger, G. 85—47669
Rossiger, V., Naundorf, P. Non-destructive investigation of coats by means of ionizing radiation. III. Testing of the tin-lead-coating at the quartz oscillator manufacturing 87—67652
Rossiger, V., Riedel, S., Thomas, H.-J., Thomel, W., Brunner, G. Non-destructive investigations of coats by means of ionizing radiation. Measuring equipment for the check of coats 87—44422
Rossiger, V. *see* Brunner, G. 87—45460
Rossikhin, L.Ya., Polevoi, E.N., Smirnova, T.N. Maximum salt content of coolant and choice of integral monitoring point when starting supercritical power-generating units 87—78505
Rossin, A.D. Operating experience drives nuclear safety research 85—43818
Rossin, A.D. Nuclear power after Chernobyl. DOE's nuclear power agenda 88—5447
Rossin, V.V., Sidorov, V.G. Influence of the absorption and reemission of luminescence on the transient photoelectric effect 85—12711
Rossin, V.V. *see* Delimova, L.A. 88—57606
Rossin, V.V. *see* Kechek, A.G. 85—12270
Rossin, V.V. *see* Korolev, V.L. 85—7330, 86—2984
Rossinelli, M., Blatter, G., Greuter, F. Grain boundary properties of ZnO varistors 86—41853
Rossing, N.K., Quanren, C. Automatic equipment for photographing moving objects in the sea 85—52440
Rossini, F.A. *see* Porter, A.L. 87—10081, 87—43864
Rossini, F.A. *see* Xiao-Yin Jin 88—6187
Rossini, M., Jr. *see* Taylor, L.S. 87—77674
Rossiter, A.P., Chang, S.H. Find cogeneration benefits by plotting plant's heat needs 88—55182
Rossiter, J. *see* Lee, S. 88—73260
Rossiter, M.H. Optimal analysis and design of a packet switching network 86—37203
Rossiter, M.H. A switched Poisson model for data traffic 87—75957
Rossiter, P. Humidity measurement—some practical techniques 86—60394
Rossiter, P. Accurate measurement made with circuit modules 88—67730
Rossiter, P.L., Houghton, M.E. Contemporary Fe-Cr-Co and Mn-Al-C permanent magnet alloys: a review 85—29426
Rossiter, T.J.M., Donovan, D.R. VLSI implementation of picture coding for variable rate transmission 87—69349
Rossiter, W.J., Jr. Nondestructive methods for inspection of seams of single-ply roofing membranes 88—5227
Rosskopf, Th.V., Roozeboom, J.H. 14 years of distribution transformer verification by KEMA 85—32535
Rosskopf, T.V. The use of the test results of no-load measurements on power transformers for the determination of the maximum tolerable excitation and the induction at rated voltage 85—9956
Rosskopf, T.V., Vink, J.H. Comparative examination of cable joints 85—64934
Rossle, E. *see* Dutty, W. 87—29457
Rossler, B., Wolter, E., Sporer, H. CMOS analogue circuitry of a transmitter/receiver with echo compensator for ISDN 87—40604
Rossler, U. *see* Lommer, G. 86—14904
Rossler, U. *see* Malcher, F. 88—19767
Rossler, V. *see* Jehmlich, W. 85—37503, 86—24410
Rossler, W. Nonlinear ferrite cored storage chokes 85—22633
Rossler, W. Low-cost flux converter switched-mode power supply for 5 V/10 A 85—39926
Rossler, W. Low-cost flux converter switched-mode power supplies 85—61092
Rossler, W. Non-linear storage chokes improve operating performance of switched-mode power supplies 85—61093
Rossler, W. Nonlinear choke improves mains module 86—7935
Rossler, W. STEWEAG includes district heating in its services 86—39539
Rossler, W. SIPMOS current sink: electronic dummy load 87—53711
Rossler, W. Voltage reduction unit/regulator using TDA 4601 in the current mode 88—12180
Rossler, W. *see* Vollstadt, R. 85—53230
Rossman, D.L. *see* Peters, F. 86—12603
Rossman, M.W., Belkerdid, M.A. A PC-based simulator for the design and analysis of convolutional codes using Viterbi decoding 88—66316
Rossmanith, H., Unbehauen, R. Stabilization of multidimensional recursive digital filters using the LSI polynomial technique 88—52454
Rossmanith, H.P. *(editor)* Structural Failure, Product Liability and Technical Insurance. Proceedings of the First International Conference 85—27948
Rossmanith, R. Increasing the center of mass energy of storage rings and colliders by lasers 86—5666
Rossmanith, R., Schmidt, R. Compensation of depolarizing effects in electron-positron storage rings 85—52948
Rossmanith, R. *see* Barber, D.P. 85—48157, 86—18218
Rossmanith, R. *see* Bialowons, W. 85—26627
Rossmanith, R. *see* Bovet, C. 86—31912
Rossmanith, R. *see* Degele, D. 85—26601
Rossmanith, R. *see* Kewisch, J. 88—16604
Rossmanith, R. *see* Niinikoski, T.O. 86—60519, 86—70280, 87—3846, 87—50084
Rossmann, H., Henneberger, F. Resonatorless optical bistability of CdS: reconsideration of transient effects due to lattice heating 86—3310
Rossmann, H. *see* Henneberger, F. 85—35869, 87—39231
Rossmann, W., Szolgay, P. Automatic routing for hybrid-circuit layout design. A case study 87—1121
Rossmann, W.J. A new approach to the design rule check of hybrid integrated circuits 86—67609
Rossmann, W.J. Geometric design rule check for hybrid circuit layout design 88—1284
Rossmeil, H. *see* Nothaft, P. 87—15042
Rossmeisl, R.A., Wells, V.A., Walko, R.j. LPCVD tungsten as thermopile interconnects 86—19522
Rossnagel, S.M., Kaufman, H.R. Induced drift currents in circular planar magnetrons 87—32204
Rossnagel, S.M., Kaufman, H.R. Charge transport in magnetrons 88—1320
Rossnagel, S.M. *see* Cuomo, J.J. 85—39914
Rossner, F. Getting around with bi-polar voltage meters 85—48001
Rossner, F. Safety precautions for high voltage installations 85—54086
Rossner, F. Example of the electrical equipment in a transformer station 87—51293
Rossner, H.-O., Bebber, H.J., Heinen, K.-H., Neuschutz, D. Krupp 3-phase AC plasma technology for melting scrap and heating molten steel 88—37760
Rossner, H.-O., Bebber, H.J., Neuschutz, D., Hartwig, J. First results of development work with a semi-industrial three-phase plasma melting furnace 85—32833
Rossner, H.-O. *see* Neuschutz, D. 87—51635
Rossner, S. Determination of refractive index profile in monomode and multimode optical fibres, utilising refracted near field measuring methods 86—58773
Rossner, S. *see* Nowak, W. 86—63660
Rossner, T. Low-frequency filtering by means of U 1001 C 87—45098
Rosso, A., Righini, F. A new transfer-standard pyrometer 87—8763
Rosso, E. *see* Bettoni, D. 85—52968
Rosso, E. *see* Fraissard, D. 87—29451
Rosso, E. *see* Univaso, P. 87—39701
Rosso, E.A. *see* Mazzeo, E.P. 85—2900
Rosso, M. *see* Galand, C. 87—47579, 88—67256
Rosso, M. *see* Harrang, J.P. 87—38299
Rosso, M. *see* Pitarque, T. 85—53083
Rosso, M. *see* Vary, P. 88—67273
Rosso, O. *see* Martinez, E. 86—43559
Rossokhatyi, V.K. *see* Kudinov, V.A. 87—46697
Rossokhatyi, V.K. *see* Peka, G.P. 85—1547, 85—23727
Rossoni, P.G. *see* Ditchek, B.M. 88—44779
Rossoshanskii, O.A. *see* Logvinenko, S.P. 85—42955, 86—17947
Rossoskii, Ya.M. *see* Levitas, B.N. 87—29277
Rossow, B. *see* Aamlid, S. 87—40088
Rossow, I.C. *see* Stephens, B.M. 87—79099
Rossow, V.J. On Bartky's method for evaluation of integrals of elliptic type with application to round-nosed wedges 85—33359
Rossum, D. A compiled digital signal processor for music 86—49904
Rossum, D. Compiling a music signal processor 86—52632
Rossum, D. Compiling the ECHIP music signal processor 86—66963
Rossum, G.A.van *see* van Rossum, G.A.
Rossum, L.van *see* van Rossum, L.
Rossum, M.Van *see* Van Rossum, M.
Rossum, N.J.T.M.van *see* van Rossum, N.J.T.M.
Rossum, N.van *see* van Rossum, N.
Rosswurm, M.A., Tipton, L.L. Design of the F-16 aircraft electrical system built-in-test monitor 86—38870
Rost, D.P. *see* Schwab, C.E. 85—47576
Rost, H.-P. *see* Michler, W. 88—48466
Rost, J. *see* Kunze, D. 88—21896
Rost, M. Operating experience with pipework and valves in Bexbach 750 MW power plant 87—78469
Rost, M., van Heek, K.H., Knop, K. Environmentally favorable electricity production using allothermal coal gasification in accordance with the MGB system 88—62216
Rost, M. *see* Arnault, C. 87—14216
Rost, M. *see* Burkhardt, H. 88—47997
Rost, M.C., Sayood, K. Investigation of lattice vector quantizer 85—62987
Rost, M.C. *see* Sayood, K. 85—30175
Rost, M.C. *see* Snyder, P.G. 86—68591
Rosta, G. Direct and inverse halfspace scalar diffraction: some models and problems 85—57005
Rosta, L., Zsigmond, G., Farago, B., Mezei, F., Ban, K., Perendi, J. Multidisc neutron velocity selector 88—74688
Rosta, V. Power supply for medium capacity microwave equipment 86—51746
Rostagno, J.C. *see* Biscontin, A. 86—50143
Rostaing, M. *see* Cavailler, C. 86—5809
Rostaing, M. *see* Launspach, J. 86—5872
Rostaing, M. *see* Veron, D. 88—20607
Rostampour, A.R. Improving the classification accuracy of the method of the moments using aspect ratio normalization 88—52485
Rostampour, A.R., Madhvapathy, P.R. Shape recognition using simple measures of projections 88—66767
Rostampour, A.R., Reeves, A.P. 2D median filtering and pseudo median filtering 88—52493
Rostampour, A.R., Reeves, A.P., Mitchell, O.R. Use of temporal variance for moving object extraction 88—66768
Rostampour, A.R. *see* Azimi-Sadjadi, M.R. 87—66439
Roste, T. Use of cable TV network for inhouse communication 86—17639
Roste, T. *see* Christiansen, M. 87—34786
Rostkovskaya, I.O. *see* Rurua, A.A. 87—49478
Rostkowski, C.J. *see* Giodano, R. 86—33502
Rostock, R. *see* Ding-Jen Lee 87—35432
Rostocki, A.J., Urbanski, M.K., Wisniewski, R. The resistance pressure gauge with a linear unbalanced DC bridge and correction of nonlinear sensor characteristics 86—65179
Rostoker, N. *see* Blaugrund, A.E. 85—43151
Rostoker, N. *see* Cavenago, M. 87—50043
Rostoker, N. *see* Fisher, A. 86—32045
Rostoker, N. *see* Ishizuka, H. 86—32132
Rostoker, N. *see* Koert, P. 88—54025
Rostoker, N. *see* Strauss, M. 88—40264
Rostomyan, D.K. *see* Kanayan, S.N. 86—23593
Rostoni, J.W., Ryan, M.T. Group load curtailment using an integrated communications/load control network 86—50914
Rostoni, J.W., Ryan, M.T. Group load curtailment using an integrated communications/load control network 87—30062
Rostov, A.P. *see* Isakova, A.I. 88—48320
Rostov, A.P. *see* Patrushev, G.Ya. 86—4925
Rostov, V.V. *see* Bratman, V.L. 85—18018, 85—50146, 86—2997, 87—37817
Rostov, V.V. *see* Bykov, N.M. 88—71277
Rostov, V.V. *see* Denisov, G.G. 85—18024
Rostov, V.V. *see* El'chaninov, A.S. 85—56957
Rostov, V.V. *see* Gubanov, V.P. 86—1640
Rostov, V.V. *see* Korovin, S.D. 86—58208

Rostovteseva, N.V. *see* Evtikhiev, N.N. 87−33338
Rostovtsev, I.L. *see* Mnatsakanov, T.T. 85−28926, 86−28250, 87−53456, 88−19657, 88−26228
Rostovtseva, N.. *see* Zel'dovich, B.Ya. 85−7558
Rostovtseva, N.V. *see* Evtikhiev, N.N. 86−42654
Rostovtseva, N.V. *see* Mirovitskii, D.I. 88−27313
Rostovtseva, V.V. *see* Krasnov, K.V. 88−22826
Rostunov, S.G. *see* Kuznetsov, Yu.V. 88−36336
Rosu, A. *see* Cazacu, C. 87−57916
Rosu, A. *see* Radulescu, M. 87−57908
Roswell, T.E. A new 0.156-inch interconnecting system 87−17550
Rosypal, F. *see* Talpa, I. 88−47400
Roszak, M.L. *see* Das, M.B. 86−9161
Roszkiewicz, J.S. Nonlinear performance in multistage feedforward amplifiers 85−17180
Roszkiewicz, J.S., Tomaszewski, Z.P. Amplifier arrangement with modified feedback 85−17181
Roszkiewicz, K. *see* Kaminski, P. 87−46708
Roszkowski, A., Siedlecki, M. Frequency converter for wind generator 85−16130
Roszkowski, A. *see* Dyczek, J. 87−23751
Roszkowski, T.R. *see* O'Hara, J.B. 87−42747
Rota, D. *see* Bianchi, G. 88−22145
Rota, E. *see* Holte, S. 88−61272
Rota, F. *see* Chemelli, C. 86−45714
Rotach, V.Ya. *see* Kostilov, V.V. 85−38826
Rotanov, S.V. ISO transport protocol classes 87−28024
Rotanov, V.N. *see* In'kov, Yu.M. 87−64699
Rotar, V.K. *see* Anikin, V.I. 86−22540
Rotaru, T., Mihailescu, C., Taga, C. Filter characteristics of a coupled TEM lines network with unequal electrical lengths 88−49989
Rotblum, Y. *see* Hayes, W.P. 86−20598
Rote, G. On the connection between hexagonal and unidirectional rectangular systolic arrays 88−1752
Rote, G., Rendl, F. Minimizing the density of terminal assignments in layout design 87−10605
Rotem, D., Zeevi, Y.Y. Image reconstruction from zero crossings 87−13067
Rotem, D. *see* Zeevi, Y.Y. 86−3949
Rotenberg, B.A. *see* Gallai, I.Ya. 85−23493
Rotenberg, Y. *see* Jones, L.E. 86−6992
Rotenstreich, S. Tolerating system overloads: a case study 85−37541
Rotgans, J.P. Electrical diagnostic measurements 86−19226
Rotge, J. *see* Shaw, G.L. 87−12156
Rotge, J.R. *see* Lorenz, M.A. 88−54698
Rotger, A., Lara, A., Guell, J.M., Ayerbe, A. Quality measurement for analog and digital transmission channels 88−4297
Rotger, A. *see* Lara, A. 88−15936
Rotger Mora, A.C. Security in data communication networks 88−59658
Rotger Mora, A.C. Implementation of DES and RSA algorithms 88−72745
Rotger-Mora, A.C. An *N*-dimensional SIMD ring architecture for implementing very large order adaptive digital filters 88−70933
Roth, A. *see* Anguilar-Benitez, M. 87−71031
Roth, A. *see* Moore, G.I. 88−67632
Roth, A. *see* Wehn, N. 88−63653
Roth, A.P., Beckett, D., Sundaram, V.S., Yakimova, R. Electrical properties of tin-doped gallium arsenide grown by metalorganic vapour-phase epitaxy 86−8757
Roth, A.P., Masut, R.A., Sacilotti, M., D'Arcy, P.J., Sproule, G.I., Mitchell, D.F., LePage, Y. Growth and properties of Ga$_x$In$_{1-x}$As-GaAs strained layer superlattices grown by low-pressure metal-organic vapour-phase epitaxy 88−32837
Roth, A.P., Masut, R.A., Sacilotti, M., D'Arcy, P.J., Watt, B., Sproule, G.I., Mitchell, D.F. Characterization of Ga$_x$In$_{1-x}$As/GaAs heterostructures grown by low pressure MOVPE 87−11404
Roth, A.P., Sacilotti, M.A., Masut, R.A., Machado, A., D'Arcy, P.J. Growth of Ga$_x$In$_{1-x}$As by low-pressure metalorganic vapor-phase epitaxy 87−254
Roth, A.P., Yakimova, R., Sundaram, V.S. Tin incorporation in GaAs layers grown by low pressure MOVPE 85−6817
Roth, A.P. *see* Masut, R.A. 87−11412, 88−31741
Roth, A.P. *see* Sacilotti, M. 86−35570
Roth, A.P. *see* Sundaram, V.S. 85−16926
Roth, A.P. *see* Yakimova, R. 85−6707
Roth, B. *see* Beyer, A. 88−56975
Roth, B.J. *see* Gielen, F.L.H. 87−14896
Roth, C.H., Jr., Steele, J. A computer-aided management system for self-paced instruction 88−24454
Roth, D. *see* Archambeau, E. 88−20096
Roth, D. *see* Mosel, H.-J. 86−54677
Roth, D.H. *see* Fischer, H. 85−48874
Roth, D.J., Generazio, E.R., Baaklini, G.Y. Quantitative void characterization in structural ceramics by use of scanning laser acoustic microscopy 87−73200
Roth, D.J., Klima, S.J., Kiser, J.D., Baaklini, G.Y. Reliability of void detection in structural ceramics by use of scanning laser acoustic microscopy 86−57506
Roth, D.J. *see* Generazio, E.R. 86−62304
Roth, E. *see* Fercher, A.F. 87−29731
Roth, E.M., Bernard, T.E. A psychophysiological technique for evaluation of television images 86−31018
Roth, E.M., Woods, D.D., Elm, W.C., Gallagher, J.M., Jr. Providing on-line advice for a dynamic control task: a case study in intelligent support system design 88−30330
Roth, E.M. *see* Bennett, K.B. 87−22056
Roth, E.M. *see* Woods, D.D. 88−62040
Roth, F. *see* Engelbert, K.H. 85−8190
Roth, F.R. *see* Burgey, P. 87−69707
Roth, G. Microprocessor control on diesel-electric locomotives with 3-phase drive 87−79043
Roth, G., Glaser, J., Jurasek, G. Accurate absolute value at piezoelectric pressure measurements 88−68078
Roth, G., O'Hara, D. A holdsite method for parts acquisition using a laser rangefinder mounted on a robot wrist 88−74046
Roth, G. *see* Rasulo, L. 88−43077
Roth, G.J. *see* Miles, R.B. 88−45596
Roth, H. *see* Bollmann, E. 85−64411
Roth, H.-J. Selection—or combining circuit with keyboard and LED indication 85−11155
Roth, H.-J. Mark-space modulated semiconductor bridge circuit for driving electric motors requiring in excess of one ampere drive current 85−22632
Roth, H.-J. Current monitors for low-voltage power supplies 86−46539
Roth, I.S., Ivers, J.D., Nation, J.A. High current ion beam generation and transport system 85−26672
Roth, I.S. *see* Ivers, J.D. 87−14662
Roth, I.S. *see* Kerslick, G.S. 88−54193
Roth, J. Check list helps you choose a PC-board autorouter 87−73874
Roth, J., Doring, K.H. Driving current converter for sugar centrifuges 85−5602
Roth, J.A., Olson, G.L., Hess, L.D. Lateral solid phase epitaxy of silicon over oxide 85−12042
Roth, J.A. *see* Henriques, R.B. 87−76678
Roth, J.A. *see* Olson, G.L. 85−10737, 86−26857, 86−27852, 88−70322
Roth, J.A. *see* Steppan, J.J. 87−38369
Roth, J.L. *see* Devaux, M. 86−45843
Roth, J.M. *see* Knispel, G. 88−35894
Roth, J.P., Oklobdzija, V.G., Beetem, J.F. Test generation for FET switching circuits 85−33815
Roth, J.P. *see* Wu, D.M. 87−23327
Roth, J.R. Space applications of fusion energy—I. Factors affecting fusion fuel selection 88−68597
Roth, K. Nuclear magnetic resonance autocorrelation spectroscopy 88−3020
Roth, K. *see* Bohn, T. 86−45175
Roth, L. *see* Sinofsky, E. 87−42032
Roth, L.B. *see* Chen, J.Y. 85−7099
Roth, L.D. *see* Li, C.C. 86−1944
Roth, M. Instrumental aspects of the use of a 2-dimensional gas PSD for low-resolution single-crystal diffraction experiments 85−15226
Roth, M. Some aspects of microprocessor technology 86−67245
Roth, M. Laser treatment of materials 88−37966
Roth, M. Lasers in the processing of materials 88−49313
Roth, M., Burger, A. Improved spectrometer performance of cadmium selenide room temperature gamma-ray detector 86−47466
Roth, M., Lewit-Bentley, A., Bentley, G.A. Outline for the design of a low-resolution diffractometer using cold neutrons 85−15227
Roth, M. *see* Azoulay, M. 87−23604
Roth, M. *see* Burger, A. 85−5970, 85−39705, 85−43234, 86−7736
Roth, M. *see* Gafni, G. 88−45040
Roth, M. *see* Geidel, K.-D. 85−33187
Roth, M. *see* Klocek, P. 87−12174, 87−38777
Roth, M. *see* Wangelow, T. 88−70921
Roth, M.-F. *see* Diebold, J. 88−42922
Roth, M.Connors *see* Connors Roth, M.
Roth, M.L. How to evaluate a pay phone 86−49351
Roth, O. Acoustical transformation technique as a practical tool 87−19776
Roth, P. *see* Falco, L. 87−46508
Roth, R. *see* Pietzner, B. 86−18575
Roth, R.L. Making connections in the shadow of the mainframe 85−8123
Roth, R.M., Seroussi, G. On generator matrices of MDS codes 86−29731
Roth, R.M., Seroussi, G. On cyclic MDS codes of length *q* over GF(*q*) 86−59219
Roth, R.M., Seroussi, G. Encoding and decoding of BCH codes using light and short codewords 87−54913
Roth, R.M. *see* Overzet, L.J. 88−49890
Roth, R.M. *see* Seroussi, G. 86−59208
Roth, R.S. Quasilinearization and terminal observation 86−62071
Roth, S. LNAs, LNBs or LNCs? 86−17323
Roth, S. FDMA vs. TDMA 86−23597
Roth, S. Polyene chains in molecular electronics 86−67709
Roth, S., Habiger, D.-U. Anisotropy of losses in amorphous ribbons 87−25775
Roth, S., Ray, W., Wissen, G. In situ, tapered contact etch 88−57488
Roth, S. *see* Budrowski, C. 87−17750
Roth, S. *see* Ehinger, K. 86−47326
Roth, S.C. *see* Bur, A.J. 85−24040, 85−37610, 86−55639
Roth, S.C. *see* Schoch, K.F., Jr. 87−56814
Roth, S.D. New vision system recognizes touching parts [robotics] 85−46956
Roth, S.S. *see* Jones, N.J. 85−6836
Roth, S.S. *see* Mohler, R.L. 85−40915
Roth, S.W. Shadow-mask CRTs meet military need for color displays 86−24363
Roth, T.J. *see* Botez, D. 88−33992, 88−72309
Roth, T.J. *see* Brunemeier, P.E. 85−389
Roth, T.J. *see* Mawst, L.J. 88−45416, 88−65676
Roth, T.J. *see* Windhorn, T.H. 85−34514
Roth, W. Special purpose ICs. Their challenge and their problems [manufacture using CAD] 85−6996
Roth, W. The customer/vendor interface—how should it be? 86−35809
Roth, W., Coates, V.J. Measurement and inspection of contact holes on in-process VLSI devices with a low voltage scanning electron microscope (SEMK) 85−1621
Roth, W., Schumacher, H., Kluge, J., Geelen, H.J., Beneking, H. The DSI diode—a fast large-area optoelectronic detector 85−52766
Roth, W., Schumacher, H., Kluge, J., Geelen, H.J., Beneking, H. The DSI-diode—a fast large area optoelectronic detector 86−9691
Roth, W. *see* Eden, K. 85−40652
Roth, W. *see* Krautle, H. 85−50404
Roth, W. *see* Motz, F. 85−15694
Roth, W. *see* Pohls, A. 86−629, 87−17055
Roth, W.-D. Well tempered. Temperature-measuring add-on unit for a digital voltmeter 86−5206
Roth, W.-D. Earthfree measuring: opto-isolator for oscilloscopes—a simple and interference-free solution 86−28989
Roth, Z. *see* Georgiou, T. 85−33003
Roth, Z.S., Loparo, K.A. Nonlinear filtering problems with finite dimensional matrix estimation algebras 86−54519
Roth-Seefrid, H., Fischer, H.D. Advanced information systems to enhance operational safety 88−62038
Roth-Seefrid, H. *see* Geyer, K. 87−57813
Rothacher, M. *see* Beutler, G. 87−21748, 87−41094, 87−56296
Rothacker, R.J., Mammone, R.J., Davidovici, S. Spectrum enhancement using linear programming 87−19830
Rothacker, R.J. *see* Mammone, R.J. 87−27591
Rothaker, R.J. *see* Mammone, R.J. 88−8786
Rothamel, H.-J. Videotex supported by the Integrated Services Digital Networks (ISDN) 85−25411
Rothamel, H.-J. *see* Arndt, G. 85−30539, 85−47084
Rothamel, H.J. Videotex and the integrated services digital network (ISDN) 85−19754
Rothamel, H.J. ISDN broadband services and applications 86−43426
Rothamel, H.J. A blueprint for broadband ISDN services 87−27817
Rothamel, H.J. *see* Kleinke, G. 85−51876
Rothamel, H.J. *see* Morgenroth, O. 87−48423
Rothamel, U. *see* Leminger, O.G. 87−54044
Rothammer, G.P. *see* Bernstein, J. 86−68868
Rothan, B. *see* Benvenuti, A.C. 85−15254
Rothard, H. *see* Lotz, W. 86−56041
Rothaus, O.S. *see* Despain, A.M. 86−23050
Rothauser, E.H. *see* Keller, H. 86−54931
Rothbauer, M., Bily, K. Analog monolithic integrated circuits on GaAs 86−63359
Rothbauer, M., Solar, M. Monolithic gallium arsenide wideband amplifier for the 0.05-2.0 GHz band 88−12600
Rothbauer, M. *see* Sikula, J. 85−1568
Rothbauer, M. *see* Sopko, B. 86−58381
Rothberg, A.D. *see* Turner, M.J. 88−74792
Rothberg, L.J. *see* Higashi, G.S. 86−20076
Rothblatt, M.A. Radiodetermination satellite service 86−49540
Rothblatt, M.A., van Till, S.W. Radiodetermination satellite service and the process of international regulatory recognition 86−49527
Rothblum, U.G. *see* Orlin, J.B. 85−44616
Rothe, A., Anders, U. Automated measuring equipment for the determination of the numerical aperture of optical fibre light guides 85−62303
Rothe, A., Krupke, H., Freundt, R., Schmidt, J. Coupling digital meters of type ESDM 31 to the computers of type MC 80 and K 1000 86−70014
Rothe, A., Regenberg, R. Opto-electronic measuring system with integrated microcomputer MC 80 87−49467
Rothe, E. *see* Buchner, P. 85−5555
Rothe, F., Gross, W. Implementation and evaluation of a computerized channel-assignment process for VHF/FM transmitter planning 87−76921

Rothe, K. *see* Dietzsch, K. 87−35024

Rothe, K.E. *see* Whealton, J.H. 88−4782, 88−47875

Rothe, O. Testing the PCM480S system in the German Post Office network 87−76511

Rothe, P.H. *see* Crowley, C.J. 88−42863

Rothe, R. *see* Bartlett, R.J. 87−14817, 88−47821

Rothe, R. *see* Juptner, W. 87−47066

Rothe, R.R. *see* Juptner, W.P.O. 87−46952

Rothe, T., Bennewitz, F. Use of KWU analysis simulator to support operation of nuclear power stations and train their personnel 87−78399

Rothe, T., Oelmann, K., Gerth, G. NLOOP: a flexible code for transient analysis and simulation of PWR nuclear power plants 88−75348

Rothe, T. *see* Rehn, A. 86−70088

Rothen, A., Zimmermann, A. The telephone in trains in Switzerland 88−67259

Rothenberg, A. *see* Beer, A. 85−9043

Rothenberg, A.F. *see* Dubois, R. 86−50321

Rothenberg, J.E. *see* Glownia, J.H. 86−29072

Rothenbuhler, H. A PA must be applied [Public Address system] 86−4900

Rothenbuhler, H. Playing games with the number of watts [public address system selection] 86−31070

Rothenbuhler, W.N. *see* Benko, I.S. 88−23485

Rothenhofer, K. *see* Kiel, F. 85−47471

Rothenhofer, K. *see* Nigge, K. 85−25654

Rothenstein, B.F. An accurate solution of the radar image problem of a moving object 88−53325

Rother, A. Moisture measurement−practical requirements 86−65302

Rother, D. Advanced methods of radio communication in the VHF-range 88−35347

Rother, D., Muller, E. MM-wave propagation and application in military communication systems 88−34328

Rother, D., Nieder, K. BF80−project planning, assembly, installation and maintenance 87−76450

Rother, M. *see* Lehmann, F. 86−12154

Rother, M. *see* Witte, H. 87−41976

Rother, W. Switch research at the Technical University, Ilmenau 86−71021

Rother, W., Bergmann, V., Drebenstedt, H. Contributions to computer aided switch development 87−22638

Rother, W., Lenk, J. Application of a two-pole arc model for the determination of diffuse vacuum arc parameter 86−12961

Rother, W. *see* Bergmann, V. 86−8672

Rother, W. *see* Hanisch, H. 86−51843

Rotheram, S. A review of microwave duct propagation over the sea 86−22696

Rotheram, S., Macklin, J.T. Inverse methods for ocean wave imaging by SAR 86−64766

Rotheram, S., Macklin, J.T. Direct and inverse methods for ocean-wave imaging by SAR 86−12186

Rotheram, S., Milsom, J.D., Herring, R.N., Pielou, J.M., Gill, R.S. Ground-wave propagation over irregular surfaces 85−41637

Rotheram, S. *see* Gill, R.S. 87−28677

Rotheram, S. *see* Herring, R.N. 87−54582

Rotheram, S. *see* Kingsley, S.P. 87−56262

Rotherforth, W.R. *see* Steffano, J.E., Sr. 85−15700

Rothermel, A. Realization of a DPCM coder for 13.5-MHz sampling rate in CMOS technology 88−19242

Rothermel, A., Hess, G., Timmermann, D., Wendt, H. Design and implementation of a video DPCM coder in CMOS technology 87−37185

Rothermel, J., Kessinger, C., David, D.L. Dual-Doppler lidar measurement of winds in the JAWS experiment 87−71307

Rothermel, K. Communication primitives supporting the execution of atomic actions at remote sites 85−7949

Rothermel, R. Church lighting 85−27784

Rothermich, E.W., Williams, S.T. Synthesized C-band down-converter 87−41181

Rothery, R.L., Hawco, T.J. Air traffic control at remote airports using satellite communications 88−5103

Rothfuss, H., Vogt, F. Reactor vessel system [Kalkar] 87−78273

Rothgordt, U. *see* Ehlers, B. 87−13312

Rothhammer, G.P., Shipman, D.C. CAST puts EMC into design cycle 87−49452

Rothhammer, G.P., Shipman, D.C., Bahr, H.J. Computer-controlled testing-system for noise immunity 86−24292

Rothhammer, G.P. *see* Bernstein, J. 87−77115

Rothhardt, L. Experimental and numerical modeling of the dielectric reignition of circuit breakers 85−5272

Rothhardt, L. Simple computing instructions for the dielectric strength of warm thermally inhomogeneous gas paths in SF_6 85−50799

Rothhardt, L., Mastovsky, J., Blaha, J. Breakdown experiments in diluted SF_6 at elevated temperatures 86−9326

Rothhardt, M. *see* Goring, R. 87−12130

Rothhaupt, T. A 16-bit microcontroller for a multi-function keyboard 87−73470

Rothhaupt, W. Lab mains equipment: powerful and stable [power supply circuit] 85−554

Rothhaupt, W. Economical for wide range [DC-DC convertor] 85−39907

Rothholz, E. A reflection coefficient bridge 87−49885

Rothkegel, B. *see* Haufe, W. 87−51415

Rothlauf, A. *see* Elms, D. 85−4270

Rothlauf, A.P. *see* Elms, D. 86−32267

Rothleitner, H. *see* Koroncai, A. 88−56440

Rothlisberger, H. Hasler H80 manual switchboard 85−30782

Rothlisberger, J. Centralized operation of IFS digital exchanges 87−48792

Rothlisberger, J. Centralized operation of IFS digital exchanges 87−62796

Rothlisberger, J. Centralized operation of IFS digital exchanges 87−76452

Rothmaier, K., Verhille, H. System 12: a pan-European product 87−62781

Rothman, A.B. *see* Page, R.J. 85−43845

Rothman, D.H. Nonlinear inversion, statistical mechanics, and residual statics estimation 86−32516

Rothman, D.H. Automatic estimation of large residual statics corrections 86−59270

Rothman, E. *see* Bower, J.S. 85−15324

Rothman, L.B., Schaible, P.M., Schwartz, G.C. Lift-off process to form planar metal/sputtered SiO_2 structures 86−28447

Rothman, M.A. *see* Masum Choudhury, A.N.M. 88−12945

Rothman, M.J. AtuoTool I. A human focus on the development of software for tool control 88−25748

Rothman, P.L. *see* Bier, S.G. 88−68559

Rothman, S. *see* Rarback, H. 88−29937

Rothman, S. *see* Vladimirsky, Y. 88−48062

Rothman, S.J. *see* Hoff, H.A. 85−31485

Rothman, S.L.G. *see* Rhodes, M.L. 85−38122, 85−64583, 87−42009

Rothrock, A.D. *see* Fily, M. 87−15072

Rothrock, D.A. *see* Fily, M. 88−16925

Rothrock, J. V/32 technologies deliver leased-line speed at dial-line rates 87−40532

Rothrock, R.B. *see* Fuka, M.A. 88−54143

Rothschild, C.J., III, Sismilich, R.C., Walker, W.T., Levine, A., Weller, D.J., Kononenko, G., Schlesinger, D. Low-cost automated instruments for personal computers 86−60113

Rothschild, K.J. *see* Douglas, K. 86−35612

Rothschild, M., Abad, H. Stimulated Raman scattering in fibers in the ultraviolet 85−2413

Rothschild, M., Arnone, C., Ehrlich, D.J. Excimer-laser etching of diamond and hard carbon films by direct writing and optical projection 86−35585

Rothschild, M., Arnone, C., Ehrlich, D.J. Excimer laser projection patterning with and without resists: submicrometer etching of diamond and diamond-like carbon resist 87−11666

Rothschild, M., Ehrlich, D.J. Attainment of 0.13-μm lines and spaces by excimer-laser projection lithography in 'diamond-like' carbon-resist 87−38392

Rothschild, M., Sedlacek, J.H.C., Black, J.G., Ehrlich, D.J. Visible-laser photochemical etching of Cr, Mo and W 87−38398

Rothschild, M., Sedlacek, J.H.C., Black, J.G., Ehrlich, D.J. Laser patterning of metal oxide superconductor films by reactive solid-state transformation 88−26705

Rothschild, M., Sedlacek, J.H.C., Ehrlich, D.J. Laser photochemical etching of molybdenum and tungsten thin films by surface halogenation 87−25154

Rothschild, M., Sedlacek, J.H.C., Ehrlich, D.J. Visible-laser etching of refractory metals by surface modification 88−13139

Rothschild, M. *see* Arnone, C. 86−41691

Rothschild, M. *see* Black, J.G. 87−38399, 87−46046, 88−33335

Rothschild, M. *see* Chen, C.L. 88−19408

Rothschild, M. *see* Ehrlich, D.J. 87−37546, 88−20058, 88−57409

Rothschild, M. *see* Greer, J.A. 88−20235

Rothschild, N., Ryan, S., Parnes, P., Milner, M. Collaboration−an essential issue in the development of augmentative communication devices 88−54659

Rothschild, R.S. The second revolution in real-time spectrum analyzers 87−49638

Rothstein, A.J. Incubators hatch technologies and business 88−55904

Rothstein, A.J. *see* Barrett, A.J. 87−23055

Rothstein, J.B. Audio-technica AT-RMX64: user's report 87−49376

Rothstein, M. *see* Fredricks, P. 86−61398

Rothstein, M.L. Control of plating chemistry by voltammetric techniques 85−27873

Rothstein, S. Steam generator tube denting−-criteria for tube plugging 86−51356

Rothwarf, A. An assessment of tandem solar cell prospects using amorphous silicon alloys 86−13066

Rothwarf, A. $CuInSe_2/Cd(Zn)S$ solar cell modeling and analysis 86−66347

Rothwarf, A. Comments on 'A theory of enhanced impact ionization due to the gate field and mobility degradation in the inversion layer of MOSFETs' 87−1522

Rothwarf, A. Enhanced solar cell performance by front surface light scattering 87−4963

Rothwarf, A. The photoconductivity-open circuit voltage relation in a-Si:H solar cells 87−9751

Rothwarf, A. $CuInSe_2/CdS$−modeling and analysis 87−9859

Rothwarf, A. Criteria for the design of high efficiency thin film solar cells: theory and practice 87−72431

Rothwarf, A. A new quantum mechanical channel mobility model for Si MOSFETs 88−1657

Rothwarf, A. *see* Bennett, M.S. 88−31005

Rothwarf, A. *see* Demetriou, E.C. 88−37505

Rothwarf, A. *see* Dressnandt, N.C. 86−7055

Rothwarf, A. *see* Eron, M. 85−44190

Rothwarf, A. *see* Eron, N.M. 86−7104

Rothwarf, A. *see* Rios, R. 87−1316

Rothwarf, A. *see* Ruberto, M.N. 87−58322, 88−37576

Rothwarf, F. *see* Grossinger, R. 85−12477, 85−24184

Rothwarf, F. *see* Jones, P.L. 87−1882, 87−67721

Rothwarf, F. *see* Tauber, A. 86−21054

Rothweiler, J. Performance of a real time low rate voice codec 87−28243

Rothweiler, J., Bertrand, J. Low bit rate speech transmission 86−29799

Rothweiler, J., Carmody, J. A multiple rate low rate voice codec 86−16192

Rothweiler, J. *see* Carmody, J. 85−46714

Rothweiler, S.G. *see* Tseng, C.-J. 88−64705

Rothwell, E. Micro UPS systems 88−24023

Rothwell, E., Fitzmaurice, I.D. Micro UPS−online or offline? 88−30936

Rothwell, E. *see* Drachman, B. 85−41584

Rothwell, E.A. The use of microprocessors and power transistors in modern uninterruptible power supplies 86−6897

Rothwell, E.J., Chen, K.-M., Nyquist, D.P. Extraction of the natural frequencies of a radar target from a measured response using *E*-pulse techniques 87−63011

Rothwell, E.J., Chen, K., Nyquist, D.P., Sun, W. Frequency domain *E*-pulse synthesis and target discrimination 87−56204

Rothwell, E.J., Chen, K.M. A hybrid E-pulse/least squares technique for natural resonance extraction 88−47209

Rothwell, E.J., Chen, K.M., Nyquist, D.P., Gharsdallah, N., Drachman, B. Frequency domain E-pulse synthesis and target discrimination 86−42824

Rothwell, E.J., Chen, K.M., Nyquist, D.P., Sun, W.M., Drachman, B. Recent developments in the extraction of radar target natural resonance frequencies from a measured response 87−34650

Rothwell, E.J., Frasch, L.L. Propagation characteristics of dielectric-rod-loaded waveguides 88−38658

Rothwell, E.J., Gharsallah, N. Determination of the natural frequencies of a thin wire elliptical loop 88−27623

Rothwell, E.J., Nyquist, D.P., Chen, K., Drachman, B. Radar target discrimination using the extinction-pulse technique 86−4699

Rothwell, E.J., Nyquist, D.P., Chen, K.M. Synthesis of kill-pulse to excite selected target modes 85−14344

Rothwell, E.J. *see* Blischke, M.A. 88−58970

Rothwell, E.J. *see* Chen, K.-M. 86−69802

Rothwell, H.L., Jr. *see* Rogoff, G.L. 88−18199

Rothwell, N.J. *see* Procter, J.E. 86−47766

Rothwell, S.E. *see* Perry, M.J. 88−6031

Rothwell, W.J.M. *see* Poole, I. 88−24711

Rotikov, A.E. *see* Barbanov, A.D. 86−34801

Rotinov, A.G., Tager, S.A. Heat transfer in the combustion chamber of a magnetohydrodynamic plant operating on gaseous fuel 86−33230

Rotinov, A.G., Tager, S.A., Sukhov, V.N., Minyaev, N.A. An investigation of heat transfer in the combustion chambers of the U-25 magnetohydrodynamic plant working on natural gas 87−15624

Rotival, M. *see* Miossec, C. 86−18968

Rotkiewicz, A. On the congruence $2^{n-2}\equiv 1(\bmod\ n)$ 85−5916

Rotko, V.F. Efficient algorithms for synthesizing graphs with given sets of fundamental cuts and cycles 87−16502

Rotman, A.B. The veneration of the topside fillet 88−12797

Rotman, S.R., Hartmann, F.X. An extended Foerster-Dexter model for correlated donor-acceptor placement in solid state materials 88−14136

Rotman, W., Lee, J.C. Compact dual frequency reflector antennas for EHF mobile satellite communication terminals 85−14205

Rotman, W., Shih, S. A comparison of synthesis techniques for EHF earth coverage lens antennas 86−42965

Rotman, W. *see* Leifer, A.C. 87−26989

Rotnov, S.V. A signature analyzer for built-in monitoring of VLSI circuits 86−57787

Rotolo, C. *see* Barsotti, E. 88−54403
Rotonda, L.La *see* La Rotonda, L.
Rotondale, N., Tarantino, A. On the flexional resonance of the inverter-fed asynchronous machines 85−16037
Rotondale, N. *see* Gentile, G. 87−22277, 87−64623, 88−23882
Rotondale, N. *see* Piccolo, A. 88−69620
Rotondi, A. *see* Balestra, F. 85−37946, 87−63677
Rotondi, A. *see* Bendiscioli, G. 85−26690
Rotondo, M.A. *see* Gallardo, J.I. 85−8304, 85−25014, 85−42429 to 42430, 85−52834
Rots, F. *see* Boelders, W. 87−18321
Rott, F. Capacitative humidity sensor 85−64101
Rott, H. 'Insulation' and 'isolation'−clarification of meaning as used in standardisation 85−24031
Rott, H., Matzler, C., Strobl, D. The potential of SAR in a snow and glacier monitoring system 87−49177
Rott, H. *see* Robinson, D. 85−15433
Rott, M. *see* Igenbergs, E. 87−26683
Rott, M. *see* Weishaupt, U. 88−5886
Rotteleur, G. *see* Mordon, S.R. 88−54613
Rottenkolber, H. *see* Osten, W. 88−2401
Rottenkolber, H. *see* Schorner, J. 88−40419
Rotter, C.J. *see* Samwell, D.R. 87−42284
Rotter, J. Practical results for the realization of digital and analog circuits on the same gate-array chip 87−1760
Rotter, M. *see* Cizek, P. 87−70385
Rotter, M.D., Jander, D.R. Measuring transient radiation effects in optical fibers 85−35408
Rotter, M.D., Jander, D.R. Transient radiation damage in optical fibers 87−25953
Rotter, M.D. *see* Lowry, M.E. 88−58134
Rotter, R. *see* Winkler, G. 85−5434
Rotter, S. Lattice mismatch and the nature of dissolution in the LPE of Pb-salt compounds 86−57442
Rotter, S. Pb-salt laser light sources in the long-wavelength range 87−39136
Rotter, S., Lachish, U., El-hanany, U. Substrate preparation by contactless mechanochemical polish 86−9024
Rotter, S. *see* Ceglinski, W. 85−9913
Rotter, S. *see* Lachish, U. 86−42268, 87−57106
Rotter, S. *see* Makos, T. 85−9942
Rotter, S. *see* Michalski, R. 85−9858
Rotterdam, R. *see* Roehler, E. 86−61260
Rottger, H. *see* Barton, J.P. *(editor)* 88−30
Rottger, J., Ierkic, H.M. Postset beam steering and interferometer applications of VHF radars to study winds, waves, and turbulence in the lower and middle atmosphere 86−25427
Rottger, J. *see* Fu-Shong Kuo 88−22182
Rottger, J. *see* Larsen, M.F. 86−23975, 87−63037, 88−42652, 88−74027
Rottger, J. *see* Rastogi, P.K. 88−53372
Rottger, J. *see* Ruster, R. 87−15050
Rottger, J. *see* Waterman, A.T. 86−22685, 86−23974
Rottger, U. Agreement on windmill invoicing 85−9409
Rottger Jurgen *see* Jurgen Rottger
Rotthaler, M. EBU activity in developing specifications for film and television camera lenses 86−60022
Rotthaler, M. EBU activity in developing specifications for Film and television camera lenses 86−69926
Rotthaler, M. Activities of the EBU towards uniform specifications for film and television camera lenses 88−35679
Rottiers, L., De Mey, G. An automatic placement algorithm for optimising thermal behaviour of hybrid circuits 88−1278
Rottiers, L., De Mey, G. Eigenfunction expansion versus the boundary element method for thermal problems in microelectronics 88−19567
Rottiers, L. *see* Boone, E. 86−41457
Rottiers, L. *see* Driscart, M. 88−1269
Rottini, W. *see* Duchesne, D. 88−12926
Rottini, W. *see* Marty, M. 86−15064
Rottler, O., Schuftny, R., Moschwitzer, A. CALMOST−a silicon compiler for NMOS circuits 86−63450
Rottman, H.R. *see* Maher, K.S. 87−11521
Rottmann, D. Digital radio receivers 86−43984
Rottmann, F., Neyer, A., Mevenkamp, W., Voges, E. Integrated-optic wavelength multiplexers on lithium niobate based on two-mode interference 88−72145
Rottmann, F., Voges, E. Low-insertion-loss, tunable wavelength multiplexer on lithium niobate 87−74829
Rottmann, F., Voges, E. Integrated-optical wavelength multiplexer/demultiplexer for single mode systems 87−76816
Rottmann, H.R. Stepper pattern size errors at one micron 85−40789
Rottmann, H.R. Measurement, analysis and control of small resist features 86−21340
Rottner, D. *see* Cerni, T.A. 88−29416
Rottschalk, M., Rasch, A., Karthe, W. Temperature dependence of the extraordinary refractive index in proton exchanged $LiNbO_3$ waveguides 85−41111
Rottschalk, M., Rasch, A., Karthe, W. The manufacture of optical films and strip-lines by titanium diffusion and proton exchange in $LiNbO_3$ 85−50941
Rottschalk, M., Rasch, A., Karthe, W. Electrooptic behaviour of proton exchanged $LiNbO_3$ optical waveguides 88−39964
Rottschalk, M. *see* Rasch, A. 85−41112, 85−50986, 86−9599
Rottura, A. *see* Anghinolfi, M. 88−48004
Rotty, R.M. *see* Jovanovich, J.V. 87−15412
Rotunno, T. *see* Ricci, D. 87−3455
Roturier, J. *see* Chemin, J.F. 86−25161
Rotych, R.V. *see* Kuprianov, Yu.V. 85−38989
Rotz, A.O. Warranty pricing with a life cycle cost model 86−57283
Rouan, D., Lacombe, F., Tiphene, D., Stefanovitch, D., Phan Van, D., Combes, M., Lena, P., Chatard, J.P., Lussereau, A. Astronomical imaging with a low temperature InSb charge injection device (CID) 87−20964
Rouan, D. *see* Lacombe, F. 88−4494
Rouan, D. *see* Tiphene, D. 88−74486
Rouan, P. *see* Kraif, C. 88−17485
Rouanne, M., Castello, D.J., Jr. An expurgated lower bound on the free Euclidean distance of trellis codes 88−34582
Rouanne, M., Costello, D.J., Jr. Comparison of trellis coded modulation schemes using a lower bound on the free Euclidean distance 87−39676
Rouat, J., Adoul, J.-P. Impact of vector quantization for connected speech recognition systems 86−48825
Rouault, H. *see* Le Roux, Y.M. 85−25308
Rouault, J. *see* Gournay, J.F. 86−24871
Roubault, J. *see* Delaire, J. 86−25766
Roubault, J. *see* Fremont, P. 86−19010
Roubault, J. *see* Morange, E. 87−64251
Roubertou, D. Lightning: high-energy transients 87−61404
Roubertou, D., Fontaine, J., Plumey, J.P., Zeddam, A. Harmonic input impedance of earth connections 86−3596
Roubertou, D., Paladian, F., Plumey, J.-P., Fontaine, J. Input impedance of wire antennas 85−19223
Roubertou, D. *see* Paladian, F. 86−15990
Roubicek, O. Mathematical modelling of the automatized drive of a remote transport belt conveyor 85−21880
Roubicek, O. Electric special-purpose technological drives and problems of their use in selected fields 88−62654
Roubicek, O. Two interesting application possibilities for electric linear drives 88−62655
Roubicek, O. An inductive linear drive in internal works transportation 88−62684
Roubicek, O., Hamacek, F., Pejsek, Z., Preuss, A., Sindelar, J. Advancements and new trends in the development of special-purpose drives with stepping and reluctance motors 88−24177
Roubicek, O., Kozlicek, M. A stepping linear drive for an artificial heart 88−30046
Roubicek, O., Pejsek, Z., Podzimek, O. Progress in the development of electric linear drives intended for technological applications 88−69419
Roubicek, O., Pejsek, Z., Podzimek, O., Rozprim, J. Progress in industrial applications of automated electric linear drives 87−43702
Roubicek, O., Pejsek, Z., Podzimek, O., Rozprim, J., Zezulka, Z. New electronically controlled linear drives for industrial applications 85−16285
Roubicek, O., Pejsek, Z., Rozprim, J. Electronic structure of an oscillatory synchronous linear drive 88−69731
Roubicek, O., Pejsek, Z., Rozprim, J. Electronic structure of an oscillatory synchronous linear drive 88−69818
Roubicek, O., Pejsek, Z., Rozprim, J., Pekarek, O., Prochazka, J., Heyberger, A. Oscillatory reluctance linear drive of a plate liquid extractor 86−71163
Roubicek, O., Tusla, P. Simulation of automatic starting of a long distance belt conveyor transport 85−16299
Roubicek, O., Tusla, P. Research of critical states of the starting of a distant belt conveyor transport drive on a mathematical model and problems of its rational dimensioning 86−33737
Roubicek, O., Zezulka, Z. The possibility of using gearless electrical drives in industrial installations working with countable and granular materials 87−79266
Roubieu, J.L. The design of switched power sets 85−11017
Roubin, G.S. *see* Anderson, H.V. 87−63821
Roubine, E., Bolomey, J.C. Antennas. Vol.1. General principles 88−18368
Roubinet, Y. THOMSON-MOSTEK ISDN components 88−67112
Roubos, J.B. *see* van Bruchem, D.J.J. 88−41328
Roucairol, C., Jacquet-Lagreze, E., Bouroche, J.M., Martinet, M. Simulation and evaluation of a grid of programs for the French national TV channels 85−31155
Roucairol, C. *see* Plateau, G. 88−70257
Roucayrol, J.C. *see* Richard, B. 87−21797
Rouch, C.D.V. *see* Orr, R.A. 87−62420
Rouch, Y. *see* Chauveau, N. 86−56147
Rouchaud, J.C. *see* Amouroux, J. 86−35530, 88−18013
Rouchouse, G. Electronic and electromagnetic cable technology. I 88−7113
Roucka, J. Synchronous communication between the A5130 microcomputers 86−16980
Roucka, J. The concept of a remote data processing system of the Robotron firm 86−16981
Roucka, M. *see* Prchal, J. 86−61226
Roucos, S., Dunham, M.O. A comparison of two methods for very-low-rate speech coding 86−29805
Roucos, S., Dunham, M.O. A stochastic segment model for phoneme-based continuous speech recognition 87−61633
Roucos, S., Ostendorf, M., Gish, H., Derr, A. Stochastic segment modelling using the estimate-maximize algorithm [speech recognition] 88−66364
Roucos, S., Viswanathan, V., Henry, C., Schwartz, R. Word recognition using multisensor speech input in high ambient noise 87−19503
Roucos, S., Wilgus, A., Russell, W. A segment vocoder algorithm for real-time implementation 87−62725
Roucos, S., Wilgus, A.M. High quality time-scale modification for speech 86−10311
Roucos, S., Wilgus, A.M. The waveform segment vocoder: a new approach for very-low-rate speech coding 86−16189
Roucos, S. *see* Chow, Y.-L. 87−19585
Roucos, S. *see* Chow, Y.L. 87−61637
Roucos, S. *see* Dunham, M.O. 87−55032
Roucos, S. *see* Gish, H. 86−10294
Roucos, S. *see* Kubala, F. 88−66401
Roucos, S. *see* Makhoul, S. 86−22947
Roucos, S. *see* Mari, J.F. 86−3817
Roucos, S. *see* Rohlicek, J.R. 88−66395
Roucos, S. *see* Schwartz, R. 86−16243
Roucos, S. *see* Viswanathan, V. 87−19449
Roucos, S. *see* Wolf, J. 86−3831
Roudault, E. *see* Lahoubi, M. 85−24101
Roudaut, D. *see* Convert, P. 85−15222
Roudaut, E. Evolution of position-sensitive detectors for neutron diffraction experiments from 1966 to 1982 in the Nuclear Centre of Grenoble 85−15221
Rouden, K. Event handling and review information [power system control] 86−70625
Roudet, J. *see* Lavieville, J.P. 88−69592
Roudier, T., Coupinot, G., Hecquet, J., Muller, R. Low contrast digital filter processing with possibility of structural analysis by segmentation in connexe domains 85−51704
Roudier, T. *see* Malherbe, J.M. 86−69153
Roudneff, J.-P. An inequality for 3-polytopes 87−44139
Roudot, B., Gardiol, F., Terret, C., Daniel, J.-P., Pribetich, P., Kennis, P. Fundamental surface waves effects on microstrip antenna radiation 88−40706
Roudot, B., Gardiol, F., Terret, C., Daniel, J.P., Pribetich, P., Kennis, P. Microstrip antenna: surface waves effects on radiation pattern and dielectric protective layer effect on resonant frequency 87−75604
Roudot, B., Mosig, J., Gardiol, F. Surface wave effects on microstrip antenna radiation 88−40659
Roudot, B., Mosig, J.R., Gardiol, F.E. Radome effects on microstrip antenna parameters 88−27600
Roudot, B., Terret, C., Daniel, J.P., Pribetich, P., Kennis, P. Fundamental surface-wave effects on microstrip antenna radiation 86−16010
Roudot, B., Terret, C., Daniel, J.P., Pribetich, P., Kennis, P. Problems produced by the use of the spectral method for plate antennas 86−48661
Roudot, B. *see* Assailly, S. 88−20999
Roudot, B. *see* Mosig, J.R. 88−7035
Rouffet, A.M. *see* Lhermite, H. 88−50671
Rouge, B. *see* Herbert, P. 85−64684
Rouge, D. *see* Laffitte, F. 88−54611
Rougeau, J.-P. The future of the uranium market and the impact of related fuel cycle services 85−38663
Rougee, A., Levy, B.C., Willsky, A.S. Reconstruction of two-dimensional velocity fields as a linear estimation problem 87−62378
Rougemont, F.de *see* de Rougemont, F.
Rougeot, H. *see* Munier, B. 88−10294, 88−42161
Rouger, J.-M., Perichon, R., Mottet, S., Forrest, J.R. MESFET behaviour under localised optical beam injection 85−50517
Rouger, J.M. *see* Mottet, S. 87−18283
Rougevin-Baville, P. *see* Brisson, J.C. 86−50423
Roughton, J.E. Non-invasive measurements 86−5888
Roughton, N., Beale, M. Frequency domain interference rejection techniques in pseudo-noise systems 86−23089
Roughton, S.J. *see* Herbert, G.A. 87−63942
Rougier, J.-P. Separation of parts and cast gates on a stripping grid of an automatic casting worksite 85−39374
Rougny, R. *see* Goure, J.P. 86−9508

Rougny, R. *see* Mure-Ravaud, A. 86−48127
Rouhani, R., Lasdon, L., Lebow, W., Waren, A.D. A generalized Benders decomposition approach to reactive source planning in power systems 86−32704
Rouhani, R., Liacco, T.Dy., Mehra, R.K. A general structure for system planning applied to the reactive power problem 86−12362
Rouhani, R. *see* Lebow, W.M. 85−59642
Rouhani-Kalleh, A., Andersson, T.G., Nilsson, B., Westin, J. Resistance in sub-μm size GaAs lines 88−26412
Rouhani-Kalleh, A. *see* Rodhe, P.M. 88−64626
Rouhanizadeh, N. *see* Nussbaum, G.H. 86−60810
Rouhiainen, H. *see* Luomi, J. 88−52015
Rouillard, G. *see* Dorgnon, M. 85−52158
Rouillard, J. *see* Berge, J.M. 85−35140, 87−25497
Rouille, C. *see* Doucet, H.J. 87−8805
Rouille, C. *see* Garate, E.P. 86−54061
Rouiller, J.-M. *see* Meldem, C. 85−48884
Rouillion, P. *see* Le-Huy, P. 86−32327 to 32328
Roukens, J. European cooperative research in speech technologies 87−61802
Roukens, J., Renuart, J.F. *(editor)* ESPRIT '84. Status Report of Ongoing Work 86−7395
Roukes, M.L., Germain, R.S., Freeman, M.R., Richardson, R.C. DC SQUID noise thermometry 85−48134
Roukes, M.L. *see* Freeman, M.R. 85−46072, 86−36090
Roukes, M.L. *see* Germain, R.S. 85−46064
Roukes, M.L. *see* Scherer, A. 88−26050, 88−44672
Rouleau, P. *see* Rogers, J.S. 88−23175
Roulei Zhang *see* Zhang Roulei
Roulet, H. *see* Dufour, G. 86−15061
Roulet, H. *see* Rochet, F. 87−17936, 87−38146
Roulet, M. France Telecom. Preparing for more competition 88−59410
Roulier, G., Galand, C. An echo cancellation algorithm for operation with a digital speech coder in a single signal processor 88−66895
Roulier, G., Galand, C., Vermot-Gauchy, R., Cerf, H. Digital detector of multifrequency tones 88−21273
Roullet, G. *see* Blanc, F. 86−11116, 86−17567
Roullet, G. *see* Luvison, A. 87−48574, 88−21743, 88−28424
Roulstohn, D.J. *see* Solheim, A.G. 87−73337
Roulston, D.J. Recent advances in polysilicon contacted emitters for bipolar transistors 87−25241
Roulston, D.J., Eltoukhy, A.A. Modelling bulk and surface recombination in the sidewall space-charge layer of an emitter-base junction 86−2096
Roulston, D.J., Hebert, F. Study of delay times contributing to the f_t of bipolar transistors 87−1485
Roulston, D.J., Hebert, F. Optimization of maximum oscillation frequency of a bipolar transistor 87−38217
Roulston, D.J., Quoirin, J.-B. Simulation of high voltage power switching transistors under forced gain and inductive load turn-off conditions 88−26213
Roulston, D.J. *see* Ashburn, P. 87−60418
Roulston, D.J. *see* Hebert, F. 87−1716, 87−18105, 88−26218, 88−33180, 88−71526
Roulston, D.J. *see* Herbert, F. 86−28279
Roulston, D.J. *see* Jain, S.C. 87−72421
Roulston, D.J. *see* Selvakumar, C.R. 87−67230, 88−71338
Roulston, D.J. *see* Solheim, A.G. 88−13438, 88−33261
Roulston, D.J. *see* Strayer, H.J. 86−27035
Roulston, D.J. *see* Zugelder, U. 87−67231
Roulston, J.F. Design decisions guide airborne radar 85−63761
Roulston, J.F. Digitiser requirements for airborne pulse doppler radar 88−12468
Roulston, J.F. Introduction to automatic detection of radar signals 88−15518
Roult, G. *see* Marchand, R. 88−49881
Roumanille, F. *see* Bougnot, G. 87−65523, 88−70346
Roumanille, F. *see* Bourgnot, G. 88−56248
Roumanille, F.M. *see* Bougnot, G.J. 87−16600
Roumeliotis, J. *see* Kolliopoulos, N. 86−30647
Roumeliotis, J.A. *see* Fikioris, J.G. 87−47257
Roumeliotis, M., McKeeman, J. A distributed fault tolerant clocking scheme for systolic array architectures 87−52650
Roumenin, Ch.S. Three-dimensional magnetic field vector sensor 88−68006
Roumenin, C.S. Parallel-field triple Hall device 87−32460
Roumenin, C.S. Influence of collector voltage on the magnetosensitivity of planar two-collector magnetotransistors 88−1631
Roumenin, C.S. Optimized parallel-field magnetotransistor sensor 88−47499
Roumenin, C.S. New magnetomodulating systems for contactless measurement of linear displacements 88−74326
Roumenin, C.S., Kostov, P.T. Optimized emitter-injection modulation magnetotransistor 85−14748
Roumenin, C.S., Kostov, P.T. Tripole Hall sensor 86−28255
Roumenin, C.S., Kostov, P.T. Functional multisensor for magnetic field and temperature measurements 86−50073
Roumenin, C.S., Kostov, P.T. Silicon Hall-effect microsensor 87−6651
Roumier, G. *see* Bargeon, G. 86−30407
Round, R., Bridge, B., Green, A. Detection of planar flaws in ceramics using low frequency ultrasound velocity measurements 88−70397
Round, W.H. A mechanical valve assembly for xenon 133 gas delivery systems 85−48223
Roundhill, D.N. A communication device for the physically disabled 86−25288
Rounds, J.L. Personal computer literacy for the practicing engineer 87−23089
Roundy, C.B. Pyroelectric matrix arrays for laser beam imaging 85−52780
Rounsley, R.R. Drying in the presence of an electrostatic field 85−22025
Rountree, R.N., Hutchins, C.L. NMOS protection circuitry 85−40907
Rountree, R.N. *see* Duvvury, C. 87−1757, 88−1798, 88−26524, 88−57809
Rountree, R.N. *see* McPhee, R.A. 87−53669
Rountree, R.N. *see* Marchandeau, R. 87−46207
Roupe, G.A. Technology transfer for operating plants 86−39367
Roupie, F. CAM reaches into printed circuit production 85−34307
Rouquet, A., Guelibolian, B. Position detectors: the right sense for automatic handling systems 86−31347
Rouquier, D. Silicon compilation studies at CNS 88−18880
Rouquier, D. *see* Berge, J.M. 85−35140, 87−25497
Rouquier, D. *see* El Tahawy, H. 87−24028
Roura, P. *see* Perez, A. 88−13029
Roure, A. Self-adaptive broadband active sound control system 86−12204
Rourke, S.J. *see* Richardson, J. 87−21980
Rous, B. Rare earths in electronics 85−10821
Rous, R.F. Future trends in telecommunications 86−10682
Rous, R.F. Future trends in telecommunications 88−73468
Rous, R.F., See, P.J. Performance consideration and protocols for packeted speech [local area networks] 85−46984
Rous, Z. Energy absorbed in the protective diode during overvoltage protection 85−19593
Rous, Z. The use of the TESLA miniature surge arresters 85−21267
Rous, Z. Oxide varistors for overvoltage protection of telecommunication equipment 85−57582
Rous, Z. Overvoltage in telecommunication links 85−57902
Rous, Z. Accuracy of the prediction of failures of buried communication cables due to lightning strokes 86−69556
Rous, Z. The effect of earthing of the underground cable sheathing on the conductor to sheath voltage with a direct lightning strike 88−35327
Rous, Z. *see* Benes, J. 85−15685
Rous, Z. *see* Perat, V. 87−68816
Rouse, D.M., Spires, R.J., Wallace, R.E. The number 2 signal transfer point: an overview of the AT&T common channel signaling packet switch 87−48439
Rouse, D.M. *see* Fergeson, A.D. 88−3751
Rouse, G.F. *see* Sanders, G.A. 88−67871
Rouse, G.V. *see* Krull, W.A. 87−74145
Rouse, I. *see* Efron, U. 88−7990, 88−58236
Rouse, N.E. Mechanical and electrical CAD join forces 86−26647
Rouse, N.E. Pen plotters still lead the pack 87−77306
Rouse, P. Base Mic−processor controlled 85−30853
Rouse, P. SX-200N relative S-meter 85−31498
Rouse, P. Timestep modules for the FRG-7 86−38455
Rouse, P. Dragon 32/64 Morse tutor 86−43466
Rouse, P. The Starphone on 70 [packet phone] 86−59793
Rouse, P. Modifying the Ken KP-202 [transceiver] 87−8157
Rouse, P. Masthead pre-amplifier for 144MHz 87−37029
Rouse, P. AOR's big brother or scanners under computer control 87−40755
Rouse, P. Weather satellite reception 88−35452
Rouse, P. Weather satellite reception. II 88−35453
Rouse, P. Weather satellite reception. III 88−58955
Rouse, P. Weather satellite reception. IV 88−60489
Rouse, P. Sandpiper mobile scanner antenna 88−72681
Rouse, P.D. Modifying the FRG-7. II [Yaesu Musen receiver] 85−8302
Rouse, P.D. Modifying the FRG-7. III. [Radio receiver] 85−20324
Rouse, P.D. Modifying the FRG-7. IV 85−25773
Rouse, S. *see* Cowen, A.R. 87−50277
Rouse, T.O. *see* McNutt, W.J. 85−39072
Rouse, W.B. On better mousetraps and basic research: getting the applied world to the laboratory door 85−28003
Rouse, W.B. On better mousetraps and basic research: getting the applied world to the laboratory door [technology transfer] 85−49297
Rousee, F. *see* Charot, F. 88−56698
Rouseff, D. *see* Olsen, R.G. 85−41642, 85−57063
Roush, G.B., Boller, B. Dimensional stability. I 86−62941
Roush, G.B., Boller, B. Dimensional stability. II [laminate reinforcement materials] 87−6261
Roush, G.D. *see* Allen, W.R., Jr. 88−22454
Roush, M. *see* Modarres, M. 87−64218
Roush, M.L., Modarres, M., Hunt, R.N. Application of goal trees to evaluation of the impact of information upon plant availability 85−43853
Roush, M.L. *see* Hunt, R.N.M. 87−9126
Roush, M.L. *see* Modarres, M. 86−39303
Rousina, R., Shivakumar, G.K. Growth and characterization of indium telluride thin films 88−38247
Rousina, R., Shivakumar, G.K. Electrical contacts to semiconducting indium telluride films 88−50663
Rousseau, A. *see* Ameurlaine, J. 88−74410
Rousseau, A. *see* Vicaud, A. 87−21989
Rousseau, F. *see* Bernard, J. 86−65432
Rousseau, J.-J., Masson, J.-P. Measuring device for industrial magnetic materials 88−60889
Rousseau, J.-R. *see* Debaille, S. 88−21864
Rousseau, J.R. *see* Gheysen, A. 87−48346
Rousseau, J.Y. *see* Brand, C. 87−21430
Rousseau, K. *see* Hickling, R. 86−30774, 87−2984
Rousseau, K.V. *see* Clarke, J.E. 87−52516
Rousseau, M. Computer-aided prediction of interference coupling between and within cables and harnesses 85−2602
Rousseau, M. Computer-aided prediction of interference coupling between and within cables and harnesses 85−62804
Rousseau, M. X25 data transmission protocols 87−48271
Rousseau, M., Excell, P.S. An optically coupled field probe for microwave frequencies 85−15014
Rousseau, M., Excell, P.S. Use of the compact range for radiative susceptibility and emission testing 87−26843
Rousseau, M., Excell, P.S. Computation of the field distribution in a broadband compact range for EMC applications 87−54721
Rousseau, M. *see* Bru, C. 87−67261
Rousseau, M. *see* Excell, P.S. 85−15013
Rousseau, M.D. *see* Brown, R.M. 85−43257
Rousseau, R. Physical settlement of testers in a workshop of validation of printed circuits 88−12706
Rousseau, T. *see* Rogers, G. 87−14388, 87−49786
Rousseaux, P., Troquet, J. Deconvolution of time-varying systems by Kalman filtering: its application to the computation of the active state in the muscle 86−50461
Rousseaux, P., Van Cutsem, Th., Mallieu, D., Ribbens-Pavella, M. Dynamic state prediction and hierarchical filtering for power system estimation 88−23414
Rousseaux, P., Van Cutsem, Th., Ribbens-Pavella, M. Dynamic state estimator for large electric power systems 86−12306
Rousseaux, P. *see* Mallieu, D. 87−71508
Rousseeuw, P.J. *see* Kaufman, L. 87−72913
Roussel, A. *see* Cohen Sabban, J. 85−20900
Roussel, A. *see* Corno, F. 85−4309
Roussel, J.P. *see* Edye, T. 85−18657
Roussel, M. New applications for vector network analyzers 88−47460
Roussel, M., Chandon, Y., Brosset, D. Functional comparison of positive resists by statistical design 85−45830
Roussel, P. Beam preparation system and beam emittance control, prerequisites for high-resolution magnetic spectroscopy 85−43304
Roussel, P. *see* Buenerd, M. 86−5842
Rousselet, J. *see* Jamaleddine, A. 86−51061, 88−75191
Rousselot, J.P. *see* Dellery, B. 87−27436
Rousset, A., Bonino, C., Gougeon, M., Mollard, P. Simultaneous substitution of Co^{2+} and Zn^{2+} ions in submicronic acicular γ-Fe_2O_3 particles 87−46337
Rousset, A., Legros, R., Caffin, J.P., Lagrange, A. Low electrical resistivity NTC thermistors with long term stability 88−32486
Rousset, D. *see* Guo, C. 87−73716, 88−25469
Rousset, G., Cameron, H. Design and optimization of private data networks 86−64756
Rousset, G. *see* Cielo, P. 85−10836, 86−569
Rousset, J. *see* Gayral, M. 87−73718, 88−66461
Roussignol, P. *see* Flytzanis, C. 87−26549
Rousson, J.L. *see* Oppetit, A. 87−76647
Roussopoulos, N. *see* Coolahan, J.E., Jr. 86−7636
Roussy, D.A. *see* Leffen, D.J. 88−38435

Roussy, G., Thiebaut, J.-M. Calorimetric microwave loss measurements of granular materials 85—37729
Roussy, G., Thiebaut, J.-M. Microwave-irradiated materials: study and control of thermal runaway for a cylindrical sample of rubber 86—63476
Roussy, G., Thiebaut, J.-M., Bennani, A., Mouhab, N. A kinetic model for microwave drying of paper 88—62830
Roussy, G., Thiebaut, J.-M., Charreyre-Neel, M. A chemical-physical model for describing microwave paper drying 85—39392
Roussy, G., Thiebaut, J.-M., Ghanem, H., Dichtel, B. Impedance measurement in a waveguide with four fixed sounding lines 87—41588
Roussy, G., Vauborg, J.P., Thiebaut, J.M. Fluorite flotation under electromagnetic irradiation 87—29254
Roussy, G. *see* Thiebaut, J.-M. 88—60877
Roust, R. Experience of optical auxiliary channel for 140 Mbit/s route supervision and its application 85—58149
Roustan, J.C. *see* Cavalieri, S. 88—7453
Rout, P., Tuck, B. Business applications of Project Universe 85—3114
Routain, E. *see* Lavieville, J.P. 88—69592
Route, G.P. *see* Mehalic, M.A. 85—54429
Route, R. *see* DeShazer, L.G. 88—58509
Route, R.K., Wolf, M., Feigelson, R.S. Interface studies during vertical Bridgman CdTe crystal growth 85—39704
Route, R.K. *see* Eckardt, R.C. 86—9936
Route, R.K. *see* Feigelson, R.S. 85—16903, 85—16912, 86—22159
Route, R.K. *see* Yuan Xuan Fan 85—2397
Routh, A.G., Larnard, D.J. The probability density function as an arrhythmia discriminator in cardiac electrogram analysis 88—48184
Routh, D. *see* Levin, G.M. 86—50689
Routh, K.C. *see* Steigerwald, R.L. 87—44579
Routh, M.W. *see* Starbuck, B. 87—60247
Routh, R.L., Milne, R.W., Kabrisky, M. Some natural language implications of cortical thought theory 86—69032
Routhier, S.A. *see* Jain, R. 87—13388
Routhorn, G.A. The realisation of teletex on British Telecom networks 85—19722
Routie, R. *see* Lafage, B. 88—55579
Routledge, D. *see* Lo, W.F. 85—8502
Routledge, D. *see* Valk, E.C. 88—29612
Routledge, D. *see* Veidt, B.G. 86—4786
Routledge, D. *see* Walker, G. 88—74088
Routledge, J. Increasing the flexibility of DSP building blocks 86—8288
Routledge, P.A., Berry, A.J., King, T.A. A flashlamp-pumped dye laser in a telescopic resonator configuration 86—48458
Routledge, P.A., King, T.A. Phase conjugation in the gain saturation of a flashlamp pumped dye laser 87—61235
Routledge, P.A., King, T.A. Phase conjugation by degenerate four-wave mixing in inverted dye solutions 88—58657
Routledge, R. *see* Tsang, S. 85—41611
Routt, T.J. Distributed SNA: a network architecture gets on track 87—34110
Routt, T.J. SNA to OSI: IBM building upper-layer gateways 87—62610
Routt, T.J. From out of the blue: interfaces from SNA to X.25 87—76327
Routt, T.J. From TOP (3.0) to bottom: architectural close-up 88—66980
Routt, T.J. Under the big TOP at Enterprise '88: TOP 3.0's debut 88—73568
Routt, W. *see* Grant, D.E. 85—32792
Routti, J.T., Sandberg, J.V. Unfolding activation and multisphere detector data 85—26800
Rouvaen, J. *see* Delebarre, C. 88—52479
Rouvaen, J.M., Waxin, G., Torguet, R., Bruneel, C., Bridoux, E. Wideband lithium niobate acousto-optic cells 86—15531
Rouvaen, J.M. *see* Gazalet, M.G. 85—24347
Rouvaen, J.M. *see* Houze, M. 86—12218
Rouvaen, J.M. *see* Nongaillard, B. 86—50761, 86—57509, 87—370
Rouvaen, J.M. *see* Nonguillard, B. 87—21811
Rouvaen, J.M. *see* Waxin, G. 85—46884, 88—58278
Rouve, G., Els, H. Water power today. Potential and technology of hydroenergy 87—64456
Rouvel, L. Simulation of photovoltaic equipment-border conditions, system comparison and results 87—64803
Rouvel, L. *see* Geiger, B. 87—58464
Roux, A., Grunson, J.-P., Charles, P. Thyristors switched capacitors 88—68869
Roux, A. *see* Charles, P. 87—15880
Roux, A. *see* Grangier, Y. 88—36989
Roux, A. *see* Tarby, S. 88—62098
Roux, A.Le *see* Le Roux, A.
Roux, B. *see* Cartier, R. 87—58705
Roux, B.C.le *see* le Roux, B.C.
Roux, C. Animated videography 87—27610
Roux, C., Flament, P. Computer simulation of deployment [solar arrays] 88—5900
Roux, C. *see* Slimani, M. 87—21793
Roux, C. *see* Tanguy, J. 87—29753
Roux, D., Soulie, D. Videotex and firms 88—52823
Roux, D. *see* Chauveau, N. 88—42571
Roux, D.A. *see* Russell, R.W. 87—49540
Roux, D.Le *see* Le Roux, D.
Roux, E. OSI's final frontier: the application layer 88—28361
Roux, E.Le *see* Le Roux, E.
Roux, G. *see* Burger, D. 88—68493, 88—74889
Roux, G. *see* Evans, B.J. 88—61069
Roux, G. *see* Liard, C. 88—68500
Roux, G.Le *see* Le Roux, G.
Roux, H.F.Le *see* Le Roux, H.F.
Roux, J. From Newton's method to BFGS's method: theory and practise. I 85—22340
Roux, J. From Newton's method to the BFGS method: theory and practice. II 86—7649
Roux, J., Juanole, G. Functional and performance analysis using extended time Petri nets 88—304
Roux, J. *see* Boyer, S. 88—69573
Roux, J. *see* Cheron, Y. 87—9644, 87—51368
Roux, J. *see* Mathey, C. 85—22143
Roux, J.-M.A. Infrared measurements with HgCdTe detector applied to nondestructive control and thermal characterization of materials 88—47574
Roux, J.J.Le *see* Le Roux, J.J.
Roux, J.Le *see* Le Roux, J.
Roux, J.M. *see* Battisti, S. 88—54127
Roux, J.P. *see* Girard, A. 85—61649
Roux, M. Effects of the space environment on laser diodes 88—3962
Roux, M. Space evaluation of 1.3 micrometer laser diode technology 88—45463
Roux, M., Andre, P. Radiation-induced traps in low-energy proton-irradiated GaAs solar cells 85—60427
Roux, M., Chauve, D., Keil-Simon, G. Functional specifications and evaluation of commercially available laser diodes for optical space links 88—65695
Roux, M., Reulet, R., Bernard, J., Suzuki, A., Sugawara, K. Electron and omnidirectional proton irradiations of AlGaAs-GaAs solar cells 86—7028
Roux, M. *see* Le-Ngoc, T. 86—3737, 88—3826
Roux, P. *see* Delorme, C. 86—20507
Roux, P. *see* Giambiasi, N. 86—672, 86—20217, 86—40850
Roux, P. *see* Lbath, R. 87—52492
Roux, P.Le *see* Le Roux, P.
Roux, R.M. Ship Shoal Block 91 field, offshore Louisiana; discovery and development of a stratigraphic field 88—30437
Roux, S., Herrmann, H.J. Disorder-induced nonlinear conductivity 88—12173
Roux, S.De *see* De Roux, S.
Roux, Y.Le *see* Le Roux, Y.
Roux, Y.M.Le *see* Le Roux, Y.M.
Rouxel, J., Brec, R. Low-dimensional chalcogenides as secondary cathodic materials: some geometric and electronic aspects 87—15959
Rouyer, J.L. *see* Chazalon, M. 85—44479
Rouzbehi, F., Amouroux, J., Goldman, M. Fluorination of polymeric films by a non equilibrium plasma at an atmospheric pressure 87—23761
Rouzeyre, B., Alali, R. Automatic generation of logic schemata 86—40851
Rouzeyre, M. *see* Bastide, G. 86—35330
Rouzeyre, M. *see* Klopfenstein, P. 88—26000
Rouzic, J.Le *see* Le Rouzic, J.
Rouzic, M.Le *see* Le Rouzic, M.
Rovang, D.C. Design concepts for PBFA-II's applied-B ion diode 87—21321
Rovang, D.C., Wilbur, P.J. Ion extraction capabilities of two-grid accelerator systems 85—31961
Rovang, D.C. *see* Bieg, K.W. 88—16622
Rovang, D.C. *see* Cook, D.L. 87—43208
Rovaris, E., Jezieniecki, R., Hernandez, F. Simulation of a nonlinear process [amplitude modulator] 86—52736
Rovaro Brizzi, M. Regulation in small power plants equipped with standardized machinery and turbine governor system 88—43074
Rovder, I. Harmonic analysis on the SHARP PC-1401/1402 computer 88—276
Rove, E.M. Update on Aladdin 88—47948
Roveda, R. *see* De Gasperis, P. 85—24095, 85—29478, 85—35323
Rovedo, N. *see* Codella, C. 85—45777
Rovedo, N. *see* Ogura, S. 85—1745, 85—40818, 87—18334
Rovegno, H.D. UNIX time-sharing system: a support environment for MAC-8 systems 87—44909
Rovenskaya, T.S. Catadioptic telephoto lens with component reflector as second mirror in Cassegrainian system 85—46235
Rovenskii, A.G. *see* Zadorozhnii, N.A. 85—65474
Rovenskii, A.G. *see* Zemlyakov, V.D. 85—49219, 87—9878
Rover, D.T., Basore, P.A., Thorson, G.M. Solar cell modeling on personal computers 87—4947
Rover, D.T. *see* Jacobson, D. 87—69661
Rover, O. Overload and short circuit protection with 8WA1 circuit breaker terminals 85—16135
Rover, O. Program extended: 3TW starters for motor switching and protection 85—16171
Rovera, G.D. *see* de Marchi, A. 88—22723
Rovera, G.D. *see* DeMarchi, A. 86—38492
Rovera, G.D. *see* Godone, A. 86—24652
Roveri, A. *see* Forcina, A. 86—10826
Roveri, A. *see* Listanti, M. 86—17002, 88—46605, 88—67064
Roveri, A. *see* Pattavina, A. 86—4404, 86—37204
Roversi, J.A. *see* Arecchi, F.T. 88—20561, 88—51897, 88—65803
Roversi, J.A. *see* Campos, A.C. 85—7236
Roversi, J.A. *see* deCampos, A.C. 87—3203
Rovesti, W.C. *see* Rieke, K.L. 88—30432
Rovin, S. Silicone rubber adhesives for cable harness jackets to connectors; primers vs. no primers 88—19453
Rovinskii, S.I. *see* Solomatov, V.N. 87—21958
Rovinskij, R.E. *see* Apollonov, V.V. 85—51103
Rovira, C.E. Television with stereophonic sound 85—63798
Rovira, C.E. Electronic systems for speech recognition 86—10291
Rovira, C.E. Cellular radio telephone systems 86—17256
Rovira, C.E. *see* Podesta, O.A. 85—26210
Rovira, L.A. A test of BTSC on the cable [CATV] 87—49324
Rovira, L.A. Budgeting stereo separation in a CATV system 88—15816
Rovira, L.A. Budgeting stereo separation in a CATV system 88—29102
Rovnak, J.A. *see* Romano, A.M. 86—12676
Rovnyak, S.M. *see* Stirk, C.W. 88—58319
Row, H.L. *see* Dyche, M.P. 85—14646
Row, J. LAN software links diverse machines, OSs [PC/NOS] 86—59663
Row, R.V., Chang, K.C., DiTullio, J. Near surface earth electrical parameters inferred from insulated dipole impedance measurements at frequencies of 0.5 to 20 MHz 85—13344
Rowan, C.W., Altgelt, C.A. Auto radios: early evolution and current chaos 86—43995
Rowan, D., James, E.D., Kramer, A.E.J.L., Sterling, A.M.., Suhel, P.F. Urodynamic equipment: technical aspects 87—57059
Rowan, D. *see* Eadie, A.S. 87—3931
Rowan, G.A. *see* Freeman, R.S. 86—19014
Rowan, G.S. *see* Vannelli, A. 86—57575
Rowan, J.A. Isolated phase busbars 87—15247
Rowan, J.W., Wade, C.J., Carr, P. Zinc-chloride energy storage is approaching maturity 85—60402
Rowan, S. Noninvasive on-line diagnostics for electrical systems 88—69964
Rowan, T.M., Kerkman, R.J. A new synchronous current regulator and an analysis of current regulated PWM inverters 86—39964
Rowan, T.M., Kerkman, R.J. A new synchronous current regulator and an analysis of current regulated PWM inverters 87—4787
Rowan, T.M., Kerkman, R.J., Lipo, T.A. Operation of naturally sampled current regulators in the transition mode 87—43220
Rowan, T.M., Kerkman, R.J., Lipo, T.A. Operation of naturally sampled current regulators in the transition mode 87—73280
Rowand, D. The super capacitor—a new back-up power source 88—1051
Rowand, W. *see* Davoody, H. 88—74323
Rowarth, D.A., Howe, N. Isolan: a fibre-optic Ethernet 87—69646
Rowatt, C.A. *see* Nicholls, M.R. 87—41012
Rowberg, A.H., Andrews, R.J. Voice control and input to a radiology information system 88—72878
Rowbory, M. Automatic spectrum management 88—73778
Rowbotham, T., Bickers, L. Optical glass fibre networks—development trends 88—73989
Rowbotham, T.R. Submarine telecommunications 87—34332
Rowbotham, T.R. The application of laser amplifiers to undersea lightwave systems 88—47116
Rowbotham, T.R. Fibre optic systems in UK and in Europe 88—73945
Rowbotham, T.R. *see* Cochrane, P. 88—4034
Rowbottom, M.D. The effects of weights and mechanical dampers on overhead line galloping and the determination of where on a circuit to fit galloping control 86—51046
Rowden, C.G. Barriers to the acceptance of synthesised speech as a communication aid 86—48874
Rowden, C.G. *see* Chan, C.F. 86—48844
Rowe, A. The CANDU reactor 85—43825
Rowe, A.J. *see* Harding, S.E. 88—34761
Rowe, B. *see* Braune, D. 86—46864
Rowe, B.A., Goodrich, F.G. Commissioning the Cross Channel HVDC link 88—10841
Rowe, C.J., Bennion, I., Reid, D.C.J. High-reflectivity surface-relief gratings in single-mode optical fibres 87—53993
Rowe, C.J., Reid, D.C.J., Bennion, I. High reflectivity monomode fibre gratings 86—48200
Rowe, C.J. *see* Bennion, I. 86—36151
Rowe, C.J. *see* Goodwin, M.J. 88—2020
Rowe, C.J. *see* Jauncey, I.M. 87—7347, 87—39045, 88—27105
Rowe, C.J. *see* Kean, P.N. 88—8282, 88—39889
Rowe, C.J. *see* Park, C.A. 87—7357
Rowe, D. Design for low energy levels in buildings—an overview 86—45834

Rowe, D.A., Lao, B.Y., Dietterle, R.E., Moacanin, M.A. A low cost multiport microwave package for GaAs ICs 85−55164
Rowe, D.E., Bhandari, C.M. Theoretical thermoelectric figure of merit of highly disordered lead telluride type materials 85−39224
Rowe, D.J. New marking option for microwave towers spells savings 87−48910
Rowe, D.M. Recent developments in thermoelectric materials 87−9872
Rowe, D.M., Bhandari, C.M. Modern thermoelectrics 85−10361
Rowe, D.M., Bhandari, C.M. The effect of a multivalley energy band structure on the thermoelectric figure of merit 85−23484
Rowe, D.M., Bhandari, C.M. Preparation and thermal conductivity of doped semiconductors 87−16572
Rowe, E.M. Synchrotron light source experiments: bringing Aladdin on line 87−56993
Rowe, E.M. *see* Green, M.A. 88−47748
Rowe, E.M. *see* Yang Yin 86−32389
Rowe, F. *see* Claisse, G. 88−66882
Rowe, F.D., Deines, K.L., Gordon, R.L. High resolution current profiler 87−9025
Rowe, G.B., Williamson, A.G. Mobile radio propagation in Auckland at 851 MHz 87−13604
Rowe, G.L. Surface mount technology-setting up a surface mount facility 85−23240
Rowe, G.S. *see* Miller, D.W. 85−59952
Rowe, G.W. *see* Rutherford, R.J.D. 88−55861
Rowe, H.E. Waves with random coupling and random propagation constants 85−995
Rowe, H.E. Spatial filtering radio astronomical data: one-dimensional case 85−20285
Rowe, H.E. Radio imaging of launch vehicles and payloads 88−60255
Rowe, H.L. *see* Johnson, J.S.M. 85−6319
Rowe, J. Digital service network protection 87−40263
Rowe, J. Interworking of network signalling 88−28201
Rowe, J. Bridging the generation gap [telephone exchanges] 88−46816
Rowe, J. *see* Arambepola, B. 87−37386
Rowe, J.A. *see* Williams, R.J. 88−22158
Rowe, J.D. Hydrostatic tank gauging systems set inventory accuracy standards 87−56570
Rowe, J.M.T., Chown, D.P.M., Press, R.W. An integrated fiber optic data transmission subsystem for MIL-STD-1553B 88−35565
Rowe, J.M.T. *see* Epworth, R.E. 85−3437
Rowe, L.A. Tools for developing OLTP applications 85−63265
Rowe, L.A., Williams, C.B. An object-oriented database design for integrated circuit fabrication 88−18878
Rowe, L.A. *see* Hodges, D.A. 87−67529
Rowe, M. The Taw VLF converter 87−965
Rowe, M. The PW 'Otter' 50 MHz receiver 88−21916
Rowe, M., Strattan, R.D. A method of estimating specified absorption rates of three microwave exposure methods 87−57244
Rowe, M. *see* Prelas, M.A. 85−18879
Rowe, M.C., Veitch, A. ET-V2: an artificial intelligence assist in troubleshooting 88−60593
Rowe, M.J. *see* Smedema, C.H. 86−49412
Rowe, N.E. *see* Rooks, J.A. 88−75868
Rowe, P. *see* Allison, J. 85−64456 to 64457
Rowe, P.K. *see* Sartzetakis, S. 87−28929
Rowe, P.L. The MC68HC05C4. A CMOS processor with power to spare 85−17533
Rowe, P.L. Bootstrap firmware simplifies CPU programming 86−34752
Rowe, P.N. The behaviour of fluidised particles explained by a new theory 88−11047
Rowe, P.W. *see* Chandler, J.A. 85−9435 to 9436
Rowe, R.K. *see* Inculet, I.I. 85−41552
Rowe, R.W., Packer, S., Rosen, J., Bizais, Y. A charge coupled device imaging system for ophthalmology 85−4264
Rowe, S. *see* Chao, F.C. 87−30338
Rowe, S.W. Improving GIS disconnectors 88−69651
Rowe, S.W. *see* Lalot, J. 86−39997
Rowe, S.W. *see* Riu, J.P. 88−48596
Rowe, V. *see* Benton, E.V. 87−29570
Rowe, W. *see* Bernstein, D. 85−15253
Rowe, W. *see* Roehrig, J. 85−15175
Rowe, W.A. *see* Giubellino, P. 87−29452
Rowe, W.J. Materials characterization by thermographic imaging 85−52895
Rowe, W.J., Rausch, E.O., Dean, P.D. Embedded optical fiber strain sensor for composite structure applications 88−16168
Rowekamp, M. *see* Dobele, H.F. 85−7513, 85−12950, 87−33259
Rowell, D. *see* Brown, G.A. 88−54546
Rowell, D. *see* Wu, S.Z. 86−6580, 86−12671, 86−25882
Rowell, D.M. Q-Net−an innovative private telecommunications network for Queensland 87−62912
Rowell, J., Jr. *see* Egbert, J.H. 86−70072
Rowell, J.M. Photonic materials 87−12102
Rowell, J.M. *see* Gurvitch, M. 85−56160
Rowell, N. *see* Cowan, W.B. 86−70027
Rowell, N.L. *see* Pekelsky, J.R. 88−67975
Rowen, C., Crudele, L., Freitas, D., Hansen, C., Hudson, E., Kinsel, J., Moussouris, J., Przybylski, S., Riordan, T. RISC VLSI design for system-level performance 86−57871
Rowen, C., Hennessy, J.L. Logic minimization, placement and routing in SWAMI 86−978
Rowen, C., Hennessy, J.L. SWAMI: a flexible logic implementation system 86−21889
Rowen, C., Johnson, M., Ries, P. The MIPS R3010 floating-point coprocessor 88−63708
Rowen, C. *see* Hansen, C. 87−44912
Rowen, C. *see* Moussouris, J. 86−52889
Rowen, C. *see* Przybylski, S.A. 85−11310
Rowen, M., Waldhauer, A., Pianetta, P. Crystal heating on the JUMBO double crystal monochromator at SSRL 86−60665
Rowen, W.I. Simplified mathematical representations of heavy duty gas turbines 85−4972
Rowland, A.C. *see* Montgomery, P.C. 88−2443
Rowland, J. *see* Goldhirsh, J. 87−57385
Rowland, J.B., Jr. *see* Joy, E.B. 86−48671
Rowland, J.D., Lee, K.Y. Controlling secondary selective substations using programmable controllers 88−30968
Rowland, J.H., Cowles, J.R. Small sample algorithms for the identification of polynomials 87−44196
Rowland, J.R. Quality-correlated attributes for PhD and non-PhD granting departments 87−31222
Rowland, J.R., Babin, S.M. Fine-scale measurements of microwave refractivity profiles with helicopter and low-cost rocket probes 88−40561
Rowland, J.R. *see* Miller, F.D. 86−40497
Rowland, J.R. *see* Vogel, W.J. 87−54556
Rowland, M.E., Wagoner, W.R. Crewstation Information and Development System (CIDS) 88−61558
Rowland, M.S., Robertson, J.C. A novel neutron detector for measuring the output of pulsed sources 86−70345
Rowland, R. Television for British Forces in Germany 85−3557
Rowland, R. *see* Brody, G. 85−47447
Rowland, R.J. Surface mount manufacturing technology quality and automation 86−53183
Rowland, R.J. Surface mount manufacturing technology quality and automation 86−58157
Rowland, R.J. Designing surface mount assemblies for automation 87−11213
Rowland, R.J. Designing surface mount assemblies for automation 87−31300
Rowland, S.M., Carter, C.N. The evaluation of sheathing materials for an all dielectric self-supporting communication cable, for use on long span, overhead power lines 88−69011
Rowland, S.M., Craddock, K., Carter, C.N., Houghton, I., Delme-Jones, D. The development of a metal-free, self-supporting optical cable for use on long span, high voltage overhead power lines 88−22143
Rowland, S.M., Dissado, L.A. The measurement of water tree growth in cross-linked polyethylene cables 88−68963
Rowland, S.M., Dissado, L.A., Wofe, S.V. Water tree distribution in failure and growth mechanism assessment 87−25648
Rowland, S.M., Hill, R.M., Dissado, L.A. Censored Weibull statistics in the dielectric breakdown of thin oxide films 87−18373
Rowland, S.M., Wolfe, S.V. Comparison of the effect of water tree degradation on XLPE and EPR 87−15291
Rowland, S.M. *see* Dissado, L.A. 87−16710, 88−51058
Rowlands, A.R. *see* Bertazzi, A. 87−11983 to 11986
Rowlands, A.R. *see* Davies, A.J. 88−20179
Rowlands, A.R. *see* Elayyan, H.S.B. 86−32790
Rowlands, A.R. *see* German, D.M. 86−6422
Rowlands, A.R. *see* Kaye, S.F. 85−30269
Rowlands, E. *see* Gerwin, J. 85−1121
Rowlands, G. *see* Akhtar, J. 86−22417
Rowlands, G.J. *see* Pickering, A.H. 87−3228
Rowlands, H. An automatic test system for stepper motor selection 87−30657
Rowlands, J.A. Optimization of readout rate of television cameras in pulsed digital radiography 87−77641
Rowlands, J.A., Taylor, K.W., Cardinal, H.N. Imaging and noise limitations of cesium iodide X-ray intensifiers 85−9139
Rowlands, J.A. *see* Edmonds, E.W. 85−9136, 86−11957, 87−14875, 88−23059
Rowlands, J.A. *see* Hynes, D.M. 85−38059, 85−64572, 87−14873
Rowlands, J.C. *see* Heitz, E. *(editor)* 86−66542
Rowlands, N. *see* Peake, O. 86−45216
Rowlands, R.E. Photomechanical analysis of composite and other materials 88−49919
Rowlands, R.E. *see* Fuchs, E.A. 88−68063
Rowlands, S.L., Evans, W.A. The design of a portable microprocessor-based thermocouple and RTD simulator 87−56885
Rowlands, S.L. *see* Evans, W.A. 88−22540
Rowlandson, M.B., Tarr, N.G. A true polysilicon emitter transistor 85−50490
Rowles, C.D. VLSI complexity 86−9256
Rowles, J. Listen-on-input for the Icom IC-2 86−49453
Rowles, J.F. Automatic toneburst for the IC-2 86−23750
Rowles, P.A. Heat pump heat recovery system at Tend-R-Fresh 87−5121
Rowlett, J.Reid *see* Reid Rowlett, J.
Rowlett, R., Stewart, C., Mayor, M. A flexible programmable signal processor for next generation fighter aircraft 86−10459
Rowlette, J.J., Alkaitis, S.A., Pinsky, N., Josefowicz, J.Y. Stability of stannic oxide in lead dioxide electrodes 87−43374
Rowley, A. Beeb Lab 85−31408
Rowley, A.T., Myers, A. A SQUID-based high pressure magnetic susceptometer 87−29263
Rowley, B.A. Electrical enhancement of healing 86−12017
Rowley, B.A. A VOR method for tracking wildlife 86−69863
Rowley, D.M. A speckle reference beam holocamera capable of determining the relative phase of mechanical vibrations from an unisolated platform 88−34146
Rowley, P.J. Lower running costs from better maintenance [lighting] 85−16402
Rowley, R. *see* Brooks, R.M. 85−25905, 85−37067, 86−17406
Rowley, R. *see* Macleod, I.D. 88−72967
Rowley, R. *see* Stevenson, A. 85−20226
Rowley, T.W. Flight simulator visual systems 87−14979
Rowley, T.W. Application of a convolver chip to anti-aliasing computer-generated images 87−70516
Rowley, W.R.C. Laser wavelength measurements and standards for the determination of length 86−5537
Rowley, W.R.C. Analysis of laser frequency stability by heterodyne measurement 86−48314
Rowley, W.R.C. *see* Barwood, G.P. 85−48047, 88−58530
Rowley, W.R.C. *see* Hurst, R.B. 87−61221
Rown, M.C. Facsimile: attractive alternative to E-mail 87−27954
Roworth, D. *see* King, T. 88−21660
Roworth, D.A.A. Fibre optic applications in Ethernet systems 86−37896
Roworth, D.A.A., Howe, N. ISOLAN−a fibre optic network conforming to IEEE 802.3 standards 87−48617
Rowsen, J., Trimberger, S. Silicon compilation−a RISC processor example 88−12396
Rowson, G., Trim-Berger, S. Any circuit with a silicon compiler 88−56389
Rowson, J., Trimberger, S. Second-generation compilers optimize semicustom circuits 87−59070
Rowson, J., Trimberger, S. Silicon compilation−a RISC example. II 88−25232
Rowson, J., Trimberger, S., Pierce, K., Vo, D. Gate array macro layout automation 87−37233
Rowson, J., Walker, B. Inside a 2901 datapath compiler 86−57905
Rowson, J., Walker, B., Dholakia, S. A datapath compiler for standard cells and gate arrays 87−59370
Rowson, J. *see* Trimberger, S. 86−2299, 87−52272
Rowston, G. *see* Lambourne, A.D. 85−3701
Roxborough, L. *see* Copper, D. 87−14843
Roxby, R. Frequency spectrum analysers 85−64071
Roxio, C.B. *see* Deckman, H.W. 87−38007
Roxlo, C.B., Abeles, B. Electroabsorption measurements of interfaces in *a*-Si:H/*a*-SiO$_x$:H and *a*-Si:H/*a*-SiN$_x$:H multilayer films 87−1263
Roxlo, C.B., Abeles, B., Persans, P.D. Electroabsorption spectroscopy of well and barrier materials in amorphous semiconductor superlattices 85−18125
Roxlo, C.B., Tiedje, T., Abeles, B. Electroabsorption measurements of interface charges in a-Si:H/a-SiN$_x$:H superlattices 85−18138
Roxlo, C.B. *see* Abeles, B. 85−55545
Roxlo, C.B. *see* Chung, Y.C. 88−65685
Roxlo, C.B. *see* Deckman, H.W. 86−7118, 87−66965
Roxlo, C.B. *see* Tiedje, T. 85−45477
Roxlo, P.D. *see* Abeles, B. 86−63082
Roy, A. NU equipped van detect hot spots 85−4705
Roy, A., Bhattacharyya, S.S., Aditya, S. Characterization of photoresponses in semiconductor-electrolyte systems and determination of flat-band potentials 86−67777
Roy, A., Buchanan, D.S., Ginsberg, D.M. Method for using germanium thermometers in moderately high magnetic fields 85−37603
Roy, A., Libsch, F.R., White, M.H. A microcomputer-controlled multichannel programmable pattern generator 87−49779
Roy, A., Paulraj, A., Kailath, T. Estimation of signal parameters via rotational invariance techniques-ESPRIT 87−39851
Roy, A., Zorzano, L., Navaro, J. A low-cost, real-time processing system for industrial vision application 87−13994
Roy, A. *see* Datta, A.K. 86−7265
Roy, A. *see* Libsch, F.R. 88−13417, 88−33386

Roy, A. *see* Ribera, L.M. 86−65215
Roy, A.K. Design of a low noise bipolar amplifier for an infrared imaging system 85−17183
Roy, A.K. *see* Lissberger, P.H. 85−63642
Roy, A.K. *see* McCartney, D.J. 88−13992
Roy, A.M. *see* Das Sarma, A. 85−60463
Roy, B., Duchmann, O. Radiation pattern of microstrip antenna mounted on a cylinder 88−34463
Roy, B.C., Chakrabarti, N.K. Gain and frequency response of graded-base heterojunction bipolar phototransistors 87−61041
Roy, B.N. Robot applications for AC drive motors 85−39243
Roy, C., Demers, L.-P., Cerny, E., Gecsei, J. An object-oriented switch-level simulator 86−20492
Roy, C. *see* Cloutier, J. 87−38505, 87−46137
Roy, C. *see* Demers, L.-P. 86−40847
Roy, Ch. *see* Gourber, J.P. 86−50279
Roy, C.K., Mukherjee, P.K. Electrostatic field distribution in transformer bushing 88−69464
Roy, D., Bhatnagar, R., Bahadur, D. Magnetic behaviour and microstructural properties of amorphous and crystallized $Y_{3-x}Gd_xFe_5O_{12}$ prepared by the amorphous citrate process ($x=0$, 0.5 and 3) 85−24105
Roy, D., Inkol, R.J. A high accuracy digital coherent detector 88−40996
Roy, D. *see* Da Sylva, P. 86−43908
Roy, D. *see* Pear, J.J. 88−68456
Roy, D.Ghosh *see* Ghosh Roy, D.
Roy, D.N.Ghosh *see* Ghosh Roy, D.N.
Roy, D.P. Electron-positron and antiproton-proton collider physics 87−63578
Roy, E.F., Davison, J.W. Autonomous landing guidance systems 86−56230
Roy, G. High efficiency radioactive beam source 88−74732
Roy, G., April, G.-., Olivier, G., D'Ulisse, R. A variable frequency power displacement factor measurement technique using a constant phase filter 86−51168
Roy, G., Duguay, L., Manias, S., April, G.E. Asynchronous operation of cycloconverter with improved voltage gain by employing a scalar control algorithm 88−30910
Roy, G., Olivier, G., Poitevin, P., April, G.-E. Characteristics of chopper fed single phase induction motors 86−45432
Roy, G., Poitevin, P., Olivier, G. A comparative study of single phase modulated AC choppers 85−27505
Roy, G., Solbes, A. Scaling of MHD coal combustors for commercial power plants 85−21531
Roy, G. *see* Abegg, R. 85−37899
Roy, G. *see* Beauregard, F. 88−17745
Roy, G. *see* Blondeau, P. 86−71130
Roy, G. *see* Ethier, M. 86−71129, 87−58466
Roy, G. *see* Evans, B.T.N. 87−41039
Roy, G. *see* Olivier, G. 85−32569
Roy, G.Le *see* Le Roy, G.
Roy, J. *see* Lecours, M. 87−3087
Roy, J.B. *see* Chaudhuri, D.R. 85−23516
Roy, J.J. Precautions with hydrogen selenide [in photovoltaic industry] 87−43914
Roy, J.J. Automatic monitoring and control of hazardous hydride gases [solar cell production] 87−51472
Roy, J.Le *see* Le Roy, J.
Roy, J.N., Chaudhury, H.K., Zarabi, M.J. Effects of field implants on small geometry CMOS devices 88−13583
Roy, J.W. Laser biostimulation: will it be proven effective? 88−2426
Roy, K., Rasch, K.-D. Production costs and conversion efficiency of terrestrial solar cells 87−9825
Roy, K. *see* Schmidt, W. 86−34344
Roy, K. *see* Strobl, G. 87−9743
Roy, L. New state-of-art method for power system load flow 86−61045
Roy, M. Aluminium−a vital element in cable-making 88−61938
Roy, M. *see* Bizais, Y. 87−29842
Roy, M.D. *see* Nag, B.R. 86−1694, 86−63033
Roy, M.Deb *see* Deb Roy, M.
Roy, M.F. Network planning−the unified approach 86−64509
Roy, M.K. *see* Calabrese, G.S. 87−67692
Roy, M.M. The electrical characteristics and selection of low-voltage power cables 87−64171
Roy, M.N., Ghose, A.K., Jayasimha, M.S. An inexpensive earth station for corporate communications 87−56084
Roy, M.N., Tewari, R.K., Jassal, B.S. Propagation studies on double knife-edge diffraction path 88−2584
Roy, M.N. *see* Ghosh, S.K. 88−2796, 88−27639
Roy, M.N. *see* Tewari, R.K. 85−19230, 86−68757, 87−12710, 87−26784
Roy, M.P. *see* Orton, G.A. 88−39707, 88−40835
Roy, M.Van *see* Van Roy, M.
Roy, N. Sparsity technique for the solution of AC power-flow-problems in an interconnected system by Gauss-Seidel method 86−44943
Roy, N., Mensah, S., Boisvert, J. Design of a multivariable controller for a CANDU 600 MWe nuclear power plant using the INA method 85−15789
Roy, N. *see* Cuzin, M. 88−36163
Roy, N. *see* Guttormsen, M. 85−26729
Roy, N. *see* Henry, E.A. 88−58513
Roy, N.R., Pardhasaradhi, S.K., Sengupta, S.N. Determination of the work-function of surfaces by Kelvin method 88−25766
Roy, N.Sen *see* Sen Roy, N.
Roy, O.Z., Durie, N.D., Farley, R.L., Perkins, G., Tierney, K., Skrypnyk, R. Five-wheel unicycle system 86−18362
Roy, O.Z., Scott, J.R., Trollope, B.J. 60 Hz ventricular fibrillation thresholds for large-surface-area electrodes 87−4019
Roy, O.Z. *see* Raber, M.B. 85−64597
Roy, P. *see* Bartlett, R.J. 88−47821
Roy, P. *see* Berger, C. 88−22937
Roy, P.R. *see* Ghosh, J.K. 85−17020
Roy, P.R. *see* Panakkal, J.P. 85−4130, 85−54547
Roy, R. STS: the megatrend in education 86−13345
Roy, R., Agrawal, D.K. Successful design of new very low thermal expansion ceramics 86−13845
Roy, R., Bayoumi, M.A. A fault-tolerant bit-serial array structure for digital filters 88−70931
Roy, R., Grinovich, E., Worthington, S. DOD-STD-2000: the all-in-one soldering standard. I 88−7157
Roy, R., Grinovich, E., Worthington, S. DOD-STD-2000: the road to compliance. II 88−7163
Roy, R., Paulraj, A., Kailath, T. ESPRIT−a subspace rotation approach to estimation of parameters of cisoids and noise 87−12991
Roy, R., Paulraj, A., Kailath, T. Direction-of-arrival estimation by subspace rotation methods−ESPRIT 87−27472
Roy, R., Paulraj, A., Kailath, T. Estimation of signal parameters via rotational invariance techniques−ESPRIT 87−55119
Roy, R., Paulraj, A., Kailath, T. Comparative performance of ESPRIT and MUSIC for direction-of-arrival estimation 87−62127
Roy, R., Paulraj, A., Kailath, T. Comparative performance of ESPRIT and MUSIC for direction-of-arrival estimation 88−3124
Roy, R., Schulz, P.A., Walther, A. Acousto-optic modulator as an electronically selectable unidirectional device in a ring laser 87−74895
Roy, R., Yu, A.W., Zhu, S. Quantum fluctuations, pump noise, and the growth of laser radiation 86−22340
Roy, R. *see* Agrawal, G.P. 88−45434
Roy, R. *see* McNamara, B. 88−58609
Roy, R. *see* Manitius, A. 87−58880
Roy, R. *see* Mohideen, U. 87−74402, 88−39561
Roy, R. *see* Paulraj, A. 86−69076
Roy, R. *see* Pualraj, A. 87−8347
Roy, R. *see* Slobodrian, R.J. 86−11816, 86−25096, 86−38682, 86−70304, 87−3860
Roy, R. *see* Vikram, C.S. 86−18165
Roy, R. *see* Yu, A.W. 86−15744, 88−2186
Roy, R.A., Messier, R. Evolutionary growth development in SiC sputtered films 86−26913
Roy, R.H. *see* Shah, S.C. 88−48419
Roy, R.J. *see* Capek, J.M. 88−48100
Roy, R.J. *see* Chapman, F.W. 86−25305
Roy, R.K. *see* Duba, P.A. 88−71712
Roy, R.L. *see* Milhiser, R.J. 87−64290
Roy, R.P., Ku, J., Kaufman, I., Kalra, S.P. Microwave characterization of liquid films 86−18127
Roy, R.P., Ku, J., Kaufman, I., Shukla, J. Microwave method for measurement of liquid film thickness in gas-liquid flow 86−55845
Roy, R.R. Multiserver queueing system with unequal service rates 86−10608
Roy, R.R., Saadawi, T.N. Analysis of multihop packet radio network−carrier sense multiple access with busy-tone and collision detection (CSMA/BT-CD) 85−8319
Roy, R.R., Saadawi, T.N. Modelling of CMSA/BT-CD multihop packet radio network 85−13679
Roy, R.R., Saadawi, T.N. Analysis of three dimensional CSMA/BT-CD multihop packet radio network 86−10607
Roy, R.R. *see* Mowafi, O.A. 87−8062
Roy, R.W. Time of fall tells it all [wave-soldering flux density measurement] 87−45405
Roy, S., Iltis, R.A. Application of the block Kalman filter to multisensor estimation with uncertain measurements 87−27502
Roy, S., Iltis, R.A. Hierarchical estimation in correlated noise 87−54794
Roy, S. *see* Abu-El-Magd, M.A. 88−5249
Roy, S. *see* Bhowmik, B.B. 87−51423
Roy, S. *see* Bizais, Y. 87−29842
Roy, S. *see* Cole, E.I., Jr. 88−26179
Roy, S. *see* Hashemi, R.H. 88−46110
Roy, S. *see* Hill, D.D. 86−2401
Roy, S. *see* Jana, A.K. 88−43361
Roy, S.B., Ash, M.C., Daw, A.N. Study of a buried SIN^+P homojunction solar cell 87−43457
Roy, S.C., Apfel, R.E., Lo, Y.-C. Superheated Drop Detector: a potential tool in neutron research 87−41877
Roy, S.C.Dutta *see* Dutta Roy, S.C.
Roy, S.H., De Luca, C.J., Gilmore, L.D. Computer-aided back analysis system 87−71146
Roy, S.H., De Luca, C.J., Gilmore, L.D., Ladin, Z., Casavant, D.A. Computer-aided back analysis system 88−54594
Roy, S.H., De Luca, C.J., Schneider, J. Effects of electrode location on myoelectric conduction velocity and median frequency estimates 87−50337
Roy, S.K., Vengurlekar, A.S., Karulkar, V.T., Joshi, A.V., Chandrasekhar, S. Characterisation of Ar ion laser induced CVD silicon films: deposition, crystallographic texture and phosphorous doping 87−73135
Roy, S.K. *see* Banerjee, J.P. 85−1555
Roy, S.K. *see* Chandrasekhar, S. 87−1505
Roy, S.K. *see* Pati, S.P. 85−28724
Roy, S.K.D. *see* Biswas, J.C. 86−42166
Roy, S.K.Dutta *see* Dutta Roy, S.K.
Roy, W.R. *see* Vinh, T. 86−18842
Roy, Y. Broadcast teletext signal processing 85−3092
Roy, Y. Adjacent channel TV trap system 85−3635
Roy, Y. Synchronous detection in TV receivers 85−52476
Roy Frieden, B. Monte Carlo restoration of binary objects 85−57435
Roy-Chowdhury, P., Deshpande, S.B. Piezoelectric ceramics of $Pb(Zr\text{-}Ti)O_3$ modified by the oxides of Cr, Mn, Co and U for ceramic electric wave filter application 85−29382
Roy-Stephan, M. *see* Bedjidian, M. 87−63631
Royak, S.L., Bochenkov, B.M., Ryazanovskii, G.V., Chupin, Y.A.V. Main drive for metal-cutting mills based on a nonsalient pole induction motor 88−49310
Royak, S.L. *see* KAgan, V.G. 87−9518
Royal, E. *see* Lathrop, J.W. 87−9748
Royal, E.L. *see* Lathrop, J.W. 88−17961
Royal, G.C. *see* Thomas, M.G. 85−53620
Royal, N. Process portability: a practical example 87−6896
Royal, N., Hunter, J., Buchanan, I. A case study in process independence 86−21894
Royale, J., Palczewski, M., VerHeyen, H., Naccache, N., Soukup, J. Geometrical compaction in one dimension for channel routing 87−65705
Royall, R.A. Isolating the Medelec RS232 data interface 85−48299
Roybal, L. *see* Fowler, C. 86−34463
Roybal, P.L. *see* Hansborough, L.D. 87−41669, 87−50039
Roybardhan, A. *see* Singh, J.K. 87−67348
Royce, I. Ceefax and teletex in the United Kingdom 85−42207
Royce, R.K. HF broadband antennas and RF distribution 85−30946
Royce, R.K. *see* Hobbis, C.E. 85−30913
Roychaudhuri, A., Jha, M., Sharma, S.K., Govindacharyulu, P.A., Zarabi, M.J. Substrate bias dependence of short-channel MOSFET threshold voltage−a novel approach 88−26277
Roychoudhuri, A. *see* Deb, S. 85−49102
Roychoudhuri, C. Laser beam combining technology 88−27244
Roychoudhury, A. *see* Datta, A.K. 86−7265
Roychowdhury, T.K., Sen, P.K., Basu, P.K. Analysis and solution of starting problems of a high frequency motor alternator set 87−30524
Roychowdhury, V.P. *see* Gulak, P.G. 87−54894, 88−21107
Roydhouse, A.W. Introduction of digital switching into the New Zealand telephone network 85−52163
Roye, D., Perret, R. Definition of rules for thermal modelling of rotating electrical machines 85−38965
Roye, D., Perret, R. Thermal modelling of an induction machine 86−19278
Roye, D., Perret, R., Champenois, G., Le-Huy, H. Operation and control of thyristor converters under unbalanced supply conditions 87−43253
Roye, D., Rognon, J.P., You, X. Effective digital torque control of a DC motor 88−23969
Roye, D. *see* Noblet, P. 85−27711
Roye, D. *see* Roeckel, J.-M. 87−43083
Royer, A. *see* Bouteville, A. 85−44774
Royer, D., Dielesaint, E. Optical detection of subangstrom transient mechanical displacements 87−70811
Royer, D., Dieulesaint, E. Optical probing of the mechanical impulse response of a transducer 87−15093
Royer, D., Dieulesaint, E., Martin, Y. Improved version of a polarized beam heterodyne interferometer 86−68359
Royer, D., Dieulesaint, E., Valero, T. Pyroelectric non destructive testing of BAW transducers 86−2575
Royer, D. *see* Dieulesaint, E. 86−28570, 87−53832, 87−74484, 88−39775, 88−61687
Royer, D. *see* Ragot, Ph. 88−17466
Royer, E.G. *see* Phelps, R.F. 85−33047
Royer, H. A system for recording high-speed holograms of very far objects 86−3369
Royer, H. Ultrafast optical microholography 86−9990

Royer, H. Holography of very far objects 87−12618
Royer, K. The GV 200 vision mixer 87−70234
Royer, M. *see* Brossat, T. 87−54191
Royer, M. *see* Flatchet, J.C. 87−41524
Royer, M. *see* Lai, J.H. 85−22558 to 22559
Royer, R. *see* Dahl, P. 86−44521
Royer, R. *see* Strait, J. 87−74617, 88−54294, 88−68133
Royer, R.D. *see* Haugk, G. 86−10897
Royere, A. *see* Dorison, E. 86−51019
Royet, J., Scanlan, R.M. Manufacture of keystoned flat superconducting cables for use in SSC dipoles 87−74613
Royet, J. *see* Scanlan, R.M. 87−67829
Roylance, L.M. *see* Kamins, T.I. 86−63319
Roylance, L.M. *see* Perner, F. 87−24187
Royle, A. *see* Giess, J. 86−7784
Royle, A. *see* Irvine, S.J.C. 87−10419
Royle, A. *see* Mullin, J.B. 86−7774, 87−11353, 88−460
Royle, D. Designer's guide to transmission lines and interconnections. 1. Rules tell whether interconnections act like transmission lines 88−56559
Royle, D. Designer's guide to transmission lines and interconnections. 2. Correct signal faults by implementing line-analysis theory 88−56560
Roynette, J.C. *see* Pollacco, E.C. 85−4235
Royrvik, O. Relationship between scattered power and correlation time in VHF radar signals 85−42635
Royrvik, O. Radar comparison of 2.66-MHz and 40.92-MHz signals scattered from the mesosphere 86−22681
Roys, H.E. Reminiscing−the stereophonic record 85−37369
Roys, W.B. *see* Gallop, J.C. 88−39825
Roysam, B., Shrauner, J.A., Miller, M.I. Bayesian imaging using Good's roughness measure−implementation on a massively parallel processor 88−66705
Royster, L.H. *see* Skrainar, S.F. 85−58430
Royston, A., Phillips, E.J. Process control in hand soldering 86−26627
Roytman, L. *see* Marinovic, N.M. 88−71777
Roytman, L.M., Coraor, L.D., Sankar, R. Structural signal representation and its use in speaker independent recognition 85−30235
Roytman, L.M., Eichmann, G., Marinovic, N., Swamy, M.N.S. Some new results in *n*-D digital filters stability 88−899
Roytman, L.M., Eichmann, G., Swamy, M.N.S. On BIBO-stability and nonessential singularities of the second kind [two-dimensional digital filters] 86−20741
Roytman, L.M., Marinovic, N., Swamy, M.N.S. An extension to a result concerning the stability of 2-D digital filters 88−6981
Roytman, L.M., Marinovic, N., Swamy, M.N.S. Sufficiency conditions for the stability of a class of 3D functions with nonessential singularities of the second kind 88−8748
Roytman, L.M., Plotkin, E., Swamy, M.N.S. On minimisation of word length of multidimensional filter realisations 86−27470
Roytman, L.M., Swamy, M.N.S., Eichmann, G. BIBO-stability in the presence of nonessential singularities of the second kind of 2-D digital filters 86−67405
Roytman, L.M., Swamy, M.N.S., Eichman, G. BIBO stability in the presence of nonessential singularities of the second kind in 2-D digital filters 87−32013
Roytman, L.M., Swamy, M.N.S., Eichmann, G. An efficient numerical scheme to compute 2-D stability thresholds 87−45082
Roytman, L.M. *see* Eichmann, G. 86−29969
Roytman, L.M. *see* Plotkin, E.I. 85−13571, 86−29867, 86−37023
Roytman, L.M. *see* Swamy, M.N.S. 85−17607, 85−34083, 86−1269, 86−20736, 86−62765 to 62766
Roza, A.J. *see* Tihanyi, P. 87−61142, 87−68452, 88−14215
Roza, A.J. *see* Wagner, D.K. 88−34031
Roza, A.J., Jr. *see* Wagner, D.K. 88−72317
Roza, V.Kaminski-da *see* Kaminski-da Roza, V.
Rozalska, E. *see* Jaron, S. 85−12450
Rozankovski, I.V. *see* Masandilov, L.B. 86−12803
Rozanov, A.G. *see* Lukin, A.E. 86−54117
Rozanov, A.R. *see* Novikov, E.V. 86−14011
Rozanov, A.V., Shtyrov, A.I., Yartseva, T.S. Matching the noise characteristics of an EOS (electron-optical system) and the interaction space of moderate-power O-type beam amplifiers 85−6661
Rozanov, A.V., Shtyrov, A.I., Yartseva, T.S. The transformation of shot noise in an accelerated electron beam with a 'semi-Maxwellian' velocity distribution 85−56961
Rozanov, L.N., Dul'neva, N.M., Gaevskii, V.V., Gulish, N.V. Investigating effective thermal conductivity of granulated adsorbent charges at low temperatures and pressures 86−38597
Rozanov, M.N. Present state of development of techniques for calculating the reliability of energy systems and ways of improving them 85−64788
Rozanov, M.N., Patseva, T.V. Reliability of provision of energy resources and planning of electrical energy production by hydroelectric power plants 86−12727
Rozanov, N.E. *see* Markeev, A.M. 87−41665
Rozanov, N.E. *see* Vinogradov, S.V. 87−29385
Rozanov, N.N., Semenov, V.E. Light-pulse tailoring with phase control 85−12939
Rozanov, N.N., Sutyagin, A.N., Khodova, G.V. Two-dimensional and three-dimensional schemes for optical bistability 86−9941
Rozanov, N.N. *see* Altshuler, G.B. 87−60921
Rozanov, N.N. *see* Belousova, I.M. 86−22460
Rozanov, N.N. *see* Murina, T.A. 87−33269
Rozanov, S.A. *see* Orlov, V.I. 87−61890
Rozanov, S.B. *see* Vystavkin, A.N. 86−22050
Rozanov, S.P. Soviet literature on power engineering and electrification (a brief retrospective survey) 88−23239
Rozanov, V.B. *see* Basov, N.G. 85−56507, 85−56907
Rozanov, V.S. *see* Gribachev, O.V. 85−39266
Rozanov, Yu.K. *see* Rusin, Yu.S. 86−45476
Rozanova, F.A. *see* Vnukov, A.K. 86−38972
Rozanova, M.A. *see* Makarets, N.V. 85−34599
Rozanska, M. *see* Bailey, R. 85−15164
Rozanski, L. Numerical analysis of a class of electromagnetic fields 88−2457
Rozanski, W. A bias sensing circuit for class-AB amplifiers 88−32022
Rozaria, K. Mobile data: gearing up for the hard sell 88−35386
Rozario, K. Communications ICs: an overview of developments 88−8948
Rozario, K. Satcomms takes to the air 88−9468
Rozario, K. Rural solutions for regional telecomms development 88−46467
Rozario, N., Papoulis, A. Spectral estimation from nonconsecutive data 88−27911
Rozario, N. *see* Clune, L. 85−31088
Rozay, M. *see* Stevens, R. 88−41403
Rozdina, K. *see* Christoskova, M. 88−32543
Rozdobud'ko, V.V. Synchronization of a semiconductor microwave oscillator operating into an unmatched load 86−34609
Rozdobud'ko, V.V. The use of the quasi-hydrodynamic method to calculate the impedance of Gunn diodes with ballistic electron motion 88−25496
Rozdobud'ko, V.V. *see* Malyshev, I.V. 87−66536
Roze, Y.A. *see* Balebanov, V.M. 88−74473
Roze, Yu.A. *see* Smirnov, B.N. 88−12895
Rozec, X. Payload for the TDF1 direct broadcasting television satellite 88−73856
Rozein, L.I. *see* Abramov, G.I. 88−42856
Rozek, L.S. *see* Bloom, K.J. 88−48127
Rozek, L.S. *see* Weinstein, R.S. 88−48126
Rozelaar, A.J.W., Wells, I.S. Effects of surface finish and material of construction of the separating surface on high tension electrical separation 85−30007
Rozell, J. Technology helps cellular industry fight rising T-1 costs 88−41567
Rozen, Yu.V. *see* Tupkalo, V.N. 85−64072, 87−29013, 88−52455
Rozenbaum, L.B. *see* Vorob'yev, A.A. 85−8538
Rozenberg, A.E. *see* Pekelis, V.G. 87−42287
Rozenberg, A.E. *see* Vorotnitskii, V.E. 87−72642
Rozenberg, B.M. *see* In'kov, Yu.M. 88−38345
Rozenberg, E.A. *see* Ettinger, B.Ya. 87−48557
Rozenberg, E.I., Efros, I.E., Pinus, E.A. Specialized sets of universal modular monitoring devices for measurement of electric-machine components 85−43105
Rozenberg, I.M. *see* Mosyagina, M.S. 86−44784
Rozenberg, S.Sh. *see* Mishkin, N.A. 86−33252
Rozenberg, V.L., Pel'ts, B.B., Davydov, V.L., Ryazantsev, L.A. Increasing the efficiency of electric ore-smelting furnaces 85−65654
Rozenberg, V.L., Ryazantsev, L.A., Lykov, A.G., Polyakov, A.S., Lunin, A.G. Utilization of secondary energy released in ferroalloy electric furnaces 87−43650
Rozenberg, V.L. *see* Brukovskii, I.P. 85−65653
Rozenberg, V.L. *see* Mironov, Yu.M. 85−60550
Rozenberg, V.L. *see* Mironova, A.I. 85−65652
Rozenberg, V.Ya. *see* Lukin, G.P. 87−3370
Rozenblat, M.A. *see* Veselovskii, G.G. 85−29479
Rozenblit, M. Performance evaluation of statistical switching networks for voice and data communications 87−48436
Rozenblit, M. Statistical switching networks for integrated services 88−28500
Rozenblum, A.V., Fridberg, P.Sh. Calculation of linear functionals of the solutions of a class of axially symmetrical problems of electrodynamics 88−2471
Rozenblyum, F.M. A power-dip registration element for automation devices 88−30289
Rozenblyum, F.M., Belov, V.P., Brukhis, G.L. A blocking device for swinging [power-drop registration] 87−9084
Rozenblyum, F.M., Ivanov, L.K. High-speed power convertors for fault-limitation automatic-control systems 87−9645
Rozenblyum, F.M., Ivanov, L.K., Salova, V.G., Chekalovets, L.N., Berger, B.A. Automatic frequency limiter type ShDE2602 87−4550
Rozenblyum, F.M., Salova, V.G., Vunder, T.Ya. The ShP 2701 automatic equipment cabinet for maintaining the power at the initial condition 86−26236
Rozenblyum, L.Ya. *see* Varshavskii, A.I. 86−57900
Rozenblyum, L.Ya. *see* Varshavskii, V.I. 87−18191, 88−59421
Rozendaal, E. *see* McGuiness, P.J. 87−10515
Rozenfel'd, E.V. *see* Krotov, L.N. 88−70377
Rozenfel'd, F.Z. *see* Kadushkin, V.I. 88−29318
Rozenfel'd, F.Z. *see* Karpukhin, N.I. 88−4347
Rozenfel'd, F.Z. *see* Marfin, V.P. 87−63367
Rozenfel'd, L.B., Rybakov, Yu.L., Vasichev, B.N. Evaluation of factors influencing the operating stability of field-emission cathode systems in electron-probe devices 86−8711
Rozenfel'd, L.B. *see* Garasyukov, S.A. 86−13200
Rozenfel'd, L.B. *see* Garsyukov, S.A. 85−6637
Rozenfel'd, L.M. *see* Glebov, I.A. 85−7167
Rozenfeld, M. *see* Gastorf, R. 87−21686
Rozenfeld, M. *see* Jayaraman, S. 85−53107
Rozenfel'd, S.Kh. Estimating the accuracy of three measurements of different accuracy 86−24258
Rozenflants, V.Zh. *see* Borisenko, I.Yu. 88−67801
Rozenkrants, E.A. *see* Zhuravlev, V.G. 85−59554, 87−4278
Rozenkron, Ya.K., Bimanis, V.V. Temperature-current devices protecting transformers against faults and systematic overloads 87−9624
Rozenov, V.I., Monich, A.V. Measuring the frequency characteristic of the impedance of a distribution network by the active-experiment method 87−50776
Rozenov, V.I. *see* Fedorov, V.K. 85−32093
Rozenshtok, B.Ya. *see* Pugachev, E.V. 88−24121
Rozenson, A.E., Chizhikov, V.I., Zlochin, I.Kh. Absorption and frequency conversion efficiency in nonlinear crystals 87−33279
Rozental, A.E. *see* Konyukhov, B.A. 86−563
Rozental, E.S. Ways if improving household electrical hardware during the twelfth five-year plan 86−66208
Rozental, E.S. *see* Kiselev, M.I. 85−39287
Rozentsvaig, A.B. *see* Ol'khovikov, B.V. 85−60133
Rozet, V.E. *see* Antipov, K.M. 86−25646
Rozet, V.E. *see* Evtushenko, V.A. 86−33533
Rozewicz, Z. About some aspects of the electric energy utilization 86−40190
Rozgacheva, I.K. *see* Gorshkov, A.G. 87−28709
Rozgon, I.M. *see* Levin, B.R. 85−7882
Rozgony, G.A. *see* Rogers, B. 85−23425
Rozgonyi, G. *see* Ozturk, M.C. 87−74188
Rozgonyi, G.A., Carter, C.H., Maszara, W., Sadana, D.K. Characterization of shallow semiconductor interfaces 85−40833
Rozgonyi, G.A., Sadana, D.K. Semiconductor materials defect diagnostics for submicrometer very large scale integration technology 87−24767
Rozgonyi, G.A., Salih, A.S.M., Radzimski, Z., Kola, R.R., Honeycutt, J., Bean, K.E., Lindberg, K. Defect engineering for VLSI epitaxial silicon 88−11987
Rozgonyi, G.A. *see* Ajmera, A.C. 87−17901, 88−39186
Rozgonyi, G.A. *see* Frederick, R.A. 85−39700
Rozgonyi, G.A. *see* Lee, D.M. 88−71442
Rozgonyi, G.A. *see* Maszara, W. 85−12159, 85−23423, 86−9003
Rozgonyi, G.A. *see* Maszara, W.P. 87−6554, 87−11602
Rozgonyi, G.A. *see* Ozguz, V.H. 85−18130, 88−44536
Rozgonyi, G.A. *see* Ozturk, M.C. 88−50698
Rozgonyi, G.A. *see* Radzimski, Z. 88−25867
Rozgonyi, G.A. *see* Salih, A.S. 85−34696
Rozgonyi, G.A. *see* Salih, A.S.M. 85−55451, 86−28114, 86−63146, 87−60401
Rozgonyi, G.A. *see* Bean, K.E. *(editor)* 85−22082
Rozgonyi, G.A. *see* Biegelsen, D.K. *(editor)* 86−26509
Rozhankovskii, I.V. Ways of improving metrological properties of analogue-to-code convertors for in-board telemetric systems 86−24395
Rozhankovskii, I.V. *see* Pogribnoi, V.A. 85−45122
Rozhanskii, L.V. *see* Zel'dovich, Ya.B. 87−68694
Rozhanskii, N.V., Arslambekov, V.A. The mechanism of formation of etch figures on the surface of a germanium crystal during thermal oxidation 87−1430
Rozhanskii, N.V. *see* Arslambekov, V.A. 85−29150
Rozhavskaya, S.N. *see* Artem'ev, A.S. 87−35662
Rozhdestvenskaya, L.G. *see* Efimov, V.F. 85−65683
Rozhdestvenskaya, N.B., Zamkov, V.A. Polarization interferometer for precision pressure measurements 88−36272
Rozhdestvenskii, A.M. *see* Strebkov, D.S. 86−26285, 86−65986, 88−55762
Rozhdestvenskii, A.N. Matching of interdigital transducers with a field of surface acoustic waves in delay lines and filters 87−67672
Rozhdestvenskii, A.N. *see* Dobershtein, S.A. 86−9365

Rozhdestvenskii, A.Yu., Cheremisin, V.N. Mathematical model of a system: frequency converter with pulse-duration modulation—asynchronous motor system 87—22537
Rozhdestvenskii, G.G. *see* Zil'Berman, V.A. 88—23421
Rozhdestvenskii, S.S., Pavlov, I.I., Sorokin, V.A., Zaitsev, A.Yu. Service life and reliability of water boilers burning high-sulphur oil 86—39519
Rozhdestvenskii, V.V. *see* Alferov, Zh.I. 85—23532
Rozhdestvenskii, V.V. *see* Gaifullin, A.Sh. 87—4529
Rozhdestvenskij, B.V. *see* Boldyshev, V.F. 88—54012
Rozhdestvenskiy, A.A., Filipenkov, V.V., Savvateyeva, Ye.Ye., Sosnovikov, V.V., Karelova, V.I. Equipment for automatic channel switching 86—30502
Rozhdestvenskiy, A.N. Fan-shaped interdigital surface acoustic wave transducer with capacitive weighting of the electrodes 85—4512
Rozhdestvesnkii, A.N. *see* Dobershtein, S.A. 87—52704
Rozhdestvin, V.N. *see* Gondra, A.D. 88—58501
Rozhdestvin, V.N. *see* Korshikov, V.B. 85—56765
Rozhkov, A.V. *see* Alferov, Zh.I. 87—67311
Rozhkov, A.V. *see* Grigor'ev, B.I. 86—2949, 87—11741, 87—38922, 88—71336
Rozhkov, A.V. *see* Korol'kov, V.I. 85—23817
Rozhkov, A.V. *see* Zadiranov, Yu.M. 85—50498, 88—26242
Rozhkov, B.K. Effect of inaccuracy in the adjustment of a lens array holographic projection system on the three-dimensional image quality 85—13000
Rozhkov, B.K. *see* Galpern, A.D. 85—29954, 88—40361, 88—58715
Rozhkov, E.V. Empirical risk minimization with piecewise-linear classifiers 87—39719
Rozhkov, I.T. *see* Sorokin, V.A. 86—40958
Rozhkov, N.F. *see* Aksenov, V.V. 86—18284
Rozhkov, O.V. *see* Verenikina, N.M. 88—14778
Rozhkov, S.V. *see* Oreshkin, P.T. 85—12035
Rozhkov, V.A., Milyutkin, E.A. Avalanche multiplication of the photocurrent in Schottky-barrier structures in the form of dysprosium-silicon contacts 85—24402
Rozhkov, V.A., Petrov, A.I. Conductivity switching with memory in an Al-Gd_2O_3-Si structure 86—1844
Rozhkov, V.A., Petrov, A.I., Milyutkin, E.A. Switching of the conductivity in silicon MOS structures based on cerium dioxide films 85—34680
Rozhkov, V.A. *see* Milyutkin, E.A. 86—14933
Rozhkov, V.I. *see* Kolomeitsev, L.F. 87—4729
Rozhkov, V.M. *see* Cryazin, V.A. 86—39845
Rozhkov, V.M. *see* Gryazin, V.A. 87—58122
Rozhkova, G.V. *see* Glebov, A.S. 87—53201
Rozhkova, N.I. *see* Kochetova, G.P. 87—50274
Rozhkova, N.V. *see* Aizenberg, J.B. 85—39295
Rozhnev, A.G. *see* Kuznetsov, A.P. 85—57094
Rozic, N., Begusic, D. Adaptive algorithms for data transmission 88—34638
Rozic, S., Zakelj, M. Hot-standby SCADA system for energy distribution utility 86—32694
Roziere, G., King, D. Semiconductor picture pick-up for X-ray technology 87—1463
Roziere, G. *see* Munier, B. 88—10294, 88—42161
Rozin, V.N. *see* Lazarev, Yu.N. 87—35725
Rozina, M.D. *see* Solomatov, V.N. 87—21958
Rozinskii, L.S. *see* Parol', N.V. 86—67622
Rozkos, J. *see* Hrabanek, J. 86—45013
Rozkwitalski, Z. *see* Fischer, E. 86—3014
Rozkwitalski, Z. *see* Sliwinski, G. 87—33081
Rozkwitalski, Z. *see* Stanco, J. 87—18880, 88—14076
Rozman, A.F. A new high-speed, magnetically coupled base-drive circuit for very wide duty ratio applications 88—75802
Rozman, H.T. Tackling the problems of automotive electronics 86—45788
Rozman, H.T., Vanderhayden, E.E. Achieving EMC with interconnection technology [automobiles] 86—48621
Rozman, I.M. *see* Zyablin, V.L. 87—29517
Rozman, V. *see* Hudoklin, A. 86—34069, 86—47499
Rozmanov, I.P. *see* Korchagin, Yu.A. 87—68876
Rozner, J.D., Myers, P.W., Robb, C.J. The application of adjustable frequency controllers to forced draft fans for improved reliability and energy savings 85—16506
Rozner, J.D., Myers, P.W., Robb, C.J. The application of adjustable frequency controllers to forced draft fans for improved reliability and energy savings 86—33385
Rozniakowski, K. *see* Drobnik, A. 86—42506
Roznov, T. *see* Mikusek, J. 87—67066
Rozon, C., Mouftah, H.T. VLSI design of a three-valued built-in logic block observer 87—44810
Rozon, C., Mouftah, H.T. Test pattern generation for CMOS ternary logic 88—63628
Rozon, C., Mouftah, H.T. Pseudo-random testing of CMOS ternary logic circuits 88—70735
Rozon, D., Beaudet, M. The optimization of cobalt adjusters with OPTEX-3 87—57848
Rozon, F.M., Grion, N., Rui, R. A total absorption range telescope—the CARUZ 88—42431
Rozov, A.N. *see* Suslova, K.N. 85—39269
Rozov, B.S. *see* Galuyev, S.V. 85—57727
Rozov, V.A., Tret'yakov, S.A. Diffraction of plane electromagnetic waves by a semi-infinite grid made of parallel conductors arranged at an angle to the grid's edge 85—19115
Rozov, V.M. Calculation of the ballast resistor for a power amplifier with control grid current 86—20334
Rozov, V.M. Power efficiency of broadcasting systems 87—63105
Rozov, V.M. Approximation of the static characteristics of electron devices 88—39353
Rozov, V.M. *see* Golovin, O.V. 86—49464
Rozov, V.Yu. Majority redundancy of phase-control systems of thyristor converters 85—10006
Rozov, V.Yu. A synchronizing pulse shaper for thyristor control systems of static power sources 86—20393
Rozova, V.I. *see* Artiugina, I.M. 87—15399
Rozovsky, E.I. Calculations of power transferred into the high-pressure xenon lamp cathode body 85—39304
Rozoy, B. Model and complexity of termination for distributed computations 87—75993
Rozpravka, J. Applications of lasers to large-scale civil engineering projects 88—2425
Rozprim, J. *see* Podzimek, O. 85—21658
Rozprim, J. *see* Roubicek, O. 85—16285, 86—71163, 87—43702, 88—69731, 88—69818
Rozran, H.B. *see* Lindquist, C.S. 86—3927
Rozran, H.D. *see* Lindquist, C.S. 86—853
Rozsa, A. Inductive slot switch as a movement sensor 85—3944
Rozsa, A. Absorption photometer for liquids 85—15078
Rozsa, A. 100 MHz preamplifier for universal counters 87—10693
Rozsa, K., Apai, P., Janossy, M., Bergou, J., Fujii, K., Rubin, G., Denton, M.B., Phillips, H., Hopf, F.A. Effect of oxide coating on the performance of the Al hollow cathode discharge 86—1613
Rozsa, K., Janossy, M. Hollow cathode discharge lasers 85—2250
Rozsa, K. *see* Apai, P. 85—56540, 87—7275
Rozsa, K. *see* Christiansen, J. 86—15639
Rozsa, K. *see* Fujii, K. 86—36425
Rozsa, K. *see* Janossy, M. 85—46316, 85—56536
Rozsa, P. Hybrid PV systems for the use of total solar energy 85—65184
Rozsnyai, B., Watanabe, H., Csonka, P.L. Numerical simulation of a soft-X-ray Li laser pumped with synchrotron radiation 85—56531
Rozsypal, A.J. *see* Adlington, J.L. 88—45970
Rozsypal, A.J. *see* Stevenson, D.C. 88—2977
Rozuvanova, V.A. *see* Smirnov, V.S. 85—29788
Rozval, Ya.B. *see* Meister, V.V. 85—26047
Rozwod, W.J., Therrien, C.W., Lim, J.S. A novel method for nonuniform frequency-sampling design of 2-D FIR filters 88—66524
Rozwood, W.J. *see* Diamesis, J.E. 87—59770
Rozycki, A. Calculation of thermal transients in electric machines 87—9563
Rozycki, S. *see* Zielinski, J. 87—35448
Rozzi, T., Cerri, G., Chiaraluce, F., De Leo, R., Ormondroyd, R.F. Finite curvature and corrugations in dielectric ridge waveguides 88—27563
Rozzi, T., Hedges, S.J. Rigorous analysis and network modeling of the inset dielectric guide 87—75491
Rozzi, T., Ma, L. Scattering by dipoles in inset dielectric guide and application to millimetric leaky wave antennas 88—27492
Rozzi, T., Ma, L. Mode completeness, normalization, and Green's function of the inset dielectric guide 88—38656
Rozzi, T. *see* Cheung Yeung 88—58188
Rozzi, T. *see* Hedges, S. 88—25371
Rozzi, T. *see* Olley, C. 88—27564
Rozzi, T. *see* Pennock, S.R. 86—27537, 88—36199
Rozzi, T. *see* Railton, C.J. 88—32404, 88—52263, 88—66138
Rozzi, T. *see* Shore, K.A. 87—75112
Rozzi, T.E., Shore, K.A. Spatial and temporal instabilities in multistripe semiconductor lasers 85—24566
Rozzi, T.E. *see* Kot, J. 85—13201
Rozzi, T.E. *see* Kot, J.S. 87—11028
Rozzi, T.E. *see* Kumar, T. 85—51170, 87—12471
Rozzi, T.E. *see* Lewis, A.P. 86—53012
Rozzi, T.E. *see* Olley, C.A. 87—19240
Rozzi, T.E. *see* Perkins, M. 85—18956
Rozzi, T.E. *see* Perkins, M.C. 86—3134, 86—68525
Rozzi, T.E. *see* Singh, J. 85—41416
Rozzi, W. *see* Casasent, D. 85—25173, 87—19893
Rozzi, W.A. *see* Casasent, D. 87—12285
R.S., J.L.Gonzalez *see* Gonzalez R.S., J.L.
Rsavishankar, S. *see* Narasimhan, M.S. 87—54517
Rshtuni, Sh.B. *see* Akopova, A.B. 85—48189, 87—29614
Rtishchev, V.M. *see* Arsh, A.M. 88—43334
Rtishchev, V.M. *see* Efimov, B.V. 85—59656
Ru, E.de *see* de Ru, E.
Ru, P., Narducci, L.M., Tredicce, J.R., Bandy, D.K., Lugiato, L.A. The Gauss-Laguerre modes of a ring resonator 87—75178
Ru, P. *see* Lugiato, L.A. 88—2322, 88—58607
Ru Qing-Shin *see* Qing-Shin Ru
Ru-bai Li *see* Li Ru-bai
Ru-Fong Guo *see* Guo Ru-Fong
Ru-Guang Cheng *see* Cheng Wang 86—40773
Ru-Hua Chen *see* Chen Ru-Hua
Ru-ji Huang *see* Huang Ru-ji
Ru-lin Wu *see* Wu Ru-lin
Ru-ling Wu *see* Wu Ru-ling
Ru-Wen Zhao *see* Zhao Ru-Wen
Ru-Xian Huang *see* Huang Ru-Xian
Ru-Yu Liang *see* Kirby, B.J. 87—60078
Ru-yun Wang *see* Wang Ru-yun
Rua, G. *see* D'Emilio, S. 85—58782, 86—24621
Rua, M. *see* Bowen Loftin, R. 88—42609
Rua, N. *see* Teixeira, J.P. 88—74275
Rua, R.W. Surface mounting common problems and related solutions 87—11197
Ruan, G., Vlach, J. Current-limited switch-level timing simulator for MOS logic networks 86—47830
Ruan, G., Vlach, J. Current-limited MOS model in logic and timing simulation 86—67188
Ruan, G., Vlach, J. Waterloo gate level timing simulator 87—65989
Ruan, G., Vlach, J., Barby, J.A. Current-limited switch-level timing simulator for MOS logic networks 88—50113
Ruan, J. Steady-state, quasi-steady-state and transient-state analysis of delay line discriminators for FM noise measurement 87—77065
Ruan, J. *see* Kubota, S. 87—41831, 88—68253
Ruan, J. *see* Shimizu, T. 86—50393
Ruan, J.-Z. *see* Ishi, T. 85—43156
Ruan, Y. Input impedance analysis of dipole antenna with feedpoint displacements 86—43017
Ruan, Y., Fujiwara, C., Hosokawa, S., Yamashita, K. An analysis of CSMA/CD computation time reduction 85—2924
Ruan, Y., Wang, Y. Beam field transmission through an arbitrarily curved radome 88—2893
Ruan, Y. *see* Fujiwara, C. 85—42031, 86—23204
Ruan, Y. *see* Huang, Z. 86—42964
Ruan, Y. *see* Xu, X. 88—2734
Ruan, Y.Z. *see* Lu, I.T. 87—75351
Ruan Chen-li Parametric down converters 85—45207
Ruan Chengli Calibration of multi-six-port network analyzer and measurement of multi-port networks 88—4338
Ruan Chuantu Choice and application of optimal technical parameters in preparing CVD Si_3N_4 films 87—16659
Ruan Gang *see* Wang Jianwei 88—19953
Ruan Gen-hong, Shen Yi-nan H-algorithm and its validity [logic circuit testing] 86—62513
Ruan Gen-hong *see* Mao Wei-wei 87—37098
Ruan Gui-hua *see* Li Ming-zhong 87—37530
Ruan Jian-zhi *see* Jian-zhi Ruan
Ruan Jin-ping FM noise measurement system using delay line discriminator and its applications 87—41599
Ruan Liang *see* Zhao Jing-An 87—38870
Ruan Lishen, Xu Jingyu, Li Baozhen, Wu Huizhen Fast processing and measurement of thick multimode optical waveguides 88—13906
Ruan Lizhen, Xu Jingyu, Wu Huizhen, Chen Yixin Fabrication and measurement of multimode immersed planar optical waveguide in glass plates 86—68234
Ruan Lizhen *see* Lizhen Ruan
Ruan Shengyang, Zhou Jie, Zhang Yanhua, Ji Xiujiang, Zheng Bingru, Li Shuying, Yang Xiquan, Tan Fei A study of the deep levels in Si:Pd 85—55520
Ruan Yangqiang *see* Xiong Yiyan 88—62095
Ruan Yaozhong, Lin Peng, Wang Jing, Yao Lin An apparatus for absolute thermopower measurements between 4.2 and 300K 86—70186
Ruan Yaozhong, Wang Maoqian Optimum current leads for cryogenic apparatus 85—17913
Ruan Ying-Chao *see* Ying-Chao Ruan
Ruan Yongfeng *see* Gu Hongen 88—65613
Ruan Yongliang *see* Yongliang Ruan
Ruan Yu *see* Yu Ruan
Ruane, M., Ramsden, E., D'Angelo, H., Mavretic, A. The factory on an integrated circuit chip 86—46657
Ruane, M.F., Calkins, J. Characterization of amorphous TbFeCo films for magneto-optical media 88—58272
Ruane, M.F. *see* Enge, P.K. 87—41107, 88—41770
Ruane, M.F. *see* Mansuripur, M. 85—50822, 86—53884
Ruane, M.F. *see* Schick, I.C. 88—54958
Ruane, M.F. *see* Usoro, P.B. 87—42544
Ruane, T.P. *see* Davidson, J.M. 88—7687
Ruas, O., Letscher, R., Yonnet, J.P. A high accuracy integrated drive 88—69797
Ruas, O., Yonnet, J.P., Letscher, R. Development of a new integrated joint [electric drives] 88—75992
Ruas, R. *see* Orsal, B. 87—22749
Ruaud, J.-P. *see* Kan, S. 88—9966

Ruaud, J.P. *see* Gonord, P. 87−5565, 87−16913
Ruaudel-Teixier, A. *see* Barraud, A. 86−63064
Ruaudel-Teixier, A. *see* Henrion, L. 88−60949
Ruaudel-Teixier, A. *see* Richard, J. 87−66933
Ruault, M.O. *see* Salome, M. 85−34445
Ruault, P.-A. The search for rapid information using radiographic papers for industrial radiography applications 85−6037
Ruaz, H. A multifunction sampling instrument 87−29191
Rub, P. *see* Ohl, M. 88−26735
Rubai Li *see* Li Rubai
Rubakha, Ye.A. *see* Belov, N.A. 87−11719
Rubalcava, A.L., Stunkard, D., Roesch, W.J. Electrostatic discharge effects on gallium arsenide integrated circuits 87−53741
Rubalcava Levi, J.C. Bidirectional fibre optic networks 87−56109
Rubal'skiy, G.B. Investigation of a multichannel system with priority servicing of long demands by the method of statistical tests 85−39611
Ruban, A.P. *see* Kudin, V.P. 86−48653, 87−54657
Ruban, A.S. *see* Vendik, O.G. 85−46114, 88−70956
Ruban, I.Yu. *see* Andrusenko, V.V. 85−63841
Ruban, N.A. *see* Dodonov, A.G. 86−14095
Ruban, N.S. *see* Golovan, E.V. 85−20581
Ruban, V.L. *see* Kuzhekov, S.L. 88−17519
Ruban, V.V. *see* Fot, N.A. 86−46415
Rubanenko, A.E., Kobylyanskii, A.V. Improving DC mains protection against short circuits to ground 88−48610
Rubanenko, A.E. *see* Kobylyanskii, A.V. 87−35988
Rubanik, V.P. *see* Ivanitskaya, O.V. 88−44338
Rubanik, V.V., Bobrov, V.P. Automation of the processing of X-ray analysis data by means of the Elektronika MK-46 microcalculator 88−41985
Rubanov, A.D. *see* Aristov, A.V. 88−33966
Rubanov, A.S. *see* Bondarenko, S.V. 86−9951
Rubanov, A.S. *see* Durasov, V.M. 86−42658
Rubanov, A.S. *see* Ivanova, N.A. 86−54216
Rubanov, A.S. *see* Kabanov, V.V. 85−7528
Rubanov, I.L., Sverdlin, G.M. Influence of radiating channel failure on the parameters of an equidistant linear array 86−60992
Rubanov, V.S. *see* Kuznetsov, V.M. 86−54174
Rubas, J. Estimation of reference load from daily traffic distributions 85−19613
Rubashkin, A.S. *see* Magid, S.I. 86−33085
Rubashko, N.G. Control of the quality of fastening of resistance strain gauges 88−74364
Rubashov, G.M. Parameters of 6 and 10 kV static switchgear in electricity supply systems of industrial concerns 86−33560
Rubashov, G.M. High-voltage shunt-type thyristor current limiters 87−9684
Rubashov, G.M., Kats, R.Z., Chikankov, D.V. A fast 6 kV automatic voltage regulator employing a thyristor sectional cut-out 85−27509
Rubashov, G.M. *see* Demin, Yu.I. 85−5068
Rubashov, I.B. *see* Arsenin, V.Ya. 87−52083
Rubayi, N., Yeakle, J., Wright, M.A. Holographic investigation of various stressing techniques for detecting flaws in composite laminates 87−31615
Rubbert, B. *see* Danz, M. 87−35015
Rubbia, C. *see* Albrow, M.G. 88−29872
Rubbia, C. *see* Aprile, E. 86−18237, 87−29476
Rubbia, C. *see* Bauer, G. 87−29544
Rubbia, C. *see* Bettini, A. 87−29545
Rubbia, C. *see* Cennini, P. 86−50312
Rubbia, C. *see* Cornacchia, M. 88−47744
Rubchinskii, A.V. *see* Pokrovskii, S.V. 85−44330
Rubedor, D. Packaged substation saves time, money for municipal 88−43345
Rubek, J. *see* Cerha, J. 86−65819, 87−9247
Rubek, J. *see* Hruby, J. 88−37017
Rubel, G. Automatic printer changeover switch 87−45341
Rubel, H., Schroder, B., Geiger, J. Characterization of reactively magnetron sputtered hydrogenated amorphous silicon films 86−67697
Rubel, H. *see* Gangopadhyay, S. 86−27946
Rubel, H. *see* Krieger, G. 86−27900
Rubel, H. *see* Muller, W. 86−51911
Rubel, L.A. *see* Horwitz, A.L. 88−43820
Rubel, P. *see* Fayn, J. 85−20927, 88−10374
Rubel, P. *see* Morlet, D. 85−9215, 88−68412
Ruben, M.A. *see* Lavrinenko, V.I. 88−61226
Rubenchik, A.M. *see* Aleksandrov, V.V. 87−2227
Rubens, B. *see* Bradford, A. 86−45992
Rubens, D. *see* Hornak, J.P. 87−41958
Rubens, P. The cartoon and ethics: Their role in technical information 88−6181
Rubens, P. *see* Krull, R. 88−63130
Rubenstein, C.P. Electronic arms and legs: meeting the bionic challenge [artificial limbs] 85−31872
Rubenstein, E. *see* Hughes, E.B. 86−60694
Rubenstein, E. *see* Thompson, A.C. 88−48121
Rubenstein, P., Smith, G. The async route−best suited for a microcomputer's local traffic 85−8156
Rubenstein, P.J., Kerr, D.E., Fishback, W.T. Experimental studies of refraction 88−66089
Rubenstein, P.J. *see* Craig, R.A. 88−66088
Rubert, R.R., Felker, B., Stallard, B.W., Williams, C.W. Fundamental mode rectangular waveguide system for electron-cyclotron resonant heating (ECRH) for Tandem Mirror Experiment-Upgrade (TMX-U) 85−993
Rubert, R.R. *see* Felker, B. 85−994
Ruberto, M.N., Rothwarf, A. Time-dependent open-circuit voltage in CuInSe$_2$/CdS solar cells: Theory and experiment 87−58322
Ruberto, M.N., Rothwarf, A. An experimental and theoretical study of the time dependent open circuit voltage in CuInSe$_2$/CdS solar cells 88−37576
Rubiales, A.L. *see* Livesay, W.R. 86−8933
Rubichev, N.A. Features of metrological support at the design stage to data-compressing acquisition systems 86−55569
Rubichev, N.A., Sorokin, V.G., Yakushina, Z.K. Detection of changes in the properties of a non-Gaussian process 86−37075
Rubichev, N.A. *see* Brenerman, Yu.B. 86−55509
Rubichev, N.A. *see* Butaeva, Z.V. 85−44462
Rubin, A. *see* Amols, H.I. 85−20875
Rubin, A.N. *see* Dahlke, W.T. 86−25900
Rubin, B. *see* Bilderback, D. 88−42460
Rubin, B. *see* Mazumder, M.K. 88−27420
Rubin, B. *see* Sokoloski, M.M. 87−77898
Rubin, B.H. *see* Whiting, B.R. 88−42459
Rubin, B.J. The propagation characteristics of signal lines in high performance computer packages 85−2626
Rubin, B.J. Scattering from a periodic array of apertures or plates where the conductors have arbitrary shape, thickness, and resistivity 87−12699
Rubin, B.J., Becker, W.D. The modeling of delta-I noise in high performance computer modules 85−197
Rubin, B.J., Bertoni, H.L. Scattering from a periodic array of conducting bars of finite surface resistance 85−62751
Rubin, D. *see* Bagley, P. 88−54259
Rubin, D. *see* Fank, B. 85−1016
Rubin, D. *see* Ismail, M. 86−57954, 86−67352
Rubin, D.C. *see* Biermann, A.W. 85−52594
Rubin, D.I. *see* Stephanakis, A.C. 88−1584, 88−19890
Rubin, D.L. *see* Dean, D.A. 86−31862
Rubin, E.S. *see* Penner, S.S. 87−78236
Rubin, G. *see* Apai, P. 85−56540, 87−7275
Rubin, G. *see* Rozsa, K. 86−1613
Rubin, G.K. *see* Borodachev, A.S. 86−36617
Rubin, H., Rubin, J.E. Equivalents of the axiom of choice, II 86−19768
Rubin, H.-D., Arent, D.J., Bocarsly, A.B. The n-CdSe photoelectrochemical cell: wavelength-dependent photostability 85−44142
Rubin, H.-D., Arent, D.J., Humphrey, B.D., Bocarsly, A.B. Overlayer formation as a source of stability in the N-type photoelectrochemical cell. The N-CdS/Fe(CN)$_6^{4-/3-}$ cell 87−43336
Rubin, H.A. Bring productivity to planning: tools needed to capture the 'force' 88−24513
Rubin, I., Baker, J. Performance analysis for a terminal-priority contentionless access algorithm for multiple-access communications 86−54582
Rubin, I., Lee, J.-K. Performance analysis of interconnected metropolitan area circuit-switched telecommunications networks 88−34853
Rubin, I., Lee, J.K. Performance analysis of interconnected metropolitan area circuit-switched telecommunications networks 88−3308
Rubin, I., Mayk, I. Stochastic C^3 modeling and analysis for maneuverable battle systems 88−21510
Rubin, I., Quaily, M. Performance of finite capacity communication and queuing systems under various service and buffer preemption policies 88−59459
Rubin, I., Tsai, Z. Performance of an integrated polling/reservation scheme for metropolitan area networks 87−55762
Rubin, I., Tsai, Z.-H. Performance of random-access reservation schemes using a polling backbone for metropolitan and packet-radio networks 88−9401
Rubin, I., Tsai, Z.-H. Performance of double-tier access-control schemes using a polling backbone for metropolitan and interconnected communication networks 88−21477
Rubin, I. *see* Baker, J.E. 87−34141, 87−40006
Rubin, I. *see* Clare, L.P. 87−27730, 87−55373
Rubin, I. *see* De Moraes, L.F.M. 85−13929
Rubin, I. *see* Katz, S. 87−55447, 88−52934
Rubin, I. *see* Zukerman, M. 86−54584, 86−59395, 87−33845, 87−40188, 88−28139
Rubin, I.D. Electromagnetic flowmeter without a settling section 87−29358
Rubin, I.D. *see* Kantorovich, V.B. 86−5153
Rubin, J. The status of JTIDS distributed TDMA (DTDMA) full scale development terminals 85−8233
Rubin, J. Testing communication protocols using random legal inputs 86−64733
Rubin, J. The Language Learning Disc 88−6164
Rubin, J.E. *see* Rubin, H. 86−19768
Rubin, J.J. *see* Adams, A.C. 88−71635, 88−71719
Rubin, K. Metastability testing in PALs 88−6783
Rubin, K. *see* Tang, F.C. 87−29432
Rubin, K.A. *see* Chen, M. 85−41100
Rubin, L. *see* Leddy, D. 87−27874
Rubin, L.B., Untila, G.G., Kharitonov, A.L., Osipov, A.S. Solar cell with a 1% efficiency based on a *p*-type Si/polymer/SnO$_2$ structure 88−37382
Rubin, L.B., Untila, G.G., Pshezhetskii, V.S., Proleiko, E.V. Photoelectric properties of the junction between a semiconductor and an optically transparent polymeric material with electronic conduction 86−26280
Rubin, L.B. *see* Demidov, A.A. 86−25164
Rubin, L.B. *see* Senyuk, V.E. 88−49149
Rubin, L.B. *see* Untila, G.G. 87−11495, 87−16005
Rubin, L.G. The new(/) wave: digital lock-in amplifiers 88−50042
Rubin, L.G., Brandt, B.L., Weggel, R.J., Foner, S., McNiff, E.J., Jr. 33.6 T DC magnetic field produced in a hybrid magnet with Ho pole pieces 86−63597
Rubin, L.G. *see* Brandt, B.L. 88−53666
Rubin, M., Mysen, B.O., Polach, H. Graphite sample preparation for AMS in a high pressure and temperature press 85−20794
Rubin, M. *see* Shiu, K. 85−43782
Rubin, P.A. Satellite delivery of video program material 87−23052
Rubin, P.E., Schweig, M.E. VIVID video teleconferencing goes crosstown with lightwave 86−11329
Rubin, R. EC medium term energy demand model, present state and recent results 85−86
Rubin, R. *see* Beard, D. 88−36545
Rubin, R.J., Kopcsay, G.V. Equivalent circuit of signal line with magnetic layer 87−65624
Rubin, S. Association of textual and graphical circuit descriptions and other hard problems in computer aided design 88−38352
Rubin, S. *see* Nikias, C.L. 88−16747
Rubin, S.D. Systems interaction incident at the Hatch Nuclear Plant 86−51381
Rubin, S.L. *see* Fang-Kuo Sun 88−41076
Rubin, T. Issues in the design of user-interfaces 87−20141
Rubin, U.E. *see* Norstedt, B.E. 85−3289 to 3290
Rubin, V.S. *see* Azimov, S.A. 86−47352
Rubin, W. Solder creams for surface mounted devices 85−34393
Rubin, W. Solder pastes for surface mounts 86−53174
Rubin, W. Extra soldering considerations for surface mountable devices 87−37723
Rubin, W. An inside look at flux formulations 87−65182
Rubin, W. Advances in flux technology for the soldering of surface mounted devices 88−24543
Rubin, W. Soldering without cleaning 88−32573
Rubin, W. The development of soldering products whose residues need not be removed 88−56005
Rubinacci, G. *see* Albanese, R. 86−42762, 88−52102, 88−72481
Rubinacci, G. *see* Gnesotto, F. 86−42696
Rubinat, J.M.de *see* de Rubinat, J.M.
Rubinchik, L.E., Drugovskaya, L.B. Continuous electric furnaces for powder-metallurgy processes 87−58459
Rubinchik, L.E. *see* Artem'ev, V.D. 85−65656
Rubinchik, V.A. *see* Gel'fand, Ya.S. 87−9186
Rubinelli, F., Albornoz, S., Buitrago, R. Amorphous-crystalline silicon isotype heterojunction: electrostatic potential distribution and $C(V)$ curves 85−55544
Rubinelli, F. *see* Liou, J.J. 88−71339
Rubinelli, F.A. Amorphous-crystalline silicon heterojunctions: theoretical studies of the dark current and spectral response 87−37962
Rubinelli, F.A. Amorphous-crystalline silicon anisotype heterojunctions: built-in potential, its distribution and depletion widths 87−37963
Rubinelli, F.A. Theoretical $C(V)$ equation of an amorphous-crystalline heterojunction at low frequency 87−53262
Rubinelli, F.A., Albornoz, S., Buitrago, R.H. Amorphous-crystalline silicon heterojunction in equilibrium 87−1241
Rubinelli, F.A., Battioni, M.R., Buitrago, R.H. Distribution of the electrostatic potential barrier in the *n-p*, amorphous-crystalline silicon heterojunction 87−32296
Rubinfeld, P., Archer, D., Deverell, D., Fox, F., Gronowski, P., Jain, A., Leary, M., Olesin, A., Persels, S., Supnik, B. The CVAX CPU−a CMOS VAX microprocessor chip 88−19205
Rubinfeld, P. *see* Archer, D. 87−59604
Rubinfeld, P.I. *see* Archer, D.W. 88−6903
Rubing Zhang *see* Zhang Rubing
Rubini, A. *see* Frontera, F. 85−48172
Rubino, G. *see* Celani, F. 87−67028
Rubino, G. *see* Marie, R. 86−62007
Rubino, G. *see* Ohashi, T. 86−8803
Rubino, N. *see* Bini, M. 85−64612, 86−60839
Rubino, S. *see* Klein, T.W. 86−39133
Rubino, S. *see* Reading, K. 87−51674
Rubinov, A.N., Bushuk, B.A., Berestov, A.L. Time characteristics of ultrashort light pulses generated by distributed-feedback dye lasers 88−14125

Rubinov, A.N., Efendiev, T.Sh. Holographic DFB dye lasers 86–15657
Rubinov, A.N. *see* Andreev, S.P. 85–7476
Rubinov, A.N. *see* Asimov, M.M. 88–51770, 88–65607, 88–72282
Rubinov, A.N. *see* Bokhonov, A.F. 87–26341
Rubinov, A.N. *see* Das'ko, A.D. 85–29782, 86–15653
Rubinov, A.N. *see* Efendiev, T.Sh. 86–9783
Rubinov, A.N. *see* Katarkevich, V.M. 86–54109
Rubinov, V.I., Shalyto, A.A. Method of constructing flowcharts of simple binary programs for systems of Boolean functions 87–37143
Rubinov, V.M. *see* Alkarov, I.Sh. 88–58056
Rubinov, V.M. *see* Aronov, D.A. 87–74027
Rubinov, V.M. *see* Azimov, S.A. 85–18082
Rubinov, V.V. *see* Aronov, D.A. 85–23411, 86–60590
Rubinov, Yu.A. *see* Ageev, B.M. 85–62508
Rubinov, Yu.A. *see* Bertsev, V.V. 87–26309
Rubinov, Yu.A. *see* Zinchenko, M.I. 88–26857
Rubinraut, A.M. *see* Veselovskii, A.S. 85–44011
Rubinshtein, E.N. *see* Novikov, E.V. 85–8021
Rubinshtein, G.R., Samosejko, A.N. Computation of frequency and space separation required in land mobile service to eliminate interference caused by three transmitters 88–3884
Rubinshtein, G.Ya. Computer-aided design of complex electronic circuits with inductively coupled elements 85–33593
Rubinshtein, L.I. *see* Tokar', V.G. 88–2563
Rubinshtein, M.I. *see* Reznikovskii, A.M. 87–9407
Rubinshtein, M.I. *see* Reznikovskii, A.Sh. 88–55225
Rubinshtein, P.V. *see* Balakireva, S.D. 88–74228
Rubinshteyn, E.N. *see* Novikov, E.V. 86–14011
Rubinsky, B. *see* Hsu, Y.F. 88–69951
Rubinsky, B. *see* Jennings, R. 86–28742
Rubinson, L.G. *see* Khovko, V.N. 87–4611
Rubinson, Ya.G. *see* Sapotnitskii, A.Ya. 88–55096
Rubinstein, A. *see* Rosenthal, R.W. 85–283
Rubinstein, F. Photoelectric control of equi-illumination lighting systems 85–21959
Rubinstein, F., Verderber, R., Karayel, M. Determination of the optimum sector size for automatic lighting controls 86–52042
Rubinstein, F., Ward, G. The control of daylight-linked lighting systems 85–27786
Rubinstein, F. *see* Siminovitch, M. 88–31191
Rubinstein, F. *see* Verderber, R.R. 86–45801
Rubinstein, F.M., Clark, T.A., Siminovitch, M.J., Verderber, R.R. The effect of lighting system components on lighting quality, energy use, and life-cycle cost 87–43642
Rubinstein, F.M., Karayel, M. The measured energy savings from two lighting control strategies 85–21941
Rubinstein, F.M. *see* Siminoritch, M.J. 85–65605
Rubinstein, F.M. *see* Siminovitch, M.J. 86–45806, 87–43637, 88–69910
Rubinstein, F.M. *see* Verderber, R.R. 85–21933, 85–21958, 86–45807
Rubinstein, F.M. *see* Ward, G.J. 88–62737
Rubinstein, H. FM transmission of digitalized daily newspaper for blind people 85–42719
Rubinstein, I. *see* Marcu, V. 86–67679
Rubinstein, J.T., Spelman, F.A., Soma, M., Suesserman, M.F. Current density profiles of surface mounted and recessed electrodes for neural prostheses 88–16785
Rubinstein, J.T., Suesserman, M.F., Spelman, F.A. Measurements and models of potential fields above a recessed electrode [neural prostheses application] 88–68489
Rubinstein, J.T. *see* Soma, M. 85–38234
Rubinstein, M., Lloret, J., Roig, G. A method for designing class E tuned power amplifiers 86–791
Rubinstein, M., Roberts, N. Electrochemical metallizing with gold for production and maintenance 87–74221
Rubinstein, R. *see* Amos, N. 87–21405
Rubinstein, R.Y., Samorodnitsky, G. Optimal coverage of convex regions 87–16512
Rubinstein, R.Y. *see* Gal, S. 85–22318
Rubinstein, T.N. The standard deviations of the local means of land mobile radio signals in flat suburban terrain 86–69666
Rubinstein, Y.R. Inventory models under uncertainty: an adaptive approach 87–197
Rubinsteyn, B.M. *see* Gerasimov, G.I. 87–39380
Rubio, A. Human factors activities at EPRI 86–45079
Rubio, A. Design of easily testable iterative systems 87–52530
Rubio, A., Carey, J.J., Lapides, M.E. EPRI nuclear plant life extension program overview 87–71861
Rubio, A., Parris, H.L. Preparation and training for planned nuclear plant outages 85–27194
Rubio, A. *see* Anglada, R. 88–56547
Rubio, A. *see* Lapides, M.E. 86–61232
Rubio, A. *see* Peracaula, J. 87–57568
Rubio, E., Prieto, A. Application of Schelkunoff's method to open dielectric waveguides 85–36065
Rubio, E. *see* Gondeck, A. 87–55817
Rubio, F.R., Camacho, E.F., Carmona, R. Adaptive control of solar power collectors at Almeria 85–48897
Rubio, F.R. *see* Gutierrez, J.A. 88–48822
Rubio, J.A. *see* Balado, L. 86–30120
Rubio, J.A. *see* Becker, U. 88–22943
Rubio, J.A. *see* Boratav, M. 86–5801
Rubio, J.Ballesteros *see* Ballesteros Rubio, J.
Rubio, J.F. *see* Closas, L. 86–28175
Rubio, J.F. *see* Gomez, E.M. 87–55102
Rubio, J.Fernandez *see* Fernandez Rubio, J.
Rubio, J.J.L. *see* Rodriguez, A.M.A. 88–5655
Rubio, M.A. *see* Antoranz, J.C. 88–51851
Rubio, M.A. *see* Badii, R. 88–46051
Rubio, S.J. Solar water heating for single dwelling units. II. Public incentives and competitive prospects 85–38934
Rubio Ayuso, A.J. A simple electronic system for the computation of R transform 85–28091
Rubio Ayuso, A.J. *see* Carrion, M.C. 85–19384
Rubio Ayuso, A.J. *see* Lopez, F.R. 88–52375
Rubio de Francia, J.-L. *see* Peral, I. *(editor)* 86–61865
Rubio O, J. *see* Camacho Q, A. 88–51670
Rubio-Ayuso, A.J. Recursive computation of the Walsh transform for delta-modulated functions 85–2740
Rubio-Ayuso, A.J. *see* Segura-Luna, J.C. 87–47598
Rubiola, E. A possible extension of Mediterranean Sea Loran-C chain 88–60327
Rubisov, G.V., Ostroumov, E.E., Aksenova, L.Ya., Glikaite, S.M. Twisting moments in journal of shaft of large turbine set during unsuccessful fast automatic reclosure on a power system 85–43930
Rubisov, G.V., Sigaev, V.E. A computational method for analyzing torsional vibrations of a turbine-set shaft train 87–42637
Rubisov, G.V. *see* Kazovskii, E.Ya. 87–42781, 87–78593
Ruble, R. The MPP500–the first single package complementary MOS power device 85–11010
Ruble, R., Alexander, M. Complementary MOSFETs make switched and linear power control easier 85–23774
Ruble, R., Hill, L. Developments in monolithic switch mode power supplies ICs 86–20307
Ruble, R., Hill, L., Berger, P.A. Developments in monolithic switch mode power supply ICs 85–28379
Ruble, R., Vinsant, R. Complementary IGTs solve high voltage, high current circuit problems 86–52990
Rublev, V.Ya. *see* Chernetskii, N.S. 86–56606
Rubleva, O.N. *see* Lozenko, V.K. 86–25996
Rubloff, G.W. Chemisorption technique for trapped gas analysis 85–6033
Rubloff, G.W., Beha, H. Fundamentals of laser photoemission for testing high speed devices and circuits 88–39628
Rubloff, G.W., Tromp, R.M., van Loenen, E.J. Material reaction and silicide formation at the refractory metal/silicon interface 86–58318
Rubloff, G.W. *see* Hofmann, K. 87–25102
Rubloff, G.W. *see* Margaritondo, G. 87–11389
Rubloff, G.W. *see* Renier, M. 87–73137
Rubner, M.F. *see* Seymour, R.J. 87–12581
Rubner, R. *see* Ahne, H. 87–53340
Rubow, K.L. *see* Grant, D.C. 88–44830
Rubsam, H.J. The choice is made easy: LV switchgear 85–10031
Rubsamen, R.M. A speech synthesis application in critical care medicine 87–61810
Rubtsov, A.E. *see* Nevskaya, G.E. 88–6566
Rubtsov, B.N. *see* Dorezyuk, N.I. 85–47395
Rubtsov, G.P. *see* Altukhov, P.D. 87–66938
Rubtsov, G.P. *see* Muravskii, B.S. 85–55557
Rubtsov, I.N. *see* Vainer, A.Ya. 85–50356
Rubtsov, L.N. *see* Karpov, A.V. 88–34303
Rubtsov, S.A. *see* Gorshkov, V.V. 88–40961
Rubtsov, S.A. *see* Tuzov, G.I. 86–37083
Rubtsov, S.V. *see* Minaev, I.V. 86–59135, 88–20486
Rubtsov, V. *see* Asmolov, V.G. 88–5468
Rubtsov, V.A. Low-frequency intersymbol distortions of a digital signal in repeaters with quantized feedback 87–61394
Rubtsov, V.D., Koptsev, A.A. Noise immunity of a digital MEK-AM signal demodulator with respect to unintentional interference of various kinds 88–27737
Rubtsov, V.D., Zaitsev, A.N. Determination of the probability characteristics of interference and its mixture with a narrowband signal from experimental data 86–68795
Rubtsov, V.D., Zaytsev, A.N. The applicability of the lognormal mode to statistical description of quasi-pulsed interference 85–51459
Rubtsov, V.D., Zaytsev, A.N. The nonparametric properties of a phase method of receiving a harmonic-like signal in conditions of combined additive and multiplicative noise 88–8774
Rubtsov, V.I. *see* Zverev, N.N. 86–565
Rubtsov, V.N. *see* Burtsev, V.N. 85–50954
Rubtsov, V.P. Investigating dynamics of a discrete electric drive with stepping motors 86–19540
Rubtsov, V.P. *see* Kazaryan, E.V. 87–4660
Rubtsov, V.P. *see* Sokolov, M.M. 88–37242
Rubtsov, Yu.A. *see* Isenov, E.M. 86–6596
Rubtsova, I.L., Khizhnyak, A.I. Influence of the carrier medium nonlinearity on diffraction characteristics of a three-dimensional phase grating 86–29258
Rubtsova, I.L. *see* Gerasimov, V.B. 88–58604
Rubtsova, I.L. *see* Khyzniak, A.I. 88–40390
Rubtsova, R.A. *see* Zeveke, T.A. 86–420
Rubush, M. *see* Bromborsky, A. 88–50584
Ruby, D.S. A technique for soldering GaAs concentrator solar cells 88–37602
Ruby, D.S. *see* De Jule, R.U. 85–52832
Ruby, L. *see* Kaplan, S.N. 86–32106
Ruby, R. Applying optical methods to aid in linewidth control for the development of sub-half-micron geometries 86–35508
Ruby, R., Baldwin, D., Karnezos, M. The use of diffraction techniques for the study of in-plane distortions of X-ray masks 87–38040
Ruby, R., Van Duzer, T. A novel fabrication technique for a quasicoplanar super-Schottky diode on GaAs 87–25210
Ruby, R. *see* Karnezos, M. 87–38042
Rucci, A. *see* Garbato, L. 85–16913
Rucci, N.M. *see* Kollarits, R.V. 85–36668
Rucckikh, N.P. *see* Bakalov, V.P. 86–36992
Ruch, W. *see* Jozefov, E. 87–10202, 88–203
Ruch, W.E. *see* Jozefov, E. 87–32625
Ruchardt, H. VLSI design scenario 85–12372
Ruchardt, H. VLSI design scenario 85–12432
Ruchardt, H. *(editor)* AFRICON '87. IEEE Region 8 International Workshop Proceedings: Future Development of Technological and Educational Infrastructure in Africa (Cat. No.87TH0217-0) 88–62901
Ruche'ev, N.V. *see* Shkol'nik, M.I. 87–43723
Ruchet, R. Electric problems of atomic bomb explosions. Protection of cables from the NEMP phenomenon 86–22714
Ruchet, R. *see* Ghidinelli, D. 87–34330
Ruchet, R. *see* Gyger, A. 85–59741
Ruch'ev, M.K. Exponential sampling of randomly compressed signals 87–55094
Ruch'ev, N.V. *see* Khronusov, G.S. 88–23353
Ruchholtz, C. *see* Kegel, R. 85–16080
Ruchin, V.I. *see* Burkhanov, G.S. 85–39301
Ruchkin, V.V. *see* Fortes, V.B. 87–61385
Ruchko, V.G. *see* Prokpenko, A.G. 88–68721
Ruchti, C.B., Niemeyer, L. Ablation controlled arcs 87–22655
Ruchti, R., Baumbaugh, B., Bishop, J., Biswas, N., Cason, N., Cunningham, J., Erichsen, R., Grenquist, S., Kenney, V., Mannel, E., Mountain, R., Shephard, W., Wilkins, P., Baumbaugh, A., Knickerbocker, K., Kreymer, A., Simanton, J., Wegner, C., Yarema, R., Rogers, A., Mead, R., Swanson, D. Scintillating glass, fiber-optic plate detectors for active target and tracking applications in high energy physics experiments 85–43275
Ruchti, R., Baumbaugh, B., Bishop, J., Biswas, N., Cason, N., Grenquist, S., Kenney, V., Mannel, E., Mountain, R., Shephard, W., Wilkins, P., Kreymer, A., Rogers, A., Mead, R., Swanson, D. A scintillating glass, fiber-optical plate imaging system for tracking applications in high energy physics experiments 85–37950
Ruchti, R., Baumbaugh, B., Bishop, J., Busenitz, J., Cason, N., Cunningham, J., Gardner, R., Kennedy, C., Mannel, E., Mountain, R.J., Puseljic, D., Shephard, W., Zanabria, M., Baumbaugh, A., Knickerbocker, K., Rogers, A. A scintillating fiber-optic active target (SFT) for studies of high energy photoproduction 88–68221
Ruchti, R., Baumbaugh, B., Bishop, J., Busenitz, J., Cason, N., Cunningham, J., Gardner, R., Mannel, E., Mountain, R.J., Puseljic, D., Shephard, W., Baumbaugh, A., Knickerbocker, K., Wegner, C., Yarema, R., Rogers, A., Kinchen, B., Ellis, J., Mead, R., Swanson, D. A scintillating glass fiber-optic active target for vertex detection and tracking applications in high energy physics 87–41845
Ruchti, R. *see* Baumbaugh, B. 88–61097
Ruchti, R. *see* Puseljic, D. 88–61100
Ruchy, J. Modelling of operational and environmental effects and practical operation of rotating electric machines 86–61468
Rucinski, A. A course in VLSI semicustom design in a small school environment 88–49408
Rucinski, A. *see* Palka, Z. 87–182
Rucinski, A. *see* Karonski, M. *(editor)* 87–5149
Ruck, B. Laser-Doppler anemometry. A non-invasive optical measuring technique for fluid velocities 86–38610
Ruck, B., Schmitt, F., Loy, T. Signal evaluation in laser Doppler anemometry by comparison of cycle length 86–60386
Ruck, D.W., Rogers, S.K., Kabrisky, M., Mills, J.P. Multisensor target detection and classification 88–74044
Ruck, J. New trends in lighting 85–32783
Ruck, J. Security lighting 88–24249
Ruck, J. *see* Rohr, M. 88–47630
Ruck, N. Factors affecting visual performance using screen based equipment [lighting] 88–49278
Ruck, N.C. Photobiological effects from fluorescent lamps 85–64639

Ruckdaschel, L. Connect with the future using a modern telecommunication system 88–46811
Ruckdeschel, H. *see* Raab, G. 85–52236
Ruckebusch, Y. *see* Malbert, C.H. 87–41937
Rucker, C.T. *see* Hughes, D.W. 87–6083, 87–8576
Rucker, C.T. *see* Summers, C.M. 86–20065
Rucker, F. *see* Ortgies, G. 85–30029
Rucker, J.B., Friedl, W.A. Potential impacts from OTEC-generated underwater sounds 86–65996
Rucker, K. *see* Gault, T. 86–7349
Rucker, L.D., Velez, R. Use of configuration management to enhance utility productivity 86–51411
Rucker, L.M., Davis, T.D. Excess base noise in the bipolar junction transistor 85–61904
Rucker, L.M., Hellums, J.R. Low-frequency noise characteristics of gallium arsenide MESFETs 85–34991
Rucker, L.M. *see* Davis, T.D. 88–33179
Rucker, L.M. *see* Hellums, J.R. 85–34992, 85–50607
Rucker, T., Ross, H.H., Schweitzer, G.K. Computer modeling of fiber-scintillator flow-cell radiation detector geometry 88–16652
Rucker, T.L., Ross, H.H., Schweitzer, G.K. Monte Carlo Modeling of fiber-scintillator flow-cell radiation detector geometry 88–47994
Rucker, W. *see* Ziegler, A. 86–29620
Rucker, W.M., Preis, K., Richter, K.R. The coupling of boundary and finite element methods for two-dimensional magnetic field problems 87–33363
Rucker, W.M., Richter, K.R. The numerical solution of multiple scattering problems using the boundary element method 87–75400
Rucker, W.M., Richter, K.R. Three-dimensional magnetostatic field calculation using boundary element method 88–52074
Ruckert, A. Practical risk management in the case of machinery breakdown insurance 88–6326
Ruckert, J. Byzantine Agreement protocols 86–69410
Ruckert, J. *see* Mann, A. 88–73833
Ruckert, U., Goser, K. Adaptive associative systems for VLSI 88–33361
Ruckert, U., Schroder, D. Spectral optimisation of prediction for arc furnace compensators 86–71151
Ruckert, U. *see* Goser, K. 87–25443
Rucki, G., Matloch, A. The use of microcomputer for measuring the oxygen content in boilers and furnaces 87–70847
Rucki, Z., Szczepanik, Z. Measuring concentration of electrolytic solutions by a conductometric method 88–36266
Rucki, Z. *see* Gizewski, S. 85–43124
Ruckle, B., Lokai, P., Brinkmann, U., Basting, D., Muckenheim, W. Tuning ranges of an injection-locked excimer laser 87–68367
Ruckle, B. *see* Dobele, H.F. 85–7513, 85–12950
Ruckle, B. *see* Muckenheim, W. 88–20541
Rucklidge, A. *see* Loutfy, R.O. 88–4436
Ruckman, M.W., del Giudice, M., Weaver, J.H. Temperature-dependent growth morphology of a semiconductor-metal interface: Ge/Ta(110) 85–55567
Ruckman, M.W. *see* Chambers, S.A. 88–1439
Ruckman, R.P. Communication–key to successful integration of MIS and process control 88–59690
Ruckmongathan, T.N. An LCD for multitrace oscilloscopes 87–8543
Ruckriegel, M. The benefits of a dual vapour inline phase soldering system 85–33175
Ruckstuhl, A. *see* Bene, P. 88–56532
Ruckstuhl, W. *see* Bakken, J.A. 87–35350
Ruckteschler, R., Knobloch, J. Design considerations for heavily doped layers in silicon solar cells 88–18077
Ruckteschler, R., Wood, R.F., Westbrook, R.D. Development of laser-processed high-efficiency n^+pp^+ silicon solar cells 86–45708
Rucny, J. Measurement and limitation of vibration and noise of rotating electrical machines. II 86–25988
Rucny, J. Measurement and limitation of oscillations and noise of electrical rotating machines 86–31636
Rucny, J. Documentation of rotating electric machines and their fault analysis 86–51555
Rucny, J. Analysis of a rotating electrical machine from the viewpoint of the service life and reliability 88–31064
Rud', B.M., Tel'nikov, E.Ya., Vinitskii, I.M., Lychko, V.V., Goncharov, N.M. Effect of the dispersion of components on the properties of thick films based on the BaB_6-LaB_6 solid solution 87–36821
Rud, BM. *see* Dyshel, D.E. 86–21151, 87–1113
Rud', L.A. Characteristics of polarization gratings of parallel metallic strips for scanning in a hemisphere 85–13080
Rud', L.A. Wave diffraction at a T-junction of rectangular waveguides in the H-plane 85–51478
Rud', L.A. E-plane T-junction of oversize rectangular waveguides 86–16002
Rud, L.A. Resonant behavior in waveguide T-junctions 86–27535
Rud', L.A., Shestopalov, V.P. Waveguide kink–an open resonator of the waveguide type 88–34372
Rud', L.A. *see* Kirilenko, A.A. 86–29527, 88–25397, 88–66154
Rud', L.A. *see* Vasil'yeva, T.I. 87–54640
Rud', L.I. *see* Belov, Yu.A. 88–53659
Rud, L.I. *see* Kovalevskii, I.V. 85–37598
Rud, S.V. *see* Vosrkresenskii, D.I. 86–42978
Rud', V.I. *see* Belov, Yu.A. 86–17944
Rud', Yu.V. Photopleochromism and the physical principles of the preparation of semiconductor polarimetric photodetectors 87–63418
Rud', Yu.V. *see* Abdurakhimoiv, A.A. 86–47517
Rud, Yu.V. *see* Abdurakhimov, A.A. 86–42411, 86–63706
Rud', Yu.V. *see* Bekimbetov, R.N. 88–13308
Rud', Yu.V. *see* Lunev, A.V. 87–24867
Rud', Yu.V. *see* Kradinova, L.V. 87–45631
Ruda, H.E. Theoretical study of hole transport in ZnSe 86–53337
Ruda, H.E. Theoretical study of electron mobility in a two-dimensional electron gas confined at a lattice-matched ZnSe-Zn(S,Te) heterointerface 86–63070
Ruda, H.E. *see* Walukiewicz, W. 85–6739
Ruda, M.Ya. *see* Abil'siitov, G.A. 86–38805
Rudahl, K. *see* Goldin, S.E. 88–8865
Rudaitis, V. *see* Koninas, A. 88–71301
Rudaitis, V.G., Sashchuk, A.P., Shilal'nikas, V.I. High-sensitivity magnetic induction transducers based on the effect of magnetic concentration 88–9945
Rudaitis, V.G. *see* Baranskii, P.I. 87–45561
Rudaitis, V.G. *see* Liutovich, K.L. 88–32874
Rudakov, K.V. Some universal restrictions for classification algorithms 87–27626
Rudakov, K.V. Completeness and universal constraints in the correction problem for heuristic classification algorithms 88–41049
Rudakov, K.V. Symmetric and functional constraints in the correction problem of heuristic classification algorithms 88–52538
Rudakov, K.V. *see* Ashurov, A.R. 85–36392
Rudakov, L.I. *see* Anisimov, S.I. 86–12065
Rudakov, L.I. *see* Bogolyubskii, S.L. 88–49163
Rudakov, L.I. *see* Gordeev, A.v. 85–61621
Rudakov, V.A. *see* Armand, N.A. 86–37388
Rudakov, V.N. *see* Barantseva, S.Ya. 86–544, 88–43963
Rudakov, V.V. Screening efficiency of capacitor plates 85–65411
Rudakov, V.V., Dartay, V.A., Rocco, T.O., Kozyaruk, A.E. A frequency controlled synchronous drive with a vectorial subordinate control system 88–55642
Rudakova, V.M. Experimental study of the effect of air humidity on the discharge voltages of long air gaps 85–32236
Rudakova, V.M., Filippov, A.A. Diagnosis of partial discharges in gas-filled devices by an acoustical method 88–24108
Rudakova, V.M., Tikhodeev, N.N. Allowing for annual fluctuations in humidity, temperature, pressure of air in choosing insulation for transmission lines 87–64158
Rudakova, V.M. *see* Garasim, S.I. 86–65776
Rudan, M., Odeh, F. Multi-dimensional discretization scheme for the hydrodynamic model of semiconductor devices 87–11723
Rudan, M., Odeh, F., White, J. Numerical solution of the hydrodynamic model for a one-dimensional semiconductor device 88–26185
Rudan, M. *see* Baccarani, G. 87–67189, 88–1610
Rudan, M. *see* Forghieri, A. 88–33123
Rudan, M. *see* Gnudi, A. 88–520
Rudan, M. *see* Guerrieri, R. 87–1524, 87–6760, 87–65678
Rudanko, S. *see* Friman, C.J. 85–10165
Rudant, J.-P., Chorowicz, J., Durand, P. Geologic and geomorphologic problems of interpretation and construction of radar imagery models using a digital terrain model 88–36652
Rudas, Yu.D. *see* Yakovenko, V.A. 87–64596
Rudashevskii, E.G. *see* Grigorenko, A.N. 88–40311
Rudavin, E.R. *see* Borodaev, V.A. 87–979
Rudavsky, A.B. Physical model study of ship capsizing due to breaking waves 85–4489
Rudaz, S.L. *see* Cook, L.W. 88–58380
Rudaz, S.L. *see* Steranka, F.M. 88–72230
Rudberg, A. *see* Olsson, E. 86–64517, 87–27814, 87–28316
Rudblom, L. *see* Kit, R. 87–64232
Rudchenko, P.A. *see* Karatsuba, A.S. 88–55267
Rudd, D. A renting system for radio spectrum? 86–24005
Rudd, D.W. Seven steps to zero defects [soldering] 87–5222
Rudd, D.W. A quality plan for JIT electronic assembly 88–11789
Rudd, D.W. Soldering techniques 88–12834
Rudd, D.W. A quality plan for JIT electronic assembly 88–31523
Rudd, D.W., Bracci, C.J., Moran, D.E. A cellular quality plan for electronic assembly 88–56041
Rudd, E. *see* Mueller, R.K. 87–4172, 87–71419
Rudd, E. *see* Robbins, W.P. 88–75007
Rudd, E.I., Jr., Succi, T.M. Microcomputer predicts utility peak every 6 min 85–16426
Rudd, E.P., Mueller, R.K., Robbins, W.P., Skaar, T., Soumekh, B., Zhou, Z.Q. Scanning laser acoustic microscope with digital data acquisition 87–29973
Rudd, E.P., Schaumann, R. A program for the analysis of the high-frequency behavior of switched-capacitor networks 86–62417
Rudd, E.P. *see* Bingham, J.A.C. 86–602
Rudd, E.P. *see* Robbins, W.P. 88–61672
Rudd, H., Haber, I., Reiser, M. Simulation studies of emittance growth from image-charge and focusing-field nonlinearities in a periodic solenoidal channel 88–47896
Rudd, W.G., Wang, C.J., Peng, W. Efficient integration over polytopes 85–54380
Ruddell, H.J. Development of an insect resistant telecommunication cable for the Australian environment 86–17171
Ruddell, H.J., Adams, D.J., Latoszynski, P., de Boer, B.T. Behaviour of four non-migratory antioxidants in solid polyethylene insulation 85–57909
Ruddell, R.L. The time has come for X-ray lithography 86–8937
Rudder, R.A., Cook, J.W., Jr., Lucovsky, G. High photoconductivity in dual magnetron sputtered amorphous hydrogenated silicon and germanium alloy films 85–7303
Rudder, R.A., Cook, J.W., Jr, Lucovsky, G. Photoelectronic properties of a-$Si_{1-x}Ge_x$:H films 86–58824
Rudder, R.A., Fountain, G.G., Markunas, R.J. Remote plasma-enhanced chemical-vapor deposition of epitaxial Ge films 87–23639
Rudder, R.A., Parsons, G.N., Cook, J.W., Jr., Lucovsky, G. Low defect density a-Si,Ge:H alloy films produced by magnetron sputtering from separate Si and Ge cathodes 86–27928
Rudder, R.A. *see* Fountain, G.G. 88–57386, 88–64329, 88–71357
Rudder, R.A. *see* Vitkavage, D.J. 88–71354
Ruddick, K. *see* Engels, E., Jr. 87–29488
Ruddick, K. *see* Lobkowicz, F. 85–43185
Ruddock, I.S., Illingworth, R. Cavity length optimisation in acousto-optically mode-locked argon-ion lasers 85–24453
Ruddock, I.S., Illingworth, R. Optimum cavity length and absolute cavity detuning in acousto-optically mode-locked argon-ion lasers 87–75179
Ruddock, I.S., Illingworth, R. Gain saturation phenomena in acousto-optically mode-locked argon-ion lasers 88–8257
Ruddock, I.S. *see* Illingworth, R. 87–2219, 87–33130
Ruddock, I.S. *see* Lillico, T.F. 86–22338
Ruddock, I.S. *see* Reekie, L. 85–51263
Rudduck, R.C., Lee, T.-H. Antenna pattern computations for a double-quadrant reflector antenna 85–13233
Rudduck, R.C., Liang, M., Burnside, W.D., Yu, J.S. Feasibility of compact ranges for near-zone measurements 87–54654
Rudduck, R.C., Liang, M.C., Burnside, W.D., Yu, J.S. Feasibility of compact ranges for near zone measurements 86–48666
Rudduck, R.C. *see* Chang, Y.C. 85–13232, 87–26943
Rudduck, R.C. *see* Lambert, K.M. 88–2754
Rudduck, R.C. *see* Lee, S.H. 85–36092
Rudduck, R.C. *see* Lee, T.H. 88–2727
Ruddy, F.H. Neutron dosimetry in high intensity field: a review 87–29670
Ruddy, F.H., Roberts, J.H. Solid state track recorder fission rate measurements at high neutron fluence and high temperature 87–29669
Ruddy, F.H., Roberts, J.H., Lippincott, E.P. Solid state track recorder neutron dosimetry in a simulated basalt geological waste repository 87–29668
Ruddy, F.H., Seidel, J.G., Manhardt, A.E. Analyses of solid-state track recorder pressure vessel neutron dosimetry 87–22090
Ruddy, H. *see* Stevens, J.C. 87–57143
Ruddy, K.P.J. *see* Thulasiram, R.K. 87–61074
Rude, B. *see* Gavin, B. 85–58962
Rude, M.J. *see* Griffiths, L.J. 87–61926, 88–3114
Rude, M.J. *see* McKown, J. 87–47678
Rudeck, P. *see* Coane, P. 87–25011, 88–64761
Rudel, D. *see* Cibej, I. 88–6223
Rudel, D. *see* Kralj, A. 88–37945
Rudelis, G. *see* Cassidy, B. 85–6153
Rudell, B., Byrne, S., Hoffmann, C. Reactor vessel surveillance for plant availability and life extension 88–42970
Rudell, R., Sangiovanni-Vincentelli, A. Exact minimization of multiple-valued functions for PLA optimization 87–37230
Rudell, R., Sangiovanni-Vincentelli, A. Multiple-valued minimization for PLA optimization 87–52496
Rudell, R. *see* Bartlett, K.A. 87–44794
Rudell, R. *see* Brayton, R. 87–37231
Rudell, R. *see* Brayton, R.K. 88–12312
Rudell, R. *see* Detjens, E. 88–25135

Rudell, R.L., Sangiovanni-Vincentelli, A. Multiple-valued minimization for PLA optimization 88—669
Rudell, R.L., Sangiovanni-Vincentelli, A.L.M. Espresso-MV: algorithms for multiple-valued logic minimization 86—977
Rudell, R.L. *see* Bartlett, K.A. 88—50115
Rudell, R.L. *see* Brayton, R.K. 86—46487
Rudelle, M.-I. *see* Leblanc, R. 88—67482
Ruden, P. *see* Ray, S. 86—58293
Ruden, P.P. Electrical and optical properties of semiconductor doping superlattices 88—7349
Ruden, P.P. n-i-p-i superlattices for electro-optical applications 88—58240
Ruden, P.P., Abrokwah, J.K. Electronic subbands and high field transport in $Al_xGa_{1-x}As/GaAs$ multilayers for superlattice modulation-doped field-effect transistors 87—74071
Ruden, P.P., Engelhardt, D.C., Walterson, R.A., Hibbs-Brenner, M.K. Current versus voltage measurements on GaAs doping superlattices 88—1420
Ruden, P.P. *see* Daniels, R.R. 88—44788, 88—64559
Ruden, P.P. *see* Derstine, M.W. 88—65868
Ruden, P.P. *see* Kriman, A.M. 86—21211
Ruden, W.von *see* von Ruden, W.
Rudenauer, F. *see* Stangl, G. 86—21318
Rudenauer, F.G. *see* Stangl, G. 86—21624
Rudenauer, F.G. *see* Urban, G. 86—5812, 86—31435
Rudenberg, H.G. Microlithography sets technology pace 88—39283
Rudenko, A.A. *see* Maiorov, S.A. 87—11724
Rudenko, A.B. *see* Tonkal', V.E. 88—12214
Rudenko, A.I. *see* Arkhipov, V.I. 85—50215, 86—47272
Rudenko, A.I. *see* Dzhelepov, V.P. 88—61136
Rudenko, A.I. *see* Kubilius, A. 87—12296
Rudenko, A.I. *see* Olchak, A.S. 88—39037
Rudenko, A.V. Modeling electrical circuits having ideal switches 87—16844
Rudenko, A.V. A simplified discrete model of discharge of a switchable capacitance accumulator for an inductive load 88—5833
Rudenko, E.M., Nevirkovets, I.P., Shaternik, V.E. Experimental detection of stimulation of superconductivity by a current in 'long' tunnel Josephson junctions 85—7185
Rudenko, E.M. *see* Nevirkovets, I.P. 85—46083, 86—48005, 88—33575
Rudenko, E.M. *see* Pan, V.M. 85—18598, 87—67827
Rudenko, K.V. *see* Gromov, G.G. 88—1473
Rudenko, L.N. Improving the precision of simulation of electromagnetic processes in devices with non-linear characteristics 87—78623
Rudenko, L.N. *see* Smorodin, V.I. 86—25990
Rudenko, N.A. *see* Karasinskii, O.L. 85—31490
Rudenko, N.Z. *see* Shchelkunov, V.N. 85—3967
Rudenko, O.G. Reduced multistep algorithm for identifying linear objects 88—46012
Rudenko, O.G. *see* Presnyakov, I.N. 88—66228
Rudenko, O.V. *see* Andreev, V.G. 86—32584
Rudenko, P.M. *see* Podola, N.V. 87—79242
Rudenko, S.G. *see* Presnyakov, I.N. 88—20928
Rudenko, T.E. *see* Litovskii, R.N. 88—64344
Rudenko, T.E. *see* Lysenko, V.S. 85—34681, 85—40538, 86—8897, 86—21283, 86—47446, 87—74134
Rudenko, U.N., Ushakov, I.A. Safety as one property of power-system reliability 86—50851
Rudenko, V.I. Magnetization characteristic of combination current-transformer magnetic circuit 85—5155
Rudenko, V.I. Normalization of the magnetization characteristics of the magnetic cores of linear measuring current converters 87—78741
Rudenko, V.I. *see* Boryu, N.V. 85—21694, 87—9619
Rudenko, V.M. *see* Musatov, K.A. 87—38705
Rudenko, V.N. *see* Aryshev, S.I. 85—8854
Rudenko, V.N. *see* Babichenko, S.I. 85—47957
Rudenko, V.N. *see* Gusev, A.V. 86—9441, 87—55156, 88—13718
Rudenko, V.N. *see* Krysanov, V.A. 86—17946, 88—42253
Rudenko, V.V. *see* Antonyuk, Ya.P. 86—23054
Rudenko, Yu.N. Some results of studies of system reliability in power engineering 85—64786
Rudenko, Yu.N. Methods for investigating and ensuring the reliability of electric power systems. Realization of methods 87—21853
Rudenko, Yu.N. Interindustry power-engineering problems in the research of the Siberian Energy Institute of the Siberian branch of the Academy of Sciences of the USSR. Theory, methods, applications 87—31237
Rudenko, Yu.N. Conjectured development of the Unified Electric Power System of the USSR in the first and second quarters of the twenty-first century 88—54860
Rudenko, Yu.N., Semenov, V.A., Sovalov, S.A., Syutkin, B.D. Power-system load management 87—9093
Rudenko, Yu.N., Ushakov, I.A. On the possibility of using models of reliability theory for technical systems to investigate the reliability of energy systems 85—64787
Rudenko, Yu.N., Ushakov, I.A. Models and methods for investigation of energy-system reliability 87—21856
Rudenko, Yu.N. *see* Kitushin, V.G. 87—35568
Rudenko, Yu.N. *see* Mamikonyants, L.G. 87—50647
Rudenko, Yu.S. *see* Mikhailov, V.M. 88—20832
Rudenko, Yu.V. *see* Koroteev, I.E. 86—20774
Rudenkov, A.P. *see* Maleiko, L.V. 85—14779
Rudenok, I.P. On the radiation fields in variable-thickness graded open waveguides 88—7013
Ruderman, A.L. Abrupt three-phase short circuit in a synchronous machine with multiloop rotor 86—51597
Ruderman, A.L. *see* Barshchevskii, G.G. 85—53681
Ruderman, Ya.L. *see* Ignatov, V.B. 85—44025
Rudge, A. Research, development and decline: Britain's industrial enigma 86—45977
Rudge, A. *see* Bettoni, D. 85—52968, 87—21407
Rudge, A. *see* Parkman, N. 87—23239
Rudge, A.W. Sky-hooks, fish-warmers and hub-caps: milestones in satellite communications 85—25807
Rudge, A.W. Sky-hooks, fish-warmers and hub-caps: Milestones in satellite communications 85—42508
Rudge, A.W. *see* Watson, B.K. 87—20476
Rudge, B. *see* Welham, D. 87—30065
Rudge, B.W. *see* Fisher, N.C. 88—11656
Rudie, N.J. Spacecraft survivability in the nuclear age 88—23152
Rudie, N.J., Wilkenfeld, J., Goforth, T., Rutherford, J. Pulsed power burnout testing of microwave diodes 86—35086
Rudig, W. Energy conservation and electricity utilities: a comparative analysis of organizational obstacles to CHP/DH 86—56325
Rudig, W. Combined heat and power for district heating 87—9346
Rudiger, V.G. *see* Filip, A. 86—61910
Rudigier, J.J. Army implementation of ISDN 88—28475
Rudik, K.I. *see* Gul'binas, V.B. 88—40167
Rudin, H. An informal overview of formal protocol specification 85—42258
Rudin, H. Protocols and complexity in computer communications 87—13186
Rudin, H. Trends in computer communications 87—13368
Rudin, H. Training of software engineers in the telecommunications industry 87—23036
Rudin, H. An informal overview of formal protocol specification 88—28414
Rudin, H. Network protocols and tools to help produce them 88—46591
Rudin, H. *see* Engelbrecht, J.R. 86—69241
Rudin, H., West, C.H. *(editor)* Protocol Specification, Testing, and Verification, VII. Proceedings of the IFIP WG 6.1 Seventh International Conference 88—18322
Rudin, S., Bednarek, D.R., Wong, R., Kaczmarek, R.V., Ram, R. Increased radiographic contrast and dynamic range by combining a rapid multiple scanning beam device with a wide latitude receptor and digital enhancement 88—23051
Rudin, S. *see* Bednarek, D.R. 88—36440
Rudin, S.F. *see* Reddi, S.S. 85—7931
Rudina, M.P. *see* Drobzhev, V.I. 87—39375
Rudinger, G. *see* Bednarek, D.R. 88—36440
Rudis, E.R. *see* Butkus, K.D. 85—41376
Rudisill, J.E., Danielewicz, E. Coatings for high-power excimer lasers 87—61206
Rudisuli, J. The TELOC-2000S tachograph on the MI84 motorcoach of the RER in Paris 87—14555
Rudkin, A.M. Signal generator for maintenance 85—20629
Rudkin, A.M. Instruments for measuring modulation 85—48079
Rudkin, A.M., Cain, P., Zannoli, S. High-performance signal generator 87—29143
Rudkin, A.M. *see* Lawrence, I. 85—20632
Rudkin, T. Upgraded signal source with improved performance and reliability 87—56712
Rudkin, T. Signal generator performance and reliability 88—53744
Rudko, M. *see* Hassanein, H. 85—2775
Rudko, M. *see* Tromp, L.D. 86—29475
Rudko, M. *see* Wu, C.-y. 88—14343 to 14344
Rud'ko, V.A. *see* Voronov, S.A. 86—18258
Rud'ko, V.P. *see* Gudivok, P.M. 87—58804
Rudkovskii, V.N., Nikiforov, I.Ya., Khristich, S.V. High-speed pulse count-rate meter with high dynamic range 85—9109
Rudloff, H. *see* Fellmuth, B. 87—8760
Rudman, A.A., Zapal'skaya, V.M., Yurkova, O.P. Improvement of standby in the event of switch failures 86—61680
Rudman, A.A. *see* Zapal'skaya, V.M. 86—26095
Rudman, D.A., Beasley, M.R. Microscopic superconducting parameters from tunnelling in *A*15 Nb-Sn 85—1878
Rudman, D.A. *see* Ditmer, G.A. 87—58588
Rudman, D.A. *see* Yurek, G.J. 88—33559
Rudman, I.K. A method for thermal and hydraulic design of cooled current leads of cryogenic electrical devices 87—78149
Rudman, I.Kh., Grenaderova, L.A., Grinchenko, N.G. Aspects of current leads for cryogenic electrical machines 87—9957
Rudman, I.Kh., Grenaderova, L.A., Grinchenko, N.G. Temperature state of cryogenic current leads with current overloads and interruption of coolant flow 87—35655
Rudman, I.Kh. *see* Dan'ko, V.G. 86—26054, 87—15871
Rudman, I.Kh. *see* Kazovskii, E.Ya. 87—9956
Rudman, M.R. *see* Aindow, J.D. 86—34419
Rudman, S. *see* Dabbs, P.H. 85—25216
Rudman, V.I., Dokhnovskii, M.I. The influence of skews in magnetic video heads on videogram interchangeability 86—60059
Rudmik, A. *see* Beretta, R. 86—49167
Rudner, L.A. Second generation testing and diagnostic system for turbofan aircraft engines 85—31900
Rudner, S. *see* Winkler, D. 85—56200, 87—20385, 87—33559
Rudnev, O.V., Promashkov, V.A. Generator of complex pulse trains 87—21108
Rudnev, O.V. *see* Promashkov, V.A. 87—21502
Rudnev, V.I. *see* Nemkov, V.S. 87—43651
Rudnev, V.N. *see* Yudov, M.F. 88—30646
Rudneva, I.V. *see* Bikkenin, R.R. 86—36938
Rudnick, H. *see* Gonzalez, C. 87—78011
Rudnick, H.-J. *see* Keilbach, W. 88—54894
Rudnick, K. *see* Massatt, P. 87—41116
Rudnick, M.F. AT&T Bell Laboratories Local Digital Switching Application Laboratory quality improvement program 86—13374
Rudnick, T.J. *see* Gering, J.M. 88—63906
Rudnick, V.D.W.H. *see* Lira, M.R. 87—78850
Rudnicki, M. Numerical computation of buckling strength of disk type transformer windings under short-circuit conditions 85—60252
Rudnicki, M. The regularisation method in inverse problems of field theory 86—10055
Rudnicki, M. Synthesis of electromagnetic field using generalized discrepancy 86—54246
Rudnicki, M. Topological approach to unstable problems of electromagnetic field 87—61314
Rudnicki, M. *see* Pawluk, K. 88—58777
Rudnicki, P. *see* Gburzynski, P. 88—3622, 88—34872
Rudnicky, A. *see* Murveit, H. 87—61698
Rudnicky, A.I., Baumeister, L.K., DeGraaf, K.H., Lehmann, E. The lexical access component of the CMU continuous speech recognition system 87—61662
Rudnicky, A.I., Zong-ge Li, Polifroni, J.H., Thayer, E., Gale, J.L. An unanchored matching algorithm for lexical access 88—72805
Rudnik, S., Trautnitz, W. Using function testers to increase the manufacturing efficiency of hoisting equipment 86—49931
Rudnik, S., Trautnitz, W. Diagnostic units speed up inservice inspection of electrical crane equipment 86—52304
Rudnik, V.D., Gutsalo, A.I., Pyatin, S.I. Simulation of reference four-pole networks for testing group delay meters 85—8927
Rudnitskii, A.L. *see* Yakobi, Yu.A. 85—56733
Rudnitskii, A.S., Titov, A.D., Khapalyuk, A.P. Kaleidoscopic waveguide and resonator modes 85—46613
Rudnitskii, A.S., Titov, A.D., Khapalyuk, A.P. Surface modes of a plane symmetric dielectric waveguide (media with losses) 87—33487
Rudnitskii, B.E. *see* Akhmet'yanov, V.R. 88—21170
Rudnitskii, M.P. *see* Arzamstsev, D.A. 85—64790
Rudnitskii, Yu.P. *see* Leont'ev, V.M. 87—68420
Rudnitskiy, A.S., Khapalyuk, A.P. A generalized method of partial planar waves 85—36075
Rudnitskiy, A.S., Titov, A.D., Khapalyuk, A.P. Flux density distribution of the hybrid directional modes of a plane dielectric waveguide 87—47270
Rudnitskiy, V.B. *see* Glagolev, S.F. 88—28076
Rudnyy, Ye.M. *see* Vykodets, A.V. 86—38013
Rudoi, I.G., Soroka, A.M. Limiting characteristics of a xenon molecular laser 88—65598
Rudoi, I.G. *see* Aleksandrov, A.Yu. 87—12358, 88—58439, 88—72277
Rudoi, I.G. *see* Basov, N.G. 85—51114, 85—56533, 86—9757, 86—15643, 86—22320, 86—22562, 86—29074 to 29075, 86—58866, 87—12541, 87—18909
Rudoi, I.G. *see* Batyrbekov, G.A. 88—20549
Rudoi, V.A. *see* Ermakov, S.L. 86—5335
Rudolf, D. The Hessische Elektrizitats-AG glass fibre project 86—23921
Rudolf, D. The use of optical conductor technology in energy utilities as exemplified by the Heag 87—56135
Rudolf, D. The employment of fiber-optic technology in power supply utilities, taking HEAG as an example 88—22129
Rudolf, D.J. Technical databases in electronics 88—50906
Rudolf, F. *see* Bartsch, P. 86—67610
Rudolf, F. *see* Grisel, A. 85—42953
Rudolf, G.H. *see* Georgiadi, V.Kh. 86—39572
Rudolf, H.-W. *see* Borger, R. 86—10861
Rudolf, K., Jorgensen, H. Special philosophy behind new frequency converter 87—22517

Rudolf, M. Accelerated life-testing for Weibull-distributed life expectancy 86−34101
Rudolf, M. Computer-aided maintenance organisation in automated production systems 87−72761
Rudolph, A.F. *see* Ra Tsol Su 87−3780
Rudolph, B. Power supply for portable video 85−47712
Rudolph, D. *see* Niemann, B. 86−60687
Rudolph, F. Proving of high temperature plants 87−78462
Rudolph, G., Georgiadi, W.C. Program system for calculating nonstationary processes in asynchronous motors in power stations 85−21423
Rudolph, G. *see* Bialy, J. 85−64412
Rudolph, H. Testing of digital application-specific ICs: a practical solution 86−52788
Rudolph, J., Eckey, H., Seibel, J. Reduction of the number of pipe system antivibration mountings in nuclear power stations 86−51259
Rudolph, J. *see* Steinwender, F. 85−27184
Rudolph, K. *see* Lobner, K.E.G. 87−71049
Rudolph, K. *see* Menges, G. 87−50816
Rudolph, K. *see* Schodlbauer, D. 86−38666
Rudolph, K.-P. A 32 position indicator system with dual multiplexer control 85−37505
Rudolph, L. A robust sorting network 85−40814
Rudolph, L.K. Design and benefits of pulsed MPD thruster orbit transfer vehicles 85−31958
Rudolph, L.K., King, D.Q. 100 kWe magnetoplasmadynamic thruster system design 85−59400
Rudolph, M., Schaefer, H. Industrial thermo-electric process−energy saving, technical and economic aspects of production 87−5107
Rudolph, M. *see* Reitler, W. 87−36285
Rudolph, P. *see* Schwenkenbecher, K. 86−20024
Rudolph, R. The design, testing, and application of metal-oxide dischargers 85−21256
Rudolph, R., Mayer, A. Overvoltage protection of cables in the 10-30 kV range 85−32218
Rudolph, R. *see* Beyer, H. 87−12412
Rudolph, R. *see* Kleine, P. 85−25602
Rudolph, R. *see* Mayer, A. 86−32842
Rudolph, R.R., Timm, R.E. Developing deployment procedures for activated barriers 86−139
Rudolph, S., Gardner, M.K. Remote site instruction in physics: a test of the effectiveness of a new teaching technology 87−10064
Rudolph, S. *see* Gardner, M.K. 87−62528
Rudolph, T. *see* Elliott, J.R. 87−26860
Rudolph, T.H. *see* Pitts, F.L. 88−58764
Rudolph, W. Calculation of pulse shaping in saturable media with consideration of phase memory 85−12966
Rudolph, W. Calculating the cross sectional area of conductors and safety devices. I. Protection against overloading 85−38549
Rudolph, W. Determination of conductor cross-sections and protective gear. II. Short circuit protection 85−43644
Rudolph, W. Obtaining conductor cross sections and protective devices. II. Permitted current loadings on cables and lines and permitted voltage drop 85−53330
Rudolph, W. *see* Brandt, R. 87−29666
Rudolph, W. *see* Bruckner, V. 85−35712
Rudolph, W. *see* Diels, J.-C. 85−41423
Rudolph, W. *see* Dietel, W. 86−15751, 88−58479
Rudolph, W. *see* Lu, B. 85−35664
Rudolph, W. *see* Petrov, V. 88−14263, 88−20595
Rudolph, W. *see* Wilhelmi, B. 86−15741
Rudolph, W.J., II, Lindsay, M. The Wolf Creek quality trend analysis program 88−23649
Rudomanov, V.I. *see* Belobragina, L.S. 88−4260
Rudometkin, A. *see* Benedetti, M. 88−56350
Rudov, M.H. Wanted: concerned users to join ISDN (r)evolution 85−63226
Rudra, A., Grenet, J.-C., Gibart, P., Heral, H., Rocher, A. Oriented overgrowths in MOVPE-grown GaAs 88−31795
Rudra, A. *see* Basmaji, P. 87−78918
Rudra, A. *see* Saletes, A. 88−18079, 88−31043
Rudrauf, A. Electromagnetic pulse simulators 86−59095
Rudskii, V.A. *see* Kyverik, K.Kh. 87−16865
Rudskiy, V.A., Togatov, V.V. Analysis of current decay in a high-voltage transistor under forced-shutdown conditions 88−71525
Rudskiy, V.A. *see* Grigor'yev, B.I. 85−6904
Rudskoi, I.V. *see* Litovchenko, V.G. 87−36760 to 36761, 88−44623
Rudskoi, I.V. *see* Rzhepetskii, V.P. 86−15054
Rudstam, G. *see* Jacobsson, L. 87−57008
Ruduan Zhang *see* Zhang Ruduan
Rudy, Y. *see* Liebman, J. 86−11996
Rudy, Y. *see* Liebman, J. *(editor)* 88−6100
Rudyak, B.I. *see* Argarkova, L.V. 86−70310
Rudyak, V.M., Seregin, L.N. A universal instrument for detecting short circuits in soldered stator-winding bars of large electrical machines 87−9475
Rudychev, V.G. *see* Pyshkin, V.B. 88−70511
Rudyk, V.D., Dryuchin, A.A., Argat, N.A. Automated bench for determination of parameters of multiterminal networks 88−29240
Rudzit, Ya.A. Determining microtopographic roughness parameters from sections 87−3753
Rudzkene, V.Yu. *see* Baltrunas, I.I. 88−11839
Rudzki, Z. The use of noise gates in sound studio engineering 86−11372
Rue, O. The effect of the atmosphere on Earth-satellite communications at frequencies in excess of 10 GHz 86−17325
Rue, O. A new clear-air interference prediction method for small time percentages 87−54619
Rue, R.M.De La *see* De La Rue, R.M.
Rueb, K.D., Wong, A.K.C. Refinement of scene interpretation for object recognition and location 88−73381
Ruebsam, H.J. Enclosure systems for demanding environments 85−16800
Rueckel, M.-E. *see* Poindexter, E.H. 85−12022
Rueckert, U., Kreuzer, I., Goser, K. A VLSI concept for an adaptive associative matrix based on neural networks 87−67376
Rueckert, U. *see* Goser, K. 85−22895
Rueda, A., Huertas, J.L., Rodriguez-Vazquez, A. Basic circuit structures for the synthesis of piecewise polynomial one-port resistors 85−54622
Rueda, A., Rodriguez-Vazquez, A., Huertas, J.L. New design technique for multiport regionalizers 85−54627
Rueda, A. *see* Heurtas, J.L. 85−17126
Rueda, A. *see* Huertas, J. 85−17123
Rueda, A. *see* Huertas, J.L. 85−6129, 85−40172, 85−45154, 87−32028
Rueda, A. *see* Rodriguez-Vazquez, A. 87−65793, 87−73528, 88−44312
Rueda, F. *see* Elizalde, E. 86−67725
Rueda, J.Herrero *see* Herrero Rueda, J.
Rueda Garcia, J. *see* Diaz de la Iglesia, R. 88−20394, 88−41682
Ruede, A. *see* Buhrer, W. 85−59948
Ruedenauer, F.G. *see* Stangl, B. 85−40801
Ruedger, W.H. *see* Hunt, D.J. 87−69377, 88−66612
Ruedger, W.H. *see* Padgett, M.L. 87−20590
Rueff, M., Melchior, K. QZ situational report on image processing systems in quality assurance 88−73224
Rueff, M. *see* Mussigmann, U. 88−59266
Rueff, M. *see* Warnecke, H.J. 88−3187
Rueff, P. Acoustics without resonators [synthesizer] 86−49902
Rueff, P. Polyphone compact synthesizer. V 87−14052
Rueff, P. The noises of the wind. IV. Synthesizer applications 87−20808
Rueff, P. Midi the cream for a synthesizer VI 87−20812
Rueff, P. Synthesizer and guitar 88−4252
Rueff, P. Guitar and MIDI. Synthesizer applications. XV 88−9845
Rueff, P. The synthesizer and MIDI in practice 88−22379
Rueff, P. Synthesizer and MIDI in practice 88−22387
Rueff, P. . . . the third version [Atari computer D-50 sound editor program] 88−29178
Rueff, P. Innovative editing [Atari-ST software editors for D-50 synthesizer] 88−41933
Rueff, P. Recording scene: Switzerland. II 88−47378
Rueff, P. Soon . . . D-50 workshop [electronic synthesizer] 88−47386
Rueff, P. Atari and Yamaha−X-Alyzer 88−53508
Rueff, P. Patches, tones and partials. D-50 workshop. I. [electronic synthesizer] 88−74215
Ruegenberg, G., Schrodinger, K. Optical transmission system at its power limit 87−68040
Ruegenberg, G., Schrodinger, K. 50-Mbaud optical transmission system operating at 860 nm 88−60182
Rueger, J.M. High accuracy in short ISS missions 87−4107
Rueger, L.J., Chiu, M.C. Development of precision time and frequency systems and devices at APL 85−52836
Rueger, L.J., Chiu, M.C. Long term performance of the Johns Hopkins built hydrogen maser 87−14568
Rueger, L.J., Chiu, M.C. Long-term performance of the Johns Hopkins-built hydrogen maser 88−16515
Rueger, L.J. *see* Danchik, R.J. 87−41141
Rueger, W.J. Reliability analysis of networks with capacity-constraints and failures at branches and nodes 87−31333
Rueger, W.J. A memory-effective fast algorithm for computing the reliability of complex systems/networks 87−58749
Ruegg, A. Probabilites et statistique (Probability and statistics) 85−32967
Ruegg, A., Vitins, J. The power semiconductor for the highest outputs−situation of the technique and development trends 87−15848
Ruegg, A. *see* Sittig, R. 85−5164
Ruegg, H. Semicustom integrated circuits 86−20394
Ruegg, J. *see* Aegerter, H. 88−54975
Ruegg, K. Design and construction of oil burners 88−62301
Ruegger, D. *see* Bay, A. 88−74749
Ruegger, M. Use of microprocessors in meter testing 86−31190
Ruegger, M., Schaezle, D.R., Ziegler, E. Automatic data interchange in meter testing and meter movement 88−9864
Ruegger, M.H. *see* Schaezle, D.R. 87−49501
Ruegsegger, H., De Toffol, A. The equipment monopoly will be broken [telephone handsets] 88−28552
Ruegsegger, P. *see* Seitz, P. 85−43370
Ruegsegger, W., Meier, R., Kneubuhl, F.K., Schotzau, H.J. Mass spectrometry of arcs in SF_6 circuit breakers 85−53769
Ruehle, K.D. *see* Hickernell, F.S. 85−14688, 87−6981, 87−46556
Ruehli, A. *see* Liniger, W. 87−52057
Ruehli, A. *see* White, J. 86−13706
Ruehli, A.E. *see* Beetem, J.F. 85−35200
Ruehli, A.E. *see* Cockerill, T.J. 87−65660
Ruehli, A.E. *see* Debefve, P. 85−40942
Ruehli, A.E. *see* Ditlow, G. 85−22811, 85−28332
Ruehli, A.E. *see* Ditlow, G.S. 85−28461, 85−28467
Ruehli, A.E. *see* Hsieh, H.Y. 86−58556
Ruehli, A.E. *see* LeBlanc, T.J. 86−47719
Ruehli, A.E. *see* Odeh, F.M. 85−675
Ruehli, A.E. *(editor)* Circuit analysis, simulation and design. General aspects of circuit analysis and design 87−51716
Ruela, C.M. *see* De Lima, E.P. 87−8867
Ruello, Hakoun, Reslinger An improved single-mode splicing machine including splice protection, miniature package, and screen-test 88−72081
Ruemeli, W.A. Trend analysis in the nuclear maintenance industry 86−45067
Ruen, L. *see* Lin, M. 87−28685
Rueppel, D.W. *see* Kaifer, R.C. 86−50358
Rueppel, R.A., Staffelbach, O.J. Products of linear recurring sequences with maximum complexity 87−39555
Rueppel, R.A. *see* Caflisch, M. 88−27755
Rueppel, R.A. *see* Massey, J.L. 87−69014
Ruess, F. *see* Putschogl, G. 87−78246
Ruesta, V. *see* Vellejo, C. 85−48292
Rueth, W.R. *see* Schaffer, J.S. 85−27563
Ruetschi, P. Cation-vacancy model for MnO_2 85−32685
Ruette, M. *see* Cappi, R. 88−54140
Ruetz, A. *see* Stearns, C.C. 88−70838
Ruetz, E. *see* Williams, R.K. 87−32689
Ruetz, P.A., Ang, P.H. The architectures and design of a 20-MHz real-time DSP 88−70835
Ruetz, P.A., Ang, P.H. A chip set for real-time 20-MHz DSP 88−73013
Ruetz, P.A., Brodersen, R.W. A custom chip set for real-time image processing 87−17145
Ruetz, P.A., Brodersen, R.W. A realtime image processing chip set 87−17164
Ruetz, P.A., Brodersen, R.W. Architectures and design techniques for real-time image-processing IC's 87−44894
Ruetz, P.A., Jain, R., Brodersen, R.W. Comparison of parallel architectures for image processing circuits 86−67251
Ruetz, P.A., Jain, R., Shung, C., Rabaey, J.M., Jacobs, G.M., Brodersen, R.W. Automatic layout generation of real-time digital image processing circuits 87−775
Ruetz, P.A., Pope, S.P., Brodersen, R.W. Computer generation of digital filter banks 86−52958
Ruey-Beei Wu, Chun Hsiung Chen A variational analysis of dielectric waveguides by the conformal mapping technique 85−57084
Ruey-Beei Wu, Chun Hsiung Chen Scalar wave analysis of dielectric waveguides using conformal mapping technique 86−68824
Ruey-Beei Wu *see* Chih-Shu Lee 88−4931
Ruey-Beei Wu *see* Shyh-Kang Jeng 86−68703
Ruey-Rong Wang *see* Yau-Hwang Kuo 88−38469
Ruey-Shing Huang *see* Rei-Min Huang 87−32370
Ruey-Sing Wei, Sangiovanni-Vincentelli, A. PLATYPUS: a PLA test pattern generation tool 86−20198
Ruey-Sing Wei, Sangiovanni-Vincentelli, A. VICTOR-II: global redundancy identification, test generation, and testability analysis for VLSI combinational circuits 86−20479
Ruey-sing Wei *see* Ma, H.T. 87−66114
Ruf, A. *see* Blum, A. 87−20062
Ruf, C. *see* Swift, C.T. 87−57436
Ruf, E.G. *see* Molen, G.M. 85−5297, 87−17586
Ruf, R., Forner, S., Pellkofer, D., Weber, R. On-site production of butt welds for pipes by mechanized equipment 85−10275
Ruf, R., Hummeler, A. Steam generator replacement at the Obrigheim Nuclear Power Plant 85−27210
Ruf, R., Schomer, E. Technology transfer for inspection and repair services 86−39370
Ruf, R.R. *see* Reim, W. 87−60787
Ruf, T., Heldmaier, G. Computerized body temperature telemetry in small animals: use of simple equipment and advanced noise suppression 88−16695
Ruf, W. Applications for autonomous controllers in the electric power industry 86−44852
Rufang Gao *see* Gao Rufang

Rufenacht, P. Infranet—a transmission network for telemetry data 86—23404
Rufer, A. Application of a programmable high-speed controller (PHSC) to the simulation of a direct self controlled VSI-fed induction motor 88—69385
Rufer, A. *see* Olsen, S.O. 86—19533
Rufer, R.P. Using a single FM microwave link for two black-and-white cameras 87—76554
Ruff, B., Lazechko, B. A solid-state microwave pulsed-power amplifier 88—56482
Ruff, L.E. Least-cost planning and demand-side management: six common fallacies and one simple truth 88—54936
Ruffalo, D.R. Understanding T1 basics: primer offers picture of networking future 87—40266
Ruffell, J.P., Douglas-Hamilton, D.H., Kaim, R.E., Izumi, K. A high current, high voltage oxygen ion implanter 87—53333
Ruffell, J.P. *see* Douglas-Hamilton, D.H. 87—53380
Ruffell, J.P. *see* Klaim, R.E. 87—53379
Ruffer, P. *see* Krahn, E. 86—69354
Ruffer, R. *see* Gerdau, E. 86—60653
Ruffer, R. *see* Theopold, F.A. 86—50415
Ruffi, G. *see* Prudenziati, M. 88—1224
Ruffie, G., Pagani, L., Beaudin, G., Gheudin, M., Deschamps, A. Radioastronomical cooled low noise receiver for spectroscopic applications at 230 GHz 87—41158
Ruffie, G. *see* Beaudin, G. 87—11042
Ruffie, G. *see* Castets, A. 88—47245
Ruffie, G. *see* Deschamps, A.R. 87—34693
Ruffie, G. *see* Pagani, L. 87—13808
Ruffie, G. *see* Prigent, C. 88—61650
Ruffin, P.B., Sung, C.C. Excess signal loss in precision-wound optical fiber 88—39920
Ruffin, P.B., Sung, C.C. Temperature dependence of signal loss in precision-wound optical fiber 88—45116
Ruffin, P.B. *see* Edwards, E. 88—45117
Ruffing, B. Surface roughness measurement by speckle correlation methods 87—3761
Ruffing, J. Vapor phase soldering basics 88—63032
Ruffing, J.F. Vapor phase soldering considerations 87—53059
Ruffino, G., Turner, R., Dumitrescu, M. A new radiation thermometer 87—21271
Ruffino, S. Automation applied to hydroelectric power plants 87—72041
Ruffner, E. *see* Sieber, R.E. 86—61077
Ruffner, E.R., Sieber, R.E., Ahmadi, M. Assessing the potential of goal programming to improve the effectiveness of resource allocation among demand-side management programs 87—71564
Ruffner, J.A. *see* Himel, M.D. 88—51521
Rufford, G. Small scale combined heat and power systems. I. Technical aspects and governing regulations 86—51433
Rufford, G. Small scale combined heat and power systems. II. The demonstration project 86—51434
Rufi, B. *see* Lane, J.L. 85—4704
Rufinchas, J.J. *see* Hernandez, C. 85—15334
Rufray, J.-C. *see* Pery, A. 87—13874
Rufray, J.C. *see* Pery, A. 86—11262
Rufus, J. *see* Goetz, D. 87—73953, 88—12900
Rufus, J. *see* Knorr, G. 88—8263
Rugalenko, Yu.V. *see* Skripnik, Yu.A. 85—30277
Rugang Shen *see* Shen Rugang
Rugar, D. Magnetooptic direct overwrite using a resonant bias coil 88—51277
Rugar, D., Lin, C.-J., Geiss, R. Submicron domains for high density magneto-optic data storage 88—51591
Rugar, D., Suits, J.C., Lin, C.-J. Thermomagnetic direct overwrite in TbFe using thermally induced domain wall energy gradient 88—51272
Rugar, D. *see* Foster, J.S. 85—53203
Rugar, D. *see* Suits, J.C. 88—71934
Rugari, A.D. *see* Hagstrom, R. 85—31724
Ruge, I. Microelectronics and the economy 85—12374
Ruge, I. 3-D integration becoming a reality? 87—67405
Ruge, I. *see* Kling, T. 88—33377
Ruge, I. *see* Kohl, M. 87—53656
Ruge, I. *see* Stechele, W. 87—53661
Ruge, I. *see* von Granau, C. 86—67153
Ruge, I. *see* Zeisler, P. 86—67983
Ruge, J. *see* Decker, I. 87—47056
Ruge, J. *see* Hansmann, M. 88—45601
Rugemalira, R.A.M. Optimum linear equalization in digital fiber-optic systems 85—31048
Rugen, I., Schrock-Pauli, C., Gerbershagen, M. An interactive layout design system with real-time logical verification and extraction of layout parasitics 88—56577
Rugen, I. *see* Gerbershagen, M. 88—64748
Ruger, H., Venekamp, H.-P. New generation of power convertors for railway signal installation power supply 86—33795
Ruger, J. Eye safe Raman laser range finder for ground and airborne application 88—15689
Ruger, K. Lower servicing costs through signature analysis 85—26241
Ruger, K. A new systems multimeter 87—41557
Ruger, R. *see* Hauser, G. 86—56455
Ruger, W. Secure data transmission using interface multiplexer PU 104 DC 88—53083
Ruger, W. *see* Aggarwal, K.K. 85—214
Ruger, W. *see* Fischer, K. 86—59471
Ruger, W. *see* Hohne, G. 86—37283
Rugg, D.E. *see* Rinard, G. 87—39317
Ruggeberg, R. Development of the teletex service in the Federal Republic of Germany—experience gained with the international service and special projects of some users 85—51982
Ruggeberg, R. Pilot project for the XINHUA news agency—first step towards a teletex service in China 87—13295
Ruggeberg, R. The development of the telematic services in the ISDN 87—48427
Ruggeberg, R. The teletex service development in the Federal Republic of Germany and in the international arena 88—9080
Rugger, D.A. *see* Moyer, L.R. 87—34639
Ruggera, P. *see* Allen, S. 88—30033
Ruggera, P. *see* Gopal, M.K. 88—61437
Ruggera, P.S. CDRH hyperthermia coil applicators 88—61434
Ruggeri, F. *see* D'Agostini, G. 87—21466
Ruggeri, M. *see* Basilev, P. 86—59839
Ruggeri, S. *see* Dubois, A. 88—57821
Ruggeri, S. *see* Thomas, F. 88—70871
Ruggerini, G. *see* Alia, F. 87—47432
Ruggerini, G. *see* De Vincenti, P. 88—27685
Ruggero, S. The Sfikia project, Greece 88—69220
Ruggi, D. *see* Amato, U. 87—64228
Ruggi, D. *see* Blois, F. 86—39619
Ruggi, D. *see* Bloisi, F. 86—33210
Ruggier, L. *see* Salomon, M. 85—43253
Ruggieri, A. *see* De Angelis, T. 86—59481
Ruggieri, F. *see* Albrizio, R. 88—74766
Ruggieri, F. *see* Bagliesi, G. 88—48025
Ruggieri, F. *see* Catanesi, M.G. 86—60606, 87—29686
Ruggieri, F. *see* De Vincenzi, M. 86—65331
Ruggieri, M. *see* Giannini, F. 86—41298, 88—25600, 88—32384, 88—50340, 88—56989
Ruggieri, N. *see* Vrba, J. 88—12575
Ruggieri, S.K. Nuclear valve stem packing improvements can reduce leakage 87—9257
Ruggiero, A.G. Intrabeam scattering in electron and proton storage rings (a review) 85—26524
Ruggiero, A.G. The Wakeatron; acceleration of electrons on the wake field of a proton bunch 86—5637
Ruggiero, A.G. The Wakeatron: acceleration of electrons on the wake field of a proton bunch 86—5692
Ruggiero, A.G. Acceleration of electrons by the wake field of proton bunches 87—41710
Ruggiero, A.G., Schoessow, P., Simpson, J. The ANL experiment for a wake field accelerator using an RF structure 87—70915
Ruggiero, A.G. *see* Gai, W. 88—47785
Ruggiero, A.G. *see* Konecny, R. 87—41694
Ruggiero, A.G. *see* Simpson, J. 86—32068
Ruggiero, C.M. *see* Henriquez, T.A. 85—58838
Ruggiero, F. Transverse mode coupling instability due to localized structures 87—3824
Ruggiero, F. Theoretical aspects of some collective instabilities in high-energy particle storage rings 87—8788
Ruggiero, F. *see* Chao, A. 88—16611
Ruggiero, R. The effect of radiation damping and noise on the transverse mode coupling instability due to localized structures 86—24971
Ruggiero, S.T., Arnold, G.B., Track, E., Prober, D.E. Critical current behaviour and oxide barrier properties of Ta surface layers on Nb 85—62233
Ruggiero, S.T., Barner, J.B. Low-noise AC/DC voltage source with continuous zero crossing 88—18921
Ruggiero, S.T., Schwarzbek, S., Howard, R.E., Track, E. Low-noise AC/DC current source with continuous zero crossing 86—62440
Ruggiero, S.T. *see* Schwarzbek, S.M. 87—6165
Ruggiero, V. A particular method for determining the eigenvalues of symmetric tridiagonal matrices 85—33334
Ruggiu, G. Cryptology and complexity theories 87—69007
Ruggles, G. *see* Ruzyllo, J. 88—7656
Ruggles, G.A., Monkowski, J.R. An investigation of fixed charge buildup in nitrided oxides 86—63191
Ruggles, G.A. *see* Lu, D. 88—44704
Ruggles, L.E. *see* Filter, W.F. 87—20980
Ruggles, L.E. *see* Lockwood, G.J. 87—21139, 87—21329, 87—65839
Ruggles, L.E. *see* Neyer, B.T. 87—18681, 87—18740
Ruggles, L.E. *see* Stinnett, R.W. 86—8539
Ruggles, M.J. *see* Shanmugan, K.S. 87—34506
Ruggli, R.W. *see* Frosch, R. 85—39247
Rugh, W.J. *see* Wang, J. 87—59119
Rugsachart, P., Sharp, D. Rural telecommunications in Thailand: experiences from a project in progress 88—28277
Ruguang Cheng, Shulin Wen, Jingwei Feng, Fritzsche, H. Transmission electron microscopy of a-Si:H/a-SiN$_x$:H multilayers 86—26889
Ruguang Cheng *see* Cheng Ruguang
Rugui Wang *see* Wang Rugui
Ruh, W.D. Copper-plating the throughholes of printed circuit boards and cards 85—23259
Ruh, W.D. *see* Cziep, W. 85—1174
Ruh, W.D. *see* Kraus, G. 85—40374
Ruhault, F. *see* Becam, D. 86—30228, 87—68960
Ruhe, A. *see* Wold, S. 85—5890
Ruhe, G. Characterization of all optimal solutions and parametric maximal flows in networks 85—39846
Ruhe, J.R. *see* Moir, D.C. 88—42376
Ruheng Wu *see* Wu Ruheng
Ruhl, F. Cutoff decomposition on multiply clad fibers 87—18643
Ruhl, F.F. *see* Snyder, A.W. 85—41139
Ruhl, G.W., Frantz, R.G. Metropolitan area digital networks 86—10670
Ruhl, H. Digital filter 86—62730
Ruhl, H. Digital filters. II 86—67369
Ruhl, H.-W., Dreissig, D., Kulas, W. Controlling phoneme synthesizers in text-to-speech systems 85—20423
Ruhl, H.J. Packaging—the synergistic conduit to the next generation of power electronic systems 86—34058
Ruhland, K. *see* Brooks, F.M. 86—54705
Ruhland, M. PLDs and 68020 provide launchpad for 68030 designs 88—6895
Ruhland, M. MC68030: the second generation 32-bit microprocessor 88—12431
Ruhland, M. Getting longer event timing 88—38598
Ruhle, M. Ceramic microstructures and properties 85—61010
Ruhle, R. *see* Christ, P. 87—48673
Ruhle, W. Trace detection of cobalt, nickel and copper in boiling water reactor circuits by means of volumetric methods 85—43803
Ruhle, W., Heiler, K.U. The fieldbus, a concept for uniform communication-interfaces and protocols for digital field-devices 87—13442
Ruhle, W., Venderbosch, H.J. Intelligent connection [PDV-Net computer network] 85—25494
Ruhle, W. *see* Buseck, S. 87—78464
Ruhle, W. *see* Jacobi, G. 87—50949
Ruhle, W. *see* Leibenzeder, S. 85—51063
Ruhle, W.W. *see* Glasow, P.A. 87—77595
Ruhle, W.W. *see* Leo, K. 88—71334
Ruhling, F. *see* Bertazzi, A. 87—11983 to 11986
Ruhlman, F.A. An advanced IEEE-716 ATLAS ATE system 85—31335
Ruhlmann, L. *see* Boulanger, P. 88—74048
Ruhnau, J. *see* Kiessling, F. 87—21960
Ruhnau, R. *see* Voigt, B. 88—49167
Ruhnau, W. *see* Feld, H. 86—51814
Ruhnow, R.W. *see* Appleyard, A.C. 85—64065
Ruhnow, R.W. *see* Witt, S.H. 85—64066
Ruhrmann, D.R. Adaptive MUSIC [multiple signal classification] 88—40920
Ruhua Song *see* Song Ruhua
Rui, R. *see* Grion, N. 87—3819
Rui, R. *see* Rozon, F.M. 88—42431
Rui Fan Ting *see* Ting Rui Fan
Rui Feng *see* Feng Rui
Rui Lin Jia *see* Jia Rui Lin
Rui Liu *see* Liu Rui
Rui Yang *see* Yang Rui
Rui-feng Zhang *see* Zhang Rui-feng
Rui-Hua Dou, Milstein, L.B. Erasure and error-correction decoding algorithm for spread-spectrum systems with partial-time interference 85—63516
Rui-hua Dou, Milstein, L.B. Coded error probability for DS spread-spectrum systems with periodic pulsed multiple-tone interference 86—10961
Rui-min Zhao *see* Zhao Rui-min
Rui-ping Qin *see* Qin Rui-ping
Rui-rong Liu *see* Liu Rui-rong
Rui-xiang Ying *see* Ying Rui-xiang
Rui-xue Fan *see* Fan Rui-xue
Rui-yuan Liu *see* Liu Rui-yuan
Rui-zhang Chen *see* Chen Rui-zhang
Ruian Fei *see* Fei Ruian
Ruide Xu *see* Xu Ruide
Ruifeng Wang *see* Wang Ruifeng
Ruifong Wang *see* Wang Ruifong
Ruifu Yan *see* Yan Ruifu
Ruigen Shi *see* Shi Ruigen
Ruigeng Shi *see* Shi Ruigeng
Ruighaver, A.B. *see* Frietman, E.E.E. 88—41610
Ruigrok, J.J.M. Analysis of metal-in-gap heads 85—24144
Ruigrok, J.J.M. Cross measurements in magnetic recording: a new way of determining head performance 85—24145
Ruigrok, J.J.M., Greidanus, F.J.A.M., Godlieb, W.F., Spruit, J.H.M. Design and performance of magnetic heads for magneto-optic recording with magnetic field modulation 88—64938
Ruigrok, J.J.M., Quak, D. An alternative expression for the read flux in magnetic recording theory 87—74514
Ruigrok, J.J.M. *see* Sillen, C.W.M.P. 88—57970
Ruigrok, J.J.M. *see* Zieren, V. 88—57950
Ruihua, W. *see* D'Amico, A. 86—14957
Ruihua, Z., Boyang, L., Jianhuan, Z. A new method for the UV excitation in radiophotoluminescence dosimetry 87—50460
Ruihua Cheng *see* Cheng Ruihua
Ruihua Li *see* Li Ruihua

Ruihua Pan *see* Pan Ruihua
Ruihua Xi *see* Xi Ruihua
Ruijter, I.De *see* De Ruijter, I.
Ruikai Wang *see* Wang Ruikai
Ruikun Wu *see* Wu Ruikun
Ruile, W., Muller, F., Riha, G. Metal-RACs with track interference weighting [SAW device] 87−60758
Ruile, W. *see* Fleischmann, B. 87−60760, 87−60779
Ruile, W. *see* Grassl, H.P. 87−18456
Ruilong Gu *see* Gu Ruilong
Ruimin Tao *see* Tao Ruimin
Ruiming Xia *see* Xia Ruiming
Ruimy Gonzales, D. Data security using single-chip micros with on-board EEPROM 85−17455
Ruineau, C., Vetu, E. 1.3 μm monomode long haul communications pigtailed laser modules 86−9876
Ruineau, C. *see* Vetu, E. 86−3191
Ruiping Huang *see* Huang Ruiping
Ruiqin Chen *see* Chen Ruiqin
Ruirong Zeng *see* Hongyuan Shen 86−68502
Ruirong Zeng *see* Zeng Ruirong
Ruisong Ding *see* Ding Ruisong
Ruissen, C.J. *see* Hoeks, A.P.G. 85−4303, 86−56111
Ruiten, C.J.M.Van *see* Van Ruiten, C.J.M.
Ruiter, H.M.de *see* de Ruiter, H.M.
Ruiter, J.P., Thus, A.W. Cooling of oil-filled cable joints using heat pipes 85−9529
Ruiu, A. *see* Alexe, F. 86−33061
Ruiwu Peng *see* Peng Ruiwu
Ruixiong Chen *see* Chen Ruixiong
Ruixuan Ding *see* Ding Ruixuan
Ruiyao Yuan *see* Yuan Ruiyao
Ruiying Zhou *see* Zhou Ruiying
Ruiz, A., Cioffi, J.M. A frequency domain approach to combined spectral shaping and coding 88−8789
Ruiz, A. *see* Briones, D. 88−56261
Ruiz, A. *see* Briones, F. 87−36704
Ruiz, A. *see* Federman, E. 85−8235
Ruiz, A. *see* Forino, A. 85−37976
Ruiz, C. *see* Slutz, S.A. 87−77510
Ruiz, C.Garcia *see* Garcia Ruiz, C.
Ruiz, C.J. *see* Niver, E. 88−34390
Ruiz, C.L. *see* Cook, D.L. 87−43208
Ruiz, D. *see* Hanley, M. 85−23353
Ruiz, D. *see* Pallas, R. 85−11052
Ruiz, D. *see* Pallas-Areny, R. 86−32334
Ruiz, E.Munoz *see* Munoz Ruiz, E.
Ruiz, E.O. Field programmable logic integrated circuits 88−56593
Ruiz, E.Olias *see* Olias Ruiz, E.
Ruiz, E.R. *see* Asher, R.K., Sr. 87−8741
Ruiz, E.V. *see* Saez, N.P. 87−69067
Ruiz, E.V. *see* Soriano, P.R. 85−57302
Ruiz, E.Vidal *see* Vidal Ruiz, E.
Ruiz, F. A signal level adapter for the connection of audio signals 86−24219
Ruiz, F. *see* Martinez, P.M. 86−31691
Ruiz, F.Alcala *see* Alcala Ruiz, F.
Ruiz, G., Buron, A., Michell, J.A. NMOS and CMOS physical faults diagnosis by spectral techniques: simulation and associated tools 88−7750
Ruiz, J. *see* Tirado, J.F. 85−65019, 86−18917
Ruiz, J.Galvan *see* Galvan Ruiz, J.
Ruiz, J.Juan *see* Juan Ruiz, J.
Ruiz, J.L.Fernandez *see* Fernandez Ruiz, J.L.
Ruiz, J.M. Theoretical quantification of nonlinear effects in silicon solar cells 87−78946
Ruiz, J.M. Nonlinear behaviours of bifacial silicon solar cells 88−37580
Ruiz, J.M., Cid, M. Mismatch corrections of solar cell spectral response measurements with a reference cell 87−78953
Ruiz, J.M., Cid, M., Cuevas, A. Analysis of bifacial silicon cells under variable injection conditions 86−33681
Ruiz, J.M., Cuevas, A., Cid, M. Influence of the base region on the performance of silicon solar cells 86−7091
Ruiz, J.M., Lorenzo, S., Aldana, F., Uceda, J. Microprocessor based integral control and simulation for one phase UPS systems 87−30847
Ruiz, J.M. *see* Araujo, G.L. 86−7090, 86−40116, 86−40138, 86−45659
Ruiz, J.M. *see* Cid, M. 86−33693
Ruiz, J.M. *see* Lorenzo, S. 87−23931, 87−52355, 88−30915, 88−43318, 88−43323
Ruiz, J.M. *see* Lorenzo Matilla, S. 85−59628
Ruiz, J.M. *see* Orenzo, S. 88−48986
Ruiz, J.M. *see* Prat, L. 87−78947
Ruiz, J.M. *see* Shaker, M. 88−31080, 88−43424
Ruiz, L. *see* Subbarao, W.V. 88−54465
Ruiz, L.V., Salinger, J.D. Microcomputer design laboratories in college education 88−43626
Ruiz, L.V. *see* Subbarao, W.V. 88−44238
Ruiz, M. *see* Martinez, S. 88−23416
Ruiz, M.C.Erice *see* Erice Ruiz, M.C.
Ruiz, P. *see* Campo, R. 87−78039
Ruiz, R.Ceres *see* Ceres Ruiz, R.
Ruiz, S. *see* Egawa, Y. 87−72924
Ruiz, Y. *see* Gindre, M. 88−68668
Ruiz del Portal, X. *see* Lazaro Pertierra, C. 85−30678
Ruiz Estopinan, D. *see* Casanova Munoz, J. 88−4298
Ruiz Fdez, R. *see* Sebastian, R. 88−5616
Ruiz Gonzalez, J.M., Lorenzo Matilla, S., Peran, J.R. A DC measuring transducer for high-current circuits 85−52740
Ruiz Gonzalez, J.M. *see* Lorenzo Matilla, S. 87−52356
Ruiz Vazquez, M.C. Solid-state thermometric sensors. The bipolar transistor as thermometric sensor 88−60696
Ruiz-Martinez, F. *see* Masgrau, E. 86−29753
Ruiz-Medrano, C.C. Equivalent circuits: their role in analysis 85−9842
Ruiz-Mezcua, B. *see* Portillo-Garcia, J. 88−45870
Ruiz-Moreno, S., Junyent, G., Soneira, M.J., Usandizaga, J.R. Statistical analysis of nonlinear optical amplifier in high saturation 88−27287
Ruizheng, P. Mathematical model for brushless synchronous generator and voltage regulator systems 88−48927
Ruizheng, P. *see* Kun, M. 88−43180
Ruizheng Lu *see* Lu Ruizheng
Ruizhi Lan *see* Lan Ruizhi
Ruji Huang *see* Huang Ruji
Rujkorakarn, R. *see* Sites, J.R. 85−7199
Rujun Chen *see* Chen Rujun
Ruk, B. *see* Pavlovskii, B.A. 86−50249
Rukao, S. *see* Kato, S. 85−26899
Rukavitsyn, A.F. *see* Nemlikher, Yu.A. 88−12233, 88−71040
Rukes, B. Large heat pumps in district heating systems 85−15836
Rukes, B. District heat from large power plants generating medium load power—a report on a new survey commissioned by the Federal Ministry for Research and Technology 86−65922
Rukhadze, A.A. *see* Aleksandrov, A.F. 85−13049
Rukhadze, A.A. *see* Bogdankevich, L.S. 86−29181
Rukhadze, A.A. *see* Bogdanov, A.T. 87−47105, 88−2591
Rukhadze, A.A. *see* Bogdanov, V.V. 85−28905, 87−32206
Rukhadze, A.A. *see* Karbushev, N.I. 85−12889, 85−51403, 86−15853
Rukhadze, A.A. *see* Kikvidze, R.R. 88−52137
Rukhadze, A.A. *see* Kuzelev, M.V. 85−17773, 87−1147, 88−32723, 88−52138, 88−64180
Rukhadze, A.A. *see* Vladimirov, S.V. 88−52275
Rukhadze, N.D. *see* Koldaev, I.M. 87−7215
Rukhamkin, V.M. *see* Kuz'min, V.L. 86−21530
Rukhin, V.B. *see* Dudkin, V.A. 85−35705
Rukhlenko, A.S. *see* Dashenkov, V.M. 87−17210, 87−52743
Rukhlyada, N.Ya. *see* Gostev, A.V. 86−27786, 88−19584
Rukin, S.N. Arkad'ev-Marks generator with cascaded cutoff spark gaps 88−563
Rukin, S.N. *see* Polyakov, G.F. 88−562
Rukinsky, Yu.L. *see* Ivanenko, N.P. 88−50689
Rukman, G.I., Shelemin, E.B. Utilization of Brownian particle motion parameters to measure IR radiation power 85−47979
Rukman, G.I., Shelemin, E.B. Quasitransverse Doppler effect in measurement engineering 86−70216
Rukman, G.I. *see* Andreev, V.I. 87−77276
Rukmini Devi, N. *see* Chandra Mouly, C. 86−1347
Rukolaine, S.A. *see* Elyukhin, V.A. 88−27185
Rukovansky, I., Nesvadba, J., Sklenar, P. The performance of 16-bit microcomputers based on the 8086 microprocessor 85−22937
Rukovishnikov, A.I., Polyakov, V.I., Perov, P.I., Ignatov, B.G., Ermakova, O.N., Aleksandrov, A.L. Device for charge and current relaxation spectroscopy of levels in semiconductors 88−67998
Rukuda, M. *see* Mitsumata, T. 86−13013
Ruland, C. The architecture of security systems in public communications systems 88−28208
Ruland, R. *see* Pitthan, R. 88−54038
Rule, D.W. Transition radiation diagnostics for intense charged particle beams 87−56962
Rule, D.W. *see* Iversen, S.G. 88−54116
Rule, E.A. The selection and use of capacitors 87−73815
Rule, I.C. *see* Rapier, A.C. 87−14625
Rule, S. *see* Stowitschek, J.J. 87−8025
Rulf, B. Problems of radome design for modern airborne radar. I 85−46657
Rulf, B. Problems of radome design for modern airborne radar. II 86−3705
Rulf, B. Transmission of microwaves through layered dielectrics—theory, experiment, and application 88−27466
Rulin Wu *see* Wu Rulin
Ruling, R.F., Kahl, H.-J. Process-controlled flexible testing system for dimensional checks in shaft manufacturing 87−70801
Rul'kov, N.F. *see* Betin, A.A. 87−68319
Rul'kovskii, V.F. *see* Baranov, V.N. 86−25857
Rull, J. *see* Bosch, R. 88−60904
Rullent, C. *see* Fissore, L. 88−72791
Rullent, C. *see* Gemello, R. 85−30231, 85−51559, 86−54466, 88−34734, 88−59087
Rullent, C. *see* Giachin, E. 88−59088
Rullent, C. *see* Poesio, M. 88−59085
Rulling, W. *see* Hagerup, T. 88−301
Rulo, C.H.F. Measurement of peak voltages 85−37642
Rulon, T.D., Berstis, K.A. Performance appraisal of an ARGO calibration system using GPS 88−10592
Rulot, H. *see* Casacuberta, F. 88−14612
Rulot, H. *see* Fernandez, A. 88−52376
Rulot, H. *see* Vidal, E. 85−13522, 87−47624, 88−45987, 88−72890
Rulot, H.M. *see* Vidal, E. 88−52372
Rulot Segovia, H. *see* Vidal Ruiz, E. 86−22959
Rulz-Moreno, S., Junyent, G., Usandizaga, J.R., Calzada, A. Resolution of moment equations in a nonlinear optical amplifier 87−26509
Rumahlewang, J.B. *see* Chehata, T. 86−50961
Rumak, N.V., Khatko, V.V. Structure and properties of silicon dioxide thermal films. II. 110 nm thick SiO_2 films 85−23704
Rumala, S.S.N. Modelling of commodity retail networks at static equilibrium price levels 85−54629
Rumancik, J. *see* Kerr, B. 87−71888
Rumancik, J.A. *see* Morey, D.N. 87−78298
Rumatowski, K. On the accuracy of two-dimensional filtering using Walsh transform 85−36299
Rumatowski, K. Synthesis of two-dimensional digital sequence domain filters 85−46854
Rumatowski, K. Walsh transform applied to digital filtering 86−48950
Rumble, D. The world market for wideband applications 87−7950
Rumble, D. The UK electronic messaging market: 1986-91 87−20124
Rumble, E. *see* Chu, B. 85−43784
Rumble, E.T., Chu, B.B. An approach for integrating plant operations and maintenance information with system reliability analysis 88−30452
Rumble, E.T. *see* Chu, B.B. 87−71849
Rumble, E.T. *see* Najafi, B. 85−43842
Rumbold, A. Education for reality [policy towards technology and industry] 87−72726
Rumbold, D.C.S. *see* Booth, G.W. 85−28821
Rumbolt, R. A times square data display [touchtone decoder design] 85−25699
Rumbolt, R. Is your repeater dying? [16-channel telemetry encoder design] 85−30859
Rumbolt, R. Speech! Speech! [talking repeater controller] 85−58448
Rumburg, J. *see* Mitchell, K.W. 87−30962
Rumburg, J.P. Energy-based module ratings compared with field performance of single crystal, polycrystalline, and ribbon silicon photovoltaic modules 86−13065
Rumburg, J.P. *see* Morel, D.L. 86−7057
Rumbut, J.T. *see* Baylog, J.G. 87−41010
Rumelhard, C., Archambault, Y., Telliez, I. Computer aided design of microwave monolithic integrated circuits 88−63882
Rumelhard, C., Camiade, M., Chaplart, J., Le Brun, M., Pavlidis, D., Parisot, M. Some examples of GaAs microwave monolithic amplifiers 88−7068
Rumelhard, C. *see* Versnaeyen, C. 88−56941
Rumeli, A., Hizal, M. Calculation of impulse flashover voltage of a water column 87−18366
Rumenin, Ch.S. Two-collector planar magnetotransistor with an enhanced magnetic field sensitivity 87−29044
Rumennick, V. *see* Wacyk, I. 87−16878
Rumennik, V. Power devices are in the chips 85−61986
Rumennik, V. Power integrated circuits 86−53715
Rumennik, V. *see* Amato, M. 86−47868
Rumennik, V. *see* Gough, P.A. 87−46003
Rumennik, V. *see* Jayaraman, R. 85−50664
Rumennik, V. *see* Mukherjee, S. 87−46016, 88−39727
Rumennik, V. *see* Petruzzello, J. 86−21365
Rumennik, V. *see* Simpson, M.R. 86−47622
Rumi, G., Rossi, D., Stebbin, E., Zannoli, S. Analysers of analogue and digital wave shapes 85−42932
Rumi, R.F. *see* Azimov, S.A. 86−7855, 86−24484
Rumi, R.F. *see* Kan, V.V. 86−13178
Rumiantsev, N.G. Some features of reproduction in multibeam electron devices 85−24342
Rumiantsev, V.L. *see* Alexeev, V.L. 85−37970
Rumin, N. *see* Khordoc, K. 86−67136
Rumin, N. *see* Savaria, Y. 85−40037
Rumin, N.C. *see* Agarwal, V.K. 87−44720
Rumin, N.C. *see* Cox, H. 88−38579
Rumin, N.C. *see* Dagenais, M.R. 86−20494, 86−46462, 87−32736, 87−38576, 87−65664, 88−44108
Rumin, N.C. *see* Martin, D. 87−46235
Rumin, N.C. *see* Savaria, Y. 86−41877, 86−47829, 86−62507
Rumin, N.R. *see* Panda, U.R. 86−41063
Ruming Chen *see* Chen Ruming
Ruming Tang *see* Tang Ruming
Ruming Zhou *see* Zhou Ruming
Rumisek, J. New diesel-electric locomotive, type T 419.05, for metallurgical plants 85−53882

Ruml, J. Concept of compressor stations for long distance natural gas transport with controlled electric drives of 25 MW 87−9979
Ruml, Z., Orna, M., Drahy, J. Research on erosion of steam turbine blades 85−43879
Rumley, S. *see* Lear, J.L. 87−77637
Rummel, E. Maintenance on an off-shore CANDU 600 88−75375
Rummel, E.W. Generate bipolar logic levels from a 5 V supply 86−34668
Rummel, E.W. Multivibrator achieves near-50% duty cycle 87−65956
Rummel, G., Everett, R. The Jones Fork small hydro scheme 86−51504
Rummel, G., Puwein, W. PROCONTROL P for the Mellach district heating plant in Austria 85−15856
Rummel, G., Van Weele, B. Small hydro supplements irrigation scheme 85−60059
Rummel, S. *see* Mrig, L. 88−5846, 88−69702
Rummel, W., Rathke, R., Schaller, R. Eddy current test samples, probes and scanning system 85−6093
Rummel, W.D. Human factors considerations in the assessment of nondestructive evaluation (NDE) reliability 85−6066
Rummer, W. *see* Liebisch, W. 86−64925
Rummich, E. Power generation from solar and wind energy 85−38929
Rummich, E. *see* Haidinger, K. 85−16036
Rummler, D.C. *see* Sullivan, J.S. 86−62350
Rummler, D.R. *see* Dixon, S.C. 86−50663
Rummler, G., Gornitz, A., Markl, W., Seidel, T. Universally applicable solution for computer-aided compilation of technological production data 85−85
Rummler, J. *see* Barber, D. 88−54002
Rummler, W.D. Modeling the diversity performance of digital radios with maximum power combiners 85−14123
Rummler, W.D. Advances in microwave radio route engineering for rain 88−3830
Rummler, W.D., Coutts, R.P., Liniger, M. Multipath fading channel models for microwave digital radio 87−20402
Rump, S.M. Solution of linear systems with verified accuracy 87−58858
Rumpel, D. Tripping to houseload [power plant control] 86−51452
Rumpel, D. The concept of network components in operation and data-organization 88−17051
Rumpel, D., Nagdy, N.M. Description and evaluation of electrical network topology using a grid data language 87−64016
Rumpel, D., Sun Jirong On the application of Chinese characters in computerized control centres for electric power systems 86−25489
Rumpel, D., Sun Jirong On the application of Chinese characters in computerized control centres for electric power systems 86−44851
Rumpel, D., Sun Ji Rong Decentralization vs. centralization in grid automation systems 87−71587
Rumpel, D. *see* Dickers, K. 86−65910, 87−35563
Rumpel, D. *see* Feuerstacke, E. 85−5582
Rumpel, D. *see* Niethe, C. 86−5447 to 5448
Rumpf, H.-G. Local district heating concepts with the use of heat pumps−some variants and examples 88−62149
Rumpf, M. *see* Baldauf, E. 86−14433
Rumreich, M. Decoder restored sync−the key to EIA baseband interface standard IS-15 87−13879
Rumreich, M. Resistors provide nonlinear pot tapers 87−24489
Rumreich, M. Build passive, RC-ladder filters 87−45012
Rumreich, M. Commercial zapper for your radio 87−49388
Rumsby, D., Grant, I., Brozel, M.R., Foulkes, E.J., Ware, R.M. Electrical behaviour of annealed LEC GaAs 86−1727
Rumsby, P.T. *see* Golombok, M. 87−32416
Rumsby, P.T. *see* Key, M.H. 87−12373
Rumsby, P.T. *see* Lewis, C.L.S. 88−33919
Rumsey, D.C. Support of existing data interfaces by the ISDN 86−16752
Rumsey, D.C. Support of existing data interfaces by the ISDN 86−59460
Rumsey, D.C. *see* Bimpson, A.D. 86−54663
Rumsey, F. Audio post-production: the Sony approach 86−24227
Rumsey, V.H. Coherent and incoherent sources in a turbulent medium 87−12703
Rumyantsev, A.B. *see* Pugachev, V.F. 87−41988
Rumyantsev, A.V. Calibration device for low-force dynamometers 86−5546
Rumyantsev, A.V. *see* Ageev, S.M. 85−20731
Rumyantsev, D.D. *see* Kaniskin, V.A. 87−60708
Rumyantsev, D.E. *see* Tarasov, A.I. 87−21927, 88−30375
Rumyantsev, G.Ya. *see* Semenov, K.A. 86−16696
Rumyantsev, G.Ye. *see* Semenov, K.A. 88−9421
Rumyantsev, K.E. Energy parameters of optical-radiation spatial search systems 86−10478
Rumyantsev, K.E. A robust detector of optical radiation intensity modulated by subcarrier frequency 87−35081
Rumyantsev, K.E. Time search of pulse signals by single-electron photodetectors 87−35083
Rumyantsev, K.E. Nonlinear processing of optical pulse signals 87−47921
Rumyantsev, K.E. The reliability of single-electron recording of a light flow 87−70646
Rumyantsev, K.E. Time parameters of systems seeking sources of optical radiation 88−53693
Rumyantsev, K.E., Firsov, V.S. Invariance of the probability characteristics of a detector to the form of optical pulsed signals 87−55261
Rumyantsev, K.E. *see* Bychkov, S.I. 85−14651, 87−49753 to 49754
Rumyantsev, K.E. *see* Prokof'ev, V.N. 88−40903
Rumyantsev, L.S. *see* Demenchuk, N.P. 85−36111
Rumyantsev, N.M. *see* Bezmenov, F.V. 85−5572
Rumyantsev, P.P. *see* Anan'ev, L.M. 85−11001
Rumyantsev, P.P. *see* Gordeev, P.G. 85−39924
Rumyantsev, R.I., Trofimov, A.S. Selection of optimization criteria for information-measuring systems for antenna measurements 88−72668
Rumyantsev, R.N. *see* Pshenichnyi, G.I. 87−58483
Rumyantsev, S.L. *see* Levinshtein, M.E. 85−23412
Rumyantsev, V.A., Tager, S.A. Light-valve microhologram search system employing a liquid-crystal array 85−19056
Rumyantsev, V.D., Saradzhishvili, N.M. Photoelectric conversion efficiency of short radiation pulses 85−24403
Rumyantsev, V.D. *see* Alferov, Zh.I. 86−63813, 87−58944
Rumyantsev, V.D. *see* Andreev, V.M. 86−29003, 86−35313, 86−70142, 87−36164
Rumyantsev, V.D. *see* Aripov, Kh.K. 85−44168, 85−49091, 87−51455
Rumyantsev, V.L. *see* Melititskii, V.A. 87−39792, 87−56208, 88−21176
Rumyantsev, V.P. *see* Atayants, B.A. 85−13559, 86−16312
Rumyantsev, Yu.M. *see* Fainer, N.I. 86−34285
Rumyantsev, Yu.V. *see* Levchenko, G.I. 87−57919
Rumyantseva, I.A. *see* Petukhov, A.P. 87−1569
Rumyantseva, N.A. *see* Medbed', O.E. 85−17997
Rumyantseva, N.A. *see* Medved', O.E. 88−32481
Run Pei *see* Pei Run
Run-hua Chen *see* Chen Run-hua
Run-qiao Zhao *see* Zhao Run-qiao
Run-Wen Wang *see* Ke-Qi Qin 88−58106
Run-wen Wang *see* Wang Run-wen
Runacres, C. Simulation access versus performance 87−66128
Runciman, H.M. Thermal imaging sensors for submarine periscopes 87−49544
Rund, D. *see* Bersiner, L. 87−40542, 87−40920
Runde, M. Mass transport in stationary contact points 87−52932
Rundel, B. The problems in the fast scanning of test signals 88−4315
Rundel, B. 16-bit analogue data acquisition on Eurocard. The effect of interference sources is important 88−67701
Rundel, R. *see* Rosling, D. 85−63435
Rundhay, D.S. *see* Ahson, S.I. 87−21982
Rundkvist, K. Semiconductor component technologies and packaging structures in future switching systems−their impact on power systems 85−57654
Rundle, P.C. *see* Bryer, N.J. 88−42209
Rundle, T. Developments in communications 86−4113
Rundquist, D.E. *see* Gaertner, K.J. 88−47315
Rundus, D. Sensor integration by system and operator 88−42621
Rundus, D. *see* Starks, S.A. 87−63868
Runets, L.P., Smirnov, A.Ya. Calculation of the losses in a laser cavity containing elements for locking the radiation spectrum by the phase-polarization method 87−7414
Rung, R.D. Trench isolation prospects for application in CMOS VLSI 85−50747
Runge, B. *see* Redmill, F.J. 88−24584
Runge, G. Telecommunication services for administrators 88−34934
Runge, H. Power semiconductors—today and tomorrow 87−23934
Runge, H. *see* Noack, W. 87−41451
Runge, K. *see* Fischer, H.M. 87−21417
Runge, K. *see* Stern, M. 87−49027
Runge, P.K., Trischitta, P.R. The SL undersea lightwave system 85−37014
Runge, P.K., Trischitta, P.R. The SL undersea lightwave transmission system 86−17409
Runge, P.K., Trischitta, P.R. The SL undersea lightwave transmission system 86−30838
Runge, R. *see* Arlett, P.L. 85−14677
Runge, W. Railway drive technology with synchronous traction motors 87−79046
Runge, W., Still, L. U-bahn drive with current source inverter and with contactless drive/brake rearrangement 86−71107
Runge, W. *see* Appun, P. 87−22863
Rungis, J. The effect of atmospheric humidity on the corona extinction voltage of circular cylinders 85−37696
Rungis, J. The interpretation of radio-influence voltage profiles [transmission line interference] 86−18815
Rungis, J. Modular DC resistance divider for 500 kV 86−40033
Rungis, J., Schon, K. The evaluation of impulse divider response parameters 88−50286
Rungsunseri, Y. *see* Thajchayapong, P. 86−20697, 87−10967
Runham, M. *see* Baden Fuller, A.J. 88−50418
Runheng Huang *see* Huang Runheng
Runjie Ying *see* Ying Runjie
Runkel, D. DATEX-P, the public packet switching network of the Deutsche Bundespost after five years of experience 87−55837
Runkel, J., Stegemann, D. Using an on-line-analysis system for light water reactor core surveillance 86−51420
Runkle, J. *see* Eddy, F.N. 85−3507
Runliang Li *see* Li Runliang
Runnels, J.E. Impacts of demand-side management on T and D−now and tomorrow 87−78064
Runnels, J.E., Whyte, M.D. Evaluation of demand-side management 86−18648
Runnels, J.E. *see* Garcia, E.V. 85−59599
Runnels, R.W. Selection of protective coatings for padmounted equipment maintenance 85−10427
Runolfsson, O. *see* Costantini, F. 85−9038
Runolfsson, O. *see* Fischer, H.M. 87−21417
Runov, B.T. *see* Koval', G.S. 86−19093
Runov, V.Yu. *see* Abashev, Yu.G. 87−29230
Runovc, F. Silicides in VLSI technology 86−2370
Runovc, F. Device and process simulations for semiconductor technology development 87−46063
Runow, P., Maurer, H.A. Current state of acoustic emission as an aid to the structural integrity assessment of nuclear power plants 86−19036
Runow, P. *see* Bretfeld, H. 85−22563
Runsheng, D. *see* Shuzi, Y. 87−63254
Runske, H. *see* Kristel, A. 86−4417
Runt, J. *see* Hu, K.A. 86−67517, 87−1009, 87−37591, 87−73801
Runt, J. *see* Moffatt, D. 87−52894
Runtao Ye *see* Ye Runtao
Runthala, D.P. *see* Wadhawan, O.P. 85−50699
Runwen Wang *see* Wang Runwen
Runyan, R.A. *see* Robards, R.F. 87−71998
Runyan, W.G., Vick, G.L. ACTFEL modeling for the electronic drive system designer 87−21171
Runyan, W.G. *see* Vick, G.L. 86−18432
Runyan, W.R. *see* Bean, K.E. 86−2019
Runyon, D.L. *see* Stutzman, W.L. 85−2555
Ruobing Jin *see* Jin Ruobing
Ruocco, S.R. The design of a 3D vision sensor suitable for robot multisensory feedback 88−36080
Ruoff, A.L., Vohra, Y.K., Bassett, W.A., Batterman, B.W., Bilderback, D.H. Proposed dedicated high pressure beam lines at CHESS 88−48065
Ruoff, A.L. *see* Charvat, P.K. 87−1420
Ruoff, A.L. *see* Cheeks, T.L. 88−7487
Ruoff, A.L. *see* Krueger, E.E. 86−28209, 88−39239
Ruoff, A.L. *see* Vanderlinde, W.E. 86−9033, 88−39242
Ruoff, A.L. *see* Whetten, T.J. 86−63209
Ruoff, S. *see* Stone, D. 86−62320, 87−23802
Ruohonen, I. A vector-controlled cage induction motor drive for demanding industrial applications 87−16112
Ruohoniemi, J.M., Moorcroft, D.R. Radar auroral echo heights as seen by a 398-MHz phased array radar operated at Homer, Alaska 85−63733
Ruoju Guo *see* Guo Ruoju
Ruokangas, C.C., Black, M.S., Martin, J.F. Stereo vision: two alternate approaches for the matching problem 87−62209
Ruokonen, T. *see* Lautala, P. 88−36912
Ruolian Jiang *see* Jiang Ruolian
Ruoping Yao *see* Yao Ruoping
Ruopp, G. Adaptation of existing terminal equipment to the ISDN 88−35205
Ruopp, G. A universal ISDN adaptor for present generation terminals−initial experiences from the ISDN pilot project 88−53009
Ruopp, G. Terminal matching for ISDN 88−73703
Ruopp, G.H. The evolving plug-in modem 87−20314
Ruopp, P. Bird imitator 85−11455
Ruoss, C.W. Recent equipment development for remote maintenance in nuclear power plants 86−25838
Ruoss, E. Development of a 500 kV airblast HVDC breaker 87−9690
Ruoss, E. Requirements for switching tests of metal enclosed switchgear. I 87−51391
Ruoss, E. *see* Bachmann, B. 86−6938
Ruoss, R., Gyenge, J., Fischer, F. Straflo upgrade for Laufenburg 88−48811
Ruoss, W. Modern power electronics in the Maglev train TRANSRAPID 06 II 87−64872
Ruotsalainen, K. On the boundary element method with mesh refinement on curves with corners 88−18627

Ruotsalainen, K., Wendland, W. On the boundary element method for some nonlinear boundary value problems 88−63272

Ruotsi, W. *see* Benedict, J.S. 87−53590

Ruoxin Ma *see* Ma Ruoxin

Rupaal, A.S. *see* Alber, J.R. 85−15239

Ruparel, K.N. *see* Bosshart, P.W. 87−59617, 88−6901

Rupe, R.W. *see* Hower, G.L. 86−13875, 86−13878

Rupelle, M.L.de la *see* de la Rupelle, M.L.

Rupeng Wang *see* Wang Rupeng

Rupert, A. *see* Chaplain, R. 86−1990

Rupert, A. *see* Gauneau, M. 85−29123, 86−67792

Rupert, M. Design characteristics of a surface-mount-compatible through-hole connector 88−32679

Rupert, N. *see* Lynch, T. *(editor)* 88−43601

Rupf, S. *see* Greiner, T. 86−20292

Rupich, M.W., Foos, J.S., Brummer, S.B. Characterization of chloroclosoborane acids as electrolytes for acid fuel cells 85−39191

Rupinski, T.L. *see* Dowling, D. 87−14994

Rupnik, T. *see* Leichum, A.D. 87−40571

Rupnow, J.W. *see* McDonald, J.S. 85−23716

Rupnow, R.F., Bosch, M. Strategic planning: its merits and history 87−81

Rupp, A. Construction and measurements of Ethernet 87−28097

Rupp, A. *see* Tsoi, H. 87−60677

Rupp, D. *see* Quendt, W. 85−52499

Rupp, G. Secondary-loop water purification at a pressurized-water reactor by a mesh-type high-gradient magnetic test separator 85−27244

Rupp, G., Ballenberger, G. Lateral homogeneity test of CoCr disks using the Kerr magneto-optical effect 87−46355

Rupp, G., Hulsing, H. RF-sputtered CoCr film on glass substrate for perpendicular recording 88−57982

Rupp, G. *see* Springer, E. 85−46040

Rupp, H. Microwave systems for fixed and mobile radio links 85−42457

Rupp, L.W. *see* Kaminsky, P.G. 87−56824

Rupp, L.W., Jr. *see* Walsh, W.M., Jr. 87−6028

Rupp, R. *see* Muller, G. 86−392

Rupp, R.A. Microphotometric investigations of thick refractive index gratings in photorefractive crystals 87−19056

Rupp, R.A., Drees, F.W. Light-induced scattering in photorefractive crystals 86−42649

Rupp, R.A., Marotz, J., Ringhofer, K.H., Treichel, S., Feng, S., Kratzig, E. Four-wave interaction phenomena contributing to holographic scattering in LiNbO$_3$ and LiTaO$_3$ 88−20735

Rupp, R.A. *see* Kratzig, E. 88−34164

Rupp, R.A. *see* Kulich, H.-C. 87−68652

Rupp, R.A. *see* Marotz, J. 87−7455

Rupp, R.A. *see* Sommerfeldt, R. 87−39256

Rupp, S., Becker, D., Gebhardt, W. Computer based modeling of ultrasonic test arrangements 87−44426

Rupp, W.E. The tough part of proposal writing−getting started 85−39497

Rupp, W.E. To bid or not to bid; that is the question [decision making analysis] 86−40464

Rupp, W.E. Humor in technical presentations? 87−43840

Ruppe, H.O. *see* Blumenberg, J. 86−12111

Ruppe, H.O. *see* Igenbergs, E. 85−31925

Ruppe, H.O. *see* Loeb, H.W. 85−32771

Ruppel, C., Ehrmann-Falkenau, E., Stocker, H.R. Generalized design of tap weighted SAW-filters by optimization techniques 86−63525

Ruppel, C., Ehrmann-Falkenau, E., Stocker, H.R. Compensation algorithm for SAW second order effects in multistrip coupler filters 87−1832

Ruppel, C., Ehrmann-Falkenau, E., Stocker, H.R., Mader, W. A design for SAW-filters with multistrip couplers 86−2518

Ruppel, C. *see* Ehrmann-Falkenau, E. 87−52707

Ruppel, J. *see* Biedenbender, R.E. 86−277

Ruppel, W. *see* Engelhardt, C. 87−1507

Ruppel, W. *see* Gerritsen, H.J. 85−16188

Ruppelt, R. *see* Butscher, B. 88−35150

Rupper, P. Logistics in the management framework 88−49427

Rupper, U., Szucs, Z., Proetel, K. Cryogenic motors/positioners 85−48983

Ruppert, D. *see* Rahlfs, D. 88−54821

Ruppert, P. EMC−a problem of increasing importance 87−75473

Ruppert, U., Szucs, Z. Cryogenic torquer/positioner for space use 87−35945

Ruppert, U., Szucs, Z. Cryogenic torquer/positioner 87−43125

Ruppert, U. *see* Funaki, K. 85−29486, 87−46406

Ruppert, U. *see* Irie, F. 85−41047

Ruppin, D., Widana Thedja, W. Extrusion of composite wires for switch contacts 86−20891

Ruppin, H. *see* Paul, H. 87−49958

Ruppin, R., Harmuth, H.F. Comments on 'Use of ferrites for absorption of electromagnetic waves' by [H.F. Harmuth, with his reply] 86−58672

Ruppin, R. *see* Yatom, H. 85−24957

Rupprecht, H.S. Schottky contacts in gallium-arsenide microelectronics 87−24936

Rupprecht, H.S., Michel, A.E. Trends of ion implantation in silicon technology 85−45562

Rupprecht, H.S. *see* Christou, A. *(editor)* 88−55832

Rupprecht, K.-R. Hydraulic accumulators as energy storage devices comparison of the possibilities for increasing energy capacity 87−16068

Rupprecht, M., Dresen, M., Fehlau, F. A high throughput LAN-controller for high bit rate systems 88−73663

Rupprecht, W. Theory of the exact conversion of FM to AM 85−62955

Rupprecht, W. Time-discrete derivation of measures of distortion as functions of filter-coefficients in adaptive equalisers for data signals 86−3875

Rupprecht, W. Adaptive equalization of binary NRZ-signals by means of peak value minimization 87−2541

Rupprecht, W. *see* Borys, A. 86−69483, 87−55843

Rupprecht, W. *see* Sauer, W. 87−61879, 88−46139

Rupprecht, W. *see* Trick, U. 87−76070, 88−9302, 88−40597, 88−46462

Ruprecht, D.J. *see* El-Hang Lee 85−50335

Ruprecht, G. Signals through glass 86−17376

Ruprecht, J., Lenth, J., Johannes, K. Digital TV colour decoding. I. I^{2}C bus programming and luminance processing 87−41196

Ruprecht, J. *see* Pech, E. 86−30986

Ruprecht, P. *see* Cornils, B. 85−54013

Ruquan, C. *see* Ohta, K. 88−23207

Ruridant, T.Y. *see* Jury, E.I. 86−62195

Rurua, A.A., Rostkovskaya, I.O., Mshvenieradze, B.B. Round billet mass meter in automated system for control of tube-rolling mills 87−49478

Rurukin, A.N. *see* Bakaev, D.S. 87−33100, 88−65569

Rurukin, A.N. *see* Ermachenko, V.M. 85−56516, 87−61089

Rurukin, A.N. *see* Petrovskii, V.N. 86−17979, 87−54225

Rusakov, S.A. *see* Grebenshchikov, A.V. 86−5526

Rusakov, S.G., Ul'yanov, S.L. A conversational system of parameter characterization of integrated circuit component models 87−52296

Rusakov, S.G. *see* Kanunnikov, A.I. 87−10594

Rusakov, S.G. *see* Lyalinskii, A.A. 87−67550

Rusakov, S.G. *see* Vatagin, V.P. 87−53447

Rusakov, S.I. *see* Belozerov, S.A. 85−24619

Rusakov, S.V. *see* Belousov, A.S. 87−50190

Rusakov, Yu.S. *see* Didenko, N.K. 85−4447

Rusakova, O.N. *see* Ezovit, G.P. 86−66207

Rusakova, S.M. *see* Tsirkin, M.Z. 88−11172

Rusakovich, M.A. *see* Benenson, A.I. 87−63667

Rusakovich, N.A. *see* Antyukhov, V.A. 86−60637

Rusakovich, N.A. *see* Bitsadze, G.S. 88−61155

Rusan, V.I. *see* Kutsenko, G.F. 88−48446

Rusanov, A.I. *see* Fedorov, D.A. 85−43537

Rusanov, A.V. *see* Babkin, A.F. 87−5720

Rusanov, B.V. *see* Vasyutinskii, S.B. 85−60232

Rusanov, S.Ya. *see* Dianov, E.M. 86−22165, 88−7942, 88−51490

Rusasell, G.J. *see* Brown, P.D. 88−31787

Rusby, R.L. Developments in temperature measurement 85−58926

Rusby, R.L. The basis of temperature measurement 87−63550

Rusby, R.L. *see* Pavese, F. 85−48125

Ruscev, M. *see* Dorion, I. 87−41832

Rusch, D. *see* Bluhm, H. 87−21307, 87−22615, 88−30795

Rusch, R.J., Good, M.L. Considerations in automated mapping to incorporate future facility database implementation 87−78023

Rusch, W. Power requirements of modern traction batteries for electric road vehicles 87−5000

Rusch, W. *see* Gutekunst, K. 85−65509

Rusch, W.V.T. Properties of an offset-fed umbrella reflector 85−13306

Rusch, W.V.T., Barany, P.A. Correction to 'Forward scattering from cylinders of triangular cross section' 85−2533

Rusch, W.V.T., Pogorzelski, R.J. A mixed-field solution for scattering from composite bodies 86−68698

Rusch, W.V.T., Rahmat-Samii, Y., Shore, R.A. The equivalent paraboloid of an optimized offset Cassegrain antenna 87−27024

Rusch, W.V.T., Welsh, L.R., Mires, G.E. Observation-point-dependent blocking shadows on a reflector antenna 88−2725

Rusch, W.V.T. *see* Barclay, M.R. 88−2730

Rusch, W.V.T. *see* Chang, D.C. 85−19251

Rusch, W.V.T. *see* Jenn, D.C. 88−2723

Rusch, W.V.T. *see* Ling, H. 85−57139

Rusch, W.V.T. *see* Otoshi, T.Y. 85−47618

Rusch, W.V.T. *see* Prata, A., Jr. 87−19302, 88−2728, 88−8587

Rusche, G.A. IR emitting CRT 87−66853

Rusche, P. *see* Lotfalian, M. 86−18750

Rusche, P.A. *see* Lotfalian, M. 86−56332

Rusche, T. Information management, a challenge for users and manufacturers 88−73491

Ruschenbaum, F. The degree of acceptance for Btx based information systems 87−48529

Ruschenbaum, F. *see* Ehrig, W. 85−52008

Ruschenbaum, F. *see* Seibt, D. 85−52007

Ruscheweyh, S. On a global descent method for polynomials 85−22375

Ruscheweyh, S. *see* Freund, R. 86−52394

Ruschin, S. Approximate formula for the propagation constant of the basic mode in slab waveguides of arbitrary-index profile 86−22064

Ruschin, S., Friedman, A., Gover, A. The nonlinear interaction between an electron and multimode fields in an electromagnetically pumped free electron laser 85−2189

Ruschin, S., Griffel, G., Hardy, A., Croitoru, N. Unified approach for calculating the number of confined modes in multilayered waveguiding structures 86−28826

Ruschin, S., Marom, E. Coupling effects in symmetrical three-guide structures 85−12582

Ruschin, S., Zelingher, R., Gover, A. Two-line operation of a CO$_2$ transversely excited atmospheric-pressure laser by means of a bifurcating cavity 85−41321

Ruschin, S. *see* Ben-David, I. 86−9611

Ruschin, S. *see* Croitoru, N. 87−18720, 88−13913, 88−20379, 88−39973

Ruschin, S. *see* Friedman, A. 88−51840

Ruschin, S. *see* Gover, A. 85−56705

Ruschin, S. *see* Griffel, G. 86−2851, 87−74697, 88−71873

Ruschin, S. *see* Jerby, E. 87−75163

Ruschin, S. *see* Marom, E. 85−18695, 86−2757

Ruschin, S. *see* Olshan, R.Z. 87−2167, 87−75147

Ruschin, S. *see* Steinberg, B. 86−22420

Ruschin, S. *see* Steinberg, B.Z. 87−68539

Ruschman, M.K. *see* Niemann, R.C. 88−45030

Ruschmeyer, K. Quality assurance system for soft ferrite cores 86−2602

Ruscio, J.T. *see* Dragone, C. 88−45765

Ruscio, M., Santoro, M., Adorni, M., Chiaravalloti, A. A digital control system for coordinated boiler-turbine control in the ENEL Piombino power station 88−30587

Ruscio, M., Santoro, M., Adorni, M., Chiaravalloti, A. Digital control system for the coordinated boiler/turbine control in the ENEL Piombino power station 88−62195

Ruscitti, R. *see* Chiatti, G. 86−19088

Rusck, S. *see* Yu, C. 86−68058

Rusconi, L. *see* Sermasi, S. 86−38796

Rusek, A. Selected problems of start dynamics of cylindrical linear induction motor 85−60195

Rusek, A. Analytic and experimental method of mechanical characteristics determination of cylindrical linear induction motor 86−39838

Rusek, A. Starting parameters of linear cylindrical motor taking into account thermal conditions 87−22412

Rusek, A. Comments, with reply, on 'Microprocessor implementation of a fast and simultaneous amplitude and frequency detector for sinusoidal signals' by M.K. Mahmood, et al 87−29227

Rusek, A. Error minimization in time-constant measurements 87−49616

Rusek, A. Starting properties of linear cylindrical motor with non-homogeneous track 87−58115

Rusek, A. Numerical simulation of reverse work of linear cylindrical motor 87−58116

Rusek, A. Measurements of dynamical states of electromechanical energy transducers of linear motion examplified by cylindrical motor 88−43141

Rusek, A. Force oscillations for different exciter masses and applied voltage frequencies [linear motors] 88−49003

Rusek, A. Error analysis of a rate generator tuning linearity 88−60777

Rusek, A., Mahmud, S.M. A switched-battery digital capacitance meter 87−29242

Rusek, A. *see* Mahmud, S.M. 88−74505

Rusek, A. *see* Petrovich, K.I. 88−23973

Rusek, A. *see* Stuckman, B.E. 88−6593

Rusek, J. Analytical approach to asymmetry in squirrel-cages of induction machines in steady-state operation 85−53698

Rusek, J. Computer-oriented algorithm of an induction machine analysis under steady state operation 88−55330

Rusek, K.M. *see* Trzcinski, A. 87−50176

Rusek, M. *see* Cwirko, R. 87−70358

Ruselowski, J.M. *see* Taeusch, D.R. 87−75289

Rusenberg, D., Hein, K., Hoppe, V. Fireside measures for the reduction of NO$_x$ emissions 87−57895

Rusenberg, D. *see* Hein, K. 87−15527, 88−17365

Rusenberg, D. *see* Hein, K.R.G. 88−48759

Ruser, D., Klusek, Z. Simulating directional characteristics of digital space/time processors under the influence of noise 85−47610

Ruser, D., Salamon, R. A method of echo integration using a five criteria system 88−14733

Ruser, D. *see* Klusek, Z. 85−25114

Rusert, C.F. Efficient cable pressure management squeezes out more protection for your money 86−49429

Ruseva, G.A. *see* Damgov, V.N. 85−6207

Rush, A.D. *see* Buroff, A. 87−53330

Rush, C., Jacobs, G., Richards, W. The results of WARC-HFBC (87): technical implications 88−67517
Rush, C.M. Maps of f_oF_2 derived from observations and theoretical data 85−2572
Rush, C.M. Ionospheric radio propagation models and predictions−a mini-review 87−7534
Rush, C.M., Stewart, F.G., PoKempner, M., Reasoner, R. Some ionospheric factors affecting the coverage of an HF/VHF direct broadcasting satellite service 86−54292
Rush, C.M., Washburn, J.S., Berry, L.A. A high-frequency spectrum utilization model 88−67504
Rush, C.M. *see* Davies, K. 85−36025, 85−51434
Rush, C.M. *see* Sowers, M.W. 88−67518
Rush, D. *see* Mitchell, C. 88−67281
Rush, D.W., Burdge, G.L., Ho, P.-T. The linewidth of a mode-locked semiconductor laser caused by spontaneous emission: Experimental comparison to single-mode operation 87−12474
Rush, D.W., Ho, P.-T., Burdge, G.L. The coherence length of a modelocked pulse train 85−12841
Rush, D.W., Ho, P.-T., Burdge, G.L. The coherence time of a modelocked pulse train 85−12936
Rush, E.E. The design and performance predictions of the DOE small community solar experiment at Osage City, Kansas 88−23805
Rush, G. Tolerances, dimensional parameters, and care of clear fused quartz furnace tubes 88−1495
Rush, J.D., Beales, K.J., Cooper, D.M., Duncan, W.J. Influence of hydrogen on optical fibres−implications and potential solutions 86−2828
Rush, J.D. *see* Duncan, W.J. 85−35419
Rush, J.D. *see* Hill, J.R. 87−53933
Rush, J.D. *see* Winter, C.S. 87−60981
Rush, K. The proper choice of probe for testing CMOS devices 85−11163
Rush, K. Measurement errors: and what if it were the oscilloscope probe? 85−26368
Rush, K. Understand probe impedance to assess signal distortion 85−52719
Rush, K., Escovitz, W.H., Berger, A.S. High-performance probe system for a 1-GHz digitizing oscilloscope 86−60273
Rush, K., Oldfield, D.J. A data acquisition system for a 1-GHz digitizing oscilloscope 86−60171
Rush, K.M. *see* Duffield, T. 88−19703
Rush, M. *see* Pri-Tal, S. 88−44259
Rush, M. *see* Shlomo Pri Tal 88−38457
Rush, P. The user's first experience of gate arrays 88−32181
Rush, R.C. *see* Kanber, H. 85−55802
Rushak, M. Perspectives of power industry development in CSSR 85−59570
Rushan Han *see* Han Rushan
Rushanan, J.J. *see* Pless, V. 88−34572
Rushbrooke, J.G. *see* Alner, G.J. 88−10288
Rushbrooke, J.G. *see* Ansorge, R.E. 88−29842
Rushchak, V.E. *see* Lazarev, V.I. 86−39884
Rushchuk, V.I. The operation of water solution electrolysis plants for the production and refining of nonferrous metals under limited power supply conditions 88−11517
Rushden, F. *see* Nakamura, K. 87−30222
Rushden, F.A., Adams, G.P. Reducing transformer hum with acoustic cancellation 86−39910
Rushdi, A.M. How to hand-check a symbolic reliability expression 85−5824
Rushdi, A.M. Development of modified nodal analysis into a pedagogical tool 85−33555
Rushdi, A.M. Comments on 'A systematic procedure for the analysis of circuits containing operational amplifiers' 85−33556
Rushdi, A.M. On reliability evaluation by network decomposition 85−49377
Rushdi, A.M. Comments on 'Reference node *r* model' by P.E. Gray [with reply] 86−604
Rushdi, A.M. Uncertainty analysis of fault-tree outputs 86−34076
Rushdi, A.M. Map differentiation of switching functions 87−16435
Rushdi, A.M. Utilization of symmetric switching functions in the computation of k-out-of-n system reliability 87−16440
Rushdi, A.M. A switching-algebraic analysis of consecutive-k-out-of-n:F systems 87−36544
Rushdi, A.M. Efficient computation of *k*-to-*l*-out-of-*n* system reliability 87−36546
Rushdi, A.M. Capacity function-preserving star-delta transformations in flow networks 87−65356
Rushdi, A.M. Logic design of NAND(NOR) circuits by the entered-map-factoring method 88−677
Rushdi, A.M. Effect of statistical dependencies in strict consecutive-k-out-of-n:F systems 88−38040
Rushdi, A.M. Indexes of a telecommunication network 88−46406
Rushdi, A.M. *see* Al-Shanuti, S.I. 87−59059
Rushford, M.C., Kuzmenko, P.J. Pointing alignment by orthogonal phase-lock feedback loops 87−39187
Rushford, M.C., Kuzmenko, P.J. Pinhole camera for hot environment viewing of electron beam materials processing 88−36074
Rushford, M.C. *see* Gibbs, H.M. 85−41481, 85−56842
Rushford, M.C. *see* Jewell, J.L. 85−46486
Rushforth, C.K. *see* Abbaszadeh, A.D. 88−34585, 88−51028
Rushforth, C.K. *see* Anderton, D.O. 86−54454, 87−61592
Rushforth, C.K. *see* Berlekamp, E.R. 87−39670
Rushforth, C.K. *see* Currie, R.J. 86−29927
Rushforth, C.K. *see* Tran, T.D. 88−46096, 88−73004
Rushton, A.J., Jesshope, C.R. The VLSI implementation of the RPA computer 87−37391
Rushton, D.J. The properties and applications of electric resistance heating elements 87−16168
Rushton, J.F. *see* Bharj, J.S. 86−30706
Rushton, R. *see* Carwardine, J.A. 88−69512
Rushworth, R. *see* Kolyer, J.M. 88−50535
Rusin, D.G., Ziegler, D.-V. A microcomputer-based vocabulary development system 86−4187
Rusin, F.S., Kostromin, V.P. Excitation of surface waves in an orotron 86−41476
Rusin, F.S., Kostromin, V.P. Effect of shot noise on the frequency stability of an orotron 86−67634
Rusin, H. Calibrator with a wide range of applications 86−49929
Rusin, H. Operation without a manual 87−3627
Rusin, M., Niepieklo, L. Network of outline distortion corrector with so-called diode modulator 86−40975
Rusin, Yu.S. Filtering of impulse interference with power transformers 85−7674
Rusin, Yu.S. Choice-of-optimal versions of complex systems 86−17206
Rusin, Yu.S. Impulse noise filtering in radio-electronic supply circuits 86−37072
Rusin, Yu.S., Gorskii, A.N., Rozanov, Yu.K. Choke volume as a function of working frequency [power converters] 86−45476
Rusin, Yu.S. *see* Kuz'min, B.I. 88−9386
Rusina, F., Mensa, G., Montagna, R. A subband coder for digital mobile ratio application 87−48962
Rusina, F. *see* Barberis, G. 86−3796, 86−16613
Rusina, F. *see* Dal Degan, N. 85−13980, 85−51585, 85−58027, 86−4566, 86−23826
Rusina, F. *see* Kriedte, W. 85−30954
Rusina, F. *see* Mensa, G. 86−29714, 86−29819, 86−59205, 87−19618, 87−33957, 87−62449
Rusina, F. *see* Montagna, R. 85−7827
Rusina, N.O. *see* Filippova, T.A. 88−68722
Rusing, E. ISDN: step by step into the future of telecommunication. I 87−76071
Rusing, E. ISDN−the future of telecommunications. II 88−3770
Rusing, E. The search for optimal applications [ISDN policy development] 88−21776
Rusiniak, M. *see* Rolinski, Z. 86−18135
Rusinov, V.Yu. *see* Gachurin, V.V. 88−61059
Rusinova, T.A. *see* Potapova, L.S. 86−65235
Rusk, J.H., Jr. *see* Rutland, R.W. 86−25778
Ruska, D.W. *see* Culp, B.W. 88−57925
Ruske, G. Demisyllables as processing units in automatic speech recognition 85−36220
Ruske, G., Weigel, W. Dynamic programming on the basis of syllable orientated units for the automatic recognition of spoken sentences 87−2481
Ruske, G. *see* Haton, J.P. 87−47617
Ruske, G. *see* Kohn, G. 87−2479
Ruske, G. *see* Seck, R. 87−19435
Ruskey, F. Adjacent interchange generation of combinations 88−43778
Ruskey, F. *see* Aitken, R.C. 87−16976
Ruskey, F. *see* Proskurowski, A. 85−62971
Ruskin, C. Custom ICs for the first time buyer 88−50915
Ruskin, C. *see* Kimmit, J. 88−50914
Ruskin, J. *see* Rosenthal, S. 85−20925
Ruskov, I.N. *see* Saeva, D.G. 87−29523
Ruskov, P. *see* Boyanov, K. 86−64739
Ruskowski, C.M. *see* Newman, E.M. 86−43084
Ruskys, D.D. *see* Undzenas, A.J. 86−28961
Ruslim, F. *see* Hung, A.K. 85−44849
Rusnak, B., Cornelius, W.D. ECR ion source beams for accelerator applications 88−74730
Rusnak, I. Search radar evaluation by the normalized cumulative probability of detection curves 87−3218
Rusnak, I., Gertner, I. Inherent search volume: unique feature of modern surveillance radar system 86−30869
Rusnak, I., Gertner, I. Systematic approach for classification of modern surveillance radar systems 87−56231
Rusnak, I., Gertner, I. Optimization of surveillance radar with instrumented range 88−15570
Rusnak, I. *see* Fecko, S. 85−53340
Rusnak, J., Price, R. The relationship between ISDN and IBM's SNA 88−53020
Rusniak, M. Development of the power industry of Czechoslovakia 86−32909
Rusniak, R. *see* Fischer, H.M. 87−21417
Rusnock, K.J. *see* Clark, M.H. 85−45101
Rusong Wu *see* Dewan, S.B. 88−62674
Rusong Wu *see* Wu Rusong
Rusov, B.I. *see* Visyashchev, A.N. 86−39206
Rusov, N.Yu. *see* Betin, A.A. 86−58966, 87−33278, 87−68319
Rusov, V.A. *see* Mak, A.A. 86−68514
Rusov, V.A. *see* Nilov, E.V. 86−68513, 86−68596 to 68597
Rusov, V.D., Gretchan, V.I., Radin, I.V., Babikova, Yu.F. Computer simulation of the process of nuclear particle registration by solid state nuclear track detectors and track autoradiography inverse problem solution check 88−36386
Rusov, V.D., Zelentsova, T.N., Semionov, M.Yu., Grechan, V.I., Kravchenko, S.N. Neuman track distribution and statistics of heavy charged particles: registration by solid-state nuclear track detectors 87−50185
Russ, D.M. The use of lithium niobate devices in optical networks 87−40927
Russ, D.M., Faulkner, D.W. Comparison of five high speed bistables by computer simulation 86−919
Russ, D.M., Faulkner, D.W. Lithium niobate digital switching 87−38867
Russ, D.M. *see* Faulkner, D.W. 88−53424, 88−74140
Russ, F. New construction of the traction power line between Mannheim-Weiterstadt and Florsheim [railway power supplies] 85−10172
Russ, F. Electric installations for the introduction of the western Ried line into Mannheim main station 86−26361
Russ, F. Putting into operation of the first section of the new Mannheim-Stuttgart high speed line: installations of electric traction 87−72490
Russ, J. Cogeneration application of the high temperature gas-cooled reactor 86−12639
Russ, J.E., III *see* Mears, L.D. 85−9652
Russ, J.R., III *see* Penfield, S.E., Jr. 86−33023
Russ, J.S. *see* Beuttenmuller, R. 87−21437
Russ, J.S. *see* Edelstein, R.M. 87−41839
Russ, R. State of the art in pressure sensing 85−43128
Russ, R. New directions for strain gauge sensing 87−3551
Russak, I.B. *see* Bassingthwaighte, J.B. 88−56160
Russak, M. *see* Haak, R. 85−23603
Russak, M.A. Deposition and characterization of $CdSe_{1-x}Te_x$ thin films 85−44772
Russak, M.A. Multiple junction II-VI compound photoelectrochemical cells 87−36151
Russak, M.A., Creter, C. N-$CuInS_2$/sulfide-polysulfide electrochemical photovoltaic cells 85−65414
Russak, M.A. *see* Cadieu, F.J. 87−67722
Russe, H. *see* Marquardt, G. 87−35752
Russe, P. *see* Bausiere, R. 87−32504
Russel, J.E., Sr. *see* Chien, E.S.K. 88−46944
Russel, M. *see* Varga, A. 88−72808
Russel, R.F., Lane, R.A. Dynamic radar system evaluation under measured environmental rain 87−8361
Russel, R.W., Moyer, J.C. A bi-FET operational amplifier with 400 ns settling time 86−8028
Russel, W.G. *see* Hurt, N.H., Jr. 87−23076
Russell, A. Wind and solar-powered hybrid prime power systems 85−65182
Russell, A.M. *see* Clark, G.S. 87−43064
Russell, A.P., Pickup, I.E.D. Calculation of pull-out torque characteristics of hybrid stepping motors with current-regulating drive circuits 87−15808
Russell, A.P., Pickup, I.E.D. Aspects of the dynamics of single-phase reluctance machines 87−30535
Russell, A.P. *see* Pickup, I.E.D. 87−22431, 87−35961
Russell, A.P.G. *see* Barker, R.W. 87−20658
Russell, B. The SonomaVoice: an inexpensive VOCA 87−63202
Russell, B. Lithium sulphur dioxide−the batteries that come on in the cold 87−72371
Russell, B. Trends in the battery market 87−78853
Russell, B.D., Watson, K. Power substation automation using a knowledge based system−justification and preliminary field experiments 88−24107
Russell, B.D. *see* Aucoin, M. 85−48613, 85−59803, 87−50856
Russell, B.D. *see* Kim, C.J. 88−61903
Russell, B.D. *see* Narendorf, M. 88−23573
Russell, C.A. *see* Reagor, B.T. 87−2690
Russell, C.T. *see* Southwood, D.J. 85−53173
Russell, D. *see* Al Attar, H.A. 86−63866
Russell, D. *see* Wherrett, B.S. 86−36571, 86−48498
Russell, D.A. *see* Bouquet, F.L. 85−20981
Russell, D.A. *see* Guthrie, A.J. 87−68166
Russell, D.A. *see* Hutchings, D.C. 87−54372
Russell, D.A. *see* Narayanaswamy, R. 88−36056
Russell, D.E. *see* Younse, J.M. 85−58573
Russell, D.F. *see* Bartz, J.C. 85−9120
Russell, D.H., Weidman, M.P. Millimeter-wave six-ports 86−38216
Russell, D.J. Experience in exchanging pipes in NPP containments 87−30335
Russell, D.K. *see* Isaacs, N.A. 86−38538

Russell, D.L., Rarig, H.M. Intelligent interconnect—combined circuit and packet switch 88—21695
Russell, D.L. *see* Kime, K.A. 88—45629
Russell, D.M. Sincgars enters final testing before production 85—20011
Russell, D.M. Scan converter produces high resolution TV radar images 85—20492
Russell, D.M. CAD system solves bottlenecks in VLSI design flow 85—28295
Russell, D.M. MM-wave snapshot reveals maturing technology 85—28708
Russell, D.M. Israeli defense industry pushes appropriate technology 85—59383
Russell, D.W. Hierarchical routing of single layer metal trees in compiled VLSI 86—34462
Russell, D.W. *see* Grisby, L.L. 87—15019
Russell, D.W. *see* Schneider, W.H. 87—16066
Russell, D.W. *see* Walters, D.C. 88—55014
Russell, E.H. Static safe worksurfaces and personnel safety update 87—16329
Russell, F.E. *see* Norbury, D.A. 85—26259
Russell, G., Miles, R.B. Display and perception of 3-D space-filling data 87—70707
Russell, G., Sayers, I.L. Design for testability—a review of advanced methods 87—24621
Russell, G., Sayers, I.L., Kinniment, D.J. Improved techniques to enhance the testability of VLSI circuits 86—21803
Russell, G., Sayers, I.L., Kinniment, D.J. A unified error detection scheme for reliable VLSI system design 86—35843
Russell, G. *see* Baker, K. 88—70470
Russell, G. *see* Goutis, C.E. 86—16570
Russell, G. *see* Sayers, I.L. 86—63468, 87—18277, 87—24141
Russell, G. *(editor)* Computer Aided Tools for VLSI System Design 88—70026
Russell, G.J., Bowman, C.D., Whitaker, E.R., Robinson, H., Meier, M.M. LANSCE high power (200 μA) target-moderator-reflector-shield 86—56013
Russell, G.J., Legate, G.L., Robinson, H., Grisham, D.L., Carlini, R. LANSCE-II [neutron source] 88—42407
Russell, G.J., Thompson, N.F., Woods, J. The incidence of voids in vapour grown CdS crystals 86—390
Russell, G.J. *see* Al Bassam, A. 88—32786
Russell, G.J. *see* Al-Allak, H.M. 88—19671, 88—57320
Russell, G.J. *see* Al-Dhafiri, A.M. 88—37390
Russell, G.J. *see* Awam, G.R. 88—18062
Russell, G.J. *see* Awan, G.R. 88—12040, 88—24154
Russell, G.J. *see* Don, E.R. 86—57480, 87—6398
Russell, G.J. *see* Durose, K. 88—31718
Russell, G.J. *see* Earls, J.D. 87—26515
Russell, G.J. *see* Gilmore, J.S. 86—5758
Russell, G.J. *see* Hails, J.E. 87—16586, 87—31521, 88—31788
Russell, G.J. *see* Howe, S.D. 85—26693
Russell, G.J. *see* Jones, A.P.C. 86—58847, 87—31516, 87—44313, 88—2132, 88—36153
Russell, G.J. *see* Neal, D.B. 87—61230
Russell, G.J. *see* Oktik, S. 88—7566, 88—17997
Russell, G.J. *see* Pande, P.C. 85—22512, 86—40156
Russell, G.J. *see* Robinson, H. 86—56014
Russell, G.J. *see* Ture, I.E. 86—36345, 87—53280
Russell, G.W., Parsons, B.A., Begbie, R.T. iNet: a network-based value-added service 85—51926
Russell, H.T., Jr. Linear system design applications of CAE 86—46499
Russell, J., Chien, E. Digital cellular takes the FDMA route 88—46915
Russell, J. *see* Bernstein, D. 85—15253
Russell, J. *see* Borum, J.C. 86—10898
Russell, J. *see* Mackenzie, S. 87—38540
Russell, J. *see* Swain, I.D. 86—38804
Russell, J. *see* Trainor, D.W. 88—27065
Russell, J.A., Jr., Fuller, G.M., Sr. Multiple cable versus multichannel cable for television signal transmission 85—3332
Russell, J.D. *see* Livesay, W.R. 86—8933
Russell, J.D. *see* Schultz, J. 85—8848
Russell, J.E., Sr. *see* Chien, E.S.K. 87—62849
Russell, J.J. *see* Becker, J.J. 85—48186
Russell, J.J. *see* Roehrig, J. 85—15175
Russell, J.L., Jr. *see* Belblidia, L.A. 86—12566
Russell, J.L., Jr. *see* Carlson, R.W. 86—12604
Russell, J.N., Worthington, P., Dyer, D.V. Unrepeatered submarine systems make history 88—47178
Russell, J.N. *see* Barnes, S.R. 86—30773, 87—8333
Russell, J.P., Goodman, L.A., Goodman, A.M., Robinson, P.H., Neilson, J.M. High-power conductivity-modulated FETs (COMFETs) with a p-type channel 85—12287
Russell, J.P., Prescott, A.J. Advanced aircraft communication system 88—60039
Russell, K., Kabe, A. Advanced polymer materials and new manufacturing methods to create high density circuits for microelectronics 88—1213
Russell, K. *see* Smorto, J.E. 85—28262
Russell, K.C. *see* Helms, W.J. 87—888
Russell, K.D. *see* Krantz, E.A. 87—9318
Russell, K.J., Dhiman, J.K. Power GaAs FET RF life test using temperature-compensated electrical stressing 87—1558
Russell, M. *see* Rosner, M. 88—63117
Russell, M.C. Residential photovoltaic retrofits: design, cost and performance 86—6630
Russell, M.C., Bergman, D.A. The effect of nonoptimal PV array-power conditioner matching 87—15606
Russell, M.C., Bergman, D.A. Photovoltaic flatplate array and insolation measurements 87—30969
Russell, M.C. *see* Bergman, D.A. 87—4929
Russell, M.C. *see* Kern, E.C., Jr. 87—9848
Russell, M.J., Cook, A.E. Experimental evaluation of duration modelling techniques for automatic speech recognition 87—61780
Russell, M.J., Moore, R.K. Explicit modelling of state occupancy in hidden Markov models for automatic speech recognition 86—16180
Russell, M.J. *see* Massetti, M.A. 88—64712
Russell, N. *see* Romich, B. 86—25279
Russell, N. *see* Trefler, E. 86—25269
Russell, N.D. *see* Freeston, I.L. 85—43438
Russell, N.H. *see* Young, S.J. 88—72798
Russell, P. *see* Bedair, S.M. 87—5405
Russell, P. *see* Matsumoto, T. 88—10543
Russell, P.A. *see* Kent, A.J. 88—26307, 88—32952, 88—74616
Russell, P.A. *see* Rampton, V.W. 88—26306
Russell, P.B., McCormick, M.P. Satellite Stratospheric Aerosol Measurement validation 85—48469
Russell, P.C. *see* Bhatti, G.S. 86—15159
Russell, P.C. *see* Dorey, A.P. 88—56085
Russell, P.C. *see* Jones, B.K. 86—58478, 88—64331
Russell, P.E. SEM-based characterization techniques 87—25534
Russell, P.E., Mancuso, J.F. Microchannel plate detector for low voltage scanning electron microscopes 86—41497
Russell, P.E., Namae, T., Shimada, M., Someya, T. Development of SEM-based dedicated IC metrology system 85—31306
Russell, P.E. *see* Baltas, P. 86—65991, 87—4930, 88—17450, 88—37790
Russell, P.E. *see* Buonaquisti, A.D. 85—40518
Russell, P.E. *see* Moore, C.A. 85—12103
Russell, P.E. *see* Rogers, G.B. 87—4641
Russell, P.E. *see* Tortoreli, M. 88—17129
Russell, P.G. *see* Koehler, C.W. 86—33627
Russell, P.J. *see* Cox, G.G. 88—29376
Russell, P.St. *see* St. Russell, P.
Russell, P.St. J. *see* St. J. Russell, P.
Russell, P.St.J., Ulrich, R. Grating-fiber coupler as a high-resolution spectrometer 85—46172
Russell, P.St.J. *see* Bergot, M.-V. 88—65198
Russell, P.St.J. *see* Farries, M.C. 87—39208, 87—54082
Russell, P.St.J. *see* Fermann, M.E. 88—45547
Russell, P.St.J. *see* Goldburt, E.S. 85—29532, 86—28905, 86—28913
Russell, P.St.J. *see* Hand, D.P. 88—58176
Russell, P.St.J. *see* Poyntz-Wright, L.J. 88—58174
Russell, R. *see* Main, C. 87—61024
Russell, R. *see* Zhang, Y. 88—53714
Russell, R.A. A simple thermal touch sensor 85—31440
Russell, R.A. Proximity sensing with articulated whisker probes 86—5224
Russell, R.A. Thermal sensor for object shape and material constitution 88—35953
Russell, R.D. *see* Gao, Z.-C. 88—10499
Russell, R.D. *see* Gao, Z.C. 87—42213
Russell, R.F. Managing the super achiever engineer 87—51803
Russell, R.F. Managing the super achiever engineer 88—37891
Russell, R.F., Sedenquist, F.W. Digital simulation of polarimetric radars 85—20252
Russell, R.F., Sedenquist, F.W., Broten, C.L. Radar target characterization utilizing a polarimetric technology sensor 88—15548
Russell, R.F. *see* Sedenquist, F.W. 88—9659
Russell, R.G. *see* Gutwein, J.M. 88—28690
Russell, R.J. A method of improving in-circuit test effectiveness 87—24604
Russell, R.L., D'Arcy, A.J. Video-based satellite attitude determination 87—63881
Russell, R.W., Rossano, G.S., Lynch, D.K., Colon-Bonet, G.T., Hackwell, J.A., Morse, T.C., Macklin, R.H., Murray, D., Retig, D.A., Rice, C.J., Roux, D.A., Young, R.M. Test of IR arrays on the Kuiper Airborne Observatory 87—49540
Russell, S. Ground probing radar for use within buried clayware sewer pipes 86—37948
Russell, S. Single-user capabilities in interprocess communication 88—46577
Russell, S.B. One card handles all data-communications protocols 86—4310
Russell, S.D. *see* Duarte, F.J. 87—61111, 88—40263
Russell, S.F., Wroblewski, G.W., McMackin, J.B. HF radio network design considerations 87—40684
Russell, S.L. Flexibility—key to reseller success [telephone services] 85—63237
Russell, S.S. Power integrated switching Darlington with speed-up capacitor 85—28348
Russell, S.S., Henneke, E.G., II Dynamic effects during vibrothermographic nondestructive evaluation of composites 85—483
Russell, S.S., Sutton, M.A., Peters, W.H. Applications of digital image correlation methodology to problems in composites 87—31618
Russell, T. Coaxial coupler and directional detector sample 2 to 40 GHz 87—52811
Russell, T. *see* Bow, K. 86—37701
Russell, T.C. *see* Arya, R.R. 86—13075
Russell, T.C. *see* Narasimhan, M.C. 86—7043
Russell, T.J. Ruggedized 3.5 mm connector contact 85—1125
Russell, T.J., Bennett, H.S., Gaitan, M., Suehle, J.S., Roitman, P. Correlation between CMOS transistor and capacitor measurements of interface trap spectra 87—32534
Russell, T.J. *see* Bennett, H.S. 86—63119
Russell, T.J. *see* Gaitan, M. 85—23786
Russell, T.J. *see* Galloway, K.F. 85—23790
Russell, T.J. *see* Mountain, D.J. 87—60195
Russell, T.J. *see* Singh, G. 88—26288
Russell, T.J. *see* Suehle, J.S. 88—26287
Russell, T.J. *see* Wilson, C.L. 86—47599
Russell, T.K. Sure, you like it, but will the client? 85—39498
Russell, T.P. *see* Kramer, E.J. 87—23759
Russell, T.R. *see* Bow, K.E. 87—59929
Russell, T.W. *see* Adrain, R.S. 88—13783
Russell, T.W.F., Baron, B.N., Rocheleau, R.E. Economics of processing thin-film solar cells 85—21801
Russell, T.W.F. *see* Papazoglou, E. 88—18726
Russell, V.W. *see* Anderson, S. 86—4177
Russell, W. Printed circuits—automatic assembly methods and robotics 85—6596
Russell, W. A high-level approach to local-area nets 85—36705
Russell, W. *see* Gish, H. 87—19525
Russell, W. *see* Roucos, S. 87—62725
Russell, W.C. *see* Stobart, R.H. 87—70791
Russell, W.H. A comparison of alternative wiring strategies: insight into the costs of LAN installation 86—54955
Russell, W.H. Trends in network media and wiring strategies: LAN life cycle cost implications 86—69476
Russell, W.H. Trends in network media and wiring strategies: LAN life cycle cost implications 87—2926
Russell, W.H., Meyers, J.C. Selecting a local area network using higher-level protocols: a practical approach for management 85—42311
Russell, W.H. *see* Viswanathan, V.R. 86—10301
Russell, W.R. *see* Wolverton, W.M. 87—66769
Russell, Y.S. Vidvox: final report on a feasibility model for a speech recognition communication aid for deaf persons 87—21633
Russell-Floyd, R., Phillips, M.G. A critical assessment of acousto-ultrasonics as a method of nondestructive examination for carbon-fibre-reinforced thermoplastic laminates 88—63416
Russen, L.C. Single event upset test programs 85—45058
Russenov, D. *see* Christoskova, M. 88—32543
Russer, P. *see* Bandemer, A. 85—64077
Russer, P. *see* Buechler, J. 87—32070, 88—63889, 88—63958
Russer, P. *see* Strohm, K.M. 86—67512
Russev, S.H., Angelov, B.I. Modular system for data acquisition and control of a physical experiment 87—70479
Russin, E.M., Beaumariage, D.C., Mero, T.N. Toward the production phase of NOAA's Next Generation Water Level Measurement System 88—48357
Russin, F.S., Gaigerov, B.A., Ponomarenko, S.F. Calculation of a cylindrical cavity partially filled with a dielectric 86—41302
Russin, R. *see* Latman, N.S. 86—50474
Russino, G. *see* Richardson, D.C. 85—53444
Russkikh, N.P. *see* Bakalov, V.P. 88—34681
Russkin, V.M. *see* Solodovnikov, G.K. 86—16341, 86—48587, 88—68634
Russmann, K.-E. Current source: a reference is required 85—10995
Russo, A. *see* Conte, E. 87—40981
Russo, A. *see* Cusack, M. 85—45800
Russo, A. *see* Farina, A. 86—17443, 86—23945, 87—34633, 87—40979, 87—63010
Russo, B., Quaresima, C., Capozi, M., Paparazzo, E., Perfetti, P., Margaritondo, G., Coluzza, C. Valence band discontinuity modification induced by hydrogen and cesium intralayers in GaP-Si heterojunctions 88—57367
Russo, C. Rapid thermal processing—where has it been? where is it going? 85—34788
Russo, C. Low temperature processing and rapid thermal processing alternatives 85—61823
Russo, C. Modeling of diffusion during rapid thermal processing 86—1880
Russo, C. Temperature uniformity measurement techniques for rapid thermal processing 87—14599
Russo, C. *see* Crepaz, S. 87—79071, 88—18183
Russo, C. *see* McKenna, C. 86—53534
Russo, C.J. *see* Aitken, D. 87—53337
Russo, C.J. *see* Mehta, S. 87—11662

Russo, C.L. *see* Gimpelson, G.E. 85−40850
Russo, D. *see* Frankel, R. 88−66867
Russo, D. *see* Rappoport, G. 86−11084
Russo, D.A. *see* Lee, C.H. 87−62565
Russo, D.A. *see* Wong, D.Y. 86−16438
Russo, E. *see* Lombardi, P. 88−46967
Russo, F. Developing with PI-BASIC the management software of a digital spectrum analyser 88−60638
Russo, F. *see* Arcidiacono, V. 86−61471
Russo, F. *see* Mangiavacchi, C. 86−50119, 88−41957, 88−53559
Russo, F.R. *see* Nguyen, P.H. 86−53266, 87−1119, 88−1190
Russo, G. *see* Bellia, G. 85−15184
Russo, G. *see* Rimini, E. 86−28104
Russo, M. *see* Andreozzi, F. 85−46089
Russo, M. *see* Barone, A. 87−38895
Russo, M. *see* Camerlingo, C. 87−67854
Russo, M. *see* Camerlingo, C.C. 88−39826
Russo, M.B. Studying brain function through advanced computer technology 87−71133
Russo, M.V. Technology, deregulation, and the public interest: preserving universal telephone service 88−46405
Russo, O.L. *see* Dumas, K.A. 88−37486
Russo, P. A high-performance microstrip array 88−2878
Russo, P. *see* De Vincenti, P. 88−27685
Russo, P. *see* Pisani, E. 87−21593, 87−21612
Russo, P. *see* Roberti, G. 88−10366
Russo, V., Margheri, G. Lens ended fiber-fiber connections for power laser applications 88−7875
Russo, V., Righini, G., Sottini, S., Trigari, S. Axially—and side—radiating optical fibres for medical applications 85−59345
Russo, V., Righini, G., Sottini, S., Trigari, S. Optical fibres for medical applications: output beam shaping 86−38774
Russo, V., Righini, G.C., Sottini, S., Trigari, S. Lens-ended fibers for medical applications: a new fabrication technique 85−4345
Russo, V., Sottini, S., Righini, G.C., Trigari, S. Demultiplexing and tapping device using a spherical geodesic lens 85−47526
Russo, V., Sottini, S., Righini, G.C., Trigari, S. Spherical waveguide multiplexing device 86−11132
Russo, V., Sottini, S., Righini, G.C., Trigari, S. A spherical waveguide multiplexer-demultiplexer 86−69793
Russo, V. *see* Margheri, G. 88−58138
Russo, V. *see* Pluchino, F. 88−8383
Russo, V. *see* Righini, G.C. 88−58225
Russo, V. *see* Scottini, S. 86−36254
Russo, V. *see* Sottini, S. 88−2034
Russo Manduchi, M.T. *see* Cherubini, R. 86−44538
Russo-Manduchi, M.T. *see* Manduchi, C. 86−36319, 87−35342
Russon, V.K. *see* Culp, B.W. 88−57925
Russos, G.P. *see* Monti, R. 85−31613
Russotto, T.V. The integration of voice and data communication 88−9262
Russu, E.V. *see* Baleka, E.S. 86−15571
Russu, E.V. *see* Bulyarskii, S.V. 86−58258
Russu, E.V. *see* Gorchak, L.V. 85−44169, 87−51452
Russu, E.V. *see* Izeal'yants, K.R. 88−44589
Russu, E.V. *see* Kovalevskaya, G.G. 85−6752
Russu, E.V. *see* Kulyuk, L.L. 85−56666, 87−2122
Russu, E.V. *see* Radautsan, S.I. 85−16239, 85−27659
Russu, M.A. *see* Radautsan, S.I. 85−16239
Russu, P.I. *see* Kasiyan, A.I. 85−45396
Russu, V.V. *see* Danil'chenko, V.G. 86−28301
Russwurm, W. *see* Cerva, H. 88−70364
Rust, B.W. *see* O'Leary, D.P. 86−46253
Rust, B.W. *see* Pierce, J.E. 85−60892
Rust, D.M. The Solar Maximum Observatory 85−9262
Rust, D.M. New materials applications in solar spectral analysis 86−28906
Rust, D.R. *see* Baringer, P. 87−35351
Rust, J.B. Burglar alarm 86−35040
Rust, K., McDuff, G. Calorimetric measurement of the 'equivalent series resistance' of low-loss, high-repetition rate pulse discharge capacitors 87−43331
Rust, K. *see* McDuff, G. 85−23381
Rust, K.R. *see* Power, J.F. 85−5235
Rust, L. Mathematical models for use in the energy industry 86−38992
Rust, R.D. Fine line technology: the impact of dry plasma processing 88−1164
Rust, R.D. Fine line technology: impact of dry plasma processing 88−12843
Rust, R.D., Doane, D.A. Growing interdependence within the microelectronics industry: an overview perspective 86−57197
Rust, R.D., Rhodes, R.J., Parker, A.A. The road to uniform plasma etching of printed circuit boards 85−28801
Rust, R.D., Rhodes, R.J., Parker, A.A. The road to uniform plasma etching of PCBs 85−61565
Rust, T.M. *see* Warner, R.E. 87−64418
Rust, W.D. *see* Mazur, V. 87−76848
Rustagi, R.S. *see* Bajaj, S.S. 85−32331
Rustagi, S.C. *see* Bhattacharyya, A.B. 85−40739
Rustagi, V.K., Govil, A.K., Kumar, S., Chandra, K. Accurate measurement of high frequency power and voltage up to 1 GHz 85−37702
Rustako, A.J. *see* Cimini, L.J. 88−41622
Rustako, A.J., Jr., Greenstein, L.J., Roman, R.S., Saleh, A.A.M. Using times-four carrier recovery in *M*-QAM digital radio receivers 87−48865
Rustako, A.J., Jr., Woodworth, C.B., Roman, R.S., Hoffman, H.H. A laboratory simulation facility for multipath fading microwave radio channels 86−30618
Rustako, A.J., Jr. *see* Saleh, A.A.M. 88−3806, 88−21020
Rustambekov, B.M. *see* Veliyulin, E.I. 86−31331
Rustamov, P.G., Sadigov, F.M., Abilov, Ch.I. Electrophysical properties of CeBiTe$_3$ 85−23487
Rustamov, S.R. *see* Bogdanov, S.F. 86−36574
Rustamov, S.R. *see* Zakharkin, B.I. 87−46847
Rustan, P.L. *see* Mehalic, M.A. 85−54429
Rustan, P.L. *see* Moreau, J.P. 88−58823
Rustan, P.L., Jr. Description of an aircraft lightning and simulated nuclear electromagnetic pulse (NEMP) threat based on experimental data 87−39401
Rustan, R. Technological trends in telecommunications 87−48404
Rustan, R.F. A method for the economical design of concentrators 87−76432
Rustay, R.C. *see* Gajjar, J.T. 88−42846
Rustay, R.C. *see* Kolavennu, V.R. 85−20090
Rustem, B. A class of superlinearly convergent projection algorithms with relaxed stepsizes 85−33302
Ruster, R. Winds and waves in the middle atmosphere as observed by ground-based radars 85−31986
Ruster, R., Klostermeyer, J., Rottger, J. SOUSY VHF radar measurements in the lower and middle atmosphere 87−15050
Ruster, R. *see* Klostermeyer, J. 88−74976
Rustgi, A.K., Kakad, Y.P. Modeling of the glass microelectrode tip 87−57067
Rustgi, S.N., Rodgers, J.E. Analysis of the bremsstrahlung component in 6-18 MeV electron beams 88−10326
Rustichelli, F. *see* Caciuffo, R. 87−71067
Rustichelli, S. *see* Checchia, P. 86−65330
Rustici, D. *see* Wale, G. 88−60823
Rustinov, V.A. *see* Shkil, A.S. 85−22766
Rustioni, M. *see* Pizzini, S. 86−34296
Rustioni, M. *see* Sanjurjo, A. 88−18030
Rustmanov, S.R. *see* Aponin, G.I. 85−18908
Rustogi, D., Sengupta, N. Experimental study and empirical evaluation of carrier compression and third order intermodulation products of unequal carriers in a communication satellite transponder 85−36964
Rustogi, D., Sengupta, N., Vembu, N.S., Basavaraja, K.S. On-orbit tests of INSAT-1B communication subsystems 85−30958
Rustogi, D. *see* Rao, K.L. 85−63789
Rustom-Dalouche, R., Rolland, S., Granger, R., Pelletier, C.M. Cadmium concentration dependence of mobility in cadmium-doped lead telluride 85−55507
Rustschew, D. *see* Geidel, K.D. 86−7902
Rusu, A. *see* Bulucea, C. 88−13437
Rusu, A. *see* Pascu, M.L. 86−3402
Rusu, A. *see* Steriu, D. 86−11492
Rusu, M. *see* Borca, E. 87−5552
Rusu, S. *see* Silard, A. 85−6914, 85−34950, 85−50511 to 50512
Rusyaev, V.F. Conductometric method of studying blood coagulation 88−68430
Ruszczynski, A. A regularized decomposition method for minimizing a sum of polyhedral functions 86−66746
Ruszczynski, A., Syski, W. A method of aggregate stochastic subgradients with on-line stepsize rules for convex stochastic programming problems 87−5350
Ruszel, P. Electronic systems tester 88−60563
Ruszkarski, P. *see* Grzegorczyk, A. 88−39632
Ruszniak, J. *see* Daciuk, B. 88−69160
Rusznyak, A. Start-up time of CMOS oscillators 87−44651
Rusznyak, P. *see* Balazs, A. 85−37435
Rusznyak, P. *see* Sagdeev, R.Z. 87−49573
Rut, O.E. *see* Elizarov, A.I. 87−66897
Rut, O.E. *see* Germanenko, A.V. 85−18122, 86−58250, 87−32270
Rut, R. *see* Ploszynska, J. 88−30716
Ruta, G. *see* Daurelio, G. 88−20809
Rutberg, L.N. *see* Traube, E.S. 87−58071
Rutberg, S. Radio links for cable TV 86−60049
Rutchik, W.L. *see* Thompson, G.C. 87−29210
Rutel, S. *see* Fischer, W. 88−44258
Rutelli, G. *see* Cuppini, D. 88−22517
Rutemiller, H.C. *see* Angus, J.E. 85−28082
Rutenbar, R.A., Atkins, D.E. Systolic routing hardware: performance evaluation and optimization 88−38343
Rutenbar, R.A. *see* Carlson, E.C. 87−38460, 88−1718, 88−63467
Rutenbar, R.A. *see* Harjani, R. 87−65697
Rutenbar, R.A. *see* Jain, K.C. 85−33986
Rutenbar, R.A. *see* Jayaraman, R. 88−24901
Rutenbar, R.A. *see* Kravitz, S.A. 87−6846, 87−74358
Rutenbar, R.A. *see* Setliff, D:E. 88−50973
Rutenberg, M.R. A review of traditional system reconfiguration techniques and their applicability to the unique requirements of digital avionics 87−77763
Ruter, H., Kohler, K., Arnetzl, H. Possibilities of using vertical geophone arrays (CVA) in reflection seismology 86−6068
Rutgaizer, E.M. *see* Bazarov, B.A. 87−30770
Rutgers, W.R., Hulshof, H.J.M., Laurensse, I.J., van der Wey, A.H. Optical sensors for the measurement of electric current and voltage 88−67763
Rutgers, W.R., van der Wey, A.H. Experiments on dielectric recovery of switching arcs 86−12966
Rutgers, W.R., van der Wey, A.H., Kema, N.V. Deionisation in a circuit breaker arc 87−22670
Rutgers, W.R. *see* Hulshof, H.J.M. 88−33778
Ruth, B. Velocity measurement by the laser speckle method using optical fibres 87−39264
Ruth, B., Haina, D., Waidelich, W. The determination of a blood-flow parameter by the Doppler method 85−4297
Ruth, B. *see* Bromborsky, A. 88−50584
Ruth, B.G. *see* Kehs, R.A. 85−23349, 86−21056
Ruth, J.C. *see* Moore, C.A. 85−15380, 86−18415
Ruth, J.C. *see* Simpson, C.A. 86−69031, 87−50524, 87−58664, 88−3005, 88−14641, 88−72873
Ruth, M. *see* Mahan, A.H. 86−27925, 87−12302
Ruth, R. *see* Hutton, A.M. 86−31892
Ruth, R.D. The acceleration and storage of high energy polarized protons 85−26609
Ruth, R.D. Transverse mode coupling with feedback 85−26614
Ruth, R.D. A review of polarized proton beam techniques and a report on the workshop on polarized beams 85−48159
Ruth, R.D. Single-particle dynamics in circular accelerators 87−50059
Ruth, R.D. Beam dynamics issues for linear colliders 88−22896
Ruth, R.D., Chao, A.W., Morton, P.L., Wilson, P.B. A plasma wake field accelerator 86−18207
Ruth, R.D. *see* Chao, A.W. 86−5650
Ruth, R.D. *see* Morton, P.L. 86−24957
Ruth, R.D. *see* Pisin Chen 86−5621
Ruth, R.D. *see* Warnock, R.L. 88−54245
Ruth, R.P. *see* Ahlgren, W.L. 88−461, 88−31760
Ruth, R.P. *see* Manasevit, H.M. 87−10421
Ruth, S.R. Choosing the correct SMT adhesive 87−32174
Ruth, T.J., Malmborg, P., Leung, V. Extraction of ^{11}C from the TRIUMF 500 MeV Isotope Production Facility cooling water 86−25103
Ruthen, R.M. *see* Scherer, A. 88−26050
Ruther, K.-A. *see* Bosterling, W. 85−40716
Ruther, K.A. *see* Bosterling, W. 87−38231
Ruther, T. *see* Recktenwald, K. 88−31994
Rutherfoord, J.P. *see* Gray, R. 86−44592
Rutherford, A. *see* Frazier, G.B. 85−5248
Rutherford, D.A., Dewshi, M. Experience in developing and certifying embedded software for aerospace applications 88−48281
Rutherford, D.A. *see* Khan, M.N. 85−16980
Rutherford, H. *see* Gray, M.J. 85−31815
Rutherford, H.G., Gray, M., Hovey, J., Zima, P.J., Ogan, J.J. A highspeed multimodality digital image management system 85−4269
Rutherford, H.G., Reese, A., Gray, M., Zima, P.J. The role of an image processing realtime digital disk in a PACS system 85−31820
Rutherford, H.G., Taub, F.E., Williams, B. Object identification and measurement from images with access to the database to select specific subpopulations of special interest 87−69329
Rutherford, J. *see* Rudie, N.J. 86−35086
Rutherford, J.F. *see* Blanchard, R.C. 86−25361
Rutherford, K.M., Riso, R., Neunman, M.R. A finger mounted force sensor for use with an FNS hand grasp system 88−68343
Rutherford, R.J.D., Rowe, G.W. Teaching innovation in engineering: theory and practice 88−55861
Rutherford, W.C. *see* Abdel-Motaleb, I.M. 87−44780
Rutherford, W.M. *see* Ellefson, R.e. 85−64123
Ruthrof, K., Streicher, V. New developments in the field of monitoring systems 85−53447
Ruthrof, K. *see* Bohn, H. 87−71407
Ruthrof, K. *see* Jax, P. 86−19035
Ruthven, A. *see* Paquin, N. 88−64552, 88−71362
Rutigliano, C.R. *see* Guckel, H. 88−53676
Rutkin, O.G. *see* Gridnev, V.N. 86−54016
Rutkin, O.G. *see* Trifonov, A.S. 85−41178
Rutkovskii, P.F. *see* Anisimkin, V.I. 87−38640
Rutkovskii, P.F. *see* Mishkinis, R.A. 87−25750
Rutkowska, D. Computer based real-time measurement of probability density functions 87−3361
Rutkowska, D. Real-time measurement of time varying probability density functions 87−44120

Rutkowski, A.M. The new telecommunication environment: integrated information systems 86−4316
Rutkowski, A.M. Transborder data flow; user responsibilities and obligations in the new telecommunication environment 86−49146
Rutkowski, A.M. An overview of the forums for standards and regulations for digital networks 87−20011
Rutkowski, A.M. Open network architectures: an introduction 87−28129
Rutkowski, A.M. Computer IV: regulating the national public information fabric 88−3337
Rutkowski, A.M. Regulating the global public information fabric 88−8936
Rutkowski, D. *see* Pieprzyk, J. 85−41849
Rutkowski, D.A. *see* Pieprzyk, J.P. 85−51554, 85−62980, 86−22894
Rutkowski, D.J., Welchens, J.P. The development of an electronic draft control system 87−51590
Rutkowski, H. *see* Humphries, S., Jr. 86−44532
Rutkowski, H.L., Oona, H., Meyer, E.A., Shurter, R.P., Engelhardt, L.S., Humphries, S., Jr. Ion source development for the Los Alamos heavy ion fusion injector 86−32107
Rutkowski, H.L. *see* Ballard, E.O. 86−32123
Rutkowski, J. Heuristic network partitioning algorithm using the concept of loop index 85−492
Rutkowski, J. Analysis of rotating magnetization in the yoke of three phase induction motor 85−9887
Rutkowski, J. Progress of world engineering in the domain of telecommunications during the last period of ten years 86−69255
Rutkowski, J. Development and application problems of digital radio lines in telecommunication networks 88−67228
Rutkowski, J. World telecommunications on the verge of the 21st century (against the background of telecommunication conditions in Poland) 88−73436
Rutkowski, J., Macura, A. Multiple fault location in AC circuits 87−10545
Rutkowski, J., Rogalski, A., Larkowski, W. Mesa Cd-diffused $Pb_{0.80}Sn_{0.20}Te$ photodiodes 85−29709
Rutkowski, J. *see* Fleszynski, J. 85−29359
Rutkowski, J. *see* Nowak, Z. 88−56206
Rutkowski, J. *see* Tyman, A. 88−1914
Rutkowski, L. A general approach for nonparametric fitting of functions and their derivatives with applications to linear circuits identification 87−466
Rutkowski, L. *see* Galkowski, T. 85−49488
Rutkowski, L. *see* Ozimek, E. 86−11784
Rutkowski, Z. Determination of induction distribution in the magnetic circuit of three phase induction motor by grid equivalent network method 85−9886
Rutkowski, Z. *see* Anuszczyk, J. 87−39295, 88−55355
Rutks, R. Static electricity: many solutions 88−45630
Rutland, R.W., Rusk, J.H., Jr. Developing indicators to measure the effectiveness of QA program management controls 86−25778
Rutledge, A.L. *see* Pham, L.T. 86−12397
Rutledge, C.T., Hooks, D. Upgrading radiation detectors with the Commodore 87−50160
Rutledge, C.W. Vector DPCM: vector predictive coding of color images 87−39971
Rutledge, C.W. Variable block vector DPCM: vector predictive coding of color images 88−3209
Rutledge, D. A freshman class in solid-state devices and integrated circuits 86−61872
Rutledge, D., Compton, R., Williams, W., Popovic, Z., Potter, K. A class for computer-aided design and measurement of microstrip circuits 88−1017
Rutledge, D. *see* Chung-en Zah 86−16048
Rutledge, D. *see* Kasilingam, D. 87−19344
Rutledge, D.B. *see* Chung-en Zah 86−10188
Rutledge, D.B. *see* Compton, R.C. 86−10154, 87−33023, 87−61456, 87−73241
Rutledge, D.B. *see* Hwu, R.J. 88−71077
Rutledge, D.B. *see* Lam, W.W. 86−35047, 88−1018, 88−50366
Rutledge, D.B. *see* Neikirk, D.P. 85−4073
Rutledge, D.B. *see* Philips, T.G. 86−48007
Rutledge, D.B. *see* Rebeiz, G.M. 88−2884, 88−21025, 88−27664, 88−27682
Rutledge, D.B. *see* Tong, P.P. 85−20508
Rutledge, D.B. *see* Williams, W.K. 88−60627
Rutledge, D.B. *see* Zah, C. 85−13316
Rutledge, D.L., Turner, J.E., Darling, R.D., Josephson, G.R. Electrically erasable technology enhances PLD flexibility and performance 87−656
Rutledge, D.L., Turner, J.E., Darling, R.D., Josephson, G.R. A 16 ns CMOS EEPLA with reprogrammable architecture 87−17030
Rutledge, E.T. Ultrasonic liquid quantity measurement 86−18132
Rutledge, J., Brzozowy, R. The CMOS solution 86−47797
Rutledge, J. *see* Barzilai, Z. 87−24124
Rutledge, J.D. *see* Barzilai, Z. 87−74427
Rutledge, J.E. *see* Hays, K.M. 85−7190
Rutledge, J.E. *see* Pappas, D. 88−58377
Rutledge, L.S., Hoffman, L.J. A survey of issues in computer network security 87−28043
Rutledge, M. Software tools for TPS integration, a methodology 86−44135
Rutledge, R.A. Models for the reliability of memory with ECC [error correction codes] 86−1059
Rutledge, S.K. *see* Banks, B.A. 87−4943
Rutledge, W.T. Distributed power—'time for a second look' 87−30825
Rutledge, W.T. Power for the communications systems of the ninety's 87−72296
Rutman, J. *see* Clairon, A. 85−56498, 86−22472
Rutmanis, L. Relationships between input, modulating and output frequency values of a converter 88−56826
Rutoli, G. *see* Bracale, M. 88−23144
Rutovitz, D. *see* Granum, E. 87−62214
Rutovitz, D. *see* Piper, J. 87−21525
Rutschke, W., Werner, E. Stability of electroacoustic transducers using piezoelectric foil 87−71431
Rutschmann, J. *see* Bene, P. 88−56532
Rutschmann, J. *see* Bonesini, M. 88−23001, 88−29823
Rutshtein, L.M., Kirilryuk, E.L., Dobrovinskaya, D.G., Punkevich, V.S. Realisation of the input control of programming the architecture for digital ICs by the modulator principle 88−33311
Rutshtein, L.M. *see* Bogoroditskii, A.A. 86−7543
Rutshtein, L.M. *see* Danilov, V.V. 87−14098
Rutshtein, L.M. *see* Podlozhenov, Yu.A. 87−45468
Rutt, H.N. Optically-pumped laser action in monodeutero-acetylene (HCCD) 85−18845
Rutt, H.N., Hawkins, K.C. Pulsed optically pumped far infrared laser and maser action in OCS 85−24463
Rutt, H.N., Hawkins, K.C. Optically-pumped pulsed laser action in isotopically-substituted DCN 85−46321
Rutt, H.N., Selden, A.C., McNeil, B.W., Denning, R.G. Diffused germanium dichroic mirror for optically pumped far-infrared lasers 86−15024
Rutt, H.N., Travis, D.N., Hawkins, K.C. Mid infrared and far infrared studies of the propyne optically pumped laser 85−18846
Rutt, H.N. *see* Gascoyne, P.F. 85−24454
Rutt, H.N. *see* Hawkins, K.C. 85−29763
Rutt, J.P. Lasers find a niche in manufacturing 87−26586
Rutt, T.E. Root-locus technique for vented-box loudspeaker design 86−4910
Rutten, G.M.J. *see* van de Ven, J. 87−10487
Rutten, I., van de Grift, R., van der Veen, M. A high-performance 8-bit 55 MHz flash-ADC for video and professional applications 87−44979
Rutten, I.W.J.M. *see* Boon, C.A.M. 86−825
Rutten, I.W.J.M. *see* van de Grift, R. 88−19220
Rutten, P. What if they gave a revolution and nobody came? [CD-I] 88−67597
Ruttenberg, A. *see* Johnsson, S.L. 88−38121
Rutter, M.J., Grant, P.M. Timed gradient adaptive lattice equaliser 85−42407
Rutter, P. The Chyron Chameleon [electronic paint system for TV graphics] 88−15786
Rutter, P. The Scribe family [character generation] 88−67563
Rutter, P., Jacobs, D.A.H. Some aspects of data display in a scientific research environment 85−37691
Rutter, R. An alternating current switch mode power supply 87−51366
Ruttiger, K. *see* Gerdom, K.-H. 85−10261
Ruttimann, H. Electrical transducers for measuring pressure, pressure difference and level 87−63357
Ruttimann, U.E., Webber, R.L. Fast computing median filters on general-purpose image processing systems 87−13085
Ruttimann, U.E., Webber, R.L., van der Stelt, P.F. Automated registration and selection of radiographs suitable for subtraction 88−29993
Ruttimann, U.E. *see* Groenhuis, R.A.J. 85−38118
Ruttimann, U.E. *see* van der Stelt, P.F. 86−50542
Ruttkay-Nedecky, I. *see* Baum, O.V. 86−5955
Ruttkay-Nedecky, I. *see* Titomir, L.I. 87−63779
Ruttkay-Nedecky, I., Macfarlane, P. *(editor)* Electrocardiology '83. Proceedings of the 10th International Congress 86−58
Ruttledge, D.B. *see* Rebeiz, G.M. 88−58973
Rutz, E. *see* Henein, G.E. 88−14047
Rutz, R.F. High temperature gate, self-aligned GaAs MESFET 85−45700
Rutz, W.L., Becker, M., Wicks, F.E. Treatment of elastic demand in generation planning 86−18752
Ruuskanen, A.T., Jarvinen, P.J. Energy attitudes in Finland 85−32272
Ruusunen, J., Karanta, I. A time series model for communal electrical load forecasting 88−54962
Ruusunen, J. *see* Ehtamo, H. 88−42803
Ruusunen, J. *see* Hamalainen, R.P. 86−50943
Ruusunen, P. *see* Haultsonen, S. 86−16259
Ruvinskiy, V.I. Optimization of the parameters of microwave links for power transmission 87−50750
Ruvoen, M. *see* Fiche, G. 85−52156
Ruvoen, M. *see* Jacob, J.-B. 87−40267
Ruwen Wang *see* Wang Ruwen
Ruxton, J., Vahldieck, R. A novel 180 degrees out of phase finline power divider design 87−66510
Ruxton, J., Vahldieck, R. A wideband finline power divider in a metallized plastic housing: design and performance 87−73624
Ruxton, J., Vahldieck, R. A Ka-band integrated E-plane power divider 88−32400
Ruxton, J., Vahldieck, R., Hoefer, W.J.R. A 20 GHz FET amplifier in an integrated finline/microstrip configuration 88−71096
Ruxton, J. *see* Vahldieck, R. 87−73629
Ruyant, F. Developing reactor coolant pumps for the French PWR programme 85−15763
Ruyven, L.J.Van *see* Van Ruyven, L.J.
Ruzaikin, M.P. *see* Vilisova, M.D. 87−36702
Ruzankov, V.N. *see* Trutaev, V.I. 88−61822
Ruzecki, E.P., Hyer, P.V., Kiley, K., Jablonsky, M.S. Imaging system techniques applied to analysis of hydraulic and finite element model experiment results 86−60973
Ruzek, J. *see* Fiala, P. 88−27331
Ruzek, M. Preliminary science results from the Shuttle Imaging Radar-B 86−17482
Ruzek, M. *see* Caro, E.R. 87−3234
Ruzek, V. Sensors and 'sensoriks' 85−8783
Ruzek, V.J. How to find the right sensor? 85−58692
Ruzhechkin, S.A. *see* Das'ko, A.D. 86−15653
Ruzhentsev, I.V. *see* Terent'ev, A.A. 87−17616
Ruzhkovskii, B.G. *see* Turkin, A.N. 85−15840, 87−42765
Ruzhnikov, V.A. *see* Chernyshev, E.P. 88−38370
Ruzic, D.N. Fusion energy 85−21301
Ruzicka, J. *see* Zrelov, V.P. 88−61143
Ruzicka, L.M. *see* Dyck, R.H. 85−58576
Ruzickova, M., Kulesov, V.N., Balaz, I. Fluctuation characteristics of the RC oscillators and short-term frequency instability 88−12244
Ruzickova, M. *see* Kuleshoff, V.N. 86−57713
Ruzin, I.M. *see* Raikh, M.E. 86−21177
Ruzin, V.V. *see* Zavadtsev, A.A. 85−20692
Ruzinova, E.V. *see* Veselovskii, L.N. 85−17025
Ruzinska, D. Dielectric properties of Ta-Al-N thin-film capacitors 86−20865
Ruzinska, D. The effect of selected technological parameters on the dielectric properties of sputtered SiO_2 thin films 87−65562
Ruzinsky, M., Baratka, S., Palaj, J., May, J., Kosek, F., Cimpl, Z. Large area silicon solar elements $N^+ PP^+$ with an antireflection As_2S_8 layer 88−11378
Ruzinsky, M., Baratka, S., Saly, V. Methods of measuring the serial resistance of solar cells 87−36135
Ruzinsky, M. *see* Baratka, S. 86−68365, 88−11377
Ruzinsky, M. *see* Cimpl, Z. 88−71993
Ruzinsky, M. *see* Zeman, M. 86−21157
Ruzsanyi, T. *see* Bacsanyi, C. 86−12892
Ruzsanyi, T. *see* Nagy, I. 88−69584
Ruzyllo, J. Effects of preoxidation ambient in very thin thermal oxide in silicon 87−6592
Ruzyllo, J. Selected aspects of very thin oxide growth processes 88−1341
Ruzyllo, J., Duranko, G.T., Hoff, A.M. Preoxidation UV treatment of silicon wafers 88−7480
Ruzyllo, J., Duranko, G.T., Kennedy, J.T., Pantano, C.G. Removal of organic contaminants from silicon surface after reactive ion etching 88−71431
Ruzyllo, J., Hoff, A., Ruggles, G. Evaluation of thin oxides grown by the atomic oxygen afterglow method 88−7656
Ruzyllo, J., Hoff, A.M., Duranko, G. Application of UV radiation in pre-oxidation treatments of silicon wafers 87−17991
Ruzyllo, J. *see* Beck, R.B. 86−47423
Ruzyllo, J. *see* Hoff, A.M. 88−39198
Ruzyllo, J. *see* Jakubowski, A. 85−18457
Ruzza, E. *see* Caneschi, E. 85−25572
Ruzzo, W.L. *see* Kwan, S.C. 85−28138
Rvachev, V.L., Manko, G.P. *R*-function theory in mathematical modeling of physical fields 87−47068
Rvachev, V.L., Manko, G.P., Sheiko, T.I. Application of the *R*-function theory for calculations of physical fields 86−15828
Rvachev, V.L. *see* Kondrat'ev, V.N. 87−58831
Rvachev, V.L. *see* Kravchenko, V.F. 88−46159
Rvachev, V.L. *see* Zubkov, Yu.P. 88−46014
Rwabona-Katashaya, S., Evans, B.G. Dielectric space frame radomes for satellite communications 87−76656
Ryaben'kii, V.M., Peker, B.N. Algorithm for determining parameters of voltage asymmetry in a 3-phase circuit 87−42434
Ryaben'skii, V.M., Peker, B.N., Tistol, N.K. The operation of a 3-phase zeroing rectifier with an invariant control system under unstable and imbalanced power supply conditions 87−43206
Ryabikhin, E.A. Technique of optimisation of dynamic parameters based on symbolic analysis of nonlinear electric circuits 88−56417
Ryabinin, V.I. *see* Ganopl'skii, L.S. 87−45842
Ryabinin, Yu.A. Specific distortions of signals during stroboscopic conversion 88−42019

Ryabinin, Yu.A., Gurevich, M.L., Cheremokhin, A.V. Sampling converter with a fully charged storage capacitor 87-63331
Ryabinin, Yu.A., Klemensov, V.A., Balaev, A.P., Shcherbakov, V.V., Tsal, V.V. Study of picosecond pulses with sampling oscilloscopes and devices 85-4027
Ryabinin, Yu.A., Smirnov, D.N. Picosecond-pulse shaper 86-24458
Ryabinkina, L.M. *see* Kuznetsov, Yu.N. 86-8526
Ryabizhin, E.A. *see* Begel'man, O.N. 85-38484
Ryabka, P.M. *see* Azhippo, V.A. 87-3829, 87-41714
Ryabko, B.Ya. Twice-universal coding 85-51552
Ryabko, B.Ya. Noiseless coding of combinatorial sources, Hausdorff dimension, and Kolmogorov complexity 87-39654
Ryabko, B.Ya. *see* Krichevsky, R.E. 86-13640
Ryabko, B.Ya. *see* Reznikova, Zh.I. 87-39560
Ryabkov, A.V. *see* Kazakov, A.N. 88-30376
Ryabkova, E.Ya. Investigation of the impulse characteristics of earthings from experimental data 85-21247
Ryabkova, E.Ya. A refined method of analysis of pulse resistances of vertical grounding rods 86-39229
Ryabokon, I.P. *see* Zaika, A.T. 85-7723
Ryabokon, M.L. *see* Zaitsev, V.V. 88-56462
Ryabov, A.D. *see* Daikovskii, A.G. 86-31877
Ryabov, A.D. *see* Daikovsky, A.G. 87-3823
Ryabov, A.D. *see* Grishin, V.K. 87-50083
Ryabov, A.I. *see* Amosov, A.V. 87-26481
Ryabov, A.I. *see* Kuratev, I.I. 86-9809, 86-54122
Ryabov, A.I. *see* Nasel'skii, S.P. 85-24525
Ryabov, A.I. *see* Zharikov, E.V. 86-9794, 87-75057
Ryabov, A.N. *see* Gol'din, R.G. 86-39730
Ryabov, A.N. *see* Ivanov, V.I. 86-13866
Ryabov, A.N. *see* Navolokin, S.N. 85-54545
Ryabov, A.P. *see* Bagdanskis, N.I. 88-67796
Ryabov, A.S., Mavrin, V.N., Mazur, A.V., Morshnev, S.K., Frantsesson, A.V. Fiber-optic thermometer 88-16091
Ryabov, A.S. *see* Morshnev, S.K. 86-42298, 88-2008
Ryabov, E.A. *see* Ganichev, V.A. 88-67799
Ryabov, E.V. *see* Pikul'skii, V.A. 86-33263, 86-61459
Ryabov, E.V. *see* Ronzhin, A.A. 87-64507
Ryabov, E.V. *see* Zamira, Yu.V. 87-30483
Ryabov, G.A., Kozlov, Yu.V. An experimental investigation of hydrodynamics of immersed perforated plates 85-59895
Ryabov, G.A. *see* Davydov, N.I. 87-3798
Ryabov, G.A. *see* Kozlov, Yu.V. 88-23675
Ryabov, G.G., Babayan, B.A., Semenikhin, S.V., Perekatov, V.I., Larin, E.M. Basic principles of interaction between a data communication processor and the central system in the multiprocessor computer complex ELBRUS 88-41173
Ryabov, M.I. *see* Konovalova, O.T. 86-70766
Ryabov, N.I. *see* Petrosyants, K.O. 87-32678, 87-52292
Ryabov, P.M. *see* Malov, V.V. 85-31460, 87-56860
Ryabov, R.A. *see* Lobko, V.N. 87-77459
Ryabov, S.N., Kutolin, S.A., Bondareva, L.A. Effects of plasma treatment on defect formation in the thermal oxidation of silicon single crystals 86-35579
Ryabov, S.N. *see* Kazakov, Yu.B. 87-78666
Ryabov, V.F. Measuring parameters of double-pole electrical circuits from coefficients of expansion of signal into generalised Fourier series 86-46158
Ryabov, V.N. *see* Ovchinnikov, I.E. 85-65201, 87-58040, 88-30240
Ryabov, V.N. *see* Ovchinnikov, I.Ye. 86-39684
Ryabov, V.N. *see* Plakhtyna, E.G. 86-51604
Ryabova, L.A. *see* Ivantsev, A.S. 85-24357
Ryabova, L.A. *see* Kanaev, I.F. 88-12036
Ryabova, L.A. *see* Salun, V.S. 88-38128
Ryabova, L.I. *see* Akimov, B.A. 85-29694, 87-12291
Ryabova, T.D. *see* Daikovskii, A.G. 86-31877
Ryabova, T.D. *see* Grishin, V.K. 87-50083
Ryabtsev, A.P. *see* Vyatkin, A.P. 86-11554
Ryabtsev, G.I. *see* Voronin, V.F. 86-36503, 86-42577, 87-75120
Ryabtsev, G.I. *see* Zhizdyuk, T.B. 86-36504
Ryabtsev, V.G. Algorithm for detection of faulty LSI RAM, associated reciprocal influence of memory cells 85-61259
Ryabtsev, V.G. *see* Chernyshev, V.A. 87-59323
Ryabtsov, A.L. Design of a long-range navigation system receiver in the quasi-rangefinder mode 85-37124
Ryabtsov, A.L. Synthesis of an optimum system for receiving and processing interfering pulse radio signals 86-29888
Ryabtsov, A.L. Synthesis of an optimum receiver-processor of a packet of pulsed radio-frequency signals 86-37080
Ryabtsov, A.L. Design of receivers with ambiguity resolution 87-47748
Ryabtsov, A.L. Synthesis of an optimum RF pulsed signal receiver with partial signal utilization 88-9395
Ryabtsov, A.L. Gain specification in pulsed-signal receivers 88-46062
Ryabtsov, A.L. Estimate of the noise immunity of an optimum receiver of interfering RF-pulse signals 88-72959
Ryabtsov, V.D. *see* Bulgakov, N.K. 87-63700
Ryabtsov, V.D. *see* Vodop'yanov, A.S. 85-26707
Ryabukhin, A.V. *see* Lyskov, V.P. 87-66780
Ryabukhin, A.V. *see* Pyskov, V.P. 87-12648
Ryabukhin, V.V. *see* Gavrilov, L.R. 87-41994
Ryabukho, V.P., Surmenko, L.A. SOK-1 laser optical system with television attachment 88-72364
Ryabukho, V.P. *see* Klimenko, I.S. 86-36612, 86-48511
Ryabushkin, S.L. *see* Veselov, A.G. 88-71874
Ryabykh, V.N., Svich, V.A., Topkov, A.N. Investigation of a tunable CO_2 laser excited by a transverse HF discharge 85-24486
Ryabykin, V.V. *see* Butkovskii, O.Ya. 88-34276
Ryabyshkin, V.N. *see* Semenov, K.A. 88-46854
Ryadinskikh, A.S. *see* Karpov, E.A. 88-38359
Ryadnina, I.A. *see* Oleinik, G.S. 85-11962
Ryadnykh, S.I. *see* Azhippo, V.A. 87-3829
Ryadov, B.V. *see* Glushkov, A.Yu. 86-38965
Ryakhin, A.D. *see* Bakut, P.A. 85-46949, 85-51750, 86-16526, 86-37145, 87-27401, 87-69262, 88-73203
Ryakhovskaya, T.I. *see* Baldin, S.A. 86-60622
Ryakhovskii, V.N. *see* Aksinenko, V.D. 88-32051
Ryal, M. *see* Fraser, D.A. 86-20622
Ryali, B. *see* Stets, J. 88-52581
Ryali, S.B. *see* Wohlers, M. 88-52580
Ryals, S. *see* McCullough, R. 85-22963
Ryan, A.J., Santos Rodriguez, E. Technology transfer for nuclear power plants 86-39474
Ryan, A.P. Diurnal variation of radar echo frequency at Ohakea 85-64743
Ryan, C. Modem design using continuous phase modulation with coding 86-29703
Ryan, C. Phase locked loop design for TDMA applications 86-29928
Ryan, C. Hardware realization of bandwidth/power efficient modems 87-48764
Ryan, C., Huffman, G. Baseband implementation of a fast acquisition carrier tracking loop 87-39839
Ryan, C. *see* O'Neil, V.P. 85-1047
Ryan, C.E. *see* Flowers, D.C. 87-40657
Ryan, C.E. *see* Johnson, R.C. 87-56236
Ryan, C.E., Jr. *see* Cowan, B.J. 88-2682
Ryan, C.E., Jr. *see* Cown, B.J. 85-13265, 88-45758
Ryan, C.E., Jr. *see* Cravey, R.W. 87-39442
Ryan, C.E., Jr. *see* Wang, J.J.H. 85-14349
Ryan, C.G. Marketing of technology 85-17
Ryan, C.R. *see* Gottman, D.M. 86-4354
Ryan, C.R. *see* Hambley, A.R. 86-852
Ryan, C.R. *see* Hartman, D.H. 86-2994
Ryan, C.R. *see* Tranter, W.H. 88-34929
Ryan, D. Terminal blocks get European styling 87-37642
Ryan, D. *see* Divekar, D. 87-1562
Ryan, D. *see* Engberg, E. 88-15839
Ryan, D. *see* Horden, I. 86-43602, 86-52858
Ryan, D. *see* Kraus, R. 88-63391
Ryan, D.F. *see* Catchen, G.L. 87-21699
Ryan, D.G. *see* Anassontzis, E. 86-32202
Ryan, D.H. *see* Altounian, Z. 88-64920
Ryan, D.H. *see* Cadogan, J.M. 88-64917
Ryan, D.J. Making sense of image communication systems 87-27955
Ryan, D.J. Making sense of today's image communications alternatives [facsimile] 87-48506
Ryan, D.J. Computers now speak 'fax' 88-41269
Ryan, D.P. Intel's 80960: an architecture optimized for embedded control 88-63709
Ryan, D.T.H. *see* French, H.T. 88-28524
Ryan, E.A. *see* Taylor, A. 85-55421
Ryan, F., Schabel, R., Radtkey, R. Factor equipment capabilities into load management 86-12283
Ryan, F.J., Chang, M.F., Vahrenkamp, R.P., Williams, D.A., Fleming, W.P., Kirkpatrick, C.G. New dry recess etching technology for GaAs digital ICs 86-35911
Ryan, F.J., Shin, S.H., Edwall, D.D., Pasko, J.G., Khoshnevisan, M., Westmark, C.I., Fuller, C. Gamma ray detectors with HgCdTe contact layers 85-26727
Ryan, F.J. *see* Asbeck, P.M. 85-55162
Ryan, F.J. *see* Cameron, D.S. 87-43414
Ryan, F.J. *see* Chang, M.F. 85-35158, 85-49819
Ryan, F.J. *see* Shin, S.H. 85-43220
Ryan, F.J. *see* Weber, R.J. 87-32094
Ryan, F.R. Satellite communication for aeronautical safety 88-15434
Ryan, F.W. *see* Hargrave, F. 86-54676
Ryan, G. *see* Carroll, A. 86-32046, 88-54314
Ryan, G. *see* Leonhardt, W. 88-54317
Ryan, G. *see* Sandberg, J. 88-54318
Ryan, G. *see* Sims, W.P. 88-54315
Ryan, G. *see* Stillman, P. 88-54319
Ryan, G. *see* Walker, J.C. 88-54316
Ryan, G.P. Binary generators: the go/no go decision 85-43887
Ryan, H.M. CAD applied to switchgear 86-45623
Ryan, H.M., Flynn, A., Watson, W. Voltage-time characteristics of long air gaps 86-28552
Ryan, H.M., Lightle, D., Milne, D. Factors influencing dielectric performance of SF_6 insulated GIS 85-60351
Ryan, H.M., Whiskard, J. Design and operation perspective of a British UHV laboratory 87-15933
Ryan, H.M. *see* Ali, S.M.G. 85-39147
Ryan, H.M. *see* Milne, D. 88-69639
Ryan, H.M. *see* Shimmin, D. 86-26221
Ryan, H.M. *see* Watson, W. 86-51859
Ryan, J., House, M. Radar cross sections of icebergs and ocean 88-15651
Ryan, J., Walsh, J. Electric dipole fields over a quarter space Earth inhomogeneity and application to ice hazard detection 86-22598
Ryan, J. *see* Douse, R. 85-55741
Ryan, J. *see* Gilbert, B. 87-31945
Ryan, J.A. Ryan's vertical ecstasy [antenna arrays design] 85-2686
Ryan, J.A. The D-day demodulator [RTTY] 85-57703
Ryan, J.C. *see* Lawandy, N.M. 87-74994
Ryan, J.F. Time-resolved spectroscopy of semiconductor quantum well heterostructures 85-23521
Ryan, J.F. Time-resolved photoluminescence for quantum well semiconductor heterostructures 86-21222
Ryan, J.F., Taylor, R.A., Turberfield, A.J. Measurements of hot carrier relaxation and recombination in GaAs quantum wells by picosecond optical probing 85-18157
Ryan, J.F., Taylor, R.A., Turberfield, A.J., Worlock, J.M. Time-resolved photoluminescence from hot two-dimensional carriers in GaAs-GaAlAs MQWs 86-53430
Ryan, J.F. *see* Fox, A.M. 86-68507
Ryan, J.F. *see* Maciel, A.C. 87-33131
Ryan, J.F. *see* Westland, D.J. 87-74048, 88-19708
Ryan, J.G., Douse, R., Hahn, L., Luciano, M. The effect of substrate temperature on topography related defect formation in evaporated aluminum based thin films 86-21449
Ryan, J.G., Roberts, R., Slusser, G.J., Adams, E.D. The preparation and characterization of titanium boride films 88-18734
Ryan, J.G. *see* Geffken, R.M. 88-26091
Ryan, J.G. *see* Roberts, S. 88-6516
Ryan, J.J. *see* Pinsky, D.A. 85-11686
Ryan, J.L. *see* Woodhouse, J.D. 85-6713
Ryan, J.M., Wong, H. Tiered data systems for statistical quality control 85-10538
Ryan, J.P. *see* Montgomery, D. 88-918
Ryan, J.R. *see* Montgomery, J.D. 88-40102
Ryan, J.T. *see* Hoult, N.S. 85-47493
Ryan, J.W. *see* Clark, T.A. 85-59428
Ryan, K. *see* Airgood, J. 86-59808
Ryan, L.D. How to help American industry to automate through engineering education 87-23221
Ryan, L.E. *see* Hopkins, R.A. 88-49096
Ryan, M.J., Wood, J.W. Generators-particle analysis 87-15687
Ryan, M.T. *see* Rostoni, J.W. 86-50914, 87-30062
Ryan, N. An introduction to electronic mail and networks 88-28284
Ryan, N.D., Coakley, F.P. Cost effective lighting management 88-62758
Ryan, P. Pan-European cellular radio network 88-53182
Ryan, P.D. *see* Fischer, D.W. 85-25622
Ryan, P.J., Haigh, D.G. High accuracy low frequency CMOS modelling and parameter estimation 87-6926
Ryan, P.J., Haigh, D.G. Novel fully differential MOS transconductor for integrated continuous-time filters 87-59701
Ryan, P.M., Wilkinson, A.J. Knowledge acquisition for ATE diagnosis 86-49959
Ryan, P.M., Wilkinson, A.J. Knowledge acquisition for ATE diagnosis 86-65113
Ryan, P.M. *see* Chen, G.L. 88-21014
Ryan, P.M. *see* Dagenhart, W.K. 88-4778
Ryan, P.M. *see* Whealton, J.H. 88-4782, 88-47875
Ryan, P.W. *see* Bednarik, R.A. 86-50917
Ryan, P.W. *see* Bendarik, R.A. 86-61073
Ryan, R. *see* Frazier, G.B. 85-5248
Ryan, R.D. *see* Marsico, R. 86-12477
Ryan, R.J. The CLIPPER CAD system integrated hierarchical VLSI design 86-52630
Ryan, R.S. Networking strategies for the ATE manufacturer 88-60600
Ryan, R.W. *see* Malik, R.J. 85-34933, 88-26214, 88-50816
Ryan, S. *see* Rothschild, N. 88-54659
Ryan, S.G. *see* Argent, S.J. 85-9483, 86-6306
Ryan, S.G. *see* Baxter, M.J. 88-48576
Ryan, S.G. *see* Moreau, W.R. 85-44420
Ryan, T., Rogers, E. An ISMA Lee router accelerator 88-7652
Ryan, T. *see* Anassontzis, E. 86-32202

Ryan, T. *see* Cox, B. 85−64465
Ryan, T. *see* Rameika, R. 85−43186
Ryan, T. *see* Singh, J. 85−41416
Ryan, T. *see* Wagoner, D.E. 85−64464
Ryan, T.G. A task analysis-linked approach for integrating the human factor in reliability assessments of nuclear power plants 88−62041
Ryan, T.G., O'Brien, J.N., Spettell, C.M. The adequacy of human reliability data for addressing risk reduction issues at commercial nuclear power plants 86−51313
Ryan, T.G. *see* Gilmore, W.E. 87−22081
Ryan, T.G. *see* Soda, K.J. 85−12218
Ryan, T.L. *see* Bridgman, C. 85−1896
Ryan, T.L. *see* Taylor, D.J. 85−1916
Ryan, T.P., Britt, R.H. Computer-controlled temperature multiplexer for thermal dosimetry studies 85−9238
Ryan, T.P., Britt, R.H. A new technique for recording epidural spinal somatosensory evoked potentials intraoperatively 85−48309
Ryan, T.P., Britt, R.H. Digital heart rate monitor derived from the arterial pressure pulse 86−11926
Ryan, T.W. Image segmentation algorithms 86−30027
Ryan, T.W. *see* Fantner, E.J. 88−6486
Ryan, W. *see* Benkeser, P.J. 86−5929
Ryan, W.D. *see* Wong, K.K. 88−19988
Ryan, W.E., Schumpert, J.M. Time delay estimation for spread spectrum signals using generalized cross correlation 86−10406
Ryan, W.E., Wilson, S.G. Convolutional codes over GF(q) with applications to frequency-hopping channels 88−27808
Ryan, Z.A. Issues in key management for link encryption 87−27216
Ryan, Z.A. Automated network management increases data throughput 88−3418
Ryan-Howard, D.P. *see* Danko, J.J. 86−53938
Ryant, J. *see* Straka, J. 87−15858
Ryashchenko, I.L. *see* Kulikov, A.A. 88−43023
Ryasnyi, Yu.V. *see* Petrov, V.P. 87−3731, 88−22758
Ryassny, V.G. *see* Alberini, C. 86−65387
Ryavtsev, V.G., Shamarin, A.F., Stafeev, A.D., Torshina, V.E. Automated system for diagnostics of semiconductor memories 87−14100
Ryazanov, A.V. *see* Bondarenko, A.V. 88−14097
Ryazanov, A.V. *see* Dymshakov, V.A. 85−56768
Ryazanov, B.P., Shiryaev, A.O. Analysis of the properties of a half-bridge transistorized inverter 87−505
Ryazanov, B.P., Shiryaev, A.O. Nonminimum-phase properties of electronic amplifiers 87−73575
Ryazanov, B.P., Shiryaev, A.O. A full-wave converter using voltage positive feedback from a current transformer 88−55469
Ryazanov, B.P. *see* Shiryaev, A.O. 87−64003
Ryazanov, M.I. *see* Klinger, M.I. 85−34526
Ryazanov, M.I. *see* Klinger, M.N. 86−22224
Ryazanov, N.S. *see* Arikhipov, M.V. 88−14242
Ryazanov, N.S. *see* Arkhipov, M.V. 87−33253
Ryazanov, V.D. *see* Lerer, A.M. 85−55097
Ryazanov, V.D. *see* Sledkov, V.A. 86−47040
Ryazanov, V.G. *see* Vozilkina, G.P. 87−72144
Ryazanov, V.V. *see* Kaplunenko, V.K. 85−56224
Ryazanov, V.V. *see* Logvenov, G.Yu. 86−22053
Ryazanovskii, G.V. *see* Royak, S.L. 88−49310
Ryazansev, V.I., Slavin, G.A., Roshchina, A.S. The manual helium TIG-welding of aluminium alloys 85−27851
Ryazantsev, I.A. *see* Aleshin, A.N. 86−21153
Ryazantsev, I.A. *see* Bolotov, V.V. 85−45558
Ryazantsev, I.A. *see* Dvurechenskii, A.V. 86−63052
Ryazantsev, L.A. *see* Rozenberg, V.L. 85−65654, 87−43650
Ryazantsev, O.B. *see* Bolonov, O.A. 87−6946
Ryazantsev, V.I., Khristoev, Yu.Ya., Eliseeva, N.P., Gvadzabiya, G.V., Eliseev, O.V. Special features of fusion welding aluminium alloys in machines with numerical programmed control 85−53979
Ryazantsev, V.V. *see* Fefelov, N.A. 86−40926
Ryazantsev, V.Ye. *see* Amiantov, I.N. 86−37074
Ryazantseva, I.P. The convergence of mean iterations for nonlinear monotone equations in a Banach space 88−31681
Ryazantseva, N.V. *see* Barsukov, K.A. 87−61433, 88−13914
Ryazhskaya, O.G. *see* Alberini, C. 86−65387
Ryazhskaya, O.G. *see* Badino, G. 85−48177
Ryba, G.N. *see* Tufts, B.J. 87−51465
Ryba, J., Viererbl, L., Bendl, J., Vomocil, M., Vasek, T., Novaikova, O., Jursova, L., Slezak, V., Svobodova, B. The dose and dose rate monitor 86−60847
Ryba, J.M. *see* Bartley, G.K. 85−5806
Ryba, M. *see* Blodel, J. 88−39606
Rybach, J., Heckmann, S., Fuchs, M., Brinkmeyer, E. Heterodyne-OTDR: the long wavelength, long range solution 88−26818
Rybach, J., Heckmann, S., Knochel, R., Brinkmeyer, E. Backscatter measurement instruments for long wavelengths: a new concept 86−23914
Rybach, J. *see* Heckmann, S. 86−48152
Rybachek, S.T. Electromagnetic fields of point dipoles in the Earth-ionosphere waveguide 86−36771
Rybachek, S.T. Electromagnetic fields of ionospheric point dipoles in the Earth-ionosphere waveguide 86−36775
Rybachek, V.P. *see* Il'Yushin, V.D. 88−8422
Rybachenko, V.I. *see* Goncharov, V.A. 87−29030
Rybachev, V.V. *see* Okhotin, V.N. 87−71558
Rybachkov, S.V., Lebedov, E.A. Determining the thermal economics of turboset type K 210-130 made by the Leningrad Metal Factory 86−33034
Rybachuk, A.M., Chernyshov, G.G. Effect of the position of current supply on weld formation in arc welding in a four-pole magnetic field 85−27877
Rybachuk, L.S. *see* Bogorodskii, O.V. 86−35666
Ryback, A.C., Kurth, C.E. Now hear this! [noise abatement] 86−50255
Rybailo, V.O. *see* Bakhmatyuk, B.P. 88−19775
Rybak, I.O. *see* Rakhmanova, A.L. 85−48886
Rybak, M. *see* Matal, O. 87−15429, 88−55149
Rybak, V.I. *see* Randoshkin, V.V. 87−7002
Rybak, Z. *see* Kozera-Szczotkowska, A. 85−39152
Rybakov, A.A., Ostroumov, E.A. Determination of selenium in marine sediments by distillation 85−43489
Rybakov, A.F. *see* Chernyshev, V.K. 88−43308
Rybakov, B.S. Correlation properties of the logarithm of the ratio of the envelopes and phase difference of signals in the presence of Gaussian correlated noise 85−2830
Rybakov, B.S. Statistical characteristics of the fast phase fluctuations of an ultrashort wave signal using the data of amplitude measurements along paths at sea 85−51447
Rybakov, B.S. An optimum method for the detection and direction-finding of radiation sources when there is a priori parametric uncertainty 86−48946
Rybakov, B.S. Correlation properties of signals in the 10-centimeter band with angular diversity reception along marine paths 87−12716
Rybakov, B.S. Correlation coefficients of the envelope and phase of a signal for periodically nonstationary gaussian noise 87−61549
Rybakov, B.S. Method of designing regressive experiments in the direction-finding problem of random field sources in the case of a priori uncertainty 88−15708
Rybakov, B.V. *see* Artemyev, A.N. 88−10229
Rybakov, I.N. Metrological characteristics of monitoring 86−11395
Rybakov, L.M., Rybakova, G.A., Belyakov, I.G., Akhmetshin, R.S. Monitoring the state of transformer insulation in terms of its dielectric characteristics 87−22464
Rybakov, S.V., Leviskaya, A.B. Mechanical and corrosion properties of welded joints in a zirconium alloy when interacting with liquid cadmium and caesium 88−55980
Rybakov, V.F. *see* Kizevetter, V.E. 87−66442
Rybakov, V.G. FASTBUS system. Present state, problems, and future prospects (review) 86−16967
Rybakov, V.G. *see* Bratskii, A.A. 86−41051 to 41053
Rybakov, Yu.L., Vasichev, B.N. Use of the synthesis method in developing autoelectronic cathodes with specified properties 85−6638
Rybakov, Yu.L., Vasichev, B.N., Koltygin, V.M., Sheshin, E.P. Investigation of field-emission cathodes made of W-TaC alloys 85−23310
Rybakov, Yu.L. *see* Rozenfel'd, L.B. 86−8711
Rybakov, Yu.V., Frolov, A.A. A pulsed method for estimating the thermal inertia of cable-type thermoelectric converters 87−22783
Rybakov, Yu.V. *see* Volod'ko, Yu.I. 88−29795
Rybakova, G.A. *see* Rybakov, L.M. 87−22464
Rybal'chenko, A.G. *see* Eremenko, V.I. 87−29334
Rybalchenko, I., Konstantinov, L. Survey of developments in nuclear fuel cycle 85−38723
Rybal'chenko, Yu.Ya. Study of timber protection against splitting by electric current [wooden supports] 86−61160
Rybalkin, A.D., Shchelgachev, I.K. Reducing the error in calculating transients in short-circuit currents for relay protection 85−59810
Rybalkin, A.D. *see* Podgornyi, E.V. 88−30414
Rybalko, A.M., Pavlyuk, V.A. Limiting directivity of a ring antenna array 86−22771
Rybalko, V.F., Komarov, V.N. Designing a system of mechanical air-replacement ventilation for the main buildings of a steam power station 86−33031
Rybalko, V.K., Martynyuk, A.S. Improving the accuracy of measuring the consumption of natural gas 87−78478
Rybalko, V.V., Tikhonov, A.N., Filipchuk, T.S. Optimization of the collector system of the secondary-emission signal converter of a scanning electron microscope 88−44529
Rybalov, A.M., Soldatov, A.N., Solomonov, V.I., Sharabarin, E.V., Muratov, V.M., Kapishnikov, N.K. Apparatus for electron-beam excitation of gases and metal vapors 87−56968
Rybalov, S.L. *see* Gospodinov, G.A. 85−39302
Rybalov, S.V. Electrical strength of a high-voltage high-current vacuum lead 86−21000
Rybalov, S.V. *see* Antipov, G.N. 86−25082
Rybaltovskii, A.O. *see* Dianov, E.M. 85−46190
Rybar, V. Electrical domestic appliances for thermal food processing and their rational utilisation 88−6053
Rybar, V. Electrical heat appliances for domestic applications 88−24283
Rybarcyk, L. *see* Boyd, R.N. 85−59145
Rybas, B.V. The main trends in the modernization of radio-relay networks 86−17194
Rybczynski, A. Packet switching in 1990's 88−46455
Rybczynski, A.M., Schechtman, G.I., Kayser, L.S. Interworking between packet networks and integrated voice/data access systems 85−19664
Rybczynski, A.M., Shimokura, S.H. Data communications in a competitive local exchange environment 86−37293
Rybicka, K. *see* Hamilton, L.D. 88−75927
Rybicki, K. *see* Antyukhov, V.A. 86−60637
Rybicki, K. *see* Bailey, R. 85−15164
Rybicki, M.A., Geiger, R.L. A temperature stable and process compensated MOS active filter 85−17674
Rybickii, L. *see* Avkshtol, I. 85−32600
Rybicky, L. *see* Greyvulis, Ya. 86−19382
Rybin, A.I. *see* Trokhimenko, Ya.K. 88−38328
Rybin, G.V. *see* Mokeev, S.F. 86−61455
Rybin, M. Use of low-heat-content fuel in grate furnaces of small capacity boilers 86−51431
Rybin, S.N. *see* Antokhin, V.V. 87−9220
Rybin, V.A. *see* Shorin, V.P. 88−37064
Rybin, V.M., Safonenko, V.A., Smirnov, G.A. Digital fibre-optic communication channel 87−70064
Rybin, V.M. *see* Borovich, B.L. 85−46341
Rybin, Yu., Budeikin, V.P., Chufistov, V.I. RC oscillators with low nonlinear distortion 85−47994
Rybin, Yu.K. Synthesis of generators of sinusoidal oscillations with impulse stabilization of the amplitude 85−49707
Rybin, Yu.K. Stochastic self-excited oscillations in signal generators with pulsed input 88−25047
Rybin, Yu.K., Budeikin, V.P. Stochastic selective conversion 86−24254
Rybin, Yu.K., Groshev, B.L. Design of generators of sinusoidal oscillations with transient processes that are optimum in terms of duration 88−63568
Rybin, Yu.K. *see* Budeikin, V.P. 87−52948
Rybin, Yu.K. *see* Roitman, M.S. 88−29284
Rybin, Yu.L. *see* Fomin, B.I. 87−51137
Rybina, L.A. *see* Golovkin, A.V. 85−28694
Rybinski, J., Rosinski, D. Infrared pyrometer for localization of the sources of fire 88−60733
Rybka, V., Deml, F., Hampl, P. Dual implantation of Si and P into GaAs 85−23648
Rybka, V. *see* Hnatowicz, V. 86−28166
Rybka, V. *see* Kubecek, V. 88−71380
Rybka, V. *see* Svorcik, V. 88−39059
Rybkin, A.A. Rebuilding the ventilation system of generator circuit breaker type VVG-20-160/12500 UZ 88−37151
Rybkin, I.I. *see* Boichenko, E.V. 86−59614
Rybkin, I.S. Automatic system of stabilization and compensation of the zero position of a seismometer pendulum 86−44788
Rybkin, I.S. *see* Chistyakov, V.A. 86−44787
Rybkin, N.P., Shmakov, N.G., Medvedev, V.A. Error of measurement and discrepancies in specific heats due to imperfections in practical temperature scales 87−70835
Rybkin, N.P. *see* Medvedev, V.A. 88−29677
Rybkina, L.V. *see* Katsadze, T.N. 87−45707
Rybko, A.N., Mikhailov, V.A. Capacity region for circuit-switched networks 87−27689
Rybkov, V.L. *see* Gubrienko, K.I. 88−16575
Rybnikov, V.M. *see* Basiladze, S.G. 86−60625
Rybov, V.M., Sitnikov, L.L., Valyus, N.A., Latukhin, D.V., Ronis, Z.F. Methods of contactless inspection of the thickness of polymer coatings on metallic components in a flow line 87−36832
Rychcik, M., Skyllas-Kazacos, M. Evaluation of electrode materials for vanadium redox cell 87−30909
Rychcik, M., Skyllas-kazacos, M. Characteristics of a new all-vanadium redox flow battery 88−17879
Rychcik, M. *see* Sum, E. 86−33605
Rychenkov, V.N. *see* Bozhko, N.I. 86−44572
Rychnovsky, S. *see* Haugen, P.R. 87−26232
Rychtera, J. Electronics applications to welding equipment in the BEZ enterprise 85−21981
Ryckbosch, D., Van De Vyver, R., Berkvens, P., Van Camp, E., Ferdinande, H., Kerkhove, E., Van Otten, P. An intermediate energy photoproton spectrometer using a quadrupole triplet magnet 85−64503
Ryckbosch, D. *see* Berkvens, P. 85−26547
Ryckbosch, J. A method for solving the problem of optimal switching 87−71504
Rycke, I.De *see* De Rycke, I.
Ryckebusch, M. *see* De Prycker, M. 88−3593, 88−35145
Ryckebusch, M. *see* De Smet, G. 88−9202

Ryckelynck *see* Fremann 88−17276 to 17277
Ryckewaert, G. *see* Bol, J.L. 86−25090, 88−61009
Ryckewaert, G. *see* Darquennes, D. 88−74733
Ryckewaert, G. *see* Jongen, Y. 85−15133, 86−31946, 87−50035
Ryckewaert, G.H. ECREVIS-CYCLONE status report 85−58990
Rycroft, C.M.D., Olley, C.A. Modelling of step discontinuities in unilateral finline 88−25354
Rycroft, C.M.D. *see* Olley, C.A. 88−20994
Rycroft, C.M.D. *see* Pennock, S.R. 88−36199
Rycroft, D. Modifying the No.88 set 86−37770
Rycroft, M.J. Radio wave studies in America 85−13135
Rycyk, A. *see* Marczak, J. 87−39218
Ryczer, A. *see* Ignaczak, A. 88−3441
Rydanova, G.V. Nonparametric analysis of the dependence of dichotomous vectors 86−52343
Rydanova, G.V. Limit distribution of the statistics of the criterion of independence of dichotomous vectors in the asymptotics of an increasing number of parameters 88−18566
Rydarowska, A. Determination of corrosion rate by polarization resistance measurement 85−21431
Rydarowska, A., Twardowski, S., Buslowicz, J. The effects of sodium sulphite dosage on the corrosivity decrease of heating circulation water 87−57910
Rydas, Yu.D. *see* Yakovenko, V.A. 88−5692
Rydbeck, N. *see* Jismalm, G. 88−9426
Rydberg, A. Theoretical and experimental investigation of millimeter-wave TEDs in cross-waveguide oscillators 86−2100
Rydberg, A. Document-free transport via data link 86−59489
Rydberg, A. Calculation of radial-line microwave filters 88−63776
Rydberg, A., Kollberg, E. Wideband tunable 140 GHz second-harmonic InP-TED oscillator 86−62822
Rydberg, A., Kollberg, E. Experimental investigation of millimeter-wave GaAs TED oscillators cooled to cryogenic temperatures 88−63926
Rydberg, A., Lewin, P.T. An investigation of parametric noise in millimeter-wave IMPATT oscillators 87−59852
Ryde, S.J.S., Morgan, W.D., Sivyer, A., Evans, C.J., Dutton, J. A clinical instrument for multi-element in vivo analysis by prompt, delayed and cyclic neutron activation using ^{252}Cf 88−10328
Rydel, M. Evaluation of jitter factor in self-timed regenerative repeater for optical fibre communication system 87−76512
Rydel, M., Dreger, C. A new method for evaluation of power spectra of synchronous PSK coded signals 86−3782
Rydel, M., Slominski, M., Wysocki, T. Properties of the 5B-6B line code 87−68966
Rydel, M. *see* Baranowski, Z. 87−33616
Rydel, M. *see* Kowalski, A. 87−70088
Rydelius, E.R. Power supply development. A road map 88−30923
Ryden, K.-H., Norstrom, H., Nender, C., Berg, S. Oxide breakdown as a result of charge accumulation during plasma etching 87−11676
Ryden, K.-H., Norstrom, H., Nender, C., Berg, S. Oxide breakdown due to charge accumulation during plasma etching 88−33041
Ryden, K.-H. *see* Engstrom, O. 85−40542
Ryden, K.-H. *see* Nygren, S. 87−11705
Ryden, K.H. *see* Nygren, S. 88−25979
Ryder, A. Automotive lead/acid battery service-life: measurement and surveys 88−55603
Ryder, D.K. *see* Prandle, D. 85−43486
Ryder, D.M. *see* Hogg, W.K. 85−1790, 86−33318
Ryder, E.A. Regulation of nuclear power in the UK after Chernobyl 87−50920
Ryder, E.A. The influence of the Sizewell decision on nuclear licensing in the UK 88−5457
Ryder, J.D. The way it was [electrical engineering education] 85−22124
Ryder, J.L. *see* Metersky, M.L. 88−61733
Ryder, M., Sagli, J., Won, K. Module puts factory devices on the MAP 86−10804
Ryder, R. *see* Charlesworth, T.R. 86−38687
Rydgren, R.D. *see* Helbig, H.F. 88−39034
Rydian, J. *see* Kaczmarek, T. 88−55325
Ryding, G. Some recent developments in industrial ion implanters 86−35563
Ryding, G. *see* Guerra, M. 85−34772
Ryding, G. *see* Mack, M.E. 85−34800
Ryding, G. *see* Rose, P.H. 85−12146, 85−34768
Ryding, G. *see* White, N. 85−34820
Rydland, B. Experiences from development and operation of switch mode power supplies for feeding of electronic telecommunication equipment and charging of stationary Pb batteries 88−30854
Rydnitskii, L.M., Stripunskii, E.M., Knysh, S.Yu., Nagornyi, A.S. Calculating RC-circuit phase-shifting parameters for a two-phase capacitor induction motor 88−17595
Rydzak, J.M. Operations planning for synchronous DS3 transmission 86−16728
Rydzak, J.M. *see* Ballart, R. 86−69510, 87−40022
Rydzak, J.M. *see* Lewis, R.T. 87−39565
Rydzi, R. *see* Slavik, I. 87−49874
Rye, A.J. *see* Skingley, J. 87−62186
Rye, E., Waadeland, H. Reflections on value regions, limit regions and truncation errors for continued fractions 86−346
Rye, R.R., Ricco, A.J. Ultrahigh vacuum studies of Pd metal/insulator/semiconductor diode H_2 sensors 87−70574
Rye, R.R., Ricco, A.J. Ultrahigh vacuum studies of Pd metal/insulator/semiconductor diode H_2 sensors 87−77226
Ryeol Bae Jeong *see* Jeong Ryeol Bae
Ryeol Kim Jong *see* Jong Ryeol Kim
Ryeol Ryu Kwang *see* Kwang Ryeol Ryu
Ryeong Kim Sin *see* Sin Ryeong Kim
Ryerson, C.M. SMD to DIP and back again 86−14629
Ryerson, D.E. *see* Scally, D.R. 85−32031
Ryezko, Z. *see* Kudla, J. 85−9904
Rygalin, V.G. Vibration-measuring equipment with selection arrangements for extremals 87−3807
Rygalin, V.G. *see* Andreev, E.V. 87−3809
Rygalin, V.G. *see* Shesterikov, K.A. 87−3522
Rygart, S. The terminals are built in modular form 87−48759
Rygart, S. Integrated services digital networks demand new circuits 87−62466
Ryge, P. *see* Drndarevic, V.R. 88−61098
Rygg, D.E., Epstein, J.L. Investigation of the effects of a seismic event on accelerated aged components and benefits in equipment life extension 86−51251
Rygiol, J. SMT autorouting for high density applications 88−12737
Rygiol, J. Autoplacement: the loneliest software in town 88−44012
Rygiol, J., Childhouse, H. The impact of surface mounted devices on CAD 86−53145
Ryhanen, T. *see* Ketoja, J.A. 87−25895
Ryhanen, T. *see* Seppa, H. 87−67885
Ryhanen, T. *see* Seppanen, M. 85−43337
Ryhen, H., Furrer, B., Wagner, E. Maintenance of the power distribution on Swiss Railways 87−43557
Ryherd, E. *see* Pineau, R. 85−49837
Ryhming, I.L. *see* Gode, E. 88−30609
Ryk, V.I. *see* Medvinskii, M.D. 85−6060
Ryk, V.I. *see* Zhukov, O.N. 87−52228
Rykaczewski, H. Precision muon detector for future colliders 87−41882
Rykaczewski, R. *see* Kirchner, R. 85−37866
Rykalin, N.N., Uglov, A.A. Heat and mass transfer in electron-beam and laser welding and heat treatment 86−19659
Rykalin, V.I. *see* Abramov, V.V. 85−48191
Rykalin, V.I. *see* Alde, D. 88−47996
Rykalin, V.I. *see* Binon, F.G. 88−54405
Rykalin, V.I. *see* Bitsadze, G.S. 88−54407
Rykalin, V.I. *see* Borog, V.V. 88−36368
Rykalin, V.I. *see* Datsko, V.S. 87−50164
Rykalin, V.I. *see* Evdokimov, V.N. 88−54426
Rykalin, V.I. *see* Gorin, A.M. 87−8853, 87−63669
Rykalin, V.I. *see* Ronzhin, A.I. 86−65366
Rykalin, V.I. *see* Vasil'chenko, V.G. 86−70342, 87−8868, 87−37846, 88−16646, 88−29920
Rykalov, N.K. *see* Krumin', Yu.K. 86−7159
Ryken, M. *see* Seligman, J.M. 87−39536, 88−2798
Rykhlyuk, A.V. *see* Kuznetsov, A.N. 88−16662
Rykov, A.V., Zabelin, M.V., Vlasov, V.I. 'Volna' seismic station 87−63912
Rykov, A.V. *see* Kolesnikov, Yu.A. 87−77850
Rykov, V.A. *see* Markus, A.M. 87−59034
Rykov, V.L. *see* Batalov, A.A. 87−8791
Rykov, V.L. *see* Lastochkin, Yu.A. 86−32099
Rykov, V.V. Investigation of a single-channel system of general form by the method of regenerating processes. I 85−28097
Rykova, N.P. *see* Muminov, R.A. 87−41821
Rykova, T.I. *see* Kesel'man, L.M. 86−32781
Rykova, T.I. *see* Zelichenko, A.S. 86−61149
Rykow, W.W. *see* Konig, D. 85−39616
Ryl, P. *see* Mason, R.M. 85−22316
Ryland, R.J., Schuhart, W.E. Testing and repairing microprocessor-based metering equipment 85−31332
Ryland, S.L. *see* Endacott, F.E. 86−18862
Rylander, G. Voice verification and industrial/institutional security 87−55049
Rylander, H.G., III *see* Davila, C.E. 87−62005, 87−75793, 88−73082
Rylander, L. *see* Toppila, J. 86−32992
Rylander, R. Data collection within the automated warehouse 88−73798
Ryle, M. D-13: some personal memories of 24th-28th May 1944 86−11163
Ryleshnikov, G.M. Simulation of high-frequency bias magnetic recording 87−7015
Ryley, A. *see* Golten, J.W. 86−23040
Ryley, A. *see* Loze, M.K. 86−36048
Ryley, A. *see* Senior, J.M. 86−64767, 88−21661, 88−28349, 88−28355
Ryley, D. CapGen Series 2 [video character generator] 86−44003
Ryl'kov, V.V. *see* Mak, A.A. 85−56910
Ryl'kov, V.V. *see* Posokh, S.V. 85−24498
Ryl'kov, V.V. *see* Zhdan, A.G. 87−3714
Rylov, G.E. *see* Arakelyan, V.S. 85−56741
Rylov, G.Ye. Comparison of correlation algorithms of a rocking receiver 86−43119
Rylov, S.V., Semenov, V.K. Wide-margin Josephson-junction A/D convertor using redundant coding 86−1142
Rylov, S.V., Semenov, V.K., Likharev, K.K. Josephson junction A/D converters using differential coding 87−67859
Rylov, S.V., Semenov, V.K., Likharev, K.K. DC powered parametric quantron 88−13752
Rylov, S.V. *see* Likharev, K.K. 85−56213, 88−12460
Rylov, V.S. *see* Bryukhnevich, G.I. 86−8699
Ryloy, G.E. *see* Gabrielyan, V.L. 87−75242
Ryl'skaya, L.A., Pertsev, A.A. Dielectric strength of vacuum arc-control chamber following interruption of current 86−45606
Rylskaya, L.A., Pertsev, A.A. Breakdown of interscreen intervals in vacuum arc chutes 88−39746
Ryl'tsev, P.I. *see* Kuribeda, A.D. 85−28899
Ryl'tsev, P.I. *see* Volkolupov, Yu.Ya. 88−57250
Rym, C.L., Bury, P.V. Power growth of switching power FET structure in hybrid technology: application to spaceborne converters 86−7980
Rym, C.L., Cools, P.F., Barral, J.Y., Bury, P.V. Switching power FET structure in hybrid technology: a new approach to performant spaceborne converters 85−6974
Rym, J.C. *see* Capel, A. 87−22589, 87−71251
Rymarenko, A.I. *see* Barzali, F.D. 86−6504
Rymarski, Z. Measurements of some selected frequency characteristics of pulse stabilizers 87−27146
Rymarski, Z. Modelling and measurement of selected frequency characteristics of pulse stabilizers type STSI and SIRT 88−12195
Rymaruk, V.I. *see* Mikhalevich, M.V. 86−40617
Rymkevich, A.I. Selecting the electrodes for welding high strength corrosion resistant steel 87−43689
Rymkevich, K.S. *see* Kirillov, P.L. 88−17294
Rymkevich, N.S., Yakovlev, L.A. Group machining of parts on automatic longitudinal-turning machines 85−44344
Rymsha, V.P. *see* Borisova, M.E. 86−1397
Rymsha, V.V. *see* Terzyan, A.A. 88−17651, 88−55378
Rymuza, Z. Low- and high temperature instrument oils 85−58494
Rymuza, Z. The lubrication of low current contacts 88−19459
Rymuza, Z. The lubrication of head/magnetic medium sliding system 88−33538
Ryndin, A.A. *see* Anisimov, V.I. 85−17081
Ryndin, A.V. *see* Zakharchuk, V.A. 86−60178
Ryndin, Yu.G., Chikin, A.M. Construction of the radio image of an object by the maximum probability method 88−66681
Ryndin, Yu.G. *see* Gurov, G.B. 88−72952
Ryndyk, A.G. Algorithms of ambiguity elimination in pulse-phase range measurements 87−63014
Ryndyk, A.G. Optimizing space processing of signals in a two-position radar system 88−53339
Ryndyk, A.G., Lezin, V.Yu. A generalized pulse-phase method for range measurement 88−28930
Ryndyk, A.G. *see* Kashaev, S.M. 87−19696
Ryndyk, A.G. *see* Pakhomov, Yu.I. 86−50216
Ryne, R.D., Dragt, A.J. Lie algebraic treatment of space charge 88−47877
Ryne, R.D., Dragt, A.J. Numerical computation of transfer maps using Lie algebraic methods 88−47883
Ryne, R.D. *see* Dragt, A.J. 86−24963
Rynham, E.F., Hopkins, R.A. ESCOM's 800 kV transmission lines and substations 85−9473
Rynkowski, A. *see* Cooke, C.M. 86−68042
Rynkowski, A.W. Partial discharge characteristics of 15 kV polyethylene cables tested in service-simulated conditions 86−67549
Rynkowski, D.W., Wojtas, S., Boryn, H. Influence of surface partial discharges on endurance and short-time breakdown of cable polyethylene 86−68108
Rynne, B.P. Instabilities in time marching methods for scattering problems 87−33404
Rynone, B. A typical ATE environment−development of algorithms and subroutines 85−3845
Rynone, W. Uninterruptible power supplies 85−22628
Rynone, W. A one transistor FM transmitter 85−58016
Ryo, G., Takemura, K., Tsutsumi, S., Shiroshita, M., Ko, H. Trial production and studies of pinhole-scanning-type infrared rays monitoring device 86−38390
Ryo Uehara, Takao Miura, Takao Shimizu, Sunao Yamada Factory automation in semiconductor manufacturing 87−65168
Ryohnai, H. *see* Matsuda, N. 87−32858
Ryoji, A. *see* Kimata, M. 87−36734
Ryoji, A. *see* Kodama, M. 85−33420
Ryon, B. Voice technology−an expanding tool in healthcare 87−63708
Ryong Kim Sang *see* Sang Ryong Kim
Ryong Lee Seong *see* Seong Ryong Lee
Ryong Rho Seung *see* Seung Ryong Rho
Ryong Ro Sung *see* Sung Ryong Ro
Ryong Yang *see* Bu Il Kim 88−45978

Ryong-ha Hwang *see* Dong-seok Hyun 87—36024
Ryong-Hyuk Kim, Ho-Gi Kim, Duck-Chool Lee Polymer-ceramic composite piezoelectric materials 87—53775
Ryoo, Y.J., Kim, N.-C. Valley operator for extracting sketch features: DIP 88—46164
Ryoo Keun Ho *see* Keun Ho Ryoo
Ryoo Keun-Ho *see* Keun-Ho Ryoo
Ryool Kim Seoung *see* Seoung Ryool Kim
Ryoshima, T. *see* Sawa, S. 87—1967, 88—7941
Ryou, H.B. *see* Suh, K.Y. 85—13797
Ryou, S.-Y. *see* Sanghera, J.S. 88—6537
Rypalev, S.V. *see* Vasil'ev, D.R. 87—29262
Rypdal, K. High-frequency matching measurements and coaxial impedance transformers 86—5501
Rypin, Yu.K., Osipov, A.P. Analysis of transient processes in sinusoidal signal oscillators 85—631
Rypka, D.J. *see* Bennett, R.L. 86—49409
Rypkema, J.N. Interference problems in proposed spectrum sharing between FM land mobile radio and UHF television 87—12734
Rypma, R.L. Laser beam profiling the automated way 88—14264
Rysakov, O.M. *see* Blokhin, A.S. 88—29134
Rysanek, V. Physics of failure for optimisation of technological processes 86—65582
Rysanek, V. New methods for prediction reliability for passive components 87—51900
Rysava, N. *see* Ticha, H. 86—1736
Rysavy, F.R. Computing facilities in the MRC clinical research centre 87—55747
Rysdale, L.J. Method of overcoming finite-range limitation of certain state of polarisation control devices in automatic polarisation control schemes 86—23857
Rysdale, L.J. *see* Abbas, G.A.M. 85—25863
Ryseck, W. *see* Guenther, K.H. 85—12917
Ryseikin, N.I. *see* Astashenko, P.P. 87—31598
Ryser, H. Electromagnetic compatibility 85—19154
Ryser, H., Ulrich, B., Zimmer, C. The electronic design of telex line equipment 87—13290
Ryser, H. *see* Daneffel, H.R. 87—34005, 88—9249
Ryser, H. *see* Daout, B. 86—18102, 87—26616, 88—2473
Rysev, B.P. *see* Likhanskii, V.V. 85—18720
Ryshpan, J. Thirty-two bit micro tailored for high level languages 85—6332
Rysin, A.A. An effective phase-lock loop with a logical frequency/phase detector for a master horizontal oscillator 86—20385
Rysin, A.A. Controllers for a flat matrix television screen 87—56771
Rysin, L.G. *see* Bystrov, V.V. 88—28619
Rysin, V.S., Zaplotynskii, B.A. Design of an operational amplifier using CMOS transistors with an induced channel 87—44626
Rysin, V.S., Zaplotynskii, B.A., Zabroda, A.M. Calculation of the parameters of field-effect transistors in operational amplifiers 87—10701
Ryska, A. Superconducting cables for power transmission 85—59750
Ryska, A., Hora, O., Havlicek, V., Lhota, E. A laboratory superconducting magnetic separator for the beneficiation of kaolin clay 86—48024
Ryskin, E.M., Amiton, I.P., Batyr, A.Yu., Lavrushenkov, V.G. Wideband transmitter for pulse NMR spectrometer 87—36989
Ryskin, S.E. *see* Bezmenov, F.V. 86—19658
Ryskin, V.G. *see* Voronov, V.N. 88—5157
Ryspaev, M.T. Measurement of the parameters of infralow-frequency voltages in the verification of profilometers and profilographs 86—18192
Ryssel, H. New technologies for highly integrated circuits 86—47656
Ryssel, H., Biersack, J.P. Ion implantation models for process simulation 87—67361
Ryssel, H., Gotzlich, J. Laser annealing 85—1469
Ryssel, H., Gotzlich, J. Crystallization of deposited silicon on insulators for device applications 86—41654
Ryssel, H., Kruger, W., Lorenz, J. Comparison of Monte Carlo simulations and analytical models for the calculation of implantation profiles in multilayer targets 87—32399
Ryssel, H., Lorenz, J., Kruger, W. Ion implantation into non-planar targets: Monte Carlo simulations and analytical models 87—32400
Ryssel, H. *see* Lorenz, J. 86—21646
Ryssel, H. *see* Xu Qiuxia 88—38223
Rystrom, L. Detection of flaws in curved metal surfaces 88—9858
Ryszard, R. *see* Feliks, S. 87—76362
Ryszard, S., Karpowicz, V.J., Zhuikov, V.J. Control system of the modulation inverters and static power frequency changers with forecast 87—30834
Ryszard, W. *see* Feliks, S. 87—78145
Rytova, N.S. *see* Kolin, N.G. 87—17905
Rytsar, B.E. Analyzer for pulse NMR spectrometers 86—18260
Rytsar, B.E., Semenistyi, K.S. Increasing accuracy of measurement of time constant 87—70824
Rytvinskaya, E.V. *see* Katanaev, A.O. 87—4527
Rytz, A. Activity concentration of a solution of ^{137}Cs: an international comparison 85—31707
Rytz, D. *see* Wechsler, B.A. 88—1923
Rytz, H. Holography and its application to material testing 85—35903
Rytz-Froidevaux, Y., Salathe, R.P., Gilgen, H.H. Laser generated microstructures 85—56894
Rytz-Froidevaux, Y. *see* Olson, G.L. 86—27852
Ryu, C. *see* Kim, Y.G. 85—60777
Ryu, F. *see* Tanimoto, M. 88—46284
Ryu, H., Morioka, K. A study of electronic control gasoline injection system 86—40228
Ryu, J., Kim, H.J., Davis, R.F. Microstructural, chemical, and electrical characterization of the beta silicon carbide thin-film silicon substrate interface 86—7760
Ryu, J. *see* Edmond, J.A. 88—39136
Ryu, J. *see* Kim, H.J. 88—24741, 88—63318
Ryu, J. *see* Kong, H. 88—43902
Ryu, J.S. *see* Salih, A.S.M. 86—63146
Ryu, K. *see* Shiraki, K. 86—4139
Ryu, S., Onuki, T., Hirayama, R., Sekine, H. Equivalent circuit of short rotor linear induction motor based on magnetic field analysis 88—55335
Ryu, S., Yamamoto, S. Measurement of direct frequency modulation characteristics of DFB-LD by delayed self-homodyne technique 87—7352
Ryu, S., Yamamoto, S., Mochizuki, K. Polarisation-insensitive operation of coherent FSK transmission system using polarisation diversity 88—15454
Ryu, S., Yamamoto, S., Namihira, Y., Mochizuki, K., Wakabayashi, H. First sea trial of FSK heterodyne optical transmission system using polarisation diversity 88—41628
Ryu, S. *see* Kawashima, I. 88—64934
Ryu, S. *see* Namihira, Y. 87—12114, 87—34549, 87—40886, 88—41653, 88—53251, 88—53274
Ryu, S. *see* Onuki, T. 86—39834
Ryu, S.H., Choi, B.U. A method for data security in computer networks 86—4287
Ryu, S.M., Un, C.K. A simple method for MSK modulation and demodulation 86—22883
Ryu, S.M., Un, C.K., Lee, S.C. Performance of an *M*-ary MSK spread spectrum system 87—40668
Ryu, S.M. *see* Kim, Y.K. 85—25711
Ryu, S.M. *see* Lee, J.R. 85—42287
Ryu, T. Increasing the frequency range and capacity [digital microwave radio] 88—59991
Ryu, T., Tahara, M., Noguchi, T. IF-band cross polarization canceller 85—20026
Ryu, T., Uchibori, J., Yoshida, Y. A stepped square 256QAM for digital radio system 87—34379
Ryu, T. *see* Ito, Y. 85—14118
Ryu, T. *see* Oba, Y. 88—74192
Ryu, T. *see* Yoshida, Y. 87—34380
Ryu Dea Keun *see* Dea Keun Ryu
Ryu Hee-Kwan *see* Hee-Kwan Ryu
Ryu Heunggyoon *see* Heunggyoon Ryu
Ryu Jae *see* Jae Ryu
Ryu Kang Sik *see* Kang Sik Ryu
Ryu Kwan Woo *see* Kwan Woo Ryu
Ryu Kwang Ryeol *see* Kwang Ryeol Ryu
Ryu Wan-Young *see* Wan-Young Ryu
Ryu-ichi Oka Continuous speech recognition on the bases of vector field model for segmentation and feature extraction, and continuous dynamic programming for pattern matching 86—16247
Ryugo, T. *see* Tsuji, K. 86—32745
Ryugo, T. *see* Yamanaka, T. 87—9105
Ryukhtin, V.V., Tovstyuk, K.D., Danilevich, O.I. Origin of dislocations in silicon photodiodes 85—51045
Ryukin, F.I. *see* Aleksandrov, Yu.N. 86—38289
Ryul Kim Bong *see* Bong Ryul Kim
Ryuo, T. *see* Li, R. 87—32847
Ryusawa, S., Fukushima, N., Mochizuki, K. Toshiba SCADA-EMS system 87—21872
Ryutin, A.A. *see* Agayan, G.M. 85—5924
Ryva, G. *see* Gawrys, G.W. 87—27826
Ryva, G.J. *see* Houssain, M. 86—55138
Ryves, T.B. The effects of scatter in a proton recoil telescope 86—11837
Ryves, T.B. The effect of neutron backscatter from the photomultiplier assembly in time-of-flight spectrometry at 144 keV 87—29687
Ryves, T.B. International fluence-rate intercomparison for 144 and 565 keV neutrons 87—63626
Ryves, T.B. *see* Lewis, V.E. 87—63640
Ryvkin, B.S. Optical bistability in semiconductors 85—51244
Ryvkin, B.S. Photovoltage jumps in a circuit containing several photodiodes upon a smooth variation in light power 86—58832
Ryvkin, B.S. N-type differential negative resistance, optical bistability and automodulation of radiation in semiconductors due to electrooptical effects 88—65373
Ryvkin, B.S. *see* Aleksandrov, S.N. 86—28002
Ryvkin, B.S. *see* Alferov, Zh.I. 85—41249
Ryvkin, B.S. *see* Avrutin, E.A. 88—14270
Ryvkin, B.S. *see* Butusov, D.M. 88—33882
Ryvkin, B.S. *see* Gurevich, S.A. 86—1373
Ryvkin, B.S. *see* Nemenov, M.I. 85—35552
Ryvkin, Ye.L. *see* Bolovintsev, Yu.M. 88—67554
Ryvkina, V.G., Garbul', A.F. New equipment for resistance arc welding components of agricultural machines and pipelines 85—22008
Ryzewski, J.R. Radio control speeds voltage correction 86—44860
Ryzhakov, S.M. Tuning characteristics of a resonator employing frequency tuning by means of a double-ring plunger 86—35075
Ryzhakov, S.P. Application of gas-hydraulic energy storage for the radiation of high-power acoustic signals 86—32600
Ryzhakov, V.V. *see* Volkov, V.A. 88—29336
Ryzhakova, N.K. *see* Veretel'nik, V.I. 86—11669
Ryzhanovskii, A.S., Stryuchenko, A.A., Todosienko, N.M. Operation of pulsed frequency discriminator 85—11109
Ryzhechkin, S.A. *see* Das'ko, A.D. 85—29782
Ryzhenkov, V.A. *see* Povarov, O.A. 87—22114
Ryzhevnin, V.N. *see* Eskin, K.F. 86—9513
Ryzhevnin, V.N. *see* Kolesov, A.E. 85—56370
Ryzhevnin, V.N. *see* Vasil'yev, Yu.G. 88—8006
Ryzhii, V.I. Hole heating in the base of bipolar heterotransistors using n-p-n structures 87—38215
Ryzhii, V.I. Toward a theory of bipolar heterotransistors 88—64534
Ryzhii, V.I., Bannov, N.A., Fedirko, V.A. Ballistic and quasiballistic transport in semiconductor structures (review) 85—1267
Ryzhii, V.I., Fedirko, V.A. High-frequency properties of ballistic bipolar transistors with an inhomogeneous base 85—12265
Ryzhii, V.I., Fedirko, V.A., Khmyrova, I.I. Characteristics of high-frequency properties of ballistic bipolar heterotransistors 85—1577
Ryzhii, V.I., Zakharova, A.A., Panasov, S.N. High-frequency properties of bipolar heterotransistors under conditions of diffusion transport of hot electrons in the base 85—61899
Ryzhii, V.I. *see* Bannov, N.A. 85—12248, 85—45433, 85—55786, 87—38197, 87—67256, 87—74318, 88—39396
Ryzhii, V.I. *see* Lapushkin, I.Yu. 88—13327
Ryzhii, V.I. *see* Lubashevskii, I.A. 85—29697
Ryzhii, V.I. *see* Zakharov, A.A. 87—1490
Ryzhij, V. *see* Bannov, N. 87—18076
Ryzhikov, V.A. *see* Svetlichnyi, V.A. 88—17337
Ryzhikov, V.D., Shapiro, O.S., Ignatov, S.M., Silin, V.I. Afterglow of scintillation materials for X-ray tomography 87—57038
Ryzhikov, V.D. *see* Zdesenko, Yu.G. 86—60632
Ryzhikov, Yu.I. On the analysis of closed queuing networks 88—63148
Ryzhil, V.I., Fedirko, V.A., Khmyrova, I.I. Theory of high-frequency properties of ballistic bipolar heterojunction transistors 85—29201
Ryzhiv, V.I., Fedirko, V.A., Khrenov, G.Yu. Electron boundary reflection effect on ballistic and quasi-ballistic current transport in semiconducting layers 86—2094
Ryzhiy, V.I., Fedirko, V.A. High-frequency characteristics of ballistic bipolar heterotransistors 86—28292
Ryzhkov, A.E., Chechik, I.E. Optimization of the energy characteristics of varactor microwave mixers 87—65941
Ryzhkov, I.I. *see* Melekhov, M.E. 85—64216
Ryzhkov, M.P. *see* Osinskii, V.I. 85—51029
Ryzhkov, N.F. *see* Abramyan, L.E. 87—34684
Ryzhkov, N.F. *see* Esepkina, N.A. 85—3550
Ryzhkov, N.F. *see* Venger, A.P. 87—34689
Ryzhkov, V.D., Stadnik, P.E., Yakovlev, Yu.A. Development prospects of scintillator-photodiode systems (review) 86—5805
Ryzhkov, V.K. The LMZ K-1200-240 high-speed tandem turbine 86—61365
Ryzhkov, V.K. The 800 MW steam turbine 87—64397
Ryzhkov, V.K., Nezhentsev, Yu.N., Shklyar, A.V. The K-500-240-4 steam turbine manufactured by Leningrad Metal Working Plant 85—4929
Ryzhkov, V.K. *see* Safonov, L.P. 87—78501
Ryzhkov, V.K. *see* Volkov, O.D. 86—56637
Ryzhkov, V.M. *see* Dolomanskii, Yu.K. 86—18496
Ryzhkov, V.S. *see* Adas'ko, V.N. 85—39532
Ryzhkov, V.V., Turchanovskii, I.Yu., Shemyakina, S.B. Special features of the thermal conditions of pulsed electron beam annealing of semiconductors 86—21357
Ryzhov, A.A. *see* Zhidiyatov, A.M. 88—5555
Ryzhov, O.P. *see* Belov, Yu.A. 85—37596, 88—53659
Ryzhov, S.Yu. *see* Godzhello, A.G. 87—61345
Ryzhov, S.Yu. *see* Makarychev, Yu.M. 86—21996
Ryzhov, V.A. *see* Afanas'ev, S.N. 85—64328
Ryzhov, V.A. *see* Berezin, I.V. 88—34302
Ryzhov, V.A. *see* Boiko, G.N. 85—24823, 86—36730, 86—42845
Ryzhov, V.A. *see* Kazakov, V.G. 87—29170
Ryzhov, V.A. *see* Kisel', V.A. 85—61150
Ryzhov, V.F. *see* Balashov, S.G. 88—26540
Ryzhov, V.F. *see* Gaevskii, Yu.S. 88—9957
Ryzhov, V.F. *see* Ganopl'skii, L.S. 87—45842
Ryzhov, V.N. *see* Filatova, N.A. 88—10285
Ryzhov, V.P. Selection of the signal expansion basis using the minimum mean risk criterion 85—36286
Ryzhov, V.P. *see* Daniev, Yu.F. 85—41919

Ryzhov, V.P. *see* Daniyev, Yu.F. 86−37054

Ryzhov, V.V., Turchanovskii, I.Yu. Influence of a magnetic field on the energy distribution in the working zone of a gas laser excited by an electron beam 88−14100

Ryzhov, V.V. *see* Bychkov, Yu.I. 88−14094

Ryzhov, Yu.M. *see* Anastas'ev, Yu.V. 87−22519

Ryzhov, Yu.N.., Cheremiskin, I.V., Chekhlova, T.K. Distributed-feedback lasers with an active framing medium 86−22343

Ryzhov, Yu.N. *see* Grachev, D.D. 86−2765

Ryzhova, Ye.I. *see* Kitayev, M.A. 88−12598

Ryzhukhinskii, V.V., Sokolov, A.D. Convergence of thermoluminescence detectors 86−50640

Ryzin, J.Van *see* Van Ryzin, J.

Ryzka, A. *see* Lisowski, W. 88−15961

Ryznar, J. Effect of the supply parameters on errors of the angular-position transformer (resolver) 85−10001

Ryznar, J., Wrobel, T. Unification of a range of small-power DC servo-drives 85−9939

Ryzynski, W. *see* Desai, C.S. 87−52074

Rzaev, P.F. *see* Salamov, O.M. 87−30434, 88−24130

Rzaev, R.A. *see* Boldyrev, E.M. 88−61041

Rzaev, S.G. *see* Abdullaev, A.G. 85−34598

Rzaeznikov, Yu.V. *see* Nikolaev, L.A. 87−88

Rzanek, I. The analysis of the limiting static error of the reed relay switches as a function of the input-output element's parameters 88−64038

Rzasa, B., Potencki, J. Properties of the thick-film resistors produced on various dielectric layers 85−1069

Rzasa, B., Potencki, J. The properties of thick film resistors fabricated on various dielectric layers 85−11807

Rzasa, B., Potencki, J. Thick film resistors on dielectrics as temperature detectors 86−55600

Rzasa, B., Potencki, J. Thick-film temperature sensors 87−56616

Rzasa, P.W. *see* Finnicum, D.J. 85−48764

Rzazewski, K. *see* Lewenstein, M. 87−68554

Rzehak, H. *see* Bender, H. 87−2898

Rzepa, B. *see* Pocztowski, G. 85−28236

Rzepka, E., Bernard, M., Lefrant, S., Dubost, H., Charneau, R., Galaup, J.P. Laser performances of F_A(II) Li centers prepared by electrolytic coloration in Li-doped KCl crystals 87−54283

Rzepka, J., Nowicki, R. Competition effect between rotational levels in plasma diagnostics 86−29275

Rzepka, J. *see* Bajorek, R. 87−62978

Rzepka, J. *see* Nowicki, R. 85−35831

Rzepka, J. *see* Plinski, E.F. 86−42489

Rzeszewski, T.S. Video coding for EQTV distribution with a rate of approximately 135 Mb/s 88−41864

Rzeszewski, T.S. Video coding in BISDN with a distribution rate of approximately 135 Mb/s 88−46659

Rzeszewski, T.S., Pawelski, R.L. Efficient transmission of digital component video 87−13827

Rzeszewski, T.S., Pazarci, M., LoCicero, J.L. Compatible high definition television broadcast systems 88−29067

Rzeszewski, T.S., Wyant, P.H. Picture crispening by adaptive digital signal processing 87−55260

Rzeszewski, T.S. *see* LoCicero, J.L. 85−52523, 86−24105, 87−7820, 87−27664

Rzhanov, A.E., Filippov, V.I., Chaplanov, V.A., Yakimov, S.S. An investigation of the hydrogenated Si-SiO_2 interface by X-ray diffraction 88−50674

Rzhanov, A.V., Chukova, Yu.P. Limiting energy characteristics of direct conversion of solar energy 85−49109

Rzhanov, A.V., Stenin, S.I., Pchelyakov, O.P., Kanter, B.Z. Molecular beam epitaxial growth of germanium and silicon films: surface structure, film defects and properties 86−57454

Rzhanov, A.V. *see* Zhdan, P.A. 85−12193

Rzhanov, Yu.A. *see* Balkarei, Yu.I. 88−45545

Rzhanov, Yu.A. *see* Grigor'yants, A.V. 85−19033, 88−20738

Rzhavina, R.M., Semanov, B.A. Programmable frequency divider 86−14449

Rzhavina, R.M., Semanov, B.A. A frequency synthesizer 88−38405

Rzhendinskaya, S.N. *see* Zhukov, A.V. 85−26725

Rzhepetskii, V.P., Romanyuk, B.N., Balabai, R.M., Polyak, Z.B. Characteristics of the adhesion of a metal to an amorphized semiconductor surface 86−28232

Rzhepetskii, V.P., Romanyuk, B.N., Rudskoi, I.V. Influence of surface radiation defects on the processes of formation of an oxide film in structures of dielectric constant type (Si-SiO_2) 86−15054

Rzhevkin, K.S. *see* Damgov, V.N. 85−39922

Rzhevskaya, L.A. *see* Sledkov, V.A. 86−47040

Rzhevskii, A.V. *see* Basov, N.G. 87−26291

Rzhevskii, M.B. *see* Verenik, V.N. 85−56758

Rzhevskii, V.M. *see* Koval'skii, R.V. 88−55636

Rzheznikov, Yu.V. *see* Alekseeva, R.N. 85−38858

Rzheznikov, Yu.V. *see* Lifshits, E.V. 85−48708

Rzheznikov, Yu.V. *see* Nikolaev, L.A. 86−39512

Rzhiga, O.N. Radar studies of other planetary systems? 86−30916

Rzhiga, O.N., Armand, N.A., Aleksandrov, Yu.N., Baraboshkin, S.M., Barinov, V.S., Borodin, L.F., Zaytsev, A.L., Zakharov, A.I., Zimov, V.Ye., Kayevitser, V.I., Krivtsov, A.P., Mesterton, A.P., Petrov, G.M., Sidorenko, A.I., Sinilo, V.P., Shtern, D.Ya., Shubin, V.A. Radar system for investigating the reflecting properties of the Earth's surface from an aircraft 85−8474

Rzysko, T.J. *see* Domanski, A.W. 87−77244

S., A.Serrano *see* Serrano S., A.
S, H.Murrieta *see* Murrieta S, H.
S., J.L.Hernande *see* Hernande S., J.L.
S., M.Perez *see* Perez S., M.
S. Chi Chao *see* Chao S. Chi
S. Fuh Ming-Ren *see* Ming-Ren S. Fuh
S. Goela Jitendra *see* Jitendra S. Goela
S Hari Rao *see* Hari Rao S
S. Liu Chung *see* Chung S. Liu
S. Loural, M.Salete *see* Salete S. Loural, M.
S. Tsai Chen *see* Chen S. Tsai
S. Yang Hyun *see* Hyun S. Yang
Sa, A.B., Mendonca, J.T. Envelope solitons in a plasma strip-line 85−51452
Sa, C.J., Meiners, L.G. Schottky barrier heights of Hg, Cd, and Zn on *n*-type InP(100) 86−63096
Sa, C.J. *see* Chang, H.L. 86−34359
Sa, D.de *see* de Sa, D.
Sa, E.S.de *see* de Sa, E.S.
Sa, G.F.de *see* de Sa, G.F.
Sa, J.L.Pinto de *see* Pinto de Sa, J.L.
Sa, J.P.Marques de *see* Marques de Sa, J.P.
Sa, L.de *see* de Sa, L.
Sa, L.Vieira de *see* Vieira de Sa, L.
Sa, M.De *see* De Sa, M.
Sa da Costa, J.M.G., Munro, N. Online transient stability analysis in large power system by pattern recognition techniques 85−64791
Sa da Costa, J.M.G. *see* Pecas Lopes, J.A. 88−36746
Sa e Silva, C.de *see* de Sa e Silva, C.
Sa-Gong, G., Safari, A., Newnham, R.E. Poling study of $PbTiO_3$-polymer composites 87−53785
Sa-gong, G. *see* Newnham, R.E. 86−2473
Sa-gong, G. *see* Safari, A. 87−38619
Sa-Neto, A. Conduction and threshold switching in amorphous silicon 86−35372
Sa-Neto, A. *see* Garcia, F.J. 88−43377
Sa-Woo Hong, Eun-Kyung Lee, Young-Chang Kim The development of electric power system in Korea 86−50886
Saab, D., Hajj, I. Parallel and concurrent fault simulation of MOS circuits 85−35202
Saab, D. *see* Hajj, I.N. 85−45019, 86−62511, 87−38507
Saab, D.G., Yang, A.T., Hajj, I.N. Delay modeling and timing of bipolar digital circuits 88−70712
Saackel, L.R. Digital picture processing in production control 86−46046
Saad, A., Tobazeon, R. Transient liquid motion induced by charge injection from plane polymer sheets 85−50789
Saad, A., Tobazeon, R. Ion transport across impregnated polypropylene 87−18387
Saad, A.M.K. Novel lowpass harmonic filters for satellite application 85−17631
Saad, A.M.K. Planar integrated microwave components for terrestrial and satellite application 86−14517
Saad, A.M.K. A unified ridge structure for evanescent-mode wideband harmonic filters: analysis and applications 88−32399
Saad, A.M.K., Miller, J.D., Mitha, A., Brown, R. Analysis of antipodal ridge waveguide structure and application on extremely wide stopband lowpass filter 87−6055
Saad, A.M.K. *see* Grimminger, H. 85−11508
Saad, E.M. Optimum filter to detect random signals embedded in a background of additive noise 85−36301
Saad, E.M. Analysis of switched capacitor filters with nonideal operational amplifiers 88−56424
Saad, E.M., El-Sawy, A., Elewa, H. Alternative direct design method of digital filters and error analysis 87−927
Saad, E.M., El-Sawy, A., Elewa, H. Alternative computer-aided design method of digital filters 88−12528
Saad, E.M., Radwaan, E. Analysis of errors and possible cancellation of their effects in digital filters 88−56800
Saad, G.H. An optimization approach for investment allocations to different technologies 88−49462
Saad, I.M.H. An electromagnetic AC-DC comparator 86−24640
Saad, I.M.H. Theory and design of a new resistance transfer standard 87−14473
Saad, J., Jr. *see* Tureli, A. 85−65008
Saad, M. *see* Poulain, M. 85−12535, 85−35373
Saad, N. *see* Lefebvre, S. 86−6329
Saad, P. *see* Pritty, D.W. 87−48706
Saad, R. *see* Joerg, W.B. 88−44728
Saad, S.Ben *see* Ben Saad, S.
Saad, S.M. Review of numerical methods for the analysis of arbitrarily-shaped microwave and optical dielectric waveguides 86−10135
Saad, S.M. On the higher order modes of elliptical optical fibers 86−22097
Saad, S.M. Slot-coupled T-junction of TE_{11} coaxial to TE_{10} rectangular waveguide 86−41291
Saad, T.S. History of the Administrative Committee of the Microwave Theory and Techniques Society 85−217
Saad, Y. Practical use of polynomial preconditionings for the conjugate gradient method 86−7691
Saad, Y. On the Lanczos method for solving symmetric linear systems with several right-hand sides 87−52050
Saad, Y., Schultz, H. Conjugate gradient-like algorithms for solving nonsymmetric linear systems 85−49497
Saad, Y., Schultz, M.H. GMRES: a generalized minimal residual algorithm for solving nonsymmetric linear systems 86−62149
Saad, Y. *see* Chan, T.F. 85−33324
Saad, Y. *see* Elman, H.C. 86−62148
Saad, Y. *see* Johnsson, S.L. 88−357
Saad, Y. *see* Kerkhoven, T. 88−7554
Saada, S. *see* Chollet, P. 88−12075
Saada, S. *see* Pavy, D. 88−65210
Saadallah, A.F. *see* Ford, J.A. 88−11887
Saadallah, S., Allos, J.E., Daher, R.H. Dielectric thickness measurement employing heterodyne technique 85−37754
Saadallah, S., Daher, R.H. Dielectric thickness measurement using Doppler phenomena and heterodyne technique 86−24784
Saadat, H.M. Microcomputer applications in electrical power engineering education 88−18398
Saadat, H.M. Innovations in power engineering education 88−43632
Saadat, H.M., Mendis, S.R. Reactive power planning during normal and post-contingency states using linear programming 88−23387
Saadat, S., McKiney, K. Optimization of a portable micro-GC for analysis of natural gas 86−5577
Saadat, S. *see* Lewis, C.L.S. 88−33919
Saadate, S., Gudefin, E., Abignoli, M., Goeldel, C. Protection of transistor power switches 87−6667
Saadate, S., Gudefin, E., Caron, J.P., Goeldel, C. Repulsion motor with static commutator: conception and closed-loop control 87−22241
Saadate, S., Gudefin, E., Goeldel, C. Design of a repulsion motor with digital electronically-controlled commutator 88−23948
Saadate, S., Le Doeuff, R., Periot, R. Design of a high voltage chopper for traction applications using two series-connected GTO thyristors 88−69856
Saadate, S., Tien, G., Gudefin, E., Abignoli, M. Dimensioning of a synchronous stepping motor with permanent magnets with a view to obtain maximum acceleration factor 88−17668
Saadate, S. *see* Caron, J.P. 88−17542
Saadawi, T., Jain, N., Schwartz, M. Protocol for a distributed switching interactive CATV network 86−60050
Saadawi, T.N., Abdelmonem, A.H. Ed-Net−a multi-protocol educational local area network 88−9125
Saadawi, T.N., Jafari, A.A. Effect of ISDN traffic on the link blocking probabilities 88−67118
Saadawi, T.N., Jain, N., Schwartz, M. Protocol for a distributed switching interactive CATV network 87−41225
Saadawi, T.N., Schwartz, M. Distributed switching for data transmission over two-way CATV 85−20361
Saadawi, T.N., Schwartz, M. Distributed switching for data transmission over two-way CATV 85−47688
Saadawi, T.N. *see* Gerakoulis, D.P. 85−7951, 85−31000, 86−54600
Saadawi, T.N. *see* Jafari, A.A. 86−54614, 87−20722
Saadawi, T.N. *see* Roy, R.R. 85−8319, 85−13679, 86−10607
Saady, D. Data communications and network management 85−30559
Saage, D., Zoche, P., Gundrum, U. Economic applications accompanied by a high degree of reliability 88−59442
Saage, D. *see* Gundrum, U. 88−28212
Saaid, S.M. *see* Makky, S.M. 86−22312, 87−2222
Saake, M.W. *see* Bauer, R.L. 88−26544
Saakov, V.I. *see* Arutyunyan, A.A. 88−61910
Saakyan, A.K., Papoyan, A.V. Two-stage pulse generator for copper-vapor laser 87−7418
Saakyan, A.P. *see* Gevorkyan, A.A. 86−32933
Saakyan, E.S., Mkrtchyan, L.B., Saakyan, P.E. Designing skating-force cam compensators for turntable pick-up 87−49381
Saakyan, G.B. The use of linear antennas to measure the equivalent field distribution in an antenna aperture 86−48664
Saakyan, K.G. *see* Avakyan, G.Ts. 87−71019
Saakyan, P.E. *see* Saakyan, E.S. 87−49381
Saakyan, S.A. Analytic representation of the discharge characteristics of acid batteries for a constant strength discharge current 88−43369
Saal, C. Transient states of dynamic braking in direct-current operating systems 85−60200
Saal, C. The design of electric drive aided by personal microcomputers 87−64836
Saal, C., Lager, I., Ghetie, M., Lugojanu, M., Hubbes, I. Calculation of the static mechanical characteristics of the series-excited DC motor 87−51220
Saal, C., Manolea, G., Mailat, A. Thermal model and stator thermal limit curves of three phase induction motors 87−58063
Saal, C., Margineanu, I., Ungar, R. Parameter determination of the DC drive motors using a digital automatic device 87−16085
Saal, C., Sisak, F. Calculation of electric drives equipped with flywheels 86−61765
Saal, C., Szabo, W., Margineanu, I., Ungar, R. Distance protection with hybrid calculation of transmission line parameters 86−6321
Saal, F.A. *see* Boehm, R.J. 87−28572
Saal, F.A. *see* Kaiser, P. 87−34607
Saal, F.W. *see* Basson, M. 85−54772
Saal, H.J. Distribution channels for PC LANs−the pros and cons 86−54967
Saal, R. *see* Pauli, R. 86−57536, 87−23806
Saalfrank, W. *see* Brunk, M. 87−566
Saalfrank, W. *see* Hauke, W. 88−6696
Saalmans, P. Deregulation and its impact on data communications services 86−37295
Saaman, A.A., Bergveld, P. A classification of chemically sensitive semiconductor devices 85−52746
Saaman, A.A. *see* Giling, L.J. 87−16670
Sa'ar, A., Barkay, N., Moser, F., Schnitzer, I., Levite, A., Katzir, A. Optical and mechanical properties of silver halide fibers 88−58121
Sa'ar, A., Katzir, A. Scattering effects in crystalline infrared fibers 88−58100
Sa'ar, A., Moser, F., Akselrod, S., Katzir, A. Infrared optical properties of polycrystalline silver halide fibers 86−68231
Sa'ar, A., Moser, F., Saban, S., Weiss, D., Katzir, A. Optical properties of silver halide infrared transmitting fibers 87−18711
Sa'ar, A. *see* Sivan, U. 88−33717
Saar, D.A. A technical writing teacher becomes a technical writer: reflections on an IBM experience 87−36372
Saar, K. *see* Klementi, T. 85−56490
Saar, S.A. *see* Sychev, Yu.P. 87−4659
Saarbrucken, K. *see* Walte, F. 86−46410
Saarelainen, K., Aakala, K. Communication protocols and their type testing 85−47133
Saarelma, H. *see* Oittinen, P. 85−57428, 86−64342, 88−16506
Saarelma, H.J. *see* Oittinen, P.T. 88−46168
Saari, A.E. On the implications of R&M 2000 environmental stress screening 88−10684
Saari, D.P. *see* Marksberry, C.L. 87−36173
Saari, J.-M. *see* Seppa, H. 87−14477
Saari, P., Kaarli, R., Rebane, A. Picosecond time- and space-domain holography by photochemical hole burning 86−48509
Saari, P., Kaarli, R., Rebane, A. Picosecond time- and space-domain holography by photochemical hole burning 88−40385
Saari, P. *see* Aaviksoo, J. 85−58114
Saari, P.M. Zero-phonon lines and space-and-time domain holography of ultrafast events 87−61248
Saari, P.M. Spectral memory 87−68644
Saari, P.M., Kaarli, R.K., Rebane, A.K. Holography of space-time events 85−62685
Saari, P.M. *see* Kaarli, R.K. 87−68645
Saari, P.M. *see* Rebane, K.K. 88−27306
Saari, V.R., Marsh, D.G., McGuire, D.J., Ganesan, A. A programmable CMOS transceiver with 45 dB automatic equalization 87−62754
Saarikko, H. *see* Alner, G.J. 88−10288
Saarilhati, J. *see* Suni, I. 86−21440
Saarinen, M. *see* Kerttula, E. 86−37420
Saarinen, P., Hamalainen, M., Oksa, T. A mathematical model of transparent planar light concentrator 88−11400
Saarinen, P. *see* Oksa, T. 88−11389
Saarloos, J., Olson, S., Carithers, W., Haber, C., Orme, C., Siegrist, J. High voltage control and monitoring system for proportional chambers 88−61096
Saarni, H.K. *see* Sipila, H.T. 85−64481
Saaryan, A.A. *see* Grigoryan, L.Sh. 88−2446
Saaski, E.W., Hartl, J.C., Mitchell, G.L., Wolthuis, R.A., Afromowitz, M.A. Multimode fiber optic pressure sensor with extended range 88−42127
Saaski, E.W., Mitchell, G.L., Hartl, J.C. Wide range sensing of liquid refractive index 88−68050
Saastamoinen, R. *see* Adam, A. 88−42629
Saat, A. *see* Bradley, D.A. 87−29671, 88−4839
Saati, Z.J. Cryptography by linguistic analysis, pseudo-random coding and integration to secret or public key encryption methods 87−27215
Saaty, T.L. Partial differential equations. An outline 85−44651
Saavedra, A. *see* Aboites, V. 88−40147
Saavedra, F. Calculation of diffused striplines with the effective refractive index method 86−15483
Saavedra, F. *see* Maschkowitz, F. 85−50943
Saavedra, J. *see* Muir, T.C. 85−38905
Saavedra, O. *see* Aglietta, M. 86−65378
Saavedra, O. *see* Alberini, C. 86−65387
Saavedra, O. *see* Badino, G. 85−48177
Saavedra, O. *see* Battistoni, G. 86−50396
Saavedra, O. *see* Galeotti, P. 85−31740
Saavedra, O. *see* Imaeda, K. 86−25126
Saba, S.N. *see* Kramer, J.J. 87−57790
Sabadini, N. *see* Bertoni, A. 86−21725

Sabah Dagher, Zbigniew Zdun A new approach to transformer models in phase co-ordinates 88–17697
Sabajno, G. *see* Coppadoro, G. 88–15300, 88–67201
Sabaki, K. Equipment useful for network security 88–15240
Sabalaskey, L.J.B., Levy, J.S., Taska, P.D. New network management software helps carriers using 5ESS switches keep their revenues flowing 86–37655
Sabalyauskas, A.I. *see* Gurtovtsev, A.L. 86–39043, 88–42795
Saban, I. *see* Rodinis, D. 86–61227
Saban, I. *see* Saban, J. 87–72015
Saban, J., Zaharija-Tiska, D., Bencun, J. Synchronous self-excited compound generators 85–21590
Saban, J., Zaharija-Tiska, D., Culig, Z., Kadic, M. Generators for small hydroelectric power plants 88–11126
Saban, J., Zaharija-Tiska, D., Strbuncelj, Z., Saban, I. Nuclear power plant emergency power supply—diesel generator as back-up power sources 87–72015
Saban, R.I. *see* Cojan, A. 87–13437
Saban, S., Bosnjak, Z. The cooling of turbogenerator sets with outputs from 250 to 700 MVA 86–61480
Saban, S. *see* Sa'ar, A. 87–18711
Sabaneeva, G.I., Bobkova, V.S. Optimizing the parameters of power-supply damping networks 86–45520
Sabanin, B.P. *see* Veshovskii, S.P. 87–39724
Sabanovic, A., Bilalovic, F. Sliding mode control of AC drives 87–43520
Sabanovic, A., Sabanovic, N., Music, O. Sliding mode control of DC-AC converters 87–22586
Sabanovic, A., Sabanovic, N., Music, O. Sliding mode control of DC-AC converters 87–58215
Sabanovic, A. *see* Venkataramanan, R. 86–51786
Sabanovic, A. *see* Vujovic, M. 86–6789
Sabanovic, N. *see* Sabanovic, A. 87–22586, 87–58215
Sabaski, R.E. *see* Totten, D.S. 85–10291
Sabat, T. Circuit recognizes real-time data 87–37413
Sabate, J.A. *see* Peracaula, J. 86–33524, 86–66183
Sabath, J., Peat, A., Pettersson, K., Lindblad, S. Engineering and construction of a gas-insulated substation in an area of potential seismic activity 87–30872
Sabatier, A. The CAE ideas of Mentor Graphics: the integration of prototype tests into workstations 85–54598
Sabatier, A. The complete control of semi custom circuits from a workstation 85–61040
Sabatier, A. Physical modelling of LSI/VLSI components 85–61041
Sabatier, A. A unique accelerator for the ensemble of operations 86–46439
Sabatier, C., Caquot, E. Influence of a dielectric buffer layer on the field distribution in an electrooptic guided-wave device 86–42259
Sabatier, C. *see* Carenco, A. 88–33754
Sabatier, C. *see* Le Guillou, G. 86–39503
Sabatier, J. HDTV: a safe path? 87–13895
Sabatier, J. New needs in video measurements 87–76989
Sabatier, J., Pommier, D., Mathieu, M. The D2-MAC-packet system for all transmission channels 86–17590
Sabatier, J., Pommier, D., Mathieu, M. The D2-MAC/packet system for all transmission channels 86–55402
Sabatier, P.C. Critical analysis of the mathematical methods used in electromagnetic inverse theories: a quest for new routes in the space of parameters 85–51408
Sabatini, R.L. *see* Garber, M. 86–22055
Sabatini, R.L. *see* Sadakata, N. 87–67835
Sabato, A. Techniques and equipment for encryption 87–8048
Sabato, A. *see* Hatta, H. 85–52060
Sabato, A. *see* Hirosaki, B. 86–55068
Sabato, A. *see* Yano, K. 85–51869
Sabaton, M. *see* Dewagenaere, P. 86–25748
Sabattier, R., Goin, G., Le Polotec, L., Breteau, N. A new beryllium target for the Orleans neutron therapy facility 85–64632
Sabattini, A. *see* Dominici, G. 88–74271
Sabau, M. *see* Arsenescu, Gh. 86–12008
Sabbagh, H.A. A model of eddy-current probes with ferrite cores 87–77204
Sabbagh, H.A., Sabbagh, L.D. Inversion of eddy-current data and the reconstruction of flaws using multifrequencies 85–10881
Sabbagh, H.A., Sabbagh, L.D. Experimental verification of an inversion algorithm for flaw characterization using eddy-currents 85–10882
Sabbagh, H.A., Sabbagh, L.D. An eddy-current model for three-dimensional inversion 86–66870
Sabbagh, H.A., Vernon, S.N. Ferrite core eddy current probe model: description and verification 85–10885
Sabbagh, H.A., Vernon, S.N. Ferrite core eddy current probe model: description and verification 85–54555
Sabbagh, H.A. *see* Sabbagh, L.D. 85–10898
Sabbagh, I., Appleby, D.G. An adaptive slow frequency hopping system for land mobile radio 85–57215
Sabbagh, I., Appleby, D.G. Adaptive slow frequency-hopping system for land mobile radio 85–58001
Sabbagh, L.D., Sabbagh, H.A. Some numerical techniques for inverse problems [of flaw reconstruction] 85–10898
Sabbagh, L.D. *see* Sabbagh, H.A. 85–10881 to 10882, 86–66870
Sabbagh, S.K.Al *see* Al Sabbagh, S.K.
Sabbah, D., Bolle, R.M. Extraction of surface parameters from depth maps viewing planes and quadrics of revolution 87–69321
Sabbah, D. *see* Bolle, R.M. 88–28122, 88–46203, 88–66686
Sabban, A. A new broadband stripline antenna 86–29615
Sabban, J.Cohen *see* Cohen Sabban, J.
Sabban, S.el *see* el Sabban, S.
Sabbar, B.M. *see* Griffiths, J.W.R. 88–9665
Sabbatini, L. *see* Bicelli, L.P. 86–26310
Sabchevski, S.P. *see* Mladenov, G.M. 86–40326
Sabee, M.el *see* el Sabee, M.
Sabel, M., Willgeroth, F., Aichinger, H., Dierker, J. X-ray spectra and image quality in mammography 87–50243
Sabelman, E. *see* Aldrich, J. 87–14920
Saberi, M. Monitor thermocouples electronically 86–11526
Saberi, M. Automatic cold-junction compensation for thermo-electric elements 86–65165
Sabet, M. *see* Chang, Y.L. 88–31047
Sabet-Peyman, F., Chang, I.C. Diffraction and detection of bulk acoustic waves (BAW) 86–38307
Sabet-Peyman, F., Chang, I.C. High dynamic range bulk acoustic wave channelizer 87–1860
Sabet-Peyman, F., Chau, K., Chang, I.C. Wideband RF channelization using frequency-dependent beam steering of focused bulk acoustic waves 87–9044
Sabet-Peyman, F., Chau, K., Dwelle, R. Bulk acoustic wave approach to wideband radio-frequency spectrum analysis 88–30193
Sabet-Peyman, F., Weverka, R.T., Chang, I.C., Katzka, P. Beam scanning and focusing of bulk acoustic waves 86–6150
Sabety, T. *see* Taylor, S.L. 86–20212
Sabety, T.M., Shaw, D.E., Mathies, B. The semiautomatic generation of processing element control paths for highly parallel machines 85–1697
Sabety, T.M. *see* Shaw, D.E. 86–14269, 87–66158
Sabev, C. *see* Bussa, M.P. 87–21415
Sabev, V. *see* Avramov, N. 88–9229
Sabgiuovanni-Vincentelli, A. *see* Ma, H.T. 87–66114
Sabharwal, S.C., Ghosh, B. The effect of thermal treatment on scintillation and thermoluminescent output of NaI(Tl) 86–28975
Sabharwal, S.C., Kathuria, S.P., Ghosh, B. Effect of impurities on scintillation—optical and thermoluminescent properties of NaI(Tl) 87–50141
Sabharwal, S.C. *see* Gadkari, S.C. 87–3718
Sabi, B. *see* Maiz, J.A. 88–1572
Sabi, B. *see* Schafft, H. 88–50756
Sabia, E. *see* Bizzarri, U. 85–56703, 87–2168, 87–68542
Sabia, E. *see* Boffa, V. 88–8141
Sabia, E. *see* Ciocci, F. 87–2163, 87–7387, 87–26444, 87–46917, 87–75149
Sabia, E. *see* De Angelis, A. 85–56704
Sabia, E. *see* Dipace, A. 88–58452
Sabia, E. *see* Letardi, T. 88–14104
Sabia, R. *see* Chapin, J.T. 86–47122
Sabiers, M.L. *see* Kao, W.H. 85–1754
Sabilo, V.P. Minimax evaluations of effectiveness of algorithms for filtering transient errors in digital measurement data 85–58480
Sabin, E.W. Laser activated CVD of silicon dioxide and silicon nitride 87–16690
Sabin, M.J. Convergence and consistency of fuzzy *c*-means/ISODATA algorithms 88–3168
Sabin, M.J., Gray, R.M. Global convergence and empirical consistency of the generalized Lloyd algorithm 86–59179
Sabin, M.J. *see* Tseng, H.-P. 87–61672
Sabine, K. *see* Amaratunga, G.A.J. 86–8978
Sabine, K.A., Armaratunga, G.A.J., Evans, A.G.R. Threshold shift of NMOS transistors due to high energy arsenic source/drain implantation 85–45876
Sabine, K.A., Kemhadjian, H.A. Selective epitaxy for CMOS VLSI 85–23960
Sabinin, Yu.A. *see* Boikov, V.I. 88–35583
Sabinin, Yu.A. *see* Bystrov, S.V. 88–67756
Sabinin, Yu.A. *see* Drozdov, V.V. 85–65476
Sabinin, Yu.A. *see* Korovyakov, A.N. 88–60726
Sabinski, J. *see* Kuss, H. 88–17495
Sabio, E. *see* Walsh, J.E. 87–2178
Sabirov, K. *see* Mirsagatov, S.A. 86–1790
Sabirov, K. *see* Mirsagatov, Sh.A. 87–54162
Sabirov, Zh.A. Nonlinear filtering of structural noise 85–13563
Sabirzyanov, F.Kh. *see* Panchenko, B.A. 88–66170
Sabirzyanova, L.D. *see* Gluzman, N.G. 86–58252
Sabisch, H. Tasks and problems of economic evaluation in the design process 87–43938
Sabisky, E., Wallace, W., Mikhail, A., Mahan, H., Tsuo, S. Advances and opportunities in the amorphous silicon research field 86–7036
Sabisky, E., Wallace, W., Stafford, B., Sadlon, K., Luft, W. The US DOE/SERI amorphous silicon research project 87–9747
Sabisky, E. *see* Stafford, B. 88–18753
Sabisky, E. *see* Wallace, W. 88–37475
Sabisky, E.S. Status of research on the light-induced effect in a-Si materials and a-Si solar cells 87–15974
Sabisky, E.S. The birth, growth, and impact of hydrogenated amorphous silicon 87–32266
Sabisky, E.S. Solar electric power: the birth of a new industry 88–48821
Sabisky, E.S., Hermann, A.M. Thin-film solar cells: status and opportunities 85–39195
Sabisky, E.S., Wallace, W., Stafford, B., Lutt, W. Status of DOE/SERI Amorphous Silicon Research Project 87–72411
Sabitov, B.P. *see* Apel'tsin, V.F. 86–50746
Sablatash, M., Moreland, K.W., Tiedemann, R.K. Modeling broadcast teletext systems for analysis and computer simulation studies 88–9097
Sablatash, M., Tiedemann, R.K., Moreland, K.W. A multipath RF propagation model for computer simulation of complex impulse responses of broadcast teletext channels 87–34083
Sablatash, M. *see* Field, J.A. 85–8117
Sablatash, M. *see* Mortimer, B.C. 88–15032, 88–40811
Sablayrolles, J.M. Grenoble tramway electronic equipment 88–69864
Sable, E.G. *see* Huttenhoff, J.H. 85–47348
Sable, E.G. *see* Raack, G.A. 85–25225, 85–47345
Sablehaus, M. Fiber optics and MAP 87–28077
Sablik, M.J. *see* Beissner, R.E. 85–10884
Sablik, M.J. *see* Sharber, J.R. 88–68629
Sablin, A.D., Tatarnov, S.G., Khodzhaev, K.Sh. Temporal response of the electromagnetic torque with a short-time duty generator under load 88–75535
Sablin, A.D. *see* Kiselev, P.V. 88–48856
Sablin, N.I., Solod, T.A., Fomenko, G.P. Numerical simulation of a relativistic electron beam in drift tube with finite external magnetic field 86–50273
Sablin, N.I. *see* Privezentsev, A.P. 88–64206
Sablon, H. *see* Stubbe, E.J. 85–38768
Sablonniere, P. Composite finite elements of class C^k 85–54356
Sablotny, R. *see* Mommertz, K.H. 85–14601
Sabnani, K. An algorithmic technique for protocol verification 88–73394
Sabnani, K., Dahbura, A. A new technique for generating protocol tests 86–23510
Sabnani, K., Dahbura, A. A protocol test generation procedure 88–73566
Sabnani, K., Schwartz, M. Multidestination protocols for satellite broadcast channels 85–36474
Sabnani, K., Schwartz, M. A new connection establishment procedure for multidestination protocols 87–13181
Sabnani, K., Wolper, P., Lapone, A. An algorithmic technique for protocol verification 86–54594
Sabnani, K. *see* Aggarwal, S. 86–30344, 86–54983
Sabnani, K. *see* Krishnakumar, A.S. 88–20084
Sabnani, K. *see* Maxemchuk, N.F. 88–21725
Sabnani, K. *see* Palmer, J.W. 87–40435
Sabnani, K.K., Lapone, A.M. PAV—protocol analyzer and verifier 87–34208
Sabnis, A.G. Impact of advances in technology on the properties of Si/SiO_2 interface 85–6769
Sabnis, A.G. Process dependent build-up of interface states in irradiated n-channel MOSFETs 86–35689
Sabnis, A.G. Multilevel metallization schemes 88–57515
Sabnis, A.G. Gate metallization 88–57816
Sabnis, A.G., Nelson, J.T. Characterization of Si/SiO_2 interface degradation due to hot-carrier injection 86–47425
Sabo, B.B. *see* Fisher, R.D. 85–18552
Sabo, C.J., Vest, G.M., Singaram, S., Mis, D. Silver thick film metallization for photovoltaics fired at 300°C 86–53225
Sabo, C.J. *see* Pond, R.G. 88–7224
Sabo, C.J. *see* Vitriol, W.A. 88–7212, 88–19562
Sabo, D. Cost analysis for equipment with gate arrays 86–894
Sabo, D.G., Johannsen, D., Yau, R. Genesil silicon compilation and design for testability [IC testing] 86–67966
Sabo, D.G. *see* Doerr, A.H. 87–1605
Sabo, D.G. *see* Johannsen, D. 87–1702
Sabo, E.P. *see* Metelitsa, L.M. 86–11680
Sabo, N., Secrest, J. The work center works for wafer fab 86–1924

Sabo, R., Zrilic, D., Tasic, J., Kandus, G. Simulation of the pseudo-error monitor 88−14970
Saboff, M. *see* Wu, C. 87−5979
Sabol, L.A., Jr. Load-transfer system protects important loads 86−61056
Sabol, M.J. *see* Kimberly, D.W. 85−3291, 85−3293
Sabol, T. Criterions of digital image quality [picture processing] 85−30344
Sabol, T. Calculation of local operators of edge detection by means of Walsh transforms 85−63083
Sabolova, K. *see* Hulin, I. 86−5953
Sabonnadiere, J. *see* Burais, N. 85−24729
Sabonnadiere, J.-C. Electric motor design: modelling facilitates optimization 87−64536
Sabonnadiere, J.-C. *see* Euxibie, E. 86−46503, 88−7093
Sabonnadiere, J.C. *see* Andre, M. 88−2463
Sabonnadiere, J.C. *see* Bigeon, J. 85−32423, 86−26352
Sabonnadiere, J.C. *see* Bompa, L. 86−42795
Sabonnadiere, J.C. *see* Coulomb, J.L. 86−36662
Sabonnadiere, J.C. *see* Hahn, S.-Y. 88−8402
Sabonnadiere, J.C. *see* Meunier, G. 85−32527
Sabonnadiere, J.C. *see* Savalle, D. 88−52026
Sabonnadiere, J.C. *see* Shen, D. 86−42688, 88−55401, 88−55404
Saboori, M., Damouny, N.G. Teletext: issues and answers−the whole of this service needs to be understood for its success 85−36695
Sabost'yanov, M.E. *see* Legon'kov, V.A. 88−44828
Sabot, A. Transient recovery voltage behind transformer: calculation and measurement 86−33549
Sabot, A., Ott, R. A new definition for HV/MV substations: the compartmented modular indoor substation 87−78737
Sabot, A. *see* Lalot, J. 86−39997, 87−58241, 88−49079
Sabot, A. *see* Roguin, J. 87−64120
Sabotinov, N., Telbizov, P. ZnII laser oscillation in a transverse high-frequency discharge 85−18833
Sabotinov, N., Telbizov, P. He-Zn laser with a transverse high-frequency excitation 87−2081
Sabotinov, N. *see* Astadjov, D. 85−56542
Sabotinov, N. *see* Grozeva, M. 85−12795, 85−56535, 87−26270, 87−38996
Sabotinov, N.V. *see* Astadjov, D.N. 86−22314
Sabotinov, N.V. *see* Astadzhov, D.A. 85−12806
Sabotinov, N.V. *see* Astadzhov, D.N. 87−68354, 87−68382
Sabouni, I. *see* Dang, M. 88−73602
Sabour, F. *see* Lucas, J.E. 88−24538
Sabourin, P.J., Durdle, N.G. A microprocessor-controlled switched-capacitor filter for biomedical applications 88−48193
Sabourin, R., Plamondon, R. Preprocessing of handwritten signatures from image gradient analysis 87−48147
Sabourin, R. *see* Lowther, D. 85−24167
Sabourin, T. *see* Kanoun, K. 87−69843, 88−53095
Saboya, F.E.M. *see* Queiroz, A.G. 88−62791
Sabrahmanyam, V. *see* Saibaba Reddy, D. 88−48962
Sabri, B. Super high frequency absorbers and their applications 85−38551
Sabri, S. Movements compensated interframe prediction for NTSC color TV signals 85−2886
Sabri, S., Prasada, B. Coding of broadcast TV signals for transmission over satellite channels 85−20300
Sabri, S., Prasada, B. Video conferencing systems 85−52561
Sabri, S. *see* Dubois, E. 85−19536
Sabri, S. *see* Okubo, S. 88−46758
Sabri, S.A. *see* Fortier, M. 86−34844
Sabrie *see* Graf, J.-J. 88−17278
Sabrie, J.-L. Studies necessary before launching development of electrical machines using new high T_c SC materials 88−26740
Sabrie, J.-L. Prospects for superconductivity in electrical networks 88−51419
Sabrie, J.-L. *see* Bogner, G. 88−7815
Sabrie, J.L. Cryogenic motors: the dawn of industrial utilization 87−64563
Sabrie, J.L., Grunblatt, G., Carminati, J., Gorisse, M., Testard, O., Bonnal, J., Blondel, C., Sirou, M., Champenois, G., Rognon, J. Superconducting torquer for ISOCAM 87−38706
Sabrie, J.L. *see* Brunet, Y. 87−22254, 88−69284
Sabry, M.M.F. Screened anode N_2 laser 86−36403
Sabry, M.M.F. *see* Ebeid, E.M. 86−3099
Sabry, O. *see* Mahrous, S. 85−37293
Saburenko, B.F. *see* Gimel'brant, A.Ya. 87−71688
Saburi, A., Mitani, T., Ishi, Y., Takai, H. INTELSAT TDMA system. I. TDMA control subsystem−TDMA system and reference terminal equipment 87−8232
Saburi, A., Mitani, T., Ishi, Y., Takai, H., Takatsukasa, N. Reference terminal equipment for the INTELSAT TDMA system 86−4579
Saburi, A., Murakami, M., Ikeda, K., Hiyama, T. Radio access system for ISDN 87−48385
Saburi, A., Oshima, G., Saga, R., Atobe, M., Shingaki, S., Yoshida, K. NEC's traffic terminal equipment for the INTELSAT TDMA system 86−4584
Saburi, A. *see* Kitamura, A. 87−48386
Saburi, A. *see* Terashima, T. 87−48388
Saburi, Y. *see* Kawano, N. 86−69871
Saburi, Y. *see* Nakagiri, K. 85−58814
Saburi, Y. *see* Ohta, Y. 85−62468
Saburi, Y. *see* Urabe, S. 85−43061, 85−58812
Saburov, V.A. *see* Artem'ev, B.V. 87−75193
Saburov, V.A. *see* Basov, N.G. 86−22562
Saburova, Z.K. *see* Vas'kov, V.A. 87−19013
Saby, B., Nadd, B.C. Smart power devices in automotive multiplex wiring systems 88−5989
Saby, M. *see* Constant, C. 87−64081
Sabzali, A. *see* Yu, C. 87−74785
Saccamango, M.J., Strojwas, A.J. Analytical modeling of small-geometry MOSFETs 85−45729
Saccamango, M.J., Strojwas, A.J. Efficient modeling of small-geometry MOSFETs 88−26323
Sacch, J.N.L., Rifaldi, A. The asynchronous motor−computer aided design and calculations 87−4715
Sacchetta, S. *see* Cardarilli, G.C. 87−57335, 87−66092, 87−69198, 88−722, 88−16038
Sacchetta, S. *see* Lojacono, R. 88−864
Sacchetti, A. *see* Castellano, M. 87−41858
Sacchetti, A. *see* De Marzo, C. 87−29473
Sacchetti, A. *see* De Palma, M. 85−59203
Sacchetti, F. Performance of the High Symmetry Spectrometer PRISMA to be installed at SNS 86−56067
Sacchetti, F. *see* Andreani, C. 87−35369
Sacchetti, N. Large scale applications of superconductivity and the high T_c materials 88−26703
Sacchetti, N. *see* Acerbi, E. 88−68203
Sacchetti, N. *see* Bruzzese, R. 86−47982, 86−48036, 87−46407, 87−67820
Sacchetti, N. *see* Deotto, T. 85−50867
Sacchetti, N. *see* Pasotti, G. 86−50284
Sacchi, C.A. *see* Docchio, F. 88−8385
Sacchi, E. *see* Favero, F. 86−65921
Sacchi, F. *see* Zuffada, M. 87−13909
Sacchi, J.N.L., Rifaldi, A. The transformer: computer-aided calculation and design [power transformers] 86−26110
Sacchi, J.N.L., Rifaldi, A. Computer-assisted calculation and design of a DC machine 87−15782
Sacchi, J.N.L., Rifaldi, A. The synchronous machine for computer aided calculations and design 88−55326
Sacchi, L. *see* Catania, B. 86−59439, 87−34626
Sacchi, M. *see* Morten, B. 88−44495
Sacchi Landriani, G. Convergence of the Kleiser Schumann method for the Navier-Stokes equations 88−322
Sacchi Landriani, G. *see* Canuto, C. 87−23576
Sacco, B. *see* De Biase, G.A. 86−43338
Sacco, D. *see* Alekseev, G.D. 88−61138
Sacco, M. *see* Auchterlonie, L.J. 88−22612
Sacco, M.J. *see* Auchterlonie, L.J. 87−68087, 88−36061
Sacco, V.M. *see* Baronti, S. 87−75850, 87−77901
Saccomani, G. *see* Meyzonnette, J.L. 88−28980
Sacconi, A. *see* Balhorn, R. 86−50233
Sacconi, A. *see* Peuto, A. 85−64310
Sacconi, A. *see* Seyfried, P. 88−15896
Sacedon, J.L. *see* Lopez de Ceballos, I. 86−63196
Sacedon, J.L. *see* Menendez, I. 88−39213
Sacena, T.K. *see* Agnihotry, S.A. 87−2010
Sacerdoti, G. *see* Bartoletti, C. 87−28901
Sach, C.I. Efficiency aspects of short, low velocity railguns 88−34263
Sach Pham Huu *see* Pham Huu Sach
Sach Tong Van *see* Tong Van Sach
Sachansky, J. *see* Nikolov, Z. 85−8019
Sacharoff, A.C., Westervelt, R.M., Bevk, J. Fabrication of ultrathin drawn Pt wires by an extension of the Wollaston process 85−54537
Sachatchieva, M. *see* Petkov, K. 88−50765
Sachchidanand *see* Padiyar, K.R. 85−44080, 88−5774
Sachchidanand, S.R.D. *see* Yeotikar, S.P. 87−43243
Sachdev, K.G., Cheng, S., Anderson, H.R., Jr., Khojasteh, M.M., Patsis, A.V. Solvent effects in the application of silane coupling agents for polyimide-silicon oxide adhesion−peel strength and XPS studies 86−62285
Sachdev, K.G. *see* Anderson, H.R., Jr. 86−62283
Sachdev, M.S., Agarwal, R. Accurate fault-location estimates from digital impedance relay measurement 85−65010
Sachdev, M.S., Agarwal, R. A technique for estimating transmission line fault locations from digital impedance relay measurements 88−55064
Sachdev, M.S., Giray, M.M. A least error squares technique for determining power system frequency 85−38436
Sachdev, M.S., Kolla, S.R. Fault analysis using modal transformation 87−30257
Sachdev, M.S., Sidhu, T.S., Wood, H.C. Simulation of digital relays on a main frame computer for performance evaluation 87−30275
Sachdev, M.S., Wood, H.C., Johnson, N.G. Kalman filtering applied to power system measurements for relaying 86−32869
Sachdev, M.S. *see* Jin, Y.S. 87−30746
Sachdev, M.S. *see* Johnson, N.G. 85−64980
Sachdev, M.S. *see* Linders, J.R. 86−32826
Sachdev, M.S. *see* Sidhu, T.S. 88−30422
Sachdev, M.S. *see* Wood, H.C. 87−24527, 87−49831, 88−30421
Sachdev, S., Castellano, R. CVD tungsten and tungsten silicide for VLSI applications 86−493
Sachdev, S., Fair, J.A., Fuhs, C., Coney, W. Blanket tungsten applications in VLSI processing 87−6624
Sachdev, S., Mehta, S.D. Tungsten interconnects in VLSI 87−6618
Sachdev, S. *see* Tam, S. 88−70780
Sachdev, S.P. General service electric lamps−choice of voltage rating 85−5483
Sachdev, S.S., Parry, E.D., Brooks, C.L., Flinn, D.G. Spatial load forecast and distribution feeder optimization methods solve City of Regina substation expansion plan to the year 2000 86−25585
Sachdeva, D.S. *see* Saxena, G.M. 86−38499
Sache, G. *see* Jeanniot, D. 88−64900
Sachelarie, D., Sachelarie, M., Dragan, M. Experimental characterization of gold-doped MOS structures 85−6763
Sachelarie, D., Stoica, M., Badoiu, A., Diaconu, L., Tazlavanu, M., Diaconu, A. Present-day problems of electronic device technology on Czochralski silicon 86−26801
Sachelarie, D., Stoica, M., Badoiu, A., Sachelarie, M. Efficiency of two-step intrinsic gettering in CZ silicon 87−67067
Sachelarie, D. *see* Popescu, I.M. 85−6801
Sachelarie, M. *see* Popescu, I.M. 85−6801
Sachelarie, M. *see* Sachelarie, D. 85−6763, 87−67067
Sachenko, A.A. Means of detecting a phase transformation for built-in temperature gauges 86−65187
Sachenko, A.A. Synthesising system with measurement channel error correction based on multiple-sized temperature standard 87−12910
Sachenko, A.A. Design of means for measuring temperature using transducers with built-in standards 88−35944
Sachenko, A.A., Mil'chenko, V.Yu., Kochan, V.V., Chirka, M.I., Karachka, A.F. Experimental studies of the instability of the calibration characteristics of Chromel-Alumel thermoelectric calibration converters 87−3568
Sachenko, A.V. Physical limitations on the efficiency of photoelectric conversion in surface-barrier structures made of amorphous silicon 86−22205
Sachenko, A.V. Current passage and photovoltaic behavior in surface barrier structures based on semiconductors with a high concentration of deep levels 86−58337
Sachenko, A.V., Shkrebty, A.I. The photocurrent collection mechanisms in solar cells with a contact grid 85−27661
Sachenko, A.V. *see* Andreev, A.A. 87−45870
Sachenko, A.V. *see* Azimkhodzhaev, Kh.E. 87−45699
Sachenko, A.V. *see* Belyakov, L.V. 87−17854
Sachenko, A.V. *see* Kolbasov, G.Ya. 85−6774
Sachenko, A.V. *see* Vul', A.Ya 87−24983, 87−32361
Sacher, E. Adapting built-in-test for component-level fault-isolation 85−31359
Sacher, E. Component level fault-isolation techniques in a systems test environment 85−42865
Sacher, E. *see* Brebner, J.L. 86−6995
Sacher, E. *see* Charenton, J.-C. 88−24138
Sacher, E. *see* Ranchoux, B. 85−39213
Sacherlarie, D. *see* Draghici, I. 87−6741
Sacherlarie, M. *see* Draghici, I. 87−6741
Sachernegg, E. *see* Kogler, H. 88−23720
Sachidananda, M., Doviak, R.J., Zrnic, D.S. Whitening of sidelobe powers by pattern switching in radar array antenna 85−57158
Sachidananda, M., Doviak, R.J., Zrnic', D.S. Cancellation of sidelobe echoes in pulsed Doppler radars 86−64078
Sachidananda, M., Zrnic, D.S. Z_{DR} measurement considerations for a fast scan capability radar 85−63765
Sachidananda, M., Zrnic', D.S. Differential propagation phase shift and rainfall rate estimation 86−48581
Sachidananda, M., Zrnic, D.S. Recovery of spectral moments from overlaid echoes in a Doppler weather radar 87−4128
Sachidananda, M., Zrnic, D.S. Rain rate estimates from differential polarization measurements 88−61642
Sachidananda, M., Zrnic', D.S., Doviak, R.J. Switched pattern concept for sidelobe suppression in radar antennas 86−42950
Sachidananda, M. *see* Doviak, R.J. 87−63965
Sachidananda, M. *see* Zrnic, D.S. 88−14526
Sachidananda Babu, R. *see* Pinto, R. 86−58395, 87−11600
Sachitano, J. *see* Park, H. 87−25249
Sachitano, J. *see* Park, H.K. 87−18095

Sachitano, J.L. *see* Kim, D.M. 87−11332, 87−60076
Sachitano, J.L. *see* Qian, F. 88−26264
Sachko, Yu.I. *see* Nazarov, V.D. 86−40898, 87−18678
Sachkov, A.V. *see* Martynyuk, A.S. 86−70148
Sachkov, N.O. *see* Mazurov, Vl.D. 85−7911
Sachok, G.A. *see* Labotskii, V.V. 88−57165
Sachot, J.-C. *see* Cazaudarre, P. 85−25407
Sachot, R. *see* Zirngibl, M. 88−74405
Sachs, A. *see* Lorenz, J. 86−21646
Sachs, A.C. *see* Furtado, M.T. 88−25928
Sachs, E., Ely, D. Recent progress in edge stabilized ribbon growth; low stress ribbon and large (1.2 watt) solar cells 86−409
Sachs, E.M., Ely, D., Serdy, J. Edge stabilized ribbon (ESR) growth of silicon for low cost photovoltaics 87−51460
Sachs, E.W. Broyden's method in Hilbert space 86−52393
Sachs, F. Sensors and cameras for machine vision 85−64034
Sachs, G. The improvement of polyethylene insulation for cables 88−36845
Sachs, H. Clipping the 32 bit opposition [microprocessor] 87−5896
Sachs, H., Hollingsworth, W. A high performance 846000 transistor Unix engine−the Fairchild CLIPPER 86−47703
Sachs, H.-M. *see* Weisse, S. 88−56397
Sachs, I. *see* Rancourt, J. 85−50899, 86−7034
Sachs, I.M. *see* Krisl, M.E. 87−9781
Sachs, J. Six leading LANs 85−52073
Sachs, K. Regulating the power supply 86−61582
Sachs, K. New developments in low impedance rotary UPS design 87−22558
Sachs, K. UPS performance 87−71630
Sachs, K., Larsen, R.W., DeCoster, D.P., Plato, S. A low impedance uninterruptible power technology for nonlinear critical loads 87−43255
Sachs, K., Larsen, R.W., DeCoster, D.P., Plato, S. A low impedance uninterruptible power technology for nonlinear critical loads 88−11290
Sachs, N. *see* Amitai, Z. 85−11261
Sachs, N. *see* Rajpal, S. 85−22899
Sachs, N.W. Predictive maintenance cuts costs 87−31267
Sachs, R., Rosenbaum, F.J. Scattering from 3-dimensional discontinuities in microwave transmission lines 88−72604
Sachs, S.R. Alternative local area network access protocols 88−41313
Sachs, S.R., Kan, K., Silvester, J.A. Performance analysis of a token-bus protocol and comparison with other LAN protocols 86−37553
Sachs, S.R., Kan, K., Silvester, J.A. Token-bus protocol performance analysis and comparison with other LAN protocols 86−54618
Sachs, U., Schaller, F., Stober, K.-J. Computer-aided coordination of overcurrent-time protection 85−59812
Sachse, K. Analysis of low-loss dielectric waveguides 87−39429
Sachse, K., Sawicki, A. Analytical modelling of MIS and Schottky contact microstrip lines 87−75533
Sachse, K. *see* Sawicki, A. 86−42895, 86−53001, 86−58032, 87−54642
Sachse, W. Transducer considerations for point-source/point-receiver materials measurements 88−10628
Sachse, W., Kim, K.Y. Quantitative acoustic emission and failure mechanics of composite materials 87−64013
Sachse, W. *see* Schwetlick, H. 86−10456
Sachsenweger, C., Stimper, K. Investigations related to the publication DIN IEC 112 CTI test 88−24523
Sachsenweger, C., Stimper, K. The influence of copper electrodes on low-voltage tracking 88−44917
Sachsenweger, C. *see* Stimper, K. 88−64808
Sachweh, J. Simple algorithm for check digit formation and control 85−57251
Sachwitz, M. *see* Boettcher, H. 85−15168
Sachy, J. *see* Charlier, J.R. 87−57077
Sacilotti, M., Masut, R.A., Roth, A.P. Stabilization of InP substrate under annealing in the presence of GaAs 86−35570
Sacilotti, M. *see* Roth, A.P. 87−11404, 88−32837
Sacilotti, M.A. *see* Masut, R.A. 88−31741
Sacilotti, M.A. *see* Roth, A.P. 87−254
Sack, J., Schmeer, H. Computer-aided analysis of the RFI voltage generation by small commutator motors 86−19320
Sack, L. The reluctance motor in comparison with the permanent magnet synchronous motor in brushless servo drives 87−22441
Sack, L. Attributes of servo drive systems with reluctance motors 88−69803
Sack, M., Ito, M.R., Cumming, I.G. Application of efficient linear FM matched filtering algorithms to synthetic aperture radar processing 85−25922
Sack, W., Hauke, J. Automated optoelectronic hardness testing 86−13898
Sackellares, J.C. *see* Kushwaha, R.K. 86−50599
Sacken, U.Von *see* Von Sacken, U.
Sacker, D. The development of an online national route guidance system 85−36777
Sackett, B. *see* Sun, E.Y. 86−1121
Sackett, B. *see* White, G. 85−54914
Sackett, J.N. *see* Garth, S.C.J. 88−39581
Sackett, J.N. *see* Spicer, D.F. 86−35793
Sackett, S.A. *see* Bednarik, R.A. 86−50917
Sackett, S.A. *see* Bendarik, R.A. 86−61073
Sackett, S.A. *see* Biglari, H. 85−59584
Sackett, S.A. *see* Hemmaplardh, K. 85−59593
Sackett, S.A. *see* Ramanathan, R. 87−4255
Sackett, S.A. *see* Schwab, B.C. 85−59537, 88−54906
Sackett, S.A. *see* Zunser, B.E. 86−50908, 87−30063
Sackinger, E., Guggenbuhl, W. A versatile building block: the CMOS differential difference amplifier 87−44620
Sackl, A. *see* Bluschke, A. 87−12048
Sackles, P.E. *see* Arienzo, M. 86−46379, 87−5450
Sackman, G.L. *see* Morris, J.E. 88−24488
Sackreuther, W. EMC receiver based on spectrum analyser techniques 87−56580
Sackrowitz, H. Toward a determination of optimal multilevel sampling plans 86−207
Sacks, A.H., O'Neill, H. Skin response to pressure loading by the bent finger technique 88−54489
Sacks, B. *see* Cothren, R.M. 86−44693, 88−10411, 88−36507
Sacks, B.A. *see* Goth, P.R. 88−23109
Sacks, I.J. Digraph matrix analysis [reliability model] 86−34072
Sacks, I.J., Alesso, H.P., Ashmore, B.C. Digraph matrix analysis: new approach to systems interaction analysis 86−51253
Sacks, P. *see* Banilan, P. 88−56189
Sacks, P.E. *see* Wei-Ming Ni 85−10577
Sacks, R., Shen, H. Highly doped GaAs:Si by molecular beam epitaxy 86−413
Sacks, R.N., Pastorello, R.A. Effects of hot sources on residual doping in GaAs grown by molecular beam epitaxy 88−38134
Sacks, R.N. *see* Brown, R.T. 88−33074
Sacks, R.N. *see* Tanski, W.J. 88−26634, 88−39789
Sacks, T. The Jones motor: pretender to the d.c. throne? 85−5111
Sacks, T. World's mightiest hydro stirs 85−27340
Sacks, T. Cruise electric−from the Severn to the Dee 85−32751
Sacks, T. Review: Yamaha CX-5M [music computer] 85−37377
Sacks, T. MHD: the ideal power system? 87−9868
Sacks, T. Hydroelectric power for unlikely sites 87−15590
Sacks, T. Maintaining the electronic factory 87−72760
Sacks, T. Reaching faults others cannot [fault finding system] 88−6286
Sacks, T. Battle of the buses [factory and process plant digital communication system] 88−14917
Sacks, T. A marriage of brain and brawn [smart power semiconductors] 88−33113
Sacks, T. Industry zooms in on machine vision 88−56040
Sacks, T. The first step on the PC ladder (programmable controllers) 88−62911
Sacks, T. From checkout to shopfloor. II. [codes] 88−70149
Sackville-Hamilton, N.R. *see* Jones, D.I. 86−50222
Sacky, B. *see* Lansard, P.D. 86−64582
Sacotte, M. *see* Shen, D. 88−55401, 88−55404
Sacquin, Y. *see* Benvenuti, A.C. 85−15254
Sacquin, Y. *see* Brand, C. 87−21430
Sacre-Smits *see* Vandenplas, Y. 86−24822
Sacrez, A. *see* Baruthio, J. 85−59308
Sacton, J. The use of nuclear emulsion in hybrid detectors for high energy physics 87−29608
Sacton, J. Status and plans of ECFA and ICFA 88−74678
Saczuk, A., Saczuk, B. Influence of some parameters on the dynamic states of a multi-speed induction motor 85−9896
Saczuk, A., Saczuk, B. Numerical calculation of the transient conditions in a multiple-speed induction motor 86−33395
Saczuk, A., Saczuk, B., Schoepp, K. Optimization method of commutable winding structure of multi-speed induction motors 85−9897
Saczuk, A., Saczuk, B., Schoepp, K. Influence of winding structure in change-speed induction motor on mechanical characteristics and losses of power in rotor winding 85−53710
Saczuk, B. *see* Saczuk, A. 85−9896 to 9897, 85−53710, 86−33395
Sada, J.W.A., Sedkhan, S.B. Decomposition of radar signal by digital inverse filter 88−3078
Sada, K. *see* Aoyama, S. 88−46795
Sada, K. *see* Ichikawa, Y. 86−18957
Sada, T. *see* Inoue, M. 87−46282
Sadaat, S. *see* Chenais-Popovics, C. 88−14118
Sadaat, S. *see* Key, M.H. 87−12373
Sadaba Rodriguez, R.de *see* de Sadaba Rodriguez, R.
Sadadinov, R.A. *see* P'yankov, V.A. 86−545
Sadah, J.W.A. Optimal tracking of maneuvering targets 86−4712
Sadahira, M. *see* Kanomata, T. 87−74265
Sadahira, M. *see* Kuroda, I. 87−72830
Sadaka, S., Makovicka, L., Vareille, J.C., Decossas, J.L. Contribution of heavy recoils to the response of a damage track neutron dosemeter 87−77697
Sadaka, S. *see* Decossas, J.L. 87−21689
Sadaka, S. *see* Vareille, J.C. 87−21694
Sadaka, T.S. *see* Kajfez, D. 87−75521
Sadakata, N., Kuroda, T., Suenaga, M., Sabatini, R.L. Fabrication, metallurgical characterization and superconducting properties of Pb- and $SnMo_6S_8$ tapes 87−67835
Sadakata, N. *see* Agatsuma, K. 85−56235, 88−65027
Sadakata, N. *see* Osanai, H. 88−58014
Sadala, R.L. *see* Ness, J.C. 88−75479
Sadamasa, T. *see* Ichikawa, O. 85−14900
Sadamatsu, H., Inoue, M., Matsuzawa, A., Kanda, A., Shimoda, H. New self-aligned complementary bipolar transistors using selective-oxidation mask 85−50689
Sadamatsu, H. *see* Inoue, M. 85−28591, 88−13557
Sadamatsu, H. *see* Matsuzawa, A. 86−52901
Sadamatsu, H. *see* Mizoguchi, S. 88−74167
Sadana, D.K. Mechanisms of amorphization and recrystallization in ion implanted III-V compound semiconductors 85−45526
Sadana, D.K. Gettering in processed silicon 86−1928
Sadana, D.K. Gettering and precipitation phenomena in semiconductors 86−28124
Sadana, D.K. Defect structures and electrical behavior of rapid thermally annealed ion implanted silicon 88−39194
Sadana, D.K., Morgan, A.E., Norcott, M.H., Naik, S. Annealing and oxidation behaviour of low-pressure chemical vapor deposited tungsten silicide layers on polycrystalline silicon gates 88−1725
Sadana, D.K., Myers, E., Liu, J., Finstad, T. Germanium implantation into silicon: an alternate pre-amorphization/rapid thermal annealing procedure for shallow junction technology 85−12160
Sadana, D.K., Norcott, M.H., Wilson, R.G., Dahmen, U. Transmission electron microscopy of aluminum implanted and annealed (100)Si: direct evidence of aluminum precipitate formation 87−11599
Sadana, D.K., Sands, T., Washburn, J. High resolution transmission electron microscopy study of Se^+ implanted and annealed GaAs 85−16956
Sadana, D.K., Towner, J.M., Norcott, M.H., Ellwanger, R.C. Some TEM observations on electromigrated Al and Al alloy interconnects 87−1453
Sadana, D.K., Zavada, J.M., Jenkinson, H.A., Sands, T. High resolution transmission electron microscopy of proton-implanted gallium arsenide 86−8972
Sadana, D.K. *see* Broadbent, E.K. 87−60221
Sadana, D.K. *see* Campisi, G.J. 87−11632
Sadana, D.K. *see* De Blasi, J.M. 87−74102
Sadana, D.K. *see* Deblasi, J.M. 87−18354
Sadana, D.K. *see* Delfino, M. 87−11613, 87−38091, 87−74109, 88−50650
Sadana, D.K. *see* Kou-Wei Wang 86−21364
Sadana, D.K. *see* Maszara, W. 85−12159, 86−9003
Sadana, D.K. *see* Morgan, A.E. 87−18031
Sadana, D.K. *see* Rozgonyi, G.A. 85−40833, 87−24767
Sadana, D.K. *see* van der Putte, P. 87−23704, 87−58996
Sadana, D.K. *see* Wang Yang-yuan 86−446
Sadana, D.K. *see* Wilson, R.G. 85−50921
Sadana, D.K. *see* Zavada, J.M. 85−40602
Sadana, Y.L., Uppal, Y.D. Small hydro-power development on Sirhind Canal System in Punjab 85−53594
Sadanandan, N.D. *see* Hilson, D.W. 87−71757, 87−72217, 87−72466
Sadaoka, Y., Aono, H., Sakai, Y., Nakayama, S., Kurosima, H. Humidity sensor using KH_2PO_4-doped porous ferroelectrics 86−70112
Sadaoka, Y., Matsuguchi, M., Sakai, Y., Aono, H., Nakayama, S., Kuroshima, H. Humidity sensors using KH_2PO_4-doped porous (Pb, La) (Zr, Ti)O_3 88−16083
Sadaoka, Y., Matsuguchi, M., Sakai, Y., Mitsui, S. Electrical properties of zirconium bis(monohydrogen phosphate)monohydrate and its related compounds in a humid atmosphere 87−65581
Sadaoka, Y., Matsuguchi, M., Sakai, Y., Takahashi, K. Effects of sorbed water on the dielectric constant of some cellulose thin films [capacitive sensor application] 88−42046
Sadaoka, Y., Sakai, Y. Humidity sensor using lithium doped poly (ethylene oxide) thin film 85−3943
Sadaoka, Y., Sakai, Y. Humidity sensor using porous NASICON 86−24477
Sadaoka, Y., Sakai, Y. A humidity sensor using sintered zircon with phosphoric acid 86−44251

Sadaoka, Y., Sakai, Y. Effect of surface protons on humidity sensitivity of sintered Sb_2ZrO_x 86−44252
Sadaoka, Y., Sakai, Y., Akiyama, H. A humidity sensor using alkali salt-poly(ethylene oxide) hybrid films 86−24498
Sadaoka, Y., Sakai, Y., Mitsui, S. Humidity sensor using zirconium phosphates and silicates. Improvements of humidity sensitivity 88−35955
Sadaoka, Y. *see* Sakai, Y. 86−5196, 86−55677, 88−35961
Sadaq, A. *see* Lloyd, S. 88−69780
Sadarangani, J.C., Selga, R. Communication and office automation 88−14935
Sadarnac, D., Lorcet, B. The cascode can save time in top-grade static switches 86−67557
Sadarnac, D. *see* Vaflard, D. 88−30788
Sadashige, K. Developmental trends for future consumer VCRs 85−26088
Sadashige, K. On overview of solid-state sensor technology 87−56532
Sadashige, K. Transition to digital recording: an emerging trend influencing all analog signal recording applications 88−20248
Sadashige, K., Takenaga, M. Optical disk technology for permanent and erasable memory applications 85−37316
Sadasiv, G. The arithmetic Fourier transform 88−40894
Sadasiv, G. *see* Tufts, D.W. 88−52331
Sadasivam, G., Chellamuthu, C., Sastry, V.V. Induction motor performance with back-to-back connected thyristors in single line 85−60189
Sadasivan, G. *see* Melaku, A. 87−72955
Sadat, T. Two industrial linacs: CASSITRON and CIRCE II 87−50036
Sadati, N. *see* Groumpos, P.P. 88−37561
Sadauskas, S.Yu. *see* Ivanov, Yu.P. 86−57786
Sadayappan, P., Visvanathan, V. Circuit simulation on a multiprocessor 87−59109
Sadayappan, P. *see* Ashok, V. 86−20225, 86−34461, 86−40843 to 40844
Sadayappan, P. *see* Ling, Y.L.C. 88−26451, 88−63723
Sadchikov, K.G. *see* Weinger, A.M. 85−60147
Sadchikov, S.V. *see* Fedorov, A.A. 87−78098
Sade, R.S. Space tracking and data system, emphasizing the commercial aspects 85−30978
Sadecki, J. *see* Malinowski, K. 87−44181
Sadecky, B. Application of state estimation technique to power system in Czechoslovakia 86−12305
Sadecky, B. Analysis of the observation and assessment of the state of electric systems 86−32670
Sadecky, B. Method of estimating the state of electric systems 86−32671
Sadecky, B. Detection and identification of error data in estimating the state of electric systems 86−45034
Sadecky, B. An assessment of an operational state of the Czechoslovak power system 87−57471
Sadecky, B. Static response coefficient identification 87−57511
Sadedin, D.R., Bonwick, W.J. Railgun and its power source 88−34266
Sadedin, D.R., Stainsby, D.F. Experimental investigation of a three-stage railgun incorporating puff-switching 88−34265
Sadee, C. Systems for large-scale storage of electricity for the power supply in the Netherlands 88−11140
Sadeghi, M., Lefeuvre, S. The application of microwaves to control of the drying process 88−62786
Sadeghi, M., Sitter, H., Gruber, H. Epitaxial growth of thin GaAs layers by hot-wall epitaxy on transparent substrates 85−39749
Sadeghzadeh-Araghi, M. *see* Chadband, W.G. 88−44897
Sadeh, D., Shannon, D.C., Abboud, S., Akselrod, S., Cohen, R.J. A new technique to determine the correlation between the QT interval and heat-rate for control and SIDS babies 88−4966
Sadeh, D. *see* Abboud, S. 88−10372, 88−10385
Sadeh, D. *see* Alperin, N. 86−56123
Sadek, A. *see* Coulon, A. 87−4593
Sadek, K. *see* Ekstrom, A. 85−39089
Sadek, K. *see* Hammad, A. 85−44081
Sadek, K. *see* Kaeuferle, J. 86−50880
Sadek, K. *see* Kruger, K.H. 88−68908
Sadek, K. *see* Maddox, H. 86−12404
Saders, J.G.van *see* van Saders, J.G.
Sadhir, R.K., Byers, W.A. Plasma deposited aluminum nitride films 88−49882
Sadhir, R.K., Saunders, H.E. Protective thin film coatings by plasma polymerization 85−61864
Sadhir, R.K., Saunders, H.E. Protective thin film coatings by plasma polymerisation 86−20067
Sadhir, R.K., Saunders, H.E. Plasma polymerization: a new process for electronics 86−62281
Sadhir, R.K., Saunders, H.E. Plasma processes for electrical and electronics applications 87−23708
Sadhu, D. Wind power potential of Rio Grande Do Sul state of Brazil 88−62285
Sadhu, D., Ocacia, G. The application of wind power to irrigation in Brazil 86−40348
Sadhu, K.P., Kale, S.R., Khare, P.N. Failure of distribution transformers−causes and remedial measures 88−43241
Sadhu, K.P., Khare, P.N. Application & selection of LT capacitors 88−61778
Sadhya, S.K. *see* Sen, S.N. 87−66806
Sadigov, F.I. *see* Salaev, E.Yu. 87−32272
Sadigov, F.M. *see* Rustamov, P.G. 85−23487
Sadigov, M.S. *see* Fariver, Yu.G. 85−55542
Sadik, A.R. *see* Raouf, S.S. 87−17659
Sadikov, Kh.S., Makhmudov, Yu.R., Martyshin, A.Yu. Development of the output device of mobile equipment for checking the smoothness of highway surfaces 88−47475
Sadikov, S.N. *see* Bukhbinder, T.L. 86−49629
Sadikov, S.N. *see* Kenunen, E.O. 88−58200
Sadiku, M.N.O. Refractive index of snow at microwave frequencies 85−30025
Sadiku, M.N.O. Problems faced by undergraduates studying electromagnetics 86−42675
Sadiku, M.N.O. Convolution with singularity functions 87−36362
Sadiky, H. *see* Lugiato, L.A. 87−33242
Sadiky, H. *see* Narducci, L.M. 86−9719
Sadiky, H. *see* Tredicce, J.R. 87−74956
Sadiq, A. *see* Waheed, A. 87−29638
Sadiq, L.H., Aghvami, A.H. Bit error performance of a novel coded QPSK system 86−48783
Sadiq-Hussain, S.B. *see* Kadhim, M.A.H. 86−49923
Sadjadi, F., Whillock, R., Desai, M. Image segmentation using an optimum thresholding technique 87−62201
Sadjadi, F.A. A bound for image registration error 85−30338
Sadjadi, F.A. Recognition of complex three dimensional objects using three dimensional moment invariants 85−46905
Sadjadi, F.A. A novel use of information theory in image registration 86−30043
Sadjadi, F.A. Hypotheses testing in a distributed environment 86−48911
Sadjadi, F.A. A sequential technique for 3D object recognition 87−13110
Sadjadi, F.A. A perspective on techniques for enhancing speckled imagery 88−59295
Sadko, N.P. *see* Kutasov, V.A. 85−46182
Sadko, N.P. *see* Mikheev, P.A. 88−72045
Sadleir, P.S. *see* Gallen, G.M. 86−44927
Sadler, A.A. *see* Crossley, S.D. 86−30835
Sadler, B. DFT-based modeling of acousto-optic information processors 87−55299
Sadler, B.M., Pellegrino, J.M. Analysis and simulation of transform domain filter effects in acousto-optic processors 87−46619
Sadler, B.M. *see* Filipov, A.N. 88−27948
Sadler, B.M. *see* Pellegrino, J.M. 87−2000
Sadler, E. L- and C-measurements with calibrated transmission lines 86−14454
Sadler, E.M. *see* From, W.R. 88−36665
Sadler, G.W., Leung, E.Y. A summary of operation results for the air solar heating system for Module 6 of the Alberta Home Heating Research Facility 88−37765
Sadler, G.W. *see* Zhao, Q. 88−37624
Sadler, M.A., Darvill, M.R. Design study of a condensate polishing system for retrofitting to an 1100 MW PWR on a coastal site 88−36957
Sadler, P.S. Technology transfer and licensing 87−36426
Sadler, R. *see* Geissberger, A. 87−73760
Sadler, R. *see* Seo, K. 86−63044
Sadler, R.A. *see* Bell, B.A. 86−38317
Sadler, R.A. *see* Dhar, S. 86−28330
Sadler, R.A. *see* Geissberger, A.E. 87−24924, 87−73678, 88−25964, 88−50362, 88−71082
Sadler, R.A. *see* Holtz, M. 86−41677
Sadler, R.A. *see* Johannessen, B.O. 87−63001
Sadler, R.A. *see* Menk, G.E. 88−38764
Sadler, R.A. *see* Singh, H.P. 87−31846, 88−19109, 88−19112, 88−70693, 88−73920
Sadler, R.J. An optical ambiguity function processor 85−30485
Sadler, R.J., Buttinger, M.R. Acousto-optic ambiguity function processor 86−29972
Sadler, R.J. *see* Bowman, R. 86−9641
Sadler, R.J. *see* Gatenby, P.V. 85−29670
Sadler, S. *see* Lamoureux, P. 87−59592
Sadler, S. *see* Salomon, D.J. 86−8294
Sadler, S.P. *see* Torrance, R.R. 88−50176
Sadletskiy, V.B. *see* Gvozdev, V.I. 86−35042
Sadlon, K. *see* McMahon, T.J. 85−21810, 86−7141
Sadlon, K. *see* Sabisky, E. 87−9747
Sado, K. *see* Machii, M. 87−16555
Sado, T. *see* Shirouzu, S. 87−70445
Sadoff, A. *see* Blucher, E. 85−43252
Sadorf, H. A secondary electron analyzer for voltage measurements [IC testing] 86−2351
Sadoulet, B. Large detectors for hadron colliders: experience and future 85−26667
Sadoulet, B. Cryogenic detectors of particles: hopes and challenges 88−61079
Sadoulet, B., Weiss, S., Parsons, A., Lin, R.P., Smith, G. Gas scintillation drift chambers with wave shifter fiber readout 88−61110
Sadoulet, B. *see* Cabrera, B. 88−4834
Sadoulet, B. *see* Wang, N. 88−60688
Sadoun, M.Al *see* Al Sadoun, M.
Sadoune, R. Gallium arsenide, a pillar of tomorrow's electronics 85−1316
Sadov, D.D. Grouping of independent random signal detection channels for a nonideal noise sample 88−72945
Sadova, N.N. *see* Kanchukovsky, O.P. 85−29038
Sadove, M.S. *see* Djordjevich, L. 85−37993, 86−56144
Sadovic, S., Heleta, M., Abadzic, M., Djulic, S. Computer and experimental investigations of switching overvoltages on HV transmission lines 86−51000
Sadovic, S. *see* Miskin, L. 85−60359
Sadovnik, I. *see* Goldfarb, V.M. 85−21834
Sadovnikov, A.D., Chernyaev, A.V. Generation of a space partitioning net in the problem of physicotopological modeling of bipolar transistors 88−26229
Sadovnikov, A.D. *see* Bubennikov, A.N. 85−6896, 85−18271, 86−2123, 86−35852, 86−40833, 87−46162
Sadovnikov, E.E. *see* Sadovnikov, E.P. 85−8675
Sadovnikov, E.P., Grishanov, A.A. Quartz digital thermometer 85−20602
Sadovnikov, E.P., Krivov, A.S., Dolgov, V.A., Sadovnikov, E.E. Algorithmic method for improving the accuracy of group standards 85−8675
Sadovnikov, V.P., Strelkov, G.M. Propagation of a laser pulse under conditions of optical breakdown at aerosol particles 88−58624
Sadovskaya, L.Yu. The electromagnetic effect of a high-voltage line on a network with compensated neutral and ways of limiting this effect 86−56440
Sadovskaya, O.L. *see* Zhvavyi, S.P. 88−71382
Sadovski, V. *see* Kuznetsov, V.V. 85−49545
Sadovskii, I.S. *see* Vissarionov, V.I. 85−15932
Sadovskii, M.D. *see* Barmenko, Yu.O. 88−53564
Sadovsky, A.B. *see* Filatova, N.A. 86−32196, 88−10285
Sadovsky, A.B. *see* Golovatyuk, V.M. 85−52982
Sadovsky, Ju.D. *see* Iofiev, B.I. 86−50903
Sadovsky, S.A. *see* Alde, D. 88−47996
Sadovsky, S.A. *see* Binon, F. 86−65395
Sadowski, E. *see* Brandenburg, G. 88−47984
Sadowski, H. *see* Whitten, G. 86−70055, 87−28951
Sadowski, J.W. Fiber-optic interferometer and its application for photographic materials testing 87−21049
Sadowski, K. *see* Braclawski, K. 86−60272, 86−67650
Sadowski, M. *see* Kalinowski, B. 85−37707
Sadowski, N. *see* Carlson, R. 87−22384
Sadowski, R.S. First year's operation of a full scale second generation FBC in an industrial plant 85−21448
Sadowski, R.W. *see* Savas, S.E. 86−65245
Sadowski, R.W. *see* Us, N.C. 86−35601
Sadowsky, J.S. Design of *M*-ary large sample receivers and the locally optimal direct sequence MPSK receiver 86−16361
Sadowsky, J.S. A maximum variance model for robust detection and estimation with dependent data 86−59276
Sadowsky, J.S. A least favorable dependency structure for large signal detection performance 86−64303
Sadowsky, J.S. An asymptotically least-favorable Chernoff bound for a large class of dependent data processes 87−39770
Sadowsky, J.S. On the robust discrimination of Poisson random counting measures 87−51937
Sadowsky, J.S. Union Chernoff bounds and cutoff rate for a class of stationary non-Gaussian channels with memory 87−54821
Sadowsky, J.S. Wald's identity and sequential test performance with dependent data 88−31627
Sadowsky, J.S., Bucklew, J.A. One the detectability of weak signals 85−57366
Sadowsky, J.S., Bucklew, J.A. A nonlocal approach for asymptotic memoryless detection theory 86−48924
Sadowsky, J.S. *see* Letaief, K.B. 87−47870
Sadoyama, T., Masuda, T., Miyano, H. Optimal conditions for the measurement of muscle fibre conduction velocity using surface electrode arrays 85−64594
Sadoyama, T. *see* Masuda, T. 85−38148, 86−5940
Sadr, R., Omura, J.K. Demodulation of MSK and overlay MSK signal using the Viterbi algorithm 88−2927
Sadr, R., Omura, J.K. Generalized minimum shift-keying modulation techniques 88−27733
Sadrai, M. *see* Panayotatos, P. 88−37521
Sadreev, A.F., Sukhinin, Yu.V. Effect of the dipole-dipole interaction on the condensation of a radiation field in a paramagnetic crystal resonator 85−35266
Sadrolhefazi, A., Fine, T.L. Some results on the role of 2-alternating upper probabilities in signal-plus-noise models 88−34722
Sadrozinski, F.-W. *see* Giubellino, P. 87−29452
Sadrozinski, H. *see* Bernstein, D. 85−15253
Sadrozinski, H. *see* Briggs, D. 85−43242
Sadrozinski, H.F.-W. The status of the SLAC Linear Collider SLC 88−42349

Sadrozinski, H.F.-W. *see* Burchat, P.R. 85−43238
Sadrozinski, H.F.W. *see* Fabrizio, R. 85−20812
Sadughi, S., Kim, H.K. An approximation procedure for selective linear phase filters 87−73516
Sadughi, S., Martens, G.O. Controllable linear phase filters with flat or equiripple amplitude response 86−1203
Sadughi, S., Martens, G.O., Kim, H.K. Selective linear-phase filters with controllable amplitude response 85−54986
Sadughi, S., Martens, G.O., Kim, H.K., Kim, H.Y. Filters with reduced number of amplitude ripples and improved overall characteristics 87−66410
Saduikis, P.V. Structured Basic in the design of a computer aided fault finding/repair workstation 86−44151
Sadullaev, E.F. *see* Nasyrov, T.Kh. 88−42743
Sadunov, V.D. *see* Borisenok, V.A. 86−56073
Sadurski, K.J. *see* Britten, A.C. 85−64958
Sadurski, K.J. *see* Pigini, A. 86−12508
Sadwick, L. *see* Lin, T.L. 88−6442, 88−38195
Sadwick, L.P., Wang, K.L. A treatise on the capacitance-voltage relation of high electron mobility transistors 86−53643
Sadygov, A.Ya. *see* Aleinikov, S.Ya. 86−11607
Sadygov, Z.Ya. *see* Zheleznykh, I.M. 86−11606
Sadykbekov, T.A. *see* Gamazin, S.I. 85−5069
Sadykhov, G.S. Gamma-percent indices of operational reliability and their properties 85−39579
Sadykhov, G.S. A residual resource indicator and its properties [reliability] 86−57241
Sadykhov, O.M. *see* Iskenderzade, Z.A. 86−22221
Sadykhov, R.Kh., Sharenkov, A.V. Algorithms for fast convolution 87−47649
Sadykin, A.D. *see* Baranova, L.A. 87−45542
Sadykov, I.I. General-purpose autodyne with precision calibrator 87−52461
Sadykov, Sh.I. *see* Pavlichenkov, S.A. 86−23092
Sadykov, Sh.I. *see* Protasevich, V.I. 88−46150
Sadykov, S.S., Kadyrova, G.Kh. Problems of organizing a network of automated image-processing systems 86−10467
Sadykov, V.A. *see* Gryadunov, A.I. 85−12912
Sadykov, V.Kh. *see* Belenikin, V.V. 85−21727
Sadykov, V.N., Gurkin, N.B., Petrov, A.I., Chetvertnykh, V.V. Standardizing the dynamic parameters of measurement channels containing computing elements 87−34996
Sadykov, V.N. *see* Kulakova, L.V. 87−28986
Sadykova, A.A., Kazakov, B.N., Loginova, I.S., Meiklyar, P.V. Luminescence spectra of photographic layers during decay 85−46255
Sae Dong Lee *see* Strauss, P. 87−3699
Saeb, M., Saunders, R.M. Finite element analysis of electromechanical devices with anisotropic materials 88−52090
Saeb, M., Schinzinger, R., Nyirenda, L.D. On measures of network reliability and critical components 86−612
Saedler, J. *see* Eichhorn, N. 86−524
Saedler, J. *see* Osten, W. 88−2401
Saeed, I., Yamauchi, N. With built-in specialities CMOS microcontrollers take aim at diverse tasks 85−6347
Saeed, I. *see* Mason, C. 87−5915
Saeed, K. General algorithm for positive real rational matrices 87−398
Saeger, K.E. *see* Gengenbach, B. 85−53782
Saeger, K.E. *see* Worle, B. 86−34398
Saegusa, K. *see* Hasebe, N. 86−70211
Saegusa, M., Kumazawa, Y., Shimizu, O., Minemura, Y., Nakane, F., Kojima, T. Performances of GI optical fiber unit cable 86−49618
Saegusa, M. *see* Nakane, F. 85−35527
Saegusa, M. *see* Sakanaka, T. 85−35506
Saegusa, M. *see* Shinji, O. 85−35505
Saegusa, T. *see* Hagiwara, N. 87−14481, 87−14551, 88−16423
Saegusa, T. *see* Wada, T. 85−45262
Saegusa, Y., Konishi, S. 2-D simulation of bubble programming in Bloch line memory 87−32890
Saegusa, Y. *see* Suzuki, T. 87−25866
Saegusa, Y. *see* Takamatsu, H. 87−32838
Saeki, H. Effects of heat-treatment on electron beam sensitivities and chain scission efficiencies of Poly(MMA-co-t-BMA) 87−53329
Saeki, H., Miki, M. Pulse code modulation techniques by fluidics 87−10748
Saeki, H., Shigetomi, A., Watakabe, Y. Mask fabrication by using an electron beam resist, chloromethylated polystyrene, and dry etching process 88−33098
Saeki, H., Shigetomi, A., Watakabe, Y., Kato, T. High sensitivity, dry-etch-resistant negative EB resist 87−1365
Saeki, H., Yamaguchi, M. FIPs−trend of recent products [fluorescent indicator panels] 88−53792
Saeki, H. *see* Endo, A. 85−61561
Saeki, H. *see* Ishiguro, I. 86−1471
Saeki, H. *see* Kato, S. 88−57429
Saeki, H. *see* Nagai, H. 88−53793
Saeki, H. *see* Yanaga, Y. 87−70433
Saeki, K., Kimura, T., Kubo, H., Minami, K., Ohtsuka, M., Awano, M. Microwave pulse source utilizing a superconducting cavity 86−35071
Saeki, K., Kubo, H., Takai, H., Minami, K. Switching of microwave energy by a superconducting polycrystalline $BaPb_{1-x}Bi_xO_3$ thin film 86−35069
Saeki, K., Nakatsuji, H., Kabeshita, A., Murakami, S. New concept for circuits patterning 'resistors writing system' 86−27763
Saeki, K. *see* Kobayashi, O. 85−24227
Saeki, K. *see* Minami, K. 87−68001, 88−13777
Saeki, M., Araki, M., Kondo, B. A Lur'e-type Lyapunov function for multi-machine power systems with transfer conductances 86−12238
Saeki, M., Nishimura, K. High speed static RAM family 88−32192
Saeki, M., Saito, R., Aihara, K. Development of high field superconducting magnets 87−12078
Saeki, M. *see* Becker, R.S. 86−28963
Saeki, M. *see* Gosho, Y. 87−53093
Saeki, M. *see* Komachi, M. 85−58117
Saeki, M. *see* Okubo, K. 86−19299
Saeki, M. *see* Tachikawa, K. 87−67941
Saeki, S. *see* Fukumasa, O. 87−14710 to 14711, 87−35313
Saeki, S. *see* Okumura, K. 86−66978, 88−12172
Saeki, S. *see* Suzuki, M. 88−60185
Saeki, T. *see* Yahata, H. 87−1595
Saeki, Y., Kawabata, M., Akao, Y. 4×500 kVA UPS using 1400 A-GTO 85−65348
Saeki, Y. *see* Okabayashi, M. 88−57014
Saeks, J.I. Electromagnetic compatibility considerations for aerospace power systems 86−32482
Saeks, R. *see* Chin-Long Wey 86−4966
Saeks, R. *see* Wey, C.-L. 85−17116
Saen, H. *see* Yano, T. 88−22130
Saeng Kim Young *see* Young Saeng Kim
Saenko, I.I. *see* Esepkina, N.A. 85−42685, 87−14340
Saenko, V.A. Thermionic deposition devises (survey) 86−46372
Saenko, V.A., Vladimirov, A.I., Veremeichenko, G.N., Kravatskii, V.A. Hollow-cathode evaporators 86−40774
Saenko, V.A. *see* Vladimirov, A.I. 88−31854
Saenko, V.A. *see* Vorozhtsov, S.B. 88−53957
Saenko, V.B. *see* Abrosimov, G.V. 86−48330
Saenko, V.S. *see* Abramov, V.N. 86−35353
Saenko, Yu.L. *see* Zhezhelenko, I.V. 86−12416, 86−32725, 86−39099, 87−42432, 88−42837
Saenko, Yu.L. *see* Zhezhenko, I.V. 85−53738
Saenz, J.A. *see* Eggebrecht, L.C. 85−3900
Saenz, J.A. *see* Eggerbrecht, E.L. 85−3899
Saenz, J.A. *see* Kummer, D.A. 85−882, 85−3896 to 3897, 85−3903
Saenz Valiente, F., Barbero Villaseca, J. Operating systems for telecommunication networks 88−15099
Saes, F. *see* Alberdi, J. 88−22967
Saet, Y.A., Viviani, G.L. An unorthodox paradigm of a relaxational self-oscillator and some classes of nonlinear one-ports 87−23883
Saet, Y.A., Viviani, G.L. The stochastic process of transitions between limit cycles for a special class of self-oscillators under random perturbations 87−59227
Saet, Y.A. *see* Viviani, G.L. 86−34623, 87−10711
Saeter, T. Software techniques for integrating text and graphics in VLSI CAD tools 88−71659
Saether, J.P. *see* Stordahl, K. 86−17662
Saether, K., Vestmo, E. LORAN-C signal stability study in north Norway 87−57371
Saeva, D. *see* Vassilev, V. 88−53689
Saeva, D.G., Chikov, N.F., Kalinkova, N.I., Ruskov, I.N., Kaschieva, S.B. Radiation resistance of ion implanted semiconductor detectors 87−29523
Saeveraas, R. Developments in methods of payment: data systems; communications, security 85−51889
Saevich, V.L. *see* Pozdeev, A.D. 88−69313
Saewoong Oh Axial injection of polarized ^{3}He ions 86−11819
Saez, N.P., Tomas, D.G., Segovia, H.R., Ruiz, E.V. A method for reducing the number of comparisons in isolated word recognition: path composition 87−69067
Saez, R. *see* Shefi, A. 87−63075
Saez Tejero, F. Computer-aided design of printed circuits 88−19505
Safa, A. *see* Daugherty, K.E. 87−64233
Safa, F., Flouzat, G. Enhancement of radar images for interpretation by simulating the vision of edges and textures 87−63054
Safa, M.M.A. *see* Benhadj, R. 87−70566
Safaai-Jazi, A. Analysis and design of acoustic fiber coupler 88−54782
Safaai-Jazi, A., Jen, C.K., Farnell, G.W. Optical fiber sensor based on differential spectroscopic absorption 85−56279
Safaai-Jazi, A., Jen, C.K., Farnell, G.W. Perturbation analysis of fibre acoustic modes 87−42270
Safaai-Jazi, A., Jen, C.K., Farnell, G.W., Bussiere, J.F. Longitudinal modes in weakly guiding fiber acoustic waveguides 87−4179
Safaai-Jazi, A. *see* Jen, C.K. 87−71424
Safaai-Jazi, A. *see* Matthews, A.L. 87−57450
Safacas, A.N. *see* Vallindras, K.S. 87−43085
Safadi, H. Horizon of solar energy in the Arab countries 85−9563
Safadi, H. *see* Housari, A. 85−9569
Safaee-Rad, R., Shwedyk, E., Quanbury, A.O. Functional human arm motion study with a new 3-D measurement system (VCR-PIPEZ-PC) 88−42492
Safak, M. Forward radiation from axially symmetric reflector antennas 85−2654
Safak, M. Complete radiation pattern of a focus-fed offset paraboloidal reflector 85−46623
Safak, M., Yazgan, E. Polarization losses in reflector antennas 85−62890
Safak, M. *see* Yazgan, E. 87−47338
Safar, J.A., El-Dhaher, A.H.G. Microprocessor-based system for full automation and on-line measurement of conductivity in amorphous semiconductor 86−65251
Safar, J.A. *see* El-Dhaher, A.H.G. 86−49922
Safar, K.N., Adams, R.D., Bradford, E.W., Lin, D.X. Dynamic testing of thin specimens 85−26511
Safar, M.H. Single water gun far-field pressure signatures estimated from near-field measurements 85−43467
Safar, M.H. On the improvement in penetration achieved by using extended marine source arrays 85−48458
Safar, N.H. *see* Freidah, J.T. 88−39944
Safar, N.H. *see* Wanser, K.H. 87−38782
Safar, Y. *see* Ismail, M.I. 87−53169
Safar, Y.A. *see* Fawzi, T.H. 87−42509
Safar, Y.A. *see* Saied, M.M. 87−71710
Safaraliev, G.K. *see* Nurmagomedov, Sh.A. 87−58943, 87−65487
Safari, A., Gururaja, T.R., Hakun, C., Halliyal, A., Newnham, R.E. 0-3 piezoelectric ceramic-polymer composites prepared by a new method: fired composites 87−53787
Safari, A., Lee, Y.H., Halliyal, A., Newnham, R.E. 0-3 piezoelectric composites prepared by coprecipitated $PbTiO_3$ powder 87−53772
Safari, A., Sa-gong, G., Giniewicz, J., Newnham, R.E. Composite piezoelectric sensors 87−38619
Safari, A., Sundar, H.G.K., Rao, A.S., Wilson, C., Parkhe, V., Caracciolo, R., Wachtman, J.B., Jr., Jisrawi, N., McLean, W.L. A comparative study of processing methods and property relations of Y-Ba-Cu-O superconductors 88−65007
Safari, A. *see* Carlson, W.B. 87−53844
Safari, A. *see* DaVanzo, S. 87−38593
Safari, A. *see* Giniewicz, J.R. 87−53789, 87−60703
Safari, A. *see* Gururaja, T.R. 87−67630
Safari, A. *see* Hu, K.A. 86−67517, 87−1009, 87−37591, 87−73801
Safari, A. *see* Lee, Y.H. 87−52215
Safari, A. *see* Moffatt, D. 87−52894
Safari, A. *see* Newnham, R.E. 85−12457, 86−2473
Safari, A. *see* Sa-Gong, G. 87−53785
Safari, A. *see* Trolier, S. 87−53818
Safarian, A. *see* Shakarian, J. 87−42910
Safarov, D.M. *see* Kuliev, B.B. 85−29192
Safarov, D.M. *see* Kuliyev, B.B. 87−17816
Safarov, G.P. *see* Ershov, V.S. 86−38184
Safarova, G.I. *see* Chaplygin, E.E. 87−78771
Safaryan, G.K. *see* Kaasik, P.Yu. 86−45373, 87−9885
Safaryan, R.E. *see* Atonyan, G.A. 86−19056
Safdie, E., Jones, T. The scanning solution: imaging comes alive 87−63264
Safer, J.N. *see* Tobes, M.C. 88−36574
Saferna, J. Cleaning of polluted insulators in live conditions 87−64191
Saferna, J. Accidents in the power industry 88−75075
Saff, E.B. *see* Ellacott, S.W. 88−56176
Saff, E.B. *see* Gutknecht, M.H. 87−5362
Saffady, W. Facsimile technology: a guide for computer specialists 85−3058
Saffady, W. Canon facsimile transceivers 85−3059
Saffady, W. 3M EMT facsimile transceivers 85−3060
Saffady, W. Nefax facsimile transceivers 85−3061
Saffady, W. Omnifax transceivers 85−3062
Saffady, W. Pitney Bowes facsimile transceivers 85−3063
Saffady, W. QWIP facsimile systems 85−3064
Saffady, W. Rapicom facsimile transceivers 85−3065
Saffady, W. Sanfax facsimile transceivers 85−3066
Saffady, W. Sharp FO-2500 series facsimile transceivers 85−3067
Saffady, W. Xerox telecopiers 85−3068
Saffari, B. *see* Gheissari, A. 88−44147
Saffari, B. *see* Wong, D.K. 88−6862
Saffari, M. *see* McGhee, J. 86−15119, 87−38192
Saffari, N., Bond, L.J., Dewhurst, R.J., Mckie, A.D.W., Palmer, S.B. Rayleigh wave interaction with discontinuities: a numerical and an experimental study 88−8390
Saffell, J.R. Accurate temperature measurement: recent advances 86−60372
Safferthal, R. *see* Berres, W. 87−49610

Saffman, M. Optical particle sizing using the phase of LDA signals 88−4618
Saffman, P.G. *see* Yuen, H.C. 87−57397
Saffo, N.M. *see* Marie, K.S. 86−29337
Safigianni, A., Tsanakas, D. Short-circuit electromagnetic forces in three-phase gas insulated systems with aluminium enclosure 86−71011
Safigianni, A., Tsanakas, D. Simplified method for the calculation of the electromagnetic forces in three-phase SF_6 insulated systems with aluminium enclosure 88−13627
Safina, V.I. *see* Oprokidnev, V.A. 86−38935
Safir, A., Kajfasz, P., Devos, F., Zavidovique, B. Associative query at the microlevel using interconnection 87−67504
Safir, Y. *see* Leistiko, O. 88−18040
Safiullin, N.Z. Analysis and identification of nonlinear finite-lag devices 86−37728
Safiullina, S.S. *see* Gilev, I.S. 86−28853
Safonenko, V.A. *see* Rybin, V.M. 87−70064
Safonov, A.A. *see* Anshon, A.V. 87−60138
Safonov, A.I. *see* Kaznovskii, A.S. 87−6685
Safonov, A.N. *see* Abil'siitov, G.A. 85−21997
Safonov, E.V. *see* Nikitin, A.A. 88−58751
Safonov, K.V., Tsikh, A.K. On singularities of the parametric grothendieck residue and diagonals of double power series 85−54217
Safonov, L.N. Displacement meters based on two different sensors 87−3748
Safonov, L.N. *see* Volnyanskii, V.N. 85−47950
Safonov, L.P., Kuznetsov, V.F., Kovalenko, A.N. Designing highly flexible high-capacity steam turbines 85−4935
Safonov, L.P., Ryzhkov, V.K., Marchenko, Yu.A., Simdyanov, E.V. Investigating the low-pressure cylinders of LMZ high-capacity high-speed steam turbines with blades of the last stages 1000 and 1200 mm long 87−78501
Safonov, L.P. *see* Bonesko, V.A. 86−56628
Safonov, M.P. *see* Sheretov, E.P. 88−42375
Safonov, N.S. Smooth wide-range voltage control of a self-excited hydrogenerator 87−57996
Safonov, P.V. *see* Zvonkovich, V.R. 87−55013
Safonov, S.A. *see* Golovanivskii, K.S. 88−29788
Safonov, S.D., Dudkov, V.N., Nyrtsov, I.V., Muromtsev, V.I., Ivanov, V.G., Sukharev, V.N. Computer-controlled time-interval generator for pulse EPR relaxometer 86−67099
Safonov, S.Yu. *see* Kapilevich, B.Yu. 86−41223
Safonov, V.I. *see* Kondratenko, M.M. 88−40506
Safonov, V.I. *see* Sukmanov, V.I. 87−70733
Safonov, V.K. *see* Ageev, A.G. 87−78253
Safonov, V.M. Programmable microprocessor calculation of phase-lock AFC systems 87−59257
Safonov, V.R. *see* Bezvenyuk, V.E. 87−28914
Safonova, L.A. *see* Alekseev, S.V. 86−18675
Safonova, L.S. *see* Brazis, R.S. 87−45698
Safonova, M.A. *see* Anishchenko, V.S. 86−59022
Safoula, G. *see* Burgaud, P. 86−63026
Safranek, J., Wiedemann, H., Wanfen Xie, Okuda, S. Tolerances in diffraction limited synchrotron light sources 88−47816
Safranek, J. *see* Dudorkin, J. 87−15400
Safranek, R.J., MacKay, K., Jayant, N.S., Kim, T. Image coding based on selective quantization of the reconstruction noise in the dominant subband 88−73247
Safrankova, J., Kordos, P. Investigation of the properties of GaAs Schottky barrier photodiodes 86−2948
Safrankova, J., Kordos, P. Photocurrent multiplication in GaAs Schottky photodiodes 87−33059
Safrankova, J., Kordos, P. Some properties of GaAs Schottky barrier photodetectors for 0.82 μm wavelength applications 88−9977
Safrankova, J., Kordos, P., Guldan, A., Chromic, S., Kubek, J. Investigation of the properties of Si_3N_4 and SiO antireflective films for the GaAs photodetectors 86−31430
Safrankova, J. *see* Kordos, P. 86−30833
Safranova, N. *see* Martell, A. 86−19471
Safrata, S. *see* Kuznik, J. 88−7823
Safrata, S. *see* Malek, Z. 85−43416
Safrata, S. *see* Tichy, R. 88−20272
Safrioui, A. *see* Evanno, M.H. 86−8801
Safris, V.L., Kamen', Ya.E. Discrete smoothing ripple filters: statistical approach 88−6959
Safronkov, L.P. The electric-equipment industry of Eastern Europe: collaboration and specialization 88−61829
Safronov, A.I. Digital meter for silicon charge-carrier lifetime 85−48060
Safronov, A.I. *see* Akhmanaev, V.B. 87−23770
Safronov, A.I. *see* Danilov, G.N. 87−41346
Safronov, A.N. The adaptive detection of objects, observed through an optically inhomogeneous medium 86−23067
Safronov, A.N., Troitskii, I.N. Phase-measurement method for coherent optics 87−19023
Safronov, A.S. *see* Otrubyannikov, Yu.A. 86−18210, 87−73291
Safronov, E.K. *see* Golubev, P.G. 86−29112
Safronov, G.S., Chernyavskiy, A.G. Evaluation of the effect of radio hologram quantization on the energy characteristics of images reconstructed from them 88−20799
Safronov, M.P. A circuit diagram measuring unit for voltage switching relays 85−20546
Safronov, M.P. Fault finding in the windings of stators of high-power motors 86−25982
Safronov, M.P. Measurement procedure during repair of the RNT-20A switch unit [voltage transformers] 86−61550
Safronov, S.I. *see* Zakharov, E.V. 87−61321
Safronov, V.P. Selecting relative position of extrapolation nodes in servo analogue−digital converters with forecasting of value of balancing measure 88−63759
Safronov, V.V. Fabrication of semiconductor capacitors with a specified functional dependence of the capacitance on the applied voltage 85−40266
Safronova, N.N. *see* Martell, A.A. 87−72429
Safronova, S.A. *see* Metlenko, G.P. 86−39294
Safwat, H.H. Flow distributions in power plants' complex hydraulic systems 85−59846
Saga, I. *see* Horikiri, K. 88−43467
Saga, M., Ichikawa, T., Miyasaka, K., Takahashi, T. Operation control room [semiconductor manufacture] 85−49328
Saga, M. *see* Komura, S. 88−48034
Saga, M. *see* Ohyagi, K. 88−9036
Saga, N. On a relationship between the delta function and the two-dimensional Fourier transform 86−13612
Saga, N., Tanaka, K. Effects of the thickness of beam splitter on the SNR in optical heterodyne detection 85−18765
Saga, N., Tanaka, K. Heterodyne detection of optical signals propagating through the atmosphere in the presence of scattering and turbulence 85−30272
Saga, N. *see* Tanaka, K. 85−13533
Saga, R. *see* Oshima, G. 87−8233
Saga, R. *see* Saburi, A. 86−4584
Saga, R. *see* Tamagawa, S. 88−60096
Saga, S., Miki, N., Nagai, N. A construction method of dynamic vocal tract simulator for connected speech synthesis 85−41881
Saga, S., Miki, N., Nagai, N. Vocal tract area estimation from ARMA analysis 87−27237
Saga, S. *see* Miki, N. 86−48794, 87−19590
Saga, T. *see* Hagihara, Y. 85−49097
Saga, T. *see* Matsuda, S. 85−65459
Saga, T. *see* Matsutani, T. 88−5897
Saga, Y., Sakai, T., Hagiwara, M., Hirosawa, O., Satoh, S., Akune, H., Itoh, H., Takahashi, H. High quality full remote control, multi-function large screen color TV HT1, R10 Series 88−53410
Saga, Y., Satoh, S., Saito, T. 32 inch high picture quality color television receiver C-32G938 87−49272
Saga, Y. *see* Rokude, S. 87−34282
Saga, Y. *see* Sunada, K. 85−58318
Saga, Y. *see* Wakana, A. 86−65051, 87−34752
Sagahara, K., Kusunoki, S., Inoue, Y., Nishimura, T., Akasaka, Y. Orientation control of SOI film by laser recrystallization 87−25047
Sagai, S. *see* Matsui, S. 88−30308
Sagaidachnyi, Yu.M. *see* Andreev, E.P. 86−44319
Sagaidak, O.L., Vinogradov, M.S., Vasilevskii, D.L. Thin zinc telluride films for optoelectronics 87−304
Sagaidak, R.N., Tretyakova, S.P. Use of polycarbonate detectors for the spectrometry of fission fragments 87−14782
Sagaidak, V.I. *see* Kravchenko, V.I. 88−34098
Sagaitis, V.V. *see* Poshyunas, R.L. 85−8780
Sagalova, T.B. *see* Kovalev, A.N. 87−53218
Sagalovich, Yu.L., Shcherbakov, N.S. Choice of coding system for error protection of storage devices 85−19344
Sagalovskaya, O.V. *see* Veretennikov, V.A. 86−58366
Sagan, Z.S. *see* Buzaneva, E.V. 85−34806
Saganowich, J.T. *see* Litchford, G.B. 87−63094
Sagar, K.B. *see* Rhyne, T.L. 87−71117
Sagara, F. *see* Murata, J. 86−50854
Sagara, I. Changing market realities enhance the appeal of ASICs 87−32613
Sagara, I. Data storing current can be saved by applying DRAM to battery-drive devices 88−25209
Sagara, J., Oku, H. Human interface between technical aids and the handicapped 86−38803
Sagara, K., Maeda, K., Nakamura, H., Aita, K., Izumi, M., Nakashima, M., Nakashima, T., Isoya, A. A high efficiency proton polarimeter using a liquid helium target 88−68248
Sagara, K., Maeda, K., Nakamura, H., Izumi, M., Yamaoka, T., Nishida, Y., Nakashima, M., Nakashima, T. Polarization monitors for proton and deuteron beams below 20 MeV 88−68247
Sagara, K., Nakamura, T., Tamaki, Y., Shiba, T. The effect of thin interfacial oxides on the electrical characteristics of silicon bipolar devices 88−26215
Sagara, K., Tomaki, Y., Kawamura, M. Evaluation of dislocation generation in silicon substrates by selective oxidation of U-grooves 87−38125
Sagara, K. *see* Homma, N. 88−6867
Sagara, K. *see* Isoya, A. 87−3853
Sagara, K. *see* Tamaki, Y. 88−7584, 88−50720
Sagara, N., Fukushima, M. A new predictor-corrector method for solving unconstrained minimization problems 87−10303
Sagara, S., Danjo, M., Murata, J., Kamakura, T., Sanebuchi, Y., Someya, A. Prediction of power load one day before by using temperature data 88−42819
Sagara, S., Murata, J. Identification of load characteristics of power systems using GMDH 85−48522
Sagara, S., Murata, J. Monthly load forecasting using GMDH 87−30113
Sagara, S., Nakamura, M., Danjo, M. Estimation and identification on electric power systems 86−56345
Sagara, S., Yoshimura, K., Murata, J., Sanebuchi, Y. One-day forecast of power consumption using the spline function. I 87−57587
Sagara, S., Yoshimura, K., Murata, J., Sanebuchi, Y. One-day forecast of power consumption using the spline function. II 87−57588
Sagara, S. *see* Danjyo, M. 86−26013
Sagara, S. *see* Ono, T. 87−58374
Sagara, T., Aikawa, Y., Sukigara, M. Measurement of potential of semiconductor particles dispersed in aqueous solution under illumination by use of various metal electrodes 86−58346
Sagara, T., Sukigara, M. Measurement of the distribution of acceptor state density of excited dye molecules by use of semiconductor tunnel electrodes 87−67030
Sagara, T. *see* Shiiba, K. 86−58688
Sagaser, B.C. Use integrated PBXs and X.25 in today's networks; don't wait for ISDN 86−49110
Sagastabeitia, I. *see* Labrador, J.L.D. 87−64618
Sagatelyan, M.K. *see* Gyunashyan, K.S. 87−3183
Sagawa, A. *see* Suzuki, M. 85−58728, 86−27514, 86−53614, 87−53495 to 53496
Sagawa, E., Yau, A.W., Whalen, B.A., Peterson, W.K. Observations of the magnetosphere and ionosphere by Dynamics Explorer satellite. IX. Pitch-angle distributions of magnetospheric low-energy ions observed by DE-1 88−36671
Sagawa, H. *see* Iwata, T. 86−44552
Sagawa, J. *see* Sakamoto, K. 87−19154
Sagawa, K. Vision 87−71080
Sagawa, K. *see* Koizumi, S. 88−53222
Sagawa, M., Fujimura, S., Yamamoto, H., Matsuura, Y., Hiraga, K. Permanent magnet materials based on the rare earth-iron-boron tetragonal compounds 85−24187
Sagawa, M., Fujimura, S., Yamamoto, Y., Matsuura, Y., Hirosawa, S., Hiraga, K. Magnetic properties and microstructure of rare earth-iron-boron permanent magnet materials 86−21960
Sagawa, M., Hirosawa, S. Nd-Fe-B permanent magnets 88−7788
Sagawa, M., Hirosawa, S., Yamamoto, H., Fujimura, S., Matsuura, Y. Nd-Fe-B permanent magnet materials 87−60789
Sagawa, M., Hirosawa, S., Yamamoto, H., Matsuura, Y., Fujimura, S. Nd-Fe-B permanent magnet 86−42145
Sagawa, M., Ishigaki, I., Makimoto, M., Naruse, T. Dielectric split-ring resonators and their application to filters and oscillators 88−70996
Sagawa, M., Makimoto, M., Yamashita, S. A design method of bandpass filters using dielectric-filled coaxial resonators 85−34034
Sagawa, M. *see* Grossinger, R. 86−9417, 86−22017, 88−51176
Sagawa, M. *see* Hiraga, K. 85−29422, 85−56091
Sagawa, M. *see* Hirosawa, S. 87−18536, 87−25860
Sagawa, M. *see* Honma, H. 85−33373, 86−7883, 86−19997, 86−57414, 87−10544, 87−24355, 87−44190, 87−66389, 88−6995
Sagawa, M. *see* Makimoto, M. 87−6123
Sagawa, M. *see* Muramatsu, T. 86−58661
Sagawa, M. *see* Onodera, H. 85−24193
Sagawa, M. *see* Yamamoto, H. 85−18543, 88−51173
Sagawa, M. *see* Yamauchi, H. 85−45962, 86−28624
Sagawa, S. *see* Muramatsu, T. 85−58443
Sagawa, S. *see* Nojiri, K. 86−43687
Sagayama, S., Itakura, F. Duality theory of composite sinusoidal modeling and linear prediction 87−19571
Sagdeev, I.R. *see* Kveder, V.V. 85−28936
Sagdeev, R.Z., Avanesov, G.A., Barinov, I.V., Kostenko, V.I., Krasikov, V.A., Shamis, V.A., Sukhanov, K.G., Tarnopolsky, V.I., Zaiko, Yu.K., Zatsepin, S.I., Ziman, Ya.L., Zhukov, B.S., Szabo, F., Szabo, L., Szego, K., Balazs, A., Endroczy, G., Gardos, M., Kanyo, M., Nitrai, Z., Reny, I., Rusznyak, P., Smith, B., Zalai, S., Toth, I., Varhalmi, L., Zsenei, M., Cruvellier, P., Detaille, M., Nguyen-Trong, T., Abergel, A., Bertaux, J.-L., Blamont, J., Demarelis, E., Dulnev, G.N., Tsukanova, G., Valnicek, B.I. TV experiment in Vega mission: strategy, hardware, software 87−49573
Sagdeev, R.Z., Grishin, Yu.A., Bagryanskaya, E.L., Leshina, T.V., Valyaev, V.I., Molin, Yu.N. The RF- and microwave labelling techniques in chemical reactions 85−31835

Sagdeev, R.Z., Matveenko, L.I., Linkin, V.M., Kerzhanovich, V.V. VEGA balloon experiment: the ground network 86−30748
Sagdeev, R.Z. *see* Anisimov, S.I. 86−12065
Sagdeev, R.Z. *see* Matveenko, L.I. 86−30929
Sagdeev, R.Z. *see* Preston, R. 86−30928
Sagdeev, R.Z. *see* Preston, R.A. 86−55400
Sage, A.P. *see* Palmer, J.D. 88−11682
Sage, D.L. Implementing a CIM system for multilayer PWB fabrication 88−32594
Sage, D.S. *see* Spooner, P.W. 85−63755
Sage, G.N. *see* Waite, S.R. 88−58070
Sage, I., Chaplin, D. Low RI liquid crystals for integrated optics 88−2031
Sage, J.P. Electronic artificial neural networks 88−32363
Sage, J.P., Lattes, A. A high-speed analog two-dimensional Gaussian image convolver 86−11478
Sage, J.P., Thompson, K., Withers, R.S. An artificial neural network integrated circuit based on MNOS/CCD principles 87−25543
Sage, L. Designing for efficiency [switch mode power supplies] 88−557
Sage, L. Designing for efficiency [switched mode power supplies]. II 88−12182
Sage, M. *see* Hudson, A. 86−8646
Sage, M.D. Railyard lighting for Mount Newman Mining Co 88−18280
Sage, M.G. The fourth electronic revolution 85−54213
Sage, M.G. Interconnection and packaging−the missing link 87−37658
Sage, M.G. The future for electronic packaging and interconnection 88−11772
Sage, M.G. *see* Barrett, J. 88−70144
Sage, P.K. Laminated and thin film strain gauge sensors for mass and pressure 88−9936
Sage, R.D. *see* Smith, A.D. 86−19020
Sage, W.L. *see* Stringfellow, T.E. 86−61373
Sagebarth, J. *see* Ide, H.-D. 87−34285
Sageev, G., Seinfeld, J.H., Flagan, R.C. Particle sizing in the electrodynamic balance 86−55844
Sagefka, T. *see* Atencio, L.G. 86−25141
Sageloli, J. *see* Flandrin, P. 88−22226
Sager, E.V. *see* Foy, C.A., Jr. 88−60265
Sager, G. *see* Herkert, H. 87−48411, 88−59558
Sager, G.R., Melber, J.A., Fong, K.T. System 75: the Oryx/Pecos operating system 85−36573
Sager, J. *see* Barrett, H.A. 85−3746
Sager, M.A. *see* Puntel, W.R. 86−61408
Sagerer, G. A multilevel parsing procedure based on dynamic programming for noisy input strings 87−47595
Sagerer, G., Kummert, F. Knowledge based systems for speech understanding 88−72898
Sagerer, G. *see* Bunke, H. 85−31831
Sagerer, G. *see* Niemann, H. 87−19582
Sagerholm, B. *see* Gunnarsson, R. 86−64515
Sagers, R.C. A LORAN-C based receiver for automatic vehicle location 86−69859
Sageryd, L. 150 Watt amplifier in one circuit 87−10691
Saget, J.C. *see* Mercier, R. 87−55286
Saggese, A. *see* Celani, F. 87−67028
Saggese, A. *see* De Stefano, S. 85−62234
Saggese, A. *see* Pace, S. 88−29900
Saggese, A. *see* Paterno, G. 87−67848
Saggese, E., Saint Aubert, P., Sopprano, C. Economic viability versus system architecture for a European data relay satellite 87−34518
Saggese, E., Speziale, V. In-orbit testing of digital regenerative satellite: the ITALSAT planned test procedures 87−76652
Saggese, E. *see* Ananasso, F. 85−54709, 86−30726, 86−30739, 86−55071 to 55072, 86−59840
Saggese, E. *see* Bellaccini, S. 87−40821
Saggese, E. *see* Giannone, B. 86−11035, 86−17307, 86−59836, 86−64929
Saggese, E. *see* Kosmopoulos, S.A. 85−63625
Saggese, E. *see* Lombardi, P. 85−58057, 87−62880
Saggese, E. *see* Puccio, A. 88−67294
Saggese, E. *see* Saint-Aubert, P. 86−59845
Saghafi, M. *see* Hasler, M. 85−23012, 86−8366, 87−878, 87−10971
Saghafi, M. *see* Hasler, M.J. 85−45157
Saghir, M.Z., Gupta, R.P. Magnetic pressure variation in coaxial plasma experiments with low inductance drivers 87−19132
Saghri, J.A., Hou, H.S., Tescher, A.G. Personal computer based image processing with halftoning 86−49004
Saghri, J.A., Hou, H.S., Tescher, A.G. PC-based image processing with halftoning 87−19899
Saghri, J.A., Sawchuk, A.A. Detection of moving point objects against a moving background 85−52654
Saghri, J.A., Tescher, A.G. Iterative image enhancement procedure with dynamic range constraints 85−13617
Saghri, J.A., Tescher, A.G. Adaptive transform coding based on chain coding concepts 85−36439
Saghri, J.A., Tescher, A.G. Adaptive transform coding based on chain coding concepts 86−43163
Saghri, J.A., Tescher, A.G. Knowledge-based image bandwidth compression 87−39948
Saghri, J.A., Tescher, A.G. Knowledge-based image bandwidth compression and enhancement 88−28062
Saghri, J.A. *see* Hou, H.S. 87−69334
Saghri, J.A. *see* Tescher, A.G. 86−23157, 87−2588, 87−69290, 87−75887
Sagi, J. *see* Payer, K. 88−67668
Sagi, L. *see* Janko, O. 87−42499
Sagianis, E.M. Software Defined Network Service and the corporate network 87−40180
Sagianis, E.M. *see* Staskewicz, P.C. 87−69530
Sagie, D. *see* Kalisky, Y. 88−40179, 88−40181
Sagie, D. *see* Lotem, H. 88−65796
Sagirov, Kh.N., Dyurgerov, N.G., Lisitskii, M.B., Zhabrovskii, A.V., Donov, E.P., Borets, I.I. Optimisation of automatic CO_2 welding of convective tube bundles 85−39381
Sagisaka, Y. Speech synthesis by rule using an optimal selection of non-uniform synthesis units 88−72849
Sagisaka, Y., Saikawa, K., Hamaba, K., Shimomura, T., Iyoda, I. Coordinated control of PWR nuclear power plant and HVDC radial type transmission system 88−54885
Sagisaka, Y., Sato, H. Review of text-to-speech conversion technology 86−54473
Sagisaka, Y., Sato, H. Composite phoneme units for the speech synthesis of Japanese 87−2489
Sagisaka, Y., Sato, H. Word identification method for Japanese text-to-speech conversion system 87−19625
Sagisaka, Y., Tanaka, H., Nishigaito, H., Nishimori, T., Yamada, Y., Neri, K., Koike, T., Kawakatsu, Z., Doi, H. Development of a generator control system through the detection of magnetic flux. II 87−4691
Sagisaka, Y., Tohkura, Y. Phoneme duration control for speech synthesis by rule 85−2781
Sagisaka, Y. *see* Fukuyama, N. 88−54883, 88−54971
Sagisaka, Y. *see* Mizuma, T. 86−33469, 86−39719
Sagisaka, Y. *see* Nanba, M. 85−48519
Sagitov, R.G. *see* Plotnikov, A.F. 85−12040
Sagitov, S.I. *see* Belenov, E.M. 85−61893
Sagitov, S.I. *see* Varga, P. 86−35469
Sagitov, S.I. *see* Vinogradov, A.V. 88−16665
Sagiya, H. *see* Tonuma, T. 85−58350
Sagli, J. *see* Ryder, M. 86−10804
Saglio, R. *see* Asty, M. 85−21358, 85−48795
Saglio, R. *see* Levy, R. 85−38763
Saglio, R. *see* Paradis, L. 87−16746
Sagnes, G. *see* Auvergne, D. 86−47812
Sagnes, G. *see* Ezzedine, T. 87−24267, 88−13548, 88−50185
Sagnes, R. *see* Buiguez, F. 86−1974
Sagnes, R. *see* Holil, B. 85−35101
Sagnes, R. *see* Schue, F. 87−25019, 88−26155
Sagnor, M. *see* Nickel, J. 86−17737
Sago, M. *see* Uchida, Y. 88−33102
Sagoi, M., Nishikawa, R., Suzuki, T. Microstructural inhomogeneity and magnetic properties in Co-Cr sputtered films 87−25770
Saguchi, M. *see* Kikuchi, K. 88−60725
Sague, A. *see* de Fornel, B. 87−30578
Sagues, A.A. Quash QRM [RTTY tuner] 85−57702
Sagues, C. *see* Montano Gella, L. 88−62642
Saguet, P., Essebar, A. Experimental determination of finline post discontinuity parameters: application to stopband and lowpass filters 87−52801
Saguet, P., Hoefer, W.J.R. The modelling of multiaxial discontinuities in quasi-planar structures with the modified TLM method 88−52264
Saguet, P., Tedjini, S. Three dimensional TLM method: modification of the simulation process 85−51465
Saguet, P., Tedjini, S., Hoefer, W.J.R. TLM analysis of finline T-junctions for computer-aided design 88−25429
Saguet, P. *see* Dzougaiev, V. 87−6000
Saguet, P. *see* So, P. 88−70961
Saguet, P. *see* Tedjini, S. 87−73798, 88−38676
Saguet, P. *see* Wu, K. 86−64032, 87−7567, 87−47261, 87−75505, 88−27551
Saguintaah, B. *see* Raisin, C. 86−41565
Sagun, W.T., Ives, F.H., Baldwin, G.L., Hornak, T. A 125-MHz 12-bit digital-to-analog converter system 88−38591
Sagutdinov, R.Sh., Belyakov, I.G., Surov, L.D. Designing voltage and zero-sequence current transducers 85−31469
Sagutdinov, R.Sh. *see* Kozyrev, I.N. 88−30354
Sah, A.K. The transmission options for the country and the national grid [400 kV AC and HVDC systems] 85−15565
Sah, C. *see* Nishida, T. 87−38285
Sah, C.-T., Wan-Li Lin, W., Pan, S.C.-S., Hsu, C.C.-H. New method for separating and characterizing interface states and oxide traps on oxidized silicon 86−41604
Sah, C.-T. *see* Chung, S.S. 88−26270
Sah, C.-T. *see* Hsu, C.C.-H. 88−64334
Sah, C.-T. *see* Wan-Li Lin, W. 88−57397
Sah, C.T. High efficiency crystalline silicon solar cells 87−15981
Sah, C.T. Models and experiments on degradation of oxidized silicon 88−13046
Sah, C.T. New integral representations of circuit models and elements for the circuit technique for semiconductor device analysis 88−13303
Sah, C.T. *see* Landsberg, P.T. 86−1690
Sah, C.T. *see* Leblebici, Y. 88−26198
Sah, C.T. *see* Lindholm, F.A. 86−7139
Sah, C.T. *see* Neugroschel, A. 86−8740
Sah, C.Tang *see* Tang Sah, C.
Sah, R.C. *see* Close, E.R. 85−26573
Sah, R.C. *see* Peterson, J.M. 85−56721
Sah, R.E., Dischler, B., Bubenzer, A., Koidl, P. Amorphous carbon coatings prepared by high rate RF plasma deposition from fluorinated benzenes 85−39785
Sah, R.L. *see* Olson, W.H. 87−21669
Sah, S.L. Use of voltage to frequency and frequency to voltage conversion techniques in radio telemetry 86−10717
Sah, S.L., Ganapathy, M.A. Role of acoustics and ultrasonics in the marine geophysical survey 86−18521
Sah Chih-Tang *see* Chih-Tang Sah
Saha, A., Basu, P., Bhattacharya, C. Design, construction and field-experience of an Indian stand-alone rural photovoltaic solar energy centre 86−45284
Saha, A. *see* Fong, Y.-S. 86−11966
Saha, A. *see* Rau, V.G. 87−51113
Saha, A.L. *see* Dey, K.K. 86−8416
Saha, A.R., Mazumder, B.C. A successive approximation logic frequency-to-code converter 85−895
Saha, A.R., Mazumder, B.C. A microprocessor-based frequency-to-code converter 85−45209
Saha, A.R., Mazumder, B.C. A linear frequency-to-code converter 85−55080
Saha, A.R., Mazumder, B.C. A successive approximation frequency to code converter with a minimum system microprocessor 88−32286
Saha, A.R. *see* Nandi, R. 85−17655
Saha, B. Field experience of Bandra Fetex 100L exchange 88−35301
Saha, D. Trellis coded quadrature-quadrature phase shift keying 88−21066
Saha, D.P. *see* Agrawal, S.L. 88−22684
Saha, H., Basu, P., Bhattacharya, G., Sathpathy, R.K. Photovoltaic systems for rural applications in India 88−17473
Saha, H., Das, S. Electronic properties of polycrystalline ceramic cadmium sulphide 86−8795
Saha, H., Mukherjee, D., Sathpathy, R.K., Mukerjee, M.K. Design of a 25 kWp hybrid solar photovoltaic system power supply for a forest lodge in India 88−62277
Saha, H., Mukherjee, D., Sathpathy, R.K., Mukherjee, M.K. Photovoltaic system design methodologies−a critical appraisal through a case study in India 88−37102
Saha, H. *see* Basu, P. 88−62591
Saha, H. *see* Bhattacharya, G. 87−14370
Saha, M.M., Eriksson, L. Microprocessor-based accurate fault locator with remote-end infeed compensation 85−65013
Saha, M.M., Eriksson, L. Microprocessor based transmission fault analysis 86−51160
Saha, M.M., Eriksson, L., Massari, M. Localisation of faults on power lines 86−65710
Saha, M.M. *see* Eriksson, L. 85−38559
Saha, M.Mohan *see* Mohan Saha, M.
Saha, N., Bandyopadhyay, M. Microprocessor graphics using Vinytics 8085 87−72641
Saha, N. *see* Ghoshal, S.P. 87−42319
Saha, P. *see* Hsu, C.J. 85−9671
Saha, P.K. Original idea to develop hybrid sealed nickel-cadmium battery for powering military manpack radio communication set 86−40058
Saha, P.K., Mazumder, G.G. Cut-off and bandwidth characteristics of inhomogeneous rectangular waveguide with two double ridges 87−73587
Saha, P.K. *see* Bhattacharyya, K. 86−47071, 87−17353
Saha, P.K. *see* Dasgupta, D. 85−6482
Saha, P.K. *see* Mazumder, G.G. 86−22749, 87−39441
Saha, P.S., Saha, S. Ethical issues in the clinical trials of medical devices and implants 88−42477
Saha, P.S., Saha, S. Clinical trials of medical devices and implants: ethical concerns 88−68444
Saha, S. *see* Saha, P.S. 88−42477, 88−68444
Saha, S. *see* Singh, S. 87−63791
Saha, S.K. A simple power supply unit for a thermocouple-type vacuum gauge 85−4155
Saha, S.K. Linear VCO with sine wave output 86−65210
Saha, S.K., Jain, L.C. Linear voltage controlled oscillator 88−56501
Saha, S.K. *see* Bhattacharya, N.C. 88−54076
Saha, S.K. *see* Kumar, A. 85−55018, 86−46521
Saha, S.K. *see* Prakash singh, V. 88−63563
Saha, S.K. *see* Saraswat, R.C. 86−1237, 86−34980
Saha, S.K. *see* Singh, V.P. 88−56502
Saha, S.N. *see* Indulkar, C.S. 86−6839
Saha, T.K. *see* Prasad, G.D. 87−4210
Sahagian, J. *see* Campbell, H. 86−61346

Sahai, R., Hill, W.A., Mathur, B., Pittman, S., Higgins, J.A. GaAs CCDs for analog signal processing ICs 87–1775
Sahai, R., Pierson, R.L., Jr., Martin, E.H., Higgins, J.A. High speed GaAs detector array/CCD multiplexer for acousto-optic spectrum analyzer 85–14689
Sahai, R. *see* Singh, J. 88–72160
Sahai, R. *see* Sovero, E.A. 85–55859
Sahakian, A. *see* Slocum, J. 88–4973
Sahakian, A.V., Kuo, K.H. Cancelling the cardiogenic artifact in impedance pneumography 86–56156
Sahakian, A.V., Tompkins, W.J., Webster, J.G. Reducing electrode motion artifacts in electrical impedance pneumography 85–38164
Sahakian, A.V., Tompkins, W.J., Webster, J.G. Electrode motion artifacts in electrical impedance pneumography 85–53056
Sahakian, Z.M., Angell, A. Resonant high voltage transformer 88–30777
Sahalos, J.N. Dielectric constant measurement of homogeneous and anisotropic materials in the microwave region 85–64248
Sahalos, J.N., Vafiadis, E. On the narrow-band microwave filter design using a dielectric rod 86–20792
Sahalos, J.N. *see* Demacopoulos, E. 86–54366
Sahalos, J.N. *see* Gotsis, N. 85–48062
Sahalos, J.N. *see* Kyriacou, G. 87–75587
Sahalos, J.N. *see* Siakavara, K. 85–57134, 86–3706, 87–33497, 88–35597
Sahalos, J.N. *see* Vafiadis, E. 85–2461, 85–56996, 87–37499, 88–27581
Sahalos, J.N. *see* Vlachogiannis, M. 88–29942
Sahalos, J.N. *see* Zimourtopoulos, P. 85–62915
Sahami, H., Courtois, B. Functional testing vs. structural testing of RAMS 85–45061
Sahami, S., Kennedy, J.H. Open-circuit photopotentials and photoelectrochemical behavior of Si-doped α-Fe_2O_3 semiconductor electrode in acetonitrile solutions 85–55613
Sahara, K. *see* Satoh, K. 85–33926
Sahara, K. *see* Uda, T. 87–66801
Sahara, K. *see* Yamada, T. 86–52284
Sahara, R.T. *see* Steier, W.H. 88–51916
Sahashi, M., Kobayashi, T., Domon, T., Inomata, K., Udo, Y., Hashiba, Y. A new contact amorphous torque sensor with wide dynamic range and quick response 88–53626
Sahashi, M., Kobayashi, T., Inomata, K. Fundamental characteristics of a new torque sensor of circumferential excitation type 88–53638
Sahashi, M., Niu, H., Tohkai, Y., Inomata, K., Hashimoto, T., Kuzuhara, T., Tomokiyo, A., Yayama, H. Specific heat and magnetic entropy associated with magnetic ordering in Al-rich RAl_2 sintered compounds 88–51216
Sahashi, M., Niu, H., Tohkai, Y., Inomata, K., Hashimoto, T., Kuzuhara, T., Tomokiyo, A., Yayama, H. Preparation of a high density complex type magnetic mixture of RAl_2 system for Ericsson magnetic refrigerator and its fundamental characteristics 88–71883
Sahashi, M. *see* Hashimoto, T. 88–51214
Sahashi, M. *see* Kobayashi, T. 88–53639 to 53640, 88–71882
Sahashi, M. *see* Kuzuhara, T. 87–32836
Sahashi, M. *see* Yayama, H. 88–51215
Sahasrabudhe, R.K. Power profile in Maharashtra 88–75065
Sahay, B. *see* Tewari, S.S. 88–5433
Sahba, M. On the solution of nonlinear inequalities in a finite number of iterations 85–49485
Sahba, M. Globally convergent algorithm for nonlinearly constrained optimization problems 87–36614
Sahba, M. Algorithms for solving non-linear inequalities in a finite number of iterations using approximate derivatives 87–65388
Sahba, M. A method for plausibility checks and data validation in power systems 88–10708
Sahba, M. A method for plausibility checks and data validation in power systems 88–54917
Sahbatou, M.D. A CMOS implementation method applied to the microcomputer 80C48 85–45903
Sahbatou, M.D. CMOS layout design methodology: application to the microcomputer 80C48 85–61317
Saheb, E., Jarry, S. Evaluation of a 40 kW fuel cell power plant 87–30470
Saheban, F. *see* Breuer, M.A. 87–73411
Sahgal, N.B. *see* Papachristou, C.A. 85–28529
Sahimi, M.S., Evans, D.J. Group explicit methods for the numerical solution of the wave equation 88–63250
Sahimi, M.S. *see* Evans, D.J. 88–63208, 88–63249
Sahin, A.S., Jones, P.L., King, D., Moore, D. Observation of vapour species concentration during the growth of single crystal zinc selenide films by molecular beam epitaxy 87–73113
Sahin, A.S. *see* Cooper, A.J. 85–33455
Sahin, B., Ward-Smith, A.J. The measurement of air-flow characteristics using a five-hole Pitot probe in conjunction with a microcomputer 86–50251
Sahin, T., Flanigan, E.J., Sears, J.T. Low pressure chemical vapor deposition of molybdenum. I. Kinetics and reaction mechanisms 87–59004
Sahin, V. NE functions and OSI protocol architectures for operations data networking 88–3404
Sahin, V. A telecommunications management network (TMN) for intelligent digital networks 88–52773
Sahin, V., Omidyar, C.G., Bauman, T.M. Telecommunications management network (TMN) architecture and interworking designs 88–52609
Sahin, V. *see* Boorstyn, R.R. 87–40649
Sahines, T. *see* Nyren, T. 85–53858
Sahinis, H. *see* Samouilidis, J.-E. 85–9571
Sahinkaya, Y.E. *see* Can, S. 88–50065
Sahira, K., Takeiri, T., Kondo, T. Manufacture of a heat-resistant alloy with modified specifications for HTGR structural applications 85–21987
Sahjani, P. Avalanche diode offers multiplier alternative 86–53051
Sahjani, P. Cut limiter diode loss with improved equation 87–11045
Sahjani, P. Life time effects in PIN diodes 87–37578
Sahjani, P. *see* Preston, R.J. 86–41743
Sahlen, O. Switching power dependence on spot size in bistable ZnS etalons 86–68627
Sahlen, O., Landgren, G., Rask, M. Fast turnoff in optical switching of low-finesse GaAs Etalons operating in reflection 88–40328
Sahlen, O., Ohlander, U., Olin, U. Improved performance of bistable CdSe filters 88–65452
Sahlen, O., Olin, U., Masseboeuf, E. Optical bistability and gating in metalorganic vapor phase epitaxy grown GaAs etalons operating in reflection 87–54396
Sahlen, O. *see* Andersson, U. 87–54421
Sahlen, O. *see* Ohlander, U. 87–46881, 88–2250, 88–45454, 88–65801
Sahli, C. Fine line imaging 87–53010
Sahlin, C. *see* Derefeldt, G. 88–10069
Sahlman, F. Second-hand heat cuts energy $$$ 85–65629
Sahlman, J.R. *see* Donning, J.A. 86–57267
Sahm, D. *see* Davies, R.W. 87–12128
Sahm, P.R., Flender, E. Advanced steam turbine power plant technologies and the materials implications 86–19122
Sahm, W.H., III Common drain power MOSFET gate drive solutions 87–46038
Sahman, S.F. *see* Ahsan, Q. 88–10733
Sahn, D.J. *see* Lancee, C.T. 86–5925
Sahner, R.A., Trivedi, K.S. Reliability modeling using SHARPE 87–58733
Sahni, P.S. *see* Krishnan, M.P. 88–21522
Sahni, S., Wu, S.-Y. Two NP-hard interchangeable terminal problems 88–50936
Sahni, S. *see* Bhasker, J. 87–5599, 87–58810, 87–59049, 87–66716
Sahni, S. *see* Cheng, K.H. 86–41235, 87–18342, 87–74376
Sahni, S. *see* Cohoon, J.P. 87–59966
Sahni, S. *see* Han, S. 87–24562
Sahni, S. *see* Kane, R. 85–1685, 85–35138, 85–39863, 86–62369, 86–62510, 87–23839, 87–24038
Sahni, S. *see* Lee, J. 88–70240
Sahni, S. *see* Li, W.N. 88–63468
Sahni, S. *see* Lin, L. 87–37216
Sahni, S. *see* Nahar, S. 86–21342, 87–6836, 88–24865, 88–50937
Sahni, S. *see* Raghavan, R. 86–58534
Sahni, S. *see* Sangyong Han 86–20917, 86–62377
Sahni, S. *see* Sharagowitz, E. 87–66090
Sahni, S. *see* Shragowitz, E. 87–38179, 88–26458, 88–56386
Sahni, S. *see* Won, Y. 87–65734
Sahni Sartaj *see* Sartaj Sahni
Sahoo, G.K., Singh, G., Ramamurthi, S.S. Beam lifetime calculation in an electron storage ring for synchrotron radiation 88–74650
Sahoo, G.K. *see* Singh, G. 88–74651
Sahoo, P.K. On Higashi and Klir's conjecture on a measure of information closeness 86–3728
Sahoo, P.K. On a generalization of Shannon's random cipher result 87–27190
Sahoo, P.K., Soltani, S., Wong, A.K.C., Chen, Y.C. A survey of thresholding techniques 88–34740
Sahoo, P.K. *see* Kannappan, P. 86–64157
Sahoo, P.K. *see* Kapur, J.N. 85–41941
Sahota, H.S. *see* Sharma, R.K. 85–31712
Sahota, M.S. Simulation of LOFT anticipated transient experiments L6-1, L6-2, and L6-3 using the TRAC PF1/MOD1 85–9674
Sahota, T.S. *see* Peet, F.G. 86–23128, 87–69397
Sahotay, H.S., Falkner, A.H. Opto-electronic pattern recognition 88–21360
Sahr, J. *see* Providakes, J. 88–53346
Sahraoui, A. *see* Philips, T.K. 85–30138
Sahre, P. *see* Gotlib, V.I. 88–54679
Sahre, P. *see* Rossbander, W. 86–44713
Sahu, J. Computations of supersonic flow over a missile afterbody containing an exhaust jet 88–61740
Sahu, K. *see* Adolphsen, J.W. 85–17390
Sahu, K. *see* Ropiak, S. 85–17278
Sahu, S. *see* Das, B.N. 88–40053
Sahu, S.C., Devi, D.I., Somayaji, T.S.N., Ramana, K.V.V. Absorption of radiowaves reflected from normal and sporadic-E layers 85–51424
Sahu, S.N., Chandra, S. Chemical-bath-deposited CdS and CdS:Li films and their use in photoelectrochemical solar cells 88–17944
Sahu, S.N. *see* Chandra, S. 85–22507, 85–23482, 85–44766, 85–50343
Sahu, S.N. *see* Kristensen, R.D.L. 88–75891
Sahu, S.N. *see* Ritenour, E.R. 88–36452
Sahuc, P. *see* Burq, J.P. 87–35362
Sahyun, M.R.V., Brisbois, R.G. Luminescence behavior of a metallized semiconductor powder 86–42418
Sahyun, M.R.V. *see* Dierssen, G.H. 85–1305
Sai, F. *see* Ishikawa, K. 88–61055
Sai, F. *see* Kageyama, T. 86–25117
Sai, F. *see* Kishida, T. 87–35344
Sai, F. *see* Kuze, M. 87–77533
Sai, K. *see* Hoshi, A. 87–58206
Sai, K. *see* Miura, S. 87–54499
Sai, K. *see* Nakagawa, Y. 88–65072
Sai Baba, J. Optimality conditions of some suboptimal transforms 85–28092
Sai Prakash, S.K.L.V., Gupta, N., Singh, M. Design, development and evaluation of a waveguide slot array at *W*-band 88–27677
Sai Prasad, R., Srinivasan, T.M. Image processing and cardiac motion analysis of 2D B-scans 87–41928
Sai Prasad, R. *see* Srinivasa Rao, K. 86–65403
Sai Prasad, R.L.N., Ramachander Rao, J., Venkateswara Rao, V., Vasudeva Rao, V. Design of RF power amplifier and coupling circuits for ultrasonic imaging 87–42278
Sai Yang *see* Toraichi, K. 88–59252
Sai-Halasz, G. *see* Harrison, H.B. 85–62018
Sai-Halasz, G. *see* Tang, D.D. 87–45569
Sai-Halasz, G. *see* Wordeman, M.R. 86–21824
Sai-Halasz, G.A. Long range VLSI technology challenges 85–23937
Sai-Halasz, G.A., Harrison, H.B. Device-grade ultra-shallow junctions fabricated with antimony 87–6528
Sai-Halasz, G.A., Wordeman, M.R., Kern, D.P., Ganin, E., Rishton, S., Ng, H.Y., Zicherman, D.S., Moy, D., Chang, T.H.P., Dennard, R.H. Experimental technology and characterization of self-aligned 0.1 μm-gate-length low-temperature operation NMOS devices 88–39721
Sai-Halasz, G.A., Wordeman, M.R., Kern, D.P., Ganin, E., Rishton, S., Zicherman, D.S., Schmidt, H., Polcari, M.R., Ng, H.Y., Restle, P.J., Chang, T.H.P., Dennard, R.H. Design and experimental technology for 0.1-μm gate-length low-temperature operation FETs 88–1654
Sai-Halasz, G.A. *see* Chappell, B. 85–35173
Sai-Halasz, G.A. *see* Dennard, R.H. 85–44956
Sai-halasz, G.A. *see* Gazecki, J. 85–55700
Sai-Halasz, G.A. *see* Harrison, H.B. 87–17935
Sai-Halasz, G.A. *see* Krusin-Elbaum, L. 86–35436
Sai-Halasz, G.A. *see* Rishton, S.A. 88–39716
Sai-Halasz, G.A. *see* Stork, J.M.C. 88–26490
Sai-Halasz, G.A. *see* Wordeman, M.R. 85–50765
Saia, R. *see* Brown, D. 86–2257
Saia, R. *see* Brown, D.M. 87–38155
Saia, R. *see* Kim, M.J. 88–13483
Saia, R.A. *see* Kim, M.J. 87–25174, 87–74216
Saia, R.J., Gorowitz, B. Dry etching of tapered contact holes using multilayer resist 86–2042
Saia, R.J., Gorowitz, B. Reactive ion etching of refractory metals for gate and interconnect applications 87–60348
Saia, R.J., Gorowitz, B., Woodruff, D., Brown, D.M. Plasma etching methods for the formation of planarized tungsten plugs used in multilevel VLSI metallizations 88–50950
Saia, R.J. *see* Brown, D.M. 87–45832
Saia, R.J. *see* Ghezzo, M. 87–74363
Saia, R.J. *see* Gorowitz, B. 85–55969, 86–9044, 88–57513
Saia, R.J. *see* Kwasnick, R.F. 88–71769
Saibaba Reddy, D., Lakshmi Prakash, M.V., Sabrahmanyam, V. Investigations on a multiple converter-fed three phase induction motor 88–48962
Saibel', A.G. *see* Lutfullin, R.R. 87–35240
Saibene, C. *see* Giussani, A. 87–71798, 88–17256
Saichev, A.I., Slavinskii, M.M. Equations for moment functions of waves propagating in random inhomogeneous media with elongated inhomogeneities 86–15860
Saichev, A.I. *see* Gurbatov, S.N. 86–3870
Saichev, A.I. *see* Koshelev, V.N. 86–36695
Saichev, A.I. *see* Malakhov, A.N. 88–72527
Saichev, A.I. *see* Polovinkin, A.V. 86–29383
Saichev, A.I. *see* Vinogradov, V.V. 86–59032
Saichev, A.I. *see* Virovlyanskii, A.L. 86–59029
Saichuk, L.E. *see* Kuz'min, V.V. 86–19109
Said, A., Elrefaie, A., Kurz, L. Equalization for PSK signals over non-linear channels with nonsymmetrical frequency response 88–27736
Said, A., Elrefaie, A., Kurz, L. Equalization for QPSK signals over nonlinear channels 88–47005

Said, A.E. Stray-free switched-capacitor building block that realises delay, constant multiplier or summer circuit 85−28632
Said, A.E. High order filter realization using new proposed loop biquad blocks 86−67329
Said, A.E., Zaghloul, M.E. Stray-free switched-capacitor general biquad blocks 86−46969
Said, A.E., Zaghloul, M.E. Stray free switched capacitor general biquad block 86−57959
Said, A.I. On development of HVDC converter systems 86−61670
Said, A.I. Accurate determination of power angle of saturated synchronous machines by digital simulation 87−42907
Said, A.I. Survey of controlled induction motor-thyristor cascades 87−43027
Said, A.I., El-Koshairy, A.D. Simulation of controlled GTO DC choppers supplying active loads 88−17738
Said, A.Rashad *see* Rashad Said, A.
Said, J. *see* Jousse, D. 85−55678
Said, M. *see* Tranjan, F.M. 87−57157
Said, M.A.Ben *see* Ben Said, M.A.
Said, M.H.El *see* El Said, M.H.
Said, S.M., Dimond, K.R. Design considerations for a hardware-refreshed memory card for the MC68000 85−17410
Said, S.M., Dimond, K.R. Realtime implementation of Viterbi decoding algorithm on a high-performance microprocessor 86−36928
Sa'id, W.K., Therib, T.M. Performance of Peltier probe flowmeter 87−29111
Said, W.M. *see* Tez, E.S. 86−7201
Said Ghoniemy, M.El *see* El Said Ghoniemy, M.
Saida, S. *see* Tejima, T. 88−36171
Saida, T., Suzuki, S., Goto, M., Sato, Y. Whole body X-ray CT scanner SCT-2500T 87−8917
Saida, T. *see* Ishihara, H. 85−38101
Saidane, A. Chemical reaction and interdiffusion at ZnSe-(indium tin oxide) interfaces 85−29024
Saidane, A., Kirk, D.L. The use of mixed alloy contacts to engineer the interfaces and electrical characteristics of metal-InP contacts 85−55558
Saidane, A., Kirk, D.L. The influence of the method of deposition on the microstructure and optical properties of junctions of ZnSe with indium tin oxide 87−11415
Saidashev, I.I. *see* Adamyan, Z.N. 85−23527
Saidashev, I.I. *see* Alferov, Zh.I. 85−23531
Saidashev, I.I. *see* Vul', A.Ya. 86−1389
Saidi, D. *see* Glachant, A. 86−2046
Saidi, M. *see* Bui Ai 85−35260
Saidkhodzhaev, A.G. Forecasting the daily load patterns of the electrical loads of urban consumers 86−39077
Saidov, M.S. Growth, structure and electrical properties of IV-IV semiconductors 87−23669
Saidov, M.S., Abdurakhmanov, B.M., Kondrat'ev, A.N., Chirva, V.P. Use of metallurgical silicon for film photoconverters 86−8830
Saidov, M.S., Bilyalov, R.R., Mukhamadiev, R.E., Chirva, V.P. Hydrogen passivation of grain boundaries' charge states in film polycrystalline photovoltaic cells 88−55623
Saidov, M.S., Kadyrov, M.A., Shamuratov, Kh.A. Hydrogen etching of the surface of silicon carbide 86−28183
Saidov, M.S., Shamuratov, Kh.A., Umurzakov, A., Dzhaparova, R.K. Influence of the crystallographic polarity of faces of silicon carbide on the characteristics of alloyed diodes 85−29016
Saidov, M.S. *see* Abdurakhmanov, B.M. 85−18805, 86−51896, 87−22727
Saidov, M.S. *see* Pugacheva, T.S. 88−24737
Saidov, M.S. *see* Zabrodski, A.G. 87−53213
Saidov, M.S. *see* Zabrodskii, A.G. 85−34825, 87−45628
Saidov, R.P. *see* Bedilov, M.R. 85−41372, 86−29122
Saidov, R.P. *see* Khabibullaev, P.K. 88−58493
Saidov, S.A. *see* Akhtamov, R.A. 86−60369
Saidov, Z.S. *see* Allat'ev, A.N. 87−39039
Saidov, Z.S. *see* Denisov, A.L. 86−29100
Saidov, Z.S. *see* Zharikov, E.V. 85−7404, 86−54119, 87−12438
Saied, A. *see* Kolodziejczyk, E. 88−10649
Saied, B.M. *see* Evans, P.D. 85−61104, 86−26107
Saied, M.H. *see* El-Kamel, A.H. 86−63704
Saied, M.M. Optimal long line series compensation [HVAC transmission lines] 86−50996
Saied, M.M. Feasibility of using magnetic amorphous metals as core materials in power transformers 87−58136
Saied, M.M. Technical and economical aspects of adopting metallic glasses in electrical machines industry 88−48884
Saied, M.M., Al-Fuhaid, A. Electromagnetic transients in a line-transformer cascade by a numerical Laplace transform technique 86−12375
Saied, M.M., El-Shewy, H.M., Fetih, N.H. A comparative study of power transformer optimal designs according to different criteria 88−43253
Saied, M.M., Safar, Y.A., Salama, M.H. Line transients with corona 87−71710
Saied, M.M. *see* Abdel-Salam, M. 86−2456
Saied, M.M. *see* Al-Fuhaid, A.S. 88−48573
Saifee, S.T. *see* Chen, K.W. 87−21320
Saifi, M.A. Lightguide technology review and status 85−18738
Saifi, M.A. *see* Christodoulides, D.N. 87−7081, 87−7093, 88−20516
Saifi, M.A. *see* Friberg, S.R. 88−1965
Saifi, M.A. *see* Klemas, A.T. 86−22110
Saifi, M.A. *see* Reith, L.A. 88−1956
Saifulin, Sh.Z. *see* Averichev, S.A. 86−44522
Saifullin, R.T. Numerical analysis method for one class of multicomponent signals 85−36239
Saiga, H. *see* Sakai, A. 88−56321
Saiga, K. *see* Ikegami, Y. 86−51273
Saiga, N., Ichioka, Y. Acousto-optic interaction in proton-exchange 128° rotated Y-cut $LiNbO_3$ optical waveguides 87−33018
Saiga, N., Ichioka, Y. Study of AO interaction in proton-exchanged 128° rotated Y-cut $LiNbO_3$ optical waveguides by finite element method 88−13966
Saiga, N., Tanii, K. Reduction of time quantization errors in a phased array transducer by fast reading of digital RAM 85−21027
Saiga, N. *see* Suga, T. 86−36179
Saigal, R., Stone, R.E. Proper, reflecting and absorbing facets of complementary cones 85−22329
Saigo, K., Ohnishi, Y., Suzuki, M., Gokan, H. A negative photoresist (TAS) for a bi-layer resist system 85−34716
Saigo, K., Watanabe, F., Ohnishi, Y. A monodisperse Si-containing photoresist for a bilayer system 86−53513
Saigo, K. *see* Matsui, S. 87−1369
Saigo, K. *see* Ohnishi, Y. 86−1890
Saigo, K. *see* Saotome, Y. 85−45498
Saigo, M. *see* Shirai, N. 86−4655
Saigo, T., Niwa, K., Ohto, T., Kurosawa, S., Takada, T. A triple-level wired 24K gate CMOS gate array 86−8307
Saigo, T., Niwa, K., Ohto, T., Kurosawa, S., Takada, T. A triple-level wired 24K-gate CMOS gate array 86−20434
Saigusa, M. *see* Kimura, H. 85−30117, 88−63551
Saigusa, M. *see* Miyake, S. 85−55396
Saigusa, M. *see* Nagashima, T. 85−1237, 86−41475
Saigusa, M. *see* Okamoto, T. 86−53296
Saigusa, M. *see* Sakamoto, K. 87−19154
Saigusa, T., Aga, T., Odohira, T., Miyaji, N. Single gauge type silicon pressure sensor 88−74390
Saija, R. *see* Borghese, F. 88−52199
Saijho, Y. *see* Kuramoto, S. 87−61079
Saijo, E. *see* Matsuda, Y. 88−7130
Saijo, R. *see* Kuroda, I. 86−58455
Saijo, T. Distribution boards. II. Protective relays 87−4450
Saijo, T. Thrust and levitation force characteristics of linear synchronous motors 87−4733
Saijo, T. Demand supervising system 87−50640
Saijo, T. Protective relay 87−78195
Saijo, T. Protective relays. I 88−17186
Saijo, T. *see* Ikeda, H. 87−31039
Saijo, T. *see* Uchijima, T. 87−22370, 88−37206, 88−43204
Saijonmaa, J. Computational analysis of realistic scalar optical fiber models 85−50900
Saika, T., Kaifu, N., Gofuku, I., Hatanaka, K., Ichihashi, K., Komatsu, T. Integrated a-Si:H linear image sensor using TFT type photo-sensor 88−22662
Saikaley, A. *see* Sartzetakis, S. 87−28929
Saikatsu, A.T. *see* Anzai, Y. 85−26061
Saikatsu, T. *see* Anzai, Y. 85−8737, 86−24176
Saikawa, K., Goto, M., Imamura, Y., Takato, M., Kanke, T. Real time simulation system of large-scale power system dynamics for a dispatcher training simulator 85−26976
Saikawa, K. *see* Sagisaka, Y. 88−54885
Saiki, H., Ikeno, M., Suzuki, S., Kawashima, H., Uemitsu, S. Effect of microlens array for MOS color imager 85−51041
Saiki, K., Okano, K., Tamura, M., Maekawa, H. Frame-creating equipment for Japanese teletect 87−8006
Saiki, K., Onishi, K., Numata, T., Saito, K., Inokuchi, S., Sakurai, Y. Perpendicular anisotropy in FeCr sputtered films 86−58658
Saiki, K., Saito, K., Onishi, K., Numata, T., Inokuchi, S., Sakurai, Y. Perpendicular anisotropy in FeCr sputtered films 86−9386
Saiki, K., Saito, K., Onishi, K., Numata, T., Inokuchi, S., Sakurai, Y. FeCr sputter-deposited films with perpendicular anisotropy 86−28599
Saiki, K. *see* Iwasaki, S. 87−18478, 87−32827
Saiki, K. *see* Nasu, S. 88−44953, 88−51184
Saiki, K. *see* Okano, K. 87−2842
Saiki, S. Meteorological data acquisition system 86−6108
Saiki, S. *see* Obata, S. 88−60483
Saiki, T., Kishi, M. Reduction of the effect of frame truncation error using the short time DFT 88−59175
Saiki, Y. *see* Murata, T. 87−49265
Saiki, Y. *see* Shimizu, H. 86−58079
Saikin, A.S. *see* Knyaz'kov, A.V. 85−41522
Saikkonen, S. *see* Bird, L. 88−26819
Saikkonen, S. *see* Taylor, D. 85−35399
Saikkonen, S.L., Hackert, M.J. An update on practical fusion splicing of multimode and single-mode fibers 86−48155
Saikkonen, S.L., Hackert, M.J. An update on practical fusion splicing of multimode and single mode fibers 87−12210
Saikkonen, S.L. *see* Carr, J.J. 87−32997
Saikkonen, S.L. *see* Hevey, L.M. 85−7219
Saikkonen, S.L. *see* Taylor, D.H. 85−58131
Saikley, C.R., Muething, R. A rapid, low-cost technique for precise AC calibration in a focused ASIC tester 88−19019
Saikley, C.R. *see* Muething, R. 88−25082
Saikyo, T. *see* Kora, M. 87−63040
Saile, V. Mirrors of soft X-ray beam lines: general considerations and radiation effects 88−22888
Saile, V., Waloschek, P. Synchrotron radiation research at HASYLAB 88−68100
Saile, V. *see* Senf, F. 86−60486
Sailer, H. Architecture of the digital subscriber network 85−47286
Sailer, H., Schenk, H., Schmid, E. A VLSI transceiver for the ISDN customer access 86−30212
Sailer, H. *see* Lerach, L. 85−42396
Sailer, H. *see* Steck, M. 86−32077
Sailer, V. *see* Hernandez-Calderon, I. 88−31820
Saillard, J., Coatanhay, J.L., Gadenne, P. Extraction of the characteristics of a radar target from a frequency analysis: extension of the method 88−22193
Saille, M. *see* Vanden Berghe, R. 87−11109
Sailor, R.V., Leschack, A.R. Preliminary determination of the GEOSAT radar altimeter noise spectrum 88−10505
Sailor, W.C., Prussin, S.G., Derzon, M.S. Monte Carlo calculation of the response function for a ^{3}He neutron spectrometer 88−68309
Saim, H.B., Campbell, D.S. Properties of indium-tin-oxide (ITO)/silicon heterojunction solar cells by thick-film techniques 87−64824
Saim, H.B., Campbell, D.S., Avaritsiotis, J.A. Indium-tin-oxides (ITO) thick films for solar cells 86−27887
Sain, M.K., Wyman, B.F. Extended zeros and model matching 88−31916
Sain, M.K. *see* Al-Baiyat, S.A. 87−58214
Sain, M.K. *see* Wyman, B.F. 87−44452
Sainath Moorty, M. *see* Ramamoorty, M. 88−5736
Sainati, R. High speed packaging analysis and modeling 86−13494
Sainati, R., Palmquist, S.L., Moravec, T.J. Packaging high-speed multigigahertz GaAs digital integrated circuits. I 88−39615
Sainati, R., Palmquist, S.L., Moravec, T.J. Packaging high-speed multigigahertz GaAs digital integrated circuits. II 88−44106
Sainati, R., Palmquist, S.L., Moravec, T.J. Low-cost approach to packaging high speed multi-GHz GaAs digital ICs 88−50119
Saini, D.P.S. *see* Grattan, K.T.V. 86−22125, 87−29085, 87−68101
Saini, K.K. *see* Agnihotry, S.A. 86−7838, 86−42367 to 42368, 87−2010
Saini, S.K. *see* Pal, S. 87−17324, 87−20474
Saini, S.P.S., Bajaj, V.D., Singh, B., Rangole, P.K. Integrated communication perspectives for mine and surface tunnels 87−48938
Saini, S.P.S., Sharma, G.K. S/N ratio computation in wire antennas using the matrix method 86−36790
Saini, S.S., Gupta, V.K. Vibration analysis and testing of turbogenerator foundation at Panipat 88−43138
Saini, V.D., Maulik, D. Computerized detection of low-level fetal signals in the maternal abdominal electrocardiogram 85−38145
Saino, T., Takahashi, M., Kasahara, T. Calibration of tertiary standard weights 85−14574
Sainomoto, Y. *see* Kitagawa, F. 86−25209
Sainov, S., Mazakova, M., Pantcheva, M., Tontchev, D. Holographic diffraction grating controlled by means of nematic liquid crystal 88−33782
Sainov, S., Tomova, N., Dragostinova, V., Ivakin, E. Real-time evanescent-wave holograms 88−34143
Sainov, S. *see* Sainov, V. 87−12630
Sainov, S.H., Tonchev, D., Mazakova, M., Pancheva, M. Use of the quadratic Kerr effect in the control of holographic diffraction grating 87−61247
Sainov, V., Sainov, S., Bjelkhagen, H. Color reflection holography 87−12630
Sainsbury, J. Unsedated EEGs on infants and young children: practical hints 86−25225
Sainsbury, J.D. The nuclear regulatory process in Canada experience and possible future direction 88−30485
Sainson, S. *see* Goarin, E. 88−20637
Saint, J. *see* Coldefy, H. 85−48250
St. Amand, P.G. *see* Albert, W.G. 85−42361
St Amour, G. *see* Buckley, D.J. 86−65301
Saint Andre, B.V. *see* Duret, G. 88−2716
St. Arnaud, R.J. *see* Bradley, R.P. 88−74901
Saint Aubert, P. *see* Saggese, E. 87−34518
St. Clair, D.C., Wetterstroem, A. UIL-ESP-AD: an expert system for analyses and diagnoses of a space station power subsystem 86−50924

St. Clair, J.C., Wagoner, J.D. Mapping circuit for interlaced, all-points-addressable display 85—14648
St. Cyr, R.A. *see* Tanski, W.J. 86—2545
St. Cyr, R.D. Continuing technical training and education—Digital's Hudson model 87—23143
St. George, F. *see* Anderson, D.W. 85—48330
St. Georges, J.F. Data processing disaster backup 86—4175
St. J. Russell, P. *see* De Micheli, M. 87—25921
St. Jacques, J.-M. *see* Abu-Mostafa, Y.S. 86—3720
Saint Jalmes, H. *see* Brittoun, J. 87—50268
St. Jean, J. *see* Anderson, S. 87—44004, 87—51864
Saint Jean Paulin, J. Study of the evolution of temperature in the core of a high voltage electric cable 85—53334
St. John, F. Solderable polymer thick film conductors for surface mount technology 85—23239
St. John, F. Solderable polymer thick film conductors for surface mount technology 85—34358
St. John, M. The Teradata Document Template: a planning tool 85—44435
St. John, R.H., Moorman, G.J., Brown, B.W. Real-time simulation for Space Station 87—42069
St. Ledger-Roty, J. How to get 'smart' with pay phones 86—49347
Saint Leger, D.de *see* de Saint Leger, D.
St. Lorant, S. *see* Fryberger, D. 87—14299
St. Louis, E.A. *see* Fraden, J. 87—63766
Saint Michel, J. Massive ferromagnetic rotor: a way of obtaining large power at high speed 87—64538
St. Onge, R.J. Carbon monoxide air to fuel bias control on utility boilers 86—6583
Saint Paul, P. *see* Gimond, C. 86—39424
St. Peter, E., Martin, F.C., Reyes, W.A. Adhesives hold parts firmly for surface mounting 85—22251
St. Pierre, C.R. Loss-of-excitation protection for synchronous generators on isolated systems 85—43952
St. Pierre, C.R., Wolny, T.E. Standardization of benchmarks for protective device time-current curves 86—40025
St. Pierre, C.R., Wolny, T.E. Standardization of benchmarks for protective device time-current curves 87—4844
St. Russell, P. *see* Poyntz-Wright, L.J. 88—65183
Saint Simon, M.de *see* de Saint Simon, M.
St. Syr, V.A. Polyimide notebook 86—47184
St Vaughan, R. New filtration demands for microelectronics 87—10121
Saint-Andre, B.V. Communication spacecraft antennas at ATES: design, realizations and trends 88—34465
Saint-Andre, B.Vidal *see* Vidal Saint-Andre, B.
Saint-Aubert, P., Saggese, E., Soprano, C. Possible architectures for a European Data Relay Satellite system 86—59845
Saint-Cricq, B., Chatenoud, F., Lozes-Dupuy, F., Fourtine, S., Martinot, H. Visible AlGaAs single quantum well lasers with low threshold current density grown by molecular beam epitaxy 88—45415
Saint-Cricq, B., Lozes-Dupuy, F., Vassilieff, G. Well width dependence of gain and threshold current in GaAlAs single quantum well lasers 86—58923
Saint-Cricq, B. *see* Lozes-Dupuy, F. 86—3189, 87—54348, 88—20667
St.-Cyr, G. *see* Holliday, D. 88—30175
Saint-Felix, D. Fast 2-D Kalman filters with non-causal state-space models for image restoration 88—34796
Saint-Felix, D., Du, X.C., Vibert, P., Amalric, Y. X-ray flash radiography images restoration 88—10296
Saint-Felix, D., Du-Xue-Cheng, Demoment, G. Image deconvolution using 2-D non-causal fast Kalman filters 87—27650
Saint-Felix, D., Du Xue-Cheng, Herment, A., Demoment, G. Fast 2-D Kalman filters for image restoration 86—30051
Saint-Felix, D. *see* Herment, A. 86—32302
St.-Georges, M., Valiquette, C., Drouin, G. CAD in seating 88—48249
Saint-Guirons, H. *see* Ducoulombier, D. 86—11692
St.-Jean, G., Petit, A., Latour, Y. Determination of metal-oxide arrester operating limits by a temperature-margin concept 88—69073
Saint-Laurent, M.G. The LISE spectrometer at GANIL 87—71045
St.-Louis, M. *see* Houle, S. 88—69001
Saint-Marc, P., Hospital, M., Richetin, M. Pattern recognition by traversal of connected components of a line segments field 88—3191
Saint-Marc, P., Richetin, M. Structural filtering from curvature information 87—2550
Saint-Marc, P., Richetin, M. Structural filtering of greylevel images from principal curvatures analysis 88—34797
Saint-Marc, P. *see* Richetin, M. 87—19951
Saint-Martin, C. *see* Jenkins, L. 86—58090
St.-Maurice, J.-P. *see* Lockwood, M. 88—53353
St.-Onge, H. *see* Bartnikas, R. 88—75181
Saint-Onge, H. *see* Crine, J.P. 88—42859
Saint-Paul, A. *see* Aoudja, F. 88—44020
Saint-Paul, M. *see* Demassieux, N. 86—16564
Saint-Paul, P. *see* Donati, J.R. 85—38620
Saint-Quentin, S.de *see* de Saint-Quentin, S.
Saint-Remi, J. Data networks and their users 88—66964
Saint-Supery, C. *see* Burgot, J.Y. 87—48343
Saint-Supery, C. *see* Carise, J.P. 86—54749, 87—2713
Saintagne, V. *see* Kahn, R. 86—60674
St.Clair, R. *see* Pearce, N. 86—25938
Saintonge, G., Poirier, A. Crystal growth in microgravity for industrial application 88—24688
St.Quinton, J.M.-A. *(translator)* Tele-informatics: Data and computer communications 86—52113
Sainty, W.G. *see* Netterfield, R.P. 86—13807
Sainz, A.Perez *see* Perez Sainz, A.
Sainz, F.A. *see* Bender, D.J. 87—64415
Sainz, L.B.Fernandez *see* Fernandez Sainz, L.B.
Sainz Gonzalez, P. *see* Golderos Sanchez, A. 88—14933
Sairan, S.Bin *see* Bin Sairan, S.
Sairio, E., Antila, T., Kelha, V., Kuitunen, S., Muurman, T. In-service inspection TV-manipulator 85—42778
Saishin, M. *see* Uozato, H. 85—4306, 85—4312
Saisomboon, S., Siri-Upathum, C. Dye strip dosimeter 88—10261
Saisse, H. *see* Nongaillard, B. 86—57509, 87—370
Saisse, H. *see* Nonguillard, B. 87—21811
Saisse, H. *see* Plaza, P. 87—18589
Saissy, A. Spontaneous Raman scattering and polarization mode coupling in polarization-maintaining optical fibers 88—1937
Saissy, A., Cai, Z.P. Fluorescence and absorption in cresyl violet doped PMMA optical fiber 88—58148
Saissy, A. *see* Macon, L. 86—42225
Sait, M.S., Kulaib, M.A. A CMOS cell for parallelly loadable counters 88—19043
Sait, S.M. General cell placement procedure for a UAHPL based DA system 87—66099
Sait, S.M. *see* Masud, M. 87—5741
Sait, S.M. *see* Soomro, A.A. 88—27791
Saita, H. *see* Hara, T. 88—18988
Saita, H. *see* Okazaki, A. 85—4056
Saita, H. *see* Sato, M. 86—10847
Saita, K. *see* Uba, T. 88—41832
Saitcevsky, B. Super-Phenix 1: an essential stage in the development of fast breeder reactors 86—56570
Saitcevsky, B., Macqueron, J.-F., Noel, H., Acket, C., Bandini, C., Barberger, M., Fruchard, Y. The Creys-Malville Power Plant in mid-1985 86—65860
Saitcevsky, M., Auque, Butzbach, Crette, Panossian Regulations governing the construction of French nuclear power stations. AFCEN, AFCEC and the codes 86—18953
Saito, A., Maeda, T., Sugiyama, H., Tsunoda, Y. High storage density optical disks using pit edge recording on Pb-Te-Se thin films 87—53943
Saito, A., Oguchi, K. Basic study of a microcomputer-controlled wheelchair 88—74888
Saito, A. *see* Ando, K. 87—23492
Saito, A. *see* Ito, M. 88—45823
Saito, A. *see* Kai, T. 87—48942
Saito, A. *see* Katagiri, T. 86—65070
Saito, A. *see* Motoi, K. 87—76502
Saito, A. *see* Ojima, M. 85—51008, 86—36271, 86—68350
Saito, A. *see* Tominaga, S. 87—34832
Saito, A. *see* Yoshimura, M. 85—38107
Saito, C., Nakazawa, H. Development of Hitachi new CX-series escalators 88—18159
Saito, C. *see* Ishibashi, A. 87—78178
Saito, D. *see* Tajiri, H. 88—10418
Saito, E. Tramway topics: maintenance of direct suspension aerial wiring 86—56983
Saito, E. *see* Ishiguro, N. 85—26355
Saito, E. *see* Niita, T. 86—69001
Saito, E. *see* Nitta, T. 85—25064
Saito, E. *see* Tamayama, S. 85—5529
Saito, E. *see* Yamazaki, K. 85—5528
Saito, E. *see* Yoshimo, S. 88—15258
Saito, F. Verhulst model analyses of technological growth in optoelectronics 85—24436
Saito, F., Matsuda, K., Oshima, Y., Muramatsu, I., Kobayashi, H., Kimura, K., Ebinuma, Y., Yazi, T. Development and supply of DC 138 kV cables and accessories for JT-60 power line at Japan Atomic Energy Research Institute 86—65716
Saito, F., Watanabe, Y., Matsuda, K., Ohashi, S., Hiramoto, K., Kumazawa, Y., Furukawa, H., Hayashida, M., Kojima, T. Development of optical fiber cable for JT-60 86—65006
Saito, G., Itaya, H., Yoshizawa, S., Wakabayashi, T., Kakegawa, E. MS620J network/spectrum analyzer with 100 kHz to 2 GHz frequency range and built-in personal computer 87—14222
Saito, H. X-ray CCD image sensor with a thick depletion region 85—37476
Saito, H. An adaptive traffic forecasting method with macro-traffic forecasts 86—48730
Saito, H. Theory and experiment on circular free electron laser 87—12520
Saito, H. On missing trace values for the eta multipliers 87—36596
Saito, H. A demand forecasting method for new telecommunication services 87—76062
Saito, H. Intelligent flat-bed multipen recorder 88—4537
Saito, H. Analysis of measured loss probability and grade-of-service in ISDNs 88—59743
Saito, H., Abe, T. A traffic forecasting method taking account of anomalies 85—51532
Saito, H., Abe, T. A traffic forecasting method taking account of outliers 87—12866
Saito, H., Abe, T. Methods of estimating traffic matrices 87—27129
Saito, H., Akagami, H. Macroscopic model of a transient arc exposed to impulsive compressed air blast 86—1610
Saito, H., Chiba, M., Fukui, T., Hirose, T., Shirakura, H., Watanabe, T., Takasaki, F. Luminosity monitor for the VENUS detector at TRISTAN 88—68236
Saito, H., Danly, B.G., Mulligan, R.J., Temkin, R.J., Woskoboinikow, P. A gyrotron with a high Q cavity for plasma scattering diagnostics 86—21022
Saito, H., Kanazawa, H., Watanabe, K., Taira, T., Sato, S., Fujioka, T. Scaling up of a closed-cycle self-sustained discharge-excited CO laser 87—68380
Saito, H., Kawada, T. Kana to Kanji translation algorithm 88—34758
Saito, H., Kreischer, K., Danly, B.G., Tran, T.M., Temkin, R.J. A gyrotron with a minimum Q cavity 87—24684
Saito, H., Kusaba, R., Nakajima, M., Yuta, S. Magnetic field imaging by CT technique 88—60885
Saito, H., Noguchi, Y., Nagai, H. CW operation of 1.5 γm InGaAsP/InP BH lasers with a reactive-ion-etched facet 85—56636
Saito, H., Noguchi, Y., Nagai, H. Low-threshold InGaAsP/InP 1.3 μm doubly buried-heterostructure lasers with a reactive-ion-etched facet 86—22373
Saito, H., Noguchi, Y., Nagai, H. High-performance InGaAsP/InP 1.3 μm laser structures with both facets etched 87—12460
Saito, H., Okabe, Y. Response of Josephson junction with Nb-Si-Nb short bridge under 100 GHz range millimeter wave radiation 85—18616
Saito, H., Tagoshima, I. Structure and function of the retina—suggestions for the development of solid state imaging devices 85—26309
Saito, H., Takahashi, M., Wakiyama, T. Hard magnetic properties of the rapidly quenched Sm(Co-Fe-B)$_5$ alloy ribbons 88—51197
Saito, H., Taniguchi, H. Pulse broadening of laser oscillation on the $4p^2P_{3/2}^0$-$4s^{22}D_{5/2}$ transition in the neutral copper atom by cesium vapors 85—62478
Saito, H., Taniguchi, H. Low-temperature operation of copper-vapor lasers by using vapor-complex reaction of metallic copper and metal halide 86—22279
Saito, H., Taniguchi, H., Ishikawa, T. Metal β-diketone chelate vapor lasers, II 85—41348
Saito, H., Taniguchi, H., Nozawa, H., Owashi, K. Simple and compact neutral metal vapour laser assembly operating in a low-temperature region 86—22324
Saito, H., Taniguchi, H., Ohgami, K. Improved performance of the pulsed copper-vapor-laser; CuCl-vapor-laser with a compact device by applying an AC continuous-glow-discharge 86—22303
Saito, H., Taniguchi, H., Owashi, K. A compact neutral copper-vapor-laser operation at low temperature using the CuCl-AlCl$_3$ vapor complexes 86—3031
Saito, H., Taniguchi, H., Sakurada, T., Ishikawa, T. A copper vapor laser by using vapor-complex reaction of metallic copper and aluminum chloride 85—51101
Saito, H., Toyoda, J.-I. An algorithm for detecting the line containing a specified swing mode [transmission lines] 87—50745
Saito, H., Tran, T.M., Kreischer, K.E., Temkin, R.J. Analytical treatment of linearized self-consistent theory of a gyromonotron with a non-fixed structure 87—24691
Saito, H., Wurtele, J.S. The linear theory of the circular free-electron laser 87—68537
Saito, H. *see* Abe, K. 88—16629
Saito, H. *see* Abe, T. 86—54592
Saito, H. *see* Amagasa, N. 87—15649
Saito, H. *see* Bagan 85—35676
Saito, H. *see* Fujiwara, K. 88—19467
Saito, H. *see* Fukui, T. 85—420, 86—8869, 86—20089, 87—58958
Saito, H. *see* Harada, T. 85—29755
Saito, H. *see* Itaya, Y. 87—68472
Saito, H. *see* Kanazawa, H. 85—2209, 86—3088, 87—74970
Saito, H. *see* Kaneko, T. 87—78612
Saito, H. *see* Kano, T. 87—61087
Saito, H. *see* Kawamura, K. 88—53681
Saito, H. *see* Kreischer, K.E. 86—21044, 86—47240

Saito, H. *see* Kusaba, R. 88−42537, 88−52093
Saito, H. *see* Murakami, T. 86−29139, 87−68456
Saito, H. *see* Nakashima, H. 85−62580
Saito, H. *see* Namba, I. 85−34431
Saito, H. *see* Nunome, K. 86−18105
Saito, H. *see* Ohishi, M. 88−31777
Saito, H. *see* Oishi, M. 86−54153
Saito, H. *see* Otaki, K. 88−65724
Saito, H. *see* Sato, M. 88−33417
Saito, H. *see* Sato, S. 85−35668, 86−15630
Saito, H. *see* Shima, A. 87−54323
Saito, H. *see* Shimazaki, M. 86−6283
Saito, H. *see* Suzuki, H. 86−62060
Saito, H. *see* Takada, Y. 88−34065, 88−40187
Saito, H. *see* Takasaki, F. 88−1334, 88−22916
Saito, H. *see* Takase, K. 88−13079
Saito, H. *see* Takemae, T. 88−16680
Saito, H. *see* Tanaka, S. 85−34581
Saito, H. *see* Taniguchi, H. 86−22294
Saito, H. *see* Tsubaki, K. 85−40483
Saito, H. *see* Watanabe, A. 87−75219, 88−10148
Saito, H. *see* Yamada, S. 88−12982
Saito, H. *see* Yoshida, S. 87−12354
Saito, I., Satake, S., Kawazoe, K., Hokkyo, J. Peakshift characteristics of perpendicular magnetic recording 85−24150
Saito, I. *see* Kikuchi, H. 85−27762
Saito, I. *see* Mishima, Y. 85−39292, 86−26399
Saito, I. *see* Saito, T. 86−49114, 87−8132
Saito, I. *see* Tanaka, T. 88−26680
Saito, J., Heichele, L., Numasaki, T., Orime, N., Katagi, T. Comparison of element arrangements of a spherical conformal array 88−2835
Saito, J., Igarashi, T., Nakamura, T., Kondo, K., Shibatomi, A. Growth of highly uniform epitaxial layers over multiple substrates by molecular beam epitaxy 87−36722
Saito, J., Ishiguro, K., Yazawa, H. Maintenance center system for INS Model System 86−59478
Saito, J., Ishiguro, K., Yazawa, H., Wakabayashi, K. Maintenance center system for INS Model System 86−16669
Saito, J., Ishikawa, T., Nakamura, T., Nanbu, K., Kondo, K., Shibatomi, A. Effect of thermal etching on GaAs substrate in molecular beam epitaxy 87−5415
Saito, J., Nanbu, K., Ishikawa, T., Kondo, K. GaAs surface cleaning by thermal oxidation and sublimation in molecular-beam epitaxy 88−33033
Saito, J., Nanbu, K., Ishikawa, T., Kondo, K. GaAs surface cleaning with HCl gas and hydrogen mixture for molecular-beam-epitaxial growth 88−49837
Saito, J., Nanbu, K., Ishikawa, T., Kondo, K. Cleaning of GaAs substrate by thermal oxidation and sublimation in molecular-beam epitaxy 88−50724
Saito, J., Sato, M., Matsumoto, H., Akasaka, H. Direct overwrite by light power modulation on magneto-optical multi-layered media 88−45239
Saito, J., Shibatomi, A. Highly uniform GaAs and AlGaAs epitaxial layers grown by molecular beam epitaxy 85−60956
Saito, J. *see* Hiyamizu, S. 85−40895, 86−8868
Saito, J. *see* Ishikawa, T. 85−45440
Saito, J. *see* Joshin, K. 85−40777
Saito, J. *see* Nanbu, K. 87−36698
Saito, J. *see* Sasa, S. 85−1359, 85−40485
Saito, J. *see* Shibatomi, A. 85−50739
Saito, J. *see* Yokoyama, T. 87−53525
Saito, J'i., Hiraide, J. PAL long play VTR 85−14486
Saito, K. Negative resistance of some kinds of alloy-junction transistors 85−55788
Saito, K. The Sigma network 88−66959
Saito, K., Kamiyama, K., Ohmae, T., Matsuda, T. A microprocessor-controlled speed regulator with instantaneous speed estimation for motor drives 88−37646
Saito, K., Kamiyama, K., Sukegawa, T., Matsui, T., Okuyama, T. A multi-processor-based, fully digital, AC drive system for rolling mills 87−43680
Saito, K., Kamiyama, K., Sukegawa, T., Matsui, T., Okuyama, T. A multimicroprocessor-based fully digital AC drive system for rolling mills 87−64990
Saito, K., Kiwaki, H., Watanabe, I. State-of-the-art AC drive systems 87−58370
Saito, K., Mori, T., Shimizu, T. Sputtered Fe-Si-Al alloy film video head 88−26675
Saito, K., Nagasaki, H., Doi, K., Matsuka, S., Kamiyama, K. Application of fully digital speed regulators to tandem cold mills 85−10266
Saito, K., Nagasaki, H., Obata, H., Shimizu, I., Koyama, H. Application of fully digital speed regulators to steel processing lines 86−7323
Saito, K., Nishibayashi, Y., Imura, T., Osaka, Y. Deposition of hydrogenated microcrystalline films of CdTe by chemical sputtering in hydrogen 88−63368
Saito, K., Ohmae, T., Matsuda, T., Kamiyama, K., Matsuda, Y. A microprocessor-controlled speed regulator with instantaneous speed estimation for motor drives 86−51958
Saito, K., Senda, S., Horita, K. Quality assurance in computer systems 85−200
Saito, K., Shimizu, T., Ishida, H. Wide-band read/write characteristics of an ultra narrow track width video head using sputtered Fe-Si-Al alloy film 88−51294
Saito, K., Tashiro, K., Sato, H., Hori, T., Omura, S. On-board optical data communications network for train control 85−31017
Saito, K., Utsugi, Y., Yoshikawa, A. X-ray lithography with a Ag-Se/Ge-Se inorganic resist using synchrotron radiation 88−33094
Saito, K., Yoneyama, M., Saito, M., Ikegami, K., Sugi, M., Nakamura, T., Matsumoto, M., Kawabata, Y. Conducting Langmuir-Blodgett films as electrode materials 88−72223
Saito, K. *see* Aoyama, H. 88−47670
Saito, K. *see* Fujiki, T. 87−50875
Saito, K. *see* Haruo, H. 88−10126
Saito, K. *see* Hashiguti, S. 87−11805
Saito, K. *see* Hirata, K. 86−47861
Saito, K. *see* Horiguchi, S. 85−35009, 85−55587
Saito, K. *see* Horiuchi, T. 87−25030
Saito, K. *see* Ishigaki, Y. 85−49036
Saito, K. *see* Ishizaki, A. 87−30480
Saito, K. *see* Isobe, S. 85−31381
Saito, K. *see* Kishinami, T. 87−21037
Saito, K. *see* Kobayashi, T. 85−40749
Saito, K. *see* Kumanoya, M. 86−8259, 86−20530
Saito, K. *see* Lu, H. 88−74582
Saito, K. *see* Matsubara, M. 85−2442, 88−14308
Saito, K. *see* Matsushima, K. 85−49221
Saito, K. *see* Matsushita, K. 86−43664
Saito, K. *see* Mitsuda, A. 86−39555
Saito, K. *see* Miyachi, I. 86−51707
Saito, K. *see* Miyoshi, T. 85−52862, 88−42102
Saito, K. *see* Mizutani, T. 85−49203
Saito, K. *see* Mochizuki, A. 85−64195, 86−31519, 87−3680
Saito, K. *see* Mori, I. 87−57108
Saito, K. *see* Narabu, T. 87−10743
Saito, K. *see* Nishijima, S. 87−67931
Saito, K. *see* Noguchi, A. 86−28073
Saito, K. *see* Ogata, S. 87−71678
Saito, K. *see* Ohmae, T. 86−66389, 87−16079
Saito, K. *see* Okubo, T. 86−53512
Saito, K. *see* Ozawa, J. 86−39239
Saito, K. *see* Saiki, K. 86−9386, 86−28599, 86−58658
Saito, K. *see* Saito, T. 86−49114, 87−8132
Saito, K. *see* Sekigami, K. 87−79225
Saito, K. *see* Seo, I. 86−53849
Saito, K. *see* Shinohara, H. 85−3465
Saito, K. *see* Shinya, K. 86−62795, 88−55448
Saito, K. *see* Shirai, Y. 85−58254, 86−65259, 88−42274
Saito, K. *see* Sugihara, H. 86−17112
Saito, K. *see* Takehara, H. 88−22142
Saito, K. *see* Tonuma, T. 85−58350
Saito, K. *see* Yamada, T. 85−3278
Saito, M. Railway track structure 86−52002
Saito, M. Optical loss increase in an As-S glass infrared fiber due to water diffusion 87−32923
Saito, M. Actions and proposals for international VAN [NEC] 88−41184
Saito, M., Ishida, M., Fukuyama, K., Watanabe, K., Kamata, T., Sano, K., Nakanishi, H. Higher current density oxide cathode for CRT 87−6345
Saito, M., Kimura, R., Sumigama, T., Izumi, M. An automatic diagnosing system for the blast furnace operating conditions 86−7324
Saito, M., Kurata, K., Misaki, N., Imai, Y., Akiyama, K. The flow measurement of high specific centrifugal compressor 87−14626
Saito, M., Noda, H., Abe, T. Lighting in the super energy efficient building 85−16415
Saito, M., Sugi, M., Iizima, S. Evidence for ambipolar conduction in dye-sensitized p-n junctions of Langmuir-Blodgett films 85−45421
Saito, M., Takeda, T. Two-dimensional byte organization for digital recording on optical disks 88−58061
Saito, M., Takizawa, M. Teflon-clad As-S glass infrared fiber with low-absorption loss 86−42269
Saito, M., Takizawa, M., Ikegawa, K., Takami, H. Optical remote sensing system for hydrocarbon gases using infrared fibers 88−29420
Saito, M., Takizawa, M., Miyagi, M. Optical and mechanical properties of infrared fibers 88−33643
Saito, M., Takizawa, M., Sakuragi, S., Tanei, F. Infrared image guide with bundled As-S glass fibers 85−56276
Saito, M., Taniyama, Y. Capacitor test unit for high frequency ripple load test 88−38784
Saito, M., Teramoto, T. Structural analysis of a superconducting choke coil in the conceptual design for the tandem mirror fusion reactor GAMMA-R 86−58719
Saito, M., Yamamoto, N., Iwata, S. Evaluation of mobile ion contamination in tungsten-gate MOS process using triangular voltage sweep method 88−19855
Saito, M. *see* Agui, T. 85−51787, 86−69158
Saito, M. *see* Akuta, T. 86−18290
Saito, M. *see* Arai, T. 87−41998, 88−20336, 88−58097
Saito, M. *see* Ishihara, H. 85−38101
Saito, M. *see* Jaafer, F.B. 88−69042
Saito, M. *see* Kokawa, M. 85−29761
Saito, M. *see* Miyamoto, S. 85−1222, 88−29837
Saito, M. *see* Namba, S. 86−11214
Saito, M. *see* Narita, Y. 87−29176
Saito, M. *see* Ohta, A. 88−225
Saito, M. *see* Ohuchi, M. 87−23349, 88−25677
Saito, M. *see* Otaka, T. 88−49312
Saito, M. *see* Saito, K. 88−72223
Saito, M. *see* Sakai, K. 85−62447
Saito, M. *see* Sakuma, H. 87−8684
Saito, M. *see* Sato, H. 85−35433, 85−56275, 87−42002, 88−24814
Saito, M. *see* Sato, N. 86−7333
Saito, M. *see* Sato, S. 86−48077
Saito, M. *see* Shiina, T. 85−46957, 87−21553, 88−54499
Saito, M. *see* Sugi, M. 86−15560, 86−58833
Saito, M. *see* Suzuki, K. 86−1476
Saito, M. *see* Suzuki, R. 85−65596, 88−49268, 88−62746
Saito, M. *see* Takeda, T. 88−58062, 88−65135
Saito, M. *see* Tsukahara, Y. 88−10657
Saito, M. *see* Watanabe, M. 87−26242, 87−54328
Saito, M. *see* Yamada, M. 87−25801
Saito, M. *see* Yamada, S. 88−64772
Saito, M. *see* Yamamoto, H. 87−25771
Saito, M. *see* Yoshida, K. 88−71936
Saito, N. Highly photoconductive and photosensitive hydrogenated amorphous silicon carbon alloy films prepared by magnetron sputtering 85−22516
Saito, N. Magnetic bubble memory 85−56133
Saito, N. Influence of RF power on the properties of hydrogenated amorphous silicon carbon alloy films prepared by magnetron sputtering of silicon in methane argon gas mixtures 86−7835
Saito, N. Influence of sputtering pressure on the properties of hydrogenated amorphous-silicon carbon alloy films prepared by magnetron sputtering of silicon in methane-argon gas mixtures 86−47319
Saito, N. Development from nontraditional to traditional machining 87−31095
Saito, N. Dependence on deposition conditions of amorphous SiC:H thin films prepared by the magnetron sputtering method using CH_4 87−44383
Saito, N. Effect of hydrogen on the properties of magnetron sputtering of hydrogenated amorphous silicon carbon alloy films 87−52177
Saito, N. Properties of hydrogenated and fluorinated amorphous silicon-carbon alloy films prepared by magnetron sputtering 87−61022
Saito, N., Kawaguchi, Y., Yamaguchi, T. Spectroscopic sensitivity of photosensor using tetrahedrally-bonded amorphous semiconductor thin films 88−72212
Saito, N., Mohri, N., Takiguchi, M. Development of an inserting mechanism using ultrasonic vibration 88−54811
Saito, N., Sannomiya, H., Tanaka, N., Yamada, T., Yamaguchi, T., Nakaaki, I. Properties of amorphous and microcrystalline hydrogenated silicon and silicon-carbon alloy films prepared by magnetron sputtering 86−27891
Saito, N., Sannomiya, H., Yamaguchi, T., Tanaka, N. Dependence of properties of hydrogenated microcrystalline and amorphous silicon films prepared by planar magnetron sputtering in inert gas 85−10764
Saito, N., Sato, R., Togami, Y. Noise characteristics of amorphous rare earth-transition metal thin films 86−63532
Saito, N., Tanaka, N. Preparation and properties of magnetron sputtered fluorinated and hydrogenated amorphous Si-C films 86−35352
Saito, N., Tanaka, N., Yamada, T., Nakaaki, I., Yamaguchi, T. Optical and electrical properties of amorphous SiC:H prepared by magnetron sputtering 87−6386
Saito, N., Tanno, N., Takahashi, Y., Yokoto, K., Shimizu, H., Sugimoto, N., Matsui, I., Sasano, Y. Observation of snow falling cloud by laser radar with depolarization measurement 86−25420
Saito, N., Terada, T., Yamaguchi, T. Properties of magnetron sputtered hydrogenated amorphous and microcrystalline silicon films alloyed with germanium 86−63061
Saito, N., Togami, Y. Magnetic characteristics of amorphous GdTbCoFe thin films 87−74497
Saito, N., Watanabe, S. Traffic-information tuning systems in Europe 85−3648
Saito, N. *see* Akutsu, H. 85−16382
Saito, N. *see* Hiroyoshi, H. 87−56651
Saito, N. *see* Kobayashi, K. 86−54322, 88−8540
Saito, N. *see* Kobayashi, S. 85−41208
Saito, N. *see* Matsumoto, K. 85−44610, 86−52355
Saito, N. *see* Mohri, N. 88−48948
Saito, N. *see* Murai, F. 87−38383
Saito, N. *see* Nakamura, O. 88−59612
Saito, N. *see* Nakano, S. 87−44162, 88−18587

Saito, N. *see* Nakano, S.I. 88—38068
Saito, N. *see* Nishikawa, S. 88—61915
Saito, N. *see* Nishizeki, T. 85—22592, 88—46616
Saito, N. *see* Onuki, H. 88—29742
Saito, N. *see* Sato, R. 86—63533
Saito, N. *see* Suzuki, H. 85—39641, 86—13909, 87—44131
Saito, N. *see* Suzuki, I.H. 86—21076
Saito, N. *see* Togami, Y. 86—63527
Saito, N. *see* Tominaga, J. 88—6019
Saito, N. *see* Yahagi, T. 86—42867
Saito, N. *see* Yoshizawa, S. 85—56137
Saito, O. Maximum likelihood decoding of convolutional codes using channel states 88—59031
Saito, O. *see* Kawatake, K. 86—44854
Saito, O. *see* Shimada, Y. 88—30755
Saito, R., Momma, N., Naito, M. Dual diffusion of gold and platinum into silicon 85—34816
Saito, R., Sawahata, Y., Momma, N. A novel scaled-down oxygen-implanted polysilicon resistor for future static RAMs 88—39715
Saito, R., Sawahata, Y., Nagano, T., Momma, N. A novel scaled down oxygen implanted polysilicon resistor for future static RAMs 87—46125
Saito, R. *see* Asano, K. 87—7058
Saito, R. *see* Endo, K. 86—24936
Saito, R. *see* Fast, R.W. 85—35364, 85—43266, 85—59167
Saito, R. *see* Kondo, K. 86—25115
Saito, R. *see* Minemura, H. 85—56255
Saito, R. *see* Saeki, M. 87—12078
Saito, R. *see* Shintomi, T. 86—25062, 86—44519
Saito, R. *see* Suzuki, S. 87—7057
Saito, R. *see* Tachikawa, K. 86—42160, 87—67941
Saito, R. *see* Tanbara, M. 87—55648
Saito, R. *see* Tsuchiya, K. 87—70936
Saito, S. Optical problems in use of laser diode 85—35939
Saito, S. Future trends for standardization of test speech materials 86—48799
Saito, S. Improvement of viewing angle characteristics of ECB type multi-color LCD's 87—1988
Saito, S. Effects of various parameters on display characteristics in SBE-type liquid crystal displays 87—1989
Saito, S. Viewing angle characteristics of ECB type multi-colored LCD with non-twist 87—3678
Saito, S. Intelligibility of English words to Japanese listener 88—2982
Saito, S. VAN service at NBC (Nippon Business Consultants). NBCNET/VAN service 88—8963
Saito, S., Asano, H., Kojima, T., Koseki, T., Murakami, S. Design and performance of 405 Mb/s fiber optic transmission systems 86—55323
Saito, S., Fujii, S., Okada, Y., Sawada, S., Shinozaki, S., Natori, K., Ozawa, O. A 1 Mb-CMOS DRAM with fast page and static column modes 86—8265
Saito, S., Fujii, S., Okada, Y., Shinozaki, S., Natori, K., Ozawa, O. A 1-Mbit CMOS DRAM with fast page mode and static column mode 86—20529
Saito, S., Futamoto, M., Honda, Y., Nishimura, T., Yoshida, K. Wear-resistant properties of protective layers applied to thin film metallic media 88—57939
Saito, S., Kamihara, M. Transient behaviors of supertwisted LCD's—theoretical analysis 87—77339
Saito, S., Katagiri, S., Tajima, K. High-speed laser beam printer 85—19063
Saito, S., Kato, J. Application of personal computer in overall monitoring system 86—31154
Saito, S., Kozima, K., Sakiyama, S., Hosaka, S., Kamihara, M. Transient behaviors of supertwisted LCDs—comparison with those of a 90° TN-LCD 87—77338
Saito, S., Matsuda, K., Nishizawa, K., Sakiyama, K. TiW as a barrier metal for small contacts 87—60378
Saito, S., Miyauchi, K. State of the art technology and trends of satellite communications systems 87—28471
Saito, S., Mogensen, F., Olesen, H. Effective bandwidth for FM noise suppression in an injection-locked semiconductor laser 86—15708
Saito, S., Nilsson, O., Yamamoto, Y. Frequency modulation noise and linewidth reduction in a semiconductor laser by means of negative frequency feedback technique 85—24534
Saito, S., Shimizu, H. Influence of elastic loss on measured dielectric-loss-angle of high-coupling piezoelectric material 86—47928
Saito, S., Shirai, K. Voice I/O system 85—25069
Saito, S., Soumura, T., Maeda, T. Improvements of the piezoelectric driven Kelvin probe 85—7123
Saito, S., Takada, T., Kato, N. A 5-mA 1-GHz GaAs dual-modulus prescalar IC 87—625
Saito, S., Tamaribuchi, K., Sasaki, T., Ogawa, M., Komatsu, N. Analysis of feature parameters of speech signal by PARCOR analysis 85—62997
Saito, S., Tanaka, S., Atsumi, S., Yoshikawa, K., Sato, M., Makita, K., Mori, S., Nozawa, H., Iizuka, T. A programmable 80 ns 1 Mb CMOS EPROM 86—8257
Saito, S., Tanaka, Y., Yamamoto, M., Iida, K. A 6.3×6.3 in. avionics beam index CRT 88—16839
Saito, S., Urabe, S. Improvement of the vector summation type SAW-VCO oscillation purity 85—17198
Saito, S., Urabe, S. A study on SAW voltage-controlled-oscillator using a method of vector summation 85—28412
Saito, S., Yamamoto, Y. Negative feedback stabilized FM semiconductor laser for coherent optical communication systems 86—3179
Saito, S., Yasuyama, T. Assembled PWB automatic alignment system 85—14484
Saito, S. *see* Adachi, C. 88—51686
Saito, S. *see* Akiyama, T. 88—731
Saito, S. *see* Atsumi, S. 87—59489
Saito, S. *see* Fujii, S. 86—8243, 87—10857, 87—17092
Saito, S. *see* Fujiyama, Y. 87—40601
Saito, S. *see* Haneishi, M. 86—68916, 88—2875, 88—27604
Saito, S. *see* Hara, T. 87—45683
Saito, S. *see* Hosaka, S. 87—1990, 87—74881, 87—77340
Saito, S. *see* Itoh, K. 87—2464, 88—40868
Saito, S. *see* Iwamoto, S. 88—19186
Saito, S. *see* Iwata, Y. 87—73931
Saito, S. *see* Kageyama, T. 86—25117
Saito, S. *see* Kaino, T. 87—75232
Saito, S. *see* Manabe, T. 85—51426
Saito, S. *see* Miyamoto, J.-I. 85—22865
Saito, S. *see* Ochi, A. 88—63991
Saito, S. *see* Ohki, M. 88—33425
Saito, S. *see* Ohtaka, T. 87—11869
Saito, S. *see* Ohtsuka, N. 88—6823, 88—6882
Saito, S. *see* Sekiguchi, T. 87—23529
Saito, S. *see* Sekimoto, S. 86—36969
Saito, S. *see* Shibatomi, A. 87—16640
Saito, S. *see* Shimizu, H. 86—2511
Saito, S. *see* Suzuki, K. 87—30200
Saito, S. *see* Takada, T. 85—61345
Saito, S. *see* Takeichi, H. 87—69834
Saito, S. *see* Tanaka, S. 86—20551, 86—63298
Saito, S. *see* Tasmaribuchi, K. 88—73080
Saito, S. *see* Tromborg, B. 88—20648
Saito, S. *see* Tsuruta, T. 86—18995
Saito, S. *see* Uehara, Y. 85—18852, 86—9764
Saito, S. *see* Wenke, G. 85—56626, 86—29163
Saito, S. *see* Yamamoto, Y. 86—29147, 86—43828
Saito, S. *see* Yamashita, J. 85—43816
Saito, S. *see* Yanagawa, T. 85—7422, 86—15684
Saito, S. *see* Yonezawa, M. 87—66592
Saito, T. Voice communication by packet system 85—3297
Saito, T. A chaos generator based on a quasi-harmonic oscillator 85—17199
Saito, T. Innovation in communication networks 85—19643
Saito, T. On a hysteresis chaos generator 85—28416
Saito, T. A chaos generator based on a quasi-harmonic oscillator 85—44920
Saito, T. VAN: value added networks 85—47037
Saito, T. Automatic extraction of left ventricular boundaries on X-ray cineangiograms 85—53045
Saito, T. Optical local area networks in Japan 86—54907
Saito, T. Why security is needed [Information Network Systems] 86—69278
Saito, T. Hysteresis chaos generator 87—475
Saito, T. Trends of electronic mail system based on personal computer communication 87—40299
Saito, T. Performance evaluation of computer communication protocol 87—48721
Saito, T. On a coupled relaxation oscillator 87—65921
Saito, T. Electronic mail and group communications 88—9063
Saito, T. Vision on information processing and communication processing 88—41318
Saito, T. Cluster analysis based on nonparametric tests 88—56114
Saito, T. On chaos generating circuits described by a piecewise-linear constrained equation 88—56419
Saito, T. On a chaotic circuit family including one diode 88—70496
Saito, T., Amano, K., Ichikawa, A., Kato, Y. Switching power supply 87—36993
Saito, T., Chiba, T. An image reconstruction from incomplete observation by constrained spectrum extrapolation 86—16568
Saito, T., Fujishiro, H., Nishi, S., Sano, Y., Kaminishi, K. High speed inverted-HEMT logic with a sub-half-micron gate 88—20168
Saito, T., Hashizume, H., Nakajima, A., Matsubara, A., Ji, Y., Inose, H. An experimental network operating system to provide network transparent computing environment 87—48658
Saito, T., Inose, H., Kawai, T. A star type local area network—MULTISTAR—having simultaneous multiple transmission capability 87—76373
Saito, T., Inoue, M., Shimizu, A., Tamura, H., Miura, I. Aluminium RF cavity for the RCNP ring cyclotron 85—59089
Saito, T., Iwakuni, M., Tokumitsu, Y. A 14-GHz ultra-high stability feedback oscillator with balanced amplifier 85—1043
Saito, T., Kobayashi, S., Takeuchi, Y., Inose, H. Evaluation of alternatives for intra-network implementation of X.25 compatible packet switching networks 85—51836
Saito, T., Komatsu, T., Harashima, H., Miyakawa, H. Singular value decomposition (SVD) image coding scheme using vector quantization technique—SVD vector quantization 86—29994
Saito, T., Kudo, H. An image reconstruction from limited view angle projection data 87—62279
Saito, T., Kudo, H. High quality CT image reconstruction from a small number of projections 88—74832
Saito, T., Masabayashi, H., Kariya, T., Kiwamoto, Y., Miyoshi, S. Mode-selective directional coupler for high power microwave measurements 87—73612
Saito, T., Miyagawa, Y., Komatsu, T., Harashima, H. Vector quantization using interpolation for picture signals 87—33805
Saito, T., Murakami, K., Inose, H. Local digital telephone system on two-way cable television 87—27877
Saito, T., Nishi, S., Inomata, H., Itoh, T., Sano, Y., Kaminishi, K. High transconductance inverted HEMT for LSI 87—25593
Saito, T., Noguchi, K., Ichikawa, S., Tani, C., Naemura, S., Ueno, T., Tsuruta, S., Mitsuhashi, K., Honj, T., Taguchi, K., Oda, S., Motomura, T., Tadokoro, O., Ogawa, F. A high picture quality LC-TV using triangle trio-color dots addressed by a-Si TFTs 86—31257
Saito, T., Onuki, H., Nishi, M., Nagasaka, T. A measuring system of stored beam current for the ETL electron storage ring and its calibration 85—64347
Saito, T., Saito, K., Saito, I. Enhanced Integrated Centralized Extension System 87—8132
Saito, T., Saito, K., Saito, I., Nakagawa, K. Enhancement of the Integrated Centralized Extension System 86—49114
Saito, T., Saito, T., Hayamizu, T., Kurakawa, T., Kanomata, H. 90 MHz linear phase monolithic crystal filter for narrow band mobile radio systems 87—69946
Saito, T., Sato, F., Mizukoshi, Y., Shirato, K., Takishima, T. An automatic contour detection of left ventricle on cineangiogram and its application to the analysis of cardiac function 88—16707
Saito, T., Sato, H. Reliability of underground cable and splice enclosure in hot springs areas 88—73775
Saito, T., Shimizu, T. Trends of international standardisation [TV] 87—34713
Saito, T., Simizu, T. Trends of international standardization [TV broadcasting] 85—37191
Saito, T., Sugimoto, H., Yamazaki, M., Kawato, N. A rule-based logic circuit synthesis system for CMOS gate arrays 87—6915
Saito, T., Suzuki, K., Nakai, T., Suda, Y., Takayama, S., Mori, K., Shimada, O., Sasaoka, K., Sakano, T., Fukumoto, Y., Ambo, K. Amorphous silicon photoconductive contact image sensor 87—28976
Saito, T., Suzuki, K., Suda, Y. Amorphous silicon contact image sensor 85—20506
Saito, T., Takeo, H. Discrete cosine transform coding with gain/shape vector quantizers for picture signals 87—75856
Saito, T., Takeo, H., Aizawa, K., Harashima, H. Adaptive discrete cosine transform coding with gain/shape vector quantizers for picture signals 87—33804
Saito, T., Takeo, H., Aizawa, K., Harashima, H., Miyakawa, H. Discrete cosine transform coding with gain/shape vector quantizers for picture signals 86—49022
Saito, T., Takeo, H., Aizawa, K., Harashima, H., Miyakawa, H. Adaptive discrete cosine transform image coding using gain/shape vector quantizers 87—19919
Saito, T., Takeo, H., Moriya, A., Harashima, H. Method for designing gain/shape vector quantizer for spherically symmetric random source and its performance evaluation 87—27414
Saito, T., Tamura, H., Shimizu, A., Inoue, M., Itahashi, T., Miura, I. Acceleration system for the RCNP ring cyclotron 86—32006
Saito, T., Tokoro, M. The GAck Ethernet: Ethernet with immediate global acknowledgement mechanism 88—59688
Saito, T., Tokoro, M., Amano, H. The Compatible Acknowledging Ethernet 88—21677
Saito, T., Yamakawa, H., Komiya, S., Hee Jae Kang, Shimizu, R. Dynamic simulation of ion implantation with damaging processes included 87—60287
Saito, T., Yamamoto, T., Shigematsu, T., Nagao, K., Takeda, S., Suzuki, Y. Advanced super integration 87—37359
Saito, T. *see* Aizawa, K. 88—46283
Saito, T. *see* Aoki, S. 88—28498
Saito, T. *see* Ban, K. 88—7051

Saito, T. *see* Burnett, T.H. 87−8866
Saito, T. *see* Chiba, T. 86−30037
Saito, T. *see* Haneda, J. 86−20354
Saito, T. *see* Hiramoto, T. 85−40594, 87−60312
Saito, T. *see* Hirao, K. 86−12137
Saito, T. *see* Imaeda, K. 86−25126
Saito, T. *see* Inaba, N. 85−39955, 86−67070, 87−65776, 88−6635
Saito, T. *see* Inomata Fujishiro, H. 88−56272
Saito, T. *see* Iseda, K. 86−29772
Saito, T. *see* Ishii, K. 86−4427
Saito, T. *see* Iwakuni, M. 86−8512
Saito, T. *see* Kakinuma, Y. 88−25041
Saito, T. *see* Kang, H.J. 88−1340
Saito, T. *see* Kariya, T. 86−62993
Saito, T. *see* Kawato, N. 85−40019, 87−5753, 87−24085
Saito, T. *see* Kikuchi, M. 85−11862
Saito, T. *see* Kikuchi, Y. 88−70924
Saito, T. *see* Kimura, M. 85−35525
Saito, T. *see* Kinoshita, H. 87−32371
Saito, T. *see* Koshida, I. 86−54590, 87−69417
Saito, T. *see* Kotani, H. 88−58946
Saito, T. *see* Kudo, H. 88−8850, 88−36465 to 36466, 88−42535, 88−74833
Saito, T. *see* Kurachi, K. 87−20440
Saito, T. *see* Kurokawa, Y. 86−65127, 87−34757
Saito, T. *see* Mano, T. 88−25156
Saito, T. *see* Matoba, T. 88−40082
Saito, T. *see* Matsuo, H. 85−48695
Saito, T. *see* Matsuoka, N. 87−3845
Saito, T. *see* Matsuoka, S. 85−36841
Saito, T. *see* Miura, I. 85−59097
Saito, T. *see* Mori, S. 86−26158
Saito, T. *see* Nagao, K. 86−2421
Saito, T. *see* Nagashima, Y. 85−3887
Saito, T. *see* Nakai, T. 85−37488
Saito, T. *see* Nakamura, H. 87−32727
Saito, T. *see* Nishi, S. 87−60489, 87−60500
Saito, T. *see* Noguchi, K. 86−20095
Saito, T. *see* Ohmi, T. 88−64427, 88−71451, 88−71461
Saito, T. *see* Ohmori, Y. 86−67082
Saito, T. *see* Okamoto, Y. 86−32197
Saito, T. *see* Onuki, H. 88−29742
Saito, T. *see* Otomo, D. 87−62831
Saito, T. *see* Saga, Y. 87−49272
Saito, T. *see* Saito, T. 87−69946
Saito, T. *see* Sakai, H. 86−60586
Saito, T. *see* Sakata, S. 85−42506
Saito, T. *see* Sakurai, H. 86−65347
Saito, T. *see* Sato, H. 87−8141
Saito, T. *see* Sekine, A. 85−33178
Saito, T. *see* Shibahara, K. 87−18136, 87−25339
Saito, T. *see* Shigaki, M. 88−38726
Saito, T. *see* Shimizu, A. 85−15101
Saito, T. *see* Suda, Y. 86−13802, 87−323, 87−77150, 88−42159
Saito, T. *see* Sudo, T. 86−14177
Saito, T. *see* Suzuki, K. 85−26217, 85−31380
Saito, T. *see* Suzuki, M. 86−3377, 88−25040
Saito, T. *see* Suzuki, T. 85−37294
Saito, T. *see* Takikawa, O. 86−62954
Saito, T. *see* Tanioka, S. 87−31093
Saito, T. *see* Tanioka, S.-I. 86−33880
Saito, T. *see* Tomoda, K. 85−58563, 86−24089, 87−34772
Saito, T. *see* Tsujiuchi, J. 85−56876, 86−5920
Saito, T. *see* Uda, T. 85−30356, 87−2416
Saito, T. *see* Umeda, Y. 87−66515
Saito, T. *see* Watanabe, Y. 86−31522
Saito, T. *see* Yamazaki, T. 86−24894, 88−42357
Saito, T. *see* Yoshihara, K. 85−55925
Saito, T.T. *see* O'Connell, R.M. 85−19002
Saito, T.T. *see* Romberger, A.B. 85−35376
Saito, T.T. *see* Wiggins, T.A. 85−7493
Saito, Y. Satellite broadcasting 85−47633
Saito, Y. Sensors for partially helping and nursing care robots 88−10402
Saito, Y. On the recurrence techniques for the calculations of infinite series involving Bessel functions 88−24621
Saito, Y. Recent trends on compact TV receiver 88−41814
Saito, Y., Abe, K., Kawamoto, C., Kuwano, H. Conduction mechanism of polycrystalline silicon thin film transistors 88−7605
Saito, Y., Anami, S., Fukuda, S., Shidara, T., Honma, H., Nakao, K., Hanaki, H. Outgassing results of waveguide systems fed with high power microwaves 85−37842
Saito, Y., Fukui, Y. Electronics and mechanics for medical precision engineering 87−35442
Saito, Y., Hayano, S., Tsuya, N. Field computations by the complementary networks 86−42686
Saito, Y., Hayano, S., Tsuya, N., Saotome, H. Digital simulation of parallel inverters 85−49007
Saito, Y., Hayano, S., Yamamura, T., Saotome, H. Hysteretic fields in a toroidal reactor 85−23171
Saito, Y., Higashihara, T., Oshima, T., Itoh, H., Ishigami, S. A mechanism of electrically powered shoulder arm with a double linkage 86−25312
Saito, Y., Iio, N., Kameshima, Y., Takeda, R., Kuwano, H. Annealing effect on the resistivity of polycrystalline silicon films passivated with plasma-deposited silicon-nitride films 88−32751
Saito, Y., Itoh, H., Higashihara, T. The research on a total arm electrical powered prosthesis motion program 88−54642
Saito, Y., Kawamoto, C., Kuwano, H. Annealing effect on the resistivity of phosphorus doped LPCVD polycrystalline silicon films 86−67664
Saito, Y., Kishino, Y., Hayano, S., Nakamura, H., Tsuya, N., Cendes, Z.J. Faster magnetic field computation using locally orthogonal discretization 87−26623
Saito, Y., Komaki, S., Murotani, M. Feasibility considerations of high-level QAM multicarrier system 85−14125
Saito, Y., Matsue, H., Komaki, S. A new way of generating the Nyquist spectra-shaped high-speed and multilevel digital signals 85−34066
Saito, Y., Matuda, N., Anami, S., Fukuda, S., Shidara, T., Hanaki, H., Honma, H., Nakao, K., Kinbara, A., Tanaka, J. Properties of TiN coated microwave windows [for klystrons] 86−14809
Saito, Y., Matuda, N., Anami, S., Fukuda, S., Shidara, T., Hanaki, H., Honma, H., Nakao, K., Kinbara, A., Tanaka, J. High power test of microwave window using resonant ring 88−32718
Saito, Y., Mitsuoka, Y., Suganomata, S. Metal ion source using RF discharge combined with sputtering 85−20805
Saito, Y., Mizushima, I., Kuwano, H. Conduction mechanism of high-resistivity polycrystalline silicon films 85−34466
Saito, Y., Nakamura, Y. 256 QAM modem for high capacity digital radio system 87−2978
Saito, Y., Nakamura, Y., Kurita, O. 400 Mb/s 256 QAM digital microwave radio system performance 87−28395
Saito, Y., Nomura, A., Kano, T. A compact automatic measuring system for meteorological parameters with one-board micro-computer 87−42232
Saito, Y., Nomura, A., Kano, T. Effects of the gas flow rate and the circuit parameters of the spark gap side on characteristics of *LC* inversion TE N_2 laser 87−75018
Saito, Y., Nomura, A., Kano, T. An instantaneous multichannel spectroscopic system using an image sensor [dye laser wavelength measurement application] 88−40321
Saito, Y., Nomura, A., Kano, T. Energy enhancement and volume effect between parallel and transverse gas flow N_2 laser 88−65560
Saito, Y., Okada, T., Okamura, K., Kuwano, H. *I-V* characteristics of polycrystalline silicon with n^+pn^+ structure 85−29003
Saito, Y., Sakita, Y., Morita, S., Asano, A., Okayasu, M. A study on broadband time-division switch 87−20079
Saito, Y., Suganomata, S. Fabrication of NbN/Pb(In) Josephson junctions with high resistive normal layer produced by Ar^+ ion bombardment 87−1917
Saito, Y., Sugiyama, M., Ohshima, T. Three dimensional coordinate measuring machine and data processing method for a functional cosmetic arm 88−48233
Saito, Y., Takahashi, K., Hayano, S. Finite element solution of open boundary magnetic field problems 88−52042
Saito, Y., Tanaka, H., Fujita, K. Hexagonal iron nitride thin films prepared by plasma reaction 87−6997
Saito, Y., Tanaka, H., Hayashi, K., Anami, S., Matuda, M., Fukuda, S., Shidara, T., Hanaki, H., Honma, H., Nakao, K., Kinbara, A., Tanaka, J. RF window breakdown 87−14677
Saito, Y., Teramura, T., Nomura, A., Kano, T. Simultaneously tunable three-wavelength dye laser 85−62522
Saito, Y., Ueda, S., Tsunoda, S., Hashimoto, N., Osawa, Y., Fukushima, H., Sasamoto, T., Sugimoto, M. Local area information system based on videotex with audio 88−59569
Saito, Y. *see* Arakawa, T. 87−17026
Saito, Y. *see* Asami, A. 87−41781
Saito, Y. *see* Emori, F. 88−38741, 88−63936
Saito, Y. *see* Fukuda, S. 87−41818, 87−45514
Saito, Y. *see* Hanaki, H. 87−41779
Saito, Y. *see* Higashihara, T. 88−48232
Saito, Y. *see* Kawahira, H. 85−36892
Saito, Y. *see* Komachi, M. 85−58117
Saito, Y. *see* Kubota, S. 85−57923
Saito, Y. *see* Maruyama, T. 87−49722, 88−4399
Saito, Y. *see* Matsue, H. 85−47416, 86−37620
Saito, Y. *see* Matsumoto, H. 88−54060
Saito, Y. *see* Matsushita, Y. 87−25042
Saito, Y. *see* Matuda, N. 88−32706
Saito, Y. *see* Nakamura, Y. 87−48893
Saito, Y. *see* Nakao, K. 87−14678
Saito, Y. *see* Ogawa, Y. 87−14717
Saito, Y. *see* Ohsawa, S. 87−14686
Saito, Y. *see* Oshima, T. 85−4366
Saito, Y. *see* Sato, I. 87−41704
Saito, Y. *see* Shimizu, T. 88−44230
Saito, Y. *see* Tanaka, H. 87−14679
Saito, Y. *see* Tanaka, Y. 87−12075
Saito, Y. *see* Tanioka, S.-I. .86−33880
Saito, Y. *see* Tsuya, N. 86−35975, 87−32855, 87−46346, 88−51285, 88−57967
Saito, Y. *see* Tsuya, T. 88−44981
Saito, Y. *see* Umeki, T. 86−46479
Saito, Y. *see* Yamamura, T. 87−43076
Saito, Y. *see* Yen, Y.E. 87−52838
Saito, Y. *see* Yonezawa, H. 87−14680
Saitoh, A. *see* Hatoh, H. 86−31542
Saitoh, H. Fundamental research of on-line security monitoring of power system 87−4293
Saitoh, H., Murashita, M., Tobimatsu, K., Chiba, M., Hirose, T., Takasaki, F. Performance and radiation damage of a lead/scintillator calorimeter 87−14723
Saitoh, H. *see* Isobe, S. 85−5376
Saitoh, H. *see* Nakagiri, K. 88−16400
Saitoh, H. *see* Nakgiri, K. 87−14444
Saitoh, H. *see* Takuwa, M. 85−22928
Saitoh, H. *see* Toyoda, J. 87−71681
Saitoh, H. *see* Watanabe, Y. 88−55003
Saitoh, I. *see* Namikawa, T. 86−474
Saitoh, K., Aoki, H., Fujimura, K., Mawatari, A. Development of a high-speed and high-resolution liquid-crystal shutter (LCS) for printer based on dual-frequency addressed G-H mode 87−1991
Saitoh, K., Onoda, H., Morimoto, H., Katayama, T., Watakabe, Y., Kato, T. Practical results of photomask repair using focused ion beam technology 88−57541
Saitoh, K., Takeuchi, S., Moriizumi, K., Watakabe, Y., Kato, T. Electron beam pattern inspection system using digital image processing 86−53740
Saitoh, K. *see* Ishizaki, A. 86−45389
Saitoh, K. *see* Kashiwaki, T. 85−6790
Saitoh, K. *see* Kato, T. 85−29259, 86−11813, 87−11918
Saitoh, K. *see* Morimoto, H. 85−12092, 86−35500, 87−38051
Saitoh, K. *see* Ohmae, T. 87−43532, 88−11417
Saitoh, K. *see* Suga, M. 86−45780
Saitoh, K. *see* Takeuchi, S. 88−39295
Saitoh, M., Iwata, K., Nakamura, A., Kakegawa, M., Masuda, J., Hamamura, H., Hirose, F., Kawato, N. Logic simulation system using simulation processor (SP) 88−70709
Saitoh, M., Kinugawa, M., Hashimoto, H. Hot-carrier-induced degradation in MOSFETs studied by recovery temperature spectroscopy (RTS) 88−39444
Saitoh, M., Mori, T., Tamura, H. Electrical properties of thin Ta_2O_5 films grown by chemical vapor deposition 87−45718
Saitoh, M., Shibata, H., Momose, H., Matsunaga, J. Degradation mechanism of lightly doped drain (LDD) n-channel MOSFETs studied by ultraviolet light irradiation 86−21594
Saitoh, M., Takeda, T. Optical disk redundancy design considering bit-error characteristics 88−45067
Saitoh, M. *see* Aoi, H. 87−25820
Saitoh, M. *see* Iizuka, M. 87−31072
Saitoh, M. *see* Kudoh, O. 85−49876
Saitoh, M. *see* Lau, C.K. 88−39470
Saitoh, M. *see* Matsui, M. 88−6832
Saitoh, M. *see* Momose, H. 85−50737
Saitoh, M. *see* Nakada, M. 88−45038
Saitoh, M. *see* Ohtani, T. 87−59505
Saitoh, M. *see* Ohura, M. 87−67763
Saitoh, M. *see* Sasaki, H. 88−39488
Saitoh, M. *see* Shibata, H. 88−7745
Saitoh, M. *see* Tanabe, M. 88−51309
Saitoh, N. *see* Shimizu, H. 86−65523
Saitoh, R., Tanbara, M., Kurihara, S. Testing environment for facsimile communications system 88−9086
Saitoh, R. *see* Itoh, S. 86−30036
Saitoh, S., Honda, H., Kaneko, N., Izumi, M., Suzuki, S. The method of determining k_t and Q_m for low Q piezoelectric materials 87−1807
Saitoh, S., Konno, T., Hashimoto, Y., Shimizu, M. Utilization of a personal computer for application of meteorological information and satellite data. II. NOAA satellite data application 88−36662
Saitoh, S., Nakano, M., Yoshida, H., Honda, Y. CCD imager driver μPD6147G 88−22641
Saitoh, S., Ohuchi, T., Ohtomo, T., Watanabe, K. Automatic snow-cover depth measurement system using image processing 86−18106
Saitoh, S., Tanaka, H., Ono, A., Furuhama, Y., Manabe, T., Ihara, T. Excess attenuation of millimeter waves at window region due to atmospheric water vapor 86−63949
Saitoh, S., Yoshida, H., Honda, Y. CCD imager driver μPD6146G 86−60154
Saitoh, S. *see* Arimoto, A. 87−61270
Saitoh, S. *see* Hashimoto, M. 85−8105, 85−57744
Saitoh, S. *see* Koike, S. 87−7920
Saitoh, S. *see* Makabe, T. 87−28235
Saitoh, S. *see* Momose, H. 85−35073
Saitoh, S. *see* Nagano, K. 87−30236
Saitoh, S. *see* Sakai, H. 86−45701
Saitoh, S. *see* Voyatzakis, Y. 87−15356
Saitoh, T., Hayashi, Y. Recent advances of researches on high-efficiency crystalline silicon solar cells 88−11388

Saitoh, T., Komatsu, T., Harashima, H., Miyakawa, H. Information preserving transmission systems for continuous tone picture signals of picture database 85−30361
Saitoh, T., Komatsu, T., Harashima, H., Miyakawa, H. Still picture encoding by multidimensional outer product expansion 85−51761
Saitoh, T., Komatsu, T., Harashima, H., Miyakawa, H. Information preserving transmission systems of continuous-tone picture signals for picture data base 86−69118
Saitoh, T., Mukai, T. Broadband 1.5 μm GaInAsP travelling-wave laser amplifier with high-saturation output power 87−39094
Saitoh, T., Mukai, T. 1.5 μm GaInAsP traveling-wave semiconductor laser amplifier 87−68494
Saitoh, T., Mukai, T. Structural design of polarization insensitive 1.55-μm traveling-wave semiconductor laser amplifiers 88−58566
Saitoh, T., Takeo, H., Harashima, H., Miyakawa, H. Gain/shape vector quantizer for multidimensional spherically symmetric random source 86−10492
Saitoh, T., Takeo, H., Harashima, H., Miyakawa, H. Gain/shape vector quantizer for multidimensional spherically symmetric random source 86−69119
Saitoh, T., Uematsu, T., Kida, Y., Matsukuma, K., Morita, K. Design and fabrication of 20%-efficiency medium-resistivity silicon solar cells 88−37607
Saitoh, T. *see* Abe, M. 88−51263
Saitoh, T. *see* Aizawa, K. 87−27617
Saitoh, T. *see* Aota, K. 86−504
Saitoh, T. *see* Inoue, K. 87−39101, 88−2225
Saitoh, T. *see* Itoh, K. 87−68092
Saitoh, T. *see* Kawakatsu, A. 86−33827
Saitoh, T. *see* Morita, K. 87−58325
Saitoh, T. *see* Mukai, T. 86−68548, 87−39093, 87−46862, 87−56125, 87−68445
Saitoh, T. *see* Nagashima, Y. 85−31385
Saitoh, T. *see* Nakatani, M. 86−13080
Saitoh, T. *see* Sakat, I. 87−37904
Saitoh, T. *see* Sakata, I. 87−60214
Saitoh, T. *see* Shibahara, K. 88−44778
Saitoh, T. *see* Tarui, Y. 85−49606
Saitoh, T. *see* Tokiguchi, K. 85−61843, 86−13060
Saitoh, T. *see* Uematsu, T. 88−49835
Saitoh, Y. Recent topics in biomedical measurement with a piezoelectric crystal 86−38741
Saitoh, Y. *see* Arai, Y. 85−26794
Saitoh, Y. *see* Arakawa, K. 86−70415, 87−29783
Saitoh, Y. *see* Hatano, N. 86−66117
Saitoh, Y. *see* Kiryu, T. 88−40976
Saitoh, Y. *see* Korematsu, J. 85−33969
Saitoh, Y. *see* Makino, H. 86−32366, 87−8952
Saitoh, Y. *see* Mizuno, T. 88−71591
Saitoh, Y. *see* Nakano, M. 88−16276
Saitoh, Y. *see* Okada, I. 86−38727
Saitoh, Y. *see* Okada, M. 85−37998
Saitoh, Y. *see* Tanaka, K. 85−24157
Saitoh, Y. *see* Une, A. 88−13213
Saitoh, Y. *see* Yamakawa, A. 86−52534
Saitoh, Y. *see* Yoshihara, H. 87−14807
Saitou, H. *see* Abe, H. 88−51119
Saitou, K. *see* Shimizu, H. 86−58079
Saitou, N., Hosoki, S., Okumura, M., Matsuzaka, T., Matsuoka, G., Ohyama, M. Electron optical column for high speed nanometric lithography 87−25010
Saitou, N., Okazaki, S., Murai, F., Ozasa, S., Konishi, T. Analysis of pattern dimension accuracy in electron-beam lithography 86−35507
Saitou, N., Okazaki, S., Nakamura, K. Electron beam direct writing technology: system and process 88−19896
Saitou, N., Okumura, M., Matsuoka, G., Mazsuzaka, T., Komoda, T., Sakitani, Y. A high-speed, high-precision electron beam lithography system (electron optics) 85−35046
Saitou, N. *see* Matsuoka, G. 86−8936
Saitou, N. *see* Matsuzaka, T. 88−13233
Saitou, N. *see* Moriyama, S. 85−29076
Saitou, N. *see* Nakamura, K. 85−31308, 88−7539
Saitou, N. *see* Ohyama, M. 88−64466
Saitou, S. *see* Achiha, M. 88−29043
Saitou, T. *see* Takashima, M. 88−70446
Saitov, R.I. *see* Ismatullaev, P.R. 87−21290, 88−60983, 88−74640
Saitta, F. *see* Nobile, A. 88−31699
Saitta, G. *see* Neri, F. 87−65453
Saitta, L. The role of the optical fibre in data transmission 85−8391
Saitta, L. *see* De Mori, R. 85−2772
Saitta, L. *see* Gemello, R. 88−59086
Saitta, L. *see* Giordana, A. 85−36327, 87−7689
Saitta, L. *see* Kaltenmeier, A. 87−47545
Saitto, A. *see* Bitzer, K.L. 86−64894
Saitto, A. *see* Lopriore, M. 85−41708
Saitto, A. *see* Martinino, F. 88−46956
Saiz, E. *see* Bustamante, E.G. 87−73597
Saiz, F.J. *see* Ferrero, J.M. 88−56449, 88−57631
Saja, J.A.de *see* de Saja, J.A.
Sajdak, C. Electromagnetic forces in liquid metal stirred inductively in the process of semi-continuous and continuous casting of ingots 86−36681
Sajdak, C. The calculation of electromagnetic forces acting upon a billet stirred inductively in the process of casting 86−54274
Sajdak, C. Calculations of cylindrical induction pumps for liquid metals transport 87−12670
Sajdak, C. The transport of liquid metal in cylindrical induction pumps with inductors producing the travelling magnetic field 87−33374
Sajdak, C. Weakening of the end effect in cylindrical induction pumps for the transport of liquid metals 87−35927
Sajdak, C. The influence of irregular distribution of the velocities of liquid metal upon the electrodynamic forces in stirrers and induction pumps 87−36272
Sajdak, C. Cylindrical inductive pumps for transport of liquid metals. I. Electromagnetic fields 88−37620
Sajdak, C. Cylindrical inductive pumps for transport of liquid metals. II. Calculations and measurements 88−37621
Sajdak, C. *see* Barglik, J. 85−44327
Sajdak, C. *see* Kurek, A. 85−61487
Sajdak, Cz., Barglik, J., Kurek, K. Electromagnetic transport, feeding and stirring of liquid nonferrous metals in the foundry industry 85−32831
Sajfar, I. *see* Zderic, I. 87−4862
Saji, H. *see* Horikawa, J.I. 87−46378
Saji, H. *see* Okita, K. 86−36034
Saji, H. *see* Senda, M. 86−18306
Saji, K. Characteristics of limiting current-type oxygen sensor 88−22546
Saji, K., Kondo, H., Takahashi, H., Takeuchi, T., Igarashi, I. Characteristics of limiting current-type oxygen sensor 86−55698
Saji, M. *see* Yasuda, K. 87−74105
Saji, S. *see* Miyaguchi, H. 85−20370
Saji, S. *see* Suzuki, S. 87−59618
Saji, Y., Tada, E., Fujinaga, T., Kuroishi, K. The prototype bipolar superconducting EMT−ST-10B 85−49188
Saji, Y., Tada, E., Kuroishi, K., Fujinaga, T. Fundamental design of a superconducting coil, SAGE 7, on a fullscale EMT ship 86−42189
Saji, Y., Tada, E., Ogawa, S., Toda, H. Magnetic field shielding with Nb-Ti thin film 86−48623
Saji, Y. *see* Ogawa, S. 87−38712, 88−33560
Sajin, G., Dragoman, M. A new method for the synthesis of series fed microstrip arrays 87−75626
Sajin, G. *see* Dragoman, M. 88−2801
Sajja, V., Belani, J. Mechanism of solderability of solder plated copper leads 85−10495
Sajja, V., Belani, J. Ionic contamination 88−1603
Sajja, V., Diorio, M., Belani, J. Selection of lead frame materials for plastic packages 86−46103
Sajja, V. *see* Belani, J. 87−11223
Sajja, V. *see* DiOrio, M. 87−10173
Sajja, V. *see* Patel, A. 87−6274
Sajkowski, M. Evaluation of formal description techniques applied to communication protocols development 85−25564
Sajkowski, M. On verifying time-dependent protocols 86−49068
Sajkowski, M. Protocol verification in the presence of time 87−28216
Sajkowski, M. Protocol verification using discrete-event models 88−73423
Sajkowski, M. *see* Cellary, W. 85−19577
Sajons, J. *see* Barber, D. 88−54002
Sajonz, D. Fewer pollutant emissions due to continuous monitoring 88−5516
Sajowski, M. Evaluation of protocol verification techniques 86−43374
Sak, Ya.A. *see* Tsikhotska, E.Yu. 85−44295
Saka, K. *see* Hisano, A. 87−47995
Saka, N., Liou, M.J., Suh, N.P. The role of tribology in electrical contact phenomena 85−28755
Saka, O., Tachihara, H. A compact magnetometer data acquisition system with accurate chronometer 86−65503
Saka, T., Kobayashi, T., Nagamoto, S., Nishii, K., Hirose, T., Nakatsu, H., Nakatani, N., Endo, Y. Bus-type home control system using coaxial cables 87−48372
Sakabata, N. *see* Minehisa, S. 86−45859
Sakabe, A. *see* Mita, T. 88−55987
Sakabe, M. *see* Ishida, K. 86−51010
Sakabe, N., Nakazaki, K. Review of medical information processing applications by personal computer 86−37488
Sakabe, S., Yanai, Y., Nakamoto, M. MEL-LINER: A series of linear induction motors and their applications 87−78672
Sakabe, S. *see* Ohishi, H. 87−42803, 88−5636 to 5637
Sakabe, S. *see* Okita, T. 88−43411
Sakabe, S. *see* Tado, S. 87−1926
Sakabe, T. *see* Naemura, S. 85−14909
Sakabe, T. *see* Nakatani, N. 88−22627
Sakabe, T. *see* Usubuchi, T. 85−51988
Sakabe, Y. Dielectric materials for base-metal multilayer ceramic capacitors 88−7084
Sakae, H. *see* Abe, K. 88−16629
Sakae, H. *see* Uebayashi, T. 88−29903
Sakae, T. *see* Ijiri, H. 87−77593
Sakae, T. *see* Ishibashi, K. 85−26691
Sakae, T. *see* Kametani, H. 85−4207, 85−26716
Sakae, T. *see* Katase, A. 86−56049
Sakae, T. *see* Koori, N. 87−41876
Sakae, T. *see* Kurokawa, H. 85−49942
Sakae, T. *see* Matoba, M. 85−43230, 88−61088
Sakae, T. *see* Matsumoto, Y. 87−41870
Sakae, T. *see* Ohgaki, H. 86−50395, 87−41886, 88−36355
Sakagami, H., Imai, F., Aruga, T., Igarashi, T. The use of vidicon camera for attitude motion observation of Engineering Test Satellite-III (ETS-III) 85−48367
Sakagami, H. *see* Washida, H. 88−10416
Sakagami, I., Kuri, T., Hatori, K. On the time domain analysis and synthesis of cascaded transmission-line networks 85−17111
Sakagami, I., Nagai, N., Hatori, K. On reducing the period of input pulse trains using coupled-line networks 87−45015
Sakagami, I., Ogata, S., Yajima, S., Hatori, K. On the experimental results of digital frequency multipliers built up with constant-resistance coupled-lines 87−24297
Sakagami, I., Watanabe, T., Hatori, K. On matched resistively signal-split *n*-port networks with star connection 86−62673
Sakagami, I. *see* Watanabe, T. 86−20232, 87−44508
Sakagami, K. Station online network system in Hanshin Electric Railway 88−31113
Sakagami, M. *see* Suzuki, K. 86−35442
Sakagami, N. Hydrothermal growth and stoichiometric assessment of ZnO single crystals of high purity 86−46371
Sakagami, N. *see* Endo, T. 88−51688
Sakagami, S. WHM test equipment with power source control 88−29507
Sakagami, S. Experimental results on multipath propagation in 900 MHz mobile communication path−amplitude-frequency characteristics and angle of arrival 88−35417
Sakagami, S., Akeyama, A. Dependence of base station polarization diversity characteristics on polarization inclination angle at mobile station 87−56013
Sakagami, S. *see* Ito, A. 86−43795
Sakagami, S. *see* Kozono, S. 87−56014
Sakagami, S. *see* Matsumoto, K. 85−25532
Sakagawa, K., Itoh, S., Utsunomiya, T. A coding system for the monochrome still image using runlength coding 85−25182
Sakagawa, Y. *see* Shiono, N. 86−41950, 87−11861, 87−31887
Sakagawa, Y. *see* Sudo, T. 88−13559
Sakagimi, K. *see* Nemoto, M. 88−46821
Sakaguchi, A. *see* Kubono, S. 87−3915
Sakaguchi, A. *see* Sakai, H. 86−60586
Sakaguchi, F., Sakai, H. A spectrum separation method for the sum of two non-Gaussian stationary time series using higher order periodograms 87−69111
Sakaguchi, F., Sakai, H. Bisection algorithm for impulse response estimation from bispectrum 88−21213
Sakaguchi, H. Effects of error reduction in the digital processing of partial differential equation by $I_{\mathrm{T}}(z)$ transformation 85−5967
Sakaguchi, H., Kirihata, T. Digital processing methods for continuum by $I_{\mathrm{T}}(z)$ transformation 86−13705
Sakaguchi, H., Morimura, Y., Harakawa, K., Maruta, R. An automated 32 kbps ADPCM transcoder 86−55090
Sakaguchi, H., Niiro, Y. Reduction of high surge voltage on coiled optical fibre submarine cable 88−3976
Sakaguchi, H., Takahashi, K., Yamada, H. A wide-range power meter for measuring watthour meter loss 85−64181
Sakaguchi, H., Tobita, S., Otsubo, H., Teshima, Y. (HF335) VCR control microcomputers 86−38095
Sakaguchi, H. *see* Fujisaki, Y. 86−21138
Sakaguchi, H. *see* Hasegawa, S. 88−46448
Sakaguchi, H. *see* Ieiri, M. 87−3912
Sakaguchi, H. *see* Nakamura, M. 88−47755
Sakaguchi, H. *see* Noro, T. 86−70362
Sakaguchi, H. *see* Sakamaki, T. 86−38434
Sakaguchi, H. *see* Yamamoto, S. 86−43831, 86−63823, 88−41647
Sakaguchi, I. *see* Yasui, K. 85−59843
Sakaguchi, J. *see* Hagiwara, S. 86−43606
Sakaguchi, J. *see* Samejima, A. 86−38088
Sakaguchi, K., Sato, T., Koyama, K., Ikeda, S., Yamamizu, S., Wada, Y. Wide-band multilayer ultrasonic transducers made of piezoelectric films of vinylidene fluoride-trifluoroethylene copolymer 87−12020
Sakaguchi, K., Yamamoto, K., Maeta, S. Circuit for measuring minute variation of the electrostatic capacity using MOS field-effect transistor 85−20694
Sakaguchi, K. *see* Fujisawa, K. 88−23215
Sakaguchi, K. *see* Kambara, S. 85−13812
Sakaguchi, K. *see* Okunaka, J. 85−3040

Sakaguchi, K. *see* Takahashi, Y. 85−57615, 86−23282
Sakaguchi, M. Optical information processing devices. I. Optical switching device 86−49595
Sakaguchi, M., Goto, H. High speed optical time-division and space-division switching 86−49684
Sakaguchi, M., Kaede, K. Optical switching device technologies 87−56141
Sakaguchi, M., Ohhashi, T., Azuma, T. An apparatus for continuous recording of sweating rate by use of a hygrometer of electrostatic capacity type 85−64544
Sakaguchi, M., Ohta, M. Environmental effect on surface conductivity and the $\alpha \rightarrow \beta$ phase transition of zinc phthalocyanine 86−27963
Sakaguchi, M., Ono, N., Ohhashi, T. A new apparatus to measure simultaneously inner and outer diameters utilizing the X-ray sensitive image sensor 87−56849
Sakaguchi, M. *see* Fujiwara, M. 88−67339
Sakaguchi, M. *see* Goto, H. 86−55298, 87−40914
Sakaguchi, M. *see* Kubota, K. 86−31241
Sakaguchi, M. *see* Sugimoto, S. 87−40904
Sakaguchi, N. *see* Umezawa, T. 86−61743
Sakaguchi, R. *see* Ohno, H. 86−51007
Sakaguchi, S. Drawing of high-strength long-length optical fibers for submarine cables 85−35435
Sakaguchi, S., Fujiura, K., Ohishi, Y., Terunuma, Y., Kanamori, T. Formation of extrinsic scatterers in ZrF_4-based fluoride optical fibers 88−26781
Sakaguchi, S., Hibino, Y., Ohishi, Y., Takahashi, S. Surface flaws in ZrF_4-based fluoride optical fibres with improved tensile strength 88−26780
Sakaguchi, S., Itoh, H., Hanawa, F., Kimura, T. Drawing-induced 1.53-μm wavelength optical loss in single-mode fibers drawn at high speeds 86−2667
Sakaguchi, S., Kanamori, T., Terunuma, Y., Ohishi, Y., Takahashi, S. Photoluminescence at 0.5 μm wavelength in fluoride optical fibers 86−63651
Sakaguchi, S., Kimura, T. High-speed drawing of optical fibers with pressurized coating 85−62322
Sakaguchi, S., Takahashi, S. Low-loss fluoride optical fibers for midinfrared optical communication 88−13826
Sakaguchi, S., Terunuma, Y., Ohishi, Y., Kanamori, T. Fluoride fibre drawing with improved tensile strength 88−473
Sakaguchi, S. *see* Haeiwa, T. 88−9948
Sakaguchi, S. *see* Hanafusa, H. 86−9462, 86−28868
Sakaguchi, S. *see* Hattori, H. 87−38731, 87−60895
Sakaguchi, S. *see* Hibino, Y. 86−15445, 86−22135
Sakaguchi, S. *see* Kanamori, T. 86−42287, 86−63650
Sakaguchi, S. *see* Mitachi, S. 86−22137
Sakaguchi, S. *see* Ohishi, Y. 87−7087, 87−38744
Sakaguchi, S. *see* Yamamoto, S. 86−42529
Sakaguchi, T. Verification system for home bus systems 87−48375
Sakaguchi, T. Development of linear motor car for small cross section subways 88−31112
Sakaguchi, T., Fujiwara, R., Suzuki, H., Kohno, Y. Design and development of human interface in engineering workstation for power system planing 87−9137
Sakaguchi, T., Koyama, F., Iga, K. Vertical cavity surface-emitting laser with an AlGaAs/AlAs Bragg reflector 88−65673
Sakaguchi, T., Odagawa, T., Kobayashi, T., Iga, K. Electron-beam evaporation of TiO_2/SiO_2 dielectric multi-layer reflector for surface emitting lasers 87−31555
Sakaguchi, T., Tanaka, H., Uenishi, K., Gotoh, T., Sekine, Y. Prospects of expert systems in power system operation 88−54923
Sakaguchi, T. *see* Fujiwara, R. 86−50904, 86−65659, 87−4331
Sakaguchi, T. *see* Hasegawa, A. 87−70776
Sakaguchi, T. *see* Horiike, S. 87−59342
Sakaguchi, T. *see* Ishikawa, T. 86−32654
Sakaguchi, T. *see* Ito, M. 86−54734
Sakaguchi, T. *see* Kajikawa, T. 87−66181
Sakaguchi, T. *see* Kinoshita, S. 86−68547, 87−39113, 87−61146
Sakaguchi, T. *see* Kohno, Y. 86−65656
Sakaguchi, T. *see* Komai, K. 87−4319, 87−78020
Sakaguchi, T. *see* Koyama, F. 87−23689, 87−31500, 87−68516, 88−65725
Sakaguchi, T. *see* Matsumoto, K. 85−59582, 86−26192
Sakaguchi, T. *see* Muraoka, Y. 85−25267
Sakaguchi, T. *see* Nishida, S. 85−15665
Sakaguchi, T. *see* Okada, T. 85−19665
Sakaguchi, T. *see* Wollenberg, B.F. 88−30317
Sakaguchi, Y. *see* Kobayashi, T. 87−37992
Sakaguchi, Y. *see* Nakamura, E. 86−6372
Sakaguchi, Y. *see* Okimatsu, T. 88−41478
Sakaguchi, Y. *see* Shinno, Y. 88−28847
Sakaguchi, Y. *see* Tatsuta, T. 86−51008
Sakaguchi, Y. *see* Tonouchi, M. 87−73067, 88−13698, 88−18704
Sakai, A., Asano, H., Murakoshi, T., Saiga, H. Development of liquid-fed ceramic melter (LFCM) for commercial scale vitrification 88−56321
Sakai, A. *see* Kuwabara, K. 85−37676, 86−5375
Sakai, E. Recent measurements and scintillation-photodetector systems 87−41826
Sakai, E., Nakatani, H., Tatsuyama, C., Takeda, F. Average energy needed to produce an electron-hole pair in GaSe nuclear particle detectors 88−61085
Sakai, E. *see* Nakatani, H. 88−4792
Sakai, E. *see* Sasada, I. 86−44306
Sakai, E. *see* Ueda, H. 88−16752
Sakai, F. *see* Okayama, S. 88−57528
Sakai, H. A parallel least-squares linear prediction method based on the circular lattice filter 86−64261
Sakai, H. Estimation of frequencies of sinusoids in colored noise 87−19734
Sakai, H. The contributions of the electrified railway in Japan 87−72527
Sakai, H. Signal processing and system identification from the viewpoint of recent algorithms 88−8779
Sakai, H., Abe, Y., Hibino, Y. High efficiency Super DH type isothermal compressors 88−17810
Sakai, H., Asano, A., Nishiura, M., Kamiyama, M., Uchida, Y., Haruki, H. The effect of dopants on the stability of a-Si solar cells 85−27633
Sakai, H., Atsugi, T., Kubota, S., Kato, S. High E_b/N_0 variation-hardened soft decision scheme for Viterbi decoder 87−7666
Sakai, H., Hirakawa, K., Inoue, K. Wave function dependent electron transport in n-AlGaAs/GaAs heterostructures and its applications to velocity modulation transistor (VMT) and switch (VMS) 86−47361
Sakai, H., Ichikawa, Y., Ichimura, T., Saitoh, S., Uchida, Y. Amorphous silicon solar cells produced by combination of plasma and photo-CVD techniques 86−45701
Sakai, H., Ihara, T., Nabeta, O., Yoshida, T., Maruyama, K., Ichikawa, Y., Uchida, Y. Light induced change in a-Si:H p-i-n solar cells under various light soaking conditions 88−49157
Sakai, H., Kajiyama, M., Fujita, T., Hasegawa, K., Yamada, H., Komeda, T. High-speed, low-power dissipation bipolar device 'VIST' 86−53786
Sakai, H., Kikuchi, K., Kameyama, S., Kajiyama, M., Komeda, T. A trench isolation technology for high-speed and low-power dissipation bipolar LSIs 88−7728
Sakai, H., Kurita, Y., Tonouchi, M., Kobayashi, T. Superconductor-base hot-electron transistor. II. Fabrication and electrical measurements 86−63589
Sakai, H., Maruyama, M., Yoshida, T., Ichikawa, Y., Kamiyama, M., Ichimura, T., Uchida, Y. Preparation of a-Si:H films and devices in the interdigital-vertical-electrode deposition apparatus 85−61006
Sakai, H., Matsumoto, H., Tamamushi, S., Suzuki, S., Nishikawa, K. An 8-inch fixed-disk drive with thin-film heads 86−47963
Sakai, H., Matsuoka, N., Saito, T., Sakaguchi, A. The response function of organic scintillator NE213 to 59.5 MeV neutrons 86−60586
Sakai, H., Ohsima, H., Tokumaru, H. Estimation of frequencies of sinusoids in colored noise 86−37104
Sakai, H., Tokumaru, H. Statistical properties of coherence and power contribution ratios via multivariate autoregressive modeling 86−7615
Sakai, H., Uchida, Y. Current progress towards reducing light-induced degradation in a-Si:H films and solar cells 88−31017
Sakai, H. *see* Asahara, Y. 87−18742
Sakai, H. *see* Bakoshi, T. 85−52278
Sakai, H. *see* Hayashi, H. 85−33109
Sakai, H. *see* Higo, T. 88−61047
Sakai, H. *see* Ichikawa, Y. 87−31584, 88−5845, 88−24801
Sakai, H. *see* Ichimura, T. 86−27932, 87−9864
Sakai, H. *see* Iiguni, Y. 85−63041, 86−29848, 86−64297, 87−23560, 88−46078, 88−59132
Sakai, H. *see* Kameyama, S. 88−13345
Sakai, H. *see* Kaneko, T. 86−33748
Sakai, H. *see* Kasori, H. 87−21132
Sakai, H. *see* Kawada, H. 86−40008, 87−58248
Sakai, H. *see* Kikuchi, K. 86−53785
Sakai, H. *see* Kobayashi, T. 86−42169, 86−53599
Sakai, H. *see* Koori, N. 87−41876
Sakai, H. *see* Kurokawa, S. 86−24851
Sakai, H. *see* Maruyama, K. 87−9787
Sakai, H. *see* Matsuoka, K. 87−64706
Sakai, H. *see* Matsuoka, N. 87−3845
Sakai, H. *see* Matsushita, K. 86−43658, 86−43663, 86−43688, 87−8113
Sakai, H. *see* Miyamoto, Y. 87−14344
Sakai, H. *see* Miyazaki, K. 85−7535, 87−26514
Sakai, H. *see* Mori, T. 87−17163
Sakai, H. *see* Motobayashi, T. 88−74748
Sakai, H. *see* Murcray, F.H. 87−77862
Sakai, H. *see* Naoi, K. 87−78881
Sakai, H. *see* Ohsawa, M. 86−22215
Sakai, H. *see* Osaka, T. 87−43358
Sakai, H. *see* Sakaguchi, F. 87−69111, 88−21213
Sakai, H. *see* Shimizu, A. 85−15101
Sakai, H. *see* Shiragaki, K. 85−14869
Sakai, H. *see* Suzuki, G. 85−13976
Sakai, H. *see* Takamatsu, A. 85−453
Sakai, H. *see* Takeuchi, M. 87−200
Sakai, H. *see* Tonouchi, M. 86−58713, 87−68000
Sakai, H. *see* Uchida, Y. 87−30989
Sakai, H. *see* Wakita, T. 86−40102
Sakai, H. *see* Yamada, H. 88−32244
Sakai, H. *see* Yasumori, T. 88−52246
Sakai, H. *see* Yoshida, T. 88−37545
Sakai, H. *see* Yoshmi, T. 85−33488
Sakai, I. Multiplexing systems for optical fibre sensors using a frequency modulated source 86−48185
Sakai, I. Frequency-division multiplexing of optical-fibre sensors using a frequency-modulated source 87−7149
Sakai, I. Multiplexing systems for interferometric sensors with short imbalances 88−16040
Sakai, I., Parry, G., Youngquist, R.C. Multiplexing fiber-optic sensors by frequency modulation: cross-term considerations 86−36187
Sakai, I., Yongquist, R.C., Parry, G. Multiplexing of optical fiber sensors using a frequency-modulated source and gated output 87−68095
Sakai, I. *see* Faridian, F. 86−65577
Sakai, I. *see* Gupta, R.K. 87−11955, 88−26507
Sakai, I. *see* Kouchiyama, A. 86−9382, 87−18477
Sakai, I. *see* Kudoh, O. 85−49876
Sakai, I. *see* Mizoguchi, T. 86−53882, 88−51186
Sakai, I. *see* Sasaki, H. 86−5755, 88−42392
Sakai, I. *see* Zappe, H.P. 87−38537
Sakai, J. Degree of polarization including the random-mode-conversion effect in anisotropic single-mode optical fibers 85−7248
Sakai, J., Hirama, K., Murakami, S.-I., Kiyonaga, B., Kobayashi, M., Ishida, T. MBE growth using a EIES rate monitor 88−12004
Sakai, J., Machida, S., Kimura, T. Polarization characteristics in twisted single-mode optical fibers 85−29607
Sakai, J., Shimizu, M. Power spectrum of fibre output fluctuation in polarisation-preserving optical fibres 85−7230
Sakai, J. *see* Yamamoto, Y. 86−43828
Sakai, K. Boundary element analysis for electromagnetic fields produced by a line current source 85−41551
Sakai, K. Boundary element analysis of electromagnetic fields in a lossy dielectric cavity 86−67471
Sakai, K. Storage batteries 87−30899
Sakai, K., Matsushima, Y. Molecular beam crystal growth techniques and new structural elements 85−16942
Sakai, K., Saito, M., Sugi, M., Iizima, S. Molecular p-n junction photodiodes of Langmuir multilayer semiconductors 85−62447
Sakai, K., Yonenaga, K., Shinguryo, S., Ikeda, I. Digital erase masking in color electrophotography 88−72206
Sakai, K., Yoshida, T., Kuba, K., Kato, Y., Ichioka, Y. The applications of the Stark effect to the stabilization of the CO_2 laser and the submillimeter laser 87−46752
Sakai, K. *see* Akiba, S. 85−2302, 85−51188, 87−34573
Sakai, K. *see* Arakawa, A. 88−62132
Sakai, K. *see* Kasahara, K. 85−14906
Sakai, K. *see* Kawamura, R. 85−32191, 85−37701
Sakai, K. *see* Kobayashi, M. 86−2632, 86−22041, 86−28747
Sakai, K. *see* Matsuda, K. 88−46271
Sakai, K. *see* Matsushima, Y. 88−15446
Sakai, K. *see* Mutoh, N. 86−6771, 86−12827, 86−45418
Sakai, K. *see* Nakamura, Y. 86−4008
Sakai, K. *see* Ogawa, T. 88−64386
Sakai, K. *see* Seki, K. 86−60475
Sakai, K. *see* Shinguryo, S. 87−7501
Sakai, K. *see* Sugi, M. 86−58833
Sakai, K. *see* Suzuki, A. 88−56320
Sakai, K. *see* Takeuchi, S. 87−56928
Sakai, K. *see* Takiguchi, S. 88−42995
Sakai, K. *see* Utaka, K. 85−12851, 85−41391, 86−68534
Sakai, K. *see* Yamane, S. 85−39041
Sakai, K. *see* Yanagisawa, T. 86−5435, 86−50168
Sakai, M. Data processing program for voltage-current standard using personal computer 86−38189
Sakai, M. A characterization of a class of polynomial splines by convolution 87−10296
Sakai, M., Hamada, N. Stable approximation methods by the interpolation of phase spectrum 86−69038

Sakai, M., Hamada, N. Design of IIR group delay digital filters using the iterative near least-square criteria 87−27487

Sakai, M., Lopez de Silanes, M.C. A simple rational spline and its application to monotonic interpolation to monotonic data 87−23555

Sakai, M., Usmani, R.A. On exponential splines 86−62100

Sakai, M., Usmani, R.A. A shape preserving area true approximation of histogram by rotational splines 88−63201

Sakai, M. *see* Fujiwara, Y. 86−42040

Sakai, M. *see* Hara, K. 86−51483

Sakai, M. *see* Jenkins, M.G. 88−18776

Sakai, M. *see* Kimura, M. 88−31216

Sakai, M. *see* Mitsui, K. 87−70576

Sakai, M. *see* Mizumura, M. 87−8172

Sakai, M. *see* Ohta, Y. 86−65672

Sakai, M. *see* Wakamatsu, K. 87−66632

Sakai, N. Measuring a broadband range with speed and accuracy [optical spectrum analyser] 88−42009

Sakai, N. *see* Bessho, K. 86−29321, 87−2267, 87−26647

Sakai, N. *see* Uchino, K. 87−67657

Sakai, R. Digitized collector supply overcomes analog curve tracer disadvantages 88−33115

Sakai, R. *see* Ikeda, Y. 88−41203

Sakai, R. *see* Kinji, Y. 85−27473

Sakai, R. *see* Miyauchi, S. 88−9099

Sakai, R. *see* Yamashita, F. 87−70005

Sakai, S. A sprout of creative−fluxon devices 85−50869

Sakai, S. Analytic solutions for bunched two-fluxon states in Josephson transmission lines 87−60858

Sakai, S. New method to relax thermal stress in GaAs grown on Si substrates 88−437

Sakai, S. Development of sampling oscilloscopes will trigger ultra-wide band measurement 88−67937

Sakai, S., Akoh, H., Hayakawa, H. Fluxon feedback oscillator 85−1864

Sakai, S., Akoh, H., Hayakawa, H. Fluxon transfer device 86−22042

Sakai, S., Akoh, H., Hayakawa, H. Fluxon divider 86−22045

Sakai, S., Akoh, H., Hayakawa, H. Fluxon electronics 87−38701

Sakai, S., Akoh, H., Takada, S. A new method for writing binary information into fluxon devices 88−13748

Sakai, S., Akoh, H., Yagi, A., Hayakawa, H. Fluxon devices 85−46098

Sakai, S., Hu, X.W., Umeno, M. AlGaAs/GaAs transverse junction stripe lasers fabricated on Si substrates using superlattice intermediate layers by MOCVD 87−68503

Sakai, S., Kohda, S., Minagawa, C., Masuda, K. Defect-tolerant active matrix circuit with duplicated data input routes for large liquid crystal display 86−11644

Sakai, S., Matyi, R.J., Shichijo, H. Selective liquid phase epitaxy and defect reduction in GaAs grown on GaAs-coated silicon by molecular beam epitaxy 88−18674

Sakai, S., Matyi, R.J., Shichijo, H. Growth of GaAs on GaAs-coated Si by liquid-phase epitaxy 88−31754

Sakai, S., Nagatomo, S., Kunito, N., Kawamura, M. Waveform analyzer SAS-8130A 88−9910

Sakai, S., Nitta, Y., Ito, T., Kakegawa, Y., Miyata, T. Development of on-line monitoring system of multi-point strain 87−49447

Sakai, S., Shima, A., Wang, S.T., Umeno, M. MOCVD grown AlAs/GaAs Bragg reflectors for photodetector application 85−46277

Sakai, S., Shiraishi, H., Umeno, H. AlGaAs/GaAs stripe laser diodes fabricated on Si substrates by MOCVD 87−68502

Sakai, S., Soga, T., Takeyasu, M., Umeno, M. AlGaAs/GaAs DH lasers on Si substrates grown using super lattice buffer layers by MOCVD 86−9857

Sakai, S., Soga, T., Takeyasu, M., Umeno, M. Room-temperature laser operation of AlGaAs/GaAs double heterostructures fabricated on Si substrates by metalorganic chemical vapor deposition 86−36459

Sakai, S., Soga, T., Takeyasu, M., Umeno, M. Room temperature operation of AlGaAs/GaAs DH lasers on Si grown entirely by MOCVD 86−54164

Sakai, S., Soga, T., Takeyasu, M., Umeno, M. MOCVD growth of III-V compounds on Si using strained superlattices 87−44394

Sakai, S., Soga, T., Umeno, M. Band gap energy and stress of GaAs grown on Si by MOCVD 87−16613

Sakai, S., Takaba, S. Communication protocol for mobile packet communication system using continuously allocated small zones 88−53186

Sakai, S., Umeno, M., Young Soon Kim Material properties and device application of GaAs and GaAsP grown on Si using superlattice intermediate layers by MOCVD 88−446

Sakai, S., Wang, T.T., Umeno, M. AlGaAs/GaAs wavelength-dividing photodiode with multi-layer filters grown by MOCVD 86−9686

Sakai, S., Xiong Wei Hu, Soga, T., Umeno, M. GaAlAs/GaAs TJS lasers on Si substrates operating at room temperature fabricated by MOCVD 87−33192

Sakai, S., Yamamoto, S., Umeno, M. MOCVD growth of InP using plasma pre-cracking 87−5454

Sakai, S. *see* Abiko, I. 86−54833

Sakai, S. *see* Akoh, H. 86−28740, 88−13749

Sakai, S. *see* Ando, T. 86−42201

Sakai, S. *see* Antoku, F. 86−59450

Sakai, S. *see* Fujii, S. 86−3164, 86−34326, 86−68550, 87−31532, 88−43884

Sakai, S. *see* Hansen, J.B. 87−74576

Sakai, S. *see* Mizuno, H. 88−61050

Sakai, S. *see* Morita, S. 87−77045

Sakai, S. *see* Murakawa, M. 87−47028

Sakai, S. *see* Ogawa, K. 88−68951

Sakai, S. *see* Omatsu, T. 87−31104

Sakai, S. *see* Pagano, S. 87−74575

Sakai, S. *see* Shima, A. 85−41285

Sakai, S. *see* Soga, T. 85−6005, 85−10694, 85−50239, 86−52495, 87−10426, 87−16675, 87−44385

Sakai, S. *see* Takahashi, Y. 85−10697

Sakai, S. *see* Takeyasu, M. 86−52521, 87−12326

Sakai, S. *see* Umeno, M. 87−301

Sakai, S. *see* Xiongwei Hu 88−40218

Sakai, S. *see* Yamada, S. 88−36076

Sakai, T. Microprocessors expand capabilities of oscilloscopes and waveform analysis 85−31496

Sakai, T. Oscilloscope improvements anticipate continued technical refinements 85−48011

Sakai, T. *V-t* characteristics of polymer insulator and limitation of electrical discharge in void 86−68107

Sakai, T. Awaited fuel cells for practical use-development 87−58306

Sakai, T. Chip placers acquire flexibility 88−37963

Sakai, T., Arai, J., Kuwabara, T. The Uruguaiana frequency converter station interconnecting Brazilian and Argentine AC systems 86−26165

Sakai, T., Hata, T., Ishida, S., Andow, R., Yamamoto, M., Harima, H. Failure modes of EPROM 85−54901

Sakai, T., Imai, K., Quinaud, M.R., Albuquerque, A.C. Converter control strategy in the Uruguaiana frequency converter station 86−12903

Sakai, T., Ishikawa, H., Oguro, K., Iwakura, C., Yoneyama, H. Effects of microencapsulation of hydrogen storage alloy on the performances of sealed nickel/metal hydride batteries 87−58278

Sakai, T., Komagata, H., Terada, N., Hagiwara, E. Compact mobile terminals for multi-beam mobile satellite communication systems 88−46999

Sakai, T., Konaka, S., Yamamoto, Y. Very high speed bipolar LSI process technology: SST 88−7726

Sakai, T., Konaka, S., Yamamoto, Y., Kobayashi, Y. Very high speed bipolar LSI process technology: SST 87−60623

Sakai, T., Konaka, S., Yamamoto, Y., Suzuki, M. Prospects of SST technology for high-speed LSI 86−47777

Sakai, T., Kutsuwada, N. Polarization and wavelength control of external cavity semiconductor lasers 87−12501

Sakai, T., Matsui, K., Inada, K., Ohgaki, I., Suzuki, T., Koyama, A. Automatic detection of hot slab subsurface inclusion 87−49484

Sakai, T., Motte, S., Tanaka, H., Ohta, M., Takahashi, K., Yamazaki, T. An active-matrix-addressed color LCD using a V^2-TFT 88−42211

Sakai, T., Murakami, N. Low reverse transfer capacitance VDMOS transistor 88−71582

Sakai, T., Nakajima, S. A study on error correction with interleave in mobile satellite communication 87−49004

Sakai, T., Nakajima, S., Mishima, H. A study of error rate monitoring in mobile satellite communication systems 87−3139

Sakai, T., Nakajima, S., Mishima, H. A study on error rate monitoring in mobile satellite communication systems 88−3903

Sakai, T., Okamoto, S., Iikawa, T., Natori, K., Nagai, T. A new hermetic sealing technique of aluminium package by laser 86−61939

Sakai, T., Okamoto, S., Iikawa, T., Sato, T., Henmi, Z. A new laser hermetic sealing technique for aluminum package 88−18477

Sakai, T., Sato, T., Henmi, Z. Magnetic properties and structure of Fe-3 mass% Si sintered alloy 88−44962

Sakai, T., Shimada, Y., Katoh, K. A method for improving convergency of power semiconductor devices structure analysis program 85−61881

Sakai, T., Shimada, Y., Katoh, K. Power semiconductor device simulator 87−25188

Sakai, T., Shimada, Y., Katoh, K. Power semiconductor device simulator 87−45859

Sakai, T., Shimada, Y., Katoh, K. A method for improving convergence in a power semiconductor device analysis program 87−53441

Sakai, T., Shimbo, M., Suzuki, M., Yamazaki, T., Sakami, R. A color LC panel using a very thin film transistor (V-TFT) 86−31258

Sakai, T., Taniguchi, K. A real-time shading compensation technique controlled by the video preamplifier 87−27599

Sakai, T., Terada, N., Yasuda, Y., Komagata, H. Mobile terminals for experimental mobile satellite system (EMSS) 88−35432

Sakai, T., Yumoto, M. A proposal of an optical method for measurement of gas composition (SF_6 and N_2) 85−35238

Sakai, T. *see* Akiyama, T. 86−65049

Sakai, T. *see* Ariki, Y. 87−19451, 87−27621, 88−45996, 88−59106

Sakai, T. *see* Feuerstein, H. 86−65893

Sakai, T. *see* Harashima, F. 87−43544

Sakai, T. *see* Henmi, T. 87−34755

Sakai, T. *see* Horiguchi, S. 86−8187

Sakai, T. *see* Iikawa, T. 87−43989

Sakai, T. *see* Ikawa, T. 86−52270

Sakai, T. *see* Ishii, H. 86−5973

Sakai, T. *see* Ishikawa, M. 86−50971

Sakai, T. *see* Iwakura, C. 86−33595

Sakai, T. *see* Kamino, K. 86−32258

Sakai, T. *see* Karasawa, S. 88−20343, 88−51491

Sakai, T. *see* Kim, Y. 85−43218, 86−50344

Sakai, T. *see* Kobayashi, Y. 86−41765

Sakai, T. *see* Konaka, S. 85−40046, 86−47776, 87−38509, 88−20111

Sakai, T. *see* Lin, X. 86−40842

Sakai, T. *see* Maenobu, K. 85−2769

Sakai, T. *see* Matsuzaki, H. 88−51061

Sakai, T. *see* Minoh, M. 86−30038, 86−48976, 87−48129, 87−62215

Sakai, T. *see* Miyanaga, H. 85−40104, 85−49898, 87−745

Sakai, T. *see* Nakahara, K. 86−51538

Sakai, T. *see* Nakajima, S. 86−10395, 86−22886, 87−40785, 88−35430

Sakai, T. *see* Nakamura, M. 87−34230

Sakai, T. *see* Okada, Y. 88−34802

Sakai, T. *see* Okino, T. 85−36540

Sakai, T. *see* Saga, Y. 88−53410

Sakai, T. *see* Shiraishi, F. 85−43309

Sakai, T. *see* Sunada, K. 87−49276, 88−9721

Sakai, T. *see* Suzuki, M. 86−20437

Sakai, T. *see* Takada, T. 86−70200

Sakai, T. *see* Tanabe, Y. 88−20136

Sakai, T. *see* Tanaka, H. 87−25264, 88−16320

Sakai, T. *see* Taniguchi, K. 87−63317

Sakai, T. *see* Tatsumi, S. 85−30729, 86−67988

Sakai, T. *see* Uehara, T. 87−63163

Sakai, T. *see* Ueyama, Y. 85−5473

Sakai, T. *see* Vamamoto, Y. 85−55758

Sakai, T. *see* Yamada, K. 85−51785, 87−20708

Sakai, T. *see* Yamaguchi, C. 88−7587

Sakai, T. *see* Yamamoto, M. 86−34791

Sakai, T. *see* Yamamoto, Y. 85−40885

Sakai, T. *see* Yanagisawa, I. 88−46569

Sakai, T. *see* Yomoto, M. 85−56940

Sakai, W. Tool development for large-scale logic simulation 88−12347

Sakai, Y. Retrofit of machine tools 85−60608

Sakai, Y., Aisawa, S., Hayashi, K., Arai, K., Ida, Y. A study on FM noise and linewidth of semiconductor laser 87−61169

Sakai, Y., Fukuyama, K., Matsumura, M., Nakato, Y., Tsubomura, H. The effect of interposing thin oxide layers on the photovoltaic properties of *a*-Si:H solar cells II between the middle *n* and *p* layers of a tandem-type cell 88−75940

Sakai, Y., Fukuyama, K., Matsumura, M., Nakato, Y., Tsubomura, H. The effect of interposing thin oxide layers on the photovoltaic properties of a-Si:H solar cells. I. Between a-Si:H and transparent conductive oxide layers 88−75943

Sakai, Y., Hayashida, T., Nagai, R., Yamamoto, S., Yamanaka, T., Kure, T., Minato, O. A buried giga-ohm resistor (BGR) load static RAM cell 85−49887

Sakai, Y., Hiramatsu, T., Takei, Y. DIPS VLSI processor development 85−841

Sakai, Y., Katsumata, I. An energy resolution formula of a three plane grid retarding field energy analyzer 85−43145

Sakai, Y., Matsumura, M., Nakato, Y., Tsubomura, H. Effect of metal/P-doped *a*-Si:H junctions on the photovoltage of *a*-Si:H solar cells 88−11383

Sakai, Y., Nagamine, T., Ikehama, H., Ariyama, H. Advanced Number Guide System by Electronic Computer 87−62529

Sakai, Y., Nakai, Y., Tsuda, K. Enhanced YEW-SERIES 80 87−8577

Sakai, Y., Ogata, S., Asai, S. Study on optical measuring instrument for chatter mark 85−31487

Sakai, Y., Sadaoka, Y. Humidity sensors using sulfonated microporous polyethylene films 86−5196

Sakai, Y., Sadaoka, Y., Fukumoto, H. Humidity-sensitive and water-resistive polymeric materials 88−35961

Sakai, Y., Sadaoka, Y., Ikeuchi, K. Humidity sensors composed of graft copolymers 86−55677

Sakai, Y., Sasaoka, M., Tanaka, Y., Hoshi, T. A new communications service system with inchannel signaling features 88−21549

Sakai, Y., Takeda, S., Onuma, Y., Kobayashi, M. Thermoelectric properties of deposited semiconductor thin films and their application 86−24479
Sakai, Y., Yae, S., Matsumura, M., Nakato, Y., Tsubomura, H. A new method of detecting pinholes existing in a-Si:H films 88−37403
Sakai, Y. *see* Ando, Y. 85−11666
Sakai, Y. *see* Egawa, T. 87−69508
Sakai, Y. *see* Hanamura, H. 86−67980
Sakai, Y. *see* Hanamura, S. 86−8192, 87−31806, 87−59499
Sakai, Y. *see* Hasegawa, N. 86−41666
Sakai, Y. *see* Ikehama, H. 88−41233
Sakai, Y. *see* Inaba, H. 85−44006
Sakai, Y. *see* Ito, H. 88−45310
Sakai, Y. *see* Itoh, H. 85−57622, 86−23286
Sakai, Y. *see* Kaga, T. 87−25487, 88−64660
Sakai, Y. *see* Kawanishi, H. 85−25378
Sakai, Y. *see* Kimura, K. 88−6820
Sakai, Y. *see* Kodama, H. 88−36470
Sakai, Y. *see* Kotera, H. 87−70299
Sakai, Y. *see* Matsumoto, M. 87−33839, 88−28532
Sakai, Y. *see* Matsumura, M. 86−26245, 87−36127
Sakai, Y. *see* Meguro, S. 85−50721, 86−41946, 88−33378
Sakai, Y. *see* Minato, O. 85−28528, 87−59503
Sakai, Y. *see* Mitsuhashi, Y. 85−41383
Sakai, Y. *see* Nakane, K. 86−11322
Sakai, Y. *see* Nakao, Y. 88−44898
Sakai, Y. *see* Nishikado, I. 87−76193, 88−21542
Sakai, Y. *see* Nohda, N. 85−14069, 85−47368
Sakai, Y. *see* Ohgo, M. 87−60525
Sakai, Y. *see* Okada, T. 85−19665
Sakai, Y. *see* Sadaoka, Y. 85−3943, 86−24477, 86−24498, 86−44251 to 44252, 86−70112, 87−65581, 88−16083, 88−35955, 88−42046
Sakai, Y. *see* Sawada, S. 88−6006
Sakai, Y. *see* Shimohigashi, K. 87−59484
Sakai, Y. *see* Takawashi, T. 88−11529, 88−18255
Sakai, Y. *see* Tanigawa, H. 87−55543
Sakai, Y. *see* Tsuboi, Y. 88−74174
Sakai, Y. *see* Yamada, T. 88−57962
Sakai, Y. *see* Yamanaka, T. 88−6872
Sakaida, A. *see* Moses, A.J. 87−18530
Sakaida, M. *see* Nitta, S. 86−28057
Sakaida, Y. *see* Takahashi, N. 88−56678
Sakaida, Y. *see* Takebe, H. 85−20374
Sakaie, Y. Probability of false alarm and threshold of square law detector-logarithmic amplifier for narrow band-limited Gaussian noise 86−37026
Sakairi, N., Yamada, H. Buried pipe location equipment 'Intelligent Pipe Locator IPL-500 A' 88−41969
Sakairi, N., Yamada, H. Ferrite sensor for automated ferrite guided vehicle 88−42050
Sakaji, N. *see* Hannakam, L. 85−20999
Sakaki, H. Optoelectronic devices using semiconductor quantum well structures 86−48405
Sakaki, H. Physical limits of heterostructure field-effect transistors and possibilities of novel quantum field-effect devices 87−6713
Sakaki, H. Prospect of quantum heterostructure materials and devices 87−24874
Sakaki, H. Molecular beam epitaxy: its retrospect and prospect 88−63323
Sakaki, H., Arakawa, Y., Nishioka, M., Yoshino, J., Okamoto, H., Miura, N. Light emission from zero-dimensional excitons−photoluminescence from quantum wells in strong magnetic fields 85−23501
Sakaki, H., Inoue, K., Hirakawa, K. An introduction to new possibilities in high-speed heterojunction FETs 85−34983
Sakaki, H., Kurata, H., Yamanishi, M. Novel quantum-well optical bistability device with excellent on/off ratio and high speed capability 88−27281
Sakaki, H., Motohisa, J.-I., Hirakawa, K. Roles of low field mobility and its carrier-concentration dependences in high electron mobility transistors and other field effect transistors 88−39504
Sakaki, H., Tanaka, M., Yoshino, J. One atomic layer heterointerface fluctuations in GaAs-AlAs quantum well structures and their suppression by insertion of smoothing period in molecular beam epitaxy 85−60969
Sakaki, H. *see* Arakawa, Y. 85−28990, 88−8176, 88−72329
Sakaki, H. *see* Furuta, T. 86−35400
Sakaki, H. *see* Hirakawa, K. 85−40493, 88−19695, 88−19707, 88−32852, 88−32914
Sakaki, H. *see* Inoue, K. 85−18141, 85−50230, 85−61721, 86−14897, 87−6443
Sakaki, H. *see* Kato, T. 88−19721
Sakaki, H. *see* Kawaji, S. 86−8849, 86−47377
Sakaki, H. *see* Kirakawa, K. 85−45680
Sakaki, H. *see* Motohisa, J.-I. 88−20012
Sakaki, H. *see* Tanaka, M. 86−34334, 86−53407, 87−1273, 87−36717
Sakaki, H. *see* Tsubaki, K. 85−2119
Sakaki, H. *see* Tsuchiya, M. 85−61741, 86−41742, 86−47528, 86−63232, 87−6440
Sakaki, H. *see* Uchiki, H. 85−56424
Sakaki, H. *see* Wakabayashi, J. 86−47311, 88−1422
Sakaki, H. *see* Yokoyama, K. 87−38263
Sakaki, H. *see* Yoshimura, H. 88−19726
Sakaki, O., Hosoya, Y., Yoshikawa, M. A tilted beam diversity reception system to reduce line-of-sight microwave fading 88−21957
Sakaki, S. A method of calculating characteristics of the solid rotor type three-phase induction motor 85−5073
Sakaki, S. *see* Harada, Y. 85−5108, 86−70932, 87−64605
Sakaki, T. *see* Kokubun, Y. 86−68247, 88−65339
Sakaki, T. *see* Nishi, A. 86−66420
Sakaki, Y., Matsuoka, T. Effect of surface layer on the magnetic characteristics of Mn-Zn ferrite 86−63570
Sakaki, Y., Matsuoka, T. Hysteresis losses in Mn-Zn ferrite cores 87−18533
Sakaki, Y., Matsuoka, T., Yamaguchi, M. Effect of dimensions on power losses in Mn-Zn ferrite cores 87−32877
Sakaki, Y., Okuno, H., Ishikawa, M., Naito, M. Iron loss of supermalloy film core 87−60821
Sakaki, Y., Sato, T. Large signal eddy current losses beyond 100 kHz 85−24178
Sakaki, Y., Sato, T. Conditions for minimum losses in Supermalloy cores used in the high frequency range 85−41038
Sakaki, Y., Sato, T. Relationship between losses under large flux excitation and small signal loss factors tan δ in magnetic cores for high frequency use 85−62198
Sakaki, Y., Sato, T. Relationship between losses under a large flux excitation and small signal loss factors tan δ in magnetic cores for high frequency use 87−53895
Sakaki, Y. *see* Amanuma, K. 88−72518
Sakaki, Y. *see* Katane, T. 85−26443, 85−26450
Sakaki, Y. *see* Okuno, H. 88−51337, 88−51343, 88−58006
Sakaki, Y. *see* Sato, T. 87−41586, 88−60886
Sakakibara, A., Iisaka, H., Mori, N., Okumura, T., Kawamura, T. Development of low-wind-pressure conductors for compact overhead transmission line 85−15632
Sakakibara, A. *see* Kuita, T. 87−4415
Sakakibara, H. Countermeasures against damage by heavy snowfall in Seikan Ship Bureau 86−51964
Sakakibara, H. *see* Koike, M. 88−19139
Sakakibara, K., Hataji, S., Fukunaga, M., Nagai, T., Isoda, M. Small/lightweight color video camera VZ-C10 85−42738
Sakakibara, K., Muroyama, S. An analysis of resonant converter's output characteristics 86−67034
Sakakibara, K., Muroyama, S. Steady-state analysis of series resonant converter with capacitor voltage clamping diodes 88−18923
Sakakibara, K., Tokiwa, K., Kasahara, M. Notes on q-ary expanded Reed-Solomon codes over GF (q^m) 88−8695
Sakakibara, K. *see* Hattori, T. 85−56556
Sakakibara, K. *see* Mino, M. 86−38089
Sakakibara, K. *see* Muroyama, S. 86−27078, 87−36958
Sakakibara, K. *see* Yamashita, T. 86−70658
Sakakibara, M. *see* Mitsuoka, K. 87−60838, 88−42039
Sakakibara, O. *see* Hirosawa, H. 86−36831
Sakakibara, S., Yamada, T., Orito, M., Hayase, M. Observations of small air showers at Mt. Norikura 85−4438
Sakakibara, S. *see* Miwa, H. 87−14975
Sakakibara, S. *see* Watanabe, A. 87−78966
Sakakibara, T., Fukisawa, K. Failure rate prediction and reliability design for ICs/LSIs used in commercial equipment 87−5295
Sakakibara, T., Hashimoto, Y., Endo, M. Potential barrier of metal-polymer contact 87−17795
Sakakibara, T., Okamoto, N. Nonlinear TE waves in a dielectric slab waveguide with two optically nonlinear layers 88−20402
Sakakibara, T. *see* Goto, T. 88−40477
Sakakibara, T. *see* Kawatake, K. 86−44854
Sakakibara, T. *see* Miura, N. 86−36671
Sakakibara, T. *see* Nakao, K. 86−22636
Sakakibara, T. *see* Terakado, R. 87−68699
Sakakibara, T. *see* Yamada, N. 87−6394
Sakakibara, T. *see* Yoshida, T. 87−30721
Sakakibara, Y., Higuchi, H., Oomura, E., Nakajima, Y., Yamamoto, Y., Goto, K., Namizaki, H., Ikeda, K., Susaki, W. High-power 1.3-μm InGaAsP P-substrate buried crescent lasers 86−22399
Sakakibara, Y., Kato, S., Shimada, T., Muranaka, M., Kimura, H. Design of NEFAX facsimile transceivers 86−49214
Sakakibara, Y., Oomura, E., Higuchi, H., Nakajima, Y., Namizaki, H., Ikeda, K., Susaki, W. High power and high temperature operation of InGaAsP/InP buried crescent laser diode emitting at 1.3 μm 85−46417
Sakakibara, Y., Oomura, E., Higuchi, H., Namizaki, H., Ikeda, K., Susaki, W. High temperature CW operation of p-substrate buried crescent laser diode emitting at 1.3 μm 85−2310
Sakakibara, Y., Takemoto, A., Nakajima, Y., Fujiwara, M., Kakimoto, S., Namizaki, H., Susaki, W., Shibayama, K. 1.3 μm InGaAsP/InP distributed feedback p-substrate partially inverted buried heterostructure laser diode 88−45451
Sakakibara, Y. *see* Iida, M. 86−56566
Sakakibara, Y. *see* Kakimoto, S. 88−34012
Sakakibara, Y. *see* Kuni, Y. 88−26076
Sakakibara, Y. *see* Kunii, Y. 87−65502
Sakakibara, Y. *see* Nakajima, Y. 88−8195
Sakakibara, Y. *see* Tabe, M. 87−23670, 88−24733
Sakakibara, Y. *see* Takahashi, M. 88−1419
Sakakihara, M. *see* Sei, M. 88−51373
Sakakihara, M. *see* Ueda, K. 86−52879
Sakakihara, T. *see* Hirao, T. 86−39312
Sakakima, H. *see* Omata, Y. 86−38094, 88−51280
Sakakitara, Y. *see* Takemoto, A. 87−54312
Sakakura, M. Calibration set for withstand voltage tester 85−22215
Sakakura, M. *see* Ogawa, K. 88−73803
Sakakura, N., Kasai, M. Outline of Technical Committee and investigation reports 88−31108
Sakakura, T. *see* Mori, S. 85−30417
Sakala, O. *see* Hrivnakova, D. 88−56855
Sakalas, A. *see* Abisalas, A. 87−45582
Sakalas, A. *see* Jasinskaite, R. 86−58262
Sakalas, A. *see* Kazlauskene, V. 86−63703, 88−39224
Sakalas, A. *see* Kazlauskiene, V. 87−33042, 87−45634
Sakalas, A. *see* Kietis, B.-P. 86−58821
Sakalas, A. *see* Pincevicius, A. 87−53471
Sakalas, P. *see* Bareikis, V. 86−58298, 86−63244, 87−24469, 87−53186, 88−7335, 88−32873
Sakalauskas, L.L. *see* Zanevitchius, D.J. 86−28416
Sakalauskas, S.V. *see* Balitskas, S.K. 86−68219
Sakalauskas, S.Yu. Characteristics of a capacitive strain gauge for mechanical vibrations 87−3566
Sakalauskas, S.Yu. *see* Zilinskas, M.A. 87−49865
Sakalis, I. *see* Gleizes, A. 86−26214
Sakallah, K.A. Polynomial terminal equivalent circuits as dormant models in even driven circuit simulation 86−28426
Sakallah, K.A., Director, S.W. SAMSON2: an event driven VLSI circuit simulator 86−21644
Sakallah, K.A., Director, S.W. SAMSON: a mixed circuit-logic-level simulator 86−34456
Sakallah, K.A., Yen, Y.-T., Greenberg, S.S. The Meyer model revisited: explaining and correcting the charge non-conservation problem 88−26321
Sakallah, K.A. *see* Vasquez, A.V. 86−63460
Sakallah, K.A. *see* Yen, Y. 87−60664
Sakalo, S.N. *see* Gladkoskok, N.D. 85−28726
Sakama, Y., Nakagawa, S., Ito, M. Multi-media database access services provided through a data communication processing system 85−25268
Sakamaki, H., Tsuda, S., Ikeda, T., Karoda, Y., Hatanaka, K., Hitotsubashi, H., Komatsu, T. Small-size facsimile using tight image sensor without lens array 88−35033
Sakamaki, T., Sakaguchi, H. Study on a method of measuring power loss of an electricity-meter auxiliary circuit 86−38434
Sakamaki, T., Takatori, S., Yamada, H., Hatakeyama, O. Automatic testing equipment for the pattern approval test of watthour meters 87−14093
Sakamato, S. *see* Miyatake, S. 85−52662
Sakame, S. *see* Shinya, T. 88−31152
Sakami, R. *see* Sakai, T. 86−31258
Sakami, Y. *see* Asano, K. 86−23268
Sakamoto, A. On the existence of an automorphism-invariant spanning tree 87−51987
Sakamoto, A., Shimamoto, T., Ushida, A. On routability for channel routing problem 86−63397
Sakamoto, A. *see* Aizawa, S. 85−36558
Sakamoto, A. *see* Inatani, J. 87−74589, 88−13744
Sakamoto, A. *see* Kano, M. 85−33285
Sakamoto, A. *see* Kasuga, T. 87−66530, 88−15717
Sakamoto, A. *see* Koyama, M. 85−3235
Sakamoto, A. *see* Kuribayashi, M. 85−11624
Sakamoto, A. *see* Nakaya, C. 87−3953
Sakamoto, A. *see* Shimamoto, T. 85−1146, 86−27003, 86−67575, 87−67324
Sakamoto, A. *see* Tamura, H. 88−71447
Sakamoto, A. *see* Tsuboi, M. 87−45237
Sakamoto, A. *see* Yuasa, H. 88−75423
Sakamoto, F. *see* Ichibakase, T. 85−41241
Sakamoto, F. *see* Kimura, M. 88−31216
Sakamoto, F. *see* Yumoto, N. 85−39285
Sakamoto, G. *see* Kitamura, M. 85−38109
Sakamoto, H. Technology of connecting different computers in total instrumentation system: YEWTOPIA 87−2890
Sakamoto, H. Timing generator 87−23992
Sakamoto, H., Hayama, M., Takasago, H., Sugiura, T., Yamane, K., Arai, H., Tokutomi, Y., Ando, T., Watanabe, K., Miki, H., Onishi, Y. A 10-in.-diagonal active-matrix LCD addressed by a-Si TFTs 88−42215

Sakamoto, H., Kikuchi, H., Nagao, M., Suzuki, F., Nakajima, H., Yamada, T., Itagaki, H. Image processing in a Mitsubishi superconducting magnetic-resonance imaging system 88−74819
Sakamoto, H., Ohta, T., Kondo, H. A method and performance of the optimum scalar quantizer for a simple class of probability density 85−57193
Sakamoto, H., Watanabe, E., Nishihara, A. Code optimization of digital networks for signal processors 86−62635
Sakamoto, H. *see* Abe, K. 88−16629
Sakamoto, H. *see* Fujiwara, Y. 85−26087
Sakamoto, H. *see* Harada, K. 86−7985, 86−33519, 86−67017, 87−4799, 87−36979, 87−52332, 87−72268, 88−30862, 88−50013
Sakamoto, H. *see* Hirakawa, K. 87−79094
Sakamoto, H. *see* Hiramatsu, S. 85−48156, 87−3843
Sakamoto, H. *see* Ieiri, M. 87−3912
Sakamoto, H. *see* Kimura, A. 86−13149
Sakamoto, H. *see* Kobayashi, S. 85−41208
Sakamoto, H. *see* Kondo, H. 86−30039 to 30040
Sakamoto, H. *see* Maehashi, Y. 87−37340
Sakamoto, H. *see* Miki, H. 88−44769
Sakamoto, H. *see* Mochizuki, S. 88−6041
Sakamoto, H. *see* Murayama, T. 87−3840
Sakamoto, H. *see* Noro, T. 86−70362
Sakamoto, H. *see* Ohsugi, T. 88−61125
Sakamoto, H. *see* Ohta, T. 85−46950, 85−63119, 88−8852, 88−41097
Sakamoto, H. *see* Onoda, K. 87−40387
Sakamoto, H. *see* Sato, H. 86−31778, 87−3816
Sakamoto, H. *see* Takeko, S. 85−52466, 87−63142
Sakamoto, H. *see* Wakui, F. 88−38482
Sakamoto, H. *see* Yasumura, M. 87−13910
Sakamoto, J., Kishi, H., Kimoto, Y. Single chip color TV signal processing IC 87−34804
Sakamoto, K. Radiobiological background for negative pion and heavy ion therapy on cancers 86−70432
Sakamoto, K. Architecture of three dimensional devices 87−53579
Sakamoto, K. Design of bubble-propagation circuits for current-access devices 88−58005
Sakamoto, K., Aoe, H., Kagawa, T., Yagi, Y., Harazono, S., Tanaka, T., Akoa, M. CAD/CAM system for laser processing by 'MEDIUS' 86−29270
Sakamoto, K., Ichimura, M. Automatic battery capacity testing development 85−31423
Sakamoto, K., Imai, T., Fujii, T., Ikeda, Y., Saigusa, M., Sagawa, J., Nagashima, T. Unipole multipactoring discharge in the LHRF launcher 87−19154
Sakamoto, K., Nishi, K., Yamaji, T., Miyoshi, T., Ushio, S. Complete process modeling for VLSI multilayer structures 86−21652
Sakamoto, K., Okabe, T., Kimura, M., Satonaka, K., Nishimura, T. Technology for a 250 V monolithic complementary MOSFET LSI with n^+ buried-layer protected CMOS logic 87−23933
Sakamoto, K., Okabe, Y. Proposal of and numerical simulation of $Hg_{1-x}Cd_xTe$ heterojunction bipolar transistors 86−41758
Sakamoto, K., Sakamoto, T. Atomic (molecular) layer epitaxy by MBE 88−38145
Sakamoto, K., Sakamoto, T., Nagao, S., Hashiguchi, G., Kuniyoshi, K., Bando, Y. Reflection high-energy electron diffraction intensity oscillations during Ge_xSi_{1-x} MBE growth on Si(001) substrates 87−52137
Sakamoto, K., Takeda, F., Kobayashi, K. Design of electrostatic fields in a new monocomponent system 86−42789
Sakamoto, K., Tsutsui, K. Protection techniques for telecommunication power systems 86−61185
Sakamoto, K., Yamamoto, S., Kato, T., Negishi, K., Akimoto, K. High speed coaxial cables for electronic computers 88−19446
Sakamoto, K., Yorkey, T.J., Webster, J.G. Some physical results from an impedance camera 87−50315
Sakamoto, K., Yorkey, T.J., Webster, J.G. Some physical results from an impedance camera 87−50372
Sakamoto, K. *see* Fujimura, S. 86−6367
Sakamoto, K. *see* Haeno, M. 86−50578
Sakamoto, K. *see* Hongo, A. 87−74723
Sakamoto, K. *see* Itamasu, N. 87−8395
Sakamoto, K. *see* Ito, M. 87−49368
Sakamoto, K. *see* Kanai, H. 88−16740
Sakamoto, K. *see* Kasai, M. 86−2425
Sakamoto, K. *see* Kimura, H. 85−30117
Sakamoto, K. *see* Kubota, S. 87−64084
Sakamoto, K. *see* Miyagi, M. 86−63631
Sakamoto, K. *see* Miyake, S. 85−55396
Sakamoto, K. *see* Mutoh, M. 88−69883
Sakamoto, K. *see* Nagashima, T. 85−1237, 86−41475
Sakamoto, K. *see* Nakajima, M. 85−51781
Sakamoto, K. *see* Nakamura, N. 88−16751
Sakamoto, K. *see* Nishitani, T. 85−49935
Sakamoto, K. *see* Okamoto, T. 86−53296
Sakamoto, K. *see* Sakamoto, T. 87−36709
Sakamoto, K. *see* Sasaki, M. 85−55445
Sakamoto, K. *see* Takeda, F. 86−42787, 87−9970, 88−55756
Sakamoto, K. *see* Takeda, T. 87−30826
Sakamoto, K. *see* Ueda, J. 85−23820
Sakamoto, K. *see* Yoshihiro, S. 86−53902
Sakamoto, M. Electromagnetic particle brake with heatpipe cooling system 85−32749
Sakamoto, M. Electromagnetic clutches and brakes 86−7261
Sakamoto, M. Small step angle, miniature stepping motors for hard disk drives 88−43224
Sakamoto, M., Harnagel, G.L., Welch, D.F., Lennon, C.R., Streifer, W., Kung, H., Scifres, D.R. 12.5-W continuous-wave monolithic laser-diode arrays 88−51818
Sakamoto, M., Hata, M. Effects of channel narrowing in small zone FM mobile communication systems 87−3093
Sakamoto, M., Hata, M. Effects of channel narrowing in small zone FM mobile communication systems 87−48935
Sakamoto, M., Hata, M. Efficient frequency utilization techniques for high-capacity land mobile communications system 87−48947
Sakamoto, M., Hata, M., Fujii, T. Efficient frequency utilization techniques for high-capacity land mobile communication system 87−28409
Sakamoto, M., Kato, Y. High-power (710 mW CW) single-lobe operation of broad area AlGaAs double heterostructure lasers grown by metalorganic chemical vapor deposition 87−46850
Sakamoto, M., Katoh, T., Abiko, H., Shimizu, T., Mikoshiba, H., Hokari, Y., Hamano, K., Kobayashi, K. Buried storage electrode (BSE) cell for megabit DRAMs 86−46856
Sakamoto, M., Ogawa, K. Location probability estimation of service availability in portable radio telephone systems 88−73843
Sakamoto, M., Okumura, Y., Kajiwara, Y., Uchida, H., Kaneko, S. High speed and high resolution ISO A4 size amorphous Si:H contact linear image sensor 85−25376
Sakamoto, M., Welch, D.F., Harnagel, G.L., Streifer, W., Kung, H., Scifres, D.R. Ultrahigh power 38 W continuous-wave monolithic laser diode arrays 88−65662
Sakamoto, M. *see* Hata, M. 86−43737
Sakamoto, M. *see* Horio, Y. 87−32004
Sakamoto, M. *see* Ikezaki, Y. 88−11523
Sakamoto, M. *see* Kaneko, S. 87−8521, 87−20944
Sakamoto, M. *see* Kasama, K. 86−35873, 87−32343
Sakamoto, M. *see* Kozono, S. 85−20073, 85−30939, 86−4533, 86−49512, 87−3062
Sakamoto, M. *see* Kuramoto, M. 85−20085
Sakamoto, M. *see* Okumura, K. 87−52319
Sakamoto, M. *see* Streifer, W. 88−65693
Sakamoto, M. *see* Takada, M. 87−10853, 87−17094
Sakamoto, M. *see* Takeshima, T. 88−767, 88−32198
Sakamoto, M. *see* Takeuchi, Y. 88−4291, 88−53859
Sakamoto, M. *see* Tozune, A. 86−66111
Sakamoto, M. *see* Tsuboi, K. 85−56904
Sakamoto, M. *see* Yamada, S. 88−36076
Sakamoto, N., Kogure, T., Kitagawa, H., Shimada, T. On high-density recording of the compact-cassette digital recorder 85−3812
Sakamoto, N., Kogure, T., Shimbo, M., Komae, H. Signal processing of the compact-cassette digital recorder 85−3813
Sakamoto, N. *see* Hagiwara, Y. 86−62458
Sakamoto, N. *see* Hayatsu, R. 86−24195
Sakamoto, N. *see* Ichikawa, E. 87−34870
Sakamoto, N. *see* Inoue, T. 87−642
Sakamoto, N. *see* Kaminishi, K. 87−6966
Sakamoto, N. *see* Kawai, M. 88−60509
Sakamoto, N. *see* Masamura, H. 87−49402, 88−53485
Sakamoto, N. *see* Matsuki, S. 85−64499
Sakamoto, N. *see* Nakazima, T. 85−53412
Sakamoto, N. *see* Suzuki, T. 88−53482
Sakamoto, N. *see* Taniguchi, K. 88−71775
Sakamoto, N. *see* Ueno, F. 86−67171, 87−52564
Sakamoto, N. *see* Yanagi, T. 86−33461
Sakamoto, R. *see* Abe, Y. 85−49126, 86−45097, 87−35741
Sakamoto, R. *see* Cho, Y. 88−32888
Sakamoto, R. *see* Kamimoti, M. 85−60436
Sakamoto, S. Low temperature and lighting 87−22883
Sakamoto, S., Tamaru, S., Yoshikawa, K. Road lighting on suspension bridges over heavily travelled waterways 88−6034
Sakamoto, S. *see* Abe, K. 88−16629
Sakamoto, S. *see* Baker, C.A. 87−77544
Sakamoto, S. *see* Kageyama, T. 86−25117
Sakamoto, S. *see* Kawamura, K. 88−29527
Sakamoto, S. *see* Maemura, K. 88−21980
Sakamoto, S. *see* Miyatake, S. 85−42912, 86−49979, 87−34970
Sakamoto, S. *see* Mori, T. 86−35097
Sakamoto, S. *see* Nagakawa, T. 86−11281
Sakamoto, S. *see* Uchihara, Y. 87−49423
Sakamoto, S. *see* Uebayashi, T. 88−29903
Sakamoto, T. Estimation of the fourth-order index coefficient of GRIN-rod lenses 86−68228
Sakamoto, T. Coupling loss analysis on a multimode fiber directional coupler using GRIN-rod lenses 86−68229
Sakamoto, T. Laser-diode/multimode-fibre coupling analysis using a planoconvex GRIN lens 87−18616
Sakamoto, T. Molecular beam epitaxy using RHEED intensity oscillations 87−65520
Sakamoto, T. Characteristic analysis of laser diode to multimode fiber coupling using a planoconvex GRIN lens 87−68019
Sakamoto, T. Color sensor 88−4379
Sakamoto, T., Funabashi, H., Ohta, K., Nakagawa, T., Kawai, N.J., Kojima, T. Phase-locked epitaxy using RHEED intensity oscillation 85−10678
Sakamoto, T., Funabashi, H., Ohta, K., Nakagawa, T., Kawai, N.J., Kojima, T. Computer controlled phase-locked epitaxy (PLE) of $(GaAs)_m$ $(AlAs)_n$ using RHEED oscillation 85−49573
Sakamoto, T., Kawai, N.J., Nakagawa, T., Ohta, K., Kojima, T. Intensity oscillations of reflection high-energy electron diffraction during silicon molecular beam epitaxial growth 85−60955
Sakamoto, T., Kawamura, T., Hashiguchi, G. Observation of alternating reconstructions of silicon (001)2×1 and 1×2 using reflection high-energy electron diffraction during molecular beam epitaxy 86−57435
Sakamoto, T., Kawamura, T., Nago, S., Hashiguchi, G., Sakamoto, K., Kuniyoshi, K. RHEED-intensity oscillations of alternating surface reconstructions during Si MBE growth on single-domain Si(001)-2×1 surface 87−36709
Sakamoto, T., Ohta, K., Nakagawa, T., Kawai, N., Kojima, T. Phase-locked epitaxy for monolayer growth 86−34337
Sakamoto, T., Sugimoto, T., Nakamura, M. Clutter rejection signal processor using high speed FFT for radar system 85−47596
Sakamoto, T. *see* Doi, H. 87−59958
Sakamoto, T. *see* Fujino, Y. 88−49245
Sakamoto, T. *see* Fujita, S. 88−24732, 88−31769, 88−31796
Sakamoto, T. *see* Hattori, S. 88−60911
Sakamoto, T. *see* Kitagawa, M. 88−53446
Sakamoto, T. *see* Kojima, T. 85−60952
Sakamoto, T. *see* Kolodziejski, L.A. 85−44706
Sakamoto, T. *see* Komuro, M. 85−12151
Sakamoto, T. *see* Nakagawa, T. 86−2229
Sakamoto, T. *see* Nishimura, A. 87−73213
Sakamoto, T. *see* Nonaka, S. 85−16322, 86−33764, 87−51523, 87−64907
Sakamoto, T. *see* Sakamoto, K. 87−52137, 88−38145
Sakamoto, T. *see* Schibuya, N. 87−47241, 88−32564
Sakamoto, T. *see* Sugiyama, M. 88−15748
Sakamoto, T. *see* Takahashi, K. 85−2593, 86−69488
Sakamoto, T. *see* Tonami, Y. 88−49836
Sakamoto, T. *see* Yasukawa, A. 88−44499
Sakamoto, Y. Noiseproof power supplies: what's important in EMI removal filters? 87−4805
Sakamoto, Y., Aizawa, H., Ushiyama, Y. Development of a power supply system for solar battery watches 88−56443
Sakamoto, Y., Aoki, Y. An under snow radar using microwave holography 86−69824
Sakamoto, Y., Endo, T., Murayama, Y., Sakuraba, T., Nakanishi, M., Koyanagi, M., Aoyagi, M., Shinoki, F., Nakagawa, H., Takada, S. Josephson array potentiometer at the ETL 88−13740
Sakamoto, Y., Honda, K., Nambu, T., Sugita, R., Tsubaki, M. A magnetic and microstructural study on high rate evaporated Co-Cr films with Ti underlayer 88−51238
Sakamoto, Y., Ide, K., Murakami, K. An excellent speed control method for parametric induction motors 88−55349
Sakamoto, Y., Kikuchi, S., Murakami, K. A method of calculating the output characteristics of parametric induction motors 85−27415
Sakamoto, Y., Miura, M., Ide, K., Ichinokura, O., Watanabe, T., Murakami, K. Some considerations on methods improving the characteristics of parametric motors 88−75647
Sakamoto, Y., Miyazaki, E. A flat cathodoluminescent TV display with horizontal addressing and vertical deflection 85−43050
Sakamoto, Y., Miyazaki, E., Okoshi, T. A flat TV display with a line cathode. I. Electrostatic deflection 85−26023
Sakamoto, Y., Murakami, K., Kikuchi, S. Some considerations on the anomalous phenomenon of parametric induction motor 86−33386
Sakamoto, Y., Murakami, K., Kikuchi, S. A method for calculating the torque-speed curve of parametric induction motor 86−39759
Sakamoto, Y., Murakami, K., Kikuchi, S. Stability studies of a parametric induction motor using the equivalent linearization model 87−30554
Sakamoto, Y., Murakami, K., Kikuchi, S. Considerations on the optimum design of small-sized parametric induction motors 88−17594
Sakamoto, Y., Sugitani, M., Yamamoto, H. Selection of EMI filters for noise reduction 86−3555

Sakamoto, Y., Tajiri, K., Sawai, T., Aoki, Y. Detection of objects buried in snow using microwave holography 87–54448
Sakamoto, Y., Tajiri, K., Sawai, T., Aoki, Y. Detection of objects buried in snow using multifrequency holography 88–35586
Sakamoto, Y., Tajiri, K., Sawai, T., Aoki, Y. Three-dimensional imaging of objects in accumulated snow using multifrequency holography 88–68614
Sakamoto, Y., Takahashi, Y., Iijima, Y. An under-snow radar using multi-frequency holography 85–58215
Sakamoto, Y., Takahashi, Y., Iijima, Y., Aoki, Y. An under-snow radar using multifrequency holography 87–3225
Sakamoto, Y., Tamura, Y., Yamamoto, T., Yumoto, S. Development of the continuous monitoring method of refractory erosion by heat flow meter 86–5606
Sakamoto, Y., Watanabe, T., Murakami, K., Kikuchi, S. Multipolar parametric induction motor 86–70899
Sakamoto, Y., Wifling, K. Interference elimination. Characteristics and applications of interference suppression in switched mode power supplies 88–44036
Sakamoto, Y. *see* Aoki, Y. 87–28689, 88–4110
Sakamoto, Y. *see* Honda, K. 87–18481, 88–44948
Sakamoto, Y. *see* Kaneda, S. 87–5416, 87–36738
Sakamoto, Y. *see* Kikuchi, S. 85–27378, 87–22331
Sakamoto, Y. *see* Kobayashi, F. 85–6232
Sakamoto, Y. *see* Kosaka, S. 87–73127
Sakamoto, Y. *see* Miura, M. 88–17593
Sakamoto, Y. *see* Miyazaki, E. 85–20510, 88–29542
Sakamoto, Y. *see* Nakahira, T. 88–11049
Sakamoto, Y. *see* Nakamura, K. 87–1713
Sakamoto, Y. *see* Nambu, T. 87–18482, 88–64891
Sakamoto, Y. *see* Niemeyer, J. 86–58714
Sakamoto, Y. *see* Onuki, S. 86–24062
Sakamoto, Y. *see* Sugita, R. 86–36018, 87–18516, 88–57945, 88–71914
Sakamoto, Y. *see* Tajiri, K. 87–56249
Sakamoto, Y. *see* Tanaka, S. 88–36335
Sakamoto, Y. *see* Tohma, K. 86–36020
Sakamoto, Y. *see* Tsumaki, N. 88–7722
Sakamura, K. TRON VLSI CPU: concepts and architecture 88–70856
Sakamura, K. The objectives of the TRON project 88–73670
Sakamura, K., Sano, R., Honma, K. Introducing Tobus: the system bus in the TRON architecture 88–50227
Sakamura, K., Tsurumi, K., Kato, H. Applying the μBTRON bus to a music LAN 88–52861
Sakamura, K., Tsurumi, K., Kato, H. μBTRON bus: design and evaluation of musical data transfer 88–73671
Sakamura, K. *see* Inayoshi, H. 88–50178
Sakamura, K. *see* Wasano, T. 88–41338, 88–73672
Sakamura, K. *(editor)* TRON Project 1987: Open-Architecture Computer Systems. Proceedings of the Third TRON Project Symposium 88–70032
Sakanaka, J. *see* Sato, M. 87–67502
Sakanaka, S., Izawa, M., Kobayakawa, H., Kobayashi, M. Differences in the ion trapping between uniform and partial bunch fillings 87–41737
Sakanaka, S., Izawa, M., Kobayakawa, H., Kobayashi, M. Observation of ion-trapping in single bunch operation at the Photon Factory storage ring 88–74682
Sakanaka, S. *see* Iwata, T. 86–44552
Sakanaka, S. *see* Izawa, M. 88–16598
Sakanaka, S. *see* Kobayakawa, H. 86–65315
Sakanaka, S. *see* Ohmori, C. 87–57027
Sakanaka, S. *see* Tokumoto, S. 88–4740
Sakanaka, T., Nakane, F., Kojima, T. Dimensional measurement of optical fiber 85–35504
Sakanaka, T., Saegusa, M., Kumazawa, Y. Measurement of residual tensile strain of optical fiber in cable 85–35506
Sakane, C. *see* Takiguchi, H. 88–40244
Sakane, T. *see* Daido, Y. 87–48894
Sakane, T. *see* Takenaka, S. 85–14120
Sakaniwa, K. On the bandwidth necessary and sufficient for the determination of a periodic quantized signal 87–27127
Sakaniwa, K. Bandwidth necessary and sufficient for the determination of a periodic quantized signal 88–40761
Sakaniwa, K., Kato, Y., Ishigohka, T. A method to measure the vaporized volume of liquid He and liquid N 88–22847
Sakaniwa, K., Uyematsu, T., Miyama, K. A consideration on a stable IIR echo canceller 88–20934
Sakaniwa, K., Uyematsu, T., Miyama, K. An IIR echo canceller with assured stability—an extension of Kharitonov's theorem to discrete time system and its application 88–46106
Sakaniwa, K. *see* Kishi, G. 85–2847, 86–69042, 87–572, 87–10744
Sakaniwa, K. *see* Kurosawa, K. 86–42868
Sakaniwa, K. *see* Maekawa, Y. 86–66668
Sakaniwa, K. *see* Uyematsu, K. 86–59299
Sakaniwa, K. *see* Uyematsu, T. 85–54987, 86–23077, 86–52989, 87–27421, 87–47652, 87–61914, 87–62996
Sakaniwa, S. *see* Jinushi, H. 88–59028
Sakano, H. *see* Shimoda, M. 88–21989
Sakano, K. *see* Toki, Y. 86–50137
Sakano, M. *see* Abe, K. 88–16629
Sakano, M. *see* Sumiyoshi, T. 88–74661
Sakano, R. *see* Ito, J. 86–46944
Sakano, R. *see* Sato, H. 86–1180
Sakano, S., Inoue, H., Nakamura, H., Katsuyama, T., Matsumura, H. InGaAsP/InP monolithic integrated circuit with lasers and an optical switch 86–54054
Sakano, S., Kuroda, H., Asakawa, M. Design and evaluation of wafer transfer system for LSI production 87–16368
Sakano, S., Kuroda, H., Asakawa, M. Design and evaluation of wafer transfer system for LSI production 88–13453
Sakano, S., Nakamura, H., Inoue, H., Matsumura, H. InGaAsP/InP monolithic optical integrated circuit 88–8085
Sakano, S. *see* Lee, T.P. 87–33161
Sakano, T. A study on miniaturization of optical switches 88–7991
Sakano, T. *see* Minakata, M. 88–65336
Sakano, T. *see* Saito, T. 87–28976
Sakano, T. *see* Yamashita, F. 85–38962
Sakanoue, T. *see* Chiba, Y. 88–54412
Sakanoue, Y. *see* Nishimura, J. 86–24829
Sakanushi, Y. *see* Murayama, K. 88–60453
Sakao, F. Sensing displacement by measuring acoustic pressure 86–31656
Sakao, F. Sensing displacement by measuring acoustic pressure—axi-symmetric case 86–50223
Sakao, F. Sensing linear displacement through induct sound pressure—effects of sensor geometry on its characteristics 88–68033
Sakao, M., Kawanishi, K., Itoh, A., Inoue, F. Forced magnetostriction in amorphous Gd-Fe films 88–33500
Sakao, M. *see* Kubota, T. 88–38530
Sakao, T. *see* Kiyohara, T. 88–70860
Sakao, T. *see* Matsuzaki, T. 86–52875
Sakao, T. *see* Ueda, K. 86–52879, 87–27467
Sakaran, P. *see* Vasu, E. 86–18779
Sakasai, M. *see* Hase, Y. 87–28458
Sakasai, M. *see* Nakano, K. 86–49435
Sakashita, H. *see* Kamigaki, K. 87–10367
Sakashita, K., Nishimura, T., Kusunoki, S., Kuramitsu, Y., Akasaka, Y. 1.1 k-gate CMOS/SOI gate array by laser recrystallization technique 86–41078
Sakashita, K., Ueda, M., Arakawa, T., Asai, S., Fujimura, T., Ohkura, I. A 10K-gate CMOS gate array based on a gate isolation structure 85–35177
Sakashita, K. *see* Tsutsumi, K. 86–63429
Sakashita, K. *see* Ueda, M. 86–8183, 87–37283
Sakashita, M., Ohtsuka, T., Sato, N. Raman spectroscopy of anodic oxide films on HgTe 86–2039
Sakashita, S. *see* Nakatsuka, T. 88–56478
Sakashita, S. *see* Sato, T. 85–3719, 85–58051
Sakashita, T., Tamura, A., Yoshioka, Y., Onuma, T. A study of carrier concentration profiles for heavily Si-implanted semi-insulating GaAs 86–1713
Sakashita, T. *see* Kubota, K. 87–9052
Sakashita, T. *see* Nomura, N. 88–64762
Sakashita, T. *see* Onuma, T. 86–15282
Sakashita, T. *see* Tamura, A. 85–54782
Sakat, I., Ishida, T., Okazaki, S., Saitoh, T., Yamanaka, M., Hayashi, Y. Characterization of hydrogenated amorphous silicon by capacitance-voltage and surface photovoltage measurements using liquid Schottky barriers 87–37904
Sakata, A. *see* Maeda, H. 85–36610
Sakata, A.T. *see* Murphy, J.E. 85–5285
Sakata, H. Picture quality compensation system based on brightness polarity 85–37244
Sakata, H. Temporal transient response of color mechanism—Broca-Sulzer effect of chromaticness 85–37777
Sakata, H. Spatial frequency characteristics of vision corresponding to appearance of figures with different polarities 85–41963
Sakata, H., Isomura, S., Masada, E. Characteristics and control of GTO converter 86–70984
Sakata, H., Isomura, S., Masada, E. Switching characteristic analysis of diode using finite element method 88–26193
Sakata, H. *see* Fazekas, P. 88–39600
Sakata, H. *see* Ichikawa, M. 86–36832
Sakata, H. *see* Kaneyasu, K. 88–7316
Sakata, H. *see* Noguchi, S. 88–39088
Sakata, H. *see* Ushigome, M. 88–53436
Sakata, H. *see* Yamanaka, M. 87–73929
Sakata, I. Design of ternary memory circuits for MOS-IC 85–50717
Sakata, I. Surface photovoltage (SPV) measurement of minority carrier diffusion length in hydrogenated amorphous silicon 88–7321
Sakata, I. An implementation of multiple-valued logic circuits with CMOS multiple-valued output gates 88–44141
Sakata, I., Hayashi, Y. Dependence of photoinduced changes in photovoltaic and dark electrical properties of hydrogenated amorphous silicon diodes on changes in the film properties of hydrogenated amorphous silicon 85–40685
Sakata, I., Hayashi, Y. Theoretical analysis of trapping and recombination of photogenerated carriers in amorphous silicon solar cells 85–60415
Sakata, I., Hayashi, Y. Theoretical analysis on the limitations of the open-circuit voltage of a hydrogenated amorphous silicon p-i-n solar cell 86–45652
Sakata, I., Hayashi, Y., Iida, H., Mishuku, T. Design and fabrication of amorphous silicon solar cells with improved stability 86–33651
Sakata, I., Hayashi, Y., Ishii, K., Takahashi, T., Yamanaka, M. Minority carrier lifetime in laser recrystallized polysilicon 86–53321
Sakata, I., Hayashi, Y., Yamanaka, M., Karasawa, H., Sato, M. Photo-induced changes in amorphous silicon and their effect on solar cell performance. I 85–41234
Sakata, I., Hayashi, Y., Yamanaka, M., Satoh, M. Carrier separation effects in hydrogenated amorphous silicon photoconductors with multilayer structures 85–46245
Sakata, I., Ishida, T., Okazaki, S., Saitoh, T., Yamanaka, M., Hayashi, Y. Characterization of hydrogenated amorphous silicon by surface photovoltage and capacitance-voltage measurements using liquid Schottky barriers 87–60214
Sakata, I., Okazaki, S., Hayashi, Y. Validity of quasi-static capacitance-voltage measurements applied to amorphous silicon diodes 86–28257
Sakata, I., Okazaki, S., Hayashi, Y. Validity of quasi-static capacitance-voltage measurements applied to hydrogenated amorphous silicon diodes 86–63229
Sakata, I. *see* Yamanaka, M. 85–39787
Sakata, J. *see* Takashima, M. 88–70446
Sakata, K. *see* Nakamura, K. 87–34075
Sakata, K. *see* Takenaka, T. 85–18527, 86–53847, 87–1805, 87–53797
Sakata, K. *see* Toda, K. 85–1821
Sakata, M. Trends of customer premises equipment [CPE] 88–21830
Sakata, M. *see* Asano, S. 86–43584
Sakata, M. *see* Kashihara, Y. 85–22473
Sakata, M. *see* Kobayashi, S. 85–10784
Sakata, M. *see* Maeda, Y. 85–18076
Sakata, M. *see* Takeda, K. 85–55467
Sakata, M. *see* Taki, H. 86–8785
Sakata, N. *see* Aoki, S. 88–28498
Sakata, N. *see* Haruta, C. 87–55025
Sakata, O. *see* Minato, I. 85–60946
Sakata, S. On products of two-dimensional linear recurring arrays 85–30200
Sakata, S. On products of two-dimensional linear recurring arrays 86–68945
Sakata, S. Synthesis of a two-dimensional linear feedback shift register capable of generating a given two-dimensional array 87–73423
Sakata, S., Saito, T., Inose, H. A PCM-TDMA one dimensional mobile communication system using leaky coaxial cables 85–42506
Sakata, S., Ueda, T. Distributed interoffice mail system based on integrated document interchange protocols 85–36647
Sakata, S., Ueda, T. Real-time desktop conference system based on integrated group communication protocols 88–53036
Sakata, S., Ueda, T. Multiparty desktop conference system based on integrated group communication architecture 88–59856
Sakata, S., Ueda, T., Suzuki, S. Distributed interoffice mail system based on integrated document interchange protocols 85–42188
Sakata, S., Ueda, T., Suzuki, S. Distributed interoffice mail system based on integrated document interchange protocols 85–63260
Sakata, S. *see* Doi, H. 87–59958
Sakata, S. *see* Fukuda, S. 88–37144
Sakata, S. *see* Kenmoku, Y. 85–24777
Sakata, S. *see* Morita, H. 88–52589
Sakata, S. *see* Takeda, Y. 85–21516
Sakata, S. *see* Ueda, T. 87–55642
Sakata, T. Digital multiline system BX-1 87–34273
Sakata, T., Kishimoto, A. A circuit comparison system for bipolar linear LSI 86–21812
Sakata, T., Kishimoto, A., Inoue, T., Sukawa, K., Ikeno, I., Tsutsumi, Y. A circuit comparison system for bipolar linear LSI 86–41933
Sakata, T., Kobayashi, Y. Image information and processing 85–8758
Sakata, T., Shimoda, H., Matsumae, Y., Koshizaka, S., Ino, T., Endo, K., Okamoto, H., Nagao, T., Oyama, T., Murata, T. The Earth observation satellite and the meteorological satellite receiving system of Tokai Space Information Center 88–54730
Sakata, T., Tanabe, S., Ozeki, T. Thin film head for perpendicular magnetic recording 88–26672
Sakata, T., Ueda, T. A distributed interoffice mail system 86–16910

Sakata, T. *see* Aizawa, Y. 87−18800
Sakata, T. *see* Eguchi, S. 86−34859
Sakata, T. *see* Fukue, K. 86−18534
Sakata, T. *see* Kobayashi, A. 86−53445
Sakata, T. *see* Ozeki, T. 86−36009
Sakata, T. *see* Wilson, R.H. 85−55612
Sakata, T. *see* Yamasaki, T. 85−28729
Sakata, Y., Amano, Y., Hisano, S., Uchioke, F., Tanaka, T., Ichikawa, O., Suzuki, S., Ogasawara, I., Nishimura, A. Development of GI-type fiber-optic subscriber cables for NTT 87−49110
Sakata, Y., Shimekake, A., Toda, K. Automation of characteristic measurement of a short-wave transmitter 86−55183
Sakata, Y. *see* Fukuda, S. 87−36102
Sakata, Y. *see* Kondo, M. 88−59954
Sakata, Y. *see* Okamoto, T. 86−43786, 86−64910
Sakataya, Y. *see* Shinsha, T. 87−5839
Sakataya, Y. *see* Terai, H. 86−40839
Sakate, T., Kashima, N., Oki, M. Ultra high density 50-fiber connector 87−76806
Sakato, Y. *see* Fujino, T. 87−34514
Sakauchi, M., Ohsawa, Y. Pattern data representation and management in image database systems 85−51767
Sakauchi, M. *see* Ohsawa, Y. 85−51788, 86−49039
Sakauchi, Y. *see* Awano, N. 85−20888
Sakaue, E. *see* Honda, Y. 86−65429
Sakaue, K. Expert systems for image processing 88−28039
Sakaue, K. *see* Hatano, H. 85−12427
Sakaue, K. *see* Nishimura, T. 87−17025
Sakaue, K. *see* Ogura, M. 86−9495
Sakaue, K. *see* Okabe, M. 87−59421
Sakaue, K. *see* Takagi, M. 88−41040
Sakaue, M., Murase, K., Amemiya, Y. Self-aligned half-micrometer silicon MASFETs with metallic amorphous silicon gate 86−63314
Sakaue, M., Tamama, T., Mizushima, Y. The present state of the art in plasma-coupled devices 86−9281
Sakaue, M. *see* Ogino, T. 88−44592
Sakaue, T. *see* Matsuo, K. 86−67331
Sakaue, T. *see* Teramoto, M. 85−17656
Sakaue, T. *see* Yasunami, M. 87−51535
Sakaue, Y. *see* Aida, T. 87−63525
Sakaue, Y. *see* Sumi, K. 88−38014
Sakaurai, T., Sawada, K., Nogami, K., Wada, T., Isobe, M., Kakumu, M., Morita, S., Yokogawa, S., Kinugawa, M., Asami, T., Hashimoto, K., Matsunaga, J., Nozawa, H., Iizuka, T. A 1 Mb virtually SRAM 87−17086
Sakawa, M. Interactive fuzzy goal programming for multiobjective nonlinear programming problems 85−28153
Sakawa, M. A solution concept in a cooperative *n*-person game based on the complaint differences and its application 85−33277
Sakawa, M. A solution concept in a cooperative n-person game based on the complaint differences and its application 87−174
Sakawa, M. Interactive fuzzy goal programming for multiobjective nonlinear programming problems 87−193
Sakawa, M., Nakao, T. A lexicographical solution based on the complaint differences and the complaints in an *n*-person cooperative game and its application 86−26718
Sakawa, M., Yano, H. An interactive fuzzy satisfying method for multiobjective nonlinear programming problems using reference membership regions 86−19968
Sakawa, M., Yano, H. An interactive fuzzy satisfying method for multiobjective nonlinear programming problems with fuzzy parameters 86−19969
Sakawa, M., Yano, H. An interactive fuzzy satisficing method for multiobjective nonlinear programming problems with fuzzy parameters 87−44171
Sakawa, M., Yano, H. Generalized scalarization methods for multiobjective optimization problems: hyperplane methods 88−49725
Sakawa, M., Yano, H. Trade-off rates in the hyperplane method for multiobjective optimization problems 88−49726
Sakawa, M., Yano, H. Generalized hyperplane methods for generating Λ-extreme points and trade-off rates for multiobjective optimization problems 88−56166
Sakawa, M., Yano, H., Yumine, T. An interactive fuzzy satisfying method for multiobjective linear fractional programming problems 86−40655
Sakawa, M., Yumine, T., Nango, Y. Interactive fuzzy decision making for multiobjective nonlinear programming problems 85−10583
Sakayama, L. Using a personal computer for cellular engineering 86−4540
Sakayama, L. *see* Brown, L. 88−28719
Sakayama, L.K. New directions for cellular engineering and operations tools 87−76621
Sakayama, L.K. *see* Chapman, W.P. 87−3094
Sakayama, L.K. *see* Detrano, M.K. 88−9456
Sakayori, H. *see* Kawasaki, K. 85−20666, 85−20670
Sakayori, M., Mita, N., Yamamoto, K. On-board traveling-wave tube amplifier for multi-beam communications satellite 87−48991
Sakayori, M., Mita, N., Yamamoto, K., Yamashita, T. On-board traveling-wave-tube amplifier for multi-beam communications satellites 87−34478
Sakayori, M. *see* Ishibori, K. 86−27800
Sakayori, T., Igi, S., Kadowaki, Y., Wataze, M., Suzuki, T. C- to Ku-band high-power GaAs FETs 87−11050
Sakazaki, L.E., Littauer, R.M., Siemann, R.H., Talman, R.M. Anomalous nonlinearly current-dependent damping in CESR 86−24973
Sakazaki, L.E. *see* Blum, E.B. 85−26683
Sakazaki, Y. *see* Watanabe, H. 88−72325
Sakazaki, Y. *see* Yamashita, J. 86−68549
Sakemi, J. *see* Shiraishi, Y. 87−59046
Sakemi, J. *see* Tsukizoe, A. 85−23895, 85−45823, 85−62032, 87−60554
Sakemoto, A. *see* Fujiwara, H. 86−42121
Sakenas, C.A. *see* Sjoreen, A.L. 88−75324
Sakhadzhi, V.Yu. *see* Andrushkevich, V.S. 86−22619
Sakhanova, V.V. *see* Belyanko, A.E. 85−2232
Sakharov, A.A., Naumov, A.S. A combined complex-signal reception algorithm 86−16300
Sakharov, A.E. *see* Aksenov, Yu.P. 85−62126, 87−9686
Sakharov, A.M., Tazhiev, E.I., Barinberg, G.D. Increasing heat and power output of the T-250/300-240 turbine by partial supplanting of regenerative steam extractions for the high-pressure heaters 86−6570
Sakharov, A.M. *see* Dmitriev, V.E. 85−4931
Sakharov, A.M. *see* Ginsburg, G.V. 86−33042
Sakharov, A.M. *see* Girshfel'd, V.Ya. 88−43041
Sakharov, B.A. *see* Belyaev, A.A. 88−53895
Sakharov, G.G., Kravchenko, V.V., Kukavskii, S.S., Gonchar, O.M. New model of a self-contained digital period meter for string transducers 85−47866
Sakharov, O.N. Peculiarities of piecewise-quadratic approximation application during reproduction of functions of two variables 88−18623
Sakharov, O.N. *see* Maslov, A.A. 88−49738
Sakharov, S.B. *see* Parfenov, B.M. 88−43522
Sakharov, V.A. *see* Pavlov, S.V. 85−10003
Sakharov, V.I. *see* Verbitskaya, E.M. 88−29889
Sakharov, V.N. *see* Belyi, M.U. 85−18910
Sakharov, V.N. *see* Butkus, K.D. 85−41376
Sakharov, V.P. *see* Boldyrev, E.M. 88−61041
Sakharov, V.V. *see* Komolova, L.F. 85−11922
Sakhatskii, V.D. *see* Artemenko, V.A. 87−39296
Sakhatskii, V.D. *see* Pavlov, V.F. 85−30113
Sakhno, L.I. *see* Boronin, V.N. 88−69463
Sakhno, O.I. *see* Gertsik, K.A. 86−39176
Sakhno, S.P., Tymchik, G.S. Differentiating signal spectrum using coherent optical spectrum analyser 88−22495
Sakhno, S.P. *see* Kolobrodov, V.G. 85−26265, 87−29008
Sakhno, S.P. *see* Krasnov, V.N. 86−49803
Sakhno, S.P. *see* Krivoshlykov, A.Yu. 85−31422
Sakhno, T.V. *see* Vasilyev, B.D. 86−33840
Sakhno, V.F. *see* Varyukhin, V.A. 85−14381
Sakhnovskii, E.Z. *see* Simovskaya, S.F. 88−19266
Sakhnovsky, E.G. *see* Petrov, Y.V. 86−6516
Sakhovskaya, O.B. *see* Krapukhin, V.V. 85−6674
Sakhranov, A.V. *see* Mogil'ner, L.Yu. 87−23775
Sakhuja, R.K., Koplow, M.D. Modular cogeneration systems in the commercial and industrial sectors 87−4574
Saki, H. *see* Okunaka, J. 85−3040
Sakic, Z. *see* Bobinac, Z. 87−51552
Sakich, J.D. *see* Lambeth, P.J. 88−23542
Sakihara, K. *see* Nashiyama, I. 87−57246
Sakihara, K. *see* Takata, N. 85−38257
Sakina, Y., Ohno, T., Matsumoto, S. Two-dimensional analysis of thermal oxidation of silicon 87−17967
Sakina, Y., Ohno, T., Matsumoto, S. Two-dimensional analysis of thermal oxidation of silicon 88−1528
Sakis Meliopoulos, A.P. *see* Cokkinides, G.J. 88−48585
Sakis Meliopoulos, A.P. *see* Millard, D.P. 87−15244
Sakita, K. *see* Ishiguro, G. 85−47288
Sakita, K. *see* Yanagawa, T. 85−13719
Sakita, Y. *see* Saito, Y. 87−20079
Sakita, Y. *see* Sugo, S. 86−17149
Sakitani, A., Egashira, S. Considerations on feed expressions for the numerical analysis of antennas 85−13223
Sakitani, A., Egashira, S. Coil-loaded dipole antenna 85−36103
Sakitani, A., Egashira, S. Loaded dipole antenna 85−41739
Sakitani, A., Egashira, S. Considerations on feed expressions for the numerical analysis of antennas 86−68829
Sakitani, A., Egashira, S. Consideration on feed expressions for antennas and weighting function in the method of moment 86−68839
Sakitani, A., Egashira, S. Simplified expressions for the near fields of a magnetic frill current 87−2254
Sakitani, A., Egashira, S. On the analysis of transposed collinear antenna 87−47291
Sakitani, A., Egashira, S. On the analysis of wire antennas with discontinuous radius 87−61503
Sakitani, A., Egashira, S. On the integral equation for the collinear antenna made of transposed coaxial sections 88−66165
Sakitani, A., Egashira, S., Matsunaga, T. Numerical analysis of coil-loaded dipole antenna 86−68902
Sakitani, A. *see* Egashira, S. 88−34394
Sakitani, Y. *see* Nakamura, K. 85−31308, 87−11921, 87−53325, 88−7539
Sakitani, Y. *see* Saitou, N. 85−35046
Sakitani, Y. *see* Shibata, Y. 86−53505
Sakitt, M. *see* Bachman, M. 85−26527
Sakiyama, K., Matsubara, Y., Inoue, R. Tungsten silicide gate MOS LSI process 85−45691
Sakiyama, K., Yamauchi, Y., Matsuda, K. A pure metal polycide metal-oxide-semiconductor gate technology 86−28500
Sakiyama, K. *see* Ayukawa, M. 87−67134
Sakiyama, K. *see* Hara, T. 87−45683
Sakiyama, K. *see* Okumura, T. 88−70765
Sakiyama, K. *see* Onishi, S. 87−38013
Sakiyama, K. *see* Saito, S. 87−60378
Sakiyama, K. *see* Takenaka, N. 87−60351
Sakiyama, M. *see* Miyake, H. 85−58012
Sakiyama, S. *see* Saito, S. 87−77338
Sakka, S. *see* Yoko, T. 87−74920
Sakka, S. *see* Yokoo, T. 87−5433
Sakka, T., Mitaku, S. Ultrasonic spectrometer for solutions of biological material 88−16705
Sakkas, C.M. *see* Meshkat, S.N. 88−1713
Sakla, A.A. New optimal and suboptimal error spectrum shaping digital filter structures 86−57999
Sakla, A.A., El-Masry, E. Optimal roundoff noise selection in class of minimal canonical non-product of multiplier digital filters 85−45167
Sakla, A.A., El-Masry, E.I. Generation of equivalent canonical digital filters 86−1308
Sakmann, W.H. A brushless DC motor controlled by a microprocessor with examples for a three-phase motor 87−78686
Sako, B., Kawano, T., Hirano, K. Digital velocity filters suitable for processing three-dimensional seismic signals 86−6087
Sako, B. *see* Sugahara, K. 86−3898
Sako, K. *see* Hisano, A. 86−55849
Sako, T. *see* Suzuki, M. 88−60185
Sakoda, K., Ishihara, K. Design tools and techniques for microprograms in VLSI 85−40826
Sakoda, K. *see* Nojiri, T. 86−57877
Sakoe, H. *see* Fujii, H. 87−19537
Sakoe, H. *see* Kawakami, Y. 85−46712
Sakoh, K. Cordless telephone 86−4371
Sakon, T., Sasanuma, H., Ono, Y., Ikezaki, M., Nakatsu, H. Home bus controller 87−48467
Sakong Sug Jin *see* Sug Jin Sakong
Sakota, G. *see* Popovic, M. 87−49394
Sakou, E. *see* Miyahara, A. 86−65702
Sakou, H., Yoda, H., Ejiri, M. A real time image processing algorithm for visual inspection of semiconductor wafer patterns 87−25462
Sakou, H., Yoda, H., Ejiri, M. A real-time image processing algorithm for visual inspection of semiconductor wafer patterns 88−26413
Sakou, H. *see* Shima, Y. 86−35215, 87−17491
Sakout, A., Dard, J., Laurent, M. Temperature field modelling in CO_2 laser welding 88−45586
Sakout, A. *see* Petesch, B. 88−45591
Sakov, I.A. *see* Gletnev, G.P. 87−50670
Sakov, I.A. *see* Pletnev, G.P. 86−25912, 87−57871
Sakovich, E.V. *see* Novosel'skii, O.Yu. 86−6501
Sakovich, E.V. *see* Vasil'eva, R.V. 87−4503
Sakowski, W. *see* Grabowiecki, T. 88−39718
Sakr, A.F. *see* Bahgat, A. 88−48931
Sakr, L. Performance of the Gunn-diode reflection amplifier 85−6540
Sakr, L. Complex guided waves over an active surface 85−19211
Sakr, L. The conical corrugated horn as an optimum monopulse feed for the Cassegrain antenna 85−19278
Sakr, L. *see* Salem, I. 85−19145, 85−20258
Sakr, M.M.F., Bahgat, A. Optimal reduced order model for two generating stations 88−23287
Sakr, M.M.F., Bahgat, A., El-Shafei, A.R. Dynamic static estimation in power systems with abnormalities detection, identification and correction 86−6281
Sakr, M.M.F., Bahgat, A., El-Shafei, A.R. Improvement of the dynamic estimator performance based on measurement prediction and tracking techniques 86−70626
Sakr, M.M.F., Lerch, E., Nour Eldin, H.A. Pre-estimation and bad-data-detection in the power systems 86−70566
Sakr, M.M.F., Soliman, H.M., El Sherbieny, M.K. Power system control with minimum eigenvalue sensitivity to operating conditions 88−5253
Sakr, M.M.F. *see* Bahgat, A. 88−48931
Sakr, M.M.F. *see* Soliman, H.M. 88−48478
Sakr, N. *see* El-Hennawy, H. 88−53237
Sakrai, K. Standardisation of seismic evaluation of atomic power station sites 86−12567
Saks, M. *see* Afek, Y. 88−14971
Saks, M. *see* Erdos, P. 86−62041

Saks, M. *see* Gusfield, D. 87—51972
Saks, N., Peckerar, M., Michels, D., McCarthy, D., Bosiers, J. Deep depletion CCDs for UV and X-ray imaging for astronomy 86—5111
Saks, N. *see* Heremans, P. 87—1515
Saks, N.S., Ancona, M.G. Generation of interface states by ionizing radiation at 80 K measured by charge pumping and subthreshold slope techniques 88—26286
Saks, N.S., Ancona, M.G., Modolo, J.A. Radiation effects in MOS capacitors with very thin oxides at 80K 85—23160
Saks, N.S., Ancona, M.G., Modolo, J.A. Generation of interface states by ionizing radiation in very thin MOS oxides 87—32340
Saks, N.S., Heremans, P.L., Van den hove, L., Maes, H.E., De Keersmaecker, R.F., Declerck, G.J. Observation of hot-hole injection in NMOS transistors using a modified floating-gate technique 87—6719
Saks, N.S. *see* Bosiers, J.T. 86—47617
Saks, N.S. *see* Peckerar, M.C. 87—49505
Saksa, T. Integration in the PCB design process 86—58122
Saksagansky, G.L. *see* Balbekov, V.I. 85—26562
Sakseev, D.A. *see* Arbuzov, S.N. 85—45581
Saksena, A.K. *see* Dahake, S.L. 86—5473
Saksena, G.D. *see* Kapoor, R. 86—15655
Saksena, T.K. *see* Bindal, V.N. 85—64108, 87—50596, 88—16969, 88—23200
Saksena, V.R. Analysis of routing issues in the design of packet networks 88—21400
Saksonov, E.A. *see* Nikitin, N.M. 87—20172
Saksonskii, V.A., Shchurov, A.N., Potapov, V.K., Druzhinin, A.A., Gerchikov, M.V. Automated apparatus for measuring the mass of films deposited in a glow discharge 85—31606
Saku, T., Iwamura, H., Hirayama, Y., Suzuki, Y., Okamoto, H. Room temperature operation of 650 nm AlGaAs multi-quantum-well laser diode grown by molecular beam epitaxy 85—35740
Saku, T. *see* Iwamura, H. 85—34561, 85—35611, 86—29164
Saku, T. *see* Tarucha, S. 85—62404
Sakuda, K. *see* Kono, K. 85—56643
Sakuda, K. *see* Tsutsui, K. 88—26848
Sakuda, K. *see* Yamada, M. 87—33189, 87—74662
Sakuda, M. *see* Abe, K. 88—16629
Sakuda, M. *see* Arai, R. 87—32918
Sakuda, M. *see* Chiba, Y. 88—54412
Sakuda, M. *see* Nagata, M. 87—29700
Sakuda, M. *see* Wake, M. 86—50389, 87—38709, 87—74623
Sakudo, N. Microwave ion source for ion implantation 87—56974
Sakudo, N., Tokiguchi, K., Koike, H. Improvement of microwave ion source 85—15145
Sakudo, N., Tokiguchi, K., Koike, H. Microwave ion sources and their applications 88—10234
Sakudo, N. *see* Tokiguchi, K. 85—61843, 87—3881
Sakui, K., Shima, T., Hayashi, Y., Horiguchi, F., Ogura, M. A simplified accurate three-dimensional table look-up MOSFET model for VLSI circuit simulation 86—2431
Sakui, K. *see* Horiguchi, F. 87—17066
Sakui, K. *see* Itoh, Y. 87—66172
Sakui, K. *see* Kobayashi, T. 86—67033
Sakui, K. *see* Watanabe, S. 88—764
Sakui, M., Yanase, A., Fujita, H. Line harmonic current of three-phase thyristor bridge rectifier circuit with DC current ripple and overlapping angle 86—57612
Sakulin, M., Hirtler, R. A contribution to the simulation of switching arcs in alternating current circuits 85—33558
Sakulin, M., Hirtler, R. Simulation of electric arcs in circuit-breakers by means of a dynamic arc model 86—33558
Sakuma, A. *see* Hori, S. 86—61828
Sakuma, A. *see* Naito, N. 88—30453
Sakuma, E., Miki, Y. High power CH_3OH 70.5 μm laser to measure the absolute frequency of CO_2 laser 88—27081
Sakuma, E. *see* Daimon, H. 86—67750
Sakuma, E. *see* Diamon, H. 88—19992
Sakuma, E. *see* Fujiwara, Y. 87—240
Sakuma, E. *see* Kondo, Y. 87—1511, 87—45973
Sakuma, E. *see* Miki, Y. 86—2626, 87—12548, 87—74603, 88—14256
Sakuma, E. *see* Okazaki, Y. 88—51229
Sakuma, E. *see* Okumura, H. 87—31511
Sakuma, E. *see* Shinohara, M. 88—43886
Sakuma, E. *see* Yamanaka, M. 87—32273, 87—53217
Sakuma, E. *see* Yoshida, S. 85—40680, 87—11796, 87—58933, 88—38141, 88—44563
Sakuma, F., Ono, A., Hattor, S. A new characteristic equation for radiation thermometers 88—9971
Sakuma, F. *see* Ono, A. 87—63558
Sakuma, H., Wakaumi, H., Saito, M., Aizawa, T. 64-channel HV PMOS and NMOS pair ICs for quasi-CMOS EL driver circuits 87—8684
Sakuma, H., Wakaumi, H., Suzuki, T., Aizawa, T., Hada, H. An AC-refresh panel with high-voltage CMOS drivers and unbalanced power supplies 85—14928
Sakuma, H. *see* Hayama, H. 87—60675, 88—64757
Sakuma, H. *see* Kimoto, M. 88—19189
Sakuma, H. *see* Okuno, Y. 87—31822
Sakuma, H. *see* Sano, Y. 86—34401, 87—3659
Sakuma, H. *see* Wada, H. 86—5523
Sakuma, H. *see* Wakaumi, H. 88—16277
Sakuma, I. *see* Endo, K. 85—2309
Sakuma, I. *see* Funakubo, H. 87—41983
Sakuma, I. *see* Iwamoto, K. 87—40913
Sakuma, I. *see* Yakimoto, A. 86—32342
Sakuma, J. *see* Takahashi, T. 87—39005
Sakuma, K., Arita, Y., Doken, M. A new self-aligned planar oxidation technology 87—74409
Sakuma, K., Nakamura, T. The measuring head in measurement of dimensions and shapes 87—29059
Sakuma, K. *see* Konaka, S. 88—20111
Sakuma, M. *see* Yamaguchi, Y. 85—62789
Sakuma, N. *see* Ohnishi, H. 85—12737, 85—41282
Sakuma, S., Takihana, M., Fukai, T. New type vacuum interrupter 87—36067
Sakuma, S. *see* Nunomura, K. 88—16345
Sakuma, S. *see* Tanabe, T. 86—26227, 86—28543
Sakuma, S. *see* Tomida, Y. 86—69374
Sakuma, S. *see* Yoshizawa, Y. 88—39429
Sakuma, T. *see* Matsuzawa, K. 85—16157
Sakuma, T. *see* Osaka, T. 87—18484, 87—32857, 87—60783
Sakuma, T. *see* Sawada, T. 85—24140
Sakuma, Y. A study of photoexcited epitaxial growth 88—6472
Sakuma, Y. *see* Nishizawa, J. 87—31527, 88—70317
Sakumoto, W., Buchholz, D., Cremaldi, L., Lipton, R., Mao, H., Rosen, J., Schluter, R., Sontz, S. Performance of a large liquid argon shower detector used at Fermilab 85—43162
Sakumoto, Y., Maruyama, T. SCR waveform generator and the influence of higher harmonic current upon the electronic type WHMs 88—17219
Sakumoto, Y. *see* Ikeda, Y. 87—49828
Sakumoto, Y. *see* Kogane, M. 85—38583
Sakuno, K. *see* Yoshimasu, T. 87—6733
Sakura, K. *see* Adachi, R. 86—52074
Sakura, K. *see* Watanabe, T. 86—23814
Sakura, M. *see* Tabushi, K. 88—61421
Sakura, S., Noda, T., Furukawa, K. Monolithic fiber optic video signal transmission module 87—13710
Sakura, S. *see* Katagiri, S. 85—3460
Sakuraba, I. *see* Koyanagi, K. 86—42644, 87—12593, 87—54398, 88—8300, 88—72429
Sakuraba, I. *see* Mishima, T. 88—40326
Sakuraba, I. *see* Okamoto, A. 88—40356
Sakuraba, I. *see* Satoh, K. 85—29901
Sakuraba, J., Hosaka, H., Kameda, K., Mori, H., Ohara, N., Takarada, N. Superconducting DC motor for ship propulsion 85—48970
Sakuraba, T. *see* Koyanagi, M. 88—13729
Sakuraba, T. *see* Sakamoto, Y. 88—13740
Sakurada, H. *see* Moriya, Y. 86—68759
Sakurada, H. *see* Yoshimo, S. 86—49371
Sakurada, K. *see* Muranaga, K. 86—47731
Sakurada, S., Ikeda, Y. Advances in gate turn off (GTO) thyristors 85—10988
Sakurada, S., Ikeda, Y. New developments in GTO thyristors 85—12268
Sakurada, S. *see* Yatsuo, T. 85—18310
Sakurada, T. *see* Saito, H. 85—51101
Sakurada, Y., Oshiro, Y. Development of a PIG source and heavy-ion acceleration at the INS cyclotron 85—15136
Sakurada, Y., Yamazaki, T. Acceleration of heavy-ion beams at the SF cyclotron 85—37891
Sakurada, Y. *see* Nakanishi, T. 87—41660
Sakurada, Y. *see* Ueda, N. 85—15097
Sakuragi, S. *see* Arai, T. 87—41998
Sakuragi, S. *see* Kubota, S. 88—54398
Sakuragi, S. *see* Saito, M. 85—56276
Sakuragi, S. *see* Sato, S. 86—48077
Sakurai, A., Noda, K., Oka, I., Endo, I. Interference canceling techniques in on-board processing satellites 88—2617
Sakurai, A., Oka, I., Endo, I. The effects of soft decision Viterbi decoding on interferences [satellite communication] 87—19404
Sakurai, A. *see* Hayashi, M. 88—5046 to 5047
Sakurai, A. *see* Ohba, K. 87—10725
Sakurai, F. *see* Nishizawa, J. 85—41288
Sakurai, H. Potentials induced on magnetic reeds by excitation 86—53112
Sakurai, H. The present status of the successor to IPTS-68 86—55871
Sakurai, H., Besley, L.M. Properties of industrial-grade platinum-cobalt resistance thermometers between 1 and 27K 85—58929
Sakurai, H., Kemp, R.C. Intercomparison of 12 standard platinum resistance thermometers between 13.8K and 273.15K 86—24503
Sakurai, H., Oda, H., Fukada, Y., Hatano, Y., Kondo, I., Saito, T. A large area multitube proportional counter 86—65347
Sakurai, H. *see* Eguchi, K. 85—22533
Sakurai, H. *see* Fujino, T. 88—21843
Sakurai, H. *see* Fukuda, T. 88—17663
Sakurai, H. *see* Hashimoto, M. 87—59477
Sakurai, H. *see* Itoh, H. 86—4224
Sakurai, H. *see* Kasahara, J. 86—35909
Sakurai, H. *see* Kemp, R.C. 87—14594
Sakurai, H. *see* Pavese, F. 85—48125
Sakurai, H. *see* Shimada, J. 88—22325
Sakurai, I. Demand supervision and peak cut system 87—50882
Sakurai, I. *see* Ohashi, S. 87—60938
Sakurai, I. *see* Takashige, T. 86—31181
Sakurai, J. Focused lamp zone melting recrystallization of silicon on insulating substrates 87—1368
Sakurai, K. Automatic testing in the factory automation 88—4294
Sakurai, K., Suga, M., Inoue, T., Takahashi, S. Investigations on an ultrasonic piezoelectric printer 88—16948
Sakurai, K., Yoshioka, H., Fujita, T. Solar panels for Engineering Test Satellite-V 87—72427
Sakurai, K. *see* Ando, M. 86—22807, 86—64131, 87—12814, 87—33554, 88—2784
Sakurai, K. *see* Fudo, H. 88—60158
Sakurai, K. *see* Iida, A. 86—60696
Sakurai, K. *see* Ikegami, H. 88—9698
Sakurai, K. *see* Inakoshi, Y. 88—71552
Sakurai, K. *see* Kuroda, T. 88—4771
Sakurai, K. *see* Matsui, Y. 87—4887
Sakurai, K. *see* Matsumura, S. 86—471
Sakurai, K. *see* Matsunaga, A. 87—69064
Sakurai, K. *see* Oka, Y. 87—70980
Sakurai, K. *see* Takeuchi, N. 86—32585, 88—41754
Sakurai, K. *see* Tashiro, T. 87—34491
Sakurai, K. *see* Ueno, T. 88—74045
Sakurai, M., Murakami, J. Analysis of quantization effects in adaptive equalizers 85—3699
Sakurai, M., Murakami, J. Analysis of the tap weight fluctuation in zero forcing automatic equalizer 85—37269
Sakurai, M., Murakami, J. On the long-term instability of adaptive filters 86—64298
Sakurai, M., Murakami, J. Analysis of tap weight variance in FIA adaptive algorithms 86—69044
Sakurai, M. *see* Akioka, K. 88—51196
Sakurai, M. *see* Kumashiro, S. 86—21483
Sakurai, M. *see* Murakami, J. 85—41647, 86—15909
Sakurai, N. A study on ideal static induction transistor 88—7629
Sakurai, N. *see* Kishimoto, R. 87—56374, 88—47268
Sakurai, N. *see* Nishizawa, J. 87—52133, 88—405
Sakurai, N. *see* Obara, H. 86—55827
Sakurai, N. *see* Tsuboi, T. 85—31192
Sakurai, S. *see* Iwamoto, T. 85—27229
Sakurai, S. *see* Nabeshima, H. 86—49619, 87—26049, 87—28608
Sakurai, T. Semi-insulating film deposition at lower substrate temperatures using Ar^+ beam sputtering 85—29164
Sakurai, T. Optical semiconductor devices operating in the 1 μm wavelength region 85—47509
Sakurai, T. Frequency stabilization of CH_3OH laser at 469 μm to millimeter-wave frequency standard 86—36387
Sakurai, T. Long-term stability of W-Ni MIM diode as difference frequency detector in the infrared 87—21085
Sakurai, T. Optimization of CMOS arbiter and synchronizer circuits with submicrometer MOSFETs 88—63614
Sakurai, T., Hashizume, T. Determination of the detection efficiency of a channelplate electron multiplier 86—32095
Sakurai, T., Iizuka, T. Gate electrode *RC* delay effects in VLSIs 85—40734
Sakurai, T., Kakumu, M., Iizuka, T. Hot-carrier suppressed VLSI with submicron geometry 86—15277
Sakurai, T., Matsunaga, J., Isobe, M., Ohtani, T., Sawada, K., Aono, A., Nozawa, H., Iizuka, T., Kohyama, S. A low power 46 ns 256 kbit CMOS static RAM with dynamic double word line 85—22868
Sakurai, T., Nogami, K., Kakumu, M., Iizuka, T. Hot-carrier generation in submicrometer VLSI environment 86—35764
Sakurai, T., Nogami, K., Sawada, K., Iizuka, T. Transparent-refresh DRAM (TReD) using dual-port DRAM cell 88—63682
Sakurai, T., Sato, K., Kimura, C. An improved dispenser cathode 85—50142
Sakurai, T., Sawada, K., Iizuka, T. VLSI-oriented voltage down converter with sub-main configuration 85—49752
Sakurai, T., Sawada, K., Nogami, K., Sato, K., Kakumu, M., Morita, S., Kinugawa, M., Asami, T., Narita, K., Matsunaga, J.-i., Higuchi, A., Iizuka, T. A 36 ns 1Mbit pseudo SRAM with VSRAM mode 88—6877
Sakurai, T., Torii, T., Sugiura, H. A solution of an algebraic equation based on electrostatic field model 87—54478
Sakurai, T., Torii, T., Sugiura, H. An electrostatic interpretation iterative method for finding roots of polynomials 88—65950
Sakurai, T., Wada, O., Nakagami, T. Four-channel optoelectronic integrated circuits 87—46727

Sakurai, T., Watanabe, T. Characteristics of the high voltage divider using an aqueous solution 85—61399
Sakurai, T. *see* Cave, D. 87—64851, 88—71741
Sakurai, T. *see* Enatsu, M. 88—411
Sakurai, T. *see* Goto, K. 87—7011, 88—57928
Sakurai, T. *see* Hashimoto, K. 86—41128
Sakurai, T. *see* Hori, H. 87—12479, 87—12495
Sakurai, T. *see* Hurst, R.B. 87—61221
Sakurai, T. *see* Inoue, T. 85—23777
Sakurai, T. *see* Inoue, Y. 87—2097
Sakurai, T. *see* Ito, M. 85—18819, 86—15588
Sakurai, T. *see* Kamiyama, Y. 88—41325
Sakurai, T. *see* Kashima, T. 87—63235
Sakurai, T. *see* Kobayashi, A. 86—53445
Sakurai, T. *see* Kobayashi, T. 88—33264
Sakurai, T. *see* Komori, M. 88—36557
Sakurai, T. *see* Kuno, M. 87—26225
Sakurai, T. *see* Kurosawa, T. 87—46973
Sakurai, T. *see* Makiuchi, M. 85—56457, 86—29017
Sakurai, T. *see* Miura, S. 85—35658
Sakurai, T. *see* Nakagami, T. 88—35487
Sakurai, T. *see* Nogami, K. 87—10860
Sakurai, T. *see* Nogami, KJ. 88—7713
Sakurai, T. *see* Ohnishi, H. 88—42219
Sakurai, T. *see* Ohno, T. 85—30821, 85—45736
Sakurai, T. *see* Sanada, T. 85—24417
Sakurai, T. *see* Satoh, K. 86—41470
Sakurai, T. *see* Sawada, K. 87—24193, 88—32193, 88—70700
Sakurai, T. *see* Shimizu, M. 87—16037
Sakurai, T. *see* Sugawara, K. 87—16036
Sakurai, T. *see* Sugawara, M. 86—4872
Sakurai, T. *see* Tanaka, K. 86—5540
Sakurai, T. *see* Tanaka, T. 85—62823
Sakurai, T. *see* Tomita, T. 87—29335
Sakurai, T. *see* Tsujino, K. 88—52393
Sakurai, T. *see* Tsutsumi, M. 85—18586
Sakurai, T. *see* Wada, O. 85—7435, 85—46295, 85—51069, 85—51072, 86—9707, 86—42462, 86—68408, 87—18867, 88—67390
Sakurai, T. *see* Weiss, C.O. 87—61233
Sakurai, T. *see* Yamada, T. 86—31674
Sakurai, T. *see* Yamashita, T. 87—65506
Sakurai, T. *see* Yoshino, K. 86—48224, 87—38872
Sakurai, Y. Progress of laser interference length measuring technique 86—50218
Sakurai, Y. The temperature characteristic improvement of the battery detector 87—44551
Sakurai, Y. Production technology supporting cellular mobile equipment 88—3867
Sakurai, Y. Biomedical sensor—its role in the future medical treatment 88—16675
Sakurai, Y., Kanamori, Y., Imai, R. Honeycomb panels with embedded heat pipes [for artificial satellites] 87—57266
Sakurai, Y., Ohtsuka, H., Yamaki, J.I. Rechargeable copper vanadate cathodes for lithium cell 88—37367
Sakurai, Y., Okada, S., Yamaki, J., Okada, T. Electrochemical behaviour of amorphous V_2O_5(-P_2O_5) cathodes for lithium secondary batteries 87—78877
Sakurai, Y., Yamaki, J. V_2O_5-P_2O_5 glasses as cathode for lithium secondary battery 85—44153
Sakurai, Y. *see* Gohara, S. 88—3774
Sakurai, Y. *see* Higashi, I. 86—63556, 88—33498
Sakurai, Y. *see* Ishijima, M. 87—50358
Sakurai, Y. *see* Komori, M. 85—29443
Sakurai, Y. *see* Masumoto, H. 88—10466
Sakurai, Y. *see* Miyamoto, H. 86—12033, 86—44708
Sakurai, Y. *see* Mizuno, M. 86—34853
Sakurai, Y. *see* Saiki, K. 86—9386, 86—28599, 86—58658
Sakurai, Y. *see* Seo, T. 85—57871
Sakurai, Y. *see* Shimada, R. 85—49041
Sakurai, Y. *see* Shirahama, H. 88—75959
Sakurai, Y. *see* Urabe, S. 86—42376
Sakuraki, S. Infra-red optical fibres 85—29575
Sakurakouji, M., Yamakawa, K., Itoh, K., Kobayashi, T. The YEWCAT computer-aided test system—an extension of YEWMAC 88—22445
Sakurakouji, M. *see* Ando, H. 86—5370
Sakurano, H. *see* Horii, K. 86—12497
Sakurazawa, S., Hidaka, S. Design of a large-capacity signaling transfer point system 88—21541
Sakurazawa, S., Hidaka, S., Suzuki, T. Design of a large-capacity signal transfer point system 87—28282
Sakurazawa, S. *see* Igarashi, Y. 85—17054
Sakurazawa, S. *see* Inoue, M. 86—30186
Sakusabe, H. *see* Tamamoto, H. 87—24183, 88—25212
Sakusabe, T. *see* Kiuchi, Y. 86—21067
Sakusabe, T. *see* Koshida, N. 85—49062
Sakuta, J. *see* Umeda, H. 88—21923
Sakuta, K. *see* Sawata, S. 88—24164, 88—74612
Sakuta, M. High-power pulsed laser 87—7376
Sakuta, M. *see* Hashimoto, A. 86—48297, 86—58840
Sakuta, M. *see* Horikawa, H. 85—2279, 86—3172, 88—70337
Sakuta, M. *see* Imanaka, K. 85—41406
Sakuta, M. *see* Kimura, T. 88—64622
Sakuta, M. *see* Oshiba, S. 86—42533
Sakuta, M. *see* Ushikubo, T. 86—22115
Sakuta, M. *see* Watanabe, A. 85—46377
Sakuta, T. *see* Hossein Javidi D.B., M. 85—27549
Sakuta, T. *see* Kito, Y. 85—7113, 86—26218
Sakuta, Y., Sekine, Y., Suyama, M. A study on the short-term frequency stability of crystal oscillator circuits with the current noise in transistor 85—49777
Sakuta, Y., Sekine, Y., Suyama, M. Study on the short-term frequency stability of digital controlled VCXO 87—6958
Sakuta, Y., Sekine, Y., Suyama, M. Short-term frequency stability of crystal oscillator circuits with the current noise in transistor 87—52425
Sakuta, Y., Uchida, Y., Sekine, Y., Suyama, M. Frequency stability of optical clock signal generated by using crystal oscillator 88—57860
Sakuta, Y. *see* Nakamura, K. 88—44938
Sakuyama, M. Development of a speech controllable wrist watch using speech recognition LSI 88—12473
Sakuyama, M. *see* Komiyama, K. 88—59096
Sakuyama, M. *see* Umemoto, T. 87—63532
Sakuyama, Y. Tests for chief engineers for telecommunications 88—6135
Sakyan, A.S. Single-mode generation of LG-52-2 laser at 3.39 μm 87—54252
Sal, I., Visegradi, K., Kosa, G. A new family of third generation local oscillators operating in the 2-4-6-8 GHz frequency bands 88—21945
Sal, J.C.Gomez *see* Gomez Sal, J.C.
Sala, A. Influence of surface roughness upon the error of temperature measurement by means of pyrometers 86—60255
Sala, A. *see* Burakowski, T. 85—32840
Sala, A. *see* Hering, M. 86—40302
Sala, A. *see* Ranninger, C. 86—39470
Sala, D.Della *see* Della Sala, D.
Sala, G., Cid, M. Simultaneous determination of L and Seff for bifacial cells from posterior illumination spectral quantum efficiency measurements 88—18073
Sala, G., Luque, A., Calleja, M.J., Eguren, J., Romero, S.L. Performance of an albedo collecting bifacial flat module 86—7077
Sala, G., Pachon, D., Jimeno, J.C., Eguren, J. Continuous irradiance solar simulator to characterize photovoltaic modules 86—33219
Sala, G. *see* Caymax, M. 88—18026
Sala, G. *see* Chenlo, F. 88—18049
Sala, G. *see* Luque, A. 85—32715, 86—33217, 86—45689
Sala, G. *see* Perez Oria, J. 86—33218
Sala, J. *see* Amado, J.B. 86—38824
Sala, J.E.La *see* La Sala, J.E.
Sala, M., De Santis, R. Designing an improved U tube steam generator for replacement purposes 85—38789
Sala, O. *see* Acquadro, J.C. 86—31872
Sala, O. *see* Tessarotto, L.A.B. 85—15128
Sala, P., Buisson, R. Rotating machines: defects detected in service 87—35896
Sala, P., Buisson, R. Real-time detection of incipient faults in rotating machines 87—49600
Sala, S. *see* Amendolia, S.R. 85—15169
Sala, S. *see* Bellini, G. 85—9066, 87—21421
Sala, S. *see* Giammarchi, M. 87—3890
Sala, S. *see* Inzani, P. 86—50433
Salace, G., Jourdain, M. MOS tunnel spectroscopy 86—14965
Salada, D.A. *see* Uddin, M.N. 87—75283
Saladin, H., Pshaenisch, A. Paralleling MOSFETs in a very fast, high voltage and high current switch 86—13987
Saladin, H., Zannoli, S. High speed FET power switch with complementary symmetry 85—28664
Saladin, H. *see* Pshaenich, A. 87—30791
Salaev, El'.Yu. *see* Salaev, E.Yu. 86—35321
Salaev, E.Yu., Abdinov, D.Sh., Novruzova, F.M., Salaev, El'.Yu., Seidli, G.S. Electrophysical properties of n-$Cd_xHg_{1-x}Te$ ($0.54\leqslant x\leqslant 0.92$) single crystals 86—35321
Salaev, E.Yu., Abdinov, D.Sh., Sadigov, F.I., Seidli, G.S. Study of the exclusion of minority carriers in p-type $Cd_xHg_{1-x}Te$ 87—32272
Salaev, E.Yu., Ismailov, F.I., Amirov, D.G., Atakishiev, S.M., Askerov, K.A. 'Defect conduction' in InSe 85—28983
Salaev, E.Yu. *see* Abdinov, A.Sh. 85—12710, 87—1187
Salaev, E.Yu. *see* Alekperov, S.A. 85—11942, 86—18100, 87—24778
Salaev, E.Yu. *see* Kuliev, B.B. 85—29192
Salaev, G.Sh. *see* Kuliev, I.A. 85—4663
Salagean, O. *see* Zimmer, K.W. 86—25136
Salah, Dj. *see* Bouchoule, A. 85—12203
Salah, H., Abo El-Soud, S., Garras, E. The performance of radio altimeter with digital discriminator 85—53123
Salahi, J. *see* Graupe, D. 85—20966
Salahi, M., Turner, C.W. Improved evaluation of acoustic transducers using digital processing of radiation field images 85—9391
Salahi, M., Turner, C.W. Computer-aided imaging with optically-scanned acoustic transducers 86—12223
Salajczyk, H. *see* Konefal, Z. 88—27056
Salakh, A.K. *see* Pimenov, Yu.V. 86—42926
Salakhov, Kh.Kh. *see* Petrov, G.V. 85—6535
Salakhutdinov, G.Kh. *see* Babaev, A.I. 88—61157
Salam, F.M.A. On measuring chaotic behaviour in the forced Josephson junction circuit 85—18618
Salam, F.M.A. Power system transient stability: the critical clearing time 85—53277
Salam, F.M.A. Current issues in the stability and control of interconnected power systems 86—56385
Salam, F.M.A. Asymptotic stability and estimating the region of attraction for the swing equations [power system transient stability] 86—65642
Salam, F.M.A. Analytical validation of the Melnikov technique for a general class of periodically forced 2-dimensional dissipative nonlinear systems 86—66991
Salam, F.M.A., Marsden, J.E., Varaiya, P.P. Arnold diffusion in the swing equations of a power system 85—4553
Salam, F.M.A., Sastry, S.S. The complete dynamics of the forced Josephson junction circuit: The regions of chaos 85—18617
Salam, F.M.A., Sastry, S.S. Dynamics of the forced Josephson junction circuit: the regions of chaos 85—56170
Salam, F.M.A. *see* Yoon, C.S. 88—36599
Salam, M.A., Fouad, L.F. Modelling for particle charging in wire-tube electrostatic precipitator study of corona quenching and precipitation in humid air 87—39327
Salam, R. *see* Rasat Muhamad, M. 85—1299
Salama, A. *see* Wolf, J. 88—74485
Salama, A.E. Fault location in analog and digital circuits and its application to electronic exchange boards 88—3759
Salama, A.E., Khalil, A.H. A new logic simulation for MOS VLSI circuits 87—67577
Salama, A.E., Khalil, A.H. MOS digital circuits simulator using a newly developed logic simulator 88—38473
Salama, A.E., Khalil, A.H. Novel logic simulator for MOS circuits 88—44158
Salama, A.E. *see* Bandler, J.W. 85—16774, 85—40237, 86—1195
Salama, A.E. *see* Ozawa, T. 85—44530
Salama, A.T. *see* Sin, J.K.O. 87—46004
Salama, C.A.T. Microchip technology present and future: a perspective 88—20107
Salama, C.A.T. *see* Lau, W.M. 87—6539
Salama, C.A.T. *see* Lin, S.L. 86—35628
Salama, C.A.T. *see* Mena, J.G. 86—67878
Salama, C.A.T. *see* Nagaraj, K. 87—66443
Salama, C.A.T. *see* Nairn, D.G. 88—44249
Salama, C.A.T. *see* Ng, W.T. 86—35035, 88—39490
Salama, C.A.T. *see* Parpia, Z. 87—32522, 88—26262
Salama, C.A.T. *see* Pasternak, J.H. 87—38579, 87—44753
Salama, C.A.T. *see* Pretorius, J.A. 85—33763, 85—33765, 85—44969, 87—623, 87—627
Salama, C.A.T. *see* Ranam, P. 85—40803
Salama, C.A.T. *see* Shubat, A.S. 86—34674
Salama, C.A.T. *see* Sin, J.K.O. 86—15157, 86—15170, 87—5689, 87—6697, 87—32521
Salama, C.A.T. *see* Tarasewicz, S.W. 86—58490, 87—6736
Salama, C.A.T. *see* Wong, S.L. 85—22687, 85—39931, 86—67047, 87—16892, 87—17275, 87—74361
Salama, M. *see* Fouad, L. 85—31753
Salama, M.A. Characterization of variable frequency sources for induction motor drives 87—15725
Salama, M.A. *see* Price, C.C. 86—13686
Salama, M.H. A simplified approach for determining the minimum input power conditions for induction motors fed from variable frequency sources 86—45401
Salama, M.H. *see* Saied, M.M. 87—71710
Salama, M.M.A., Bayoumi, M., Chikhani, A.Y., Ahmad, S.I. Microprocessor based fault current limiter 87—35695
Salama, M.M.A., Bayoumi, M.A. On testing air core power reactors using microprocessors 86—61196
Salama, M.M.A., Chikhani, A.Y., Hackam, R. Control of reactive power in distribution systems with an end-load and fixed load condition 86—18801
Salama, M.M.A., Chikhani, A.Y., Rahman, M.H., Hackam, R. Microprocessor controlled tuned fault current limiter 87—35698
Salama, M.M.A., Hackam, R. Voltage and electric field distributions and discharge inception voltage in insulated conductors 85—27059
Salama, M.M.A., Hackam, R. Composite insulation for a power cable 85—59739
Salama, M.M.A., Hackam, R., Nosseir, A. Voltage rating of a three-core power cable from considerations of discharges in voids 85—27070
Salama, M.M.A., Hackman, R., Soliman, A. Design of field-controlled multi-layer insulation system 86—47907
Salama, M.M.A., Hashad, I.F.M., Srivastava, K.D., Hackam, R. Design of grading rings for air-core power reactors 85—27463

Salama, M.M.A., Mansour, E.A.A., Chikhani, A.Y., Hackam, R. Control of reactive power in distribution systems with an end-load and varying load condition 85–43592

Salama, M.M.A., Nosseir, A., Hackam, R., Soliman, A., El-Shiekh, T. Methods of calculations of field stresses in a three-core power cable 85–27069

Salama, M.M.A., Rizk, M.S., Hackam, R. Electrical stress and inception voltage of discharges in gaseous cavities in an anisotropic dielectric material 87–18372

Salama, M.M.A. *see* Hannalla, A.Y. 85–50784

Salama, M.M.A. *see* Keene, G. 86–65690

Salama, M.M.A. *see* McAskill, B. 86–6352

Salama, M.M.A. *see* Nosseir, A. 85–29362

Salama, M.M.A. *see* Rizk, M.S. 85–35222, 87–25656

Salama, M.S. Characteristics of the assisted discharge ion plating process 85–10798

Salama, R., Liu, W., Gyurcsik, R.S. Mixed-mode simulation tools for custom VLSI designs 88–71675

Salama, R., Wentai Liu, Krakow, W.T. dCONES: a distributed concurrent environment for VLSI circuit simulation 88–71822

Salama, R. *see* Hughes, T.A. 87–38566

Salama, R. *see* Krakow, W.T. 88–50207, 88–70834

Salama, S.F. *see* Holtz, J. 87–22599, 87–64207, 88–30883, 88–75786, 88–75998

Salamakha, B.S. *see* Kopai-Gora, A.P. 87–68566

Salaman, C.A.T. *see* Shubat, A.S. 87–44762

Salamanca Fernandez, A. *see* Jaen Gallego, J.A. 87–5172

Salamat, F., Marks, R.J., II Acoustooptic digital filter 85–35559

Salamatin, A.V. *see* Georgiev, A. 87–49654

Salamatin, V.S. *see* Schilling, K.D. 87–63692

Salamatin, V.V. *see* Zaritskii, V.I. 86–37030

Salamatov, A.K. *see* Ivanov, V.I. 88–54434

Salamatov, I.A. *see* Igumenshchev, V.A. 87–9151, 87–42325

Salame-Alfie, A. *see* Hockenbury, R.W. 88–10935

Salame-Alfie, A. *see* Hoernes, P.E. 87–22038

Salameh, Z.M. Operation of the variable speed constant frequency double output induction generator (VSCF-DOIG) in a constant optimum power coefficient mode 86–19284

Salameh, Z.M. Commutation angle analysis of the double-output induction generator neglecting the stator transients 87–4696

Salameh, Z.M. Interfacing a fixed-pitch-angle wind turbine with a double-output induction generator 87–15578

Salameh, Z.M., Kazda, L.F. Commutation angle analysis of a double-output induction generator using a detailed d-q model 85–43971

Salameh, Z.M., Kazda, L.F. Analysis of the steady state performance of the double output induction generator 86–56752

Salameh, Z.M., Kazda, L.F. Analysis of the double output induction generator using direct three-phase model. I. Commutation angle analysis 87–64585

Salameh, Z.M., Kazda, L.F. Analysis of the double output inductor generator using direct three-phase model. II. Harmonic analysis 87–64586

Salameh, Z.M., Westerman, J. Repulsion motor speed control using a triac in the rotor circuit 88–23874

Salameh, Z.M., Westerman, J. Solid-state speed control of the repulsion motor 88–48855

Salameh, Z.M., Westerman, J. Repulsion motor speed control using a triac in the stator circuit 88–48985

Salameh, Z.M. *see* Rahman, S. 88–30612

Salamero, L.M. *see* Lopez, A.P. 86–13986

Salamero, L.M. *see* Mala, J.F. 88–18931

Salami, L.A. Analysis of swirl, viscosity and temperature effects on turbine flowmeters 86–70248

Salami, M.J.E., Nichols, S.T., Smith, M.R. A SVD-based transient error method for analyzing noisy multicomponent exponential signals 87–61963

Salamina, N. *see* Ormerod, F. 88–6810

Salamo, G.J. *see* Sharp, E.J. 87–46987

Salamo, G.J. *see* Wood, G.L. 88–20734

Salamoff, S. Real-world cases prove VSAT benefits 88–35427

Salamoff, S.B. *see* Cacciamani, E.R., Jr. 85–14174

Salamon, D. *see* Nahman, J. 86–25637, 86–51125, 86–51135, 86–65766

Salamon, M.H., Price, P.B., Drach, J. Thermal annealing of nuclear tracks in polycarbonate plastic 86–65386

Salamon, M.H., Price, P.B., Tincknell, M., Guo, S., Tarle, G. Charge resolution of plastic track detectors used to identify relativistic nuclei 85–37948

Salamon, M.H. *see* Bower, C.R. 87–14732

Salamon, M.H. *see* Drach, J. 87–77574

Salamon, M.H. *see* Price, P.B. 86–44582, 87–29557, 87–41878, 87–77575

Salamon, M.H. *see* Shi-Lun Guo 85–64482

Salamon, P. *see* Donald, J. 85–44606, 87–23486

Salamon, P. *see* Flick, J.D. 88–2953

Salamon, R. Analysis and design method for multi-element ultrasonic generators. I 86–32607

Salamon, R., Kubica, S. Fundamental problems of underwater acoustics as a branch of telecommunications 88–28990

Salamon, R. *see* Ruser, D. 88–14733

Salamon, R. *see* Stepnowski, A. 87–20632

Salamon, S. *see* Bohm, M. 88–19026, 88–25584, 88–44776

Salamon, T.I., Schmieder, D. The inversion mechanism of the 585.3 nm neon laser 87–61081

Salamon, T.I. *see* Schmieder, D. 85–62501

Salamone, A. *see* Acerbi, E. 85–58995

Salamov, B.G., Arushanov, A.G., Lebedeva, N.N. Pyroelectric detector based on strontium-barium niobate 86–31439

Salamov, O.M., Bakirov, M.Ya., Rzaev, P.F. Photovoltaic hydrogen unit with buffer storage battery 87–30434

Salamov, O.M., Bakirov, M.Ya., Rzaev, P.F. Optimizing the operating conditions of a photoelectric hydrogen unit in varying intensity of solar radiation 88–24130

Salane, D.E. A continuation approach for solving large-residual nonlinear least squares problems 87–65400

Salanki, T. *see* Hingorani, N.G. 86–12381

Salanskii, I.T. *see* Gurkova, R.A. 88–26991

Salansky, N.M. *see* Park, R.M. 85–35607, 85–44702, 86–26842

Salapa, Z. *see* Czyrkowski, H. 87–29511

Salara, T. Synthesis and recognition of speech in electronic systems 86–22953

Salari, E. *see* Chiou-Muh Jong 88–46239 to 46240

Salari, E. *see* Jong, C.-M. 88–21361 to 21362

Salari, V., Sethi, I.K. Correspondence in presence of occlusion 88–28123

Salari, V. *see* Sethi, I.K. 87–62381, 88–34771

Salari, V. *see* Thomas, D. 88–66669

Salaria, P.N. Efficient use of an induction motor 88–23907

Salaria, P.N. Efficient use of an induction motor on hydraulic power pack drive 88–43324

Salas, F.H. *see* Falcony, C. 86–53471

Salas, P. Use of similarity analysis to supplement early qualification work 88–42958

Salas, P.F. *see* Vidal, J.J. 88–52566

Salas, T. *see* Minano, J.C. 88–18042

Salashchenko, N.N. *see* Gluskin, E.S. 86–60661

Salashin, S.G. *see* Ermakov, S.A. 88–5184

Salasoo, L., Nelson, J.K. Corona discharge modelling for pulsed precipitator applications 86–29318

Salasoo, L., Nelson, J.K., Schwabe, R.J., Snaddon, R.W.L. Estimation of particulate charging and migration for pulsed precipitator applications 87–33390

Salasoo, L. *see* Nelson, J.K. 88–27444

Salasoo, L. *see* Schwabe, R.J. 88–45648

Salasoo, L. *see* Tardos, G.I. 88–2495

Salathe, D., Maix, R.K. Quality control of Rutherford-type cables by the eddy-current test method 88–63404

Salathe, D.G. *see* Maix, R.K. 86–68217

Salathe, R.P. Optically excited (Ga,In,As,P) film lasers 85–29796

Salathe, R.P., Kartaschoff, P. Cooperation of the PTT with the universities in research and development 88–8934

Salathe, R.P. *see* Gilgen, H.H. 88–47701

Salathe, R.P. *see* Novak, R.P. 88–1959

Salathe, R.P. *see* Rytz-Froidevaux, Y. 85–56894

Salau, A.M., Kuku, T.A., Akinnifesi, J.O. Vacuum deposited $KPbI_3$ films for use in photothermal conversion 87–46432

Salaun, J. *see* Gould, J.D. 88–29555

Salaun, S. *see* Le Contellec, M. 86–5419

Salaun, S. *see* Lebosq, Y. 86–28127

Salaun, S. *see* Richard, J. 86–50167

Salava, T. A model of the function of a pick-up cartridge arm 85–26115

Salava, T. Some possibilities of improving the tracking properties of a pick-up 86–60078

Salava, T., Bukovsky, P. A decoder of a compact disc player with Philips integrated circuits 87–49408

Salaville, A. *see* Ameurlaine, J. 88–16113

Salawau, R.I., Oduyemi, T.A. An electronic sun finder and solar tracking system 87–15980

Salawu, R.I. *see* Adegbenro, O. 87–24067

Salay, R. *see* Wong, A.K.C. 87–48142

Salazar, A.C., Scarfo, P.J., Horn, R.J., III Network management systems for data communications 87–76051

Salazar, J.M.Gomez de *see* Gomez de Salazar, J.M.

Salazar, L., Ziogas, P.D. A single-ended SMR converter topology with optimized switching characteristics 87–73316

Salazar, R.P., Petrick, S.W., Wen, L.-C. System test and flight results from Infrared Astronomical Satellite external thermal subsystem 85–64660

Salazar Cerda, J.C. *see* Diaz, G.C. 88–22149

Salbeck, R.E. *see* Kaifer, R.C. 86–50358

Salbert, G.T. *see* Roppel, T. 87–45807

Salbert, T. *see* Aulich, H.A. 87–9784

Salchli, F. *see* Callias, F. 88–74886

Salcido, M.M. *see* Dereniak, E.L. 85–58578, 86–24388

Salcido, M.M. *see* Thvedt, T.A. 88–47567

Salcman, M., Neuberth, G., Nudelman, R.W., Ferraro, F.T., Hartman, M. Swept frequency measurements of microwave antennas in feline and canine brain 87–8947

Salcman, M. *see* Legendy, C.R. 85–4332

Salcudean, M. *see* Choi, M. 87–72629

Saldanha, C.M., Lowther, D.A. Knowledge-based computation of electromagnetic device parameters 88–52140

Saldanha, C.M., Lowther, D.A. Device modelling in an electromagnetic design system 88–58801

Saldanha, C.M. *see* Lowther, D.A. 86–42105

Saldanha, R.R. *see* Ribeiro, E.E. 88–34199

Saldin, E.L. *see* Artamanov, A.S. 88–68110

Saldin, E.L. *see* Belomesthnykh, S.A. 85–15111

Saldin, E.L. *see* Bondar, A.E. 85–26599

Saldin, E.L. *see* Derbenev, Ya.S. 85–26619

Saldivar, E. *see* Azpiroz, J. 88–48178

Salducci, C. *see* Dordor, P. 86–18070

Salducci, C. *see* Launay, J.C. 86–52456

Sale, K.E., Bauer, R.W., Boyd, R.N., Mathews, G.J., Haight, R.C., Corn, P.B. Radioactive ion beam research at Lawrence Livermore National Laboratory 87–63620

Sale, K.E. *see* Henry, E.A. 88–58513

Saleem, Z. *see* Chen, D.H. 87–51996

Saleev, V.A., Tsarev, V.A., Chechin, V.A. Thermoacoustic signal from a beam of 'direct' neutrinos 86–11846

Saleh, A.-K.A. *see* El-Halafawy, F.Z. 88–4053

Saleh, A.A. *see* El-Halafawy, F.Z. 88–22102

Saleh, A.A.M. Nonlinear models of travelling-wave optical amplifiers 88–60139

Saleh, A.A.M., Jopson, R.M., Darcie, T.E. Compensation of nonlinearity in semiconductor optical amplifiers 88–67347

Saleh, A.A.M., Kogelnik, H. Reflective single-mode fiber-optic passive star couplers 88–39882

Saleh, A.A.M., Rustako, A.J., Jr., Roman, R.S. Distributed antennas for indoor radio communications 88–3806

Saleh, A.A.M., Rustako, A.J., Jr., Roman, R.S. Distributed antennas for indoor radio communications 88–21020

Saleh, A.A.M., Salz, J. On the computational cut-off rate. R_0, for the peak-power-limited Gaussian channel 87–33572

Saleh, A.A.M., Valenzuela, R.A. A statistical model for indoor multipath propagation 87–26793

Saleh, A.A.M., Valenzuela, R.A. A statistical model for indoor multipath propagation 87–33421

Saleh, A.A.M., Wazowicz, M.F. Efficient, linear amplification of varying-envelope signals using FETs with parabolic transfer characteristics 85–54694

Saleh, A.A.M. *see* Cimini, L.J. 88–15451

Saleh, A.A.M. *see* Darcie, T.E. 88–73909

Saleh, A.A.M. *see* Goodman, D.J. 86–55225, 87–48936

Saleh, A.A.M. *see* Ramamurthi, B. 87–69924

Saleh, A.A.M. *see* Rustako, A.J., Jr. 87–48865

Saleh, A.A.M. *see* Tzeng, L.D. 88–35482

Saleh, A.I. *see* Bedair, S.S. 87–52257

Saleh, A.K.Md., Sen, P.K. On the asymptotic distributional risk properties of pre-test and shrinkage L_1-estimators 87–72950

Saleh, A.K.M.E. *see* Hassanein, K.M. 87–5322

Saleh, A.K.M.Ehsanes *see* Ehsanes Saleh, A.K.M.

Saleh, A.M., Patel, J.H. Transient-fault analysis for retry techniques 88–70170

Saleh, A.M. *see* Chalmers, B.J. 87–43049

Saleh, A.O.M., Laughton, M.A. Cluster analysis of power-system networks for array processing solutions 85–53261

Saleh, A.O.M., Laughton, M.A., Stone, G.T. *M* to *N*-phase transformer models in phase coordinates [power transformers] 85–21688

Saleh, A.O.M. *see* Abdulla, W.H. 88–28049

Saleh, B.E.A., Abdula, R.M. Optical interference and pulse propagation in multimode fibers 85–50915

Saleh, B.E.A., Nashold, K.M. Image construction: optimum amplitude and phase masks in photolithography 85–46881

Saleh, B.E.A., Subotic, N.S. Time-variant filtering of signals in the mixed time-frequency domain 86–29851

Saleh, B.E.A., Teich, M.C. Can the channel capacity of a light-wave communication system be increased by the use of photon-number-squeezed light? 87–62976

Saleh, B.E.A. *see* Abdula, R.M. 86–36180, 87–12477

Saleh, B.E.A. *see* Asi, M.K. 88–66352

Saleh, B.E.A. *see* Brennan, K.F. 88–72215

Saleh, B.E.A. *see* Bucklew, J.A. 85–63100

Saleh, B.E.A. *see* Freeman, M.O. 87–75851

Saleh, B.E.A. *see* Matsuo, K. 86–28997

Saleh, B.E.A. *see* Nashold, K.M. 85–46921

Saleh, B.E.A. *see* Rabbani, M. 85–36367

Saleh, B.E.A. *see* Sayegh, S.I. 85–46933

Saleh, B.E.A. *see* Subotic, N. 85−7937
Saleh, B.E.A. *see* Subotic, N.S. 85−25167, 85−41966
Saleh, B.E.A. *see* Teich, M.C. 87−7218, 87−8296, 87−8631
Saleh, B.E.A. *see* Ward, R.K. 85−63103, 86−59327, 87−47853, 88−8818
Saleh, E.H. *see* Mokhles, N.A. 88−70177
Saleh, F.A., Mahmoud, M.S. Control of power systems by constrained tracking methods 86−12276
Saleh, K.I., Badr, M.A.L. ROM-based sequential circuits for experimental simulation of power-system disturbances 88−5232
Saleh, M.A., Issawi, A.M., Iskander, M.K. Double-excited induction generators operating with WECS [wind energy conversion systems] 87−42756
Saleh, M.A. *see* Fahim, A.A. 85−32518
Saleh, M.A. *see* Issawi, A.M. 86−6891
Saleh, M.B. *see* Abdallah, E.A.F. 85−17803
Saleh, M.N. *see* Gamal, S.H. 87−56827
Saleh, N., El-Hennawy, A., El-Hennawy, S. A simulation of a non-avalanche injection based CMOS EEPROM memory cell compatible with scaling-down trends 87−24186
Saleh, N. *see* El-Hennawy, A. 86−1330
Saleh, R. *see* White, J. 86−40858
Saleh, R.A., Newton, A.R. An event-driven, relaxation-based multirate integration scheme for circuit simulation 87−65744
Saleh, R.A., Webber, D., Xia, E., Sangiovanni-Vincentelli, A. Parallel waveform-Newton algorithms for circuit simulation 88−18877
Saleh, R.A. *see* Amir-Alikhani, H. 86−67253
Saleh, R.A. *see* Hinton, O.R. 85−10654
Saleh, R.A. *see* Kim, Y.H. 85−40054
Saleh, R.T., Emanuel, A.E. Optimum shunt capacitor for power factor correction at buses with lightly distorted voltage 87−35560
Saleh, R.T. *see* Orr, J.A. 87−28911
Saleh, S.D., Desai, K. Occupational stressors for engineers 86−40431
Salehi, J.A., Brackett, C.A. Fundamental principles of fiber optics code division multiple access (FO-CDMA) 88−3309
Salehi, J.A., Brackett, C.A. Principles and applications of nonlinear optical elements in fiber optics code division multiple access networks (FO-CDMA) 88−20772
Salehi, J.A. *see* Chung, F.R.K. 87−54969
Salehi, J.A. *see* Vecchi, M.P. 88−34824
Salehi, J.A. *see* Weiner, A.M. 88−46186
Salehi, M.H. *see* Bavdaz, M. 88−48059
Salehi, S.V. *see* Noton, M. 88−5100
Salehudin, M. *see* Daniel, A. 88−46928
Salehzadeh, A. *see* Hansen, R.W.C. 88−42369
Salem, A. Design aspects of modern steam generators for supercritical steam parameters 88−11064
Salem, A. *see* Buzina, M. 87−9374
Salem, A. *see* Korotkov, B.A. 87−22224
Salem, F.E. *see* El-Sherbiny, M. 85−10800
Salem, I., Mahrous, S., El Hennawy, H. Design of a broadband QPSK reflection modulator for a digital satellite communication system using finline techniques 85−8370
Salem, I., Sakr, L. The bistatic radar cross section coefficient for a rough surface 85−20258
Salem, I., Sakr, L., El-Maghraby, S. More realistic analysis for the effect of dust storms on MW propagation 85−19145
Salem, J. *see* Lee, W.Y. 88−7253
Salem, J.R. *see* Guarnieri, C.R. 85−6006
Salem, M.Halim *see* Halim Salem, M.
Salem, M.M. *see* Lo, K.L. 88−42765, 88−61791, 88−61840
Salem, M.S. *see* Klingler, G.W. 88−54676
Salem, O.M., Sonde, B.S. A new architecture for companding DAC in PCM speech codecs 86−46931
Salem, O.M., Sonde, B.S. A new companding DAC for PCM telephone codecs 86−64794
Salembier, M. Leakage control works at the Rouchain dam 85−27146
Salemi, S., Maxson, M. PC integration: a midterm report [desktop connectivity] 88−59627
Salemink, H. Scanning tunneling microscopy 87−25440
Salemink, H.W.M. *see* Muralt, P. 87−53229
Salemme, F. *see* Di Fraia, L. 88−49272
Salengh, C. *see* Belin, F. 85−51909
Saler, S. *see* Kakoschke, R. 87−53731
Salerno, C., Wittlinger, H. Video op amp, line-driver IC builds high-frequency circuits 88−32011
Salerno, C., Wittlinger, H. High-speed op amp in video line drive applications 88−70558
Salerno, C. *see* Austin, W.M. 87−73570, 88−587, 88−4168
Salerno, C. *see* Wittlinger, H. 88−63532
Salerno, E. *see* Bramanti, M. 86−60768, 88−40969
Salerno, F. *see* Barcia, E. 88−41405, 88−46717
Salerno, J. *see* El-Masry, N. 88−39079
Salerno, J.J. *see* Ellengold, K.A. 86−54723
Salerno, J.P., Lee, J.W., McCullough, R.E., Gale, R.P. Epitaxial growth of GaAs on 4-inch diameter silicon substrates by OMCVD 88−38196
Salerno, J.P. *see* Chi, J.Y. 85−6945, 85−12296
Salerno, J.P. *see* Choi, H.K. 88−45399
Salerno, J.P. *see* Ditchek, B.M. 86−13742
Salerno, J.P. *see* Gale, R.P. 88−75934
Salerno, J.P. *see* Lee, J.W. 88−38188
Salerno, J.P. *see* Sichel, E.K. 86−14905
Salerno, J.P. *see* Sonek, G.J. 86−68262
Salerno, J.P. *see* Steiner, T. 85−60949
Salerno, L.N. An inherently safe power reactor module 86−39498
Salerno, L.N. *see* Tippets, F.E. 87−71903
Salerno, M., Sorrentino, R. Planim: a new concept in the design of MIC filters 87−6065
Salerno, M., Sorrentino, R., Giannini, F. Image parameter design of noncommensurate distributed structures: an application to microstrip low-pass filters 86−41201
Salerno, M. *see* Baccetti, B. 87−34422, 88−53135
Salerno, M. *see* Burrascano, P. 87−34334, 88−70198
Salerno, M. *see* Cardarilli, G.C. 87−32190, 87−57335, 87−66092, 87−66397, 87−69198, 88−722, 88−16038, 88−32339, 88−44310
Salerno, M. *see* Forte, G. 88−25308
Salerno, M. *see* Giannini, F. 85−11573, 88−966, 88−25444
Salerno, M. *see* Macchi, R. 87−34398
Salerno, M. *see* Moreno, L. 85−20045
Salerno, M. *see* Nannicini, M. 85−42461
Salerno, P.A. *see* Choi, M.S. 85−16974
Salerud, E.G., Nilsson, G.E. Integrating probe for tissue laser Doppler flowmeters 86−60759
Salerud, E.G., Oberg, P.A. Single-fibre laser Doppler flowmetry. A method for deep tissue perfusion measurements 87−57090
Sales, G.C., Gordon, J., Anderson, R. Videodisc design is easier and less expensive than you think 87−49356
Sales, G.S. Specular scatter: a new mechanism for ionospheric backscatter 88−52231
Sales, G.S., Cormier, R.J., Greenwald, R.A., Baker, K.B. High latitude spatially adaptive propagation experiment 86−59069
Sales, G.S. *see* Ahmed, M. 86−30638
Sales, P.R.H. *see* Terry, L.A. 86−45232
Salesky, E.T., Kimura, W.D. Gain and absorption measurements of electron beam pumped, high Kr concentration KrF gas mixtures 85−51087
Salesky, E.T., Kimura, W.D. Energy extraction measurements of an electron beam pumped, high Kr concentration KrF laser at elevated temperatures 86−9726
Salesky, E.T., Kimura, W.D. Electron-beam pumped KrF laser extraction measurements for high Kr concentration gas mixtures 86−22284
Salesky, E.T. *see* Czuchlewski, S.J. 87−61282
Salesky, E.T. *see* Kimura, W.D. 86−48318, 87−12355, 87−61099
Salesky, E.T. *see* Kushner, M.J. 87−18915
Salesky, E.T. *see* Mandl, A.E. 87−61280
Salete, M. *see* de Lima, E.P. 85−20842, 85−43224
Salete S. Loural, M. *see* Furtado, M.T. 88−25928
Saletes, A., Contour, J.P., Leroux, M., Massies, J., Defranould, N., Pelous, G. High efficiency GaAlAs/GaAs solar cells grown by molecular beam epitaxy 86−40142
Saletes, A., Contour, J.P., Leroux, M., Massies, J., Defranould, N., Pelous, G. GaAlAs/GaAs solar cells grown by molecular beam epitaxy: material properties and device parameters 87−16000
Saletes, A., El Jani, B., N'Guessan, K., Rudra, A., Leroux, M., Contour, J.P., Gibart, P., Verie, C. $Ga_{1-x}Al_xAs$/GaAs monolithic cascade solar cells: limitation of the GaAlAs cell performance near the cross-over region 88−18079
Saletes, A., Massies, J., Contour, J.P. Residual carbon and oxygen surface contamination of chemically etched GaAs (001) substrates 86−35594
Saletes, A., Massies, J., Neu, G., Contour, J.P. Effect of As_4/Ga flux ratio on electrical properties of NID GaAs layers grown by MBE 85−1298
Saletes, A., Rudra, A., Basmaji, P., Carlin, J.F., Leroux, M., Contour, J.P., Gibart, P., Verie, C. $Ga_{1-x}Al_xAs$/GaAs monolithic cascade solar cells: Limitation of the GaAlAs cell performance near the cross-over region 88−31043
Saletes, A. *see* Amano, C. 88−5853
Saletes, A. *see* Contour, J.P. 86−2029, 86−2053, 87−73091
Saletes, A. *see* Leroux, M. 88−37506
Saletnik, D.P., Dybwad, J.P. Experience with supercritical helium cooling on a rocket sensor 88−47573
Saletskii, A.M., Yuzhakov, V.I. Lasing properties of flashlamp-excited two-component dye solutions in various solvents 85−56570
Saletskii, A.M., Yuzhakov, V.I., Primak, V.I. Generational properties to multicomponent dye solutions with lamp excitation 85−41356
Saletti, R. A comparison between two methods to generate $1/f'$ noise 87−23453
Saletti, R. *see* Farmer, K.R. 88−50789
Saletti, R. *see* Pellegrini, B. 86−67065, 87−23450, 88−16224, 88−16368
Saletti, V. *see* Andreoni, G. 85−25605
Salewski, G. *see* Segsa, K.-H. 88−38947
Salgado, E. *see* Roitman, M. 86−12337
Salgado, E. *see* Szechtman, M. 85−4550
Salgado, H.M. *see* Bernardo, L.M. 86−69146
Salge, J.G.H., Bloemer, B.H., Braunsberger, U.E. Power pulse generation using magnetically stored energy 85−648
Salge, J.G.H., Loeffler, M., Weise, T.H.G.G., Witt, W. Plasma-pulse-accelerator 87−26707
Salge, J.G.H., Loffler, M.J., Braunsberger, U.E., Synofzik, R. Integrated magnetic acceleration and energy storage system 87−19163
Salge, J.G.H. *see* Bluhm, H. 87−22615
Salgian, M., Lupescu, L. Computation program 'ELCOMJ' 86−6390
Salgo, C. *see* Avanzini, P.G. 86−65895
Salgo, R.C. *see* Melcher, D. 86−46549
Salhi, E. *see* Cazcarra, V. 85−50407
Salhi, M. *see* Najim, M. 88−66408
Sali, A. A note on convex hulls of more-part Sperner families 88−70210
Sali, S. New possibilities for phaseless microwave diagnostics. II. The uniqueness problem and half plane imaging 85−58861
Sali, S. Phase-retrieval technique for antenna metrology 88−21009
Sali, S. Phase retrieval in a lossy medium 88−22746
Sali, S., Anderson, A.P. New phase retrieval technique for microwave imaging diagnostics 85−46968
Sali, S., Anderson, A.P. Uncertainty in deriving phase information from far-field modulus only 87−47279
Sali, S., Anderson, A.P. Experimental investigation of 'plane-to-plane' diffraction phase retrieval for antenna metrology 87−56924
Sali, S. *see* Aitmehdi, R. 85−46971, 86−55823, 88−53826
Sali, S. *see* Anderson, A.P. 85−58860
Sali, S. *see* Calahorra, A. 87−37649
Sali, S. *see* Smith, F.C. 88−2552, 88−10345
Saliah, H.H., Mukhedkar, D., Raymond, G. Evaluation of the neutral circuit voltage profile of a distribution network in the event of a fault [computer aided analysis] 85−32157
Saliah, H.H., Mukhedkar, D., Raymond, G. Voltage profile evaluation of a neutral circuit in a distribution system during a fault 86−18813
Salib, A.Y., Samuel, F. On the optimal operation of electrical power networks 86−61085
Salib, A.Y., Samuel, F., Abdelkhalek, M.G. Voltage components coherency measures for transient stability equivalents 86−61006
Salib, A.Y. *see* Horniak, G. 85−4587, 85−48512
Salib, M.L., Dawson, D.E., Hahn, H.K. Load-line analysis in the frequency domain with distributed amplifier design examples 87−73751
Salib, M.L. *see* Lau, C.L. 86−53050
Saliba, E., Makki, R. Data path testing using time-shared resource boundary scan 88−63646
Salicio, J. Physics at LEP 88−10189
Salicio, J. *see* Adeva, B. 88−42413
Salicio, J. *see* Anguilar-Benitez, M. 87−71031
Salicio, J. *see* Becker, U. 88−22943
Salicio, J. *see* Cerrada, M. 88−22968
Salick, J., Mercer, M.R., Underwood, B. Built-in self test input generator for programmable logic arrays 86−46746
Salick, J., Underwood, B., Kuban, J., Mercer, M.R. An automatic test pattern generation algorithm for PLAs 87−37212
Salick, J. *see* Kuban, J. 85−40132
Salick, J.E. *see* Kuban, J.R. 85−33932
Salie, N. Influence of time dependent gravitational fields on superconducting oscillatory circuits 87−25902
Salieri, P. *see* Cecchi, S. 87−39236, 88−65847, 88−65857
Salieri, P. *see* Gadomski, W. 87−39016
Salieri, P. *see* Giusfredi, G. 85−46467
Saliev, A.G. Diagrammatic model of an electric power system 87−57494
Salieva, O.K. *see* Andreev, V.M. 86−29003
Saliga, J.J. *see* Derdiger, J.A. 86−61335
Saliga, T.V. A practical voltage controlled resistor and its application to personal computer based ATE 86−14556
Saliga, T.V. Integrating functional ATE board testing into a PC workstation 87−6280
Saliga, T.V. *see* Greelish, W.T. 87−3416
Salih, A.S., Kim, H.J., Davis, R.F., Rozgonyi, G.A. Extrinsic gettering via the controlled introduction of misfit dislocations 85−34696
Salih, A.S.M., Kim, H.J., Davis, R.F., Rozgonyi, G.A. Extrinsic gettering via the controlled introduction of misfit dislocations 85−55451
Salih, A.S.M., Maszara, W., Kim, H.J., Rozgonyi, G.A. Extrinsic gettering with epitaxial misfit dislocations 86−28114
Salih, A.S.M., Radzimski, Z., Honeycutt, J., Rozgonyi, G.A., Bean, K.E., Lindberg, K. Gated diode leakage and lifetime measurements of misfit dislocation gettered Si epitaxy 87−60401
Salih, A.S.M., Ryu, J.S., Rozgonyi, G.A., Bean, K.E. Extrinsic gettering via epitaxial misfit dislocations: electrical characterization 86−63146
Salih, A.S.M. *see* Rozgonyi, G.A. 88−11987
Salih, K.A.K. *see* Al-Anbaki, A.H. 87−24249

Salih, P.E.Mohamed *see* Mohamed Salih, P.E.
Salih, S.I. *see* Al-Foadi, A.H.A. 88–11384
Salih, S.I. *see* Al-Rawi, N.A. 86–19488
Salii, I.N., Salii, S.A. The transmission matrix of an arbitrary irregular transmission line with a T-mode 87–13547
Salii, L.D. *see* Azhippo, V.A. 87–3829
Salii, S.A. *see* Salii, I.N. 87–13547
Salikhdzhanova, M.-F. *see* Andreev, I.N. 88–29501
Salikhdzhanova, R.M.-F. *see* Andreev, I.N. 88–29566
Salikhov, D.K. Theory of induced combination scattering in a bounded region 85–13074
Salikhov, Kh.M. *see* Andrushko, A.I. 86–67674, 87–54186
Salim, A.A., Huraib, F.S., Eugenio, N.N., Lepley, T.C. Performance comparison of two similar concentrating PV systems operating in the US and Saudi Arabia 88–37114
Salim, A.A., Huraib, F.S., Khoshaim, B., Eugenio, N.N., Rao, N.R. Four year performance summary of 350 kW concentrating photovoltaic power system 87–15603
Salim, A.A., Huraib, F.S., Khoshaim, B.H., Eugenio, N.N., Rao, N.R., Imamura, M.S. Performance characteristics of the 350 kW concentrator photovoltaic array field 87–42729
Salim, A.A. *see* Khoshaim, B. 86–6663
Salim, M.A. *see* Latham, R.V. 87–37843
Salim Beg, M. Frequency-set plans for cellular mobile radio 88–41548
Salimbeni, R. *see* Falsini, P. 85–41475
Salimbeni, R. *see* Matera, M. 85–29777, 86–9769, 86–15647
Salimbeni, R. *see* Pini, R. 86–15793, 86–42618, 88–7847
Salimian, M. *see* Cooper, C.B. 88–7512
Salimian, M. *see* Copper, C.B., III 88–19808
Salimian, M. *see* Felch, S.B. 88–39245
Salimian, S., Cooper, C.B., III, Day, M.E. Dry etching of via connections for GaAs monolithic microwave integrated circuits fabrication 88–25505
Salimian, S., Cooper, C.B., III, Norton, R., Bacon, J. Reactive ion etch process with highly controllable GaAs-to-AlGaAs selectivity using SF$_6$ and SiCl$_4$ 88–1523
Salimian, S. *see* Cooper, C.B., III 88–26051
Salimian, S. *see* Yuen, C. 88–63908
Salimov, D.S. *see* Akhmatov, M.G. 87–51176, 88–43165
Salimullah, M. Stimulated Brillouin scattering of electromagnetic waves in a *n*-type InSb-filled rectangular waveguide 88–14277
Salin, A. *see* Honkanen, S. 87–68179
Salin, D. *see* Bacri, J.-C. 86–31736, 88–18266
Salin, E.D. *see* McGeorge, S.W. 86–11489
Salin, F., Brun, A. Dispersion compensation for femtosecond pulses using high-index prisms 87–61203
Salin, F., Georges, P., Le Saux, G., Roger, G., Brun, A. Single shot interferometric autocorrelation for femtosecond pulses 88–20727
Salin, F., Grangier, P., Roger, G., Brun, A. Observation of high-order solitons directly produced by a femtosecond ring laser 86–42497
Salin, F., Grangier, P., Roger, G., Brun, A. Realization of a passively mode-locked ring dye laser and preliminary studies of various operating regimes 86–54104
Salin, F., Grangier, P., Roger, G., Brun, A. Experimental observation of nonsymmetrical N=2 solitons in a femtosecond laser 88–34095
Salin, F., Grangier, P., Roger, G., Brun, A. Nonsymmetrical N=2 solitons in a femtosecond dye laser 88–72287
Salin, F. *see* Brun, A. 87–46932
Salin, F. *see* Georges, P. 88–65841
Salin, P. Routes for a liberalisation of telecommunications 88–21442
Salina, G. *see* Pecorella, W. 85–61223
Salinas, A. *see* Gomez Martin, R. 86–36844
Salinas, A. *see* Martin, R.G. 87–61515
Salinas, D.O., Messina, A.R. Effect of load characteristics on the dynamic stability of a power system with controllable compensation in parallel 88–68833
Salinas, J.L. *see* Baker, R.L. 88–72984
Saling, E. *see* Schmidt, S. 85–20882
Salinger, J.D. *see* Mohammed, O.A. 87–73312, 88–48240, 88–54639
Salinger, J.D. *see* Ruiz, L.V. 88–43626
Salinger, J.D. *see* Subbarao, W.V. 88–44238
Salisbury, D. Transmission line uprating: strategic option for system planners 86–39141
Salisbury, I. Alternative substrate materials 88–32687
Salisbury, I.D. The design of thick film hybrid circuits 85–23297
Salisbury, I.G. *see* Humphreys, C.J. 87–6522
Salisbury, P. *see* Bettner, A. 87–59901, 87–73731, 88–25506
Salisbury, R.A. *see* Borzych, J.J. 88–7519
Salistra, M.D. *see* Afonin, V.V. 87–21912
Salito, A.S. *see* Behn, R. 88–45507
Salito, S.A. *see* Behn, R. 86–3024
Sality, S.A. *see* Meshchanov, V.P. 85–57076
Salivon, V.N. *see* Mansurov, S.N. 87–44495
Salivon, V.N. *see* Trifonov, I.I. 85–7883, 88–38602
Saliy, I.N., Saliy, S.A., Perel'muter, G.I. New solutions for the matrix parameters of an irregular transmission line 86–62873
Saliy, I.N. *see* Drobyshev, I.I. 88–957
Saliy, S.A. *see* Drobyshev, I.I. 88–957
Saliy, S.A. *see* Meschanov, V.P. 85–6409
Saliy, S.A. *see* Meshchanov, V.P. 85–7684
Saliy, S.A. *see* Saliy, I.N. 86–62873
Salje, E., Druckhammer, J. Displacement pickup for high keying speeds 86–11566
Salkalachen, S. *see* Rastogi, A.C. 86–26289, 86–66333
Salkalachen, S. *see* Thakur, D.K. 87–38237
Salkeld, B. 'Where to with DBS?' 86–43802
Salkeld, B. Satellites in broadcasting 86–69732
Salkeld, B. Broadcasting satellites 88–73886
Salkeld, N. *see* Lewis, R.R. 88–20568
Salkin, H.M. *see* Mathur, K. 85–20294, 85–63779
Salkind, M.J. How do you manage research when the researchers don't work for you? 87–43886
Salko, S.J. *see* Delavaux, J.-M.P. 88–35481
Sal'kov, E.A. *see* Baidullaeva, A. 86–68374
Salkov, E.A. *see* Beketov, G.V. 88–44684
Sal'kov, E.A. *see* Dyakin, V.V. 85–61680, 86–68376
Sal'kov, E.A. *see* Grigor'ev, Yu.A. 86–47303
Sal'kov, E.A. *see* Pavelets, A.M. 85–22523
Salkov, E.A. *see* Zakhlenyuk, N.A. 86–35333
Salkova, E.N. New nonsilver media for optical recording 85–56885
Salkova, E.N. *see* Kolezhuk, K.V. 85–24672
Sallada, C.D. *see* Bosch, F. 85–37039
Sallaerts, D., Dierckx, R., Rahier, M. An evolutionary chip set for ISDN 88–26421
Sallaerts, D., Dierckx, R.C., Rahier, M.Y. A 160 Kb/s transceiver for digital subscriber loop 87–62739
Sallaerts, D., Rabaey, D.H., Dierckx, R.F., Sevenhans, J., Haspeslagh, D.R., De Ceulaer, B.J. A single-chip U-interface transceiver for ISDN 88–21758
Sallaerts, D. *see* Dierckx, R. 87–76155, 88–44870
Sallaerts, D. *see* Frank, W. 85–25642
Sallaerts, D. *see* Rahier, M.C. 86–10671
Sallaerts, D. *see* Szechenyi, K. 87–13480
Sallai, G. Efficient securization of transmission networks [securization read securement] 86–16653
Sallai, G. Planning aspects of network protection against transmission breakdowns 86–69290
Sallai, G. Protection of telephone networks against traffic overloads 87–20093
Sallak, R.M. Error modeling and correction for video measurement systems [image processing] 85–25135
Sallam, A.A. Power system steady state stability assessment using catastrophe theory 88–48435
Sallam, B.M. *see* Kesler, S.B. 88–73005
Sallam, E.H., Serry, M.A., Naga, S.M. Low thermal expansion electrical insulators 87–332
Sallam, F. *see* El Akkad, F. 87–32328
Sallam, M.K. *see* Olcayto, E. 85–47423
Sallam, M.M., Fahim, M.A., El-Shahat, M.M. Modified injected power method for contingency analysis 86–61008
Sallam, S. *see* El Tarazi, M.N. 87–65387
Sallberg, K., Stavenow, B., Ekundh, B. Hybrid channel assignment and reuse partitioning in a cellular mobile telephone system 87–76614
Salle, A.J.La *see* La Salle, A.J.
Salle, C.De La *see* De La Salle, C.
Salle, P.de la *see* de la Salle, P.
Sallent-Ribes, S., Torres-Urgell, L. An adaptive pyramid image coding system 88–73256
Saller, E.J. *see* Bean, R.C. 86–66828
Saller, H.D. *see* Fussgaenger, K. 88–67410
Saller, S. *see* Chen, K.-L. 86–41818
Saller, S.A. *see* Chen, K.-L. 85–40736
Salles, A.A.A.de *see* de Salles, A.A.A.
Salles, A.A.de *see* de Salles, A.A.
Salles, D. *see* Barhdadi, A. 86–47407
Salles, D. *see* Courcelle, E. 86–7088
Salles, D. *see* Muller, J.C. 85–34798, 87–15993
Salles, J.B.Veiga *see* Veiga Salles, J.B.
Salling, C., Schultz, S. Experimental determination of the shift of the Preisach distribution with magnetization 87–67750
Sallio, P. Practice and reflections regarding cartographics in alphamosaic videotex 88–15040
Sallio, P. The impact of the videographic system on the motivation of the graphists and the conception of products 88–15798
Sallio, P., Marie, P. Videography: from the alphamosaic to three-dimensional synthesis of pictures 87–27611
Sallmen, K.-H. *see* Linden, I. 85–14947, 86–5422
Sallo, J.S. An overview of TAB applications and techniques 86–57223
Sallows, B.W. *see* Malt, A.P.J. 87–51328
Salls, D.J. Energy savings using a variable speed/variable torque drive on a centrifugal exhauster for felt dewatering applications 85–22027
Salm, M. Bus orientated digital conduction methods in nuclear power stations 87–64240
Salm, M., Laurijssen, F. Power plant experience with intelligent remote multiplexing 85–43867
Salm, M. *see* Bachmann, R. 85–15691
Salm, M. *see* Panis, L.M. 85–15692
Salm, W. Electrical installations from 'biological' construction viewpoints 85–4368
Salm, W. Electrical installations from the point of view of hospital buildings 85–15584
Salman, M., Hammoudeh, S., Ayyash, S. Optimal allocation of photovoltaic and conventional electricity supplied to a constant load 87–50656
Salman, M. *see* Ayyash, S. 86–13096
Salman, M.-J.H., Abdulla, S.A., Haddad, S. Dust storm modelling for the calculation of attenuation and probability of fading in microwave systems 87–75441
Salman, M.J.H. *see* Haddad, S. 86–68770
Salman, R.A. *see* Saloum, S.N. 87–39840
Salman, S.K. Application of solar energy in Libya 85–9804
Sal'man, V.M. *see* Gorina, Yu.I. 86–28135
Salman Beg, M.of *see* of Salman Beg, M.
Salmanov, V.M. *see* Hympanova, I. 85–50227
Salmanova, N.A. *see* Forino, A. 85–37976
Salmasi, A. Omninet's Starsat–an advanced mobile satellite communications system design 86–4608
Salmasi, A., Curry, W. The Omninet mobile satellite system 86–64935
Salmasi, A.B. An advanced conceptual design study for a mobile satellite communications system 85–31012
Salmer, G. Modeling of new microwave devices 87–73768
Salmer, G., Fauquembergue, R., Lefebvre, M., Cappy, A. Modeling of submicrometer gate GaAs field effect transistors 88–64592
Salmer, G., Lefebvre, M., Heliodore, F., El Sayed, O.L., Ismail, K., El Ghazali, S. Substrate effects in submicronic gate low noise GaAs MESFETs 86–2214
Salmer, G., Zimmermann, J., Fauquembergue, R. Modeling of MODFETs 88–64615
Salmer, G. *see* Allamando, E. 85–45717
Salmer, G. *see* Byl, C. 88–57684
Salmer, G. *see* Cappy, A. 85–45716, 85–50526, 86–2219, 86–21584
Salmer, G. *see* Constant, E. 86–41350
Salmer, G. *see* Crosnier, Y. 85–45718, 87–25277
Salmer, G. *see* Derycke, A.C. 85–61451
Salmer, G. *see* El-Azhary, S.M. 85–6975
Salmer, G. *see* El-Ghazaly, S. 88–64623
Salmer, G. *see* El-Sayed, O.L. 85–35019, 86–9128, 87–53550
Salmer, G. *see* Heliodore, F. 88–57682, 88–57698, 88–63897
Salmer, G. *see* Lippens, D. 85–34930
Salmer, G. *see* Radhy, N.E. 85–11063
Salmer, G. *see* Shawki, T.A. 88–57699
Salmer, G. *see* Versnaeyen, C. 85–45685
Salmi, J. In situ ion beam processing for Josephson junction fabrication 87–32912
Salmi, J., Knuutila, J., Seppa, H., Immonen, P. Thin film process for Nb/NbO$_x$/(Pb-In-Au) Josephson junction devices 86–2636
Salmi, J. *see* Knuutila, J. 88–13715, 88–16453, 88–65017
Salmi, J. *see* Mutikainen, R. 85–46100, 87–12076
Salmi, M. Nuclear radiation monitoring systems implemented with the aid of microprocessor based instrumentation 86–56033
Salmi, M., Borsani, D., Lombardi, V., Schirripa Spagnolo, G. XRF determination of elements in a solution through microprocessor based measuring and control system 85–42839
Salmi, M., Schirripa Spagnolo, G., Tondinelli, G.F., Vicinanza, F. Computer based monitoring and management system for a solar energy powered desalination plant 85–65686
Salmi, M. *see* Chiappini, E. 87–20836
Salmi, T., Leinonen, L. Automatic analysis of sleep records with static charge sensitive bed 87–3928
Salmieri, L., Bassini, R., Bracco, A., Iori, I., Moroni, A. Comparison of the BGO and CsI(Tl) energy resolutions for p and α 87–8850
Salminen, H. Measurement of the visibility of a display terminal 88–47398
Salminen, S. *see* Hartikainen, P. 85–52139
Salmon, G.C. The electrical installation and services in Heathrow's Terminal 4 87–15263
Salmon, G.L. *see* Evetts, J.E. 88–29813
Salmon, J.A., Ravat, C.J.C., Lork, F.J. Architecture and role of the 'sensor subsystem' in future aircraft weapon systems 88–61549
Salmon, J.C., Williams, B.W. A differential modulator using 'time step differential' information 87–15684
Salmon, J.C., Williams, B.W. A reliable voltage fed inverter drive for induction motors 88–24215
Salmon, J.C. *see* Green, T.C. 88–75750, 88–75985
Salmon, J.C. *see* Ooi, B.T. 86–45553, 87–43201

Salmon, J.C. *see* Williams, B.W. 88—69811, 88—75983

Salmon, J.D. Space industrialization and the social agenda 85—44558

Salmon, J.V., Pitty, E.B., Abrahams, M.S. Syntactic translation and logic synthesis in GATEMAP 88—12360

Salmon, L. *see* Alfrey, A.J. 87—46838

Salmon, L. *see* Tsen, C.T. 88—19163

Salmon, L.G. *see* Jensen, J.F. 87—44803, 88—19248

Salmon, L.G. *see* Kezer, R.C. 88—19106

Salmon, L.T.J., Oldfield, D.E. The impact of VHPIC on avionic system architecture, packaging and maintainability 86—60903

Salmon, M. FACT optimises speed/power in standard logic applications 86—57790

Salmon, M. *see* Somalvico, M. 87—40313

Salmon, R. Duane Arnold integrated plan for plant modifications 85—4836

Salmon, R. *see* Binesti, D. 86—67524

Salmon, R. *see* Bonnet, J.-P. 88—7080

Salmon, R.G. Selection and application of overhead line protection equipment with references to lightning performance 85—38580

Salmon, R.G., Tew, K.R. Protection of 11 kV rural networks and their performance under lightning conditions 85—64951

Salmon, R.T. Hunterston B operation to February 1985 86—19000

Salmons, S. *see* Callewaert, L. 88—61454

Salnic, Z.A. *see* Glinchuk, K.D. 85—45378

Sal'nik, Z.A., Kalyuzhnaya, S.I., Batavin, V.V., Mil'vidskii, M.G. Formation of defects during growth of large silicon single crystals by the Czochralski method 85—49534

Sal'nik, Z.A., Makeev, Kh.I., Ermolaev, S.N., Mil'vidskii, M.G. Oxygen content of single crystals of silicon grown by the Czochralski method 85—49533

Salnik, Z.A. *see* Borimskii, V.V. 85—23646

Sal'nik, Z.A. *see* Glinchuk, K.D. 85—11881, 85—34470, 85—50359, 85—55432

Sal'nikov, N.L. *see* Arnol'dov, M.N. 88—18088

Sal'nikov, N.V. *see* Gertsen, G.P. 87—50183

Sal'nikov, O.A. *see* Kuz'minov, B.D. 87—78342

Sal'nikov, O.E. *see* Kochkin, V.I. 88—68768

Sal'nikov, Yu.K. Correlation properties of a partitioning of a complete code for phase-shift keyed signals into contiguous classes 86—37055

Sal'nikov, Yu.K. *see* Varakin, L.Ye. 86—22867

Sal'nikova, I.P. *see* Kuvaldin, A.B. 86—19614

Sal'nikova, I.P. *see* Sokolov, M.M. 87—43151

Sal'nikova, L.P. *see* Gribovskiy, A.V. 85—7589

Sal'nikova, O.V. *see* Kozina, N.V. 88—55110

Sal'nkov, L.I. Breeding indices in fast reactors cooled by N_2O_4 (type BRGD-1500) with a heterogeneous active core 85—15782

Salo, J.-P., Tormala, V.-P. Economics and operating experiences of spent fuel storage at NPPs in Finland 88—75268

Salo, R. *see* Shapland, J.E. 87—50423

Salo, R.A. *see* Cooper, B.K. 87—50475

Salo, R.W., Wallner, T.G. Computer modeling of intracardiac impedance plethysmography 85—38172

Salo, R.W., Wallner, T.G., Pederson, B.D. Measurement of ventricular volume by intracardiac impedance: Theoretical and empirical approaches 86—44628

Salo, T. *see* Lignell, E. 87—6903

Salo, T.J. *see* Palo, S.M. 87—25588

Salo, T.L.J. A static domestic watthour meter with custom designed integrated circuit 87—49827

Salo, T.L.J. Load management and remote meter reading system 87—50904

Salokatve, A. *see* Varrio, J. 88—11971

Salokhin, V.F., Sedakov, S.V. Oscilloscope interface for SM-4 computer 86—60128

Salomaa, A. Cryptography from Caesar to DES and RSA 85—57219

Salomaa, A. A public-key cryptosystem based on language theory 88—72738

Salomaa, A., Yu, S. On a public-key cryptosystem based on iterated morphisms and substitutions 87—61586

Salomaa, M.M. *see* Ritala, R.K. 85—46094

Salomaa, R. *see* Friberg, A.T. 87—39225

Salomaa, R.R.E. *see* Dupertuis, M. 87—68316

Salomaa, R.R.E. *see* Dupertuis, M.A. 85—12799, 85—46328, 86—42468, 87—74955

Saloman, R., Reaume, L. Old switches never die 85—8272

Salomasov, V.V., Shcherbakov, A.A. Aspects of simulation of a reflected signal for radar units with linear frequency modulation 88—41734

Salomatin, V.I. *see* Aduev, B.P. 86—40900, 86—67439

Salomatin, Yu.I. *see* Bozhko, N.I. 86—44572

Salomatova, A.P. *see* Grozov, V.P. 87—75444

Salome, J.M. *see* Bockhoff, K.H. 86—55944

Salome, J.M. *see* Tronc, D. 85—31670

Salome, M., Raynaud, B., Schack, M., Chaumont, J., Ruault, M.O., Bernas, H. A side-entry liquid He cooled stage for the Philips EM400 electron microscope [ion implantation application] 85—34445

Salomon, A. Mechanical reliability: a practical approach 87—31370

Salomon, Ch., Hils, D., Hall, J.L. Laser stabilization at the millihertz level 88—72381

Salomon, D. A design for an efficient NOR-gate only, binary-ripple adder with carry-completion-detection logic 87—52681

Salomon, D.J., Sadler, S., Elmasry, M.I. A VLSI architecture and a silicon compiler for designing numerical processors 86—8294

Salomon, D.J. *see* Petersen, B.R. 87—38572

Salomon, D.J. *see* White, B.A. 88—38434

Salomon, G. Computers in education: setting a research agenda 85—22108

Salomon, H. Sure measurement [low-cost multimeters] 85—37651

Salomon, I. Telecommunications and travel relationships: a review 86—59499

Salomon, J. New earth stations for business services 86—64913

Salomon, J. FASTCOM: small rural communication satellite earth stations 87—34467

Salomon, J. *see* Bareyt, C. 85—58037, 86—4583

Salomon, J. *see* Esculier, J. 88—73855

Salomon, L.L. *see* Batishko, C.R. 88—75010

Salomon, M., Coombes, H., Nissen, M., Rogers, J.G. Fiber scintillators coupled to a multianode photomultiplier as a high rate tracking detector 87—41840

Salomon, M., Marans, J. Position identification of gamma rays and electrons with a multianode photomultiplier 86—50332

Salomon, M., Ruggier, L., DeMooy, S. Barium fluoride crystals and self-quenching streamer chambers as a position sensitive gamma-ray detector 85—43253

Salomon, M., Williams, S.S.A. A multi-anode photomultiplier with position sensitivity 86—14822

Salomon, M. *see* Henderson, R. 87—41841, 88—61101

Salomon, M. *see* Plichta, E. 87—78888

Salomon, M. *see* Plichta, E.J. 85—21780

Salomon, M. *see* Rodenheber, R. 86—33807

Salomon, M. *see* Uchiyama, M. 87—72379, 88—17897

Salomon, P., Lange, R. Properties and uses of bipolar PROMs 86—52841

Salomon, P.J. *see* Kreutzer, H.W. 88—18234

Salomon, P.M. *see* Stanton, R.H. 85—58598

Salomon, R. *see* Heller, R. 85—43301

Salomon, S. *see* Hodges, C. 86—50313

Salomon, S. *see* Young, C.C. 86—50316

Salomone, A. *see* Fabrici, E. 87—70975

Salomone, A. *see* Resmini, F. 85—64402

Salomone, G. *see* Torelli, G. 85—3645, 86—24049

Salomone, R. *see* Granelli, G.P. 86—70802

Salomonovich, A.E. *see* Vystavkin, A.N. 86—22050

Salomons, G. *see* Henderson, R. 88—61101

Salomonsen, G., Olsen, A., Lonsjo, O., Finstad, T.G. Electrical and metallurgical investigations of the metallization system: Si/PtSi/V/Al 87—1287

Salomonsen, G., Olsen, A., Lonsjo, O., Finstad, T.G. Thin films of V as a diffusion barrier between PtSi and Al 87—11435

Salomonson, V.V. *see* Barnes, W.L. 87—63908

Salomonsson, B. *see* Jonsson, T. 87—49198

Salomonsson, G., Mandersson, B. On ultrasound transducers with curved surfaces for improvement of lateral resolution 87—29982

Salon, S. *see* Peng, J.P. 85—24713

Salon, S.J. The hybrid finite element-boundary element method in electromagnetics 86—36638

Salon, S.J., D'Angelo, J. Applications of the hybrid finite element—boundary element method in electromagnetics 88—52001

Salon, S.J., Istfan, B. Inverse non-linear finite element problems 87—26620

Salon, S.J., Peaiyoung, S. Experience with boundary element equations 88—8403

Salon, S.J., Peng, J.P. Three dimensional eddy currents using a four component finite element formulation 85—24728

Salon, S.J. *see* Dandeno, P.L. 86—56735

Salon, S.J. *see* Meunier, G. 87—26597

Salon, S.J. *see* Pens, J.P. 85—29984

Salon, S.J. *see* Villasana, R. 85—38492

Salonen, J. Practical experiences on quality control measurements of custom IC's 87—6901

Saloom, J.A. *see* Ramachandran, T.B. 86—28249

Salop, A., Caplan, M. Computations of VSWR and mode conversion for complex gyrotron window geometries 85—55399

Salop, A., Caplan, M. Self-consistent field large signal analysis of the gyroklystron 87—24698

Salop, A. *see* Caplan, M. 86—47241

Salot, D. *see* Poizner, H. 87—29279

Saloum, S.N., Ibrahim, K.M. Binary-to-residue and residue-to-binary converters 86—52994

Saloum, S.N., Ibrahim, K.M., Wafi, N.K., Mahmood, M.K., Zakri, M.M., Salman, R.A. Correlation properties of the Geffe sequences 87—39840

Salour, M.M., Schoner, G., Kull, M., Bechtel, J.H. Semiconductor-platelet fibre-optic temperature sensor 85—31449

Salour, M.M. *see* Schoener, G. 85—62367

Salour, M.M. *see* Valk, B. 86—68517, 87—2113, 87—26371, 87—38973, 88—2362

Salour, M.M. *see* Vilhelmsson, K. 87—61190

Salous, S. Measurement of the coherent bandwidth of HF skywave radio link 85—30910

Salous, S. FMCW channel sounder with digital processing for measuring the coherence of wideband HF radio links 86—64871

Salous, S., Khadra, L. Time series analysis of FMCW data for measuring the coherence of wideband dispersive channels 88—45705

Salous, S., Shearman, E.D.R. Wideband measurements of coherence over an HF skywave link and implication for spread-spectrum communication 86—59771

Salov, A.N. *see* Blokhin, S.V. 87—29267

Salov, A.N. *see* Kabanov, D.A. 87—3730

Salov, A.N. *see* Nikulin, S.M. 86—14513

Salov, I.D. Pneumatic primary sensor for measuring linear dimensions 88—4368

Salova, V.G. *see* Rozenblyum, F.M. 86—26236, 87—4550

Salpietro, E. Engineering and test of magnet systems for NET 88—65064

Salpietro, E., Casci, F., Malavasi, G., Mitchell, N., Pohlchen, R. Coil system for the NET machine 87—67983

Salpietro, E. *see* Coccorese, E. 86—28756

Salpietro, E. *see* Hicks, J.B. 87—78799

Salpietro, E. *see* Malavasi, G. 86—42184, 87—67986

Salpietro, E. *see* Mitchell, N. 88—7833

Salsac, P. *see* Ripoche, G. 86—28990, 88—2128

Salsano, A. *see* Cardarilli, G.C. 87—57335, 87—66092, 87—69198, 88—16038, 88—44310

Salsburg, K.A. *see* Seymour, E.M. 87—58586

Salsingikar, A.M. Performance of integrating meters 86—12516

Salso, E.L. ISDN: the quest for the promised network 87—20354

Salso, E.L. Reorganization of the telecommunication industry: risks and opportunities 87—40067

Salt, D. Quartz crystals in radio 86—49444

Salt, D. Transmitting library instruction via satellite 87—65099

Salt, D.P. Agritex—A Canadian Videotex information service 87—76290

Salt, E., Wacker, A. Range of validity of Taylor series approach to variance of registration error 86—16480

Salt, H. *see* Peck, M.K. 87—49979

Salt, J.E. Feasibility of digital carrier in the rural telephone network 88—66896

Salt, K.J., McMinn, K.W. Measurement techniques on high temperature pressure water rigs 85—48813

Salt, K.J. *see* McMinn, K.W. 85—48814

Salt, S.K. *see* Wright, S. 85—58148

Salter, J. *see* Sood, L.C. 86—20535

Salter, M. Improving C-format sound with Dolby SR 87—70328

Salter, M.T.A. Composite digital video tape recording 88—47321

Salter, M.W. *see* Seaton, J.C. 87—46146, 88—32006

Salter, R.S. *see* Desjardins, C.D. 85—53802

Salter, S.H. *see* Anderson, C.G. 88—51348

Salters, R.H.W. *see* Gubbels, W.C.H. 88—6833

Saltiel, S. *see* Yankov, P. 86—68491

Saltiel, S.M., Stankov, K.A., Yankov, P.D., Telegin, L.I. Realization of a diffraction-grating autocorrelator for single-shot measurement of ultrashort light pulses duration 86—54188

Saltiel, S.M., Yankov, P.D., Zheludev, N.I. Second harmonic generation as a method for polarizing and analyzing laser light 87—33261

Saltis, R. *see* Bareikis, V. 88—32873

Saltman, R.G. Data element standards: communication standards for end users 86—64761

Saltman, R.G. Data element standards: communication standards for end users 87—20023

Saltmarch, M. *see* Richardson, S. 85—60556

Saltmarsh, C. *see* Beetham, C.G. 88—54174

Saltmarsh, C. *see* Bossart, R. 86—31911

Salto, K. *see* Mochizuki, A. 85—37683

Saltykov, A.I. *see* Bodrov, I.I. 86—19223

Saltykov, V.P. *see* Avduevskii, V.S. 86—56960

Saltykova, L.M. *see* Ermakov, I.A. 88—5028

Saltykova, L.M. *see* Zherbin, E.A. 85—38255

Saltykovskii, A.V. *see* Kornev, V.K. 88—48873

Saltz, J. *see* Birman, K.P. 85—53067

Saltz, J. *see* Smith, R. 85—44665

Saltzberg, B., Burton, W.D., Jr., Burch, N.R., Fletcher, J., Michaels, R. Electrophysiological measures of regional neural interactive coupling. Linear and non-linear dependence relationships among multiple channel electroencephalographic recordings 86—44663

Saltzburg, B., Burton, W.D., Jr., Fletcher, J., Burch, N.R. Electrophysiological measures of neural interaction 85—48304

Saltzer, J.H., Clark, D.D., Romkey, J.L., Gramlich, W.C. The desktop computer as a network participant 85—52049

Saltzman, R.S., Dell, C.G. Photometric analyzer systems for monitoring low levels of hydrogen sulfide 86—5575

Saluaderi, L.A. *see* Endrenyi, J. 88—54909

Salugsugan, A. *see* Brown, A. 88—20049

Saluja, K. *see* Su, S. 87—37252

Saluja, K.K., Boswell, C., Kinoshita, K. A design of parallel testability programmable logic arrays 86–62573
Saluja, K.K., Dandapani, R. Generalized compaction function testable design of sequential machines using checking experiments 86–1016
Saluja, K.K., Dandapani, R. An alternative to scan design methods for sequential machines 86–41882
Saluja, K.K., Dandapani, R. Testable checking of single-output sequential machines using checking experiments 86–67123
Saluja, K.K., Dandapani, R. A built-in self-testable design method for sequential circuits 87–665
Saluja, K.K., Fujiwara, H., Kinoshita, K. A testable design of programmable logic arrays with universal control and minimal overhead 86–46758
Saluja, K.K., Fujiwara, H., Kinoshita, K. A testable design of programmable logic arrays with universal control and minimal overhead 87–66000
Saluja, K.K., Kinoshita, K. Test pattern generation for API faults in RAM 85–33900
Saluja, K.K., Sharma, R., Kime, C.R. Concurrent comparative testing using BIST resources 88–25151
Saluja, K.K., Shen, L., Su, S.Y.H. A simplified algorithm for testing microprocessors 87–66200
Saluja, K.K., Sng, S.H., Kinoshita, K. Built-in self-testing RAM: a practical alternative 87–37279
Saluja, K.K., Thang Le, K. Testable design of large random access memories 85–28522
Saluja, K.K., Upadhyaya, J.S. Divide and conquer strategy for testable design of programmable logic arrays 86–8174
Saluja, K.K., Upadhyaya, S.J. A built-in self testing PLA design with high fault coverage 87–44799
Saluja, K.K. *see* Akiyama, K. 88–32178
Saluja, K.K. *see* Boswell, C. 86–34641
Saluja, K.K. *see* Craig, G.L. 88–71648
Saluja, K.K. *see* King, J.T. 87–37261
Saluja, K.K. *see* Kinoshita, K. 85–33921, 87–10869
Saluja, K.K. *see* Le, K.T. 87–37301
Saluja, K.K. *see* Liu, C. 87–66117
Saluja, K.K. *see* Reddy, S.M. 86–1014, 88–70660
Saluja, K.K. *see* Sharma, R. 88–70739
Saluja, K.K. *see* Sheen, P. 86–63420
Saluja, K.K. *see* Upadhyaya, S.J. 88–32128
Salukvadze, R.G. *see* Antyukhov, V.A. 86–60637
Salun, V.S., Kanaev, I.F., Serbinov, I.A., Reshetnikov, I.E., Ormont, A.B., Byvalin, D.A., Ryabova, L.A., Malinovskii, V.K. Synthesis of silicon carbide microstructures by laser pyrolysis 88–38128
Salun, V.S. *see* Ivantsev, A.S. 85–24357
Salun, V.S. *see* Kanaev, I.F. 88–12036
Salunin, N.I. *see* Aksenova, E.N. 85–12512
Salunin, N.I. *see* Dorofejev, G.L. 88–64991
Salusbury, J. Evolution enhances magnetic flowmeters 87–41418
Salusbury, J. Steam metering developments and products 87–77461
Salustri, C., Chapman, R. Pattern recognition of epileptic spikes based on correlations 88–61335
Salut, G., Marpinard, J.C., Valentin, M. Large signal feedback control for power switching conversion 86–7993
Salut, G. *see* Bennis, O. 88–21265, 88–47200
Salut, G. *see* Capel, A. 87–22589, 87–71251
Salvade, G. *see* Camani, M. 86–33215, 86–45300
Salvaderi, L. Procedures, experience and application of bulk power reliability evaluation at ENEL, Italy 88–68846
Salvaderi, L., Billinton, R. A comparison between two fundamentally different approaches to composite system reliability evaluation [power system reliability] 86–32678
Salvador, A. *see* Theisen, C.J., Jr. 88–30133
Salvador, E.J. *see* Aldana, F. 87–24563
Salvador, L.A. Clean coal money staked on Appalachian IGCC 87–30371
Salvador, L.A. *see* Voytko, J.D. 86–33127
Salvador, P. *see* Ferrer, I.J. 87–60320
Salvador, P. *see* Gutierrez, M.T. 87–30893
Salvador, P. *see* Razzini, G. 88–57400
Salvadore, P. *see* Gutierrez Garcia, M.T. 86–33691
Salvadori, M. *see* Landini, L. 86–11939, 88–4899
Salvadori, P. *see* Bartolotta, A. 85–26735
Salvadori, P.A. *see* Ferdeghini, E.M. 86–65166
Salvadorini, R. TV standard for direct satellite broadcasting 86–23793
Salvadorini, R. The problem of television standards 86–59997
Salvadorini, R. Direct satellite television and radio transmission 88–35641
Salvadorini, R., D'Amato, P. High definition television 87–41166
Salvadorini, R. *see* Bigi, F. 86–49589
Salvaggio, C. *see* Schott, J.R. 88–45708
Salvaggio, J.L. VANs in Japan 88–3380
Salvaggione, C.A. *see* Fredericks, R.M. 88–9015
Salvalaggio, T. On the application of reuse partitioning 88–73824
Salvan, F., Fuchs, H., Baratoff, A., Binnig, G. Au/Si (111) overlayer: characterization by tunneling microscopy and spectroscopy 86–21253
Salvaraj, R. *see* McDonald, J.F. 88–13497
Salvati, A. *see* Bucciarelli, T. 88–3950
Salvati, L. *see* Jackson, M.A. 87–6607
Salvatore, L. *see* Andria, G. 87–15767, 87–64590, 88–17612, 88–17628, 88–69377, 88–69822
Salvatore, L. *see* Dell'Aquila, A. 85–16039, 86–12818, 86–49967, 86–66080, 87–42984
Salvatore, M.Di *see* Di Salvatore, M.
Salvatore, O. *see* Fiorini, R.A. 87–16756
Salvatore, T.F.di *see* di Salvatore, T.F.
Salvatores, M., Palmiotti, G. LMFBR design parameter uncertainties and target accuracies 85–65078
Salvert, J., Lavaud, J. Centralised control of two-way working (CCVB) over the single-track line between Toulouse and Saint-Sulpice-sur-Tarn 87–72509
Salvetti, C. *see* Biagini, M.E. 86–24989
Salvetti, C. *see* Bizzarri, U. 85–59064
Salvetti, G. *see* Armandillo, E. 85–51131
Salvetti, G. *see* Beneditti Michelangeli, G. 88–33980
Salvetti, G. *see* Giuliani, G. 86–22453, 86–42606, 88–14234
Salvetti, G. *see* Marchetti, R. 85–18848, 86–22285
Salvetti, G. *see* Vietri, G. 85–51123
Salvetti, O. *see* Azzarelli, L. 85–53041, 85–53151
Salvey, J. *see* Manhout, J.-P. 87–37580
Salvi, G. *see* Astbury, A. 85–64463
Salvi, G.A.P. *see* Corden, M.J. 85–64462
Salvi, M. *see* Favennec, P.N. 86–35540, 86–53540, 87–54177
Salvi, M. *see* L'Haridon, H. 85–23634
Salvi, M. *see* Loualiche, S. 88–33135, 88–50706, 88–64630
Salvi, M. *see* Roquais, J.M. 87–45689
Salvi, T.C. *see* Dente, G.C. 87–75196
Salvia, A.A. Testing equality of binomial parameters based on inverse sampling 85–49376
Salvia, A.A. Reliability application of the alpha distribution 86–238
Salvia, A.A. Performance of PRE-control sampling plans 87–65227
Salvia, A.A. AOQ and AOQL for stoplight acceptance sampling 88–63075
Salvia, A.A., Bollinger, R.C. Testing equality of correlated exponential variables 85–49375
Salvia, A.A. *see* Bollinger, R.C. 85–60804
Salviati, G. *see* Arivuoli, D. 86–26812
Salviati, G. *see* Attolini, G. 86–67669
Salviati, G. *see* Cocito, M. 87–54178
Salviati, G. *see* Fornari, R. 86–7739
Salviati, G. *see* Franzosi, P. 85–33391, 86–66816, 88–39061
Salviati, G. *see* Gombia, E. 88–6436
Salvini, G. Technique of ELF-ULF signal transmission 88–20915
Salvini, P. *see* Balestra, F. 87–63677
Salvo, B.Di *see* Di Salvo, B.
Salvo, C. *see* Fernandes, P. 86–31980
Salvo, C. *see* Gallinaro, G. 86–31422
Salvo, H.L. *see* Haynes, J.T. 86–14487
Salvo, H.L., Jr., Gottlieb, M., McAvoy, B.R. Shear mode transducers for high *Q* bulk microwave resonators 88–20217
Salvo, H.L., Jr., Moore, R.A., Adam, J.D., McAvoy, B.R. Properties of tunable YIG HBARs 88–51147
Salvo, H.L., Jr. *see* Adam, J.D. 87–24440
Salvo, H.l., Jr. *see* Krishnaswamy, S.V. 86–2569
Salvo, H.L., Jr. *see* Levy, M. 87–1846
Salvo, H.L., Jr. *see* McAvoy, B.R. 86–2568, 86–42083, 87–67684
Salvo, H.L., Jr. *see* Rosenbaum, J. 87–32806
Salvo, H.L., Jr. *see* Smith, P.S. 87–2385
Salvo Brito, S.de *see* de Salvo Brito, S.
Salvo Souza, L.De *see* De Salvo Souza, L.
Salvy, R. Barak 1 and ADAMS point defense systems 87–70132
Salvy, R. Thomson-CSF's new RDY combat aircraft radar 87–76844
Salvy, R., Turbe, G. Combat cockpit of the future. France pushes for new solutions 88–61532
Salwen, H. A comparison of bypassing methods in high data rate fiber optic LANs 85–13959
Salwen, H. Phase jitter in token passing rings 87–28185
Salwen, H. How to get ready for FDDI challenges and opportunities 88–15160
Salwen, H. Enhancing token ring network availability 88–35174
Salwen, H., Boule, R., Chiappa, J.N. Examination of the applicability of router and bridging techniques 88–52873
Salwen, H.C., Perry, L.C., Salwen, N.K. Design considerations for high speed local area networks 86–23499
Salwen, H.C. *see* Beardsley, A. 85–47231
Salwen, N. *see* Beardsley, A. 85–47231
Salwen, N.K. *see* Salwen, H.C. 86–23499
Saly, V. Thermal growth of an ultra-thin oxide film on silicon 85–16968
Saly, V. Measurements of solar cell parameters 87–22746
Saly, V. Improvement of the function of solar cells by passivating the emitter film 87–22747
Saly, V. Solar cells with conversion efficiency of 20% 87–72428
Saly, V. Degradation of the effectiveness of solar cells due to silicon impurities 88–17942
Saly, V., Stefko, P. N^+-P-P^+ silicon solar cells 86–61745
Saly, V. *see* Baratka, S. 86–68365
Saly, V. *see* Ruzinsky, M. 87–36135
Salya, A. *see* Burakovski, T. 86–40323
Salychev, O.S. *see* Pel'por, D.S. 86–25357
Salyk, O., Schauer, F., Zmeskal, O., Sladek, P., Zubik, K., Polcer, J. Amorphous hydrogenated silicon prepared by ion beam assisted reactive evaporation. Preparation and basic properties 88–24781
Salz, A. *see* Agarwal, A. 87–66258
Salz, A. *see* Horowitz, M. 87–59603, 88–6899
Salz, J. Digital data communication over microwave radio channels 85–25747
Salz, J. Digital transmission over cross-coupled linear channels 86–10226
Salz, J. Coherent lightwave communications 86–30752
Salz, J. Modulation and detection for coherent lightwave communications 86–64978
Salz, J. Coherent lightwave communications 88–41693
Salz, J. *see* Amitay, N. 85–30132, 86–69608
Salz, J. *see* Kavehrad, M. 86–29656, 87–55968
Salz, J. *see* Netravali, A.N. 85–41961
Salz, J. *see* Saleh, A.A.M. 87–33572
Salz, K., Smith, F. Smart AC voltmeter takes giant step forward in analysis and comparison 85–64170
Salz, L.J. *see* Elmore, G.E. 88–10109
Salz, P. *see* Itoh, R. 86–50319
Salz, P. *see* Kamae, T. 87–21432
Salz, U. *see* Schumacher, H. 87–46701
Salza, P.L. Durational patterns of Italian bivocalic sequences 86–54469
Salza, P.L. Diphone segmentation and quality of speech synthesis 87–2461
Salza, P.L., Sandri, S. Microprosodic timing rules for Italian consonant clusters 86–59251
Salza, P.L., Sandri, S. Microprosodic timing rules for Italian consonant clusters 87–27287
Salza, P.L., Sandri, S. Consonant-to-vowel durational effects in Italian 87–47546
Salza, P.L., Sandri, S., Foti, E. Diphones evaluation for text-to-speech synthesis of Italian 88–40852
Salza, S. *see* Bertolazzi, P. 88–70464
Salzano, N. Line analysers for coaxial cables production control 88–19438
Salzberg, J. *see* Grois, I. 86–65013
Salzberg, J. *see* Schmidt, K.M. 87–74788
Salzberg, J. *see* Sriram, S. 87–54088
Salzberg, J.B. *see* Sellers, G.J. 88–13876
Salzborn, D. *see* Fenton, D.A. 85–16516
Salzborn, D.C. *see* Fenton, D.A. 86–7350
Salzborn, E. *see* Liehr, M. 88–74715
Salzborn, E. *see* Mank, G. 88–74736
Salzborn, E. *see* Melchert, F. 87–50019
Salzburger, H.J. Testing of strips and plates with electromagnetically excited Lamb-waves 86–7866
Salzburger, H.J. *see* Holler, P. 86–581, 87–50586
Salzburger, H.J. *see* Schmitz, V. 85–33539
Salzer, H. *see* Heiss, W. 88–55530
Salzer, H.E. Confluent general-factorial difference and derivative operators and polynomial-exponential interpolation 85–39653
Salzer, J.M. Overview of dry-etch techniques 87–11669
Salzer, J.M. Wafer fabrication trends 87–45744
Salzer, J.M. A worldwide review of power disturbances 87–50631
Salzer, J.M. Worldwide review of power disturbances 88–49040
Salzer, P. ELIN activities in the area of computer aided design (CAD) and computer aided manufacturing (CAM) 86–34005
Salzman, C.H. *see* Cercone, A.C. 87–35621
Salzman, J., Hawkins, R.J., Lee, T.P. Modal coupling in tilted-mirror waveguide lasers and amplifiers 88–58559
Salzman, J., Lang, R., Larson, A., Yariv, A. Confocal unstable-resonator semiconductor laser 86–68587
Salzman, J., Lang, R., Margalit, S., Yariv, A. Tilted-mirror semiconductor lasers 85–56605
Salzman, J., Lang, R., Venkatesan, T., Mittlestein, M., Yariv, A. Modal properties of unstable resonator semiconductor lasers with a lateral waveguide 85–62621
Salzman, J., Lang, R., Yariv, A. Lateral coupled cavity semiconductor laser 85–56614
Salzman, J., Lang, R., Yariv, A. Frequency selectivity in laterally coupled semiconductor laser arrays 85–56661
Salzman, J., Lang, R., Yariv, A. Efficiency of unstable resonator semiconductor lasers 85–62558

Salzman, J., Lang, R., Yariv, A. Eigenvalues of unstable resonator semiconductor lasers 87−39168
Salzman, J., Larsson, A., Yariv, A. Phase-locked controlled filament laser 87−7333
Salzman, J., Osinski, J.S., Bhat, R., Cummings, K., Harriott, L. Cross coupled cavity semiconductor laser 88−40195
Salzman, J., Venkatesan, T., Lang, R., Mittelstein, M., Yariv, A. Unstable resonator cavity semiconductor lasers 85−24551
Salzman, J., Venkatesan, T., Lang, R., Mittelstein, M., Yariv, A. Unstable resonator semiconductor lasers. II. Experiment 87−33228
Salzman, J., Venkatesan, T., Margalit, S., Yariv, A. Double heterostructure lasers with facets formed by a hybrid wet and reactive-ion-etching technique 85−51176
Salzman, J., Yariv, A. Phase-locked arrays of unstable resonator semiconductor lasers 87−2109
Salzman, J. *see* Lang, R.J. 86−42602, 87−33227, 87−46878
Salzman, J. *see* Larsson, A. 86−63817, 86−70137, 88−67396
Salzman, J. *see* Mehuys, D. 88−13921, 88−20651
Salzman, J. *see* Mittelstein, M. 85−51156
Salzman, J. *see* Zah, C.E. 87−75089
Salzman, N. *see* Hegedus, S.S. 88−37417, 88−69688
Salzman, R.H., Gauger, R.H. Reliability and analysis using Pico computer systems 86−57280
Salzmann, A.R. Whither support jamming? 86−36739
Salzmann, H. *see* Hirsch, K. 88−19642
Salzmann, H. *see* Kochel, M. 87−24726
Salzmann, M.A., Husti, G.J., Strang van Hees, G.L., Teunissen, P.J.G. NAVGRAV, a comprehensive combined navigation and gravimetry experiment on the North Sea; objectives and first experiences 88−10593
Salzmann, T., Peppel, M. Status identification for improved gate driving and protection of power GTOs 87−37002
Salzmann, T., Peppel, M. GTO driving and protection technique with status monitoring 88−43276
Salzmann, T., Weschta, A. Progress in voltage source inverters (VSIs) and current source inverters (CSIs) with modern semiconductor devices 88−30881
Salzmann, T. *see* Peppel, M. 86−61651
Salzwedel, M. With the VME bus: measurement data acquisition in orbit 86−5879
Sam, R.C., Rapoport, R.W., Shand, M.L. Design and performance of a 125 Hz, 50 W alexandrite laser 86−22366
Sam, R.C., Yeh, J.-J., Leslie, K.R., Rapoport, W.R. Design and performance of a 250 Hz alexandrite laser 88−65793
Sam Choi Sang *see* Sang Sam Choi
Sam Chung Nak *see* Nak Sam Chung
Sam Ha Dong *see* Dong Sam Ha
Sam Ko Myoung *see* Myoung Sam Ko
Sam Shanmugan, K. *see* Holtzman, J.C. 85−24846
Sam-Kit Sin *see* Chen, C.H. 88−66528
Samaan, A.N.Y., Noufi, R., Blakeslee, A.E., Deb, S.K. Deposition of II-IV-V$_2$ ternary compounds using the MOCVD technique 87−58992
Samaan, A.N.Y., Vaidhyanathan, R., Noufi, R., Tomlinson, R.D. Growth and characterization of polycrystalline CuInSe$_2$ thin films 86−57483
Samaan, A.N.Y., Wasim, S.M., Hill, A.E., Armour, D.G., Tomlinson, R.D. Preparation and properties of CuInS$_2$ thin films deposited by RF sputtering 87−314
Samaan, A.N.Y. *see* Abdul-Hussein, N.A.K. 85−45405
Samaan, A.N.Y. *see* Neumann, H. 85−55493
Samaan, S.B., Pearson, L.W., Smith, C.E. Optically coupled electrical sampling system with 4-GHz bandwidth 87−29016
Samachisa, G., Su, C.-S., Kao, Y.-S., Smarandoiu, G., Wang, C.-Y.M., Wong, T., Hu, C. A 128 K flash EEPROM using double-polysilicon technology 88−6824
Samachisa, G., Su, C., Kao, Y., Smarandoiu, G., Wong, T., Hu, C. A 128K flash EEPROM using double polysilicon technology 87−59490
Samad, M.A. Methods for global reliability evaluation of any large complex system 87−44058
Samad, M.A. An efficient method for terminal and multiterminal pathset enumeration 87−65355
Samad, M.A. An efficient algorithm for simultaneously deducing minimal paths as well as cuts of a communication network 87−69415
Samad, M.A., Butzerin, T. A methodology for the test of embedded compiled cells 88−70627
Samad, M.A., Fortest, J.A.B. DEFT−a design-for-testability expert system 87−36893
Samad, M.A., Fortes, J.A.B. Explanation capabilities in DEFT−a design-for-testability expert system 87−41361
Samad, T., Director, S.W. Natural-language interface for CAD: a first step 85−61983
Samad Baig, M.A., Mahmood Sheikh, A., Khan, H.A., Asiam Sial, M., Aziz Sheikh, S., Jamil, K. Use of alpha sensitive plastic films (ASPF) method for uranium exploration in Pakistan 85−37959
Samada, Y. *see* Nakano, H. 85−13242, 85−41711, 87−7607
Samadani, R. *see* Vesecky, J.F. 87−57388, 88−30173
Samadashvili, A.D. *see* Popkov, V.I. 87−1800
Samaddar, S.N. Babinet's principle for an anisotropic resistive surface using different approaches 87−19174
Samaddar, S.N. Training needs and its development in MP Electricity Board 88−5276
Samadpour, F. *see* Wu, S. 85−34791
Samady, W., Aghvami, A.H. Low data rate speech transmission 87−27356
Samaj, L. The lifetime of minority carriers in polycrystalline semiconductors 87−66863
Samaka, M.B. *see* McLean, D. 87−21724
Samal, A. *see* Henderson, T. 87−48079
Samal, M. *see* Surova, H. 85−38167
Samalam, V.K. Theoretical model for the oxidation of silicon 86−9011
Samaniego, F.J. On closure of the IFR class under formation of coherent systems 85−60808
Samaniego, F.J. *see* Boyles, R.A. 88−6314
Samaniego, G.M. *see* Geier, D.L. 87−4257
Samanta, C. *see* Mukherjee, P. 87−3918
Samanta, L.K., Ghosh, D.K., Bhar, G.C. Some potential mixed chalcopyrite crystals for nonlinear laser devices 86−36582
Samanta, L.K. *see* Bhar, G.C. 88−20740
Samanta, L.K. *see* Ghosh, D.K. 85−7192
Samanta, P.K. Multiple sequential failure model: a probabilistic approach to quantifying human error dependency 86−51315
Samanta, P.K., Levine, M.M., Teichmann, T., Kato, W.Y. A multivariate statistical study for detection of failure trends and patterns in the analyses of events at nuclear power plants 85−48730
Samanta, P.K., Wong, S.M., Boccio, J.L., Vesely, W.E. Risk-based analysis of allowed outage times in nuclear power plants 86−25771
Samanta, P.K. *see* Teichmann, T. 85−48729
Samanta, S. *see* Misra, J.C. 88−57834
Samara, G.A. *see* Barnes, C.E. 86−21353
Samara, G.A. *see* Lawless, W.N. 86−5240
Samarakone, N. *see* Mole, P.J. 87−67571
Samarakou, M.T., Grigoriadou, M., Caroubalos, C. Comparison results of two optimization techniques for a combined wind and solar power plant 88−43108
Samarakou, M.T., Hennet, J.C. Simulation of a combined wind and solar power plant 86−45310
Samarakou, M.T. *see* Hennet, J.C. 86−56679
Samaras, P.G. *see* DiLaura, D.L. 88−62736
Samarasekera, I.V. *see* Schvezov, C. 87−73043 to 73044
Samaratunga, R.C., Busse, L.J., Pratt, R.G., Thomas, S.R. Resonator coils for magnetic resonance imaging at 6 MHz 88−61286
Samardar, M., Mazlack, L.J., Nevin, J.H. An exercise in engineering circuit design using an expert system 86−41088
Samardina, W.N. *see* Vlassov, K.P. 86−56967
Samardzic, V. *see* Mine, K. 87−21274
Samardzija, M. *see* Spasic, L. 87−60719
Samarets, A.V. *see* Boryu, N.V. 87−9619
Samarin, A.Yu. *see* Aleksandrov, A.Yu. 88−72277
Samarin, A.Yu. *see* Basov, N.G. 86−9757, 86−15643, 87−33093
Samarin, A.Yu. *see* Danilychev, V.A. 87−68355
Samarin, M.S. *see* Zubarev, Yu.B. 88−586
Samarin, V.I. Producing a contour image of two dimensional objects by nonlinear optics methods 86−3963
Samarkandy, M. *see* Al-Wakeel, S.S. 87−34300
Samarkandy, M. *see* Bakry, S.H. 87−27898
Samarkandy, M.K. Communication satellite system for the Arab state countries−'ARABSAT' 86−30722
Samarkandy, M.K. Look angle contours of satellite Earth stations for Arab countries 88−60101
Samarkandy, M.K. *see* Ali, A.A. 88−9409
Samarkin, A.A. *see* Kochetkov, L.A. 86−65859
Samarotto, R. *see* Ciminiera, L. 87−48606
Samarskii, A.A., Chetverushkin, B.N. Microelectronics as a new object of studies in applied mathematics 87−52012
Samarskii, A.A., Kaporin, I.E., Kucherov, A.B., Nikolaev, E.S. Some modern methods of solving grid equations 85−341
Samarskii, E.N. *see* Kochkarev, Yu.A. 87−4586
Samartsev, A.K. *see* Metel'skii, A.N. 88−11545
Samartsev, V.V. *see* Nefedev, L.A. 88−20783
Samat, J. Performance and reliability of impregnated insulating systems 86−68103
Samat, J. *see* Burton, P. 86−51720
Samat, J. *see* Carballeira, M. 88−1813
Samat, J. *see* Fallou, B. 88−5748
Samat, S.B., Evans, C.J. Determination of the limits of impurity concentration for the achievement of hyperpure germanium 88−10239
Samata, S. *see* Lau, C.K. 88−39470
Samata, S. *see* Shibata, H. 88−7745, 88−39474
Samatham, M.R., Pradhan, D.K. A multiprocessor network suitable for single-chip VLSI implementation 85−17485
Samatham, M.R. *see* Katsaggelos, A.K. 87−27667
Sambamurti, A.K. *see* Crittenden, R.R. 88−60562
Sambandham, M. *see* Medhin, N. 88−43847
Sambandham, M. *see* Medhin, N.G. 88−63186
Sambe, Y. *see* Kobayashi, T. 85−24239, 87−24797
Sambe, Y. *see* Okisu, N. 86−42416, 87−26186
Samberg, L. DECnet: the emerging network standard protocol 88−15085
Sambierski, R. A TCKA terminal for PCM communication in subscriber lines 88−41455
Sambles, J.R. *see* Dawson, P. 87−53314
Sambor, K. Network technology independent interface (NII) 86−64705
Sambuc, R., Benezet, P.J., Thirion, X., Aurrand-Lions, J.P., Pansard, J., Delarque, A. An environmental control system by voice recognition−results of 70 installations 88−74891
Sambucetti, C. *see* Horkans, J. 85−23252
Sambur, I.G. *see* Vanke, V.A. 85−13379
Samchenko, A.V. *see* Red'ko, V.A. 85−25196
Samchenko, G.P. *see* Zasimenko, V.M. 87−49756
Samcik, J. *see* Kabat, D. 85−21209, 85−21234
Samdani, G. *see* Char, N.L. 88−36967
Samedov, V.V. Correct method for calculating energy resolution and instrument functions of scintillation spectrometers 86−44547
Samedov, V.V. Energy resolution of Cerenkov and scintillation shower spectrometers for high-energy particles 86−60631
Samedov, V.V. Amplitude distribution of output signals of Cherenkov and scintillation shower spectrometers 86−60640
Samedov, Ya.Yu. *see* Shcherbinskii, V.G. 88−70381, 88−74999
Samedov, Z.S. *see* Kyazym-zade, A.G. 86−14893
Sameh, A. *see* Meier, U. 88−40911
Samejima, A., Uematsu, M., Sakaguchi, J., Omura, M. VHS Hi-Fi VTR NV-880HD 86−38088
Samejima, C. *see* Gohara, H. 85−25292
Samejima, K., Onishi, M. A compact, high-speed, LED thermal print head 86−54049
Samejima, S. Soft decision technology 85−13488
Samejima, S. *see* Kato, S. 85−20142
Samejima, T. Timing devices and where they are used 88−16520
Samejima, T., Maeda, K. An ultrasonic dental device for root canal enlargement and irrigation 87−63744
Samejima, T. *see* Morimoto, M. 88−41236
Samek, J. *see* Kodes, J. 87−60248
Samelson, H., Walling, J.C., Wernikowski, T., Harter, D.J. CW arc-lamp-pumped alexandrite lasers 88−65792
Samelson, H. *see* Kafri, O. 86−42510
Samelson, H. *see* Rapoport, W.R. 88−8173
Samelson, H. *see* Walling, J.C. 86−22349
Sameshima, R., Tanimoto, S., Tanake, K., Koshibe, S., Kakei, M. Humidity resistance improvement by special formulation of epoxy molding compounds 87−72837
Sameshima, S.T. *see* Chao, S.K. 87−3242
Sameshima, T., Usui, S. XeCl excimer laser annealing used to fabricate poly-Si TFTs 87−25359
Sameshima, T., Usui, S. Analysis of dopant diffusion in Si by a pulsed excimer laser 88−19800
Sameshima, T., Usui, S., Sekiya, M. XeCl excimer laser annealing used in the fabrication of poly-Si TFTs 86−53625
Sameshima, T., Usui, S., Sekiya, M. Laser-induced melting of predeposited impurity doping technique used to fabricate shallow junctions 87−67082
Sameshima, T., Usui, S., Tomita, H. Fabrication of heavily-doped polycrystalline silicon film using a laser-doping technique 88−12023
Sameshima, T. *see* Usui, S. 87−32403
Samet, D. *see* Kalai, E. 85−281, 85−54250
Samet, H. Approximation and compression of images using quadtrees 85−30397
Samet, H. Hierarchical data structures for image processing 85−30463
Samet, H. A top-down quadtree traversal algorithm [image processing operations] 85−33291
Samet, H. Reconstruction of quadtrees from quadtree medial axis transforms 85−41944
Samet, H., Shaffer, C.A. A model for the analysis of neighbor finding in pointer-based quadtrees 86−23125
Samet, H., Tamminen, M. Computing geometric properties of images represented by linear quadtrees 85−41959
Samet, H., Tamminen, M. An improved approach to connected component labeling of images 87−2634
Samet, H., Tamminen, M. Efficient component labeling of images of arbitrary dimension represented by linear bintrees 88−66630
Samet, H. *see* Shaffer, C.A. 87−48104

Samet, M., Einav, S. Directional sensitivity of unplated normal-wire probes 86−24510
Samet, M., Einav, S. Directional sensitivity of unplated slanted-wire probes 87−56906
Samet, M., Einav, S. A hot-wire technique for simultaneous measurement of instantaneous velocities in 3D flows 87−63570
Samhaber, W. Electrochemical techniques for the extraction of heavy metals in industry: concepts, apparatus and costs 85−32873
Sami, M., Negrini, R. Redundancy and fault-tolerance aspects in VLSI processing architectures 87−67372
Sami, M., Stefanelli, R. Reconfigurable architectures for VLSI processing arrays 86−62628
Sami, M., Stefanelli, R. Fault-tolerance and functional reconfiguration in VLSI arrays 86−67250
Sami, M. *see* Antola, A. 87−18300, 87−67373
Sami, M. *see* Bedina, M. 86−41077
Sami, M. *see* Negrini, R. 86−46707, 86−46862
Sami, M.G., Bedina, M., Distante, F. A formal approach to computer-assisted generation of functional test patterns for VLSI devices 85−17240
Sami, M.G., Bedina, M., Distante, F. VLSI functional testing techniques 86−47759
Sami, M.G., Scarabottolo, N. Fault-tolerance in parallel architectures 88−71666
Sami, M.G., Stefanelli, R. Self-testing array structures 85−33872
Sami, M.G. *see* Antola, A. 88−63735
Sami, M.G. *see* Distante, F. 87−40452
Sami, M.G. *see* Doniants, V.N. 86−20605
Sami, M.G. *see* Gentile, G. 85−23836
Sami, M.G. *see* Lombardi, F. 87−66150, 87−67381
Sami, S.M. A dynamic model for predicting CANDU pressurizer performance 86−51283
Samigov, K.A. *see* Bakhadyrkhanov, M.K. 88−26937
Samigulin, K.R. *see* Ibragimov, E.A. 85−62656
Samii, G. Auto-insertable flow-solderable DIP switches 85−45277
Samilov, V.N. *see* Nikityuk, N.M. 85−20528
Samimi, M., Biglari, B., Hage-Ali, M., Siffert, P. Investigation of defects in THM grown cadmium telluride after irradiation damaging 86−8774
Samimi, M., Hage-Ali, M., Siffert, P. Statistical correlation between deeply lying defect levels and material properties in THM grown cadmium telluride 86−41545
Samimi, M. *see* Biglari, B. 87−53191, 87−53344
Samimy, M. *see* Petrie, H.L. 86−38617
Saminadayar, K. *see* Henry, A. 87−11344, 87−17680, 87−53163
Saminadayar, K. *see* Pautrat, J.L. 86−8773
Samios, N.P. *see* Ludlam, T.W. 88−61004
Samir, A., Patella, D. Application of low-pass filtering to noisy Schlumberger sounding field curves for hydrogeological investigations 87−71362
Samir Abdul-Majid Marble attenuation characteristics for diagnostic X rays 87−50440
Samisch, H. *see* Schade, P. 85−21929, 87−37786
Samish, F. Critical paths [telecommunication cables] 88−28630
Samish, F. Conferencing: getting the picture 88−35245
Samish, F. Lord of the rings 88−59596
Samitier, J., Herms, A., Cornet, A., Morante, J.R. Boron implantation influence on the backgating effect in GaAs MESFETs 88−13440
Samitier, J. *see* Morante, J.R. 87−1202, 87−17818
Samkharadze, T.G., Markov, V.S., Bulanov, A.V., Zhoglo, V.O. The KVANT quasi-electronic automatic telephone office 87−69812
Samkharadze, Z.P. *see* Gverdtsiteli, T.A. 87−29367
Samlenski, D. *see* Stange, H.W. 87−17427
Samlin, G.E. Evaluation of Cerenkov converters for measuring current density distribution in large-area electron beams 88−2489
Samlin, G.E. *see* Sweeney, M.A. 88−40154
Samm, R.W. How a paper-polypropylene-paper laminate insulation will benefit the utility industry 87−78142
Samman, J. In-service inspection of nuclear power plants 88−17260
Samman, J. *see* Sermadiras, P.H. 85−43832
Sammartino, F. *see* Wakerly, J.F. 86−54952
Sammataro, R.F. Preservice and inservice requirements for containment structures in the United States—a status report 88−17316
Sammatti, P. *see* Norros, L. 86−18970, 87−42593
Sammells, A.F., Pujare, N.U. Solid-state electrochromic cell using lutecium diphthalocyanine 86−54006
Sammells, A.F., Pujare, N.U. Electrochromic effects on heptylviologen incorporated within a solid polymer electrolyte cell 87−3672
Sammells, A.F., Schmidt, S.K. A two-photoelectrode solid-state photoelectrochemical cell 85−44141
Sammells, A.F., Semkow, K.W. A solvated electron lithium electrode for secondary batteries 87−15956
Sammells, A.F. *see* Cook, R.L. 85−55614, 86−26243
Sammells, A.F. *see* Pujare, N.U. 88−17921, 88−37370
Sammells, A.F. *see* Semkow, K.W. 88−11365
Sammelsel'g, V.A. *see* Aarik, Ya.A. 85−28996
Sammelsel'g, V.A. *see* Dolginov, L.M. 85−398
Sammet, W. *see* Heins, T. 88−2615
Sammler, W. *see* Schumacher, W. 87−23244
Sammon, P.H. *see* Forsyth, P.A., Jr. 88−70249
Sammons, D.E. *see* Gros, P.J., Jr. 86−69833
Samms, R.W. *see* Halyo, N. 86−10533, 87−2580
Samms, R.W. *see* Huck, F.O. 85−2874
Sammueller, R. Silicon multifiber connector and multifiber splicing—two possibilities for quick and simple connection of a large number of fibers 85−29539
Sammuli, A.G. *see* Heard, B.J. 85−33816
Sammuli, A.G. *see* Woodhall, B.W. 88−13592
Sammuller, R., Odemar, N. Multiple connector for optical waveguides 86−23918
Sammur, N.M. *see* Hagan, M.T. 88−74921
Sammut, A. Utility develops new load-receiver test 86−44857
Sammut, G., Arima, T., Oshima, G. Very wide area coverage rural satellite communication system with introduction of satellite link into subscriber loop 87−76691
Sammut, R.A., Chu, P.L. Axial stress and its effect on relative strength of polarization-maintaining fibers and preforms 85−50925
Sammut, R.A. *see* Chu, P.L. 85−12577
Sammut, R.A. *see* Garth, S.J. 88−65201
Samnoy, E. *see* Dykesteen, E. 85−52732
Samobrod, V.V. *see* Kazakov, L.V. 86−5364, 87−29307, 87−75337, 88−14366, 88−36291
Samoc, A. *see* Miniewicz, A. 88−58658
Samofalov, K.G., Valuiskii, V.N., Vilinskii, Yu.S., Karachun, L.F. Self-verifying signature analyzer 86−44209
Samofalov, L.D. *see* Khoroshevskii, A.N. 87−16903
Samoila, S. *see* Dinca, M. 88−17252
Samoilenko, A.B.S. *see* Smeliakov, S.V. 87−64147
Samoilenko, B.F., Bondaruk, P.A., Makhotin, N.D., Pushkov, P.M., Naboka, B.G. Mathematical model of inter-winding capacitance of inductosyn 85−16068
Samoilenko, G.M. *see* Artemenko, S.N. 85−41098, 87−35127, 87−66505
Samoilenko, G.M. *see* Didenko, A.N. 85−12526, 86−2647
Samoilenko, S.I. Adaptive switching with variable frame length 87−19976
Samoilenko, S.I. Local area multidrop ring network with backup 88−66944
Samoilenko, V.F. Current-flow characteristics of quartz resonators under two-node excitation 87−18438
Samoilenko, V.I., Bogdanov, S.V., Zaroshchinskii, O.I. Adaptive shaping of amplitude-phase field distributions in a limited region 87−47313
Samoilenko, V.I., Grubin, I.V. A method of choosing the adaptation channels of antenna arrays 86−43051
Samoilenko, V.I., Grubrin, I.V. Adaptive space-time noise filtration in multichannel systems 87−19682
Samoilenko, V.I., Lygina, I.Yu. Cross-locking in diversity antenna systems 87−19275
Samoilenko, V.I. *see* Grubrin, I.V. 87−39775
Samoilenko, V.T. *see* Agaronyan, F.A. 86−60634
Samoilenko, V.T. *see* Belenko, S.E. 87−8869
Samoilenko, Yu.I. *see* Dargeiko, M.M. 86−3624
Samoilenko, Z.A. *see* Bratashevikii, Yu.A. 86−63057
Samoilik, A.V. *see* Buyanov, Yu.I. 85−48037
Samoilov, A.V. *see* Batalov, A.A. 87−8791
Samoilov, E.B. *see* Petrovskii, A.A. 88−60551
Samoilov, F.V. TV broadcasting equipment produced by BTS 88−74133
Samoilov, F.V., Tsvetkov, A.I. TV methods for film deformation measurements 88−47351
Samoilov, F.V. *see* Bocharov, E.P. 86−8712
Samoilov, I.M. *see* Ipatov, V.P. 87−13026, 88−21174
Samoilov, I.N. *see* Kolokolkin, A.M. 86−51940
Samoilov, I.S. *see* Asinovskii, E.I. 86−865
Samoilov, L.K., Budyakov, I.V. Evaluation of digital temperature compensation of crystal oscillators 86−2493
Samoilov, O.B. *see* Khlopkin, N.S. 86−7222
Samoilov, O.B. *see* Klemin, A.I. 86−6503
Samoilov, S.F. *see* Trusov, N.B. 87−1924
Samoilov, S.S. *see* Veselov, G.I. 85−18518
Samoilov, V.A., Prints, V.Ya. Deep-level capacitance spectrometer 86−70083
Samoilov, V.D. *see* Avramenko, B.N. 87−4242
Samoilov, V.D. *see* Bereznikov, V.P. 86−44867
Samoilov, V.D. *see* Pleshanov, Yu.V. 88−60912
Samoilov, V.F., Kononenko, I.A. Some peculiarities of resolution measurements for HDTV pickup tubes 87−76985
Samoilov, V.F. *see* Vinogradov, N.L. 88−32025
Samoilov, V.N. *see* Azhgirei, L.S. 88−61154
Samoilov, V.S. *see* Kolesnik, V.V. 87−32783
Samoilov, V.S. *see* Malugin, V.P. 86−34952
Samoilova, L.A. *see* Bychkovskii, S.K. 87−51086
Samoilova, L.B. *see* Guseva, I.L. 86−70341
Samoilova, T.A. *see* Bachurin, V.V. 85−23815
Samoilova, T.B. *see* Vendik, O.G. 85−61668
Samoilovich, G.S., Afonin, M.V., Barrientos, K.A., Romanov, K. Theoretical and experimental determination of entry losses in a turbine stage 85−15842
Samoilovich, I.S. Overvoltage protection of networks with a different condition of the insulated neutral 87−9157
Samoilovich, I.S., Ksendzov, V.V. Overvoltage limiters for distribution networks of mines 88−55764
Samoilovich, Yu.A., Kabakov, Z.K., Yasnitskii, L.N. Engineering method of designing electromagnetic stirrers for continuous-casting machines 86−3463
Samoilyuk, T.T. *see* Komarov, F.F. 87−32390
Samokhin, A.B. *see* Kulikov, S.P. 87−19173
Samokhina, A.Ya. *see* Pokrovskii, A.V. 86−44460
Samokhov, V.A. *see* Kirilenko, V.V. 85−1327 to 1328
Samokhval, O.V. *see* Kazarinov, L.S. 88−24879
Samokhvalov, A.A. *see* Gizhevskii, B.A. 85−28985
Samokhvalov, M.K. *see* Panov, A.Ya. 87−77364
Samolovich, G.S., Nitusov, V.V., Kostezh, M.K. The effect of geometric parameters and modes of operation of a turbine stage on the exciting stages 85−48645
Samonin, V.I. *see* Borodulin, Yu.B. 87−64663
Samonov, S.M. *see* Antoshin, A.A. 85−41251
Samootrut, K. *see* Pookaiyaudom, S. 87−23974, 87−59231, 88−56751, 88−56817
Samora, M.M. Automation of turbines and flood gates in low head dams 85−53389
Samorio, R.V. *see* Verma, R. 87−64461
Samorodnitsky, G. *see* Rubinstein, R.Y. 87−16512
Samorodov, G.I. The phase equation and its use for power system load flow calculations 86−18633
Samorodov, G.I. *see* Bogrunov, V.G. 88−10836
Samorodov, G.I. *see* Bushuev, V.V. 88−23275
Samorodov, G.I. *see* Kochetygov, V.A. 86−44968
Samorodov, V.A. *see* Bochkar', E.P. 87−41519
Samorodov, V.A. *see* Bockhar', E.P. 88−15023
Samorodov, Yu.A. *see* Ivanov, A.A. 86−65362, 86−70339
Samorodov, Yu.N. Discovery of electromagnetic objects in the stator windings of turbogenerators 87−30485
Samorodov, Yu.N. *see* Alekseev, V.A. 86−19200
Samorodov, Yu.N. *see* El'kind, Yu.M. 86−33330
Samorodov, Yu.N. *see* Kulakovskii, V.B. 87−35869, 88−17407
Samorukov, B.E. *see* Voronina, T.I. 88−57301
Samorukov, B.E. *see* Zakharenkov, L.F. 86−35547, 86−46326
Samorukov, M.M. *see* Artemyev, A.N. 88−10229
Samorukova, T.P. *see* Bykovskii, V.F. 88−14082, 88−45342
Samoryadov, B.A. *see* Shishchenko, V.V. 86−33056
Samoseiko, V.F. Analysis of self-sustained oscillations in a circuit with a thyristor 87−5647
Samoseiko, V.F. Self-oscillatory operating conditions of a thyristor commutator switch 87−64715
Samoseiko, V.F. An analysis of thyristor circuit self-oscillations 88−11280
Samoseiko, V.F. A technique of analysis of steady-state signals in networks with rectifiers 88−38381
Samosejko, A.N. *see* Rubinshtein, G.R. 88−3884
Samoshenkov, Yu.K. *see* Panasyuk, V.S. 86−5657, 86−5834, 86−56074
Samostroenko, V.P. Rail trolley with electric contacts 87−43570
Samotaev, N.A. *see* Aleksenko, A.G. 88−13488
Samotnyi, V.V. *see* Chaban, V.I. 87−78688
Samoto, N., Shimizu, R., Hashimoto, H. Changes of volume and surface compositions of polymethylmethacrylate under electron beam irradiation in lithography 85−40577
Samoto, N., Shimizu, R., Hashimoto, H., Tamura, N., Gamo, K., Namba, S. A stable high-brightness electron gun with Zr/W-tip for nanometer lithography. I. Emission properties in Schottky- and thermal field-emission regions 85−55353
Samoto, N. *see* Emoto, F. 86−21309, 86−21311
Samoto, N. *see* Gamo, K. 85−29078, 85−45577
Samoto, N. *see* Ishiuchi, H. 87−74319
Samoto, T. *see* Honda, N. 86−36016
Samotyi, V.V. *see* Chaban, V.I. 87−9664, 87−68692, 88−18912, 88−24859
Samotyj, M.J. *see* Clemmensen, J.M. 87−78004
Samotyj, M.J. *see* Oliver, J.A. 88−69749
Samotyj, M.J. *see* Pottgen, H.B. 88−68834
Samouilidis, J. *see* Mentzas, G. 87−57601
Samouilidis, J.-E., Arabatzi-Ladia, A., Constantinidou, K., Despotakis, K., Psarras, J., Sahinis, H., Themelis, G., Varlas, N. EFOM-

12C/GRESOM-6: A model for the Greek energy system 85−9571
Samouilidis, J.-E. *see* Charalambopoulos, C. 88−5308
Samouilidis, J.-E. *see* Goumas, T. 88−69093
Samouilidis, J.-E. *see* Leledakis, K. 88−17478
Samouilidis, J.-E. *see* Mentzas, G. 88−5309
Samoukova, I.M. *see* Butusov, M.M. 87−68060
Samoylenko, V.D. *see* Alde, D. 88−47996
Samoylenko, V.D. *see* Binon, F. 86−65395
Samoylenko, V.F. *see* Bagayev, V.P. 88−1844
Samoylenko, Yu.I. *see* Marchuk, V.M. 86−15856
Samoylov, I.M. *see* Ipatov, V.P. 85−7874 to 7875, 88−40945
Samoylov, I.V. Determination of the frequency dependence of the slope of the characteristics of high-power field-effect transistors 85−35004
Samoylov, V.S. *see* Postnikov, I.I. 85−12461
Samoznayev, L.N. *see* Savich, N.A. 87−56310
Sampablo, L.E.Turillo *see* Turillo Sampablo, L.E.
Sampaio, J.B.De *see* De Sampaio, J.B.
Sampaio-Neto, R., Polydoros, A., Scholtz, R.A. Performance of standard code-tracking loops in the presence of dual tone interference 87−20381
Sampaio-Neto, R., Scholtz, R.A. Precorrelation filter design for spread-spectrum code tracking in interference 86−10336
Sampath, G. A television service plan through a multipurpose satellite—a cost effective Indian model for developing countries 85−3603
Sampath, S., Ramanaiah, K.V. Electrical, electromechanical and thermal properties of thin tellurium films 86−8732
Sampath, S., Ramanaiah, K.V. Behaviour of Bi-Sb alloy thin films as strain gauges 86−60357
Sampath, S. *see* Neiser, R.A. 88−48049
Sampath Kumar, M.M. *see* Kanaka, T.S. 88−54633
Sampathkumaran, K.S., Miller, T.R. An efficient and cost effective nuclear medicine image network 88−16807
Sampayan, S.E. *see* King, M.L. 87−53390
Sampei, M., Ooi, H., Horiuchi, H. Operating experience on load frequency control of Hokkaido-Honshu HVDC link 86−12410
Sampei, M. *see* Furuta, K. 86−3406, 88−34176
Sampei, S. The adaptive equalizer applicable to the digital land mobile communications 87−76596
Sampei, S., Kamio, Y. Performance of FEC with interleaving in digital land mobile communications 86−23757
Sampei, S., Yokoyama, M. Rejection method of adjacent channel interference for digital land mobile communications 86−69662
Sampei, S. *see* Kamio, Y. 86−69083, 87−62823
Sampei, S. *see* Sasaoka, H. 87−56010
Sampei, T. *see* Egawa, T. 85−3279
Sampei, T. *see* Komatsu, S. 88−18354
Sampei, T. *see* Shimada, T. 87−55655
Sampei, T. *see* Ueno, T. 85−47369
Sampei, T. *see* Yamada, H. 86−63442
Sampei, T. *see* Yasui, T. 88−3732
Sampei, Y., Mizobuchi, K., Naito, S. PLZT fiber-optic switch 88−39953
Sampei, Y., Naito, S., Kurita, Y. PLZT fiber-optic switch 88−13823
Sampietro, M. *see* Gatti, E. 87−29548
Sampietro, M. *see* Radeka, V. 88−61180
Sample, H.H. *see* Brandt, B.L. 88−53666
Sample, H.H. *see* McCarthy, K.A. 85−7193
Sample, H.H. *see* Sichel, E.K. 86−14905, 87−11405
Sample, J.S. Installation of an SPDS data acquisition system 88−42983
Sample, R. *see* Kawaguchi, K. 86−69446
Sample, R. *see* Neufeld, G. 86−69545
Sample, S.B. Engineering education and the liberal arts tradition 88−49404
Sampsell, J. *see* Gregory, D.A. 88−26887
Sampsell, J. *see* Penz, P.A. 85−14931
Sampsell, J.B. *see* Cohn, R.W. 88−45253
Sampsell, J.B. *see* Collins, D.R. 88−58321
Sampsell, J.B. *see* Penz, P.A. 86−24602
Sampsell, J.B. *see* Wu, W.R. 88−58237
Sampson, A.R. *see* Nguyen, T.T. 85−44575
Sampson, G.P. *see* Poon, T.C. 86−1062, 87−52579
Sampson, P.J. Measurement of single-mode optical-fibre spot size using strip integration of far field 85−56291
Sampson, R. *see* Bair, M.E. 87−70447
Sampson, R. *see* Jacobus, C. 87−70143
Sampson, R. *see* Wisness, S. 88−75185
Sampson, R.E. *see* Coleman, E.N., Jr. 86−4026
Sampson, R.E. *see* Wesolowicz, K.G. 88−28979
Sampson, S.A. Molex 'FOCUS' series fiber optic links 85−12632
Sampson, S.R. A survey of commercially available positioning systems 86−69852
Sampson, W. *see* Dahl, P. 86−25050, 86−44521, 87−74618, 88−68131
Sampson, W. *see* Strait, J. 87−74617, 88−54294, 88−68133
Sampson, W. *see* Thompson, P.A. 86−25056, 87−21342, 88−54288
Sampson, W. *see* Wanderer, P. 88−29730, 88−68136
Sampson, W.B. *see* Bleser, E.J. 85−48153
Sampson, W.B. *see* Cottingham, J.G. 85−59040
Sampson, W.B. *see* Garber, M. 85−62220, 86−22055
Sampson, W.B. *see* Ghosh, A.K. 85−62218, 86−25052, 87−67830, 87−67946, 88−54280, 88−64992
Sampson, W.B. *see* Gregory, E. 87−46402
Sampsonidis, D. *see* Zamani, M. 86−44584, 87−21470
Sampurnanand, K. *see* Eswar Reddy, N.C. 85−36217
Sams, B.J., III., Golub, L., Kalata, K. A high resolution phosphor screen for XUV detectors 88−36158
Sams, R.L., Fried, A. Microphone triggering circuit for elimination of mechanically induced frequency-jitter in diode laser spectrometers: implications for quantitative analysis 88−906
Samsaev, Yu.A. Automating balancing operations 85−28037
Samsen, G.R. An integrated adapter for IEEE 802.5 compatible LANs 86−4346
Samsen, G.R. *see* Carlo, J.T. 87−28190, 87−48679
Samsen, G.R. *see* Cochran, R.G. 86−47696
Samsen, G.R. *see* Hamner, M.C. 88−52866
Samsioe, P., Ericsson, M. Supervision of energy plants in telephone stations 88−30850
Samsioe, P. *see* Aksberg, A. 86−58106
Samsioe, P. *see* Eriksson, M. 87−62790
Samsioe, P.-E., Santi, R. Microprocessor-controlled power supply for small telecommunication plants 85−21701
Samson, A.A. *see* Sathe, S.D. 88−23356
Samson, A.A. *see* Sundararajan, T.K. 87−23913
Samson, A.M. *see* Burakov, V.S. 88−45376
Samson, A.M. *see* Demchuk, M.I. 87−7325
Samson, A.M. *see* Grigoryeva, E.V. 88−72386
Samson, A.M. *see* Kotomtseva, L.A. 85−2190, 85−24435, 85−56580, 86−9714, 87−33078
Samson, C., Oz, Y., Gera, A. Development of linear array [antennas] 86−64126
Samson, C. *see* Orleansky, E. 88−14556
Samson, E.C. *see* Ahuja, B.K. 88−21841
Samson, G. *see* Lavoisard, J.-L. 88−8955
Samson, J.-P. *see* Damsin, M. 87−57755
Samson, J.A.R. Absolute intensity measurements in the vacuum ultraviolet 87−14580
Samson, M. *see* Amarjit Singh 85−19055
Samson, M. *see* Gilbert, B. 87−31945
Samson, M.L. *see* Nausèd, B.A. 87−37371
Samson, M.L. *see* Peczalski, A. 87−31849, 88−51039
Samson, P., Dides, C., Laugeri, J. Test equipment for reverse and forward I-V characteristics [of solar cells] 87−78951
Samson, P. *see* Juillet, J.J. 88−5096
Samson, P.J. Usage-based comparison of ESI techniques 85−41150
Samson, P.J. Measurement of wavelength dependence of the far-field pattern of single-mode optical fibers 85−46176
Samson, P.J. Far-field techniques for the characterization of single-mode fibres 86−48126
Samson, P.J. *see* Fredericks, P.M. 87−46444
Samsonov, A.V. Emission of a plane homogeneous current for an arbitrary law describing the variation with time 87−54536
Samsonov, E.V. *see* Glazov, A.A. 85−64408
Samsonov, G.V., Seredkin, S.V., Shulimov, V.N. Corrosion-test methods for zirconium alloys in a research reactor 85−43709
Samsonov, G.V. *see* Amirkhanov, A.V. 86−41680
Samsonov, M.A. *see* Mechev, V.S. 85−5575, 85−16478, 85−32844
Samsonov, N.I. *see* Kuzhekov, S.L. 86−61461
Samsonov, N.S. The K1520 XM2 Russian gate array 88−19060
Samsonov, V.G. *see* Vodovatov, I.A. 87−20906, 87−74412
Samsonov, V.N. *see* Orlov, D.V. 86−3464
Samsonov, V.P. *see* Bakhert, I.A. 87−23383
Samsonov, V.P. *see* Borisenko, A.N. 86−38505
Samsonov, V.S. Estimating the effectiveness of capital expenditure in planning the development of distribution networks 86−25579
Samsonov, Yu.P. *see* Ivanov, I.P. 85−14778
Samsonova, E.Yu. Calculating the incremental-loss rate from the network nodal-admittance matrix 86−56407
Samsonova, E.Yu. *see* Gremyakov, A.A. 88−23316
Samsonova, E.Yu. *see* Kovalev, I.I. 88−61780
Samsonova, E.Yu. *see* Kovalev, I.N. 85−43580, 87−78086
Samsonova, I.E. *see* Avdeev, P.S. 86−9520
Samsonova, I.E. *see* Berezin, Yu.D. 87−14928
Samsonova, L.G., Kopylova, T.N., Degtyarenko, K.M., Tarasenko, V.F., Afanasiadi, L.Sh., Turr, I.N. Bifluorophores—radiation transformers of excimeric lasers 86−36322
Samsonova, L.I., Blyumina, I.A. New TV zoom lens 87−49317
Samsonova, M.P. *see* Zemskov, K.I. 85−2452
Samsonova, N.V. *see* Kliot-Dashinskaya, I.M. 85−24682
Samual, J. *see* Rainey, G. 87−69839
Samudrala, R.P., Dugan, W.P., Grabowski, M.A. Electroformed bumped tape, a practical interconnect method for high-lead count devices 88−64163
Samudrala, S. *see* Peng, V. 87−60609
Samuel, A. *see* Gibson, C. 88−56329
Samuel, A. *see* Scherrer, S. 86−33723
Samuel, A.H., Matthews, I.P., Gibson, C. Microwave desorption: a combined sterilizer/aerator for the accelerated elimination of ethylene oxide residues from sterilized supplies 88−68452
Samuel, A.M. *see* Rao, M. 87−22723
Samuel, B.C., Lovingood, R.P. Microwave/convection versus electric range ovens: tradeoffs in energy use, time, and food quality 86−61819
Samuel, E.A. *see* Shilling, N.Z. 87−77897
Samuel, F. *see* Salib, A.Y. 86−61006, 86−61085
Samuel, R., Rao, M.V. Automated NDT of spacecraft sandwich components by holographic interferometry 87−35461
Samuel, T.N., Nohria, N.K. Digital control and instrumentation for step-voltage regulators 85−28346
Samuel, V. *see* Rao, V.J. 87−60176
Samueli, H. The design of multiplierless FIR filters for compensating D/A converter frequency response distortion 88−70917
Samueli, H. *see* Nicholas, H.T., III 88−18958
Samuels, A.H. *see* Kallis, J.M. 86−31693
Samuels, B.C. *see* Monk, J.L. 88−71808
Samuels, B.C. *see* Partlow, W.D. 88−6496
Samuels, G.J. Plated nickel-indium alloy for electronic applications 87−52162
Samuels, H. Isolator measures 12-bit signals across ±3500 V barriers 87−73330
Samuels, J.S. *see* Power, J.F. 85−5235
Samuels, W.J. A consumer view of financing nuclear plant abandonments 85−38619
Samuelsen, G.S. *see* Jackson, T.A. 86−60352, 87−21241
Samuelsen, M.R., Vasenko, S.A. Influence of the bias current distribution on the static and dynamic properties of long Josephson junctions 85−24236
Samuelsen, M.R. *see* Eilbeck, J.C. 85−35342
Samuelsen, M.R. *see* Hansen, J.B. 87−74576
Samuelsen, M.R. *see* Helweg, C. 85−50871
Samuelsen, M.R. *see* Kofoed, B. 85−46087
Samuelsen, M.R. *see* Lomdahl, P.S. 85−29500
Samuelsen, M.R. *see* Soerensen, M.P. 85−1879, 85−56193
Samuelson, C. *see* Hertzman, S. 87−29653
Samuelson, C.E. *see* Austenfeld, R.S. 85−17981
Samuelson, G., Georgia, K. Properties of a new photovoltaic encapsulant 87−9813
Samuelson, G., Lytle, S. Polarization effects in polyimides 85−23619
Samuelson, G. *see* Sugimura, R.S. 87−9829
Samuelson, G.R. Revaluation of foam-skin cables for aerial applications 85−57916
Samuelson, K. InformatiCom, a multiway videocommunication system for interregional resource development and international education in informatics and systems science 85−42221
Samuelson, L., Omling, P., Grimmeiss, H.G. Electrical and optical properties of GaP grown on Si by MOVPE 85−11932
Samuelson, L. *see* Carlsson, P.E. 88−33037
Samuelson, L. *see* Landgren, G. 87−10394
Samuelson, L.A. *see* Metzger, R.M. 87−60212
Samuelson, L.E. *see* Elevant, T. 87−8856
Samuelson, S.J. *see* Phelps, D.W. 85−10466
Samuelsson, A. *see* Jin, H. 85−54419
Samuelsson, A. *see* Martensson, L. 88−15273
Samuelsson, B. Record fast delivery of Highgate HVDC convertor station in the United States 87−30751
Samuelsson, B. Highgate HVDC brings Quebec power to Vermont 87−50756
Samuelsson, C. *see* Bonjort, T. 88−17142
Samuelsson, J. *see* Strenstrom, L. 88−75884
Samuelsson, P. Energy saving using induction stirrer in an arc furnace 86−29322
Samuiklov, K.Ye. *see* Basharin, G.P. 86−16783
Samuilov, A.V. *see* Suleimanov, N.T. 85−2024
Samuilov, K.E. *see* Basharin, G.P. 87−40073
Samuitis, V.P. *see* Gurvich, I.S. 88−36122
Samukawa, S. *see* Hotate, K. 88−67868
Samula, J. *see* Kedzior, A. 85−28668
Samulski, E.T. *see* Hsiao, B.S. 87−56882
Samulski, T.V., Lee, E.R. Preclinical evaluation of Luxtron 3000 system 87−63764
Samulski, T.V. *see* Kapp, D.S. 88−30034
Samulski, T.V. *see* Tanabe, E. 85−19260
Samuolis, A.P. *see* Verkyalis, I.Yu. 88−51700
Samura, H. *see* Hoshino, H. 86−53936
Samura, M. *see* Tomita, N. 86−11096
Samus, I.V. Digital correction as a method of increasing the accuracy of analog-digital devices 88−70862
Samus, I.V. *see* Kondalev, A.I. 88−32275
Samusenko, A.I. *see* Yatskevich, V.A. 85−7718
Samusenko, I.I. *see* Galich, G.A. 86−3394
Samusev, K.B. *see* Kravtsov, N.V. 88−45379
Samusev, V.V. *see* Podkolodnyi, E.S. 86−39853
Samvelyan, R.G. *see* Sarkisyan, L.E. 88−38265

Samwel, J.A. Training in telecommunication 88−34911
Samwell, C.J., Cain, G.A. The BAe (Bracknell) automatic detection, tracking and classification system 87−8579
Samwell, C.J., Cain, G.A. The BAe (Bracknell) automatic detection, tracking and classification system 88−15690
Samwell, D.R., Rotter, C.J. The potential for subsea positioning and control 87−42284
Samy, R. An artifacts filtering algorithm using generalized Hough transform 86−29956
Samy, R. Moving object recognition using motion enhanced Hough shape transform 86−30058
Samy, R. An adaptive image sequence filtering scheme based on motion detection 87−19907
Samy, R. Man-made objects dynamic recognition using grey level corners 87−19909
Samy, R. *see* Fouques, M. 85−49931
Samy, R.A., Bozzo, C.A. Dynamic scene analysis and video target tracking 85−36433
Samy, R.A., Bozzo, C.A. Moving object recognition using motion enhanced Hough transform 85−51811
Samy, R.A., Bozzo, C.A. Matching images using motion features 87−48190
Samy Palanisamy, P. *see* Sarma, D.H.R. 88−44493
Samylov, S.N., Nazarov, V.Ya., Solodovnikov, V.V., Afanasenko, V.V. Multichannel stabilised power supply 85−39110
Samylovskii, A.I. Local analysis of vector statistical patterns in applied recognition problems 88−73178
Samyn, J. *see* Van Loock, W. 88−2629
San Chang Ning *see* Ning San Chang
San Cho Tong *see* Tong San Cho
San Emeterio, J.L. *see* Montero de Espinosa, F.R. 88−13653
San Emeterio, J.L. *see* Rodriguez-Corral, G. 88−16968
San Emeterio Prieto, J.L., Montero de Espinosa, F., Sanz, P.T. On the measurement of the mechanical losses of low Q_m piezoelectric materials 88−71864
San Emeterio Prieto, J.L., Sanz Sanchez, P.T., Riera Franco De Sarabia, E., Ramos Fernandez, A. Implementation of the KLM model for frequent mode piezoelectric transducers 88−57846
San Giacomo, K.D. *see* Grunwald, J.J. 87−11898
San Martin, G. Anti-theft and assault alarms [for cars] 87−66450
San Martin, G. *see* De Buono, D. 88−19928
San Martin, J.Garcia *see* Garcia San Martin, J.
San Miguel, M., Torrent, M.C. First passage time distribution for delayed laser threshold instability 88−65800
San Miguel, M. *see* Aguado, M. 88−27099
San Miguel, M. *see* de Pasquale, F. 86−58899
San Miguel, M. *see* Hernandez-Machado, A. 85−35714
San Qiao *see* Qiao San
San Yu Chong *see* Chong San Yu
San-Chin Fang, Tsividis, Y., Wing, O. Time- and frequency-domain analysis of linear switched-capacitor networks using state charge variables 86−20706
San-he Dai *see* Dai San-he
San-Liang Lee *see* Jingshown Wu 88−65191
San-oh, T., Komatsu, T., Nakamura, O., Minami, T. Improvement of picture quality in variable size encoding system by post processing 87−75894
San-oh, T., Komatsu, T., Nakamura, O., Minami, T. Variable block size coding for the color pictures 87−75897
San-oh, T. *see* Komatsu, T. 87−75893, 87−75895
San-Qi Li, Mark, J.W. Performance of voice/data integration on a DM system 86−30080
San-qi Li, Mark, J.W. Performance trade-offs in an integrated voice/data services TDM system 88−41424
San-qi Li, Mark, J.W. Traffic characterization for integrated services 88−53030
San-Qi Li *see* Majithia, J.C. 86−4111
Sanabria, L.A., Dillon, T.S. Stochastic power flow using cumulants and Von Mises functions 86−44846
Sanabria, L.A., Dillon, T.S. An error correction algorithm for stochastic production costing 88−54851
Sanad, M.S.A., Shafai, L. Properties of dual parabolic cylindrical reflectors [antennas] 86−22765
Sanad, M.S.A., Shafai, L. Ellipticity and cross-polarization of dual parabolic cylinder antennas 86−42982
Sanad, M.S.A., Shafai, L. Aperture field distribution of a compact range using using dual cylindrical reflectors 86−48668
Sanad, M.S.A., Shafai, L. Uniformity factor of a compact range using dual parabolic cylindrical reflectors 86−68830
Sanad, M.S.A., Shafai, L. Generation of arbitrary elliptic beams using dual parabolic reflector antennas 87−26944
Sanad, M.S.A., Shafai, L. An extended aperture integration method for reflector antennas 87−27025
Sanad, M.S.A., Shafai, L. Crosspolarization characteristics of dual parabolic cylindrical antennas 87−47379
Sanad, M.S.A., Shafai, L. Study on the uniformity factor of dual cylindrical reflectors employed as a compact range 87−47439
Sanad, M.S.A., Shafai, L. Performance and design procedure of offset dual parabolic cylindrical reflectors 87−61477
Sanad, M.S.A., Shafai, L. Dual reflectors employing cylindrical parabolic surface as a line source 88−2720
Sanad, M.S.A., Shafai, L. Effect of the feed orientation on the aperture field distribution of offset paraboloidal reflectors 88−2731
Sanad, M.S.A., Shafai, L. Offset dual parabolic cylindrical reflectors employed as a compact range 88−2756
Sanad, M.S.A., Shafai, L. Performance and design procedure of dual parabolic cylindrical antennas 88−66187
Sanada, H. *see* Akiyoshi, I. 85−42015
Sanada, H. *see* Du, R. 87−33840, 87−40023, 88−34863, 88−46343
Sanada, H. *see* Inoue, T. 85−42062
Sanada, H. *see* Sato, K. 86−54905
Sanada, H. *see* Suzuki, H. 85−46981, 86−69216
Sanada, H. *see* Yamamoto, M. 87−33847, 88−21389, 88−46331
Sanada, H. *see* Zhang, D. 86−4315
Sanada, K., Ando, H., Kanai, Y. A satellite broadcasting reception system for ship using a two-axis antenna rotating mechanism 88−28766
Sanada, K. *see* Kakuta, T. 86−9541, 87−7126, 87−12144
Sanada, K. *see* Kobayashi, T. 86−9565
Sanada, K. *see* Murata, M. 88−19141
Sanada, K. *see* Tsumanuma, T. 86−48174, 87−18620
Sanada, S., Miyamura, M. New deep UV dyeable negative resist for CCD micro color filter 87−11966
Sanada, S. *see* Ohzawa, Y. 85−34285
Sanada, T. Short-circuit testing facility 87−109
Sanada, T., Kuno, M., Wada, O. An improved technique for fabricating high quantum efficiency ridge waveguide AlGaAs/GaAs quantum well lasers 87−12488
Sanada, T., Nakai, K., Wakao, K., Kuno, M., Yamakoshi, S. Planar-embedded InGaAsP/InP heterostructure laser with a semi-insulating InP current-blocking layer grown by metalorganic chemical vapor deposition 88−2226
Sanada, T., Yamakoshi, S., Hamaguchi, H., Wada, O., Fujii, T., Horimatsu, T., Sakurai, T. Monolithic integration of a low threshold current quantum well laser and a driver circuit on a GaAs substrate 85−24417
Sanada, T. *see* Hashiguchi, S. 86−65268
Sanada, T. *see* Iino, S. 87−10705, 88−572
Sanada, T. *see* Kitaji, S. 88−28864
Sanada, T. *see* Kuno, M. 87−26225
Sanada, T. *see* Nobuhara, H. 87−26245
Sanada, T. *see* Wada, O. 85−7435, 85−46295, 85−51072, 86−9840, 86−54155, 88−67390
Sanada, T. *see* Wakao, K. 87−68485
Sanada, Y. *see* Okamura, T. 85−62256
Sanagi, M., Kimura, T. Analyzing recorder puts diagnostic power in compact, microprocessor-aided package 85−47898
Sanagi, S. *see* Nonaka, M. 88−56767
Sanagyan, R.T. *see* Glazunova, L.L. 88−30640
Sanahuja, I.C. *see* de los Rayes Davo, E. 87−20624
Sanai, M. *see* Amamiya, M. 88−60184
Sanamyan, T.V. *see* Arutyunyan, S.M. 88−27121
Sanamyan, V.A. *see* Abramyan, L.E. 87−34684
Sanathanan, C.K. Double loop control of a hydro turbine unit 87−30421
Sanathanan, C.K. Accurate low order model for hydraulic turbine-penstock 87−64460
Sanathanan, C.K. A frequency domain method for tuning hydro governors 88−48807
Sanati, M., Dadashzadeh, M., Dadfar, M.B. Iranian standard code for information interchange (ISCII) 88−14579
Sanaullah, M.Y., Dharmalingam, K. An effective finite element approach for calculation of potential distribution in a multi-dielectric cable 85−2625
Sanbao, X. *see* Wulin, D. 86−38545
Sanborn, T.A. Percutaneous laser thermal angioplasty: experimental and clinical studies 88−16779
Sanborn, W. *see* Current, D.C. 88−60592
Sanbry, E.I., Carter, C.R. Precision synchronization of satellites in inclined orbits 87−35457
Sancaktar, S., Sharp, D.R. Automated fault tree analysis: the GRAFTER system [nuclear safety] 85−53440
Sancaktar, S., Sharp, D.R. 'Living PRA' concept for plant risk, reliability and availability tracking 86−51407
Sances, A., Jr. *see* Chilbert, M. 88−74779
Sancet, J.C.Fondevila *see* Fondevila Sancet, J.C.
Sancha, S.G. *see* Martinez-Herrero, R. 88−8844, 88−66649
Sanchenko, A.V. *see* Balun, A.I. 88−43144
Sanches, M.A.B. *see* Taralli, C. 88−30390
Sanchex, F.H. *see* Namavar, F. 86−35560
Sanchez, A. A frequency meter with 4 1/2 digit liquid crystal display 85−58761
Sanchez, A. A xenon lamp stroboscope for car engine tuning 86−8406
Sanchez, A. A point-setting controller for model railways 86−27512
Sanchez, A. Optical Tachometer 86−44353
Sanchez, A. Automatic phase changer 86−49900
Sanchez, A., Fahey, R.E., Strauss, A.J., Aggarwal, R.L. Room-temperature continuous-wave operation of a Ti:Al_2O_3 laser 86−58909
Sanchez, A., Klatskin, J., Johnson, H.C. A Ku-band light weight circularly polarized microstrip antenna array with very low cross-polarized radiation field 86−48703
Sanchez, A., Oliner, A.A. Accurate theory for a new leaky-wave antenna for millimeter waves using nonradiative dielectric waveguide 85−7735
Sanchez, A., Oliner, A.A. Microwave network analysis of a leaky-wave structure in non-radiative dielectric waveguide 85−19196
Sanchez, A., Oliner, A.A. A new leaky waveguide for millimeter waves using nonradiative dielectric (NRD) waveguide. I. Accurate theory 87−68832
Sanchez, A., Strauss, A.J., Aggarwal, R.L., Fahey, R.E. Crystal growth, spectroscopy, and laser characteristics of Ti:Al_2O_3 88−63277
Sanchez, A. *see* Daneu, V. 85−50443, 87−2112
Sanchez, A. *see* Johnson, H.C. 85−19269
Sanchez, A. *see* Mahan, A.H. 85−61008
Sanchez, A. *see* Ortiz, A. 87−52158
Sanchez, A. *see* Ortz, A. 88−63348
Sanchez, A. *see* Qing, H. 87−66470
Sanchez, A. *see* Strauss, A.J. 88−2212
Sanchez, A. *see* Tong, F. 88−45403
Sanchez, A. *see* von Roedern, B. 85−1331
Sanchez, A. *see* Walther, A. 88−40110
Sanchez, A.D. *see* Taylor, E.W. 88−65358
Sanchez, A.Golderos *see* Golderos Sanchez, A.
Sanchez, A.M., Arcangeli, R. Estimation of the best polynomial approximation error and the Lagrange interpolation error in fractional-order Sobolev spaces 85−22351
Sanchez, B. *see* Lopez-quelle, M. 88−42437
Sanchez, B.G. Techniques for protection against electrical hazards in low voltage installations. II 86−32346
Sanchez, B.G. Techniques for protection against electrical danger in low-voltage installations. IX 87−5191
Sanchez, B.G. Techniques of protection against electrical hazards in low-voltage installations. XIII 87−43910
Sanchez, B.G. Methods for protection against electrical hazards in low-voltage installations. XX 88−10915
Sanchez, B.G. Techniques for protection from electric risks in low voltage installations. XXII. 13 fundamentals on earthing of installations 88−11691
Sanchez, B.G. Techniques of protection against risk of electric shock in low voltage system. XXVI 88−69063
Sanchez, B.Gonzalez *see* Gonzalez Sanchez, B.
Sanchez, C.M. *see* Hohendahl, A.T. 88−16433
Sanchez, D. *see* Mendieta, F.J. 86−59921
Sanchez, E., Araujo, G.L. An analysis on concentrator photovoltaic system costs 86−33698
Sanchez, E., Araujo, G.L. The determination of the optimum transparency factor for solar cell metallization grids 87−36148
Sanchez, E., Araujo, G.L. On the analytical determination of solar cell fill factor and efficiency 87−43445
Sanchez, E., Gras, A.M. Setting-up of SPASOLAB [solar cell testing] 87−78956
Sanchez, E. *see* Araujo, G.L. 86−33687
Sanchez, E. *see* Azpiroz, J. 88−48178
Sanchez, E. *see* Carey, W.P. 87−3594
Sanchez, E. *see* Chenlo, F. 86−33697
Sanchez, E. *see* Fernandez-del-Busto, R. 85−60016
Sanchez, E. *see* Ferrer, A. 88−42412
Sanchez, E., Zadeh, L.A. *(editor)* Approximate Reasoning in Intelligent Systems, Decision and Control 88−69992
Sanchez, E.C. *see* Fernandez-de-Busto, R. 86−6581
Sanchez, E.D. Estimation of uncertainties in electrical measurements: a new approach 88−60525
Sanchez, E.N. *see* Fernandez del Busto, R. 86−25883
Sanchez, E.T., Mooney, D.L. Current legal developments in direct broadcast satellites 85−52299
Sanchez, F. Evaluation results of CESA-1 project [solar power system] 86−33224
Sanchez, F. The selection and use of digital commutators 87−45346
Sanchez, F. Concepts in data communication 87−69517
Sanchez, F. The general topology of modems 88−15250

Sanchez, F., Kayoun, P.H., Huignard, J.-P. Wave-mixing in liquid crystal and mercury cadmium telluride 88−58686
Sanchez, F. *see* Diaz, P. 85−28212
Sanchez, F.Gonzalez *see* Gonzalez Sanchez, F.
Sanchez, F.H. *see* Namavar, F. 85−45523, 87−17923, 87−17928
Sanchez, G. Anechoic chamber considerations [for antenna testing] 86−26617
Sanchez, G. *see* Duran, H. 85−59860
Sanchez, G. *see* Sherkat, V.R. 88−11138
Sanchez, G.A. Specifying an anechoic chamber 87−72799
Sanchez, G.A. *see* Hemming, L.H. 87−27010
Sanchez, J. Analog channel for a low-frequency waveform recorder 86−60194
Sanchez, J. *see* Degrauwe, M. 87−59111
Sanchez, J. *see* Dutoit, M. 85−45455
Sanchez, J. *see* Joshi, N.V. 88−20491
Sanchez, J. *see* Krisl, M.E. 87−9781
Sanchez, J. *see* Pohl, K.D. 85−62314
Sanchez, J. *see* Rancourt, J. 85−50899
Sanchez, J.E., Jr. Mechanisms for whisker growth in thin films [metallisation] 87−60381
Sanchez, J.L., Gharbi, M., Tranduc, H., Rossel, P. Quasisaturation effect in high-voltage VDMOS transistors 85−23795
Sanchez, J.L., Tranduc, H., Phan Pham, T., Gharbi, M., Rossel, P., Charitat, G., Vertongen, B. Access region contribution to the ON-resistance of power DMOS transistors 86−15169
Sanchez, J.L. *see* Bolzoni, F. 86−15364
Sanchez, J.L. *see* Hsueh, K.K.-L. 88−39451
Sanchez, J.L. *see* Tranduc, H. 85−12308, 85−40768, 85−61937
Sanchez, J.M., Gonzalez, J. A method for minimizing the synthesis cost of combinational circuits using the Tapia and Tucker method of solving BES 88−63439
Sanchez, J.M. *see* Fernandez, C. 86−16151, 88−14987
Sanchez, J.Martin *see* Martin Sanchez, J.
Sanchez, J.Verdu *see* Verdu Sanchez, J.
Sanchez, L.M.Fernandez *see* Fernandez Sanchez, L.M.
Sanchez, M. Technical assistance service in the home computer field. II 86−52884
Sanchez, M. *see* Ventosa, J. 87−30050
Sanchez, M.C., Hernandez, A., Martin, E., Margineda, J., Zamarro, J.M. New method for the measurement of coupling coefficients of transmission cavities 87−24415
Sanchez, M.C., Villalba, C.R., Zamarro, J.M., Martin, E. Automatic technique for the characterisation of a dielectric resonator coupled to a microstrip line 87−6015
Sanchez, M.C. *see* Sanchez, P. 88−67751
Sanchez, P., Lopez, E., Aroca, C., Sanchez, M.C. Application of domain wall stabilization to magnetic sensors 88−67751
Sanchez, P. *see* Cisneros, G. 85−50824
Sanchez, P.B. *see* Eguiluz, L.I. 86−85
Sanchez, P.G. *see* Dunham, M.E. 88−22650
Sanchez, P.P., Taheri, S.A. A data structure with applications to remote detection of environmental change 87−2613
Sanchez, P.T.Sanz *see* Sanz Sanchez, P.T.
Sanchez, R., Jeldez, R. Computerized system for the measurement of cardiac output 86−38749
Sanchez, V. *see* Pozar, D.M. 88−58940
Sanchez, V.J., Kabat, W.C. Automated synthesis of algorithmic state machines 86−57759
Sanchez Colina, M. *see* Arencibia, D. 85−46285
Sanchez Colina, M. *see* Diaz Arencibia, P. 85−46286
Sanchez de Leon, J.No *see* No Sanchez de Leon, J.
Sanchez Gomez, M., Bachs Fornt, L., Comeron Tejero, A. Applications of the laser to industrial material processing 88−2429
Sanchez Izquierdo, J. The Spanish national plan for electronics and informatics (PEIN). Medium term prospects 85−5746
Sanchez Martin, M.T. *see* Fritsch Yusta, C. 85−52649
Sanchez Ors, M. Simpler adjustments in digital TV circuits 87−41190
Sanchez Perez, A.M. Reflections on the calibration of instruments for dimensional metrology 86−69993
Sanchez Perez, G. *see* Lacruz, A. 85−16915
Sanchez Perez, J.M., Ballesteros Rubio, J. Implementation of an heuristic method for synthesizing programmable logic arrays 87−37189
Sanchez Porras, G. *see* Wasim, S.M. 85−40475
Sanchez Rodriguez, M.J., Mendez Rodriguez, J.A., Nunez Ordonez, A. The concentrating/diffusing system for a communications cluster controller 86−23477
Sanchez Sarmiento, G., Idelsohn, S.R., Cardona, A., Sonzogni, V. Failure internal pressure of spherical shell containments 86−32986
Sanchez Urdiain, S., Lera, E. New services: their challenge for development and implementation 88−14899
Sanchez-Caldera, L.E., Griffith, P., Rabinowicz, E. The mechanism of corrosion-erosion in steam extraction lines of power stations 88−75245
Sanchez-Chopitea, L. *see* Woodley, M.D. 88−54159
Sanchez-Dehesa, J., Flores, F., Ortega, J., Dow, J.D. Schottky barrier formation in defect-free metal/III-V semiconductor junctions 88−64325
Sanchez-Fornie, M.A. *see* Fuentes, F.N. 88−11099
Sanchez-Fornie, M.A. *see* Garcia, S. 87−9271
Sanchez-Gasca, J.J. *see* Chow, J.H. 87−30492, 88−48505
Sanchez-Gasca, J.J. *see* Hara, T. 88−30445
Sanchez-Gomez, G. *see* Huertas, J.L. 87−44735
Sanchez-Martinez, R.A. *see* Woodruff, D.W. 87−5511, 87−59005
Sanchez-Mondragon, J.J., Torres-Cisneros, G.E. Pulse compression caused by a spectral hole in an inhomogeneously broadened line of an amplifier 87−33274
Sanchez-Quensada, F. *see* Iborra, E. 86−36308
Sanchez-Quesada, F., Case, C., Gonzalez-Diaz, G., Beaulieu, R., Loferski, J.J. The effects of Ar partial pressure on the electrical properties of RF-sputtered CuInSe$_2$ thin films 88−32830
Sanchez-Quesada, F. *see* Iborra, E. 88−12963, 88−62617
Sanchez-Quesada, F. *see* Martil, I. 85−28949, 86−8791, 88−12038
Sanchez-Quesada, F. *see* Martil De La Plaza, I. 85−22539
Sanchez-Quesada, F. *see* Santamaria, J. 88−12071, 88−18751, 88−64298
Sanchez-Reyes, A.F., Febrian, M.I., Baro, J., Tejada, J. Absolute efficiency calibration function for the energy range 63-3054 keV for a coaxial Ge(Li) detector 87−77562
Sanchez-Sandoval, A. *see* Cabrera-Morelos, A. 88−6614
Sanchez-Sinencio, E., Allen, P.E., Tarek Ismail, A.W., Klinkovsky, E. Switched-capacitor filters with partial positive feedback 85−913
Sanchez-Sinencio, E., Geiger, R.L., Navarez-Lozano, H. Generation of continuous-time two integrator loop OTA filter structures 87−66347
Sanchez-Sinencio, E., Geiger, R.L., Nevarez-Lozano, H. Generation of continuous-time two integrator loop OTA filter structures 88−70894
Sanchez-Sinencio, E., Geiger, R.L., Silva-Martinez, J. Tradeoffs between passive sensitivity, output voltage swing, and total capacitance in biquadratic SC filters 85−6429
Sanchez-Sinencio, E., Geiger, R.L., Silva-Martinez, J. Tradeoffs between passive sensitivity, output voltage swing and total capacitance in SC filters 85−17680
Sanchez-Sinencio, E., Lee, J.-J., Allen, P.E. An area optimized CAD program for cascade SC filter design 85−39897
Sanchez-Sinencio, E., Ramirez-Angulo, J. AROMA: an area optimized CAD program for cascade SC filter design 86−1235
Sanchez-Sinencio, E., Silva-Martinez, J. Second-order programmable switched-capacitor filters 86−62719
Sanchez-Sinencio, E., Silva-Martinez, J., Geiger, R.L. Biquadratic SC filters with small GB effects 85−6427
Sanchez-Sinencio, E. *see* Cai, X. 86−67334
Sanchez-Sinencio, E. *see* Cai Xuexiang 87−59707
Sanchez-Sinencio, E. *see* Garcia, G.W. 87−66365
Sanchez-Sinencio, E. *see* Geiger, R.L. 85−49975
Sanchez-Sinencio, E. *see* Hoyle, J. 86−818
Sanchez-Sinencio, E. *see* Ramirez-Angulo, J. 86−62687, 86−62715, 86−62857, 86−67606, 88−19556
Sanchez-Sinencio, E. *see* Silva-Martinez, J. 86−52692, 87−59228
Sanchez-Sinencio, F., Williams, R. Measurement of properties of the *n*-layer in hydrogenated amorphous silicon solar cells 86−71060
Sanchez-Sinencio, F. *see* Alvarez-F, O. 88−7320
Sanchez-Sinencio, F. *see* Cardenas, M. 85−10772
Sanchez-Sinencio, F. *see* Falcony, C. 85−428
Sanchez-Sinencio, F. *see* Figueroa, J.M. 87−10510
Sanchez-Sinencio, F. *see* Mendoza-Alvarez, J.G. 88−31839
Sanchez-Sinencio, F. *see* Menezes, C.A. 85−33475
Sanchez-Sinencio, F. *see* Zelaya, O. 88−457, 88−31836
Sanchirico, P.J. On the statistical multiplexing of D-channels 88−45832
Sanchis, E. *see* Cases, R. 87−29434
Sanchis, E. *see* Ferrer, A. 88−42412
Sanchis, E. *see* Vidal, E. 88−72890
Sanchis, M.A. *see* Ferrer, A. 88−42412
Sanchis, M.A. *see* Forino, A. 85−37976
Sanchis, P., Colling, J.-M. Using the FIELDBUS concept for control and monitoring of nuclear power plants: the NERVIA network 88−30458
Sancho, J.M. External dichotomous noise: the problem of the mean first-passage time 85−46673
Sancho, J.M. *see* de Pasquale, F. 86−58899
Sancho, J.M. *see* McClintock, P.V.E. 86−62405
Sancho, M. *see* Navarro, A. 86−15993
Sancier, K.M. *see* Sanjurjo, A. 88−18030
Sanctis, A.De *see* De Sanctis, A.
Sanctis, O.De *see* De Sanctis, O.
Sanctorum, C. *see* Ongena, J. 85−18040
Sand, E., Levy, D., Nemirovsky, Y. Combination of open-tube vapor and liquid phase epitaxy of Hg$_{1-x}$Cd$_x$Te 85−28209
Sand, E., Levy, D., Nemirovsky, Y. A combination of vapor phase and liquid phase epitaxy of Hg$_{1-x}$Cd$_x$Te 86−29004
Sand, E., Nemirovsky, Y. Calibration curve for the cut-off wavelength of photodiodes in Hg$_{1-x}$Cd$_x$Te epilayers 85−46267
Sand, F., Arbez, J., Jacquinot, J., Lallia, P.P., Theilhaber, K. RF properties of the JET antennae 85−30103
Sand, F. *see* Arbez, J. 85−30106
Sand, H., Lockau, J. State of structural dynamic design of piping systems in nuclear power plants 85−48721
Sand, J. A$_0$-contractivity of the variable-step BDFs of order less than four 85−54389
Sand, J. Circle contractive linear multistep methods 86−46279
Sand, J.A. *see* Kollodge, J.C. 85−31893
Sand, K., Solvang, E., Svandsen, V. An integrated system for electrical distribution system planning, operation and documentation 88−17137
Sand, K. *see* Aase, A. 85−59706
Sand, R. New aspects and experiences in stereoscopic television 85−8577
Sand, R. *see* Messerschmid, U. 87−13825
Sand, R.R. *see* Turchi, P.J. 85−23194
Sanda, A. *see* Guo, X. 87−39175
Sanda, A. *see* Hara, T. 86−44533, 87−41805
Sanda, H. *see* Rongping Du 86−16623
Sanda, K. *see* Takemura, Y. 86−4843, 87−56359
Sanda, P.N., Bartha, J.W., Clabes, J.G., Jordan, J.L., Feger, C., Silverman, B.D., Ho, P.S. Interaction of metals with model polymer surfaces: Core level photoemission studies 86−63210
Sanda, P.N. *see* Jordan, J.L. 86−63212
Sandage, P. How to size main components of continuous-blowdown systems 85−32354
Sandahl, C.R. *see* Murphy, E.J. 88−73923
Sandakov, A.N. *see* Gud, V.V. 87−69285, 88−2328
Sandalov, A.N. *see* Lopukhin, V.M. 87−17607
Sandalov, A.N. *see* Pikunov, V.M. 86−27796, 88−1322
Sandalov, A.V. *see* Bobrikov, L.P. 87−364
Sandalova, L.A. *see* Larin, E.A. 88−48731
Sandau, R. *see* Jahn, H. 87−2604
Sandau, R. *see* Lorenz, E. 85−34020
Sandbank, C., Wood, D. EBU studies in high-definition television 85−20350
Sandbank, C.P., Childs, I. The evolution towards high-definition television 85−52518
Sandberg, A. *see* Nivert, M. 87−69820
Sandberg, C., Haile, L. Fiber optic applications in pipes and pipelines 87−32992
Sandberg, C., Haile, L. Fiber optic applications in pipes and pipelines 88−22081
Sandberg, C., Haile, L. Fiber optic applications in pipes and pipelines 88−29425
Sandberg, C.J. *see* Shepherd, J.P. 85−5788
Sandberg, C.L. *see* Sun, M.H. 86−50238
Sandberg, H. CEPT GSM/Working Party 1 (WP1): Services and operative aspects in GSM 88−15372
Sandberg, I.W. Nonlocal input-output expansions 85−36150
Sandberg, I.W. Multilinear maps and uniform boundedness 85−44858
Sandberg, I.W. Iteration and functional expansions 85−49468
Sandberg, I.W. Criteria for the global existence of functional expansions for input/output maps 86−13951
Sandberg, I.W. Nonlinear input-output maps and approximate representations 86−57601
Sandberg, I.W. Integral representations for linear maps 88−56373
Sandberg, I.W., Allen, J.B. Almost-periodic response determination for models of the basilar membrane 86−20233
Sandberg, J. Calculate bit error rate for digital radio signal transmission 87−68934
Sandberg, J., Smith, G.A., Carroll, A.S., Leonhardt, W., Monaghan, R., Pearson, C., Pendzick, A., Ryan, G., Sims, W.P., Stillman, P., Walker, J.C. The neutrino horn 300 kiloampere pulsed power supply at Brookhaven National Laboratory 88−54318
Sandberg, J. *see* Carroll, A. 86−32046, 88−54314
Sandberg, J. *see* Dickinson, A. 87−76638
Sandberg, J. *see* Leonhardt, W. 88−54317
Sandberg, J. *see* Sims, W.P. 88−54315
Sandberg, J. *see* Stillman, P. 88−54319
Sandberg, J. *see* Walker, J.C. 88−54316
Sandberg, J.V. *see* Routti, J.T. 85−26800
Sandberg, K., Granberg, S.E., Sjoquist, I., Ericsson, L.M. New central processor architectures for AXE 85−52176
Sandberg, O. *see* Nilsson, O. 87−8764
Sandberg, U. Security analysis functions in power system control centers—a critical review 86−70614

Sandberg, U., Ejsmont, J.A. Development of three methods for measurement of tire/road noise emission: coast-by, trailer and laboratory drum 87−63574
Sandberg, U. *see* Cederblad, L. 87−4260
Sandberg, U. *see* Cegrell, T. 87−42385
Sandberg, U. *see* Hagengren, B. 86−56373, 87−4272
Sandberg, V.D., Bayliss, L., Dugan, M., Frank, J.S., Gordon, T., Hart, G., Hoffman, C.M., Hogan, G.E., Matis, H.S., Sanders, G.H., Von Gunten, H.P. A fast analog mean-timer 85−37969
Sandberg, V.D. *see* Bolton, R.D. 86−18254
Sandberg, V.D. *see* Wilson, S.L. 88−29827
Sandberg, W.A. *see* Kim, Y.S. 87−56054, 87−62923
Sandblom, C.L. *see* Eiselt, H.A. 86−40633
Sandborn, P.A., East, J.R., Haddad, G.I. Quasi-two-dimensional modeling of GaAs MESFETs 87−53527
Sandbu, J. *see* Westby, M. 86−60842
Sande, C.H., Arias Rodriguez, J.E. A syntactic metric for EEG monitoring in kidney patients 85−48308
Sande, C.Hernandez *see* Hernandez Sande, C.
Sande, H.F. Short term drainage prognosis: hydrological model gives reliable prognosis 85−38898
Sande, J.B.Vander *see* Vander Sande, J.B.
Sande, M.van *see* van Sande, M.
Sandeau, R.F. Solution to the SMT maze 87−52977
Sandeep, C., Gupta, S.C. Digital signaling over a slowly fading frequency selective channel using adaptive channel estimation 87−54831
Sandeep, C., Gupta, S.C., Soliman, S.S. An estimator correlator receiver for frequency selective multipath fading channels 87−76552
Sandeep, S. *see* Ma, Y. 87−31845
Sandegren, B. *see* Bjarelklint, A. 85−32682
Sandel, B.R., Broadfoot, A.L. Statistical performance of the intensified charged coupled device 87−20905
Sandel, B.R., Collins, D.F., Lyle Broadfoot, A. Effect of phosphor persistence on photometry with image intensifiers and integrating readout devices 87−6339
Sandel, B.R. *see* Anger, C.D. 87−57363
Sandel, B.R. *see* King, R.A. 88−58066
Sandel, R.J. *see* Brauer, J.R. 88−55315
Sandell, B. *see* Holmbom, P. 88−39779
Sandell, H. SIRIO propagation and telecommunication experiments in Finland 87−62876
Sandell, H.A., Oksanen, M.I. Comparison of measured and calculated radiation patterns of a radome covered antenna under rain and sleet conditions 88−27643
Sandell, J. *see* Hennegan, R. 86−44970
Sandell, J. *see* James, W. 85−15689
Sandell, J. *see* Schroder, F. 86−44912
Sandell, K.L., McDaniel, D.O., Clift, C.E. Linking academic and practicing professionals through an integrated computing facility for communications 86−49204
Sandell, R. The prediction of field strength in the frequency range 30 to 1000 MHz and its influence on spectrum management 86−18058
Sandell, R.D. *see* Silver, A.H. 85−54825
Sandell, R.D. *see* Smith, A.D. 85−55131, 87−67884, 87−74590
Sandell, R.S. 'CARFAX' road traffic information system 85−47640
Sandell, R.S. VHF-FM radio—success or failure? 87−13848
Sandell, R.S. Television service planning in the United Kingdom, 1946-1986 87−28757
Sandell, R.S. Frequency planning for television broadcasting 88−67527
Sandell, R.S., Lee, R.W. Developments in the prediction techniques used for the planning of VHF/UHF broadcast services 85−42714
Sandell, S. *see* Schmeling, P. 85−484
Sandels, E.G. Pulsed power supplies for the Spallation Neutron Source (SNS) 85−27523
Sandels, G. *see* Bieler, M. 88−54053
Sandeman, E.J. *see* Seiler, J.H. 85−4466
Sandeman, J.M. *see* Ross, R.N. 85−20948
Sandeman, R.J. *see* Cain, T.M. 87−77749
Sanden, D.von *see* von Sanden, D.
Sanden, P.J.J.M.van der *see* van der Sanden, P.J.J.M.
Sander, B. Applications of the scalar analyzer 85−14701
Sander, B. A high resolution spectrum analyser 86−11493
Sander, B., Schachermayr, H., Bachmann, B. BBC-PROCONTROL SC80—integrated station control for electric power systems 88−23587
Sander, B. *see* Engelbrecht, E. 88−17797
Sander, B. *see* Gerhardt, W. 88−55568
Sander, B. *see* Mathis, M. 87−35680
Sander, D. Contact technical fundamentals of feeder clamps and their influence on design, assembly and maintenance 86−45008
Sander, D. New solutions for connections, tap-offs and measurements in medium-voltage systems 87−42506
Sander, D. *see* Bruggemann, H. 85−59798
Sander, D. *see* Bruggemann, W. 85−48603
Sander, D. *see* Heiss, W. 85−59793
Sander, D. *see* Maier, H.A. 88−10872
Sander, D. *see* Nunning, J. 87−76519
Sander, D. *see* Sieper, P. 86−70996
Sander, E.A., Shoidin, S.A. Recording of holograms in dynamic relaxation-free media 86−9984
Sander, G. Economic use of plastics for power cable production 87−50815
Sander, H. *see* Arnault, C. 87−14216
Sander, H. *see* Veit, I. 87−49383
Sander, H.-G. *see* Bakken, J.A. 85−31696
Sander, H.G. *see* Bleichert, B. 86−18236
Sander, H.G. *see* Burkhardt, H. 88−47997
Sander, I., Slovenkai, S. Magneto-optic recording with a compact optical head 87−60993
Sander, K.F., Reed, G.A.L. Transmission and propagation of electromagnetic waves. Second edition 87−10072
Sander, L.M. Exact solution for the peripheral photoresponse of a *p-n* junction 85−34577
Sander, O.R. *see* Boicourt, G.P. 86−25016
Sander, O.R. *see* Cottingame, W.B. 87−41811
Sander, P.T., Zucker, S.W. Stable surface estimation 87−48213
Sander, P.T., Zucker, S.W. Tracing surfaces for surfacing traces 87−62333
Sander, S.A. *see* Il'in, V.P. 88−43989
Sander, W. Monitoring and calibration of active phased arrays 86−16057
Sander, W.M., Leung, K. An instant recall emergency communication recorder 87−8075
Sandera, M. *see* Kucharski, M. 87−38831
Sandera, M. *see* Trousil, J. 85−64646
Sandercock, J.R., Bosenberg, W.A. Direct reading semiconductor film thickness gage 86−11633
Sandercock, J.R. *see* Duffy, M.T. 85−55594
Sandercock, T.G. *see* Bower, J.S. 85−15324
Sanders, A. *see* Infante, B. 85−39872
Sanders, A.A. *see* Case, W.E. 86−15759
Sanders, A.A. *see* Rasmussen, A.L. 86−42469
Sanders, A.H., Bartek, R.J. Final testing of a multi-sensor perimeter intrusion detection system 87−75846
Sanders, A.H.T. *see* Huizing, A. 86−38583
Sanders, A.R. *see* Lee, H.C. 85−30311
Sanders, B., Haemers, W.H., Wilcke, R. A contribution to the techniques of traffic engineering in communications networks with waiting facilities 85−19657
Sanders, B., Haemers, W.H., Wilcke, R. Approximation techniques for queueing systems—a teletraffic type approach 88−59341
Sanders, B., van Doorn, E.A. Estimating time congestion from traffic parameters 87−75662
Sanders, B. *see* Kentfield, J.A.C. 87−42752
Sanders, B.W., Cocivera, M. Characterization of cadmium selenide electrodeposited from diethylene glycol solution containing tri-n-butylphosphine selenide 87−52157
Sanders, C., Dickey, D., Jenkins, C. The future of audio console design. I 86−60079
Sanders, C., Dickey, D., Jenkins, C. The future of audio console design. II. Digital systems 87−3280
Sanders, C., Dickey, D., Jenkins, C. The future of audio console design. III. Controls and displays 87−8478
Sanders, C.W., Monroe, C.A. An algorithm for real-time security constrained economic dispatch 88−23345
Sanders, D., BIllingsley, J. Servomotor power amplifier 86−67042
Sanders, D.A., Herring, D., Naghdy, F., Billingsley, J. Advances in adaptive robot path control using information from servo amplifier currents 88−17649
Sanders, D.B. Single fiber, scanning, and macro EMG: new ways of looking at the motor unit 87−57160
Sanders, D.B. *see* Nandedkar, S.D. 86−18338
Sanders, D.R. *see* Burke, E.R. 86−28656
Sanders, D.T. *see* Schwank, J.R. 87−32339, 88−25987
Sanders, F.H.M., Dieleman, J. Plasma etching damage: theory and practice 86−58412
Sanders, F.H.M. *see* Oostra, D.J. 85−55695, 86−41704
Sanders, G. *see* Badertscher, A. 85−64417
Sanders, G.A., Demma, N., Rouse, G.F., Smith, R.B. Evaluation of polarization maintaining fiber resonator for rotation sensing applications 88−67871
Sanders, G.A. *see* Zarinetchi, F. 85−24292
Sanders, G.D., Bajaj, K.K. Electronic properties and optical-absorption spectra of GaAs-$Al_xGa_{1-x}As$ quantum wells in externally applied electric field 87−37955
Sanders, G.D., Chang, Y.C. Electronic and optical properties of modulation doped semiconductor quantum wells 85−55546
Sanders, G.D., Yia-Chung Chang Effects of uniaxial stress on the electronic and optical properties of GaAs-$Al_xGa_{1-x}As$ quantum wells 86−8857
Sanders, G.D. *see* Masselink, W.T. 86−21206
Sanders, G.D. *see* Miller, R.C. 86−21209
Sanders, G.D. *see* Pearah, P.J. 86−53396
Sanders, G.D. *see* Yu, P.W. 87−66947
Sanders, G.H. *see* Lee, D.M. 87−57024
Sanders, G.H. *see* Sandberg, V.D. 85−37969
Sanders, G.H. *see* Wilson, S.L. 88−29827
Sanders, G.J. *see* Gosbell, V.J. 85−48896
Sanders, H. Hybrid ICs make the most of limited space 88−12859
Sanders, H., Amidei, D., Campbell, M., Frisch, H., Grosso-Pilcher, C., Hauser, J., Liss, T., Redlinger, G., Shochet, M., Ting, J., Tsay, Y.D. The programmable analog circuitry of the CDF trigger 86−50430
Sanders, H. *see* Amidei, D. 86−50416, 88−54400
Sanders, H. *see* Amidel, D. 88−29913
Sanders, H. *see* Ting, J. 86−50189
Sanders, H.W., Jr. *see* Hwang, M.S. 87−35987
Sanders, I.L. *see* Lambert, S.E. 88−44988
Sanders, J. PC-FAX joinery 88−59548
Sanders, J. *see* Hersham, G. 85−50107
Sanders, J.A., Broadbent, S. Design considerations and performance characteristics of high concentration point-focusing photovoltaic modules 86−12749
Sanders, J.D. *see* McKeown, J.E. 87−26885
Sanders, J.H. Circuit preserving edge maps. II 87−44138
Sanders, J.M. Improvements in the characteristics of a solid state dosimeter 86−50356
Sanders, J.M. *see* Jones, A.R. 87−50452
Sanders, J.N., Cattell, C.L., Jr., Bender, N.E., Tesic, M.M. Design considerations of a laser based multiformat camera for medical imaging 85−9137
Sanders, J.N., Cattell, C.L., Jr., Bender, N.E., Tesic, M.M., Sones, R.A. A laser-based multiformat camera for medical imaging 86−38767
Sanders, J.N. *see* Barnes, G.T. 86−11959
Sanders, J.R. *see* Millward, J.D. 87−28753
Sanders, J.S. *see* Driggers, R.G. 88−15688
Sanders, J.W. *see* Brooks, C.L. 87−77985
Sanders, K.H. *see* Eberhart, R.C. 88−74290
Sanders, K.J. The totally nonflammable transformer 86−51677
Sanders, L. Computerizing Comsec [communication security] 86−69270
Sanders, L. *see* Penz, P.A. 85−14931
Sanders, L.D. *see* Derstine, M.W. 86−22492
Sanders, M. Modern television receivers 87−70203
Sanders, M. *(translator)* Antennas. Vol.1. General principles 88−18368
Sanders, M. *(translator)* Antennas. Vol.2. Applications 88−24387
Sanders, N.A. *see* Etemad, S. 86−35611
Sanders, P., Wingfield, A., Chapman, M., Harper, S. The implementation of a flexible LAN gateway to public data networks 85−3191
Sanders, P., Wood, A. Parameter extraction techniques for RF power transistor models 87−36932
Sanders, P. *see* Kokee, K. 87−41553
Sanders, P.E., Krohn, D.A., Maklad, M.S. Faraday rotator single mode fiber 87−18694
Sanders, P.E., Kuczma, A.S., Maack, D.R., Maklad, M.S. The effect of coatings on polarization maintaining elliptical single mode fibers 87−12171
Sanders, P.E. *see* Maklad, M.S. 88−16148
Sanders, P.W. *see* Grout, V.M. 87−27674
Sanders, P.W. *see* Jordan, P. 85−57720
Sanders, P.W. *see* Varadharajan, V. 85−47135
Sanders, R. A brief guide to multiaxis laser machining 88−2428
Sanders, R., Barton, D., Frey, W., Montemurro, P., Otis, A., Plotkin, M., Pritsker, M., Soukas, A., Tuozzolo, J., Zaltsman, Z. A high level, low frequency RF system for the acceleration of light ions in the AGS 88−61068
Sanders, R., Weiser, A. A high order staggered grid method for hyperbolic systems of conservation laws in one space dimension 88−43845
Sanders, R. *see* Murphy, F.H. 87−77975
Sanders, R. *see* Raka, E. 86−31812
Sanders, S.J., Wood, C.S. Decorator telephones 85−63402
Sanders, S.P. Practice, proficiency, professionalism [technical communication as a profession] 86−61878
Sanders, S.P. Subjective objectivity . . . what I'm teaching now [technical writing] 87−65107
Sanders, S.R., Verghese, G.C., Cameron, D.F. Nonlinear control laws for switching power converters 87−58213
Sanders, S.R. *see* Verghese, G.C. 88−37216
Sanders, T.J., Boarman, J.W. Application of management tools for improving integrated circuit manufacturing 87−60551
Sanders, T.J., Snyder, D.R. Optimization of IC performance through custom design techniques 85−17249
Sanders, V.E. *see* Chow, W.W. 85−29877
Sanders, W. *see* Frewin, L.F. 85−22276
Sanders, W.H. *see* Meyer, J.F. 86−7642
Sanderson, A. Electron beam welding and processing techniques 88−56010
Sanderson, A.C. *see* Bracho, R. 86−4025
Sanderson, A.C. *see* Crowley, J.L. 87−39897
Sanderson, A.C. *see* Foster, N.J. 85−46902
Sanderson, A.C. *see* Groen, F.C.A. 86−7900
Sanderson, A.C. *see* Nayar, S.K. 88−53867

Sanderson, A.C. *see* O'Gorman, L. 85—51689, 86—69134, 87—47883
Sanderson, B.G. Statistical properties of iceberg motion at the western entrance of Lancaster Sound 88—48335
Sanderson, C. Soft starters favoured by total drive analysis 85—10068
Sanderson, C. Soft starter solves surge problems for Milk Board 85—32481
Sanderson, C. Users think again about variable-voltage control 86—19535
Sanderson, D. VANs and VARs 86—23297
Sanderson, D. *see* Bailey, G. 85—42312
Sanderson, D.J. *see* Cavanagh, P.R. 86—32236
Sanderson, D.P., Antaya, T.A., Xie, Z.Q. A high temperature oven stage for ECR ion sources 88—74717
Sanderson, D.P., Van Verst, S.P., Hall, G.A., Schmidt, B.G., Trcka, D.E., Chapman, K.R., Kemper, K.W., Philpott, R.J. Method to test the adiabatic operation of a spin one vector polarized ion source 87—77516
Sanderson, D.P. *see* Antaya, T.A. 88—74705
Sanderson, D.P. *see* Kemper, K.W. 87—50115
Sanderson, J.V.H. Microprocessor instrumentation in electrical power system distribution 85—32248
Sanderson, J.V.H., Al-Fakhri, B. Improved performance of modern differential protection for Teed feeders—simulation studies 85—64974
Sanderson, J.V.H., Lian, B.Z., Evans, G.G. Digital protection and instrumentation for an interconnected low voltage substation 85—65403
Sanderson, J.V.H., Mahmoud, M.M.M., Yip, H.T., Hampson, J.T., Hunt, J.J. Remote detection of distribution transformer faults on 11 kV radial distributors 87—51329
Sanderson, M.L. Electromagnetic non invasive measurement: application to flow measurement 85—31633
Sanderson, N.E. *see* Cunningham, R.A. 85—37904
Sanderson, R.W., Birkeland, J.D., Martin, S.C., Backus, C.E. Performance of silicon solar cells in the concentration range of 150-1500 suns 86—7147
Sanderson, S.N. WATCH—a low-cost, secure-item monitoring system 88—41993
Sanderson, T.K. Further single event upset (SEU) testing of CMOS memories using the ALICE accelerator, IPN, Orsay 88—25213
Sanderson, T.K., Mapper, D., Stephen, J.H., Farren, J., Adams, L., Harboe-Sorensen, R. SEU measurements using ^{252}Cf fission particles, on CMOS static RAMs, subjected to a continuous period of low dose rate ^{60}Co irradiation 88—25189
Sanderson, T.K. *see* Harboe-Sorensen, R. 87—31930
Sanderson, T.K. *see* Mapper, D. 86—35772
Sanderson, T.K. *see* Stassinopoulos, E.G. 88—48253
Sanderson, T.K. *see* Stephen, J.H. 85—20801, 85—22884
Sanderson, T.R., Charles, H.K., Jr., Romenesko, B.M. Thick film sensors: application in the marine environment 88—4406
Sanderson, T.R., Ho, S.T., v.d. Heijden, N., Jabs, E., Green, J.L. Near-real-time data transmission during the ICE-Comet Giacobini-Zinner encounter 86—44753
Sandervag, O. *see* Schultz, R.R. 85—43805
Sandesara, N.B., Lau, C. Synchronous optical network format and terminal applications 88—47097
Sandesara, S. A simple Z8000 system 85—17246
Sandford, C.M. Making the right choice: public vs. private messaging systems 85—25363
Sandford, D. *see* Hungerford, G.A. 87—11548
Sandford, E.L. *see* Clout, P.N. 86—60412
Sandford, H.F. *see* Bohland, J.F. 86—1907
Sandford, M.D., Humble, S. System reliability from component data 86—66641
Sandford, S.P., Landes, H.S., Batchman, T.E. Development of a user friendly interface for the geometry input to finite element mesh generators 87—12669
Sandfort, H. *see* Kuhbier, M. 88—28488
Sandfort, H.G. ASICs and artificial intelligence—expert systems for ASICs 88—44104
Sandfort, H.G. ASICs-the fourth revolution in electronics 88—57706
Sandfort, R. *see* Chiou, H.-D. 85—23629
Sandham, W.A. Time-variant spectral analysis of seismic data 87—27553
Sandham, W.A. *see* Hussain, R.T. 88—67457
Sandholm, P. *see* Anderson, K. 88—57760
Sandhu, A., Fujii, T., Nakata, Y., Sugiyama, S., Miyauchi, E. Electrical characterisation of Si-doped GaAs$_{0.5}$Sb$_{0.5}$ on InP grown by molecular beam epitaxy 88—44636
Sandhu, A. *see* Tokumitsu, E. 87—276
Sandhu, A.S., Surinder Singh, Modgil, S.K., Virk, H.S. Track annealing studies in some micaceous minerals 87—29662
Sandhu, G.S. A real-time statistical polarimetric target model 88—46041
Sandhu, G.S., Saylor, A.V. A real-time statistical radar target model 85—58172
Sandhu, J.S. Acoustography: a new imaging technique and its applications to nondestructive evaluation 88—43968
Sandifer, J.R. State-of-charge measurement of the lithium-carbon monofluoride battery by chronopotentiometry 86—51878
Sandilos, P.X. *see* Giakoumakis, G.E. 86—21071
Sandin, D.J. *see* DeFanti, T.A. 88—15822
Sandini, G., Romano, P., Scotto, A., Traverso, G. Topography of brain electrical activity: a bioengineering approach 85—9185
Sandini, G., Tagliasco, V., Tistarelli, M. Analysis of object motion and camera motion in real scenes 86—59367
Sandini, G. *see* Giordano, A. 86—1137, 87—39915
Sandino, J.P. *see* Lamouche, D. 86—464, 86—67753
Sandkuhler, U. Characteristics of maximum likelihood estimates with antenna groups 87—61520
Sandkuhler, U., Bohme, J.F. Accuracy of maximum-likelihood estimates for array processing 87—62076
Sandkuhler, U. *see* Bohme, J.F. 85—57400
Sandland, P. *see* Harris, K.L. 85—12325, 86—13524
Sandlass, H. The development of district heating in East Germany 85—60022
Sandle, W.J. *see* McClelland, D.E. 86—36564
Sandler, H.M., Sedra, A.S. Sine-wave generation using a high-order lowpass switched-capacitor filter 86—52938
Sandler, H.M., Sedra, A.S. Programmable switched-capacitor low-pass ladder filters 87—17222
Sandler, H.M., Sedra, A.S. A programmable switched-capacitor low-pass ladder filter 87—45058
Sandler, M., Wilner, B.D. A comparison of the tap converter and the cycloconverter 85—27521
Sandler, M.B., Nathwani, M. An all digital audio power amplifier 86—20338
Sandler, M.B. *see* Naqvi, A.A. 87—44950
Sandler, M.S. *see* Krevskiy, M.A. 86—20807
Sandler, M.S. *see* Paskhin, V.M. 85—56074, 87—12030, 87—46298, 88—1849
Sandler, N. *see* Barnes, S. 85—14318
Sandler, N.P. *see* Fisher, S.M. 86—28402, 88—6479
Sandler, S.S. Machine and retinal vision concepts applied to antenna arrays 85—13247
Sandler, S.S. Intelligent antennas 87—75630
Sandlin, S.L. *see* Bretzlaff, R.S. 87—18435, 88—20196
Sandman, A.M. Bandwidth and signal-data compression using maximum specified error as control 85—57339
Sandman, D.J. *see* Seymour, R.J. 87—12581
Sandmayr, H., Fruhauf, K. The BBC software centre [power system supervisory control] 85—26937
Sandmayr, H. *see* Schaffer, G. 85—26929
Sandmeyer, E.E. Health, safety and occupational legal issues with medico- and toxicolegal emphasis 86—7446
Sandmo, H. *see* Buschmann, F. *(editor)* 87—5136
Sandner, O. *see* Strutz, G. 85—9723
Sandnes, B. Strengthening the planning function [telecommunications] 87—31246
Sando, K.M. *see* Pichler, G. 87—7248
Sando, M. *see* Fujii, A. 85—32720
Sando, S. GaAs FET modules serve 14-GHz band 86—14508
Sando, S. GaAs FETs small gates yield big performance 86—20841
Sando, S. Using nanosecond RAMs 86—46810
Sando, S. Achieving nanosecond cache performance with GaAs RAMs 87—5892
Sando, S. GaAs logic and memory promote high performance system design 87—59354
Sando, S. GaAs logic and memory build high performance systems 87—59443
Sando, S. GaAs logic & memory in high performance applications 88—699
Sando, S. *see* Graham, A. 85—28517
Sando, S. *see* Katsukawa, K. 85—6966
Sando, S. *see* Nagao, H. 86—58066
Sandoe, J.N., Hughes, J.R. Properties of the SIPOS-silicon interface 87—17772
Sandoe, J.N., Hughes, J.R., Slatter, J.A.G. Characterisation and modelling of SIPOS on silicon planar devices 85—45600
Sandoe, J.N., Hughes, J.R., Slatter, J.A.G. Characterisation and modelling of SIPOS on silicon high-voltage devices 86—15121
Sandoh, H., Fujii, S., Yamawaki, T. A study on Bayesian reliability sampling inspection with Type I censoring 88—43723
Sandoh, H. *see* Fujii, S. 85—39584
Sandok, P.L. *see* Tranjan, F.M. 87—57157
Sandomirskii, V.B. *see* Gulyaev, Yu.V. 85—55322
Sandomirskii, V.B. *see* Levinshtein, M.B. 85—64237
Sandomirskii, V.B. *see* Mantorov, V.V. 87—74120
Sandor, B.I., Lohr, D.T., Schmid, K.C. Nondestructive testing using differential infrared thermography 87—52241
Sandor, G. *see* Besze, J. 85—59564
Sandor, Gy. *see* Adorjan, F. 85—32312
Sandor, L. *see* Antyukhov, V.A. 86—60637
Sandor, R.J., Unnikrishnan, R. PWM motor control: model and servo analysis 85—27589
Sandor, S. *see* Valyi, G. 86—58415
Sandor, T., Boxt, L.M., Harrington, D.P. Zonal parametric imaging: concept and application to renal angiography 86—5907
Sandor, T. *see* Spears, J.R. 88—61246
Sandor, V. The dynamic d-algorithm [circuit CAD] 87—36878
Sandorfi, A.M. *see* Dowell, D.H. 87—35371
Sandoval, D.P. *see* Cottingame, W.B. 87—41811
Sandoval, F. *see* Herrero, J.M. 86—26855, 88—2138
Sandoval, F. *see* Lapena, E. 88—17732, 88—41987
Sandoval, F. *see* Martinez, J. 87—10728, 87—45574
Sandoval, F. *see* Servian, J.M. 87—37484
Sandoval, H.F. Teacher training in computer skills: a call for a redefinition 85—22112
Sandoval, H.F.Ranea *see* Ranea Sandoval, H.F.
Sandoval, J. *see* DeHope, W. 85—50156
Sandoval, J. *see* Ferguson, P. 85—23333
Sandoval, J.P. *see* Bolton, R.D. 86—18254
Sandoval, J.P. *see* MacArthur, D.W. 86—50268
Sandovskii, V.A. Measurement of the magnetic permeability and specific electrical conductivity of steel components 85—49649
Sandovskii, V.A., Dyakin, V.V., Dudarev, M.S. Eddy-current monitoring with a pulsed high-frequency carrier electromagnetic field 87—52230
Sandovskii, V.A., Dyakin, V.V., Dudarev, M.S. A method of examining hydrographs of an eddy-current transducer by expansion into a spectrum using the transformation kernel 88—70374
Sandovskii, V.A., Romanov, V.A. Elimination of the effect of the gap in the phase method of inspection of flat components 87—346
Sandovskii, V.A. *see* Katsevman, A.M. 87—31600
Sandovskii, V.A. *see* Rebrin, Yu.I. 85—17028
Sandow, B. *see* Procop, M. 88—25970
Sandow, E., Wesch, W., Nebauer, E. Ohmic AuGe contacts on n-GaAs produced by nanosecond laser pulse irradiation 85—18165
Sandow, P.M. *see* Fuller, R.T. 87—60668
Sandoz, F. Transformers of the French 400 kV network, shell type construction 85—21690
Sandoz, F., Hamel, P., Piffaretti, J. A new method to increase the deposition efficiency in MCVD process 86—9558
Sandoz, F. *see* Le Roy, G. 85—60266
Sandoz, J.-P., Steenaart, W. Performance improvement of a binary quantized all-digital phased-locked loop with a new aided-acquisition technique 85—17217
Sandoz, P., Gallay, R., Robert, Ph. Fiber optic sensor RF multiplexing 88—74456
Sandquist, G.M., Rogers, V.C., Merrell, G.B. Safety evaluation of a subsea nuclear electrical power plant 86—25769
Sandquist, G.M. *see* Rogers, V.C. 86—25718
Sandras, W.A., Jr. About face to JIT 87—58670
Sandratskii, N.V. Automatic phase meters with conversion of signal time scale 85—14870
Sandratskii, N.V. *see* Shpil'ka, V.N. 87—16918
Sandred, J. The labour market crisis; a problem of further education 85—27980
Sandred, J. Build your own integrated circuits! 85—50627
Sandri, S. *see* Nebbia, L. 86—10322
Sandri, S. *see* Salza, P.L. 86—59251, 87—27287, 87—47546, 88—40852
Sandrik, J.M. Video cameras for medical imaging 85—38040
Sandrik, P. Experimental determination of voltage on insulator string components 85—43631
Sandrik, P. Determining the accuracy of physical modelling results of grounding systems under steady-state conditions 86—65764
Sandrin, P. DEMETER, the electricity of tomorrow 85—26970
Sandrin, P. *see* Monti, M. 85—5002
Sandrin, W., Chen, H., Hagmann, W., Mackenthun, K., Rhodes, S. Aeronautical satellite data link study 86—4561
Sandrin, W.A., Fang, D.J. Multipath fading characterization of L-band maritime mobile satellite links 87—40783
Sandrin, W.A., Lipke, D.W. A satellite system for aeronautical data communications 86—59841
Sandrin, W.A. *see* Fang, D.J. 86—64953
Sandrinelli, A. *see* Pizzini, S. 88—32752
Sandroff, C.J., Nottenburg, R.N., Bischoff, J.-C., Bhat, R. Dramatic enhancement in the gain of a GaAs/AlGaAs heterostructure bipolar transistor by surface chemical passivation 87—74252
Sandroff, C.J. *see* Farrow, L.A. 88—44676
Sandroff, C.J. *see* Nottenburg, R.N. 88—26211, 88—33167
Sandrolini, F., Motori, A., Masoni, S., Montanari, G.C., Pattini, G., Simoni, L. Evaluation of thermal and electrical aging of an insulating composite material by dielectric and microstructural investigations 85—35252
Sandrolini, F. *see* Bozzo, R. 85—35250
Sandrolini, F. *see* Masoni, S. 86—68115
Sandrolini, F. *see* Montanari, G.C. 87—25721

Sandrolini, S. *see* Gelpi, G. 87−15613
Sandrolini, S. *see* Negri di Montenegro, G. 87−30399, 87−78527
Sands, D., Brunson, K.M., Cheung, C.C., Thomas, C.B. $ZnS_{1-x}O_x$:Mn and $ZnS_{1-x}Se_x$:Mn as thin-film electroluminescent materials 88−65474
Sands, D., Brunson, K.M., Thomas, C.B. The relative contributions of recombination and tunnelling at interface states to the a.c. conductance of metal-insulator-semiconductor diodes 87−45712
Sands, D., Brunson, K.M., Thomas, C.B. A modified charge-voltage technique for interface-state measurements in metal-oxide-semiconductor capacitors 88−57394
Sands, D., Brunson, K.M., Thomas, C.B., Reehal, H.S. Effect of deposition process on the thin-film ZnS/*p*-Si interface 87−73115
Sands, D. *see* Brunson, K.M. 87−24959, 87−60191
Sands, D. *see* Thomas, C.B. 87−68294
Sands, M. *see* Weng, W.T. 88−54232
Sands, S.H. *see* Blanchard, J.P. 88−72581
Sands, T. Contacts to compound semiconductors 87−24923
Sands, T., Chan, W.K., Chang, C.C., Chase, E.W., Keramidas, V.G. NiAl/*n*-GaAs Schottky diodes: barrier height enhancement by high-temperature annealing 88−44733
Sands, T., Harbison, J.P., Chan, W.K., Schwarz, S.A., Chang, C.C., Palmstrom, C.J., Keramidas, V.G. Epitaxial growth of GaAs/NiAl/GaAs heterostructures 88−38139
Sands, T., Keramidas, V.G., Gronsky, R., Washburn, J. Initial stages of the Pd-GaAs reaction: formation and decomposition of ternary phases 86−41601
Sands, T., Washburn, J., Gronsky, R. Interface morphology and phase distribution in the $Cu_{2-x}S$/CdS heterojunction: a transmission electron microscope investigation 85−12000
Sands, T. *see* Ding, J. 87−74117
Sands, T. *see* Hong, J.M. 86−34302, 86−52470
Sands, T. *see* Kin Man Yu 87−18071, 87−32324
Sands, T. *see* Maszara, W. 86−9003
Sands, T. *see* Sadana, D.K. 85−16956, 86−8972
Sands, T. *see* Yu, K.M. 87−66978
Sands, T. *see* Zhu, M.F. 85−12005
Sandstedt, G.O. RF-to-optical data link 87−8073
Sandstrom, M. *see* Delaplane, R.G. 86−5866
Sandstrom, P.-U. *see* Ekelund, F. 86−45523
Sandstrom, R., Olsson, M. High intensity low frequency sound used for cleaning purposes 87−15102
Sandstrom, R.L., Gallagher, W.J., Dinger, T.R., Koch, R.H., Laibowitz, R.B., Kleinsasser, A.W., Gambino, R.J., Bumble, B., Chisholm, M.F. Reliable single-target sputtering process for high-temperature superconducting films and devices 88−58025
Sandstrom, R.L., Kleinsasser, A.W., Gallagher, W.J., Raider, S.I. Josephson integrated circuit process for scientific applications 87−67889
Sandstrom, R.L., Shields, H., Levatter, J.I. Performance characteristics of a high-repetition rate, multichannel rail-gap switch 87−51410
Sandstrom, R.L. *see* Foglietti, V. 87−12072
Sandstrom, R.L. *see* Laibowitz, R.B. 88−65003
Sandstrom, R.L. *see* Levatter, J.A. 85−1225
Sandstrom, R.L. *see* Pan, S.-K. 88−71066
Sandstrom, R.L. *see* Rogers, C.T. 87−67893
Sandstrom, R.L. *see* Shields, H. 86−8677
Sandstrom, R.L. *see* Vanneste, C. 88−71979
Sandstrom, W.A. *see* Patel, J.G. 87−35721
Sandt, C.H.C.van de *see* van de Sandt, C.H.C.
Sandu, L. *see* Hurdubetiu, S. 88−62503
Sandu, R. Digital sound [for radio and TV studios] 88−29164
Sandu, T.S. *see* Bolin, F.P. 88−8357
Sandukovskii, V.G. *see* Amov, B. 86−50386
Sandukovsky, V.G. *see* Adam, J. 85−59185
Sandukovsky, V.G. *see* Gornov, M.G. 85−4202
Sandulagre, D. *see* Diacon, A. 85−9788
Sandulenko, V.A. *see* Ivanyuk, A.M. 88−34129
Sandulescu, C. *see* Rentea, D. 86−6464
Sandulescu, M. *see* Costin, E. 88−42812
Sandulyak, A.V., Korkhov, O.Yu., Vovk, I.E. Application of an absorbing baffle model in data processing of magnetic water purification in power plants 86−65796
Sandulyak, A.V., Yatskov, N.V. Results of testing a magnetic filter for the removal of iron-containing impurities from vapours 86−36675
Sandum, K.N. *see* Baty, R.M. 85−30807
Sandum, K.N. *see* Mathias, G.E. 85−30806
Sandven, S. *see* Shuchman, R. 86−6137
Sandvik, P., Akerlund, J. ERIGEN power supply system in the track radio network of the Swedish State Railways 88−9387
Sandweg, G., Schallenberger, B. The Chip Generator concept: a road towards automatic VLSI design 85−33569
Sandweg, G., Sequin, C.H. Automatic design of high integration electronic circuits 87−1101
Sandweg, G. *see* Gottler, E. 85−6110
Sandweg, G. *see* Horbst, E. 85−698
Sandweg, G. *see* Moeller, W.-D. 86−34885
Sandweg, G. *see* Moeller, W.D. 85−17483
Sandweg, G. *see* Rosenstiel, W. 87−52544
Sandwith, C.J., Sieger, A.A., Hugus, G.D. Failure analysis through autopsy of undersea acoustic transducers 88−48364
Sandy, J.L. Early detection of rolling element vearing failure 88−29722
Sandzhimitbin, V.D. *see* Karyaka, N.T. 88−43120
Sanebuchi, Y. *see* Sagara, S. 87−57587 to 57588, 88−42819
Sanechika, N. *see* Tajima, H. 88−41608
Sanecki, J.E. *see* Neimark, L.A. 88−75403
Sanefuji, S. *see* Watanabe, Y. 85−38035
Sanematsu, M.S., Pereyra, I., Andrade, A.M., Martins, R.F.P. Highly uniform large-area a-Si:H films 86−7841
Sanematsu, M.S. *see* Martins, R. 86−40144
Sanematsu, M.S. *see* Pereyra, I. 86−35358
Sanematsu, T. *see* Maki, N. 88−55320
Sanemori, T. *see* Okada, T. 87−14518
Saner, T. A solid equipment from Accuphase Company [audio amplifier] 86−11367
Saner, T. The aristocracy [audio amplifier] 86−38141
Saner, T. PCM equals high end? [Hi-Fi video recorders 87−13979
Saner, T. How does R-DAT work? 88−4242
Saner, T. Digital fever. New, top-range pre/power amplifier from Denon and Yamaha on test 88−22366
Saner, T. The wolf in sheep's clothing [pre/power amplifiers] 88−22367
Saner, T. Digital copy. Digital copy protection in the DAT-9000 88−47377
Saner, T. Digital copy. II. Copying inhibition in Sony DTC-1000 ES 88−53501
Sanetra, C. *see* Howard, R.T. 86−13465
Saneyoshi, K. *see* Ogawa, M. 86−5672
Sanfacon, M. *see* Bunker, S.N. 87−53364
Sanfacon, M.M. *see* Bunker, S.N. 87−60184
Sanfacon, M.M. *see* Hogan, S.J. 88−17967
Sanfacon, M.M. *see* Keavney, C. 87−72406
Sanfacon, M.M. *see* Tobin, S.P. 88−31041, 88−37601, 88−62610
Sanfelippo, T.S. *see* Brace, J.G. 88−44942
Sanfeliu, A. Structural similarity measures for classifying 2D and 3D partially hidden, occluded and deformed objects 87−48234
Sanfeliuu, A. A distance measure based on tree-graph-grammars: a way of recognizing hidden and deformed 3D complex objects 85−30445
Sanferrare, R.J. Terrestrial lightwave systems 87−62932
Sanford, J.L. *see* Dobson, D.R. 85−37631
Sanford, J.R. Civil systems aspects of the SSC 86−31826
Sanford, L. Wind power prospects in the UK 88−48623
Sanford, N.A., Connors, J.M., Dyes, W.A. Simplified *Z*-propagating DC bias stable TE-TM mode convertor fabricated in *Y*-cut lithium niobate 88−72142
Sanford, N.A., Lee, W.E. Analysis of proton exchanged channel waveguides in $LiNbO_3$ 87−12224
Sanford, N.A., Robinson, W.C. Secondary-ion mass spectroscopy characterization of proton-exchanged $LiNbO_3$ waveguides 85−35493
Sanford, N.A., Robinson, W.C. Optical damage effects in *z*-axis oriented $LiNbO_3$ channel waveguides 87−46555
Sanford, N.A., Robinson, W.C. Direct measurement of effective indices of guided modes in $LiNbO_3$ waveguides using the Cerenkov second harmonic 87−54034
Sanford, N.A., Robinson, W.C. Direct-current bias stable Ti:$LiNbO_3$ TE-TM mode converters produced by magnesium postdiffusion 87−60965
Sanford, N.A., Robinson, W.C. Optical damage effects in Z-propagating $LiNbO_3$ channel waveguides fabricated on X- and Y-cut substrates 88−7959
Sanford, P.W. *see* Spooner, N.J.C. 86−65348
Sanford, R. *see* Beard, R.B. 87−63809
Sanford, T.B. Recent improvements in ocean current measurement from motional electric fields and currents 87−9014
Sanford, T.B., Drever, R.G., Dunlap, J.H. An acoustic Doppler and Electromagnetic Velocity Profiler 87−71372
Sanford, T.W.L., Coleman, P.D., Poukey, J.W. Measurement and interpretation of electron angle and MABE beam stop 86−25036
Sanford, T.W.L., Halbleib, J.A. Radiation output and dose predictions for flash X-ray sources 85−20876
Sanford, T.W.L., Halbleib, J.A., Beezhold, W. Experimental check of bremsstrahlung dosimetry predictions for 0.75 MeV electrons 86−38844
Sanford, T.W.L., Halbleib, J.A., Poukey, J.W., Heath, C.E., Mock, R. Dose-voltage dependence for HELIA/HERMES III bremsstrahlung diodes 88−54384
Sanford, T.W.L., Halbleib, J.A., Poukey, J.W., Wright, T.P., Heath, C.E., Spence, P.W., Kishi, J., Fockler, J. Passive control of high-energy high-current $\nu/\gamma \geqslant 1$ HERMES III beam 87−21353
Sanford, T.W.L., Lee, J.R., Halbleib, J.A., Quintenz, J.P., Coats, R.S., Stygar, W.A., Clark, R.E., Faucett, D.L., Webb, D., Heath, C.E., Spence, P.W., Kishi, J., Schlitt, L.G., Morton, D. Electron flow and impedance of an 18-blade frustum diode 86−55980
Sanford, T.W.L., Poukey, J.W., Wright, T.P., Bailey, J., Heath, C.E., Mock, R., Spence, P.W., Fockler, J., Kishi, H. Impedance of an annular-cathode indented-anode electron diode terminating a coaxial magnetically insulated transmission line 88−32714
Sanford, T.W.L., Poukey, J.W., Wright, T.P., Bailey, J., Heath, C.E., Mock, R., Spence, P.W., Fockler, J., Kishi, H. Comparison of measured impedance with a model of annular-cathode diodes terminating coaxial MITLs 88−42377
Sanford, T.W.L. *see* Coleman, P.D. 86−25035
Sanford, T.W.L. *see* Prestwich, K.R. 88−54014
Sanftl, F. *see* Demmel, F. 88−52288
Sang, E., Beckman, R., Snow, P., Wright, J. Design and manufacture of SAW resonators for low phase noise and low vibration sensitivity applications 87−60772
Sang, H.W., Jr. *see* Katnani, A.D. 85−29009, 85−34587
Sang, J. *see* Ying, Q. 86−70675
Sang, K.J., Sool, O.H. Coupled mode analysis of CSP GaAs/(Ga,Al)As laser arrays 88−27187
Sang Bae Kim, Kee Young Kwon, Young Se Kwon New fabrication technique for integrated-optical taper with controllable profile by selective liquid-phase epitaxy of GaAs 86−62216
Sang Bae Kim, Young Se Kwon Selective liquid phase epitaxy of GaAs; kinetics and morphology 87−44337
Sang Bae Kim, Young Se Kwon Integrated optical bent waveguide with grown 45° mirror by selective liquid-phase epitaxy of GaAs 87−68062
Sang Bae Lee *see* Jae H. Yoo 88−48216
Sang Bock Cho, In Chil Lim A test generation algorithm for CMOS complex gates 85−22761
Sang Bock Cho, In Chil Lim A test generation algorithm for CMOS circuits 85−22762
Sang Bock Cho *see* Seok Bung Han 85−734
Sang Cheon Lee *see* Jae Moung Kim 88−46923
Sang Cheon Nam *see* Nam Sang Cheon
Sang Chul Lee *see* Jung Uck Seo 86−59506
Sang Don Lee *see* Bong Heup Kim 88−31680
Sang En Fang *see* Bramanti, M. 87−41605
Sang Fengting, Huang Ruiping, Yuan Qinian, Zhuang Qi, Zhang Cunhao Manifestation of rotational nonequilibrium in a CW DF chemical laser 86−68432
Sang Fengting *see* Sun Siyuan 85−12762
Sang Fengting *see* Zhaung Qi 85−62484
Sang Fengting *see* Zhuang Qi 86−3057, 88−72254
Sang Hee Son, Eung Gie Oh, Kae Dal Kwack A study on the relation of doping profile and threshold voltage in the ion-implanted E-IGFET I 85−1606
Sang Hee Son, Hong Bae Kim, Kae Dal Kwack A study on the threshold voltage and I-V characteristics in the ion-implanted short channel E-IGFET 86−41822
Sang Hee Son, Kae Dal Kwack Optimization of EID function for proximity effect in electron beam lithography 86−41648
Sang Hee Son *see* Hong Bae Kim 88−7627
Sang Ho Choi, In Chil Lim Fast logic minimization algorithm for programmable-logic-array design 86−937
Sang Ho Lee *see* Duk Soo Kim 86−5225
Sang Hoon Chai, Yong Seo Koo, Jin Hyo Lee The fabrication of polysilicon self-aligned bipolar transistor 87−46164
Sang Hoon Choi, Yong Seo Koo, Jin Gun Koo, Jin Hyo Lee The fabrication of analog compatible I^2L 87−24073
Sang Hoon Han, Tae Woon Kim, Kun Joong Yoo Development of an integrated fault tree analysis computer code MODULE by modularization technique 88−43751
Sang Hoon Lee *see* Chang Hyo Kim 87−71805
Sang Hui Park, Youn Shik Byun, Kun Ki Lee A study on EMG signal processing using linear prediction 88−48150
Sang Hyun Park *see* Deok-Chool Lee 86−35936
Sang Jik Kwon *see* Hyun Kyu Yu 87−45969
Sang Jo Lee *see* Nam Il Lee 88−44007
Sang Kim Chong *see* Chong Sang Kim
Sang Koo Chung *see* Han Jo Lim 85−1565
Sang Lee Yi *see* Yi Sang Lee
Sang Lyul Min *see* Chong Sang Kim 86−43481
Sang Ng Tung *see* Tung Sang Ng
Sang Ok Yoon *see* Ki Hyun Yoon 85−1427, 87−24813
Sang Park Wee *see* Wee Sang Park
Sang Qiao *see* Qiao Sang
Sang Ryong Kim, Seong Geum, Je Woo Kim, Chong Kwan Un, Kyong Ae Oh, Jong Rak Lee, In Soo Seo, Dong Ho Cho, Jun Kyun Cho Development of a packet-switched public computer network. IV. PAD protocol and network management software of the KORNET NNP 86−59653
Sang Sam Choi *see* Ghie-Hugh Song 85−29570
Sang Sam Choi *see* Kyung Mog Lee 88−45077
Sang Seol Lee *see* Tae Ho Son 88−44355
Sang Sik Park *see* Yong Bum Kim 88−47555
Sang Soo Lee *see* Gyu Ug Kim 87−46775 to 46776, 88−27039

Sang Soo Lee *see* Hee Gap Park 87−68024
Sang Soo Lee *see* Ho Seong Lee 86−3042, 87−18904
Sang Soo Lee *see* Jae Heung Jo 87−26504
Sang Soo Lee *see* Jae Won Hahn 86−3044, 86−15627
Sang Soo Lee *see* Jung Bog Kim 87−46806, 88−33961
Sang Soo Lee *see* Moo Jung Chu 85−41464
Sang Soo Lee *see* Seok Ho Song 88−71996
Sang Soo Lee *see* Seung Gol Lee 87−18655
Sang Soo Lee *see* Sok Won Kim 87−12286
Sang Soo Lee *see* Sung Do Cha 85−24600, 85−62528
Sang Soo Lee *see* Sung Do Chia 85−2365
Sang Soo Lee *see* Sung Ho Kim 87−75174
Sang Soo Lee *see* Yeong Sik Kim 85−29778
Sang Soo Lee *see* Yueong Sik Kim 87−18902
Sang Uk Lee *see* Chong-Ho Choi 88−34715
Sang Uk Lee *see* Euh Taek Lee 86−43608
Sang Uk Lee *see* Jong Seok Lee 86−59256
Sang Uk Lee *see* Kyeong Soo Kim 86−3975, 88−46174
Sang Uk Lee *see* Kyung Moo Lee 88−8826
Sang Uk Lee *see* Nam Ik Cho 88−44295
Sang Uk Lee *see* Soo Hwan Oh 87−33654
Sang Won Kang *see* Hyung Sup Yoon 87−45791
Sang Won Yun A study on the nonreciprocal coupling characteristics of coupled image guides containing a ferrite layer 87−2336
Sang Won Yun, Tatsuo Itoh A distributed millimeter-wave isolator using nonreciprocal coupling structure 85−1003
Sang Won Yun *see* Joong Sung Chung 88−7028
Sang Woon Shin, Hee Cheon No Effect of heat flux on the concentration factor in crevices of nuclear steam generators 87−15486
Sang Young Lee *see* Xiao-Dong Chen 87−74562
Sang Yul Min *see* Chong Sang Kim 85−13879
Sang Yung Shin *see* Hee Cheol Yun 86−54224
Sang Yung Shin *see* Seong Jae Lee 85−2065
Sang Yuong Lee, Keum Chul Jeong, Jhun, T.J. Boiler rebuild converts power plant for coal/oil firing 86−56601
Sang-bo Han *see* McConnell, K.G. 87−14559
Sang-Bong Han, Yo-Hui Kim, Min-Goo Han Status of theory concerning laser current transducers and potential transducers 87−60973
Sang-Cheon Nam The stability dependency of new generator on the existing system capacity 87−15202
Sang-Don Lee *see* Hee-Ro Kwak 86−47881
Sang-Don Lee *see* Sang-Soo Lee 88−12375
Sang-Eun Hong *see* Kil-Yeong Song 87−78555
Sang-Ho Sho, Chong-Kyo Kim, Moon-Ho Lee Maximum entropy power spectral estimation of two-dimensional signal 85−57391
Sang-Hui Park, Youn-Shik Byun Status and prospects of a prosthetic controller using the EMG signal 86−32364
Sang-Hui Park *see* Lark-Kyo Kim 86−51290
Sang-Hui Park *see* Youn-Shik Byun 85−15323
Sang-Hyan Kim, Moon-Soo Yoon, Woo-Hee Ahn Status and problem areas of industrial superconductors 88−58015
Sang-Jeong Lee *see* Wook-Hyun Kwon 87−72814
Sang-Jin Chung Using finite element methods for electric field analysis 88−45618
Sang-Kee Park Korean experience in CANDU-PHWR operation 88−30468
Sang-Kil Park *see* Kwang-Hyun Cho 86−8556
Sang-Koo Chung, Sang-Seol Kim An exact wave-optics analysis of optical waveguide with anisotropic and gyrotropic materials 88−58193
Sang-Koo Chung *see* Dong-Gun Bae 87−45318
Sang-Kwang Oh, Ki-Chul Park, Kuhn-Il Lee, Ki-Wan Kim Fabrication and properties of photoconductive multilayer using Se and Sb_2S_3 88−45277
Sang-Kyu Choi *see* Kil-Yeung Song 86−70561
Sang-Man Park *see* Chang-Yub Park 87−73804
Sang-Mo Shin, Ho-Kyoon Chung, Chung-Hsu Chen, Kin Tan Damage induced by $CHF_3+C_2F_6$ plasma etching on Si-implanted GaAs(100) 87−74000
Sang-Sam Choi, Kye-Hyu Song, Myung-Ouk Kim, Kyo-Bank Chung Applications of optical fibers to non communications 85−14806
Sang-Seol Kim *see* Sang-Koo Chung 88−58193
Sang-Soo Lee Laser engineering—current researches, developments and future prospects 85−12758
Sang-Soo Lee, Sung-Joon Hong, Sang-Don Lee, Heung-Sik Kim, Young-June Park High speed EPROM process technology development 88−12375
Sang-Tae Kim *see* Uk-Yeal Lee 85−15462
Sang-Uk Lee *see* Myoung-Sam Ko 85−21657
Sang-Uk Lee *see* Yeon-Seok Lee 87−73568
Sang-Won Yun Distributed millimeter-wave isolators using nonreciprocal coupling mechanism 85−45224
Sang-Woo Lee *see* Chol-Kon Chee 88−18205
Sang-Wook Bae *see* Kee-Sang Lee 87−78697
Sang-Yung Shin, Wright, E.M., Stegeman, G.I. Nonlinear TE waves of coupled waveguides bounded by nonlinear media 88−72093
Sang-Yung Shin *see* Chang-Hee Lee 85−24540, 86−58930, 86−62517, 88−58638
Sang-Yung Shin *see* Ghie-Hugh Song 86−15544
Sang-Yung Shin *see* Hong-Koo Kim 86−58768
Sang-Yung Shin *see* Ju-Seog Jang 88−72001
Sang-Yung Shin *see* Se-Yun Kim 86−68722
Sang-Yung Shin *see* Soo-Young Lee 88−58055
Sang-Yung Shin *see* Sung-Un Lee 88−28899
Sangal, G.P. Strategy for manpower development and telecommunication training needs towards AD 2000 86−13325
Sangal, S.K. CEL 2 kWp SPV Power Pack for a small community 88−43097
Sangani, S.H. *see* Bergmann, E.E. 87−7648
Sangas, P.V. *see* Wyss, J.C. 88−9960
Sange, B. Fibre-optic cable in the long-distance network 86−23890
Sange, B. Making monomode fibre cables 86−23902
Sange, B. *see* Knodel, D. 85−47520
Sangen, M., Fukuda, M., Matsumura, T., Yamazaki, H., Myojo, M., Usami, K. Compact self-ballasted fluorescent lamp 'Light Capsule' 88−6013
Sangen, M., Fukuda, M., Nakamura, N., Obara, N., Yamaguchi, M., Honmo, I. Single-ended compact fluorescent lamp 'Twin fluorescent lamp' series 88−6014
Sanger, P.A. Present status of MRI magnets at Oxford 85−64532
Sangha, G.S. Capacitor-reactor start of large synchronous motor on a limited capacity network 85−21589
Sangha, P.S. *see* Preston, T.W. 88−55341
Sangha, S.P.S., Medland, J.D., Berry, J.A., Rinn, L.M. Low temperature epitaxial growth of cadmium telluride from mercury solvent 87−58936
Sangha, S.P.S., Rinn, L.M., Nicholls, R.E. Liquid phase epitaxial growth of $Cd_xHg_{1-x}Te$ from semi-infinite Hg-rich melt 88−38155
Sangha, S.P.S. *see* Berry, J.A. 87−31538
Sangha, S.P.S. *see* Blight, S.R. 88−53820
Sanghani, J.N. Current loop break detection 85−25580
Sanghera, H. *see* Smith, L.D.R. 87−3984
Sanghera, J.S., Ryou, S.-Y., Mackenzie, J.D. Viscoelastic deformation of fluoride glass fibers 88−6537
Sanghi, L.K., Bhattacharyya, A.S., Sen, A.K. Advancement of crosslinked polyethylene based insulating material for high voltage cables—-problems, prospects and developing trends 88−55024
Sanghi, R.K. *see* Jhunjhunwala, A. 88−41673
Sanghi, S.K. *see* Goyal, S.L. 86−6398
Sanghvi, A.P., Levy, R., Wharton, J.B. Planning demand-management programs based upon customers' perceived value 86−32676
Sanghvi, A.P., Shavel, I.H. Incorporating explicit loss-of-load probability constraints in mathematical programming models for power system capacity planning 85−21156
Sanghvi, A.P., Shavel, I.H. Investment planning for hydro-thermal power system expansion: stochastic programming employing the Dantzig-Wolfe decomposition principle 86−56334
Sanghvi, N.T. *see* Fry, F.J. 87−71167
Sangiorgi, E., Hofstatter, E.A., Smith, R.K., Bechtold, P.F., Fichtner, W. Scaling issues related to high field phenomena in submicrometer MOSFETs 86−41799
Sangiorgi, E., Johnston, R.L., Pinto, M.R., Bechtold, P.F., Fichtner, W. Temperature dependence of latch-up phenomena in scaled CMOS structures 86−41951
Sangiorgi, E., Pinto, M.R., Venturi, F., Fichtner, W. A hot-carrier analysis of submicrometer MOSFET's 88−26254
Sangiorgi, E., Ricco, B., Olivo, P. Hot electrons and holes in MOSFETs biased below the Si-SiO_2 interfacial barrier 86−21553
Sangiorgi, E., Ricco, B., Selmi, L. Three-dimensional distribution of CMOS latch-up current 87−38530
Sangiorgi, E., Ricco, B., Venturi, F. MOS^2: an efficient MOnte Carlo Simulator for MOS devices 88−33209
Sangiorgi, E. *see* Ricco, B. 85−50564, 87−46010, 87−46195
Sangiorgi, E. *see* Selmi, L. 88−50994
Sangiorgi, E. *see* Shenai, K. 85−40687
Sangiorgi, E. *see* Swirhun, S. 85−50741
Sangiorgi, E. *see* Swirhun, S.E. 85−35167
Sangiorgi, E.C., Pinto, M.R., Swirhun, S.E., Dutton, R.W. Two-dimensional numerical analysis of latchup in a VLSI CMOS technology 86−21822
Sangiovanii-Vincentelli, A. *see* Huang, M.D. 87−36618
Sangiovanni, G. *see* Brunetti, V. 86−66009
Sangiovanni Vincentelli, A. Computer-aided design methods for application-specific integrated circuits 88−26366
Sangiovanni-Vicentelli, A. *see* Webber, D.M. 87−65704
Sangiovanni-Vincentelli, A. Computer-aided design methods for application specific integrated circuits 88−535
Sangiovanni-Vincentelli, A. Synthesis of LSI circuits 88−7688
Sangiovanni-Vincentelli, A. Automatic layout of integrated circuits 88−7691
Sangiovanni-Vincentelli, A. Parallel processing for simulation of VLSI circuits 88−64721
Sangiovanni-Vincentelli, A. *see* Bartlett, K.A. 87−44794, 88−50115
Sangiovanni-Vincentelli, A. *see* Braun, D. 87−685, 87−6842, 88−50942
Sangiovanni-Vincentelli, A. *see* Brayton, R. 87−37231
Sangiovanni-Vincentelli, A. *see* Brayton, R.K. 88−12312
Sangiovanni-Vincentelli, A. *see* Burns, J. 88−31944
Sangiovanni-Vincentelli, A. *see* Casinovi, G. 86−63403
Sangiovanni-Vincentelli, A. *see* Casotto, A. 87−38444, 88−24902
Sangiovanni-Vincentelli, A. *see* De Micheli, G. 85−45023, 86−921
Sangiovanni-Vincentelli, A. *see* Detjens, E. 88−25135
Sangiovanni-Vincentelli, A. *see* Devadas, S. 88−25129
Sangiovanni-Vincentelli, A. *see* Fu Hwa Ko 86−20189
Sangiovanni-Vincentelli, A. *see* Guerrieri, R. 88−24909
Sangiovanni-Vincentelli, A. *see* Ko, H.F. 87−65753
Sangiovanni-Vincentelli, A. *see* Kundert, K. 88−70908
Sangiovanni-Vincentelli, A. *see* Kundert, K.S. 86−28431, 87−23834, 88−31971, 88−70483
Sangiovanni-Vincentelli, A. *see* Marong, G. 86−41988
Sangiovanni-Vincentelli, A. *see* Mitra, D. 86−52373
Sangiovanni-Vincentelli, A. *see* Nye, W. 88−49956
Sangiovanni-Vincentelli, A. *see* Reed, J. 86−632
Sangiovanni-Vincentelli, A. *see* Riley, D. 86−46456
Sangiovanni-Vincentelli, A. *see* Riley, D.C. 87−38561
Sangiovanni-Vincentelli, A. *see* Romeo, F. 85−33600, 86−9266
Sangiovanni-Vincentelli, A. *see* Rudell, R. 87−37230, 87−52496
Sangiovanni-Vincentelli, A. *see* Rudell, R.L. 88−669
Sangiovanni-Vincentelli, A. *see* Ruey-Sing Wei 86−20198, 86−20479
Sangiovanni-Vincentelli, A. *see* Saleh, R.A. 88−18877
Sangiovanni-Vincentelli, A. *see* Sechen, C. 85−45760, 87−5610, 88−50931
Sangiovanni-Vincentelli, A. *see* Shin, H. 87−38441, 88−13476
Sangiovanni-Vincentelli, A. *see* Shyu, J.-M. 88−51005
Sangiovanni-Vincentelli, A. *see* Sorkin, G.B. 87−73262
Sangiovanni-Vincentelli, A. *see* Wei, R.-G. 87−24619
Sangiovanni-Vincentelli, A. *see* White, J. 86−40858
Sangiovanni-Vincentelli, A. *see* White, J.K. 87−32629
Sangiovanni-Vincentelli, A. *see* Yaghutiel, H. 87−37431
Sangiovanni-Vincentelli, A. *(editor)* Advances in computer-aided engineering design. Vol.1. Computer-aided design of VLSI circuits and systems 86−33916
Sangiovanni-Vincentelli, A. *see* De Micheli, G. *(editor)* 88−6116
Sangiovanni-Vincentelli, A.L. An overview of synthesis systems 86−975
Sangiovanni-Vincentelli, A.L., White, J. Waveform relaxation techniques and their parallel implementation [integrated circuit simulation] 86−52623
Sangiovanni-Vincentelli, A.L. *see* Ma, H.K. 87−6914
Sangiovanni-Vincentelli, A.L. *see* Newton, A.R. 86−47639, 87−67346
Sangiovanni-Vincentelli, A.L. *see* Sequin, C.H. 88−7712
Sangiovanni-Vincentelli, A.L. *see* Shin, H. 87−5600, 88−20077
Sangiovanni-Vincentelli, A.L. *see* Tits, A.L. 87−16352
Sangiovanni-Vincentelli, A.L. *see* Wei, R. 87−24112, 87−28940
Sangiovanni-Vincentelli, A.L. *see* White, J. 86−57569
Sangiovanni-Vincentelli, A.L.M. *see* De Micheli, G. 86−34734
Sangiovanni-Vincentelli, A.L.M. *see* Rudell, R.L. 86−977
Sangiovanni-Vincetelli, A., Santomauro, M., Reed, J. A new gridless channel router: Yet Another Channel Router the second (YACR-II) 85−39877
Sangiovanni-Vincetelli, A.L. *see* Newton, A.R. 85−1618
Sangjin Lee *see* Jinjoo Lee 87−10083
Sango, J. FDM-FM interference evaluation on digital radio-relay systems 88−67243
Sango, J. *see* Ichikawa, H. 88−3843, 88−21922
Sango, J.I. *see* Yamamoto, H.-I. 85−8312

Sango, M., Pitzalis, O., Lerner, L., McGuire, C., Wang, P., Childs, W. A GaAs MESFET large-signal circuit model for nonlinear analysis 88−71123
Sangouard, P. *see* Loisel, B. 88−26893
Sangrador, J., Esquivias, I., Rodriguez, T., Sanz-Maudes, J. Electrical properties of evaporated silicon films 85−61675
Sangriotis, E. *see* Caroubalos, C. 88−68418
Sangro, R.De *see* De Sangro, R.
Sangros, F.M. *see* Valeri, J.C. 86−13902
Sangster, A.J. Sidewall slotted waveguide array antenna with low crosspolar radiation 86−48687
Sangster, A.J., McCormick, A.H.I. Moment method applied to round-ended slots 87−61442
Sangster, A.J., McCormick, A.H.I. Some observations on the computer-aided design/synthesis of slotted-waveguide antennas 88−2816
Sangster, A.J., McIntosh, D.J. Circular-electric-mode hybrid coupler 85−41677
Sangster, A.J., McIntosh, D.J. Coaxial waveguide to circular cylindrical waveguide junction 85−41678
Sangster, T.C. *see* Stringfellow, B.C. 87−8813
Sangster, W. *see* Chu, W.K. 86−25197
Sangsuk-Iam, S., Bullock, T.E. Behavior of the discrete-time Kalman filter under incorrect noise covariances 88−40983
Sangsuk-Lam, S. *see* Bullock, T.E. 85−58180
Sanguesa, R. Bioelectronic technology: producing circuits with proteins starts a new electronics 85−55339
Sanguineti, M. Professional demodulator for colour television signal 85−63834
Sanguineti, M.O. Return loss [telecommunication lines] 85−13824
Sanguineti, M.O. Electromagnetic interference and compatibility 86−10124
Sanguineti, M.O. Colour processor stage for television receiver. I 86−10488
Sanguineti, M.O. Nonlinear distortion in colour television 86−17587
Sanguineti, M.O. Nonlinear distortions in colour television. II. Allocation of frequencies for television channels 86−38029
Sanguineti, M.O. Noise in the video signal. I 86−42866
Sanguineti, M.O. Noise in the video signal. II 86−48615
Sanguineti, M.O. Colour processing stage in TV receivers. II 87−7841
Sanguinetti, G. *see* Amendolia, S.R. 87−21426 to 21428
Sanguinetti, G. *see* Battiston, R. 85−59224
Sangunni, K.S., Bhat, H.L., Narayanan, P.S. Microprocessor-based transient analyser 87−49475
Sanguoon Chung, Algazi, V.R. Improved pitch detection algorithm for noisy speech 86−10300
Sangwongwanich, S., Ishida, M., Okuma, S., Iwata, K. Manipulation of rotor flux for time-optimal single-step velocity response of field-oriented induction machines 88−55338
Sangyong Han, Sahni, S. Layering algorithms for single row routing 86−20917
Sangyong Han, Sahni, S. A fast algorithm for single row routing 86−62377
Sani, B. *see* Ali, S. 88−6881
Sani, B. *see* Ali, S.B. 88−32202
Sani, G. The problem of disturbances from the point of view of distributor 85−15571
Sani, G. Principles in the selection of HV, MV, and LV apparatus related to the function of the system 85−21768
Sani, G. *see* Mirra, C. 88−4612
Sanieenejad, F. STE-bus power supply 86−56842
Saniie, J. Identification of reverberant layered targets through ultrasonic wave classification 85−10903
Saniie, J. Resolution and visibility enhancement of ultrasonic echoes reflected from targets hidden by highly reverberant thin layers 86−6193
Saniie, J. Thermo-acoustic cell (TAC): a device for thermal wave imaging and depth profiling 87−4198
Saniie, J., Luukkala, M. Thermal wave imaging: thickness measurement and depth-profiling through radio frequency induction heating 85−10890
Saniie, J., Wang, T., Bilgutay, N.M. Spectral evaluation of ultrasonic grain signals 88−56361
Saniie, J. *see* Bencharit, U. 87−71471
Saniie, J. *see* Givens, M. 87−73497
Sanin, K.V. *see* Vul', A.Ya 87−24983, 87−32361, 88−26986
Sanin, V.I. *see* Vodakov, Yu.A. 86−1752
Sanin, V.S. *see* Aleksandrov, M.V. 88−40683
Saniovanni-Vincentelli, A. *see* Devadas, S. 88−63648
Sanislo, J. *see* Bershad, B.N. 87−69664
Sanislo, J. *see* Notkin, D. 87−40338
Sanitarov, V.A. *see* Aleksandrova, L.A. 85−1303
Sanitarov, V.A. *see* Belyaev, A.P. 85−34507
Saniter, J. *see* Burmeister, M. 87−76374
Saniter, J. *see* Hermes, T. 85−8431, 85−63656, 86−11120
Saniter, J. *see* Werner, W. 86−42326
Sanjay, M.K. *see* Sekhar, S.R. 87−69738
Sanjurjo, A., Sancier, K.M., Emerson, R.M., Rustioni, M., Marchetti, G., Gandolfi, D., Missoni, G. Improvements in the SiF$_4$-Na process 88−18030
Sank, J.R. Microphones 85−63883
Sank, V.J., Chen, C.-N., Hoult, D.I. A quadrature coil for the adult human head 87−8907
Sankar, A., Claus, R.O. Variation of HUBNET implementation of CSMA/CD to a fiber-optic tree network 87−13468
Sankar, M.T. *see* Joffe, S.N. 87−42000
Sankar, P.V. *see* Blume, W.M. 85−36459
Sankar, P.V. *see* Ferrari, L. 85−19498
Sankar, P.V. *see* Ferrari, L.A. 85−15278, 87−5358, 87−45091, 88−3120, 88−63802
Sankar, P.V. *see* Komaili, J. 87−55155, 88−8740, 88−36455
Sankar, P.V. *see* Mayo, W.T. 87−19902
Sankar, R. Improvements in image enhancement using fuzzy sets 87−13165
Sankar, R. Experimental evaluation of structural features for a speaker-independent voice recognition system 88−52397
Sankar, R. Pitch extraction algorithm for voice recognition applications 88−52399
Sankar, R., Goldstein, J. Signal processing and pattern recognition approach to transient detection and classification of EEG for the diagnosis of epilepsy 87−57158
Sankar, R. *see* Roytman, L.M. 85−30235
Sankar, S.G., Narasimhan, K.S.V.L. Origin of spin reorientation in rare earth-iron-boron permanent magnets 86−28618
Sankar, S.G., Herbst, J.F., Koon, N.C. *(editor)* High Performance Permanent Magnet Materials Symposium 88−24359
Sankara, R.K. *see* Bapeswara, R.V.V. 87−19666
Sankara Rao, K. *see* Bapeswara Rao, V.V. 85−247, 88−75215
Sankara Rao, K. *see* Rajagopalan, V. 85−32608
Sankara Rao, R. *see* Bapeswara Rao, V.V. 86−20646
Sankara Sastry, V. *see* Hariharan, Y. 87−38679
Sankaraiah, G. Initial problems faced in the induction of Fetex 100L system in the Indian network 88−35298
Sankaran, A., Patki, V.S. A novel X-ray transmission ionization chamber dosemeter for patient dose measurements in diagnostic radiology 88−68503
Sankaran, P., Kumar, V.J. An electronic phase balancer for three-phase three-wire loads 86−39092
Sankaran, P., Kumar, V.J., Murti, V.G.K. A microprocessor based measuring instrument for rapid testing of transformer core material 87−30719
Sankaran, P. *see* Vasu, E. 87−21191, 87−57483
Sankaran, V., Krishnamoorthy, V. On the diameters of spanning trees 86−326
Sankaranarayanan, P. High voltage capacitor bank 85−53998
Sankaranarayanan, P.E. Noncontact technique for rotary direction 85−8787
Sankaranarayanan, P.E. Some contributions to the development of sensor-based electronic instrumentation systems 88−9942
Sankaranarayanan, P.E. *see* Subramanian, V. 85−20750
Sankaranarayanan, V., Thyagarajan, T.R. Effect of frequency changes on modal coherent dynamic equivalents for transient stability studies 88−68742
Sankararaman, M.R. *see* Ananthakrishnan, S. 85−58262
Sankarraman, N. *see* Niedermann, P. 87−37803, 88−38966
Sankawa, I., Kashima, N., Nagasawa, S., Satake, T. Methods for reducing optical fiber connector reflection through use of index matching materials 86−36140
Sankawa, I., Nagasawa, S., Satake, T., Ishida, M., Arioka, R. Low-loss small-size optical-fiber connector with a precision plastic-molded ferrule 87−7138
Sankawa, I., Satake, T., Kashima, N. Methods for reducing optical fiber connector reflection through use of index matching materials 87−32985
Sankawa, I., Satake, T., Kashima, N., Nagasawa, S. Fresnel reflection reduction methods for an optical-fiber connector with index matching material 85−29605
Sankawa, I., Satake, T., Kashima, N., Nagasawa, S. Methods for reducing the Fresnel reflection in an optical-fiber connector with index matching material 87−1942
Sankawa, I. *see* Nagasawa, S. 85−50907, 86−28867, 87−7139, 87−62997
Sankawa, I. *see* Satake, T. 87−8256, 87−34592
Sankey, O.F., Allen, R.E., Dow, J.D. Theory of Schottky barrier formation for transition metals on Si, Ge, diamond, and Si$_x$Ge$_{1-x}$ alloys 85−1396
Sankey, O.F., Allen, R.E., Dow, J.D. Theory of Si/transition-metal silicide Schottky barriers 85−1401
Sankey, O.F., Allen, R.E., Dow, J.D. Theory of Schottky barriers for III-V and group-IV semiconductors 86−47405
Sankey, O.F. *see* Allen, R.E. 85−1391, 86−47398
Sankey, O.F. *see* Dow, J.D. 85−55553, 86−8876
Sankin, V.I., Vodakov, Yu.A., Litvin, D.P. Investigation of noise in an avalanche photodiode made of 6*H* silicon carbide 85−46273
Sankin, V.I. *see* Litvin, D.P. 88−71335
Sankin, V.I. *see* Vodakov, Yu.A. 85−34597
San'kov, S.A. *see* Buryak, S.F. 86−45519
San'kov, S.A. *see* Gol'shtein, M.E. 86−39929
San'kov, Yu.A., Ivanov, V.N., Kulzhinskii, V.L., Yokhno, N.Y., Gromov, G.A. High frequency welding thin wall spiral seam pipes for pressure irrigation systems 85−22011
Sankowski, D., Orzylowski, M. Algorithm of automatic on-line identification of electric furnaces in adaptive temperature control 87−5093
Sankowski, D. *see* Henderson, I.A. 88−15954
Sankowski, D. *see* McGhee, J. 88−41934
Sankur, B., Anarin, E., Steenaart, W. Multifrequency receiver based on adaptive spectrum estimation 85−51643
Sankur, B. *see* Aktar, M. 85−54268
Sankur, B. *see* Anarin, E. 87−55220
Sankur, B. *see* Bingol, S. 86−29818
Sankur, B. *see* Pawate, B.I. 86−4379
Sankur, H. Laser-assisted evaporations of dielectric and semiconductor materials 85−374
Sanmartin, J.R. Coronal fluid-dynamics in laser fusion [pulsed power] 88−62495
Sanmin Wang *see* Wang Sanmin
Sanmugasunderam, A. *see* Adolph, W.S. 87−5617
Sann, H. *see* Christie, W.B. 87−50138
Sann, H. *see* Kreutz, P. 87−77552
Sann, H. *see* Schneider, U. 88−68306
Sanna, R.S. *see* Awschalom, M. 85−26799
Sannert, R., Bottger, F. The P3000 for automatic testing of wiring 87−34936
Sannert, R., Frohlich, P. Automatic tester for multi-way cables 87−14106
Sannes, T. Integrated mineral insulated heaters for unconventional applications 85−32796
Sannes, T. *see* Holen, A.T. 88−10806
Sannikov, A.V. *see* Biskupchuk, A.M. 88−30058
Sannikov, B.P. *see* Belkin, V.S. 87−70771
Sannikov, D.I., Yakovenko, N.I., Sannikova, M.A. A frequency method for calculating the heating of asynchronous motors in intermittent duty 87−9545
Sannikov, Yu.A. *see* Bokut', B.V. 86−9969
Sannikov, Yu.A. *see* Kazak, N.S. 86−48475, 86−54107
Sannikova, M.A. *see* Sannikov, D.I. 87−9545
Sannikova, T.A., Timoshenko, D.P., Myshkin, V.V., Ivanchuk, V.V., Kutsakov, S.Ya. Microcontroller devices for control systems of electric equipment 88−17506
Sannino, M. *see* Forino, A. 85−37976
Sannino, M. *see* Gracco, V. 87−29458
Sannino, M. *see* Martines, G. 85−43089, 86−65266, 87−32080, 88−13441, 88−50410, 88−60897
Sannino, M. *see* Pospieszalski, M.W. 88−29611
Sanniti di Baja, G. *see* Arcelli, C. 85−30414, 85−51802, 85−57475, 87−48096, 88−8835
Sanniti di Baja, G. *see* Cordella, L.P. 87−48095, 87−75919, 87−75935
Sanniti Di Banja, G. *see* Arcelli, C. 87−48239
Sannohe, K. *see* Tsunaga, M. 88−7232
Sannomiya, H. *see* Saito, N. 85−10764, 86−27891
Sannomiya, H. *see* Yamamoto, Y. 87−5464, 88−37434
Sannomiya, N., Okamoto, K. A method for decomposing mixed-integer linear programs with staircase structure 85−22341
Sannomiya, N. *see* Nouri-Shirazi, M. 85−41927, 86−43279, 86−64285
Sannomiya, T. *see* Chubachi, N. 86−6155, 86−25457
Sannomiya, T. *see* Imano, K. 88−60987
Sannomiya, Y. A total digital system for hydraulic power plants 88−5584
Sannuti, P. *see* Trischitta, P.R. 88−22080, 88−35492, 88−60149
Sano, A. Spectral analysis of sinusoids embedded in noise with unknown colored spectrum 86−23079
Sano, A. High resolution spectral line analysis based on optimized prefiltering 87−55226
Sano, A. Optimized prefiltering for high resolution spectral line estimation 88−14723
Sano, A., Hashimoto, K. Adaptive recursive scheme for spectral analysis of sinusoids in signals with unknown colored spectrum 86−10402
Sano, A. *see* Adachi, S. 85−28654, 86−14439, 86−69043, 87−39730
Sano, A. *see* Fukuda, S. 87−36102
Sano, A. *see* Miyamoto, H. 86−12033, 86−44708
Sano, E., Kimura, T. CMOS device model for accurate circuit simulation application 87−53556
Sano, E., Kimura, T. Numerical analysis of radiation effects in MOS capacitors 87−60185
Sano, E., Kimura, T. CMOS device model for accurate circuit simulation application 88−26499

Sano, E., Tsukahara, T., Iwata, A. Performance limits of mixed analog/digital circuits with scaled MOSFETs 88−64789
Sano, F. *see* Uo, K. 85−32808
Sano, H. Fabrication and evaluation of X-ray masks 88−39287
Sano, H., Akita, S., Jiuchi, Y., Daicho, Y. 6.6 kV indoor type voltage application indicator using liquid crystal element 87−49822
Sano, H., Hamasaki, H. Distributed digital control system for boilers in power plants 87−9360
Sano, H., Ito, S. Deposition of a-Si films by laser CVD 87−36811
Sano, H., Kurasono, S. An analysis of Michelson interferometer-type hybrid by boundary element method 85−28696
Sano, H., Kurazono, S. Analysis of dielectric waveguide problem by boundary elements method 86−29539
Sano, H., Kurazono, S. Analysis of dielectric waveguide problem by boundary element method 87−45151
Sano, H. *see* Aoki, T. 87−8332
Sano, H. *see* Ichimaru, K. 85−59180
Sano, H. *see* Imoto, K. 87−18588, 87−46572, 87−70034, 88−9518
Sano, H. *see* Koga, R. 86−29221
Sano, H. *see* Minagawa, S. 85−49554
Sano, H. *see* Ose, Y. 88−50601
Sano, H. *see* Takagi, T. 87−73950
Sano, HK. *see* Kobayashi, T. 88−35970
Sano, I., Ohta, H., Tsuboi, I., Nago, Y. Monitoring and estimating air pollution by the use of Na-fall as an indicator. II 86−32586
Sano, J. *see* Mazin, M. 86−2420
Sano, K. Personal computers and office automation 85−19825
Sano, K. Review on installation of CR equipment for resonance control 88−11434
Sano, K. Sony's broadcast CCD camera BVP-50 88−53430
Sano, K., Fujii, Y., Minowa, J. Low-loss optical multi/demultiplexer for subscriber loop system 85−3265
Sano, K., Suzuki, K., Yokoyama, T., Koizumi, H. MR image reconstruction from half of the data using a phase map 88−41103
Sano, K., Watanabe, R. A minimum channel spacing of optical wavelength-division-multiplexing transmission for subscriber loop systems 85−25599
Sano, K., Watanabe, R. Design of optical wavelength-division-multiplexing transmission systems 85−31058
Sano, K., Watanabe, R. Design of optical wavelength-division-multiplexing baseband analog transmission systems using laser diodes 85−47533
Sano, K., Watanabe, R. A design of optical wavelength-division-multiplexing transmission systems 86−69768
Sano, K., Watanabe, R. A minimum channel spacing of optical wavelength-division-multiplexing transmission for subscriber loop systems 87−8260
Sano, K., Watanabe, R., Minowa, J. Design and performance of optical multiplexer for analog subscriber loop systems 86−43863
Sano, K., Watanabe, R., Minowa, J. A 4-wavelength optical multi/demultiplexer for WDM subscriber loop systems using analog baseband video transmission 86−64986
Sano, K., Yamada, T., Ando, S., Kawase, Y. Continuous casting mould level control by using eddy-current distance meter 85−8999
Sano, K., Yamashita, K., Mitani, K. 250 MVA hydrogen gas cooled synchronous condensers for EMBU Guacu and Santo Angelo substations in Brazil 86−33350
Sano, K., Yokoyama, T., Sato, S., Koizumi, H. A method of analytic phase correction in magnetic resonance imaging and its application to blood-flow imaging 88−61317
Sano, K. *see* Fukui, Y. 85−22927
Sano, K. *see* Hirano, T. 87−8923
Sano, K. *see* Ikegami, K. 86−27790, 87−1132
Sano, K. *see* Ito, H. 87−15648
Sano, K. *see* Kanomori, S. 87−11075
Sano, K. *see* Kato, T. 85−4838
Sano, K. *see* Kikushima, K. 88−20647
Sano, K. *see* Kinoshita, T. 86−55288, 88−60194
Sano, K. *see* Kiuchi, A. 85−14418, 88−15767
Sano, K. *see* Kuriki, S. 87−1204, 87−63560
Sano, K. *see* Maruyama, T. 87−12283
Sano, K. *see* Mayeda, W. 85−297
Sano, K. *see* Murata, S. 88−75320
Sano, K. *see* Nagao, M. 88−57938
Sano, K. *see* Nishioka, H. 85−58447
Sano, K. *see* Nosaka, E. 85−40384
Sano, K. *see* Okada, M. 88−25211
Sano, K. *see* Saito, M. 87−6345
Sano, K. *see* Sawatani, K. 86−56700
Sano, K. *see* Shirai, K. 87−47632
Sano, K. *see* Takuwa, M. 85−22928
Sano, K. *see* Tsunoda, T. 85−59954
Sano, K. *see* Yoneda, E. 87−34543, 87−49101
Sano, M., Horai, M., Miyazaki, M., Fujino, N., Shiraiwa, T. Comparison of gettering techniques by means of intentional quantitative Cu contamination 88−64669
Sano, M., Otake, S., Fukuda, T., Nakada, T., Uematsu, T. Practical use of new-type cable for severe environment 86−6365
Sano, M. *see* Ito, N. 85−52428
Sano, M. *see* Kashihara, H. 86−12156
Sano, M. *see* Nishizawa, T. 87−67659
Sano, M. *see* Shiraiwa, T. 88−7501
Sano, M. *see* Takagaki, T. 88−51224
Sano, M. *see* Tatsuta, H. 87−56757
Sano, M. *see* Yanagida, I. 88−17152
Sano, N. Synthesis of semiconductor superlattice by molecular beam epitaxy 87−5419
Sano, N., Kato, H., Nakayama, M., Chika, S., Terauchi, H. Mono- and bi-layer superlattices of GaAs and AlAs 85−1361
Sano, N. *see* Akatsu, Y. 88−33256
Sano, N. *see* Chika, S. 87−10447
Sano, N. *see* Fukai, J. 88−26566
Sano, N. *see* Iizuka, K. 86−53440
Sano, N. *see* Kamigaki, K. 87−10367
Sano, N. *see* Miyoshi, T. 86−53404
Sano, N. *see* Mizutame, M. 87−7477
Sano, N. *see* Teshima, S. 88−70737
Sano, O., Takaki, R. Simultaneous measurement of velocity and temperature by the use of a laser Doppler velocimeter 85−37788
Sano, R. Development trends of carbon dioxide laser machining 87−26582
Sano, R. *see* Sakamura, K. 88−50227
Sano, S., Matukawa, T., Muto, S., Ito, C., Ito, H. Experimental study of matching on nonuniform strip line 86−41279
Sano, S., Mochizuki, M., Muto, S., Ito, C., Ito, H. Study of matching load on non-uniform coaxial transmission line and its application to wideband impedance transformer 87−17419
Sano, S., Mochizuki, M., Muto, S., Ito, C., Ito, H. Study of matching load on nonuniform coaxial transmission line and its application to wideband impedance transformer 88−14451
Sano, S., Mori, T., Shikata, K. Optical bus-LAN conforming to IEEE 802 (CSMA/CD) 86−10763
Sano, S. *see* Goto, M. 85−34704
Sano, S. *see* Muto, S. 85−29793, 87−54261
Sano, S. *see* Nakane, F. 87−60934
Sano, S. *see* Nire, T. 88−16335
Sano, S. *see* Oana, Y. 86−31259
Sano, S. *see* Sato, T. 88−70247
Sano, S. *see* Shiba, F. 85−62538
Sano, S. *see* Uematsu, K. 85−37083
Sano, T. Evolution and trend of data storage products 86−9412
Sano, T., Morita, A., Matsukawa, A. Power ferrite has less than 400 mW/cm^3 core loss at 1 MHz 88−64922
Sano, T., Morita, A., Matsukawa, A. A new power ferrite for high frequency switching power supplies 88−71904
Sano, T., Takahashi, M., Murakoshi, Y., Terasaki, M., Matsuno, K. Electromagnetic tube bulging 87−43696
Sano, T., Vitiello, E. Experimental research project on the dynamic behaviour of Garigliano NPP 88−55140
Sano, T. *see* Hagino, S. 86−23561, 86−43616
Sano, T. *see* Kato, Y. 88−22138
Sano, T. *see* Komatsu, F. 88−39593
Sano, T. *see* Murakoshi, Y. 86−36680
Sano, T. *see* Nakazato, H. 87−24136
Sano, T. *see* Takahashi, M. 87−43697
Sano, T. *see* Tanaka, Y. 88−51405
Sano, T. *see* Yamada, S. 88−64772
Sano, Y. Effect of space angle on constriction resistance and contact resistance for the case of line contact 85−50076
Sano, Y., Ashikaga, K., Tomitaka, K., Konishi, K. Quick-use-phone 'Z MKII series' 88−9319
Sano, Y., Egawa, T., Nakamura, H., Kaminishi, K. The dependence of threshold voltage of GaAs MESFET on annealing methods 88−1691
Sano, Y., Ichioka, T. GaAs digital IC technologies & 1 GHz prescaler using DCFL circuit 88−25078
Sano, Y., Itagaki, Y. Home telephone ET-126/228 for American domestic use 86−4369
Sano, Y., Nunomura, K., Koyama, N., Sakuma, H., Utsumi, K. A novel TFEL device using a high-dielectric-constant multilayer ceramic substrate 87−3659
Sano, Y., Nunomura, K., Koyama, N., Utsumi, K., Sakuma, H. A novel TFEL device using high dielectric constant multilayer ceramic substrate 86−34401
Sano, Y., Tanaka, M., Utsunomiya, Y., Tomii, Y. Photoresponse of organic photoconductive particles in thin layer state 87−18802
Sano, Y. *see* Egawa, T. 85−29212, 87−38305, 87−60556, 88−64786
Sano, Y. *see* Fukui, C. 86−32714
Sano, Y. *see* Inokuchi, K. 88−20165
Sano, Y. *see* Inomata Fujishiro, H. 88−56272
Sano, Y. *see* Ishida, T. 85−50532
Sano, Y. *see* Kawakami, Y. 85−54859
Sano, Y. *see* Kinoshita, H. 85−18258, 85−23771, 86−2169, 86−8103, 86−53687
Sano, Y. *see* Kiuchi, A. 88−15767
Sano, Y. *see* Kubo, T. 85−9546
Sano, Y. *see* Matsuura, H. 86−35914
Sano, Y. *see* Nakamura, H. 85−40784, 87−32727
Sano, Y. *see* Nakamura, K. 87−41310
Sano, Y. *see* Nishi, S. 87−60489, 87−60500
Sano, Y. *see* Nunomura, K. 88−16345
Sano, Y. *see* Saito, T. 87−25593, 88−20168
Sano, Y. *see* Tai, I. 86−65894
Sano, Y. *see* Takimoto, H. 86−10812
Sano, Y. *see* Yamagishi, C. 85−16952
Sanochkin, V.V., Tereshkin, Yu.M. Effect of azimuthal nonuniformity of magnetic field of synchrotrons of state special standard of energy-luminance spectral density at 50-250 nm on error of unit reproduction 86−44488
Sanochkin, V.V. *see* Anevsky, S.I. 88−47798
Sanochkin, Yu.V. *see* Zharinov, A.V. 85−11827
Sanoh, T. *see* Nakamura, O. 87−27616
Sanotskii, Yu.V. Determination of electrical tolerances on parameters of microcircuit components 87−24648
Sanpei, M. *see* Furuta, K. 85−2456
Sanpei, M. *see* Kato, Y. 86−65781
Sanpei, T. *see* Takeko, S. 85−52466
Sanpei, T. *see* Tamagami, M. 86−4221
Sanpei, T. *see* Ueno, T. 88−9357
Sanpietro, M. *see* Rehak, P. 86−65336
Sanpiter, I.A. *see* Veselovskii, L.N. 85−17025
Sanquer, M. *see* Debray, P. 88−64263
Sansalone, M. *see* Carino, N.J. 85−22570
Sansalone, M. *see* Hsu, N.N. 88−57864
Sansbury, R. Detection of a force between a charged metal foil and a current-carrying conductor 85−37773
Sansen, W. Integrated low-noise amplifiers in CMOS technology 87−25304
Sansen, W., Aubert, A., Ector, H., De Geest, H., Van den Bossche, A., Van de Voorde, P., Van den Bossche, J., Verrijdt, W., Goossens, F., Marien, J. Automatic implantable defibrillator, antitachy pacemaker and cardioverter 88−36516
Sansen, W., Das, C., Callewaert, L. A monolithic impedance buffer, with a compatible JFET-CMOS technology 85−62103
Sansen, W., Lambrechts, M., Suls, J. Fabrication of voltammetric sensors with planar techniques 86−55700
Sansen, W., Puers, B. Pressure sensor signal processing 85−37796
Sansen, W., Puers, B., Vereecken, R. Realization of a pressure telemetry capsule for cystometry 85−48267
Sansen, W., Steyaert, M., Lambrechts, M., Vriens, K. Integrated signal-processing electronics for planar electrochemical sensors 87−70536
Sansen, W., Steyaert, M., Van Damme, C. A microprocessor compatible multi-channel interface system for sensor signal processing 86−50031
Sansen, W., Van Peteghem, P., Steyaert, M. Switched capacitor filters for biomedical signal processing 86−57940
Sansen, W., Vandeloo, P. Modelling the MOS transistor at high frequencies 86−63281
Sansen, W. *see* Aubert, A.E. 87−50426
Sansen, W. *see* Callewaert, L. 88−61454
Sansen, W. *see* Chen, J. 88−54567
Sansen, W. *see* Halonen, K. 86−67356, 87−66339
Sansen, W. *see* Haspeslagh, J. 88−70575
Sansen, W. *see* Huang, Q. 87−10968
Sansen, W. *see* Lambrechts, M. 88−35965, 88−54478
Sansen, W. *see* Lauks, I. 86−55659
Sansen, W. *see* Puers, B. 86−5303, 87−70606, 88−4408, 88−53619
Sansen, W. *see* Qiuting, H. 88−6968, 88−25317
Sansen, W. *see* Steyaert, M. 86−28481, 88−18939
Sansen, W. *see* Van Peteghem, P. 87−884, 87−24327, 87−45056, 88−12507
Sansen, W. *see* Vandeloo, P. 88−57666
Sansen, W. *see* Vanderschoot, J. 87−41971
Sansen, W. *see* Verrydt, W. 88−5015
Sansen, W. *see* Walscharts, H. 87−24325
Sansen, W.M. Critical and emerging issues in biosensors 87−41909
Sansen, W.M., Op't Eynde, F., Steyaert, M. A CMOS temperature-compensated current reference 88−57803
Sansen, W.M. *see* Walscharts, H. 87−52721
Sansen, W.M.C., Qiuting, H., Halonen, K.A.I. Transient analysis of charge-transfer in SC filters−gain error and distortion 87−45033
Sansen, W.M.C., Steyaert, M., Vandeloo, P.J.V. Measurement of operational amplifier characteristics in the frequency domain 85−33688
Sansen, W.M.C., Van Peteghem, P.M. An area-efficient approach to the design of very-large time constants in switched-capacitor integrators 85−22994
Sansen, W.M.C. *see* Halonen, K.A.I. 87−45032
Sansen, W.M.C. *see* Qiuting, H. 88−56500
Sansen, W.M.C. *see* Steyaert, M.S.J. 88−18937
Sansen, W.M.C. *see* Van Peteghem, P.M. 85−61123
Sansen, W.M.C. *see* Van Peterghem, P.M. 86−34974

Sanseverino, R., Gelet, A., Martin, X., Dubernard, J.M. Nd:YAG laser in endoscopic urology 88−48217
Sanseverino, S.R. Semiconductor devices for 1.3 to 1.5 micron optical communication—state of the art 85−52356
Sanseverino, S.Riva *see* Riva Sanseverino, S.
Sansevero, J. A new MIL-C-38999, series I Connector 85−11694
Sanso, B., Mahseredjian, J., Mukhedkar, D. Total accident probability of a metro system 85−22203
Sansoe, C. *see* Harboe-Sorensen, R. 87−31930
Sansom, B. Lighting and power distribution for the London Underground 88−43475
Sansom, D. Electrical safety in hazardous areas 86−57156
Sansom, J.S. A high definition television system 86−55432
Sansom, J.S. High definition television 86−59974
Sansom, R.D. Security in a network operating system 87−34156
Sansom, R.D., Julin, D.P., Rashid, R.F. Extending a capability based system into a network environment 87−20209
Sanson, J.-L. TRANSDOC: an experiment in electronic publishing 85−57721
Sansone, F.E., Jr. *see* Kingsbury, G.D. 85−20889
Sansone, L. *see* Bernieri, A. 88−15887
Sansone, L. *see* d'Apuzzo, M. 85−37396, 86−31109
Sansone, M., Hewitt, R., Eberhardt, W., Sondericker, D. Performance tests of the ERG monochromator at NSLS-U1 88−48077
Sansone, R.C. Contiguous sealing of metal seated butterfly valves 88−49539
Sansonetti, C.J., Weber, K.-H. High-precision measurements of Doppler-free two-photon transitions in Rb: new values for proposed dye-laser reference wavelengths 86−5454
Sansonetti, P., Caquot, E. Design of low loss electrooptic directional couplers on III-V semiconductors with the beam propagation method 88−2019
Sansonetti, P., Ribot, H., Brandon, J., Menigaux, L., Dugrand, L., Bouadma, N. Low-threshold GaAs/GaAlAs buried heterostructure laser with an ion-beam-etched quarter ring cavity 87−46871
Sansonetti, P. *see* Arnaud, J. 85−62575
Sansonetti, P. *see* Carenco, A. 85−2073
Sansonetti, P. *see* Menigaux, L. 86−36515, 87−75099
Sansoni, A. *see* Apollinari, G. 87−21436, 87−29489
Sansoni, A. *see* Bertolucci, S. 87−35353, 88−47987
Sansoni, G. *see* Minoni, U. 88−47176, 88−60619
Sansoni, R.A. Low-noise VHF pre-amplifier 86−46577
Sansores, L.E. *see* Nair, P.K. 88−14013
Sant, M.D. International regulations concerning space radiocommunication services 85−42550
Sant, M.T. Ultra high speed protection of transmission lines 87−4338
Sant, M.T. *see* Paithankar, Y.G. 85−32228
Sant, R.W. *see* Naill, R.F. 85−21099
Sant, S., Norton, P. TPAD—telex packet assembly/disassembly facility 88−41245
Santa, I., Kozma, L., Lupkovics, G. Nitrogen laser amplifier system 86−15618
Santa, I., Kozma, L., Nemet, B., Hebling, J., Gorbal, M.R. Experimental and theoretical investigation of a traveling wave excited TEA nitrogen laser 87−12364
Santa, I., Kozma, L., Racz, B. Investigation of atmospheric and low-pressure nitrogen laser amplifiers 86−3034
Santa, J., Kozma, L. New method for determination of the duration of picosecond laser pulses based on coherent anti-Stokes Raman scattering 85−12937
Santa Clara, J.M.A. The hydropower resources of Zimbabwe 86−12726
Santa Cruz, C. *see* Oommen, M. 87−58640
Santa Cruz, P.A. *see* de Sa, G.F. 85−35868
Santacesaria, R. *see* DeWulf, J.P. 87−21468, 88−22985
Santagati, S. *see* Burrafato, G. 85−34509, 86−47313
Santagiustina, A. *see* Bertolini, E. 87−72274
Santagiustina, A. *see* Mondino, P.L. 87−72279
Santago, P., Rajala, S.A. Technique for video compression by projection onto convex sets 85−36322
Santago, P., Rajala, S.A. New technique for combined pixel and frequency domain image sequence coding 86−30041
Santago, P., Rajala, S.A. New solution for frequency and pixel domain coding using convex sets 87−19889
Santago, P., Rajala, S.A. Using convex set techniques for combined pixel and frequency domain coding of time-varying images 88−3153
Santago, P. *see* Civanlar, M.R. 86−10512
Santagostino, G. *see* Ardito, A. 88−17705
Santagostino, G. *see* Bargigia, A. 86−51862
Santagostino, G. *see* Christensen, J.F. 87−57579
Santagostino, G. *see* Di Marco, U. 87−36065
Santagostino, G. *see* Gaglioti, E. 86−50959
Santagostino, G. *see* Porrino, A. 87−71751, 88−17202
Santagostino, L., Scrignaro, D., Serio, F. A computer aided system based on CCITT's standards to design and to implement software 86−49401
Sant'Agostino, M. *see* D'Avella, R. 87−76611
Santak, M., Ziger, I. Application of computer technique to R&D of products 87−43859
Santala, T.J. *see* Jost, E.M. 88−7103, 88−38805, 88−56332
Santamaki, H. Motion video 64 kb/s codecs: a new concept for ISDN visual telephony 87−2815
Santamaria, A. *see* Conejo, A.J. 86−33223
Santamaria, J., Iborra, E., Martil, I., Gonzalez-Diaz, G., Gomez de Salazar, J.M., Sanchez-Quesada, F. RF sputtered CuInSe$_2$ thin films in Ar/H$_2$ atmospheres 88−18751
Santamaria, J., Iborra, E., Martil, I., Gonzalez-Diaz, G., Sanchez-Quesada, F. Sputtering process of Cu$_2$S in an Ar atmosphere 88−12071
Santamaria, J., Iborra, E., Martil, I., Gonzalez-Diaz, G., Sanchez-Quesada, F. Capacitance characterisation of Cu$_2$S/CdS heterojunctions 88−64298
Santamaria, J. *see* Bescos, J. 88−34738
Santamaria, J. *see* Clement, M. 88−12955
Santamaria, J. *see* Cristobal, G. 87−47945, 87−48195
Santamaria, J. *see* Iborra, E. 86−36308, 88−12963, 88−62617
Santamaria, J. *see* Martil, I. 88−12038
Santamaria, M.E., Lagunas, M.A., Amengual, M. A parametric approach for the cross-spectral density estimation 86−30877
Santamaria, M.E., Lagunas, M.A., Gasull, A. Improved ML cross-spectral estimation 87−55209
Santamaria, M.E. *see* Lagunas, M.A. 85−52444, 86−16372, 86−29919, 87−61928
Santamaria, M.E. *see* Nadeu, C. 86−29812
Santamaria, T.Pollan *see* Pollan Santamaria, T.
Santamaria-Perez, M.E. *see* Lagunas-Hernandez, M.A. 85−19432
Santamato, E., Sasso, A., Bruzzese, R., Calaselice, R., Maddalena, P. Experimental and theoretical analysis of intrinsic optical transistor action in homeotropically aligned nematic crystal films 87−54126
Santamato, E., Sasso, A., Bruzzese, R., Shen, Y.R. Intrinsic optical transistor action in homeotropically aligned nematic crystal films 86−63868
Santamato, E., Shen, Y.R. Field-curvature effect on the diffraction ring pattern of a laser beam dressed by spatial self-phase modulation in a nematic film 85−19003
Santambrogio, G.C., Andrich, R. Automatic system for the evaluation of the actual functional efficiency of gait 86−25183
Santambrogio, G.C. *see* Assente, R. 86−32349
Santambrogio, R. *see* Boella, G. 86−50371
Santamore, W.P., Whiteman, J., Negin, M., Heddy, R.F. Computer recognition of radiopaque myocardial markers 85−26752
Santana, C.E. *see* Marshall, P.M. 86−14481
Santana, J. Control loop study of the induction motor driven by current source inverter imposing stator frequency in flux control 85−32495
Santana, J., Goncalves Dente, J. Modelling of an induction motor speed control with slip-power recovery 86−19281
Santana, J. *see* Nascimento, V.P. 85−32496
Santana, M., Blau, R. Improve yield forecasts—reduce production costs 87−51886
Santana, M.R. *see* Gartside, C.H., III 85−47540
Santana, O., Iafrate, J.P., Coulomb, J.L. A data structure for a finite element package 88−52022
Santana, O. *see* Du Terrail, Y. 88−2461
Santana, O. *see* Iafrate, J.P. 88−52020
Santana, R.F., Rocha, R.L.M. Stresses in grounding switches at parallel circuit of 500 kV 88−55093
Santangelo, P.G. *see* Tufts, B.J. 87−51465
Santarato, G. *see* Iliceto, V. 87−71270
Santarelli, F. *see* Roda, G.C. 86−2041
Santek, D.A. *see* Spencer, R.W. 88−5158
Santek, V. *see* Debeljuh, V. 88−42844
Santel, D., Mehra, R., Olson, W., Bardy, G. Integrative algorithm for detection of ventricular tachyarrhythmias from the intracardiac electrogram 88−4969
Santel, D., Trautmann, C., Liu, W. Formal safety analysis and the software engineering process in the pacemaker industry 88−74887
Santelmann, W.F., Jr., Daley, T.M. Testing and safety of CRT high voltage sources 85−31401
Santelmann, W.F., Jr., Daley, T.M. Testing and safety of CRT high voltage sources 86−21075
Santerini, D. *see* Picchi, G. 86−49590, 87−49121
Santero, B.A. *see* Williford, J.D. 88−35250
Santha, I.S. *see* Hale, L.G. 85−14897
Santha, I.S. *see* Ketchpel, R.D. 85−8908
Santha, M., Vazirani, U.V. Generating quasi-random sequences from slightly-random sources 85−41860
Santhamma, K. *see* Ghose, M.K. 85−15372
Santhanakrishnan, G., Prabhu, B.S., Rao, B.V.A. Commutator carbon brush effect on the coastdown times of a horizontal motor and a motor-rotor coupled system 87−72158
Santi, A.De *see* De Santi, A.
Santi, G.De *see* De Santi, G.
Santi, R. *see* Samsioe, P.-E. 85−21701
Santiago, C.M.de *see* de Santiago, C.M.
Santiago, F. *see* Martinez, A. 86−22214
Santiago, J. *see* Au, S. 85−10061
Santiago, J. *see* Wei, C.S. 85−12014, 86−21248, 86−21345, 87−11715
Santiago, J.J. *see* Siegal, M. 87−11714
Santiago, J.J. *see* Siegal, M.P. 88−32970
Santiago, J.J. *see* Wei, C.S. 85−1386
Santiago, N.H.C. *see* Janischewskyj, W. 88−70579
Santiago-Aviles, J.J. *see* Smela, E. 88−36054
Santiard, J.-C. *see* Mine, P. 88−61296
Santiard, J.-C. *see* Solomey, N. 88−74743
Santiard, J.C. *see* Bouclier, R. 86−50314, 87−21422, 88−29846, 88−42439
Santiard, J.C. *see* Glass, H. 85−43249
Santiard, J.C. *see* McCarthy, R. 86−65355
Santiard, J.C. *see* Mouellic, B. 88−22920
Santic, A. Application of infrared radiation in medicine 86−18293
Santier, C. *see* Genies, E.M. 87−58267
Santillana Rivero, F.J. Multimode predictive coding algorithm with motion compensation 87−33774
Santillana Rivero, J., Bouthemy, P. A hierarchical likelihood framework for motion-based segmentation from image sequences 87−75942
Santillana Rivero, J., Bouthemy, P. Region segmentation according to motion-based criteria 88−28080
Santillana Rivero, J. *see* Bouthemy, P. 87−62352
Santillo, J.A. *see* Pedersen, T.J. 85−36575
Santin, G. *see* Gill, M. 88−33402
Santin, M. Automatic control of sensitivity with a biological mask [recording device] 85−42164
Santinelli, C., Chave, J., Blanchet, R., Viktorovitch, P. Physico-chemical and electrical arsenic-stabilization of InP surface for MIS device applications 87−17982
Santinelli, C. *see* Blanchet, R. 85−23576, 85−40520, 87−53417
Santinelli, C. *see* Chave, J. 87−24975, 87−25111
Santinelli, C. *see* Hollinger, G. 88−50858
Santinelli, M. *see* Como, A. 85−47451
Santinga, J. *see* Jenkins, J. 87−21592
Santinga, J.T. *see* Hsia, P.-W. 86−65436
Santini, D.J. Verification of energy's role as a determinant of US economic activity 87−42563
Santini, E., Settimi, P. Evolution of the magnetic materials for transformers and reduction of the losses in the cores 87−51299
Santini, E. *see* Campogiani, R. 88−43246
Santini, E. *see* Di Napoli, A. 86−42704
Santini, H.A.E., White, R.L. Method for improving plating uniformity in micron and submicron thin film devices 85−7164
Santini, M. *see* Borghesani, A.F. 86−65382, 87−8817
Santini, R. Effect of low-level microwave irradiation on the duodenal electrical activity of the unanesthetized rat 85−9231
Santirana, L. *see* Lugiato, L.A. 88−65852
Santis, A.De *see* De Santis, A.
Santis, F.De *see* De Santis, F.
Santis, P.De *see* De Santis, P.
Santis, P.V.De *see* De Santis, P.V.
Santis, R.De *see* De Santis, R.
Santisteban, A. *see* Aguilar, M. 87−14090
Santisteban, A. *see* Bescos, J. 88−34738
Santisteban, A. *see* Carazo, J.M. 86−30055
Santner, J.S. *see* Adams, M.D. 87−72857
Santo, B.De *see* De Santo, B.
Santo, H. AMIGO: Advanced Messaging in Groups—interim report 88−59512
Santo, H. *see* Ahtiainen, A. 86−37541
Santo, H. *see* Warnking, A. 86−69448
Santo, M.De *see* De Santo, M.
Santo, R. *see* Glasow, R. 85−31702
Santo, R. *see* Grzonka, D. 87−3878
Santo, R. *see* Purschke, M. 88−16638
Santoboni, S. *see* Cannelli, G.B. 87−71286
Santoh, T. *see* Miyazaki, T. 88−45043
Santoiemma, M. A theoretical approach to computational modules for sound synthesis [computer music] 85−58474
Santomaa, V. Developments in satellite data communications within space technology 88−53231
Santomauro, M. The computer in electronics design 86−34446
Santomauro, M. *see* Caviglia, D.D. 88−19044
Santomauro, M. *see* Poretta, A. 85−45022
Santomauro, M. *see* Reed, J. 86−632
Santomauro, M. *see* Romeo, F. 87−39438
Santomauro, M. *see* Sangiovanni-Vincetelli, A. 85−39877
Santoni, A. Fast optical time-domain reflectometer measures over long distances 88−29486
Santoni, C. *see* Dorenbosch, J. 87−29472
Santonico, R. *see* Cardarelli, R. 88−22944
Santonja, N. *see* Henry, D. 87−45532
Santoro, A. *see* Lamberti, C. 88−68350

Santoro, C.J. Optimizing custom IC design–ASIC design systems for the 90s 86–655
Santoro, E. *see* Condorelli, L. 86–59998
Santoro, G. *see* Guy, C.G. 88–50116
Santoro, G.C., Guy, C.G. A knowledge-based methodology for designing concurrent error detecting VLSI circuits 88–38510
Santoro, M. *see* Ruscio, M. 88–30587, 88–62195
Santoro, M.A., Prucnal, P.R. Asynchronous fiber optic local area network using CDMA and optical correlation 88–9564
Santoro, M.A. *see* Prucnal, P.R. 86–37887, 86–64341, 86–64751, 87–13697, 87–28580, 87–56130
Santoro, N. Sense of direction, topological awareness and communication complexity 85–7964
Santoro, N. On the message complexity of distributed problems 85–19285
Santoro, N., Khatib, R. Labelling and implicit routing in networks 85–30489
Santoro, N., Urrutia, J. An improved algorithm for Boolean matrix multiplication 86–46261
Santoro, N. *see* Atkinson, M.D. 86–54394
Santoro, N. *see* Negro, A. 88–73418
Santoro, N. *see* van Leeuwen, J. 88–40773
Santoru, J. *see* Schumacher, R.W. 87–17638, 88–25368
Santos, A., Lopez Barrio, C., Garcia Guerra, A. Automatic data acquisition system for a photovoltaic solar plant 87–30444
Santos, A., Lopez, C., Munoz, E. Hardware and software implementation of a text-to-speech converter for Spanish 86–29827
Santos, A. *see* Meneses, J. 85–14721, 87–16966
Santos, A. *see* Munoz Merino, E. 87–55029
Santos, A. *see* Pelka, D.G. 88–18097
Santos, A. *see* Rodriguez, M. 85–13518
Santos, A.Alonso *see* Alonso Santos, A.
Santos, A.H.Moreira *see* Moreira Santos, A.H.
Santos, A.J.T.dos *see* dos Santos, A.J.T.
Santos, A.Nunes Dos *see* Nunes Dos Santos, A.
Santos, B.Oliveira dos *see* Oliveira dos Santos, B.
Santos, C. *see* Jardim, R.F. 87–63483
Santos, C.Perez *see* Perez Santos, C.
Santos, D. *see* Trancoso, I.M. 88–66424
Santos, D.M., Fonseca, J.A., Mota, A. An automatic test system for inductive components 87–28939
Santos, E.Vigil *see* Vigil Santos, E.
Santos, H.A. *see* Azevedo, J.L. 87–38181
Santos, H.Abreu *see* Abreu Santos, H.
Santos, H.De Los *see* De Los Santos, H.
Santos, H.J.De Los *see* De Los Santos, H.J.
Santos, J. *see* Squires, D. 87–51283
Santos, J.C.Marques dos *see* Marques dos Santos, J.C.
Santos, J.M. *see* Garcia, R. 87–55877
Santos, J.R.G. *see* Malavazi, H.J.F. 87–2811
Santos, J.T., Costello, J.B., Squires, D., Kmetz, J., Davis, R.W. A 32b digital signal processor for motor control 87–17162
Santos, L.J. AFP telecommunications 85–42165
Santos, L.T.Dos *see* Dos Santos, L.T.
Santos, M. *see* Martins, R. 88–24775
Santos, M.C.Silva Dos *see* Silva Dos Santos, M.C.
Santos, M.L.X.Dos *see* Dos Santos, M.L.X.
Santos, N. *see* Caroli, C.E. 87–35612
Santos, N.Garcia *see* Garcia Santos, N.
Santos, N.R., Linhares, O.L. Convergence of Chebyshev semi-iterative methods 87–207
Santos, P. *see* Hundhausen, M. 87–32415
Santos, P. *see* Walloch, F. 88–19717
Santos, P.J., Jr. Comments on 'Congestion control in IP/TCP internetworks' 86–16904
Santos, P.V., Chambouleyron, I., Bolzan, V., Mei, P. Polycrystalline solar cells from up-graded metallurgical silicon 86–13091
Santos, S. *see* Franca, J.E. 88–70896
Santos, W.F.N. *see* Mendes, P.R.S. 88–49530
Santos -Suarez, J.M. *see* Casajus-Quiros, F.J. 86–30456
Santos Marin, S. *see* Matos Gomez, J. 85–13887
Santos Rodriguez, E. *see* Ryan, A.J. 86–39474
Santos Suarez, J. *see* Garcia Gomez, R. 85–13523
Santos Suarez, J. *see* Parera Bermudez, J. 88–40991
Santos Suarez, J.M., Garcia Gomez, R., Figueiras Vidal, A.R. Specialized microprocessors for signal processing applications 87–37333
Santos Suarez, J.M., Garcia Gomez, R., Figueiras Vidal, A.R. High capacity digital radio links. II. Performance analysis of channel equalizers in IF 87–40659
Santos-Nieto, M., Quintana, V.H. Reactive power control for real power loss minimization via a nonconventional LP algorithm 87–78014
Santos-Suarez, J.M. Single chip multi-pulse coder with pitch prediction 88–72842
Santos-Suarez, J.M. *see* Casajus-Quiros, F. 86–16488
Santos-Suarez, J.M. *see* Figueiras-Vidal, A.R. 85–46871
Santos-Suarez, J.M. *see* Garcia-Gomez, R. 85–51655, 86–29958
Santoso, N.I. *see* Richards, G.G. 87–57484
Santroni, A. *see* Baglin, C. 85–26605
Santroni, A. *see* Buzzo, A. 85–20833
Santry, D.C., Bowes, G.C., Munzenmayer, K. Precision electronics for ionization chamber measurements 87–77525
Santucci, G. *see* Menu, J.-P. 87–57290
Santuryan, G.R. *see* Naimanov, O.S. 88–62141
Sant'yago Lakhes Choi *see* Korotkevich, M.A. 86–25577
Sanubari, J. Integrator to eliminate phase reversal 85–28660
Sanugi, B.B., Evans, D.J. A new fourth order Runge-Kutta formula for $y'=Ay$ with stepsize control 88–63253
Sanugi, B.B. *see* Evans, D.J. 88–6415
Sanui, K. *see* Oguchi, K. 88–57549
Sanui, K. *see* Watanabe, M. 87–72383
Sanvicente, E. *see* Melus, J.L. 88–59376
Sanvito, E. *see* Cesari, S. 85–60377
Sanwalka, A.K., Vranesic, Z.G., Zaky, S.G., Hamacher, V.C. An approach to internetworking for existing operating systems 87–69733
Sanya, M. *see* Cohen, R. 86–47013
Sanya, M. *see* Cohen, R.A. 87–59779
Sanya, M. *see* Ueda, K. 86–52879
Sanyal, A. A semi-empirical interference predictor model for tactical land mobile radio services 85–63572
Sanyal, A. Computation of probability of interference in a congested tactical land-mobile radio environment 86–30676
Sanyal, A. A survey of VHF man-made noise in the metropolitan city area of New Delhi 87–26827
Sanyal, A. *see* McMillin, L.M. 88–74977
Sanyal, A. *see* Moy, P.H. 86–14717
Sanyal, A.K., Pal, A. A microprocessor-based temperature monitoring and control system 86–38602
Sanyal, B. *see* Singh, D.B. 88–38270
Sanyal, G.S. *see* Alphones, A. 87–28600, 87–49055, 87–54001, 87–68076, 88–2014
Sanyal, G.S. *see* Alphonse, A. 87–34561
Sanyal, G.S. *see* Sen, B. 85–41761
Sanyal, S., Bhattacharyya, A.K. Arbitrary line source diffraction by a half-plane with two face impedance–a uniform asymptotic expansion 85–13099
Sanyal, S., Bhattacharyya, A.K. Diffraction by a half-plane with two face impedances uniform asymptotic expansion for plane wave and arbitrary line source incidence 86–63937
Sanyal, S. *see* Bhattacharyya, A.K. 85–20250
Sanyal, S. *see* Doradla, S.R. 85–27712, 86–33745, 88–24209
Sanyal, S.A., Goswami, A., Poddar, D.R., Chowdhury, S.K. A microprocessor controlled programmable switching module for phased array applications 88–66225
Sanyal, S.K. *see* Prusty, S. 86–6308, 87–64155
Sanyava, D. Calculation of mean magnetic flux in a simple circuit with a cast magnetic core 88–44993
Sanyi Tu *see* Tu Sanyi
Sanz, A., Munoz, C., Garcia, N. Hierarchical predictive approach to image coding 86–10500
Sanz, A. *see* Garcia, N. 87–33778
Sanz, A. *see* Munoz, C. 86–30056
Sanz, A.J., Bava, J.A. The measurement of noise [RF] 87–3260
Sanz, A.J. *see* Bava, J.A. 86–17981, 88–71041, 88–73869
Sanz, C., Martin, A. Realization of active filters with switched-capacitor filters 87–5958
Sanz, J. *see* Aleixandre, J.G. 87–30609
Sanz, J. *see* Artime, J. 88–18140
Sanz, J. *see* Baringer, W.B. 88–25300
Sanz, J. *see* Diaz, J. 88–5612
Sanz, J. *see* Petkovic, D. 87–44042
Sanz, J.L., Cobian, F. Switched capacitor filters: an updated report 85–55019
Sanz, J.L.C. A new method for computing polygonal masks in image processing pipeline architectures 86–3985
Sanz, J.L.C. On the reconstruction of band-limited multidimensional signals from algebraic sampling contours 86–3989
Sanz, J.L.C. Fast object segmentation in textured backgrounds 86–16555
Sanz, J.L.C., Distein, I., Petkovic, D. Computing polygonal masks in pipeline architectures for automated visual inspection applications 86–10543
Sanz, J.L.C., Flickner, M.D. Computing minima and maxima of digital images in pipeline image processing systems without hardware comparators 86–3988
Sanz, J.L.C., Hinkle, E.B. Computing projections of digital images in image processing pipeline architectures 87–39881
Sanz, J.L.C., Hinkle, E.B. Note on contrast measures and polynomial classifiers 88–43724
Sanz, J.L.C., Hinkle, E.B., Dinstein, I. Computing geometrical features of digital objects in general purpose image processing pipeline architectures 86–10584
Sanz, J.L.C., Hinkle, E.B., Dinstein, I. On the computation and use of projections of digital images in general purpose image processing pipeline architectures 86–16571
Sanz, J.L.C., Huang, T.S. Polynomial system of equations and its applications to the study of the effect of noise on multidimensional Fourier transform phase retrieval from magnitude 86–10353
Sanz, J.L.C., Huang, T.S. On the stability and sensitivity of multidimension signal reconstruction from Fourier transform magnitude 86–16408
Sanz, J.L.C., Huang, T.S., Wu, T.-F. A note on iterative Fourier transform phase reconstruction from magnitude 85–22369
Sanz, J.L.C., Jain, A.K. Machine-vision techniques for inspection of printed wiring boards and thick-film circuits 87–146
Sanz, J.L.C., Merkle, F., Wong, K.Y. Digital automated visual inspection with darkfield microscopy 86–11477
Sanz, J.L.C. *see* Blanz, W.E. 87–60599, 87–62348, 88–50927
Sanz, J.L.C. *see* Dohse, H.J. 87–62232
Sanz, J.L.C. *see* Fan, H. 85–48241
Sanz, J.L.C. *see* Healy, G. 86–4040
Sanz, J.L.C. *see* Hinkle, E.B. 86–69191, 87–55280, 87–62233
Sanz, J.L.C. *see* Huang, T.T. 87–62281, 88–73182
Sanz, J.L.C. *see* Munson, D.C., Jr. 86–17433, 86–59333, 87–27608
Sanz, J.Luis *see* Luis Sanz, J.
Sanz, J.M. *see* Clement, M. 88–25977
Sanz, J.S., Perez, J.M.G. Background radiation in low-pressure flashlamps from ablation phenomena 87–31062
Sanz, J.Vinyes *see* Vinyes Sanz, J.
Sanz, L. The calculation, construction and measurement of inductors 86–58088
Sanz, L. Step behind the digital studio 88–9748
Sanz, M., Puerta, A. Compact formulation for exact analysis of nonideal SC circuits 87–52323
Sanz, M. *see* Puerta, A. 86–20710
Sanz, M.T. *see* Villadoniga, J.I. 85–38796
Sanz, P. An electronic thermostat 85–11483
Sanz, P.T. *see* Montero de Espinosa, F.R. 88–13653
Sanz, P.T. *see* Ramos, A. 87–21795, 87–57449
Sanz, P.T. *see* San Emeterio Prieto, J.L. 88–71864
Sanz Feito, J. *see* Rodriguez Pozueta, M.A. 88–17654
Sanz Rodriguez, L. *see* Barrasa Fernandez, G. 87–8417
Sanz Sanchez, P.T. *see* San Emeterio Prieto, J.L. 88–57846
Sanz-Gonzalez, J.L. Quantized radar video signal on nonparametric rank detector performance 88–4084
Sanz-Gonzalez, J.L., Figueiras-Vidal, A.R. A suboptimum rank test for nonparametric radar detection 87–34640
Sanz-Gonzalez, J.L., Torres-Garcia, J. Analysis of quantization effects on sign tests applied to radar detection 87–56212
Sanz-Maudes, J. *see* Sangrador, J. 85–61675
Sanz-Sanchez, P.T. *see* Ramos-Fernandez, A. 87–63999
Sanz-Serna, J.M. Methods for the numerical solution of the nonlinear Schroedinger equation 85–5962
Sanz-Serna, J.M. Convergence of the Lambert-McLeod trajectory solver and the CELF method 85–22434
Sanz-Serna, J.M. Studies in numerical nonlinear instability. I. Why do leapfrog schemes go unstable? 86–7716
Sanz-Serna, J.M., Palencia, C. A general equivalence theorem in the theory of discretization methods 86–7710
Sanz-Serna, J.M., Spijker, M.N. Regions of stability, equivalence theorems and the Courant-Friedrichs-Lewy condition 86–62182
Sanz-Serna, J.M., Verwer, J.G., Hundsdorfer, W.H. Convergence and order reduction of Runge-Kutta schemes applied to evolutionary problems in partial differential equations 87–36662
Sanz-Serna, J.M. *see* Griffiths, D.F. 86–62188
Sanz-Serna, J.M. *see* Lopez-Marcos, J.C. 88–31691
Sanz-Serna, J.M. *see* Verwer, J.G. 85–22408
Sanzani, G. *see* Calicchio, M. 88–29811
Sanzberro, M., Ajuria, J.F., Ugarte, C., Torrealday, J.R. The Darrieus wind-driven generator 87–57971
Sanzelle, S., Fain, J., Miallier, D. Theoretical and experimental study of alpha counting efficiency using LR-115 Kodak SSTND applied to dosimetry in the field of thermoluminescence dating 87–29661
Sanzelle, S. *see* Vennat, J.-C. 86–56125
Sanzheng Qiao Hybrid algorithm for fast-Toeplitz orthogonalization 88–63229
Sanzheng Qiao *see* Luk, F.T. 87–55118
Sao, K. *see* Taguchi, K. 86–54296, 88–35599
Sao, W.T. *see* Zhu, J.H. 85–29472

Sao-ping Han *see* Han Sao-ping

Saosien Sun *see* Sun Saosien

Saotome, H. *see* Saito, Y. 85—23171, 85—49007

Saotome, O. *see* Kurosawa, K. 86—42868

Saotome, Y., Gokan, H., Saigo, K., Suzuki, M., Ohnishi, Y. A silicon containing positive photoresist (SIPR) for a bilayer resist system 85—45498

Saotome, Y. *see* Ohnishi, Y. 86—1890

Saoudi, M. *see* Barton, J.S. 86—31389

Saoudy, S., Hamid, M. Tables of input impedance and directivity of long linear antennas 87—2339

Saoudy, S., Hamid, M. Rigorous solution of a dipole antenna with lumped impedance loading 87—26995

Saoudy, S., Hamid, M. Analysis of dipole antenna with wide feed gap 88—2781

Saoudy, S.A., Hamid, M. Resonant length of the active loop dipole antenna 86—3684

Saoudy, S.A.S., Hamid, M. Optimal design of multiply fed dipole antennas 88—14493

Saout, J.Y.Le *see* Le Saout, J.Y.

Saout, V.Le *see* Le Saout, V.

Sapaio-Neto, R. *see* Fortes, J.M.P. 87—19375

Sapalev, V.I. *see* Afromeyev, A.S. 86—29561

Sapargaliev, A.A. *see* Ibraeva, Z.Zh. 86—62990

Saparin, G.V., Obyden, S.K., Chetverikova, I.F., Chukichev, M.V., Popov, S.I., Nikolaev, S.I. Morphology and cathodoluminescence of heteroepitaxial gallium nitride layers on sapphire 87—2023

Saparin, G.V. *see* Obyden, S.K. 85—11869

Saparov, M.I. *see* Volkov, E.P. 85—43711

Sapashe, C.A. *see* Pavio, A.M. 88—63959, 88—71074

Sapatyy, P.S. An active information field as a model of structural solution of problems on graphs and networks 86—36897

Sapegin, A.G. *see* Domrachev, V.G. 88—4344

Sapegin, S.S. *see* Zhigulev, V.N. 88—66682

Sapel'nikov, V.M., Muftakhov, A.M. Low and infralow frequency phase calibrator 85—58820

Sapel'nikov, V.M., Tarasov, V.V., Muftakhov, A.M., Muksutov, A.D. Digital sine-wave generator 86—67090

Sapelov, A.P. *see* Biryukov, A.N. 87—63241

Sapeluk, A.T. *see* Todd, S.A. 88—35898

Saperia, D. *see* Abergel, R.P. 87—21656

Saperstein, B. *see* Gokhman, A. 86—57169

Saperstein, B. *see* Marston, A. 87—59602

Sapetskii, V.M. *see* Gandel'sman, M.I. 86—18504

Sapfirov, S.G. *see* Zorin, V.N. 87—21569

Sapia, A., Spano, P., Daino, B. Polarization switching in semiconductor lasers driven via injection from an external radiation 87—33139

Sapia, A., Spano, P., Daino, B. Injection-locking induced TE-TM switching in laser diodes 88—65722

Sapia, A., Spano, P., Piazzolla, S. Statistical distribution of frequency fluctuations in semiconductor lasers 88—2274

Sapia, A., Spano, P., Piazzolla, S., Mecozzi, A. Statistics of instantaneous frequency in compound cavity laser diodes 88—45457

Sapia, A. *see* Mecozzi, A. 88—2240

Sapidis, N.S., Kaklis, P.D. An algorithm for constructing convexity and monotonicity-preserving splines in tension 88—63204

Sapiecha, K., Czichon, T. Test generation for circuits described in procedural hardware description languages (HDLs) 87—1104

Sapiecha, K., Jarocki, R. Modular architecture for high performance implementation of FFT algorithm 86—58578

Sapiecha, K. *see* Walczak, K. 85—17346

Sapieha, S., Klemberg-Sapieha, J.E., Ouellet, L., Wertheimer, M.R. Plasma polymer electrets 85—29385

Sapienza, A.R. *see* Pantoja, R.R. 88—14527

Sapienza, P. *see* Agodi, C. 88—61132

Sapienza, R. *see* Pantoja, R.R. 87—27103

Sapin, L. *see* Le Bars, J. 87—67948

Sapin, S.A. *see* Maksimenko, N.N. 88—69647

Sapinski, B. An algebraic method for analysis of systems with semiconductor switching devices 86—33393

Sapinski, B. *see* Sobczyk, T. 85—6911

Sapinski, T. Designation of symbols for transformers and their connection diagrams, as well as ends of their windings 85—1093

Sapir, E., Schacham, S.E., Finkman, E. Heterodyne technique for measuring photodetector frequency response without RF interference 86—44322

Sapir, E. *see* Fourier, R. 85—52672

Sapir, E. *see* Goldsmith, S. 87—37780

Sapir, L. *see* Goldring, G. 87—29429

Sapir, M. *see* Bar, I. 88—58463

Sapiro, S. User extensible and portable CAE software for IC and PC design 85—44850

Sapiro, S. CAE tools finally bring hardware design up to speed 86—66914

Sapko, M.J., Pinkerton, J.E., Bubash, J. Optical dust deposition meter 87—63324

Sapko, M.J., Pinkerton, J.E., Bubash, J.R. Optical dust deposition meter 88—67929

Sapko, M.J. *see* Perlee, H.E. 87—41632

Sapondzhyan, S.O., Sarkisyan, D.G., Torosyan, G.A. Electron stimulated Raman scattering and four-wave interaction in barium atomic vapor pumped by tunable ultrashort light pulses 86—9948

Sapondzhyan, S.O. *see* Badalyan, A.A. 86—63793

Sapondzhyan, S.O. *see* Sarkisyan, D.G. 85—12976, 85—46490

Sapor, M. *see* Bogusz, A. 88—9046

Sapor, M. *see* Golanski, R. 87—62737

Sapor, M. *see* Ksiazkiewicz, M. 88—41454

Sapora, O. *see* Belli, M. 87—63752

Saporita, V. Simplified motor control conductor protection based upon the 1984 NEC 85—22205

Saporita, V. Modern electronic fusing systems 86—26213

Saporita, V. Simplified motor control conductor protection based upon the 1984 National Electrical Code 86—70856

Saporito, A., Vanzi, M. An optimal bipolar DC and AC parameter extraction for circuit simulation 85—45630

Saporito, M.J. *see* Roller, D.P. 85—10838

Saposnik, S. Components for surface mount technology 87—72852

Sapotnitskii, A.Ya., Kozlov, E.G., Rubinson, Ya.G. Turbine antiracing protection tester 88—55096

Sapotnitskii, A.Ya. *see* Komarov, G.N. 85—47948

Sapotnitskii, M.S. *see* Grebennikov, V.V. 86—554

Sapotta, H., Munzel, H., Albert, G., Strack, H. Optoelectronic switching circuits for process data transmission over optic cable networks 87—38958

Sapoundjiev, G. *see* Delijsk, A. 86—55413

Sapov, G.N. *see* Dobromyslov, S.N. 86—37820

Sapov, M.M. *see* Kulikov, V.A. 86—37930

Sapozhinkov, A.A. *see* Filippov, V.S. 87—33540

Sapozhkov, Yu.I., Smekalin, L.F., Yagushkin, N.I. Sensitivity of radiation methods of diagnosing electric potentials in dielectric materials 87—359

Sapozhkov, Yu.I. *see* Kononov, B.A. 88—71270

Sapozhnikov, A.A. *see* Filippov, V.S. 88—27665

Sapozhnikov, A.I. *see* Kungurova, O.L. 87—2072

Sapozhnikov, F. Scientific and technological progress of Soviet power industry 85—27268

Sapozhnikov, F.F. *see* Plitsyn, V.T. 85—54164

Sapozhnikov, M.G. *see* Balestra, F. 87—63677

Sapozhnikov, S.M. *see* Bessonov, Yu.L. 85—56652 to 56653, 86—36501

Sapozhnikov, S.M. *see* Eliseev, P.G. 87—75105

Sapozhnikov, V.A. *see* Semenko, N.G. 87—70344

Sapozhnikov, Vl.V. *see* Mel'nikov, A.G. 87—33611

Sapozhnikov, Vl.V. *see* Sapozhnikov, V.V. 85—11136, 85—51549

Sapozhnikov, V.M. *see* Krechetov, A.A. 86—30545

Sapozhnikov, V.V., Sapozhnikov, Vl.V. Universal algorithm for synthesising self-checking testers for constant-weight codes 85—51549

Sapozhnikov, V.V., Sapozhnikov, Vl.V., Chukhonin, V.M. Properties of bridging faults in combinational circuits 85—11136

Sapozhnikov, V.V. *see* Labetskii, V.L. 87—52253

Sapozhnikov, V.V. *see* Mel'nikov, A.G. 87—33611

Sapozhnikov, V.V. *see* Prokof'ev, A.A. 85—10424

Sapozhnikova, K.V. *see* Koltik, E.D. 88—74220

Sapozhnikova, K.V. *see* Taimanov, R.E. 88—29204

Sapozink, M.D., Cetas, T., Corry, P.M., Egger, M.J., Fessenden, P. Introduction to hyperthermia device evaluation 88—30032

Sapozink, M.D., Gibbs, F.A., Jr., Gibbs, P., Stewart, J.R. Phase I evaluation of hyperthermia equipment—university of Utah Institutional Report 88—30035

Sapp, A.L. *see* Sega, R.M. 88—68018

Sapp, R.C. *see* Kessel, R. 87—17418

Sapp, S. *see* Chen, G. 87—18133

Sapp, S.P., Locher, R.E. Power MOSFETs march on 88—7594

Sapp, S.P. *see* Kuo, D.-S. 85—45627

Sapp, S.P. *see* Locher, R.E. 87—46039

Sappala, J. *see* Morsky, J. 88—17097

Sappenfield, D. *see* Obleton, N. 86—12677

Sapper, J. *see* Dorst, D. 87—68735

Sappl, E. Optimal quantizers for complex circular normal random variables with unknown variance 86—62066

Sappl, E. *see* Pike, T.K. 87—63049

Sapranova, E.A. *see* Mozalevskaya, V.A. 87—43338

Sapriel, J., Nissim, Y.I. Raman vibrational study of pulsed laser annealing of implanted GaAs 85—12115

Sapriel, J. *see* Nissim, Y.I. 85—12166

Sapritskii, V.I. A new standard for the candela in the USSR 88—4661

Sapritskii, V.I. *see* Ivashkova, L.Yu. 88—53901

Sapronov, W. Technical and regulatory issues are challenging ISDN's progress 86—16664

Sapronova, M.N. *see* Mazel', R.E. 87—57712

Saprykin, A.I. *see* Vilisova, M.D. 87—36702

Saprykin, E.M. *see* Voskresenskii, F.F. 86—45099

Saprykin, I.A. Introduction of low-waste and metal-conserving technologies at enterprises of the electric-equipment industry 85—44497

Saprykin, I.A., Kostylev, R.F. Advanced technology and spectral production equipment for mechanization and automation of consumer-goods production. Present state and prospects for development and introduction 86—61921

Saprykin, I.A. *see* Meerson, I.G. 85—65661

Saprykin, I.A. *see* Sibirtsev, S.N. 87—42784

Saprykin, I.I. *see* Pogarskii, S.A. 88—19344

Saprykin, L.G. *see* Gaidukov, E.N. 85—18990

Saprykin, Yu.I. *see* Tereshchenko, V.I. 85—16476

Saprykina, O.F. *see* Dzisyak, A.P. 85—24489

Sapsford, G.S. *see* Pitt, N.J. 87—18718

Saptsin, V.M., Malov, A.N., Punda, D.I., Saptsina, T.N. On the homogeneous depth temperature distribution realized at the pulsed laser annealing 86—28105

Saptsina, T.N. *see* Saptsin, V.M. 86—28105

Sapunkov, M.N. *see* Bal'kin, G.F. 86—37378

Sapunkov, M.N. *see* Golosnoy, V.I. 88—46512

Sapunkov, M.N. *see* Zagashev, Yu.I. 87—62568

Sapunov, G.K. *see* Loshkarev, V.P. 86—33278

Sapuvov, V.N. *see* Iofan, A.A. 88—47489

Saqib, N. Availability, reliability and state probabilities for a two component redundant system with each component having two modes of failure 87—64259

Saqib, N. Standby failure rates 88—63092

Sara, B. *see* Stepar, V. 85—21980

Sara, M.N. *see* Brown, M.J. 85—61106

Sara, M.N. *see* Walbridge, M.R. 87—40861

Sarabandi, K. *see* Senior, T.B.A. 88—22183

Sarabia, E.B. *see* Medina, M.V. 87—50955

Sarabia, E.R. *see* Gallego-Juarez, J.A. 88—10632

Sarabia, E.Riera Franco De *see* Riera Franco De Sarabia, E.

Sarabura, M. *see* Karchin, P.E. 85—43241

Saracco, R. Standardisation of formal description techniques for communication protocols 87—48350

Saracco, R., Tiribelli, P. Integration of operation and maintenance centers for the Italian network management 87—76119

Saracco, R., Tiribelli, P. Operation and maintenance centers for the Italian network 87—76191

Saracco, R. *see* Belina, F. 86—64724, 87—13369

Saracco, R. *see* Giorcelli, S. 88—46402

Saracco, R. *see* Modesti, M. 86—49165

Saracco, S. *see* Bagnoli, P. 85—51923

Sarachik, P.E. Congestion reducing dynamic routing strategies for multidestination traffic networks [telecommunication] 85—51840

Sarachik, P.E. *see* Post, M.J. 86—30107, 87—56018

Sarachik, P.E. *see* Robertazzi, T.G. 86—43105

Saradana, K., Ilyas, M. Adaptive hybrid multiple access protocol 88—47011

Saradzhev, V.A. *see* Chatinyan, Yu.S. 85—32667

Saradzhishvili, N.M. *see* Andreev, V.M. 85—24404, 85—61724, 86—29003, 86—48279, 86—70142

Saradzhishvili, N.M. *see* Gorelenok, A.T. 85—62448

Saradzhishvili, N.M. *see* Rumyantsev, V.D. 85—24403

Saraev, O.M. *see* Filipchuk, E.V. 87—30322

Saraf, G.K. *see* Krishnan, O.N. 86—56454

Saraf, L.H. *see* Jambotkar, C.G. 85—12402

Saraf, P.D. *see* Negi, J.G. 87—71269

Saraf, S. *see* Murphy, F.H. 86—32703

Saraf, S.K., Brient, C.E., Egun, P.M., Grimes, S.M., Mishra, V., Pedroni, R.S. Determination of the light response of BC-404 plastic scintillator for protons and deuterons with energies between 1 and 11 MeV 88—47999

Sarafian, G., Kaplan, B.Z. A method of constructing a pair of pseudorandom sequences with a useful crosscorrelation function 88—14695

Sarafian, S. *see* Fujiwara, Y. 85—26087

Sarafis, V. *see* Niemann, B. 86—60687

Sarafyan, D. Continuous approximate solution of ordinary differential equations and their systems 85—336

Sarafyan, D. *see* Outlaw, C. 86—62162

Sarai, H. *see* Uchida, Y. 85—39199

Saraidaridis, H.I. *see* Kremer, W. 87—13513

Saraie, J., Fujii, K., Kitao, Y., Yodogawa, Y. Band bending and interface state density in CdS thin-film MIS structures 87—1341

Saraie, J., Fujii, Y., Yoshimoto, M., Yamazoe, K., Matsunami, H. Preparation of hydrogenated amorphous Si-C alloy films and their properties 85—6012

Saraie, J., Goto, S., Kitao, Y., Yodogawa, Y. High quality Al_2O_3 thin films prepared by a novel two-step evaporation process 88—24761

Saraie, J. *see* Matsumura, N. 85—54458, 86—7779, 88—31775

Saraikin, V.V. *see* Galiev, G.B. 87—38080

Saraiva, E.De S. *see* Cravo, A.J. 87—22352

Saraiva, E.S., Costa, J.C.H.R., Abreu, A.L.M. Energy-efficiency of a three-phase induction motor connected to a single-phase supply. II 87—43043

Sarakontu, M. *see* Meinander, T. 88−68158
Saralkar, K. *see* Hodge, G. 86−4581
Saramaki, T. A class of linear-phase FIR filters for decimation, interpolation, and narrow-band filtering 85−19436
Saramaki, T. Design of digital filters with maximally flat passband and equiripple stopband magnitude 85−55043
Saramaki, T. On the design of digital filters as a sum of two all-pass filters 86−20732
Saramaki, T. Design of optimal multistage IIR and FIR filters for sampling rate alteration 86−67399
Saramaki, T. Design of FIR filters as a tapped cascaded interconnection of identical subfilters 88−6982
Saramaki, T., Estola, K.-P. Design of linear-phase partly digital anti-aliasing filters 86−16369
Saramaki, T., Neuvo, T., Mitra, S.K. Design of computationally efficient interpolated FIR filters 88−32335
Saramaki, T., Neuvo, Y. Digital filters with equiripple magnitude and group delay 85−25100
Saramaki, T., Neuvo, Y. An implicit solution for IIR filters with equiripple group delay 85−45171
Saramaki, T., Neuvo, Y. A class of FIR Nyquist (*N*th-band) filters with zero intersymbol interference 88−6977
Saramaki, T., Neuvo, Y., Mitra, S.K. Efficient interpolated FIR filters 86−62756
Saramaki, T., Neuvo, Y., Mitra, S.K. Design of computationally efficient interpolated FIR filters 87−7794
Saramaki, T., Renfors, M. A novel approach for the design of IIR filters as a tapped cascaded interconnection of identical allpass subfilters 87−66404
Saramaki, T., Yu, T.-H., Mitra, S.K. Very low sensitivity realization of IIR digital filters using a cascade of complex all-pass structures 87−73551
Saramaki, T., Yu, T.H., Mitra, S.K. Very low sensitivity realization of IIR digital filters using a cascade of complex allpass structures 86−67430
Saramaki, T. *see* Estola, K. 86−57974
Saramaki, T. *see* Estola, K.-P. 85−23049
Saramaki, T. *see* Jarske, P. 88−34482
Saramaki, T. *see* Kohonen, T. 85−30233
Saramaki, T. *see* Kolehamainen, T. 87−7793
Saramaki, T. *see* Nguyen, T.Q. 88−66542
Saramaki, T. *see* Renfors, M. 86−62744, 86−67413, 87−27488, 87−32011 to 32012
Saramaki, T. *see* Vaidyanathan, P.P. 88−66543
Saran, M., Vetter, G., Erben-Russ, M., Winter, R., Kruse, A., Michel, C., Bors, W. Pulse radiolysis equipment: a setup for simultaneous multiwavelength kinetic spectroscopy 87−34940
Saran, R. *see* Khan, A.M. 88−42793
Sarandeses, M.J.Martinez *see* Martinez Sarandeses, M.J.
Saranen, J. Local error estimates for some Petrov-Galerkin methods applied to strongly elliptic equations on curves 87−52077
Saranen, J. The convergence of even degree spline collocation solution for potential problems in smooth domains of the plane 88−70255
Saranen, J., Wendland, W.L. On the asymptotic convergence of collocation methods with spline functions of even degree 86−7708
Sarang, P.G. Macintosh as a drafting aid for drawing electronic circuit diagrams 86−52173
Sarang, P.G., Maduskar, S.V. A low-cost circuit for fabricating anodic oxide films 87−23915
Sarangapani, K.B., Balaramachandran, V., Kapali, V., Venkata-Krishnaiyer, S., Potdar, M.G. Aluminium as the anode in primary alkaline batteries 86−26252
Sarangapani, K.B., Balaramachandran, V., Kapali, V., Venkatakrishna Iyer, S., Potdar, M.G., Rajagopalan, K.S. Aluminium as anode in primary alkaline batteries. Influence of additives on the corrosion and anodic behaviour of 2S aluminium in alkaline citrate solution 85−5355
Sarangapani, S., Giner, J., Soeldner, J.S., Colton, C.K., Picha, G., Mayhan, K.G., Drake, R.F. Electrocatalytic glucose sensor 88−54477
Saranin, A.A. *see* Lifshits, V.G. 86−41618
Sarantites, D.G., Sobotka, L.G., Semkow, T.M., Abenante, V., Elson, J., Hood, J.T., Li, Z., Nicolis, N.G., Stracener, D.W., Valdes, J., Hensley, D.C. A 'Dwarf Ball': design, instrumentation, and response characteristics of a 4π light charged-particle multidetector system 88−29923
Sarantites, D.G. *see* Honkanen, K.J. 87−63695
Sarantsev, V.P. *see* Alexahin, Y.I. 85−37824
Sarantsev, V.P. *see* Aver'yanov, V.I. 88−38988
Sarantsev, V.P. *see* Bykovskii, Yu.A. 85−15124
Sarantsev, V.P. *see* Dolbilov, G.V. 86−38675, 88−68117
Sarantsev, V.P. *see* Dolbilov, V.G. 87−41683
Saranummi, N. *see* Jokipii, M. 87−21604
Sarap, B.K. *see* Adiseshu, N. 85−41792
Sarap, B.K. *see* Das, B.N. 85−2632
Sarap, B.K. *see* Jayakumar, I. 87−12835
Sarap, B.K. *see* Kumar, K.B. 86−41301
Sarapulov, F.N., Baryshnikov, Yu.V. Study of asymmetric induction machines with integrated control functions 86−61516
Sarapulov, F.N., Begalov, V.A., Baryshnikov, Yu.V. Steady-state dynamic-braking regime of short-circuited linear induction motors 85−43985
Sarapulov, F.N., Teleshev, Yu.V., Ivanitskii, S.V. Automation of computer studies of induction machines allowing for 2-dimensionality of the gap magnetic field 86−45394
Sarapulov, F.N. *see* Parkhomenko, A.I. 87−42926
Sarapulov, G.A. *see* Shalin, A.I. 85−38557, 88−30409, 88−69047
Saras, J. *see* Vinyes, J. 87−55639
Saras, J.A., Huitema, C. The use of distribution lists in MHS 88−59528
Saras, J.A. *see* Quemada, J. 86−30116
Saras Pazos, J.A., Gonzalez Lanceros, A. A X.400 based model for a multiuser message store 88−9079
Sarasin, A.E. Energy and finance−a banker's thoughts on energy policy 85−15696
Sarasvat, K.C. *see* Moslehi, M.M. 87−11661
Saraswat, K. *see* Loh, W.M. 85−37717, 86−2260
Saraswat, K. *see* Wright, P. 87−67162
Saraswat, K.C. Refractory metals and silicides for very large scale integration applications 86−58498
Saraswat, K.C. Selective CVD of tungsten for MOS VLSI application 87−5505
Saraswat, K.C. VLSI interconnections technology, present and future 88−50975
Saraswat, K.C., Loh, W.M., Schreyer, T.A., Swirhun, S.E. Measurement and extraction of specific contact resistivity [ohmic contacts] 87−1312
Saraswat, K.C., Swirhun, S., McVittie, J.P. Selective CVD of tungsten for VLSI technology 85−22547
Saraswat, K.C. *see* Brors, D.L. 85−10818, 85−40651
Saraswat, K.C. *see* Deal, M.D. 86−28528
Saraswat, K.C. *see* Fu-Chia Shone 86−21854
Saraswat, K.C. *see* Gardent, D.S. 85−34876
Saraswat, K.C. *see* Gardner, D.S. 85−40663, 85−50459, 86−21460, 86−28445, 87−45821
Saraswat, K.C. *see* Han, C.J. 85−34833
Saraswat, K.C. *see* Kao, D. 85−40755, 87−53401
Saraswat, K.C. *see* Kao, D.-B. 86−47489, 88−26060
Saraswat, K.C. *see* Lie, L.N. 85−1512
Saraswat, K.C. *see* Loh, W.M. 86−47402, 87−1282, 87−45681
Saraswat, K.C. *see* Moslehi, M.M. 85−35162, 85−50324, 85−50326, 86−2038, 86−9029, 86−20109, 86−21381, 86−41976, 87−17990, 87−60465, 87−74148, 88−7754, 88−33213, 88−38261
Saraswat, K.C. *see* Schreyer, T.A. 87−21198, 88−39566, 88−71349, 88−71738
Saraswat, K.C. *see* Shenai, K. 85−40687
Saraswat, K.C. *see* Shone, F.C. 86−47848, 87−45695
Saraswat, K.C. *see* Singh, H.J. 85−34810
Saraswat, K.C. *see* Swirhun, S. 85−50741
Saraswat, K.C. *see* Swirhun, S.E. 85−35167, 86−28022
Saraswat, K.C. *see* Wong, M. 88−18723
Saraswat, K.C. *see* Wright, P.J. 88−39165, 88−64318
Saraswat, R.C., Saha, S.K. Grounded-capacitor integrator with scaled time constant 86−1237
Saraswat, R.C., Saha, S.K. Switched-capacitor filters using unity-gain amplifiers 86−34980
Saratani, T. *see* Tanaka, K. 87−2564
Saratovkina, E.V., Mirimanyan, V.Kh. Influence of transverse geometry and saturation of an inductor generator with like poles on the excitation system from the third harmonic of the field 86−39771
Saratovkina, E.V. *see* Mirimanyan, V.Kh. 87−22321, 88−69272
Saratovskiy, Ye.N. *see* Arkhipov, V.K. 86−21066
Sarau, B. *see* Barber, D. 88−54002
Sarau, B. *see* Nesemann, H. 86−31760
Saravanamuttoo, H.I.H. Development of modern turboprop engines 86−32491
Saravanamuttoo, H.I.H., MacIsaac, B.D. Thermodynamic models for pipeline gas turbine diagnostics 85−4974
Saravanos, C., Lowe, R.S. New approach for determining non-Gaussian mode fields of single-mode fibres from measurements in far field 86−2679
Saravanos, C., Lowe, R.S. The measurement of nonGaussian mode fields by the far-field axial scanning technique 87−18634
Saravanos, C., Lowe, R.S., Wei, L. Practical upper limits to cutoff wavelength for single mode fibers based on a modal noise approach 88−65249
Saravanos, C. *see* O'Sullivan, M.S. 88−28907
Saravanos, C. *see* Wei, L. 88−13814
Sarawat, K. *see* Wright, P. 88−7525
Sarayev, S.I. *see* Sosul'nikov, V.P. 87−47738
Sarayev, S.M. Doubly-balanced microwave mixers 86−27156
Sarayev, S.M. Input RF section of a superheterodyne receiver with a wideband preselector 86−38028
Sarayev, S.M. Reduction of interference susceptibility using the mixer channels in an up-converter receiver 86−43717
Sarayev, S.M. Rational subdivision of converted receiver bands into subbands in the case of difference frequency conversion with upper tuning of the heterodyne 87−47747
Sarayev, S.M., Terentyev, S.S., Sharupich, V.P., Sharupich, T.S. UORT-1-6000 irradiating installation for hangar-shaped greenhouses 85−32869
Sarazin, M. *see* Bretaudeau, F. 86−10545
Sarbach, E. Electron beam cross-linking in the cable industry 85−45267
Sarbach, E., Lee, D.W. Measurement of reticulation density on insulated conductors, using in particular, infrared spectroscopy 86−63501
Sarbach, P. Didactical model of digital switching with stored programme control 88−15276
Sarbo, I. *see* Csurgai, S. 87−22644
Sarbovan, S. *see* Cardu, M. 88−55202
Sarbu, C. *see* Nicula, Al. 86−27947
Sarbu, M. *see* Novac, I. 88−62360
Sarbu, R. *see* Lupu, D. 87−53214
Sarchenko, P.I. *see* Gurevich, V.I. 88−37326
Sarchet, B.R. Engineering management USA/Saudi Arabia 87−23262
Sarchet, B.R. Skills for effective technology management 87−43881
Sarchet, B.R. *see* Babcock, D.L. 87−23077
Sarcione, M. *see* Beltran, F. 88−2843
Sard, E. *see* Cohen, L.D. 87−73736
Sard, R. *see* Cohen, U. 85−23183
Sard, R.D. *see* Ascoli, G. 88−48018 to 48019, 88−54401
Sard, R.D. *see* Laasanen, A.T. 85−52986
Sarda, I.G., Payne, W.H. Ceramic EMI filters−a review 88−52236
Sardanons, F. *see* Biscontin, A. 86−50143
Sardar, D.K., Quarles, G.J., Powell, R.C., Kokta, M.R. Spectroscopic properties of $La_3Lu_2Ga_3O_{12}$:Nd^{3+} Crystals 87−7307
Sardaryan, R.A. *see* Kordonskii, M.S. 88−47976
Sardell, R. Cornfield automated PCB assembly system 88−12826
Sardella, J. *see* Yansen, D. 88−13504
Sardella, J.C. *see* Williams, R.E., Jr. 87−11891, 88−1509
Sardella, V. Links on optical fibres for TV contribution 87−70044
Sardesai, D.V. *see* Vyas, B.M. 86−60938
Sardi, B.N.Gonzalez *see* Gonzalez Sardi, B.N.
Sardi, L. *see* Capizzi, M. 86−45707
Sardi, L. *see* Di Francis, G. 88−37420
Sardi, V. *see* Saxena, R. 87−10434
Sardi, V.M. *see* Saxena, R.R. 88−49859, 88−63295
Sardin, G., Andreu, J., Delgado, J.C., Esteve, J., Morenza, J.L. Characterization of amorphous silicon films through infrared spectroscopy and hydrogen thermal effusion 88−12929
Sardin, G. *see* Andreu, J. 88−12072
Sardin, G. *see* Andujar, J.L. 87−45625
Sardin, G. *see* Chambouleyron, I. 88−24137
Sardin, G. *see* Delgado, J.C. 88−63352
Sardin, O. *see* Chambouleyron, I. 88−12997
Sardini, E. *see* Marioli, D. 88−42692, 88−48398
Sardini, E. *see* Minoni, U. 88−47176
Sardo, A., Vanzi, M. Digital beam control for fast differential voltage contrast 85−23383
Sardyko, S.V. *see* Kulikov, S.A. 87−33800, 88−9760
Sareen, B. *see* Williams, D. 86−46947
Sareen, L. *see* Pathak, H.T. 87−6509
Sareen, R.A. *see* Cox, C.E. 88−61075
Sarenio, O., Lehmann, R., Dushe, C. Passive long term dosimetry of radon and short-lived decay products based on electrochemical etching of polycarbonate detectors 87−8863
Saretto, S. Improved profile epitaxial technique for electron shielding [IC radiation hardening] 85−18409
Sareva, T.P. *see* Vladimirov, E.N. 87−70695
Sarfaty, R., Ron, A., Cohen, E., Logan, R.A. Stimulated emission spectra of $Al_xGa_{1-x}As$ near the direct-indirect gap crossover composition 86−35322
Sarfert, T. *see* Kemper, A. 86−57782
Sarfert, T.M. *see* Schulz, M.H. 88−25123, 88−32136
Sarff, D. Integrated network management required to satisfy user uptime 85−36804
Sargant, N. Learners and television: the next ten years [to 1996] 88−4217
Sargeant, O., Mikhail, S. Graphic display module for biomedical computing applications 86−17808
Sargeant, R.J. ATE procurement and management−a small Air Force's perspective 87−20866
Sargeaunt, P.N. TDMA for small Earth stations 85−14215
Sargeaunt, P.N. *see* Mason, T.M. 88−15682
Sargent, B.J. *see* Gough, D.A. 86−70379

Sargent, C.P., Flanz, J.B. RF system for a 1 GeV pulse stretcher ring 86−25017
Sargent, C.P. *see* Flanz, J.B. 86−24912, 86−25001, 86−25073
Sargent, D. *see* Wilson, D. 87−17107
Sargent, F.D. *see* Lin, C.-J. 85−45991
Sargent, G. One-chip facsimile 86−23389
Sargent, G. Just the FAX, Ma'am weather facsimile 87−2826
Sargent, L. *see* Gray, M.L. 88−57303
Sargent, M. Living in the real world [interactive video simulation] 85−37314
Sargent, M., III Basic ring laser gyro theory 85−35814
Sargent, M.A., Avery, P.J., Peterson, R.G. The problem of connector proliferation and its effect on military users 85−11674
Sargent, P.M. *see* Jones, G.A.C. 85−29080
Sargent, R. Video disc technology 85−42764
Sargent, R.V. *see* Cornelius, W.A. 87−3616
Sargent, S. The making of the Golden Box [video programme of 50 years of British TV] 87−49217
Sargent, T.P. *see* Kaplan, P. 85−4478
Sargent, T.R. The Pygmalion effect on quality 87−10206
Sargentini, J.C. *see* Lautier, A. 87−57053
Sargenton, D. Braking 85−39271
Sarger, L. *see* Couillaud, B. 85−7398
Sargis, J. *see* Walters, D. 85−24864
Sargood, A.J. *see* Greensmith, R. 86−11934
Sargood, S.K. *see* Nelson, A.W. 86−2945
Sargood, S.K. *see* Robertson, M.J. 88−33869
Sargood, S.K. *see* Wake, D. 87−46723
Sargos, F.M., Rezzoug, A., Attaf, M.T. Three dimensional analytic formulation of the magnetic field in a saturated homopolar discoid machine 88−69413
Sargos, F.M. *see* Chalesle, C. 87−42859
Sargos, F.M. *see* Drouet, G. 85−27402
Sargos, F.M. *see* Laporte, B. 87−64561
Sargos, F.M. *see* Meibody Tabar, F. 87−22274
Sargos, F.M. *see* Rezzoug, A. 87−15704, 88−2479
Sargrad, D.H. *see* Modestino, J.W. 88−52342
Sargsyan, G.O. *see* Artemyan, G.L. 85−5101
Sargsyan, N.H. *see* Oganesyan, S.G. 86−29177
Sargunaraj, S. *see* Gupta, D.P. 85−15578
Sarhangi, A., Thompson, D.A. Chemical vapor deposition of fluoride glasses 88−65123
Sarholz, W. *see* Baresel, D. 85−14749
Sari, H., Desperben, L., Moridi, S. Optimum timing recovery for digital equalizers 86−55170
Sari, H., Desperben, L., Moridi, S. Minimum mean-square error timing recovery schemes for digital equalizers 86−69068
Sari, H., Desperben, L., Moridi, S. A new class of frequency detectors for carrier recovery in QAM systems 87−28400
Sari, H., Karam, G. Compensation of modem imperfections by adaptive filtering 87−39589
Sari, H., Karam, G. Cancellation of power amplifier nonlinearities in digital radio receivers 88−3844
Sari, H., Moridi, S., Desperben, L., Vandamme, P. Interaction between an adaptive equalizer and a decision-feedback carrier recovery loop 86−64499
Sari, H., Moridi, S., Desperben, L., Vandamme, P. Baseband equalization and carrier recovery in digital radio systems 87−40651
Sari, H. *see* Chamberlain, J.K. 87−20403
Sari, H. *see* Fihel, A. 86−22888, 87−34406, 87−68931
Sari, H. *see* Moridi, S. 85−57944, 88−6708
Sari-Sarraf, H., Brzakovic, D. Automated noise filtering 87−7796
Saribatir, B. *see* Arikan, C. 85−64880
Saribatir, B.M., Sezer, M.E. Modelling and control of a wind energy conversion system 87−72069
Saric, O. *see* Burny, F. 86−32370
Sarid, D. Guided-wave controlled etalons 85−46485
Sarid, D., Deeter, M.N., Kahwaty, V. Optical probing of magnetic inert layers 87−67739
Sarid, D., Gibbons, W.M., Gibbs, H.M., Warren, M.E., Koch, S.W., Banyai, L. Optical waveguides in bulk and multiple-quantum-well structures 87−32993
Sarid, D., Jameson, R.S. InSb as a material for optical computer components 87−19047
Sarid, D., McGinnis, B.P., Henson, T.D. Four-wave mixing and scanning tunneling microscopy of semiconductor clusters 88−65866
Sarid, D., Peyghambarian, N., McGinnis, B.P. Optical bistability in the presence of spatial dispersion 86−22487
Sarid, D. *see* Craig, A.E. 85−24263
Sarid, D. *see* Deeter, M.N. 87−54135, 88−33590
Sarid, D. *see* Gibbons, W.M. 87−68029, 87−74730
Sarid, D. *see* Gibbs, H.M. 88−72117
Sarid, D. *see* Jameso, R.S. 86−22482
Sarid, D. *see* Ovadia, S. 86−2652
Sarid, D. *see* Warren, M. 88−7913
Saridakis, Y.G. On the analysis of the unsymmetric successive overrelaxation method when applied to *p*-cyclic matrices 87−5367
Saridakis, Y.G. Generalized consistent orderings and the accelerated overrelaxation method 87−10312
Saridakis, Y.G. *see* Papadopoulou, E.P. 88−26472
Saridis, G.N. Prosthetic EMG control with trained computers 86−56190
Sariev, D. *see* Georgiev, P. 88−4823
Sarig, S. *see* Feilchenfeld, H. 85−60425
Sarikaya, B. Protocol test generation, trace analysis and verification techniques 88−73487
Sarikaya, B., Bochmann, G.V. Obtaining normal form specifications for protocols 86−64730
Sarikaya, B., Bochmann, G.V., Cerny, E. A test design methodology for protocol testing 85−63150
Sarikaya, B., Nanduri, R., El-Hakeem, A., Hayes, J.F., Mehmet-Ali, M. Performance of the internet protocol on a local backbone network 87−69433
Sarikaya, B., v. Bochmann, G., Maksud, M., Serre, J.-M. Formal specification based conformance testing [protocols] 87−20206
Sarikaya, B. *see* Ahooja, R. 87−28222
Sarikaya, B. *see* Cerny, E. 85−19874
Sarikaya, B. *see* Elhakeem, A.K. 87−69557
Sarikaya, B., Bochmann, G.V. *(editor)* Protocol Specification, Testing, and Verification, VI. Proceedings of the IFIP WG 6.1 Sixth International Workshop 87−31160
Sarin, H. Designing mixed analog/digital systems with integrated CAE tools 88−12164
Sarin, H., Nitzan, I., Cauley, C. Simulate the interface between analog and digital circuits 88−31920
Sarin, H. *see* Zara, R.V. 86−20500
Sarin, O.P. Automatic frequency control: principles 85−21166
Sarin, O.P. *see* Anand, D.L. 86−39020
Sarin, R. *see* Rakshit, S. 85−7321, 85−18812, 85−41264
Sarin, S.G. *see* Ovchinnikov, I.T. 88−33424
Sarinelli, R. ORTENS: a new code for voltage regulation 86−50809
Sario, M.De *see* De Sario, M.
Sarioglu, M.K. *see* Akgun, B.T. 88−17428
Sarioglu, M.K. *see* Gurleyen, F. 87−30543
Sarioglu, M.K. *see* Soysal, A.O. 86−65602, 87−15840
Saris, E.C. *see* Easterly, J.L. 85−27284
Saris, F.W., de Jong, T. Silicon molecular beam epitaxy 85−28230
Saris, F.W., Hung, L.S., Nastasi, M., Mayer, J.W., Whitehead, B. Failure temperature of amorphous Cu-Ta alloys as diffusion barriers in Al-Si contacts 85−34616
Saris, F.W. *see* Bruines, J.J.P. 86−52418
Saris, F.W. *see* De Jong, T. 85−400
Saris, F.W. *see* Polman, A. 87−15995, 88−18046
Saris, F.W. *see* Sinke, W. 85−61948, 86−27951, 86−28240, 86−45709, 86−51912, 87−43450
Saris, F.W. *see* Sinke, W.C. 87−15969
Saris, F.W. *see* Urbanus, W.H. 88−47914
Saritas, M., McKell, H.D. Diffusion length studies in silicon by the surface photovoltage method 88−39050
Saritepe, S., Swamy, N.V.V.J. Quantum theory of a free electron in a tapered wiggler field 86−15732
Sarjant, R. A tripping nuisance 85−33104
Sarjant, R. The RCD scene 86−51119
Sarje, A.K. Implication chart for testing threshold functions 85−57557
Sarje, A.K. Minimization of multiple-output switching circuits 86−40996
Sarjeant, W.J., Dollinger, R. A 50 ohm coaxial high voltage attenuator with 100 picosecond rise time 85−1105
Sarjeant, W.J., Rohwein, G.J. A review of repetitive pulse power component technology 85−5251
Sarjeant, W.J. *see* Belling, M. 87−22508
Sarjeant, W.J. *see* Bilodeau, T.M. 87−74453
Sarjeant, W.J. *see* Cuomo, K.M. 85−27578
Sarjeant, W.J. *see* Dettman, D.R. 85−5329
Sarjeant, W.J. *see* Drzewiecki, R. 87−18422
Sarjeant, W.J. *see* Kraus, R. 88−74560
Sarjeant, W.J. *see* Krishnakumar, B. 88−30387
Sarjeant, W.J. *see* Levy, S. 87−43266
Sarjeant, W.J. *see* Mauldin, G.H. 85−5348
Sarjeant, W.J. *see* Shea, J.J. 85−23154, 87−22684
Sarjeant, W.J. *see* Stanton, S.J. 85−526
Sarjeant, W.J. *see* Treanor, M. 86−68049
Sark, W.G.J.H.M.Van *see* Van Sark, W.G.J.H.M.
Sark, W.Van *see* Van Sark, W.
Sarka, K. *see* Kocis, S. 88−32508
Sarkad, P. *see* Buzas, P. 87−70689
Sarkadi, F. *see* Buzas, P. 88−36899
Sarkadi-Nagy, I. *see* Arato, A. 86−64710
Sarkady, K. *see* Scribner, D.A. 88−29458, 88−67894
Sarkany, E., Feeney, J., Muhr, J. A functional test program generator 87−41356
Sarkany, E.F., Hart, W.S. Minimal set of patterns to test RAM components 88−19152
Sarkany, T. *see* Abrusan, G. 85−47426
Sarkany, T. *see* Baranyi, A. 87−48773
Sarkany, T. *see* Kerecsen, I. 85−47427
Sarkany, T. *see* Zakarias, L. 85−47425
Sarkaomaa, P. *see* Larjola, J. 86−7169
Sarkar, A. Single-mode fibre designs for telecommunications 87−68064
Sarkar, A., Izadpanah, S.H., Bishop, T.E., Coady, C.J., Martin, J.M., Pasternack, G. High performance UV-cured optical fiber primary coating 87−38757
Sarkar, A., Kumar, R. A study on the sensitivity of the radar scattering coefficient to oceanic winds 86−38954
Sarkar, A., Kumar, R., Mohan, M. Selection of optimum frequency of a wind scatterometer 88−61648
Sarkar, A. *see* Kumar, R. 86−60937
Sarkar, A. *see* Pathak, P.N. 86−38953
Sarkar, A.R. *see* Sarkar, M.R. 85−34461
Sarkar, B.C. On the choice of the structure parameter of a tan-lock phase detector 85−44934
Sarkar, B.C. On the joint statistics of amplitude and phase of a signal with co-channel interference 88−45721
Sarkar, B.K. Analysis of S-band coaxial high power semiconductor diode limiter 88−50328
Sarkar, C.K. Reservoir operation and hydroelectric energy generation computer program 'HYSM' (hydroelectric simulation) 87−72031
Sarkar, C.K. *see* Basu, P.K. 87−6355, 87−74327
Sarkar, C.K. *see* Berggren, K.-F. 87−25323
Sarkar, C.K. *see* Pratim Basu, P. 87−53151
Sarkar, D. *see* Sarkar, M. 87−25165
Sarkar, D.R. *see* Bhattacharyya, A.K. 85−20250
Sarkar, G., Mukhopadhyay, A.K. Modelling and performance study of Jone's chopper circuit 88−38383
Sarkar, G. *see* Das, N.C. 87−35210
Sarkar, G.G. A simplified approach to ensure specified and consistent quality of coal supplies to thermal power stations at economic cost 85−53556
Sarkar, G.K. *see* Maskara, S.L. 87−3043
Sarkar, K.K. *see* Singh, P. 85−55429
Sarkar, M., Vijayakumar, A., Sarkar, D. Development and optimisation of a metal lift-off process 87−25165
Sarkar, M. *see* Hussain, M. 87−30460
Sarkar, M.R., Raquib, M.A., Sarkar, A.R. Study of excess noise in n-type silicon crystals 85−34461
Sarkar, N. A new class of filters for pulse applications 87−24304
Sarkar, P. *see* Bagchi, S.B. 87−23401
Sarkar, P.K. PCB repair and spares management for Fetex exchanges in India 88−35300
Sarkar, P.K. *see* Bandyopadhyay, T. 85−20826
Sarkar, S. Application criteria for DC circuit breaker used in rapid transit system 86−45770
Sarkar, S. Lower limit for bias termination conductance of a multiple-device oscillator 88−63565
Sarkar, S., Agrawal, M.C. On the graceful degradation performance of multiple-device oscillators 85−33704
Sarkar, S., Chatterjee, S., Biswas, B.N. Frequency-chirp in solid-state MM-wave sources 88−56929
Sarkar, S., Gupta, O.S. Varactor-tuning of multiple-device oscillators 85−54720
Sarkar, S., Gupta, O.S. Dependence of the multiple-device oscillator injection-locking range on the number of constituent devices 86−62831
Sarkar, S., Gupta, O.S. Improving graceful degradation performance of a multiple-device oscillator 87−17345
Sarkar, S., Gupta, O.S. FM noise in multiple-device oscillators 87−45236
Sarkar, S., Kumar, A., Goyal, I.C., Sharma, E.K., Tewari, R. On microbending loss calculations in single mode fibers with arbitrary index profiles 85−35487
Sarkar, S. *see* Bhattacharya, B.B. 85−40020
Sarkar, S. *see* Biswas, B.N. 87−73686, 88−7044, 88−66465
Sarkar, S. *see* Fan, Y. 88−31658
Sarkar, S. *see* Gurd, D. 88−54136
Sarkar, S. *see* Patranabis, D. 87−24387, 88−60647
Sarkar, S.C. Special features of 400 kV transformers 85−16087
Sarkar, S.K. Telecommunication deregulation and information flow 85−30515
Sarkar, S.K. Planning and coordination procedures for telecommunications satellites in geostationary orbits 86−30690
Sarkar, S.K., De, B.K. Ionospheric effect of Leonid meteor showers at 70 km height 85−41596
Sarkar, S.K., De, B.K. Meteorological effect on long distance 40 kHz signal 85−41600
Sarkar, S.K., Dutta, H.N., Reddy, B.M. Recent advances in radio climatological studies over the Indian subcontinent 87−47216
Sarkar, S.K., Prasad, M.V.S.N., Dutta, H.N., Reddy, B.M., Narayana Rao, D. Water vapour attenuation studies from 1 to 350 GHz over the Indian subcontinent 87−68768

Sarkar, S.K., Sharma, M.L., Lahiri, S.K. Resistivity and I-V measurements of tetragonal Mn_3O_4 and dependence of nickel manganite on Mn_3O_4 content of NiO-Mn_3O_4 mixture [for thermistors] 87—74022
Sarkar, S.K. *see* Basak, D.K. 85—15257
Sarkar, S.K. *see* Dutta, H.N. 87—54545
Sarkar, S.K. *see* Maheshwary, H.V. 85—41626, 85—41631
Sarkar, S.K. *see* Narayana Rao, D. 85—57024, 86—10098
Sarkar, S.K. *see* Narayano Rao, D. 87—2305
Sarkar, S.K. *see* Rao, D.N. 88—27499
Sarkar, S.K. *see* Reddy, L.R.G. 86—10099
Sarkar, S.K. *see* Sen, T.K. 86—48128
Sarkar, S.N., Pal, B.P., Thyagarajan, K. Lens coupling of laser diodes to monomode elliptic core fibres 87—12132
Sarkar, S.N., Sharma, E.K. Splice loss in dispersion-shifted and dispersion-flattened single-mode fibres: a comparison 87—12134
Sarkar, S.N. *see* Kumar, A. 86—48132
Sarkar, S.N. *see* Thyagarajan, K. 88—1936
Sarkar, T. *see* Djordjvic, A.R. 88—8394
Sarkar, T. *see* Hua, Y. 87—62051
Sarkar, T.K. The application of the conjugate gradient method for the solution of operator equations arising in electromagnetic scattering from wire antennas 85—7614
Sarkar, T.K. A note on the choice weighting functions in the method of moments [EM field theory applications] 85—41545
Sarkar, T.K. Some of the misconceptions associated with the conjugate gradient method 88—2678
Sarkar, T.K. Problems associated with brute force number crunching 88—6410
Sarkar, T.K., Arvas, E. A survey of various numerical techniques to solve operator equations in electromagnetics 86—10049
Sarkar, T.K., Arvas, E. On a class of finite step iterative methods (conjugate directions) for the solution of an operator equation arising in electromagnetics 86—22592
Sarkar, T.K., Arvas, E., Rao, S.M. Application of the fast Fourier transform and the conjugate gradient method for efficient solution of electromagnetic scattering from both electrically large and small conducting bodies 86—59023
Sarkar, T.K., Arvas, E., Rao, S.M. Application of FFT and the conjugate gradient method for the solution of electromagnetic radiation from electrically large and small conducting bodies 86—63933
Sarkar, T.K., Arvas, E., Rao, S.M. Application of FFT and the conjugate gradient method for the solution of electromagnetic scattering from electrically large and small conducting bodies 87—75373
Sarkar, T.K., Borup, D.T., Gandhi, O.P. Comments, on 'Comparison of the FFT conjugate gradient method and the finite-difference time domain method for the 2-D absorption problem' [and reply] 88—27477
Sarkar, T.K., Chen, H., Dianat, S.A. Accurate spectral estimation from unequally spaced samples of exponentially damped sinusoidal signals 87—47694
Sarkar, T.K., Costa, M.F., Chin-Lin, I., Harrington, R.F. Electromagnetic transmission through mesh covered apertures and arrays of apertures in a conducting screen 85—2527
Sarkar, T.K., Dianat, S.A., Hollmann, B.Z. Approximation of impulse response from time limited input and output: theory and experiment 85—57009
Sarkar, T.K., Djordjevic, A.R., Arvas, E. On the choice of expansion and weighting functions in the numerical solution of operator equations 86—359
Sarkar, T.K., Jain, V.K. Multivariable system identification by pencil-of-functions method 86—16484
Sarkar, T.K., Radhakrishna, N., Dianat, S. A survey of various *z*-domain to *s*-domain transformations 86—65093
Sarkar, T.K., Rahalarabi, T., Harrington, R.F., Djordjevic, A.R. Theoretical and experimental characterization of multiconductor transmission lines 87—66473
Sarkar, T.K., Tseng, F.I., Dianat, S.A., Hollman, B.Z. Deconvolution by the conjugate gradient method 86—10424
Sarkar, T.K., Tseng, F.I., Dianat, S.A., Hollmann, B.Z. L_2-approximation of impulse response from time limited input and output: theory and experiment 86—16483
Sarkar, T.K., Tseng, F.I., Rao, S.M., Dianat, S.A., Hollmann, B.Z. Deconvolution of impulse response from time-limited input and output: theory and experiment 86—24431
Sarkar, T.K., Yang, X. Accurate and efficient solution of Hankel matrix systems by FFT and the conjugate gradient methods 87—58863
Sarkar, T.K., Ying-bo Hua A survey of three super-resolution methods of radio direction finding 88—41775
Sarkar, T.K. *see* Arvas, E. 87—7514, 87—33561, 87—61363
Sarkar, T.K. *see* Borup, D.T. 87—61354
Sarkar, T.K. *see* Chen, H. 86—43222
Sarkar, T.K. *see* Djordjevic, A.R. 85—36071, 85—44857, 86—10131, 86—59111, 86—64026, 87—54466, 87—68823, 88—20950
Sarkar, T.K. *see* Hejase, H. 88—12696
Sarkar, T.K. *see* Hua, Y. 88—34648, 88—46039, 88—73088
Sarkar, T.K. *see* Huanqun Chen 86—16373
Sarkar, T.K. *see* Jain, V.K. 87—7728, 87—19748
Sarkar, T.K. *see* Jain, W.K. 86—23039
Sarkar, T.K. *see* Mosig, J.R. 86—29571, 86—48633
Sarkar, T.K. *see* Nayanathara, K. 86—42823
Sarkar, T.K. *see* Nayanthara, K. 87—54521
Sarkar, T.K. *see* Neelakantaswamy, P.S. 86—63416, 86—67987
Sarkar, T.K. *see* Ouibrahim, H. 87—41064, 88—4089, 88—47236
Sarkar, T.K. *see* Panda, R.K. 88—43107
Sarkar, T.K. *see* Rao, S.M. 85—7621, 85—13183, 86—28465, 86—63932, 86—68733, 87—54520, 88—8459
Sarkar, T.K. *see* Sircar, P. 88—52465
Sarkar, T.K. *see* Tseng, F.-I. 85—4068
Sarkar, T.K. *see* Tseng, F.I. 87—47140
Sarkar, T.K. *see* Venkataraman, J. 86—10143
Sarkar, T.K.N., Ramarao, C.S. Performance comparison of full wave and half wave thyristor controlled dynamic brakes in augmenting transient stability 87—58420
Sarkar, T.K.Nag *see* Nag Sarkar, T.K.
Sarkaria, K.S. Heawood inequalities 87—65352
Sarkava, J. Peat as fuel for district heating in Finland 85—4722
Sarker, B.H. The reliability of a relied-upon system [911 telephone system] 88—34996
Sarker, C.K. Computer modelling of reservoir networks and hydroelectric plants 85—9782
Sarker, R. Energy Management System installation in an industrial power plant and related modernization of boilers, turbine extraction and PRV controls 86—33111
Sarker, U.C. *see* Nandi, R. 88—50246
Sarkinen, S.H. *see* Huang, S.J. 85—37746
Sarkinen, S.H. *see* Nellis, C.L. 87—11977
Sarkisian, A.A. *see* Knyazev, I.N. 85—29771
Sarkisov, A.A., Boguslavskii, A.M., Guseinov, A.G., Ivanov, V.N., Martem'yanov, I.N. Automated universal experiment complex for the study of neutron-nucleus interaction 86—18245
Sarkisov, E.R. *see* Kovalenko, P.P. 87—50192
Sarkisov, G.A., Fridman, P.M. Analysis of a tendency to self-rocking of a static converter-induction motor unit 88—69367
Sarkisov, M.A., Filippova, T.A. Fundamentals of the creation of executive information systems in regional power administrations 87—15163
Sarkisov, R.T. Mechanizing the stamping of magnetic-circuit laminations of general-purpose presses [electric machine manufacture] 85—44509
Sarkisov, Y.A. *see* Onegin, E.E. 86—21305
Sarkisov, Yu.A. *see* Bykovskii, Yu.A. 86—48120
Sarkisova, L.A. *see* Dzhuvarly, Ch.M. 85—4691
Sarkisova, M.F. *see* Berzinskii, S.A. 86—45246
Sarkisova, M.F. *see* Khalturina, N.V. 87—42695
Sarkissian, H.A. Control System/3x peripheral communication with one chip 87—73509
Sarkissian, H.A. *see* Kiese, B. 88—56721
Sarkisyan, A.G., Arutyunyan, V.M., Melikyan, V.V. Effect of mechanical treatment of electrode surfaces on their photoelectrochemical properties 88—43362
Sarkisyan, A.G. *see* Panosyan, Zh.R. 85—34686
Sarkisyan, D.G., Sapondzhyan, S.O. Four-wave parametric interaction of ultrashort optical pulses in a two-level system of barium atoms 85—12976
Sarkisyan, D.G., Sapondzhyan, S.O. Generation of picosecond YAG laser radiation and its efficient conversion to the visible and ultraviolet range in atomic barium vapor 85—46490
Sarkisyan, D.G. *see* Badalyan, A.A. 86—63793, 88—58495
Sarkisyan, D.G. *see* Sapondzhyan, S.O. 86—9948
Sarkisyan, G.A. *see* Alikhanyan, R.A. 88—46844
Sarkisyan, K.B. *see* Anisimova, N.D. 87—71639
Sarkisyan, L.A. Beam extraction from high-energy cyclotrons on the basis of the integer resonance 85—43148
Sarkisyan, L.A. Extracting the beam from a high-energy cyclotron via an integer resonance 86—38674
Sarkisyan, L.A., Chernyshenko, T.A. Quality of beam in the integer resonances crossing in a cyclotron 85—43149
Sarkisyan, L.A., Chernyshenko, T.A. Beam quality in integer-resonance transit in a cyclotron 86—38673
Sarkisyan, L.E., Samvelyan, R.G. Production and properties of powder alloys for thermostat metals 88—38265
Sarkisyan, R.A. *see* Apitseryan, E.S. 86—54859
Sarkisyan, R.Ts. *see* Avakyan, R.O. 86—44571
Sarkisyan, S.M. *see* Arutunyan, V.M. 85—12970
Sarkisyan, S.S., Gusakov, G.M., Komarnitskii, A.A. Stabilization of pulse delay of YAG:Nd^{3+} laser 86—42517
Sarkisyan, S.S. *see* Verner, V.D. 86—22359
Sarkisyan, S.T. *see* Bogdanovich, V.B. 85—47982
Sarkisyan, V.V., Tsgoev, R.S., Shakaryan, Yu.G. Fault conditions and asynchronized electromechanical frequency-changer stability 88—10694
Sarkisyan, V.V., Tsigoev, R.S., Shakaryan, Yu.G. Fault conditions and stability of electromechanical asynchronous frequency converters 87—4778
Sarkisyan, V.V. *see* Zelenokhat, N.I. 86—12898
Sarkozi, M. *see* Fenner, G.E. 87—9633
Sarkozy, A. *see* Elliott, P.D.T.A. 88—49695
Sarkozy, A. *see* Erdos, P. 86—19929, 88—31640, 88—31646
Sarkozy, R.F., Gatti, H.W. Semiconductor vacuum processing: protection of the mechanical pumping system 87—1375
Sarkozy, W.A. Front-end processors enhance data highway in VME bus environment 86—69316
Sarlaboux, J., Mayoux, C. On the characterization of polypropylene treated by a cold plasma before metallization 85—29392
Sarma, A. *see* Heuer, P. 85—52379
Sarma, A.D., Cole, R.S. Influence of water vapor pressure fluctuations on the spectral density of millimeter wave amplitude scintillations in an absorption region 88—8470
Sarma, A.D., Cole, R.S., Siqueira, G.L., da Silva Mello, L.A.R., Medeiros Filho, F.C. Theoretical and experimental investigation of millimeter wave phase fluctuations in an absorption region 86—63948
Sarma, A.D. *see* Blakey, J.R. 85—46562
Sarma, A.D. *see* Cole, R.S. 86—36725, 88—66054
Sarma, A.D. *see* Medeiros Filho, F.C. 86—63984
Sarma, A.Das *see* Das Sarma, A.
Sarma, A.S.V. *see* Gupta, S. 86—7896
Sarma, B.K. *see* Levy, M. 88—51385
Sarma, B.K. *see* Qian, Y.J. 88—29716
Sarma, B.K. *see* Schenstrom, A. 88—32885
Sarma, C.G.S. Configuration optimization technique for infrared linescan 85—58610
Sarma, D., Ganta, P. Multi-bit fault tolerant read only memory 86—20565
Sarma, D., Huq, R. Testable microprogam control unit for VLSI processors 86—57873
Sarma, D., Patel, A. Silicon compilation of digital systems from hardware language description 87—59093
Sarma, D., Pham, G.N. Fault tolerant design of high-density read-only-memory 86—57842
Sarma, D.H.R., Samy Palanisamy, P., Weaver, D.G. An accelerated lot-acceptance test for adhesion degradation of soldered copper thick films in temperature cycling 88—44493
Sarma, D.H.R., Vest, R.W. Kinetics of liquid spreading and penetration with application to RuO_2-glass thick-film resistors 85—54534
Sarma, D.H.R., Weaver, D.G., Palanisamy, P.S. An accelerated lot-acceptance test for adhesion degradation of soldered copper thick films in temperature cycling 88—57179
Sarma, D.H.R. *see* Palanisamy, P. 86—523, 87—53068
Sarma, D.H.R. *see* Palanisamy, P.S. 88—1219
Sarma, G.H., Chattopadhay, R. MICs: current trends and future projection 86—8465
Sarma, G.H. *see* Kumar, A.V. 87—60533
Sarma, J., Flint, I. Electrically variable couplers for integrated optical circuits 88—58217
Sarma, J., Shore, K.A. Optical disc resonators 85—41193
Sarma, J., Shore, K.A. Electromagnetic theory for optical disc resonators 86—15590
Sarma, J., Shore, K.A. Properties and applications of optical disc resonators 88—39984
Sarma, K., Dalby, R., Rose, K., Aina, O., Katz, W., Lewis, N. Ge diffusion at Ge/GaAs heterojunctions 85—11984
Sarma, K.P., Guggari, M.I. High power inverters—a new commutation strategy 85—10028
Sarma, K.S., Hanumantha Sastry, M. Design of controller for power system using model control principles 85—4556
Sarma, K.V.Bhaskara *see* Bhaskara Sarma, K.V.
Sarma, L.P. *see* Ramana, Y.V. 85—15088
Sarma, L.V.A.R., Pappu, S.V. Simultaneous display of spectrum and image in a single plane, and the realization of a lensless coherent optical processor 87—75260
Sarma, L.V.A.R., Shenoy, R.S., Pappu, S.V. A comparative study of side-band Fresnel holograms recorded with self-imaging and general objects 86—9981
Sarma, M.S. Generalized prediction model of the induction motor 85—48960
Sarma, M.S. Prediction of flux distribution as a means to nondestructive testing of oil-pipe materials 85—49658
Sarma, M.S. Modeling and simulation of permanent-magnet aerospace-instrument devices 87—63885
Sarma, M.S. *see* Gross, R.C. 86—45766
Sarma, N.V.G. *see* Arora, R.S. 86—14504
Sarma, P.R., Lakshminarayana, V., Parthasardhi, K., Narashimham, K.L., Bhuioka Reddy, S. Precision measurements of total gamma ray cross sections with a high resolution detector 87—63636
Sarma, P.R. *see* Pandit, V.S. 88—74654

Sarma, S.Das *see* Das Sarma, S.
Sarma, S.Eswara *see* Eswara Sarma, S.
Sarma, S.V.N. Industrial electro-legal disputes—introduction of uniform pattern 86–40428
Sarma, S.V.N. Hazards of low voltage in distribution systems 87–15255
Sarma, S.V.N. Evaluation of losses in electrolytic process-quantification of relative magnitudes-methods to optimise energy efficiency 87–43674
Sarma, U.K., Sinha, S., Basu, T.K. Medium range forecasting of power system load (energy) demand 88–5299
Sarma, V.S. *see* Apparao, A. 85–4435
Sarma, V.V.R. *see* Jain, R.M. 87–45255
Sarma, V.V.S., Bharathi Devi, B., Gopalakrishnan, P.S. Fuzzy sets in pattern recognition problems connected with speech 86–64218
Sarma, V.V.S. *see* Bharathi Devi, B. 86–43334
Sarma, V.V.S. *see* Mani, V. 85–22303
Sarma, V.V.S. *see* Ramana, D.V. 85–42006
Sarma, Y.S., Acharya, H.N., Misra, N.K. Preparation and properties of solution-grown p-n PbSe-Si heterojunctions 85–1371
Sarma, Y.S., Acharya, H.N., Misra, N.K. Solution-grown *p-n* PbS_xSe_{1-x}-Si heterojunctions for near-infrared applications 85–6729
Sarma, Y.S., Acharya, H.N., Misra, N.K. PbS-Si heterojunctions: growth and structural properties 86–20070
Sarma, Y.V.S. *see* Subramanian, R. 87–58745, 87–58752
Sarma Maruvada, P. *see* Lambeth, P.J. 86–12486
Sarman, I., Can, G., Tunell, R. Assessment of water-filled heated mattress in the care of newborn low birth-weight infants in a developing country: Turkey 88–61402
Sarman, K.C., Durrani, T.S., Vergara-Dominguez, L. Adaptive algorithms for eigenstructure based spectral estimation and filtering 87–55207
Sarmanto, R. *see* Valjus, J. 86–51153
Sarmasanu, C. *see* Harja, G. 88–35915
Sarmento, A.J.N.A., Falcao, A.F.de O. Wave generation by an oscillating surface-pressure and its application in wave-energy extraction 85–27345
Sarmento, H., Vidigal, L.M. Data representation and data modelling in VLSI design environment 87–25514
Sarmiento, A. *see* Castillo, U. 86–35662
Sarmiento, F. *see* Gustafson, D.E. 86–50916
Sarmiento, G.S., Bergmann, A.N. Thermal stresses at nozzles of nuclear steel containments under LOCA-conditions 86–56567
Sarmiento, G.S. *see* Utjes, J.C. 88–27567
Sarmiento, G.Sanchez *see* Sanchez Sarmiento, G.
Sarmiento, H.G., Mukhedkar, D., Ramachandran, V. An extension to the study of earth-return mutual coupling effects in ground impedance field measurements 88–55063
Sarmiento, H.G. *see* Carrillo, V.M. 87–78107
Sarmiento, H.G. *see* Fortin, J. 86–65789, 88–54878
Sarmiento, J.L.del Alamo del *see* del Alamo del Sarmiento, J.L.
Sarmiento-Reyes, L.A., Baez-Lopez, D.J.M. Multiple feedback filter compensated with a negative-impedance converter 85–23024
Sarmina, I., Gonzalez, D., Rodriguez, G. A computerized high-power testing laboratory 88–61990
Sarna, C.S., Reddy, G.R., Hsieh, D. Managing VLSI data in a workstation configuration 86–67918
Sarna, R.K. *see* Kumar, N. 85–2085
Sarna, Z. *see* Divon, M.Y. 85–37999
Sarnacki, F.H. Capacitor attachment to a landless PC board 85–28811
Sarnadskii, V.N. A system of digital analysis of nonuniform strain fields on the basis of superposition holographic interferometers 87–69257
Sarnak, P.C. Class numbers of indefinite binary quadratic forms. II 86–19930
Sarnatskii, V.M. *see* Shutilov, V.A. 87–60797
Sarnes, B. Dynamic behaviour of sheathed thermocouples under field conditions 87–3604
Sarney, R.G. Cables for the offshore oil and gas industry 85–39402
Sarnik, E. The investigation of electrostatic properties and principles of materials and products selection for application in areas with an explosion hazard 85–13044
Sarnovsky, J. *see* Vesely, V. 86–25504
Sarnowski, T.J. *see* Frisch, D.C. 85–23218
Sarns, S. PWM motor controller uses two ICs 87–15945
Sarns, S.E. R-E robot. III [robot drive system] 87–78996
Sarns, S.E. R-E robot. XII 88–29460
Saro, S., Pikna, M. Innovative alpha-spectrometric ionization chamber and its usage 86–56037
Saro, S., Pikna, M. Routine alpha-spectrometry of environmental samples 87–50572
Saro, S. *see* Sokol, E.A. 87–14741
Sarocky, K. *see* Arnould, E. 86–14282
Sarocky, K. *see* Fisher, A.L. 85–28553, 86–34888
Sarode, D.N. *see* Mitra, T.J. 85–32302
Sarolta, W.D. Protocol specification and testing 88–9130
Sarott, F.-A. *see* Konuma, M. 87–53165
Sarov, G.A. Effect of ion beam etching on metal-Si and metal-GaAs barriers 85–34631
Sarov, G.A., Katardjiev, I.V., Stoeva, N.I. Barrier optimization of metal-semiconductor junctions for high power Schottky rectifiers 87–18077
Sarpa, E.J. *see* Short, K.L. 86–52169
Sarrabayrouse, G., Bellaouar, A., Rossel, P. Post-irradiation annealing of MOS dosimeters 86–38707
Sarrabayrouse, G., Bellaouar, A., Rossel, P. Electrical properties of MOS radiation dosimeters 86–44575
Sarrabayrouse, G., Guedj, A. Growth kinetics and electrical properties of silica layers obtained under infrared radiation 88–57487
Sarrabayrouse, G. *see* Bafleur, M. 88–64514
Sarrabayrouse, G. *see* Bellaouar, A. 85–55824
Sarrabayrouse, G. *see* Farre, J. 87–25144
Sarrabayrouse, G. *see* Fiore de Mattos, A.C. 85–29180
Sarrabayrouse, G. *see* Gaspard, F. 87–32353
Sarrabayrouse, G. *see* Prom, J.L. 88–26057
Sarracino, M. A physical limitation to the rotational speed of the double-twist stranding machines 88–54991
Sarradin, J., Messina, R., Perichon, J. New electrolytes for Li/SO_2 cells 88–5832
Sarraf, J., Rabowsky, I. Microwave links used for direct interconnection of broadband LANs 86–16889
Sarraf, M., Li, V.O.K. A stable multiple access scheme for satellite communications networks 86–55277
Sarraf, M., Li, V.O.K. An adaptive multiple access strategy for a channel with power capture 87–27134
Sarraf, M., Li, V.O.K. Carrier-sense multiple access with fixed retransmission assignment 87–40027
Sarraf, S.P. Evaluation and specification of micromachined optics for laser printing 88–51644
Sarrafzadeh, M. Channel-routing problem in the knock-knee mode is NP-complete 87–74355
Sarrafzadeh, M. Channel routing with provably short wires 88–6585
Sarrafzadeh, M., Preparata, F.P. A bottom-up layout technique based on two-rectangle routing [VLSI] 88–20031
Sarrafzadeh, M. *see* Bilardi, G. 86–21729
Sarrafzadeh, M. *see* Hornick, S. 87–46043
Sarrafzadeh, M. *see* Mehlhorn, K. 86–67900
Sarrafzadeh, M. *see* Preparata, F.P. 86–21735
Sarrafzadeh-Khoee, A., Duke, J.c., Jr. Noncontacting detection in ultrasonic nondestructive evaluation of materials: simple optical sensor and fiber-optic interferometric application 87–5555
Sarrafzadeh-Khoee, A., Duke, J.C., Jr. Small in-plane/out-of-plane ultrasonic displacement measurement using laser-speckle interferometry 87–21232
Sarrail, D. *see* Coelho, R. 85–29979, 86–18080, 87–18365, 88–26603
Sarrail, D. *see* Levy, L. 87–77804
Sarrazin, C. *see* Attia, A.I. 85–27598
Sarrazin, D. *see* Baker, C. 88–25276
Sarrazin, D. *see* Weste, N. 88–25275
Sarrazin, D.B., Malek, M. Fault-tolerant semiconductor memories 85–1542
Sarrazin, M. *see* Corovic, R. 88–70060
Sarre, G. *see* Danel, V. 88–17841
Sarre, G. *see* Planchat, J.P. 88–17844
Sarreals, C.L. International telecommunications satellite services: the spirit of cooperation versus the battle for competition 86–64909
Sarret, M. *see* Loisel, B. 88–26893
Sarrikko, T. *see* Alner, G.J. 88–10288
Sarro, J. *see* Willis, J.E. 85–21853
Sarro, P.M., Herwaarden, A.W.v. Infrared detector based on an integrated silicon thermopile 88–29402
Sarro, P.M., van Herwaarden, A.W. Silicon cantilever beams fabricated by electrochemically controlled etching for sensor applications 87–11642
Sarro, P.M., Yashiro, H., Herwaarden, A.W.V., Middelhoek, S. An integrated thermal infrared sensing array 88–47533
Sarro, P.M. *see* Loferski, J.J. 85–54493
Sarro, P.M. *see* van Herwaarden, A.W. 86–44285, 86–55705, 87–41490, 87–77452, 88–60703
Sarsby, A. Local area networks. Standardising LAN management 86–49233
Sarsby, A. Internetworking standards 86–49239
Sarsby, A. An overview of standards for communications networks 88–41386
Sarsembinov, Sh.Sh., Prikhodko, O.Yu., Maksimova, S.Ya., Dzakelov, S.A., Averyanov, V.L. Electrical and photoelectrical properties of crystalline semiconductor-ChVS heterojunction controlled by ChVS modification 88–25936
Sarson, R. Challenging the floorboard ritual [LANs] 85–42249
Sarson, R. Them and us [PABX market] 87–55893
Sartain, R.B. *see* Halford, C.E. 85–37482
Sartain, R.B. *see* Mehl, C.R. 85–31339
Sartaj Sahni *see* Kam Hoi Cheng 87–66153
Sartawi, M. *see* Karaki, S. 86–6290
Sartawi, M.M. *see* Elimam, A.A. 87–23377
Sartell, J. *see* Maglic, R. 87–66803
Sartene, R. *see* Martinot-Lagarde, P. 88–68415
Sarti, E. *see* Granelli, G.P. 86–70802
Sarti, E. *see* Lamberti, C. 88–68350
Sarti, G.C. *see* Roda, G.C. 86–2041
Sarti Balsalobre, F. Training plan for designers of nuclear power plants 86–39377
Sartin, D.E., Yeager, C.A. Electrostatic probe using vibrating diaphragm 85–8916
Sartirana, B. *see* Anderson, D.P. 88–15137
Sartor, M.A., Mecklenborg, R.A. An optical test channel for a scanned laser system 85–41531
Sartore, R.G. Measurement of film thickness on integrated circuits using energy dispersive X-ray analysis (EDXA) 88–10137
Sartore, R.H. Memories in graphics—present and future 85–17431
Sartorelli, G. *see* Alberini, C. 86–65387, 87–35339
Sartorelli, G. *see* Bari, G. 87–8843
Sartorelli, G. *see* Basile, M. 85–43273, 86–5785
Sartori, A.G., Bartoli, R.R. A digital model for the thermodynamic analysis of steam generating units in generating stations 88–62206
Sartori, A.V. *see* Lyapidevskii, V.K. 85–20823
Sartori, M. *see* Akam, B. 88–60262
Sartori, M. *see* Belforte, P. 86–37595
Sartori, M. *see* Italiano, P. 86–11385
Sartori, M.P., Sauerbrey, R.A., Kubodera, S., Tittel, F.K., Roberts, R., Henry, P.D. Autofluorescence maps of atherosclerotic human arteries—a new technique in medical imaging 88–8364
Sartori, P. *see* Varasi, M. 86–15547
Sartori, S. Metrology: bridge between science and technology 88–4258
Sartori, S. *see* Bava, E. 86–60094
Sartori-Angus, A.G. Masks and filters 85–30285
Sartori-Angus, A.G. *see* Ammann, C.J. 85–51701
Sartori-Angus, A.G. *(editor)* Proceedings of the Second South African Symposium on Digital Image Processing 85–27943
Sartorio, E. *see* Boffito, C. 87–6321, 87–37805
Sartorio, G. *see* Cortina, R. 86–18856
Sartorio, G. *see* Pigini, A. 86–12508
Sartorius, B., Rosenzweig, M. Wavelength selective infrared microscopy: A nondestructive and quick method for the investigation of buried structures in optoelectronic devices 87–26406
Sartorius, B. *see* Pfanner, K. 88–38154
Sartre, J.C. *see* Burgot, J.Y. 87–48343
Sartucci, F. *see* Rossi, B. 85–4334
Sartwell, A.L. *see* Fitzgerald, B.F. 85–11252, 85–28540
Sartzetakis, S., Rowe, P.K., Saikaley, A., Dodds, D., Nightingale, J., Vishnubhatla, B. A real-time multiprocessor performance monitoring tool 87–28929
Sarubbi, T.R. *see* Jeffries, A.T. 86–1916
Saruev, G.A. *see* Dudkin, G.N. 86–65363
Sarukhanyan, G.V. *see* Arakelyan, A.A. 85–45737
Sarumov, Yu.A. *see* Malyshenko, S.P. 87–71987
Sarunac, R. *see* Godec, Z. 85–48988
Sarusi, B. *see* Gurewitz, E. 87–48187
Saruta, T. *see* Terada, H. 86–51265
Saruwatan, M. *see* Takada, A. 87–18960
Saruwatari, K.N. Modify RTU to avoid control malfunction 87–58139
Saruwatari, M., Kawano, K., Hagimoto, K. Optical coupling components for the F-1.6 G system 87–56115
Saruwatari, M. *see* Kawanishi, S. 86–36333
Saruwatari, M. *see* Kawano, K. 85–35390, 86–2716, 87–12129
Saruwatari, M. *see* Morioka, T. 87–49033, 88–13801
Saruwatari, M. *see* Motosugi, G. 87–62984
Saruwatari, M. *see* Nozawa, T. 86–11063
Saruwatari, M. *see* Spano, P. 86–60248
Saruwatari, M. *see* Sugie, T. 86–42568, 87–61128
Saruwatari, M. *see* Suzuki, N. 86–22090
Saruwatari, M. *see* Tachikawa, Y. 85–3768
Saruwatari, M. *see* Takada, A. 86–3144, 88–20715
Saruwatari, T. Small capacity digital speech interpolation system (DSI) and its performance 86–49525
Saruwatari, T. Small capacity digital speech interpolation system (DSI) and its performance 86–55242
Saruwatari, T. Mobile radio network 88–41559
Saruwatari, T., Ikeda, H., Nojiri, K. A quartz analog wristwatch with an electric generating system 88–5717
Saruwatari, T., Isobe, S., Iguchi, M., Takahashi, T., Suzuki, R., Ohashi, H. Experiments on transmission of materials for newspaper publication through the CS [communication satellite] 86–30718
Saruwatari, T. *see* Iwama, T. 88–45703
Saruwatari, T. *see* Mizuno, M. 86–69698
Saruwatari, T. *see* Moriyama, E. 87–28430
Saruwatari, T. *see* Ohashi, H. 85–25819

Saruwatari, T. *see* Takahashi, H. 86−64906
Saruwatari, T. *see* Yokoyama, M. 86−69645
Saruyama, S. *see* Ogihara, T. 86−20200
Sarv, V. *see* Ojaveer, M. 85−27478
Sarvaic, I. *see* Rohar, S. 88−17304
Sarvar, F. *see* Poole, N.J. 88−70424
Sarvary, P. *see* Temesi, A. 88−67534
Sarvas, J. *see* Aittoniemi, K. 85−59416
Sarvas, J. *see* Rajala, J. 85−13064, 85−56984
Sarvate, D.G. *see* Hammer, J. 87−31397
Sarver, L.W. *see* Hayner, G.O. 85−38777
Sarver, S.J. *see* Roberts, G.K. 86−6498, 86−51254, 86−51400
Sarvin, A.N. *see* Lazarev, L.P. 87−32953
Sarvin, A.N. *see* Mirovitskaya, S.D. 86−36214
Sarwar, M. *see* Jacobson, D. 87−69661
Sarwar, S.M. *see* Shafiq, M. 88−73669
Sarwate, D.V. An upper bound on the aperiodic autocorrelation function for a maximal-length sequence 85−2711
Sarwate, D.V. *see* Enge, P.K. 88−21375, 88−28647
Sarwate, D.V. *see* Lam, A.W. 86−30082, 87−55970, 88−41134
Sarychev, K.F. *see* Novik, G.Kh. 87−65814
Sarychev, M.E. *see* Valiev, K.A. 88−13205
Sarychev, V.A., Mirer, S.A., Zlatoustov, V.A. Optimal parameters of an aerogyroscopic attitude control system for satellites 86−12085
Sarycheva, T.A. *see* Gruzinskii, V.V. 88−2192
Sarymsakov, Sh.A. Errors of three-phase meters of electrical energy 88−61991
Sarzhevskii, A.M. *see* Barkovskii, L.M. 85−2363
Sarzynski, A. *see* Dubik, A. 88−40283
Sarzynski, J. *see* Jezowska-Trzebiatowska, B. 86−51910
Sas, A.V. *see* Gladkov, E.A. 85−53982
Sas-Bojarski, M., Tlaga, M. The acoustic frequency control signal meter 85−43659
Sasa, M. *see* Imamura, K. 87−6679
Sasa, S., Kondo, K., Ishikawa, H., Fujii, T., Muto, S., Hiyamizu, S. Electronic properties of Si atomic-planar-doped GaAs/AlAs quantum well structures grown by MBE 87−6449
Sasa, S., Muto, S., Hiyamizu, S. Back-gated field effect in a double two-dimensional electron gas structure 87−6727
Sasa, S., Muto, S., Kondo, K., Ishikawa, H., Hiyamizu, S. Si atomic-planar-doping in GaAs made by molecular beam epitaxy 86−8991
Sasa, S., Nakata, Y., Fujii, T., Hiyamizu, S. High-field characteristics of two-dimensional electron gas in InGaAs/n-InAlAs heterostructures 88−57366
Sasa, S., Saito, J., Nanbu, K., Ishikawa, T., Hiyamizu, S. Improved 2DEG mobility in inverted GaAs/n-AlGaAs heterostructures grown by MBE 85−1359
Sasa, S., Saito, J., Nanbu, K., Ishikawa, T., Hiyamizu, S., Inoue, M. Electronic states in selectively Si-doped N-AlGaAs/GaAs/N-AlGaAs single quantum well structures grown by MBE 85−40485
Sasa, S., Slapnicar, P. Analysis and procedure for the solution of electrical networks with a great number of nodes. I 87−52255
Sasa, S., Slapnicar, P. Analysis and procedure for the solution of electrical networks with a great number of nodes. II 88−501
Sasa, S. *see* Ando, H. 88−56242
Sasa, S. *see* Hikosaka, K. 87−11770, 88−50877
Sasa, S. *see* Hiyamizu, S. 85−40895, 85−61739, 86−8868, 87−44329
Sasa, S. *see* Inata, T. 87−74078, 88−19723
Sasa, S. *see* Ishikawa, H. 87−10387
Sasa, S. *see* Ishikawa, T. 85−45440
Sasa, S. *see* Kondo, K. 86−34330, 86−52489
Sasa, S. *see* Makiyama, K. 88−32897
Sasa, S. *see* Nakata, Y. 87−37952
Sasa, S. *see* Slapnicar, P. 85−17113
Sasa, S. *see* Takamasu, T. 86−53412
Sasa, T. *see* Tsuchiya, I. 86−59726
Sasabe, H. Polymeric electronic materials 86−14833
Sasabe, H. *see* Wada, T. 86−47459
Sasabe, K. *see* Terada, K. 88−6052
Sasabe, S., Yamasaki, K., Kasai, Y. Small-sized sealed lead/acid batteries 87−58301
Sasabe, S. *see* Hibino, M. 87−8047
Sasabe, S. *see* Sasaki, M. 87−30921
Sasabuchi, H. *see* Minato, D. 86−43420
Sasada, H. *see* Uehara, K. 85−56576
Sasada, I., Hiroike, A., Harada, K. Torque transducers with stress-sensitive amorphous ribbons of chevron pattern 85−26297
Sasada, I., Takamoto, Y., Harada, K., Izuma, T., Ujimoto, Y., Kameyama, R. Characteristics of chevron-type amorphous torque sensors constructed by the explosion bonding 88−53886
Sasada, I., Takamoto, Y., Uramoto, S., Harada, K. Widening of the dynamic range of the amorphous torque sensor 88−53630
Sasada, I., Uramoto, S., Harada, K. Noncontact torque sensors using magnetic heads and a magnetostrictive layer on the shaft surface−application of plasma jet spraying process 87−21029
Sasada, I., Uramoto, S., Harada, K. Noncontact torque sensor using magnetic heads 88−53629
Sasada, I., Uramoto, S., Harada, K. Characteristics of the torque sensor using plasma-sprayed Ni layer−effect of the heat treatment of the Ni layer 88−53637
Sasada, I., Uramoto, S., Sakai, E., Harada, K. Noncontact torque sensor 86−44306
Sasada, I. *see* Harada, K. 85−21006, 87−77257
Sasada, M. *see* Yoshida, S. 87−27208
Sasada, T., Miyauchi, T. Waveform equalization of digital audio tape recorder using thin film heads 85−58445
Sasada, T., Ohtsuki, H., Kunihara, A., Mitome, M. Communications network supervisory software (An application of data model and layered architecture) 87−40194
Sasada, T. *see* Enami, Y. 88−3440
Sasada, T. *see* Hoshino, Y. 87−3136, 87−28457
Sasada, Y., Morita, S., Hideshima, M. High-voltage, high-speed IGBT transistor module 87−18107
Sasagawa, M. *see* Consiglio, G. 88−9576
Sasagawa, T. Existence theorem for the difference Riccati equations 88−63241
Sasagawa, T., Kawahara, A., Obara, M. Observation of the opening/closing of a diffuse discharge in a mixture of C_2HF_3/He by KrF laser irradiation 88−25762
Sasagawa, T. *see* Kobayashi, O. 88−19643
Sasago, M. ULSI lithography 88−33088
Sasago, M., Endo, M., Hirai, Y., Ogawa, K., Ishihara, T. Improved bilayer resist system using contrast-enhanced lithography with water-soluble photopolymer 87−11910
Sasago, M., Endo, M., Hirai, Y., Ogawa, K., Ishihara, T. Half-micron photolithography using a KrF excimer laser stepper 87−45749
Sasago, M., Endo, M., Hirai, Y., Ogawa, K., Ishihara, T. Fabrication of fine patterns using water soluble photopolymer 88−1489
Sasago, M., Endo, M., Ogawa, K., Hirai, Y., Nomura, N., Ohzone, T., Ishihara, T. Submicron optical contrast enhanced lithography using water-soluble materials 86−41665
Sasago, M. *see* Endo, M. 88−7531, 88−13287, 88−39291, 88−44722 to 44723, 88−50766
Sasago, M. *see* Fuse, G. 86−41981, 87−38538
Sasago, M. *see* Hirai, Y. 87−38402, 87−60222, 88−7536
Sasago, M. *see* Odanaka, S. 86−41814, 86−41983
Sasago, M. *see* Ogawa, K. 88−13245
Sasago, M. *see* Ohzone, T. 86−8238
Sasago, M. *see* Tsuji, K. 85−18393
Sasaguchi, K., Imura, H., Yoshida, M., Katsuo, S. Performance of honeycomb solar collectors (effects of thickness, aspect ratio and height of honeycomb structure) 86−19511
Sasaguri, J. *see* Kobara, K. 86−43666
Sasaguri, J. *see* Murata, Y. 86−64825
Sasahara, H. *see* Yamamoto, Y. 88−11711
Sasahara, K. *see* Kurebayashi, H. 87−32494
Sasahara, M. *see* Kawaguchi, M. 87−29383
Sasahara, M. *see* Suzuki, M. 86−34854
Sasahara, N. *see* Arashi, H. 85−2260
Sasai, K. Automobile electric motors and their applications 87−4748
Sasai, K. *see* Fujiki, N. 88−28714
Sasai, Y., Hase, N., Kajiwara, T. A 1.3 μm InGaAsP/InP multiquantum well laser grown by LPE 85−35744
Sasai, Y., Hase, N., Ogura, M., Kajiwara, T. Fabrication and lasing characteristics of 1.3-μm InGaAsP multiquantum-well lasers 86−22396
Sasai, Y., Hase, N., Ogura, M., Kajiwara, T. Fundamental characteristics of 1.3 μm InGaAsP MQW lasers fabricated by LPE 86−54158
Sasai, Y., Ogura, M. 1.3 μm InGaAsP multiquantum-well semiconductor laser fabricated by LPE method 86−58934
Sasai, Y., Ogura, M., Kajiwara, T. LPE growth and characterization of InGaAsP/InP multiquantum well epitaxial layers 87−23646
Sasai, Y., Ohya, J., Ogura, M., Kayiwara, T. Dynamic spectral linewidth in InGaAsP Multiquantum-well lasers grown by liquid-phase epitaxy 87−39095
Sasai, Y., Yoshioka, Y., Hase, N. Auto-doping phenomena for the InGaAsP active layer in DH structure grown by LPE 85−12844
Sasai, Y. *see* Ishino, M. 86−67723
Sasai, Y. *see* Kubo, M. 86−26834, 87−52128
Sasai, Y. *see* Mori, Y. 85−46296, 86−9705, 86−54152
Sasai, Y. *see* Shibata, J. 85−24561, 85−35662
Sasai, Y. *see* Tsujii, H. 88−14060
Sasajima, Y. *see* Nakamura, H. 86−8152
Sasaka, S. *see* Fukuda, S. 87−42757, 88−11202
Sasakawa, H. *see* Lim, J.J. 85−48803
Sasakawa, H. *see* Sugawara, M. 85−48811
Sasakawa, S. *see* Hirakawa, K. 88−21988
Sasakawa, Y., Tamaki, M., Miyatake, N., Kikuchi, N., Shimizu, T. Write-read characteristics of magneto-optical recording 88−33791
Sasaki, A. Light amplification functional devices 85−19025
Sasaki, A. Alloy semiconductor electronics−basic problems and application potentialities 85−28923
Sasaki, A. Alloy semiconductor materials 86−14834
Sasaki, A. Light amplification 87−2032
Sasaki, A. Laser-beam addressed liquid crystal display 87−7184
Sasaki, A. Liquid crystals and sensors 87−54125
Sasaki, A. Jog/shuttle and digital VTR VC-D100X 88−29130
Sasaki, A. Optical and functional sensing devices 88−29345
Sasaki, A., Hayashi, N., Ishibashi, T. Laser-addressed smectic-cholesteric light valve doped with dichroic dye 85−12666
Sasaki, A., Metavikul, S., Itoh, M., Takeda, Y. Light-to-light transducers with amplification 88−51697
Sasaki, A., Mizumoto, Y., Hibino, M., Onishi, S. The development of a control system for a fuel-cell power plant 85−5033
Sasaki, A., Urabe, S., Nishiki, S. Detachable mobile radio units for 800 MHz land mobile telephone system 87−48469
Sasaki, A., Urabe, S., Nishiki, S., Taga, T. Fundamental design considerations for detachable mobile radio units in a land mobile telephone system 87−8186
Sasaki, A., Urabe, S., Nishiki, S., Taga, T. Basic considerations of portable radio unit for land mobile telephone system 87−34460
Sasaki, A., Yano, H., Fujita, S., Takeda, Y. Integrated optical devices of InGaAsP/InP heterojunction phototransistor and inner stripe light-emitting diode 86−29020
Sasaki, A. *see* Ci-Ling Pan 86−9743
Sasaki, A. *see* Fugita, S. 86−47597
Sasaki, A. *see* Fujita, S. 85−10660, 85−10700, 85−12209, 85−27658, 85−29053, 85−40534, 85−44739, 85−44750, 85−50438, 86−7777, 88−63326
Sasaki, A. *see* Fujiyasu, H. 87−5421
Sasaki, A. *see* Hattori, T. 87−69987, 88−35394
Sasaki, A. *see* Ichimura, M. 87−53185, 88−64239
Sasaki, A. *see* Kmetz, A.R. 85−14893
Sasaki, A. *see* Kuwabara, H. 86−9666
Sasaki, A. *see* Matsumoto, S. 86−28224
Sasaki, A. *see* Okada, T. 86−23596
Sasaki, A. *see* Seki, S. 86−43749
Sasaki, A. *see* Taga, T. 87−8188, 87−48946
Sasaki, A. *see* Takeda, Y. 85−1294, 85−18807, 85−22485, 85−28960, 85−34506, 85−61740, 86−410, 86−14898, 86−28300, 86−36340, 86−53437, 88−64260
Sasaki, A. *see* Tsutsui, K. 87−32142
Sasaki, A. *see* Uo, K. 85−32808
Sasaki, A. *see* Zhu, Y. 88−19745
Sasaki, E. *see* Kishimoto, T. 85−16798
Sasaki, F., Miyazaki, T., Tanaka, T., Kobayashi, R., Shiki, T., Kobayashi, M. Ghost canceller 88−53435
Sasaki, F. *see* Tokuda, H. 87−59872
Sasaki, G., Hajek, B. Optimal dynamic routing in single commodity networks by iterative methods 88−14925
Sasaki, G. *see* Iwai, H. 88−39641
Sasaki, G. *see* Kamei, H. 87−58945, 88−56256
Sasaki, G. *see* Niitsu, Y. 86−21825
Sasaki, H. Future trends in VLSI microprocessors 85−22902
Sasaki, H. Present status of the Booster Synchrotron Utilization Facility at KEK 86−5749
Sasaki, H. Measurement of moisture and thickness by microwave cavity resonance system 86−31611
Sasaki, H. Trends of VLSI in Japan 87−18296
Sasaki, H. Medium-frequency induction heating equipment for steel wire heating 87−58461
Sasaki, H. Age of versatility: pervasive ASIC technology 88−7715
Sasaki, H. The impact of ULSI on future information processing systems 88−71715
Sasaki, H. Directions and strategies to achieve ULSI 88−71736
Sasaki, H., Adachi, T., Baba, H., Inagaki, S., Irie, Y., Kaneko, N., Kawakubo, T., Kumada, M., Matsumoto, S., Miki, M., Sakai, I., Someya, H., Yano, Y. Accelerator project GEMINI for intense pulsed neutron and meson source at KEK 86−5755
Sasaki, H., Aoki, K., Yokoyama, R. A parallel computation algorithm for static state estimation by means of matrix inversion lemma 87−77936
Sasaki, H., Hishinaka, H., Shida, K. A modified Wheatstone bridge for high-precision automated resistance measurement 88−29530
Sasaki, H., Kasai, N., Kasai, N., Fukuda, T. Transportable standard current source with mercury battery 86−62441
Sasaki, H., Kasai, N., Nakamura, H. Analysis of error in the diameter measurement of a precision solenoid 85−46541
Sasaki, H., Kasai, N., Nakamura, H. Mechanical diameter measurement of a precision solenoid for γp (low). Analysis about systematic error. II 87−14519
Sasaki, H., Kasai, N., Nakamura, H. Analysis of error in the dimensional measurement of precision solenoids. Experimental verification 87−14520
Sasaki, H., Miyajima, A., Kasai, N., Nakamura, H. High-stability DC-current source using NMR lock technique 87−23910

Sasaki, H., Miyajima, A., Kasai, N., Nakamura, H. Construction of NMR-controlled precision current source 88—12177
Sasaki, H., Saitoh, M., Hashimoto, K. Hot-carrier induced drain leakage current in n-channel MOSFET 88—39488
Sasaki, H., Someya, H., Adachi, T., Sakai, I., Nakanishi, M. Performance of prototype rapid cycling magnet and power supply for KEK GEMINI project 88—42392
Sasaki, H., Suizu, T., Yurino, S. A study on a decentralized load frequency control using frequencies of adjacent areas 88—36756
Sasaki, H., Tsue, N. Development of ETHERNET intelligent communication unit 88—21672
Sasaki, H. *see* Aoki, S. 87—14768
Sasaki, H. *see* Hagino, S. 86—23561, 86—43616
Sasaki, H. *see* Horibata, S. 87—7012
Sasaki, H. *see* Ishihara, T. 88—37502
Sasaki, H. *see* Kasai, N. 86—63926
Sasaki, H. *see* Kohno, Y. 85—36987
Sasaki, H. *see* Kumada, M. 86—50281, 87—14647
Sasaki, H. *see* Lau, C.K. 88—39470
Sasaki, H. *see* Matsui, M. 88—6832
Sasaki, H. *see* Mochimaru, S. 85—65598
Sasaki, H. *see* Momose, H. 85—50737
Sasaki, H. *see* Nakagawa, Y. 87—17536
Sasaki, H. *see* Nakamura, G. 86—33665
Sasaki, H. *see* Nakamura, H. 85—16839, 87—14067, 88—15897
Sasaki, H. *see* Ohtani, T. 87—59505
Sasaki, H. *see* Okada, K. 88—42823
Sasaki, H. *see* Osanai, M. 86—5353
Sasaki, H. *see* Sato, M. 86—69168
Sasaki, H. *see* Shibata, H. 88—7745
Sasaki, H. *see* Someya, H. 86—26144
Sasaki, H. *see* Watanabe, N. 88—36347
Sasaki, H. *see* Yokoyama, R. 88—10795, 88—54920
Sasaki, I., Amemiya, Y. An improvement of input current waveforms of three-phase diode bridge using bidirectional switches 85—32595
Sasaki, I., Fukui, Y., Yoneda, S., Kasai, T. Switched capacitor realization of a Walsh spectrum analyzer 86—65154
Sasaki, I., Nakano, T. FZ growth of iron garnet crystals 87—16558
Sasaki, I., Okabe, K., Yoneda, S., Kasai, T. Switched-capacitor realization of a Fourier analyzer using integral feedback capacitance circuit 86—20716
Sasaki, I., Okabe, K., Yoneda, S., Kasai, T. Switched-capacitor realization of a Fourier analyzer using integral feedback capacitance circuit 87—55059
Sasaki, I., Yoneda, S., Kasai, T. Switched-capacitor discrete Fourier analyser with window function circuit 88—38418
Sasaki, I., Yoneda, S., Kasai, T. Phase synchronous type Walsh analyzer using switched capacitor circuit 88—60658
Sasaki, I. *see* Ando, M. 86—34794
Sasaki, I. *see* Hattori, K. 88—19899
Sasaki, I. *see* Kobayashi, Y. 86—14220, 86—20534
Sasaki, I. *see* Mochizuki, T. 87—29260, 88—55451
Sasaki, I. *see* Nakano, T. 88—45064
Sasaki, I. *see* Okuma, S. 85—5173
Sasaki, I. *see* Rikukawa, H. 87—7000, 88—57918
Sasaki, I. *see* Tamamushi, S. 88—39308
Sasaki, I. *see* Yoneda, S. 86—27477, 88—44278
Sasaki, J. Low temperature optical loss-increase for optical fibres in compound-filled cable splice closure 88—72067
Sasaki, J., Takeda, K., Kubota, Y. Estimation of water accumulation in cable sheath joint using plastic case 85—23176
Sasaki, J. *see* Kobayashi, H. 87—8257
Sasaki, J. *see* Kubota, Y. 88—19452
Sasaki, J. *see* Takeda, K. 85—61499, 87—11094
Sasaki, J. *see* Yuhara, A. 87—12026
Sasaki, K. Developing measuring instruments for DBS Satellite TV relays 85—3411
Sasaki, K. Developing measuring instruments for DBS satellite TV relays 85—14162
Sasaki, K. Second harmonic generation in organic single crystal thin film waveguides 88—7927
Sasaki, K., Eurukawa, S. A micro-crystal emitter heterojunction bipolar transistor 88—19943
Sasaki, K., Fujii, K., Tomioka, T., Kinoshita, T. All-optical bistabilities of polydiacetylene Langmuir—Blodgett film waveguides 88—34116
Sasaki, K., Fukazawa, T., Furukawa, S. Microcrystalline hetero-emitter with high injection efficiency for Si HBT 88—39409
Sasaki, K., Furukawa, S. High current gain amorphous SiC npn HBT with temperature stable current gain 87—32498
Sasaki, K., Furukawa, S., Rahman, M.M. A novel structure amorphous SiC:H emitter HBT using low temperature process 86—47547
Sasaki, K., Hosoda, M., Kondo, M., Yamamoto, S., Hijikata, T. Low threshold current VSIS lasers with buried heterostructure 88—14216
Sasaki, K., Kawagishi, H., Ishijima, Y. Phase-matched second harmonic generation by a surface polariton along a silver layer on a slab-type optical waveguide 86—9935
Sasaki, K., Kawagishi, H., Ishijima, Y. Phase matched SHG of surface polariton along a silver layer on a slab-type optical waveguide 87—68599
Sasaki, K., Kawakubo, I., Ogino, H., Nakamura, H. An optically controlled superconducting memory device 87—18567
Sasaki, K., Kawasoe, T., Fujisawa, T. Seabed sensors and their applications to earthquake prediction 87—41473
Sasaki, K., Kinoshita, T., Karasawa, N. Second harmonic generation of 2-methyl-4-nitroaniline by a neodymium: yttrium aluminum garnet laser with a tapered slab-type optical waveguide 85—2398
Sasaki, K., Kinoshita, T., Karasawa, N. SHG in a slab-type waveguide with a 2-methyl-4-nitroaniline crystal as a high index top layer 85—19040
Sasaki, K., Kinoshita, T., Karasawa, N. SHG in a slab-type waveguide with a 2-methyl-4-nitroaniline crystal as a high index top layer 87—54399
Sasaki, K., Matsusaka, T. Modelling and simulation of a wind power generator 86—45306
Sasaki, K., Morikawa, M., Furukawa, S. Estimations of emitter crowding effect and emitter Gummel number of amorphous SiC:H emitter HBT 86—67844
Sasaki, K., Ono, K., Takano, M. Development of high accuracy ultrasonic sensor for robot application 86—12216
Sasaki, K., Rahman, M.M., Furukawa, S. An amorphous SiC:H emitter heterojunction bipolar transistor 85—50491
Sasaki, K., Takano, M., Akeno, K. Ultrasonic range sensor assists 6-DOF manipulator by locating objects in 3-dimensional space 88—61699
Sasaki, K., Tsukamoto, K., Watahiki, T., Miyata, T. Capacitance-independent type weighted charge generator circuit 87—59129
Sasaki, K. *see* Dobashi, T. 87—59922, 88—44387
Sasaki, K. *see* Enami, Y. 88—3440
Sasaki, K. *see* Fuchs, E.F. 87—43731
Sasaki, K. *see* Hamabe, K. 87—4552
Sasaki, K. *see* Hashimoto, M. 87—59477, 88—51009
Sasaki, K. *see* Itoh, H. 86—54194, 87—26538, 87—54424, 88—51925
Sasaki, K. *see* Kawamura, T. 88—55539
Sasaki, K. *see* Kawata, S. 88—14782
Sasaki, K. *see* Kaya, M. 85—60389
Sasaki, K. *see* Kitani, A. 86—33590, 86—71040
Sasaki, K. *see* Nakabasami, T. 85—32181, 85—43606
Sasaki, K. *see* Nishida, I. 85—10051
Sasaki, K. *see* Nishihata, M. 86—31056
Sasaki, K. *see* Noya, A. 88—50752
Sasaki, K. *see* Okamura, T. 88—23616
Sasaki, K. *see* Sekiguchi, H. 85—43876
Sasaki, K. *see* Sugii, M. 86—58864, 87—7282, 87—68394, 88—2162, 88—8105
Sasaki, K. *see* Suyama, T. 88—51825
Sasaki, K. *see* Terashita, N. 86—6551
Sasaki, K. *see* Umeda, T. 87—49849
Sasaki, K. *see* Yoshida, S. 85—40680
Sasaki, M. Switching current control in stepping motor driver IC 'SI-7300 A' 86—28474
Sasaki, M. Japanese geodetic satellite for expansion of marine control 88—10471
Sasaki, M. High voltage power Darlington transistors for induction heating applications 88—76050
Sasaki, M., Hashimoto, H. Launch and observation program of the Experimental Geodetic Satellite of Japan 88—15685
Sasaki, M., Hirashita, N., Onoda, H., Hagiwara, S. Electron diffraction observation of epitaxial silicon grown on a CaF_2/Si(100) structure 85—44687
Sasaki, M., Katoh, T., Onoda, H., Hirashita, N. Lateral solid phase epitaxy of Si over SiO_2 patterns and its application to silicon-on-insulator transistors 87—242
Sasaki, M., Kuwahara, Y. Optimal selection methods for failure and repair rates using nomographs 85—54196
Sasaki, M., Nakano, Y. Remote-automated inspection and maintenance of nuclear power plant equipment 85—43687
Sasaki, M., Negishi, H., Inoue, M. Pulsed laser-induced transient thermoelectric effects in silicon crystals 86—35288
Sasaki, M., Numotani, T., Inoue, T., Yokoshima, I. Short millimeter wave region high accuracy power meter with self-calibration function 86—11687
Sasaki, M., Ogawa, Y., Itoh, K. Precision remote comparison of frequency by means of a terrestrial TV signal 85—43062
Sasaki, M., Ogawa, Y., Itoh, K., Satoh, T. Precision remote comparison of time by means of a TV signal via a broadcasting satellite 87—56416
Sasaki, M., Ogawa, Y., Itoh, K., Satoh, T. Experiments of precision time comparison by means of a TV signal via a broadcasting satellite (BS-2a) 88—22809
Sasaki, M., Onoda, H. Molecular-beam epitaxy of Si on a CaF_2/Si(100) structure 86—46329
Sasaki, M., Peters, R.A. Fiber-optic components for satellite T&C systems 87—20527
Sasaki, M., Sakamoto, K. A study of strain in ion implanted silicon 85—55445
Sasaki, M., Sasabe, S., Kasai, Y. The development of sealed lead-acid stationary battery having large capacity for improving telecommunication systems 87—30921
Sasaki, M., Takahashi, M., Fujisaki, H. Crystal growth and characterization of CdS, $Cd_{1-x}Mn_xS$ crystals synthesized by sealing method 87—235
Sasaki, M. *see* Aizawa, S. 85—36747
Sasaki, M. *see* Harashima, F. 86—51791
Sasaki, M. *see* Hide, I. 87—23613
Sasaki, M. *see* Hirashita, N. 86—14968
Sasaki, M. *see* Horimatsu, T. 86—11100
Sasaki, M. *see* Inoue, T. 85—31581
Sasaki, M. *see* Itoh, K. 86—68892, 88—46987
Sasaki, M. *see* Iwama, T. 88—72235
Sasaki, M. *see* Iwamoto, S. 88—19186
Sasaki, M. *see* Kawakyu, Y. 88—18713
Sasaki, M. *see* Kumakura, H. 86—36087
Sasaki, M. *see* Maeda, Y. 87—44296
Sasaki, M. *see* Matsumoto, K. 86—7750
Sasaki, M. *see* Matsuyama, T. 88—32763
Sasaki, M. *see* Morishita, Y. 85—28912, 86—58212, 86—62999
Sasaki, M. *see* Nakashiba, H. 86—67957, 87—31818, 87—44765
Sasaki, M. *see* Nishikawa, S. 85—25269
Sasaki, M. *see* Ogawa, Y. 86—4818
Sasaki, M. *see* Okamura, T. 88—23616
Sasaki, M. *see* Onoda, H. 86—47865, 88—26506, 88—39706
Sasaki, M. *see* Peters, R.A. 87—70086 to 70087
Sasaki, M. *see* Seo, I. 86—53849
Sasaki, M. *see* Shibata, M. 85—58535
Sasaki, M. *see* Suzuki, M. 87—8485
Sasaki, M. *see* Tsujihara, S. 87—70201
Sasaki, M. *see* Ueno, F. 88—32162
Sasaki, M. *see* Watanabe, K. 86—18900
Sasaki, M. *see* Yamada, Y. 87—7040, 88—68424
Sasaki, M. *see* Yanagi, S. 87—16444, 87—51899
Sasaki, N. Sheet-resistance characterization of ion-implanted silicon resistors at cryogenic temperatures 87—73982
Sasaki, N., Hakoyama, H. Production-switcher control method and control language development 88—28617
Sasaki, N., Iwai, T., Kawamura, S., Mukai, R., Wada, K., Nakano, M. 3-dimensional integration fabricated by using seeded lateral epitaxial film on SiO_2 85—50780
Sasaki, N., Kawamura, S., Iwai, T., Nakano, M., Wada, K., Takagi, M. Three-dimensional SRAM-cell fabricated with a laser-recrystallization technology 85—49886
Sasaki, N., Kawamura, S., Kawai, S., Shirato, T., Aneha, M., Nakano, M. A three-dimensional high-voltage CMOS utilizing a laser-recrystallized SOI layer 88—36146
Sasaki, N., Mukai, R., Izawa, T., Nakano, M., Takagi, M. Melt-width enhancement in the recrystallization of polycrystalline silicon-on-insulator by twin-laser-beam-induced substrate interheating 85—18191
Sasaki, N. *see* Banno, Y. 88—53956
Sasaki, N. *see* Endo, A. 88—16950
Sasaki, N. *see* Higuchi, H. 85—55922
Sasaki, N. *see* Izawa, T. 85—50764
Sasaki, N. *see* Kawamura, S. 85—49843, 86—9312, 88—39702
Sasaki, N. *see* Mukai, R. 86—15248, 87—23699, 87—38156, 88—13192
Sasaki, N. *see* Nakayama, R. 86—66159
Sasaki, N. *see* Ohmae, Y. 88—26992
Sasaki, N. *see* Ohno, H. 86—51007
Sasaki, N. *see* Ono, H. 88—55009
Sasaki, N. *see* Takahashi, T. 87—39005
Sasaki, O., Hosoya, Y., Yoshikawa, M. A prediction method for cross polarization discrimination on line-of-sight radio links with strong surface reflections 87—76572
Sasaki, O., Okazaki, H. Detection of time-varying intensity distribution with CCD image sensors 85—58548
Sasaki, O., Taniguchi, T., Ohska, T.K., Kurashige, H. A high resolution TDC in TKO box system 88—56713
Sasaki, O., Yoshikawa, M., Hiramatsu, T., Hosoya, Y. Propagation characteristics for long-span oversea digital microwave links 86—37747
Sasaki, O., Yoshikawa, M., Hosoya, Y. Propagation characteristics of a 100 km overwater span digital radio system 87—13588
Sasaki, O. *see* Hosoya, Y. 85—2552, 85—25740
Sasaki, O. *see* Taniguchi, T. 87—37761
Sasaki, O. *see* Yamagami, T. 85—54228
Sasaki, O. *see* Yoshikawa, M. 86—69602
Sasaki, O.S. *see* Kobayashi, H. 88—61145
Sasaki, R. Broadcasting and radio administration 87—34708

Sasaki, R., Kitamura, Y. An efficient approximate algorithm for solving system reliability optimization problems 87—44046
Sasaki, R. *see* Kobayashi, M. 88—54738
Sasaki, R. *see* Miyaoka, S. 88—8846
Sasaki, R. *see* Nakamura, T. 87—28483
Sasaki, R. *see* Nakamurta, T. 88—3930
Sasaki, R. *see* Shinnai, K. 88—14869
Sasaki, R. *see* Takaragi, K. 86—240 to 241, 87—54943
Sasaki, R. *see* Yamakawa, H. 86—13804
Sasaki, R.A. *see* Roberts, A.L. 87—59500
Sasaki, S. Renovation of the train radio system of the Shinkansen 86—59791
Sasaki, S. Stabilization of precession-free rotors supported by magnets 88—5646
Sasaki, S., Akiyama, T., Okada, K., Okumura, T., Mastubara, I., Fujii, K. GTACSR: new type conductor for increasing current capacity of existing overhead lines 88—55039
Sasaki, S., Chiba, M., Banni, T., Awamoto, S. VTR for bandwidth-compressed Hi-Vision 87—8456
Sasaki, S., Choy, M.M., Cheung, N.K. Effects of dynamic spectral behaviour and mode-partitioning of 1550 nm distributed feedback lasers on Gbit/s transmission systems 88—28826
Sasaki, S., Hasuda, Y., Ichino, T. New flexible thermal control material for long-life satellite 87—29859
Sasaki, S., Kaminaka, N., Sugita, R. Interaction between double-layer film and recording characteristics of perpendicular recording media 86—36022
Sasaki, S., Kawashima, N., Kuriki, K., Yanagisawa, M., Obayashi, T. Vehicle charging observed in SEPAC Spacelab-1 Experiment 87—4055
Sasaki, S., Kishimoto, T. Optimal structure for microgrooved cooling fin for high-power LSI devices 87—16387
Sasaki, S., Kishimoto, T., Matsui, N. Connection of VLSI chips to printed circuit board using stacked solder bumps 88—7134
Sasaki, S., Miyajima, M., Katoh, K., Takebe, M., Seto, K. A gridded ionization chamber with a movable cathode for precise measurements of *W*-values in highly purified rare gases 87—50146
Sasaki, S., Nakamura, K. Rubber buffer material for submarine optical repeaters 85—3338
Sasaki, S., Satoh, T., Yoshida, M. Reconfigurable video-rate image processing system: IDATEN 87—2565
Sasaki, S., Satoh, T., Yoshida, M. IDATEN: reconfigurable video-rate image processing system 88—41021
Sasaki, S., Serizawa, K., Kaneda, A. The effect of fillers in plastic resin on IC devices 88—71665
Sasaki, S., Takebe, T., Miyazaki, K., Yokota, M., Sato, K., Yoshida, S., Matsubara, I. ZTACIR—new extra-heat resistant galvanized Invar-reinforced aluminum alloy conductor 85—59767
Sasaki, S. *see* Bannai, T. 87—13958
Sasaki, S. *see* Chikawa, Y. 86—14772
Sasaki, S. *see* Choy, M.M. 88—51792
Sasaki, S. *see* Goto, M. 85—34704
Sasaki, S. *see* Harumi, K. 88—49924
Sasaki, S. *see* Ichimaru, K. 85—59180
Sasaki, S. *see* Ichino, T. 87—52221
Sasaki, S. *see* Imamura, H. 86—4292
Sasaki, S. *see* Ino, T. 86—6332
Sasaki, S. *see* Ishii, J. 88—6567
Sasaki, S. *see* Kato, H. 86—55741
Sasaki, S. *see* Kawakyu, Y. 87—23684
Sasaki, S. *see* Kishimoto, T. 87—43985
Sasaki, S. *see* Kitano, Y. 87—35887
Sasaki, S. *see* Kobayashi, S. 87—52205
Sasaki, S. *see* Kubota, J. 88—38288
Sasaki, S. *see* Maruyama, T. 87—49722
Sasaki, S. *see* Matsuda, I. 86—68129
Sasaki, S. *see* Matsui, N. 87—74403
Sasaki, S. *see* Miyaoka, S. 85—21398
Sasaki, S. *see* Nakagawa, Z. 88—57540
Sasaki, S. *see* Nakano, H. 88—20654, 88—67357
Sasaki, S. *see* Takaki, I. 85—10300
Sasaki, S. *see* yamashita, K. 87—20498
Sasaki, S. *see* Yohda, H. 85—56116
Sasaki, S.-Y., Nakano, H., Maeda, M. Bit-error-rate characteristics with optical feedback in a 1.5 μm DFB semiconductor laser 88—65732
Sasaki, T. Local space-charge forces and broadening of energy distribution in electron beams 85—7585
Sasaki, T. Prospects for home electronics using new media 85—47029
Sasaki, T. Electronic camera and its image processing 85—58545
Sasaki, T. The economics of nuclear power as a major alternative in energy supply 86—6484
Sasaki, T. New development of railway signal by microelectronics 86—26575
Sasaki, T. Upper bound of the beam energy broadening in acceleration region 86—35263
Sasaki, T. Audio file for broadcast 87—34857
Sasaki, T. Development of electronic blocking system 87—36219
Sasaki, T. Present status of developing a compact synchrotron radiation source for lithography 87—60249
Sasaki, T. High—resolution optical spectrum analyzer and high-sensitivity optical power meter 88—4331
Sasaki, T. Mobility aids for the blind using ultrasound 88—5008
Sasaki, T. Testing optical devices and optical fibres 88—22680
Sasaki, T. General Research Institute of JR and research program of signals 88—37683
Sasaki, T. Fiber optic multiplex transmission equipment SHOWMUX SA-7057 for measuring and control signals 88—53303
Sasaki, T., Hataoka, H. Quantization for minimum intermodulation distortion 85—2804
Sasaki, T., Imamura, M., Takada, S., Suzuki, Y. Measurement of rotational power losses in silicon-iron sheets using wattmeter method 86—38525
Sasaki, T., Oho, E., Kanaya, K. The superiority of an on-line digital recording system [for scanning electron microscopy] 87—3322
Sasaki, T., Shimomura, E., Yamada, K. Variation of powder losses with stresses in amorphous sheets for power applications 88—58009
Sasaki, T., Tada, Y., Ueda, A. An electronic control system for gasoline engines 88—18189
Sasaki, T., Taguchi, T., Hiraki, A. Temperature and composition dependences on the electrical properties of As-grown ZnHgTe crystals grown by the travelling heater method 88—57306
Sasaki, T., Tanaka, J. High energy accelerator and fine mechanical engineering 86—5646
Sasaki, T., Zembutsu, S. Substrate-orientation dependence of GaN single-crystal films grown by metalorganic vapor-phase epitaxy 87—58928
Sasaki, T., Zembutsu, S. Low temperature growth of GaN single crystal films using ECR plasma excited metalorganic vapor phase epitaxy 87—73104
Sasaki, T. *see* Emoto, Y. 86—61948
Sasaki, T. *see* Ikawa, Y. 87—59328
Sasaki, T. *see* Imamura, M. 85—12479, 85—24068, 86—9484
Sasaki, T. *see* Imiya, A. 86—16353, 87—19758, 87—39729
Sasaki, T. *see* Inoue, T. 88—23202
Sasaki, T. *see* Ishizuka, M. 88—11768
Sasaki, T. *see* Ito, K. 86—60481
Sasaki, T. *see* Kitamura, M. 88—65663, 88—65684
Sasaki, T. *see* Koike, M. 88—19139
Sasaki, T. *see* Koike, N. 86—14101, 86—57780
Sasaki, T. *see* Kojima, K. 86—49213
Sasaki, T. *see* Maezawa, H. 86—60485, 88—22885
Sasaki, T. *see* Michigami, N. 85—33121
Sasaki, T. *see* Minato, O. 85—28528, 87—59503
Sasaki, T. *see* Nishikawa, H. 86—32850
Sasaki, T. *see* Nomizu, N. 85—45030
Sasaki, T. *see* Noto, K. 87—52706
Sasaki, T. *see* Odagaki, T. 85—42739
Sasaki, T. *see* Ozue, T. 88—26667
Sasaki, T. *see* Saito, S. 85—62997
Sasaki, T. *see* Sawada, T. 88—71942
Sasaki, T. *see* Shimomura, O. 88—34107
Sasaki, T. *see* Shirahata, I. 86—3461
Sasaki, T. *see* Soma, T. 85—35975
Sasaki, T. *see* Taguchi, T. 88—32793
Sasaki, T. *see* Takada, T. 88—3463
Sasaki, T. *see* Takahashi, N. 87—75173
Sasaki, T. *see* Takahashi, N.S. 86—34320
Sasaki, T. *see* Takasaki, S. 87—5843, 87—24065, 88—7659
Sasaki, T. *see* Tanaka, Y. 86—41840
Sasaki, T. *see* Tejima, T. 88—36171
Sasaki, T. *see* Terada, T. 87—59419, 88—6739
Sasaki, T. *see* Uchida, K. 87—50804
Sasaki, T. *see* Watanabe, K. 87—53930
Sasaki, T. *see* Yamada, H. 88—27145
Sasaki, T. *see* Yamasaki, H. 85—21833
Sasaki, T. *see* Yanagihara, M. 85—37846
Sasaki, T. *see* Yokotani, A. 86—48070, 86—48489
Sasaki, T. *see* Yoshimoto, R. 87—55657
Sasaki, T. *see* Zembutsu, S. 86—40729, 87—10411
Sasaki, W. Hopping conduction in phosphorus-doped silicon 86—1679
Sasaki, W., Ishikawa, T., Ebina, I., Kimura, Y., Ohta, T. Isotope effects on spectral properties in hollow cathode metal vapor ion lasers 88—8144
Sasaki, W., Joto, T., Ogasahara, N., Fujiwara, T., Ohta, T. Measurement of mode-switching behavior in GaAlAs semiconductor lasers under precisely controlled driving current and temperature 88—8220
Sasaki, W., Ohta, T. Magnetic characteristics of He-Zn II and He-Cd II hollow cathode metal vapor lasers 88—65595
Sasaki, W., Ohta, T., Ueda, H. Axial mode competition in the 636.0 nm He-Cd II hollow cathode metal vapor lasers 85—56548
Sasaki, W., Uehara, Y., Kurosawa, K., Fujiwara, E., Kato, Y., Yamanaka, C., Yamanaka, M., Fujita, J. Generation of tunable intense coherent radiation around 126 nm with an argon excimer laser 87—12553
Sasaki, W. *see* Egina, I. 86—68472
Sasaki, W. *see* Fujiwara, T. 87—12503
Sasaki, W. *see* Nakayama, H. 88—20672, 88—58060
Sasaki, W. *see* Nishio, Y. 86—14847
Sasaki, W. *see* Uehara, Y. 85—18852, 86—9764
Sasaki, W. *see* Yoshida, K. 88—45500
Sasaki, Y. Laser-diffraction-type grain size analyzer 87—63515
Sasaki, Y. Long-length low-loss polarization-maintaining fibers 88—13813
Sasaki, Y., Hosaka, T., Horiguchi, M., Noda, J. Design and fabrication of low-loss and low-crosstalk polarization-maintaining optical fibers 87—7120
Sasaki, Y., Hosaka, T., Noda, J. Low crosstalk polarisation-maintaining optical fibre with an 11 km length 85—1990
Sasaki, Y., Hosaka, T., Noda, J. Low-loss polarisation-maintaining optical fibre with low crosstalk 85—29552
Sasaki, Y., Hosaka, T., Noda, J. Polarization-maintaining optical fibers used for a laser diode redundancy system in a submarine optical repeater 85—35436
Sasaki, Y., Hosaka, T., Noda, J. Polarization-maintaining optical fibers used for a laser diode redundancy system in a submarine optical repeater 86—58754
Sasaki, Y., Hosaka, T., Noda, J. Polarization-maintaining optical fibers used for a laser diode redundancy system in a submarine optical repeater 87—62985
Sasaki, Y., Itoh, K., Inoue, E., Kishi, S., Mitsuishi, T. A new experimental determination of the relationship between the Hall mobility and the hole concentration in heavily doped *p*-type silicon 88—19659
Sasaki, Y., Morimoto, H., Komaru, M. A study of GaAs FETs process using focused ion beam lithography 87—60259
Sasaki, Y., Morimoto, H., Komaru, M. Study of GaAs FET process using focused ion beam lithography 88—64596
Sasaki, Y., Morimoto, H., Onoda, H., Komaru, M., Kobiki, M., Mitsui, Y., Ishihara, O., Kato, T. Low noise GaAs MESFETs fabricated by focused ion beam lithography 86—53680
Sasaki, Y., Nagahama, K., Hosono, K., Katoh, T., Komaru, M. A high electron mobility transistor with a mushroom gate fabricated by focused ion beam lithography 88—63975
Sasaki, Y., Nagahama, K., Hosono, K., Katoh, T., Komaru, M. A high electron mobility transistor with a mushroom gate fabricated by focused ion beam lithography 88—71625
Sasaki, Y., Sato, T., Matsushita, K., Hariu, T., Shibata, Y. Photoluminescent determination of Mn concentration and its diffusion in semi-insulating GaAs 85—28956
Sasaki, Y., Tajima, K., Seikai, S. 26 km-long polarisation-maintaining optical fibre 87—32937
Sasaki, Y., Tajima, K., Seikai, S. Low-loss dispersion-shifted polarisation-maintaining fibres 87—38746
Sasaki, Y., Tajima, K., Tsubokawa, M., Suzuki, K. Crosstalk characteristics of a 100 km-long spliced polarisation-maintaining optical fibre 88—53250
Sasaki, Y., Tajima, K., Yokohama, I. Bidirectional optical transmission using polarised light waves 87—56134
Sasaki, Y., Takeuchi, Y., Marutake, M. Effects of the adhesive layer on a composite-bar resonator 88—33475
Sasaki, Y. *see* Aihara, R. 88—47910
Sasaki, Y. *see* Andoh, T. 86—31510
Sasaki, Y. *see* Funakoshi, H. 86—54683
Sasaki, Y. *see* Ghosh, G. 85—56301
Sasaki, Y. *see* Higashi, T. 88—22121
Sasaki, Y. *see* Hosaka, T. 85—18730, 86—2681, 86—9465
Sasaki, Y. *see* Ishibashi, M. 87—77016
Sasaki, Y. *see* Ishizuka, H. 88—21770
Sasaki, Y. *see* Isubokawa, M. 88—41621
Sasaki, Y. *see* Itoga, M. 88—15823, 88—41872
Sasaki, Y. *see* Itoh, K. 86—8737
Sasaki, Y. *see* Iwashita, K. 86—30784
Sasaki, Y. *see* Iwata, K. 85—10047
Sasaki, Y. *see* Kage, K. 85—63583
Sasaki, Y. *see* Kakegawa, K. 88—12089
Sasaki, Y. *see* Kato, T. 87—45731
Sasaki, Y. *see* Kobayashi, H. 86—49130
Sasaki, Y. *see* Kobiki, M. 86—27626
Sasaki, Y. *see* Minato, O. 87—59503
Sasaki, Y. *see* Morimoto, H. 85—12092, 85—23696, 85—40564, 86—35500, 87—17869, 87—38051, 87—38302
Sasaki, Y. *see* Nagahama, K. 88—32419
Sasaki, Y. *see* Narahara, A. 86—25703
Sasaki, Y. *see* Noda, J. 85—7229, 87—7118
Sasaki, Y. *see* Oguro, I. 88—39359
Sasaki, Y. *see* Ohtoshi, T. 85—7453
Sasaki, Y. *see* Okabe, K. 87—6286
Sasaki, Y. *see* Okada, M. 88—58269
Sasaki, Y. *see* Sugita, K. 86—19453
Sasaki, Y. *see* Tajima, K. 88—51445
Sasaki, Y. *see* Takada, K. 87—12135
Sasaki, Y. *see* Uehara, K. 86—58938
Sasaki, Y. *see* Yamano, M. 85—14421

Sasakura, H. *see* Kobayashi, H. 85−41252, 85−41254

Sasakura, H. *see* Konishi, R. 87−52210, 88−27970

Sasakura, H. *see* Shanker, V. 85−7314

Sasakura, K., Yasuda, K., Aoki, T. Allowable contact wear rate on gold-plated connector contacts 86−14614

Sasakura, K. *see* Sugita, E. 87−76724, 88−13890

Sasakura, T., Endo, Y. Quasi-ideal beam pattern transducer 88−16960

Sasama, H. *see* Fukuda, H. 87−57459

Sasama, H. *see* Uetani, Y. 86−6978, 86−19442

Sasami, T. *see* Furusawa, T. 88−29081

Sasamori, K. *see* Hayashi, K. 87−36061

Sasamoto, H., Tahara, K., Matsui, T., Takahashi, N., Ishikawa, Y. Test apparatus of flashover phenomena of DC machines by synchronized trigger control and test results 87−9574

Sasamoto, K. *see* Nakajima, T. 87−29928

Sasamoto, T., Senba, N., Ohnishi, O., Sato, A. A new type hybrid IC in a transfer-molded standard package 88−25743

Sasamoto, T. *see* Saito, Y. 88−59569

Sasamoto, T. *see* Yamanaka, M. 88−50561

Sasanishi, K. *see* Yamashita, H. 88−40414

Sasano, A., Matsumaru, H., Kaneko, Y., Tsukada, T. Phosphorus diffusion effect on off-current of a-Si thin film transistors 88−26301

Sasano, A., Yamamoto, H., Seki, K., Tanaka, Y., Baji, T., Tanaka, T., Matsumaru, H., Tsukada, T. Semitransparent metal-Si electrodes of a-Si:H photodiodes and their application to a contact-type linear sensor array 85−47861

Sasano, A. *see* Kaneko, Y. 87−25337

Sasano, A. *see* Koike, N. 86−5044

Sasano, A. *see* Toyabe, T. 87−46012

Sasano, A. *see* Tsukada, T. 85−50287

Sasano, H., Kasahara, M., Namekawa, T. Decoding error probability of maximum likelihood decoders on intersymbol interference channels 86−54449

Sasano, H., Kasahara, M., Namekawa, T. Decoding error probability of maximum likelihood decoders on intersymbol interference channels 88−8681

Sasano, K. An inspection apparatus for WHM test equipment 85−47805

Sasano, K., Furukawa, Y. High-precision standard watthour meter calibrating system 88−29505

Sasano, K., Yamada, H. Computing impulse counter for watthour meter test equipment based on a new measurement method 85−4009

Sasano, K. *see* Iguchi, T. 86−51159, 88−5409

Sasano, K. *see* Inoue, M. 88−29602

Sasano, K. *see* Kogane, M. 85−38583

Sasano, Y., Browell, E.V., Ismail, S. Error caused by using a constant extinction/backscattering ratio in the lidar solution 86−18568

Sasano, Y., Nakane, H. Quantitative analysis of RHI lidar data by an iterative adjustment of the boundary condition term in the lidar solution 87−34661

Sasano, Y. *see* Asai, K. 88−61665

Sasano, Y. *see* Iikura, Y. 87−42237 to 42238

Sasano, Y. *see* Likura, Y. 88−28955

Sasano, Y. *see* Saito, N. 86−25420

Sasano, Y. *see* Shimizu, H. 85−31100, 86−65523

Sasano, Y. *see* Takamura, T. 88−4119

Sasano, Y. *see* Yamada, Y. 86−12510

Sasanuma, H. *see* Sakon, T. 87−48467

Sasanuma, H. *see* Ueno, R. 87−48377

Sasanuma, S., Harada, T., Hatanaka, K. FACOM 2370 voice input system 85−25052

Sasanuma, T. *see* Tamae, T. 88−29753

Sasao, N. *see* Abe, K. 88−16629

Sasao, N. *see* Hemmi, Y. 87−63624

Sasao, N. *see* Homma, T. 87−57021

Sasao, N. *see* Kawai, H. 85−31699

Sasao, N. *see* Kobayashi, H. 88−61145

Sasao, N. *see* Konaka, A. 87−41862

Sasao, N. *see* Kumagai, N. *(editor)* 88−70021

Sasao, T. Tautology checking algorithms for multiple-valued input binary functions and their application 85−17336

Sasao, T. HART: a hardware for logic minimization and verification 86−46736

Sasao, T. On the optimal design of multiple-valued PLAs 86−57757

Sasao, T. MACDAS: multi-level AND-OR circuit synthesis using two-variable function generators 87−5833

Sasao, T. Logic design method for VLSI−design and test for programmable logic arrays 88−6751

Sasao, T. Design tools and systems for programmable logic arrays 88−38467

Sasao, T. Multiple-valued logic and optimization of programmable logic arrays 88−50088

Sasao, Y. *see* Kuriki, K. 85−64675

Sasaoka, C., Yoshida, M., Usui, A. Atomic layer epitaxy of GaAs using solid arsenic and DEGaCl 88−49834

Sasaoka, E., Suganuma, H., Tanaka, S. Polarization-maintaining fibers for fiber optical gyroscopes 88−65252

Sasaoka, H. A new method for measuring the AM/PM conversion coefficient of nonlinear amplifiers 85−22686

Sasaoka, H. Power spectrum of a phase-modulated wave by a Gaussian noise. I. An approximation of spectrum in the case of small phase deviation 85−25116

Sasaoka, H. Improvement in threshold performance in FM by the nonlinearity of a repeater 85−25718

Sasaoka, H. A new method of measuring the AM/PM conversion coefficient of nonlinear amplifiers 85−44906

Sasaoka, H. On the criterion of signal-to-noise power ratio suitable for evaluating the bit error rate performance 86−10654

Sasaoka, H. Review on the error sequence models of digital communication channels 86−68955

Sasaoka, H. Implementation of digital filter by using digital signal processor 88−12522

Sasaoka, H. New generation method of mutually correlated multipath fading waves 88−72553

Sasaoka, H., Cho, T., Hamamoto, N. In-orbit measurement of noise figure of on-board transponder. II. Measured result of CS transponder 85−3419

Sasaoka, H., Hamamoto, N., Nishigaki, T., Nishiyama, I., Yoshimoto, S. Spread spectrum multiple access communication experiments via the Japan's communication satellite (CS) 85−30971

Sasaoka, H., Hamamoto, N., Suzuki, R., Kubota, F. Consideration on the design of TDMA system in Experimental Mobile Satellite System (EMSS) for Communication using ETS-V satellite 86−49524

Sasaoka, H., Yokoyama, M., Sampei, S., Kamio, Y. Study of the advanced land mobile communications system applying TDMA technique 87−56010

Sasaoka, H., Yoshimoto, S., Hamamoto, N. Spread spectrum systems with reduction techniques of co-channel interference 85−3353

Sasaoka, H. *see* Inoue, T. 86−64904

Sasaoka, H. *see* Kamio, Y. 87−62823

Sasaoka, H. *see* Wakana, H. 86−17345

Sasaoka, K., Ogawa, K. Analytical study of electrical impedance plethysmography in peripheral blood flow 87−63789

Sasaoka, K. *see* Saito, T. 87−28976

Sasaoka, K. *see* Suda, Y. 88−42159

Sasaoka, M. *see* Morisawa, T. 85−25265

Sasaoka, M. *see* Sakai, Y. 88−21549

Sasaoka, M. *see* Yoshida, T. 86−37303

Sasaoka, S. *see* Ohyama, M. 85−25266

Sasase, I., Chalid, A., Yashima, H., Mori, S. Rate 2/3 coded nonuniform phase/frequency modulation 88−45871

Sasase, I., Feher, K., Mori, S. Asymmetrical pulse shaped QPSK modulation systems 86−10243

Sasase, I., Kuang-Tsan Wu, Feher, K. Comparison of improved efficiency 225-QPRS and 256-QAM in distorted channels 86−22874

Sasase, I., Li, J., Feher, K. Effect of carrier recovery and symbol timing recovery error on the performance of 256-QAM systems 87−27150

Sasase, I., Mori, S. Performance of staggered QOSRC modulation on a hard-limited satellite channel in the presence of uplink and downlink noise and intersymbol interference 85−19317

Sasase, I., Mori, S. Bandwidth efficient quadrature overlapped squared raised-cosine modulation 85−25012

Sasase, I., Mori, S. Signal-to-noise ratio of the power law nonlinear amplifier by the use of harmonic output components 87−59208

Sasase, I., Mori, S. The effect of timing error on coded partial-response channels 87−68926

Sasase, I., Mori, S. Signal-to-noise ratio of the power-law amplifier by the use of harmonic output components 88−25035

Sasase, I., Mori, S. Signal-to-noise ratio to nonlinearity followed by coherent detector and envelope detector 88−38402

Sasase, I., Mori, S. Rejection of multiple CW interference in QPSK systems using decision-feedback filters 88−46867

Sasase, I., Mori, S., Feher, K. Bandwidth efficient modulation technique by asymmetrical pulse shaping 85−41846

Sasase, I., Shinriki, M., Mori, S. Signal-to-noise ratio of arbitrary power-series envelope detector 87−12999

Sasase, I., Watanabe, M., Mori, S. Mobile antenna configurations for digital radio systems 86−23759

Sasase, I. *see* Honda, T. 87−69042, 88−34578

Sasase, I. *see* Kishi, T. 85−41837

Sasase, I. *see* Kuang-Tsan Wu 86−16103

Sasase, I. *see* Sreenath, K. 87−33590

Sasase, I. *see* Wu, K.-T. 88−34551

Sasase, I. *see* Yashima, H. 88−72726

Sasayama, S. Automation and high resolution lithography 85−7047

Sasayama, S. *see* Asada, N. 85−53238

Sasayama, T. A new evaluation method of second-breakdown resistibility in power transistors for automotive use 85−39280

Sasayama, T., Amano, M., Kurihara, N., Ohyama, Y., Suda, S., Shida, M. An experimental investigation of an electronic control system using new control algorithms [for automobile] 85−16358

Sasayama, T., Hirose, Y. Advanced technologies of automotive electronics 87−16134

Sasayama, T., Oho, S., Kuroiwa, H., Suzuki, S. Recent developments of optical fiber sensors for automotive use 88−43469

Sasayama, T., Oho, S., Kuroiwa, H., Suzuki, S. Recent developments of optical fiber sensors for automotive use 88−67813

Sasayama, T. *see* Amano, M. 87−72541

Sasayama, T. *see* Harashima, F. 87−31059

Sasayama, T. *see* Suzuki, S. 86−57007

Sasazawa, K., Honda, T., Yamaoka, N. Properties of a ceramic capacitor composed of Zn-Cu electrodes 86−67530

Sasazawa, K., Yamaoka, N. High-Q dielectric resonator sintered at low firing temperature 86−58038

Sasazawa, Y. *see* Shimomura, O. 87−58910

Sasburg, A.G. *see* Abu-Zeid, M.M. 87−14300

Sasciuk, A. *see* Koninas, A. 88−71301

Sasciuk, A.P. *see* Baranskii, P.I. 87−45561

Sasciuk, A.P. *see* Konin, A.M. 85−23393

Sase, T. *see* Kato, K. 87−59260, 88−50050

Sase, Y. *see* Ishida, A. 88−63292

Saseendran Pillai, P.R., Sridhar, C.S. Development of an automated array gain control system 86−38976

Sasek, M. Operational experience of the REACTORTEST-TRC device 88−38285

Sashchuk, A.P. *see* Rudaitis, V.G. 88−9945

Sashchyuk, A.P. *see* Liutovich, K.L. 88−32874

Sashida, N. *see* Kawabata, T. 88−30864

Sashida, N. *see* Takeda, M. 85−49019

Sashida, T. Ultrasonic motor 86−38983

Sashida, Y. *see* Hasegawa, T. 85−63650

Sashida, Y. *see* Shiobara, Y. 88−41370

Sashin, D. Noninvasive imaging of the coronary arteries using a dual-beam diode array radiography technique 86−50543

Sashin, D., Slasky, B.S., Sternglass, E.J., Bron, K.M., Herron, J.M., Kennedy, W.H., Boyer, J.W., Girdany, B.R., Simpson, R.W., Horton, J.A., Hoy, R.J., Fiest, J.H., Uretsky, B.F. Preliminary clinical studies using a self scanning linear diode array to obtain 1024×1024 digital radiographs 85−38060

Sashin, D. *see* Slasky, B.S. 88−29955

Sashital, S.R. Growth of single crystal layers of AgGaS$_2$ by liquid phase epitaxy using halide fluxes 85−44737

Sashital, S.R. Low resistivity silver thiogallate (AgGaS$_2$) layer growth by liquid phase epitaxy 86−34323

Sashital, S.R., Gentile, A.L. Liquid phase epitaxial growth of AgGaS$_2$ using chalcogenide (sulphide) fluxes 85−33447

Sashital, S.R., Stephens, R.R., Lotspeich, J.F. A multilayer AgGaS$_2$ structure for infrared (2-10 μm) electro-optic tunable filters: fabrication and performance 86−34319

Sashuk, A.P. *see* Baranskii, P.I. 87−17687

Sasi, P.R., Lakshmi Narayana, V., Parthasardhi, K., Narasimham, K.L., Bhuloka Reddy, S., Ramaniah, K.V. Measurement of a K-shell photoelectric cross sections using a direct method 87−57029

Sasi Sekhar, P.V. *see* Ramamoorty, M. 88−43182

Sasic, R. *see* Milanovic, V. 86−35410

Sasidharan, P. *see* Sivasankara Pillai, P.V. 85−33523

Sasidharan, V. Vibration monitoring 88−30636

Sasidharan Nair, K.G. *see* Sundara Murthy, H. 88−74912

Sasiela, R.J., Mooney, J.G. An optical phase reconstructor based on using a multiplier-accumulator approach 86−49016

Sasik, J. An automated measurement system for data collection and preprocessing 87−20850

Sasikumar, M., Radhakrishna Rao, K., Reddy, M.A. Large-signal instability in the switched-capacitor double-integrator biquad 85−17681

Sasikumar, M., Rao, K.R. A novel linear voltage controlled-resistor 86−1323

Saskevich, N.A. *see* Ivanov, N.A. 87−46820

Sasmor, L., Smith, E.D., Tarjan, P.P. The use of rule-like models for evaluating implanted pacemaker events 88−5016

Sasmor, L. *see* Smith, E.D. 88−5017

Sasnett, M.W. Comparing industrial CO$_2$ lasers 85−18842

Sasnett, M.W. Kilowatt-class CO$_2$ lasers meet present and future industrial needs 88−58446

Sasnett, M.W. *see* Gregory, A. 86−9770

Sasnoff, J.P. *see* Maloney, P.R. 86−35116

Saso, T. Input variable assignment and output phase optimization of PLAs 85−11189

Sasoh, I. Multi-channel sound modulator for USA TV 88−4175

Sasorova, Ye.V. *see* Malshenko, Yu.Ye. 85−42004

Sasov, A.M. *see* Bochvar, N.R. 85−22520

Sasov, A.M. *see* Kosolapova, T.Ya. 86−57489

Sasov, A.Yu. Computerized microtomography in scanning electron microscopy 86−24323

Sasov, A.Yu. Three-dimensional reconstruction of magnetic microfields by means of computerized microtomography methods 87−3727
Sasov, A.Yu. Microtomography. I. Methods and equipment 88−8829
Sasov, A.Yu. Microtomography. II. Examples of applications 88−8830
Sasov, A.Yu. *see* Koltun, M.M. 85−24396
Sass, A. High voltage electric equipment ensuring safety in case of arc short-circuit 86−61695
Sass, F. Expert system technology for ISDN/PABX acceptance testing 87−69856
Sass, J., Gaca, J., Wojcik, M., Klodas, K., Dymkowski, T. Diffractometric investigation of the modulated structure in Alnico-type permanent magnets 88−64885
Sass, J. *see* Albrow, M.G. 88−29872
Sass, K. From the history of engineer training at Mittweida 87−72733
Sass, K., Hoedtke, L. Electronic instrument manufacture at the Technical College Mittweida 87−16362
Sass, P.F., Brennan, W. Characteristics of good neighbours in a packet radio network 85−42437
Sass, S.L. *see* Milkove, K.R. 87−16628
Sassa, A. *see* Okabe, S. 85−22380
Sassa, K. *see* Tomizawa, K. 85−10661, 88−49790
Sassaman, K.A. *see* Kuo, D.-S. 85−45627
Sassano, A. *see* Bertolazzi, P. 88−18585
Sasse, E. *see* Casel, A. 88−25869
Sasse, E. *see* Haspeklo, H. 87−73074
Sasse, H.-E., Konig, U. XPS studies of dielectric films on InP and GaInAs 85−50435
Sasse, P. Repair and maintenance of electric power equipment. [Safety] 85−10418
Sasse, S. Teleprinters overcome worlds. Teleprinters 'made in China'—a result of successful German-Chinese cooperation 88−59499
Sassen, B. Cooling element for component chip 85−5793
Sassen, B. *see* Balliet, L. 85−18696
Sassen, B.N. *see* Ballou, R.V. 85−48024
Sassen, K. Ice cloud content from radar reflectivity 88−36666
Sasser, J.H. *see* de la Torre, J.C. 86−18602
Sasseville, A. *see* Eggleston, R.G. 87−21181
Sassi, A., Smith, R.A. Bridging the gap between elementary and middle school 88−18347
Sassi, D. *see* Cornago, F. 88−24114, 88−31055
Sassi, E. *see* Chioccariello, A. 85−5702
Sassi, G. Cascade solar cell structures: an alternative design 87−43446
Sassi, K., Tabbagh, A. Proposal of a remote sensing method for measuring soil moisture of bare soils in the frequency range 100 MHz-1 GHz 87−29943
Sassi, M. *see* Andreani, R. 88−32411
Sassi, M.B. *see* Kamoun, F. 87−48500, 88−21590
Sassi, M.Ben *see* Ben Sassi, M.
Sassi, M.P., Barbeau, N., Weiss, C.O. Self pulsing properties of optically pumped FIR NH_3 lasers 87−61070
Sassi, M.P., Bertinetto, F., Godone, A., Bava, E. Frequency measurement of the $CO_2R_1(32)$ line with respect to a 3.39 μm $He^{22}Ne/CH_4$ standard 86−3026
Sassi, M.P., Godone, A., Bertinetto, F. Mixing properties of MIM diodes in the infrared 87−44685
Sassi, M.P. *see* Bertinetto, F. 85−18826, 86−22333, 86−24661, 86−48355, 87−12406
Sassik, H. *see* Grossinger, R. 85−12477, 86−21951
Sasski, E.W. *see* Hartl, J.C. 88−42139
Sassmann, F. *see* Prochazka, J. 86−44842
Sasso, A. *see* Santamato, E. 86−63868, 87−54126
Sasso, G. *see* Graf, V. 88−56315
Sasso, L.M. *see* Anderson, D.R. 85−47342
Sasson, A.M. *see* Dopazo, J.F. 88−61844
Sasson, A.M. *see* Horton, J.S. 86−56363, 87−4269
Sasson, D. *see* Dubi, A. 87−65249
Sastri, V.M.K. *see* Banerjee, B. 88−62372
Sastri, V.V. *see* Chellamuthu, C. 85−60206
Sastroamidjojo, M.S.A. Present and future of astronomical science at Gadjah Mada University, central Java, Indonesia 86−30924
Sastry, A.R.K. Effect of acknowledgement traffic on the performance of slotted ALOHA-code division multiple access systems 85−13662
Sastry, A.R.K., Atkinson, M.W. Simulation of the IEEE 802.4 token passing bus protocol using SIMSCRIPT 86−23525
Sastry, A.R.K. *see* Atkinson, M.W. 88−9596
Sastry, A.R.K. *see* Franta, W.R. 85−8223
Sastry, A.R.K. *see* Gouda, M.G. 86−54984
Sastry, A.R.K. *see* Meyer, M.E. 85−62939
Sastry, A.R.K. *see* Wang, C. 87−40050
Sastry, C.K.Mohan *see* Mohan Sastry, C.K.
Sastry, C.V. *see* Subramanian, K.R. 87−76901
Sastry, C.V.K.S. *see* Muralikrishna, R.V. 86−65513
Sastry, D.L., Narayana, D.G.S., Satyanarayana, G., Seshagiri Rao, V. High resolution X-ray fluorescence spectrometer and trace element analysis 85−20877
Sastry, D.L., Satyanarayana, G., Bhuloka Reddy, S., Venkateswara Rao, N., Chinthalapudi, S.N. Mini-orange electron spectrometer for on-line studies 88−74770
Sastry, H.S.Y. *see* Padiyar, K.R. 85−32132, 87−9058, 87−35535
Sastry, M.D. *see* Dalvi, A.G.I. 85−12719 to 12720
Sastry, M.Hanumantha *see* Hanumantha Sastry, M.
Sastry, N.N., Deshpande, M.D. Resonant frequency of slots radiating into inhomogeneous media 88−964
Sastry, N.S.Narasimha *see* Narasimha Sastry, N.S.
Sastry, O.S., Dutta, V., Mukerjee, A.K., Chopra, K.L. Defect analysis in polycrystalline silicon solar cells 85−60428
Sastry, O.S., Mukerjee, A.K., Chopra, K.L. Spectral response inhomogeneities in large-area solar cells 85−53824
Sastry, O.S. *see* Khanna, V. 85−8709
Sastry, O.S. *see* Kumar, S. 87−1230
Sastry, P.Shanthi *see* Shanthi Sastry, P.
Sastry, S., Breuer, M. Analysis of BIST techniques for CMOS stuck open faults 88−33397
Sastry, S., Breuer, M. Analysis of BIST techniques for CMOS stuck-open faults 88−63663
Sastry, S., Kumar, V.K.P. A general purpose VLSI array for efficient signal and image processing 88−7709
Sastry, S., Parker, A. On the relation between wire length distributions and placement of logic on master slice ICs 85−762
Sastry, S., Parker, A.C. Stochastic models for wireability analysis of gate arrays 86−46450
Sastry, S. *see* Kumar, C.P.R. 88−63466
Sastry, S.S. *see* Salam, F.M.A. 85−18617, 85−56170
Sastry, S.Sreehari *see* Sreehari Sastry, S.
Sastry, V.A. *see* Kanodia, H.K. 88−75254
Sastry, V.A. *see* Rao, M.J.M. 86−45975
Sastry, V.R., Hill, D.V., Lee, C.J. Static VAR compensators for balancing the single phase traction loads in Central Queensland 87−30010
Sastry, V.Sankara *see* Sankara Sastry, V.
Sastry, V.U.K., Murthy, T.N.V. On the number of keys in minimal 2-3 brother trees 86−66698
Sastry, V.V. *see* Huang, H.H. 85−1549
Sastry, V.V. *see* Rao, P.V. 85−44046
Sastry, V.V. *see* Sadasivam, G. 85−60189
Sastryy, P.S. *see* Srinivasan, R. 87−62383
Sasu, M. Method of identification of the parameters of some processes in short-circuit testing stations 87−51843
Sasu, M. Analogue and analogue-hybrid solving of a parabolic equation, with applications to the radial symmetry systems 87−65428
Sasu, M. Mathematical analysis of the electric arc influence upon the circuit-breakers equivalent test circuit 88−24072
Sasu, M. Computer study of the electric arc behaviour under stable burning conditions 88−39750
Sasu, M. A tentative analysis of high-power turbogenerator stability using analogue computers 88−62202
Sasu, M., Sinca, I. Computation method for automatic processing of some experimental results [circuit breaker testing] 88−62520
Sasunkevich, V.A. *see* Grishin, Yu.I. 86−60595
Sasyuk, N.M. *see* Dodonov, A.G. 86−14095
Sata, N. Development of transmission systems 88−21481
Sata, S. *see* Miki, N. 86−16238
Sata, T. *see* Fukasawa, A. 87−3083
Sata, T. *see* Kanazawa, K. 88−18795
Sata, T. *see* Miyazaki, T. 85−56905
Sata, T. *see* Shimizu, H. 88−42695
Sata, T. *see* Takai, K. 87−58655
Sata, T. *see* Wakhara, T. 88−11525
Sataindra, S. *see* Kalluri, D. 86−64010
Sataindra, S. *see* Prasad, R. 86−3537, 86−20781
Sataka, M., Kawatsura, K. Characteristics of gas stripper cell for production of multi-charged ions 87−41810
Satake, K. *see* Suzuki, E. 87−55652
Satake, M. *see* Nemoto, Y. 86−3610, 88−40613
Satake, M. *see* Yoshikado, S. 88−53365
Satake, N. *see* Miyazaki, M. 85−20468
Satake, S. *see* Saito, I. 85−24150
Satake, T., Iri, E., Imada, Y., Shintani, T. Optical silica fiber connectors 86−58749
Satake, T., Kashima, N., Oki, M. Very small single-mode ten-fiber connector 88−33645
Satake, T., Matsumoto, M., Kobayashi, H. Techniques for joining optical fibers and cables in subscriber loops 86−49611
Satake, T., Nagasawa, S., Arioka, R. Loss analysis of a single-mode 5-fiber plastic connector 86−55308
Satake, T., Nagasawa, S., Arioka, R. A new type of demountable plastic-molded single-mode multifiber connector 87−7137
Satake, T., Nagasawa, S., Kashima, N. Design and characteristics of plastic moulded multi-fiber connector 85−46192
Satake, T., Nagasawa, S., Kashima, N. Single-mode 1×50 switch for 10-fiber ribbon 87−76807
Satake, T., Nagasawa, S., Kashima, N., Ashiya, F. Low-loss plastic molded optical multifiber connector for ribbon-to-single fiber fan-out 86−28812
Satake, T., Sankawa, I., Nagasawa, S. Optical fiber connectors for subscriber cables 87−34592
Satake, T., Sankawa, I., Nagasawa, S., Arioka, R. High-density and all-plastic connectors for optical fibers 87−8256
Satake, T. *see* Kashima, N. 88−26811
Satake, T. *see* Kimura, M. 85−41131
Satake, T. *see* Nagasawa, S. 86−4629, 87−7139, 87−62997, 88−9594
Satake, T. *see* Sankawa, I. 85−29605, 86−36140, 87−1942, 87−7138, 87−32985
Satake, T. *see* Yamasaki, S. 88−72068
Satake, Y. A telephone network overload control scheme using adaptive control 87−69579
Satake, Y., Yokoyama, M. A channel assignment control for packet-switched satellite communications based on load estimation 86−49060
Satake, Y. *see* Takeda, H. 86−16667, 86−59476
Satake, Y. *see* Yokoyama, M. 86−64376
Satala, M. *see* Gura, V. 86−14652
Satani, H. *see* Tago, N. 85−57920
Satanovskii, A.V. *see* Sotnikov, V.E. 86−13896
Satanovskii, V.R. *see* Batenin, V.M. 86−61750
Satanovskii, V.R. *see* Bityurin, V.A. 85−39216
Satapathy, J.K. *see* Prusty, S. 86−6308, 87−64155
Satchell, D.W. *see* Greenwood, J.C. 88−74336
Satchell, J.S. *see* Tapster, P.R. 87−74932, 88−45550
Satchell, S. 23 modems 87−20307
Satchell, S. High-speed internal modems 87−48750
Satchell, T. *see* Haskin, M.E. 86−32268
Sater, B. *see* Lillington, D.R. 88−36627
Sater, R.N., Kasten, B. Negotianeering—the human side of engineering 86−13390
Sathaye, J.A. Rural electricity in the Philippines planning issues 88−5272
Sathaye, S. *see* Burman, D.Y. 87−23303
Sathaye, S. *see* Lohrasbpour, E. 85−7055
Sathe, M. *see* Nguyen, D. 85−9987
Sathe, N.P. *see* Sharon, M. 85−5364
Sathe, S.D., Samson, A.A., Borkar, S.R., Dandekar, A.S., Paralkar, P.R., Tungare, S.D., Pappu, V.S., Shah, M.S. Power frequency tracking using microprocessors 88−23356
Satheeshkumar, M.K., Raghavan, C., Vallabhan, C.P.G. A high voltage solid state power supply system for a CW CO_2 laser with current stabilization 87−75185
Satheeshkumar, M.K., Vallabhan, C.P.G. Use of a photoacoustic cell as a sensitive laser power meter 85−41445
Sathi, A. *see* Uher, R.A. 85−10183
Sathi, H.L. *see* Chawla, M.M. 88−24667
Sathi, N. *see* Uher, R.A. 85−10183
Sathiakumar, S., Betz, R.E., Evans, R.J. Adaptive field oriented control of an induction machine using a one-step ahead controller 88−48951
Sathiakumar, S., Betz, R.E., Evans, R.J. A new online flux estimation technique in field oriented control [of induction machines] 88−48968
Sathiakumar, S., Biswas, S.K., Vithayathil, J. Microcomputer based control for VSI fed IM drive using flux Park vector 86−40214
Sathiakumar, S., Biswas, S.K., Vithayathil, J. Microprocessor-based field-oriented control of a CSI-fed induction motor drive 86−45744
Sathiakumar, S., Vithayathil, J. Microprocessor controlled true SPWM voltage source inverter 85−10024
Sathiakumar, S. *see* Biswas, S.K. 86−45561, 87−31029, 87−43525 to 43526, 87−58082, 88−11296, 88−11420, 88−30707
Sathianandan, K. *see* Radhakrishnan, P. 86−42610
Sathianandan, K. *see* Subhash, N. 85−2376
Sathiaseelan, V. High frequency techniques: deep heating with an annular phased array 87−63826
Sathiaseelan, V., Iskander, M.F., Howard, G.C.W., Bleehen, N.M. Theoretical analysis and clinical demonstration of the effect of power pattern control using the annular phased-array hyperthermia system 86−60738
Sathiaseelan, V. *see* Nussbaum, G.H. 87−57229
Sathiaseelan, V. *see* Watson, P.A. 87−76641
Sathpathy, R.K. *see* Saha, H. 88−17473, 88−37102, 88−62277
Sathre, B.A. Event-driven versus interrupt-driven flight simulation methodologies 88−16820
Sathy Anarayana, S. *see* Narayanan, S.R. 85−53806
Sathyamoorthy, M. *see* Boston, D.R. 86−66738
Sathyanarayan, S. *see* Narayanan, S.R. 88−69667
Sathyanarayan Rao, S. Interactive computer graphics-based software to support undergraduate signals and systems 85−32995

Sathyanarayan Rao, S. Interactive computer graphics-based software to support digital signal processing courses 87—33726
Sathyanarayana, P. *see* Prasad, K.P. 87—59766
Sathyanarayana, S. Ideally rechargeable cadmium electrodes for alkaline storage batteries 85—60394
Sathyanarayana, S. *see* Durga Prasad, M. 87—30911
Sathyanarayana, S. *see* Prasad, M.D. 87—64777
Sathyanarayana, S. *see* Vijayamohanan, K. 87—78890
Sathyendranath, S. *see* Viswambharan, N.K. 87—71397
Satija, L.C. Error probability in signalling line up of 12 channel groups 88—34951
Satija, S.M., Gupta, S.N., Jain, V.K. Satellite link design 87—34502
Satin, A. *see* Feess, B. 88—29003
Satish, S.R. *see* Lord, W. 85—10880
Satkiewicz, G. *see* Fristrom, R.M. 87—23780
Satnam, P.S. Failure of distribution transformers 85—48990
Sato, A. Making switches for consumer products, puts extra emphasis on looks, performance 86—1443
Sato, A. Tune survey tracking of a mini beta insertion for the TRISTAN electron-positron colliding machine 88—10206
Sato, A., Satoda, M., Ohkawa, K. Voice Mail System 87—7969
Sato, A., Ushigome, M., Matsumura, F., Yamaoka, S., Kato, R., Matsui, Y. High reliability hybrid IC 86—14740
Sato, A. *see* Noto, K. 85—41091
Sato, A. *see* Sasamoto, T. 88—25743
Sato, A. *see* Tanji, A. 85—5567
Sato, A. *see* Wake, M. 88—45018
Sato, A. *see* Watanabe, K. 87—53928
Sato, C., Kawakita, H. Numerical analysis of simultaneous nonlinear algebraic equations 87—16538
Sato, C., Kawakita, H. Numerical analysis of simultaneous nonlinear algebraic equations 88—49990
Sato, C. *see* Nomoto, K. 85—58178, 87—3215
Sato, C. *see* Takeda, Y. 88—12505
Sato, C. *see* Tsuge, M. 88—5224
Sato, E., Fukuda, Y. Development and supply of an optical fiber transmission system for ITV observation and control for the Kurobegawa Electric Power Corporation 87—70093
Sato, E., Isobe, H., Hoshino, F. High-intensity flash X-ray apparatus for biomedical radiography 86—65426
Sato, E., Isobe, H., Yanagisawa, T. Fundamental studies for the repetitional pulsed X-ray generator having variable spectra 88—54515
Sato, E., Isobe, H., Yanagisawa, T., Aizawa, Y., Yunokawa, Y., Arima, H., Hoshino, F. Flash energy subtraction technique using a thin metal filter 87—57049
Sato, E., Isobe, H., Yanagisawa, T., Hoshino, F. A serial-exposure type of high intensity flash X-ray generator having variable energies 87—57050
Sato, E. *see* Isobe, H. 85—64571, 87—57105, 88—42510, 88—42524, 88—54514
Sato, E. *see* Kubota, N. 88—63350
Sato, E. *see* Matsubara, O. 88—46773
Sato, E. *see* Tachi, S. 85—26416
Sato, E. *see* Takahashi, S. 86—47931, 88—33471
Sato, E. *see* Yano, T. 88—39778
Sato, E. *see* Yoshimura, S. 87—31552
Sato, E.-I. *see* Matsumoto, Y. 88—57374
Sato, F. Electronics insulation 87—32771
Sato, F., Imamoto, H., Asai, M., Inoue, T., Imanaka, K., Shimura, M. Low thermal expansion polyimide buried ridge waveguide AlGaAs/GaAs single-quantum-well laser diode 88—34027
Sato, F., Sunada, T., Chikawa, J. Laser annealing of GaP and GaAs in high-pressure argon gas ambients 85—12162
Sato, F. *see* Asai, M. 88—72322
Sato, F. *see* Aso, A. 88—19056
Sato, F. *see* Chikawa, J. 85—12099
Sato, F. *see* Chikawa, J.-I. 86—35529
Sato, F. *see* Hayashide, Y. 85—26687
Sato, F. *see* Imanaka, K. 87—39092
Sato, F. *see* Ito, H. 86—16666, 86—59474
Sato, F. *see* Kawamura, T. 85—45366
Sato, F. *see* Matsumura, T. 87—23593
Sato, F. *see* Saito, T. 88—16707
Sato, F. *see* Sato, K. 85—18220
Sato, F. *see* Sumitani, H. 88—75008
Sato, F. *see* Toriumi, M. 87—53613
Sato, G. Maxwell's electromagnetic equations and electromagnetic waves. I 85—51354
Sato, G. Maxwell's electromagnetic equations and electromagnetic waves. II. Visiting the cradles of radiocommunication 86—54245
Sato, G. MIC linearizer for satellite communications 86—69706
Sato, G., Kawakami, H., Tanaka, H. A study on microstrip antennas using moment method 86—36826
Sato, G., Shibata, C., Sekimukai, S., Wakabayashi, H., Mitsuka, K., Giga, K. Phase-controlled circular array heating equipment for deep-seated tumors: preliminary experiments 86—60739
Sato, G. *see* Kawakami, H. 85—2645, 85—24953, 86—68940, 87—7584, 87—47282, 87—47371, 88—8617
Sato, G. *see* Kawatami, H. 85—13229
Sato, G. *see* Murakami, H. 85—8527, 87—34487
Sato, G. *see* Ohmi, T. 88—18710
Sato, G. *see* Okamura, Y. 87—32428
Sato, G. *see* Yamamoto, H. 86—49776
Sato, H. Speech synthesis—simulation technique of human speech production 86—10288
Sato, H. Data transmission system 'SELWAY-30' 86—23489
Sato, H. Surface roughness measurement by SEM (scanning electron microscope) 86—24764
Sato, H. Large-bore electromagnetic flowmeter using multi-electrode structure 86—31372
Sato, H. Personal computer applications [in railway management] 86—52003
Sato, H. Recorder mounts thermal printer for digital recording 87—49808
Sato, H. Trends of new power device technology. VI 87—79027
Sato, H. Speech synthesis—text-to-speech transformation techniques 88—14622
Sato, H. Depolarizing resonance correction in polarized proton beam acceleration up to 5.0 GeV at the KEK PS 88—74681
Sato, H., Arakawa, D., Toyama, T., Hiramatsu, S. Pulsed quadrupole magnet system for the polarized beam acceleration at the KEK 12 GeV PS 88—47831
Sato, H., Ayusawa, K., Saito, M., Kawamura, K., Kawakami, I., Nihei, K. High dielectric constant ceramics applied to microwave resonators 88—24814
Sato, H., Dairiki, K., Hashinoki, K., Sugimoto, S. FD-1800 type ultrasonic flaw detectors with digital data processing 88—47624
Sato, H., Fujita, T. Spectral linewidth broadening due to self-modulation of the refractive index of semiconductor lasers 86—3128
Sato, H., Fujita, T., Fujito, K. Intensity fluctuation in semiconductor lasers coupled to external cavity 85—29866
Sato, H., Fujita, T., Ohya, J. Theoretical analysis of longitudinal mode coupling in external cavity semiconductor lasers 85—51163
Sato, H., Gamo, H. New SHG observation in vinylidene fluoride/trifluoroethylene copolymer film using a pulsed YAG laser 87—39214
Sato, H., Hiramatsu, S., Toyama, T., Akakawa, D., Sakamoto, H., Imai, K., Tamura, N. Internal polarimeters for the polarized proton beam at the KEK 12 GeV PS 86—31778
Sato, H., Hiramatsu, S., Toyama, T., Arakawa, D., Sakamoto, H., Imai, K., Tamura, N. Internal polarimeters for the polarized proton beam at the KEK 12 GeV PS 87—3816
Sato, H., Ishii, M. Cellular array processor CAP and its applications 87—44890
Sato, H., Kamioka, S. Output optimization for an optical fiber-coupled type CO_2 lasers 88—51865
Sato, H., Kanamori, H., Yoshioka, N., Kyoto, M., Nishimura, M., Suzuki, S., Watanabe, M., Kato, S., Kuwahara, T. Performance characteristics of VAD single mode fibers in mass production basis 85—56352
Sato, H., Kawabata, T. Information rates for Poisson point processes 88—14570
Sato, H., Kawase, M., Saito, M. Temperature dependence of the Faraday effect in As-S glass fiber 85—56275
Sato, H., Kawase, M., Saito, M. Fiber-coupled CO_2 laser for medical use 87—42002
Sato, H., Maekawa, H., Kato, K., Owaki, S. Differential ionization chamber for measuring tritium concentration over a wide range 86—32188
Sato, H., Maekawa, H., Kato, K., Tanaka, G., Owaki, S., Okada, T. Piled ionization chamber for selective measurement of radioactive gas with three β-ray energy groups 86—38705
Sato, H., Matsui, Y., Ohya, J., Serizawa, H. Bistability and intensity noise of semiconductor lasers due to weak optical feedback 88—45420
Sato, H., Minami, T., Hirai, J., Kuwabayashi, J. System design for advanced message services 87—13270
Sato, H., Morishita, S. Pseudo surface acoustic wave resonator for UHF range VCO 86—15321
Sato, H., Ohya, J. Theory of spectral linewidth of external cavity semiconductor lasers 86—68573
Sato, H., Okabe, T., Michii, K., Sakano, R. Subsystem ICs for Winchester disk drive 86—1180
Sato, H., Saito, T. Long-term cable and splice enclosure stability for subscriber underground distribution 87—8141
Sato, H., Shinomiya, Y. Development of a microcomputer based control system for an AC electric motor vehicle 86—6700
Sato, H., Tanabe, M., Mimaki, T. The fluctuations of the number and the interval length in the level-crossing problem 86—13634
Sato, H., Tanimoto, K., Bessho, M., Arai, H., Tsubol, Y. Hot-film-type fuel-flow sensor 85—31466
Sato, H., Tsuchida, E., Saito, M. Magnetooptic-effect analysis of optical fibers using intracavity scheme: application to KRS-5 in IR regions 85—35433
Sato, H. *see* Azumai, Y. 87—74794, 88—26812
Sato, H. *see* Fujita, T. 85—35779, 85—41392, 86—58936
Sato, H. *see* Hamanaka, T. 86—4662
Sato, H. *see* Hariu, T. 86—13766
Sato, H. *see* Hiramatsu, S. 85—48156, 87—3843
Sato, H. *see* Honda, T. 88—67819
Sato, H. *see* Hori, Y. 86—68537, 88—51894
Sato, H. *see* Hosono, Y. 87—59423
Sato, H. *see* Ikeda, M. 86—15681, 88—14176
Sato, H. *see* Inoue, H. 86—53996
Sato, H. *see* Ishihara, O. 87—48391
Sato, H. *see* Ito, S. 87—7117, 88—65211
Sato, H. *see* Kajiwara, T. 85—19912
Sato, H. *see* Kato, K. 87—59260, 88—50050
Sato, H. *see* Kawamura, A. 87—25044
Sato, H. *see* Kawamura, T. 87—63164
Sato, H. *see* Kawata, M. 85—8689
Sato, H. *see* Kobayashi, S. 86—27659
Sato, H. *see* Kodama, T. 87—12022, 87—25753, 87—60747, 88—12484
Sato, H. *see* Kohno, T. 86—23273
Sato, H. *see* Konishi, T. 88—39006
Sato, H. *see* Kumagai, O. 88—45428, 88—65710
Sato, H. *see* Maeda, K. 88—10523
Sato, H. *see* Matsuda, K. 85—46379
Sato, H. *see* Matsukawa, J. 87—3314
Sato, H. *see* Matsukawa, Y. 88—42660
Sato, H. *see* Matsuki, M. 88—51648
Sato, H. *see* Matsumura, T. 88—62800
Sato, H. *see* Mimaki, T. 85—19296
Sato, H. *see* Minami, T. 86—20090, 87—10497
Sato, H. *see* Miura, N. 87—50902
Sato, H. *see* Nagashima, T. 86—41475
Sato, H. *see* Nagata, S. 85—49088
Sato, H. *see* Nakamura, K. 87—1713
Sato, H. *see* Nishikado, I. 85—25686
Sato, H. *see* Nishimura, T. 87—10806, 87—17025
Sato, H. *see* Nishio, M. 86—62692
Sato, H. *see* Nokubo, J. 86—34797
Sato, H. *see* Ohki, H. 88—26129
Sato, H. *see* Ohya, J. 86—58948, 88—20678
Sato, H. *see* Oikado, T. 87—66840 to 66841
Sato, H. *see* Sagisaka, Y. 86—54473, 87—2489, 87—19625
Sato, H. *see* Saito, K. 85—31017
Sato, H. *see* Saito, T. 88—73775
Sato, H. *see* Semba, T. 86—52584
Sato, H. *see* Sugita, M. 87—3313
Sato, H. *see* Suzuki, H. 88—70345
Sato, H. *see* Takahashi, M. 87—45527
Sato, H. *see* Takahashi, N. 86—36551
Sato, H. *see* Tsuji, S. 85—58427
Sato, H. *see* Wakabayashi, T. 85—37212
Sato, H. *see* Yamada, S. 88—3733
Sato, I. Thin film media for hard disks 87—46365
Sato, I., Ishii, N., Susukida, H., Kiuchi, M. Development of small power loss ACSR with fin 86—65715
Sato, I., Matsumoto, H., Enomoto, A., Oogoe, T., Kakihara, K., Anami, S., Fukuda, T., Shidara, T., Saito, Y., Hanaki, H., Matsuda, N., Honma, H., Nakao, K., Nakahara, K., Urano, T., Abe, I., Ohtake, Y., Asami, A., Ohsawa, S., Ogawa, Y., Tanaka, J., Miyata, K., Kaneko, N., Terabayashi, N., Tanaka, H. Acceleration characteristics of the Positron Generator linac 87—41704
Sato, I., Matsumoto, K., Enomoto, A., Oogoe, T., Kakihara, K., Tanaka, J., Yamaguchi, N., Iiono, Y., Inoue, K. Accelerator guide of the Positron Generator linac 87—41782
Sato, I., Nakahara, K., Mastumoto, H., Enomoto, A., Oogoe, T., Kakihara, K., Yamaguchi, N., Iino, Y. Possibility of high field accelerator using a two port standing-wave accelerator tube 87—14653
Sato, I., Susukida, H., Maeyashiki, H., Yamazaki, K., Kiuchi, M. Development of Small Power Loss ACSR 85—38486
Sato, I., Tamagawa, S., Iwata, R. Broadbanding of rectangular metallic mesh quasi-optical diplexer by brick arrangement of apertures 85—13358
Sato, I., Tamagawa, S., Iwata, R. Quasi-optical diplexer by rectangular metallic mesh 85—45227
Sato, I., Tamagawa, S., Iwata, R. Noise temperature characteristics of dielectric loaded rectangular metallic mesh quasi-optical diplexer 86—48711
Sato, I., Terada, A., Ohta, S. Magnetic recording media for large capacity fast-access magnetic disk storage 88—39807
Sato, I., Terada, A., Ohta, S., Miyamoto, T. Magnetic recording media for large-capacity fast-access magnetic disk storage 87—60802
Sato, I., Yoneyama, T. Rotating machinery condition diagnosis system using acoustic emission techniques 88—23868
Sato, I. *see* Asami, A. 87—41781
Sato, I. *see* Enomoto, A. 87—14670
Sato, I. *see* Fukushima, Y. 85—64418, 86—31986

Sato, I. *see* Ishii, O. 87–60812
Sato, I. *see* Kubota, J. 88–38288
Sato, I. *see* Masaki, N. 88–55536
Sato, I. *see* Matsumoto, H. 88–54060
Sato, I. *see* Miyamoto, T. 88–57935
Sato, I. *see* Miyao, M. 86–18227
Sato, I. *see* Mochizuki, K. 87–1896, 87–60820, 88–57983
Sato, I. *see* Nakane, F. 87–60934
Sato, I. *see* Nieuwland, H.C.D. 85–39355
Sato, I. *see* Noto, K. 87–56722
Sato, I. *see* Ohara, S. 86–68157, 88–57933
Sato, I. *see* Ohsawa, S. 87–14686
Sato, I. *see* Onodera, S. 85–39357
Sato, I. *see* Oogoe, T. 87–14648
Sato, I. *see* Price, R. 86–69733
Sato, I. *see* Seo, Y. 87–41959
Sato, I. *see* Takeda, S. 86–5696
Sato, I. *see* Tsukada, H. 87–72623
Sato, I. *see* Yoshikawa, N. 86–25222
Sato, J. *see* Nagasawa, H. 88–30323
Sato, J. *see* Odawara, G. 85–683
Sato, J. *see* Takagi, T. 88–75506
Sato, J. *see* Yagi, Y. 88–55207
Sato, K. Recent trends in semiconductor manufacturing equipment 86–35779
Sato, K. A study on spectroscopic measurements of contact arcs 87–1024
Sato, K. Development of NIC nuclear power information system (NICS) 87–4495
Sato, K. Sequence and causes of accident of Chernobyl Nuclear Power Station 87–42602
Sato, K. Characteristics of computer generated hologram by direct laser recording 88–8347
Sato, K. Anisotropic etching of single crystal silicon 88–13131
Sato, K. Microscopic processing technology and micromechanics 88–31483
Sato, K., Aiga, M., Otsubo, M. Stability of amorphous silicon alloy triple-junction solar cells and modules 87–78905
Sato, K., Aoyagi, S., Kitami, T. Fiber optic video transmission employing square wave frequency modulation 85–47513
Sato, K., Aoyagi, S., Kitami, T. Fiber optic analog-digital hybrid signal transmission employing frequency modulation 85–47514
Sato, K., Asatani, K. Fiber optic analog video transmission using semiconductor laser diodes 85–25893
Sato, K., Echigo, H., Takagi, T. Fundamental study on a short distance measurement method by using a sinusoidal wave oscillator with light path as delay line 88–36235
Sato, K., Furukawa, T., Kasiwai, H. CVD-ZnS infrared dome 87–35089
Sato, K., Hirano, K., Fukutomi, T., Misaki, H. The carrier conduction characteristics of Si gate MNOS memory devices 87–24965
Sato, K., Hirano, K., Fukutomi, T., Misaki, H. Carrier conduction characteristics of Si gate MNOS memory device 88–12361
Sato, K., Inokuchi, S. Three-dimensional surface measurement by space encoding range imaging 85–58635
Sato, K., Inokuchi, S. Range-imaging system utilizing nematic liquid crystal mask 87–62379
Sato, K., Ishihara, M., Tanimura, N. The HM53462:64 kbit×4 dual-port video RAM with logic functions 87–37276
Sato, K., Itano, A., Fujita, M., Tojyo, E., Watanabe, S., Kodaira, M., Yamazaki, N., Yoshizawa, M., Kanazawa, M., Kurihara, T., Takanaka, M., Mizobuchi, A. RF system for 'Tarn II' 86–31985
Sato, K., Kawamoto, H., Yanagisawa, K., Matsumoto, T., Shimizu, S., Hori, R. A 20 ns static column 1 Mb DRAM in CMOS technology 86–14225
Sato, K., Kumagai, M., Ito, K., Watanabe, Y., Gocho, Y. An approach to optimal thermal design of superconducting generator rotor 87–9604
Sato, K., Matsuura, T., Noguchi, H., Uekubo, Y., Jitsumori, A., Usami, T. A radar system for surveying buried pipes and cables 88–60251
Sato, K., Miki, O., Iida, M., Nishikawa, H. A current sensor using a Hall generator for a low-voltage circuit breaker with a solid-state, static tripping device 86–31368
Sato, K., Mizusawa, J., Shigematsu, N., Kondo, Y. Hierarchical network data management architecture applied to the public telephone network 87–76231
Sato, K., Morita, M., Sato, F. Optical characterization of GaAs and GaP laser-annealed in high-pressure Ar atmosphere 85–18220
Sato, K., Nakada, H., Sato, Y. Variable rate speech coding and network delay analysis for universal transport network 88–52395
Sato, K., Nakanishi, H., Sanada, H., Tezuka, Y. D-SSQ: a queueing network simulator with parallel execution control 86–54905
Sato, K., Nakatsukasa, K., Watanabe, S. Characteristics of computer generated hologram by direct laser recording 88–51973
Sato, K., Onodera, R. General expressions for the numbers of spanning trees in iterative graphs classified by contact patterns of cells 86–26736
Sato, K., Onodera, R. Equi-potential transformation of a graph and its applications 87–36606
Sato, K., Onodera, R. General expressions for the numbers of spanning trees in iterative graphs classified by contact patterns of cells 87–65338
Sato, K., Onodera, R. The number of spanning trees in an iterative contact graph composed of general cells 87–65626
Sato, K., Onodera, R., Aoki, M. Algebraic theory of ideal coils on magnetic network and its application 86–14578
Sato, K., Ozaki, Y., Kida, T., Inokuch, S. Electro-optical active range finder 87–29017
Sato, K., Sato, T., Sone, H., Takagi, T. Relationship between bridge energy and metallic phase arc duration in electric contacts 87–52936
Sato, K., Sato, T., Sone, H., Takagi, T. Development of a high speed time-resolved spectroscope and its application to analysis of time-varying optical spectrum 87–70402
Sato, K., Shimada, S. A 20 mN-class ion engine [for geostationary satellite stationkeeping] 86–12121
Sato, K., Shimizu, H., Hatanaka, H. Experimental investigation of the frequency response of laminar proportional amplifiers 87–10707
Sato, K., Shimizu, K., Nakamura, Y., Oka, K., Nakamura, F., Kimura, T. A novel Bi-CMOS technology with upward and downward diffusion technique 86–15234
Sato, K., Shimizu, K., Nakamura, Y., Oka, K., Nakamura, F., Kimura, T. A novel Bi-CMOS technology with upward and downward diffusion technique 87–53584
Sato, K., Sone, H., Echigo, H., Takagi, T. A high-speed spectroscopic measuring apparatus for contact arc discharges using CCD image sensor 86–67556
Sato, K., Sone, H., Echigo, H., Takagi, T. High-speed spectroscopic measuring apparatus for contact arc discharges using CCD image sensor 87–63506
Sato, K., Sukegawa, T., Yamashina, M., Okuyama, T. AC motor drive systems for rolling mills 87–58485
Sato, K., Terai, M., Noda, T., Ozaki, M. A method of connectivity checking for MOS circuits considering logical equivalence 86–62567
Sato, K., Tsuyuki, S., Miyanaga, S. Fiber optic analog transmission techniques for broadband signals 85–3238
Sato, K., Umino, S., Tsubouchi, K., Mikoshiba, N. Low temperature growth of epitaxial AlN films on sapphire 87–5425
Sato, K., Yamamoto, H., Inokuchi, S. Tuned range finder for the high precision 3D data 87–49579
Sato, K., Yamamoto, S., Kamada, O., Nakamura, H. Optical method of measuring angular displacement using two photodiode arrays 85–15022
Sato, K., Yamamoto, S., Kamada, O., Ochi, M. Optical method of measuring angular displacement using four photodiode arrays 85–20721
Sato, K., Yasumura, Y. Study of forward *I-V* plot for Schottky diodes with high series resistance 86–9083
Sato, K., Yoshikiyo, H., Aoki, K., Ohira, F. Inductance measurement of microconnectors for Josephson packaging using a resonance method 87–3711
Sato, K. *see* Aoyagi, S. 85–14290
Sato, K. *see* Chubachi, Y. 85–39781
Sato, K. *see* Doi, M. 87–60945, 88–58207
Sato, K. *see* Funakoshi, H. 86–54683
Sato, K. *see* Hashimoto, N. 88–14022
Sato, K. *see* Hattori, T. 87–41685
Sato, K. *see* Hayakawa, K. 87–14671
Sato, K. *see* Hayashi, T. 85–17348
Sato, K. *see* Hishii, M. 88–8120
Sato, K. *see* Iida, M. 85–60369
Sato, K. *see* Inokuchi, S. 85–36413
Sato, K. *see* Inoue, K. 86–59891
Sato, K. *see* Ishihara, H. 86–17087, 87–8289
Sato, K. *see* Ishihara, T. 88–37502
Sato, K. *see* Itaya, Y. 87–39090
Sato, K. *see* Ito, K. 88–55290
Sato, K. *see* Kabetani, K. 86–30946
Sato, K. *see* Kaneko, M. 88–51596
Sato, K. *see* Kato, I. 88–72011
Sato, K. *see* Kawaguchi, K. 86–69446
Sato, K. *see* Kawaguchi, T. 86–41828
Sato, K. *see* Kawano, M. 88–58159
Sato, K. *see* Kimata, Y. 85–25392
Sato, K. *see* Kobayashi, S. 87–36092
Sato, K. *see* Koizumi, S. 86–65254
Sato, K. *see* Komine, Y. 85–42972, 88–29414
Sato, K. *see* Komiyama, K. 88–59096
Sato, K. *see* Komori, M. 88–36557
Sato, K. *see* Kumagi, M. 87–30496
Sato, K. *see* Kuramitsu, Y. 87–699
Sato, K. *see* Kuroda, K. 85–50878, 87–25890
Sato, K. *see* Matsui, M. 88–6832
Sato, K. *see* Matsuzaki, T. 86–14745
Sato, K. *see* Misawa, Y. 88–39642
Sato, K. *see* Murahashi, T. 85–27629, 86–40072
Sato, K. *see* Nagura, K. 85–51763, 86–69155
Sato, K. *see* Nakamura, G. 86–33665
Sato, K. *see* Nakamura, N. 86–52921
Sato, K. *see* Nakamura, Y. 86–37530
Sato, K. *see* Nakao, M. 88–51809
Sato, K. *see* Nakashima, H. 85–30953
Sato, K. *see* Nakashima, K. 86–37381
Sato, K. *see* Nishida, T. 86–40860
Sato, K. *see* Nishimura, S. 85–31175
Sato, K. *see* Nogami, K. 87–10860
Sato, K. *see* Obata, S. 88–60495 to 60496
Sato, K. *see* Odagiri, Y. 88–41664
Sato, K. *see* Ogawa, K. 86–11847
Sato, K. *see* Oishi, M. 87–68471
Sato, K. *see* Okabe, T. 86–32407
Sato, K. *see* Okamoto, A. 88–40356
Sato, K. *see* Okazaki, K. 85–12364
Sato, K. *see* Onodera, R. 87–59116
Sato, K. *see* Onuki, T. 88–11898
Sato, K. *see* Ozaki, M. 85–1704
Sato, K. *see* Sakurai, T. 85–50142, 88–6877
Sato, K. *see* Sasaki, S. 85–59767
Sato, K. *see* Sato, W. 88–13491
Sato, K. *see* Sato, Y. 88–73406
Sato, K. *see* Sawada, K. 88–32193
Sato, K. *see* Shigyo, N. 87–60393
Sato, K. *see* Shimba, M. 87–68902, 87–75602
Sato, K. *see* Shiono, N. 87–31887
Sato, K. *see* Sorimachi, H. 86–14563
Sato, K. *see* Sugita, K. 87–60944
Sato, K. *see* Tadauchi, M. 85–30654, 86–23400, 87–48508
Sato, K. *see* Takahashi, Y. 88–28548
Sato, K. *see* Takata, T. 86–52839
Sato, K. *see* Takeda, M. 87–77213
Sato, K. *see* Takemura, T. 86–47315 to 47316, 86–53074, 87–45307
Sato, K. *see* Tamagawa, S. 88–60096
Sato, K. *see* Tanabe, T. 86–24990
Sato, K. *see* Terai, M. 85–22598, 86–29688, 87–59084
Sato, K. *see* Tomiyasu, H. 88–51328, 88–64932
Sato, K. *see* Toyoda, K. 85–41090
Sato, K. *see* Tsunoda, J. 87–55026
Sato, K. *see* Yamaguchi, A. 87–62138
Sato, K. *see* Yamamoto, H. 87–48085
Sato, K. *see* Yasukawa, S. 88–37678
Sato, K. *see* Yoshida, S. 88–37597
Sato, K.I. *see* Momota, H. 85–46104
Sato, K.I. *see* Satow, T. 85–62270
Sato, M. Choose coil winding machines capable of saving resources 86–58087
Sato, M. Surface-mount quartz crystal units and oscillators 86–63513
Sato, M. A parallel method for optimization–dual simplex method 86–66753
Sato, M. Pseudo-Hadamard transform 86–69171
Sato, M. An optimal design method for incompressible EFD electric power generation duct 87–9873
Sato, M. Crystal oscillators: miniaturized and sophisticated 87–53830
Sato, M. Structural design of resin gas-tight dam for optical fiber cables 87–56185
Sato, M. Formation of uniformly sized liquid droplets using spinning disk under applied electrostatic field 88–27413
Sato, M. Structural design of resin gas-tight dam for optical fiber cables 88–35470
Sato, M., Aiko, O. SAW devices–materials, processes and products 88–44939
Sato, M., Akasaka, H. Recording characteristics of amorphous RE-TM double-layered films 86–42119
Sato, M., Arita, Y. The $SiCl_4$ plasma analysis in reactive ion etching 85–18252
Sato, M., Arita, Y. Step smoothing by radical and ion assisted chemical vapor deposition 87–10496
Sato, M., Arita, Y. Double-source excited reactive ion etching and its application to submicron trench etching 87–32435
Sato, M., Arita, Y. Etched shape control of single-crystal silicon in reactive ion etching using chlorine 88–26065
Sato, M., Eguchi, H., Ishigami, S., Yamamoto, K. Low profile glass packaged crystal unit 86–42039
Sato, M., Ishikawa, Y., Nishitani, T., Kato, T., Saita, H., Aoki, Y. A single chip signal processor for CCITT standard ADPCM codec 86–10847
Sato, M., Kaga, A., Akagami, H. AC minimum flashover voltages and wave number of occurrence of local discharges prior to flashover on polluted insulators 85–40963
Sato, M., Kaga, A., Akagami, H. Relation between AC flashover voltage and voltage build-up rate on rectangular polluted surfaces [insulators] 85–48604
Sato, M., Kuwaki, N. A study on impulse noise induced in indoor wires from AC power cords 87–12740
Sato, M., Mizui, J., Yonezu, H., Tazima, T. Effects of plasma motions on transport of high-voltage pulse power through a slender self-magnetically insulated transmission line 86–50998
Sato, M., Nakamura, H., Yoshikawa, A., Arita, Y. Radical generation mechanism and radical effect on aluminium anisotropic etching in $SiCl_4$ reactive ion etching 88–1544

Sato, M., Ogata, M. Texture analysis by the self-organization method 85−36453
Sato, M., Ohtsuki, T. An algorithm for partitioning polygonal regions in VLSI pattern design 86−62365
Sato, M., Ohtsuki, T. An O(*n* log *n*) algorithm for LSI layout resizing problems 86−63395
Sato, M., Ohtsuki, T. Gridless routers−two-layer routing methods without using grid graph 86−66925
Sato, M., Ohtsuki, T. Applications of computational geometry to VLSI layout pattern design 88−20034
Sato, M., Onisawa, Y., Niwa, H., Tsukane, N., Toba, H. Reliability of magneto-optical memory disks 88−2071
Sato, M., Oohara, K., Haruta, K., Kanemaki, N. Document communications processing system for in-house use 87−13294
Sato, M., Saito, H., Kaga, A., Akagami, H. AC flashover characteristics on trapezoidal contamination models of actual insulators 88−33417
Sato, M., Sakanaka, J., Ohtsuki, T. A fast line-search method based on a tile plane 87−67502
Sato, M., Sasaki, H. Hierarchical estimation of displacement vectors in image sequences 86−69168
Sato, M., Sato, R. Transient responses between a *V*-antenna and a collinear dipole antenna 85−19250
Sato, M., Sato, R. Analysis of transient responses between coupled dipole antennas by using a simple equivalent circuit 86−3641
Sato, M., Sato, R. A new equivalent circuit representing electrical discontinuities of a dipole antenna 86−3698
Sato, M., Sato, R. Transient response between dipole antennas with a parasitic element 86−68936
Sato, M., Sema, T., Ninomiya, T., Makino, H., Endo, K. Laboratory combustion study on utilization of EDS coal-derived liquid fuels in utility boilers 85−15890
Sato, M., Suzuki, M. Effect of boundary layer thickness on the photoluminescence spectra of GaAs grown by MOCVD 87−31531
Sato, M., Suzuki, M. Numerical analysis of group-V element transport and incorporation at a growing surface in a MOCVD reactor 87−36747
Sato, M., Suzuki, M. Growth rate of GaAs epitaxial films grown by MOCVD 87−73133
Sato, M., Tabei, M., Ueda, M., Hara, N. Shape discrimination of mechanical parts using spectral analysis of forced vibration 88−74595
Sato, M., Tachibana, M., Ohtsuki, T. An algorithm for resizing polygonal regions and its applications to LSI mask pattern design 85−12340
Sato, M., Tachikura, M. Local measurement of optical-fiber splice loss by light launching at spliced point 85−46174
Sato, M., Tachikura, M. Allowable fusion splice loss in multi-spliced optical transmission lines 86−9527
Sato, M., Tachikura, M. A method for measuring fusion splice losses of multimode optical fibers using light injection into spliced portion 88−1945
Sato, M., Tatsukawa, S., Niwa, H., Tsukane, N., Mitani, T., Toba, H. Write/read characteristics of magneto-optical disks 88−58261
Sato, M., Tatsukawa, S., Tsukane, N., Mitani, T., Toba, H. NdDyFeCo for high performance magneto-optical disk 88−45232
Sato, M., Tokumaru, Y., Iijima, Y., Mukunashi, H., Nagata, A., Okube, J., Ogata, T. The STAC method a new splicing method for communications cables 85−36881
Sato, M., Tominaga, H. Pseudo line-image coding and drawing method based on fractal theory 88−59326
Sato, M., Tsukane, N., Tokuhara, S., Toba, H. Magneto-optical memory disk using plastic substrate 85−51010
Sato, M., Tsukane, N., Tokuhara, S., Toba, H. Magneto-optical memory disk using plastic substrate 86−63553
Sato, M., Tsukui, R., Omata, K. A fast stabilization method and its algorithm based on the observation of generator dynamics 85−64939
Sato, M., Wada, T., Kawarada, H. A hierarchical representation of random waveforms by scale-space filtering 87−61938
Sato, M., Yamanaka, M., Hayashi, Y. Growth of a-Si:H by low frequency glow discharge decomposition of monosilane 86−26875
Sato, M., Yoshida, N., Fukai, I. Transient analysis of ultrasonic transducers by Bergeron's method 88−30194
Sato, M., Yoshida, N., Fukai, I. Transient analysis of three-dimensional isotropic elastic media by nodal equations 88−51097
Sato, M., Yoshikawa, K., Mori, S., Kanzaki, K. Gate current injection in submicron EPROM cells 85−49900
Sato, M. *see* Abe, K. 88−16629
Sato, M. *see* Aikawa, N. 88−38634
Sato, M. *see* Anan, S. 86−23647
Sato, M. *see* Asano, T. 87−53648
Sato, M. *see* Clements, J.S. 86−42003, 87−46250
Sato, M. *see* Dai, W. 87−65711
Sato, M. *see* Dai, W.-M. 87−65737, 88−26425
Sato, M. *see* Enomoto, T. 87−59594
Sato, M. *see* Fuji, T. 86−4085, 86−69046
Sato, M. *see* Fujii, S. 87−10857, 87−17092
Sato, M. *see* Fuzita, H. 86−70704
Sato, M. *see* Haruta, K. 86−54823
Sato, M. *see* Hayashi, Y. 86−26874
Sato, M. *see* Heising, C.D. 88−23684
Sato, M. *see* Hirano, Y. 86−34712
Sato, M. *see* Hori, T. 85−58119
Sato, M. *see* Horiike, Y. 85−18440
Sato, M. *see* Ichikawa, T. 86−31337
Sato, M. *see* Inaba, M. 88−19625
Sato, M. *see* Ishikawa, A. 87−5183
Sato, M. *see* Kaga, A. 85−1766, 85−40965, 86−42002
Sato, M. *see* Kanemaki, N. 87−34074
Sato, M. *see* Kikuchi, J. 86−3572, 86−23987, 87−47230
Sato, M. *see* Komuro, M. 85−20786
Sato, M. *see* Kudo, Y. 88−21983
Sato, M. *see* Kuwaki, N. 86−29442, 87−48844
Sato, M. *see* Masuda, S. 85−29376, 87−11990
Sato, M. *see* Matsumoto, M. 88−45139
Sato, M. *see* Matsumoto, T. 88−53500
Sato, M. *see* Mikuriya, K. 87−41350
Sato, M. *see* Miura, H. 87−63172
Sato, M. *see* Miwa, H. 87−14975
Sato, M. *see* Mohri, N. 88−48948
Sato, M. *see* Mori, S. 85−49895, 86−41977, 87−25474
Sato, M. *see* Morishita, S. 85−52169
Sato, M. *see* Murata, M. 86−13211
Sato, M. *see* Nakagawa, Y. 88−64455
Sato, M. *see* Nakagawa, Z. 88−57540
Sato, M. *see* Nakano, H. 87−47277
Sato, M. *see* Nakano, M. 85−57857
Sato, M. *see* Nakata, Y. 86−67896
Sato, M. *see* Nishikawa, H. 88−30872
Sato, M. *see* Oba, Y. 88−74192
Sato, M. *see* Ogawa, K. 86−11847
Sato, M. *see* Ohtsuki, T. 85−40873
Sato, M. *see* Ohya, A. 88−72173
Sato, M. *see* Okada, K. 87−31817
Sato, M. *see* Ondoh, T. 88−34337
Sato, M. *see* Oyama, A. 88−74191
Sato, M. *see* Saito, J. 88−45239
Sato, M. *see* Saito, S. 86−8257
Sato, M. *see* Sakata, I. 85−41234
Sato, M. *see* Sawada, F. 88−35861
Sato, M. *see* Shimizu, H. 85−21030
Sato, M. *see* Tada, E. 88−65037
Sato, M. *see* Tai, I. 86−65894
Sato, M. *see* Takano, H. 88−41741
Sato, M. *see* Tamura, A. 88−12934
Sato, M. *see* Tazima, T. 87−8811
Sato, M. *see* Uo, K. 85−32808
Sato, M. *see* Ushirokawa, A. 87−47644
Sato, M. *see* Yamamoto, M. 87−11533, 87−56510
Sato, M. *see* Yamamoto, T. 85−39101
Sato, M. *see* Yamanaka, M. 85−39787
Sato, M. *see* Yamashina, M. 87−62392
Sato, M. *see* Yamauchi, Y. 85−30501, 86−43844, 87−2670, 87−76727
Sato, M. *see* Yoshikawa, K. 85−49879
Sato, M. Optical power meter subminiaturization technology 88−4530
Sato, N. NEC display devices 86−5391
Sato, N. High frequency drive lightweight grinder 'super grinder' 86−13213
Sato, N. Improvement of starting method of feeder circuit fault locator at individual inspections 88−11433
Sato, N., Aoki, Y., Miyaoka, S. Magneto-optical recording on Tb-Fe based thin films 85−29440
Sato, N., Habu, K., Oyama, T. Magneto-optical recording on amorphous rare earth-transition metal thin films with an artificially layered structure 88−58260
Sato, N., Hayashi, Y. Asymmetrical gating of power converter for superconducting energy storage 86−12920
Sato, N., Ishimori, M., Maruyama, K., Suzuki, T. CHILL compiler enhancement and evaluation 85−42358
Sato, N., Kishimoto, N., Takahashi, K. Transmission performance design of evolving telephone networks 88−3446
Sato, N., Murakami, H. Transmission loss design for non-telephone services in the telephone network 86−37601
Sato, N., Murakami, H. Transmission loss design for non-telephone services in the mixed analog/digital telephone network 87−7975
Sato, N., Nawata, T., Wada, K. A new programmable cell utilizing insulator breakdown 86−46851
Sato, N., Razeghi, M., Suzuki, T., Yokoo, K., Ono, S. Proposal of a high efficient and high power peniotron 86−21052
Sato, N., Seki, K., Inokuchi, H. Simple gun for vapor deposition of organic thin films 87−52196
Sato, N., Sugawara, Y., Yokosuka, H., Seto, K., Katayose, H. Light weight, high tensile strength and high mobility optical cable 86−49638
Sato, N., Takano, T., Akasaka, K., Saito, M., Inoue, S., Takahashi, K. Wire electrode for WEDM 'FULLACE' 86−7333
Sato, N., Tanaka, M., Hara, K. The improvement of marine traffic survey using radar and the way of its analysis 88−28940
Sato, N. *see* Aoki, Y. 86−28921
Sato, N. *see* Azumi, K. 86−26864
Sato, N. *see* Furuhashi, T. 86−34857
Sato, N. *see* Hamanaka, T. 86−4662
Sato, N. *see* Hayashi, Y. 85−27490, 86−39965, 87−9541
Sato, N. *see* Hiyama, K. 86−54908
Sato, N. *see* Koishihara, S. 86−70683
Sato, N. *see* Kubota, M. 85−13764
Sato, N. *see* Matsui, K. 85−49011
Sato, N. *see* Monta, K. 85−21337
Sato, N. *see* Nakane, Y. 85−50897
Sato, N. *see* Nakano, K. 86−49435
Sato, N. *see* Okagawa, S. 86−42334
Sato, N. *see* Okuyama, T. 88−15832
Sato, N. *see* Razeghi, M. 86−14807
Sato, N. *see* Sakashita, M. 86−2039
Sato, N. *see* Takai, T. 88−53224
Sato, N. *see* Tsukada, T. 88−15794
Sato, N. *see* Umida, H. 86−26036 to 26037
Sato, N. *see* Wada, A. 88−45140
Sato, O. *see* Mizutani, T. 85−64881
Sato, R., Arai, M., Kihara, T., Higurashi, K., Kawai, J. Development and supply of termination for DC withstand voltage testing of UHV underground cables 87−71651
Sato, R., Higurashi, K., Fujiwara, Y., Shinagawa, J., Hirai, S., Takeuchi, K. Oil circulation test of internal and direct cooled oil-filled cables 85−38512
Sato, R., Murata, K. Cylindrical rainbow hologram 85−56858
Sato, R., Murata, K. Multiplex holography using image fiber 86−36591
Sato, R., Saito, N., Togami, Y. Magnetic anisotropy of Gd-R-Co (R=Tb, Dy, Ho, Er) thin films 86−63533
Sato, R., Takamatsu, T. An electret switch 86−53871
Sato, R. *see* Endo, I. 85−24887, 88−38362
Sato, R. *see* Hamaguchi, M. 85−17786
Sato, R. *see* Iwakura, H. 85−6419, 85−23042, 87−952, 87−6090
Sato, R. *see* Kami, Y. 85−13169, 85−63481, 86−15988, 87−26887, 87−26892, 87−33469, 88−14455, 88−52252
Sato, R. *see* Kikuchi, J. 86−3572, 87−47230
Sato, R. *see* Kobayashi, K. 85−62858, 86−10235, 87−7638
Sato, R. *see* Masaki, N. 88−55536
Sato, R. *see* Minegishi, S. 86−3568
Sato, R. *see* Nagasawa, Y. 86−31627, 86−42810, 87−49908, 87−69098
Sato, R. *see* Naito, F. 85−63482
Sato, R. *see* Nakamura, T. 85−13224, 87−47249
Sato, R. *see* Nakao, M. 88−68425
Sato, R. *see* Nemoto, Y. 86−3610, 86−20231, 87−28485, 88−40613
Sato, R. *see* Nishizuka, N. 86−1424, 88−50443
Sato, R. *see* Noji, H. 88−75785
Sato, R. *see* Saito, N. 86−63532
Sato, R. *see* Sato, M. 85−19250, 86−3641, 86−3698, 86−68936
Sato, R. *see* Sato, S. 86−9631
Sato, R. *see* Shimamura, Y. 87−64192
Sato, R. *see* Tanno, K. 85−19572
Sato, R. *see* Togami, Y. 86−63527
Sato, R.N., Sokolich, M., Doudoumopoulos, N., Duffey, J.R. Gallium-arsenide E- and D-MESFET device noise characteristics operated at cryogenic temperatures with ultralow drain current 88−50876
Sato, R.N., Sokolich, M., Le, H.M., Yang, H.T., Levy, H.M., Worley, E.R. Performance of carry lookahead generator circuit fabricated with gallium arsenide 87−44749
Sato, S. Information and transmission 87−12864
Sato, S. LED Application for display devices 87−14396
Sato, S. Information and communication 87−27164
Sato, S. Load facilities—information and transmission. III 87−28265
Sato, S. Information and data tranmission 87−56121
Sato, S. Problems in improving crystal resonators reliability 88−39776
Sato, S., Abe, T., Kiyota, M., Fujioka, T. Multihundredwatt self-sustained discharge-pumped CW CO laser with closed-cycle subsonic flow 85−56550
Sato, S., Fujioka, T., Saito, H. High-power closed-cycle subsonic CW CO laser excited by a transverse self-sustained discharge 85−35668
Sato, S., Fukuda, A. Influence of delay and periodic observation in the input control of parallel queues with common service process 87−72901
Sato, S., Fukuda, A. On the influence of early departures on the system performance of parallel queues with common service process 88−18562

Sato, S., Hamamoto, M., Speidel, S., Iwata, S., Uchiyama, S. Orthorhombic magnetic anisotropy in $(EuBi)_3Fe_5O_{12}$ garnet (110) films 87−60793
Sato, S., Hayakawa, S., Lange, A.E., Matsumoto, T., Matsuo, H., Murakami, H., Richards, P.L. Horn antenna with low sidelobe response for observations of diffuse celestial radiation 87−26994
Sato, S., Kakizaki, A., Miya, T., Morioka, Y., Yamakawa, T., Ishi, T. Transit times of pressure waves in an acoustic delay line 86−5675
Sato, S., Kitamura, H. Electron storage rings and beam lines for synchrotron radiation 85−31647
Sato, S., Kiyota, M., Fujioka, T., Saito, H. Improved performance of a closed-cycle self-sustained discharge-excited cw CO laser 86−15630
Sato, S., Koide, T., Kanaya, N., Niwano, M., Nagakura, I. A vertical wiggler beamline and a dual purpose beam port for mirror tests and infrared spectroscopy 86−60458
Sato, S., Kushima, M. Liquid-crystal electric and magnetic field sensors 87−41479
Sato, S., Okazaki, T., Shirasaka, T., Okubo, K. New ultrasound diagnostic equipment series with enhanced diagnostic functions 86−11961
Sato, S., Sugawara, J. Fluorescent color display properties in nematic-cholesteric liquid crystal mixtures 85−4053
Sato, S., Sugiyama, A., Sato, R. Variable-focus liquid-crystal Fresnel lens 86−9631
Sato, S., Suzuki, Y.. Color display properties in fluorescent display devices by nematic liquid-crystal cells 87−56773
Sato, S., Suzuki, Y., Takizawa, Y. Development of the speaker-dependent voice activated dialing equipment 88−73848
Sato, S., Takahashi, H., Machida, Y., Goto, G. On-chip testing for 30K-gate masterslice 86−67178
Sato, S., Takahashi, H., Machida, Y., Goto, G., Nakamura, T., Shirato, T. On-chip testing for 30K-gate masterslice 87−687
Sato, S., Togashi, M., Watanabe, K., Aoki, T. Color scanner for facsimile broadcasting 87−7998
Sato, S., Ueda, T., Yamashita, M., Kaji, T. Protocol validation system for teletex terminal 86−30294
Sato, S., Watanabe, S., Fujioka, T., Saito, M., Sakuragi, S. High power, high intensity CO infrared laser transmission through As_2S_3 glass fibers 86−48077
Sato, S., Yamamasu, Y., Koga, M., Yoshida, T., Shiozawa, S. Development of molten carbonate fuel cell−result of 10 kW class stack test 88−37375
Sato, S., Zaengl, W.S. Effective 3-dimensional electric field calculation by surface charge simulation method 86−29291
Sato, S., Zaengl, W.S. Effective grounding mesh calculation technique 88−55065
Sato, S., Zaengl, W.S., Knecht, A. A numerical analysis of accumulated surface charge on DC epoxy resin spacer 87−67647
Sato, S. *see* Aoki, Y. 85−35194, 87−53323, 87−59089
Sato, S. *see* Arimoto, K. 86−41127, 87−37285
Sato, S. *see* Fujiwara, T. 88−72091
Sato, S. *see* Fukasawa, A. 86−69495
Sato, S. *see* Fukuda, A. 88−56098
Sato, S. *see* Hattori, T. 85−1992, 85−56556
Sato, S. *see* Hosaka, M. 86−61728
Sato, S. *see* Hosoya, S. 88−6987
Sato, S. *see* Ichihara, J. 88−65147
Sato, S. *see* Ishii, A. 86−43657, 86−43665
Sato, S. *see* Iyoda, M. 85−56557, 87−68393
Sato, S. *see* Kanatani, N. 88−68402
Sato, S. *see* Kanazawa, H. 87−74970
Sato, S. *see* Kawase, Y. 88−48052
Sato, S. *see* Koide, T. 86−60465
Sato, S. *see* Konno, D. 86−65152
Sato, S. *see* Kurumada, A. 87−59030
Sato, S. *see* Lange, A.E. 87−28708
Sato, S. *see* Matsukawa, T. 87−22544
Sato, S. *see* Matsushita, K. 86−43664
Sato, S. *see* Miura, K. 86−36830, 86−68895
Sato, S. *see* Miura, S. 85−12736
Sato, S. *see* Morimoto, M. 88−43501
Sato, S. *see* Nose, T. 87−74879, 88−40010
Sato, S. *see* Okada, H. 88−75175
Sato, S. *see* Okamura, H. 85−25811
Sato, S. *see* Okamura, Y. 85−24332
Sato, S. *see* Ricciardi, L.M. 87−16454
Sato, S. *see* Saito, H. 87−68380
Sato, S. *see* Sano, K. 88−61317
Sato, S. *see* Sato, T. 88−40206
Sato, S. *see* Sekine, H. 87−51229, 87−58109, 87−72101
Sato, S. *see* Shindo, M. 85−28239, 86−7840
Sato, S. *see* Sunahara, Y. 86−68725, 87−26745
Sato, S. *see* Suzuki, A. 86−61726
Sato, S. *see* Suzuki, Y. 85−5860
Sato, S. *see* Takahashi, H. 86−8182, 86−20435
Sato, S. *see* Takeo, M. 87−67929
Sato, S. *see* Takizawa, Y. 87−69076
Sato, S. *see* Wakitani, M. 85−14951
Sato, S. *see* Watanabe, J. 88−16342
Sato, S. *see* Watanuki, T. 88−14087
Sato, S. *see* Yamada, M. 85−17408, 88−6842
Sato, S. *see* Yamaguchi, R. 88−47651
Sato, S. *see* Yamakawa, T. 86−60450
Sato, S. *see* Yamashita, T. 88−61952
Sato, S. *see* Yasuno, T. 86−4430
Sato, T. Applications of excimer lasers to semiconductor processing 85−34739
Sato, T. Solid-state, gas and liquid lasers 86−22269
Sato, T. Factor analysis of dynamic structures in nuclear medicine 87−8922
Sato, T. High tension single-line disconnection accident on the Higashi Shoro and Shoro signals section of the Nemuro main line 87−15271
Sato, T. Standardization trend of transaction processing 88−3536
Sato, T. A study on thermal properties in electric contacts 88−7101
Sato, T. Charging process of fine particles in unipolar ion flow 88−40490
Sato, T. Numerical computation of large partial differential equations on memory hierarchy 88−70281
Sato, T., Anao, K. The performance and technology of chip components required for SMT 87−1057
Sato, T., Anao, K. Design and properties of chip components for surface mounting 87−65201
Sato, T., Arai, T. Non-volatile memory on-chip microcomputer family 88−32240
Sato, T., Arai, T., Shimizu, M. Development of XU-1 international telephone terminal 88−9320
Sato, T., Chang Hsien-Chang, Endo, T., Shimada, M. Preparation and electrical properties of $Li_xM_{1-x}O$ (M=Ni, Co) [potential humidity sensors] 86−46393
Sato, T., Chang, S. Frequency response of a micro-particle phase conjugator 86−3280
Sato, T., Endo, S. Technology of effective application of geostationary satellite orbit and frequency 86−30704
Sato, T., Funayama, M., Hirata, S. 5 System video cassette recorder VC-389 E 85−14491
Sato, T., Ichida, N. Nonlinear acoustic phenomena in biological tissue 86−38758
Sato, T., Igarashi, S. Three-dimensional underwater imaging method−synthetic aperture image holography using an acoustic lens 87−28703
Sato, T., Igarashi, S. Three-dimensional underwater imaging method based on synthetic aperture image holography using an acoustic lens 87−63072
Sato, T., Ikeda, T., Suzuki, R. Design and characterization of ion-implanted tracks for 16 Mbit/cm^2 storage density bubble memory devices 86−63576
Sato, T., Ikeda, T., Suzuki, R. Characteristics of 16 Mb/cm^2 ion-implanted bubble propagation tracks 87−32888
Sato, T., Ikeda, T., Suzuki, R. Propagation characteristics of junctions between Permalloy and ion-implanted propagation tracks for 16 Mb/cm^2 hybrid bubble memory devices 87−32889
Sato, T., Ikeda, T., Suzuki, R. Asymmetric Chevron type junctions for hybrid bubble memory devices with 16-Mbit/cm^2 storage density 88−64972
Sato, T., Ishida, H., Sone, H., Echigo, H., Takagi, T. An experimental study on the effect of heat conduction through holder on arc phenomena in bar contacts 86−67555
Sato, T., Iwamura, J., Tango, H., Doi, K. CMOS/SOS VLSI technology 85−50776
Sato, T., Katayama, J. Mechanical properties of spot welding machines and the effects on weld quality 88−62819
Sato, T., Kawabe, M., Kato, T. Error-free high-speed data transmission protocol simultaneously applicable to both wire and mobile radio channels 88−73832
Sato, T., Kawabe, M., Shimazaki, Y. A new data compression system 88−46101
Sato, T., Kawase, R., Oda, S., Kokado, H., Shimizu, I. Low temperature growth of ZnSe thin films by hydrogen radical enhanced chemical vapor deposition 87−58923
Sato, T., Kawase, T., Yasuda, M., Koyama, IO., Sakashita, S. High frequency units for direct satellite broadcasting receivers 85−58051
Sato, T., Kikuchi, H., Kawasaki, M. Optimum design of composite fiber-optic overhead ground wire (OPGW) 88−68998
Sato, T., Kobayashi, H., Watanabe, H., Nishi, S., Menjo, H. Novel back-to-back diode element for addressing LCDs 88−16307
Sato, T., Kojima, H., Ikeda, O., Odai, Y. Two-dimensional, optical temporal bandpass filter using four-wave mixing in a BSO crystal: dynamic schlieren imaging system 87−54392
Sato, T., Koyama, K., Ikeda, S., Wada, Y. Short pulse response of ultrasonic transducer mode of piezoelectric copolymer films of vinylidene fluoride-trifluoroethylene 88−16961
Sato, T., Kurihara, N., Aida, M. Time synchronized systems [for VLBI] 86−38571
Sato, T., Matsumoto, M., Tamura, K. Gas-insulated transformers for distribution and power receiving 85−27472
Sato, T., Nakajima, M., Fukuda, T., Ishida, K. Stoichiometry dependence of electrical activation efficiency in Si implanted layers of undoped, semi-insulating GaAs 87−24772
Sato, T., Nakamura, H., Iwashita, H. ZTAT (zero turn around time) microcomputers 86−41147
Sato, T., Nakano, T., Harada, K. On the parallel operation of peak current controlled forward type DC-to-DC converters 88−12216
Sato, T., Nakase, M., Nonaka, M., Higashikawa, I., Horiike, Y. KrF excimer laser projection lithography: 0.35 μm minimum space VLSI pattern fabrication by a tri-level resist process 88−33307
Sato, T., Niikuni, M., Sato, S., Shimba, M. Frequency stabilisation of a semiconductor laser using Rb-D_1 and D_2 absorption lines 88−40206
Sato, T., Odai, Y., Ikeda, O. Detection of subsurface defects using phase conjugate waves and forced vibration 88−6538
Sato, T., Ohkawa, Y., Kishi, S. Fiber-optic transmission system for ITV 88−28873
Sato, T., Sakaki, Y. Some problems on a very high frequency iron loss measuring system 87−41586
Sato, T., Sakaki, Y. 100 kHz-10 MHz iron loss measuring system 88−60886
Sato, T., Sakashita, S., Nakamura, J. High performance CATV converter 85−3719
Sato, T., Sano, S., Ishikawa, K., Nakano, T. Finite element analysis and fatigue evaluation of the threaded marine riser connector 88−70247
Sato, T., Sugai, H., Shimba, M. Wavelength stabilization of a semiconductor laser in high-speed modulation using the Rb-D_2 absorption line 87−61147
Sato, T., Suksang Chang Ultra-thin fiberscope using phase conjugate waves 88−65207
Sato, T., Tajima, M., Ishida, K. Effect of As overpressure during annealing on the nonuniformity of activation efficiency in Si-implanted GaAs layer 88−1354
Sato, T., Takehara, M., Ikeda, O. Two-dimensional optical spectral analyzer of oscillating object field using voltage-controlled BSO crystal 85−12940
Sato, T., Terashima, K., Emori, H., Ozawa, S., Nakajima, M., Fukuda, T., Ishida, K. Effect of melt stoichiometry on electrical activation uniformity of Si-implanted layers in undoped semi-insulating GaAs 86−396
Sato, T., Terashima, K., Ozawa, S., Nakajima, M., Fukuda, T., Ishida, K. Effects of melt composition on electrical uniformity of Si implanted, undoped, semi-insulating GaAs 85−55679
Sato, T., Tohjima, E. Real time gas flow distribution measuring system using nonlinear acoustical sounding 87−21281
Sato, T., Tohjima, E., Masuda, N., Yamakoshi, Y. Gas temperature distribution measurement using nonlinear effect of ultrasonics 87−70841
Sato, T., Tohjima, E., Yamakoshi, Y. Gas flow velocity distribution measurement using nonlinear effect of ultrasonics 87−21278
Sato, T., Toyooka, T., Suzuki, R. Dual gate with replicate and pseudo-swap functions using double conductor layers for ion-implanted devices 88−58002
Sato, T., Tsuda, T., Kato, S., Morimoto, S., Fukao, S., Kimura, I. High-resolution MST observations of turbulence by using the MU radar 86−25426
Sato, T., Woodman, R.F. Spectral parameter estimation of CAT radar echoes in the presence of fading clutter 85−52401
Sato, T., Yamada, T., Ozawa, T. Effect of laser irradiation on the 50 Hz core loss of thick amorphous alloy ribbon 87−46324
Sato, T., Yashima, S., Shimba, M. Frequency shift of a GaAlAs diode laser in a magnetic field 87−7346
Sato, T., Yoshida, T. Non-voice services with cellular network 88−3865
Sato, T. *see* Aida, M. 86−30469
Sato, T. *see* Berenz, J. 85−28439, 87−59878
Sato, T. *see* Chang, S. 88−26749
Sato, T. *see* Daimon, S. 88−4699
Sato, T. *see* Enokizono, M. 88−26674
Sato, T. *see* Fujii, T. 88−21832
Sato, T. *see* Fukao, S. 85−52400, 85−58213, 86−6103, 86−23968 to 23969, 86−29628 to 29629, 88−41745 to 41746, 88−54736, 88−74028
Sato, T. *see* Fukasawa, A. 86−69495, 87−3091
Sato, T. *see* Fukaya, H. 86−60031
Sato, T. *see* Fukui, K. 86−14045, 87−45225
Sato, T. *see* Hama, S. 88−4658
Sato, T. *see* Hanabusa, M. 88−38254
Sato, T. *see* Harada, K. 86−67031, 87−59137
Sato, T. *see* Harrison, J.C. 85−9366
Sato, T. *see* Hasama, T. 87−54227
Sato, T. *see* Hashimoto, K. 86−14616
Sato, T. *see* Higuchi, M. 88−19138
Sato, T. *see* Ichida, N. 85−38082
Sato, T. *see* Ikeda, O. 86−54024
Sato, T. *see* Ikeda, T. 86−36070
Sato, T. *see* Ikeno, M. 85−3913
Sato, T. *see* Inada, T. 86−57421
Sato, T. *see* Iwashige, J. 85−41579

Sato, T. *see* Kage, K. 85−63583
Sato, T. *see* Kamasamatsu, M. 87−12534
Sato, T. *see* Kamata, A. 87−23732
Sato, T. *see* Kanoi, M. 86−39255
Sato, T. *see* Katane, T. 85−26443
Sato, T. *see* Kato, S. 85−26899, 86−69819, 87−29932
Sato, T. *see* Katsuta, G. 87−21939
Sato, T. *see* Kawagoe, M. 85−670
Sato, T. *see* Kawashima, A. 87−47129
Sato, T. *see* Kimura, S. 85−36933
Sato, T. *see* Kodama, N. 88−51365
Sato, T. *see* Koizumi, S. 86−65254, 88−27140
Sato, T. *see* Kojima, S. 88−23576
Sato, T. *see* Kuwagaki, M. 85−34527
Sato, T. *see* Kuwajima, S. 88−74941
Sato, T. *see* Kyung-Young Jhang 88−60973
Sato, T. *see* May, P.T. 88−41747
Sato, T. *see* Minami, H. 86−17936
Sato, T. *see* Miyazaki, K. 85−7535, 85−29776, 85−62482, 87−12366, 87−26514
Sato, T. *see* Morikawa, T. 86−31115
Sato, T. *see* Moroda, N. 88−11712
Sato, T. *see* Motegi, R. 88−60991
Sato, T. *see* Nagato, K. 88−64941
Sato, T. *see* Nakase, M. 88−13232
Sato, T. *see* Namimoto, K. 88−70861
Sato, T. *see* Oba, H. 86−42212, 87−25907
Sato, T. *see* Oda, S. 86−26872
Sato, T. *see* Odagiri, Y. 85−3740
Sato, T. *see* Ohkubo, H. 86−65034
Sato, T. *see* Ohsugi, T. 88−29851
Sato, T. *see* Ohta, S. 85−41034
Sato, T. *see* Okajima, M. 87−23731
Sato, T. *see* Okamoto, K. 88−44229
Sato, T. *see* Okamura, Y. 87−38462
Sato, T. *see* Oshima, K. 87−40909
Sato, T. *see* Ozue, T. 88−26667
Sato, T. *see* Sakaguchi, K. 87−12020
Sato, T. *see* Sakai, T. 88−18477, 88−44962
Sato, T. *see* Sakaki, Y. 85−24178, 85−41038, 85−62198, 87−53895
Sato, T. *see* Sasaki, Y. 85−28956
Sato, T. *see* Sato, K. 87−52936, 87−70402
Sato, T. *see* Sato, Y. 88−63383
Sato, T. *see* Shimba, M. 87−68902, 87−75602
Sato, T. *see* Shirafuji, J. 85−18096
Sato, T. *see* Suzuki, K. 86−59724
Sato, T. *see* Suzuki, Y. 87−46859
Sato, T. *see* Takahashi, K. 87−56261
Sato, T. *see* Takahashi, M. 88−64897
Sato, T. *see* Takeko, S. 85−52466, 87−63142
Sato, T. *see* Tohjima, E. 86−70552, 87−77466
Sato, T. *see* Tokuda, K. 87−69971
Sato, T. *see* Toyooka, T. 88−58003
Sato, T. *see* Tsuchiya, S. 88−16962
Sato, T. *see* Tsuda, T. 86−23977, 87−19192
Sato, T. *see* Uda, T. 87−66801
Sato, T. *see* Wakayama, N. 88−30450
Sato, T. *see* Wang, J. 88−60306
Sato, T. *see* Watanabe, S. 87−26323
Sato, T. *see* Watanabe, Y. 86−67550
Sato, T. *see* Yamada, H. 85−55993, 88−33420
Sato, T. *see* Yamada, K. 86−36524, 86−68425, 88−40127
Sato, T. *see* Yamagata, N. 88−41208
Sato, T. *see* Yamakoshi, Y. 86−41629
Sato, T. *see* Yamamoto, A. 86−50263, 87−63601
Sato, T. *see* Yamashita, H. 87−13972
Sato, T. *see* Yamashita, M. 86−68486, 88−27220, 88−27266
Sato, T. *see* Yokomizo, G. 87−60665
Sato, T. *see* Yugo, S. 85−40437
Sato, T.L. *see* Sinar, D.R. 88−30021
Sato, T.Y. *see* Jones, W.L. 87−73674
Sato, W., Ishioka, A., Yusa, M., Sato, K. Flexible automatic molding system 88−13491
Sato, Y. Adaptation of number of points chosen in optimal piece wise lines curve approximation 85−41990
Sato, Y. Equalisation problem in digital communication 85−46806
Sato, Y. NEC long life plastic electroluminescent lamps 85−60528
Sato, Y. A case study of curved object recognition using pseudodistance measures 86−10564
Sato, Y. Recent trends on small size batteries 86−56935
Sato, Y. Development of 32-bit microprocessor V60 87−766
Sato, Y. Strain gauge as dynamic sensor 87−29060
Sato, Y. A pressure sensitive graphic tablet enabling detection of input pen contact area and its application to electronic blackboard system 88−4567
Sato, Y. The control system of Mr. Slim packaged air conditioners 88−6043
Sato, Y. Open circuit system for pulsed power application 88−31054
Sato, Y., Akagi, H. How to design telecommunications equipment and its installation to withstand earthquakes 85−19590
Sato, Y., Akiyama, K., Otuka, S., Kisimoto, T. Telewriting terminal used for simultaneous transmission of voice and handwriting signal over a telephone channel 87−40302
Sato, Y., Araki, K. A method for high-speed 3-D object measurement 87−63281
Sato, Y., Fujimori, S., Yoshimura, A. Real time digital processing of track irregularities in time of speed-up on Tokaido and Sanyo Shinkansen 88−37677
Sato, Y., Hamamoto, M., Speidel, S., Iwata, S., Uchiyama, S. Orthorhombic magnetic anisotropy in $(EuBi)_3$ Fe_5O_{12} garnet (110) films 88−26659
Sato, Y., Honma, K., Tada, Y., Irie, K. 16 kbit/s APC-AB codec module 88−46762
Sato, Y., Inoue, K., Kumamoto, H. The safety assessment of human-robot systems. II. Logic models for the analysis of the accident 87−16324
Sato, Y., Kiuchi, K. Oxidation of silicon using lamp light radiation 86−58400
Sato, Y., Matsushita, K., Hariu, T., Shibata, Y. Plasma-assisted epitaxial growth of GaSb in hydrogen plasma 85−16950
Sato, Y., Matsuura, A., Miura, S. Guideway for MAGLEV [railways] 87−9915
Sato, Y., Nakao, K. Countermeasures against exhaust gas from gas turbine generator installed in the KDD building 86−33171
Sato, Y., Nomura, M., Matsumoto, H., Iioka, M. Steam temperature prediction control for thermal power plant 85−9708
Sato, Y., Oda, H., Hashimoto, S. Blind suppression of time dependency and its extension to multi-dimensional equalization 87−39568
Sato, Y., Sato, K. Delay analysis of multi-node queueing system 88−73406
Sato, Y., Sato, T., Okazaki, Y. Production and properties of melt-spun Fe-6.5wt.%Si ribbons 88−63383
Sato, Y., Sawaya, K., Adachi, S. Faraday shield effects on a half-turn loop antenna used for ICRF plasma heating 88−45775
Sato, Y., Sciacchitano, M. Elimination of failures caused by noise 85−46581
Sato, Y., Takahashi, K., Ohta, M. Data compression of gray-scale images by level plane coding 87−7848
Sato, Y., Takahashi, K., Ohta, M. Data compression of gray-scale images by level plane coding 88−34741
Sato, Y., Takahira, Y. Boiler flame detector at power station using image fiber and CCD camera 87−42668
Sato, Y., Takeda, S. 80 kV capacitor for high current pulse 87−9697
Sato, Y., Takeda, S., Kiyama, S. High voltage coaxial cable in a pulsed power system 87−9167
Sato, Y., Takeda, S., Kiyama, S. Performance and reliability of TPE-2 device with pulsed high power source 88−69517
Sato, Y., Takeyama, T. Magnetic and mechanical properties of a 6% V permalloy as magnetic head materials 85−62197
Sato, Y., Tamura, S. Design methods for cascaded Gaussian filters 88−19255
Sato, Y., Tanaka, T., Nagata, M., Takeshita, H., Morozumi, S. Effects of an AC field on the orientation and contrast ratio of ferroelectric liquid crystals 88−39858
Sato, Y. *see* Abe, T. 87−46494
Sato, Y. *see* Adachi, S. 87−2353
Sato, Y. *see* Akagi, H. 85−42063
Sato, Y. *see* Akiyama, K. 85−13720
Sato, Y. *see* Araki, K. 88−53868
Sato, Y. *see* Eura, T. 88−20556
Sato, Y. *see* Fujita, K. 87−44307
Sato, Y. *see* Hariu, T. 86−7816
Sato, Y. *see* Hasebe, H. 86−5009
Sato, Y. *see* Hashimoto, S. 87−39989, 88−46305
Sato, Y. *see* Hotta, Y. 85−7668, 85−62826
Sato, Y. *see* Ichimaru, Y. 85−20928, 85−59309, 87−21528, 88−10379
Sato, Y. *see* Inoue, T. 86−52431
Sato, Y. *see* Ishihara, H. 85−38101
Sato, Y. *see* Isoda, H. 85−59588
Sato, Y. *see* Ito, K. 88−31210
Sato, Y. *see* Iwasa, Y. 87−45458, 88−1154
Sato, Y. *see* Kamo, M. 88−70353
Sato, Y. *see* Katayama, S. 86−38218
Sato, Y. *see* Kitagawa, H. 85−10636
Sato, Y. *see* Kyung-ho Park 87−60375
Sato, Y. *see* Matsushita, K. 85−5993, 85−46281
Sato, Y. *see* Minehara, E. 85−20789
Sato, Y. *see* Minemura, H. 88−51431
Sato, Y. *see* Muramoto, T. 87−34281
Sato, Y. *see* Murase, S. 85−46113
Sato, Y. *see* Muto, Y. 87−53926
Sato, Y. *see* Nakayama, K. 85−57826
Sato, Y. *see* Nakazawa, H. 86−4433
Sato, Y. *see* Nishikawa, S. 87−49349
Sato, Y. *see* Noto, K. 85−41087, 85−46107
Sato, Y. *see* Ohtsuka, S. 88−3468
Sato, Y. *see* Otomo, D. 87−62831
Sato, Y. *see* Saida, T. 87−8917
Sato, Y. *see* Sato, K. 88−52395
Sato, Y. *see* Suzukawa, I. 85−15103
Sato, Y. *see* Suzuki, M. 87−37335
Sato, Y. *see* Tajima, K. 87−19544
Sato, Y. *see* Takada, M. 87−10853, 87−17094
Sato, Y. *see* Takeshita, M. 87−46846
Sato, Y. *see* Tasaka, S. 85−59207
Sato, Y. *see* Tomoda, K. 85−58563
Sato, Y. *see* Wada, H. 85−12507
Sato, Y. *see* Yamamoto, H. 87−4520
Sato, Y. *see* Yano, Y. 87−17155, 88−44231
Sato, Y. *see* Yoshiyama, K. 87−8573
Sato Masao *see* Masao Sato
Sato Turtelli, R. *see* Rezende, A.T. 88−51179
Satoda, M. *see* Kasahara, H. 86−43482
Satoda, M. *see* Kawai, K. 85−36641
Satoda, M. *see* Nishio, M. 87−48490
Satoda, M. *see* Nozaki, T. 86−43690, 86−64456
Satoda, M. *see* Sato, A. 87−7969
Satoda, Y., Casida, E., Waugh, R. Amplifiers designed for future ECM and C^3I applications 87−10161
Satoh, A., Ogawa, E. Interference level estimation of multi-reflected waves in built-up areas 86−68778
Satoh, A., Ogawa, E. Fundamental characteristics of in-house infrared propagation and environmental noise 87−28621
Satoh, A. *see* Ogawa, E. 85−20035, 86−69593, 87−19198
Satoh, A. *see* Yamada, C. 86−14078
Satoh, D. *see* Tonegawa, A. 85−37872
Satoh, D. *see* Yabe, E. 86−5744
Satoh, F. *see* Ebihara, D. 88−55375
Satoh, G. An adaptive linearizer for Earth station HPA 87−76661
Satoh, G. *see* Hirata, Y. 88−3929
Satoh, G. *see* Muratani, T. 86−49519
Satoh, G. *see* Shinonaga, H. 88−46993
Satoh, G. *see* Watanabe, T. 86−23814
Satoh, H., Akiba, Y., Choe, I.Y., Kurosu, T. Current-voltage characteristics of Si p-i-n negative resistance diodes doped with gold 86−67830
Satoh, H., Decuchi, T., Minami, E., Katayama, H., Ohta, K., Kurata, Y., Terashima, S., Yamaoka, H. Magneto-optical erasable disc drive 88−45246
Satoh, H., Ebata, Y., Suzuki, H., Narahara, C. An air-gap type piezoelectric composite thin film resonator 86−42041
Satoh, H., Kurosawa, H. Design of surge withstanding capability for a silicon surge protective device in a multi-stage protector 86−45029
Satoh, H., Nakagawa, Y., Kanda, M. Modulation of optical-guided-waves in the dielectric thin film waveguide on semiconductor substrate 85−62381
Satoh, H., Suzuki, H., Takahashi, C., Narahara, C., Ebata, Y. A 400 MHz one-chip oscillator using an air-gap type thin film resonator 88−50059
Satoh, H. *see* Henmi, T. 86−65050, 87−49273
Satoh, H. *see* Kajiwara, T. 85−47310
Satoh, H. *see* Kobayashi, T. 86−36002, 88−26677
Satoh, H. *see* Michigami, N. 85−33121
Satoh, H. *see* Naitoh, Y. 87−2740
Satoh, H. *see* Nokubo, J. 88−19140
Satoh, H. *see* Sunada, K. 88−53408
Satoh, H. *see* Wakana, A. 86−65051, 87−34752
Satoh, I., Kato, M. Holographic disk recording of digital data with fringe stabilization 88−65125
Satoh, I., Katoh, M. Speckle noise simulation of Fourier-transform hologram with random phase diffuser 88−51972
Satoh, J. *see* Ino, H. 85−31393
Satoh, K. Synchrotron-betatron mode coupling in intense beams 85−26610
Satoh, K. Polarity tester for instrument transformer 87−59926
Satoh, K., Fukuma, H., Ieiri, T., Kamada, S., Nakajima, K., Ogata, A., Oide, K. Beam behavior in the TRISTAN accumulation ring 86−24979
Satoh, K., Hattori, T., Arai, E. CW operation of the TIT 1H-type Heavy Ion Linac 87−14640
Satoh, K., Kozaki, S. Near field behavior by an infinite line source located in the homogeneous dielectric slab 85−30074
Satoh, K., Kuroda, S., Sahara, K., Watanabe, Y. A high speed multi-chip RAM module with thermal stress free configuration 85−33926
Satoh, K., Mitsumoto, T., Arai, E. Construction and operating experience with the Tokyo Institute of Technology post accelerators 88−53983
Satoh, K., Nishi, Y., Nakajima, S., Yoshida, M. Coast earth station for experimental mobile satellite system (EMSS) 88−35431
Satoh, K., Oka, K., Ishii, J., Satoh, T. Thermoplastic resin-bonded Sm-Co magnet 86−28611
Satoh, K., Sakuraba, I. Diffraction integral representation of two-photon-resonant image up-converters 85−29901
Satoh, K., Sakurai, T., Kimura, C. Improved dispenser cathode 86−41470
Satoh, K. *see* Fujii, K. 85−2895
Satoh, K. *see* Gomi, M. 88−58274
Satoh, K. *see* Hagiwara, E. 87−3140, 87−28475
Satoh, K. *see* Hosoya, Y. 86−64902
Satoh, K. *see* Kobayashi, H. 85−36481
Satoh, K. *see* Miyoshi, H. 88−41774
Satoh, K. *see* Momose, H. 85−50737
Satoh, K. *see* Nakashima, H. 86−11026
Satoh, K. *see* Nishida, T. 87−59308
Satoh, K. *see* Odaka, A. 85−40026, 86−67165
Satoh, K. *see* Oide, K. 86−32140
Satoh, K. *see* Oka, K. 86−42143

Satoh, K. *see* Okamoto, J. 85−2894, 86−3804
Satoh, K. *see* Shindo, S. 88−35428, 88−67310
Satoh, K. *see* Shiota, K. 88−20174
Satoh, K. *see* Takafuji, A. 86−71142
Satoh, K. *see* Takenaka, H. 87−68423
Satoh, K. *see* Terada, N. 87−70014
Satoh, M., Kawahara, H., Kuriyama, K., Kawakubo, T., Yoneda, K., Kimura, I. Influence of photoexcitation on hopping conduction in neutron-transmutation-doped GaAs 88−32781
Satoh, M., Kawahara, H., Kuriyama, K., Kim, C. Quenching phenomenon of photoconductance in indium doped dislocation free GaAs 88−58346
Satoh, M., Kuriyama, K., Yahagi, M., Iwamura, K., Kim, C., Kawakubo, T., Yoneda, K., Kimura, I. Influence of fast neutrons on electrical properties in neutron transmutation doped GaAs: new annealing stage 87−37877
Satoh, M., Miyanami, K. Instrumentation system of mixing rate of powder materials 87−63228
Satoh, M., Tabata, M., Kaneto, K., Yoshino, K. Properties of highly conducting poly(*p*-phenylene) film prepared by an electrochemical method 86−35376
Satoh, M., Tabata, M., Kaneto, K., Yoshino, K. Characteristics of rechargeable battery using conducting poly(*p*-phenylene) film 86−40046
Satoh, M., Usui, Y., Suzuki, T. 600 kHz compact power supply module 87−22554
Satoh, M. *see* Hamanaka, H. 85−6808, 86−58387
Satoh, M. *see* Hoshi, Y. 85−43190
Satoh, M. *see* Katayama, M. 87−8742
Satoh, M. *see* Machida, M. 86−66416
Satoh, M. *see* Muranaga, K. 86−37849, 86−38863
Satoh, M. *see* Namikawa, T. 86−474
Satoh, M. *see* Nishitani, T. 86−17064, 87−37330
Satoh, M. *see* Sakata, I. 85−46245
Satoh, M. *see* Takahashi, I. 88−49081
Satoh, M. *see* Takeuchi, H. 86−43510
Satoh, M. *see* Yahagi, M. 85−55687
Satoh, M. *see* Yamashina, M. 88−19178, 88−63705
Satoh, M. *see* Yoshino, K. 86−66866
Satoh, N. *see* Hanamiya, T. 86−24161
Satoh, N. *see* Sugawara, M. 88−19227
Satoh, N. *see* Uchida, K. 87−50804
Satoh, O. *see* Onodera, T. 88−61053
Satoh, R., Ohshima, M., Hirota, K., Ishi, I. Optimum bonding shape control of micro-solder joint of IC and LSI 87−60532
Satoh, R. *see* Oshima, M. 86−14771
Satoh, S., Abe, H. Self-aligned graded-drain structure for VLSI 86−9170
Satoh, S., Eimori, T., Matsumoto, H. Hot electron improvement in MOS RAM's based on epitaxial substrate 85−40071
Satoh, S., Fushimi, T. Development of teletex terminal equipment 85−36644
Satoh, S., Hashimoto, S. Maintenance of point heater for Shinkansen line [railways] 86−66415
Satoh, S., Ishida, K., Katsuyama, T., Suganuma, T., Matsumura, H. SiO_2-SnO_2-P_2O_5 glass optical fibres 85−18677
Satoh, S., Nakamori, M., Tanabe, S., Shimizu, M. CP subsystem equipment and IO subsystem equipment for XE-10 System 86−4426
Satoh, S., Yoneda, M., Fujishima, K., Yamazaki, T. A high-capacitance trench structure (Hi-CAT) for megabit LSI memories 85−61275
Satoh, S., Yoneda, M., Nagatomo, M., Fujishima, K., Yamazaki, T., Nakata, H. High capacitance trench structure (Hi-CAT) for megabit LSI 85−49893
Satoh, S. *see* Abe, H. 85−18441
Satoh, S. *see* Eimori, T. 88−19975
Satoh, S. *see* Iechi, H. 85−12019
Satoh, S. *see* Imai, M. 86−63649
Satoh, S. *see* Isshiki, M. 86−13726
Satoh, S. *see* Itoh, Y. 88−53469
Satoh, S. *see* Katsuyama, T. 85−7210, 86−9542, 86−42208
Satoh, S. *see* Mashiko, Y. 87−56766
Satoh, S. *see* Mayeda, T. 86−32655
Satoh, S. *see* Minagawa, S. 88−43879
Satoh, S. *see* Miyamoto, H. 88−6837
Satoh, S. *see* Motobayashi, T. 88−74748
Satoh, S. *see* Saga, Y. 87−49272, 88−53410
Satoh, S. *see* Shiozaki, A. 87−28484
Satoh, S. *see* Yokoi, K. 88−19449
Satoh, S. *see* Yoneda, M. 87−24189
Satoh, S. *see* Yoneda, T. 88−17881
Satoh, T. Recent trend of video communications business in the World 88−35726
Satoh, T., Akiyama, K., Fujita, Y., Ebina, N., Fukuda, Y. Properties of copper plated metal core ceramic substrates 88−1242
Satoh, T., Endo, S., Matsunaka, N., Betsudan, S., Katagi, T., Ebisui, T. Sidelobe level reduction by improvement of strut shape [satellite earth station antenna] 85−3401
Satoh, T., Kishimoto, M., Kurosaki, M., Arahata, M. Development of digital electronic control for aeroengine 88−16869
Satoh, T., Matsunaka, N., Matsuzawa, K., Betsudan, S. INTELSAT Standard-A Earth station antenna featuring 800-MHz bandwidth and depolarization compensation capability 86−69734
Satoh, T., Miyamoto, S., Mori, S., Yamamoto, H. Programmable intelligent recorder μR 250 87−41567
Satoh, T., Nagano, H., Mitani, Y. An integrated software development system for data communication systems utilizing various types of computers 86−4149
Satoh, T., Ono, Y., Shoya, K., Hamaguchi, M., Okuzumi, R., Shoji, S. N6300 model 55 multiworkstation 85−47012
Satoh, T., Stauffer, P.R. Implantable helical coil microwave antenna for interstitial hyperthermia 88−54606
Satoh, T., Suzuki, R., Takeuchi, T., Sugita, Y. A study on 3 μm period ion-implanted propagation tracks for 0.8 $\mu m\phi$ bubble 86−68182
Satoh, T., Takagi, A., Kita, M., Shirakawa, K., Takeshita, S. 21-bit precision and high-speed DC measurement system 85−37446
Satoh, T. *see* Akihiro, M. 87−25766, 87−74884
Satoh, T. *see* Aoki, K. 85−38432, 87−64099 to 64100, 88−23346, 88−23454
Satoh, T. *see* Arai, K.I. 88−57909
Satoh, T. *see* Chiba, K. 86−58083
Satoh, T. *see* Fujinaka, M. 88−2126
Satoh, T. *see* Idehara, O. 87−8999
Satoh, T. *see* Ito, Y. 85−25495
Satoh, T. *see* Itoh, F. 87−14036
Satoh, T. *see* Itoh, K. 88−46987
Satoh, T. *see* Kaneko, K. 87−62135
Satoh, T. *see* Kikuchi, Y. 86−49211
Satoh, T. *see* Kikumoto, Y. 87−55656
Satoh, T. *see* Matsuki, H. 88−61417
Satoh, T. *see* Mikami, N. 88−50469
Satoh, T. *see* Nagata, M. 88−60817
Satoh, T. *see* Nagato, K. 87−74495
Satoh, T. *see* Nakase, M. 87−45736
Satoh, T. *see* Oka, K. 86−42143
Satoh, T. *see* Sasaki, M. 87−56416, 88−22809
Satoh, T. *see* Sasaki, S. 87−2565, 88−41021
Satoh, T. *see* Satoh, K. 86−28611
Satoh, T. *see* Stauffer, P.R. 88−61440
Satoh, T. *see* Sugita, Y. 86−68178
Satoh, T. *see* Tada, J. 87−18492
Satoh, T. *see* Tokuda, K. 87−76946
Satoh, T. *see* Tsuda, N. 87−59620
Satoh, Y., Konishi, H., Sugazaki, H., Miyoshi, N. RG-7700car stereo with AM stereo 86−30977
Satoh, Y., Miyashita, T., Ohashi, M. Design and characteristics for a 4 μm period ion-implanted bubble device 85−12501
Satoh, Y., Miyashita, T., Ohashi, M., Betsui, K., Komenou, K. Design consideration for a 2-μm-period ion-implanted propagation track 85−46020
Satoh, Y., Ohashi, M., Komenou, K. Designs and characteristics of 2 μm period ion-implanted propagation tracks 86−68184
Satoh, Y., Ohashi, M., Miyashita, T., Komenou, K. Design considerations of Permalloy propagation patterns for hybrid bubble devices with a 2 μm period 87−32883
Satoh, Y., Ohtsubo, A., Shimada, Y. Design of a single-edge-sensitive thin film head core with perpendicular double layer medium 86−36007
Satoh, Y., Ohtsubo, A., Shimada, Y. A probe head in gap of ferrite ring core (PHIG) 87−25802
Satoh, Y., Ohtsubo, O., Shimada, Y. Single-edge sensitive single-pole head 86−68167
Satoh, Y. *see* Hayatsu, R. 87−49400
Satoh, Y. *see* Ichikawa, E. 87−34871
Satoh, Y. *see* Ikuzaki, K. 87−59686
Satoh, Y. *see* Itoh, S. 87−55310
Satoh, Y. *see* Kobori, K.I. 85−27822
Satoh, Y. *see* Kurihara, N. 86−65925
Satoh, Y. *see* Masuko, T. 86−9407, 86−28682
Satoh, Y. *see* Matsumoto, H. 85−1405
Satoh, Y. *see* Mohri, K. 85−3970
Satoh, Y. *see* Nakano, Y. 88−44873
Satoh, Y. *see* Nakayama, K. 87−17282
Satoh, Y. *see* Ohashi, M. 86−28717
Satoh, Y. *see* Ohtsubo, A. 85−18561, 87−25808, 87−46369, 88−51306
Satoh, Y. *see* Suzuki, T. 88−15861, 88−53480
Satoh, Y. *see* Yanabu, S. 86−33570, 87−30874 to 30875
Satomi, K., Pyon, R.G., Aozasa, M., Ando, K. Bias effects on glow discharge deposition of a-Si:H film from silane-argon mixtures 86−487
Satomi, K. *see* Matsushima, M. 86−52807
Satomi, M., Hasagawa, T. Cook capsule range RE-1 87−36266
Satomura, Y. Propagation characteristics of nonlinear TE waves in dielectric optical waveguide with nonlinear media 87−68165
Satonaka, H. *see* Iritani, T. 85−6234
Satonaka, H. *see* Tritani, T. 86−67435
Satonaka, K. *see* Sakamoto, K. 87−23933
Satonaka, M. *see* Nagai, H. 88−53793
Satonaka, M. *see* Tsujikawa, K. 88−53794
Satonaka, S., Tatsukawa, I., Yamamoto, M. Ultrasonic flaw detection close to surface with focusing probe 88−18815
Satone, H. *see* Tabuchi, Y. 85−60540 to 60541
Satoo, M. *see* Doi, H. 86−14635
Satori, T., Flora, C.M. Vortex flowmeter application report 86−11780
Satori, T., Fukuda, Y. DC servomotor with magnetic encoder 85−39038
Satorium, E. *see* Truong, T.K. 88−27820
Satorius, B., Franke, D., Schlak, M. Luminescence microscopy for quality control of material and processing 87−58695
Satorius, E. *see* Jedrey, T. 87−37084
Satorius, E.H., Grimm, M.J., Zimmerman, G.A., Wilck, H.C. Dynamic range constraints for large size, hybrid fixed/floating point FFTs 88−3107
Satorius, E.H. *see* Griffiths, L.J. 88−3243
Satorius, E.H. *see* Jedrey, T.C. 87−10609
Satoshi, T. *see* Tashiro, Y. 88−16282
Satou, K. Innovative changes in home use video cameras 87−13918
Satou, K., Kurihara, M., Kaji, I., Hamamatsu, Y. Control algorithm and traffic analysis of PRT grade separated interchange 85−16321
Satou, M., Fujimoto, F. Formation of thin films by ion beam and vacuum evaporation (IVD method) 85−12375
Satou, M. *see* Kinomura, A. 88−68173
Satou, M. *see* Shimamoto, S. 88−65098
Satou, S., Hane, K., Suzuki, T. High convergence matrix solving scheme for device simulator 87−25194
Satou, S., Hane, K., Suzuki, T. High-convergence matrix-solving scheme for device simulator 88−50776
Satou, S. *see* Kaneda, S. 87−10386
Satou, T. *see* Kimura, M. 85−35525
Satou, T. *see* Tsushima, K. 88−362
Satov, Yu.A. *see* Andreev, Yu.M. 88−51904
Satov, Yu.A. *see* Baranov, V.Yu. 85−2417, 88−8272
Satow, A. Influence of flickering figures on the surface of cathode-ray displays 85−26218
Satow, T., Iwamoto, M., Toyoda, K., Ogasawara, T., Kubota, Y., Makiura, T., Yasukochi, K., Momota, H., Sato, K.I., Yamada, S., Onishi, T., Koyama, K., Tsukamoto, O., Yoda, T. Test results of high ramp rate pulsed superconducting coil for the Reacting Plasma Tokamak 85−62270
Satow, T. *see* Ikeda, B. 87−67984
Satow, T. *see* Momota, H. 85−46104
Satow, T. *see* Nakashima, K. 87−74633
Satow, T. *see* Nomura, T. 88−52151, 88−54071
Satow, T. *see* Noto, K. 87−53927
Satow, T. *see* Tado, S. 87−1926
Satow, T. *see* Toyoda, K. 85−41090
Satow, T. *see* Wake, M. 85−59028, 86−50389, 87−38709, 87−74623
Satow, Y., Kosuge, T., Matsushita, T. Radiation safety interlock system for Photon Factory X-ray beam lines 88−29727
Satow, Y. *see* Amemiya, Y. 88−42461
Satow, Y. *see* Ando, M. 86−60647
Satow, Y. *see* Hasegawa, K. 87−29537
Satow, Y. *see* Kawase, Y. 88−48052
Satow, Y. *see* Miyahara, J. 86−60570
Satre, W.I. *see* Barber, M.R. 87−24102, 87−49470
Satsangi, P.S., Gupta, B.M., Sinha, A.K. Role of computers in continuing education 87−23091
Satsangi, P.S. *see* Agnihotri, G. 85−32379
Satsangi, P.S. *see* Mishra, D.S. 87−23125
Satsangi, V.R., Sharma, Y.K., Upadhyaya, A.K. Thermal noise in single injection solid state diode with thermal free carriers by Salami method 85−55745
Satsukevich, E.M. *see* Kakhanovich, V.S. 86−12520, 88−23278, 88−29576
Satsukevich, P.N. *see* Petrov, B.A. 88−65967
Satta, L. *see* Battistoni, G. 88−61166
Satta, L. *see* Calicchio, M. 88−29811
Sattarov, D.K. *see* Brukhman, V.Ya. 86−28869
Sattarov, D.K. *see* Golubenko, I.V. 85−7270
Sattarov, D.K. *see* Vasin, L.N. 86−15491
Sattarov, F.A. *see* Meiklyar, M.P. 88−72446
Sattarov, F.A. *see* Skochilov, A.F. 87−39252
Sattelmayer, T., Sill, K.H., Wittig, S. Nonintrusive optical measurement technique for wavy liquid films: determination of film thickness and wave structure 87−70875
Satten, C. C compilers speed single-chip-μp development 86−57849
Satter, J.H. The S-model: a highly accurate MOST model for CAD 87−1554
Satter, J.H. Effective length and width of MOSFETs determined with three transistors 87−74324
Satter, M.R. *see* Nickles, R.J. 85−59261
Satter, M.R. *see* Votaw, J.R. 86−50501, 87−50130
Satterfield, H.W., Werber, R.F. Statistical and graphical analyses of oxide thickness and ESD failure modes 88−51034
Satterfield, K.M. *see* Miller, J.D. 86−60955
Satterlee, P.E., Jr. *see* White, J.R. 86−25729
Satterwhite, D.G. *see* MacDonald, P.E. 88−48699
Satti, J.A. Injection septum magnets for the Loma Linda medical accelerator 88−68147
Satti, J.A., Holmes, S.D. A pulsed septum magnet for the Fermilab Antiproton Source 86−32142
Satti, J.A., Lee, G.N. Fermilab accumulator magnets vacuum chamber heating system 85−64389

Satti, J.A. *see* Mills, F.E. 86−70257
Sattinger, S.S. A dynamic bending test method for generator stator-coil insulation 88−23846
Sattison, M.B. *see* Perla, H.F. 85−59898, 86−45136
Sattler, G. A control circuit with four time steps for transmit-receive switching 85−8536
Sattler, G. SDA 3202−a new PLL IC for up to 1.5 GHz 86−52739
Sattler, H., Winkler, St. Water hammer analysis for hydro power plants with automatic shut-off units 88−43085
Sattler, H. *see* Fasol, K.H. 85−32380
Sattler, J. *see* Heiss, W. 87−58226, 88−24096
Sattler, J.P., Leavitt, R.P., Worchesky, T.L., Tobin, M.S. Prediction of new optically pumped submillimeter-wave laser lines in deuterated fluoroform 85−7366
Sattler, J.P., Leavitt, R.P., Worchesky, T.L., Tobin, M.S. Prediction of many new optically pumped submillimeter laser lines of deuterated fluoroform on the basis of infrared and submillimeter heterodyne spectroscopy 86−36391
Sattler, L.F. Identification and compensation of the rotor temperature of AC drives by an observer 85−27699
Sattler, Ph.K. *see* Hartz, G. 86−66404
Sattler, P.K., Starker, K. Control of an inverter fed synchronous machine by estimated pole position 88−75596
Sattler, P.K., Thoren, F. Totally enclosed heat pipe cooled induction motor (theoretical and experimental results) 87−42997
Sattler, P.K. *see* Demel, W. 88−69437
Sattler, P.K. *see* El-Sayed, I.F. 86−70907, 88−69611
Sattler, P.K. *see* Kirberg, U. 86−70889
Sattler, P.K. *see* Loeser, F. 86−33744, 87−43061
Sattler, P.K. *see* Loser, F. 86−6776, 87−15764
Sattler, U. *see* Holm, K. 87−37806
Sattler, W. *see* Baltay, M. 88−51351
Satwinder, D.S.M., Malhi, D.S. A 3-D integration strategy in VLSI 85−50779
Satya Murthy, N.S. *see* Dasannacharya, B.A. 86−5864
Satya Prakash, A.L. *see* Kooi, P.S. 85−23099
Satya Prakash, A.L. *see* Leong, M.S. 87−7573
Satyam, M., Ramkumar, K. Role of composite materials in a functional approach to miniaturisation in electronics 88−25718
Satyam, M., Ramkumar, K., Anandan, M. A true analog bar-graph LCD with improved uniformity in sensitivity and display front 85−64208
Satyam, M., Ramkumar, K., Ghare, D.B. Material composites: a new direction 86−7860
Satyam, M. *see* Arivoli, T. 85−1582, 87−1008, 88−44385
Satyam, M. *see* Lalkishore, K. 85−34210, 86−41360, 87−32109, 87−45310
Satyam, M. *see* Murthy, K.S.R.C. 85−6024, 86−13847, 87−53071
Satyam, M. *see* Nagaraj, K. 85−23069
Satyam, M. *see* Raghupati, M. 85−25787
Satyam, M. *see* Ramkumar, K. 86−9102, 87−59911, 88−7575, 88−50143, 88−64529
Satyamurthy, H.B. *see* Thakur, D.K. 87−38237
Satyamurthy, L.S. *see* Pal, S. 87−10703
Satyamurthy, P., Venkatramani, N., Rohatgi, V.K. Analysis of heat fluxes in the electrode walls of a combustion-driven MHD generator 85−53832
Satyamurthy, S. Design of compatible equipment for land mobile vehicles 86−15956
Satyamurthy, S. Study of mutual interference between co located VHF antennas on a vehicle and EMI coupling due to mismatch 87−12755
Satyamurty, V.V., Beckman, W.A. Influence of collector parameters on load fraction and economic viability 86−26309
Satyanandam, G. *see* Sreehari Sastry, S. 88−71831
Satyanarayana, A., Krishna Reddy, B.G. Design of velocity transformers for ultrasonic machining 85−27862
Satyanarayana, A. *see* Agrawal, A. 85−33239, 85−46670
Satyanarayana, A. *see* Politof, T. 87−5274
Satyanarayana, A. *see* Viswanath, K. 85−60225
Satyanarayana, G. *see* Sastry, D.L. 85−20877, 88−74770
Satyanarayana, H. *see* Ahmad, M. 85−31761
Satyanarayana, K.V.V. *see* Murthy, S.S. 87−43039
Satyanarayana, P. *see* Prasad, K.P. 86−26759, 86−47009
Satyanarayana, R., Ramana Murthy, S. Electrical conductivity and thermoelectric power of nickel-zinc ferrites 86−8806
Satyanarayana, R. *see* Venugopal Reddy, P. 85−6716
Satyanarayana, S. *see* Alspector, J. 88−32259
Satyanarayana, S. *see* Tsividis, Y. 88−12530
Satyanarayanan, M. *see* Morris, J.H. 86−37463
Satyavathi, K. *see* Barua, K. 88−4585
Satyshur, M.P. *see* Kruer, M.R. 88−47569
Sau, J.B.I. A new lock indicator circuit for microwave and millimeter-wave phase locked loops 88−71024
Sau, R. Obsolescence, working capital and the usefulness of used machines 88−56088
Sau Lan Wu *see* Amendolia, S.R. 86−5779, 87−21427
Sau Lan Wu *see* Binnie, D.M. 85−31693
Sau-Ching Wong *see* Hartmann, R. 85−61250
Saubert, M., Synder, D. Packaging engineers face conflicting demands 85−61528
Saucedo, E. *see* Mimila-Arroyo, J. 85−16960
Saucet, J.-P. *see* Bazergui, A. 88−22539
Saucier, G. Automatic layout of integrated circuits 86−21696
Saucier, G., Bellon, A., Paillotin, J.F., Tsitsimis, J., Janati, A., Chaisemartin, P. Classification and comparison of different placement strategies 85−33875
Saucier, G., Bellon, C. VLSI test expertise system using a control flow model 85−1702
Saucier, G., Bellon, C. CADOC: a system for computer aided functional test 85−42876
Saucier, G., De Paulet, M.C., Poirot, F., Sicard, P. ASYL: a rule-based synthesis tool 88−26468
Saucier, G., Depaulet, M.C., Sicard, P. ASYL: a rule-based system for controller synthesis 88−12314
Saucier, G., Genestier, P., Jay, C. Rule based synthesis environment application to a dedicated microprocessor design 88−19212
Saucier, G., Hanriat, S. Rule based logical synthesis for silicon compilers 87−38452
Saucier, G., Thuau, G. Systematic and optimized layout of MOS cells 86−21882
Saucier, G., Thuau, G. Systematic design of MOS cells 88−26545
Saucier, G. *see* Dandache, A. 88−19052
Saucier, G. *see* Dupont, E. 87−37204
Saucier, G. *see* Genestier, P. 87−1670, 87−24263, 87−31948, 87−67408
Saucier, G. *see* Hanriat, S. 87−728, 87−17054
Saucier, G. *see* Jay, C. 85−33970, 87−31951
Saucier, G. *see* Kouka, E.F.M. 87−65726
Saucier, G. *see* Midwinter, T. 88−33362
Saucier, G. *see* Petrolli, J.P. 87−1682
Saucier, G. *see* Pilaud, E. 86−11436
Saucier, G. *see* Thuau, G. 86−34640, 87−59358, 88−25074
Saucier, G. *see* Trilhe, J. 87−67407
Saucier, G., Read, E., Trilhe, J. *(editor)* Fast-Prototyping of VLSI. Selection of Papers from the IFIP WG 10.5 Workshop 88−18330
Saucier, G., Trilhe, J. *(editor)* Wafer Scale Integration. Proceedings of the IFIP WG 10.5 Workshop 87−31150
Saud, A.F. *see* Hadjian, A.H. 87−78389
Saudinos, J. Imaging with high energy particles 88−218
Saudinos, J. *see* Vorobyov, A.A. 88−68244
Sauer, B.W. *(editor)* Biomedical Engineering IV: Recent Developments. Proceedings of the Fourth Southern Biomedical Engineering Conference 86−57102
Sauer, C. *see* Breiling, G. 87−64294
Sauer, C.G. *see* Jones, R.M. 85−31924
Sauer, C.H. Numerical solution of some multiple chain queueing networks 85−33275
Sauer, C.H. *see* Tucci, S. 86−307
Sauer, E. Simulation of the quantisation circuit of a Josephson A/D converter 87−60863
Sauer, E. *see* Bendig, J. 88−7181
Sauer, F. *see* Bartelt, H. 85−41970
Sauer, F. *see* Lohmann, A.W. 88−65883
Sauer, G., Krause, H., Schenk, J., Tebbe, U., Kreuzer, H., Neuhaus, K.-K. Cinevideodensitometric measurements of coronary artery flow velocity patterns in men 85−15310
Sauer, H. Taking stock: where does relay technology stand today? 85−50079
Sauer, H., Paraire, N., Koster, A., Laval, S. Optimization of a silicon-on-sapphire waveguide device for optical bistable operation 88−34114
Sauer, H. *see* Chelli, H. 88−8298
Sauer, H. *see* Elster, K.-H. 85−54316
Sauer, H. *see* Niepceron, A. 88−58646
Sauer, H.-G. Setting symmetrical control angles at AC final control devices 86−67027
Sauer, H.-G., Sauer, R. Mathematical determination of any desired curves by means of a Fourier series 87−58772
Sauer, J.P. *see* Fahland, K.A. 87−59988
Sauer, J.R. *see* Balka, L. 88−47985
Sauer, K. *see* Huber, M.N. 88−73642
Sauer, K. *see* Motschmann, U. 85−24812
Sauer, K.D., Allebach, J.P. Iterative reconstruction of bandlimited images from nonuniformly spaced samples 86−64369
Sauer, K.D., Allebach, J.P. Iterative reconstruction of multidimensional signals from nonuniformly spaced samples 87−27470
Sauer, K.D., Allebach, J.P. Iterative reconstruction of bandlimited images for nonuniformly spaced samples 88−28025
Sauer, K.P. *see* Fischer, W. 86−69240
Sauer, L.A. *see* Bates, R.J.S. 86−23454
Sauer, M. *see* Mitra, A.K. 87−35290
Sauer, N. *see* Taylor, G.W. 87−25274, 87−46231
Sauer, N.J., Chang, T.Y., Dayem, A.H., Westerwick, E.H. Techniques for realizing linearly graded composition or doping profiles in molecular-beam epitaxy 87−73089
Sauer, N.J. *see* Hopfel, R.A. 88−12971
Sauer, P. *see* Guy, R.W. 85−9007
Sauer, P.J.J. *see* Dane, H.J. 85−38176
Sauer, P.W. Applications of integral manifolds to power system studies 88−48447
Sauer, P.W., Ahmed-Zaid, S., Kokotovic, P.V. An integral manifold approach to reduced order dynamic modeling of synchronous machines 88−55322
Sauer, P.W., Ahmed-Zaid, S., Pai, M.A. Nonlinear decoupling in a class of quadratic two time scale systems with applications to synchronous machine models 85−53688
Sauer, P.W., Christensen, J.P. Active linear DC circuit models for power system analysis 85−9404
Sauer, P.W., LaGesse, D.J., Ahmed-Zaid, S., Pai, M.A. Reduced order modeling of interconnected multimachine power systems using time-scale decomposition 87−57539
Sauer, P.W., Othman, H.A., Lavin, R.C. On the relationship between power system dynamic equilibrium and load flow equations 88−23375
Sauer, P.W., Rajagapolan, C., Pai, M.A., Varghese, A. Critical modes and voltage instability in power systems 86−70605
Sauer, P.W. *see* Ahmed-Zaid, S. 86−70554
Sauer, P.W. *see* Behera, A.K. 86−56315
Sauer, P.W. *see* Chow, J.H. 86−6207, 87−57572
Sauer, P.W. *see* Khorasani, K. 86−44844
Sauer, P.W. *see* Kokotovic, P.V. 86−66990, 88−48918
Sauer, P.W. *see* Othman, H.A. 88−23906
Sauer, P.W. *see* Pai, M.A. 85−53276, 86−12367, 87−57574, 88−42752
Sauer, P.W. *see* Winkelman, J.R. 88−23370
Sauer, R. *see* Sauer, H.-G. 87−58772
Sauer, R. *see* Tsang, W.T. 87−65529
Sauer, T. *see* Li, T.Y. 88−6397
Sauer, W. Flexible design with the support of gate arrays 85−22748
Sauer, W. CMOS gate arrays and standard cell ICs 85−54791
Sauer, W. Application specific ICs: general criteria for selection and technological trends 86−53795
Sauer, W., Hoffmann, W. The effect of measurement errors on the results of inspection processes 88−24595
Sauer, W., Rupprecht, W. A suboptimal detector of low expense for severely distorted and disturbed data signals 87−61879
Sauer, W., Rupprecht, W. Characteristics of the M algorithm for the detection of data signals liable to intersymbol interference and distortion 88−46139
Sauerborn, A. Determination of D_{33} and high mechanical Q's using the electric-line theory 87−67632
Sauerborn, G. *see* Fromm, D. 87−15594
Sauerbrey, A. *see* Putz, N. 86−13754
Sauerbrey, J. *see* Wehn, N. 87−17166
Sauerbrey, R., Langhoff, H. Excimer ions as possible candidates for VUV and XUV lasers 85−41313
Sauerbrey, R., Langhoff, H., Liegel, J., Walter, W. Transient gain and absorption measurements in electron beam pumped helium and helium/halogen mixtures 85−12775
Sauerbrey, R., Zhu, Y., Millar, P., Tittel, F.K., Wilson, W.L., Jr. Improved laser pumping by intense electron beams via a backscattering reflector 87−61204
Sauerbrey, R., Zhu, Y., Tittel, F.K., Wilson, W.L., Jr., Nishida, N., Emmert, F., Nighan, W.L. Simultaneous UV/visible laser oscillation on the $B \rightarrow X$ and $C \rightarrow A$ XeF excimer transitions 85−51094
Sauerbrey, R. *see* Nighan, W.L. 85−7348
Sauerbrey, R.A., Nigham, W.L., Tittel, F.K., Wilson, W.L., Jr., Kinross-Wright, J. Simultaneous multiwavelength operation of a commercial rare gas halide laser 86−42472
Sauerbrey, R.A. *see* Kubodera, S. 88−51435
Sauerbrey, R.A. *see* Nighan, W.L. 87−38979, 88−8136
Sauerbrey, R.A. *see* Sartori, M.P. 88−8364
Sauerbrey, R.A. *see* Tittel, F.K. 87−12363
Sauerbrey, R.A. *see* Zhu, Y. 87−7251, 88−14074
Sauerbrey, W. DIN VDE 0100−experiences and wishes of practitioners. [electrical standards] 86−13597
Sauerburger, H. A procedure to calculate the near-end crosstalk in multipair cables 85−3222
Sauerburger, H. Wide and narrowband compatible single channel HDTV transmission 87−49243
Sauerburger, H. *see* Besier, H. 86−43824, 88−28903
Sauerburger, H. *see* Billotet-Hoffmann, C. 87−34794
Sauerburger, V.H., Stenger, L. Transmissions of high-definition television signals using two satellite channels 85−14401
Sauerland, K.H. *see* Butefisch, K.A. 86−32438
Sauermann, H. Spreading resistance sensors for high temperature applications 86−5277

Sauermann, H.J., Reimann, D. Microcomputer controlled high speed elevators with DC motors with directly fed by thyristors 85−5439

Sauers, I. Sensitive detection of by-products formed in electrically discharged sulfur hexafluoride 86−47887

Sauers, I., Ellis, H.W., Christophorou, L.G. Neutral decomposition products in spark breakdown of SF_6 86−47888

Sauers, I., Evans, W.D., Adcock, J.L., Christophorou, L.G. Decomposition of CF_4/Ar mixtures in corona discharges 87−18406

Sauers, I. *see* Christophorou, L.G. 85−24002

Sauers, R. *see* Panayotatos, P. 87−22755, 88−5871

Sauers, R.R. *see* Panayotatos, P. 88−37521

Sauert, J. *see* Chabert, A. 85−59094

Sauerwald, M. Digital video in consumer applications 86−69907

Sauerwald, M., Galleni, S. Analogue to digital converters 86−8314

Sauerwald, R. *see* Neumann, P. 87−64283

Sauerwein, K. *see* Link, R. 85−37458

Sauerwein, R. *see* Barth, S. 88−48801

Sauerwein, R. *see* Brefeld, W. 85−31671

Sauge, M. ASIC: the stages of a design 88−26414

Sauk, M. *see* Grabowski, A. 88−55131

Saukh, S.E. *see* Beregovenko, G.Ya. 85−22409, 86−46939

Saukhatas, A.-S.S., Fabrikant, V.L., Shabanov, V.A. Polyphase impedance relays and their comparison by statistical testing 85−21751

Saukhatas, A.-S.S. *see* Vanzovich, E.P. 88−5407, 88−75218

Saukkonen, A., Tolvanen, J., Silvennoinen, R. Computer generated holograms constructed with slanted fringes 88−14294

Saukov, A.I., Gornitsyn, G.A., Morozov, N.A. Crystal-diffraction spectrometer of increased efficiency 86−5851

Saukov, A.I. *see* Volenko, V.V. 86−29206

Saul, D.F. Constructing Telecom Canada's coast to coast fibre optic network 87−34619

Saul, P. Technology choice for high-speed applications−GaAS or silicon 88−1604

Saul, P. *see* Swift, J.B. 86−35124

Saul, P.H. High speed silicon logic−the approach to VLSI 85−33889

Saul, P.H. Comparison of GaAs and silicon ICs in high speed digital applications 87−46143

Saul, P.H., Howard, D.W., Greenwood, C.J. VLSI process compatible 8 bit CMOS DAC 85−33998

Saul, P.H., Howard, D.W., Greenwood, C.J. VLSI process compatible 8 bit CMOS DAC 85−35187

Saul, P.H., Howard, D.W., Greenwood, C.J. An 8b CMOS video DAC 86−14313

Saul, P.H., Joy, A.K., Leslie, T.C. A power-saving technique for flash analog-to-digital converters 86−1164

Saul, P.H., Mudd, M.S.J. Silicon bipolar−an 'old' technology comes good 86−47783

Saul, P.H., Mudd, M.S.J. A 100 MHz direct digital synthesiser 87−59690

Saul, P.H., Mudd, M.S.J. A 100 MHz output direct digital synthesizer 88−12477

Saul, P.H., Mudd, M.S.J. A fast hopping direct frequency synthesiser 88−44076

Saul, P.H., Mudd, M.S.J. A direct digital synthesizer with 100-MHz output capability 88−56495

Saul, P.H. *see* Birch, M.J. 86−41942

Saul, P.H. *see* Joy, A.K. 86−34913

Saul, P.H. *see* Taylor, D.G. 85−63714, 87−40968

Saul, P.H. *see* Wood, I.C. 85−36783, 85−36814, 86−11141

Saul, R.H., Chen, F.S., Shumate, P.W., Jr. Reliability of InGaAs photodiodes for SL applications 85−41270

Saul, R.H., King, W.C., Olsson, N.A., Zipfel, C.L., Chin, B.H., Chin, A.K., Camlibel, I., Minneci, G. 180 Mbit/s, 35 km transmission over single-mode fibre using 1.3 μm edge-emitting LEDs 85−56449

Saul, R.H. *see* Bohn, P.P. 85−30755

Saul, R.S., Webber, J.M.B. New techniques in very high sensitivity imaging radiometry and applications in thermal analysis 88−4473

Sauleda, H. *see* Danielsson, P.-E. 86−10571

Saulgeot, C. *see* Duval, P. 86−70945, 87−22263

Sauli, F. Ultraviolet photon detection and localization with multiwire chambers 86−65361

Sauli, F. Modern detectors [elementary particle physics] 88−10263

Sauli, F. The time projection chamber for heavy-ion collisions: trends and perspectives 88−61169

Sauli, F., Charpak, G. Ultraviolet photon detection in TMAE using a multistep proportional chamber 85−43243

Sauli, F. *see* Bouclier, R. 86−50314, 87−21422, 88−29846

Sauli, F. *see* Charpak, G. 85−9067, 85−37939, 87−71005, 88−54408, 88−61102

Sauli, F. *see* Glass, H. 85−43249

Sauli, F. *see* Gruhn, C. 86−60583

Sauli, F. *see* McCarthy, R. 86−65355

Sauli, F. *see* Peisert, A. 86−60582

Sauli, F. *see* Peskov, V. 88−54409

Sauli, F. *see* Suzuki, M. 87−35352, 88−22964

Saulino, M. *see* Caseli, E. 87−41388

Saullo, A. The use of bivalent energy systems in industry 86−40317

Saulnier, G.J., Das, P. Antijam spread spectrum receiver using LMS adaptive filtering techniques 85−30893

Saulnier, G.J., Das, P., Milstein, L.B. Suppression of narrow-band interference in a PN spread-spectrum receiver using a CTD-based adaptive filter 85−13155

Saulnier, G.J., Das, P., Milstein, L.B. A digitally implemented adaptive LMS suppression filter for direct sequence spread spectrum communications 85−42450

Saulnier, G.J., Das, P., Milstein, L.B. Suppression of narrow-band interference in a direct sequence spread spectrum receiver in the absence of carrier synchronization 86−30581

Saulnier, G.J., Das, P.K., Milstein, L.B. An adaptive digital suppression filter for direct-sequence spread-spectrum communications 86−10337

Saulnier, G.J., Lei, S.-F., Das, P. Synchronization in a direct sequence receiver aided by LMS adaptive filtering 88−28667

Saulnier, G.J., Rafferty, W. DSP-based non-coherent dual detector demodulator for land mobile radio channels 87−28442

Saulnier, G.J., Yum, K., Das, P. Narrow-band jammer suppression using an adaptive lattice filter 87−62099

Saulnier, G.J., Yum, K., Das, P. The suppression of tone jammers using adaptive lattice filtering 88−3066

Saulnier, G.J. *see* Phillips, P. 87−948

Saulnier, G.J. *see* Rafferty, W. 85−54742, 87−28441, 87−40645

Saulnier, J. *see* Azema, A. 86−42224

Saulnier, J. *see* Triboulet, R. 87−35094

Saulnier, J.L. *see* Storozum, S.L. 88−47063

Saulnier, P., Debhi, A., Machet, J. Ion energy distribution in triode ion plating 85−438

Saulsberry, C.W. *see* Riemer, D.E. 85−33193

Saul'skii, V.K. *see* Grishin, S.D. 85−48369

Sault, R.J. A software environment for satellite link simulation and modelling 87−3166

Sault, R.J., Skellern, D.J., Kalcina, A.P. A software environment for satellite link modelling and simulation 87−40797

Saulys, A.C. *see* Eiseman, S.E. 86−50425

Saum, G.H. *see* Brock, F.V. 87−77855

Saumon, D. *see* L'Hermitte, J. 86−25523

Saumon, G., Loiseau, A., Delavault, E. Servo-controlled air pump for calibration of respiratory measurement systems 85−43326

Saumont, R. *see* Bardou, A. 87−50397, 88−10440

Saumont, S. *see* Giambiasi, N. 87−25503

Saunders, A. A designer's guide to improving product quality 86−146

Saunders, A., Vecht, A., Tyrrell, G. The preparation of ternary thin films by novel MOCVD techniques 87−58991

Saunders, A. *see* Sinnadurai, F.N. 85−23301

Saunders, B. Visual matching of soft copy and hard copy 86−59321

Saunders, B. CIELAB spacing of digitally specified colors on a 24-bit CRT monitor 87−77126

Saunders, B.D. *see* Singer, M.F. 86−13688

Saunders, B.J. *see* Brown, R.M. 85−43257

Saunders, C. *see* Kleks, J. 88−20162

Saunders, C.P.R. *see* Keith, W.D. 86−60391

Saunders, C.S., Heyl, J.E. Evaluating educational computer conferencing 88−46735

Saunders, D., Brian, B. Role of technology and communications in dealing rooms 86−10749

Saunders, D.A. *see* Allan, R.D. 88−53078

Saunders, D.P. *see* Tallon, R.W. 86−35703

Saunders, D.R. *see* Justice, B.H. 85−12139

Saunders, D.S., Burch, I.A. Computer-interactive, single specimen J-integral fracture toughness test 88−497

Saunders, D.W., Hampshire, M.J. Teaching company scheme: a unique style of postgraduate activity with industry 85−16616

Saunders, F.C., Parry, G. Novel optical cell design for liquid crystal devices providing sub-millisecond switching 87−38876

Saunders, G. Automating PCB test and repair 88−50508

Saunders, G.L. *see* Hawks, R.L. 87−12680

Saunders, H.E. *see* Sadhir, R.K. 85−61864, 86−20067, 86−62281, 87−23708

Saunders, I.L. *see* Lambert, S.E. 88−51334

Saunders, J. Management of complex hierarchical IC designs within ELLA 87−46157

Saunders, J. Management of complex hierarchical IC designs within ELLA 87−67473

Saunders, J.A. *see* Mischke, S. 87−8888

Saunders, J.D., Ringler, T.J., Builta, L.A., Kauppila, T.J., Moir, D.C., Downey, S.W. Simple laser-driven, metal photocathodes as cold, high-current electron sources 88−47941

Saunders, J.D. *see* Downey, S.W. 87−6308

Saunders, J.H. PLACE 2.0−an interactive program for PLL analysis and design 85−49683

Saunders, J.Y. The copper vapor laser−a new strobe light for high speed photography 87−39004

Saunders, K.D., Knauer, L. XDP mechanics [expandable dissipation profiler] 88−48356

Saunders, K.G., McFadden, E.R., Jr., Neuman, M.R., Fouke, J.M. Sensor for measuring surface fluid conductivity in vivo 87−63728

Saunders, L. The professional approach to training 85−27984

Saunders, L.F. The IBM VHDL design system 87−67456

Saunders, L.F. *see* Nash, J.D. 86−47664

Saunders, M. Software development for KiloStream multiplexers 87−20325

Saunders, M.A. *see* Gill, P.E. 85−308, 85−5942, 85−28139, 88−63190

Saunders, M.H. *see* Maynard, R.B. 86−57490

Saunders, M.J., Darden, B.V. Interferometric characterization of a biconic fiber optic connector sleeve 88−26825

Saunders, M.J., Gardner, W.B. Precision interferometric measurement of dispersion in short single mode fibers 85−29634

Saunders, M.J., Gardner, W.B. Interferometric determination of dispersion variations in single mode fibers 86−48173

Saunders, M.J., Gardner, W.B. Interferometric determination of dispersion variations in single-mode fibers 88−26773

Saunders, M.P., Holmes, P.E., Boxall, B.A. A mixed technology high voltage process 85−45882

Saunders, N. Hospital system is life or death link 85−8264

Saunders, P. Servicing the NordMende FC25 chassis 86−24071

Saunders, P. *see* Jubb, R.M. 87−51310

Saunders, P.B. *see* Harris, C.M. 88−52761

Saunders, P.B. *see* Witzgall, C. 87−55546

Saunders, R. *see* Caldwell, J. 85−1838, 85−24766

Saunders, R. *see* McCauley, C.J. 88−52079

Saunders, R. *see* Zisserman, A. 86−42803, 87−33369, 88−27431

Saunders, R.D. *see* Schaefer, A.R. 85−52777, 86−65199

Saunders, R.D. *see* Walker, J.H. 88−4662, 88−29672

Saunders, R.J., Jechoutek, K. The electric power sector in developing countries 86−12272

Saunders, R.M. Engineering practice for engineering faculty [education] 85−32972

Saunders, R.M. *see* Saeb, M. 88−52090

Saunders, R.S. *see* Greeley, R. 88−67466

Saunders, R.S. *see* Strobell, M.E. 88−15582

Saunders, R.W., Kriebel, K.T. An improved method for detecting clear sky and cloudy radiances from AVHRR data 88−61638

Saunders, S.D.H., Gillham, C.J. Transmitting IR images at very low data rate 87−8470

Saunders, S.D.H. *see* Liddicoat, T.J. 87−3484

Saunders, S.R. New frontiers in solid state technology. II 88−26021

Saunders, S.R. New frontiers in solid state technology. III 88−26045

Saunders, T.E. *see* Johnson, W.A. 87−38037

Saunders, T.E. *see* Kornblit, A. 88−19818

Saunders, V. *see* Pedrotti, L.M. 85−35663

Saunderson, D.H. The MFE tank-floor scanner−a case history 88−42257

Saunderson, D.H. *see* Crook, M.J. 87−5554

Saunderson, H. *see* Blackburn, J.A. 85−20529

Saunderson, J.C. *see* Allibone, T.E. 87−11987

Saunderson, P.A. Some heavy doping effects in silicon 85−1285

Sauneuf, R. *see* Cavailler, C. 86−5809, 86−24390

Sauneuf, R. *see* Launspach, J. 86−5872, 87−14189

Saunier, P., Lee, J.W. High-efficiency millimeter-wave GaAs/GaAlAs power HEMTs 87−6706

Saunier, P., Lee, J.W. Multiple HEMT with 1-W/mm power density at 21 GHz 88−32429

Saunier, P., Matyi, R.J., Bradshaw, K. A double-heterojunction doped-channel pseudomorphic power HEMT with a power density of 0.85 W/mm at 55 GHz 88−71609

Saunier, P., Tserng, H.Q., Kim, B., Westphal, G.H. Monolithic GaAs dual-gate FET variable power amplifier module 86−27623

Saunier, P. *see* Kolodzey, J. 88−39531

Saunier, P. *see* Palmer, C.D. 85−1056

Saunier, P. *see* Pavio, A.M. 85−1053

Saunier, P. *see* Tserng, H.Q. 86−1361

Saunin, I.V. *see* Dedegkaev, T.T. 86−66846

Saunina, T.V., Chesnokova, D.B., Jaskov, D.A. Thermodynamic analysis of the conditions of growth of $Pb_{1-x}Sn_xTe$ from the gas phase 85−44680

Saunweber, E. *see* Gagarin, G. 87−79086

Saupe, G. *see* Herrmann, B. 88−17916, 88−17954 to 17955

Saupe, H. ISDN telephone subsets−field trial and future developments 88−35206

Saupe, R. The power conditioning system for the +/−8,5/17 MW−energy storage plant of BEWAG 88−68835

Saupe, V. Digital communication terminals for integrated networks 86−23272

Saupe, V. *see* Parthier, R. 85−63995
Saur, H. *see* Jondral, F. 85−36145
Saurais, G. Computer-assisted speech analysis can improve questionnaire design, ad copy 85−13505
Saure, M. *see* Karner, H. 86−47918
Saurel, A. *see* Lechaczynski, M. 85−8882
Saurel, J.M. *see* Attal, J. 85−9388
Saurel, J.M. *see* Kolodziejczyk, E. 88−10649
Sauret, J. *see* Prome, M. 85−59017
Saurin, A.A. *see* Bebikh, M.V. 86−23046
Saurin, A.A. *see* Denisov, A.I. 86−39921
Saurin, P. Water chemistry in French PWR power plants 85−27167
Saurin, P. *see* Lavalerie, C. 87−64326, 88−36980
Sauron, A. Francis turbines for the Tucurui power plant 87−78543
Sauron, A., Hemmen, M. Turbine development for very low head sites−pit-type units 88−69202
Saury, C. *see* Blumann, W. 87−20279
Saury, J.-M., Combes, P.-F., Renaud, D. Analysis of primary scattering of an offset dual reflector antenna with multifeed 85−46630
Saury, J.L. *see* Berger, C. 88−22937
Saury, J.L. *see* Chehab, R. 86−31779
Sausa, R.C. *see* Gupta, A. 88−39266
Sausen, F. Link control and end to end control in satellite systems. The interaction of protocols 87−49006
Sausen, F. *see* Hubner, M. 88−28788
Saushev, A.V. *see* Avkhach, M.Ya. 87−20383
Saussey, H. *see* Lauvray, H. 86−45703
Saussure, G.De *see* De Saussure, G.
Saussy, G.C. *see* Phillis, Y.A. 86−61978
Saussy, S.E., Stroll, Z.Z., Cordova, R. A cache memory chip for high performance image warping 86−46824
Sautenkov, V.A. *see* Abul'shin, A.M. 87−68381
Sautenkov, V.A. *see* Akul'shin, A.M. 86−36495, 87−26410
Sautenkov, V.A. *see* Baev, V.M. 86−9818
Sautenkov, V.A. *see* Velichanskii, V.L. 87−46902
Sauter, A.M., Dorman, L.M. Instrument calibration of ocean bottom seismographs 87−15039
Sauter, D., Aubrun, M., Cecchin, T., Merckle, J. Filtering and estimation with antagonist hypothesis for failure detection 88−31536
Sauter, E.G. *see* Krivoshlykov, S.G. 88−1990
Sauter, G.D., Hughes, E.A. The applicability of quantitative safety goals in the NRC's regulatory process 85−43839
Sauter, G.F. *see* Fleming, D.L. 85−58670
Sauter, H. *see* Bittermann, H. 87−33960
Sauter, K., Gluckman, P. SQC for copperclad laminators 88−38923
Sauter, K.-D. *see* Schmutz, W. 88−158
Sauter, K.A. How SQC helps your laminator−and you 86−41415
Sauter, K.D. *see* Wohnhas, S. 88−31470
Sauter, L., Flocon, B., Lockwood, P. Speaker independent speech recognition using demisyllable-based hidden Markov models 87−55036
Sauter, L.C. Isolated word recognition using a segmental approach 86−16209
Sauter, M. Child prodigy under test: the Alesis HR-16 drum computer testing 88−47385
Sauter, M. Multi-Pack. The Ensoniq SQ-80 under test 88−74214
Sauter, R., Requardt, H., Weber, H. Magnetic resonance tomography using specially designed RF antennas 87−8900
Sauter, R. *see* Leach, M.O. 86−65416
Sauter, R. *see* Requardt, H. 88−4896
Sauter, S. *see* Bergholz, W. 88−13519
Sauter, T. *see* Chang, K. 88−67996
Sauter, T. *see* Siemers, I. 88−68184
Sauter, T.H. *see* Chang, K. 88−28952
Sauter, W.F., Dakpa, R., Hamilton, E., Milner, M., Galway, H.R. Prosthesis with electric elbow and hand for a three-year-old multiply handicapped child 86−12028
Sautereau, J.-F. *see* Larroque, J. 88−67284
Sautereau, J.F. *see* Larroque, J. 87−37536, 88−25067
Sautereau, J.F. *see* Pouysegur, M. 87−73747
Sautereau, J.F. *see* Utard, C. 88−56994
Sauteret, C. *see* Veron, D. 88−20607
Sauthoff, N.R. *see* Hill, K.W. 85−52983
Sautov, A.S. *see* Shchutskii, V.I. 86−26462
Sautreuil, B., Viktorovitch, P., Blanchet, R. Evidence for interfacial defects in metal-insulator-InP structures induced by the insulator deposition 85−40533
Sautreuil, B., Viktorovitch, P., Blanchet, R. Evidence for interfacial defects in metal-insulator-InP structures induced by the insulator deposition 86−1849
Sautter, D. Lithographic processes in VLSI technology 85−12367
Sautter, D. Techno-economic boundaries of integration 85−12371
Sautter, H.O. *see* Kollarits, R.V. 85−36668
Sautter, K. *see* DeBruin, D. 88−13276
Sautter, K. *see* Lauchlan, L. 85−50656, 86−2283
Sautter, K.M., Batchelder, T. Automated process monitoring techniques for photoresist handling systems 88−7543
Sautter, R.C. *see* Reed, S. 87−28827
Sauvage, D., Gueguen, M., Simon, B. Effect of surface properties on electrical parameters of GaAs MESFETs 85−50516
Sauvage, D. *see* Bettoni, D. 85−52968
Sauvage, D. *see* Blasquez, G. 86−67850
Sauvage, D. *see* Breskin, A. 88−68214
Sauvage, D. *see* Charpak, G. 88−61102
Sauvage, D. *see* Fischer, P. 88−68294
Sauvage, D. *see* Graffeuil, J. 85−29224, 87−45994
Sauvage, D. *see* Savelli, M. 86−4995
Sauvage, D. *see* Suzuki, M. 88−22964
Sauvage, G. Experimental possibilities with UA2 85−52925
Sauvage, G. *see* Bourgeois, F. 87−29460
Sauvage-Simkin, M. *see* Bensoussan, S. 87−52114
Sauvageau, J.E., Jain, A.K., Lukens, J.E., Ono, R.H. Phase-locking in distributed arrays of Josephson oscillators 87−67876
Sauvageau, J.E., Jain, A.K., Lukes, J.E. Millimeter wave phase-locking in distributed Josephson arrays 88−25490
Sauvageau, J.E., Ono, R.H., Jain, A.K., Li, K., Lukens, J.E. Length dependent properties of SNS microbridges 85−62248
Sauvageau, J.E. *see* Jain, A.K. 85−1874, 85−56215
Sauvageau, J.E. *see* Ono, R.H. 85−35337
Sauvagerd, U. A pseudopassive two-port adaptor for floating-point WDFs 87−17234
Sauvagerd, U., Youssef, M. Wave digital filters with floating-point arithmetic 87−47815
Sauvain, H. Protection against radiation 85−7672
Sauvain, H. *see* Aguet, M. 85−59681, 86−51026
Sauvant, K.P. Data services−national policy choices 87−27819
Sauve, G. *see* Heidenreich, J.E. 87−25120
Sauve, G. *see* Heidenreich, J.E., III 87−38131
Sauve, J.P. *see* Cabral, M.I.C. 87−40031
Sauvet-Goichon, D. Feeder links to broadcasting satellite: technical parameters and plan preparation method 87−28506
Sauvezon, R. *see* Tomas, O. 87−64626
Saux, G.Le *see* Le Saux, G.
Savadatti, M.I., Inamdar, S.R., Math, N.N., Mulla, A.D. Energy-transfer dye lasers 87−39023
Savadatti, M.I. *see* Kunabenchi, R.S. 85−46337
Savadogo, O., Lauvray, H., Barraud, J., Allais, G., Deschanvres, A. Defects revelation in polycrystalline silicon devices for solar cells by photoelectrochemical methods 86−40113
Savadogo, O., Yazbeck, J., Allais, G., Deschanvres, A. Photoelectrochemistry of $CdIn_2S_4$: flat bend potential in the presence of sulphur ions 85−6773
Savadzhiev, K. *see* Siromakhov, B. 87−42489
Savage, A. *see* Nordland, W.A. 85−386
Savage, A. *see* van der Ziel, J.P. 87−39079
Savage, C.M., Marquis, F., Watson, M., Meystre, P. Direct overwrite in magneto-optical recording 88−39801
Savage, D.E. *see* Heller, E.J. 88−64410
Savage, E. Hobby corner: intercom modifications 85−3801
Savage, E. Hobby corner: how target games work 85−31489
Savage, E. Hobby corner: Generating 60-Hz clock pulses 86−837
Savage, H.T. *see* Wun-Fogle, M. 87−56678, 87−63372, 87−70568, 88−22564
Savage, J. Semi-automatic and automatic PCB assembly 85−1165
Savage, J. Laminates and drilling 85−6595
Savage, J.A. Infrared optical materials and their antireflection coatings 85−50898
Savage, J.A. Chalcogenide glasses for optical applications 85−62281
Savage, J.A. Materials for infrared fibre optics 87−60873
Savage, J.A., Lewis, K.L., Whitehouse, R.H.L. Recent progress in the synthesis of calcium lanthanum sulphide optical ceramic 87−18578
Savage, J.A. *see* Lewis, K.L. 87−16680
Savage, J.E. The performance of multilective VLSI algorithms 85−18413
Savage, J.E., Scott Vitter, J. Parallelism in space-time tradeoffs 86−21727
Savage, J.W. *see* Duff, W.G. 85−62831
Savage, K.F.N. Design aspects of very high reliability products. I 88−6239
Savage, M. *see* Burkhart, C. 85−59155
Savage, M. *see* Humphries, S., Jr. 85−28898, 85−61620, 86−44532, 87−22798
Savage, M. *see* Humpries, S., Jr. 86−24924
Savage, M.J. *see* Wiescher, M. 88−47915
Savage, M.L. *see* McKelvey, M.E. 88−67805
Savage, P.G. Advances in strapdown sensors 85−3982
Savage, P.J. The future of the European semiconductor industry 87−36394
Savage, P.R. *see* Atkinson, P. 85−567, 85−9880, 85−21635
Savage, R. *see* Lehecka, T. 87−7268
Savage, R.D. *see* Bucci, G.D. 87−6209
Savage, R.L. *see* Rebeiz, G.M. 88−2884, 88−21025, 88−27664
Savage, R.L., Jr. *see* Lehecka, T. 88−33924
Savage, R.N. *see* Shabushnig, J.G. 86−35532
Savage, R.O., Anthony, J.E., Au Coin, T.R., Ross, R.L., Harsch, W., Cantwell, H.E. High-pressure direct synthesis of bulk indium phosphide 86−407
Savage, T.R. An operations management system for the space station 87−29868
Savage, T.R. Space Station operations management system 88−16808
Savakinas, R.C. Ready, aim−write 88−43756
Savalle, D., Meunier, G., Sabonnadiere, J.C., Verite, J.C. Tridimensional modelling of current and magnetic flux lines 88−52026
Savalle, D., Meunier, G., Verite, J.-C. Geometrical integrals computation in the finite element post-processing 88−6412
Savalle, D. *see* Meunier, G. 88−52028
Savane, A.G. *see* Popescu, C. 87−78925
Savaneev, V.P. *see* Lachinov, V.M. 88−51406
Savanovic, A., Benitez, R., Hashimoto, H., Harashima, F. VSS approach to DC drives control 85−75982
Savanovich, N.I. *see* Lukhvich, A.A. 87−29284
Savard, D., Lorazo, B., Jeremie, H. Efficiency of Billoir's track fitting method for the OPAL central detector 88−54438
Savard, D. *see* Hansroul, M. 88−68251
Savard, G. *see* Berger, C. 87−50915
Savard, G. *see* Gauvin, J. 86−39615
Savard, P., Bonneau, G., Tremblay, G., Cardinal, R., Leblanc, A.R., Page, P., Nadeau, R.A. Interactive electrophysiologic mapping system for on-line analysis of cardiac activation sequences 86−44677
Savard, P., Bonneau, G., Tremblay, G., Leblanc, R.A., Cardinal, R., Page, P., Nadeau, R.A. Interactive cardiac mapping system for antiarrhythmia surgery 87−57206
Savard, P. *see* Bonneau, G. 87−63777
Savard, R. *see* Arel, N. 88−38584
Savarese, C. *see* De Bonitatibus, A. 86−42914
Savarese, G. *see* Imondi, G. 87−34886
Savaria, Y., Agarwal, V.K., Rumin, N., Hayes, J.F. A design for machines with built-in tolerance to soft errors 85−40037
Savaria, Y., Boubguira, A. Optimized CMOS pass transistor logic 88−38496
Savaria, Y., Haccoun, D., Lavoie, P. Design tradeoffs for the VLSI implementation of a fast universal convolutional encoder 88−40809
Savaria, Y., Hayes, J.F., Rumin, N.C., Agarwal, V.K. A theory for the design of soft-error-tolerant VLSI circuits 86−41877
Savaria, Y., Rumin, N.C., Hayes, J.F., Agarwal, V.K. A filtering approach to soft-error tolerance 86−47829
Savaria, Y., Rumin, N.C., Hayes, J.F., Agarwal, V.K. Soft-error filtering: a solution to the reliability problem of future VLSI digital circuits 86−62507
Savaria, Y. *see* Agarwal, V.K. 87−44720
Savaria, Y. *see* Arel, N. 88−38584
Savaria, Y. *see* Blaquiere, Y. 88−25247
Savaria, Y. *see* Cyr, C. 87−37260, 88−25273
Savaria, Y. *see* Gadiri, A.K. 88−39659
Savaria, Y. *see* Haccoun, D. 88−50998
Savaria, Y. *see* Kaminska, B. 88−49976, 88−71746
Savaria, Y. *see* Lanctot, B. 87−32671
Savaria, Y. *see* Lavoie, P. 87−31957, 88−40813
Savaria, Y. *see* Thibeault, C. 88−38578
Savart, D., Courtois, B. Automatic failure of analysis of VLSI circuits using E-beam 88−39592
Savary, H. *see* Licoppe, C. 88−392, 88−63284
Savary, H. *see* Rathier, G. 85−52231
Savary, P., Nagai, S., Nakaoka, M., Maruhashi, T. A 450 KHz multi-kilowatt resonant power supply with phase-shifting regulation technique 88−11310
Savary, P., Nakaoka, M., Maruhashi, T. A solar photovoltaic array power conditioner with new instantaneous current control strategy 85−65183
Savary, P., Nakaoka, M., Maruhashi, T. Resonant vector control based high frequency inverter 86−7977
Savary, P., Nakaoka, M., Maruhashi, T. Solar array/utility grid interface inverter with new PWM strategy 86−33510
Savary, P., Nakaoka, M., Maruhashi, T. Novel type of high-frequency link inverter for photovoltaic residential applications 86−61603
Savary, P., Nakaoka, M., Maruhashi, T. A high-frequency resonant inverter using current-vector control scheme and its performance evaluation 87−52350
Savary, P. *see* Omori, H. 88−11311
Savary, P. *see* Peignet, C. 88−71064
Savary, S. *see* Ammor, L. 88−18036
Savas, S.E., Horne, D.E., Sadowski, R.W. Dummy load technique for power efficiency estimation in RF discharges 86−65245
Savastano, G. *see* D'Apuzzo, M. 86−57130
Savastano, G. *see* De Gregorio, P. 86−13153
Savastano, M. *see* Baccigalupi, A. 87−3414
Savastano, M. *see* Daponte, P. 88−16731
Savastano, M. *see* Luciano, A.M. 85−37552, 88−12646
Savateev, A.V. *see* Granovskii, V.A. 87−28888

Savatiel, K. Emergence of small, remote Earth stations in private networks plus other services 87−49012
Savatiel, K. Satellite Earth stations: new applications and economics 87−70011
Savatinova, I., Tonchev, S. A planar electrooptic beam splitter/modulator with a pair of parallel electrodes 85−24338
Savatinova, I., Tonchev, S. Noval integrated electrooptic A/D converter 88−38592
Savatinova, I., Tonchev, S., Popov, E., Mashev, L. Electrically induced strip waveguide modes 88−65325
Savatinova, I. *see* Tonchev, S. 86−2862
Savatinova, I. *see* Tsonev, L. 88−65312
Savatinova, I.T. Integrated optical multimode components (IOMC) in $LiNbO_3$ 87−54097
Savatinova, I.T. *see* Pantchev, B.G. 86−9608
Savchencko, I.S. *see* Fedukov, Yu.D. 85−6208
Savchenko, A.G. *see* Lenyuk, G.K. 85−63921
Savchenko, A.K. *see* Gurevich, I.D. 85−44500
Savchenko, A.K. *see* Laiko, E.I. 88−71491
Savchenko, A.K. *see* Orlov, A.O. 87−6731, 87−25305
Savchenko, A.V. *see* Didenko, N.K. 85−4447
Savchenko, B.A., Moiseeva, N.M. Molybdenum specimen as a standard for thermal conductivity and specific heat for solids in the range 160-310K 85−4142
Savchenko, I.S., Repalov, N.S., Tolpegov, A.V. High-frequency pulse shaping using a length of artificial line 86−62500
Savchenko, I.S. *see* Korostylev, A.N. 88−40615
Savchenko, I.S. *see* Lomakin, V.L. 86−45491, 88−6682
Savchenko, I.S. *see* Mel'nik, V.G. 85−636, 88−70494
Savchenko, I.S. *see* Pis'menetskii, V.A. 88−21202
Savchenko, K.V., Minaev, V.S., Mussil, V.V., Fedorchenko, V.I., Kupriyanova, R.M., Sokolova, L.S., Bazakutsa, V.A. Synthesis and some properties of glasses in the Pb-Ge-Te system 86−26928
Savchenko, M.A. *see* Kovalev, V.F. 87−26602
Savchenko, M.P., Karpinskaya, T.A. Equivalent circuit parameters and approximation of UHF varactor characteristics 87−53474
Savchenko, M.P., Kuleshov, V.N. Experimental investigation of fluctuations in a transistor self-excited oscillator employing varicaps 86−27123
Savchenko, M.P. *see* Kuleshov, V.N. 88−44083
Savchenko, O.V. *see* Abazov, V.M. 88−16758, 88−48224
Savchenko, O.Ya. *see* Batkin, V.I. 88−29765
Savchenko, O.Ya. *see* Vatkin, V.I. 85−9032
Savchenko, O.Ya. *see* Getmanov, V.N. 88−47922
Savchenko, S.M. The frequency dependence of the input impedance of a diode in a frequency multiplier 88−19308
Savchenko, S.M. *see* Danilov, A.E. 85−51149
Savchenko, S.M. *see* Lyavdanskiy, S.Ye. 86−27525
Savchenko, V.E. Power method for measuring nonelectrical quantities 86−70224
Savchenko, V.E., Gribova, L.K., Pushkarev, V.V. Metrological support to the production of water content meters for textile materials 88−35927
Savchenko, V.I. *see* Kim En Dar 87−78173
Savchenko, V.M. *see* Kuchinskii, A.G. 86−44234
Savchenko, V.N. *see* Bykov, A.M. 85−35497
Savchenko, V.N. *see* Volkov, I.S. 88−51489
Savchenko, V.N. *see* Volyar, A.V. 87−74726
Savchenko, V.P., Afanas'ev, A.I. A high-speed phase shifter with stable phase shifts 85−23074
Savchenko, V.P., Lebedev, I.V. A millimeter-band waveguide π-phase-shifter 88−25396
Savchenko, V.V. Synthesis of a noise-immune AGC system 86−43884
Savchenko, V.V. Optimization of the radar working frequency 87−63013
Savchenko, V.V. Synthesis of a fast-response automatic interference canceller with correlation feedback 88−14406
Savchenko, V.V. *see* Pluzhnikov, A.D. 85−41916
Savchenko, Yu.G. *see* Adler, A.G. 86−4073
Savchenko, Yu.P. *see* Ptichnikov, M.M. 85−8020
Savchenkov, A.G. *see* Parol', N.V. 86−67622
Savchenkov, Yu.P., Ptichnikov, M.M. Field testing of the 'GALS' radioisotope thermoelectric generators on the IKM-120 test link 86−40172
Savchuk, A.U. *see* Zdebskii, A.P. 85−35595
Savchuk, A.V. *see* Kolezhuk, K.V. 85−24672
Savchuk, G.V. *see* Gogosha, P.I. 86−38483
Savchuk, T.E. *see* Tarasov, A.I. 88−30375
Save, J.P. Problems posed by static electricity 85−56943
Save, P., Engmann, G. New method for derating cables in trays traversing firestops 88−68948
Savelainen, M. *see* Berglund, P. 85−41095
Savelainen, M.K. Magnetic resonance imaging at 0.02 T: design and evaluation of radio frequency coils with wave winding 88−74806
Savelainen, S. A range of high speed cage motors of medium size-design features and experiments with high voltage frequency converter operation 88−33403
Savel'ev, A.A. *see* Komolov, V.I. 86−18502
Savel'ev, A.D. *see* Ageev, V.P. 87−2085, 87−46801, 87−75005
Savelev, A.D. *see* Atezhev, V.V. 88−51752
Savel'ev, A.D. *see* Vartapetov, S.K. 86−68584
Savel'ev, A.V. *see* Zaitsev, D.B. 87−21128
Savel'ev, B.A. *see* Nudzhenko, A.G. 88−43447
Savel'ev, D.A. *see* Danilov, V.V. 86−28912, 87−33013
Savel'ev, G.S., Gostev, A.P., Kuznetsov, V.P., Gritsenko, I.P. Setting tests and commissioning of linear-transverse voltage control of autotransformers 86−26096
Savel'ev, I.G. *see* Alferov, Zh.I. 85−23531 to 23532, 85−34592, 86−21176
Savel'ev, I.G. *see* Biryulin, Yu.F. 88−49802
Savel'ev, I.G. *see* Karyaev, V.N. 87−32322
Savel'ev, I.I. *see* Mel'nikov, L.A. 85−18861
Savel'ev, M.P. *see* Levchenko, V.V. 88−48847
Savel'ev, S.A. *see* Vaisfel'd, D.N. 88−4958
Savel'ev, S.M. *see* Alebastrov, V.A. 85−24806
Savel'ev, V.A., Burykin, V.V. Study of motor protection from short circuits between turns 86−6693
Savel'ev, V.A. *see* Kartushina, A.A. 86−14854
Savel'ev, V.D. *see* Lipovskii, A.A. 85−24320
Savel'ev, V.I. *see* Bin'ko, G.F. 86−5729
Savel'ev, V.V. *see* Gromilin, G.I. 85−39
Savel'ev, Yu.E. *see* Kil'dishev, V.S. 88−17555
Savel'ev, Yu.E. *see* Koval'kov, G.A. 86−39678
Savel'ev, Yu.E. *see* Veselova, O.V. 87−554
Savel'ev, Yu.M. *see* Burtsev, V.A. 85−11849
Savel'ev, Yu.M. *see* Gusev, O.A. 86−44492
Savel'ev, Yu.M. *see* Nikonov, A.G. 85−9024, 88−16621
Savel'eva *see* Kolesov, I.S. 87−53821
Savel'eva, L.N., Golubkov, G.E., Filippov, A.A., Tochanskaya, L.B., Kharina, T.Ya. Aging in an electric field of insulators based on 4,4′-isopropylidenediphenol 87−53824
Savel'eva, L.N. *see* Golubkov, G.E. 85−40993
Saveliev, V.I. *see* Gornov, M.G. 85−4202
Saveljic, R., Djurovic, M. Additional losses of a DC motor fed from an asymmetrical bridge 86−70939
Saveljic, R., Durovic, M. Evaluation of additional losses of a DC motor fed from an asymmetrical single-phase bridge 86−26063
Saveljic, R. *see* Durovic, M. 88−43169
Savelli, G., van Deth, F. Developments in safety equipment on single-track lines 88−62707
Savelli, M., Alabedra, R. Review of noise in photodiodes and prospective aspects 86−63723
Savelli, M., Lecoy, G., Renaud, J., Sauvage, D., Pinet, D. 1/f noise as a quality criterion for electronic devices and its measurement in automatic testing 86−4995
Savelli, M. *see* Alabedra, R. 86−63724
Savelli, M. *see* Bougnot, J. 86−57460
Savelli, M. *see* Comallonga, J. 88−22469
Savelli, M. *see* Duchemin, S. 88−17994
Savelli, M. *see* Luquet, H. 85−32710
Savelli, M. *see* Rezig, B. 86−13047
Savelli, M. *see* Touzel, J. 86−34354
Savelov, N.S. Analysis of transients in pre-ordered electrical circuits 85−49679
Savelov, N.S. A new approach to formation of equations of state for electronic circuits 87−16773
Savelov, N.S. Formation of equations of state following changes in electric networks 88−31955
Savelov, N.S., Timurdzhi, V.G., Gridnev, A.K., Bul'khin, Sh.A., Vlasov, V.G. Thyristor converters for production of permanent magnets 88−24034
Savelov, V.D. *see* Stroikovskii, A.K. 86−44480
Savel'yev, N.V. *see* Amiantov, I.N. 86−37074
Savel'yev, V.V. *see* Zotov, A.I. 85−43488
Savenchuk, N.A. *see* Matskovskaya, Yu.Z. 86−11459
Savenko, P.A. Bifurcation of the solutions of the problems of synthesis of radiating systems with a flat aperture from a given amplitude radiation pattern 87−33504
Savenko, P.A. *see* Vasil'kiv, Ya.V. 85−13378
Savenko, P.A. *see* Vasylkiv, Ya.V. 87−75629
Savenkov, A.V. *see* Solodovnikov, G.K. 88−68634
Savenkov, V.N. *see* Orlikovskii, A.A. 85−11257
Savenkov, V.N. *see* Sergeev, A.G. 85−11258
Savenkova, N.A. *see* Gavrishchuk, V.I. 88−68502
Savenkova, T.N. *see* Aleinikov, V.S. 86−28855
Savenkova, T.N. *see* Alejnikov, V.S. 85−62335
Saveriano, J.W. *see* Smith, L. 85−10473
Savery, W.T. *see* Broz, J.S. 86−39283
Savery, W.T. *see* de Four, M.A. 86−39286
Saviano, A. Insulating materials in modern insulating systems for traction motors 85−7121
Saviano, A. New insulation system for electric traction motors 88−31123
Saviano, A. Overall impregnation of traction motors with resin without solvents 88−43450
Savic, B. *see* Stojakovic, M. 85−32339
Savic, M. A high speed adaptive filter 85−61387
Savic, M., Cardwell, R. A microprocessor based adaptive line enhancer 86−50011
Savic, M., Wu, A. Event detection employing adaptive line enhancement 87−21009
Savic, M. *see* Attili, J.B. 87−75762, 88−72836
Savic, M. *see* Payton, R.M. 87−17168
Savic, M.I. Minicomputer aided network design [IBM PC] 87−23867
Savic, M.S. Sensitivity analysis of lightning performance calculations for transmission lines and substations 85−53355
Savic, M.S. Suppression of the high-frequency disturbances in low-voltage circuits caused by disconnector operation in high-voltage open-air substations 86−61684
Savic, M.S. *see* Bickford, J.P. 85−9551
Savic, M.S. *see* Glisic, Z. 88−61953
Savich, A.V. *see* Bezrodnyi, B.F. 88−59128
Savich, A.V. *see* Fomin, Ya.A. 86−37086, 87−61546
Savich, N.A., Andreyev, V.Ye., Vyshlov, A.S., Gavrik, A.L., Konofalov, V.P., Laptev, N.V., Marmulev, V.A., Mesterton, A.P., Nabatov, A.S., Osmolovskiy, I.K., Samoznayev, L.N., Shtern, D.Ya. Night-time ionosphere of Venus according to data from two-frequency radiotransillumination using the Venera-15 and -16 satellites in 1983 87−56310
Savich, V.V. *see* Vityaz', P.A. 85−33548
Savichev, V.A. *see* Kanazeev, K.G. 87−35108
Savicki, J.P. Johnson noise in SQUID magnetometers 86−38363
Savicki, J.P. *see* Colbry, B.W. 88−25619
Savidan, G. *see* Le Roux, Y.M. 87−54570
Savidge, D.H. *see* Johnson, W. 85−20490
Savikhin, F., Savikhin, S., Bitov, I. Television analyzer of a single (sub)nanosecond pulse and the operational software 87−77297
Savikhin, S. *see* Savikhin, F. 87−77297
Savikhina, T.I. *see* Golovkova, S.I. 87−68271
Savikin, A.P. *see* Dvoryaninov, E.N. 86−68599
Savile, H.A. *see* Ford, J.F. 87−9031
Savilova, Yu.I. *see* Vlasov, N.G. 85−46504
Savin, A. *see* Galaktionov, Yu. 87−8841
Savin, A.A. *see* Zavorotnyi, S.I. 86−58888
Savin, A.G. DC and AC multistage converters 85−32586
Savin, A.G. *see* Sumin, V.V. 87−49814
Savin, A.I. *see* Berestnev, S.P. 86−47420
Savin, A.I. *see* Dumarevskii, Yu.D. 85−56373, 86−9632, 86−63696, 87−18765, 88−4549, 88−46148
Savin, A.I. *see* Enyakin, Yu.P. 86−33038
Savin, A.K. *see* Svechnikov, S.V. 88−63378
Savin, A.K. *see* Vlasenko, N.A. 86−15562
Savin, A.M. *see* Gorokhova, L.Ya. 86−33032
Savin, A.N. *see* Subbotin, V.I. 85−41048
Savin, A.P., Simovskiy-Veytkov, I.S., Vargin, G.P. Dipole induction profiling above a sphere buried in a homogeneous half-space 87−15037
Savin, A.S. *see* Perevodchikov, V.I. 88−52144
Savin, B.V. *see* Goryagin, V.F. 87−78678
Savin, D. *see* Savin, E.-C. 88−31957
Savin, D.O. *see* Gostev, A.V. 86−28245
Savin, E.-C., Savin, D. On the DC steady state response of linear networks containing inductor loops and/or capacitor cutsets 88−31957
Savin, G. *see* Goras, L. 86−27033
Savin, G. *see* Rosman, H. 86−6671, 88−32300
Savin, I.A. *see* Benvenuti, A.C. 85−15254
Savin, I.V. *see* Kushnir, A.F. 86−6075, 86−29922
Savin, M.M., Nikitenko, Yu.A., Trofimenko, V.G., Dubov, V.V. Choice of section elements for a 3-ton secondary suspension of a simulated high-speed tracked vehicle transport 85−39265
Savin, M.M. *see* Kalabukhov, O.R. 88−69496
Savin, M.M. *see* Manikhin, A.I. 88−55687
Savin, N.P. *see* Goncharov, V.A. 87−29030
Savin, N.V. Application of the finite-element technique with a square-law approximation of the potential function for the computation of EM fields 87−39281
Savin, N.V. Using the integral-equation method to calculate magnetic fields in closed magnetic systems 87−39282
Savin, S.K. *see* Kravchenko, V.I. 85−47783
Savin, S.N., Tereshchenko, G.V. Operation of clamping the rocking in remotely-controlled protection on lines with traction loads 86−61783
Savin, V.A. *see* Belyaev, A.A. 88−12567
Savin, V.S. *see* Verkhovskii, S.Ya. 86−14059
Savin, V.V. *see* Titov, M.A. 87−27392
Savin, W. *see* Chawla, H.S. 87−70292
Savin, W. *see* Gautrea, R. 88−24399
Savina, O. *see* Zhuravleva, V. 87−11470
Savina, V.I. *see* Antonenko, G.I. 87−56893
Savine, D.J. *see* Freiburger, L.S. 87−17547
Savinell, R.F., Chase, G.G. Analysis of primary and secondary current distributions in a wedge-type aluminum-air cell 88−75920
Savinell, R.F., Fritts, S.D. Theoretical performance of a hydrogen-bromine rechargeable SPE fuel cell 88−49126
Savinetskii, A.B. *see* Vishnevskii, V.M. 88−28143
Savini, A., Turowski, J. The effects of saturation on forces in slots of large synchronous generators 87−42824
Savini, A. *see* Marini, L.D. 85−6878
Savini, A. *see* Mognaschi, E.R. 85−29349, 86−2447
Savini, A. *see* Rizzo, M. 85−32513
Savini, D., Figlia, G., v. Klooster, K. Optimum design of a matching network for TE11 mode coaxial waveguide horns 88−25432
Savini, D. *see* Bielli, P. 87−33562, 88−2809
Savini, D. *see* Contu, S. 85−7727, 85−13273

Savini, D. *see* Figlia, G. 86−27527, 87−45149, 88−52305, 88−52310
Savini, E. *see* Pagana, D. 85−36922
Savinkov, A.I. *see* Polandov, I.N. 86−60377
Savinkov, Yu.T. *see* Bortnik, I.M. 88−24080
Savino, J.M. *see* Corrigan, R.D. 86−33236
Savino, M. A digital instrument for measuring harmonic impedances 86−51169
Savino, M., Trotta, A. Analysis and measurement of PWM waveforms 88−69602
Savino, M. *see* Acciani, G. 85−37465, 86−49966
Savino, M. *see* Amoruso, V. 86−18076, 88−74552
Savino, M. *see* Andria, G. 87−15767, 87−64590, 87−78210, 88−17224, 88−17628
Savino, M. *see* Dell'Aquila, A. 85−16039, 86−66080, 87−42984
Savino, S. *see* Gradin, L.P. 85−53403
Savinov, A.P. *see* Babushkin, Yu.V. 87−9874
Savinov, A.P. *see* Mendel'baum, M.A. 85−39219
Savinov, E.P., Shchemelev, V.N., Pavlov, A.M., Dashevskii, B.E., Podvyaznikov, V.A., Chevokin, V.K. Absolute quantum efficiency of microchannel plates in the soft X-ray region 86−63006
Savinov, G.A. *see* Aulchenko, V.M. 88−16637
Savinov, G.A. *see* Baru, S.E. 85−59234
Savinova, N.A. *see* Baranovskii, S.D. 85−12707
Savinova, N.A. *see* Bordovskii, G.A. 86−53361
Savinova, T.A. *see* Arkhangel'skii, A.Ya. 87−67338
Savinovskii, Yu.A., Kainov, A.P. A mathematical model of a high-frequency inductance coil 85−28743
Savinovskii, Yu.A., Kurganov, S.A. Analysis of electronic circuits using basis of independent charges 87−44517
Savinovskii, Yu.A., Kurganov, S.A., Kainov, A.P. Application of an independent power flow technique for circuit analysis 86−34493
Savinskii, A.K. *see* Kraitor, S.N. 88−16796
Savintseva, L.A. *see* Mikhailov, A.E. 87−61119
Savintseva, L.A. *see* Parfenov, V.G. 86−15596
Savio, M.Lo *see* Lo Savio, M.
Savio, S. *see* Bertini, S. 88−44397
Savio, S. *see* Carpita, M. 88−30898
Savio, S. *see* Cesario, P. 87−44590, 88−18129, 88−49065
Savioni, E. *see* Cerofolini, G.F. 85−40489
Savioni, R. *see* Annunziata, M. 87−19974
Savir, J. The bidirectional double latch (BDDL) 86−27220
Savir, J. Why partial design verification works better than it should 88−70724
Savir, J., McAnney, W.H. On the masking probability with one's count and transition count 86−27267
Savir, J., McAnney, W.H. Random pattern testability of delay faults 87−24107
Savir, J., McAnney, W.H. Double-parity signature analysis for LSSD networks 88−19078
Savir, J., McAnney, W.H. Random pattern testability of delay faults 88−32122
Savir, J., McAnney, W.H., Vecchio, S.R. Fault propagation through embedded multiport memories 87−44830
Savir, J., McAnney, W.H., Vecchio, S.V. Random pattern testing for address-line faults in an embedded multiport memory 86−46829
Savir, J., Smith, M.G. Serial implementation of measuring the weighted syndrome sums [VLSI testing] 85−35077
Savir, J. *see* Gupta, V. 85−28479
Savir, J. *see* McAnney, W.H. 86−46828, 87−24097, 88−19082, 88−70659
Savir, J. *see* Ostapko, D.L. 85−28476
Savir, J. *see* Spencer, T.H. 85−33779, 85−33843
Savitskas, R. *see* Bernotas, G. 85−34845
Savitskaya, O.A., Deriabin, N.B., Ilushin, A.I., Klepikov, N.Y. Virtual terminal and dialogue organization in object-oriented network software 86−64708
Savitski, A. *see* Demichyan, K.S. 88−23273
Savitskii, A.B. *see* Ishkhanov, B.S. 88−68115
Savitskii, A.V. *see* Odinokov, S.B. 88−59193
Savitskii, E.M., Efimov, Yu.V., Ustinov, L.M., Frolova, T.M., Vinogradov, L.V., Zhammova, V.I. Strength of the intermetallide Nb_3Sn layer in the composite material consisting of niobium filaments in bronze 85−12513
Savitskii, G.M. *see* Dmitrieva, L.A. 86−3364
Savitskii, G.V., Kiyak, S.G., Gafiychuk, V.V., Narolskii, A.F. Kinetics of semiconductor heating by millisecond laser radiation impulses 85−29165
Savitskii, G.V. *see* Kiyak, S.G. 85−34591
Savitskii, K.D. *see* Kuritnyk, I.P. 87−51352
Savitskii, V.G. *see* Berchenko, N.N. 87−45798
Savitskii, V.N. *see* Shchutskii, V.I. 86−18874
Savitskin, E.E. Methods of shaping picosecond pulses 85−3935
Savitskiy, A.Yu. *see* Model, A.M. 88−7015
Savkar, S.D. *see* Hapeman, M.J. 87−79080
Savkin, A.V. *see* Dzliev, S.V. 88−49997
Savkin, N.P. *see* Eremenko, A.S. 87−75034
Savkin, V.Ya. Generator of 400-A 0.1-sec current pulses for arc discharge [plasma production] 87−65832
Savkin, V.Ya. *see* Davydenko, R.I. 88−4785
Savkov, K.Yu. *see* Baskin, N.V. 86−31107
Savkov, N.N. Analysis of the linear properties of active *R*-filters employing operational amplifiers 85−6123
Savkov, N.N., Semkin, A.S., Trofileyev, A.A. Parametric optimization of active filters with identical sections 86−34982
Savkov, N.N. *see* Grebenko, Yu.A. 86−27436, 86−27453, 87−10973
Savkov, Yu.V. *see* Belov, Yu.A. 85−37596, 86−17944, 88−53659
Savkov, Yu.V. *see* Kovalevskii, I.V. 85−37598
Savkova, E.O. *see* Zakharchuk, V.A. 86−60178
Savo, B., Wellstood, F.C., Clarke, J. Low-frequency excess noise in Nb-Al_2O_3-Nb Josephson tunnel junctions 87−53914
Savo, B. *see* Cirillo, M. 85−46084, 85−46093, 85−55139
Savochkina, I.E. *see* Kozlov, E.I. 85−16475
Savoie, J. *see* Dubeau, F. 85−44635, 88−6389
Savoini, E. *see* Cerofolini, G.F. 85−29007
Savoji, M.H. A variable length lattice filter for adaptive noise cancellation 87−27512
Savoji, M.H. Performance of the variable-length stochastic gradient lattice filter in adaptive noise cancellation of nonstationary signals−a simulation case study 88−14719
Savoji, M.H., Burge, R.E. On different methods based on the Karhunen-Loeve expansion and used in image analysis 85−36249
Savoji, M.H., Freeman, D.K. Some experiments on speech vector quantisation at variable low bit rate 88−40854
Savolaine, C.G. Managing the introduction of new technology into international telecommunications networks 88−52751
Savolyuk, A.M. *see* Grinevich, F.B. 85−20609
Savolyuk, A.M. *see* Monastyrskii, Z.Ya. 86−38612
Savon'kin, N.P. *see* Vozilkina, G.P. 87−72144
Savonov, Yu.N. Effect of heat input on corrosion resistance of welded joints in 10Kh21N5T austenitic-ferritic steel 88−55995
Savora, G. The measurement and immediate utilisation of cylinder pressure signals from consecutive cycles using the AVL digital analyser 85−14622
Savorelli, P. *see* Cantello, M. 88−20724
Savorelli, P. *see* Donati, V. 85−56925
Savorskiy, V.P. *see* Kirdyashev, K.P. 88−5204
Savory, E., Toy, N. Microcomputer control of wind tunnel instrumentation with on-line data acquisition and analysis 85−3839
Savory, E., Toy, N. A simple circuit for voltage level indication 85−6453
Savos'kin, A.N., Koval, V.E. Improving the inverter automatic control system of a single-phase DC locomotive 87−58408
Savoskin, V.I., Berezentseva, L.G. New zoom lenses for broadcast−quality TV cameras 88−22303
Savoskin, V.I., Berezentseva, L.G. Qualitative parameters of TV zoom lenses 88−60443
Savostenko, P.I., Serbin, S.P. Resistance thermometer 85−64115
Savostenko, P.I., Ukrainskii, Yu.D. Measuring the recovery coefficient for microwire temperature sensors [in nonisothermal flow] 86−55612
Savostin, P.I. *see* Zverev, B.A. 86−9910
Savost'yanov, A.M. *see* Orlov, D.V. 86−3464
Savoullis, J. *see* Hall, J.F. 88−68983
Savov, E., Steenaart, W. The LMS algorithm applied to high-speed adaptive digital signal processing 87−69206
Savov, S.D., Denchev, O.E. Charging arrangement for storage capacitors of large size 86−45538
Savov, S.G. *see* Popchev, I.P. 88−23371
Savov, S.V., Hristov, H.D. Cavity-backed slot array analysis 87−61508
Savov, T., Illyefalvi-Vitez, Z. Pulsed spark erosive trimming 88−19564
Savova, E.B. *see* Pramatarova, L.D. 88−44659
Savova-Stoynov, B., Stoynov, Z.B. Analysis of the inductance influence on the measured electrochemical impedance 88−30974
Savova-Stoynov, B.S. *see* Staikov, G. 86−19456
Savoy, R. *see* Assmann, W. 86−44520
Savoy, R. *see* Trinks, U. 86−31952
Savoye, E.D. High performance charge-coupled-device (CCD) imagers tailored for scientific applications 87−20926
Savoye, E.D., Battson, D.F., Edwards, T.W., Henry, W.N., Tshudy, D.R., Wallace, L.F., Hughes, G.W., Kosonocky, W.F., Levine, P.A., Shallcross, F.V. High sensitivity charge-coupled device (CCD) imagers for television 85−58570
Savranskii, V.V. *see* Aleinikov, V.S. 85−12607
Savrasov, G.A. *see* Soplyachenko, V.N. 88−6558
Savrda, S.L. *see* Lin, J.T. 88−65652
Savrie, M. *see* Bardin, G. 87−77536
Savrie, M. *see* Biagini, M.E. 86−24989
Savrie, M. *see* Bizzarri, U. 85−59064
Savrie, M. *see* Calabrese, R. 88−22872
Savruk, M.P. *see* Panasyuk, V.V. 86−15858
Savrukov, N.T. Problems of development of holographic facilities 88−45567
Savulian, R., Tintareanu, L. Automatic heliostat positioning at a solar tower power plant 85−53607
Savulian, R. *see* Semedrea, M. 85−15806
Savun, O.I., Belyakov, S.A., Kislyakov, O.V. Scintillation gamma spectrometer for determining arrival direction of cosmic gamma quanta 86−60635
Savushkin, A.F. *see* Birman, A.Ya. 87−26465
Savushkin, V.N. *see* Vinnikov, A.Ya. 85−40421
Savvaitov, D.S. *see* Lovetskaya, E.N. 87−42490, 87−64178
Savvateyev, Yu.I. Attainment of invariancy with respect to random perturbations in radio automata 87−13571
Savvateyeva, Ye.Ye. *see* Rozhdestvenskiy, A.A. 86−30502
Savvatimskii, A.I. *see* Lebedev, S.V. 85−46543
Savvides, E., Christodoulou, M., Zamani, M., Charalambous, S. Temperature effects on registration properties of CN-85 87−21475
Savvides, E. *see* Zamani, M. 87−21474
Savvides, N. Effects of hydrogenation and doping on the conductivity and density of defect states in amorphous silicon 85−11953
Savvides, N. The role of hydrogen and boron in a-SiH:B−electronic and optical properties 85−55475
Savvides, S. Energy-efficient lighting achieves big savings 86−45809
Savvin, D.D. *see* Nefedov, V.N. 87−28999
Savvin, V.L. *see* Vanke, V.A. 85−13379
Savvina, L.P. *see* Alekseeva, V.I. 87−26345
Savvinov, A.M. *see* Bokk, O.F. 86−29906
Savvo, N.M. *see* Kamenetskii, A.B. 88−69275
Savvushkina, N.Ye., Tyurin, Yu.N. An agreement criterion for the Weibull-Gnedenko distribution 85−49443
Savy, J.B., Bernreuter, D.L., Mensing, R.W. Uncertainties in seismic hazard analyses using expert opinion for the Eastern United States 85−43771
Savyak, V.V. *see* Baranskii, P.I. 85−23406, 85−45383, 86−1674, 86−63018, 87−17687, 87−45561
Savyak, V.V. *see* Gaidar, G.P. 87−17686
Savyak, V.V. *see* Vidalko, E.N. 87−11338
Saw, C.B., Campbell, C.K. Improved design of single-phase unidirectional transducers for low-loss SAW filters 88−51132
Saw, C.B., Campbell, C.K., Edmonson, P.J., Smith, P.M. Multifrequency pulsed injection-locked oscillator using a novel low-loss SAW comb filter 87−67676
Saw, C.B., Smith, P.M., Edmonson, P.J., Campbell, C.K. Mode selection in a multimode SAW oscillator using FM chirp mixing signal injection 88−57882
Saw, C.B. *see* Campbell, C.K. 87−46291, 87−60744, 88−64873
Saw, C.B. *see* Clarke, L.P. 87−29719
Sawa, C. *see* Nakamura, S. 86−21920
Sawa, G. Dielectric breakdown in solid dielectrics 87−25630
Sawa, G., Iida, K., Nohara, T., Nakamura, S., Ieda, M. Anisotropy of photoconduction in polyimide films 88−64866
Sawa, G. *see* Hikita, M. 85−23987, 86−2452 to 2453, 86−28537, 87−11981, 87−53757
Sawa, G. *see* Iida, K. 85−56035, 87−54163
Sawa, G. *see* Ishino, I. 87−18380
Sawa, G. *see* Mizutani, T. 88−1829
Sawa, G. *see* Nakamura, S. 85−1803, 85−35249, 86−21905, 86−28565, 87−24493, 87−37590, 88−12624, 88−26605
Sawa, G. *see* Yamanaka, S. 88−5355
Sawa, I., Mine, H. Stress-strain relation of polyvinyl chloride sheath used for electrical cords 86−14584
Sawa, I. *see* Fukuta, J. 85−33236
Sawa, I. *see* Kodama, M. 86−40588
Sawa, K., Asakawa, A., Ueki, T., Miyachi, K. Influence of arc discharge types on contact resistance 86−1430
Sawa, K., Asakawa, A., Ueki, T., Miyachi, K. Influence of arc discharge types on contact resistance 87−58223
Sawa, K., Hasegawa, M., Miyachi, K. A study on contact characteristics of Ag-Pd alloy contacts by using automatic data-acquisition system for contact resistance 87−1028
Sawa, K., Hasegawa, M., Miyachi, K. Contact characteristics of Ag and Pd contacts under various arc-discharge conditions 88−7105
Sawa, K., Hasegawa, M., Miyachi, K. Influence of arc discharge types on contact resistance of Ag-Pd alloys 88−12662
Sawa, K., Hirayama, K., Otsuka, Y., Matsuda, T., Nagao, S., Koike, S. 1.3 μm wavelength InGaAsP/InP light emitting diodes 88−40097
Sawa, K., Yamamoto, H., Miyachi, K. Analysis of armature circuit inductance of DC machines by FEM 86−12840
Sawa, K. *see* Hasegawa, M. 88−50461
Sawa, K. *see* Takano, M. 86−51277
Sawa, M., Sekiguchi, H., Nakajima, H. The 35 GHz polarimeter for solar burst observations 85−20291
Sawa, M. *see* Nakajima, H. 85−20289, 85−63778
Sawa, S. A design theory of mode transducers utilizing coupling effects of multi-mode coupling system and its applications 87−68163

Sawa, S. A design theory of mode transducers utilizing coupling effects of multimode coupling system and its application 88−65294
Sawa, S., Ono, K., Mori, S. Design considerations for mode-conversion type optical branching waveguides 88−51537
Sawa, S., Ono, K., Norimatsu, N., Kakemizu, K. Computer aided estimation of refractive-index profile of optical waveguides from propagation-mode near field pattern 88−45199
Sawa, S., Ono, K., Ryoshima, T. Fabrication of optical waveguides in soda-lime glass by field-assisted potassium ion migration and the index-profile formation process 88−7941
Sawa, S., Ono, K., Tsuzuki, S., Ryoshima, T. An estimation of refractive index of optical waveguides fabricated in sodalime glass by field-assisted silver ion migration 87−1967
Sawa, S., Ono, K., Yamasaki, M. Single-mode channel optical waveguides fabricated in soda-lime glass from dilute silver nitrate melt by 2-step diffusion process 87−60941
Sawa, S., Tominaga, T. Analysis of coupling between step and graded index optical slab waveguides based on high accuracy coupled mode theory 88−33753
Sawa, S. *see* Geshiro, M. 85−12566
Sawa, S. *see* Matsushima, M. 86−52807
Sawa, S. *see* Miyaguchi, H. 85−20370
Sawa, S. *see* Ono, K. 85−35515, 86−22175, 87−26902, 88−52259
Sawa, S. *see* Sugimoto, Y. 85−869
Sawa, T., Hasegawa, M., Inomata, K. Influence of surface state on the magnetic core loss at high frequency in amorphous Fe-based alloys with low magnetostriction 86−28705
Sawa, T., Hashimoto, S., Inomata, K. Magnetic properties of Co-based amorphous alloys annealed with magnetic field transverse to the ribbon axis 88−51228
Sawa, T. *see* Inomata, K. 85−50844
Sawa, T. *see* Okamura, M. 87−44570
Sawa, Y. *see* Yasui, K. 86−253
Sawabe, A., Inuzuka, T. Growth of diamond thin films by electron-assisted chemical vapour deposition and their characterization 86−46378
Sawabe, A. *see* Ohsawa, Y. 85−10731
Sawabe, E. The outline of teletext systems 86−69364
Sawabe, E., Yamaguchi, S. Multiplex broadcasting 85−37193
Sawabe, E., Yanagimachi, A., Sugimori, Y., Morishita, M. Teletext broadcasting 88−15035
Sawabe, M. *see* Katoh, T. 86−5511
Sawabe, T., Matsui, M., Hagiwara, M., Nakagawa, M. A fast algorithm for a variable step adaptive filter 88−32357
Sawabe, U. *see* Yamamoto, S. 88−31222
Sawachi, M. *see* Hasegawa, H. 85−55472
Sawacki, J. Approximating straight lines of measuring characteristics of electric temperature sensitive elements 86−17943
Sawada, A., Yano, H., Masuda, Y. Pulsed nuclear-magnetic-resonance thermometer with a microprocessor for ultralow temperatures 85−37790
Sawada, A. *see* Dohi, M. 88−47490
Sawada, A. *see* Hayafuji, Y. 86−35535
Sawada, A. *see* Sugiyama, K. 88−6437
Sawada, F., Sato, M., Yamamoto, S.-i., Yanagiya, T., Nagai, S. Observations of the magnetosphere and ionosphere by Dynamics Explorer satellite. IV. Orbit and operations of DE-1 88−35861
Sawada, F. *see* Kasai, K. 88−35447
Sawada, F. *see* Ondoh, T. 88−34337
Sawada, F. *see* Yamamaoto, S.-i. 88−36648
Sawada, H. *see* Anzai, M. 86−3420
Sawada, H. *see* Ishizu, T. 88−46783
Sawada, H. *see* Kazekami, Y. 86−55073, 87−34260, 87−76650
Sawada, H. *see* Nakajima, A. 88−46941
Sawada, H. *see* Sekiguchi, H. 86−4527, 86−43742
Sawada, H. *see* Tanaka, A. 88−26765, 88−39874 to 39875, 88−39922
Sawada, H. *see* Yamamoto, K. 88−9460
Sawada, I. Asynchronous checking electronic interlocking device 86−51996
Sawada, I. *see* Hoshino, H. 88−58160
Sawada, J. *see* Ishihara, H. 85−63476
Sawada, J. *see* Takigawa, K. 86−39638
Sawada, K. Static DC traction power feeding system 85−5445
Sawada, K. DC substation for Indonesian States Railways (PJKA) 85−5446
Sawada, K. Subway facilities in Singapore (MRT) 88−55689
Sawada, K., Eguchi, Y., Kishino, F. Multipoint video teleconferencing system 86−11330
Sawada, K., Eguchi, Y., Kishino, F., Watanabe, K. Multipoint video teleconferencing system 85−31225
Sawada, K., Nakai, Y., Shiraishi, H., Nakano, T., Matsushita, Y., Ojima, M. Development of a continuous single-crystal copper conductor 88−57025
Sawada, K., Sakurai, T., Nogami, K., Iizuka, T., Uchino, Y., Tanaka, Y., Kobayashi, T., Kawagai, K., Uchino, Y., Tanaka, Y., Kobayashi, T., Kawagai, K., Ban, E., Shiotari, Y., Itabashi, Y., Kohyama, S. A 72 K CMOS channellers gate array with embedded 1 Mbit dynamic RAM 88−70700
Sawada, K., Sakurai, T., Nogami, K., Sato, K., Shirotori, T., Kakuma, M., Morita, S., Kinugawa, M., Asami, T., Narita, K., Matsunaga, J., Higuchi, A., Isobe, M., Iizuka, T. A 30-μA data-retention pseudostatic RAM with virtually static RAM mode 88−32193
Sawada, K., Sakurai, T., Nogami, K., Wada, T., Isobe, M., Iizuka, T. Self-aligned refresh scheme for VLSI intelligent dynamic RAMs 87−24193
Sawada, K., Watanabe, H., Kuwano, Y., Yamamoto, T., Ozeki, T. A trisonic wind tunnel 88−5043
Sawada, K. *see* Akatsuka, M. 88−42218
Sawada, K. *see* Akiyama, M. 85−36765
Sawada, K. *see* Fukukita, H. 86−25201
Sawada, K. *see* Hashimoto, K. 86−41128
Sawada, K. *see* Izumo, T. 86−7299
Sawada, K. *see* Katoh, K. 88−29545
Sawada, K. *see* Kawaguchi, T. 85−61490
Sawada, K. *see* Kazumoto, Y. 87−76975
Sawada, K. *see* Machida, H. 88−72004
Sawada, K. *see* Nogami, K. 87−10860
Sawada, K. *see* Nogami, KJ. 88−7713
Sawada, K. *see* Sakaurai, T. 87−17086
Sawada, K. *see* Sakurai, T. 85−22868, 85−49752, 88−6877, 88−63682
Sawada, K. *see* Sekiguchi, M. 88−74719
Sawada, K. *see* Ueda, N. 87−14673
Sawada, K. *see* Yashima, Y. 87−41175, 88−4187
Sawada, M. *see* Inada, T. 85−45534
Sawada, M. *see* Kakuta, A. 86−42406
Sawada, M. *see* Takekoshi, E. 85−59179
Sawada, R. Durability of mechanical damage gettering effect in Si wafers 85−1270
Sawada, R. Infrared-light-applied to semiconductor thickness measurement 86−24767
Sawada, R., Karaki, T., Watanabe, J. Automatic thickness measurement of a single Si crystal island surrounded by SiO_2 dielectric film and polysilicon layer 86−5510
Sawada, R. *see* Akiyama, K. 85−13720
Sawada, R. *see* Nakano, S. 88−67090
Sawada, R. *see* Uenishi, Y. 88−51880
Sawada, S., Higuchi, T., Mizuno, T., Shinozaki, S., Ozawa, O. Electrical properties for MOS LSI's fabricated using stacked oxide SWAMI technology 86−21826
Sawada, S., Matsumoto, Y., Shinozaki, S., Ozawa, O. Effects of field boron dose on substrate current in narrow channel LDD MOSFETs 85−50592
Sawada, S., Shimizu, K., Manabe, K. Optimization of mask layout for high speed IIL device 88−19064
Sawada, S., Tagashira, H., Sakai, Y. Boltzmann equation analysis of electron swarm parameters in Hg/Ar discharges: effect of Penning and cumulative ionizations 88−6006
Sawada, S. *see* Arai, M. 87−77441
Sawada, S. *see* Fujii, S. 87−10857, 87−17092
Sawada, S. *see* Ishiuchi, H. 86−21570
Sawada, S. *see* Matsumoto, Y. 85−34969
Sawada, S. *see* Mizuno, T. 86−47612, 87−46020, 88−26058, 88−71591
Sawada, S. *see* Saito, S. 86−8265
Sawada, T. Application of an image-sensing camera to the measurement of length and velocity of marks printed on specimens 86−44161
Sawada, T., Chen, W.X., Marshall, E.D., Kavanagh, K.L., Kuech, T.F., Pai, C.S., Lau, S.S. Non-alloyed ohmic contacts to n-GaAs using epitaxial Ge layers 87−11447
Sawada, T., Hasegawa, H., Ohno, H. Improved plasma anodic oxidation of compound semiconductors by a separated plasma configuration 85−12213
Sawada, T., Hasegawa, H., Ohno, H. Electronic properties of a photochemical oxide-GaAs interface 88−26002
Sawada, T., Hasegawa, H., Ohno, H., Itagaki, S. Al_2O_3/native oxide double-layer MIS structure for InP MISFET ICs 85−40779
Sawada, T., Sakuma, T., Yoneda, K. Yoke type MR head on perpendicular double layer media 85−24140
Sawada, T., Sasaki, T. The design analysis of the thickness of the metal magnetic film on the MIG-type VTR head 88−71942
Sawada, T., Yoneda, K. AC erase head for cassette recorder 86−28687
Sawada, T. *see* Hasegawa, H. 86−2217, 86−2225, 87−9797, 88−19752, 88−19771
Sawada, T. *see* He, L. 88−50673
Sawada, T. *see* Kasai, M. 87−15115, 88−16952
Sawada, T. *see* Komine, Y. 85−42972
Sawada, T. *see* Marshall, E.D. 87−74108
Sawada, T. *see* Tomita, S. 88−34117
Sawada, T. *see* Tsujikawa, Y. 85−21498
Sawada, T. *see* Yoneda, K. 87−46381, 88−15829
Sawada, Y., Fukushima, M., Yasui, M. Akagi 1000 kV Project in CRIEPI−corona test facilities and results up to 1983 86−51001
Sawada, Y., Taga, Y. Application of indium tin oxide films to improved transparent IR shielding 86−2654
Sawada, Y. *see* Fujimaki, A. 87−32909, 87−67897
Sawada, Y. *see* Hamada, Y. 85−2508
Sawada, Y. *see* Kaneko, Y. 88−45233
Sawada, Y. *see* Machida, H. 86−35984
Sawada, Y. *see* Nakajima, K. 87−25887, 88−12358
Sawada, Y. *see* Nakamura, H. 87−60795
Sawada, Y. *see* Oya, G. 85−56197, 87−253
Sawada, Y. *see* Shibutani, Y. 88−63405
Sawada, Y. *see* Takai, Y. 85−52646
Sawada, Y. *see* Watada, A. 88−51592
Sawada, Y. *see* Yamaguchi, M. 85−41088
Sawada, Y. *see* Yasukawa, K. 88−23859
Sawada Kazutoshi *see* Kazutoshi Sawada
Sawade, K. *see* Ono, T. 88−6338
Sawadzki, Z. *see* Ostapowicz, J. 85−46437
Sawae, T. *see* Akagi, H. 87−22580
Sawafta, R. *see* Henderson, R.S. 87−29497
Sawaguchi, K. Present conditions of CTC equipment in JR Hokkaido 88−37688
Sawaguchi, M. *see* Ikegami, H. 88−9698
Sawahashi, T. *see* Kuratani, K. 85−14075
Sawahata, M. *see* Nagashima, T. 85−1237
Sawahata, T., Miyagawa, M., Itoh, H., Morimoto, Y., Shimasaki, T. Loss analysis of brushless motors 88−23862
Sawahata, Y. *see* Saito, R. 87−46125, 88−39715
Sawai, A., Oshiki, M., Ishida, G. The 18 track thin film magnetic head for half-inch magnetic tape drive 87−25798
Sawai, A. *see* Hibino, M. 87−8047
Sawai, E. *see* Takahashi, K. 88−51295
Sawai, H., Yoneyama, M., Nakagawa, S. Speaker-dependent large vocabulary spoken word recognition using vector-quantized VCV syllables and a post processing method 88−27841
Sawai, H., Yoneyama, M., Nakagawa, S. Some considerations for high-speed processing of large vocabulary spoken word recognition 88−34602
Sawai, H. *see* Harada, Y. 87−18215
Sawai, H. *see* Kuroki, K. 86−14748
Sawai, K. NTT and a highly advanced information society in Kansai 86−43413
Sawai, K., Takenoshita, H. Depth directional study by electron-acoustic microscopy 88−16984
Sawai, K. *see* Omura, M. 88−60475
Sawai, M., Takahashi, N., Adachi, F., Ogawa, H. Grade of service, reliability and picture quality with FICS-2 [facsimile] 85−3072
Sawai, M. *see* Endo, T. 85−36659
Sawai, M. *see* Takenaka, I. 87−69811
Sawai, M. *see* Todoroki, S. 85−62599
Sawai, T., Ishihara, M., Yanagisawa, Z. A proposal of a nowcasting system for sea fog 88−15592
Sawai, T., Ota, K., Harada, Y. Low-noise GaAs MESFETs 87−45980
Sawai, T., Tanaka, J., Hayashi, K., Kawamura, S. Optical data link for personal computers 88−60186
Sawai, T. *see* Aoki, Y. 87−28689
Sawai, T. *see* Kobayashi, T. 86−67756
Sawai, T. *see* Kumagai, S. 85−22337
Sawai, T. *see* Sakamoto, Y. 87−54448, 88−35586, 88−68614
Sawai, T. *see* Takeda, S. 86−24914, 88−54176
Sawai, T. *see* Yamamoto, Y. 87−14672
Sawairi, A. *see* Onodera, K. 86−8195
Sawaki, A., Suzuki, H., Koishi, M., Kume, H., Mizushima, Y. Multimode dispersion behavior in optical fibers at high resolution 87−74695
Sawaki, I. *see* Nakajima, H. 85−2069, 88−65337
Sawaki, I. *see* Seino, M. 85−18690
Sawaki, N., Akasaki, I. Scattering and real space transfer in multi-quantum well structures 86−21230
Sawaki, N., Suzuki, M., Okuno, E., Goto, H., Akasaki, I., Kano, H., Tanaka, Y., Hashimoto, M. Real space transfer of two dimensional electrons in double quantum well structures 88−32893
Sawaki, N., Suzuki, M., Takagaki, Y., Goto, H., Akasaki, I., Kano, H., Tanaka, Y., Hashimoto, M. Photo-luminescence studies of hot electrons and real space transfer effect in a double quantum well superlattice 87−17767
Sawaki, N. *see* Akasaki, I. 88−56269
Sawaki, N. *see* Amano, H. 86−34304
Sawaki, N. *see* Asai, S. 86−9117
Sawaki, N. *see* Goto, H. 86−66833, 87−73105
Sawaki, N. *see* Hashimoto, M. 85−10693
Sawaki, N. *see* Hiramatsu, K. 85−60966, 86−438
Sawaki, N. *see* Kano, H. 87−37945
Sawaki, N. *see* Koide, Y. 87−10442, 88−63327
Sawaki, N. *see* Morohashi, M. 85−55436 to 55437
Sawaki, N. *see* Tanaka, S. 87−31522
Sawaki, N. *see* Yajima, Y. 87−17771
Sawaki, N. *see* Zhu, Q. 87−60159
Sawaki, Y. *see* Kamiya, N. 85−22416
Sawakuri, T. *see* Togawa, A. 86−16670, 86−59479

Sawamoto, K., Namajima, Y., Hidaka, T., Memoto, T. A newly-developed cylinder pressure sensor as part of an individual cylinder knocking control system 87—29107
Sawamoto, K. *see* Hano, K. 87—5945, 88—19259
Sawamoto, K. *see* Oosaki, T. 87—7967
Sawamoto, Y., Ninomiya, T. Contact between double azimuth video head and video tape 85—47714
Sawamura, H. *see* Umemoto, M. 88—53457
Sawamura, H. *see* Yamamoto, Y. 88—11711
Sawamura, H. *see* Yogo, H. 86—16152
Sawamura, K. Makers bring down relay size for installation on PC boards 85—34253
Sawamura, M., Iwashita, Y., Takekoshi, H. Post coupler studies for Alvarez tanks 87—41753
Sawamura, M., Takekoshi, H. Field stabilization of the Alvarez linac by post coupler 85—64385
Sawamura, M. *see* Okamoto, H. 88—16569
Sawamura, M. *see* Watanabe, S. 86—37515
Sawamura, M. *see* Yanagida, I. 88—17152
Sawamura, T., Murai, I., Tanida, H., Ozawa, Y. Measurement of radiation leaked from a 45-MeV linear accelerator facility by gated counting 86—25327
Sawamura, T., Murai, I., Tanida, H., Yamazaki, H., Ozawa, Y. Use of a gated counting method for radiation monitoring at a 45-MeV electron LINAC facility 86—60397
Sawamura, T. *see* Narita, M. 88—36385
Sawan, M.E. Charts for specifying limits on copper stabilizer damage rate 85—1887
Sawan, M.E., Walstrom, P.L. Superconducting magnet radiation limit considerations for fusion reactors 86—58722
Sawan, M.E. *see* Tran, M.T. 85—33261
Sawan, M.E. *see* Vian, J.L. 88—68687
Sawan, Y. *see* Wang, K. 88—25935
Sawano, H., Tsujita, T., Kojima, O., Akiyama, M., Misono, N., Suzuki, H., Sugawara, Y. Optical fiber cable with submersion sensor fiber 88—28916
Sawano, H. *see* Ohigashi, N. 88—34058
Sawano, T., Suzuki, S., Kondo, M., Nagashima, K. Photonic switching system for broadband services 88—46837
Sawano, T. *see* Yoshida, S. 88—14081
Sawaoka, A. *see* Mizutani, T. 85—49203
Sawaoka, A. *see* Usuba, S. 87—26720
Sawaragi, H., Aihara, R., Matsui, S., Mori, K., Shearer, M.H. Development of a focused-ion-beam lithography system 88—26146
Sawaragi, H., Kasahara, H., Aihara, R., Shearer, M.H. Development of a focused ion beam system: current status and future prospects 88—57535
Sawaragi, H. *see* Aihara, R. 87—11537, 88—13234, 88—47910, 88—57285
Sawaragi, H. *see* Kasahara, H. 88—33091, 88—57434, 88—65969
Sawaragi, T. *see* Katai, O. 86—5285
Sawase, K., Kurosaki, Y., Isshiki, N., Umemiya, H. Field experiments of the solar energy collection and aquifer seasonal storage in the snow-melting system on the roof 87—43477
Sawase, K., Minakawa, H., Arioka, T. A plastic-mold type photodetector for the compact disc pickup 86—38140
Sawashima, H. *see* Aimi, T. 86—2131 to 2132
Sawashima, H. *see* Seko, S. 86—58482
Sawata, S., Sakuta, K., Tanaka, T., Tsuda, I., Ikeda, N., Tani, T. The accuracy of heat measurement on the heat evaluating apparatus for solar collector 88—24164
Sawata, S., Sakuta, K., Tanaka, T., Tsuda, I., Ikeda, N., Tani, T. Design and construction of the heat evaluating equipment. II. Apparatus for solar collector 88—74612
Sawata, S., Tanaka, T., Tani, T. Performance of the solar total energy system experimental facility with auxiliary heater 87—78912
Sawata, S. *see* Kamimoti, M. 85—60436
Sawata, S. *see* Tanaka, T. 87—51099
Sawata, S. *see* Tani, T. 86—25956
Sawataishi, T. *see* Tokuda, K. 86—4820, 87—76946
Sawatani, K., Sano, K., Ootake, S. Stator frame deformation problem in large diameter hydrogenerators 86—56700
Sawatzki, M. Bit spurt. Fast analogue/digital conversion for digital oscilloscopes 86—65218
Sawatzky, G. *see* Dagan, G. 85—21777
Sawatzky, G. *see* Mirovsky, Y. 85—60380
Sawatzky, G. *see* Tenne, R. 86—6967, 87—24984
Sawatzky, G.A. *see* Cahen, D. 85—21805
Sawatzky, J. Analysis of the behaviour of bus-directed communication systems in microcomputer-based automation systems 85—36671
Sawatzky, J. *see* Newmann, P. 88—67009
Sawaya, K., Adachi, S. Analysis of aperture antenna attached to cutoff cavity for ICRF plasma heating 86—68888
Sawaya, K., Adachi, S. Analysis of a cut-off waveguide aperture antenna with a Faraday shield for ICRF plasma heating 88—8603
Sawaya, K., Maeda, T., Adachi, S., Mushiake, Y. Electromagnetic fields excited by an electrical dipole located over a conducting concave spherical surface 87—61320
Sawaya, K., Maeda, T., Adachi, S., Mushiake, Y. Electromagnetic fields excited by an electric dipole located over a conducting concave spherical surface 88—40678
Sawaya, K., Tsuchiya, T., Uno, T., Igari, K., Adachi, S. Field experiments of medium-wave broadcasting antenna on mountain top 88—8595
Sawaya, K. *see* Fujikake, H. 86—29611, 86—36827
Sawaya, K. *see* Hide, I. 87—23613
Sawaya, K. *see* Maeda, T. 87—7590, 87—54653, 88—58936
Sawaya, K. *see* Maeda, Y. 86—7131, 87—44296
Sawaya, K. *see* Matsuyama, T. 88—32763
Sawaya, K. *see* Ohnuki, S. 87—2350
Sawaya, K. *see* Sato, Y. 88—45775
Sawaya, K. *see* Uno, T. 87—75653, 88—21040
Sawaya, T. *see* Yokoyama, T. 87—9817
Sawazaki, S. *see* Matsumoto, F. 86—49208
Sawchuk, A.A. Optical interconnection systems for digital parallel processors 87—38853
Sawchuk, A.A., Jenkins, B.K., Raghavendra, C.S., Varma, A. Optical matrix-vector implementation of crossbar interconnection networks 87—20584
Sawchuk, A.A. *see* Armand, A. 87—69248
Sawchuk, A.A. *see* Bassett, E.M. 87—39952
Sawchuk, A.A. *see* Dias, A.R. 88—58128
Sawchuk, A.A. *see* Ho-In Jeon 87—26094
Sawchuk, A.A. *see* Huang, K.S. 88—59313
Sawchuk, A.A. *see* Jenkins, B.K. 85—7909 to 7910, 85—42614
Sawchuk, A.A. *see* Jiang, S.-S. 86—69101
Sawchuk, A.A. *see* Kalivas, D.S. 88—45248, 88—59277, 88—66731
Sawchuk, A.A. *see* Kuan, D.T. 85—40190, 87—39884
Sawchuk, A.A. *see* Saghri, J.A. 85—52654
Sawchuk, A.A. *see* Weber, A.G. 86—10540
Sawczuk, A. *see* Cagnasso, A. 85—49655
Sawdon, D. *see* King, M.M. 85—45279
Sawers, R. Designing with an EPROM/SRAM package 85—17411
Sawers, R. High density memory module trend 85—49852
Sawers, R. Adding extra functions to the 80C31 microcontroller 86—57868
Sawh, D., Loewen, J., Lehn, W., Card, H.C., Pawlak, M., Burek, D.M., McLeod, R.D. Edge extraction algorithms in silicon 87—32741
Sawhill, H.T., Eustice, A.L., Horowitz, S.J., Gar-El, J., Travis, A.R. Low temperature co-fireable ceramics with co-fired resistors 88—6531
Sawhill, H.T. *see* Bhedwar, H.C. 88—19571
Sawhill, H.T. *see* Eustice, A.L. 86—62977
Sawhney, B.K. *see* Sodha, M.S. 85—21826
Sawhney, B.K. *see* Verma, S.S. 88—69708
Sawicka, B.D., Ellingson, W.A. Photon CT scanning of advanced ceramic materials 88—496
Sawicka, B.D., Tapping, R.L. CAT scanning of hydrogen-induced cracks in steel 87—36849
Sawicka, B.D. *see* Tapping, R.L. 88—38289
Sawicki, A., Sachse, K. Lower and upper bound calculations on the capacitance of multiconductor printed transmission line using the spectral-domain approach and variational method 86—42895
Sawicki, A., Sachse, K. Characteristics and applications of modified microstrip lines 86—53001
Sawicki, A., Sachse, K. Analysis and applications of modified coupled coplanar lines 86—58032
Sawicki, A., Sachse, K. Generalized spectral domain method for quasi-static analysis of microstrip-like transmission methods 87—54642
Sawicki, A. *see* Sachse, K. 87—75533
Sawicki, B. *see* Koszewski, J. 88—22501
Sawicki, D.J. Education: bridging the ESD gap 86—45965
Sawicki, E. *see* Melbert, J.G. 86—11263
Sawicki, J. The use of Haar orthogonal expansions in probability density estimation algorithms 85—36300
Sawicki, J. Approximating straight lines of measuring characteristics of electric temperature-sensitive elements 85—37693
Sawicki, J. Second generation of dispatcher automatic control systems and directions of their development 86—18689
Sawicki, J. A reactive power converter with complex input circuits [measurement applications] 86—52640
Sawicki, J. The methods of measurement of the Budeanu's reactive power when the current and voltage waves are distorted 86—55804
Sawicki, J. A simple algorithm of signal synthesis for measurement purposes 87—2548
Sawicki, J. An improved reactive power convector with complex input circuits 87—31686
Sawicki, J. Theoretical base of a particular sampling method for the measurement of the vector of the fundamental harmonic 88—67990
Sawicki, J. *see* Makris, M. 86—30019
Sawicki, M., Dietl, T., Kossut, J. Magnetoresistance in weakly localized regime: CdSe versus CdMnSe 85—34533
Sawicki, M., Dietl, T., Wojtowicz, T., Plesiewicz, W. Quantum corrections to conductivity in the weakly localized regime 86—67668
Sawicki, R.H. *see* Draggoo, V.G. 87—46637
Sawicki, R.H. *see* O'Neil, R.W. 87—39181
Sawicki, S. The operational availability of thermal power stations in the developing countries 88—17346
Sawicki, Z. *see* Dumania, P. 85—813
Sawin, H. *see* Manton, M.R.S. 85—21791
Sawin, H.H. A review of plasma processing fundamentals 85—50427
Sawin, H.H. *see* Ditmer, G.A. 87—58588
Sawin, H.H. *see* Jenkins, M.W. 86—47479
Sawin, H.H. *see* Mocella, M.T. 86—35607, 87—18013
Sawin, H.H. *see* Rossen, R.A. 85—55720, 88—1538
Sawin, H.H. *see* Thompson, B.E. 87—11643
Sawires, R. *see* Sholley, M. 86—8513, 86—20832
Sawitz, P. *see* Davison, J. 85—37165
Sawkiw, L. Build this EPROM programmer. II 87—10883
Sawla, A., Ackerschott, W. A new concept of force standard machines with compound lever system and large transmission ratio 86—11737
Sawla, A., Peters, M. Intercomparison of force standard machines at the South African Bureau of Standards, RSA and the Physikalisch-Technische Bundesanstalt, FRG 86—24789
Sawla, A. *see* Peters, M. 85—8683
Sawle, R. Superplastic forming of metals 85—32864
Sawochka, S.G. *see* Bell, M.J. 86—32971
Sawoska, D.A., Lauchlan, L.J., Smith, L.J., Turner, E.J., Spencer, A.C., Ben-Shushan, G. High contrast positive resist(s) for use in megabit processing with broad process latitude 87—11899
Sawoska, D.A. *see* Cordes, W.F., III 87—11900
Sawoska, D.A. *see* Grunwald, J. 86—1908, 86—1914
Sawtelle, D. *see* Pathak, S. 86—8250, 86—20538
Sawtelle, S.C., Jennewine, R.J. Imaging sensor autoprocessor 86—17895
Sawyer, B. Quality indications from infrared absorption measurements on cultured quartz 88—490
Sawyer, B. Cultured quartz quality standard updated by the EIA 88—18812
Sawyer, B.T. *see* Pecht, M. 87—66707
Sawyer, C.A., Biglari, S.D. Effects of a polyvinylidene chloride wrap on the quality of microwave cooked foods 85—4254
Sawyer, C.R. *see* Norris, N.J. 87—41709
Sawyer, D., Talley, W.T. Display legibility guidelines: a design aid 88—74522
Sawyer, D.L. *see* Kaifer, R.C. 86—50358
Sawyer, D.N. The beginning, building and maintenance of a continuing engineering education system for industry 87—23126
Sawyer, D.N. Major obstacles to effective continuing engineering education 87—23186
Sawyer, F.G. Professional engineer or technical drudge? 85—33020
Sawyer, F.G., Brown, M.A. An advanced SAR design for future land missions 87—57356
Sawyer, F.G., Cox, R.P., Joyce, H. ERS synthetic aperture radar design 86—12157
Sawyer, F.G. *see* Blissett, R.J. 86—55354, 87—63051
Sawyer, F.G. *see* Brooks, S.R. 85—64751
Sawyer, F.G. *see* Cox, R.P. 86—12067
Sawyer, F.G. *see* Joyce, H. 86—12158
Sawyer, G.A. *see* Lawrence, G.P. 86—24903
Sawyer, G.A. *see* Schermer, R.I. 86—50278
Sawyer, R.S., Schmidt, O.L. Communications and tracking aboard the space station 86—11049
Sawyer, S.J. *see* McMahon, J.F. 85—54003
Sawyer, W.D., Weber, J. Determination of the threshold energy of noble gas defects in silicon created by ion beam etching 87—66890
Sawyer, W.D. *see* Habermeier, H.-U. 88—19832
Sawyer, W.H. Optimizing inspection location 88—43730
Sawyers, C.G. Applications of surface waves on holographic gratings 88—8341
Sawyers, S. A new approach to highly fault-tolerant communications based upon a ring network for application in manufacturing industry 88—46634
Sax, H. Switched power regulator—the advantageous alternative 86—27048
Sax, H. Stepping motors correctly approached 86—56787
Sax, H. Technical plus for linear controller 87—59144
Sax, H. Low-loss control of actuators. Special ICs replace discrete circuits 88—14362
Sax, H. A high efficiency motor bridge 88—18902
Sax, H., Luddeke, U. Electronic dimmer for dashboard lighting: using the power MOSFET in the car 87—58430
Sax, W. *see* Mills, F.E. 86—70257
Saxberg, B.O. The action research model applied to the management of interdisciplinary research in university and industrial settings 85—33072

Saxby, D., Duncan, R., Glaviano, M., Neroth, C. Erasable-PLD program translates logic directly into chips 85−28446
Saxby, D. *see* Neroth, C. 86−953
Saxe, C.L. The design of fast-turn-around standard cell ICs 86−21828
Saxe, C.L. *see* Kareem, A. 88−6913
Saxe, J.B. *see* Leiserson, C.E. 88−31657
Saxena, A., Dwivedi, K.K. Chemical etching characteristics of glass detectors 87−21479
Saxena, A., Gunton, J.D. Quasi-one-dimensional devices utilizing two conducting polymers 86−58312
Saxena, A., Sharaf, A.M. Microcomputer based controller for a current source inverter fed synchronous motor drive 86−70894
Saxena, A., Yaozhong Xu, Sharaf, A.M. Digital simulation of a synchronous motor drive and development of efficiency maximization algorithm 87−31034
Saxena, A.K. Metal semiconductor contacts: ohmic and rectifying 85−45645
Saxena, A.K. Temperature and pressure coefficients of deep level and evidence of its indirect nature in AlGaAs alloys 86−53359
Saxena, A.K., Adams, A.R. Determination of alloy scattering potential in $Ga_{1-x}Al_xAs$ alloys 86−8763
Saxena, A.K., Mudares, M.A.L. Validity of Matthiessen's rule for calculating electron mobility in $Ga_{1-x}Al_xAs$ alloys 86−8766
Saxena, A.K., Singh, S.P., Agnihotri, O.P. Fabrication and characterization of SnO_2:F/n-Si(poly) solar cells prepared by chemical vapour deposition 87−36150
Saxena, A.K., Singh, S.P., Thangaraj, R., Agnihotri, O.P. Thickness dependence of the electrical and structural properties of In_2O_3:Sn films 85−11975
Saxena, A.K., Sinha, A.K., Adams, A.R. Space-charge-like scattering in epitaxial GaAs from low temperature and high pressure Hall measurements 85−23604
Saxena, A.K., Thangaraj, R., Singh, S.P., Agnihotri, O.P. Characterization of fluorine-doped SnO_2 films prepared by chemical vapour deposition 86−21170
Saxena, A.K., Thangaraj, R., Singh, S.P., Agnihotri, O.P. SnO_2:F films synthesized by chemical vapour deposition technique using hydrofluoric acid as doping material 87−298
Saxena, A.K. *see* Agnihotri, O.P. 88−37616
Saxena, A.K. *see* Dhar, R.N. 88−4546
Saxena, A.K. *see* Singh, S.L. 85−31557
Saxena, A.K. *see* Singh, S.P. 86−13057
Saxena, A.N. VLSI multilevel metallizations: present status and future requirements 85−40659
Saxena, A.N. Materials and technologies for multilevel metallizations in VLSI 86−58497
Saxena, A.N. VLSI multilevel metallizations the role of tungsten 87−6623
Saxena, A.N., Pramanik, D. VLSI multilevel metallization 85−23721
Saxena, A.N., Pramanik, D. Manufacturing issues and emerging trends in VLSI multilevel metallizations 87−1686
Saxena, A.N., Pramanik, D. Planarization techniques for multilevel metallization 87−18245
Saxena, A.N. *see* Deal, M.D. 86−28528
Saxena, A.N. *see* Lie, L. 86−28046
Saxena, A.N. *see* Pramanik, D. 85−55669, 86−2392, 87−52584, 87−53336
Saxena, A.N. *see* Schafft, H.A. 85−6868, 86−15083
Saxena, A.N. *see* Wu, O.K.T. 85−45549
Saxena, G.M., Chatterjee, A., Sachdeva, D.S., Mathur, B.S. Evaluation of the rubidium atomic frequency standard developed in India 86−38499
Saxena, M. *see* Banerjee, P. 86−44197, 87−14569, 88−16514
Saxena, M. *see* Mathur, B.S. 86−49517
Saxena, N. Monumenting marine control 88−5199
Saxena, N. *see* De Bow, S.P., Jr. 88−5198
Saxena, N.K. *see* Kumar, M. 85−59495
Saxena, N.K. *see* Spielvogel, L.Q. 87−70151, 88−5197
Saxena, N.R. Effectiveness measures for data compression techniques under unequally likely error model 87−16977
Saxena, N.R., McCluskey, E.J. Extended precision checksums 87−68976
Saxena, N.R., Robinson, J.P. Accumulator compression testing 86−1015
Saxena, N.R., Robinson, J.P. Accumulator compression testing 86−41879
Saxena, N.R., Robinson, J.P. Syndrome and transition count are uncorrelated [logic circuit testing] 88−44129
Saxena, N.R. *see* Robinson, J.P. 87−17042, 87−24058, 88−50939
Saxena, N.S., Aggarwal, R.P., Padiyar, K.R. Digital simulation of overvoltages due to fault inception 86−6429
Saxena, N.S., Naik, K.B. Digital simulation of chopper fed DC separately excited motor for steady state and transient state analysis 86−6784
Saxena, R., Agarwal, G.S. Phase conjugation by nondegenerate four-wave mixing with excited-state Zeeman coherences 85−29935
Saxena, R., Mathur, P.C. Effect of annealing on the conduction mechanism of n-type solar-grade polycrystalline silicon 86−67661
Saxena, R., Sardi, V., Oberstar, J., Hodge, L., Keever, M., Trott, G., Chen, K.L., Moon, R. OMVPE growth of InGaAsP materials for long wavelength detectors and emitters 87−10434
Saxena, R. *see* Anderson, D.Z. 87−33232
Saxena, R. *see* Kazmerczak, A. 88−46627
Saxena, R. *see* Lesrado, L. 85−26836
Saxena, R.B., Tripathi, H.C. (0, 2, 3) and (0, 1, 3) interpolation by six degree splines 87−58844
Saxena, R.B. *see* Chand, R. 87−22385, 88−23921
Saxena, R.B. *see* Ghosh, S. 86−8768
Saxena, R.B. *see* Singh, B. 87−58135, 88−62754
Saxena, R.B. *see* Singh, E. 87−22382
Saxena, R.B. *see* Singh, Y.P. 87−36004
Saxena, R.B. *see* Verma, S. 88−23889
Saxena, R.R., Fouquet, J.E., Sardi, V.M., Moon, R.L. High quality InP layers grown by organometallic vapor phase epitaxy using tertiarybutylphosphine and phosphine 88−63295
Saxena, R.R., Sardi, V.M., Oberstar, J.D., Moon, R.L. Influence of reactor pressure and deposition temperature on the growth of InGaAs on InP by OMVPE 88−49859
Saxena, S. *see* Saxena, S.K. 87−59065
Saxena, S.C. Objective oriented engineering education for developing countries 88−18360
Saxena, S.C., Al-Naima, F.M. A new method of identification of ECG wave segments 86−65442
Saxena, S.C., Mathur, A.E. Hydrodynamic and heat-transfer studies in fine particle gas-fluidized beds 85−59982
Saxena, S.C. *see* Al-Naima, F.M. 86−32337
Saxena, S.C. *see* Desai, M.D. 85−9178
Saxena, S.C. *see* Henry, R.F. 86−3455
Saxena, S.C. *see* Mukhopadhyay, P. 88−36412
Saxena, S.K., Gupta, V.P. Admissibility of a conditionally specified test procedure for life data 85−33227
Saxena, S.K., Saxena, S., Malladi, R.V.S. The Hierarchical Logic Schematic Capture 87−59065
Saxena, S.K. *see* Rai, V.N. 88−49579
Saxena, S.N. *see* Dhayanandhan, J. 85−21628
Saxena, S.N. *see* Muni, B.P. 88−43157
Saxena, S.N. *see* Rangnekar, S. 86−26082
Saxena, S.N. *see* Rao, K.V.N. 85−5130
Saxena, T.K. *see* Agnihotry, S.A. 86−7838
Saxena, V.K., Gupta, R.K. Radiation from a triangular microstrip antenna surrounded by an isotropic and homogeneous plasma 88−66197
Saxena, V.K., Sharma, K.B., Gupta, R.K. Comparison of the performance of different types of microstrip antennas in a warm plasma 88−32392
Saxena, V.K. *see* Sharma, K.B. 88−56866
Saxena, V.N. Communication by voice photon 87−20505
Saxena, Y.C. *see* Jain, K.K. 86−62994
Saxena Atul *see* Atul Saxena
Saxer, B., Bowen, A.E. Causes and effects of kiln tire problems 85−16519
Saxer, W. Electrolytic coating on PTFE for the electronics industry 85−10831
Saxman, A. *see* Miller, E. 86−22441
Saxman, A. *see* Viswanathan, V.K. 86−22440
Saxman, A.C. *see* Chow, W.W. 88−51876
Saxon, D.H. Three-dimensional track and vertex fitting in chambers with stereo wires 85−4228
Saxon, D.H. Three-dimensional track and vertex fitting in chambers with stereo wires 85−37913
Saxon, D.H. Vertex detection and tracking at future accelerators 87−57042
Saxon, D.H. Measurement of short-lived particles at PETRA 87−57043
Saxon, D.H. Vertex detection and tracking 88−4723
Saxon, D.H. Multicell drift chambers 88−29841
Saxon, D.H., Bellettini, G., Besch, H.-J., Burrows, P.N., Chiarelli, G., Dainton, J.B., Elsen, E., Gaillard, J.-M., Horisberger, R., Imrie, D.C., Ingelman, G., Kelsey, D.P., Kittel, W., Pepe, M., Smadja, G., Tonutti, M., Vuillemin, V., Wagner, A., Walenta, A.H. Vertex detection and tracking at future accelerators 88−42416
Saxon, D.H. *see* Binnie, D.M. 85−31693
Saxon, D.H. *see* Blissett, J.A. 85−26698, 86−32192, 86−50397
Saxon, D.H. *see* Forden, G.E. 86−65384
Saxon, D.H. *see* Tkaczyk, S.M. 88−54432, 88−68283
Saxon, D.I. *see* Koellen, D.S. 85−62089
Saxon, G. State of the art of low energy accelerators for FEL operation 85−56716
Saxon, G. A compact and economical injector for free electron lasers 87−77478
Saxon, G. *see* Gillespie, W.A. 87−2165, 87−41712
Saxon, G. *see* Jaroszynski, D.A. 88−2339
Saxon, G. *see* Pidgeon, C.R. 86−3223, 87−75209
Saxon, G. *see* Poole, M.W. 85−56702
Saxton, A.M. *see* Howat, P.M. 87−72595
Say, D.L. *see* Zmuda, E.I. 85−40407
Say, P.G. *see* Parker, D.G. 87−12313, 87−54185
Say, Q. Resistorless ESD protection device for high speed CMOS circuits 88−71785
Say, S., Cassara, F. Experimental results on the cross-coupled phase-locked loop interference canceller with closed loop amplitude control 87−37083
Saya, A. *see* Gafni, G. 88−45040
Sayadian, H.A., Feng, S.T., Goldhar, J., Lee, C.H. Generation and forming of ultrashort high voltage pulses 87−44681
Sayadian, H.A., Li, M.G., Lee, C.H. Generation of kilowatt/kilovolt broadband microwave bursts with a single picosecond photoconductive switch 87−73646
Sayadyan, G.A. *see* Arakelyan, A.A. 85−45737
Sayag, M., Dyck, R.H. Extension of the 'modulation transfer function' concept to solid state imagers optically coupled to fiber-optic faceplates 88−4482
Sayah, H.R. *see* Buehler, M.G. 85−50708, 87−66997
Sayah, J. *see* Craig, G.L. 87−59541
Sayal, A., Singh, D., Gurm, H.S. Type dependence of sunrise effect on long wave propagation 85−51425
Sayama, H. *see* Kameyama, Y. 85−314
Sayama, H. *see* Suzuki, K. 86−52305
Sayama, K. *see* Haku, H. 88−24792
Sayama, K. *see* Tsuda, S. 88−49150
Sayani, M.P., White, R.V., Nason, D.G., Taylor, W.A. Isolated feedback for off-line switching power supplies with primary-side control 88−55505
Sayano, K. *see* Rakulijic, G.A. 87−26505
Sayapov, M.Kh. *see* Abdurashitov, Sh.R. 86−45151
Sayar, B., Pasupathy, S. Further results on Nyquist's third criterion 87−27124
Sayar, B., Pasupathy, S. Nyquist 3 phase shaping in continuous phase modulation 87−33597
Sayar, B. *see* Kabal, P. 87−19743
Saydam, T., Sethi, A.S. Performance evaluation of voice-data token ring LANs with random priorities 86−17045
Saydam, T., Sethi, A.S. Token bus/ring local area network management concepts and architecture 87−62694
Saydam, T. *see* Chang, B. 87−62687
Saydam, T. *see* Sethi, A.S. 85−46988, 85−63296
Saydam, T. *see* Sylvanus, F. 86−23531
Sayed, M. Progress continues in millimeter-wave signal analysis 85−42938
Sayed, M. *see* Dearden, L. 87−6120
Sayed, M.M., Regazzi, J.R. Millimeter-wave sources and instrumentation 88−38712
Sayed, O.El *see* El Sayed, O.
Sayed, O.L.El *see* El Sayed, O.L.
Sayeenathan, S. *see* Murthy, S.N. 87−62898
Sayegh, G. What choice for high integrity joints: electron beam or laser beam welding? 85−53996
Sayegh, G. *see* Cazes, R. 88−45588
Sayegh, S.I. A condition for optimality of two-dimensional signal constellations 86−22859
Sayegh, S.I. Random coding for duobinary signals 86−54452
Sayegh, S.I. A class of optimum block codes in signal space 87−19392
Sayegh, S.I., Kok, Y., Hong, J. An algorithm to find two-dimensional signals with specified zero crossings 87−33745
Sayegh, S.I., Saleh, B.E.A., Nashold, K.M. Image design: generation of a prescribed image through a diffraction-limited system with high-contrast recording 85−46933
Sayeh, M.R., Bilger, H.R. Flicker noise in frequency fluctuations of lasers 85−62634
Sayeh, M.R., Bilger, H.R., Habib, T. Optical resonator with an external source: excitation of the Hermite-Gaussian modes 86−15737
Sayeh, M.R., Daneshdoost, M., Pourboghrat, F. A computational model for sensing depth from a single 2-D image 88−52556
Sayeh, M.R., Han, J.Y. Pattern recognition using a neural network 88−46226
Sayeh, M.R. *see* Bilger, H.R. 86−63853
Sayer, C. LDS on the sun 87−730
Sayer, C. Laying out with LDS 87−66130
Sayer, G. Basic program simplifies design of linear power supplies 87−73271
Sayer, M. Fabrication and application of multicomponent piezoelectric thin films 87−53812
Sayer, M. *see* Croteau, A. 87−52209
Sayer, M. *see* Krupanidhi, S.B. 85−22524
Sayer, M. *see* Shapiro, G. 87−53802
Sayer, R.J. Vibration analysis of a large industrial fan 87−10131
Sayer, W.C. Application of wooden poles for distribution lines 87−30234
Sayers, A.T., Slack, A.H. Performance characteristics of a flapwing 87−51124
Sayers, D. The off-line micro UPS [microcomputer power supplies] 85−59649
Sayers, D., Brown, K. Bilingual education and telecommunications: a perfect fit 87−51768
Sayers, D.E. *see* Heald, S.M. 86−60642

Sayers, D.E. *see* Pandya, K.I. 87−35332
Sayers, I. *see* Christophorou, L.G. 85−29365
Sayers, I.L., Kinniment, D.J. Low-cost residue codes and their application to self-checking VLSI systems 85−54813
Sayers, I.L., Kinniment, D.J., Chester, E.G. Design of a reliable and self-testing VLSI datapath using residue coding techniques 86−52761
Sayers, I.L., Kinniment, D.J., Chester, E.G. Design of a reliable and self-testing VLSI datapath using residue coding techniques 86−53722
Sayers, I.L., Russell, G., Kinniment, D.J. New directions in the design for testability of VLSI circuits 86−63468
Sayers, I.L., Russell, G., Kinniment, D.J. Concurrent checking techniques—a DFT alternative 87−18277
Sayers, I.L., Russell, G., Kinniment, D.J. CEDREC—a concurrent error detection schema using residue codes 87−24141
Sayers, I.L. *see* Russell, G. 86−21803, 86−35843, 87−24621
Sayers, J.H. *see* Miller, R.L. 87−8455
Sayers, M.D. *see* Vassiliades, S. 86−64676, 87−28046
Sayers, P., Cillag, J. Thick film capaeitor dielectric materials 85−34389
Sayers, P., Petsis, W. Characteristics of nitrogen fireable materials for hybrids and multilayers 88−50548
Sayidmarie, K.H. Reduced sampling for the volume hologram model 86−29261
Sayidmarie, K.H. 'Backscattering of microwaves by concealed cylinders' 86−63975
Sayidmarie, K.H., Ahmed, B.T. Simulation of vertical radar coverage in the presence of nonuniform reflecting terrain 87−56258
Sayidmarie, K.H., Al-Azzo, M.F. Imaging of concealed objects by ultrasound 86−32613
Sayidmarie, K.H. *see* Aboud, A.H. 87−37490
Sayigh, A.A.M. Present applications of photovoltaics in the Arab countries 87−51112
Sayigh, A.A.M. Photovoltaic powered villages in Saudi Arabia 88−43105
Sayigh, A.A.M. *see* Darwish, A.S.K. 88−48843, 88−62014
Saykally, R.J., Evenson, K.M., Jennings, D.A., Zink, L.R., Scalabrin, A. New FIB laser lines and frequency measurements for optically pumped CD_3OH 87−68332
Sayle, A.J. The impact of new technology on QA Standards 85−46994
Sayles, R.S., Moss, T.R., Daniels, B.K. Discriminant function analysis of turbogenerator data 85−9846
Sayliss, L.S. Automatic noise measurement in television systems 87−76991
Saylor, A. How Hewlett-Packard speeds projects, cuts travel costs via videoconference network 86−38115
Saylor, A.V., McPherson, D.A. Site-dependent MMW clutter modeling for hardware-in-the-loop simulation 88−15608
Saylor, A.V. *see* Sandhu, G.S. 85−58172
Saylor, D.P. *see* Rogers, J.G. 87−8911, 88−61263
Saylor, J.D. *see* Bahar, E. 85−20714
Saylor, P.E., Smolarski, D.C. Computing the roots of complex orthogonal and kernel polynomials 88−31675
Saylor, P.E. *see* Elman, H.C. 86−62148
Saylor, P.E. *see* Smolarski, D.C. 86−13680
Saylor, T.K. *see* Klema, E.D. 85−4203
Saylor, W. *see* Campbell, L.J. 87−42744
Saylor, W.B. *see* Humpries, S., Jr. 86−24924
Saylor, W.W. *see* Dudziak, D.J. 88−47733
Saylors, K.K. *see* Chen, J.E. 86−38895
Sayood, K. A postfiltered DPCM scheme 86−3750
Sayood, K. A postfiltered DPCM scheme 86−3755
Sayood, K. Analysis of differential PCM 87−7647
Sayood, K., Blankenau, S.J. A fast quantization algorithm for lattice quantizer design 88−66319
Sayood, K., Borkenhagen, J.C. Sliding scale quantization 86−3794
Sayood, K., Borkenhagen, J.C. Utilization of correlation in low rate DPCM systems for channel error protection 87−33641
Sayood, K., Farden, D.C. A bound on predictor misadjustment in ADPCM 87−61568
Sayood, K., Gibson, J.D. Explicit additive noise models for uniform and nonuniform MMSE quantisation 85−36198
Sayood, K., Gibson, J.D., Rost, M.C. An algorithm for uniform vector quantizer design 85−30175
Sayood, K. *see* Rost, M.C. 85−62987
Sayood, K. *see* Zak, D.D. 88−2974
Sayre, C.L., III Microstrip circuits for the classroom laboratory 85−34154
Sayre, D. *see* Howells, M. 85−64519
Sayre, D. *see* Kirz, J. 86−60690
Sayre, E.P. Crosstalk modeling in transmission line cable assemblies 88−7094
Sayuri Tung A multi-processor chip optimized for speech recognition 86−1131
Sayyah, K., Chung, B.-C., Gershenzon, M. The influence of TMA and SiH_4 on the incorporation rate of Ga in $Al_xGa_{1-x}N$ crystals grown from TMG and NH_3 87−16603
Sazama, J. Electrical machine tools—means to higher work effectiveness 87−64993
Sazama, J. *see* Bushnell, A. 87−21715
Sazambaeva, S.E. *see* Gol'din, R.G. 86−61454
Sazanov, V.A. *see* Tkachenko, B.V. 87−26762
Sazanovich, V.M. *see* Belen'kii, M.S. 85−46574
Sazegari, S. Digitized voice applications 86−3814
Sazhaev, V.D. *see* Golikova, S.N. 86−15676
Sazhin, B.I. *see* Kotov, O.I. 88−51580
Sazhin, B.I. *see* Kuznetsov, A.V. 87−25710
Sazhin, S.G., Stolbova, L.A. Automatic installations for leak detection (review) 85−52632
Sazhin, S.S. Quasielectrostatic wave propagation in a hot anisotropic plasma 86−68744
Sazhin, S.S. *see* Majewski, M. 85−13118
Sazhina, N.N. *see* Anan'ev, V.Yu. 87−68353
Sazhina, N.N. *see* Averin, A.P. 85−35703, 85−51108, 87−63416
Sazhina, N.N. *see* Babaev, I.K. 87−54235
Sazhina, N.N. *see* Bakhtadze, A.B. 86−54085
Sazhina, N.N. *see* Glotov, E.P. 85−24617
Sazhina, N.N. *see* Petukhov, V.O. 85−56509, 87−26300
Sazhina, S.A., Malaya, E.M. New total-radiation radiometers and pyrometers 87−56693
Sazhina, S.A. *see* Gerashchenko, O.A. 87−8761
Sazhnev, A.M. *see* Braslavskii, L.M. 86−6878, 88−55468
Sazhnev, A.M. *see* Braslavskiy, L.M. 88−75728
Sazhnev, M.A. *see* Dzhashiashvili, Yu.N. 87−29278
Sazonov, A.A. *see* Pasenkov, V.P. 88−32231
Sazonov, A.G. *see* Ogloblin, B.G. 87−4528
Sazonov, A.I. *see* Bazarov, E.N. 88−58437
Sazonov, D.M. *see* Plokhikh, S.A. 88−14483
Sazonov, I.A. *see* Kel'bert, M.Ya. 88−34274
Sazonov, L.V. *see* Blinov, Yu.I. 85−11082
Sazonov, L.V. *see* Vasil'ev, A.S. 87−22788, 88−37752
Sazonov, L.V. *see* Vologdin, V.V. 88−12245
Sazonov, M.D. An algorithm for optimizing a multielement probe for measuring the amplitude-phase distribution in a multielement antenna system 86−54377
Sazonov, N.A. Quantization noise for digital signal processing by harmonic analysis in an aperture-synthesis radar system 86−43898
Sazonov, N.A. Characteristics of synthetic aperture radars 88−9646
Sazonov, N.A. Features of the synthesis of an antenna aperture in the case of any aircraft trajectory 88−40661
Sazonov, N.A. *see* Itskhoki, Ya.S. 86−23983
Sazonov, S.G., Levin, D.M. Growth, element-phase composition, and electrical properties of systems of semiconductors and their oxides (InSb, InAs, InP) 86−63199
Sazonov, S.G. *see* Romanov, O.V. 85−29050
Sazonov, V.P. *see* Ovechkin, S.M. 85−40254
Sazonov, V.V. *see* Shinkarenko, G.V. 88−17196
Sazonov, Ye.A. *see* Anan'yev, L.L. 85−33712
Sazonov, Yu.A. *see* Babichenko, A.M. 85−36010
Sazonova, T.E. *see* Konstantinov, A.A. 88−22397
Sazykin, V.G. Calculating load graph characteristics with the aid of programmable micro-calculators 88−48522
Sbai, A. *see* Loyer, B. 86−59666
Sberveglieri, G. *see* Romeo, N. 86−57481, 87−5477
Sbihi, N. *see* Chvatal, V. 87−65342, 88−49684
Sbitnev, S.A., Polyakova, L.L. Study of ponderomotive force in a device for measuring variations in magnetostriction 87−6994
Sbitnev, S.A., Polyakova, L.L., Shmelev, V.E. Study of a magnetizing device for measuring the magnetostriction of electrical sheet steels 87−5539
Sbitnev, S.A., Shmelev, V.E., Tyurin, V.M. Calculating the field of a cylindrical magnet with radial magnetization [permanent magnets] 85−41040
Sbitnev, S.A. *see* Molchanov, Yu.A. 88−26651
Sbitnev, S.A. *see* Pisarenko, V.Ya. 87−53879
Sbitnev, S.A. *see* Pyatin, Yu.M. 86−31355
Sbitnev, V.I. *see* Al'tman, A.B. 86−41375
Sblendonio, M. Digital technology for audio orchestration 85−3774
Sblendonio, M. Charge transfer devices for image reproduction and signal processing 85−45860
Sbrodov, G.P. Active control of energy demand. I. Theory 88−48490
Scabay, O. *see* Harmatha, L. 86−58326
Scablat, V. *see* Paduraru, N. 85−43633
Scace, E.L. Overview of the I-series recommendations 86−16746
Scace, E.L. *see* Decina, M. 86−59452
Scace, R.I. Materials measurements: present abilities and future needs 85−40587
Scace, R.I. Equipment and manufacturing techniques for optoelectronics 86−58813
Scace, R.I. ASTM and SEMI standards for the semiconductor industry 88−7438
Scace, S.E. A utility perspective on PRA applications 85−43786
Scadden, L.A. Evolving preferences for speech technology features in the disability marketplace 88−74893
Scaduto, A.F. *see* Bergendahl, A.S. 85−29286
Scafe, E., Parretta, A., di Rese, L., Adoncecchi, V., Margadonna, D., Paraggio, V. A new approach to static undirectional method for silicon crystallization 86−40711
Scafer, H. *see* Fiege, L. 85−28274
Scaffardi, L., Schinca, D., Tocho, J.O., Ranea-Sandoval, H.F., Gallardo, M. Cascade population mechanism in nitrogen lasers 85−24439
Scaffardi, L. *see* Schinca, D. 86−29034, 86−36412, 87−26276
Scaffardi, M. *see* Franzosi, P. 88−39061
Scafuri, F. *see* Dohler, G. 85−50160, 88−25786, 88−25803, 88−38994 to 38995
Scaggiante, B. *see* Carstens, D.R. 87−42466
Scaglia, P. *see* Martineau, L. 85−17304
Scagliola, C. Language models and search algorithms for real-time speech recognition 86−10286
Scagliola, C., Sciarra, D. Two novel algorithms for variable frame analysis and word matching for connected word recognition 87−19545
Scagliola, C. *see* Colla, A.M. 86−16249
Scaglione, A. *see* d'Ambrosio, G. 86−18388
Scaglione, A. *see* Massa, R. 88−42480
Scaglione, L.J. *see* Manzo, M.A. 85−48395
Scaglione, M. Circuit lets you analyze NiCd batteries 86−6969
Scaglione, S., Coluzza, C., Della Sala, D., Mariucci, L., Frova, A., Fortunato, G. Dual-ion-beam sputtering technique for the production of hydrogenated amorphous silicon 85−28234
Scaglione, S. *see* Coluzza, C. 86−505
Scahfer, S.H. *see* Prisk, D.P. 87−31191
Scaife, B.K.P. A brief note on the development of electrical engineering education in Ireland 88−70067
Scaife, B.K.P. *see* Fannin, P.C. 86−44402, 88−33504
Scaife, W. The Veeco 4840 automated implant system 87−53370
Scaife, W.G. *see* Noreldin, O. 88−10163
Scala, B. Telco conversion: from paper records to online information system 87−62536
Scala, M.La *see* La Scala, M.
Scalabrin, A., Tomaselli, J., Pereira, D., Vasconcellos, E.C.C., Evenson, K.M., Petersen, F.R., Zink, L., Jennings, D.A. Optically pumped $^{13}CH_2F_2$ laser: wavelength and frequency measurements 86−15619
Scalabrin, A. *see* Brito Cruz, C.H. 85−7364
Scalabrin, A. *see* Pereira, D. 86−9733, 86−68441, 87−68329
Scalabrin, A. *see* Saykally, R.J. 87−68332
Scalabrin, G., Scaltriti, G. Modeling and experimental analysis of an efficient absorber for air dehumidification 88−11506
Scalapino, D.J. *see* Jhy-Jiun Chang 85−29510
Scalbert, D. *see* Benchimol, J.L. 86−14858
Scales, H., Harrod, P. The design and implementation of the MC68030 cache memories 88−25278
Scales, H. *see* Vegesna, R. 87−37376
Scales, I. X400—helping the mail get through [CCITT standard] 86−43522
Scales, I. V.42: taking the 'oops' out of dial-oop 88−66949
Scales, I. *see* Fung, K. 87−20071, 87−28332, 87−48335
Scales, J.A., Treitel, S. On the connection between IRLS and Gauss' method for l_1 inversion. Comments on 'Fast algorithms for l_p deconvolution' 87−47666
Scales, W.A. *see* Stutzman, W.L. 86−43773
Scalese, C.A., Inigo, R.M. A data-logging system for recording wheelchair usage 85−64051
Scalese, C.A., Inigo, R.M. A data-logging system for wheelchair use surveys 86−25186
Scalia, P.P. CAD systems: employer and employees in transition 85−39493
Scalise, D.T., Fong, E., Haughian, J., Prechter, R. Development of large high-voltage pressure insulators for the Princeton TFTR flexible transmission lines 87−50089
Scalise, E., Jr. *see* Kaufmann, P. 88−8588
Scally, D.R., Ryerson, D.E., Towles, T.L. Acoustic telemetry in an automated system for long-term ocean data in real time 85−32031
Scaltriti, G. *see* Scalabrin, G. 88−11506
Scalzi, G.J., Slobodnik, A.J., Jr., Roberts, G.A. Network analyzer calibration using offset shorts 88−60628
Scalzi, G.J. *see* Budreau, A.J. 85−35277
Scalzo, G. *see* Bauer, D. 86−46470
Scamans, G., Hamlen, R., O'Callaghan, B., Fitzpatrick, N. Advances in the development of aluminium/air batteries 87−58272
Scamans, G.M. Aluminium-air battery 87−30929
Scamans, G.M., O'Callaghan, W.B., Fitzpatrick, N.P., Hamlen, R.P. The present status of aluminium/air battery development 87−43375
Scamman, J.F. *see* Dulka, C.P. 88−42960
Scampini, S.A. *see* Banta, R.H. 86−60779

Scandale, W. *see* Bassetti, M. 86−31886, 86−31935
Scandale, W. *see* Bossart, R. 86−31911, 88−54172
Scandale, W. *see* Boussard, D. 86−31768
Scandale, W. *see* Garren, A.A. 88−68123
Scandale, W. *see* Koutchouk, J.P. 88−54253
Scandella, A. *see* Couturier, J.-F. 87−8280
Scandura, P.A., Richard, W.D., Hambacker, K., Dawson, D.F. Two Forth based design applications—an intelligent EPROM programmer and the Handi-type display unit 86−57841
Scanidze, T.M. *see* Pavelets, S.Yu. 87−22733
Scanlan, J.O., O'Donovan, P.J. Canonic adaptor realisations for wave switched-capacitor filters 86−27449
Scanlan, J.O., O'Donovan, P.J. Adaptor realisations for wave switched-capacitor filters with reduced capacitance spread 87−5949
Scanlan, J.O. *see* Brazil, T.J. 87−73788
Scanlan, M.J.B. *(editor)* Modern radar techniques 87−72688
Scanlan, R. *see* Dahl, P. 86−44521
Scanlan, R. *see* King, C. 87−74553
Scanlan, R. *see* Larbalestier, D.C. 85−56148
Scanlan, R. *see* Peters, C. 86−25064
Scanlan, R. *see* Strait, J. 87−74617, 88−54294, 88−68133
Scanlan, R. *see* Taylor, C. 85−59029 to 59030
Scanlan, R.M., Royet, J., Hannaford, R. Evaluation of various fabrication techniques for fabrication of fine filament NbTi superconductors 87−67829
Scanlan, R.M., Zbasnik, J.P., Baldi, R.W., Pickering, J.L., Furuto, Y., Ikeda, M., Meguro, S. Fabrication and evaluation of a cryostable Nb_3Sn superconductor for the Mirror Fusion Test Facility (MFTF-B) 85−56247
Scanlan, R.M. *see* Goodrich, L.F. 87−67998
Scanlan, R.M. *see* Royet, J. 87−74613
Scanlan, S.O. *see* Brazil, T.J. 88−32438
Scanlon, E., Smith, R.B., O'Shea, T. The construction of physics simulations in the alternate reality kit 88−49420
Scanlon, J.T., Fuchs, W.K. A testing strategy for bit-serial arrays 87−37219
Scanlon, J.T., Fuchs, W.K. High performance bit-serial multiplication 87−37243
Scanlon, K.L. *see* Paquette, M.S. 88−19554
Scanlon, P.J., Barfoot, K.M., Skensved, P., Whitton, J.L., Calder, I.D., Shepherd, F.R. Some properties of laser annealed shallow As^+ implanted silicon 85−45521
Scannapieco, F. *see* Conte, E. 87−40981
Scannapieco, F. *see* Farina, A. 87−40979, 87−63010
Scannell, B., Fudge, D.L. A quasi optical subsystem for a satellite radiometer 87−50561
Scannell, J. *see* Gualandris, F. 86−26892
Scannell, P. *see* Knezek, G.A. 85−47115, 85−51978
Scannell, T. Twisted-pair Ethernet moves into standards limelight 88−41331
Scannicchio, D. *see* Bressi, G. 87−29467
Scansaroli, M.N. *see* Shanley, C.W. 86−42042
Scantland, D.E. Digital audio reproduction 86−11342
Scantlebury, R. Effective communication [bearer networks] 85−3172
Scantlebury, R. LANS and bearer networks of the future 85−57764
Scantlebury, R. X.25—past, present and future 86−64690
Scantlebury, R. *(editor)* Strategies for integrated communications. State of the art report 85−5638
Scanu, M. *see* Jaeger, R. 87−21541
Scapaticci, D. *see* Barbato, G. 86−11580
Scapellato, R. Geodetic graphs of diameter two and some related structures 87−5332
Scapellato, S. *see* Albrizio, R. 88−74766
Scapellato, S. *see* Bagliesi, G. 88−48025
Scapellato, S. *see* Baldini, R. 87−8865
Scapellato, S. *see* Holl, P. 87−63655
Scapino, F. p-n diode with high recovery speed 86−53584
Scapino, F. *see* Odasso, M. 85−13723, 87−73397
Scarabottolo, N. *see* Antola, A. 87−18300, 87−67373, 88−63735
Scarabottolo, N. *see* Antona, A. 85−45075
Scarabottolo, N. *see* Minoni, U. 88−47176, 88−60619
Scarabottolo, N. *see* Sami, M.G. 88−71666
Scaramuzzi, A., Surace, C. The personal computer and automatic testing 88−53539
Scarano, G. *see* Jacovitti, G. 87−75829
Scarano, G. *see* Matteucci, M. 87−4184, 87−25735
Scarano, G. *see* Pappalardo, M. 85−15286, 86−11968
Scarano, M. On a feasible two-axis representation of a switched three-phase asynchronous motor 86−39806
Scarano, M. *see* Avallone, M. 88−5917
Scarano, M. *see* Gentile, G. 87−15238, 87−64623
Scarano, M. *see* Isastia, V. 86−70916 to 70917
Scarano, M. *see* Pagano, E. 87−15752
Scarati, A.M., Caporiccio, G. Frictional behaviour and wear resistance of rigid disks lubricated with neutral and functional perfluoropolyethers 87−46349
Scarati, A.M. *see* Buttafava, P. 86−36001
Scarati, C. *see* Butto, M. 87−13638
Scarbata, G. CAD for switching circuits with customer participation 85−34112
Scarborough, J.C. HTGR capital cost evaluation 85−21370
Scarborough, J.C. Lessons learned and trends in US megawatt-scale wind turbine development 85−53649
Scarborough, J.C. Systems selection methodology for civil nuclear power applications 88−30493
Scarchilli, G., Gorgucci, E., Leonardi, R. Theory and optimization of the excess bias measurement 87−71342
Scarci, S. *see* D'Orta, P. 87−61635, 87−61699, 88−52368
Scarf, F.L. The AMPTE/CCE plasma wave investigation 85−53165
Scarfo, P.J. *see* Salazar, A.C. 87−76051
Scarfone, L.M., Chlipala, J.D. Computer simulation of target link explosion in laser programmable redundancy for silicon memory 86−57834
Scarinci, R. *see* de Julio, U. 85−2949, 85−51921
Scarl, D. *see* Burnham, R. 85−23370, 86−55726
Scarl, E.A., Jamieson, J., Delaune, C. Knowledge-based fault monitoring and diagnosis in space shuttle propellant loading 85−9270
Scarlatella, M. *see* Bernstein, D. 85−15253
Scarlett, J.A. Introduction to printed circuit board technology 85−27928
Scarlett, J.A. Filmwork generation [PCB manufacture] 85−28799
Scarlett, J.A. PC design basics: feature size and package placement 86−8574
Scarlett, J.A. PC design basics: power distribution and track routing 86−8575
Scarlett, J.A. *(editor)* Multilayer printed circuit board handbook 86−13273
Scarlin, B. *see* Bertilsson, J.-E. 87−64416
Scarlin, R.B., Albrecht, J., Speidel, M.O. Environment induced cracking of generator rotor retaining rings 85−21575
Scarmozzino, R. *see* Cacouris, T. 88−50748, 88−64768
Scaroni, J. *see* Seth, A. 87−18240
Scaroni, J.H. Laser marking technology 86−22578
Scarowsky, M. *see* Friedman, N. 88−63237
Scarpa, G. Abstract sensitivity to fast neutrons of various sintered commercial TLDs 86−11840
Scarpa, P. *see* Dalbe, M. 87−78833
Scarpa, P. *see* Hanriot, J.M. 85−10030
Scarpa, P.G. AZIMUT, a software for time-dependent axisymmetric magnetic field problems 88−8399
Scarpa, P.G. *see* Adriaens, J.P. 88−45625
Scarpa, P.G. *see* Hanriot, J.M. 86−66216
Scarpace, L.P. *see* Baldwin, D.G. 88−33019
Scarparo, M.A. *see* Jacobovitz, G.R. 86−36440, 86−68626
Scarparo, M.A. *see* Portella, M.T. 86−63735
Scarparo, M.A.F. *see* Miranda, R.S. 86−42616
Scarpero, W.J., Jr. *see* Dorler, J.A. 85−598
Scarpetti, R.D., Burkhart, S.C. The study of a reflex oscillator used to generate high-power microwaves 86−21034
Scarpetti, R.D., Vogtlin, G.E., Lundberg, R.L., Burkhart, S.C., Hofer, W.W. MGX—a high power, pulsed microwave generator development project 85−5241
Scarpetti, R.D. *see* Burkhart, S.C. 85−55388
Scarpetti, R.D., Jr., Burkhart, S.C., Lundberg, R.L. Vircator studies at Lawrence Livermore National Laboratory 85−23347
Scarpini, F. Numerical solutions of degenerate and pseudoparabolic variational inequalities 87−44255
Scarpini, F. A nonlinear variational Neumann's type problem 88−43838
Scarpulla, J., Krusius, J.P. Improved statistical method for extraction of MOSFET effective channel length and resistance 87−60463
Scarpulla, J., Mele, T.C., Krusius, J.P. Accurate criterion for MOSFET effective gate length extraction using the capacitance method 88−39487
Scarpulla, J. *see* Mele, T.C. 86−67981
Scarpulla, J. *see* Nulman, J. 86−47426
Scarpuzzi *see* Bologna 88−28442
Scarratt, C. *see* Aylor, J.H. 86−47660
Scarsi, L. *see* Celi, F. 85−48176
Scarsi, L. *see* Di Gesu, V. *(editor)* 88−49379 to 49380
Scarvaci, R.J. Battery design for the telecom industry 85−44160
Scarvaci, R.J. *see* Baxa, M.S. 87−30920
Scarvaci, R.J. *see* Dougherty, T.J. 86−26274
Scattaglia, J.V. *see* Jalali, A. 88−41838
Scattergood, K.D. *see* Guyton, D.L. 87−50233
Scattergood, M., Dirksen, R. ASICs: gate-array or standard-cell? 87−600
Scattergood, M. *see* Dirksen, R.D.H. 87−10791
Scaturro, A.J. A new substation is built in mid-Manhattan 87−51319
Scaug-Pettersen, T. *see* Lier, E. 87−27016
Scavannec, A. *see* Renaud, J.-C. 88−73978
Scavenec, A. *see* Descouts, B. 86−21423
Scavennec, A. Integrated optoelectronics emitters and receivers 88−58384
Scavennec, A., Post, G. Indium phosphide microelectronics 87−25369
Scavennec, A. *see* Allovon, M. 87−38961
Scavennec, A. *see* Devoldere, P. 88−22310
Scavennec, A. *see* Dimitriou, P. 85−45719, 86−15059
Scavennec, A. *see* Mottet, S. 88−67783
Scavennec, A. *see* Noblanc, J.-P. 88−65512
Scavennec, A. *see* Orsal, B. 86−42420, 86−63725
Scavennec, A. *see* Renaud, J.C. 87−74940, 88−58395, 88−65496
Scavennec, A. *see* Wang, H. 87−20500
Scazzina, L. *see* Vassanelli, C. 85−59306
Scbalkoff, R.J. Dynamic imagery modeling and motion estimation using weak formulations 87−69279
Sceats, M.G. *see* Dawes, J.M. 88−33979
Scedrov, A. *see* Friedman, H. 85−10593
Scekin, K.I. *see* Berjozkin, V.V. 87−35333
Scelsi, G. *see* Cacouris, T. 88−50748, 88−64768
Scendrate, G. *see* Babare, A. 86−56806
Scepanovic, V. Optimizing concentrated symmetrisation of VF fourths with telecommunication cables 85−30846
Scepanovic, V. Electrochemical (and electrical) corrosion, passive protection of telecommunication cables against corrosion 86−69557
Scevarolli, M., Simoncini, L. Reliable multicast protocols for a token ring architecture 88−3647
Schaad, E.H., Brown, D. Turbo-compound boost for Vale 4C diesel unit 88−62217
Schaad, J. *see* Ho, S. 86−46909
Schaad, J.W. *see* Myers, G.A. 87−29770
Schaaf, C. *see* Assmus, U. 85−57885
Schaaf, C. *see* Bartel, W. 85−47057, 86−17081
Schaaf, H.W. *see* Bollen, G. 87−54262
Schaaf, R. *see* Becker, G. 85−25643, 85−47361
Schaaf, R.T.van der *see* van der Schaaf, R.T.
Schaaf, R.W. *see* Thomas, R.H. 86−30285
Schaafsma, P.E. *see* Wismeijer, A. 88−67415
Schaaij, W. Elekterminal bell 85−11167
Schaake, H.F. *see* Hartzell, R.A. 86−28121
Schaake, H.F. *see* Koestner, R.J. 88−63322
Schaake, H.F. *see* Reed, M.A. 88−12980
Schaake, R.C.F., Huisman, H.F. Headwear regulation of CrO_2 video tape 87−46348
Schaake, R.C.F., Pigmans, H.J.M., van den Heijkant, J.A.M., Huisman, H.F. Tensile testing of magnetic tapes 87−46350
Schaake, R.C.F. *see* Wierenga, P.E. 88−6533
Schaal, H. *see* Armstrong, T.W. 86−5771, 86−70312
Schaal, H. *see* Cloth, P. 86−5759
Schaal, H. *see* Filges, D. 86−56003
Schaal, R.E. *see* Kaufmann, P. 88−8588
Schaap, D.M.A. *see* van Heteren, J. 86−65532
Schaap, T., Tilburgs, P.K., Vermij, C.J. Data communication with the Rabobank 85−42270
Schaap, T., Tilburgs, P.K., Vermij, C.J. Data communication within the Rabobank 87−55744
Schaar, R. *see* Lobert, P. 88−69144
Schaarschmidt, J., Viergutz, H. Modelling and simulation of semiconductor technology using the PROSIM programming system 85−17084
Schaback, R. Convergence analysis of the general Gauss-Newton algorithm 85−49486
Schaballie, B. *see* De Man, H. 85−35203, 86−8308
Schabel, E. Speech storage systems improve communication effectiveness 85−42154
Schabel, K.B. *see* Rackliffe, G.B. 87−72614
Schabel, R. *see* Ryan, F. 86−12283
Schaber, H., Beiger, J., Meister, T.F., Ehinger, K., Kakoschke, R. Process and device related scaling considerations for polysilicon emitter bipolar transistors 88−39405
Schaber, H., Benna, B., TReitinger, L., Wieder, A.W. Conduction mechanisms of polysilicon emitters with thin interfacial oxide layers 85−55789
Schaber, H. *see* Benna, B. 86−47549, 88−19935
Schaber, H. *see* Probst, V. 88−44537
Schabert, P.-M. Practical application of plant operating experience in staff indoctrination and training programs 88−17291
Schabes, M.E., Aharoni, A. Magnetostatic interaction fields for a three-dimensional array of ferromagnetic cubes 88−27429
Schablitzky, H.D. *see* Brefeld, W. 85−31671
Schabowska-Osiowska, E., Scigala, R. Cr-SiO cermet thin films 87−73122
Schabowska-Osiowska, E. *see* Porada, Z. 88−58312
Schach, R. Bipolar high voltage transistors for switched mode power supplies 85−29196
Schach, R. Bipolar high voltage transistors for mains circuit components 86−35653
Schach, S.R. *see* Davis, G.E. 88−35712
Schacham, A. *see* Levy, J. 88−772

Schacham, S.E. Time and field dependence of excess carrier concentration in semiconductors 86−63720
Schacham, S.E., Finkman, E. A new method for measuring ambipolar mobility and its implementation in *p*-type HgCdTe 85−28957
Schacham, S.E., Finkman, E. Recombination mechanisms in *p*-type HgCdTe: freezeout and background flux effects 85−34497
Schacham, S.E., Finkman, E. Light-modulated Hall effect for extending characterization of semiconductor materials 87−11350
Schacham, S.E. *see* Fraenkel, A. 87−24840
Schacham, S.E. *see* Hod, Y. 87−35419
Schacham, S.E. *see* Levy, D. 87−56709, 88−16185
Schacham, S.E. *see* Sapir, E. 86−44322
Schachenmann, A. Flow measuring methods using laser 88−16557
Schacher, J. *see* Borer, K. 85−15187
Schacherl, E. The use of microelectronics for the automation of processes in small and average size concerns 86−46035
Schachermayr, H. *see* Engelbrecht, E. 88−17797
Schachermayr, H. *see* Sander, B. 88−23587
Schachinger, L. The effects of varying β on the SSC CDR collision lattice 88−10192
Schachinger, L. Off-momentum tune shift due to random multipole errors in the SSC CDR injection lattice 88−10220
Schachinger, L. Aperture determination and operation simulation in large storage rings 88−54027
Schachinger, L., Talman, R. TEAPOT: a thin-element accelerator program for optics and tracking 87−77482
Schachinger, L. *see* Hinkins, R. 88−10221
Schachlbauer, H. The parallel and serial interfaces for the digital studio standard 87−34778
Schacht, J. PC and mainframes. Protocols for PC-host communication 88−28390
Schacht, P. *see* Braunschweig, W. 88−29874, 88−68282
Schachter, B. *see* Ahuja, N. 85−41942
Schachter, H. *see* Kuo, S. 85−16261, 85−39214
Schachter, H. *see* Kuo, S.P. 85−16260, 85−53831
Schachter, H. *see* Onishi, S. 86−2540
Schachter, H. *see* Wang, W.C. 87−6973
Schachter, H. *see* Wen-Chung Wang 86−9351
Schachter, J. *see* Kapteyn, H.C. 88−48079
Schachter, L. Relativistic quantum mechanical analysis of a free electron laser 87−61181
Schachter, L. *see* Schieber, D. 87−42922
Schachter, L. *see* Ursu, I. 85−60451, 88−36619
Schachter, P.J. *see* Boyd, R.J. 85−42127
Schachter, R., Olego, D.J., Baumann, J.A., Michel, C.G., Kuck, M.A., Polgar, L.G., Raccah, P.M., Spicer, W.E. Novel polyphosphide semiconductors with good interfacial properties to InP 86−47330
Schachter, R., Viscogliosi, M., Bunz, L.A., Olego, D.J., Serreze, H.B., Raccah, P.M. Passivation of InP by plasma deposited phosphorus: effects of surface treatment 87−1423
Schachter, R. *see* Olego, D.J. 85−18242, 86−2049, 87−6577
Schachter, R. *see* Serreze, H.B. 87−45958
Schachtman, M.G. *see* Harrison, K.R. 87−40508
Schack, M. *see* Salome, M. 85−34445
Schad, O. *see* Loreck, R. 87−9256
Schade, B. New aspects in the horizontal power supply of lighting installations 85−5513
Schade, B. Infrared remote controlled air conditioners offer greater comfort 86−57046
Schade, B. Convenient remote-control light switching saves energy 87−72579
Schade, D.K. *see* Lorenz, R.D. 87−29106
Schade, E. Similarity of the dielectric recovery characteristic of axially blown arcs in SF_6 86−26224
Schade, E. *see* Dullni, E. 87−37784, 88−30953
Schade, E. *see* Gellert, B. 87−37783
Schade, E. *see* Vokurka, V. 87−56783
Schade, G. Circuitry simulation 85−28313
Schade, G. *see* Beshore, A.C. 87−73117
Schade, H., Smith, Z.E. Optical properties and quantum efficiency of $a\text{-Si}_{1-x}\text{C}_x\text{:H}/a\text{-Si:H}$ solar cells 85−27648
Schade, H., Smith, Z.E. Optical scattering at conductive transparent oxide surfaces 85−60417
Schade, H., Smith, Z.E. Contact resistance measurements for hydrogenated amorphous silicon solar cell structures 86−45662
Schade, H., Smith, Z.E. Contact resistance measurement technique for amorphous semiconductors 87−21203
Schade, H., Smith, Z.E., Catalano, A. Correlation between bulk p-layer properties of $\text{a-Si}_{1-x}\text{C}_x\text{:H}$ and performance of $\text{a-Si}_{1-x}\text{C}_x\text{:H/a-Si:H}$ heterojunction solar cells 85−16241
Schade, K., Haiduk, A., Kottwitz, A., Kuske, J. Amorphous silicon−applications in electronics 86−63023
Schade, K., Kottwitz, A., Gerlach, W. Use of a magnetron sputtering source in the production of amorphous photoconductive silicon layers 86−28968
Schade, K. *see* Kluge, G. 88−64307
Schade, K. *see* Kottwitz, A. 88−441
Schade, K. *see* Monch, J.-P. 88−63377
Schade, K. *see* Talmi, M. 87−37348
Schade, L., Bassler, R. State and development tendencies of the theory for the planning of transmission path networks 88−66850
Schade, O.H., Jr., Isham, R.H. CMOS IIE: a deep drain-extension implant technology for analog/digital ICs 87−25576
Schade, O.H., Jr. *see* Dolny, G.M. 87−32690
Schade, P., Samisch, H. Production and properties of tungsten for the light sources industry 85−21929
Schade, P., Serger, K., Samisch, H. Material problems in developing new light sources 87−37786
Schade, R. *see* Bartz, G. 85−52110
Schade, S., Kushnir, R. Digital scopes making waves in test, measurement worlds 86−60269
Schade, U. *see* Vogel, K. 88−7515
Schadeli, B. *see* Chamorel, P.A. 85−32159
Schader, M., Tushaus, U. Analysis of qualitative data: a heuristic for finding a complete preorder 88−56167
Schaditzki, P. *see* Laurent, M. 87−66658
Schadler, A. *see* Harhammer, P.G. 85−32105
Schadlich, J. *see* Artbauer, J. 87−35744
Schadlich, R. *see* Hohne, W. 87−4139, 87−29940
Schadt, D., Jaskonzynska, B. Generation of short pulses from CW light by influence of crossphase modulation (CPM) in optical fibres 87−74683
Schadt, D., Jaskorzynska, B. Frequency chirp and spectra due to self-phase modulation and stimulated Raman scattering influenced by pulse walk-off in optical fibers 87−54013
Schadt, D., Jaskorzynska, B. The influence of pulse walk-off on pump and Stokes spectra in combined stimulated Raman scattering and self phase modulation in optical fibres 88−20753
Schadt, D., Jaskorzynskas, B., Osterberg, U. Numerical study on combined stimulated Raman scattering and self-phase modulation in optical fibers influenced by walk-off between pump and Stokes pulses 87−12136
Schadt, M., Buchecker, R., Villiger, A., Leenhouts, F., Fromm, J. The cooperative effects of heterocycles, NCS-polar groups and double bonds on the material properties of new nematic liquid crystals 86−36270
Schadt, M., Buchecker, R., Villiger, A., Leenhouts, F., Fromm, J. The cooperative effects of heterocycles, NCS-polar groups, and double bonds on the material properties of new nematic liquid crystals 87−3665
Schadt, M., Hori, H. New liquid crystals for field effect LCDs 85−14904
Schadt, M., Leenhouts, F. Electro-optical performance of a new, black-white and highly multiplexable liquid crystal display 87−35140
Schadt, M., Leenhouts, F. The optical mode interference liquid-crystal display: dependence on material and cell parameters 88−16356
Schadt, M., Petrzilka, M. Fast responding new nematics covering a wide range of elastic constants 86−2656
Schadt, M. *see* Hu, C.-K. 87−67124
Schadt, M. *see* Leenhouts, F. 87−18768, 87−54123, 88−58249
Schadwill, K.H. The impact of 'Future Factory' manufacturing technology on inspection and test of electronic circuits 85−34346
Schadwinkel, E., Rescher, H. Videotext into the microcomputer. 2 88−46524
Schadwinkel, E. *see* Oberlies, K.U. 86−38067
Schadwinkel, E. *see* Rescher, H. 88−46523
Schaechter, D.B. Free vibration continuum model for a flexible, wrap-rib antenna 86−3686
Schaedeli, B. *see* Aguet, M. 86−51026
Schaefer, A. *see* Frisch, W. 87−30325
Schaefer, A.R., Saunders, R.D., Hughey, L.R. Intercomparison between independent irradiation scales based on silicon photodiode physics, gold point blackbody radiation, and synchrotron radiation 85−52777
Schaefer, A.R., Saunders, R.D., Hughey, L.R. Intercomparison between independent irradiance scales based on silicon photodiode physics, gold-point blackbody radiation, and synchrotron radiation 86−65199
Schaefer, B.E., Desai, U.D. Periodicities in gamma-ray burst light curves 88−52409
Schaefer, C. *see* Pan, P. 86−67782
Schaefer, C.H. On the theoretical determination of the alignment sensitivity of electric and magnetic devices 86−42738
Schaefer, C.H. A theoretical performance comparison of six electrostatic e-beam deflectors 87−12674
Schaefer, D.H. Pyramid architectures 87−75912
Schaefer, E. Relays in electronics. XIII 85−1112
Schaefer, E. Relays in electronics. XV 85−11637
Schaefer, E. Relays in electronics. XVIII 85−11638
Schaefer, E. Relays in electronics. XVII 85−23187
Schaefer, E. Relays in the electronics. XXVI 86−20883
Schaefer, E. Safety relays. II 86−47126
Schaefer, E. Safety relays. III 86−52204
Schaefer, E. Safety relays. V 86−62887
Schaefer, F. *see* Roeser, H.P. 87−35489, 88−35625
Schaefer, F.J. 850 MHz measurements in the Brooklyn/Battery Tunnel 86−4537
Schaefer, F.J. Coverage measurement techniques for cellular systems 87−3095
Schaefer, G. Fast plasma mixing−a new excitation method for CW gas lasers 87−7250
Schaefer, G. Fast plasma mixing−a new excitation method for CW gas lasers 87−12361
Schaefer, G., Bonath, W., Glesner, M., Wehn, N. Sellav−a process and technology independent symbolic design system 87−18285
Schaefer, G., Glesner, M. SELLAV: a flexible design method for VLSI-layouts 87−1621
Schaefer, G., Hutcheson, G.Z., Schoenbach, K.H., Williams, P.F. Influence of photodetachment on the switching characteristics of diffuse discharges containing oxygen 87−53762
Schaefer, G., Pashaie, B., Williams, P.F., Schoenbach, K.H., Krompholz, H. A new design concept for field distortion trigger spark gaps 85−44125
Schaefer, G., Schoenbach, K.H. A review of diffuse discharge opening switches 87−17433
Schaefer, G., Schoenbach, K.H. External control of diffuse discharge switches 87−22801
Schaefer, G., Schoenbach, K.H., Guenther, A.H., Pendleton, W.K. Some recent advances in optically controlled discharges 85−1210
Schaefer, G., Schoenbach, K.H., Korzekwa, R.A., Kristiansen, M. Penning ionization ternary gas mixtures for diffuse discharge opening switches 88−44909
Schaefer, G., Schoenbach, K.H., Kristiansen, M., Korzekwa, R.A., Hutcheson, G.Z. Optimization of gas mixtures for electron-beam controlled diffuse discharge opening switches 87−43305
Schaefer, G., Schoenbach, K.H., Kristiansen, M., Strickland, B.E., Korzekwa, R.A., Hutcheson, G.Z. Influence of the circuit impedance on an electron beam controlled diffuse discharge with a negative differential conductivity 86−63010
Schaefer, G., Schoenbach, K.H., Tran, P., Wang, J.-S., Guenther, A.H. Computer calculations of the time dependent behaviour of diffuse discharge switches 85−5327
Schaefer, G. *see* Cooper, J.R. 85−4698, 87−17434, 87−22800
Schaefer, G. *see* Goetz, D. 87−73953, 88−12900
Schaefer, G. *see* Gundersen, M.A. 87−43304
Schaefer, G. *see* Harjes, C.H. 85−6672
Schaefer, G. *see* Harjes, H. 85−1221, 85−3976
Schaefer, G. *see* Korzekwa, R. 88−62517
Schaefer, G. *see* Krompholz, H. 86−17960, 87−37072
Schaefer, G. *see* Pashaie, B. 87−37787
Schaefer, G. *see* Schoenbach, K. 85−18041, 85−27572
Schaefer, G. *see* Schoenbach, K.H. 85−5279, 85−23378, 85−39149, 87−17605
Schaefer, G. *see* Wages, M.R. 87−18414
Schaefer, G.R. *see* De Bow, S.P., Jr. 88−5198
Schaefer, H. Utilisation of alternative energy sources in the German Federal Republic 87−51085
Schaefer, H., Hartmann, D., Jensch, W. Decentralised energy supply 87−4477
Schaefer, H. *see* Geiger, B. 87−58464
Schaefer, H. *see* Rudolph, M. 87−5107
Schaefer, H.E. *see* Bauer, W. 87−29532
Schaefer, H.H. 50 Hz for traction current−a question of surrounding conditions! 88−31119
Schaefer, H.H. Comparison of the traction resistance formulas of European and nonEuropean railways 88−43441
Schaefer, H.R. *see* Brefeld, W. 85−31671
Schaefer, J. Assembly [IC manufacture] 87−46098
Schaefer, J. *see* Argyroudis, P. 87−66002
Schaefer, J. *see* Ingmann, P. 86−12174
Schaefer, J.C. *see* Risser, V.V. 88−17441
Schaefer, J.E. Assembly catching up with productivity needs 86−46087
Schaefer, J.F. An inexpensive photovoltaic pseudo maximum-power-point tracker 86−6618
Schaefer, J.F. Results of a survey of 111 photovoltaic water pumpers in New Mexico 87−9423
Schaefer, J.F. Some results regarding stability of photovoltaic maximum-power-point tracking DC-DC converters 87−9443
Schaefer, J.F. Photovoltaic well pumping in New Mexico 87−42727
Schaefer, J.F., Lieberman, M.A. Evaluation of energy performance of single-axis tracking photovoltaic arrays 86−7102
Schaefer, L. *see* Korn, G. 85−51294
Schaefer, M., Dietzmann, G. Magnetic-field-dependent eddy current dispersion of the complex permeability of the plane plate and the long circular cylinder based on Rayleigh's Law of hysteresis 87−39276
Schaefer, M. *see* Basler, G. 88−31896
Schaefer, M.M. *see* Batelaan, P.D. 88−41777
Schaefer, M.S. Synchronous optical transmission for the METROBUS lightwave network 88−9595

Schaefer, M.T. Information: text, voice, data, images cross Atlantic via laser-powered link 85−52337
Schaefer, M.T. Apollo project at leading edge of satellite information transfer 86−23797
Schaefer, M.T. A birds-eye view of optical media in libraries 86−24147
Schaefer, M.T. Multi-purpose fibre-optic communication systems initiated in libraries and communication centers across the US 86−30793
Schaefer, R. *see* Baker, R. 88−29255
Schaefer, R. *see* Cziep, W. 85−1174
Schaefer, R. *see* Kraus, G. 85−11824
Schaefer, R. *see* Kuenzel, U. 85−11816
Schaefer, R.T. Drill bit failure mechanisms 88−71220
Schaefer, R.W. *see* Baum, D.R. 88−36164
Schaefer, S.R. Technology application program management (TAPM)−an Air Force Logistics Command (AFLC) strategy for technology transition 88−116
Schaefer, S.R. The Air Force Logistics Command Fiber Optics Program: a strategy to systematically introduce the technology 88−65273
Schaefer, T.J. A transistor-level logic-with-timing simulator for MOS circuits 86−21897
Schaefer, W. Short circuit currents calculation by using the impedance correction method 85−32434
Schaefermeyer, T. *see* Turner, P.F. 88−61436
Schaeffel, F., Farkas, L., Howland, H.C. Infrared photoretinoscope 87−50232
Schaeffer, A. *see* Mahdavi, J. 85−64221
Schaeffer, D. Problems in the earthing of electronic instrument parts 85−24870
Schaeffer, H. *see* Panhuzen, R.A. 87−74588
Schaeffer, H. *see* ter Horst, G. 87−16950
Schaeffer, H.F. *see* Heussmann, D.W. 85−29891
Schaeffer, J., Makarenko, D. Systolic polynomial evaluation and matrix multiplication with multiple precision 85−62054
Schaeffer, W. *see* Gnaedig, A. 86−4736
Schaegger, M. *see* Ronis, M. 87−31194
Schaelin, A. *see* Loepfe, R. 88−67786
Schaeper, H.R.A., Nitschke, H.A. Spaceborne SAR antenna technology and the Shuttle Imaging Radar-B (SIR-B) antenna development 86−16059
Schaer, M. Optimum sizing of valves for district heating schemes 85−16446
Schaer, M. Optimal design of regulators for heating installations connected to district heating networks 86−19083
Schaeren, M. Organization of the videotex project in Switzerland 85−8109
Schaerer, T. Digital band-pass filter 85−11424
Schaerer, T. Controllable voltage divider [audio volume control] 86−24184
Schaerer, T. Voltage regulator with foldback current limiting 88−18903
Schaerf, C., Babusci, D., Belli, P., Bernabei, R., Casano, L., d'Angelo, S., de Pascale, M.P., Giordano, G., Girolami, B., Incicchitti, A., Matone, G., Mattioli, M., Picozza, P., Preger, M., Prosperi, D., Spataro, B. Monochromatic and polarized gamma ray beams for the study of few body interactions 87−41802
Schaerf, C. *see* D'Angelo, A. 88−22880
Schaerf, C. *see* Preger, M. 86−70307
Schaerf, R. *see* Mauer, E. 87−55353
Schaetzel, S.S. *see* Simmons, J.M. 87−77727
Schaezle, D.R. Electronic audio control receiver, testing and data administration 88−9865
Schaezle, D.R. Measuring equipment with the highest accuracy for the adjustment and testing of precision meters 88−10048
Schaezle, D.R., Ruegger, M.H. Integrated meter testing and management 87−49501
Schaezle, D.R., Ziegler, E. Reconditioning and maintenance of electricity meters 88−10047
Schaezle, D.R., Ziegler, E. Testing voltage and current transformers 88−11260
Schaezle, D.R. *see* Ruegger, M. 88−9864
Schafer, A. *see* Neumaier, A. 86−7665
Schafer, C.T., McKeown, D.L., Manchester, K.S. User evaluation of the new DFO/DEMR deep ocean ROV 88−54763
Schafer, D., Wolf, R., Zscherpe, G. Optical thin films for laser mirrors 85−29523
Schafer, D. *see* Brauns, B. 86−48467
Schafer, D. *see* Fritzsche, K. 87−19107
Schafer, D. *see* Welsch, E. 85−12694, 88−2334
Schafer, E. *see* Maurer, K. 85−4284
Schafer, F. *see* Nett, H. 87−17374
Schafer, F.P. On some properties of axicons 86−15745
Schafer, F.P. Excimer laser and new scheme for travelling-wave pumping of X-ray lasers 87−12379
Schafer, F.P. Lasers for chemical applications 88−58734
Schafer, F.P. *see* Dick, B. 87−54248
Schafer, F.P. *see* Dietel, W. 88−58479
Schafer, F.P. *see* Dochio, F. 86−9920
Schafer, F.P. *see* Li Wenchong 85−12819
Schafer, F.P. *see* Szatmari, S. 87−74997, 88−27041, 88−65780
Schafer, F.P. *see* Zhao, Q. 88−58619
Schafer, G., Hafner, H.-U. Cryopumps for evacuating space simulation chambers 87−77734
Schafer, H. Heat pipe cooling systems. New ways to solve heat problems 88−24555
Schafer, H., Mende, H.H. Stray field profile of grain-oriented rectangular 3% SiFe sheets in dependence on vertical and in-plane magnetic fields 87−53880
Schafer, H., Mende, H.H. Simulation of stray-field coupling between stacked grain-oriented three-percent SiFe sheets concerning domain structure and stray-field profile 88−51153
Schafer, H. *see* Albrecht, H. 86−36358
Schafer, H. *see* Becker, F.S. 86−52520
Schafer, H. *see* Buttle, K. 86−10882
Schafer, H. *see* Trapp, W. 85−5505, 85−21946
Schafer, H. *see* Trommer, R. 86−36341
Schafer, H.-D. SIMADYN D — modular hardware structure permits optimum matching [for electric drives] 87−16090
Schafer, H.J. *see* Krull, O. 85−15067
Schafer, J., Muhlbauer, A. Energy conversion in silicon reduction furnaces 86−19615
Schafer, J. *see* Volland, H. 87−26773
Schafer, J.H. *see* Muller, S. 85−56551
Schafer, K.H. Review of design, control and main characteristics of unit no.5 with district heating connection including experience accumulated from the commissioning phase 87−64361
Schafer, M., Muller, K.H. Fibre optic applications in distributed control systems 87−13744
Schafer, M. *see* Kirch, N. 85−38667
Schafer, M. *see* Kriesel, W. 86−46881
Schafer, M.E., Lewin, P.A. A computerized system for measuring the acoustic output from diagnostic ultrasound equipment 88−54506
Schafer, M.E., Lewin, P.A., Reid, J.M. Propagation through inhomogeneous media using the angular spectrum method 88−59179
Schafer, M.E. *see* Lewin, P.A. 86−6171, 86−70548, 87−50289, 87−57132, 87−57457, 88−16732, 88−−54795, 88−57869
Schafer, M.E. *see* Poczobutt, M.T. 88−10349
Schafer, P. Bildschirmtext in credit and warehouse cooperatives 85−8089
Schafer, P., Niebsch, H. Growth of (100) and (111) CdTe films on (100) GaAs by hot-wall epitaxy 87−36763
Schafer, P. *see* Moritz, T. 85−54473
Schafer, R. High-definition television production standard−an opportunity for optimal color processing 85−58325
Schafer, R., Golz, U. Investigations of subjective information transmission in a digital HDTV-system 85−37272
Schafer, R., Kauff, P. HDTV colorimetry and gamma considering the visibility of noise and quantization errors 88−14810
Schafer, R., Kauff, P., Golz, U. Subjective evaluation of the procedure of colour signal production and processing with extended colour space and the constant luminescence principle. II 87−70220
Schafer, R., Kauff, P., Golz, U. Subjective determination of methods of colour signal regeneration and processing with extended colour space and constant luminance principle. I 87−76940
Schafer, R., Stormberg, H.-P. Particle number and pressure determination in high-pressure lamps 87−5076
Schafer, R., Stormberg, H.P. Time-dependent behavior of the contraction regions of high-pressure mercury arcs 85−44293
Schafer, R. *see* Bruggisser, W.L. 87−79045
Schafer, R. *see* Koch, H. 86−60150
Schafer, R. *see* Kraus, G. 85−40374
Schafer, R.E. *see* Angus, J.E. 85−28082, 85−54202
Schafer, R.L. *see* Sun, T.C. 87−77079
Schafer, R.V. *see* Green, M.I. 88−68152
Schafer, R.W., Mersereau, R.M., Barnwell, T.P., III. Software package brings filter design to PCs 85−11421
Schafer, R.W. *see* AuYeung, C. 87−19755
Schafer, R.W. *see* Katsaggelos, A.K. 86−16377, 86−16549
Schafer, R.W. *see* Maragos, P. 87−75782 to 75783
Schafer, R.W. *see* Maragos, P.A. 85−25158, 86−16430, 87−13065, 87−27643
Schafer, R.W. *see* Mersereau, R.M. 85−23052
Schafer, R.W. *see* Richardson, C.H. 88−40937
Schafer, S. *see* LeGuen, F. 88−17292
Schafer, S.A., Lyon, S.A. New model of the rapid initial oxidation of silicon 85−55699
Schafer, T., Welfonder, E., Asal, H.P. Experience with a detailed, dynamic system model for the interconnected operation of the West European power system 87−4231
Schafer, T. *see* Thierfelder, G. 87−52641, 87−59551
Schafer, Th. *see* Welfonder, E. 87−9082
Schafer, U. *see* Baumgart, R. 87−50147, 87−71032, 88−48024, 88−61137
Schafer, W. Implementation of customer's switching circuits for telecommunication applications 87−37184
Schafer, W. Programming equipment−features to consider at selection 88−32103
Schafer, W., Graber, P. Swellable-nonwoven tapes−new construction aids for longitudinally water-tight cables 88−75177
Schafer, W., Naday, I., Will, G. Neutron powder diffractometry with the linear position-sensitive scintillation detector 85−15213
Schafer, W., Niederauer, K. Raster electron microscopy for fault analysis in semiconductor devices 85−23897
Schafer, W., Niederauer, K. Fault analysis of semiconductors with the scanning electron microscope 85−29172
Schafer, W., Niederauer, K. Techniques for studying semiconductors in the scanning electron microscope−EMF/EBIC and voltage contrast 85−55911
Schafer, W., Wiederauer, K. Supertest with the electron beam: the scanning electron microscope as a component tester 86−21298
Schafer, W. *see* Habersack, J. 85−41759
Schafer, W. *see* Hartl, P. 88−21909, 88−46960
Schafer, W. *see* Hauptmann, K. 87−37152
Schafer, W. *see* Kaiser, K.H. 86−27182
Schafer, W. *see* Kurz, R. 88−61083
Schafer, W. *see* Leitner, R. 87−12855
Schafer, W. *see* Naday, I. 85−15211
Schafer, W. *see* Nathrath, N. 88−34472
Schafers, F., Peatman, W., Eyers, A., Heckenkamp, Ch., Schonhense, G., Heinzman, U. High-flux normal incidence monochromator for circularly polarized synchrotron radiation 86−55950
Schafers, F. *see* Heckenkamp, Ch. 86−60628
Schafers, F. *see* Pfluger, J. 88−47810
Schafers, H. Network monitoring in the integrated text and data network (IDN) 87−13215
Schaff, A. Mechanical considerations for solid state pressure transducers 87−70634
Schaff, F.L. *see* Jensen, A.S. 88−48409
Schaff, W.J., Maki, P.A., Eastman, L.F., Rathbun, L., De Cooman, B.C., Carter, C.B. The effect of doping on the interface between GaAs and AlGaAs 86−14917
Schaff, W.J. *see* Chen, M. 87−32509, 87−60448
Schaff, W.J. *see* Chen, M.Y. 88−38763
Schaff, W.J. *see* Chen, Y.K. 88−38752
Schaff, W.J. *see* Enquist, P.M. 86−67834, 87−45890
Schaff, W.J. *see* Lepore, A.N. 88−13432
Schaff, W.J. *see* Nguyen, L.D. 87−53535, 88−26341, 88−39532, 88−71608
Schaff, W.J. *see* Radulescu, D.C. 87−37942, 87−60145, 87−74060, 88−50631, 88−63303
Schaff, W.J. *see* Schaus, C.F. 87−16594
Schaff, W.J. *see* Tiberio, R.C. 88−39514
Schaff, W.J. *see* Wang, G.-W. 88−63896
Schaffar, B.P.H., Wolfbeis, O.S. Fibre optic chemical sensors 88−22610
Schaffar, E. *see* Labruyere, G. 87−12821
Schaffel, N.A. *see* Lee, R.W. 86−28605
Schaffel, P. *see* Chalmers, B.J. 86−33407
Schaffeld, J.H. *see* Gotthardt, M.R. 85−47541
Schaffer, A. *see* Arnault, C. 87−14216
Schaffer, A. *see* Bjelkhagen, H. 85−26717
Schaffer, A. *see* Harigel, G. 87−26486
Schaffer, A.C. *see* Burkhardt, H. 88−47997
Schaffer, B. Switching in the broad-band ISDN 86−64837
Schaffer, B. The evolution of the ISDN into a universal broadband network 88−28511
Schaffer, B. *see* Armbruster, H. 88−9273
Schaffer, B. *see* Bauch, H. 85−52178, 87−76158
Schaffer, B. *see* Knorpp, E. 85−36569, 85−47088, 86−23318
Schaffer, C. Integrated-optical single-sideband Bragg modulator with tapered waveguides 88−51603
Schaffer, C., Petermann, K. Integrated optic frequency shifters with SAWs 87−54140
Schaffer, C. *see* von Helmolt, C.H. 86−2890
Schaffer, C.H. *see* von Helmolt, C.H. 87−74894
Schaffer, F.P. *see* Szatmari, S. 87−54247
Schaffer, G. Concept and apparatus for control of switchgear plant 87−4839
Schaffer, G. Power application software from Brown Boveri supports power system control. I 87−30023
Schaffer, G. Selecting and using 12 bit DACs 87−44956
Schaffer, G. Low-cost circuits maintain quality of multiplexed video signals 87−63136
Schaffer, G. User-oriented power system control 87−71589
Schaffer, G. Multiplexer-amp combo tames losses in wideband circuits 87−76960
Schaffer, G. The training simulator for the instruction of distribution centre operators 87−78079
Schaffer, G. Selecting 12-bit DACs for motion and linear applications 88−25287
Schaffer, G. User-oriented software in energy management systems 88−54922
Schaffer, G., Davis, M., Sandmayr, H. Supervisory network control system reflect user requirements 85−26929
Schaffer, G., Stoffel, J. Power application software from Brown Boveri supports power system control. II 87−42312
Schaffer, G. *see* Dondi, P.H. 88−36794
Schaffer, G. *see* Maletinsky, V. 85−59693
Schaffer, G. *see* Narayan, V. 86−50953

Schaffer, G. *see* Rahimi, A. 87−77983
Schaffer, G. *see* Ungrad, H. 85−26930
Schaffer, H. *see* Weigmann, U. 88−19868
Schaffer, J.P. *see* Pang, S.K. 88−32764
Schaffer, J.S., Patel, J.R., Rueth, W.R. SF_6 gas insulated load interrupting switches with fusing 85−27563
Schaffer, J.S. *see* Pflanz, H.M. 88−75862
Schaffer, K.P. Electricity generated in decentralised plant and fed into the public supply system from the viewpoint of an electrical utility 86−44853
Schaffer, K.P., Pucher, E. The small Niederschonthal hydroelectric power station 88−23772
Schaffer, M.D. *see* Tylavsky, D.J. 87−43727, 88−10736, 88−30262
Schaffer, M.O., Tylavsky, D.J. Convergence control of a polar-form Newton based power flow [mine power system] 88−31258
Schaffer, S. Higher order multi-grid methods 85−5963
Schaffer, S. Individual motor branch circuit short-circuit and ground-fault protection 88−75530
Schaffer, W., Steinfelder, K. AgCdO contact elements with a solder layer applied by sputtering 88−19458
Schaffer, W. *see* Lubcke, H.-U. 88−19457
Schaffer, W. *see* Rohr, A. 86−71022
Schaffer, W.J. *see* Reuy-Lin Lee 86−46335
Schaffersmann, H. Not all are suitable. The polyphase AC motor in start/stop duty 85−44213
Schaffler, F., Abstreiter, G. Formation of metal-semiconductor interfaces: from the submonolayer regime to real Schottky barrier 86−1806
Schaffler, F., Ludeke, R., Taleb-Ibrahimi, A., Hughes, G., Rieger, D. The role of order on the interface properties of Sb/GaAs(110) 88−13016
Schaffler, F. *see* Eberl, K. 88−1412
Schaffler, F. *see* Ludeke, R. 88−19736
Schaffner, A. *see* Rohde, O. 86−2061, 87−1374
Schaffner, G. Low cost cartop phased array steering 88−15381
Schaffner, H. Digital networks−review of international standardization 87−48410
Schaffner, H. Digital networks−review of international standardization 87−62492
Schaffner, J., Moeller, K., Fetterman, H., Berenz, J., Nakano, K. W-band characterization of high electron mobility transistor 87−59871
Schaffner, J.H., Oshita, F.K., Fetterman, H.R., Berenz, J.J., Nakano, K., Yen, H.C. Two-port *S*-parameter characterization of high electron mobility transistors at millimeter wave and microwave frequencies 88−71624
Schaffrath, W. *see* Blume, F. 85−52749
Schaffrin, B., Bock, Y. A unified scheme for processing GPS dual-band phase observations 88−67285
Schaffrin, B. *see* Schroder, D. 88−74958
Schafft, H., Lechner, J.A., Sabi, B., Mahaney, M., Smith, R.C. Statistics for electromigration testing 88−50756
Schafft, H.A. Thermal analysis of electromigration test structures 87−38158
Schafft, H.A., Grant, T.C., Saxena, A.N., Chi-Yi Kao Electromigration and the current density dependence 86−15083
Schafft, H.A., Staton, T.C., Mandel, J., Shott, J.D. Reproducibility of electromigration measurements 87−38159
Schafft, H.A., Younkins, C.D., Grant, T.C., Kao, C.-Y., Saxena, A.N. Effect of passivation and passivation defects on electromigration failure in aluminum metallization 85−6868
Schagen, I.P. Internal modelling of objective functions for global optimization 87−16513
Schaible, M. Electrical insulating papers−an overview 87−32770
Schaible, M., Hayden, H., Tanaka, J. Chemical changes created by high energy ions in polyethylene 88−26604
Schaible, P.M., Schwartz, G.C. Selective reactive ion etching of TiW 85−45590
Schaible, P.M., Suierveld, J. Process for forming copper studs for metallurgy systems 85−33181
Schaible, P.M. *see* Rothman, L.B. 86−28447
Schaik, D.Van *see* Van Schaik, D.
Schaik, H.van *see* van Schaik, H.
Schaik, M.A.W.van *see* van Schaik, M.A.W.
Schaik, N.van *see* van Schaik, N.
Schaiker, R.B. *see* Allen, R.D. 85−49125
Schaile, D., Schaile, O., Schwarz, J. A simultaneous hit finding and timing method for pulse shape analysis of drift chamber signals 86−32158
Schaile, D. *see* Bittner, S. 87−29456
Schaile, D. *see* Burckhart, H.J. 86−44551
Schaile, D. *see* Fischer, H.M. 87−21417
Schaile, O. *see* Bittner, S. 87−29456
Schaile, O. *see* Bourgeois, F. 85−42923
Schaile, O. *see* Burckhart, H.J. 86−44551
Schaile, O. *see* Fischer, H.M. 87−21417
Schaile, O. *see* Schaile, D. 86−32158
Schainker, R.B., Land, M.L. Compressed air storage can improve utility load factors 86−51930
Schainker, R.B., Nakhamkin, M. Compressed-air energy storage (CAES): overview, performance and cost data for 25 MW and 220 MW plants 85−49122
Schainker, R.B., Nakhamkin, M. Mini-compressed air energy storage (CAES): design, performance and economics 86−61761
Schainker, R.B. *see* Loyd, R.J. 85−53860
Schainker, R.B. *see* Rodriguez, G.D. 87−51439
Schairer, W. Properties of LED-arrays for electrophotographic applications 86−65234
Schairer, W. Semiconductor lasers have many applications−tendencies and uses 88−8188
Schairer, W. *see* Burkhart, J. 86−67922
Schairer, W. *see* Gillessen, K. 87−51785
Schalamon, F. *see* Block, R. 85−63842
Schalansky, C.P. *see* Schneider, J.A. 85−59353
Schaldach, M. The present state of and trends in the development of microelectronics in biomedical techniques 86−50633
Schaldach, M. Implant technology 87−63848
Schaldach, M. Bioelectric phenomena in cardiac pacing 88−36498
Schaldach, M. Present state and future trends in electrical heart stimulation 88−42568
Schaldach, M. Reliability considerations in the design of implantable products 88−57206
Schaldach, M. *see* Boheim, G. 88−61444
Schalen, L. *see* Juhola, M. 86−25169, 88−61348
Schalk, A. *see* Weiss, W.W. 87−56529
Schalk, R.W. *see* Co, R.S. 87−59721
Schalk, R.W. *see* Shih, C.-C. 88−21571
Schalk, T. *see* Bernstein, D. 85−15253
Schalk, T. *see* Fabrizio, R. 85−20812
Schalk, T.B. Voice recognition in cellular mobile telephones 87−8197
Schalkoff, R. *see* Johns, M. 87−71682
Schalkoff, R.J. Automated reasoning about image motion using a rule-based deduction system 86−64337
Schalkoff, R.J. Development of high-resolution digital image mosaics from low-resolution sensors using image processing techniques 87−13166
Schalkoff, R.J. Analysis of the weak solution approach to image motion estimation 87−47937
Schalkoff, R.J., Labuz, J. An integrated spatiotemporal model and recursive algorithm for image motion estimation 85−36402
Schalkoff, R.J., Labuz, J. Three-dimensional surface mapping simulator: theory, capabilities and operation 85−57482
Schalkoff, R.J. *see* Glidewell, S.R. 87−70407, 87−77075
Schalkoff, R.J. *see* Nag, H. 88−52601
Schalkoff, R.J. *see* Topa, L.C. 87−13167
Schalkoff, R.J. *see* Wang, X. 87−69378
Schalkwijk, J.P.M. The threshold bound to the capacity region of a two-way channel revisited 85−57199
Schalkwijk, J.P.M. The capacity region of the binary multiplying channel−a converse 86−22871
Schalkwijk, J.P.M. The echo channel 87−76185
Schalkwijk, J.P.M., Post, K.A. Simple and optimal coding strategies for memories with known defects 88−59041
Schalkwijk, J.P.M. *see* Zhang, Z. 86−59173
Schalkwyk, J.J.D.van *see* van Schalkwyk, J.J.D.
Schall, B. *see* Giodano, R. 86−33502
Schall, S. Small equipments and accessories: collection items 85−14536
Schall, S. From flame guard to telephone IC: collection of rarities 87−44991
Schall, S. Protection against theft: secure as in a safe of glass [car radios] 87−49255
Schall, S. *see* Chandra, J. 88−43718
Schall, W.O. Cavity flow control for supersonic lasers 86−48315
Schall, W.O. Microwave excited flow lasers 87−18916
Schall, W.O., Dorflinger, N. Disturbance of supersonic flow by channel side-cavities 86−3080
Schallauer, R. *see* Urban, G. 86−5812, 86−31435
Schallen, E., Gallego, P., Mears, R.J., Payne, F.P. Fabrication of non-linear single-mode optical fibres from soft glasses with large differences in thermal expansion 88−58177
Schallenberger, B. *see* Endriss, H. 86−47655, 88−39610
Schallenberger, B. *see* Sandweg, G. 85−33569
Schaller *see* Bohm, M. 85−25765
Schaller, F. *see* Sachs, U. 85−59812
Schaller, G. Microwave and infrared thermograms of hot spots in tissue 85−20908
Schaller, G. Synthetic aperture radiometry for the imaging of hot spots in tissue 88−29991
Schaller, G. *see* Frey, P. 88−61292
Schaller, G. *see* Townsend, D. 88−48111
Schaller, G.E. Power ferrites for 1 megahertz (and up) switchers 87−74512
Schaller, H.-U. *see* Ehmann, A. 85−50224
Schaller, I.D. Technological advances are continuing and so is education at Iowa Power 87−31199
Schaller, J. *see* Struppler, A. 87−22438
Schaller, P.D. Expanding 802 WAN networking standard transparently links LANs into global WANs 87−62633
Schaller, R., Siemers, G. Nuclear-spin tomographs need shielding 85−20905
Schaller, R. *see* Rummel, W. 85−6093
Schaller, S.C., Bjorklund, E.A. Distributed data access in the LAMPF control system 88−54167
Schaller, S.C., Corely, J.K., Rose, P.A. Optimizing data access in the LAMPF control system 86−24882
Schaller, S.C. *see* Brown, S.K. 86−60413
Schaller, U. *see* Kraak, W. 85−20751
Schaller, W. Mobile radio system CD 900. II. Highly integrated inexpensive mobile telephones 85−58010
Schaller, W. *see* Benndorf, H. 85−57991, 86−49490
Schaller, W. *see* Bohm, M. 86−54797, 86−64880
Schaller, W. *see* Paul, F. 86−33563
Schaller, W. *see* Schaude, G. 88−23718
Schallert, B. Experience from two years of experimental operation with DENOX pilot plants 88−54772
Schallert, B., Kaulitz, J. Operating experience with selective catalytic reduction DENOX experimental plants under conditions of various applications [power stations] 87−15520
Schalles, F.T. *see* Bower, W.I. 88−37106
Schalt, W. *see* Hautecler, S. 85−64515
Schaltegger, P., Muller, B. Forecasts on the reliability of electronic units in practical comparison 87−65255
Scham, M., Book, N., Ohl, W.-D. Packet switching services within ISDN 88−59760
Scham, M. *see* Becker, D. 85−2975
Schambeck, H. With ISDN into the information society: magic word−integration. The universal network for communications of tomorrow 87−48364
Schambeck, W. *see* Heintz, K. 87−76675
Schamberger, K. *see* Ritscherle, H. 86−40321
Schamberger, R.D. *see* Aronson, S. 88−61122
Schamel, G. Novel structure for television picture noise reduction 86−60007
Schamel, G. Quantisation of HDTV-colour components with regard to the camera noise 87−8425
Schamel, G. Multi dimensional interpolation of progressive frames from spatio-temporally subsampled HDTV fields 87−63151
Schamel, G. Pre- and postfiltering of HDTV signals for sampling rate reduction and display upconversion 88−29077
Schamel, G., Hahn, M. Noise reduction in high-definition TV cameras 88−60415
Schamel, G. *see* Reuter, T. 86−69905
Schamell, J.H. *see* Dudderar, T.D. 85−56862
Schamp, C.A. *see* Daughtrey, H.T. 85−38750
Schampheleire, J.D. *see* Baert, P. 88−62966
Schamschula, M.P. *see* Cottrell, D.M. 87−47874
Schanbel, W. *see* Schlegel, L. 88−39290
Schanda, E. A radargrammetry experiment in a mountain region 85−64696
Schanda, E. Radar with a synthetic aperture 87−49160
Schanda, E. On microwave scattering properties of heterogeneous two-component mixtures 87−57339
Schanda, E. On the contribution of volume scattering to the microwave backscattered signal from wet snow and wet soil 88−15511
Schanda, E. Applications of microwaves to remote sensing 88−16944
Schanda, E. Applications of microwaves to remote sensing 88−54733
Schanda, E. Applications of microwaves to remote sensing 88−61629
Schanda, E., Kunzi, K., Kampfer, N., Hartmann, G., Degenhart, W., Keppler, E., Loidl, A., Umlauft, G., Vasyliunas, V., Zwick, R., Schwartz, P.R., Bevilacqua, R.M. Millimeter wave atmospheric sounding from Space Shuttle 87−21778
Schanda, J. A combined colour preference-colour rendering index 85−60525
Schanda, J. Brightness evaluation of colored VDU signals 86−31547
Schanda, J., Dios, J., Lancz, J.. LED-anomaloscope 86−15587
Schang, G., Van der Stock, P. Image transmission link for Earth observation satellites 88−73862
Schanin, D. Microprocessor cache coherency 87−73486
Schanin, D.J. Architecture of the NS32532−a single chip VLSI high performance CPU 88−44234
Schanin, P.M. *see* Koval, N.N. 86−8674
Schanne, J., Jr. *see* Sullivan, R.J. 88−60259
Schannen, O.F.Z. *see* Bosch, A.J. 86−7771
Schantz, H.F. OCR networks: a concept for greater productivity 85−13871
Schantz, R.E., Thomas, R.H., Bono, G. The architecture of the Cronus distributed operating system 86−64783
Schanwald, L.P. *see* Hamil, R.A. 87−21333
Schanz, G. *see* Corden, M.J. 85−64462

Schanz, G.W. Aspects of the development of microelectronics and its employment in installations where safety is a matter of importance 85−1659

Schanz, G.W. The transients on the track digital storage oscilloscope 86−5367

Schanz, M. *see* Alrutz-Ziemssen, K. 87−41706

Schanz, V., Schilling, F. Calibration of PVDF membrane transducers by the self-reciprocity method 88−61679

Schaper, H., Priess, F. Non-destructive testing of coatings during acceptance and in service 88−63425

Schaper, K. *see* Drews, S. 85−13985

Schaper, L.W. *see* Knausenberger, W.H. 85−16796, 85−35133, 86−13504

Schaper, M. Extrapolation method for accuracy-improvement of finite-difference-solutions for a singular disturbed two-point boundary value problem 88−38115

Schaper, R. *see* Gotschy, H. 88−53305

Schapery, R. A 10-MIP digital signal processor from Texas Instruments 87−59577

Schapink, F.W. *see* Reader, A.H. 86−41689, 86−58388

Schapira, A.D. *see* Maurer, P.M. 88−70662

Schapira, J.P., Mandrillon, P. Axial injection in the Orsay project of a superconducting cyclotron and in the medical cyclotron MEDICYC 85−59079

Schapira, J.P. *see* Hourani, E. 88−29926

Schapira, W. *see* Eisner, I. 86−32840

Schapira, W. *see* Weiler, A. 86−32789

Schapiro, R. Digital Subtraction Angiography 85−20911

Schaposnik, F.A. *see* Ranea-Sandoval, H.F. 86−68422

Schapp, T.J. *see* Hodor, J.R. 85−58591

Schappacher, J. Low cost monolithic GaAs ICs boost system performance 87−11057

Schappacher, J. GaAs ICs add gain block to RF designer's arsenal 87−52390

Schappacher, J. *see* Davis, R. 86−61937

Schappacher, J. *see* Tenedorio, J.G. 88−63935

Schappacher, J.B., Davis, R.T. GaAs cells simplify high-speed communications 87−37101

Schappacher, J.B. *see* Heckaman, D.E. 85−55163

Schappacher, J.B. *see* Koopman-Larson, D.A. 86−35121

Schappert, M.S. *see* Levine, J.L. 88−16338

Schappert, W. *see* An Ji-Gang 88−48016 to 48017

Schappert, W. *see* Anassontzis, E. 86−32202

Schar, B., Thiel, R. Transposing teletex-telex 85−3024

Schar, B. *see* Munur, M. 87−13296

Schar, B. *see* Pasqualotto, C. 88−3769

Schar, B. *see* Wolf, G. 87−13291

Schar, H. *see* Ari, N. 85−46589

Scharbet, W. *see* Bues, D. 86−31176

Schardt, D. *see* Armbruster, P. 88−36393

Schardt, D. *see* Kirchner, R. 85−37866, 87−57010

Schardt, M., Weisner, D., Miller, R., Bredthauer, R., Smith, R., Ginaven, R., Zenick, R., Odeen, E. Design and development of a 1024×1024 visible imager 85−58575

Scharen, B. Cryogenic low noise receivers in the range of 140 to 200 GHz 85−6527

Scharen-Guivel, J. *see* Carlson, A.A. 86−4387

Scharen-Guivel, J. *see* Dieudonne, J. 86−17091

Scharen-Guivel, J. *see* Fletcher, J.S. 86−17090

Scharenberg, R.P. *see* Stringfellow, B.C. 87−8813

Scharer, F. Maintenance and quality, connections and limits 85−60714

Scharer, H.R. COMTEL 3210 with convenient telephone for videotex application 88−59878

Scharer, J.E. *see* Eldridge, O.C. 88−27202

Scharer, J.E. *see* Lam, N.T. 88−19311

Scharer, J.E. *see* Lee, J.-L. 87−73638

Scharer, P. The digital exchange EWSD 87−13539

Scharer, P. The digital exchange EWSD 87−48791

Scharf, A. The problem of data protection solved? 88−64926

Scharf, A.K. *see* Leonard, J.V. 88−48269

Scharf, B. *see* Band, Y.B. 86−58962

Scharf, G. *see* Niemann, M. 87−70498

Scharf, J. *see* Harth, R. 85−38687

Scharf, L. *see* Bliss, W. 87−16523

Scharf, L. *see* Judell, N. 86−59187

Scharf, L.L. Topics in statistical signal processing 88−14737

Scharf, L.L., Sigurdsson, S. Fixed point implementation of fast Kalman predictors 85−2798

Scharf, L.L., Tourtier, P.J. Maximum likelihood identification of structured correlation matrices for spectrum analysis 88−3130

Scharf, L.L., Tufts, D.W. Rank reduction for signal modelling and parameter estimation 87−13045

Scharf, L.L., Tufts, D.W. Rank reduction for modeling stationary signals 87−39756

Scharf, L.L., Van Veen, B.D. Low rank detectors for Gaussian random vectors 88−14670

Scharf, L.L. *see* Burleson, W.P. 88−70831

Scharf, L.L. *see* Demeure, C.J. 87−33677, 87−62062, 88−73054

Scharf, L.L. *see* Dugre, J.-P. 87−2525

Scharf, L.L. *see* Kumaresen, R. 86−64260

Scharf, L.L. *see* Marshall, S. 87−19944

Scharf, L.L. *see* Mullis, C.T. 87−13043

Scharf, L.L. *see* Rialan, C.P. 87−61920, 88−3084, 88−14673, 88−73043

Scharf, L.L. *see* Tourtier, P.J. 87−62088

Scharf, L.S. *see* Marshall, S. 87−13100

Scharf, T. Prospects for speech synthesis in industry 85−25042

Scharf, T.F. Sounding out speech synthesis 85−13541

Scharf, T.F. Low-cost low-pass filter design 86−46964

Scharf, W.D. *see* Bushell, M.S. 85−2598

Scharfe, W. *see* Wirth, P. 88−45367

Scharfenberg, G., Nothdorf, U. MES 80-16−16-bit microcomputer system for railway signalling applications. An advanced version of the MES 80 88−24236

Scharfenberg, G. *see* Dauper, H. 86−125

Scharfenberg, H. *see* Bermbach, R. 88−29300

Scharfenberg, M. Safety lighting with batteries 85−16411

Scharfenberg, M. *see* Klaas, W. 86−45810

Scharfetter, D.L. *see* Sheu, B.J. 85−1604, 86−58623, 87−67260

Scharff, P.L., Iannuzzi-Glogovsky, M. Novel failure mechanism and anomalous acceleration factor on a beam-lead IC 88−1287

Scharff, W., Erben, J.-W., Hoppner, K., Wolf, A., Voelskow, M., Matthai, J. The forming of Si single crystal layer structures on insulating substrates 86−28410

Scharff, W., Hoeppner, K. Growth of single-crystalline silicon films on insulating substrates 87−73057

Scharff, W., Weissmantel, C. Silicon films on amorphous substrates: influence of boundaries and barriers 87−24962

Scharff, W. *see* Andra, H. 86−35440

Scharff, W. *see* Dolgov, M.V. 87−74649

Scharff, W. *see* Nagdajev, J.N. 88−32954

Scharfman, R.M. *see* Manton, M.R.S. 85−21791

Scharg, L.L. *see* Tourtier, P.J. 87−62088

Scharifi, M.H. *see* Besharatian, H. 88−46358

Scharleman, E.T. Optical guiding and beam bending in free-electron lasers 88−58591

Scharlemann, B. *see* Holler, Y. 85−43302

Scharlemann, E.T. Wiggle plane focusing in linear wigglers 86−9881

Scharlemann, E.T., Fawley, W.M., Anderson, B.R., Orzechowski, T.J. Comparison of the Livermore microwave FEL results at ELF with 2D numerical simulation 87−2162

Scharlemann, E.T., Sessler, A.M., Wurtele, J.S. Optical guiding in a free-electron laser 85−41421

Scharlemann, E.T., Sessler, A.M., Wurtele, J.S. Optical guiding by a free electron laser 86−3234

Scharlemann, E.T. *see* Barletta, W.A. 85−62613

Scharlemann, E.T. *see* Deis, G.A. 88−65746 to 65747

Scharlemann, E.T. *see* Fawley, W.M. 85−12888

Scharlemann, E.T. *see* Hopkins, D.B. 87−39151

Scharlemann, E.T. *see* Jong, R.A. 87−75162

Scharlemann, E.T. *see* LaSala, J.E. 87−2193

Scharlemann, E.T. *see* Masud, J. 87−33222

Scharlemann, E.T. *see* Orzechowski, T.J. 85−35808, 86−3233, 87−2161, 87−12519, 87−33221

Scharlemann, E.T. *see* Orzenchowski, T.J. 86−3196

Scharlemann, E.T. *see* Prosnitz, D. 85−56695

Scharlemann, E.T. *see* Yu, S.S. 87−75157

Scharlipp, M. On the effects due to the introduction of new characteristics for resistance thermometers and thermocouples 85−31618

Scharmach, M. *see* Rohde, H.J. 88−7778

Scharman, A.J. *see* Passoja, D.E. 87−25463

Scharmann, A. *see* Grexa, M. 85−7211

Scharmann, A. *see* Holzapfel, G. 87−50449

Scharmann, A. *see* Kriegseis, W. 86−65117

Scharnberg, B. *see* Heu, R. 87−29835

Scharnberg, B. *see* ter Haar Romeny, B.M. 88−36563

Scharner, P. *see* Baresel, D. 85−14749

Scharnhorst, D.A. *see* Ali, M. 86−44154

Scharold, P.G. *see* Fraley, D.W. 85−54070

Scharpen, L.H. *see* Kelly, M.A. 85−49345

Scharpenberg, H. *see* Kunz, H.W. 87−57412

Scharpf, O. Experience with spin analysis on a time-of-flight multidetector scattering instrument 85−64514

Scharpf, R.L. Managing a teamed proposal effort 86−13409

Scharpf, W., Squicciarini, M., Bromley, D., Green, C., Tredicce, J.R., Narducci, L.M. Experimental observation of a delayed bifurcation at the threshold of an argon laser 87−74998

Scharpf, W.J., Jr. *see* Foti, S.J. 85−17781

Scharringhausen, R. Testing F/A-18A avionic shop replaceable assemblies (SRA's) with the Hornet test equipment (HTE) 85−31351

Scharschmidt, J. *see* Eiling, A. 88−51248

Scharstein, R.W. Galerkin formulations of aperture problems using a basis of aperture waveguide modes 87−68844

Scharstein, R.W., Adams, A.T. Galerkin solution for the thin circular iris in a TE_{11}-mode circular waveguide 88−27565

Scharstein, R.W. *see* Xu, X.-B. 88−14505

Schartner, K.H. *see* Mank, G. 88−74736

Schastlivy, G.G. *see* Lazarev, V.I. 88−75701

Schastlivyi, G.G., Bandurin, V.V., Ostapenko, S.N. Allowance for nonuniform cooling of the frontal regions of windings in thermal calculations of electrical machines 86−51569

Schastlivyi, G.G., Fedorenko, G.M., Kramarskii, V.A. Heating dynamics of a turbogenerator core and stator winding 85−9828

Schastlivyi, G.G., Titko, A.I., Pavlenko, V.E., Evtushenko, I.A. Experimental investigations of electromagnetic screening of the external magnetic fields of an electrical machine 86−39709

Schastok, P. *see* Schempp, A. 86−24918, 87−35271

Schatorje, A. Do your homework before tying to surface-mounting CAE system 88−1105

Schatorje, A. Selecting a computer-aided engineering system for surface mount technology 88−71188

Schatte, P. On iterative methods in Markov modelling 87−52031

Schatte, P. Cyclic convergence of iterative methods in Markov modelling 88−18570

Schatten, H., Bright, J. Molded interconnection packages 86−7531

Schatten, H., Bright, J. MINT-PAC: molded interconnection packages 87−10176

Schattenburg, M.L., Tanaka, I., Smith, H.I. Microgap X-ray nanolithography 88−26138

Schattenburg, M.L. *see* Ku, Y.-C. 88−39296

Schattenburg, M.L. *see* Warren, A.C. 86−35708

Schatter *see* Meyer 85−43099

Schatter *see* Moritz 85−64343

Schatter, G. *see* Gozdz, A. 86−24321

Schattke, H. Legal restrictions on the progress of nuclear energy 88−69123

Schatz, A.H. *see* Bramble, J.H. 86−52378, 86−66777

Schatz, B.R. Telesophy: a system for manipulating the knowledge of a community 88−52740

Schatz, D., Freeman, G. Automatic alignment aids screen printing 88−57119

Schatz, G. The standards quagmire [ISDN] 88−15210

Schatz, G.H. *see* Louis, T. 88−74432

Schatz, J.G. ISDN: realities of implementation 87−40148

Schatz, J.R. *see* Cohen, G.D. 85−57231

Schatz, M. *see* Mantenieks, M. 85−31949

Schatz, P., Bogner, U., Maier, M. Laser beam modulator and pulse former with an adjustable transmission-voltage characteristic provided by persistent spectral hole burning 87−12533

Schatz, P. *see* Bogner, U. 86−42666

Schatz, R. *see* Goobar, E. 88−58528

Schatzberg, A. *see* Altman, C. 85−19179

Schatzberg, A. *see* Suchy, K. 85−41575

Schatzer, O., Tinauer, J., Gilli, P. The steam generating plant of the Voitsberg 3 power station 85−9714

Schatzle, R. *see* Schmid, J. 86−39646

Schatzler, R., Wyrwich, H., Chazipetros, J., Kirsch, O., Noack, W., Hempelmann, R., Richter, D. New velocity drive for backscattering spectrometers 86−5867

Schatzmann, G. Transwaal−economic district heat from the Beznau nuclear power station 86−32929

Schatzmann, G., Debelle, J., van de Meulebroeke, F. A modern turbine control system based on microprocessors 86−70816

Schau, D. Switching principle of warning signaling on section block relays of short distance railway stations. Construction of model GS III Sp 68 85−5450

Schau, H. *see* Stade, D. 87−22641

Schau, H.C., Robinson, A.Z. Passive source localization employing intersecting spherical surfaces from time-of-arrival differences 87−75791

Schau, L. *see* Gerber, H. 86−5012

Schau, P.V. *see* Pfeiffer, W. 88−1817

Schau, P.von *see* von Schau, P.

Schau, W. With IRMA via X.25 on SNA host 88−46565

Schaub, C.M. *see* Smith, D.L. 88−24054

Schaub, J.A. CD-ROM for public access catalogs 86−24228

Schaub, J.R. *see* Burger, A.M. 86−61292

Schaub, M. *see* Degen, R. 88−35142

Schaub, R., Pensl, G., Schulz, M., Maier, H., Geibel, C. Recrystallization of HgCdTe thin stripes on silicon substrates 87−3481

Schaub, S.A. *see* Alexander, D.R. 87−21240

Schaub, T. Improved binary frame synchronisation scheme for packet transmission 88−34842

Schaub, T., Massey, J.L. Bounds on the minimum distance of cyclic codes via bounds on the linear complexity of periodic sequences with known patterns of zero 87−54928

Schaub, T., Modestino, J.W. An erasure declaring Viterbi decoder and its implications to concatenated coding systems 87−33636

Schaub, T., Steinle, B. Minimax noncoherent detection of BFSK signals in nonwhite Gaussian noise 87−7735
Schaub, T. *see* Adame, J. 86−43132
Schaubach, C. *see* Mantelman, L. 87−48578
Schaube, W. *see* Jacob, J. 87−54084
Schaubel, T.E., McGregor, A.T., Loughead, D.A. Mandatory testing of safety systems at an operating CANDU plant 88−75382
Schaubert, D.H. Printed circuit antenna technology 87−61474
Schaubert, D.H., Meaney, P.M. Efficient computation of scattering by inhomogeneous dielectric bodies 86−54280
Schaubert, D.H., Pozar, D.M., McIntosh, R.E., Kang, Y. Bounds on transient radiation from antennas 85−13239
Schaubert, D.H., Pozer, D.M. Monolithic and integrated phased array antennas 87−47405
Schaubert, D.H., Yngvesson, K.S. Experimental study of a microstrip array on high permittivity substrate 86−36846
Schaubert, D.H. *see* Adrian, A. 88−8584
Schaubert, D.H. *see* Bayard, J.-P.R. 88−52298, 88−66211
Schaubert, D.H. *see* Bayard, J.R. 88−2876
Schaubert, D.H. *see* Glisson, A.W. 88−8462
Schaubert, D.H. *see* Janaswamy, R. 85−57085, 86−68817, 87−7610, 87−27031, 88−14494
Schaubert, D.H. *see* Kominami, M. 85−13352, 85−51480
Schaubert, D.H. *see* McIntosh, R.E. 88−60239
Schaubert, D.H. *see* Pozar, D.M. 85−13177, 85−13393, 85−24979, 86−54380
Schaubert, D.H. *see* Sullivan, P.L. 87−2347
Schaubert, D.H. *see* Yngvesson, K.S. 86−22808
Schauble, O.W. IC manufacturing for everyone 86−9209
Schauble, P. *see* Cook, R. 88−40007
Schaude, G., Schaller, W. Design and construction [Mellach CHP station] 88−23718
Schaudel, D., Brendecke, H., Ziegler, H. A quartz oscillator thermometer for laboratory and process control applications 88−53602
Schaudel, D.E. Industrial level measurement techniques−a review 85−4163
Schaudt, G. *see* Grossmann, H. 85−50081, 85−55224
Schauer, A. Flat colour picture screen: different to all others−a German idea is awarded a prize 85−28914
Schauer, A., Mikoshiba, S. Flat color TV panel using a plasma cathode 85−14898
Schauer, F. Semiflexible multi-layer insulated envelope for cryogenic power cables and pipelines 85−48598
Schauer, F., Hubmann, M., Pirklbauer, H., Kropatsch, G. Prototype of a semiflexible multi-layer insulated enclosure for cryogenic power cables and pipelines 88−42862
Schauer, F., Jungst, K.P., Komarek, P., Maurer, W. Assessment of potential advantages of high T_2-superconductors in technical applications 88−26698
Schauer, F., Nespurek, S., Zmeskal, O. The bulk trap spectroscopy of solids by temperature-modulated space-charge-limited currents (TMSCLC): Application to real crystalline and amorphous semiconductors 87−24804
Schauer, F. *see* Aichholzer, G. 87−35995
Schauer, F. *see* Jedlicka, M. 86−1648
Schauer, F. *see* Kocka, J. 87−45614
Schauer, F. *see* Nespurek, S. 85−12007
Schauer, F. *see* Salyk, O. 88−24781
Schauer, G., Nusser, W., Blanz, M., Kimmich, R. NMR field cycling with a superconducting magnet 87−25898
Schauer, G. *see* Gahleitner, A. 87−4999
Schauer, R.F. Standard cells and a successful design strategy−cause and effect 85−23905
Schauer, W., Springer, S. Optimization and digital simulation of the drive regulation of linked drives 86−33734
Schauer, W. *see* Palis, F. 87−58352
Schauerte, F.J. *see* Fuhrman, T.E. 87−450
Schauerte, F.J. *see* Jain, K.C. 85−33986
Schauerte, W. Precision measurement at the electron synchrotron (ELSA) at Bonn University 86−5660
Schauf, A. Testing teletex 86−64589
Schauf, D. Large-scale displays for industrial use 88−36143
Schaufelberger, W. *see* Mansour, M.A. 85−60678
Schaufeld, J.J. *see* Parthe, A.C., Jr. 85−16675
Schaufler, E.R. Data acquisition and computer graphic considerations for the infrared line scanning system 88−4471
Schauflinger, H. *see* Beselin, K. 87−32145, 87−45444
Schaug-Pettersen, T. *see* Lier, E. 88−14553, 88−22004
Schaukowitch, J.R. Fiber-optic cable demonstrates advantages 86−4680
Schaukowitch, J.R. Fiber-optic cable demonstrates advantages 86−17402
Schaumann, R. Comments on 'Obtaining bandpass filter coefficients from low-pass prototypes' by C.J. Alajajian 87−66308
Schaumann, R. *see* Chen, H.-B. 85−17621
Schaumann, R. *see* Chiou, C. 86−62718
Schaumann, R. *see* Chiou, C.-F. 86−34971
Schaumann, R. *see* Eidinger, A. 87−22645
Schaumann, R. *see* Fernandez, F.J. 86−57953, 87−865
Schaumann, R. *see* Park, C. 87−16893
Schaumann, R. *see* Park, C.S. 86−67347, 87−66362, 88−63785
Schaumann, R. *see* Rudd, E.P. 86−62417
Schaumann, R. *see* Tan, M.A. 87−73530, 88−56749
Schaumburg, A. Broadband HF power amplifiers 88−12234
Schaumburg, A. Receiving METEOSAT with Yagis 88−45790
Schaumburg, K. *see* Zlatev, Z. 86−13692
Schaumuller-Bichl, I. The chip card and its significance in cryptographic systems 88−25242
Schaupert, K. *see* Albrecht, D. 86−50412
Schaupp, A. *see* Kuebart, W. 88−2127, 88−65497
Schaupp, D. *see* Smend, F. 86−18243
Schaus, C.F., Schaff, W.J., Shealy, J.R. OMVPE growth of $Ga_xIn_{1-x}P/GaAs(Al_yGa_{1-y}As)$ heterostructures for optical and electronic device applications 87−16594
Schaus, C.F., Shealy, J.R., Eastman, L.F. Optimized growth of GRIN-SCH quantum well lasers by low pressure organometallic vapor phase epitaxy 86−9853
Schaus, C.F., Shealy, J.R., Eastman, L.F., Cooman, B.C., Carter, C.B. Improved GaAs/AlGaAs quantum well heterostructures by organometallic vapor-phase epitaxy 86−26831
Schaus, C.F., Shealy, J.R., Najjar, F.E., Eastman, L.F. Integrated laser/phototransistor optoelectronic switching device by organometallic vapour phase epitaxy 86−42460
Schaus, C.F., Shealy, J.R., Najjar, F.E., Eastman, L.F. OMPVPE growth of GaAs/(AlGa)As integrated optical devices 86−52497
Schaus, C.F. *see* Raja, M.Y.A. 88−72234
Schaus, C.F. *see* Shealy, J.R. 85−10704, 85−54446, 86−26817
Schaus, C.F. *see* Welch, D.F. 85−24545
Schcheglov, V.A. *see* Krutova, V.G. 86−68473
Schcherbakov, Yu.I. *see* Povalyaev, E.I. 88−40779
Schearer, L., Leduc, M. Tuning characteristics and new laser lines in an Nd:YAP CW laser 86−68495
Schearer, L.D., Leduc, M. A new CW, tunable laser in the 1.05-1.08 μ Region 87−7306
Schearer, L.D., Leduc, M. Tuning characteristics and new laser lines in an Nd:YAP CW laser 87−12423
Schearer, L.D., Leduc, M., Vivien, D., Lejus, A.-M., Thery, J. LNA: a new CW Nd laser tunable around 1.05 and 1.08 μm 86−58902
Schearer, L.D., Leduc, M., Zachorowski, J. CW laser oscillations and tuning characteristics of neodymium-doped lithium niobate crystals 88−27109
Schearer, L.D. *see* Hamel, J. 87−68426
Schearer, L.D. *see* Laloe, F. 86−11820
Scheatzle, J.E. *see* Barsin, J.A. 88−6076
Schechter, B. *see* Courtoy, M. 85−24207
Schechter, D.E., Sluss, F., Hoffman, D.J. Brazing of ceramic and graphite to metal in the fabrication of ICRF antenna and feedthrough components 88−66176
Schechter, D.E. *see* Dagenhart, W.K. 88−4778
Schechter, D.E. *see* Whealton, J.H. 88−4782
Schechter, E. Sharp convergence rates for nonlinear product formulas 85−5964
Schechter, H. Dial-up network management—more than just security! 87−33964
Schechter, M. Polyhedral functions and multiparametric linear programming 87−51998
Schechter, M. *see* Friedlander, G. 86−29504
Schechterman, M. Description of a new high accuracy method of angle measurement by multireflected autocollimation 87−21249
Schechtman, G.I. *see* Rybczynski, A.M. 85−19664
Schechtman, V. Voltage-current characteristic calculation of ionization chamber 88−4795
Schechtman, V.L., Kluge, K.A., Harper, R.M. Time-domain system for assessing variation in heart rate 88−68426
Scheck, H. *see* Drescher, A. 85−59220, 86−70324
Scheckel, B., Krieger, C. 1.3 GHz phase-locked loop with I^2C bus 86−40980
Scheckel, B. *see* Ammon, H. 86−11260
Scheckenreuter, B. *see* Heinze, J. 87−43625
Schecker, J.A. *see* Chu, T.S. 85−57018
Schecter, D.E. *see* Menon, M.M. 86−11828
Schecter, E.S. *see* Guastaferro, A. 87−29881
Schecter, H., Tierney, J. Operational acceptability of 2.4 kbps speech for tactical communications 86−29802
Schecter, S. Structure of the first-order solution set for a class of nonlinear programs with parameters 86−19959
Scheda, F.A. Transient inrush current in high-efficiency and standard motors [three phase induction motors] 86−45417
Scheda, F.A. Transient inrush current in high efficiency and standard motors 86−45435
Scheda, F.A. Starting currents for effective motor protection 87−4648
Schedele, H., Schweiger, J., Tamm, H. The miniature relay P1, a highly sensitive ultra-compact really 87−6187
Scheder, E.A. The electromagnetic gun engagement model 87−7512
Schedewie, F. Optically sensitive magnetic head 85−35309
Schediwy, R., Birtwistle, G. A cell architecture and methodology for generalised CMOS 88−39708
Schediwy, R. *see* Birtwistle, G. 87−32652
Schediwy, R.R. *see* Lyon, R.F. 87−66197
Schedler, S. *see* Cole, N. 85−16766
Schedone, W., Schefranek, H.J., Frank, M. Electric test units for printed circuit boards in the production process 87−1054
Schedrunova, T.V. *see* Bryskin, V.Z. 86−36604
Schedule, H., Schweiger, J., Tamm, H. Sub-miniature relays, high sensitivity and small size 88−1067
Schee, E.J.van der *see* van der Schee, E.J.
Schee, R.van der *see* van der Schee, R.
Scheel, H., Kruger, W. The use of the model house service substation HA 32, in the hotel 'Unter den Linden' in Berlin [water and district heating] 86−19611
Scheel, H.J., Gunter, P. Crystal growth and electro-optic properties of oxide solid solutions 86−36117
Scheel, R. *see* Jonas, E. 88−53094
Scheel, W. *see* Hannemann, M. 88−57031
Scheel, W. *see* Obernik, H. 86−14691
Scheele, H.-J. More flexible call answering 86−23337
Scheepstra, S. Installing Centrex III: a user's perspective [voice network] 88−3720
Scheer, C.R. *see* Lane, T.L. 88−60232
Scheer, C.R. *see* Scheer, J.A. 88−60227
Scheer, D.van der *see* van der Scheer, D.
Scheer, H.C. *see* Bohm, M. 85−6690, 85−10105, 85−65439, 86−40112, 87−9729, 87−22722
Scheer, H.J. Line frequency rejection for biomedical application 87−35378
Scheer, J.A., Chastain, W.E., Alexander, N.T., Bruder, J.A., Scheer, C.R., Horst, M.M., Trostel, J.M. MMW radar cross section range characterizes targets 88−60227
Scheer, J.A. *see* Reedy, E.K. 85−8464
Scheer, L. *see* Bythrow, P.F. 88−30163
Scheer, M.D. *see* Braun, W. 88−22832
Scheer, R.M. *see* Harlan, K.M. 85−64836
Scheer, R.M. *see* McRae, M.R. 85−59590
Scheer, W.L. *see* Potemra, T.A. 85−9257
Scheere, R. *see* Buchheim, G. 86−65118
Scheere, R. *see* Thilman, D. 88−70822
Scheeren, P.M.J. Interference reduction techniques [satellite earth stations] 88−28785
Scheeren, P.M.J., Arnbak, J.C. Interference protection of cable networks against radio pirates 87−49231
Schefer, J. *see* Schoenborn, B.P. 87−29442
Scheff, C.-M. Experimental model for the study of changes in the organization of human sensory information processing through the design and testing of non-invasive prosthetic devices for sensory impaired people 86−60831
Scheff, P.A. *see* Wadden, R.A. 88−37804
Scheffe, M. *see* Fortmann, T.E. 85−42629
Scheffer, J.C. *see* Grool, P.J.R. 86−25502
Scheffer, J.J.F. *see* Bol, D.W. 86−22049
Scheffer, L.K., Soetarman, R. Hierarchical analysis of IC artwork with user defined abstraction rules 86−20210
Scheffer, L.K., Soetarman, R. Hierarchical analysis of IC artwork with user-defined rules 86−41873
Scheffer, L.K. *see* Scott, R.H. 85−12386
Scheffer, T.J., Nehring, J. A new, highly multiplexable liquid crystal display 85−18757
Scheffer, T.J., Nehring, J. Investigation of the electro-optical properties of 270° chiral nematic layers in the birefringence mode 86−11655
Scheffer, T.J., Nehring, J., Kaufmann, M., Amstutz, H., Heimgartner, D., Eglin, P. 24×80 character LCD panel using the supertwisted birefringence effect 86−31515
Scheffey, C. Local transepithelial current measurements by vibrating probe 88−10393
Scheffey, C. Two approaches to construction of vibrating probes for electrical current measurement in solution 88−53669
Scheffler, A.O., Liu, C.H. On observation of gravity wave spectra in the atmosphere by using MST radars 86−23978
Scheffler, A.O., Liu, C.H. The effects of Doppler shift on gravity wave spectra observed by MST radar 87−29931
Scheffler, A.O. *see* Bennett, J.R. 88−60276
Scheffler, K., Stritzke, D., Tittmann, E. Pamela demonstrates the vitrification of high level waste 85−4751
Scheffler, M., Hofmann, K., Malburg, K. Tracing the voltage in galvanically connected network components independent of network topology and switched state 85−27034
Scheffzek, K. *see* Harbarth, U. 87−49973
Schefranek, H.J. *see* Schedone, W. 87−1054

Scheggi, A.M. Optical fiber sensors in medicine 85—64570
Scheggi, A.M. Optical fibres sensing in medicine 87—35394
Scheggi, A.M. Optical fiber sensors in medicine 88—10351
Scheggi, A.M. Optical fibre sensors of chemical parameters for industrial and medical applications 88—22613
Scheggi, A.M., Bacci, M., Brenci, M., Conforti, G., Falciai, R., Mignani, A.G. Compact temperature measurement system for medical applications 87—29703
Scheggi, A.M., Bacci, M., Brenci, M., Conforti, G., Falciai, R., Mignani, A.G. Thermometry by optical fibers and a thermochromic transducer 87—68127
Scheggi, A.M., Baldini, F. pH sensing by fibre optics 87—46510
Scheggi, A.M., Baldini, F. Sensing by optical fibers in medicine 88—42504
Scheggi, A.M., Brenci, M., Conforti, G., Cosi, F., Falciai, R., Mignani, A.G. Fiber optic device for temperature remote sensing 86—68294
Scheggi, A.M., Brenci, M., Conforti, G., Falciai, R., Mencaglia, A., Mignani, A.G. Low loss electromechanical optical scanner 88—33680
Scheggi, A.M., Brenci, M., Conforti, G., Falciai, R., Mignani, A.G. Optical fiber displacement sensor 88—36027
Scheggi, A.M., Falciai, R., Cavigli, P., Mezza, S. Rays in tapered waveguides 85—35529
Scheggi, A.M., Falciai, R., Gironi, G. Characterization of oxide glasses for hollow-core middle IR fibers 86—22058
Scheggi, A.M. *see* Bacci, M. 86—42233, 88—16711
Scheggi, A.M. *see* Baldini, F. 88—68400
Scheggi, A.M. *see* Brenci, M. 85—38066, 85—62359, 87—25967, 88—10015, 88—16177, 88—58136, 88—67839
Scheggi, A.M. *see* Conforti, G. 87—41953, 88—74461
Scheggi, A.M. *see* Falciai, R. 85—35405, 87—32925
Scheggi, A.M.Verga *see* Verga Scheggi, A.M.
Scheglov, M.I. *see* Abdullayev, A.G. 87—70600
Schehrer, K.L., Fry, E.S., Bennett, G.T. Colliding pulse mode-locked dye laser stabilization using an intracavity spectral filter 88—58475
Schehrer, R. On the performance of a delay-loss system for overload protection in switching systems with stored program control 85—57548
Schehrer, R. On the influence of impatient customers in a delay-loss system for overload protection 86—4067
Schehrer, R.G. *see* Ide, H.-D. 87—34285
Schei, A., Alstad, K., Sund, J.B., Rian, M., Nordrik, E., Hopperstad, J. Resonant overvoltages in power station transformers initiated by switching transients in the connected cable network 86—51708
Schei, A. *see* Amick, J.A. 85—49106
Scheib, T.J. *see* Keyes, M.A. 87—31107
Scheibe, A. *see* Hoppel, W. 85—21270, 86—18711
Scheibe, D. *see* Weimann, A. 88—68692
Scheibe, H.-J., Musikowski, H.-D. Dimensioning the current supply units of plasma spray plants 87—30762
Scheibe, H.-J. *see* Schenk, V. 86—65981
Scheibe, K. Surge voltage suppression 87—57683
Scheibe, S. *see* Engelage, D. 86—63624
Scheibel, J. *see* Bergander, M. 88—70400
Scheibel, J.R. Fossil-fired boiler monitoring and inspection: EPRI developments 87—64422
Scheibel, J.R., Armor, A.F. Vibration signature analysis for rotating equipment 86—61488
Scheibel, J.R. *see* Armor, A.F. 86—61390
Scheibel, J.R. *see* Birring, A.S. 87—9386
Scheibel, J.R. *see* Coulter, J.E. 88—48766
Scheibel, J.R. *see* McElroy, J.W. 88—30430
Scheibel, J.R. *see* Shugars, H.G. 85—9601
Scheibel, N. *see* Albarello, A. 88—66323
Scheibengraf, H. Economical considerations to the layout of uninterruptible power supply systems 86—61615
Scheibengraf, H., Steffen, W. New single-phase UPS converter 88—30859
Scheiber, H., Lubke, K., Diskus, C., Thim, H. A planar 10 mW 30 GHz MIC compatible GaAs MESFET-like oscillator 88—56967
Scheiber, S.F. Assuring complex device quality—changing strategies 85—62029
Scheiber, S.F. In search of new tools for automatic test program generation 85—63999
Scheiber, S.F. CAE turns to testing 85—64001
Scheiber, S.F. Computer-aided design and test—shortening the line from concept to reliable product 86—641
Scheiber, S.F. Dollars to doughnuts—or, testing the world's cheapest complex parts 86—27307
Scheiber, S.F. Cost-effective PCB testing 86—47192
Scheiber, S.F. Beam probing for IC and wafer inspection 86—53762
Scheiber, S.F. Computer-aided circuit design and test—bridging the gap 87—110
Scheiber, S.F. Using test information in the production process—the other side of ATE networking 87—111
Scheiber, S.F. Machine vision moves into three dimensions 87—5266
Scheiber, S.F. Full circle: the re-emergence of functional testing 87—6269
Scheiber, S.F. The real world is analog, but everything else is digital—new challenges in analog testing 87—10133
Scheiber, S.F. In search of . . . software reliability and testing 87—36884
Scheiber, S.F. Testing optical disks and drives—life on the learning curve 87—51854
Scheiber, S.F. Test during burn-in—the time has come 87—65177
Scheiber, S.F. Component handlers—handling changes in electronics manufacturing and testing 87—72805
Scheiber, S.F. Environmental stress testing—burn-in and beyond 87—72806
Scheiber, S.F. New board and tester technologies demand new fixturing solutions 87—73865
Scheiber, S.F. New VLSI test solutions—speed, pin-count and cost 87—74389
Scheiber, S.F. Signal generators—accuracy increases as prices decline 87—77292
Scheiber, S.F. Changing test strategies—a management perspective 88—11723
Scheiber, S.F. Logic analysis—analyzers and beyond 88—16003
Scheiber, S.F. Management focus: bringing production and field service together 88—31472
Scheiber, S.F. ATE futures: managing resources and requirements 88—41977
Scheiber, S.F. Power-supply test systems: coming of age 88—41980
Scheiber, S.F. Board-test tools and techniques. I. Handling new board problems 88—64111
Scheiber, S.F. Facing ATE-fixturing challenges 88—64112
Scheiber, S.F. Board-test tools and techniques. II. Developing strategies 88—71166
Scheibl, H.-J., Bartz, W.J. The conception of continuing engineering education at the Technical Academy Esslingen in the field of information technology 85—16635
Scheibler, Ch. *see* Beuthan, J. 86—70031
Scheibner, D.J., Parks, T.W. Slowness aliasing in the discrete Radon transform: a multirate system approach to beamforming 85—25096
Scheibner, D.J., Parks, T.W. Inversion of modified beamformed array data 86—16392
Scheibner, H. Tracking methods for the computer-assisted design of discretely assembled printed circuit boards [PCB layout CAD] 86—14642
Scheibner, H. *see* Bar, G. 87—11145
Scheibner, H. *see* Koebe, M. 87—52992
Scheid, D. Improving soldering to meet critical WS 6536 specifications 88—25666
Scheid, E., Chenevier, P. Parameter determination of the silicon self-interstitials distribution in view of the 2D modelling of technological processes. Discussion of physical validity 85—55731
Scheid, E., Chenevier, P. 1D simulation of oxidation-enhanced and oxidation-retarded diffusion in silicon and validity of the physical model. Transition to the 2D case 86—35600
Scheid, E. *see* Cristoloveanu, S. 85—61834
Scheid, E. *see* Regolini, J.L. 88—38146
Scheid, R.E., Jr. Difference methods for problems with different time scales 85—39674
Scheid, W. *see* Christopoulos, A.S. 88—74694
Scheide, A.W. Integrating machine tools, robotics, and industrial lasers 88—27367
Scheide, L.-G. Heterogeneous modular concentrated and distributed multicomputer system with decentralised connection control 87—34948
Scheider, C.P. *see* Paz, O. 86—21650
Scheider, D. *see* Denton, D.D. 85—45782, 86—55675
Scheider, D.W. *see* Anolick, E.S. 85—45286
Scheider, W. Models in physics and engineering. A student lab examining the EMF-internal resistance model of a solar cell 87—30950
Scheidiger, H. *see* Dietl, H. 85—48166
Scheidl, W. *see* Granitzer, N. 85—32374
Scheidt, E. *see* Michaelis, J. 85—9197
Scheidt, J.L. *see* Nielson, E.K. 88—54910
Scheidt, J.vom *see* vom Scheidt, J.
Scheieder, N.F., Sitzlach, G. The Texcom 2000 text and data switching system 86—17145
Scheifele, J. Contribution of asynchronous motors to the short circuit current 86—12811
Scheiger, M., II *see* Bonmann, D. 88—68171
Scheihing, J.E. *see* Huang, C.I. 88—39421
Scheiman, G.R. *see* Wendel, S. 85—50124
Schein, D. *see* Weiler, A. 86—32789
Schein, D.C. Maintenance of remote reconnaissance vehicles 86—25817
Scheinberg, N. Frequency divider with improved speed capacity 85—33806
Scheinberg, N. High-speed GaAs operational amplifier 87—65868
Scheinberg, N. Designing high speed operational amplifiers with GaAs MESFETs 87—65893
Scheinberg, N., Barba, J., Feria, E.H., Schilling, D.L. A composite NTSC color video bandwidth compressor 85—19514
Scheinberg, N., Bayruns, R., Goyal, R. A low-frequency GaAs MESFET circuit model 88—50879
Scheinberg, N. *see* Archbald, R. 85—57527
Scheinberg, N. *see* Barba, J. 86—16357, 86—16426
Scheinberg, N. *see* Bayruns, R. 87—59211, 87—67595
Scheinberg, N. *see* Colef, M. 87—47532, 88—46288
Scheinberg, N. *see* Feria, E. 85—30213
Scheinberg, N. *see* Goyal, R. 87—53540, 87—53557
Scheinberrg, N. *see* Feria, E.H. 87—39979
Scheiner, D. An evaluation of soft solder tensile strengths 87—45412
Scheinert, G., Keller, U. Simulation of digital networks with the program system SIMDNW 87—59103
Scheinfein, M. High-performance two-electrode electron gun lenses: beyond the Butler gun 87—1141
Scheinfein, M., Liao, J.C., Palusinski, O., Prince, J. Electrical performance of high speed interconnect systems 87—23348
Scheinfein, M., Prince, J. Electrical performance of integrated circuit packages: three dimensional structures 87—74400
Scheinfein, M. *see* Isaacson, M. 85—55636
Scheinfein, M. *see* Muray, A. 85—34723
Scheinfein, M. *see* Prince, J. 87—45169
Scheinfein, M. *see* Senthinathan, R. 87—74399
Scheinfein, M.R., Liao, J.C., Palusinski, O.A., Prince, J.L. Electrical performance of high-speed interconnect systems 88—26384
Scheinfein, M.R., Palusinski, O.A. Methods of calculation of electrical parameters for electronic packaging applications 88—56196
Scheingold, B. *see* Pauza, B. 87—66647
Scheingraber, H., Vidal, C.R. Short wavelength limitations of four wave mixing in gases 88—14267
Scheingraber, H. *see* Ajvasjan, Yu.M. 88—58478
Scheingraber, H. *see* Atmanspacher, H. 85—56742, 86—29194, 86—63775, 87—26340, 88—33965
Scheinkmann, A.G., Sheiko, P.A., Pushkina, G.A. Some fault conditions of a 1200 MW generator-transformer set for relay protection tests 86—70853
Scheint, G. Sensing letters with the speed of lightning [MX.MAIL.X] 88—14994
Scheint, G. Today is already reality, tomorrow is a forgone conclusion: electronic mail after X.400 88—46498
Scheir, M. The broadband spectrum and its application in mobile tactical radiocommunication by the Belgian Army 87—76595
Scheir, M. Systems with a speech spectrum and their application to mobile tactical radiocommunications with the Belgian Army. II 88—9445
Scheir, M. The broad spectrum and its application in the mobile tactical radiocommunication of the Belgian Army. III 88—35408
Scheirman, L. The modern electrical equipment associated with a continuous annealing line 88—37773
Scheiterer, E., Woborschil, W. Multifunctional terminals—their design problems 85—13752
Scheithe, W. The flexible concept of predictive maintenance 88—18426
Scheitlin, D., Weitzel, C.E., Paulson, W. 3-stage wideband *RLC* feedback GaAs monolithic amplifier 85—55169
Scheitlin, D. *see* Fischer, R.J. 86—41809
Scheitlin, D. *see* Weitzel, C.E. 85—1023, 85—11064, 86—20824
Scheiwe, D.A. Specifying the limited scope, high fidelity fossil power plant simulator 87—15545
Scheiwe, J.P. *see* Bergmann, G. 86—10920
Scheja, B. *see* Berney, T. 85—2023
Scheja, B. *see* Falco, L. 87—29082
Scheja, B. *see* Jaccard, P. 85—7214
Schejbal, V. Approximation of radiation characteristics of reflector antennas 88—27637
Schejbal, V., Zierhut, A. Experimental investigation of a microwave antenna with a ring 87—68879
Schek, D. Making your message in the market count [cellular radio] 87—56021
Schektman, N. Extending emergency procedures: the French approach 87—78270
Schektman, N., Villemeur, A., Berger, J.P., Boisseau, J., Dubreuil-Chambardel, A., Mosneron-Dupin, F. Nuclear power plant design: contribution of probabilistic methods and their application to a total loss of electric power supplies 85—43785
Schel, E.van *see* van Schel, E.
Schelb, S. *see* Eyer, A. 87—51462, 88—18012
Schelb, W. *see* Ehrfeld, W. 87—25435, 88—39249, 88—39301
Scheld, M. Testing sub-assemblies on an automatic testsystem 85—33923
Scheld, M. Improving memory board quality [ATE] 86—4954
Scheler, H. Reflow and shaft soldering as seen by the user 88—50498
Schelev, M.Ya. *see* Degtyareva, V.P. 86—5075

Schelev, M.Ya. *see* Vysogorets, M.V. 86—1646
Schelfhout, H. Customer application engineering for System 12 hardware 87—2994
Schelhas, K.H. *see* Kuppers, D. 85—2078
Schelhorn, A.E. *see* Barry, J., Jr. 86—44736
Schell, A.C. Trends in the development of arrays [antennas] 88—2821
Schell, D.A. Usability testing of screen design: beyond standards, principles, and guidelines 87—29216
Schell, D.A. Overview of a typical usability test 88—62980
Schell, E., Mercer, M.R. CADTOOLS: a CAD algorithm development system 86—20493
Schell, K.J. White light holograms for credit cards 86—10006
Schell, K.J. Security printing, a part of optical security systems or vice versa? 88—52586
Schell, M. Burn-in board test techniques 87—6253
Schell, M.J. Advanced Test Reactor NTD silicon production hardware 85—55691
Schell, N.W. *see* Golin, J.R. 85—55677, 87—60304
Schell, S. *see* Brunner, W. 85—11543
Schell, S.W. *see* Rabel, J.A. 86—14475
Schellack, B. *see* Milutinovic, V. 87—17104
Schellack, R.H. *see* Helbig, W.A. 86—46901
Schellart, N.A.M., Zweijpfenning, R.C.J.V., van Marle, J., Huijsmans, D.P. Computerized pattern recognition used for grain counting in high resolution autoradiographs with low grain densities 87—14850
Schellart, N.A.M. *see* Smit, H.W. 86—60705
Schellberg, W. Gasification integrates well with combined cycle 88—5568
Schelle, J. *see* Muller, J.-E. 85—58360
Schellekens, H., Lenstra, K., Hilderink, J., ter Hennepe, J., Kamans, J. Axial magnetic field type vacuum circuit breakers based on exterior coils and horse shoes 87—43315
Schellekens, J.P.W. *see* Visser, R.-J. 88—19887
Schellekens, P., Wilkening, G., Reinboth, F., Downs, M.J., Birch, K.P., Spronck, J. Measurements of the refractive index of air using interference refractometers 86—70231
Schellekens, P.W. *see* Visser, R.-J. 88—13254
Schellenberg, E., Steinbrucker, G. Microelectronic and sensor technologies in mining (harsh, severe environment) 87—58503
Schellenberg, F.M., Lenth, W., Bjorklund, G.C. Technological aspects of frequency domain data storage using persistent spectral hole burning 87—7432
Schellenberg, F.M. *see* Baumert, J.-C. 88—27278
Schellenberg, F.M. *see* Lenth, W. 87—46431, 88—65650
Schellenberg, F.M. *see* Risk, W.P. 88—27279
Schellenberg, H. Videotext without laser disks is like bread without butter 86—59607
Schellenberg, H., Schweicke, O., Langner, I. Planning and assessing the availability of conventional power station equipment in the light of improved plant monitoring 86—33068
Schellenberg, H. *see* Banduilow, I.J. 85—27139
Schellenberg, J. *see* Uhlmann, W. 88—24104
Schellenberg, J.J. *see* Herak, T.V. 88—24768
Schellenberg, J.M. Millimeter wave monolithic ICs 87—45295
Schellenberg, J.M., Apel, T.R. Monolithic microwave integrated circuit design 88—56947
Schellenberg, J.M., Maher, M.V., Wang, S.K., Wang, K.G., Yu, K.K. 35 GHz low noise HEMT amplifier 87—73738
Schellenberg, J.M., Yamasaki, H., Asher, P.G. 2 to 30 GHz monolithic distributed amplifier 85—55165
Schellenberg, J.M. *see* Dow, G.S. 87—6143
Schellenberg, J.M. *see* Maki, D.W. 85—1058, 85—17835
Schellenberg, J.M. *see* Pauley, R.G. 86—35112
Schellenberg, J.M. *see* Watkins, E.T. 86—8487, 87—3044
Schellenberg, J.M. *see* Yau, W. 87—6036, 87—24427
Schellenberg, K. The gas-shielded welding of aluminium 86—40331
Schellenberg, W. Cellular radio 86—30648
Schellhaas, H. CORAN—a PC based method for planning and implementation of communications systems 87—40098
Schellhaas, H. *see* Dieterle, G. 86—16964
Schellhorn, F. *see* Haas, H. 88—4006
Schelling, A.W. *see* Andrews, G.E. 87—60778
Schelling, U. *see* Zahoransky, R. 86—12537
Schellinger, T. *see* Hagmann, D. 87—32398
Schellingerhout, A.J.G., van der Jeugd, C.A., Romijn, J., Mooij, J.E. Fabrication of low-capacitance Josephson-junctions 87—25891
Schellingerhout, A.J.G. *see* van de Leur, R.H.M. 88—38135
Schellingerhout, B. *see* van Bruchem, D.J.J. 88—41328
Schellscheid, M. *see* Bergmoser, J. 87—69881
Schellstede, G., Beissler, G. A software package for security assessment functions 87—71603
Schellstede, G. *see* Beissler, G. 87—64136
Schelp, R.H. *see* Gyarfas, A. 87—72927, 87—72932
Schels, W. *see* Lutz, F. 87—30868
Schelski, U. *see* Hauser, G. 86—56455
Schelten, J., Alefeld, B., Kollmar, A. Constant-q scan at a pulsed neutron source 86—5862
Schelten, J., Bauer, G. A spectrometer for diffuse scattering at a pulsed neutron source 86—5861
Schelten, J., Kurz, R. Computer modelling of position-sensitive scintillator detectors 85—15212
Schelten, J., Zettler, C. Present design of the linac of the SNQ project 86—5663
Schelten, J. *see* Alefeld, B. 86—5737
Schelten, J. *see* Kurz, R. 85—15210, 85—43215, 88—61083
Scheltens, F.J. *see* King, K.K. 88—38251
Schelter, W. *see* Gumbrecht, W. 86—55633
Scheltinga, D.van *see* van Scheltinga, D.
Scheltinga, L. Comparative investigation of three types of switchgear for medium voltage networks 85—32633
Scheltinga, L., de Ligt, C. Measurement in total energy installations 88—67656
Scheltinga, L. *see* Boone, W. 87—50819
Schembri, J.J. *see* Harris, D.A. 86—37292
Schembs, W. Semicustom—the way to a complex IC [manufacture and CAD] 85—6998
Schembs, W., Wimbauer, T. Semicustom—future-oriented IC development 88—71773
Schemel, R.E. *see* Ince, A.N. 86—37716
Schemenau, W. Combined-cycle power stations with gas and steam turbines 85—15863
Schemenau, W. Regenerative power generation with wood 87—42628
Schemenau, W. Wood-fired electricity generation 87—71926
Schemenau, W. *see* Bennert, J. 87—9357
Schemenau, W. *see* Rachid, N. 87—43720
Schemm, C.E., Manzi, L.P. Computer simulations of changes in radar refractivity in the lower atmosphere 88—9634
Schemm, C.E., Manzi, L.P., Ko, H.W. A predictive system for estimating the effects of range- and time-dependent anomalous refraction on electromagnetic wave propagation 88—40560
Schemm, E. A universal timing-generator 86—52976
Schemm, K. CAE/CAD/CAM in printed circuit board production and as supply service to a control system manufacturer 86—1534
Schemm, K. The target is CIM support 87—17484
Schemmann, B. SF_6 insulation for low-power medium voltage switchgear 86—56855
Schemmann, B. Vacuum-power-switches in local distribution network stations 87—78818
Schemmann, B., Stautz, W. SF_6—insulated medium voltage equipment in a salt mine [switchgear] 86—39983
Schemmann, B. *see* Bottger, C. 85—53775
Schemmann, B. *see* Grafling, J. 87—43287
Schemmann, B. *see* Hoyer, P. 85—60363
Schemmann, B. *see* Leonhardt, G. 86—70997
Schemmann, B. *see* Nimz, G. 88—24112
Schemmel, G. *see* Gohla, B. 86—3173
Schemmel, G. *see* Kuebart, W. 88—65497
Schemmel, G. *see* Mozer, A.P. 87—33152
Schemmel, G. *see* Schilling, M. 87—10443
Schemmel, G. *see* Speir, P. 87—10378
Schemmel, G. *see* Wunstel, K. 87—7358
Schemmel, H.-R. From a LF normal frequency network to a normal cycle network 86—59449
Schemmel, R.J. Colorado springs area EMP hardening project 85—37008
Schemmer, M., Fricke, D., Haberer, J. Stress corrosion induced failure of a generator retaining ring 85—21577
Schemmer, M., Magin, W., Fricke, D. Vibration corrosion cracking and crack growth in the generator end ring material 'P 900' 88—37199
Schemp, A. Field stabilisation with resonant line couplers 87—35270
Schempp, A. The design of a single pulse accelerator 87—35272
Schempp, A., Deitinghoff, H., Ferch, M., Junior, P., Klein, H. Four-rod-λ/2-RFQ for light ion acceleration 85—59059
Schempp, A., Ferch, M., Klein, H. A light ion four rod RFQ injector 88—47846
Schempp, A., Klein, H., Ferch, M., Gerhard, A., Kurz, M. RFQ development and sparking experiments in Frankfurt 87—50018
Schempp, A., Klein, H., Schastok, P., Pape, K.H., Wang, S.H. RFQ-injector for HERA 86—24918
Schempp, A., Klein, H., Schastok, P., Pape, K.H., Wang, S.H. Status of the HERA-RFQ injector 87—35271
Schempp, A. *see* Gerhard, A. 86—11806
Schempp, A. *see* Hutcheon, R.M. 88—54334
Schempp, A. *see* Ivanov, S.T. 88—22873
Schempp, A. *see* Klabunde, J. 87—41760
Schempp, A. *see* Leipe, P. 87—41763
Schempp, A. *see* Moser, H.O. 87—56957
Schempp, A. *see* Siebenlist, F. 87—50024 to 50025
Schempp, A. *see* Thomae, R.W. 86—25022, 86—32051, 86—60396, 87—8786
Schempp, A. *see* van Amersfoort, P.W. 87—8809, 87—41675, 88—47793
Schempp, A. *see* Weis, T. 87—50028
Schempp, A. *see* Zoubek, N. 87—50054
Schempp, W.V. *see* Smith, W.H. 88—40029
Schenau, H.A.van Ingen *see* van Ingen Schenau, H.A.
Schenck, H.H. Cables in the Pacific: the girdle 'round the Earth 85—57922
Schenck, J.F. *see* Hayes, C.E. 85—64560
Schendel, A. Processor controlled data acquisition and evaluation system 85—37495
Schendel, A.P.C.van *see* van Schendel, A.P.C.
Schendel, M., Patterson, R. Automatic range of motion measurements from video images 87—14841
Schenderlein, B. *see* Reiche, H. 86—19448
Schendler, W., Weber, H. Materials for coal gasification plants utilizing nuclear process heat generated in a high temperature reactor 85—10127
Schenk, G. *see* Boos, K.V. 87—15315
Schenk, G. *see* Wustenberg, H. 86—34414
Schenk, H. Experience gained with the steam generators in the Obrigheim nuclear power plant after more than 100000 hours of operation and their replacement as complete units 85—15730
Schenk, H., Geisser, R. Technological surfaces as objective criteria for comparing electric discharge machining (EDM) systems 87—79250
Schenk, H., Pickel, E., Bartsch, R. Experience and status on primary system components after 15 years of operation in the nuclear power plant Obrigheim 85—27183
Schenk, H., Riedel, E. Plutonium and uranium recycling in light water reactors from a power plant operator's point of view 85—38799
Schenk, H., Schollmeier, G. Digital signal processing for a MMS 43 transceiver for the ISDN customer access 87—33721
Schenk, H. *see* Fischer, G. 85—3258
Schenk, H. *see* Sailer, H. 86—30212
Schenk, J. A low cost IF-combiner with endless phaseshifter 87—34367
Schenk, J. *see* Holz, W. 87—34421
Schenk, J. *see* Sauer, G. 85—15310
Schenk, K. Can I get there from here? Network nostalgia, nature, and navigation 88—67020
Schenk, K. *see* Csik, B.J. 87—71801
Schenk, K.F., Ahsan, O., Vassos, S. Production costs evaluation of two interconnected electric power systems by the segmentation method 87—9092
Schenk, K.F., Ahsan, Q. Impact of load management and joint ownership of generation of two interconnected systems utilizing joint cumulants and the bivariate Gram-Charlier expansion 85—43510
Schenk, K.F., Ahsan, Q., Vassos, S. Evaluation of production costs of two interconnected electric power systems by the segmentation method 85—32070
Schenk, K.F., Misra, R.B. Reliability evaluation of two interconnected systems through bivariate Gram Charlier expansion—impact of load management 88—68798
Schenk, K.F. *see* Ahsan, Q. 88—10737
Schenk, K.F. *see* Ashan, Q. 85—64822
Schenk, K.F. *see* Lim, S.S. 85—48524
Schenk, R. Message Switching System DSX-40 87—76451
Schenk, R. Message switching system DSX-40 88—3455
Schenk, R. Ultrasonic testing for the detection and sizing of corrosion cracks 88—38301
Schenk, V., Honisch, K., Scheibe, H.-J. Geotechnical investigations for Koepchenwerk 86—65981
Schenk, W. *see* Paessler, E.R. 85—15484
Schenk, W. *see* Rager, D.N. 86—27011, 86—41407
Schenk-Strauss, H. *see* Smend, F. 86—18243
Schenke, K. From telex via teletex to textfax—strategy of the German Post Office in planning the future of text services 85—36646
Schenke, K. From telex through teletex to textfax 86—4201
Schenke, W. Acoustics in stereophonic colour televisions 85—3650
Schenke, W. *see* Pecht, M. 88—38876
Schenkel, A.E. Crossfeed monopulse—a specific method to eliminate elevation mistracking over sea 88—15657
Schenkel, D. *see* Levy, D. 86—43401
Schenkel, D.P.G. Overview of ISDN user-network interface 88—73695
Schenkel, F.W., Ogorzalek, B.S. The HILAT vacuum ultraviolet auroral imager 85—9259
Schenkel, F.W., Ogorzalek, B.S. Auroral images from space: imagery, spectroscopy, and photometry 88—30149
Schenkel, K.D., Welzenbach, M. System components for the wideband overlay network of the Deutsche Bundespost 87—76116
Schenkel, M. *see* Muller, U. 88—74243
Schenkel, R. *see* Chare, P.J. 88—47347
Schenkenhofer, P. Faster tracking of program faults: time and status together 87—49607
Schenker, F. Radio system for the longest meter-gauge tunnel in the world 85—36898
Schenker, H. Electric installations in non-dwelling buildings 85—44321
Schenker, H. Arc welding robots in practice 87—16204

Schenker, H., Steinmetz, G. Customized electrical services for a modern office building 87−50760
Schenker, H., Steinmetz, G. Electrical installations in a modern office building 88−48551
Schenkjr, D. *see* Buck, W. 87−12804
Schenkyr, R. *see* Ludolf, W.S. 85−3453, 87−34115
Schenler, W.W. *see* Forest, L.R. 88−42991
Schenner, H. *see* Diessner, A. 87−78828
Schenner, R. Estimation of daily load diagram for the group of household using a model 87−15218
Schenner, R. A comparison of 10/0.4 kV transformer with smaller losses than transformers of classical construction 88−43247
Schennum, G. *see* Blake, J. 85−13296
Schennum, G.H., Smith, T. Odd/even mode antenna design using a 2 to 4 mode power divider 85−13430
Schennum, G.H. *see* Tsao, C.H. 87−33551
Schenstrom, A., Qian, Y.J., Xu, M.-F., Baum, H.-P., Levy, M., Sarma, B.K. Oscillations in the acousto-electric proximity coupling to a 2D electron gas 88−32885
Schenstrom, A. *see* Levy, M. 88−51385
Schenstrom, A. *see* Qian, Y.J. 88−29716
Schenter, G.K. *see* Liboff, R.L. 86−42806, 88−64222
Schenz, J.L. *see* Hoopman, T.L. 88−64157
Schenzle, A. *see* Arecchi, F.T. 86−36413
Schepel, S.J., Koning, G., Oeseburg, B., Langbroek, A.J.M., Zijlstra, W.G. Performance of a pH monitoring system in vivo 87−35383
Scheper, D.J.F. The 350D−an ion implantation system 85−18218
Scheper, T. Biosensors: realities and desires 88−74375
Schepers, C. A digital CTV chassis concept 86−55417
Schepers, D. The Seampilot, a Dutch 3D seam tracking system 88−74169
Schepers, M.G., Good, M.L. Eliminating short guy leads through better pole embedment 86−39200
Schepis, D.J. *see* Bennett, R.S. 85−45582
Schepis, D.J. *see* Beyer, K.D. 85−29156
Schepp, P. *see* Martens, H. 87−50992
Scheppe, W. Features to consider when choosing a burn-in test oven 88−37931
Scheppe, W., Miller, R.F. An overview of burn-in testing 88−227
Scheppelmann, D. *see* Desaga, J.F. 88−61315
Schepper, P.de *see* de Schepper, P.
Schepperle, K., Zeller, R. Acceptance testing of coordinate measuring instruments at the manufacturer 86−18124
Scheppler, F. Correct choice of SMD resistors 87−17393
Schepps, J.L. *see* Epstein, B.R. 88−71627
Scheps, R. Pulsed laser stimulation and excitation in ZnS:Pb,Mn phosphor 85−7317
Scheps, R. A guide to practical shielding 86−3548
Scheps, R., Hanson, F. Infrared pulsed stimulation of ZnS:Cu,Pb phosphor 85−24393
Scheps, R., Myers, J., Schimitschek, E.J., Heller, D.F. Nd:BEL laser pumped by laser diodes 88−65651
Scheps, R.D. Effective shielding is more than a pretty facade 85−36037
Scheps, R.D. *see* Faught, A.N., Jr. 86−10115
Scher, H. Dispersive transport and relaxation 87−17734
Scher, H., Angelis, J. Compact drive system for electric vehicles ready for series production 85−65491
Scher, H. *see* Muller-Horsche, E. 88−1399
Scher, M.S. Physiological artifacts in neonatal electroencephalography: the importance of technical comments 86−60776
Scher, P., Inacker, H.F. Experiences utilizing LCC module designs on a military system 86−14741
Scher, P. *see* Bauer, J.A. 88−7227
Scherb, J. *see* Kuebart, W. 88−2127
Scherb, W.R. *see* Diggs, S.L. 85−60754
Scherba, M.K. *see* Collins, J.A. 85−42536
Scherbakov, A.A. Influence of a random-process simulation-model parameter on the result of application to it of a nonlinear transformation 88−40899
Scherbakov, P.A. *see* Batalov, A.A. 87−8791
Scherber, P., Winter, V. Direct drive for record players 88−9823
Scherbin, V.N. *see* Aushev, V.E. 87−3863
Scherbina, V.I. *see* Nekrasov, B.V. 87−41174, 88−60379
Scherer, A., Beebe, E., Craighead, H.G. A study of gallium arsenide and aluminum gallium arsenide reactive ion etching parameters 88−1540
Scherer, A., Craighead, H.G. Fabrication of small laterally patterned multiple quantum wells 87−17754
Scherer, A., Craighead, H.G. Barium fluoride and strontium fluoride negative electron beam resists 87−38047
Scherer, A., Craighead, H.G., Beebe, E.D. Gallium arsenide and aluminum gallium arsenide reactive ion etching in boron trichloride/argon mixtures 88−26071
Scherer, A., Craighead, H.G., Roukes, M.L., Harbison, J.P. Electrical damage induced by ion beam etching of GaAs 88−44672
Scherer, A., Inal, O.T. A reflection electron diffraction study on some metal oxide solar collector coatings. II 85−39226
Scherer, A., Roukes, M.L., Craighead, H.G., Ruthen, R.M., Beebe, E.D., Harbison, J.P. Ultranarrow conducting channels defined in GaAs-AlGaAs by low-energy ion damage 88−26050
Scherer, A. *see* Dobisz, E.A. 88−12993
Scherer, A. *see* Gozdz, A.S. 88−19863
Scherer, A. *see* Jewell, J.L. 87−68177, 88−65425, 88−65429
Scherer, A.E., Doney, G.L. From licensing to regulating: our challenge to change 88−62061
Scherer, A.E., Green, M.D., Davis, G.A. Design certification−key to the nuclear option 88−62071
Scherer, A.E., Westhoven, J.M. Licensing strategies for the 1990s: reducing uncertainty 85−53409
Scherer, A.E. *see* Stern, F.M. 87−9272
Scherer, E. The doubles (Lottie and Lisa). I. The concept 86−27353
Scherer, E. Next-generation EW, radar, and communication equipment spur subsystem development. I 87−66551
Scherer, E. Next-generation EW, radar, and communication equipment spur subsystem development. II 87−76850
Scherer, H.N., Ware, B.J., Jr., Thoren, B., Pettersson, K. The AEP/ASEA UHV project results to 1983 86−50889
Scherer, H.N., Jr., Shperling, B.R., Chadwick, J.W., Jr., Belyakov, N.N., Rashkes, V.S., Khoetsian, K.V. Single phase switching tests on 765 kV and 750 kV transmission lines 85−59757
Scherer, H.N., Jr., Vassell, G.S. Transmission of electric power at ultra-high voltages: current status and future prospects 86−6305
Scherer, H.N., Jr., Ware, B.J., Marsico, R. Electrical, structural and environmental criteria for EHV and UHV transmission lines 86−50952
Scherer, H.N., Jr. *see* Reckleff, J.G. 86−51848
Scherer, J. Solving space/heat problems with semi-custom ICs 85−39995
Scherer, J. Versatility of standard cells for LSI designs 87−582
Scherer, J. European Community opens its telecommunications network: legal aspects of the 'Green Paper' 88−107
Scherer, J. *see* Schwartz, U. 88−69518
Scherer, J. *see* Schwarz, U. 87−15885
Scherer, J.P. *see* Donn, C. 86−48699
Scherer, K. Fixing of stator windings of rotating machines 86−33284
Scherer, K. *see* Musil, R.J. 88−48867
Scherer, L.R. The status of US expendable launch vehicles 86−50681
Scherer, O. Test engineering for CMOS gate arrays with the CAD system VENUS 1 87−17000
Scherer, O., Wagner, H.-P. Test engineering of semicustom ICs for the Megalogic Project 88−13589
Scherer, R.C. *see* Titze, I.R. 87−56438
Scherer, T. Phase-corrected cross-over filter 86−24205
Scherer, T. *see* Bluhm, H. 87−21307
Scherer, U. *see* Gertsch, G.A. 85−27041
Scherer, V. *see* Wittig, S. 88−29686
Scherer, W. The 68020 microprocessor cache concept 86−57818
Scherer, W., Schilling, T. Neutronics calculations in large symbiotic spallation fission reactor assemblies 87−9324
Scherer, W. *see* Brockmann, H. 86−5763
Scherer, W. *see* Teuchert, V.E. 87−35743
Scherer, W.T., White, C.C., III A survey of expert systems for equipment maintenance and diagnostics 88−31435
Scherf, H. *see* Angelis, J. 85−65522
Scherf, S., Schnittler, C., Paasch, G. Alternative quasi-classical transport equations. III. Charge transport in MIS systems with inclusion of diffuse surface scattering and quantum size effects 88−7388
Scherf, S. *see* Schnittler, C. 86−67769, 88−1459
Scherg, M. Spatio-temporal analysis of middle latency auditory evoked potentials 85−20915
Scherg, P. Development of heat flux sensors for IR heating plant 88−24265
Scherg, T. *see* Ebbinghaus, G. 86−36342, 87−41523
Scherl, W. *see* Lippmann, C. 87−48014
Scherlag, B.J. *see* Berbari, E.J. 85−53061
Scherm, R., Alefeld, B. Instruments for high-flux sources with time structure of neutron flux 85−64448
Schermer, J. *see* Betz, T. 86−60201
Schermer, R. *see* Strait, J. 88−68133
Schermer, R.I. Tuning permanent magnets with adjustable field clamps 88−51353
Schermer, R.I., Blind, B., Jason, A.J., Sawyer, G.A. Magnetic measurements on the ring dipoles and quadrupoles for the Los Alamos Proton Storage Ring 86−50278
Schermer, R.I. *see* Rogers, J.D. 86−33728
Scherner, U., Schroter, H. 20/30 GHz earth station for the German DFS Kopernikus 87−40862
Scherner, U. *see* Munzel, F. 86−43778
Schernthanner, J. Testing of laminated stators of large water-driven generators 88−17409
Scherr, A.L. Structures for networks of systems 87−62634
Scherr, S. *see* Woodruff, R.L. 88−25101
Scherrer, A. *see* Wipf, T. 87−64038
Scherrer, H. *see* Scherrer, S. 86−33723
Scherrer, J.R. *see* Sharber, J.R. 88−68629
Scherrer, S., Scherrer, H., Chitroub, M., Samuel, A. Thermoelectric optimization of bismuth telluride by stoichiometric deviation 86−33723
Scherrer, V.E., Apruzese, J., Boller, J.R., Mehlman, G.C., Mosher, D., Ottinger, P.F., Stephanakis, S.J., Welch, B.L. Lasant preparation experiments for a pulsed-power-driven Na/Ne photopumped X-ray laser 88−40157
Scherrer, V.E., Burton, J., Commisso, R.J., Fernsler, R.F., Vitkovitsky, I.M. Operation of a long conduction time electron-beam controlled switch 87−17451
Scherrer, V.E., Commisso, R.J., Fernsler, R.F., Vitkovitsky, I.M. Use of electron-beam controlled diffuse discharge as a fast opening switch 85−23198
Scherrer, V.E., Commisso, R.J., Fernsler, R.F., Vitkovitsky, I.M. Study of gas mixtures for E-beam controlled switches 85−27571
Scherrer, V.E. *see* Apruzese, J.P. 88−58454
Scherrer, V.E. *see* Commisso, R.J. 85−5291, 85−17929, 86−14056
Scherrer, W. *see* Carne, A. 86−5762
Scherson, D. *see* Yeager, E. 86−33583
Scherson, I.D. *see* Ilgen, S. 88−6865
Scherson, I.D. *see* Ma, Y. 87−31845
Scherson, I.D. *see* Quiros, R.A. 88−59704
Schertel, E.R., Schneider, D.A., Howard, D.L., Green, J.F. A phrenic nerve-actuated electronically controlled positive-pressure ventilator 88−10401
Schertler, R.J. ACTS experiments program [satellite system] 87−40811
Schertz, A., Turau, M. Graphic display unit for VTR editing systems 87−34834
Schertz, W.W. *see* Hull, J.R. 86−40186
Schertzer, D. *see* Lovejoy, S. 87−63960
Schetelig, J. *see* Auxel, H. 85−32195
Schett, G. *see* Froehlich, K.J. 88−24083
Schetters, L., Brankart, L. New electronic data processors for the distance reading of energy meters 85−57733
Schettini, G. *see* Ciocci, F. 87−7387, 87−68541, 87−75149, 88−58576
Schettini, G. *see* Dattoli, G. 88−58575
Schettini, R. Automatic shape recognition in digital gravimetric images 88−30154
Schettler, H. Off-chip tristate driver circuit 85−44946
Schettler, H. Circuit for high performance drivers [VLSI logic chip testability improvement] 85−44984
Schettler, H. VLSI-/370 microprocessor chip technology 88−70810
Schettler, H., Koetzle, G. A processor chip set on a 60K master image chip 87−59609
Schettler, H., Koetzle, G., Schulz, U., Wagner, O. A highly flexible 60K-gates CMOS master image 87−25597
Schettler, H. *see* Klein, K. 88−6898
Schettler, H. *see* Miersch, E. 85−44877
Schettler, H. *see* Polmann, K. 85−17288
Schettler, N. *see* Troltzsch, J. 86−27675
Schetzen, M. Multilinear theory of nonlinear networks 86−13957
Schetzina, J.F., Bicknel, R.N., Giles, N.C., Harper, R.L. Photoassisted MBE: a new approach to substitutional doping 88−416
Schetzina, J.F. *see* Allred, W.P. 87−65480
Schetzina, J.F. *see* Becla, P. 87−66904
Schetzina, J.F. *see* Bicknell, R.N. 85−381, 85−24556, 85−44705, 85−56602, 86−13773, 86−68539, 87−10369, 87−23628, 87−36777, 87−65539, 87−67084, 88−11993
Schetzina, J.F. *see* Cook, J.W., Jr. 88−462
Schetzina, J.F. *see* Dreifus, D.L. 88−1675, 88−64619
Schetzina, J.F. *see* Giles, N.C. 88−31779
Schetzina, J.F. *see* Harper, R.L. 88−50700
Schetzina, J.F. *see* Harris, K.A. 86−46339, 86−66825, 87−5398, 87−65500, 88−12948
Schetzina, J.F. *see* Hoffman, C.A. 88−64292
Schetzina, J.F. *see* Hwang, S. 88−49827, 88−64247
Schetzina, J.F. *see* Isaacs, E.D. 86−36457
Schetzina, J.F. *see* Lay, K.Y. 86−52422
Schetzina, J.F. *see* Myers, T.H. 85−33427
Schetzina, J.F. *see* Otsuka, N. 85−39721
Schetzina, J.F. *see* Petrou, A. 85−35608
Schetzina, J.F. *see* Farrow, R.F.C. *(editor)* 87−65088
Scheuble, B.S., Baur, G., Kobayashi, S. Nematic liquid crystal with small ratio of bend/splay elastic constants K_3/K_1 [display applications] 85−12664

Scheuer, E.M. Reliability of an *m*-out of-*n* system when component failure induces higher failure rates in survivors 88–43744
Scheuer, I. *see* Giles, G. 87–24200
Scheuer, M.E. *see* Chaudhari, P.K. 86–21871
Scheuer, T.E., Wagner, D.E. Deconvolution by autocepstral windowing 86–25390
Scheuer, V., Koops, H., Tschudi, T. Electron beam decomposition of carbonyls on silicon 87–23720
Scheuerer, R., Thomas, W.L., Williamson, L. Digital audio data transmission in a coaxial cable environment 86–69935
Scheuerlein, R. *see* Lu, N. 86–46859
Scheuerlein, R.E. Trap node sense amplifier for shared wordline RAM 85–28542
Scheuerlein, R.E. Half voltage dummy cell [semiconductor memory device] 85–33901
Scheuerlein, R.E. Serial-access page-mode memory 85–40089
Scheuerlein, R.E. Very thin dielectric storage cap in N-skin compatible process [dynamic RAM cell fabrication] 85–40090
Scheuerlein, R.E., Meindl, J.D. Offset word line architecture for scaling DRAMs to the gigabit level 88–765
Scheuerlein, R.E., Meindl, J.D. Offset word-line architecture for scaling DRAMs to the gigabit level 88–32197
Scheuerlein, R.E., Tamlyn, R. Integrated capacitive measurement 85–45053
Scheuerlein, R.E., Walker, W.W., Morency, D.G., Noble, W.P., Bakeman, P.E., Jr., Critchlow, D.L. Shared word line DRAM cell 85–22878
Scheuerlein, R.E. *see* Lu, N.C. 87–10855
Scheuerlein, R.E. *see* Morency, D.G. 85–40083
Scheuermann, M. *see* Chaudhari, P. 88–39813
Scheuermann, M. *see* Halbout, J.-M. 87–46700
Scheuermann, M. *see* Ketchen, M.B. 87–26246
Scheuermann, M. *see* Tang, D.D. 87–24748, 87–45569
Scheuermann, M.R. *see* Jhy-Jiun Chang 85–29510
Scheuermann, P. *see* Rosenthal, A. 88–34874
Scheuing, A., Niemann, H. Computing depth from stereo images by using optical flow 87–2595
Scheuing, E.-U. *see* Hartmann, W. 85–36913
Scheunemann, R. The German research and development institute for aeronautics and space travel 88–36575
Scheurer, D. *see* Nielson, E.K. 88–54910
Scheurer, H., Meier-Hirmer, R., Kupfer, H. Radiation induced changes in critical superconducting properties of V_3Si 86–15418
Scheurer, J.N. *see* Chemin, J.F. 86–25161
Scheurlen, J. *see* Kindermann, W. 88–37059
Schevchenko, S.S. *see* Kaz'min, S.A. 85–62438
Schevchenko, V.G. *see* Artemov, V.S. 88–47796
Schevchenko, V.G. *see* Kapchinskiy, I.M. 87–41647, 87–41676
Schewe, G. Force measurements in aerodynamics using piezoelectric multicomponent force transducers 86–38880
Schewe, H. *see* Rockelein, R. 88–13692
Schgounn, C. *see* Shuchman, R. 86–6137
Schiais, R.A. *see* Montalbano, G.C. 86–151
Schiano, C. Computed aided testing (CAT)–aircraft engine development 87–71259
Schiano, C. Computer aided testing: a reality 88–60589
Schiano, J.L., Trahiotis, C. A programmable-delay line [auditory application] 87–41897
Schiappacasse, J., Schwartz, M., Baskerville, G. An open architecture CMOS digital signal processor 87–27469
Schiappacasse, J. *see* Baskerville, G. 86–53794
Schiappacasse, J. *see* Schwartz, M. 86–34831
Schiappacasse, J.B. LM32900 digital signal processor 86–68015
Schiassi, A. Genesis and development of an electronic musical instrument 87–3351
Schiavi, A. *see* Galli, F. 87–4254
Schiavinato, C., Bilello, M., Gulerian, A. A frequency meter automatically adjusted for range during measurement 87–70699
Schiavini, G. *see* Mircea, A. 87–16591
Schiavon, G., Sorrentino, R., Tognolatti, P. Characterization of coupled finlines by generalized transverse resonance method 88–52265
Schiavon, G., Tognolatti, P., Sorrentino, R. Characterization of the modal spectrum of single and coupled finlines by transverse resonance analysis 88–58926
Schiavon, G., Tognolatti, P., Sorrentino, R. Fullwave analysis of coupled-finline discontinuities 88–72637
Schiavon, G. *see* Ferrazzoli, P. 87–63046
Schiavone, J.A. Predicting the geographical distribution of microwave fading from ground-based climatological measurement 87–28397
Schiavone, J.A., Hermiller, S.M. A regression model for forecasting microwave radio fading at Palmetto, GA 86–68742
Schiavone, J.J. Video interfacing to flat panel displays for dynamic graphics portrayal 86–11662
Schiavone, L.M., Bosch, M.A., Haller, H.R., Hubbard, W.E., Good, E., Shay, J.L. Optical recording in amorphous hydrogenated tellurium 85–12528
Schiavone, L.M., Craighhead, H.G. Metal deposition by electron beam exposure of an organometallic film 87–10503
Schiavone, L.M. *see* Clausen, E.M. 88–71406
Schiavone, L.M. *see* Craighead, H.G. 86–63140
Schiavone, L.M. *see* Deri, R.J. 87–74828, 88–7912
Schiavone, L.M. *see* Dobisz, E.A. 88–12993
Schiavone, P. *see* Planat, M. 85–24046
Schiavoni, M.T., Amin, M.G. A linearly constrained minimization approach to adaptive linear phase and notch filters 88–52496
Schiavoni, R., Tarulli, P., Varriale, A. A new supervisory system for digital telecommunication networks 88–14962
Schiavoni, R. *see* Nannicini, M. 87–34410
Schiavulli, L. *see* Augelli, V. 85–61674, 86–27898, 86–42405, 88–18064
Schiavulli, L. *see* Manfredotti, C. 87–24807
Schibli, W. *see* Girard, L. 86–10927
Schibonski, D.J. High performance network for computer to workstation applications 86–54970
Schibonski, D.J. Experience with first generation MAN's 86–54973
Schibuya, N., Ito, K., Homma, T., Takagi, H., Kumamoto, K. Crosstalk noise analysis of wiring on the printed circuit board 87–66677
Schibuya, N., Sakamoto, T., Takagi, H., Kumamoto, K. Reduction of the crosstalk noise with the guard-shielding 88–32564
Schibuya, N., Tagagi, H., Ito, K. Noise estimation system for board-level electronic circuit—-NESSY 85–61049
Schibuya, N., Takagi, H., Ito, K. Noise analysis of the ground plane on a printed circuit board–calculation of inductance by CALIND.ICD 85–61534
Schibuya, N., Takagi, H., Ito, K. Analysis of printed circuit board crosstalk using a circuit simulator 88–1118
Schibuya, N., Takagi, H., Kamamoto, K., Homma, T., Ito, K. Crosstalk noise analysis of wiring on a printed circuit board 86–14644
Schibuya, N., Takagi, H., Sakamoto, T., Kumamoto, K. Reduction of the crosstalk noise with the guard-shielding 87–47241
Schibuya, N. *see* Ito, K. 87–21809
Schibuya, N. *see* Takagi, H. 85–10939, 86–1478, 86–66910
Schichijo, H., Malhi, S.D.S., Chatterjee, P.K., Shah, A.H., Pollack, G.P., Richardson, W.H., Shah, R.R., Douglas, M.A., Lam, H.W. N-channel and p-channel LPCVD polysilicon MOSFETs and effects of grain boundary passivation 85–50597
Schichijyo, S. *see* Yamashita, T. 88–13893
Schicht, H.H. Clean room technology: the concept of total environmental control for advanced industries 86–26622
Schick, D. *see* Chance, B. 85–37982, 86–60491
Schick, D. *see* Herklotz, G. 85–63955, 86–4943
Schick, D.V., Tiersten, H.F. An analysis of the acceleration sensitivity of ST-cut quartz surface wave resonators supported along the edges 87–32821
Schick, I.C., Usoro, P.B., Ruane, M.F., Schweppe, F.C. Modeling and weather-normalization of whole-house metered data for residential end-use load shape estimation 88–54958
Schick, I.C. *see* Nadira, R. 87–72619
Schick, I.C. *see* Usoro, P.B. 86–7306, 87–42544
Schick, J. A new cable system for vehicles 88–55699
Schick, J.D. Advances in electron-beam-induced-current analysis of integrated circuits 85–62000
Schick, L. *see* Oddone, P. 87–21434
Schick, L.H. *see* Katz, D. 86–23024
Schick, N. *see* Hashmi, R.Z. 85–49095
Schick, P. The explosion protection of electrical equipment from the international viewpoint 86–113
Schick, P. *see* Blomer, G. 87–43904
Schick, P. *see* Maly, P. 88–124
Schick, P. *see* Wolnarek, D. 88–23540
Schick, S. Ultraviolet curable marking systems 86–40559
Schick, S. 'Ultraviolet curing: a new path to productivity' 88–1195
Schick, S.M. Furthering automation with ultraviolet curing technology 87–10143
Schick, T., Mills, D.R. Real-time packet system (RTPS) for voice, video, and data integration 85–42401
Schick, W.C., Jr. Neutron noise monitoring of the LWBR at Shippingport 88–23701
Schicker, P. Possibilities and limitations of electronic information transmitting systems 85–3034
Schicker, P. An introduction to the CCITT X.400 series recommendations 88–59695
Schickert, M. *see* Fechner, F. 86–29830
Schickert, M. *see* Schwetlick, H. 88–10642
Schicketanz, D. *see* Brandtner, M. 88–20393
Schicketanz, D. *see* Eder, T. 86–22148
Schicketanz, D. *see* Hafemeister, K. 86–49652
Schicketanz, D.W., Eoll, C.K. Dispersion measurement using only two wavelengths 86–31684
Schickling, B. *see* Krautkramer, W. 86–59749
Schickner, M.J. Evaluation and operation of an automatically switched digital service protection network 87–55588
Schickner, M.J. Service protection in the trunk network. I. Basic principles 88–73442
Schickner, M.J. Service protection in the trunk network. II. Automatically-switched (1-for-*N*) route protection system 88–73443
Schickner, M.J. Service protection in the trunk network. III. Automatically-switched digital service protection network 88–73444
Schickner, M.J., Coleman, C.S. Requirements for and design of an automatically switched 140 Mbit/s digital service protection 85–57664
Schicktanz, K.H. Laser scanner for testing the quality of textile fabrics 86–48519
Schie, L.N.M.Van *see* Van Schie, L.N.M.
Schiebel, R.A. Enhancement mode HgCdTe MISFETs and circuits for focal plane applications 88–42170
Schiebel, R.A. *see* Kirk, W.P. 86–67761, 88–19768
Schiebel, R.A. *see* Palm, E.C. 88–26004
Schiebel, U., Hillen, W., Zaengel, T. Image quality in selenium-based digital radiography 87–14870
Schiebel, U. *see* Hillen, W. 88–10323
Schieber, B. *see* Galil, Z. 88–56124
Schieber, D. On the inductance of printed spiral coils 85–33624
Schieber, D. Field transients in saturable cores 85–35978
Schieber, D. Surge impedance of extended grounding rods 85–59818
Schieber, D. A model of unipolar induction 86–29302
Schieber, D. Considerations on armature reaction in unipolar induction systems 86–42748
Schieber, D. Radiation of a receding electric dipole 87–33520
Schieber, D. Conduit reaction to moving charge 88–45641
Schieber, D. Some remarks on scattering by a rotating dielectric cylinder 88–45673
Schieber, D., Schachter, L. Electrodynamics of solid rotor induction machine with stator losses 87–42922
Schieber, D. *see* Erlicki, M.S. 87–9461
Schieber, F., Snyder, C.W. A hardware and software interface for sensing changes in rotary position with an Apple II microcomputer 87–73800
Schieber, L. A coaxial interconnection board for high speed circuits 86–53154
Schieber, L. Microcoaxial board interconnect 86–58111
Schieber, L. *see* Skaritka, J. 88–54039
Schieber, M. *see* Burger, A. 85–43234, 86–7736
Schieber, M.M. *see* Levi, A. 85–34537
Schieblich, C., Geobel, U. Isolators in finline technique 87–6063
Schieblich, C., Goebel, U. Complete determination of circular eigenvalues without transmission phase measurement 86–8443
Schieblich, C., Goebel, U. Broadband capability of forward and reverse type circulators 88–56884
Schieblich, C., Hinken, J.H. Synthesis of optimum fin-line tapers 85–19207
Schieblich, C., Piotrowski, J.K., Hinken, J.H. Synthesis of optimum finline tapers using dispersion formulas for arbitrary slot widths and locations 85–24901
Schieblich, C., Sillars, D.B., Davis, L.E. Comments on 'Analysis of nonreciprocal coupled image lines' [and reply] 88–40640
Schieblich, C., Unger, H.-G. Finline ferrite devices 88–50392
Schieblich, C. *see* Goebel, U. 87–6047
Schieblich, C. *see* Jensen, E. 87–45176
Schiebold, C.F. An approach to realizing multi-octave performance in GaAs-FET YIG-tuned oscillators 86–8482
Schiebold, K.-H. *see* Morgner, W. 87–52246
Schieck, H.Paetz gen. *see* Paetz gen. Schieck, H.
Schied, E. Calculation of nonlinear magnetization components in ferrites 87–25790
Schied, E. Calculation of electromagnetic fields within a ferrite-loaded rectangular cavity resonator 88–7019
Schied, E., Weis, O. Microwave-harmonic generation in ferrites at high power 85–24195
Schieder, R., Rau, G., Vowinkel, B. Characterization and measurement of system stability 87–20657
Schieder, R. *see* Bester, M. 87–20655
Schieder, R. *see* Rau, G. 85–14818
Schieder, R. *see* Reich, M. 86–29125, 86–48441, 87–18978
Schieder, R. *see* Winnewisser, G. 87–13805, 87–34699
Schieder, R. *see* Zensen, W. 87–20654
Schiedermayer, M. The inverter power source 87–79252
Schiedung, H. *see* Zacharias, P. 87–26477

Schiefelbein, B. *see* Kladnik, G. 87−17877, 87−38055
Schiefelbein, B. *see* Nowicki, R.S. 87−6476
Schiefer, E. *see* Schindler, W. 86−24547
Schiefer, P. *see* Gortz, H. 87−69457
Schieferle, D. The use of expert systems in quality assurance 87−44022
Schieffer, H.J. *see* Schwerdt, H. 87−63722
Schiek, B. *see* Gaertner, U. 86−38533
Schiek, B. *see* Gartner, U. 85−14734, 85−58632, 86−17786, 86−24737, 86−70074
Schiek, B. *see* Gartner, U.F. 88−60849
Schiek, B. *see* Reinschlussel, R. 87−8768
Schiek, B. *see* Schneider, J. 88−35366
Schiek, B. *see* Siweris, H.J. 85−34181
Schiek, B. *see* Spaude, M. 85−12234, 85−20538
Schiek, R. The TE modes of the nonlinear planar slab guide 85−24892
Schieke, E.W.I. Load management in practice 86−70578
Schiele, A. *see* Klotz, W.-D. 87−29419
Schiele, W. Automatic design rule adaptation of leaf cell layouts 85−55899
Schielein, M. *see* Hammer, B. 87−33770, 87−62270
Schieleit, J., Pater, H.-G. MHS−the material-flow handling system 88−6056
Schielicke, R. *see* Larz, H. 87−60397
Schieman, R.G. Power system requirements for thyristor drives 86−6873
Schieman, R.G. *see* Jarc, D.A. 85−15596, 86−13112, 86−45747
Schiemann, V.H., Chung, B.C. High-efficiency soldering using water-soluble flux/total immersion cleaning 86−57209
Schiemenz, P. Lamb-shift sources reliable versatile sources for low acceptance accelerators 86−55972
Schiemenz, P., Eckle, F.J., Eckle, G., Graw, G., Kader, H., Merz, F. The new Munich polarized ion source 87−3854
Schiemenz, P. *see* Hertenberger, R. 87−71007
Schiener, G. *see* Hagelauer, R. 87−67428
Schienle, M. *see* Cremer, C. 87−40883
Schier, A., Schmidt, B. Computer aids in the design of micro-electronic circuits 87−60560
Schier, J. Video architectures−approaching real time 87−8432
Schierbaum, K.D. *see* Gopel, W. 86−55707
Schierbeek, B.B. Design in industrial design engineering: teaching design at the school of IDE at the TU Delft 88−62916
Schiereck, P. *see* Karemaker, J. 86−32256
Schierig, S. *see* Lemke, E. 85−15687
Schierling, H. Self-commissioning−a novel feature of modern inverter-fed induction motor drives 88−69759
Schierling, H., Wess, T. AC system loading by interharmonics generated by induction motor drives with current source inverter 87−64578
Schierling, H. *see* Joetten, R. 88−69799
Schierz, W. *see* Hempel, H.-P. 87−44594, 87−59155
Schierz, W. *see* Lorenz, L. 87−46036
Schiesser, M. Rack interface: central alarm and control for telemetry 88−14944
Schiessl, G. *see* Schroter, K. 86−12900
Schiessl, M. *see* Albrecht, H. 86−36358
Schieszl, T.von *see* von Schieszl, T.
Schieve, W.C., Bulsara, A.R., Jacobs, E.W. Homoclinic chaos in the RF superconducting quantum-interference device 88−51391
Schieve, W.C. *see* Englung, J.C. 85−24428
Schiewe, C. *see* Kienitz, U. 87−56873
Schieweck, F. Numerical integration for the finite-element discretization of singularly disturbed elliptic boundary value problems 88−38113
Schifani, R. A novel histogram for partial discharge signals in HV insulating systems 86−42018
Schifani, R. *see* Campoccia, A. 88−71851
Schifani, R. *see* Romano, I. 86−68038
Schifani, R. *see* Spadaro, G. 87−18430
Schifani, T.M. *see* Adams, J.W. 88−15554
Schifano, J. *see* Gilbert, R.M. 85−23734, 86−35394
Schiferl, R. *see* Maljadi, E. 85−27427
Schiferl, R. *see* Muljadi, E. 85−53703
Schiferl, R. *see* Williamson, S. 87−42962, 87−78662
Schiferl, R.F., Colby, R.S., Novotny, D.W. Efficiency considerations in permanent magnet synchronous motor drives 88−49205
Schiff, D. Measurements of dose to failure versus dose rate for CMOS/NMOS static RAMs 87−31889
Schiff, D. Prediction of dose to failure versus dose rate for a recessed oxide digital bipolar microcircuit 88−26496
Schiff, D., Bruun, J., Montesalvo, M., Wong, C.-C.D. A comparison of conventional dose rate and low dose rate Co-60 testing of IDT static RAMs and FSC multiplexers 86−35876
Schiff, E.A. Mobility-lifetime estimates in amorphous hydrogenated silicon (a-Si:H) 87−60115
Schiff, E.A. Recombination and the standard model in amorphous hydrogenated silicon (a-Si:H): an essay 88−1405
Schiff, E.A. Transient photocurrent characterization of amorphous semiconductors 88−2098
Schiff, E.A. *see* Conrad, K.A. 85−24372, 87−12301
Schiff, E.A. *see* Pandya, R. 86−21087
Schiff, E.A. *see* Parker, M.A. 86−48247
Schiff, L. *see* Jonnalagadda, K. 85−14177
Schiffbaenker, H. Fully automated quality control in the mass production of gasoline engines by means of laser-optical vibration measurement 86−24330
Schiffel, R. Basic electronic circuits. The operational amplifier−principles. I 85−589
Schiffel, R. The operational amplifier−fundamentals. II 85−590
Schiffel, R. The operational amplifier−basics. III 85−6180
Schiffel, R. Basic electronics circuits. The operational amplifier−basics. IV 85−11040
Schiffel, R. Basic electronic circuits: Transmitters and receivers for the light waveguides technique. II 85−50917
Schiffel, R. Basic electronic circuits: transmitters and receivers for the light waveguide technique. III 85−58102
Schiffel, R. Opto-couplers. I 85−58104
Schiffel, R. Optocouplers. II 86−2950
Schiffel, R. Connectors, splicers and splitters for optical waveguides. I 86−17380
Schiffel, R. Connectors, splicers and splitters for light waveguides. II 86−23865
Schiffel, R. *see* Kohler, A. 85−588, 85−6178, 85−6181, 85−10955, 85−11041 to 11042, 85−20393, 85−33683, 85−39937, 85−40169, 85−52334, 85−52579, 85−57732, 85−58103, 85−58340, 85−58706, 86−5380, 86−11451, 86−11592, 86−11647 to 11649, 86−14819, 86−24361, 86−26281 to 26282, 86−31196 to 31198, 86−34515, 86−34949, 86−38259, 86−46542, 87−5659 to 5661, 87−10660 to 10665, 87−16858, 87−19205, 87−20673, 87−21943, 87−23905, 87−28740, 87−34703 to 34704, 87−34780 to 34781, 87−34783, 87−44683, 87−44707, 87−49263, 87−49294 to 49297, 87−52420, 87−56344, 87−59265, 87−59799, 87−65928, 87−70200, 87−70222, 87−73572, 87−76965, 87−76969, 88−35682, 88−52811, 88−53407, 88−56470, 88−57000, 88−57612
Schiffel, R. *see* Kohler, H. 85−19153
Schiffel, R. *see* Kummerfeldt, G. 85−46282, 85−46289, 85−50916, 85−51390, 85−52815
Schiffel, R. *see* Ladurner, I. 85−51004
Schiffel, R. *see* Moortgat-Pick, W. 85−20394, 85−26113, 85−31143 to 31145, 85−37179 to 37180, 85−37225, 85−47625
Schiffer, H.-W. Development trends on the electricity market of the Federal Republic of Germany in the year 1984 85−32064
Schiffer, H.-W. Great Britain: electric power from the state 86−12271
Schiffer, H.-W. Developments in the electricity market in the Federal Republic of Germany in 1985 86−39263
Schiffer, H.-W. Development tendencies on the electricity market of the BRD in 1986 87−42635
Schiffer, H.-W. *see* Dirnbock, J. 85−5143
Schiffer, H.W. *see* Dirnbock, J. 86−19354
Schiffer, J.P. *see* Rahman, A. 88−68182
Schiffer, K. Compact clean air plant for Duisburg 88−69145
Schiffer, R. *see* Kohler, A. 87−59217
Schiffer, S.F. Life-cycling testing of Air-Force design nickel-hydrogen cells using a simulated low-earth-orbit cycling regime [satellite power] 85−48392
Schiffer, S.F. Updated test results on life cycling of AF design nickel-hydrogen cells 86−33621
Schiffer, S.F. Preliminary test results for evaluation of NiCd flight cells containing Pellon 2536 separator 87−43381
Schiffer, V. Circuit for measuring vehicle speed 85−49191
Schiffer, W. Prepreg testing−quick, informative, reliable. A critical view [PCBs] 86−35193
Schiffhauer, N. Test report: teleprinter decoders−how good are microprocessor-controlled receiver converters? 87−27904
Schiffhauer, N. Satellite aerials in the wind tunnel: storm-proof at 200 km/h 87−68855
Schiffl, P. Basic principles in planning burglar alarms 85−49309
Schiffler, O. Electric load curves and their influencing 88−23244
Schiffler, R.J., Pinkus, A.R. Human factors research and development requirements for future aerospace cockpit systems 86−70487
Schiffler, R.J., Pinkus, A.R. Human factors R&D requirements for future aerospace cockpit systems 88−5059
Schiffman, D.A. Analyzing failure data with unknown scale: applying the Pearson-Fisher theorem 87−4294
Schiffman, D.A. The score statistic in constancy testing for a discrete hazard rate 87−31347
Schiffmann, C. The integration of facilities for the synthesis of three-dimensional pictures in a television production centre 87−28786
Schiffmann, F. *see* Wu, M.C. 88−27157
Schiffner, G. The use of glass fibres in optical communications and sensor systems 86−48087
Schiffner, G. *see* Ebberg, A. 85−46175
Schifftner, K. Condensing flue-gas scrubbers vie for gas-cleanup duties 88−75237
Schifres, Y., Dupre La Tour, N., Domptail, A. Environmental adaptation and power supply of microwave relays 86−65985
Schifter, J. *see* Weiss, R.D. 85−50837
Schiftner, K. Converter drives−state of technology 88−62657
Schiftner, K. Technology of electric drives for industrial and traction applications 88−62838
Schijndel, J.H.M.van *see* van Schijndel, J.H.M.
Schikarski, W. *see* Hassler, G. 88−55186
Schikarski, W.O. *see* Abbey, F. 88−62113
Schikora, D., Sitter, H., Humenberger, J., Lischka, K. High quality CdTe epilayers on GaAs grown by hot-wall epitaxy 86−52442
Schikora, D. *see* Deppert, K. 86−46323
Schikora, D. *see* Sitter, H. 85−5997
Schilb, W.A. Profile of a 23 GHz radio design 87−13584
Schild, D. Microcomputer-controlled digital thermometer DTM 2000 85−8898
Schild, D., Kampf, H. Applications of the series DTM 2000 digital thermometer 86−5234
Schild, F. *see* Felkel, L. 87−57818
Schild, J.H., Roscoe, D.D., Keith, M.W. A low-power multichannel biotelemeter 86−60773
Schild, S. *see* Oppolzer, H. 88−33331
Schild, W. Smooth surfaces are better. Super-VHS tapes 88−29116
Schild, W. Hi-Fi sound transmission−highest purity by means of light 88−35485
Schild, W. CD production−glueing instead of injection-moulding 88−37959
Schild, W. TV resolution: scans, lines or Megahertz? 88−53428
Schild, W. Video recorder systems. Newcomers compared 88−60460
Schildbach, K. Mode coupling in optical fibres used for laser spot welding 88−58758
Schilder, K. Turbulence flowmeters for automation 88−60970
Schilder, L. *see* Burkhardt, F. 85−10102
Schilder, T.S. *see* Van Alste, J.A. 86−32316
Schilders, W. *see* Polak, S. 87−6638
Schilders, W.H.A., Polak, S.J., van Welij, J.S. Singular perturbation theory and its application to the computation of electromagnetic fields 86−42680
Schilders, W.H.A. *see* Polak, S.J. 87−45849
Schildge, P. *see* Wind, H.-J. 86−70995
Schildhause, S. Cable television 1983/4 [legal developments] 85−52533
Schildkamp, W. Nondestructive position monitor for synchrotron radiation 87−71016
Schildkamp, W. Design of a tunable and focusing single crystal monochromator for powerful X-ray sources 88−42455
Schildkamp, W., Bilderback, D.H. Helium cooling of X-ray optics during synchrotron heating 86−60664
Schildkamp, W. *see* Bilderback, D. 88−42460
Schildkamp, W. *see* Moffat, K. 86−60680
Schildknecht, T. *see* Beutler, G. 87−21748, 87−41094
Schildkraut, A.L. *see* Luca, V.A., Jr. 87−17471
Schildkraut, E.R. IR image generation by thermoelectric elements 87−70458
Schildkraut, E.R., Flanagan, J.A., Lewis, H., Dillon, J.E. A generalized IR scene simulator (IRSS) for dynamic, hardware-in-the-loop testing 88−74418
Schildwach, B., Koldewey, E., Kachlicki, J. Dynamic 256-Kbyte semiconductor store 85−49866
Schildwach, B., Radtke, B. Generation of time-windows 87−48398
Schildwachter, E.F. *see* Nevill, G.E., Jr. 86−55720
Schilfgaarde, M.van *see* van Schilfgaarde, M.
Schilg, G. *see* Schramm, G. 88−62147
Schilizzi, R.T. Very long baseline interferometry 86−69865
Schilizzi, R.T., Burke, B.F. QUASAT−a spaceborne element for worldwide very long baseline radio interferometry 86−69874
Schilke, R., Dross, S. New articulated multiple units of A/S Oslo Sporveier with chopper control 85−32757
Schilkin, P.M., Lisszin, A.L. Electrification of the railway lines of the Soviet Union: state of the art and prospects 86−33770
Schill, A., Zieher, M. Performance analysis of the FDDI 100 Mbit/s optical token ring 88−21729
Schill, R.A., Jr., Seshadri, S.R. Optimization of a bumpy cyclindrical waveguide mode converter 86−68819
Schill, R.A., Jr., Seshadri, S.R. Mode conversion in a cylindrical waveguide with periodic step changes in the radius 88−2658
Schill, R.A., Jr. *see* Seshadri, S.R. 85−24801
Schill, R.L. Managing technology for competitive advantage in interindustry markets 86−57142
Schillaci, M.E. *see* Dicello, J.F. 86−34787, 87−32225
Schiller, A. New construction concepts in digital electronics 86−27766
Schiller, C. *see* Farges, J.P. 87−65462
Schiller, C. *see* Mani, H. 86−46328, 87−73079

Schiller, E. *see* Huber, A. 87−17265
Schiller, G. Hydropower and Austria's energy economy 87−9416
Schiller, G. The significance of water power in Austria 88−55235
Schiller, G. *see* Kalliauer, A. 88−23408
Schiller, H. *see* Gerken, P. 88−3149
Schiller, H.G. *see* Schreck, K. 88−60575
Schiller, J., Hormes, J. Using the circularly polarized components of synchrotron radiation for circular dichroism measurements between 400 and 3500 Å 86−60699
Schiller, J. *see* Dommermuth, F. 85−8487
Schiller, J.M. *see* Anderson, D.R. 85−10832
Schiller, M. Microwave directional antenna AC 008 for 1 to 18 GHz 86−48694
Schiller, M., Sigl, G. Highly decoupled VHF-UHF antennas HK 153, HK 253 and HK 353 for ground-to-air communications 86−59140
Schiller, N.H., Foresti, M., Alfano, R.R. Picosecond pulses produced by mode locking a Nd:glass laser with Kodak dye #26 85−46362
Schiller, P. Threshold voltage of a ferroelectric liquid crystal display 86−5430
Schiller, P. Field-induced orientation transition in ferroelectric liquid crystals 86−42009
Schiller, R. *see* Dusco, C. 88−26960
Schiller, S., Forster, H., Jasch, G., Hotzsch, G., Wenzel, B., Schmidt, K. Electron beam processing in metallurgy 85−60588
Schiller, S., Heisig, U., Goedicke, K., Bilz, H., Henneberger, J., Brode, W., Dietrich, W. Plasmatron sputtering for the production of high stability NiCr resistive films 85−16987
Schiller, S., Heisig, U., Neumann, M., Beister, G. Processing and instrumentation in PVD techniques 86−66860
Schiller, S., Heisig, U., Steinfelder, K., Strumpfel, J., Friedrich, A., Fricke, R. On the use of a plasma-emission monitor for the control of the reactive sputter process and its application in the production of indium-tin layers 88−6519
Schiller, S., Panzer, S. Surface modification by electron beams 85−12198
Schiller, T.R. *see* Hladik, W.M. 88−73483
Schiller, V. *see* Valyi, G. 86−58415
Schiller, W., Hoffmann, J. Automated production of printed circuit boards 85−11769
Schillhof, U. *see* Kilian, E.A. 87−37020
Schilliger, M., LeLoup, C. Asynchronous transmission with wide spread spectrum 85−25732
Schilliger, M., Schmit, B., Mahon, P. TACAN-based landing aid system 85−58258
Schilling, C.G., Blake, G.T. The measurement of triaxial residual stresses in railroad rails−measurement and analysis techniques 85−52878
Schilling, D.L., Manela, D., Pickholtz, R.L., Newman, D.B., Jr. Projection codes−a new class of FEC, burst correction and ARQ codes 88−21096
Schilling, D.L., Pavelchek, A., McKee, O., Altman, F., Schneider, A., Bozovic, R. High frequency propagation assessment 88−21958
Schilling, D.L. *see* Bozovic, R. 87−39844, 88−2929
Schilling, D.L. *see* Colef, M. 88−46288
Schilling, D.L. *see* Davidovici, S. 85−14092
Schilling, D.L. *see* Feria, E. 85−30213
Schilling, D.L. *see* Gelman, A.D. 88−53311
Schilling, D.L. *see* Gerakoulis, D.P. 85−7951, 85−31000, 86−54600
Schilling, D.L. *see* Mammone, R.J. 88−8786
Schilling, D.L. *see* Milstein, L.B. 86−10257, 87−27728, 87−34342, 87−40683, 88−2968
Schilling, D.L. *see* Pauw, C.K. 88−45831, 88−59004
Schilling, D.L. *see* Pavelchek, A.F. 87−28371
Schilling, D.L. *see* Puri, A. 87−62272, 88−3210, 88−45937
Schilling, D.L. *see* Putman, C.A. 86−37715
Schilling, D.L. *see* Scheinberg, N. 85−19514
Schilling, E. *see* Bruss, R. 86−60523
Schilling, E.G. New ANSI versions of MIL-STD-414 and MIL-STD-105D 86−203
Schilling, F. *see* Schanz, V. 88−61679
Schilling, H. High power LEDs for red warning signals 88−14044
Schilling, H. *see* Hinz, W. 88−74627
Schilling, H.-D. Heat and power generation from coal 87−35778
Schilling, H.J., Schulze, J., Krause, J.-P. Solder paste for SMT 88−56024
Schilling, H.W., Coillin, R.E. Circular waveguide bifurcation for asymmetric modes 85−13185
Schilling, H.W. *see* Collin, R.E. 85−13421
Schilling, J. Doppler echoes of overtaking maneuvers 88−35579
Schilling, K., Volcker, O. Wiener-Stadtwerke-Elektrizitatswerke's 380 kV South substation: overvoltages and insulation coordination 86−6846
Schilling, K. *see* Ortmann, B. 86−44676
Schilling, K. *see* Tischmeyer, M. 86−44666
Schilling, K.D., Gippner, P., Seidel, W., Stary, F., Will, E., Heidel, K., Lukyanov, S.M., Penionzhkevich, Yu.E., Salamatin, V.S., Sodan, H., Chubarian, G.G. The DUBNA double-arm time-of-flight spectrometer for heavy-ion reaction products 87−63692
Schilling, L. *see* Aharoni, H. 86−63045
Schilling, L.L. *see* Dhere, R.G. 88−1386
Schilling, M., Schemmel, G., Tegude, F.-J. Selective LPE-growth of $In_{0.53}Ga_{0.47}As$ on semi-insulating InP 87−10443
Schilling, M., Wunstel, K. Deformation-free overgrowth of reactive ion beam etched submicron structures in InP by liquid phase epitaxy 87−6575
Schilling, M. *see* Mozer, A.P. 87−33152
Schilling, M. *see* Wunstel, K. 87−7358
Schilling, O. *see* Roga, S.S.H. 85−4143
Schilling, R. Lighting interference elimination−environment protection measures in the presence of high-frequency oscillations 85−27780
Schilling, R. Modernising hydraulic power plant−examples of Francis and Kaplan turbines 88−48802
Schilling, R., Strobl, G., Rasch, K.-D. New aspects of the system silicon/contact/interconnector 87−78934
Schilling, R. *see* Klemm, D. 88−11142, 88−55238
Schilling, R. *see* Link, K. 86−66474, 87−43628
Schilling, R.L., Williams, S.L. A firmware voltage controller for a robotic arm 88−5715
Schilling, T. *see* Scherer, W. 87−9324
Schilling, W. Power supply units−applications, selection criteria and terms 85−61077
Schillinger, D., Toggweiler, P. MEV 1−prototype of an electric vehicle suitable for town 87−4996
Schillinger, N. *see* Eyer, A. 87−5395, 87−51462, 88−18012, 88−37530
Schilp, W. Microprocessor controlled alarm system 87−13261
Schils, G.F., Sweeney, D.W. Rotationally invariant correlation filtering for multiple images 86−63699
Schils, G.F., Sweeney, D.W. Iterative technique for the synthesis of optical-correlation filters 87−2575
Schils, G.F., Sweeney, D.W. Iterative technique for the synthesis of distortion-invariant optical correlation filters 87−55265
Schils, G.F., Sweeney, D.W. Optical processor for recognition of three-dimensional targets viewed from any direction 88−72186
Schils, G.F. *see* Ochoa, E. 88−59228
Schils, G.F. *see* Sweeney, D.W. 87−39940, 87−75852
Schiltknecht, M. Electricity generation and supply of Industrielle Betriebe Interlaken (IBI) 85−21060
Schiltz, A. Advantages of using spin-on-glass layer in interconnection dielectric planarization 87−25431
Schiltz, A., Abraham, P., Dechenaux, E. Improvement of photoresist planarization properties by thermal cure. Role of the PAC 87−38019
Schiltz, A., Elefteriades, C., Liolios, A., Chardalas, M., Dedoussis, S., Zioutas, K., Charalambous, S. Light losses in BGO and BaF_2 scintillators due to positron states 85−43159
Schiltz, A., Pons, M. Two layer planarization process 86−21416
Schiltz, A., Pons, M. Two-layer planarization process 86−41644
Schiltz, A., Pons, M., Henry, D. Planarisation processes by high speed etching 86−58416
Schiltz, A., Weill, A., Paniez, P. Degradation effects of ion and electron beam in polymers−modification of the Charlesby's law 86−1979
Schiltz, A. *see* Pons, M. 87−25566
Schiltz, J.M., Weiss, W.-D. Intelligence in transducers 86−5202
Schilz, J., Nimtz, G., Geibel, C., Ziegler, J. Carrier recombination in p-$Hg_{0.8}Cd_{0.2}Te$ and n-$Hg_{0.7}Cd_{0.3}Te$ 88−32788
Schimandel, W. *see* Aschmoneit, F. 85−48575
Schimandl, W. *see* Aschmoneit, F. 85−59690
Schimanski, D. *see* North, R.J. 86−6026
Schimanski, H. Viscometry turns into online process tool 86−18190
Schimitschek, E.J. *see* Scheps, R. 88−65651
Schimitschek, E.J. *see* Shay, T.M. 86−3023
Schimka, R.L. Digital computer studies of power flow: solving simultaneous power flow equations using iteration techniques 88−17085
Schimkowitsch, G. The importance of the 380 kV voltage level of the operation of Wiener Stadtwerke-Elektrizitatswerke's high-voltage systems 86−6303
Schimkowitsch, G., Schubert, J., Hanzl, L. Problem analysis of load distribution tasks and the Wiener Stadtwerke-Elektrizitatswerke solution concept 87−4245
Schimm, H. Thick film technology−experience of use in printers 87−32187
Schimmel, D.G. *see* Ota, Y. 85−50188
Schimmel, D.G. *see* Trimble, L.E. 88−57293
Schimmel, D.G. *see* Tse, P.K. 87−3016
Schimmel, G. MAP 2.1 conformance test system 87−48719
Schimmel, G., Schramm, K.H. Possibilities and limits of quality assurance systems in applied research 88−11785
Schimmel, J. *see* Krisper, G. 86−26392
Schimmele, A. Intrinsically safe measuring and control circuits 85−54087
Schimmerling, W. *see* Alard, J.P. 88−10243
Schimmerling, W. *see* Olson, J.E. 86−11983
Schimmler, M. *see* Lang, H.-W. 86−21731
Schimpe, R. Design considerations of the metal-clad ridge-waveguide laser with distributed feedback 85−35774
Schimpe, R. Intensity distribution of semiconductor laser emission due to the excitation of satellite modes 85−35776
Schimpe, R., Bowers, J.E., Koch, T.L. Characterisation of frequency response of 1.5 μm InGaAsP DFB laser diode and InGaAs PIN photodiode by heterodyne measurement technique 86−42535
Schimpf, H. *see* Essen, H. 88−15647, 88−60277
Schimpf, J.H. *see* Cywinski, L.M. 85−9135
Schimpf, J.H. *see* Horii, S.C. 85−4271, 86−32274
Schimpf, P.H., Kim, Y. Spectral analysis and digital filtering with 16-bit fixed point hardware 88−52480
Schinagl, W., Steimer, F. Small dictionary of digital and computer technology. I 88−6332
Schinagl, W., Steimer, F. Small glossary of digital and computer technology. II 88−11552
Schinagl, W., Steimer, F. Small dictionary of digital and computer technology. III 88−31574
Schinagl, W., Steimer, F. Small dictionary of digital and computer technology. IV 88−31575
Schinca, D., Ranea Sandoval, H.F., Scaffardi, L., Tocho, J.O. Lifetime improvement of a visible multiline CO laser 87−26276
Schinca, D., Scaffardi, L., Tocho, J.O. Population mechanisms in visible carbon monoxide pulsed lasers 86−29034
Schinca, D., Scaffardi, L., Tocho, J.O., Gallardo, M. Visible carbon monoxide pulsed laser 86−36412
Schinca, D. *see* Scaffardi, L. 85−24439
Schinckel, A.E. *see* Ables, J.G. 87−63099
Schindall, J. Aircraft detection and identification uses passive electronic-support measures 87−34655
Schindele, F. *see* Benndorf, H. 85−57991, 86−49490
Schindewolf, E. The second most important energy carrier [natural gas] 85−4718
Schindhelm, K., Milthorpe, B.K. Artificial organs: engineering aspects 86−38817
Schindhelm, K. *see* Milthorpe, B.K. 88−42487
Schindl, K. *see* Carter, C. 88−54100
Schindl, K. *see* Gelato, G. 88−54258
Schindl, K. *see* Nassibian, G. 86−31962
Schindl, K. *see* Reich, K.H. 85−26625
Schindler, A. *see* Andresen, E.C. 87−15760
Schindler, A. *see* Andresen, E.Ch. 86−66393
Schindler, A. *see* Rompe, K. 87−72529
Schindler, F.R., Filanovsky, I.M. Error analysis of cascaded and pipelined A/D converters 86−57897
Schindler, G. Reduction of sidelobe level by improved strut design for low *F/D* Cassegrain antennas 85−30093
Schindler, G. *see* Hartinger, E. 87−54666
Schindler, G. *see* Thielen, H. 86−43014
Schindler, J. Capacitors for surface mounting 88−12637
Schindler, J.E. *see* Dening, W. 85−10251
Schindler, J.G., Schlinder, M.M. Monensin, an electrically charged carboxyl ionophor, and its neutral methylester as ion-active components for Na^+ selective disk electrodes 87−41914
Schindler, L. *see* Oser, J.P. 88−23591
Schindler, M. Advances in software let system engineers take charge of IC design 85−10927
Schindler, M. Transforming a simulated IC into silicon demands tools that unravel design decisions 85−22594
Schindler, M. Software tools for IC design 86−26978
Schindler, M. Silicon compilers travel rough roads to acceptance 86−46438
Schindler, M. ASICs: the worry of selection. The chip design is still partly 'Black Art' 87−5738
Schindler, M. New languages help create and test systems with no need for breadboards 87−10565
Schindler, M. CAE users want open systems, integration 87−73226
Schindler, M. Demands on simulators escalate as circuit complexity explodes 87−73227
Schindler, M. *see* Jerinic, G. 85−45237
Schindler, M.J., Ayasli, Y., Morris, A.M., Hanes, L.K. Monolithic 6-18 GHz 3 bit phase shifter 86−35118
Schindler, M.J., Miller, M.E. A 3 bit *K/Ka* band MMIC phase shifter 88−63965
Schindler, M.J., Miller, M.E., Simon, K.M. DC-20 GHz $N \times M$ passive switches 88−71119
Schindler, M.J., Morris, A. DC-40 GHz and 20-40 GHz MMIC SPDT switches 88−25454
Schindler, M.J., Morris, A. DC-40 GHz and 20-40 GHz MMIC SPDT switches 88−25478
Schindler, M.J., Morris, A.M. DC-40 GHz and 20-40 GHz MMIC SPDT switches 87−59890

Schindler, M.J., Wendler, J.P., Morris, A.M., Lamarre, P.A. A 15 to 45 GHz distributed amplifier using 3 FETs of varying periphery 87−32089
Schindler, M.J., Wendler, J.P., Zaitlin, M.P., Miller, M.E., Dormail, J.R. A *K/Ka*-band distributed power amplifier with capacitive drain coupling 88−63947
Schindler, R. *see* Akesson, T. 86−18235
Schindler, R. *see* Bernstein, D. 85−15253
Schindler, R. *see* Borland, J.O. 85−10743, 85−22495, 85−54479
Schindler, R. *see* Eyer, A. 88−37530
Schindler, R. *see* Falckenberg, R. 88−18024, 88−32981
Schindler, R. *see* Leo, K. 88−7287, 88−18075
Schindler, R. *see* Lewalski, N. 88−37538
Schindler, R.H. *see* Becker, J.J. 85−48186
Schindler, R.H. *see* Dubois, R. 86−50321
Schindler, R.N. *see* Popkirov, G. 86−35472
Schindler, S., Flasche, U. Applications based on the new ISO standards and CCITT recommendations for communications technology and office automation 85−19598
Schindler, S. *see* Burkhardt, H.J. 85−19573
Schindler, S. *see* Finckh, E. 88−22935
Schindler, S.A. MIL-specification mixers simplify military systems design 88−63578
Schindler, W., Krempl, P., Schiefer, E. Real-time measurements of smoke and hydrocarbons with a novel dynamic particulate analyzer 86−24547
Schindler, W. *see* Michaelis, J. 85−9197
Schineller, E.R. *see* Bahl, I.J. 87−32090
Schineller, E.R. *see* Lewis, G.K. 87−59884, 88−25477, 88−63954
Schineller, E.R. *see* Singh, H.P. 88−19112
Schineller, R. *see* Lewis, G.K. 88−25453
Schingnitz, D., Junghanns, K. Plant and operation monitoring in power stations from the view point of energetics—a step to efficient operation 85−21425
Schingnitz, H. Analogue electronic rotation of line rasters 86−65131
Schingnitz, M., Brandt, H., Berger, F., Gohler, P., Kretschmer, H. Developments in the field of pressurised gasification of pulverised brown coal in the German Democratic Republic (East Germany) 88−10954
Schingnitz, R. Digital modelling of special analogue systems 86−13928
Schink, H., Packeiser, G., Maluenda, J., Martin, G.M. GaAs substrate material assessment using a high lateral resolution MESFET test pattern 86−58479
Schink, H. *see* Maluenda, J. 86−41528
Schink, H. *see* Schnell, R.D. 88−13429
Schink, K. *see* Anolick, E.S. 85−45286
Schink, T. *see* Psenicka, B. 87−401
Schinke, D. Speaker-independent recognition applied to telephone access information systems 87−55039
Schinnerl, H. *see* Seger, H. 85−53253
Schinnerl, W. *see* Posch, R. 86−54842
Schino, G.Di *see* Di Schino, G.
Schinze, G. *see* Dahl, H. 88−59631
Schinze, G. *see* Knoop, F. 88−68924
Schinzel, D. *see* Albrow, M.G. 88−29872
Schinzel, D. *see* Gutierrez, P. 86−65334
Schinzinger, R., Peiravi, A. Connectivity as a measure of network security 86−611
Schinzinger, R., Peiravi, A. An assessment of network vulnerability 86−50968
Schinzinger, R. *see* Saeb, M. 86−612
Schiopu, C. *see* Schiopu, P. 88−72174 to 72175
Schiopu, P., Schiopu, C. Experimental determinations carried out on elasto-optical devices 88−72174
Schiopu, P., Schiopu, C. Elasto-optical devices with quartz piezoelectric transducer and liquid interaction medium 88−72175
Schipanski, D., Herzer, R., Valerahova, D. Investigations of the passivating effect of Si-SiO_2/PSG and Si-SiO_2/Si_3N_4 double layers 85−12201
Schipanski, D., Schmidt, J., Djermanow, I. Proposed design for a FET with a 200 V punch-through potential for IC use 86−21836
Schippan, R., Hempel, K.A. Magnetization reversal in Y-Co permanent magnet particles observed by the vibrating reed magnetometer 85−18580
Schippang, C. Videotex access for TSO and CMS 86−30342
Schippel, E. Structure of vacuum-deposited thick films of Ni-Cr-Al 85−22542
Schippel, E. Thin-film resistors based on ternary NiCrAl film for electronics 87−24492
Schippel, E. Ternary alloy films of Ni-Cr-Al for thin film resistors 87−32185
Schipper, D.J., Steeghs, M.H.G. A model for the impregnated cathode emission behaviour under ion bombardment 86−14777
Schipper, G. HCS115 Videotex terminal 88−3481
Schipper, J. *see* Evans, B.J. 88−61069
Schippers, A. *see* Alphen, M.V. 87−14371
Schippers, A. *see* Tromp, H. 85−8873
Schippers, H. Multigrid methods for boundary integral equations 85−54425
Schippers, J.M., Borghols, W.T.A., van der Werf, S.Y. The vertical drift chamber as a two dimensional focal plane detector for light and heavy ions in the QMG/2 spectrometer 86−60584
Schippers, J.M. *see* De Vries, J. 85−59188
Schippers, J.M. *see* Drentje, A.G. 88−74702
Schippke, W. TV over extreme ranges. More than just interference 86−24051
Schippke, W. DX on VHF: wave chase on the 3 m broadcast band 87−13563
Schippke, W. Fascination by unusual operations methods: low power for long distances—exploitation of geophysical effects for super hops 87−68766
Schippmann, G. A new one-chip dataline processor for the video programming system (VPS) 88−15826
Schira, C.M. Comparison of adaptive routing algorithms in a tactical telephone network 87−13190
Schirber, J.E., Fritz, I.J., Dawson, L.R. Light-hole conduction in InGaAs/GaAs strained-layer superlattices 85−23434
Schirber, J.E., Zipperian, T.E., Osbourn, G.C., Dawson, L.R., Snelling, J.B. Effect of pressure on low-temperature transport in GaAs-$Ga_{0.8}In_{0.2}$As strained layer superlattices 85−61742
Schirber, J.E. *see* Drummond, T.J. 87−1503
Schirber, J.E. *see* Fritz, I.J. 86−35379, 86−58294, 87−1229, 87−53230
Schirber, J.E. *see* Jones, E.D. 87−11466
Schirber, J.E. *see* Zipperian, T.E. 88−39498
Schirenbeck, G. *see* Araiza, R. 87−48828
Schirinzi, G. *see* D'Elia, G. 85−7752, 86−29568, 86−42832, 87−47295, 88−2681
Schirinzi, G. *see* Franceschetti, G. 88−2815
Schirl, G. *see* Muller, J. 87−15461
Schirle, P. Modelling of the functional specifications of on-board software—experience with the Rafale avionics system 88−54711
Schirm, L., IV GOPS—a 45 MHz continuous digital signal processor 86−67247
Schirm, L., IV On the difficulties of utilizing current technologies to perform 100 MHz DSP 87−24251
Schirm, L., IV GOPS—a digital signal processor for 50 msps continuous processing 87−41450
Schirmann, D. *see* Thiell, G. 88−34182
Schirmer, F. Automatic measurement of blood pressure using the ABM-II/A instrument—limits of interactionless psycho-physiological measurement 87−63726
Schirmer, F. *see* Gurgel, K.-W. 86−65535
Schirmer, G. *see* Duparre, A. 85−35837
Schirmer, J. *see* Streckert, J. 88−51465
Schirmer, O.F. *see* Dischler, B. 85−7200
Schirmer, R.V. *see* Lee, K.R. 87−14605
Schirmer, W. Quality assurance/quality marking: the up-to-date way to higher quality 85−22277
Schiro, P. *see* Barberis, G. 87−33987, 87−55520
Schirone, L. *see* Palma, F. 87−26108, 88−51616
Schirouzu, S. *see* Tsuji, T. 88−10029
Schirripa, G. *see* Paoletti, D. 87−19081, 88−8328
Schirripa Spagnolo, G. *see* Chiappini, E. 87−20836
Schirripa Spagnolo, G. *see* Salmi, M. 85−42839, 85−65686
Schirrmann, B.O., Wengorz, G.G. TN security service 87−23284
Schirrmeister, F., Kahnt, H. Apparatus for impedance studies of solid ionic conductors. II. Balance conditions of the bridge and error corrections 87−21197
Schirrmeister, F. *see* Kahnt, H. 87−8707
Schiske, P. Significance limits for singular values in the multivariate analysis of image series 88−34765
Schittenhelm, R. A process data inspection system for small and medium technical processes 86−4958
Schittkowski, K. On the convergence of a generalized reduced gradient algorithm for nonlinear programming problems 87−31427
Schiweck, L., Reininghaus, U. Production of vacuum interrupters 87−78843
Schiweck, L. *see* Konig, D. 86−39984
Schiweck, L. *see* Lindmayer, M. 87−64755
Schiwon, T. *see* Bechtel, M. 86−50776
Schizer, B., Pascher, W. Theoretical and experimental investigation of a torus as a primary feed in reflector antennas 88−2908
Schjetne, K. *see* Evensen, B.D. 88−68999
Schlaak, H.F Modulation behaviour of integrated optical directional couplers 85−18742
Schlaak, H.F., Brandenburg, A., Sulz, G. Integrated optical circuits with curved waveguides 87−54042
Schlaak, H.F., Sulz, G., Yuan-ling Zhan, Brandenburg, A. Computer aided measurement techniques for integrated optic devices 87−56871
Schlaak, W. *see* Haberland, D. 85−18086
Schlaak, W. *see* Unterborsch, G. 88−13117
Schlabach, L.A. Conduction limits of a 3-phase controlled converter in inversion 85−27528
Schlabach, L.A. Conduction limits of a three-phase controlled converter in inversion 86−51754
Schlabach, P. *see* Bhadra, S. 88−48023, 88−54399
Schlabbach, J. Influence of network and line zero-sequence-and positive-sequence impedances on distance protection equipment 85−38572
Schlabbach, J. The responsibilities and functions of the project manager during the execution of planning studies [power systems] 86−61023
Schlabbach, J. The optimisation of power plant extension and network extension planning for a country in the Near East 87−30116
Schlabbach, J. *see* Fabland, P. 86−12462
Schlabbach, K. Reliability and safety of traffic signals 87−31362
Schlachetzki, A. Properties of semiconductors for integrated optics 87−7170
Schlachetzki, A. Monolithic IO-technology—modulators and switches based on InP 87−54091
Schlachetzki, A. Integrated optics with semiconductors 88−51699
Schlachetzki, A. *see* Aytac, S. 86−2112, 86−2869
Schlachetzki, A. *see* Fiedler, F. 86−26838, 87−32988
Schlachetzki, A. *see* Kowalsky, W. 85−45397, 86−15113, 87−37899
Schlachetzki, A. *see* Wehmann, H.-H. 86−21456
Schlachetzki, A. *see* Wehmann, H.H. 87−17711
Schlachter, A.S. Charge-changing collisions 85−59165
Schlachter, A.S., Leung, K.N., Stearns, J.W., Olson, R.E. A high-charge-state plasma neutralizer for an energetic H^- beam 87−77490
Schlachter, A.S. *see* Kaplan, S.N. 86−32106
Schlachter, W. *see* Somm, E. 85−21477
Schlack, R.W. *see* Shih, C. 87−62757
Schlacter, W. *see* Roeder, A. 86−51234
Schlaeppi, H.P. *see* Baratz, A.E. 85−36750
Schlafer, J., Powazinik, W., Lauer, R.B. A hermetic fiber-coupled p-i-n photodetector package for use in fiber-optic preamplifier circuits 86−31434
Schlafer, J., Su, C.B., Powazinik, W., Lauer, R.B. 20 GHz bandwidth InGaAs photodetector for long-wavelength microwave optical links 85−46265
Schlafer, J., Su, C.B., Powazinik, W., Lauer, R.B. 20 GHz bandwidth InGaAs photodetector for microwave optical transmission 86−42439
Schlafer, J., Teare, M. Photodetector design and packaging for optimum digital and microwave receiver performance 88−15480
Schlafer, J. *see* Hill, P. 87−46677, 87−61135
Schlafer, J. *see* Lange, C.H. 88−72315
Schlafer, J. *see* Su, C.B. 85−51162, 86−36497, 86−63834
Schlafer, J. *see* Ulbricht, L.W. 87−49090, 88−24570
Schlafli, B. Plastic money: soon the means of payment in public transport? 88−7003
Schlafly, A. Compact test vectors for gate arrays 85−33758
Schlag, J.F. *see* Groen, F.C.A. 86−7900
Schlag, M. *see* Hauge, P.S. 85−44983
Schlag, M.D.F. Layout from a topological description 87−23857
Schlag, M.D.F., Woo, L.S., Wong, C.K. Maximizing pin alignment by pin permutations 85−29268
Schlag, M.D.F., Yoffa, E.J., Hauge, P.S., Wong, C.K. A method for improving cascode-switch macro wirability 85−39981
Schlag, M.D.F. *see* Wu, Y.-F. 87−36590
Schlag, R., Seeger, H. Automatic performance measurement in the EWSD digital switching system 86−49385
Schlager, K.J. Signal processing algorithms for an on-line fiber optic infrared analyzer 88−46300
Schlageter, D.H. *see* Billinton, R. 87−9158
Schlageter, G., Six, H.W., Stern, W., Unger, C. Remote education with online communications and laboratories 88−62934
Schlagheck, J.G. Environmental stress screening (the formula for reliability) 86−66610
Schlaich, G., Walther, J. Automated assembly of cable lines 86−7505
Schlaich, G. *see* Schraft, R.-D. 88−31476
Schlaich, G. *see* Schraft, R.D. 87−43969
Schlaich, J. Entwicklung photovoltaischer Konzentratorsysteme fur 500 W (Development of 500 W photovoltaic concentrator systems) 86−51913
Schlaigh, G. *see* Walther, J. 87−17421
Schlaikjer, C. *see* Dey, A.N. 88−17894
Schlain, B. *see* Sheaffer, M. 87−24654, 88−25754
Schlais, J.R., Neudeck, G.W., Liu, S.T. A structure for measuring contact resistances immediately following metal deposition 88−50664
Schlak, M., Nolting, H.P., Albrecht, P., Doldissen, W., Franke, D., Niggebrugge, U., Schmitt, F. Integrated-optic polarisation convertor on (001)-InP substrate 86−68304
Schlak, M. *see* Krauser, J. 87−38864
Schlak, M. *see* Nolting, H.-P. 87−74844
Schlak, M. *see* Pfanner, K. 88−38154

Schlak, M. *see* Satorius, B. 87−58695
Schlam, E. *see* Miller, M.R. 85−8914, 86−18447, 87−8680
Schlam, E. *see* Morton, D.C. 86−38461
Schlangenotto, H. *see* Berg, H. 85−23763
Schlangenotto, H. *see* Nowak, W.-D. 85−40706
Schlanger, G.G. An overview of signaling system no.7 86−59458
Schlanger, G.G. *see* Guha, D.K. 87−33992
Schlansker, M.S. *see* Kuekes, P.J. 85−28555
Schlapfer, K. Domestic appliances and the energy demand 88−62795
Schlapp, W. *see* Abstreiter, G. 86−21226
Schlapp, W. *see* Bimberg, D. 86−63073
Schlapp, W. *see* Bliek, L. 85−47792, 85−58830, 86−24684, 87−1271
Schlapp, W. *see* Bottcher, E.H. 87−54294
Schlapp, W. *see* Burkhard, H. 87−6444
Schlapp, W. *see* Christen, J. 86−67739
Schlapp, W. *see* Delalande, C. 86−67737, 88−7622
Schlapp, W. *see* Glick, M. 86−48480
Schlapp, W. *see* Hein, G. 87−74100
Schlapp, W. *see* Heuken, M. 86−53649, 87−60502
Schlapp, W. *see* Idler, W. 88−58531
Schlapp, W. *see* Kempf, P. 88−29624
Schlapp, W. *see* Kuchar, F. 86−35406
Schlapp, W. *see* Maile, B.E. 88−25943
Schlapp, W. *see* Prasad, S. 88−51661
Schlapp, W. *see* Prost, W. 86−53642, 88−57693
Schlapp, W. *see* Remenyi, G. 87−74099
Schlapp, W. *see* Rikken, G.L.J.A. 85−34580
Schlapp, W. *see* Warnecke, P. 88−16421
Schlapp, W. *see* Weimann, G. 85−33466, 85−34552, 85−41408, 85−55512, 87−24900
Schlapp, W. *see* Zhang, X. 85−11560
Schlaps, D. *see* Raeth, U. 85−43342
Schlater, R. Digital scopes gain persistence 85−26378
Schlater, R. Never ending measurements show isolated events [digital oscilloscope] 86−18008
Schlater, R.T. Waveform graphics for a 1-GHz digitizing oscilloscope 86−60274
Schlatmann, K. *see* Harjes, B. 85−31039
Schlatter, A. System protection and automatic network restoration with H3 logic in RN1 protection unit: new approach; effective, selective and easy to use 86−50990
Schlatter, C. *see* Buhler, F. 87−64653
Schlatter, D. *see* Amendolia, S.R. 85−43179, 87−21428
Schlatter, D. *see* Benetta, M. 85−43239
Schlatter, P. *see* Bryman, D.A. 85−37900
Schlatter, P. *see* Mes, H. 85−9054
Schlatter, W.D. Mass resolution at an e^+e^- collider in the TeV range 88−10222
Schlatter, W.D. *see* Amendolia, S.R. 85−37901, 86−5779, 87−21426 to 21427
Schlauersbach, G. Small aids in the kitchen 85−16458
Schlax, T.R. *see* Talaki, K.A. 85−16372
Schlayer, D. Realization possibilities of voltage monitors for mobile working machines 85−20677
Schlebusch, H.J., Splettstosser, W. On a conjecture of J.L.C. Sanz and T.S. Huang [signal processing] 86−23027
Schlebusch, H.J., Splettstosser, W. On a conjecture of J.L.C. Sanz and T.S. Huang [discrete Fourier transforms] 86−29856
Schlecht, M.F. Bipolar power flow in a DC/AC converter with only one high-frequency switch pair 86−7976
Schlecht, M.F. Harmonic-free utility/DC power conditioning interfaces 87−30785
Schlecht, M.F., Casey, L.F. Comparison of the square-wave and quasi-resonant topologies 87−44573
Schlecht, M.F., Casey, L.F. Comparison of the square-wave and quasi-resonant topologies 88−24973
Schlecht, M.F., Miwa, B.A. Active power factor correction for switching power supplies 88−17725
Schlecht, M.F. *see* Bart, S.F. 88−62399
Schlecht, M.F. *see* Bernstein, J.B. 87−67301
Schlecht, M.F. *see* Casey, L.F. 87−73319, 88−24972, 88−50450
Schlecht, M.F. *see* Goldberg, A.F. 87−73830
Schlecht, M.F. *see* Kassakian, J.G. 88−56454
Schlecht, M.F. *see* Lang, J.H. 88−43237
Schlecht, M.F. *see* LaWhite, L.E. 87−17229, 87−66337, 88−12200
Schlechter, J. Object-oriented architecture as a basis of a new microprocessor concept 85−17472
Schlechtriemen, G.L. *see* Pohl, J.P. 85−5362
Schledermann, H. *see* Dutty, W. 87−29457
Schlee, F.H., Toda, N.F., Islam, M.A., Standish, C.J. Use of an external cascade Kalman filter to improve the performance of a Global Positioning System (GPS) inertial navigator 88−67501
Schleer, E., Stoll, L. Multimode testing of PC boards 87−66685
Schleesak, J.J., Alden, A., Ohno, T. SHARP (Stationary High Altitude Relay Platform): rectenna and low altitude tests 86−54355
Schlegel, B., Beneke, M. A study of self-paced and machine-paced inspection 87−23396
Schlegel, C., Costello, D.J., Jr. Bandwidth efficient coding on a fading channel 88−21108
Schlegel, C.B., Herro, M.A. Random burst channels and an adaptive burst error correcting Viterbi algorithm 87−39576
Schlegel, D.M. *see* Laine, J.L. 86−61078
Schlegel, F. *see* Boeckh, L. 85−28820
Schlegel, G. Operating personnel of power plants 88−55164
Schlegel, G. *see* Schwarz, O. 85−38802
Schlegel, G.L. *see* Tomer, G.S. 88−68055
Schlegel, H., Fowler, W.D. The ortho-mode transducer offers a key to polarization diversity in EW systems 85−24869
Schlegel, H. *see* Krost, A. 85−39774
Schlegel, J.K.H. Competition in international communications 87−55476
Schlegel, K., Rietveld, M., Maul, A. A modification event of the auroral *E* region as studied with EISCAT and other diagnostics 88−20893
Schlegel, K., Thomas, E.C., Ridge, D. A statistical study of auroral radar spectra obtained with SABRE 87−29933
Schlegel, K. *see* Fla, T. 85−63764
Schlegel, K. *see* Moorcroft, D.R. 88−34309, 88−53352
Schlegel, K. *see* Williams, P.J.S. 88−53345
Schlegel, L., Schanbel, W. Polymethacrylonitrile as a resist in X-ray lithography 88−39290
Schlegel, R., Brown, M. Puncturing your LAN 88−15096
Schlegel, R. *see* Schuetzenduebel, W. 87−57877
Schlegel, R.E. *see* Beneke, M. 88−43733
Schlegel, W. *see* Bauer-Kirpes, B. 88−74865
Schlegel, W. *see* Hartmann, G.H. 85−38211
Schlegel, W.E. On hearing and viewing [telecommunications developments] 88−28169
Schlegel-Bickmann, D. *see* Zoetelief, J. 87−21698
Schlegl, H. 150 years of remote signalling technology on the Austrian Federal Railways 88−5939
Schleher, D.C. Low probability of intercept radar 86−17508
Schleich, D.M. *see* Auborn, J.J. 87−58279
Schleich, W., Dobiasch, P. Noise analysis of ring-laser gyroscope with arbitrary dither 85−12896
Schleich, W. *see* Chow, W.W. 85−29877
Schleich, W. *see* Vogel, K. 87−61194, 87−68549
Schleicher, E. Reduction of the reliability by environmental influences in the production and the operation of electronic modules and equipment 87−10213
Schleicher, K.T. *see* Lamp, U. 85−60905
Schleicher, L. *see* Arnold, N. 88−12034, 88−49886
Schleicher, R.W. *see* Foushee, F.C. 85−43814
Schleicher, T. *see* Lamp, U. 85−22407
Schleiermacher, D. Installation and maintenance concept for small- and medium- size PABXs 85−63452
Schleife, H. *see* Rheinlander, B. 85−35649
Schleifer, F. *see* Haunhorst, H. 85−21395
Schleifer, W.-D. A/D and D/A conversion by means of pulse width modulation 87−37409
Schleifer, W.-D. Fundamentals of analog/digital and digital/analog conversion. I 87−44959
Schleifer, W.-D. No worry about stages. II. The basic principles of A/D and D/A conversion 87−44964
Schleiger, T.E. *see* Borst, F.J. 88−42999
Schlein, P.E. *see* Foley, K.J. 88−10279
Schlein, P.E. *see* Zweizig, J.G. 88−22996
Schleipen, M. *see* Perrenoud, A. 85−55373
Schleipen, M. *see* Rieder, C. 85−11838
Schleisner, J. New gate charge figure of merit 85−34988
Schleisner, J. *see* Einthoven, W.G. 87−1563
Schleiss, A. Reduction of power generation in hydroelectric plant resulting from chapter 2 'Maintenance of minimum water level' of the draft revision of the Water Protection Law (communication of 29-4-1987) 88−23771
Schleithoff, F.Schulze *see* Schulze Schleithoff, F.
Schleithoff, K. Influence of water steam chemistry on stress corrosion cracking of steam turbine LP discs 85−21481
Schleithoff, K. *see* Termuehlen, H. 88−62076
Schlemm, A., Mair, T., Muller, W., Honlein, W. Influence of HIC implantations on breakdown properties of thin oxides in planar varactors of dynamic RAMs 86−67225
Schlemm, H. The dimensioning of plasma etching reactors with regard to reaction kinetics 85−40643
Schlemm, H., Matthes, M. Magnetic field enhanced plasma etching and glow polymerization at a low-frequency discharge 87−17968
Schlemm, H. *see* Drechsler, N. 87−25130
Schlemmer, B. New method of frequency stabilisation for Doppler-broadened gas lasers using the anomalous dispersion effect 88−65557
Schlemmer, F., von Arnim, H.-P. Inspection of LWR fuel elements and core components 85−38704
Schlemo, C. A single chip video processor and controller 88−44189
Schlemper, E. *see* Auch, W. 86−2688, 88−42108
Schlemper, E. *see* Bohm, M. 87−13797
Schlenger-Klink, T. Programmable logic chips 88−19050
Schlenger-Klink, T. Programmable logic chips. II. Basic EMUF programs GALs 88−32144
Schlengermann, U. A general overlook at the possibilities for focusing sound fields 86−46411
Schlenk, K.W. Magnetic materials in the light of their coercive field strength 85−7134
Schlenk, K.W. Inductances in switched power units−from crystalline to amorphous core material 86−27050
Schlenk, K.W. Magnetic sensors: some principles and types 88−16059
Schlenk, K.W. *see* Ludes, R. 86−47971
Schlenk, W. *see* Kippenberg, H. 86−12973
Schlenker, M. *see* Baruchel, J. 85−15235
Schlenoff, J.B. *see* Chien, J.C.W. 85−5363
Schlenzig, E. *see* Hengelhaupt, F. 85−55232
Schlenzig, K. Clock system with minimum closed-circuit current 85−22974
Schlenzig, K. Better screen display for minicomputers 87−63464
Schleper, P. *see* Berger, C. 88−22937
Schlereth, F.H. The signal processing circuit 88−1773
Schlereth, F.H., Irwin, J.M., Wild, N., French, M.J. A programmable signal processor for array applications 87−62136
Schlereth, J. *see* Dawson, J. 86−50424
Schlereth, J. *see* Loos, J.S. 86−70317
Schlesak, J.J., Alden, A., Ohno, T. A microwave powered high altitude platform 88−75146
Schlesak, J.J. *see* Webber, R.V. 87−26759
Schlesier, K. *see* Stewart, R. 87−24195
Schlesier, K. *see* Stewart, R.G. 85−49883
Schlesier, K.M. *see* Ipri, A.C. 85−40081
Schlesiger, C. *see* Bromborsky, A. 88−50584
Schlesigner, S.P. *see* Yee, F.G. 88−65749
Schlesinger, D. *see* Rothschild, C.J., III 86−60113
Schlesinger, H.A. *see* Dvorin, R.S. 86−32969
Schlesinger, S.P. *see* Masud, J. 86−48449, 87−2184, 87−33222, 88−2296
Schlesinger, S.P. *see* Yee, F.G. 87−75143
Schlesinger, T. *see* Jeong, J. 87−74054
Schlesinger, T.E., Collins, R.T., McGill, T.C. Optical investigations of electron transport through GaAs/AlAs heterostructures 85−61733
Schlesinger, T.E., Collins, R.T., McGill, T.C., Burnham, R.D. Photovoltaic investigations of GaAs/AlAs heterostructures 85−1354
Schlesinger, T.E., Zur, A., McGill, T.C., Burnham, R.D. Photoresponse of GaAs/AlAs heterostructures under external bias 86−1782
Schlesinger, T.E. *see* Hauenstein, R.J. 86−8872, 86−53450
Schlesinger, T.E. *see* Hunt, B.D. 87−11455
Schlesinger, T.E. *see* Jeong, J. 87−74074, 88−24716, 88−64286
Schlesinger, T.E. *see* Lee, J.C. 88−19682
Schlesinger, T.E. *see* Woodward, T.K. 85−61722
Schlesinger, T.E. *see* Zhao, J.H. 88−56236
Schlesinger, Z., Allen, S.J., Jr., Yafet, Y., Gossard, A.C., Wiegmann, W. Cyclotron resonance in the two-dimensional hole gas in (Ga,Al)As/GaAs heterostructures 86−8858
Schlesinger, Z., Wang, W.I., MacDonald, A.H. Dynamical conductivity of the GaAs two-dimensional electron gas at low temperature and carrier density 87−24854
Schlesinger, Z. *see* Kirtley, J.R. 87−17762
Schlesok, W., Forkert, J. A new determination of the ampere and the gyromagnetic ratio γ'_p in a low and high magnetic field 85−58793
Schlesok, W., Forkert, J. A new determination of the ampere and the gyromagnetic ratio γ'_p in a low and high magnetic field 86−24634
Schlessing, J., Strasser, P. Experiences with the commissioning and operation of supercritical boiler No.18 at Mannheim central power station 86−33156
Schlessing, J. *see* Baumuller, F. 87−64369
Schletter, B. *see* Wolf, W. 87−34722
Schleuning, P. Paperless recording using an LCD pixel matrix 86−65216
Schleussner, G. *see* Hammer, J.W. 86−44603
Schleuter, W., Schoner, H.-P., Steffens, W., Wille, G. An instrument for determining the charge level of lead storage batteries 85−39175
Schleuter, W. *see* Henneberger, G. 87−22443
Schleuter, W. *see* Kalker, M. 85−65569
Schley, R. The welding of nonferrous metals by magnetic pressure 88−6262
Schley, S. America moves from C-band to Ku 87−13636
Schleyer, A. Are aerial pipelines acceptable today? 87−30361
Schleyer, H.-C. *see* Bormann, M. 87−63643
Schleyer, H.C. *see* Bormann, M. 86−5794
Schlicher, R.L., Oberly, C.E. Cryogenic aluminum-wound generator rotor concept 87−22244
Schlicher, R.R. *see* Gea-Banacloche, J. 88−2292
Schlicht, B. *see* Gebhardt, J. 86−8787, 87−37896
Schlicht, B. *see* Stadler, J.P. 85−1317
Schlicht, D. *see* Edlinger, A. 86−51845

Schlicht, K. The realization of very low-load operation on a gas/oil-fired unit and on a bituminous coal-fired unit 88−69151
Schlicht, K. *see* Hillenbrand, J. 87−35828
Schlicht, U. *see* Hars, H.-J. 85−13742
Schlicht, U. *see* Kahl, P. 85−13741
Schlichte, M. *see* Hairer, E. 85−60933
Schlichtharle, D. *see* Artun, B. 86−59748
Schlichting, M. *see* Nolting, H.-P. 86−11133
Schlichting, S. Testing electric motors by impact voltage for the early detection of insulation faults 86−56689
Schlichting, S. Testing apparatus discovers weak points in motors 88−55262
Schlicker, M. *see* Maisenbacher, B. 88−9543
Schlicklin, P.M. *see* Stockholm, J.G. 86−33724, 87−43483, 88−18094
Schlie, L.A., Rathge, R.D. Long operating time CW atomic iodine probe laser at 1.315 μm 85−7367
Schlie, L.A., Rathge, R.D. 1.8 watt CW atomic iodine photolysis laser ad 1.315 μm 88−51740
Schlie, L.A., Rathge, R.D. Transverse flow CW atomic iodine laser at 1.315 μm 88−58428
Schlieck, D. AGVs with unlimited battery power supply 86−56940
Schlieck, D. *see* Haschka, F. 88−17908
Schlier, A., Kane, M., Laverick, T., Fowlis, D.C., Herman, J. GaAs monolithic receiver and laser driver for GHz transmission rates 87−49087
Schlier, A.R., Pei, S.S., Shah, N.J., Tu, C.W., Mahoney, G.E. A high-speed 4×4 bit parallel multiplier using selectively doped heterostructure transistors 86−35918
Schlier, W. Testing case for data transmission operation; DATATEST II PLUS, DATACHECK III 86−70071
Schliesing, H. *see* Burton, P. 86−51720
Schliffenbacher, F. New VHF TV transmitting antenna on Grosser Feldberg 86−30963
Schliffenbacher, F. *see* Henss, P. 85−24983
Schlig, E.S. A TDI charge-coupled imaging device for page scanning 86−38267
Schlig, E.S., Chamberlain, S.G. Output structure for buried-channel CCD 85−20497
Schlinder, M.M. *see* Schindler, J.G. 87−41914
Schlindwein, F.S., Smith, M.J., Evans, D.H. Spectral analysis of Doppler signals and computation of the normalised first moment in real time using a digital signal processor 88−42513
Schlingensiepen, R. *see* Ellis, R.H. 87−20578
Schlingloff, H. Preliminary design techniques for interplanetary solar-electric propulsion spacecraft 87−77814
Schlink, U. *see* Diener, G. 86−41539
Schlitt, H.A. *see* Dallas, W.J. 88−23089
Schlitt, L. *see* Bailey, V. 88−54020
Schlitt, L.G. Pulse power for the RAPIER 'B amplifier' KrF laser system 85−5255
Schlitt, L.G. *see* Curry, R.D. 87−37080
Schlitt, L.G. *see* Hasti, D.E. 85−26670
Schlitt, L.G. *see* Ramirez, J.J. 87−21309
Schlitt, L.G. *see* Sanford, T.W.L. 86−55980
Schlittenhardt, P. *see* Ferrari, G.M. 86−12199
Schlitter, J., Metz, A. The Hessian in function minimization 88−49713
Schlobohm, J.C. *see* Bradley, P.A. 86−59072
Schlobohm, J.C. *see* Gibson, A.J. 85−30042
Schloemann, E. Use of magnetic materials in microwave and millimeter wave monolithic integrated circuits 87−67791
Schloemann, E. Lumped-element circulator optimization 88−71003
Schloemann, E., Blight, R.E. Broadband stripline circulator 87−6062
Schloemann, E., Blight, R.E. Broad-band stripline circulators based on YIG and Li-ferrite single crystals 87−17305
Schloemann, E., Tustison, R., Weissman, J., Van Hook, H.J. Epitaxial Fe films on GaAs for hybrid semiconductor-magnetic memories 88−71896
Schloemann, E. *see* Blight, R.E. 85−23129
Schloemann, E.F. Circulators for microwave and millimeter-wave integrated circuits 88−32447
Schlogl, D. *see* Heres, L. 88−69890
Schlogl, R. *see* Ringger, M. 85−40563, 87−11316
Schlogl, R.W. Potential distribution and interaction between two parallel dielectric cylinders in a static transverse field. I 85−56936
Schlogl, R.W. Potential distribution and interaction between two parallel dielectric cylinders in a static transverse field. II. Limiting case of contacting cylinders 85−56937
Schlolaut, R. TDMA−a digital satellite communication system 85−30955
Schlolaut, R. Operations of telecommunication ground equipment with TDMA-arrangements 85−36962
Schlolaut, R. Present and future application of satellite communications. I 86−59812
Schlolaut, R. Present and future application of satellite communication. II 86−69710
Schlom, D.G. *see* Allee, D.R. 88−39515, 88−39539
Schlom, D.G. *see* de la Houssaye, P.R. 88−39506
Schlom, D.G. *see* Larkins, E.C. 87−241, 87−44328
Schlom, D.G. *see* Yoffe, G.W. 88−20434, 88−33900, 88−51561
Schlomer, H. Safety, standards and ratings of electric power tools 86−57048
Schloss, J.S. Analog or digital phone system: time for decision 85−14023
Schloss, R.P. *see* Rediker, R.H. 85−24549, 86−48466
Schlossberg, H.R. *see* Johnson, A.W. *(editor)* 85−49274
Schlosser, D. Reliability assurance during the production of telecommunications equipment 86−4124
Schlosser, D.W. *see* Ching-Hwa Chen 87−60349
Schlosser, E. *see* Arnold, G. 86−4641
Schlosser, G. *see* Peehs, M. 86−70776
Schlosser, H. Reliability assurance in the manufacture of telecommunications equipment 86−37274
Schlosser, H. *see* Wirth, H. 87−21410
Schlosser, H.G. *see* Gahrn, V. 88−30629
Schlosser, P., Kable, R. A new high-performance transparent digitizer for computer graphics and display applications 86−31229
Schlosser, S.M., Schmitt, W.J. Portable ATE system design considerations 87−20886
Schlosser, V. Influence of processing temperature on minority carrier diffusion length of lower purity silicon 88−1352
Schlosser, V., Wendl, K. Preparation of solar cells from lower purity silicon 86−45710
Schlosser, V., Wendl, K., Seeger, K. Study of diffused solar cells based on upgraded metallurgical grade silicon 86−13082
Schlosser, W.O. *see* Magalhaes, F.M. 85−17868, 86−1368
Schlosser, W.O. *see* Ziesse, N.G. 85−54682
Schlosser, W.O.W. *see* Abeles, J.H. 85−17852
Schlossman, D. *see* Kheddache, S. 87−77628
Schlossnickel, P. Construction and building of a steam power station [main structure and auxiliary buildings] 88−17379
Schloter, M. *see* Leber, F. 85−57607
Schlotis, G. *see* Kill, E. 85−65504
Schlott, R. A Monte Carlo method for the Dirichlet problem of dielectric wedges 88−40481
Schlotter, N.E., Rabolt, J.F. Raman spectroscopy in polymeric thin film optical waveguides. I. Polarized measurements and orientational effects in two-dimensional films 85−7255
Schlotter, N.E., Twieg, R.J. Ph$_4$X compounds for optical second harmonic generation 85−7526
Schlotter, N.E. *see* Chan, W.K. 88−50874
Schlotterer, M. UPS installation: systems and mode of operation [uninterruptible power supplies] 85−9973
Schlotterer, M. The pain of choice. Mains power packs−which technology for which application 85−27015
Schlotterer, M. Uninterruptible power supply systems 85−59650
Schlotterer, M. Power supply must be reliable 87−64708
Schlotterer, M. Rectifier equipment− which application requires which technology? 88−559
Schlotterer, M. DC and AC rectifiers: ade thyristor 88−30789
Schlotz, H. The origination of cable swinging by natural stimulation 85−9512
Schlotz, H. *see* Maier, H.A. 88−10872
Schlotzhauer, E.O. Real-world board test effectiveness 88−71214
Schlotzhauer, E.O., Balzer, R.J. Real-world board test effectiveness: what does it mean when the board passes? 88−19529
Schlotzhauer, K. Transistor of the future 88−13347
Schlovogt, T., Kinn, Th. Emission control at a bituminous coal-fired power station 87−64402
Schluckebier, D., Ogrissek, M. The channel-type induction furnace as a melting unit in aluminium foundries 85−21976
Schlude, F. *see* Huhnerfuss, H. 86−12182
Schlue, J.W. *see* Hoffman, A.R. 86−60889
Schluessel, P., Shin, H.-Y., Emery, W.J., Grassl, H. Comparison of satellite-derived sea surface temperatures with in situ skin measurements 87−50565
Schlueter, G. *see* Foushee, F.C. 85−43814
Schlueter, J. *see* Blake, J. 88−39183
Schlueter, L.E. Maintenance requirements and costs at the Carrisa Plains photovoltaic plant 88−37115
Schlueter, M. *see* Sheehan, F.H. 85−52317
Schlueter, R. *see* Lotfalian, M. 86−18750
Schlueter, R.A. A local potential energy boundary surface method for power system stability assessment 86−56310
Schlueter, R.A., Lo, J.C., Yazdankhah, A.S. A fast accurate method for direct assessment of transient stability 88−42753
Schlueter, R.A., Park, G.L., Reddoch, T.W., Barnes, P.R., Lawler, J.S. A modified unit commitment and generation control for utilities with large wind generation penetrations 85−60101
Schlueter, R.A., Sigari, G., Costi, A. Wind array power prediction for improved operating economics and reliability 86−51537
Schlueter, R.A. *see* Bouwmeester, R.J.B. 86−12756
Schlueter, R.A. *see* Costi, A. 86−70606
Schlueter, R.A. *see* Lotfalian, M. 86−56332
Schlueter, R.A. *see* Rastgoufard, P. 88−54855, 88−54875 to 54876
Schlueter, R.A. *see* Shayanfar, A. 86−25474
Schlumberger, H. *see* Harz, K. 88−23738
Schlump, D. *see* Veith, G. 88−65872
Schlump, K. *see* Heimgartner, F. 85−43657
Schlumpf, L. Swiss federal policy on telecommunications 88−41158
Schlunk, R.W. *see* Beijderwellen, P. 88−62829
Schlup, J. *see* Christodoulou, C.N. 87−67715
Schluper, B., Vokurka, J. Troubleshooting limitations in indoor RCS measurements 87−56238
Schlupmann, J. *see* Ahrenkiel, R.K. 88−1355, 88−32816
Schlupmann, J. *see* Bamberger, A. 87−3892, 87−29449
Schlupmann, J. *see* Hamaker, H.C. 88−37500
Schlurmann, A. *see* Morgenroth, O. 88−67104
Schlusen, J. *see* Eckert, G. 86−65886
Schlussel, H. Potentialities and limitations of the lead-acid battery 87−78868
Schlussel, H., Giess, H. The lead-acid battery as an energy store for electric road vehicles 86−26257
Schlusselberg, D.S., Simon, R., Smith, W.K., Woodward, D.J. Three-dimensional analysis and display of regional cerebral blood flow 87−57125
Schlusselberg, D.S., Smith, W.K., Woodward, D.J. Three-dimensional display of medical image volumes 88−48131
Schlussler, J.U. *see* Benke, L. 86−63451
Schluter, H. Synthesis of Dolph-Chebyshev group emitters by using the discrete Fourier transform 88−2819
Schluter, H. Rear-feed dish radiator with corrugated horn 88−45774
Schluter, H. Synchronized short-time integration of phase-sensitive rectified signals 88−60652
Schluter, K., Pfulb, W. Computer-aided diagnosis of faults in automated surface-mounting of PCB components 88−71211
Schluter, M. Theoretical models of metal-semiconductor contacts 86−47396
Schluter, M. *see* Brand, C. 85−59177
Schluter, M. *see* Gubser, D.U. *(editor)* 87−58562
Schluter, P., Clapham, D., Mertens, J., Mockaitis, A., Mortara, D., Stankus, K. The design and evaluation of a computer based system for Holter tape analysis 85−53068
Schluter, R. *see* Park, S. 87−41838
Schluter, R. *see* Sakumoto, W. 85−43162
Schluter, R. *see* Yoshida, R. 86−50327
Schluter, V. *see* Kuo, W. 87−51675
Schmachtenberg, R. *see* Gullick, P. 87−20947
Schmadel, D. *see* Belsley, K.L. 87−18687
Schmadt, J.-P. *see* Nitsche, F. 87−60734
Schmahl, G. *see* Howells, M. 85−64519
Schmahl, G. *see* Niemann, B. 86−60687
Schmalbrock, P. *see* Boyd, R.N. 85−59145
Schmalbrock, P. *see* Keller, P.J. 88−4917
Schmale, P. Coach: a tool for centralized maintenance 86−69927
Schmalensee, R. *see* Joskow, P.L. 85−38900
Schmalfuss, H.J. Opto-electronic profile measuring system 87−77410
Schmalfuss, V. *see* Otto, P. 88−26400
Schmalhorst, J.M. *see* Cannon, D.M. 86−63547, 87−60800
Schmall, L. *see* Remy, J. 88−22664
Schmaltz, K. *see* Faust, W. 88−28168
Schmalz, C. *see* Kokert, W. 88−53174
Schmalz, G. *see* Doll, P. 87−70994
Schmalz, K. Defect distribution in Cz-Si due to multi-step heat treatment 87−67064
Schmalz, K., Kirscht, F.-G., Niese, S., Babanskaja, I., Kittler, M., Richter, H., Schoneich, J., Seifert, W. On the intrinsic gettering in Cu-contaminated Cz-Si 85−50361
Schmalz, K. *see* Emtsev, V.V. 85−11898
Schmalz, K. *see* Kirscht, F.-G. 87−17891, 88−44629
Schmalz, M.S., Caimi, F.M. Shift-invariant recognition of rotationally deformed ship silhouettes at multiple resolution scales 87−39943
Schmalz, M.S., Caimi, F.M. Deformation-tolerant statistical correctors for enhancement of ship silhouette recognition 88−21326
Schmalz, M.S. *see* Caimi, F.M. 87−19700
Schmalzer, E. Common aerials: improved VHF reception 87−47387
Schmandt, C. Speech synthesis gives voiced access to an electronic mail system 85−13806
Schmandt, C. Remote access to voice and text messages 85−36649
Schmandt, C. Voice access to an electronic mail system 86−4214
Schmandt, C. Problems in the design of speech interfaces using large vocabulary recognizers 87−61794
Schmandt, C. Employing voice back channels to facilitate audio document retrieval 88−59100
Schmandt, C. Conversational systems: some dialog problems 88−66434
Schmandt, C. Voice and graphics in a conversational office environment 88−67145

Schmandt, C., Arons, B. A conversational telephone messaging system 85−3012
Schmandt, C., Arons, B. Phone slave: a graphical telecommunications system 85−13795
Schmandt, C., Arons, B. Phone Slave: a graphical telecommunications interface 86−17058
Schmandt, C., McKenna, M.A. An audio and telephone server for multi-media workstations 88−41241
Schmatjko, K.-J. Generation of continuously tunable 16 μm laser radiation by four-wave mixing in para-H_2 87−75250
Schmatloch, W., Thiel, K. Generators for the Paulo Afonso IV hydroelectric power plant in Brazil 87−35839
Schmatloch, W. *see* Meyer, H. 85−27379, 86−51576
Schmatz, W. Experience with an IEEE 802.3 local area network in a multi-vendor environment 87−55814
Schmatz, W. *see* Badurek, G. 85−64439, 86−56072
Schmaus, K. The use of digital switching equipment on buildings of the Deutsche Bundespost (Optimization of cooling and telecommunication equipment layout) 86−59737
Schmaus, K., Tiggemann, F. Problems in connection with the change-over from analogue to digital switching systems in existing Deutsche Bundespost buildings 88−28602
Schmeck, H. On the maximum edge length in VLSI layouts of complete binary trees 86−63368
Schmeer, H. *see* Sack, J. 86−19320
Schmeiber, D. *see* Kunst, M. 87−25101
Schmeichel, E.F., Hakimi, S.L. A cycle structure theorem for Hamiltonian graphs 88−70219
Schmeichel, E.F. *see* Hakimi, S.L. 85−28064
Schmeichel, H., Ehlers, B.J. In-flight rescue of stranded TDRS-1 spacecraft 85−14211
Schmeichel, H. *see* Nakano, H. 85−15394
Schmeil, U. *see* Rauch, G. 86−51419
Schmeing, H., Wills, J.S., Hagberg, E., Hardy, J.C., Koslowsky, V.T., Perry, W.L. The Chalk River helium-jet ion source 87−70985
Schmeing, H. *see* Andrews, H.R. 85−20871
Schmeing, H. *see* Sharma, K.S. 87−71054
Schmeiser, B. *see* Leemis, L. 85−60811
Schmeiser, C. Approximate solution of boundary value problems on infinite intervals by collocation methods 86−52405
Schmeiser, C. *see* Ascher, U. 88−1611, 88−7557
Schmeiser, C. *see* Ringhofer, C. 88−33124
Schmeisser, E.T. *see* Randolph, D.I. 86−65464
Schmeisser, G., Raghuramireddy, D., Unbehauen, R. An alternative proof for the stability of least squares inverse polynomials 87−206
Schmeisser, G. *see* Seamone, W. 87−21640
Schmeling, G. PC-board testing arises from CAE simulation vectors 88−57086
Schmeling, P., Sandell, S. Non-destructive measurement of the glass content of GRP material 85−484
Schmeller, O. The German telecommunications satellite system (DFS-Kopernikus) 85−20154
Schmeller, O. The German telecommunications satellite system DES−Kopernikus 86−59862
Schmeller, O. *see* Knoben, W.-U. 87−76664
Schmeltz, J. Electricity's portion of total energy consumption in France 86−18923
Schmelzbach, P.A., Dingy, D., Zhang, W.Z., Gruebler, W. A low temperature atomic beam for the ETH polarized hydrogen ion source 87−3855
Schmelzbach, P.A., Gruebler, W., Singy, D., Zhang, Z.W. Production of a cooled, polarized atomic hydrogen beam 87−77504
Schmelzbach, P.A., Singy, D., Gruebler, W., Zhang, W.Z. A cooled, intense polarized hydrogen atomic beam for the ETH polarized ion source 87−8815
Schmelzbach, P.A. *see* Clegg, T.B. 85−64416
Schmelzbach, P.A. *see* Gruebler, W. 86−55965
Schmelzbach, P.A. *see* Konig, V. 87−3844
Schmelzer, J. Japan−a priceless example? Japanese catalysts for German coal-fires? [coal-fired power stations] 85−43865
Schmelzer, J. *see* Bruhl, B. 87−64340
Schmelzer, W. *see* Brandt, R. 87−29666
Schmengler, E. Mobile broadband Doppler Direction Finder PA 555 for VHF-UHF range 86−30903
Schmengler, E. DF networks with DF control units GB 010 and GB 055 A1 87−41057
Schmerbach, J. *see* Thierfelder, H.E. 85−48402
Schmerbauch, J.L. Eliminating static generating products from the workstation environment 88−70099
Schmerberg, N.W. *see* Mayer, F.J. 87−21069
Schmerisser, G. *see* Raghuramireddy, D. 87−10987
Schmerler, D. *see* Eyring, K. 87−13977
Schmerling, J.M. *see* Clark, R.E. 86−61376
Schmerling, J.M. *see* Nottingham, L.D. 87−78628
Schmerr, L.W., Jr., Sedow, A. Ultrasonic crack characterization via a constrained inversion algorithm 86−52577
Schmertosch, T. *see* Hotho, K. 86−44425
Schmettow, C.von *see* von Schmettow, C.
Schmetz, J., Nuret, M. Automatic tracking of high-level clouds in Meteosat infrared images with a radiance windowing technique 88−42647
Schmickl, H. *see* Both, J. 85−40264, 88−57010
Schmickl, H. *see* Otten, A. 85−6558, 86−20863
Schmickler, H. *see* Alner, G.J. 88−10288
Schmickler, L. Approximation of empirical distribution functions with mixed Erlang distributions and Cox distributions 88−52752
Schmid, A. *see* Chakravarty, S. 86−36099
Schmid, C., Steiner, H. Tests on a ground-water heat pump installation 85−49206
Schmid, C. *see* Swoboda, M. 86−44048
Schmid, D. A design environment for the synthesis of VLSI circuits 87−18295
Schmid, D. The American audiophile. The PS Audio pre/end stages 88−35741
Schmid, D. Noble Samurai: Luxman valve pre- and power amplifiers CL-360/MQ-360 88−47368
Schmid, D. Encounters of the third kind. Merlin valve preamplifier. DK-OTL mono output stages 88−74196
Schmid, D., Camposano, R., Kunzmann, A., Rosensteil, W., Wunderlich, H.-J., Schmid, D. The integration of test and high level synthesis in a general design environment 87−24029
Schmid, D. *see* Rosenstiel, W. 87−52544
Schmid, D. *see* Schmid, D. 87−24029
Schmid, E. The use of travelling wave tube amplifiers in the most modern radio relay link systems 85−40398
Schmid, E., Reisinger, J. High performance oversampling A/D-converter for digital signal processing applications 85−61339
Schmid, E. *see* Sailer, H. 86−30212
Schmid, E. *see* Vogel, D. 86−34999, 87−5973
Schmid, F. *see* Hudson, C. 88−67688
Schmid, F. *see* Khattak, C.P. 85−35369, 86−52434, 88−383
Schmid, F. *see* Khttak, C.P. 88−56212
Schmid, F. *see* Smith, M.B. 88−37451
Schmid, G. Overhead line construction to 30 kV. V 85−27088
Schmid, G. Overhead transmission line construction up to 30 kV VI 85−32198
Schmid, G. Overhead line construction up to 30 kV. VII 85−43634
Schmid, G. Measuring mobile ion densities in MOS structures 85−45467
Schmid, G. ATE networks: preparing for the automated factory 86−4984
Schmid, G. *see* Behringer, U. 85−34733
Schmid, H. Uncontrolled PIO [for ZX 81] 85−826
Schmid, H. Plasma mass spectrometric analysis and control of reactive ion etching of InP and related compounds 88−7503
Schmid, H., Larimer, S., Madak, T. Channelized or nonchannelized fault-tolerant computers: a hardware complexity comparison of fault-tolerant computers for flight control systems 87−42098
Schmid, H., Rishton, S.A., Kern, S., Washburn, S., Webb, R.A., Kleinsasser, A., Chang, T.H.P., Fowler, A. Fabrication of quantum devices in metals and semiconductors 88 −39294
Schmid, H. *see* Albrecht, P. 88−45208
Schmid, H. *see* Kleinsasser, A.W. 87−25882, 87−67855
Schmid, H. *see* Niggebrugge, U. 87−74813
Schmid, H. *see* Rishton, S.A. 88−39716
Schmid, H. *see* Stoisiek, M. 88−39431
Schmid, H. *see* Washburn, S. 88−71620
Schmid, H.F. Microscan receivers boost intercept probability 87−28361
Schmid, H.G. *see* Affolter, P. 88−40437
Schmid, H.J. *see* Pohl, G. 85−45324
Schmid, J. Photovoltaic system technology 86−65998
Schmid, J. Trends in European wind turbine developments 87−15619
Schmid, J. Recommendations for measurements on inverters for photovoltaic applications 87−78557
Schmid, J. Small power photovoltaic systems 88−17449
Schmid, J. Photovoltaic AC system for supplying power 88−23792
Schmid, J., Bopp, G., Kaiser, R., Schatzle, R. Experiences with a grid-connected residential photovoltaic system 86−39646
Schmid, J., Palz, W. European wind energy technology. State of the art of wind energy converters in the European Community (EUR 10759) 87−43762
Schmid, J. *see* van Meerbergen, J.L. 87−17156
Schmid, J. *see* Van Wijk, F.J. 87−5912, 87−17135
Schmid, J. *see* Welten, F.P. 85−61315
Schmid, J.J., Vontobel, H., Tartini, R., Steinbrunn, W. Cardiogoniometry, a new technique for detecting ischemic heart disease 88−4976
Schmid, K., Bohmer, G. An electronic device for accurate quantification of neuronal mass activity based on a digital integration method 85−15331
Schmid, K., Bohmer, G. Forwards in the μm-region [microelectrode positioning] 85−26741
Schmid, K., Bohmer, G. The 'surfing window' discriminator 85−38144
Schmid, K., Bohmer, G. Instantaneous frequency meter with averaging capability based on interval duration measurement [neurophysiology application] 85−59286
Schmid, K., Bohmer, G. A device for spike train sampling with built-in memory 87−50344
Schmid, K., Bohmer, G. A stepper motor-driven microelectrode positioner 87−63719
Schmid, K.C. *see* Sandor, B.I. 87−52241
Schmid, M. The Extendable and Retractable Mat as supporting tool for rigid solar arrays 87−77809
Schmid, M., Locher, R. Easygate−the bridge between PC, EDP and the telex service 87−76241
Schmid, M. *see* Anderson, R.J. 87−72275
Schmid, M. *see* Bussy, D. 88−23511
Schmid, M. *see* Hertl, S. 86−42063
Schmid, M. *see* Hochreutener, M. 85−30838
Schmid, M. *see* Laurent, M. 87−35674
Schmid, M. *see* Zbinden, K. 87−4404
Schmid, M.E. Fault tolerant computing via monitors 85−20466
Schmid, M.G. *see* Morris, P.B. 85−20959
Schmid, P. Optimum coupling of laser diode to single-mode fiber with an aspherical shaped silica micro lens 88−1934
Schmid, P., Melchior, H. Coplanar flip-chip mounting technique for picosecond devices 85−18820
Schmid, P., Rossberg, R.H. Core direct monitoring and precise alignment of single-mode fibers 86−9533
Schmid, P.E., Liehr, M., Legoues, F.K., Ho, P.S. Schottky barrier and electronic states at silicide-silicon interfaces 87−11454
Schmid, P.E., Maurer, C.A. PUBLITEX: the videotex system for the future public service of the Swiss PTT 85−8108
Schmid, P.E. *see* Liehr, M. 86−1807, 88−19737
Schmid, R., Brunner, M. Design and application of a quadrupole detector for low-voltage scanning electron microscopy 87−37856
Schmid, R. *see* Brunner, M. 87−31321, 88−26399, 88−39035
Schmid, R. *see* Collins, R.E. 88−37625
Schmid, R. *see* Dalichow, M. 87−71459
Schmid, R. *see* Loeffler, L. 86−27278
Schmid, R. *see* Petesch, B. 88−45590
Schmid, R.A. Hierarchical contour coding simplifies real time pattern recognition 87−55291
Schmid, R.S., Pantano, C.G. Titanium impurity effects in thin film oxide cathodes 85−55350
Schmid, S. *see* Pernicka, M. 87−29677
Schmid, W. Date/time information and timer for any PC [from radio transmission] 85−23054
Schmid, W. Components for optical signal transmission systems 86−43836
Schmid, W., Flade, B., Hoeing, K., Eggert, R. A precise, programmable 850-nm optical signal source 85−26350
Schmid, W. *see* Eckert, A. 85−24302
Schmid, W. *see* Eichler, H.J. 85−51085
Schmid, W. *see* May, H. 86−63891
Schmid, W.E. *see* Wan Chong-yi 86−3072
Schmid-Burgk, J. *see* Roeser, H.P. 87−35489, 88−35625
Schmid-Fetzer, R. Stability of metal/GaAs-interfaces: a phase diagram survey 88−44588
Schmid-Schonbein, H. *see* Muhl, T. 88−16715
Schmidbauer, O. Syllable-based segment-hypotheses generation in fluently spoken speech using gross articulatory features 87−61666
Schmidbauer, O. *see* Hoge, H. 87−19577
Schmidbauer, O. *see* Ney, H. 86−69007
Schmidberger, E.J. *see* Warnecke, H.J. 88−49564
Schmidhausler, F.J. Btx for safety on the streets 88−28326
Schmidig, A. *see* Karl, F. 85−28370
Schmidinger, H. *see* Weber, H. 87−21601
Schmidinger, K. *see* Hofer, R. 87−16794
Schmidke, B., Divan, D.M., Robinson, A.M. Utility interface requirements for high power photovoltaic arrays 87−30456
Schmidlin, B. VPI insulation system with improved properties 88−64846
Schmidlin, B., Brandenberger, K. Development of an impregnating resin having improved VPI properties 86−62273
Schmidlin, D.J. A generalized delay operator for shift-variant systems 86−16403
Schmidlin, F.J. Intercomparisons of temperature, density and wind measurements from in situ and satellite techniques 85−48473
Schmidlin, X. Electronic meter reading in practice 87−4462
Schmidmeyer, J. *see* Anguilar-Benitez, M. 87−71031
Schmidt, Auer Auto-focus. A matter of sharpness 85−20336
Schmidt, A. VHS-C camera recorder 'VideoMovie' 85−37271
Schmidt, A. No oscillation in flyback power supply 85−54644

Schmidt, A. Transmitter search system is not functioning [video tape recorder] 85−63856
Schmidt, A. Computer equalizer [graphic equaliser] 86−17675
Schmidt, A. Amended VDE-Specification 0855 part 1 (Antennas) 86−36802
Schmidt, A. Analogue record player with interesting construction features 86−38134
Schmidt, A. PAL colour generator for Video Programme Service and stereo sound 86−44325
Schmidt, A. The views of the State Government of Hesse on the reform of the tariff structure 87−77964
Schmidt, A., John, E. Ships' current from new sources−RCF hydrostatic superimposed gear unit 88−11305
Schmidt, A. *see* Anderson, G. 85−47900
Schmidt, A. *see* Angelo, F. 85−42927
Schmidt, A.A. *see* Lunkin, Yu.P. 85−31899
Schmidt, A.C.G. *see* van Aken, J.A. 85−5744
Schmidt, A.D. *see* Vickers, R.S. 88−60264
Schmidt, A.G. *see* Lee, G.M. 87−67568
Schmidt, A.L., Voigt, R.J. Twin-axial cable analyzer 85−40275
Schmidt, B. The calculation of aerial cables according to the finite element method 86−12457
Schmidt, B. Drift properties of electrons in methane and methane noble gas mixtures 87−29459
Schmidt, B., Rose, J. Structural problems with the use of optoelectronic system elements in the device 87−3193
Schmidt, B. *see* Bock, P. 86−32157
Schmidt, B. *see* Davids, P. 86−60975
Schmidt, B. *see* Maier, H. 87−3487
Schmidt, B. *see* Schier, A. 87−60560
Schmidt, B. *see* Stens, E. 87−45465, 88−32684
Schmidt, B. *see* von Borany, J. 86−28219, 86−56034
Schmidt, B.G. *see* Kemper, K.W. 87−50115
Schmidt, B.G. *see* Sanderson, D.P. 87−77516
Schmidt, B.H. *see* Mehlhorn, K. 87−16482
Schmidt, B.L. *see* Decker, S.L. 87−34854
Schmidt, B.R. The 1984 session of CIGRE. A report 85−32163
Schmidt, C. Stability tests on the Euratom LCT conductor 85−12523
Schmidt, C. Measuring AC losses of superconductors 85−62212
Schmidt, C., Jeske, U., Specht, E. A low loss superconducting cable for poloidal field coils (design, development, measurements) 87−67985
Schmidt, C., Schweikert, K., Specht, E. Test of a low loss superconductor for use in a poloidal field coil 86−53930
Schmidt, C., Yi, C. Stability of superconductors for poloidal field coil application 88−64993
Schmidt, C. *see* Forster, S. 85−46106
Schmidt, C. *see* Krokoszinski, H.-J. 86−20984, 86−41462
Schmidt, C. *see* Oetzmann, H. 86−66843, 88−1038
Schmidt, C.E.C., Krokoszinski, H.-J., Oetzmann, H., Gernoth, H. Additive thin film hybrid technology 86−53268
Schmidt, C.W., Curtis, C.D. Operation of the Fermilab H^- magnetron source 87−77499
Schmidt, C.W. *see* Curtis, C.D. 87−41814
Schmidt, D. Plastic carrier strip for non-planar components [on hybrid ICs] 85−23282
Schmidt, D. A complete microcomputer on a single Eurocard-SMP-E19 86−52885
Schmidt, D. Current in contact points−thermoelement connectors 87−11117
Schmidt, D. Class EA3000 electric locomotives for Danish State Railways 87−43553
Schmidt, D. Fiscal, tax and calculation strategy for flue gas desulphurisation and nitric oxide reduction measures 87−78427
Schmidt, D., Westenburg, T. 12-bit A/D convertor: errors digitally corrected 87−44960
Schmidt, D. *see* Ehrfeld, W. 88−39249
Schmidt, D. *see* Katzer, G. 87−5007
Schmidt, D.C. *see* Colbry, B.W. 88−25619
Schmidt, D.N. Investigation of various substrate dopants and epitaxial growth techniques for producing sharp transition epitaxial wafers 88−24722
Schmidt, D.N. *see* Borland, J.O. 87−23673
Schmidt, D.P., Willits, G. Hughes HF adaptive radio 86−30680
Schmidt, D.P. *see* Unger, R. 87−42208
Schmidt, D.Ph. *see* van der Wal, L.F. 86−12188
Schmidt, E. Employment policy aspects in the investments made by the electricity supply industry 85−9439
Schmidt, E. Receiver design cuts front-end phase errors 86−23964
Schmidt, E. From an agrarian monster to a technological community. Can Europe master the challenge? 87−16447
Schmidt, E. Control of power consumption−results and development trends 87−21851
Schmidt, E. Power consumption control in the 8th five-year plan 87−42334
Schmidt, E. Quo vadis microelectronics? 87−52474
Schmidt, E. Better circuit boards with organically modified ceramics (Ormocers): a novel compound of glass and a synthetic offers interesting possibilities for the manufacture of circuit boards to satisfy more demanding specifications 88−12778
Schmidt, E. An impressive method for producing circuit boards 88−12779
Schmidt, E. Electronics as the engine of innovation [IC developments] 88−64646
Schmidt, E., Davis, C. New directions for the army's DF receivers 86−23991
Schmidt, E., Davis, C., Casale, T. Miniature four channel interferometer planned by Varian/RF Subsystems Division 88−4129
Schmidt, E., Denman, J. Phase-limiting amplifiers receive flatpack housings 85−33676
Schmidt, E., Mentael, T., Krahn, K.-H. Three-color He-Se^+ laser with optimized output power 86−54070
Schmidt, E. *see* Duparre, A. 85−35837
Schmidt, E. *see* Hassler, D. 88−59334
Schmidt, E. *see* Kloeppel, F.W. 85−59797, 86−39194
Schmidt, E. *see* McInturff, A. 85−26566
Schmidt, E. *see* McInturff, A.D. 85−64386
Schmidt, E. *see* Wang, Y. 87−71446
Schmidt, E.E. *see* Fisk, H.E. 86−31827
Schmidt, E.E. *see* Kuchnir, M. 88−68151
Schmidt, E.E. *see* Niemann, R.C. 85−37848, 85−59034
Schmidt, E.E. *see* Strait, J. 87−74617
Schmidt, E.M., McIntosh, J.S., Bak, M.J. Long-term implants of Parylene-C coated microelectrodes 88−23117
Schmidt, E.R., Jamali, K.M., Parry, G.W., Gibbon, S.H. Importance measures for use in PRAs and risk management 85−43852
Schmidt, F., Bisanz, R. Can a core meltdown accident be controlled? New information about the behaviour of a reactor core during a serious breakdown 85−48775
Schmidt, F., Hubert, A. Domain observations on CoCr-layers with a digitally enhanced Kerr-microscope 87−25774
Schmidt, F., Prakelt, H. CCD matrix camera with 6-bit video output signal 86−49828
Schmidt, F., Rave, W., Hubert, A. Enhancement of magneto-optical domain observation by digital image processing 86−31601
Schmidt, F. *see* Anke, D. 87−51380
Schmidt, F. *see* Burmeister, M. 87−76374
Schmidt, F. *see* Deuter, A. 87−14636
Schmidt, F. *see* Hermes, T. 85−8431, 85−63656, 86−11120
Schmidt, F. *see* Jahn, R. 85−6799
Schmidt, F. *see* Konig, D. 85−49422
Schmidt, F. *see* Mais, H. 86−31942, 87−63612
Schmidt, F. *see* Raub, F. 88−35115
Schmidt, F. *see* van der Hart, A. 87−35291
Schmidt, F. *see* Werner, W. 86−42326
Schmidt, F.-M. Theoretical determination of strain resistance properties of thin polycrystalline silicon films 87−32233
Schmidt, F.W. Low-cost microstrip phased array antenna for use in mobile satellite telephone communication service 88−2879
Schmidt, G. TEMEX concept and service 86−43489
Schmidt, G. Classical electron motion in electromagnetic fields 87−68723
Schmidt, G. CAT software for control of network analysers 88−35784
Schmidt, G., Timmermann, D., Bohme, J.F., Hahn, H., Hosticka, B.J., Zimmer, G. Parameter optimization of the CORDIC-algorithm and implementation in a CMOS-chip 87−44931
Schmidt, G. *see* Gretsch, R. 87−58191, 88−17743
Schmidt, G. *see* Haase, H. 88−60450
Schmidt, G. *see* Hansen, S. 87−15525
Schmidt, G. *see* Herrmann, D. 85−38692
Schmidt, G. *see* Klostermeyer, J. 88−74976
Schmidt, G. *see* Kuo, S.P. 86−10069
Schmidt, G. *see* Maier, R. 87−44224
Schmidt, G. *see* Munser, H. 87−15437
Schmidt, G. *see* Stiehler, T. 85−52989
Schmidt, G. *see* Singh, M.G. *(editor)* 88−31288
Schmidt, G.C. *see* Funk, J.E. 85−9267
Schmidt, G.K. *see* von Dungern, O. 88−31537
Schmidt, G.K. *see* Warner, D.N., Jr. 86−60895
Schmidt, G.W. *see* Hier, R.G. 86−11953
Schmidt, H. Resolution bias errors in spectral density, frequency response and coherence function measurements. I. General theory 86−10378
Schmidt, H. Resolution bias errors in spectral density, frequency response and coherence function measurements. II. Application to first-order systems (white noise excitation) 86−10379
Schmidt, H. Resolution bias errors in spectral density, frequency response and coherence function measurements. III. Application to second-order systems (white noise excitation) 86−10380
Schmidt, H. Resolution bias errors in spectral density, frequency response and coherence function measurements. IV. Time delay bias errors 86−10381
Schmidt, H. Resolution bias errors in spectral density, frequency response and coherence function measurements. V. Comparison of different frequency response estimators 86−10382
Schmidt, H. Resolution bias errors in spectral density, frequency response and coherence function measurements. VI. Non-white noise at the input 86−10383
Schmidt, H. Microprocessors control rolling stock and motive power 87−9925
Schmidt, H. An in-circuit system relieves the load on the function tester: thereby facilitating the optimisation of production costs 87−49462
Schmidt, H. The logic analyser−can also be used as a PC 87−56566
Schmidt, H. Emission current behaviour and electric strength of vacuum contact-break distances with CuCr contacts at AC voltage 87−58242
Schmidt, H. Radio control technology in the service of TV broadcasting 87−63103
Schmidt, H. Natural display systems and convertibility-functions of the PT-quotient-rings 88−42237
Schmidt, H., Aichinger, H. Automatic exposure in peripheral angiography 87−8902
Schmidt, H., Bierbrauer, L., Muller, A., Heisig, U., Hartung, J., Lange, F., Heinrich, A. Mass production of general-purpose axial-lead thin film resistors from 1 ohm to 10 Gigaohms 88−32485
Schmidt, H., Ludewigt, K. High power solid state lasers 88−58502
Schmidt, H., Reimann, H., Kiehne, H. A new procedure for the measurements of fluid level in the reactor pressure vessels of pressurized water reactors 86−12625
Schmidt, H., Spors, M. Frequency converters speed up handling with container cranes for German railways 88−5945
Schmidt, H., Wallenstein, R. Beta-barium borate: a new nonlinear optical material 88−2370
Schmidt, H., Zosel, P. The application of capacitive measurement to the supervision in operation of piston compressors 85−26453
Schmidt, H. *see* Buchler, J. 87−31614
Schmidt, H. *see* Froncek, F. 85−60349
Schmidt, H. *see* Konig, D. 86−8689, 87−37808, 88−38980
Schmidt, H. *see* Lucht, H. 85−48022
Schmidt, H. *see* Ludewigt, K. 86−22316
Schmidt, H. *see* Sai-Halasz, G.A. 88−1654
Schmidt, H. *see* Schnellhammer, W. 85−27252
Schmidt, H. *see* Trzyna, M. 87−13872
Schmidt, H. *see* Welling, H. 87−7444
Schmidt, H.-H. *see* Kuhlemann, W. 87−35579
Schmidt, H.-J. *see* Hiller, T. 86−65284
Schmidt, H.-W. *see* Claus, H. 85−1170
Schmidt, H.E. *see* Allington, T.R. 85−34401
Schmidt, H.E. *see* Koch, S.W. 85−7509
Schmidt, H.I. Single frequency shift keying system 85−47428
Schmidt, H.J., Scott, M.H., Dicks, J.B. The history and future of light weight MHD power systems 86−33708
Schmidt, H.J., Scott, M.H., Wu, Y.C.L. Pulsed MHD generator development in the Soviet Union 85−53836
Schmidt, H.J., Wu, Y.C.L. Explosive MHD−an assessment 87−36161
Schmidt, H.J. *see* Bauer, H. 85−47055
Schmidt, H.J. *see* Sharma, S.P. 88−40153
Schmidt, H.R., Bantel, M., Chan, Y., Gazes, S.B., Wald, S., Stokstad, R.G. A segmented position-sensitive plastic phoswich detector 86−25129
Schmidt, H.U. Introduction into spread spectrum technology 85−8299
Schmidt, H.U. Introduction into spread spectrum technology. II 85−14089
Schmidt, H.U. *see* Klein, K.-F. 88−72051
Schmidt, H.U. *see* Neubauer, F.M. 87−77379
Schmidt, H.U. *see* Schneider, W. 88−13853, 88−33673
Schmidt, I. Self control methods of the converter-fed synchronous motor 87−22246
Schmidt, I. Insulation diagnostics of power transformers by computer analysis of desorption current curves 87−43156
Schmidt, I., Dementiev, J.N., Farkas, A. Supersynchronous induction motor cascade with machine commutation thyristors 85−21608
Schmidt, I., Dementiev, J.N., Hajevszki, F. Controlled supersynchronous cascade drive 86−13107
Schmidt, I., Dement'ev, Yu.N. An oversynchronous asynchronous motor cascade controlled from the flux 85−60192
Schmidt, I. *see* Frank, T. 87−43013
Schmidt, J. Uninterruptible AC supply systems with thyristor converters 85−9467
Schmidt, J. The SDA 2010 and 2020 microcomputers in motor control and analogue/digital applications 85−21641
Schmidt, J. Questions about the data protection legality of TEMEX 86−43491
Schmidt, J. A successive pole assignment method for the distribution of the actuator power 88−75878

Schmidt, J., Breckwoldt, E., Lohberg, R. Evaluation of the weldability of heavy-section forgings with special emphasis on areas with segregation 85−39359
Schmidt, J., Levy, M. Percolation model for the surface acoustic wave attenuation in a superconducting granular lead film 87−1907
Schmidt, J., Levy, M., Hebard, A.F. Attenuation of surface acoustic waves in a superconducting In/InO$_x$ film 87−67842
Schmidt, J., Reil, F., Penzkofer, A. Intra-cavity pulse compression in passively mode-locked Nd-glass lasers 86−63789
Schmidt, J., Sievers, R. Necessary steps for the application of gate turn-off thyristors in inverters for uninterruptible power supply systems 86−61635
Schmidt, J., Sievers, R. Self-commutated inverters with gate turn-off thyristors (GTOs) 88−24996
Schmidt, J. *see* Birx, D.L. 85−5307, 87−50047
Schmidt, J. *see* Borys, B. 87−64347
Schmidt, J. *see* Borys, B.-B. 87−35807
Schmidt, J. *see* Bredow, W. 86−67553
Schmidt, J. *see* Chababo, C. 85−14785
Schmidt, J. *see* Czeratzki, A. 85−43664
Schmidt, J. *see* Gerhold, J. 86−48023, 88−66009
Schmidt, J. *see* Graf, F. 85−51152
Schmidt, J. *see* Hagedorn, P. 87−42504
Schmidt, J. *see* Kao, S. 88−28316
Schmidt, J. *see* Rothe, A. 86−70014
Schmidt, J. *see* Schipanski, D. 86−21836
Schmidt, J.A. *see* Birx, D.L. 85−58965
Schmidt, J.D. Weapon system master planning focusing technology, logistics, and costs of mission effectiveness 88−117
Schmidt, J.E., Doncals, R.A., Porter, C.A., Gundy, L.M. LMFBR ultra long life cores 87−42622
Schmidt, J.E. *see* Carelli, M.D. 87−42057
Schmidt, J.J., Carter, J.L. Glass-to-metal improved yields and quality using nitrogen-based atmospheres 85−28061
Schmidt, J.J. *see* Nowotarski, M.S. 86−52252
Schmidt, J.R. Microwave technology in Earthstations 86−17336
Schmidt, J.T. *see* Tieman, D.G. 87−14855
Schmidt, J.W. Convex interval interpolation with cubic splines 87−10294
Schmidt, J.W. On tridiagonal linear complementarity problems 87−44206
Schmidt, J.W. An unconstrained dual program for computing convex C^1-spline approximants 88−11902
Schmidt, J.W., Hess, W. Quadratic and related exponential splines in shape preserving interpolation 87−58842
Schmidt, J.W., Hess, W. Positivity of cubic polynomials on intervals and positive spline interpolation 88−63202
Schmidt, J.W., Hoyer, W., Haufe, C. Consistent approximations in Newton-type decomposition methods 86−13687
Schmidt, J.W. *see* Burmeister, W. 86−7671
Schmidt, J.W. *see* Dietze, S. 88−49747
Schmidt, J.W. *see* Hess, W. 86−46235
Schmidt, J.W. *see* Johannsen, W. 88−73640
Schmidt, K. The conception of a radio setup for the transmission of digital traffic 88−3800
Schmidt, K. Computer-aided servicing of railway security installations 88−5937
Schmidt, K. *see* Corke, M. 87−76811
Schmidt, K. *see* Grune, E. 85−16659
Schmidt, K. *see* Schiller, S. 85−60588
Schmidt, K.-D. *see* Langenbuch, S. 87−30324
Schmidt, K.-H. Geobally on the ball. SIEKOM−the worldwide integrated communications network from the house of Siemens 85−47024
Schmidt, K.-H. SIEKOM-Siemens' worldwide, integrated communications network 85−63191
Schmidt, K.-H. Multifunction terminals for present and future communications networks 87−62716
Schmidt, K.-H. *see* Armbruster, P. 88−36393
Schmidt, K.-H. *see* Morawek, W. 87−71002
Schmidt, K.-H. *see* Munzenberg, G. 87−71048
Schmidt, K.-P. *see* Hill, B. 86−2879, 87−74885
Schmidt, K.D. Which test system for which objective? 85−3844
Schmidt, K.D. Tester with logic analysis facilities. Digital extension for Z 850 Kombitester of Zehntel 86−50014
Schmidt, K.D. *see* Szente Varga, H.P. 87−30854
Schmidt, K.H. The production of unoriented grain electrical sheet 86−19334
Schmidt, K.H. *see* Jean, D. 87−71063
Schmidt, K.M., Akhavan Leilabady, P., Sweeney, K.L. Laser frequency stabilization using narrow band wavelength division multiplexers 88−45438
Schmidt, K.M., Corke, M., Prater, R.L., Sweeney, K.L., Salzberg, J. Reliability of fused tapered couplers 87−74788
Schmidt, K.M. *see* Corke, M. 88−13857
Schmidt, K.M. *see* Johnson, L.M. 88−45119
Schmidt, K.M. *see* Kopera, P.M. 88−45099
Schmidt, L.-P. Unzoned and zoned dielectric lenses for a wide angle scanning antenna 88−58958
Schmidt, L.-P. *see* Callsen, H. 88−56997
Schmidt, L.A. ISDN circuit testing 88−49493
Schmidt, M. Liquid fuel fired gas turbine power stations−a systems approach to fuel treatment and handling 86−56648
Schmidt, M., Kessel, W. A portable ultrasonic tester with computer-controlled directional characteristic 86−34415
Schmidt, M. *see* Dengler, J. 88−54471
Schmidt, M. *see* Hegedus, S.S. 88−37417
Schmidt, M. *see* Lindenfelser, T. 88−13547
Schmidt, M. *see* Teupser, C. 86−65502
Schmidt, M. *see* Unterreitmeier, E. 88−74953
Schmidt, M. *see* Vollmer, B. 86−25933
Schmidt, M.A., Howe, R.T., Senturia, S.D., Haritonidis, J.H. Surface micromachining of polyimide/metal composites for a shear-stress sensor 88−38273
Schmidt, M.A., Howe, R.T., Senturia, S.D., Haritonidis, J.H. Fabrication and testing of a micromachined shear sensor 88−42073
Schmidt, M.A., Howe, R.T., Senturia, S.D., Haritonidis, J.H. Design and calibration of a microfabricated floating-element shear-stress sensor 88−53618
Schmidt, M.A., Raffel, J.I., Terry, F.L. A metal-gate self-aligned MOSFET using nitride oxide 85−40747
Schmidt, M.F. *see* Webb, R.J. 85−60985
Schmidt, M.J. Ariane shows American space transporters her teeth [rockets] 85−15367
Schmidt, M.J. Elementary external SGEMP model for system engineering design 86−36752
Schmidt, M.J. Schedule monitoring of engineering projects 88−55939
Schmidt, M.P., Solomon, I., Hai Tran-Quoc, Bullot, J. Physics of low density-of-states a-Si$_{1-x}$C$_x$ films 86−27924
Schmidt, M.P. *see* Bullot, J. 88−12960
Schmidt, M.P. *see* Foley, K.J. 88−68313
Schmidt, M.T., Podlesnik, D.V., Evans, H.L., Yu, C.F., Yang, E.S., Osgood, R.M., Jr. The effect of a thin ultraviolet grown oxide on metal-GaAs contacts 88−64321
Schmidt, M.T. *see* Yu, C.F. 88−19810, 88−39235
Schmidt, N.E. *see* Thurber, K.J. 88−36644
Schmidt, O.L. *see* Sawyer, R.S. 86−11049
Schmidt, O.R. *see* Bryde, J.H. 88−30830
Schmidt, P. Reliability from the shock chamber [electronic component environmental tests] 85−39526
Schmidt, P. Thermal cycling tests of electronic components 86−26612
Schmidt, P. New ways for the air conditioning of telecommunication systems 86−61815
Schmidt, P. Thermodynamic control of electronic components and subassemblies 87−16366
Schmidt, P. Devices for reliability testing of car electronics 87−22873
Schmidt, P. Working safety in networks 87−30362
Schmidt, P. Climatic zones: electronic developments in environmental tests 88−11705
Schmidt, P. Air-conditioning in telecom installations with lowest energy consumption 88−31220
Schmidt, P. Interference from electric railways 88−37669
Schmidt, P., de Groot, J. Thermodynamic testing equipment 86−13454
Schmidt, P., DeGroot, J. Thermodynamic test equipment: development calls for cooperation between manufacturer and user 86−7538
Schmidt, P. *see* Alloca, B. 87−52417
Schmidt, P. *see* DeLoach, B.C., Jr. 86−34023
Schmidt, P. *see* Fellinger, J. 88−4810
Schmidt, P.F., Jaccodine, R.J., Wolowodiuk, C.H., Kook, T. Chemically enhanced thermal oxidation of silicon 85−50421
Schmidt, P.H., Forrest, S.R., Kaplan, M.L. Organic-inorganic contract barrier heights−a survey of materials 86−63080
Schmidt, P.H. *see* Allgower, E.L. 86−34271
Schmidt, P.H. *see* Chu-Liang Cheng 86−15151
Schmidt, P.H. *see* Forrest, S.R. 85−18127, 85−50202, 85−61884, 86−27978, 86−35395, 87−6493, 88−1501
Schmidt, P.H. *see* Stavola, M. 85−29184
Schmidt, R. Isolated networks and their problems [transmission networks] 85−38477
Schmidt, R. Assessing prospects for smaller reactors 85−38722
Schmidt, R. Focal points of the duties of an atomic energy licensing authority relating to the commissioning of a nuclear power station 86−51261
Schmidt, R. Small and medium-sized nuclear power plants 86−56532
Schmidt, R. Computation of the centrifugal force expansion of rotors of iron-free micromotors 86−56785
Schmidt, R. Eigenvector methods in signal processing 87−19704
Schmidt, R. An electron-based absolute system of units 87−28890
Schmidt, R. Contacting by metal-filled polymers 88−7139
Schmidt, R. A proton-antiproton version of the large hadron collider in the LEP tunnel 88−47784
Schmidt, R. Shape preserving interpolation 88−49736
Schmidt, R., Wratil, P. Physical data collected by microcomputer 85−47871
Schmidt, R. *see* Barber, D.P. 85−48157, 86−18218
Schmidt, R. *see* Bossart, R. 86−31911
Schmidt, R. *see* Bosser, J. 86−24853, 88−54179
Schmidt, R. *see* Cornelis, K. 88−47839
Schmidt, R. *see* Evans, L.R. 86−31929
Schmidt, R. *see* Hoffmann, D. 88−67391
Schmidt, R. *see* Klar, R. 86−23915
Schmidt, R. *see* Kroschel, K. 88−66688
Schmidt, R. *see* Kunst, M. 88−57290
Schmidt, R. *see* Rossmanith, R. 85−52948
Schmidt, R. *see* Unterborsch, G. 88−13117
Schmidt, R.A., Cathey, W.T. Optical representations for symbolic logic 88−65427
Schmidt, R.A. *see* Bernadelli, R.L. 87−42798
Schmidt, R.A., Jr. Low incremental costs mean base-loaded nuclear reactors 88−62056
Schmidt, R.J. *see* Hockenbury, R.W. 88−10935
Schmidt, R.L., Haskell, B.G., Eng, K.Y., O'Riordan, S.M. An experimental time-compression system for satellite television transmission 85−52301
Schmidt, R.O. Multiple emitter location and signal parameter estimation 86−64106
Schmidt, R.O., Franks, R.E. Multiple source DF signal processing: an experimental system 86−65033
Schmidt, R.V. Premises networking trends−the IBM approach 86−54974
Schmidt, R.V. *see* Rawson, E.G. 87−34586
Schmidt, R.V. *see* Truman, A.K. 88−47064
Schmidt, S. Microcomputers and LANs: are they a viable part of your future? 88−9145
Schmidt, S., Langner, K., Laiblin, Ch., Dudenhausen, J.W., Gesche, J., Saling, E. Response time of the tcPco$_2$ electrode−an animal experimental study 85−20882
Schmidt, S. *see* Bachmair, H. 86−24676, 86−60315
Schmidt, S. *see* Huning, H. 88−9940
Schmidt, S. *see* Maisenbacher, B. 87−40901, 88−9543
Schmidt, S.C. *see* Turner, T. 86−58955
Schmidt, S.K. *see* Sammells, A.F. 85−44141
Schmidt, T. *see* Halasz, S. 86−13106
Schmidt, T.C. A single-lens three-CRT crossed dichroic color projector for data and video 86−31244
Schmidt, T.C. A variable focus, single lens, 3 CRT dichroic color graphics projector 87−20950
Schmidt, U. Special instrumental problems for the manufacture of reproducible printing dies for thick-film technology 85−34381
Schmidt, U. Power supplies as system components 88−50009
Schmidt, U., Daugaard, N. Electrical equipment for supplying energy to the measuring car of the Danish State Railways 88−43442
Schmidt, V. On shot noise processes induced by stationary marked point processes 85−264
Schmidt, V. Qualitative and asymptotic properties of stochastic integrals related to random marked point processes 88−18572
Schmidt, V., Flor, G., Hemming, O.N., Luchetta, A., Vitturi, S. Structure definition and component selection for the RFX control and data acquisition system 88−67704
Schmidt, V., Susse, K.-E., Weidner, F. Theory of a dye laser with distributed feedback 87−46812
Schmidt, V. *see* Konig, D. 85−39616
Schmidt, V.H. Theoretical electrical power output per unit volume of PVF$_2$ and mechanical-to-electrical conversion efficiency as functions of frequency 87−53809
Schmidt, V.R. Semi-automatic measurement of geometrical data on graded-index-fibres 86−9482
Schmidt, W. Data switching network topology 85−47332
Schmidt, W. A superferric dipole magnet proposed for use in the Superconducting Super Collider 85−59056
Schmidt, W. Design of cable for special applications 86−23911
Schmidt, W. Direct memory access with U 858 D [integrated circuit] 86−46805
Schmidt, W. DENSTRATE technology 87−24542
Schmidt, W. Switching technique in integrated packet transmission systems−introduction and the review of methods. I 88−9359
Schmidt, W. Switching techniques in integrated packet transmission systems− introduction and system survey. II 88−9360
Schmidt, W., Aue, W. Data dialogue via infra-red 85−58100
Schmidt, W., Fendt, F., Roller, W. New quality assurance approaches in motor vehicle batch assembly 88−74263
Schmidt, W., Rasch, K.-D., Roy, K. Epitaxy on low-cost polycrystalline silicon substrates for solar cell fabrication 86−34344

Schmidt, W., Richards, G. Comments on 'A two-stage rearrangeable broadcast switching network', with his reply by G. Richards 87−69412
Schmidt, W., Skerl, O., Fiedler, O. Acoustic Doppler flow measurement 88−68084
Schmidt, W., Weissgerber, D., Baumann, T., Pfluger, P. Dielectric strength and aging in epoxy resin insulators 87−25723
Schmidt, W. *see* Bambach, W. 86−11117
Schmidt, W. *see* Bluhm, H. 87−22615
Schmidt, W. *see* Donig, G. 86−47895
Schmidt, W. *see* Durr, W. 86−15535
Schmidt, W. *see* Edlinger, A. 86−51845
Schmidt, W. *see* Eizenhofer, A. 87−20425
Schmidt, W. *see* Fan, M. 88−7835, 88−54306
Schmidt, W. *see* Groh, K.H. 88−48303
Schmidt, W. *see* Huson, F.R. 86−31828
Schmidt, W. *see* Kimmich, K. 86−30771
Schmidt, W. *see* Kirkwood, S. 87−15053
Schmidt, W. *see* McIntyre, P.M. 86−31907
Schmidt, W. *see* Muschter, F. 87−42772
Schmidt, W. *see* Omura, S. 88−1270
Schmidt, W. *see* Pfannschmidt, H. 85−20086
Schmidt, W. *see* Pissanetzky, S. 86−25067
Schmidt, W.-D. Decentralised repair of electronic apparatus 87−31260
Schmidt, W.-D., Seidel, P., Heinemann, S. On the resonance behaviour of a thin film DC-SQUID 86−9439
Schmidt, W.D. Performance tester for VLSI circuit modules 87−23308
Schmidt, W.D. Test strategies on the way into the nineties. I 88−41954
Schmidt, W.D., Heinemann, S. Experimental investigations of the stationary behaviour of thin film double SQUIDS 85−7183
Schmidt, W.F. *see* Albrow, M.G. 88−29872
Schmidt, W.F. *see* Fuhr, J. 85−40968, 88−71835
Schmidt, W.F. *see* Lopes, I. 86−58633
Schmidt, W.F. *see* Peskov, V. 88−54409
Schmidt, W.G. Can the world agree on the next digital-speech coding algorithm? 86−64169
Schmidt, W.G. Digital circuit multiplication gets 120 speech channels from T1 87−33905
Schmidt, W.G. *see* Vondenbusch, B. 88−4978
Schmidt, W.K.H. *see* Wilhelm, K. 87−2566
Schmidt, W.M. *see* Colvin, J.C. 88−68232
Schmidt, W.P. With ever increasing performance: single-chip microcontroller for multiple applications 85−11295
Schmidt, W.R., Kassawara, R.P. Seismic functionality of essential relays in operating nuclear plants 88−48634
Schmidt, W.R. *see* Becker, D.S. 87−25131
Schmidt auf Altenstadt, W., Heinz, C. Diffused GaSb photodiode in planar technology 85−41276
Schmidt Auf Altenstadt, W. *see* Heinz, C. 85−392
Schmidt auf Altenstadt, W. *see* Koeder, O. 88−47514
Schmidt-Andersen, P. *see* McGlinchey, G. 88−74853
Schmidt-Bocking, H. *see* Ullrich, J. 88−54446
Schmidt-Harms, C.A. A compact ignitor for spectroscopic arcs 85−56983
Schmidt-Harms, C.A., Stokes, A.D. A fast eddy-current driven high-current switch 87−52949
Schmidt-Harms, C.A. *see* Matsumura, T. 86−26228, 87−22656
Schmidt-Iglesias, C. *see* Orriols, G. 87−33329
Schmidt-Iglesias, C. *see* Pi, F. 86−48500, 87−33260
Schmidt-Kloiber, H., Reichel, E., Ansperger, K. A simple device for the preparation of end-surfaces of single optical fibres up to diameters of 0.7 mm 85−12591
Schmidt-Kloiber, H., Reichel, E., Schoffmann, H. Laser-induced shock-wave lithotripsy (LISL) 85−64619
Schmidt-May, J. *see* Senf, F. 86−60486
Schmidt-Mende, P. *see* Hejj, E. 87−43936
Schmidt-Milkau, C. *see* Hanitsch, R. 88−69859
Schmidt-Nielsen, A. Problems in evaluating the real-world usability of digital voice communication systems 86−10273
Schmidt-Nielsen, A. Comments on the use of physical measures to assess speech intelligibility 87−69060
Schmidt-Nielsen, A. The effect of narrow-band digital processing and bit error rate on the intelligibility of ICAO spelling alphabet words 87−75742
Schmidt-Nielsen, A., Stern, K.R. Recognition of previously unfamiliar speakers as a function of narrow-band processing and speaker selection 86−48792
Schmidt-Posner, J. *see* Friedl, P. 88−59855
Schmidt-Prestin, B., Schulze, H. Application potential of videotex for internal uses in industry 86−43508
Schmidt-Prestin, B., Zeiter, P. Experience of Siemens/KWU in large-scale office communications 88−67013
Schmidt-Stolting, C. The Hell Pressfax system transmits complete pages of newsprint 87−2832
Schmidt-Tiedemann, K.J. Magnetism in science, business, and everyday life 85−22288
Schmidt-Weinemar, H.G. *see* Andor. L. 85−58668
Schmidt-Weinmar, H.G., Andor, L., Baltes, H.P., Nathan, A. Numerical modeling of silicon magnetic field sensors: magnetoconcentration effects in split-metal-contact devices 85−31457
Schmidt-Weinmar, H.G., Teo, K.H., McMullin, J.N., McKinnon, G.H. Tuning the effective bandgap of a silicon doping superlattice 88−32839
Schmidt-Weinmar, H.G. *see* Nathan, A. 86−11522
Schmidt-zur-Borg, J. The METEOSAT solar array 87−77805
Schmidtchen, K. Remotely programmable data carriers for automation technology 87−20248
Schmidtchen, K. *see* Betzin, J. 86−15187
Schmidtke, F. Message handling systems: standards for electronic mail systems 86−30290
Schmidtke, G., Kohn, W. Spectroscopic trace gas and pollution measuring techniques 86−12190
Schmidtlein, P. *see* Jaroni, U. 85−4739
Schmidtmann, C. *see* DiCaprio, R.A. 85−53054
Schmidtmann, S., Schultz, R. The associated monitoring technique for operating and maintaining the PCM480S line system 87−76509
Schmidtner, E.G., Hafner, M. Optimal power supply developments for computers 87−10687
Schmidtner, E.G., Siemens, A.G. A new high frequency resonant converter topology 88−75820
Schmiedberger, J., Vrbova, M. Iodine photodissociation laser with plasma mirror 86−68454
Schmiedberger, J. *see* Chvojka, M. 86−42487
Schmiedel, H., Arndt, F. Field theory design of rectangular waveguide multiple-slot narrow-wall couplers 86−62812
Schmiedel, H., Ochs, A. A precipitation scatter experiment at 30 GHz 88−52219
Schmiedel, P. Always looking for improvements [LWR fuel elements] 86−39410
Schmiedel, P. *see* Brandstetter, A. 85−9643
Schmieder, D., Salamon, T.I. A visible helium plasma recombination laser 85−62501
Schmieder, D. *see* Salamon, T.I. 87−61081
Schmieder, D.E., Wolfe, B. Empirical television sensor performance model 86−4851
Schmieder, D.E. *see* Brown, C.E. 87−49582
Schmieder, D.E. *see* Weathersby, M.R. 85−46752
Schmieder, R.W. *see* Levine, M.A. 85−59138
Schmiedeshoff, G.M. *see* Furneaux, J.E. 86−53668, 88−19969
Schmiedmaier, O. Telephone installations in the Voitsberg 3 thermal power station 85−8054
Schmiedmaier, O. *see* Ambrusch, W. 85−9731
Schmiedtke, P. *see* Krause, J. 87−44036
Schmiegel, P. *see* Haller, R. 87−57520
Schmier, R.S. *see* Barts, R.M. 88−2577
Schmierer, Q.G. *see* Benning, C.S. 85−46760
Schmiesing, J., Chang, K.Y., Pintchovski, F., Klein, J., Baker, K., Meyer, C.S., Lai, S., Hoang, D., Tang, D. An advanced triple level metal CMOS technology for ASIC applications 88−64775
Schmiessek, C. Automatic microwave network analysis 85−14702
Schmiessek, C. Improved PIN diode attenuator for computer-aided calibration 85−52790
Schminke, W. Further developments and applications of pulse-step modulation 85−3632
Schminke, W. High-power amplifiers for plasma heating 85−6171
Schminke, W. A continuously variable line transformer and its application in a high power amplifier 85−22673
Schminke, W. High-power pulse step modulator for 500 kW short-wave and 600 kW medium-wave transmitters 85−61163
Schminke, W. Pulse modulators with thyristors for amplitude modulated radio-transmitters 88−9708
Schminke, W. The merits of modern technology for today's high power short-wave transmitters 88−67535
Schminke, W., Premur, K. More than 1000 kW from one radio valve 88−7254
Schminke, W., Wyss, J., Wesner, F., Braun, F. Upgrading of ICRH generators for ASDEX/W VII and ASDEX upgrade 88−69299
Schminke, W., Wyss, W., Holm, K. Design and tests of a 1.5 MW generator and tube for ICRF heating 85−32810
Schminke, W. *see* Holm, K. 85−3620
Schmit, B. *see* Schilliger, M. 85−58258
Schmit, F. *see* Gustafson, G. 88−72237
Schmit, J.L. MOCVD growth of CdTe and HgCdTe 85−33428
Schmit, J.L. Materials for infrared sensors 86−35335
Schmit, J.L. Metal-organic chemical vapor deposition hybrid substrates for HgCdTe 86−66851
Schmit, J.L. Development of HgCdTe for LWIR imagers 87−65477
Schmit, J.L. *see* Staudenmann, J.-L. 86−46315
Schmit, J.L. *see* Wood, R.A. 85−33429
Schmit, R. *see* Goursky, V. 88−61183
Schmit, R.R. *see* Hogan, S.J. 87−4953
Schmit, V.P. *see* Banbury, J.R. 87−29198
Schmitt, A. *see* Adams, J. 86−53095
Schmitt, B., Tietz, W. Data security in public telecommunication networks 88−28209
Schmitt, B., Zinser, G., Erhardt, A., Komitowski, D., Bille, J. Analysis of three-dimensional images of cell nuclei 87−48057
Schmitt, C., Kobschall, G., Reifferscheid, C., Rohrich, K., Weinand, K., Walther, V.H. A magnetic spectrometer for low energy pion identification in pion production experiments 85−59221
Schmitt, C.H. Geostationary satellite log 86−4565
Schmitt, D. Electric power in space heating [subjected to competition pressure] 87−16179
Schmitt, D. The SMA medicines system 88−28323
Schmitt, D., Carrier, C., Martel, C., Karuta, B., Lecomte, R. Original concept of a high resolution positron emission tomograph using avalanche photodiodes, bilayered scintillators and complete computerized electronic control 88−48146
Schmitt, D., Lecomte, R., Lapointe, M., Martel, C., Carrier, C., Karuta, B., Duval, F. Ultra-low noise charge sensitive preamplifier for scintillation detection with avalanche photodiodes in PET applications 87−41933
Schmitt, D., Lecomte, R., LeBel, E. Wedge-shaped scintillation crystals for positron emission tomography 86−65412
Schmitt, D. *see* Bass, J.D. 86−44761
Schmitt, D. *see* Carrier, C. 88−61264
Schmitt, D. *see* Lecomte, R. 85−43219
Schmitt, D. *see* Lightstone, A.W. 86−50495
Schmitt, D. *see* Thompson, C.J. 86−60762
Schmitt, D.G., Tobias, J. Enhanced communication for a severely disabled dysarthric individual using voice recognition and speech synthesis 87−21644
Schmitt, E.J. Radiation hardened semi-custom IC's−from design to prototyping and production 87−44744
Schmitt, F., Goldberg, M., Ngwa-Ndifor, N., Boucher, P. Texture representation and synthesis by vector quantization 85−36456
Schmitt, F., Mahnkopfe, M. Formation of $p^+(p^-)$n junctions in InP and their dependence on substrate concentration, time and temperature 87−60150
Schmitt, F. *see* Bornholdt, C. 86−9623
Schmitt, F. *see* Goldberg, M. 87−55355
Schmitt, F. *see* Ruck, B. 86−60386
Schmitt, F. *see* Schlak, M. 86−68304
Schmitt, F. *see* Su, L.M. 85−1572
Schmitt, F. *see* Unterborsch, G. 88−13117
Schmitt, F.J. Module design for VLSI-heuristics to optimize layout topology 87−53625
Schmitt, F.J. A heuristic approach to analyzing VLSI modules 88−39607
Schmitt, G. *see* Favennec, J.M. 88−67673
Schmitt, G.P. *see* Appelt, B.K. 87−1088
Schmitt, H. The design concept of a heat generating station with a gas-cooled high-temperature reactor 87−78403
Schmitt, H., Karger, M., Pfeufer, W. Realtime spectral analysis with fast signal processor 88−67713
Schmitt, H. *see* Christl, N. 88−68897
Schmitt, H. *see* Dutty, W. 87−29457
Schmitt, H. *see* Kruger, K.H. 88−68908
Schmitt, H. *see* Maierhofer, J. 86−8083
Schmitt, H. *see* Nagata, K. 87−1804
Schmitt, H.J. *see* Blazek, V.J. 87−41954
Schmitt, H.J. *see* Dammann, H. 86−2814
Schmitt, H.J. *see* Malkomes, M. 85−17800, 88−53583
Schmitt, H.J. *see* Muhl, T. 88−16715
Schmitt, H.J. *see* Noll, J. 85−25558
Schmitt, H.J. *see* Seidenberg, J. 88−51545
Schmitt, H.J. *see* Steele, R.E. 88−43468
Schmitt, H.van der *see* van der Schmitt, H.
Schmitt, H.Von der *see* Von der Schmitt, H.
Schmitt, J., Jr. *see* Fu, C.Y. 86−15049
Schmitt, J.M., Meindl, J.D., Mihm, F.G. An integrated circuit-based optical sensor for in vivo measurement of blood oxygenation 86−44636
Schmitt, J.M., Mihm, F.G., Shott, J., Meindl, J.D. Implantable telemetry for measurement of O_2 saturation 85−48266
Schmitt, J.P.M. Amorphous silicon photodiodes−-from the laboratory to large size panel production 88−17971
Schmitt, J.P.M. *see* Drevillon, B. 86−26918
Schmitt, J.P.M. *see* Roca i Cabarrocas, P. 88−12085
Schmitt, K. Stimulated *C*′-emission of Ag^--centers in KI, RbBr, and CsBr 86−3106
Schmitt, K. *see* Beissler, G. 85−21093
Schmitt, K. *see* Schoenbach, K. 88−20014
Schmitt, K.B.J. *see* Schoenbach, K.H. 88−57035
Schmitt, K.D. *see* Koglin, H.-J. 86−70567
Schmitt, K.D. *see* Koglin, H.J. 86−12346
Schmitt, M. *see* DeHope, W. 85−50156
Schmitt, M. *see* Ferguson, P. 85−23333
Schmitt, M. *see* Jossinet, J. 86−11980
Schmitt, M. *see* Zimmermann, W. 86−32195
Schmitt, M.A., Bhattacharyya, B.K. Electrical characterization of a multilayer ceramic pin grid array package 87−72840

Schmitt, M.J., DeHope, W.J., Tancredi, J.J. High power millimeter-wave fusion plasma heating sources 86−53294

Schmitt, M.J., Elliott, C.J. Even-harmonic generation in free-electron lasers 87−26440

Schmitt, M.J., Elliott, C.J. The effects of harmonic wiggler field components on free-electron laser operation 88−2291

Schmitt, M.J., Elliott, C.J., Lee, K., McVey, B.D. Overtone production of soft X-rays with free-electron lasers 87−12511

Schmitt, M.J. *see* Elliott, C.J. 87−2199, 87−7388, 87−61180, 87−75152

Schmitt, N.M. *see* Dobbs, S.E. 85−38155

Schmitt, P. So why do they call it wireless? 85−57132

Schmitt, P.K. Radar signal processing with high speed LSI devices 86−59944

Schmitt, R., Heime, K. InGaAs junction FETs with frequency limit (MAG=1) above 30 GHz 85−40731

Schmitt, R., Steiner, K., Kaufmann, L.M.F., Brockerhoff, W., Heime, K. InGaAs-JFETs with p^+-gates diffused from spin-on films for Ka-band operation 86−53690

Schmitt, R., Winkler, D., Brunner, M., Lischke, B. Electron beam sampling of IC-internal GHz signals 88−31457

Schmitt, R., Winkler, D., Lischke, B. E-beam testing of high-speed electronic devices 87−32616

Schmitt, R. *see* Belzner, W. 87−11192

Schmitt, R. *see* Brunner, M. 88−26407

Schmitt, R. *see* Geibel, C. 88−31716

Schmitt, R. *see* Kretschmer, W. 86−25154, 87−3913

Schmitt, R. *see* Lischke, B. 88−26398

Schmitt, R. *see* Lopez-quelle, M. 88−42437

Schmitt, R. *see* Winkler, D. 88−31467

Schmitt, R.J.M. *see* van Overveld, W.M.C.J. 88−59035

Schmitt, R.L., Rahn, L.A. Diode-laser-pumped Nd:YAG laser injection seeding system 86−36443

Schmitt, R.L. *see* Owyoung, A. 86−9816

Schmitt, R.L. *see* Tuckerman, D.B. 86−28436

Schmitt, R.M., Meyer, C.R., Carson, P.L., Chenevert, T.L., Bland, P.H. Error reduction in through transmission tomography using large receiving arrays with phase-insensitive signal processing 85−9154

Schmitt, S.R. An adaptive airborne VLF communications array concept 86−17269

Schmitt, T.G., Klastorin, T., Shtub, A. Production classification system: concepts, models and strategies 85−54075

Schmitt, W. On decompositions of Markovian priority queues and their application to the analysis of closed priority queueing networks 86−26712

Schmitt, W., Von der Straten, G. RACE−a European program for the integration of broadband communications 88−73456

Schmitt, W. *see* Brakelmann, H. 87−78137

Schmitt, W. *see* Burger, U. 88−37083

Schmitt, W. *see* Feld, H. 86−51814

Schmitt, W.J. *see* Schlosser, S.M. 87−20886

Schmitt, W.R. Antipodes and incidence coalgebras 88−11866

Schmitt-Landsiedel, D., Dorda, G. The influence of hot channel electrons on the surface potential in MOSFETs 85−29206

Schmitt-Landsiedel, D., Dorda, G. Novel hot-electron effects in the channel of MOSFETs observed by capacitance measurements 85−55842

Schmitt-Landsiedel, D., Noll, T.G., Klar, H., Enders, G. A pipelined 330 MHz multiplier 86−34933

Schmitt-Rink, S. *see* Haug, H. 85−41478

Schmitte, F.J. *see* Geurts, J. 85−28235

Schmitter, D. Micropack−the smallest SMD carrier for ICs 85−49352

Schmitter, D. MIKROPACK. Surface mounting without compromise 87−45441

Schmitter, D. Optimisation of surface mounting 88−49526

Schmitter, K.H. *see* Munich, M.J. 85−32809

Schmittroth, W. Conversion and modernization of old industrial steam turbines 88−55204

Schmitz, A.E., Chen, J.Y. Design, modeling, and fabrication of subhalf-micrometer CMOS transistors 86−28334

Schmitz, A.E., Vasudev, P.K., Chen, J.Y. High performance subhalf-micrometer p-channel transistors for CMOS VLSI 85−50746

Schmitz, A.E., Walden, R.H., Montes, M., Courtney, D.M., Stevens, E. A 4-bit, 1 GHz analog-to-digital technology using focused ion beam implants and sub-half micrometer CMOS/SOS 88−63764

Schmitz, A.E. *see* Mayer, D.C. 86−47864

Schmitz, A.E. *see* Vasudev, P.K. 86−9008

Schmitz, A.E. *see* Walden, T.H. 88−70878

Schmitz, A.W., Schonefeld, R. Examples of the application of certain measurement and investigation procedures in steam turbine fault analyses 86−6575

Schmitz, C. *see* Atherton, R.W. 85−42861

Schmitz, C. *see* Chang, D. 87−17076

Schmitz, C. *see* Vora, M. 86−47778

Schmitz, D. Sine-wave generator for carrier-frequency measurement systems 87−59245

Schmitz, D. *see* Altes, J. 86−51255

Schmitz, D. *see* Bakken, J.A. 85−31696, 87−35350

Schmitz, D. *see* Collins, F.M. 86−62952

Schmitz, D. *see* Jurgensen, H. 86−7817

Schmitz, D. *see* Peters, K.-H. 85−9762

Schmitz, D. *see* Renaud, M. 88−57639

Schmitz, E.O. What does hybrid technique signify? 86−1596

Schmitz, F., Best, S.W. Protection for overvoltage and EMP 85−36042

Schmitz, G. Successful synthesis of speech and data communication 88−46667

Schmitz, G., Ukena, F. Simple coupling of sensors/actuators to the DIN/PDV bus 88−53608

Schmitz, G. *see* Berger, C. 88−22937

Schmitz, G. *see* Dammann, H. 86−2814

Schmitz, G.M.L. *see* Hoeks, A.P.G. 88−74845

Schmitz, H., Mathew, A. Air conditioning and ventilating plant with heat recovery in the Ratingen Hospital 86−6013

Schmitz, H.-D., Schneider, H.-G. Manufacturing and testing of EWSD system components 86−43674

Schmitz, H.-J. Modified SZ stranding of optical fibre cable conductors 87−60952

Schmitz, H.J.R., Annegarn, M.J.J.C., Fekkes, W.F. A CCD memory controller for instant access to teletext 85−3103

Schmitz, H.M.P.T. *see* Sluyter, R.J. 85−20084

Schmitz, J., Walcher, H., Baars, J. Growth of $Hg_{1-x}Cd_xTe$ from Te solvent by the travelling heater method 87−31489

Schmitz, J.E.J. *see* Ellwanger, R.C. 87−60380

Schmitz, J.J. Multi-channel digital data acquisition system (DAQ) 87−28989

Schmitz, K., Korzec, D., Engemann, J. Ion current distribution extracted from a coupled ion source 88−13159

Schmitz, K. *see* Korzec, D. 88−44669

Schmitz, M. Fire protection for cables and conductors in pipes: prevention is better than extinction 87−78132

Schmitz, N. Emulation of VLSI devices using LCAs 87−66062

Schmitz, N. MMI state-machines: a spectrum of alternatives 88−6803

Schmitz, N. *see* Pretzl, K. *(editor)* 88−37853

Schmitz, R. *see* Dirnbock, J. 85−5143, 86−19354

Schmitz, R.P. Nuclear reactor containment 85−65115

Schmitz, S.C. *see* Roberge, R.P. 87−44343

Schmitz, T. *see* Dietze, G. 87−42034

Schmitz, T. *see* Tripathi, A. 87−48705

Schmitz, Th., Smit, Th., Morstin, K., Muller, K.D., Booz, J. Construction and first application of a TEPC dose-equivalent meter for area monitoring 86−38849

Schmitz, V., Barbian, O.A., Gebhardt, W., Salzburger, H.J. Modern methods of ultrasonic testing 85−33539

Schmitz, V. *see* Langenberg, K.J. 86−66880

Schmitz, W. *see* Muller, H. 86−12987

Schmitz-Josten, P. *see* Martin, P. 85−38807

Schmitz-Justen, Cl. *see* Konig, W. 85−51339

Schmoch, O. Gas turbines 86−61403

Schmoch, O., Deblon, B. Ten years of operation of the V94 gas turbine 87−9398

Schmoe, L.A., Pietruszkiewicz, J. Coal gasification−flexibility for an uncertain future 87−57885

Schmoellebeck, F., Haas, H. 3-dimensional, adaptive FE-preprocessing using a programmable CAD-system 88−49734

Schmoellebeck, F. *see* Haas, H. 88−52253

Schmoetten, E. *see* Breskin, A. 88−68214

Schmoker, D.S. On-site transfer system for remote handling of low-level radioactive waste 86−25730

Schmoker, D.S. *see* Snedeker, D.F. 86−12598

Schmolder, M. *see* Ingmann, P. 86−12174

Schmolders, M. *see* Volland, H. 86−59083, 87−26773

Schmolke, J. *see* Ermert, H. 87−71465

Schmoll, S. Interface standards in ISDN 88−59763

Schmoll, S. *see* Israel, T. 85−25651

Schmolla, W. Positive drift effect of BN-InP enhancement n-channel MISFET 85−34974

Schmolz, S. *see* Lekar, R. 87−3013

Schmor, P.W. High intensity sources of polarized protons 86−32101

Schmor, P.W. A review of optically pumped polarized ion sources 86−55977

Schmor, P.W. *see* Baartman, R. 85−58988, 85−64403, 87−41815, 88−47930

Schmor, P.W. *see* Buchmann, L. 87−70983

Schmor, P.W. *see* Law, M. 87−77508

Schmor, P.W. *see* Law, W.M. 88−29775

Schmor, P.W. *see* Levy, C.D.P. 85−26674, 85−64429, 86−60513, 87−3859

Schmor, P.W. *see* Mori, Y. 87−77507, 88−54371

Schmor, P.W. *see* Yuan, D.H. 88−4776

Schmoranz, I. Macroeconomics and microelectronics−results of a study on applications, diffusion and effects in Austria 85−27920

Schmoranzer, H., Molter, K., Noll, T., Imschweiler, J. A high efficiency spectrometer for VUV fluorescence radiation 86−60672

Schmotzer, M. Powerful ICs for luxury telephones 85−57825

Schmotzer, M. *see* Caillon, C. 86−46966

Schmotzer, M. *see* Leenhardt, O. 86−14343

Schmuck, G.W. Shrink-on protection. Heat-shrinkable tubes and moulded parts 88−51072

Schmuck, H., Strobel, O. Stabilization of a fiber-optic Mach-Zehnder-interferometer used as an intensity modulator 87−12131

Schmuck, H. *see* Strobel, O. 88−3988

Schmucker, R.F., Ziolkowski, R.W. Computational issues in electromagnetic coupling to a slit cylinder enclosing an off-set cylinder 88−2648

Schmucking, W. New aspects of communication with ISDN systems 88−46666

Schmuckli, B., Ulmi, R. Harmonic content of local electric power networks as a characteristic for isolated area operation 88−23443

Schmugge, T.J., Wang, J.R., Lawrence, R.W. Results from the Pushbroom microwave radiometer flights over the Konza Prairie in 1985 88−10574

Schmugge, T.J. *see* Mo, T. 87−71367, 88−5125

Schmugge, T.J. *see* Wang, J.R. 88−9620

Schmukler, B., Hoskins, M.J. Threshold voltage of charge storage in acoustic-charge-transport devices: experiments and model 88−33482

Schmukler, R., Kaufman, J.J., Pilla, A.A. Real time impedance measurements of living cells 88−10396

Schmukler, R. *see* Hakim, N. 88−4943

Schmunk, R.E., Miller, L.G., Becker, H. Tests on irradiated magnet insulator materials 85−1794

Schmuser, P. The electron-proton colliding beam facility HERA 85−43137

Schmuser, P. Basic course on accelerator optics 88−4756

Schmuser, P. *see* Balewski, K. 87−74622

Schmuser, P. *see* Bonmann, D. 88−68171

Schmuser, P. *see* Horlitz, G. 85−59033

Schmuser, P., II *see* Daum, C. 88−68169

Schmutz, H. *see* Geihs, K. 88−52969

Schmutz, M. *see* Mussigmann, U. 88−59266

Schmutz, P. IC fabrication on the desk [erasable programmable logic devices] 86−34679

Schmutz, W. Universal program for bus control testing equipment 85−58536

Schmutz, W. Teletex/telex converter 86−37354

Schmutz, W., Fruhauf, W., Sauter, K.-D., Geissinger, J. Automated material handling for defect reduction 88−158

Schmutz, W. *see* von Kahlden, T. 86−31718

Schnabel, G. *see* Ernst, G. 85−4738

Schnabel, G. *see* Navarrete, P. 85−21418

Schnabel, R. Special contactors for operation by electronic controls 85−16137

Schnabel, R.B. Concurrent function evaluations in local and global optimization 88−11884

Schnabel, R.B. *see* Byrd, R.H. 86−52362

Schnabel, R.B. *see* Gardner, T.J. 87−34135

Schnabel, R.B. *see* Jones, B.A. 86−57385

Schnabel, W. Electrolytic capacitors 85−55194

Schnabl, F. *see* Bowen, N. 85−1238

Schnabl, J., Boissinot, R. A voice-controlled integrated communication workstation 88−14640

Schnabl, R. Means for economising in the use of gold in electrical contacts 87−24510

Schnable, G. *see* Veloric, H. 85−1748

Schnable, G.L. *see* Kern, W. 88−7494

Schnackenburg, B. *see* Kusnick, D. 85−4087

Schnadt, H. *see* Nowak, K. 85−21413

Schnaider, A.G., Abramovich, V.V. Centring the rotor of the thrust bearing of a motor 88−17529

Schnaithmann, K. *see* Busse, L. 86−61355

Schnaitter, W.M., Lewis, E.T., Gordon, B.E. A 0.5-GHz CMOS digital RF memory chip 87−10868

Schnaitter, W.N., Lewis, E.T., Gordon, B. A 0.5 GHz CMOS digital RF memory chip 87−17071

Schnapauff, K.J. Maintenance and information network 88−37905

Schnarr, E. Specialised training in cable television engineering 85−52535

Schnarr, E. From cable television to communications: extension possibilities for cable TV installations 87−49331

Schnatterly, S.E., Husk, D. Position sensitive solid state detectors 86−60557

Schnatz, H., Bollen, G., Dabkiewicz, P., Egelhof, P., Kern, F., Kalinowsky, H., Schweikhard, L., Stolzenberg, H., Kluge, H.-J. In-flight capture of ions into a Penning trap 87−3848

Schnaubelt, J., Schuler, W. The demands on housing systems are increasing 87−65204

Schnauder, H. *see* Leinemann, K. 86−32951

Schnauss, E. *see* Kolasinski, W.A. 87−32707

Schnautz, H. Speech generation by format synthesis 85−13501

Schneck, G. Smart BiMOS IC offers improved unipolar stepper motor drive 88−49187

Schneck, G., Jr. A monolithic, BiMOS IC provides translation and drive for unipolar stepper motors 88−75662

Schneck, J. *see* Weiler, A. 86−32789

Schneckenburger, H. *see* Pauker, F. 86−44548

Schneckenburger, R. *see* Valentin, R. 86−22692, 88−53159

Schnecker, J. New and improved accessories and components for the Fibrpol optical fiber polisher 88−33700

Schnedler, D. Robotic workcells for PCB assembly 87−53022

Schnedler, E. Three-dimensional model for the theoretical description of tungsten transports in halogen incandescent lamps 86−13157

Schnee, R. *see* Baur, H. 88−35040

Schneebauer, J. *see* Kas, G. 87−19348

Schneeberger, G. Optimum spectrum-shaping for teletext signals 86−49225

Schneeberger, J.P. *see* Kumar, A. 88−16661

Schneeberger, T.J., Schulze, K. Modeling and simulation of electro-optical sensors with IODS 86−31215

Schneegans, M. Progress of the L3/BGO calorimeter 87−63648

Schneegans, M. *see* Bakken, J.A. 85−31696, 87−35350

Schneegans, M. *see* Lecoq, P. 85−59166

Schneegass, L., Martens, B. A digital tuning and display system with a one chip microcomputer 86−67108

Schneegass, L., Martens, B. Universal digital tuning and display with a single chip microcomputer 88−29025

Schneegast, B., Thoma, R., Unger, H. Design of recursive digital filters with favourable positions for the zeros 87−10993

Schneemann, K. *see* Fabritius, H. 86−45206

Schneerson, E.M. Dynamic properties of digital relay protection using components of mutually orthogonal functions 85−38571

Schneeweiss, O. *see* Havlicek, S. 88−16635

Schneeweiss, W. Single fault tolerant communication networks 85−47111

Schneeweiss, W.G. Addendum to: Computing failure frequency via mixed products of availabilities and unavailabilities 85−5834

Schneeweiss, W.G. Disjoint Boolean products via Shannon's expansion 85−39591

Schneeweiss, W.G. Fault-tree analysis using a binary decision tree 86−34075

Schneeweiss, W.G. The failure frequency of systems with dependent components 87−31330

Schnegelberger, E. *see* Sutton, B. 88−28559

Schnegg, A., Grundner, M., Jacob, H. On the polishing of silicon: acceptor compensation by atomic hydrogen 87−17987

Schnegg, P.-A., Fischer, G., Le Quang, B.V., Weaver, J.T. Investigation of a buried vertical fault with natural and controlled source AMT 86−60922

Schneid, E.J. *see* Gottesman, S.R. 86−50369

Schneid, J. *B*-convergence of Lobatto IIIC formulas 87−65436

Schneid, J. On the maximum order of optimal B-convergence of Lobatto III C schemes 88−11931

Schneider, A. UHF communications through forested propagation channels 85−24842

Schneider, A. Unusual NTC-resistor as switching element 86−1383

Schneider, A. A system generating high-resolution animation to HDTV film 86−69950

Schneider, A., Skene, J. Handling echo 88−9312

Schneider, A. *see* Eisl, B. 85−63996

Schneider, A. *see* Kollbrunner, W. 88−36102

Schneider, A. *see* Le Vine, D.M. 86−22652

Schneider, A. *see* Liapis, G. 87−71207

Schneider, A. *see* Milstein, L.B. 87−27728, 87−34342, 87−40683

Schneider, A. *see* Schilling, D.L. 88−21958

Schneider, A. *see* Seker, S. 87−68767

Schneider, A. *see* Seker, S.S. 88−45671

Schneider, A.F. The right choice of signal generator 86−24555

Schneider, A.F. Built-in intelligence relieves the computer 87−37314

Schneider, A.F. New-wave fluxes 88−1136

Schneider, A.F. Wave soldering flux developments and trends 88−38929

Schneider, A.G., Figman, M.M., Kostovetskii, I.M. Force characteristics of a radial motor-bearing 87−22231

Schneider, A.M. Observability of relative navigation using range-only measurements 85−58247

Schneider, A.M. INGRED: an interactive editor for symbolic IC layout 86−9260

Schneider, A.M., Woolley, M. Interrelation of sensor and navigation errors in gridlock algorithms. II 85−42672

Schneider, A.W., Jr., Landgren, G.L., Bhavaraju, M.P. Analysis and prediction of transmission unit performance using advanced regression models 85−48567

Schneider, A.W., Jr., Landgren, G.L., Bhavaraju, M.P., Balu, N.J. Data collection and analysis for transmission outage prediction 86−61118

Schneider, A.W., Jr. *see* Landgren, G.L. 86−56429

Schneider, B. ATE systems—current trends and integration into CAE environments 87−3372

Schneider, B., Jorgensen, G., Christensen, M.B. The effects of backdrive stressing fast IC technologies 87−23325

Schneider, B.-O. *see* Wehn, N. 87−17166

Schneider, B.A. Mission/flight systems integration study: a long term electronics planning project 88−68555

Schneider, C. Generalized singly-implicit Runge-Kutta methods with arbitrary knots 85−54390

Schneider, C. A silicon compiler for random logic 88−1776

Schneider, C. PC minimises switching functions 88−6613

Schneider, C. Add-on module for C 64/C 128: universal EPROM card 88−12368

Schneider, C. An analysis of Ralston's quadrature 88−56188

Schneider, C., Card, H.C. A silicon compiler for random logic 87−44811

Schneider, C., Werner, W. Some new aspects of rational interpolation 86−66772

Schneider, C. *see* Deffin, P. 85−57813

Schneider, C.P. *see* Auret, F.D. 85−50484

Schneider, C.P. *see* Braunig, D. 86−21107

Schneider, C.P. *see* Fahrner, W.R. 86−58335, 87−67005

Schneider, C.P. *see* Kleinhenz, R. 85−40668

Schneider, C.P. *see* Tan, T.Y. 85−34853

Schneider, C.S. *see* Joyce, J.A. 88−56341

Schneider, C.W. *see* Nedvidek, F.J. 87−61389

Schneider, D. Higher quality through SMD technology 87−31312

Schneider, D.A. *see* Schertel, E.R. 88−10401

Schneider, D.D., Furrer, J. Custom designing a unique dual-truck video remote production system 86−30948

Schneider, D.K. *see* Schoenborn, B.P. 87−29442

Schneider, D.P. *see* Gunn, J.E. 88−4465

Schneider, E. Micrometeorite impact on solar panels 87−78944

Schneider, E. Dual frequency resonant power supply system experimental results 88−42393

Schneider, E. Test results on dual resonant power supply with flat top and flat bottom current 88−55490

Schneider, E., Valenta, P. Thermographic measurement of temperature in electrical assemblies 85−26493

Schneider, E. *see* Bottcher, W. 85−16699

Schneider, E. *see* Hosemann, G. 87−52694

Schneider, E. *see* Moser, H.P. 86−70962

Schneider, E. *see* Peiter, A. 87−52247

Schneider, E. *see* Valenta, P. 85−54990

Schneider, F. TN data systems 86−10936

Schneider, F. Breaks and breakdown in mains voltage. I. Availability and breakdown frequency 86−30464

Schneider, F. Mains power supply voltage failures and interruptions. II. Temporal distribution of failures 86−56829

Schneider, F. Incentives for advances in telecommunication power supply 87−30801

Schneider, F. Reliability of power supply devices for uninterruptible AC supply (UPS devices) 88−43275

Schneider, F., Trankler, H.-R. Influence of sensors on the structure of μC- oriented measuring and automation systems 86−38368

Schneider, F. *see* Benez, H. 87−2868

Schneider, F. *see* Krakowski, H. 85−39097

Schneider, F. *see* Nestler, W. 85−39340

Schneider, F.B. *see* McCurley, R. 86−23200

Schneider, F.J. Brownouts and blackouts in the public power supply of the Federal Republic of Germany 86−61613

Schneider, G. DFS Kopernikus 87−13652

Schneider, G. COMPREX pressure-wave supercharger in an Opel Senator with 2.3 litre diesel engine 87−43549

Schneider, G. A still freeze: improved special feature in video recorders 87−70280

Schneider, G. CAE design software of the third generation 88−6736

Schneider, G. Non-metal hermetic encapsulation of a hybrid circuit 88−19568

Schneider, G. *see* Bayer, E. 88−70358

Schneider, G.C. A 1.5 GHz wide-band beam-position and intensity monitor for the electron-positron accumulator (EPA) 88−54147

Schneider, G.J. Taming resonance in servos 85−34110

Schneider, G.T. *see* Turbes, C.C. 85−48307

Schneider, G.W., Jr. *see* Oxford, R.J. 87−57055

Schneider, H. Theorems on *M*-splittings of a singular *M*-matrix which depend on graph structure 85−10605

Schneider, H. Disk system ICs combat data errors 85−34005

Schneider, H. Capacitors as measuring-value transducers 86−18027

Schneider, H. Techniques for measuring and analysing sound 87−63571

Schneider, H. Video-based measuring techniques for the inspection of circuit boards 88−12707

Schneider, H. On the maximum entropy method for Doppler spectral analysis of radar echoes from rotating objects 88−15539

Schneider, H. Multichannel data transfer with optical data pick-ups 88−35863

Schneider, H. Asynchronous transmission modus—a new multiplexing and switching principle for broadband ISDN 88−53011

Schneider, H. Application of an autoregressive reflection model for the signal analysis of radar echoes from rotating objects 88−72977

Schneider, H., Dammkohler, P., Hackenberg, H. Conductor rails of AlFeMg conducting alloy—an alternative to copper 88−42911

Schneider, H., Gibertini, G. Integrated circuits and disc systems 86−14123

Schneider, H., Klitzing, K.V., Ploog, K. Time resolved vertical transport in $GaAs/Al_xGa_{1-x}As$ superlattices 88−32860

Schneider, H., Metzger, W., Noldeke, C., Huebener, R.P. Photoluminescence and electric conductivity in germanium at low temperatures 86−1685

Schneider, H., O'Cinneide, C. Design of CUSUM control charts using narrow limit gauges 87−65225

Schneider, H., Zeidler, G. Manufacturing processes and designs of optical waveguides 85−46155

Schneider, H. *see* Bottger, W. 87−56845, 87−71458

Schneider, H. *see* Buchmann, L. 86−24925, 87−70983

Schneider, H. *see* Cirrito, V. 85−5801

Schneider, H. *see* Evans, M. 85−17584, 85−54796

Schneider, H. *see* Goovaerts, H.G. 88−23088

Schneider, H. *see* Hochhauser, E. 88−68109

Schneider, H. *see* Koppendorfer, W. 86−42181

Schneider, H. *see* Kwei Tang 88−63074

Schneider, H. *see* Staples, J. 85−26641

Schneider, H.-G. *see* Kunzmann, L. 88−46815

Schneider, H.-G. *see* Schmitz, H.-D. 86−43674

Schneider, H.-J. Hybrid circuits for power supply 88−38387

Schneider, H.-J., Tepper, M., Zimmer, A. Communication in automotive CIM environments using cumulates 87−28180

Schneider, H.-P., Weyand, G. Computer-assisted measurement of magnetic quantities 85−58849

Schneider, H.A. *see* Bowen, J.E. 86−10919

Schneider, H.A. *see* Kuhnel, G. 87−53190, 87−74013

Schneider, H.A. *see* Siegel, W. 85−28963, 87−11410

Schneider, H.M. Measurements of contamination on post insulators in HVDC converter stations 88−48599

Schneider, H.M. *see* Lambeth, P.J. 88−23542

Schneider, H.M. *see* Reed, C.W. 86−51719

Schneider, H.P., Schwederski, T. Computer aided measurements of AC-hysteresis loops 85−27464

Schneider, H.R. *see* Bigham, C.B. 87−35256

Schneider, H.R. *see* Hulbert, J.A. 86−24900

Schneider, H.R. *see* Lancaster, H. 85−26640

Schneider, H.R. *see* Ormrod, J.H. 85−58994

Schneider, H.W., Schoberth, A., Staudt, A., Gerndt, C. Fluoride glass etching method for preparation of infra-red fibres with improved tensile strength 87−1930

Schneider, H.W., Schoberth, A., Staudt, A., Gerndt, C. Optimization of fluoride glass fiber drawing with respect to mechanical strength 88−39911

Schneider, H.W., Schoberth, A., Staudt, A., Gerndt, Ch. Optical and mechanical properties of fluoride glass fibers for infrared transmission systems 88−58149

Schneider, I. $(F_2{}^+)_A$ center lasers 86−22346

Schneider, I., Marquardt, C.L. Broadly tunable oscillator-amplifier system using lithium $(F_2{}^+)_A$ centers in KCl 85−24514

Schneider, I. *see* Foster, D.R. 86−42513, 88−45390

Schneider, J. Test-program generation with Digital Simulator System DSS 85−26206

Schneider, J. Envelope-separator technology for lead/acid automotive batteries 88−55598

Schneider, J., Gartner, U., Schiek, B. Crosstalk suppression for modulated subcarrier measurement systems 88−35366

Schneider, J., Handstein, A., Grossinger, R., Heisz, S. Magnetic anisotropy and magnetization process in Re-Fe-B magnets 88−13669

Schneider, J., Neumann, H., Engel, J. The possible means of heat storage in district heating pipelines to compensate for losses in electrical power output during periods of peak load or condensing power generation 85−60019

Schneider, J. *see* Anke, E. 87−22637

Schneider, J. *see* Arnoldussen, T.C. 85−24064

Schneider, J. *see* Baehrle, D. 85−28813

Schneider, J. *see* Boher, P. 88−13118, 88−19824, 88−50739

Schneider, J. *see* Eckhorn, R. 87−41901

Schneider, J. *see* Ennen, H. 85−35648

Schneider, J. *see* Friedel, P. 88−19812

Schneider, J. *see* Grossinger, R. 88−57991

Schneider, J. *see* Karady, G. 88−55489

Schneider, J. *see* Karady, G. 88−42351

Schneider, J. *see* Muller, K.-H. 87−74502

Schneider, J. *see* Rau, G. 87−57171

Schneider, J. *see* Renaud, M. 88−57639

Schneider, J. *see* Riva, R. 87−23903

Schneider, J. *see* Roy, S.H. 87−50337

Schneider, J. *see* Wolfelschneider, H. 88−68401

Schneider, J.-C., Grangier, Y. Steam-water circuits and the electrical generator system [Superphenix] 87−64312
Schneider, J.-P. *see* Smigielski, P. 86−10024
Schneider, J.A., Holl, S.L., Schalansky, C.P. A miniature TES powered Stirling-cycle engine 85−59353
Schneider, J.F., Aster, R.C., Powell, L.A., Meyer, R.P. Timing of portable seismographs from Omega navigation signals 88−5107
Schneider, J.M. *see* Keri, A.J.F. 85−27022
Schneider, J.R. *see* Born, R. 88−22878
Schneider, J.R. *see* Freund, A.K. 88−48054
Schneider, K., Ziegler, G. Modular phase comparison protection with PLC or fiber optic link 85−64971
Schneider, K. *see* Atrens, A. 85−21479
Schneider, K. *see* Burgel, R. 88−17391, 88−75475
Schneider, K. *see* Matsuda, Y. 88−7130
Schneider, K. *see* White, G. 86−8274
Schneider, K.-G., Freytag, K.-H. Quantitative determination of the protection level of earthing protection in 220/380 V industrial plants 85−99
Schneider, L. *see* Cook, D.L. 87−43208
Schneider, L.J., Gray, J.O. Hydrostatic tank gauging: the intelligent alternative for an old problem 87−63219
Schneider, L.M. Modelling takes the guesswork out of filter design and selection 86−20688
Schneider, L.M., Forcier, F. Printed circuit mounted filters for controlling switch mode power supply emissions 86−52681
Schneider, L.M. *see* Rose, I. 88−75711
Schneider, L.T. *see* von Seebach, M. 87−65011
Schneider, L.W. *see* Potvin, A.R. 86−32216
Schneider, L.X. Development of a high reliability 6.0 MV, 390 kJ Marx generator 85−5229
Schneider, L.X., Lockwood, G.J. Engineering high reliability, low-jitter Marx generators 87−21328
Schneider, L.X. *see* Cap, J.S. 87−21335
Schneider, L.X. *see* Lockwood, G.J. 87−21329, 87−65839
Schneider, L.X. *see* Neau, E.L. 87−21326
Schneider, L.X. *see* Turman, B.N. 87−21311
Schneider, M. Assembly of various vehicle engines 85−10277
Schneider, M. Integrated office communications 85−51873
Schneider, M. Flip chip bonding offers packaging alternative 88−57199
Schneider, M., Colvard, C., Alavi, K., Kohn, E. Characteristics of nonselective GaAs/(Al,Ga)As heterostructure etching at very low etch rates 88−13151
Schneider, M., Hinz, A., Groh, A., Evenson, K.M., Urban, W. CO laser stabilization using the optogalvanic Lamb-dip 88−14080
Schneider, M. *see* Amick, J.A. 85−49106
Schneider, M. *see* Hallewell, G. 88−68213
Schneider, M. *see* Johnson, R. 88−68277
Schneider, M. *see* Kohn, E. 88−56963
Schneider, M. *see* Levy, H.M. 88−39535
Schneider, M. *see* Wu, C.J. 88−13426
Schneider, M.B., Clegg, T.B. Optically pumped tensor-polarized deuterium sources 87−35319
Schneider, M.B. *see* Clegg, T.B. 86−55962
Schneider, M.B. *see* Levine, M.A. 88−74712
Schneider, M.C., Bodinaud, J.A. A new formulation of the Early effect in lateral PNP transistors 85−40704
Schneider, M.C. *see* Bodinaud, J.A. 85−18306
Schneider, M.E. *see* Kent, L.A. 88−35924
Schneider, M.V. *see* Jelenski, A. 85−17879
Schneider, M.V. *see* Trambarulo, R. 87−75702, 88−70607
Schneider, M.V. *see* Verlangieri, P.A. 86−27606
Schneider, N.F., Sitzlach, G. An important step towards integrated office communication: the text and data communication system TEXCOM 2000 85−42230
Schneider, P. Hands-on work fine-tunes X-band PIN-diode duplexer 86−20840
Schneider, P. A long way pays off: from an idea to an electronic direct voltage standard 86−38186
Schneider, P. Functional aspects of non-voice communication in ISDN 87−48425
Schneider, P. Steps towards technical conformity [telecommunications] 88−52681
Schneider, P. Functional characteristics of ISDN terminals 88−59803
Schneider, P. *see* Gia Tuong Hoang 86−55990
Schneider, P.-J., Feist, J.H., Mikolajczak, P. Calculations for the reflection magnet for the ASDEX long pulse neutral injection beamline 85−2483
Schneider, R. Large wind power installation of Fahy JU 85−48912
Schneider, R. Fixturing for arc welding: guidelines for success 86−13219
Schneider, R. APLSIM: an interactive timing simulator for large integrated circuits 88−1800
Schneider, R. DIN−impact on the US-connector industry 88−38852
Schneider, R. Measurement data storage on magnetic tape 88−57924
Schneider, R. Integrated modules for the ISDN basic connection. Technology and experiences 88−59774
Schneider, R., Card, H.C. A MOS timing simulator with an APL user interface 87−44721
Schneider, R., Pietzsch, J. Coherent 565 Mbit/s DPSK transmission experiment with a phase diversity receiver 88−47164
Schneider, R., Plamann, W. Application of metal iodides as luminescent additions in high-pressure gas discharge lamps 85−21930
Schneider, R., Wouda, K.J. IC components for ISDN basic access 86−30211
Schneider, R. *see* Doemens, G. 88−36081
Schneider, R. *see* Dorn, R. 86−36230, 88−45138, 88−58139
Schneider, R. *see* Gauss, G. 85−1538
Schneider, R., Jr. *see* Hastings, R. 85−59433
Schneider, R.C. Write equalization in high-linear-density magnetic recording 86−21980
Schneider, R.D. *see* Podaima, B.W. 87−44809
Schneider, R.F., Luo, C.M., Rhee, M.J. Resolution of the Thomson spectrometer 85−26733
Schneider, R.F., Luo, C.M., Rhee, M.J., Smith, J.R. Compact magnetic electron energy analyzer 85−64490
Schneider, R.F., Nguyen, K.T., Smith, J.R., Uhm, H.S. Instability measurements of an intense relativistic electron beam propagating in an ion focusing regime channel 88−47874
Schneider, R.F., Rhee, M.J., Smith, J.R. Experimental study of the electron beam produced by a plasma focus acceleration 86−32072
Schneider, R.F., Rhee, M.J., Smith, J.R. Experimental study of a high current electron beam injected into air 87−21352
Schneider, R.F., Smith, J.R., Rhee, M.J. Emittance meter for time-resolved electron-beam propagation studies 88−29893
Schneider, R.F. *see* Nguyen, K.T. 88−47888
Schneider, R.F. *see* Rhee, M.J. 87−3828
Schneider, R.F. *see* Smith, J.R. 87−29395, 88−54323
Schneider, R.F. *see* Weidman, D.J. 87−21505
Schneider, R.J. *see* Lutes, C.L. 85−56195
Schneider, R.T., Carroll, E.E., Jr., Lin, S.-C. Improved resolving power for nonimaging optical elements 88−59296
Schneider, R.T., Meyers, K.L. Pattern recognition relevant to multiaperture optics 87−47967
Schneider, S. A noise nomograph 86−26963
Schneider, S. Convert specifications between competing noise sources 87−56718
Schneider, S., Botha, A.H., Cornell, J.C., Molteno, P.G. The beam diagnostic system for the transfer beamline at the NAC 85−59092
Schneider, S., Ferrick, J., Carter, J.L., Dezenberg, G. Matching a Blumlein modulator to a nonlinear load 85−663
Schneider, S., Molteno, P.G. The beam phase measurement system for the cyclotrons and beamlines at the NAC 85−64409
Schneider, S. *see* Dorn, R. 88−45138, 88−58139
Schneider, S. *see* Loda, G. 85−1223
Schneider, S. *see* Mindl, T. 88−45518
Schneider, S. *see* Stephenson, F.W. 86−67060
Schneider, S. *see* Weiner, M. 85−669
Schneider, S.C. *see* Brown, R.H. 88−47429
Schneider, S.M.O.L. About parametric resonance in step motors 86−51665
Schneider, S.M.O.L. The path to high performance step motors leads via the abyss of parametric resonance 88−11252
Schneider, S.R. NOAA and polar platforms 86−50686
Schneider, T. *see* Turowski, P. 87−67925, 88−65043
Schneider, U. Digital speech transmission with 9.6 kBit/s over radio channels 86−69595
Schneider, U., Luhning, J., Lynen, U., Sann, H., Trautmann, W. The superconducting magnet components of the large acceptance QQD spectrometer ALAD^{i}N 88−68306
Schneider, V., Heitmann, H.-G., Rehfeldt, H. Results of tests on the high capacity electromagnetic filter and their general significance for corrosion product filtration in power stations 87−64284
Schneider, V. *see* Malting, P. 85−38630
Schneider, W. Vehicle for the maintenance of rebroadcast transmitters 85−25992
Schneider, W. Computation of nonlinear distortion of a Gaussian noise signal in a narrow-band transmission system 85−46658
Schneider, W. Characteristics and specification of airborne fiber optic components 87−38814
Schneider, W. Communication satellite systems 87−62899
Schneider, W. 70 cm converter using GaAs-FET CF 300 88−44318
Schneider, W. The tactile array stimulator 88−74781
Schneider, W., Babst, U., Balk, O.A., Hochhauser, E. Radiation-induced light emission in silica core fibers 85−35427
Schneider, W., Babst, U., Henschel, H., Kohn, O., Schmidt, H.U. The effects of test parameters on the recovery of Febetron-irradiated optical fibers 88−13853
Schneider, W., Hamels, D. The 'clean' power station 85−15808
Schneider, W., Henschel, H., Schmidt, H.U., Kohn, O. Radiation response of new pure-silica fibers 88−33673
Schneider, W., Klein, G. Experience with the type RHR 300-830 decay-heat coolant at the Philippsburg II nuclear power plant 88−69118
Schneider, W., Wubben, F.J. A service system for digital radio links 87−34409
Schneider, W. *see* Bodenstein, G. 85−64587
Schneider, W. *see* Bogenberger, R. 87−77758
Schneider, W. *see* Dahl, P. 86−25050, 86−44521, 87−74618, 88−68131
Schneider, W. *see* Gottschalk-Gaudig, H. 88−23673
Schneider, W. *see* Looney, L.D. 88−13846
Schneider, W. *see* Ludge, W. 86−11507
Schneider, W. *see* Ludwig, G. 88−5830
Schneider, W. *see* Pache, W. 85−43677
Schneider, W. *see* Skaritka, J. 88−54039
Schneider, W. *see* Strait, J. 87−74617, 88−54294, 88−68133
Schneider, W. *see* Thompson, P.A. 86−25056, 87−21342
Schneider, W. *see* Wanderer, P. 88−29730, 88−68136
Schneider, W. *see* Weaver, D.S. 85−4786
Schneider, W. *see* Wiesener, K. 88−17823
Schneider, W.A. The common depth point stack 85−15402
Schneider, W.C. *see* King, M.C. 85−62043
Schneider, W.E. Automated spectroradiometric systems: components and applications 86−5556
Schneider, W.E., Goebel, D.G. Standards for calibration of optical radiation measurement systems 85−20442
Schneider, W.G. Waterlancing for CANDU SGs−an update 88−75386
Schneider, W.H., King, J.W., Russell, D.W. Reliability evaluation of the solar total energy project, Shenandoah, Georgia 87−16066
Schneider, W.J. *see* Cottingham, J.G. 85−59040
Schneider-Gmelch, B., Tischer, P. Ion-beam etched multi-level resist technique for electroplating of submicron gold absorber patterns 86−2055
Schneider-Gmelch, B., Tischer, P. Fabrication of submicron gold absorber patterns for X-ray masks by ion-beam etching 86−2075
Schneider-Muntau, H.-J. The generation of high DC magnetic fields 88−65041
Schneider-Muntau, H.J. The generation of quasistationary fields up to 100 T 88−65976
Schneider-Muntau, H.J., Vallier, J.C. The Grenoble hybrid magnet 88−65044
Schneider-Muntau, H.J. *see* Ohl, M. 88−26735
Schneiderka, M. New instruments for power cables fault location 87−71686
Schneiderka, M., Vaidis, V. The use of a hydraulic pump for driving an asynchronous generator in a small hydroelectric power station 86−25944
Schneiderman, M. Managing maintenance 86−111
Schneidewind, H. Conductor optimization in the cable industry 86−52221
Schneidewind, N.F. Interface considerations in computer networks 85−47247
Schneidewind, N.F. Distributed system software design paradigm with application to computer networks 87−40425
Schneir, J. *see* Sonnenfeld, R. 87−53399
Schnekenburger, B. *see* Dahlmann, H. 87−28985
Schnell, B. 8-bit data analysis 86−70067
Schnell, C. The input of musical information into the computer 86−31096
Schnell, D.F. *see* Liese, M.H. 88−64539
Schnell, E., Fiedler, H. Line reproduction and development of a picture in electrophotography 85−2470
Schnell, E., Fiedler, H. The electrophotographic development of a picture with one-component dry toners 85−2490
Schnell, G. *see* Seipp, H.J. 88−67649
Schnell, J.P., Martin, V., Nyeki, P., Loiseaux, B., Illiaquer, G., Huignard, J.P. Photoelectrochemical etching of holographic gratings in semiconductors and applications 87−12606
Schnell, J.P. *see* Croset, M. 85−1523
Schnell, J.P. *see* Pocholle, J.P. 88−58687
Schnell, K., Speidel, J. A digital system for remote signalling of disturbances in networks of broadband communication (FeSTa) 86−59557
Schnell, L. The microprocessor as a building element of intelligent instruments 86−17762
Schnell, N. Wega easy to use telephone and TELE-NOTA scratch pad−characteristics and techniques 88−15233
Schnell, P., Dehli, M. Energy supply concepts from the viewpoint of a supra-regional electricity supply undertaking 85−21087
Schnell, P., Meyer, A. Possibilities and limits of load management. Technological and tariff-related measures 87−64060
Schnell, P.-O. *see* Larsson, S.A. 85−15294
Schnell, R.D., Schink, H. Compensating piezoelectric effect of gate metal and dielectric overlayer stresses on GaAs MESFETs 88−13429

Schnell, S., Stalder, M., Luthy, W. Polarization properties and new 3 μm laser lines in YAlO$_3$:Er 88−40180
Schnell, W. Coupled radio-frequency resonators for the Large Electron-Positron Collider LEP 85−52935
Schnell, W. Synchrotron radiation due to transverse focussing in a very high energy electron linac 86−5702
Schnell, W. Radio-frequency acceleration for linear colliders 87−70901
Schnell, W. *see* Garvey, T. 88−22899
Schnell, W. *see* Johnsen, K. 88−47772
Schnell, W. *see* Montague, B.W. 86−5617
Schnellbacher, J. *see* Pagnia, H. 85−29222, 85−55606
Schnelle, J. *see* Buchmann, F. 87−57096
Schnelle, W. *see* Berger, R. 88−62181
Schnellhammer, W., Becker, M., Schmidt, H. In-service experience with a new type of feedwater sparger [boiling water reactors] 85−27252
Schnepf, E. *see* Schonauer, W. 85−49525
Schnepf, O. Fire protection relating to electrical devices and plant in Western Germany in the light of harmonised European standards 85−16735
Schnepf, O. Flowmetering system with direct flanged differential pressure measuring transducer 87−29356
Schnepf, W. *see* Steinitz, M.O. 86−31653
Schnepper, K. A comparison of GLR- and multiple model filters for a target tracking problem [homing missile guidance] 87−55192
Schnepple, W. *see* Markakis, J. 85−42997
Schnepple, W.F. *see* Iwanczyk, J.S. 87−37024
Schnepple, W.F. *see* Kurtz, S.R. 88−14005
Schnetter, V., Naumann, R., Fruhauf, U. Logic generator−component of a digital test system 86−20464
Schnettler, T. *see* Johnson, T. 88−44286
Schnetz, R. Coffee making machines in course of time 88−62796
Schnetzler, C. Determination of the number of solutions of piecewise linear resistive circuits 88−12174
Schnetzler, S.S., Madden, M.G., McDermott, T.A. Interfacing a HSDB to a PI-bus; study through implementation 87−76385
Schneuwly, R. Pin grid array sockets 85−17939
Schnicke, W.R., Binckes, J.B., Lewis, D.H. Transponder supply/demand analysis for the geostationary orbit 85−58040
Schnieck, H.-G. *see* DePaly, T. 87−52586
Schnieck, H.G. *see* De Paly, T. 87−59462
Schnieder, E., Kraft, K.H., Guckel, H. Automated operations control system for high speed Maglev transportation 87−64923
Schnieder, W. *see* Thompson, P.A. 88−54288
Schnieper, P.A., Breingan, W.D. Distributed microprocessor application to transmission and distribution automation systems 85−65404
Schnier, D. *see* Feitisch, A. 88−45505
Schniessek, C. Group delay and its measurement 86−60337
Schnirel, K., Reichert, K., Busarello, L., Lajda, P. Program systems for power system studies on personal computers 85−26940
Schnirel, K. *see* Busarello, L. 85−32126
Schnitger, G. *see* Duris, P. 87−47447
Schnitger, H. *see* Friedel, R. 87−50241
Schnitta-Israel, B. Hybrid image processing system (HIPS) by means of an adaptive autoregressive moving average algorithm 85−7864
Schnitta-Israel, B., Freedman, R.S. Increasing the usefulness of AWACS downlink transmissions by semantic compression 87−69037
Schnitter, H. *see* Munzer, H. 86−38644, 88−47764
Schnitter, U. *see* Acquadro, J.C. 86−31872
Schnittler, C., Holz, G. Series expansion for Fermi integrals 86−351
Schnittler, C., Paasch, G., Scherf, S. Characteristic length and charge-carrier density in semiconductors 86−67769
Schnittler, C., Scherf, S. Alternative quasi-classical transport equations. II. Boltzmann's equation and the electron distribution function for MIS systems 88−1459
Schnittler, C. *see* Holz, G. 87−11804, 87−60491
Schnittler, C. *see* Scherf, S. 88−7388
Schnitzer, A., Hollenberg, K., Behmenburg, W. Sum frequency generation spectroscopy of Rydberg states 85−7516
Schnitzer, I., Gover, A. The prebunched free electron laser in various operating gain regimes 85−56692
Schnitzer, I. *see* Sa'ar, A. 88−58121
Schnitzer, M.S., Halverson, D.R. Asymptotically robust detection of stochastic signals in contaminated noise 86−64302
Schnitzer, M.S., Halverson, D.R., Thompson, M.W. Discrete time robust detection of stochastic signals in nonGaussian contaminated noise 87−61869
Schnitzlein, N. *see* Clarke, L.P. 87−3981
Schnitzmeyer, J.H., Donovan, K. Economic generation control at a BWR reactor 86−33009
Schnoes, K.J. *see* Gross, M.E. 86−67812
Schnoller, M. *see* Wersing, W. 86−68070, 87−53845
Schnoneich, J. *see* Skorupa, W. 88−57446
Schnorch, J. *see* Korcova, I. 86−32944
Schnorf, A. Communications networks−high technology at Siemens-Albis 87−40096
Schnoring, T. Telecommunications charges and spatial distribution 88−52672
Schnoring, T. Changes in telecommunications equipment trade. The case of Germany 88−59411
Schnoring, T. *see* Neu, W. 87−40141
Schnorr, C.P. A hierarchy of polynomial time lattice basis reduction algorithms 88−11873
Schnorr, C.P. A more efficient algorithm for lattice basis reduction 88−31656
Schnorr, C.P., Alexi, W. RSA-bits are $0.5+\varepsilon$ secure [cryptography] 87−69018
Schnorr, C.P. *see* Alexi, W. 85−41862, 88−45913
Schnorr, C.P. *see* Pollard, J.M. 88−27709
Schnorr, D.P., Lutz, R.A. TCE-tailored, high-density surface mounting printed wiring assembly development for military systems 87−37663
Schnorrenberg, W. Glass fibre cable tester for the 'second window' 85−8401
Schnorrenberg, W. Design and possible applications of frequency spectrum analysers. I 85−26260
Schnorrenberg, W. Design, use and applications of spectrum analyzers. II 85−42939
Schnorrenberg, W. Universal spectrum analysers 85−47886
Schnorrenberg, W. Design, use and applications of spectrum analyzers. III 85−58637
Schnorrenberg, W. A tracking generator increases the power of the spectrum analyzer 88−16216
Schnug, A. Electricity economy 86−61014
Schnug, A., Schulz, E. Reserves in the supply of electricity 88−68727
Schnur, J.A. Artificial intelligence for assembly planning 86−52243
Schnur, S. *see* Stanasolovich, D. 87−67600
Schnur, S. *see* Wang, L.K. 87−25580
Schnurer, J.H., Ingle, D.F., Downey, C.W., Junker, A.M. A real time frequency analysis methodology for evoked potential loop-closure 88−68442
Schnurer, J.H. *see* Junker, A.M. 88−68440 to 68441
Schnurer, M. *see* Braune, W. 85−23588, 86−8898
Schnurmacher, G. *see* Lehmer, R.D. 85−43227
Schnurmann, H.D., Vidunas, L.J., Peters, R.M. An automated system for testing LSI memory chips 85−793
Schnurmann, H.D., Vidunas, L.J., Peters, R.M. A system for automatically testing VLSI high speed RAM's 85−33162
Schnurnberger, W. *see* Steeb, H. 85−65440
Schnurr, A.E. Mobile communications in the information age 87−56027
Schnurr, L. Arianespace: a total European space capability 85−3424
Schnurr, L. Conduit-content convergence: its causes and effects [telecommunication services] 87−7899
Schnurr, N.M., Kerrisk, J.F., Parker, J.V. Numerical predictions of railgun performance including the effects of ablation and arc drag 87−26708
Schnurr, N.M. *see* Davidson, R.F. 87−26665
Schnurr, N.M. *see* Fowler, C.M. 87−26673, 88−40511
Schnurr, N.M. *see* Smith, H.V., Jr. 88−47935
Schnyder, G., Glavitsch, H. Integrated security control using an optimal power flow and switching concepts 88−10797
Schnyer, A.D., Sholtis, J.A., Jr., Verga, R.L., Wiley, R.L., Wahlquist, E.J. SP-100 program developments 86−32460
Schnyer, A.D. *see* Wiley, R.L. 87−42127
Schob, L. CAD systems used for manufacturing and testing circuit boards 85−40313
Schobeiri, T. Digital computer simulation of the dynamic operating behaviour of gas turbines 87−64432
Schobeiri, T. Numerical simulation by computer of gas turbine behaviour in an unsteady regime 88−5571
Schobel, W. *see* Gsodam, H. 88−13616
Schober, G. *see* Hackl, K. 86−25515
Schober, K. Thin film and plasma characterisation during sputter deposition 86−13820
Schobert, S. Supply of telecommunication equipment with electrical energy 88−42786
Schoberth, A. *see* Schneider, H.W. 87−1930, 88−39911, 88−58149
Schobi, P. Secrecy and authentication: key requirements for perfect systems 87−54945
Schoch, B. The MAMI-project 87−3832
Schoch, B. *see* Anthony, I. 86−32209
Schoch, B. *see* Dowell, D.H. 87−35371
Schoch, B. *see* MacGregor, I.J.D. 88−22925
Schoch, B. *see* Novotny, R. 88−22924
Schoch, B. *see* Stroher, H. 88−61196
Schoch, K.F., Jr. Electrically conductive polymers and their applications 86−26927
Schoch, K.F., Jr., Bennett, A.I. Electrical evaluation of conductive adhesives [for PCBs] 86−62908
Schoch, K.F., Jr., DeReggi, A.S., Roth, S.C. Apparatus for quasihydrostatic measurement of piezoelectric d_h coefficient 87−56814
Schoch, S. Automatic Target Recognizer Working Group Security Committee 88−22214
Schock, E. On the asymptotic order of accuracy of Tikhonov regularization 85−344
Schock, E. Arbitrarily slow convergence, uniform convergence and superconvergence of Galerkin-like method 85−44667
Schock, H.J. *see* Kim, R.C. 86−3352, 86−9995
Schock, H.J. *see* Lock, J.A. 85−58940
Schock, H.W., Dimmler, B., Dittrich, H., Kimmerle, J., Menner, R. Heterojunction solar cells based on Cu(Ga,In)Se$_2$ chalcopyrite thin films 88−17978
Schock, H.W. *see* Arndt, W. 86−21166, 86−40134, 87−16026
Schock, H.W. *see* Bloss, W.H. 86−13067
Schock, H.W. *see* Dimmler, B. 88−37592
Schock, H.W. *see* Dittrich, H. 87−58955
Schock, H.W. *see* Kimmerle, J. 86−7014, 86−13043, 86−40127
Schock, H.W. *see* Mauch, R.H. 88−36154
Schock, H.W. *see* Menner, R. 88−37391
Schock, W., Bunz, H., Adams, R.E., Tobias, M.L., Rahn, F.J. Large-scale experiments on aerosol behavior in light water reactor containments 88−62112
Schock, W., Giesen, A., Hall, Th., Wittwer, W., Hugel, H. Transverse radio frequency discharge: a promising excitation technique for high power CO$_2$-lasers 87−75013
Schock, W. *see* Albrecht, H. 87−22069
Schock, W. *see* Beonio-Brocchieri, F. 88−62036
Schodl, W. *see* Huber, M.N. 88−73642
Schodlbauer, D., Rudolph, K., Lenz, U., Skorka, S.J. A simple subnanosecond high energy buncher for the Munich MP-tandem 86−38666
Schodlbauer, D., Sperr, P., Kogel, G., Triftshauser, W. A pulsed positron beam for lifetime studies 87−21351
Schodowski, B. An external compensated crystal oscillator study 87−18450
Schodowski, S., Rosati, V. Review of the revised military specification of quartz crystal oscillators 88−18991
Schoebel, K., Morton, J.L. Reliable data recording aids torpedo testing and fleet training 86−49998
Schoeberlein, H.C. A statistical analysis of patches of oceanic small-scale activity 86−25442
Schoebi, P. Face to face via electronics data transmission verification and authentication 87−27212
Schoeborn, K.H., Kersten, R.T. Transmission of high power laser light through optical fibres 88−33697
Schoedel, H.J. *see* Halm, R. 87−12826
Schoeder, H.J. *see* Hilmer, R. 87−78321
Schoeffel, J.A., Goodman, A.L. A new approach to improving wafer fabrication turnaround for custom ICs 87−1649
Schoeffel, J.A., Oldham, W.G. Get submicrometer resolution with optical lithography 87−60543
Schoeffel, J.A., Rieger, M.L. Economics of fast-turn wafer production 87−32628
Schoeffel, J.A. *see* Burns, G.A. 88−1600, 88−7540
Schoeffel, J.A. *see* Petric, P.F. 86−8934
Schoeffel, J.A. *see* Warkentin, P.A. 87−11554, 87−11570
Schoeffler, J.D. *see* Lukas, M.P. 85−3211, 85−63347
Schoeler, K.G. Election time: investment in test equipment from the point of view of a middle class firm 85−58505
Schoelkopf, R.J. *see* Moseley, S.H. 88−61205
Schoeller, P. *see* Massey, J.L. 87−54903
Schoeller, W. *see* Hartl, P. 87−56303
Schoellkopf, J.P. *see* Osseiran, A. 87−59560
Schoellkopf, R.S. Electric heat tracing requirements for post-accident sampling systems in nuclear power generating stations 85−48686
Schoemacker, G. Personal computer communicates with the host computer 87−28098
Schoemacker, M. Fire experiences: principal lessons learned, application in PWR power plants 85−16728
Schoemacker, M., Lebotlan, Y. Principal results from tests performed at Fort de Chelles by EDF. [cable fires] 85−16734
Schoemaker, D. *see* Nistor, S.V. 87−33137
Schoeman, J.J. *see* Deacon, J.A. 88−30886
Schoeman, J.J. *see* Enslin, J.H.R. 88−69565
Schoeman, J.J. *see* Swanepoel, P.H. 88−30912
Schoeman, J.J. *see* van der Broeck, H.W. 85−61087
Schoeman, J.J. *see* van Wyk, J.D. 85−61102, 88−69523, 88−69543
Schoen, A. When the fleas invade the ship [navigation aids] 88−60305
Schoen, D.C. Satellites for mobile communication 86−43801
Schoen, F. Microcomputer assisted quality control-cost reduction in production and at goods inwards 87−5265
Schoen, F. *see* Betro, B. 87−72966
Schoen, F.J. *see* Sinclair, I.N. 88−23112

Schoen, G.F. A proven program for valve stem leakage reduction 86—25796
Schoen, J. *see* Cacouris, T. 86—47748
Schoenauer, H.O. *see* Craddock, M.K. 86—31908
Schoenbach, K., Germer, R., Lakdawala, V., Schmitt, K., Albin, S. Concepts for electron-beam and optical control of bulk semiconductor switches 88—20014
Schoenbach, K., Schaefer, G., Kristiansen, M., Krompholz, H., Haries, H.C., Skaggs, D. Investigations of e-beam controlled diffuse discharges 85—18041
Schoenbach, K., Schaefer, G., Kristiansen, M., Krompholz, H., Harjes, H., Skaggs, D. Investigations of E-beam controlled diffuse discharges 85—27572
Schoenbach, K. *see* Cooper, J.R. 87—22800
Schoenbach, K. *see* Harjes, H. 85—1221, 85—3976
Schoenbach, K. *see* Krompholz, H. 86—17960
Schoenbach, K.H., Kristiansen, M. Diffuse discharges and opening switches—a review of the Tamarron workshops 85—5288
Schoenbach, K.H., Kristiansen, M., Schaefer, G. A review of opening switch technology for inductive energy storage 85—5279
Schoenbach, K.H., Lakdawala, V.K., Germer, R., Ko, S.T. An optically controlled closing and opening semiconductor switch 88—45301
Schoenbach, K.H., Lakdawala, V.K., Ko, S.T., Mazzola, M.S., Germer, R.K.F. Laser controlled semiconductor closing and opening switch 88—57036
Schoenbach, K.H., Lakdawala, V.K., Schmitt, K.B.J., Powers, T.J. Electron-beam controlled semiconductor switches 88—57035
Schoenbach, K.H., Schaefer, G., Kristiansen, M., Krompholz, H., Harjes, H.C., Skaggs, D. An e-beam controlled diffuse discharge switch 85—23378
Schoenbach, K.H., Schaefer, G., Kristiansen, M., Krompholz, H., Harjes, H.C., Skaggs, D. An electron-beam controlled diffuse discharge switch 85—39149
Schoenbach, K.H., Schaefer, G., Kristiansen, M., Krompholz, H., Skaggs, D., Strickland, E. An e-beam controlled diffuse discharge switch 87—17605
Schoenbach, K.H. *see* Cooper, J.R. 85—4698, 87—17434
Schoenbach, K.H. *see* Germer, R.K.F. 88—65485
Schoenbach, K.H. *see* Harjes, C.H. 85—6672
Schoenbach, K.H. *see* Krompholz, H. 87—37072
Schoenbach, K.H. *see* Pashaie, B. 87—37787
Schoenbach, K.H. *see* Schaefer, G. 85—1210, 85—5327, 85—44125, 86—63010, 87—17433, 87—22801, 87—43305, 87—53762, 88—44909
Schoenbach, K.H. *see* Wages, M.R. 87—18414
Schoenbauer, D.J. *see* Pope, R.A. 87—66648
Schoenbaum, G.L. Process monitoring and control of PCB soldering utilizing an automated machine vision system 87—11217
Schoenbaum, G.L., Socha, E. Selecting the accept/reject criteria for an automated solder process inspection machine 87—24569
Schoenberg, A., Long, J. Design of a quickly-assembled, light-weight leg orthosis for FES assisted paraplegic mobility [functional electrical stimulation] 88—61465
Schoenberg, A.A., Sullivan, D.M., Baker, C.D., Booth, H.E., Galway, C. Ultrasonic PVF$_2$ transducers for sensing tactile force 85—15287
Schoenberg, A.A. *see* Sullivan, D.M. 86—6168
Schoenberg, I.J. *see* Goodman, T.N.T. 87—36661
Schoenberg, K.E. *see* Bui, M.D. 87—67137
Schoenberg, K.E. *see* Dorrance, R.H. 88—24786
Schoenberg, K.F., Gribble, R.F., Linton, T.W., Reass, W.R. Poloidal field system design for the ZT-40U reversed field pinch experiment 85—2499
Schoenberg, V.E. *see* Gunther, S. 85—11723
Schoenborn, B.P. Data processing in neutron protein crystallography using position-sensitive detectors 85—15225
Schoenborn, B.P., Schefer, J., Schneider, D.K. The use of wire chambers in structural biology 87—29442
Schoendube, B. *see* Lepkowski, T.R. 86—50048
Schoendube, C.W. *see* McMillen, C.J. 86—6836, 88—75697
Schoendube, R. *see* Ito, C. 88—70655
Schoendube, R.T. *see* Kwok, S.P. 87—32719
Schoene, G. *see* Christiansen, H. 86—17850
Schoenecke, P.L. *see* Nemzek, T.A. 86—25776
Schoenenberger, J.G., Williams, P.D.L. The design, construction and early trials of a novel airborne surveillance radar 86—17512
Schoenenberger, J.G. *see* Griffiths, H.D. 85—28420
Schoener, B. *see* Geihs, K. 88—52969
Schoener, G., Bechtel, J.H., Salour, M.M. Novel fiber coupler for optical fiber temperature sensor 85—62367
Schoenes, J. *see* Reim, W. 85—29424
Schoenfeld, A. *see* Hart, H. 88—61309
Schoenfeld, H. *see* Klar, R. 88—26817
Schoenfeld, R.L. Acquisition of neuroelectric data, history and perspectives 85—38165
Schoenfeld, W.P. *see* Bohlander, R.A. 88—58847
Schoenfeld, W.P. *see* Hill, R.J. 88—58846
Schoenherr, B.W. *see* DonVito, M.B. 86—16251
Schoenholz, R., Dian, R., Nitsche, R. Growth of cadmium telluride crystals by an improved travelling heater method 86—7731
Schoenhut, J., Contin, S. Implementation and comparison of different presentation layer codings for efficient transfer of GKS metafiles 85—3143
Schoening, J. *see* Baust, E. 88—23663
Schoenlein, R.W., Lin, W.Z., Ippen, E.P., Fujimoto, J.G. Femtosecond hot-carrier energy relaxation in GaAs 88—12933
Schoenlein, R.W. *see* Birngruber, R. 88—8269
Schoenlein, R.W. *see* Lin, W.-Z. 88—40331
Schoenmaekers, W. *see* Burger, P. 87—14752
Schoenmaekers, W. *see* Verplancke, J. 86—50455
Schoentgen, J. An acoustic feature related to vocal efficiency in normal and pathological speakers 86—22956
Schoenung, S.M. *see* Loyd, R.J. 87—31004, 87—36181, 87—78967, 88—5909
Schoenwald, J. The SAW resonator: how it works. I 85—56076
Schoenwald, J. The SAW resonator filter: how it works. II 85—62172
Schoenwald, J. The surface acoustic wave filter 86—21945
Schoenwald, J. The surface acoustic wave filter: window functions 86—52935
Schoenwald, J.S. Strategies for robotic sensing using acoustics 86—70547
Schoenwald, J.S., Black, M.S., Martin, J.F., Arnold, G.A., Allison, T.A. Acoustic range sensing servo control: improved robot positioning and trajectory 87—50600
Schoenwald, J.S., Black, M.S., Martin, J.F., Arnold, G.A., Allison, T.A. Application of acoustics to control kinematic and dynamic behavior in robots 87—71464
Schoenwald, J.S., Smith, C.V., Jr. Two-tone CW acoustic ranging technique for robotic control 86—4754
Schoenwald, J.S., Thiele, A.W., Gjellum, D.E. A novel fiber optic tactile array sensor 87—63410
Schoenwald, J.S., Thiele, A.W., Gjellum, D.E. A novel fiber optic tactile array sensor 88—16154
Schoenwald, J.S. *see* Smith, C.V., Jr. 86—4753
Schoenwetter, H.K. Settling time measurements 86—38579
Schoenwetter, H.K. Design and characterization of a programmable step generator with very fast settling performance 88—16222
Schoenwetter, H.K., Flach, D.R., Souders, T.M., Bell, B.A. Precision programmable step generator for use in automated test systems 88—29477
Schoenwetter, H.K. *see* Flach, D.R. 86—24447
Schoenwetter, H.K. *see* McKnight, R.H. 85—26322
Schoenwetter, H.K. *see* Souders, T.M. 87—21013, 87—70532, 88—15996
Schoepe, G. Precision current source with positive output and earth reference 85—44868
Schoepe, W. *see* Chaabane, H. 86—67708
Schoepflin, R.W. *see* Kowalski, J.M. 87—40512
Schoepp, K. *see* Saczuk, A. 85—9897, 85—53710
Schoeps, W. *see* Bialkowski, J. 88—68296
Schoeps, W. *see* Bialokowski, J. 85—31755
Schoess, J., Castore, G. A distributed sensor architecture for advanced aerospace systems 88—74367
Schoessow, E.P. *see* Godwin, M.P. 87—13806
Schoessow, P. *see* Balka, L. 88—47985
Schoessow, P. *see* Konecny, R. 87—41694
Schoessow, P. *see* Ruggiero, A.G. 87—70915
Schoesssow, P. *see* Simpson, J. 86—32068
Schoetzau, H.J., Meili, H.P., Fischer, E., Sturzenegger, Ch., Graf, H.P. Dielectric phase in an SF$_6$ model breaker 86—33548
Schoetzau, H.J. *see* Graf, H.P. 85—21741
Schofbeck, O. Gate arrays control universal programming and test module 85—54794
Schofer, B. *see* Dreute, J. 87—14771
Schofer, B. *see* Trakowski, W. 85—4204
Schofer, H. Flicker-free video pictures 88—35677
Schofer, H. Flicker-free video pictures 88—67558
Schofer, R.E. *see* Witzgall, C. 87—55546
Schoff, W.R., Lipert, P.J. Time frequency management system for HF radio 85—14108
Schoffa, G., Postweiler, W. Adaptive online classifier for ECG mapping implemented on a small computer 85—59307
Schoffa, G. *see* Jie, J. 88—35887
Schoffa, G. *see* Jin, J. 87—57142, 88—30004
Schoffa, G. *see* Kasper, L. 85—48282
Schoffel, P., Landstorfer, F. Statistical analysis of the beam error in interferometers in the VHF/UHF range 87—56299
Schoffel, P. *see* Landstorfer, F. 85—3951
Schoffel, P.H., Landstorfer, F.M. A field-model for the evaluation of statistical DF-errors in the UHF/VHF range 87—49210
Schoffer, G. Monolithic CMOS video mux/amp pushes 50 MHz 88—573
Schoffler, G. *see* Herzke, K. 85—60490
Schoffler, G. *see* Leimbach, P. 86—33797
Schoffler, W. *see* Heimgartner, P. 88—11063
Schoffmann, H. *see* Schmidt-Kloiber, H. 85—64619
Schofftstall, M.L. *see* Case, J.D. 88—52882
Schofield, D. Interaction using speech 85—47776
Schofield, D. Research on speech recognition at NPL 85—57323
Schofield, D. Visualisations of speech based on a model of the peripheral auditory system 86—16174
Schofield, J. *see* Clark, G. 87—1836
Schofield, J.R.G. Integrated digital control for drives and auxiliaries in the process industries 88—69748
Schofield, J.W., Pemberton, K.G., Cartledge, B. A standard language for instrument control—SLIC 85—31367
Schofield, M.J. Knowledge-based test generation 85—44991
Schofield, P., Lantzy, D.A. Steam turbine-generator performance improvement resulting from redesigning to minimize solid-particle erosion damage 87—64420
Schofield, P. *see* Allen, A.J. 85—15218
Schoggl, E. Dressing insulating paper of transformers with regenerating oil 88—17685
Schohe, K. *see* Krawczyk, S.K. 88—13040, 88—49843
Schohense, G. *see* Heckenkamp, Ch. 86—60628
Schoissengeier, J. On the discrepancy of ($n\alpha$). II 86—66712
Scholch, H.P., Reinelt, M., Kalbitzer, S., Muller, G. Observation of ion drift of Au in a-Si p-n junctions 86—47386
Scholefield, C. *see* Last, D. 87—41048
Scholefield, C. *see* Last, J.D. 85—58246
Scholer, F. Hi-Fi. CD blunder? 88—67608
Scholer, F. Rust as CD killer? 88—74181
Scholer, H. *see* Euteneuer, H. 87—41783
Scholer, M. *see* Mobius, E. 85—53169
Scholermann, H., Siebert, B.R.L. Calibration of a van de Graaff accelerator and determination of the threshold of the reaction ^{45}Sc(p, n)^{45}Ti using a covariance analysis 85—52927
Scholes, A.E., Burrill, K.A. Telecommunications training needs for the changing technological environment 86—59430
Scholes, G.H. *see* Kidd, A. 85—5265
Scholes, W.A. Mokai is hot geothermal project 85—43886
Scholes, W.A. Coal mine burns drainage gas to generate power for profit 86—52093
Scholfield, C.N., Murdock, M. A regulated high-voltage supply running from a battery using the voltage multiplier principle 85—11005
Scholfield, C.N., Murdock, M. High-current and high-voltage stimulators [for electrophysiology experiments] 85—48197
Scholfield, C.N., Murdock, M. Pulse-modulated light source for psychometric and vision experiments 87—63706
Scholhamer, G. The message passing coprocessor: a flexible solution 88—6935
Scholiers, W., Wiehr, E. Stokes-spectro-polarimetry with a two-dimensional diode array 86—38396
Scholl, E. Lowering of grain-boundary barrier heights by grain curvature 87—1165
Scholl, E. Equal areas rules for filamentation in SNDC elements 87—1167
Scholl, E. Instabilities in semiconductors: domains, filaments, chaos 87—53154
Scholl, E. Dynamic theory of picosecond optical pulse shaping by gain-switched semiconductor laser amplifiers 88—40337
Scholl, E., Ketterer, K., Bottcher, E.H., Bimberg, D. Gain-switched semiconductor laser amplifier as an ultrafast dynamical optical gate 88—51788
Scholl, E., Parisi, J., Rohricht, B., Peinke, J., Huebener, R.P. Spatial correlations of chaotic oscillations in the post-breakdown regime of p-Ge 87—32231
Scholl, E. *see* Bimberg, D. 85—41409, 86—42565
Scholl, E. *see* Rau, U. 88—1344
Scholl, F. Plastic fibre to the fore [LAN] 88—46540
Scholl, F. *see* Coden, M. 87—76787
Scholl, F.D. *see* Gutt, H.-J. 88—69754
Scholl, F.W., Coden, M.H. Passive optical star systems for fiber optic local area networks 88—73582
Scholl, F.W., Coden, M.H., Anderson, S., Dutt, B., Racette, J., Hatfield, W.B. Reliability of components for use in fiber optic LANs 87—76785
Scholl, F.W. *see* Hatfield, W.B. 88—41342, 88—66992
Scholl, G. *see* Leidinger, B. 87—78444
Scholl, J.A., Serri, J.A., Sung, L.M., May, J.E., Stevenson, R.C. EMP hardening and assessment of a terrestrial communications system 87—39414
Scholl, J.W. *see* Scholl, M.S. 88—30107, 88—47572, 88—60281
Scholl, M.S. Three beam-combining schemes in a color projection display 88—47649
Scholl, M.S., Scholl, J.W. Cockpit readiness for night vision goggles 88—30107
Scholl, M.S., Scholl, J.W. Time- and position-varying infrared scene simulation 88—47572
Scholl, M.S., Trimmier, J.R. Luminescence of YAG:Tm, Tb 86—58828

Scholl, M.S., VanZyl, J.J., Meinel, A.B., Meinel, M.P., Scholl, J.W. Laser agile illumination for object tracking and classification feasibility study 88−60281
Scholl, R. Effective screening techniques for dynamic RAMs 86−46807
Scholl, S.O. *see* Krohe, J.G. 87−21670
Scholl, T.H. *see* Stark, S.Z. 86−30151
Scholldorf, A. *see* Brennan, J.M. 86−31815
Scholling, W. Automation of test processes with the application of microelectronics and robotics in manufacturing 85−3860
Scholling, W. Automated test processes for the assembly of electronic products 86−26608
Scholling, W. Use of industrial robots in the production from the view of the Enterprise Organisation 87−10123
Schollmeier, G. The user interface in the ISDN 85−47085
Schollmeier, G. Subscriber access technology in the ISDN 86−17070
Schollmeier, G. *see* Lerach, L. 85−42396
Schollmeier, G. *see* Schenk, H. 87−33721
Schollmeyer, H. A digital AC bridge as an impedance to frequency converter 86−5179
Schollmeyer, H. Digital AC bridges as impedance to frequency convertors used for passive sensors 87−3596
Schollmeyer, H. *see* Helbach, W. 87−14480, 88−16424
Schollmeyer, H. *see* Nippert, T. 88−48971
Scholly, C. *see* Mullin, F.J. 88−22151
Scholsky, K.M., Warner, R.J. Automated device for analyzing drug release kinetics from colloidal particles 87−71153
Scholte, P.M.L.O., Gravesteijn, D.J. New materials for reversible optical storage applications 88−45068
Scholte, P.M.L.O. *see* Greidanus, F.J.A.M. 88−64899
Scholten, C.A., Vos, J.E., Prechtl, H.F.R. Compiled profile of respiration, heart beat and motility in newborn infants: a methodology approach 85−26748
Scholten, D.K. *see* Tom, V.T. 85−38357
Scholten, E.J.H. The personal computer as an aid to the design of a special Drakapreen crane cable 86−18825
Scholten, H.A. *see* Herfort, J. 86−16599
Scholten, J. Load capacity of 10 kV GPLK cable in the ground in discontinuous loading situations 87−30196
Scholten, L.C. Testing and monitoring of air filters at Dutch nuclear facilities 87−4506
Scholten, L.J. Precision production-ready phototools 87−37730
Scholten, R.E., McClelland, J.J., Kelley, M.H., Celotta, R.J. Spin sensitivity of a channel electron multiplier 88−50609
Scholtens, B.B. Gasification of coal again attracts a full house 88−62146
Scholtis, G. *see* Heinz, H. 86−51938
Scholtis, G. *see* Kill, E. 87−58383
Scholtyssek, B., Minh, D.D. Digital torque computer for test rig drives with DC motors 86−70002
Scholtz, A.L., Leeb, W.R., Flatscher, R., Philipp, H.K. Realization of a 10-μm homodyne receiver 87−56168
Scholtz, A.L. *see* Leeb, W.R. 87−20520
Scholtz, A.L. *see* Philipp, H.K. 86−11104
Scholtz, A.V., Das, P. Acoustoelectrooptic effects in SAW devices 86−68150
Scholtz, A.V., Das, P., Shklarksy, D. Acousto-electro-optic modulation of coherent light in SAW devices 87−53859
Scholtz, A.V. *see* Das, P. 87−12013
Scholtz, R. *see* Cheng, U. 87−41061
Scholtz, R.A. *see* Dlugos, D.M. 87−39845
Scholtz, R.A. *see* Kumar, P.V. 86−34137
Scholtz, R.A. *see* Lee, T. 87−40048
Scholtz, R.A. *see* Peng, W. 87−40732, 87−54618
Scholtz, R.A. *see* Reichman, A. 85−30876, 86−10335, 87−39853
Scholtz, R.A. *see* Sampaio-Neto, R. 86−10336, 87−20381
Scholtz, R.A. *see* Simon, M.K. 85−60648, 86−13339
Scholtz, R.A. *see* Soliman, S.S. 85−41824, 86−54399, 88−45801, 88−66256
Scholz, B. *see* Bresch, H. 87−58025
Scholz, C. Determining the efficiency of thin-film magnetic heads 88−71939
Scholz, D. *see* Zuzek, J. 85−20119
Scholz, E. To provide good tone: frequencies bender−correction circuit for many applications 85−28634
Scholz, E. Unusual loudspeakers: the active part is concealed 85−31242
Scholz, E. For short waves. Receiver for 160 m and 80 m bands. I 85−52272
Scholz, E. For shortwaves: Receiver for 160 m and 80 m. II 85−52492
Scholz, E. Current from a solar socket. Energy source of the future−already in use today 86−6997
Scholz, E. An active attenuator of studio quality: an audio unit of great versatility 86−8362
Scholz, E. Junior active box. Moving into a higher class [loudspeakers] 86−11354
Scholz, E. Hi-Fi preamplifier feeder for the output stage 86−20324
Scholz, E. Radio amateurs: one step ahead of the professionals 86−37823
Scholz, E. Test report: receiver NRD-525G−impressive world receiver 87−34737
Scholz, E. Test report CK 4000 Multi Mors: Morse course from a single IC 87−48483
Scholz, E. Practical measuring: If under suspicion−measure it! Testing diodes and transistors−no problem 87−58653
Scholz, F., Hwang, J.M., Schroder, D.K. Low frequency noise and DLTS as semiconductor device characterization tools 88−33228
Scholz, F., Wiedemann, P., Benz, K.W., Trankle, G., Lach, E., Forchel, A., Laube, G., Weidlein, J. GaInAs-InP multiquantum well structures grown by metalorganic gas phase epitaxy with adducts 86−46309
Scholz, F., Wiedemann, P., Nerz, U., Benz, K.W., Trankle, G., Lach, E., Forchel, A., Laube, G., Weidlein, J. InP, GaInAs and quantum well structures grown by adduct MOVPE 87−11403
Scholz, F. *see* Korber, W. 88−50632
Scholz, F. *see* Korn, M. 88−20663
Scholz, F. *see* Maile, B.E. 88−25943
Scholz, F. *see* Rodder, M. 87−32517
Scholz, G.A., Gerischer, H. Electroreflection measurements on semiconductor/electrolyte interfaces to determine the voltage distribution 85−61795
Scholz, G.A. *see* Gerischer, H. 85−49110
Scholz, H. SIKUS distribution board kits for trade and industry 85−53327
Scholz, H. Short-wave radio−World Radio Administrative Conference 1984/87. Preparatory work in the Federal German Republic EBU 86−43947
Scholz, H. STAB metal-enclosed wall-mounting distribution board system to new standards 86−51815
Scholz, H. SMD variations. Automatic placement unit of SMDs works with various types 87−11181
Scholz, H. Little effort−high accuracy [temperature measurement] 87−14587
Scholz, H. Correct processing of SMD 87−45419
Scholz, H. Wall- and floor-mounted distribution system for commerce and industry 87−71640
Scholz, H. Variable installation-distribution system for industry and trade 88−5342
Scholz, H. Fast fitting. System installation corresponding to a plant for easy assembly [building wiring] 88−10849
Scholz, H. Versatile distribution board system for industry 88−37334
Scholz, H., Bohme, H., Lobl, H. Heating problems through vacuum switches in switching plants? 88−17793
Scholz, H.P. *see* Barber, D. 88−54002
Scholz, J. Sensors and standardization 86−50047
Scholz, J. *see* Asenov, A. 88−13047
Scholz, J. *see* Bollu, M. 88−13043
Scholz, K.-P. *see* Hoeg, W. 86−43960
Scholz, K.D. *see* Chao, C.C. 88−64142
Scholz, M. Electronic load [power supplies testing] 85−54642
Scholz, P. Thick-film hybrid circuits for electronic voltage regulation in motor vehicles 85−39283
Scholz, P. Family festival [new logic analysers from low-cost to the most powerful range] 86−38206
Scholz, P. For today and tomorrow. Logic analyser for the complete spectrum of digital applications 87−63223
Scholz, R. Optimal L_∞-estimates for a mixed finite element method for second order elliptic and parabolic problems 85−10651
Scholz, R. Numerical solution of the obstacle problem by the penalty method. II. Time-dependent problems 86−62121
Scholz, R. Mixed finite element approximation of a fourth order variational inequality by the penalty method 88−6392
Scholz, R., Behl, E., Weinert, J.G. The BE 80 service telephone system−functional features and control structure 87−76209
Scholz, R. *see* Beim, A. 87−55907
Scholz, R. *see* Descloux, J. 86−7706
Scholz, R. *see* Grossmann, C. 85−16782
Scholz, R. *see* Klotz, P. 87−34034
Scholz, S. On Stetter's global error estimation in the smooth phase of stiff differential equations 86−34243
Scholz, S. *see* Fischer, F. 87−63646
Scholz, T. Satellites offer telcos a choice 88−22024
Scholz, T. *see* Neumann, H. 88−12088
Scholz, U. *see* Heidemann, R. 87−76751
Scholz, W. Microwave detectors for high-risk application 85−42973
Scholz, W. *see* Arndt, G. 86−13472
Scholz, W. *see* Homan, C.G. 85−1943
Scholz, W. *see* Pohl, J.P. 86−45632
Scholze, W. *see* kastens, T. 85−54090
Scholzel, G. Electronic lock for automobiles 88−24248
Scholzel, G. *see* Stens, E. 87−45465
Schomacher, K.H. Switch disconnectors for distribution duties 85−39139
Schomacker, H. Service life surveillance of NPP components 87−57829
Schomberg, H., Beil, W., McKinnon, G.C., Proksa, R., Tschendel, O. Ultrasound computerized tomography 85−15279
Schomberg, H., Beil, W., McKinnon, G.C., Proksa, R., Tschendel, O. Towards high-resolution ultrasound computerized tomography 87−21556
Schomberg, R. *see* Quenet, J.F. 87−42626
Schomburg, W. *see* Lobner, K.E.G. 87−71049
Schomel, J., Maron, V., Kmosena, J. Evaluation of occurrences significant in relation to safety at the Nuclear Power plant V-1 Bohunice 87−35747
Schomer, D.L. *see* Ives, J.R. 88−61351
Schomer, E. Reduced downtimes through planned inspection and maintenance 85−53462
Schomer, E. *see* Ruf, R. 86−39370
Schomers, J. *see* Koeck, K. 87−27815
Schommartz, G. Correction of noise disturbances like drift and large zero offsets 87−3548
Schommartz, G. *see* Fahrun, E. 85−19452
Schon, A. Pathfinder: C-64 generates Platine-layouts 86−1488
Schon, A. C64 software: home computer works out the printed board layout 86−7891
Schon, A. *see* Breskin, A. 88−68214
Schon, A. *see* Feichtinger, H. 87−70357
Schon, A. *see* Fischer, P. 88−68294
Schon, A.E. *see* Murr, A. 85−23181
Schon, D., Klebeck, U. No-break AC power supply for telecommunication application using static transistor inverters in a pulse-width control mode 86−61619
Schon, G. Quantum shot noise in tunnel junctions 86−15431
Schon, G. *see* Guinea, F. 88−7822, 88−26713
Schon, G. *see* Kampf, A. 87−74607
Schon, G.E. *see* Clarke, J. 87−7046
Schon, K. Test methods for the dynamic performance of fast digital recorders 86−60207
Schon, K. An iterative deconvolution algorithm for the reconstruction of high-voltage impulses distorted by the measuring system 86−60304
Schon, K. Concept of measuring the impulse charge in partial discharge tests 87−3736
Schon, K. *see* Korff, H. 87−14260, 88−16240
Schon, K. *see* Latzel, H.-G. 87−14470, 88−16422
Schon, K. *see* Lucas, W. 85−48039, 85−58783, 86−24622, 86−60297
Schon, K. *see* Rungis, J. 88−50286
Schon, K.R. *see* Werner, W.M. 88−12380
Schon, R. Door television systems: planning and installation 85−3723
Schonacher, D. *see* Myers, K. 86−69586
Schonau, R. Solar generator power for flashing light units 87−42721
Schonauer, H. *see* Baartman, R. 86−24896
Schonauer, H. *see* Gelato, G. 88−54258
Schonauer, H. *see* Reich, K.H. 85−26625
Schonauer, J. *see* Kohrn, W. 87−59797
Schonauer, W., Schnepf, E., Raith, K. The redesign and vectorization of the SLDGL-program package for the self adaptive solution of nonlinear systems of elliptic and parabolic PDEs 85−49525
Schonbach, A. Communications standards review 87−48622
Schonbach, B.H. Maintenance guidelines for roller mill systems [cement industry] 86−19677
Schonbacher, H. *see* Liptak, G. 85−56038
Schonbachler, M., Atherton, D.L. Pneumatic stressing mechanism for magnetomechanical studies 88−53835
Schonbachler, M. *see* Atherton, D.L. 88−53829
Schonbein, R., Erbacher, J. Experimental comparison of the clarity of different speech synthesis modules 86−69988
Schonbek, M.E. Second-order conservative schemes and the entropy condition 85−39660
Schonberg, E. *see* Kalvin, A. 87−47917
Schonberg, R. *see* Lapides, M.E. 85−43727
Schonberg, R.G. Field uses of a portable 4/5 MeV electron linear accelerator 87−50031
Schonberg, R.G., Deruyter, H., Fowkes, W.R., Johnson, W.A., Miler, R.H., Potter, J.M., Weaver, J.N. Portable, X-band, linear accelerator systems 86−24916
Schonberg, R.G. *see* Miller, R.H. 86−25029
Schonberger, F. *see* Zibert, K. 85−6298
Schonberger, W. Untersuchung des Hochstromsystems und der Netzruckwirkungen von Lichtbogenofen - Hochstromsystem - 2 (Investigation of the high current system and the network reaction of arc furnaces - High current system. II) 85−44320
Schonborn, K.-H. Application of light wave conductors (LWC), choice and availability of ready made units 88−9540
Schonborn, K.-H., Kobayashi, N., Kersten, R.T. High power laser beam delivery systems in surgery: the technical aspect 87−29804
Schonbucher, B., Fritz, P. Design, layout and operation of the DENOX plant−experience from the commissioning phase 87−57893

Schonbucher, B., Poensgen, Th. Design and operation of the flue gas desulphurization plant (FGD) for Unit No.7 at Heilbronn Power Station—experience from commissioning and initial operating period 87−57894
Schone, F. *see* Bauckhage, K.A. 87−70885
Schone, G. Filter modules to be used in small-dimension mixing units 85−34056
Schone, G. Employment of video sensors with image processing for real time applications 87−14207
Schone, G. Electronic transducers for measuring of small flow volumes of gases and liquids 87−77465
Schone, G., Coy, D. Progress in realtime image processing for target detection, target tracking and seeker heads 88−54699
Schone, G., Riegger, S. CAE-tools for design of DR-stabilized stripline oscillators 88−25430
Schone, G. *see* Riegger, S. 88−27493
Schone, T. Strong connection: PC/GPIB 87−41325
Schone, U. 64 Kbyte memory bank with DRAM U2164 87−44832
Schone, W. *see* Stephan, K.H. 88−23017
Schonecker, H.G. The TELEX service is irreplaceable 88−66904
Schonecker, H.G. *see* Frankl, R. 85−13884
Schonefeld, K. A note on a globalization of Wilson-type optimization methods 86−66740
Schonefeld, R. Is there an alternative to J. von Neumann architecture? 86−67937
Schonefeld, R. *see* Reschke, D. 86−28253
Schonefeld, R. *see* Schmitz, A.W. 86−6575
Schonegger, D. The integration of PCs with mainframe installations 88−67015
Schoneich, H.-J. DC-DC converter of small power 86−27072
Schoneich, J. *see* Schmalz, K. 85−50361
Schonek, J. The ALTIVAR 5 variable-speed drives 88−11410
Schoneman, G.K., Mitchell, D.M. Output impedance considerations for switching regulators with current-injected control 87−73309
Schoneman, G.K., Mitchell, D.M. Closed-loop performance comparisons of switching regulators with current-injected control 88−30801
Schoneman, G.K. *see* Mitchell, D.M. 88−75764
Schonenberg, R. The breaking strength of long rod insulators with split attachment points and Portland cement after lengthy operating periods 86−32803
Schonenberger, A. *see* Zander, C.-P. 85−60497
Schoner, G. *see* Salour, M.M. 85−31449
Schoner, H.-P., Ogborn, L.L. Fast battery-to-battery charge 88−5775
Schoner, H.-P. *see* Jilg, H.-P. 86−50041
Schoner, H.-P. *see* Schleuter, W. 85−39175
Schonert, D., Leder, H.-W. DC drives for a six-high reversing cold rolling mill 85−21975
Schonewille, F.G. *see* Siebenlist, F. 87−50024 to 50025
Schonewille, F.G. *see* Thomae, R.W. 86−25022, 86−32051, 86−60396
Schonewille, F.G. *see* van Amersfoort, P.W. 87−8809, 87−41675
Schonfeld, H., Klar, R. The measurement of backscatter as accompanying test method in the manufacture and assembly of optical waveguide cables 86−23913
Schonfeld, H., Teschner, W. The packaged network [optical fibre LAN] 88−59660
Schonfeld, H. *see* Klar, R. 86−23915
Schonfeld, J.F. Statistical mechanics of colliding beams 85−31638
Schonfeld, J.F. A semiclassical theory of underdamped nonlinear Brownian processes 85−31639
Schonfeld, J.F. Electron storage ring distributions near linear resonance 85−31640
Schonfeld, J.F. A new approach to dynamic aperture problems 87−3827
Schonfeld, R. Fuel rod bundles. Calculation methods to determine temperature distributions 85−48774
Schonfeld, R. Adaptive digital speed and position control of DC-servo drives 86−66382
Schonfeld, R. Computer controlled electric drives—structures, solution principles, results 87−58354
Schonfeld, R., Eulitz, T. Simulation of inverter-machine-systems 88−49177
Schonfeld, R., Krug, H., Geitner, G.H., Stoev, A. Control algorithms for digital controllers of electric drives 86−13123
Schonfeld, S.M. *see* Tobes, M.C. 88−36574
Schonfeld, T.J. *see* Muise, R.W. 87−20081
Schonfeld, U. *see* Senf, W. 86−67482
Schonfelder, A. *see* Blaschta, F. 85−40947
Schonfelder, H. Processing problems in the HDTV-studio 85−52464
Schonfelder, H. Analogue component techniques in broadcasting 87−8374
Schonfelder, H. Digital control technology in the HDTV television studio 87−76962
Schonfelder, H. Perspectives of component signal processing 88−67557
Schonfelder, H. From the component studio to high definition television 88−67572
Schonfelder, H., Teichner, D. Improving the quality of TV pictures by digital video signal processing 86−49777
Schonfelder, H. *see* Riemann, U. 88−67545
Schonfelder, K.-H. Architectural aspects in power plant construction 85−21274
Schonfelder, V.H. Colour-TV with improved picture quality by component transmission 87−34702
Schonfeldt, H.J. *see* Panin, G.N. 85−59486
Schongen, F. *see* Schwarz, U. 88−68937
Schonhense, G. *see* Schafers, F. 86−55950
Schonherr, A. *see* Lehmann, R. 85−59868
Schonherr, A. *see* Peppel, M. 86−61651
Schonherr, E. Precise measurements of crystal growth rates from the vapor by a transient technique 85−39706
Schonherr, E. Determining effective diagnostic strategies in the construction of electronic modules 87−36503
Schonherr, E. *see* Schulze, M. 86−58133
Schonhofer, F., Henrich, E. The use of microprocessors and microcomputers in liquid scintillation counting 86−44541
Schonhoff, A., Klein, J. SICAD supports reliable energy supplies 87−21845
Schonhoff, T.A. *see* Clifford, K.M. 87−40679
Schonholz, R., Dian, R., Nitsche, R. Solution growth of cadmium telluride—experiment ES 322 85−44683
Schonhorn, H. *see* Butherus, A.D. 86−9031
Schoning, Elter The design criteria for the HTR-500 reactor components 87−71913
Schoning, J. Small and medium-sized high-temperature reactors for generation of electricity, process steam and district heat 88−30477
Schoning, J. Small and medium-sized high-temperature reactors for generation of electricity, process steam and district heat 88−62107
Schoning, J., Elter, C., Becker, G. Concrete reactor vessels for HTRs—building on German experience 85−15764
Schoning, J., Schwarz, D. The high temperature reactor line and possibilities for its application 85−38709
Schoning, J., Stolz, D., Wachholz, W. HTR-500 technical and safety-engineering concepts 86−18982
Schoning, J. *see* Arndt, E. 87−71789
Schoning, J. *see* Baust, E. 86−18976, 87−64237
Schoning, J. *see* Brandes, S. 86−18977
Schoning, R. *see* Hausler, R. 85−53158
Schoning, U. *see* Orponen, P. 86−66763
Schonk, G. Quality—high-speed CMOS 86−2365
Schonlebe, G. Soldering SMDs onto printed circuit boards 87−45442
Schonleben, K. *see* Spiegel, H.U. 87−57080
Schonlein, A. The Karmarkar algorithm—idea, realisation, example, and numerical experience 87−189
Schonlein, A. *see* Klabunde, J. 86−25006, 87−41759 to 41760
Schonlein, A. *see* Muller, R.W. 87−41677
Schonmuth, T. *see* Pretzsch, G. 86−56050
Schonnagel, H., Gunkel, H. A new conception of the optical layout of high power laser installations 87−54213
Schonstein, E. *see* Kelemen, A. 88−69807
Schoof, H. *see* Bosterling, W. 86−56851, 87−38231
Schoof, R. Elliptic curves over finite fields and the computation of square roots mod *p* 85−49472
Schoof, R., Washington, L.C. Quintic polynomials and real cyclotomic fields with large class numbers 88−49699
Schoolar, R., Tenescu, E. Analysis of InSb photodiode low temperature characteristics 87−46692
Schoolar, R.B. Calculated detectivity of Schottky barrier detectors (SBDs) 85−47842
Schooley, J.F., Colwell, J.H. Superconductive temperature reference points above 0.5K 85−47791
Schooley, L.C. *see* Downing, T.E. 88−24397
Schooley, R.E., Harriman, S. Supplementing business application programming instruction with an electronic mail and bulletin board system 88−46506
Schoolman, S.A. *see* Wang, S.P. 85−4278
Schools, H., Hesselman, H. Telephone voice response [remote data entry] 85−3168
Schools, H.A. Join the SWOT team [2-meter SSB/CW] 86−23651
Schoonard, J. *see* Gould, J.D. 88−9053
Schoone, A.A. Verification of connection-management protocols 88−73419
Schoonenberg, G.C. *see* Menheere, W.M.M. 87−15928
Schoonhoven, R., de Weerd, J.P.C. On the optimal choice of a recording electrode in electroneurography 85−31840
Schoonjans, H. Developments in oil-filled transformer design 86−56797
Schoonmaker, A.C. Communication outlook: extending augmentative communication 87−62435
Schoonmaker, J.W., Jr., McGregor, B.A. Sea floor mapping using GLORIA digital techniques 88−10594
Schoonmaker, J.W., Jr. *see* Chavez, P.S., Jr. 88−54756
Schoonman, J., Kiliaan, H.S. In-situ storage of solar hydrogen in a PEC cell 85−16191
Schoonover, R.M. A large capacity high precision electronic mass comparator 86−11748
Schoonover, R.M. A force balance liquid densimeter 86−11750
Schoonover, R.M., Taylor, J.E. Some recent developments at NBS in mass measurements 86−65281
Schoop, K. Miniature counter with U 126 D 86−62659
Schoop, K. *see* Streubel, G. 87−14725, 88−29799
Schoop, U. *see* Loeffler, H. 87−36355
Schoor, G.Van *see* Van Schoor, G.
Schoor, L.Van *see* Van Schoor, L.
Schoorens, H., Guegan, Y., Favier, P., Guedj, A. New developments of reluctance linear actuators with magnetic casing 87−43106
Schoorens, H. *see* Favier, P. 87−22297
Schoot, B.H.van der *see* van der Schoot, B.H.
Schoot, B.Van Der *see* Van Der Schoot, B.
Schoot, H.G. *see* van de Ven, J. 87−1189
Schoot, J.B.van der *see* van der Schoot, J.B.
Schoot, J.J.van der *see* van der Schoot, J.J.
Schope, H. *see* Amlong, U.-J. 85−21926
Schopp, H. *see* Gundel, H. 86−9728
Schoppe, K. *see* Troster, G. 87−37411
Schoppe, W.J. The Navy's tactical data network 86−16759
Schopper, E. Modern supervision of generators and transformers 88−17499
Schopper, E., Wendnagel, T., Baican, B., Schott, J.U. Advancement with AgCl-track detectors 87−29568
Schopper, E., Wenger, S. Measurement and testing technology development work in the Weiz works of the ELIN UNION 86−34015
Schopper, E. *see* Baumgardt, H.G. 87−14772, 87−77570
Schopper, E. *see* Binder, E. 87−57998
Schopper, E. *see* Huttner, H. 88−17509
Schopper, H. LEP and future options 85−26544
Schopper, H. LEP the large electron-positron project 85−31658
Schopper, H. Status of LEP and its experimental programme 86−31752
Schopper, H. Progress of LEP and its experimental facilities 86−38657
Schopper, H. Status report on the LEP project and its experiments 88−74675
Schoppnies, E. Bioelectronics: the future of the information processing? 87−50348
Schoppnies, E. New revelations in superconductivity 88−26738
Schore, G. Computer control of wet process and water treatment in a PC board and interconnector facility 86−58168
Schorer, E. Headphone equalization for HD 424: a practical check. Diffuse and free field in direct comparison 86−24208
Schorer, G. Process-induced crystal defects causing electrical failures in bipolar VLSI 85−1730
Schorer, G. *see* Battjany, S. 85−23886
Schorer, G. *see* Bauer, H.J. 85−29166
Schorer, G. *see* Heimeier, H.H. 85−50686
Schori, O. *see* Bay, A. 88−74749
Schormann, T. *see* Doler, W. 87−48051
Schorn, W. Comparison of pseudo-random signal generators using the χ^2 method 88−18954
Schornack, W. Colour television receivers Novatron and Novamat 85−8553
Schornack, W. Colour TV sets Colormat and Colortron of the series 4000 86−4824
Schornack, W. Universal computer connection for the Series 4000 colour television 87−63130
Schornack, W. Colour television set Colorlux 4226 88−22272
Schornack, W., Behrens, R. Monochrome television receivers type Luxomat 2001 and Debut 1001 85−42733
Schornack, W., Schreiber, M. Computer connections with Series 4000 colour television receiver 87−49279
Schornack, W., Sonka, U. Video recorder connections to a TV receiver 86−69944
Schornack, W., Wachsmuth, R. Colour picture tube RGB drive with the video combination A 3501 D [TV service information] 86−49830
Schornack, W. *see* Seckendorf, W. 85−42731, 85−58323
Schornagel, A. Optimum preventive maintenance for complex systems with interdependent equipment units 87−31271
Schorner, J. Speed controlled industrial drives 87−22921
Schorner, J., Rottenkolber, H., Roid, W., Hinsch, K. Industrial holography combined with image processing 88−40419
Schorner, J., Seifert, D. Electrical and mechanical features of inverter-fed asynchronous motors 87−30585
Schorner, J. *see* Grotzbach, M. 88−30916
Schorpp, K. *see* Aidam, E. 87−49994
Schortgen, M. *see* Cappy, A. 85−45716, 85−50526, 86−21584
Schortgen, M. *see* Versnaeyen, C. 85−45685
Schossig, D. *see* Hartung, D. 86−67243

Schostek, S. *see* Zenger, M. 86−26111
Schot, J.A. *see* Van Dongen, L.A.M. 85−65521
Schot, J.A. *see* Vleeshouwers, J. 88−62322
Schotanus, P., Van Eijk, C.W.E., Hollander, R.W. A BaF$_2$-MWPC gamma camera for positron emission tomography 88−61295
Schotanus, P., van Eijk, C.W.E., Hollander, R.W., Pijpelink, J. Development study of a new gamma camera for positron emission tomography 87−29727
Schotanus, P., van Eijk, C.W.E., Hollander, R.W., Pijpelink, J. Development study of a new gamma camera 87−50129
Schotanus, P., Van Eijk, C.W.E., Hollander, R.W., Pijpelink, J. Photoelectron production in BaF$_2$-TMAE detectors 88−4798
Schotanus, P. *see* van Eijk, C.W.E. 85−59269
Schotland, R.M., Cvijin, P.V., Zhao, Y., Hudor, A.M. Conceptual test of frequency diversity lidar 88−28956
Schotland, R.M. *see* Lea, T.K. 88−28957
Schotland, R.M. *see* Reagan, J.A. 86−6122
Schotland, R.M. *see* Yanzeng Zhao 88−67487
Schott, F. High-frequency Doppler radar measurements of the Florida Current in summer 1983 86−6129
Schott, F., Bedard, P., Haldenbilen, K., Lee, T. The usefulness of fairings for moored subsurface current measurements in high currents 87−71373
Schott, F., Johns, W. Half-year-long measurements with a buoy-mounted acoustic Doppler current profiler in the Somali Current 87−63971
Schott, F.S. Mid-ocean acoustic current profiling from submerged buoys 87−9026
Schott, H. The S chip in the ISDN network termination (NT) 85−47046
Schott, H., Herberg, H. Microcomputer controlled position sensitive measurement system 87−3765
Schott, H. *see* Brandenburg, K.H. 88−73091
Schott, H.-J. *see* Munzenberg, G. 87−71048
Schott, J., Siebert, H. More reliable handshake over long lines [noise suppression circuit] 85−34008
Schott, J.D. *see* Dorman, M.G. 86−18358
Schott, J.R. Underflight calibration of the Landsat Thematic Mapper 86−25406
Schott, J.R. Incorporation of angular emissivity effects in long wave infrared image models 87−49538
Schott, J.R., Biegel, J.D. Kinetic temperature image modeling from thermal infrared satellite images 87−15063
Schott, J.R., Biegel, J.D., Volchok, W. Comparison of methods for removal of atmospheric effects from remotely sensed color images 86−69174
Schott, J.R., Salvaggio, C. Inclusion of sensor noise in radiometric models for generation of synthetic longwave infrared images 88−45708
Schott, J.R. *see* Biegel, J.D. 85−48454
Schott, J.R. *see* Byrnes, A.E. 86−25404
Schott, J.T., Shedd, W.M. Silicon-on-insulator technologies−are we converging on a technique of choice? 87−32701
Schott, J.T., Zugich, M.H. Pattern imprinting in CMOS static RAMs from ^{60}Co irradiation 88−25194
Schott, J.T. *see* Cordaro, J.F. 87−32583
Schott, J.T. *see* Tsaur, B. 87−32702
Schott, J.U. *see* Schopper, E. 87−29568
Schott, K., Hofmann, K.C., Schulz, M. Blocking of silicon oxidation by low-dose nitrogen implantation 88−19805
Schott, O., Cochran, T., Adams, J., Sorensen, D. An alternative: the controlled ferroresonant power supply 86−26113
Schott, R. Nonlinear filtering and stochastic textures 87−39906
Schott, R. Planned new integrated communication system for the German Federal Railways 87−55919
Schott, T. Operation temperatures of PV modules−a theoretical and experimental approach 86−45687
Schott, T., Grizinger, W. Dynamic simulation of alternative island power supply 85−15945
Schott, T.D. *see* Tcheng, P. 87−71235
Schott, W. Rectifier converter using thyristors and the TCA 785 integrated phase control. I. Basic circuits 86−20296
Schott, W. Rectifier converter using thyristors and the TCA 785 integrated phase control. II. Rectifier converter circuit designs 86−34526
Schott, W. SITAC AC switch with electroplated isolation 86−53110
Schott, W. Thyristor rectifier with the integrated phase-angle control circuit, type TCA 785. II 86−57618
Schott, W. Thyristor converters using integrated phase-shift wave-chopping controller TCA 785. I 86−67010
Schott, W. Thyristor convertor 87−10657
Schott, W. Thyristors and current conversion. I 87−23902
Schott, W. Thyristors and current conversion 87−36971
Schott, W. *see* Herfurth, M. 85−6928, 85−18361, 85−28665
Schott, W. *see* Martin, S.A. 85−52949
Schott, W.H. An example of the application of opto-triacs 86−48263
Schotte, J. *see* Vandewege, J. 87−31687
Schotter, R. Digital realtime SAR processor for *C*- and *X*-band applications 87−63935
Schotter, R. Data processing aspects of synthetic aperture radar 87−70503
Schotter, R., Frohlich, H. High speed digital image processing functions for a realtime synthetic aperture radar processor 86−59946
Schotter, R. *see* Frohlich, H. 85−25139
Schottle, J., Danz, J., Schultz, G. Computer program for determining short-circuit currents in installations operated with direct voltage 86−51729
Schottler, P. Correcting read-only-memory programs 86−1036
Schottler, P.J. *see* Wilson, S.G. 85−19339
Schotzau, H.J., Meili, H.P., Graf, H.P., Sturzenegger, C. Physical experiments for the development of gas blast circuit breakers 86−51820
Schotzau, H.J. *see* Aeschbach, B. 86−51834
Schotzau, H.J. *see* Meier, R. 87−22651
Schotzau, H.J. *see* Ruegsegger, W. 85−53769
Schou, G., Cherel, J., Perea, E.H., Danckaert, J.-Y., Dean, T., Chaplard, J. Fully ECL-compatible GaAs standard-cell library 88−57820
Schou, G. *see* Dubois, A. 88−57821
Schou, H., Case, D. An experimental quality control program for printing archival films 88−24594
Schoug, C.-A. Microprocessor control and supervision of diesel power plants 88−30595
Schouhamer Immink, K.A. Performance of simple binary DC-constrained codes 85−57244
Schouhamer Immink, K.A. Construction of binary DC-constrained codes 85−57245
Schouhamer Immink, K.A. Spectrum shaping with binary DC^2-constrained channel codes 85−57246
Schouhamer Immink, K.A. On the systematic design of DC-constrained recording codes 86−36948
Schouhamer Immink, K.A. Coding methods for high-density optical recording 87−7661
Schouhamer Immink, K.A. Graceful degradation of digital audio transmission systems 88−35736
Schouhamer Immink, K.A. The performance of recording codes for digital magnetic storage 88−45961
Schouhamer Immink, K.A. Transmission of digital sound over channels with unforeseen bandwidth limitations 88−52347
Schouhamer Immink, K.A. Graceful degradation of digital sound from magnetic recording channels 88−60514
Schouhamer Immink, K.A., Beenker, G.F.M. Binary transmission codes with higher order spectral zeros at zero frequency 87−54866
Schouhamer Immink, K.A., Hoogendijk, A.H., Kahlman, J.A. Digital audio modulation in the PAL and NTSC optical video disk coding formats 85−20373
Schouhamer Immink, K.A. *see* Beenker, G.F.M. 85−57281
Schouhamer Immink, K.A. *(editor)* Proceedings of the Ninth Symposium on Information Theory in the Benelux 88−55855
Schouhamer-Immink, K.A. Coding techniques for partial-response channels 87−75679
Schoukens, J., Pintelon, R., Renneboog, J. A maximum likelihood estimator for linear and nonlinear systems−a practical application of estimation techniques in measurement problems 88−60518
Schoukens, J., Pintelon, R., van der Ouderaa, E., Renneboog, J. Survey of excitation signals for FFT based signal analyzers 88−74304
Schoukens, J., Renneboog, J. A high accuracy network analyser with the use of a digitiser and the IFFT 85−37543
Schoukens, J., Renneboog, J. Spectrum analysis of signals with very low frequency components 86−24448
Schoukens, J., Renneboog, J. Modeling the noise influence on the Fourier coefficients after a discrete Fourier transform 87−10350
Schoukens, J., van den Eijnde, E., Renneboog, J. Study of the noise characteristics after a discrete Fourier transform 88−14727
Schoukens, J. *see* Matthys, P. 85−37551
Schoukens, J. *see* Renders, J. 85−19426
Schoukens, J. *see* Sevenhans, D. 88−16181
Schoukens, J. *see* Van den Eijnde, E. 87−31735, 87−65774
Schoukens, J. *see* Van der Ouderaa, E. 88−8750, 88−59154
Schoukens, J. *see* Vanden Bossche, M. 87−801
Schouler, E. *see* Batllo, F. 88−33433
Schouler, E.J.L. *see* Kleitz, M. 87−8710
Schoustra, S. HP1631: logic analyzer with analogue channels 85−37508
Schoute, F. *see* Parekh, S. 88−41148
Schoute, F.C. Simple decision rules for acceptance of mixed traffic streams 88−66261
Schouten, G. Is solderability of printed circuit boards a problem? 87−17512
Schouten, G. Wave soldering SMDs 88−25670
Schouten, G. Wave soldering of SMDs−a smart approach from science to practice 88−38885
Schouten, H. *see* Franzen, J.M. 86−1224
Schouten, J.C., Caplin, A.D., Guy, C.N., Hardiman, M., Koratzinos, M., Steer, W.S. Design and performance of a 0.18 m^2 inductive detector for cosmic magnetic monopoles 87−70578
Schouten, J.C., Caplin, A.D., Guy, M., Hardiman, M., Park, J.G. The Imperial College monopole detector 85−31731
Schouten, M. *see* Alberdi, J. 88−22967
Schouten, M. *see* Fernandez, C. 85−4216
Schouten, T. *see* Fent, J. 85−9046
Schouwenaars, H.J., Dijkmans, E.C., Kup, B.M.J., Pelser, F.A., van Tuijl, A.J.M., Barten, H.J.E. A monolithic dual 16 bit D/A converter 86−34908
Schowalter, L.J., Fathauer, R.W. Molecular beam epitaxy growth and applications of epitaxial fluoride films 86−62230
Schowalter, L.J., Fathauer, R.W. MBE growth of epitaxial calcium fluoride on silicon 87−10464
Schowalter, L.J., Fathauer, R.W., DeBlois, R.W., Turner, L.G., Krusius, J.P. Epitaxial insulating films of CaF$_2$ on Si 85−22497
Schowalter, L.J., Fathauer, R.W., Goehner, R.P., Turner, L.G., DeBlois, R.W., Hashimoto, S., Peng, J.-L., Gibson, W.M., Krusius, J.P. Epitaxial growth and characterization of CaF$_2$ on Si 85−49553
Schowalter, L.J., Fathauer, R.W., Krusius, J.P. Electrical characterization of epitaxial calcium fluoride on silicon (111) 87−1347
Schowalter, L.J., Fathauer, R.W., Ponce, F.A., Anderson, G., Hashimoto, S. Electrical properties and structural defects in epitaxial CaF$_2$ on Si 87−45719
Schowalter, L.J. *see* Chrenko, R.M. 86−63167, 87−6545
Schowalter, L.J. *see* Fathauer, R.W. 85−362, 86−62214, 87−6500, 87−11584, 87−24755, 87−60196, 87−73094, 88−39168
Schowalter, L.J. *see* Hauenstein, R.J. 86−8872, 86−53450
Schowalter, L.J. *see* Hunt, B.D. 87−10472, 87−11455, 88−43890
Schowalter, L.J. *see* Okamoto, M. 87−11462
Schowengerdt, F. *see* Yarar, B. 87−59016
Schowengerdt, R., Archwamety, C., Wrigley, R.C. Operational MTF for Landsat Thematic Mapper 86−25403
Schowengerdt, R.A. *see* Rauchmiller, R.F., Jr. 87−39951
Schowengerdt, R.A. *see* Wood, L. 87−47968
Schowengerdt, R.A. *see* Yin, X. 86−49034
Schoy, A. Design methods for analogue circuits 87−59064
Schrack, F.C. *see* Keefer, B.G. 86−40351
Schrack, G.F. *see* Fawcett, G.S. 87−69320
Schrade, H.O., Auweter-Kurtz, M., Kurtz, H.L. Cathode phenomena in plasma thrusters 88−48304
Schrade, H.O. *see* Kurtz, H.L. 88−48305
Schrader, A. Optimally utilised digital private branch exchange 86−4434
Schrader, A. Networking in management 86−54890
Schrader, A. *see* Bartsch-Beuerlein, S. 86−16839
Schrader, D., Houlne, D. Serials automation at 3M−an unusual telecommunications implementation 85−42232
Schrader, H., Walz, K.F. Determination of radioactive impurities in activity measurements with non-discriminating detectors 86−44543
Schrader, H. *see* Schrader, T. 87−52596
Schrader, J. Communication without islands 85−42392
Schrader, J. Oman leaps into the future 86−4178
Schrader, J. A paradise for the telephone [digital switching systems] 86−64816
Schrader, J. Development of networks [ISDN] 86−69260
Schrader, K. Faster data-bit manipulations with 'Barrel Shifters' 86−52786
Schrader, M. *see* Fichtner, N. 85−15713
Schrader, M. *see* Keck, B. 88−75406
Schrader, M. *see* Wehle, F. 85−27251
Schrader, R. *see* Derigs, U. 87−16478
Schrader, R. *see* Faigle, U. 88−298
Schrader, T., Schrader, H., Koenig, M., Voelzke, H. The MC 68000. II 87−52596
Schrader, W., Coors, P. Switching voltage addition to the 3 MV AC voltage test unit 88−54966
Schrader, W., Dietrich, M. Impulse testing plants for industry, research and teaching 88−5411
Schrader, W. *see* Hauschild, W. 85−65372
Schraft, R.-D., Schlaich, G. A survey of the assembly of wire harnesses in industry 88−31476
Schraft, R.-D., Walther, J., Gzik, H., Spingler, J. Flexible assembly and flexible welding−new developments 85−10281
Schraft, R.D., Schlaich, G., Gohner, M. The need for flexibility as demonstrated in wire harness assembly 87−43969

Schraft, R.D., Spingler, J.C., Domm, M.E. Integration of an assembly robot in a flexible automated CIM-factory 88−57135
Schraft, R.D., Wolf, E. Flexible assembly cell for component insertion and soft-soldering on printed circuit boards 88−57134
Schrage, G.S., Hitt, R.E. REA studies change in subscriber loops 86−17075
Schrage, M.H. Shared memory array processor design for enhancing the signal processing throughput of Q-bus and Unibus systems 86−46890
Schrager, R.J., Madson, M.J., Walker, P.S. A magneto-mechanical 3-D surface contouring system to be used for generating soft tissue anthropomorphic data 88−54485
Schragl, R. Modelling distributed systems with abstract machines 85−19863
Schragl, R., Lauber, D. A protocol for the communication between objects 88−67072
Schraith, J.T. Automation of printed circuit board rework 87−11243
Schram, J.G. ISDN−the business network key 88−3689
Schram, S.D. Through the looking glass [RTTY] 85−57699
Schram, Z. *see* Guyas, J. 85−26732
Schrama, P.M. Fault in the Commodore module. Bildschirmtext 88−28321
Schramek, E.-R., Solfrian, W. The district heat pipeline 'Ostwestfalen-Lippe'−results of a survey commissioned by the State of North Rhine Westphalia 87−57867
Schramm, D. Distance education for disaster management 87−23133
Schramm, G. An introduction to rheology and viscometry: rotary viscosimeters 85−26509
Schramm, G. Tooling approaches for laminating MLBs 86−8614
Schramm, G., Hahn, W. The position and development trends of turbines for nuclear power stations 85−27188
Schramm, G., Hahn, W. The feasibility of improving the efficiency with the reconstruction of lignite power stations in East Germany 85−27296
Schramm, G., Hahn, W. Development trends in steam turbines for power stations and prospects of use in the GDR 86−39529
Schramm, G., Leidinger, B. Investigation into vibration to detect damage to turbine rotors early 87−15403
Schramm, G., Schilg, G., Hahn, W. The role of turbine construction in power plant modernization 88−62147
Schramm, G. *see* Edwards, A.W. 87−14756
Schramm, H.-H. Vacuum circuit breakers on the advance 88−17762
Schramm, H.-H., Wittke, V. Comparison of demands and rating of the high tension electrical equipment for $16^{2}/_{3}$ Hz and 50 Hz 87−79044
Schramm, H.-H. *see* Kopriva, O. 88−55542
Schramm, H.-H. *see* Pflaum, E. 86−51813
Schramm, H.F.W. An open network for internal data communication 85−19774
Schramm, H.F.W. ISDN Communications Systems HICOM−the cornerstone of integrated office communication 85−47380
Schramm, H.F.W. Autonomous systems in clinic networks 85−52066
Schramm, H.F.W. A computer network as the foundation for a firms decentralised organisation 86−49292
Schramm, H.F.W. LAN network tested by manufacturer 87−40390
Schramm, H.H. *see* Kubler, B. 88−11331
Schramm, J. Electrochromic displays 86−70033
Schramm, J.E., Anjaneyulu, Y. Modal output power for short external cavity single mode lasers 88−8251
Schramm, J.G. *see* Karner, H.C. 87−18433, 87−25722
Schramm, K.H. *see* Schimmel, G. 88−11785
Schramm, M., Hartmann, U., Sieder, K. Logarithmic time base with LC80 88−42179
Schramm, M. *see* Chitry, P. 88−6847
Schramm, R.E., Fortunko, C.M., Moulder, J.C. Advanced methods for noncontact inspection of welds using electromagnetic-acoustic transducers 85−20488
Schramm, R.E., Moulder, J.C., Fortunko, C.M. Nondestructive evaluation of thick austenitic stainless steel weldments by shear horizontal acoustic waves 85−33550
Schramm, R.E., Siewert, T.A. Production and sizing of uniform two-dimensional flaws in welds for NDE calibration 87−5546
Schramm, R.E. *see* Clark, A.V. 88−49926
Schramm, R.E. *see* Fortunko, C.M. 85−22569
Schrammeck, G. *see* Bruck, R. 87−67398
Schrammek, M. Heat removal by convection from electronic equipment 88−43709
Schrank, H.E. Aircraft radar antennas 87−61530
Schrank, M.P. *see* Abdalla, M.I. 86−17841
Schrankler, J.W., Huang, J.S.T., Lutze, R.S.L., Vyas, H.P., Kirchner, G.D. Cryogenic behavior of scaled CMOS devices 85−50752
Schrankler, J.W., Reich, R.K., Holt, M.S., Ju, D.H., Huang, J.S.T., Kirchner, G.D., Hughes, H.L. CMOS scaling implications for total dose radiation 86−35696
Schrankler, J.W. *see* Huang, J.S.T. 85−18336, 85−40760, 87−32697
Schrankler, J.W. *see* Ju, D.-H. 86−47856
Schrankler, J.W. *see* Reich, R.K. 86−2413, 86−47577, 86−47808
Schranz, H. *see* Honisch, K. 85−9783
Schratter, J. *see* Richards, M.G. 86−34581
Schraube, H. Study of the neutron response of a G-M counter 86−38703
Schraube, H. *see* Zoetelief, J. 87−21698
Schrauwen, C.P.G. *see* Bernards, J.P.C. 87−46311, 88−71916
Schrauwen, C.P.G. *see* de Bie, R.W. 88−44980
Schrauwen, C.P.G. *see* Luitjens, S.B. 86−28673
Schrauwen, C.P.G. *see* Zieren, V. 87−18499
Schreck, H. *see* Tinhofer, G. 86−7667
Schreck, J. *see* Coffman, T. 87−59488
Schreck, J. *see* Esquivel, A. 88−38542
Schreck, J. *see* Esquivel, J. 87−44853
Schreck, K., Schiller, H.G. Manipulator for conducting automatic eddy-current crack tests on intricately shaped component surfaces 88−60575
Schreck, U. *see* Hartmann, G. 85−13040
Schreckenbach, B. *see* Lippmann, H. 88−33084
Schreffler, W.C. A bright future for photovoltaics 86−71063
Schrefler, B., Gori, R. The effects of strand transposition on the stiffness matrix of superconductor core elements 88−65040
Schrefler, B. *see* Malavasi, G. 87−67986
Schrefler, B.A. *see* Guarnieri, M. 86−27650
Schreib, R. Planning for ion propulsion on communications satellites 85−31921
Schreiber, C. *see* Mantei, A. 87−47799
Schreiber, F. The Bayes-Laplace-statistic of the multinomial distribution 86−313
Schreiber, F. Statistical determination of unknown transition parameters in Markov chains 86−26719
Schreiber, F. Measurement of the correlation coefficient of the 2-node Markov chain 87−23463
Schreiber, F. Measurement of the stationary state probabilities of the 2-node Markov chain 87−44116
Schreiber, F. The empirical stationary distribution function of Markovian correlated random sequences 88−6351
Schreiber, F.A. Information systems: a challenge for computers and communications reliability 87−13222
Schreiber, F.A., Musatti, A. PRUNET: designing a computer network in a university environment 86−49296
Schreiber, H. Motor repair quality assurance 85−16012
Schreiber, H. *see* Bather, K.-H. 86−2190
Schreiber, H. *see* Chenoweth, C.V. 86−25893
Schreiber, H. *see* Clawin, D. 87−56147
Schreiber, H. *see* Elst, G. 85−17097
Schreiber, H. *see* Gruner, K. 87−63976
Schreiber, H. *see* Sobe, G. 86−13808
Schreiber, H. *see* Weise, G. 85−34205
Schreiber, H.-U. Electromigration threshold in aluminum films 85−50458
Schreiber, H.-U. Electromigration mechanisms in aluminum lines 86−9060
Schreiber, H.-U. Bulk electromigration by eliminating grain boundary mass flow in continuous aluminum lines 86−53572
Schreiber, H.-U. Bulk electromigration reliability tests of large-grained aluminium lines with regard to semiconductor contacts 87−1450
Schreiber, H.-U. Electromigration behaviour of SiO_2-covered, large-grained, narrow Al-Si lines with ohmic contacts 87−18040
Schreiber, H.-U. Characteristics of electromigration in aluminium interconnect lines for integrated circuits 87−18047
Schreiber, H.-U. Bulk electromigration and contact interface electromigration and conditions for eliminating both mechanisms in SiO_2-covered aluminium lines 88−1561
Schreiber, H.-U. *see* Clawin, D. 87−28634, 87−37425
Schreiber, H.J. *see* Anderhub, H. 88−29843
Schreiber, I. Realization of a standard subscriber station with transport interface as basis for a local communications network 85−52057
Schreiber, J. *see* Commichau, V. 85−43175
Schreiber, K. Operating experiences with VPE cable 87−4394
Schreiber, K. *see* Hoffmann, J. 85−38612
Schreiber, L. *see* Ahlers, R.-J. 88−4444, 88−53871
Schreiber, M. *see* Schornack, W. 87−49279
Schreiber, P. Safety via infrared: passive IR-sensors watch over dangerous work zones 85−52764
Schreiber, P. PASS II−program for analyzing sequential circuits 86−57572
Schreiber, P. Effective heat storage of anode plates in rotating anode tubes 87−14802
Schreiber, P. Setting up graphic data processing as the basis of a network information system in a regional electrical utility 88−54900
Schreiber, R. Implementation of eigenvector methods 85−31119
Schreiber, R. System switching−problems and solutions 86−38251
Schreiber, R. On systolic array methods for band matrix factorizations 87−10311
Schreiber, R. Implementation of adaptive array algorithms 87−12787
Schreiber, R. The Saxpy-1M Architecture and algorithms 87−19708
Schreiber, R., Kuekes, P.J. Systolic linear algebra machines in digital signal processing 85−46817
Schreiber, R. *see* Merchant, H. 87−13046
Schreiber, R.J. *see* Kesselring, J.P. 87−42653
Schreiber, W.F. Psychophysics and the improvement of television image quality 85−3651
Schreiber, W.F. A color prepress system using appearance variables 87−41374
Schreiber, W.F. Improved television systems: NTSC and beyond 88−4181
Schreiber, W.F., Troxel, D.E. Transformation between continuous and discrete representations of images: a perceptual approach 85−41957
Schreiber, W.F. *see* Dubois, E. 88−66683
Schreiber-Eirund, G.B. *see* Kiesel, W.M. 88−73658
Schreidawind, J. Tuning in to data on the airwaves 88−29017
Schreier, E.M. Advances and issues in speech synthesis as used by blind and visually impaired people 88−72866
Schreier, G. *see* Noack, W. 88−9640
Schreier, K. High throughput processing scheme in digital communications 87−13523
Schreier, L. *see* Bendl, J. 86−6728, 86−19232, 86−33404, 86−45372, 87−22245, 87−22283, 88−11209
Schreier, L. *see* Benoll, J. 85−5074
Schreier, L. *see* Davis, M. 88−21513
Schreier, L. *see* Skinner, G. 88−59607
Schreier, L.C. Use of high-performance workstations in military communications and ADP/network experiments 87−40437
Schreier, P.G. Personal computers as IEEE 488 controllers 85−37423
Schreier, P.G. PC-based logic analyzers feature standalone capabilities . . . and more 85−42935
Schreier, P.G. Bus-interface structures differentiate PC-based analog instrumentation systems 85−47822
Schreier, P.G. PC-based DMMs add control functions to high-resolution measurements 85−52633
Schreier, P.G. PC-based pattern generators move into chip testing 85−61957
Schreier, P.G. Personal engineering in every corner of the test environment 85−63968
Schreier, P.G. Personal computer based device programmers 86−8206
Schreier, P.G. Pcs, data-acquisition boards and BASICA create inexpensive, flexible test systems 86−17862
Schreier, P.G. PC-based spectrum analysis packages reach toward DSP-chip performance 86−17875
Schreier, P.G. Outboard data-acquisition boxes add flexibility to test systems 86−24399
Schreier, P.G. PC-based instrumentation: once a trend, now an established reality 86−31144
Schreier, P.G. The personal computer: the most powerful, flexible engineering tool you own 86−38232
Schreier, P.G. Present applications of the engineering PC 87−3369
Schreier, P.G. New limits of engineering personal computer functionality 87−23861
Schreiner, J.O. *see* Johnson, B.C. 86−66838
Schreiner, L.A. *see* Kanter, M.F. 86−70485
Schreiner, L.L. Precision sensors bring intelligence to assembly robots 85−61536
Schreiner, P. A receiver/convertor for teletext 86−24054
Schreiner, P.A. *see* Dailey, M.R. 85−3285
Schreiner, R. *see* Dayton, R. 88−61624
Schreiner, R. *see* Latzel, R. 88−35215
Schreiner, R. *see* Lim, C.B. 85−43353
Schreiner, R.L., Woolbright, K.L., Watson, D. Improved printer tooling for high volume automated production of thick film through hole circuitry 87−37756
Schreiner, W., Knoch, H. Switching stations for the new Mannheim-Stuttgart line of German Federal Railway 87−72486
Schreiner, W., Kramer, M., Krischer, S., Langsam, Y. Nonlinear least-squares fitting 86−349
Schreiter, G. Transport service for a heterogeneous local area computer network 86−10791
Schreiter, G. *see* Garbe, K. 86−10790
Schreiter, G. *see* Karthe, W. 87−54041
Schreitmuller, K. *see* Colombo, G. 86−37760
Schreitmuller, W. A digital system for DBS 86−64914
Schreitmuller, W. *see* Colombo, G. 86−55268
Schremer, A., Fujita, T., Lin, C.F., Tang, C.L. Instability threshold resonances in directly modulated external-cavity semiconductor lasers 88−33991
Schremer, A. *see* Fujita, T. 87−61153, 87−68545, 88−14175
Schremer, A. *see* Tang, C.L. 88−14169

Schremmer, J.M., Noonan, D.J. Advances in analytical techniques for neutron capture therapy: thin layer chromatography matrix and track etch thin layer chromatography methods for boron-10 analysis 88—10412
Schrengohst, J. Computer to PBX interface 86—10764
Schrenk, H. 1-kbit EEPROM: control very easy 86—52821
Schrenk, H. *see* DeFrancesco, R. 87—10871
Schrenker, R.A., Stiefel, R.H., Mack, S.S. The engineering group—another approach to technology transfer in the hospital 88—48257
Schreppel, R. *see* Bolch, G. 88—49629
Schreuder, D.A. Entrance lighting for road traffic tunnels 85—53926
Schreuder, D.A. Road lighting and light trespass 88—49282
Schreuder, H.W. *see* van Asselt, W.K. 85—64407
Schreuders, J. *see* Weinberg, A. 86—12123
Schreuders, J. *see* Weinberg, A.H. 86—70978
Schreurs, C. *see* Vriese, A. 85—53390
Schreurs, C.A.A.M. Adaptive Regelverfahren fur die Erregung von Synchrongeneratoren (Adaptive excitation control of synchronous generators) 87—22264
Schreurs, C.A.A.M., Simons, J.M.J.M. Measurements in the 'Clauscentrale' [Claus power station] 85—53528
Schreurs, G., Bellon, E., Vercruyssen, M., Oosterlinck, A. Investigation on the second optical inspection of ICs 87—18236
Schreurs, H. *see* van Glabbeek, H. 88—22288
Schreurs, J.W.H. *see* Luong, J.C. 88—33767
Schrevders, B. The PABX in banking 88—67198
Schrewe, M. *see* Rammig, F.J. 88—70815
Schrey, F. *see* Appelbaum, A. 87—53274
Schrey, F. *see* Levy, R.A. 85—39800, 87—36795, 88—6497
Schreyer, H., Dietsche, W., Kinder, H. Laser induced nonequilibrium superconductivity—A spatially resolving phonon detector 85—46079
Schreyer, L. Fire protection with fault current protective switches 88—17763
Schreyer, M. *see* Altmann, G. 85—53730
Schreyer, T.A., Bariya, A.J., McVittie, J.P., Saraswat, K.C. Specific contact resistivity measurements of reactive ion etched contacts 88—71349
Schreyer, T.A., Nishi, Y., Saraswat, K.C. A complete *RLC* transmission line model of interconnect delay 88—71738
Schreyer, T.A., Saraswat, K.C. A two-dimensional analytical model of the cross-bridge Kelvin resistor 87—21198
Schreyer, T.A., Wright, P.J., Saraswat, K.C. The effect of a superconducting interconnect on circuit performance 88—39566
Schreyer, T.A. *see* Loh, W.M. 86—47402, 87—1282, 87—45681
Schreyer, T.A. *see* Saraswat, K.C. 87—1312
Schriber, S.O. Present status of RFQS 86—32060
Schriber, S.O. CW RFQ development 86—60512
Schriber, S.O. Factors limiting the operation of structures under high gradient 87—41795
Schriber, S.O. *see* Chan, K.C.D. 86—31964
Schriber, S.O. *see* Chidley, B.G. 85—59157
Schriber, S.O. *see* Hutcheon, R.M. 88—54334
Schriber, S.O. *see* Iwashita, Y. 86—31991
Schriber, S.O. *see* McMichael, G.E. 85—58966
Schriber, S.O. *(editor)* ICANS-VII. Proceedings of the Seventh Meeting of the International Collaboration on Advanced Neutron Sources (AECL-8488) 86—72
Schrickel, S., Becker, E. Analysis of image quality for the evaluation of X-ray pictures 85—44822
Schricker, K.E. *see* Blair, J. 88—5034
Schricker, R.L.A. Design considerations of industrial CW-pumped Nd:YAG lasers 87—39049
Schricker, U. Providing the right environment for the Series 32000 [development systems] 86—20612
Schrickler, U. Emulation for a complete 32-bit μP family 86—8272
Schrieber, H. *see* Weise, G. 85—34373
Schriel, R.C. *see* Huhnerfuss, H. 87—63974
Schrier, P.R. *see* Holen, J.T. 85—64555
Schriever, R., Franke, H., Festl, H.G., Kratzig, E. Optical waveguiding in doped poly(methyl methacrylate) 86—2766
Schrift, M. *see* Watkins, S. 85—42874
Schriftgiesser, D.A. *see* Brinsfield, J.G. 85—42360
Schrijver, A. Polyhedral proof methods in combinatorial optimization 86—57321
Schrijver, A. *see* Cook, W. 86—34181, 86—46221
Schrijver, A. *see* Grotschel, M. 86—57325
Schrim, L. Modern backup concept for transmitting/receiving systems with central supervision and control 88—35672
Schrim, N. *see* Holler, Y. 85—43302
Schrimpf, R.D., Ju, D.-H., Warner, R.M., Jr. Subthreshold transconductance in the long-channel MOSFET 88—1668
Schrimpf, R.D., Warner, R.M., Jr. A precise scaling length for depleted regions 85—55597
Schrimpf, R.D., Warner, R.M., Jr. An approximate-analytic solution for the forward-biased step junction 88—50646
Schrimpf, R.D. *see* Senitzky, B. 88—20501
Schrimpf, R.D. *see* Warner, R.M., Jr. 85—29055, 87—53484
Schrittenlacher, W., Johnson, M. Ultra-low loss mechanical fiber switch 88—72072
Schriver, S.J., Ratka, J.O., Peregrim, W.D. Comparison of fatigue performance for beryllium copper alloys by two laboratory techniques 87—65613
Schrobenhauser, W. Incorporating traction equipment functions in the ICE diagnostic system 88—62714
Schrock, M.C., McTaggart, D.W. TE automates transmission maps and records 87—50741
Schrock, W. A fault-tolerant loop-structured local area network on the base of fibre-optical transmission 85—47255
Schrock, W., Wesselmann, H.-J., May, F. An ISDN picture telephone for 2×64 kbit/s transmission rate 88—59770
Schrock-Pauli, C. *see* Rugen, I. 88—56577
Schrocke, W. *see* Jehmlich, W. 88—38010
Schroder, A.-G. *see* Hoeg, R. 87—37724
Schroder, B. Computer-aided repair (CAR) for PC-board testing 87—32149
Schroder, B. *see* Bergner, H. 86—14843, 86—22512
Schroder, B. *see* Gangopadhyay, S. 86—27946, 88—1398
Schroder, B. *see* Krieger, G. 86—27900
Schroder, B. *see* Muller, W. 86—51911
Schroder, B. *see* Rubel, H. 86—67697
Schroder, D. Numerical analysis of linear electronic networks with correlated noise sources 85—54611
Schroder, D. Simple servicing with menus and forms. The modern operational system for the incircuit test station 87—23824
Schroder, D., Heck, B. Precise differential pressure sensor by iterative microcomputer algorithm 86—11567
Schroder, D., Hoger, W. Adaptive state space control for axial winders 88—69786
Schroder, D., Kennel, R. Model-control PROMC—a new control strategy with microcomputer for drive applications 85—27542
Schroder, D., Nguyen Chi Thong, Wiegner, S., Grafarend, E.W., Schaffrin, B. A comparative study of local level and strapdown inertial systems 88—74958
Schroder, D., Wolfermann, W. Adaptive state space control in processing machines with continuous moving webs 88—43418
Schroder, D. *see* Heck, B. 85—44916
Schroder, D. *see* Kohlmeier, H. 86—45562, 86—70910, 87—22593, 88—31077
Schroder, D. *see* Niermeyer, O. 88—69787
Schroder, D. *see* Rabanda, H.U. 85—55906
Schroder, D. *see* Ruckert, U. 86—71151
Schroder, D. *see* Stein, E. 85—27532
Schroder, D. *see* Warmer, H. 87—22406
Schroder, D. *see* Wuthnow, M. 85—48290
Schroder, D. *see* Xu, C.H. 88—71578
Schroder, D. *see* Bausch, H. *(editor)* 87—10039
Schroder, D.C. *see* Manoli, S. 86—50587
Schroder, D.C. *see* Tarquin, A.J. 85—33042
Schroder, D.F., Kennel, R. Model-control PROMC—a new control strategy with microcomputer for drive applications 86—13116
Schroder, D.F. *see* Kohlmeier, H. 88—24189
Schroder, D.K. Electrical characterization of semiconductor materials and devices 87—24736
Schroder, D.K., Hwang, J.M., Kang, J.S., Goodman, A.M., Sopori, B.L. Lifetime and recombination concepts for oxygen-precipitated silicon 86—21110
Schroder, D.K. *see* Dondero, R.C. 88—37579
Schroder, D.K. *see* Gong, S.S. 87—38101
Schroder, D.K. *see* Hwang, J.M. 86—41513, 86—47273
Schroder, D.K. *see* Joardar, K. 88—37510, 88—69683
Schroder, D.K. *see* Kang, J.S. 85—50543
Schroder, D.K. *see* Scholz, F. 88—33228
Schroder, D.K. *see* Suzuki, E. 87—24920
Schroder, D.K. *see* Zhang, Q.Z. 87—74325, 88—64573
Schroder, D.K. *see* Zirkle, T.E. 88—18018, 88—37578
Schroder, E.F., Tsiamitros, A., Voessing, W. Comparison of three codecs for digital audio transmission with high quality via channels of small capacity 86—43609
Schroder, E.F., Tsiamitros, A., Voessing, W. Comparison of three codecs for the digital transmission of a high-quality sound signal in low-capacity channels 86—64796
Schroder, F. Interactive electromagnetic transients program for electrical engineering education 86—45963
Schroder, F., Sandell, J. Control strategy using under frequency load shed relays 86—44912
Schroder, F., Seshaprasad, B.J. Interactive electromagnetic transients program for electrical engineering education 87—23042
Schroder, F. *see* Hennegan, R. 86—44970
Schroder, F. *see* James, W. 85—15689
Schroder, G. The influence of parameter variations on the quality of RELP-VQ coding systems 86—69016
Schroder, G. Residual-excited LPC with vector quantization (RELP-VQ) 88—66312
Schroder, G., Mez, F., Schurtenberger, M., Singer, M. Electromechanical equipment for the Ataturk scheme 88—30604
Schroder, G. *see* Braun, H.-J. 85—46710
Schroder, G. *see* Kunz, U.H. 86—51613
Schroder, G.H., Vossenberg, E.B. A high tension burst pulser for the electron extraction kickers of the CERN Super Proton Synchrotron 85—26545
Schroder, G.H. *see* Jansson, U. 87—43268
Schroder, H. On the definition and measurement of the resolution of TV picture reproduction equipment 85—52482
Schroder, H. Microprocessor aided automated weighing 87—3775
Schroder, H. Instruction systolic array—tradeoff between flexibility and speed 88—38444
Schroder, H., Elsler, H., Fritsch, M. Nonlinear picture enhancement techniques for vertically interpolated TV-signals 87—48044
Schroder, H., Kompa, K.L., Masci, D., Gianinoni, I. Investigation of UV-laser induced metallization: platinum from Pt(PF$_3$)$_4$ 86—9056
Schroder, H., Silverberg, M., Wendland, B., Huerkamp, G. Scanning modes for flicker-free colour TV-reproduction 86—24056
Schroder, H., Wendland, B., Heurkamp, G. Modes of flicker-free TV picture reproduction—a comparison 86—55419
Schroder, H. *see* Farr, G.E. 88—44245
Schroder, H. *see* Guttner, E. 85—47656, 85—52483
Schroder, H. *see* Lang, H.-W. 86—21731
Schroder, H. *see* Ortinau, R. 87—40916
Schroder, H. *see* Stollenwerk, F. 85—14400
Schroder, H. *see* Wendland, B. 85—7885, 85—37243
Schroder, H.A., Damholt, V.V. Electrostimulation and bone grafting of nonunions with bone defects 88—61396
Schroder, J. *see* Reule, A. 87—29132
Schroder, J.E. Dual sinusoidal modulation scheme for directional laser Doppler velocimeter 87—35206
Schroder, J.E., Nielsen, C.J. Wide-range directional LDV employing modulated semiconductor laser source 86—44427
Schroder, K. Silver-metal oxides as contact materials 87—52934
Schroder, K. Development of contact materials for power engineering in Europe 88—17788
Schroder, K., Lee, G.K.F., Elliott, H. An interactive circuit analysis software package for desktop computers 85—529
Schroder, K. *see* Maurer, K. 85—4284
Schroder, K.-H. *see* Braumann, P. 87—43318
Schroder, K.F. *see* Bernstein, W. 88—62197
Schroder, K.T., Steppat, U. Office communication in medium sized concerns 87—2742
Schroder, M. An easy applicable method to suppress torque pulsations of permanent magnet excited synchronous machines 88—30678
Schroder, M. *see* Gutt, H.-J. 87—22839
Schroder, M. *see* Kunkel, B. 88—68625
Schroder, N. Optoelectronics with and without laser: situation—prospects—markets 87—68248
Schroder, N. *see* Arndt, F. 85—34148
Schroder, N. *see* Dudok, E. 87—61485
Schroder, P. *see* Weimann, A. 88—68692
Schroder, R. *see* Bauch, A. 87—14567, 88—16517
Schroder, R.M. *see* Moncrief, E.C. 87—57782
Schroder, U. *see* Anderhub, H. 87—21420
Schroder, U. *see* Bammert, U. 86—50209
Schroder, U. *see* Mayer, R. 87—22310
Schroder, U. *see* Weh, H. 86—61660
Schroder, V. Particle identification between 250 MeV and 6 GeV with the CELLO-liquid-argon calorimeter 88—68275
Schroder, W. The flat (screen) generation of monitors 88—47644
Schroder, W., Grollmann, P., Herth, J., Kemmler, M., Kempf, K., Neumann, G., Oster, S. Progress in fibre gyro development for attitude and heading reference systems 88—16134
Schroder, W. *see* Clauss, M. 86—10742
Schroder, W. *see* Egle, F. 86—10799
Schroder, W. *see* Wolf, E. 87—44281, 88—31724
Schrodi, K.J. *see* Fischer, W. 87—76228
Schrodinger, K. Clock oscillator and regenerator for digital transmission lines of up to 200 Mbit/s 87—76761
Schrodinger, K. Clock oscillator and clock recovery circuit for digital transmission up to 200 Mbit/s 88—47091
Schrodinger, K. *see* Panzer, K. 87—49108, 88—15461
Schrodinger, K. *see* Ruegenberg, G. 87—68040, 88—60182
Schrodl, M. A predictive current regulating method for highly dynamic rotary drives 88—37638
Schrodl, M. Rotor temperature identification of a squirrel cage induction machine 88—75604
Schroeck, K.A. *see* Kropp, L.D. 87—15515

Schroeder, C.E. *see* Goeller, J.E., Jr. 85—28768
Schroeder, C.M. *see* Paek, U.C. 85—7239, 85—12559, 86—22084, 86—22116
Schroeder, D. *see* Leonhard, R. 88—69789
Schroeder, D. *see* Niermeyer, O. 87—30851
Schroeder, E.F., Platte, H.-J., Krahe, D. MSC: stereo audio coding with CD-quality and 256 kbit/sec 88—22356
Schroeder, E.R., Arrathoon, R. Single grating integrated optical autocorrelation device 85—12637
Schroeder, E.R. *see* Arrathoon, R. 85—30300, 85—46215, 87—12253
Schroeder, G. *see* Lee, G.M. 87—68784
Schroeder, G.F. Sodium-sulphur accumulator—a high energy storage battery for the electric motor car 85—49159
Schroeder, H. Highly integrated chip assemblies bring computer power to industrial applications 88—12398
Schroeder, H.J. Chemical problems with variable load operation of nuclear power stations with pressurized water reactors 86—45071
Schroeder, H.J. Main aspects of chemistry in light water reactors 86—51291
Schroeder, H.J. Reference material for 130 mm flexible disk cartridges recorded on both sides - Second revised edition 86—58700
Schroeder, H.J. Reference material RM 7811/2 for identification cards with magnetic stripes and criticism of the standard ISO 7811/2 87—12064
Schroeder, H.J., Harcken, H. Secondary standard reference flexible disk cartridge RM 8860 for 90 mm (3.5 in) diskettes (1 Mbyte) according to ISO 8860/1 87—12054
Schroeder, H.J., Thiel, A. Reference material RM 6596 for 130 mm flexible disk cartridges - Establishment, certification and application of the signal amplitude reference flexible disk cartridge -Second revised edition 86—28703
Schroeder, J. Build a high-speed surge-current tester for diodes 87—60403
Schroeder, J., Fox-Bilmont, M., Pazol, B.G., Tsoukala, V. Rayleigh and Brillouin scattering in heavy metal fluoride glasses 85—18629
Schroeder, J., Fox-Bilmont, M., Pazol, B.G., Tsoukala, V., Drexhage, M.G., El-Bayoumi, O.H. Rayleigh and Brillouin scattering in heavy metal fluoride glasses: intrinsic Rayleigh scattering 86—2653
Schroeder, J., Tsoukala, V., Staller, C.O., Stiller, M.A., Bruce, A., Moynihan, C.T., Hutta, J.J., Suscavage, M.J., Drexhage, M. Heavy metal fluoride glasses with low intrinsic Rayleigh scattering 85—1950
Schroeder, J., Yarlagadda, R. Linear predictive spectral analysis via the L_p norm 87—19738
Schroeder, J., Yarlagadda, R. Two dimensional linear predictive spectral estimation via the L_1 norm 87—56595
Schroeder, J.A. *see* Popa Fotino, I.A. 87—15051
Schroeder, J.B., Howell, C.W., Norton, G.A. A new 3 MV Tandem Pelletron System 87—56958
Schroeder, J.B. *see* Bursch, P.M. 88—68585
Schroeder, J.E., Gingerich, B.L., Bechtel, G.R. Total dose and dose rate radiation characterization of a hardened EPI-CMOS gate array 85—17277
Schroeder, J.E. *see* Gingerich, B.L. 85—17391
Schroeder, J.E. *see* Lansford, J.L. 88—21218
Schroeder, J.E. *see* Stone, D.C. 85—7084
Schroeder, J.M. Electronic packaging for low cost hand held computers 87—10174
Schroeder, J.M. A high performance/high speed packaging system for rugged environment applications 87—44006
Schroeder, K.G., Choe, B. Beamwidth and beam squint for unsymmetrical aperture E-plane sectoral horns 87—27011
Schroeder, K.S. *see* Aleksoff, C.C. 88—28971
Schroeder, L.C., Grantham, W.L., Bracalente, E.M., Britt, C.L., Shanmugam, K.S., Wentz, F.J., Wylie, D.P., Hinton, B.B. Removal of ambiguous wind directions for a *Ku*-band wind scatterometer using three different azimuth angles 85—38343
Schroeder, L.C. *see* Britt, C.L., Jr. 86—6141
Schroeder, L.S. The Berkeley Mini-Collider 85—26520
Schroeder, L.S. Relativistic heavy ion facilities—worldwide 87—21298
Schroeder, M. Flight performance of the Spacelab Metric Camera Experiment 85—64705
Schroeder, M.A., Newport, K.T. Tactical network survivability through connectivity optimization 88—23232
Schroeder, M.A. *see* Newport, K.T. 88—3298
Schroeder, M.D. *see* Birrell, A.D. 86—55026
Schroeder, M.L. Path: product analysis tracking history 88—74279
Schroeder, M.R. Linear predictive coding of speech: review and current directions 85—62991
Schroeder, M.R. Computers in acoustics 86—43189
Schroeder, M.R. Predictive coding of speech: historical review and directions for future research 87—27349
Schroeder, M.R. The unreasonable effectiveness of number theory in science and communication (1987 Rayleigh Lecture) 88—38065
Schroeder, M.R., Atal, B.S. Stochastic coding of speech signals at very low bit rates: the importance of speech perception 85—63008
Schroeder, M.R., Atal, B.S. Code-excited linear prediction (CELP): high-quality speech at very low bit rates 86—16219
Schroeder, M.R., Sloane, N.J.A. New permutation codes using Hadamard unscrambling 87—39640
Schroeder, M.R. *see* Atal, B.S. 85—19403
Schroeder, N. *see* Arndt, F. 85—55103
Schroeder, P.-M., Frucht, U., Ullrich, C., Boenick, U., Konig, W. Technical study on the efficiency of heat and moisture exchangers (HME) 88—16749
Schroeder, P.S. *see* Lewis, R.T. 86—23321
Schroeder, R. *see* Bauch, A. 85—58805
Schroeder, R. *see* Beltran, H. 88—11135, 88—69177
Schroeder, R.W. Local area network provides solutions for automotive paint line 86—69469
Schroeder, T.J. Annual power plant installation planning 86—32886
Schroeder, T.J. Deterministic-stochastic calculations of power station operation and construction planning—a comparison of different algorithms 86—56514
Schroeder, U. *see* Weh, H. 87—22292
Schroeder, W. *see* Elsbrock, J.B. 86—31600
Schroeder, W.A. *see* Damzen, M.J. 87—26469
Schroeder, W.E. *see* Brouillette, W.R.J. 85—42463
Schroeder, W.W. *see* Love, G.R. 85—28741, 86—14577
Schroedr, R.G. *see* Hance, W.G. 86—16989
Schroen, W. The newest high-tech component chip packages enter the 21st century 88—39577
Schroen, W. *see* Groothuis, S. 86—13500
Schroen, W.H., Pankratz, J.M. VLSIC assembly and packaging 87—60564
Schroen, W.H. *see* Ching, T.B. 88—56035
Schroen, W.H. *see* Groothuis, S.K. 88—1563
Schroen, W.H. *see* McLellan, R.N. 86—67962
Schroen, W.H. *see* Murtuza, M. 86—61951
Schroer, B.J. Electronic parts presentation using vibratory bowl feeders 88—19527
Schroer, B.J., Rezapour, A. Calibration of robots used in high precision operations 88—63016
Schroer, B.J. *see* Burney, J.D. 86—37545
Schroer, P.H., Becker, J. Computer automation for scanning tunneling microscopy 87—11321
Schroer, R. *see* Hofling, H. 87—35845
Schroer, R.B. From autopilot to strapdown: electrotechnology in inertial guidance and control 85—9291
Schroer, R.B. Guidance and control for the Transfer Orbit State (TOS) 85—15390
Schroer, R.B. *see* Stuart, J.R. 85—26870
Schroeter, H., van Driesche, W. Digital picture storage for SSTV, FAX and WEFAX 86—52740
Schroeter, H. *see* Su, L.M. 85—55774
Schroeter, J., Larar, J.N., Sondhi, M.M. Speech parameter estimation using a vocal tract/cord model 87—61654
Schroeter, J., Larar, J.N., Sondhi, M.M. Multiframe approach for parameter estimation of a physiological model of speech production 88—66353
Schroeter, J. *see* Sondhi, M.M. 87—27278, 87—69057
Schroeter, K.E. *see* Goetzmann, C.A. 88—30475
Schroeter, T. *see* Pfluger, J. 88—47810
Schroeter-Janssen, H. *see* Su, L.M. 86—2122
Schrofel, J. *see* Ctyroky, J. 86—2815, 87—60939
Schrofelbauer, H., Kakl, J., Tauschitz, J., Knyrim, W. Conversion of boiler firing from brown coal to bituminous coal at Zeltweg steam power station 86—70822
Schrofelbauer, H., Maier, H. Technical aspects of sulphur removal from stack gases of the Voitsberg 3 thermal power station 85—9738
Schrofelbauer, H., Tauschitz, J., Maier, H. Operational experience of clean air arrangements at a brown coal fired power plant 88—48785
Schrom, E. *see* Bakhru, P.U. 86—49432
Schromm, H. Solving office communication problems with ISDN 88—9277
Schromm, H.F.W. Btx for the coverage of an area as a means for active price and quality control 88—28327
Schrooten, G.G. SWITCH, a switch level logic simulator with unique element models 85—45028
Schrope, D.E. Photocleave—a method for nondestructive sectioning of photoresist features for scanning electron microscope inspection 88—13291
Schrope, D.E. *see* Guilboard, D.K. 86—982
Schropfer, E. LCD drive circuits UL 7211D and UP 7211D 86—52747
Schropfer, E. Integrated LCD drive circuits UL 7211D and UP 7211D 86—52748
Schropfer, E. Integrated LCD-matrix driver circuit U714 PC 87—77336
Schropp, R.E.I., Boonstra, A.J., Klapwijk, T.M. Reversible dangling-bond generation in amorphous silicon thin-film transistors 88—26302
Schropp, R.E.I., Brouwer, G.J.M., Verwey, J.F. The determination of characteristic parameters by the temperature dependent field-effect in a-Si:H thin film transistors 86—28342
Schropp, R.E.I., Franke, T., Verwey, J.F. The illumination flux dependence of the photofield-effect current in amorphous silicon 87—46654
Schropp, R.E.I., Harm, A.O., Verwey, J.F. A refined theoretical analysis of photofield-effect measurements in a-Si:H thin-film transistors 86—58485
Schropp, R.E.I., Snijder, J., Verwey, J.F. A self-consistent analysis of temperature-dependent field-effect measurements in hydrogenated amorphous silicon thin-film transistors 86—67863
Schropp, R.E.I., Snijder, J., Verwey, J.F. Capacitance-voltage characteristics of metallic gate/oxide/a-Si:H MOS structures 87—24976
Schropp, R.E.I., Snijder, J., Verwey, J.F. The Meyer-Neldel relation and analysis of the field-effect in amorphous silicon 87—25354
Schropp, R.E.I., Veltkamp, J.W.C., Snijder, J., Verwey, J.F. On the quality of contacts in a-Si:H staggered electrode thin-film transistors 86—9143
Schropp, R.E.I., Verwey, J.F. Instability mechanism in hydrogenated amorphous silicon thin-film transistors 87—25269
Schropp, R.E.I., Verwey, J.F. Undoped amorphous silicon TFTs with n-channel or p-channel device operation for the determination of the gap states distribution 88—44777
Schropp, R.E.I. *see* Harm, A.O. 85—61934
Schroppe, J.T. 90 MW build/own/operate gas turbine combined cycle cogeneration project with sludge drying plant 87—65026
Schrorer, E. An active free-field equalizer for TDH-39 earphones 87—11004
Schrors, B. Development and dimensioning of test circuits for testing high voltage circuit breakers with four-parameter transient recovery voltages 86—33545
Schrote, M.R. *see* Newman, E.H. 85—2522
Schroter, B. *see* Fasold, D. 85—50985
Schroter, D. *see* Eberle, T. 88—15204
Schroter, E., Thoma, R., Peyerl, P. Microcomputer controlled radio frequency signal analyzer based on polarity correlation 87—3537
Schroter, E. *see* Neidhardt, A. 88—63376
Schroter, E. *see* Rehn, A. 86—70088
Schroter, H. Modern container-type switchgear for oil refineries 85—39142
Schroter, H. *see* Scherner, U. 87—40862
Schroter, H.J., Kirchhoff, R., Van Heek, K.H., Juntgen, H., Peters, W. Status of steam gasification of coal by using heat from high-temperature reactors (HTRs) 85—38688
Schroter, I. *see* Nagornov, V.N. 87—64217
Schroter, J., Feindt, F., Alpers, W., Keller, W.C. Measurement of the ocean wave-radar modulation transfer function at 4.3 GHz 86—37926
Schroter, J., Spikofski, G., Theile, G. Measurement of diffuse-field sensitivity level of headphones on a dummy-head 86—55474
Schroter, J., Wilbers, A. Measurement of ISDN traffic in EWSD switching systems 88—53000
Schroter, K. Plastic film capacitor manufacturing trends in GDR 85—11604
Schroter, K. Trends in development of plastic film capacitors in the GDR 85—23165
Schroter, K. DYNA on KC 85/1 88—38350
Schroter, K., Pritzke, B. The special purpose integrated circuit U 1504 D built by standard cell techniques 86—67929
Schroter, K., Schiessl, G. Thyristor control with IC B 260 D 86—12900
Schroter, K. *see* Lukas, W. 85—7594
Schroter, M., Rein, H.-M. Two-dimensional modeling of high-speed bipolar transistors at high current densities using the integral charge-control relation 85—40705
Schroter, M. *see* Rein, H.-M. 85—50493, 87—67220
Schroter, O.F. Target with advantage: ISDN 86—4141
Schroter, O.F. Gradual introduction of ISDN into private communication installations 86—43418
Schroter, O.F. Thoughts on the ‘communication plug’ in ISDN 86—64450
Schroter, O.F. Advances in ISDN computerised communication systems 86—64451
Schroter, O.F. Current industrial applications of the ISDN. The strategy for introduction of digital private exchanges 86—64839
Schroter, O.F. Initial experiences with telecommunications equipment with digital ISDN capacity 88—9267
Schroter, O.F. Early investment ensures optimal communication 88—21788
Schroter, O.F. Investment considerations for users in the prospect of the ISDN age 88—28526
Schroter, O.F. With good preparation the 64-kbit/s quality leap will succeed [ISDN] 88—46663
Schroter, O.F. Availability and applications of digital telecommunications equipment for ISDN 88—67199
Schroter, W. *see* Ourmazd, A. 85—6776
Schroter, W. *see* Shaikh, A.G. 86—8734

Schroter-Janssen, H. *see* Katzschner, W. 86−28180
Schroth, A. Radar meteorology for satellite communications and Earth sensing. II 85−20134
Schroth, A., Meischner, P., Schuster, H. Coherent polarimetric C-band radar for atmospheric research 86−4734
Schroth, A. *see* Chandra, M. 85−41618, 87−56260
Schroth, G. *see* Angleys, M. 87−9375
Schroth, J., Plattner, A. PROM stabilizes MM-wave LOs 86−27611
Schroth, R. *see* Bruggemann, H. 85−59798
Schroth, R. *see* Bruggemann, W. 85−48603
Schroth, R.G. *see* Fiss, H.J. 88−23515
Schroth, R.G. *see* Peschke, E.F. 88−48578
Schrother, G. *see* Kolpin, T. 85−16138, 88−12658
Schrott, H.-G. *see* Juette, G. 86−71095
Schrottke, G., Talkington, A.L. Integral power resistors for aluminum substrate 85−6620
Schrottke, L. *see* Mach, R. 88−42204
Schruder, J. *see* Bosselmann, T. 85−62358
Schrum, L., Carton, K., Pinney, S. Today's tools [for the classroom] 88−62909
Schrumpf, V. *see* Wittchow, G. 85−59932
Schruwen, C.P.G., Bernards, J.P.C., de Bie, R.W., van Engelen, G.J.P., Stel, H.H., Zierren, V., Liutjens, S.B. Structural, magnetic and recording properties of Co-Cr layers for perpendicular recording using Ge nucleation layers 88−57917
Schryber, U. Upgrading the SIN facilities to higher intensities 85−58987
Schryber, U., Stammbach, T. Upgrading the accelerator facilities of the Swiss Institute for Nuclear Research (SIN) 85−52919
Schryber, U. *see* Joho, W. 86−24904
Schryer, D.R. *see* Brown, K.G. 87−39011
Schryer, D.R. *see* Sidney, B.D. 88−27073
Schryer, J. *see* Brown, K.G. 87−39011
Schryer, J. *see* Sidney, B.D. 88−27073
Schryver, D.M.De *see* De Schryver, D.M.
Schryver, F.M.De *see* De Schryver, F.M.
Schryver, J.C., Palko, L.E. Knowledge-enhanced network simulation modeling of the nuclear power plant operator 88−75354
Schryver, J.de *see* de Schryver, J.
Schtscherbakow, W.D. *see* Schulga, W.G. 87−76510
Schub, M. *see* Snider, F. 88−48022
Schub, P. Considerations on the activity concentrations in the primary circuit of Grafenrheinfeld nuclear power station 85−43678
Schub, P. *see* Dorr, A. 87−35761
Schubach, R. *see* Stein, H. 88−8996
Schubel, J.J. Cellular telecommunications handoff between cellular systems 87−3103
Schubel, J.J. *see* Ferguson, D.D. 88−3394
Schubert, B. *see* Pfeffer, S. 88−39158
Schubert, D., Stamm, U., Wilhelmi, B. Phase-modulation effects in synchronously pumped dye lasers 86−9781
Schubert, D. *see* Horn, G. 85−12818
Schubert, E.F., Cunningham, J.E. Photonic switching by tunnelling-assisted absorption modulation in a GaAs sawtooth structure 88−67351
Schubert, E.F., Cunningham, J.E., Tsang, W.T. Self-aligned enhancement-mode and depletion-mode GaAs field-effect transistors employing the δ-doping technique 87−25267
Schubert, E.F., Cunningham, J.E., Tsang, W.T. Perpendicular electronic transport in doping superlattices 88−7328
Schubert, E.F., Cunningham, J.E., Tsang, W.T., Chiu, T.H. Delta-doped ohmic contacts to *n*-GaAs 86−67742
Schubert, E.F., Cunningham, J.E., Tsang, W.T., Timp, G.L. Selectively δ-doped $Al_xGa_{1-x}As/GaAs$ heterostructures with high two-dimensional electron-gas concentrations $n_{2DEG} \geqslant 1.5 \times 10^{12}$ cm^{-2} for field-effect transistors 88−1677
Schubert, E.F., Fischer, A., Horikoshi, Y., Ploog, K. GaAs sawtooth superlattice laser emitting at wavelengths $\lambda > 0.9$ μm 85−56616
Schubert, E.F., Fischer, A., Ploog, K. GaAs sawtooth superlattice light-emitting diode operating monochromatically at $\lambda \geqslant 0.9$ μm 85−41286
Schubert, E.F., Fischer, A., Ploog, K. Photoconductivity in selectively *n*- and *p*-doped $Al_xGa_{1-x}As/GaAs$ heterostructures 86−28965
Schubert, E.F., Fischer, A., Ploog, K. The delta-doped field-effect transistor (δFET) 86−53639
Schubert, E.F., Horikoshi, Y., Ploog, K. Radiative electron-hole recombination in a new sawtooth semiconductor superlattice grown by molecular-beam epitaxy 85−55537
Schubert, E.F., Knecht, J., Ploog, K. Transient and persistent photoconductivity in n-$Al_xGa_{1-x}As$ and selectively doped n-$Al_xGa_{1-x}As/GaAs$ heterostructures 85−35592
Schubert, E.F., Ploog, K. Electron subband structure in selectively doped n-$Al_xGa_{1-x}As/GaAs$ heterostructures 86−8834
Schubert, E.F., Ploog, K. The δ-doped field-effect transistor 86−9151
Schubert, E.F., Ploog, K. Interpretation of capacitance-voltage profiles from delta-doped GaAs grown by molecular beam epitaxy 86−66832
Schubert, E.F., Tsang, W.T., Fueur, M.D., Mankiewich, P.M. High-transconductance heterostructure $Ga_{0.47}In_{0.53}As/InP$ metal-insulator-semiconductor field-effect transistors grown by chemical beam epitaxy 88−39441
Schubert, E.F. *see* Cunningham, J. 88−57353
Schubert, E.F. *see* Cunningham, J.E. 87−58915, 87−73098
Schubert, E.F. *see* Horikoshi, Y. 87−45655
Schubert, E.F. *see* Miller, B.I. 87−10376
Schubert, E.F. *see* Ploog, K. 87−1274
Schubert, E.F. *see* Tsang, W.T. 86−66807, 87−65529, 88−394
Schubert, F., Seehafer, H.J., Bodmann, E. Status of design code work in Germany concerning materials and structural aspects for the heat exchanger components of advanced HTRs 85−4843
Schubert, F. *see* Nickel, H. 86−39402
Schubert, F. *see* Ortmann, B. 86−44676
Schubert, F. *see* Zottmaier, R. 87−9296
Schubert, F.H., Hoberecht, M.A., Le, M. Alkaline water electrolysis technology for space station regenerative fuel cell storage 87−43412
Schubert, H.-J. Advanced outdoor transformer stations for the extractive industry 88−11271
Schubert, H.A., Frohlich, K.J. Capacitive current switching comparison between synthetic and field tests [circuit breaker testing] 86−6947
Schubert, I.S., Zimmermann, U. Nonlinear one-parametric bottleneck linear programming 86−19970
Schubert, J. Proving, manufacture and erection of flue gas ducts for desulphurization plant in Niederaussem power station 88−17366
Schubert, J., Schulze, H. SINEC implements Open Systems Interconnection in all areas of automation 87−48406
Schubert, J. *see* Schimkowitsch, G. 87−4245
Schubert, K. *see* Foley, K.J. 88−68313
Schubert, K.-H. *see* Mader, P. 86−24320
Schubert, K.R. *see* Drescher, A. 86−70324
Schubert, K.R. *see* Heller, R. 85−43301
Schubert, M. *see* Fischer, R. 87−19032
Schubert, M. *see* Goosen, P.V. 86−50958
Schubert, M. *see* Kerstan, F. 85−12734
Schubert, M. *see* Pesch, H. 85−65356
Schubert, M.B., Mohring, H.-D., Nebel, C.E., Eicke, A., Paasche, S.M., Weller, H., Bauer, G.H. Novel method for p^+-layer doping in amorphous silicon cells 88−17982
Schubert, M.B. *see* Bauer, G.H. 87−9794
Schubert, M.B. *see* Mohring, H.-D. 88−24777
Schubert, N., Sidi, M., Chlamtac, I. Frame optimization in an integrated voice/data link 86−30223
Schubert, P., Bunzel, E., Kunckel, K.-H., Munch, U., Oswald, B., Paulig, E. Adjustment of testing and measuring data using the example of electric machines 86−19206
Schubert, P., Klaasen, W., Siekkinen, J., Duey, S., Neudeck, G. Fabrication results of a silicon epitaxial lateral overgrowth bipolar transistor without a buried collector 88−39415
Schubert, P. *see* Bunzel, E. 86−7582, 86−13611, 86−18636
Schubert, P. *see* Fischer, S. 88−17496, 88−69264
Schubert, P. *see* Kunckel, K.-H. 86−52400
Schubert, P. *see* Munch, U. 86−33416, 86−56688
Schubert, P. *see* Oswald, B. 86−18634, 86−19262
Schubert, P.C. Periodic image artifacts from continuous-tone laser scanners 87−26579
Schubert, P.J., Nevin, J.H. A polyimide-based capacitive humidity sensor 85−58667
Schubert, R. Coordination processor CP113: state of the art in EWSD switching technology 87−40569
Schubert, R. Erratic behavior of Al/Al wire junctions 87−42456
Schubert, R., Gray, E.W. The effects of hydrogen in sealed electrical contacts 86−20875
Schubert, R., Weschler, C.J. Phase separation of gold in reed contacts 86−62896
Schubert, R. *see* Gray, E.W. 85−61613
Schubert, R. *see* Mogro-Campero, A. 86−8736
Schubert, R.W. *see* Kiani, M.F. 88−74796
Schubert, S. *see* Hann, H. 85−34882
Schubert, W. Functional training of flaccid paralysed muscles 85−48317
Schubert, W. Logic measurements. I 88−35811
Schubert, W. Logic measurements. II 88−35813
Schubert, W. Logic measurements. IV 88−47451
Schubert, W. Logic measurements. III 88−53578
Schubert, W.K. *see* Hughes, R.C. 87−70573
Schubert, W.K. *see* Seager, C.H. 88−13053, 88−64335
Schuberth, E. Superconducting heat switch of simple design 85−1947
Schubnell, M. *see* Berger, C. 88−22937
Schucany, W.R. *see* Zeghlache, D. 88−52482
Schuch, A. Lighting system with thermal protective coating for thermosensitive objects 86−42397
Schuch, M. *see* Dubas, M. 88−11130
Schuchard, R.A., Weiss, D.R. Scan path testing of a multichip computer 87−60689
Schuchard, R.A. *see* Kohlhardt, C. 88−11695
Schuchardt, A. *see* Seeber, G. 88−10590
Schuchardt, D. *see* Philippow, E. 87−65767
Schuchardt, I. *see* Maurer, W. 85−52186
Schuchert, T.J. Employee stock ownership plans (ESOP) 86−26686
Schuchman, J.C., West, L.J. RGA system for the NSLS 85−9031
Schuchman, L. *see* Schwartz, J.J. 85−25834
Schuck, J., Glesner, M. Layout generation for multipliers in VLSI-digital signal processing 85−62109
Schuck, J., Glesner, M., Joepen, H., Wehn, N. ALGIC−a silicon compiler for digital signal processing circuits: implementation and design experience 87−24266
Schuck, J., Wehn, N., Glesner, M., Kamp, G. The ALGIC silicon compiler system: implementation, design experience and results 87−65710
Schuck, J. *see* Glesner, M. 85−35139, 87−6831, 87−65674
Schuck, N. *see* Klauer, A. 87−52767
Schuck, P.L. Design of optimized loudspeaker crossover networks using a personal computer 86−38127
Schuckel, G., Mohnke, A. The properties of the ZnO/glass layer system for microacoustics 86−9374
Schuckel, G. *see* Mohnke, A. 87−18461
Schucker, D. *see* Alvarez, A.R. 86−47699
Schucker, D.W. *see* Alvarez, A.R. 88−12353, 88−64710
Schucker, D.W. *see* Hickman, P.T. 87−696
Schucker, D.W. *see* Lee, S.C. 85−29254, 85−50673
Schucker, D.W. *see* Ormerod, F. 88−6810
Schucktanz, G., Kreppel, H. Considerations for the minimization of fabrication periods of heavy components 86−39339
Schucktanz, G. *see* Bouecke, R. 85−38629, 85−38791
Schuda, F. Advances in pump source technology 87−39195
Schuddemat, J.P. *see* Martens, T.G.J.A. 85−20369
Schuder, D.E. C70250−a new copper alloy for electronic packaging 87−52211
Schuder, D.E. *see* Ptacek, R.J. 86−52279
Schuder, R., Biesenack, H. Influence of the cross-leakage saturation on the bar-type rotor currents of asynchronous machines 86−56747
Schuder, R. *see* Beisenack, H. 86−33377
Schue, F., Holil, B., Sagnes, R., Montginoul, C., Giral, L., Buiguez, F., Serre, B., Rosilio, C. Poly-4-bromostyrene, a high performance negative electron resist 87−25019
Schue, F., Monginoul, C., Fabre, J.M., Giral, L., Mungroo, A., Sagnes, R. Synthesis and studies of resists bearing tetrathiafulvalene groups and sensitive to UV and electron beam irradiations 88−26155
Schue, F. *see* Buiguez, F. 86−1974
Schue, F. *see* Eranian, A. 87−67032
Schue, F. *see* Holil, B. 85−35101
Schue, F. *see* Maurin, O. 86−2077
Schue, F. *see* Serre, B. 85−29107
Schue, T.J., Knerr, L.A., Niksa, M.J., Wheeler, D.J., Solomon, F. Aluminum/air battery development 88−17914
Schuecktanz, G., Riess, R., Stieding, L., Bouecke, R., Soellner, P., Termuehlen, H. 15 years steam generator experience in German PWR power plants 86−33107
Schuegraf, E. Novel microwave filters for dual-band antennae 85−61437
Schuegraf, E. A new NC-machined antenna switch for two directional frequency ranges each with two polarisations 87−54762
Schuegraf, E., Tauschek, E. Two-band shell-type antenna with corrugated horn and antenna diplexer 86−48684
Schuegraf, K.K. *see* Rossi, R.C. 85−419, 85−40864
Schuele, D.E. *see* Wiefling, K.M. 88−26562
Schuelein, M. *see* Amini, H. 86−671
Schuelein, M. *see* Senthinathan, R. 88−64765
Schueler, B. *see* Ens, W. 86−44606
Schueler, C., de Boer, C., Marks, B., Stegall, M. On-board data compression for advanced Landsat 86−32597
Schueler, C.F., Lee, H., Wade, G. Fundamentals of digital ultrasonic imaging 85−9150
Schueler, C.F. *see* Zse-Cherng Lin 86−12229
Schueler, H. *see* Arndt, F. 87−10579
Schuelke, R.J., Lundstrom, M.S. Thermionic emission-diffusion theory of isotype heterojunctions 85−34588
Schuelke, R.J., Maziar, C.M., Lundstrom, M.S. Open-circuit voltage enhancement in graded bandgap $Al_xGa_{1-x}As$ solar cells 86−13055
Schueller, G.I. Impact of probability risk assessment on containment 85−4754
Schueller, G.I. *see* Zorn, N.F. 86−45063
Schueller, J.K., Bae, Y.H. Spatially attributed automatic combine data acquisition 88−15974
Schueller, P. *see* Bompa, L. 86−42795
Schuenemann, K. *see* Banerjee, D.K. 87−2335
Schuenke, J.A. A novel technique for laser diode to single mode fiber coupling 88−1931
Schuenke, J.A. Optical fiber coupling using the photorefractive effect in $BaTiO_3$ 88−13875

Schuepp, U. *see* Toscani, L. 86–19674, 86–26457
Schuermann, G. *see* Egelhaaf, C. 85–42314
Schuermann, W. *see* Gierse, G. 86–70977
Schuermeyer, F.L., Grzyb, J.A., Curtis, M.J., Paulus, M.J., Cheney, M.E. Back bias effects on two-dimensional electron gas 88–33253
Schuermeyer, F.L. *see* Byun, Y.H. 88–64613
Schuessler, D., Gibertini, G. A medium band range oscilloscope 85–48004
Schuessler, H.W., Steffen, P. An approach for designing systems with prescribed behavior at distinct frequencies regarding additional constraints 86–16368
Schuessler, P. System design for small to medium PABX equipment 86–61620
Schuessler, P. The corrosion and restoration of Space Shuttle Challenger's flight computers 88–68514
Schuett, R.A. Install UG cable without yard damage 87–15338
Schuette, K.P. *see* Soukiassian, P. 88–64411
Schuette, L. *see* Villarruel, C.A. 87–53951
Schuette, M.A., Shen, J.P., Siewiorek, D.P., Zhu, Y.X. Experimental evaluation of two concurrent error detection schemes 87–2457
Schuette, M.A. *see* Fasang, P.P. 86–46755
Schuette, W.H. Battery powers simple IR detector 87–29119
Schuette, W.H., Bankiewicz, K.S., Markowitz, A., Plowman, F.A., Kopin, I.J. A system for measuring the angular response of hemiparkinsonian monkeys to a food stimulus 88–42489
Schuette, W.H. *see* Talbot, T.L. 86–18283
Schuetz, B. *see* Groh, K.H. 88–48303
Schuetz, H. *see* Curtis, B.J. 86–36290
Schuetz, J.A. *see* Glenn, M.C. 86–55678
Schuetz, L.S., Ott, E., Antonsen, T.M., Jr. Analysis of a wide-band rotating-beam free-electron laser 88–65756
Schuetzenduebel, W., Schlegel, R., Ratterree, H. Waste burnt in Warren County with Swiss technology 87–57877
Schuetzle, J.G. The mission operations planning assistant 88–28782
Schuffny, R., Fischer, W.-J., Moschwitzer, A. Two-dimensional numerical analysis and optimization of short channel MOS structures 85–18362
Schufft, W., Beyer, J. Measurements of the disruptive voltage at a 2.7 disk segment ball against levels under outdoor conditions 86–65238
Schufft, W. *see* Rausendorf, S. 86–63894
Schuftny, R. *see* Rottler, O. 86–63450
Schug, J. *see* Anderhub, H. 87–21420, 88–22984, 88–29843
Schuh, C.F. Multifunction without ISDN? 85–36684
Schuh, C.F. Integrated telecommunication needs simple terminal equipment and low tariffs 85–42074
Schuh, C.F. Local networks–despite if and but 86–4299
Schuh, C.F. LAN: euphoria or confusion for the user? 87–76358
Schuh, C.F. Data transmission in the ISDN age 88–52896
Schuh, C.F. *see* Thogersen, M. 85–19625
Schuh, H. *see* Robertson, D.S. 85–59446
Schuh, H.-J., Spaniol, P. CANTUS–a packet switching point-to-point network 85–25573
Schuh, R.A. An overview of the 1553 bus with testing and simulation considerations 88–54701
Schuh, W. *see* Klein, C. 86–51270
Schuh, W. *see* Neef, G. 87–53663
Schuhart, W.E. *see* Ryland, R.J. 85–31332
Schuhl, C. Some examples of Cherenkov counters used in electro-and photonuclear interactions at the Saclay Nuclear Physics Division 86–65354
Schuhl, C. *see* Argan, P. 85–26553
Schuhmacher, H., Menzel, H.G., Buhler, G., Alberts, W.G. Experimental basis for optimisation of the wall thickness of microdosimetric counters in radiation protection 86–38850
Schuhmacher, H., Menzel, H.G., Kluge, H. Dosimetry of a bare and a D_2O-moderated ^{252}Cf source using low pressure proportional counters 88–10235
Schuhmacher, H. *see* Alberts, W.G. 85–26820
Schuhmacher, J. *see* Chalet, A. 87–40595
Schuhmacher, K. Application of divisible cluster procedures in single word identification 87–2471
Schuhmann, H. *see* Conrad, K.-H. 86–32801
Schuhmann, M. *see* Teupser, C. 86–65502
Schuijlenburg, H. *see* Battiston, R. 85–59224
Schuisky, W. Similarity characteristics of electrical machines 88–11214
Schuitemaker, P., Claxton, P.A., Roberts, J.S., Plant, T.K., Houston, P.A. InP/InGaAs double heterostructure bipolar transistors grown by MBE 86–63250
Schuitemaker, P., Houston, P.A. Open-tube diffusion techniques for InP/InGaAs heterojunction bipolar transistors 87–25235
Schuitemaker, P., Houston, P.A., Robson, P.N. InP/InGaAs heterojunction bipolar transistors using open tube diffusion techniques 86–63265
Schuitemaker, P., Houston, P.A., Robson, P.N. Progress on InP/InGaAs(P) heterojunction bipolar transistors 88–38742
Schuivens, E.G.P. *see* Bos, J. 88–13164
Schukat, G. *see* Niemann, H. 85–2771
Schukat, M. Satellite communications: new applications using new techniques 88–53204
Schukat, M.K. Spread spectrum-based synchronisation of digital satellite transmissions 86–59392
Schukat, M.K. Data distribution via satellite using very small aperture terminals 88–60090
Schukat, M.K. Satellite based data distribution with a small earth station 88–60115
Schukat-Talamazzini, E.G. The generation of word hypotheses for continuously spoken German sentences 87–2483
Schukat-Talamazzini, E.G. Automatic generation and evaluation of phone superclasses for continuous speech recognition 87–47600
Schukat-Talamazzini, E.G. Robust features for word recognition 88–72886
Schukat-Talamazzini, G., Nieman, H. Generating word hypotheses in continuous speech 87–19578
Schukin, B.D., Lykov, Y.V., Fedotov, Y.N. Method and algorithm for optimising the structure and parameters of power systems 86–12347
Schulager, B. Time controlled temperature regulation with SAB 0529 programmable timer IC 85–34114
Schuldes, H.J. Electric energy installations in the Munich city railway area 86–66432
Schuldt, S. *see* Grung, B.L. 87–31906
Schule, E. *see* Pychlau, P. 87–14951
Schule, R. *see* Meyenberg, H. 87–43562
Schulein, L.K.O. *see* Jungwirth, H.N. 86–44526
Schuleken, U. *see* Bluhm, H. 87–21307
Schulenberger, J.R. *see* Gilliam, D.S. 86–48569
Schulenburg, H. *see* Segsa, K.-H. 88–38947
Schulenburg, M. The economic situation of the industrial power supply industry according to the large firing equipment regulation, the technical regulation on clean air 1983 and environmental NO_x emission standards 1984 86–19116
Schuler, A. The laser vs. the electron beam in welding and surface treatment 87–47060
Schuler, D. *see* Doshi, M. 85–6256
Schuler, D.L., Plant, W.J., Miller, H.C. Experimental verification of the three-frequency scatterometer concept 85–32013
Schuler, D.L., Plant, W.J., Reeves, A.B., Eng, W.P. Removal of clutter background limitations in dual-frequency scattering from the ocean 85–64758
Schuler, D.M. *see* Doshi, M.H. 85–680
Schuler, E. *see* Bacchetti, J.A. 86–31707
Schuler, G. *see* Beer, A. 85–9043, 85–37967
Schuler, G. *see* Bourgeois, F. 87–37402
Schuler, H. *see* Arndt, F. 85–34032
Schuler, H.R. *see* Missland, P. 88–23469
Schuler, K.P., Liu, C.J., Gay, T.J. The low energy proton polarimeter for the polarized H^- beam source at the Brookhaven AGS 86–60517
Schuler, K.P., Liu, C.J., Gay, T.J. The low energy proton polarimeter for the polarized H^- beam source at the Brookhaven AGS 87–3875
Schuler, M. *see* Fuchs, H. 85–29714
Schuler, P. *see* Coutrakon, G.B. 88–61099
Schuler, P. *see* Muhlthaler, U. 86–46394
Schuler, R. *see* Huber, A. 86–70875
Schuler, R. *see* Hutter, W. 85–9824, 87–42759
Schuler, R. *see* Liptak, G. 85–56038
Schuler, R.H. Properties of and experience with mica-containing synthetic-resin insulation systems 86–68093
Schuler, R.H. Report on diagnosis and monitoring for evaluating the condition of windings of rotating electrical machines 87–72076
Schuler, R.H., Jevsenak, S. Increased availability of turbogenerators stator winding through improved design and diagnostic 86–51578
Schuler, W. A good operating climate 85–49355
Schuler, W. Suitable protection for electronics 86–19854
Schuler, W. Cooling and air-conditioning of housings for electronic equipment 87–72818
Schuler, W. Switch cabinet–air conditioning. Cooling and heating–a contradiction 88–37767
Schuler, W. *see* Schnaubelt, J. 87–65204
Schulga, W.G., Shiltschik, A.A., Schtscherbakow, W.D. Results of a line test with the PCM480S line equipment in the network of the Soviet Union Postal Administration 87–76510
Schulke, A.W., Bohringer, D.E., Brown, B.S., Carpenter, J.M. Operating experience with the IPNS neutron generating system 86–5775
Schulke, A.W. *see* Carpenter, J.M. 86–55993, 86–56015
Schulke, A.W., Jr IPNS enriched uranium booster target 86–56010
Schulke, H., Herziger, G., Wester, R. Multipass resonators for laser systems 88–40279
Schulke, H. *see* Wester, R. 88–40139
Schulke, H.A., Jr. User needs for ISDN as seen by the banking community 85–13766
Schulke, H.A., Jr. Electrotechnology in banking and C^3 86–59485
Schulke, J. The EE Designer III circuit development computer package 88–63441
Schulke, W., Fritz, K.-D., Peschke, D. Development of a drilling machine for circuit cards LBM 80 86–1558
Schulken, H. *see* Bluhm, H. 87–22615
Schull, D. *see* Armbruster, P. 88–36393
Schuller, F. *see* Musil, G. 88–30871
Schuller, H. *see* Felkel, L. 88–48677
Schuller, H.-J. *see* Christian, H. 87–10527
Schuller, H.-J. *see* Hagn, L. 87–73194
Schuller, I.K. *see* Song, S.N. 88–20280
Schuller, J.A. *see* Agosthazi, M. 86–43646
Schuller, J.C.H. A reliability analysis for two 150/10 kV, substations 88–62541
Schuller, K.H. *see* Roll, K. 85–18545 to 18546
Schuller, P.G. *see* Barkley, H.J. 88–19595
Schuller, P.G. *see* Thumm, M. 85–55387, 87–17330, 87–24425
Schuller, P.G. *see* Wilhelm, R. 87–37821
Schuller, U. *see* Subramanian, S. 85–40728, 85–61686
Schuller, W. Operating experience of the Karlsruhe reprocessing plant 85–9641
Schuller, W.M. *see* Vercammen, M.L.S. 88–22850
Schulling, U. Overvoltage protection diodes [mains rectifier and operational amplifier applications] 85–10997
Schulman, J.N. Resonant injection quantum well lasers 87–7337
Schulman, J.N. Theoretical methods for calculating electronic properties of semiconductor superlattices 87–11422
Schulman, J.N. $Ga_{1-x}Al_xAs$-$Ga_{1-y}Al_yAs$-GaAs double barrier structure 87–24841
Schulman, J.N., Anderson, C.L. HgTe-CdTe double barrier tunneling structures 86–58295
Schulman, J.N., Smirl, A.L., Vaidyanathan, K.V. Resonant injection quantum well diodes and lasers 87–26420
Schulman, J.N., Waldner, M. Analysis of second level resonant tunneling diodes and transistors 88–64504
Schulman, J.N. *see* Efron, U. 88–7990, 88–58236
Schulman, J.N. *see* Hoffman, C.A. 88–64292
Schulman, J.N. *see* Hsu, T.-Y. 88–59233
Schulman, J.N. *see* Miller, R.C. 86–21209
Schulman, J.N. *see* Song, J.J. 87–24853, 88–19716
Schulman, M.B. *see* Gavan, J. 86–30609
Schulman, S.A. *see* Pasternak, E.J. 87–69555, 87–76110
Schulmann, W. *see* Haas, H. 86–50299
Schulmeister, B. *see* Kuka, G. 88–20370
Schulmeyer, G. Concepts in data communications for vehicular systems 87–51595
Schulmeyer, G. Automotive electronics in the car of the future: moving beyond a technology issue 88–69904
Schulmeyer, H.L. Interference protection device for the SEL electron tube track relay 87–79067
Schult, O.W.B. *see* Borchert, G.L. 86–50445, 86–56059
Schult, O.W.B. *see* Koch, H.R. 88–74695
Schulte, B.K. *see* Shive, L.W. 85–55654
Schulte, D. CAD at Krupp Industrietechnik–present status and future perspectives 86–26587
Schulte, D. *see* Selle, F. 87–18431, 87–53825
Schulte, E. *see* Brouzet, E. 86–31914
Schulte, E. *see* Cappi, R. 88–54140
Schulte, F. *see* Allevato, C.E. 88–1444
Schulte, F.J. *see* Brix, W. 85–26442
Schulte, G.B. *see* Bauckhage, K.A. 87–70885 to 70886
Schulte, H. *see* Hasse, W. 86–28242
Schulte, H. *see* O'Brien, C.R. 87–14200
Schulte, H.J. *see* Poole, C.D. 88–3974, 88–47141, 88–73925
Schulte, H.R. *see* Lin, C.C. 88–5171
Schulte, J. *see* Hasse, W. 86–28242, 87–38157
Schulte, K. *see* Altes, J. 86–51255
Schulte, K., Optimum design of cooling circuits with fan-type cooling towers 87–35776
Schulte, M. *see* Bordignon, P. 86–32668
Schulte, R. *see* Anderhub, H. 88–29843
Schulte, R. *see* Anguilar-Benitez, M. 87–71031
Schulte, R. *see* Bosseler, K. 88–4852
Schulte, R. *see* Paessler, E.R. 85–15484, 86–12287
Schulte, R.P. Survey report on current operational problems [power systems] 85–59589
Schulte, R.P., Larsen, S.L., Sheble, G.B., Wrubel, J.N., Wollenberg, B.F. Artificial intelligence solutions to power system operating problems 88–23334
Schulte, R.P., Le, K.D., Vierra, R.H., Nagel, G.D., Jenkins, R.T. Problems associated with unit commitment in uncertainty 85–59617
Schulte, R.P. *see* Fouad, A.A. 86–56335
Schulte, W.-H. *see* Cleff, B. 85–37817
Schulten, R. The AVR nuclear power plant–a milestone in high-temperature reactor development 86–12615
Schulten, R., Barnert, H., Singh, J. Nuclear process heat applications and the corresponding heat exchangers 86–33002

Schulten, R. *see* Kroger, W. 88—55151
Schultes, J.A. *see* Clark, G.S. 87—43064
Schultess, W. Status of the development of flue gas purification in cogeneration and heat plants with a furnace heat capacity up to 300 MJ/s 87—30360
Schultheis, A.C. *see* Foy, C.A., Jr. 88—60265
Schultheis, G. *see* Black, A. 87—67214
Schultheis, L. A simple fiber-optic Fabry-Perot temperature sensor 88—67881
Schultheis, L., Tu, C.W. Influence of a surface electric field on the line shape of the excitonic emission in GaAs 86—14906
Schultheis, L. *see* Polland, H.-J. 86—21212
Schultheis, R.A. Simulating network design in the introductory telecommunications course 88—43636
Schultheis, S. Single wafer high rate RIE employing magnetron discharge 85—50429
Schultheis, S.M. Etching tantalum polycide employing a magnetron discharge 86—58409
Schultheiss, C. Insulator with reduced E-field on surface 87—32752
Schultheiss, C., Rogner, A. The Rutherford shadow box, a new diagnostic tool for high intensity beams 86—70288
Schultheiss, E., Brauer, G., Dicken, W., Shieh, H.-P.D., Muller, S., Wirz, P. Production technology for magnetooptic data storage media 88—33600
Schultheiss, E. *see* Brauer, G. 88—65152
Schultheiss, P.M. *see* Ashok, E. 86—16461
Schultheiss, P.M. *see* Hamilton, M. 87—63074
Schultheiss, P.M. *see* Messer, H. 88—21267
Schultheiss, P.M. *see* Rockah, Y. 87—27063, 87—39752, 88—4412
Schultheiss, R. *see* Munz, P. 86—7143
Schultheiss, R. *see* Sheng, Y.Q. 86—24772, 86—24779
Schulthess, F. *see* Thomet, H.R. 86—16638
Schulthess, G.K.von *see* von Schulthess, G.K.
Schulthess, P., Froitzheim, K. Experience with an integrated digital PBX in a university environment 87—34325
Schultke, H. *see* Vriese, A. 85—53390
Schultz, A. A technique for computing the rate of change of electron density in the ionosphere 88—2566
Schultz, A.J. *see* Strauss, M.G. 85—15208
Schultz, B. The evolution of ARPANET 88—73570
Schultz, C. *see* Osland, P. 85—13034
Schultz, C., Jr. How to connect a boom microphone/headset to your TR2500 HT 85—57935
Schultz, D. Data transmission in postal networks. Personal computer in telephone- and DATEX-P-network 87—28099
Schultz, D. *see* Ashford, V. 86—50391, 87—41835
Schultz, D. *see* Hallewell, G. 88—68213
Schultz, D. *see* Johnson, R. 88—68277
Schultz, D. *see* Spencer, E. 88—61189
Schultz, D. *see* Va'Vra, J. 88—61103
Schultz, D.A., Kutin, J.M., Doyle, J.M. The collapse, investigation, and repair of the circulating water discharge pipe at Commonwealth Edison's Kincaid Station 87—71994
Schultz, D.E., Hurd, J.W., Brown, S.K. An artificial intelligence approach to accelerator control systems 88—42352
Schultz, D.E., Waters, S.S. Computer-aided protective device coordination—a case study 85—21253
Schultz, D.E., Waters, S.S. Computer program improves relating performance 85—21268
Schultz, D.E. *see* Brown, S.K. 86—60413
Schultz, E. Phantom measurements and error estimation in volume determination with ECG-triggered cardio-computed tomography 85—9167
Schultz, E. Vendors pack more power in their pads [key telephone systems] 88—67156
Schultz, E.M., Wray, C.M. Transferring test data to a central data management system [PC testing] 85—57776
Schultz, E.M., Wray, M. Transferring data from a multi-vendor test facility into a central data management system [PC testing] 86—38249
Schultz, E.R. Concepts for applying robotic systems for aircraft servicing/maintenance in a wartime environment 86—70512
Schultz, E.R. Robotic systems for aircraft servicing/maintenance 87—29902
Schultz, G. *see* Bartlett, D. 87—77584
Schultz, G. *see* Schottle, J. 86—51729
Schultz, G.D. *see* Sundstrom, R.J. 87—62635
Schultz, G.V. *see* Roeser, H.P. 87—35489, 88—35625
Schultz, H. Optical coupler with higher isolation voltages 86—9680
Schultz, H. *see* Dermitzakis, S. 87—26193
Schultz, H. *see* Saad, Y. 85—49497
Schultz, H. *see* Stoisiek, M. 88—39431
Schultz, H.-J. *see* Langen, B. 87—48539
Schultz, J. Ten-Tec's Titan legal-limit power amplifier 86—46573
Schultz, J. An antenna selector switch with automatic grounding 87—55944
Schultz, J. Ten-Tec's Paragon HF transceiver. II. Operating features 88—53118
Schultz, J., Russell, J.D. New staring sensors 85—8848
Schultz, J. *see* Benson, S.V. 87—2143
Schultz, J. *see* Claus, R. 88—16639
Schultz, J. *see* Hoskins, J.K. 85—63947
Schultz, J. *see* Prest, R.B. 88—69858
Schultz, J. *see* Wuest, C.R. 86—1649
Schultz, J.A. *see* Tachi, S. 87—24769
Schultz, J.B. Lamps Mk III trainers to speed fleet introduction of ASW system 85—8465
Schultz, J.B. Cruise missile deployment marked by system upgrades and operational tests 85—8466
Schultz, J.B. Navstar GPS offers mid-course guidance improvements to cruise missiles 85—8491
Schultz, J.B. Lockheed modifies S-3 Viking for greater ASW mission 85—9287
Schultz, J.B. New air force fighter to employ stealth design and advanced electronics 85—9288
Schultz, J.B. Milstar progresses despite high cost and technology risks 85—20110
Schultz, J.B. Divad under fire [air defense M247 gun system] 85—20261
Schultz, J.B. Chaparral offers potent defence punch [surface-to-air missile system] 85—20262
Schultz, J.B. Mk23 target acquisition system bolsters fleet point defense 85—20264
Schultz, J.B. Production nears for F-15E dual-role fighter 85—26858
Schultz, J.B. Air Force, Navy narrow requirements for space-based radar 85—31087
Schultz, J.B. TEMPEST business prospects point to more growth 85—46579
Schultz, J.B. New strategies and Soviet threats spark EW responses 85—47567
Schultz, J.B. Navelex—building an electronic navy 85—57937
Schultz, J.B. Space system designs promote survival of the fittest 85—59374
Schultz, J.B. INEWS ignites technology trade-offs and competition 86—17470
Schultz, J.B. Advanced technology to blossom in next-generation fighter 86—18423
Schultz, J.B. The duel for Maverick 86—38257
Schultz, J.B. Radio frequency chamber improves LAMPS Mk III testing 86—38866
Schultz, J.C., Waltz, F., Masterman, J. A configuration technique for flexible, automated inspection using pipeline image processors 87—23386
Schultz, J.H., Brindza, P., Hoenig, M.O., Montgomery, D.B. Stabilization and cooling requirements for the Alcator DCT superconducting magnet system 85—1932
Schultz, J.H., Diatchenko, N. An 18 T solenoid concept for MFTF-B 85—1909
Schultz, J.H., Minervini, J.V. Sensitivity of energy margin and cost figures of internally cooled cabled superconductors (ICCS) to parametric variations in conductor design 86—48040
Schultz, J.H., Montgomery, D.B., Thome, R.J., Bobrov, E.S., Fleming, R.J. Poloidal field coil and cryogenic systems for the TFCX tokamak 85—56241
Schultz, J.H. *see* Montgomery, D.B. 88—65989
Schultz, J.J. CQ reviews: the Icom IC-751 HF all-band transceiver and general-coverage receiver 85—3344
Schultz, J.J. CQ reviews: Yaesu FT-77 compact HF transceiver 85—30855
Schultz, J.J. CQ reviews: the Yaesu FT-980 CAT 85—36901
Schultz, J.J. CQ reviews: the Barker and Williamson AS-40/AS-20 trap dipoles and model 593 Coaxial Switch 85—46638
Schultz, J.J. CQ reviews: the telex/Hy-Gain Explorer 14 triband beam 85—57149
Schultz, J.J. CQ reviews: a selection of baluns from Palomar Engineers 85—57167
Schultz, J.J. The T2FD antenna revisited 86—10202
Schultz, J.J. A trio of homebrew antenna tuner possibilities 86—10221
Schultz, J.J. CQ reviews: the Cushcraft 20-3CD Skywalker 20 meter beam 86—36843
Schultz, J.J. CQ reviews: the Kenwood MC-85 communication microphone and control unit 86—55476
Schultz, J.J. How to build a simple microphone interface/test oscillator unit 86—55477
Schultz, J.J. The Telex/Hy-Gain TH7DX Super Thunderbird triband beam [antenna] 86—59143
Schultz, J.J. The Kenwood model TS-940S HF transceiver 86—59762
Schultz, J.J. Building ideas for a consolidated control console 86—69622
Schultz, J.J. Hints on the use of coaxial cable 87—3032
Schultz, J.J. The Ten-Tec Corsair II transceiver. I 87—8150
Schultz, J.J. The Ten-Tec Corsair II transceiver. II 87—20409
Schultz, J.J. CQ reviews: Palomar Engineers PT-340 'Tuner-Tuner' 87—39528
Schultz, J.J. CQ reviews: Kenwood's Mc-55 mobile microphone 87—41269
Schultz, J.J. The T^2X 'Tailtwister' rotator 87—68900
Schultz, J.J. CQ reviews: the Ten-Tec series of 'Ultimate' HF mobile antennas 87—75572
Schultz, J.J. More easy-to-build antenna tuners 87—75638
Schultz, J.J. Build a really big dummy load 88—9384
Schultz, J.J. The Encomm Tokyo Hy-Power Lab Model HL-1K/A HF linear amplifier 88—9385
Schultz, J.J. The Kenwood TS-440S transceiver. I 88—28636
Schultz, J.J. The Kenwood TS-440S transceiver. II 88—28639
Schultz, J.J. CQ reviews: MFJ's complete line of accessory audio filters 88—41503
Schultz, J.J. The double-L HF antenna tuner 88—41524
Schultz, J.J. The Cushcraft model AP8, 8 band vertical antenna 88—58949
Schultz, J.J. Ten-Tec's PARAGON HF transceiver. I. Overview and technical details 88—59965
Schultz, J.J. Ten-Tec's Paragon HF transceiver. III. Operating results and accessories 88—59969
Schultz, J.J. The Creative Design 730V-1, a multiband V dipole 88—72674
Schultz, J.J. The MDS antenna (Multiband Delta Sloper) 88—72675
Schultz, J.J. The Telex/Hy-Gain TH2MK3-S, a 2-element, 10/15/20 meter trap beam 88—72682
Schultz, J.J. The MFJ-945C and MFJ-989B HF antenna tuners 88—72711
Schultz, J.K. *see* Hovgaard Jensen, E. 85—9691
Schultz, J.M., Lhymn, C. Electric breakdown of a Poly(ethylene terephthalate)/glass composite 85—12437
Schultz, J.M. *see* Lhymn, C. 85—50792
Schultz, J.R., Hodges, H.N. EC-135 fiber optic technology review 85—35414
Schultz, J.S. Medical applications of fiberoptic sensors 86—25210
Schultz, K.-G. The practice of a user: to-day's computer aided circuit board fabrication 86—14640
Schultz, K.-G. The stage is free for the 386's 87—52594
Schultz, K.I., Jaggard, D.L. Novel microwave projection imaging for determination of internal structure 87—41598
Schultz, K.J., Jarmasz, M.R. VLSI implementation of a third-order elliptic canonic wave digital filter 88—896
Schultz, K.J., Jarmasz, M.R. A VLSI wave digital filter with a bit-parallel architecture 88—38644
Schultz, L., Wecker, J. Hard magnetic properties of Nd-Fe-B formed by mechanical alloying and solid state reaction 88—64914
Schultz, M. *see* Burket, M. 88—15034
Schultz, M.A., Edlund, M.C. A new steam-cooled reactor 86—12616
Schultz, M.D., Kryder, M.H. Rapid access system for optical and magneto-optical disc storage 87—26101
Schultz, M.D., Shieh, H.-P.D., Kryder, M.H. Performance of magneto-optical recording media with direct overwrite capability 88—64937
Schultz, M.H. *see* Johnsson, S.L. 88—357
Schultz, M.H. *see* Saad, Y. 86—62149
Schultz, O. *see* Frederiksen, E. 87—41642
Schultz, P.C. *see* Chaudhuri, R.S. 87—74784
Schultz, P.C. *see* Finney, M.J. 88—39860
Schultz, P.C. *see* McEnroe, D.J. 88—39906, 88—58115
Schultz, P.H. *see* Reuss, D.L. 87—54426
Schultz, P.J. A variable-energy positron beam for low to medium energy research 88—36340
Schultz, P.J. *see* Massoumi, G.R. 88—47921
Schultz, P.S. Seismic velocity estimation 85—15409
Schultz, R. Estimates for Kuhn-Tucker points of perturbed convex programs 88—43806
Schultz, R. *see* Schmidtmann, S. 87—76509
Schultz, R.D., Smith, R.A. Calculation of maximum effective current on transmission lines including all harmonics present 86—61142
Schultz, R.D. *see* Brauer, J.R. 88—55315
Schultz, R.R., Sandervag, O., Hanson, R.G. Marviken Power Station critical flow data: a summary of results and code assessment applications 85—43805
Schultz, S. *see* Harle, A. 86—60355
Schultz, S. *see* Oseroff, S.B. 86—28680, 88—51218, 88—71933
Schultz, S. *see* Salling, C. 87—67750
Schultz, S. *see* Vier, D.C. 88—13007, 88—19735
Schultz, S. *see* Webb, B.C. 88—71888
Schultz, S. *see* Wilfley, B.P. 85—1880
Schultz, S.K., Vairin, C.M. Simulation for discrimination algorithm design and evaluation 88—17020
Schultz, T.W. Teaching dedicated micros 14 years from now 88—24481
Schultz, T.W., Ash, S.R. Portable hemodialysis machine electronics 86—56195
Schultz, V. *see* Coenen, R. 85—10302
Schultz, W. Baker clamps—traditional concepts updated for third generation power transistors 85—12263
Schultz, W. Ultrafast-recovery diodes extend the SOA of bipolar transistors 85—40696

Schultz, W. Second generation power MOSFET's 85−40733
Schultz, W. For special applications: contrast detection by photosensor 85−52765
Schultz, W. Photosensors with glass-fibre optics 85−62333
Schultz, W. Experimental equipment for the computer-aided dynamic calibration of ultrasonic sensors 85−63990
Schultz, W. Sense-cell MOSFET eliminates losses in source circuit 86−58470
Schultz, W. Lossless current sensing with SENSEFETs enhances motor drive design 86−65243
Schultz, W. Cellular Anode Zeners clamp high speed power MOSFETs 87−25214
Schultz, W. Drive techniques for high side n-channel MOSFETs 88−6660
Schultz, W. Power MOSFETs improve brushless DC motor drives 88−55657
Schultz, W., Alberkrack, J. Power MOSFET for switched mode supplies 88−26252
Schultz, W., Valentine, R.J. Mixed MOS devices unite in a switch chip that links power with smarts 85−28440
Schultz, W., Valentine, R.J. Smartpower−power electronics with its own intelligence 85−55945
Schultz, W. *see* Alberkrack, J. 87−44600, 87−65809
Schultz, W. *see* Artusi, D. 87−78705
Schultz, W. *see* Gauen, K. 87−60447
Schultz, W. *see* Krugel, K.H. 85−2592
Schultz, W. *see* McKinnis, S. 88−71820
Schultz, W. *see* Mansmann, J. 87−51520
Schultz, W. *see* Rebold, J. 88−75628
Schultz, W.E., Smith, H.D., Jr., Verbout, J.L., Bridges, J.R., Garcia, G.H. A borehole corrected pulsed neutron well logging system 85−59447
Schultze, N. A contribution to optimisation of technological processes of sound and television broadcasting 85−20297
Schultze, N. Software-structuring for modular studio technique systems 87−63147
Schultze, W. *see* Fetisov, V.V. 87−64611
Schulz, A. *see* Bullinger, H.J. 86−36978
Schulz, A. *see* Ediss, G.A. 87−45219
Schulz, A. *see* Lubben, T. 85−7487
Schulz, A. *see* Vetters, H.R. 86−20148
Schulz, D. Block orientated control of PC based data-acquisition systems 87−41408
Schulz, D. SMD simultaneous insertion 88−56022
Schulz, D. *see* Adler, W. 85−37498
Schulz, D. *see* Thorp, J. 86−61035
Schulz, D. *see* Thorp, J.S. 85−27010
Schulz, D.K. *see* Ilic-Spong, M. 86−65598
Schulz, E. Supply concepts from the view point of pipe connected energy supplies 85−9472
Schulz, E. Electric current-guarantor of a friendly environment and reliable heat supply 86−26425
Schulz, E. *see* Hempel, H.-D. 87−64676
Schulz, E. *see* Hempel, H.-P. 87−44594, 87−59155
Schulz, E. *see* Schnug, A. 88−68727
Schulz, F. Measuring delays and their effects. II 88−9732
Schulz, F. Envelope, phase, group and chroma delay. I 88−9776
Schulz, F. *see* Bechtold, V. 85−64430
Schulz, F.J. *see* Skierszkan, S.J. 88−41487
Schulz, G. Achromatic and sharp focussing of laser beams by aspherics 85−56773
Schulz, G. Real minimum ray marking and skeletonizing of optical images 87−55266
Schulz, G.G. Does my robot hate me? 87−16355
Schulz, H. Basic safety of the primary circuit−-status of NDT in Germany 85−27240
Schulz, H. On the perfection of project planning processes for industrial plants 86−46021
Schulz, H., Mueller, W. Piping and component replacement in BWR systems; safety assessment and licensing decisions 85−43824
Schulz, H.-D., Schumann, M. DTAM−the basis of future telematics [document transfer, access and manipulation] 88−21485
Schulz, H.H. *see* Dobler, J. 86−42496
Schulz, J.C. Global mode hourglassing control 88−11942
Schulz, J.J. CQ reviews: the Telex/Hy-Gain HAM-IV rotor system 86−36858
Schulz, K. CCITT languages for telephone switching systems 87−48794
Schulz, K. The CCITT man machine language−objectives of the present study period 87−69841
Schulz, K. *see* Bensiek, W. 87−41695
Schulz, K.-P. *see* Fiedler, O. 88−67886
Schulz, K.D. UHV capacitors: strontium titanate as dielectric 88−75883
Schulz, L. *see* Klotz, W.-D. 87−29419
Schulz, M. Characterization of the SiO_2-Si interface 87−17826
Schulz, M. *see* Cabanski, W. 87−32329, 88−7359
Schulz, M. *see* Hofmann, K. 86−8890, 87−17835
Schulz, M. *see* Karwath, A. 88−33195
Schulz, M. *see* Pensl, G. 85−12110
Schulz, M. *see* Schaub, R. 87−3481
Schulz, M. *see* Schott, K. 88−19805
Schulz, M. *see* Trischler, E. 86−62564
Schulz, M.A. *see* Ward, R.D. 86−59156
Schulz, M.H. Automatic test pattern generation and fault grading in combinational circuits 87−67393
Schulz, M.H., Trischler, E., Sarfert, T.M. SOCRATES: a highly efficient automatic test pattern generation system 88−25123
Schulz, M.H., Trischler, E., Sarfert, T.M. SOCRATES: a highly efficient automatic test pattern generation system 88−32136
Schulz, M.H. *see* Antreich, K.J. 87−24031, 87−37225, 88−665
Schulz, M.J. *see* Schwarz, S.A. 87−45715
Schulz, N., Bierwirth, K., Arndt, F. Finite-difference analysis of integrated optical waveguides without spurious mode solutions 87−1952
Schulz, N., Bierwirth, K.-H., Arndt, F. Finite difference analysis of integrated optical channel waveguides with arbitrarily graded index profile 88−72638
Schulz, N. *see* Bierwirth, K. 87−19236
Schulz, P. Detecting the causes of failures 87−65232
Schulz, P. Continuous temperature measurement in steel melting processes 88−16547
Schulz, P. *see* Moller, B. 87−70836
Schulz, P.A. Two-step barrier diodes 88−39360
Schulz, P.A. Single-frequency Ti:Al_2O_3 ring laser 88−65631
Schulz, P.A. *see* Roy, R. 87−74895
Schulz, R. The method of integral equation in the direct current resistivity method and its accuracy 85−59439
Schulz, R., Chretien, N., Alexandrov, N., Aubin, J., Roberge, R. A new design for amorphous core distribution transformer 88−69465
Schulz, R. *see* Alexandrov, N. 87−51306
Schulz, R. *see* Deutsch, A.S. 87−44414
Schulz, R. *see* Hausner, O. 88−17340
Schulz, R. *see* Kuckartz, M. 87−74725, 88−72038
Schulz, R. *see* Munzel, H. 88−26153
Schulz, R.A. Improved pulse-width modulated motor control technique 85−27434
Schulz, R.A. Integrated circuit binary multiplier 85−49962
Schulz, R.B. Coding scheme for EMC-technology indexes 85−19157
Schulz, R.B., Plantz, V.C., Brush, D.R. Shielding theory and practice 88−72572
Schulz, R.J., Wuu, C.S., Weinhous, M.S. The direct determination of dose-to-water using a water calorimeter 88−10450
Schulz, R.N. *see* Chen, T.C. 88−13346
Schulz, R.P., Goering, C.J. Benefit assessment of finite-element based generator saturation model 88−23270
Schulz, R.P., Price, W.W. Classification and identification of power system emergencies 85−26974
Schulz, R.P. *see* Bose, A. 87−4213
Schulz, R.P. *see* Chow, J.H. 85−15664
Schulz, R.P. *see* Minnich, S.H. 88−30684
Schulz, R.P. *see* Price, W.W. 86−50898
Schulz, R.P. *see* Sharma, D.K. 86−33289, 87−42856
Schulz, R.R. *see* Lumish, S. 87−34612
Schulz, S. *see* Bucher, E. 86−58317
Schulz, S. *see* Seward, G. 88−45271
Schulz, T. The COMFET, a new high-voltage MOSFET 86−41780
Schulz, T. Surge voltage protection by thyristors. New component prevents damage to electronic circuits, caused by lightning 87−25257
Schulz, T. p-channel COMFET−the first true complement 87−46028
Schulz, T. Gate drive circuits for the COMFET 87−46037
Schulz, T. Linear array with power functions 88−44805
Schulz, T. Transmission experiments in the 2030 GHz region via the DFS-Kopernikus and OLYMPUS satellite systems 88−60117
Schulz, T., Heidelberg, G. Maglev train in Berlin 85−10167
Schulz, U. Evaluation of the equivalent circuit parameters of posts and diaphragms in waveguides by the method of lines 85−46601
Schulz, U. Impedance characteristics of ridge waveguides in phase controlled slotted ridge waveguide antennas 87−61462
Schulz, U. Hierarchical physical design system for VLSI-/370 microprocessor 88−70425
Schulz, U., Hofgen, G. Effective millimeter wave transmission under severe multipath conditions 85−25755
Schulz, U. *see* Klein, K. 88−6898
Schulz, U. *see* Schettler, H. 87−25597
Schulz, V. *see* Fischer, P.-M. 85−60564
Schulz, V. *see* Honig, R. 85−59316
Schulz, W. Consideration of network supplies during short-circuit current computations 85−4605
Schulz, W. Low-power CMOS SMPS controller speeds up to 50 nsec 88−31996
Schulz, W. Op amp sets new standards for bias and power 88−32024
Schulz, W. Realization of a data receiver using signal processor and universal microprocessor 88−35654
Schulz, W., Kiessling, M., Glimm, O.-A., Frauendorf, G. Computing power flow and three-phase short-circuit currents by using the BERELT program system 86−18678
Schulz, W., Simon, G., Vicanek, M., Decker, I. Influence of the oxidation process in laser gas cutting 88−45600
Schulz, W. *see* Ganssauge, E. 87−14770, 87−63679
Schulz, W. *see* Oswald, B. 86−65758
Schulz, W.E., MacGillivray, W.R., Standage, M.C. Experimental study of the response of a bad cavity bistable system to fast light switch-on 85−41491
Schulz, W.E. *see* Pegg, D.T. 85−41469
Schulz-DuBois, E.O. Laser velocimetry 88−2441
Schulz-DuBois, E.O. *see* Giese, E. 88−5222
Schulz-Rinne, H. The DSP Workbench: modeling parallel architectures as concurrent processes 87−24252
Schulz-von der Gathen, V. *see* Czarnetzki, U. 87−2210
Schulze, A. *see* Sporbert, R. 88−14937
Schulze, B., Dufour, J.P., Zmasek, R. NDT and inspection of tritium removal facility 88−18819
Schulze, D., Andree, W., Walter, L. Numerical modelling for the design of induction heating plants 86−33857
Schulze, D., Andree, W., Walther, L. Computer-aided software elaboration for the control of inductive heating processes 86−71127
Schulze, D. *see* Andree, W. 87−19137
Schulze, D. *see* Hensel, E. 86−15057
Schulze, D. *see* Nemkov, V.S. 88−43492
Schulze, E. Real-time holographic 3D imaging based on multiplexing techniques and optoelectronic holograms 88−40370
Schulze, E. Reconfigurable optical interconnections using dynamic optoelectronic holograms 88−58387
Schulze, F.-W., Fenzl, H.J., Geim, K., Hecht, H.-D., Aulich, H.A. Progress on the carbothermic production of solar-grade silicon using high-purity starting materials 86−408
Schulze, F.-W. *see* Aulich, H.A. 86−40717, 86−45702, 87−9837, 88−18015, 88−62629
Schulze, G. Interconnection of the IBM office system PROFS and GILT [computer-based message system] 85−25368
Schulze, G. *see* Hohne, W. 87−4139, 87−29940
Schulze, G. *see* Lorenz, L. 88−71534
Schulze, G. *see* Mueller, G. 86−69451
Schulze, G.K. *see* Ziegler, N.F. 88−54082
Schulze, H. *see* Cleff, B. 85−37817
Schulze, H. *see* Schmidt-Prestin, B. 86−43508
Schulze, H. *see* Schubert, J. 87−48406
Schulze, J. Active RC all-pass networks 85−55003
Schulze, J. *see* Brandes, L.-P. 87−30311
Schulze, J. *see* Brandes, L.P. 87−4510
Schulze, J. *see* Schilling, H.J. 88−56024
Schulze, K., Stefanski, M., Soulos, T., Masterson, J., Kim, Y.I., Rey, H.R. Computer analysis of ventilatory parameters for neonates on assisted ventilation 85−31861
Schulze, K. *see* Schneeberger, T.J. 86−31215
Schulze, K.-P., Gross, M. Safety of fuel reprocessing plants 86−39431
Schulze, M., Haberland, K. Modern drive equipment for machine tools and industrial robots 85−60613
Schulze, M., Schonherr, E. Automatic contacting unit for the diagnosis of electronic modules 86−58133
Schulze, M. *see* Bergner, H. 86−48254
Schulze, R. Calculation of autonomous oscillations by the example of CMOS and bipolar crystal oscillator models with the program package BVP1RS 88−63566
Schulze, R., Tammer, K. Local convergence characteristics of a class of iteration methods of nonlinear optimisation 88−18613
Schulze, R. *see* Albrecht, R. 86−44563, 87−63693
Schulze, R. *see* Alflen, M. 88−29878
Schulze, R. *see* Kripfganz, A. 87−44176
Schulze, R. *see* Liu, B. 86−5797
Schulze, S. *see* Hupfer, A. 88−1527
Schulze, U. Bildschirmtext seeks acceptance 87−27982
Schulze, W. Computer aided development of graphical pictures on colour display units 86−70740
Schulze, W. Power supply facilities for the compact smelting plant Shlobin 88−6063
Schulze, W., Deissner, E. Electrical equipment for industrial power stations of the Cuban sugar industry 85−32870
Schulze, W. *see* Beisenack, H. 86−33377
Schulze, W. *see* Dunke, H. 88−16913
Schulze, W.A. *see* Gallo, C.A. 87−38617
Schulze, W.A. *see* Gururaja, T.R. 86−2476, 86−2478, 86−50562, 87−71442
Schulze, W.A., Jr. *see* Gururaja, T.R. 86−2467 to 2468
Schulze, W.R., Jr. *see* Markovitz, M. 86−63505

Schulze Schleithoff, F. Static protection in medium voltage networks 86−39230
Schuma, R.F., Killian, K.M. Superluminescent diode (SLD) wavelength control in high performance fiber optic gyroscopes 88−16138
Schumacher, A. *see* Drews, W. 87−59596
Schumacher, B. *see* Kliem, H. 87−18363, 88−51086
Schumacher, B.J. *see* Proctor, I.D. 88−47762
Schumacher, C.R. Electrodynamic similitude and physical scale modeling of nondispersive targets 88−4076
Schumacher, D. *see* Archer, D. 87−59604
Schumacher, E. Commissioning experience in operational and control technology effected by standard microcomputer systems 86−12654
Schumacher, F.A. *see* Reedy, R.P. 87−12178
Schumacher, H. The central operational directing station of the transport enterprises of Cologne 85−5431
Schumacher, H. The transfer of operation and maintenance experience: a Swiss viewpoint 86−39489
Schumacher, H. Basics of ergonomics: workplaces with display devices 88−11814
Schumacher, H., Chang, G.K., Bischoff, J.-C., Tamargo, M., Nelson, S. High-speed optoelectronic detectors for fiber-optic communications 88−45305
Schumacher, H., Hayes, J.R., Bhat, R., Koza, M. OMCVD grown InP/InGaAs heterojunction bipolar transistors 88−39677
Schumacher, H., Narozny, P., Werres, C., Beneking, H. A low dark current, large bandwidth Mott-barrier photodetector fabricated by quasi-ternary growth of GaAs 86−42427
Schumacher, H., Salz, U., Beneking, H. Fast GaAs photoconductive detectors with high sensitivity integrated in coplanar systems onto GaAs substrates 87−46701
Schumacher, H. *see* Baumann, H. 88−28588
Schumacher, H. *see* Chang, G.-K. 88−20522
Schumacher, H. *see* Emeis, N. 85−29712
Schumacher, H. *see* Hayes, J.R. 88−13316
Schumacher, H. *see* Roth, W. 85−52766, 86−9691
Schumacher, H. *see* Shepard, K. 88−19361
Schumacher, J. *see* Christiansen, P. 87−8759
Schumacher, J.M. A geometric approach to the singular filtering problem 86−23036
Schumacher, K., O'Reilly, J.J. Digital transmission filters based on Chernoff bound minimisation 86−47016
Schumacher, K., O'Reilly, J.J. Power penalty due to jitter on optical communication systems 87−70033
Schumacher, K., O'Reilly, J.J. Optimisation of receivers for optical communication 88−47113
Schumacher, K. *see* Goser, K. 86−35799
Schumacher, K. *see* O'Reilly, J.J. 86−17381, 87−13708
Schumacher, K.-H. Oil-poor medium voltage power switches fulfil the increased requirements 85−32636
Schumacher, K.-H. Factory-built, metal-enclosed switchgear for up to 24 kV operation: 16 criteria for perfect design 86−51824
Schumacher, K.-H. Factory-built and metal-enclosed medium-voltage switchgear: the most stringent operating and safety requirements are fulfilled 86−51825
Schumacher, M., Kiefer, L. Automatic TIG in-situ pulse welding for pipes 85−27867
Schumacher, M.K. MMS: promoting plant floor interoperability 87−40481
Schumacher, M.K. *see* Matthews, R.S. 87−34215
Schumacher, P. *see* Pengelly, R.S. 88−38739
Schumacher, P.D. The use of organic acids in boiler water oxygen scavenging 86−33124
Schumacher, P.M. *see* Morin, R.L. 85−9144
Schumacher, P.P. *see* Witte, R.E. 85−32082
Schumacher, R., Thomas, P., Weber, K., Fuhs, W. The Meyer-Neldel rule in field-effect measurements and the microscopic prefactor of the conductivity in a-Si:H 87−45982
Schumacher, R. *see* Djamdji, F. 88−25904
Schumacher, R.F. *see* Bollacasa, D. 85−9598
Schumacher, R.W., Harvey, R.J. CROSSATRON fast opening plasma switch 85−23199
Schumacher, R.W., Harvey, R.J. Crossatron modulator switch 85−23377
Schumacher, R.W., Harvey, R.J. The Crossatron modulator switch: an efficient, long-life component for pulsed-power systems 87−17671
Schumacher, R.W., Harvey, R.J., Watkins, R.M., Bekker, T.L. Crossatron switch for 7390 thyratron replacement 87−43271
Schumacher, R.W., Santoru, J. Millimeter-wave generation via plasma three-wave mixing 87−17638
Schumacher, R.W., Santoru, J. Scaling of millimeter-wave radiation generated by counterstreaming beams in a plasma-filled waveguide 88−25368
Schumacher, R.W., Watkins, R.M., Gallagher, H.E., Harvey, R.J., Tracey, M.L., Christensen, J.A. CROSSATRON modulator switch: from laboratory experiments to production tubes 88−39029
Schumacher, R.W., Watkins, R.M., Harvey, R.J. CROSSATRON modulator switch development 87−11110
Schumacher, R.W. *see* Limpaecher, R. 87−43272
Schumacher, R.W. *see* Tracy, M.L. 88−39027
Schumacher, U. Measurements of the dispersion and resolution of the general double-crystal monochromator 88−4863
Schumacher, U. *see* Gebhardt, A. 88−37042
Schumacher, U. *see* Muhling, E. 85−20838
Schumacher, W. Test conditions for fiber optic connectors and splices 85−12554
Schumacher, W. Fully digital control of induction motor as servo drive 86−66113
Schumacher, W., Kiel, E. Application: three-phase-current-motors electronically controlled. Microcomputers, ASICs and MOSFETs for modern drive technique 88−62649
Schumacher, W., Letas, H.-H., Leonhard, W. Microprocessor-controlled AC-servo-drives with synchronous and asynchronous motors 86−7205
Schumacher, W., Rojek, P., Letas, H.-H. High resolution position and rotational-speed determination optical transmitter for fast servo drives 85−47923
Schumacher, W., Sammler, W., Hartmaier, U. Integrated planning and controlling system of Steag AG 87−23244
Schumacher, W., Starke, M. The CMU (cockpit mock-up)−a design tool for display and control concepts for future helicopters 87−77765
Schumacher, W. *see* Kiel, E. 88−69788
Schumacher, W. *see* Lessmeier, R. 86−40213, 87−15810
Schumacher, W.L. Standardization efforts in fiber optics 86−23868
Schumacher-Grohn, J. *see* Beyer, H.G. 87−51133
Schumaker, L.L., Utreras, F. Asymptotic properties of complete smoothing splines and applications 88−31677
Schumaker, L.L. *see* Chiu Li Hu 86−62112
Schumaker, N. *see* Stall, R.A. 85−39731
Schumaker, N.E. Advanced epitaxy for compound semiconductors 88−7449
Schumaker, N.E., Stall, R.A., Wagner, W.R., Polgar, L.G. MOCVD technology 87−263
Schumaker, N.E. *see* Polgar, L.G. 87−36772
Schumaker, N.E. *see* Swaminathan, V. 85−50207
Schumaker, N.E. *see* Zilko, J.L. 86−7798
Schuman, H.K. Radiation and scattering models for folded dipole and integrated Balun fed antennas and antenna arrays 87−26956
Schuman, H.K. Microstrip antenna phase array modeling 88−2869
Schuman, H.K., Bright, G.A., Mandry, R.S. Thin wire moment methods in solving infinite planar array antenna problems 88−8633
Schuman, H.K. *see* Pflug, D.R. 85−13392
Schuman, R.A. *see* Kasischke, E.S. 86−56261
Schumann, A. *see* Ose, E. 87−12410
Schumann, B., Tempel, A., Kuhn, G. Epitaxial layers of $CuInSe_2$ 86−57452
Schumann, B., Tempel, A., Kuhn, G., Neumann, H. Growth and structural properties of $AgGaSe_2$ epitaxial films 86−20063
Schumann, B. *see* Mitaray, S. 86−40750
Schumann, B. *see* Tempel, A. 86−20033, 86−46322, 88−64305
Schumann, C. *see* Collado, R.O. 87−6002
Schumann, C. *see* McCrea, J. 86−69813
Schumann, D.D. Fibre-optics control of hydraulic systems 88−2003
Schumann, D.L. *see* Duffy, M.E. 85−26697
Schumann, E.W., Nattrass, H.L., Ham, R.E. The design of a high power triple stub mismatch unit 88−32397
Schumann, H. *see* Eilert, G. 87−76506
Schumann, H. *see* Reng, L. 86−70911
Schumann, J.W. *see* Farnsworth, S.R. 87−79081
Schumann, M. *see* Schulz, H.-D. 88−21485
Schumann, P. *see* Barthel, R. 87−15440
Schumann, P. *see* Frankenstein, B. 87−35754
Schumann, P. *see* Hessel, G. 85−38735
Schumann, P.A., Jr. *see* Vanston, J.H. 88−58021
Schumann, R., Jahn, L. Computing the influence of the texture on the coercive field strength of polycrystalline permanent magnets 87−1878
Schumann, S.A., Smith, C.A. A systems approach to display format content 85−9333
Schumann, S.P. New technique can calibrate your surface temperature sensors 85−8981
Schumann, S.P. Standard platinum resistance thermometer program 86−38590
Schumann, T.L. Performance assessment of environmental control units as used by high level spinal cord injured persons 88−54668
Schumann, W., Zurcher, J.-P., Cuche, D. Holography and deformation analysis 86−13277
Schumann, W.A. Nuclear energy: today and tomorrow in the RSA 86−65806
Schumard, E. *see* Wuest, C.R. 86−1649
Schumbrutki, W., Marquardt, K. A modulator for sinusoidal digital synthesis 87−58256
Schumbrutzki, W. SIPMOS half-bridge power circuit for frequency converters using few components 85−40213
Schumbrutzki, W. Low dissipation SIPMOS full-wave rectifiers for frequency converters 85−49714
Schumbrutzki, W. Inexpensive SIPMOS half-bridge for a frequency converter 86−35044
Schumbrutzki, W. FREDFET power half-bridge: short-circuit proof through light-link components 88−566
Schumbrutzki, W., Marquardt, K. Digital sine-wave synthesis using the SLE-4520 pulse width modulator 86−66218
Schumbrutzki, W. *see* Wetzel, K. 86−56764, 87−30561
Schumer, M. General network trends as viewed by the industry, users and vendors 87−48452
Schumer, M. General network trends as viewed by the industry, users and vendors 87−69539
Schumm, E. *see* Blahna, J. 87−7078
Schumm, G., Plant, T.K. Undoped and chromium-doped semi-insulating GaAs photoconductive detectors 87−33060
Schumm, G. *see* Mohring, H.-D. 88−24777
Schumm, W.R. Overcoming the threat−new perspectives on electronic warfare 87−5177
Schummer, H. *see* Alig, F. 86−25916 to 25917
Schummers, R., Narozny, P., Beneking, H. Strained-layer homojunction GaAs bipolar transistor with enhanced current gain 86−67838
Schummers, R. *see* Tilli, T. 87−65535
Schumny, H. Standardized interfaces for intelligent measurement 86−60139
Schumny, H. Standardised interfaces for intelligent measurement 88−15931
Schumny, H., Seiler, E. Aspects of the acceptability for verification, standardization and measurement value transmission of intelligent electronic sensors 86−38367
Schump, D.E. Quality control procedures used in testing electrical windings 86−20869
Schump, D.E. Reliability testing of electric motors 88−62317
Schumperlin, H. ASIC development with error simulation 88−653
Schumpert, J.M. *see* Long, E.M. 86−16474
Schumpert, J.M. *see* Ryan, W.E. 86−10406
Schumprutzki, W. Timed phase control of resistive load 87−961
Schunck, B.G. The motion constraint equation for optical flow 85−30369
Schunck, B.G. Image flow: fundamentals and future research 86−4045
Schunck, B.G. The image flow constraint equation 86−69113
Schune, D. *see* Forino, A. 85−37976
Schunemann, G. *see* Kohler, D. 86−59746
Schunemann, K. Subharmonic sine-wave and pulse injection locking of oscillators 87−5698
Schunemann, K. *see* Abdel Aziz, Y. 85−11580
Schunemann, K. *see* Grimminger, H. 85−11508
Schunemann, K. *see* Jacob, A. 86−47033
Schunemann, K. *see* Jenett, M. 85−34140, 86−840
Schunemann, K. *see* Kalinski, J.R. 86−14442
Schunemann, K. *see* Last, R. 85−45211, 85−54989
Schunemann, K. *see* Omar, A.S. 85−13202, 85−19191, 85−19200, 85−19204, 85−24899, 85−40219, 85−62864, 86−10163, 86−29515, 86−42897, 87−6008, 87−24408, 87−45171, 87−75520
Schunemann, K.F. *see* Omar, A.A. 87−39444
Schunemann, K.F. *see* Omar, A.S. 87−19252
Schunk, E. *see* Fettwels, W.H. 86−26419
Schunk, K., Grosskopf, G., Kuller, L., Petermann, K. Noise characteristics of injection locked semiconductor lasers 86−48417
Schunk, N., Petermann, K. Noise analysis of injection-locked semiconductor injection lasers 86−58925
Schunk, N., Petermann, K. Minimum bit rate of DPSK transmission for semiconductor lasers with a long external cavity and strong linewidth reduction 88−9554
Schunk, N., Petermann, K. Numerical analysis of the feedback regimes for a single-mode semiconductor laser with external feedback 88−72316
Schunk, N. *see* von Helmolt, C.H. 88−1985
Schunk, N. *see* Wang, J. 87−68450
Schunk, R.W. *see* Rasmussen, C.E. 88−36668
Schunke, J.N. *see* Lee, H.Y. 85−23162
Schunter, W., Stephenson, E. A design approach for an onboard aircraft condition monitor system 87−63884
Schunzel, M. *see* Czech, J. 85−6543
Schuocker, D. Dynamic phenomena in laser cutting and cut quality 86−54230
Schuocker, D. Physical aspects of cutting with pulsed lasers 86−54235
Schuocker, D. Advanced concepts in laser material processing in Europe 87−47042
Schuocker, D. Dynamic model of laser cutting including pulsed operation 87−47043
Schuocker, D. Theoretical model of reactive gas assisted laser cutting including dynamic effects 87−47051
Schuocker, D. Physical mechanism and modeling of laser cutting 88−20808
Schuocker, D., Walter, B. Theoretical model of oxygen asisted laser cutting 85−56926
Schuocker, D. *see* Mitterer, G. 88−58647

Schuocker, D. *see* Walter, B. 85−62513, 87−46793
Schuoker, D. *see* Mitterer, G. 88−58289
Schupler, B.R. *see* Clark, T.A. 85−59428
Schuppe, I. *see* Weber, D. 88−15280
Schuppe, W.-D., Franke, H. The status of quality assurance from preliminary suppliers up to cable installation 87−4396
Schuppe, W.-D. *see* Klockhaus, H. 86−6362
Schuppe, W.D. High voltage cables with cross-linked polyethylene (XLPE) insulation 87−64172
Schuppen, J.H.van *see* van Schuppen, J.H.
Schuppert, B. A systematical description of different mixer classes in a synthesis-diagram 85−11542
Schuppert, B. A fast and reliable method for computer analysis of microwave mixers 86−41327
Schuppert, B. Analysis and design of microwave balanced mixers 86−41328
Schuppert, B. Computer aided optimisation of a broadband microwave push-pull mixer 87−17371
Schuppert, B. Reduction of bend losses in Ti:LiNbO$_3$ waveguides through MgO double diffusion 87−60962
Schuppert, B. Experimental investigation of outdiffusion in LiNbO$_3$-substrates 87−74809
Schuppler, H. The fundamental problems of electromagnetic compatibility (EMC) 88−34354
Schuppler, H., Ristau, D. Method to calculate shield damping of buildings exposed to external electromagnetic fields by including shielding effects of communication installations and devices mounted within those buildings 86−3597
Schuppler, H., Ristau, D., Lorke, H. Impulse current and voltage propagation in underground telecommunication cables 86−17186
Schuppler, H. *see* Nikolsky, K.K. 88−34971
Schuppler, H. *see* Ristau, D. 86−59098
Schurch, G. *see* Wildmann, D. 85−18986
Schurch, R., Buri, A. Information system in wire and cable works 86−7513
Schurer, A. *see* Gurlebeck, K. 87−16553
Schurger, K. The ROD data processing system−a maintenance tool for Deutsche Lufthansa's passenger aircraft 87−77819
Schurich, B. *see* von Campe, H. 86−40153
Schurig, T., Herrman, R. Some properties of n-inversion layers at grain boundaries in InSb bicrystals 85−34503
Schurig, T. *see* Herrmann, R. 85−45395
Schurig, Th. *see* Nguyen An 87−65545
Schuring, T., Worm, G., Kraak, W., Nachtwei, G., Gobsch, G., Herrmann, R. Some properties of n-inversion layers at grain boundaries in InSb bicrystals 88−71312
Schuringa, T.M. Modern infrastructure for a modern society [ISDN in Europe] 88−21775
Schuringa, T.M. Developments in telecommunication 88−46396
Schurings, W. A VSWR-indicator 85−14836
Schurink, F. *see* Hulshof, H.J.M. 86−12225
Schurink, F. *see* Kleinpenning, T.G.M. 85−5386
Schurk, H.-E., Fournell, H.D. Onboard diagnosis of electronics−A contribution to vehicle reliability 87−79159
Schurk, H.E., Fournell, H.D. Body electronics−'high' or 'low' tech? 88−5995
Schurle, B. Electronic speed control of squirrel-cage induction motors 85−32485
Schurman, D.L. Do we need the human in human performance models? 86−51317
Schurman, D.L. The role of instinct in organizational dysfunction 87−72778
Schurman, D.L. *see* Braun, J.C. 86−45080
Schurman, W.R., Badgley, D.L. Reel-to-reel flexible circuit processing equipment 87−17548
Schurmann, B. On the determination of frequency response on the basis of randomly sampled stochastic signals 88−8723
Schurmann, B. Hierarchical top down chip planning 88−49959
Schurmann, B. *see* Henning, K. 86−36867
Schurmann, W. *see* Gierse, G. 85−10022, 85−60304
Schurr, E.-A. *see* Arnold, G. 86−4641
Schurr, T. *see* Doll, A. 85−42624
Schurrer, F. *see* Ledinegg, E. 88−58928
Schurrman, J.J. *see* Curvers, A. 86−56677
Schurtenberger, M. *see* Bachmann, B. 88−17426
Schurtenberger, M. *see* Cuenod, M. 88−17427
Schurtenberger, M. *see* Schroder, G. 88−30604
Schurter, R. The comprehensive videotex offer 86−59585
Schurter, R.V. *see* Kirschman, R.K. 88−37991
Schuschulov, K. *see* Batov, S. 86−33065
Schusdziarra, W. *see* Brosch, P.F. 86−19271
Schuseil, D. The Manavgat hydroelectric plant 88−69195
Schusheim, B. Employing multiple test techniques for complex telecommunications devices 86−49958
Schusheim, B. Automatic test of LAN transceivers 88−15133
Schuss, J.A., Delin, M.A. Fault tolerant control systems to facilitate plant component standardization [power station control] 86−12541
Schuss, J.J., Hanfling, J.D. Nonreciprocity and scan blindness in phased arrays using balanced-fed radiators 87−39501
Schuss, J.J., Hanfling, J.D., Morrow, R.E. Observation of scan blindness due to surface wave resonance in an array of printed circuit patch radiators 88−2868
Schuss, J.J. *see* Bauer, R.L. 88−2844
Schuss, J.J. *see* Hanfling, J.D. 87−27070
Schuss, Z. *see* Ben-Jacob, E. 86−68210
Schuss, Z. *see* Cicero, J. 85−19558
Schuss, Z. *see* Karmy, R. 88−19002
Schuss, Z. *see* Knessl, C. 87−19981, 87−58777, 87−65300 to 65301, 88−14856, 88−18561
Schuss, Z. *see* Lim, J.-T. 85−57573
Schussek, M. *see* Filip, G. 87−37812
Schussele, L. Characterization of 1.3-μm avalanche photodiodes by local noise measurements 86−9687
Schussler, B. *see* Bollmann, E. 85−64411
Schussler, H. Cable or light waveguide networks? II 85−8423
Schussler, H. Optical fibres for transmission purposes 85−31036
Schussler, H. Strategies for the introduction of optical fibre networks 85−37068
Schussler, H., Krumpholz, O. From glass-fibre-overlay networks to broadband telephone networks−strategy and system components 86−30243
Schussler, H., Krumpholz, O. From an optical fibre overlay network to a broadband telephone network 86−64973
Schussler, H. *see* Bauch, H. 86−64998
Schussler, H. *see* Haag, H. 88−21789
Schussler, H.-H. Precision test of master pieces and coordinate measuring machines using distance measurements, rectangle and cuboid characteristics 86−24778
Schussler, H.-H. Overlapping strategy for calibration of long step gauges for coordinate measuring machines and from calibration measuring tapes 86−60350
Schussler, H.-H. Comparison and calibration of laser interferometer systems 87−7463
Schussler, H.W. An objective method for measuring the performance of weakly nonlinear and noise systems 87−69495
Schussler, H.W., Steffen, P. A hybrid system for the reconstruction of a smooth function from its samples 85−34064
Schussler, H.W., Steffen, P. A simple method for the design of velocity filters with choosable discrimination 87−24328
Schussler, H.W., Weith, J. On the design of recursive Hilbert-transformers 87−61970
Schustek, S. *see* Henneberger, G. 87−22434
Schustel, S. *see* Miersch, R. 88−5929
Schuster, A. *see* Pollard, R.J.E. 88−47214
Schuster, A. Results of alternate fuel combustion tests in a 15 MW AFBC 85−21447
Schuster, A.H. *see* Huang Liben 85−64580
Schuster, A.P., Nguyen, D., Caporaletti, O. Solid state electrochromic infrared switchable windows 86−28898
Schuster, E., Neeb, K.H., Ahlfanger, W., Henkelmann, R., Jarnstrom, R.T. Analyses of primary-side oxide films on steam generator heating tubes for pressurized water reactor plants and radio-chemical conclusions about primary circuit contamination 88−55137
Schuster, E., Walter, H. Interlocking for interchanges on new lines, type MC L84-N 87−79065
Schuster, E. *see* Auler, H. 88−24235
Schuster, E. *see* Riess, R. 85−27234
Schuster, F. A new convertor system for slewing gears on large open-cast mining machinery 85−60632
Schuster, G., Hoffmann, A., Wolber, L., Buck, W., March, J.-F. Test of some temperature scales below 1K with absolute thermometry 85−47790
Schuster, G., Wolber, L. Automated ^{3}He melting curve thermometer 87−14591
Schuster, G. *see* Neumeister, J. 86−5244
Schuster, G.J. *see* Michalsky, J.J. 86−50109
Schuster, G.L., Lee, J.H., Ghoi, S.H. High power inverse pinch switch 87−17446
Schuster, G.R. *see* Castle, J.G., Jr. 85−23128
Schuster, H. *see* Schroth, A. 86−4734
Schuster, H. *see* Wiehn, H. 86−45205
Schuster, H.-J. Zahler-Timer-Funktionen der Prozessperipherie PP2 (Counter-timer functions for the PP2 process peripherals) 86−41192
Schuster, H.-J. Analogfunktionen der Prozessperipherie PP2 (Analog functions of the PP2 process peripheral) 86−44206
Schuster, H.G. *see* Jager, D. 86−31614
Schuster, J. *see* Bogart, S.L. 88−61743
Schuster, J.R., Brown, N.S. Long term orbital storage of cyrogenic propellants for advanced space transportation missions 88−30129
Schuster, M., Floter, W. Development and implementation of special measures to ensure electromagnetic compatibility in the ZDF production centre [TV] 85−46591
Schuster, M., Nickling, G. International testing stipulations for cable clamps 85−38535
Schuster, M.D. *see* Bryant, R.E. 86−21895
Schuster, N. Approximation of spheres of rotation using polar coordinates 86−350
Schuster, R. *see* Ayre, R. 88−9578
Schuster, R. *see* Oertel, D. 86−11470 to 11471
Schuster, R.B. *see* de Boer, B.T. 86−49668, 86−69776
Schuster, S. *see* Chappell, B. 88−769
Schuster, S. *see* Chartrand, G. 86−34174
Schuster, S.E., Chappell, B., Di Lonardo, V., Britton, P.E. A 20 ns 64K (4K×16) NMOS RAM 85−22866
Schuster, S.E., Chappell, B.A., DiLonardo, V., Havreluk, R., Franch, R., Terman, L.M., Klepner, S. An 11 ns 64K (4K×16) NMOS RAM 86−20556
Schuster, S.E., Chappell, B.A., Franch, R.L., Greier, P.F., Klepner, S.P., Lai, F.J., Cook, P.W., Lipa, R.A., Perry, R.J., Pokorny, W.F., Roberge, M.A. A 15-ns CMOS 64K RAM 87−10866
Schuster, S.E., Chappel, B.A., Franch, R.L., Grier, P.F., Klepner, S.P., Lai, J.F.S., Lipa, R.A., Perry, R.J., Pokorny, W.F., Roberge, M.A. A 15 ns CMOS 64K RAM 87−17079
Schuster, S.E. *see* Chappell, B. 85−35173
Schuster, S.E. *see* Chappell, B.A. 88−32293
Schuster, S.L. *see* O'Clock, G.D., Jr. 85−39525
Schuster, U. Method of reducing the formation of copper nodules in an additive plating bath 85−405
Schuster, V.A. 345-kV line construction conquers Old Man River 88−75203
Schuster, W. *see* Kretschmer, W. 86−25154, 87−3913
Schuster, W. *see* Weigel, F. 85−40379
Schut, T.G. *see* Franken, A. 87−49293, 87−66846
Schutkeker, J.B. *see* Kreischer, K.E. 85−55364, 86−21018, 86−21044, 86−47240
Schutkeker, J.B. *see* Tran, T.M. 86−47230
Schutt, D. *see* Strobach, P. 88−66734
Schutt, H.-J., Bojarski, D. An optimised modular system for practical electronics training 85−32959
Schutt, J. *see* DeWulf, J.P. 87−21468, 88−22985
Schutt, P. *see* Bialowons, W. 88−16587 to 16589, 88−16606, 88−74669
Schutt, P. *see* Dorenbosch, J. 87−29472
Schutt, T.E., Staton, J.B., III, Racke, W.F. Message-handling systems based on the CCITT X.400 recommendations 88−15004
Schutt, T.E., Staton, J.B., III, Racke, W.F. Management of messages and CCITT X.400 directive 88−67021
Schutt-Aine, J.E., Mittra, R. Analysis of pulse propagation in coupled transmissions 86−22746
Schutt-Aine, J.E., Mittra, R. Scattering parameter transient analysis of transmission lines loaded with nonlinear terminations 88−40612
Schutte, F.-J. *see* Germey, B.K. 85−56780
Schutte, F.-J. *see* Germey, K. 85−29933
Schutte, H.-G. *see* Andersson, B.G. 87−58222
Schutte, H.G. *see* Declercq, J.C. 85−60344
Schutte, P.C., Abbott, K.H., Palmer, M.T., Ricks, W.R. An evaluation of a real-time fault diagnosis expert system for aircraft applications 88−48280
Schutte, T. *see* Pisler, E. 86−54373
Schutte, U. Transmission methods for data transmission. I 87−48363
Schutte, U. Transmission methods for data transmission. II 87−62532
Schutte, W., Wendt, M., Me, K.H. The new directional-coupler pick-up for the HERA proton beam position monitoring system 88−54312
Schutte, W. *see* Wendt, M. 88−54069
Schuttenbeld, H. *see* ter Haar Romeny, B.M. 88−36563
Schuttenbeld, H.H.W., ter Haar Romeny, B.M. Design of a user-interface for a PACS viewing station 88−36573
Schutter, F.de *see* de Schutter, F.
Schutz, A. New dimensions in ASIC design: module generators and standard cells 88−649
Schutz, A. Module generators simplify ASIC design 88−57724
Schutz, A., Werner, C. State-of-the-art of MOS modeling 85−50589
Schutz, A. *see* Berner, G. 85−50701
Schutz, A. *see* Kuhnert, R. 85−50535
Schutz, B.E. *see* Tapley, B.D. 86−4711
Schutz, D. *see* Winter, G.-G. 85−64493
Schutz, E. *see* Aguilo, J. 87−11854
Schutz, G. Problems in the PAL tape to film system 86−24136
Schutz, G. *see* Buhn, U. 85−52647
Schutz, H. Types of networks [for factory automation] 85−42248
Schutz, H. *see* Altendorf, M. 86−70994
Schutz, H. *see* Lohr, R. 86−4803
Schutz, H.A. The role of MAP in factory integration 87−28154
Schutz, H.A. The role of MAP in factory integration 88−35096
Schutz, J. *see* Mohsen, A. 85−22873
Schutz, L.-V. Digital storage oscilloscopes 85−4021
Schutz, L.-V. Access to the past by means of digital storage oscilloscope 85−26362

Schutz, M. How does a digital television receiver work? 86−17579
Schutz, M. *see* Prang, N. 85−28635
Schutz, P., Kjaer, J., Hertwig, W. Solid state fuel cells 88−62585
Schutz, R.J. *see* Manchanda, L. 88−71816
Schutz, W. Telecommunications regulations (TKO) and other determination for telecommunications 88−31376
Schutz, Y. *see* Novotny, R. 88−22924
Schutze, D. Robotron M 2300−precision clinical dosimeter for the simultaneous measurement of doses and dose rates 85−38256
Schutze, H. *see* Bopp, P. 88−48035
Schutze, T., Stuck, T. Comparison of passive and active snubber networks for GTO thyristors in chopper circuits 87−37009
Schutze, T., Stuck, T. Comparison of passive and active snubber networks for GTO thyristors in chopper circuits 87−51420
Schutze, W. *see* Nitsch, S. 87−52233
Schutzle, R., Hanni, H. Assessing safety by probabilistic analyses of limited range 87−64328
Schutzman, H. *see* Dean, R. 87−36925
Schuur, J., Waters, C., Maneval, J., Tripsis, N., Rosencwaig, A., Taylor, M., Smith, W.L., Golding, L., Opsal, J. Relaxation of ion implant damage in silicon wafers at room temperature measured by thermal waves and double implant sheet resistance 87−60079
Schuur, J. *see* Smith, W.L. 86−2012
Schuurbiers, J.C.H. *see* Slager, C.J. 88−36500
Schuurink, B.F. *see* Plompen, R.H.J.M. 86−10519
Schuurmans, M.F.H., Eppenga, R., Colak, S. Band mixing and quantum well gain 88−8218
Schuurmans, M.F.H. *see* Colak, S. 87−68487
Schuurmans, M.F.H. *see* Eppenga, R. 88−34009, 88−40232
Schuy, S. Visual methods in medical diagnostics 88−54501
Schuy, S. *see* Leitgeb, N. 88−10874
Schuy, S. *see* Pfurtscheller, G. 85−38143
Schuy, S. *see* Wach, P. 86−60778
Schuylenburg, J. Integrated AM receiver circuit 86−4812
Schuylenburg, J.A., Zetzmann, W. A modern general-purpose AM receiver circuit 85−47655
Schuyler, C. Interactive video information systems 85−14466
Schuyler, D.R. *see* Sergent, J.E. 85−11812
Schuyler, T. *see* Hogan, S. 86−2934
Schuyler, T. *see* Wang, T.H. 88−57296
Schuz, Y. *see* Gono, Y. 87−21362
Schvan, P., Hadaway, R., King, M. Defectivity and yield analysis for VLSI and WSI 87−38471
Schvan, P., Thomas, R.E. Continuous-wave laser-induced diffusion in silicon 86−1671
Schvan, P. *see* Agarwal, V.K. 87−44720
Schvan, P. *see* Pasztor, G. 85−6959
Schvaneveldt, R.W., Dearholt, D.W., Durso, F.T. Graph theoretic foundations of Pathfinder networks 88−49661
Schvartz, A. *see* Arden, B.W. 86−27429
Schvezov, C., Samarasekera, I.V., Weinberg, F. Mathematical modelling of the liquid encapsulated Czochralski growth of gallium arsenide. I. Heat flow model 87−73043
Schvezov, C., Samarasekera, I.V., Weinberg, F. Mathematical modelling of the liquid encapsulated Czochralski growth of gallium arsenide. II. Stress model 87−73044
Schvoerer, M. *see* Muller, P. 88−71994
Schwab, A. *see* Bellm, H. 85−20567 to 20568
Schwab, A. *see* Kuchler, A. 85−58650, 87−50766, 87−77188
Schwab, A.J., Inigo, R.M., Johnson, B. A microcomputer adaptive controller for electric wheelchairs 86−25259
Schwab, A.J., Maier, R., Bellm, H. Calculation of transient electromagnetic fields with the transient elementary dipole method 88−2606
Schwab, A.J. *see* Dams, J. 85−5317
Schwab, A.J. *see* Dunz, T. 85−4195
Schwab, A.J. *see* Kuchler, A. 85−649, 87−21190, 87−22614
Schwab, A.J. *see* Miri, A.M. 88−49072
Schwab, A.J. *see* Smith, W.J. 86−7448
Schwab, A.J. *see* Zimmer, H.H. 86−12458, 86−28547
Schwab, B. Using the PEB 2050/2051 PCB to build mini switches 88−73767
Schwab, B., Unterberger, H. The application of telecom ICs in ISDN private branch exchanges 88−7672
Schwab, B.C., Hemmaplardh, K., Sackett, S.A., Lawrence, G.M., Davis, R.N., Daine, D.N. Software features of DBMS kernel in large real-time EMS systems 88−54906
Schwab, B.C., Kitto, C.M., Hemmaplardh, K., Inglis, D.J., Sackett, S.A., Meier, C.D. A developed database management system for operation and planning applications [electricity supply industry] 85−59537
Schwab, C. *see* Goltzene, A. 86−41524, 88−57447
Schwab, C. *see* Wan Chong-yi 86−3072
Schwab, C.E., Rost, D.P. Airport surface detection equipment 85−47576
Schwab, D.A. *see* Friedberg, H. 87−38254
Schwab, D.J., Gilbert, B.K. Development of high lead density mini chip carriers for gallium arsenide digital integrated circuits 87−32648
Schwab, D.J. *see* Gilbert, B.K. 85−45097, 85−54858, 86−34805, 87−17103
Schwab, D.J. *see* Naused, B.A. 87−37371
Schwab, E. *see* Wallace, W.E. 85−24190
Schwab, F. The operation of 36 to 72.5 kV systems fed in delta 86−65613
Schwab, G.M. Electronic actuator design 88−55576
Schwab, H. *see* Fleischmann, D. 85−8788
Schwab, H. *see* Frank, H. 85−10445
Schwab, O. Optical measurement of surface roughness 85−37763
Schwab, Ph. *see* Edye, T. 85−18657
Schwab, R. *see* Caratori, J. 88−45706
Schwab, R.C. *see* Brown, W.B. 85−67
Schwab, R.L. *see* Hoffman, E.J. 86−50494
Schwab, T. *see* Armbruster, P. 88−36393
Schwab, U. *see* Speidel, R. 86−8686
Schwab, W. *see* Hornung, R. 87−36851
Schwab, W. *see* Morawek, W. 87−71002
Schwabe, F. The responsibilities of producers' and sellers' of low voltage electrical products 88−18442
Schwabe, F. *see* Buhlmann, W. 88−18441
Schwabe, G.W. *see* Schwabe, W.E. 87−51637
Schwabe, J. *see* Ehret, H.P. 85−64372
Schwabe, R. *see* Bogatz, A. 85−41293
Schwabe, R. *see* Schwetlick, S. 88−6458
Schwabe, R.J., Reed, C.W., Kennedy, W.N. Partial discharge and breakdown studies in voids, gas wedges, and around lead structures in model gas transformer windings 85−27483
Schwabe, R.J., Snaddon, R.W.L., Nelson, J.K., Salasoo, L. An optical study of negative-corona tuft distribution for pulsed electrostatic precipitator applications 88−45648
Schwabe, R.J. *see* Reed, C.W. 85−24023
Schwabe, R.J. *see* Salasoo, L. 87−33390
Schwabe, R.J. *see* Tardos, G.I. 88−2495
Schwabe, U., Jacobs, E.P., Takacs, D., Winnerl, J., Lange, E. Reduced n^+/p^+-spacing with high latchup hardness in self-aligned double well CMOS technology 85−50743
Schwabe, U., Neppl, F., Jacobs, E.P., Takacs, D. Realization of 1 μm CMOS with $TaSi_2$ and separated self-aligned wells 85−7101
Schwabe, U. *see* Eisele, I. 85−6971
Schwabe, U. *see* Jacobs, E.P. 85−55972
Schwabe, U. *see* Neppl, F. 85−7044, 85−23722, 85−34886
Schwabe, W.E., Schwabe, G.W. Effect of scrap conditions and charge composition on power delivery and melting in arc furnaces 87−51637
Schwabedissen, Ch.Meyer zu *see* Meyer zu Schwabedissen, Ch.
Schwabedissen, D., Stolzl, D. Construction work on Mulheim-Karlich nuclear power station completed 87−78250
Schwade, J.G. *see* Lewin, A.A. 85−20963
Schwaderer, B. PIN-FET preamplifier for high-speed optical transmission systems 86−69795
Schwaderer, B. *see* Bambach, W. 85−52369, 85−58161, 86−11112
Schwaderer, B. *see* Dambkes, H. 85−6895
Schwaderer, B. *see* Schwander, T. 85−35446, 85−46150, 86−15470, 86−15692
Schwager *see* Herttrich, M. 85−48736
Schwager, B. Circuits using the TAB 1453 operational amplifier 85−6183
Schwager, B. Control for comfortable air conditioning using SAB 0529 digital timer 85−10238
Schwager, B. Applications of the TAB 1453 pnp op-amp 85−17176
Schwager, B. Inductive proximity switch acc. to CENELEC standards using the TCA 305 integrated circuit 85−61503
Schwager, B. Operating-hours dependent switching with the SAB 0529 timer [boiler decalcification process application] 86−57030
Schwager, B. Start-stop control of the SAB 0529 timer using only one key 87−5936
Schwager, B. Operation and drive of stepper motors 87−9609
Schwager, B. The IC as a link between the microprocessor and the stepping motor 87−15807
Schwager, B. TCA 1560/61 simplifies control of bipolar stepper motors 87−51262
Schwager, B. TCA 1560/61 simplifies the bipolar drive of step motors 87−52329
Schwager, B. SAB 0529 timer used for time control of NiCd charging units 88−12541
Schwager, B. Commutation circuit for single-phase brushless DC motors 88−17634
Schwager, B. Follow-up control for air conditioning systems with switch-on delay 88−18226
Schwager, B. Bipolar stepping motor control 88−23982
Schwager, B. Operation and control of stepping motors 88−43223
Schwahn, C. *see* Bester, M. 87−20655
Schwahn, H. The new LinCMOS technology 85−29332
Schwaier, A. Pressure transducers with silicon measuring membranes 85−64129
Schwaier, A. Optical fibres in process measurement technology. I 86−17916
Schwaier, A. 'Light-pipe' fibre optics in process measurement techniques. II 86−31338
Schwaiger, A. Overcurrent protection for transistors 87−25178
Schwaiger, K.-H. *see* Mielke, J. 86−43948, 86−65044
Schwaiger, K.H. *see* Mielke, J. 87−3266
Schwalbe, K.-H., Heerens, J. Proposed modifications of ASTM E813-81 standard test method for J_{Ic} 86−578
Schwalbe, K.-H. *see* Dietzel, W. 87−16747
Schwall, H. *see* Wilhelmi, H. 87−78764
Schwall, R.E. MRI−superconductivity in the marketplace 87−74626
Schwall, R.E. *see* Babrov, E.S. 87−74629
Schwall, R.E. *see* Malozemoff, A.P. 88−33563
Schwalm, C.L. *see* Hill, W.A. 87−43584, 88−24226
Schwalm, D. *see* Metag, V. 87−21400
Schwan, H. Wideband amplifier as filter 86−62665
Schwan, H.P. The development of biomedical engineering: historical comments and personal observations 85−27922
Schwan, H.P. Science and standards. RF-hazards and standards: an historical perspective 85−38250
Schwan, H.P. The development of biomedical engineering: historical comments 85−48207
Schwan, H.P., Onaral, B. Linear and nonlinear properties of platinum electrode polarisation. III. Equivalence of frequency- and time-domain behaviour 85−26777
Schwan, L. Fast random number generator with low correlation 87−24050
Schwanda, G., Mayr, W., Stohr, H., Thoma, H. Analysis of the electric field of a nerve due to polyelectrode stimulation with an implantable device 86−32382
Schwanda, G. *see* Stoehr, H.G. 87−21663
Schwanda, G. *see* Stohr, H. 86−32350
Schwander, A.C. Computer integrated manufacturing: an innovative way to meet the challenge for quality, productivity and flexibility 86−61954
Schwander, D. *see* Olalde, G. 86−19521
Schwander, T., Schwaderer, B. Laser diode to single-mode fibre coupling with high efficiency and low optical feedback 85−46150
Schwander, T., Schwaderer, B. Optimal laser-fibre coupling 86−15470
Schwander, T., Schwaderer, B., Storm, H. Coupling of lasers to single-mode fibres with high efficiency and low optical feedback 85−35446
Schwander, T., Storm, H., Schwaderer, B. Analysis and design of external cavities stabilizing the spectrum of semiconductor lasers 86−15692
Schwander, T. *see* Neuman, A. 87−21676
Schwander, T. *see* Neuman, A.C. 88−54651
Schwander, T.von *see* von Schwander, T.
Schwandt, D. *see* Aldrich, J. 87−14920
Schwandt, H. A symmetric iterative interval method for systems of nonlinear equations 85−10639
Schwandt, H. The solution of nonlinear elliptic Dirichlet problems on rectangles by almost globally convergent interval methods 85−60923
Schwandt, H. Iterative methods for systems of equations with interval coefficients and linear form 87−44187
Schwandt, H. Interval arithmetic methods for systems of nonlinear equations arising from discretizations of quasilinear elliptic and parabolic partial differential equations 87−58871
Schwandt, H. An interval arithmetic method for the solution of nonlinear systems of equations on a vector computer 87−73023
Schwandt, P. *see* Stephenson, E.J. 85−59080
Schwandte, H. Acceleration Krawczyk-like interval algorithms for the solution of nonlinear systems of equations by using second derivatives 86−26772
Schwanebeck, D. Planning of the first EWSD long-distance exchange in the Karlsruhe telecommunication office area 86−43671
Schwanebeck, D. *see* Kunzmann, L. 88−46815
Schwanebeck, J.C. *see* Hanzal, B.R. 87−20934
Schwanebeck, J.C. *see* Hoschette, J.A. 85−8779
Schwanebeck, J.C. *see* Joseph, J.D. 85−58595
Schwank, J. *see* Shastri, A.G. 88−9932
Schwank, J. *see* Stanley, T. 86−35695
Schwank, J.R., Fleetwood, D.M., Winokur, P.S., Dressendorfer, P.V., Turpin, D.C., Sanders, D.T. The role of hydrogen in radiation-induced defect formation in polysilicon gate MOS devices 88−25987
Schwank, J.R., Winokur, P.S., McWhorter, P.J., Sexton, F.W., Dressendorfer, P.V., Turpin, D.C. Physical mechanisms contributing to device 'rebound' [MOS structures] 85−18186
Schwank, J.R., Winokur, P.S., Sexton, F.W., Fleetwood, D.M., Perry, J.H., Dressendorfer, P.V., Sanders, D.T., Turpin, D.C. Radiation-induced interface-state generation in MOS devices 87−32339
Schwank, J.R. *see* Fleetwood, D.M. 87−32345, 87−32698
Schwank, J.R. *see* Sexton, F.W. 86−35874

Schwank, J.R. *see* Tausch, H.J. 88−26292
Schwank, J.R. *see* Winokur, P.S. 85−18343, 87−32699
Schwantes, R.A. ISDN: a strategic approach to the market 88−3666
Schwarcfeld, M. Promes: a lifeline for the generation of industrial projects 85−60726
Schwarcz, P. *see* Horvath, T. 86−56467
Schware, R. Information management in telecommunications: guidelines for developing countries 87−40140
Schwark, G.M. Electrical pathway integrity vital for robot performance 86−1464
Schwarnweber, H. *see* Lemke, H.U. 88−36538
Schwarskopf, M. Analysis of circuits with distributed parameters and nonlinear loading 86−46513
Schwartau, P. *see* Ney, H. 85−46733
Schwartel, J. *see* Detaint, J. 87−58913
Schwarting, D. Integrated board testing in the test station. The cost comes first 88−44425
Schwartz, A. Head tracking stereoscopic display 86−31260
Schwartz, A. Head tracking stereoscopic display 87−3431
Schwartz, A., Wang, X.-Y., Warde, C. Electron-beam-addressed microchannel spatial light modulator 85−35548
Schwartz, A., Wang, X.Y., Warde, C. Electron-beam-addressed microchannel spatial light modulator 85−12650
Schwartz, A. *see* Shukhman, T. 87−55423
Schwartz, A.J. *see* Massiet du Biest, B. 88−67532
Schwartz, A.J. *see* Pernin, J.-L. 85−13746, 87−2788
Schwartz, A.K. Automotive relay applications 87−43605
Schwartz, B. Review of multilayer ceramics for microelectronic packaging 85−33183
Schwartz, B. Multilayer ceramics 86−13842
Schwartz, B. *see* Cheng, J. 86−1855 to 1856
Schwartz, B. *see* Schwarz, S.A. 86−1989
Schwartz, B. *see* Seidel, T.E. 85−23668
Schwartz, B. *see* Swaminathan, V. 85−12716
Schwartz, B.B. *see* Foner, S. 85−46045
Schwartz, B.B. *see* Huang, C.Y. 88−71968
Schwartz, B.B. *see* Pourrahimi, S. 86−28728
Schwartz, B.B. *see* Thieme, C.L.H. 86−28726
Schwartz, B.B. *see* Zaleski, A.J. 85−18600
Schwartz, C. Feasibility of tunable infrared detectors using metal-insulator-metal structures 87−41509
Schwartz, C. *see* Hubac, J.-P. 88−4224
Schwartz, C.A. Characterizing finite-dimensional filters for the linear innovations of continuous-time random processes 85−41898
Schwartz, C.A., Dickinson, B.W. Characterizing finite dimensional filters for the linear innovations of continuous time random processes 85−51660
Schwartz, D. Automated phase synchronization and control of multiple signal generators 87−70666
Schwartz, D., Hill, P., Hurd, R., Rebe, P. Design and performance of a 24 volt, two ampere hour lithium rechargeable battery 88−17900
Schwartz, D., Lord, B. Digital oscilloscope provides fast, automated pulse-modulation measurements 87−70691
Schwartz, D. *see* Graf, H.P. 87−25542
Schwartz, D. *see* Hubbard, W. 87−25365
Schwartz, D.A., Barnwell, T.P., III Cyclo-static multiprocessor scheduling for the optimal realization of shift-invariant flow graphs 86−16436
Schwartz, D.A., Barnwell, T.P., III, Hodges, C.J.M. The optimal synchronous cyclo-static array: a multiprocessor supercomputer for digital signal processing 87−29022
Schwartz, D.A., Knight, F.K., Lumb, D., Chowanietz, E., Wells, A. Enhancement of X-ray performance with new GEC charged coupled devices (CCD) 87−20927
Schwartz, D.A. *see* Forren, H. 87−62010
Schwartz, D.A. *see* Lumb, D.H. 85−40761
Schwartz, D.A. *see* McGrath, S.J.A. 87−59574
Schwartz, D.B., Howard, R.E. A programmable analog neural network chip 88−70839
Schwartz, D.B., Howard, R.E., Denker, J.S., Epworth, R.W., Graf, H.P., Hubbard, W., Jackel, L.D., Straughn, B., Tennant, D.M. Dynamics of microfabricated electronic neural networks 87−52773
Schwartz, D.B. *see* Howard, R.E. 87−59455
Schwartz, D.B. *see* Jain, A.K. 85−56215
Schwartz, D.B. *see* Ono, R.H. 85−35337
Schwartz, D.J. A high-resolution fine delay circuit 86−14090
Schwartz, D.P. *see* Weggel, C.F. 88−65958
Schwartz, E. Extensions of the 'immittance ratio summation theorem' 85−54588
Schwartz, E. Notes on the immittance ratio summation theorem 86−40812
Schwartz, E.L. Computational neuroanatomy 88−48083
Schwartz, F. Application possibilities of the single chip microcomputer U881/U882 in automation devices near the process 85−40121
Schwartz, F., Bigot, J. The influence of the substitution of metallic elements on the thermal stability and magnetic properties of amorphous Fe-B-Si alloys 88−64905
Schwartz, G., Cinti, M., Conti, M., Del Guerra, A., Di Fino, M., Habel, R., Perez-Mendez, V., Righini, L. Construction of lead glass tubing matrices for applications in medical physics and high energy physics 85−59205
Schwartz, G. *see* Conti, M. 87−41854
Schwartz, G. *see* del Guerra, A. 85−43265, 86−50326, 87−21457
Schwartz, G. *see* Thomas, R.E. 88−37380
Schwartz, G.C. Interconnection metallization for advanced bipolar devices. A review 88−71529
Schwartz, G.C. *see* Rothman, L.B. 86−28447
Schwartz, G.C. *see* Schaible, P.M. 85−45590
Schwartz, G.D. *see* Shih, C.C. 88−46823
Schwartz, G.G. Why changes in telecommunications regulation should be made slowly and carefully 88−59405
Schwartz, G.P., Gualtieri, G.J. Schottky barrier height variations on the polar (111) faces of *n*-GaP 86−21246
Schwartz, G.P., Gualtieri, G.J. Schottky barrier height enhancement on M-P$^+$-N structures including free-carriers 87−1289
Schwartz, G.P., Gualtieri, G.J., Bonner, W.A. Metal-p$^+$-n enhanced Schottky barrier structures on (100) InP 86−53447
Schwartz, G.P., Thiel, F.A., Gualtieri, G.J. Thermal oxidation of $InAs_xP_{1-x}$ 85−12173
Schwartz, G.P., Thiel, F.A., Gualtieri, G.J. Raman study of thermally grown native oxide films on $In_{0.9}Ga_{0.1}P$ 86−41706
Schwartz, G.P. *see* Gualtieri, G.J. 87−1479, 87−11390
Schwartz, G.S. Voice in real life−technology vs. usefulness 87−61796
Schwartz, H., Peier, D. Partial discharge measuring circuit with 50 MHz bandwidth 86−18098
Schwartz, H. *see* Aprile, E. 88−10251
Schwartz, H.-O. District distance−a concept of the past [natural gas industry] 85−4719
Schwartz, H.R. *see* Zoutendyuk, J.A. 88−25192
Schwartz, J. Get with the program and speed up your code [RTTY] 86−49188
Schwartz, J. A computerized signal processing model to simulate radar and communication systems 88−8800
Schwartz, J.A. Studies of laser ranging to the TOPEX satellite 88−53380
Schwartz, J.A. *see* Chien-Chung Chen 88−53286
Schwartz, J.J., Schuchman, L. NASA's satellite relay tracking and data acquisition program 85−25834
Schwartz, J.L., Charette, G.M., Mealing, G.A.R. Programmable chronometer, controllable cycle counter and external event counter 85−64543
Schwartz, J.L., Philogene, B.J.R., Stewart, J.G., Mealing, G.A.R., Duval, F.M. Chronic exposure of the tobacco hornworm to pulsed microwaves−effects on development 86−56201
Schwartz, J.L. *see* Escudier, P. 85−63011
Schwartz, J.T., Sharir, M. Identification of partially obscured objects in two and three dimensions by matching noisy characteristic curves 87−69284
Schwartz, J.T. *see* Kalvin, A. 87−47917
Schwartz, J.T. *see* Lamdan, Y. 88−73324
Schwartz, J.W. Locating faults in shorted printed circuit board assemblies 86−1510
Schwartz, L.M., Kimminau, S. Analysis of electrical conduction in the grain consolidation model 88−16882
Schwartz, M. Public-key cryptography. II 86−16972
Schwartz, M. Data communication networks−an introduction 86−49275
Schwartz, M., Schiappacasse, J., Baskerville, G. Signal processor's multiple memory buses shuttle data swiftly 86−34831
Schwartz, M. *see* Barber, D. 88−54002
Schwartz, M. *see* Baskerville, G. 86−53794
Schwartz, M. *see* Bershad, B.N. 87−69664
Schwartz, M. *see* Chen, W. 88−52918
Schwartz, M. *see* Jafari, A.A. 86−54614, 87−20722
Schwartz, M. *see* Kraimeche, B. 85−8034, 86−10636, 86−16736, 87−13218, 87−55578, 88−15197
Schwartz, M. *see* Kurose, J.F. 85−19779, 86−4091, 88−28151
Schwartz, M. *see* Louat, R. 87−21266
Schwartz, M. *see* Notkin, D. 87−40338
Schwartz, M. *see* Saadawi, T. 86−60050
Schwartz, M. *see* Saadawi, T.N. 85−20361, 85−47688, 87−41225
Schwartz, M. *see* Sabnani, K. 85−36474, 87−13181
Schwartz, M. *see* Schiappacasse, J. 87−27469
Schwartz, M. *see* Suda, T. 85−8214, 85−13758
Schwartz, M. *see* Yerushalmi, J. 88−37055
Schwartz, M. *see* Yum, T.-K. 87−40010
Schwartz, M. *see* Yum, T.G. 87−48265
Schwartz, M.A. *see* Matwijec, T.A. 88−3750
Schwartz, M.A. *see* Morgen, D.H. 85−30754
Schwartz, M.D. The emerging field of clinical engineering and its accomplishments 85−31775
Schwartz, M.D. Biomedical and clinical engineering: an evolving field 85−37985
Schwartz, M.D. Network: using the ordinary telephone as a computer terminal for professional or research offices 88−21601
Schwartz, M.J. *see* Howes, H.F. 85−17536
Schwartz, M.S. Communications between local area networks and mainframes in the Texas Department of Human Services Welnet network 88−15178
Schwartz, M.S., Somogyi, L.F. Communicating between LANS and Sperry mainframes 87−13421
Schwartz, P. GP-IB systems−the age of the preconfigured 85−14679
Schwartz, P. Programmable 1 GHz digitising oscilloscope 85−14857
Schwartz, P. Logic analysis system for computer-aided engineering stations 85−37523
Schwartz, P. Towards 'zero defect' at the end of the production line [in-circuit and functional testers] 85−47826
Schwartz, P., Regard, P., Deltour, B. JISTEL 500−time division exchange including voice and data with voice messaging 85−52160
Schwartz, P. *see* Bernard, J.P. 85−47335
Schwartz, P. *see* Robinson, H. 87−35212
Schwartz, P.H. Phase the nation [double-X trapped-vertical array] 85−57148
Schwartz, P.J. *see* Zwahlen, H.T. 88−67278
Schwartz, P.R., Dettman, D.R., Dollinger, R. Parameters affecting triggering of metal plasma arc switches (MPAS) 85−5328
Schwartz, P.R. *see* Hartmann, G.K. 86−6109, 87−21785
Schwartz, P.R. *see* Schanda, E. 87−21778
Schwartz, P.U. Collision initiated bus arbitration 87−77759
Schwartz, R. Transmission-line selection can be crucial to system design 85−57919
Schwartz, R. ComputerEyes [video-acquisition system] 87−3519
Schwartz, R., Chow, Y., Kimball, O., Roucos, S., Krasner, M., Makhoul, J. Context-dependent modeling for acoustic-phonetic recognition of continuous speech 86−16243
Schwartz, R., Chow, Y.-L., Kubala, F. Rapid speaker adaptation using a probabilistic spectral mapping 87−61670
Schwartz, R., Probst, R. Comparison of masses according to a hydrostatic weighing method with an uncertainty of less than 5×10^{-9} 85−14588
Schwartz, R. *see* Chow, Y.-L. 87−19585
Schwartz, R. *see* Feng, M.-W. 88−66365
Schwartz, R. *see* Gish, H. 86−10294
Schwartz, R. *see* Kimball, O. 87−61702
Schwartz, R. *see* Kochsiek, M. 86−11734
Schwartz, R. *see* Kubala, F. 88−66401
Schwartz, R. *see* Roucos, S. 87−19503
Schwartz, R. *see* Viswanathan, V. 87−19449
Schwartz, R. *see* Wolf, J. 86−3831
Schwartz, R.G. *see* Borden, A.G., Jr. 87−39838
Schwartz, R.J. Advances in solar cells 87−30944
Schwartz, R.J., Gray, J.L., Turner, G.B., Kanani, D., Ullal, H. Numerical modeling of p-i-n hydrogenated thin film silicon solar cells 86−7056
Schwartz, R.J., Huang, D.L. Design and fabrication of a self-calibrating germanium photodiode 85−51050
Schwartz, R.J., Turner, G.B. Numerical cell performance modeling and predictions for the future 88−31026
Schwartz, R.J., Turner, G.B., Gray, J.L., Park, J.W. The dependence of open circuit voltage on cell thickness in thin film silicon: hydrogen solar cells 88−17984
Schwartz, R.J., Turner, G.B., Park, J.W., Gray, J.L. Numerical modeling of thin film Si:H solar cells 88−5863
Schwartz, R.J. *see* Banghart, E.K. 87−4966, 88−37583
Schwartz, R.J. *see* DeMoulin, P.D. 87−4936, 87−43454
Schwartz, R.J. *see* Gray, J.L. 86−7145, 87−9761
Schwartz, R.J. *see* Turner, G.B. 86−40107, 88−31012, 88−37424
Schwartz, R.M. *see* Chow, Y.L. 87−61637
Schwartz, R.N. *see* Efron, U. 85−29654
Schwartz, R.N. *see* Klein, M.B. 86−36115
Schwartz, R.N. *see* Wysocki, J.A. 88−58048, 88−58120
Schwartz, R.W. *see* Harris, D.C. 87−313
Schwartz, S. *see* Neff, R. 86−17989
Schwartz, S.A. Short cathode ray tube 87−1155
Schwartz, S.A. *see* Abeles, J.H. 86−58468
Schwartz, S.C. *see* Dyson, T. 85−51663
Schwartz, S.C. *see* Ghez, S. 88−34878, 88−66788
Schwartz, S.C. *see* Hero, A.O. 85−46764, 88−66489
Schwartz, S.C. *see* Karol, M.J. 86−17036, 86−49063, 86−54604
Schwartz, S.C. *see* Pelkowitz, K. 87−55074
Schwartz, S.C. *see* Weiss, M. 85−58169, 86−16419, 86−17459
Schwartz, S.C. *see* Yeh, Y.-S. 85−3363

Schwartz, S.E., Turner, C.W. Measurement techniques for planar high-frequency circuits 86–47067
Schwartz, S.J. *see* Byrd, C.L. 85–53098
Schwartz, S.M., Bajcsy, R. Three-dimensional elastic matching of ventricles 86–32218
Schwartz, S.S., Gunshor, R.L., Pierret, R.F. Implant-isolated SAW storage correlator 86–9357
Schwartz, S.S., Martin, S.J., Gunshor, R.L., Datta, S., Pierret, R.F. SAW resonators insensitive to IDT position 86–2551
Schwartz, S.S. *see* Martin, S.J. 86–2547
Schwartz, T.A. The AT&T soft touch-sensitive screen 86–50148
Schwartz, T.F. Field testing of current differential relay circuits 86–39218
Schwartz, T.F., Montgomery, D.C. Comments on 'The motor rewind issue—a new look' [and reply] 85–43918
Schwartz, U., Haltrich, S., Lochter, M., Pfister, U., Goll, O., Heuer, J., Scherer, J. The operating behavior of the power supplies for the TEXTOR neutral injectors 88–69518
Schwartz, V. *see* Aitken, D. 87–53337
Schwartzberg, S. *see* Adams, T.L. 86–38904
Schwartzel, H., Wecker, T. Modern design systems for circuits and computers 87–5596
Schwartzel, H. *see* Horbst, E. 87–1590
Schwartzel, J. *see* Detaint, J. 86–40709, 87–32792, 88–20214
Schwartzel, J. *see* Zarka, A. 88–20208
Schwartzman, A. *see* Wang, F. 87–74201
Schwarz, A. An infrared control system for electrical installations 87–16160
Schwarz, A., Stier, H. Ethernet and ISO transport layer protocol—the basis for the solution of automation problems of the future 86–10795
Schwarz, A. *see* Adolphsen, C. 86–50304, 87–29549, 88–68218
Schwarz, A. *see* Bauer, W. 88–30328
Schwarz, A. *see* Breakstone, A. 87–38541
Schwarz, A. *see* Egle, F. 86–10799
Schwarz, A. *see* Neumann-Spallart, M. 88–20510, 88–51671
Schwarz, A.S. *see* Dauncey, P. 88–57735
Schwarz, A.S. *see* Litke, A. 88–29849
Schwarz, A.S. *see* Perl, J. 87–29465
Schwarz, B. Earth resource investigations by satellites—optoelectronic advances 85–48456
Schwarz, B. In the cockpit of the Airbus A 310: picture screens replace pointer-instruments 86–12082
Schwarz, B. Utilisation of pulse converters in servo-drives with synchronous-machines excited by permanent-magnets 87–31014
Schwarz, C. *see* Dmowski, A. 87–22810
Schwarz, D. *see* Baartz, H. 86–23933
Schwarz, D. *see* Knizia, K. 86–18974
Schwarz, D. *see* Schoning, J. 85–38709
Schwarz, E., Hofer, U. Wireless distribution of foreign television programmes in the Alpine region 87–20665
Schwarz, E., Vassilidis, S., Putrino, M. Direct computation of the polynomial expression Ax^2+Bx+C 88–44154
Schwarz, E. *see* Boos, K.-V. 85–59756
Schwarz, E. *see* Boos, K.V. 86–12472
Schwarz, E. *see* Putrino, M. 88–645, 88–63627
Schwarz, E. *see* Vassiliadis, S. 88–44847
Schwarz, E.F. *see* Berte, F.J. 87–9393
Schwarz, F. Automatically determining symmetries of partial differential equations 85–39681
Schwarz, F. Addendum to: automatically determining symmetries of partial differential equations 86–40682
Schwarz, F. A REDUCE package for determining first integrals of autonomous systems of ordinary differential equations 86–62193
Schwarz, F.C., Klaassens, J.B. A radar power supply without a voltage droop 85–16095
Schwarz, G. Liquid crystal displays—state of the technology 88–16270
Schwarz, G. *see* Andree, W. 87–19137
Schwarz, G. *see* Brandel, R. 85–39505
Schwarz, G. *see* Luttich, R. 88–4551
Schwarz, G.K. Up-to-date electroplated copper-, tin-, tin/lead- and nickel layers on printed boards 86–14677
Schwarz, H. The PC-added calculation of the impulse-response of meshed networks with delay times 86–50982
Schwarz, H. Mathematical fundamentals of the digital determination of the apparent charge of PD-impulses 87–60697
Schwarz, H. Realising concept for a digital PD-measuring instrument 88–29631
Schwarz, H. Finding the position of partial discharge in a 50 Hz network 88–42891
Schwarz, H. Development of a divided ring array for three-dimensional beam steering in ultrasonic nondestructive testing 88–61676
Schwarz, H., Weltersbach, W. Multistandard TV receiver—an overview 86–60010
Schwarz, H. *see* Hildebrandt, G. 85–22991
Schwarz, H.-J. Single chip microcomputer 88–6918
Schwarz, H.-P. Focus tube optimisation of ultrasound phased arrays for non-destructive testing 85–17010
Schwarz, H.-P. Development of a divided-ring array for three-dimensional beam steering in ultrasonic nondestructive testing: theoretical and experimental results of a prototype 87–73199
Schwarz, H.-P. *see* Gebhardt, W. 85–43504
Schwarz, H.D. Computer control of RF at SLAC 86–24852
Schwarz, H.D., Judkins, J.G. Phase detector and phase feedback for a single bunch in a two-bunch damping ring for the SLAC Linear Collider 88–54175
Schwarz, H.D. *see* Allen, M.A. 87–35262, 88–50594
Schwarz, H.D. *see* Dean, N.R. 88–54047
Schwarz, H.D. *see* Jobe, R.K. 88–54163
Schwarz, H.D. *see* Judkins, J.G. 86–32013
Schwarz, H.E., Lapington, J.S. Optimisation of wedge and strip anodes 85–43212
Schwarz, H.E., Mason, I.M. Development of the Penning gas imager 85–43225
Schwarz, H.E. *see* Allington-Smith, J.R. 85–12735, 85–43197, 86–50338
Schwarz, H.E. *see* Lapington, J.S. 86–50337, 87–41829
Schwarz, H.G. *see* Ettner, N. 88–75968
Schwarz, H.G. *see* Kindermann, W. 88–37059
Schwarz, H.J. At home in Northern Europe: mobile telephone with office comforts 86–37332
Schwarz, J. Gate arrays and cell arrays—a modern concept in microelectronics [IC manufacture and design] 85–6266
Schwarz, J. Thermal equivalent circuit diagrams 86–678
Schwarz, J. Temperature changes in barrier layer and housing of power semiconductors cooled on one side 86–13475
Schwarz, J. Cooling of power semiconductors: single-side cooled semiconductor components and cooling arrangements—fundamentals and method of calculation 86–21465
Schwarz, J. Steady state thermodynamic properties of heat-sinks 86–52255
Schwarz, J. Steady state thermal behaviour of semiconductor components and heat sinks in stack configuration 86–63274
Schwarz, J. The optimum placement based on a method of limited cuts 86–67574
Schwarz, J. Fundamentals of a statistical based method of calculation for determination of the absolute maximum ratings for semiconductors of static converters 87–30768
Schwarz, J. Semi-custom—the flexible response to a system on a chip 87–65687
Schwarz, J. Steady state thermal resistance of disc-type semiconductor components. Measuring and evaluation 87–74223
Schwarz, J. The significance of reliability [distribution networks] 88–23450
Schwarz, J., Gonschorek, H., Lagowitz, U., Mueller, O., Noack, F., Kuehn, R. Cable systems and GIS substations for reliable supply of million cities 88–69653
Schwarz, J., Hojdem, W., Lagowitz, U., Noack, F. SF_6-insulated switchgear GSAS 2-123 used by the Rostock fertilizer plant 88–11332
Schwarz, J., Tegler, P. Pin-diode change-over switch [microstrip switching unit] 85–50031
Schwarz, J. *see* Bettac, H.-D. 86–70531
Schwarz, J. *see* Fischer, H.M. 87–21417
Schwarz, J. *see* Hampe, E. 87–15474
Schwarz, J. *see* Hauschild, W. 88–55521
Schwarz, J. *see* Hein, F. 86–50895
Schwarz, J. *see* Horn, G. 85–12818
Schwarz, J. *see* Machi, S. 88–54954
Schwarz, J. *see* Petzold, F. 85–50804
Schwarz, J. *see* Petzold, K. 85–12443
Schwarz, J. *see* Schaile, D. 86–32158
Schwarz, J. *see* Sommer, D. 88–5490
Schwarz, J.A. Determining electromigration kinetics of thin film interconnects 85–61873
Schwarz, J.A. Distributions of activation energies for electromigration damage in thin-film aluminum interconnects 87–38163
Schwarz, J.A. Effect of temperature on the variance of the log-normal distribution of failure times due to electromigration damage 87–38164
Schwarz, J.A. Electromigration in interconnects and contacts 88–57516
Schwarz, J.A. *see* Felton, L.E. 85–61991, 88–26101
Schwarz, J.A. *see* Pasco, R.W. 85–34377
Schwarz, J.A. *see* Patrinos, A.J. 88–57501
Schwarz, J.A. *see* Subramanian, S. 88–26094
Schwarz, K. Transient switching overvoltages and rotating machine insulation 88–5631
Schwarz, K. *see* Finstad, T.G. 86–41598
Schwarz, K.K. Three generations of submerged circulator motors for AGR power stations 85–39049
Schwarz, K.K. Design of economical variable speed pumping systems 86–66375
Schwarz, K.K. Transient switching overvoltages and compatibility of rotating machine insulation 87–15658
Schwarz, K.K. Transient switching overvoltages and compatibility of rotating machine insulation 87–22226
Schwarz, K.K. The practical implications for the practicing engineer 87–36421
Schwarz, K.K. 50 years of energy conservation in electric motor drive technology 88–18138
Schwarz, K.K. The future of variable-frequency drives 88–31067
Schwarz, K.K., Shorthose, M. Regenerative frequency converter drives 85–10157
Schwarz, K.K. *see* Lloyd, M.R. 86–33760, 86–66376
Schwarz, K.P. *see* Nakiboglu, M. 85–37141
Schwarz, K.P. *see* Wong, R.V.C. 85–58256
Schwarz, M. *see* Auel, R. 86–45961, 86–64420
Schwarz, M. *see* Borer, W.J. 88–75180
Schwarz, M. *see* Bussy, D. 88–23511
Schwarz, M. *see* Galluzzi, F. 86–1816
Schwarz, M. *see* Padula, A. 85–32686
Schwarz, N. How to increase the efficiency of thermal power stations 85–48858
Schwarz, N. Operating experience with potassium systems 85–48859
Schwarz, O. Transformation of environmental protection legislation in the Federal Republic of Germany by the power station operators 88–17364
Schwarz, O., Schlegel, G. Training of power station personnel for fossil fuel-fired power plant employing simulators 85–38802
Schwarz, P. KOSIM—A program for the mixed-level simulation of digital MOS circuits 87–649
Schwarz, P. A control strategy for a six-pulse bridge converter especially suitable for the use of microcomputers 87–58177
Schwarz, P. A pseudo-random generator on an AGA chip 88–56507
Schwarz, P. Microcomputer controlled cycloconverter with reduced reactive power 88–69618
Schwarz, P. *see* Krug, H. 87–25551
Schwarz, R. A general algorithm for discrete-time simulation of nonlinear networks in the state-space 85–22610
Schwarz, R. An extended state-space approach obtained from the network topology 85–61028
Schwarz, R. Dynamical sensitivity analysis of nonlinear networks in the extended state space 86–40871
Schwarz, R. Microprocessor controlled oxygen and humidity analyser 87–20841
Schwarz, R. Television by satellite 87–49233
Schwarz, R. On the synthesis of linear active *RC* networks by matrix expansion 87–52708
Schwarz, R. A model for multiconductor transmission lines 88–8541
Schwarz, R., Chiang, C.-L., Quinlan, S., Slobodin, D., Wagner, S. Calculation and measurement of surface photovoltage in thin film back-to-back surface barrier structures in a-Si:H 87–6457
Schwarz, R., Chiang, C.-L., Slobodin, D., Wagner, S. The differential surface photovoltage method 86–35303
Schwarz, R., Kolodzey, J., Aljishi, S., Wagner, S., Kouzes, R.T. Radiation damage by 12 MeV protons and annealing of hydrogenated amorphous silicon 87–9791
Schwarz, R., Kolodzev, J., Slobodin, D., Okada, Y., Chu, V., Aljishi, S., Smith, Z.E., Wagner, S. Comparison of diffusion length in a-SiGe:H,F after light or proton irradiation 87–74025
Schwarz, R., Ludwig, P. Computer-programmable audio-frequency universal filter: an extension to the existing IEC-bus test-positions 88–12495
Schwarz, R., Okada, Y., Chou, S.F., Kolodzey, J., Slobodin, D., Wagner, S. Fluorine incorporation and annealing properties of a-Si,Ge:H,F alloys studied by elastic proton scattering and IR absorption 87–25095
Schwarz, R., Slobodin, D., Wagner, S. Differential surface photovoltage measurement of minority-carrier diffusion length in thin films 86–8717
Schwarz, R. *see* Aljishi, S. 87–24811
Schwarz, R. *see* Chiang, C.-L. 87–6360
Schwarz, R. *see* Goller, U. 88–31967, 88–50010
Schwarz, R. *see* Kolodzey, J. 86–27931, 87–17779, 87–23712, 87–24810, 88–32823
Schwarz, R. *see* Maner, A. 88–50925
Schwarz, R. *see* Slobodin, D. 86–34396, 87–9866
Schwarz, R. *see* Tscharner, R. 85–53823
Schwarz, S. Network suitable for microcomputer applications too 85–25490
Schwarz, S. Computer network for large and small computers uses single chip 86–41152
Schwarz, S. Comparison of the 1CHIPNET interface for large and small computers with the Ethernet interface 86–43535
Schwarz, S. *see* Gurvitch, M. 87–17784
Schwarz, S.A., Schulz, M.J. Characterization of the Si-SiO_2 interface 87–45715
Schwarz, S.A., Schwartz, B., Sheng, T.T., Singh, S., Tell, B. Annealing behavior of ion-implanted Fe in InP 86–1989
Schwarz, S.A., Venkatesan, T., Hwang, D.M., Yoon, H.W., Bhat, R., Arakawa, Y. Process dependence of AlAs/GaAs superlattice mixture induced by silicon implantation 87–32281
Schwarz, S.A. *see* Abeles, J.H. 85–50569
Schwarz, S.A. *see* Cooper, J.A., Jr. 87–45716
Schwarz, S.A. *see* Dobisz, E.A. 88–12993

Schwarz, S.A. *see* Sands, T. 88−38139
Schwarz, S.A. *see* Venkatesan, T. 87−6525
Schwarz, S.E. Efficiency of quasi-optical couplers 85−36109
Schwarz, S.E. *see* Chung-en Zah 86−16048
Schwarz, S.E. *see* Ehrlich, D.J. 87−37546
Schwarz, S.E. *see* Irwin, K.E. 85−56176
Schwarz, S.E. *see* Lee, G.S. 86−63588
Schwarz, S.E. *see* Williams, D.F. 85−17775, 86−43088, 87−24447
Schwarz, T. Measurements performed during commissioning to determine the in-service thermohydraulic behavior of steam generators with economizer [nuclear power plants] 85−27185
Schwarz, T. *see* Langen, H.J. 86−38559
Schwarz, T. *see* Rijmenants, J. 88−71779
Schwarz, U. Multiple output switch mode power supplies using saturable reactor control 86−57643
Schwarz, U., Braunsberger, U., Furrer, A., Pfister, U. The high voltage power supply for the acceleration grids of the TEXTOR neutral injectors 85−49028
Schwarz, U., Haltrich, S., Lochter, M., Braunsberger, U., Boksberger, H.U., Portmann, M. Operating of the TEXTOR ACCEL power supply on the neutral injection test stand 87−72278
Schwarz, U., Pfister, U., Goll, O., Braunsberger, U. The design of the auxiliary power supplies for the TEXTOR neutral injectors 87−15886
Schwarz, U., Pfister, U., Goll, O., Wurslin, R., Scherer, J., Haussman, S. The arc power supply for the TEXTOR neutral injectors 87−15885
Schwarz, U., Schongen, F., Braunsberger, U., Heuer, J. The TEXTOR neutral injection 55 kV transmission line 88−68937
Schwarz, U. *see* Boksberger, H.-U. 86−61581
Schwarz, U. *see* Boksberger, U. 87−22548
Schwarz, U. *see* Goll, O. 87−72289
Schwarz, U.E. Digitized high power modulation 87−72273
Schwarz, U.J. *see* Wakker, B.P. 88−66610
Schwarz, V. Method of rating coal according to combustion difficulty 87−4475
Schwarz, W. Chaos in electronic systems 85−16859
Schwarz, W. Sensor system for positioning tasks 86−11328
Schwarz, W., Lewin, B.R. Linear stochastic processes and their use 88−18569
Schwarz, W. *see* Bachtold, R. 85−27553, 85−33099
Schwarz, W. *see* Burgkhardt, B. 87−50454
Schwarz, W. *see* Hofmann, B. 88−69114
Schwarz, W. *see* Hogener, J. 85−22645
Schwarz, W. *see* Keiser, J. 85−16988
Schwarz, W. *see* Leimer, F. 87−59246
Schwarz, W. *see* Ring, M.W. 87−72148
Schwarz-Schilling, C. Guidelines for the development of public networks and services in the Federal Republic of Germany 87−55495
Schwarz-Schilling, C. Shaping the future of global telecommunications 88−59401
Schwarzbauer, H. *see* Stoisiek, M. 88−39431
Schwarzbek, S. *see* Ruggiero, S.T. 86−62440
Schwarzbek, S.M., Ruggiero, S.T. The effect of fringing fields on the resistance of a conducting film 87−6165
Schwarzblat, M., Arellano, J. Applications and perspective of PRA methods in Mexico 86−51410
Schwarzblat, M., Arellano, J., Gumley, P., Smith, J.E. PSADAT: a data base system for probabilistic safety assessment studies and its intended role in future AECL licensing studies 85−53437
Schwarzblat, M., Arellano, J., Martinez, G. Fault tree/event sequence methodology and database management systems as a tool for the safe operation of complex systems 85−59919
Schwarzblat, M. *see* Arellano, J. 88−30495
Schwarze, G. Computer aided problem solving in informatics 88−72720
Schwarze, G.E. Development of high frequency low weight power magnetics for aerospace power systems 85−48385
Schwarze, G.E. Performance analysis of radiation cooled DC transmission lines for high power space systems 86−32481
Schwarze, R., Tobergte, W. Digital signal processors in data transmission 87−34116
Schwarze, W. *see* Beiche, H. 86−56687
Schwarzenau, D., Kokot, B. More about the DLø HV HF millivoltmeter 87−3648
Schwarzenau, D., Kokot, B. Home-constructed frequency counter. I 87−35138
Schwarzenau, D., Kokot, B. Home-constructed frequency counter. II. Conclusion 87−70703
Schwarzenau, D. *see* Kokot, B. 85−8868, 85−14835
Schwarzenau, R. *see* Gebhardt, O. 85−59695
Schwarzenbach, A. *see* Somm, E. 85−21477
Schwarzenbach, A.P., Luk, T.S., Johann, U., McIntyre, I., McPherson, A., Boyer, K., Rhodes, C.K. Subpicosecond high power UV−laser system 87−12414
Schwarzenbach, A.P., Luk, T.S., McIntyre, I.A., Johann, U., McPherson, A., Boyer, K., Rhodes, C.K. Subpicosecond KrF* excimer-laser source 86−68462
Schwarzenbach, A.P., Weber, H.P., Balmer, J.E. Laser damage test on Balzers thin film coatings 85−12921
Schwarzenbach, A.P. *see* Beaud, P. 86−29091
Schwarzenbach, A.P. *see* Luk, T.S. 87−46784, 88−8134
Schwarzenbach, A.P. *see* McIntyre, I.A. 87−33110
Schwarzenbach, A.P. *see* Roschger, E.W. 85−51146
Schwarzenberg, F. *see* Fromm, W.D. 87−3914
Schwarzer, K. *see* Barsch, R. 86−19405
Schwarzer, M.G. From plastic up to 2-m in height. Versatile polyester switchgear cubicle system 87−58231
Schwarzfischer, C. Easier direction finding with azimuth analyzer PV 017 86−59965
Schwarzinger, W. *see* Steffen, F. 87−8475, 88−22350
Schwarzkopf, H. *see* Stubley, P.H. 88−75286
Schwarzkopf, W. Design of a reaction brake for shock test machines 87−44037
Schwarzl, S. *see* Beinvogl, W. 85−1718
Schwarzl, S. *see* Engelhardt, M. 88−7476
Schwarzl, S. *see* Rangelow, I.W. 87−25122
Schwarzmann, P. *see* Kringler, W. 87−49547
Schwarzmichel, K. *see* Seggern, H.V. 88−58350
Schwarzmichel, K.D. *see* Glasow, P.A. 87−77595
Schwarzwalder, R., Hnilica, K. Customer-oriented fuel management [fission reactor fuel] 85−38702
Schwatrtz, J.T. *see* Lamdan, Y. 88−73284
Schwatz, G.P. *see* Gualtieri, G.J. 88−19690
Schwebel, C., Meyer, F., Gautherin, G., Pellet, C. Growth of silicon homoepitaxial thin films by ultrahigh vacuum ion beam sputter deposition 87−10445
Schweber, B. A high performance system for testing small electric motors 85−16067
Schweber, B. Setting up computer based test and inspection systems 86−49919
Schweber, B., Labs, W. A/D converters: 16-bit resolution isn't always enough 88−44250
Schweber, S. VIDEOLOG−a videotex catalog for the electronics industry 85−13863
Schweber, S.M. PRO/NALPS and PRO/videotex software 85−19747
Schwebke, H. *see* Donne, A.J.H. 86−44549
Schwed, D. *see* Long, G. 87−68804
Schwede, R., Taubert, G. Diesel cogeneration cuts power costs in Uelzen dairy plant 85−15906
Schwederski, T. *see* Schneider, H.P. 85−27464
Schwedler, M. *see* Nedess, C. 88−4403
Schwedt, S. *see* Dreisewerd, D. 88−51822
Schwedyk, E. *see* Arbez, G.J.P. 86−56146
Schweer, A.H. Insufficiency of basic data [electricity supply systems] 88−23401
Schweer, H.-U. *see* Bohnenstengel, H. 85−28760
Schweer, H.U. *see* Haefele, G. 85−14083
Schweer, R. *see* Gillies, D. 88−41811
Schweer, R. *see* Pandel, J. 85−61375, 86−34975
Schweicher, E. The evasive targets in remote detecting radar. I and II 86−23951
Schweicher, E. Stealthy targets in radar detection. III. RF absorbers 86−43899
Schweicher, E. *see* Bezy, J.L. 88−40366
Schweicher, E.J.P. Review of industrial applications of HOEs in display systems 87−14395
Schweickardt, H., Mitchell, A., Peer, F. 6000 r/min 10 MW variable speed feed pump drives for Escom 88−18108
Schweickardt, H.E., Beeler, H. The evolution of uninterruptible power supply systems and their further development 87−43196
Schweickardt, H.E., Beeler, H. The evolution of UPS-systems over various generations and their further development 88−37308
Schweickardt, H.E., Beeler, H. The evolution of UPS-systems over various generations and their further development 88−69564
Schweickart, D.L. *see* Dunbar, W.G. 87−50493
Schweicke, O. *see* Banduilow, I.J. 85−27139
Schweicke, O. *see* Schellenberg, H. 86−33068
Schweickert, H. *see* Bialy, J. 85−64412
Schweickert, H. *see* Ehret, H.P. 85−64372
Schweig, M.E. *see* Rubin, P.E. 86−11329
Schweiger, A. *see* Forrer, J. 85−22717
Schweiger, A. *see* Pfenninger, S. 88−50318
Schweiger, F., Gregori, J. Developments in Francis turbines 86−12724
Schweiger, F., Gregori, J. Developments in the design of Kaplan turbines 88−17416
Schweiger, G. Observations and requirements for the introduction of glass-fibre cable technology from the viewpoint of the Federal German Post Office 86−23919
Schweiger, G. *see* Kreipp, A.M. 88−42299
Schweiger, J. *see* Schedele, H. 87−6187
Schweiger, J. *see* Schedule, H. 88−1067
Schweiger, R. *see* Makansi, J. 87−71981
Schweiger, R.G., Elliott, T.C., Catalano, L., Leone, M. *(editor)* International power systems 1987 88−18314
Schweighart, A.M. *see* Molzen, W.W. 86−2444
Schweighart, A.M. *see* Wordeman, M.R. 85−50765, 86−21824
Schweikardt, H. An accurate two-channel optical average power meter 88−10056
Schweikert, E.A. *see* Summers, W.R. 86−44607
Schweikert, K. *see* Schmidt, C. 86−53930
Schweikert, R., Vinck, A.J., Foerster, H.P. Applications of a class of rate $(n-1)/n$ codes with low complexity soft decision decoding 88−45953
Schweikert, R. *see* Hagenauer, J. 87−56050
Schweikhard, L. *see* Schnatz, H. 87−3848
Schweikhardt, W. Teaching the blind to read tactile graphics by computer 86−37404
Schweingruber, F.H. *see* Joos, K. 88−20837
Schweitzer, A. Improving the safety level of programmable electronic systems (PES) by applying the concept of signature analysis 86−57872
Schweitzer, A., Gerardin, J.-P. Techniques for improving the failsafe level of programmable electronic systems 85−39581
Schweitzer, A., Gerardin, J.P. Techniques for improving the failsafe level of programmable electronic systems 85−39580
Schweitzer, C.C. *see* Compton, B.L. 88−22638
Schweitzer, E.O., III Four new digital relays for overhead transmission line protection 87−78205
Schweitzer, E.O., III, Ando, M., Aliaga, A., Baker, R.A., Seamans, D.A. Development and field evaluation of revenue metering device for HVDC systems 85−38590
Schweitzer, E.O., III *see* Ando, M. 86−32867 to 32868
Schweitzer, G. *see* Traxler, A. 85−39159
Schweitzer, G.K. *see* Rucker, T. 88−16652
Schweitzer, G.K. *see* Rucker, T.L. 88−47994
Schweitzer, H. PTC thermometer: measuring bridge instrument with a semiconductor sensor resistor 87−29045
Schweitzer, H. High-quality audio measuring equipment. I. Active power-and phase angle measuring instrument 88−10054
Schweitzer, H. *see* Bar-Cohen, A. 86−40553
Schweitzer, J.A. Securing information on a network of computers 87−69639
Schweitzer, J.R. Design, implementation and analysis of a modular digital signal processing system 88−21285
Schweitzer, J.S. *see* Melcher, C.L. 88−61623
Schweitzer, J.S. *see* Wustenbecker, S. 87−41735, 88−61014
Schweitzer, K.K., Johner, G. Performance evaluation of coatings for jet engine turbine blades by servicelike tests 86−25375
Schweitzer, K.K. *see* Johner, G. 86−25374
Schweitzer, L. *see* Peleg, S. 87−47946
Schweitzer, L.B. *see* Mottershead, C.T. 88−47893
Schweitzer, P.J. Perturbation series expansions for nearly completely-decomposable Markov chains 87−36587
Schweitzer, P.J. A Brouwer fixed-point mapping approach to communicating Markov decision processes 87−44115
Schweitzer, P.J., Kindle, K.W. An iterative aggregation-disaggregation algorithm for solving linear equations 86−57371
Schweitzer, W. Proper glitch capture requires knowledge of logic-analyzer limits 88−53571
Schweizer, A., Steiner, J.L., Vitins, J. Fast switching thyristors replace thyratrons in high-current pulse applications 88−6694
Schweizer, A. *see* Steiner, J.-L. 88−64546
Schweizer, A. *see* Vitins, J. 85−546, 85−23765
Schweizer, E., Nagel, J., Braun, W., Lippert, E., Bradshaw, A.M. The electron storage ring as a source of infrared radiation 86−5721
Schweizer, H., Zielinski, E., Hausser, S., Stuber, R., Pilkuhn, M.H., Griffiths, G., Kroemer, H., Subbanna, S. Enhanced T_0-values in GaSb/AlSb multiquantum well heterostructures 87−68489
Schweizer, H. *see* Hausser, S. 86−9878
Schweizer, H. *see* Idler, W. 88−58531
Schweizer, H. *see* Wunstel, K. 87−7358
Schweizer, H. *see* Zielinski, E. 86−54163, 87−68488
Schweizer, K.S. *see* Martin, S.J. 86−2547, 86−55648
Schweizer, L. PCM digital processing and the emerging ISDN 86−30173
Schweizer, L. *see* Beckmann, V.W. 86−10884
Schweizer, L. *see* Bocker, P. 88−67105
Schweizer, L. *see* Feil, H.A. 85−36501, 86−30201
Schweizer, M. *see* Plies, E. 88−39583
Schweizer, M. *see* Warnecke, H.-J. 87−45448
Schweizer, P., Neveux, L., Ostrowsky, D.B. Optical fiber powered pressure sensor 88−36028
Schweizer, P. *see* Gidon, P. 85−62401
Schweizer, R.J. Data protection in videotext 86−59594
Schweizerhof, K.H., Wriggers, P. Consistent linearization for path following methods in nonlinear FE analysis 87−16537
Schwelb, O. Reflection coefficient and input admittance for nonuniform anisotropic layered waveguides 85−46600
Schwelb, O. Stratified lossy anisotropic media: general characteristics 86−36699

Schwelb, O. Design analysis of anisotropic thin film multilayers 88−2670
Schwelb, O., Antepyan, R. Conservation laws for distributed four-ports 85−33615
Schwelb, O., Baltassis, C. Network theory for anisotropic stratified waveguides 85−13197
Schwelm, M. *see* Neuberger, W. 87−68117
Schwemmer, G.K., Dombrowski, M., Korb, C.L., Milrod, J., Walden, H., Kagann, R.H. A lidar system for measuring atmospheric pressure and temperature profiles 88−23185
Schwemmer, G.K. *see* Korb, C.L. 87−42244
Schwendimann, P. *see* Sigmund, E. 85−46364
Schwendt, R. Automatic layout generation for VLSI ICs. Structured design methodology optimises full custom design 88−64648
Schwendt, R., Heinze, J. Automatic design of logic cells using gate matrix layout methods 87−73416
Schwendt, R., Kramer, H., Zimmer, G. ASICs automatically positioned and wired up 87−16791
Schwendt, R., von Schmettow, C. SCA−a simulation model for Cordic(-algorithm) processors 87−61880
Schwendtner, M. Possibilities and limitations of electronics in the field of electricity charge determination by the electrical utilities 88−36766
Schwengels, P. *see* DeMocker, J. 86−56635
Schwenkenbecher, K., Rudolph, P. Investigation of convection in the solution zone at the growth of CdTe by THM 86−20024
Schwenker, R. *see* Gray, J.E. 85−48254
Schwenker, R.P. Film-screen digital radiography 85−38056
Schwenkner, W. *see* Banse, W. 85−4242
Schwenterly, S.W. Design and testing of electrical insulation for superconducting coils 88−45032
Schwenterly, S.W. *see* Fietz, W.A. 86−28753
Schwenterly, S.W. *see* Haubenreich, P.N. 87−67987
Schwenterly, S.W. *see* Lubell, M.S. 88−65028
Schwenterly, S.W. *see* Lue, J.W. 88−45031
Schwenterly, S.W. *see* Luton, J.N. 85−56230
Schwenterly, S.W. *see* Shen, S.S. 87−67971
Schwenzer, R. Monolithic microprocessor power supply 87−36966
Schwenzfeier, W., Kawa, F. Contactless measuring of the axial speed at the cross-rolling 87−14558
Schweppe, F. *see* McClure, J. 87−63891
Schweppe, F.C. Management of a spot price based energy marketplace 88−75089
Schweppe, F.C., Caramanis, M.C., Tabors, R.D. Evaluation of spot price based electricity rates 85−59606
Schweppe, F.C. *see* Bohn, R.E. 85−21110
Schweppe, F.C. *see* Caramanis, M.C. 86−50948, 88−10738
Schweppe, F.C. *see* Parlos, A.G. 88−36933
Schweppe, F.C. *see* Schick, I.C. 88−54958
Schweppe, F.C. *see* Somuah, C.B. 87−50662
Schwerdt, F. *see* Baehrle, D. 85−28813 to 28814
Schwerdt, F. *see* Czepluch, H. 85−34326
Schwerdt, H., Bette, L., Grillmaier, R., Hoffmann, W., Schieffer, H.J., Stanger, H.K. Design and evaluation of a new computer-based force vectorballistocardiograph 87−63722
Schwerdtel, E. *see* Fluck, B. 85−21894
Schwerdtfeger, R. A low-loss dual polarized feed system for broadband communication antennas 85−13429
Schwerdtmann, P. Recycling of batteries 86−33604
Schwerdtner, H. Minimum overall quality costs for integrated circuits by partnership programs 87−65231
Schwerdtner, H. IC quality: a result of communication. The quality is safeguarded by the cooperation of customers and suppliers in system development 88−11774
Schwerin, A., Hansch, W., Weber, W. N- and p-channel MOSFET degradation: experiment and simulation 87−32580
Schwerin, A., Hansch, W., Weber, W. The relationship between oxide charge and device degradation: a comparative study of n- and p-channel MOSFETs 88−26267
Schwerin, A. *see* Weber, W. 87−53567
Schwerin, A.V. *see* Miura-Mattausch, M. 87−67258
Schwering, F. Survey of millimeter wave antennas 86−36809
Schwering, F., Puri, N.N. Modified diakoptic theory [antennas] 85−13238
Schwering, F., Puri, N.N., Butler, C.M. Modified diakoptic theory of antennas 87−12791
Schwering, F. *see* Peng, S.T. 85−13301
Schwering, F. *see* Whitman, G. 86−68734
Schwering, F.K. Millimeter wave antennas for avionics 87−61473
Schwering, F.K., Violette, E.J., Espeland, R.H. Millimeter-wave propagation in vegetation: experiments and theory 88−58848
Schwering, F.K. *see* Peng, S.T. 86−10171, 87−27033, 87−75511
Schwering, F.K. *see* Violette, E.J. 88−58849
Schwering, F.K. *see* Xu, S.J. 88−8551
Schwerte, J. Voltage regulating circuits for 5 V supplies 86−34503
Schwerte, J. An analogue supervisory circuit for microcomputers 88−12190
Schwerte, J. Multiplexers are integrated: 8-bit half-flash ADC 88−32270
Schwerte, J. *see* Fullagar, D. 88−63752, 88−70864
Schwertfeger, H.-J. Process-processor assignment in multiprocessor systems with global and local store resources for the control of switching processes 86−16603
Schwertfeger, H.-J., Kruger, W. Control of stepping motors with microcomputers 87−22422
Schwertfeger, H.J. Control structure for exchanges with time division multiplexing 85−3298
Schwertfeger, H.J. Communication means between controllers in decentralised switching systems 85−8263
Schwertfeger, H.J. The control of information transmission processes by modular methods based on abstract data types [SPC systems] 86−10912
Schwertfeger, W. *see* Kolbeck, R. 88−16840
Schwesig, G. *see* Klausecker, K. 87−43489, 88−11520, 88−18109
Schwesinger, N., Goebel, J. On the correlation of breakdown field strength and failure point density in solid insulating materials 85−12442
Schwesinger, U. *see* Haase, J. 88−37918
Schwetlick, H., Kessel, W. Deconvolution of bandlimited signals using a priori knowledge of the impulse response 87−33671
Schwetlick, H., Miyashita, T., Kesse, W. Estimation of a high resolution impulse response from bandlimited data 88−59117
Schwetlick, H., Miyashita, T., Schickert, M. High resolution imaging with incomplete data 88−10642
Schwetlick, H., Sachse, W. Stable impedance profile reconstruction by spike train approximation 86−10456
Schwetlick, S., Seifert, W., Butter, E. Growth mechanisms in GaAs-VPE at low deposition temperature 85−44693
Schwetlick, S., Seifert, W., Butter, E., Horig, W., Pickenhain, R., Schwabe, R. Incorporation of nitrogen into gallium arsenide grown by chloride VPE 88−6458
Schwettman, H.A., Smith, T.I., Hess, C.E. Electron acceleration using high gradient single cell resonators 86−31794
Schwettman, H.A. *see* Edighoffer, J.A. 88−51830
Schwettman, H.A. *see* Fornaca, S. 88−54342
Schwettman, H.A. *see* Hess, C.E. 86−32018
Schwettman, H.A. *see* Neil, G.R. 85−56700
Schwettman, H.A. *see* Rohatgi, R. 88−45490
Schwettman, H.A. *see* Smith, T.I. 87−75134
Schwetz, P. A procedure for calculating three-dimensional magnetic fields in the vicinity of power supply cables 87−15273
Schwetz, P. *see* Hoffmann, E. 87−42543
Schwickardi, G. Infrared thermography 86−38282
Schwickert, F. *see* Hemmie, G. 86−31864
Schwider, J., Burow, R., Elssner, K.-E., Grzanna, J., Spolaczyk, R. Semiconductor wafer and technical flat planeness testing interferometer 88−60909
Schwider, J. *see* Lohmann, A.W. 88−65407
Schwiecker, H. Reactive evaporation of hard SiO_2/TiO_2 multilayers 85−2114
Schwiegelshohn, U., Thiele, L. On the systolic detection of shortest routes 87−16778
Schwiegelshohn, U., Thiele, L. One- and two-dimensional systolic arrays for least-squares problems 87−59343
Schwiegelshohn, U., Thiele, L. A systolic array for cyclic-by-rows Jacobi algorithms 87−66043
Schwiegelshohn, U. *see* Gotze, J. 88−70683
Schwieger, B. Overseas utilities advance in flexible design of powerplants 85−4920
Schwieger, B. Fluidized-bed boilers achieve commercial status. worldwide 85−38849
Schwieger, B. Industrial powerplants: natural gas makes inroads against oil, solid fuels 87−31085
Schwiekert, R. *see* Foerster, H.P. 87−69047
Schwienhart, J. *see* Huang, W.F. 88−15907
Schwier, C. *see* Boon, C.J. 87−64929
Schwier, C. *see* English, G.W. 87−79082
Schwierz, G. Review of tomographic imaging methods applied to medical imaging 85−64585
Schwierz, G. *see* Boerner, W.-M. *(editor)* 85−49280
Schwierz, H., Neumann, E.-G. Bend losses of higher-order modes in dispersion-flattened multiple-clad optical fibres 88−13799
Schwiesow, B. *see* Conn, T. 86−57843, 88−56027
Schwiesow, R.L., Kopp, F., Werner, C. Comparison of CW-lidar-measured wind values obtained by full conical scan, conical sector scan and two-point techniques 87−71301
Schwiesow, R.L. *see* Keeler, R.J. 87−63952
Schwille, W.J. *see* Husmann, D. 88−53989
Schwinberg, P.B. *see* van Dyck, R.S., Jr. 86−4942, 86−44536
Schwind, G.A. *see* Clark, W.M., Jr. 87−41804
Schwind, G.A. *see* Davis, P.R. 86−35262, 86−61753
Schwindt, G. *see* Stockl, R. 87−64921
Schwindt, H.-J. Hydraulic and electronic continuous flow heaters compared 88−37747
Schwindt, P.C. *see* Weinberg, R.J. 86−11987
Schwing, C. Views into man. Computer pictures in medicine 85−38036
Schwing, U., Hoffmann, B. Model experiments describing the microcontact of ZnO varistors 85−50606
Schwinger, R.B. *see* Penney, B.C. 88−10324, 88−21308
Schwinkendorf, W.E. *see* Lambarski, T.J. 86−6631
Schwirtlich, I.A., Kurz, G., Abels, M., Woditsch, P. Solar-grade silicon 88−18016
Schwittek, W. *see* Kenney, D. 88−70778
Schwitters, R. *see* Brandenburg, G. 88−47984
Schwitters, R.F. *see* Theriot, D. 88−4828
Schwitz, W., Bauder, L., Buhlmann, H.-J., Py, M.A., Ilegems, M. The quantum Hall effect as a standard to define the laboratory unit of resistance 88−16419
Schwitz, W., Bauder, L., Buhlmann, H.J., Ilegems, M., Py, M. The quantum Hall effect as a standard to define the laboratory unit of resistance 87−14468
Schwitz, W., Kampfer, R., Braun, A., Souders, T.M., Moore, W.J.M., Cassidy, B.R., Deacon, T.A. International comparison of current transformer calibrations 85−58797
Schwitz, W., Kampfer, R., Braun, A., Souders, T.M., Moore, W.J.M., Cassidy, B.R., Deacon, T.A. International comparison of current transformer calibrations 86−24636
Schwitz, W. *see* Ilegems, M. 86−28254
Schwitz, W. *see* Perny, B. 88−42465
Schwob, J.L. *see* Finkenthal, M. 87−12378
Schwob, J.L. *see* Suckewer, S. 87−61090
Schwobel, L. *see* Vempati, N. 87−42445
Schwoebel, P.R., Hanson, G.R. Beam current stability from localized emission sites in a field ion source 85−37863
Schwotzer, G., Edelmann, P. Integrated audio IF amplifier A224D 86−8018
Schwotzer, G. *see* Willsch, R. 87−8617
Schwulera, R. Advanced drive system saves up to 20% energy 88−49247
Schwuttke, G.H. *see* Joardar, K. 88−37510, 88−69683
Schygulla, U. *see* Wolf, L. 87−9294
Schylander, E. *see* Gall, B. 85−37371
Sciacca, G. *see* Battiston, R. 85−59224
Sciacca, S.C. Electric utilities in commercial telecommunications−does it make sense? 86−64412
Sciacchitano, M. *see* Giadin, A. 85−19927
Sciacchitano, M. *see* Sato, Y. 85−46581
Sciafe, W., Wagner, D., Faul, W. Concept, operation and performance of the Veeco VHC-120 high current ion implanter 85−34770
Scialdone, C. *see* Thompson, W. 87−11532
Scialdone, J.J. Screening and tests of materials for space applications 86−46402
Scialino, G.L. CFRP support structure for high stability reflector antennas 86−59151
Scialom, G., Testud, J. Retrieval of horizontal wind field and mesoscale vertical vorticity in stratiform precipitation by conical scannings with two Doppler radars 87−77858
Scialom, G. *see* Chong, M. 87−71353
Sciammarella, C.A. Advances in the application of holography for NDE 86−7870
Sciammarella, C.A., Ahmadshahi, M. An optoelectronic system for fringe-pattern analysis 87−14232
Sciammarella, C.A., Kupperman, D.S. Holographic testing for nondestructive evaluation of structural ceramics 87−23782
Sciammarella, C.A., Subbaraman, B. Application of holographic interferometry to the NDE of composites 87−31616
Sciammas, M. A high performance power MOSFET in a smaller package 88−13406
Sciammas, M., Kapur, D. A smaller packaged high performance power MOSFET 87−67304
Sciammas, M., Larson, R. The solution to driving a P-channel power MOSFET: high voltage level translator IC 88−71821
Sciammas, M., Tsoi, H.Y. Translator IC drives p-channel power MOSFETs 88−44763
Sciangula, G. *see* Longhetto, A. 88−69224
Sciarappa, A. SOMIW−a multimedia workstation with real time capabilities in a public network (ISDN) 87−40503
Sciarappa, A. SOMIW− A multimedia workstation with real time capabilities in a public network (ISDN) 87−62452
Sciarappa, A. ISDN multimedia terminal 88−46656
Sciarappa, A. *see* Babini, G. 88−46657
Sciarappa, A. *see* Cerruti, G. 86−55784
Sciarra, D. *see* Colla, A.M. 86−16249
Sciarra, D. *see* Scagliola, C. 87−19545
Sciascio, F.di *see* di Sciascio, F.
Sciascio, G.Di *see* Di Sciascio, G.
Scibbe, H.W. *see* Loewenthal, S.H. 86−40180
Sciberras, E. Indicators of technical intensity and international competitiveness: a case for supplementing quantitative data with qualitative studies in research 86−40441

Sciberras, E. The Australian telecommunications subscriber equipment industry: technical change and international competitiveness 87−2701
Sciberras, E. Changing competitive strategies in the telecommunications subscriber equipment industry 87−2946
Sciberras, E. Government sponsored programmes for international technological exchanges and applied collective research 87−36390
Scibich, A.R. *see* Ogorzalek, M.J. 85−22689
Scibior, H., Brylowska, I., Mazurek, P., Subotowicz, M. 1.3 eV-luminescence band in the implanted GaAs p-n junctions 86−68388
Scibior, H., Brylowska, I., Mazurek, P., Subotowicz, M., Paprocki, K. Influence of the additional implantation of Ga$^+$ and As$^+$ ions on the electroluminescence spectra of GaAs 85−35609
Scidmore, A.K., Bernstein, T. TVI: the Wisconsin experience 87−23227
Sciesinski, J. *see* Natkaniec, I. 86−5860
Scifres, D., Cross, P., Kung, H. Progress in diode array development 87−39143
Scifres, D. *see* Harnagel, G. 87−26415
Scifres, D. *see* Welch, D.F. 85−56623, 86−15687, 86−36476, 87−75082
Scifres, D.R. *see* Berger, J. 87−54273, 88−8155, 88−45389, 88−51651, 88−65610
Scifres, D.R. *see* Chang-Hasnain, C. 86−22083, 87−7404
Scifres, D.R. *see* Chang-Hasnain, C.J. 87−54362
Scifres, D.R. *see* Cross, P.S. 85−18919, 85−46401, 88−8221
Scifres, D.R. *see* Goldberg, L. 85−24555
Scifres, D.R. *see* Harnagel, G.L. 86−36472, 86−54138, 87−26378, 87−61148
Scifres, D.R. *see* Sakamoto, M. 88−51818, 88−65662
Scifres, D.R. *see* Steifer, W. 86−63807
Scifres, D.R. *see* Streifer, W. 85−24563, 85−46394, 87−26379, 87−68461, 88−45402, 88−65693
Scifres, D.R. *see* Weich, D.F. 87−39098
Scifres, D.R. *see* Welch, D.F. 86−42538, 86−63798, 87−26384, 87−33144, 88−8187, 88−14170, 88−20641
Scifres, D.R. *see* Yaeli, J. 85−56729
Scigala, R. *see* Schabowska-Osiowska, E. 87−73122
Scigocki, D. *see* Bouclier, R. 88−42439
Scigocki, D. *see* Mine, P. 88−61296
Scigocki, D. *see* Peskov, V. 88−54409
Scilla, G. *see* Clayton, S. 88−57418
Scilla, G. *see* d'Heurle, F.M. 88−44705
Scilla, G. *see* Muller, O. 85−7141
Scilla, G.J., Keuch, T.F., Cardone, F. Improved detection of carbon in GaAs by secondary ion mass spectroscopy: the influence of hydrocarbons in metalorganic vapor phase epitaxy 88−49794
Scilla, G.J. *see* Kuech, T.F. 87−11641
Scilla, G.J. *see* Oehrlein, G.S. 88−39041
Scilla, G.S. *see* Liehr, M. 87−53159, 87−73986
Scintei, N. *see* Mester, A. 86−2134
Sciomachen, A. *see* Grotzinger, S. 88−64114
Sciortino, P.F., Jr. *see* Tu, C.W. 85−45682
Sciortino, S. *see* De Silvestri, S. 88−58632
Scipione, U. Airfield lighting at airports−fundamental characteristics of the installation 87−51625
Scipione, U. Airport illumination−approach lighting 87−64952
Scipione, U. Airport installations: visual indicators of angle of approach 87−71260
Scipione, U. Airport electrical installations−lighting systems 87−77820
Scipione, U. Airport installations. Lighting systems for the guidance and control of ground traffic 88−24259
Scipione, U. Light signals and visual aids for airports. Complementary light signals 88−43472
Scipione, U. Airport navigational luminar signals. Electrical feed equipment 88−69918
Scire, F. *see* Gilsinn, D. 87−49927
Scire, F. *see* Teague, E.C. 88−29643
Scire, G. *see* Brofferio, S. 85−52099
Scire, G. *see* Rogora, E. 85−16355
Scitovski, R. Magnetization curve 88−57894
Sciubba, A. *see* Auriemma, G. 88−22965
Sciubba, A. *see* Calicchio, M. 88−29811
Sciubba, A. *see* Catanesi, M.G. 87−29686, 87−77548
Sciubba, A. *see* de Vincenzi, M. 85−4206, 86−65331
Sciubba, A. *see* Frenkel, A. 86−44593
Sciulli, F. *see* Blair, R. 85−15110
Sciulli, J.A., Peeler, J.R. Error analysis on digital communications links 85−42092
Sciuto, D. A minimum spanning tree based algorithm for delay-bounded array reconfiguration 87−44813
Sciuto, D. A reconfiguration algorithm for delay minimization in VLSI/WSI array processors 87−46083
Sciuto, D., Lombardi, F. Functional testing of array processors 88−56702
Sciuto, D., Lombardi, F. New conditions for testability of two-dimensional bilateral arrays 88−70466
Sciuto, D. *see* Liotta, L. 88−155
Sciuto, D. *see* Lombardi, F. 87−31952, 87−66248, 87−67409, 88−26476
Sciuto, D. *see* Piuri, V. 88−723
Sciutto, G. *see* Bertini, S. 86−52006, 88−44397
Sciutto, G. *see* Carpita, M. 88−30898
Sciutto, G. *see* Dalle Molle, D. 87−58097
Sciutto, G. *see* Denegri, G.B. 85−44245
Sciutto, G. *see* Franzo, G. 85−27703, 86−7186, 87−43007
Sciutto, G. *see* Liberti, G. 88−62447
Sciver, S.W.Van *see* Van Sciver, S.W.
Scivier, M.S., Corr, D.G. Adaptive enhancement of multi-look synthetic aperture radar images 87−63055
Scivier, M.S., Fiddy, M.A. Phase ambiguities and the zeros of multidimensional band-limited functions 85−46923
Scivier, M.S., Fiddy, M.A. Ambiguities in magnitude-only reconstruction of band-limited signals 85−57497
Scivier, M.S., Fiddy, M.A., Burge, R.E. Estimating SAR phase from complex SAR imagery 86−37928
Scivier, M.S., Harger, R.O. Comments, with reply, on 'A sea surface height estimator using synthetic aperture radar complex imagery' 85−26911
Scivier, M.S. *see* Corr, D.G. 88−41763
Scivier, M.S. *see* Deighton, H.V. 85−46944, 85−46969, 87−33764
Scivier, M.S. *see* Hartl, P. 87−49179
Sckopke, N. *see* Paschmann, G. 85−53167
Sclabassi, R.J., Sun, M., Sekhar, L., Wasserman, J.F., Blue, H.B. An acoustic aneurysm-detector 88−42515
Sclabassi, R.J. *see* Brenner, R.P. 87−50330
Sclabassi, R.J. *see* Krieger, D.N. 88−42471
Sclar, N. Properties of doped silicon and germanium infrared detectors 85−47984
Sclar, N. Cold radiation shields for IR detector arrays 88−53691
Sclar, N. *see* Chandrasekhar, H.R. 85−35599
Sclater, R.J.W. Advances in secondary surveillance radar systems 86−17486
Scobel, W. *see* Catanesi, M.G. 87−77548
Scobel, W. *see* Holler, Y. 85−43302
Scobie, D. Radio frequencies−a new generation 88−4501
Scofea, D. *see* Caldecott, R. 88−67470
Scofidio, R.A. *see* Weitzen, J.A. 88−9517
Scofield, C.L., Reilly, D.L., Elbaum, C., Cooper, L.N. Pattern class degeneracy in an unrestricted storage density memory 88−32831
Scofield, C.M., Stouppe, D. The heat pipe: its use in dry evaporative cooling 87−43665
Scofield, G. High-power hybrid op amp dissipates up to 500 W and guards against burnout 86−52689
Scofield, G. Hybrid power amp drives loads up to 1000 W 86−57660
Scofield, G. Careful design takes the heat out of hybrid power op amps 87−5682
Scofield, G. Power op amps solve deflection-yoke drive problems 87−44605
Scofield, J. *see* MacGowan, B.J. 88−2177
Scofield, J. *see* Matthews, D. 87−46756
Scofield, J. *see* Matthews, D.L. 87−12369
Scofield, J. *see* Maxon, S. 85−29759, 88−40137
Scofield, J.H. AC method for measuring low-frequency resistance fluctuation spectra 87−56802
Scofield, J.H. *see* Matthews, D.L. 85−24467
Scoggin, D.M., Hall, J.E., Jr. Ferroresonance 88−24968
Scoggins, J.L. *see* Tobias, L. 87−4101
Scoggins, R.K. Thermal modeling and IR scene generation 88−21319
Scognamiglio, F.C., Kirkham, M.C. Advances in high-performance plastics and composites and their application to columns for lighting, telecommunications and power transmissions 86−33845
Scognamiglio, L. *see* Eri, G. 88−60143
Scoles, K. *see* Drexler, P. 88−50553
Scoles, K.J. Custom VLSI circuit layout on the Apple Macintosh 87−38511
Scoles, K.J. The hybrid circuits laboratory at Drexel University 87−58594
Scoles, K.J., Kim, A.H., Mian-heng Jiang, Lee, B.C. Deposition and characterization of silicon dioxide thin films deposited by mercury-arc-source driven photon-activated chemical-vapor deposition 88−39220
Scollar, I., Weidner, B., Segeth, K. Display of archaeological magnetic data 86−56244
Scollo, G., Pappalardo, G., Logrippo, L., Brinksma, E. The OSI Transport service and its formal description in LOTOS 86−64722
Scollo, G., van Sinderen, M. On the architectural design of the formal specification of the session standards in LOTOS 87−34206
Scollo, G. *see* Carchiolo, V. 85−8139
Scollo, R., DiGiovanni, F. High speed switching diodes 87−38185
Scondras, C.C. *see* Gutwein, J.M. 85−31008
Scontras, M.A. *see* Kiehl, R.A. 88−26547
Scontras, S. *see* Magerlein, J.H. 87−60649
Sconza, A. *see* Torzo, G. 87−41593
Scopece, M. *see* Napoli, R. 86−50925
Scordilis, M.S., Gowdy, J.N. Comparison of computerized speech synthesis techniques 87−19626
Scordilis, M.S., Gowdy, J.N. A phoneme dependent voicing source for speech synthesis 88−52398
Scordino, A. *see* Ronchi, L. 88−58598
Scorey, C.R., Chin, S., White, M.J., Livak, R.J. Spinodal Cu-Ni-Sn alloys for electronic applications 85−33516
Scorey, C.R. *see* Chin, S. 85−10824
Scorzini, A. *see* Finetti, M. 85−45619
Scorzoni, A., Canali, C., Fantini, F., Zanoni, E. Evaluation of current density distribution in MESFET gates 86−47568
Scorzoni, A., Finetti, M. The effect of sheet resistance modifications underneath the contact on the extraction of the contact resistivity: application to the cross Kelvin resistor 88−39132
Scorzoni, A., Finetti, M., Grahn, K., Suni, I., Cappelletti, P. Current crowding and misalignment effects as sources of error in contact resistivity measurements. I. Computer simulation of conventional CER and CKR structures 87−49883
Scorzoni, A., Finetti, M., Soncini, G. Methods for contact resistance measurements: application to (n^+, p^+) Si/Al-1% Si ohmic contacts 85−29032
Scorzoni, A., Finetti, M., Soncini, G., Suni, I. Ohmic contact resistance evaluation in silicon planar structures: application to the $CoSi_2/n^+$Si interface 88−25955
Scorzoni, A. *see* Armigliato, A. 86−21441, 86−63215
Scorzoni, A. *see* Canali, C. 86−53442, 87−38283. 88−51015
Scorzoni, A. *see* Cappelletti, P. 87−49884
Scorzoni, A. *see* Finetti, M. 85−18163, 86−21257, 88−13178, 88−25972
Scott, A. Window on the world [audio sampler] 86−44071
Scott, A. Beyond the electronic newsroom 87−70177
Scott, A. *see* Seeley, G.W. 88−29971
Scott, A. *see* Wiffen, P. 86−11379
Scott, A.I. *see* Williams, H.J. 88−67814
Scott, A.M. Factors affecting the beam quality in nearly degenerate four wave mixing 87−33281
Scott, A.M., Waggott, P. Phase conjugation by self-pumped Brillouin-induced four-wave mixing 88−2373
Scott, A.M. *see* Webster, A.R. 87−47168
Scott, B., Bolger, S., Milani, E. Dual slope A/D converter 86−1149
Scott, B., Bolger, S., Po Ching Liu A monolithic $4^1/_2$ digit A-to-D converter 85−17556
Scott, B. *see* Lyttkens, L. 87−21626
Scott, B.A. *see* Kanicki, J. 85−1334, 86−35289
Scott, B.A. *see* Meyerson, B.S. 85−12729
Scott, B.A. *see* Reimer, J.A. 85−33477
Scott, B.A. *see* Taylor, R.C. 88−38248
Scott, B.D. *see* Pellegrin, J. 88−54150
Scott, B.F. *see* Byabagambi, C.A. 87−46790
Scott, B.G. Components in the studio centre: digital or analogue? 85−3572
Scott, B.G. Components in the studio centre−digital or analogue? 85−3578
Scott, B.G. The transition to digital−is an interim signal system desirable? [TV studios] 85−31162
Scott, B.N., Wurtele, M., Cregger, B.B. A family of four monolithic VCO MICs covering 2-18 GHz 85−1057
Scott, B.W. *see* Quintana, V.H. 87−71497
Scott, C. Advancing electronics aids flowmetering 86−44087
Scott, C. *see* Sleger, K. 85−29306, 87−6799
Scott, C. *see* Stith, C. 87−5927
Scott, C.A. *see* Eaton, G.H. 88−61054
Scott, C.E. *see* Nourzad, F. 86−56523
Scott, C.G. *see* Bryant, F.J. 86−7010, 86−40159
Scott, C.H., Jefferson, T.R. Bounded linear allocation with a nonlinear cost constraint is an unconstrained problem 88−11886
Scott, C.J., Tirtaatmadja, E. New digital switch structures 86−14323
Scott, C.J. *see* Bryant, F.J. 88−17995
Scott, C.J. *see* Tirtaatmadja, E. 86−55101, 87−76482
Scott, D., Giles, G., Hall, J. A lumped element model for simulation of ESD failures in silicided devices 87−46032
Scott, D.B., Chapman, R.A., Wei, C., Mahant-Shetti, S.S., Haken, R.A., Holloway, T.C. Titanium disilicide contact resistivity and its impact on 1-μm CMOS circuit performance 87−45817
Scott, D.B. *see* Beineke, T.A. 85−4850, 85−38755
Scott, D.B. *see* Chen, K. 87−46224
Scott, D.B. *see* Chen, K.-L. 85−40736
Scott, D.B. *see* Havemann, R.H. 88−39652
Scott, D.C. *see* Smith, R.L. 85−38025, 86−44260
Scott, D.J. *see* Girgis, R.S. 87−51302 to 51303
Scott, D.K., Williams, C.H. Line to hydro plant crosses 2400-ft inlet [power transmission lines] 85−59768
Scott, D.K. *see* Zidalis, J. 88−17181
Scott, D.L. *see* Brooks, R.M. 86−17406
Scott, D.L. *see* Flavin, P.G. 86−37916

Scott, D.L. *see* Hawker, I. 85–33795
Scott, D.M. Future Fighter Avionics Demonstration Program 85–9348
Scott, D.M., Mulvaney, S.P. Common modular avionics: partitioning and design philosophy 86–18475
Scott, D.M. *see* Hewett, C.A. 86–15069
Scott, D.M. *see* Ho, K.T. 85–34639, 86–8879
Scott, D.M. *see* Marshall, E.D. 85–34633, 86–28044
Scott, D.M. *see* Pai, C.S. 85–34888
Scott, D.M. *see* Wu, C.S. 85–34637, 85–45641, 85–61759
Scott, D.R., Tully, G.E. Test and data-collection system is computerized [watthour meter testing] 86–31275
Scott, D.R. *see* James, R.W. 85–16449
Scott, D.S. Computing a few eigenvalues and eigenvectors of a symmetric band matrix 85–5944
Scott, D.S., Iyengar, S.S. TID - A translation invariant data structure for storing images 85–36393
Scott, D.S., Iyengar, S.S. A new data structure for efficient storing of images 85–51732
Scott, D.S. *see* Gautier, N.K. 86–4033
Scott, D.S. *see* Jones, L.E. 86–6992
Scott, D.S. *see* Morgan, R.B. 85–33356, 86–62145
Scott, D.S. *see* Pickerill, P.J.W. 86–56954
Scott, D.S. *see* Rosen, M.A. 87–50972
Scott, D.T. *see* McDuff, O.P. 87–12445
Scott, E., Hanson, J.V. Speech actuated AGC for mobile radio 87–69990
Scott, E.G., Andrews, D.A., Davies, G.J. The influence of molecular beam epitaxy growth conditions on the Ga-Al-In-As ternary and quaternary systems 86–52466
Scott, E.G., Andrews, D.A., Davies, G.J. MBE growth of Ga-Al-In-As ternary and quaternary alloy compositions 87–44324
Scott, E.G., Davey, S.T., Davies, G.J. Extremely high-quality GaInAs/AlInAs single quantum wells grown by molecular beam epitaxy 87–58922
Scott, E.G., Wake, D., Livingstone, A.W., Andrews, D.A., Davies, G.J. Factors affecting the growth of an integrated $Ga_{1-x}In_xAs/InP$ PIN-FET by molecular beam epitaxy 85–49561
Scott, E.G. *see* Andrews, D.A. 85–49560
Scott, E.G. *see* Newson, D.J. 86–67724
Scott, E.G. *see* Ritchie, S. 87–7090
Scott, E.G. *see* Rodgers, P.M. 87–74866
Scott, E.G. *see* Wake, D. 86–28321, 86–53694, 86–54056
Scott, G. Optical emission can end your etch process on time, every time 85–6832
Scott, G. The For-A CVM500 component vision mixer 87–28779
Scott, G. *see* Belanger, J. 86–51780
Scott, G.H., Jefferson, T.R., Jorjani, S. On duality for entropy constrained programs 86–13661
Scott, G.J., Chen, T.M. Addition of excess noise in SPICE circuit simulations 87–53460
Scott, G.L. Minimizing human contamination through design [clean rooms] 87–36464
Scott, G.L. 'Four-line' method of locally estimating optic flow 87–62155
Scott, G.L. *see* Castelow, D.A. 88–52519
Scott, G.L. *see* May, T.C. 85–6252
Scott, G.W. *see* Kortz, H.P. 86–22336
Scott, G.W. *see* Wilreker, V.F. 86–33231
Scott, H.A. UDC–a carrier for all seasons 87–62734
Scott, H.A., Millman, M.H. Bellcore's proposal for ISDN basic access transport 88–9287
Scott, H.F. *see* Daniels, D.J. 88–67467
Scott, I. Technology of ECL gate arrays 87–24041
Scott, I. 1.5 μM BiCMOS array technology 88–6718
Scott, I. *see* Estrov, A. 88–30817
Scott, J. Lock-in amplifiers and computer control 85–39964
Scott, J. *see* Cherochak, J. 85–34328
Scott, J. *see* Douglass, J. 88–60770
Scott, J. *see* Gallacher, A. 87–65564
Scott, J. *see* Murdock, S. 87–55542
Scott, J.B. Improving confidence in the phase unwrapping algorithm 85–25105
Scott, J.B. Comments on 'A linear temperature/voltage converter using thermistor in a logarithmic network' by A.A. Khan and R. Sen Gupta 86–1332
Scott, J.B., Munro, J.L. Collision-avoidance system for a motorized wheelchair 86–25257
Scott, J.B., Wilson, I.G. A novel range selective intrusion detector 87–70135
Scott, J.C. *see* Brown, A. 88–60283
Scott, J.C. *see* Stephens, G.L. 87–71308
Scott, J.F., Araujo, C.A. The physics of ferroelectric memories 88–70763
Scott, J.F., Duiker, H.M., Beale, P.D., Pouligny, B., Dimmler, K., Parris, M., Butler, D., Eaton, S. Properties of ceramic KNO_3 thin-film memories 88–57835
Scott, J.F., Godfrey, R.B., Araujo, C.A., McMillan, L.D., Meadows, H.B., Golabi, M. Device characteristics of ferroelectric ceramic KNO_3 thin-film RAM memories 87–53840
Scott, J.F., Melnick, B.M. Superionic conductors as fast, repetitive opening switches 88–57038
Scott, J.F., Pouligny, B., Dimmler, K., Parris, M., Butler, D., Eaton, S. Activation field, fatigue, and waiting-time effects in KNO_3 thin-film memories 88–33468
Scott, J.F., Pouligny, B., Katiyar, R.S. Raman and infrared spectroscopy of potassium nitrate thin-film ferroelectric memories 88–44915
Scott, J.F. *see* Araujo, C. 86–58635
Scott, J.F. *see* Dimmier, K. 87–67654
Scott, J.F. *see* Paz de Araujo, C.A. 88–70764
Scott, J.F. *see* Walsh, E.J. 86–12179, 86–32554, 87–71388, 88–10579
Scott, J.L., Pease, J.S., Fisher, E.H. Digital lock-in techniques for IR detector and fiberoptic testing 86–17974
Scott, J.M. Micromachining with the use of an ultraviolet laser 87–12655
Scott, J.M. *see* Franco, J.R., Jr. 88–36716
Scott, J.M.C., Neusten, M. Experience of accessing EUTELSAT transponders from transportable earth-stations 86–37864
Scott, J.R., Minasian, R.A. Gigabit-per-second dual-gate MESFET switching and multiplexer operation for high-speed fiber-optic systems 88–22085
Scott, J.R. *see* Miller, I.H. 86–49657
Scott, J.R. *see* Roy, O.Z. 87–4019
Scott, J.S. *see* Craine, E.R. 87–14877
Scott, J.W., Lee, W., Giancario, C., Sodini, C.G. A CMOS slope adaptive delta modulator [voice band ADC] 87–16957
Scott, J.W., Lee, W.L., Giancarlo, C.H., Sodini, C.G. CMOS implementation of an immediately adaptive delta modulator 87–16946
Scott, J.W. *see* Boczar, B.P. 87–26503
Scott, J.W. *see* Friedman, V. 88–67233
Scott, K., Wiggins, G.T. Diagnosing faults in a high technology electrical harness 87–72557
Scott, K. *see* Gustafson, J.L. 87–18278
Scott, K. *see* Hills, A. 87–47558
Scott, K.A. *see* Hewlett, L.P. 88–42981
Scott, K.J. *see* Milsom, R.F. 88–19510
Scott, K.K. A practical implementation of super-resolution algorithms for direction finding 87–56305
Scott, L.D., Chang, H.-T. Field patterns for antennas situated in a simulated borehole 85–13292
Scott, L.J. Lightning strike location systems [radio direction finding] 86–4776
Scott, L.R. *see* Watson, L.T. 88–360
Scott, L.W. An overview of explosion-proof enclosure research [mining safety] 86–26566
Scott, M. *see* Bradley, D.C. 86–57440
Scott, M. *see* Elliot, A.G. 85–39693
Scott, M. *see* Gibbons, J.F. 88–12031
Scott, M. *see* Laderman, S.S. 88–38199
Scott, M. *see* Westland, D.J. 88–19708
Scott, M.A. The operation and management of the circuit card assembly and processing system (CCAPS) 87–32177
Scott, M.A. *see* Moulden, T.H. 88–56191
Scott, M.A. *see* Spracklen, C.T. 86–17009, 86–37469, 87–34124
Scott, M.C. *see* Petler, J.S. 85–31706
Scott, M.D. Legal problems of computer network transactions 87–27811
Scott, M.D., Moore, A.H., Griffith, I., Griffiths, R.J.M., Sussmann, R.S., Oxley, C. AlInAs/GaInAs MESFETs by MOCVD 86–53678
Scott, M.D., Moore, A.H., Moseley, A.J., Wallis, R.H. $Ga_{0.28}In_{0.72}As/Al_{0.28}In_{0.72}As$ 2 μm photodiode heterostructures prepared by atmospheric pressure MOCVD 87–18845
Scott, M.D., Norman, A.G., Bradley, R.R. The characterisation of $Ga_{1-x}In_xAs$, $Al_{1-x}In_xAs$ and InP epitaxial layers prepared by metal organic chemical vapour deposition 85–10706
Scott, M.D. *see* Davies, J.I. 88–43941, 88–58525, 88–63293
Scott, M.D. *see* Kenny, M.J. 85–45541
Scott, M.D. *see* Moore, A.H. 87–10389
Scott, M.D. *see* Moseley, A.J. 87–13696, 87–53235
Scott, M.D. *see* Nicholas, D.J. 88–49883
Scott, M.D. *see* Westland, D.J. 87–74048
Scott, M.D. *see* Williams, P.J. 88–65671
Scott, M.G. Military high performance microprocessor–M700/40 86–27378
Scott, M.G. *see* Andreassen, J. 88–2407
Scott, M.G. *see* Pitt, N.J. 86–68300, 87–18718
Scott, M.H. *see* Schmidt, H.J. 85–53836, 86–33708
Scott, M.J. *see* King, M.J. 85–4598
Scott, M.L., Cox, A.L. An empirical study of message-passing overhead 88–15141
Scott, M.L. *see* Leger, J.R. 88–51793, 88–65819
Scott, M.P., Laderman, S.S., Elliot, A.G. Microscopic identification of defects propagating through the center of silicon and indium-doped liquid encapsulated Czochralski grown GaAs using X-ray topography 86–20020
Scott, M.P., Reid, G.A., Chiu, K.Y. The generation of crystalline defects and elastic stress in MOS device structures 85–40785
Scott, M.P. *see* Amano, J. 87–6610
Scott, M.P. *see* Nauka, K. 87–25224
Scott, M.W., Wu, T.F., Butler, J.K. Analysis of a buried layer millimeter-wave phase shifter 87–66533
Scott, M.W. *see* Butler, J.K. 86–41293
Scott, M.W. *see* Chivian, J.S. 85–51093, 86–3021
Scott, M.W. *see* Hadjicostas, G. 87–73647
Scott, M.W. *see* Wu, T.-F. 87–61426
Scott, O.L. *see* Tracey, T.R. 87–36171
Scott, P. How to achieve success in launching a cable company 86–24116
Scott, P. *see* Cade, M. 87–16102
Scott, P. *see* Connor, G. 87–48757, 87–59279
Scott, P.A., Simmons, S.J., Tavares, S.E., Peppard, L.E. Architectures for exponentiation in $GF(2^m)$ 88–50103
Scott, P.A., Tavares, S.E., Peppard, L.E. A fast VLSI multiplier for $GF(2^m)$ 86–41185
Scott, P.A. *see* Orton, G.A. 88–39707, 88–40835
Scott, P.D. *see* Liu, G. 87–26557, 87–47023
Scott, P.D. *see* Onural, L. 86–3318, 86–14392, 87–7451, 88–20777
Scott, P.R. Modifying Minkowski's theorem 88–49691
Scott, P.W., Young, P.W. Impact of temporal fluctuations of signal-to-noise ratio (burst error) on free-space laser communications system design 87–20524
Scott, R. Cable television: the entertainment factor 85–8583
Scott, R. The Panasonic AK30 [colour TV camera] 87–56367
Scott, R. PAL MII [VTR system] 88–35709
Scott, R. *see* Birch, E. 86–67288
Scott, R. *see* Chang, Y.F. 87–78372
Scott, R. *see* Laats, E.T. 88–75305
Scott, R. *see* Recktenwald, K. 88–31994
Scott, R.D. Man-machine interface for telephone exchange enhancements 87–48782
Scott, R.D.W. The Marchwood 30 kWp photovoltaic pilot project 85–48909
Scott, R.D.W. Photovoltaic systems for rural communities in Indonesia 88–43389
Scott, R.E. Signal flow graph tutorial 87–449
Scott, R.E. Tone generator ICs 87–49389
Scott, R.F. State of solid state: low-power amplifier ICs 85–17171
Scott, R.F. State of solid state: power op-amp ICs 85–28405
Scott, R.F. A new series of CMOS counters 85–61225
Scott, R.F. Ultrasonic pest-repellers 85–64781
Scott, R.F. State of solid state [automotive electronics] 86–7282
Scott, R.F. A new COMFET 86–15168
Scott, R.F. Precision op-amps 86–20331
Scott, R.F. All about multipath distortion 86–22680
Scott, R.F. IC temperature sensors and more 86–44282
Scott, R.F. What's new in solid state 87–53338
Scott, R.F. State of solid state. Long-time timer 87–66448
Scott, R.H., Scheffer, L.K., Ellickson, R. A hierarchical approach to VLSI design tools 85–12386
Scott, R.L. How to select your modem and telecommunications software 86–59713
Scott, R.M. *see* Abraitis, A.M. 85–5795
Scott, R.N., Lovely, D.F. Amplifier input impedances for myoelectric control 87–4036
Scott, R.N., Lovely, D.F., Hudgins, B.S. Sensory feedback in upper-extremity prosthetics 87–21672
Scott, R.N., Paasche, P.E. Safety considerations in clinical engineering 86–38856
Scott, R.N. *see* Caldwell, R.R. 86–25311
Scott, R.N. *see* Gopalan, R. 87–14901
Scott, R.N. *see* Hruczkowski, T.W. 87–71176
Scott, R.N. *see* Lovely, D.F. 85–26797, 86–38813 to 38814, 86–50460, 86–60820, 87–4037, 88–61452
Scott, R.N. *see* McLeod, K.J. 87–35444
Scott, R.N. *see* Morin, E. 86–56160
Scott, R.N. *see* Papakyriakou, M.J. 88–48159
Scott, R.N. *see* Parker, P.A. 86–38810
Scott, R.N. *see* Ramachandran, G. 85–48278
Scott, R.P., Emerson, D.J. Temperature range specification of system gain for microwave radio equipment mounted externally 85–47407
Scott, R.P. *see* Hewitt, M.T. 85–20036
Scott, R.S. Surgical applications of the sapphire contact probe and the Nd:YAG laser 87–21661
Scott, R.S. Surgical applications of the sapphire contact probe and Nd:YAG laser 87–71162
Scott, R.T. Aspects and considerations for power electronics and computer-aided simulation 88–50022
Scott, R.W.W. *see* Brain, T.J.S. 86–5252
Scott, S.C. *see* Topham, P.J. 88–44378
Scott, S.J. A simple compact X-ray preionized CO_2 TEA laser 87–68390

Scott, S.J. Experimental investigations on an X-ray preionizer test bed 88−74775
Scott, S.J., Smith, A.L.S. Efficacy of laser preionisation with a semiconductor source and propene addition 85−12791
Scott, S.J., Smith, A.L.S. Ultraviolet photoionization in CO_2 TEA lasers 88−72267
Scott, T. Designing for versatility [computerised instruments] 85−37661
Scott, T., Jones, C. Evaluating telephone quality or, beauty is more than skin deep 86−37614
Scott, T., Lawrence, R. Quality does pay [telecommunication equipment] 86−59409
Scott, T.C. *see* Lipshitz, S.P. 86−5155
Scott, T.L. Buried earthing problems surfacing! 86−51104
Scott, T.L. *see* Carpenter, J.M. 86−56015
Scott, T.W. *see* Strangas, E.G. 88−60684
Scott, W.B. *see* Little, W.W. 86−25710
Scott, W.D. Reducing production costs through excess power demand controls 86−7355
Scott, W.D. Acid rain monitor 87−50573
Scott, W.G. Computerized trouble call system 87−78024
Scott, W.G. *see* Corden, M.J. 85−64462
Scott, W.R., Jr. A general program for plotting three-dimensional antenna patterns 88−2685
Scott, W.R., Jr., Smith, G.S. Error analysis for dielectric spectroscopy using shielded open-circuited coaxial lines of general length 86−65256
Scott, W.R., Jr., Smith, G.S. Dielectric spectroscopy using monopole antennas of general electrical length 86−70197
Scott, W.R., Jr, Smith, G.S. Error corrections for an automated time-domain network analyzer 87−14236
Scott, W.R., Jr., Smith, G.S. Dielectric spectroscopy using monopole antennas of general electrical length 87−29257
Scott, W.R., Jr. *see* Smith, G.S. 88−4586, 88−10099
Scott, W.S., Ousterhout, J.K. Plowing: interactive stretching and compaction in Magic 85−1678
Scott, W.S., Ousterhout, J.K. Magic's circuit extractor 86−20209
Scott, W.S., Ousterhout, J.K. Magic's circuit extractor 86−41870
Scott, W.S. *see* Arnold, M.H. 88−71711
Scott, W.S. *see* Ousterhout, J.K. 85−1751, 85−33579
Scott Coe, J. *see* Bado, P. 87−54286
Scott Crump, S., Olansky, N.S. SMD burn-in board standardization for automation 87−6277
Scott Miller, H., Chilton, G.G., Lyon, M.B. Hewlett Packard pressure transducer adapter for Spacelabs Model 414 single-channel portable monitor 86−5874
Scott Vitter, J. *see* Savage, J.E. 86−21727
Scott Weikart, G. *see* Weber, L.F. 86−27822
Scott Wills, K. *see* Pabbisetty, S.V. 88−39624
Scott-Fleming, I.C. *see* Reagan, J.A. 86−6122
Scott-Monck, J., Stella, P. Recent developments in high performance planar solar array technology 85−53826
Scott-Monck, J., Stella, P. Current status of advanced solar array technology development 86−33679
Scott-Monck, J., Stella, P. Advanced Photovoltaic Solar Array Program—a preliminary assessment 87−42133
Scott-Monck, J. *see* Patterson, R.E. 86−7049, 87−42135
Scott-Monck, J.A. *see* Jones, R.M. 85−31897
Scott-Thomas, J. *see* Atherton, D.L. 85−10844
Scott-Wilson, R.J. *see* Shepard, J. 86−60904
Scotti, R. *see* Presby, H.M. 88−33611
Scotti, R.E. *see* Asous, W.A. 85−20225
Scotti, R.E. *see* Harriott, L.R. 86−63683, 87−38849
Scotti, R.E. *see* Lipson, J. 87−26124
Scotti, R.E. *see* Olsson, N.A. 88−40213
Scotti, S., Piccari, L. Measure of the profile of refractive index of optical planar multimode waveguides 86−22753
Scotti Di Uccio, U. *see* Barone, A. 88−7827
Scotti Di Uccio, U. *see* De Stefano, S. 87−38676
Scottini, S., Russo, V., Giorgetti, E. A new geodesic lens for integrated optics processors 86−36254
Scotto, A. *see* Sandini, G. 85−9185
Scotto, F.L. *see* Castoldi, A. 86−44091
Scotto, M., Gagna, P.G., Nobile, M., Spadavecchia, L., Masulli, F. Time-compressed video pictures for vision research 88−36407
Scotto, M., Jecko, B. Analysis of behaviour of overhead telecommunications or electric lines illuminated by a nuclear electromagnetic pulse: limitations of use for the transmission line theory 88−21884
Scotto, M. *see* Repetto, L. 88−48103
Scotton, G. *see* Kenward, G.W. 87−69988, 88−3894
Scouarnec, C. *see* Meric, J. 85−28094
Scoul, D.Le *see* Le Scoul, D.
Scourfield, M.W.J. *see* Tibbenham, M.I. 85−15422
Scovell, P.D., Rosser, P.J. Rapid thermal processing for silicon VLSI applications 87−38058
Scovill, S.K., Zavada, E.S. How to put a modern data processing equipment aboard a 20-foot ocean-going launch 86−56267
Scoville, A.N. *see* Khattak, C.P. 88−2211
Scown, V.S. *see* Cook, J.F. 85−26923
Scoy, R.L.Van *see* Van Scoy, R.L.
Scozzari, G. *see* de Michelis, F. 85−57924
Scragg, T. Interior light delay [for a motor car] 85−16331
Scragg, T. Windscreen wiper delay 85−16332
Scranton, R.A., Thompson, D.A. Multifrequency phase-encoded position patterns 85−45979
Scrase, R. DBS: a study in confusion 85−25792
Scrase, R. Choice for the subscriber 85−63174
Scraton, R.E. Second-order linearly implicit methods for stiff differential equations 87−36659
Scraton, R.E., Singh, A. A fourth order alternating direction method based on the (2,2)-Pade approximant 88−24665
Screpanti, F. *see* Mantovani, M. 88−54744
Scribano, A. *see* Amendolia, S.R. 85−9069, 85−15169 to 15170
Scribano, A. *see* Apollinari, G. 87−21436, 87−29489, 88−22966
Scribano, A. *see* Bedeschi, F. 86−50310, 88−48021
Scribano, A. *see* Bertolucci, S. 88−47987
Scribner, D. *see* Peters, W.N. 85−46210
Scribner, D.A., Kruer, M.R., Gridley, C.J., Sarkady, K. Measurement, characterization, and modeling of noise in staring infrared focal plane arrays 88−29458
Scribner, D.A., Kruer, M.R., Gridley, J.C., Sarkady, K. Physical limitations to nonuniformity correction in IR focal plane arrays 88−67894
Scribner, D.A., Longmire, M.S., Kruer, M.R. Analytic modeling of staring infrared systems with multidimensional matched filters 88−53701
Scribner, D.A. *see* Kruer, M.R. 87−41380, 88−47569
Scrifres, D.R. *see* Welch, D.F. 87−68462
Scrignaro, D. *see* Esposito, G. 87−34299
Scrignaro, D. *see* Santagostino, L. 86−49401
Scrimaglio, R. *see* Alberini, C. 86−65387
Scrimaglio, R. *see* Bizzarri, U. 85−59064
Scrimger, J.W., Connors, S.G. Performance characteristics of a widely used orthovoltage X-ray therapy machine 86−56175
Scripter, C.E. *see* Nolen, J.A. 85−59095
Scrivanti, M. *see* Bava, G.P. 88−40210
Scrivner, C.H. *see* Carlson, W.H. 85−40689
Scrofani, J. *see* Morrison, T.I. 88−42452
Scrosati, B. Electrode processes in solid state cells. I. The metal electrode 86−66231
Scrosati, B., Owens, B.B. Solid-state lithium/polyacetylene battery 87−72386
Scrosati, B., Panero, S., Prosperi, P., Corradini, A., Mastragostino, M. Kinetics of semiconducting polymer electrodes in lithium cells 87−30908
Scrosati, B. *see* Bonino, F. 86−66232, 87−4870, 87−72384, 88−37364
Scrosati, B. *see* Mastragostino, M. 85−60383
Scrosati, B. *see* Padula, A. 85−32686
Scrosati, B. *see* Pantaloni, S. 87−63462
Scrosati, B. *see* Peraldo Bicelli, L. 88−1468
Scrosati, B. *see* Podhajecky, P. 86−45636
Scrosati, B. *see* Razzini, G. 86−66331, 88−57400
Scruby, C.B. An introduction to acoustic emission 87−65594
Scruby, C.B. Laser generation and reception of ultrasound 88−10172
Scruby, C.B., Jones, K.R., Antoniazzi, L. Diffraction of elastic waves by defects in plates: calculated arrival strengths for point force and thermoelastic sources of ultrasound 87−73191
Scruby, C.B., Smith, R.L., Moss, B.C. Microstructural monitoring by laser-ultrasonic attenuation and forward scattering 87−16749
Scruby, C.B. *see* Moss, B.C. 88−61683
Scruton, B., Gibb, J., Chojnowski, B. Conventional power station boilers: assessment of limiting thermal conditions for furnace-wall tubes 85−43861
Scruton, G., Dawes, P. Application of programmable ultrasonic flaw detectors 86−57515
Scrutton, P. *see* Marks, N. 88−31504
Scsaurszki, P. *see* Frank, A. 85−23908
Scudder, G. *see* Patterson, R. 87−54482
Scudder, G.D. *see* Fox, G.E. 87−16507
Scudder, J.M. *see* Neumann, S.A. 86−51453
Scudder, J.M. *see* Slutsker, I.W. 87−57488
Scudder, L.P. *see* Reynolds, W.N. 87−365
Scudder, L.R. *see* Bifano, W.J. 86−6644
Scuderi, A.C., Giambalvo, L. Integration of manufacturability guidelines into a CAD system: a case study 87−37680
Scudiere, J. *see* Zeitlin, B. 86−53928
Scudiere, J.D. *see* Zeitlin, B.A. 87−38716
Scudiere, M.B., Willems, R.A., Gillies, G.T. Digital controller for a magnetic suspension system 87−2279
Scudiere, M.B. *see* Allison, S.W. 88−42605
Scudieri, F. *see* Vitali, G. 85−12070
Scuka, V. Performance deterioration of metal oxide varistors by current surges 86−14557
Scuka, V. Performance of metal oxide varistors in the submicrosecond time domain 86−56503
Scuka, V. EMI control in low-voltage power installations 88−2621
Scuka, V. On the interception of the lightning discharge 88−58824
Scuka, V., Lundquist, S., Ohlin, H.G., Persson, P.O. Consequences of EMC-requirements on the low voltage power distribution networks and installations 88−30856
Scuka, V. *see* Cooray, V. 86−54316
Scuka, V. *see* Hogberg, R. 86−26677, 86−56480
Scuka, V. *see* Liljestrand, L. 86−56479
Sculfort, J.L. *see* Etcheberry, A. 85−40560
Sculfort, J.L. *see* Guyomard, D. 87−58263
Scull, D.C. The advantages of a federal radionavigation plan 88−60318
Sculli, D. *see* Mong, K.T. 86−40569
Sculli, J. *see* Aronson, S. 88−61122
Scully, C. Linguistic units and units of speech production 88−2988
Scully, C., Allwood, E. Productive and perception of an articulatory continuum for fricatives of English 85−63015
Scully, C., Clark, G.C.F. Analysis of speech signal variation by articulatory synthesis 86−48848
Scully, J.K. Elements of an integrated support implementation system 86−4998
Scully, J.K. The role of built-in test under an integrated support concept 86−38231
Scully, J.K. CASE techniques in integrated TPS development 88−29262
Scully, M.O. Correlated spontaneous-emission lasers: quenching of quantum fluctuations in the relative phase angle 86−22438
Scully, M.O. *see* Becker, W. 86−36522, 87−26446
Scully, M.O. *see* Chow, W.W. 85−29877
Scully, M.O. *see* Fang Hong-lie 85−41417
Scully, M.O. *see* Gea-Banacloche, J. 85−2177, 85−56689, 86−29028, 88−2292
Scully, M.O. *see* Krause, J. 87−2048, 88−2323, 88−14064
Scully, M.O. *see* Lugiato, L.A. 87−68315
Scully, M.O. *see* Orszag, M. 87−75168
Scully, M.O. *see* Pedrotti, L.M. 85−35663
Scully-Power, P., Stevenson, R.E. New advances towards ocean, acoustics and space integration 85−59502
Sculpher, M.R. Advanced solder masks 86−35194
Scultety, L. Questions of automated design, manufacture and measurement 87−14075
Sculthorpe, B.R., Johnson, K.M. Vibration monitoring/diagnostic techniques, as applied to reactor coolant pumps 87−22089
Sculthorpe, B.R., Johnson, K.M. Vibration monitoring techniques on reactor coolant pumps 88−22861
Scuri, F. *see* Beverini, N. 87−41820, 88−68181, 88−68183
Scurlock, R.G. *see* Atkinson, M.C.M. 85−49756
Scurlock, R.G. *see* Boom, R.W. 85−64657
Scurlock, R.G. *see* Haseler, L.E. 85−53659
Scurlock, R.G. *see* Igra, R.M. 87−41503
Scurlock, R.G. *see* Rao, M.G. 85−47964, 87−70635
Scurr, D. Advanced silicon technology supports Mil Std 1553B products 87−32595
Scurr, D. Array techniques applied to MIL STD 1553B chip design 87−67586
Scurrah, N.H. Economisers not always the most economical heat recovery units 87−30369
Sczaniecki, L., Szczepaniak, E. Quantum theory of subharmonic lasers. Stability analysis 86−15599
Sczepan, G. Study into the control system dynamics of an ESR plant 88−18217
Sdaa, A.K. Development and structure of a DLL with a new decision tree approach for protocols 88−73628
Sdaa, A.K., Tarnay, K. Analysis of the alternating bit protocols 88−59383
Sdobnova, L.N. *see* Beloglazov, V.I. 88−64203
Sdouz, G. Standard problem calculations with BALO-2A 88−48737
Sdrulla, D. *see* Dunca, T. 86−28281
Sdrulla, D. *see* Georgescu, S. 86−28282, 87−6435
Sdunzig, W. The heat meter testing programme of the AGFW (District Heat Work Study Group) 87−30364
Sdunzig, W. What concepts do our European neighbours have for future electricity charge measuring apparatus? 88−36897
Se Kwon Young *see* Young Se Kwon
Se Lee Chul *see* Chul Se Lee
Se-Hyuk Kwon On the correction of the time error and supply of a total electrical power system 87−30011
Se-Hyuk Kwon Stability analysis methods for power systems 87−64079
Se-Kyung Lee *see* Moon-Hyun Chun 85−472
Se-Mo Chung *see* Dong Il Kim 88−6963
Se-Yun Kim, Jung-Woong Ra Diffraction by a dielectric wedge with the Neumann expansion of correction currents on interfaces 87−54511
Se-Yun Kim, Jung-Woong Ra, Sang-Yung Shin Diffraction by a dielectric wedge with distributed correction currents on the interfaces 86−68722

Sea-Way Jan, Si-Chen Lee Preparation and characterization of indium-tin-oxide deposited by direct thermal evaporation of metal indium and tin 88−6495
Seabaugh, A. Selective reactive ion etching of GaAs on AlGaAs using CCl_2F_2 and He 88−39217
Seabaugh, A.C. *see* Polak-Dingels, P. 87−45778
Seaborg, C. The D^2B−a digital data bus for small area networks 85−19842
Seabra-Gomes, R. *see* Especial, N.F.S. 88−10378
Seabury, C.W. *see* Brown, M.G. 85−56456, 86−48300
Seabury, C.W. *see* Deimel, P.P. 86−22255
Seabury, C.W. *see* Ota, Y. 87−33054, 88−3995
Seacat, R.H., III *see* Milster, T.D. 85−43354, 86−3942
Seacombe, R.J. DBS, SMATV and cable in technical harmony 86−4559
Seacombe, R.J. DBS, SMATV and cable in technical harmony 86−24131
Seagar, A.D. Full-wave computed tomography. IV. Low-frequency electric current CT 86−18280
Seagar, A.D., Barber, D.C., Brown, B.H. Electrical impedance imaging 87−35421
Seagar, A.D., Barber, D.C., Brown, B.H. Theoretical limits to sensitivity and resolution in impedance imaging 87−50309
Seagar, A.D., Brown, B.H. Limitations in hardware design in impedance imaging 87−50317
Seagar, A.D., Yeo, T.S., Bates, R.H.T. Full-wave computed tomography. II. Resolution limits 85−9162
Seagar, A.D. *see* Barber, D.C. 87−50312
Seagar, A.D. *see* Brown, B.H. 85−59283, 86−25190, 86−32243, 87−50318
Seagar, A.D. *see* Freeston, I.L. 85−43410
Seagar, A.D. *see* Mangnall, Y.F. 87−50322
Seagar, A.D. *see* Sinton, A.M. 88−61360
Seagard, J.L. *see* Bell, L.B. 88−68362
Seager, A.D. *see* Conway, J. 86−5902
Seager, A.D. *see* Eyuboglu, B.M. 87−50327
Seager, C.H. Grain boundaries in polycrystalline silicon 86−27848
Seager, C.H., Panitz, J.K.G., Pettit, R.G., Brice, D.K. The characterization of silicon damaged by low energy argon ion etching 87−66889
Seager, C.H., Schubert, W.K. Direct measurement of majority-carrier quasi-Fermi levels in Schottky barrier and metal-insulator-semiconductor diodes 88−13053
Seager, C.H., Schubert, W.K. Hole trapping in oxides grown by rapid thermal processing 88−64335
Seager, C.H. *see* Butler, M.A. 87−1321
Seager, C.H. *see* Pike, G.E. 86−21149
Seager, C.H. *see* Sharp, D.J. 85−50196
Seager, C.T. *see* Fahey, J.D. 85−47384
Seager, R.D. *see* Blakelock, P.A. 88−19418
Seagle, D. *see* Judge, J.S. 87−67754
Seagle, D.J., Artman, J.O., Charap, S.H. Low power microwave bubble generator 86−36067
Seagle, D.J., Fernelius, N.C., Khan, M.R. Influence of substrate texture on recording parameters for CoNiCr rigid disk media 87−67753
Seagle, D.J. *see* Khan, M.R. 88−33535
Seago, J.D. The key to the future [synchronous optical network] 88−67383
Seagondollar, L.W. *see* Gould, C.R. 87−3870
Seagondollar, L.W. *see* Haase, D.G. 85−59104
Seagrave, C. *see* Walton, D. 87−78489
Seagraves, J.A. Regulating utilities with efficiency incentives [electricity supply industry] 85−21094
Seagraves, M.A. *see* Hoeber, A.M. 86−13322
Seagren, A.A. *see* Andersen, B.A. 86−32894
Seah, E., Stinson, D.R. On the enumeration of one-factorizations of complete graphs containing prescribed automorphism groups 88−49703
Seah, E. *see* Stinson, D.R. 86−52347
Seah, M.P., Howie, F.H., Lea, C. Blowholing in PTH solder fillets. III. Moisture and the PCB 86−62920
Seah, M.P., Lea, C. Certainty of measurement using an automated infra-red laser inspection instrument for PCB solder joint integrity 85−55305
Seah, M.P., Owen, S. A simple device for measuring the flux distribution in scanned ion and neutral beams for sputter depth profiling of solid surfaces 87−63595
Seah, M.P. *see* Lea, C. 87−6233, 87−37689
Seah Sek-Wui *see* Sek-Wui Seah
Seajin Oh, Tiller, W.A., Soo Kap Hahn The effect of HCl on silicon point defect formation during thermal oxidation of (100) float zone silicon wafers: a theoretical analysis 87−18014
Seakins, M. *see* Clarke, P.E. 85−6850
Seakins, M.J. *see* Clarke, P.E. 86−28206
Seal, R. *see* Mevissen, J. 86−13958
Seal, W. *see* Pastori, W. 87−8736, 87−49912
Seal, W.D. *see* Lance, A.L. 85−58873, 88−10115
Seale, M. *see* Ritter, D. 87−69660
Seals, D. *see* Pungaliya, P. 85−8476
Seals, J., Crowgey, S.R., Sharpe, S.M. An electromagnetic-based non-contact vital signs monitor 88−10337
Seals, J. *see* McMillan, R.W. 87−983
Sealy, B. *see* Gwilliam, R. 85−45557
Sealy, B.J. 'Beam annealing' with semiconductor materials 86−1863
Sealy, B.J. Review of III-V semiconductor materials and devices 87−32251
Sealy, B.J. Rapid thermal annealing of ion-implanted GaAs 88−57310
Sealy, B.J. Ion implantation doping of semiconductors 88−57422
Sealy, B.J. Ion implantation doping of semiconductors 88−57441
Sealy, B.J., Barrett, N.J., Bensalem, R. The annealing mechanism of selenium implanted into GaAs 87−17914
Sealy, B.J., Bensalem, R., Patel, K.K. Transient annealing for the production of n^+ contact layers in GaAs 85−34790
Sealy, B.J., Shahid, M.A., Anjum, M., Gill, S.S., Marsh, J.H. The properties of annealed Se^+-implanted GaInAs 85−45531
Sealy, B.J. *see* Anjum, M. 85−18235
Sealy, B.J. *see* Barret, N.J. 85−50385
Sealy, B.J. *see* Barrett, N.J. 85−23439
Sealy, B.J. *see* Bensalem, R. 87−45601
Sealy, B.J. *see* Gill, S.S. 87−32397
Sealy, B.J. *see* Gwilliam, R. 88−32817
Sealy, B.J. *see* Heulin, B. 86−28203
Sealy, B.J. *see* Morris, N. 85−18214, 88−57317
Sealy, B.J. *see* Patel, K.K. 85−45530, 86−21378
Sealy, B.J. *see* Shahid, M.A. 85−18080, 85−34828, 85−61833
Sealy, B.J. *see* Wilkie, J.H. 87−17904, 88−13102
Sealy, P. *see* Rosenzweig, J. 87−70914
Seaman, J. Voice mail: is anybody listening? 85−13780
Seaman, J. Is IBM's IMS your Achilles' heel? [data communications, protocol convertor failure] 85−13889
Seaman, J. Teleports: the urban alternative [satellite ground stations] 85−14153
Seaman, J. Data-comm hardware. Leaving the analog era behind 85−30541
Seaman, J. Long distance for less [communications] 85−63384
Seaman, J.F., VanDevender, J.P., Johnson, D.L., Martin, T.H., Zawdzkas, G., Neau, E.L., Beezhold, W., Mikkelson, K., Downie, S., Green, D. SPEED, a 2.5 TW, low impedance pulsed power research facility 85−4182
Seaman, J.W., Jr., Young, D.M., Odell, P.L. Improving small-sample variance estimators for bounded random variables 88−43770
Seaman, R.L. *see* Napper, S.A. 87−57052
Seaman, W.A., Jr., Lewis, R.A. Free space laser communication terminals 86−29281
Seamans, D.A. *see* Schweitzer, E.O., III 85−38590
Seamans, J.F. *see* DeShazer, L.G. 87−46839
Seamans, J.F. *see* Kannari, F. 88−20534, 88−72266
Seamans, J.F. *see* Kimura, W.D. 86−68429, 87−12355, 87−26268, 87−33079, 88−2156, 88−44506
Seamen, J.F. *see* Adams, R.G. 85−23380
Seamen, J.F. *see* Humphreys, D.R. 87−17581
Seamen, J.F. *see* Neau, E.L. 87−21326
Seamen, J.F. *see* Turman, B.N. 85−5323, 85−27524
Seamer, C. *see* Dann, R.J. 87−49543
Seamone, W., Schmeisser, G. Evaluation of the SPL/JHU robot arm work station 87−21640
Seamons, J.L. Network traffic management in Telecom Australia 88−52728
Seamons, L.O. PBFA-II insulator stack design from an engineering viewpoint 87−21336
Seamons, L.O. *see* Cook, D.L. 87−43208
Seamons, L.O. *see* Hamil, R.A. 87−21333 to 21334
Sean, H., Mori, A. Development of copper-coated aluminum-shielded wire 85−55213
Seano, V. *see* Brosio, A. 85−8392, 85−20220
Seaquist, J.C. *see* Pinto, R.W. 85−7792
Sear, L. VLF converter 85−28673
Seara, J.L., Granda, A. Interpretation of I.P. Time domain/resistivity soundings for delineating sea-water intrusions in some coastal areas of the northeast of Spain 87−63967
Seara, R., Oksman, J. Using a commercial signal processor for fast real time deconvolution 87−2524
Searby, G. *see* Boyer, L. 87−19697
Searcy, G. Independence and privacy for the physically challenged 87−61787
Searcy, G. Introducing high tech magic! [speech technology system] 87−61812
Searcy, J.V. Computer room power requirements in the late 1980s 87−9681
Searcy, N. *see* Bailey, S.I. 88−62570
Searing, S. *see* Reader, C. 87−70527
Searl, M.F. Trends in the electricity and economic growth relationship 87−30078
Searl, M.F. *see* Starr, C. 86−6296
Searle, C.E. *see* Albano, A.M. 85−24427
Searle, C.W. Temperature dependence of the coercive field of $SmCo_5$ at high temperatures 85−29425
Searle, D.R., Kniskern, J.M., King, F.E. Advances in steam turbine-generator design and manufacture using computer technology 85−21463
Searle, D.R., Kniskern, J.M., Kotronis, L.P. Computer-integrated manufacturing system goes beyond CAD/CAM 85−39524
Searle, G.C.L. *see* Smith, A.C. 86−17520
Searle, J.R. *see* Devoe, L.D. 87−21519
Searle, R. *see* Somers, M. 85−15434
Searle, S.D., Levenston, A.G., Stace, G., White, H., Parker, S. Application of an optical correlator to industrial inspection 87−47010
Searle, S.D. *see* Davies, P.A.W. 88−30079
Searle, T. SASOL - The fuel for the future 85−4734
Searle, T.M., Hopkinson, M., Edmeades, M., Kalem, S., Austin, I.G., Gibson, R.A. Recombination in a-Si:H based materials: evidence for two slow radiative processes 88−1404
Searle, T.M. *see* Hopkinson, M. 86−27981
Searleman, J.E. *see* Conry, S.E. 86−43455
Searles, S. *see* Power, I. 88−3239
Sears, A.R. *see* Baliga, B.J. 85−6703, 85−50482
Sears, A.R. *see* Campbell, P.M. 85−50528, 85−50570
Sears, B.A. *see* Lee, L.C. 85−29154
Sears, D. *see* Wu, F. 85−14309
Sears, F.M., Miller, C.M. Design and characterization of polarization-maintaining fiber splices and connectors 88−39937
Sears, F.M., White, I.A., Kummer, R.B., Stone, F.T. Probability of modal noise in single-mode lightguide systems 86−48165
Sears, F.M., White, I.A., Kummer, R.B., Stone, F.T. Probability of modal noise in single-mode lightguide systems 86−63644
Sears, G.J. Hierarchical quadrilateral elements in field analysis 88−52032
Sears, J., Lewis, R., Daukas, C. Two-axis gimbal design developed for tactical aircraft and missile systems 85−37104
Sears, J.T. *see* Sahin, T. 87−59004
Sears, K.H. Fault/event decoder 85−11198
Sears, R.G. *see* Wright, T.P. 87−22617
Sears, W.M. Hole injection into single- and polycrystalline silicon electrodes 85−34687
Sears, W.M. Electrochemical photoconductive technique for measuring the distribution of traps in semi-insulating GaAs 86−47300
Sears, W.M., Moen, V.A., Miremadi, B.K., Frindt, R.F., Morrison, S.R. Positive ion emission from a platinum hot wire gas sensor 87−56653
Sears, W.M., Morrison, S.R. Design of platinum hot wire gas sensors 88−35954
Seashore, C. *see* Bauhahn, P. 85−1060, 85−17837
Seashore, C.R. Millimeter wave guidance applications: an overview 85−8463
Seashore, C.R. Get smart, munitions−move up to millimeter waves 85−8467
Seashore, C.R. Integrated circuit radar and radiometric sensors 86−37940
Seashore, C.R. Advanced millimetre wave sensors for dual band and dual mode operation 87−49583
Seashore, C.R. MIMIC for millimeter wave integrated circuit radars 88−19379
Seashore, C.R. Millimeter wave monolithic transceivers 88−25543
Seashore, C.R. *see* Brindley, A.E. 86−55371
Seashore, C.R. *see* Singh, D.R. 85−28685, 88−25524
Seastrand, K.L. *see* Bates, C.P. 88−3833
Seaton, C. Say it in writing [mobile printers for communications] 85−20060
Seaton, C.T., Stegeman, G.I., Hetherington, W.M., III, Winful, H.G. Nonlinear third order integrated optics 86−9972
Seaton, C.T., Stegeman, G.I., Winful, H.G. Intensity-dependent guided wave phenomena 87−12582
Seaton, C.T., Stegeman, G.I., Yao, S.S., Karaguleff, C., Fortenberry, R., Gabel, A., Banyai, W., Assanto, G. High-speed intensity-dependent refractive index in semiconductor-doped glasses 87−18573
Seaton, C.T., Valera, J.D., Shoemaker, R.L., Stegeman, G.I., Chilwell, J., Smith, S.D. Anomalous nonlinear guided wave cut-off phenomena 85−18649
Seaton, C.T., Valera, J.D., Stegeman, G.I. Integrated optics optical limiters 86−68325
Seaton, C.T., Valera, J.D., Svenson, B., Stegeman, G.I. Comparison of solutions for TM-polarized nonlinear guided waves 85−29932
Seaton, C.T., Xu Mai, Stegeman, G.I., Winful, H.G. Nonlinear guided wave applications 86−3303
Seaton, C.T. *see* Ariyasu, J. 86−68620
Seaton, C.T. *see* Assanto, G. 87−19039, 87−46967, 88−33731, 88−65342
Seaton, C.T. *see* Cullen, T.J. 87−25936
Seaton, C.T. *see* Finlayson, N. 87−53956, 88−45201, 88−65333
Seaton, C.T. *see* Fortenberry, R.M. 87−7073, 88−33730
Seaton, C.T. *see* Gubbels, M. 87−38776
Seaton, C.T. *see* Gubbels, M.A. 88−13918
Seaton, C.T. *see* Hickernell, F.S. 88−2006

Seaton, C.T. *see* Ironside, C.N. 86−42646, 87−12585, 88−33734, 88−58323
Seaton, C.T. *see* Karaguleff, C. 85−35851
Seaton, C.T. *see* Liao, C. 85−35533
Seaton, C.T. *see* Lifeng Li 88−51553
Seaton, C.T. *see* Moloney, J.V. 86−42623
Seaton, C.T. *see* Moshrefzadeh, R. 87−68028
Seaton, C.T. *see* Moshrezadeh, R. 87−60892
Seaton, C.T. *see* Stegeman, G.I. 85−46479, 86−22182, 86−22478, 86−48504, 86−68324, 86−68619, 87−33314, 88−2043, 88−2383, 88−52272, 88−58228, 88−72146
Seaton, C.T. *see* Thylen, L. 87−18674, 88−8280
Seaton, C.T. *see* Trillo, S. 87−18596
Seaton, C.T. *see* Valera, J.D. 85−18648, 86−36134, 86−42308, 88−7929
Seaton, C.T. *see* Wabnitz, S. 87−7435, 88−65877
Seaton, C.T. *see* Wright, E.M. 87−1936, 88−65289, 88−66155
Seaton, C.T. *see* Xu Mai 86−2843
Seaton, C.T. *see* Stegeman, G.I. 87−38775, 87−46991, 87−53953
Seaton, J. Automatic layout system for macro-block IC's 88−6623
Seaton, J. Expanding automatic serial-scan testability synthesis to built-in-test applications 88−57791
Seaton, J., Chu, L. Built-in testability helps to clear some stubborn IC bottlenecks 87−18195
Seaton, J. *see* Teig, S. 86−57748
Seaton, J.C., Salter, M.W. Problems in testing smart power devices 87−46146
Seaton, J.C., Salter, M.W. Problems in testing smart power devices 88−32006
Seats, P. Frit-sealed metal-glass CRTs with near-flat faceplates 85−18016
Seaver, R.R. *see* Kan, H.K.A. 86−35258
Seavey, M.H. Source and drain resistance determination for MOSFETs 85−12297
Seaward, K.L., Moll, N.J., Coulman, D.J. An analytical study of etch and etch-stop reactions for GaAs on AlGaAs in CCl_2F_2 plasma 87−60328
Seay, T.S., Blanco, M.A. A dynamic code division multiple access algorithm for time acquisition of FH-MFSK satellite communication systems 87−40831
Seazholtz, J.W., Albers, R.F. ISDN services−meeting customers' needs 88−3680
Seazholtz, J.W. *see* Barbera, S.J. 87−76106
Seba, D.B. The future is at least the day after tomorrow [videotex in hotels] 85−8106
Seba, P. *see* Exner, P. 88−57593
Sebacher, K.S., Lambert, S.G., Pautler, J.A., Carter, J.P. Laser crosslink configurations for RF satellite communications systems 86−30728
Sebak, A.A., Shafai, L. Transient response of a permeable spheroid in the field of a circular coil 85−13085
Sebak, A.A., Shafai, L., Ciric, I.R., Das, Y. Comparison of quasi-static and exact solutions in low frequency electromagnetic scattering problems 85−13105
Sebak, A.A. *see* Shafai, L. 85−13226, 86−29624
Sebak, S.S., Shafai, L. Transient response computation of spheroidal objects using impedance boundary conditions 85−13067
Sebakhy, O.A., El Singaby, M., El Arabawy, I.F. Zero placement and squaring problem: a state space approach 87−23814
Sebald, G., Lanki, B., Nossek, J.A. Advanced adaptive equalization of multilevel-QAM-digital radio systems 87−34378
Sebald, G., Lankl, B., Nossek, J.A. Advanced time- and frequency-domain adaptive equalization in multilevel QAM digital radio systems 87−48860
Sebald, G. *see* Grafinger, W. 86−17100
Sebald, G. *see* Lankl, B. 87−34368, 88−53149
Sebald, G. *see* Nist, A. 88−53136
Sebald, G. *see* Nossek, J.A. 85−57964
Sebald, N. Quality control of integrated circuits in the quality department 85−28071
Seban, R.A. *see* Khadem, M. 86−25824
Sebastia, A. *see* Cases, R. 87−29434
Sebastian, B. Predict transistor failure due to metal wearout 86−35712
Sebastian, J., Rico, M., Uceda, J., Aldana, F. Regulated self-oscillating resonant converters 88−75831
Sebastian, J., Uceda, J. The double converter: a fully regulated two-output DC-to-DC converter 86−7973
Sebastian, J., Uceda, J. Modeling of DC-to-DC converters with transformers: application to the study and design of two-output switched-mode power supplies 86−58026
Sebastian, J., Uceda, J. An approach to modelling double converters 87−22565
Sebastian, J., Uceda, J. A single transistor double DC/DC convertors. II 87−52354
Sebastian, J., Uceda, J. The double converter: a fully regulated two-output DC-DC converter 88−5770
Sebastian, J., Uceda, J., Rico, M. The double forward-flyback converter 88−70550
Sebastian, J., Uceda, J., Rico, M., Perez, M.A., Aldana, F. A complete study of the double forward-flyback converter 88−70526
Sebastian, J., Ucheda, J., Aldana, F. New topologies of fully regulated two-output DC-to-DC converters with small frequency variation range 87−16880
Sebastian, J. *see* Rico, M. 87−73304
Sebastian, J. *see* Uceda, J. 86−4740, 87−15911
Sebastian, L., Lehner, N., Bieringer, F., Arden, W. Submicron optical lithography with high resolution i-line lens 88−19884
Sebastian, R., Alvarado, A., Martinez, P.M. A CCD vision system interfacing with a personal computer 88−16192
Sebastian, R., Ruiz Fdez, R. Software facilities in a hardly conditioned procedure of irradiation measurement in solar central receiver power plants 88−5616
Sebastian, R. *see* Martinez, S. 88−69541
Sebastian, T., Dewan, S.B. Comparison of dual converter based power supply systems 88−30914
Sebastian, T., Slemon, G. Transient torque and short circuit capabilities of variable speed permanent magnet motors 88−62663
Sebastian, T., Slemon, G.R. Operating limits of inverter-driven permanent magnet motor drives 87−42845
Sebastian, T., Slemon, G.R. Operating limits of inverter-driven permanent magnet motor drives 87−51504
Sebastian, T., Slemon, G.R. Transient modelling and performance of variable speed permanent magnet motors 88−23933
Sebastian, T., Slemon, G.R., Rahman, M.A. Design considerations for variable speed permanent magnet motors 87−22304
Sebastian, T., Slemon, G.R., Rahman, M.A. Modelling of permanent magnet synchronous motors 87−30520
Sebastian Franco, J.L. Wide band microwave reflection amplifier 86−53026
Sebastian Zuniga, J., Aparicio Marzo, J.L. Power circuits for DC/DC converters using transistors. II 86−20277
Sebastian Zuniga, J., Rico Secades, M. Resonant DC-to-DC power converters. I. Single transistor circuits 88−5779
Sebastien, M. A large network which functions: RETIF 85−13904
Sebastien, M. Telecommunications at the Credit Agricole 85−51879
Sebastien, M. Telecommunications: towards numerical integrated systems 87−13246
Sebata, M. *see* Okamoto, I. 87−79092
Sebbaah, M.Abu *see* Abu Sebbaah, M.
Sebbar, M. *see* Ammor, L. 86−41521
Sebbar, M. *see* Martinuzzi, S. 86−45712
Sebbar, M.A. *see* Martinuzzi, S. 86−1982
Sebek, G., Aveneau, A., Dupuis, R. BMX 264: scrambler and multiplexer of N×64 kbit/s circuits 88−46792
Sebekin, A.P., Fominykh, V.I. Metrological certification of dosimeters type 27012 in units of absorbed X-ray dose 86−38847
Sebekin, A.P. *see* Fominykh, V.I. 88−5025
Sebelik, C. *see* Tomcik, J. 88−68945
Sebenik, A., Osredkar, U. Conducting polymers 88−56328
Sebenne, C. Electronic properties and local atomic arrangement at semiconductor interfaces 85−6750
Sebenne, C.A. *see* Maigne, P. 86−21256
Seberry, J. A new construction for Williamson-type matrices 86−62035
Sebes, F. *see* Bertrand, O. 86−38743
Sebesta, J.J., Stenby, E.W., Gaglia, B.N., Johnson, L.W. The dollars and sense of modular fossil plants 87−64383
Sebesta, J.J. *see* Reisdorf, J.B. 86−61348
Sebesta, V. The optimization of mass production yield by the method of statistical derivatives 87−114
Sebesta, V., Biolek, D., Pustina, V. Linear distortion of a storage sampler with an additional charging 87−70497
Sebesta, V. *see* Biolek, D. 86−50026
Sebestova, M. Some problems in using electronic components 86−26638
Sebestyen, G.S., O'Neil, J.C. 'Crisis communications: the promise of low cost satellites' 88−22029
Sebestyen, I. Electrical network modelling of DC machines and their regulating devices 85−60208
Sebestyen, I. Design of two-phase turbines and geothermal electric power-plants in Hungary 86−19135
Sebestyen, I. ISDN plans in thirty countries 86−64471
Sebestyen, I. The use of the magazine-method in interactive videotex through intelligent videotex decoders 86−64616
Sebestyen, I. Public teleconference services: an international review 87−48325
Sebestyen, I. Power generation by means of axial-flow two-phase turbines. III 87−64979
Sebestyen, I. Public text and data services in the FRG 87−69465
Sebestyen, I. National and international public teleconference services−a status report 88−15216
Sebestyen, I. The use of the magazine method in interactive videotex through intelligent videotex decoders 88−28324
Sebestyen, I. *see* Jaburek, W. 85−25460
Sebestyen, L. Advantages and possibilities of the realization of regulated illumination at working sites 88−24261
Sebille, A., Fontanges, P., Legagneux, J., Mira, J.C., Pecot-Dechavassine, M. Portable stimulator for direct electrical stimulation of denervated muscles in laboratory animals 88−68326
Sebille, D., Bondoc, J., Bhandari, N., Polhemus, G., Hingarh, H. A 400 MHz 8-bit bipolar video DAC 86−67286
Sebko, V.P. Calculating errors in through-type eddy-current convertor for two-parameter measurements 85−64118
Sebko, V.P. Errors in measuring the resistivity of cylindrical testpieces 86−57499
Sebko, V.P. Differential device for measuring electrical conductivity 88−4373
Sebko, V.P., Panteleev, M.S., Nesterenko, V.I. Errors of measurement of radius and electrical conductivity of cylindrical products 86−531
Sebko, V.P. *see* Avramenko, A.A. 85−49623
Sebko, V.P. *see* Bondarenko, V.I. 85−48073, 85−49624
Sebko, V.P. *see* Golotsvan, S.B. 88−74350
Sebko, V.P. *see* Gorkunov, B.M. 86−57500
Sebko, V.P. *see* Romanov, S.S. 87−49684
Sebo, A. *see* Gerards, A.M.H. 87−72941
Sebo, D.E., Bray, M.A., King, M.A. An expert system for USNRC emergency response 87−42625
Sebo, D.E., Dixon, B.W., Bray, M.A. A Reactor Safety Assessment System (RSAS) 88−48693
Sebo, D.E. *see* Bray, M.A. 86−45142
Sebo, S.A., DeVore, R.V., Caldecott, R., He, J. Design and RF operation of scale model of Dickinson ±400 kV HVDC converter station 86−33550
Sebo, S.A. *see* DeVore, R.V. 86−19361
Sebo, S.A. *see* Gela, G. 87−23040
Sebo, S.A. *see* Gooi, H.B. 85−43581
Sebo, S.A. *see* Guven, A.N. 87−30202
Sebo, S.A. *see* Soysal, A.O. 88−23873
Sebo, S.A. *see* Yan, Z. 87−30227
Sebrant, A.Yu *see* Anisimov, V.N. 87−74701
Sebring, D.L., Perdzock, J.M., Young, J.T. Application of multifunction strapdown inertial system 85−4419
Sebulke, J., Feil, F. Optoelectronic defect recognition system for automatic surface crack detection in magnetic particle and penetrant inspection, used in industry 87−23785
Secades, M.Rico *see* Rico Secades, M.
Secan, J.A. *see* Fremouw, E.J. 85−62778
Secareanu, I. *see* Spanulescu, I. 87−6379
Secca, M.F. *see* Richards, M.G. 88−33910
Secco d'Aragona, F., Fejes, P.L. Oxygen precipitation in antimony-doped silicon wafers 86−35284
Secco d'Aragona, F., Rose, J.W., Fejes, P.L. Out-diffusion, defects and gettering behaviour of epitaxial n/n^+ and p/p^+ wafers used for CMOS technology 86−21863
Secco d'Aragono, F. *see* Fejes, P.L. 86−21864
Secerov, B.Lj. *see* Radak, B.B. 87−71013
Sechen, C. Average interconnection length estimation for random and optimized placements 88−26434
Sechen, C. Chip-planning, placement, and global routing of macro/custom cell integrated circuits using simulated annealing 88−64717
Sechen, C., Braun, D., Sangiovanni-Vincentelli, A. ThunderBird: a complete standard cell layout package 88−50931
Sechen, C., Lee, K.-W. An improved simulated annealing algorithm for row-based placement 88−24914
Sechen, C., Sangiovanni-Vincentelli, A. The TimberWolf placement and routing package 85−45760
Sechen, C., Sangiovanni-Vincentelli, A. TimberWolf3.2: a new standard cell placement and global routing package 87−5610
Sechen, C. *see* Braun, D. 87−685
Sechen, C. *see* Burns, J. 88−31944
Sechen, C. *see* Romeo, F. 85−33600
Sechi, F. *see* Dornan, B. 86−8515
Sechi, F. *see* Lan, G. 87−6093
Sechi, F.N. Miniature ceramic circuits−new technology for microwave systems 86−47090
Sechi, F.N., Johnson, H.C., Denlinger, E.J., Brown, R. New miniature beryllia circuit technology 85−61458
Sechi, G. *see* Annunziata, M. 88−695, 88−74261
Sechi, G.R. *see* Annunziata, M. 85−41960, 87−3512, 87−19974
Sechi, G.R. *see* Rodda, L. 85−54604
Sechin, V.I. *see* Gofyzen, O.V. 86−11246
Sechko, O.A. *see* Verbitskii, V.F. 88−67943
Sechrest, S. *see* Cabrera, L.F. 86−64787
Sechrist, K.D. *see* Broome, R.D. 87−78291
Sechtin, M.B. *see* Novak, L.M. 88−4094
Secilla, J.P., Garcia, N., Carrascosa, J.I. Locating templates in noisy environments 88−3229
Secilla, J.P., Garcia, N., Carrascosa, J.L. Template location in noisy pictures 88−52588

Seck, D.W. A case study of an in-line automatic optical inspection system for substrate manufacturing 88–24599
Seck, G. *S*-band mode coupler feed [antennas] 88–2901
Seck, G., Briscoe, H. Dichroic subreflector allows one antenna to function as two 85–3416
Seck, G., Briscoe, H. Subreflector developed for simultaneous S and X-band from a single antenna 85–62930
Seck, G.A. S-band mode coupler design for antenna feeds 87–75648
Seck, R. Experiments for determining the distinction of phonetic perception of plosive sounds in the VCV-context 86–69012
Seck, R., Ruske, G. Structure of German syllable initial and final consonant clusters based on articulatory features 87–19435
Seckendorf, W., Schornack, W. Operating characteristics and repair methodology of circuit networks. II. [TV] 85–42731
Seckendorf, W., Schornack, W. Improved switching control circuits for the 4000 series colour TV set 85–58323
Secker, A. *see* Harley, R.G. 86–39669
Secker, P.A., Castro, S.G., Mancilla, H.O., Perez, J.L. Implicit solution of the conservation equations in power plant components for real-time simulation 85–27309
Secker, P.A., Webb, J.R. A novel feedwater system for the RETRAN model of the Palo Verde nuclear generating station 88–75352
Secker, P.A., Jr. *see* Girijashankar, P.V. 88–75346
Secker, P.E., Chubb, J.N. Instrumentation for electrostatic measurements 85–19099
Secker, P.E., Till, J.R., Green, J.T., Griffiths, S.O. Factors affecting the design of a fast-fire glost kiln 86–66497
Seckmeyer, G. *see* Hausler, G. 87–27563 to 27565
Secor, J. *see* Hall, E. 87–56405
Secord, N., de Buda, R. The performance of microprocessor decoding a lattice code in eight dimensions 87–27206
Secord, N., de Buda, R. A microprocessor based decoding scheme for an 8-dimensional lattice code 88–45958
Secord, N., Wong, K.M. Median filtering of AMBTC images for improved image compression 87–27628
Secoue, M. *see* Guivarc'h, A. 87–74103, 88–38131
Secrest, B.G. *see* Picone, J. 87–61747
Secrest, J. CIM trends 87–46100
Secrest, J. *see* Sabo, N. 86–1924
Secrest, S.R. *see* Hassler, S.P. 85–21211
Secrest, S.R. *see* Reid, W.E. 85–21212
Secula, L. OSI standards bolster data communications 88–21649
Sedakov, A.Ye. *see* Kapilevich, B.Yu. 87–59693
Sedakov, S.V. *see* Salokhin, V.F. 86–60128
Seddiki, O. *see* Hirlimann, C. 86–68586
Sedding, H.G., Hogg, W.K. The initiation mechanisms of slot and end-winding discharges in HV high power electrical machines 88–69305
Sedding, H.G., Stone, G.C., Braun, J.M., Hogg, W.K. The relationship between partial discharge activity and hydrogen diffusion in epoxy resin and epoxy/mica composites 88–69306
Seddon, A.B., Parker, J.M. Fluoride fibres for ultra-low-loss communication 87–60940
Seddon, A.E. *see* Willetts, T.A. 87–79118
Seddon, A.M., Hunt, G.E. Segmentation of clouds using cluster analysis 85–53178
Seddon, N., Dickinson, P.H. Rail-gap switches triggered by semiconductor edge discharges 87–52954
Seddon, N. *see* Baker, H.J. 85–35672, 85–35688, 86–3068, 86–29201, 88–72272
Seddon, R.I. *see* Kaufman, H.R. 87–77513
Seddon, T.R., Taylor, K. The impact of new technology on the security of the domestic electricity meter 87–49833
Sedeek, K. Determination of density of states in amorphous GaAs using space-charge-limited current and resistivity measurements 86–21144
Sedeek, K. *see* Najar, S. 86–27953
Sedehi, S.F. *see* Bogart, S.L. 88–61743
Sedel'nikov, E.S., Troshkin, Yu.N., Sushchev, V.I., Murlygin, B.N., Temes, A.A., Kachanov, N.I., Zharikov, A.A. The CDVR-4 apparatus 86–38929
Sedel'nikova, I.M. *see* Nikulin, S.M. 87–45267
Sedel'nikova, Z.V. *see* Vasil'ev, E.N. 86–16015, 87–26738
Sedenquist, F.W., Russell, R.F. Target imaging with stepped frequency polarimetric radar 88–9659
Sedenquist, F.W. *see* Russell, R.F. 85–20252, 88–15548
Sederholm, M., Riha, M., Erhardt, L.R. Continuous vectorcardiography in acute myocardial infarction (AMI) 87–21586
Sedgbeer, J. *see* Amendolia, S.R. 85–37901, 85–43179
Sedgbeer, J. *see* Benetta, M. 85–43239
Sedgebeer, J. *see* Amendolia, S.R. 87–21426
Sedgwick, H.A. Layout 2: A production system modeling visual perspective information 87–62380
Sedgwick, K. Aspects of product liability of relevance to the contract research and development business 87–36423
Sedgwick, K. Managing investment in development projects 88–24503
Sedgwick, N.C. *see* Holmes, J.N. 87–19504
Sedgwick, N.H. The 3.5 MHz dipole–practical aspects 86–48682
Sedgwick, T. Rapid thermal processing and the quest for ultra shallow boron junctions 87–25096
Sedgwick, T. *see* Clayton, S. 88–57418
Sedgwick, T.O. Scanned microzone recrystallization to form single crystal silicon on amorphous insulators–a review 86–34294
Sedgwick, T.O. Rapid thermal processing: how well is it doing and where is it going? 88–44619
Sedgwick, T.O., Cohen, S.A., Oehrlein, G.S., Deline, V.R., Kalish, R., Shatas, S. Enhanced diffusion in short time annealed arsenic and boron ion implanted silicon 85–23667
Sedgwick, T.O., d'Heurle, F.M., Cohen, S.A. Short time annealing of coevaporated tungsten silicide films 85–12222
Sedgwick, T.O., Kalish, R., Mader, S.R., Shatas, S.C. Short time annealing of As and B ion implanted Si using tungsten-halogen lamps 85–12105
Sedgwick, T.O., Michel, A.E., Cohen, S.A., Deline, V.R., Oehrlein, G.S. Investigation of transient diffusion effects in rapid thermally processed ion implanted arsenic in silicon 86–8974
Sedgwick, T.O. *see* Cohen, S.A. 85–12108
Sedgwick, T.O. *see* Ghez, R. 85–6809
Sedgwick, T.O. *see* Oehrlein, G.S. 85–40610
Sedgwick, T.O. *see* Ransom, C.M. 87–6570
Sedgwick, T.O., Seidel, T.E., Tsaur, B.-Y. *(editor)* Rapid Thermal Processing 87–5148
Sedig, K.G. *see* Wallmark, J.T. 87–23252
Sedigh, K., Meyer, J., Leighton, B., Feeney, D. DMOS FET produces 100 W at 400 MHz 86–35713
Sedigh, Z. *see* Leighton, W. 88–50382
Sedillot, S. Architecture models for automated control systems 86–10811
Sedillot, S. The real-time issues in distributed computing systems 88–28450
Sedillot, S. *see* Jacquet, P. 87–55794, 87–76370
Sedillot, S. *see* Le Lann, G. 86–49307
Sedillot, S. *see* Minet, P. 88–15143
S'edin, V.G. *see* Terent'ev, V.V. 88–44826
Sedina, M. *see* Hruby, J. 88–37017
Sedinin, V.I. *see* Fal'ko, A.I. 86–49457
Sedivy, J. A/D convertor controlled by microprocessor 86–46918
Sedivy, J. A DPCM vector quantizer for speech transmission 87–2409
Sedivy, J. *see* Danihelka, K. 88–59007
Sedivy, J.K. Solid state switch for starting single phase induction motors 88–69386
Sedivy, M. A low-frequency storage voltmeter 88–4544
Sedkhan, S.B. *see* Sada, J.W.A. 88–3078
Sedlacek, J. The approximate formula for the determination of frequency of trapped energy resonator 85–50814
Sedlacek, J. *see* Hajek, K. 87–32001, 87–59131
Sedlacek, J.H. *see* Williams, D.F. 87–24447
Sedlacek, J.H.C. *see* Black, J.G. 87–1444, 87–38399, 88–33335
Sedlacek, J.H.C. *see* Busta, H.H. 87–6856
Sedlacek, J.H.C. *see* Dolat, V.S. 88–51139, 88–71871
Sedlacek, J.H.C. *see* Ehrlich, D.J. 87–37546
Sedlacek, J.H.C. *see* Rothschild, M. 87–25154, 87–38398, 88–13139, 88–26705
Sedlacek, J.H.C. *see* Silversmith, D.J. 85–50783
Sedlacek, M. Linearisation of the scanning motion of a piezoelectrically driven Fabry-Perot interferometer 85–3934
Sedlacek, M. Error detection of probability analyzers 87–35020
Sedlacek, M. *see* Ekstrom, C. 88–60999
Sedlacek, M. *see* Vacek, K. 87–42266
Sedlacek, U. *see* Gerber, J. 87–75262
Sedlackova, K., Novotny, V. Methods of calculation of flashover and withstand voltages 86–68052
Sedlak, B. *see* Cizek, P. 87–70385
Sedlak, C. *see* Bollen, W.M. 85–50158
Sedlak, H., Golze, U. An RSA cryptography processor 87–2449
Sedlak, J. *see* Kuzmiak, M. 88–74689
Sedlak, S. Three channel cochlear neuroprosthesis for the deaf 87–4039
Sedlakova, L. *see* Mikula, P. 86–5708
Sedlar, M.F., Griffith, J.A. IRDIS: a digital scene storage and processing system for hardware-in-the-loop missile testing 88–75020
Sedletskii, Yu.V. *see* Lukomskii, V.P. 88–33521
Sedletskiy, G.L. An algorithm for digital frequency synthesizer control based on the addition of pulse sequences 86–27121
Sedletskiy, G.L. Converters of a code sum/difference to a frequency 86–36915
Sedletskiy, G.L. Adaptive algorithms for correcting the time position of pulses of quasiperiodic sequences 86–40959
Sedletskiy, R.M. Synthesis of short-base signals that are stable to a Doppler frequency shift in matched processing 88–3035
Sedletskiy, R.M. Synthesis of complex frequency-modulated signals by an improved stationary-phase method 88–27960
Sedletskiy, R.M. Compensation of the Fresnel spectral ripples 88–72953
Sedletskiy, V.B. *see* Gvozdev, V.I. 88–25447
Sedlik, B. A new method for assessing cogeneration potential: Northeast Utilities' case study 85–4906
Sedlmeier, W. *see* Tangney, S. 87–58638
Sedlmeir, J. *see* Holl, P. 87–63655
Sedlock, A.J. Mid-continent Loran-C expansion 87–41120
Sedlock, A.J. Mid-continent LORAN-C expansion 88–28994
Sedlov, A.S. *see* Abramov, A.I. 85–43866
Sedman, C.B. *see* Ando, J. 87–51033
Sednev, A.M. *see* Gerasimenko, A.A. 87–35571
Sednev, M.V. *see* Alekseev, A.G. 86–53386
Sedneva, R.A. *see* Osipovich, L.A. 88–53658
Sedney, M.I., Rodrigo, F.A., van Deen, J., Buis, B. New measurements at lead implantation 86–38800
Sedney, M.I., van Deen, J.K., Buis, B. Sensing resistance of pacemaker electrodes 86–38831
Sedney, M.I. *see* van Deen, J.K. 86–38830
Sedobinetsev, A.A. *see* Aminov, R.Z. 86–39309
Sedov, B.M. *see* Alekseev, V.P. 87–7460
Sedov, B.M. *see* Eshmemet'eva, E.V. 85–41367
Sedov, B.M. *see* Guba, B.S. 85–35839
Sedov, B.M. *see* Mesnyankin, E.P. 86–29120
Sedov, V.I., Shcherbakov, V.G. Computer-aided design system for electric-locomotive motors 87–58401
Sedov, V.I. *see* Tsirelson, D.A. 85–8248
Sedov, V.M. *see* Afanas'ev, A.A. 87–71830
Sedov, V.M. *see* Iskhakov, K.F. 87–44509, 88–46843
Sedow, A. *see* Schmerr, L.W., Jr. 86–52577
Sedra, A.S., Datar, R.B., Chomik, M.W. High-frequency switched-capacitor filters: performance limitations and design considerations 85–17660
Sedra, A.S., Snelgrove, W.M., Allen, R. Complex analog bandpass filters designed by linearly shifting real low-pass prototypes 86–62670
Sedra, A.S. *see* Eaton, G.V. 87–37460, 87–66346
Sedra, A.S. *see* Johns, D.A. 87–73517
Sedra, A.S. *see* Liu, Q. 86–67345
Sedra, A.S. *see* Nairn, D.G. 86–67332, 88–63784
Sedra, A.S. *see* Nowicki, E.P. 88–38376
Sedra, A.S. *see* Przybyliski, A.E.M. 85–17647
Sedra, A.S. *see* Roberts, G.W. 86–46974, 86–57958, 86–67336, 87–37447, 87–66354
Sedra, A.S. *see* Sandler, H.M. 86–52938, 87–17222, 87–45058
Sedra, A.S. *see* Snelgrove, W.M. 86–46970
Sedrak, M.F. *see* Mobarak, A. 86–44250
Sedrick, A.V. Soldering mixed PCBs in a single pass 87–6248
Sedrick, A.V. How to solder two sides in one pass [for SMT] 87–37696
Sedrick, A.V. *see* Comerford, M.F. 87–10152, 87–11237
Sedrick, A.V. *see* O'Rourke, H.T. 88–12806
Sedukhin, A.G. Use of a scanning method of recording for producing the code masks of photoelectric angular-displacement converters 85–46274
Sedukhin, A.G. Analysis of the errors in fabricating circular scales by a scanning method 87–68675
Sedukhin, S.G. Computational structures of algorithms for finding paths in a graph [circuit layout CAD] 86–34452
Sedunov, E.V. Numeric method for the construction of optimum singular plans of regression experiments 86–57367
Sedunov, E.V., Sidorenko, N.G. Optimization of measurements on functionals of Hilbert space 88–29196
Sedunov, M.G. *see* Eliseenko, A.V. 88–29239
Sedunov, M.G. *see* Vernigorov, N.S. 87–39871
Sedyakin, V.F., Goch, V.P. Utilization of general-purpose industrial cables to transmit high-frequency electrical energy 86–44980
Sedyakin, V.P. Digital filter design by home-produced microcalculators 86–35018
Sedyakin, V.P. Ultimate performance of incoherent integration in a telescopic aperture-synthesis radar 88–74000
Sedyakin, V.P., Katsari, K.K., Linnik, V.N. The bias of an estimate of the correlation function for certain random signals 88–8650
Sedyakin, V.P., Linnik, V.N. The bias of a correlation-function estimate from sampled measurements of random signals 85–7787
Sedykh, A.V. *see* Redkokasha, A.A. 85–55083
Sedykh, D.A. *see* Klevitskii, B.G. 88–45130
Sedykhin, A.G. *see* Koronkevich, V.P. 85–56860
Sedyshev, A.V. *see* Gulyamov, A.G. 87–22784
See, C.W. *see* Crean, G.M. 88–57459
See, D.N. *see* McCormack, L.B. 87–77775

See, F.C. Controlling etch profiles: the effect of controlling ion transport 87−11667
See, M. *see* Freedman, D.R. 86−48904
See, M.E. *see* Grune, G.L. 85−29579
See, P.J. *see* Rous, R.F. 85−46984
See Yee-Chaung *see* Yee-Chaung See
See-Aun Soon *see* Alkire, R. 85−60382
Seebach, H.M.von *see* von Seebach, H.M.
Seebach, M.von *see* von Seebach, M.
Seebach, R.W. Industrial market research: is it worth the price? 87−51907
Seebald, R.C., Buch, J.F., Ward, D.J. Flicker limitations of electric utilities [lamp voltage flicker] 86−6875
Seebaugh, W.R., Bradley, C.A., Parl, F.F. An automated device for aseptically aspirating serum from blood collection tubes 86−65398
Seeber, B., Glaetzle, W., Cattani, D., Baillif, R., Fischer, O. Thermally induced pre-stress and critical current density of $PbMo_6S_8$ wires 87−67834
Seeber, B. *see* Cattani, D. 86−47983
Seeber, G. Power conduits for high-head plants. I 85−65168
Seeber, G. Power conduits for high-head plants. II 85−65169
Seeber, G. Point positioning in marine geodesy (1979-83) 86−4768
Seeber, G., Schuchardt, A., Wubbena, G. Precise GPS-aided marine positioning developments and results 88−10590
Seeber, G., Wubbena, G., Augath, W. Layout of local 3D nets with GPS-TI4100 receivers 87−21775
Seeber, H. *see* Kolbe, E. 85−5521
Seeber, R.J. The determination of point-rain rate distribution using rain attenuation prediction in Southern Africa 85−41615
Seeber, R.J. The prediction of Earth-space rain-attenuation distribution in the USA, using a Southern African rain-rate model 85−41616
Seeber, R.J. A model for the determination of the point rainfall intensity distribution for the prediction of microwave rain attenuation in southern Africa 86−10105
Seeber, R.J. A method for the prediction of Earth-space rain-attenuation distribution in the USA using a southern African rain-rate model 86−10106
Seeber, S.A. Infrared testing: the least cost approach to effective electrical maintenance 86−71025
Seeber, S.A. Infrared testing: the least cost approach to effective electrical maintenance 87−10128
Seeber, S.A. *see* Madding, R.P. 85−53558
Seeber, W. *see* Heumann, E. 88−33970
Seeberg-Elverfeldt, H.G. Are soldering and crimping superfluous? [post binder contacts] 85−23180
Seeberger, R. Capacitance and dissipation factor measurements 86−28561
Seeberger, R. *see* Nessler, N. 87−2836
Seeberger, R.E. *see* Weber, H.J. 87−22455
Seebrunner, H.J. *see* Bailey, R. 85−15164
Seebrunner, H.J. *see* Kotz, U. 85−48168
Seed, A. Strengthening the weakest link 85−22283
Seed, A. *see* Piper, S.E. 85−30477
Seed, G. *see* Broadley, D. 86−65864
Seed, H. *see* Murgatroyd, R.A. 85−54566
Seed, J.J. Developments in distribution switchgear. Do we still have a philosophy? 86−70655
Seed, J.J. *see* Frewin, K. 88−24015
Seed, N.L., Houghton, A.D. Background updating for real-time image processing at TV rates 88−66675
Seed, T.J. *see* Bogart, S.L. 88−61743
Seedher, H.R., Arora, J.K., Thapar, B. Finite expressions for computation of potential in two layer soil 88−23550
Seedorf, R., Eichler, H.J., Koch, H. Detector for the VUV to the IR using sodium salicylate as a combined fluorescent and reflective coating 85−47972
Seedorf, R., Eichler, H.J., Koch, H. Broad band detector using sodium salicylate as a combined fluorescent and reflective coating 87−3613
Seedorf, R. *see* Eichler, H.J. 85−18835
Seeds, A.J., Blanchflower, I.D. Optical control of phased array elements 88−34505
Seeds, A.J., Blanchflower, I.D., Gomes, N.J., King, G., Flynn, S.J. New developments in optical control techniques for phased array radar 88−74034
Seeds, A.J., Esdale, D.J., Gomes, N.J., Lenoir, B., Wight, D.R. Opto-electronic mixers 86−27164
Seeds, A.J., Esdale, D.J., Gomes, N.J., Wight, D.R. Optically pumped tunnelling millimetre-wave mixer 86−62842
Seeds, A.J., Forrest, J.R. Comments on 'Optical injection locking of BARITT oscillators' 85−40239
Seeds, A.J., Gomes, N.J. Avalanche diode harmonic opto-electronic down-converter 86−62796
Seeds, A.J., Lenoir, B. Avalanche diode harmonic optoelectronic mixer 87−18842
Seeds, A.J., Singleton, J.F., Brunt, S.P., Forrest, J.R. The optical control of IMPATT oscillators 87−45257
Seeds, A.J. *see* Carvalho, M.C. 88−40205
Seeds, A.J. *see* Gomes, N.J. 87−73679
Seeds, A.J. *see* Singleton, J.F. 86−27638, 87−17348
Seefeldt, K.-F. *see* Huschauer, H. 85−4867
Seefried, E. *see* Bergner, H. 86−19543
Seefried, E. *see* Winkler, W. 86−19366
Seegebrecht, P. *see* Axer, K. 85−61284
Seeger, A. *see* Correa, R. 85−39646
Seeger, A. *see* Hautecler, S. 85−64515
Seeger, D.E., Rosenfield, M.G. Clearing resist from alignment mark areas using an excimer laser 88−39324
Seeger, H. *see* Schlag, R. 86−49385
Seeger, J., Khanna, A. Reducing routing overhead in a growing DDN [Defense Data Network] 87−40045
Seeger, J.A. Microwave theory, components, and devices 87−5178
Seeger, K. *see* Mayr, W. 86−31612
Seeger, K. *see* Schlosser, V. 86−13082
Seeger, M.J. A bridge in time [PCB photolab] 87−37733
Seeger, P. *see* Cavalar, K.-O. 86−34413
Seeger, P.A. A fast parallel encoding scheme for the Anger camera 85−15209
Seeger, P.A., Nutter, M.J. Status of the Los Alamos Anger camera 86−56069
Seeger, P.A., Taylor, A.D., Brugger, R.M. Double-difference method to improve the resolution of an eV neutron spectrometer 86−5844
Seeger, R.O. *see* Chan, Y.H. 85−559
Seeger, W. *see* Steeb, H. 85−65440
Seegers, G. Switching R/C channels 85−34104
Seegmiller, D. The development of a high-resolution digital converter 85−14728
Seegmiller, H.L., Bader, J.B., Cooney, J.P., DeYoung, A., Donaldson, R.W., Jr., Gunter, W.D., Jr., Harrison, D.R. Laser Doppler velocimeter development 86−56227
Seegmiller, L.H., Bader, J.B., Cooney, J.P., DeYoung, A., Donaldson, R.W., Jr., Gunter, W.D., Jr., Harrison, D.R. Development of a new laser Doppler velocimeter for the Ames high Reynolds channel no.11 86−32437
Seehafer, H.J. *see* Schubert, F. 85−4843
Seehase, H. Plasma display panel MgO thin film properties and their modification by low energy ion bombardment 85−26407
Seehausen, G. 24-GHz-FM-CW-radar for detection of information for traffic purposes 85−20269
Seehausen, G. Pattern synthesis of spherical arrays 86−68859
Seehausen, G. Pattern synthesis of spherical arrays using directive dual polarised elements 87−7627
Seehausen, G. Pattern synthesis of spherical arrays of directive elements 87−20609
Seehausen, G., Kahlert, J., Mulombe, N. Digital word generator for gigabit/s data rates 87−17201
Seehausen, G. *see* Mulombe, N. 87−52449
Seehra, S. *see* Brucker, G. 86−35888
Seeker, W.R. *see* Greene, S.B. 87−9353
Seel, E. *see* Bahde, C. 85−27794
Seel, O., Pfirrmann, M. Long pulses and pauses: timer for all purposes 88−19298
Seelemann, C. Protection of telecommunication cables in the Munich local network against the interference of electric trains 85−57054
Seelen, L.P. An algorithm for Ph/Ph/*c* queues 86−19893
Seelen, L.P. *see* Van Der Laan, G. 85−309
Seelentag, W.W. Radiotherapy treatment planning with THERAPLAN-L 85−4347
Seelewind, H. *see* Baars, J. 88−33007
Seeley, G.W., McNeill, K.M., Dallas, W.J., Ovitt, T.W., Roehrig, H., Capp, M.P. An overview of picture archiving and communications systems (PACS) related psychophysical research in the University of Arizona Radiology Department 88−36555
Seeley, G.W., Robles-Sotelo, E., Cannon, G., Bjelland, J.C., Ovitt, T.W., Standen, J., Capp, M.P., Fisher, H.D., Dallas, W.J. The use of psychophysics as a system design aid: comparison of film-screen to an electronic review console [for PACS] 88−36544
Seeley, G.W., Roehrig, H., Mockbee, B., Hunter, T.B., Ovitt, T., Claypool, H.R., Bjelland, J.C., Scott, A., Yang, P., Dallas, W.J. Building and using a data base to identify parameters to further improve diagnostic performance on the Toshiba computed radiography system Model 201 88−29971
Seeley, G.W. *see* Craine, E.R. 87−14245
Seeley, G.W. *see* Dallas, W.J. 88−36552
Seeley, G.W. *see* de Valk, J.P.J. 88−36561
Seeley, G.W. *see* Fisher, H.D. 85−31816
Seeley, G.W. *see* Roehrig, H. 88−36159
Seeley, J. *see* Hawkins, G. 88−68637
Seeley, J.S. Simple nonpolarizing high-pass filter 85−35574
Seeley, J.S., Kang Lim, Y., Shiou-Yun Wu New algorithms for synthesized design of optical filters 85−35576
Seeley, R. *see* Hargreaves, T.A. 85−23343
Seeley, R. *see* Read, M.E. 86−21023
Seeley, R.C. *see* Fogg, T.R. 85−59470
Seeley, R.D. *see* Hargreaves, T.A. 85−55372
Seeley, W.G. *see* Latraverse, L.T. 85−34370
Seelig, F.W. *see* French, C.E. 88−22041
Seelig, K. Touch-up and repair methods 88−25696
Seeliger, D. *see* Marten, H. 88−29927
Seeliger, D. *see* Pretzsch, G. 86−38853
Seeling, E. Integrated 16-bit series-parallel converter D 718 D 88−19061
Seeling, E. The DL2631D and DL2632D integrated circuits for serial interfaces 88−19245
Seeling, E. The E435E short circuit proof integrated drive circuit 88−24984
Seeling, E. *see* Fehse, E. 88−44137
Seelinger, W.W. The United States−videotex in transition 85−25420
Seelmann, G. Progressive colour TV picture transmission using a 64 Kbit/sec data rate 85−52496
Seely, J.F. *see* Brown, C.M. 87−46754
Seely, J.F. *see* Feldman, U. 85−7369, 86−58869, 87−12382
Seely, S. Poynting's theorem and the energy-flow postulate 85−17052
Seely, W. *see* Staudinger, J. 87−52853, 88−32395
Seeman, J., Brunk, W., Early, R., Ross, M., Tillmann, E., Walz, D. SLC energy spectrum monitor using synchrotron radiation 87−41773
Seeman, J.C. *see* Ross, M.C. 86−25019
Seeman, J.T. Beam-beam interaction: luminosity, tails, and noise 85−26592
Seeman, J.T. Limitation of linear colliders from transverse RF deflections 88−54247
Seeman, J.T., Campisi, I.E., Herrmannsfeldt, W., Lee, M., Petersen, A., Phinney, N., Ross, M., Stiening, R., Thompson, K., Tsang, D., Abrams, G.S., Adolphsen, C., Soderstrom, E. Transverse wake-field control and feedback in the SLC linac 88−54272
Seeman, J.T., Campisi, I.E., Herrmannsfeldt, W., Lee, M., Petersen, A., Tsang, D., Abrams, G.S., Adolphsen, C., Soderstrom, E. Experimental beam dynamics in the SLC linac 88−47834
Seeman, J.T., Ross, M.C., Sheppard, J.C., Stiening, R.F. Observations of accelerated high current low emittance beams in the SLC linac 86−31893
Seeman, J.T., Sheppard, J.C. Special SLC linac developments 87−35269
Seeman, J.T., Sheppard, J.C. Status of the SLC 88−22895
Seeman, J.T. *see* Abrams, G.S. 88−54244
Seeman, J.T. *see* Allen, M.A. 88−50594
Seeman, J.T. *see* Jobe, R.K. 88−54157
Seeman, J.T. *see* Ross, M.C. 86−24865
Seeman, J.T. *see* Shappard, J.C. 86−31925
Seeman, M.P. *see* Alexander, D.R. 87−21240
Seeman, N.von *see* von Seeman, N.
Seeman, P. *see* Peet, N.J. 88−23603
Seeman, S.E. *see* Colley, R.W. 88−48694
Seemungal, W. *see* Colak, S. 88−2252
Seemungal, W. *see* Khjurgin, J. 87−7367
Seemungal, W. *see* Khurgin, J. 87−33126
Seenivasgan, S. Transmission characteristics of E-10B digital exchange 88−35313
Seepolt, R. *see* Keck, B. 88−75406
Seering, W.P. *see* Eppinger, S.D. 88−69848
Seering, W.P. *see* Gordon, S.J. 88−53717
Seering, W.P. *see* Podoloff, R.M. 85−3907
Seerlazzo, R. *see* Sollami, R. 88−30001
Seerveld, J.L. *see* Gregory, R.B. 87−11341
Seerveld, J.L. *see* Krause, S.J. 87−6569
Seerveld, J.L. *see* Wilson, S.R. 87−60283
Seery, B.D. *see* Guggenmos, J.L. 88−72695
Seery, D.A., Garrett, M.H., Tanguay, A.R., Jr. Electrooptic measurement of the volume resistivity of bismuth silicon oxide ($Bi_{12}SiO_{20}$) 88−16431
Seery, J.W. *see* Huang, V.K.L. 88−19204
Seese, J.R. Plant operation improved by retrofit PLCs. I. [Power stations] 88−43051
Seese, J.R. Improve plant operations with PLCs. II [power station control] 88−55102
Seeser, G. *see* Indefrey, H. 86−10302
Seesselberg, E. *see* Dwersteg, B. 86−31975
Seestrom-Morris, S.J. *see* Atencio, L.G. 86−25141
Seestrom-Morris, S.J. *see* Burleson, G.R. 86−60503
Seestrom-Morris, S.J. *see* Morris, C.L. 85−59225
Seestrom-Morris, S.J. *see* Wender, S.A. 88−61073
Seetha Raman, G.S. *see* Lakshmeesha, V.K. 87−17216
Seethapathy, R. *see* Braun, J.M. 87−25638, 87−58244
Seethapathy, R. *see* Chu, F.Y. 87−30242
Seetharama Bhat, K., Damodara Das, V. Electrical-conductivity changes in PbTe and PbSe films on exposure to the atmosphere 86−14886
Seetharama Bhat, K. *see* Damodara Das, V. 85−11974
Seetharamaiah, P. A microprocessor stepper motor controller 85−27449

Seetharamaiah, P. An engineering-oriented design approach to microprocessors 85−39516
Seetharamaiah, P., Murthy, V.R. Tabular mechanisation for flexible testing of microprocessors 87−24255
Seetharamaiah, P. *see* Singh, C.V.K. 85−42899
Seetharaman, S., Jerigan, M.E. Application of CoSTID to speech signal processing 87−47594
Seetharaman, S., Jernigan, M.E. Speech signal reconstruction based on higher order spectra 88−72853
Seeto, A.W., Jones, B.B. Recursive equalizers using a multistage adaptive algorithm 87−27524
Seeto, A.W. *see* Anido, G.J. 88−59393
Seetzen, J. Broad-band communications−economic and social implications 86−64444
Seevinck, E., De Jager, W., Buitendijk, P. A low-distortion output stage with improved stability for monolithic power amplifiers 88−56473
Seevinck, E., List, F.J., Lohstroh, J. Static-noise margin analysis of MOS SRAM cells 88−6834
Seevinck, E., Nauta, H.C., Nordholt, E.H. New class of high-performance PTAT current sources [and reply] 86−7928
Seevinck, E., Wassenaar, R.F. A versatile CMOS linear transconductor/square-law function 87−53716
Seevinck, E., Wassenaar, R.F., de Jager, W. Universal adaptive biasing principle for micropower amplifiers 85−61135
Seevinck, E., Wassenaar, R.F., van den Berg, M.C. Realization of linear high-frequency transconductance in CMOS-technology 87−24390
Seevinck, E., Wassenaar, R.F., van Leeuwen, M.G., Boom, G., Holle, E., van der Wal, R. Wideband voltage-current converter circuit 86−35052
Seevinck, E. *see* De Heij, W.J.A. 88−866
Seevinck, E. *see* van Tuijl, A.J.M. 85−37363
Seevinck, E. *see* Wassenaar, R.F. 88−56824
Seewald, S. *see* Jansong, P. 85−39163
Seewald, V. Problems with optimal control of hydroalternators in a power system during critical-breakdown events 85−4986
Seewald, V. Transmission process control in a power system by the excitation of synchronous machines and output turbine control 85−21079
Seez, C. *see* Albrow, M.G. 88−29872
Seez, C. *see* Barber, G. 87−29555
Seez, C. *see* Hall, G. 86−50341, 87−29553
Sefarra, E. *see* Vidal, E. 88−72891
Sefcik, A.W. *see* Hong, J.Y. 88−15558
Sefcik, K. *see* Kochta, V. 85−59976
Sefcikova, M. Investigation of electrical currents distribution on the conductors of bond lines 88−61906
Seferov, A.S. *see* Kalinushkin, V.P. 87−73988
Seferovich, D. Comparing differences between the integrated and the stand-alone automatic call distributor 87−34236
Seffren, S.S., Sussman, A. Improved epoxy encapsulation compositions 85−196
Seffrin, R.J. The use of infrared thermography and resistive load banks for testing electrical bus duct 88−69021
Sefick, S.A. *see* Fitch, L.T. 85−61906
Sefl, O., Vajda, I. Spectrum-oriented source coding theory 88−21085
Sefrin, K.-H. *see* Auel, R. 87−48330, 87−48412
Sefton, H.B., Jr. *see* Hardie, G.S. 85−13287
Sefton, R.E. ISDN implementation in a Bell operating company 85−42102
Sefton, R.E. ISDN: implementation in a Bell operating company 87−27844
Sefton, R.E. *see* Mardon, D. 86−54744
Seftor, L. *see* Drobot, A.T. 86−31955
Seftor, L. *see* Friedman, M. 85−7587
Seftor, L. *see* Ko, K. 88−34385
Sega, M. *see* Strmcnik, S. 88−17601
Sega, R.M., Benkelman, C.A., Nordgard, J.D. Measurement of antenna patterns at 94 GHz using infrared detection 86−36836
Sega, R.M., Norgard, J.D. An infrared measurement technique for the assessment of electromagnetic coupling 86−36755
Sega, R.M., Norgard, J.D. Infrared measurements of scattering and electromagnetic penetration through apertures 87−33356
Sega, R.M., Norgard, J.D. Expansion of an infrared detection technique using conductive mesh in microwave shielding applications 88−47527
Sega, R.M., Norgard, J.D., Genello, G.J. Measured internal coupled electromagnetic fields related to cavity and aperture resonance 88−27525
Sega, R.M., Norgard, J.D., Sapp, A.L. Infrared images of microwave scattering from a ferrite coated cylinder 88−68018
Sega, R.M. *see* Avalos, M.T. 85−20611
Sega, R.M. *see* Fredal, D. 88−22763
Sega, R.M. *see* Martin, V.M. 87−41481
Sega, R.M. *see* Nordgaard, J.D. 88−2650
Sega, R.M. *see* Norgard, J.D. 88−4605
Sega, R.M. *see* Rogers, S.K. 85−52854
Sega, S. *see* Murakami, H. 85−14926, 85−26002, 87−28961
Sega, S. *see* Yokozawa, M. 85−14902
Sega, W. *see* Bem, D.J. 86−17548 to 17549
Segaert, O. *see* De Bisschop, F. 86−62459
Segaert, O. *see* Seuntjens, J. 87−71003
Segailov, V.I. *see* Gradets, I. 87−8873
Segal, A.M. The electric field and resistance of a parallelepiped with small contact surface 87−32125
Segal, A.S., Magin, R.L., Cain, C.A. Electromagnetic dosimetry in a Crawford cell: 225 to 500 MHz 85−4386
Segal, B. MK68590-MK3891 silicon solutions for local area networks 85−14013
Segal, D. *see* Hayek, M. 88−22858
Segal, D.L. *see* Cairns, J.A. 85−6019
Segal, E. *see* Feder, M. 86−13839
Segal, G., Sobkowski, I.S., DeLorenzo, W.A. Beyond async−when micros aid in the long haul 85−8157
Segal, G.R. The threat from within: cable television and the invasion of privacy 87−49327
Segal, H.R. *see* Babrov, E.S. 87−74629
Segal, K.R., Gutin, B., Presta, E., Wang, J., van Itallie, T.B. Estimation of human body composition by electrical impedance methods: a comparative study 86−11978
Segal, M. Disk-controller IC varies SCSI bus interface designs 85−49906
Segal, M. Hardware sorting chip steps up software pace 86−62526
Segal, M.G. *see* Letschert, P.J.C. 88−36986
Segal, M.G. *see* Swan, T. 85−27236
Segal, R., Ward, R.L. Weight distributions of some irreducible cyclic codes 86−34169
Segal, R. *see* Brayton, R. 87−37231
Segal, Y., Cohen, B. Film based industrial computerized tomography 87−23789
Segal, Y., Ingman, D., Bushlin, Y. Noise and granularity in radiographs 88−38286
Segal, Y., Trichter, F. Limitations in gap width measurements by X-ray radiography 88−38294
Segalewitz, S.I. An optical slip detection system for prehensive feedback 88−68393
Segalini, S., Pinard, J., Claessen, P., Labbe, G. Application of ferromagnetic resonance probes to the characterization of flaws in metals 86−13877
Segalini, S., Putignani, M. Detection of coarse surface grains using magnetic methods 88−31889
Segalini, S. *see* Mayos, M. 88−56346
Segall, A. Computer networks−recent research and applications 86−30413
Segall, A., Jaffe, J.M. A distributed protocol for maintaining central network control 85−19574
Segall, A., Jaffe, J.M. A distributed protocol for maintaining central network control 85−25482
Segall, A., Jaffe, J.M. Route setup with local identifiers 86−30086
Segall, A. *see* Baratz, A.E. 85−19845, 88−34534
Segall, A. *see* Gopal, I.S. 85−8216, 86−30084
Segall, A. *see* Jaffe, J.M. 85−8143, 86−10766, 87−27705, 87−48570
Segall, A. *see* Sidi, M. 85−20017
Segall, B., Alterovitz, S.A., Haugland, E.J., Matus, L.G. Compensation in epitaxial cubic SiC films 87−1221
Segall, J.L. Telecommunications in the United States: reflections on the evolution of public policy 86−33990
Segall, S.B., Curtin, M.S., Von Laven, S.A. Key issues in the design of a two-stage FEL 87−2180
Segall, S.B., Von Laven, S., Curtin, M.S., Takeda, H. Design of a millimeter-wavelength FEL experiment employing a large diameter electron beam and a quasioptical cavity 85−56706
Segall, S.B. *see* Curtin, M.S. 85−58961
Segall, S.B. *see* Ward, J.F. 87−2177
Segall, Z. *see* Gregoretti, F. 85−28309, 87−46082
Segalov, Z. *see* Booske, J.H. 88−51839, 88−72503
Segalov, Z. *see* Desteler, W.W. 87−63592
Segalov, Z. *see* Destler, W.W. 86−31832, 86−68568
Segalov, Z. *see* O'Shea, P.G. 87−29389
Segalov, Z. *see* Sullivan, C.A. 88−66074
Segami, K., Shyuji, M., Kitayama, T., Ito, K. 170 Mbit/s T-R integrated optical concepts 88−35553
Segami, K., Teshima, K., Kato, N., Kitayama, T. ICs for optical transmitters and receivers 88−22101
Segami, K. *see* Kanno, N. 87−41228
Segami, M. *see* Matsui, M. 88−70531
Segar, L.P. *see* Cahill, J.J. 85−44978
Segaradze, V.R. *see* Avakov, S.N. 85−46183
Segaran, T. Multiplexing liquid crystal displays 85−14891
Segaran, T. Memory telephone dialler 86−27282
Segaran, T. Low-cost automated response using GPIB [measurements for personal computers using IEEE488 bus] 87−20842
Segard, B., Macke, B. Observation of negative velocity pulse propagation 85−51399
Segard, B., Macke, B. Non critical slowing down in optical bistability 88−65844
Segard, B., Zemmouri, J., Macke, B. Switching delays in optical bistability: an experimental study 87−19038
Segarra, G. A user's approach considering local area network introduction 86−37546
Segarra, G. The MAP project 88−28397
Segarra, G., Pradere, G. MAC sublayer and physical layer management for token bus broadband LAN 85−13757
Segart, P. Op amp input: how to measure less than 100 pA 88−12230
Segato, G. *see* Viesti, G. 87−14757
Segato, G.F. *see* Cherubini, R. 86−44538
Segato, G.F. *see* Manduchi, C. 86−36319, 87−35342
Segawa, H. *see* Koyama, F. 87−23689, 87−31500, 88−65725
Segawa, I. *see* Takano, M. 85−3709
Segawa, J. *see* Katayama, S. 85−20039
Segawa, K., Kawamoto, T., Iwashita, M., Ito, K., Aoki, M., Urata, T. Multiscan-type 14-inch CRT display monitor 87−70430
Segawa, K., Nakagawa, M. A method of interference cancellation in a binary PSK coherent receiver 85−19312
Segawa, K., Nakagawa, M. A method of interference cancellation in binary PSK coherent receiver 86−69575
Segawa, K. *see* Kadowaki, Y. 87−11051
Segawa, K. *see* Sonoda, T. 88−43883
Segawa, K. *see* Tsunoda, T. 85−59954
Segawa, M., Ariizumi, S., Suzuki, Y., Kondo, T., Ando, T., Ochii, K., Masuoka, F. A 18 ns 8 KW×9 b NMOS SRAM 87−17077
Segawa, M. *see* Hasegawa, S. 87−10479, 87−25085
Segawa, M. *see* Kato, T. 85−4838
Segawa, T. *see* Maekawa, Y. 87−28492, 88−3941, 88−52206, 88−60104
Segawa, T. *see* Mukai, T. 87−43469
Segawa, T. *see* Shiozaki, A. 87−28484
Segawa, Y., Kawai, H., Ibaraki, T. An optimal maintenance policy of a semi-Markovian deterioration system with a cost constraint 88−31625
Segawa, Y., Kawakami, K., Honda, F., Ishihara, Y., Todaka, T. The simulating method of operational characteristics at photovoltaic system 88−75525
Segawa, Y., Sugimoto, A., Kim, P.H., Namba, S., Yamagishi, K., Anzai, Y., Yamaguchi, Y. Optical properties and lasing of Ti^{3+} doped $BeAl_2O_4$ 87−54276
Segawa, Y. *see* Akimoto, K. 86−4334
Segawa, Y. *see* Aoyagi, Y. 85−29787, 86−58244
Segawa, Y. *see* Kagami, M. 88−68191
Segawa, Y. *see* Kimura, S. 88−20618
Segawa, Y. *see* Komuro, S. 85−1275
Segawa, Y. *see* Kusano, J. 88−24704
Segawa, Y. *see* Miyoshi, T. 85−29704, 85−46254, 86−53404
Segawa, Y. *see* Yamamoto, Y. 87−38095
Sege, G. *see* Ball, J.R. 85−53408
Segec, O. *see* Irman, F. 88−23606
Segeda, M.S. *see* Perkhach, V.S. 87−36995
Segeda, M.S. *see* Varetskii, Yu.E. 87−30796
Segeichev, K.F. *see* Askar'yan, G.A. 85−21844
Segelken, J.M. *see* Bartlett, C.J. 87−73932
Segelken, J.M. *see* Lee, Y.C. 88−64144
Segen, J. Learning structural descriptions of shape 86−10561
Seger, C.-J., Brzozowski, J.A. An optimistic ternary simulation of gate races 87−31862
Seger, C.-J. *see* Brzozowski, J.A. 88−12309
Seger, H., Schinnerl, H., Thalmeier, K. New organisation of meter data administration using satellite computers and mobile data recording equipment at the Isar-Amperwerke AG [electricity supply meters] 85−53253
Seger, J., Pavlata, J., Dostal, K., Alberti, M., Kouril, M. Gettering of tungsten-halogen lamps by phosphorus compounds 86−66471
Seger, J.K. The impact of R&M 2000 on integrated logistic support 88−10688
Seger, M.J. Similarities in managing voice and DECnet data networks 87−55831
Seger, T., Wachter, M. Direct digital control of four-quadrant power converter 88−69860
Seger, T. *see* Frosch, R. 85−39247
Seger, Y. *see* Cadre, F. 87−20574
Segerhammar, P. *see* Eiken, O. 88−23086
Segerink, F.B. Measurements on two experimental line of sight transmission links 87−62980
Segern, C.von *see* von Segern, C.
Segers, D. *see* Dorikens, M. 87−17180
Segers, D. *see* Wendell, D. 85−6326
Segers, R. *see* Matterne, L. 88−25165
Segers, R.C. Ion source protection equipment for TFTR 85−4693
Segessemann, A. *see* Vecsey, G. 85−56231
Segessmann, A. *see* Horvath, I. 85−1935
Segeth, K. *see* Bezvoda, V. 87−42209
Segeth, K. *see* Scollar, I. 86−56244
Segev, A. The node-weighted Steiner tree problem 87−31413
Segev, M., Weiss, S., Fischer, B. Coupling of diode laser arrays with photorefractive passive phase conjugate mirrors 87−61134
Segev, M. *see* Radkowsky, A. 85−53514
Segev, M. *see* Sternklar, S. 86−68611, 87−55289
Segev, M. *see* Weiss, S. 88−65687, 88−72394
Segger, H.von *see* von Segger, H.

Seggern, H.V., Voigt, T., Schwarzmichel, K. Physical mechanisms of photostimulation in medical X-ray storage phosphors 88−58350
Seggern, H.von *see* von Seggern, H.
Seggie, D.A., Doherty, G.M., Leeman, S., Deighton, H.V. Digital image processing for instantaneous frequency mapping 87−19892
Seggie, D.A., Doherty, G.M., Leeman, S., Farrari, L.A. Ultrasonic imaging using the instantaneous frequency of pulse-echo signals 87−21808
Seggie, D.A. *see* Doherty, G.M. 87−3960
Seggie, D.A. *see* Hoddinott, J.C. 88−10645
Seggie, D.A. *see* Leeman, S. 88−28055
Segimiro, A. *see* Abram, M. 86−6586
Seginer, A. *see* Goldschmidt, A. 85−62517
Seginer, A. *see* Ringel, M. 87−71229
Segir, W. *see* Caruso, S. 85−20005
Segler, S.L. *see* Blair, R. 85−15110
Seglin, J.L. Screen test [clothing retail videotex marketing] 85−19740
Seglins, J. *see* Knyazkov, A.V. 87−2238
Seglins, J.A. *see* Krumins, A.E. 86−2463
Seglin'sh, Ya.A. *see* Klotin'sh, E.E. 85−35541
Seglin'sh, Ya.A. *see* Krumin', A.E. 87−12575
Segmuller, A. *see* Chang, C.-A. 87−1366
Segmuller, A. *see* Chin-An Chang 86−53452, 87−11709, 87−25407
Segmuller, A. *see* Eizenberg, M. 87−244
Segmuller, A. *see* Siegrist, T. 86−52445
Segmuller, H.M. *see* Chappell, B.A. 88−32293
Segmuller, S. *see* Chappell, B. 88−769
Segner, B.P. *see* Chu, S.N.G. 88−34026
Segner, B.P. *see* Dutta, N.K. 85−41377, 86−36460
Segner, B.P. *see* Koszi, L.A. 86−15589, 87−38949, 88−27133, 88−34001
Segner, J., Mohr, E.G., Hillmer, T. Plasma induced polymer formation in reactive ion etching of dielectric layers 86−58417
Segner, S.M., Giordano, F.A. Surrogate satellite applications and survivability 85−30991
Segovia, H.R. *see* Lloret Alcaniz, M.J. 87−61615
Segovia, H.R. *see* Saez, N.P. 87−69067
Segovia, H.Rulot *see* Rulot Segovia, H.
Segovia, J.L.de *see* de Segovia, J.L.
Segovia, T.P. Application of a topological optimization strategy to PLAs 85−17297
Segovia, T.P. *see* Chuquillanqui, S. 87−44800
Segre, C. *see* Hunger, A. 87−11828
Segre, C. *see* Stamelos, I. 87−25477
Segre, C. *see* Stamelos, J. 87−16357
Segre, C.U., Zasadzinski, J.F., Rippert, E.D. Sputtered thin films of $Er_2Fe_{14}B$ and $Nd_2Fe_{14}B$ permanent magnets 87−67728
Segre, G. *see* Roberti, G. 88−10366
Segre, J. *see* Bendali, A. 85−46631
Segredo, E., Boland, J.J. Observation of apparent compensation behavior in thermionic electron emission 88−38977
Segredo, E. *see* Piggin, B.P. 86−38462, 87−1151
Segsa, K.-H., Schulenburg, H., Salewski, G. Hybrid technology of development and batch production of microelectronic assemblies 88−38947
Seguchi, T. *see* Komaki, Y. 86−50414
Seguel, J., Tanaka, Y., Akiyama, M. Voice-data hybrid transmission systems in 64 Kbit/sec digital lines 85−30503
Seguel, J. *see* Akiyama, M. 85−36765, 86−16608, 87−48780
Seguelong, T. *see* Barriere, A.S. 88−50737
Segui, Y. Polymerisation of thin films by the technique of low temperature plasmas 86−13819
Segui, Y., Montalan, D., Moret, B. Electrical properties of plasma-deposited polysiloxane and metal/plasma polysiloxane/GaAs structures 85−23709
Segui, Y. *see* Aguir, K. 88−12076
Segui, Y. *see* Bui, A. 87−17875
Segui, Y. *see* Despax, B. 87−31580
Segui, Y. *see* Lacoste, R. 87−17830
Segui, Y. *see* N'Diaye, A. 85−29355
Seguier, G. *see* Bahri, A. 87−42879
Seguier, G. *see* Bonal, J. 86−71113
Seguier, G. *see* Brudny, J.F. 87−22503
Seguier, G. *see* Destobbeleer, E. 86−12934, 88−17033, 88−75837
Seguier, G. *see* Hamdan, M. 87−36042
Seguier, G. *see* Rombaut, M. 87−30584
Seguier, G. *see* Swan, J.-P. 88−69601
Seguin, F.H., Bjorkholm, P.J., Burstein, P., Annis, M., Homburger, F., Adams, R.A. X-ray micro-CT scanner for biomedical applications 87−29738
Seguin, G. Optimal symbol error rate encoding 86−59221
Seguin, G. *see* Conan, J. 86−3784
Seguin, G. *see* Martins-Camelo, L. 87−19299
Seguin, G.E., Allard, P.E., Bhargava, V.K. A triple error-correcting product code for byte-oriented information systems 86−22915
Seguin, H. Installation of a broadband network in France 85−19666
Seguin, H. Fiberoptic systems for local cable networks 86−31021
Seguin, H. Introduction of optical broad-band networks in France 86−64982
Seguin, H. Basic design of optical videocommunication networks 87−3171
Seguin, H. Introduction and planning considerations for broadband networks 87−20260
Seguin, H. Glass-fibre networks for distribution and communications services 88−73993
Seguin, H., Duret, C., Etesse, L. How to select switching techniques for broadband networks? 88−3716
Seguin, H., Duret, C., Hardy, D. Broadband networks integrating telecommunication services 87−76160
Seguin, H., Duret, C., Hardy, D. Broadband networks integrating telecommunication services 88−8942
Seguin, H., Flichy, P. Interactive services in French videocommunication networks 88−47312
Seguin, H. *see* Du Castel, F. 88−29097
Seguin, H.J.J., Seguin, V.A., Nath, A.K., Radzion, J. Spinning water film power meter for high-power CW lasers 86−29220
Seguin, H.J.J. *see* Antoniuk, D.M. 85−6634
Seguin, H.J.J. *see* Cheng, Z. 88−40262
Seguin, H.J.J. *see* Merchant, V.E. 87−68389
Seguin, H.J.J. *see* Nath, A.K. 86−42474
Seguin, H.J.J. *see* Nikumb, S.K. 87−68338
Seguin, H.J.J. *see* Razdan, R. 85−50131, 86−58862, 87−2055
Seguin, H.J.J. *see* Seguin, V.A. 85−2226, 85−46301, 87−18891, 87−26453, 87−33250, 87−46748, 87−54217
Seguin, J.-N. *see* Bedard, N. 88−56326
Seguin, J.-N. *see* Maure, D. 88−62787
Seguin, M. *see* Lecomte, J. 88−41616
Seguin, P.-E. *see* Poirier, M. 86−35329
Seguin, V.A., Capjack, C.E., Seguin, H.J.J. Numerical simulation of gas flow in a magnetically stabilized coaxial laser discharge 87−54217
Seguin, V.A., Seguin, H.J.J., Capjack, C.E. Multielement, fluid ballasted cylindrical cathode for a coaxial laser discharge system 85−2226
Seguin, V.A., Seguin, H.J.J., Capjack, C.E. Electrical characteristics of a MAGPIE coaxial laser discharge system 85−46301
Seguin, V.A., Seguin, H.J.J., Capjack, C.E. Compact axial flow gas transport system for a coaxial CO_2 discharge laser 87−33250
Seguin, V.A., Seguin, H.J.J., Capjack, C.E., Nikumb, S.K. Electron density measurements in a photo-initiated, impulse-enhanced, electrically excited laser gas discharge 87−18891
Seguin, V.A., Seguin, H.J.J., Capjack, C.E., Nikumb, S.K. Gain characteristics of a MAGPIE coaxial CO_2 laser system 87−46748
Seguin, V.A., Seguin, H.J.J., Capjack, C.E., Nikumb, S.K., Reshef, H. Multiple pass unstable resonator for an annular gain CO_2 laser 87−26453
Seguin, V.A. *see* Cheng, Z. 88−40262
Seguin, V.A. *see* Nath, A.K. 86−42474
Seguin, V.A. *see* Nikumb, S.K. 87−68338
Seguin, V.A. *see* Seguin, H.J.J. 86−29220
Seguinot, C., El Kadiri, M., Kennis, P., Pribetich, P., Villotte, J.P. Time-domain response of MIS coplanar waveguides for MMICs 86−15998
Seguinot, C., Kennis, P., Pribetich, P. Performance on interconnections laid on insulating and MIS substrates 86−27579
Seguinot, C., Kennis, P., Pribetich, P. MIS slow-wave coplanar line: a comparison of theoretical and experimental characteristics 87−73596
Seguinot, C., Kennis, P., Pribetich, P., Legier, J.F. Performance prediction of an ultra broad-band voltage-controlled attenuator using Schottky contact coplanar line properties 86−35066
Seguinot, C. *see* Delrue, R. 88−56990, 88−63911
Seguinot, C. *see* Legier, J.P. 87−19269
Seguinot, C. *see* Pribetich, P. 85−19261, 85−62902, 88−58246
Seguinot, C. *see* Remiens, D. 87−26077
Seguinot, Ch., Kennis, P., Pribetich, P., Legier, J.F. Analytical model of the Schottky contact coplanar line 85−6489
Seguinot, Ch., Pribetich, P., Kennis, P., Legier, J.F. Interconnections used in MMICs: a comparison of performances obtained with insulating substrates and with MIS structures 87−17392
Seguinot, J. *see* Arnold, R. 87−29443, 88−68234 to 68235
Seguinot, J. *see* Peskov, V. 88−54409
Segura, A., Martinez, J.P., Valdes, J.L., Pomer, F., Chevy, A. Optimization and limitation of ITO/p-InSe/Au solar cells 88−17980
Segura, A., Valdes, J.L., Cantarero, A., Pomer, F., Martinez, J.P., Mari, B., Chevy, A. Indium selenide back surface field solar cells 86−33689
Segura, A., Valdes, J.L., Cantarero, A., Pomer, F., Martinez, J.P., Mari, B., Chevy, A. Efficiency improvement in ITO/p-type indium selenide solar cells 86−40152
Segura, A. *see* Martinez-Pastor, J. 87−78917
Segura, A.Nava *see* Nava Segura, A.
Segura, H. *see* Kozlov, V.N. 88−30303
Segura, I. *see* Maiz, J.A. 88−50758
Segura, Kh. *see* Vasil'ev, V.P. 86−65625, 87−64049
Segura, Kh. *see* Zaborovskii, V.S. 86−44837
Segura-Luna, J.C., Rubio-Ayuso, A.J. New speech parametrization methods for automatic recognition 87−47598
Segzda, D.I. *see* Knishevskaya, L.V. 87−47266
Sehabiague, B. *see* Martin, P. 86−37552
Seher, W. Asynchronous generators 85−38982
Sehgal, B.J. *see* Oehlberg, R.N. 86−25832
Sehgal, C.M. *see* Errabolu, R.L. 88−61334
Sehgal, C.S. *see* Billhardt, R.A. 87−28317
Sehgal, H.K. *see* Jain, M. 88−31840
Sehgal, N.K. *see* Srivastava, G.P. 86−63049
Sehgal, S.K. An overview of HVDC power transmission 85−48571
Sehgal, S.K. *see* Kukreja, L.M. 86−15644, 86−36386, 88−58429
Sehgal, S.K. *see* Marciniak, Z. 87−36598
Sehgal, S.K. *see* Prucnal, P.R. 87−13697, 87−28580
Sehgal, V.K. *see* Biswas, S. 88−38033
Sehifani, R. *see* Campoccia, A. 87−53761
Sehlin, R.C. *see* DeMarsh, L.E. 86−4804
Sehlin, R.C. *see* Powell, S.J. 86−60036
Sehmi, A.S. *see* Hailstone, J.G. 86−50471
Sehmi, D.S. *see* Vojnovic, B. 88−4913
Sehmisch, H.-D. *see* Kurz, G. 86−813
Seho Oh *see* Marks, R.J., II. 88−58297
Sehovic, H. *see* Bozi, M. 88−42847
Sehr, R.A. Two low-speed nets race to link computers 85−19802
Sehra, J.S. *see* Sen, A.K. 85−52403 to 52404, 87−47196, 88−72544
Sehrig, G., Gaebler, W. Investigation of spectral attenuation-properties of different fiber optic waveguides after gamma-irradiation up to 32 kGy 85−62339
Sehrig, G., Gaebler, W. Fiber optic sensors as dosimeters for ionizing radiation 88−4838
Sei, H. *see* Mizumura, M. 87−8172
Sei, M., Sakakihara, M., Suzuki, H. Durable and multifunctional magnetic rotation sensor for rotary encoders 88−51373
Sei Lee Haing *see* Haing Sei Lee
Sei-Joo Jang *see* Dube, D.C. 88−13607
Sei-Wang Chen *see* Stockman, G. 88−46202
Seibel, D.D. *see* Erickson, L.P. 85−39735
Seibel, H. The Z80-CTC measures frequencies. The CP/M computer as a low-cost frequency counter 88−10092
Seibel, J. *see* Rudolph, J. 86−51259
Seiber, A.J. The significance of the RCS polarization measurements for tree signatures 87−57438
Seiberling, L.E. *see* Behrooz, A.M. 87−77587
Seiberling, L.E. *see* Wei, C.S. 85−1386, 86−21345
Seibert, G.B., Beattie, J.M., Campbell, N.P., Pipberger, H.A., Blomqvist, C.G. Multivariate characterization of normal ST response derived from a computerized exercise ECG system 87−21590
Seibert, G.B. *see* Beattie, J.M. 85−59295
Seibert, H. *see* Suche, H. 87−12584
Seibert, J. *see* Puschel, G. 88−17658
Seibert, J.A. Improved fluoroscopic and cine-radiographic display with pulsed exposures and progressive TV scanning 86−60767
Seibert, J.A., Barr, D.H., Borger, D.J., Hines, H.H., Bogren, H.G. Interlaced versus progressive readout of television cameras for digital radiographic acquisitions 85−15304
Seibert, J.A. *see* Boone, J.M. 87−13996
Seibert, J.A. *see* Hines, H.H. 85−38041
Seibert, W.F. *see* Woods, J.W. 85−63879
Seibl, A. *see* Howieson, J. 87−4064
Seibt, B. Optimum security through service and technology 87−23278
Seibt, B. *see* Arth, D. 86−57166
Seibt, D. The economic and rationalizing effects of computer based Btx information systems 87−48528
Seibt, D., Breithardt, J., Wissing, W., Wachter, A. Admission tickets for public events in the Btx-dialogue. I. Analysis of Btx-application potentials in townships 85−52013
Seibt, D., Langen, B. The project 'Btx-Information Systems (BTXIS)' 85−52006
Seibt, D., Langen, B. Videotex based industrial information systems−present state and development trends 86−43507
Seibt, D., Ruschenbaum, F., Eichinger, F., Liefferíng, W. Btx-applications for the control of the external services. I. Analysis of problem areas and the total concept of organization 85−52007
Seibt, D. *see* Ehrig, W. 85−52008
Seibt, D. *see* Tiedemann, C. 85−52009
Seibt, D. *see* Wissing, W. 85−52014
Seichter, H. *see* Antoniadis, Z. 86−69015
Seid, T., Ante, M. A simulation model of the hydraulic supply line system of a high-pressure plant 85−32388
Seida, S. *see* Mitiche, A. 87−48209, 88−66633
Seidel, A. *see* Bornemann, H.J. 88−16900
Seidel, D. Interactive methods ease analog/digital design 86−58503
Seidel, D. Versatile VF-PCM test set for all quality parameters in telephone lines 87−14377
Seidel, D. Microprocessor-controlled measuring instruments for PCM transmission systems−accurate and user-friendly 87−48405

Seidel, D.B. *see* Cook, D.L. 87−43208
Seidel, D.B. *see* Maenchen, J. 87−17599
Seidel, D.B. *see* Miller, P.A. 85−16271
Seidel, D.B. *see* Olsen, J.N. 85−4185
Seidel, D.B. *see* Slutz, S.A. 86−25107
Seidel, D.J. *see* Pivirotto, T.J. 88−61586
Seidel, E., Wix, M. Siemens hands over modern telecommunications network to the Sultanate of Oman. II. The switching system−all-digital EWSD 85−47381
Seidel, E. *see* Michaelsen, R. 88−54081
Seidel, H. Thyristor converters stand the test of industrial use 87−30793
Seidel, H. Service channels on fiber-optic transmission routes 87−70097
Seidel, H., Csepregi, L. Design optimization for cantilever-type accelerometers 85−37556
Seidel, H. *see* Benecke, W. 86−55655
Seidel, H. *see* von Pfeil, D. 88−67321
Seidel, H. *see* Wolfelschneider, H. 88−36025
Seidel, H.-P. *see* Muschter, F. 87−42772
Seidel, J.G. *see* Ruddy, F.H. 87−22090
Seidel, K. Microelectronics technology: fundamentals 85−23860
Seidel, K. Programmed controls for automation technology. III 85−33766
Seidel, K. *see* Gerig, G. 85−64718
Seidel, L.K., Crowe, T.W. Novel GaAs Schottky barrier diode structures 88−64507
Seidel, P. *see* Kohler, H.-J. 85−18613
Seidel, P. *see* Meyer, H.G. 87−67904
Seidel, P. *see* Mikolajczak, B. 87−67903
Seidel, P. *see* Schmidt, W.-D. 86−9439
Seidel, R. *see* Edelsbrunner, H. 85−19499
Seidel, S. *see* Claus, R. 88−16639
Seidel, T. *see* Rummler, G. 85−85
Seidel, T.E. Rapid thermal processing (RTP) of shallow silicon junctions 86−35418
Seidel, T.E. Gettering in silicon 87−17895
Seidel, T.E. CMOS process review with implications for ion implantation 87−53727
Seidel, T.E. Silicon wafers for the 1990s 88−13074
Seidel, T.E., Knoell, R., Stevie, F.A., Poli, G., Schwartz, B. Rapid thermal annealing (RTA) of dopants implanted into preamorphized silicon 85−23668
Seidel, T.E., Lischner, D.J., Pai, C.S., Lau, S.S. Temperature transients in heavily doped and undoped silicon using rapid thermal annealing (RTA) 85−23630
Seidel, T.E., Lischner, S.J., Pai, C.S., Lau, S.S. Temperature transients in heavily doped and undoped silicon using rapid thermal annealing 85−29106
Seidel, T.E., Pai, C.S., Lischner, D.J., Maher, D.M., Knoell, R.V., Williams, J.S., Penumalli, B.R., Jacobson, D.C. Rapid thermal annealing in Si 86−9004
Seidel, T.E. *see* Celler, G.K. 86−47447
Seidel, T.E. *see* Geva, M. 86−47441
Seidel, T.E. *see* Maher, D.M. 87−17774
Seidel, T.E. *see* Pai, C.S. 85−34617
Seidel, T.E. *see* Williams, J.S. 86−445, 86−13779
Seidel, T.E. *see* Sedgwick, T.O. *(editor)* 87−5148
Seidel, U. *see* Koppendorfer, W. 86−42181
Seidel, V. Realisation of high-pass filters with active RC and SC integrators 85−935
Seidel, V. CHILL−a higher programming language for the development of software for digital switching systems 85−19951
Seidel, V. Applying time-discrete analog and digital signal processing in telecommunications engineering 86−16325
Seidel, V. Active RC all-pass networks 87−37450
Seidel, V. *see* Wottawa, H. 85−34380
Seidel, W., Oberauer, L., Feilitzsch, F.V. Feasibility of a detector for nuclear radiation based on superconducting grains 87−71025
Seidel, W. *see* Frenzel, P. 88−5751
Seidel, W. *see* Schilling, K.D. 87−63692
Seidel, W. *see* von Feilitzsch, F. 88−74740
Seidelmann, K. *see* Frith, G. 88−36995
Seidelmann, W. A technology push on the helical scan [video recording] 88−60455
Seiden, A. *see* Bernstein, D. 85−15253
Seiden, A. *see* Briggs, D. 85−43242
Seiden, A. *see* Caria, M. 88−4844
Seiden, A. *see* DeWulf, J.P. 87−21468, 88−22985
Seiden, A. *see* Fabrizio, R. 85−20812
Seiden, A. *see* Perl, J. 87−29465
Seiden, A. *see* Roehrig, J. 85−15175
Seiden, J. Maintaining network availability 86−10626
Seiden, P., Sullivan, P. Designing user manuals for the online public access catalog 86−52174
Seidenberg, D. *see* Seidenberg, J. 88−51545
Seidenberg, J., Seidenberg, D., Schmitt, H.J. Multi layer semileaky isolator 88−51545
Seidenberg, J. *see* Noll, J. 85−25558
Seidenbusch, W. *see* Gornik, E. 85−34605
Seidenschwang, E. *see* Hausler, R. 85−53158
Seidensticker, R.G. *see* Campbell, R.B. 87−9746
Seidensticker, R.G. *see* Hopkins, R.H. 87−51461
Seidensticker, R.W. Structural design aspects of innovative designs under development in the current US liquid metal cooled reactor program 86−61264
Seidensticker, R.W. *see* McDonald, J.S. 86−33015
Seidensticker, R.W. *see* Wang, C.Y. 87−57821
Seidensticker, S. The future of flight simulation 87−14984
Seider, G.J. A unique rotary pulse generator 87−51362
Seider, R. Token-bus networking links top with shop 86−4311
Seidgazov, R.D. *see* Gladush, G.G. 85−41449
Seidinger, K. Using perfluorinated electronic liquids for component testing 88−31539
Seidinger, K.R. *see* De Winter, C. 88−165
Seidl, A., Klose, H. Numerical conformal mapping of a towel-shaped region onto a rectangle 86−7715
Seidl, A., Klose, H., Svoboda, M., Oberndorfer, J., Rosner, W. CAPCAL−a 3-D capacitance solver for support of CAD systems 88−50938
Seidl, A., Svoboda, M. Numerical conformal mapping for treatment of geometry problems in process simulation 86−21301
Seidl, A. *see* Klose, H. 86−35719
Seidl, A. *see* Krisch, H. 87−57559
Seidl, A. *see* Lorenz, J. 86−21646
Seidl, C.J.R. *see* Hurley, B.R. 88−8891
Seidl, J. *see* Lobbicke, S. 85−55070
Seidl, L.L. *see* Ahearn, S.C. 86−18536
Seidl, M. Systems of pumping stations for irrigation 88−18270
Seidl, M., Carr, W.E., Lopes, J.L., Melnychuk, S.T., Tompa, G.S. Surface production of negative hydrogen ions by hydrogen and cesium ion bombardment 87−77500
Seidl, P.A. *see* Burleson, G.R. 86−60503
Seidl, P.A. *see* Morris, C.L. 85−59225
Seidl, R. *see* Koop, E. 86−43377
Seidl, W. *see* Albrow, M.G. 88−29872
Seidl, W. *see* Bjelkhagen, H. 85−26717
Seidle, G.S. *see* Abdinov, A.Sb. 88−50624
Seidler, J. Analysis of open, uncontrolled multiaccess systems 85−42069
Seidler, J. Overview of stamped electronic contacts 86−14589
Seidler, J. Systems for identification of information systems states. I. Examples of systems 86−49042
Seidler, J. Systems for identification of information system states. II. general properties of systems information 86−49044
Seidler, R. *see* Barth, S. 86−43988
Seidler, W. *see* Opitz, H. 85−209
Seidler, W. *see* Walters, D. 85−24864
Seidli, G.S. *see* Abdinov, A.Sh. 85−12710, 87−1187
Seidli, G.S. *see* Salaev, E.Yu. 86−35321, 87−32272
Seidman, A. *see* Barbiellini, G. 85−20834 to 20835, 85−43161, 85−43169, 85−52973, 87−63650
Seidman, A. *see* Bornstein, A. 85−41107
Seidman, A. *see* Campanella, M. 86−32180
Seidman, A. *see* Cecchet, G. 85−37942
Seidman, A. *see* Croitoru, N. 85−15197, 85−37925, 85−61712
Seidman, A. *see* Furetta, C. 88−68222
Seidman, A. *see* Griffel, G. 88−71873
Seidman, A. *see* Lemeilleur, F. 87−41843
Seidman, A. *see* Pensotti, S. 87−63649, 88−29868, 88−68237
Seidman, A. *see* Rancoita, P.G. 85−15179, 85−43254, 86−50308
Seidman, A. *see* Rancoita, R.G. 88−22954
Seido, T. *see* Aoki, Y. 85−21837
Seidou, T., Ohtomo, N., Aoki, Y., Kayukawa, N. A study on the boundary layer arc in an MHD generator channel 87−78958
Seidov, A.G. *see* Aliev, E.V. 86−33190, 88−55226
Seidov, F.I. *see* Musaev, H.A. 88−62354
Seidu, K., Mukai, H. Parallel multi-area state estimation 85−48536
Seielstad, D. *see* Jacomb-Hood, A.W. 87−32100, 87−59889
Seielstad, D.A. *see* Smith, R.P. 88−50353
Seier, U. *see* Ottka, M. 87−13561
Seif, M.M. A new method in conducting engineering laboratories 88−43623
Seif, M.M. A unified approach in grading laboratory courses 88−43625
Seif, M.M. Preliminary analytical theory on particle trajectories in an ordered array of wires carrying current in HGMS 88−66017
Seif, M.M. Magnetic traction force on paramagnetic particles in an HGMS utilizing a single-wire system carrying current 88−66018
Seifahrt Thermal projection 85−22508
Seifart, M. Intelligent signal transmitters 87−3508
Seifart, M. Intelligent signal transmitter 88−60614
Seifer, A.L., Ovodov, G.I., Ovodova, T.M. Metrological support to means of measuring flow rate for liquid cryogenic media 87−29360
Seifer, A.L. *see* Kisilevskii, A.B. 87−35242
Seifer, A.L. *see* Ovodov, G.I. 86−55889, 88−29699
Seifert, B. *see* Kleffe, J. 85−22354
Seifert, D. Current control of the asynchronous machine 86−56751
Seifert, D. *see* Schorner, J. 87−30585
Seifert, F. Correlative methods for improving security of radio system against interference and interception 87−40640
Seifert, F. *see* Baghai-Wadji, A.R. 87−60741
Seifert, F. *see* Virsintini, G. 87−67681
Seifert, F. *see* Wagner, K.C. 88−51129
Seifert, F.J. *see* Baghai-Wadji, A.R. 86−47878
Seifert, G., Bergner, P. Computer aided gas analyzers and systems in the car industry 88−42317
Seifert, G. *see* Beuthan, J. 86−70031
Seifert, H. Thermally-controlled emission for gyrotron electron gun 87−6330
Seifert, H., Dorschel, B. Concepts for the development of neutron dosemeters using electret ionization chambers 88−68231
Seifert, H. *see* Gross, R. 85−46074
Seifert, H. *see* Hermes, H. 86−56235, 87−8978, 87−8984
Seifert, H. *see* Kolbeck, R. 88−16840
Seifert, H. *see* Pretzsch, G. 86−38853
Seifert, K. *see* Stockert, H. 87−57841
Seifert, K.T. *see* Svenson, R.H. 88−16780
Seifert, M. *see* Geihs, K. 86−59692, 86−69417
Seifert, M.H., Eberle, H.M. Remote service call: a network operating system kernel and its protocols 87−48670
Seifert, O. *see* Engelage, D. 87−35777
Seifert, P. Computational experiments with algorithms for stiff ODEs 87−44232
Seifert, P. *see* Fellmuth, B. 87−8760, 88−53513
Seifert, P. *see* Proske, M. 87−57890
Seifert, R. Reliability, availability and serviceability considerations in local area networks 85−19898
Seifert, R. MLS: Its technical features and operational capabilities 87−57286
Seifert, T. *see* Darr, C.-P. 87−149
Seifert, U., Hofmann, H. Investigations into optical heterodyne systems 87−76775
Seifert, U. *see* Zscherpe, G. 87−54453
Seifert, W. Self-synchronization of permanent magnet energized stepper motor with detection of position by evaluation of the BEMF 86−19314
Seifert, W., Franzheld, R., Bonisch, F., Butter, E. Organometallic vapour phase epitaxy of gallium nitride using $Ga(CH_3)_3.N(CH_3)_3$-adduct pyrolysis 86−40732
Seifert, W., Jacobs, K., Pickenhain, R., Biehne, G. A correlation between concentration of deep levels and growth conditions for VPE-GaP 85−54451
Seifert, W., Jaecklin, A.A. An FET-driven power thyristor 87−53500
Seifert, W. *see* Bohm, M. 86−40112, 87−9729, 87−22722
Seifert, W. *see* Gotze, K. 85−31519
Seifert, W. *see* Kirscht, F.-G. 88−44629
Seifert, W. *see* Kittler, M. 87−37958, 87−60264, 88−44542
Seifert, W. *see* Krautschneider, W.H. 86−53477
Seifert, W. *see* Pickenhain, R. 85−12744
Seifert, W. *see* Schmalz, K. 85−50361
Seifert, W. *see* Schwetlick, S. 85−44693, 88−6458
Seifert, W. *see* Weidner, G. 87−66872
Seifert, W.M. Bridges or routers? [LAN interconnection] 88−15170
Seifert, W.M. Bridges and routers 88−52870
Seiffert, H., Wekerle, W. Investment in the future [ISDN in West Germany] 88−46664
Seiffert, H.-J. *see* Merten, H. 86−23884
Seiffert, M. *see* Neuhauser, B. 88−29681
Seiffert, U. Future development in vehicle and traffic technology 86−66454
Seifferth, L. *see* Skafi, M. 85−27254
Seifi, A., McDonald, J.F. Fuel choice in new fossil fuel electric power plants 86−51442
Seiford, L.M. *see* Brennan, J.J. 87−72948
Seifried, L.M. *see* Koepke, B.G. 87−67628
Seifritz, W. The entropy problem of decentralised solar and nuclear heat production 85−9798
Seifritz, W. Some heuristic remarks on X-ray laser systems using nuclear generators 85−12757
Seifritz, W. A nuclear short-distance heating system 85−43802
Seifritz, W. Nuclear heat supply by low-power reactors 87−42608
Seifritz, W. The nuclear short distance heat supply 87−71796
Seifritz, W., Covelli, B., Haas, O., Huggenberger, M., Jermann, M., Kohl, H., Leuenberger, J., Luchsinger, H., Ray, A., Stepanek, J., Stiller, P. Space heating for small communities with a homogeneous heat-producing reactor (HHR) 85−38681
Seifritz, W., Huggenberger, M., Jacquemoud, P., Jermann, M., Kohl, H., Leuenberger, J., Lieber, K., Luchsinger, H., Nechvatal, L., Nicolescu, T., Ospina, C., Ray, A., Stepanek, J., Stiller, P., Varadi, G., Wilhelm, K., Selinger, J. Small heat generating nuclear reactors for a second

network of nuclear district heating supplies 86−45176
Seifritz, W., Mennig, J. A dynamic model for simulating the acceptance problem of nuclear energy 87−64270
Seifritz, W. *see* Burgsmuller, P. 88−36992
Seifritz, W. *see* Jacobi, A., Jr. 87−64329
Seifullin, Z.B. *see* Boshernitsan, E.S. 85−64302
Seigai, S. *see* Higashi, T. 87−54063
Seige, P., Ress, G. Investigation of TI TC-104 linear CCD arrays with respect to applications in spaceborne camera systems 87−14203
Seige, P., Ress, G. Application of Texas Instruments TC-104 linear charge-coupled-device arrays in spaceborne camera systems 88−23172
Seige, P. *see* Bodechtel, J. 85−64709, 85−64749
Seige, P. *see* Ress, G. 86−5025
Seigel, M. *see* Livingston, W.C. 85−3877
Seigel, P.H. Constrained codes for digital magnetic recording channels 87−54899
Seigenthaler, E. Heat pump installation in the Wassen hydro power station 85−48885
Seigenthaler, K.E. *see* O'Connell, R.M. 85−19002
Seiger, B. Radio telecommunications [CAI] 88−53144
Seigle, D.C. Document-image processing; breaking the productivity barrier in today's office 87−69599
Seigmund, W.P. The fiber option for image transmission 87−26015
Seijart, M., Beikirch, H., Baumecker, D., Fincke, U. Systems for sensor signal acquisition and processing 87−56604
Seijas, A.Ribeiro *see* Ribeiro Seijas, A.
Seikai, S., Kitayama, K., Uesugi, N., Kato, Y. Design consideration on single-mode fibers suitable for subscriber cables 87−8297
Seikai, S., Ohashi, M., Shibata, N., Uesugi, N. Development of single-mode fiber cables in NTT 87−49068
Seikai, S. *see* Higashi, T. 87−56184, 88−22121
Seikai, S. *see* Horiguchi, T. 85−31612, 86−2742, 86−9491
Seikai, S. *see* Kato, Y. 85−7243
Seikai, S. *see* Kiayama, K. 85−63666
Seikai, S. *see* Kimura, Y. 86−27198, 88−1935
Seikai, S. *see* Kitayama, K. 85−1988
Seikai, S. *see* Kitayama, K.-i. 85−7208, 85−29531, 85−35852
Seikai, S. *see* Kuwaki, N. 87−68083
Seikai, S. *see* Mihara, K. 85−31065
Seikai, S. *see* Nakashima, T. 85−37776, 85−56336, 86−2684, 86−64984, 87−8302
Seikai, S. *see* Nakazawa, M. 85−7508, 85−29600, 85−41155, 85−56325, 87−75036, 88−2184
Seikai, S. *see* Negishi, Y. 87−34617
Seikai, S. *see* Ohashi, M. 85−29924, 85−48118, 86−42270, 86−68244, 87−1939 to 1940, 87−18636
Seikai, S. *see* Sasaki, Y. 87−32937, 87−38746
Seikai, S. *see* Shibata, N. 85−20737, 85−29596, 85−29599, 85−41129, 85−56349, 86−9470, 86−42236, 86−58755, 87−18646, 87−46485, 87−62986
Seikai, S. *see* Suzuki, K. 85−4132
Seikai, S. *see* Tsubokawa, M. 85−62296, 86−2735, 86−42250, 86−48134, 87−18607, 87−54027, 87−56633, 88−1988
Seike, T. *see* Toka, K. 87−14077
Seike, T. *see* Yanagi, T. 88−58153
Seikel, G.R. *see* Jackson, W.D. 85−15893, 87−9445
Seikkala, S. On the fuzzy initial value problem 88−11850
Seikkala, S. *see* Ladde, G.S. 87−73006
Seiko, H. Gyroscope type sundial 'Seiko TIMESPACE' 86−55856
Seiler, B. Electrical installations in a biogas plant 85−9815
Seiler, B. BK networks in modular-uniform technology. I 86−17635
Seiler, B. BK networks in modular-uniform technology. II 86−37249
Seiler, B. Development activities of the German Post Office in the broadband communication sector. I 87−69493
Seiler, B. Development activities of the DBP in the broadband communication sector. II 87−69494
Seiler, C. Investigations of frequency selection circuits with a waveform analyzer 85−37417
Seiler, D.G., McClure, S.W., Justice, R.J., Loloee, M.R., Nelson, D.A. Nonlinear optical characterization of $Hg_{1-x}Cd_xTe$ using two-photon absorption techniques 86−68380
Seiler, D.G., Sulway, D.V. Precision linewidth measurement using a scanning electron microscope 85−29244
Seiler, D.G. *see* Goodwin, M.W. 88−12950
Seiler, D.G. *see* Hanes, L.K. 88−32806
Seiler, D.G. *see* Justice, R.J. 88−44567
Seiler, D.G. *see* Leslie-Pelecky, D.L. 88−19661
Seiler, D.G. *see* McClure, S.W. 85−1306
Seiler, E. *see* Schumny, H. 86−38367
Seiler, F., Srulijes, J.A., George, A. A Doppler-picture camera for velocity field visualization 87−70890
Seiler, H. *see* Leidig, W. 86−51443
Seiler, H.P. *see* Boeglin, W. 87−14701
Seiler, J.H., Dwyer, T. Upgrading of a shipboard data network to fibre optics 86−43848
Seiler, J.H., Dwyer, T.M. Evaluation of fibre optics in ships 87−28618
Seiler, J.H., Sandeman, E.J. Real progress in oceanographic data systems 85−4466
Seiler, M.R., Mathena, B.M. Millimeter-wave beam steering using 'diffraction electronics' 85−2693
Seiler, P. Experience with lasers in automated spot welding 85−22240
Seiler, P. *see* Antreasyan, D. 87−21413
Seiler, P. *see* Weber, H. 87−46845
Seiler, P.G. *see* Becker, U. 88−22943
Seiler, S. *see* Price, D.W. 88−43397
Seiler, S. *see* Turchi, P.J. 85−23075, 85−23194
Seiler, S.W. *see* Price, D.W. 88−75956
Seiler, S.W. *see* Tripoli, G.A. 87−22794
Seiler, U. *see* Kugler, S. 88−26328
Seiler, U. *see* Steiner, K. 88−57696
Seiler, W., Stocker, F. Methods of digital topographic mapping in transmitter network planning 86−43966
Seiler, W., Stocker, F. Mathematical representation of quantitative broadcast capacity, for evaluation of the plurality of VHF/FM transmitter networks 88−9711
Seilmeier, A. Tunable picosecond light pulses generated by parametric three-photon interaction 87−39215
Seilmeier, A. *see* Elsaesser, T. 85−29915
Seilmeier, A. *see* Kaiser, W. 85−35710
Seilmeier, A. *see* Roskos, H. 86−54110, 86−58893
Seils, M.L. *see* Baker, D.L. 85−5769
Seim, T. In search of an improved method for assessing the colour rendering properties of light sources 85−60524
Sein, E. PASTEL: optical telecommunication project of the European geostationary SPOT satellite 88−28776
Sein, E., Clervoy, J.-F., Lequime, M., Moreau, B., Hibon, J.-L. Acquisition and fine-pointing control for a 400-Mbps link between a low-Earth orbiter and a Geostationary satellite 87−20453
Sein, E. *see* Arnaud, M. 88−67296
Sein, E. *see* Frecon, L. 87−20449
Seinauskas, R.I. *see* Jaramaitis, A.A. 87−44790
Seiner, K. Quality assurance of surface-mountable multilayer ceramic capacitors 86−53086
Seinfeld, J.H. *see* Omatu, S. 88−53514
Seinfeld, J.H. *see* Sageev, G. 86−55844
Seino, K., Chapman, L., Marsh, W. An intelligent CAMAC module for ACNET to GPIB interface 86−60429
Seino, K., Takagi, T., Ikeda, Y., Ishikawa, T. A 2-18 GHz band distributed MMIC amplifier with single supply bias network 87−59866
Seino, K. *see* Kobiki, M. 86−27626
Seino, K. *see* Takagi, T. 85−17853, 86−8488
Seino, M., Nakajima, H., Daido, Y., Sawaki, I., Asama, K. Optical waveguide analysis using the Fourier transform and its application to intersecting waveguides 85−18690
Seino, M., Shiina, T., Mekada, N., Nakajima, H. Low-loss Mach-Zehnder modulator using mode coupling Y-branch waveguide 88−47129
Seino, M. *see* Chikama, T. 88−53253
Seino, M. *see* Kawanobe, T. 86−14766
Seino, M. *see* Koi, T. 86−9980
Seino, M. *see* Nakajima, H. 85−2069, 88−65337
Seino, M. *see* Okiyama, T. 88−47172
Seino, S. *see* Seta, K. 86−29267
Seinov, S.V., Kalashnikov, V.A., Zheleznov, B.P. Capacitive profilometer 88−16483
Seinsch, H.O. *see* Kaumann, U. 85−60180
Seinsch, H.O. *see* Reinermann, J. 86−33384
Seipel, H., Peuker, G. Technological transfer: from civil to military and military to civil 85−54080
Seipel, H.G. Results, status and perspectives of reactor safety research 85−38698
Seipler, D.G. Sensors−integration in thick film hybrid circuits 88−4407
Seipp, H.G. *see* Muller, R.O. 85−21482
Seipp, H.J., Schnell, G. Microprocessor-controlled multimeter to operate on the ECB-bus 88−67649
Seippel, R.G. Industrial electricity and electronics 85−27929
Seiranyan, K.B. *see* Antipenko, B.M. 85−24513
Seiriki, M. *see* Hanaki, K. 85−44249
Seiser, A. *see* Zach, F.C. 85−27701, 86−7187
Seishu, B. *see* Bose, D.N. 86−53344
Seita, M. *see* Okayasu, K. 85−57932, 88−14973
Seita, T. *see* Akimoto, A. 88−13270
Seitchik, J. *see* Chatterjee, A. 87−25584
Seitchik, J.A., Arledge, L.A., Jr., Yang, P. Three-dimensional derivations of the bipolar reciprocity theorem and Gummel's equation 86−28288
Seitchik, J.A., Chatterjee, A., Yang, P. An analytic model of holding voltage for latch-up in epitaxial CMOS 87−38531
Seitchik, J.A., Chatterjee, A., Yang, P. An accurate bipolar model for large signal transient and AC applications 88−39355
Seitchik, J.A. *see* Chatterjee, A. 88−7747, 88−13578, 88−57810
Seitchik, J.A. *see* Chern, J. 86−62594
Seitchik, J.A. *see* Chern, J.H. 86−20527, 87−46225
Seitchik, J.A. *see* Hall, J.E. 85−50734, 85−55956
Seitchik, J.A. *see* Weng, K.C. 87−24192
Seite, G. *see* Bernard, R. 86−70306
Seitel, S.C. Planning a laser damage test 86−9927
Seitel, S.C. Increasing the effectiveness of commercial laser damage testing 88−14260
Seitel, S.C., Guenther, K.H. Toward standardization in laser-induced damage testing 87−46951
Seitel, S.C., Porteus, J.O. Laser damage round-robin testing (1.06-μm) with 13-nsec pulse duration and 40-μm spot size 85−12922
Seitel, S.C. *see* Franck, J.B. 85−51236
Seitel, S.C. *see* Guenther, K.H. 85−12917
Seitel, S.C. *see* Porteus, J.O. 85−12925, 87−26497
Seitel, S.C. *see* Temple, P.A. 85−7563
Seiter, C. *see* Trick, U. 88−9302
Seiter, D. *see* Hagelauer, R. 87−67428
Seiter, G.J. An improved sidewall base contact transistor 88−33176
Seiter, G.J., Roop, R.M. Tunneling base contact for pedestal transistors 88−33177
Seiter, H. Precipitation phenomena in cast silicon 88−18031
Seiter, H. *see* Geissler, J. 86−40712
Seither, M. Vendors fire first salvo of products for Intel's 80386 87−17125
Seither, M. HP's new line on connectivity: customer-owned X.25 networks 87−55727
Seither, M. Hayes cranks up modem speeds, steps up price pressure on rivals 87−69780
Seither, M. Technology pushes brighter screens [monitors buyer's guide] 87−70419
Seither, M. Chips fall into place for IBM PS/2 compatibles 88−38562
Seitlinger, W. The influence of eddy current loss on the resonance behaviour of transformers 86−33457
Seitlinger, W. *see* Richter, W. 87−15826
Seitou, S. *see* Todokoro, H. 87−32636
Seitov, V.N. *see* Akulinichev, Yu.P. 88−27956
Seitz, C.I. *see* Dally, W.J. 87−10939
Seitz, C.L. Concurrent VLSI architectures 85−18401
Seitz, C.L., Frey, A.H., Mattisson, S., Rabin, S.D., Speck, D.A., van de Snepscheut, J.L.A. Hot-clock NMOS 86−8090
Seitz, C.W. *see* Clemmensen, J.M. 87−43254
Seitz, G., Tiziani, H., Litschel, R. 3-D co-ordinates measurement by optical triangulation 87−35187
Seitz, H. L-measuring attachment to the capacitance meter 86−18067
Seitz, H. Pseudorandom binary series. Basic program simulates a shift register with feedback 88−6611
Seitz, H. Digital quality−measurement of a LF-resonance circuit 88−10116
Seitz, H. *see* Beha, H. 88−39602
Seitz, H. *see* Blacha, A. 88−39629
Seitz, H.K., Blacha, A., Clauberg, R., Beha, H. Energy and time-resolved photoemission in a promising new approach for contactless integrated-circuit testing 87−31283
Seitz, H.K. *see* Blacha, A. 87−70735
Seitz, H.K. *see* Blachq, A. 87−39260
Seitz, H.K. *see* Clauberg, R. 87−25494
Seitz, K. *see* Ivers-Tiffee, E. 88−7076
Seitz, K.W. *see* Eugene von Taube 86−55065
Seitz, M., Pletka, H. Raising the dynamic range: stereo compander 86−31074
Seitz, M., Weiss, W. ISDN in the office communications world—exemplified by System 12B 87−34308
Seitz, M.A. *see* Alim, M.A. 88−32479, 88−44793, 88−57004
Seitz, N.B., Wortendyke, D.R., Spies, K.P. User-oriented performance measurements on public data networks 86−17054
Seitz, N.B. *see* Miles, M.J. 85−63168
Seitz, N.B. *see* Paolucci, R. 86−54743
Seitz, P., Muller, A., Ruegsegger, P. The influence of photon counting statistics on picture noise and reproducibility in quantitative computed tomography 85−43370
Seitz, P. *see* Gale, M.T. 88−10135
Seitz, P. *see* Jenni, A. 85−65303
Seitz, W.E. Intelligent position control employs motor with internal feedback 87−30636
Seitz, W.E. Intelligent position control employs motor with internal feedback 87−58130
Seitz, W.R., Zhujun, Z., Mullin, J.L. Reversible indicators for alkali metal ion optical sensors 88−16716
Seitz, W.R. *see* Zhang, Y. 88−53714
Seitzer, D. The impact of microelectronics−technical, economic and social aspects 85−60634
Seitzer, D. Impact of microelectronics−technical, economical and social aspects 86−62
Seitzer, D., Gerhaueser, H. A regional initiative for the transfer of high technology to SMEs 87−23092

Seitzer, D. *see* Brandenburg, K.H. 88−73091
Seitzler, T.M., Burford, R.G. Hardware algorithms for connectivity analysis, target tracking and object characterization 88−59314
Seitzler, T.M., Simmons, D.M., Watkins, S. Algotecture: advanced modularity in image processing for complex algorithms 87−55292
Seivert, C.E. *see* Tucker, R.D. 88−68458
Seiwa, Y., Aoyagi, T., Hinata, S., Kadowaki, T., Kaneno, N., Ikeda, K., Susaki, W. High power CW operation over 400 mW on five-stripe phase-locked laser arrays assembled by new junction down mounting 87−33181
Seiwa, Y., Ikeda, K. A phase-locked laser array 87−76774
Seiwa, Y. *see* Aoyagi, T. 88−14200
Seiwa, Y. *see* Kaneno, N. 87−26427
Seiwa, Y. *see* Mihashi, Y. 86−48439
Seixas, J.M.de *see* de Seixas, J.M.
Seixas, P.F. *see* Grandpierre, M. 87−22273
Seixas de Oliveira, L.F., do Amaral Netto, J.D. Influence of the demand rate and repair rate on the reliability of a single-channel protective system 87−36551
Seiyama, T. *see* Arai, H. 85−58932
Seiyama, T. *see* Miura, N. 85−20575, 86−5195
Seiyama, T. *see* Shimizu, Y. 85−47917, 85−58950, 86−11525
Seiyama, T. *see* Yamazoe, N. 86−55699, 86−55706
Seizer, R. *see* Vroomen, L.C. 86−65583
Seizo Murayama *see* Naomichi Suzuki 85−28850
Sejin Seong A high speed induction machine drive system 85−49147
Sejlitz, G. *see* Olsson, C. 87−15506
Sejnowski, T.J. *see* Gorman, R.P. 88−67491
Sejourne, S. *see* Antoine, P. 86−45110
Sek, A.J. Three-dimensional nonlinear magnetic field in claw-pole alternators 87−42855
Sek-Wui Seah Asymptotic relationship between solutions of ordinary and multivalued differential systems 85−253
Seka, W. *see* Jaanimagi, P.A. 88−47579
Seka, W. *see* Kessler, T. 87−46843
Seka, W. *see* Knights, M.G. 88−65688
Sekar *see* Pillai, P.K.C. 86−2918
Sekar, C.C. *see* Volonino, L. 87−58786
Sekar, R. *see* Sundarsingh, V.P. 85−1411
Sekel, S. Overcoming DC power degradations in ATE test fixture interfaces 85−42842
Sekela, A.M. *see* Reich, R.K. 88−39456
Seker, S., Schneider, A. Stochastic model for pulsed radio transmission through stratified forests 87−68767
Seker, S.S. Radar cross-section of thin dielectric bodies 86−65017
Seker, S.S. Microwave backscattering from a layer of randomly oriented discs with application to scattering from vegetation 87−19182
Seker, S.S., Schneider, A. Electromagnetic scattering from a dielectric cylinder of finite length 88−45671
Seker, S.S. *see* Lang, R.H. 87−7536
Sekey, A. Building a model for large vocabulary isolated word recognition 85−13498
Sekhar, L. *see* Sclabassi, R.J. 88−42515
Sekhar, N. *see* Bookbinder, J.H. 86−45161
Sekhar, P.Chandra *see* Chandra Sekhar, P.
Sekhar, P.V.Sasi *see* Sasi Sekhar, P.V.
Sekhar, S.R., Tikehar, R.V., Krishna, S., Sanjay, M.K. Stochastic analysis of dynamically varying voice packets for collision avoidance on Ethernet 87−69738
Sekhon, J.G., Shannon, A.G. Mathematical education of engineers: an Australian perspective 87−5168
Sekhon, K., Gens, R., Graham, K. Private to public messaging: the transparent solution 87−20321
Seki, A., Konushi, F., Kudo, J., Kakimoto, S., Fukushima, T., Koba, M. MOCVD growth of InP on 4-inch Si substrate with GaAs intermediate layer 88−12008
Seki, A., Okazaki, M., Kakehi, M., Kitamura, N., Wada, T. Vapor growth of Al-doped ZnTe by the closed-tube method 86−395
Seki, A. *see* Kudo, J. 85−44775
Seki, A. *see* Larsen-Basse, J. 87−35852
Seki, E. *see* Fukumoto, A. 85−21379
Seki, H. Epitaxial growth of compound semiconductor−growth mechanism of mixed crystal thin film 88−49801
Seki, H., Horio, Y., Mori, S. New design technique of V/F and F/V converters based on switched-capacitor technology and their applications 86−67454
Seki, H., Koukitu, A. Thermodynamic calculation of the VPE growth of $In_{1-x}Ga_xAs_yP_{14-y}$ by the trichloride method 85−39725
Seki, H., Kusano, M. A wide-angled high-XPD node station antenna for local distribution radio system 86−68860
Seki, H., Mori, S. A/D and D/A converter using switched capacitor amplifier 86−14312
Seki, H., Mori, S. Analog to digital and digital to analog converters using switched capacitor amplifier 86−62649
Seki, H., Mori, S. A/D and D/A converters using a switched capacitor amplifier 87−5919
Seki, H., Uchida, T., Shibata, Y. Dichroic dyes for guest-host liquid-crystal cells 85−51005
Seki, H., Uchida, T., Shibata, Y. Evaluation of brightness and contrast of twisted-nematic and guest-host cells [LCDs] 85−64205
Seki, H., Uchida, T., Shibata, Y. Dichroic dyes for guest-host liquid-crystal cells 87−3679
Seki, H., Yamamoto, M., Mori, S. Switched-capacitor amplifier and applications 85−606
Seki, H. *see* Aramaki, I. 85−54607
Seki, H. *see* Hasegawa, F. 86−439
Seki, H. *see* Ichijo, H. 86−37255
Seki, H. *see* Kim, C. 88−52293
Seki, H. *see* Koukitu, A. 85−375, 85−5984, 85−49557, 87−10383, 88−404
Seki, H. *see* Koyanagi, K. 88−72429
Seki, H. *see* Soda, H. 87−68451
Seki, J., Suzuki, Y., Kitagawa, T. IF band fading simulator 85−63511
Seki, J. *see* Hayashi, K. 86−65459
Seki, J. *see* Nakamura, T. 87−3968, 87−57091
Seki, K., Matsuura, T., Murakami, M., Tsukada, T. Analysis and design of a large-scale linear image sensor using amorphous silicon 87−14134
Seki, K., Nakagawa, H., Fukui, K., Ishiguro, E., Kato, R., Mori, T., Sakai, K., Watanabe, M. A plane-grating monochromator for 2 eV$\leqslant h\nu \leqslant$150 eV 86−60475
Seki, K., Osada, H., Shida, J., Murakami, K. Bidirectional characteristics and applications of temperature-sensitive magnetic semiconductor 88−19910
Seki, K., Osada, H., Shida, J., Murakami, K. Investigation of multi-ability temperature-sensitive magnetic semiconductor with non linear negative resistance 88−51268
Seki, K., Osada, H., Shida, J., Murakami, K. Two outputs temperature/humidity measurement module using temperature-sensitive magnetic semiconductor 88−67766
Seki, K., Shida, J., Murakami, K. Improved method of utilizing a temperature-sensitive invertor for a temperature dependent fluorescent lamp 88−11484
Seki, K., Shida, J., Murakami, K. Characterization of versatile temperature-sensitive magnetic semiconductor with nonlinear negative resistance 88−25894
Seki, K., Shida, J.-I., Murakami, K. Use of a temperature-sensitive ferrite for temperature/humidity measurements 88−74342
Seki, K. *see* Ishiwara, H. 87−44350
Seki, K. *see* Kuo, M.M. 88−39467, 88−64568
Seki, K. *see* Nakazoe, J. 87−10938, 88−12454
Seki, K. *see* Ong, T.-C. 88−50836
Seki, K. *see* Sasano, A. 85−47861
Seki, K. *see* Sato, N. 87−52196
Seki, K. *see* Shimazu, H. 85−26778
Seki, K. *see* Tanaka, M. 88−60044
Seki, K. *see* Teramoto, A. 85−21720
Seki, K. *see* Tsukada, T. 85−50287
Seki, K. *see* Tsunekawa, Y. 88−12525
Seki, M., Sugawara, R., Hanada, Y., Okuda, E., Wada, H., Yamasaki, T. High-performance guided-wave multi/demultiplexer based on novel design using embedded gradient-index waveguides in glass 87−76744
Seki, M., Sugawara, R., Okuda, E., Wada, H., Yamasaki, T., Hanada, Y. Low-loss, guided-wave multi-/demultiplexer using embedded gradient-index ion exchange waveguides 88−67408
Seki, M. *see* Himeno, S. 88−39927
Seki, M. *see* Mitsubori, S. 87−49275
Seki, M. *see* Miyahara, Y. 85−26685
Seki, M. *see* Nishijima, M. 86−52876
Seki, M. *see* Shikama, T. 88−36843
Seki, M. *see* Suzuki, Y. 85−45441
Seki, N. *see* Hirose, S. 88−75770
Seki, N. *see* Yamamoto, S. 86−63823
Seki, S. Test-sequence programming approach improves Hitachi in-circuit testers 86−8607
Seki, S., Hasegawa, H. Analysis of crosstalk in very high-speed LSI/VLSIs using a coupled multiconductor MIS microstrip line model 85−17829
Seki, S., Hasegawa, H. Analysis of crosstalk in very high-speed LSI/VLSIs using a coupled multiconductor MIS microstrip line model 85−23877
Seki, S., Hasegawa, H. Theoretical and experimental investigation of slow-wave crosstie coplanar waveguides for GaAs MMICs 85−55159
Seki, S., Hasegawa, H. Theoretical and experimental investigation of slow-wave crosstie coplanar waveguides for GaAs MMICs 87−52825
Seki, S., Ishihara, T., Furuno, K., Tagishi, Y., Ishii, S., Oshima, H., Tajima, Y., Takahashi, T. Damage to Pelletron acceleration tubes 88−53963
Seki, S., Kanmuri, N., Sasaki, A. Detachable unit service in 800 MHz-band cellular radiotelephone system 86−43749
Seki, S., Kogure, O., Tsujiyama, B. Effects of crystallization on trap state densities at grain boundaries in polycrystalline silicon 87−73981
Seki, S., Kogure, O., Tsujiyama, B. Laser-recrystallized polycrystalline-silicon thin-film transistors with low leakage current and high switching ratio 87−74300
Seki, S., Kogure, O., Tsujiyama, B. Leakage current characteristics of offset-gate-structure polycrystalline-silicon MOSFET's 87−74302
Seki, S., Kogure, O., Tsujiyama, B. A semi-empirical model for the field-effect mobility of hydrogenated polycrystalline-silicon MOSFETs 88−50843
Seki, S., Suzuki, Y., Sone, T. Measurement and analysis of chattering noise of miniature headphones 86−65081
Seki, S., Unagami, T., Kogure, O. Crystallographic orientation dependence of transition layer at magnetron-sputtered Ta_2O_5/Si interface 85−12026
Seki, S., Unagami, T., Kogure, O. Effects of surface oxide on leakage current of magnetron-sputtered Ta_2O_5 on Si 86−28054
Seki, S., Unagami, T., Tsujiyama, B. Electrical characteristics of the RF magnetron-sputtered tantalum pentoxide-silicon interface 85−23586
Seki, S., Unagami, T., Tsujiyama, B. Electrical characteristics of tantalum pentoxide-silicon dioxide-silicon structures 85−34666
Seki, S., Unagami, T., Tsujiyama, B. High transconductance Si-TFTs using Ta_2O_5 films as gate insulators 85−45727
Seki, S. *see* Hasegawa, H. 85−1721, 85−17830, 85−23446, 85−23878, 85−55472
Seki, S. *see* Inomata Fujishiro, H. 88−56272
Seki, S. *see* Kano, T. 85−2139
Seki, S. *see* Kurihara, K. 85−28145
Seki, S. *see* Murayama, T. 87−3840
Seki, S. *see* Nishi, S. 87−60489, 87−60500
Seki, S. *see* Ohmori, C. 87−57027
Seki, T. *see* Fujii, T. 88−21832
Seki, T. *see* Iseki, Y. 88−41489
Seki, T. *see* Iwano, H. 88−2223, 88−20676
Seki, T. *see* Kitajima, T. 88−38385
Seki, T. *see* Masuda, S. 85−29376, 87−11990
Seki, T. *see* Miyashita, K. 86−5286, 86−44305
Seki, T. *see* Nagashima, R. 88−10490
Seki, T. *see* Suzuki, E. 87−55652
Seki, T. *see* Suzuki, M. 85−60972
Seki, Y. Edge segment based stereo matching 86−16545
Seki, Y., Mukohda, B., Minozuma, F. The theoretical expressions for predicting shielding effectiveness for near field 86−3583
Seki, Y., Noda, K. Linearity stabilized fiber-optic thermometer using pseudoheterodyne phase detection 87−68099
Seki, Y., Yamauchi, I., Yamada, K., Kawasaki, H. Radioactivation of structural material of the superconducting magnet for a fusion reactor 85−7186
Seki, Y. *see* Fujimoto, Y. 85−58478
Seki, Y. *see* Koike, K. 88−15367
Seki, Y. *see* Kora, M. 87−63040
Seki, Y. *see* Shimizu, H. 86−68282
Seki, Y. *see* Shirafuji, K. 87−52818
Seki, Y. *see* Soma, M. 86−2708
Seki, Y. *see* Taya, H. 85−58697, 87−53962
Sekibe, T. *see* Kameyama, M. 88−71799
Sekido, K. Technology trends of display devices 88−53791
Sekido, S. Solid state micro power sources 85−10081
Sekido, T. *see* Baba, N. 85−52197
Sekido, T. *see* Okuda, J. 86−4422
Sekido, Y., Koizumi, M., Mita, J., Hayashi, T., Kazama, M., Nihei, K. Thin-film EL display panel with low- and high-resistivity insulator 87−8681
Sekido, Y., Shimizu, J. International network management facilities 88−46436
Sekido, Y. *see* Hayashi, T. 88−16336
Sekido, Y. *see* Kato, T. 85−4838
Sekido, Y. *see* Koizumi, M. 88−58374
Sekido, Y. *see* Mita, J. 87−54180, 87−54195, 87−68272
Sekido, Y. *see* Tsunoda, T. 85−59954
Sekigami, K., Shiina, T., Kamimura, I., Nagae, K., Matsumoto, K., Saito, K. Inverter driven heat pump for light commercial applications 87−79225
Sekigami, K., Tagawa, S., Takebayashi, M. Compact rotary compressors for refrigerators and dehumidifiers 88−17817
Sekigawa, M. *see* Ohtsuki, M. 87−20349
Sekigawa, T., Hayashi, Y. Calculated threshold-voltage characteristics of an XMOS transistor having an additional bottom gate 85−18357
Sekigawa, T., Ishii, K., Oka, N., Hayashi, Y. Improvement of breakdown voltage of oxide on V-shaped grooves by thermal oxidation and etching 85−55712
Sekigawa, T. *see* Nagai, K. 85−55615
Sekiguchi, A. *see* Hara, O. 86−4367
Sekiguchi, A. *see* Hasegawa, K. 86−50362
Sekiguchi, A. *see* Mito, H. 86−62251
Sekiguchi, A. *see* Nakazawa, M. 85−64454
Sekiguchi, A. *see* Wadayama, T. 88−49871
Sekiguchi, H. New ASCII version may link Japan to the Western world 85−62961

Sekiguchi, H., Ishikawa, H., Koyama, M., Sawada, H. Techniques for increasing frequency spectrum utilization in mobile radio communication system 86−4527
Sekiguchi, H., Ishikawa, H., Koyama, M., Sawada, H. Increasing frequency spectrum utilization in mobile systems 86−43742
Sekiguchi, H., Nakajima, H., Shinohara, N., Kawashima, S., Shiomi, Y. A 80 GHz radiometer for solar burst observations 85−20290
Sekiguchi, H., Okigami, N., Miura, H., Sasaki, K., Nakasnishi, T. Three-stage combustion system for pulverised coal developed for commercial use 85−43876
Sekiguchi, H. *see* Hirai, H. 87−60445
Sekiguchi, H. *see* Ishikawa, H. 86−69323
Sekiguchi, H. *see* Kameoka, K. 86−11581
Sekiguchi, H. *see* Kawaguchi, T. 86−41828
Sekiguchi, H. *see* Nakagawa, K. 88−19192
Sekiguchi, H. *see* Nakajima, H. 85−20289, 85−63778
Sekiguchi, H. *see* Sawa, M. 85−20291
Sekiguchi, H. *see* Yamaguchi, A. 87−62138
Sekiguchi, K. *see* Kohno, M. 85−10477
Sekiguchi, K. *see* Togashi, S. 85−20676, 86−5416, 86−18038
Sekiguchi, M., Ueda, N., Sawada, K., Ohshiro, Y., Oyaizu, M., Tojyo, E. Design of the INS ECR ion source 88−74719
Sekiguchi, M. *see* Abe, F. 87−77578
Sekiguchi, M. *see* Hoshino, T. 85−892
Sekiguchi, M. *see* Shiono, N. 87−31887
Sekiguchi, M. *see* Snider, F. 88−48022
Sekiguchi, M. *see* Yamaguchi, Y. 87−45424
Sekiguchi, N., Enari, T., Kurashima, T. Development of cable pulling controller 86−65005
Sekiguchi, N. *see* Ishiuchi, H. 85−50731
Sekiguchi, N. *see* Matsuzawa, K. 85−16156 to 16157
Sekiguchi, N. *see* Mori, T. 86−39996
Sekiguchi, O. *see* Hirose, Y. 85−38099, 87−8919
Sekiguchi, S. *see* Hiraki, K. 86−49301
Sekiguchi, S. *see* Suzuki, M. 85−25597
Sekiguchi, S. *see* Toba, F. 87−1970
Sekiguchi, T. Servo type camera anti-vibration equipment 88−29084
Sekiguchi, T., Ichikawa, Y., Takahashi, S. Generalization of McClellan transformations for two-dimensional linear-phase FIR digital filters with complex coefficients 87−66427
Sekiguchi, T., Kobayashi, K., Nakamura, O., Minami, T. Correspondence searching algorithm of stereo images using probabilistic relaxation. II. Investigation on the usefulness of the algorithm 87−75892
Sekiguchi, T., Namiki, Y. Thermal history estimation on crosslinked polyethylene by DSC (differential scanning calorimeter) 86−6373
Sekiguchi, T., Ohsato, A., Suzuki, K., Kodate, H., Saito, S. An improved algorithm of a simplex method on convergence in function optimization 87−23529
Sekiguchi, T., Shimooka, Y., Tsukamoto, K., Kaku, S. A switching-mode ultra-low frequency signal delayer and its application 85−28672
Sekiguchi, T., Takahashi, S. McClellan transformations for multidimensional FIR digital filters with complex coefficients 88−19278
Sekiguchi, T., Tsukamoto, K., Kaku, S., Shimooka, Y. A switching-mode ultralow-frequency signal delayer and its application 87−52774
Sekiguchi, T. *see* Katazawa, O. 86−68186
Sekiguchi, T. *see* Kobayashi, K. 87−75891, 87−75896
Sekiguchi, T. *see* Nemoto, K. 85−7382
Sekiguchi, T. *see* Okada, M. 88−58269
Sekiguchi, T. *see* Yamaguchi, Y. 85−57023, 86−63990, 88−20909, 88−52209
Sekiguchi, Y. A decomposition theory based on a dominance relation and composite jobs 87−44170
Sekiguchi, Y. *see* Hamabe, K. 87−4552
Sekiguchi, Y. *see* Hayashi, H. 85−38029
Sekiguchi, Y. *see* Ichikawa, M. 86−44757
Sekiguchi, Y. *see* Imanishi, M. 87−73813
Sekiguchi, Y. *see* Jaffe, M. 88−19989
Sekiguchi, Y. *see* Jaffe, M.D. 88−39533
Sekiguchi, Y. *see* Shigenaga, M. 87−19581
Sekiguchi, Y. *see* Tsubaki, K. 85−2119
Sekihara, K., Matsui, S., Kohno, H. A new method of measuring static field distribution using NMR images 85−43362
Sekihara, K., Matsui, S., Kohno, H. NMR imaging for magnets with large nonuniformities 86−32253
Sekihara, K. *see* Onodera, T. 87−49899
Sekihara, S. *see* Kudoh, Y. 88−50551
Sekii, Y. *see* Kaminaga, K. 87−30211
Sekii, Y. *see* Kawamata, F. 86−50476
Sekii, Y. *see* Nakabasami, T. 85−59731
Sekii, Y. *see* Watanabe, K. 86−39161
Sekii, Y. *see* Yoda, B. 85−32170
Sekikawa, K., Ito, K., Sugimura, S., Takei, T., Fujiwara, K. A four-wavelength-division multiplex transmission system 85−8430
Sekikawa, K. *see* Fujiwara, K. 88−46794
Sekikawa, K. *see* Ito, K. 85−8429
Sekikawa, K. *see* Oshima, K. 88−35274
Sekikawa, K. *see* Shimizu, K. 88−42225
Sekikawa, O. *see* Shiozaki, T. 85−28784
Sekimizu, K. *see* Arakawa, A. 88−48732, 88−62132
Sekimizu, Y. *see* Abe, S. 88−51346, 88−71881
Sekimoto, H. Analysis of trapped energy resonators with circular electrodes 85−35279
Sekimoto, H. Analysis of bi-beveled quartz resonators using Mindlin's plate equations and transfer matrix method 87−74479
Sekimoto, H. Analysis of bi-convex AT-cut quartz resonators using transfer matrix method 88−57859
Sekimoto, H., Hojo, K., Hojo, T. Fast neutron spectrum generated in graphite pile with D-T neutron source 85−48691
Sekimoto, H., Hojo, K., Hojo, T., Oishi, K. A simple facility to measure the scalar neutron spectrum in an assembly 85−37909
Sekimoto, H., Ihara, T. Design for monolithic crystal filters compensating effects of frequency dependence of coupling coefficients 85−41008
Sekimoto, H., Ihara, T., Nakata, H., Miura, M. Suppression of anharmonic spurious modes in quartz resonators by modified electrode design using charge cancellation 87−6957
Sekimoto, H., Ihara, T., Nakata, H., Miura, M. Suppression of anharmonic spurious modes by modified electrode design using charge cancellation 87−32803
Sekimoto, H., Ihara, T., Nakata, H., Miura, M. Suppression of anharmonic spurious modes in quartz resonators by modified electrode design using charge cancellation 88−57848
Sekimoto, H., Nakata, H., Miura, M. Analysis of trapped energy resonators with tabs 86−42045
Sekimoto, H., Nakata, H., Niura, M. Analysis of trapped energy resonators with tabs 88−20225
Sekimoto, H., Oishi, K., Hojo, K., Hojo, T. Some characteristics of a miniature neutron spectrometer 85−15256
Sekimoto, H. *see* Nishizawa, J. 88−30825, 88−71544
Sekimoto, K., Matsui, M. MII format VTR AU-600 86−38084
Sekimoto, K., Matsui, M., Obata, I. M II Format VTR 86−38110
Sekimoto, K., Matsui, M., Obata, I. The MII format VTR 87−8449
Sekimoto, K. *see* Oba, Y. 88−9786
Sekimoto, M., Ozawa, A., Ohkubo, T., Yoshihara, H. A high contrast submicron X-ray mask with Ta absorber patterns 85−34756
Sekimoto, M. *see* Deguchi, K. 86−41984, 87−45732
Sekimoto, M. *see* Ichimaru, K. 85−59180
Sekimoto, S., Hirokawa, S. One-step recurrent terms in λ-β-calculus 88−56153
Sekimoto, S., Saito, S. Intelligibility of frequency compressed speech for a hearing aid 86−36969
Sekimukai, S. *see* Sato, G. 86−60739
Sekine, A., Watanabe, M., Watanabe, T., Saito, T. Mechanical design for building block configuration 85−33178
Sekine, C. An outline of GPS and GPS receivers 87−76887
Sekine, H., Suto, T., Ishikawa, T., Suto, K., Sato, S. A compensation network of the ripple voltage on the DC rate generator 87−51229
Sekine, H., Suto, T., Ishikawa, T., Suto, K., Sato, S., Mizuide, S. A determination of the rotor time constant on the drag cup type brushless DC rate generator 87−58109
Sekine, H., Suto, T., Ishikawa, T., Suto, K., Sato, S., Ote, T. On a new type magnetic rotary encorder 87−72101
Sekine, H. *see* Miyashita, S. 87−67816
Sekine, H. *see* Ryu, S. 88−55335
Sekine, H. *see* Shibuya, Y. 86−6467
Sekine, H. *see* Yamamura, T. 87−15806
Sekine, H. *see* Yokozuka, T. 87−78625
Sekine, K. *see* Hasegawa, T. 88−62804
Sekine, K. *see* Hyogo, A. 87−5961, 88−70904
Sekine, M. The relationship between radar reflectivity and rainfall rate 86−69805
Sekine, M., Arikado, T., Okano, H., Horiike, Y. High rate reactive ion etching using collimated beam produced by 10^{-3} Torr magnetron discharge 87−25132
Sekine, M., Chen, C.-D. Rain attenuation from various raindrop-size distributions 86−68752
Sekine, M., Chen, C., Musha, T. Rain attenuation from log-normal and Wiebull raindrop-size distributions 87−54548
Sekine, M., Musha, T., Tomita, Y., Hagisawa, T., Kiuchi, E. Weibull-distributed ground clutter in the frequency domain 85−63735
Sekine, M., Musha, T., Tomita, Y., Hagisawa, T., Kiuchi, E., Irabu, T. Suppression of clutter and detection of targets 85−46824
Sekine, M., Okamoto, Y., Nakamura, T., Liang, R. T_c limitations on Ba-Y-Cu-O superconductors 88−1897
Sekine, M., Okano, H., Horiike, Y. Excimer laser photochemical directional etching of phosphorous doped poly-crystalline silicon 87−32429
Sekine, M., Okano, H., Yamabe, K., Hayasaka, N., Horiike, Y. Radiation damage evaluation in an excimer laser etching 86−41712
Sekine, M., Okano, H., Yamabe, K., Hayasaka, N., Horiike, Y. Radiation damage evaluation in excimer laser beam irradiation and reactive ion etching 87−1425
Sekine, M. *see* Aota, M. 87−57382
Sekine, M. *see* Arikado, T. 85−50448, 87−45830, 88−33049
Sekine, M. *see* Chen, C.-D. 86−17429
Sekine, M. *see* Horiike, Y. 85−45605, 85−50424, 88−19804, 88−19833
Sekine, M. *see* Horioka, K. 88−71438
Sekine, M. *see* Iwama, T. 86−55370, 87−76839
Sekine, M. *see* Kikuma, I. 86−66797
Sekine, M. *see* Klementowski, L. 85−4405
Sekine, M. *see* Musha, T. 85−52396
Sekine, M. *see* Ogata, M. 85−46827, 86−49704
Sekine, M. *see* Ogawa, H. 87−56250
Sekine, M. *see* Ogura, H. 85−46829
Sekine, M. *see* Okano, H. 85−29137, 85−50440
Sekine, M. *see* Tatsukawa, S. 85−20255, 86−11166
Sekine, S. Optical spectrum analyzer meets stiff requirements 88−4330
Sekine, S., Nakamura, S., Oda, S., Matsumura, M. Evaluation of deep states in amorphous-silicon/silicon-nitride system from charge-coupled device characteristics 88−64621
Sekine, S. *see* Ando, S. 85−41517
Sekine, S. *see* Foner, S. 85−46045
Sekine, S. *see* Matsumura, M. 88−26350
Sekine, S. *see* Moriwaki, K. 87−37122
Sekine, S. *see* Takahashi, Y. 87−37356
Sekine, T. A study of nuclei far from stability by using ISOL 87−21397
Sekine, T. *see* Hisamatsu, T. 88−74111
Sekine, T. *see* Hosono, M. 85−3647
Sekine, T. *see* Kirchner, R. 87−57010
Sekine, T. *see* Nakamura, T. 85−41671, 87−2326
Sekine, Y. Hierarchical power system control 85−43508
Sekine, Y., Ichida, Y., Nakamura, A., Kurihara, I., Suzuki, H. Asymmetrical four-legged reactor extinguishing secondary arc current for high-speed reclosing on UHV system 86−51727
Sekine, Y., Murase, S. Dynamic-characteristic simulation and vibration testing of electric locomotives 85−53890
Sekine, Y., Nakamura, M., Ochiai, T., Suyama, M. Utilization of a lambda (Λ)-shaped transistor for a hardware neuron model 86−2192
Sekine, Y., Omoto, H., Kikuchi, T. Packet switching system−iOX3000 series 88−59914
Sekine, Y., Suyama, M. Multistable circuit using Λ-shaped negative resistance devices and its application to frequency divider 85−28676
Sekine, Y., Suyama, M. Multistable circuit using Λ-shaped negative resistance devices and its application to frequency divider 87−52710
Sekine, Y., Suyama, M., Nakamura, M., Ochiai, T. Utilization of a lambda (Λ)-shaped transistor for a hardware neuron model 87−477
Sekine, Y., Suyama, M., Noguchi, M., Ito, T. Pulse-type hardware neuron model using a Lambda (Λ)-shaped transistor and its application 87−66453
Sekine, Y. *see* Fukuyama, N. 88−54883, 88−54971
Sekine, Y. *see* Ishikawa, M. 87−30157
Sekine, Y. *see* Kinoshita, T. 86−40918, 87−23944, 88−3992
Sekine, Y. *see* Komai, K. 86−25494
Sekine, Y. *see* Maeda, T. 88−36753
Sekine, Y. *see* Mizuma, T. 86−33469, 86−39719
Sekine, Y. *see* Nakamura, K. 88−44938
Sekine, Y. *see* Oyama, T. 87−9077
Sekine, Y. *see* Sakaguchi, T. 88−54923
Sekine, Y. *see* Sakuta, Y. 85−49777, 87−6958, 87−52425, 88−57860
Sekine, Y. *see* Sutoh, T. 87−51095
Sekine, Y. *see* Takasaki, M. 86−39094, 86−39108
Sekine, Y. *see* Todoroki, S. 88−56229
Sekine, Y. *see* Yokoyama, A. 86−25495, 88−17067, 88−30230
Sekino, A. *see* Onoda, K. 87−40387
Sekino, M., Eda, A., Hiroshima, M., Nishida, H. Optimized designs of a 4 Mbit Permalloy bubble memory device 87−25874
Sekino, M. *see* Hiroshima, M. 87−25873
Sekino, T. *see* Katayama, S. 86−4665
Sekino, T. *see* Shibanuma, N. 86−4664
Sekino, W.T. *see* Goksel, A.K. 87−25367
Sekinobu, M. *see* Matsumoto, K. 86−7750
Sekisov, F.G. *see* Kaljatsky, I.I. 86−9321
Sekistov, V.N. Application of the method of standard equations to the problem of analyzing the statistical moments of the field of short waves propagating in a medium with strong random Gaussian nonuniformities 87−68755
Sekita, H., Hashimoto, M., Hayashi, T., Inagaki, H., Tajika, J., Kakimoto, M. High voltage power supply with integrated photovoltaic cell array 88−75744
Sekita, I., Toraichi, K., Mori, R., Yamamoto, K., Yamada, H. Feature extraction of handwritten Japanese characters by spline functions for relaxation matching 88−14794

Sekita, I. *see* Toraichi, K. 85−10635, 86−57384, 87−61937, 88−18634, 88−63211
Sekita, M., Utsumi, T. 200 MHz instrument cathode-ray tube without side-contact pins 87−66850
Sekita, Y. Study on interactions between water and polymers by sorption, diffusion and permeation 87−60709
Sekiya, H. *see* Matsue, J. 86−39545
Sekiya, H. *see* Terada, F. 86−39558
Sekiya, H. *see* Yoshikawa, K. 85−21533
Sekiya, K., Ohmiya, Y., Okano, M., Kuma, K. A voice mail system and service environment 86−54808
Sekiya, K., Ohya, S., Nio, Y., Ozaki, J., Okamura, K., Kikuchi, M. Trench self-aligned EPROM technology 87−24194
Sekiya, K. *see* Ishikawa, M. 86−65675, 86−65677
Sekiya, K. *see* Kajisa, K. 88−38568
Sekiya, M. *see* Nakahara, K. 86−51538
Sekiya, M. *see* Otala, M. 88−15858
Sekiya, M. *see* Sameshima, T. 86−53625, 87−67082
Sekiya, M. *see* Usui, S. 87−32403
Sekiya, R., Nakamura, M., Shigei, Y. Transmitting two-level balanced code within the bandwidth of straight binary-code-transmission 85−7817
Sekiya, T. Fuji switching power transistor 86−15134
Sekiya, T., Kobayashi, T., Furuhata, S., Shigekane, H., Ichijo, M. Power transistor modules for power converter 85−11008
Sekiya, T. *see* Watanabe, I. 87−53204
Sekiya, Y., Miyoshi, Y., Hosokawa, T. Experimental studies on the discharge types, discharge characteristics, and discharge regions of negative point-to-plane gap in N_2-O_2 mixture 85−62124
Sekiya, Y. *see* Hosokawa, T. 86−35932
Sekiyama, H. *see* Ohta, T. 86−60656
Sekizawa, S., Mizuno, M. Improvement in performance of FH-BFSK by applying bit interleaving in fading channels 86−10967
Sekizawa, S. *see* Mizuno, M. 87−12714
Sekizawa, T. The switching group—products and perspectives 86−30509
Sekizawa, T. *see* Ikeda, Y. 86−40243
Sekizawa, T. *see* Ohtsuki, M. 87−20349
Sekizuka, E. *see* Horikoshi, T. 87−7850, 88−16727
Sekkaki, N. *see* Balladore, J.L. 88−26128
Sekkina, M.M.Abou *see* Abou Sekkina, M.M.
Sekkouti, N. *see* Hobbes, P. 86−39499
Seklguchl, Y., Chan, Y.J., Jaffe, M., Weiss, M., Ng, G.I., Singh, J., Quillec, M., Pavlidis, D. Theoretical and experimental studies on lattice matched and strained MODFETs 88−64629
Seko, I. *see* Mikami, M. 86−5068, 86−44174, 86−60157
Seko, M., Yomiyama, A., Ogawa, S. Electrolysis cell design for ion exchange membrane chlor-alkali process 85−32679
Seko, N. *see* Kitamura, M. 88−51339
Seko, S. Meidensha product line of AC speed control equipment 86−12773
Seko, S., Sawashima, H., Yamamoto, M., Takahashi, M. Low gate-voltage controlled power MOS FET 86−58482
Seko, S., Yoshitake, T., Hattori, M. Super high speed transistors 86−58453
Seko, T., Kajikawa, S.M. Putting Tepco's tenth BWR into operation at Fukushima 87−78267
Seko, T. *see* Kawahito, T. 85−4813
Seko, Y. *see* Senoo, T. 85−16366
Sekoguchi, M., Taguchi, T., Hiraki, A. Effect of annealing on photoluminescence properties in Ar^+-ion irradiated MOCVD-grown ZnSe films 88−51667
Sekoyan, S.S., Subbotina, E.K., Karpov, A.G., Grishina, N.A. Interrelation of frequency-temperature coefficients for elastic vibratory systems made of Elinvar 86−55901
Sekretar', V.E. *see* Vasilenko, G.V. 85−48844
Sekso, A. *see* Vukelja, P. 87−57610
Sekso, I. *see* Skendzic, V. 88−60819
Sekula, P. *see* Case, C. 88−37448
Sekula, P.A., Vernon, S.M., Keavney, C.J. MOCVD growth of single crystal ZnS_xSe_{1-x} on Si 88−38214
Sekula, P.A. *see* Vernon, S.M. 87−43463
Sekulski, J. On the possibility of application of the derivative light output-voltage characteristic for the analysis of electron-phonon interaction in electroluminescent ZnSe MOS structures 87−37999
Sekulski, J., Kostanska-Sekulska, B. Mechanism of the self-activated electroluminescence in ZnSe MOS diodes 85−29705
Sekulski, J., Kostanska-Sekulska, B. The mechanism of current transport in electroluminescent ZnSe MOS structures 85−34647
Sekulski, J., Kostanska-Sekulska, B., Pancewicz, K. Series resistance R and ideality factor η of ZnSe MOS electroluminescent structures at high injection levels of minority carriers 86−2939
Sekulski, J. *see* Kostanska-Sekulska, B. 88−71509
Sekutowicz, J., Kulinski, S., Pachan, M. Frequency dependent capacitive-inductive model for axially coupled $\pi/2$ standing wave biperiodic structures 86−31984
Sekutowicz, J. *see* Dwersteg, B. 88−51414
Sekyung Lee *see* Jae-yel Yi 86−13885, 86−26941, 86−52579
Sela, I., Beserman, R., Morkoc, H. Defects created in ion-implanted $Ga_{1-x}Al_xAs$ alloys 87−11603
Selamoglu, N., Mucha, J.A., Flamm, D.L., Ibbotson, D.E. Catalyzed gaseous etching of silicon 87−67099
Selamoglu, N., Mucha, J.A., Flamm, D.L., Ibbotson, D.E. Catalyzed gaseous etching of silicon 88−39238
Selb, M. *see* Gottlicher, G. 88−41637
Selbach, A. Survey on the development of the three-phase drive, class 120—a new locomotive generation with the universal three-phase drive [electric locomotives] 85−44235
Selbach, H. *see* Steffens, H.-D. 87−21276
Selbach, H.-J. *see* Brennecke, P.W. 86−26276
Selberg, L.A. *see* Milster, T.D. 85−43354, 86−3942
Selberherr, S. The status of MINIMOS 87−6751
Selberherr, S. On modeling MOS-devices 87−67296
Selberherr, S., Potzl, H. Numerical simulation of semiconductor components 85−29182
Selberherr, S. *see* Baghai-Wadji, A.R. 86−47878, 87−60741
Selberherr, S. *see* Bahai-Wadji, A.R. 86−2525
Selberherr, S. *see* Budil, M. 87−6602, 88−1338, 88−7300
Selberherr, S. *see* Demel, J. 85−28314, 85−40869
Selberherr, S. *see* Franz, A.F. 85−45732
Selberherr, S. *see* Hansch, W. 87−25317, 87−53531
Selberherr, S. *see* Hobler, G. 87−6559, 87−45772, 88−32994
Selberherr, S. *see* Jungling, W. 85−1271, 85−34807, 85−44852
Selberherr, S. *see* Pichler, P. 85−45556, 86−21645
Selberherr, S. *see* Straker, F. 85−40859, 87−53665
Selbie, R.D. *see* Redpath, T.W. 88−10318
Selbka, A. The effect of valid tariffs on efficient electric power and energy consumption by the consumers 88−10729
Selbo, K.M.A. *see* Zein, D.A. 85−49695
Selby, G.V. Progress in visualizing cryogenic flow using the vapor-screen technique 87−71226
Selby, G.V. *see* Gartenberg, E. 87−71237
Selby, J. Designing an IDC connector to meet all standards 87−6195
Selby, J.M., Swinth, K.L., Kenoyer, J.L. Health physics instrumentation needs 85−48352
Selby, J.M., Vallario, E.J., Swinth, K.L. Instrumentation research and development in DOE health physics programs 87−63857
Selby, R.L. Preventive maintenance for the distribution plant 85−4624
Selcuk, A. *see* Chen, P.-L. 88−6818
Selcuk, A.T. *see* Butler, K.J. 85−8843
Selden, A.C. *see* Rutt, H.N. 86−15024
Selden, J.B. *see* Walker, L.P. 85−53407
Selders, J., Beneking, H. GaInAs n-channel inversion-mode MISFETs with improved long- and short-term stability 87−1517
Selders, J., Emeis, N., Beneking, H. Schottky-barriers on p-type GaInAs 85−40514
Selders, J., Maier, M., Beneking, H. Annealing behaviour of the GaInAs/SiO_2 system 87−24973
Selders, J., Roentgen, P., Beneking, H. $Ga_{0.47}In_{0.53}As$ JFETs and MESFETs with OMVPE-grown GaAs surface layers 86−21543
Selders, J., Wachs, H.J., Jurgensen, H. GaInAs junction FET with InP buffer layer prepared by selective ion implantation of Be and rapid thermal annealing 86−35676
Selders, J. *see* Allevato, C.E. 88−1444
Selders, J. *see* Kraulte, H. 85−50268
Selders, J. *see* Maier, M. 87−11605
Selders, J. *see* Vescan, L. 85−1491
Seldner, G. *see* Jessen, K. 88−57140
Seldner, M. Network monitoring and analysis—context, system requirements and prototype 88−46485
Seldner, M. *see* Chikte, S.D. 85−13763
Seldon, D. *see* Thurlow, J. 86−32250
Seldowitz, M.A., Allebach, J.P., Sweeney, D.W. Synthesis of digital holograms by direct binary search 87−68636
Sele, G. *see* Diletti, H. 85−23286
Sele, G.J. *see* Diletti, H. 85−61603
Selecki, D. *see* Martin, J.-M. 85−42702
Selecki, D.J., Jeandot, J.L. A multiplexing scheme for digital sound transmission 85−57576
Seleninov, K.L. *see* Rabkin, P.B. 87−74275
Seleninov, K.L. *see* Yevseyev, Yu.A. 87−11761
Selenyi, E. New pseudo exhaustive codes 86−27232
Selenyi, E. New methods for pseudoexhaustive testing 88−6759
Selenyi, E. *see* Horvath, I. 85−63992
Selenyi, E. *see* Jobbagy, A. 86−17797
Selenyi, E. *see* Pataricza, A. 85−58526
Seletkov, V.L. *see* Andreyev, F.M. 86−49747
Seleznev, A.P. Cost-function analysis method of economic evaluation at technologically specialized enterprises 85−76
Seleznev, A.P. *see* Nikanorov, V.B. 87−58047
Seleznev, B.L., Bychkov, E.A., Vlasov, Yu.G. Ionic and electronic conductivity of glasses in the Ag-As-Se-Te system 87−6384
Seleznev, B.N. *see* Shatalov, A.A. 85−2831
Seleznev, B.V. *see* Andriyakhin, V.M. 85−18985
Seleznev, D.G. *see* Prosvirnin, S.L. 86−20803
Seleznev, G.B. *see* Afanas'yev, L.N. 87−76047
Seleznev, L.I., Korobkov, V.V., Nitusov, V.V., Mishkin, N.A., Romanov, A.V. The accuracy of experimental values of internal relative efficiency in industrial testing of steam turbines at thermal power stations 87−64398
Seleznev, L.I. *see* Alekseev, Yu.P. 88−55197
Seleznev, L.N. *see* Kamenetskii, A.B. 88−69275
Seleznev, S.N. *see* Bondarev, B.V. 87−75169
Seleznev, V. N. *see* Agafonov, A.I. 86−8817
Seleznev, V.A. *see* Kostyshin, M.T. 86−3333
Seleznev, V.A. *see* Lyubimov, A.I. 86−15811
Seleznev, V.D. *see* Kuznetsov, V.I. 85−48141
Seleznev, V.N. *see* Agafonov, A.I. 85−23463, 85−40546, 85−45472
Seleznev, V.N. *see* Dolgov, M.V. 87−74649
Seleznev, V.N. *see* Plotnikov, A.F. 85−12040
Seleznev, V.P. *see* V'yugina, T.S. 86−5077, 86−27810
Seleznev, V.S. *see* Gres', V.N. 86−50271
Seleznev, V.Yu. *see* Dobrovol'skii, S.M. 87−73170
Seleznev, V.Yu. *see* Piskunov, D.K. 85−6223
Seleznev, Yu.V., Aronov, A.Ya., Vdovin, Yu.A., Malyuk, V.A. Describing families of magnetic characteristics on the basis of an experiment in the modeling of devices with ferromagnetic elements 86−42103
Seleznev, Yu.V., Ivanova, N.I., Aronov, A.Ya., Efimenko, V.M. Method for automated determination of dynamic hysteresis loops in ferromagnetic materials based on compensation method 88−22753
Selezneva, L.A. *see* Galkin, A.F. 85−2205
Selezneva, L.A. *see* Kel'man, V.A. 85−41343
Selezneva, L.A. *see* Klimovskii, I.I. 88−51753
Self, A.G. Expendable jammers prove indispensable 85−30046
Self, A.G., Smith, B.G. Intercept time and its prediction 85−58165
Self, B.G. *see* McKenzie, J.M. 88−42687
Self, D. Design of moving-coil head amplifiers 88−12225
Self, D.R.G. Ultra-low-noise amplifiers and granularity distortion 88−18942
Self, D.R.G. Science vs. subjectivism in audio engineering 88−60476
Self, J.W. BWR recirculation piping inspection techniques for IGSCC 85−59902
Self, S.A. *see* Kihm, K.D. 85−51378, 87−33391
Self, S.A. *see* Moslehi, G.B. 85−24748
Self, S.A. *see* Paul, P.H. 88−37736
Selfert, W.E. Chosing a transport protocol 85−63360
Selfridge, A.R. Approximate material properties in isotropic materials 85−58952
Selfridge, A.R., Gehlbach, S. KLM transducer model implementation using transfer matrices 87−4191
Selfridge, P.G., Mahakian, S. Distributed computing for vision: architecture and a benchmark test 86−10475
Selfridge, P.G. *see* Prewitt, J.M.S. 85−30278
Selfridge, R., Dienes, A. Synchronously pumped double mode-locking of a rhodamine 6G-cresyl violet mixture 85−41349
Selfridge, R., Dienes, A. Variable repetition-rate short pulses from a passively mode-locked argon laser 85−51080
Selfridge, R. *see* Kowel, S.T. 88−1500
Selfridge, R.H., Kowel, S.T., Stroeve, P., Lam, J.Y.S., Higgins, B.G. Optical fibers coated with non-linear Langmuir-Blodgett films 88−72066
Selga, J.M. New flow control power is decentralizable and fair 85−8212
Selga, J.M. A class of flow control methods that maximize the new flow control power 85−42024
Selga, J.M. Flow-control method for packet networks 87−48667
Selga, J.M. *see* Garcia-Lopez, J.A. 88−66064
Selga, R. *see* Sadarangani, J.C. 88−14935
Selhagen, L. Primary power for the telecommunications—a true system delivery 88−62271
Selidovkin, A.D. *see* Vasyutkin, A.M. 85−50151
Selifanova, E.N. *see* Molchanov, A.V. 88−37896
Selig, B.J., Stevens, G.H., Jr., Waterman, C.R. Sleeve welding provides reliable steam-generator repair 87−78359
Selig, G.W. *see* Marhic, M.E. 88−13861
Selig, L.J. *see* Lee, M.J. 88−54269
Selig, O., Haug, G., Weidner, H., Wohak, K. Evaluation of deformations in chip surfaces with a temperature-compensating piezoresistive sensor 87−35074
Seliga, T.A. Ionospheric heating via ordinary to extraordinary mode wave coupling 85−57038

Seliga, T.A., Aydin, K., Direskeneli, H. Disdrometer measurements during an intense rainfall event in central Illinois: implications for differential reflectivity radar observations 86-70530
Seliga, T.A. *see* Aydin, K. 85-13114, 87-35487, 88-10541
Seliga, T.A. *see* Bringi, V.N. 85-21017
Seliger, K. *see* Gundel, H. 86-9728
Seliger, R.L. *see* Clark, W.M., Jr. 87-41804
Seligman, A. *see* Noble, P. 85-4485
Seligman, J.M., Gillespie, E.S., Ryken, M. A quasi-lumped planar balun for printed circuit antennas 88-2798
Seligman, J.M., Ryken, M. A miniature wideband planar balun for printed circuit antennas 87-39536
Seligman, P.M. *see* Millar, J.B. 86-48867
Seligmann, B. *see* Habfast, C. 86-65314
Seligmann, B. *see* Poth, A. 88-61034
Seligmann, P. The Earth's magnetic field. A new technique 87-45122
Seligson, C.H. Electric utility regulation—today and tomorrow 87-22040
Seligson, D., Pan, L., King, P., Pianetta, P. Soft X-ray dosimetry and its application on the lithography beamline at SSRL 88-42458
Seligson, D. *see* King, P. 88-13222
Seligson, D. *see* King, P.L. 88-39298
Seligson, D. *see* Pan, L. 88-48055
Seligson, D. *see* Piestrup, M.A. 88-13212
Seligson, D. *see* Tung-Yi Chan 88-64581
Seligson, J. Prism couplers in guided-wave optics: design considerations 87-60893
Seligson, J. Modeling of a focusing grating coupler using vector scattering theory 88-33708
Seligson, J. The orthogonality relation for TE- and TM-modes in guided-wave optics 88-72110
Selikov, A.V. *see* Zinov, V.G. 86-20369, 88-67675
Selikowitz, S.M., LaCourse, J.R., Gerhard, G.C. High frequency current pathways during electrosurgery (trans-urethral resection) 88-4991
Selikowitz, S.M. *see* Gerhard, G.C. 86-70427, 88-4992
Selikowitz, S.M. *see* LaCourse, J.R. 88-74854
Selikson, M.H., McElroy, N. Use of ^{99m}Tc for calibrating survey meters 87-42027
Seliktar, R. Towards automatic design of custom leg prostheses 88-54635
Seliktar, R. *see* Baer, D.C. 88-54634
Selim, A. *see* Al-Taha, R.A. 86-19291
Selim, F.A. *see* Prasad, R.V. 86-34386
Selim, H., Anbar, T. A phonetic transcription system of Arabic text 87-61748
Selim, H., Girgis, G.A. Microprocessor-based digital accelerometer and its application in an instrument for motor torque-speed characteristic display during the transient interval 86-44428
Selim, H. *see* Mishriky, A.H. 87-43202
Selim, S.M., Osman, F. A simulation queueing model for a higher education system: results and analysis 87-51776
Selim, S.Z. *see* Ismail, M.A. 87-19875
Selin, A.A., Khanin, V.A. Growth of isoperiodic epitaxial heterostructures based on multicomponent solid solutions 86-34318
Selin, A.A. *see* Vasil'ev, M.G. 86-26825, 86-62218
Selin, I. Communications and computers in the Soviet Union 87-48470
Selin, J. *see* Maloney, P. 87-32092
Selin, J.R. Continuously variable L-band monolithic GaAs phase shifter 88-7048
Selin, K.I., Ciscato, D., Marchese, V., Ashmole, P., Jervis, B. The high voltage grid interface in present and future JET operational requirements 87-72280
Selin, L.-A. *see* Como, A. 85-52233
Selin, V.V. *see* Gvozdover, R.S. 85-49668
Selinger, C.S. Equalisation and level standards [recording] 88-29172
Selinger, J. *see* Seifritz, W. 86-45176
Selishchev, A.V. *see* Pentrun'kin, V.Yu. 87-46515
Selishchev, P.A. *see* Opachko, I. 86-29083
Selitshchev, P.A. *see* Voronyuk, L.V. 86-3033
Selitskii, A.V. *see* Volubuev, V.S. 86-11558
Selitskii, F.I. *see* Vaisberg, V.A. 87-16562 to 16563
Selitskii, I.A. *see* Dubikhina, V.S. 88-30979
Selivakhin, A.I. *see* Kobazev, V.P. 85-59760
Selivanenko, N.E. *see* Vasil'ev, A.M. 86-66324
Selivanov, A.S., Naraeva, M.K., Nosov, B.I., Panfilov, A.S., Sinel'Nikova, I.P., Suvorov, B.A. Multispectral conical scanner for natural resources studies 88-61627
Selivanov, A.S. *see* Kalmykov, A.I. 87-35491
Selivanov, A.S. *see* Kremnev, R.S. 86-30313
Selivanov, A.S. *see* Preston, R.A. 86-55400
Selivanov, A.S. *see* Shestopalov, V.P. 86-12130
Selivanov, I.A. *see* Bychkov, V.P. 87-51660
Selivanov, N.M. *see* Pozdeev, A.D. 85-48952
Selivanov, V.G. Component library design for electronic circuit simulation system 87-65633
Selivanov, V.G., Tyuchkalov, I.V. Modelling of electronic circuit operation on the logic level 87-16787
Selivanov, V.L., Banya, E.N. Concerning efficient simulation of differential equations containing derivatives of two variables 85-28088
Selivanov, V.L. *see* Bana, J.N. 86-20234
Selivanov, V.L. *see* Banya, E.N. 88-40793
Selivanov, Yu.G., Shotov, A.P. Optical limitation in a symmetrical PbS/PbSSe/PbSnSe heterostructure 88-34051
Selivanov, Yu.G. *see* Shotov, A.P. 87-61163, 87-75110
Selivanova, L.M. *see* Manokhin, V.I. 86-25359
Seliverov, S.N. Wideband frequency multiplier 88-63828
Seliverstov, G.I. *see* Pospelov, G.E. 85-15629, 87-21906
Seliverstov, V.A. *see* Bondarenko, B.V. 88-44507
Seliverstov, V.M. *see* Aleshin, N.N. 87-49363
Seljeseth, H. Contamination of the grid voltage [domestic power supply] 85-38475
Seljeseth, H. *see* Anders, R. 86-51865
Selkainaho, J., Halme, A. A method for fault detection in sensor and actuator area of an automation system 85-3833
Selkainaho, J. *see* Halme, A. 86-11400
Selke, K., Pugh, A. Sensor-guided generic assembly 88-31485
Selkowitz, S. *see* Winkelmann, F.C. 86-57022
Sell, D. Controlling networking costs 88-3526
Sell, J.A., Cattolica, R.J. Linear imaging of gas velocity using the photothermal deflection effect 86-55887
Sell, R. *see* Brandt, D. 87-5156
Sell, V. Ferrite memory cores with wide operating temperature range from −100°C to +150°C 87-60823
Sella, C., Vien, T.-K. Reactive sputtering of platinum in an O_2 atmosphere using a cylindrical magnetron-applications 85-10804
Sella, C. *see* Vien, T.K. 86-7173
Sella, R.A. *see* Bischke, R.F. 85-59586
Sellami, F., Bordry, F. Probabilistic study of failures in converters 86-66174
Sellamuthu, R., Barkanic, J., Jaccodine, R. A study of anisotropic trench etching of Si with NF_3-halocarbon 87-38130
Sellar, D. *see* Burket, M. 88-15034
Sellden, B. *see* Anguilar-Benitez, M. 87-71031
Selle, D. *see* Boissenot, P. 88-19831
Selle, F., Schulte, D. Electrical breakdown of EPR insulated cables at DC and impulse voltages 87-18431
Selle, F., Schulte, D. Electrical breakdown of EPR-insulated cables at DC and impulse voltages 87-53825
Selle, F. *see* Gronefeld, P. 85-59715
Selle, G.de la *see* de la Selle, G.
Selle, J.G. *see* Svenson, R.H. 88-16780
Sellej, J. Delivery of hot water and steam by nuclear heat source for industrial district heating with interposition of thermal compression 87-50925
Sellej, J. *see* Hromek, R. 86-45155
Sellem, R. *see* Festa, E. 85-37547
Seller, P., Allport, P.P., Tyndel, M. Results of silicon strip detector readout using a CMOS low power microplex (MX1) 88-61095
Selleri, S. *see* Di Marcantonio, U. 85-18785
Sellers, D. *see* Pritchett, J. 87-57259
Sellers, E.B. *see* Hansberry, P.A. 86-50541
Sellers, G.J., Margolin, M., Salzberg, J.B., Essert, R., Grois, I. Ultra-low-loss multimode SMA connector 88-13876
Sellers, G.J., Sriram, S. Integrated optical technology—evolving to fill market niches 87-38851
Sellers, G.J. *see* Hays, K.M. 85-7190
Sellers, G.R. *see* Hamer, D.W. 86-52325
Sellers, G.W., Jr. *see* Barsness, A.R. 85-17402
Sellers, R.L., Jr. *see* Deaton, R.J. 86-40023, 87-4843
Selles, L., Aubert, B. Technical coordination of the French PV rural electrification programme 86-45297
Selles, L., Aubert, B. A PV-powered ice making machine 86-45836
Selles, L.R. Aghia Roumeli and Kaw village PV electrification [photovoltaic power systems] 85-48908
Selli, R.K. *see* Grattan, K.T.V. 86-55629, 87-18697, 87-29084, 87-68050, 87-68156, 88-16180, 88-36044, 88-36052, 88-42114, 88-67878
Sellier, J.C. *see* Baze, J.M. 88-68105
Sellin, L.C., Koskinen, L. Real-time acquisition and analysis of cardiac action potentials and twitches using a programmable digitizer and a microcomputer 87-35418
Sellin, R., Leblay, P. Micro optics for storage of information and optical coupling 86-15506
Sellmair, J., Korschinek, G. The Munich laser ion source 88-54377
Sellmair, J. *see* Korschinek, G. 86-55922
Sellman, J. *see* Milstein, L.B. 87-27728, 87-34342
Sellman, J.B. *see* Milstein, L.B. 87-40683
Sellmann, D. *see* Cole, J.B. 85-37735
Sellmyer, D.J., Zhao, Z.R., Shan, Z.S., Zhao, J.G. Permanent magnet properties of sputter-deposited (FeCo)NdB films 87-67720
Sellmyer, D.J. *see* Strzeszewski, J. 88-64919
Sellner, V. Stresses—the cause of the damage to semiconductors and faulty function of electronic instruments 86-17588
Sellner, V. Loss factor of capacitors and reliability of electronic instruments 86-58085
Sellon, A. *see* Carneval, P. 86-8710
Sellschop, J.P.F. *see* Andeweg, A.H. 88-54444
Sellschop, J.P.F. *see* von Wimmersperg, U. 88-74696
Sellschop, J.P.F. *see* Zucchiatti, A. 86-70373
Sellymer, D.J. *see* Oh, J.E. 87-24921
Selman, A.C. *see* Kamath, A.R.R. 85-5741
Selman, A.L. *see* Grollmann, J. 85-41866, 88-45916
Selman, A.S. *see* Taha, S.M.R. 86-14050
Selman, D. Power transistor modules 86-21507
Selman, J.D. *see* Bayless, R.S. 88-49025
Selman, J.R. Molten carbonate fuel cells (MCFCs) 86-51890
Selman, J.R., Hollansworth, R.P. Conceptual engineering design of a 50-kW rechargeable zinc/redox alkaline battery 85-49079
Selman, J.R. *see* Donado, R.A. 85-27624 to 27625
Selman, J.R. *see* Lu, S.H. 85-32700
Selman, J.R. *see* Yuh, C.Y. 85-16223
Selman, V., Bartfeld, C.I. Game theory applied to simulation of reliability 86-13588
Selman, V., Bartfeld, C.I. A hybrid heuristic/analytic model for increased reliability productivity 86-57150
Selman, V., Chao, K., Mowafi, O. Reliability analysis methodology for distributed communication networks 86-10816
Selman, V., Chao, K., Mowafi, O. Reliability allocation methodology for large-scale communication networks 87-8063
Selmane, M.K., Allen, C.R. VLSI implementation of a real time image convolver 85-30433
Selmayr, F., Wieching, H. Software communication and coordination system 86-65630
Selmayr, R. *see* Hein, F. 85-53255
Selmeci, J. The laser-Doppler anemometer and its application in the thermotechnic 87-35244
Selmeczi, J. *see* Drimusz, L. 85-37502
Selmi, A., Heritier, M., Gibart, P. Spinel magnetic semiconductor $HgCr_2Se_4$ 87-17749
Selmi, L., Sangiorgi, E., Crisenza, G., Re, D., Ricco, B. Hysteresis cycle in the latch-up characteristic of wide CMOS structures 88-50994
Selmi, L. *see* Sangiorgi, E. 87-38530
Selmin, V. *see* Desideri, J.-A. 88-18661
Selonke, F. *see* Bernardi, E. 88-22917
Selot, S.C. Economics of power plant—a case study 87-71547
Selove, W. *see* Aronson, S. 88-61122
Selph, C., Perkins, D. An analysis of electromagnetic thrusters for orbit raising 85-31957
Selph, F. Wakefields in 1 cm structures 87-70953
Selph, F., Jackson, A., Zisman, M.S. Injection system design for the LBL 1-2 GeV synchrotron radiation source 88-47960
Selph, F., Sessler, A. Transverse wakefield effects in the two-beam accelerator 86-44494
Selph, F.B. The LBL 1-2 GeV Synchrotron Radiation Source 88-47804
Selph, F.B. *see* Hopkins, D.B. 87-39151
Selsing, J. A versatile computer method for computation of conductor temperatures in cable terminations and pipe cable systems 85-48590
Selsing, J. *see* Prime, J.B., Jr. 85-48592, 86-51067
Sel'skii, A.G. *see* Misezhnikov, G.S. 87-19281
Sel'skiy, A.G. *see* Shteynshleyger, V.B. 88-10514
Selten, F.M. *see* Battersby, S.J. 88-57359
Selten, F.M. *see* Harris, J.J. 88-19697
Seltier, R. Party line systems: reliable communications for transport and supply routes 88-52766
Seltzer, J. ECL programmable logic consolidates number-cruncher designs 87-59429
Seltzer, J. ECL programmable logic consolidates number-cruncher designs 87-66075
Seltzer, J. ECL programmable logic consolidates number-cruncher designs 87-73434
Seltzer, J. ECL programmable logic broadens high-speed design alternatives 88-703
Seltzer, J. ECL programmable logic consolidates number-cruncher designs 88-726
Seltzer, J. ECL programmable logic consolidates number-cruncher designs 88-6769
Seltzer, J. ECL programmable logic broadens high-speed design alternatives 88-44149
Seltzer, J., Hanjani, H. No-fall-through FIFO solves high-speed applications 88-760
Seltzer, J., Siddique, N. Interfacing different local area networks 85-19797
Seltzer, S.M. *see* Barnea, G. 87-71196
Seltzer, S.M. *see* Duvall, K.C. 85-59160
Seltzer, S.M. *see* Fiorito, R.B. 87-14660
Selva, L. New methods of water measurement 86-18189
Selvaduray, G.S. Die bond materials and bonding mechanisms in microelectronic packaging 88-18495
Selvaggi, A. *see* Bonino, F. 87-4870
Selvaggi, G. *see* Albrizio, R. 88-74766
Selvaggi, G. *see* Bagliesi, G. 88-48025

Selvaggi, G. *see* Baldini, R. 87–8865
Selvaggi, G. *see* Catanesi, M.G. 86–60606
Selvaggi, G. *see* De Palma, M. 85–59203
Selvaggi, J.A., Vander Arend, P., Colwell, J. An industrial superconducting high gradient magnetic separator 88–45657
Selvaggi, P.S. The development of communications standards in the DoD 85–36513
Selvakumar, C.R. Simple general analytical solution to the minority carrier transport in heavily doped semiconductors 85–23387
Selvakumar, C.R., Roulston, D.J. A new simple analytical emitter model for bipolar transistors 87–67230
Selvakumar, C.R., Roulston, D.J., Jain, S.C. Effective recombination velocity of low-high junctions 88–71338
Selvakumar, C.R. *see* Ashburn, P. 87–60418
Selvakumar, C.R. A new minority carrier lifetime model for heavily doped GaAs and InGaAsP to obtain analytical solutions 87–66913
Selvam, A.M. The dynamics of deterministic chaos in single mode optical fibre laser transmission 87–75676
Selvam, A.M. *see* Acharya, Y.B. 85–48471
Selvam, M. *see* Srinivasan, K.N. 86–20969
Selvam, R.Panneer *see* Panneer Selvam, R.
Selvan, B., Selvarajan, A. Fiber optic link for local data network 86–23845
Selvan, B. *see* Mendis, F.V.C. 86–17628, 88–41631
Selvan, B. *see* Tjhung, T.T. 85–56296, 86–4638, 86–49838
Selvanayagam, A.J. *see* Ananthakrishnan, S. 85–58262
Selvaraj, R., Lin, H.T., McDonald, J.F. Integrated optical waveguides in polyimide for wafer scale integration 88–72148
Selvaraj, R., McDonald, J.F., Lin, H.T., Gupta, S. Optical interconnections using integrated waveguides in polyimide for wafer scale integration 87–68310
Selvaraj, R., Yang, S.N., McDonald, J.F., Lu, T.M. Ion cluster beam metallized interconnections for wafer scale integration 87–67170
Selvaraj, R. *see* Kim, J.S. 87–67526
Selvaraj, R. *see* McDonald, J. 88–64737
Selvaraj, R. *see* McDonald, J.F. 88–13496, 88–33340
Selvaraj, U. *see* Rao, K.J. 85–61695
Selvarajan, A. *see* Avudainayagam, K.V. 87–54033
Selvarajan, A. *see* Selvan, B. 86–23845
Selvazzo, G. *see* Basilev, P. 86–59839
Selverstone, P. *see* Eager, G. 85–16754, 85–37447
Selvester, R.H. *see* Madrid, W.L. 85–53080
Selvester, R.H. *see* Solomon, J.C. 85–53070, 86–50603
Selvi, S. *see* Yamamoto, S. 86–70330
Selviah, D.R., Midwinter, J.E. Pattern recognition using opto-electronic neural networks 88–20474
Selviah, D.R. *see* Huang, F. 86–53873, 87–1833
Selvidge, C.W., Malamy, A.C., Glasser, L.A. Power and communication techniques for physically isolated integrated circuits 87–67530
Selwa, P. The DXer's SCF switched capacitor filter 87–3054
Selwan, P.M. *see* Chizeck, H.J. 86–25188
Selwitschka, R., Zube, H. Information feedback system for identifying and eliminating problem areas in electronic products 85–49360
Selwood, R.K., Mandelblatt, D.I. Application of conductive polymer technology to the production of a novel multilayer capacitor 87–52914
Selwood, R.K., Rosenberger, G.J. A study of the effects of conductive media including synthetic metals on stability of PTF resistors 88–1227
Selwood, R.K., Zelinski, A.A., Rosenberger, G.R. The replacement of precious metal thick film inks using new conductive polymer technology 86–62959
Selwyn, D., Williamson, I., Koh, L. A K-band (30 GHz) image rejection mixer 88–50352
Selwyn, G.S. Laser diagnostic techniques for reactive ion etching: plasma understanding to process control 88–64415
Selwyn, G.S. *see* Dreyfus, R.W. 87–39262
Selwyn, L.L., Montgomery, W.P. A critique of the Huber report: in search of the geodesic network 87–69562
Selwyn, R. The future for FFT analysers 87–49628
Selyaev, A.A. *see* Alpatov, B.A. 85–46929, 88–59216
Selyakov, V.I. Conductivity of granular and porous media 88–48313
Selyaninov, V.G. *see* Artemenko, V.I. 85–59450, 88–42663
Selyatitskii, V.G. *see* Eremshin, V.F. 88–18941
Selyavko, L.V. *see* Brui, V.P. 85–56870
Selyavko, L.V. *see* Ermolaev, M.M. 85–13001, 85–46502
Selyavko, L.V. *see* Gal'perm, A.D. 87–26568
Selyavko, L.V. *see* Gal'pern, A.D. 86–22552, 87–26564
Selyutin, O.N. *see* Podlozhenov, Yu.A. 87–45468
Selyutin, S.A. *see* Volchok, V.P. 88–74548
Selyutin, V.P., Cherepanov, T.Ya. Optical contact thermometer 85–37599
Selyutin, V.P. *see* Kurpeshev, O.K. 88–4910
Selzer, H. Wind energy. Potential of wind energy in the European Community. An assessment study 86–61211
Sem, M.F. *see* Atamas, S.N. 85–2238
Sem, M.F. *see* Bunkin, F.V. 87–54241
Sem, M.F. *see* Latush, E.L. 86–48337
Sem, M.F. *see* Vainer, V.V. 86–54089
Sema, T. *see* Sato, M. 85–15890
Semagina, E.P. Differential transformations and their potentialities for solution of dynamics problems 86–66662
Semagina, E.P. *see* Pukhov, G.E. 87–400
Semagina, E.P. *see* Ronto, N.I. 88–21291
Semail, B., Piriou, F., Razek, A. Numerical model for PM synchronous motor drives to limit torque pulsations 88–18146
Semak, D.G., Mikla, V.I. Physical basis for optical recording on semiconductor chalcogenide layers 87–25911
Semak, D.G., Mikla, V.I., Sklyankin, A.V. Photostimulated changes in parameters of deep levels in vitreous chalcogenide semiconductor layers 87–1218
Semak, V.V. *see* Arutyunyan, R.V. 87–61272
Semak, V.V. *see* Baranov, V.Yu. 88–58623
Semakov, A.Yu. *see* Krivonogov, M.B. 87–22678
Semal, P. *see* Courtois, P. 87–13385
Semal, P. *see* Courtois, P.-J. 85–33352, 87–36576
Semal, P. *see* Courtois, P.J. 85–22294
Seman, B. *see* Hlinka, V. 87–8837
Seman, C.J. *see* Koehler, T.L. 88–34683
Seman, G.W., Silver, D.A., Bush, R.A., Kendrew, T. Determination of maximum safe pulling lengths for solid dielectric insulated cables 85–21241
Seman, G.W. *see* Bush, R.A. 86–32774, 86–65743
Seman, G.W. *see* Prime, J.B. 87–30201
Seman, G.W. *see* Silver, D.A. 86–39163
Seman, H.M. Generic integrated maintenance diagnostics 86–61903
Seman, M. *see* Akesson, T. 88–22918, 88–68271
Seman, M. *see* Antyukhov, V.A. 86–60637
Seman, M. *see* Budagov, Yu.A. 85–37546, 87–50140, 88–16024
Semancik, S., Cox, D.F. Experimental studies of the correlations between gas sensor response and surface chemistry 86–65177
Semancik, S., Cox, D.F. Fundamental characterization of clean and gas-dosed tin oxide 87–70609
Semancik, S. *see* Erickson, J.W. 87–35168
Semancik, S. *see* Niznik, C.A. 86–17033
Semanjski, J. Double-step multiplexer DTM-2/34 88–3712
Semanov, A.A. *see* Budagov, Yu.A. 88–16024
Semanov, B.A. *see* Potalui, V.P. 88–32365
Semanov, B.A. *see* Rzhavina, R.M. 86–14449, 88–38405
Semanova, G.A. *see* Parol', N.V. 86–67622
Semanova, S.N. *see* Brailovskii, E.J. 86–47513
Semasa, T. *see* Imanaka, Y. 85–41998
Semasa, T. *see* Tanabe, N. 87–40155
Semashko, E.M. *see* Aleshin, V.G. 85–12012
Semashko, E.M. *see* Nemoshkalenko, V.V. 85–28954
Semashko, N.N., Kuznetsov, V.V., Krylov, A.I., Firsov, P.S. Production of negative ions by double charge exchange and their acceleration 88–4775
Semashko, N.N. *see* Ivanov, V.I. 88–54434
Semashko, N.V. *see* Sychev, Yu.P. 85–32295
Semba, H., Kaneko, T., Miura, T., Omamiuda, T. New series of sealed contact switch and relay 88–50468
Semba, M. *see* Hori, I. 87–43323
Semba, T. How the scanning acoustic microscope can be used for nondestructive inspections 86–56275
Semba, T., Tani, Y., Sato, H. Stress measuring technique by a scanning acoustic microscope 86–52584
Semba, T. *see* Ohashi, K. 86–38386
Sembay, S. *see* Baker, R.E. 85–31769
Sembi, B. *see* Langlois, M. 88–67188
Sembi, P.S. *see* Simpson, A. 85–43625
Sembroski, G. *see* Resvanis, L.K. 88–54421
Sembroski, G.H. *see* Bowen, T. 86–11970
Semchenko, A.A. *see* Firago, B.I. 88–30791
Semchenko, I.V., Serdyukov, A.N. Synchronous generation of a second harmonic in cholesteric liquid crystals. Coupled-wave approximation 85–2405
Semchenko, M.Ya. *see* Ankudinov, A.I. 87–70786
Semchenko, O.N., Shmal'ko, A.V. Diffraction of surface electromagnetic waves by the open end of a strip optical microwaveguide 85–41169
Semchenko, O.N., Shmal-ko, A.V. Excitation and coupling of multimode strip optical microguides 86–2711
Semchinova, O.K. *see* Averkieva, G.K. 85–18146
Semchinova, O.K. *see* Ayazyan, R.E. 86–67716
Semchishin, O.V. *see* Fil'ts, R.V. 87–47122, 88–11302, 88–14364
Semeco, A. *see* Gilmore, J. 87–19897
Semeco, A.C. *see* Gilmore, J.F. 86–3936
Semedrea, M., Aldasoro, A. Achieving the survey function within 50 MW units thermal power plants automation by means of electric computation equipment 85–27267
Semedrea, M., Aldasoro, A. The computerized development of the supervision function in the context of automation of 50 MW unit thermal power plants 86–6553
Semedrea, M., Mivu, V. Current problems in thermal power plant switch room design 86–33060
Semedrea, M., Savulian, R., Tepus, M. Training simulators for thermal power plants 85–15806
Sememov, E.I. *see* Zhuravin, L.G. 85–36591
Sememov, N.A. *see* Gozman, N.Ya. 86–49588
Sememova, G.N. *see* Torchinskaya, T.V. 86–58845
Semenchik, V.G. *see* Belyachits, A.Ch. 86–57633, 88–20798
Semenchinskii, N.M. *see* Beglov, V.M. 87–25776
Semenchinskii, S.G. Strong positive magnetoresistance of the electronic inversion layer in the region of the activation conductivity 87–17689
Semenchinskii, S.G., Yanysh, A.K. Simple electrometer for helium leak detector 87–77177
Semenchinskii, S.G. *see* Pudalov, V.M. 85–12030, 85–40545, 85–61783, 86–53482
Semenchinsky, S.G. *see* Pudalov, V.M. 85–6960, 85–45474, 87–53546
Semenchukov, G.A. *see* Alikhanyan, K.A. 87–42929
Semenchukov, G.A. *see* Lopukhina, E.M. 86–12808, 86–51622
Semendy, F., Katzen, E. Microwave fiber optic links for phased arrays 88–72699
Semenenko, A.O. *see* Voitelev, A.I. 88–15988
Semenenko, A.V. *see* Baryshev, S.A. 88–34123
Semenenko, I.G. *see* Bakalinskii, V.P. 86–60264
Semenenko, I.G. *see* Bakalinskiy, V.P. 86–46562
Semenenko, M.I. *see* Bazanova, N.N. 85–43639
Semenenko, Yu.A. *see* Gololobov, E.M. 87–77241
Semenescu, G. *see* Ceausescu, V. 86–32089
Semenets, T.I. Peculiarities of the electron-hole model for selfdiffraction in photorefractive crystals 88–14309
Semenets, T.I. *see* Kukhtarev, N.V. 85–19011
Semenets, T.J. *see* Kukhtarev, N.V. 85–2418
Semenets, V.V. *see* Ogorodneichuk, I.F. 88–28655
Semenev, V.I. *see* Daurkin, E.G. 88–13959
Semenikhin, A.I. *see* Klimov, A.V. 86–42813
Semenikhin, A.N. *see* Repin, I.A. 86–70369
Semenikhin, N.T. *see* Kuritsyn, A.M. 87–79204
Semenikhin, S.V. *see* Ryabov, G.G. 88–41173
Semenikhin, V.A. *see* Penkin, Yu.M. 88–72669
Semenistyi, K.S. *see* Bodunov, V.P. 85–6219, 85–49772
Semenistyi, K.S. *see* Rytsar, B.E. 87–70824
Semenko, A.I. *see* Simakov, V.A. 86–14065
Semenko, E.A. *see* Khachaturov, M.L. 88–17932
Semenko, N.G. The role of standard specimens for substances and materials in unifying composition measurements 86–44458
Semenko, N.G., Chernova, E.N., Krasnosel'skikh, V.A. Initial checking apparatus for measurement means of high direct current 86–55613
Semenko, N.G., Sapozhnikov, V.A. Methods of expressing and normalizing the metrological characteristics of standard specimens 87–70344
Semenko, N.G., Utkin, A.I., Dokuchaev, Yu.M. Metrological facilities for metering electric energy and their perfection 87–70742
Semenko, N.G., Utkin, A.I., Lezhnin, F.K. Automatic verification of DC power meters 87–35125
Semenko, N.G. *see* Bashko, E.L. 85–9556
Semenkov, E.A. *see* Koval'skii, R.V. 88–55636
Semenov, A.A. *see* Aganbekjan, K.A. 87–75439
Semenov, A.A. *see* Antyukhov, V.A. 86–60637
Semenov, A.A. *see* Bitsadze, G.S. 87–3891, 88–61155
Semenov, A.A. *see* Budagov, Yu.A. 85–9080, 85–37546, 85–59184, 85–64459, 87–50140
Semenov, A.A. *see* Gutman, I.Yu. 87–4424
Semenov, A.A. *see* Hlinka, V. 87–8837
Semenov, A.B. Nonlinear distortions of signals in fibre-optic communications lines 87–70042
Semenov, A.G. *see* Barazov, A.E. 88–34053
Semenov, A.I. *see* Lyubimskii, V.M. 88–16429
Semenov, A.K. *see* Averin, A.P. 85–35703
Semenov, A.K. *see* Ivanov, V.I. 87–77184
Semenov, A.M., Arkhipov, Yu.N. The Estonian shale-based power industry—experience of operation and the prospects of further development 88–75034
Semenov, A.M. *see* Kamrukov, A.S. 85–44201
Semenov, A.N., Romanycheva, G.V. Quantisation errors in pulse-time-modulated power converters 85–65315
Semenov, A.N., Romanycheva, G.V. Pulse-time power-measuring converter digitization error 86–39251
Semenov, A.N. *see* Romanov, V.E. 88–6850
Semenov, A.N. *see* Yakhilevich, F.M. 85–48839, 87–42673
Semenov, A.P. Plasma source of ions 86–5728

Semenov, A.P. Hollow-cathode magnetron discharge 88−12887
Semenov, A.P., Gorbachev, V.I. Developing an operational radiographic inspection method for the elbow-shaped branch pipes at the NPP working with RBMK-1000 86−56556
Semenov, A.P., Khozonkhonova, V.M. Batcher for power vaporized in VUP-4 vacuum station 86−66858
Semenov, A.P., Mokhosoev, M.V. Point emitter with a plasma-heated cathode 86−53287
Semenov, A.P., Mokhosoev, M.V. Gas-magnetron electron source 88−36343
Semenov, A.S., Smirnov, V.L., Shmal'ko, A.V. Optical waveguide processors 88−20467
Semenov, A.S. *see* Borodkin, A.A. 87−18868
Semenov, A.S. *see* Buachidze, E.E. 86−28890
Semenov, A.S. *see* Buachidze, Z.E. 86−22187, 87−1975, 88−26853
Semenov, A.S. *see* Busurin, V.I. 86−9496
Semenov, A.S. *see* Emel'yanov, N.P. 86−6312
Semenov, A.S. *see* Miler, M. 88−26873
Semenov, A.S. *see* Nikolaenko, V.A. 88−71287
Semenov, A.S. *see* Patlakh, A.L. 85−41171
Semenov, A.S. *see* Yemel'yanov, N.P. 86−25590
Semenov, A.T., Shelkov, N.V. Method for stabilization of the maximum sensitivity of a two-arm interferometer using a multimode waveguide 88−45084
Semenov, A.T. *see* Bazarov, A.E. 85−12611, 86−22261, 86−22263, 86−28836, 87−75104
Semenov, A.T. *see* Goldobin, I.S. 88−34041
Semenov, A.T. *see* Rivlin, L.A. 85−50938
Semenov, A.V. The use of the bandwidth-constancy principle when designing compensated diode switches 86−14596
Semenov, A.V., Kulinich, A.P. Cascaded balancing devices 85−61494
Semenov, A.V., Kulnich, A.P. Analysis of a balancing device based on identical coupled lines 86−42870
Semenov, E.A. *see* Zaslavskiy, A.M. 86−21943, 87−31743
Semenov, E.A. *see* Zherebtsov, V.A. 87−51489
Semenov, E.I. *see* Zhuravin, L.G. 86−10718, 86−37387, 86−69992, 87−62575, 88−8754
Semenov, E.N. *see* Mel'nikov, I.V. 86−542, 86−5194, 87−52231
Semenov, E.P. Visualization of the radiation fields of infrared lasers 86−49988
Semenov, E.P. Electron-optical converters and image luminance amplifiers 88−50604
Semenov, E.P. *see* Kuprevich, V.V. 86−50161
Semenov, E.P. *see* Pletneva, N.I. 87−24717
Semenov, G.B., Danilenko, M.N., Zagorskaya, Z.A., Sharova, L.V., Pilyak, L.M. Anisotropy of hologram recording in a dichromated gelatin film 85−35920
Semenov, G.B. *see* Denisyuk, Yu.N. 86−29260
Semenov, G.B. *see* Koreshev, S.N. 87−19062
Semenov, G.F., Khalaim, A.P. The resolving power of heat-sensitive television camera tubes 88−9755
Semenov, G.G. *see* Belyakov, N.N. 88−30394
Semenov, G.M., Mikheeva, N.I. Checking the temperature of the p$^+$-n-n$^+$ structure in a high-power semiconductor diode in the presence of ionizing radiation 85−52885
Semenov, K.A., Markov, V.A., Rumyantsev, G.Ye. Study of a frequency-adaptive decameter radiocommunications circuit in mobile marine service 88−9421
Semenov, K.A., Rumyantsev, G.Ya. Estimation of mean data transmission rate in frequency-adaptive systems 86−16696
Semenov, K.A., Ryabyshkin, V.N. An analysis of matching devices for ship shortwave radio transmitters 88−46854
Semenov, K.A., Vasil'yev, V.Ya. Computer-aided design of hodographs of narrowband filter attenuation 86−40834
Semenov, K.A., Vasil'ev, V.Ya. A generalized graphical-analytical method of designing filters using computer graphics 87−59691
Semenov, K.N., Chernovets, A.K., Shargin, Yu.M., Mel'nichnikov, S.A., Makhonin, A.A. Parameters of short-circuit current boosting from induction motors in nuclear power plants 86−25697
Semenov, K.N. *see* Chernovets, A.K. 88−37194
Semenov, M.F. Analysis of reliability for the majority-redundant system under constrained recovery 86−46124
Semenov, N.A. The properties of metallized lightguides for optical cables 85−20209
Semenov, N.A. Frequency characteristics of slightly elliptical single-mode optical fibers 85−46188
Semenov, N.A. Fiber light guides with a metal cover for optical cables 86−36153
Semenov, N.A. *see* Gozman, N.Ya. 86−36210
Semenov, N.A. *see* Shitov, V.V. 86−36154
Semenov, O.B. Designing the parameters for DAC output sample/hold 86−20652
Semenov, O.B. The use of digital signal processing to improve the dynamic range of a digital-to-analog converter 86−29897
Semenov, O.B. ADC and DAC nonlinearity specifications in audio signal processing and transmission systems 87−52679
Semenov, O.G. *see* Veretennikov, V.A. 86−58366, 86−63155
Semenov, O.S. *see* Tishchenko, O.A. 88−69406
Semenov, P.M. *see* Vasilev, M.V. 85−12961
Semenov, S.A. *see* Anan'ev, V.Yu. 88−51903
Semenov, S.F. Distortions of the slow part of analog signals by a cable transmission line 85−6564
Semenov, S.F. Coaxial cable frequency response allowing for dielectric and conduction losses 85−36887
Semenov, S.F., Chemeris, A.A. Organization of asynchronous iteration processes in the solution of one-dimensional equations 88−38645
Semenov, S.F. *see* Dudnik, B.S. 87−34897
Semenov, S.G. *see* Veselov, G.I. 88−924
Semenov, S.K. *see* Apollonov, V.V. 88−57243
Semenov, S.L. *see* Artyushenko, V.G. 86−68222
Semenov, S.L. *see* Bogatyrev, V.A. 85−24324, 85−41174
Semenov, S.L. *see* Dianov, E.M. 86−22165
Semenov, S.V. *see* Bonderenko, V.I. 87−25901
Semenov, S.V. *see* Gerzon, S.A. 88−68311
Semenov, V.A. Estimation of the vibration decay time of fibres in electrostatic flocking 85−56966
Semenov, V.A., Smirnov, A.M., Ugryumov, E.P. Distorted-signal harmonic phase meter 87−29173
Semenov, V.A. *see* Belyaev, S.N. 86−70370
Semenov, V.A. *see* Iofiev, B.I. 86−50903
Semenov, V.A. *see* Mamikonyants, L.G. 87−50647
Semenov, V.A. *see* Rudenko, Yu.N. 87−9093
Semenov, V.B. *see* Astrov, Yu.A. 86−5325
Semenov, V.B. *see* Bagdasarov, Kh.S. 88−27127
Semenov, V.B. *see* Sevast'yanov, B.K. 85−35729, 86−54115
Semenov, V.D. *see* Kobzev, A.V. 87−37493
Semenov, V.D. *see* Lebedev, Yu.M. 88−24974
Semenov, V.E., Fedorov, S.V., Yur'ev, M.S. Refraction of laser radiation by self-interaction waves in CO$_2$ lasers 86−68582
Semenov, V.E. *see* Belousova, I.M. 86−22460
Semenov, V.E. *see* Eremenko, A.S. 86−29213
Semenov, V.E. *see* Lyubimov, V.V. 85−56735
Semenov, V.E. *see* Rozanov, N.N. 85−12939
Semenov, V.E. *see* Zavgorodneva, S.I. 85−2393
Semenov, V.G. *see* Belozerskii, G.N. 87−70667
Semenov, V.G. *see* Popov, Yu.A. 86−70522
Semenov, V.I., Sheloput, D.V., Czitrovszky, A., Jani, P. Selection of active material for acousto-optic mode-lockers 87−32922
Semenov, V.I. *see* Vladimirova, E.V. 87−38186
Semenov, V.K. Multi-Josephson-junction structures for DC voltage multiplication 88−13753
Semenov, V.K. *see* Baishev, I.S. 87−50163
Semenov, V.K. *see* Barabsh, L.S. 86−5807
Semenov, V.K. *see* Baranov, A.M. 86−50447
Semenov, V.K. *see* Gavrishchuk, O.P. 86−60598
Semenov, V.K. *see* Heinemann, S. 87−66042
Semenov, V.K. *see* Kaplunenko, V.K. 88−12357
Semenov, V.K. *see* Kornev, V.K. 86−68211, 88−13751
Semenov, V.K. *see* Koshelets, V.P. 87−66030
Semenov, V.K. *see* Krasnokutskii, R.N. 87−8881
Semenov, V.K. *see* Likharev, K.K. 85−56213, 88−12460, 88−19118
Semenov, V.K. *see* Mukahanov, O.A. 88−13750
Semenov, V.K. *see* Mukhanov, O.A. 87−66031
Semenov, V.K. *see* Odintsov, A.A. 87−66032
Semenov, V.K. *see* Rylov, S.V. 86−1142, 87−67859, 88−13752
Semenov, V.K. *see* Vystavkin, A.N. 88−12320
Semenov, V.M., Gulida, V.P., Moiseev, E.M., Barinov, V.P., Abramova, O.G. Electroslag welding of consumable electrodes using cast blanks 85−5580
Semenov, V.M. *see* Krivitskaya, R.Ya. 85−26091
Semenov, V.N. *see* Leonov, E.I. 87−60954
Semenov, V.N. *see* Mittova, I.Ya. 88−39204
Semenov, V.N. *see* Povarov, O.A. 85−4784, 87−71986
Semenov, V.P. *see* Gorinov, A.P. 86−38978
Semenov, V.S., Faktorovich, A.A. Reverse magnetization domain in magnetic recording process 86−47959
Semenov, V.S., Frumkis, L.S., Bud'ko, G.S. Calculations of magnetic fields in problems of eddy-current inspection of weakly conducting weakly magnetic media 87−16739
Semenov, V.S. *see* Aleshin, V.A. 87−3857
Semenov, V.S. *see* Ivakin, V.N. 86−41196
Semenov, V.V. *see* Abramenko, N.I. 88−22890
Semenov, V.V. *see* Batishche, S.A. 86−3315
Semenov, V.V. *see* Berlin, I.B. 86−33185
Semenov, V.V. *see* Gutsaki, V.N. 88−20835
Semenov, V.V. *see* Petrov, O.A. 87−15823
Semenov, V.V. *see* Poltinnikov, S.A. 87−31702
Semenov, Yu.A. *see* Aref'ev, A.V. 87−29514
Semenov, Yu.A. *see* Motailo, S.G. 87−27394
Semenov, Yu.E. *see* Lagun, V.P. 85−4930
Semenov, Yu.G. *see* Zakharenko, S.K. 86−28248
Semenov, Yu.K., Kulikov, I.A. Development of an artistic-design program for improving the quality of household electrical products manufactured by enterprises of the Ministry of the Electrical Equipment Industry 86−66508
Semenov, Yu.P., Klebanov, I.Ya., Gorbov, M.M. Comparing the results of absolute reproduction of the ohm unit 86−38512
Semenova, G.N. *see* Torchinskaya, T.V. 85−24416, 87−54198
Semenova, I.P. *see* Aleksenko, E.V. 85−48043
Semenova, I.Ya. *see* Zagurskii, V.Ya. 87−59644
Semenova, L.R. *see* Beagon, V.S. 85−8508
Semenova, L.V. *see* Basov, N.G. 86−54093, 86−68445 to 68446, 88−33934
Semenova, N.V. Solution of a generalized integer-valued programming problem 86−7651
Semenova, N.Ya. *see* Zagurskii, V.Ya. 87−59645
Semenova, O.I., Nenasheva, L.A., Repinskii, S.M. Kinetics of the deposition of silicon nitride layers due to the reaction of SiCl$_4$ with ammonia 86−26885
Semenova, O.S. *see* Dybvi, V.A. 85−61287
Semenova, S.M. Temperature difference regulator of type TE6P3 85−26497
Semenova, S.V. *see* Pavlyna, V.F. 87−22230
Semenova, V.M. *see* Domnitskii, V.M. 85−58678
Semenovich, B.B., Nesterov, V.S. Long-life electrochemical current sources for the energy supplies to self-contained oceanographic apparatus 88−23188
Sementsov, D.I. Waveguide properties of a multilayer magnetogyrotropic structure 88−2013
Semenychev, V.K. *see* Volkov, I.I. 86−16303
Semenyuk, A.F. *see* Sharov, A.N. 85−36483
Semenyuk, A.K., Fedosov, A.V., Panasyuk, L.I., Timoshchuk, V.S. Piezoresistance of irradiated *n*-type Si with a layer impurity distribution 86−67659
Semenyuk, A.K. *see* Skobelev, V.E. 88−62307
Semenyuk, A.L. *see* Bragin, A.A. 86−24251
Semenyuk, L.N. *see* Skobeeva, V.M. 87−24866
Semenyuk, V.A., Levitskii, V.L. Increasing the efficiency and power of the radiation from semiconductor injection lasers by using thermoelectric coolers 87−46883
Semenyuk, V.F. *see* Galzman, E.G. 86−55610
Semenyuk, Yu.A. *see* Shakhovstsova, S.I. 87−32277
Semenza, M.G. *see* Fossati, F. 87−29425
Semenzato, L., Eaton, S., Neukermans, A., Jaeger, R.P. Monte Carlo simulation of line edge profiles and linewidth control in X-ray lithography 85−34710
Semercigil, S.E., McLachlan, K., Popplewell, N. A non-contacting optical displacement transducer 86−50097
Semerdjian, B.O. *see* Harutyunyan, V.M. 87−7219
Semerdzhiev, K. *see* Makrelov, I. 85−44636
Semerikov, A.A. *see* Gavrilenko, V.G. 87−33412
Semerjian, H.G. *see* Charagundla, S.R. 87−49984
Semernikov, A.M. *see* Gordeev, V.I. 86−25517
Semerok, A.F. *see* Grigor'ev, I.S. 87−26522, 88−45562
Semet, A. *see* Lehecka, T. 87−7268
Semiakin, F.V. *see* Yemelianov, G.F. 86−23346
Semibratov, V.V. *see* Shchelkunov, V.N. 85−3967
Semiglazov, A.M. A new principle of synthesis of inverters with pulse-amplitude modulation 87−64713
Semik, A.P., Sharadkin, D.M. On information entry structures for CAD of electronic products 86−627
Semik, A.P. *see* Afinogenov, S.V. 88−24883
Semikhin, V.I. An acoustic-signal spectrum analyzer 88−42685
Semikov, A.P. *see* Miklyaev, M.S. 88−30695
Semiletov, S.A., Stankevich, V.Ch., Tikhonova, A.A. Heteroepitaxy of ZnSe on GaAs 87−73061
Semiletov, S.A. *see* Vasil'ev, M.G. 86−40748
Semilof, M. The ubiquitous twisted pair [wiring] 85−8284
Semimoto, K. *see* Hayami, H. 86−58750
Semin, A.G. *see* Larin, E.A. 88−48731
Semin, A.G. *see* Onishchenko, V.Ya. 88−30447
Semin, A.S. *see* Arzumanov, A.A. 85−64413
Semin, F. The component digital suite−the serial solution 88−67595
Semin, G.K. *see* Boguslavskii, A.A. 87−8640
Semin, S.P. *see* Kovalenko, S.A. 87−68321
Semina, L.P. *see* Ivakhnenko, N.A. 88−41007
Seminara, J.L. Use of models and mockups in verifying man-machine interfaces 86−45171
Seminara, J.L. Maintainability effectiveness evaluation and enhancement 86−51297
Seming She *see* She Seming
Seminogov, V.N. *see* Emel'yanov, V.I. 85−41448
Semiokhin, I.A. *see* Musikhin, V.A. 88−65775
Semionov, M.Yu. *see* Rusov, V.D. 87−50185
Semioshko, V.N. *see* Borshch, A.A. 85−19039, 85−41504, 87−75233, 88−8286
Semisoshenko, M.A. *see* Sharov, A.N. 88−40600
Semjenov, A.L. *see* Popov, V.P. 88−63747
Semjonov, S.L. *see* Bogatyrjov, V.A. 87−7084
Semkin, A.A. *see* Grebenko, Yu.A. 86−27436, 86−35016
Semkin, A.S. *see* Savkov, N.N. 86−34982
Semkin, B.V. *see* Apollonov, V.V. 85−24476, 86−15626, 87−74980, 88−57242
Semkin, B.V. *see* Appollonov, V.V. 85−18875
Semkin, B.V. *see* Gel'fond, L.A. 86−67097

Semkin, N.D. Investigating characteristics of capacitor-type sensor for recording solid particles using pulsed laser 87−2243
Semkina, L.I. *see* Gubert, V.F. 88−52447
Semko, I.A. *see* Zemskov, G.G. 86−4971, 87−30634
Semko, N.N., Levishchenko, S.S., Kurdachenko, L.A. On groups with infinite almost normal subgroups 85−33297
Semkow, K.W., Sammells, A.F. A lithium oxygen secondary battery 88−11365
Semkow, K.W. *see* Pujare, N.U. 88−17921, 88−37370
Semkow, K.W. *see* Sammells, A.F. 87−15956
Semkow, T.M. *see* Sarantites, D.G. 88−29923
Semler, C.E. *see* Aly, F. 86−20119
Semlyen, A. Electromagnetic transients on overhead transmission lines—an overview 85−15623
Semlyen, A. Steady-state analysis of nonlinear dynamic systems with periodic excitation based on linearization in harmonic space 86−66659
Semlyen, A., Abdel-Rahman, M.H. State equation modelling of untransposed three phase lines 85−21229
Semlyen, A., Acha, E., Arrillaga, J. Harmonic Norton equivalent for the magnetising branch of a transformer 87−43159
Semlyen, A., Brierley, R.H. Stability analysis and stabilizing procedure for a frequency dependent transmission line model 85−27021
Semlyen, A., Deri, A. Time domain modelling of frequency dependent three-phase transmission line impedance 85−59659
Semlyen, A., Eggleston, J.F., Arrillaga, J. Admittance matrix model of a synchronous machine for harmonic analysis 88−23885
Semlyen, A., Hamadanizadeh, H. Computational experiments in power systems 86−80
Semlyen, A., Luo, G.X. Losses in power systems networks: development of a generalized loss formula 88−75036
Semlyen, A., Wang, L. Sequential computation of the complete eigensystem for the study zone in small signal stability analysis of large power systems 88−10783
Semlyen, A., Wei-Gang, H. Corona modelling for the calculation of transients on transmission lines 86−65703
Semlyen, A. *see* Avila-Rosales, J. 86−19348
Semlyen, A. *see* Eggleston, J.F. 87−72120, 88−48911
Semlyen, A. *see* Huang, W.G. 87−71675
Semlyen, A. *see* Shirmohammadi, D. 88−10851
Semmens, J.E. *see* Kessler, L.W. 85−55935, 86−13903, 86−62867, 87−67371, 88−1246
Semmer, S.R. *see* Brock, F.V. 87−77855
Semmerow, H. *see* Arndt, F. 86−47038, 87−10579
Semmler, O. *see* Reif, J. 88−20755
Semmlow, J.L., Brolin, R., Mackenzie, J.W. Bioinstrumentation for quantitative assessment of intestinal viability 88−68347
Semmlow, J.L. *see* Brolin, R.E. 85−38007
Semmlow, J.L., Welkowitz, W. *(editor)* Frontiers of Engineering and Computing in Health Care - 1984. Proceedings - Sixth Annual Conference of the IEEE Engineering in Medicine and Biology Society (Cat. No. 84CH2058-6) 85−32910
Semnani, R., Smith, R.E. Quantitative evaluation of arterial pulsatile flow and pressure, applying impedance plethysmography to a human arterial model incorporating anatomical branching and scale 88−4876
Semochkin, P.N. *see* Vasil'ev, A.A. 85−2441
Semolic, B. *see* Kosmac, M. 86−19312
Semon, D.J. Implementing IS-15: The multi-port standard 88−15777
Semon, W., Monks, W. Thermal analysis of microwave integrated circuits using a high resolution infrared imaging system 88−50414
Semones, B. High-energy rare earth magnets: the key to servomotor performance 85−46013
Semones, B.C. Application of high-energy permanent-magnet materials to servomotors 85−53721
Semones, B.C. Trends in servo motor development 86−26088
Semones, B.C. Volumetric improvements in high energy magnet motors 86−33288
Semones, T. A software implementation of EIA-512 87−18446
Semova, T.B. *see* Ormandjiev, S.I. 88−32050, 88−36395
Sempere, R. *see* Bourret, D. 85−31571
Sempere, R. *see* Maham, Y. 85−8936
Semplak, R.A. 100-GHz measurements of two astigmatic launchers 85−51383
Semple, A.E., Pilgrim, S.M., Thomspon, W., Jr., Newnham, R.E. Wave absorption in piezoceramic-polymer composites 87−38620
Semple, G.J. The effect of bridged taps on local digital reticulation systems 86−30534
Semple, G.J. *see* Clarke, B.R. 86−30458
Semple, G.J. *see* Demytko, N. 86−30488
Semple, G.J. *see* McGregor, I. 88−35464
Semple, J., Zlobec, S. On the continuity of a Lagrangian multiplier function in input optimization 86−46226
Semprini, P., Granello, G. The 'Green Number' service in the Italian network 87−34044
Semprini, P. *see* Artom, A. 85−3004, 85−51955
Semprucci, M.D. The first 'switchboard in the sky': an autonomous satellite-based access/resource controller 88−67307
Semsarzadeh, M.A. Interpenetrating network of metal polymer composite (INMPC) 85−54535
Semura, S., Ohta, T., Kuroda, T., Nakashima, H. AlGaAs/GaAs buried multiquantum well lasers with a reactive ion etched window facet 85−62603
Semura, S., Ohta, T., Kuroda, T., Nakashima, H. AlGaAs/GaAs multiquantum well lasers with buried multiquantum well optical guide 86−3163
Semura, S. *see* Nakashima, H. 85−62580, 86−9854, 86−42585
Semushev, M.I. *see* Poskachei, A.I. 86−18507
Semyashova, L.M. *see* Golodnyak, V.A. 88−74607
Semykin, I.V. *see* Ushakov, V.M. 86−20129
Semyonov, A.S. *see* Buachidze, Z.E. 87−54055
Semyonov, E.G. *see* Vlasov, N.G. 87−54446
Sen, A., Mitchell, J.B.A. Production of vibrationally cold ions using a radio-frequency storage ion source 86−55985
Sen, A., Morita, N., Kumagai, N. Radiation characteristics of cutoff-waveguide applicators for hyperthermia 88−74871
Sen, A., Rakes, T., Franz, L. Network cost analysis for planning configuration change in distributed systems 87−76344
Sen, A. *see* Alshammari, S.A. 88−46588
Sen, A. *see* Chitre, D.M. 87−27864
Sen, A. *see* Davidson, R.C. 86−63838, 87−2190
Sen, A. *see* Fancott, T. 87−21610
Sen, A. *see* Parida, J. 86−40640
Sen, A. *see* Sengupta, A. 86−27178, 88−6309, 88−34849
Sen, A. *see* Sinha, B.P. 85−49929
Sen, A.C. *see* De, S.S. 87−68785
Sen, A.K., Das Gupta, M.K. Atmospherics in relation to source phenomena and radio wave propagation in the VHF, UHF, microwave and millimetre wave bands 87−47172
Sen, A.K., Dasgupta, D. Loss of excitation of alternator and its protection using microcomputer 86−61497
Sen, A.K., Dev Gupta, A.K., Karmakar, P.K., Bandyopadhyay, T., Das Gupta, M.K., Calla, O.P.N., Rana, S.S. Post rain water vapour attenuation model from radiometric measurements at 22.235 GHz 87−47198
Sen, A.K., Dhar Bhowmic, P.L., Bhattacherya, A.B. Rain clutter in relation to rain attenuation 85−52402
Sen, A.K., Dhar Bhowmick, P.L., Sengupta, N., Dasgupta, M.K., Majumdar, S.C., Pal, M.K., Chatterjee, A.K., Banerjee, P.K., Sehra, J.S. Anomalous clutter interference in relation to inversion layers 85−52404
Sen, A.K., Karmakar, P.K., Dev Gupta, A.K., Mitra, A., Sehra, J.S., Ghosh, S.N. A theoretical estimate of tropospheric water vapour attenuation at 94 GHz from radiosonde data 88−72544
Sen, A.K., Majumdar, S.C., Pal, M.K., Chatterjee, A.K., Banerjee, P.K., Das, S.K., Bhattacharya, A.B., Sehra, J.S. Observations on long range clutter on S-band radar 85−52403
Sen, A.K., Mitra, A., Majumdar, K.K., Tarafdar, P.K. Rain attenuation of millimeter waves during monsoon over Calcutta 86−63999
Sen, A.K., Mitra, A., Mazumdar, K.K., Tarafdar, P., Tarafdar, G., Dey, S.S., Bandyopadhyay, T., Sehra, J.S., Ghosh, S.N. Rain attenuation in millimeter wave links over a tropical station 87−47196
Sen, A.K. *see* Sanghi, L.K. 88−55024
Sen, B. Scattering from a subreflector in a Cassegrainian feed system 85−13310
Sen, B., Das, B.N., Sanyal, G.S. Design of circular apertures for narrow beamwidth and sidelobes with arbitrary specifications 85−41761
Sen, B., Ranga Rao, K.S. Impedance properties of narrow radiating slots in the broadface of dielectrically loaded rectangular waveguide 86−42911
Sen, D. *see* Anand, J.R. 88−22775
Sen, D.K., Gupta, S., Srivastav, A.K. Software design features of a small integrated message and circuit switch 85−52243
Sen, F., Chakrabarti, A. Matching corporate and technology strategies—a study of some firms in the chemical industry 87−43877
Sen, I., Prabhashanker, V. A model for insulation failure by partial discharges 88−26581
Sen, K. Collection efficiency and short circuit current in polycrystalline solar cells 85−5379
Sen, K., Tyagi, B.P. Collection efficiency in amorphous silicon solar cells 86−56947
Sen, K. *see* Goyal, V.K. 87−30945, 88−62598
Sen, K. *see* Tyagi, B.P. 85−11899, 85−34464, 86−1682
Sen, K.K., Emanuel, A.E. Unity power factor single phase power conditioning 87−78791
Sen, K.K. *see* Emanuel, A.E. 88−48992
Sen, M.de la *see* de la Sen, M.
Sen, M.N. *see* Shukla, S.R. 88−25448
Sen, N.P. Urban external plant planning 86−69296
Sen, N.P. Optimisation of resources for DOT plan implementation 88−31390
Sen, P. On noiseless source coding with specified encoder output symbol frequencies 85−19331
Sen, P. Local Markov models for multihop packet radio networks: CDMA 87−28381
Sen, P. Modelling and performance analysis of a hybrid protocol for voice-data integration in local area networks 87−62693
Sen, P., Rikli, N., Maglaris, B. Queueing analysis for packet switched video 88−46330
Sen, P. *see* Aghamkar, P. 88−34130
Sen, P. *see* Bhandari, R.K. 85−20774, 86−25077
Sen, P. *see* Maglaris, B. 88−46363, 88−66791
Sen, P. *see* Mukherjee, P. 87−3918
Sen, P. *see* Sen, P.K. 88−58655
Sen, P.C. *see* Ho, E. 85−23764
Sen, P.C. *see* Ho, E.Y.Y. 86−45745, 87−1499, 88−55647
Sen, P.C. *see* Mamuduri, C. 87−42844
Sen, P.C. *see* Nair, B.R. 85−27537, 86−726, 88−11295
Sen, P.C. *see* Namuduri, C. 85−16094, 85−27492, 86−40210, 86−45563, 87−15852, 87−30776, 87−51173, 87−58044
Sen, P.C. *see* Nandam, P.K. 86−56970, 87−43494, 87−58373, 88−31072, 88−69337
Sen, P.C. *see* Pearson, W.R. 85−16296
Sen, P.C. *see* Wu, B. 88−30798
Sen, P.K. A course on industrial power electronics and its applications 86−19771
Sen, P.K. Steel grounding: why not? 86−32860
Sen, P.K. Steel grounding 86−39244
Sen, P.K., Azim, S.A. Modern control theory and power engineering 86−57132
Sen, P.K., Ghidossi, T.A. High tech in substation engineering 87−58175
Sen, P.K., Sen, P. Optical phase conjugation in narrow direct-gap semiconductors 88−58655
Sen, P.K. *see* Aghamkar, P. 88−34130
Sen, P.K. *see* Ammerman, R.F. 88−23303
Sen, P.K. *see* Azim, S.A. 88−42758
Sen, P.K. *see* Roychowdhury, T.K. 87−30524
Sen, P.K. *see* Saleh, A.K.Md. 87−72950
Sen, P.K. *see* Taylor, R.O. 87−31218
Sen, R., Chatterjee, S. On an algorithm for solving absolute value linear fractional programming with integer interval linear constraints 85−44630
Sen, S. A class of algorithms for large scale nonlinear minimax optimization 86−57352
Sen, S., Capasso, F., Beltram, F., Cho, A.Y. The resonant-tunneling field-effect transistor: a new negative transconductance device 87−67265
Sen, S., Capasso, F., Cho, A.Y. Integration of GaAs/AlAs resonant tunneling diodes for digital and analog applications with reduced circuit complexity 88−19920
Sen, S., Capasso, F., Cho, A.Y. Negative transconductance resonant tunneling field effect transistors and monolithically integrated resonant tunneling diodes 88−50890
Sen, S., Capasso, F., Cho, A.Y., Sivco, D. Resonant tunneling device with multiple negative differential resistance: digital and signal processing applications with reduced circuit complexity 88−13309
Sen, S., Capasso, F., Hutchinson, A.L., Cho, A.Y. Room-temperature operation of $Ga_{0.47}In_{0.53}As/Al_{0.48}In_{0.52}As$ resonant tunnelling diodes 88−7562
Sen, S., Capasso, F., Sivco, D., Cho, A.Y. New resonant-tunneling devices with multiple negative resistance regions and high room-temperature peak-to-valley ratio 88−71507
Sen, S., Chakrabarty, D.R., Paul, P., Stachel, J., Thoennessen, M. Pileup rejection in pulsed beam experiments 88−29910
Sen, S., Konkel, W.H., Tighe, S.J., Bland, L.G., Sharma, S.R., Taylor, R.E. Crystal growth of large-area single-crystal CdTe and CdZnTe by the computer-controlled vertical modified-Bridgman process 88−31712
Sen, S., Sherali, H.D. On the convergence of cutting plane algorithms for a class of nonconvex mathematical programs 85−22345
Sen, S., Sherali, H.D. Facet inequalities from simple disjunctions in cutting plane theory 86−19958
Sen, S., Sherali, H.D. A class of convergent primal-dual subgradient algorithms for decomposable convex programs 86−66744
Sen, S. *see* Bell, S.L. 85−33430
Sen, S. *see* Capasso, F. 87−11744, 87−24828, 87−38247, 87−45642, 87−45672, 87−45905, 87−59304, 87−60162, 87−74283, 88−7545, 88−26194, 88−39115, 88−39124
Sen, S. *see* Feng, G.F. 88−44697
Sen, S. *see* Ganguly, A.K. 88−22975
Sen, S. *see* Murphy, F.H. 87−35594
Sen, S. *see* Ray, S. 88−24006
Sen, S. *see* Srinivasan, N. 88−23243
Sen, S.K., Gupta, P.K. A new principle of phase-detection helps improve the phase-noise properties of phase-locked oscillator 87−65939

Sen, S.K., Venkaiah, V.C. On computing an equivalent symmetric matrix for a nonsymmetric matrix 88−56183
Sen, S.N., Sadhya, S.K., Gantait, M., Jana, D.C. Persistence of afterglow maintained by a radiofrequency field in a mercury arc 87−66806
Sen, T.K., Basuray, A., Datta, A.K. Plane-wave-spectrum analysis of the modes of the strip dielectric guide 87−75494
Sen, T.K., Basuray, A., Datta, A.K. Green's function of the strip-slab guide by plane-wave-spectrum synthesis 88−13915
Sen, T.K., Basuray, A., Sarkar, S.K., Datta, A.K. Synthesis of Gaussian beam excited rectangular dielectric guide modes by ray theory 86−48128
Sen, T.K., Datta, A.K., Basuray, A. Plane-wave-spectrum approach for calculations of radiation pattern of junction lasers 86−36486
Sen, U. *see* Zheng, J.P. 87−18930
Sen, W.B. *see* Chen, M.B. 85−59081
Sen', Yu.V., Leonov, N.B., Kravchuk, G.S., Tyutikov, A.M., Flegontov, Yu.A. Method of measuring the modulation transfer functions of electron-optical systems 85−4136
Sen Chu The operating accuracy of the flow equipment 85−58943
Sen Gupta, A., Hanjura, A.K., Goel, G.K., Mathur, B.S. ATA field strength computation over the Indian subcontinent 85−30035
Sen Gupta, A., Hanjura, A.K., Mathur, B.S. Digital phase lock loop for tracking very low frequencies 87−5724
Sen Gupta, D.P., Narahari, N.G., Boyd, I., Hogg, B.W. An adaptive power-system stabiliser which cancels the negative damping torque of a synchronous generator 85−43955
Sen Gupta, I., Rakshit, A. A parallel algorithm for the determination of all cliques of a symmetric graph 88−6369
Sen Gupta, R. Design of temperature independent logarithmic converter using window comparator 85−55081
Sen Gupta, R. An improved astable multivibrator based thermistor thermometer 87−8756
Sen Gupta, R. *see* Khan, A.A. 85−34120
Sen Gupta, S.P. *see* Mitra, D.P. 88−33875
Sen Ling *see* Ling Sen
Sen Liu *see* Liu Sen
Sen Moo *see* Moo Sen
Sen Roy, N. A variable response active *RC* network 86−20707
Sen Tian *see* Tian Sen
Sen Wang *see* Wang Sen
Sen-Bin Tseng *see* Ying-Sheng Huang 86−55528
Sen-Lu Xu *see* Xu Sen-Lu
Sen-Wen Chen *see* Yinn-Nien Huang 85−64746
Sen-Yen Shaw *see* Juh Tzeng Lue 86−57479
Sen-Yu Chen *see* Chen Sen-Yu
Sena, J.T. *see* Merrigan, M.A. 85−48438
Sena, K.J. *see* Ward, J.D. 87−16339
Senanayake, P.C. *see* Gardner, R.J. 87−29373
Senanayake, S. *see* Jalade, J. 87−5658, 88−69793
Senanayake, S. *see* Jalase, J. 87−16881
Senani, R. New *RC*-active oscillator configuration employing unity-gain amplifiers 86−804
Senani, R. New types of sinewave oscillators 86−808
Senani, R. Novel higher-order active filter design using current conveyors 86−8360
Senani, R. Network transformation for active-*RC* realisation of *RLM*-immittances 86−34964
Senani, R. On the realization of floating active elements 86−46971
Senani, R. On linear inductance-time and related conversions using IC op amps 87−52399
Senani, R. Network transformations for incorporating nonideal simulated immittances in the design of active filters and oscillators 87−59706
Senani, R. Generation of new two-amplifier synthetic floating inductors 88−869
Senani, R. On the transformation of *RC*-active oscillators 88−6684
Senani, R. A novel application of four-terminal floating nullors 88−19265
Senani, R. Floating immittance realisation: nullor approach 88−38612
Senani, R., Chauhan, V. Simple approach for generating active-compensated building blocks 88−63780
Senapati, S.C. *see* Panda, R.K. 88−43107
Senarclens, M.de *see* de Senarclens, M.
Senashenko, M.V. *see* Dvoretskii, S.A. 87−75188
Senashenko, M.V. *see* Zaitsev, L.M. 87−38918
Senateur, J.P. *see* Benbachir, K. 87−37916
Senateur, J.P. *see* Demolliens, O. 86−9430, 86−48015
Senateur, J.P. *see* Thomas, O. 85−54436
Senateur, J.P. *see* Torres, J. 88−13189, 88−33080
Senatore, A. *see* Rocco, V. 86−24845, 88−68089
Senatori, L. *see* von der Ohe, J. 87−3479, 88−74480
Senatorov, A.K. *see* Dianov, E.M. 86−2769
Senatorov, A.K. *see* Gur'yanov, A.N. 85−24325, 86−24506, 86−48118, 87−32991
Senatorov, A.K. *see* Trifonov, A.P. 86−37056
Senatorov, K.Ya. *see* Akimov, A.A. 87−54327
Senatorov, K.Ya. *see* Gudoshnikov, S.A. 87−31754
Senatorov, P.K. *see* Kravtsov, V.V. 88−40700
Senatorov, Yu.M. *see* Borkin, A.G. 86−48493
Senatorov, Yu.M. *see* Drobyazko, S.V. 86−48341
Senatorov, Yu.M. *see* Vadenov, A.A. 87−26492
Senatorov, Yu.M. *see* Vedenov, A.A. 85−51317
Senatskii, Yu.V. *see* Bykovskii, N.E. 85−56593, 88−58515
Senatskii, Yu.V. *see* Ivanov, V.V. 86−68500, 87−68419
Senave, J. The measurement of electrical energy—the designer's point of view 88−29516
Senba, K. *see* Kuwabara, K. 87−13401
Senba, N. *see* Sasamoto, T. 88−25743
Senba, N. *see* Yamanaka, M. 88−50561
Sence, M. *see* Bigot, J.Y. 87−7436
Senchai Shi *see* Shi Senchai
Senchenko, O.B. *see* Ageev, A.I. 88−47779
Senchenko, O.B. *see* Balbekov, V.I. 85−26562
Senchenko, V.N. *see* Sheindlin, M.A. 88−22745
Senchenko, V.R., Peklun, V.F., Minenko, S.V. Multichannel analog-digital converter 86−44236
Senchenko, V.V. *see* Bondarenko, A.R. 85−6501
Senchenko, V.V. *see* Kostenyuk, E.A. 88−27572
Senchilo, A.G. *see* Tyagai, V.A. 86−48374
Senda, K., Fujii, E., Hiroshima, Y., Takamura, T. Smear-less SOI image sensor 87−56541
Senda, K., Hiroshima, Y., Matsumoto, S., Kuriyama, T., Susa, M., Terakawa, S., Kunii, T. Fixed pattern noise in the solid-state imagers due to the striations in Czochralski silicon crystals 85−31398
Senda, K., Susa, M., Hiroshima, Y., Takamura, T. Two-dimensional photosensor using a-Si pin diodes 87−29139
Senda, K., Susa, M., Hiroshima, Y., Takamura, T. Two-dimensional photosensor using a-Si PIN diodes 88−16182
Senda, K., Terakawa, S., Hiroshima, Y., Susa, M., Kunii, T. Analysis of n-p-n photodiode in p-well CPD image sensors 85−20496
Senda, K. *see* Fujii, E. 87−67007, 88−39722, 88−53715, 88−56205
Senda, K. *see* Hiroshima, Y. 85−50718
Senda, K. *see* Kozono, T. 86−17848, 87−56520
Senda, K. *see* Susa, M. 86−17972, 87−336
Senda, K. *see* Terakawa, S. 86−5046
Senda, M., Nagai, Y. Magnetic properties of ion-beam-sputtered Fe/Co and Fe/CoFe multilayer films 88−33506
Senda, M., Tamaki, N., Yonekura, Y., Tanada, S., Murata, K., Hayashi, N., Fujita, T., Saji, H., Konishi, J., Torizuka, K., Ishimatsu, K., Takami, K., Tanaka, E. Performance characteristics of Positologica III: a whole-body positron emission tomograph 86−18306
Senda, M. *see* Hayashi, N. 85−43341
Senda, M. *see* Takano, Y. 86−27943
Senda, S. *see* Nakagawa, S. 88−27858
Senda, S. *see* Saito, K. 85−200
Senda, S. *see* Shimazu, Y. 87−69643
Senda, T., Kitaoka, Y. Integrated facsimile online mail system used FACOM K-10 and FACOM FAX 4000SX 87−7990
Senda, T., Tanaka, Y., Yokoyama, K., Kure, Y., Kiyomoto, K. An assessment of the detectability of various weld defects, when using radiography and manual ultrasonic testing methods 85−10837
Senda, T. *see* Arakawa, T. 85−39831
Senda, T. *see* Ebata, M. 85−43834
Senda, Y. *see* Miura, Y. 88−56257
Sendai, K. *see* Kato, T. 85−4838
Sendai, K. *see* Tsunoda, T. 85−59954
Sendaula, M. On the frequency dependent Lyapunov equation [digital filter and systems application] 86−47001
Sendaula, M. On the frequency dependent Lyapunov equation [2D digital filter application] 86−62773
Sendaula, M. *see* Hilson, D.W. 87−72217, 87−72466
Sendell, A.A. *see* Rogerson, S.P. 86−31629
Sender, A. *see* Daura, F. 85−40205
Sender, V.R. *see* Krugluk, G.S. 88−40189
Senderovich, S.A. *see* Boshernitsan, E.S. 85−64302
Senders, J.W. Design criteria for the electronic journal 85−3055
Senderski, A., Tondos, M., Widlok, H. The multimotor DC thyristor converter drive 88−69812
Senderskiy, V.A. Correlation reception in a non-ideal channel 86−36889
Senderskiy, V.A. Maximum coding efficiency for a given distortion 86−43179
Sendino, F. *see* Olaso, J. 87−22026
Sendlmeier, W.F. *see* von Wedel, H. 86−69011
Sendorek, D. *see* Lubecka, M. 86−21168
Sendouda, J. *see* Ito, H. 87−8116
Sendova, M.S. Laser-assisted deposition of lead salt films 87−36779
Sendova, M.S. *see* Baleva, M.I. 86−46364, 86−47301
Sendyurev, V.M. *see* Kolesnichenko, N.A. 85−65219
Sene, M.R. *see* MacGregor, I.J.D. 88−22925
Senecal, S. Interfaces and communication. IV. The modem 85−25619
Senecal, S. Data and protocols of communication 85−30500
Senecal, S. Acquisition of temperature measurement data 85−58623
Senecal, S. Using digital storage oscilloscopes 86−18022
Senecal, S. The use of numerical diagram type tables 86−18023
Senecal, S. Acquisition of measurement signals: graphical representation 86−55777
Senecal, S. Measurement of voltages: minimise the noise and errors 86−55798
Senecal, S. Digital multimeter: protection against noise 87−29187
Senecal, S. Multimeters: true r.m.s. measurements 87−49823
Senecal, S. I^{2}C technology and digital multimeters 87−70702
Senecal, S. New techniques for X-Y recorders 88−22688
Senecal, S. Widened field of applications with a multimeter endowed with new functions 88−36096
Senecal, S. GPIB monitors simplify the control of automatic test systems 88−60580
Senecal, W.D. Looking for a few good holes 86−58126
Senee, R. *see* Bonfante, J. 88−63528
Seneff, S. A computational model for the peripheral auditory system: application to speech recognition research 87−27274
Seneff, S. *see* Zue, V.W. 87−19463
Senemaud, C. *see* Andre, J.M. 87−29696
Seneor, R. CAD: overview and perspectives 87−25524
Sener, C.J. How to build a training center—avoiding the pitfalls 87−31186
Senes, J. *see* Gallay, M. 86−51702
Seneviratne, A., Martin, J.D. Auditory effects of buffer overflow in TES system 85−57326
Seneviratne, A.P., Watson, P.A. Analysis of a reservation TDMA protocol suitable for mobile radio applications 85−58023
Seneviratne, A.P. *see* Watson, P.A. 85−63575
Senf, F., Berens, K., Rautenfeldt, V., Cramm, S., Kunz, C., Lamp, J., Saile, V., Schmidt-May, J., Voss, J. Performance of the Flipper monochromator at the wiggler/undulator at HASYLAB 86−60486
Senf, J. *see* Markov, H. 87−16677
Senf, W., Derwischev, S. Microwave amplifiers, constructed in fin line circuitry 87−44632
Senf, W., Schonfeld, U. Analysis of integrated symmetrical four-port microwave networks by means of HANSA II program 86−67482
Senf, W. *see* Derwischew, S. 88−50323
Senft, J.R. Mechanical efficiency of kinematic heat engines 88−5948
Seng, A.C.L. *see* Jabbar, M.A. 88−24381
Seng, P. The mc EPROM 'burner', a self-made EPROM programming system 87−24177
Seng Loo Kok *see* Loo Kok Seng
Senga, N. Receiving techniques [TV] 85−37233
Sengbusch, C.H.von *see* von Sengbusch, C.H.
Sengbusch, E., Lorenzo, J. Lead trimming modifications solve PWB assembly problems 88−32616
Sengbush, R.L. Petroleum exploration: a quantitive introduction 87−42221
Senger, P. Jamming—its influence on planning 86−43968
Senger, P. *see* Kankeleit, E. 85−37972
Senger, R.C. *see* De Marco, J.L. 85−23256
Senger, W. *see* Kriegseis, W. 86−65117
Senges, J. *see* Stroobandt, R. 86−38799
Sengoku, K., Aoyama, T., Hamachi, K., Furukawa, K., Ishii, Y. Fluorinated polymer insulated flexible wires 'SUNFLON 200' 88−68953
Sengoku, M. Efficient utilization of frequency spectrum for mobile radio communication systems—algorithms for channel assignments 87−28423
Sengoku, M., Kobayashi, K. Radius and diameter with respect to edges in a nondirected graph, and upper and lower bounds for the diameter 87−72921
Sengoku, M., Kobayashi, K., Shinoda, S. Radius and diameter with respect to edges in a nondirected graph, and upper and lower bounds for the diameter 86−46212
Sengoku, M., Shinoda, S. The centrality of edges in a network—a new concept of network evaluation 86−3741
Sengoku, M., Shinoda, S. A function measuring the centrality (or mediality) of edges in an undirected network with edge-capacity 86−26958
Sengoku, M., Shinoda, S. A theory and an algorithm for fault diagnosis of directed networks 86−66728
Sengoku, M., Shinoda, S. A function measuring the centrality (or mediality) of an edge in an undirected network with edge capacity 87−44130
Sengoku, M., Shinoda, S., Wai-kai Chen A fault diagnosis in a nonlinear location network 87−52316
Sengoku, M., Shinoda, S., Yatsuboshi, R. On a function for the vulnerability of a network with edge capacity 86−62329

Sengoku, M., Shinoda, S., Yatsuboshi, R. On a function for the vulnerability of a directed flow network 88—27722
Sengoku, M., Tsuzuki, K., Terai, S., Naito, T. Text Mail Module (TMM) 85—36642
Sengoku, M. *see* Fujita, K. 85—52148
Sengoku, M. *see* Nozaki, T. 86—43690, 86—64456
Sengoku, M. *see* Shinoda, S. 86—40811, 87—76044
Sengoku, M. *see* Takahashi, H. 85—36749
Sengoku, M. *see* Takeda, J. 85—36560
Sengoku, M. *see* Tsuzuki, K. 85—36559
Sengoku, M. *see* Yoshida, Y. 87—48389
Sengor, T. Far field of a new microstrip loop antenna 87—33529
Sengor, T. The influence of origin configuration on high-frequency surface currents 87—75564
Sengor, T. The surface magnetic current and diffraction of electromagnetic waves by a spherical cap with impedance 88—14382
Sengor, T. Scattering of electromagnetic waves by a spherically curved sheet with different impedance faces 88—34285
Sengupta, A., Durham, S.D., Sen, A., Bandyopadhyay, S. On a new measure of system diagnosability in presence of hybrid faults 88—6309
Sengupta, A., Sen, A., Bandyopadhyay, S. On system diagnosability in the presence of hybrid faults 86—27178
Sengupta, A., Sen, A., Bandyopadhyay, S. Fault-tolerant distributed system design 88—34849
Sengupta, A. *see* Ananthakrishnan, S. 85—58262
Sengupta, A. *see* Bandyopadhyay, S. 88—63819
Sengupta, B. Sojourn time distributions for the M/M/1 queue in a Markovian environment 87—72896
Sengupta, B., Jagerman, D.L. A conditional response time of the M/M/1 processor-sharing queue 85—39615
Sengupta, B. *see* Johri, P.K. 86—20922
Sengupta, B. *see* Rege, K.M. 86—16594, 88—41138
Sengupta, B.J., Bose, P.K. Performance of Transit satellite system over east coast of India and a method for determining intermediate position fixes between two satellite fixes by regression analysis 87—76879
Sengupta, D., Iltis, R.A. Computationally efficient tracking of multiple targets by probabilistic data association using neural networks 88—74002
Sengupta, D. *see* Das, D. 88—33140
Sengupta, D. *see* Gabrykewicz, T. 88—1255
Sengupta, D. *see* Kay, S. 87—61921, 87—61989
Sengupta, D.L. Analysis of tunable rectangular patch antennas 85—11524
Sengupta, D.L. Transmission line model analysis of rectangular patch antennas 86—22794
Sengupta, D.L., Lan, G.-L. Circular patch antennas with passive conducting posts 87—33525
Sengupta, D.L. *see* Guey-Liou Lan 86—16043
Sengupta, D.L. *see* Lan, G. 86—42933
Sengupta, D.L. *see* Lan, G.-L. 86—10203
Sengupta, D.L. *see* Willis, T.M. 88—14469
Sengupta, K. *see* Madhava Panicker, P.R. 86—32536
Sengupta, N. Sunrise and sunset effects as observed on microwave propagation over a line-of-sight path 85—41604
Sengupta, N. Anomalous propagation conditions observed over a line-of-sight path at 6.7 GHz 85—41635
Sengupta, N., Garg, V.K. Approach allows estimation of equivalent VSWR of cascaded mismatch 87—2329
Sengupta, N. *see* Gossard, E.E. 88—4111
Sengupta, N. *see* Rao, K.L. 85—63789
Sengupta, N. *see* Rustogi, D. 85—30958, 85—36964
Sengupta, N. *see* Sen, A.K. 85—52404
Sengupta, N. *see* Watson, P.A. 87—76641
Sengupta, R.N. Power supply for CMOS ICs from lithium-iodine battery 87—10645
Sengupta, R.N. A widely linear temperature to frequency converter using a thermistor in a pulse generator 88—56825
Sengupta, S., Nandkumar, S., Lynch, P.M. Finding zero-crossings using the Laplacian of a LLMMSE filter for stationary random noise 88—66695
Sengupta, S.N. *see* Roy, N.R. 88—25766
Sengupta, T. Roller table drives with individual cage motors 85—65467
Sengupta, T. How to reduce engineering-hours for MCCs by 50% 86—51937
Senia, A.M. The laser meets the factory floor 88—24292
Senia, A.M. Partners in progress [General Motors and Hughes Aircraft] 88—24591
Senichev, F.I. *see* Ivanov, I.A. 88—24228
Senichev, Yu.V., Shaposhnikova, E.N. Characteristics of the equilibrium motion in a linear accelerator with a step change in the phase velocity 88—42374
Senichkin, A.P. *see* Govorkov, S.A. 87—45660
Senichkin, V.N. *see* Plamenevskii, B.A. 85—54235
Senigov, P.N. *see* Gold'shtein, M.E. 88—37288
Senigov, P.N. *see* Goldstein, M.E. 85—32585
Senigov, P.N. *see* Gol'shtein, M.E. 86—39929
Senillou, C. *see* Bletry, J. 85—10226
Senin, A. *see* Canali, C. 86—53828, 87—1759
Senin, A. *see* Zanoni, E. 87—38533
Senin, V.V. *see* Baranetskii, N.V. 85—49000
Senior, D.C., Elliott, R.S. Higher-order mode coupling effects in shunt-series coupling junctions of planar slot arrays 87—27071
Senior, J. Computing with light 85—56455
Senior, J.M. Optical fiber communications. Principles and practice 85—32966
Senior, J.M. Developments in integrated optics 86—2848
Senior, J.M. Increased use of optical fibre data links inevitable 87—49040
Senior, J.M. Optical signal processing for lightwave communications and computation. I 88—40034
Senior, J.M. Wavelength division in optical fibre networks 88—47021
Senior, J.M. Optical signal processing for lightwave communications and computation. II 88—58295
Senior, J.M., Cusworth, S.D. Intensity modulated optical fibre sensors employing graded index rod lenses 88—2027
Senior, J.M., Cusworth, S.D., Burrow, N.G., Muirhead, A.D. Misalignment losses at multimode graded-index fiber splices and GRIN rod lens couplers 85—35389
Senior, J.M., Cusworth, S.D., Burrow, N.G., Muirhead, A.D. An extrinsic optical fibre sensor employing a partially reflecting mirror 86—36205
Senior, J.M., Walker, W.M., Ryley, A. Optical fibre LANs for the industrial environment 86—64767
Senior, J.M., Walker, W.M., Ryley, A. Access protocol for an industrial optical fibre LAN 88—21661
Senior, J.M., Walker, W.M., Ryley, A. Optical fibre LANs for mixed data traffic 88—28349
Senior, J.M., Walker, W.M., Ryley, A. Topology and MAC layer access protocol investigation for industrial optical fibre LANs 88—28355
Senior, J.M. *see* Cusworth, S.D. 87—25978, 88—42117
Senior, J.M. *see* Hall, G. 88—66613
Senior, K.B. *see* Adams, N.J. 86—52004
Senior, R.A. *see* Brush, G.G. 85—39573
Senior, T.B.A. Combined resistive and conductive sheets 85—46549
Senior, T.B.A. Solution of a class of imperfect wedge problems for skew incidence 86—48563
Senior, T.B.A. A critique of certain half plane diffraction analyses 87—75346
Senior, T.B.A., Burns, J.W. The backscattered field of a thin wire loop for H-polarization 87—75416
Senior, T.B.A., Liepa, V.V. Backscattering from tapered resistive strips 85—3485
Senior, T.B.A., Sarabandi, K., Ulaby, F.T. Measuring and modeling the backscattering cross section of a leaf 88—22183
Senior, T.B.A., Volakis, J.L. Scattering by an imperfect right-angled wedge 86—63936
Senior, T.B.A., Volakis, J.L. Sheet simulation of a thin dielectric layer 88—27389
Senior, T.B.A., Yang, S.I. Travelling waves on thin bodies 85—14328
Senior, T.B.A. *see* Burns, J.W. 87—19278, 88—14370
Senior, T.B.A. *see* Herman, M.I. 88—14372
Senior, T.B.A. *see* Seung-in Yang 88—58835
Senior, T.B.A. *see* Volakis, J.L. 85—51396, 88—40536
Senitzky, B., Schrimpf, R.D., Kerwin, W.J. Efficiency of photoconductive switches 88—20501
Senitzky, I.R. What kind of atomic cooperation is necessary for resonant absorptive optical bistability? 86—22500
Senju, Y. *see* Mochizuki, K. 86—24092
Senjyu, Y. *see* Sunada, K. 88—53408
Senk, V., Lazic, D. Performance simulations of a modified multiple stack algorithm for erasurefree sequential decoding 88—45956
Senk, V., Lazic, D.E., Bece, T. On the probability of error due to metric ties during Viterbi decoding 87—54891
Senkalski, R., Cumbers, D., Eichman, H., Howard, W.F., Jr. Large-area non-warp dielectric for multilayer structures 88—1203
Senkel, R. *see* Yuan, J. 88—36191
Senkevich, A.I. *see* Aleshin, V.G. 85—12012
Senkevich, A.I. *see* Nemoshkalenko, V.V. 85—28954
Senkevich, E.D. *see* Arakelyan, V.G. 86—66011
Senkevich, S.L. *see* Kirilenko, A.A. 85—34135, 86—3470, 87—45162
Sen'ko, A.E. *see* Peshkov, V.P. 86—43239
Senko, G. Probes and techniques for measuring surge voltage waves with fronts from 10 ns to 1.2 μs and peaks to 10 kV 88—5392
Sen'ko, I.M. *see* Butta, V.I. 87—3324
Sen'ko, V.A. *see* Antyukhov, V.A. 86—60637
Sen'ko, V.A. *see* Bushnin, Yu.B. 86—18249
Sen'ko, V.V. *see* Gorshkov, B.G. 86—22170
Senkov, N.V. *see* Akul'shin, A.M. 86—36495, 87—26410
Senkov, N.V. *see* Malakhova, V.I. 86—68542
Senkov, N.V. *see* Velichanskii, V.L. 87—46902
Sen'kov, V.I. *see* Glazenko, T.A. 86—6862
Senkov, V.M. *see* Zasavitskii, I.I. 86—28005
Senkowski, R.M. *see* Wiley, R.E. 87—33877
Senlu Xu *see* Xu Senlu
Senmoto, S. Concepts and trends of new common carriers 86—43385
Senn, H., Bollinger, P. The CBDS software system for development of printed circuit cards 86—1481
Senn, H.H. Circuit boards—the fabrication becomes steadily easier 86—14639
Senn, P. *see* Assael, J. 86—34988, 86—40819, 88—6973, 88—32312
Senn, P. *see* El Tahawy, H. 86—67943, 88—25154
Senn, P. *see* Garault, T. 88—41837
Senn, P. *see* Hennion, B. 86—21887, 86—62374, 88—39710
Senn, P. *see* Paris, L. 86—62759, 87—20686, 87—20714
Senn, P. *see* Tawfik, M.S. 86—57942, 87—24324, 87—52720
Senna, J.R. *see* Veiga Salles, J.B. 88—57392
Senna, V. *see* Fleming, P.V. 85—48734
Sennema, L.J. *see* Wilson, R. 86—51217
Senner, A.E. *see* Golovatyuk, V.M. 85—52982
Senneron, M. *see* Boiteux, G. 88—33413, 88—71832
Sennhauser, U. *see* Bolton, R.D. 86—18254
Sennhauser, U. *see* Wilson, S.L. 88—29827
Sennheiser, J. *see* Wienhofer, W. 88—60482
Sennhenn, F.E. Force and mass measurement with strain gauge transducers, a review and outlook 86—11729
Senning, J.R. *see* Parker, J.K. 88—67485
Sennott, J.W. A flexible GPS software development system and timing analyzer for present and future microprocessors 85—25949
Sennott, J.W., Pietraszewski, D. Experimental measurement and characterization of ionospheric and multipath errors in differential GPS 88—15706
Sennott, L.I. Techniques for assessing the stability of multiple-access protocols 86—64747
Sennova, E.V. *see* Merenkov, A.P. 85—65134, 87—23823
Sennova, E.V. *see* Sokolov, E.Ya. 87—22116
Seno, S. *see* Kakuno, T. 88—15165
Senoda, T., Ueda, R., Irisa, T., Takata, S. Application of an amorphous core with high permeability and rectangular characteristics to current zero point detection and current sensing in noncirculating cycloconverter 85—27530
Senofonte, O. *see* Caroli, S. 87—66805
Senoh, M., Suzuki, M., Tsuchita, K., Kamimura, H., Fujii, M., Otsu, M. Development of a dexterous manipulator system with redundant degrees of freedom 88—23658
Senoh, M. *see* Ichikawa, Y. 86—4760
Senoh, M. *see* Serizawa, Y. 88—37770
Senokosov, E.A., Usatyi, A.N. Characteristics of recombination processes in epitaxial photoconducting ZnTe films 85—61683
Senol, A.J., Romine, G.L. Three-dimensional refraction/diffraction of electromagnetic waves through rocket exhaust plumes 86—54308
Senoner, O. AB-interface system for data acquisition in industrial environment 85—52693
Senoo, K. *see* Hibino, M. 87—8047
Senoo, M. *see* Okamura, T. 88—23616
Senoo, T., Kataoka, S., Seko, Y. Development of the safe driving advisor 85—16366
Senoo, T. *see* Naganawa, H. 87—63240
Senoo, T. *see* Yagishita, W. 86—55489
Senoo, Y., Yamaguchi, M. A study on unstable S-shape characteristic curves of pump turbines at no-flow 87—57714
Senoo, Y. *see* Okita, Y. 85—31174
Senos, A.M.R. *see* Mantas, P.Q. 86—27645
Senou, M. *see* Serizawa, Y. 88—17818
Senouci, B. *see* Berger, G. 87—18400, 87—25679, 88—39757
Senov, M.A., Stefanov, E.N., Antov, B.Z., Vitanov, P.K. Numerical analysis of MOS transistor effective channel width 85—55808
Senova, O.N. Four-mass method of examining the vibrational frequency characteristics of variable-pressure sensors 87—29051
Senova, O.N., Plotnikov, I.V. Means of reducing the error due to vibratory acceleration when measuring a variable pressure 87—3794
Sens, I.A. *see* Cuppens, R. 85—45047
Sens, M. *see* Gravesteijn, D.J. 88—13782
Sens, M.A. *see* Mason, J.H. 88—75212
Sens, T. Silicon avalanche photodiodes 85—56440
Sens, T. Optical barriers with collimated solid lasers 85—56923
Sense, F. An RTTY program for the Commodore C-64 86—30280
Senser, D.W. *see* Cundy, V.A. 86—55630
Senser, D.W. *see* Snyder, H.E. 88—27447
Sensiper, D. *see* Dow, G.S. 87—6143
Sensiper, S. The use of rational function coefficients in the transmission line equation 88—8546
Sensiper, S., Williams, D., McKone, J.P. An integrated Global Positioning Satellite antenna—low noise amplifier system 87—49209

Senske, W., Marschall, N. a-Si photoreceptors of the threshold of industrial application 87−18822
Senske, W. *see* Hilsum, C. 88−74540
Sensney, R. Fiber goes under with ease when method is right 88−15497
Sentance, N. Increasing the power of data loggers 86−55760
Senthinathan, R., Prince, J., Scheinfein, M. Characteristics of coupled, buried microstrip lines by modeling and simulation 87−74399
Senthinathan, R., Tubbs, G., Schuelein, M. Negative feedback influence on simultaneous switching CMOS outputs 88−64765
Sentinelli, M. *see* Damosso, E. 86−69675, 87−20410, 87−34394, 87−62845, 87−76560
Sentinelli, M. *see* Falciasecca, G. 88−73414
Sentirmai, Zh. *see* Belenov, E.M. 86−8904
Sentis, M. *see* Fontaine, B.L. 88−40130
Sentis, M.L., Fontaine, B.L., Forestier, B.M. High PRF electron beam or X-ray preionized discharge XeCl laser 86−3070
Sentis, M.L. *see* Delaporte, P.C. 88−40317
Sentis, M.L. *see* Fontaine, B.L. 88−40144
Sentis, M.L. *see* Forestier, B.M. 85−62511
Sentman, D.D. Magnetic elliptical polarization of Schumann resonances 87−68752
Sentman, G.T. *see* Mammone, R.J. 87−27334
Sentman, L.H., Nayfeh, M.H., Renzoni, P., King, K., Townsend, S., Tsioulos, G. Saturation effects in a continuous-wave HF chemical laser 86−9722
Sentman, L.H., Nayfeh, M.H., Townsend, S., King, K., Tsioulos, G., Renzoni, P., Bichanich, J. Mode-media interactions in a CW chemical laser 86−3083
Sentman, L.H., Nayfeh, M.H., Townsend, S.W., King, K., Tsioulos, G., Bichanich, J. Time-dependent oscillations in a CW chemical laser unstable resonator 86−15734
Sentman, L.H., Tsioulos, G., Bichanich, J., Carroll, D., Theodoropoulos, P., Gilmore, J., Gumus, A. A comparative study of CW HF chemical laser Fabry-Perot and stable resonator performance 87−61197
Sentman, O.L. Navy navigation satellite system (TRANSIT) 87−41065
Sentman, O.L. Navy navigation satellite system (TRANSIT) 87−70148
Sentoff, M. *see* Mazur, E.M. 85−51877, 85−63209
Sentsui, S. *see* Iino, A. 88−22152
Senturia, H. New combined cycle industrial power plants−880 MW. I. Program for conversion of system 86−25889
Senturia, S.D., Day, D.R. An approach to chemical microsensor packaging 86−55674
Senturia, S.D., Smith, R.L. Microsensor design constraints: system partitioning, technology partitioning, and packaging 88−53677
Senturia, S.D. *see* Coln, M.C.W. 86−55658
Senturia, S.D. *see* Denton, D.D. 85−45782, 86−55675
Senturia, S.D. *see* Khan, B.A. 87−11373
Senturia, S.D. *see* Mehregany, M. 88−33054
Senturia, S.D. *see* Neuhaus, H.J. 85−40835
Senturia, S.D. *see* Schmidt, M.A. 88−38273, 88−42073, 88−53618
Senturia, S.D. *see* Terry, F.L., Jr. 85−34663
Sentyakov, B.A., Isupov, G.P. Measurement force in a jet eddy probe 85−3966
Sentz, A., Kreisler, A. The water-vapour discharge laser: a convenient tool for CW studies in the far-infrared 88−58472
Senyagin, Yu.V., Tanana, A.M., Skripko, A.P. Organisation of programs for a set of problems of automatic control of 500 MW power units 86−33057
Senyagin, Yu.V. *see* Mironov, V.D. 85−59996
Senyuk, V.E., Untila, G.G., Kharitonov, A.L., Rubin, L.B. Mechanism of current transfer in surface-barrier structures p-Si/polymer material/$\mathrm{SnO_2}$ 88−49149
Senz, R., Berlien, H.-P., Muller, G.J., Ringelhan, H. Safety precautions for lasers in medicine 87−63856
Senzaki, K. *see* Ihara, H. 85−46031
Senzawa, H. *see* Fujita, T. 85−41392
Senzig, D.M., Bright, F.F. The network library system: The history and description of an evolving library-developed system 87−62652
Senzu Yang *see* Yang Senzu
Senzyu, Y. *see* Mochizuki, K. 88−53434
Seo, B., Chen, C.T. The relationship between the Laplace transform and Fourier transform 87−168
Seo, D.S., Park, J.D., McInerney, J.G., Osinski, M. Effects of feedback asymmetry in external-cavity semiconductor laser systems 88−58600
Seo, H. *see* Yamaguchi, M. 88−16315
Seo, H.D., Esashi, M., Matsuo, T. Fabrication of CMOS custom LSI for implantable telemetry system 88−16788
Seo, H.G. *see* Yung, S.I. 87−43435
Seo, I. Application of piezoelectric polymer to actuator 88−5809
Seo, I. Development of intelligent sensors using polymer materials 88−42041
Seo, I., Kurokawa, K. Macromolecule material applied sensor 86−38333
Seo, I., Sasaki, M., Kosaka, T., Tamura, Y., Saito, K., Miyata, S. Piezoelectricity in vinylidene cyanide/vinyl acetate copolymer and its application to ultrasonic transducers 86−53849
Seo, J., Feher, K. SQAM: a new superposed QAM modem technique 85−36174
Seo, J., Feher, K. Bandwidth compressive 16-state SQAM modems through saturated amplifiers 87−33722
Seo, J., Feher, K. Impact of residual amplitude fluctuations on the performance of multi-ary QAM systems 87−68949
Seo, J.-S., Boyd, J.W.G. A new power efficient multi-level correlative digital FM system 88−72735
Seo, J.-S., Cho, S.-J., Feher, K. The performance of multi-ary QAM systems in the presence of non-Gaussian impulsive noise 88−2941
Seo, J.-S., Cho, S.-J., Feher, K. Impact on non-Gaussian impulsive noise and multipath fading on the performance of mobile-satellite system 88−9500
Seo, J.-S., Feher, K. Performance of SQAM systems in a nonlinearly amplified multichannel interference environment 85−41829
Seo, J.-S., Feher, K. Bandwidth compressive 16-state SQAM modems through saturated amplifiers 87−40527
Seo, J.-S., Feher, K. Power efficient operation of 62-state SQAM modems 88−3810
Seo, J.T. *see* El-Genk, M.S. 87−42167, 87−42169, 87−43473
Seo, J.U. *see* Ahn, S.C. 88−27743
Seo, K., Dhar, S., Bhattacharya, P., Ghosh, C., Sadler, R., Lee, H. High performance GaAs material and submicron MESFETs by rapid thermal annealing 86−63044
Seo, K., Fujita, H. VLSI design using layout-pattern extrapolation 85−35137
Seo, K., Nashimoto, Y., Hong, W.P., Elta, M., Bhattachary, P.K., Gleason, K.R. Properties of a $\mathrm{In_{0.53}Ga_{0.47}As\text{-}In_{0.52}Al_{0.48}As}$ single quantum well MISFET 86−63336
Seo, K. *see* Chiba, T. 88−55082
Seo, K. *see* Kudo, H. 86−32851
Seo, K.S., Berger, P.R., Kothiyal, G.P., Bhattacharya, P.K. Anomalous effects of lamp annealing in modulation-doped $\mathrm{In_{0.53}Ga_{0.47}As/In_{0.52}Al_{0.48}As}$ and Si-implanted $\mathrm{In_{0.53}Ga_{0.47}As}$ 87−37936
Seo, K.S., Bhattacharya, P.K. Studies on an $\mathrm{In_{0.53}Ga_{0.47}As/In_{0.52}Al_{0.48}As}$ single-quantum-well quasi-MISFET 88−26259
Seo, K.S., Bhattacharya, P.K., Dhar, S. Investigation of high-quality halogen lamp annealed Si-implantation GaAs 86−53523
Seo, K.S., Bhattacharya, P.K., Gleason, K.R. DC and microwave characteristics of an $\mathrm{In_{0.53}Ga_{0.47}As/In_{0.52}Al_{0.48}As}$ modulation-doped quasi-MISFET 87−38248
Seo, K.S., Bhattacharya, P.K., Kothiyal, G.P., Hong, S. Interdiffusion and wavelength modification in $\mathrm{In_{0.53}Ga_{0.47}As/In_{0.52}Al_{0.48}As}$ quantum wells by lamp annealing 87−7206
Seo, K.S., Bhattacharya, P.K., Nashimoto, Y. A $\mathrm{In_{0.53}Ga_{0.47}As\text{-}In_{0.52}Al_{0.48}As}$ single quantum well field-effect transistor 86−28324
Seo, K.S., Dhar, S., Bhattacharya, P.K. High-quality Si-implanted GaAs activated by a two-step rapid thermal annealing technique 85−61800
Seo, K.S., Nashimoto, Y., Bhattacharya, P.K., Gleason, K.R. DC and microwave performance of $\mathrm{In_{0.53}Ga_{0.47}As\text{-}In_{0.52}Al_{0.48}As}$ single quantum well MISFETs 86−47615
Seo, K.S. *see* Bhattacharya, P.K. 87−32485
Seo, K.S. *see* Hong, W.-P. 86−53444
Seo, N., Obi, M., Hikichi, H., Abe, S., Inoue, K., Kawamura, J. Development and applications of CAD system for industrial turbomachinery−mechanical designing 88−5641
Seo, T., Sakurai, Y., Takeshita, H., Fukuda, T. Broadband switching system 85−57871
Seo, T. *see* Nagata, K. 85−8325
Seo, T. *see* Terashima, T. 87−48388
Seo, Y., Sato, I. An ultrasound blood flow imaging system, SSH-65A 87−41959
Seo, Y. *see* Kawakubo, Y. 85−24160, 88−51318
Seo Bo-Hyeok *see* Bo-Hyeok Seo
Seo Chun In *see* In Seo Chun
Seo Da Wha *see* Da Wha Seo
Seo In Soo *see* In Soo Seo
Seo Jang Choon *see* Choon Seo Jang
Seo Jong-Soo *see* Jong-Soo Seo
Seo Jung Uck *see* Jung Uck Seo
Seo Ki-Young *see* Ki-Young Seo
Seo Koo Yong *see* Yong Seo Koo
Seo Nam Ki *see* Ki Seo Nam
Seo Wan Seok *see* Wan Seok Seo
Seo Yong Woon *see* Yong Woon Seo
Seo Yong-Soo *see* Yong-Soo Seo
Seo Yong-Woon *see* Yong-Woon Seo
Seoane, J.J.Garcia *see* Garcia Seoane, J.J.
Seoane-Pascual, J. *see* Vinyes-Sanze, J. 86−30123
Seob Cho Kyu *see* Kyu Seob Cho
Seog Chae *see* Jae-Yong Lee 87−78458
Seog Choi Jin *see* Jin Seog Choi
Seog jang Ju *see* Ju Seog jang
Seog Joo Kim, Young Hyun Moon Topological observability analysis using incidence matrix in power systems 88−36741
Seog-Ju Oh, Yeow, Y.T. A modification to the Fowler-Nordheim tunneling current calculation for thin MOS structures 88−57396
Seok Bung Han, In Chil Lim Testable design for Zipper CMOS circuits 88−44872
Seok Bung Han, In Chil Lim Syndrome testable design for large MOSPLAs 88−44887
Seok Bung Han, Sang Bock Cho, In Chil Lim A LSI/VLSI logic design structure for testability and its application to programmable logic array design 85−734
Seok Chae Jong *see* Jong Seok Chae
Seok Chang Won *see* Chang Won Seok
Seok Choi Kap *see* Kap Seok Choi
Seok Hee Jeon *see* Hyung Rae Park 87−47928
Seok Ho Song, Sang Soo Lee Properties of holographic associative memory prepared by the polarization encoding process 88−71996
Seok Keun Ko *see* Chul Hyun Yo 85−23480
Seok Kim Hi *see* Hi Seok Kim
Seok Lee Chang *see* Chang Seok Lee
Seok Lee Jong *see* Jong Seok Lee
Seok Lim Young *see* Young Seok Lim
Seok Park Jin *see* Jin Seok Park
Seok Seo Wan *see* Wan Seok Seo
Seok-Myeong Jang *see* Dal-Ho Im 85−60198
Seol, Y.S., Im, H.B. Sintering behaviour and electrical properties of $\mathrm{Cd_{1-x}Zn_xS}$ films containing $\mathrm{CdCl_2}$ 88−12946
Seol Lee Sang *see* Sang Seol Lee
Seon Ahn Gwang *see* Gwang Seon Ahn
Seon Ho Kim, Soon Heung Chang Quantitative event tree approach involving the debris bed coolability 86−19008
Seon Kim Ki *see* Ki Seon Kim
Seon Ko Seong *see* Seong Seon Ko
Seon Park Chun *see* Chun Seon Park
Seong, S., Fukao, T. An analysis of generating mode of dual-inverter drive induction machine system 86−6757
Seong, S. *see* Matsui, M. 88−70531
Seong Dae Jin *see* Dae Jin Seong
Seong Geum *see* Sang Ryong Kim 86−59653
Seong Ho Park, Choong Won Kim, Baik Hyung Han Heavy doping effects and their application to $\mathrm{N^+\text{-}P}$ solar cells 88−49136
Seong Hyeon Kyeong *see* Hyeon Kyeong Seong
Seong Jae Lee, Jae Won Song, Sang Yung Shin Fabrication of grating structures and their applications in integrated optics 85−2065
Seong Ki Mun *see* Benson, H.R. 86−32409
Seong Ki Mun *see* Choyke, P.L. 86−32266
Seong Ki-Sul *see* Ki-Sul Seong
Seong Lee Ho *see* Ho Seong Lee
Seong Lee Won *see* Won Seong Lee
Seong Man-young *see* Man-young Seong
Seong Ryong Lee A new converter system of reducing harmonics by 2-3 switching taps on interphase reactor 88−49047
Seong Sejin *see* Sejin Seong
Seong Seon Ko, Jae Gyun Yi, Hyun Bo Yoon An improvement performance of S/N ratio in DMTI system using weighted pulse trains 86−4701
Seong Seon Ko, Jae Gyun Yi, Hyun Bo Yoon A comparison of an improvement performance of S/N ratio with the method of weighting in DMTI system using a uniform pulse train 86−4722
Seong Soo Choi, Numan, M.Z., Finstad, T.G., Chu, W.K., Fathy, D. HCL oxidation of high dose arsenic implanted silicon 87−6606
Seong-Dae Kim *see* Byung-Hwa Chang 88−14759
Seong-Gon Kong *see* Heung-Suk Yang 88−31685
Seong-Jin Kim *see* Young-Kwon Sung 86−14964
Seong-ju Park, Chung-ping Sun, Purtell, J.R. A mechanistic study of $\mathrm{SF_6/O_2}$ reactive ion etching of molybdenum 88−13137
Seong-Ju Park, Sun, C.P., Yeh, J.T., Cataldo, J.K., Metropoulos, N. Reactive ion etching of molybdenum in $\mathrm{CF_4/O_2}$ plasma 87−18005
Seong-kwang Huh Concerning real power generation control systems in electrical engineering 88−23750
Seong-Kyu Lee *see* Il-Jung Kim 88−42242
Seong-Ryong Lee *see* Chul-Ro Yu 87−35942
Seongjoo Jang *see* Seounghwan Park 87−46591, 88−72231
Seop Lee Man *see* Man Seop Lee
Seop Shin Jae *see* Jae Seop Shin
Seop Song Yoo *see* Yoo Seop Song
Seoud, A.K.A., Amer, H. Calculation of the resistance of the diffused top layer in a photovoltaic cell 87−36136
Seoung Ryool Kim, Jin Ha Kim, Song Bae Park A study of ultrasound pulsed Doppler systems for sensing the blood flow 85−26760
Seoung-Jun Oh *see* Suk, M. 86−49009
Seounghwan Park, Seongjoo Jang, Byungdoo Choe Negative resistance in $\mathrm{Al_xGa_{1-x}As{:}Si}$ red light-emitting diodes 88−72231
Seounghwan Park, Teaho Park, Byungdoo Choe, Seongjoo Jang Electrical and optical properties in Si-doped GaAs LED 87−46591

Sep, A. Algorithm of calculation of the operating characteristics of closed-loop queuing systems with absolute priorities 86−52335
Sepaniak, M.J. *see* Vo-dinh, T. 87−77624
Sepehri, M. A machine builds machines at Apple Computer's highly automated Macintosh manufacturing facility 85−49334
Sepehri, M. Quality control circles: a vehicle for just-in-time implementation 86−7548
Sepehri, M. *see* Walleigh, R. 86−46121
Sepehrnoori, K. *see* Thrasher, R. 87−10336
Sepers, A. *see* Leggett, P. 86−32486
Sephton, J.P., Turner, M.J.L., Leake, J.W. The quenching of Penning mixtures in a cylindrical proportional counter 87−63629
Sephton, R.G. Evaluation of two CT scanners for dual energy applications 85−64548
Sepiol, J., Bulska, H., Grabowska, A. The dihydroxy derivative of 2,2′-bipyridyl as a new proton-transfer lasing dye 88−8152
Sepiol, J. *see* Jasny, J. 85−29870, 85−62638
Sepman, S.V. *see* Konstantinov, A.A. 88−22397
Sepold, G., Becker, R. Surface hardening and alloying by laser 85−16485
Sepold, G., Juptner, P.O., Telepski, J. Measuring the quality of high power laser beams 87−46957
Sepold, G. *see* Juptner, W. 87−47066
Sepold, G. *see* Juptner, W.P.O. 87−46952
Sepp, W. Metallic etch resists 87−6266
Seppa, H. Optimisation of an R-SQUID noise thermometer with a cooled FET-preamplifier 85−48130
Seppa, H., Immonen, P., Raiha, J. A computer controlled Josephson voltage standard 87−14410
Seppa, H., Immonen, P., Raiha, J. A computer-controlled Josephson voltage standard 88−60847
Seppa, H., Immonen, P., Raiha, J., Kulmala, T. A computer controlled attenuation calibrator based on an X-band SQUID 86−24666
Seppa, H., Immonen, P., Saari, J.-M., Veijola, T. An automatic AC bridge for precision resistance measurements 87−14477
Seppa, H., Ryhanen, T. Influence of the signal coil on DC-SQUID dynamics 87−67885
Seppa, H. *see* Ketoja, J.A. 87−25895
Seppa, H. *see* Knuutila, J. 88−13715, 88−65017
Seppa, H. *see* Lahdenpera, K. 85−64220
Seppa, H. *see* Salmi, J. 86−2636
Seppa Heikii *see* Heikii Seppa
Seppala, A. *see* Kalevi, J. 86−61099
Seppala, H.K. *see* Collan, H.K. 85−41086
Seppala, J. *see* Morsky, J. 85−59708
Seppala, L. *see* Matthews, D. 85−7350
Seppala, L.G. Cylinder focus lens design for X-ray experiments on the Nova laser 87−26479
Seppala, L.G. *see* Manes, K.R. 86−15815
Seppala, L.G. *see* Shaw, L.L. 86−5080
Seppala, L.G. *see* Swift, C.D. 85−18997, 86−22458, 87−39184
Seppalainen, T. *see* Hamalainen, R.P. 86−50943
Seppanen, A. *see* Maentaka, K. 87−21608
Seppanen, M., Derka, I., Katila, T., Maniewski, R., Makijarvi, M., Nieminen, S., Puurtinen, J., Ryhanen, T., Siltanen, P. High resolution magnetocardiographic measurements using a DC-SQUID magnetometer 85−43337
Seppanen, M. *see* Nieminen, S. 85−43414
Seppanen, V. *see* Kuhakoski, K. 86−39548
Seppelfeld, E. *see* Reiprich, S. 87−14801
Seppi, E., Shapiro, E., Zitelli, L., Henderson, S., Wehlau, A., Wu, G., Dittmer, C. A large aperture ultrasonic array system for hyperthermia treatment of deep-seated tumors 87−4030
Seppi, E. *see* Nussbaum, G.H. 87−57229
Sepponen, R.E. Discrimination and characterization of biological tissues with magnetic resonance imaging: a study on methods for T1, T2, T1ρ and chemical shift imaging 86−56100
Sepsy, K. *see* Berecz, I. 87−63250
Septier, A.L. *see* Fuhrmann, C. 85−20776
Sepulveda, F. *see* Meade, D. 85−48755
Sequeda, F. The role of thin film materials on the technology of integrated circuit fabrication 86−35787
Sequeda, F. *see* Lee, W.Y. 88−7253
Sequeda, F.O. Integrated circuit fabrication—a process overview 85−61994
Sequeira, B. *see* Crowne, F. 88−26343
Sequeira, C.A.C. Methods of cell characterization. I. Evaluation of materials and components 86−66235
Sequeira, C.A.C. DC methods of cell characterization. II. Definition of full cell/battery parameters 86−66236
Sequeira, C.A.C., Marques, F.D.S. A Li/Nb_2O_5 cell employing $(PEO)_9LiCF_3SO_3$ as electrolyte 87−51427
Sequeira, C.A.C., Hooper, A. *(editor)* Solid State Batteries. Proceedings of the NATO Advanced Study Institute 86−61861
Sequeira, C.A.C.de *see* de Sequeira, C.A.C.
Sequeira, H.B. Microslab: waveguide medium for the future 87−11015
Sequeira, H.B., McClintock, J.A. A MM-wave Microslab oscillator 87−6104
Sequeira, H.B., McClintock, J.A., Young, B., Itoh, T. A millimeter-wave Microslab oscillator 87−17358
Sequeira, H.B., Yates, B.C. Approach for evaluating effects of wall losses on quarter-wave short-circuit impedance standards 86−22747
Sequeira, H.B. *see* Crowne, F. 87−74334
Sequeira, H.B. *see* Hava, S. 86−3159
Sequin, C.H., Sangiovanni-Vincentelli, A.L., Newton, A.R. The Berkeley synthesis project [VLSI] 88−7712
Sequin, C.H. *see* Katevenis, M.G.H. 85−11308, 87−66235
Sequin, C.H. *see* Koh, H.Y. 88−25036
Sequin, C.H. *see* Sandweg, G. 87−1101
Sequin, C.H. *see* Sherburne, R.W., Jr. 85−22931
Sequin, C.H. *see* Shin, H. 87−5600, 88−20077
Sequin, C.H. *see* Tamir, Y. 85−33845
Sequin, C.H. *see* Wallace, D.E. 87−5619, 88−63470
Sequin, C.H. *(editor)* VLSI 87: VLSI Design of Digital Systems. Proceedings of the IFIP TC 10/WG 10.5 International Conference on Very Large Scale Integration 88−31300
Ser, W., Clark, A.P. Near-maximum-likelihood detectors for binary signals 86−3854
Sera, P.De *see* De Sera, P.
Sera, T. *see* Minehisa, S. 86−45859
Sera, T. *see* Yamada, Y. 86−12510
Serabian, S., O'Callahan, J.C. Pulsed ultrasonic flaw detection model 85−54553
Serack, J.A., Robertson, J.M., Walton, A.J. The application of a novel experimental technique to investigate hot carriers in MOSFETs 87−32574
Serafetinides, A.A., Papadopoulos, A.D., Rickwood, K.R. SiC preionised TEA nitrogen and carbon dioxide lasers 87−68339
Serafetinides, A.A., Papadopoulos, A.D., Rickwood, K.R. Investigation and comparison of preionization processes in gas laser systems 87−75191
Serafetinides, A.A., Rickwood, K.R. Efficient multi and single line atomic fluorine lasers 88−8096
Serafetinides, A.A., Rickwood, K.R. Simple and compact repetitively pulsed semiconductively preionised excimer lasers 88−20560
Serafetinides, A.A. *see* Rickwood, K.R. 86−63766
Serafim, P. *see* Sprangle, P. 87−2188, 87−12337, 87−18875
Serafimov, K.B., Hoang, L.T. Dispersion of critical frequencies in F region and dependence of optimal on maximal usable frequencies above Vietnam 85−51421
Serafimov, K.B., Koutiev, I.S., Hoang, L.T., Karadimov, M.D. Relation coefficient between maximal usable and critical frequency according to IRI for Asian equatorial sector at low solar activity 85−51422
Serafimov, K.B. *see* Serafimova, M.K. 87−54546
Serafimova, M.K., Serafimov, K.B. Absorption of radiowaves in the topside ionosphere based on the IRI 87−54546
Serafin, R. *see* Lhermitte, R. 87−77884
Serafin, R.J. New nowcasting opportunities using modern meteorological radar 88−15586
Serafin, R.J. *see* Keeler, R.J. 87−63952
Serafini, A. *see* Chiaradia, M.T. 87−48245
Serafini, A. *see* Di Cecca, A. 87−59374
Serafini, A. *see* Marconicchio, F. 88−46994
Serafini, D. *see* Rossi, B. 88−59814
Serafini, E. Mechanical strength of optical fiber arc fusion splices 86−42327
Serafini, L. *see* Acerbi, E. 85−58995
Serafini, L. *see* Bellomo, G. 85−64401
Serafini, M. *see* Ananasso, F. 85−54709, 86−55072
Serag, A.M., Walker, P.A.W., Abdalla, O.H., El-Sayed, M.L. Performance of a multi-machine power system with optimal output control 87−42394
Serag-Eldin, M.A. The spread of pollutants emitted from long and large obstacles in the atmosphere 86−18595
Seragnoli, G. The technique of packaging—the opinion of a European producer 85−184
Serago, C.F. *see* Lewin, A.A. 85−20963
Seraji, K. *see* Stott, A.L. 85−52842
Serak, S.V. *see* Kovalev, A.A. 87−61241
Serant, F.A. *see* Lugach, L.I. 86−33036
Seraphim, D.P., Lee, L.C., Appelt, B.K., Marsh, L.L. An overview of materials science in printed circuit packaging 86−14718
Seraphim, D.P. *see* Chen, W.T. 85−28777
Seraphim, D.P. *see* Johnson, E.A. 87−37717
Seraphim, D.P. *see* Marsh, L.L. 85−22553
Seraphin, L. A floating-point signal processor for new applications 87−59527
Seraphin, L. Speech synthesis by ADPCM coding 88−45972
Serapinas, B.B. Accuracy of component analysis in Earth sensing from space 85−43463
Serapinas, K.L. Reliability of coincident output results from redundant systems 87−44052
Serapinas, K.L., Zhukauskas, K.P. Evaluating operational reliability of digital systems with stand-by facility 85−49393
Serapulov, F.N. *see* Veinger, M.I. 87−78976
Serat, P. Solving of transient heating phenomena in electric machine windings caused by variable current load 85−43912
Seraudie, A. *see* Archambaud, J.P. 86−32435
Serazetdinov, A.Z. *see* Shubenko-Shubin, L.A. 85−53660
Serazzi, G. *see* Calzarossa, M. 85−28104
Serba, A.A. *see* Glinchuk, K.D. 86−14992
Serba, A.A. *see* Gorban', A.P. 85−50306, 85−50357
Serban, I. *see* Vasiliu, V. 87−7420
Serban, R., Albu, C. Model and algorithm for the optimised management of a thermoelectric power station 85−15835
Serban, R., Albu, C. Model and algorithms for the optimal management of a thermoelectric power station 85−21428
Serban, R. *see* Albu, Cr. 86−56624
Serban, V. Implementation on computer of calculations made for determination of rectilinear error 86−24307
Serbanescu, M., Pacuraru, E. Software testing for the microprocessor control of a PWM transistor inverter 86−66168
Serber, M. *see* Chababo, C. 85−14785
Serbest, A.H. Diffraction coefficients for a curved edge with soft and hard boundary conditions 85−13071
Serbest, A.H. Diffraction coefficient of a nonperfectly conducting spherical reflector for a TE-WGM 86−29359
Serbest, A.H. An exact solution for diffraction of a line-source field by axially shifted two conducting half-planes 86−29543
Serbest, A.H. Diffraction of a TM whispering gallery mode by the edge of a nonperfectly conducting spherically curved sheet 86−63900
Serbest, A.H. An extension to GTD for an edge on a curved perfectly conducting surface 86−63946
Serbest, A.H., Buyukaksoy, A. Diffraction coefficient for a non-perfectly conducting cylindrical reflector where the incident field is a TE polarized whispering gallery mode 86−42825
Serbest, A.H. *see* Idemen, M. 87−54464
Serbest, H. *see* Buyukaksoy, A. 86−29306
Serbeto, A. *see* Booske, J.H. 88−27198, 88−51839
Serbin, B.M., Penstone, S.R., Peppard, L.E., Tavares, S.E. QUAIL: an interactive, mixed-mode, multi-state, hierarchically oriented logic simulator 88−38493
Serbin, B.M. *see* Kostiuk, A.R. 87−67527
Serbin, J. *see* Graydon, J. 87−52480
Serbin, S.M. Some cosine schemes for second-order systems of ODEs with time-varying coefficients 85−33361
Serbin, S.M., Fisher, A.L. A post-processor for the cosine method 88−31676
Serbin, S.M. *see* Bales, L.A. 86−7707
Serbin, S.M. *see* Goyal, S. 87−65417
Serbin, S.M. *see* Voss, D.A. 88−43840
Serbin, S.P. *see* Savostenko, P.I. 85−64115
Serbinov, I.A. *see* Kanaev, I.F. 88−12036
Serbinov, I.A. *see* Salun, V.S. 88−38128
Serbu, V. *see* Dan, I. 88−11428, 88−69734
Serbyn, M.R. An international round robin in primary-accelerometer calibration 87−70818
Serbyn, R., Penzes, W., Federman, C. An approach to control signal synthesis in active vibration suppression 86−14055
Sercel, J. *see* Knickelbein, M.B. 88−72262
Sercel, J. *see* Krauthamer, S. 87−63894
Sercel, J. *see* Orth, C.D. 88−68598
Sercel, J.P. Matrix overview of medium to high power CO_2 lasers 88−20573
Serci, S. *see* Bressani, T. 85−43256, 88−61113
Serci, S. *see* Caria, M. 85−43240, 88−29808
Serci, S. *see* Macciotta, P. 86−50394
Serci, S. *see* Puddu, G. 85−43245
Serci, S. *see* Puddu, G.A. 85−37915
Serck-Hanssen, F. *see* Hysing, T. 88−69219
Serdega, B.K., Shekhovtsov, L.V. Influence of intervalley transfer of electrons on the photomagnetic effect in silicon 88−14002
Serdega, B.K. *see* Boiko, I.I. 86−21097, 86−47280
Serdega, B.K. *see* Zhad'ko, I.P. 87−67224
Serdega, B.K. *see* Zinchenko, E.A. 85−51030
Serdiuk, V. *see* Smirnov, O. 88−21809
Serdobintsev, A.A. *see* Aminov, R.Z. 87−78338
Serdobintsev, G.V. *see* Karliner, M.M. 88−57262
Serdobintsev, P.Yu. *see* Egorov, V.S. 85−46332
Serdobintsev, Yu.Ya. *see* Marchuk, B.S. 88−31234
Serdobol'skaya, O.Yu. *see* Belov, V.V. 87−12032
Serdobol'skaya, V.P. Device for testing the hardness of materials 86−13897
Serdy, J. *see* Sachs, E.M. 87−51460
Serdyuchenko, Yu.N. *see* Babushkin, A.V. 86−68501, 87−46819
Serdyuchenko, Yu.N. *see* Maier, A.A. 88−20737
Serdyuchenko, Yu.N. *see* Pashinin, P.P. 85−24503
Serdyuchenko, Yu.N. *see* Vorob'ev, N.S. 88−4479
Serdyuk, A.S. *see* Dobrov, V.A. 87−65913
Serdyuk, L.I. *see* Kovalev, A.P. 86−18677
Serdyuk, L.I. *see* Vaneen, B.N. 86−34068
Serdyuk, N.V. *see* Bochkov, Yu.V. 85−40452

Serdyuk, O.V. *see* Lobashev, V.M. 85−64506
Serdyuk, V.M., Khapalyuk, A.P. Dynamic conversion of light beams in anisotropic ferroelectric crystals 85−24683
Serdyuk, V.M., Khapalyuk, A.P. Structure of wave fields formed by 3-D vector holograms 85−51301
Serdyuk, V.M., Khapalyuk, A.P. Investigation of the structure of the object wave field reconstructed by a phase hologram 86−10021
Serdyuk, V.M., Khapalyuk, A.P. Study of the structure of the object wave field reconstructed by a phase vector hologram 86−10022
Serdyuk, V.M., Khapalyuk, A.P. Diffraction of light by phase holograms in photorefractive ferroelectric crystals 86−54227
Serdyuk, V.V. *see* Burlak, A.V. 87−32238
Serdyuk, V.V. *see* Ignatov, A.V. 86−41529
Serdyuk, V.V. *see* Karakis, Yu.N. 88−24128
Serdyuk, V.V. *see* Korepanov, S.A. 86−1701, 87−33037
Serdyuk, V.V. *see* Skobeeva, V.M. 87−24866
Serdyuk, V.V. *see* Zalyubinskaya, L.N. 86−8994, 86−21190
Serdyuk, V.Z. *see* Volkov, A.D. 88−36366
Serdyukov, A.N. *see* Semchenko, I.V. 85−2405
Serdyukov, E.P. *see* Yaglo, G.I. 87−38650
Serdyukov, P.N., Burdzekyo, B.P., Naumov, A.V. Analysis of a compensation algorithm of FM signal reception 86−23073
Serdyukov, P.N. *see* Afrikanov, S.A. 87−47749
Serdyukov, P.N. *see* Belotskiy, A.K. 87−47483
Serdyukov, P.N. *see* Fomin, A.I. 86−29908
Serdyukov, V.A. *see* Lugovskii, G.S. 88−41964
Serdyukov, V.I., Sinitsa, L.N. Intraresonator laser spectroscopy based on F_2^-:LiF color centers 88−33986
Serdyukov, V.I. *see* Kochanov, V.P. 86−15824
Serdyukov, V.I. *see* Makogon, M.M. 86−63786
Serdyukov, Yu.P. On the article by G.S. Vasil'ev and Ya.B. Danilevich, 'On the principal parameters of electric machines in classification and standardization systems' 88−55365
Serdyukov, Yu.P. *see* Karetnyi, V.D. 88−23955
Serdyukova, O.A. *see* Antonov, E.N. 87−68581
Serebrankow, E. *see* Stanislawski, J. 86−15575
Serebrenik, L.A. *see* Beilin, V.M. 86−44403
Serebrenkiov, L.Ya. *see* Vernigorov, N.S. 87−39871
Serebrennikov, B.O. *see* Markov, A.A. 86−57495
Serebrennikov, S.V., Khandetskii, V.S. Self-oscillating transducer for checking low-conductivity materials 85−49633
Serebrennikov, S.V. *see* Sopil'nik, A.V. 88−68615
Serebrennikov, V.I., Shtekhman, G.Ya. Resolution and accuracy of radar measurements 85−14343
Serebrennikov, V.V. *see* Dmitriyeva, O.A. 86−40273
Serebrov, A.P. *see* Borisov, Yu.V. 88−31998
Serebryakov, A.D. An induction linear stepping motor 87−22416
Serebryakov, A.S., Smigirinov, S.A., Bekh, L.P. How objective is the assessment of the quality of insulation in traction motors 87−9911
Serebryakov, B.A. *see* Gubrienko, K.I. 88−16575
Serebryakov, P.G. A microprocessor computer system based on an algorithm of variation-difference circuits 87−44861
Serebryakov, V.A., Chertkov, A.A. Wavefront reversal of microsecond radiation in fiber waveguides 87−74705
Serebryakov, V.A. *see* Alekseev, V.N. 86−15670
Serebryakov, V.A. *see* Bayanov, V.I. 85−2270, 87−33128
Serebryakov, V.A. *see* Buzyalis, R.R. 88−51907
Serebryakov, V.A. *see* Kryzhanovskii, V.I. 88−58499
Serebryakov, V.I. *see* Bakhvalov, Yu.A. 87−22852
Serebryakova, I.Yu. *see* Bogatyrev, L.L. 88−30304
Serebryakova, L.V. *see* Mazurenko, A.K. 87−9650
Serebryanikov, V.N. *see* Shchepetina, T.D. 85−38744
Serebryannikov, Yu.F. *see* Lik'yantsev, N.M. 85−49056
Serebryansky, A.Ya. *see* Shteinberg, Sh.E. 87−3363
Serebryanyi, G.Z. *see* Katanaev, A.O. 87−4527
Serechenko, V.A. *see* Poduzhailo, V.G. 87−1903
Serechenko, V.A. *see* Red'ko, V.G. 86−58702
Sereda, A.P., Gorbenko, V.I., Borisyuk, V.D. The results of tests on a 100000 m^3/h cooling tower 86−39506
Sereda, E.V., Gorbatykh, V.P. Predicting the service life of the heat-exchange bundle of a steam generator at a nuclear power station with water-moderated water-cooled reactors with respect to stress-corrosion conditions 85−65108
Sereda, G.E. *see* Vasil'ev, S.V. 86−53921
Sereda, G.G. *see* Kaniskin, V.A. 87−60708
Sereda, L.A. Fast two-dimensional discrete Fourier transform 85−10655
Sereda, O.V. *see* Derzhiev, V.I. 88−65594
Seredi, A. Investigation of NO_x emission from aftermixing natural gas burner 87−63978
Seredin, M.M., Izotov, M.E. Breakdown protection of switches in rectifiers for ice-crust melting equipment 86−61588
Seredin, M.M. *see* Isotov, M.E. 87−4411
Seredinskii, A.I. *see* Kulevskaya, E.F. 85−44022
Seredinskii, A.V. *see* Gutin, Ya.B. 87−47699
Seredkin, S.V. *see* Samsonov, G.V. 85−43709
Seredkin, V.A., Frolov, G.I., Yakovchuk, V.Yu. Thermomagnetic writing of halftone optical images on RFe(R-Tb, Dy) films 85−24082
Seredkin, V.A. *see* Aleksandrov, K.S. 87−26507
Seredkin, V.A. *see* Burkova, L.V. 86−15339
Seredkin, V.A. *see* Frolov, G.I. 85−29428
Serednitskaya, M.A. *see* Timrot, D.L. 85−37807
Serednyakov, S.I. *see* Anashin, V.V. 88−29871
Serednyakov, S.I. *see* Bondar, A.E. 85−26599
Serednyakov, S.I. *see* Golubev, V.B. 85−26688
Serednyakov, S.I. *see* Red'ko, I.Yu. 87−29518
Seredyuk, A.I. *see* Dragomeretsky, V.V. 87−17919
Seregin, A.M. *see* Berdyshev, A.V. 86−54091
Seregin, A.M. *see* Bykov, A.D. 87−68347
Seregin, A.M. *see* Galushkin, M.G. 86−3238, 86−63757, 88−20550
Seregin, A.M. *see* Petukhov, V.O. 87−26300
Seregin, A.M. *see* Vorob'eva, N.N. 85−24477
Seregin, A.S. *see* Seregin, S.A. 85−60599
Seregin, A.V. *see* Kovalenko, Yu.V. 87−8477
Seregin, G.A. One variational-difference scheme for problems of limit equilibrium 87−31678
Seregin, I.V. *see* Kreslo, E.A. 85−26389
Seregin, L.N. *see* Rudyak, V.M. 87−9475
Seregin, S.A., Seregin, A.S. Research into the breaking stage in friction welding of copper to steel 85−60599
Seregin, S.L. *see* Stel'makh, M.F. 85−24621
Seregin, V.F. *see* Goldobin, I.S. 86−36496, 88−20662
Seregin, V.F. *see* Kocherov, D.A. 88−51901
Seregin, V.F. *see* Sevast'yanov, B.K. 85−35729, 86−54115
Seregin, V.T. *see* Bodrova, T.K. 87−21225
Seregin, Yu.D. Design of an amplitude corrector of the first order for a specified attenuation differential 88−34368
Seregina, A.R. *see* Vasil'ev, E.N. 86−16015, 87−26738
Seregina, E.A. *see* Kononov, V.N. 85−37920
Seregina, E.A. *see* Lajtai, A. 87−50195
Seregina, L.N. *see* Bordovskii, G.A. 86−53361
Seregina, N.I., Solopchenko, G.N. A simple regularizing method for compensating the effect of the instrument function on the result of a measurement 85−52626
Seregina, N.V. Projection-difference method of solving the boundary layer problem for a biharmonic equation with mixed boundary conditions 86−52412
Sereika, A.P. *see* Latsitis, I.I. 87−74487
Sereika, A.P. *see* Mil'kyavichene, Z.A. 86−6165
Serena, E. *see* Burton, P. 86−51720
Serenko, A.N. Effect of tempering temperature on the properties of electroslag welded joints in 09G2S steel 88−62824
Serenko, A.N., Patrikeev, A.I., Razymshlyaev, A.D., Koryagin, E.I. Special features of weld formation in 'step-arc' welding of thick plate metal (with programming of conditions) 85−53980
Serenko, A.N. *see* Shaferovskii, V.A. 88−55988
Serenkov, I.T. *see* Verbitskaya, E.M. 88−29889
Sereno, D. *see* Copperi, M. 85−13467, 85−36225, 85−51558, 85−51584, 86−16193, 86−64229, 87−19520, 87−27259, 87−61768
Sereno, D. *see* Lazzari, V. 88−67245, 88−67258
Sereno, J.J.Uriola *see* Uriola Sereno, J.J.
Serenyi, M., Gobel, E.O., Kuhl, J. Inhomogeneous gain saturation in a mode-locked semiconductor laser 88−65664
Serenyi, M., Habermeier, H.-U. Directly controlled deposition of antireflection coatings for semiconductor lasers 87−39078
Serenyi, M., Kuhl, J., Gobel, E.O. Pulse shortening of actively mode-locked diode lasers by wavelength tuning 87−46853
Serenyi, M. *see* Balazs, J. 85−37778
Serenyi, M. *see* Baums, D. 88−65700
Serenyi, M. *see* Kuhl, J. 87−54338
Serenyi, M. *see* Pfeiffer, Th. 87−46690
Seres, M. *see* Pasztor, G. 85−6959
Seres, M. *see* Valko, A. 86−46041
Seres, P. *see* Balogh, B. 87−48776
Seres, P. *see* Csapodi, C. 85−63449
Seres, Z. *see* Deak, F. 87−71039
Seress, A. Quick gossiping without duplicate transmissions 87−23479
Seress, A. *see* Babai, L. 88−70208
Seret, D., Pujolle, G. Satellite channels for distributed data systems 85−14150
Seretny, S.E. *see* Abel, J.N. 86−23565
Serezentinov, G.V. *see* Makarov, M.I. 85−10378
Serezhkina, L.P., Panfilova, A.I., Zaretskii, E.I. Study of the axial forces of a K-500-240-2 turbine 85−4925
Serfaty, A., Aponte, J., Octavio, M. Properties of step-edge Pb-Si-Pb Josephson junctions 86−42167
Serfaty, A., Octavio, M. A step edge superconductor-semiconductor-superconductor Josephson junction 85−46060
Serfaty, S. Extended range automatic threshold setting circuit 88−32360
Serfozo, R.F. Equitable transit charges for multi-administration telecommunications networks 87−69577
Sergant, M. *see* Jansen, M. 87−7354
Sergant, M. *see* Wilcox, J.Z. 87−54298, 88−2214
Sergant, M. *see* Yang, J.J. 86−42534, 87−12453, 88−2251, 88−27154, 88−65922
Serge, M. *see* Taille, G. 85−51920
Serge Castan *see* Jun Shen 87−13114
Sergeenko, V.S., Taratynov, V.S. Transient processes in an analog-to-digital converter and their influence on the dynamic errors of measurement information systems 86−1154
Sergeenkov, B.N., Goryunov, M.A. A high-frequency contactless regulator for transformer voltages 85−60233
Sergeenkov, B.N., Goryunov, M.A., Korenev, B.N. Pushpull system with capacitive smoothing filter for smooth phase control of transformer voltage 88−30762
Sergeev, A.B. *see* Bessonov, Yu.L. 85−62604
Sergeev, A.B. *see* Vasil'ev, P.P. 85−62625, 86−9860, 86−42550
Sergeev, A.G., Savenkov, V.N., Parmenov, Yu.A., Neklyudov, V.A., Mindeeva, A.A. Analysis of the dynamic properties and development trends for bipolar memories with miniaturization of the IC elements 85−11258
Sergeev, A.G. *see* Beer, W. 85−64518
Sergeev, A.G. *see* Orlikovskii, A.A. 85−11257
Sergeev, A.I., Kostenko, L.I., Izbitskii, A.G., Kalugin, S.A., Gridasov, V.A. Use of an instrument interface in a digital-analog converter module 85−26272
Sergeev, A.M. *see* Nasel'skii, S.P. 85−24525
Sergeev, A.M. *see* Zharova, N.A. 87−68742
Sergeev, A.N., Frolova, M.N., Osadchev, L.A., Shandarov, S.M. Determination of the parameters of asymmetric parabolic waveguides 88−72086
Sergeev, A.N. *see* Osadchev, L.A. 88−20415
Sergeev, A.O. *see* Aga, O.B. 86−35630
Sergeev, A.O. *see* Dul'nev, G.N. 88−11764, 88−21914
Sergeev, A.O. *see* Perevezentsev, A.A. 85−45270
Sergeev, A.S., Firsov, A.F., Goryunov, A.K. Equalization of voltage distribution in the OVL 88−42897
Sergeev, A.S., Smorgonskii, A.V. Optimization of the interaction conditions in a free-electron laser with variable parameters 88−34063
Sergeev, A.S. *see* Antipov, K.M. 86−25646
Sergeev, A.S. *see* Bratman, V.L. 86−21043
Sergeev, A.S. *see* Dem'yanenko, K.B. 86−39232
Sergeev, A.S. *see* Evtushenko, V.A. 86−33533
Sergeev, A.S. *see* Ginzberg, N.S. 87−39149
Sergeev, A.S. *see* Ginzburg, N.S. 86−3231, 87−17611, 87−61185
Sergeev, A.S. *see* Kizebtter, V.E. 88−30413
Sergeev, A.S. *see* Kizevetter, V.E. 87−66442
Sergeev, A.S. *see* Redrugina, M.N. 87−71748
Sergeev, A.V. A standard integrated automatic machining section for electric-motor shafts 87−35877
Sergeev, A.V. *see* Brovchenko, V.G. 88−53591
Sergeev, A.V. *see* Konov, Yu.S. 86−61547
Sergeev, B.G., Shumskii, L.D. Portable tester for functional check of digital devices 85−37531
Sergeev, B.G. *see* Aslanyan, A.M. 86−3685
Sergeev, E.I. *see* Kitaev, V.B. 86−10375, 88−27885
Sergeev, F.M. *see* Gornov, M.G. 85−4202
Sergeev, I.N. *see* Antonishin, N.V. 88−37753
Sergeev, I.V. *see* Soplyachenko, V.N. 88−6558
Sergeev, M.A. *see* Berendjukov, Yu.V. 86−17686
Sergeev, M.S. *see* Olevskii, S.S. 85−28245
Sergeev, N.Yu. *see* Vavilovskii, V.I. 87−22693
Sergeev, O.T. *see* Britun, V.F. 87−38940
Sergeev, O.T. *see* Gurkova, R.A. 88−26991
Sergeev, P.A. *see* Afonskii, A.K. 88−14299
Sergeev, P.B. *see* Galkin, G.N. 88−25925
Sergeev, P.B. *see* Klementov, A.D. 85−18890, 86−22327, 86−29044, 87−26301, 87−68384, 88−27075
Sergeev, S.A. *see* Bolyukh, V.F. 86−26374
Sergeev, S.A. *see* Omel'yanenko, V.I. 86−15436
Sergeev, S.E. *see* Kitaev, V.B. 88−29715
Sergeev, S.I. *see* Popov, O.M. 87−22220
Sergeev, S.N. *see* Vartapetov, S.K. 86−68584
Sergeev, S.O. *see* Gurkova, R.A. 88−26991
Sergeev, S.V. *see* Antyukhov, V.A. 86−60637
Sergeev, S.V. *see* Bitsadze, G.S. 87−3891, 87−50166, 88−54407
Sergeev, S.V. *see* Budagov, Yu.A. 85−9080, 85−59184, 85−64459, 87−50140
Sergeev, S.V. *see* Chirikov-Zorin, I.E. 87−77555
Sergeev, S.V. *see* Hlinka, V. 87−8837
Sergeev, V.A. Estimating the effects of the content of air in the working fluid of a turbine automatic speed regulator on the dynamics of regulation 88−69163
Sergeev, V.A. *see* Antyukhov, V.A. 86−60637
Sergeev, V.D. *see* Vladimirova, E.G. 85−39261
Sergeev, V.G., Shikhin, A.Ya. Principles of the method of continuous stepwise variation of magnetizing fields for testing hard-magnetic materials 88−36190

Sergeev, V.I. *see* Borzenko, V.I. 88−43716
Sergeev, V.I. *see* Kasparov, K.N. 87−26235
Sergeev, V.I. *see* Osinskii, V.I. 85−34669
Sergeev, V.M. *see* Dvoeglazov, Yu.B. 86−44786, 87−63919
Sergeev, V.N. *see* Akimov, A.V. 86−60294
Sergeev, V.S. *see* Kopp, V.G. 85−16462
Sergeev, V.V. *see* Efimenko, E.I. 88−37640
Sergeev, V.V. *see* Kliment'ev, S.I. 86−48472
Sergeev, V.V. *see* Kononenko, A.S. 85−35289, 87−38665
Sergeev, V.V. *see* Kuprenyuk, V.I. 85−18858
Sergeev, V.V. *see* Linetskii, Ya.L. 86−42140
Sergeeva, A.I., Tseitlin, Ya.M. Effects of surface geometry in insulating films on the accuracy of thickness measurement with a contact instrument 87−3754
Sergeeva, V.M. *see* Vinogradov, A.A. 85−6723
Sergei, I.I. *see* Strelyuk, M.I. 85−32634, 85−60353, 87−9199, 87−15934, 88−68988
Sergent, A.M. *see* Chand, N. 88−1470, 88−38207, 88−49796, 88−63291, 88−65490
Sergent, A.M. *see* Lang, D.V. 86−21171, 87−6403, 87−11424, 88−19684
Sergent, A.M. *see* People, R. 85−18132
Sergent, C. *see* Bareyt, C. 85−58037, 86−4583
Sergent, C.Le *see* Le Sergent, C.
Sergent, J.E. Hybrids take the lead in electronics industry growth 85−23284
Sergent, J.E. Hybrid microcircuit industry gears up for automation 85−55329
Sergent, J.E. Thick film materials evolve with market needs 86−27754
Sergent, J.E. The hybrid circuit industry and its technology 87−6296
Sergent, J.E. Copper thick film strives for a comeback 87−17563
Sergent, J.E. Copper thick film strives for a comeback 87−45462
Sergent, J.E. Quality and quantity of thick film resistors 88−57001
Sergent, J.E. Quality and quantity in thick-film resistors 88−57171
Sergent, J.E., Chiles, H.H., Molkenthin, P.P. CAD systems pervade every area of hybrids production 85−61596
Sergent, J.E., Chiles, H.H., Power, R. Test and inspection of hybrid microcircuits 86−53245
Sergent, J.E., Kling, D.R. Failure mechanisms in hybrid microcircuits teach valuable lessons 85−28863
Sergent, J.E., Schuyler, D.R. Automatic test and inspection of high-rel hybrids 85−11812
Sergent, J.E. *see* Byrnes, M. 85−5800
Serger, K. *see* Schade, P. 87−37786
Sergeyev, A.S. *see* Bogomolov, Ya.L. 87−26449
Sergeyev, M.A. *see* Kovalgin, Yu.A. 87−49227
Sergeyev, O.I. *see* Malygin, V.B. 86−36718
Sergeyev, S.V. *see* Nekrasov, V.N. 87−15038
Sergeyeva, T.P. Automation of planning for the development of trunk primary networks for the five-year plan 87−62395
Sergi, V., Tagliaferri, V., Teti, R. Cutting of steel sheet with a 2.5 kW laser 85−56927
Sergiampietri, F. Position-sensitive liquid hydrogen targets with registration of Vavilov-Cherenkov radiation 86−65368
Sergiampietri, F. *see* Cerri, C. 85−20813
Sergienko, A.A. *see* Belozerskii, G.N. 87−70667
Sergienko, A.S., Korolev, O.P. The power-supply and electrical characteristics of a small linear arc generator 85−16116
Sergienko, A.V., Penin, A.N. Absolute calibration of analog photodetectors with a biphoton field 87−63424
Sergienko, E.F. *see* Buzykin, S.G. 87−59147
Sergienko, I.V., Kozeratskaya, L.N., Lebedeva, T.T. Certain parametric problems of integer convex programming and their approximate solution 86−40648
Sergienko, I.V. *see* Lebedeva, T.T. 86−7652
Sergienko, I.V. *see* Luchka, A.Yu. 85−60881
Sergienko, I.V. *see* Roshchin, V.A. 86−7626
Sergienko, I.V. *see* Volkovich, O.V. 88−38094
Sergienko, P.P. *see* Guz', A.N. 87−10541
Sergienko, S.A. *see* Kondratenko, V.Yu. 87−15325
Sergienko, T.I., Petrov, V.V., Kryuchin, A.A., Yudin, G.Yu., Gritsenko, K.P. Thermionic evaporation of films of multicomponent chalcogenide semiconductors 86−40775
Sergienko, V.D., Shakhrai, A.Ya. Modeling of the envelope of a signal reflected from overhead objects 87−13754
Sergienko, V.P. *see* Kotov, Yu.A. 87−41662
Sergienko, Yu.M. Balance-measuring facilities for national economy 86−49924
Sergienko, Yu.M., Rakaev, A.P., Pliskin, Yu.S. Application of microcircuits for special use in scales equipment 87−49968
Sergienko, Yu.M. *see* Trifonov, G.N. 86−44089
Sergievskaya, I.M. *see* Larionov, V.P. 86−6021
Sergiyenko, A.F. *see* Glotov, Yu.I. 88−70954
Sergiyenko, Ye.F. *see* Polikarpova, R.G. 87−44543
Sergushchenko, S.A. *see* Barmenkov, Yu.O. 87−68667
Sergushchenko, S.A. *see* Knyaz'kov, A.V. 85−35925, 85−41522, 87−33343
Serhal, A.S. *see* Miller, W.H. 87−72613
Serhan, G.I. Automated design of analog LSI 86−661
Seri, D. *see* Ichiura, N. 87−19639
Seri, T. *see* Morimoto, Y. 85−39108
Seriakov, K.I. *see* Egorov, V.G. 86−51849
Series, R.W., Hurle, D.T.J., Barraclough, K.G. Effective distribution coefficient of silicon dopants during magnetic Czochralski growth 86−34278
Series, R.W. *see* Barraclough, K.G. 86−41516, 87−16578, 88−64394
Serigny, R. Analysis of a new type of square-wave synchronous machine 88−62333
Serik, V.I. *see* Fomina, V.I. 86−39507
Serikawa, H. FSL: flexible system link 87−62628
Serikawa, S., Aida, T. Improvement of the instrument for measuring glossiness of curved surfaces 86−70234
Serikawa, S., Yamashita, A., Aida, T. Fast detection of three dimension coordinates of object using position-sensitive-device 87−21253
Serikawa, S. *see* Aida, T. 86−31690, 87−56867
Serikawa, T., Okamoto, A. Properties of magnetron-sputtered silicon nitride films 85−28248
Serikawa, T., Okamoto, A. Sputter depositions of silicon film by a planar magnetron cathode equipped with three targets 85−60991
Serikawa, T., Okamoto, A. P_2O_5-SiO_2 film deposition by reactive sputtering in phosphorus vapor 85−60992
Serikawa, T., Shirai, S., Okamoto, A., Suyama, S. A model of current-voltage characteristics in polycrystalline silicon thin-film transistors 87−38286
Serikawa, T., Yachi, T. Magnetron-sputtered SiO_2 films in hydrogen-argon mixtures 85−10773
Serikawa, T. *see* Okamoto, A. 85−39790, 87−74315
Serikawa, T. *see* Suyama, S. 85−50419, 87−25560, 88−12022, 88−13125
Serikawa, T. *see* Yachi, T. 85−18463, 85−22530, 86−21655
Serikiaku, J. *see* Adan, J.C. 88−59168, 88−70674
Serikov, A.D. *see* Ogorodneichuk, I.F. 88−28655
Serikov, I.N. *see* Rezvov, V.A. 85−15193
Serikov, R.I. *see* Biryukov, A.S. 85−12812
Serikov, V.A. Faster method of calculating the two-dimensional cross-correlation function 88−21050
Serikov, V.A. *see* Mizyurin, S.R. 87−78588
Serikov, V.V., Kleinerman, N.M., Yurchikov, E.E., Belozerov, E.V., Shur, Ya.S. Nuclear magnetic and nuclear gamma resonance investigations of the characteristics of modulated structures of permanent-magnet Fe-Co-Cr alloys 85−7160
Serikova, V.V. *see* Grinstein, M.L. 85−26042
Serin, E.I., Midler, A.S. Some questions pertaining to the economic and fuel efficiencies of electric vehicles 87−58405
Serin, N. Determination of minority carrier diffusion coefficient from capacitance-voltage characteristics of Au/Ge-Schottky barriers 85−40513
Serin, N. *see* Serin, T. 88−13064
Serin, T., Uraz, A.A., Serin, N. The annealing effect on Au/a-Si:H/a-Si:H(n-type)/Cr Schottky diodes prepared by an RF magnetron sputtering technique 88−13064
Serinken, N. *see* Leon-Garcia, A. 86−23656
Serinken, N.M. HF data message and facsimile terminal system 88−46900
Serinken, N.M., Chow, S.M. Automatic high-frequency radio message terminal system for sparsely populated communities 85−42190
Serino, A.A. *see* Quinn, P.W. 86−44654
Serino, R.J. *see* Inushima, T. 85−18777
Serio, C. *see* Amato, U. 87−64228
Serio, C. *see* Bartoli, B. 85−9796
Serio, F. *see* Modesti, M. 86−49165
Serio, F. *see* Moretti, R. 85−52142
Serio, F. *see* Santagostino, L. 86−49401
Serio, M. *see* Aragona, A. 88−54128
Serio, M. *see* Biagini, M. 85−56711
Serisky, P. *see* Lin, R. 88−56036
Seriv, O.B. *see* Evtikhiev, N.N. 87−33338
Serizawa, H. *see* Fujita, T. 85−35779, 86−58936
Serizawa, H. *see* Hasegawa, K. 85−46278
Serizawa, H. *see* Hori, Y. 86−68537, 88−51894
Serizawa, H. *see* Matsuda, K. 85−46379
Serizawa, H. *see* Matsui, Y. 87−54051
Serizawa, H. *see* Mori, Y. 85−46296, 86−9705, 86−54152, 86−58935
Serizawa, H. *see* Ohnaka, K. 86−2703
Serizawa, H. *see* Ohya, J. 86−58948, 88−20678
Serizawa, H. *see* Sato, H. 88−45420
Serizawa, H. *see* Shibata, J. 85−24561, 85−35662
Serizawa, H. *see* Uno, T. 88−40221
Serizawa, K., Miura, N., Kitahara, T. The File Ace 4100 medical-image display station 88−10307
Serizawa, K. *see* Murata, H. 86−3060
Serizawa, K. *see* Sasaki, S. 88−71665
Serizawa, M. Packet selective macroscopic diversity based on bus contention for local area radio networks 88−67249
Serizawa, M., Miki, N., Miyanaga, Y., Nagai, N. Adaptive speech analysis based on a time varying ARMA model 88−45989
Serizawa, M., Suzuki, H. An adaptive carrier tracking loop for digital satellite mobile communications 88−3067
Serizawa, M. *see* Suzuki, H. 88−46980
Serizawa, Y. Fabrication of NRD-guide PIN switch 86−67473
Serizawa, Y., Iizuka, K., Senoh, M., Nakamura, Y., Kanoh, M., Endoh, T. Hermetic motor. Compressor and its control for DC inverter room air conditioner 88−37770
Serizawa, Y., Iizuka, K., Senou, M. Inverter controlled rotary compressors 88−17818
Serizawa, Y., Takeshita, S. Influence of raypath parameters on digital radio outage 88−15314
Serizawa, Y. *see* Oyama, T. 87−9077, 88−36754
Serk Kim Yong *see* Yong Serk Kim
Serkin, V.N. Colored envelope solitons in optical fibers 88−33667
Serkin, V.N. Extremal compression of optical wave packets in fiber light guides 88−33690
Serkin, V.N. Self-compression and decay of femtosecond optical wave packets in fiber light guides 88−33691
Serkin, V.N. Formation of femtosecond pulses in stimulated-Raman-scattering self-conversion of optical solitons in optical fibers 88−40351
Serkin, V.N. *see* Dianov, E.M. 85−12606, 85−18662, 86−3311, 86−15766, 86−36580, 86−58753, 86−58784, 86−58787, 86−63652, 86−63863, 87−25985, 87−39232 to 39233, 87−61223, 87−74688, 88−45152
Serkin, V.N. *see* Golovchenko, E.A. 86−15788
Serkin, V.N. *see* Grudinin, A.B. 88−2377, 88−26766, 88−33666
Serkin, V.N. *see* Vysloukh, V.A. 86−15772
Serkov, S.A. *see* Kostyuk, A.G. 85−38854
Serlet, B. Alps: a generator of static CMOS layout from Boolean expressions 87−32728
Serlet, B. *see* Barth, R. 88−44859, 88−71699 to 71701
Serlet, B.P. Fast, small, and static combinatorial CMOS circuits 87−65985
Serlin, O. Exploring the OLTP realm 85−63264
Serlin, V. *see* Friedman, M. 85−7587, 85−23348, 85−62723, 87−24402, 87−37828, 88−38984, 88−50587
Serlin, V. *see* Krall, J. 88−27442
Sermadiras, P.H. In-service inspection tools used in French PWRs 86−61271
Sermadiras, P.H., Berger, J.Cl., Samman, J. Summary of the actions developed by EDF in order to dimension underclad defects in PWR reactor vessel nozzles 85−43832
Sermage, B., Benchimol, J.L., Heritage, J.P. Subnanosecond carriers lifetime measurement in 1.3 μ InGaAsP 85−35782
Sermage, B., Chemla, D.S., Sivco, D., Cho, A.Y. Auger recombination in GaInAs-AlInAs multiple quantum well structure 86−21224
Sermage, B., Chemla, D.S., Sivco, D., Cho, A.Y. Comparison of Auger recombination in GaInAs-AlInAs multiple quantum well structure and in bulk GaInAs 86−68529
Sermage, B., Heritage, J.P., Dutta, N. Temperature dependence of carrier lifetime and Auger recombination in 1.3 μm InGaAsP 85−51035
Sermage, B. *see* Benchimol, J.L. 87−74091
Sermage, B. *see* Brosson, P. 87−46865
Sermage, B. *see* Lievin, J.L. 86−2966
Sermage, B. *see* Pereira, M.F., Jr. 88−45425
Sermasi, S., Marzaloni, M., Rusconi, L., Grassi, G., Antonioli, G.E. Analysis of atrial electrograms derived from different floating atrial electrodes 86−38796
Sermer, P. *see* Chang, Y.F. 86−19007
Sermet, A. Videotex and the information market in Switzerland 85−8113
Sermund, G., Siegmon, G., Enge, W., Webber, W.R., Simpson, G.A. Methods of time resolution using plastic detectors in cosmic ray studies 87−29604
Sermund, G. *see* Beth, M. 87−29573
Sermund, G. *see* Heyna, U. 87−29561
Sermyagina, L.P. *see* Pavlov, B.P. 86−24810, 86−55611
Serna, A. The linear electric motor with transverse flux 86−12850
Serna Garcia, A. Design criteria for mini hydropower stations 86−33193
Sernelius, B. *see* Engstrom, O. 86−63107
Sernelius, B.E., Berggren, K.-F., Tomak, M., McFadden, C. Effects of quantum confinement in a special GaAs field effect transistor: on the DC conductance in the regime of metallic transport 85−23808
Sernelius, B.E. *see* Berggren, K.-F. 86−1680
Sernicki, J. Some studies on the electrical strength of large area transmission avalanche counters 85−37932
Sernicki, J. Internal time delay of large area transmission avalanche counters 85−64472
Sernicki, J. Timing properties of transmission avalanche counters at moderate specific ionization 87−3893

Sernicki, J. Behaviour and response veracity of large area transmission avalanche counters as elementary detecting devices 88−29802
Sernicki, J. Counting rate plateau of transmission proportional counters at low organic vapour pressure 88−61149
Serniclaes, W., D'Alimonte, G., Alegria, J. Production and perception of French stops by moderately deaf subjects 85−25045
Serno, D. *see* Omologo, M. 88−67246
Sero-Guillaume, O. *see* Gagnoud, A. 86−42801
Seroshtan, A.S. *see* Bogdanov, V.V. 87−70213
Serot, P. *see* Dunand-Frare, G. 86−51738
Serota, R.A., Ma, M., Goodman, B. Thermoelectric fluctuations in multilead devices 88−50423
Seroussi, G., Bshouty, N.H. Vector sets for VLSI testing 86−63417
Seroussi, G., Roth, R.M. On MDS extensions of generalized Reed-Solomon codes 86−59208
Seroussi, G. *see* Bshouty, N.H. 87−51992
Seroussi, G. *see* Roth, R.M. 86−29731, 86−59219, 87−54913
Seroussi, R., Wilder, P., Krag, M.H., Pope, M.H. The design and use of a microcomputerized real-time muscle fatigue monitor based on the median frequency shift in the electromyographic signal 88−54593
Seroussi, R. *see* Beynnon, B.D. 87−14842
Serov, A.E., Kurmatov, M.F. Study of frequency-controlled induction motor drives in terms of dynamic characteristics 85−32735
Serov, A.E., Kurmatov, M.F. A frequency-controlled induction motor with a solid rotor under intermittent short-term operating conditions 86−26042
Serov, A.E., Kurmatov, M.F. Modelling of electromagnetic transient processes of a frequency-controlled asynchronous motor 87−42935
Serov, A.V. Transformation of electron energy into radiation of free-electron laser during amplitude modulation of transverse beam oscillations 85−51209
Serov, A.V. Influence of the inhomogeneity of electromagnetic wave and undulator fields on the operation of a free-electron laser 85−56674
Serov, A.V. Distribution of energy, emitted by particles in a free-electron laser, along the transverse cross section of the beam 86−15733
Serov, A.V. Effect of field inhomogeneity on the particle dynamics and on the beam-energy transformation into radiation in a free-electron laser with a planar undulator 87−7399
Serov, A.V. *see* Alekseev, V.I. 86−5683, 86−22425, 88−58595
Serov, A.V. *see* Bessonov, E.G. 86−31750
Serov, A.V. *see* Levonyan, S.V. 88−61039
Serov, L.L. *see* Gershkovich, Ya.M. 86−17563, 86−24031
Serov, N.P. *see* Panin, V.D. 86−25554
Serov, O.B. *see* Evtikhiev, N.N. 86−42654
Serov, O.B. *see* Mirovitskii, D.I. 88−27313
Serov, O.B. *see* Zel'dovich, B.Ya. 85−7558
Serov, R.V. *see* Abrosimov, S.A. 87−26495
Serov, R.V. *see* Brodov, M.E. 85−2267, 88−58498
Serov, R.V. *see* Goncharov, S.F. 85−56906
Serov, R.V. *see* Vasil'ev, Yu.P. 85−41374
Serov, V.E. *see* Beznosov, A.V. 85−43710
Serov, V.I. *see* Voloshchenko, N.I. 86−26466
Serova, I.A. *see* Lezhnyuk, P.D. 87−15260
Serova, O.A. *see* Aranovich, Z.I. 87−77842
Serpan, C.Z., Jr. NRC research in aging and extended life for LWR primary systems 88−23676
Serpell, S. Networking secure electronic funds transfer at point of sale 85−25473
Serpell, S.C. Privacy in telecommunications 85−47116
Serpell, S.C. Cryptographic equipment security: a code of practice 85−51854
Serpell, S.C., Brookson, C.B. Encryption and key management for the ECS satellite service 87−69033
Serpell, S.C. *see* Brookson, C.B. 85−25582
Serpell, S.C. *see* Norton, M.J. 86−30156
Serpi, A., Tapiero, M., Zielinger, J.P. Investigation of photoelectronic processes in $CdIn_2S_4$ by photoinduced current transient spectroscopy 86−36304
Serpico, S.B. A knowledge-based approach to image segmentation 88−41111
Serpico, S.B., Vernazza, G., Antognoli, P., Bozzo, A. Segmentation and cluster analysis of two-dimensional electrophoresis images 87−48053
Serpico, S.B. *see* Arduini, F. 88−66739
Serpico, S.B. *see* Dellepiane, S. 87−50303 to 50304, 87−57116, 88−46242
Serpico, S.B. *see* Vernazza, G.L. 88−29959
Serpuchenko, I.L. *see* Amatuni, L.E. 87−67852
Serpuchenko, I.L. *see* Belitsky, V.Y. 87−67853
Serpuchenko, I.L. *see* Kaplunenko, V.K. 88−12357
Serpuchenko, I.L. *see* Koshelets, V.P. 87−66030, 88−13746
Serpuchenko, I.L. *see* Vystavkin, A.N. 86−15432, 88−12320
Serra, A. The mechanical adjustments on a VHS video recorder. II 85−8601
Serra, A. A linear RF power amplifier 85−11054
Serra, A. The mechanical adjustments in a VHS video recorder. I 85−14497
Serra, A. An adapter for connecting a video recorder to the television receiver 85−47724
Serra, A. Servo systems in video recorders. I 85−47725
Serra, A. Servo systems in video recorders. II. Essential aspects of the operation of servo systems in domestic equipment 85−47726
Serra, A. Repair of a Grundig, 2×4, super video recorder. I. The characteristic symptoms of the most common fault and their elimination 85−52552
Serra, A. Repairing a 2×4 super video recorder from Grundig. II 85−58391
Serra, A. Maintenance of the Grundig 2×4 super video recorder. III 85−58393
Serra, A. Test equipment and tools for video servicing. I 85−58396
Serra, A. Test equipment and tools for video servicing. III 85−63867
Serra, A. Testing equipment and tooling for video servicing. II 86−11315
Serra, A. Hi-Fi sound in VHS video recorders 86−24166
Serra, A. An introduction to the BETA system. I 86−31037
Serra, A. Introduction to the Beta system. II [VCR] 86−44033
Serra, A. The VPS system for the control of video recorders 86−60056
Serra, A. Correct reception of the TV signal. II 86−69923
Serra, A. New digital integrated circuits for use in TV receivers 87−20678
Serra, A. Achievements of thin film technology: new materials extend the applications of piezoelectric buzzers 87−38634
Serra, A. *see* Bossi, A. 86−70729
Serra, A. *see* Ciminiera, L. 86−28387
Serra, A. *see* Clarotti, C.A. 88−63103
Serra, A. *see* Demartini, C. 85−26136
Serra, A. *see* Faro, A. 85−19889
Serra, A., Barlow, R.E. *(editor)* Proceedings of the International School of Physics 'Enrico Fermi'. Course XCIV. Theory of Reliability 87−5146
Serra, A.M. *see* Falciasecca, G. 88−73414
Serra, B.J. *see* Erice, M.C. 88−48512
Serra, D.A.B. *see* Begalli, M. 85−20839
Serra, D.A.B. *see* Marques, A. 85−20840
Serra, F., Aguilo, J., Buxo, J., Bafleur, M. CMOS technology: design of a 4 bit binary counter. III 86−20663
Serra, F., Bafleur, M., Buxo, J. CMOS technology. I. Basics and historical aspects 85−29341
Serra, F., Bafleur, M., Buxo, J. CMOS technology. II. Process and design rules 86−2388
Serra, F. *see* Lora-Tamayo, E. 88−1732
Serra, F.Fonollosa *see* Fonollosa Serra, F.
Serra, G. *see* Casadei, D. 87−15695
Serra, J. Using ATE to perform functional adjustments of high-volume analog and analog LSI devices 86−24289
Serra, J. Introduction to mathematical morphology 87−16448
Serra, J. Morphological optics 87−55262
Serra, J., Lay, B. Square to hexagonal lattices conversion 85−63113
Serra, L. *see* Hinoshita, S. 85−14325
Serra, M. Applications of multi-valued logic to testing of binary and MVL circuits 87−66036
Serra, M., Muzio, J.C. Multiple-valued linear feedback shift registers 86−57811
Serra, M., Muzio, J.C. Testability by sum of syndromes 87−17046
Serra, M., Muzio, J.C. Testing programmable logic arrays by sum of syndromes 88−658
Serra, M. *see* Aitken, R.C. 87−16976
Serra, O., Llado, A.S., Fiol, M.A. Fast cyclic shift register for dynamic memories of any size 88−12356
Serra, P. *see* Calicchio, M. 88−29811
Serra, P. *see* Giacomelli, G. 87−29609
Serra, S. *see* Silvestri, E. 85−53523
Serra, V.M. The calibration of instrumentation for gas analysis: the position in Spain 87−35231
Serra Cifre, B.J. *see* Nicolau, J.M. 85−48515
Serra-Mestres, F. *see* Aymerich-Humet, X. 85−50321, 88−13061
Serra-Mestres, F. *see* Campabadal, F. 85−34682, 86−41616, 87−17820
Serra-Mestres, F. *see* Millan, J. 85−40541
Serra-Mestres, F. *see* Rebollo, J. 87−38314, 88−13400
Serra-Mestres, F. *see* Villaronga, V. 87−17796
Serracca, P. *see* Canepa, A. 88−23187
Serradeil, R., De Dianous, A., Hebert, M. New generation of infrared horizon scanning sensors for low altitude spacecraft 85−59382
Serradeil, R. *see* Henry, C. 88−74949
Serradj, A. *see* Rimbert, S. 86−12160
Serralheiro, A. *see* Trancoso, I.M. 88−66424
Serralheiro, A.J. *see* Casajus-Quiros, F.J. 86−30456
Serralheiro, A.Joaquim *see* Joaquim Serralheiro, A.
Serrano, A. Planning and systems development for Latin American domestic satellite networks 87−28510
Serrano, A., Espinoza, J.A. Phase noise characteristics of local oscillators for satellite communications Earth stations 87−76674
Serrano, A., Medina, J.L., Hiriart, D. Microwave integrated receiver for the Morelos Mexican Satellite System 87−20473
Serrano, A., Pomalaza, J.C. Satellite communications planning and equipment manufacturing in Latin America 86−37831
Serrano, A. *see* Medina, J.L. 86−4612
Serrano, A.V. *see* Reazer, J.S. 88−58766
Serrano, C. *see* Reinhart, J. 86−62616
Serrano, C.I. Introducing the MC68020: performance and flexibility improvement through redesigned hardware and software enhancements 86−27367
Serrano, J.M. *see* Haerens, F. 85−25647
Serrano, L. An analysis from the physical aspect of the operation of asynchronous motors and their industrial applications 88−31094
Serrano, L., Folch, J.R., Pineda, M. The spatial phasor: a new fundamental tool for the dynamic analysis of alternating current machines and their control 87−51189
Serrano Irabarnegaray, L. A critical analysis on the applicability of the formula e=B.l.v. in slotted electrical machines: a proposal for a physical interpretation 87−42805
Serrano Iribarnegaray, L. Replacement of mathematical space phasors by physical space phasors in the study of steady states and transient states in rotating electrical machines 87−15642
Serrano Iribarnegaray, L. Analysis of new possible types and systematic classification of the rotating electrical machines on the basis of the space phasor concept 87−15709
Serrano Iribarnegaray, L. Speed control systems for induction motors: industrial solutions 88−62337
Serrano Pou, C. A filter for noise and hum 87−45055
Serrano Pou, C. A digital sound system by satellite. A high performance digital system of radio diffusion is being developed 87−48992
Serrano Pou, C. A humidity monitor 87−50012
Serrano Pou, C. A precision distortion meter 87−70697
Serrano Pou, C. An infrared communication system 88−4005
Serrano Pou, C. A stable, low distortion sinusoidal AF generator 88−6680
Serrano Pou, C. A high-quality AM radio receiver 88−22274
Serrano Pou, C. A combination loudspeaker amplifier 88−25028
Serrano Pou, C. RF voltmeter 88−53767
Serrano S., A. *see* Duenas J., A. 86−53025
Serrano Tovar, M. The Sallente dam spillway 85−38922
Serrano-Iribarnegaray, L., Cervera-Vicente, A. Cylindrical rotor synchronous machine with non-sinusoidal stator currents. I. General analysis by means of physical space phasors 88−62324
Serrano-Iribarnegaray, L., Cervera-Vicente, A. Cylindrical rotor synchronous machine with non-sinusoidal stator currents. II. Bar currents and influence of the damper winding 88−69316
Serrans, C. *see* Bostwick, S. 88−41306
Serrat, J., Delgado, J.A., Hernando, J.M. A channel characterization technique for HF communications 86−30645
Serrat, P. Calculating impedances and determining the phase shift in series and parallel circuits 85−6118
Serrat Fernandez, J. *see* Delgado Penin, J.A. 85−19648
Serrat-Fernandez, J., Delgado-Penin, J. Sensitivity analysis for an efficient simulation of an HF radio channel 87−26794
Serrat-Fernandez, J., Delgado-Penin, J.A., Munday, E., Farrell, P.G. Measurement and verification of an HF channel model 85−30918
Serrat-Fernandez, J., Gorgojo-Villafanez, M. The importance sampling technique applied in simulation of HF digital transmission systems 87−28229
Serrat-Fernandez, J., Illa-Miralles, J. An automatic equipment for testing digital telecommunication systems 86−38245
Serrate, H.A. *see* Manzoul, M.A. 88−70733
Serratore, A.M. Make your adjustable-speed drive smarter 86−19550
Serre, B., Schue, F., Eranian, A., Datamanti, E., Dubois, J.C., Montginoul, C., Giral, L. Performance of X-ray and electron sensitive positive resists in microlithography 85−29107
Serre, B. *see* Eranian, A. 87−67032
Serre, B. *see* Holil, B. 85−35101
Serre, B. *see* Rosilio, C. 88−26150
Serre, B. *see* Schue, F. 87−25019
Serre, C. *see* Benincasa, G. 86−60434
Serre, C. *see* Benincasa, G.P. 86−24872
Serre, C. *see* Casalegno, L. 88−16577
Serre, J. *see* Breuze, G. 88−72053
Serre, J.-M. *see* Bochmmann, G. 88−9126
Serre, J.-M. *see* Sarikaya, B. 87−20206
Serre, J.M. *see* Cerny, E. 85−19874
Serreault, J.Y., Jarry-Lacombe, B., Picoy, R. Integrated planning system of the French interurban transmission network 87−40168

Serres, B. *see* Buiguez, F. 86−1974
Serres, Y.De *see* De Serres, Y.
Serreze, H.B., Schachter, R., Olego, D.J., Viscogliosi, M. InP metal-insulator-semiconductor field-effect transistors utilizing an amorphous phosphorus gate insulator 87−45958
Serreze, H.B. *see* Olego, D.J. 86−1991
Serreze, H.B. *see* Schachter, R. 87−1423
Serri, J.A. *see* Scholl, J.A. 87−39414
Serri, P. *see* Berger, C. 88−22937
Serro, F., Ulery, C., Podaras, C. New signal processor copes with floating point 88−22507
Serruys, P.W. *see* Slager, C.J. 88−36500
Serruys, P.W. *see* van Ommeren, J. 87−50220
Serruys, Y. *see* Paradis, L. 87−16746
Serry, M.A. *see* Sallam, E.H. 87−332
Seruga, J. Trends of development of information data transmission networks 88−41172
Serur, J.R. *see* Spokojny, A.M. 85−38194
Serushkina, E.S. *see* Nikitin, B.A. 88−16484
Servaes, D.A. *see* Peirce, D.C. 86−7872
Servaes, D.A. *see* Reynolds, G.O. 86−3349, 86−7871, 86−7873, 87−12633
Servajan, X. *see* Dieulesaint, E. 86−28570
Servajean, D. *see* Lefevre, R. 86−42037
Servan-Schreiber, F. *see* Katti, R.R. 87−67757
Servanski, G. Specialization in production of extrusion lines within the framework of Interelektro working group 7 85−44353
Servant, D. *see* Regereau, P. 86−64422
Servant, J.M. *see* Ragot, Ph. 88−17466
Servedio, A. *see* Servedio, F.J. 88−61408
Servedio, F.J., Servedio, A., Davis, G.M., Stull, V., Glaser, R.M. Voluntary strength gains in paretic muscle after hybrid (FNS-voluntary) exercise training 88−61408
Servedio, F.J. *see* Davis, G.M. 88−61407
Servel, M. *see* Coudreuse, J.-P. 88−3396
Servel, M. *see* Gonet, P. 88−46360
Servel, M. *see* Le Bris, H. 87−34315
Servel, M. *see* Thomas, A. 85−47107
Serventi, A. *see* D'Ambrosio, A. 88−55191
Server, W.L. *see* Shah, V.N. 88−23680
Server, W.L. *see* Taboada, A. 86−51355
Servet, Y. *see* Redoutey, J. 88−71533
Servi, L.D. Capacity estimation of cyclic queues 85−36475
Servi, L.D. Average delay approximation of M/G/1 cyclic service queues with Bernoulli schedules 87−10241
Servian, J.M., Herrero, J.M., Sandoval, F. Temperature control: design of a high stability and low response time temperature controller 87−37484
Services, R.A. *see* Allison, R.W., Jr. 88−44451
Servidori, M. *see* Cannavo, S. 87−6550
Servidori, M. *see* Cembali, F. 85−61673, 86−1998, 86−8992, 86−47353, 87−25086
Servidori, M. *see* La Ferla, A. 87−45739
Servidori, M. *see* Negrini, P. 86−21105
Servidori, M. *see* Susi, E. 86−35305
Serviere, C., Baudois, D., Silvent, A., Lorenzino, P. Comparison between different methods of noise cancellation 88−20936
Serviere, G. How EdF's M3 project is increasing the output of French 900 MWe units 87−71823
Servinskiy, Ye.G. A block diagram for communications system optimization 86−36888
Servizi, G. *see* Pusterla, M. 86−24988
Servoli, L. *see* Callegari, G. 86−50323
Servranckx, R. *see* Brown, K.L. 85−26588
Servranckx, R. *see* Jager, J. 86−24856
Servranckx, R.V. Improved tracking codes: present and future 86−31927
Servranckx, R.V., Brown, K.L. Circular machine design techniques and tools 87−50058
Servranckx, R.V. *see* Brown, K.L. 86−24891
Servranckx, R.V. *see* Douglas, D. 86−24954
Servryukov, B.N. *see* Golyas, Yu.E. 87−49919
Serway, R.A. *see* Hmurcik, L.V. 87−43429
Sery, G., Kokkonen, K., Dishaw, P., Mantha, B., McCollum, J., Orton, J., Smudksi, J., Smith, R.J. CHMOS III technology for VLSI applications 85−35201
Sery, G. *see* Smith, R.J. 85−50720
Seryakov, K.I. *see* Egorov, V.G. 86−6923
Seryakov, K.I. *see* Yegorov, V.G. 86−26200
Seryakov, Yu.N., Shabanov, R.I. Measurement of system parameters using calibrated RF-noise sources 87−35107
Seryakov, Yu.N. *see* Nikulin, S.M. 87−61447
Seryakov, Yu.N. *see* Romanchev, V.S. 88−2705
Seryi, I.M. *see* Beloshabskii, V.V. 85−65468, 86−26026
Seryi, I.M. *see* Veinger, M.I. 87−78976
Seryi, I.M. *see* Weinger, A.M. 85−60147
Serykh, G.M., Sysoev, V.G. Automatic multichannel system for determining the thermophysical characteristics of materials 85−3857
Seryogin, O. *see* Zhilichev, Yu. 85−56122
Seryogin, Yu.A. *see* Zatsepina, L.P. 88−15578
Serzhantov, A.M. *see* Kornilov, V.E. 88−25716
Sesak, J. *see* Pelka, E.J. 85−37139
Sesaki, M., Kinugasa, S. Research for stress relaxation characteristics to realise long term accuracy of pressure sensing element 87−70622
Sesay, A.B., Wong, K.M., Yip, P. On signal design and detection in a multi-user channel 87−62100
Seselja, B., Vojvodic, G. A note on the lattice of weak L-valued congruences on the group of prime order 87−58797
Seshadri, N., Anderson, J.B. Free distances of continuous phase modulations under extreme filtering 86−64178
Seshadri, N., Anderson, J.B. Free distance results for filtered continuous phase modulations with practical filters 87−55160
Seshadri, N., Srikantakumar, P.R. On group testing protocols for binary-feedback multiaccess channel 85−57553
Seshadri, N. *see* Cox, R.V. 88−41446, 88−66389
Seshadri, N. *see* Hagenauer, J. 88−72770 to 72771
Seshadri, N.K. *see* Cherian, S. 86−57017
Seshadri, S. *see* van der Voorde, F. 87−20531
Seshadri, S.B., Arenson, R., Khalsa, S., Brikman, I., van der Voorde, F. Prototype medical image management system (MIMS) at the University of Pennsylvania: software design considerations 88−36564
Seshadri, S.B. *see* Kundel, H.L. 88−36460
Seshadri, S.R. Quasi-optics of the coupling of guided modes in two parallel, identical dielectric waveguides 87−54011
Seshadri, S.R. Wave theory of a thin film polarization converter 88−58218
Seshadri, S.R. Coupling of guided modes in thin films with surface corrugation 88−66146
Seshadri, S.R., Schill, R.A., Jr. Energy and momentum conservation relations in a dispersive medium 85−24801
Seshadri, S.R. *see* Agrawal, N. 88−2659
Seshadri, S.R. *see* Park, W.S. 85−41676, 86−27529
Seshadri, S.R. *see* Schill, R.A., Jr. 86−68819, 88−2658
Seshadri, S.R. *see* Wee Sang Park 85−30069, 87−54009
Seshadri, S.R. *see* Wlodarczyk, M.T. 85−29571, 85−30071, 85−56315, 86−42920, 87−12169, 87−32971
Seshadri, S.R. *see* Zi Hua Wang 88−13917, 88−58194
Seshadri, T.K., Das, S.K., Sinha, B.K. Studies on field and impedance variation with object height inside TEM cell 86−29485
Seshadri, V. A real-time VLSI architecture for direct kinematics [robot application] 87−59598
Seshadri, V.R. *see* Neelakantan, K. 87−37092
Seshadrinathan, P.K., Suryanarayana, N. Design and development of an interface for data transfers across a computer network—an experience 85−25574
Seshagiri, N., Kutty, K.K.K., Vijayaditya, N., Sharma, Y.K., Bobde, D.P., Moni, M. NICNET—a hierarchic distributed computer communication network for decision support in the Indian government 88−21718
Seshagiri, T.K. *see* Dalvi, A.G.I. 85−12720
Seshagiri Rao, K.V., Adiseshu, N., Das, B.N. Analysis of stripline filled with a multilayered dielectric medium 87−39440
Seshagiri Rao, K.V., Das, B.N. Impedance of an elliptic conductor arbitrarily located between ground planes filled with two dielectric media 85−51468
Seshagiri Rao, K.V. *see* Das, B.N. 85−54697
Seshagiri Rao, T. *see* Venugopal Reddy, P. 85−6716, 88−1384
Seshagiri Rao, V. *see* Sastry, D.L. 85−20877
Seshaiah, R. *see* Ramana, D.V. 85−26861
Seshan, C., Cendes, Z. Computing magnetic domain patterns in thin film soft magnetic materials 86−42088
Seshan, K., Ray, S.K. Effects of surface roughness on wire bondability 87−24655
Seshan, K., Reddy, S.N.S., Ray, S.K. Adhesion of thin metal films to polyimide 87−74219
Seshan, K. *see* Ray, S.K. 86−62985
Seshaphani, D. *see* Mishra, R.N. 85−37501
Seshaprasad, B.J. *see* Schroder, F. 87−23042
Seshardi, S.R. *see* Wlodarczyk, M.T. 85−62327
Seshargiri Rao, K.V. *see* Adiseshu, N. 85−41792
Seshia, S. *see* Arbez, G.J.P. 86−56146
Seshia, S.S. *see* Brusse, E. 85−4329
Seshia, S.S. *see* Jayakar, P. 88−61384
Seshia, S.S. *see* Jayakar, P.B. 86−32312, 87−63772
Seshia, S.S. *see* Shwedyk, E. 88−68406
Seshu, B. *see* Gnaedig, A. 86−4736
Sesing, R. *see* Ramakers, H. 85−5179
Sesko, D.W., Wieman, C.E. High frequency Fabry-Perot phase modulator 87−54101
Sesnic, S. *see* Hill, K.W. 85−52983
Sesok, M., Jr. *see* Goldbrunner, P.R. 86−33120
Sessa, M. *see* Anguilar-Benitez, M. 87−71031
Sessa, P.Di *see* Di Sessa, P.
Sessa, W.B. *see* Eisenstein, G. 85−2347
Sessa, W.B. *see* Noe, R. 88−47038
Sessarego, J.-P. *see* Flandrin, P. 88−22226
Sessions, C.E. *see* Hebbar, M.A. 85−4844
Sessions, C.E. *see* Klein, A.W. 85−38781
Sessler, A. *see* Selph, F. 86−44494
Sessler, A.M. New concepts in particle acceleration 85−26626
Sessler, A.M. Report of the working group on other acceleration schemes 86−5631
Sessler, A.M. Future accelerator technology 87−21296
Sessler, A.M. New particle acceleration techniques 88−29732
Sessler, A.M. The two-beam accelerator 88−74668
Sessler, A.M., Hopkins, D.B. The Two-Beam Accelerator 87−41686
Sessler, A.M., Vaughan, D. Free-electron lasers 87−39145
Sessler, A.M., Yu, S.S. Relativistic klystron two-beam accelerator 87−63581
Sessler, A.M. *see* Barletta, W.A. 85−62613
Sessler, A.M. *see* Fawley, W.M. 87−41668
Sessler, A.M. *see* Goren, Y. 88−16581
Sessler, A.M. *see* Hopkins, D.B. 85−26552, 87−39151, 88−47835
Sessler, A.M. *see* Kuenning, R.W. 86−5629, 87−70922
Sessler, A.M. *see* Masud, J. 87−33222
Sessler, A.M. *see* Orzechowski, T.J. 85−35808, 86−3233, 87−2161, 87−12519
Sessler, A.M. *see* Orzenchowski, T.J. 86−3196
Sessler, A.M. *see* Peterson, J.M. 85−4174
Sessler, A.M. *see* Scharlemann, E.T. 85−41421, 86−3234
Sessler, A.M. *see* Sternbach, E. 87−2204
Sessler, A.M. *see* Wurtele, J.S. 87−70920
Sessler, A.M. *see* Yu, S.S. 87−75157
Sessler, G.M. What's new in electroacoustic transducers 85−18534
Sessler, G.M. Polymers with piezoelectric and electret properties 88−44914
Sessler, G.M., Berraissoul, A. Piezoelectricity profiles in PVDF 88−26622
Sessler, G.M., Gerhard-Multhaupt, R. Recent improvements in the characterization of polymer electrets 87−53779
Sessler, G.M., Gerhard-Multhaupt, R., von Seggern, H., West, J.E. Spatial and temporal buildup of polarization in PVDF 85−35241
Sessler, G.M., West, J.E. A simple second-order toroid microphone 85−47735
Sessler, G.M. *see* Gross, B. 87−74460
Sessler, G.M. *(editor)* Electrets. Second enlarged edition 88−69977
Sessler, G.M., Gerhard-Multhaupt, R. *(editor)* 5th International Symposium on Electrets (ISE 5) (Cat. No. 85CH2166-7) 86−52118
Sessler, L.H. *see* Amrhyn, O.C. 88−55011
Sessoms, A.L. *see* Wilson, R. 86−6479
Sesterhenn, H. *see* Rehmann, W. 86−65474 to 65475
Sesterikov, B.V. The transmission of multi-channel television sound 87−13842
Sestina, I. *see* Opatrny, P. 88−70517
Sestini, P. *see* Apollinari, G. 87−21436, 87−29489, 88−22966
Sestini, P. *see* Bedeschi, F. 86−50310
Sestini, P. *see* Bertolucci, S. 88−47987
Seta, K. Stabilization of multiwavelength infrared lasers 86−15602
Seta, K., Iwasaki, S. Frequency stabilization of a HeNe laser using a thin film heater coated on the laser tube 86−9761
Seta, K., Oh'ishi, T. Distance measurement using a pulse train emitted from a laser diode 88−14317
Seta, K., Oh'ishi, T. Distance measurements using a laser diode and by heterodyne detection with an avalanche photodiode 88−29642
Seta, K., Ohishi, T., Seino, S. Optical distance measurement using inter-mode beat of laser 86−29267
Seta, M. *see* Akiyama, M. 86−30531
Seta, M. *see* Kato, S. 87−34259
Seta, T. *see* Kawamura, T. 86−51080
Seta, Y. *see* Orito, F. 87−31494
Setaka, N. *see* Kamo, M. 88−70353
Setaka, R. *see* Takahashi, H. 88−65122
Setchell, J. GTO thyristors explained 87−74274
Setford, D.A. *see* McLean, D. 87−14985
Seth, A., Scaroni, J. Ceramic component marking with YAG lasers 87−18240
Seth, A.K. Network sensitivity analysis 86−46430
Seth, A.K. *see* Bandyopadhyay, K. 86−43799
Seth, A.R. Directional drilling used to install 69 kV cables under river 88−17182
Seth, B. Calibration using horn in the phase amplitude method of antenna axial ratio measurement 86−68891
Seth, B. Satellite lightwave communications 87−3155
Seth, B., Flowers, W.C. Comparative evaluation of two switching converters for efficient DC motor control 87−21647
Seth, D.K. *see* Nene, P.L. 88−30232
Seth, D.P.S. Implementation of digital communication in developing countries with special reference to India 88−46419
Seth, D.P.S. *see* Khanna, B.M. 87−76104
Seth, S., Abel, P., Hughes, A., Malone, G. Regulatory options for nuclear plant license renewal 88−75335
Seth, S. *see* Abel, P. 88−62065
Seth, S. *see* Nagy, G. 85−30415, 87−48114
Seth, S.C. Predicting fault coverage from probabilistic testability 86−46071

Seth, S.C., Agrawal, V.D. Cutting chip-testing costs 85-45049
Seth, S.C., Agrawal, V.D. A review of testing of digital VLSI devices 86-40995
Seth, S.C., Bhattacharya, B.B., Agrawal, V.D. An exact analysis for efficient computation of random-pattern testability in combinational circuits 87-666
Seth, S.C., Pan, L., Agrawal, V.D. PREDICT—-probabilistic estimation of digital circuit testability 86-1013
Seth, S.C. *see* Agrawal, V.D. 86-46733, 86-62563
Seth, S.C. *see* Bhattacharya, B.B. 87-66152
Seth, S.C. *see* Hsiao, T.-C. 85-11191
Seth-Smith, N. Implementation of a secure pay DBS system with billing in the receiver 85-3677
Seth-Smith, N. Vertical interval test signals for use with B-MAC 87-76935
Seth-Smith, N., van Rassel, B. Implementation of a secure pay DBS system with billing in the receiver 85-30996
Sethares, J.C. Microwave MM-wave magnetics and MMIC compatibility 87-11039
Sethares, J.C., Floyd, R. MSW applications for phased array antennas 86-22821
Sethares, J.C., Weinberg, I.J. Theory of MSW transducers 86-24475
Sethares, J.C. *see* Cohen, E. 86-35983
Sethares, W.A., Johnson, C.R., Jr. Exciting conditions for quantized state adaptive algorithms 87-61931
Sethares, W.A., Johnson, C.R., Jr., Rohrs, C.E. Analysis of bursting in telephony loops with adaptive hybrids 88-66893
Sethares, W.A., Lawrence, D.A., Johnson, C.R., Jr., Bitmead, R.R. Parameter drift in LMS adaptive filters 87-7723
Sethares, W.A., Mareels, I.M.Y., Anderson, B.D.O., Johnson, C.R., Jr., Bitmead, R.R. Excitation conditions for signed regressor least mean squares adaptation 88-59153
Sethares, W.A. *see* Johnson, C.R., Jr. 88-59142
Sethi, A.S., Ahmadi, M. Improvement of linked pyramid segmentation scheme with variable weighting function 86-59352
Sethi, A.S., Ghosal, R. An analytic model for window mechanism with error control [computer communication networks] 86-54996
Sethi, A.S., Saydam, T. Performance analysis of token ring local area networks 85-46988
Sethi, A.S., Saydam, T. Performance analysis of token ring local area networks 85-63296
Sethi, A.S. *see* Chauhan, V. 87-55771
Sethi, A.S. *see* Saydam, T. 86-17045, 87-62694
Sethi, A.S. *see* Shridhar, M. 87-27369
Sethi, B.R., Hartnagel, H.L. Characterisation of electromigration damage in current-stressed Al gates as used for GaAs MESFET 85-29221
Sethi, B.R., Hartnagel, H.L. Electron-wind associated electromigration in metal conductors on GaAs surfaces 86-53567
Sethi, B.R., Hartnagel, H.L., Jourdan, G. Surface topography of etched GaAs surfaces 86-41699
Sethi, I.K. A general scheme for discontinuity detection 85-30370
Sethi, I.K. A general scheme of discontinuity detection 86-10484
Sethi, I.K., Jain, R. Finding trajectories of feature points in a monocular image sequence 86-43347
Sethi, I.K., Jain, R. Finding trajectories of feature points in a monocular image sequence 87-39893
Sethi, I.K., Jayaramamurthy, S.N. Surface classification using characteristic contours 85-30426
Sethi, I.K., Salari, V., Vemuri, S. Image sequence segmentation using motion coherence 87-62381
Sethi, I.K., Salari, V., Vemuri, S. Feature point matching in image sequences 88-34771
Sethi, I.K. *see* Jia-Guu Leu 88-46233
Sethi, I.K. *see* Leu, J.-G. 88-28126
Sethi, I.K. *see* Salari, V. 88-28123
Sethi, I.K. *see* Thomas, D. 88-66669
Sethi, R.C. *see* Martin, B. 85-59050
Sethi, S.L. *see* Kim, J.S. 88-23660
Sethi, V.K., Sharma, P.B., Gupta, S.K. A mathematical model of turbine heat rate for a steam power plant 85-32359
Sethia, B., Wheatley, D.J. The current status of mechanical circulatory support 86-60817
Sethia, N. The challenge of the Japanese telecommunications market 87-62432
Sethna, P. *see* Johnson, P.B. 88-13588
Sethuram, J. Flexible addressing capability using indirect addressing in LM32900 [microprocessor] 88-813
Sethuram, R.B., Moretti, P.M. Predicting utility peaks with and without wind generators 85-32112
Sethuraman, N. *see* Natarajan, R. 86-33169
Sethuraman, S.K., Waheed, M.A. A single-chip microcontroller based real-time PWM inverter 88-69549
Sethuraman, S.K. *see* Khanniche, M.S. 88-69772
Sethuraman, S.K. *see* Waheed, M.A. 88-49219
Sethuramdan, R. *see* Subramanian, V. 85-20750
Sethurathnam, T.S. Financial planning-need for and the constraints [Indian Electricity Boards] 87-15155
Seti, R.C. *see* Korgaonkar, A.V. 88-61243
Setian, L. An innovative approach to teaching engineering fields 87-31217
Setian, L. An innovative approach to teaching engineering fields 88-62922
Setiawan, A. *see* Lee, H.-M. 86-63974
Setikovska, L. *see* Renc, Z. 85-54254
Setina, F. The methods of digital recording 85-20421
Setkus, A. *see* Dienys, V. 87-45583
Setliff, D.E., Rutenbar, R.A. Knowledge-based synthesis of custom VLSI physical design tools; first steps 88-50973
Setnescu, R. *see* Cramariuc, R. 87-59020 to 59021, 88-56327
Setnescu, R. *see* Pekala, W. 88-58348
Setnescu, R. *see* Tanasescu, F.T. 85-60602, 87-56925
Setnescu, T. *see* Cramariuc, R. 87-59020 to 59021, 88-56327
Setnescu, T. *see* Tanasescu, F.T. 85-60602, 87-56925
Seto, A. *see* Endo, S. 85-58320
Seto, A. *see* Wakana, A. 86-65051
Seto, H. *see* Tanaka, K. 85-35544
Seto, J., Nagai, T., Ishimoto, C., Watanabe, H. Frictional properties of magnetic media coated with Langmuir-Blodgett films 86-63536
Seto, J. *see* Watanabe, H. 88-40054
Seto, J. *see* Yasuda, A. 88-42228
Seto, K. *see* Miura, Y. 87-9632
Seto, K. *see* Sasaki, S. 87-50146
Seto, K. *see* Sato, N. 86-49638
Seto, K. *see* Wada, A. 88-45140
Seto, L. *see* Baranyi, A.D. 88-57231
Seto, L. *see* Chang, J.S. 88-10119
Seto, M. *see* Ishihara, K. 85-44216
Seto, M. *see* Niu, K. 85-15118
Seto, M. *see* Yamamoto, S. 86-47116
Seto, M.S. Networking for control series. VI. Interworking: key to computer integrated manufacturing 86-4277
Seto, S. *see* Tanaka, A. 87-65481
Seto, T. Electronic mail 85-47140
Seto, Y. *see* Kubota, S. 87-64084
Setoguchi, K. *see* Masuyama, F. 86-33087
Setoguchi, M. Facsimile data converter applied to various data communications services 87-40309
Setoguchi, T. *see* Raghunathan, S. 87-72055
Setoguchi, T. *see* Uchiyama, S. 86-4428
Setoguchi, Y. Physical considerations on shearing of *M-H* curve 88-51167
Setoguchi, Y., Iida, K. Physical considerations on magnetic circuit with an air-gap 88-52174
Setoyama, T. *see* Kaneda, S. 87-10386
Setoyama, Y. *see* Hirayama, H. 87-73414
Setsune, K., Kamada, T., Hirochi, K., Adachi, H., Wasa, K. Preparation of superconducting thin films of new oxide system by RF magnetron sputtering 88-71970
Setsune, K., Miyauchi, M., Hirao, T. Hydrogenation for polysilicon MOSFETs by ion shower doping techniques 87-18129
Setsune, K., Wasa, K. Use of three-IDT SAW devices in high-definition satellite TV receivers 85-35278
Setsune, K., Wasa, K., Tazuke, K., Yamazaki, O. Frequency trimming for high-frequency SAW devices 86-2512
Setsune, K., Wasa, K., Yamazaki, O., Mikoda, M. High precision SAW devices for CATV and communication use 86-15334
Setsune, K. *see* Hatta, S.-I. 88-71967
Setsune, K. *see* Hirano, R. 88-26356
Setsune, K. *see* Hirao, T. 87-52192, 88-24794
Setsune, K. *see* Kawaguchi, T. 87-54047
Setsune, K. *see* Kitagawa, M. 87-36778, 87-52187
Setsune, K. *see* Miyauchi, M. 88-44785
Setsune, K. *see* Shiono, T. 87-38848
Setsune, K. *see* Wasa, K. 85-12654
Setsune, K. *see* Yamazaki, O. 85-2090
Setsune, K. *see* Yoshida, A. 87-67075, 88-33204, 88-64387
Setsuta, Y. *see* Kawamura, T. 88-55072
Settaf, J. *see* Gerbaux, X. 87-16605
Settanni, P. *see* Amoruso, V. 86-50926
Settanni, P. *see* Chiarolla, D. 85-43650
Sette, D. *see* Sibilia, C. 85-46483
Sette, F. *see* Abeles, B. 85-18134
Sette, F. *see* Fischer, D.A. 86-60567
Sette, F. *see* Pearton, S.J. 87-38092
Sette, G. *see* Battiston, R. 85-59224
Settecerri, T.J. Testing electromagnetic compatibility and interoperability in the Air Force 87-47242
Setten, F.M.van *see* van Setten, F.M.
Setterlind, C.J., Thylen, L. Directional coupler switches with optical gain 86-58793
Setterwall, M. The Swedish energy programme 85-48658
Settgast, H.-H. *see* Le-Hiep, T. 85-58109
Settimi, J.P. *see* Aasheim, P. 88-69198
Settimi, P. *see* Santini, E. 87-51299
Settimo, F. *see* Annoni, M. 88-67287
Settimo, F. *see* Colombo, G. 86-37760, 86-55268
Settlage, M.J., Girgis, A.A. Implementation of Kalman filtering based load modeling and forecasting algorithms on a personal computer 87-71629
Settlage, M.J., Wortman, M.A. A two stage statistical model for short-term load forecasting 86-39087
Settlage, M.J. *see* Girgis, A.A. 87-9141
Settle, R. *see* Amendolia, S.R. 85-43179
Settles, R. *see* Amendolia, S.R. 85-37901, 86-5779, 87-21426 to 21428
Settles, R. *see* Benetta, M. 85-43239
Settles, R. *see* Holl, P. 87-63655
Setton, M. *see* Wei, C.S. 87-11715
Setton, Y.M. *see* Palau, G.L. 88-42941
Setty, A., Tronc, D. Homogeneous field electromagnet designs and measurements 86-50554
Setty, A. *see* Tronc, D. 86-24917, 87-41778
Setty, M.S. Philosophy of thick film materials development 86-53223
Setty, M.S., Shinde, R.F. Effect of V_2O_5 dopant on the electrical conductivity of RuO_2 thick film resistors 86-53215
Setty, M.S. *see* Mandhare, M.M. 88-56851
Setty, R.P.N. Constant-impedance IF bandpass filters improve circuit performance 88-44095
Setvak, M. Some problems in particulate acceleration 87-56946
Setzer, C.S., Mattauch, R.J. Planar reactor plasma etching with barrel reactor power supply 85-50425
Seu, R. *see* Picardi, G. 87-28638, 87-49145
Seufert, G. *see* Greinacher, C.F.C. 87-35404
Seufert, W. *see* Lachiver, G. 88-10381
Seufert, W.D. *see* Bessette, F. 85-64599
Seuffert, P. *see* Kreifelts, T. 88-59525
Seug-Young Hwang, Moo-Je Cho A study on the adapting for interrupting capacity augmentation of circuit breaker 85-21744
Seulin, N.A. The use of aviation gas turbines to provide critical back-up supplies to nuclear power stations 85-48684
Seumatsu, Y. *see* Nakata, Y. 86-67896
Seung Chul Park *see* Chang Geun Lee 87-74035
Seung Chul Park *see* Jae Shin Cho 86-400
Seung Chul Park *see* Jin Jang 88-12914, 88-44558
Seung Dueg Choi *see* Won Young Jeung 87-326
Seung Gol Lee, Hee Gap Park, Sang Soo Lee Fiber length and pump power dependent stimulated Raman spectra in a silica optical fiber 87-18655
Seung Ho Hwang *see* Il Hong Suh 86-12866
Seung Hyuk Lee, Jin Soo Kim, Soon Heung Chang A study of the uncertainty and sensitivity of operational and modelling parameters for feedwater line break analysis 87-71877
Seung Hyun Lee, Eun Soo Kim, In Eung Young A study on the optical image deblurring by spectrum analysis 87-33756
Seung Ki-Sui *see* Ki-Sui Seung
Seung Kwon Dong *see* Dong Seung Kwon
Seung Ryong Rho, In Chil Lim Testable design on the built in test method 88-44131
Seung Yong Rho *see* Hyun Bae Han 86-5945
Seung-Gi Jeong *see* Min-Ho Park 86-26060, 87-4717, 87-72266
Seung-Hong Hong *see* Woong Huh 85-43349
Seung-Hun Yang, Won-Jin Lee, Chang Won Seok, Bong-Doo Park, Byoung-Wook Rah Preparation of hydrogenated amorphous germanium by reactive thermal evaporation 86-488
Seung-Hun Yang *see* Won-Jin Lee 87-17729
Seung-Hung Yang, Won-Jin Lee Preparation of hydrogenated amorphous germanium by reactive thermal evaporation 85-39810
Seung-Hyun Chang *see* Su-Il Pyun 85-41020
Seung-in Yang, Jung-woong Ra, Senior, T.B.A. *E*-polarized scattering by a resistive half plane with linearly varying resistivity 88-58835
Seung-Joo Lee Manybody effects in a two dimensional electron gas in the Si inversion layer 87-45700
Seung-Ki Jeong *see* Min-Ho Park 85-44209
Seung-Ki Joo, Raistrick, I.D., Huggins, R.A. New electrochromic material based on the electrochemical insertion of lithium into bleached potassium hexatungstate 85-62280
Seung-Ki Sul *see* Min-Ho Park 85-44209, 87-51212
Seung-Kuk Choi, Putz, K.J., Bziuk, W. Accumulation of stuffing jitter in multiplex system operating at fifth order bit rate in the digital hierarchy 88-28585
Seung-Min Lee *see* Kyung-Hwan Oh 87-77158
Seung-U Lee *see* Won-Eun Choi 86-47916
Seung-Won Lee Trends in the development of superconducting generators 87-35890
Seung-Wook Kang *see* Yon-Tack Chung 88-43461
Seunier, D. *see* Blairon, J.-M. 87-42630
Seuntjens, J., Thierens, H., Segaert, O. Response of coaxial Ge(Li) detectors to narrow beams of photons for stripping of X-ray bremsstrahlung spectra 87-71003
Seure, B. *see* Ledee, G. 88-69785
Seuret, D. *see* Gombia, E. 85-16914

Seuret, D. *see* Leccabue, F. 85–40681
Seuret, D. *see* Romeo, N. 87–65567
Seuret, D. *see* Vidal, J. 88–50642
Seuret, D. *see* Vigil, O. 88–32875
Seusan, A. *see* Ghita, T. 88–59950, 88–60154
Seuss, H., Wilson, W.J. Information enhancement of high resolution MM-wave images 88–28086
Seutin, R. *see* Farjaudon, T. 88–67547
Sevachko, M.D., Johnson, G.H., Gould, R.E., Ung, M. Scene generation for real-time missile flight test 88–68704
Sevariraj, G.A. *see* Xavier, C.F. 86–26295
Sevastianov, S.B., Gerasimenko, N.N., Vershinina, N.V. Inhomogeneities in irradiated SiO_2-Si structures 85–23589
Sevastianov, S.B. *see* Marchishin, I.V. 88–50652
Sevastianov, S.B. *see* Nakhmanson, R.S. 85–1412, 85–18183
Sevastopoulos, N. Switched-capacitor filters without DC error 86–62680
Sevastopoulos, N., Williams, J. Charge-nulled CMOS switch lets op amps tackle precision analog tasks 85–6173
Sevastru, A., Mihailescu, F. Criteria in the selection of the international interconnection transmission line capacity considering the present requirements for the increase of the reliability of the parallel operation of the national power systems 86–6210
Sevastru, A., Mihailescu, F. Possibilities of mathematical modelling for the determination of the dimensioning conditions of the international intertie transmission line capacity and for a higher reliability of the nuclear power plants parallel operation 87–50636
Sevastru, A. *see* Manolescu, G. 85–15542
Sevast'yanov, B.K., Bagdasarov, Kh.S., Fedorov, E.A., Semenov, V.B., Tsigler, I.N., Chirkina, K.P., Starostina, L.S., Chirkin, A.P., Minaev, A.A., Orekhova, V.P., Seregin, V.F., Kolerov, A.N., Vratskii, A.N. Tunable laser based on $Al_2O_3:Ti^{3+}$ crystal 85–35729
Sevast'yanov, B.K., Bagdasarov, Kh.S., Fedorov, E.A., Semenov, V.B., Tsigler, I.N., Chirkina, K.P., Starostina, L.S., Chirkin, A.P., Minaev, A.A., Orekhova, V.P., Seregin, V.F., Kolerov, A.N. Spectral and lasing characteristics of corundum crystals activated by Ti^{3+} ions ($Al_2O_3:Ti^{3+}$) 86–54115
Sevast'yanov, B.K., Remigailo, Yu.L. Optical generation of alexandrite in the temperature range 20-200°C 87–61118
Sevast'yanov, V.A. *see* Tumanov, I.M. 88–49094
Sevast'yanov, V.D., Aleksandrov, B.M. Fission-fragment sources containing ^{252}Cf and ^{244}Cm 88–74691
Sevast'yanov, V.D., Tyutikov, N.V., Yaryna, V.P. Using neutron-activation detectors with fissionable nuclides 87–35329
Sevast'yanov, V.E. *see* Anikin, M.M. 85–55767
Sevat, M.F. On the channel charge division in MOSFET modelling 88–26322
Sevat, P.A.A. Balanced EMP-shielding of C^3-facilities 87–12750
Sevat, P.A.A. Inducing large currents into cables 87–12751
Sevcik, K.C., Johnson, M.J. Cycle time properties of the FDDI token ring protocol 86–64667
Sevcik, K.C., Johnson, M.J. Cycle time properties of the FDD token ring protocol 87–40016
Sevcik, K.C. *see* Eager, D.L. 85–16855, 86–52337
Sevcik, M. An operations system based on expert system techniques 87–76456
Sevcik, P. *see* Hruskovic, M. 85–40669
Sevcik, P. *see* Hulenyi, L. 86–2155
Sevcik, P. *see* Kulla, P. 87–20970
Seveke, L. The use of speech recognition apparatus 87–39698
Seveke, L., Kordon, U. Speech recognition add-on for the U880 device 88–21128
Sevely, L. Study of Au-Ge-Ni/GaAs ohmic contacts formed by pulsed electron beams 86–35432
Sevenhans, D., Rolain, Y., Barel, A. Influencing the spectrum of a signal for a pulsed semiconductor laser 87–18990
Sevenhans, D., Rolain, Y., Schoukens, J., van den Bossche, M. Noise in opto-electronic measurements for optical fiber sensor networks 88–16181
Sevenhans, J. *see* Bosiers, J. 87–14195
Sevenhans, J. *see* Debusschere, I. 88–4485
Sevenhans, J. *see* Declerck, G.J. 86–5308
Sevenhans, J. *see* Sallaerts, D. 88–21758
Sevenhans, J. *see* van der Spiegel, J. 85–14638
Sevenhans, J.M.J., Claeys, C.L., Debusschere, I.M., Declerck, G.J. A 400 mm long linear X-ray sensitive image sensor 87–63283
Sevenhans, W., Locquet, J.-P., Bruynseraede, Y. Mass spectrometer controlled electron beam evaporation synthesis of multilayered materials 86–52523
Seveque, F. *see* Baudoin, M. 86–37670
Seveque, F. *see* Mejane, J.R. 87–34302
Sever, F. *see* Kernel, G. 86–44601
Sever, F. *see* Krizan, P. 86–65385
Sever, F. *see* Stanovnik, A. 86–5780
Sever, F. *see* Zavrtanik, D. 85–20814
Sever, M. An alternative approach to lumped element modeling 87–6644
Sever, M. Delaunay partitioning in three dimensions and semiconductor models 87–11722
Sever, M. Analysis of a discretization algorithm for time-dependent semiconductor models 88–26186
Sever, S. Reliability estimation—a Bayesian approach 87–58740
Sever, S. Bayes estimation of parallel system reliability—exponential failure model of components 88–229
Sever, S. Bayes estimation of series system reliability—exponential failure model of components 88–24605
Sever, V. *see* Nikolovski, Z. 88–59939
Severa, L., Gregor, J. Ionization chambers for dose rate measurement of high-energy electron and photon beams 86–60555
Severance, K.C. *see* Lindquist, C.S. 86–3927
Severeyn, R.B., Gale, R.J. Photoelectron emission at p-GaAs and p-InP/aqueous and nonaqueous electrolyte interphases: an experimental study 87–6497
Severgin, Y.P., Shukeilo, I.A. Ion pulse compressor and stretcher ring for a linear meson factory 86–31948
Severgin, Y.P. *see* Belov, V.P. 88–54009
Severi, M., Dori, L., Impronta, M. Effect of thermally nitrided SiO_2 thickness on MIS characteristics 85–23581
Severi, M. *see* Baglin, C. 85–26605
Severi, M. *see* Calicchio, M. 88–29811
Severi, M. *see* Pecorella, W. 85–59181, 85–61223
Severijns, A.P. *see* Severin, P.J. 86–42328, 86–63634
Severijns, A.P. *see* Severin, P.J.W. 87–32981
Severijns, N. *see* Van Walle, E. 87–70989, 88–74735
Severikov, V.N. *see* Kuznetsov, V.M. 86–54174
Severin, D., Hartwig, P.L. Digital acceleration measurement by means of microcomputers 85–48107
Severin, D., Klein, W. A system for the guidance of autonomous industrial vehicles without the use of control wires 88–54807
Severin, H. 100 years of electromagnetic waves. III. Antennae—a historical survey 88–45751
Severin, H. 100 years of electromagnetic waves. IV. Propagation in space 88–72523
Severin, N.F. *see* Levenets, V.V. 87–63671
Severin, P.J. Self-routing fibre-optic networks and switches using multi-tailed receiver/transmitter units 87–40922
Severin, P.J. Passive components for multimode fibre-optic networks 87–46534
Severin, P.J. Single-mode-fibre passive components made in the fused-head-end technique 87–49032
Severin, P.J. Self-routing fibre-optic networks and switches using multitailed receiver/transmitter units 87–76731
Severin, P.J. Passive optical fibre components made in the fused-head-end method applied in multimode fibre networks 88–9607
Severin, P.J. Progress in passive fibre components made using the fused- head-end method 88–13883
Severin, P.J., Dirven, E.A. Optical fiber sensor effects, utilisation and application 85–37605
Severin, P.J., Severijns, A.P. Passive components for multimode fibre-optic networks 86–42328
Severin, P.J., Severijns, A.P., Van Bommel, C.H. Passive components for multimode fiber-optic networks 86–63634
Severin, P.J.W. On the relation between passive optical fiber component properties and the network configuration 87–13715
Severin, P.J.W., Bardoel, W.H. Differential mode loss and mode conversion in passive fiber components measured using the chromatic launching and the central spot far-field techniques 87–18641
Severin, P.J.W., Severijns, A.P. Applications of light guides in process control 87–32981
Severin, V.M., Tseitlin, L.A. Analysis of magnetic field of excitation winding in a turbogenerator with a nonmagnetic rotor 86–56711
Severin, V.M., Tseitlin, L.A. Inductance of the field winding of a turbogenerator with a nonmagnetic rotor 86–61476
Severin, V.M. *see* Lupkin, I.D. 87–64889
Severin, W.A. *see* Hanson, K. 85–30775
Severinghaus, J.W. *see* Vurek, G.G. 85–15280
Severinov, A.D. *see* Ovodov, G.I. 88–29699
Severinsky, A. Coping with the electronic Achilles' heel: a site manager's guide to power problems 88–59626
Severinson Eklundh, K. Explicit and implicit feedback in computer-mediated communication 88–66908
Severloh, H. *see* Thonemann, H.G. 87–59394
Severn, E.T., Huston, H.H., Lloyd, J.R. Acoustic emission study of electromigration damage in Al-Cu thin film conductor stripes 85–6869
Severns, M.L. A computer controlled attenuator for audiological testing 86–44642
Severns, M.L., Kline, L.M. An improved method for detection of hemagglutination using an automated microplate reader 85–53007
Severns, R. Avoiding spurious MOSFET turn-on 85–12273
Severns, R. Analysing thermal stability in MOS-power transistors 85–23813
Severns, R. Analysing thermal stability in MOS-power transistors. II 85–34984
Severns, R. Controlling oscillation in parallel power MOSFETs 85–35013
Severns, R. Safe operating area and thermal design for MOSPOWER transistors 85–35014
Severns, R. Power MOSFETs and radiation environments 85–35016
Severns, R. dV_{DS}/dt turn-on in MOSFETs 85–35017
Severns, R. Dispelling some mosfet myths 85–55814
Severns, R. Safety margin and thermal calculations for power MOS 85–55816
Severns, R. Reverse recovery and mode 3 dV/dt turn-on in MOSFETs 86–47593
Severns, R. Improving and simplifying HF DC current sensors 86–65191
Severns, R., Alemany, C. Resistances of power MOS transistors to radiation 86–47570
Severns, R., Blanchard, R. The use of MOSFETs in high-dose-rate radiation environments 86–63343
Severns, R., Blanchard, R., Cogan, A., Fortier, T. Special features of power MOSFETs in high-frequency switching circuits 87–32569
Severns, R., Blanchard, R., Cogan, A., Fortier, T. Special features of power MOSFETs in high frequency switching circuits 87–59157
Severns, R., Cogan, A., Fortier, T. A high-efficiency power MOSFET used as the control element in an 800 volt switch 86–63344
Severns, R. *see* Alexander, M. 86–783
Severns, R. *see* Blanchard, R. 85–33670
Severns, R. *see* Bloom, G. 85–6166
Severns, R.P., Corbett, R.E. Power electronics in space: a review and projection 85–9350
Severnyi, A.B. *see* Matveenko, L.I. 86–30929
Severnyj, A.B. *see* Preston, R. 86–30928
Severson, F., Simpkins, S. Hadamard analysis—an effective, systematic tool for worst case circuit analysis 87–59107
Severson, G.R. *see* Lentini, J.J. 85–11809
Severson, J. Design induced error sources in platinum resistance thermometers 88–29369
Severson, R. *see* Lane, J.L. 85–4704
Severyanin, A.K. *see* Nemkov, V.S. 87–43651
Severyns, R. *see* Claesen, L. 88–20146
Sevigny, A. *see* Rajagopalan, V. 85–32608
Sevigny, A. *see* Rajashekara, K.S. 87–43540, 87–78988
Sevigny, J.A. *see* Haskell, D.K. 85–5398
Sevilla, F., III *see* Narayanaswamy, R. 87–68052, 88–22624
Sevilla, L. *see* Bolger, S. 86–31529
Sevilla, L.T. *see* Williams, R.K. 87–32689
Seville, E.J.R. Mercury's cable network 86–11088
Seville, R. *see* Berry, A.D. 85–58154
Sevinc, S., Zeigler, B.P. Entity structure based design methodology: a LAN protocol example 88–41314
Seviora, R.E., Dasiewicz, P., Corbett, P.F. A procedure flow processor with aloof execution units 86–46908
Seviora, R.E. *see* Dasiewicz, P. 87–3010
Sevostyanov, M.A. *see* Vasilyev, B.D. 86–33840
Sevriens, A. Stage lighting. I 86–19599
Sevriens, A. Jumbo clock 86–20749
Sevriens, A. Audio-controlled loudspeaker monitor 86–24206
Sevriens, A. Stage lighting. II 86–26401
Sevriens, A. Mobile AF power amplifier 86–31064
Sevrin, M. Photovoltaic systems for remote telecommunication stations: the CCITT/GAS 4 approach 86–61433
Sevrin, M., Leleu, C. A detailed analysis of cost and cost evolution of turnkey photovoltaic systems 87–30451
Sevruk, B.B. *see* Belyi, V.N. 85–45920
Sevruk, B.B. *see* Belyy, V.N. 87–18460
Sevryugin, D.A., Chepenko, V.D. Noncontact inductive linear displacement pick-up 87–41494
Sevryugov, A.V. *see* Apakin, A.V. 88–23998
Sevryugov, A.V. *see* Krasnov, A.I. 86–39027, 87–9876
Sevryugov, A.V. *see* Lytaev, R.A. 85–60287, 85–60297
Sevy, R. *see* Page, R.J. 85–43845
Sevy, R.H. *see* Marchaterre, J.F. 86–33016
Seward, D., Forghani, B., Lowther, D.A., Arumugam, R., Lindsay, J.F. Comparison of 2- and 3-D finite element analysis of a switched reluctance motor 88–75598
Seward, G., Goldner, R.B., Wong, K., Haas, T., Foley, G.H., Chapman, R., Schulz, S. Prototype all-solid lithiated smart window devices 88–45271
Seward, G. *see* Goldner, R.B. 87–18763, 87–68207, 88–45272
Seward, G. *see* Haas, T.E. 88–45269

Seward, G. *see* Wong, K.K. 88−45270
Seward, J.S. *see* Richards, D. 85−15924
Seward, L.E. *see* Nachlas, J.A. 86−57250
Seward, S.A., Cohn, S.B. Optimization of TEM mode tapered symmetrical couplers 86−53019
Seward, S.M., Taylor, S.G., Bolander, S.F. Progress in integrating and optimizing production plans and schedules 85−54123
Seward, W.D. *see* Spieth, J.E. 87−50513
Seward, W.L., Fairweather, G., Johnston, R.L. A survey of higher-order methods for the numerical integration of semidiscrete parabolic problems 85−10645
Sewards, A. Introduction to DSP 88−66466
Sewell, C.A. New combined cycle industrial power plants−800 MW. III. Operating and control philosophy 86−25891
Sewell, F.A., Jr. *see* Isaac, R.D. 87−32378
Sewell, H., Gansfried, M. Mixing and matching of wafer steppers and wafer scanners for cost-effective, high-volume device production 87−11552
Sewell, H., Zernike, F. Fully automated alignment for MOS device processing on the Model 500 full-field projection system 85−7069
Sewell, H. *see* Barosi, N. 85−7048
Sewell, J. *see* Hoeren, G. 85−14590
Sewell, J.I. The SCNAP series of software for switched capacitor circuit design 88−12512
Sewell, J.I. *see* Gilbert, D.J. 85−49987, 86−46987, 87−870, 87−66356
Sewell, J.I. *see* Haigh, D.G. 88−50253
Sewell, J.I. *see* Henderson, R.K. 88−50256
Sewell, J.I. *see* Johnson, D.G. 85−23021
Sewell, J.I. *see* Li Ping 88−50282, 88−63799
Sewell, J.I. *see* Meakin, A.D. 86−57951
Sewell, J.I. *see* Ping, L. 87−45062, 88−25318
Sewell, J.I. *see* Powell, M. 85−49985
Sewell, J.I. *see* Pun, C.K. 86−62415
Sewell, J.I. *see* Wolovitz, L.B. 86−66997, 88−50244
Sewell, P. Closing the loop in ASIC design 88−13455
Sewell, P. Drive and ambition 88−49181
Sewell, P.B., Delage, A. Thermionic emission studies of micro-flat single crystal lanthanum hexaboride cathodes 85−45354
Sewell, P.B. *see* Delage, A. 85−45355
Sewell, P.B. *see* Dubowski, J.J. 85−44689, 87−36814
Sewell, P.B. *see* Shih, I. 85−39769
Sewell, R. AT&T's interstate private line tariffs give users a choice 86−16706
Sewell, R.S. Where we are heading in access charges 86−19788
Sewell, R.T. Evolution of electronics in railway signaling from the track circuit standpoint 86−4548
Sewell, W.F. *see* Hurley, B.R. 88−8891
Sewter, J.B. Reasons and advantages to be gained from a change to digital techniques in studios 85−31159
Sewter, J.B. Communication and direct broadcasting satellites 87−28546
Sewter, J.B., Wood, D. The evolution of the vision system for the EBU DBS standard 85−3595
Sewter, J.B., Wood, D. The evolution of the vision system for the EBU DBS standard 86−4817
Sexton, B.A., Davey, P.I. Scanning electron microscope electron detector system with replaceable-dynode multiplier and wide-band isolation amplifier 88−7275
Sexton, C.S. Current status of Hughes liquid crystal light valve performance for optical data processing 88−7998
Sexton, C.S., Steier, W.H. Measurement of the short pulse saturation properties of ultraviolet dyes with the XeCl laser 85−7524
Sexton, D. Service interconnection−the vital link for electronic mail 85−3046
Sexton, D. A new, one-component dicy-free epoxy resin system developed for FR-4 glass/epoxy laminates 88−1128
Sexton, F.W., Schwank, J.R. Correlation of radiation effects in transistors and integrated circuits 86−35874
Sexton, F.W. *see* Fleetwood, D.M. 87−32698
Sexton, F.W. *see* Schwank, J.R. 85−18186, 87−32339
Sexton, F.W. *see* Winokur, P.S. 87−32699, 88−25198
Sexton, G.A. A new meaning to 'flying the desk' 86−70467
Sexton, G.A. Flying the desk 87−29888
Sexton, H.B. *see* Carlsson, G.E. 85−57630
Sexton, J.D. *see* Bridgwood, M.A. 87−53458
Sexton, J.F. *see* Bosshart, P.W. 88−6901
Sexton, M.J. Analogue/digital conversion and the PCM primary multiplex group 86−10268
Sexton, M.J. Analogue/digital conversion and the PCM primary multiplex group 87−75763
Sexton, M.J., Drudy, J.J. A 60 channel FDM/PCM transmultiplexer 85−57856
Seya, E. *see* Hosaka, S. 87−68230
Seya, E. *see* Moriyama, S. 88−22622
Seya, K. *see* Nakane, T. 87−15108, 88−12872
Seya, T. *see* Ito, M. 88−69365
Seyama, M. *see* Mochihara, H. 87−51646
Seybold, A.M. The care and feeding of ni-cad batteries 86−51886
Seybold, A.M. The A> prompt rumors, bits and bytes [groupware, fax boards, laptops] 88−59546
Seybold, A.M. Local area networks: a different view 88−73554
Seybold, P.B. Wang Office, PACE and the Office File Manager 85−42182
Seybold, P.B. Groping towards 'groupware' 88−46578
Seyboth, J. *see* Aderholz, M. 86−50398
Seyboth, P. *see* Fent, J. 85−9046
Seyboth, P. *see* Fessler, H. 85−31697
Seydel, R. New methods for calculating the stability of periodic solutions 88−11924
Seydewitz, R. *see* Bers, K. 87−64337
Seyed-Yagoobi, J., Chato, J.C., Browley, J.M., Krein, P.T. Induction electrohydrodynamic pump in a vertical configuration. I. Theory 86−45726
Seyed-Yagoobi, J., Chato, J.C., Crowley, J.M. Viscometric temperature measurement in electric or magnetic fields 85−4144
Seyed-Yagoobi, J., Chato, J.C., Crowley, J.M., Krein, P.T. Induction electrohydrodynamic pump in a vertical configuration. II. Experimental study 86−45727
Seyed-Yagoobi, J., Krein, P.T., Crowley, J.M., Chato, J.C. Effects of long-term low-level charge injection on insulating oil 85−41000
Seyerlein, J. *see* Aderholz, M. 86−50398
Seyerlein, J. *see* Fent, J. 85−9046
Seyerlein, J. *see* Fessler, H. 85−31697
Seyfahrt, H. New LEW serial locomotive series 243 for Deutsche Reichsbahn (DR) 86−33783
Seyfarth, H. *see* Mladenov, G.M. 87−17879
Seyfert, V. *see* Ferster, M. 86−25412
Seyferth, A. A computer control centre for an interactive cable television system−design, realization and test results 85−63851
Seyffarth, T. *see* Goldhorn, B. 87−45264
Seyfferth, L. *see* Hnilica, K. 87−15484
Seyfried, P., Balhorn, R., Kochsiek, M., Kozdon, A.F., Rademacher, H., Wagenbreth, H., Peuto, A.M., Sacconi, A. The Avogadro constant−recent results on the molar volume of silicon 88−15896
Seyfried, P., Peuto, A. The Avogadro constant−recent results on the molar volume of silicon 87−14063
Seyhoonzadeh, A., Chang, H.-Y., Lonngren, K.E. Inexpensive transistor curve tracer 87−56740
Seyhoonzadeh, A. *see* Hill, J.L. 88−27386
Seyler, G. *see* Broemel, T. 88−16698
Seyler, H. Electric conductive tapes for effective economical screening 85−13151
Seymann, E. *see* Tschurlovits, M. 86−44719
Seymore, G.E. *see* Duncan, R.A. 85−48545
Seymore, W.J. *see* Ben-Dov, E. 87−42446
Seymour, C.D. Development of spacecraft solid-state high-power L-band amplifiers 86−57673
Seymour, C.R., Chapman, S. A self-adaptive and predictive system for operational intertripping 85−64981
Seymour, D. *see* Ezrin, M. 87−30214
Seymour, D. *see* Jones, M. 88−1001
Seymour, D.B. Characterization of dropouts with data read-back errors for digital magnetic-tape recorders 86−53897
Seymour, D.G. Connector design with finite element analysis 88−38847
Seymour, D.J., Heston, D.D., Helmann, R.E. *X*-band and *Ka*-band monolithic GaAs PIN diode variable attenuation limiters 88−71046
Seymour, D.J., Heston, D.D., Lehmann, R.E. Monolithic MBE GaAs PIN diode limiter 87−59883
Seymour, D.J., Heston, D.D., Lehmann, R.E. *X*-band and *Ka*-band monolithic GaAs PIN diode variable attenuation limiters 88−63874
Seymour, E.M., Salsburg, K.A., Landis, D., Sobelman, G. IBM VLSI academic program 87−58586
Seymour, J. Applications of SPICE and CLASSIC programs in teaching integrated circuit design at undergraduate level 88−24936
Seymour, J. *see* Lee, P.A. 86−36951
Seymour, L.P.H.K., Cowan, C.F.N., Grant, P.M. A new calibration algorithm to detect sensor positioning errors in direction finding arrays 87−28707
Seymour, L.P.H.K., Cowan, C.F.N., Grant, P.M. Bearing estimation in the presence of sensor positioning errors 87−62111
Seymour, P., Thomassen, C. Characterization of even directed graphs 87−23488
Seymour, P. *see* Chung, F.R.K. 88−70209
Seymour, P.D. On the connectivity function of a matroid 88−70213
Seymour, P.D. *see* Alon, N. 87−72922
Seymour, P.D. *see* Robertson, N. 86−62043 to 62044
Seymour, R. *see* Garside, B.K. 85−64159, 87−14335
Seymour, R.J., Bothman, D.P. Extraction of fresh water from marine air using a seawater heat sink 85−32404
Seymour, R.J., Carter, G.M., Chen, Y.J., Elman, B.S., Jagannath, C.J., Rubner, M.F., Sandman, D.J., Thakur, M.K., Tripathy, S.K. Polydiacetylenes as nonlinear waveguide materials 87−12581
Seymour, R.J., Garside, B.K. Ultrafast silicon interdigital photodiodes for ultraviolet applications 86−9675
Seymour, R.J., Garside, B.K., Park, R.E. Ultrafast surface barrier photodetectors 87−41526
Seymour, R.J. *see* Bruce, D.M. 88−35992
Seymour, R.J. *see* Davey, N.M. 85−45332
Seymour, R.J. *see* Shamir, J. 86−54202
Seymour, R.S. Rare earth ions as lasing species 88−8164
Seymour, R.S., Picone, P.J., Levin, M. 1319 nm laser for optical fibre studies 85−18697
Seymour, R.S. *see* Moore, G.E., Jr. 86−58679
Seymour, R.S., Jr. Phosphors for head-up display cathode ray tubes 86−50714
Seymour, R.S., Jr. Phosphors for head-up display cathode ray tubes 88−67954
Seymour, S. *see* Vasudev, P.K. 88−64778
Seymour, T. Fiber optics: a key telecommunications link 87−28586
Seymour, T. Videoconferencing takes off? 88−35246
Seynhaeve, G., Adriaenssens, G.J., Michiel, H. On the density of localized states obtainable from transient photodecay measurements 86−2930
Seynhaeve, G., Barclay, R.P., Adriaenssens, G.J. Influence of light absorption depth in transient photocurrent experiments 88−26946
Seynhaeve, G. *see* Adriaenssens, G.J. 88−2099
Seynhaeve, G. *see* Barclay, R.P. 88−26945
Seyno Sluyterman, A.A. Fifth-order trilemma in deflection-yoke design 87−2265
Seysen, M. A probabilistic factorization algorithm with quadratic forms of negative discriminant 87−51979
Seytre, G. *see* Boiteux, G. 88−33413, 88−71832
Seytre, G. *see* Lallam, A. 88−32496
Sezaki, K. *see* Tanaka, Y. 87−40281, 87−48286
Sezaki, T. *see* Kawano, S. 86−21062
Sezan, M.I., Chia-Lung Yeh, Tekalp, A.M., Rabbani, M., Jones, P. Applications of vector quantization to progressive compression and transmission of images 88−41058
Sezan, M.I., Stark, H. Incorporation of a priori moment constraints into signal recovery and synthesis problems via the method of convex projections 86−16407
Sezan, M.I., Tekalp, A.M. Adaptive regularized image restoration using the theory of convex projections 88−46297
Sezan, M.I., Tekalp, A.M. Iterative image restoration with ringing suppression using the method of POCS 88−73269
Sezan, M.I., Tekalp, A.M., Chen, C. Regularized signal restoration using the theory of convex projections 87−62032
Sezan, M.I., Yip, K.L., Daly, S.J. Uniform perceptual quantization: applications to digital radiography 88−10316
Sezan, M.I., Yip, K.L., Daly, S.J. An investigation of the effects of uniform perceptual quantization in the context of digital radiography 88−36453
Sezan, M.I. *see* Chen, C. 87−62283
Sezer, M.E. *see* Saribatir, B.M. 87−72069
Sezerman, O., Paton, B.E., Klassen, G.A., Armour, J.A. Fibre optic laser Doppler velocimeter for medical applications 87−41956
Sezginer, A., Habashy, T.M., Wait, J.R. An image method to compute the static magnetic field due to currents injected into a homogeneous, conducting, and magnetically polarizable half-space 88−40485
Sezginer, A., Kong, J.A. Transient response of line source excitation in cylindrical geometry 85−29975
Sezi, R., Leuschner, R., Nolscher, C., Stephani, D. Positive near-UV resist for bilayer lithography 88−19892
Sfarti, A. A revolutionary solution for integrated graphics and text. The Quad Pixel Dataflow Manager Am95C60 86−46888
Sfarti, A. *see* Daniel, A. 85−34010, 85−45129, 85−54964
Sferlazzo, R., Sollami, R., Toscani, L. EEG and models of the standing wave: spatial configuration of fast frequency modes 88−29998
Sferlazzo, R. *see* Sollami, R. 88−29999
Sferlazzo, R. *see* Toscani, L. 88−30000
Sferrazza, J. *see* Tang, W.C. 86−11040
Sferrino, Y.J. *see* Tsaur, B. 87−32702
Sfez, B.G. *see* Silberberg, Y. 88−72114
Sfez, R. *see* Battail, G. 88−21101, 88−66322
Sfichi, R. Upon some aspects regarding reliability of microhydropower plants according to the principle 'everything or nothing' 85−4987
Sfichi, R., Boscoianu, D., Lungu, O., Paicu, C. The use of rotary pumps in a turbine regime for equipping microhydroelectric power plants 85−21506
Sfichi, R., Tugui, T. Applying simplified probabilistic models at the predetermination of the annual energy output of wind power units 88−37122
Sfichi, R. *see* Eremia, M. 86−56415
Sfonadrini, L. *see* Centurioni, L. 87−30241
Sforza, P. *see* Dell'Erba, M. 88−20812

Sforzini, M. Results of an international survey of the rules limiting interference coupled into metallic pipelines by high voltage power systems 87−50821
Sgallari, F. *see* Alliney, S. 87−48015
Sgalletta, L. *see* Bossi, A. 85−39054
Sgalletta, L. *see* Coppadoro, F. 88−11262
Sgalletta, L. *see* Honorati, O. 86−68106
Sgarbi, C. *see* Baroni, G. 85−9097, 87−14785, 87−29613
Sgardoni, V.J., Anagnostou, M.E., Protonotarios, E.N. Stochastic analysis of data, voice and video packet channels 88−3314
Sgarro, A. Exponential-type parameters and substitution ciphers 86−16140
Sgarro, A. Equivocations for homophonic ciphers 87−69012
Sgarro, A. Information-theoretic versus decision-theoretic cryptography 88−27752
Sgarzi, P., Theoleyre, S. Optimization of compensators facing harmonics 88−63518
Sgrigna, V. *see* Bella, F. 88−48317
Sgro, J.A., Emerson, R.G. Phase synchronized triggering: a method for coherent noise elimination in evoked potential recording 86−5941
Sgro, J.A., Emerson, R.G., Pedley, T.A. Real-time reconstruction of evoked potentials using a new two-dimensional filter method 86−25231
Sgro, M. *see* Benetazzo, L. 86−50025
Sguazzero, P. *see* Gazdag, J. 85−15407, 86−50732
Sgubini, S. *see* Arduini, C. 87−12862
Sgubini, S. *see* Graglia, R.D. 87−12854
Sgurev, V.S. Flows on graphs with multiplicative capacity constraints 85−33288
Sgurev, V.S., Nikolova, M. A linear network flow 85−49705
Sgurev, V.S., Stoilov, E.I., Strugarova, M.S. A new coordination algorithm for process control communication systems 86−43558
Sha, K., Kurashima, H., Shoji, T., Suzuki, M. The characteristics of new type quasi-optical diplexers 86−27446
Sha, K., Kurashima, H., Shoji, T., Suzuki, M. Characteristics of new types of quasi-optical diplexers 87−37524
Sha, K. *see* Suzuki, M. 86−68771
Sha, L., Blank, T. ATLAS—a technique for layout using analytic shapes 88−26427
Sha, R.T., Wang, S.S. High speed and high quality facsimile printer 85−8080
Sha, W.T. *see* Chen, F.F. 87−9327
Sha Kan *see* Yang Jianjun 87−47297
Sha Lu, Tang Pushan An approach to polycell placement for LSI 85−18369
Sha Lu *see* Lu Sha
Sha Zong *see* Zong Sha
Sha-Yan Zhang *see* Yu-Hai Mao 86−17465
Shaaban, A. *see* Kheiallah, H.N. 85−19146
Shaaban, H., Grujic, L. An improved pair-wise decomposition aggregation approach to stability analysis of multimachine power systems 85−26987
Shaaban, H., Grujic, L. The decomposition-aggregation method applied to a multimachine power system 87−4289
Shaaban, H., Grujic, L. Improvement of large-scale power systems decomposition—aggregation approach 87−21821
Shaaban, H., Grujic, Lj. Transient stability analysis of large-scale power systems with speed governor via vector Lyapunov functions 85−32086
Shaaban, H.I. *see* Aly, A.E. 87−42586
Shaaban, S.E. *see* El-Abd, I.H. 85−19488
Shaaban, S.E. *see* El-Khamy, S.E. 88−45802
Shaalan, A. Cost and reliability assessments in generation expansion planning 87−71622
Shaalan, A. *see* Kheirallah, H.N. 85−7648
Shaalan, A.M. Modeling uncertainty in long-range power system planning 87−30141
Shaalan, A.M. *see* Allan, R.N. 86−44925
Shaalan, M.S. *see* Yahia, A.H. 87−78924, 88−37419
Shaalan, N.M., Yahia, A.H. Simulation of thermal characteristics of substrates [semiconductor chips] 88−39619
Shaalan, N.M. *see* El-Sharkway, M.A. 87−45855
Shaalan, N.M. *see* Yahia, A.H. 87−14492, 87−18232, 87−18237, 87−41590, 87−59151, 87−73580, 87−78924, 88−605, 88−37419
Shaanan, M., Kalish, R., Richter, V. Changes in InSb as a result of ion implantation 85−45535
Shaar, A.A., Davies, P.A. A survey of one-coincidence sequences for frequency-hopped spread-spectrum systems 85−14097
Shaar, A.A., Woodcock, C.F., Davies, P.A. Number of one-coincidence sequence sets for frequency-hopping multiple access communication systems 85−14098
Shaar, A.A., Woodcock, C.F., Davies, P.A. Bounds on the cross-correlation functions of state *m*-sequences 87−40650
Shaar, C. *see* Dick, J.M. 87−32974
Shaar, C.S., Kritler, D.A., Lovely, P.S. Errors in single-mode cutoff wavelength measurements due to periodic features in the transmission spectrum of a short multimode reference fiber 87−26011
Shaar, C.S. *see* Lovely, P.S. 88−39931
Shaarawi, A.M., Raid, S.M. The complete fast-Fourier analysis of step-like waveforms 86−31308
Shaarawi, A.M., Riad, A.A., Riad, S.M. Time domain spectroscopy of layered dielectric materials 86−24707
Shaarawi, A.M., Riad, S.M. Spectrum amplitude of step-like waveforms using the complete-FFT technique 86−16482
Shaarawi, A.M., Riad, S.M. Spectrum amplitude of step-like waveforms using the complete-FFT technique 86−24430
Shaarawi, A.M., Riad, S.M. Computing the complete FFT of a step-like waveform 86−43236
Shaari, S.B.H. *see* McCowen, A. 88−50790
Shabad, M.A. *see* Emel'yantsev, A.Yu. 85−21677
Shabakov, N.P. *see* Emel-yanova, V.I. 85−39307
Shabakov, N.P. *see* Vakhitov, M.A. 88−51692
Shabalin, A.L. *see* Dudnikov, V.G. 86−38691, 86−60546, 87−70991
Shabalin, E.P. Power oscillations and stability limit of pulsed reactors 87−78339
Shabalin, E.P. *see* Ananiev, V.D. 85−64438
Shabalin, V.M. *see* Van'ko, V.M. 86−24583
Shabalov, D.V., Dyagel, I.V., Sitnikov, I.A., Shanenko, D.F., Lotoreichik, Yu.M. Detection of nonreliable microcircuits 88−6249
Shabalov, D.V. *see* Levin, V.I. 85−22753
Shabalov, E.I. *see* Bagryanskii, P.A. 88−16648
Shabalov, V.P. *see* Atakulov, Sh.B. 85−11972
Shabana, M. Solar cell technology in developing countries 88−69706
Shabana, M. *see* Bootman, S. 88−9005
Shabana, M.M. *see* Elsherbiny, M.M. 86−45680
Shabanov, B.M. *see* Boyarinov, I.M. 88−34557
Shabanov, R.I. *see* Romanchev, V.S. 88−2705
Shabanov, R.I. *see* Seryakov, Yu.N. 87−35107
Shabanov, V.A., Kapustin, A.G. The adaptive properties of multiphase impedance relays 88−48614
Shabanov, V.A. *see* Saukhatas, A.-S.S. 85−21751
Shabanova, T.V. *see* Il'in, V.G. 85−31600, 86−31675
Shabanova, Z.V. *see* Bakhvalov, Yu.A. 85−1108, 87−1036, 87−64877
Shabanova, Z.V. *see* Nekrasov, S.A. 88−55686
Shabashev, O.K., Muraveiskaya, A.A., Berezin, S.V. Quantizer for the thermal field images produced by means of 'Rubin' type thermal viewers 85−26225
Shabashov, V.I. *see* Polishchuk, V.P. 87−66815
Shabde, S.N. Channel-width dependence of the punchthrough characteristics in *n*-channel MOSFETs 85−50560
Shabde, S.N., Barman, F., Bhattacharyya, A. Channel-length dependence of substrate current characteristic of LDD MOSFETs 86−9148
Shabde, S.N., Simmons, G., Baluni, A., Back, D. Snapback induced gate dielectric breakdown in graded junction MOS structures 85−6967
Shabde, S.N. *see* Bhattacharyya, A. 87−1527, 87−45961, 88−50850, 88−71560
Shabeer, M., Andonovic, I., Culshaw, B. Fibre-optic multichannel correlation/convolution 87−38747
Shabeer, M., Andonovic, I., Culshaw, B. Fiber-optic bipolar tap implementation using an incoherent optical source 87−74735
Shabeer, M., Andonovic, I., Culshaw, B. Fiber-optic matrix multiplier using a two-dimensional systolic-array architecture 88−13985
Shabeer, M. *see* McDonach, A. 88−13975
Shabelnikov, A.V. The influence of the atmosphere, inhomogeneous in three dimensions, on the refraction of electromagnetic waves 88−8454
Shabel'nikov, L.G. *see* Aristov, V.V. 88−70384
Shabetnik, V.D. Television signal shape in systems with partially suppressed sideband 86−38037
Shabetnik, V.D., Bolotov, A.G. The effect of the chrominance signal on the luminance signal in a video channel 85−37213
Shablii, I.Yu. *see* Akhoyan, A.P. 85−29700
Shablii, I.Yu. *see* Davydova, N.A. 85−56405
Shablo, A.A. *see* Lukashenko, A.V. 86−68201
Shablov, S.V. *see* Lopaev, V.P. 88−70388
Shablovskii, V.M. *see* Manuilov, B.D. 86−43057
Shablygin, S.V. *see* Petukhov, V.I. 87−65826
Shaborkin, V.G. *see* Emelyanov, N.I. 86−40276, 87−64950
Shabot, M.M., LoBue, M., Leyerle, B.J. An automatic PDMS interface for the Urotrack Plus 220 urimeter 88−61225
Shaboyan, S.A. Power integrated switch 85−65338
Shaboyan, S.A. The double-polarity integrated transistor switch, a new power-electronic component 86−53784
Shaboyan, S.A. Study of gain properties of power transistors for moderate and high collector current levels 87−6668
Shaboyan, S.A. Parallel operation of self-protected transistor switches 87−32133
Shaboyan, S.A. Some problems in the technology of development of high-voltage power switching elements 87−32482
Shaboyan, S.A. Protected power transistor switches 87−52946
Shabrang, M. *see* Paquette, M.S. 88−19554
Shabrov, V.A. *see* Gushchin, A.N. 88−4786
Shabrov, V.A. *see* Venikov, N.I. 87−14697
Shabunin, S.N. Radiation from the open end of a microstrip line 85−61415
Shabunin, V.M. *see* Gulyaev, Yu.V. 87−25864
Shabunov, V.A. Study of breakers under switching conditions of motors 87−36052
Shabunya, S.I. *see* Achasov, O.V. 86−29059
Shabushnig, J.G., Demko, P.R., Savage, R.N. Applications of optical emission spectroscopy to semiconductor processing 86−35532
Shacham, A. *see* Levy, J. 87−52615 to 52616
Shacham, N. ARQ with sequential decoding of packetized data: queueing analysis 85−13481
Shacham, N. Hierarchical routing in large, dynamic ground radio networks 85−63586
Shacham, N. Organization of dynamic radio network by overlapping clusters: architecture considerations and optimization 86−30610
Shacham, N. Adaptive link level protocol for packet radio channels 86−59397
Shacham, N. Dynamic parameter selection in packet radio transmissions 87−40049
Shacham, N. Queueing analysis of a selective repeat ARQ receiver 87−55443
Shacham, N. Packet resequencing in reliable transmission over parallel channels 88−3299
Shacham, N., King, P.J.B. The performance of multichannel, multihop packet radio networks 87−28380
Shacham, N., King, P.J.B. Architectures and performance of multichannel multihop packet radio networks 87−75970
Shacham, N., Livine, A. An adaptive hybrid ARQ algorithm for radio channels 86−23210
Shacham, N., Ogier, R.G. Network control and data transport for C^3I applications 88−21512
Shacham, N., Tornow, J.D. Future directions in packet radio technology 86−16630
Shacham, N., Towsley, D. Resequencing delay and buffer occupancy in selective repeat ARQ with multiple receivers 88−59460
Shacham, N., Westcott, J. Future directions in packet radio architectures and protocols 87−34446
Shacham, N. *see* Garcia Luna Aceves, J.J. 86−17217
Shacham, N. *see* Goldberg, Z. 85−8217
Shacham, N. *see* King, P.J.B. 86−59396
Shacham, N. *see* Kung, R. 85−42014, 88−46340
Shacham, N. *see* Rom, R. 86−54990, 88−35094
Shacham, Z. Data over voice in action 87−33900
Shacham-Diamand, Y., Chuh, T., Oldham, W.G. The electrical properties of Hg-sensitized 'photox'-oxide layers deposited at 80°C 87−38150
Shacham-Diamand, Y., Sinar, A., Sirkin, E., Blech, I., Gerzberg, L. A novel ion-implanted amorphous silicon programmable element 88−38524
Shacham-Diamand, Y. *see* Oldham, W.G. 85−40920
Shacham-Diamand, Y. *see* Sutardja, P. 87−25134, 87−45809
Shacham-Diamond, Y. *see* Dupuis, F. 86−41711
Shacham-Diamond, Y. *see* Pai, P.-L. 87−1694
Shachanm, N., Brownrigg, E.B., Lynch, C.A. A packet radio network for library automation 88−21932
Shachar, Y. *see* Hollos, G. 88−54373
Shack, D. *see* Lee, Y.H. 88−59308
Shack, R.V. *see* Kuper, T.G. 87−33413
Shackel, B. Ergonomics in information technology in Europe—a review 86−19807
Shackel, B., Pullinger, D.J. BLEND- 1: background and developments 86−23386
Shackel, B. *see* Pullinger, D.J. 85−3052
Shackle, P.W. Standard cells step in to ease the design of high-voltage chips 86−709
Shackle, P.W. Custom high voltage integrations for industry 86−47820
Shackleford, A., Waterman, J. clusterFORTH networking on an OPTO-22 LC2 88−52888
Shackleton, D.A. *see* Yeung, P.S. 85−61115
Shacklette, L.W., Maxfield, M., Gould, S. Batteries with electroactive polymer electrodes 87−43365
Shacklette, L.W., Toth, J.E., Murthy, N.S., Baughman, R.H. Polyacetylene and polyphenylene as anode materials for nonaqueous secondary batteries 85−65423
Shackman, S.J. *see* Kozma, A. 87−63931
Shad, M.A. Fuel management and fuel performance at Point Lepreau Generating Station 87−57846
Shadaram, M. Analysis of power ratio of Rayleigh and Fresnel reflections in optical fibers using OFDR 86−28784
Shadaram, M., Hippenstiel, R. Fourier analysis of the complex envelope of the echos in an OFDR 86−44443
Shadbolt, P. *see* Davis, J.R. 87−57082
Shaddan, D.J. *see* Amian, W. 86−5757
Shaddix, J., Hill-Tanquist, S. Tooling for fine line multilayers 88−7187
Shade, G. *see* Lepkowski, T.R. 86−50048
Shade, G.F. *see* Dawson, D.E. 85−1045
Shadoan, D.J. *see* Harris, L.J. 85−15296
Shadoff, L. *see* Bakhru, P.U. 86−49643

Shadrake, L.G. *see* Cutherbertson, G.M. 87–20958
Shadrin, A.F. *see* Ostrovskii, A.S. 86–25671
Shadrin, A.P. Problems in supplying heat to users in the far north 87–64977
Shadrin, E.B. *see* Katsavets, N.I. 85–12060
Shadrin, G.A. *see* Dui'zon, N.A. 86–66495
Shadrin, G.A. *see* Mansurov, A.N. 88–72452
Shadrin, G.A. *see* Obrusnik, V.P. 85–65317
Shadrin, G.K. *see* Abdeev, Yu.M. 85–60549
Shadrin, M.P. *see* Smyagin, Yu.A. 85–17549
Shadrin, N.I. *see* Animov, N.M. 85–38945
Shadrin, V.M. On calculating losses in capacitors for a nonsinusoidal voltage wave 85–60374
Shadrokh Cigari, H. *see* Hearn, E.J. 85–41221
Shadskiy, G.S. *see* Golovkin, A.V. 85–28694
Shae, Z.Y. *see* Farhat, N.H. 88–58314
Shae Li *see* Li Nai-gi 87–39259
Shaeffer, D.L. *see* Levy, P.H. 86–36685
Shaeffer, J. *see* Felderman, T.P. 86–11964
Shaevitz, M. *see* Johnson, A.S. 86–50322
Shaevitz, M.H. *see* Blair, R. 85–15110
Shaevitz, M.H. *see* Dubois, R. 86–50321
Shafaghi, A., Cook, F.B. Application of a hazard and operability study to hazard evaluation of an absorption heat pump 88–69941
Shafai, L., Bhattacharyya, A.K. Input impedance and radiation characteristics of small microstrip phased arrays including mutual coupling MSAT application 87–61505
Shafai, L., Ittipiboon, A., Dobrovolsky, J., Bridges, E., Smegal, R. A dual polarized ice surveillance radar antenna 87–27056
Shafai, L., Ittipiboon, A., Dobrowolski, J.A. A dual polarized line source feed for cylindrical reflector antennas 87–75636
Shafai, L., Kishk, A.A. Coaxial waveguides as primary feeds for reflector antennas and their comparison with circular waveguides 85–24992
Shafai, L., Kishk, A.A. Phase centre of small primary feeds and its effects on the feed performance [antennas] 85–41804
Shafai, L., Kishk, A.A., Bridges, E., Smegel, R. Performance of MSAT vehicular antenna systems 87–27078
Shafai, L., Sebak, A.A. Radiation characteristics of microstrip serpent antennas 85–13226
Shafai, L., Sebak, A.A. Radiation characteristics and polarisation of undulated microstrip line antennas 86–29624
Shafai, L. *see* Aboelsaad, M. 87–32753, 88–23439
Shafai, L. *see* Bhattacharya, A.K. 88–2794
Shafai, L. *see* Bhattacharyya, A.K. 87–12784, 87–33552, 88–961, 88–14481, 88–45762
Shafai, L. *see* Dobrowolski, J.A. 85–20715
Shafai, L. *see* Eid, D.A.M. 87–26990
Shafai, L. *see* Ittipiboon, A. 85–41674, 86–43097
Shafai, L. *see* Kishk, A.A. 85–19273, 86–42820, 86–42838, 86–43030, 86–48551, 86–63898, 87–2346, 87–26999, 87–27014, 87–27032, 87–33532, 87–39483, 87–75345, 88–2523, 88–2547, 88–21001
Shafai, L. *see* Kumar, G. 85–13354, 86–3677, 86–48701
Shafai, L. *see* Lin, Y. 86–3681
Shafai, L. *see* Nakano, H. 87–47361
Shafai, L. *see* Parasnis, K. 86–42990, 86–43005
Shafai, L. *see* Prasad, K.M. 87–61459, 88–2778, 88–45760
Shafai, L. *see* Rao, K.S. 85–2704
Shafai, L. *see* Sanad, M.S.A. 86–22765, 86–42982, 86–48668, 86–68830, 87–26944, 87–27025, 87–47379, 87–47439, 87–61477, 88–2720, 88–2731, 88–2756, 88–66187
Shafai, L. *see* Sebak, A.A. 85–13085, 85–13105
Shafai, L. *see* Sebak, S.S. 85–13067
Shafai, L. *see* Sudhakar Rao, K. 85–13248, 87–54730
Shafaie, F.F. *see* Michaelides, E.E. 87–4603
Shafarenko, A.V. *see* Brodskii, I.I. 85–31296
Shafarenko, V.A. *see* Gluzberg, V.E. 87–77829
Shafarenko, V.A. *see* Gluzberg, V.Ye. 87–21769
Shafarman, W., Castner, T.G. The magnetic-field dependence of variable range hopping conduction for barely insulating arsenic-doped silicon samples 86–53328
Shafarman, W.N., Castner, T.G. Critical behavior of Mott variable-range hopping in Si:As near the metal-insulator transition 86–35293
Shafarman, W.N., Castner, T.G., Brooks, J.S., Martin, K.P., Naughton, M.J. Magnetic tuning of the metal-insulator transition for uncompensated arsenic-doped silicon 86–35294
Shafarman, W.N. *see* Birkmire, R.W. 88–37401, 88–37533
Shafeev, G.A. *see* Bunkin, F.V. 85–45570, 87–23717
Shafeev, G.A. *see* Bunkin, N.F. 88–40302
Shafeev, G.A. *see* Karlov, N.V. 86–2054, 88–24756
Shafeev, G.A. *see* Nanai, L. 85–35845
Shafeeva, O.P. *see* Potapov, V.I. 87–27182
Shafei, H.El *see* El Shafei, H.
Shafer, B.D. *see* Hospelhorn, R.L. 88–26510
Shafer, B.D. *see* Weaver, H.T. 88–70757
Shafer, D.E. *see* Passwater, A.C. 87–78293
Shafer, F. *see* Roberts, J. 88–29590
Shafer, J.B. Practical workload assessment in the development process 88–30096
Shafer, L.T. *see* Nelson, J.H. 88–68583
Shafer, M. *see* Engel-Winter, C. 87–66096
Shafer, M.W. *see* Chandrashekhar, G.V. 87–23762
Shafer, P. *see* Yilmaz, H. 87–38324
Shafer, R. *see* Neuffer, D. 88–68180
Shafer, R. *see* Pasquinelli, R.J. 88–47900
Shafer, R.E. Overview of the Fermilab Antiproton Source 85–26559
Shafer, R.E. The Fermilab antiproton debuncher betatron cooling system 85–26658
Shafer, R.E. Beam diagnostics at the Fermilab Tevatron 86–24945
Shafer, R.E. A large dynamic range amplitude comparator 87–5995
Shafer, R.E., Gerig, R.E., Baumbaugh, A.E., Wegner, C.R. The Tevatron beam position and beam loss monitoring systems 85–26666
Shafer, S. *see* Jimones, A. 88–512
Shafer, S.A. *see* Klinker, G.J. 87–62324, 88–8870, 88–66666
Shafer, T.C. Packing data for the ISDN migration, and avoiding costly baggage 85–14063
Shafer, T.C. Digital Multiplexed Interface: a host side implementation 86–37678
Shafer, T.C. ISDN networking for the office 87–40234
Shafer, T.O. Electronically steerable antenna technology and its application to airborne radars 86–69829
Shafer, V.Yu. The stationary states of an electron beam in a waveguide 87–45165
Shafer, V.Yu. Modulational instability of waves of a spatial charge of a tubular electron beam in a waveguide 88–58797
Shaferovskii, V.A., Serenko, A.N., Razmyshlyaev, A.D. Special features of shunting the arc by slag in welding with programming of the welding conditions 88–55988
Shaffer, A.A. *see* O'Connell, R.M. 85–19002
Shaffer, A.A. *see* Romberger, A.B. 85–35376
Shaffer, C.A., Samet, H. An optimal quadtree construction algorithm 87–48104
Shaffer, C.A. *see* Samet, H. 86–23125
Shaffer, C.F. *see* Jen, S. 87–60746
Shaffer, D.B. *see* Clark, T.A. 85–59428
Shaffer, D.E. Solutions for laying underground cables 85–47399
Shaffer, G. *see* Griffin, J. 88–42386
Shaffer, G.H.B., VanKeuren, E. Evolutionary design and implementation of a physical security testing facility 87–16340
Shaffer, J.E., Jr. Heat pump water heater control 86–13176
Shaffer, L. *see* Berdahl, P. 86–21124
Shaffer, M., Kuhn, J., Coakley, C.S. Clinical engineering education in the high technology hospital 85–16622
Shaffer, M.J. Clinical engineering cost-effectiveness measurements in the USA 86–18273
Shaffer, M.J. Biomedical equipment maintenance factors, units of measurement, and standards 86–50651
Shaffer, P.L. Implementation of a parallel extended Kalman filter using a bit-serial silicon compiler 88–27987
Shaffer, R.R. *see* Galasco, R.T. 87–66720
Shaffer, S. *see* Li, F. 88–68617
Shaffer, S. *see* Oinen, D. 87–29851
Shaffner, R.O. Characteristics of medium arc metal halide light sources 87–72569
Shaffner, T.J. A review of modern characterization methods for semiconductor materials: an overview of electron, ion, X-ray and optical probe characterization techniques available for process diagnostics in the semiconductor industry 87–11573
Shafi, M. Statistical analysis/simulation of a three ray model for multipath fading with applications to outage prediction 87–40726
Shafi, M. Statistical analysis/simulation of a three ray model for multipath fading with applications to outage prediction 87–48898
Shafi, M. Influence of terrain-induced reflections on the performance of high-capacity digital radio systems 88–40554
Shafi, M., Moore, D. Adaptive equalizer improvements for 16 QAM and 64 QAM digital radio 85–20041
Shafi, M., Moore, D.J. Digital implementation of a simplified carrier recovery loop 86–16120
Shafi, M., Moore, D.J. Further results on adaptive equalizer improvements for 16 QAM and 64 QAM digital radio 86–30562
Shafi, M., Taylor, D.P. Some recent advances in adaptive equalisation techniques to cancel interference in line of sight digital links 85–36919
Shafi, M., Taylor, D.P. Influence of terrain induced reflections on the performance of high capacity digital radio systems 87–33442
Shafi, M. *see* Greenstein, L.J. 87–40707
Shafi, M. *see* McKay, R.G. 88–2574, 88–66069
Shafi, M. *see* Niezgoda, G.H. 85–14122
Shafi, M. *see* Wilkinson, R.B. 88–46388
Shafi-zade, S.R. *see* Alekperov, S.A. 85–11942
Shafie-Pour, A.R., Sterling, M.J.H., Irving, M.R. Transmission network security analysis incorporating network islanding 86–70651
Shafiee, M. On the stability of two-dimensional analog filters 88–19257
Shafiee, M. Lyapunov theory for nonstationary 2D systems 88–52494
Shafiee, M., Porter, W.A. Stability analysis for discrete two-dimensional systems 87–66412
Shafigullin, R.R. *see* Gornov, M.G. 85–4202
Shafik, M., Freris, L.L., MacDonald, D.C. Self excited induction generator in low head mini hydro schemes: a laboratory modelling evaluation 87–43050
Shafiq, M., Sarwar, S.M. Simulation of local area computer networks using generic simulation models with low processing overheads 88–73669
Shafiq, M. *see* Jacobson, D. 87–69661
Shafir, E., Hardy, A., Tur, M. Mode-coupling analysis of anisotropic polarization-maintaining fibers 88–20373
Shafir, E., Hardy, A., Tur, M. Coupled modes of anisotropic polarization maintaining fibers 88–33626
Shafir, E., Hardy, A., Tur, M. Polarisation-maintaining fibre couplers with misaligned birefringent axes 88–58078
Shafir, E. *see* Tur, M. 88–14266
Shafir, H., Adin, A. 82C501—a single chip, CMOS, multifrequency Manchester encoder/decoder 87–66299
Shafirkin, V.V. *see* Brovchenko, V.G. 86–44202, 86–60298, 88–53591
Shafirov, Z.E. *see* Yaure, A.G. 86–39774
Shafizade, R.B., Aliev, F.I., Nuriev, M.A., Ivanova, I.V. Electron diffraction study of formation of vacuum deposited $CuInSe_2$ films 85–427
Shaforostov, V.Ya., Tareev, B.M. Calculating capacitor active power for nonsinusoidal voltages of complex shape 85–32583
Shafranov, M.D. *see* Bulgakov, N.K. 87–63700
Shafranov, M.D. *see* Golovatyuk, V.M. 85–52982
Shafranovskii, M.N. *see* Fedorov, V.A. 88–42190
Shafranskii, V.I., Oleshkevich, M.M., Shikov, L.Ya. Analysing the causes of the increased vulnerability of induction motors in fibreglass factories to faults 86–57065
Shagalov, A.G. *see* Karpman, V.I. 85–51405, 87–75435
Shagalov, A.G. *see* Ratnikov, E.F. 86–51196
Shagalov, M.D. *see* Lebedev, Ya.D. 87–12299, 87–17717
Shagalov, S.B. *see* Shapiro, D.A. 85–40989
Shagalova, S.L., Solov'ev, K.L. Aerodynamic investigations of the flow in channels of vortex burners ar the outlet of the guide vanes 85–48852
Shagam, R., Bullington, J., Mancha, S., Carter, R., DeHainaut, C., Gorbett, P. Recording phase deformations on a PLZT wafer for holographic and spatial light modulator applications 86–48514
Shaganov, N.N. *see* Omel'chenko, L.V. 86–30961
Shaganov, N.N. *see* Reznichenko, V.I. 86–24032
Shageev, V.S. *see* Arkhipienko, V.V. 88–49324
Shagiev, N.G. *see* Monakhov, A.S. 86–33035
Shagin, P.M. *see* Alde, D. 88–47996
Shagin, P.M. *see* Binon, F. 86–65395
Shagin, P.M. *see* Binon, F.G. 88–54405
Shagin, P.M. *see* Datsko, V.S. 87–50164
Shagin, P.M. *see* Kotov, V.I. 86–70358
Shagun, A.I. *see* Bagraev, N.T. 85–23625
Shagurin, I.I. *see* Abramov, V.G. 86–41048
Shagyan, A.G. *see* Karapetyan, M.A. 85–56941
Shah, A. *see* Banerjee, S. 88–6870, 88–25185
Shah, A. *see* Chaney, S.R. 85–16273
Shah, A. *see* Mantelman, L. 87–48578
Shah, A. *see* Rao, K.H.S. 85–20884
Shah, A.A. *see* Makinson, G.J. 86–62106
Shah, A.H., Hite, L.R., Mahant, S.S.S., Chatterjee, P.K., Davis, H.E., Hester, R.K., Malhi, S.D.S., Karnaugh, R., Gosmeyer, C.D., Sundaresan, R.S., Chen, C.E., Lam, H.W., Haken, R.A. A 2 μm stacked CMOS 64K SRAM 85–49888
Shah, A.H., Wang, C., Womack, R.H., Gallia, J.D., Shichijo, H., Davis, H.E., Elahy, M., Banerjee, S.K., Pollack, G.P., Richardson, W.F., Bordelon, D.M., Malhi, S.D.S., Pilch, C.J., Jr., Tran, B., Chatterjee, P.K. A 4-Mbit DRAM with trench-transistor cell 87–10854
Shah, A.H., Wang, C.-P., Womack, R.H., Gallia, J.D., Shichijo, H., Davis, H.E., Elahy, M., Banerjee, S.K., Pollack, G.P., Richardson, W.F., Borderlon, D.M., Malhi, S.D.S., Pilch, C., Tran, B., Chatterjee, P.K. A 4 Mb DRAM with cross-point trench transistor cell 87–17093
Shah, A.H. *see* Banerjee, S.K. 87–24190
Shah, A.H. *see* Elahy, M. 85–17407, 85–50730
Shah, A.H. *see* Hite, L.R. 86–21819
Shah, A.H. *see* Malhi, S.D.S. 85–35171
Shah, A.H. *see* Mathur, R.K. 87–71721
Shah, A.H. *see* Pollack, G.P. 85–12182
Shah, A.H. *see* Richardson, W.F. 86–46857
Shah, A.H. *see* Schichijo, H. 85–50597

Shah, A.H. *see* Shichijo, H. 85−40108, 85−50725, 86−34779
Shah, A.H. *see* Sundaresan, R. 85−54896
Shah, A.H. *see* Trainor, P.G.S. 85−43636
Shah, A.K. *see* de Cogan, D. 86−47509
Shah, A.K. *see* Mee, R.W. 87−65226
Shah, A.R., Sid-Ahmed, M.A., Jullien, G.A. A proposed hardware structure for two-dimensional recursive digital filters using the residue number system 85−34080
Shah, A.S. *see* Wilson, D.C. 86−26184
Shah, A.V., Rao, K.H.S., Kapetanovic, A. Pseudocoherent FSK demodulation 86−54406
Shah, A.V. *see* Curtins, H. 85−19173, 85−57074, 86−22733, 87−38010, 88−37493, 88−56311
Shah, A.V. *see* Meier, J. 88−55617
Shah, A.V. *see* Tscharner, R. 85−53823
Shah, D. Integrated YIG filter/oscillator halves the size, weight, and DC power 87−66553
Shah, D.A. *see* Miller, I.S. 87−41635
Shah, D.R. *see* Lesrado, L. 85−26836
Shah, D.S., Lombardi, B. A low altitude warning system for prevention of controlled flight into terrain 87−77777
Shah, G.N., Levine, L.R., Patel, D.I. Advances in wire bonding technology for high lead count, high density devices 88−25759
Shah, H.C. *see* Chang, I.-K. 87−162
Shah, H.M., Hall, D.S., Chaloner, C.P. The electron experiment on AMPTE UKS 85−53172
Shah, I.A., Bhattacharya, A.K. A fast multiplierless architecture for general purpose VLSI FIR digital filters 88−12519
Shah, J. Hot carriers in quasi-2-D polar semiconductors 87−6422
Shah, J., Hopfel, R.A. Optical high-field-transport experiments in GaAs quantum wells 87−24798
Shah, J., Hopfel, R.A. Picosecond carrier transport in GaAs quantum wells 87−45674
Shah, J., Kopp, N.L., Vaidya, J.G. Stall torque analysis of brushless DC PM motors 87−64617
Shah, J., Pinczuk, A., Gossard, A.C., Wiegmann, W. Energy-loss rates for hot electrons and holes in GaAs quantum wells 85−40495
Shah, J., Pinczuk, A., Gossard, A.C., Wiegmann, W. Hot carrier energy loss rates in GaAs quantum wells: large differences between electrons and holes 86−28001
Shah, J., Pinczuk, A., Stormer, H.L., Gossard, A.C., Wiegmann, W. Hole heating and hole-phonon interaction in modulation doped 2D hole system 86−47370
Shah, J., Tell, B., Bridges, T.J., Burkhardt, E.G., DiGiovanni, A.E., Brown-Goebeler, K. Luminescence in ion-implanted $IN_{0.53}Ga_{0.47}As$ 85−55657
Shah, J. *see* Chiu, T.H. 85−33407
Shah, J. *see* Cunningham, J.E. 87−23645
Shah, J. *see* Hopfel, R.A. 85−55803, 86−21232, 86−35380, 86−35407, 86−53431, 87−6745, 88−12971
Shah, J. *see* Jaggernauth, J. 87−34256
Shah, J. *see* Mahar, T. 88−9292
Shah, J. *see* Mumford, D. 86−10554
Shah, J. *see* Penna, A.F.S. 85−23505
Shah, J. *see* Tsang, W.T. 86−66807
Shah, J.C., Atkinson, M.W., Guevara, L.V. Overflow traffic characteristics in automatic cell distribution systems 85−19578
Shah, J.H. *see* Jain, S.K. 85−48579
Shah, J.K. SF_6 gas−SF_6 gas circuit breaker−gas insulated substation (GIS) 85−32639
Shah, J.M. *see* McIntosh, G.E. 88−49170
Shah, J.V. *see* Spriggs, H.D. 88−11054
Shah, K.D. *see* Patel, R.D. 85−15587
Shah, K.K. *see* Dyck, R.H. 85−58576, 88−67900
Shah, K.R., Detjen, E.R., Phadke, A.G. Feasibility of adaptive distribution protection system using computer overcurrent relaying concept 87−78206
Shah, K.S. *see* Lund, J.C. 88−61086
Shah, K.V. *see* Rao, P.R. 86−13226
Shah, M. *see* Ranganathan, N. 88−64637
Shah, M. *see* Weiss, J. 85−24192
Shah, M.A., Jain, R. Detecting time-varying corners 85−30364
Shah, M.A. *see* Siddiqi, S.A. 85−17208
Shah, M.J. Simple interface drives remote LED display 87−63452
Shah, M.J., Kopp, N.L., Vaidya, J.G. Stall torque analysis of brushless DC PM motors 87−51233
Shah, M.K. *see* Pillai, A.S. 87−79231
Shah, M.L. *see* Pape, D.R. 87−46295
Shah, M.S. *see* Sathe, S.D. 88−23356
Shah, N., McVittie, J., Sharif, N., Nulman, J., Gat, A. Characterization of PSG films reflowed in steam using rapid thermal processing 87−11684
Shah, N. *see* Nulman, J. 86−63195
Shah, N. *see* Ren, F. 88−63606
Shah, N.A., Bhat, A.M. Current conveyor-based dual input integrator 86−20751
Shah, N.A., Bhat, C.K. Operational amplifier-based voltage-controlled oscillator 86−14037
Shah, N.A., Naqishbandi, S.F.H., Bhat, G.K. Some novel gyrators 85−17634
Shah, N.A., Tantary, N.A. Resistance-controlled high time-constant integrators 87−59711
Shah, N.A., Tantary, N.A. Realization of active-R voltage-controlled oscillator 88−599
Shah, N.A., Tantary, N.A. Current conveyor based floating synthetic elements 88−872
Shah, N.A. *see* Sharma, R.S. 85−17635
Shah, N.H. *see* Nithianandan, C.K. 86−25823
Shah, N.J., Pei, S.-S., Tu, C.W., Tiberio, R.C. Gate-length dependence of the speed of SSI circuits using submicrometer selectively doped heterostructure transistor technology 86−53819
Shah, N.J., Pei, S.S., Tu, C.W., Hendel, R.H., Tiberio, R.C. 11 ps ring oscillators with submicrometre selectively doped heterostructure transistors 85−29322
Shah, N.J. *see* Antreasyan, A. 87−6868, 87−73406
Shah, N.J. *see* Chand, N. 87−45759
Shah, N.J. *see* Hendel, R.L. 85−55974
Shah, N.J. *see* Pei, S.S. 85−54860
Shah, N.J. *see* Resnick, D.J. 88−64470
Shah, N.J. *see* Schlier, A.R. 86−35918
Shah, N.N. *see* Flaman, M.T. 86−51367, 88−22538
Shah, P. Nonvolatile memories come to age with new technologies 86−46814
Shah, P. Application specific memories−new opportunities in ASICs 87−73452
Shah, P. *see* Coffman, T. 87−59488
Shah, P. *see* Esquivel, A. 88−38542
Shah, P. *see* Esquivel, A.L. 87−37282, 88−6874, 88−70768
Shah, P. *see* Esquivel, J. 87−44853
Shah, P.C., Mahabakla, H.N. A new compaction scheme based on compression ridges 87−65724
Shah, P.M. Two-chip modem suits high-speeds LAN systems 87−48755
Shah, P.M. *see* Aggarwal, S.K. 88−54395
Shah, P.M. *see* Ross, W.S. 88−3015
Shah, R. Analogue circuits for car applications 88−62723
Shah, R. Analogue circuits for automotive uses 88−71638
Shah, R. *see* Chen, K.-L. 86−41818
Shah, R. *see* Chen, K.L. 86−41921
Shah, R. *see* Cobb, K. 86−53995
Shah, R. *see* Fox, S. 87−46518
Shah, R.N. *see* Parikh, R.C. 85−15537
Shah, R.P. *see* Corman, J.C. 87−35805
Shah, R.R. *see* Attiyate, Y.H. 87−22981
Shah, R.R. *see* Pinizzotto, R.F. 85−50195
Shah, R.R. *see* Schichijo, H. 85−50597
Shah, S.C., Roy, R.H., Walker, R., Yip, P., Coleman, N.E. Modeling, simulation and control of armament systems 88−48419
Shah, S.I. *see* Barnett, S.A. 86−13786
Shah, S.K.B. *see* Eswar Reddy, N.C. 85−36217
Shah, S.M.A. *see* Keller, A.Z. 85−9697
Shah, S.P. *see* Labuz, J.F. 87−59029
Shah, S.S. *see* Banda, J. 86−61188
Shah, S.S. *see* Chandole, S.V. 85−40458
Shah, S.T., Steen, W.M. Laser oscillator/amplifier systems 88−2173
Shah, S.T., Steen, W.M. SF/FAF laser oscillator/amplifiers 88−40277
Shah, T.P. *see* Corden, M.J. 85−64462
Shah, V. Curvature dependence of the effective cutoff wavelength in single-mode fibers 87−32964
Shah, V. High integration and low-cost graphics with the 82716 VSDD 87−52644
Shah, V., Buckner, G.D. Potential defense applications of expert systems 88−36706
Shah, V. *see* Anderson, W.T. 87−46475
Shah, V. *see* Stern, M. 88−28831, 88−47079
Shah, V.N., Marshall, N.H. Modeling the shape of a noncircular toroidal field coil 85−1890
Shah, V.N., Marshall, N.H. Curved beam elements to model noncircular coil shapes for Tokamak reactor 86−9446
Shah, V.N., Server, W.L. Fatigue damage in major light water reactor components 88−23680
Shah, V.N. *see* MacDonald, P.E. 88−43017
Shah, V.S. Effective cut-off wavelength for single-mode fibers: the combined effect of curvature and index profile 85−29609
Shah, V.S. *see* Smith, W.L. 88−41691
Shah, V.V. *see* Panwar, O.S. 86−35345, 86−41556
Shah, Y., Chapman, R., Babaei-Mahani, R., Lindsey, N.E. Extraction of range information from stereo images 85−57493
Shah, Y., Valsler, R.A., Palmer, A.W. Optical fibre plethysmograph 86−11940
Shah, Y., Valsler, R.A., Palmer, A.W., Grattan, K.T.V. An infra-red fibre optic device for cardiac cycle timing and photoplethysmography 87−3941
Shah, Y. *see* Lindsey, N.E. 85−58409
Shahal, O. *see* Pasi, M. 86−44579
Shaham, Y.J. Two-dimensional recognition range model 88−53378
Shahan, O. Determining bandwidth ratios for Chebyshev bandpass filters 88−63773
Shahan, V. The MC68881: the IEEE floating point standard reduced to one VLSI chip 85−852
Shahan, V., Johnson, T. Arithmetic coprocessor MC 68881 86−67237
Shahan, V. *see* Boney, J. 85−17510
Shahan, V. *see* Braddock, M. 85−11338
Shahane, D.V. *see* Lizotte, D.L. 88−4988
Shahane, R.G. *see* Bedekar, A.C. 85−16163
Shahani, A.K. *see* Lewis, S.M. 87−5289
Shahani, M.G. *see* Kamboj, S. 88−16617
Shahar, A., Feuer, M.D., Koren, U., Miller, B.I. DC and microwave characteristics of modulation doped $Ga_{0.47}In_{0.53}As$/InP HFET 88−50355
Shahar, A., Zussman, A. LPE growth of PbTeSe layers on nonplanar (100) and (110) oriented PbSnTe substrates 87−10385
Shahar, A., Zussman, A. PbSnTe-PbTeSe lattice matched single heterostructure diode lasers grown by LPE on a (110) oriented PbSnTe substrates 87−39112
Shahdad, M. An interface between VHDL and EDIF 87−67454
Shahdad, M. An interface between VHDL and EDIF 88−56406
Shahdad, M., Lipsett, R., Marschner, E., Sheehan, K., Cohen, H., Waxman, R., Ackley, D. VHSIC hardware description language 85−39849
Shahdad, M. *see* Lipsett, R. 86−47661
Shaheen, S.I., Darwish, A.M. Microcomputer based image processing system 86−30063
Shaheen-Gouda, A.A. *see* Padda, K.S. 85−20434, 85−51570
Shahein, H.I. Structural representation of electrocardiograms 85−53057
Shahein, H.I. Electrocardiographic data reduction via B-spline approximations 85−59297
Shahi, S. *see* Chowdhry, B.S. 88−36186
Shahi, S.S. *see* Chowdhry, B.S. 88−68005
Shahid, M.A., Anjum, M., Sealy, B.J., Gill, S.S., Marsh, H.J. Removal of damage in ion-implanted GaInAs 85−34828
Shahid, M.A., Gwilliam, R., Sealy, B.J. Se^+ ion implantation into encapsulated GaAs 85−61833
Shahid, M.A., Sealy, B.J., Puttick, K.E. The laser energy window for ion-implanted GaAs 85−18080
Shahid, M.A. *see* Anjum, M. 85−18235
Shahid, M.A. *see* Jeong, J. 88−64286
Shahid, M.A. *see* Patel, K.K. 85−45530
Shahid, M.A. *see* Sealy, B.J. 85−45531
Shahidehpour, S.M. Reliability evaluation of a three-area power system 87−4236
Shahidehpour, S.M., Qiu, J. Effect of random perturbations on the dynamic behavior of power systems 87−29992
Shahidehpour, S.M. *see* Abbasy, N.H. 87−50614
Shahidehpour, S.M. *see* Banda, J. 86−61188, 87−50866
Shahidehpour, S.M. *see* Deeb, N.I. 88−75039
Shahidehpour, S.M. *see* Endrenyi, J. 88−54909
Shahidehpour, S.M. *see* Qui, J. 87−57636
Shahidi, A.K. Intelligent instructional system for biomedical technologies 88−42472
Shahidi, A.Vahid *see* Vahid Shahidi, A.
Shahidi, G.G., Antoniadis, D.A., Smith, H.I. Electron velocity overshoot at 300 K and 77 K in silicon MOSFETs with submicron channel lengths 87−46026
Shahidi, G.G., Antoniadis, D.A., Smith, H.I. Electron velocity overshoot at room and liquid nitrogen temperatures in silicon inversion layers 88−33205
Shahidi, G.G., Antoniadis, D.A., Smith, H.I. Electron velocity overshoot in sub-100-nm channel length metal-oxide-semiconductor field-effect transistors at 77 and 300 K 88−39458
Shahidi, G.G., Ippen, E.P., Melngailis, J. Submicron-gap high-mobility silicon picosecond photodetectors 85−42991
Shahidi, G.G., Ippen, E.P., Melngailis, J. Submicron-gap photoconductive switching in silicon 87−26180
Shahidi, M., Jara, H., Pummer, H., Egger, H., Rhodes, C.K. Optically excited XeF* excimer laser in liquid argon 86−3102
Shahidi-Hamedani, F.M. Duplex, symmetry/asymmetry wavelength division multiplexer/demultiplexer combined in a small module 85−14035
Shahidi-Hamedani, F.M. Optical fiber attenuators 85−14323
Shahidul Hassan, M.M., Khondker, A.N., Domingos, H. Conduction mechanisms in BJTs during electrical overstress 88−50822
Shahinpoor, M. *see* Baker, M.C. 88−58819
Shahmirian, V., Kesler, S. Bias and resolution of the vector space methods in the presence of coherent planewaves 87−62122
Shahmirian, V., Kesler, S.B. Sensitivity of the high-resolution eigenanalysis methods to estimated number of sources 87−19835
Shahmirian, V., Kesler, S.B. Application of the singular value decomposition to resolving coherent multipath planewaves 88−3071
Shahmirian, V. *see* Kesler, S.B. 88−72919
Shahnarian, A. *see* Dino, W.C. 87−4023
Shahnasser, H., Morgan, T.W., Cendes, Z. An educational software package for teaching electromagnetics 88−18377
Shahnavaz, H. *see* Ostberg, O. 87−49508
Shahnawaz, I.H. *see* Agre, J.R. 88−35195
Shahnazary, A. *see* Engelken, R.D. 86−62241

Shahraray, B., Anderson, D.J. Uniform resampling of digitized contours 86−23120
Shahriar, M.S. *see* Hemmer, P.R. 88−22408
Shahriari, M.R., Sigel, G.H., Quan Zhou Porous glass fibers for high sensitivity chemical and biomedical sensors 88−42149
Shahriari, M.R., Sigel, G.H., Jr., Zhou, Q. Porous fiber optic for a high sensitivity humidity sensor 88−67864
Shahriari, M.R., Zhou, Q., Sigel, G.H., Jr. Porous optical fibers for high-sensitivity ammonia-vapor sensors 88−53708
Shahriary, I., Des Brisay, G., Avery, S., Gibson, P. GaAs monolithic digital phase/frequency discriminator 86−34629
Shahrodi, E.B., Dewan, S.B. Steady state characteristics of the six-pulse bridge rectifier with input filter 85−32614
Shahrodi, E.B., Dewan, S.B. Simulation of the six-pulse bridge converter with input filter 86−12930
Shahrodi, E.B., Dewan, S.B. Steady-state characteristics of the six-pulse bridge rectifier with input filter 86−27064
Shahrodi, E.B., Dewan, S.B. Open-loop instability of the bridge rectifier with input filter 86−33489
Shahrodi, E.B., Dewan, S.B. Open-loop instability of the bridge rectifier with input filter 86−45580
Shahrodi, E.B., Dewan, S.B. A compact microprocessor-based controller for line-commutated cycloconverters 87−43250
Shahrodi, E.B., Morched, A. Dynamic behaviour of AGC systems including the effects of nonlinearities [power plant control] 86−33072
Shahrodi, E.B. *see* Dewan, S.B. 86−7947, 86−33500, 87−37004
Shahrokhi, F. An efficient flow routing algorithm to solve the maximum concurrent flow problem with applications to the packed switched telecommunication networks and cluster analysis 86−49174
Shahruz, S.M. *see* Desoer, C.A. 86−66989, 87−23881
Shahrzad, T. *see* Aihara, M. 88−55008
Shahrzad, T. *see* Shiono, T. 85−38511
Shahzadi, B. Synthesis of non-series-parallel *LC* one-port networks 86−62388
Shaidakova, L.P. *see* Medved', O.E. 88−32481
Shaidurov, G.Ya., Romanova, G.N. Synchronous noise in marine electrical prospecting with pulsed probing signal 87−21756
Shaidyuk, L.P. *see* Vdovin, Yu.A. 86−36676
Shaidyuk, L.P. *see* Zakharov, V.A. 86−2581
Shaifshtein, V.A. *see* Koshcheev, L.A. 87−15167
Shaik, K., Lesh, J.R., Hemmati, H. A compact implementation of a real time acousto-optic synthetic aperture radar processor 88−53371
Shaik, K.S. *see* Yu, F.T.S. 85−19494
Shaik, Y. Testing a CRC checker 86−22910
Shaikevich, I.A. *see* Drozd, P.I. 85−42898
Shaikh, A.G., Schroter, W., Bergholz, W. Mechanism of phosphorus diffusion gettering of cobalt in silicon studied by Mossbauer spectroscopy 86−8734
Shaikh, A.S. *see* Xu, J.J. 88−70333
Shaikh, Z.H., Yamashita, H., Nakamae, E. A novel finite element method of computing directly magnetic flux density and its error evaluation 86−68669
Shaikh, Z.H., Yamashita, H., Nakamae, E. A three dimensional magnetic field analysis by a novel finite element method using magnetic flux density directly as an unknown variable 88−45613
Shaikh, Z.H. *see* Yamashita, H. 85−46523
Shaikhli, A.K.M.Al *see* Al Shaikhli, A.K.M.
Shaikin, V.M. An arrangement for measuring pressure and displacement in high-voltage breakers 87−58233
Shail, R. A note on the capacity of a bitoroidal capacitor 86−58084
Shaimardanov, A.M. *see* Luchko, S.V. 88−59005
Shaimardanov, F.A. *see* Nikonov, A.I. 88−53645
Shaimeev, S.S. Automatic capacitance spectrometer for measurement of the parameters of deep-lying centers in semiconductors 86−44386
Shaimerdangulyev, G. *see* Akhmedyarov, K.A. 87−51088
Shain, A.D. *see* Korablev, V.P. 85−22198
Shain, I.L. *see* Tagiev, F.K. 88−67618
Shain, M. Microcomputer publishing 85−13857
Shain, M. A plug to outmode modems [Plessey Dataplug] 86−23584
Shain, R.E., Barnes, F.S. Interdisciplinary MS program in telecommunications at the University of Colorado 88−66824
Shainin, D., Shainin, P. Better than Taguchi orthogonal tables 88−49483
Shainin, P. *see* Shainin, D. 88−49483
Shainis, M.J. Managing contracted engineering services, resources, contractors 88−31394
Shainurov, F.F. *see* Sharipov, A.M. 87−78599
Shainyak, I.R. *see* Kitaev, V.B. 88−27885
Shaio, I.L., Cherooguz, N.G. Minimising loss function when rejecting anomalous errors under conditions of apriori indeterminacy 85−47779
Shaiovich, S.L. *see* Vasin, L.N. 88−20376
Shaiymkulov, M.O. *see* Andreev, A.V. 86−48378
Shak, P.J. *see* Czarnocki, W.S. 85−37608
Shaka, A.J., Freeman, R. A composite 180° pulse for spatial localization 85−64559
Shakaff, A.Y.M. *see* Boussakta, S. 88−41022
Shakaff, A.Y.Md., Pajayakrit, A., Holt, A.G.J. Practical implementations of block-mode image filters using the Fermat number transform on a microprocessor-based system 88−63798
Shakaff, A.Y.Md. *see* Marir, F. 86−3970
Shakalin, A.S., Elufer'ev, S.A. A TV technique for controlling the quality of mica in capacitors 88−38780
Shakalo, V.V. Setting-up and operational tests of turbo drive control systems of feed pumps and 800 MW air-blast units [power plants] 86−25860
Shakalo, V.V. Adjustment and operation of the regulating system for turbine type K-800-240-3 produced by the Leningrad Metal Factory [steam turbines] 86−39569
Shakalo, V.V., Popkov, N.F. Oscillography of transient processes in dynamic testing of the control system of heavy-duty steam turbines 86−19095
Shakalo, V.V. *see* Panasenko, V.Ya. 86−25672
Shakalov, V.V., Popkov, N.F. Dynamics testing of the regulator system to A K-300-240-2 KhTZ turbine 85−15880
Shakarian, J., Chitechian, V., Safarian, A. Double-fed machines in autonomous power systems 87−42910
Shakaryan, G.G., Vermishyan, G.A. Magnetooptical television apparatus for studying domain structure of magnetic materials 86−18084
Shakaryan, Yu.G., Chitechyan, V.I., Arutyunyan, M.V. Self-contained asynchronous generator with harmonic excitation EMFs 86−19258
Shakaryan, Yu.G., Murzakov, A.G., Fezi-Zhilinskaya, M.S., Nesterovich, L.K. Application of induction devices for the starting and self-starting of asynchronised synchronous devices for forced-draught mechanisms 88−11504
Shakaryan, Yu.G., Zagorskii, A.E., Korolev, V.A. Calculation of transient in doubly-fed motors 85−65199
Shakaryan, Yu.G. *see* Blotskii, N.I. 87−22207
Shakaryan, Yu.G. *see* Blotskii, N.N. 86−26041
Shakaryan, Yu.G. *see* Doroguntsev, V.G. 87−71543
Shakaryan, Yu.G. *see* Kabanov, P.S. 85−59714, 85−60149, 86−33264
Shakaryan, Yu.G. *see* Kasparov, E.A. 87−4680
Shakaryan, Yu.G. *see* Labunets, I.A. 86−33373, 86−61458, 86−66066, 87−51150
Shakaryan, Yu.G. *see* Sarkisyan, V.V. 87−4778, 88−10694
Shakaryan, Yu.G. *see* Zelenokhat, N.I. 86−12898
Shaked, U., Soroka, E. Explicit solution to the unstable stationary filtering problem 86−43233
Shaked, U., Soroka, E. A simple solution to the singular linear minimum-variance estimation problem 87−33691
Shaked, U. *see* Amit, G. 88−59140
Shaked, U. *see* Priel, B. 85−30258
Shakenas, A.Yu. *see* Bogdanov, V.A. 87−3504
Shaker, M., Lorenzo, S., Ruiz, J.M., Martin, A. Microprocessor control for induction motor using BOXES theory 88−31080
Shaker, M., Lorenzo, S., Ruiz, J.M., Martin, A. Digital PWM control for induction motor drives using BOXES theory 88−43424
Shaker, M. *see* Lorenzo, S. 88−30915, 88−37304, 88−43318, 88−43323
Shaker, M. *see* Orenzo, S. 88−48986
Shaker, S., Finkelstein, R. A brief history of combat robotics 88−36712
Shaker, S.M. *see* Lovece, J.A. 88−61747
Shakerin, S. *see* Moaveni, S. 88−18382
Shakesheff, D. Running standalone software on a PC-XT LAN at the customs office 85−57762
Shakhanova, V.V. *see* Belyanko, A.E. 85−7274
Shakhat, A.A. *see* Grishin, V.S. 87−66844
Shakhawat, S.S. *see* Acharya, G.N. 86−51753
Shakhawat, S.S. *see* Wadhawan, O.P. 85−50699
Shakhbasov, A.A. The flow of lost orders in systems with finite queue 88−31601
Shakhbazova, R.V. *see* Abiev, A.K. 87−1234, 87−22728
Shakher, C., Ramamurthy, V. Thick transmission phase holograms for photovoltaic concentrator applications 87−75268
Shakher, C., Venkata Rao, G. Speckle metrology using holographic lenses 85−41519
Shakhgildjan, W. Digital devices of synchronization 88−52746
Shakhgil'dyan, V.V., Luchkov, V.G. Spectral characteristics of digital frequency synthesizers 86−34596
Shakhgil'dyan, V.V., Pestryakov, A.V., Kabanov, A.I. General principles for designing fast frequency synthesizers based on phase sync systems 85−33701
Shakhgil'dyan, V.V. *see* Goncharov, I.A. 87−44616
Shakhidzhanov, S.S. *see* Dudkin, V.F. 87−1327
Shakhin, A.V. On the asymptotics of covariances of semi-Markov point processes 85−54243
Shakhkamayan, A.S. *see* Davtyan, G.V. 87−63216
Shakhkamyan, A.S. Calculating the temperature error of an unbalanced bridge system 87−3650
Shakhkamyan, A.S. Code-controlled discrete scale indicator 87−49520
Shakhmaev, M.M., Raskin, V.K. A broadband frequency doubler 85−40212
Shakhmaev, M.M. *see* Peisakhov, L.A. 87−45253
Shakhmuratov, R.N. Relaxation frequency shift influence on the generation parameters of three-level and four-level lasers 85−62471
Shakhnabatova, L.B. *see* Bakhvalov, Yu.A. 88−17690
Shakhnabatova, L.B. *see* Tolpaev, V.A. 86−36640
Shakhnatov, M.A. *see* Vakser, B.D. 86−61453
Shakhnazaryan, D.G. *see* Vashkovskiy, A.V. 88−71878
Shakhnov, V.A. *see* Vinogradov, B.N. 87−20174
Shakhov, A.A. *see* Rekalova, G.I. 86−27975
Shakhov, M.N. *see* Artem'yev, V.A. 85−42662
Shakhova, I.B. *see* Smaev, V.P. 87−26569
Shakhovskoy, A.G. *see* Bondarenko, B.V. 88−44507, 88−44509
Shakhovstsova, S.I., Semenyuk, Yu.A., Belokurova, I.N. Piezoresistance of Ge-Si solid solutions 87−32277
Shakhovtsov, V.I. *see* Bugai, A.A. 87−11336, 87−37867
Shakhovtsov, V.I. *see* Kraitchinskii, A.N. 86−27850
Shakhovtsov, V.I. *see* Vidalko, E.N. 87−11338
Shakhovtsov, V.I. *see* Vikulin, I.M. 86−31418
Shakhparonov, V.M. *see* Belov, A.A. 86−11543
Shakhparunyants, G.R. *see* Novoselov, Yu.E. 85−44286, 86−66477
Shakhrai, A.Ya. *see* Sergienko, V.D. 87−13754
Shakhsuv-arov, K.V. *see* Roddatis, K.F. 87−15410
Shakhtarin, B.I., Kurochka, B.Ya. Investigation of the dynamic characteristics of a second-order discrete automatic phase-lock system 85−39967
Shakhtarin, B.I., Kurochka, B.Ya., Dolgikh, M.S. Pull-in range of a second-order pulsed phase-lock AFC system 86−34626
Shakhtarin, B.I., Kurochka, B.Ya., Morozova, V.D. Critical parameters of pulsed phase-lock AFC systems 87−44698
Shakhtarin, B.I., Kurochka, Ya.B., Morozova, V.D. The pull-in range of a digital phase-lock loop with a sawtooth characteristic 87−65947
Shakhtarin, V.N. *see* Antonov, Yu.F. 88−43129
Shakhtarin, V.N. *see* Glebov, I.A. 86−33296, 87−58002
Shakhtshneider, V.G. *see* Plekhanov, V.S. 86−58015
Shakhunov, V.A. *see* Koledov, V.V. 88−30185
Shakhurin, A.P. Quasioptimum algorithms for the nonlinear filtering and interpolation of Markov processes 87−19712
Shakhverdiev, V.D. *see* Iofin, L.E. 87−58101
Shakhverdov, P.A. *see* Ivanyuk, A.M. 86−29116, 86−68504, 88−34129
Shakin, V.N. *see* Monin, A.A. 87−62396
Shakir, S. *see* Druhl, K.J. 86−63867
Shakir, S. *see* Hardy, A. 86−48133
Shakir, S.A., Chow, W.W. Semiclassical theory of coupled lasers 85−62633
Shakir, S.A. *see* Becker, W. 87−2235
Shakir, S.A. *see* Hendow, S.T. 86−58960
Shakir, Yu.A. *see* Apollonov, V.V. 85−62503, 88−53592
Shakirov, A.Sh., Grigor'ev, Yu.I., Katsnel'son, V.B., Chentsov, L.B., Kogan, L.I., Pichugin, E.D., Skosar, I.N., Ostrovskii, G.B. Turbo-driven feedpumps for 800 MW power-generating units 87−57920
Shakirov, B.G. *see* Akmanov, A.G. 88−14272
Shakirov, K.Sh, Usmanov, Kh.R., Gumarov, R.Kh Gas fired plant for tempering coke in rotary ovens in the electrode industry 87−22903
Shakirov, K.Sh., Usmanov, Kh.R., Gumarov, R.Kh., Askarov, M.A. Generation of protective gas medium in rotating furnaces for calcining carboniferous materials 85−65622
Shakirov, M.A. Remarks on a generalized superposition method for nonlinear circuits 86−46517
Shakirov, M.A. Electrical equivalent circuits for finite elements 88−45614
Shakirov, M.A., Bulavochkin, V.P. Analysis by parts of nullator-norator y-circuits by replacing the y-subcircuits, by z-radial equivalent multidimensional EMF generators 85−6424
Shakirov, M.A., Bulavochkin, V.P. A method of diakoptics for circuits using a Gaussian algorithm 86−61116
Shakirov, M.A., Bulavochkin, V.P. Forming the schemes of equivalent multidimensional generators in circuit diakoptics on the basis of Gaussian and Krautian procedures 87−5561
Shakirov, M.A., Bulavochkin, V.P., Ladanyuk, L.Ya. Physical meaning and a measurement of the elements of a LU-expansion of the matrices of nodal equations of electrical circuits 87−23812
Shakirov, M.A., Ladanyuk, L.Ya. Conversion of an electrical z-circuit into a signal graph 85−511

Shakirov, M.A., Ladanyuk, L.Ya. The transfiguration of an electrical y-scheme into a signal U graph 85–54583
Shakirov, R.G. *see* Belen'kii, A.M. 87–26299
Shakkottai, P. *see* Lawson, D.D. 88–29358
Shakkour, N. *see* Speiser, S. 86–9772
Shaklan, S.B., Roddier, F. Single-mode fiber optics in a long-baseline interferometer 87–60884
Shaklee, K. *see* Corke, M. 87–12190 to 12191
Shakmuratov, R.N. Role of quasienergy levels in the processes of amplification of light by stimulated emission of radiation 86–63742
Shakotko, W. Interconnecting Cairo with pipe-type cabling 87–4405
Shakouchi, T., Kato, S. Characteristics of a new fluidic flowmeter without control ports and feedback loops 87–77468
Shakov, S.A. Determining forces and moments in electromagnetic suspensions of high-precision devices from energy equation 86–68662
Shakov, S.A., Levchenkov, A.V. Combined electromagnetic resonance suspension for precision devices 86–22612
Shaks, A.I. *see* Osanov, D.P. 86–60850
Shakshin, N.I., Deordiev, G.I. Methods of removing the influence of damping factors for resonant electromagnetic-acoustic inspection 88–6547
Shakula, N.M. *see* Voloshchenko, N.I. 86–26466
Shakunaga, T., Kaneko, H. Perspective angle transform and its application to 3-D configuration recovery 87–2642
Shakunaga, T., Kaneko, H. Perspective angle transform—shape from angle 88–21329
Shakunaga, T., Kaneko, H., Yodogawa, E. Analysis of personal information in handwritten characters, and automatic writer recognition using a spectral resolution technique 85–36334
Shakurskii, V.K. Analysis of influence of amplitude-phase conversion on stability of characteristics of self-maintained frequency parametric convertors 85–55084
Shakushiro, K. *see* Shimura, M. 87–4880
Shalaan, N.M. *see* Yahia, A.H. 87–60408
Shalabaev, V.Kh. *see* Razumov, G.N. 85–15884
Shalabutov, Yu.K. *see* Korolev, V.L. 86–2984
Shalabutov, Yu.K. *see* Sidorov, V.G. 85–34923
Shalaby, A. Role of alternative generation sources in Ontario 87–57724
Shalaby, A.T.K., Kumar, A. Dispersion in unilateral finlines on anisotropic substrates 87–47254
Shalaby, H. Assessing corrosion problems in photovoltaic cells via electrochemical stress testing 85–39210
Shalaby, M. Phase-angle control of the repulsion/drive force ratio in two-phase linear induction motor with nonferromagnetic secondary 85–32487
Shalaby, M., May, H. Limits of normal forces in linear induction motors 88–43221
Shalaby, M.A., El-Salam, I.A., Boutros, Y.Z. An iterative computational method for computing the pseudo-inverse of a matrix 86–26766
Shalaby, M.A., El-Salam, I.A., Boutros, Y.Z. A computational procedure for computing numerical rank of a matrix 86–26795
Shalaev, E.A. *see* Konovalov, V.A. 85–19036
Shalaev, E.A. *see* Zverev, G.M. 88–2201
Shalaev, V.A. *see* Plaksii, V.T. 88–23141, 88–71375
Shalaev, V.K. *see* Vernigor, E.M. 86–68594
Shalaev, V.S. *see* Kirsanov, Yu.A. 88–70973
Shalaevskii, N.O. *see* Petrov, M.P. 87–38862
Shalaginov, V.N. *see* Afonin, Yu.D. 86–17775
Shalaginov, Yu.V. *see* Belomestnykh, V.A. 85–31221, 87–69091
Shalaginov, Yu.V. *see* Kasperovich, A.N. 85–28579
Shalamberidze, E.D. *see* Dzhaparidze, T.D. 87–29012
Shalamberidze, G.K. *see* Kalandadze, A.M. 87–64648
Shalamovskaya, N.I. *see* Kulikov, V.P. 87–65588
Shalamyanskii, A.M. *see* Butkevich, V.I. 86–44795
Shalan, N.M. *see* Yahia, A.H. 87–37046
Shalankevich, A.M. *see* Chistyakov, V.A. 87–3784
Shalankevich, A.M. *see* Ugol'nikov, V.I. 86–14823
Shalash, S.A.H., Al-Zubaidy, M.A., Rahim, J.A., Adhem, S.I., Abdul-Karim, M.A.H. CMOS J-K triflop 85–44975
Shalash, S.A.H., Rahim, J.A., Al-Zubaidy, M.A., Abdul-Karim, M.A.H., Adhem, S.I. Six-trit multiplying analogue-to-ternary converter 86–1152
Shalatonin, V.I. *see* Knyazeva, L.P. 88–25502
Shalatonin, V.I. *see* Vasil'ev, N.A. 87–16922
Shalavina, I.V. *see* Khokhlov, V.V. 87–57921
Shal'da, L.M. *see* Matyash, V.I. 85–27856
Shaldin, Yu.V. *see* Demidov, S.S. 85–2272
Shalek, P.D. *see* Frost, H.M. 88–26560
Shalem, S. DIP—A diagnostics processor 86–49945
Shalem, S. Functional testing of the NS32332 microprocessor 87–24257
Shalem, S., Carmon, I. Testing the design of the NS32532 microprocessor 88–19209
Shalev, E. *see* Manassen, Y. 88–35884
Shalev, S., Arenson, J., Kettner, B. Pseudo-3D imaging with the DICOM-8 87–29734
Shalev, S., Boxman, R.L., Goldsmith, S. Velocities and emission rates of cathode-produced molybdenum macroparticles in a vacuum arc 86–8671
Shalev, S., Hahn, P., Bartel, L., Therrien, P., Carey, M. Parametric imaging for the optimization of radiotherapy treatment plans 87–57222
Shalev, S. *see* Arenson, J.S. 85–43386
Shalevskii, N.O. *see* Petrov, M.P. 86–63692
Shalfeev, I.M. *see* Gertsen, G.P. 87–50183
Shalfeyev, V.D. *see* Tatarnikova, G.V. 87–69178, 88–6707
Shalima, V.N. *see* Glushtsov, A.I. 87–73978
Shalimanov, V.F. *see* Zheltov, K.A. 88–25056
Shalimov, E.Ya. *see* Vinogradov, G.V. 86–19665
Shalimov, V.V., Potekhin, K.F. The 'Sibelektrotyazhmash' plant and scientific research institute 87–78592
Shalimova, I.E. *see* Medbed', O.E. 85–17997
Shalimova, I.E. *see* Medved', O.E. 88–32481
Shalimova, L.V. *see* Makarov, S.F. 87–30153
Shalin, A.I., Sarapulov, G.A. Permanent controller of the working order of semiconductor protection relays 85–38557
Shalin, A.I., Sarapulov, G.A. Diagnostic equipment for semiconductor relay protection 88–30409
Shalin, A.I., Sarapulov, G.A. On choosing the principles of implementation of built-in diagnostic facilities for relay protection 88–69047
Shalin, V.A. *see* Golub, V.V. 88–5022
Shalit, H. Video recording paper—innovation in video recording [diagnostic radiography application] 85–38062
Shalit, H. Video recording paper—innovation in medical video recording 86–32273
Shalkhauser, K.A. Bit-error-rate testing of high-power 30 GHz traveling-wave tubes for ground-terminal applications 88–19620
Shalkwijk, J.P.M. Shannon strategies applied to the defect channel 87–54806
Shallcross, F.V. *see* Kosonocky, W.F. 86–5057
Shallcross, F.V. *see* Savoye, E.D. 85–58570
Shallenberger, L. Infrared laser beams offer a no-licence way to achieve the short-haul transmission of data 87–34535
Shaller, R.R. *see* Henry, H.G. 88–25536
Shaller, S. *see* Chen, K.L. 86–41921
Shallit, J., Shamir, A. Number-theoretic functions which are equivalent to number of divisors 85–39633
Shallit, J. *see* Bach, E. 86–19999
Shallom, I., Cohen, A. On time warping algorithms for speech recognition 86–29810
Shally, R., Hemingway, R.J., McPherson, A.C. Track fitting in the OPAL vertex detector with stereo wires 87–77554
Shalmon, M., Kaplan, M.A. A tandem network of queues with deterministic service and intermediate arrivals 85–13667
Shalmon, M.S. Exact delay analysis of packet-switching concentrating networks 88–21373
Shal'nov, A.V. *see* Baev, V.K. 85–31675
Shal'nov, A.V. *see* Pershenkov, V.S. 86–35851
Shalom, A.L., Lin, I.J. A study of the mechanisms of particle buildup on single rods in dielectrophoretic separation 85–30012
Shalom, E. *see* Grunwald, J.J. 87–11898, 88–13278
Shalomeeva, N.V. *see* Zaslavskii, V.Ya. 87–75203
Shaltens, R.K. *see* Wilreker, V.F. 86–33231
Shaltout, A.A. Improving the stability of power systems incorporating long transmission lines 85–9450
Shaltout, A.A. New method for calculating transient current of transformers 87–36003
Shaltout, A.A. Power system stabilizer design using the concept of damping and synchronizing torques 87–42395
Shaltout, A.A. Effect of saturation on voltage regulated synchronous machines 88–43179
Shaltout, A.A., Abdel-Aziz, M.M. Improving the transmitting capability of high capacitive cables feeding large synchronous motors 88–5672
Shaltout, A.A., El-Serafi, A.M. Modal and all-modes models of turbo-generators 87–42873
Shaltout, M.A.M. Solar energy characteristics and some photovoltaic testing results in Jeddah 87–15979
Shalvi, S.S. The effect of an intentionally interfering signal on the performance of an adaptively matched filter 85–30154
Shalvoy, C.E. Stress screening for improved reliability 88–38916
Shalyaev, M.F. *see* Butylkin, V.S. 85–19034, 86–9949
Shalyakin, A.A. *see* Bazarov, A.E. 86–22261
Shalyakin, A.I. One possibility for increasing the gain of a corner antenna 86–42925
Shalyakin, A.I., Nikol'skaya, T.I. A rectangular waveguide transmission line with a conducting plate 87–45163
Shalyakin, A.I. *see* Davydov, A.G. 87–54707
Shalyapin, A.L. *see* Lukichev, A.A. 86–70344
Shalyapin, V.N. *see* Dolbilov, G.V. 86–38675
Shalygina, N.A. *see* Gershinskii, A.E. 85–23547
Shalynin, A.I. *see* Kveder, V.V. 85–23404, 85–28936
Shalynin, V.D., Petrenko, I.D. Subsystem for measurement of electrical quantities with microprocessor for error correcting 85–14614
Shalynkova, Ye.I. *see* Afromeyev, V.I. 88–63870
Shalyt, G.M. *see* Braude, L.I. 85–4653
Shalyt, G.M. *see* Kovalenko, V.P. 86–32752
Shalyt, G.M. *see* Motrich, A.V. 86–39178
Shalyto, A.A. *see* Artyukhov, V.L. 86–34664
Shalyto, A.A. *see* Rubinov, V.I. 87–37143
Shalz, L. *see* Goldenberg, D.A. 86–31921
Sham, L.J. Theory of p-type inversion layers in magnetic fields 87–66970
Sham, L.J. *see* Lin-Liu, Y.R. 86–8863
Sham, T.K., Holroyd, R.A., Munoz, R.C. Luminescence measurements of X-ray absorption spectra: an application of liquid scintillation counting in synchrotron radiation spectroscopy 86–70376
Sham, T.K. *see* Bing Xin Yang 85–59173
Sham, T.K. *see* Yang, B.X. 86–60558
Shama, Y. *see* Hardy, A. 88–26834
Shamaev, Yu.M. *see* Krokhin, V.V. 88–58787, 88–72473
Shamagdiev, A.Sh. *see* Aronov, D.A. 86–60590
Shamagdiev, A.Sh. *see* Gaibov, A.G. 85–48182
Shamagdiev, A.Sh. *see* Muminov, R.A. 85–52962
Shamagdiev, A.Sh. *see* Zaveryukhin, B.N. 86–70314
Shamah, D., Hagins, M.R. Synthesizer switching speed measurements 87–29232
Shamai, S. On permutation invariant symmetric multiple access channels with application to multiple access spread-spectrum 88–21365
Shamai, S. *see* Zeevi, Y.Y. 88–14781
Shamai, Y. *see* Eisen, Y. 86–70440
Shamai, Y. *see* Vartsky, D. 86–18252, 88–29803
Shamanna, K. *see* Ramana, D.V. 85–26861
Shamanna, K.N. *see* Shastry, S.V.K. 86–15896
Shamarin, A.F. *see* Chernyshev, V.A. 87–59323
Shamarin, A.F. *see* Ryavtsev, V.G. 87–14100
Shamaro, L.A. *see* Lyapin, A.G. 88–30341
Shamaro, L.A. *see* Strebkov, D.S. 87–51087
Shamarov, A.M. *see* Korneev, V.N. 86–18288
Shamash, M. *see* Gertner, I. 88–13473, 88–73026
Shamash, Y. *see* Barrett, A.J. 87–23055
Shamash, Y. *see* Craine, L.B. 88–43624
Shamash, Y. *see* Mosher, C.C. 88–43631
Shamay, M. *see* Maniv, S. 88–29388
Shamba, A.Sh. *see* Vorsin, N.N. 88–74370
Shamblin, B. *see* Gilbert, B. 87–31945
Shambrook, B. Burn-in yields increase when power conditioning applied to ovens 85–50347
Shambrook, W.J. The damaging impact of AC power contamination on process control 88–24534
Shambroom, W.D. *see* Ash, W.W. 88–10244
Shameeva, T.Yu. Optimization in the problem of propagation of a light beam in an inhomogeneous medium 85–57045
Shameeva, T.Yu. *see* Sukhorukov, A.P. 85–56795
Shameson, L. *see* Likens, W.C. 85–57809
Shamfarov, Ya.L. A traveling-wave 5-cm maser for an astronomical sum/difference radiometer 88–26998
Shamfarov, Ya.L., Stetsenko, A.I. Experimental investigations of a maser rod slow-wave structure asymmetrically arranged in a screen 86–9708
Shamfarov, Ya.L. *see* Stetsenko, A.I. 85–41300
Shami, A.M. *see* Nagrial, H.M. 87–42755
Shami, T.A. *see* Bickford, J.P. 85–9551
Shamichev, A.N. *see* Ageyev, A.I. 85–50890, 88–45015
Shamil'ko, A.V. *see* Korovin, S.B. 88–20361
Shamim, A., Syed, A.A., Bhatti, A.S., Suleman, M., Zafar, M.S. Analysis of amorphous $(Fe_{0.7}Ni_{0.3})_3B$ alloy using resistivity measurements 88–49785
Shamim, A.A. Local area computer networks 87–40369
Shamin, V.G. *see* Ananyants, S.S. 85–21550
Shamir, A. A polynomial-time algorithm for breaking the basic Merkle-Hellman cryptosystem 85–19328
Shamir, A. *see* Fiat, A. 85–33985, 86–27259, 88–40825
Shamir, A. *see* Frieze, A.M. 88–45914
Shamir, A. *see* Rivest, R.L. 85–2947
Shamir, A. *see* Shallit, J. 85–39633
Shamir, E. *see* Broder, A. 88–11879
Shamir, J. Three-dimensional optical interconnection gate array 87–74876
Shamir, J., Caulfield, H.J. High-efficiency rapidly programmable optical interconnections 87–62143
Shamir, J., Caulfield, H.J., Hendrickson, B.M. Wavefront conjugation and amplification for optical communication through distorting media 88–65826
Shamir, J., Caulfield, H.J., Hendrickson, B.M. Real-time optical processing of antenna array signals 88–66647
Shamir, J., Caulfield, H.J., Micelli, W., Seymour, R.J. Optical computing and the Fredkin gates 86–54202

Shamir, J., Caulfield, H.J., Ross, M., Hendrickson, B.M. Diversity methods for fading control 88−53246
Shamir, J., Shamir, N., Karasikov, N. Determination of core centering in optical fibers 88−51470
Shamir, J. *see* Caulfield, H.J. 87−13120, 87−68302
Shamir, J. *see* Kinser, J.M. 88−65130
Shamir, J. *see* Rosen, J. 88−66608
Shamir, N. *see* Croitoru, N. 87−18720, 88−1926, 88−20322
Shamir, N. *see* Shamir, J. 88−51470
Shamis, M.A. The effect that inadequacy of initial data has on calculations of the reliability of relay protection 85−21251
Shamis, M.A. A built-in method of checking relay protection based on ICs 86−65755
Shamis, M.A. *see* Birg, A.N. 86−45011
Shamis, M.A. *see* Nudel'man, G.S. 87−9188
Shamis, V.A. *see* Sagdeev, R.Z. 87−49573
Shamlian, S. *see* Hitchman, M.L. 88−43920
Shamloul, D. *see* Abdel-Salam, M. 85−27081
Shamma, N. *see* Kapoor, A. 87−60629
Shamma, S.A. Neural networks for speech processing and recognition 88−59113
Shamma, S.E. Mathematical modeling of speed mixing in magnetohydrodynamic power generators 88−49160
Shammas, N.Y. *see* Jones, G.R. 87−22654
Shammas, N.Y. *see* Lewis, E. 86−26220
Shamonin, V.V. *see* Bol'shov, V.M. 86−50584
Shamov, A.G. *see* Blinov, A.E. 85−26540, 86−18202
Shamov, A.N., Dubnitskii, A.V. Resources for conservation of electrical energy in heating of forging blanks in induction heaters 87−43675
Shampine, L.F. Asymptotic bounds on the errors of one-step methods 85−22436
Shampine, L.F. Efficient extrapolation methods for ODEs. II 85−28190
Shampine, L.F. Local error estimation by doubling 85−39683
Shampine, L.F. Stability of explicit Runge-Kutta methods 85−39685
Shampine, L.F. Better extrapolation codes 86−26777
Shampine, L.F. Some practical Runge-Kutta formulas 86−34252
Shampine, L.F. Global error estimation with one-step methods 86−62164
Shampine, L.F. Solution of structured non-stiff ODEs 86−62168
Shampine, L.F. Conservation laws and the numerical solution of ODEs 87−31459
Shampine, L.F. Starting variable-order Adams and BDF codes 87−72977
Shampine, L.F. Solving Volterra integral equations with ODE codes 88−31695
Shampine, L.F., Baca, L.S. Error estimators for stiff differential equations 85−5958
Shampine, L.F., Zhang, W. Efficient integration of ordinary differential equations by transformation 88−43841
Shampine, L.F. *see* Gladwell, I. 87−58874, 87−58883
Shampine, L.F. *see* Watts, H.A. 86−46288
Shamra, D.K. *see* Gupta, B.K. 85−60124
Shamraev, N.G. *see* Aksyutin, P.K. 88−23601
Shamrai, V.N. A test method for the insulation of dry transformers with thermosetting winding insulation 86−56802
Shamrai, V.N. *see* Fishler, Ya.L. 86−12871
Shams, Q.A. *see* Khaliq, M.A. 88−71365
Shamsaifar, K., Calvo, M. Contoured beam synthesis for a small number of feeds by optimizing their position and excitation 87−27102
Shamsaifar, K., Calvo, M. Contoured beam antenna synthesis improvement by simultaneous optimization of feed excitation and position 88−34446
Shamsaifar, K., Calvo, M. DBS coverage improvement using elliptical aperture and feed positions optimization 88−52279
Shamseddin, H. *see* Stuart, T.A. 86−12884
Shamseddin, H.A. *see* Stuart, T.A. 87−35981
Shamsedin, M.A. *see* Weers, D.D. 87−69872
Shamseldin, A.A. *see* Abu-Salih, M.S. 88−56096
Shamshi, M., Ganjoo, A.K. Instrumentation for VLSI technology 87−11829
Shamshi, M.A., Sharma, B.K., Sood, R.K., Mittal, S.K. An automatic positional controller 87−70794
Shamshin, R.V. *see* Golovkov, V.A. 86−43263
Shamshin, V.N. Adjusting multiparameter measurement systems 88−15885
Shamshirian, M. New techniques give EEPROM system advantages 86−1071
Shamshirian, M. EEROM: a memory device that improves system performance 86−46818
Shamshirian, M. EEPROM and silicon compilation open user reconfigurable and adaptable ICs 87−759
Shamshirian, M., Jenq, C. 256K EEPROM opens new doors for designers 86−41090
Shamshirian, M. *see* Parker, C. 86−57837
Shamshurin, A.V., Voevudskaya, S.V., Zhikhareva, E.A., Efryushina, N.P., Magunov, I.R. Fluoride phosphors in the system $(CaF_2\text{-}AlF_3)-Mn^{2+}$ with long afterglow 87−68268
Shamshurin, S.I. Errors in determining the voltage-capacity coefficient of standard high-voltage cylindrical capacitors with a split electrode 86−35133
Shamsi, T.A. *see* Bosso, S. 87−4948
Shamsi, T.A. *see* Vittone, E. 88−18063
Shamsiev, Kh.A. *see* Nasyrov, T.Kh. 87−35538
Shamsiev, R.M. *see* Batjunja, L.P. 87−327
Shamsiev, R.N. *see* Sukhov, Yu.M. 88−73402
Shamsul Huq *see* Burney, F.A. 88−55858
Shamsutdinov, Sh.G. *see* Bystritskii, V.M. 86−5725
Shamukhamedov, Sh.Sh. *see* Allakhverdiev, A.M. 86−56949
Shamukhamedov, Sh.Sh. *see* Andreev, V.M. 85−24404
Shamukhamedov, S.S. *see* Andreev, V.M. 86−35313
Shamuratov, Kh.A. *see* Saidov, M.S. 85−29016, 86−28183
Shamuyarira, N.M. Telecommunications for development of rural and remote areas 87−69444
Shan, H.Y. *see* Huang, Z.G. 87−68328
Shan, L.W. A programmable DC-100 MHz voltage standard 87−14421
Shan, Q.Z. *see* Cai, L.Z. 87−68635
Shan, T. On predictive least squares filtering 87−62004
Shan, T.-J., Kailath, T. Adaptive beamforming for coherent signals and interference 85−57349
Shan, T.-J., Paulraj, A., Kailath, T. On smoothed rank profile tests in eigenstructure methods for directions-of-arrival estimation 88−8730
Shan, T.-J. *see* Su, Y.-L. 86−64113
Shan, T.-J. *see* Wax, M. 85−2717
Shan, T.J., Bruckstein, A.M., Kailath, T. Multiple signal resolution with uncertain signal subspace−a self-cohering approach 87−8346
Shan, T.J., Kailath, T. A new adaptive antenna system for coherent signals and interference 85−2700
Shan, T.J., Kailath, T. Directional signal separation by adaptive arrays with a root-tracking algorithm 87−61468
Shan, T.J., Paulraj, A., Kailath, T. On smoothed rank profile tests in eigenstructure approach to directions-of-arrival estimation 87−27437
Shan, T.J., Wax, M., Kailath, T. Spatial smoothing approach for location estimation of coherent sources 85−3544
Shan, T.J., Wax, M., Kailath, T. On spatial smoothing for direction-of-arrival estimation of coherent signals 86−10341
Shan, T.J. *see* Bruckstein, A.M. 87−27427
Shan, T.J. *see* Paulraj, A. 87−39850, 87−55120
Shan, T.J. *see* Reddy, V.U. 88−2699
Shan, X.X. *see* Fedosejevs, R. 87−61080
Shan, Z.S. *see* Sellmyer, D.J. 87−67720
Shan Bing-yi Vertical beam scanning for thinning cylindrical arrays 85−15445
Shan Bing-Yi Cylindrical arrays of thinned arrangement 88−36685
Shan Cao *see* Cao Shan
Shan Gao *see* Gao Shan
Shan Guang-zhi *see* Gu Wei-jun 87−3404
Shan Huanyan, Hou Chengyu, Wang Hong, Chen Di, Wu Zhangyu, Yu Zuzhe, Huo Yuan, Huang Zhenguo Experimental investigation of gold vapour laser 87−7256
Shan Huanyan *see* Huang Zhenguo 85−62485, 88−72360
Shan Jing *see* Tsien Peihsin 87−18313
Shan Leng *see* Leng Shan
Shan Li-ying *see* Ku Chang-hsin 85−4084
Shan Ouyang *see* Ouyang Shan
Shan Qizhe, Chen Guicong, Mou Xingfu, Gu Jiujing, Lin Ting One-step rainbow holography with a long slit 86−9975
Shan Qizhe *see* Chen Guicong 85−62680
Shan Rong Dai An adaptive state-prediction digital facsimile coding technique 87−20156
Shan Tie-Jun *see* Tie-Jun Shan
Shan Wang Jun *see* Wang Jun Shan
Shan Xiao-qiang *see* Yang Guang-song 88−18829
Shan Xinxin *see* Ma Shusen 86−22275, 87−33114
Shan Yuanda, Wu Jie Online identification of coherent generators 87−15146
Shan Yuanda *see* Ma Haili 88−61777
Shan Zhengsheng *see* Lu Pinzhen 85−49711
Shan Zhenguo Measurement and analysis of characteristics of narrow-channeled substrate stripe-type GaAlAs/GaAs DH lasers 85−2325
Shan Zhenguo Real-time measurement of lasing spectrum of semiconductor lasers 86−9835
Shan Zhenguo Real-time measurement of lasing spectrum of semiconductor lasers 86−29134
Shan Zijuan, Wang Dingxing, Li Zhenzhi Reflection behaviour of transmission holograms 85−46495
Shan-da, L. *see* Freude, W. 86−31687
Shan-jie Zhang *see* Zhang Shan-jie
Shan-Kang Ling *see* Ling Shan-Kang
Shan-Mou Zhang *see* Zhang Shan-Mou
Shan-rong Dai *see* Dai Shan-rong
Shan-shan Huang, Gray, R.M. Spellmode recognition based on vector quantization 88−45985
Shan-wei Lue *see* Lue Shan-wei
Shan-zhong Zhang *see* Zhang Shan-zhong
Shanabrook, B.V. *see* Glaser, E. 88−25952
Shanabrook, B.V. *see* Glembocki, O.J. 85−50229
Shanabrook, B.V. *see* Jarosik, N.C. 85−40494
Shanahan, S. *see* Theden, U. 86−11480
Shanahan, S.T., Heckenberg, N.R. Frequency pulling in an optically pumped submillimeter laser by Doppler induced dispersion 87−68331
Shanahan, S.T. *see* Frost, B.S. 86−22073
Shanahan, T. *see* Psota, F. 85−9312
Shananin, R.A. *see* Bakaev, D.S. 87−33100, 88−65569
Shananin, R.A. *see* Ermachenko, V.M. 85−56516, 87−61089
Shananin, R.A. *see* Petrovskii, V.N. 86−17979, 87−54225
Shananin, R.A. *see* Vas'kov, V.A. 88−53814
Shanaurin, A.M. *see* Kravchenko, G.I. 87−44692
Shanawany, M.El *see* El Shanawany, M.
Shanayev, O.K. *see* Kazakov, D.L. 86−29889
Shanbhag, N.R., Juneja, P. Parallel implementation of a 4×4-bit multiplier using a modified Booth's algorithm 88−63616
Shanbhag, R.S. *see* Padiyar, K.R. 88−30306, 88−36809
Shanblatt, M.A. *see* Faroughi, N. 87−65696, 88−6807
Shanblatt, M.A. *see* Kayvan, C.S. 87−18271
Shanblatt, M.A. *see* Leung, S.S. 86−58574, 87−25507, 87−67460, 88−64699
Shanblatt, M.A. *see* Leung, Y.-Y.J. 85−23911, 85−61309, 87−38433, 88−33400
Shanblatt, M.A. *see* Leung, Y.-Y.L. 87−66249
Shanblatt, M.A. *see* Leung, Y.J. 86−67994
Shanblatt, M.A. *see* Lo, J. 87−15141
Shanblatt, M.A. *see* Vai, M. 87−60595
Shanblatt, M.A. *see* Vai, M.-K. 86−58570
Shanblatt, M.A. *see* Via, M. 87−67500
Shand, D. *see* Lim, C.B. 85−43353, 86−50504
Shand, M. *see* Nelson, B.J. 86−9300
Shand, M.L. Alexandrite laser technology 87−39054
Shand, M.L. Progress in alexandrite lasers 88−8171
Shand, M.L. *see* Sam, R.C. 86−22366
Shand, R.McIntosh *see* McIntosh Shand, R.
Shanda Lu *see* Lu Shanda
Shandarov, S.M. *see* Bashkirov, A.I. 85−12605, 86−15494, 87−68185
Shandarov, S.M. *see* Khat'kov, N.D. 88−65461
Shandarov, S.M. *see* Sergeev, A.N. 88−72086
Shandarov, S.M. *see* Shandarov, V.M. 87−12601
Shandarov, S.M. *see* Zelenskaya, T.E. 88−48399
Shandarov, V.M., Shandarov, S.M. Recording holograms in $LiNbO_3$:Fe planar optical waveguides 87−12601
Shandarov, V.M. *see* Adamchuk, V.V. 87−38765
Shandarov, V.M. *see* Bashkirov, A.I. 85−12605, 86−15494, 87−68185
Shandas, M., Shandas, P. Stay EMI-calm on a noise-free island 87−20596
Shandas, P. *see* Shandas, M. 87−20596
Shande Shen *see* Shen Shande
Shanduo Li *see* Li Shanduo
Shandurov, L.I. *see* Akhmedov, R.B. 86−32935
Shandybina, G.D. *see* Komolov, V.L. 86−68606
Shane, L.J. Metropolitan networks−the cable/LAN interface 86−54972
Shanefield, D.J. Casting ceramic-polymer sheets 86−13843
Shanefield, D.J., Collins, W.R. Proposed standard environmental test of component coatings 88−18813
Shanel, V., Patek, F. Further turboset for the United Arab Emirates 86−33151
Shanenko, D.F. *see* Shabalov, D.V. 88−6249
Shaner, R., Lubs, S. Increase sequence generator's clock rate 87−66004
Shaneyfelt, B., Wu, T.-H. Performance optimization of a CSMA/CD S-LAN 86−37557
Shaneyfelt, B., Wu, T. Statistical analysis of network traffic for class of service routing 87−55446
Shaneyfelt, B. *see* Wu, T. 87−55803
Shaneyfelt, B.E., Wu, T.-H. Statistical analysis of network traffic for class of service in packet-switched networks 88−52611
Shanfield, S., Bay, S. Process characterization of PSG and BPSG plasma deposition 85−10776
Shanfield, S., Hendriks, M. Contact hole etching in a load-locked hexagonal reactive ion etching system 85−23708
Shanfield, S. *see* Hendriks, M.M. 86−35610
Shanfield, Z., Kitazaki, K.S., Moriwaki, M.M., Campbell, D.E. Angular dependence of charge funneling in Si and GaAs devices 88−26204
Shanfield, Z., Moriwaki, M.M. Characteristics of hole traps in dry and pyrogenic gate oxides 85−23733
Shanfield, Z., Moriwaki, M.M. Radiation-induced hole trapping and interface state characteristics of Al-gate and poly-Si gate MOS capacitors 86−35443
Shanfield, Z., Moriwaki, M.M. Critical evaluation of the midgap-voltage-shift method for determining oxide trapped charge in irradiated MOS devices 88−25988
Shanfield, Z., Moriwaki, M.M., Digby, W.M., Srour, J.R., Campbell, D.E. Characteristics of SEU current transients and collected charge in GaAs and Si devices 86−35319

Shanfu Yu *see* Yu Shanfu
Shang, C. *see* Takahara, M. 87−13405
Shang, D.J. *see* Hou, W.S. 88−27463
Shang, D.Jer Yu *see* Jer Yu Shang, D.
Shang, H.-T., Lenahan, T.A., Glodis, P.F., Kalish, D. Design and fabrication of dispersion-shifted depressed-clad triangular-profile (DDT) single-mode fibre 85−29555
Shang, H.T. *see* Islam, M.N. 87−68134, 88−2205
Shang, H.T. *see* Simpson, J.R. 88−13879
Shang, H.T. *see* Tkach, R.W. 88−35476
Shang, W. *see* Wah, B.W. 88−32142
Shang Er-chang *see* Er-chang Shang
Shang Guanghui *see* Gao Kuiming 88−74422
Shang Guocai Study of digital simulation for potential source SCR exciter excitation system of A 300 MW water turbogenerator 87−51071
Shang Hen-Tai *see* Hen-Tai Shang
Shang Meiru *see* Zhang Chunping 88−27017
Shang Nie *see* Nie Shang
Shang Qi-Min Applications of a bidirectional trigger diode 88−623
Shang Song-quan, Wu Xin-xin, Yao Shu-tong, Wang Yi-qiu, Xie Lin-zhen Lasing wavelength shift of a GaAlAs laser diode by extremely weak feedback 87−18979
Shang Wenkai *see* Qian Zhonghou 87−21986
Shang Zhenkui, Huang Xi A new circuit for improving the flat top of capacitor discharge voltage 85−45259
Shang Zhenkui, Zhang Molan, Huang Xi, Wang Ligong A fast modulator for pulse electron gun 85−18008
Shang-heng Xin *see* Xin Shang-heng
Shang-lian Huang *see* Huang Shang-lian
Shang-Lin Weng, Webb, C., Chai, Y.G., Bandy, S.G. Particulates: an origin of GaAs oval defects grown by molecular beam epitaxy 86−414
Shang-Lin Weng, Webb, C., Chai, Y.G., Bandy, S.G. Particulates: a direct origin of oval defects in GaAs layers grown by molecular beam epitaxy 87−10444
Shang-Yi Chiang *see* Kamins, T.I. 86−28491
Shang-yuan Huang *see* Hsu Chang 86−36237
Shangbin Hu *see* Hu Shangbin
Shanggang Liu *see* Shi-chang Zhang 87−24703
Shangguan Chen, Lin Yingyi, Jiang Jinquan, Dou Airon, Wang Yiman, Liu Dianyou, Guo Chu Laser and spectral characteristics of DCM-propylene carbonate dye laser system pumped by XeCl excimer laser 88−65602
Shangguan Cheng, Lin Yingyi, Wang Yiman, Dou Airong, Cheng Bili A coumarin 102 dye laser pumped by a 308 nm XeCl laser 86−15650
Shangguan Cheng *see* Jiang Jinquan 88−72284
Shangheng Xin *see* Xin Shangheng
Shan'gin, O.S. *see* Gorokhov, V.I. 86−9911
Shangin, V.A., Yankeleva, I.I. Measurement of nonlinearity in optical radiation detectors by light addition 87−63417
Shangin, V.N. *see* Fot, N.A. 86−55855
Shangina, L.I. *see* Adamchuk, V.V. 87−38765
Shangina, L.I. *see* Zamotrinskii, V.A. 85−41447
Shangjie Jin *see* Jin Shangjie
Shangkai Gao *see* Gao Shangkai
Shangqin Cheng *see* Cheng Shangqin
Shangqiong Zhang *see* Zhang Shangqiong
Shangurov, A.V. *see* Ermakov, A.E. 88−64884
Shangwen Sun *see* Sun Shangwen
Shangyi Li *see* Li Shangyi
Shangyong Zhu *see* Zhu Shangyong
Shangyuan, H., Zongqi, L., Weimin, F. Analysis of the degree of polarization of optical waves in a single-mode optical fiber with random coupling 86−28816
Shangyuan Huang *see* Huang Shangyuan
Shangzhi Yu *see* Yu Shangzhi
Shanholtz, R.A. Fiber-optic radio control increases bucket-truck efficiency 88−41706
Shani, G. *see* German, U. 86−44611 to 44612
Shani, G. *see* Ofek, R. 86−44539, 88−54370
Shani, Y., Hardy, A., Kapon, E., Katzir, A. The far field of PbSnTe injection lasers 85−12866
Shani, Y., Katzir, A. Metal-clad waveguides for Pb-salt diode lasers 88−51506
Shani, Y., Katzir, A., Bachem, K.-H., Norton, P., Tacke, M., Preier, H.M. 77K CW operation of distributed Bragg reflector $Pb_{1-x}Sn_xSe/Pb_{1-x-y}Eu_ySn_xSe$ diode lasers 86−48390
Shani, Y., Katzir, A., Tacke, M., Preier, H.M. Highly collimated laser beams from grating coupled emission $Pb_{1-x}Sn_xSe/Pb_{1-x-y}Eu_ySn_xSe$ diode lasers 88−72308
Shani, Y., Rosman, R., Katzir, A. Calculation of the refractive index of lead-tin-telluride for infrared devices 85−7443
Shani, Y., Rosman, R., Katzir, A. Calculation of the refractive indices of lead chalcogenide salts and its application for injection lasers 85−29521
Shani, Y., Rosman, R., Katzir, A., Norton, P., Tacke, M., Preier, H.M. Distributed Bragg reflector $Pb_{1-x}Sn_xSe/Pb_{1-x-y}Eu_ySn_xSe$ diode lasers with a broad single-mode tuning range 88−65699
Shanin, V.A. *see* Zavrazhnov, Yu.V. 85−63807
Shanin, V.I. *see* Suminov, V.M. 87−2239
Shanin, V.K. *see* Drobkov, V.P. 88−23622
Shanin, V.N. *see* Zinchenko, I.I. 88−4143
Shanjia Xu *see* Xu Shanjia
Shank, B. On-line analyzers aid combustion control 85−26499
Shank, C.V. The role of ultrashort optical pulses in high-speed electronics 87−26236
Shank, C.V. *see* Knox, W.H. 85−18888, 85−56783
Shank, C.V. *see* Biegelsen, D.K. *(editor)* 86−26509
Shank, D. Overview of laser system for electronic component marking 86−7517
Shank, D., Pajerski, R. FEDS: an experiment with a microprocessor-based orbit determination system using TDRS data 87−41079
Shank, R.J. *see* Laman, F.C. 85−44155
Shankar, A.U. A verified sliding window protocol with variable flow control 87−20193
Shankar, A.U., Lam, S.S. Time-dependent distributed systems: proving safety, liveness and real-time properties 86−43371
Shankar, A.U., Lam, S.S. Time-dependent distributed systems: proving safety, liveness and real-time properties 87−76041
Shankar, A.U. *see* Cheng, D.K. 85−33791
Shankar, A.U. *see* Lam, S.S. 86−54985
Shankar, A.Udaya *see* Udaya Shankar, A.
Shankar, B. *see* Kothiyal, K.P. 88−74876
Shankar, G. *see* Singh, H.R. 88−38041
Shankar, K. Wait-state remover improves system performance 87−10953
Shankar, K. PLD performs raster operations directly 87−66005
Shankar, K. PROSE architecture and design methodology 88−6801
Shankar, K. *see* Agrawal, O. 86−62527, 87−59345
Shankar, P. *see* Adiga, B.S. 87−12893
Shankar, P.M. Effect of modal noise on single mode fiber optic networks 88−41667
Shankar, P.M., Chapelon, J.Y., Newhouse, V.L. Fluid pressure measurement using bubbles insonified by two frequencies 87−15117
Shankar, P.M., Newhouse, V.L. Specificity and sensitivity of lesion detection by spatial compounding of B-mode images 86−5931
Shankar, P.M. *see* Chapelon, J.Y. 88−61714
Shankar, P.M. *see* El-Sherif, M.A. 86−68225, 88−13864
Shankar, P.M. *see* Herczfeld, P.R. 87−19329
Shankar, P.M. *see* Karpur, P. 88−56354
Shankar, R. *see* Lane, S.S. 85−10902
Shankar, T.M.R., Webster, J.G. Design of an automatically balancing electrical impedance plethysmograph 85−15329
Shankar, T.M.Ravi *see* Ravi Shankar, T.M.
Shankar, V.S. Efficient algorithm for logic design using multiplexers 88−25090
Shankar, V.S. *see* Gnanamuthu, D.S. 86−22582
Shankar Bhat, K., Gururajan, M., Nayak, P. A study of a 2-unit system with 'random breakdown' of the repair facility 88−49577
Shankar Chakraborty, H. *see* Ghosh, R. 86−58644
Shankaranarayanan, N.K., Bennett, K.D., Claus, R.O. Optical fiber modal domain detection of stress waves 87−68170
Shankaranarayanan, N.K., Srinivas, K.T., Claus, R.O. Mode-mode interference effects in axially strained few-mode optical fibers 88−39946
Shankarnarayan, S. C-DOT DSS CCITT No.7 SS 87−69829
Shanker, B.J., Lambertson, R.T. Sources of error in package thermal resistance measurements 86−63219
Shanker, B.J. *see* Belani, J. 87−72863
Shanker, B.J. *see* Pendse, R. 88−50983
Shanker, B.J. *see* Takiar, H.P. 88−43708
Shanker, D. *see* Kar, S. 86−14951
Shanker, K., Fischer, C.W. Auger and Rutherford backscattering compositional analysis of GaInAs anodic oxide 87−67103
Shanker, K. *see* Fischer, C.W. 87−17984
Shanker, K. *see* Mohan, C. 88−24649, 88−70175
Shanker, V., Tanaka, S., Shiiki, M., Deguchi, H., Kobayashi, H., Sasakura, H. Electroluminescence in thin-film CaS:Ce 85−7314
Shanker, V. *see* Kobayashi, H. 85−41252, 86−9696
Shanker, V. *see* Tanaka, S. 86−31526, 87−1110
Shanker Rao, P.M. Maintenance of electro medical equipment in India 88−54688
Shankland, T.A. Stop testing problems early 86−26593
Shankle, D.F. *see* Guyker, W.C. 86−6381
Shankman, R. *see* Torres, R. 88−12420
Shankoff, T.A. *see* Chan, A.S.L. 88−64083
Shanks, D. *see* Kurtz, G.C. 86−52392
Shanks, H.R. *see* Albers, M.L. 88−6511
Shanks, H.R. *see* Dijian Wang 88−1389
Shanks, H.R. *see* McCalmont, J.S. 88−6504, 88−38209
Shanks, H.R. *see* Shinar, J. 88−6503
Shanks, I.A. *see* Clark, M.G. 86−5399, 86−48228
Shanks, J.A. On forming the Romberg table 85−22358
Shanley, C.S. *see* Dworsky, L.N. 86−42059
Shanley, C.W., Dworsky, L.N., Whalin, J.A., Clifford, G.C., Scansaroli, M.N. Processing of a five resonator VHF crystals device 86−42042
Shanley, J.F. *see* Briggs, R.J. 85−52787
Shanley, J.F. *see* Doyle, O.L. 85−34491
Shanley, J.F. *see* Gallagher, D.L. 88−19377
Shanley, J.F. *see* Prutzer, S. 88−53377
Shanley, J.J. *see* Lake, C.J. 85−36873
Shanley, M., Downey, J. Radio channel arrangement conveying transmit power level information 88−35355
Shanley, R.L., Harwood, L.A. High performance video processor for color television 85−3682
Shanmin Zhang *see* Zhang Shanmin
Shanmugam, A. *see* Bandyopadhyay, D.K. 86−49788
Shanmugam, K.S. *see* Schroeder, L.C. 85−38343
Shanmugam, N.V. *see* Srinivasan, K.N. 86−20969
Shanmugan, K.S. Software packages for communication link simulation 87−69552
Shanmugan, K.S. An update on software packages for simulation of communication systems (links) 88−34928
Shanmugan, K.S. Intelligent software packages for communication link simulation 88−46982
Shanmugan, K.S., Fashano, M. Simulation of M-ary transmission schemes operating over nonlinear satellite channels 85−14193
Shanmugan, K.S., Holtzman, J.C. Power spectral density of Markov texture fields 85−30467
Shanmugan, K.S., Komp, E.E., Townsend, J.K., Elrefaie, A.E., Romeiser, M.B. Simulation of digital lightwave communication links using SYSTID 86−55314
Shanmugan, K.S., McKinley, M.S., Frost, V.S., Friedman, E.M., Holtzman, J.C. Wideband digital transmission through the atmosphere at EHF frequencies: effects of refractive dispersion 85−41612
Shanmugan, K.S., Minden, G.J., Komp, E., Manning, T.C., Wiswell, E.R. Block-oriented systems simulator (BOSS) 87−40219
Shanmugan, K.S., Ruggles, M.J. An adaptive linearizer for 16-QAM transmission over nonlinear satellite channels 87−34506
Shanmugan, K.S. *see* Elrefaie, A.F. 88−34930
Shanmugan, K.S. *see* Frost, V.S. 86−10541, 88−35091
Shanmugan, K.S. *see* Holtzman, J.C. 86−30111
Shanmugan, K.S. *see* LaRue, W.W. 88−3627
Shanmugan, K.S. *see* Mouftah, H.T. 87−69503
Shanmugan, K.S. *see* Townsend, J.K. 85−57455
Shanmugan, K.S. *see* Woods, J.W. 85−14337
Shanmugan, K.Sam *see* Sam Shanmugan, K.
Shanmugasundaram, A., Muthu, C., Rangasamy, M. Acceleration and braking control of linear induction motors for ultra-high speed electric trains 88−18184
Shanmugasundaram, A., Rangasamy, M. Modified circle diagram for compensated linear induction motor 88−5712
Shanmugasundaram, A., Rangasamy, M. Control of compensation in linear induction motors 88−23972
Shanmugavel, S. *see* Maskara, S.L. 87−47521
Shanmugham, M. *see* Palaniappan, L. 87−23609
Shanne, J.J., Jr. *see* Kozma, A. 87−63931
Shannikov, D.V., Lyapunova, N.M., Utrobin, O.B. Universal installation to measure electromagnetic wave scattering characteristics 88−36200
Shannipoor, M. *see* Hawke, R.S. 88−40518
Shanno, D.F. Globally convergent conjugate gradient algorithms 86−13663
Shanno, D.F. Computing Karmarkar projections quickly 88−49719
Shanno, D.F., Rocke, D.M. Numerical methods for robust regression: linear models 86−46249
Shannon, A.G. *see* Sekhon, J.G. 87−5168
Shannon, D.C. *see* Sadeh, D. 88−4966
Shannon, D.C. *see* Tsuchiya, M. 86−49245
Shannon, D.L. *see* Flanagan, T.M. 87−32777, 87−32795
Shannon, J. PBX helps university provide voice and data 87−62798
Shannon, J., Krickhuhn, P., Dethlefsen, R., Cole, O., Kent, H. A compact 1 MJ capacitor bank module 87−22795
Shannon, J., Wilkinson, M., Miller, R., Cole, O. A modular inductive storage system 87−22793
Shannon, J. *see* DiCapua, M.S. 87−18390
Shannon, J. *see* Ware, K. 87−21384
Shannon, J.H. *see* Bekemeyer, L.F. 87−50522
Shannon, J.M. A comparison between bulk unipolar diodes and Schottky barriers 86−9084
Shannon, J.M. High-speed bulk unipolar structures in silicon 87−24475
Shannon, J.M., Goldsmith, B.J. Bulk unipolar camel diodes formed using indium implantation into silicon 86−21497
Shannon, J.M., King, M.J., Goldsmith, B.J., Clegg, J.B. Solid phase epitaxy of ion implanted device structures in amorphous silicon films 87−5429
Shannon, J.M. *see* Fisher, C.A. 86−15118
Shannon, J.M. *see* McMillan, G.B. 85−1558
Shannon, J.M. *see* Woodcock, J.M. 85−6884, 86−47537
Shannon, J.M. *see* Woodwock, J.M. 86−21525
Shannon, L.S. *see* Baker, E.D. 85−13831
Shannon, P.A. *see* Ahrens, R.B. 85−20460

Shannon, R.A. *see* McCullough, V.A. 85−65611
Shannon, R.L. *see* Reaux, R.A. 88−68516
Shannon, R.V. Threshold and loudness functions for pulsatile stimulation of cochlear implants 86−5987
Shannon, T.C. VAX videotex: an alternative to the paper avalanche 85−3094
Shannon, T.E. *see* Flanagan, C.A. 85−46110
Shanqing Jiang *see* Jiang Shanqing
Shanrong Hu *see* Hu Shanrong
Shanskii, V.F. *see* Burtsev, V.A. 88−65808
Shanskii, V.F. *see* Kozyuchenok, S.S. 85−46340
Shanstrom, R.T. *see* Wood, R.P. 87−78304
Shanta, V. *see* Reddy, N.M.S. 87−14927
Shantharama, L.G., Adams, A.R., Allen, E.M., Greene, P.D. Elimination of ionized impurity scattering in heavily doped $Ga_xIn_{1-x}As_yP_{1-y}$ 86−8754
Shantharama, L.G., Adams, A.R., Allen, E.M., Greene, P.D. Anomalous behaviour of Mn-doped LPE $Ga_xIn_{1-x}As_yP_{1-y}$ revealed by transport and high pressure measurements 86−8804
Shanthi, R. *see* Raja, D. 88−41481
Shanthi Sastry, P., Jayakumar, N., Veni Madhavan, C.E. Efficient algorithms for domination and Hamilton circuit problems on permutation graphs 88−73440
Shanthikumar, J.G. Lifetime distribution of consecutive-*k*-out-of-*n*:F systems with exchangeable lifetimes 86−34079
Shanthikumar, J.G. First failure time of dependent parallel systems with safety periods 87−16439
Shanthikumar, J.G. Reliability of systems with consecutive minimal cutsets 88−38026
Shanthikumar, J.G. Bounding network-reliability using consecutive minimal cutsets 88−43740
Shanthikumar, J.G., Baxter, L.A. Closure properties of the relevation transform 86−247
Shanthikumar, J.G., Yao, D.D. Comparing ordered-entry queues with heterogeneous servers 88−18559
Shanthikumar, J.G. *see* Mok, S.K. 87−34027
Shanthikumar, J.G. *see* Sumita, U. 88−21382
Shanthikumar, J.G. *see* Yao, D.D. 88−38058
Shanturin, L.P. The formation of a bipolar stream of charged particles 85−2482
Shanturin, L.P. *see* Syrovoy, V.A. 88−72509
Shanumgan, K.S. *see* Frost, V.S. 87−28163
Shanxiang Chang *see* Chang Shanxiang
Shanxiang Huang *see* Huang Shanxiang
Shanxiang Mo *see* Mo Shanxiang
Shanyu Zhou *see* Zhou Shanyu
Shanyuan Yang *see* Yang Shanyuan
Shanzhong Chou *see* Chou Shanzhong
Shao, C.-L., Tomita, K., Jimbo, T., Umeno, M., Hattori, S. Vacuum ultraviolet detector 85−37625
Shao, G., Thielker, S., Hanna, W. Generic ASIC design: a sensible methodology for rapid insertion of VHSIC/VLSIC technology 88−64726
Shao, G. *see* Thielker, S. 87−73436
Shao, Hanguang *see* Fan, Mingwu 86−42739
Shao, H.M., Chen, J.Y., Truong, T.K., Reed, I.S., Kwoh, Y.S. A new CT-aided robotic stereotaxis system 86−50616
Shao, H.M., Truong, T.K., Deutsch, L.J., Yuen, J.H., Reed, I.S. A VLSI design of a pipeline Reed-Solomon decoder 85−49915
Shao, H.M., Truong, T.K., Deutsch, L.J., Yuen, J.H., Reed, I.S. A VLSI design of a pipeline Reed-Solomon decoder 86−16149
Shao, H.M., Truong, T.K., Hsu, I.S., Deutsch, L.J., Reed, I.S. A single chip VLSI Reed-Solomon decoder 87−27207
Shao, H.M. *see* Chang, J.J. 86−14324
Shao, H.M. *see* Jaw John Chang 86−27422
Shao, H.M. *see* Kwoh, Y.S. 85−43384, 85−59271
Shao, H.M. *see* Reed, I.S. 86−1186
Shao, H.M. *see* Truong, T.K. 85−45185, 88−27820, 88−34567
Shao, H.M. *see* Wang, C.C. 85−55897
Shao, K., Cao, C.H., Zhu, H., Shen, H.Y., Li, J.T., Wang, S.G., Cui, G.J., Dai, Y.D., Zhang, Y., Zeng, X.H., Jiang, H.M., Yang, T.Y., Li, J.Z., Wu, X.W., Bao, Z.L., Wang, S.Z., Li, C.Y., Yin, D.L. Investigation of photolithography for fabricating of YBCO superconducting thin films devices with chemical etching 88−26694
Shao, K.R., Zhou, K.D. Transient response in slot-embedded conductor for voltage source solved by boundary element method 86−42683
Shao, K.R., Zhou, K.D. The iterative boundary element method for nonlinear electromagnetic field calculations 88−52002
Shao, L. *see* Clinthorne, N.H. 87−41934
Shao, M., Simchony, T., Chellappa, R. New algorithms from reconstruction of a 3-D depth map from one or more images 88−73346
Shao, M.C. *see* Chiu, M.S. 85−35693
Shao, S.-Y. *see* Ravi Shankar, T.M. 85−48280
Shao, X.-Y. *see* Bao, F. 88−70926
Shao, X.M. *see* Hu, S.S. 87−65425, 88−63245
Shao, Y., Alvarez, R., Weimer, C., Gallawa, R.L. Pulse spectrum analysis method of measuring fiber bandwidth 87−34588
Shao, Y., Gallawa, R.L. Fiber bandwidth measurement using pulse spectrum analysis 86−42231
Shao, Y., Gallawa, R.L. A comparison of three bandwidth measurement techniques for multimode optical fibres 86−63629
Shao, Y.F. *see* Ai-zhen Li 85−40597
Shao, Z. *see* Mu, C. 88−52545
Shao, Z.Y. *see* Bozkaya, H. 88−5972
Shao, Z.Y. *see* Mellitt, B. 88−5974, 88−37701
Shao An-min, Zhang Yu-yun, Chen Yue-zhong, Yin Hong-shan SSJ digital seismic recorder with a trigger 88−29479
Shao Bei-bei *see* Li Jian-ping 88−47974
Shao Chunliang *see* Shao Junzhe 86−31697
Shao Fangyin *see* Zhang Shunfu 87−71677
Shao Haiwen *see* Xu Kang 85−23832
Shao Han-guang *see* Han-guang Shao
Shao Hanguang, Xue Jing The modified combined method of finite element and boundary element for calculating the electric field 87−7493
Shao Hanguang, Zheng Wenxin On symmetries of magnetic dyadic Green's function 85−10567
Shao Huihua *see* Gao Shangkai 85−9147
Shao Huimin *see* Yan Jialie 85−37731
Shao Jian-Ping *see* Evans, D.J. 87−36660, 87−44235, 87−44239
Shao Jiangda *see* Jiangda Shao
Shao Jianping *see* Jianping Shao
Shao Junzhe, Chen Yubin, Liu Maojia, Shao Chunliang, Liu Peizhou, Chen Zesheng, C., Liu Xiaoying, Li Fujun, Nan Yan, Song Luguang Research on digital measurement of temperature with Pt resistance 86−31697
Shao Kai *see* Yu Mingren 85−45446, 86−28258
Shao Keran, Chen Xianzhen, Zhou Keding Transient solution of the diffusion equation by boundary element method (BEM) 85−24704
Shao Keran, Zhou Keding Boundary element solutions to transient eddy current problems 85−24722
Shao Mei-zhen *see* Zhou Zhen-zhou 85−24443
Shao Mingzhu The development of a miniature silicon detector by ion implantation technique 87−3901
Shao Mingzhu *see* Sun Yunmin 86−55941
Shao Quan-yuan *see* Wei Ce-jun 86−63276
Shao Shiping, Wang Yaping The effect of DL-alanine doping on ferroelectric properties of TGS monocrystals 85−29380
shao Wu Chuan *see* Chuan shao Wu
Shao Yang *see* Yang Shao
Shao Yong-fu *see* Wang Wei-huan 85−45386
Shao Yongfu *see* Chen Ziyao 87−6357
Shao Yongfu *see* Peng Ruiwu 85−34691
Shao Yu-ying *see* Zheng Zhi-peng 85−4224
Shao Ziwen *see* Gao Zhenheng 85−56564
Shao Zu-Hua New trapdoor knapsack cryptosystem 87−19389
Shao Zu-Hua Public-key cryptosystem over ring $Z[\sqrt{-3}]/(2^m)$ 88−21078
Shao-Chi Lin *see* Cheng-En Zheng 87−2060
Shao-Chin Lin, Cheng-En Zheng, Lo, D., Matsumoto, J., Sheng-Bai Zhu Attachment kinetics and life time of preionization electrons in rare-gas halogen laser mixtures 86−54071
Shao-chun Chen *see* Chen Shao-chun
Shao-chung Hsu, Hoi-sing Kwok High-power dye laser pulses by cascaded controlled transient oscillation 88−27093
Shao-Feng Xia *see* Casasent, D. 86−42648, 86−58801, 87−47875
Shao-Han Shou Silicon compilation aids IC design 88−7639
Shao-jin Peng *see* Peng Shao-jin
Shao-Jun Fu *see* Yong-Gang Su 86−60497
Shao-jun Wang *see* Wang Shao-jun
Shao-liang Liu *see* Liu Shao-liang
Shao-Ming Sun *see* Sun Shao-Ming
Shao-ping Dong *see* Dong Shao-ping
Shao-ping Han *see* Han Shao-ping
Shao-ping Wang *see* Wang Shao-ping
Shao-qi Peng *see* Peng Shao-qi
Shao-quan Li *see* Li Shao-quan
Shao-Shing Chen *see* Case, K.E. 86−209
Shao-Shiun Chung, S., Chih-Tang Sah Threshold voltage models of the narrow-gate effect in micron and submicron MOSFETs 88−57655
Shao-song Feng *see* Feng Shao-song
Shao-tsai Wang *see* Wang Shao-tsai
Shao-zhang Guo *see* Guo Shao-zhang
Shaobao Lio *see* Lio Shaobao
Shaochen Huang *see* Huang Shaochen
Shaochuan Wang *see* Wang Shaochuan
Shaofan Deng *see* Deng Shaofan
Shaofeng Nie *see* Nie Shaofeng
Shaofeng Zhang *see* Zhang Shaofeng
Shaofong Zhang *see* Zhang Shaofong
Shaogang Huang *see* Huang Shaogang
Shaohai Li *see* Li Shaohai
Shaohan Ma *see* Ma Shaohan
Shaohe Chen *see* Chen Shaohe
Shaohong Xu *see* Hua Tian 88−40094
Shaohua Liang, Debao Hu Analysis of $Hg_{1-x}Cd_xSe$ alloys in electroreflectance 88−32777
Shaohui Chen *see* Chen Shaohui
Shaojin Luan *see* Luan Shaojin
Shaojin Peng *see* Peng Shaojin
Shaojun Fu *see* Guoguang Yang 88−34784
Shaojun Shi *see* Shi Shaojun
Shaokui Li *see* Li Shaokui
Shaolin Hu *see* Hu Shaolin
Shaolong Deng *see* Deng Shaolong
Shaomin Wang *see* Wang Shaomin
Shaomin Wu *see* Wu Shaomin
Shaomin Zhou, Xiangyang Yang, Minxian Wu, Kuo-fan Chin Triple-in double-out optical parallel logic processing system 88−13988
Shaopeng Lu *see* Lu Shaopeng
Shaoping Han *see* Han Shaoping
Shaoqi He *see* He Shaoqi
Shaoqi Peng *see* Peng Shaoqi
Shaoqi Yang *see* Yang Shaoqi
Shaoqing Long *see* Long Shaoqing
Shaoqing Mao *see* Mao Shaoqing
Shaoqing Wang *see* Wang Shaoqing
Shaoshen Xi *see* Xi Shaoshen
Shaoshi Zhang *see* Zhang Shaoshi
Shaowu Fan *see* Fan Shaowu
Shaoxian Meng *see* Meng Shaoxian
Shaoxian Sun *see* Sun Shaoxian
Shaoxiong Men *see* Men Shaoxiong
Shaoying Wang *see* Wang Shaoying
Shaoyu Wang *see* Wang Shaoyu
Shaoyu Yang *see* Yang Shaoyu
Shaozhang Guo *see* Guo Shaozhang
Shaozhen Xiong *see* Xiong Shaozhen
Shapalas, Yu.K. *see* Tass, O.A. 86−25858
Shapar, H.K. Nuclear power programs in OECD countries 85−38659
Shapar', V.N. *see* Afanans'ev, V.A. 86−15577
Shaparev, V.D. *see* Ioffe, Yu.S. 87−9660
Shapenko, V.N. *see* Kuklinskii, B.D. 88−38979
Shapenko, V.N. *see* Perevodchikov, V.I. 85−44098, 88−52144
Shaper, A.G. *see* Macfarlane, P.W. 86−12006
Shaper, J.A. *see* Stein, R. 86−55848
Shapira, A. *see* Dado, S. 87−29448
Shapira, D., Gomez del Campo, J., Ford, J.L.C., Jr., Shivakumar, B., Stelson, P.H., Harmon, B.A., Parks, R.L., Thornton, S.T. Nuclear physics experiments with the ORNL-HHIRF supersonic gas jet target 85−59148
Shapira, D., Zak, U., Geva, Y. Reserve lithium inorganic battery for electronic fuzing 88−17838
Shapira, D. *see* Teh, K.M. 87−35355
Shapira, J. Simple analytical representation of antenna spatial radiation patterns with application to the pyramidal horn-reflector antenna 86−16029
Shapira, J. On electromagnetic compatibility methodology 86−29501
Shapira, R. The use of objects' faces in interpreting line drawings 85−19524
Shapira, R. More about polyhedra−interpretation through constructions in the image plane 85−36352
Shapira, Y. Magnetoresistance and Hall effect near the metal-insulator transition of $Cd_{1-x}Mn_xSe$ 88−44549
Shapira, Y., Bregman, J., Calahorra, Z. Origin and effects of interface traps in anodic native oxides on InSb 85−61770
Shapira, Y., Bregman, J., Calahorra, Z. Interface width of anodic native oxide-InSb structures 87−11636
Shapira, Y., Brucker, C.F., Brillson, L.J. Studies of CaF_2-CdSe interfaces using UV and X-ray photoemission spectroscopy and Auger electron spectroscopy 86−41619
Shapira, Y., Oliveira, N.F., Jr., Ridgley, D.H., Kershaw, R., Dwight, K., Wold, A. Magnetoresistance and Hall effect near the metal-insulator transition of $Cd_{1-x}Mn_xSe$ 87−6395
Shapira, Y. *see* Avigal, Y. 88−32940
Shapira, Y. *see* Bregman, J. 86−2068
Shapira, Y. *see* Brillson, L.J. 85−55565
Shapira, Y. *see* Calahorra, Z. 87−11651
Shapira, Y. *see* Huang, C.Y. 88−71968
Shapira Yoram *see* Yoram Shapira
Shapiro, A. Second-order derivatives of extremal-value functions and optimality conditions for semi-infinite programs 85−54304
Shapiro, A. Second order sensitivity analysis and asymptotic theory of parametrized nonlinear programs 86−19950
Shapiro, A.B. *see* Fedorov, V.G. 86−51583
Shapiro, A.B. *see* Volodarskii, L.G. 86−61457
Shapiro, A.I. *see* Lipman, A.E. 87−3385
Shapiro, A.J. Design/development tradeoffs to achieve a mission effective SOW guidance system 87−15012
Shapiro, A.M. Cable muxes expand terminal base flexibility 86−17114
Shapiro, A.S. The use of the time code for tape recorder synchronization 88−22381
Shapiro, A.S., Bushansky, F.R. Video tape editing using 12-7 mm copy cassettes 85−63874
Shapiro, A.S., Bushanskii, F.R. State-of-the-art technology on TV program production in Japan 88−41805
Shapiro, B.H. Strain gage pressure transducer refresher 85−8793
Shapiro, B.H. Strain gauge pressure transducer tutorial 87−3605
Shapiro, B.H. Strain gage pressure transducer tutorial 87−49728
Shapiro, B.H. The bonded-foil strain gauge pressure transducer 88−35985

Shapiro, B.I., Vikhorev, V.M., Gladunova, M.B. Method for supply system selection using topological tree graphs 85−59663
Shapiro, B.L. *see* Labunets, I.A. 86−33373, 86−61458, 87−4655, 87−51150
Shapiro, B.Ya. The critical parameters and structure of the surface superconducting state induced by external electric field 85−29489
Shapiro, D. Universal-grid bareboard testers offer users many benefits 85−23234
Shapiro, D.A., Basin, V.E., Petrashko, A.I., Khofbauer, E.I., Shagalov, S.B., Tiganina, T.A., Eroshina, E.Ya. New electrical insulating material based on polar polymer films and elastomer coatings 85−40989
Shapiro, D.A. *see* Apolonskii, A.A. 86−54088
Shapiro, D.A. *see* Badalyan, A.M. 88−60883
Shapiro, D.A. *see* Skipetrov, V.V. 86−39699
Shapiro, D.E. Hints on installing electronic cash registers 87−4774
Shapiro, D.L. Policy and legal conflicts in the Pacific Northwest Power Act 86−44922
Shapiro, D.N. *see* Nikiforov, I.V. 86−27132
Shapiro, E., Hummel, H. High temperature stress relaxation: mechanisms and data 85−11671
Shapiro, E., Mandigo, F.N., Mahulikar, D. Factors affecting lead leg coplanarity of surface mounted devices 86−46104
Shapiro, E. *see* Fiat, A. 86−27259
Shapiro, E. *see* Nussbaum, G.H. 87−57229
Shapiro, E. *see* Seppi, E. 87−4030
Shapiro, E.I. *see* Levitas, B.N. 87−29277
Shapiro, E.Z. *see* Belov, V.S. 87−35130
Shapiro, E.Z. *see* Gershenzon, E.M. 86−58227
Shapiro, F.B., Shott, J.D., Meindl, J.D. A custom IC for multichannel telemetry with digital sensors [medical implant application] 85−48268
Shapiro, F.B. *see* Fotowat-Ahmady, A. 85−48273
Shapiro, F.R., Adler, D. Equilibrium transport in amorphous semiconductors 86−8814
Shapiro, G., El-Assal, K., Sayer, M., Jen, C.K. Piezoelectric ceramic materials for surface acoustic wave applications 87−53802
Shapiro, G. *see* Jen, C.K. 86−42079
Shapiro, G. *see* Korner, U. 88−41340
Shapiro, G.R. FIR switched-capacitor modulators for discrete QAM 86−62497
Shapiro, G.R. Using Fairchild single-chip 1200 b.p.s. modems 87−69785
Shapiro, G.R., Pindar, A.C.E. A full duplex 1200/300 bit/s single-chip CMOS model 86−37626
Shapiro, G.R., Pindar, A.C.E., Kwok, P.T. A full duplex 1200/300 b/s single-chip CMOS modem 86−17103
Shapiro, G.W., Nuttle, H.L.W. Hoist scheduling for a PCB electroplating facility 88−71215
Shapiro, G.Ya. *see* Boguslavskii, A.A. 87−8640
Shapiro, H.D. *see* Moret, B.M.E. 86−7662
Shapiro, I.I. *see* Clark, T.A. 85−59428
Shapiro, I.I. *see* Davis, J.L. 86−25429
Shapiro, I.M. *see* Illarionov, G.A. 86−32738
Shapiro, I.Z. Selection of a design time interval for optimising the development of networks 87−78091
Shapiro, I.Z., Verigo, A.R. Planning the energy losses over monthly intervals 86−25509
Shapiro, J., Hainline, D., Morton, P. Women in information technology engineering−aspects of the British experience 86−13253
Shapiro, J.B., Sherk, T.A., Whitaker, H.L. Method for multiple panel backfill 85−1252
Shapiro, J.H. Quantum noise and excess noise in optical homodyne and heterodyne receivers 85−43002
Shapiro, J.H. Precise comparison of experimental and theoretical SNRs in CO_2 laser heterodyne systems: comments 85−47606
Shapiro, J.H. Correlation scales of laser speckle in heterodyne detection 85−51449
Shapiro, J.H. Squeezed state photodetection 87−54192
Shapiro, J.H. Heterodyne mixing efficiency for detector arrays 88−4427
Shapiro, J.H., Reinhold, R.W., Park, D. Performance analyses for peak-detecting laser radars 87−41031
Shapiro, J.H. *see* Fluckiger, D.U. 87−29115
Shapiro, J.H. *see* Kin Wai Leong 86−48744
Shapiro, J.H. *see* Mark, M.B. 88−28975
Shapiro, L. Ordered structural matching 88−73384
Shapiro, L.G. Solving consistent labeling problems having the separation property 85−30408
Shapiro, L.G., Haralick, R.M. Relational matching 87−55247
Shapiro, L.G., MacDonald, R.S., Sternberg, S.R. Ordered structural shape matching with primitive extraction by mathematical morphology 87−39922
Shapiro, L.G., MacDonald, R.S., Sternberg, S.R. Shape recognition with mathematical morphology 87−48124
Shapiro, L.G. *see* Haralick, R.M. 85−13620, 86−18584
Shapiro, L.G. *see* Lee, J.S.J. 87−48116, 87−55259, 88−14824
Shapiro, L.G. *see* Pong, T.-C. 85−30435
Shapiro, L.M. *see* Aivazova, A.A. 86−53974
Shapiro, L.Ya. Frequency and deviation measurement by selected lines of TV signals 86−43972
Shapiro, L.Ya., Astorga, V.I. Choosing a desynchronized generator for a wind power plant 87−35857
Shapiro, L.Ya., Bobovskii, V.A. Determining the unbalanced-mode parameters of an asynchronized turbogenerator 87−4710
Shapiro, L.Ya. *see* Aliev, I.I. 85−38987
Shapiro, L.Ya. *see* Astorga, V.I. 88−17557
Shapiro, M., Laufer, G., Gutfinger, C. Theoretical and experimental study of the effect of external electrostatic field orientation on the filtration of dust by granular bed filters 85−24756
Shapiro, M., Laufer, G., Gutfinger, C. The effect of external electrostatic field orientation on aerosol filtration by granular filters 86−48527
Shapiro, M. *see* Brandenburg, G. 88−47984
Shapiro, M. *see* Makpangou, M. 88−59457
Shapiro, N.L., Sider, F.M., Bowman, M.E., Gasper, J.K. Transfer of reload methodology from vendors to utilities [nuclear power utilities] 86−32691
Shapiro, N.L. *see* Andrews, M.G. 85−38731
Shapiro, N.L. *see* Flinn, W.S. 85−53496
Shapiro, N.R. *see* Ulug, M.E. 86−23530
Shapiro, O.S. *see* Ryzhikov, V.D. 87−57038
Shapiro, P. *see* Campbell, A.B. 86−35879
Shapiro, P. *see* Hauser, J.R. 86−35768
Shapiro, P. *see* Knudson, A.R. 85−18145, 86−35702, 87−32292
Shapiro, P. *see* McNulty, P.J. 85−18340
Shapiro, P. *see* Xapsos, M.A. 88−25197, 88−25993
Shapiro, S. *see* Ashford, V. 86−50391, 87−41835
Shapiro, S. *see* Bird, F. 86−50334
Shapiro, S. *see* Hallewell, G. 88−68213
Shapiro, S. *see* Johnson, R. 88−68277
Shapiro, S. *see* Spencer, E. 88−61189
Shapiro, S. *see* Va'Vra, J. 88−61103
Shapiro, S. *see* Walker, J.T. 85−40911
Shapiro, S. *see* Williams, S. 85−43247
Shapiro, S.C. *see* Taie, M.R. 87−45402
Shapiro, S.D. *see* Short, K.L. 86−52169
Shapiro, S.F. Voice output systems make it hard to distinguish real from synthetic 85−37373
Shapiro, S.F. Automaker's MAP leads the way to factory automation 85−47202
Shapiro, S.F. Electronic assembly becoming dependent on robotic tools 86−52217
Shapiro, S.F. Machine vision finds a niche in automated inspection 86−53165
Shapiro, S.F. CCD cameras reflect emphasis on size and sharpness 87−14331
Shapiro, S.F. ILANs critical to CIM success 88−46541
Shapiro, S.L. *see* Foley, K.J. 88−68313
Shapiro, S.L. *see* Johnson, A.S. 86−50322
Shapiro, S.L. *see* Walker, J.T. 85−9107
Shapiro, S.M. *see* Jukoniya, V.E. 85−20306
Shapiro, S.M. *see* Kremer, I.Ya. 86−48945, 87−61897
Shapiro, S.M. *see* Petrov, V.M. 88−27915
Shapiro, V. *see* Morgan, A. 87−65413
Shapiro, V.I. *see* Kramarov, N.L. 85−59997
Shapiro, Ye.I. Stable solution of the nonlinear filtration problem for non-Gaussian measurement errors 85−58485
Shapiro, Ye.I. Evaluation of the efficiency of filtering algorithms under anomalous observation conditions 86−23066
Shapiro, Ye.I. *see* Livshits, N.A. 85−41816
Shapirshtein, Ya.A. *see* Momot, V.Ya. 86−33858
Shapkin, P.V. *see* Akhekyan, A.M. 86−9807
Shapkin, P.V. *see* Akimova, I.V. 86−9811
Shapkin, P.V. *see* Buachidze, E.E. 86−28890
Shapkin, P.V. *see* Buachidze, Z.E. 87−1975, 87−54055
Shapkin, P.V. *see* Kozlovskii, V.I. 85−7411
Shapkina, O.F. *see* Muravlev, O.P. 88−37217
Shapland, J.E., Salo, R., Olive, A., Pederson, B., Tockman, B. Sensors for automatic pacing control 87−50423
Shaplygin, I.S. *see* Komarov, V.P. 86−27761
Shapo, B., Ball, C., Kizilyalli, I., Ravaioli, U. Recent applications of Monte Carlo methods for semiconductor microdevice simulation 88−50783
Shaposhnikov, A.A. *see* Yergakov, V.S. 86−21048
Shaposhnikov, A.S. *see* Oreshnikov, V.G. 85−57073
Shaposhnikov, S.N. *see* Chashchin, S.P. 87−18751
Shaposhnikov, V.A. *see* Belyakov, V.P. 87−32917
Shaposhnikov, V.G. *see* Strakhov, S.V. 88−50014, 88−55470
Shaposhnikov, V.I. *see* Muzhitskii, V.F. 88−43961
Shaposhnikov, V.N. *see* Kononenko, E.V. 88−30704
Shaposhnikova, E.N. *see* Senichev, Yu.V. 88−42374
Shaposhnikova, T.V. *see* Khramenkov, V.N. 88−4267
Shapoval, E.I. *see* Burlakov, M.V. 86−52334
Shapoval, S.L. *see* Bogdanovich, V.B. 87−24494
Shapovalov, A.G. Logic simulation of distortions in switching functions of the network elements 88−38453
Shapovalov, A.V. *see* Tolstov, Ye.F. 85−37109
Shapovalov, V.A., Korotkova, G.M. Calculating a welding transformer with a ring type magnetic circuit 87−79240
Shapovalov, V.A. *see* Muzukin, V.A. 88−64632
Shapovalov, V.A. *see* Muzykin, V.A. 87−25261
Shapovalov, V.N. *see* Berezin, Yu.D. 85−24511
Shapovalov, V.N. *see* Danil'chuk, N.V. 87−68244
Shapovalov, V.P. *see* Litovchenko, V.G. 87−36761
Shapovalov, Yu.I., Davidyuk, R.D. Realization of topological analysis of circuits in the AS13ES program 85−17080
Shapovalov, Yu.I., Shiika, Ya.V. Structure of the SAPFIR program package for radioelectronic-device circuit design 87−23847
Shapovalova, N.A. *see* Dubilovich, V.M. 88−55240
Shappard, J.C., Lee, M.J., Ross, M.C., Seeman, J.T., Stiening, R.F., Woodley, M.D. Beam steering in the SLC linac 86−31925
Shappir, J. CMOS technology−past, present and future 86−28506
Shappir, J., Anis, A., Pinsky, I. Investigation of MOS capacitors with thin ZrO_2 layers and various gate materials for advanced DRAM applications 86−46800
Shappir, J. *see* Alpern, Y. 88−13035
Shappir, J. *see* Avni, E. 86−28507, 88−32963, 88−50846, 88−57387
Shappir, J. *see* Emanuel, M. 85−40532
Shappir, J. *see* Faigon, A. 85−50325, 86−21277
Shappir, J. *see* Kolodny, A. 86−62595
Shappir, J. *see* Nissan-Cohen, Y. 85−50292, 85−55595, 87−1320
Shappirio, J., Finnegan, J., Lux, R., Fox, D., Kwiatkowski, J., Kattelus, H., Nicolet, M. TiB_2 and ZrB_2 diffusion barriers in GaAs Ohmic contact technology 86−21444
Shappirio, J.R. Diffusion barriers in advanced semiconductor device technology 86−21457
Shappirio, J.R., Finnegan, J.J., Lux, R.A. Diboride diffusion barriers in silicon and GaAs technology 87−25164
Shappirio, J.R., Finnegan, J.J., Lux, R.A., Fox, D.C. Resistivity, oxidation kinetics and diffusion barrier properties of thin film ZrB_2 85−18262
Shappirio, J.R., Lux, R.A., Finnegan, J.J., Fox, D.C., Kwiatkowski, J.H. Improved ohmic contacts to n-type GaAs, using diboride diffusion barriers 87−11450
Shapran, T.V. *see* Kleshchevnikov, E.F. 87−70383
Shaptoshvili, D.S., Korsunckii, M.D., Charuev, N.G., Iosebashvili, I.M. VDS-201 moisture meter for wood chips 85−37814
Shaptsev, V.A. The method of characteristic functions for calculating the error-stream distribution in fading channels with indeterminate phase 85−36165
Shaptsev, V.A. The carrying capacity of practical channels 86−36891
Shaptsev, V.A. A lower bound on decoding error probability 86−36937
Shaptsev, V.A. Calculation of the characteristics of discrete channels with a memory for a long length of the error vectors 86−48729
Shaptsev, V.A. Regressive models for predicting the quality of binary communications channels 88−40569
Shaptsev, V.A. *see* Iskam, V.Ya. 86−36716, 87−47524
Sharabarin, E.V. *see* Rybalov, A.M. 87−56968
Sharabianlou, N., Chum, S. Preliminary economic analysis and design guidelines for a double star broadband fiber optic subscriber loop network 88−47080
Sharabkhanyan, I.I. *see* Amirikyan, R.A. 85−59620, 86−25479
Sharabkhanyan, N.I. *see* Amirikyan, R.A. 86−6311
Sharad, M. *see* Kellis, J.T. 87−18266
Sharadkin, A.M. Discretization and quantization of stochastic signals 88−27882
Sharadkin, A.M., Molchanov, A.A., Kubyshkina, N.N. Representation of a periodic signal by a Fourier series with finite number of terms 88−52442
Sharadkin, A.M., Molchanov, A.A., Merkotun, N.N. Sampling of stochastic signals 87−55091
Sharadkin, A.M. *see* Molchanov, A.A. 87−2390, 87−54772, 88−38093
Sharadkin, D.M. *see* Afinogenov, S.V. 88−24883
Sharadkin, D.M. *see* Semik, A.P. 86−627
Sharaevskii, V.N. *see* Shostak, V.A. 87−53090
Sharaevskii, Yu.P. *see* Prokushkin, V.N. 86−54259
Sharaf, A.M., Hamed, H.G., Luke, D. Microcomputer based efficient autosynchronous motor drive 87−58349
Sharaf, A.M., Mathur, R.M., Takasaki, M., Takahashi, K. Damping torsional oscillations of nuclear generators by using firing delay angle modulation of HVDC schemes 88−5328

Sharaf, A.M., Naganathan, S., Burridge, R.E. Microprocessor based low cost wind energy conversion schemes 87−30468
Sharaf, A.M., Naganathan, S., Natarajan, K., Sivakumar, S. Modelling and control design of induction generator based wind energy conversion scheme 87−30588
Sharaf, A.M., Sivakumar, S. Digital simulation of thyristor-controlled convertors under unbalanced power system conditions 85−27517
Sharaf, A.M., Sivakumar, S. Stabilizing interconnected power systems using static phase shifters 85−43532
Sharaf, A.M., Yao, Y., Wu, R. Thyristor converter-modulated impedance under unbalanced system conditions 87−30757
Sharaf, A.M. *see* Dash, P.K. 87−57538, 88−5254, 88−69046
Sharaf, A.M. *see* Doraiswami, R. 86−18700
Sharaf, A.M. *see* Hamed, H.G. 87−22825, 87−30529, 88−69806
Sharaf, A.M. *see* Mobarak, M.A. 86−6274
Sharaf, A.M. *see* Naganathan, S. 86−66006
Sharaf, A.M. *see* Natarajan, K. 88−5619
Sharaf, A.M. *see* Prakash, R. 87−22820
Sharaf, A.M. *see* Saxena, A. 86−70894, 87−31034
Sharaf, A.M. *see* Sivakumar, S. 85−27518, 85−43533, 86−40211, 87−31036
Sharaf, A.M. *see* Xu, Y. 86−6913, 87−30606 to 30607, 87−31035
Sharaf, A.M. *see* Yaozhong Xu 87−31032, 87−36206
Sharaf, K. *see* Sivakumar, S. 87−42953
Sharaf, M.A. *see* El-Fiki, M.A. 87−21485, 87−29633
Sharaf, M.I. *see* El Gohary, M.I. 86−12018
Sharaf, M.M. Generalised self tuning excitation control of a nonlinear turboalternator 88−23893
Sharaf, M.M. Structural identification of a turboalternator system 88−23895
Sharaf, M.M. Generalised self tuning controller for a synchronous generator 88−43167
Sharaf, M.M. *see* Ibrahim, A.S. 88−37185
Sharaf, S.M., Hogg, B.W., Abdalla, O.H., El-Sayed, M.L. Model reference adaptive control for a turbogenerator 85−64848
Sharaf, S.M.Z., Hogg, B.W., Andalla, O.H., El-Sayed, M.L. Multivariable adaptive controller for a turbogenerator 86−39702
Sharaf, T.A.M., Berg, G.J. Probabilistic voltage assessment [power systems] 88−23297
Sharaf, T.A.M., Berg, G.J. Probabilistic voltage assessment and VAr compensation 88−75037
Sharaf, T.A.M., Berg, G.J. Reliability evaluation in power-system transmission planning: practical considerations 88−75121
Sharaf, T.A.M. *see* Berg, G.J. 85−32109, 88−68842
Sharafali, M., Natarajan, R., Parthasarathy, P.R. A complex two unit system with stochastic demand 88−49576
Sharafutdinov, R.M. The noise immunity of the regenerator of a transmission system with spectral division of the optical channels 87−70043
Sharagowitz, E., Johg Lee, Sahni, S., Lishin Lin Integrated 'CAD' system based on heterogeneous computers and multiple heuristic algorithms 87−66090
Sharai, B.A. *see* Grachev, L.P. 85−28891
Sharakhimov, M.Sh. *see* Ishmukhamedov, B.N. 86−25415
Sharakhimov, M.Sh. *see* Mirzaev, A.T. 85−24475
Sharakhimov, M.Sh. *see* Zakirov, Sh.Kh. 86−68650
Sharamentov, S.I. Microwave generator with regulated output power 86−67492
Sharamentov, S.I. A resonator-detuning sensor 87−49712
Sharan, A., Valero, L. Application of controlled atmosphere IR furnaces to cerdip sealing 88−6280
Sharan, L.K. *see* Mukherjee, S.P. 86−7570
Sharan, R., Srivathsan, K.R. Parameter estimation of MOSFETs using cross-modulation 87−18171
Sharan, R. *see* Lal, R. 87−9738
Sharan, S.N., Kandpal, T.C. Optimum concentration ratio for a combined photovoltaic-thermal concentrator-receiver system 88−11380
Sharan, S.N., Mathur, S.S., Kadnpal, T.C. Economic feasibility of photovoltaic concentrating systems 86−26300
Sharan, S.N., Mathur, S.S., Kandpal, T.C. Estimation and sensitivity analysis of the cost of electricity produced by concentrator-photovoltaic systems 86−61430
Sharan, S.N., Mathur, S.S., Kandpal, T.C. Analysis of an actively cooled photovoltaic-thermal solar concentrator receiver system using a fin-type absorber 87−30953
Sharan, S.N., Mathur, S.S., Kandpal, T.C. Optimum concentration ratio for an actively cooled solar concentrator-photovoltaic system with a fin-type absorber 88−11379
Sharan, S.N., Mathur, S.S., Kandpal, T.C. Analytical performance evaluation of combined photovoltaic-thermal concentrator-receiver systems with linear absorbers 88−11381
Sharando, V.I. *see* Lukhvich, A.A. 87−29284
Sharanevich, L.N. *see* Pashchenko, V.P. 86−35985
Sharangovich, S.N. Broadband power amplifier with distributed gain along connecting lines 85−22678
Sharangovich, S.N. *see* Sutorikhin, V.A. 88−50037
Sharangovich, S.N. *see* Zadorin, A.S. 86−22196, 87−68232
Sharapa, A.I. *see* Belyi, M.U. 85−18910
Sharapa, A.N. *see* Meshkov, I.N. 86−25081
Sharapov, E.I. *see* Urakseev, M.A. 86−5221
Sharapov, E.M. *see* Urakseev, M.A. 85−47942
Sharapov, L.I. *see* Vakser, I.Kh. 87−68769
Sharapov, S.I. *see* Trifonon, A.P. 85−7717
Sharapov, V.I. Adjusting the vacuum deaerator plant of a district-heating power station 86−39514
Sharapov, V.N. *see* Grammakov, A.G. 87−65958
Sharapov, V.N. *see* Veretennikov, G.A. 86−39297
Sharapov, Yu.I. A method of choosing the heterodyne frequency when there are no combination components within the intermediate-frequency passband 86−43267
Sharapov, Yu.I. Double-conversion frequency shift of an input signal with $F_{IF1}=F_{G1}-F_{s1}$ for $F_{G1}>F_{s1}$ and $F_{IF2}=F_{G2}-F_{s2}$ for $F_{G2}>F_{s2}$, with no combination or harmonic components in the converter passbands 87−45144
Sharapov, Yu.I. Shift of the input-signal frequency range by double conversion when $F_{IF1}=F_{s1}-F_{h1}$ if $F_{s1}>F_{h1}$ and $F_IF_2=F_{s2}+F_{h2}$ if either $F_{s2}>F_{h2}$ or $F_{h2}>F_{s2}$ without combination of harmonic components of a specified order in the converters' passband 87−45146
Sharapov, Yu.I. Frequency conversion without parasitic combination components 87−52788
Sharapov, Yu.I. Shifting the frequency band of an input signal by double conversion components in the converter passbands 87−61567
Sharapov, Yu.I. Shifting the frequency range of an input signal by double conversion with $F_{IF1}=F_{c1}+F_{h1}$, if $F_{c1}>F_{h1}$ and $F_{IF2}=F_{c2}-F_{h2}$, if $F_{c2}>F_{h2}$, without intermodulation components or harmonic components in maximally broad converter passbands 88−914
Sharapov, Yu.I. A multichannel receiver without combination or harmonic components 88−29287
Sharapov, Yu.I. Comparative characteristics of the difference modes of frequency conversion 88−38653
Sharar, S.R. *see* Forster, F.K. 87−71125
Sharashenidze, A.I. *see* Kharkevich, A.D. 86−30505
Sharayevskiy, Yu.P. *see* Bunimovich, B.F. 85−6663
Sharbaugh, A.H., Maylotte, D.H. Dry separation of coal and shale by differences in their electrical properties 86−70749
Sharbaugh, A.H., II, Walker, G.W. The design and evaluation of an ion-drag dielectric pump to enhance cooling in a small oil-filled transformer 86−6834
Sharber, J.R., Winningham, J.D., Scherrer, J.R., Sablik, M.J., Bargainer, C.A., Jensen, P.A., Mask, B.J., Eaker, N., Biard, J.C. Design, construction, and laboratory calibration of the Angle Resolving Energy Analyzer (AREA): a 'top-hat' instrument for auroral research 88−68629
Sharbrough, F.W. *see* Lagerlund, T.D. 88−61350
Sharda, Garg, I. A study of a time-dependent queueing problem with departures having random memory 85−44586
Sharda, Garg, I. A new measure for time-dependent queueing systems with statistically dependent arrivals 86−7600
Sharda, Garg, I. Note on the solution of a queueing model by Sharda and Garg 86−13616
Sharda, Garg, I. Further results on the solution of a queueing model by Sharda and Garg 86−13617
Sharda, Garg, P.C. Time dependent solution of a queueing problem with intermittently available server 87−23455
Sharda, Garg, P.C. Explicit time dependent solutions for a queue with feedback and server intermittently available 87−23456
Sharda, Garg, P.C. A study of a time dependent queueing system with two parallel channels 88−18555
Sharda, Rana, P.S. A queueing problem with random memory arrivals and heterogeneous servers 86−7599
Sharda, G.D. *see* Agarwal, S.K. 87−297
Sharda, H. *see* Meglicki, Z. 88−44739, 88−50795
Sharda, N.K., Mulchandani, R., Arockiasamy, R. Microprocessor control of cycloconverter: techniques for implementation and testing 87−4792
Share, J.A. A frequency/voltage convertor 85−6476
Share, J.A. *see* Shaw, J. 86−38944
Shareiko, P.N. *see* Belousov, A.S. 87−50190
Sharendo, A.I. *see* Obukhov, V.Ye. 86−58420
Sharendo, N.O. *see* Nagorskii, V.D. 85−39258
Sharenkov, A.V. *see* Sadykhov, R.Kh. 87−47649
Sharenow, B. Package design considerations using tape automated bonding materials 88−12865
Sharenow, B. *see* Holzinger, S.T. 87−24656, 88−25755
Sharestani, E., Cuthbert, L.G. FIR digital filters designed to a group-delay characteristic 85−45159
Sharestani, E., Cuthbert, L.G. Two-dimensional FIR digital filters designed to arbitrary group-delay specifications 87−52739
Sharf El-Din, H. *see* Zied, M.Z. 85−9498
Sharfin, W.F., Dagenais, M. Room-temperature optical bistability in InGaAsP/InP amplifiers and implications for passive devices 85−41454
Sharfin, W.F., Dagenais, M. Femtojoule optical switching in nonlinear semiconductor laser amplifiers 86−36559
Sharfin, W.F., Dagenais, M. High contrast, 1.3 μm optical AND gate with gain 86−57761
Sharfin, W.F., Dagenais, M. Nonlinear semiconductor laser amplifiers as low-energy optical switches 87−33214
Sharfin, W.F., Dagenais, M. Dynamics of optically switched bistable diode laser amplifiers 87−39164
Sharfin, W.F., Dagenais, M. Nonlinear diode laser amplifiers for optical thresholding and logic 87−54340
Sharfin, W.F., Dagenais, M. The role of nonlinear diode laser amplifiers in optical processors and interconnects 87−68616
Sharfin, W.F., Dagenais, M. Optical switching of semiconductor laser amplifiers 88−51787
Sharfin, W.F. *see* Dagenais, M. 85−24643, 85−56793, 86−22498, 86−42637, 87−12592, 87−33322, 88−40035, 88−58308, 88−67376
Sharfman, N. The NS32332 CAD system: a highway to UNIX 87−37366
Sharfstein, S. *see* Agopian, G. 88−57965
Shargin, Yu.M. *see* Chernovets, A.K. 88−37194, 88−37209
Shargin, Yu.M. *see* Semenov, K.N. 86−25697
Shargorodskaya, L.L. *see* Gil', M.I. 88−25048
Shariat, H. Shape from rotation 86−10575
Shariat, H. The motion problem: a decomposition-based solution 86−10576
Shariat, H. Structure and motion from line correspondences 88−59273
Shariat, H., Price, K.E. Results of motion estimation with more than two frames 88−8875
Shariati, R. Optical fiber in the loop: features and applications 87−70068
Sharief, S.M. *see* Ghobrial, S.J. 87−54549
Sharif, A. *see* Gartner, H.M. 85−12356
Sharif, B., McCready, P., Mitchell, R.H., Jenkins, J., McClure, G. Portable system for the measurement of heart rate 87−63784
Sharif, B.S. *see* Mitchell, R.H. 88−48211
Sharif, G.A. *see* Vakhitov, N.G. 88−27221
Sharif, K.P., Narayan, R. Network synthesis for corroding systems−an impedance study 85−17129
Sharif, N. *see* Shah, N. 87−11684
Sharif-Askary, J., Melanson, G.S., Torres, G. Features of a communication system implemented for the Mexican distributed energy control center data links 88−10788
Sharifi, F., Gavilano, J.L., Van Harlingen, D.J. Macroscopic quantum tunneling and thermal activation from metastable states in a DC SQUID 88−71982
Sharifi, M.H. Effects of transmitter-satellite and receiver timing, frequency, and amplitude instabilities on BPSK and QPSK system performance 86−23821
Sharifi, M.H. Parametric analysis of intercity transmission alternatives 86−55271
Sharifi, M.H. Transmission design requirements in digital satellite communications 86−55276
Sharifi, M.H. Delay and probability of bit error performance for TDMA and FDMA channels 87−40035
Sharifi, M.H., Arozullah, M. Comparison of satellite and fiber optics technologies for intercity and intercontinental communications 87−28516
Sharifi, M.H., Arozullah, M. Multiple satellite networks with on-board processing 87−28517
Sharifi, M.H., Arozullah, M. A centralized multiple satellite network for real time global space, land, and mobile communications 88−22048
Sharifi, M.H., Arozullah, M. A *k*-mode synchronization methodology for multiple satellite networks 88−46985
Sharifi, M.H., Arozullah, M. A multiple access technique for centralized multiple satellite networking with on-board processing in the central node 88−52659
Sharifi, M.H., Arozullah, M. A multiple access technique for centralized multiple satellite networking with on-board processing in the central node 88−53239
Sharifi, M.H., Barnhart, A., Sun, M. Application of VSAT in multimedia networks 88−9495

Sharifi, M.H., Besharatian, H., Ali, S., Castiel, D. A software package tool for planning and designing hybrid data communication networks 88—9176
Sharifi, M.H., Freedenberg, P.J. Impact of phase and amplitude impairments on PSK transmission integrity 85—41831
Sharifi, M.H., Pourmand, B. Application and design of inexpensive small Earth terminals for satellite communications 87—28511
Sharifi, M.H. *see* Cacciamani, E.R., Jr. 88—15488
Sharifnia, A., Aashtiani, H.Z. Transmission network planning: a method for synthesis of minimum-cost secure networks 85—59652
Sharifullin, Z.N. *see* Batalov, A.A. 87—8791
Sharii, V.M., Mikhailovskaya, E.V., Kostyshin, M.T. Studies of photodoping in the metal-semiconductor structure by the method of scanning electron microscopy 86—8995
Sharin, A.A., Vesnukhov, A.A. Precision wideband high-frequency logarithmic amplifier 86—14021
Sharin, L.P. *see* Godlevskii, A.P. 87—4135
Sharin, P.P. *see* Godlevsky, A.P. 87—56269
Sharin, P.P. *see* Zuev, V.E. 87—61297
Sharipov, A.M. Testing of active steel for turbogenerators and large electrical machines: procedure and norms 86—45337
Sharipov, A.M. Operational-life testing of large alternating-current electrical machines in starting modes 86—56695
Sharipov, A.M. On the introduction of methods for determining additional load losses into standards on test methods for asynchronous motors 87—72141
Sharipov, A.M. Using low-frequency energy sources in the production of large electric machines 87—72143
Sharipov, A.M., Medinskii, L.A., Litvinenko, V.D., Shainurov, F.F. Improving the accuracy of loss measurement by the self-braking method in testing electric machines 87—78599
Sharipov, A.M. *see* Geraskin, A.G. 85—43987
Sharipov, A.M. *see* Vozilkina, G.P. 87—72144
Sharipov, B.Z. *see* Bakhadyrkhanov, M.K. 88—26937
Sharipov, I.Z. *see* Bezaeva, L.G. 86—29110, 88—32037
Sharipov, U.B., Kim, G.K. Modelling algorithm for transients in power systems for identifying static stability disturbances 88—75110
Sharipov, U.B. *see* Fazylov, Kh.F. 87—21825
Sharir, M. *see* Kalvin, A. 87—47917
Sharir, M. *see* Schwartz, J.T. 87—69284
Shark, L.-K., Terrell, T.J., Simpson, R.J. New synchronisation method for satellite-switched time-division multiple-access systems 85—47456
Shark, L.-K., Terrell, T.J., Simpson, R.J. Adaptive frame synchroniser for digital satellite communication systems 88—28760
Shark, L.-K. *see* Simpson, R.J. 86—30695
Shark, L.K., Simpson, R.J., Terrell, T.J. New postdetection processing technique for frame synchronisers 88—15399
Sharkawy, A.A.El *see* El Sharkawy, A.A.
Sharkawy, M.A.El *see* El Sharkawy, M.A.
Sharkey, J. Oceano Instruments' acoustic long baseline sequential relay calibration routine 86—60947
Sharkey, W.W. Models of competitive telecommunications markets 88—34881
Sharkina, E.V. *see* Dubrovin, I.V. 85—11964
Sharko, A.V. General laws and recommendations for using acoustic methods to check heat-treatment conditions in metals 88—18783
Sharko, A.V. *see* Bugai, A.A. 86—26663
Sharko, I.N. Automatic preparation of radio-components for mounting using a tracking mechanism 88—6260
Sharko, R., Gervais, A., Texier-Hervo, C., Belouet, C. TEM observations of defects in solar cells prepared from polycrystalline silicon sheets (RAD method) 86—45719
Sharko, R. *see* Gervais, A. 87—44294
Sharkov, A.V. *see* Konyashchenko, A.V. 87—75241
Sharkov, A.V. *see* Parfenov, V.G. 86—15596
Sharkov, V.A. *see* Steblev, Yu.I. 86—543
Sharkov, V.F. *see* Goryachev, S.B. 85—41347, 86—36381
Sharkov, V.F. *see* Islamov, R.Sh. 85—7387
Sharkov, V.F. *see* Korolenko, P.V. 87—54384
Sharkova, E.V. *see* Demidov, E.F. 88—13997
Sharkova, E.V. *see* Galanova, G.K. 85—3999
Sharkovskii, V.A. *see* Chachko, A.G. 85—27988
Sharkovskii, V.A. *see* Nurzhanov, B.G. 88—17336
Sharlandjiev, P., Mateeva, T. Spectral selectivity of holographic mirrors recorded in an attenuating medium 85—62686
Sharlandjiev, P., Mateeva, Ts. Normal incidence holographic mirrors by the characteristic matrix method. Numerical examples 85—62683
Sharlandjiev, P., Todorov, T. Holographic mirrors—a thin-film optics approach 86—36600
Sharlandjiev, P. *see* Mateeva, T. 86—37136
Sharlandjiev, P. *see* Mazakova, M. 85—56857
Sharlot, S.A. *see* Zaitsev, K.A. 85—43056
Sharma, A. Statistical thermal modeling of multichip modules 86—61940
Sharma, A. Constructing linear combinations of LP modes to obtain zeroth order vector modes of optical fibers 88—65171
Sharma, A., Mishra, P.K., Ghatak, A.K. Single-mode optical waveguides and directional couplers with rectangular cross section: a simple and accurate method of analysis 88—72105
Sharma, A., Parshad, R. A new observation on the thickness-shear vibrations of AT-cut quartz crystals 85—24045
Sharma, A., Sharma, E.K. Exact relationships between field and dispersion of single-mode fibres in presence of material and linear profile dispersion 88—65177
Sharma, A. *see* Dikshit, H.P. 88—43827
Sharma, A. *see* Freude, W. 85—29613, 85—62318
Sharma, A. *see* Geiger, W. 87—1723
Sharma, A. *see* Ghatak, A. 87—68065
Sharma, A. *see* Goodman, T.N.T. 87—36661
Sharma, A. *see* Mishra, P.K. 85—35466, 86—42280
Sharma, A.B., Al-Ani, A.-H., Halme, S.J. Constant-curvature loss in monomode fibers: an experimental investigation 85—7201
Sharma, A.B., Al-Ani, A.-H., Halme, S.J. Experimental modification of the bend-loss formula of monomode fibers 86—9546
Sharma, A.B., Vanninen, M. Broadening of intensity-modulated pulses in single-mode fibres 87—68070
Sharma, A.B., Vanninen, M., Oksanen, L. Chromatic dispersion in single-mode fibers: a new theoretical and experimental approach 86—48158
Sharma, A.D. *see* Jones, D.L. 88—30027
Sharma, A.K. Analysis of interacting resonant structures in fin lines 85—11529
Sharma, A.K. Power-frequency overvoltages—causes, effects and remedial measures for power transformers 85—60223
Sharma, A.K. Tunable waveguide-to-microstrip transition for millimeter-wave applications 87—73630
Sharma, A.K., Jayarama Reddy, P. Studies on the thermoelectric power behaviour of InSb films 85—11913
Sharma, A.K., Rao, S.S.S.P. Gate array router 87—17052
Sharma, A.K., Wilson, R.M., Rosen, A. An experimental investigation of millimeter-wave fin antennas 86—43008
Sharma, A.K. *see* Daryoush, A.S. 87—6099
Sharma, A.K. *see* Gupta, S. 88—28576
Sharma, A.K. *see* Herczfeld, P.R. 87—17362
Sharma, A.K. *see* Lam, W. 88—71068
Sharma, A.K. *see* Raja Ram, P. 85—60438
Sharma, A.K. *see* Rosen, A. 88—63827
Sharma, A.K. *see* Yarman, B.S. 85—23108
Sharma, A.M. *see* Perelygin, V.P. 87—29590
Sharma, A.P., Perelygin, V.P., Kashkarov, L.L. Comments on the Fe-group track density and track length distribution in different meteoritic and moon crystals 87—29597
Sharma, A.P. *see* Farid, S.M. 85—20849, 85—48188
Sharma, A.P. *see* Garg, A.K. 88—29792
Sharma, A.P. *see* Gomber, K.L. 86—18255
Sharma, A.P. *see* Kumar, S. 87—21471, 88—4840, 88—54436
Sharma, A.P. *see* Lal, P.K. 87—15248
Sharma, A.S. *see* Vijaysankar, M.K. 88—42398
Sharma, B., Avila, J. Automatically generating VLSI test programs 85—47824
Sharma, B., McIntyre, C., Labonville, G., Avila, J. Integrated test program development package 86—49950
Sharma, B.B. *see* Sharma, R.K. 87—73040
Sharma, B.B. *see* Yadava, R.D.S. 86—13729
Sharma, B.G. PVDF and related co-polymers, their structural and electrical properties as criteria in electrical insulation 85—35259
Sharma, B.G. Studies on bis-phenol epoxies as compared to cycloaliphatics in outdoor insulation systems 85—40998
Sharma, B.G., Atodaria, D.R. Compatibility of vinyl-styrene and methyl methacrylate cross-linked unsaturated polyester system with modified polyester wire enamels 88—50454
Sharma, B.K. *see* Shamshi, M.A. 87—70794
Sharma, B.L. Epitaxial growth of InP and related alloys 87—16625
Sharma, B.L. Ion implantation in semiconductors: role of diffusion 88—26031
Sharma, B.L., Quamara, J.K., Pillai, P.K.C. Photoinduced discharge characteristics of Kapton-H polyimide film photoreceptors 87—12295
Sharma, B.L., Ramam, A. Recent advances in InP based devices 87—25321
Sharma, B.L. *see* Gulati, R. 85—35636
Sharma, B.L. *see* Gupta, S.C. 85—51042, 87—21100
Sharma, B.L. *see* Ram, N. 85—412
Sharma, B.L. *see* Ramam, A. 86—9154
Sharma, C.P. *see* Kumar, N. 85—2085
Sharma, C.S. *see* Nakagawa, T. 85—22019
Sharma, D., Bhat, B.K. Generalized treatment of ground faults in six phase power system—circuit breaker currents and voltages of sound phases 88—42745
Sharma, D., Goodwin-Johansson, S., Wen, D.-S., Kim, C.K., Osburn, C.M. A 1 μm CMOS technology with low temperature processing 88—71791
Sharma, D. *see* Kim, C.-K. 87—6724
Sharma, D. *see* Osburn, C.M. 88—71400
Sharma, D.K., Baker, D.H., Dougherty, J.W., Kankam, M.D., Minnich, S.H., Schulz, R.P. Generator simulation-model constants by finite elements: comparison with test results 86—33289
Sharma, D.K., Minnich, S.H., Schulz, R.P., Dougherty, J.W., Baker, D.H., Chari, M.V.K. Generator simulation-model constants by finite elements: summary 87—42856
Sharma, D.K., Ramanathan, K.V. Modification of MOST I-V characteristics by self-heating 85—34993
Sharma, D.K. *see* Albrecht, P.F. 85—27687, 86—56701, 88—5918
Sharma, D.K. *see* Bacvarov, D.C. 86—56705 to 56706
Sharma, D.K. *see* Chari, M.V.K. 86—61473, 86—61556
Sharma, D.K. *see* Demcko, J.A. 86—61503
Sharma, D.K. *see* Edmonds, J.S. 86—70872
Sharma, D.K. *see* Griffith, J.W. 87—9554
Sharma, D.K. *see* Gupta, B.K. 86—56704, 87—30476, 87—30497, 87—51149, 88—30657 to 30659
Sharma, D.K. *see* Krishna Mohan, N. 86—15808
Sharma, D.K. *see* LaForte, J.T. 88—48870
Sharma, D.K. *see* Limb, J.O. 85—8219
Sharma, D.K. *see* Minnich, S.H. 88—30684
Sharma, D.K. *see* Rhudy, R.G. 86—66075
Sharma, D.K. *see* Stone, G.C. 85—9836
Sharma, D.K. *see* Williams, R.A. 87—9491
Sharma, E. *see* Ghatak, A. 88—72082
Sharma, E.K., Tewari, R. Accurate estimation of single-mode-fibre characteristics from near-field measurements 85—1991
Sharma, E.K. *see* Ghatak, A.K. 86—22133
Sharma, E.K. *see* Mishra, P.K. 85—12597
Sharma, E.K. *see* Sarkar, S. 85—35487
Sharma, E.K. *see* Sarkar, S.N. 87—12134
Sharma, E.K. *see* Sharma, A. 88—65177
Sharma, G., Chellappa, R. A model-based approach for estimation of two-dimensional maximum entropy power spectra 85—30264
Sharma, G., Chellappa, R. Simultaneous confidence bands for a class of 2-D spectral estimates 86—16387
Sharma, G., Chellappa, R. Two-dimensional spectrum estimation using noncausal autoregressive models 86—59278
Sharma, G.C., Goel, L.R., Gupta, P. Stochastic analysis of a two-unit warm standby system with slow switching device 86—40577
Sharma, G.C. *see* Goel, L.R. 86—7563 to 7566, 87—16430, 87—31331
Sharma, G.D., Dube, D.C., Mathur, S.C. CdS and AgBr sensitized Eriochrome black T (EBT) dye solar cells 86—26299
Sharma, G.K. *see* Saini, S.P.S. 86—36790
Sharma, G.N. Estimation of constant failure rates of electronic components at reduced voltage stresses 87—44057
Sharma, G.N. ITU protection against harmful interference 88—20930
Sharma, G.P. *see* Trivedi, P.L. 86—41819
Sharma, H.L. *see* Flower, M.A. 85—15284
Sharma, H.O. Tidal power 85—65173
Sharma, H.O. Bulb units and tidal power development 86—6606
Sharma, H.R. Kachchh tidal power project 86—65812
Sharma, H.S. *see* Gulati, R. 85—35636
Sharma, J. *see* Guha, S.K. 88—74878
Sharma, J. *see* Palaniswamy, K.A. 85—59592, 86—61044
Sharma, J. *see* Shore, K.A. 85—35800
Sharma, J.D. *see* Bhatele, R.P. 86—18702, 88—5315
Sharma, J.K. *see* Raviendra, D. 85—33474, 85—39204, 85—54489, 85—60975
Sharma, J.K.N., Jain, K.K., Bandyopadhyay, A.K., Jager, J. International intercomparison of pressure standards in the pneumatic pressure region 0.4-4.0 MPa between NPL (India) and PTB (FRG) 88—74230
Sharma, J.K.N., Jain, K.K., Molinar, G.F. Use of strain gauge pressure transducer as working pressure standard up to 500 MPa 87—56655
Sharma, K.B., Saxena, V.K., Gupta, R. An experimental study of microstrip square patch antenna in simulated plasma conditions 88—56866
Sharma, K.B. *see* Saxena, V.K. 88—32392
Sharma, K.D. *see* Yagnik, H.K. 85—7642
Sharma, K.K., Srivastava, G.P. Barrier height and its instability in Al-ultrathin SiO_2-n/p-Si devices 85—50313
Sharma, K.K. *see* Anand, J.R. 88—22775
Sharma, K.K. *see* Rodot, M. 87—24940
Sharma, K.K. *see* Srivastava, G.P. 87—45708
Sharma, K.P. *see* Dubey, A.P. 87—61430

Sharma, K.S., Barber, R.C., Duckworth, H.E., Dyck, G.R., Lander, C.A., Schmeing, H., Audi, G., Guo, J.S., Hagberg, E., Hardy, J.C., Koslowsky, V.T. Direct mass measurements at the TASCC facility: the Manitoba-Chalk River On-Line Mass Spectrometer 87—71054
Sharma, M.K. A DAMA system for national network 88—28765
Sharma, M.K. *see* Gupta, R.P. 85—1561, 85—40265
Sharma, M.L. *see* Partha, R. 87—17381
Sharma, M.L. *see* Sarkar, S.K. 87—74022
Sharma, M.S.O., Ramachandran, V., Swamy, M.N.S. A new approach to the approximation of constant group delay in the analog and discrete domains 86—57537
Sharma, M.S.O., Ramachandran, V., Swamy, M.N.S. A new approximation of constant group delay in the analog domain 88—18888
Sharma, M.S.Omprakash *see* Omprakash Sharma, M.S.
Sharma, N. Programmable logic shrinks bus-interface designs 87—44987
Sharma, N. *see* Reed, J. 85—64875
Sharma, N.C. *see* El-Diwany, M.H. 88—44875
Sharma, N.K. *see* Huang, C.C. 88—50128
Sharma, N.K. *see* Husain, S.A. 87—11478, 87—38002, 87—60396
Sharma, N.K. *see* Hussain, S.A. 88—64497
Sharma, O.N. *see* Uher, R.A. 86—66456
Sharma, O.P., Shobha, B. Transient behaviour of a double-channel Markovian queue with limited waiting space 88—38056
Sharma, O.P. *see* Das, R.L. 85—19142, 86—37754
Sharma, P. Design considerations for hybrid microwave integrated circuits 86—58070
Sharma, P. *see* Srinivasan, R. 87—13750
Sharma, P.B. *see* Sethi, V.K. 85—32359
Sharma, P.C. *see* Chande, P.K. 85—43132, 86—5593, 86—31205, 86—70544, 88—47686
Sharma, P.K., Shroff, N., Pillai, P.K.C. Photoconductivity and dark conductivity of ZnCdS(Ag)/CdSSe(Cu) mixed systems 87—74914
Sharma, P.K. *see* Khanna, R.K. 88—39990
Sharma, P.K. *see* Pillai, P.K.C. 86—68378, 86—68387, 88—26940
Sharma, R. Architecture design of a high-quality speech synthesizer based on the multipulse LPC technique 85—46713
Sharma, R. If multiple asynchronous lines aren't being fully used, a stat mux offers a way to cut costs and add benefits 86—69508
Sharma, R. Area-time efficient arithmetic elements for VLSI systems 87—60608
Sharma, R. Analog board testing on functional ATE 88—32655
Sharma, R., Rajashekhara, T. An improved design of PLAs with CED and offline testing capabilities 87—66100
Sharma, R., Rajashekhara, T.N. Effect of modelled faults and a unified design of PLAs for easy testability 87—66088
Sharma, R., Rajashekhara, T.N. Designing testable PLAs for both offline testing and concurrent error detection 88—44152
Sharma, R., Saluja, K.K. An implementation and analysis of a concurrent built-in self-test technique 88—70739
Sharma, R. *see* Chu, K.-C. 85—1750
Sharma, R. *see* Doelz, M. 86—30176
Sharma, R. *see* Radhakrishnan, D. 86--981, 86—47828
Sharma, R. *see* Rai, A.K. 88—57500
Sharma, R. *see* Saluja, K.K. 88—25151
Sharma, R.C. *see* Garg, S.P. 86—70441
Sharma, R.C. *see* Yagnik, H.K. 85—7642
Sharma, R.D., Bhat, B.K. Generalized treatment of ground faults in six phase power system—sequence currents and equivalent circuits 88—42744
Sharma, R.D., Bhat, B.K. A general equation for simulation of faults on a power system by sequence components 88—69050
Sharma, R.G. Review on the fabrication techniques of A-15 superconductors 87—67810
Sharma, R.G., Tanaka, Y., Tachikawa, K. Multifilamentary V_3Ga wires and tapes with composite cores 85—50855
Sharma, R.K. Automatic generation control for integrated operation of power system 87—42320
Sharma, R.K. Numerical solutions to radial form of transistor equations 88—39352
Sharma, R.K., Bansal, S.K. Explosive crystallization in a-Ge films irradiated with microsecond laser pulses 86—27853
Sharma, R.K., Sharma, B.B. Growth and evaluation of mercury cadmium telluride crystals 87—73040
Sharma, R.K., Singh, K., Sahota, H.S. Measurement of pair production cross sections in Ge for the 1.238-3.548 MeV energy range 85—31712
Sharma, R.K. *see* Gupta, P.P. 86—13582, 86—40584 to 40586, 87—4291, 87—9069, 87—16425, 87—21861 to 21862, 87—30073, 87—36536, 88—11798
Sharma, R.Kumar *see* Kumar Sharma, R.
Sharma, R.L. Planning for ISDN in developing countries 87—62505
Sharma, R.L. *see* Doelz, M.L. 85—19990
Sharma, R.Lal *see* Lal Sharma, R.
Sharma, R.N. *see* Nagarajan, V. 85—14332, 86—23941, 87—28640 to 28641, 87—28643
Sharma, R.P. 14 UD Pelletron accelerator project at TIFR 86—38635
Sharma, R.P. Crystal growth and characterization of high-purity germanium 88—375
Sharma, R.P., Divatia, A.S. Fabrication of lithium-drifted silicon detectors by constant temperature method 86—38702
Sharma, R.P., Shukla, A.K., Kapoor, A.K., Srivastava, R., Mathur, P.C. Hopping conduction in polycrystalline semiconductors 85—34499
Sharma, R.P. *see* Arora, J.D. 87—64820
Sharma, R.P. *see* Prasad, V.C. 87—65769
Sharma, R.P. *see* Thacker, B. 86—64746
Sharma, R.S., Naqshbandi, S.F.H. New circuit implementation using current conveyors 86—1241
Sharma, R.S., Shah, N.A., Naqashbandi, S.F.H. Simulation of floating D element 85—17635
Sharma, R.V., Subramanian, D.V. Radio refractive index associated with the onset phase of southwest monsoon 85—13119
Sharma, S., Ashraf, T., Murti, R. Microstructural studies of electrodeposited cadmium sulphide thin layers 85—6001
Sharma, S., Woodle, M. Thermal deformations in a high flux beam position monitor 88—42367
Sharma, S. *see* Alforque, R. 86—31808
Sharma, S. *see* Hulbert, S.L. 88—42364
Sharma, S. *see* Jagadish, C. 88—50634
Sharma, S. *see* Koval, D.O. 86—61575, 87—23430, 87—23440, 87—30750
Sharma, S. *see* Lanitsky, A. 87—6737
Sharma, S. *see* Putatunda, R. 86—47708
Sharma, S. *see* Smith, D.C. 85—45026
Sharma, S. *see* Ulc, S. 86—60496
Sharma, S.B., Calla, O.P.N. On the design and development of a compact primary feed horn for space applications 86—43098
Sharma, S.B. *see* Tiwari, G.N. 88—75952
Sharma, S.C., Koval, D.O. A new algorithm for substation reliability evaluation 87—78746
Sharma, S.C. *see* Dahiya, R.P. 85—21840
Sharma, S.C. *see* Goel, L.R. 87—16429, 87—23417 to 23418
Sharma, S.D., Taylor, J.T., Haigh, D.G. Stray-free second-order circuit for correction of sample-and-hold amplitude distortion in switched-capacitor filters 88—63782
Sharma, S.K., Gupta, A.K., Pillai, P.K.C. Thermally stimulated discharge current studies in poly(acrylonitrile butadiene styrene) sensitized with leucomalachite green for application in electrothermography 86—28531
Sharma, S.K., Gupta, V.P. Estimation of average survival time of a process having an exponential lifetime model for time censored data 88—232
Sharma, S.K., Otomo, G., Tsukamoto, K., Miyata, T. A floating-point A/D converter uses low resolution DAC to get wide dynamic range 88—50221
Sharma, S.K., Singh, S.N., Chakravarty, B.C., Das, B.K. Determination of minority-carrier diffusion length in a p-silicon wafer by photocurrent generation method 87—24753
Sharma, S.K., Srivastava, R.S. Anomalous photovoltaic effect in CdTe films illuminated with monochromatic light 87—26171
Sharma, S.K., Srivastava, R.S. Anomalous photovoltaic effect in vacuum-deposited CdTe films 87—68259
Sharma, S.K., Srivastava, R.S. Study of anomalous photovoltaic effect in vacuum-deposited wedge-shaped CdTe films 87—74911
Sharma, S.K. *see* Roychaudhuri, A. 88—26277
Sharma, S.K. *see* Srinivasamurthy, N. 88—5893
Sharma, S.K. *see* Wood, R.M. 85—7194, 85—7488
Sharma, S.N., Batta, K.K., Rao, P.S. Reactive power balance in system planning and necessity of series compensation for long lines 85—15534
Sharma, S.N., Gupta, D.P. Loading limits of power transformers 85—16088
Sharma, S.P. Experimental investigation of the physical processes applicable to a magnetohydrodynamic laser 85—62476
Sharma, S.P., Schmidt, H.J., Wu, Y.C.L. Feasibility study of an optically pumped iodine excimer 0.342 μm laser using explosive MHD generator plasma 88—40153
Sharma, S.R. *see* Sen, S. 88—31712
Sharma, S.S. *see* Feller, A. 85—40933
Sharma, S.S. *see* Nomura, K. 88—29307
Sharma, S.S. *see* Powell, G.P. 85—40931
Sharma, T.P., Pandey, C.P. Transparent conducting films 86—13788
Sharma, T.P. *see* Goel, A. 85—5380, 85—49105
Sharma, U. Electrical characterization of the photodeposited SiO_2/Si interface 87—45710
Sharma, U., Dahlke, W.E. Infrared photoionization of interface states in Cr-SiO_2-(*n*,*p*)Si structures 85—29054
Sharma, V., Casasent, D., Fetterly, D. Optimal linear discriminant functions 86—16532
Sharma, V. *see* Casasent, D. 85—13613
Sharma, V.K., Affrossman, S., Pethrick, R.A. Poly(α-methylstyrene) and α-methylstyrene-maleic anhydride copolymer: an electron beam lithography study 85—1662
Sharma, V.K., Affrossman, S., Pethrick, R.A. Copolymers of 2-hydroxyethyl methacrylate and methyl methacrylate: an electron beam resist study 85—1663
Sharma, V.K., Affrossman, S., Pethrick, R.A. Electron beam lithography—influence of molecular characteristics on the performance of positive resists 85—55867
Sharma, V.K., Fleming, R.J. Analysis of a three-phase delta-connected inductive load controlled by an SCR-diode switch 85—53700
Sharma, V.K., Wheeler, M.J. The selection of processing conditions for e-beam resists in mask making 86—21681
Sharma, V.K., Wheeler, M.J. Some experimental observations on nearly monodisperse polymethyl methacrylate as an electron resist 88—13293
Sharma, V.V.S. *see* Dante, H.M. 86—48831
Sharma, Y.K. *see* Agrawal, S. 85—45625
Sharma, Y.K. *see* Gautam, V.K. 85—1551
Sharma, Y.K. *see* Husain, S.A. 87—11478, 87—38002, 87—60396
Sharma, Y.K. *see* Hussain, S.A. 88—64497
Sharma, Y.K. *see* Mohan, S. 85—34912
Sharma, Y.K. *see* Rangarajan, A.R. 85—25568
Sharma, Y.K. *see* Satsangi, V.R. 85—55745
Sharma, Y.K. *see* Seshagiri, N. 88—21718
Sharma, Y.K. *see* Singh, R.K. 86—28562
Sharma, Y.K. *see* Sundar, M.G. 85—25576
Sharma Aruna *see* Aruna Sharma
Sharma Bhu Dev *see* Bhu Dev Sharma
Sharman, D. SPLAT, symbolic cell placement and routing tool 87—38582
Sharman, D.B., Durrani, T.S. Knowledge based object detection 86—16556
Sharman, D.B., Durrani, T.S. Goal driven parameter evaluation for the detection of objects in SAR data 87—41005
Sharman, D.B., Glen, J.A., Mason, P. Towards associating passive sonar contacts 87—56289
Sharman, D.B., Stewart, K.A., Durrani, T.S. Model driven image restoration 86—37167
Sharman, K.C. Adaptive algorithms for estimating the complete covariance eigenstructure 87—19813
Sharman, K.C. Maximum likelihood parameter estimation by simulated annealing 88—73124
Sharman, K.C., Chambers, C., Durrani, T.S. Rule driven adaptive signal processing 87—55245
Sharman, K.C., Durrani, T.S. Resolving power of signal subspace methods for finite data lengths 86—16444
Sharman, K.C., Durrani, T.S. A comparative study of modern eigenstructure methods for bearing estimation—a new high performance approach 87—55201
Sharman, K.C. *see* Friedlander, B. 85—63039
Sharmana, D.B., Stewart, K.A., Durrani, T.S. The use of context in image restoration 87—19957
Sharmash, Y. *see* Georgiou, T. 85—33003
Sharnoff, M. Microdifferential holography 86—9978
Sharofidinov, Kh.Kh. *see* Liseev, M.S. 85—21074, 87—21833, 88—36788
Sharon, A. Simulation of a steam generator tube bundle response to a blowdown transient 87—72002
Sharon, A., Kenton, M.A., Thomas, G.R. Simulation of a complex transient in a PWR reactor: the TMI-2 accident 88—75391
Sharon, A. *see* Johnston, B.S. 85—4847 to 4848
Sharon, A. *see* Paik, C.Y. 88—75306
Sharon, M., Basavaswaran, K. Photoelectrochemical studies on p-SnSe electrodes 87—58266
Sharon, M., Kumar, S., Sathe, N.P., Jawalekar, S.R. Saur Viddyut Kosh IV: study of a rechargeable solar battery with n-Pb_3O_4 electrodes 85—5364
Sharon, T.E. Beam forming networks for millimeter wave satellite communications 85—8343
Sharon, T.E., Harrison, G.R. Recent advances in MM-wave ferrite device technology 86—53900
Sharon, T.E. *see* Harrison, G.R. 88—19353, 88—72688
Sharon, T.M. *see* Brewer, R.D. 86—56219
Sharoni, E. Fast switching synthesizer 86—27138
Sharoni, E. Digital control speeds synthesizer switching [in PLLs] 87—52458
Sharonov, A.V., Risenberg, V.Kh. Determining optimum operating mode of discrete data-measurement system 87—33576
Sharonov, G.I. *see* Prokuntsev, A.F. 85—26401
Sharonov, G.I. *see* Veselov, G.I. 87—63467
Sharonov, G.V. *see* Bakinovskii, K.N. 88—72359
Sharonov, M.Yu. *see* Balakshii, V.I. 86—48238
Sharonova, E.V. *see* Ablamunets, I.G. 85—15045
Sharonova, L.V., Polyanskaya, T.A., Nazhmudinov, Kh.G., Karyaev, V.N., Zaitseva, L.A. Height of the Au-$GaAs_{1-x}Sb_x$ Schottky barrier 88—57370
Sharonova, L.V. *see* Makarova, T.L. 85—23537
Sharopalova, N.P. *see* Krasnova, N.P. 86—8565
Sharov, A.M. *see* Golik, L.L. 85—33805
Sharov, A.N. Noise level estimation algorithm with low sensitivity to a change in the noise correlation properties 86—16343

Sharov, A.N., Groshikov, Ye.N., Koveshnikov, V.G. Optimum recursion estimation of the amplitude of a coded radio telegraph signal in a channel with variable parameters and noise that is similar to the signal 85–13447
Sharov, A.N., Semenyuk, A.F., Stepanov, V.S. Distribution function of the time a message stays in a communication system 85–36483
Sharov, A.N., Semisoshenko, M.A. Synthesis of an adaptive algorithm for estimating the characteristics of radio interference 88–40600
Sharov, A.Yu. *see* Zaks, M.I. 88–37783
Sharov, K.A. *see* Levitskii, S.A. 87–66457
Sharov, K.A. *see* Novotortsev, N.N. 87–59161
Sharov, V.A. *see* In'kov, Yu.M. 87–36210
Sharov, V.A. *see* Ivanov, I.A. 88–24228
Sharov, V.A. *see* Kangin, V.V. 87–73506
Sharov, V.K. *see* Dmitriev, A.N. 87–47708
Sharov, V.M. *see* Khutoretskii, G.M. 87–9463
Sharov, V.M. *see* Ronzhin, A.A. 87–64507
Sharov, V.M. *see* Volkova, L.S. 85–65226
Sharov, V.M. *see* Zamira, Yu.V. 87–30483
Sharova, A.M., Lavrent'eva, V.M. Studying the possibility of using magnetic methods for revealing inadequate bonding in spot welded joints 85–32848
Sharova, A.N. *see* Bogatyrev, Ye.A. 85–61131
Sharova, L.V. *see* Denisyuk, Yu.N. 86–29260
Sharova, L.V. *see* Semenov, G.B. 85–35920
Sharova, L.V. *see* Topunova, M.K. 88–34150
Sharovarin, V.A. *see* Denisov, V.P. 87–22885
Sharovol'skii, A.N. *see* Tereshchenko, V.I. 85–16476
Sharovskii, A.V. *see* Agapov, A.G. 86–66499
Sharp, A.C., Patel, J. Borophosphosilicate glass for VLSI device fabrication 86–28408
Sharp, A.R. *see* Hale, M.E. 86–44125
Sharp, B. *see* Allan, D. 87–64112
Sharp, B. *see* Allen, D. 87–42424
Sharp, B. *see* Birlasekaran, S. 86–68117
Sharp, D. *see* Rugsachart, P. 88–28277
Sharp, D.H. *see* Glimm, J. 87–72974
Sharp, D.J., Norwood, D.P. Electrochemical adjustment of thin film Ti-Pd resistors 88–19558
Sharp, D.J., Panitz, J.K.G., Seager, C.H. Observations of damage and transport of hydrogen in ion bombarded polycrystalline silicon 85–50196
Sharp, D.R. *see* Sancaktar, S. 85–53440, 86–51407
Sharp, E.J., Miller, M.J., Wood, G.L., Clark, W.W., III, Salamo, G.J., Neurgaonkar, R.R. SBN as a broadband self-pumped phase conjugate mirror 87–46987
Sharp, E.J. *see* Wood, G.L. 88–20734
Sharp, F.L. *see* Cecco, V.S. 88–22583
Sharp, F.L. *see* Van Drunen, G. 85–39837
Sharp, J. *see* Helszajn, J. 85–28704, 85–40222, 86–62810, 88–13687
Sharp, J.A. *see* Price, D.H.R. 85–59643, 86–6294
Sharp, J.K. *see* Miller, R.R. 88–48363
Sharp, J.L. Digital inputs program audio compressor 86–4888
Sharp, K.G. *see* Pernisz, U.C. 87–65566, 88–37473
Sharp, K.R. Protecting networks from power transients 88–5384
Sharp, P.F. *see* Hughes, A. 88–36445
Sharp, P.F. *see* Woldeselassie, T. 88–68383
Sharp, P.H. *see* Apsimon, R.J. 85–43246, 86–5811, 86–25138, 86–50392, 86–65356, 87–41836
Sharp, P.H. *see* Goodall, F. 87–25434
Sharp, R., Williams, J. Design CRT control consoles for upset conditions 88–11061
Sharp, R. *see* Pedersen, N.N. 85–8145
Sharp, R.C. Measurements of transverse-gain profiles in RF- and DC-excited CO_2 gain cavities 87–61191
Sharp, R.C. Chirp in pulsed, RF-excited CO_2 waveguide lasers 88–72268
Sharp, R.F. Logic circuit design basics 88–70670
Sharp, R.H. *see* Taylor, J.H. 85–63631
Sharp, R.I. The LAN-DTH 140 Mbit/s token ring 88–21740
Sharp, S. *see* Braun, R. 87–74369
Sharp, S. *see* Hyden, L. 88–44498
Sharp, S. *see* Perkins, C.C., Sr. 88–44843
Sharp, T.E. *see* Abraham, J. 86–61026
Sharp, W.M. *see* Yu, S.S. 87–75157
Sharpan, O.B., Maglevannaya, N.I. Phasing of multifrequency signals of space diversity harmonic generators 85–13450
Sharpe, A.K. Paging systems 86–10994
Sharpe, A.W. *see* Coleman, P.D. 86–25035
Sharpe, A.W. *see* Hasti, D.E. 87–21310
Sharpe, A.W. *see* Lancaster, K.T. 87–19152
Sharpe, C. Motors in control systems 85–5107
Sharpe, C. Test and measurement equipment 85–31292
Sharpe, C. Counters and timers 86–24565
Sharpe, C. Electronic enclosures 86–40540
Sharpe, C. Cooling systems for electronic equipment 86–57213
Sharpe, C. Electrical connectors 87–1042
Sharpe, C. Advanced materials technology—the linchpin of electronics 87–10351
Sharpe, C. Motor drive systems 87–22805
Sharpe, C. Switches and relays 87–45338
Sharpe, C. Guidance systems for automation 87–63513
Sharpe, C. Motors for control applications 88–30631
Sharpe, C. Test instrumentation and measurement equipment 88–60670
Sharpe, C.A. Voltage dependent devices and their applications in the context of electromagnetic compatibility 87–26875
Sharpe, C.B. *see* Klemer, D.P. 86–54320, 88–45739
Sharpe, D. *see* Harrison, A. 88–18993
Sharpe, D.J. Recent advances in temperature-compensated crystal oscillators 87–25732
Sharpe, D.J. *see* Harrison, A.M. 87–59240
Sharpe, I.J. Electric routes to steam and hot water [food processing industry] 86–13233
Sharpe, J.J.E. Staged coal combustion and its application to low cost power plants 87–42658
Sharpe, J.P., Greated, C.A. Acoustic measurement using photon correlation spectroscopy 88–47731
Sharpe, J.T.L. Data communication systems—an overview 86–10675
Sharpe, J.T.L. Data communication systems and networks 88–73464
Sharpe, L.H. *see* Franey, J.P. 85–6022
Sharpe, R. LANs: facing up to interconnection 87–48564
Sharpe, R.M. *see* Johnson, W.A. 86–42720
Sharpe, S.M. *see* McMillan, R.W. 87–983
Sharpe, S.M. *see* Seals, J. 88–10337
Sharpe, T. Black boxes for machine talk [computer interfaces] 85–3152
Sharpe, T.F., Conell, R.S. Low-temperature charging behaviour of lead-acid cells 87–78876
Sharpes, D.G. *see* Blake, W.B. 87–77746
Sharples, G. *see* Shoesmith, T. 87–56267
Sharples, G.T. Enhancing teletext to provide new services & applications 85–25424
Sharples, S., Page, J.K. Incorporating body-tinted glazing into daylight computer models 85–16418
Sharpless, E.N. Using liquid crystals for component, PCB thermal evaluations 85–17976
Sharpless, G. CD-I overview 88–9794
Sharpless, G.T. Telesoftware: adding intelligence to video 85–13853
Sharpless, G.T. Features TV—digitalisation 85–26013
Sharpless, G.T. Subscription teletext for value added services 86–10729
Sharpless, G.T. Selling software via teletext 86–37455
Sharpless, J. *see* Johnson, J.W. 85–47346
Sharpless, J.B. *see* Craven, L.A. 86–49404
Sharps, P. *see* Fahrenbruch, A.L. 88–37574
Sharrock, L.W.G. Phase locking of Gunn diodes at 24 GHz 86–64873
Sharrock, M.P. Particle-size effects on the switching behaviour of uniaxial and multiaxial magnetic recording materials 85–18562
Sharrock, M.P., Bodnar, R.E. Magnetic materials for recording: an overview with special emphasis on particles 85–45980
Sharrock, M.P., Josephson, L. Independent magnetic switching units in cobalt-doped iron oxide particles 87–25780
Sharrock, M.P., Stubbs, D.P. Perpendicular magnetic recording technology: a review 85–24173
Sharrock, M.P. *see* Flanders, P.J. 88–7795
Sharrock, M.P. *see* Moore, A.R. 87–20736
Sharrock, P. A/D converters use novel measurement techniques 85–28598
Sharrock, S. Comparative survey of telecommunication costs 86–54692
Sharrock, S. Digital echo cancelling 86–64800
Sharrock, S.M., Maly, K.J., Du, H.C., Ghanta, S. A broadband-based integrated voice/data/video network of multiple LANs with dynamic bandwidth allocation 87–55786
Sharrock, S.M., Maly, K.J., Ghanta, S., Du, H.C. A framed, movable-boundary protocol for integrated voice/data in a LAN 87–20196
Sharshakov, V.N. *see* Pustogarov, A.V. 87–64828
Sharshar, A.A. *see* Awadalla, K.H. 85–19252
Sharshar, K.A. *see* Abd El Azia, M. 88–43393
Sharshar, K.A. *see* Abd El Aziz, M.E. 88–43394
Sharshunov, S.G., Tchipulis, V.P. On generating tests for microprocessors 88–44200
Sharshunov, Yu.E., Milovzorov, V.P., Maslennikov, V.S. Characteristics of magneto-elastic feedback sensors 85–47941
Sharshunov, Yu.E. *see* Maslennikov, V.S. 88–30665
Shartrand, A.C. *see* Gott, B.E.B. 85–15995
Sharuev, N.K. *see* Aleksenko, E.V. 85–48043
Sharupich, T.S. *see* Sarayev, S.M. 85–32869
Sharupich, V.P. *see* Sarayev, S.M. 85–32869
Sharvin, Yu.V. *see* Poyarkov, Ya.B. 87–32276
Sharygin, V.S. Selection and substantiation of the system parameters of pumped-storage stations in the dynamics of development of power systems 86–19159
Sharygin, V.S. Improving methods for basing the development of the generating power of a power system 86–39075
Sharygin, V.S. Improving a method of optimising system operating conditions in a linear model for choosing the structure of generating power in a power system 86–61042
Sharygin, V.S. Determining the economics of a district-heating power station as a source of electricity supply 86–70808
Sharygin, V.S. Agreement of partial solutions when substantiating development of power plants 87–71613
Sharygin, V.S. Taking external and internal interactions into consideration when planning hydraulic complexes 88–30606
Shashani, M. Harmonic reduction using gate turn-off thyristors in static VAr compensators. I 88–30903
Shasharin, G.A., Ignatenki, E.I., Boldyrev, V.M. State-of-the-art and development prospects for nuclear power stations containing pressurized-water reactors (VVER) 85–32320
Shasharin, G.A., Vertennikov, G.A., Abagyan, A.A., Lesnoi, S.A. Ensuring the operational safety of nuclear power plants with WWER reactors 85–21316
Shashidhar, C.R., Coakley, F.P. Fault diagnosis of SPC switching systems based on structure and signalling 85–47318
Shashidhar, C.R., Coakley, F.P. Concurrent fault detection in TST switches for on-board satellite systems 88–28756
Shashiki, M. *see* Takashima, Y. 88–41479
Shashin, V.I., Gurenko, V.A. The making of fibre-optic bundles having equalized illumination over the output end 85–46184
Shashkin, A.A. *see* Dorozhkin, S.I. 87–32352
Shashkin, S.L. *see* Smirnov, A.Yu. 86–26081
Shashkin, V.I. *see* Belyantsev, A.M. 87–1267, 88–32899
Shashkin, V.I. *see* Ignatov, A.A. 85–11993, 86–53384
Shashkin, V.V. *see* Buchenkov, V.A. 87–54289, 88–20611
Shashko, S.D. *see* Kurnosov, A.I. 87–78172
Shashkov, A.I. *see* Evdokimov, V.I. 87–29076
Shashkov, A.Yu. *see* Bogolyubskii, S.L. 88–49163
Shashkov, E.V. *see* Abrosimov, S.A. 87–26495
Shashkov, E.V. *see* Brodov, M.E. 85–2267
Shashkov, P.N. *see* Komolov, V.P. 86–20356 to 20357, 86–27160
Shashkov, Yu.M. *see* Kindysheva, V.S. 87–16570
Shashlov, S.P. *see* Breyman, Ye.I. 87–49586
Shashurin, A.K., Petropavlovskii, A.Yu. Calculation of the parameters of a passive circuit of given structure 85–17614
Shashurin, A.K. *see* Petroplavlovskii, A.Yu. 88–4275
Shastin, A.G., Denislamov, R.R. Radiation-reception field of an ultrasonic scanning head with an automatically varied angle of beam entry 86–536
Shastin, V.N. *see* Andronov, A.A. 86–29118, 86–48380, 87–33138, 87–39036, 87–75049, 88–8163, 88–14165
Shastin, V.N. *see* Mityagin, Yu.A. 87–68430
Shastin, V.N. *see* Murav'ev, A.V. 87–75069
Shastri, A.G., Schwank, J. Adsorption-induced conductance change of thin Pt films and $PtPd/TiO_2$ gas sensors 88–9932
Shastri, K.R., Wong, K.N., Yanushefski, K.A. 1.7 Gb/s NMOS laser driver 88–65740
Shastri, S. *see* Lakshmi, D.R. 87–48919
Shastry, S.K. A theoretical study of condensation processes in OMCVD of GaAs 88–43911
Shastry, S.K., Zemon, S. Low pressure organometallic vapor phase epitaxial growth of device quality GaAs directly on (100) Si 87–245
Shastry, S.K., Zemon, S., Dugger, D., DeAngelis, M. Reproducible, low temperature growth of high quality $Al_xGa_{1-x}As$ alloys by OMVPE 88–49856
Shastry, S.K., Zemon, S., Norris, P. High mobility, low compensation GaAs grown by OMVPE 87–65528
Shastry, S.K., Zemon, S., Oren, M. Epitaxial GaAs grown directly on (100)Si by low pressure MOVPE using low temperature processing 87–10427
Shastry, S.K. *see* Masum Choudhury, A.N.M. 88–12945
Shastry, S.K. *see* Zemon, S. 88–49885
Shastry, S.V.K., Kumar, A. Dipole over a dielectric-coated conducting plane 85–30095
Shastry, S.V.K., Shamanna, K.N., Katti, V.R. Shielding of electromagnetic fields of current sources by hemispherical enclosures 86–15896
Shastry, S.V.K. *see* Kumar, A. 85–57160, 86–48679
Shatalin, I.D., Kakichashvili, V.I., Kakichashvili, Sh.D. Polarized hologram with 100% diffraction efficiency (polarized kinoform) 88–58718
Shatalin, I.D. *see* Kakichashvili, Sh.D. 87–33344
Shatalin, S.V. *see* Kozel, S.M. 86–2712, 86–28842, 86–42288, 87–74858, 88–16128, 88–26800
Shatalin, S.V. *see* Zalogin, A.N. 87–60930
Shatalov, A.A., Yastrebkov, A.B., Seleznev, B.N. Fast algorithms for adaptation of multi-dimensional whitening filters 85–2831

Shatalov, A.S. A universal method of calculating the cofactors of the characteristic matrices of electric circuits and systems 85−28296
Shatalov, A.S. Discrete and CW spectra of periodic switching processes 86−10595
Shatalov, A.S. Periodic switching process discrete and continuous spectra 86−66966
Shatalov, A.V. *see* Il'inskiy, A.S. 87−39508
Shatalov, A.V. *see* Ponomarev, L.I. 86−43058, 87−33539
Shatalov, F.A. Influence of pressure and tension on the phase of coherent radiation in fiber waveguides 86−9498
Shatalov, F.A. Effect of temperature on the phase and group delay of a signal in a one-mode fiber lightguide 86−28861
Shatalov, F.A. The temperature sensitivity of the optical length of fiber lightguides 86−28864
Shatalov, F.A., Gukov, G.B. Thermal drift in the phase of coherent radiation in optical fibers with polymer jackets 86−15504
Shatalov, L.N. Autobalancing systems based on a pulsed magnetic field 85−28038
Shatalov, O.P. *see* Ibragimova, L.B. 86−29047
Shatalov, P.B. *see* Babaev, A.I. 88−61157
Shatalov, V.A. *see* Kutovoi, B.P. 87−44552
Shatalov, V.G. *see* Kalinin, A.I. 88−60013
Shatalov, Yu.A. *see* Kulagin, B.P. 87−64839, 87−72470
Shatalova, G.C. *see* Damgov, V.N. 87−65914
Shatalova, T.I. *see* Rogashkova, A.I. 85−2585, 88−45643
Shatanov, A.A. *see* Kapishnikov, N.K. 88−32064
Shatas, S. *see* Hahn, S. 85−23426
Shatas, S. *see* Moslehi, M.M. 86−9029
Shatas, S. *see* Rosenblatt, D.H. 85−12165
Shatas, S. *see* Sedgwick, T.O. 85−23667
Shatas, S. *see* Tabasky, M. 87−11712
Shatas, S.C. *see* Molnar, B. 85−18209
Shatas, S.C. *see* Moslehi, M.M. 86−21381, 87−11661, 87−17990, 87−60465, 88−7754
Shatas, S.C. *see* Natan, M. 86−28236
Shatas, S.C. *see* Sedgwick, T.O. 85−12105
Shatas, S.C. *see* Stein, H.J. 86−53318
Shatas, S.C. *see* Tabasky, M. 87−45815
Shaternik, V.E. *see* Pan, V.M. 85−18598
Shaternik, V.E. *see* Rudenko, E.M. 85−7185
Shaternikov, V.E., Alekseev, A.P. Electromagnetic means of automatic inspection of moving short cylindrical products 88−49900
Shaternikov, V.E., Mikhaikov, V.I., Lazarev, S.F. Inspection of electrically conducting objects with eddy-current facilities 88−70372
Shaternikov, V.E. *see* Burov, V.N. 86−562
Shaternikov, V.E. *see* Filinov, V.V. 87−16726, 87−73172
Shatila, M.A. *see* Ali, A.A. 87−26769
Shatila, M.M., Bakry, S.H. Simulation tools for the investigation of the operational behaviour of telephone links 88−3438
Shatilov, A.I. Methods of determining the optimal decision functions in truncated sequential analysis problems 86−57358
Shatin, M.Yu. *see* Kopanishin, B.I. 87−46516
Shatkay, M. *see* Tenne, R. 85−12170
Shatkin, A.N. Capacitance measurements in 6-10 kV installations employing grounded neutral in the distribution transformer 85−26451
Shatkin, A.N. Continuous monitoring of resistance of 6 kV flexible cable insulation and excavator equipment 86−19693
Shatkovskii, A.I. *see* Chernobai, I.A. 87−4192
Shatkus, A.D. *see* Karbushev, N.I. 85−12889, 85−51403
Shatokhin, B.V. *see* Filippov, V.S. 85−62921, 86−43056
Shatokhin, V.M. *see* Vdoviko, V.P. 86−9337
Shatokhina, N.K. *see* Speranskii, D.V. 86−57736
Shatov, A.P. *see* Lenivkin, V.A. 87−16206
Shatrov, A.D. *see* Babkina, T.V. 86−28860
Shatrov, A.D. *see* Katsenelenbaum, B.Z. 85−57099, 86−22775
Shatrov, A.D. *see* Korshunova, Ye.N. 88−45756
Shatrov, A.D. *see* Mal'tsev, V.P. 85−56343
Shatrov, A.D. *see* Tutubalin, V.N. 88−39947
Shatrov, L.P. *see* Budenkov, G.A. 86−20134
Shats, A.N. *see* Chemeris, V.T. 86−66163
Shats, Yu.Ya., Boivka, L.Ya., Gupalo, O.M. Spectrum analysis of facsimile signals with FM subcarrier 85−51989
Shats, Yu.Ya., Tkachuk, V.F., Shnir, M.A., Khorunzhikevich, O.V., Yagello, I.D. Selection of test signals 88−14989
Shatskaya, L.P. *see* Dun, L.M. 86−38362
Shattil, S.J. *see* Kowalski, F.V. 88−72289
Shattock, C. High resolution CRT has dynamic beam shaping 87−53129
Shattock, R. A novel design approach to high frequency op amps 86−34555
Shattuck, A.L. *see* Cole, T.S. 88−44155
Shattuck, D.M., Ireland, P.A., Keeth, R.J. Retrofit FGD system estimating procedure [power plants] 86−25897
Shattuck, D.M., van Winkle, K.S., Keeth, R.J., Ireland, P.A., Moser, R. The long and short of FGD cost optimization 87−64384
Shattuck, D.M. *see* Damon, J.E. 86−25896
Shattuck, D.P., Nouhi, J. Focusing with an optoacoustic transducer 88−75000
Shattuck, D.P., Weinshenker, M.D., Smith, S.W., von Ramm, O.T. Explososcan: a parallel processing technique for high speed ultrasound imaging with linear phased arrays 86−11949
Shattuck, J.H. *see* Nicholson, D.L. 88−21215
Shatunov, Y.M. *see* Golubev, V.B. 85−26688
Shatunov, Yu.M. *see* Anashin, V.V. 88−4713
Shatunov, Yu.M. *see* Bondar, A.E. 85−26599
Shatunov, Yu.M. *see* Gluskin, E.S. 86−60452, 86−60661
Shatunov, Yu.M. *see* Lysenko, A.P. 86−70267
Shatz, S.M., Cheng, W.K. Static analysis of Ada programs using the Petri net model 86−62048
Shatz, S.M., Xie, D. Petri net modeling and analysis of the LAPD protocol standard: methods and results 88−21798
Shatzkes, M., Av-Ron, M., Srikrishnan, K.V. Determination of reliability from ramped voltage breakdown experiments: application to dual dielectric MIM capacitors 85−6771
Shatzkes, M., Lloyd, J.R. A model for conductor failure considering diffusion concurrently with electromigration resulting in a current exponent of 2 86−53733
Shatzkes, M. *see* Lloyd, J.R. 88−50759
Shatzman, M. Videotex gets down to business 85−3095
Shatzman, M. Videotex technology for DEC's office information groups 86−54844
Shau, C.K. *see* Wei, D. 88−31542
Shau, D.-H. *see* Leviatan, Y. 85−7693
Shau, D.H. *see* Adams, A.T. 87−26893, 87−61412
Shau, D.H. *see* Perini, J. 88−12654
Shaughnessy, C. *see* Ciocci, F. 87−75149
Shaughnessy, C. *see* Garate, E. 87−35080
Shaughnessy, C. *see* Garate, E.P. 87−75148
Shaughnessy, C. *see* Walsh, J. 88−40253, 88−58588
Shaughnessy, C. *see* Walsh, J.E. 87−2178
Shaughnessy, C.H. *see* Garate, E.P. 88−2301
Shaughnessy, C.H. *see* Phillips, P.M. 88−27196
Shaughnessy, E.J. *see* Katz, I.M. 87−56900, 88−22551
Shaughnessy, E.J. *see* Weaver, M.K. 86−48538
Shaukatullah, H. *see* Giacomo, G.Di. 88−56316
Shaul, R.F., Haining, F.W. Computer aided design verification (CADV)−the missing element in the CAD/CAM equation 85−45836
Shaul, R.F., Haining, F.W. Computer aided design verification (CADV) of printed circuit board technology design data 86−58121
Shaul, R.F., Haining, F.W. Design enhancements of high performance printed circuit boards through computer aided design (CAD) analysis 86−62915
Shaul, R.F., Haining, F.W. A methodology for computer aided design analysis to improve the reliability of high performance printed circuit boards 87−52995
Shaul, R.F., Haining, F.W. Computer-aided design analysis to improve PCB reliability 88−32561
Shaulov, A., Smith, W.A. Ultrasonic transducer arrays made from composite piezoelectric materials 87−3955
Shaulov, A. *see* Smith, W.A. 87−3954
Shaulov, A.A., Rosar, M.E., Smith, W.A., Singer, B.M. Composite piezoelectrics for ultrasonic transducers 87−57454
Shaulov, A.A., Smith, W.A., Singer, B.M. Performance of ultrasonic transducers made from composite piezoelectric materials 86−2571
Shaulov, A.A. *see* Smith, W.A. 86−2479
Shaulov, E.A. *see* Denisov, D.S. 87−66500
Shaum, L. Flexibility enhanced with high tech motion control 86−1556
Shaum, L.E. Robot transfer system for wafer processing 85−23623
Shaum, L.E. A flexible automation inspection station incorporates optimum, software-based motion control technology 87−23382
Shauman, A.M. Selection of a binary-decimal code 86−16147
Shaunfield, W.N. *see* Nelson, R. 86−47294
Shavarin, V.N. *see* Turetskii, L.I. 85−15781
Shavdiya, Yu.D. *see* Vilenchik, L.S. 88−9473, 88−34361
Shavel, I.H. *see* Sanghvi, A.P. 85−21156, 86−56334
Shavelkin, A.A. *see* Traube, E.S. 87−58071
Shaver, D.C. Microwave operation of submicrometer channel-length silicon MOSFETs 85−23803
Shaver, D.C., Stern, L.A., Economou, N.P. Mask and current repair applications of focused ion beam deposition 87−23719
Shaver, D.C., Stern, L.A., Economou, N.P., Ehrlich, D.J. Production applications of laser microchemistry 88−13152
Shaver, D.C., Ward, B.W. Semiconductor applications of focused ion beam micromachining 86−21338
Shaver, D.C., Ward, B.W. Integrated circuit diagnosis using focused ion beams 86−35792
Shaver, D.C. *see* Betz, H. 87−11531
Shaver, D.C. *see* Economou, N.P. 88−13230
Shaver, D.C. *see* Veldkamp, W.B. 85−41198
Shaver, D.C. *see* Ward, B.W. 86−8942, 88−64682
Shaver, R. *see* Padmanabhan, K.R. 87−11693
Shaverin, V.A. *see* Kapranov, B.I. 87−36828
Shavers, M.R. *see* Piercey, R.B. 87−41884
Shavgulidze, S.A. *see* Zyablov, V.V. 87−75720, 88−27792
Shavin, P.B. *see* Bakhmet'eva, N.V. 88−34305
Shavin, P.B. *see* Benediktov, E.A. 85−13120
Shavin, P.B. *see* Bochkarev, G.S. 88−27502
Shavin, P.E. *see* Bakhmet'yeva, N.V. 87−7530
Shavit, T. *see* Aurand, E. 86−63391
Shavit, Z. *see* Powers, J. 86−31660
Shavorykina, T.R. *see* Belous, B.A. 86−41485, 87−37835
Shavrin, N.V. *see* Mozalevskaya, V.A. 87−43338
Shavrov, A.E. *see* Atakulov, Sh.B. 86−42401
Shavtvalov, L.Ya. *see* Zazulin, V.S. 86−5849
Shavvo, I.A. *see* Boroshnev, A.V. 86−22407
Shavyrin, I.B., Makaz'yants, O.E. Use of a total internal reflection cone in angular misalignment sensors 87−29072
Shaw, A. Jamaica: a new economic opportunity for electronics 85−10386
Shaw, A. Votrax−text to speech synthesis 85−14552
Shaw, A., Browning, C. Testing the EEPROM on the MC68HC11 86−46832
Shaw, A., Craig, D.M., Sik, M.J. Technical note: performance of 6 and 10 ampere appliance power couplers 87−14821
Shaw, A. *see* Nieman, M. 87−14827
Shaw, A. *see* Railton, R. 88−42566
Shaw, A. *see* Richardson, W. 87−14909
Shaw, A. *see* Woodruff, R.R. 87−14993
Shaw, A.C. *see* Morrison, D.L. 85−7838
Shaw, A.F. Jamaica: a new opportunity for the technological world 85−16784
Shaw, A.K., Kumaresan, R. Estimation of angles of arrivals of broadband signals 87−62117
Shaw, A.K., Kumaresan, R. Some structured matrix approximation problems 88−70194
Shaw, A.K. *see* Kay, S.M. 88−27895
Shaw, A.K. *see* Kumaresan, R. 86−10440, 86−64274, 88−46043
Shaw, A.K. *see* Kumaresen, R. 86−64260
Shaw, B. The role of the interaction between the user and the manufacturer in medical equipment innovation 86−18275
Shaw, B. Gaining added value from centres of excellence in the UK medical equipment industry 88−43657
Shaw, B.A. *see* Toch, P.L. 86−62969
Shaw, B.S. *see* Monteith, D.O., Jr. 88−75061
Shaw, C. BT privatisation rekindles staffing fears 85−8005
Shaw, C. Lobbying to ring the changes [user groups] 85−16667
Shaw, C. EEC fights to prevent crisis over telecoms 85−19589
Shaw, C. PLDs enhance functionality of FIFO RAM controller 86−57838
Shaw, C. Low risk gate array development 87−10786
Shaw, C. Choosing a digital signal processor 88−25231
Shaw, C., Bosshart, P., Kalyan, V., Houston, T.W., Matzke, D. RESCUE: a comprehensive control logic layout synthesis system 87−37364
Shaw, C. *see* Bosshart, P.W. 87−59617
Shaw, C.-H. *see* Bosshart, P.W. 88−6901
Shaw, C.A. The Philips PCB5010/11 88−8802
Shaw, C.G. *see* McFaul, J. 87−35403
Shaw, C.M. *see* Askins, C.G. 88−13849
Shaw, D. No-programming approach to laboratory data [data acquisition systems] 87−3509
Shaw, D. Diffusion mechanisms in II-VI materials 88−32791
Shaw, D. Communications on the move 88−46920
Shaw, D., Watson, E. The diffusion of chlorine in CdTe 85−6708
Shaw, D. *see* Bandla, S. 88−63976, 88−71047
Shaw, D. *see* Wood, D. 87−60238 to 60239
Shaw, D.A. A systems approach to the design of modern rolling mill automation 85−21979
Shaw, D.C. Some aspects of the French flexible bag wave-energy device 86−45241
Shaw, D.E. Diode test method 85−40690
Shaw, D.E. Applications of VLSI technology in a massively parallel machine 87−67316
Shaw, D.E., Sabety, T.M. The multiple-processor PPS chip of the NON-VON 3 supercomputer 86−14269
Shaw, D.E., Sabety, T.M. Active memory chips: a brief survey and case study 87−66158
Shaw, D.E. *see* Sabety, T.M. 85−1697
Shaw, D.F. Computer security−a review of some problems and possible solutions 87−19412
Shaw, D.I. Stable toneburst 85−17187
Shaw, D.T. *see* Kwok, H.S. 88−38228, 88−45525, 88−49862
Shaw, D.W. Epitaxial GaAs on Si 87−73081
Shaw, D.W. Epitaxial GaAs on Si: progress and potential applications 88−39078
Shaw, D.W. *see* Kroger, H. 85−62251
Shaw, E.D., Chichester, R.J., Chen, S.C. Microtron accelerator for a free electron laser 87−2144
Shaw, E.G. *see* Broome, R.D. 87−78291
Shaw, G. Single-ended conductance 87−31664
Shaw, G. Battery management 88−17819
Shaw, G. *see* Chawla, M.M. 87−10330

Shaw, G.K. *see* Fountain, T.J. 87−37352
Shaw, G.L., Rotge, J., Simmons, B.J. Progress on $58m^2$ passive resonant ring laser gyroscope 87−12156
Shaw, G.L., Simmons, B.J. A 58 m^2 passive resonant ring laser gyroscope 85−24602
Shaw, G.L. *see* Bilger, H.R. 85−35821
Shaw, G.L. *see* Lorenz, M.A. 87−68556
Shaw, G.M. The effect of modal element position errors on the radiation pattern of large space-deployable arrays 87−26937
Shaw, G.M. Broadband linear array for interference cancellation 88−2861
Shaw, G.M., Dybdal, R.B. A space-fed local oscillator for spaceborne phased arrays 88−72709
Shaw, H. *see* Ashford, V. 87−41835
Shaw, H.J. *see* Blake, J.N. 86−36186, 87−38789, 87−74737, 88−7872
Shaw, H.J. *see* Botekjaer, K. 87−46476
Shaw, H.J. *see* Brooks, J.L. 86−22117, 86−63671, 88−16157
Shaw, H.J. *see* Brroks, J.L. 87−68107
Shaw, H.J. *see* Carrara, S.L.A. 86−63670, 87−38781, 88−10003
Shaw, H.J. *see* Cordova-Plaza, A. 87−39035, 88−45391
Shaw, H.J. *see* Desurvire, E. 85−29926, 86−48101, 86−63635, 87−33229, 88−45078
Shaw, H.J. *see* Digonnet, M.J.F. 86−2764, 86−48372, 87−60913
Shaw, H.J. *see* Engan, H.E. 87−68169, 88−39884
Shaw, H.J. *see* Fan, T.Y. 86−29105
Shaw, H.J. *see* Gaeta, C.J. 88−27119
Shaw, H.J. *see* Jackson, K.P. 85−35465, 87−18614
Shaw, H.J. *see* Kim, B.Y. 85−2047, 85−24295, 86−58783, 87−74736, 88−10007
Shaw, H.J. *see* Liu, K. 86−36266, 88−14145, 88−58494, 88−65267
Shaw, H.J. *see* Risk, W.P. 85−2110, 85−24289, 86−2891, 86−28852
Shaw, H.J. *see* Sorin, W.V. 86−28849, 87−2008
Shaw, H.J. *see* Sorin, W.W. 86−22114
Shaw, H.J. *see* Sudo, S. 88−13836
Shaw, H.J. *see* Tur, M. 86−65163
Shaw, H.J. *see* Wentworth, R.H. 87−18683
Shaw, H.J. *see* Yoon Kim, B. 86−42264
Shaw, H.J. *see* Youngquist, R.C. 85−2022, 86−2697
Shaw, J. Pressing for keyboard quality 85−60734
Shaw, J. Pinpointing cable faults simply and cheaply 86−59751
Shaw, J., Babich, E., Hatzakis, M., Paraszczak, J. Polysiloxanes for optical lithography 87−60255
Shaw, J., Share, J.A. A microcomputer controlled system for low temperature magnetic susceptibility measurements 86−38944
Shaw, J. *see* Babich, E. 86−21678, 87−25018, 88−26165
Shaw, J. *see* Goward, S. 86−51546
Shaw, J. *see* Hack, M. 88−44772
Shaw, J. *see* Huang, T. 87−18132
Shaw, J. *see* Paraszczak, J. 85−34842, 86−2078, 88−26080
Shaw, J.A. Alarm systems for shared display distributed control systems 86−24393
Shaw, J.A.L. *see* Parriss, W.H. 88−69253
Shaw, J.E.A. *see* Robins, I. 86−67865
Shaw, J.E.A. *see* Sibbald, A. 88−4395
Shaw, J.G., Tsai, C.C. Monte Carlo simulations of plasma-deposited amorphous silicon 88−63360
Shaw, J.G. *see* Tsai, C.C. 88−56308
Shaw, J.H., Holmgren, N.V. Characteristics which can be used to detect defective distribution surge arresters 85−32240
Shaw, J.H., Holmgren, N.V. A surge-arrester tester developed for EPRI 85−64994
Shaw, J.H., Holmgren, N.V. A practical approach to surge arrester testing 86−61195
Shaw, J.H. *see* Spurling, K.L. 88−24173
Shaw, J.J. Quality−the customer view [telecommunications] 85−39569
Shaw, J.J., Gendron, R.F., Bertsekas, D.P. Optimal scheduling of large hydrothermal power systems 85−38464
Shaw, J.J. *see* Pattipati, K.R. 85−31373
Shaw, J.L., Herzog, H.K., Okubo, K. Digital autonomous terminal access communication (DATAC) 87−50510
Shaw, J.L., Viturro, R.E., Brillson, L.J., Kilday, D., Kelly, M.K., Margaritondo, G. Interfacial deep-level formation and its effect on band bending at metal/CdTe interfaces 88−64324
Shaw, J.L., Viturro, R.E., Brillson, L.J., Kilday, D., Margaritondo, G. Modification of electronic and chemical structure at metal/CdTe interfaces by pulsed laser annealing 88−44586
Shaw, J.M. Radar data processing with new generation monopulse SSR radars 88−15633
Shaw, J.M., Hatzakis, M., Parasczcak, J., Babich, E. Polysiloxanes for deep UV lithography 86−21679
Shaw, J.M. *see* Bossi, D.E. 87−32927
Shaw, J.M. *see* Faith, T.J. 87−60329
Shaw, J.M. *see* Hammer, J.M. 85−56611
Shaw, J.M. *see* Ortmeyer, T.H. 86−70974
Shaw, J.M. *see* Wyndham, B.A. 85−24852
Shaw, K. *see* Mukherjee, S. 87−46016
Shaw, K. *see* Pettit, R. 88−62332
Shaw, L. *see* Bozic, S. 86−5000
Shaw, L. *see* Wang, X.T. 85−9908
Shaw, L.L., Steinmetz, L.L., Behrendt, W.C., Sonderman, J.B., Mikkelson, K., Beer, G.K., Seppala, L.G., Romero, E. A high-speed, eight-frame electro-optic camera with multipulsed ruby laser illuminator 86−5080
Shaw, M. Recognizing the optimum burn-in period 88−11805
Shaw, M. Weibull analysis of component failure data from accelerated testing 88−18535
Shaw, M., Honary, B., Darnell, M. An RTCE-assisted ARO transmission scheme: design & performance 88−46903
Shaw, M., Honary, B., Darnell, M. Optimisation of parameters in an MFSK transmission system 88−58984
Shaw, M.A. *see* Allison, R.W., Jr. 88−44451
Shaw, M.D. *see* Boone, J.L. 86−1707, 88−53822
Shaw, M.G. MINOS and the mine environment 88−42314
Shaw, M.J., Partanen, J.P., Owadano, Y., Ross, I.N., Hodgson, E., Edwards, C., O'Neill, F. High-power forward Raman amplifiers employing low-pressure gases in light guides. II. Experiments 87−12569
Shaw, M.J. *see* Barr, J.R.M. 88−45362, 88−72425
Shaw, M.J. *see* Edwards, C.B. 85−27508
Shaw, M.J. *see* Hooker, C.J. 88−33944
Shaw, M.J. *see* Kannari, F. 87−22625, 87−38982
Shaw, M.J. *see* Partanen, J.P. 87−12563, 87−68323
Shaw, M.P. *see* Czekaj, J. 86−21492, 88−33134, 88−64492
Shaw, M.P. *see* Silver, M. 86−47324, 87−17738
Shaw, M.T., Shaw, S.H. Water treeing in solid dielectrics 85−18513
Shaw, M.T., Thibault, R.B., Cyr, R. Terrain and obstacle avoidance sonar sensor system for autonomous underwater vehicles 88−60286
Shaw, M.T. *see* Gordon, G.F. 88−51059
Shaw, M.T. *see* Hsiao, B.S. 87−56882
Shaw, M.T. *see* Shaw, S.H. 88−51057
Shaw, N. *see* Astles, M.G. 88−70312
Shaw, N. *see* Honary, B. 88−53121
Shaw, N. *see* Vere, A.W. 86−7733
Shaw, N.M. *see* Harada, H. 88−29855
Shaw, P., Dale, B.G. Some problems in applying statistical process control 87−44027
Shaw, P. *see* Cacouris, T. 88−50748
Shaw, P.J., Rager, D. Taking printed circuit boards from design to production 87−59975
Shaw, P.S. *see* Gilgen, H.H. 87−31554
Shaw, P.S. *see* Krchnavek, R.R. 87−38167
Shaw, R. The sensitivity limitations of screen-film systems for X-ray detection 85−59246
Shaw, R. Quality criteria for quantized images 88−66679
Shaw, R., Hardcastle, J.A., Riley, S., Roberts, C.C. Recording and analysis of fluctuating signals using a microcomputer 86−31715
Shaw, R., Kovitz, J. A distributed array antenna system 87−7629
Shaw, R. *see* Hallewell, G. 88−68213
Shaw, R. *see* Johnson, R. 88−68277
Shaw, R. *see* Melnychuck, P.W. 88−72457
Shaw, R. *see* Oman, H. 87−42655
Shaw, R. *see* Roberts, J.T.A. 86−39492
Shaw, R.B. *see* Tummala, R.R. 87−73153
Shaw, R.E. *see* Garey, L.E. 86−7722
Shaw, R.K. *see* Hutcheson, W.D. 85−42111
Shaw, R.N. A programmable equipment for ESD testing to the charged-device model 87−53672
Shaw, R.N., Enoch, R.D. Electrostatic discharge testing of integrated circuits using step-stress transients or multiple transients 86−63350
Shaw, R.N. *see* Chwastek, E.J. 87−74381
Shaw, R.N. *see* Enoch, R.D. 87−53671
Shaw, R.W., Postma, H. Idea-driven R&D evolution: the ORNL seed-money programme 87−72753
Shaw, R.W. *see* Fraundorf, G. 85−60940
Shaw, S. R&D program cuts cost, number of parts in infrared touch screens 86−24606
Shaw, S. Message management in message handling systems 86−69547
Shaw, S. *see* Goodship, D. 85−63860
Shaw, S. *see* Totton, K. 88−64655
Shaw, S.H., Durairaj, B., Shaw, M.T. Water-tree growth in styrenic dielectrics 88−51057
Shaw, S.H. *see* Shaw, M.T. 85−18513
Shaw, S.J. Once-exclusive modem market niche attracting sudden, heavy competition 85−36817
Shaw, S.J. Test strategy planning [digital circuits] 86−20509
Shaw, S.J. Design for testability: techniques and tools 86−66594
Shaw, S.J. *see* Burgess, N. 88−20139
Shaw, S.N. *see* Kernohan, R.M. 85−37991
Shaw, S.W. Arnold tongues and subharmonics in the forced oscillations of a mechanical clock 86−55858
Shaw, S.W., Cummings, D.L. Reactor coolant pump reliability improvement through mechanical shaft seal retrofit 88−43006
Shaw, S.W., deFigueiredo, R.J.P. Structural processing of waveforms as trees 87−61939
Shaw, S.W., Krishen, K., deFigueiredo, R.J.P. Microwave and video sensor fusion for the shape extraction of 3D space objects 88−40935
Shaw, T. Selling private power can be uneconomic 85−9416
Shaw, T. Realising the power of the Severn 87−78551
Shaw, T.B. *see* Bingham, A.H. 88−64045
Shaw, T.L. Hydrodynamic optimisation of the Bristol Cylinder wave energy device 86−65816
Shaw, T.L., Buckland, W.M. Environmental and procedural aspects of the Severn barrage 87−51080
Shaw, T.O.R. Standby generator set interaction with uninterruptible power supplies 88−30934
Shaw, W. *see* Tietjen, K. 88−28278
Shaw, W.H. *see* Garcia, A.B. 87−40460
Shaw Da *see* He Yuliang 85−55431
Shaw Sen-Yen *see* Sen-Yen Shaw
Shaw-Cuang Lee *see* Chaung Lin 88−66498
Shaw-Yueh Lin, Showers, R.M. Statistical modeling of impulsive interference to communications systems 86−29466
Shawcross, C.B.A., Parker, S.R., Kayran, A.H. Isolated word recognition and speaker identification using two-dimensional half-plane lattice parameters of spectrograms 85−51587
Shawe, M.E., Adelman, A.G. Precision laser tracking for global and polar motion 85−59424
Shawe-Taylor, J. Generating strong primes 86−64191
Shaweesh, H.M. Advances in space communications and community TV applications 88−3951
Shawen, R.A. Refined method calculates sag and clipping offsets 86−18849
Shawker, T.H. *see* Insana, M.F. 87−42283
Shawki, G.S.A. Continuing engineering education in the State of Qatar 87−23104
Shawki, T.A., Salmer, G., El Sayed, O.L. Two dimensional transient simulation of submicron-gate MODFETs 88−57699
Shawky, M. *see* Isaka, K. 86−32809
Shawn-Yu Lin *see* Berger, H. 88−71576
Shawyer, B.L.R. Best approximation of positive power series 85−22371
Shawyer, M.W. *see* Tang, P.S. 87−70514
Shay, J.L. *see* Schiavone, L.M. 85−12528
Shay, R.H. *see* Barkanic, J.A. 88−64107
Shay, R.H. *see* Hardy, T.K. 88−13093
Shay, T.M., Chung, Y.C. Ultrahigh-resolution, wide-field-of-view optical filter for the detection of frequency-doubled Nd:YAG radiation 88−58335
Shay, T.M., Gookin, D., Jordan, M.C., Hanson, F.E., Schimitschek, E.J. Experimental diagnostics of an avalanche discharge excited $HgBr/HgBr_2$ dissociation laser 86−3023
Shay, T.M. *see* Chung, Y.C. 87−75095
Shay, T.M. *see* Yun C. Chung 88−58635
Shaya, M.N. *see* Wang, J.Y.J. 85−59305
Shayakhov, R.F. *see* Ishmukhamedov, B.N. 86−25415
Shayakhov, R.F. *see* Zakirov, Sh.Kh. 86−68650, 87−65962
Shayan, M.E. A probabilistic model of a coal-burning power plant 87−35813
Shayan, M.E. A methodology for algorithm comparison in mathematical programming 87−65370
Shayan, Y.R., Le-Ngoc, T., Bhargava, V.K. A fast software decoding algorithm for binary double error correcting BCH codes 88−45952
Shayan, Y.R., Tho, L.-N., Bhargava, V.K., Khan, M.H. Applications of forward error coding in mobile communication systems 88−67275
Shayan, Y.R., Tho Le-Ngoc An all digital phase-locked loop 88−38426
Shayan, Y.R., Tho Le-Ngoc Direct hardware solution to quadratic equation $Z^2 \oplus Z \oplus \beta = 0$ in Galois fields based on normal basis representation 88−58987
Shayan, Y.R., Tho Le-Ngoc, Bhargava, V.K. Binary-decision approach to fast Chien search for software decoding of BCH codes 87−75706
Shayan, Y.R. *see* Khan, M.H. 88−73834
Shayan, Y.R. *see* Le-Ngoc, T. 88−41468
Shayanfar, A., Schlueter, R.A. Inertial averaging aggregation method for producing power system dynamic equivalents 86−25474
Shaydurov, G.Ya., Luk'yanchikov, V.N., Romanova, G.N. On the ultrasonic parametric modulation of an electromagnetic wave at the boundary between water and air 87−21806
Shayevitz, Z. *see* Livni, I. 85−30332, 86−30047
Shaying Zheng *see* Zheng Shaying
Shayler, C.R. PCB design with Autocad on a PC 87−17495
Shazeer, D., Harris, M. Digital autofocus using scene content 86−30026
Shbardnaya, A.M. *see* Toropov, A.E. 87−71553
Shchagin, A.V., Lysenko, V.F. Wideband converter of charge of particle beam incident on Faraday cylinder to pulse number 86−70356
Shchamkhalova, B.S. *see* Suris, R.A. 85−23528
Shchanin, P.M. *see* Efremov, A.M. 87−60060

Shchanin, P.M. *see* Gavrilov, N.V. 85−26676, 86−56959
Shchanin, P.M. *see* Koval', N.N. 87−12400
Shchanin, P.M. *see* Kreindel', Yu.E. 86−5726
Shchanin, P.M. *see* Vintizenko, L.G. 87−54221
Shchavelev, A.I. *see* Nesterov, V.I. 88−74606
Shchavelev, D.S. Efficiency criteria in electrical energy 87−21831
Shchavelev, D.S. *see* Dolgov, P.P. 87−42361
Shchavelev, O.S. *see* Bayanov, V.I. 85−2270, 87−33128
Shchavelin, V.M. *see* Zvonkov, S.A. 88−5213
Shchavelkin, A.N. *see* Domrachev, V.G. 88−4344
Shchavelov, A.I. *see* Fedorov, Yu.A. 88−16519
Shchebetov, A.F. *see* Kezerashvili, V.Ya. 88−54096, 88−61045
Shchebiot, U.V. *see* Petushkov, A.A. 88−36364
Shchebunyaev, A.G. *see* Abramov, A.A. 86−28834, 88−65195
Shchedrin, A.I. *see* Baginskii, V.M. 86−29076, 87−2071
Shchedrin, I.F. *see* Lantukh, V.M. 87−42575
Shchedrin, O.P. Equivalent circuits for lines in the selection of cross-sections for conductors in radial networks 86−25555
Shchedrin, O.P. Finding the best cross-sectional areas for interconnected power networks 87−4284
Shchedrin, O.P. *see* Avetisyan, D.A. 86−34453
Shchedrinov, A.V. A rectifying unit with a 3-core transformer 88−49044
Shchedrinov, A.V. *see* Bityutskii, I.B. 85−53737
Shchedrinov, A.V. *see* Telichko, L.Ya. 85−5610, 86−56974
Shchedrov, Yu.S. A phase-lock system with an asymmetric phase characteristic for a voltage-controlled oscillator 87−44695
Shchedrov, Yu.S. Investigation of a PLL system with symmetric phase-shift keying of the tunable generator 87−59256
Shcheglov, A.M. *see* Muzhitskii, V.F. 85−49648
Shcheglov, A.P. Analysing experience in the operation of 35 kV cable lines 87−42470
Shcheglov, A.P., Barinov, V.M. The reliability of cable lines at voltages up to 1000 V 86−44974
Shcheglov, A.Yu. Restoration of the boundary condition in the boundary value problem for the heat equation 87−23577
Shcheglov, I.M., Gilinskii, I.A., Sorokin, V.G. Theory of excitation of surface magnetostatic waves. II. Numerical results and comparison with experiment 88−33547
Shcheglov, I.M. *see* Gilinskii, I.A. 86−68175
Shcheglov, I.P. *see* Babkin, I.V. 85−42982
Shcheglov, L.V. Mathematical method of determining the parameters of the electric-arc dynamic equation [HV switchgear] 86−39987
Shcheglov, M.A. *see* Astrelin, V.T. 86−60439
Shcheglov, M.A. *see* Chikunov, V.V. 86−1633
Shcheglov, M.A. *see* Voropaev, S.G. 86−18230
Shcheglov, O.S., Zvereva, F.G., Netsenko, L.G. Study of low-frequency oscillations in a glow discharge from a cylindrical hollow cathode 88−25761
Shcheglov, V.A. *see* Balagur, A.A. 88−58903
Shcheglov, V.A. *see* Basov, N.G. 88−27035, 88−33935 to 33937
Shcheglov, V.A. *see* Bel'dyugin, I.M. 87−61084, 87−68351
Shcheglov, V.A. *see* Biryukov, A.S. 85−12812, 85−51134, 88−51759
Shcheglov, V.A. *see* Gavrikov, V.F. 86−68450, 87−39176
Shcheglov, V.A. *see* Konoplev, N.A. 86−63851
Shcheglov, V.A. *see* L'vov, V.I. 85−41302, 86−3082, 86−9746, 86−68470, 87−46777
Shcheglov, V.A. *see* Mel'nikov, I.V. 86−54094
Shcheglov, V.A. *see* Stepanov, A.A. 85−62496, 86−9751
Shcheglov, V.B. *see* Dudel'zak, A.E. 88−74988
Shcheglov, V.I. Measurement of the spectral and time characteristics of a ferrite delay line at elevated temperatures 88−1884
Shcheglov, V.I. *see* Lisovskiy, F.V. 88−71903
Shcheglov, V.N. *see* Koudryavtsev, N.N. 86−3077
Shcheglov, V.N. *see* Kryuchkov, S.I. 86−58867, 87−61075
Shcheglov, V.V. *see* Biryukov, A.S. 86−68447
Shcheglova, E.F. *see* Gut, R.E. 87−19361
Shcheglova, L.P. *see* Gorokhov, V.P. 85−35633, 86−68403
Shcheglova, T.Z. *see* Sukhov, M.S. 87−5460
Shchegol', A.A. *see* Alekseeva, Z.M. 88−57597
Shchegol', S.S. *see* Vyatkin, A.P. 86−11554
Shchegolev, I.F. *see* Yagubskii, E.B. 85−35330
Shchegolikhin, N.P. *see* Burtsev, V.A. 86−44490
Shchekaturov, V.M. *see* Zakharov, B.V. 88−69452
Shchekin, I.E. Near-field response of a horizontal array 86−32599
Shchekina, A.S. *see* Mendeleev, G.A. 85−4927
Shchekina, V.M. *see* Levitin, G.S. 85−63985
Shchekinova, K.I. *see* Kordonskii, V.I. 86−4902
Shcheklein, S.E., Vlasov, P.V., Vlasov, S.M. Correlation method of measuring the velocity of a two-phase heat carrier 88−22845
Shchekotov, A.Yu., Molchanov, O.A., Krechetov, V.V. Effect of rectification of VLF waves in the Earth's magnetosphere 86−36735
Shchelev, M.Ya. *see* Ainbund, M.R. 86−67643
Shchelev, M.Ya. *see* Babushkin, A.V. 86−68501, 87−46819
Shchelev, M.Ya. *see* Belyaev, V.K. 88−64035
Shchelev, M.Ya. *see* Maier, A.A. 88−20737
Shchelev, M.Ya. *see* Vorob'ev, N.S. 87−26536
Shchelgachev, I.K. *see* Rybalkin, A.D. 85−59810
Shchelikalov, Yu.Ya. *see* Borodulin, Yu.B. 86−48524
Shchelkunov, G.M. *see* Kochergin, A.K. 85−16497
Shchelkunov, V.N., Rudenko, N.Z., Semibratov, V.V. Device for measuring the speed of a gas flow of variable density and composition 85−3967
Shchelokov, R.N. *see* Kirilenko, V.V. 85−1327 to 1328
Shchelykalov, Yu.Ya. On the application of numerical methods to the computation of electromagnetic fields 86−10056
Shchelykalov, Yu.Ya. *see* Butina, T.P. 86−33451
Shchemelev, E.G. *see* Gurbatov, S.N. 86−3870, 86−18183
Shchemelev, V.N., Stuchinskii, G.B., Andrushchenko, A.L., Klimin, A.I., Chevokin, V.K., Prokhorov, A.M. External X-ray photoelectric effect in negative-electron-affinity cathodes 88−57249
Shchemelev, V.N. *see* Chevokin, V.K. 86−22249
Shchemelev, V.N. *see* Savinov, E.P. 86−63006
Shchennikov, D.V., Kachalov, V.M. Electron beam surfacing of metals 85−39383
Shchennikov, M.I. *see* Belousov, N.A. 87−47017
Shchennikov, V.V. *see* Tsidil'kovskii, I.M. 86−21127
Shchepanik, T. *see* Gulyi, V.D. 86−66162
Shchepetil'nikov, B.V., Smagin, A.G., Ermakov, G.A. Generalization of the Hutson and White theory to the case of piezosemiconductors with mixed conductivity 86−2470
Shchepetil'nikov, M.I. *see* Devochkin, M.A. 87−77994
Shchepetina, T.D., Kalafati, D.D., Serebryanikov, V.N. An analysis of the characteristics of a fast steam-cooled reactor 85−38744
Shchepetkin, F.V., Groshev, G.A. A canceller of high-power concentrated interference to ensure duplex operation of marine communication systems 86−15906
Shchepetkin, Yu.A. *see* Vovk, Yu.V. 85−2424
Shchepetov, A.G. *see* Korol'kov, I.V. 85−37591
Shchepina, L.I., Lobanov, B.D., Maksimova, N.T., Myreeva, Z.I. Optically stable component in $LiF(F_2)$ laser active elements 87−26365
Shchepina, L.I. *see* Martynovich, E.F. 88−65642
Shchepinov, V.P. *see* Osintsev, A.V. 86−22554
Shchepinov, V.P. *see* Pisarev, V.S. 85−29952, 88−20775
Shchepkin, N.P. *see* Atayev, A.E. 85−39294
Shchepkin, Yu.G. *see* Adamchuk, Yu.V. 85−52985
Shchepkin, Yu.G. *see* Muradyan, G.V. 86−5848
Shchepkina, Ye.D. Synthesis of dielectric waveguides transmitting a small number of modes (case of abrupt asymmetry) 88−44328
Shcherba, A.A., Muratov, A.A. Analysis of processes in a pulse generator for the electroerosive dispersion of metals 86−46624
Shcherba, A.A. *see* Shidlovskii, A.K. 88−18240, 88−35972
Shcherba, A.M. *see* Bayukova, E.V. 86−8063, 86−14069
Shcherba, A.M. *see* Bayukova, Ye.V. 86−47080
Shcherba, N.I. *see* Zhidiyatov, A.M. 88−5555
Shcherbachenko, A.M. *see* Bogomolov, E.N. 88−29634
Shcherbachenko, L.A. *see* Metsik, M.S. 88−57845
Shcherbachenko, S.V. *see* Skachko, Yu.N. 85−32849
Shcherbai, K.S. *see* Varshava, S.S. 88−16092
Shcherbak, I.A. *see* Islamgaliev, R.K. 88−57007
Shcherbak, L.P. *see* Kovalyuk, Z.D. 86−35548
Shcherbak, L.P. *see* Panchuk, O.E. 86−63162
Shcherbak, N.I. *see* Kolbasin, A.I. 87−29229
Shcherbak, N.N. *see* Leonov, Yu.V. 87−78659
Shcherbak, V.I. Estimating the parameters of elementary phase spatial microwave signals by a method based on the criterion of maximum probability 88−21198
Shcherbak, V.I. *see* Bugaenko, V.V. 87−65917
Shcherbak, V.I. *see* Tabunenko, E.N. 85−2839, 86−24616
Shcherbak, V.V. *see* Lysenko, S.B. 87−19012
Shcherbak, Yu.M. *see* Kravchenko, V.I. 88−34098
Shcherbak, Yu.P. *see* Suchkov, V.P. 88−68186
Shcherbakov, A.A., Mak, A.A., Sklizkov, G.V. Limiting efficiency of neodymium-glass lasers 85−41375
Shcherbakov, A.A. *see* Boldyshev, V.F. 88−54012
Shcherbakov, A.A. *see* Brailovskaya, R.V. 88−14237
Shcherbakov, A.A. *see* Gladkikh, P.I. 88−68163
Shcherbakov, A.A. *see* Gondra, A.D. 85−56583, 88−14152, 88−58501
Shcherbakov, A.A. *see* Gradov, V.M. 85−24622, 85−41440
Shcherbakov, A.A. *see* Mak, A.A. 86−15669
Shcherbakov, A.A. *see* Salomasov, V.V. 88−41734
Shcherbakov, A.D. *see* Slavkov, V.D. 86−551
Shcherbakov, A.F. *see* Soldatov, V.N. 88−40791
Shcherbakov, A.G. *see* Bazanov, V.F. 87−29295
Shcherbakov, A.G. *see* Katsavets, N.I. 85−12060
Shcherbakov, A.N. *see* Verenikina, N.M. 88−14778
Shcherbakov, A.S. *see* Pentrun'kin, V.Yu. 87−46515
Shcherbakov, B.Ya. Liquid reference sources of gamma radiation 86−70299
Shcherbakov, B.Ya., Myshlyavkin, V.I. Comparison of detectors with respect to the lower limit of determining the activity of gamma-emitting nuclides 86−56032
Shcherbakov, E.A. *see* Akhmedzhanov, I.M. 85−7282, 85−12685, 85−50987, 85−56356, 85−62337, 86−5158
Shcherbakov, E.A. *see* Angelov, A.K. 85−18754
Shcherbakov, E.A. *see* Belovolov, M.I. 88−41700
Shcherbakov, E.A. *see* Dokhikyan, R.G. 85−18747
Shcherbakov, E.A. *see* Kiselev, A.V. 86−68319, 88−7970
Shcherbakov, G.I. Determining the permeance coefficient for closed slots of a hydroelectric-generator rotor 86−45334
Shcherbakov, G.I. *see* Ter-Gazaryan, G.N. 87−9473
Shcherbakov, I.A. Optically dense active media for solid-state lasers 88−65625
Shcherbakov, I.A. *see* Allat'ev, A.N. 87−39039
Shcherbakov, I.A. *see* Alpat'ev, A.N. 88−14154
Shcherbakov, I.A. *see* Arkhipov, R.N. 87−12440
Shcherbakov, I.A. *see* Ashurov, M.Kh. 86−9791
Shcherbakov, I.A. *see* Avanesov, A.G. 88−51772
Shcherbakov, I.A. *see* Babushkin, A.V. 86−68501
Shcherbakov, I.A. *see* Basiev, T.T. 86−63780
Shcherbakov, I.A. *see* Berenberg, V.A. 87−46818
Shcherbakov, I.A. *see* Danilov, A.A. 88−14149, 88−27114, 88−27122, 88−27260
Shcherbakov, I.A. *see* Demchuk, M.I. 87−68590
Shcherbakov, I.A. *see* Denisov, A.L. 86−29100
Shcherbakov, I.A. *see* Duczynski, E.W. 86−58900
Shcherbakov, I.A. *see* D'yakonov, G.I. 88−65643
Shcherbakov, I.A. *see* Gondra, A.D. 88−14152
Shcherbakov, I.A. *see* Grigor'ev, V.N. 87−46822
Shcherbakov, I.A. *see* Gusovskii, D.D. 86−48119, 88−20363
Shcherbakov, I.A. *see* Kolerov, A.N. 88−14150
Shcherbakov, I.A. *see* Maier, A.A. 88−20737
Shcherbakov, I.A. *see* Natarov, S.Yu. 87−68422
Shcherbakov, I.A. *see* Ostroumov, V.G. 86−29099
Shcherbakov, I.A. *see* Prokhorov, A.M. 88−27113
Shcherbakov, I.A. *see* Smirnov, V.A. 88−65622
Shcherbakov, I.A. *see* Vodop'yanov, K.L. 88−20719
Shcherbakov, I.A. *see* Zharikov, E.V. 85−7404, 85−24522, 86−9790, 86−9792, 86−9794 to 9795, 86−48375, 86−54119, 87−12438, 87−18999, 87−46821, 87−75057, 88−27116, 88−58492
Shcherbakov, L.V. *see* Lyskov, V.P. 87−66780
Shcherbakov, N.I. *see* Nagorskii, V.D. 85−39258
Shcherbakov, N.S. *see* Sagalovich, Yu.L. 85−19344
Shcherbakov, O.A. *see* Abrosimov, N.K. 86−25155
Shcherbakov, O.A. *see* Gorokhov, I.S. 85−20867
Shcherbakov, O.V. *see* Andronatii, N.P. 85−5823
Shcherbakov, P.A. *see* Andreyev, N.I. 86−53933
Shcherbakov, P.A. *see* Gertsev, K.F. 88−65034
Shcherbakov, S.A. *see* Belyaev, Yu.N. 86−44120
Shcherbakov, S.B. *see* Zubairov, R.M. 88−60653
Shcherbakov, V.A. *see* Sultanov, M.B. 85−48463
Shcherbakov, V.D. *see* Guk, N.I. 86−37752
Shcherbakov, V.G. Theoretical basis for the design of a collector without arch struts 87−4853
Shcherbakov, V.G. Design of a commutator without an arched thrust 87−22222
Shcherbakov, V.G. Analysis of the causes of commutator clouding in traction motors of electric locomotives 87−58407
Shcherbakov, V.G. *see* Sedov, V.I. 87−58401
Shcherbakov, V.I. *see* Plokhikh, S.A. 88−14483
Shcherbakov, V.N. Calculation of natural oscillations of axisymmetric dielectric resonators by finite differences 87−45184
Shcherbakov, V.N. *see* Ivanov, A.P. 85−4445
Shcherbakov, V.V. *see* Ryabinin, Yu.A. 85−4027
Shcherbakov, Y.A. *see* Falomkin, I.V. 85−52981
Shcherbakov, Y.A. *see* Michailov, M.N. 85−52990
Shcherbakov, Ye.A. *see* Kirik, Yu.M. 87−49292
Shcherbakov, Yu.F. Resonant preselector rectangular equivalent through-band for a stochastic stream of out-of-band signals 85−63812
Shcherbakov, Yu.M. *see* Blistanov, A.A. 85−46448
Shcherbakov, Yu.M. *see* Glotov, E.P. 85−24617
Shcherbakova, G.A., Kindyakov, V.S., Mustafin, V.M. Electrical strength of air insulation between conductors of VHV outdoor switchgear 86−39982

Shcherbakova, G.A., Kindyakov, V.S., Mustafin, V.M. Discharge characteristics of the bracket insulation of an SVN with a screen in the form of a split wire [switching substations] 86−39986
Shcherbakova, G.A., Kindyakov, V.S., Mustafin, V.M. The electric strength of air spacings between EHV distribution gear conductors 87−42495
Shcherbakova, K.N. *see* Zhivilova, L.M. 86−6572
Shcherbakova, N.G. Cross software for microprocessor systems 85−795
Shcherbakova, N.I. *see* Voishvillo, N.A. 87−68008
Shcherban, A.A. *see* Molchanov, A.A. 87−2390, 87−54772, 88−38093
Shcherbich, V.I. Calculating the variation in the power of a turboset when the operation of the regenerative superheater is being monitored [steam plants] 86−56593
Shcherbich, V.I., Baubel', L.A. A procedure for automated calculation and analysis of specific power generation in a district-heating cycle 86−6571
Shcherbich, V.I., Galenchik, E.M., Sirotina, V.M. Dependence of the effectiveness of the T-250/300-240 turbine units on desalination discharge of the condensate of main heaters [steam plants] 86−33047
Shcherbich, V.I. *see* Bogoev, A.D. 88−17374
Shcherbich, Yu.N., Kholondyrev, S.V. Digital demodulator 88−16036
Shcherbina, A.V., Syropushchinskii, V.M., Sytnikova, N.M., Ampleev, A.V., Bakinovskaya, Ya.B., Bolshakov, V.P. Evaluation tests of T-1000/120-130 district heating turbines under power control conditions with unchanged heat distribution 87−78477
Shcherbina, D.M. *see* Mavashev, Yu.A. 86−65291
Shcherbina, E.M. *see* Stepin, V.M. 88−27923
Shcherbina, O.A. *see* Bystrov, V.A. 88−38095
Shcherbina, V.I. Current and future digital recording facilities 88−29171
Shcherbina, V.I. *see* Chepelev, V.V. 85−1302
Shcherbina, Yu.V. An adaptive algorithm for the reception of digital signals against a background of additive interference 88−21197
Shcherbina, Yu.V., Banin, D.B., Khomenko, O.V. Personal microcomputers for power-network engineers 85−48532
Shcherbina, Yu.V., Berman, A.P., Zaderei, A.V., Dmitriev, E.G., Shur, Yu.B. Effect of parameter differences between phases in overhead lines on operating conditions of power systems 88−61824
Shcherbina, Yu.V., Kachanova, N.A., Gapchenko, N.A. Equivalenting power systems for operative calculations of steady-state conditions 86−6218
Shcherbina, Yu.V., Lositskii, Yu.E., Litvinov, E.G. Simulation model for analytical algorithms and for testing the automated anti-accident control programs in power systems 87−71533
Shcherbina, Yu.V., Lositskii, Yu.E., Roitel'man, I.G. Mathematical modeling of an energy link sectioned by DC elements 87−77995
Shcherbina, Yu.V., Skripnik, A.N. Taking weather conditions affecting the conductors of overhead lines into account in the computer control of power systems and power pools 87−4413
Shcherbina, Yu.V., Zaderei, A.V., Klipkov, S.I. On a single research method with respect to the existence of stationary modes in electrical systems 85−6102
Shcherbina, Yu.V. *see* Ivanov, M.A. 87−48399
Shcherbina, Yu.V. *see* Klyuchko, V.I. 85−62973, 86−43177
Shcherbina, Yu.V. *see* Venikov, V.A. 88−75107
Shcherbinin, A.I. *see* Molodtsov, V.S. 86−6318
Shcherbinin, A.S. A rotary system of a circulating air-cooled water supply at the Bilibin nuclear heating plant 86−61219
Shcherbinin, E.V. *see* Boyarevich, V.v. 87−47126
Shcherbinin, P.P. *see* Druzhinin, V.A. 88−24169
Shcherbinin, S.I., Kakhankov, A.E. A source of supply with voltage multiplication and improved power characteristics 87−72238
Shcherbinin, V.E., Shur, M.L. Detection of internal defects by the magnetographic method 86−13857
Shcherbinin, V.E. *see* Benklevskaya, N.P. 87−16727
Shcherbinin, V.E. *see* Burtseva, V.A. 88−6545
Shcherbinin, V.E. *see* Krotov, L.N. 88−70377
Shcherbinin, V.E. *see* Kuleev, V.G. 88−485
Shcherbinin, V.E. *see* Pashagin, A.I. 86−541
Shcherbinin, V.E. *see* Shleenkov, A.S. 88−70392
Shcherbinin, V.P. *see* Butakov, L.D. 86−67098
Shcherbinskii, V.G. Correlation analysis of echo signals from real weld defects 86−52551
Shcherbinskii, V.G., Samedov, Ya.Yu. A priori evaluation of the comparative reliability of methods of ultrasonic inspection of welded joints 88−70381
Shcherbinskii, V.G., Ushakov, V.M., Kraskovskii, A.S., Blyumen, A.L., Samedov, Ya.Yu. Ultrasonic tilted transducers 88−74999
Shcherbinskii, V.G. *see* Ushakov, V.M. 86−20129
Shcherbo, A.B. *see* Akulintsev, V.M. 87−38986
Shcherbo, A.B. *see* Bashkin, A.S. 85−12807
Shcher'ina, Yu.V., Skripnik, A.N., Gader, O.A. Simulating steady-state conditions of power systems using Kraut's algorithm 88−30249
Shchetinin, K.G. The method of small successive perturbations 87−68840
Shchetinin, M.V. *see* Belov, A.A. 87−56806
Shchetinin, O.I. *see* Malyshev, E.K. 88−16624 to 16625
Shchetinin, V.V. *see* Ivanenko, V.D. 85−35640
Shchetinin, Yu.I. *see* Ignat'ev, A.S. 87−37288
Shchetinin, Yu.I. *see* Prikhod'ko, P.S. 88−44170
Shchetinina, N.A., Zhadan, S.Z., Petrenko, V.A. Experimental investigation of a solar-ejector freon refrigerating machine 88−24278
Shchetinina, V.I., Leshchinskii, L.K., Ermolov, V.P. Effect of welding speed in welding with a combined electric arc displacement 88−55989
Shchetinkin, V.S. *see* Odinokov, S.B. 88−59193
Shchetinkina, T.A. *see* Krutova, V.G. 86−68473
Shchetinkina, T.A. *see* Stepanov, A.A. 85−62496
Shchetkin, N.A. Allowing for fringe effects in coaxial-line cavities used to measure SHF parameters of materials 88−4587
Shchetkin, V.S. Investigating the efficiency of tubes of the front waterwall in the BKZ-420-140 NGM boiler of Bobruisk No.2 Heat and Power Station 86−12688
Shchetnev, Yu.F. *see* Voronin, Yu.M. 86−22232
Shchetnikov, A.A. *see* Zenzinov, A.B. 85−46498
Shcheulin, A.S. *see* Dolbilov, V.G. 87−41683
Shchev'ev, Yu.P. *see* Khanin, G.A. 87−4658
Shchigolev, V.K. *see* Suleimanov, N.T. 88−34379
Shchinov, B.G. *see* Dolbilov, G.V. 87−70947
Shchinov, B.G. *see* Perel'shtein, E.A. 85−9022
Shchipkov, S.M. *see* Khomskii, I.G. 85−44097
Shchptev, V.A. *see* Kalinichev, V.M. 86−61366
Shchuchinskii, A.G. Surface waves in tangentially magnetized ferrite layers 85−50831
Shchuchinskiy, A.G. *see* Ivanov, V.N. 85−34130
Shchuchinskiy, A.G. *see* Lerer, A.M. 85−34131
Shchuchkin, A.G. *see* Valiev, K.A. 85−29149, 85−45602
Shchuka, A.A. The development of functional electronic elements 88−18436
Shchuka, Yu.V., Rod'kin, D.I., Solov'ev, S.M. On the merit of using autonomous power stations as standby power supplies for an ore-dressing plant 85−43574
Shchuka, Yu.V., Tytyuk, V.K., Rod'kin, D.I., Solov'ev, S.M. Equipment requirements for an autonomous standby power supply system for a mining installation 88−11544
Shchukarev, A.V. *see* Bordovskii, G.A. 86−53361
Shchukin, A.V. A cylindrical electromagnetic shield in an unsteady magnetic field 85−41543
Shchukin, A.V. Analysis of eddy currents in cylindrical electromagnetic screens of finite length 88−2484
Shchukin, A.V. *see* Denisenko, A.A. 88−16659
Shchukin, A.V. *see* Kotov, V.I. 86−70358
Shchukin, A.V. *see* Tseitlin, L.A. 86−10116
Shchukin, E.M. *see* Levchenko, G.I. 87−57919
Shchukin, G.E. *see* Egorov, A.G. 88−42444
Shchukin, G.E. *see* Geidel'man, A.M. 88−22912
Shchukin, G.L. *see* Bozhko, N.I. 86−44572
Shchukin, I.V. *see* Bakrunov, A.O. 85−36304
Shchukin, O.V. Device for determining the event time of the absolute maximum in a realization of a stochastic process 86−44223
Shchukin, Yu.D. *see* Basiladze, S.G. 86−24442
Shchukin, Yu.M. *see* Shishkin, V.G. 88−1848
Shchur, A.A. *see* Levenets, V.V. 87−63671
Shchurov, A.I. *see* Mamoshin, R.R. 85−60475
Shchurov, A.N. *see* Saksonskii, V.A. 85−31606
Shchurovskii, V.A. The future development of the gas turbine drive in the gas industry 85−5616
Shchurovskii, V.A. *see* Galiullin, Z.T. 88−24306
Shchutskii, V.I., Aidarov, F.A., Zadorozhii, V.I. A physical model of arcing faults to earth in three-phase cable networks 85−15585
Shchutskii, V.I., Babokin, G.I., Kunitskii, V.G. Analysis of single-phase leakage currents in the power supply with a frequency converter 85−16115
Shchutskii, V.I., Buralkov, A.A. On standardising the reliability of protective tripping devices 87−30260
Shchutskii, V.I., Buralkov, A.A., Buralkova, L.Z. On the injury by electric current through acupuncture points 87−14819
Shchutskii, V.I., Dzyuban, V.S., Zhitnikov, V.K. Operational characteristics of control equipment in mining equipment sectioned networks 85−9489
Shchutskii, V.I., Dzyuban, V.S., Zhitnikov, V.K. Calculating the conditions for arc-free switching of the supply circuits to the solenoids of colliery electromagnetic starters [contactors] 86−33555
Shchutskii, V.I., Fominykh, Ya.A., Kuznetsov, V.I. A comparative study of the mechanical stability of silver and palladium coatings [switchgear contacts] 86−61677
Shchutskii, V.I., Fominykh, Yu.A., Volkov, V.A. Overload capacity of high-voltage equipment [substations] 87−15921
Shchutskii, V.I., Goncharov, A.F., Epshtein, I.Ya., Popov, Yu.N. Allowing for motor EMF in evaluating switching surges 87−72087
Shchutskii, V.I., Goncharov, A.F., Epstitein, I.Ya., Popov, Yu.N. Calculation of the maximum overstrain caused by switching off excavator motors, [mining] 86−26376
Shchutskii, V.I., Kuz'min, S.V. Testing the potential of the ZZP-1 safety device on a dredger's proving ground 86−26464
Shchutskii, V.I., Kuz'min, S.V. Mathematical modelling of distribution networks for dredging polygons 87−42447
Shchutskii, V.I., Leont'ev, G.A., Filatov, B.F. Design of compensating chokes of apparatus used for protection from leakage currents 85−15683
Shchutskii, V.I., Leont'ev, G.A., Pimenov, V.N., Filatov, B.F. Protection against subterranean network current leakage using thyristor voltage regulators 85−21264
Shchutskii, V.I., Oshchepkov, B.A. Classification of electrical equipment systems for bank lighting installations 86−40289
Shchutskii, V.I., Sautov, A.S. Statistical research into the reliability of electric current at the separating face of coal mines 86−26462
Shchutskii, V.I., Savitskii, V.N. Analysing phase dependences between current and voltage of zero sequence given intermittent instances of mains phase arc shorting to earth 86−18874
Shchutskii, V.I., Sitchikhin, Yu.V., Sidorov, A.I. The characteristics of the elements in a structural model for electrical shocks above 1000 V 86−57158
Shchutskii, V.I., Volodarskii, V.A. Optimization of frequency of changes of electrotechnical components in conditions of incompleteness of original data 86−33293
Shchutskii, V.I., Volodarskii, V.A. Optimising the timing of the precautionary replacement of electrical plants under conditions of indeterminacy 87−35781
Shchutskii, V.I., Yagudaev, B.M., Nazarov, V.V. Criteria for optimising the operating conditions of the ungrounded neutral in 6-10 kV networks for mining plants 85−60627
Shchutskii, V.I. *see* Kungs, Ya.A. 85−16535
Shchutskii, V.I. *see* Volodarskii, V.A. 85−44471
Shculyat'ev, V.B. *see* Gromov, A.N. 88−36221
Shculz, M.H., Brglez, F. Accelerated transition fault simulation 87−66110
She, C.-Y. *see* Shimizu, H. 86−56251
She, C.Y. *see* Hsu, D.K. 85−6075
She, C.Y. *see* Lehmann, F.J. 87−4138
She, C.Y. *see* Li, M.G. 87−23984
She, T. *see* Nauwelaers, B. 88−8611
She, X.Y., Chow, Y.L. Interdigital microstrip capacitor as a four-port network 86−47047
She, Y.E. *see* Qian, Y.S. 86−44451
She Chao-Yao *see* Chao-Yao She
She Chiao-Yao *see* Chiao-Yao She
She Jiaoying, Chen Maolin, Shi Lie, Chen Chang Some innovative application design approaches to GDC 7220 87−67503
She Seming *see* Zhong Lei 88−50619
She Shou-Xian *see* Shou-Xian She
She Shouxian Analysis of rectangular-core waveguide structures and directional couplers by an iterated moment method 88−45194
She Shouxian *see* Shouxian She
She Siming, Cheng Jun Variation of Sb concentration in melt during growth of heavily Sb-doped Si single crystal 88−31705
Shea, E.G. *see* Burns, J. 85−34354
Shea, E.G. *see* Williston, J. 85−34348
Shea, G. *see* Hannaway, W. 85−11294
Shea, J. *see* Hammoud, A.N. 88−63517
Shea, J. *see* Kraus, R. 88−64828
Shea, J. *see* Laghari, J.R. 87−25691 to 25692
Shea, J.J., Dollinger, R., Sarjeant, W.J., Shoraka, F., Hitchcock, R. Novel ceramic resistors with integral insulating shell for high field applications 85−23154
Shea, J.J., Sarjeant, W.J., Dollinger, R. Effects of impulse dV/dt in polypropylene films for energy discharge capacitors 87−22684
Shea, J.J. *see* Bilodeau, T.M. 87−74453, 88−16041, 88−60874
Shea, J.J. *see* Vassallo, V.R. 88−10397
Shea, J.R. International nuclear safety cooperation: trends in NRC activities 86−39463
Shea, M. *see* Crisp, J. 86−31917
Shea, M. *see* Goodwin, R. 86−60573
Shea, M.F. *see* Goodwin, R.W. 85−59016
Shea, S.P., Birkmire, R.W., Meakin, J.D. Origin of defects in CdS films associated with degradation of Cu_2S/CdS solar cells 86−1730
Shea, S.P. *see* McLarty, P.K. 87−60074
Shea, S.P. *see* Thornton, J.A. 86−7850
Shea, S.P. *see* Wohlgemuth, J.H. 88−37610
Shea, T. *see* Reiser, M. 88−47901
Sheade, M. DLVAs find applications in ESM systems [detector log video amplifiers] 85−11053
Sheade, M. Wide-range DLVAs recover quickly 87−23957
Sheaff, M. A specialized second level trigger processor 88−22997
Sheaff, M. *see* Atac, M. 85−43237
Sheaff, M. *see* Byrum, K. 88−48020
Sheaff, M. *see* Dworkin, J.S. 86−60580

Sheaffer, G.S., Leviatan, Y. Composite inductive posts in waveguide—a multifilament analysis 88—40638
Sheaffer, G.S. *see* Leviatan, Y. 87—33479
Sheaffer, J.D. *see* Markovitz, M. 86—63505
Sheaffer, M., Levine, L.R., Schlain, B. Optimizing the wire bonding process for copper ball bonding, using classic experimental designs 87—24654
Sheaffer, M., Levine, L.R., Schlain, B. Optimizing the wire-bonding process for copper ball bonding, using classic experimental designs 88—25754
Sheaffer, M. *see* Levine, L. 87—6306
Sheahan, J.N. *see* Hlynka, M. 87—65294
Sheaks, O.J. *see* Kyriakopoulos, N. 87—28518
Shealy, D.L., Tohver, H.T., Hill, D.A., Shehadeh, Z., Srinivasan, G., Thompson, R.G., Shyu, J. Physical properties of ceramic-glass-copper micro-interconnect systems for VLSI/VHSIC packaging applications 88—64140
Shealy, D.L. *see* Chao, S.H. 88—27214
Shealy, D.L. *see* Gabardi, D.R. 87—18855
Shealy, D.L. *see* Thompson, R.G. 87—73161, 88—64681
Shealy, J.R. Device quality AlGaAs/GaAs heterostructures grown in a multichamber organometallic vapor phase epitaxial apparatus 86—46311
Shealy, J.R. Optimizing the performance of AlGaAs graded index separate confining heterostructure quantum well lasers 87—61140
Shealy, J.R. Characterization of AlGaAs/GaAs heterostructures grown in a multichamber OMVPE apparatus 88—24720
Shealy, J.R. High-efficiency superlattice graded-index separate confining heterostructure lasers with AlGaAs single quantum wells 88—51789
Shealy, J.R., Chinn, S.R. Simultaneous diffusion of zinc and indium into GaAs: a new approach for the formation of low resistance ohmic contacts to compound semiconductors 85—61752
Shealy, J.R., Kavanagh, K. Characterization of simultaneous diffusions of zinc and indium into GaAs, and (AlAs)$_n$(GaAs)$_m$ superlattice surfaces and its device applications 87—60311
Shealy, J.R., Schaus, C.F., Eastman, L.F. Photoluminescence of OMVPE grown AlGaAs: the effect of composition, doping and the substrate 85—10704
Shealy, J.R., Schaus, C.F., Eastman, L.F. Organometallic vapor phase epitaxial growth of GaInP/GaAs (AlGaAs) heterostructures 86—26817
Shealy, J.R., Schaus, C.F., Wicks, G.W. Investigation of the properties of organometallic vapor phase epitaxially grown AlGaAs/GaAs heterostructures using Raman scattering 85—54446
Shealy, J.R. *see* Bour, D.P. 88—14230, 88—31755
Shealy, J.R. *see* Carlson, N.W. 88—45431
Shealy, J.R. *see* Enquist, P. 86—2120
Shealy, J.R. *see* Evans, G.A. 88—40194
Shealy, J.R. *see* Grande, W.J. 88—26867
Shealy, J.R. *see* Kuesters, K.-H. 86—8771
Shealy, J.R. *see* Rosenberg, A. 88—72312
Shealy, J.R. *see* Schaus, C.F. 86—9853, 86—26831, 86—42460, 86—52497, 87—16594
Shealy, J.R. *see* Wagner, D.K. 85—16237, 86—7068
Shealy, J.R. *see* Welch, D.F. 85—24545
Shear, D. Tools help you retain the advantages of using breadboards in gate-array design 87—44457
Shear, D. Board-level analog CAE 87—59066
Shear, D. Comparisons reveal the pros and cons of designing with switched-capacitor ICs 87—66320
Shear, D. EDN's DSP project. III. Design and build a transponder using DSP tools 87—75773
Shear, D. Wide choice of tools breaks down barriers to DSP design 88—770
Shear, D. Cache-memory systems benefit from on-chip solutions 88—19122
Shear, D. Monolithic high-resolution ADCs 88—50213
Shear, D. Analog comparators achieve high speeds, but application challenges remain 88—50283
Shear, D. HLL compilers and DSP run-time libraries make DSP-system programming easy 88—59201
Shear, R. *see* Sutton, S. 87—8683
Sheard, F.W., Eaves, L., Toombs, G.A. Hot electron and Landau-level effects in the J(V) characteristics of III-V semiconductor tunnelling heterostructures 88—25948
Sheard, F.W. *see* Chan, K.S. 88—39114
Sheard, F.W. *see* Eaves, L. 86—1781, 86—58310, 87—24858, 87—24898, 87—66974
Sheard, F.W. *see* Guimaraes, P.S.S. 85—55529, 86—21218
Sheard, F.W. *see* Leadbeater, M.L. 88—39113
Sheard, F.W. *see* Taylor, D.C. 86—21214, 87—6636
Sheard, F.W. *see* Toombs, G.A. 88—64314
Sheard, M. *see* Huotari, R. 86—62098
Sheard, S.A. Electrical interfaces between the STS orbiter and a powered satellite 86—32480
Sheard, S.J. A new configuration for photothermal radiometric microscopy 87—70467
Sheard, S.J., Appel, R.K., Somekh, M.G. Photothermal radiometric imaging of semiconductors 87—37857
Sheard, S.J. *see* Crean, G.M. 88—57459
Shearer, A. The enclosures market 85—16803
Shearer, C.H. *see* Elsner, N.B. 85—53853, 86—58274
Shearer, D.R., Moore, M.M. Lag in radiographic imaging systems: simple methods for evaluation 86—60766
Shearer, J. Prestel boost for business 86—4235
Shearer, J.B. *see* Chung, F.R.K. 87—10253
Shearer, J.B. *see* Griggs, J.R. 86—66701
Shearer, J.C. *see* Peters, D.C. 85—49346
Shearer, J.E. *see* Liang, E.C. 86—62967
Shearer, J.M., Wolfe, M.A. Some algorithms for the solution of a class of nonlinear algebraic equations 86—7692
Shearer, J.M., Wolfe, M.A. A note on the algorithm of Alefeld and Platzoder for systems of nonlinear equations 86—46275
Shearer, J.W., Steinberg, D.J. Converging xenon shock waves driven by megagauss magnetic fields 88—43314
Shearer, M.H., Takemura, H., Isobe, M., Goto, N., Tanaka, K., Miyauchi, S. Development of a nanometric E-beam lithography system (JBX-5DII) 86—8932
Shearer, M.H. *see* Aihara, R. 88—47910, 88—57285
Shearer, M.H. *see* Kasahara, H. 88—57434
Shearer, M.H. *see* Sawaragi, H. 88—26146, 88—57535
Shearer, M.Hassel *see* Hassel Shearer, M.
Shearer, N. A silicon compiler spreadsheet 87—25410
Shearer, N. Process-independent ASIC design 87—46156
Shearer, N. A silicon compiler spreadsheet 87—67589
Shearer, S., Barnwell, T.P., III Real-time subband speech coding 88—46006
Shearman, E.D., Wyatt, L.R. High-frequency ground-wave radar remote measurement of ocean wave and current parameters in the Celtic Sea: project NURWEC 2 87—56263
Shearman, E.D.R. A review of methods of remote sensing of sea-surface conditions by HF radar and design considerations for narrow-beam systems 86—65524
Shearman, E.D.R. Over-the-horizon radar 87—76861
Shearman, E.D.R., Burrows, G.D., Moorhead, M.D. An FMICW ground-wave radar for remote sensing of ocean waves and currents 88—15678
Shearman, E.D.R., Land, D.V. The beginning of centimetric radar in the United Kingdom 85—58231
Shearman, E.D.R. *see* Humphrey, J.A. 85—30917
Shearman, E.D.R. *see* Salous, S. 86—59771
Shearman, R.J. The Meteorological Office archive and its use in support of shipping and offshore interests 85—4439
Shearme, M.J. Realisation aspects of systems incorporating CCITT 32 kbit/s ADPCM 85—63415
Shearon, P. *see* Leet, D. 85—29335
Shears, A.E. Developing training skills: a Saudi Arabian modular course 88—43612
Sheather, P.H. *see* Ward, A.K. 85—53159
Sheather, S.J. An improved data-based algorithm for choosing the window width when estimating the density at a point 86—57310
Sheats, J.R. Reciprocity failure in novolak/diazoquinone photoresist with 364-nm exposure 88—26111
Sheats, J.R., O'Toole, M.M., Hargreaves, J.S. Photochemical Image Enhancement (PIE) 87—11892
Sheats, J.R. *see* Diamond, J.J. 86—63142
Sheats, L. Error correcting codes for microprocessor based data links 85—3182
Shebakpol'skiy, M.F. Estimate of maximum likelihood in a multiscale phase measuring system 85—4071
Shebakpol'skiy, M.F. Estimation of the maximum likelihood of a vector parameter for ambiguous measurements 86—29675
Shebaleevskii, O.I. *see* Karyagina, O.K. 87—73125
Shebalin, A.G. *see* Troitskiy, I.N. 88—41092
Shebanov, B.A. *see* Barmin, V.V. 86—5822
Shebesta, V., Biolek, D. Linear distortion in sampling and storage devices 87—73536
Shebi, K.M., Ibrahim, S.M. Approximate technique for the optimal route of distribution feeders 88—30364
Shebl, K.M., Ibrahim, S.M. Approximate technique for the optimal route of distribution feeders 88—48565
Shebl, K.M. *see* Farghal, S.A. 85—64842, 87—50642
Sheble, G. *see* Burleson, J. 87—71511
Sheble, G.B., Grigsby, L. Decision analysis solution of the unit commitment problem 87—30027
Sheble, G.B., Grigsby, L.L. Power system training simulator for power system analysis 87—71513
Sheble, G.B. *see* Emesih, V.A. 88—54877
Sheble, G.B. *see* Glasscock, T.C. 88—54723
Sheble, G.B. *see* Newton, S.R. 88—54721
Sheble, G.B. *see* Schulte, R.P. 88—23334
Sheblee, J.S., Goutis, C.E. A processor for linear systems with block circulant sparse matrices 85—36464
Sheblee, J.S. *see* Goutis, C.E. 86—16570
Shebolaev, I.V., Chernousov, Yu.D., Popov, V.I. Nanosecond electron injector 87—29405
Shebolaev, I.V. *see* Chernousov, Yu.D. 85—26555
Shechtman, G.I. *see* Lavia, A. 87—48431
Shectman, G.I. *see* Lavia, A. 87—33969
Shedd, G.M., Lezec, H., Dubner, A.D., Melngailis, J. Focused ion beam induced deposition of gold 87—23702
Shedd, G.M. *see* Dubner, A.D. 88—12052
Shedd, W.M. *see* Houston, T.W. 85—22885
Shedd, W.M. *see* Schott, J.T. 87—32701
Shedd, W.M. *see* Tsaur, B. 87—32702
Shedd-Giesseman, H.M. Dot-to-dot drafting 87—45389
Shed'ko, I.P. *see* Godonyuk, V.A. 86—17950
Shedler, G.S. *see* Haas, P.J. 86—7635, 87—10275, 88—305
Shedler, G.S. *see* Iglehart, D.L. 85—19772
Shedler, G.S. *see* Prisgrove, L.A. 86—62036
Shedova, E.N. *see* Komissarova, I.I. 88—20800
Shee, S.C. *see* Chen, O. 87—44166
Sheehan, B.J. *see* Doyle, G.J. 88—32569
Sheehan, B.S. *see* Licker, P.S. 88—28295
Sheehan, B.S. *see* Newsted, P.R. 88—53058
Sheehan, F.H., Dodge, H.T., Schlueter, M., Bolson, E.L., Mathey, D.G. Use of datalink via satellite for transatlantic collaboration in medical research 85—52317
Sheehan, J.R. Network operations and management of data networks: the challenge of complexity 88—73471
Sheehan, K. *see* Shahdad, M. 85—39849
Sheehan, P.G., Forrest, J.R. The use of optical techniques for beamforming in phased arrays 85—13366
Sheehan, P.G., Forrest, J.R. Optical fibre beamforming for a multibeam phased array antenna 85—24988
Sheehan, P.G., Forrest, J.R. Satellite-borne active phased array techniques for mobile communications 86—59158
Sheehan, P.G., Forrest, J.R., Williams, A.D. A demonstration model of a satellite-borne microstrip patch array 85—41800
Sheel, S., Sinha, A.K., Biswas, K.K. Online system identification for energy resource optimisation 85—65029
Sheela, B.V. Line segmentation by optimal clustering 85—30454
Sheela, B.V. A cognitive heuristic algorithm for Reseau mark detection by hill climbing 86—23130
Sheeley, N. *see* Kelly, F.J. 88—66075
Sheem, S.K., Vojak, B.A. Broad-area semiconductor lasers with gain-length variation for lateral mode control: the bow-tie geometry laser 88—27156
Sheem, S.K. *see* Cheng, W.H. 86—3132
Sheem, S.K. *see* Maxham, K.Y. 85—8415
Sheen, P., Dandapani, R., Saluja, K.K. A test pattern generator with embedded compressed output for built-in self-test 86—63420
Sheen, S.H., Raptis, A.C. Active ultrasonic cross-correlation flowmeters for mixed-phase pipe flows 86—18181
Sheen, T.H. *see* Huang, K.-Y. 86—18528
Sheena, Z. *see* Olshan, R.Z. 87—75147
Sheer, D.E. *see* Raghavan, N. 87—14899
Sheer, I. *see* Cennini, P. 86—50312
Sheeran, M. Design and verification of regular synchronous circuits 87—894
Sheeran, M., Jones, G. Relations+higher order functions=hardware descriptions 87—65675
Sheeran, S.T. *see* Wyss, J.C. 85—52344
Sheerer, J. Calculation of forces on magnetized bodies using COSMIC NASTRAN 88—20854
Sheerin, J.P. *see* Kentwell, G.W. 87—12516
Sheetov, L.V. The Nagra tape recorders with SMPTE/EBU time code 86—24233
Sheets, J. *see* Kavanagh, K.L. 86—14890
Sheets, J. *see* Odekirk, B. 87—18284
Sheets, P.W. *see* Dines, K.A. 85—59273
Sheets, R.E. Automatic cassette to cassette radiant impulse processor 85—34726
Sheets, R.E. Temperature measurement and control in a rapid thermal processor 87—11586
Sheets, R.G., Sheets, W. TV signal descrambling. V 87—13925
Sheets, W., Graf, R. The raid on HBO 87—8381
Sheets, W., Graf, R.F. TV signal descrambling 86—60034
Sheets, W., Graf, R.F. TV signal descrambling. III 86—69918
Sheets, W., Graf, R.F. TV signal descrambling. II 86—69937
Sheets, W., Graf, R.F. TV signal descrambling. IV 87—563
Sheets, W., Graf, R.F. TV signal descrambling. VI 87—28782

Sheets, W., Graf, R.F. TV signal descrambling. VII 87—56373
Sheets, W., Graf, R.F. TV signal descrambling. VIII 87—56390
Sheets, W., Graf, R.F. TV signal descrambling. IX 87—70251
Sheets, W., Graf, R.F. Wireless stereo link. II 88—35658
Sheets, W., Graf, R.F. Wireless stereo link 88—47365
Sheets, W., Graf, R.F. Wireless speaker system 88—74176
Sheets, W. *see* Graf, R. 87—70206, 88—9724
Sheets, W. *see* Graf, R.F. 88—9753 to 9754
Sheets, W. *see* Sheets, R.G. 87—13925
Shefer, R.E., Friedland, L., Klinkowstein, R.E. Evolution of high current, cold cathode diodes to steady state 88—44528
Shefer, R.E. *see* Bekefi, G. 85—23339, 87—2152, 87—2186
Shefer, R.E. *see* Destler, W.W. 85—51202
Shefer, R.E. *see* Hartemann, F. 86—21031, 88—44512
Shefer, R.E. *see* Hartemann, F.V. 85—23338
Shefer, R.E. *see* Kirkpatrick, D.A. 85—24594, 85—51199
Shefer, R.E. *see* Oettinger, P.E. 87—60041, 88—47931
Shefer, V.R. *see* Danilov, V.I. 86—18499
Sheffer, A.D. *see* Cathcart, J.M. 88—52577
Sheffer, A.D., Jr., Thompson, F.L. Simulation of laser radar imagery 87—14182
Sheffer, D.B. *see* Proietti-Orlandi, F. 88—68363
Sheffer, G. *see* Henderson, R. 87—41841, 88—61101
Sheffer, T. Fast two terminal capacitance measurement preserves accuracy 86—35227
Sheffer, Yu.M. *see* Stavitsky, R.V. 85—38253
Sheffield, J., Dory, R.A. Cost assessment of a generic magnetic fusion reactor 85—53516
Sheffield, J.W., Kher, R.P., Van Griethuysen, V.J. Phase change materials for spacecraft thermal management 85—53117
Sheffield, J.W. *see* Fox, B.R. 86—38871
Sheffield, R.L., Stein, W.E., Warren, R.W., Fraser, J.S., Lumpkin, A.H. Electron-beam diagnostics and results for the Los Alamos free-electron laser 86—3447
Sheffield, R.L. *see* Fraser, J.S. 86—2972, 86—32124, 87—2148, 88—2286, 88—50573
Sheffield, R.L. *see* Goldstein, J.C. 87—2138
Sheffield, R.L. *see* Lee, C.H. 86—32133
Sheffield, R.L. *see* Newnam, B.E. 85—56699, 86—3198
Sheffield, R.L. *see* Stein, W.E. 87—2139
Sheffield, R.L. *see* Warren, R.W. 85—56698
Sheffler, T. *see* Bryant, R.E. 87—65694
Shefi, A., Therrien, C.W., Kirk, D.E., Saez, R., Friedlander, B. Passive multipath target tracking in inhomogeneous acoustic medium 87—63075
Shefov, A.S. *see* Arshavskii, A.N. 85—55355
Shefrin, E.A. *see* Glasgow, M.S. 86—50615
Sheftal, R.N. Solid-phase epitaxy for the formation of superlattices based on A^3B^5 compounds 85—373
Sheftel', A.M. *see* Kogan, A.K. 88—17050
Sheftel, A.M. *see* Perfilov, N.I. 85—4710
Sheftel', B.Sh. A study of autograph readout errors 85—48015
Sheftel', B.Sh. An inductive pressure transducer 86—50070
Sheftel', E.N. *see* Mkrtumov, A.S. 88—74165
Sheftel', I.T., Pavlotskii, Ya.V., Stogova, V.A. Approximation of temperature dependence of resistance in temperature-sensitive resistors 86—35128
Sheftel', I.T. *see* Bondarenko, E.G. 86—67522
Sheftel', I.T. *see* Zakharov, V.I. 86—67521
Sheftic, R. *see* Mulvey, P. 86—69394
Sheftman, F.I., Yorinks, L.H. A printed-circuit log-periodic radiating element for wideband phased arrays 87—27088
Sheg-chuan Zhu, Li-qun Zhao, Fan-ping Wen, Lu-zheng Meng Experimental research and computer analysis of a completely demagnetized state microwave permeability for polycrystalline ferrites 87—67735
Shegai, E.R. *see* Arsen'eva, E.D. 85—40991
Shegai, Yu.V. *see* Bogdan, A.V. 85—32232
Sheh, Y. *see* Dwyer, J.P. 85—64579
Sheh Yin-ho *see* Wang Yao-ping 85—16898
Sheh Yingho *see* Zhang Roulei 85—10618
Shehab, A. *see* Livesay, J.J. 87—50402
Shehab-Eldin, E. *see* McLaren, P.G. 85—64978
Shehadeh, N.M., Siu-Cheong So On the probability of error of digital communication systems 87—27119
Shehadeh, N.M. *see* Al-Barghouthi, R.T. 88—66270
Shehadeh, Z. *see* Shealy, D.L. 88—64140
Shehata, L.N. *see* Refai, T.F. 87—38685, 87—74564
Shehata, M.A. *see* Hentschel, F. 87—15763
Shehata, S.A.M., Khalil, H.S., El-Serafi, A.M. Power balance equation of synchronous machines in direct phase quantities 87—15710
Shehata, S.A.M., Khalil, H.S., Morsy, M.A. Digital speed control of DC motors 87—43084
Shehata, S.A.M. *see* Khalil, H.S. 85—26996
Shehata, S.A.M. *see* Weedy, B.M. 86—65739 to 65740
Shehedeh, N.M., Balghunem, A., Halwani, T.O., Dawoud, M.M. Capacity calculation of multipath fading channel [underwater acoustic communications] 86—30848
Shehter, Yu.L. *see* Polyakov, A.F. 88—47470
Sheiber, S.F. The changing machine-human interface—Impact on test technology 85—58538
Sheibley, D.W. *see* Baraona, C.R. 88—48285
Sheik-bahae, M., Kwok, H.S. Dynamic reflectivity switching of infrared lasers by an inhomogeneous plasma 87—75221
Sheik-bahae, M., Kwok, H.S. Controlled CO$_2$ laser melting of silicon 88—33036
Sheik-bahae, M., Rossi, T., Kowk, H.S. Frequency dependence of the two-photon absorption coefficient in InSb: tunneling effects 88—27298
Sheik-bahae Mansoor *see* Mansoor Sheik-bahae
Sheik-bahaei, M., Kwok, H.S. Characterization of a picosecond CO$_2$ laser system 85—29738
Sheik-Bahaei, M. *see* Mukherjee, P. 85—40436, 86—27884
Sheikh, A. *see* Khan, H.A. 87—29582
Sheikh, A.K., Ahmad, M. A reliability model for a nonlinear damage process 87—44059
Sheikh, A.K. *see* Younas, M. 88—18534
Sheikh, A.Mahmood *see* Mahmood Sheikh, A.
Sheikh, A.U. Design considerations for ATCS radio data links 87—79095
Sheikh, A.U., Hafez, R.M. Digital transmission over mobile channels: measurements and evaluation 86—69665
Sheikh, A.U., Kraav, J., Marcos, W. Mobile data link field trials: an evaluation for ATCS 88—72555
Sheikh, A.U., Lee, J. ATCS: advanced train control system communication architecture and data transmission considerations 87—69965
Sheikh, A.U., Nguyen, N. Performance of access strategies for D-TASI over mobile radio fading channels 88—28713
Sheikh, A.U. *see* Nguyen, N. 86—69677
Sheikh, A.U.H., Hadziomerovic, F. A simulation study of in-building personal communication systems 87—3080
Sheikh, A.U.H. *see* Falconer, D.D. 85—47411
Sheikh, A.U.H. *see* Goubran, R.A. 87—3084
Sheikh, A.U.H. *see* Hafez, H.M. 85—58000
Sheikh, A.U.H. *see* Kozminchuk, B.W. 88—46856
Sheikh, A.U.H. *see* Yao, Y.-D. 88—73412, 88—73416
Sheikh, M. *see* Affandi, A. 88—50332
Sheikh, M.G.El *see* El Sheikh, M.G.
Sheikh, S.A. *see* Sial, M.A. 87—29641
Sheikh, S.A. *see* Waheed, A. 87—29638
Sheikh, S.Aziz *see* Aziz Sheikh, S.
Sheikhet, E.G. *see* Talanin, I.E. 85—29159
Sheikhetov, V.I. *see* Mkrtumov, A.S. 88—74165
Sheikholeslami, M.Zahed *see* Zahed Sheikholeslami, M.
Sheikin, A.A. *see* Krasavina, M.A. 85—28275
Sheiko, P.A. *see* Scheinkmann, A.G. 86—70853
Sheiko, P.A. *see* Sheinkman, A.G. 86—18867
Sheiko, P.N. *see* Afanas'eva, O.A. 87—33735
Sheiko, T.I. *see* Rvachev, V.L. 86—15828
Sheikovskii, D.A. *see* Lyakhovich, A.L. 86—7330
Sheild, J. Partitioning concurrent VLSI simulation programs onto a multiprocessor by simulated annealing 87—25396
Shein, A.G. *see* Kuribeda, A.D. 85—28899
Shein, A.G. *see* Volkolupov, Yu.Ya. 88—57250
Shein, D. *see* Eisner, I. 86—32840
Shein, F. *see* Knysh, B. 87—29817
Shein, V.V. *see* Abrosimov, V.M. 85—6688, 86—28004, 87—45652
Shein, Yu.L. *see* Verzhbitskii, V.V. 87—21759
Sheina, N.M. *see* Azimov, S.A. 86—60597
Sheindlin, A.E. *see* Kirillin, V.A. 87—15622
Sheindlin, M.A., Senchenko, V.N. Apparatus for complex study of the thermodynamic properties of electrically conducting materials under conditions of impulsive heating with a high-density current 88—22745
Sheingorn, M. *see* Lehner, J. 85—39634
Sheinker, I.G. *see* Lastov, A.I. 87—22061
Sheinkman, A.G. Checking the state of bearing insulation of a generator 87—9465
Sheinkman, A.G., Georgiadi, V.Kh., Puzankov, A.A. Automatic load shedding for the generator units of nuclear power stations with type VVER-440 reactors in the event of a loss of generator excitation 86—65827
Sheinkman, A.G., Karpenko, A.I., Lyzhin, A.A., Zubkova, T.V., Mezrina, E.V. Thermohydraulic characteristics of the BN-600 reactor at the Beloyarsk Nuclear Power Station 88—30511
Sheinkman, A.G., Karpenko, A.I., Lyzhin, A.A., Zubkova, T.V., Minin, V.P. Monitoring thermal power of the BN-600 reactor of Beloyarsk nuclear power station 85—15740
Sheinkman, A.G., Sheiko, P.A., Pushkina, G.A. Some fault conditions for a 1200 MW generator-transformer unit for testing relay protection 86—18867
Sheinkman, A.G. *see* Karpenko, A.I. 86—56553
Sheinkman, M.K. *see* Embergenov, B. 85—56863
Sheinkman, M.K. *see* Garyagdyev, G. 88—26959
Sheinkman, M.K. *see* Gorbenko, N.V. 87—12307
Sheinkman, M.K. *see* Rizakhanov, M.A. 85—28966
Sheinkman, M.K. *see* Torchinskaya, T.V. 86—13059, 87—12308, 88—72232
Sheinkman, M.K. *see* Zdebskii, A.P. 87—12329, 88—50800
Sheinman, A.A. *see* Ispiryan, R.A. 88—3181
Sheirah, M.A., Eteiba, M.B., El-Sayed, M.A., Auf, M.I. Online adaptive optimal load flow 87—4234
Sheirah, M.A., Eteiba, M.B., El-Sayed, M.A., Auf, M.I. A combined linear and nonlinear programming strategy for load flow solution 87—71569
Sheirah, M.A., Malik, O.P., Hope, G.S. Minimum variance strategy for load-frequency control 86—61038
Sheirah, M.A. *see* Eteiba, M.B. 87—71496
Sheirah, M.A. *see* Malik, O.P. 85—43516
Sheircliff, M. Occam and the transputer: telecommunications simulation 86—49151
Sheives, T.C., Chang, C.M., Hsu, C.T. A comparison of point-to-point computer aided radio propagation models with field test data 88—72558
Shek, E.I. *see* Voronov, I.N. 85—40431
Sheka, D.I. *see* Strikha, V.I. 87—24919
Shekar, K.R.Chandra *see* Chandra Shekar, K.R.
Shekar, M.Chandra *see* Chandra Shekar, M.
Shekel, J. Hardware/firmware considerations for integrating load management into system operations 87—30058
Shekel, J., Winston, E. Analysis of coaxial cable attenuation 87—20369
Shekhar, C., De Sirkar, S., Deo, S.D., Hanumantha Rao, K.V.S., Srivastava, S., Chakravarty, N.B. A VME bus compatible ADC interface chip 87—38545
Shekhar, C. *see* Bose, S.C. 87—53722, 88—19959
Shekhar, C. *see* Srivastava, A. 85—7096
Shekhar, S. *see* Raju, G.V.S. 88—8879
Shekhawat, S., Dhyanchand, J. Microprocessor-based sinusoidally sampled PWM technique for neutral-point clamped inverter 88—75739
Shekhawat, S.S., Dhyanchand, J., Thollot, P. Microprocessor based area sampling technique for neutral point clamped PWM inverter 86—12944
Shekhawat, S.S. *see* Acharya, G.N. 85—27388
Shekhbatov, B.V. *see* Dmitriyev, V.M. 87—42250
Shekherov, L.I. *see* Radicheva, M.A. 86—33004
Shekhovtsov, L.V. *see* Serdega, B.K. 88—14002
Shekhovtsov, O.I. *see* Litsyn, S.N. 86—3779, 86—10265
Shekhovtsov, V.N. *see* Bezdenezhnykh, S.V. 88—53580
Shekhter, A. *see* Volkov, A.V. 88—37652
Shekhtman, L.A. *see* Matveeva, I.A. 86—11690
Shekhtman, L.I. *see* Baru, S.E. 85—59234
Shekhtman, Sh.M. *see* Knizhnik, R.G. 88—54989
Shekhtman, V.N. *see* Kuprenyuk, V.I. 85—18858
Shekhtov, C., Batov, I., Mikhailov, N., Djingov, C. The system of automatic log diameter measurement using a mobile laser 88—34195
Shekhunova, N.A. *see* Bezzateev, S.V. 88—72756
Shekhvatov, B.V. *see* Belyayev, M.F. 87—42251
Shelaev *see* Belozerov, S.A. 85—24619
Shelaev, A.A. *see* Belozerov, S.A. 85—24619
Shelaev, A.N. *see* Dotsenko, A.V. 85—24618, 85—56736, 86—54175
Shelaev, A.N. *see* Kir'yanov, A.V. 87—39057
Shelaev, A.N. *see* Klochan, E.L. 88—20605
Shelaev, A.N. *see* Kornienko, L.S. 85—56745 to 56746
Shelaev, A.N. *see* Kratsov, N.V. 87—75171
Shelaev, A.N. *see* Kravtsov, N.V. 87—68552, 88—40280, 88—45379
Shelaev, A.N. *see* Nanii, O.E. 85—18906
Shelaev, I.A., Aksenov, V.G., Alfeev, V.S., Averichev, S.A., Baldin, A.M., Belushkin, V.A., Borisovskaya, Z.V., Donyagin, A., Kolpakov, I.F., Kuryatnikov, B.K., Lobanov, V.I., Makarov, L.G., Matyushevsky, E.A., Mikhailov, A.I., Monchinsky, V.A., Nikitaev, P.I., Reshetnikov, G.P., Smirnov, A.A., Turzo, I., Voevodin, M.A., Zinoviev, L.P., Yudin, I.P. Design features of a model superconducting synchrotron of JINR 85—26621
Shelaev, I.A. *see* Averichev, S.A. 86—44522
Shelaev, I.A. *see* Ayrjan, E.A. 87—63602
Shelaev, I.A. *see* Vassilev, P.G. 85—26649
Shelah, S. *see* Denenberg, L. 87—5794
Shelamov, G.N. Interaction of dielectric and slotted-waveguide resonators 87—45198
Shelamov, G.N. Influence of slot height on the characteristics of a waveguide-slot microwave resonator 87—45199
Shelamov, G.N. Investigation of microwave waveguide-strip resonators 88—63869
Shelamov, G.N. *see* Gololobov, V.P. 85—11606
Shelamov, G.N. *see* Lerer, A.M. 88—7030
Shelankov, A.L. Weak localization in tellurium: two spin-nondegenerate valleys 85—23450
Shelaputin, I.D. Method of analysis and optimization of acoustic ultrasonic level gauge and flowmeter systems 85—8814
Shelat, A.I. OSI model: a status report—the year of the upper OSI layers 87—2928
Shelat, A.I. Integrating local area networks 88—3584

Shelby, B.L., Howell, B.G. Further evaluation of roadway lighting using the visual model of CIE 19/2 85−65612
Shelby, B.L., Howell, B.G. Comparative analysis of roadway lighting using both CIE 19/2 and Adrian's Delta L 86−52043
Shelby, R.M., Levenson, M.D. Quantum optics and nonlinear interactions in optical fibers 87−68154
Shelby, R.M., Levenson, M.D., Perlmutter, S.H. Bistability and other effects in a nonlinear fiber-optic ring resonator 88−34111
Shelby, R.M., Levenson, M.D., Perlmutter, S.H., DeVoe, R.G., Walls, D.F. Broad-band parametric deamplification of quantum noise in an optical fiber 86−68630
Shelby, R.M. *see* Kasiraj, P. 87−25756
Shelby, R.M. *see* Lenth, W. 87−46431
Sheldon, B. *see* Davies, P. 88−1736
Sheldon, C. Levering product quality through work centre integration 85−33211
Sheldon, C. The analysis of simulation acceleration concepts and the associated trade-offs in the CAE environment 87−1673
Sheldon, C. Simulation acceleration in the CAE environment 87−10758
Sheldon, C. *see* Ahner, D.J. 86−12705
Sheldon, C. *see* Beebe, D.D. 87−49485
Sheldon, C.C. *see* Henckels, L.P. 87−23860
Sheldon, C.D., Duggen, T.C. Low-cost Doppler signal simulator 87−41943
Sheldon, D.F. How to teach engineering and industrial design: a UK experience 88−62913
Sheldon, H.T. *see* Greenly, J.B. 87−17444
Sheldon, I. The development of CCD technology [TV cameras] 87−56362
Sheldon, J.H. Logic-timing analyzer samples synchronously 87−24040
Sheldon, P., Dick, J.R., Hayes, R.E. Selective patterning of single-crystal GaAs/Ge structures on Si substrates by molecular beam epitaxy 85−54465
Sheldon, P., Jones, K.M., Al-Jassim, M.M., Yacobi, B.G. Dislocation density reduction through annihilation in lattice-mismatched semiconductors grown by molecular-beam epitaxy 88−63304
Sheldon, P. *see* Hafich, M.J. 86−53451, 87−11458
Sheldon, P. *see* Partain, L.D. 88−12942
Sheldon, P. *see* Yacobi, B.G. 88−31730
Sheldon, R.G. *see* Katz, R.H. 86−2441
Sheldon, R.J. *see* Modestino, J.W. 87−54954
Sheldon, S. *see* Madrid, J.E. 88−28272, 88−35264
Sheldrake, R. *see* Fiander, D. 87−22632
Sheleg, M.U. *see* Fedosyuk, V.M. 88−39808
Sheleg, V.K. *see* Vasil'ev, L.L. 86−6375
Sheleg, V.K. *see* Vityaz', P.A. 85−33548
Shelekhin, Yu.D. *see* Varfolomeev, S.P. 85−28984
Shelekhin, Yu.L. *see* Varfolomeev, S.P. 85−61705
Shelekhov, A.P. *see* Belen'kii, M.S. 85−2582
Shelekhov, E.A. *see* Koliushko, G.M. 87−5675
Shelekhov, N.S. *see* Gal'perm, A.D. 87−26568
Shelekhov, N.S. *see* Veniaminov, A.V. 87−19061
Shelekhov, S.A., Baranova, L.N., Fedosov, Yu.I., Shelekhova, T.S. New 2AR series of roll-table motors 87−58482
Shelekhov, S.A., Shelekhova, T.S., Baranova, L.N., Fedosov, Yu.I. Aspects of the design of an electric motor for a large number of actuations per hour 88−31227
Shelekhova, T.S. *see* Shelekhov, S.A. 87−58482, 88−31227
Shelemin, E.B. *see* Ageikin, V.A. 87−35215
Shelemin, E.B. *see* Antonov, E.N. 87−68581
Shelemin, E.B. *see* Dvoretskii, S.A. 87−75188
Shelemin, E.B. *see* Rukman, G.I. 85−47979, 86−70216
Shelenberg, V.R., Karikh, A.M., Kravchenko, V.A. An investigation of dish-shaped line insulators in environments of natural contamination 88−30402
Shelenberg, V.R., Vitovskii, V.A., Lifshits, G.I., Soloshchanskii, V.A. Corona discharge on single conductors in 500 kV transmission lines 88−5364
Shelepaev, A.G., Ratkevich, M.G. Method for determination of the quality of glueing of resistance strain gauges 87−29079
Shelepen', I.V. *see* Fridman, E.M. 88−67508
Shelepenko, Yu.V. *see* Trifonov, I.I. 87−45093
Shelepin, I.V. *see* Ushakov, O.A. 86−63689
Shelepo, A.P. *see* Kravchenko, V.F. 85−18869
Shelepov, A.S. *see* Gol'din, R.G. 86−61454
Shelepov, A.S. *see* Lyubarskii, V.G. 88−17554
Shelest, V.P., Andryushin, V.I., Sinyukov, Yu.M. Unsolved problems in fundamental metrology 87−56450
Shelevoi, K.D. Device for monitoring the reference signal in a LIDAR 86−4747
Shelevoi, K.D. High-speed differential pulse discriminator-counter 86−60936
Shelevoi, K.D., Venikov, A.A. Differential pulse discriminator-counter 86−5835
Shelevoi, K.D. *see* Venikov, A.A. 86−44123
Shelfer, T.D. *see* Hong, Y.K. 87−67732
Shelford, C.J. Data management for large space systems 88−60089
Shelikhov, A.N. *see* Pletnev, G.P. 85−48845
Shelimova, L.E. *see* Christakudis, G.Ch. 85−23485
Shelinger, M.F. *see* Grib, V.E. 86−39571
Shelkov, G.A. *see* Bannikov, A.V. 86−44586
Shelkov, G.A. *see* Krumshtein, Z.V. 85−26724
Shelkov, G.A. *see* Vertogradov, L.S. 85−20846, 86−44585
Shelkov, N.V. *see* Goldobin, I.S. 86−36496
Shelkov, N.V. *see* Kocherov, D.A. 88−51901
Shelkov, N.V. *see* Rivlin, L.A. 85−50938
Shelkov, N.V. *see* Semenov, A.T. 88−45084
Shelkova, A.F. *see* Borisevich, E.S. 86−44793
Shelkova, I.G. *see* Novopol'tsev, M.I. 86−60505, 88−29928
Shelkovenko, T.A. *see* Kolomensky, A.A. 87−8832
Shelkovenko, T.A. *see* Papadichev, V.A. 88−54381, 88−61061
Shelkovnikov, A.S. *see* Basov, N.G. 87−68383, 87−74984
Shell, G.S.G. *see* Short, D.L. 85−14767, 85−20597
Shell, J., Neff, D. A 32-GHz reflected-wave maser amplifier with wide instantaneous bandwidth 88−72241
Shell, J.S., Goldstein, A., Giesige, R.J., Jr. *XY* recording of ultrasound pulse-echo frequency spectra in the presence of noise 85−58957
Shell, K.D. *see* Jagacinski, C.M. 85−32950
Shell, M.A., Bouldin, D.W., Manhardt, P.D. Design and implementation of a VLSI systolic array for solving nonlinear partial differential equations 86−27257
Shellan, J.B. Optical coating design for the annular mirrors of the alpha I HF laser 88−8034
Shelledy, F.B. *see* Cannon, D.M. 86−63547, 87−60800
Shelledy, F.B. *see* O'Connor, D.J. 86−36010
Shellenberg, J. *see* Mejia, S.R. 86−34369
Shelley, A. *see* Riley, P.E. 88−57504
Shelley, D.L. *see* Forry, J.S. 88−11727
Shelley, E.G., Ghielmetti, A., Hertzberg, E., Battel, S.J., Altwegg-Von Burg, K., Balsiger, H. The AMPTE/CCE hot-plasma composition experiment (HPCE) 85−53163
Shelley, M., Bond, K. 'Invisible' antenna takes up less space 87−7623
Shelley, M.W., Bond, K. A novel method of dual frequency antenna integration using 'invisible' grating structures 85−41728
Shelley, M.W. *see* Bond, K. 87−7617
Shelley, T. Throw away your soldering iron [CAD of circuits] 85−61530
Shelley, T. Expert system keeps the human touch 86−7540
Shelley, T. User league reaches new heights [survey−electronics design] 86−13921
Shelley, T. Electrical design. High take up of low-cost systems 87−10577
Shelly, T. New networks ring the changes 87−28066
Shelmov, G.N. *see* Gololobov, V.P. 87−32050
Shelnutt, J.B., Stenerson, R.O., Nelson, P.C., Marks, P.S. Pilot's Associate Demonstration One: a look inside 86−70500
Shelobolin, A.V. *see* Fedotov, S.I. 85−41441
Shelomanov, I.M. *see* Gryaznykh, I.V. 88−47089
Shelomov, E.A., Golikov, V.S. Combinatory linearisation method and its application to calculating convolutions and spectra on basis of Vilenkin-Krestenson function 87−19721
Shelomov, E.A., Golikov, V.S. Use of correlations in bases of Vilenkin-Krestenson functions to evaluate phases of harmonic signals 87−39816
Shelomov, Ye.A., Golikov, V.S. Autocorrelation functions of harmonic signals in bases of the Vilenkin-Chrestenson function 88−21193
Sheloput, D.V. *see* Bogdanov, S.V. 88−13956
Sheloput, D.V. *see* Daurkin, E.G. 88−13959
Sheloput, D.V. *see* Mastikhin, V.M. 87−74891
Sheloput, D.V. *see* Semenov, V.I. 87−32922
Shelpuk, B. A 165-kW open-cycle OTEC experiment 86−39625
Shel'pyakov, A.N., Isupov, G.P. Pneumatic acoustic transducers. Review and classification 87−77910
Shel'pyakov, V.Yu. *see* Bakhir, L.P. 88−65576
Shelstad, M.H. *see* Bahraman, A. 88−22655
Shelswell, P. Satellite broadcasting: the performance of C-MAC in a hardware simulation of a DBS transmission chain 85−47483
Shelswell, P. The performance of C-MAC in a hardware simulation of a DBS transmission chain 86−37981
Shelswell, P., Dosch, C. Satellite broadcasting of HDTV: some basic considerations 87−49224
Shelswell, P., Gandy, C., Stickland, C. An evaluation of C-MAC through a DBS transmission chain 85−3599
Shelswell, P. *see* Wilson, J.P. 85−651
Shelton, B.R. *see* Lupker, S.J. 88−28280, 88−59472
Shelton, D.P. Construction of a periodic electrode array [for nonlinear optics experiments] 85−56834
Shelton, D.P. Simple scanner for measuring laser beam size 86−15757
Shelton, D.P., Cameron, R.E. Nanoradian sensitivity Kerr effect apparatus 88−51577
Shelton, F.A. Using regression analysis: a guided tour 87−72908
Shelton, J. United Tel tracks T-carrier errors by remote control 86−59558
Shelton, J.P., Laxpati, S.R. Synthesis of hexagonal and square arrays using discrete convolution 85−7760
Shelton, J.P. *see* Laxpati, S.R. 85−13254
Shelton, J.P. *see* Rao, J.B.L. 86−29592
Shelton, J.P., Jr. *see* Burns, M.A. 85−7759
Shelton, J.W., Reichman, B.M. A comparative analysis of turbogenerator core inspection techniques 86−61487
Shelton, J.W. *see* Crouse, R.F. 87−64544
Shelton, K.W. *see* Loh, Y.C. 87−40869
Shelton, M.B. *see* Mager, T.R. 85−4762
Shelton, P.W. How MATE impacts commercial electronic manufacturing industry 85−49339
Shelton, R. Backplane simulation 88−49953
Shelton, R.N., Jr. *see* Pruett, B.L. 85−35407
Shelton, R.T. *see* Swift, C.D. 87−39184
Shelton, R.T. *see* Van Arsdall, P.J. 85−18998
Shelton, W.T. Studio interconnection and synchronisation 85−47646
Shelton, W.T. Interfaces for digital audio engineering 86−38154
Shelton, W.T. *see* Whatton, M.E. 85−3618
Sheltzer, A.B. Network transparency in an internetwork environment 86−30392
Sheltzer, A.B., Popek, G.J. Internet Locus: extending transparency to an internet environment 87−20230
Sheludyakov, Ye.G. *see* Yermashkevich, V.N. 86−32978
Shelukhin, G.G. *see* Biryukov, A.S. 86−36395
Shelukhin, N.N. *see* Pershikov, S.F. 88−23252
Shelukhin, O.I. A method of filtering signals on a background of non-Gaussian interference 86−16311
Shelukhin, O.I. Estimation of the parameters of a state that is stable to the action of pulse interference 86−29682
Shelukhin, O.I. A modified Kalman filter 87−47744
Shelukhin, O.I., Alyab'yev, S.P. Preliminary filtering in a Kalman filter with a priori uncertainty 86−29910
Shelukhin, O.I., Fomin, A.F. Two approaches to the problem of discrete filtration and demodulation of signals backgrounded by nonGaussian noise 87−39788
Shelukhin, O.I., Kernov, Yu.P., Shelukhin, V.I. A short-range radio point sensor 86−37944
Shelukhin, O.I. *see* Fomin, A.F. 87−39786
Shelukhin, S.A. *see* Vamberskii, M.V. 87−45182, 87−45186
Shelukhin, V.I. *see* Shelukhin, O.I. 86−37944
Shelukhina, T.I., Kiselkov, L.I. Statistical stability of power stations with different-types of generators 87−4468
Shelus, P.J. MLRS: a lunar/artificial satellite laser ranging facility at the McDonald Observatory 85−59423
Shelushinina, N.G. *see* Tsidilkovski, I.M. 85−50197
Shelyag, A.R. *see* Brailovskii, V.V. 85−8820
Shelyakin, A.A. *see* Vasil'ev, M.G. 85−7412, 86−26825, 86−62218
Shelyazhenko, S.A. *see* Dyadishchev, B.A. 88−55032
Shelyazhenko, S.A. *see* Ezovit, G.P. 86−66207, 88−61885
Shemankov, A.N. *see* Golovlev, V.A. 87−34799
Shemanske, R. New electronic device ends centrifugal switch problems 86−19221
Shemanski, J.J., Zawacki, J.J. An inverter driven synchronous motor drive for fans 85−16518
Shemansky, D.E. *see* Kunc, J.A. 85−11867
Shembel', B.K. *see* Ageev, A.I. 88−47779
Shembel', B.K. *see* Balbekov, V.I. 85−26562
Shemelina, O.S., Novototskii-Vlasov, Yu.F., Cherepanov, V.Ya. Thin-film aluminum resistance thermometer 87−56641
Shememetov, V.V. Organisation of structures and computing processes in problem-oriented computers and systems [data-network routing] 85−7955
Shemer, I. Almost cyclic polytopes 88−11862
Shemesh, A. *see* Berkovitz, B. 85−2380
Shemet, A.V. *see* Grodnenskii, I.M. 86−13999
Shemet, V.V. *see* Dvoryankina, G.G. 87−37887
Shemeta, E.H. A testing philosophy for zero defects 88−50502
Shemetov, E.V. *see* Fainer, N.I. 86−34285
Shemetov, M.P. *see* Zav'yalov, M.A. 85−40392
Shemetov, V.V. Optimal routing algorithms for packet-switched networks 86−10591
Shemetov, V.V. Decentralized routing algorithm for packet-switched networks 87−19977
Shemetov, V.V. Hybrid routing algorithm for computer networks 87−28027
Shemie, R.K. *see* Krishnayya, P.C.S. 88−68901
Sheminov, V.G. Extension of the application range for stepping motor drives 85−32736

Sheminov, V.G., Shirokov, Yu.P., Tsyrlin, I.A. Design of low-power DC collector motors 86−39818
Sheminov, V.G. *see* Orlov, E.G. 86−39816
Shempelev, A.G. *see* Tesis, A.M. 87−64389
Shemshedinov, R.B. Amplitude-time characteristics in systems having slow-response photoreceivers 86−17976
Shemshedinov, R.B., Kaleganov, V.F. Effect of spread in the frequency properties of photoreceivers on certain characteristics of measuring instruments 86−31443
Shemshedinov, R.B. *see* Khaytun, F.I. 86−37151
Shemwell, D. *see* Slater, J. 87−2164
Shemwell, D.M. High power free-electron laser optical cavities 88−58586
Shemwell, D.M., Robinson, K.E., Gellert, R.I., Quimby, D.C., Ross, J., Slater, J.M., Vetter, A.A., Zumdieck, J. Optical cavities for visible free electron laser experiments 87−75175
Shemwell, D.M., Robinson, K.E., Gellert, R.I., Quimby, D.C., Ross, J.M., Slater, J.M., Vetter, A.A., Trost, D., Zumdieck, J. Optical cavities for visible free-electron laser experiments 88−2318
Shemwell, D.M. *see* Robinson, K.E. 87−75137
Shemyakin, A.V. *see* Meshkov, I.N. 86−25081
Shemyakin, M.V. *see* Chernoritskii, E.A. 87−8762
Shemyakin, V.A. *see* Bazykin, R.V. 87−43288
Shemyakin, V.A. *see* Kosyachenko, L.A. 85−2164
Shemyakin, V.S. Estimation of the mean square frequency of the spectrum of a Gaussian ergodic process 87−61893
Shemyakina, S.B. *see* Ryzhkov, V.V. 86−21357
Shemyakinskii, E.N. *see* P'yankov, V.A. 88−18781
Shen, A. *see* Chan, H. 87−44855
Shen, A.Kh. *see* Kontsevich, L.L. 88−59197
Shen, B.C. *see* Chen Chao-qing 85−48179
Shen, B.C. *see* Kwong, K. 85−64461
Shen, B.W., Bonifield, T., Blumenthal, R., Brothers, R., Tsai, H.L. A highly reliable aluminum metallization for micron and submicron VLSI applications 87−1457
Shen, B.W., Chen, I., Banerjee, S., Brown, G.A., Bohlman, J., Chang, P., Doering, R.R. A high quality, high temperature compatible tantalum oxide film for advanced DRAM applications 88−39167
Shen, B.W. *see* Bonifield, T.D. 87−1785
Shen, B.W. *see* Mao, B.-Y. 86−41605, 87−17822
Shen, C. *see* Jiang, W.D. 88−63343
Shen, C. *see* Kurose, J.F. 87−28162
Shen, C. *see* Rameika, R. 85−43186
Shen, C.C., Choi, K.Y. High conversion efficiency p-n$^+$ InP homojunction solar cells 85−32705
Shen, C.C., Pande, K.P. Interface properties of Al-SiO$_2$-In$_{0.53}$Ga$_{0.47}$As MIS devices 85−1406
Shen, C.C. *see* Choi, K.Y. 88−37388, 88−37425
Shen, C.H. *see* Fan, H.T. 88−47683
Shen, C.N., Stanley, F. On the bound of covariances and error probabilities for the second residual method [object edge detection] 86−54568
Shen, C.W., Lee, R.C.T., Chin, Y.H. The application of nonlinear mapping techniques to the VLSI placement problem 86−21749
Shen, D., Meunier, G., Coulomb, J.L., Sabonnadiere, J.C. Solution of magnetic fields and electrical circuits combined problems 86−42688
Shen, D., Qu, Y., Wang, X., Wan, Y., Shen, G., Wei, Y., Yang, X. ISDN−work-station and soft-bus 86−54700
Shen, D., Sabonnadiere, J.C., Meunier, G., Coulomb, J.L., Sacotte, M. Three-dimensional anisotropic magnetic field calculation in transformer cores 88−55401
Shen, D., Sabonnadiere, J.C., Meunier, G., Coulomb, J.L., Sacotte, M. 3D anisotropic magnetic field calculation in transformer joints 88 −55404
Shen, D. *see* Meunier, G. 88−52004
Shen, D. *see* Somoano, R. 86−40059
Shen, D. *see* Yen, S.P.S. 88−17896
Shen, D.-S. *see* Kolodzey, J. 87−17779, 88−32823
Shen, D.-S. *see* Slobodin, D. 87−9866, 87−24812
Shen, D.H., Subba Rao, S., Yen, S.P.S., Somoano, R.B. Examination of design options for 35 Ah ambient temperature Li-TiS$_2$ cells 87−22695
Shen, D.H. *see* Subba Rao, S. 88−16862
Shen, D.H. *see* Subbarao, S. 88−48291
Shen, D.S., Conde, J.P., Aljishi, S., Smith, Z.E., Chu, V., Kolodzey, J., Wagner, S. The electron collection efficiency of a-Si,Ge:H,F at 300 K to 400 K 88−37520
Shen, D.S. *see* Aljishi, S. 87−74907, 88−25911
Shen, D.S. *see* Chu, V. 88−37478
Shen, D.S. *see* Conde, J.P. 88−37547
Shen, D.S. *see* Kolodzey, J. 86−27931
Shen, E.K., Eden, R.C., Moacanin, M.A., Lee, F.S. Monolithic GaAs variable modulus divider for frequency synthesis applications 86−20833
Shen, F. *see* Guo, C. 86−3150
Shen, F. *see* Yu, J. 87−66366
Shen, G. Study on ultra-high speed distance relay for EHV power system 88−69058
Shen, G. *see* Shen, D. 86−54700
Shen, G.-Q. *see* Hill, F.J. 88−70716
Shen, H., Pollak, F.H. Raman study of polish-induced surface strain in ⟨100⟩ GaAs and InP 85−1499
Shen, H. *see* Baker, R.L. 87−62266
Shen, H. *see* Bhattacharya, R.N. 88−1432
Shen, H. *see* Sacks, R. 86−413
Shen, H. *see* Xu, Z. 88−37536
Shen, H.-H., Baker, R.L. A finite state/frame difference interpolative vector quantizer for low rate image sequence coding 88−66755
Shen, H.-M., Harmuth, H.F. Comments on 'Correction of Maxwell's equations for signals. I.' [by H.F. Harmuth, with his reply] 87−61307
Shen, H.-M., King, R.W.P., Wu, T.T. The exciting mechanism of the parallel-plate EMP simulator 87−39399
Shen, H.C., Pilkey, R.M. Classification of impedance traces [visual inspection system] 88−6292
Shen, H.R. *see* Bu, Q.Y. 85−54297
Shen, H.X., Hong, C.S. Measurement of Kapitza conductance of sintered GGG to HeII 87−32848
Shen, H.Y. *see* Lin, A.Z. 86−13084, 88−37522
Shen, H.Y. *see* Shao, K. 88−26694
Shen, J. Need for continuing foreign language education−a case study of PRC 87−23148
Shen, J., Castan, S. Edge detection based on multi-edge models 88−52569
Shen, J. *see* Castan, S. 85−30428, 85−51808, 86−4034, 86−4063, 87−48171
Shen, J.-R. *see* Xu, J.K. 88−74990
Shen, J.P. Highlights of CMU research on CAD, CAM and CAT of VLSI circuits 87−38440
Shen, J.P., Maly, W., Ferguson, F.J. Inductive fault analysis of MOS integrated circuits 86−26988
Shen, J.P. *see* Bianchini, R.P., Jr. 87−38475
Shen, J.P. *see* Fasang, P.P. 86−46755
Shen, J.P. *see* Ferguson, F.J. 86−41989
Shen, J.P. *see* Maly, W. 85−40925
Shen, J.P. *see* Robinson, S.H. 86−41990
Shen, J.P. *see* Schuette, M.A. 87−2457
Shen, J.P. *see* Wilken, K.D. 88−19071
Shen, J.W. *see* Lin, F.C.H. 88−40934
Shen, J.Z. *see* Ying, C.F. 86−13879
Shen, L., Su, S.Y.H. A functional testing method for microprocessors 85−17486
Shen, L. *see* Lien, J. 85−49880
Shen, L. *see* Saluja, K.K. 87−66200
Shen, L.C. Application of electromagnetic similitude principle in well logging 85−15424
Shen, L.C., Marouni, H., Zhang, Y.-X., Shi, X.-D. Analysis of the parallel-disk sample holder for dielectric permittivity measurement 88−16887
Shen, L.C. *see* Hardman, R.H. 86−50728
Shen, M.S. Burn-in effectiveness evaluation−a Lotus 1-2-3 application 86−57259
Shen, M.Y. *see* Ng, F.K. 85−63459
Shen, N.F. *see* Lee, Z.Y. 88−57904
Shen, P. *see* Nakamori, M. 85−35458
Shen, P.I-Wu *see* I-Wu Shen, P.
Shen, Q. *see* Zhang, S.W. 88−54816
Shen, S. Cooperative distributed dynamic load balancing 88−73551
Shen, S., Li, S., Zhao, X. Analysis of SCNs using time-invariant topologies [switched capacitor networks] 86−66998
Shen, S. *see* Chang, Y. 87−48677
Shen, S. *see* Magar, S. 88−73014
Shen, S. *see* Neureuther, A.R. 87−38045
Shen, S. *see* Urbanski, A. 86−47707
Shen, S. *see* Yih-Long Chang 88−59378
Shen, S.H., Liu, H.T. Dynamic CSMA/CD with a priority scheme 86−54636
Shen, S.N. An integrator model for analysis of switched capacitor filters 85−39896
Shen, S.Q., Wu, X.P., Chiang, F.P. Polychromatic speckle interference for edge enhancement of image 88−40412
Shen, S.S. A multi-resolution approach to image segmentation 88−59285
Shen, S.S., Badhwar, G.D. An information measure for class discrimination 86−59318
Shen, S.S., Baylor, L.R., Clinard, J.A., Cogswell, F.D., Dresner, L., Ellis, J.F., Fietz, W.A., Fletcher, W.M., Haubenreich, P.N., Herz, W., Iwasa, Y., Jakob, B., Kamiya, S., Kato, T., Lubell, M.S., Lue, J.W., Luton, J.N., McManamy, T.J., Mukai, H., Okuno, K., Schwenterly, S.W., Siewerdt, L.O., Stamps, R.E., Ulbricht, A.R., Wilson, C.T., Wintenberg, R.E., Wood, R.J., Wuechner, F., Zichy, J.A. First results of the full-array LCT coil tests 87−67971
Shen, S.S., Baylor, L.R., Dresner, L., Fehling, D.T., Lubell, M.S., Lue, J.W., Luton, J.N., McManamy, T.J., Wilson, C.T., Wintenberg, R.E., Wood, R.J., Friesinger, G.M., Wuechner, F., Ulbricht, A.R., Okuno, K., Kato, T., Takahashi, Y., Iida, F., Zichy, J.A., Jakob, B. Measurements of electromagnetic properties of LCT coils in IFSMTF 88−65106
Shen, S.S., Dresner, L., Lubell, M.S., Lue, J.W., Luton, J.N., McManamy, T.J., Wilson, C.T., Wintenberg, R.E. Test results of the US-LCT pool-boiling coils in the International Fusion Superconducting Magnet Test Facility (IFSMTF) 88−65033
Shen, S.S., Walstrom, P.L., Wilson, C.T., Goddard, J.S. The design and preliminary test results of the quench detection system for IFSMTF 86−48062
Shen, S.S. *see* Dresner, L. 87−67976, 88−65032
Shen, S.S. *see* Ellis, J.F. 85−56240
Shen, S.S. *see* Friesinger, G. 88−65031
Shen, S.S. *see* Herz, W. 87−67974
Shen, S.S. *see* Kim, S.H. 85−50887
Shen, S.S. *see* Lubell, M.S. 88−13773, 88−65028
Shen, S.S. *see* Lue, J.W. 86−28752, 87−67973, 88−45031, 88−65100
Shen, S.S. *see* Luton, J.N. 85−56230, 87−67950, 87−74642
Shen, S.S. *see* McManamy, T.J. 85−56243
Shen, S.S. *see* Okuno, K. 87−74641, 88−65029
Shen, S.Y. Block-convolutional codes and threshold repeated detection algorithm of write-once memory 87−54948
Shen, T. Effects of TE-TM mode kinks on the performance of semiconductor lasers in lightwave communication systems 87−12644
Shen, T. *see* Agrawal, G.P. 86−28822
Shen, T.-M. Dynamic spectra of 1.3-μm InGaAsP lasers under pseudorandom word modulation 85−51180
Shen, T.-M., Agrawal, G.P. Computer simulation and noise analysis of the system performance of 1.55-μm single-frequency semiconductor lasers 87−61161
Shen, T.-M. *see* Agrawal, G.P. 88−51453
Shen, T.-P. *see* Stegeman, G.I. 86−68619
Shen, T.M. Power penalty due to decision-time jitter in receivers using avalanche photodiodes 87−8267
Shen, T.M. Power penalty in bit error rate due to limited transmission bandwidth 87−76742
Shen, T.M., Agrawal, G.P. Theoretical analysis of mode partition noise in single-frequency semiconductor lasers 86−17373
Shen, T.M., Agrawal, G.P. Pulse-shape effects on frequency chirping in single-frequency semiconductor lasers under current modulation 86−63818
Shen, T.M., Dutta, N.K. Temperature behavior of optical absorption in InGaAsP lasers 85−24529
Shen, T.M. *see* Agrawal, G.P. 86−43817, 87−8270
Shen, T.M. *see* Dutta, N.K. 85−2308, 85−18913, 85−46381, 85−62569, 86−58916, 88−8203
Shen, T.M. *see* Koszi, L.A. 86−15589
Shen, T.M. *see* Liou, K.-Y. 86−48453, 87−33149
Shen, T.M. *see* Tsang, W.T. 88−34029
Shen, T.M. *see* Will, D.P. 86−63812
Shen, T.P., Stegeman, G.I., Maradudin, A.A. Control of TM waves by strong TE nonlinear guided waves 88−27543
Shen, T.P. *see* Stegeman, G.I. 86−22478
Shen, W., Aurian-Blajeni, B., Tomkiewicz, M., Cahen, D. Dielectric properties of the interfacial layer on n-CuInSe$_2$ in photoelectrochemical solar cells 86−61741
Shen, W. *see* Mattison, E.M. 86−36362, 88−20524
Shen, W.-M. *see* Cahen, D. 87−16025
Shen, W.-Z. *see* Jou, S.-J. 85−40939, 87−6879, 88−70850
Shen, W.J. *see* Ko, W.H. 85−38017
Shen, W.Z. *see* Annaratone, M. 86−20672
Shen, X., Xiao, Y., Wang, W., Xu, H. The EM scattering and coupling of two electrically large circular cylinders 88−2528
Shen, Y., Gould, L., Swann, S. DTA and TGA studies of four Ag-MeO electrical contact materials 86−41376
Shen, Y., Zhu, W., Xu, L. Development of Stirling technology in China and its prospective role in solving the energy problem in developing rural areas 85−48860
Shen, Y. *see* Li, H. 87−63033
Shen, Y. *see* Li, H.-J. 88−4609 to 4610
Shen, Y. *see* Welch, B.M. 87−1767
Shen, Y.-S., Gould, L.J. Erosion modes of internally oxidized Ag-CdO and Ag-(Sn,In)O material 88−12681
Shen, Y.-Z., Wang, S.-M. Design and experiment of a frequency regulation system of a heavy-ion cyclotron D-Box 88−54120
Shen, Y.C. *see* Xiao, X.M. 86−46445
Shen, Y.D., Wilson, M.R., McGuire, M., Nelson, D.A., Welch, B.M. An ultra high performance manufacturable GaAs E/D process 88−20086
Shen, Y.D. *see* Welch, B.M. 88−57823
Shen, Y.D. *see* Wilson, M.R. 88−19778
Shen, Y.H. *see* Yang, H.Q. 85−33499
Shen, Y.R. Optical nonlinearity and bistability in liquid crystals 85−46480
Shen, Y.R. *see* Khoo, I.C. 86−3301
Shen, Y.R. *see* Page, R.H. 87−75249
Shen, Y.R. *see* Santamato, E. 85−19003, 86−63868
Shen, Y.Y. *see* Jiazheng Pan 87−71787
Shen, Z., Muro, S., Hasegawa, T. Performance analysis of the CSMA/CD with prioritized access waiting time 85−13675

Shen, Z., Muro, S., Hasegawa, T. Performance analysis of the Acknowledging Ethernet 86−23496
Shen, Z., Yu, Z., Xu, S., Pan, X. The continuing engineering education for mechanical engineering in China 87−23109
Shen, Z. *see* Chen, H. 86−69097
Shen, Z. *see* Lu, L. 87−23066
Shen, Z.X. *see* Puppin, E. 88−13022
Shen Bao Sheng, He Sheng Supplementing a microprocessor-aided telequipment with the function of regional loads summation 85−7994
Shen Bing Whey *see* Bing Whey Shen
Shen Bo *see* Wu Feng-mei 86−67711, 87−24749
Shen Changquan, Shen Peiruo, Ye Zongnan, Yuan Renyong, Li Xiaonan A high pressure xenon-filled multiwire proportional chamber 88−29886
Shen Cheng-fu *see* Zong Xiang-fu 85−45380
Shen Chengde, Jiang Mantao A proportional counter with a ring anticoincidence shield 86−56043
Shen Chu-yu TNCAD1: a computer-aided design program of microwave circuits 85−22588
Shen De Distributed systems and Turing net 88−28421
Shen Dexin *see* Dexin Shen
Shen Ding-zhong *see* Gu Yi-fan 86−44568
Shen Feng, Xie Jingshan, Guo Changzhi Longitudinal-mode behavior of stripe-geometry semiconductor lasers with a very long cavity 86−36470
Shen Feng, Xie Jingshan, Guo Changzhi Longitudinal-mode behavior of strip-geometry semiconductor lasers with very long cavity 87−2114
Shen Feng *see* Guo Changzhi 85−29822
Shen Feng-Lin Segmented maximum entropy spectrum estimation 86−3903
Shen Fengji, Shi Zhaoxiang Measurement of effectiveness of masking jamming against surveillance radar 88−15674
Shen Guang-Di *see* Guang-Di Shen
Shen Guangdi *see* Zhong Zhantian 86−41589, 87−24915
Shen Guangping *see* Qiu Mingxin 88−45605
Shen Gui-xian *see* Zheng Yi-yang 87−60395
Shen Guilin *see* Wang Dewu 88−68354
Shen Guirong *see* Gui Zenxing 87−53100, 88−40125
Shen Guirong *see* Zhang Shunyi 88−65555
Shen Guoguang *see* Guoguang Shen
Shen Guorong Developing a new out-of-step protection [relay protection] 85−9532
Shen Guorong, Li Kang, Zhu Shengshi, Deng Shaolong Developing a new ultra-high speed directional comparison protection 88−36884
Shen Hai-gen *see* Li Duen-fu 87−59839
Shen Hao-Ming *see* Hao-Ming Shen
Shen Hao-ping *see* Wang Wan-lu 85−45257
Shen Haoyuan A new method of treating unstable noise and breakdown phenomena in surface barrier detectors 87−50157
Shen Hongwei *see* Cheng Ruihua 85−29904
Shen Hongyuan, Zhou Yuping, Zeng Ruirong, Yu Guifang, Ye Qijin, Huang Chenghui, Huang Xiaoliang, Liao Hong High power 1.3414 μ_m Nd:YAP CW laser 87−18951
Shen Hongyuan, Zhou Yuping, Zeng Ruirong, Yu Guifang, Ye Qijin, Huang Chenghui, Huang Xiaoliang, Liao Hong High power 1.34 μm ND:YAP CW laser 87−26355
Shen Hongyuan *see* Hongyuan Shen
Shen Houyun, Liang Junwu, Chu Jiming Investigation of heterostructure defects for LPE $Ga_{1-x}Al_xAs/GaAs$ 86−7773
Shen Huizhong *see* Cai Guolian 86−65506
Shen Hung-Wen *see* Hung-Wen Shen
Shen Jialin, Zhuang Guoxuan, Wu Yong, Cai Wujuan The application of microcomputers to the measuring technology of platinum resistance 85−37780
Shen Jian-xiang Cai Heng *see* Cai Heng Shen Jian-xiang
Shen Jing *see* Rahman, I.U. 88−10246
Shen Jinxing, Wang Yudong An analysis and calculation of the air-gap magnetic field and harmonic EMFs of a salient-pole synchronous generator at no-load 87−30550
Shen Jiong, Chen Laijiu The application of multivariable frequency domain approach to heat and power supply units 88−48771
Shen Jun *see* Jun Shen
Shen Junquan *see* Cha Hongkui 85−46309
Shen Junquan *see* Chen Zhaogu 86−15738
Shen Junquan *see* Cheng Zhaogu 85−12781
Shen Kechang *see* Ho Yie 88−57637
Shen Lan-Sun A microcomputer-based data acquisition system. X. Bus standardisation and techniques 88−4279
Shen Lan-Sun Data acquisition systems using microcomputers. 9. High speed data acquisition system 88−22480
Shen Lansun A data acquisition system using microcomputer. 11. Suppression of external noises 87−76015
Shen Li *see* Wang Xian-lin 87−7526
Shen Li *see* Li Shen
Shen Li-kang *see* Zhao Li-zeng 86−22474
Shen Liqing *see* Zhou Fuzheng 85−29878
Shen Miaohe *see* Wang Dewu 88−68354
Shen Ming *see* Yang Zhilian 88−56588
Shen Minggang On monochromatic paths in *m*-coloured tournaments 88−70220
Shen Nai-cheng, Wu Yao-xiang, Sun Yi-min, Li Cheng-yang, Zhang Xue-bin, Wang Chu Iodine and methane stabilized He-Ne lasers as wavelength standards 86−3093
Shen Panan, Luo Ningsu Compensation of the servodrive mechanical resonance in a large telescope 86−26079
Shen Pangnian *see* Zhang Guicheng 88−20514
Shen Peiruo *see* Shen Changquan 88−29886
Shen Peng-njan *see* Wang De-Ning 88−33237
Shen Pengnian *see* Wang Dening 87−56746
Shen Qi-hua A study of surface photovoltaic spectra of epitaxial materials of the III-V compounds 86−63701
Shen Qiang *see* Guo Gui-rong 86−69034
Shen Qigong, Xu Baiwen Analysis for carrier frequency characteristics of the line trap and practical method of designing 85−34030
Shen Qihua The surface photovoltaic effect of epitaxial silicon N-N$^+$ material 88−2919
Shen Qihua *see* Liu Zhongping 85−2123
Shen Qimin *see* Liang Peihui 88−40266
Shen Qing, Lin Libin Electronic structure of α-Al_2O_3-Si interface 86−53465
Shen Qing-gai *see* Xie Zhi-xing 87−39307
Shen Qinggai, Chu Xuanwen, Gu Shihua A study of the combined magnetic focusing and deflection systems of camera tubes 87−6340
Shen Qinggai *see* Xie Zhixing 88−27461
Shen Qiuqin *see* Dong Xiaoyi 88−72015
Shen Rugang Reactive power optimization in power system quadratic programming method 87−21838
Shen Shande, Yan Maosong Identification of generator parameters and dynamic equivalents of power systems by using extended Kalman filter 85−9826
Shen Shengpen *see* Wang Yongjiang 88−58413, 88−72247
Shen shi-hu, Li Su-qin, Zhao Xiao-qun Using time-invariant topology analysis of SCFs in time-domain 87−37439
Shen Shi-hu, Yuan Shi-wen Synthesis theorems for the topology of (M+N)-port network 85−44826
Shen Shi-hu *see* Gu Hong-lin 86−1216
Shen Shu-min L_∞-convergence of nonconforming finite element approximations 87−10338
Shen Shu-min, Lu Tao Maximum norm estimates of approximate eigenfunctions by finite element methods and the correction accelerations 86−57402
Shen Tieliu *see* Yin Yixian 85−46314
Shen Timing *see* Zhung Lichun 86−41002
Shen Wang Chia *see* Chia Shen Wang
Shen Wei, Zhu Hongjun High power electron beam scanning circuits with improved homogeneity 88−74684
Shen Weiqi *see* Zhu Shengyun 88−54448
Shen Wen-chiang Measurement technology with automatic ellipsometer 85−64312
Shen Wen-qing *see* Zhan Wen-long 88−47975
Shen Wen-Zen *see* Wen-Zen Shen
Shen Wenbin, Chen Maobai A numerical calculation of three dimensional electric field in the central region with 20° rotation of ion source 85−20763
Shen Wenda *see* Wang Qi 88−72401
Shen Wende *see* Xiang Changjin 86−11899
Shen Wenqing *see* Guo Zhongyan 87−63663
Shen Wu-Mian *see* Wu-Mian Shen
Shen Xianjie, Yang Shuzhen, Zhang Wenren, Lu Xiuwen Two sets of programmed digital rock thermal conductivity meters established in China 87−57330
Shen Xianzhang An automatic measuring device of dynamic torque using microcomputer 87−77428
Shen Xiaofeng *see* Pei Yuanji 88−60995
Shen Xiaojun *see* Xiaojun Shen
Shen Xiaowei *see* Zhu Yanbin 88−40297
Shen Xinmao *see* Meng Wu 86−11903
Shen Xiong, Wang Zong-sen Contactless velocity measurements of vibration and shock using the laser Doppler method 87−70814
Shen Xiong, Yu Hesheng, Chen Dianlan, Xie Suhuan The measurements of axisymmetric air turbulent jet flow with an individual realization laser velocimeter system 85−15077
Shen Xiu-Ying The measurement of transistor noise parameters 88−29630
Shen Xubang Introduction to the building block computer: IMS T424 transputer 85−45064
Shen Xubang Design problems for computer on chips 86−62625
Shen Xubang Automatic configuration technology in chip design 87−46085
Shen Xubang Parallel implementation for backtracking control strategy 88−13448
Shen Xubang The bottom-up selection for chip's structures 88−20017
Shen Xubang Automatic routeing for chip design 88−56396
Shen Xubang *see* Zhau Heqin 88−25256
Shen Yafang *see* Ma Xiaoshan 87−52090
Shen Yang *see* Tan Gen-lin 87−36608
Shen Yi-nan *see* Ruan Gen-hong 86−62513
Shen Yie-Der *see* Yie-Der Shen
Shen Yihong *see* Gao Shangkai 85−9147
Shen Yong, Jiang Jinjiang, Yan Meiqiong, Wang Tingjian Producing surface barrier detectors by plasma oxidizing 88−36357
Shen Yongchao *see* Lu Yue 88−18895
Shen Yongchao *see* Yong Yu 87−73387
Shen Yongsheng, Yao Junjie Momentum compensation device of swinging motion component in astrovehicle and its optimal design 88−23164
Shen Youwang *see* Ren Shu 88−23736
Shen Yuan-Shou *see* Yuan-Shou Shen
Shen Yun-bao A study of superconducting turbogenerator 86−33315
Shen Yunxue *see* Zhang Yuwu 87−14262
Shen Yusheng, Zhang Yunchang Study of SnO_2 thin film gas sensors 85−3939
Shen Yusheng *see* Wang Hong 87−31593
Shen Zaiming *see* Zaiming Shen
Shen Zhi-Guang *see* Zhou Xiao-Feng 85−39894
Shen Zhongming *see* Ju Ti 88−70418
Shen Zhongxin, Wu Zhifang, Zhou Nai, Mao Bo, Han Ye, Wei Ping Preparation of a new coating glass 87−337
Shen Zhongyong *see* Lin Chenglu 87−16650
Shen Zong-yong, Lin Cheng-lu, Zou Shi-chang CMOS/SOI devices fabricated on Ar$^+$ laser recrystallized polysilicon films 86−63435
Shen Zongshu, Zhong Chengang, Fu Wenyuan Waterhammer pressure compensation in turbine regulating systems 87−4617
Shen Zongyong, Lin Chenglu, Fang Fang, Zou Shichang Laser recrystallized CMOS/SOI devices 87−5392
Shen Zongyong *see* Lin Chenglu 86−53315
Shen-ge Wang, George, N. Fresnel zone transforms in spatially incoherent illumination 85−36311
Shen-Li Fu, Cheng-Chung Yang A computer-aided layout system for multilayered hybrid circuits 86−53256
Shen-Li Fu, Gung-Fu Chen Low temperature firing $Pb(Fe_{2/3}W_{1/3})_x(Fe_{1/2}Nb_{1/2})_yTi_2O_3$-based thick film capacitor materials 86−52535
Shen-Li Fu, Gung-Fu Chen Low firing thick film dielectrics in the system $Pb(Fe_{2/3}W_{1/3})_x(Fe_{1/2}Nb_{1/2})_{0.86-x}Ti_{0.14}O_3$-$Bi_2O_3/Li_2O$ 88−7760
Shen-li Fu, Gung-fun Chen Low temperature firing of Pb-contained thick film dielectrics 88−13626
Shen-Li Fu, Gung-Fu Chen Low firing Z5U dielectrics in the system $Pb(Fe_{2/3}W_{1/3})_x(Fe_{1/2}Nb_{1/2})_{0.9-x}Ti_{0.1}O_3-Bi_2O_3/Li_2O$ 88−26554
Shen-Li Fu, Hwei-Hwa Lin An integrated hybrid circuits computer-aided design system 88−1283
Shen-Li Fu, Mau-Phon Houng, Tien-Shou Wu Effects of chlorine on the photoresponse of screen printed CdS films 85−29702
Shen-Li Fu, Mau-Phon Houng, Tien-Shou Wu Physical properties and flux effect of printed CdS thick films 85−61690
Shen-Li Fu, Min-Hung Liaw Effects of glass frits on the properties of ZnO thick film varistors 86−15184
Shen-lin Wang *see* Wang Shen-lin
Shen-yi Huang *see* Huang Shen-yi
Shenai, K. Very low resistance nonalloyed ohmic contacts to Sn-doped molecular-beam epitaxial GaAs 87−66981
Shenai, K., Dutton, R.W. A new interpretation of the channel charge control mechanism in GaAs MESFETs 86−21555
Shenai, K., Dutton, R.W. Characterization and physics of low-field electron transport in GaAs MESFETs 87−60495
Shenai, K., Dutton, R.W. Current transport mechanisms in atomically abrupt metal-semiconductor interfaces 88−39133
Shenai, K., Dutton, R.W. Low-field electron transport mechanism in GaAs MESFETs 88−50881
Shenai, K., Dutton, R.W. Channel-buffer (substrate) interface phenomena in GaAs MESFETs fabricated by molecular-beam epitaxy 88−50882
Shenai, K., Sangiorgi, E., Swanson, R.M., Saraswat, K.C., Dutton, R.W. Modeling and characterization of dopant redistributions in metal and silicide contacts 85−40687
Shenai, K. *see* Eglash, S.J. 87−60406
Shenai, K. *see* Korman, C.S. 88−75803
Shenai-Khatkhate, D.V., Orrell, E.D., Mullin, J.B., Cupertino, D.C., Cole-Hamilton, D.J. Preparation and purification of metal alkyls for use in the MOCVD growth of II/VI compound semiconductors 87−10390
Shenai-Khatkhate, D.V. *see* Thompson, J. 88−31765
Shenasa, M. *see* LeBlanc, A.R. 87−57177
Shenberg, I., Macovski, A. Applications of time-varying gradients in existing magnetic resonance imaging systems 86−56107
Shenberg, I., Macovski, A. Rapid magnetic resonance imaging using the Hankel transform approach 87−27632
Shenbrot, I.M. *see* Bolychevtsev, A.D. 85−60745, 86−7542, 86−13516, 86−24252, 88−29189
Shendakov, A.I. *see* Andronova, V.P. 85−61658

Shendakov, A.I. *see* Arsh, A.M. 88−43334
Shenderei, S.V. *see* Efanov, V.M. 87−59249
Shenderei, S.V. *see* Grekhov, I.V. 86−862, 87−5716
Shenderey, S.V. *see* Grekhov, I.V. 85−50488
Shenderov, E.L. *see* Smaryshev, M.D. 86−32598
Shenderovich, A.M. *see* Fursov, G.L. 87−41716
Shenderovich, A.M. *see* Vishnyakov, V.A. 88−61044
Shenderovich, A.M. *see* Zakutin, V.V. 88−61035
Shenderovich, I.M. Marine hydrometeorological measuring packages 87−42249
Shenderovich, I.M., Mar, G.N. Linearising device for pressure-to-frequency transducers 86−50753
Shenderovskii, V.A. *see* Gavaleshko, N.P. 87−6376
Shendrick, V.A. *see* Dovbnya, A.N. 85−26644
Shendrik, V.A. *see* Afanas'ev, N.G. 86−32100
Shendrik, V.A. *see* Boldyshev, V.F. 88−54012
Shendrik, V.A. *see* Gladkikh, P.I. 88−68163
Shendrik, V.A. *see* Vishnyakov, V.A. 85−26618, 87−41717
Shendrik, V.N. *see* Manylov, V.I. 86−833
Shenefelt, C.W. *see* Belkerdid, M.A. 88−44081
Shenfa Qian *see* Changhua Qiu 88−26943
Shenfield, D.M. *see* Dominic, C.J. 88−57204
Sheng, B.-Z. *see* Yin, X.-K. 87−58732
Sheng, C. *see* Zhu, L. 88−71080
Sheng, C.Y. *see* Tang, T.T. 87−39310
Sheng, D. *see* Flannagan, S.T. 87−17080
Sheng, D.D. Performance analysis for the traffic engineering of packet networks 86−54638
Sheng, D.D. *see* Monma, C.L. 87−13386
Sheng, D.Y. *see* Flannagan, S.T. 87−10865
Sheng, G.P., Lin, L.H., Deng, X.M. Colliding pulse mode locking of a Nd:phosphate glass laser 87−61124
Sheng, G.P., Lin Lihuang Colliding pulse mode locking of solid state lasers 87−12425
Sheng, H.-D. *see* Wu, C.-Y. 86−36337
Sheng, H.L. *see* Luo, J.Y. 88−68812
Sheng, J., Zhao, Y.Q., Qin, B.L., Xiao, L.J. Theoretical study of subregion method and its applications 88−52076
Sheng, J. *see* Liu, J. 88−52056
Sheng, J.N., Yan, Z., Qin, B.L., Gela, G. DC ion flow fields: uniqueness of solution and application of the charge simulation method 88−52049
Sheng, J.N., Zhao, Y.Q., Qin, B.L., Xiao, L.J., Lin, H.Z. New progress in calculating current field of HV ground electrodes 88−69069
Sheng, J.N. *see* Qin, B.L. 88−48591
Sheng, J.N. *see* Yan, Z. 87−30227
Sheng, K.M. *see* Oliner, A.A. 86−10169
Sheng, N.-H. *see* Chang, M.-C.F. 87−60416
Sheng, N.H., Chang, M.F., Asbeck, P.M., Wang, K.C., Sullivan, G.J., Miller, D.L., Higgins, J.A., Sovero, E., Basit, H. High power GaAlAs/GaAs HBTs for microwave applications 88−38757
Sheng, N.H., Chang, M.F., Lee, C.P., Miller, D.L., Chen, R.T. Close drain-source self-aligned high electron mobility transistors 86−41788
Sheng, N.H., Lee, C.P., Chen, R.T., Miller, D.L., Lee, S.J. Multiple-channel GaAs/AlGaAs high electron mobility transistors 85−50529
Sheng, N.H., Lee, C.P., Miller, D.L. GaAs/AlGaAs double heterostructure high electron mobility transistors 85−50577
Sheng, N.H., Wang, H.T., Lee, C.P., Sullivan, G.J., Miller, D.L. A high-speed 1-kbit high electron mobility transistor static RAM 87−66174
Sheng, N.H., Wang, H.T., Lee, S.J., Lee, C.P., Sullivan, G.J., Miller, D.L. A high-speed 1K-bit high electron mobility transistor static RAM 87−31907
Sheng, N.H. *see* Asbeck, P.M. 87−59875, 88−25451, 88−25475
Sheng, N.H. *see* Bajaj, J. 85−34565
Sheng, N.H. *see* Chang, M.F. 86−21807, 88−33367
Sheng, N.H. *see* Chen, R.T. 85−44698
Sheng, N.H. *see* Chung, S. 87−38278
Sheng, N.H. *see* Lee, C.-P. 87−38264
Sheng, N.H. *see* Lee, C.P. 86−47616
Sheng, R. *see* Harel, D. 88−25127
Sheng, R.L.-C. *see* Krishnamurthy, B. 86−49954
Sheng, S.C., Gerstenberger, D.C. Advances in multiple wavelength He-Ne lasers 88−20575
Sheng, T.T. *see* Abdul Awal, M. 87−44349, 88−39081
Sheng, T.T. *see* Chu, S.N.G. 85−23617
Sheng, T.T. *see* Dutta, N.K. 85−2286
Sheng, T.T. *see* Kamgar, A. 85−6728, 86−47451
Sheng, T.T. *see* Kastalsky, A. 87−3622
Sheng, T.T. *see* Lifshitz, N. 88−13037
Sheng, T.T. *see* Schwarz, S.A. 86−1989
Sheng, W.W. Photovoltaics and phase control−a natural fit 87−46707
Sheng, Y. How to introduce ISDN into developing countries 87−76148
Sheng, Y., Arsenault, H.H. Experiments on pattern recognition using invariant Fourier-Mellin descriptors 86−59324
Sheng, Y., Duvernoy, J. Real-time computing of the statistical moments of TV images using a hybrid optical/numerical processor 86−16577
Sheng, Y., Duvernoy, J. Circular-Fourier-radial-Mellin transform descriptors for pattern recognition 86−59329
Sheng, Y. *see* Arsenault, H.H. 87−75876
Sheng, Y.Q., Li, R.Y., Munz, P. The study of mode characteristics of metal clad dielectric waveguides 85−24311
Sheng, Y.Q., Munz, P., Schultheiss, R. The determination of the thickness of ultrathin metal and semiconductor films on conventional semiconductor substrates 86−24772
Sheng, Y.Q., Munz, P., Schultheiss, R., Bucher, E. A simple method for the rapid measurement of the thickness of ultrathin metal films 86−24779
Sheng, Y.Z. A solution to reform existing networks into ISDN 88−21801
Sheng, Z.W., Simaan, M. Sensitivities of array filters to variations in filter parameters 88−3057
Sheng Chen He *see* He Sheng Chen
Sheng Chi *see* Ren Yunzhu 87−66989
Sheng Chi *see* Chi Sheng
Sheng Chien Ho *see* Ho Sheng Chien
Sheng Feng *see* Feng Sheng
Sheng Gao *see* Gao Sheng
Sheng Guojian *see* Cha Guigen 88−37712
Sheng Guoping *see* Lin Lihuang 86−68493
Sheng He *see* He Sheng
Sheng Huanyi *see* Li Gongyi 88−28043
Sheng Jun-peng *see* Ding Hui-liang 85−31714, 86−65388
Sheng Junpeng *see* Yu zhongqiang 88−29914
Sheng Li Ham *see* Ham Sheng Li
Sheng Lin, T. *see* Agrawal, V.D. 88−70654
Sheng Liu *see* Liu Sheng
Sheng Meiming *see* Meiming Sheng
Sheng Qiuqing *see* Dong Xiaoyi 88−13794
Sheng Shen Bao *see* Shen Bao Sheng
Sheng Shi-yi *see* Hu Guo-ding 87−39537
Sheng Shimin *see* Zhu Zhongde 85−766
Sheng Sun Yu *see* Sun Yu Sheng
Sheng Teng Hsu, Jer-Shen Maa Barrier-height measurements of tantalum silicide on silicon 86−2117
Sheng Wei Mu *see* Mu Sheng Wei
Sheng Ye A method of high accuracy of measuring the strong magnetic field 85−58847
Sheng Ye *see* Ye Sheng
Sheng Yongxi *see* Zhu Bing 85−12001
Sheng Yubao *see* Wu Peiheng 87−32905
Sheng Yugin A new method for the determination of the thickness of ultra-thin films on Si substrate 88−10136
sheng Zhang Quan *see* Zhang Quan sheng
Sheng Zhang Yan *see* Zhang Yan Sheng
Sheng Zhou *see* Zhou Sheng
Sheng Zhou Chi *see* Chi Sheng Zhou
Sheng-Bai Zhu *see* Shao-Chin Lin 86−54071
Sheng-Chuan Zhu, Li-qun Zhao Direct measurement for the characteristic parameters of magnetic microstrip substrate 86−38527
Sheng-chuan Zhu *see* Zhu Sheng-chuan
Sheng-Chung Chang *see* Yung-Cheng Chang 87−65714
Sheng-gang Liu *see* Liu Sheng-gang
Sheng-gen Pan *see* Pan Sheng-gen
Sheng-He Sun, Mao-Lui, Hui-Ping Du Microprocessors single photon counter system 86−18161
Sheng-He Sun, Zheng Hao Shi Automatic pulse measurement systems with the IEEE-488 standard interfaces 86−17901
Sheng-He Sun, Zhi-Wang The measurement of complex reflection coefficient by means of an arbitrary four-port network 86−18093
Sheng-jun Huang *see* Huang Sheng-jun
Sheng-Li Chen *see* Chee-Wee Liu 88−12033
Sheng-li Geng *see* Geng Sheng-li
Sheng-Li Wang *see* Wang Sheng-Li
Sheng-li Zhang *see* Zhang Sheng-li
Sheng-Liang Huang *see* Yuang-Kung Tu 88−51511
Sheng-Lie-Yi, Xu Sen-Lu Practical design and manufacture of equivalent SOLC filters in single-mode fiber 87−61007
Sheng-long Xu *see* Xu Sheng-long
Sheng-nan Chen *see* Chen Sheng-nan
Sheng-qiong Zhang *see* Zhang Sheng-qiong
Sheng-sheng Yan *see* Yan Sheng-sheng
Sheng-Yi Chang *see* Chang Sheng-Yi
Sheng-yong Qi *see* Qi Sheng-yong
Shengchun Bi *see* Bi Shengchun
Shengfen Sun *see* Sun Shengfen
Shenggang Liu, Xiaodong Cheng Free-electron laser with electrostatic wiggler 88−8236
Shenggang Liu *see* Shi-Chang Zhang 88−72240
Shenggang Liu *see* Liu Shenggang
Shenggen, P., Kisliuk, M. Comments on 'Computation of the electromagnetic field inside the source region' [and reply] 85−35954
Shenggen Pan *see* Pan Shenggen
Shenghe, S., Xiyuan, P., Zhenghao, S. Automatic pulse calibration system 88−60588
Shenghua Li *see* Li Shenghua
Shengjie, J. Prospects of China's nuclear energy development 85−27164
Shengkang Liu *see* Liu Shengkang
Shengliang Zhang *see* Zhang Shengliang
Shenglong Xu *see* Zhongde Wang 87−2387
Shenglong Xu *see* Xu Shenglong
Shengnan Zheng *see* Zheng Shengnan
Shengpen Shen *see* Shen Shengpen
Shengping Wang *see* Wang Shengping
Shengqi Wang *see* Wang Shengqi
Shengqiang Jin *see* Jin Shengqiang
Shengqing Wang *see* Wang Shengqing
Shengrong Xu *see* Xu Shengrong
Shengru Gu *see* Gu Shengru
Shengshan Cai *see* Fengyi Huang 88−33741
Shengshi Zhu *see* Zhu Shengshi
Shengxue Liu *see* Liu Shengxue
Shengxun Lu *see* Lu Shengxun
Shengyang Ruan *see* Ruan Shengyang
Shengyun Zhu *see* Zhu Shengyun
Shenhav, N.J., Stelzer, J. The mass dependence of the signal peak height of a Bragg-curve ionization chamber 85−31703
Shenhav, R. The decomposition of long FFTs for high throughput implementation 87−61987
Shenhav, R. *see* Genusov, A. 88−70830
Shenhav, Y.A. *see* Goldberg, A.I. 85−68
Shenk, D.S. *see* Ciemiecki Nelson, K. 86−22104
Shenk, D.S. *see* Klemas, A.T. 86−22110
Shenk, W.J. *see* Nantz, T.D. 87−62933
Shenkar, V.S. *see* Shuster, K.Sh. 88−69274
Shenker, A.A. Limit thickness of piezoelectric plates in composite piezoelectric transducers 87−25745
Shenker, A.A. *see* Afanas'ev, M.I. 85−7130
Shenker, A.A. *see* Gitis, M.B. 86−2503, 86−52560, 86−57493
Shenker, A.A. *see* Karelin, A.V. 87−23774
Shenker, M. Optical design criteria for binocular helmet-mounted displays 88−29553
Shenker, S. Some conjectures on the behavior of acknowledgement-based transmission control of random access communication channels 88−59371
Shenker, S., Weinrib, A. Asymptotic analysis of large heterogeneous queueing systems 88−59375
Shenker, S. *see* Weinrig, A. 88−52947
Shenkevich, A.L. *see* Presnov, V.A. 85−14761
Shenkman, A., Ioinovici, A. Design of a speed control system for electrical motors with random variable parameters 88−5702
Shenkman, A. *see* Ioinovici, A. 86−70927, 87−59149
Shenlong Xu *see* Xu Shenlong
Shennan, A. *see* Camm, A.J. 85−38245
Shennian Chen *see* Chen Shennian
Shennib, A., Kondraske, G.V. An improved telecommunication aid for the deaf 85−36785
Shennib, A. *see* Kondraske, G.V. 86−44682
Shenoi, B.A. *see* Harn, L. 86−1304, 86−1312, 86−52952, 86−67392
Shenoi, B.A. *see* Pee, M. 87−17261
Shenoi, B.A. *see* Srinivasan, K.N. 86−20969
Shenoi, B.A. *see* Yang, M.L. 88−19293
Shenoi, K. *see* Song, M.S. 88−67146
Shenoy, A. *see* Fang, R.J.F. 88−53201
Shenoy, A. *see* Palmer, L.C. 86−43943
Shenoy, A. *see* White, L.W. 88−53394
Shenoy, A.P., Kumaresan, R. Digital filter realization using improved residue number system 88−898
Shenoy, D.L. *see* Nanda, J. 87−57517
Shenoy, G.K., Moncton, D.E. An overview of the Advanced Photon Source 88−47803
Shenoy, G.K., Viccaro, P.J. Scientific opportunities at the proposed 6-7 GeV Advanced Photon Source 87−56996
Shenoy, G.K. *see* Kim, S.H. 88−47965
Shenoy, G.K. *see* Viccaro, P.J. 88−47808, 88−47967
Shenoy, M.A., Shrimani, M.R., Potnis, S.P., Parikh, S.P.F. Recent advances in high solids wire enamels 88−50455
Shenoy, M.R. *see* Ghatak, A.K. 87−60914
Shenoy, M.R. *see* Kumar, A. 85−7694, 87−46472, 87−68078
Shenoy, M.R. *see* Thyagarajan, K. 86−63617, 87−38793, 88−13835
Shenoy, R.D. *see* Prabhu, K.M.M. 87−62057
Shenoy, R.S. *see* Sarma, L.V.A.R. 86−9981
Shenoy, S.K. *see* Jacob, M.C. 85−9666
Shenoy, S.R. *see* Murthy, K.P.N. 88−14240
Shenoy, S.R. *see* Reddy, M.N. 87−18188
Shenoy, U.J., Fakruddin, D.B., Parthasarathy, K. A microprocessor-based scheme for testing protective relays 86−8545
Shenoyu, M.R., Thyagarajan, K., Ghatak, A.K. Numerical analysis of optical fibers using matrix approach 88−72034
Shenquan Liu *see* Liu Shenquan
Shensa, M.J., Broman, V. The sequential processing of report detections in multitarget data association 86−4707
Shensa, M.J. *see* Broman, V. 87−55203
Shensa, M.J. *see* Broman, V.P. 87−3236
Shensheng Yan *see* Yan Shensheng
Shenton, C. Effective MOS clock driver 85−45135
Shenton, D., Cendes, Z. MAX−an expert system for automatic adaptive magnetics modeling 87−25809

Shenton, D., Debenedictis, E., Locanthi, B. Improved Reed-Solomon decoding using multiple-pass decoding 86–22906
Shenton, D. *see* Cendes, Z.J. 87–47074, 88–48874
Shenton, D.N., Cendes, Z.J. Three-dimensional finite element mesh generation using Delaunay tesselation 86–40658
Shenton, D.N. *see* Cendes, Z.J. 85–60911, 86–36636, 88–85
Shenton, D.N. *see* Re, M.E. 86–36015
Shenton, G. The importance of design methodology in CAD tool and vendor selection 85–17250
Shenton, G. Designing systems with advanced CMOS standard cells 86–27008
Shenton, G. Designing in silicon—who does what? 86–35810
Shenton, G. Standard cells—where next? 86–35899
Shenton, G. Standard analog cell design for electrical energy management IC 86–68011
Shenton, G. Who will provide the blocks? 87–6823
Shenton, G. A high performance CMOS analog cell library 87–6894
Shenton, G., Trontelj, J., Trontelj, L. A new design methodology for analog ICs using synthesis and compilation tools 87–67591
Shenton, G., Trontelj, J., Trontelj, L., Slivnik, T., Jr. CAD for analogue VLSI designs using the standard cell approach 87–1672
Shenton, G. *see* Pletersek, T. 86–2436, 86–47802
Shenton, G. *see* Trontelj, J. 87–46067, 87–59110, 87–59657
Shenton, J.H. An RF test set for broadcast transmitters 85–3626
Shentov, O., Mitra, S.K., Anderson, B.D.O. A simple circuit-theoretical approach for the stability testing of 2-D digital filters 88–66527
Shentu, L. *see* Leith, E.N. 86–43281, 87–62190
Shepard, A.T. *see* Mihelcic, J.M. 88–18497
Shepard, C. *see* Domangue, E. 85–6768
Shepard, C. *see* Matthews, D. 85–7350
Shepard, C.D., Johnston, R.C. Effects of integrating a voice store-and-forward network with a battlefield telephone system 87–55632
Shepard, C.L. *see* Charatis, G. 87–12375
Shepard, C.L. *see* Rosen, M.D. 85–24466, 88–14119
Shepard, D.A. *see* James, B.G. 88–39015
Shepard, D.D. *see* Day, D.R. 88–63396
Shepard, G. Why computer phones need the PABX 86–43649
Shepard, J. The specification and design of a future maritime reconnaissance aircraft 88–61551
Shepard, J., Scott-Wilson, R.J. The impact of artificial intelligence on airborne maritime reconnaissance 86–60904
Shepard, J.F. Self-aligned bipolar transistor 85–6792
Shepard, K., Schumacher, H. Scaling in npn and pnp heterostructure bipolar transistors 88–19361
Shepard, K.W. A superconducting heavy ion injector linac 86–31854
Shepard, K.W. Recent work on very-low-velocity superconducting accelerating structures 86–55929
Shepard, K.W. Development of a heavy-ion linac based on superconducting interdigital accelerating structures 87–35274
Shepard, K.W. Development of a very-low-velocity superconducting linac 88–54340
Shepard, K.W., Takeuchi, S., Zinkann, G.P. Development of superconducting niobium accelerating structures for heave ions 85–59027
Shepard, K.W. *see* Aron, J. 86–55920
Shepard, K.W. *see* Bollinger, L.M. 87–35325
Shepard, K.W. *see* Delayen, J.R. 88–39852
Shepard, K.W. *see* Pardo, R.C. 87–56995, 88–54234
Shepard, K.W. *see* Takeuchi, S. 85–20778
Shepard, M. Utility solid waste: managing the by-products of coal combustion 86–32588
Shepard, M. Data communications—a fibre optic solution 86–37869
Shepard, M. New perspective on coal cleaning 86–39271
Shepard, M. Tapping global expertise in coal technology 86–51179
Shepard, M. Integrating environmental control for coal plant efficiency 86–51456
Shepard, M. Restoring life to acidified lakes 86–60976
Shepard, M. Planning for HVDC transmission 87–30158
Shepard, M. Lighting and the human condition 87–50429
Shepard, M. Getting a fix on lightning strikes 87–50855
Shepard, M. Appliance efficiency on the fast track 87–58476
Shepard, M. Processing fuels with biotechnology 87–78237
Shepard, M. Managing America's wood pole inventory [power line poles] 88–10893
Shepard, M. EMF: the debate on health effects 88–34201
Shepard, M. Coal technologies for a new age 88–69092
Shepard, M. *see* Melngailis, J. 88–57508
Shepard, M.E., Cook, G.E. A data acquisition system for arc welding research 87–28987
Shepard, M.M., Foshee, J.J. Satellite orbit determination from an airborne platform 85–9263
Shepard, N.F., Jr. A point-focus concentrating photovoltaic array for space applications 87–4903
Shepard, N.F., Jr., Sugimura, R.S. The integration of bypass diodes with terrestrial photovoltaic modules and arrays 86–6624
Shepard, P.F. *see* Coon, D. 85–9073
Shepard, P.F. *see* Engels, E., Jr. 85–15165, 87–29488
Shepard, P.F. *see* Lobkowicz, F. 85–43185
Shepard, P.F. *see* Yang, Y.N. 85–6727
Shepard, S. *see* Zahn, M. 87–43171
Shepard, S.R. *see* Fenderson, G.L. 85–14114
Shepard, W.S. MHD power generation prospects for commercial and space applications 88–5902
Shepekina, G.V. *see* Kuznetsov, V.P. 85–61681
Shepekina, G.V. *see* Vasil'ev, M.G. 85–7412
Shepel, L.G. *see* Dryapiko, N.K. 85–50358
Shepel, S.R. *see* Abramchuk, G.A. 88–67753
Shepela, A., Soller, B. A model for RIE dielectric etch-back planarization 87–60330
Shepelenko, A.A., Shulyat'ev, V.B. Measurement of divergence of CO_2-laser radiation 86–68613
Shepelenko, A.A. *see* Ivanchenko, A.I. 86–36393, 88–8146
Shepelev, A.F. *see* Bozhenko, B.L. 85–39378
Shepelev, A.V. *see* Allsalu, M.-L.Yu. 87–68270
Shepelev, V.A. *see* Batalov, B.V. 88–13489
Shepelev, Yu.V. *see* Ustinov, V.A. 88–71941
Shepelevich, V.G. Magnetic system in displacement transducer 88–53646
Shepelevich, V.G. *see* Gusakova, S.V. 87–49950
Shepelevich, V.G. *see* Prokoshin, V.I. 86–28256
Shepelevich, V.V. Effect of optical activity on hologram diffraction efficiency and diffracted light polarization in photorefractive cubic crystals 87–26575
Shepelevskii, L.Yu., Yarygin, A.S. Instrument for testing discrete electrochemical integrators 85–58517
Shepelevskii, L.Yu., Yarygin, A.S., Priimak, N.A. Active infralow frequency filters in spectrometer diagnostics measuring systems 85–4171
Shepelin, V.A. *see* Etkina, L.I. 88–1150
Shepelin, V.F. Calculation of the loading of rectifier-unit thyristors in a rectifier motor with dependent inverter 86–56733
Shepeljakovskij, K.Z. Induction depth heating prior to surface hardening of steel 86–7300
Shepel'skii, G.A. *see* Gasan-zade, S.G. 85–46248
Shepelyak, M.Z. *see* Osyka, M.I. 88–22621
Shepelyavii, P.E. *see* Kostkyshin, M.T. 85–12015
Shephard, C.G. *see* Bimpson, A.D. 86–43397
Shephard, C.G. *see* Linderman, R.W. 87–59590, 88–50175
Shephard, G.B. Terminals [voice and data integration] 86–10681
Shephard, G.B. The issues concerning document architectures and mixed media 88–73517
Shephard, G.B. Communicating terminals and distributed intelligence 88–73749
Shephard, H.E. *see* Bradley, R.R. 87–12325
Shephard, H.E. *see* Hodson, P.D. 88–26972
Shephard, H.E. *see* Walker, R.G. 87–46451
Shephard, M.S. Automatic and adaptive mesh generation 86–40657
Shephard, W. *see* Puseljic, D. 88–61100
Shephard, W. *see* Rogers, A. 87–41844
Shephard, W. *see* Ruchti, R. 85–37950, 85–43275, 87–41845, 88–68221
Shepherd, A.A. Application specific integrated circuits: a review 86–58538
Shepherd, A.J. *see* Allen, C.R. 87–49581
Shepherd, A.P., Kiel, J.W., Riedel, G.L. Evaluation of light-emitting diodes for whole blood oximetry 85–15289
Shepherd, B. Connectors are now part of the system design 87–37645
Shepherd, B. *see* Giles, L.J. 88–46948
Shepherd, C.K., Jr., Marmolejo, J.A. A voice-controlled information system for space station extravehicular activity 88–52381
Shepherd, C.R. *see* Chia, S.T.S. 86–48599, 86–69599
Shepherd, C.R. *see* Hawkins, N.D. 86–10094
Shepherd, D. An overview of the communications in Eclipse 86–37583
Shepherd, D. *see* Coffield, D. 87–28047
Shepherd, D. *see* Hanna, D.C. 86–54101
Shepherd, D. *see* Homewood, M. 88–6904
Shepherd, D. *see* Muir, S. 85–63289
Shepherd, D.G. Note on a simplified approach to design point performance analysis of HAWT rotors 85–9814
Shepherd, D.P., Hanna, D.C., Mussett, S.G., Pacheco, M.T.T. Low-threshold operation of a waveguide CH_4 Raman laser at 1.54 μm 87–54222
Shepherd, D.P. *see* Fermann, M.E. 88–72295
Shepherd, D.P. *see* Hanna, D.C. 87–75064, 88–33945, 88–40308
Shepherd, F. *see* Bennett, J. 85–55917
Shepherd, F.D. Recent advances in platinum silicide infrared focal plane arrays 85–52682
Shepherd, F.D., Ewing, W.S., Capone, B.R., Taylor, R.W., Cochrun, B.L. Platinum silicide staring sensor evaluation 87–14177
Shepherd, F.D., Mooney, J.M. Design considerations for IR staring-mode cameras 87–77135
Shepherd, F.D. *see* Ewing, W.S. 87–20962
Shepherd, F.M. Frequency spectrum management and the emerging satellite development 86–17316
Shepherd, F.M. *(editor)* Technical development of broadcasting in the Asia Pacific region 1964-1984 85–22070
Shepherd, F.R. *see* Calder, I.D. 86–9006
Shepherd, F.R. *see* Gallant, M. 88–58369
Shepherd, F.R. *see* Houston, P.A. 87–74255
Shepherd, F.R. *see* Scanlon, P.J. 85–45521
Shepherd, G.G., Gault, W.A., Miller, D.W., Pasturczyk, Z., Johnston, S.F., Kosteniuk, P.R., Haslett, J.W., Kendall, J.W., Wimperis, J.R. WAMDII: wide-angle Michelson Doppler imaging interferometer for Spacelab 85–53156
Shepherd, G.T. Waste not, want not [electricity supply industry] 87–30045
Shepherd, G.T. Waste not, want not [total energy schemes] 87–30367
Shepherd, G.W., Cluckie, I.D., Collier, C.G., Yu, S., James, P.K. The identification of rainfall type from weather radar data 88–74974
Shepherd, I.C., Alfredson, R.J. An improved computer model of direct-radiator loudspeakers 85–47739
Shepherd, I.C., Cabelli, A., LaFontaine, R.F. Characteristics of loudspeakers operating in an active noise attenuator 87–15087
Shepherd, I.C. *see* Fontaine, R.F.L. 86–12217
Shepherd, J., Herrick, R., Harrison, J. Advanced fuel design for fast reactors assessment of performance and economics 85–59947
Shepherd, J.E. *see* Kempka, S.N. 85–9621
Shepherd, J.N., Dobson, P.S., Stanley, I.W. Vertical cantilever beams for optical switching 88–53278
Shepherd, J.P. Organic optical storage media for short wavelength systems 88–65158
Shepherd, J.P., Sandberg, C.J. Measurement and control of oxygen fugacity during annealing 85–5788
Shepherd, J.T. Avionic systems 86–18428
Shepherd, J.W. A discussion of emissivity correction and its application in infrared microimaging 88–4474
Shepherd, L. *see* Manzione, L.T. 85–49350
Shepherd, L.R. The future of atomic energy 88–5434
Shepherd, M. EMDISP: a visual display system with digital and analogue sampling 85–15262
Shepherd, M., Rodgers, D. Asynchronous FIFOs require special attention 86–46834
Shepherd, M. *see* Kanadjian, A. 87–41354
Shepherd, M. *see* Walker, A. 88–3825
Shepherd, M.D. *see* Putnam, J.R. 85–15361
Shepherd, P. *see* Howes, M.J. 85–11820
Shepherd, P. *see* Priebe, E. 88–35127
Shepherd, P.R. Analysis of square-spiral inductors for use in MMICs 86–47068
Shepherd, P.R., Daly, P. Modelling and measurement of microstrip transmission line structures 86–14478
Shepherd, P.R., Daly, P. Modeling and measurement of microstrip transmission-line structures 86–27551
Shepherd, P.R., Daly, P. Accurate estimation of microstrip transmission line impedance 86–42878
Shepherd, P.R., Pollard, R.D. Direct calibration and measurement of microstrip structures on gallium arsenide 87–8730
Shepherd, P.R., Pollard, R.D. Direct calibration and measurement of microstrip structures on gallium arsenide 87–17363
Shepherd, P.R., Snowden, C.M., Howes, M.J. Aspects of microwave device and circuit modelling and measurement 86–41353
Shepherd, P.R. *see* Pennock, S.R. 88–36199
Shepherd, P.R. *see* Tenten, W.J. 88–56480
Shepherd, R. The IMS T800 Transputer—an architectural overview 87–37388
Shepherd, R. *see* Homewood, M. 88–6904
Shepherd, R. *see* May, D. 85–45116, 88–12430, 88–70826
Shepherd, R.K., Murray, M.T., Houghton, M.E., Clark, G.M. Scanning electron microscopy of chronically stimulated platinum intracochlear electrodes 86–12024
Shepherd, R.K. *see* Madrid, J.E. 88–28272
Shepherd, R.L. *see* Kania, D.R. 85–52979
Shepherd, S. BECOS 40 energy management system for Khon Kaen dispatching centre in Thailand 88–23306
Shepherd, S. *see* Koloseus, C. 85–38866
Shepherd, S.G. *see* Haynes, J.T. 86–14487
Shepherd, S.G. *see* Smith, P.S. 87–2385
Shepherd, T.J. *see* Gardiner, T. 86–14400
Shepherd, T.J. *see* McWhirter, J.G. 87–27062, 87–55117, 88–73165

Shepherd, W. *see* Acharya, G.N. 85−27388, 86−51753
Shepherd, W. *see* Ad'Doweesh, K. 88−48987
Shepherd, W. *see* Al Kababjie, M.F. 85−21624
Shepherd, W. *see* Alolah, A. 87−15909
Shepherd, W. *see* Haque, S.E. 85−59598
Shepherd, W. *see* Kinney, W.I. 88−38541
Shepherd, W. *see* Lazim, M.T. 86−6743
Shepherd, W. *see* Malik, N.H. 85−65335
Shepherd, W. *see* Odiete, G.C.E. 87−43324
Shepherd, W.M. AirLand battle in the 21st century 88−61753
Shepilov, O.N. *see* Manusov, V.Z. 85−21072, 85−53265
Shepilov, V.B. *see* Proskurin, V.V. 88−38305
Shepler, T.H. Flexible interconnections−materials and design 87−37747
Shepp, L.A. Computed tomography of PKM and AKM exit cones [perigee and apogee kick motors] 86−50720
Shepp, L.A. *see* Hwang, F.K. 86−20159, 87−75668
Sheppard, A.T., Webber, R.G. A polytetrafluoroethylene insulated cable for high temperature oxygen aerospace applications 85−55216
Sheppard, C. Application of powerful optical microscopes [IC inspection] 87−23381
Sheppard, C.J.R., Cox, I.J. Analysis of Laplacian edge-enhancement filters on incoherent images 85−41965
Sheppard, C.J.R., Heaton, J.M. Images of surface steps in coherent illumination 85−4115
Sheppard, C.J.R. *see* Cox, I.J. 86−43113
Sheppard, C.J.R. *see* Matthews, H.J. 86−70214
Sheppard, C.J.R. *see* Wilson, T. 87−18103
Sheppard, C.P. *see* Doherty, P.A. 88−30104
Sheppard, C.P. *see* Wray, G.L. 86−55387
Sheppard, D.A. Applications of OSI in banking 86−64537
Sheppard, D.A. Communication networks for banking service delivery 86−64716
Sheppard, D.A. Technology transfer−the OSI user's dilemma 87−40485
Sheppard, D.I., Taylor, B.E. A new converter topology imparts non-pulsating current to input and output lines 85−16125
Sheppard, D.J. Torsional vibration resulting from adjustable frequency AC drives 87−64852
Sheppard, D.J. Torsional vibration resulting from adjustable frequency AC drives 88−18124
Sheppard, D.J., Madden, J., Jones, S.A. Simulator design features for helicopter shipboard landings 88−30086
Sheppard, D.J. *see* Bailey, J.S. 87−20399
Sheppard, D.J. *see* Towne, C.A. 86−39713, 87−30500, 87−51160
Sheppard, E.M. *see* Brown, C.M. 87−23232
Sheppard, H.R. A century of progress in electrical insulation 1886-1986 87−18419
Sheppard, H.R., Norton, E.T. Amorphous metal core power transformers (economic considerations) 87−51333
Sheppard, J.C., Almog, I., Bambade, P.S., Clendenin, J.E., Jobe, R.K., Phinney, N., Shoaee, H., Stiening, R.F., Thompson, K.A. Three bunch energy stabilization for the SLC injector 88−54097
Sheppard, J.C., Bambade, P.S., Clendenin, J.E., Gearhart, R.A., Miller, R.H., Sodja, J. Commissioning of the SLC injector 88−47923
Sheppard, J.C., Bambade, P.S., Clendenin, J.E., Gromme, T.E., Jobe, R.K., Phinney, N., Ross, M.C. Implementation of nonintercepting energy spread monitors 88−54171
Sheppard, J.C., Clendenin, J.E., James, M.B., Miller, R.H., Ross, M.C. Real time bunch length measurements in the SLC linac 86−24866
Sheppard, J.C. *see* Clendenin, J.E. 88−47944
Sheppard, J.C. *see* Jobe, R.K. 88−54157, 88−54163
Sheppard, J.C. *see* Miller, R.H. 85−26664
Sheppard, J.C. *see* Ross, M.C. 86−24865, 86−25019, 88−54160
Sheppard, J.C. *see* Seeman, J.T. 86−31893, 87−35269, 88−22895
Sheppard, J.M. Are reliability growth models practical planning and monitoring tools for development? 85−33216
Sheppard, K. *see* Glenny, A. 85−3558
Sheppard, L.C. *see* Ritchie, G. 85−64608
Sheppard, L.C. *see* Strickland, J.H., Jr. 85−48310
Sheppard, L.E. *see* McMahon, D.H. 85−9375
Sheppard, L.M. Detecting material defects in real time 88−18775
Sheppard, L.M. Advanced ceramics 88−31232
Sheppard, M.A. *see* Algar, T.H. 86−19001
Sheppard, M.G., Freeman, B.L., Bowers, R.L., Brownell, J.H., Fowler, C.M., Fritz, J.N., Greene, A.E., Marsh, S.P., Oliphant, T.A., Tubbs, D.L., Weiss, D.L. Design, testing, and modeling of a high-gain magnetic flux-compression generator 88−43302
Sheppard, M.G. *see* Bowers, R.L. 88−37318
Sheppard, M.J. *see* Hawker, I. 85−33795
Sheppard, P.J. Cleaning turbine lubricants large steam turbines 85−27287
Sheppard, R.A., Stevens, M.C. Development of IFF and SSR in the post-war years [radar systems] 85−58238
Sheppard, R.J. *see* Steel, M.C. 87−70761
Sheppard, R.M. *see* Curry, R.G. 87−50447
Sheppard, R.P. *see* Marshall, J.F. 85−55939
Sheppard, S.B. *see* Reaux, R.A. 88−68516
Sheppard, S.S. *see* Behm, J.B. 87−76124
Sheppard, S.V. Tailor air pollution control equipment to applications and requirements 86−44815
Shepperd, M., Szeden, W.S. What's it going to be−TCM or ECH? [ISDN standards] 88−59799
Sher, A., Chen, A.-B., van Schilfgaarde, M., Berding, M. Semiconductor alloys: structural property engineering 88−25891
Sher, A., Eger, D., Zemel, A. Mercury zinc telluride, a new narrow-gap semiconductor 85−23432
Sher, A., Eger, D., Zemel, A., Feldstein, H., Raizman, A. Properties of $Hg_{1-x}Zn_xTe$ grown by liquid-phase epitaxy 86−67681
Sher, A. *see* Berding, M.A. 88−29389
Sher, A. *see* Eger, D. 85−50198
Sher, A. *see* Krishnamurthy, S. 85−55492, 87−32248, 88−25890, 88−32773
Sher, A. *see* Mooney, J.B. 86−7152
Sher, A. *see* Tsau, G.-H. 86−67760
Sher, A. *see* Tsau, G.H. 86−35448
Sher, A. *see* Zemel, A. 87−74004
Sher, A.C. *see* Rosenfeld, A. 88−59242
Sher, A.L. *see* Faruque, S.M. 86−57960
Sher, B.A. Energy accounting of commercial buildings 87−75
Sher, D. Evidence combination using likelihood generators 88−8872
Sher, D. Tunable facet model likelihood generators for boundary pixel detection 88−28095
Sher, D. Generating robust operators from specialized ones 88−28115
Sher, E.M. *see* Ageev, Yu.I. 85−14742, 86−66366
Sher, L.D. Graphics in space: see it now 88−44526
Sher, M.H., Macklin, J.J., Young, J.F., Harris, S.E. Saturation of the Xe III 109-nm laser using traveling-wave laser-produced-plasma excitation 88−14110
Sher, M.H. *see* Caro, R.G. 87−12352
Sher, M.H. *see* Macklin, J.J. 88−58459
Sher, P.J.-S. *see* Davis, R.M. 86−64116
Sher, P.Jone-Shyan *see* Jone-Shyan Sher, P.
Sheraizin, S.M. *see* Katsnelson, N.L. 87−69340
Sherali, H.D. A restriction and feasible direction algorithm for a capacity expansion problem [electric utility] 85−38463
Sherali, H.D. A marginal cost analysis for an electric utility capacity planning problem 86−32702
Sherali, H.D., Staschus, K. A nonlinear hierarchical approach for incorporating solar generation units in electric utility capacity expansion plans 85−38396
Sherali, H.D., Staschus, K., Huacuz, J.M. An integer programming approach and implementation for an electric utility capacity planning problem with renewable energy sources 87−78048
Sherali, H.D. *see* Sen, S. 85−22345, 86−19958, 86−66744
Sheranko, R.G. Susquehanna: the ingredients of a successful startup test program 85−59959
Sherard, J.L. Trends and debatable aspects in embankment dam engineering 85−27148
Sherbakov, A.S. *see* Belokurova, O.I. 88−33799
Sherban, D.A. *see* Adeeb, N. 87−30973
Sherbieny, M.K.El *see* El Sherbieny, M.K.
Sherbina, V.I. Problems of electronic sound editing in digital sound and video recording 85−63900
Sherbine, C.A. *see* Sloane, B.D. 88−68648
Sherbini, S., Sykes, J., III., Porter, S.W., Jr., Lodde, G. Experimental evaluation of a method for performing personnel β dosimetry using multielement thermoluminescent dosimeters 85−64642
Sherburne, P.A. *see* Hicks, J.H. 85−38783
Sherburne, R.W., Jr., Katevenis, M.G.H., Patterson, D.A., Sequin, C.H. A 32-bit NMOS microprocessor with a large register file 85−22931
Sherburne, R.W., Jr. *see* Katevenis, M.G.H. 85−11308, 87−66235
Sherden, D. *see* Mackenzie, S. 87−38540
Sherden, D.J. The data acquisition system for SLD 88−29915
Shereff, J. Multilayer capacitors march to keep pace with current IC designs 85−55192
Shereff, J. In data acquisition, PC-based systems claim sizable territory 85−64048
Shereff, J. Focus on portable data-comm testers 86−4953
Sheremet, A.A. Influence of control-pulse balancing on the harmonic composition of bridge-converter phase currents 86−45522
Sheremet, O.G., Moralev, V.M., Perfil'ev, Yu.S., Reitlinger, A.S. A procedure for quantitative processing of interpreted space imagery to solve geological prospecting problems 85−43462
Sheremet, V.I. *see* Afanasiev, Yu.V. 86−24719
Sheremet'ev, A.K. *see* Alkhazov, I.D. 88−68285
Sheremet'ev, Yu.N. *see* Velikanov, S.D. 85−41345
Sheremet'evskii, N.N. Electromechanics and peaceful outer space [spacecraft instrumentation] 88−30097
Sheremetova, G.I. *see* Torchinskaya, T.V. 86−13059
Sherentsis, A.N., Yasinskaya, N.V. Effect of internal overvoltages on choice of insulation in regions of atmospheric-pollution 86−25607
Sherentsis, A.N. *see* Bochkovskii, B.B. 85−15636, 86−32782
Sherepa, I.V. *see* Zelyakh, E.V. 86−14344
Sherer, G.N. *see* Belyakov, N.N. 85−21160, 85−21225
Sherer, W.P. Design of the 3Com 3+ local area network file system 87−48702
Sheretov, E.P., Gurov, V.S., Safonov, M.P. Reflex hyperboloidal axisymmetric energy analyzer 88−42375
Shereverov, V.I. *see* Aleksandrov, S.N. 87−9963
Shereverov, V.I. *see* Bortnyakov, Yu.L. 88−18248
Shergill, R.S. *see* Yeung, P. 87−59416
Shergin, N.N. *see* Shur, A.A. 87−54689
Sherhart, K., Vershel, M., Owen, J. The Engineering Design Environment 85−1699
Sherhod, C. *see* Hellyer, S. 88−68570
Sherhod, D. *see* Cooper, B. 87−51542
Sheridan, C.L. *see* Clarke, R.L. 85−38363
Sheridan, D. Alternatives in IC-design training 85−22106
Sheridan, D.J., Culling, W., Thomas, P., Flores, N. A microcomputer system for analysis of coronary artery calibre and blood flow 86−60714
Sheridan, J. *see* Cohoon, D.P. 87−25476
Sheridan, P., Huizer, C.M. An expression for the propagation delay of a differential split-level (DSL) CMOS logic gate 87−52523
Sheridan, R. *see* Chartier, V.L. 86−51037
Sheridan, R. *see* Grosse, C.W. 86−61071
Sheridan, T. *see* Sincerny, P. 85−1228, 85−4631
Sheridan, T. *see* Stringfield, R. 85−1116
Sheridan, T.B. Understanding human error and aiding human diagnostic behaviour in nuclear power plants 85−27158
Sherif, M. *see* Davies, P.A. 87−20495, 88−47183
Sherif, M.A. *see* Mayergoyz, I.D. 88−75593
Sherif, M.H., Hoover, G.L., Wiederhold, R.P. X.25 conformance testing−a tutorial 86−43655
Sherif, Y.S., Matt, B.J. Computer networks and distributed systems 88−52892
Sherif, Y.S., Rice, E.L. The search for quality: the case of planned obsolescence 86−40562
Sherif, Y.S., Zahir, S.S. Communication systems for load management 86−32675
Sherif, Y.S. *see* Halim, M.M. 86−19669
Sheriff, J. Printed circuit connectors 85−40292
Sheriff, S.B. *see* Cochrane, T. 86−38755
Sherill, B. *see* Armbruster, P. 88−36393
Sherin, J.R. *see* Chang, Y.F. 87−78372
Shering, G. User-friendly process control [particle accelerators] 86−38662
Sherk, T. *see* Hairabedian, B. 87−41569
Sherk, T.A. *see* Parker, D.E. 85−4049
Sherk, T.A. *see* Shapiro, J.B. 85−1252
Sherkat, V.R., Campo, R., Moslehi, K., Lo, E.O. Stochastic long-term hydrothermal optimization for a multireservoir system 85−60058
Sherkat, V.R., Moslehi, K., Lo, E.O., Sanchez, G., Diaz, J. Modular and flexible software for medium and short-term hydro-thermal scheduling 88−11138
Sherkat, V.R. *see* Cohen, A.I. 88−30311
Sherlaimov, N.N. *see* Solomatov, V.N. 87−21958
Sherlekar, D.D., JaJa, J. Layouts of graphs of arbitrary degree 88−31906
Sherlekar, S.D., Subramanian, P.S. Conditionally robust two-pattern tests and CMOS design for testability 88−38460
Sherlekar, S.D. *see* Hegde, S.U. 87−25609
Sherlock, J. Withstanding the pressures [electric connectors] 86−1453
Sherlock, M.J. NBC's role in the technological development of television 87−28724
Sherlock, M.J. New frontiers: the next 15 years [TV to 2002] 88−22258
Sherlock, P. *see* Bogatin, E. 88−49532
Sherlock, T.P. *see* Harth, G.H. 86−33086
Sherman, A., Coney, W.M. Chemical vapor deposition developments 88−63372
Sherman, A. *see* Miidla, P. 88−51722
Sherman, A.B. *see* Simen, D.C. 87−14954
Sherman, A.E. Trends in telecommunications technology 87−28233
Sherman, A.S., Peskin, C.S. A Monte Carlo method for scalar reaction diffusion equations 87−10349
Sherman, A.V. *see* Miidla, P.Kh. 87−46760
Sherman, A.Yu. *see* Klovskiy, D.D. 88−72644
Sherman, C. *see* Levine, A. 87−50420
Sherman, C.W., Clay, W.C., Dasse, K.A., Daly, B.D.T. Leadless transfer of energy into the body to power implanted blood pumps 86−32375

Sherman, C.W., Clay, W.C., Kasse, K.A., Daly, B.D.T. A transcutaneous energy transmission (TET) system for high-power prosthetics 86—56198
Sherman, C.W., Gernes, D., Clay, W., Poirier, V., Bernhard, W.F. A permanent implantable electric blood pump 86—65458
Sherman, C.W., Milder, F.L., Rintoul, T.C., La Forge, D.H. Batteries for artificial hearts 87—42016
Sherman, C.W. *see* Oslan, A.L. 86—56199
Sherman, E.B. *see* Zel'tser, R.E. 85—170
Sherman, G. *see* Stilwell, D. 87—19346
Sherman, H. Benchtop board testers take custom programming, mixed circuitry in stride 86—24280
Sherman, I.A. *see* Bridges, J.E. *(editor)* 87—10032
Sherman, I.S. *see* Naday, I. 88—4865
Sherman, I.S. *see* Pehl, R.H. 86—65346
Sherman, I.S. *see* Strauss, M.G. 86—32170, 87—56535, 88—42424
Sherman, J.D. The relationship between factors in the work environment and turnover propensities among engineering and technical support personnel 86—61894
Sherman, J.D. *see* Smith, H.V., Jr. 86—32126
Sherman, J.H., Jr. A note on 'Ballato's angle increment' 86—42050
Sherman, J.H., Jr. On the orientation of quartz resonator plates 86—42072
Sherman, J.H., Jr. An X-ray machine for generally rotated blanks 87—18453
Sherman, J.H., Jr. Quartz analogues 87—32766
Sherman, J.M. *see* Reed, B.J. 86—12467
Sherman, J.W., III Developments in satellite technology for oceanic operations 86—65546
Sherman, K.J. *see* Debany, W.H., Jr. 86—57571
Sherman, K.N. Measurement of array element excitations using a planar near-field range 87—27077
Sherman, L. 12-bit A-D converter slips smoothly into analog and digital realms 85—11346
Sherman, L. A 12-bit CMOS A/D converter 85—17543
Sherman, L. Primed by a processor, an analog comparator chip can run its own show 85—22962
Sherman, L. CMOS simplifies data acquisition design problems 85—28599
Sherman, L. Everything you ever wanted to know about data acquisition 85—33999
Sherman, L. More data acquisition questions answered. II 85—37504
Sherman, L. Some questions and answers on data acquisition 86—1138
Sherman, L. IC lets serial data link control motor 86—27494
Sherman, L. Variable reference extends converter's resolution [A/D converter] 86—41168
Sherman, L. One dozen questions and answers on data acquisition 86—46924
Sherman, L. High-precision CMOS op amps accommodate ±15 V supplies 86—52686
Sherman, L. CMOS amplifiers for ±15 V systems 87—31724
Sherman, L. DC/DC converters adapt to the needs of low-power circuits 88—50005
Sherman, L. DC/DC convertors and low consumption circuits 88—70504
Sherman, L., Gibertini, G. Data acquisition systems 86—24400
Sherman, L. *see* Zwick, H. 86—65463
Sherman, L.H. Sensors and conditioning circuits simplify humidity measurement 85—52720
Sherman, M., Modera, M. Low-frequency measurement of leakage in enclosures 86—65299
Sherman, M.P., Berman, M. The possibility of local detonations during degraded-core accidents in the Bellefonte nuclear power plant 88—48738
Sherman, M.P. *see* Fisk, J.W. 85—9620
Sherman, M.Ya. *see* Kotov, O.I. 88—51580
Sherman, N.K. Surface-wave acceleration tests using a laser-driven electron injector 87—70909
Sherman, N.K., Corkum, P.B. Progress towards a laser accelerator 88—16595
Sherman, N.L. *see* Bystrov, V.V. 88—28619
Sherman, N.L. *see* Dobin, Yu.V. 88—35324
Sherman, P. Power room automation 87—30092
Sherman, P., Birkemeier, W., de Weerd, J. Optimal estimation of an unknown deterministic signal vector using a time-invariant filter 86—10360
Sherman, P.J. Circulant approximations of the inverses of Toeplitz matrices and related quantities with applications to stationary random processes 86—26691
Sherman, P.J. Application of a frequency domain approach in analysis of a statistical signal estimator 87—2553
Sherman, P.J. Frequency domain analysis of a family of minimax signal estimators 88—34661
Sherman, P.J., Frazho, A.E. High resolution spectral estimation of sinusoids in colored noise using a modified Pisarenko decomposition 87—19735
Sherman, P.J., Lou, K.N. On the rate of convergence of the ML spectral estimate for identification of sinusoids in noise 88—73068
Sherman, P.J. *see* Foias, C. 88—34727
Sherman, P.O., Parker, J.E. Continuing technical education at 3M 87—23180
Sherman, R. *see* Gerristead, W.R., Jr. 88—19780
Sherman, R.A. *see* Gilks, G.N. 86—29423
Sherman, R.C. *see* Boehm, R.J. 86—55326
Sherman, R.J. Specifying rotating polygons and their drive systems 87—39267
Sherman, R.J., Sullivan, S. Advantages of laser scanning as a visual inspection tool 85—39821
Sherman, S. *see* Counts, L. 87—18199
Sherman, S.I. *see* Dixon, D.S. 87—26861, 88—12693
Sherman, S.K. Algorithms for timing requirement analysis and generation 88—70728
Sherman, W. CAD/CAM reaches out to hybrid technology 88—1231
Sherman, W. CAD/CAM for the development of hybrid circuits 88—32689
Sherman, W.H. Inspection: do we need it? 88—56045
Sherman, Ya.N. *see* Bobyl'kov, A.N. 86—51798
Shermergor, T.D. *see* Bablumyan, A.S. 85—19057, 86—22171
Shermergor, T.D. *see* Korneev, V.I. 86—10158
Shermergor, T.D. *see* Poduzhailo, V.G. 87—1903
Shernock, D. Dry etching 88—44834
Shernoff, D.I. *see* Smith, D.A. 85—51210
Shernyakov, Ju.M. *see* Baranov, A.N. 88—7333
Shernyakov, Yu.M. *see* Atadzhikov, K. 85—45417
Shernyakov, Yu.M. *see* Baranov, A.N. 85—61730, 87—33200, 87—39125, 87—54325
Sheromov, M. *see* Sokolov, A. 86—60627
Sheromov, M.A. *see* Borodin, Yu.I. 86—60684
Sheromov, M.A. *see* Dementyev, E.N. 86—60564, 86—60572
Sheromov, M.A. *see* Mesentsev, N.A. 86—60675
Sheron, B. *see* Bernero, R. 86—25785
Sheron, B. *see* Marsh, L. 85—38764
Sheron, B.W. The NRC perspective on plant life extension 88—42969
Sheron, B.W. Severe accident management in the United States 88—75343
Sheronov, A.P. *see* Dubkov, V.A. 85—20689
Sheronova, S.M. *see* Shyutte, N.M. 88—12899
Sherouse, G. *see* Pizer, S.M. 88—48228
Sherouse, G.W. *see* Mosher, C.E., Jr. 87—50400, 88—74870
Sherov, P.N. Effect of selenium on the electrical properties of Sb_2Te_3 88—57333
Sherpenberg, S. User insertable nonvolatile RAM 88—751
Sherr, S. *see* Todd, L.T., Jr. 87—70440
Sherr, S.I. Communications standards and the IEC 85—36508
Sherratt, A.F.C., McVeigh, J.C. Ambient energy in the UK 88—23600
Sherratt, G. *see* Jones, H. 85—41094, 88—65046, 88—65979
Sherratt, S.J. Optical inspection tool for disk substrates 88—34188
Sherrier, R.H. *see* Suddarth, S.A. 87—57094
Sherriff, S.B. *see* Barber, D.C. 87—33713
Sherrill, B. *see* Kirchner, R. 86—60542
Sherrill, B.M., Alexopoulos, N.G. The method of lines applied to a finline/strip configuration on an anisotropic substrate 87—54636
Sherrill, B.M., Alexopoulos, N.G. The method of lines for the analysis of planar waveguides having uniaxially anisotropic substrates 87—75501
Sherrill, G. *see* Hancock, R.J. 88—15604
Sherrill, G.K., Mattauch, R.J., Crowe, T.W. Interfacial stress and excess noise in Schottky-barrier mixer diodes 86—41738
Sherrill, M.S., Streit, R.L. In situ optimal reshading of arrays with failed elements 87—68890
Sherrima, F., Soohoo, R.F. Frequency domain analysis of thin film head response 87—25811
Sherrod, P.H. Electronic mail in the automated office 87—27923
Sherrouse, P.M. *see* Crosswy, F.L. 88—42607
Sherrow, S.S. *see* Borst, F.J. 88—42999
Sherry, E.V. The art of assessing electricity availability 85—21154
Sherry, N.G. *see* Vakili, F. 86—56430
Sherry, R. *see* Frank, M.V. 85—43746
Sherry, R. *see* Hsia, D.Y. 85—43749
Sherry, W.M., Erich, J.S., Bartschat, M.K., Prinz, F.B. Analytical and experimental analysis of LCCC solder joint fatigue life 86—14711
Sherry, W.M. *see* Acarlar, M.S. 88—67430
Sherry, W.M. *see* Dunn, D.S. 86—13474
Shershakov, V.M. *see* Barzenko, V.I. 87—51918
Sherstinsky, A. *see* Richards, B. 87—59564
Sherstneva, T.N. *see* Berezhnoi, A.A. 85—18755, 86—42371
Sherstobitov, V.E. *see* Betin, A.A. 85—29888, 86—3252
Sherstobitov, V.E. *see* Bol'shukhin, O.G. 85—12904, 86—54173, 86—54176
Sherstobitov, V.E. *see* Dimakov, S.A. 87—68361
Sherstobitov, V.E. *see* Glukhikh, I.V. 88—8125
Sherstobitov, V.E. *see* Goryachkin, D.A. 85—41340, 86—68583
Sherstobitov, V.E. *see* Kimakov, S.A. 86—9755
Sherstobitov, V.E. *see* Kliment'ev, S.I. 86—48472
Sherstobitov, V.E. *see* Zavgorodneva, S.I. 85—2393
Sherstyakov, A.P. *see* Voronin, S.T. 85—6743, 86—48295, 87—37931
Sherstyuk, A.G. Estimating the transverse armature response in unipolar machines 87—64522
Sherstyuk, I.N. *see* Chachko, A.G. 86—25475
Sherstyuk, Yu.L. *see* Fotin, V.P. 85—43627
Sherstyukov, N.G. *see* Gryaznov, I.M. 88—63013, 88—70109
Shertukde, H.M., Bar-Shalom, Y. Target parameter estimation in the near field with two sensors 87—3237
Shertukde, H.M., Bar-Shalom, Y. Target parameter estimation with passive sensors in the presence of false detections 88—9632
Shertukde, H.M., Bar-Shalom, Y. Target parameter estimation in the near field with two sensors 88—72921
Sherwell, D. *see* Fletcher, J.D. 88—14326
Sherwin, A.G. New specs penetrate NDT industry 88—6571
Sherwin, D.J. Failure and maintenance data analysis at a petrochemical plant 85—10285
Sherwin, D.J. Improved schedules by using data collected under preventive maintenance 85—39510
Sherwin, D.J. On the availability of 1-out-of-2 standby systems 85—49392
Sherwin, D.J. *see* Jenny, B.W. 87—31334
Sherwin, J. Designing video amplifiers is a step-by-step affair 87—5683
Sherwin, R.P., Garbin, D.A., Spires, R.A. Modern voice/data network design in the complex American commercial environment 88—66879
Sherwood, A.M. Control of spasticity in spinal cord injury through spinal cord stimulation 88—54601
Sherwood, B. *see* Stotlar, S.C. 86—22457
Sherwood, D.L. Bias and anticipation in neural networks 88—57780
Sherwood, D.T. Some theorems on quantization and an example using dither 87—7755
Sherwood, D.T., Bershad, N.J. Quantization noise effects in the complex LMS adaptive algorithm—linearization using dither 86—16456
Sherwood, D.T., Bershad, N.J. Nonlinear quantization effects in the frequency domain complex scalar LMS adaptive algorithm 86—37015
Sherwood, D.T., Bershad, N.J. The complex LMS adaptive algorithm, a new result for transient mean square error 87—7763
Sherwood, D.T., Bershad, N.J. Quantization effects in the complex LMS adaptive algorithm: linearization using dither-theory 87—66383
Sherwood, D.T., Bershad, N.J. Quantization effects in the complex LMS adaptive algorithm—linearization using dither—applications 88—59149
Sherwood, D.T., Weill, L.R. Kalman-filter deconvolution of a nonminimum-phase multipath channel 85—2861
Sherwood, D.T. *see* Bershad, N.J. 86—64189
Sherwood, D.T. *see* Dentino, M.J. 85—17719
Sherwood, E. *see* Bromborsky, A. 88—25819, 88—50584
Sherwood, E.G. *see* Davis, H.A. 86—14810, 87—17636, 87—66829, 88—64194
Sherwood, E.G. *see* Kwan, T.J.T. 87—17635, 88—50585
Sherwood, E.M. Optimize your motor enclosure selection 85—27370
Sherwood, G. *see* Tiernan, T. 88—36501
Sherwood, J. *see* Voss, A.J.R. 86—60970
Sherwood, P.M. *see* Lo, K.L. 87—50713
Sherwood, R. *see* Hasselbring, T. 88—35711
Sherwood, R.C. *see* Hellman, F. 88—20320
Sherwood, R.C. *see* Jin, S. 85—52727, 87—60840, 87—60845
Sherwood, R.D., Kinzer, C.K., Hasselbring, T.S., Bransford, J.D., Williams, S.M., Goin, L.I. New directions for videodiscs 87—56410
Sherwood, T.R., Harold, M.H., Jones, H.J. Radiation-hard, pulsed magnets for the CERN ACOL injection line 88—68145
Sherwood, T.R. *see* Carron, G. 88—53998
Sherwood, T.R. *see* Fiander, D.C. 86—32048
Sherwood, T.R. *see* Johnson, C.D. 86—32031, 88—54320
Sherwood, T.R. *see* Pearce, P. 86—31860
Sherwood, W. The VLSI VAX chip set microarchitecture 86—34883
Sherwood, W., McNolty, F., Mirra, J. What goes up must come down [multivariate failure analysis] 88—56075
Sherwood, W. *see* Mirra, J. 86—57268, 87—44074
Sheshadri, R.N. *see* Heard, B.J. 85—33816
Sheshagiri, K.S.V. *see* Thomas, V.A. 85—26837
Sheshelovskii, M.L. *see* Averbakh, Yu.A. 86—45190
Sheshelovskii, M.L. *see* Bonesko, V.A. 86—39520
Sheshin, E.P. *see* Bondarenko, B.V. 87—16868, 88—32711
Sheshin, E.P. *see* Rybakov, Yu.L. 85—23310
Sheshin, Ye.P. *see* Astakhov, O.P. 88—7250
Sheshin, Ye.P. *see* Bondarenko, B.V. 87—17593, 88—19585, 88—44507, 88—44509
Sheshneva, Yu.I., Nikandrova, L.K., Taimaskina, A.N., Vislova, L.A. Coloring of structural thermoplastics by pigment concentrates 88—33444
Sheshukov, A.P. *see* Gonyaev, V.S. 88—60905

Sheskin, T.J. Economic tradeoffs in the design of customer premise service earth stations for satellite communications 86—59858
Sheskin, T.J. Graphical program to display a testbed block diagram with real-time data on an IBM Personal Computer 87—8985
Shesler, A.A. *see* Danilov, L.V. 85—10947
Shesler, A.T., Wagner, S.G. A three-dimensional core model for personal computers 87—71910
Shestak, A.F. System of automation for experiments on the fast heating of metals 85—3835
Shestak, E.J. *see* Rogers, J.D. 88—43256
Shestak, E.J. *see* Singh, S.K. 88—69461
Shestaka, A.I. *see* Gerasimyak, R.P. 86—33742
Shestakov, A.P. *see* Dmitriev, E.I. 88—34080
Shestakov, A.V. *see* Angert, N.B. 88—65645
Shestakov, A.V. *see* Bagdasarov, Kh.S. 86—54114
Shestakov, A.V. *see* Bakin, D.V. 88—20612
Shestakov, A.V. *see* Dobrovol'skii, A.V. 86—9793
Shestakov, A.V. *see* Kuratev, I.I. 86—54122
Shestakov, A.V. *see* Zharikov, E.V. 86—9792, 86—9794
Shestakov, B.A. *see* Bykovskii, Yu.A. 85—15124
Shestakov, B.M. On the design of digital-analogue systems for speed control of electric drives with flexible couplings 87—9879
Shestakov, N.I. *see* Gonyaev, V.S. 88—60905
Shestakov, V.I. The basic algebraic laws of dipole combinations of dipoles and regular sequences of these combinations 86—22741
Shestakov, V.I. The equivalence of passive-input-output devices 88—31956
Shestakov, V.M. *see* Veits, V.L. 85—49145
Shestakov, V.N. *see* Fedorov, V.G. 86—51583
Shestakov, V.N. *see* Mazurov, V.M. 85—53984
Shestakov, V.V. Control of errors in communication systems with space-time channel multiplexing 86—23279
Shestakov, V.V. *see* Klimenko, E.Yu. 88—26727, 88—71987
Shestakov, V.V. *see* Zinov'yev, A.N. 88—8897
Shestakova, E.F. *see* Bogdankevich, O.V. 86—5324
Shestakova, E.F. *see* Darznek, S.A. 85—35848
Shestakova, E.F. *see* Georgobiani, A.N. 88—50680
Shestakova, N.G. *see* Zherebtsov, V.A. 87—51489
Shesterenko, V.E. A thermal compensator as a component in overhead transmission lines 87—78155
Shesterikov, K.A., Grechinskii, D.A., Rygalin, V.G. Design principles of vibroacoustic diagnostic equipment 87—3522
Shesterikov, V.A. *see* Butusov, M.M. 88—29503
Shesternina, G.P., Raskina, I.Kh., Belen'kii, L.I. Use of new Soviet colorimetric equipment in textile-material quality evaluation 86—55863
Shestopal, S.A. *see* Belei, A.S. 86—70295
Shestopalov, A.M. Application of microprocessors for the construction of message switching centers 85—36484
Shestopalov, A.M. The analysis of imbalance parameters of three-phase voltages [distribution networks] 86—61133
Shestopalov, A.M. Effect of dividers on measurement accuracy of symmetrical 3-phase voltage components 87—78063
Shestopalov, A.M., Moiseyev, Yu.G. Determination of the data reception characteristics of an operator in man-machine systems 85—36167
Shestopalov, A.M. *see* Yegupov, N.D. 88—27959
Shestopalov, A.V.P. *see* Komar', G.I. 86—14459
Shestopalov, V. *see* Androsov, V.P. 85—61438
Shestopalov, V.P., Dranovskii, V.I., Efimov, V.B., Kalmykov, A.I., Pichugin, A.P., Selivanov, A.S., Spiridonov, Yu.G., Tuchin, Yu.M., Khmyrov, B.E. Combined optical and radar methods for studying the environment 86—12130
Shestopalov, V.P. *see* Abdulkadyrov, V.A. 86—22617
Shestopalov, V.P. *see* Bass, F.G. 86—65549
Shestopalov, V.P. *see* Believ, E.I. 86—3649
Shestopalov, V.P. *see* Efimov, B.P. 86—27806
Shestopalov, V.P. *see* Ermak, G.P. 87—32051, 87—73610
Shestopalov, V.P. *see* Evdokimenko, Yu.I. 85—55393
Shestopalov, V.P. *see* Glotov, Yu.I. 85—55098, 86—47055, 88—70954
Shestopalov, V.P. *see* Kalmykov, A.I. 87—35491
Shestopalov, V.P. *see* Kechiev, M.M. 86—8829
Shestopalov, V.P. *see* Kechiyev, M.M. 88—44371
Shestopalov, V.P. *see* Komar, G.I. 86—22739, 86—48640, 87—32042, 88—34421, 88—63839
Shestopalov, V.P. *see* Korneenkov, V.K. 86—29180, 86—62821
Shestopalov, V.P. *see* Koshparenok, V.N. 85—45948, 85—50030, 86—3623, 86—14458, 86—27563, 87—37517, 88—38695
Shestopalov, V.P. *see* Kostenko, A.A. 88—32878
Shestopalov, V.P. *see* Kryzhanovskii, V.V. 87—61419, 87—63479
Shestopalov, V.P. *see* Lukin, K.A. 87—26897
Shestopalov, V.P. *see* Maksimov, P.P. 87—16924
Shestopalov, V.P. *see* Nesterenko, A.V. 85—62611
Shestopalov, V.P. *see* Nosich, A.I. 86—64027, 87—54622, 88—34370
Shestopalov, V.P. *see* Rud', L.A. 88—34372
Shestopalov, V.P. *see* Sirenko, Yu.K. 88—66153
Shestopalov, V.P. *see* Tarasov, M.M. 86—21015, 87—73958
Shestopalov, V.P. *see* Tsvyk, A.I. 87—32201
Shestopalov, V.P. *see* Vertii, A.A. 85—14984, 86—10090, 86—14463, 86—35068, 86—59033, 86—63919, 88—942
Shestopalov, V.P. *see* Vertiy, A.A. 87—24434
Shestopalov, Yu.A. *see* Ksenofontov, A.P. 86—56421
Shestopalov, Yu.K. Polarization characteristics of radio thermal emission of a rough surface with large-structure sharp irregularities. I. Deterministic irregularities 86—59030
Shestopalov, Yu.K. *see* Bogorodskii, V.V. 86—60334, 86—70209
Shestopalov, Yu.K. *see* Kozlov, A.I. 88—66052
Shestopalov, Yu.K. *see* Simonova, V.M. 86—63993
Shestopalov, Yu.K. *see* Vlasov, A.A. 86—6128
Shestopalov, Yu.N. *see* Blanter, B.E. 85—48106
Shestopalov, Yu.V. Existence of a discrete spectrum of normal modes of microstrip transmission lines with layered dielectric filling 85—13189
Shestopalov, Yu.V. An investigation of the problem of the characteristic waves of microstrip lines in a full electrodynamical formulation 86—29505
Shestopalov, Yu.V. Normal modes of bare and shielded slot lines formed by domains of arbitrary cross section 87—54628
Shestunov, E.A. A general model of an automatic control system for a hydroelectric power station 87—4604
Shet, K.C., Rao, B.V. An overview of the Kalman algorithm 86—23041
Shet, K.C., Rao, B.V. Non-stationary learning characteristics of adaptive lattice filter 86—23042
Shet, K.C., Rao, B.V. Levinson filter for nonstationary processes 86—37093
Shet, K.C., Rao, B.V. Dynamic equation for Levinson filter in a nonstationary environment 87—2519
Shet, K.C., Rao, B.V. Performance evaluation of adaptive algorithms 87—27552
Shet, K.C., Rao, B.V. Linear time-varying optimal filtering 87—47695
Shet, K.C., Rao, B.V. Modified fast Kalman algorithm 87—69135
Sheth, N.S. Impregnating compounds and binder varnishes for traction electrical machines 85—5437
Sheth, N.S. Dielectric dissipation factor—a useful measurement during manufacture and use of enamelled winding wires 88—55303
Sheth, P.R. *see* Lawit, R.L. 85—15957
Sheth, P.R. *see* Murthy, M.L.R. 85—53641
Shetler, J. *see* Oubre, R.P. 86—25793
Shetti, S.S.M., Nishimura, A., Hester, R., Chatterjee, P. Multiplexed test structure in testbar design [VLSI] 86—28461
Shetty, D., Imbert, C. Evaluation of engineering surfaces by diffraction pattern analysis 85—15038
Shetty, D., Imbert, C. Computer identification of machined surfaces 85—20725
Shetty, H.V.K. Failure analysis and preventive maintenance of AC motors used in modern cement plants 88—43514
Shetty, H.V.K., Radhakrishna, S. Selection of HT drives for modern cement plants 85—10288
Shetty, H.V.K. *see* Mistry, D.K. 88—43088
Shetty, K.N. *see* Ramana, D.V. 85—26861
Shetty, M.S. Online monitoring systems—need and status 88—35776
Shetty, P.C. *see* Flynn, M.J. 85—38053
Shetty, P.N.R. *see* Lesrado, L. 85—26836
Shetty, P.S. *see* Ramakumar, R. 87—30291
Shetty, R.A. *see* Fong, Y.S. 87—69297
Shetty, R.A. *see* Yu-Shan Fong 87—47975
Sheu, B.J., Fung, A.H., Lai, Y.-N. A knowledge-based approach to analog IC design 88—33292
Sheu, B.J., Hsu, W.-J., Ko, P.K. An MOS transistor charge model for VLSI design 88—50841
Sheu, B.J., Hu, C. Switch-induced error voltage on a switched capacitor 85—544
Sheu, B.J., Hu, C., Ko, P.K., Hsu, F.-C. Source-and-drain series resistance of LDD MOSFET's 85—6940
Sheu, B.J., Ko, P. Measurement and modeling of short-channel MOS transistor gate capacitances 87—53526
Sheu, B.J., Ko, P.K. A simple method to determine channel widths for conventional and LDD MOSFETs 85—12298
Sheu, B.J., Ko, P.K. A capacitance method to determine channel lengths for conventional and LDD MOSFETs 85—12300
Sheu, B.J., Ko, P.K. An analytical model for intrinsic capacitance of short-channel MOSFETs 85—50736
Sheu, B.J., Ko, P.K. Short-channel effects on MOS transistor capacitances 87—11787
Sheu, B.J., Ko, P.K., Hsu, F.-C. Characterization of intrinsic capacitances of small geometry MOSFET's 85—50771
Sheu, B.J., Ko, P.K., Hu, C. On the high-frequency and high-speed characteristics of MOS VLSI circuits 86—21856
Sheu, B.J., Scharfetter, D.L., Hu, C., Pederson, D.O. A compact IGFET charge model 85—1604
Sheu, B.J., Scharfetter, D.L., Ko, P.-K., Jeng, M.-C. BSIM: Berkeley short-channel IGFET model for MOS transistors 87—67260
Sheu, B.J., Scharfetter, D.L., Ko, P.K., Young, T.K. BSIM, an IC process-oriented MOSFET model and the associated characterization system 86—58623
Sheu, B.J., Shieh, J., Patil, M. Modeling charge injection in MOS analog switches 87—38276
Sheu, B.J. *see* Hsu, M.C. 87—74426
Sheu, B.J. *see* Hsu, W.-J. 88—71692
Sheu, B.J. *see* Shieh, J.-H. 87—46191
Sheu, B.J. *see* Shih, C.-C. 88—57678
Sheu, C.C. *see* Preiswerk, Hp. 87—45742
Sheu, G. *see* Kadis, A.L. 85—45895
Sheu, L.Shey-Ping *see* Shey-Ping Sheu, L.
Sheu, P.C.-Y. VLSI design with object-oriented knowledge bases 88—56387
Sheu, S.R., Lee, J.Y., Wang, J.F. A VLSI architecture for the maneuvering target tracking filtering 87—19836
Sheu, S.R., Lee, J.Y., Wang, J.F. A VLSI architecture for the maneuvering target tracking filtering 88—44815
Sheu, Y.-D., Butler, S.R., Magee, C.W. Redistribution of implanted chlorine in SiO_2 films on silicon during subsequent oxidation 87—11650
Sheu, Z. *see* Nonaka, S. 85—61095
Sheu Lei-Jyuan *see* Lei-Jyuan Sheu
Sheue-ling Lien, Kajiya, J.T. A symbolic method for calculating the integral properties of arbitrary nonconvex polyhedra 85—16844
Sheung, Y., Arsenault, H.H. Method for determining expansion centers and predicting sidelobe levels for circular-harmonic filters 88—3184
Shevaldin, B.M. *see* Goroshkova, T.V. 85—52839, 88—4579
Shevaldykin, V.G. A standardless thickness gauge based on three-dimensional acoustic waves 87—345
Shevaldykin, V.G. Thickness measurement of objects having variable sound velocity with depth without a standard 87—31596
Shevchenko, A.A., Shevchenko, O.A. Organization of microprocessor control systems for electric converter devices 88—17718
Shevchenko, A.A. *see* Aseev, V.G. 87—64569, 87—72088
Shevchenko, A.A. *see* Egorov, E.A. 88—55264
Shevchenko, A.I., Osipov, E.V., Rep'yak, A.N., Zhukov, L.F. Mathematical modelling of thermometric bridges for frequencies 0.1-1 Hz 85—26402
Shevchenko, A.L. *see* Malikov, M.M. 86—63767
Shevchenko, A.M. *see* Khristich, V.A. 88—23761
Shevchenko, A.P. *see* Gamayunov, S.N. 87—50161
Shevchenko, A.T. *see* Boguslavskii, L.A. 85—4678, 87—4543
Shevchenko, A.T. *see* Sveshnikov, V.I. 86—25578
Shevchenko, A.V., Khlebnikov, S.D. Calculation of the magnetic field of a mainline bus conductor when short-circuited 87—2266
Shevchenko, A.V. *see* Matveenko, L.I. 86—30929
Shevchenko, E.A. *see* Aksinenko, V.D. 88—32051
Shevchenko, E.B. *see* Amatuni, A.N. 87—70796
Shevchenko, E.G. *see* Avdeeva, V.P. 85—12880
Shevchenko, E.G. *see* Bezotosnyi, V.V. 85—29853
Shevchenko, E.G. *see* Dolginov, L.M. 85—12881, 85—62583
Shevchenko, E.G. *see* Vasil'ev, M.G. 85—7412
Shevchenko, I.Ya., Baldakov, V.F., Filippenkov, V.A. Apparatus for ultrasonic inspection of large diameter welded straight seam pipes 85—49613
Shevchenko, L.V. *see* Rapoport, G.N. 87—45155
Shevchenko, N.A. *see* Gichko, O.I. 86—24234
Shevchenko, N.B. *see* Zhestkov, V.F. 86—42875
Shevchenko, N.K. *see* Gel'berger, A.M. 86—44790
Shevchenko, O.A. *see* Shevchenko, A.A. 88—17718
Shevchenko, O.F. *see* Stepanov, G.V. 85—34656
Shevchenko, P.N. *see* Drabovich, Yu.I. 88—12215
Shevchenko, S.A. *see* Keilin, V.E. 85—56228
Shevchenko, S.A. *see* Zharikov, O.V. 85—1281
Shevchenko, T.B., Shugan, I.V. Laser sea surface sensing from an aircraft 88—30177
Shevchenko, T.B. *see* Grigor'ev, P.V. 88—30182
Shevchenko, T.B. *see* Volyak, K.I. 87—77882
Shevchenko, V. *see* Galaktionov, Yu. 87—8841
Shevchenko, V.A. *see* Andreev, E.A. 86—5918
Shevchenko, V.A. *see* Grodzinskii, V.L. 85—4932
Shevchenko, V.G. *see* Alexeev, N.N. 86—31903
Shevchenko, V.G. *see* Antonishin, N.V. 88—37753
Shevchenko, V.G. *see* Bezmenov, F.V. 86—19658
Shevchenko, V.I. *see* Armand, N.A. 86—37388
Shevchenko, V.I. *see* Matveenko, L.I. 86—30929
Shevchenko, V.K. *see* Mironyuk, A.G. 86—50582
Shevchenko, V.M. *see* Muzykin, V.A. 87—25261
Shevchenko, V.N. Algebraic approach in integer programming 85—60870

Shevchenko, V.N. *see* Chirkov, A.Yu. 88–49715
Shevchenko, V.N. *see* Kesova, L.A. 85–15086
Shevchenko, V.P. *see* Boryu, N.V. 87–9619
Shevchenko, V.V. Critical frequencies of one-mode fiber lightguides with a complicated core 85–18704
Shevchenko, V.V. Shift formulas in the theory of dielectric waveguides 85–19186
Shevchenko, V.V. Excitation of waveguides in the presence of associated waves 87–54639
Shevchenko, V.V. Shift-formula methods in the theory of dielectric waveguides and fiber lightguides (review) 88–921
Shevchenko, V.V. Alteration formulas methods in the theory of dielectric waveguides 88–932
Shevchenko, V.V., Burunin, O.A. Study of EM phenomena in pulse relay AC voltage regulators 87–43207
Shevchenko, V.V. *see* Bezborodov, Yu.M. 86–41311, 87–44693
Shevchenko, V.V. *see* Dal'chenko, P.G. 85–41326
Shevchenko, V.V. *see* Emel'yanov, I.Ya. 86–32976
Shevchenko, V.V. *see* Goncharenko, I.A. 85–24327, 85–57095
Shevchenko, V.V. *see* Nefedov, I.E. 86–22169
Shevchenko, V.V. *see* Nefedov, I.Ye. 86–22168
Shevchenko, V.V. *see* Pelipenko, V.P. 87–7422
Shevchenko, V.V. *see* Tolkynov, V.P. 85–5115, 85–32507
Shevchenko, Y.A. *see* Ignatyev, O.V. 88–16666
Shevchenko, Yu.A. *see* Ignat'ev, O.V. 88–68297
Shevchenko, Yu.V. *see* Gavrilyuk, M.S. 88–19274
Shevchenko, Yu.V. *see* Lazarev, A.M. 86–23071, 86–29687
Shevchenko, Yu.V. *see* Pantaleyev, V.V. 88–66241
Shevchenko, Zh.I. *see* Lipin, V.M. 85–5600
Shevchenkov, N.G. *see* Dovbnya, A.N. 85–26644
Shevchuk, A.D. *see* Lavrent'ev, B.V. 87–65604
Shevchuk, B.M., Mamaev, V.N., Petrukhin, V.A. Design of a multichannel biotelemetric system 87–41919
Shevchuk, P.P. *see* Buzaneva, E.V. 85–34806
Shevchuk, S.N., Naumov, V.S. Mathematical modelling of nonstationary processes in semiconductor charging converters with an intermediate HF stage [switched mode power supplies] 86–20260
Shevchuk, S.N. *see* Sokolov, B.V. 87–51347
Shevchuk, V.V. Synthesis of a frequency characteristic for suppressing additive noise in a measurement device 87–41295
Shevchuk, V.V. *see* Beklemishchev, A.I. 88–47485
Shevel', S.G. *see* Brodin, M.S. 88–58500
Shevel', S.G. *see* Yorz, J. 85–24517
Shevelenko, E.V. *see* Shevelenko, V.D. 85–44880
Shevelenko, V.D., Bulatov, V.N., Zasekan, V.P., Shevelenko, E.V. Pulse-spectral method of controlling the amplitude of alternating voltages 85–44880
Shevelenko, V.D., Derevyashkiy, V.A., Shevelenko, Ye.V. Features of the spectra of intermittent pulse sequences for use in measurements 85–7896
Shevelenko, Ye.V. *see* Shevelenko, V.D. 85–7896
Shevelev, A.D. *see* Zamkov, V.N. 85–53964
Shevelev, D.V. *see* Fedorchenko, A.M. 87–33297
Shevelev, M.V. *see* Gvozdetskii, V.S. 85–60598
Shevelev, V.V. *see* Braginskii, R.P. 87–9198
Shevelevich, R.S. *see* Zel'dovich, B.Ya. 86–29113
Shevel'ko, M.M. *see* Peregudov, A.N. 87–65587
Shevell, S.F., Buzacott, J.A., Magazine, M.J. Simulation and analysis of a circuit board manufacturing facility 87–37739
Shevenell, M.P. Survey of autonomous imaging 85–30472
Shevenell, M.P. Transponder net self calibration algorithm 85–31114
Shevenell, M.P. A simulation involving MAPS video bandwidth reduction, acoustic channel errors, and error checking 86–43217
Shevenell, M.P., Winn, A.L. Acoustic transmission of images using a microprocessor-based video bandwidth reduction technique 85–26021
Shevera, V.S. *see* Opachko, I. 86–29083
Sheverdin, G.P. *see* Andrievskii, E.A. 86–22000, 86–47973, 88–13685, 88–60890, 88–71948
Sheverdina, Z.N. *see* Andrievskii, E.A. 88–13685
Sheverev, V.A. *see* Gamazeishchikov, A.M. 88–65591
Shevgaonkar, R.K. Minimum-relative-entropy method–solution to the missing short-baseline problem 87–28711
Shevkun, I.M. *see* Mulyarchik, S.G. 87–10598, 87–11725
Shevkunov, V.I. *see* Chernyshev, A.V. 87–23769
Shevlik, N.V. *see* Yatsevich, N.N. 88–16294
Shevlyakov, E.F. *see* Nosov, K.B. 87–22662
Shevlyakov, G.L. *see* Pasman, V.R. 88–281
Shevlyakov, V.I. *see* Afonin, V.V. 87–21912
Shevtson, E.N. *see* Lyapin, A.G. 88–30341
Shevtsov, B.M. Statistical characteristics of backscatter field 86–36694
Shevtsov, B.M. *see* Bugrov, A.G. 85–30038, 86–22687
Shevtsov, G.P. *see* Kadomskaya, K.P. 88–5370, 88–30955
Shevtsov, I.V. *see* Korolev, A.N. 86–15549
Shevtsov, M.K. Diffraction efficiency of phase holograms for exposure superposition 86–3363
Shevtsov, N.N. *see* Roizin, Ya.O. 87–56640
Shevtsov, V.F. *see* Perel'shtein, E.A. 85–9022
Shevtsov, V.M., Kozlov, V.N., Lyamets, Yu.Ya. A static active-current relay 87–11096
Shevtsov, V.M. *see* Anikin, V.I. 85–56384, 86–28840
Shevtsov, V.M. *see* Sotin, V.E. 85–35509
Shevtsov, Yu.A. *see* Tishchenko, O.F. 88–15878
Shevtsov, Yu.V., Ignat'ev, S.M. Calculating the field of vertical lines of charge in the ground with an inclined boundary between layers [earthing] 85–48610
Shevtsov, Yu.V., Ignat'ev, S.M. Analysis of the resistance of a vertical earthing connection with inclined interface of the layers 88–10914
Shevtsova, N.A. *see* Lozinskii, N.S. 87–52886
Shevtsova, N.F. *see* Komolova, L.F. 85–11922
Shevyakhov, N.S. Distinctive features of the scattering of a transverse wave by a cylindrical cavity containing a semiconductor in a hexagonal piezoelectric 86–15297
Shevyakhov, N.S. Influence of a polarizing field on the scattering of a shear wave by a cavity in a dielectric 86–68068
Shevyakhov, N.S. *see* Marysheva, T.N. 86–2502
Shevyakov, M.M. *see* Bychkov, S.I. 85–14285
Shevyakov, V.V. *see* Gruzdev, I.A. 88–69332
Shevyrev, A.S., Dyubko, S.F., Fesenko, L.D., Yartsev, V.I. New emission line of a submillimeter molecular CD_2Cl_2 laser 87–2079
Shevyrev, A.S. *see* Bakumenko, V.M. 87–26255
Shevyrev, G.A., Lavygin, V.M. Optimising the parameters of geothermal power stations 88–5575
Shevyrev, Yu.V. *see* Kogan, A.I. 88–43524
Shewchuk, A. *see* Kekez, M.M. 85–18504
Shewchuk, M.E. *see* Cormack, G.D. 87–69243
Shewchuk, T.J., Chapin, P.C., Coleman, P.D., Kopp, W., Fischer, R., Morkoc, H. Resonant tunneling oscillations in a GaAs-$Al_xGa_{1-x}As$ heterostructure at room temperature 85–28989
Shewchuk, T.J., Chapin, P.C., Gering, J.M., Coleman, P.D., Kopp, W., Morkoc, H. Microwave admittance characterization of GaAs-$Al_xGa_{1-x}As$ resonant tunneling heterostructures 86–62845
Shewchuk, T.J., Gering, J.M., Chapin, P.C., Coleman, P.D., Kopp, W., Peng, C.K., Morkoc, H. Stable and unstable current-voltage measurements of a resonant tunneling heterostructure oscillator 86–8828
Shewchuk, T.J. *see* Coleman, P.D. 86–35636
Shewchun, J., Khait, V., Roman, K. A new planar junction technology for 100 mm diameter silicon solar cells 86–7084
Shewski, W.J. Quality costs in perspective 85–4832
Shey-Ping Sheu, L., Thanh Truong, Yuzuki, L., Elhatem, A., Kadekodi, N. Design method for ultra-high resolution linear CCD imagers 85–58577
Sheya, M.S., Riley, C., Grimsdale, R.L. Microprocessor-controlled multichannel STAT analyser 86–32222
Sheybany, S. XRF as a problem solving tool 85–54581
Sheynblatt, L. *see* Enge, P.K. 87–41107
Shi, A.J., Thorp, J., Thomas, R. An AC/DC/AC interface control strategy to improve wind energy economics 86–33227
Shi, B., Khoury, J., Tsividis, Y. High frequency effects in MOSFET-C Tow-Thomas biquads 86–62686
Shi, B. *see* Khoury, J. 86–62717
Shi, C., Zhang, K. A robust approach for timing verification 88–24894
Shi, C.-S., Lin, D.-Y., Zao, S.-H., Liu, C.-Q. The scattering by a buried object in a lossy medium 87–33416
Shi, C.L., Miles, A.R. A twin spherical drive for prosthetics and robotics 85–48334
Shi, C.L., Miles, A.R. The extension of generalized root loci techniques to the study of synchronous machines 86–6702
Shi, D. A new heuristic algorithm for constrained redundancy-optimization in complex systems 88–31546
Shi, D. *see* Clapp, M.T. 85–50856, 87–18548
Shi, D. *see* Singh, J.P. 88–58010
Shi, F. *see* El-Sharkawi, M.A. 85–9922
Shi, F. *see* Lauritzen, P.O. 86–35732
Shi, G. *see* Xu, B. 87–54801
Shi, H. *see* Zeng, F. 86–68128
Shi, J., Showers, R.M. Mechanism of the switching transient in a low-voltage DC system 86–33521
Shi, J. *see* Monchaud, S. 87–49530
Shi, J.M. *see* Hong, J.S. 87–52791, 88–25419, 88–25544
Shi, L. Over-voltages on the ±500 kV Gezhouba-Shanghai HVDC transmission line 88–68896
Shi, L., Li, G., Zhang, G. Switching overvoltages in HVDC converter stations 88–68895
Shi, L. *see* Kwok, H.S. 88–38228, 88–49862
Shi, M., Yan, Y., Chen, T. Comprehensive control for transient stability of large regional power network with higher voltage during system emergency 88–68816
Shi, M. *see* Zhao, J. 88–68824
Shi, M.-Q., Jiang, D.-H. Filled image guide for millimeter-wave circuits 87–73758
Shi, M.-Q., Jiang, D.-H. Analysis of the propagation properties in an inverted strip dielectric guide 88–27586
Shi, N.K., Um, G.S., Johnson, C.R. Rapid estimation of background clutter leakage 87–13017
Shi, Q. Image processing operations using CD representation 87–48105
Shi, Q.-Y. *see* Chang, S.-K. 87–47910
Shi, S., Rabitz, H. An operator method for solving the determining equations for the group analysis of differential equations 88–38114
Shi, S.L., Yu, P.K.L. BH InGaAsP lasers with an LPE grown semi-insulating layer 86–63825
Shi, S.M. *see* Hong, J.S. 86–62806
Shi, S.M. *see* Wang, J.F. 87–2611
Shi, W.-M., Li, J.K.-J., Liu, L.C., Sun, Y., Siddiqui, O., Chien, Y.W. Pulse mode iontophoresis of insulin–a new approach to control blood glucose levels in diabetic rats 88–10406
Shi, W.-Z., Wang, S.-M., Pan, Z.-N., Li, G.-X. A study of adhesion of solar array on the substrate of carbon fiber composite 88–37455
Shi, W.K., Zhu, L.Y., Bogy, D.B. Use of readback signal modulation to measure head/disk spacing variations in magnetic disk files 87–53885
Shi, W.Q., Kurtz, R., Machan, J., Bass, M., Birnbaum, M., Kokta, M. Simultaneous, multiple wavelength lasing of (Er, Nd):$Y_3Al_5O_{12}$ 88–8156
Shi, X.-D. *see* Shen, L.C. 88–16887
Shi, Y. A real-time optical correlator using an AM-FM acousto-optic device 87–12277
Shi, Y., Tompkins, W.J., Hecox, K. Real-time estimation of the muscle force from a multichannel EMG 86–56132
Shi, Y. *see* Green, D.N. 86–67061
Shi, Y.C., Klafter, L., Bradley, J.F., Lynch, J.F. Optical rotors–lightwave transmission across rotating interfaces 87–70028
Shi, Y.C., Klafter, L., Harstead, E.E. A dual-fiber optical rotary joint 86–22112
Shi, Y.C., Olsson, N.A. Cleaved-coupled-cavity laser interferometer 85–56893
Shi, Y.C. *see* Klafter, L. 88–26806
Shi, Y.Q., Nose, N.K. Nonnegativity constrained spectral factorization for image reconstruction from autocorrelation data 88–66757
Shi, Y.Q. *see* Bose, N.K. 87–36950, 87–62069, 87–65797, 88–6584, 88–27899
Shi, Z. A convergence condition for the quadrilateral Wilson element 85–312
Shi, Z. *see* Qiu, P. 88–51121
Shi, Z.L., Li, C.S., Tian, X.Z., Tang, Y.Q. A new acquisition scheme for DS spread spectrum system using a SAW convolver 88–46862
Shi Airu *see* Jiao Zhengkuan 87–60867, 88–45012, 88–65025
Shi Aying *see* Xie Zhiming 86–29094
Shi Baixuan *see* Ma Yangwu 86–36532
Shi Bangren Raman scattering of a Ti-diffused $LiNbO_3$ waveguide 88–58182
Shi Baoju *see* Baoju Shi
Shi Bin-xing, Fu Yun-peng, Lu Jun-ling, Tang Hua A calculation model for the CuCl laser and the influence of pulse repetition rate upon the laser beam's output power 87–38970
Shi Bingxue *see* Bingxue Shi
Shi Binxing *see* Binxing Shi
Shi Cai-tu *see* Xu Jian-ming 87–8795
Shi Cai-Tu *see* Yuan Qin-Liang 87–56936
Shi Chang-Long *see* Liu Yi-Chong 85–32658
Shi Chang-xin, Xin Shang-heng, Wu Ding-fen The effect of parallel conductance in AlGaAs/GaAs heterojunctions 87–60129
Shi Chang-xin, Xin Shang-heng, Wu Ding-fen The effect of parallel conductance in a AlGaAs/GaAs heterojunction 88–57340
Shi Chang-yan *see* Cai Zheng-ping 86–11739
Shi Changxin Gate control characteristics of 2-DEG in AlGaAs/GaAs heterojunction and optimum doping 85–1356
Shi Changxin Gate control characteristics of 2-DEG in AlGaAs/GaAs heterojunction and optimum doping 85–55804
Shi Changxin, Li Xiaoming, Xin Shangheng, Chen Yixin Investigation on p-buried GaAs MESFETs 87–67251
Shi Changxin, Li Xiaoming, Xin Shangheng, Chen Yixin Investigation on *p*-buried GaAs MESFETs 88–71605
Shi Changxin, Yu Xing Analysis of the static characteristics for GaAs IC gates 87–67552
Shi Changxin *see* Wu Dingfen 87–67291
Shi Changxin *see* Yan Benda 88–57671
Shi Changxin *see* Zhou Mian 85–55658, 87–74011
Shi Chen *see* Chen Shi
Shi Choi Hae *see* Hae Shi Choi
Shi Choi Jae *see* Jae Shi Choi
Shi Daojun, Liu Kuiwen, Zhu Yinghua, Liu Dianyou, Xu Guozheng, Luan Jinghai, Guo Chu, Zheng Guanglin, Cha Guigen, Jiang

Aibao, Qian Jianming Study of a new UV-filtering material for lasers—UL-coating 86−22445
Shi Detang *see* Ye Zongyuan 86−70300
Shi Ding Hua *see* Ding Hua Shi
Shi Ding-Hua *see* Ding-Hua Shi
Shi Dinghua, Xu Feng Problems and development of FTA [fault tree analysis] 87−5269
Shi Dung-hua *see* Liao Jiong-sheng 85−54179
Shi Fengming *see* Xiao Aiying 85−62214
Shi Funi *see* Li Deming 88−56742
Shi Genfang *see* Feng Guaugzeng 87−3055
Shi Guangchang Nuclear safety regulation in the People's Republic of China 88−30483
Shi Gui-qing, Xu Bin-zheng Estimation theory and rate distortion theory 87−39538
Shi Gui-qing, Xu Bin-zheng A Chernoff's bound of the probability for correct estimation 87−39540
Shi Guiqing *see* Guiqing Shi
Shi Guoliang *see* Su Jinwen 85−46302, 88−2313, 88−27014
Shi Guoliang *see* Xiong Shouren 88−26840
Shi Haiyun *see* Wang Kangsun 88−74863
Shi Hanmin *see* Zheng Xiaojun 88−60549
Shi Hu *see* Zhang Shangqiong 87−68290
Shi Hu-li Shape optimization of subreflector for the dual-reflector antennas 86−16060
Shi Huan-zhang *see* Chen Chao-qing 85−31713, 88−42417
Shi Huangzhang *see* Chen Chaoqing 88−61074
Shi Huen Din *see* Din Shi Huen
Shi hun-xiang *see* Guo Si-ji 88−27211
Shi Jia-qi *see* Wang Bao-cheng 88−42531
Shi Jiabiao, Pan Yinnian, Wang Wei Pulsed magnet for free electron lasers 88−14244
Shi Jiaquan Research for design methods of communication software of local microcomputer network 87−69716
Shi Jiawei, Gu Yifan, He Jingtang, Jiang Chongyi, Song Chuanxin Some data about inorganic scintillation crystals 88−29896
Shi Jiayan, Dong Minghui, Li Huisheng, Zhao Xiaomin Saturated power-angle characteristic of turbogenerator 87−9503
Shi Jie, Monchaud, S., Prat, R., Kas, I. Control of motors by microprocessors for space positioning and localization 88−43140
Shi Jinchuan *see* Chu Cheng 87−33217, 87−46928, 87−75133
Shi Jinhui *see* Chen Guojian 86−70391
Shi Jinxing *see* Zhong Lei 88−50619
Shi Jiqun *see* Green, M.A. 86−7058
Shi Kai-jian, Zhu Hong-e Efficient routing algorithm 87−73872
Shi Kexin *see* Yan Jialie 85−37731
Shi Lie *see* She Jiaoying 87−67503
Shi Liming *see* Xi Shaoshen 86−57061
Shi Mei-Qi *see* Mei-Qi Shi
Shi Meilin, Wu Jianping Architecture of distributed general computer network DGCNET 86−49285
Shi Meilin *see* Wu Jianping 86−49286
Shi Meiqi *see* Jiang Dinghua 88−20977
Shi Menlin, Chen Xin Design and implementation of the communication protocol for the Ethernet network layer and transport layer 86−59654
Shi Miangong *see* Jiang Zengxue 88−10198
Shi Mingliang, Yao Zonglun, Zhu Pengxia, Wang Sufen A thin-film bolometer 85−4140
Shi Minsheng Design method of the high efficiency brushless DC motor with constant speed 85−9925
Shi Peisheng *see* Tu Shigu 85−18983
Shi Ping The excitation of a nonradiated H-guide by a rectangular waveguide 87−75534
Shi ping Huang *see* Huang Shi ping
Shi Pingnan *see* Pingnan Shi
Shi Qin *see* Qin Shi
Shi Qinling *see* Shi Zhengdong 88−1966
Shi Qun *see* Qun Shi
Shi Rihua *see* Chen Qinggui 85−34761
Shi Ruigen *see* Chu Cheng 87−46928, 87−75133, 88−51841
Shi Ruigeng *see* Chu Cheng 87−33217
Shi Senchai *see* Shu Yonghui 87−66513
Shi Shaojun *see* Wu Rongsheng 85−24072
Shi Shi-zhong *see* Wang Bao-cheng 88−42531
Shi Shiwen, Yao Qinglin Validity of static stability criterion for loss-of-excitation analysis 87−50848
Shi Shiwen *see* Yi Cheng 86−45366
Shi Shouxu *see* Wang Weili 88−8037, 88−72201
Shi Shouyong *see* Zhang Zhipeng 85−29564, 86−53939
Shi Shuanghui *see* Gu Jiahui 88−10238
Shi Shuanghui *see* Xiao Genlai 86−11804
Shi Shuhuai *see* Feng Weiting 88−40422
Shi Song-Yao *see* Zhang Luo 87−46327
Shi Szhiwen *see* Zhao Xueshu 86−68405
Shi Wan Lu *see* Lu Shi Wan
Shi Weidong The measurement of central and fringe field of the Mobley magnet for compressing beam pulse and the improvement of the uniformity 87−50092
Shi Weidong *see* Kong Hongzhi 86−26798
Shi Weidong *see* Wang Liangming 87−50093
Shi Weidong *see* Yuan Suoxiang 85−43144
Shi Weimin A transistorized phase-shifting frequency multiplier used in a nanosecond pulsing system for 2.5 MeV proton Van de Graaff accelerator 88−10186
Shi Wen-Hong, Chen Jin-Guang General proof of phase relation between an *m*-sequence and its sampled sequence 86−69047
Shi Wen-Hong, Chen Jin-Guang Radiation pattern of a stripline excited rectangular aperture 87−39455
Shi Wen-Hong, Chen Jin-Guang Improper decimation of m-sequences 87−39733
Shi Wen-Hong, Chen Jin-Guang Moment method in the analysis of a stripline excited rectangular aperture 88−40705
Shi Wen-Hong, Chen Jin-Guang Study on the recurrences of pseudorandom array 88−46018
Shi Wen-Hong *see* Chen Jin-Guang 85−57102
Shi Wenchong A microprocessor-based data transmission system using VHF radio for county power dispatching 88−36749
Shi Wenkang, Zhu Liyan, Bogy, B. A new method to measure the dynamic characteristics of air-bearings in magnetic disk files 88−1871
Shi Xiangqing, Yang Caibing, Qi Yizhi, Cao Xiaoneng, Ma Jindi, Huang Jizhang Fabrication of variable thickness superconducting microbridges with the pile-up masking technique 88−20271
Shi Xianliang *see* Xianliang Shi
Shi Xianqing, Yang Caibing, Cao Xianoneng, Ma Jindi, Li Xizhi, Huang Jizhang, Li Xiaoli Fabrication of Josephson tunnel junction with suspended metal mask 88−15424
Shi Xiaodong *see* Liu Rongxun 87−21244
Shi Xiaofeng *see* Xu Shunchao 88−72258
Shi Xiu-rong *see* Huang Ren 85−20743
Shi Xiuqin *see* Ge Tongyuan 86−5977
Shi Xiyan On some factors of online testing 88−29235
Shi Xizhi, Xu Zhouhua, Ye Zhihua Application of time-varying filtering of transient signals in optimal estimation of evoked potentials 88−4954
Shi Yalimg *see* Gong Huanming 88−27366
Shi Yaling, Wang Weiyi, Zhou Zexuan, Li Shuseng, Gong Huanming A YAG laser marker 87−54451
Shi Yaling *see* Yu Deming 86−70022
Shi Yan *see* Zhao Tiesong 86−28623
Shi Yan-tao *see* Chen Zong-zhi 87−61818
Shi Yen-yang *see* Li Hao-mo 87−37529
Shi Yijing, Li Dongshu, Zhou Wenjin Effects of fiber external cavity on properties of semiconductor injection lasers 88−40267
Shi Yin *see* Wang Shoujue 88−6725
Shi Ying-guang A minimization problem in the mean norm using generalized rational functions 86−62075
Shi Yinnan *see* Hu Zhiqiang 85−62483
Shi Yong Liu, Li Zhong Hu Monolithic integration SCC AlGaAs/GaAs laser by using microcleaved process 86−48415
Shi Yongqian, Gao Yayun, Lan Yizheng, Li Fumin Measurement of absolute thermal neutron fluence rate in wide range with muscovite track detector 86−11891
Shi Yongqiang *see* Tian Zhiwei 85−57461
Shi You-qui *see* You-qui Shi
Shi Young-ji Micro statistical model of 1/f noise in semiconductor devices 85−45626
Shi Yousheng, Li Fang Audio frequency voltage source 86−11871
Shi Yuchun, Ma Hongwei Simulating the influence of soil humidity and waterlogging on the α-track survey 86−11862
Shi Zengrong, Fan Zengxiu, Deng He Damage and its accumulation of optical coatings 88−72369
Shi Zhaoxiang *see* Shen Fengji 88−15674
Shi Zheng Hao *see* Zheng Hao Shi
Shi Zhengdong, Shi Qinling A new excitation method for optical fiber measurement 88−1966
Shi Zhi Zu *see* Jiang Xin Yuan 87−56987
Shi Zhong-ci A remark on the optimal order of convergence of Wilson's nonconforming element 86−62173
Shi Zi-Guang *see* Tan Zu-De 88−569
Shi Zi-kang, Jiang Al-dong, Ye Hai-tao, Chen Chuang-tian Electrical properties of a new pyroelectric barium metaborate crystal in low temperature phases and its potential application in an infrared pyroelectric detector 85−40944
Shi Zikang Possibility of the application of β-BaB_2O_4 crystal in side electrode pulse laser energy meter 86−3250
Shi Zongren *see* Zeng Xiantang 86−11916
Shi Zunlan *see* Xu Kang 85−23832
Shi-chang, Z. On the gyrotron dispersion equation for a general mode 86−35266
Shi-Chang Lin *see* Lin Shi-Chang
Shi-chang Tsou *see* Tsou Shi-chang
Shi-Chang Zhang Kinetic theory of traveling wave gyro-peniotron 86−27802
Shi-Chang Zhang Coaxial waveguide gyro-peniotron 86−62992
Shi-Chang Zhang Bunching mechanism and kinetic analysis of the relativistic electron beam in centrifugal electrostatic focusing system 87−19141
Shi-chang Zhang Gyro-peniotron focused by radial electrostatic field and axial magnetostatic field 87−24702
Shi-chang Zhang, Shanggang Liu Large-orbit gyrotron with an assistant radial electrostatic focusing-field 87−24703
Shi-Chang Zhang, Shenggang Liu Angular momentum effect and enhanced efficiency in the electron cyclotron maser 88−72240
Shi-chang Zhang *see* Zhang Shi-chang
Shi-chang Zou *see* Zou Shi-chang
Shi-Chao Ge *see* Ge Shi-Chao
Shi-Chun Zhou *see* Trivedi, M.M. 88−23194
Shi-de He *see* He Shi-de
Shi-Fang Zhou *see* Bing-Zong Li 88−26097
Shi-Feng Nie *see* Nie Shi-Feng
Shi-Feng Zhang *see* Wyngaard, J.C. 87−71328
Shi-Guang Tao *see* Tao Shi-Guang
Shi-Guang Wang, Lindelof, P.E. Low-voltage behaviour of superconducting aluminium microbridges 85−46088
Shi-Hae Liu *see* Tsong-Liang Huang 87−71542
Shi-hai Zheng *see* Zheng Shi-hai
Shi-He Li, Bosisio, R.G. Comparison study of six-port calibration techniques 88−53526
Shi-he Li *see* Li Shi-he
Shi-Hong Do *see* Tae-Jin Choi 87−50136
Shi-Hong Do *see* Yung-Ho Kang 87−21687
Shi-hu Shen *see* Shen Shi-hu
Shi-hui Gu *see* Gu Shi-hui
Shi-ji Fan *see* Fan Shi-ji
Shi-jian Xie *see* Xie Shi-jian
Shi-Jie, Monchaud, S., Noureddine, F., Prat, R. A new 3D sensor for mobile robot location and artificial picture synthesis 88−36079
Shi-jie Cheng, Malik, O.P., Hope, G.S. Self-tuning stabiliser for a multimachine power system 86−50832
Shi-jie Cheng, Malik, O.P., Hope, G.S. Analysis of a variable pole-shifting self-tuning stabilizer 87−78647
Shi-jie Cheng *see* Chow, Y.S. 87−71585
Shi-jing He *see* He Shi-jing
Shi-jun Jiang *see* Jiang Shi-jun
Shi-jun Lang *see* Lang Shi-jun
Shi-Kay Yao Optical considerations in target alignment using a non-actinic wavelength microscope 88−1485
Shi-kay Yao, Meshman, B. Exposing patterns with a scanning laser system 87−11555
Shi-Kay Yao *see* Nuhn, M. 87−38425
Shi-kay Yao *see* Sungmuk Lee 87−11547
Shi-ke Zhong *see* Zhong Shi-ke
Shi-Kun Chen *see* Chen Shi-Kun
Shi-Kuo Chang *see* Kalev, J. 87−69671
Shi-Kuo Chang *see* Silver, H. 86−64340
Shi-Li Zhang *see* Ji-Tao Wang 87−5465
Shi-liang Chang *see* Chang Shi-liang
Shi-liang Wang On revising the definition of the dielectric loss angle 88−7762
Shi-liang Zhang *see* Zhang Shi-liang
Shi-Lin Chen *see* Huey-Yeong Chu 86−25665
Shi-Lin Chen *see* Hui-yung Chu 86−39202
Shi-Lin Chen *see* Ta-Peng Tsao 88−23324
Shi-Lin Chen *see* Wei-Cheng Lin 88−36782
Shi-Lun Guo, Drach, J., Price, P.B., Salamon, M.H., Tincknell, M.L., Ahlen, S.P., Tarle, G. Calibration of Tuffak polycarbonate track detector for identification of relativistic nuclei 85−64482
Shi-Lun Guo, Price, P.B., Tincknell, M.L. Study of relativistic projectile fission with CR-39 plastic stack 87−29591
Shi-Lun Guo, Tress, G., Vater, P., Khan, E.U., Dersch, R., Plachky, M., Brandt, R., Khan, H.A. New approach to increase the gas throughput through mica track microfilters by changing their pore structure 86−50400
Shi-Lun Guo *see* Dersch, R. 86−50408
Shi-min Guo *see* Guo Shi-min
Shi-min Zhang *see* Zhang Shi-min
Shi-ming Hsiang The ultimate limitation to grey scale performance of electro-optical imaging systems 86−59315
Shi-ming Lin *see* Lin Shi-ming
Shi-Ming Xiang *see* Xiang Shi-Ming
Shi-Pei Wu *see* Wu Shi-Pei
Shi-Peng Huang *see* Ying-Li Luo 86−39665
Shi-Peng Huang *see* Huang Shi-Peng
Shi-ping He *see* He Shi-ping
Shi-qian Sun *see* Sun Shi-qian
Shi-Qin Feng *see* Yi-Song Liu 88−53208
Shi-quan Chen *see* Chen Shi-quan
Shi-sheng Zhang *see* Zhang Shi-sheng
Shi-song Mao *see* Mao Shi-song
Shi-Wei Gao *see* Gao Shi-Wei
Shi-wen Yuan *see* Yuan Shi-wen
Shi-xian Zan *see* Zan Shi-xian
Shi-Xiang Peng *see* Peng Shi-Xiang
Shi-xiu Kang *see* Xing-shu Xie 86−60691
Shi-yang Jiang *see* Shun-de Wang 86−50033
Shi-Yashiki, H. *see* Suzuki, H. 85−41984
Shi-yi Chang An analysis of the measuring system of zero-flux current transformer 85−58791
Shi-yi Sheng *see* Sheng Shi-yi
Shi-yong Liu *see* Liu Shi-yong
Shi-Zeng, W., Lee, S.C. A very high-speed digital signal storing device 86−67220
Shi-zhan Lei *see* Lei Shi-zhan

Shi-Zhi Li, Thiele, G.A. A hybrid theory of diffraction for the RCS calculation of ogive-like bodies 85−25925
Shi-zhi Li *see* Li Shi-zhi
Shi-zhong Chen *see* Chen Shi-zhong
Shi-zhong Qiao *see* Qiao Shi-zhong
Shi-zhong Shi *see* Shi Shi-zhong
Shiagaki, T., Ibe, H., Ozeki, T. Video transmission characteristics in WDM star networks 85−63659
Shian Aur *see* Ping Yang 86−21613
Shiang-Chyong Luo, M., Chih-Tang Sah Annealing of interface states on oxidized silicon during chip bonding 88−25999
Shiang-Chyong Luo, M. *see* Yi-Ping Chao, C. 87−24950
Shiao-Min Tseng *see* Marks, R.J., II. 85−36240
Shiaokiu Tan *see* Tan Shiaokiu
Shiau, F.Y., Cheng, H.C., Chen, L.J. Epitaxial growth of CrSi$_2$ on (111)Si 85−363
Shiau, F.Y. *see* Cheng, H.C. 85−54492
Shiau, J.-J., Fahrenbruch, A.L., Bube, R.H. A method to improve the speed and sensitivity of constant-capacitance voltage transient measurements 87−49868
Shiau, J.-J., Fahrenbruch, A.L., Bube, R.H. Improved constant capacitance voltage transient measurement for deep level analysis 88−37503
Shiau, M.J., Choung, Y.H., Chen, C.H., Chen, M.H. NASA ACTS autotrack antenna feed system 87−27099
Shiau, M.J. *see* Peng, S.T. 85−13301
Shiau, T.-H. *see* Mangasarian, O.L. 87−10281
Shiau Jeng-Jye *see* Jeng-Jye Shiau
Shiavi, R., Bourne, J., Holland, A. Automated extraction of activity features in linear envelopes of locomotor electromyographic patterns 86−65437
Shiaw-Juang Chen, Li, V.O.K. A new multiple access protocol for local area networks 86−16619
Shiba, A. *see* Miwa, H. 85−46958
Shiba, E. *see* Shimano, T. 88−47957
Shiba, E. *see* Yamamoto, A. 86−50263, 88−39843
Shiba, F., Sano, S., Muto, S., Ito, C. Thin film waveguide dye lasers in spectral region of near ultraviolet to violet 85−62538
Shiba, F. *see* Muto, S. 85−29793, 86−42498, 87−54261, 87−68398
Shiba, H. *see* Itoh, F. 87−14036
Shiba, H. *see* Muto, S. 86−63792
Shiba, K., Doi, K. Differential pressures type mass flowmeter with orifices 88−68087
Shiba, K., Ichinose, T., Kitamura, J. Investigation based upon Bernoulli's theorem for outlet-flow of capillary viscometer 88−4696
Shiba, K., Ichinose, T., Yamaguchi, T. Reversible orifice flowmeter 85−47905
Shiba, K. *see* Kira, T. 85−56119
Shiba, K. *see* Matsueda, O. 86−43785
Shiba, M., Koizumi, M., Katsuta, T. Automatic inspection of contaminants on reticles [VLSI manufacture] 85−12322
Shiba, M. *see* Oshida, Y. 87−11546
Shiba, M. *see* Suzuki, M. 85−65101
Shiba, N. *see* Yamanaka, M. 86−33650
Shiba, S. *see* Yamaya, T. 88−18176
Shiba, T., Tamaki, Y., Nanba, M., Ikeda, K., Nakamura, T. Base peripheral effects on future self-aligned bipolar devices for VLSIs 88−71756
Shiba, T., Yuhara, A., Yamada, J. Effect of electrode resistance on insertion loss and triple transit echo in surface acoustic wave filter 85−18524
Shiba, T. *see* Fujita, Y. 88−13643
Shiba, T. *see* Ieyoshi, Y. 85−36733
Shiba, T. *see* Nanba, M. 88−64520
Shiba, T. *see* Nomura, To. 88−42067
Shiba, T. *see* Okada, M. 85−13813
Shiba, T. *see* Sagara, K. 88−26215
Shiba, T. *see* Takahashi, K. 86−54043
Shiba, T. *see* Tamaki, Y. 88−13561
Shiba, T. *see* Yamada, J. 86−21936, 86−47945, 88−33491, 88−51122
Shiba, T. *see* Yamada, T. 87−67675
Shibaev, S.A. *see* Medvedeva, I.V. 88−40478
Shibaev, V.P., Kostromin, S.G., Plate, N.A., Ivanov, S.A., Vetrov, V.Yu., Yakovlev, I.A. Thermo-recording on the liquid crystalline polymers 86−9453
Shibaev, V.V. *see* Abil'siitov, G.A. 85−21997
Shibaev, Yu.A. *see* Radin, V.I. 86−45408
Shibaeva, R.P. *see* Yagubskii, E.B. 85−35330
Shibagaki, H., Yamamoto, K., Okada, M. Japanese teletex terminal 85−63254
Shibagaki, H. *see* Ishizuka, Y. 88−9117, 88−21668
Shibagaki, K. *see* Fukui, A. 87−62719
Shibahara, K. Trend of new power device technology 88−11437
Shibahara, K., Kuroda, N., Nishino, S., Matsunami, H. Fabrication of P-N junction diodes using homoepitaxially grown 6H-SiC at low-temperature by chemical vapor deposition 88−26208
Shibahara, K., Nishino, S., Matsunami, H. Metal-oxide-semiconductor characteristics of chemical vapor deposited cubic-SiC 85−23574
Shibahara, K., Nishino, S., Matsunami, H. Surface morphology of cubic SiC(100) grown on Si(100) by chemical vapor deposition 87−23647
Shibahara, K., Nishino, S., Matsunami, H. Antiphase-domain-free growth of cubic SiC on Si(100) 87−58960
Shibahara, K., Nishino, S., Matsunami, H. Heteroepitaxial growth of antiphase-boundary free cubic SiC(100) single crystals on Si(100) 88−43899
Shibahara, K., Saito, T., Mishino, S., Matsunami, H. Fabrication of inversion-type n-channel MOSFETs using cubic-SiC on Si(100) 87−18136
Shibahara, K., Saito, T., Nishino, S., Matsunami, H. Inversion-type N-channel MOSFET using antiphase-domain free cubic-SiC grown on Si(100) 87−25339
Shibahara, K., Takeuchi, T., Saitoh, T., Nishino, S., Matsunami, H. Inversion-type MOS field effect transistors using CVD grown cubic SiC on Si 88−44778
Shibahara, K. *see* Dohmae, S. 86−21406
Shibahara, K. *see* Kuroda, N. 88−18708
Shibahara, K. *see* Nishino, S. 85−44757
Shibahara, Y., Nishida, S. Failure of power fuse holding insulator for distribution tower at Morinomiya in the Osaka loop line 87−51388
Shibaike, N. *see* Nakayama, M. 86−38279, 86−42120
Shibakawa, H. Pantograph troubles from removed ear section of pull-off fittings at the premises of Yotsugoya station (Oh-u Line) 87−36208
Shibakin, V.F. *see* Kosov, V.I. 86−18169
Shibalko, L.V. *see* Vetokhin, S.S. 87−24727
Shibama, Y. *see* Suzuki, K. 88−68978
Shibamura, E., Crawford, H.J., Doke, T., Engelage, J.M., Flores, I., Hitachi, A., Kikuchi, J., Lindstrom, P.J., Masuda, K., Ogura, K. Ionization and scintillation produced by relativistic Au, He, and H ions in liquid argon 88−4807
Shibamura, E. *see* Crawford, H.J. 87−41859
Shibamura, E. *see* Doke, T. 85−43166, 85−59174
Shibano, H. *see* Yamamoto, K. 88−4629
Shibano, I., Kyusho, Y., Taguchi, N. 400 W CO$_2$ laser CL115D 86−58878
Shibano, I. *see* Kyusho, Y. 86−58877
Shibano, I. *see* Watanabe, S. 88−51778
Shibano, M. *see* Mochizuki, K. 88−53434
Shibano, M. *see* Morishita, M. 85−58348
Shibano, T. *see* Abe, H. 85−18441
Shibano, Y., Ikeda, J., Norikane, T. Low noise receiver for satellite broadcasting 86−55427
Shibanuma, K., Shibata, T., Matsuda, T., Matsumoto, K. Development of refrigeration technology for superconducting equipment 87−12068
Shibanuma, K. *see* Shibata, T. 88−74631
Shibanuma, N., Ohshima, Y., Kosuge, K., Ogawa, T., Shikada, M., Kaneko, H. Multi-purpose laser diode modules 87−75107
Shibanuma, N., Ohshima, Y., Sekino, T., Shikada, M. DIP type LD modules for optical telecommunications 86−4664
Shibao, M. *see* Okamoto, Y. 88−74186
Shibasaki, H. *see* Nakamura, M. 87−63773
Shibasaki, H. *see* Nishida, S. 85−31854
Shibasaki, K. *see* Ito, H. 87−15648
Shibasaki, K. *see* Nishio, M. 85−20288, 85−51509, 86−69875, 88−60347
Shibasaki, M., Itoh, M. Hybrid distance and hybrid capacity on networks 87−5560
Shibasaki, M., Itoh, M. A method for distributed control of multi-point connection in a network 87−48279
Shibasaki, M. *see* Tinker, R. 86−49170
Shibasaki, S. *see* Kurihara, A. 87−14641
Shibasaki, T., Suda, S., Kobayashi, H. The M50455-XXXSP TV-screen display controller 88−74156
Shibasaki, Y. *see* Takahashi, S. 87−14791
Shibata, A. Theoretical analysis of optical illumination effect of MISS devices 86−2963
Shibata, A., Asai, M., Nagahara, Y., Nakajima, S., Takamori, N. Polycrystalline silicon solar cells 87−9734
Shibata, A., Asai, M., Nagahara, Y., Nakajima, S., Takamori, N., Takeoka, S., Kitanishi, H., Ogura, H., Marvoka, M. High efficiency solar module NT131 series 86−56946
Shibata, A., Kuroyanagi, T., Kojima, N., Watatani, Y. The new chroma signal recording system for 8 mm video 85−20368
Shibata, A. *see* Arai, Y. 85−26794
Shibata, A. *see* Hayafuji, Y. 85−12048, 86−7811, 86−35535
Shibata, A. *see* Itoh, S. 86−11304
Shibata, A. *see* Tachikawa, M. 86−22217
Shibata, A. *see* Takamori, N. 87−43438
Shibata, A. *see* Watatani, Y. 85−20371
Shibata, C. *see* Kasagi, N. 86−55873
Shibata, C. *see* Morita, K. 88−75505
Shibata, C. *see* Okada, F. 88−51354
Shibata, C. *see* Sato, G. 86−60739
Shibata, E., Nakakoshi, T., Minato, K. High temperature heat pump by binary refrigerating system 87−72617
Shibata, E.I. *see* Loos, J.S. 86−70317
Shibata, F., Fukami, T. A brushless and exciterless polyphase synchronous motor 88−5669
Shibata, F., Kohrin, T. Exciterless and brushless DC self-excited three-phase synchronous generator 86−45368
Shibata, F., Kohrin, T. A brushless, self-excited single-phase synchronous generator operating with load and exciting currents flowing in armature 87−64551
Shibata, F., Taka, K. Speed control system for brushless cascade induction motors in control range of slips $s_1>1$ and $s_2>1$ 87−64587
Shibata, H. Input earthquake motion for a vibration test of critical equipment and pipings of nuclear power plants on an earthquake simulator 85−48720
Shibata, H. Characteristic impedance of the slab line with an anisotropic dielectric having a tilted principal axis 86−3632
Shibata, H. Asahi Broadcasting develops system for improved TV image resolution 86−11271
Shibata, H. Role of field testing and shaking table test on full scale structure for NPP seismic-safety, and its relation to computational mechanics 88−55142
Shibata, H., Ikai, Y. High color temperature 3-band type fluorescent lamp 'PA-LOOK DAY' 88−6016
Shibata, H., Ikeda, Y., Kurahara, Y. Model reference adaptive control of a DC-motor with PWM driving circuit referred to a discrete-time model 88−5927
Shibata, H., Ikeda, Y., Maruoka, G., Aoki, S., Ogawa, T. Fault detection in AC electrical equipment 87−77357
Shibata, H., Kikuchi, Y., Terakado, R. Characteristic impedance of the slab line with an anisotropic dielectric 85−46597
Shibata, H., Koizumi, T. Crosstalk of coupled transmission lines with round wires for a multiwire circuit board 87−32124
Shibata, H., Samata, S., Saitoh, M., Matsuno, T., Sasaki, H., Matsushita, Y., Hashimoto, K., Matsunaga, J. Low-resistive and selective silicon growth as a self-aligned contact hole filler and its application to 1 M bit static RAM 88−7745
Shibata, H., Suizu, Y., Samata, S., Matsuno, T., Hashimoto, K. High performance half-micron PMOSFETs with 0.1 μm shallow p$^+$n junction utilizing selective silicon growth and rapid thermal annealing 88−39474
Shibata, H., Terakado, R. A different property of the resistive region with an antisymmetric tensor to that with a symmetric tensor 86−5477
Shibata, H. *see* Aoki, Y. 88−71478
Shibata, H. *see* Arimoto, K. 86−41127, 87−37285
Shibata, H. *see* Hoshimiya, N. 88−61456
Shibata, H. *see* Iwama, K. 88−6017
Shibata, H. *see* Kohara, M. 85−23891, 86−14632
Shibata, H. *see* Kondoh, T. 87−68309
Shibata, H. *see* Kurokawa, H. 85−60994
Shibata, H. *see* Lau, C.K. 88−39470
Shibata, H. *see* Matsui, M. 88−6832
Shibata, H. *see* Miyamoto, J.-I. 85−22865
Shibata, H. *see* Momose, H. 85−35073, 85−50737
Shibata, H. *see* Morimoto, H. 85−12092
Shibata, H. *see* Nakao, S. 87−66800
Shibata, H. *see* Ohtani, T. 87−59505
Shibata, H. *see* Saitoh, M. 86−21594
Shibata, H. *see* Suzuki, Y. 88−9486
Shibata, H. *see* Tagawa, S. 87−11875
Shibata, H. *see* Tonuma, T. 85−15139
Shibata, H. *see* Tsutsumi, K. 86−63429
Shibata, I., Okada, S., Tokura, K., Arao, Y., Abiko, I., Nihei, K. 400 dots/in. LED printing head with high accuracy die bonding technology 87−17572
Shibata, I. *see* Hosoe, T. 87−55647
Shibata, I. *see* Iguchi, Y. 85−37690
Shibata, I. *see* Ikehata, M. 85−28838
Shibata, I. *see* Miyazaki, M. 87−68220
Shibata, I. *see* Nomura, A. 86−5213, 86−17986
Shibata, I. *see* Tanabe, H. 86−14768
Shibata, J., Mori, Y., Sasai, Y., Hase, N., Serizawa, H., Kajiwara, T. Fundamental characteristics of an InGaAsP/InP laser transistor 85−24561
Shibata, J., Sasai, Y., Nakao, I., Kimura, S., Hase, N., Serizawa, H. Monolithic integration of InGaAsP/InP laser diode with heterojunction bipolar transistors 85−35662
Shibata, J. *see* Inoue, T. 86−68673
Shibata, J. *see* Matsuda, K. 85−46379, 88−40073, 88−45328, 88−65510, 88−65528
Shibata, J. *see* Mori, Y. 85−46296, 86−9705, 86−54152, 86−58935, 87−26547, 87−46989, 88−20631
Shibata, J. *see* Nakanishi, E. 88−71136
Shibata, J. *see* Nishizawa, J. 86−38514
Shibata, J. *see* Ohnaka, K. 87−38926, 88−57680, 88−65526
Shibata, J. *see* Tsujii, H. 88−14060, 88−65715
Shibata, K. Improvements in multicolored LEDs may be practical display alternative 86−5388

Shibata, K., Abe, B., Hori, S., Kamei, K. Broadband HEMT amplifier for 26.5-40.0 GHz 87−73794

Shibata, K., Abe, B., Kawasaki, H., Hori, S., Kamei, K. Broadband HEMT and GaAs FET amplifiers for 18-26.5 GHz 86−8511

Shibata, K., Emura, M., Yoneda, S. Stepping motor driving circuit using analogue input voltage difference 85−39032

Shibata, K., Emura, M., Yoneda, S. Optically isolated high voltage tracking amplifier using photo-thyristor-couplers 86−40936

Shibata, K., Emura, M., Yoneda, S. High voltage switched-capacitor circuit and its application to tracking amplifier 88−38625

Shibata, K., Nakayama, K., Ohtsubo, M., Kawasaki, H., Hori, S., Kamei, K. 20-GHz-band low-noise HEMT amplifier 87−6091

Shibata, K., Nakayama, T., Tanaka, Y., Mori, T. Microcomputer controlled X-ray high voltage generator, model HD150G-60 85−38108

Shibata, K., Takeuchi, K., Tanaka, T., Yokoo, T., Nakano, S., Kuwano, Y. Modulation type pyroelectric infrared sensor using $LiTaO_3$ single crystal 86−50099

Shibata, K., Tanaka, W., Hasegawa, H. Support system for specification phase of communication software 88−46598

Shibata, K., Yokoo, T., Takeuchi, K., Tanaka, T., Kamino, M., Nishikawa, S., Nakano, S., Kuwano, Y. A new-structure IR gas sensor 88−29329

Shibata, K. *see* Hasgawa, H. 88−21869

Shibata, K. *see* Inoue, T. 85−12052

Shibata, K. *see* Ishimatsu, K. 87−57303

Shibata, K. *see* Kamei, K. 86−2221, 86−53685

Shibata, K. *see* Kitamura, T. 87−64747

Shibata, K. *see* Kohmoto, O. 88−64907

Shibata, K. *see* Morimoto, M. 85−38104

Shibata, K. *see* Niitsu, Y. 86−47853

Shibata, K. *see* Nishioka, H. 85−38103

Shibata, K. *see* Shimakawa, T. 87−8885

Shibata, K. *see* Shinohara, K. 85−2745

Shibata, K. *see* Tanimoto, M. 88−46284

Shibata, K. *see* Yamazaki, S. 86−7035, 87−22778

Shibata, K. *see* Yokoo, T. 86−55734, 87−70648

Shibata, M. Error analysis of strapdown inertial navigation using quaternions 86−60896

Shibata, M., Yoshida, H., Shima, H., Sasaki, M., Fujita, K. Personal computer-controlled automatic analytical system for graphite furnace atomic absorption spectrometry 85−58535

Shibata, M. *see* Fujita, K. 87−44307

Shibata, M. *see* Fukui, Y. 88−10275, 88−47986

Shibata, M. *see* Imai, M. 87−31472, 88−70304

Shibata, M. *see* Inoue, T. 86−52431

Shibata, M. *see* Kotani, T. 88−56258

Shibata, M. *see* Onnagawa, H. 86−36352

Shibata, M. *see* Takamatsu, A. 85−453

Shibata, N. Improvement of solar cell performance using plasma-deposited silicon nitride films with variable refractive indices 88−55629

Shibata, N., Azuma, Y., Horiguchi, T., Tateda, M. Identification of longitudinal acoustic modes guided in the core region of a single-mode optical fiber by Brillouin gain spectra measurements 88−65199

Shibata, N., Braun, R.P., Waarts, R.G. Crosstalk due to three-wave mixing process in a coherent single-mode transmission line 86−55289

Shibata, N., Braun, R.P., Waarts, R.G. Phase-mismatch dependence of efficiency of wave generation through four-wave mixing in a single-mode optical fiber 87−68603

Shibata, N., Fukuda, K. Plasma-chemical vapor deposited silicon nitride films for solar cells 87−15976

Shibata, N., Fukuda, K., Ohtoshi, H., Hanna, J., Oda, S., Shimizu, I. Preparation of polycrystalline silicon by hydrogen-radical-enhanced chemical vapor deposition 87−36803

Shibata, N., Fukuda, K., Ohtoshi, H., Hanna, J., Oda, S., Shimizu, I. Growth of amorphous and crystalline silicon by HR-CVD (hydrogen radical enhanced CVD) 88−56309

Shibata, N., Kawachi, M., Seikai, S. Stress distributions in the cross section of a polarization-preserving fiber coupler 86−42236

Shibata, N., Miyauchi, A., Tanabe, A., Hanna, J., Oda, S., Shimizu, I. Hole transport in a-Si:H(F) prepared by hydrogen-radical-assisted chemical vapor deposition 87−32264

Shibata, N., Nakanishi, M., Watanabe, S., Ichimoto, T., Ariga, H. A satellite-communication controller 86−30712

Shibata, N., Neki, S., Dohi, T. 'Pana-Servo AC' driver for industrial sewing machines 88−23958

Shibata, N., Noguchi, K., Uesugi, N., Seikai, S. Physical solubility and activation energy for molecular hydrogen diffusion into a optical fiber 85−41129

Shibata, N., Oda, S., Shimizu, I. Hole transport in silicon thin films with variable hydrogen content 87−53161

Shibata, N., Ohashi, M., Kitayama, K., Seikai, S. Evaluation of bending-induced birefringence based on stimulated four-photon mixing 85−29599

Shibata, N., Ohki, A., Nakanishi, H., Zembutsu, S. Effects of lattice-matched $In_xGa_{1-x}As$ substrates on ZnSe growth by metalorganic vapor phase epitaxy 88−31770

Shibata, N., Ohki, A., Zembutsu, S. High-quality ZnSe film growth by 0.1-atm MOVPE under the diethylzinc diffusion-limited condition 87−73106

Shibata, N., Ohki, A., Zembutsu, S. Use of ethyliodide in preparation of low-resistivity n-type ZnSe by metalorganic vapor phase epitaxy 88−38170

Shibata, N., Ohki, A., Zembutsu, S., Katsui, A. Photoluminescence due to lattice-mismatch defects in high-purity ZnSe layers grown by metalorganic vapor phase epitaxy 88−45289

Shibata, N., Ohki, A., Zembutsu, S., Katsui, A. Thermoelastic strain in ZnSe films grown on GaAs by metalorganic vapor phase epitaxy 88−49833

Shibata, N., Okamoto, K., Nakazawa, M., Seikai, S., Tokuda, M. Polarization mode properties of an elliptical stress-cladding fiber 85−56349

Shibata, N., Seikai, S., Abe, T. Structural parameter design for polarization-preserving fiber used in a submarine optical transmission system with LD redundancy system 86−58755

Shibata, N., Seikai, S., Abe, T. Structural parameter design for polarization-maintaining fiber used in a submarine repeater 87−62986

Shibata, N., Tanabe, A., Hanna, J., Oda, S., Shimizu, I. Preparation of highly photoconductive a-$SiGe_x$ from fluorides by controlling reactions with atomic hydrogen 86−66856

Shibata, N., Tsubokawa, M., Kimura, Y., Siekai, S. Loss of temporal coherence due to fibre chromatic dispersion 86−9478

Shibata, N., Tsubokawa, M., Nakashima, T., Seikai, S. Temporal coherence properties of a dispersively propagating beam in a fiber-optic interferometer 87−46485

Shibata, N., Tsubokawa, M., Ohashi, M., Kitayama, K., Seikai, S. Birefringence and polarization mode dispersion in a coil of a single-mode fiber 87−18646

Shibata, N., Tsubokawa, M., Ohashi, M., Seikai, S. Bending loss measurement of LP_{11} mode in quasi-single mode operation region 86−9470

Shibata, N., Tsubokawa, M., Seikai, S. Measurements of polarisation mode dispersion by optical heterodyne detection 85−20737

Shibata, N., Tsubokawa, M., Seikai, S. Polarization mode dispersion in a coil of single-mode fiber 85−29596

Shibata, N., Tsubokawa, M., Tateda, M., Kawachi, M. Optical heterodyne method for evaluating the power coupling in the single-mode guided-wave Mach-Zehnder interferometer fabricated upon a silicon substrate 88−65328

Shibata, N., Waarts, R.G., Braun, R.P. Brillouin-gain spectra for single-mode fibers having pure-silica, GeO_2-doped and P_2O_5-doped cores 87−38785

Shibata, N., Zembutsu, S. A boundary layer model for the MOCVD process in a vertical cylinder reactor 88−408

Shibata, N., Zembutsu, S., Miyashita, T. Growth of ZnSe films on $In_xGa_{1-x}As$ substrate by metalorganic vapor phase epitaxy 86−52477

Shibata, N. *see* Azuma, Y. 88−33607

Shibata, N. *see* Hanna, J. 87−5445, 88−454

Shibata, N. *see* Higashi, T. 87−56184

Shibata, N. *see* Hori, F. 88−75512

Shibata, N. *see* Horiguchi, T. 86−2742, 86−9491

Shibata, N. *see* Iwanaga, H. 88−1533

Shibata, N. *see* Kim, B.G. 87−74664

Shibata, N. *see* Kimura, Y. 86−27198

Shibata, N. *see* Kitayama, K. 85−24300

Shibata, N. *see* Nakashima, T. 86−2684

Shibata, N. *see* Nakazawa, M. 85−56325

Shibata, N. *see* Noguchi, K. 85−41134, 85−46194, 85−50924, 86−2803, 87−53966

Shibata, N. *see* Oda, S. 86−27926, 86−40771

Shibata, N. *see* Ohashi, M. 85−29924

Shibata, N. *see* Ohki, A. 88−57305

Shibata, N. *see* Seikai, S. 87−49068

Shibata, N. *see* Shiga, S. 86−510

Shibata, N. *see* Tsubokawa, M. 85−62296, 86−2735, 86−42250, 86−48134, 87−18607, 87−54027, 88−1988, 88−72149

Shibata, N. *see* Uesugi, N. 85−18676

Shibata, N. *see* Yoshizaki, M. 87−40128

Shibata, R., Shimada, S., Kawamoto, H. 1-Mbit MASK ROM and its applications 85−22859

Shibata, R. *see* Fujita, K. 86−43689

Shibata, S., Hanawa, F., Nakahara, M. Low-OH-content fibre fabrication using particle-size control sol-gel method 86−15464

Shibata, S., Ito, M., Nihei, K. Development of 16 dots/mm thermal printing head [with meander shaped heating resistor] 85−17995

Shibata, S., Kitagawa, T., Hanawa, F., Horiguchi, M. Fabrication of F-doped silica glasses by the sol-gel method 87−25910

Shibata, S., Kitagawa, T., Horiguchi, M. Wholly-synthesized fluorine-doped silica optical fibers by the sol-gel method 88−45137

Shibata, S., Masuhara, T. How higher integration is achieved in static and dynamic memories 85−33911

Shibata, S., Nakahara, M. Fluorine and chlorine effects on radiation-induced loss for GeO_2-doped silica optical fibers 86−2737

Shibata, S., Nakahara, M. Low-OH-content fiber fabrication by particle-size control sol-gel method 86−36220

Shibata, S. *see* Hibino, Y. 87−53957

Shibata, S. *see* Kitagawa, T. 88−13798, 88−26788

Shibata, S. *see* Koda, T. 86−4751, 86−4757

Shibata, S. *see* Kuroki, K. 86−14748, 88−57167

Shibata, S. *see* Mitome, H. 85−64780, 86−23990, 86−25465

Shibata, S. *see* Nakamori, T. 88−19557, 88−24804

Shibata, S. *see* Suda, H. 85−18680, 86−9557, 86−15461, 86−36229, 87−26053

Shibata, T. Study on robotics application to exterior finish work for high rise collective housing 85−16531

Shibata, T. Advances in technology for VLSI fabrication 85−23842

Shibata, T. Application of digital terrain model in remote sensing 85−31983

Shibata, T., Arai, S. Magnetic properties and crystal structures of Nd-Fe-Co-B system permanent magnets 86−58659

Shibata, T., Fukuda, T., Narikiyo, T., Maeda, M. Evaluation of the solar-blind effect in ultraviolet ozone lidar with Raman lasers 87−63067

Shibata, T., Hayashi, T., Kimura, T. Analysis of microstrip circuits using three-dimensional full-wave electromagnetic field analysis in the time domain 88−56898

Shibata, T., Hirabayashi, K., Kozawaguchi, H., Tsujiyama, B. MOCVD preparation of polycrystalline ZnS films with pronounced columnar grains 88−12059

Shibata, T., Moriya, T., Kurosawa, K., Mitsuno, T., Okumura, K., Horiike, Y., Yamada, K., Muromachi, M. NMOS process integration for a 1M word×1 bit DRAM 85−49878

Shibata, T., Narikiyo, T., Ichimori, S., Akiyoshi, H., Maeda, M. Solar-blind effect in ultraviolet lidars 88−74978

Shibata, T., Oda, M. A new ultrafine Si trench etching technique using multi-step processing 87−25141

Shibata, T., Shibanuma, K., Shimizu, Y., Matsuoka, Y. Absolute pressure measurement by semiconductor micropressure sensor 88−74631

Shibata, T., Sugihara, K., Sugie, N. Recovering three-dimensional structure and motion of jointed objects from orthographically projected optical flow 86−16543

Shibata, T., Sugihara, K., Sugie, N. Recovering three-dimensional structure and motion of jointed objects from orthographically projected optical flow 87−13145

Shibata, T., Wakita, A., Sigmon, T.W., Gibbons, J.F. Metal-silicon reactions and silicide formation 86−8882

Shibata, T., Yoshihara, T., Ogasawara, K. PCM COMBO LSI housed in a PLCC package 88−21820

Shibata, T. *see* Arai, S. 86−28603, 88−50486, 88−51191

Shibata, T. *see* Hamada, Y. 87−49351

Shibata, T. *see* Hieda, K. 86−8239

Shibata, T. *see* Hirose, S. 88−75770

Shibata, T. *see* Ikawa, Y. 86−47803

Shibata, T. *see* Kamikubota, N. 86−50444

Shibata, T. *see* Motohashi, Y. 87−59031 to 59032

Shibata, T. *see* Namatsu, H. 86−21308

Shibata, T. *see* Ohki, S. 88−26072

Shibata, T. *see* Ohmi, T. 88−19799, 88−63288, 88−64427, 88−71451, 88−71461, 88−71720

Shibata, T. *see* Oho, S. 86−26390

Shibata, T. *see* Ohsawa, K. 85−12536

Shibata, T. *see* Okamoto, M. 87−63678

Shibata, T. *see* Okumura, Y. 85−37892

Shibata, T. *see* Shibanuma, K. 87−12068

Shibata, T. *see* Shindo, M. 85−28239, 86−7840

Shibata, T. *see* Suzuki, Y. 88−70344

Shibata, T. *see* Taniguchi, A. 86−30750

Shibata, T. *see* Tashiro, T. 87−34491

Shibata, T. *see* Urao, R. 87−58972

Shibata, T. *see* Wada, M. 85−34965, 86−41129

Shibata, T. *see* Yamada, K. 86−57055

Shibata, T. *see* Yamamoto, S. 86−70330

Shibata, T. *see* Yoshino, T. 86−69860

Shibata, T.-A. *see* Bruckner, W. 88−61126

Shibata, Y. Recent development on broadcasting technology−text broadcasting 85−30661

Shibata, Y. Recent development on broadcasting technology-high−definition television. II 85−42699

Shibata, Y. Plasma-assisted epitaxy of III-V compound semiconductors 86−448

Shibata, Y. Current state and needs of steel industry for thermometry instrumentation 88−16541

Shibata, Y., Asano, Y., Kurita, K., Shiozumi, M. On-line glossmeter for stainless steel sheets 87−47063

Shibata, Y., Clark, D.J. A new method to evaluate energy technologies 86−6466

Shibata, Y., Ishijima, A. On the minimum tree representation of chordal graphs 88−49709
Shibata, Y., Karplus, W.J. Distributed source identification in river pollution systems by pattern recognition 87−21791
Shibata, Y., Machida, Y. The 8 mm video format and how it was established 87−41244
Shibata, Y., Ojima, H., Katsumata, Y., Kuwano, H. Influence of Pt ions in SiO_2 films on nonvolatile memory effects in Pt-diffused MOS devices 88−50681
Shibata, Y., Sakitani, Y. Electron beam lithography system 86−53505
Shibata, Y. *see* Adachi, H. 85−23312
Shibata, Y. *see* Asahina, K. 85−38112
Shibata, Y. *see* Awata, Y. 87−8549
Shibata, Y. *see* Fujii, K. 85−34424
Shibata, Y. *see* Fujikake, H. 86−36827
Shibata, Y. *see* Hariu, T. 86−7816, 86−13766
Shibata, Y. *see* Herak, T.V. 85−18786
Shibata, Y. *see* Ide, M. 87−43698
Shibata, Y. *see* Inada, O. 87−35784
Shibata, Y. *see* Irven, J.H. 88−59437
Shibata, Y. *see* Kato, H. 87−6490, 87−60186
Shibata, Y. *see* Matsushita, K. 85−5993, 85−18230, 85−46281
Shibata, Y. *see* Sasaki, Y. 85−28956 ,
Shibata, Y. *see* Sato, Y. 85−16950
Shibata, Y. *see* Seki, H. 85−51005, 85−64205, 87−3679
Shibata, Y. *see* Shimizu, T. 85−54276
Shibata, Y. *see* Shiozaki, O. 86−2091 to 2092
Shibata, Y. *see* Shugyo, S. 86−2390
Shibata, Y. *see* Uchida, T. 86−38464, 87−3667, 87−35150
Shibata, Y. *see* Ueno, S. 86−781
Shibata, Y. *see* Watanabe, H. 86−27934
Shibata, Y. *see* Yoshida, H. 85−50582
Shibatani, K. *see* Matsuo, T. 85−38018
Shibatani, K. *see* Nakamura, M. 87−35382
Shibatomi, A. Surface passivation for GaAs 87−74020
Shibatomi, A., Saito, J., Abe, M., Mimura, T., Nishiuchi, K., Kobayashi, M. Material and device considerations for HEMT LSI 85−50739
Shibatomi, A., Saito, S., Nanbu, K., Ishikawa, T., Kondo, K. Molecular beam epitaxial growth for HEMT (high electron mobility transistor) LSI 87−16640
Shibatomi, A., Yamaguchi, Y., Futatsugi, T., Muto, S., Yokoyama, N. Fabrication process of resonant tunneling bipolar transistor (RBT) 88−13330
Shibatomi, A., Yamaoka, T., Kobayashi, M. Ultra-high speed semiconductor devices 87−45934
Shibatomi, A., Yokoyama, N. Resonant tunneling transistors 88−19901
Shibatomi, A. *see* Abe, M. 85−40937, 87−6881
Shibatomi, A. *see* Futatsugi, T. 87−38214, 87−45906, 88−39417
Shibatomi, A. *see* Imamura, K. 87−6666, 87−25250
Shibatomi, A. *see* Ishii, K. 87−45694
Shibatomi, A. *see* Ishikawa, T. 85−62442, 86−27859
Shibatomi, A. *see* Kobayashi, N. 86−34808, 86−52833
Shibatomi, A. *see* Kuroda, S. 85−54900
Shibatomi, A. *see* Mimura, T. 85−55852, 87−6740, 87−6742
Shibatomi, A. *see* Ohnishi, H. 87−60427, 88−64599
Shibatomi, A. *see* Onodera, H. 85−18332
Shibatomi, A. *see* Saito, J. 85−60956, 87−5415, 87−36722
Shibatomi, A. *see* Takikawa, M. 86−53688, 87−11818
Shibatomi, A. *see* Umeda, T. 87−21086
Shibatomi, A. *see* Watanabe, Y. 87−17027
Shibatomi, A. *see* Yokoyama, N. 88−33184
Shibaya, H. VTR for high-definition television 86−24155
Shibaya, H., Tsujikawa, K., Umemoto, M., Toyama, T. Recording and reproducing equipment for the high-definition television 86−38050
Shibaya, H. *see* Kuge, T. 86−69953
Shibaya, H. *see* Yokoyama, K. 87−28832
Shibayama, A. Calibration system for 18-bit digital analog converter 85−17561
Shibayama, A. *see* Fujinami, M. 87−38375
Shibayama, A. *see* Morosawa, T. 87−38376
Shibayama, A. *see* Murashita, T. 88−1480
Shibayama, H., Fukunaga, K., Kido, K. Directional characteristics of pulse sound source with spark discharge 85−53228
Shibayama, H., Hasuo, S., Yamaoka, T. Formation of low defect density SiO_x films for Josephson integrated circuits 85−62239
Shibayama, H. *see* Kiuchi, A. 88−15767
Shibayama, J. *see* Yagisawa, T. 88−69258
Shibayama, K. Progress on acoustic surface wave devices and my twenty-year studies 86−42078
Shibayama, K., Kato, T. Submicron lithography in Japan 87−18224
Shibayama, K. *see* Itani, K. 86−36623
Shibayama, K. *see* Kato, T. 87−11918
Shibayama, K. *see* Kitani, M. 88−8374
Shibayama, K. *see* Koizumi, M. 87−46073
Shibayama, K. *see* Kojima, T. 85−18528, 86−15323, 88−13638
Shibayama, K. *see* Sakakibara, Y. 88−45451
Shibayama, K. *see* Tominaga, J. 86−28587, 87−53850
Shibayama, K. *see* Yoshida, K. 88−8373
Shibayama, Y. *see* Kamiya, T. 86−2822
Shibazaki, H. *see* Matsunaka, N. 86−55243
Shibazaki, O. *see* Mochizuki, K. 85−39717
Shibazaki, Y. *see* Tamae, T. 88−29753
Shibib, M.A., Ziemer, C.B. Observation and analysis of negative resistance in the forward *I-V* characteristics of dielectrically isolated high-voltage gated diode switches 86−63238
Shibib, M.A. *see* Fossum, J.G. 88−39393
Shibib, M.A. *see* Lu, C.-Y. 88−26386
Shibib, M.A. *see* McDonald, R.J. 85−55759
Shibley, J. *see* Borland, J.O. 85−10743, 85−22495, 85−54479
Shibli, S.M., Garcia de Carvalho, M.M. Electrical characterization of epitaxial layers of $In_{0.71}Ga_{0.29}As_{0.63}P_{0.37}$ 88−71305
Shibnutani, T. *see* Hamada, K. 87−26401
Shibuan, K. A new round of interest in hybrid integrated circuits 85−6626
Shibui, M. The commercial CAPTAIN system and the CAPTAIN PLPS 85−19760
Shibui, M. *see* Hanai, S. 85−2498
Shibui, M. *see* Noto, K. 85−46107
Shibui, M. *see* Shibutani, Y. 88−63405
Shibuiua, H. *see* Ohnishi, M. 86−45700
Shibukawa, A., Yamaguchi, M., Yamamoto, A., Uemura, C. Electron irradiation damage in n^+-p InP solar cells 86−7110
Shibukawa, A. *see* Amano, C. 86−13040
Shibukawa, C. *see* Murata, E. 85−25528
Shibukawa, M. *see* Amada, E. 87−76465
Shibukawa, M. *see* Ikuzaki, K. 87−59686
Shibukawa, M. *see* Nakano, Y. 88−44873
Shibukawa, Y. *see* Yoshimoto, H. 86−58870
Shibuki, M., Oura, N., Kuramochi, N., Hayashi, T. Fundamental characteristics of the consolidated composite-type optical-pumping light source and the microwave cavity for rubidium maser 85−29735
Shibuki, M. *see* Nakagiri, K. 85−58814, 88−16400
Shibuki, M. *see* Nakgiri, K. 87−14444
Shibuki, M. *see* Urabe, S. 85−43061
Shibusa, Y. *see* Arai, Y. 86−39039
Shibusawa, S. Path selection and path conflict for a class of basic interconnection networks 86−54589
Shibusawa, S. Some routing method for a shuffle-exchange network 87−40412
Shibuta, S. *see* Iwata, H. 87−3308
Shibutani, T., Kume, M., Hamada, K., Shimizu, H., Itoh, K., Kano, G., Teramoto, I. A novel high power laser structure with current-blocked regions near cavity facets 87−68464
Shibutani, T. *see* Hamada, K. 85−62579
Shibutani, T. *see* Hirose, M. 86−68554
Shibutani, T. *see* Shimizu, H. 86−36513
Shibutani, T. *see* Wada, M. 85−62585
Shibutani, Y., Naganuma, M., Shibui, M., Hamajima, T., Fujioka, T., Sawada, Y., Shimamoto, S., Nishi, M., Nakajima, H., Ando, T., Tsuji, H. Cyclic internal pressure tests of a force-cooled cable-in-conduit superconductor for a fusion application 88−63405
Shibuya, A., Nagura, O. Outstanding features of the generator-motor and associated electrical equipment for recent pumped-storage power plants 88−75517
Shibuya, A. *see* Aoyama, M. 88−34254
Shibuya, C. *see* Nonomura, K. 87−8397
Shibuya, C. *see* Nonumura, K. 87−34749
Shibuya, H. *see* Aoki, S. 87−14768
Shibuya, H. *see* Kishi, Y. 85−61091
Shibuya, H. *see* Nakano, S. 86−35368
Shibuya, H. *see* Tsuda, S. 87−9845
Shibuya, I. *see* Kakuta, A. 86−2912, 86−42406
Shibuya, I. *see* Mori, Y. 87−54157
Shibuya, J. *see* Nagayama, T. 86−31228
Shibuya, K. Performance experiments of an NNSS positioning in and around Syowa Station, East Antarctica 86−49746
Shibuya, K. *see* Karasawa, S. 88−20343, 88−51491
Shibuya, K. *see* Kawazoe, H. 87−7066 to 7067
Shibuya, K. *see* Ohashi, S. 87−60938
Shibuya, K. *see* Watanabe, Y. 86−42285
Shibuya, K. *see* Yamamoto, M. 85−3470
Shibuya, M., Mitsumoto, S., Nakano, H., Ishii, S., Kojima, H. Temperature dependence of annealing of gamma-ray radiation damage on SOS transistors 85−23787
Shibuya, M., Ozaki, Y., Naito, K. High current power arc performance on insulator assemblies for AC UHV transmission lines 88−55043
Shibuya, M. *see* Ando, A. 86−12717
Shibuya, M. *see* Furudera, M. 86−45219
Shibuya, N. *see* Nakajima, H. 85−63778
Shibuya, N. *see* Tsuji, T. 85−27351
Shibuya, R. *see* Okayama, H. 88−2029, 88−65369
Shibuya, S., Tanaka, I., Tanaka, K. Teleconference package system 85−51948
Shibuya, S. *see* Nakamura, K. 88−65656
Shibuya, S. *see* Okamoto, K. 88−17941
Shibuya, S. *see* Takabayashi, T. 86−2690, 86−9540
Shibuya, T., Honma, H. The adhesion of electroless plating on silicon wafer 87−38165
Shibuya, T. *see* Iseki, Y. 88−41489, 88−73932
Shibuya, T. *see* Iso, Y. 87−20780
Shibuya, T. *see* Ono, M. 86−3495
Shibuya, T. *see* Toda, K. 86−42877, 88−14456
Shibuya, T. *see* Yabe, E. 87−56978
Shibuya, Y., Sekine, H., Takahashi, Y., Abe, H. Multiple artificial geothermal cracks in a hot dry rock mass for extraction of heat 86−6467
Shibuya, Y., Shiozawa, T. Mode analysis of a dielectric-loaded Raman-type free-electron laser 88−72340
Shibuya, Y. *see* Masuda, S. 86−42780, 88−50568
Shibuya, Y. *see* Minehisa, S. 86−45859
Shibuya, Y. *see* Ootera, H. 85−27573
Shibuyta, T., Katori, M. Fabrication of sinusoidal electrodes for studies on gas-insulated flexible cable 86−12439
Shichang Ding *see* Ding Shichang
Shichang Tsou *see* Ning Yu 87−38098
Shichang Zhang *see* Shouggang Liu 86−54063
Shichang Zhang *see* Zhang Shichang
Shichang Zhou *see* Huahui He 87−67798
Shichang Zhou *see* Zhou Shichang
Shichang Zon *see* Zon Shichang
Shichang Zou *see* Zou Shichang
Shichanina, E.Yu. *see* Il'inskii, A.S. 87−26909
Shichao Zhang *see* Zhang Shichao
Shicheng Wang *see* Wang Shicheng
Shicheng Waug *see* Waug Shicheng
Shichi, E. *see* Tsuge, M. 88−52169
Shichi, K. *see* Takaki, I. 85−10300
Shichi, M. *see* Kudo, A. 86−39900
Shichijo, H. Gallium arsenide on silicon 88−50918
Shichijo, H., Banerjee, S.K., Malhi, S.D.S., Pollack, G.P., Richardson, W.F., Bordelon, D.M., Womack, R.H., Elahy, M., Wang, C.-P., Gallia, J., Davis, H.E., Shah, A.H., Chatterjee, P.K. Trench transistor DRAM cell 86−34779
Shichijo, H., Jhang Woo Lee GaAs MESFET's on silicon substrates for digital IC applications 87−46035
Shichijo, H., Lee, J.W., McLevige, W.V., Taddiken, A. Performance of digital GaAs E/D MESFET circuits fabricated in GaAs-on-Si substrate 87−46226
Shichijo, H., Lee, J.W., McLevige, W.V., Taddiken, A.H. GaAs E/D MESFET 1-kbit static RAM fabricated on silicon substrate 87−37281
Shichijo, H., Lee, J.W., McLevige, W.V., Taddiken, A.H. GaAs E/D MESFET 1 K-bit static RAM fabricated on silicon substrate 87−59467
Shichijo, H., Lin, Y.T., Holloway, T.C., Lin, Y.C., Hunter, W.R. Performance of submicron silicon MOSFETs fabricated by edge-defined vertical-etch technique 85−35023
Shichijo, H., Malhi, S.D.S., Richardson, W.F., Pollack, G.P., Shah, A.H., Hite, L.R., Banerjee, S.K., Elahy, M., Sundaresan, R., Womack, R.H., Lam, H.W., Chatterjee, P.K. Polysilicon transistors in VLSI MOS memories 85−50725
Shichijo, H., Malhi, S.D.S., Shah, A.H., Pollack, G.P., Richardson, W.F., Elahy, M., Banerjee, S., Womak, R., Chatterjee, P.K. TITE RAM: A new SOI DRAM gain cell for Mbit DRAMs 85−40108
Shichijo, H., Malhi, S.D.S., Sundaresan, R., Banerjee, S.K., Lam, H.W. Process and device considerations for small grain polysilicon transistors 87−18262
Shichijo, H., Matyi, R.J. GaAs-on-silicon integrated circuits; savior for GaAs? or for Si? 88−39644
Shichijo, H., Tran, L.T., Matyi, R.J., Lee, J.W. Prospects for GaAs-on-Si LSI circuits 88−39656
Shichijo, H. *see* Ahmed, S.S. 85−50530, 86−63312
Shichijo, H. *see* Banerjee, S. 88−26276
Shichijo, H. *see* Banerjee, S.K. 87−24190
Shichijo, H. *see* Deppe, D.G. 88−2216, 88−8175, 88−34022
Shichijo, H. *see* Elahy, M. 85−50730
Shichijo, H. *see* Fossum, J.G. 86−9147
Shichijo, H. *see* Kaliski, R.W. 87−61133
Shichijo, H. *see* Lee, J.W. 87−73103, 88−31805
Shichijo, H. *see* Malhi, S.D.S. 85−35171
Shichijo, H. *see* Matyi, R.J. 88−49811
Shichijo, H. *see* Nam, D.W. 87−75073
Shichijo, H. *see* Pollack, G.P. 85−12182
Shichijo, H. *see* Richardson, W.F. 86−46857
Shichijo, H. *see* Sakai, S. 88−18674, 88−31754
Shichijo, H. *see* Shah, A.H. 87−10854, 87−17093
Shichijo, H. *see* Tran, L.T. 87−38201, 88−33368
Shichijo, H. *see* Wan, C.F. 88−20007
Shichijo, J. *see* Elahy, M. 85−17407
Shichinoe, D. *see* Masuda, N. 85−42795
Shichinohe, D. *see* Hirasawa, K. 87−14018
Shichiri, M. Clinical applications of biosensors 87−77609
Shichiri, M. *see* Haga, I. 88−60094

Shichman, G. Personal Instrument (PI)−a PC-based signal processing system 85−47891

Shichman, G. *see* Averbuch, A. 87−20775, 87−61680

Shichun Li *see* Li Shichun

Shici Tan *see* Tan Shici

Shick, D.V., Stevens, D.S., Tiersten, H.F. Quality factor of the piezoelectric thin film on semiconductor composite resonator resulting from radiation into the semiconductor wafer 87−12008

Shick, D.V., Tiersten, H.F. A perturbation calculation of the quality factor of the piezoelectric thin film on semiconductor composite resonator due to radiation into the wafer 87−67663

Shick, D.V., Tiersten, H.F. A perturbation calculation of the quality factor of the piezoelectric thin film on semiconductor composite resonator resulting from radiation into the wafer 88−13630

Shick, D.V., Tiersten, H.F., McDonald, J.F., Das, P.K. A hybrid trapped energy mode transducer array 86−12222

Shick, D.V., Zhou, Y.S., Tiersten, H.F. A comparison of the in-plane acceleration sensitivity of ST- and SST-cut quartz surface wave resonators 88−51120

Shick, D.V. *see* Stevens, D.S. 87−1857

Shick, D.V. *see* Tiersten, H.F. 87−32820, 87−60742, 88−20233

Shick, J.D. *see* Bhatia, H.S. 85−12081

Shick Min Hong *see* Hong Shick Min

Shida, J. *see* Seki, K. 88−11484, 88−19910, 88−25894, 88−51268, 88−67766

Shida, J. *see* Tsunekawa, Y. 88−12525

Shida, J.-I. *see* Seki, K. 88−74342

Shida, K. Quantized Hall effect from viewpoint of resistance standard 85−31568

Shida, K. Quantized Hall effect−principle and application for measurement 85−52849

Shida, K. Low-temperature growth of (In, Ga, Al)Sb by plasma process 87−272

Shida, K. Circumstances in Japan for the proposed changes in the electrical units 88−15891

Shida, K., Wada, T., Nishinaka, H., Igarashi, T. Direct comparison of quantized Hall resistance between Si-MOSFET and GaAs/AlGaAs heterostructure devices on the same sample holder 86−35397

Shida, K., Wada, T., Nishinaka, H., Kobayashi, M., Yonezaki, G., Igarashi, T., Nemoto, T. Determination of the quantized Hall resistance value by using a calculable capacitor at ETL 88−15899

Shida, K., Wada, T., Nishinaka, T., Kobayashi, M., Yonezaki, G., Igarashi, T., Nemoto, T. Determination of quantized Hall resistance value by using calculable capacitor at the ETL 87−14462

Shida, K. *see* Hariu, T. 87−23683

Shida, K. *see* Matsushita, K. 85−46281, 88−435

Shida, K. *see* Sasaki, H. 88−29530

Shida, K. *see* Wada, T. 85−40561, 85−58831, 86−24685

Shida, M. *see* Sasayama, T. 85−16358

Shida, S. *see* Yatomi, T. 88−11527

Shida, Y. *see* Krebs, G.F. 88−54190

Shidara, K., Tanioka, K., Hirai, T., Nonaka, Y. Recent improvement of SATICON target 86−21070

Shidara, K. *see* Kurashige, M. 88−64217

Shidara, K. *see* Sueoka, T. 87−6341

Shidara, K. *see* Tanioka, K. 87−74928

Shidara, K. *see* Wakui, K. 85−8572

Shidara, K. *see* Yamazaki, J. 87−34912

Shidara, T. Lasertron development and tests of high gradient accelerating structures in Japan 88−16583

Shidara, T., Bissonnette, R.P., Nakahara, K., Anami, S. Klystron modulator controller for the KEK 2.5 GeV electron linac 86−55939

Shidara, T. *see* Asami, A. 87−41781

Shidara, T. *see* Fukuda, S. 87−41818, 87−45514

Shidara, T. *see* Fukushima, Y. 85−64418, 86−31986

Shidara, T. *see* Koide, T. 86−60465

Shidara, T. *see* Matsumoto, H. 88−54060

Shidara, T. *see* Matuda, N. 88−32706

Shidara, T. *see* Miyao, M. 86−18227

Shidara, T. *see* Nakao, K. 87−14678

Shidara, T. *see* Okochi, K. 85−51987

Shidara, T. *see* Saito, Y. 85−37842, 86−14809, 87−14677, 88−32718

Shidara, T. *see* Sato, I. 87−41704

Shidara, T. *see* Takeda, S. 86−5696

Shidara, T. *see* Tanaka, H. 87−14679

Shideler, M. CAM for under $100000 88−25659

Shideler, M.R. The impact of PC-based CAD on artwork generation 87−45396

Shidlak, Yu.V. *see* Kravchenko, V.I. 86−22341

Shidlovskaya, E.A. *see* Mel'gui, M.A. 86−547

Shidlovskii, A.K., Drabovich, Yu.I., Komarov, N.S., Moskalenko, G.A., Kozlov, A.V. Analysis of the harmonic composition of the current consumed by an alternating-to-constant voltage converter with improved electromagnetic compatibility 87−64711

Shidlovskii, A.K., Kurennyi, E.G., Arutyunyan, A.G. Dynamic models of the electromagnetic compatibility of electrical sources of light 85−44287

Shidlovskii, A.K., Kuznetsov, V.G., Mostovyak, I.V. Power characteristics of electromagnetic compatibility of circuits 86−3560

Shidlovskii, A.K., Mostovyak, I.V., Novskii, V.A., Yarovoi, A.N. Modified method of high-speed stabilization of the parameters of electromagnetic energy in three-phase systems with unsteady-state unbalanced loads 87−78104

Shidlovskii, A.K., Shcherba, A.A., Muratov, V.A. Semiconductor converters for electropulse metals treatment installations 88−18240

Shidlovskii, A.K., Shcherba, A.A., Muratov, V.A. Formulation of the output characteristics of transducers with account of the properties of volumetric electroerosion loading 88−35972

Shidlovskii, A.K., Skidanov, V.M., Denisenko, A.V., Litvinenko, V.N. Power indices of the system: storage battery-pulse converter-DC motor of an electrically-driven vehicle under regenerative braking conditions 85−10190

Shidlovskii, A.K., Voevodin, I.D., Gritsenko, A.V., Sisunenko, O.I. Transformers for heavy-duty electric power units 86−66136

Shidlovskii, A.K., Voloshin, A., Kolesnichenko, A.F., Budennyi, V.F. Electromagnetic control of the process of granulation of liquid metals with the aid of specialized power supply systems 85−60578

Shidlovskii, A.M. Measuring the distance to the point of fault in a distribution network 86−32861

Shidlovskii, A.V. *see* Bakinovskii, K.N. 86−24100

Shidlovskii, E.S. *see* Voroshilov, I.A. 86−32799

Shidlovskii, N.S. *see* Umanskii, E.S. 88−1874 to 1875

Shidlovskii, V.P. *see* Bessonov, Yu.L. 85−56652

Shidlovskii, V.R. *see* Bessonov, Yu.L. 85−56653, 86−36500 to 36501, 86−48408, 87−12491, 88−8231

Shidlovskii, V.R. *see* Morozov, V.N. 85−20213, 88−65809

Shiduan Cheng Planning the transition to ISDN in China 87−40249

Shiduan Yin *see* Yin Shiduan

Shie, C.-J. *see* Ming, O.-Y. 87−27297

Shie, J.S. *see* Kai-feng Huang 87−17815

Shie, J.T. *see* Chen, C.S. 87−58060

Shie, S. *see* Huang, K.-F. 87−74133

Shiea Lei Mean *see* Lei Mean Shiea

Shiefman, J. Maskmaking metrology 88−44833

Shieh, A.S. On the solution of coupled system of PDE by a multigrid method 86−20008

Shieh, C.-L., Wagner, S., Kazmerski, L.L. Grain boundary resistance in p- and n-type indium phosphide 86−1714

Shieh, C.-L. *see* Ackley, D.E. 88−65501

Shieh, C.-L. *see* Chiang, C.-L. 85−6702

Shieh, C.L., Mantz, J., Alaui, K., Engelmann, R.W.H. Low threshold current surface emitting AlGaAs/GaAs laser with 45° metallised reflector 88−40202

Shieh, C.L. *see* Krishnaswamy, C.N. 85−65119

Shieh, F.M. *see* Hong, C.S. 86−6622

Shieh, H. *see* Ariki, Y. 87−27621

Shieh, H. *see* Kryder, M.H. 87−46304

Shieh, H.-P.D., Hong, M., Nakahara, S. Microstructure and stability of RF-diode sputtered GdTbFeCo thin films 88−58271

Shieh, H.-P.D., Kryder, M.H. The effects of wall stiffness on reproducibility of thermo-magnetically written domains 86−42106

Shieh, H.-P.D. *see* Brauer, G. 88−65152

Shieh, H.-P.D. *see* Lee, J.-W. 88−58270

Shieh, H.-P.D. *see* Schultheiss, E. 88−33600

Shieh, H.-P.D. *see* Schultz, M.D. 88−64937

Shieh, H.D., Kryder, M.H. Operating margins for magneto-optic recording materials with direct overwrite capability 87−46358

Shieh, J. *see* Sheu, B.J. 87−38276

Shieh, J.-H., Patil, M., Sheu, B.J. Measurement and analysis of charge injection in MOS analog switches 87−46191

Shieh, L., Chang, F., Yates, R.E. The generalized matrix continued-fraction descriptions in the second Cauer form 85−60831

Shieh, L.S., Tsay, Y.T., Yates, R.E. Cascade realizations of multi-port networks via factorization of rational matrix functions 87−405

Shieh, L.S. *see* Chang, F.R. 87−37445

Shieh, L.S. *see* Tsai, J.S.H. 88−63224

Shieh, T.-J. *see* McColl, R.W. 88−13424

Shieh, W.J., Jagadeesh, J.M. A reconfigurable optically-interconnected multiprocessor system 88−41119

Shieh Der-Jhy *see* Der-Jhy Shieh

Shieh Han-Ping D. *see* Han-Ping D. Shieh

Shieh Ming-Huei *see* Ming-Huei Shieh

Shieh Ming-Tzong *see* Ming-Tzong Shieh

Shiekh, A.U.H. *see* Riordon, J.S. 85−57569

Shiel, M.J. The Irish Rural Electrification Scheme 1946-76: a brief outline 88−75140

Shield, D.W. *see* Duffield, A. 86−6983

Shield, P. *see* Dawson, J. 86−50424

Shields, A.J., Curtis, G.H., Kemp, I.J. Axial discharge degradation of mica 85−29402

Shields, A.S., Kemp, I.J., Curtis, G.H. The influence of acid formation on discharge degradation of mica 87−25731

Shields, C. The heavy duty gas turbine: an option for power generation in developing countries 85−9766

Shields, D.M., Luke, T.E. Operation of a conducting PRIZ 86−9619

Shields, D.M. *see* Nilius, M.E. 87−46592

Shields, F.J. Automatic Target Recognizer (ATR) a Center for Night Vision and Electro Optics perspective 88−22218

Shields, H., Alcock, A.J. Xe_2Cl fluorescence and absorption in self-sustained discharge XeCl lasers 85−7365

Shields, H., Giannelli, J., Smith, A.L.S. X-ray preionized CO_2 laser 85−56480

Shields, H., Sandstrom, R.L., Levatter, J.I. Corona-plasma cathode for high-energy electron beams 86−8677

Shields, H. *see* Morsell, A.L. 88−20565

Shields, H. *see* Sandstrom, R.L. 87−51410

Shields, J. Planning for telecommunications 85−8030

Shields, J.P. Thermoelectric coolers 88−43391

Shields, K. *see* Herb, G.K. 88−13155

Shields, N., Jr. Applications of human factors in remote and automated systems 86−25834

Shields, P.C. The ergodic and entropy theorems revisited 87−47445

Shields, P.C. Asymptotic normality of a modified Ziv-Lempel complexity, and its use as a nonparametric test for independence 87−54823

Shields, P.D. *see* Anguilar-Benitez, M. 87−71031

Shields, R. *see* Taylor, M.J. 88−3604

Shields, W.M., Reynolds, N.S., Philips, M.H., Jr. Plant equipment qualification−where are we headed? 88−42955

Shiell, J., Smith, B., Franklin, C., Jr. Micro Channel memory boards 88−25178

Shien-Chi Chen, Bekefi, G. Relativistic magnetron research 88−50581

Shienskii, A.L. *see* Lazarev, V.G. 87−33043

Shier, D.A. *see* Michalik, M. 87−50780

Shier, D.R. A new algorithm for performance analysis of communication systems 88−45804

Shier, D.R., Spragins, J.D. Exact and approximate dependent failure reliability models for telecommunications networks 86−16765

Shier, D.R., Whited, D.E. Algorithms for generating minimal cutsets by inversion 86−13549

Shier, D.R., Whited, D.E. Iterative algorithms for generating minimal cutsets in directed graphs 86−49053

Shier, D.R. *see* Valvo, E.J. 87−55479

Shier, J. A statistical model for integrated-circuit yield with clustered flaws 88−39567

Shier, J. High-frequency design with analog master chips 88−50964

Shier, J. A finite-mesh technique for laser trimming of thin-film resistors 88−64123

Shier, J., Thimsen, J. New ±5 V standard unshackles analog-IC designers 88−50987

Shier, J.S. A formula for the concentration profile of a buried layer with back diffusion 85−50382

Shier, J.S. Analog/digital ASIC designing 88−13538

Shier, J.S., Hester, R.E. Versatile bipolar master chip lets analog designers reap the benefits of LSI circuits [VJ800 master chip] 86−53783

Shier, J.S., Wisted, J.M., Skokan, Z.E. A high-performance bipolar cell library 87−67538

Shiet, I.I. *see* Abdul-Kadir, N.M. 88−20853, 88−49236

Shifan Wang *see* Wang Shifan

Shifang Li *see* Li Shifang

Shiff, M., Stein, J. VSATs a powerful tool for today's businesses 88−9471

Shiff, M.S. Earth stations link remote sites to central corporate resources 86−17330

Shiffel, R. *see* Moortgat-Pick, W. 85−30049

Shiffler, D., Kerslick, G., Nation, J.A. High power B. W. O. experiments 88−25840

Shiffler, D. *see* Nation, J.A. 88−50598

Shiffman, R.R., Parker, R.H. An electrophoretic image display with internal NMOS address logic and display drivers 85−12657

Shiflett, C.C., Buchholz, D.B., Faudskar, C.C., Small, R.D., Markham, J.L. High-density multilayer hybrid circuits made with polymer insulating layers (POLYHICs) 88−7238

Shifman, J. *see* Toms, W.E., Jr. 87−40830

Shifrin, S.A. *see* Zasedatelev, I.B. 88−43383

Shifrin, S.S. *see* Kholodnyi, L.P. 85−61015

Shifrin, S.S. *see* Markov, A.V. 86−399

Shifrin, V.M. *see* Dunaev, S.D. 86−14434

Shifrin, V.Ya. *see* Belyi, V.A. 87−63211

Shifrin, V.Ya. *see* Blinov, E.V. 88−10104

Shifrin, V.Ya. *see* Studentsov, N.V. 85−21007, 87−34896

Shifrin, Ya.S., Kharchenko, V.N. On constraints imposed by inhomogeneities of the atmosphere on gain of large antennas 86−42922

Shifu Zhao *see* Benyuan Gu 86−48253

Shifu Zhao *see* Zhao Shifu

Shiga, C. *see* Urai, M. 88−50773

Shiga, H. Electronic transmission control 87−51587

Shiga, N. *see* Ise, M. 85−13903

Shiga, S., Hayakawa, T., Kamiyama, Y., Suzuki, S., Kato, H. Furukawa silver-plated stainless steel strip: its development and material properties 86−512

Shiga, S., Shibata, N., Tani, T. Experimental investigation on migration susceptibility of varied metallic materials 86−510

Shiga, S., Suzuki, A., Kato, H., Naruse, T. Tin and tin-lead alloy pre-plated strip products and material analyses on their surface properties 86−511

Shiga, S. *see* Morita, T. 86−33574

Shiga, S. *see* Mukae, K. 88−75217

Shiga, S. *see* Tanigawa, T. 86−513

Shigabtdinov, R.A. *see* Tekshev, V.B. 87−45265

Shigaev, O.E. *see* Apollonov, V.E. 86−50384

Shigaev, T.G. Methods of and devices of modulating the welding current (review) [arc welding] 85−32847

Shigaki, M., Imamura, K., Daido, Y. GaAs monolithic astable multivibrator type VCO operable up to Ku band 85−11095

Shigaki, M., Saito, T., Kusakawa, H., Kurihara, H. High-speed GaAs dynamic frequency divider using a double-loop structure and differential amplifiers 88−38726

Shigaki, M., Yokogawa, S. Study on GaAs monolithic dynamic divider 87−59864

Shigaki, M., Yokogawa, S. Study on GaAs monolithic dynamic divider 88−63885

Shigaki, M., Yokogawa, S., Kurihara, H., Yamada, K. GaAs monolithic DC-6.4-GHz variable-gain feedback amplifier 88−19365

Shigaki, M., Yokogawa, S., Takano, T., Yamada, K. One-chip GaAs monolithic frequency converter operable to 4 GHz 88−38722

Shigaki, M. *see* Imamura, K. 85−61921

Shigaki, S. *see* Maruta, R. 87−8234

Shigalev, V.K. *see* Ban'kovskii, N.G. 87−17662

Shigang Du *see* Du Shigang

Shiganov, I.N. *see* Grigor'yants, A.G. 85−21998

Shiganov, I.N. *see* Ivanov, V.V. 85−56919

Shiganov, N.V. *see* Raimond, E.D. 85−5577

Shige-eda, Y., Nagao, T., Shimatani, Y. Trends in international non-telephonic communications 85−19645

Shigehara, H. *see* Yamaguchi, A. 87−62138

Shigehara, K. *see* Yamada, A. 87−53285

Shigehara, M. *see* Fukuchi, K. 85−38901

Shigei, Y. *see* Hasegawa, M. 86−58577, 87−60557

Shigei, Y. *see* Nakamura, T. 85−13936

Shigei, Y. *see* Oba, N. 86−69222, 87−69418

Shigei, Y. *see* Sekiya, R. 85−7817

Shigekane, H. *see* Ichijo, M. 88−13336, 88−44746

Shigekane, H. *see* Sekiya, T. 85−11008

Shigekawa, H. *see* Ema, K. 87−53936

Shigekawa, H. *see* Tanaka, H. 86−9490

Shigemasa, J., Nagao, H. Photo-optical ICs provide non-contact sensors without introducing interference 85−12754

Shigematsu, K., Anzai, Y., Morita, S., Yamada, M., Yokoyama, H. Growth conditions of subgrain-free $LiNbO_3$ single crystals by the Czochralski method 88−24695

Shigematsu, K., Tsumoda, Y. Magneto-optical disk 87−38878

Shigematsu, K. *see* Takahashi, M. 87−25823

Shigematsu, K. *see* Toda, T. 87−54137, 88−45244

Shigematsu, M., Kanamori, H., Ohga, Y., Yokota, H., Tanaka, S., Tanaka, G. Transmission characteristics of dispersion-shifted single-mode fibers with dual shape core and fluorine added cladding by VAD method 88−45141

Shigematsu, M. *see* Kanamori, H. 88−65213

Shigematsu, M. *see* Urano, A. 88−45144

Shigematsu, N., Ishikawa, H., Aizawa, K. The Advanced Network Service System 86−54812

Shigematsu, N. *see* Inoue, M. 85−57619

Shigematsu, N. *see* Isikawa, H. 85−51946

Shigematsu, N. *see* Mizusawa, J. 87−76223, 88−66873

Shigematsu, N. *see* Sato, K. 87−76231

Shigematsu, S., Kuriyaki, H., Hirakawa, K. Electrochemical properties of secondary battery using layered compound $CuFeTe_2$ 88−75911

Shigematsu, S. *see* Mohri, K. 88−16447

Shigematsu, T. Design and manufacture of better semiconductors 85−7024

Shigematsu, T. *see* Kuroda, T. 88−71690

Shigematsu, T. *see* Mitachi, S. 86−22137

Shigematsu, T. *see* Saito, T. 87−37359

Shigematsu, T. *see* Toyoguchi, Y. 87−36106

Shigematsu, Y. *see* Miyazaki, S. 88−46567

Shigemitsu, F., Usuda, K., Tsuchiya, T., Nomaki, T., Kato, Y., Kirita, K., Shinozaki, T. Highly sensitized electron-beam resist by means of a quenching process 88−13250

Shigemitsu, S. *see* Yanagisawa, M. 85−36458

Shigemori, H. *see* Nakajima, H. 85−16368

Shigemori, K. *see* Kido, T. 87−63729

Shigemoto, N. *see* Takayama, Y. 88−21986

Shigenaga, A. *see* Watanabe, A. 85−48336

Shigenaga, M., Kubo, H. Speech training systems for handicapped children using vocal tract lateral shapes 87−19482

Shigenaga, M., Sekiguchi, Y., Yagisawa, T., Kato, K. A speech recognition system of continuously spoken Japanese sentences and an application to a speech input device 87−19581

Shigenaka, K. Recent trends of infrared sensor materials 87−35090

Shigeno, H. *see* Kawaji, S. 86−8849, 86−47377

Shigeno, K. *see* Iwamoto, K. 87−40913

Shigeno, K. *see* Naito, N. 88−30453

Shigeno, K. *see* Ohshima, Y. 86−58844

Shigeno, M. *see* Okayama, S. 88−57528

Shigeno, N. *see* Chinen, K. 87−40937

Shigeno, T. *see* Kurosawa, K. 87−62501

Shigeno, Y., Ugai, Y. Super-twisted nematic liquid crystal display 88−16281

Shigeno, Y. *see* Ozaki, M. 86−48225

Shigenobu, M. *see* Asada, H. 88−51361

Shigenobu, M. *see* Suzuki, T. 87−25866

Shigenobu, M. *see* Teramoto, A. 85−21720

Shigenori, G. *see* Nonoyasu, S. 85−38531

Shigeoka, K., Matsumoto, T. Large-capacity low-speed diesel engine power plant delivered to barge plant for Jamaica 86−33179

Shigeoka, K. *see* Matsumoto, T. 86−33180

Shigeoka, T. *see* Kawata, S. 87−18692

Shigera, I.Yu. *see* Ivakhiv, O.V. 88−74224

Shigesawa, H. Recent trends of millimeter-wave circuit technology 88−12589

Shigesawa, H., Nishimura, M. Surface current and receiving characteristics of reflector antennas 87−26945

Shigesawa, H., Tsjui, M., Oliner, A.A. Conductor-backed slot line and coplanar waveguide: dangers and full-wave analyses 88−72623

Shigesawa, H., Tsuji, M. Mode propagation through a step discontinuity in dielectric planar waveguide 86−42892

Shigesawa, H., Tsuji, M. A completely theoretical design method of dielectric image guide gratings in the Bragg reflection region 86−47048

Shigesawa, H., Tsuji, M., Oliner, A.A. Effects of air gap and finite metal plate width on NRD guide 87−6007

Shigesawa, H., Tsuji, M., Takiyama, K. Mode propagation through a step discontinuity in dielectric planar waveguide 85−19197

Shigesawa, H., Tsuji, M., Takiyama, K. Two-path cutoff waveguide dielectric resonator filters 86−8436

Shigesawa, H., Tsuji, M., Takiyama, K. Microwave network representation of discontinuity in open dielectric waveguides and its applications to periodic structures 86−10170

Shigesawa, H., Tsuji, M., Takiyama, K. Microwave network approach to dielectric periodic leaky-wave antennas 86−64087

Shigesawa, H., Tsuji, M., Takiyama, K. Two path cutoff waveguide resonator filters with attenuation poles 87−6056

Shigesawa, H. *see* Lampariello, P. 87−75512

Shigesawa, H. *see* Nishimura, M. 85−41578, 86−68907, 87−68763

Shigesawa, H. *see* Tsuji, M. 86−1349, 87−6032, 87−27021, 87−75516, 88−2539, 88−72632

Shigeta, E. *see* Taguchi, T. 87−2737

Shigeta, J. *see* Hayashi, T. 85−54897, 86−34806

Shigeta, J. *see* Kotera, N. 86−35910

Shigeta, J. *see* Matsunaga, N. 88−20167

Shigeta, J. *see* Mukai, T. 87−43469

Shigeta, J. *see* Takamori, N. 87−43438

Shigeta, J. *see* Takatani, S. 87−24922

Shigeta, J. *see* Umemoto, Y. 88−38520

Shigeta, K. A safety system for training school of automobile driving using static field of electromagnetic wave 87−64931

Shigeta, M., Nakanishi, K., Fujii, Y., Furukawa, K., Hatano, A., Uemoto, A., Suzuki, A., Nakajima, S. Inclined epitaxy of (411) beta silicon carbide on (511) silicon by chemical vapor deposition 87−58959

Shigeta, M. *see* Furukawa, K. 86−58442, 87−38260, 88−13436, 88−18709

Shigeta, M. *see* Suzuki, A. 87−1220, 87−25218

Shigeta, Y. Surface structure change during solid phase epitaxial growth of an amorphous Si film deposited on Si(111) 88−31734

Shigetomi, A. *see* Saeki, H. 87−1365, 88−33098

Shigetomi, A. *see* Watakabe, Y. 86−58360, 87−1598

Shigetomi, S., Ikari, T., Koga, Y., Shigetomi, S. Annealing behavior of electrical properties of n-InSe single crystals 85−23486

Shigetomi, S., Ikari, T., Koga, Y., Shigetomi, S. Drift mobility of electrons parallel to the c-axis in InSe 85−34540

Shigetomi, S., Ikari, T., Koga, Y., Shigetomi, S. Carrier transport mechanisms of InSe p-n homojunction 88−71331

Shigetomi, S., Matsumori, T. Temperature dependence of electrical properties in Si-implanted semi-insulating GaAs 85−40438

Shigetomi, S. *see* Ikari, T. 86−20147

Shigetomi, S. *see* Shigetomi, S. 85−23486, 85−34540, 88−71331

Shigetoshi, I. *see* Otonari, T. 87−78141

Shigeyasu, K., Ogasawara, M. Suppression of noise of echo sounder using exponential smoothing method 85−20280

Shigeyasu, K., Ogasawara, M. Image processing of echo sounder using two dimensional exponential smoothing method 85−31106

Shigeyasu, K., Ogasawara, M. Smoothing of three-dimensional data of an image by using three dimensional exponential smoothing method 85−57514

Shigeyasu, K., Ogasawara, M. Realtime edge detection on an image of an echo sounder by using a two-dimensional exponential smoothing method 86−3991

Shigeyasu, K., Ogasawara, M. Real-time edge detection of fish school echo image by two-dimensional exponential smoothing 86−69160

Shigeyasu, K., Ogasawara, M. Suppression of noise of echo sounder using exponential smoothing method 87−56274

Shigeyasu, K. *see* Ogasawara, M. 86−49739

Shigeyeda, Y., Kaji, T., Machida, O. International telex store and forward unit at Kokusai Denshin Denwa Co., Ltd 85−3028

Shigi Ding *see* Ding Shigi

Shigihara, K., Shiraishi, K., Kawakami, S. Modal field transforming fiber between dissimilar waveguides 87−25972

Shigihara, K., Shiraishi, K., Kawakami, S. Modal field transformer between dissimilar waveguides 88−65341

Shigihara, K. *see* Aoyagi, T. 88−14200

Shigihara, S. Vacuum induction furnace 'SVIF' series 87−36256

Shigin, V.M. *see* Beloshabskii, V.V. 85−65468, 86−26026

Shigo, O., Koyamada, M. Designer's Work Environment for communications software 86−54659

Shigo, O., Koyamada, M. Communications software CAD system 87−27792

Shigo, O., Norifusa, M., Koyamada, M., Kishi, T., Sugai, M., Hagiwara, N., Hanrin, H. Software production system for communication and control software 87−48392

Shigo, O. *see* Koyamada, M. 85−42387

Shigorin, V.D. *see* Stepanov, D.Yu 85−41501, 86−9968

Shigorin, V.P., Litvinov, B.Ya. Bridge for measuring resistance values in multiples other than ten 88−74553

Shigorin, V.P., Litvinov, B.Ya., Pogosova, L.I. Stability of single-valued measures of electrical resistance of 10^{-3}-10^{5} Ω 86−24671

Shigorin, V.P., Myazdrikov, O.A., Litvinov, B.Ya. Precision measurements of resistance values that are not decimal-multiples 85−48059

Shigoyo, N. *see* Onga, S. 87−25313

Shigu Tu *see* Tu Shigu

Shiguang Song *see* Song Shiguang

Shiguang Wu *see* Wu Shiguang

Shigyo, N., Dang, R. Analysis of an anomalous subthreshold current in a fully recessed oxide MOSFET using a three-dimensional device simulator 85−34971

Shigyo, N., Dang, R. Three-dimensional device simulation using a mixed process/device simulator 87−67363

Shigyo, N., Fukuda, S., Wada, T., Hieda, K., Hamamoto, T., Watanabe, H., Sunouchi, K., Tango, H. Three-dimensional analysis of subthreshold swing and transconductance for fully-recessed-oxide (trench) isolated 1/4-μm-width MOSFETs 88−64563

Shigyo, N., Konaka, M., Dang, R. A three-dimensional simulation program for MOS devices and its application to the analysis of the narrow-channel effect 85−12275

Shigyo, N., Onga, S., Yoshimi, M., Taniguchi, K. Three-dimensional simulation of hot carrier effects in submicron MOSFETs 86−67883

Shigyo, N., Sato, K., Kato, K., Wada, T. Triangle mesh device simulator: TRITON 87−60393

Shigyo, N., Wada, T., Fukuda, S., Hieda, K., Hamamoto, T., Watanabe, H., Sunouchi, K., Tango, H. Steep subthreshold characteristic and enhanced transconductance of fully-recessed oxide (trench) isolated 1/4 μm width MOSFETs 88−39476

Shigyo, N. *see* Kato, K. 88−13072

Shigyo, N. *see* Takano, H. 88−41741

Shih, A., Berry, A., Marrian, C.R.K., Haas, G.A. Os-coated cathode for very high emission-density applications 87−54354

Shih, A., Haas, G.A., Marrian, C.R.K. Changes in surface chemistry of an Ir-W mixed metal coated cathode during activation 86−14788

Shih, A., Marrian, C.R.K., Haas, G.A. Study of pyrolytic carbon for non-emitting grid applications 86−14803

Shih, A. *see* Haas, G.A. 86−14785 to 14786

Shih, A. *see* Marrian, C.R.K. 86−14782 to 14783, 87−24665

Shih, C., Gray, P.R. Reference refreshing cyclic analog-to-digital and digital-to-analog converters 87−800

Shih, C., Lam, K., Lee, K., Schlack, R.W. A CMOS analog front end for 9600 BPS facsimile modem 87−62757

Shih, C., Wu, R.-B., Jeng, S.-K., Chen, C.H. A full-wave analysis of microstrip lines by variational conformal mapping technique 88−40629

Shih, C.-C., Bullock, D.L. Effect of mode rotation and intracavity beam divergence on the alignment sensitivity of FEL ring resonators 87–2175
Shih, C.-C., Lam, K.-K., Lee, K.-L., Schalk, R.W. A CMOS 5-V analog front end for 9600-bit/s facsimile modems 88–21571
Shih, C.-C., Neil, G.R. Phase-conjugate free electron laser resonators 87–75177
Shih, C.-C., Sheu, B.J., Le, H.M. Characterization of GaAs MESFET gate capacitances 88–57678
Shih, C.-C., Sun, S.Y. Jitter attenuation phase locked loop using switched capacitor controlled crystal oscillator 88–70604
Shih, C.-C. *see* Hsu, W.-J. 88–71692
Shih, C.-C. *see* Lu, C.-Y. 85–6322, 85–55189
Shih, C.-H., Babcock, C.D. Buckling of oil storage tanks in SPPL tank farm during the 1979 Imperial Valley earthquake 87–79267
Shih, C.C., Gray, P.R. Reference refreshing cyclic analog to digital and digital to analog converters 86–67282
Shih, C.C., Karr, G.R., Smith, K., Filingeri, F. Investigations of the effects of flow medium homogeneity on laser beam jitters 85–62521
Shih, C.C., Schwartz, G.D. Unique switching challenges to address international digital systems interfaces 88–46823
Shih, C.H., Hayes, R.M., Nichols, D.K., Koch, R.E., Timoshenko, J.A., Anderson, J.G. Application of special arresters on 138 kV lines of Appalachian Power Company 86–12507
Shih, C.H. *see* Halladay, J.A. 86–6380
Shih, C.H. *see* Koch, R.E. 86–18885
Shih, C.H. *see* Kogan, V.I. 88–75698
Shih, C.H. *see* Vinh, T. 86–18842
Shih, C.K., Spicer, W.E. Natural valence-band offset of HgTe and CdTe 88–19687
Shih, C.K. *see* Friedman, D.J. 86–67680
Shih, C.K. *see* Pei, B.S. 86–70773
Shih, D.K., Lee, S.K., Ku, Y.H., Kwong, D.L., Lee, S. Rapid thermal nitridation of thin oxides 88–44691
Shih, D.K. *see* Ku, Y.H. 87–53423, 88–13183, 88–39196, 88–44877
Shih, D.K. *see* Lee, S.K. 87–25360, 88–13084
Shih, F. *see* Chao, H.H. 87–778
Shih, F.W., Chao, H.H., Ong, S., Diamond, A.L., Tang, J.Y.F., Trempel, C.A. Testability design for Micro/370, a System/370 single-chip microprocessor 87–24256
Shih, F.W. *see* Chao, H.H. 87–10904, 87–60641
Shih, F.W. *see* Ong, S. 87–17152, 87–44926
Shih, F.Y., Mitchell, O.R. Decomposition of gray scale morphological structuring elements 88–28116
Shih, F.Y., Mitchell, O.R. Skeletonization and distance transformation by greyscale morphology 88–59265
Shih, F.Y., Mitchell, O.R. Automated fast recognition and location of arbitrarily shaped objects by image morphology 88–73373
Shih, H., Abraham, J.A. Transistor-level test generation for physical failures in CMOS circuits 87–6912
Shih, H., Kanofsky, A. A parametrization of the lateral profile of hadronic showers from 10 to 300 GeV 88–10282
Shih, H. *see* Abraham, J.A. 86–63462
Shih, H.-C., Rahmeh, J.T., Abraham, J.A. FAUST: a MOS fault simulator with timing information 87–23837
Shih, H.-D. *see* Bayraktaroglu, B. 85–11561
Shih, H.-D. *see* Frensley, W.R. 85–40757
Shih, H.-D. *see* Kim, B. 88–50359
Shih, H.D., Kim, B., Wurtele, M. High-performance millimetre-wave GaAs power MESFET prepared by gas source molecular beam epitaxy 88–1680
Shih, H.D., Matteson, S.E., McLevige, W.V., Yuan, H.T. Molecular beam epitaxial growth of GaAs/AlGaAs heterojunction material for bipolar integrated circuits 85–44723
Shih, H.D. *see* Bayraktaroglu, B. 85–34173, 86–27632, 86–47061, 88–12608
Shih, H.D. *see* Camilleri, N. 88–63972
Shih, H.D. *see* Kim, B. 85–11562, 85–23796, 85–34934, 86–27627, 86–41321, 86–62839, 87–32087, 87–59857, 87–73677, 88–32427, 88–38743
Shih, H.D. *see* Macksey, H.M. 86–27625
Shih, H.D. *see* Reed, M.A. 86–35396, 87–24872
Shih, H.D. *see* Yang, C.H. 88–44735
Shih, H.D. *see* Yuan, H.T. 87–46172
Shih, I. Current/voltage characteristic of CuInSe$_2$ homojunctions 85–34572
Shih, I., Champness, C.H., Sewell, P.B., Ding, L. Autoepitaxy of tellurium using vacuum deposition 85–39769
Shih, I., Champness, C.H., Vahid Shahidi, A. Growth by directional freezing of CuInSe$_2$ and diffused homojunctions in bulk material 86–57428
Shih, I., Despins, C., Champness, C.H., Gundjian, A.A. Preliminary results of a Te/Si heterostructure 86–8850
Shih, I., Ding, L., Pavlasek, T.J.F., Champness, C.H. Photo-induced complex permittivity measurements of semiconductors 85–14983
Shih, I., Qiu, C.X. Preparation of CdTe films by electrodeposition 86–460
Shih, I., Qiu, C.X. Characteristics of preliminary cells fabricated using electrodeposited CuInSe$_2$ films 88–37570
Shih, I., Qiu, C.X., Qiu, S.N., Huang, J.F. Schottky junctions on CuInSe$_2$ films 88–32922
Shih, I., Qiu, C.X., Zhang, S.K., Chen, J.K. Deposition of selenium films from aqueous solution 85–49587
Shih, I., Vahid Shahidi, A., Champness, C.H. Preparation of crystalline CuInSe$_2$ by directional freezing 85–39709
Shih, I., Zhang, S.K., Qiu, C.X. Preparation of CuInSe$_2$ films by an electrophoretic deposition technique 86–57463
Shih, I. *see* Qiu, C.X. 86–26899, 88–31817
Shih, I. *see* Qiu, S.N. 87–58981, 88–12067
Shih, I. *see* Quang, N.V. 85–33383, 85–40471, 86–7725
Shih, I. *see* Qui, C.X. 88–57357
Shih, I. *see* Vahid Shahidi, A. 85–40472, 86–1984, 86–9663
Shih, J.C., Claus, R.O. Concentric core optical fiber strain sensor 87–12216
Shih, J.R. *see* Fallon, D. 88–1594
Shih, K.K., Chieu, T.C. Surface coating for the reduction of contact resistance in resistive ribbon printing 87–1815
Shih, K.K., Dove, D.B. Electrical properties of resistive ribbon 86–11678
Shih, L.Y. Self-focusing of laser beams in a noncircular fiber 86–68633
Shih, M.-L., Milonni, P.W., Ackerhalt, J.R. Modeling laser instabilities and chaos 85–24430
Shih, M.T. *see* Tzeng, J.S. 86–63189
Shih, P. *see* Baglee, D.A. 87–752
Shih, R. *see* Bobbs, B. 88–25423
Shih, S., Myhre, D.L., Edwards, G.J., Blazquez, C.H., Gardner, J.M. Wavelength intensity indices in relation to tree condition and leaf-nutrient content 86–18616
Shih, S. *see* Rotman, W. 86–42965
Shih, T. The Semiconductor Chip Protection Act of 1984: is copyright protection for utilitarian articles desirable? 87–65124
Shih, T.T. *see* Hooper, G.D. 85–43937
Shih, W., Wang, C., Chiao, S., Chen, L., Wu, N., Batra, T., Kao, J.C., Wu, O.K. Structural and electrical characterization of thin polyoxides for nonvolatile memory applications 85–55723
Shih, W. *see* Sun Chiao 85–62091
Shih, W.-K. *see* Kuo, Y.S. 88–70404
Shih, Y. Scattering parameters of axial inductive strips in rectangular waveguide 85–19199
Shih, Y., Washburn, J., Gronsky, R., Weber, E.R. Amorphization of silicon by boron ion implantation 87–17707
Shih, Y. *see* Chu, T.S. 86–10150
Shih, Y. *see* Damm, W. 87–28942
Shih, Y.-C., Bui, L.Q., Itoh, T. MM-wave contiguous diplexer designed with printed-circuit elements 87–45193
Shih, Y.-C., Ton, T.-N., Bui, L.Q. Waveguide-to-microstrip transitions for millimeter-wave applications 88–70985
Shih, Y.-C. *see* Ho, T.Q. 88–38687
Shih, Y.C., Bui, L.Q., Itoh, T. Millimeter-wave diplexers with printed circuit elements 86–8446
Shih, Y.C., Chu, T.S., Itoh, T. Comparative study of mode matching formulations for microstrip discontinuity problems 86–8419
Shih, Y.C., Gray, K.G. Analysis and design of evanescent-mode waveguide dielectric resonator filters 85–17624
Shih, Y.C. *see* Bui, L.Q. 87–66491
Shih, Y.C. *see* Byrne, P.F. 85–18231
Shih, Y.C. *see* Ho, T.Q. 87–66495
Shih, Y.C. *see* Ton, T.N. 87–73637
Shih, Y.C. *see* Yau, W. 87–6036
Shih, Y.H. *see* Bowman, S.R. 87–41030
Shih Chih-Tay *see* Chih-Tay Shih
Shih Ching-chuan *see* Ching-chuan Shih
Shih Chintay *see* Chintay Shih
Shih Chung Lo *see* Ho, B.K.T. 88–23148
Shih Chunkuan *see* Chunkuan Shih
shih Hsi-ching *see* Hsi-ching shih
Shih Hsiuan-Ming *see* Hsiuan-Ming Shih
Shih Hung Dah *see* Hung Dah Shih
Shih I-Fu *see* I-Fu Shih
Shih Mei-Li *see* Mei-Li Shih
Shih Pang-Ying *see* Pang-Ying Shih
Shih Wei-Kuan *see* Wei-Kuan Shih
Shih Wu Hung *see* Hung Shih Wu
Shih Yen-Ping *see* Yen-Ping Shih
Shih Yen-Shiang *see* Yen-Shiang Shih
Shih Yi-Chi *see* Yi-Chi Shih
Shih Yig-Cheng *see* Yig-Cheng Shih
Shih Yih-Cheng *see* Yih-Cheng Shih
Shih-Chang Chen *see* Hara, T. 86–28154
Shih-chang Tsou *see* Tsou Shih-chang
Shih-Chia Chang Effects of differential etching and masking resist preparation on the quality of the reactive-ion-etched aluminum and aluminum alloys 85–23719
Shih-Ming Liu, Das, M.B., Kopp, W., Morkoc, H. Low frequency noise characteristics of modulation-doped FETs 86–21619
Shih-Ming Liu, Das, M.B., Peng, C.K., Klem, J., Henderson, T., Kopp, W., Morkoc, H. Pseudomorphic InGaAs/AlGaAs modulation-doped FETs with reduced low-frequency noise and thermally stable performance 87–45967
Shihab, S. A fast response impulse voltage measuring system for testing of gas insulated substations equipment 86–66213
Shihab, Z. *see* Whiteside, S. 87–41957
Shihara, K. *see* Takahashi, T. 85–31063
Shihchang Tsou *see* Tsou Shihchang
Shihiang Wang *see* Wang Shihiang
Shihong Pan *see* Pan Shihong
Shihoyama, K. *see* Ochiai, Y. 85–40617, 86–35588, 86–67817, 87–38400
Shihua Gu *see* Gu Shihua
Shihua Hu *see* Hu Shihua
Shihui Xu *see* Xu Shihui
Shiiba, K., Kira, T., Miyauchi, T., Nakai, K., Yoshikawa, M. Barkhausen noise in yoke type MR Heads. I 88–26668
Shiiba, K., Otuka, K., Minakata, R., Imae, K., Sagara, T., Miyauchi, T., Kira, T., Yoshikawa, M. Reproduced characteristics of YMRH 86–58688
Shiika, Ya.V. *see* Shapovalov, Yu.I. 87–23847
Shiiki, K., Shiroishi, Y., Kamasaka, N., Futamoto, M. Read-after-write characteristics of ring-type heads for perpendicular CoCr media 87–18515
Shiiki, K., Shiroishi, Y., Kumasaka, N., Aoki, S. Magnetic properties of Fe-Si-Ru sputtered films 86–58665
Shiiki, K., Shiroishi, Y., Shinagawa, K., Kumasaka, N., Kudo, M. Probe type thin film head for perpendicular magnetic recording 85–24135
Shiiki, K., Shiroishi, Y., Yuito, I., Nakamura, H., Hamakawa, Y. Read after write characteristics of probe-type thin film head for perpendicular recording 87–46370
Shiiki, K., Yuitoo, I., Shiroishi, Y. Fabrication of coils with high aspect ratios for thin-film magnetic heads 86–9410
Shiiki, K. *see* Iijima, A. 85–29438, 86–42117
Shiiki, K. *see* Nakamura, A. 87–46318
Shiiki, K. *see* Shiroishi, Y. 85–45992 to 45993, 86–58692, 86–63558
Shiiki, M. *see* Kanehisa, O. 88–31782
Shiiki, M. *see* Kobayashi, H. 85–41252, 85–41254, 86–9696
Shiiki, M. *see* Shanker, V. 85–7314
Shiiki, M. *see* Tanaka, S. 86–31526, 87–1110, 87–3685
Shiiko, S.A. *see* Visyashchev, A.N. 85–59808, 86–12513, 86–39206
Shiimoto, T. *see* Konagai, M. 87–16648
Shiimoto, T. *see* Nishida, S. 86–62215
Shiina, K. *see* Sugiura, O. 88–38237
Shiina, T., Ikeda, K., Saito, M. Separation of specular and random components in ultrasonic echo 85–46957
Shiina, T., Ikeda, K., Saito, M. Improvement of resolution in ultrasonic tomography by adaptive filtering 87–21553
Shiina, T., Ikeda, K., Saito, M. Improvement of resolution in ultrasonic tomography by adaptive filtering 88–54499
Shiina, T., Shiraishi, K., Kawakami, S. Waveguide-bend configuration with low-loss characteristics 87–18673
Shiina, T. *see* Hagiwara, S. 86–1938
Shiina, T. *see* Seino, M. 88–47129
Shiina, T. *see* Sekigami, K. 87–79225
Shiina, Y. *see* Aoki, J. 88–10415
Shiina, Y. *see* Suzuki, S. 88–10417
Shiino, H. *see* Fujino, T. 87–34514
Shiino, K. *see* Enomoto, R. 88–61123
Shiino, K. *see* Imanishi, A. 88–61124
Shiizuka, H. A survey of transformerless three-terminal network synthesis techniques 85–491
Shiizuka, H. A new type of three-pole admittance functions and its network structure 85–530
Shiizuka, H. Nonseparable minimum ILFI networks–graphs with no disconnecting matching 85–17048
Shijian Yan *see* Yan Shijian
Shijie, Y., Karl, H. Analysis and optimization of solar powered water pumps 87–42723
Shijie, Z. *see* Jing, H. 88–19495
Shijie Lin *see* Liqun Xu 88–25413, 88–56833
Shijie Wang *see* Wang Shijie
Shijie Xiong *see* Xiong Shijie
Shijie Zhao *see* Zhao Shijie
Shijun Guo *see* Guo Shijun
Shijun Jiang Highly accurate method for the numerical determination of propagation constants of single-mode fibres with arbitrary index profiles 88–39900
Shijun Jiang *see* Jiang Shijun
Shijun Song *see* Fuyin Sun 88–42585
Shik, A.Ya. Determination of parameters of deep centers by the capacitance spectroscopy method 85–29062
Shik, A.Ya. Calculations on inhomogeneous accumulation and inversion layers in metal-insulator-semiconductor structures 85–40550

Shik, A.Ya. Properties of metal-insulator-semiconductor structures with a step-shaped insulator 85−61775
Shik, A.Ya. Calculations relating to a semiconductor structure with a quasione-dimensional electron gas 86−21273
Shik, A.Ya. *see* Vul', A.Ya. 87−32315
Shik, A.Ya *see* Ya Shik, A.
Shik, V.B. *see* Arsen'eva, E.D. 85−40991
Shik Byun Youn *see* Youn Shik Byun
Shik Kang Hyun *see* Hyun Shik Kang
Shik Koh Kyung *see* Kyung Shik Koh
Shikada, M., Fujita, S., Henmi, N., Takano, I., Mito, I., Taguchi, K., Minemura, K. Long-distance gigabit-range optical fiber transmission experiments employing DFB-LDs and InGaAs-APDs 88−22087
Shikada, M., Fujita, S., Takano, I., Henmi, N., Mito, I., Taguchi, K., Minemura, K. 1.5 μm high bit rate long span transmission experiments employing a high power DFB-DC-PBH laser diode 86−49695
Shikada, M., Henmi, N. Evaluation of power penalty due to beat noise induced by connector reflection 88−73904
Shikada, M., Mito, I., Emura, K., Murata, S., Komatsu, K., Kaede, K., Minemura, K. Optical devices for coherent optical fiber transmission systems 88−47103
Shikada, M., Takano, S., Fujita, S., Mito, I., Minemura, K. Evaluation of power penalties caused by feedback noise of distributed feedback laser diodes 88−51810
Shikada, M. *see* Emura, K. 85−14251, 86−11103, 86−17366, 86−43860, 87−8271, 87−56156, 88−67404
Shikada, M. *see* Fujita, S. 87−56132
Shikada, M. *see* Fujiwara, M. 88−67339
Shikada, M. *see* Henmi, N. 88−45455, 88−53269
Shikada, M. *see* Honmou, H. 87−13693
Shikada, M. *see* Kaede, K. 87−12461
Shikada, M. *see* Kasahara, K. 88−65530
Shikada, M. *see* Kobayashi, K. 86−22412
Shikada, M. *see* Manome, K. 88−47144
Shikada, M. *see* Minemura, K. 87−13722, 87−40910 to 40911, 88−4017
Shikada, M. *see* Mito, I. 88−65736
Shikada, M. *see* Murata, S. 86−42580
Shikada, M. *see* Shibanuma, N. 86−4664, 87−75107
Shikada, M. *see* Suzuki, A. 88−20519
Shikada, M. *see* Uji, T. 86−49697
Shikada, M. *see* Yamazaki, S. 85−35752, 86−23849, 86−49693
Shikada, S. *see* Fujita, S. 88−67417
Shikaku, T. *see* Iida, Y. 86−62991, 88−44517
Shikama, S., Toide, E., Kondo, M., Kime, K. Optical pickup for CD using no glass lens 87−46634
Shikama, S. *see* Kondo, M. 85−42793
Shikama, S. *see* Kono, K. 86−60082
Shikama, S. *see* Ohtsubo, A. 87−46369
Shikama, T., Niu, H., Takai, M. Lateral photovoltaic effect in the weakly inverted and in the depleted MOS interface layers 85−18175
Shikama, T., Niu, H., Takai, M. Measurement of MOS leakage conductance by means of the lateral photovoltaic effect 85−29046
Shikama, T., Okada, Y., Hamana, T., Niu, H., Matsuda, T., Takai, M. Lateral photovoltaic measurements of electrical properties of SiAl:H/n-type Si structures 85−23511
Shikama, T., Takaoka, M., Ono, M., Seki, M., Oshima, H. Development of new vulcanizing system for cross-linked polyethylene cables (FZCV) 88−36843
Shikama, T. *see* Fujiwara, K. 88−46794
Shikama, T. *see* Kitamura, M. 88−51339
Shikang Gong *see* Gong Shikang
Shikang Wang *see* Wang Shikang
Shikano, K. Improvement of word recognition results by trigram model 87−61728
Shikano, K., Kobayashi, K., Miyazawa, S. Oxygen distribution in a horizontal Bridgman-grown, semi-insulating GaAs ingot 85−33377
Shikano, K., Kurematsu, A. Trends in speech understanding research 87−75750
Shikano, K., Lee, K., Reddy, R. Speaker adaptation through vector quantization 87−27303
Shikano, K. *see* Abe, M. 88−72843
Shikano, K. *see* Aikawa, K. 86−16187, 86−36957, 87−12953
Shikano, K. *see* Matsunaga, S. 86−16169, 86−36958, 87−2492
Shikano, K. *see* Matsunaga, S.-I. 87−12954
Shikano, K. *see* Mitachi, S. 86−22137
Shikano, K. *see* Sugamura, N. 85−19388, 86−36956, 87−12952
Shikano, K. *see* Sugiyama, M. 85−13502, 86−36959, 86−48806, 87−12955
Shikano, K. *see* Waibel, A. 88−66359
Shikano, S. *see* Yoshida, K. 86−49172
Shikano, Y. *see* Kawabata, T. 87−43226
Shikanov, A.E. Sealed diode accelerator tubes with laser ion sources for neutron generation 88−54369
Shikanov, A.E., Tsyplyakov, A.P. A method for the numerical solution of three-dimensional problems in electrodynamics 85−19086
Shikanov, A.E. *see* Gulko, V.M. 88−68199
Shikanov, A.E. *see* Gusarov, V.N. 86−2458
Shikanov, A.E. *see* Kozlovskii, K.I. 88−25851
Shikanov, A.E. *see* Tsybin, A.S. 86−60529
Shikanov, A.E. *see* Voitenko, V.A. 88−36273
Shikarkhane, N.S., Nundy, U., Chatterjee, U.K. Simple circuit to passively synchronize the predischarge and main discharge in a UV preionized TEA CO_2 laser 85−35840
Shikarkhane, N.S., Nundy, U., Chatterjee, U.K. Thin polyethylene film as a window for pulsed TEA CO_2 laser 88−51867
Shikarkhane, N.S. *see* Dev, V. 86−36535
Shikata, H. *see* Asakura, K. 85−15847
Shikata, K. *see* Sano, S. 86−10763
Shikata, M., Gobara, T., Ueda, S., Furuta, Y. 1-Mbit dynamic RAM MN411000 86−52836
Shikata, S., Hayashi, H., Takahashi, H., Yoshida, K. Formation of submicron silicon-nitride patterns by lift-off method using ECR-CVD 88−13150
Shikata, S., Isogai, M., Iwasaki, K., Mukoh, A. The effects of material constants and device parameters on electrooptic characteristics of liquid crystal devices 85−2097
Shikata, S. *see* Igura, K. 85−49169
Shikata, S. *see* Suzuki, T. 87−34628
Shikata, Y., Eguchi, M., Funakawa, K. High-speed digital switched-services network encompassing the CS-2 communications satellite system 87−28509
Shikata, Y., Funakawa, K. A study on layered free access network 88−73408
Shikata, Y., Yamaguchi, T. Engineering workstation 85−40017
Shikata, Y. *see* Arita, T. 87−34474
Shikata, Y. *see* Aso, A. 88−19056
Shikata, Y. *see* Eguchi, M. 87−48987
Shikata, Y. *see* Miyazawa, I. 86−34451
Shikatani, M. *see* Matsumoto, K. 85−25532
Shikazono, N. *see* Takekoshi, E. 85−59179
Shikhin, A.Ya. *see* Sergeev, V.G. 88−36190
Shikhkerimov, I.A. *see* Kuzhekov, S.L. 86−61461, 87−9478
Shikhlyarov, K.K. *see* Kordonskii, M.S. 88−47976
Shikhman, V.M. *see* Tripalin, A.S. 85−59524
Shikhov, V.I. *see* Kaganov, M.A. 85−31617
Shikhova, M.D. *see* Benkhal'di, M. 88−17558
Shikhsaidov, M.Sh. *see* Bagduev, E.G. 88−72202
Shiki, T. *see* Sasaki, F. 88−53435
Shikii, S. *see* Tamura, Y. 86−43869, 88−45394
Shikin, A.M. *see* Adamchuk, V.K. 87−6484
Shikina, C. *see* Kashigi, K. 85−8571
Shikina, C. *see* Sugimoto, A. 85−58346 to 58347
Shikov, A.K. *see* Klimenko, E.Yu. 88−26727, 88−71987
Shikov, L.Ya. *see* Shafranskii, V.I. 86−57065
Shikova, L.V. *see* Drobyshev, I.I. 88−957
Shikova, L.V. *see* Meschanov, V.P. 85−6409
Shikova, L.V. *see* Meshchanov, V.P. 85−7684, 85−57076, 86−34942
Shiktorov, N. *see* Balevicius, S. 86−21469
Shiktorov, N. *see* Balyavichyus, S. 85−28977
Shiktorov, N. *see* Cesnys, A. 86−21205
Shiktorov, N. *see* Vengalis, B. 85−34546
Shiktorov, P.N. The bunching and negative differential conductivity in semiconductors with strongly inelastic scattering of the charge carriers 86−58223
Shiktorov, P.N. *see* Pozela, J.K. 85−40430
Shiktorov, P.N. *see* Pozhela, Yu.K. 86−27843, 88−2197
Shiktorov, P.N. *see* Vorob'ev, L.E. 86−21091
Shilal'nikas, V.I. *see* Baranskii, P.I. 87−17687
Shilalnikas, V.I. *see* Liutovich, K.L. 88−32874
Shilal'nikas, V.I. *see* Rudaitis, V.G. 88−9945
Shilcrat, E. *see* Henderson, T.C. 85−58698
Shil'dkret, I.M. *see* Livshits, M.A. 85−48843
Shil'dkret, L.A. Effects of air compressibility on the effective area of a noncylindrical piston in a pressure sensor 86−24489
Shil'dkret, L.A. *see* Dzagurova, T.S. 88−36419
Shil'dkret, L.A. *see* Khavaeva, V.A. 87−3795
Shildyaev, V.S. *see* Eremenko, A.S. 87−75034
Shilenas, A.L. *see* Bartashevich, Z.N. 87−60152
Shilenas, A.L. *see* Kavalyauskas, A.A. 87−74081
Shilenkov, M.I. A parametric amplifier with discrete capacitance modulation 85−605
Shili Zhang *see* Zhang Shili
Shiliang Zhou *see* Zhou Shiliang
Shilin, A.N., Mukha, Yu.P. Opto-electronic dimension transducer with thermal strain compensation 88−4372
Shilin, L.Yu. *see* Fedorova, I.A. 85−61074
Shilin, L.Yu. *see* Kuznetsov, A.P. 86−30198
Shilin, N.V. Ways of increasing the interrupting capability of oil circuit breakers 88−55520
Shilin, N.V., Kolyadina, N.A., Nosov, Yu.I. Influence of the restoring voltage on switchability of a 35 kV oil-filled breaker 87−4833
Shilin, N.V., Levchenko, I.S. Study of a composite model of a gas buffer in oil circuit breakers 87−78815
Shilin, N.V., Minaev, P.V. Experimental investigation of gas formation in a model of a small-oil-volume breaker 85−49057
Shilin, N.V., Nikuev, Yu. Restored electric withstand strength in HV circuit breakers 85−32635
Shilin, N.V., Nikuev, Yu.A. Recovery strength of high voltage circuit breakers 85−39136
Shilin, N.V., Romanov, Yu.V. A procedure for finding the arc quenching time in oil-filled breakers 87−15923
Shilin, N.V. *see* Berneryd, S. 86−6825
Shilin, N.V. *see* Ignatko, V.P. 86−6924
Shilin, V.A. Use of two-phase reticle element in electrooptical displacement transducers with phased reticle interpolators 85−20594
Shilin, V.A. *see* Kanunnikov, A.I. 87−10594
Shilin, V.V. Probability of zero-crossings of random processes in a two-channel system at different instants of time 88−40958
Shilin Wang *see* Wang Shilin
Shilin Xing *see* Xing Shilin
Shilin Yuan *see* Fuyin Sun 88−42585
Shilina, N.A. *see* Abesadze, T.S. 87−35884
Shiling Chen *see* Chen Shiling
Shiling Li *see* Li Shiling
Shilkin, A.N. *see* Pomortseva, A.A. 88−36903
Shilkin, N.F. *see* Boldyshev, V.F. 88−54012
Shilkina, V.M. *see* V'yugina, T.S. 86−5077
Shill, M., Naylor, J. 18 bit D/A convertor in hybrid technique sets new standard 87−24273
Shill, M.A. *see* Halbert, J.M. 88−60492
Shillady, R.W. High dynamic range video detector 87−8540
Shilling, A., Lakin, R.V. The convergence of LAN and BABX systems 85−36850
Shilling, N.Z., Samuel, E.A., Pennline, H. Technical status report: development of lime based induct scrubbing—a cost effective SO_2 control technology 87−77897
Shilling, N.Z. *see* Murphy, K.R. 86−60979
Shilling, S.R. *see* Stockard, P.M. 85−38405
Shillinger, S.L. *see* Todorov, S.S. 87−1409
Shillingford, H. *see* Chao, Y.-K. 87−60361
Shillito, C.T., Farrell, J.P., Blanton, J.E. The custom hybrid microcircuit qualified manufacturers list and the procurement process 88−1252
Shillito, D. VANS and corporate videotex in the insurance industry 87−28013
Shillman, G.E. *see* De Jule, R.U. 85−52832
Shillor, M. *see* Lacey, A.A. 88−62813
Shillue, W. *see* Sletten, C.J. 87−2367
Shil'man, S.V. Stochastic approximation in filtering and identification problems 85−7855
Shil'man, S.V. Adaptive-optimal filtering in random processes 87−12963
Shil'man, S.V. Limitingly optimal filtering: adaptive Kalman-Wiener filters 88−40972
Shil'man, S.V. *see* Smorkalova, V.M. 87−24339
Shil'man, S.V. *see* Vil'k, M.L. 86−48725
Shiloh, C. *see* Gafni, G. 88−45040
Shiloh, Y. *see* Jerby, E. 87−75163
Shilonosov, V.M. *see* Smokov, T.I. 85−4900
Shilov, A.A. *see* Andreev, N.F. 86−15770
Shilov, A.E. *see* Studentsov, N.V. 87−34896
Shilov, A.F. *see* Firago, V.A. 87−37030
Shilov, A.F. *see* Karikh, E.D. 86−3156
Shilov, A.L., Ershov, L.S., Ivanov, V.N., Il'chenko, A.V., Morgovskii, L.Ya., Tyutikov, A.M. Gamma-radiation registration efficiency of herringbone assembly of microchannel plates 88−36367
Shilov, G.A., Akop'yants, K.A., Kasatkin, O.G. Effects of the frequency and diameter of circular travel by an electron beam of the penetration of metal during electron-beam welding 85−32842
Shilov, S.B. *see* Goryachkin, S.N. 85−35213
Shilov, S.V. *see* Berkutov, A.M. 87−6950, 88−44926
Shilov, S.V. *see* Goryachkin, S.N. 87−1813
Shilov, S.V. *see* Vorob'ev, V.F. 88−44925
Shilov, V.B., Antonevich, G.N., Kuznetsov, V.V., Ermolaeva, G.M. Generation of picosecond pulses for spectroscopic purposes using a regenerative amplifier 86−15668
Shilov, V.B. *see* Vinogradov, S.V. 88−34099
Shilov, V.I. *see* Slavinskii, V.M. 87−3743
Shilov, V.K. *see* Filatov, A.N. 86−70270
Shilov, V.K. *see* Kalyuzhnyi, V.E. 86−836
Shilov, Yu.M. *see* Michenko, I.S. 86−48628
Shilova, V.P. *see* Bolotov, V.V. 85−45558
Shilovich, N.N. *see* Budai, E.G. 88−47486
Shilovich, N.N. *see* Kondakov, A.Yu. 87−78502
Shilovskii, I.N.Shvetsov *see* Shvetsov Shilovskii, I.N.
Shilovskii, Yu.V. *see* Malakhov, I.A. 87−78423
Shils, A.J. *see* Angelovich, E.P. 85−14610
Shil'shtein, S.S. *see* Glazkov, V.P. 88−29831
Shilson, D.V. Connector development in the domestic appliance and automotive industries 87−59951
Shilston, M.J. *see* Babus'Haq, R.F. 87−35769
Shilston, M.J. *see* Neale, A.J. 88−23707
Shiltschik, A.A. *see* Schulga, W.G. 87−76510
Shiltz, L. *see* Van de Capelle, A. 85−46643
Shilyasko, G. *see* Borovoi, A.I. 85−40390
Shim, C.-S. *see* Park, M.-S. 88−50889
Shim, J.K. *see* Le, S.V. 87−71616
Shim, K.S., Razavi, H.M. VLSI design of a bit-serial word-parallel sorter 88−50130
Shim, K.S. *see* Razavi, H.M. 87−10833, 87−17035
Shim, T.E., Itoh, T., Yamamoto, Y. Annealing effect for heavily Sn-implanted GaAs 87−53180

Shim, T.E., Itoh, T., Yamamoto, Y., Suzuki, S. Si film as an annealing cap for Si-implanted GaAs 86−35543
Shim, T.E. *see* Yamamoto, Y. 87−38095
Shim, Y., Huang, T.S. An optimum bit allocation rule for block quantization 87−54971
Shim, Y. *see* Cordaro, J.F. 87−25364
Shim, Y.-S., Kim, J.-K. Redundancy bounds and structural constraints of Huffman codes 88−21098
Shim Chang-Sup *see* Chang-Sup Shim
Shim Cho Kyu *see* Kyu Shim Cho
Shim Gyu-Hwan *see* Gyu-Hwan Shim
Shim Jae-Sun *see* Jae-Sun Shim
Shim Young-Jae *see* Young-Jae Shim
Shima, A., Fujii, S., Sakai, S., Umeno, M. Visible InGaP/GaAsP dual wavelength light emitting diodes 85−41285
Shima, A., Yamawaki, T., Saito, H., Matsubara, H., Murakami, T., Ohtaki, K., Kumabe, H., Susaki, W. High-power CW operation of 780 nm T^3 laser diodes 87−54323
Shima, A. *see* Abe, M. 88−34709
Shima, A. *see* Kido, K. 87−27474
Shima, A. *see* Murakami, T. 87−68456
Shima, A. *see* Sakai, S. 85−46277
Shima, H. RGB multi-terminal 85−14417
Shima, H. *see* Shibata, M. 85−58535
Shima, K. *see* Hibino, M. 87−8047
Shima, K. *see* Inagaki, Y. 87−63662
Shima, K. *see* Komori, S. 88−32243
Shima, K. *see* Murakami, K. 85−30363
Shima, K. *see* Ogawa, Y. 88−12291
Shima, K. *see* Terada, H. 88−32258, 88−44199
Shima, N. *see* Hashimoto, N. 87−48624
Shima, N. *see* Ito, N. 87−48381
Shima, N. *see* Mitani, K. 87−2738
Shima, S., Moriya, T., Kashiwagi, M. Al/silicide layer conductors for VLSI multilevel interconnections 85−40662
Shima, S. *see* Hara, T. 85−61763
Shima, S. *see* Harada, K. 86−31367
Shima, S. *see* Inaba, H. 85−44006
Shima, S. *see* Iwabuchi, S. 87−25169
Shima, S. *see* Maeda, T. 86−41721, 86−47496, 87−1461, 87−45819
Shima, S. *see* Nakazato, M. 87−79075
Shima, S. *see* Shingubara, S. 88−19861
Shima, S. *see* Suguro, K. 87−32450, 87−67042, 88−19859
Shima, S. *see* Uchiyama, T. 86−5290
Shima, T. Bumpless monotonic bicubic interpolation for MOSFET device modelling 85−45875
Shima, T. SUPER-SPICE: a VLSI circuit simulator based on SPICE2 and the waveform relaxation method 86−66926
Shima, T. Table lookup MOSFET capacitance model for short channel devices 87−25278
Shima, T. Device and circuit simulator integration techniques 87−67298
Shima, T., Matsumoto, T., Suzuki, M. Biological effects of microwave irradiation in Drosophila virilis (fruit fly) 86−5889
Shima, T., Mizuta, C. Modified Gauss-Seidel iterative scheme for high speed circuit simulation 86−62373
Shima, T., Takeda, K., Mikuni, M. 30/20-GHz-band earth station 86−11017
Shima, T., Tozawa, Y., Takano, T. 30/20 GHz bands MIC up- and down-converters 85−28720
Shima, T. *see* Gondo, M. 86−17379
Shima, T. *see* Sakui, K. 86−2431
Shima, T. *see* Sukegawa, O. 88−53801
Shima, T. *see* Takano, T. 85−17859
Shima, Y., Kashioka, S., Ejiri, M. A fast algorithm for template pattern matching based on probability of occurrence of sub-patterns 85−41986
Shima, Y., Kashioka, S., Kato, K., Ejiri, M. An automatic visual inspection method for plastic surfaces based on image partitioning and gray-level histograms 86−4987
Shima, Y., Kashioka, S., Kato, K., Ejiri, M. An automatic visual inspection method for a plastic surface based on image partitioning and gray-level histograms 86−66624
Shima, Y., Kashioka, S., Sakou, H. Automatic position detection method for mounting IC parts on high-density printed circuit boards 87−17491
Shima, Y., Kashioka, S., Sakou, H., Suzuki, K. An automatic position detection method for mounting IC parts on high-density printed circuit boards 86−35215
Shima, Y., Kashioka, S., Yasue, T. Defect detection method for stamped patterns utilizing random access type parallel matching technique 86−52306
Shima, Y., Kashioka, S., Yasue, T. Defect detection method for stamped patterns utilizing random access parallel matching technique 87−60025
Shima, Y., Kashioka, S., Yasue, T. Consideration on automatic defect detection algorithms for stamped patterns in electronic parts 88−70153
Shima, Y. *see* Carini, P. 87−19143
Shima, Y. *see* Kashioka, S. 85−57510
Shimabukura, F. *see* Yeh, C. 86−35060
Shimabukuro, F.I., Lazar, S. Measurement of the complex dielectric constant of low-loss casting resins at millimeter wavelengths 85−20699
Shimabukuro, F.I., Tavis, M.T., Chang, D.S. EHF attenuation derived from emission temperatures in light rain 85−26902
Shimabukuro, F.I., Yeh, C. Attenuation measurement of very low loss dielectric waveguides by the cavity resonator method applicable in the millimeter/submillimeter wavelength range 88−63832
Shimabukuro, R.L. *see* Albares, D.J. 87−40552
Shimabukuro, T. Satellites are creating the corporate village in the same way they created the global village 88−53194
Shimabukuro, T., Zimmermann, F. Commercial applications of wideband transponders 85−25831
Shimabukuro, T.M. Securing satellite signals [signal encryption] 88−67322
Shimabukuro, T.M. *see* Vuong, X.T. 88−60082
Shimada, A., Anzai, M., Akasaki, T. Laser-scanning parameters and image characteristics in a laser printer with electrophotography 88−27455
Shimada, A., Anzai, M., Kakuta, A., Kawanishi, T. Electrophotographic properties of new diode laser printer with organic photoconductor and triboelectric magnetic toner 86−42412
Shimada, A., Anzai, M., Kakuta, A., Kawanishi, T. Electrophotographic properties of an organic photoconductor and a triboelectric magnetic toner for a new diode laser printer 88−8039
Shimada, A., Anzai, M., Noguchi, K. Development and transfer characteristics of triboelectric magnetic toner 85−19096
Shimada, A. *see* Anzai, M. 86−3420
Shimada, A. *see* Nagano, K. 87−30236
Shimada, A. *see* Okamura, T. 88−23616
Shimada, A. *see* Voyatzakis, Y. 87−15356
Shimada, F. *see* Date, T. 87−41230
Shimada, H., Kawashima, S., Itoh, H., Suzuki, N., Yabu, T. A 46-ns 1-Mbit CMOS SRAM 88−32199
Shimada, H., Kawashima, S., Yabu, T., Suzuki, N., Itoh, H. A 46 ns 1 Mbit CMOS SRAM 88−6876
Shimada, H. *see* Date, K. 88−49928
Shimada, H. *see* Kawasaki, A. 88−18758
Shimada, H. *see* Yamauchi, A. 87−49853
Shimada, I. Substation facilities for Saikyo line and Kawagoe line 86−66116
Shimada, I. *see* Iwakiri, E. 86−56985
Shimada, I. *see* Miyawaki, Y. 86−67875
Shimada, J., Miyashita, Y., Kobayashi, T., Kishi, J., Sakurai, H., Tachibana, Y., Hiruta, Y., Kitano, S. Servo LSI 88−22325
Shimada, J. *see* Endo, T. 88−51688
Shimada, J. *see* Haruna, M. 86−68284, 88−65361
Shimada, J. *see* Mitsuhashi, Y. 85−41383
Shimada, J. *see* Takashima, Y. 88−41479
Shimada, J. *see* Yajima, H. 85−24418
Shimada, J. *see* Yamashita, H. 85−29733
Shimada, K., Costogue, E. Terrestrial photovoltaic collector technology trend [solar cells] 85−53829
Shimada, K., Ferber, R.R., Costogue, E.N. Potential of thin-film solar cell module technology 86−40101
Shimada, K., Higashiguchi, M., Akeyama, A. Analysis of atmospheric attenuation at 11 and 18 GHz obtained by dual frequency Sun-tracker measurement 87−61388
Shimada, K., Higashiguchi, M., Ugai, S., Otsu, Y. Characteristics of atmospheric attenuation at 11, 18, 35 and 48 GHz obtained by Sun-tracker measurement 86−68765
Shimada, K. *see* Harada, K. 86−31367
Shimada, K. *see* Kiwaki, H. 86−11586, 86−55693
Shimada, K. *see* Kobayashi, M. 85−4999
Shimada, K. *see* Miike, H. 86−48996
Shimada, K. *see* Okamoto, J. 87−56758
Shimada, K. *see* Uchitomi, N. 87−25163
Shimada, M., Iida, T., Iwasaki, K., Shimoseko, S. Millimeter wave personal radio using an advanced communications satellite 85−8551
Shimada, M., Iida, T., Shimoseko, S., Iwasaki, K., Ohkami, Y., Kitazume, S., Kobayashi, H. Missions and technology for advanced communications satellite 86−37815
Shimada, M., Yoshimoto, S., Suzuki, Y., Iida, T. A study on the antenna-beam allocation for satellite-fed millimeter wave personal communication system 87−28476
Shimada, M. *see* Arahta, Y. 85−53793
Shimada, M. *see* Asano, H. 87−4460
Shimada, M. *see* Ibuki, K. 87−15832
Shimada, M. *see* Iida, T. 85−20148, 85−42509, 85−42712, 87−34498
Shimada, M. *see* Inoue, T. 86−64899
Shimada, M. *see* Ishido, Y. 88−74993
Shimada, M. *see* Iwano, H. 88−2223, 88−20676
Shimada, M. *see* Iwasaki, K. 85−57211
Shimada, M. *see* Masuko, H. 86−6134, 87−15068
Shimada, M. *see* Nakanishi, K. 87−74638
Shimada, M. *see* Nitta, T. 86−68057
Shimada, M. *see* Ohmae, Y. 88−26992
Shimada, M. *see* Otonari, T. 87−78141
Shimada, M. *see* Russell, P.E. 85−31306
Shimada, M. *see* Sato, T. 86−46393
Shimada, M. *see* Takahashi, Y. 88−28548
Shimada, M. *see* Tone, S. 85−33514
Shimada, M. *see* Torii, Y. 87−56975
Shimada, M. *see* Yoshimoto, S. 86−64920, 87−28477
Shimada, N. *see* Kuritani, K. 87−48770
Shimada, N. *see* Yamamoto, K. 88−10079
Shimada, O. *see* Saito, T. 87−28976
Shimada, O. *see* Suda, Y. 88−42159
Shimada, R., Aoyagi, T., Matsukawa, M., Ikeda, H., Yamagishi, T., Ujiie, K., Nakagawa, S. Control and protection of thyristor convertors for JT-60 poloidal field coils 85−5212
Shimada, R., Aoyagi, T., Matsukawa, M., Miya, N., Arakawa, K., Ieta, Y., Igarashi, J., Sinozawa, K., Taoka, H., Kawasumi, K., Ishigaki, Y., Murai, K. Test of JT-60 poloidal field coil power supply using dummy coil 85−53767
Shimada, R., Aoyagi, T., Matsukawa, T., Matsukawa, M., Ohmori, K., Kawakami, N., Ikeda, H., Ohshima, I., Ozaki, A., Kawashima, S. Development of GTO current interrupter for plasma excitation 88−69643
Shimada, R., Murakami, R., Sono, K., Ohkura, Y. Arithmetic burst error correcting fire-type cyclic ST-AN codes 88−14592
Shimada, R., Ohkura, Y., Aoe, J. Nonbinary arithmetic *AN* codes using odd radix expressions 86−22903
Shimada, R., Ohkura, Y., Murakami, R. Majority-logic-decodable cyclic ST-AN codes 85−62979
Shimada, R., Ohkura, Y., Murakami, R., Sono, K. Arithmetic burst error correcting fire type cyclic ST-AN codes 87−7667
Shimada, R., Shirahama, H., Sakurai, Y., Yabuno, K., Ishigaki, Y., Murai, K. Control method for coil currents of hybrid poloidal field coil system in a tokamak reactor 85−49041
Shimada, R. *see* Ando, T. 88−64002
Shimada, R. *see* Matsukawa, T. 87−9675, 87−22543 to 22544, 87−64520
Shimada, R. *see* Shimamoto, S. 88−65098
Shimada, S. Fiber optic subscriber communication system−overview 86−4622
Shimada, S. Overview of fiber-optic subscriber communications system 86−49605
Shimada, S. Status and future trends in terrestrial optical fiber systems in Japan 88−9548
Shimada, S. Advances in lightwave systems 88−28898
Shimada, S., Fujii, T. Stability and insertion loss required for audio conference bridge 87−20100
Shimada, S., Fujii, T. Stability and insertion loss required for audio conference bridges 87−20106
Shimada, S., Hashimoto, K., Okada, K. Fiber-optic subscriber loop systems for integrated services−The strategy for introducing fibers into the subscriber network 88−28555
Shimada, S., Ishiyama, Y., Yasukawa, H. Recognition of plural summing voice number 87−75760
Shimada, S., Kajiwara, K.I. An ion-engine system 87−57297
Shimada, S., Kakumoto, S., Ejiri, M. Representation and interpretation of overlapped line segments for automatic recognition of LSI cell drawings 86−9230
Shimada, S., Kakumoto, S., Ejiri, M. A recognition algorithm of dashed and chained lines for automatic inputting of drawings 86−67936
Shimada, S., Kakumoto, S., Ejiri, M. Representation and interpretation of overlapped line segments for automatic recognition of LSI cell drawings 87−1609
Shimada, S., Matsumoto, T. Fiber-optic transmission systems in Japan 88−73946
Shimada, S., Murakami, H., Ishimaru, K. Repeaters for teleconference use 87−34031
Shimada, S., Murakami, H., Ishimaru, K., Yasukawa, H. Telephone conferencing repeater 85−51945
Shimada, S., Nakagawa, K., Itoh, T. Gigabit/s optical fiber transmission systems−today and tomorrow 87−34614
Shimada, S., Nishihara, M., Yamada, K., Murayama, K., Ichikawa, N., Kumazawa, T. Oil filled type high pressure sensor using a silicon diaphragm 86−5294
Shimada, S., Nisihara, M., Yamada, K., Tanabe, M., Uchiyama, K. Analysis of the temperature dependence of a semiconductor pressure sensor 85−26320
Shimada, S., Suzuki, J. New talker location recognition through sound image localization control in multipoint teleconference system 88−15218
Shimada, S., Taka, M., Suzuki, J. Multipoint teleconference system providing high-quality speech 88−41441
Shimada, S., Taka, M., Suzuki, J., Yasukawa, H. Multipoint audio teleconference system with high-quality speech 88−21804
Shimada, S., Watanabe, Y. Outdoor large-screen display 'JumboTRON' 86−31206
Shimada, S. *see* Aoki, Y. 85−35194, 87−53323, 87−59089

Shimada, S. *see* Aoyama, T. 87−27830
Shimada, S. *see* Fujii, T. 87−24353, 88−56771
Shimada, S. *see* Furukawa, I. 87−39409
Shimada, S. *see* Furusaki, T. 87−5436
Shimada, S. *see* Hisano, S. 88−22155
Shimada, S. *see* Hoshikawa, S. 85−59743
Shimada, S. *see* Ikawa, N. 86−13872, 88−4377
Shimada, S. *see* Kaiser, P. 88−9546
Shimada, S. *see* Kakumoto, S. 85−50660
Shimada, S. *see* Kawatsu, M. 86−12440
Shimada, S. *see* Nishihara, M. 86−11570
Shimada, S. *see* Sato, K. 86−12121
Shimada, S. *see* Shibata, R. 85−22859
Shimada, S. *see* Suzuki, Y. 85−5860
Shimada, S. *see* Taka, M. 88−41438
Shimada, S. *see* Usami, A. 87−9818
Shimada, S. *see* Yasukawa, H. 86−64847
Shimada, T., Iwakabe, F., Sampei, T., Tanabe, M., Nirasawa, Y., Mori, H., Watanabe, K., Shimizu, N., Kitamura, Y. Photo fixable thermal recording facsimile NEFAX-24/24 M 87−55655
Shimada, T., Kokubu, A., Ooomote, R., Hisano, T. An experiment on a multi project chip design 85−7067
Shimada, T., Noda, K., Obara, M., Midorikawa, K. Pulsed CO$_2$ laser pumped by an all solid-state magnetic exciter 86−22304
Shimada, T., Obara, M. Semiconductor switched magnetic modulator for rep-rate lasers 87−18918
Shimada, T., Obara, M., Fujioka, T. Development of a magnetic switching modulator for high reprated lasers 85−24494
Shimada, T., Obara, M., Noguchi, A. An all solid-state magnetic switching exciter for pumping excimer lasers 86−15749
Shimada, T. *see* Azuma, K. 88−37468
Shimada, T. *see* Bigio, I.J. 87−70907
Shimada, T. *see* Hoshi, N. 87−46221
Shimada, T. *see* Ikegaki, T. 86−7004
Shimada, T. *see* Itoh, H. 86−40147, 88−32872
Shimada, T. *see* Kobayashi, O. 87−46785
Shimada, T. *see* Komatsu, T. 87−59502, 88−6830
Shimada, T. *see* Koshimizu, H. 85−49669
Shimada, T. *see* Mikami, M. 86−5068, 86−44174, 86−60157
Shimada, T. *see* Muramatsu, S. 86−20092
Shimada, T. *see* Okazaki, N. 85−22864
Shimada, T. *see* Sakakibara, Y. 86−49214
Shimada, T. *see* Sakamoto, N. 85−3812
Shimada, T. *see* Shinohara, K. 87−2451
Shimada, T. *see* Tamagami, M. 86−4221
Shimada, T. *see* Ukigaya, F. 87−34709
Shimada, T. *see* Watanabe, T. 87−31574, 87−52189, 87−73140, 88−63367
Shimada, Y., Matsuki, T. High power semiconductor devices for high efficiency power supply system 85−12264
Shimada, Y., Utsumi, K., Ikeda, T., Nagasako, S. Monolithic multicomponents ceramic (MMC) substrate 85−28857
Shimada, Y., Utsumi, K., Suzuki, M., Takamizawa, H., Nitta, M., Watari, T. Low firing temperature multilayer glass-ceramic (MGC) substrate 85−16799
Shimada, Y., Yamasaki, T. Fiber optic devices and integrated optics 88−2035
Shimada, Y., Yamashita, Y., Shiozawa, Y., Suzuki, M., Takamizawa, H. Low dielectric constant multilayer glass-ceramic substrate with Ag-Pd wiring for VLSI package 87−72841
Shimada, Y., Yamashita, Y., Takamizawa, H. Low dielectric constant multilayer glass-ceramic substrate with Ag-Pd wiring for VLSI package 88−38945
Shimada, Y., Yamazaki, K., Saito, O. Development of all software servo system with μPD78310 88−30755
Shimada, Y. *see* Hasegawa, T. 86−58690
Shimada, Y. *see* Higashi, Y. 85−38100
Shimada, Y. *see* Hosono, A. 87−67772, 88−51156
Shimada, Y. *see* Ide, T. 87−58962
Shimada, Y. *see* Ishii, H. 88−26805
Shimada, Y. *see* Katoh, K. 85−23814
Shimada, Y. *see* Kurokawa, Y. 86−62267, 87−67056, 88−57224
Shimada, Y. *see* Miyagi, M. 86−63631, 87−18734, 87−60905
Shimada, Y. *see* Nagasawa, H. 87−8237
Shimada, Y. *see* Okada, T. 86−23596
Shimada, Y. *see* Sakai, T. 85−61881, 87−25188, 87−45859, 87−53441
Shimada, Y. *see* Satoh, Y. 86−36007, 86−68167, 87−25802
Shimada, Y. *see* Shimazaki, M. 88−28889
Shimada, Y. *see* Tachimori, Y. 86−5968
Shimada, Y. *see* Takahashi, M. 88−64895
Shimada, Y. *see* Utsumi, K. 85−50634, 86−66862, 87−24651, 88−64056
Shimada, Y. *see* Yamazaki, T. 88−28887
Shimada, Y. *see* Yoshida, K. 88−31495
Shimade, H., Ida, Y., Hayashi, K., Arai, K. Measurement of coherence characteristics of semiconductor laser driven by high-frequency current injection 88−20670
Shimade, H. *see* Hayashi, K. 88−34043
Shimagaki, M. Packet exchange system as the nucleus of data communication network 87−69476
Shimagaki, M. Network construction using high-speed digital multiplexor 87−69795
Shimakage, K. *see* Katagiri, A. 86−71042
Shimakawa, K. Residual photocurrent decay in amorphous chalcogenides 86−28958
Shimakawa, K., Hattori, K., Elliott, S.R. Photoinduced changes of AC transport in amorphous As$_2$S$_3$ films 88−19673
Shimakawa, K., Katsuma, Y. Extended step-by-step analysis in space-charge-limited current: application to hydrogenated amorphous silicon 87−1208
Shimakawa, K., Long, A.R., Anderson, M.J., Imagawa, O. Frequency dependent loss in glow discharge amorphous silicon 88−25909
Shimakawa, K., Watanabe, A., Hattori, K., Imagawa, O. Frequency-dependent transport in glow-discharge amorphous silicon 87−37910
Shimakawa, K., Watanabe, A., Imagawa, O. AC conduction originated from the atomic two-level systems in hydrogenated amorphous silicon 85−55490
Shimakawa, K., Yano, Y. Residual photocurrent decay in hydrogenated amorphous silicon 85−7302
Shimakawa, K., Yano, Y., Katsuma, Y. Origin of the non-exponential photocurrent decay in amorphous semiconductors 87−18818
Shimakawa, K. *see* Tsujita, S. 86−52838
Shimakawa, K. *see* Yang, B.C. 86−68035
Shimakawa, T., Inoue, T., Moritani, H., Suzuki, H., Masuo, K. Shimadzu cassetteless multidirectional planigraphic device, model HLZ-100 85−38106
Shimakawa, T., Shibata, K., Suzuki, H., Katayama, S., Masuo, K., Nakamura, M. New remote-controlled X-ray television system Shimavision 900 87−8885
Shimakura, K. CCD image sensor 88−22639
Shimakura, K. *see* Shirato, H. 87−37291
Shimamato, S. *see* Ando, T. 85−56142
Shimamoto, H. *see* Okabayashi, M. 88−57014
Shimamoto, K. *see* Uchikawa, F. 86−31345
Shimamoto, M. *see* Ishimaru, H. 86−18200, 88−36301, 88−54045
Shimamoto, S. Superconducting magnet development for fusion at JAERI 85−35360
Shimamoto, S. Large coil task: superconducting magnet development program for fusion 86−28751
Shimamoto, S. The present role of superconductivity in fusion 87−25899
Shimamoto, S. The Japanese LCT coil 87−67937
Shimamoto, S., Ando, T., Hiyama, T., Tsuji, H., Nishi, M., Tada, E., Yoshida, K., Shimada, R., Takahashi, S., Terakado, T., Koizumi, K., Nakajima, H., Kawano, K., Ohkawa, Y., Oshikiri, M., Hoshino, M., Tamamura, H., Satou, M., Yaguchi, E., Ohgane, Y. Design and fabrication status of the demo. poloidal coils 88−65098
Shimamoto, S., Ando, T., Hiyama, T., Tsuji, H., Takahashi, Y., Nishi, M., Tada, E., Yoshida, K., Koizumi, K., Okuno, K., Nakajima, H., Kato, T., Kawano, K., Hoshino, M., Oshikiri, M., Wada, H., Kuroda, T., Inoue, K., Tachikawa, K. Development of superconducting materials and magnet technology for the next generation of fusion machines in Japan 88−13775
Shimamoto, S., Ando, T., Hiyama, T., Tsuji, H., Takahashi, Y., Nishi, M., Tada, E., Yoshida, K., Okuno, K., Koizumi, K., Nakajima, H., Kato, T., Yasukochi, K. Development work for the Japanese LCT coil and its design and construction 85−41077
Shimamoto, S., Ando, T., Hiyama, T., Tsuji, H., Takahashi, Y., Nishi, M., Tada, E., Yoshida, K., Okuno, K., Koizumi, K., Nakajima, H., Kato, T., Kawano, K., Hattori, Y., Kamiya, S., Ohgane, Y., Yaguchi, E., Oshikiri, M. Development of a large forged-flow-cooled pulsed coil for the next tokamak 87−12091
Shimamoto, S., Koizumi, K., Ando, T., Hiyama, T., Tsuji, H., Takahashi, Y., Tada, E., Nishi, M., Yoshida, K., Okuno, K., Nakajima, H., Kato, T., Takahashi, O., Oshikiri, M., Kawano, K., Takahashi, R., Hattori, Y., Yasukochi, K. Coil system design of medium sized superconducting tokamaks 85−1893
Shimamoto, S., Onozato, Y. Evaluation of channel partition methods for combined ALOHA/reservation access schemes 88−21397
Shimamoto, S., Tsuji, H., Takahashi, Y., Tada, E., Okuno, K., Hattori, Y., Takahashi, R., Ando, T., Hiyama, T., Nishi, M., Yoshida, K., Koizumi, K., Nakajima, H., Kato, T., Takahashi, P., Oshikiri, M., Kawano, K., Yasukochi, K. Design and verification tests for a 20-MJ pulsed poloidal coil 85−1927
Shimamoto, S. *see* Ando, T. 85−1925, 85−41089, 86−42201, 87−12090, 87−46410, 88−39818, 88−65086
Shimamoto, S. *see* Haubenreich, P.N. 88−65099
Shimamoto, S. *see* Kato, T. 85−56249
Shimamoto, S. *see* Koizumi, K. 88−65105
Shimamoto, S. *see* Nakajima, H. 87−67956
Shimamoto, S. *see* Nishi, M. 86−58724, 87−67958
Shimamoto, S. *see* Okuno, K. 87−67972, 88−65029
Shimamoto, S. *see* Onozato, Y. 87−69408
Shimamoto, S. *see* Phelan, P.E. 88−68966
Shimamoto, S. *see* Shibutani, Y. 88−63405
Shimamoto, S. *see* Tada, E. 87−38714, 87−67979, 88−39846, 88−65037
Shimamoto, S. *see* Takahashi, Y. 85−35366, 85−56141, 86−42191, 87−67954
Shimamoto, S. *see* Tone, S. 85−33514
Shimamoto, S. *see* Tsuji, H. 86−2643, 86−28754, 86−58725, 88−65066
Shimamoto, S. *see* Yoshida, K. 86−53926, 87−67955, 88−65087
Shimamoto, T., Sakamoto, A., Ushida, A. A maze running router and its wirability for single-layer printed wiring boards 85−1146
Shimamoto, T., Sakamoto, A., Ushida, A. On routability for channel routing problem 86−27003
Shimamoto, T., Sakamoto, A., Ushida, A. A maze running router and its wirability for single-layer printed wiring boards 86−67575
Shimamoto, T., Sakamoto, A., Ushida, A. On routability for channel routing problem 87−67324
Shimamoto, T. *see* Ishibashi, H. 88−45241, 88−65134
Shimamoto, T. *see* Sakamoto, A. 86−63397
Shimamune, Y. *see* Niitsu, Y. 86−47853
Shimamura, A. *see* Odera, M. 85−64358
Shimamura, K., Hisaki, T., Fujino, Y. The interactive video distribution terminal 87−63137
Shimamura, K., Hisaki, T., Ikeda, Y. Video terminals for video distributing services 86−49832
Shimamura, K., Ikeda, Y., Hisaki, T., Murakami, S. Video terminals for video distributing services 86−4837
Shimamura, K., Konishi, T., Ichikawa, T. Design for facsimile storage and conversion processing in STOC-201 85−36661
Shimamura, K., Tanbara, M., Konishi, T., Ichikawa, T. STOC-201 storage and conversion processing system [facsimile] 85−3074
Shimamura, K. *see* Dobashi, T. 87−34542, 87−49100
Shimamura, K. *see* Tanaka, E. 87−48111
Shimamura, K. *see* Wakimoto, A. 88−44206
Shimamura, M. FFT analyzers prove powerful in waveform analysis 86−60199
Shimamura, M., Maruyama, H. FFT analyzer SM-2701 88−9909
Shimamura, S. *see* Yamashita, S. 86−42378
Shimamura, T., Shirako, G., Machida, T., Takai, T., Ono, T., Ichikawa, K. System development for Marine Observation Satellite-1 'MOMO-1' 88−54750
Shimamura, T. *see* Kano, Y. 86−25181, 87−41926
Shimamura, Y., Hatami, K., Hirano, E., Hiroishi, K., Yagi, S., Takehana, H., Matsuse, J. Installation of large capacity 66 kV XLPE cable with insulated-strand-wire-conductor 87−78140
Shimamura, Y., Kikuchi, K., Sato, R., Higurashi, K., Mori, Y., Kimura, K. Development and supply of 154 kV extrude mold joint (EMJ) for Okuchichibu line 87−64192
Shimamura, Y. *see* Kamaya, M. 87−31897
Shimamura, Y. *see* Kanauchi, S. 85−22879
Shimano, A. *see* Asada, H. 86−58932
Shimano, A. *see* Hamada, K. 87−26244
Shimano, A. *see* Katsu, S. 85−49822
Shimano, A. *see* Otsuki, T. 86−68600
Shimano, A. *see* Udea, D. 86−58481
Shimano, A. *see* Ueda, D. 85−40776, 86−35919, 86−53630
Shimano, T., Ikeda, M., Shiba, E., Mukoyama, S., Yamamoto, A., Tsuchiya, K., Takasaki, M., Hirabayashi, H. Design study of a superconducting SOR facility 88−47957
Shimanovich, M.A., Kudryashov, L.V. A program system for calculating the loading characteristics of a spindle when installed in hydrostatic bearings 86−19228
Shimanskaya, A.V., Evdokimov, V.N. Effect of parameters of multidyne-screen system on image quality 86−35275
Shimanskaya, A.V. *see* Yevdokimov, V.N. 88−71289
Shimanskii, I.V. *see* Ponomarenko, V.P. 88−57642
Shimanskii, O.B. *see* Zhezheleknko, I.V. 85−21189
Shimanskii, O.B. *see* Zhezhelenko, I.V. 85−21161
Shimanuki, S., Ichihara, K., Yasuda, N., Ito, K., Kon, K. Perpendicular magnetic anisotropy in amorphous TbCo sputtered films 87−67694
Shimanuki, S. *see* Ichihara, K. 86−42156, 87−25757, 88−44945
Shimanuki, S. *see* Yasuda, N. 86−42382
Shimanuki, Y. A new radio paging receiver 86−30670
Shimanuki, Y., Adachi, S. Theoretical and experimental study on rectenna array for microwave power transmission 85−24984

Shimanuki, Y., Adachi, S. Theoretical and experimental study on rectenna array for microwave power transmission 87−2372
Shimanuki, Y., Furuya, H., Suzuki, I., Murai, K. Effects of thermal history on microdefect formation in Czochralski silicon crystals 86−26813
Shimanuki, Y., Omatsuzawa, K., Mitsuishi, T., Nishino, K. Aeronautical telephone system in Japan 87−2808
Shimanuki, Y. *see* Adachi, S. 86−6333
Shimanuki, Y. *see* Furuhama, Y. 85−25733
Shimanuki, Y. *see* Furuya, H. 88−43852
Shimanuki, Y. *see* Nakajima, N. 85−30094
Shimanuki, Y. *see* Suga, H. 85−55449
Shimanuki, Y. *see* Tomizawa, K. 85−10661, 88−49790
Shimanura, Y. *see* Ishibashi, A. 87−78178
Shimaoka, G. Recent progress in the experiments on thin film growth in Japan 85−54481
Shimaoka, G., Suzuki, Y. Effect of the substrate surface on the epitaxy of CdS films on Si 85−33450
Shimaoka, G. *see* Arakawa, T. 88−31808
Shimaoka, G. *see* Fujiyasu, H. 87−5421
Shimaoka, G. *see* Igasaki, Y. 87−10481
Shimaoka, G. *see* Kobayashi, H. 86−417
Shimaoka, G. *see* Matsumoto, K. 85−352, 87−31481, 88−31717
Shimaoka, G. *see* Nakanishi, Y. 85−2132, 86−28971, 87−74922, 88−2109
Shimaoka, G. *see* Ohno, M. 85−33433
Shimaoka, H. *see* Ono, T. 85−58542, 86−11754, 86−24801, 86−70230
Shimaoka, J. Down-to-earth challenges for satellite broadcasting 85−3410
Shimaoka, K. *see* Sugiyama, S. 87−49730
Shimarova, T.P. *see* Roschin, G.V. 85−38423
Shimarova, T.P. *see* Roshchin, G.V. 85−32060
Shimasaki, H., Tsutsumi, M., Kuma-Gai, N. An analysis of semiconductor waveguides with strip-shaped plasma and their applications 88−40646
Shimasaki, K.W., Casey, D., Wiley, M., Knight, L.W., Phillips, M. Reacher which provides low joint forces 88−54667
Shimasaki, N. Comments on latest development in the field of telecommunications and computer products 85−7771
Shimasaki, N., Kitamura, A., Ishizaki, Y., Usukara, T. An overview of ISDN−toward 'modern communications' 87−48379
Shimasaki, N., Takeshige, Y. A study on multiple mode business information service networks 85−13747
Shimasaki, T. *see* Sawahata, T. 88−23862
Shimase, A. *see* Yamaguchi, H. 85−29142
Shimatani, H. *see* Wada, R. 88−74121
Shimatani, T. *see* Iida, H. 86−60289
Shimatani, Y. *see* Haneda, H. 87−30846
Shimatani, Y. *see* Shige-eda, Y. 85−19645
Shimato, T., Ichihashi, Y., Higuchi, T. Review on the application of surge-absorbing capacitor to preventive measures against lightning troubles 86−51146
Shimatsu, T. *see* Takahashi, M. 88−64895
Shimauchi, M. Spectra of rare gas halide lasers 88−33931
Shimauchi, M., Miura, T., Oikawa, K. Absorption lines in the KrCl laser spectrum and the spontaneous emission of the medium related to KrCl 87−18893
Shimauchi, M., Oikawa, K. Compact excimer lasers of automatic preionisation type-trials for configurations with dumping condensers outside the laser tube 85−29765
Shimawaki, H. *see* Nishizawa, J. 86−428, 87−31527, 88−421, 88−70317
Shimaya, K., Okamoto, K. MESFETs of a-Si: H films 85−61936
Shimaya, K. *see* Okamoto, K. 86−9153
Shimaya, K. *see* Suzuki, Y. 88−11253
Shimaya, M., Shiono, N. The effect of post-oxidation annealing on hot carrier trapping characteristics in SiO_2 87−32356
Shimaya, M. *see* Ohno, T. 86−47569, 87−32684, 88−13577
Shimaya, M. *see* Shiono, N. 86−47409, 87−11861
Shimaya, M. *see* Ushizaka, H. 86−67869
Shimaya, Y. *see* Murata, M. 86−13211
Shimayama, H., Kato, K., Oshima, G., Yano, K. State-of-the-art SCPC satellite communications systems 85−42524
Shimayama, H., Kato, K., Oshima, G., Yano, K. State of the art SCPC satellite communication systems 85−47489
Shimayama, T. Measurement of the suppression characteristics of filter network 85−62847
Shimazaki, A., Hiratsuka, H., Matsushita, Y., Yoshii, S. Chemical analysis of ultratrace impurities in SiO_2 films 85−40590
Shimazaki, K. *see* Takigawa, T. 87−11916
Shimazaki, M., Kuzuta, N., Odama, Y., Shimada, Y. Modules and equipment for fiber optic transmission 88−28889
Shimazaki, M., Saito, H. Microprocessor-aided supervisory and control panel for substations 86−6283
Shimazaki, M. *see* Matsuo, R. 85−28543
Shimazaki, S. *see* Kawakami, K. 85−17482
Shimazaki, T., Tsuneyasu, I., Akazaki, M. Flashover mechanism on the surface of dielectric plate in the atmosphere under negative impulse voltage 86−35923
Shimazaki, T. *see* Manabe, Y. 86−48526
Shimazaki, T. *see* Shimizu, A. 86−43781
Shimazaki, Y. *see* Sato, T. 88−46101
Shimazawa, T. The trend of customer terminal communication systems 86−55051
Shimazoe, M. *see* Matsuoka, Y. 86−5293, 86−70103
Shimazu, A., Murakami, K., Fujii, H. Integrated circuit development in switched capacitor filters 88−6971
Shimazu, H., Fukuoka, M., Hayashi, S., Seki, K., Ito, H., Yamakoshi, K., Togawa, T. Noninvasive measurement of pressure/volume characteristics in human limb veins by electrical admittance plethysmography 85−26778
Shimazu, H. *see* Kawarada, A. 87−14857
Shimazu, H. *see* Yamakoshi, K. 86−5883
Shimazu, I. *see* Minowa, O. 88−11329
Shimazu, K. All-round plant engineering in the clean room for semiconductor automatic manufacturing lines 85−49327
Shimazu, K., Suwa, N., Shimizu, S., Morita, Y. Waste water and tail gas treatment for semiconductor process 85−34895
Shimazu, K. *see* Koya, M. 87−28443
Shimazu, K. *see* Tsukamoto, T. 87−23818
Shimazu, M., Kamon, K., Kimura, K., Mashita, M., Mihara, M., Ishii, M. Silicon doping using disilane in low-pressure OMVPE of GaAs 87−65494
Shimazu, M. *see* Horiguchi, S. 87−36752
Shimazu, M. *see* Ishii, M. 87−39088
Shimazu, M. *see* Kamon, K. 87−10416, 87−73070
Shimazu, M. *see* Katsuragawa, H. 87−71061
Shimazu, M. *see* Kimura, K. 87−36757, 87−44322
Shimazu, M. *see* Mashita, M. 88−63314
Shimazu, M. *see* Nakai, R. 85−33401
Shimazu, M. *see* Takebe, T. 85−55971, 86−9171
Shimazu, M. *see* Yamada, T. 87−12462
Shimazu, N., Morosawa, T., Morita, H. A high-throughput direct wafer exposure electron-beam lithography system: EB60 88−64471
Shimazu, N., Tsuyuzaki, H. High speed electron beam lithography 88−39289
Shimazu, N., Tsuyuzaki, H., Morosawa, T., Morita, H. Electron beam system EB60 permits fast direct drawing on wafers 87−32614
Shimazu, N., Tsuyuzaki, H., Morosawa, T., Morita, H. A high-throughput direct wafer exposure electron-beam lithography system: EB60 88−7403
Shimazu, N. *see* Fujinami, M. 87−38375
Shimazu, N. *see* Tsuyuzaki, H. 86−35510
Shimazu, S. *see* Uematsu, T. 88−13671
Shimazu, T. *see* Oba, Y. 88−74192
Shimazu, T. *see* Tamura, S. 85−43376, 87−50281
Shimazu, Y., Iwabuchi, A., Kokubun, Y., Senda, S. Software for personal computer communication network 87−69643
Shimazu, Y., Kawanishi, S., Yamada, J., Suzuki, M. High-speed NRZ-DMI coder and decoder monolithic ICs using Si bipolar technology 87−73510
Shimazu, Y., Maeda, Y. Voltage transformer test set using current comparator method 85−48623
Shimazu, Y., Nakayama, T. Network service enhancement with message handling facilities 86−37360
Shimazu, Y., Nishi, S., Yoshikai, N. Wavelength-division-multiplexing optical switch using acoustooptic deflector 88−28582
Shimazu, Y., Takada, T. High-speed time switch using GaAs LSI technology 86−41184
Shimazu, Y. *see* Iwabuchi, A. 87−48501
Shimazu, Y. *see* Korematsu, J. 85−33969
Shimazu, Y. *see* Nishi, S. 87−56113
Shimazu, Y. *see* Nozawa, K. 88−70885
Shimazu, Y. *see* Takada, T. 86−27229
Shimazu, Y. *see* Togashi, M. 86−53832
Shimazu, Y. *see* Tsujimichi, S. 87−17142
Shimazu, Y. *see* Yatani, T. 85−25264
Shimba, M., Sato, K., Koike, H., Sato, T. The degradation of antenna pattern by snow accretion on radome 87−75602
Shimba, M., Sato, T., Koike, H., Sato, K. Signal level degradation due to snow accretion on a radome 87−68902
Shimba, M. *see* Koizumi, S. 86−65254, 88−27140
Shimba, M. *see* Sato, T. 87−7346, 87−61147, 88−40206
Shimbo, A. *see* Akiyama, M. 86−68991
Shimbo, M. Silicon to silicon direct bonding method 88−7417
Shimbo, M., Furukawa, K. Physical and electrical properties of acid resistive zinc-lead borosilicate passivation glass 88−57492
Shimbo, M., Furukawa, K., Tanzawa, K., Fukada, K. Surface charge studies on lead borosilicate glass containing trace sodium 87−37990
Shimbo, M., Furukawa, K., Tanzawa, K., Higuchi, T. Surface-charge properties of fluorine-doped lead borosilicate glass 88−26061
Shimbo, M., Tanzawa, K., Miyakawa, M., Emoto, T. Electrophoretic deposition of glass powder for passivation of high voltage transistors 85−40633
Shimbo, M. *see* Furukawa, K. 87−25043
Shimbo, M. *see* Nakagawa, A. 87−25330
Shimbo, M. *see* Ohura, J. 88−2118
Shimbo, M. *see* Sakai, T. 86−31258
Shimbo, M. *see* Sakamoto, N. 85−3813
Shimbo, M. *see* Tanaka, H. 87−25264
Shimbo, O., Nguyen, L.N., Albuquerque, J.P., de Almeida, E. Modulation-transfer noise effects among FM and digital signals in memoryless nonlinear devices 86−64174
Shimbo, O. *see* Albuquerque, J.P.A. 85−13460, 85−14191, 87−8392
Shimegi, H. *see* Muratomi, Y. 88−51320
Shimegi, H. *see* Tani, T. 87−13973
Shimegi, H. *see* Yamamoto, T. 87−43089
Shimegi, N., Aoyama, K. Numerical method for analysis of coolant dynamics under reactive initiated accident condition 85−48692
Shimei Deng *see* Deng Shimei
Shimekake, A. *see* Sakata, Y. 86−55183
Shimell, P. Building a national network for travel agents 85−36563
Shimell, P. Videotex: Europe closer to standard 87−48520
Shimell, P.F. Gateways, road blocks, access points and a route guide to better internetworking 85−25577
Shimell, P.F. Developments in public and private videotex networking 86−37441
Shimell, P.F. The development of videotex over the past five years as a standard data communications medium for wide area networking 88−3488
Shimell, P.F. A key to open the videotex marketplace 88−15043
Shimemura, E. *see* Ishida, T. 87−51927
Shimer, D. *see* Kozman, T. 87−67949
Shimer, D.W. *see* Owen, E.W. 85−1895, 85−1906, 85−1940, 86−28761, 87−12093
Shimer, D.W. *see* Wang, S.T. 85−1921
Shimer, D.W. *see* Zbasnik, J.P. 87−67977
Shimer, J.A., Holbrook, W.R., Reynolds, C.L., Jr., Thompson, C.W., Olsson, N.A., Temkin, H. Self-aligned rib-waveguide large optical cavity AlGaAs laser for high-power single-mode operation 85−29845
Shimer, J.A. *see* Fu, J.S. 88−38535
Shimer, J.A. *see* Lee, K. 86−47842
Shimer, J.A. *see* Lee, K.H. 88−26512
Shimer, J.A. *see* Meyer, W.G. 86−47867
Shimer, J.A. *see* Reynolds, C.L. 87−18955
Shimer, J.A. *see* Reynolds, C.L., Jr. 85−7452
Shimer, S.E. Inflight resolution evaluation for thermal imaging systems 85−47841
Shimer, S.E., Minor, J.L. In-flight resolution and sensitivity evaluation for airborne thermal imaging systems 87−20965
Shimida, T. *see* Okazaki, N. 87−17078
Shimidzu, N. *see* Masuda, H. 87−20910
Shimin, D. A new method for measuring dielectric constant using the resonant frequency of a patch antenna 87−8714
Shimin Huang *see* Huang Shimin
Shimin Sheng *see* Sheng Shimin
Shiming Chen *see* Chen Shiming
Shiming Gong *see* Gong Shiming
Shiming Li *see* Li Shiming
Shiming Lin *see* Lin Shiming
Shiming Wang *see* Wang Shiming
Shiming Zheng *see* Zheng Shiming
Shimiu, T. *see* Morimoto, A. 87−5455
Shimizu, A., Hara, T. A self-consistent analysis of DH lasers over the gain-guiding and index-guiding regions 87−39109
Shimizu, A., Iida, M. Antenna and RF equipment of ARABSAT ground stations 86−43782
Shimizu, A., Inoue, T. Communications monitoring facilities of ARABSAT ground stations 86−43784
Shimizu, A., Kawachi, T. Approximate solutions of stochastic differential equations 86−13690
Shimizu, A., Kondo, M., Hosono, K., Inoue, M., Itahashi, T., Matsuoka, N., Miura, I., Sakai, H., Saito, T., Yamazaki, T. Acceleration of heavy ions at RCNP cyclotron 85−15101
Shimizu, A., Matsumoto, K., Morioka, M., Koe, K. Development of a low dislocation InP single crystals doped simultaneously with Ga and As 88−57456
Shimizu, A., Miyaguchi, S. Fast data encipherment algorithm FEAL 88−2965
Shimizu, A., Shimazaki, T. Outline of ARABSAT ground stations 86−43781
Shimizu, A. *see* Deguchi, T. 88−39676
Shimizu, A. *see* Hagiwara, T. 86−8256
Shimizu, A. *see* Hata, T. 85−10795
Shimizu, A. *see* Hayata, K. 88−50645
Shimizu, A. *see* Lee, Y.T. 88−20679
Shimizu, A. *see* Mieno, F. 88−38179
Shimizu, A. *see* Miura, I. 85−59097
Shimizu, A. *see* Miyaguchi, S. 88−66279
Shimizu, A. *see* Miyamoto, S. 86−25436
Shimizu, A. *see* Neo, S. 85−48993

Shimizu, A. *see* Saito, T. 85−59089, 86−32006
Shimizu, A. *see* Takeda, E. 86−63303
Shimizu, A. *see* Yamazaki, T. 88−42357
Shimizu, D. *see* Henrich, G. 85−54002
Shimizu, E., Ito, D. Superconducting coil application to power frequency−50 kVA coil development 88−13772
Shimizu, E., Matsushita, K., Kajiki, K. Recent progress in hardware of microcomputers 86−46885
Shimizu, E., Matsushita, K., Takahashi, H. Sensors and new signal processing techniques 88−8778
Shimizu, E., Yoshikawa, Y., Kabashima, S. Fluctuation of power output due to instability in closed cycle MHD power generation 87−51485
Shimizu, E., Yusa, A. Technical trends of solid state imagers and development of an SIT image sensor 88−16190
Shimizu, E. *see* Enomoto, M. 85−56441, 87−54184
Shimizu, E. *see* Harada, N. 85−21830
Shimizu, E. *see* Kajiki, Y. 88−46278
Shimizu, E. *see* Maruyama, K. 87−68301
Shimizu, E. *see* Matsushita, K. 88−8002
Shimizu, E.T. *see* Shinohara, S. 87−54460, 88−51987
Shimizu, F. Cable tunnel monitoring system 87−56486
Shimizu, F. *see* Hasebe, N. 86−70211
Shimizu, F. *see* Huang, Z.-G. 87−18894
Shimizu, F. *see* Namba, K. 86−22302
Shimizu, F.O. Analysis of quasi-periodic undulation in pulsed CO_2 lasers 86−29039
Shimizu, F.O. *see* Ueda, K. 85−2201
Shimizu, H. Report on fact-finding survey of illumination at medium and small factories 85−16417
Shimizu, H. Remote measurements of atmosphere by laser radar 86−6106
Shimizu, H. Power Transmission line facilities between Ueno and Ohmiya on the Tohoku Shinkansen express railway 86−7239
Shimizu, H. Ultralightweight reflector for lidar applications 86−54020
Shimizu, H. Advanced credit call service 87−27884
Shimizu, H. No.7-signal transfer point outline 87−27885
Shimizu, H. Rotary encoders for higher accuracy 88−27790
Shimizu, H., Fujita, M., Aoshima, T., Sugino, Y. Dependence of warpage of Czochralski-grown silicon wafers on oxygen concentration and its application to MOS image-sensor device 86−35709
Shimizu, H., Iikura, Y., Naitoh, M. The improvement of the performance of an electric car by the 'energy-saving design' 85−49173
Shimizu, H., Inaki, U., Yamamoto, T. Humidity characteristics of TiO_2-SnO_2 ceramic moisture sensor treated with alkali hydroxide 85−37571
Shimizu, H., Inoue, O., Uesaka, H. Advanced Free Dial Service 87−76199
Shimizu, H., Ishiguro, K. New automatic message accounting system 87−2801
Shimizu, H., Ishikawa, R., Kaede, K. Integrated optical frequency modulator for fibre-optic gyroscope using frequency modulation method 86−36279
Shimizu, H., Kaede, K. Endless polarisation controller using electro-optic waveplates 88−39991
Shimizu, H., Kinameri, K., Honma, N., Munakata, C. Determination of surface charge and interface trap densities in naturally oxidized n-type Si wafers using AC surface photovoltages 87−45701
Shimizu, H., Kondo, T. Finite element analysis of axisymmetric piezoelectric vibrator 86−15317
Shimizu, H., Matsui, I., Sugimoto, N., Sasano, Y., Takeuchi, N., Tanno, N., Saitoh, N., Yokoto, K. Short-time forecasting of snowfall by lidar 86−65523
Shimizu, H., Matsumoto, H., Masahiro, A., Watanabe, K. A digital hygrometer 88−56766
Shimizu, H., Mizuno, S., Noda, M. Microstructures of hydrogenated silicon films prepared by ion plating 86−62259
Shimizu, H., Nakai, S., Hirosaki, B. A 400 Mbps LAN for multimedia services integration capabilities 88−21737
Shimizu, H., Noguchi, K., She, C.-Y. Atmospheric temperature measurement by a high spectral resolution lidar 86−56251
Shimizu, H., Ooka, T., Ogawa, E.-i. Enhancement of NTT's SS No.7 network facilities toward ISDN 88−21871
Shimizu, H., Saiki, Y., Saitou, K., Ono, M., Morimoto, K. Highly reliable resin dipped tantalum solid electrolytic capacitors 86−58079
Shimizu, H., Saito, S. An improved equivalent circuit of piezoelectric transducers including the effect of dielectric loss 86−2511
Shimizu, H., Sasano, Y., Nakane, H., Sugimoto, N., Matsui, I., Takeuchi, N. Large scale laser radar for measuring aerosol distribution over a wide area 85−31100
Shimizu, H., Sata, T. A method of vibration analysis of high-intensity ultrasonic system 88−42695
Shimizu, H., Seki, Y., Kimura, T., Noda, K. Modulation index stabilization of optical phase modulator of fiber gyro by dual core fiber sensor 86−68282
Shimizu, H., Takano, I., Hirosaki, B. A high-speed optical transport network with flexible access capabilities 88−47122
Shimizu, H., Udagawa, K. Microprocessor-controlled power equipment [telecommunication equipment power supplies] 86−61632
Shimizu, H., Wada, M., Hamada, K., Kume, M., Shibutani, T., Yoshikawa, N., Itoh, K., Kano, G., Teramoto, I. A new monolithic composite-cavity (GaAl)As laser 86−36513
Shimizu, H., Watanabe, H., Sato, M. Noncontacting electromagnetic acoustic transducer for separately detecting longitudinal and transverse waves in metals and its application to AE sensor 85−21030
Shimizu, H., Watanabe, T., Kakui, Y. Warpage of Czochralski-grown silicon wafers as affected by oxygen precipitation 85−60942
Shimizu, H., Yano, K., Yamamoto, K., Harashima, H. Data transmission over the AC power lines 88−30365
Shimizu, H. *see* Aoyagi, R. 86−24850
Shimizu, H. *see* Asai, K. 88−61665
Shimizu, H. *see* Biwa, T. 88−20150
Shimizu, H. *see* Fujii, T. 87−25138
Shimizu, H. *see* Goto, H. 86−54920
Shimizu, H. *see* Haberichter, W. 88−68239
Shimizu, H. *see* Hamada, K. 85−62579, 86−58933, 87−26244, 87−26401, 87−33208
Shimizu, H. *see* Hasegawa, H. 85−23446
Shimizu, H. *see* Hirose, S. 87−32787, 88−51096
Shimizu, H. *see* Honma, N. 88−71299
Shimizu, H. *see* Iikura, Y. 87−42236 to 42238
Shimizu, H. *see* Iseki, Y. 85−1811, 85−29405, 86−68130
Shimizu, H. *see* Kawabata, R. 86−9035
Shimizu, H. *see* Kimura, T. 85−41109, 86−9474, 86−24595
Shimizu, H. *see* Komuro, M. 85−20786
Shimizu, H. *see* Kume, M. 85−24528, 85−62593, 87−68480, 88−8222
Shimizu, H. *see* Kuwabara, H. 86−9666
Shimizu, H. *see* Matsumoto, H. 87−66276, 88−16011
Shimizu, H. *see* Mera, M. 88−46434
Shimizu, H. *see* Mitsuhashi, K. 86−41897
Shimizu, H. *see* Mitsui, T. 85−32176
Shimizu, H. *see* Morisue, M. 87−66176
Shimizu, H. *see* Murakami, H. 88−26075
Shimizu, H. *see* Murakami, K. 86−31339
Shimizu, H. *see* Nakamura, K. 87−12023, 87−29978, 87−67631, 88−33476, 88−61682
Shimizu, H. *see* Nakayama, Y. 86−37637
Shimizu, H. *see* Nishimura, K. 88−75745
Shimizu, H. *see* Noguchi, K. 86−25421
Shimizu, H. *see* Oyama, S. 85−29419, 87−38638
Shimizu, H. *see* Saito, N. 86−25420
Shimizu, H. *see* Saito, S. 86−47928
Shimizu, H. *see* Sato, K. 87−10707
Shimizu, H. *see* Shibutani, T. 87−68464
Shimizu, H. *see* Sumi, M. 85−62104
Shimizu, H. *see* Sumi, T. 86−52835
Shimizu, H. *see* Suzuki, Y. 87−1828, 88−13635
Shimizu, H. *see* Takigawa, S. 88−14178
Shimizu, H. *see* Tani, H. 88−46597
Shimizu, H. *see* Togashi, S. 85−20676, 86−5416, 86−18038
Shimizu, H. *see* Tokoro, T. 87−6943
Shimizu, H. *see* Ueda, T. 87−25328
Shimizu, H. *see* Wada, M. 85−29830, 85−62585
Shimizu, H. *see* Watanabe, A. 87−78966
Shimizu, H. *see* Watanabe, H. 86−31514
Shimizu, H. *see* Yamada, A. 87−1829, 87−25752, 87−53862, 88−13636, 88−20230
Shimizu, H. *see* Yamada, K. 85−38371, 86−6167, 86−18624, 87−4175, 87−71415
Shimizu, H. *see* Yamashita, M. 87−53765
Shimizu, I. Narrow band gap materials 85−35593
Shimizu, I. Electrophotography 85−62443
Shimizu, I. Enhancement of long wavelength sensitivity [photodetectors] 86−5327
Shimizu, I. Problems in a-Si photoelectric devices: photoreceptor and vidicon 86−36346
Shimizu, I. Photoelectric application of a-Si:H and related material-image devices 86−44316
Shimizu, I. Design of narrowband FM receiver with delay-flat IF filter for mobile radio communications 87−40764
Shimizu, I., Miyatake, K., Murota, K. Received signal frequency stabilized synthesizer [for mobile radio unit] 88−41570
Shimizu, I., Urabe, S. Frequency-stability enhanced synthesizer by received signal for mobile radio 88−73839
Shimizu, I. *see* Fukuda, K. 88−38233
Shimizu, I. *see* Hanna, J. 87−5445, 88−454, 88−24754
Shimizu, I. *see* Kimura, M. 87−21152
Shimizu, I. *see* Matsumoto, T. 87−28411, 87−48949
Shimizu, I. *see* Oda, S. 85−44798, 86−26872, 86−26898, 86−27926, 86−35346, 86−40771, 87−24887
Shimizu, I. *see* Okabe, T. 85−54854, 87−21178
Shimizu, I. *see* Saito, K. 86−7323
Shimizu, I. *see* Sato, T. 87−58923
Shimizu, I. *see* Shibata, N. 86−66856, 87−32264, 87−36803, 87−53161, 88−56309
Shimizu, I. *see* Shimoda, S. 88−39435
Shimizu, I. *see* Shirai, H. 86−67730, 87−26151, 87−38903, 87−65554, 88−26949, 88−26956
Shimizu, I. *see* Suwa, K. 85−3365, 85−14134
Shimizu, I. *see* Tanabe, A. 87−61014
Shimizu, I. *see* Tokuyama, M. 88−51329
Shimizu, I. *see* Tsumura, M. 87−60587, 88−50932
Shimizu, J., Suzuki, M. Features of temperature control for semiconductor diffusion furnaces 86−31158
Shimizu, J. *see* Ajisawa, A. 88−2028
Shimizu, J. *see* Imamura, A. 86−43660
Shimizu, J. *see* Misawa, H. 87−31819
Shimizu, J. *see* Nakamura, K. 86−42075
Shimizu, J. *see* Nara, S. 87−48819
Shimizu, J. *see* Okamoto, N. 87−48818
Shimizu, J. *see* Sekido, Y. 88−46436
Shimizu, J. *see* Utsuki, M. 86−64823
Shimizu, J. *see* Yamamoto, S. 87−31985
Shimizu, J. *see* Yamashita, M. 85−15147
Shimizu, K. Trend of VLSI technology 85−18459
Shimizu, K. New general purpose interfacing modules for an accelerator control system 85−52926
Shimizu, K. Lead/acid batteries for solar (photovoltaic) systems 87−58300
Shimizu, K. Construction and maintenance of the electronic crossing controller 88−31149
Shimizu, K. Vibration measurement and isolation for precision equipment 88−53950
Shimizu, K. The lead/acid battery industry in Japan 88−55587
Shimizu, K., Endo, H., Matsumoto, G. Visualization of electric field around a human model 86−6005
Shimizu, K., Endo, H., Matsumoto, G. Measurement of ELF electric field at human body surface 87−14422
Shimizu, K., Endo, H., Matsumoto, G. Visualization of electric fields around a biological body 88−54503
Shimizu, K., Fujise, M. 1.5 μm range optical time domain·reflectometry utilizing and LD and a cooled InGaAs/InP APD 87−63545
Shimizu, K., Fujise, M., Nunokawa, M. Synchronous single-photon counting using an Si avalanche photodiode at room temperature 88−16528
Shimizu, K., Haruna, S., Gohda, N., Kawamura, M. Estimation of turbulent diffusivities from velocity and temperature fluctuations and its application to the sea 85−64750
Shimizu, K., Haruna, S., Gohda, N., Kawamura, M. A precision digital CTD microprofiler with magnetic tape recording system 86−18581
Shimizu, K., Hirata, T. Optimal design using min-max criteria for two-dimensional recursive digital filters 86−52953
Shimizu, K., Hisamitsu, S., Hirai, A., Yamamoto, O., Oshima, N., Tatsuta, H. Large dot matrix liquid-crystal display module 85−58773
Shimizu, K., Ikeya, C., Miyagi, M. A sensor for real time measurement of road inclination 86−17958
Shimizu, K., Masuda, Y., Matsuda, M., Okada, S. 200 MHz logic analyzer SL-4620 86−60196
Shimizu, K., Narikiyo, H. Inverter-aided multisystem air conditioners, 'SUPER MULTI' 88−49300
Shimizu, K., Ohmura, T., Watanabe, M., Uchida, H., Yamashita, T. Development of 3-D detector system for positron CT 88−61269
Shimizu, K., Suehiro, T., Katsura, K., Ikegami, N., Kondou, M. Development of boiler steelwork design system (BEAM system) by computer 86−12649
Shimizu, K., Tanaka, Y., Sekikawa, K., Inoue, K., Hori, H. Matrix addressing of ferroelectric liquid-crystal displays 88−42225
Shimizu, K., Tsuchida, Y., Kobayashi, T., Nishiyama, F., Matsumoto, G., Nakamura, H. Instrumentation for the evaluation of biological effects of DC electric field 86−6004
Shimizu, K., Tsukamoto, N., Hatori, M. Sub-band encoding and transmission for speech signals 86−29758
Shimizu, K., Wada, T., Fujita, J., Yokoyama, I. New general purpose interfacing modules for accelerator control system 85−59012
Shimizu, K., Wei, S. Synthesis of multilevel feed-forward NAND networks 87−644
Shimizu, K. *see* Ara, K. 86−51267
Shimizu, K. *see* Eiju, T. 85−43372
Shimizu, K. *see* Endo, H. 85−31883, 87−57085
Shimizu, K. *see* Fujisaki, H. 87−61784
Shimizu, K. *see* Fujise, M. 87−77435
Shimizu, K. *see* Fujita, A. 87−7844
Shimizu, K. *see* Ishino, Y. 85−3230
Shimizu, K. *see* Kajimura, T. 86−1372
Shimizu, K. *see* Kameyama, Y. 85−314

Shimizu, K. *see* Kobayashi, T. 86–6003
Shimizu, K. *see* Kudo, N. 86–25207, 88–15021
Shimizu, K. *see* Kurata, T. 86–50215
Shimizu, K. *see* Kuwagaki, H. 88–53804
Shimizu, K. *see* Matsumoto, G. 87–63850
Shimizu, K. *see* Midorikawa, K. 86–9724
Shimizu, K. *see* Nakamura, N. 86–52921
Shimizu, K. *see* Nishimata, T. 87–34977
Shimizu, K. *see* Oikawa, S. 87–7845
Shimizu, K. *see* Okayama, S. 88–57528
Shimizu, K. *see* Sato, K. 86–15234, 87–53584
Shimizu, K. *see* Sawada, S. 88–19064
Shimizu, K. *see* Tatsuta, H. 85–14914, 87–56757
Shimizu, K. *see* Tsuchida, Y. 88–16710
Shimizu, K. *see* Tsuda, S. 86–38792
Shimizu, K. *see* Wada, T. 86–24885
Shimizu, K. *see* Wei, S. 87–44783
Shimizu, K. *see* Yamakoshi, Y. 86–41628 to 41629
Shimizu, K. *see* Yamashita, M. 87–53765
Shimizu, M. Present status and future prospects of the electrical energy storage technology 85–10089
Shimizu, M. Feasibility studies of electrical energy storage schemes. II [superconducting energy storage] 85–56256
Shimizu, M. Research into an equivalent electrical circuit for a lead storage battery 85–60413
Shimizu, M. Examination of new electrical battery technology. I 86–13004
Shimizu, M. Research into the design method of the most suitable filter of higher harmonics 87–4814
Shimizu, M. Investigation into new kinds of batteries. II 87–4871
Shimizu, M. Investigation into a new type of battery. III 87–30915
Shimizu, M., Inuishi, M., Miyatake, H., Morita, H., Tsukamoto, K., Akasaka, Y. A novel polysilicon source/drain transistor with self-aligned silicidation 88–71588
Shimizu, M., Itoh, H., Ohmori, Y. Hydroxyl loss increase for an antimony oxide-doped silica fiber 86–28877
Shimizu, M., Kuniyoshi, M., Nonoguchi, M., Misaki, H. Planning and design of a 1 MW battery energy storage system for the development of system technology 86–33634
Shimizu, M., Matsueda, Y., Shiosaki, T., Kawabata, A. Growth of ZnO films by the plasma-enhanced metalorganic chemical vapor deposition technique 85–44740
Shimizu, M., Mizuki, T., Miyago, M., Hisamatsu, T., Enatsu, M., Yamaguchi, T., Sugawara, K., Sakurai, T., Awane, K. GaAs solar cells fabricated on Si substrates 87–16037
Shimizu, M., Nagai, M., Ohgi, N. Optical fiber liquid discriminating sensor 86–11571
Shimizu, M., Nakamura, G. The polynomials for the number of certain AVL trees 86–19934
Shimizu, M., Ohmori, Y. Antimony oxide-doped silica fibers fabricated by the VAD method 87–68082
Shimizu, M., Ohmori, Y., Nakahara, M. Fabrication of antimony oxide-doped silica fibres by the VAD process 86–2677
Shimizu, M., Okino, N., Nishiura, J., Maruyama, H. Memory embedded VLSI gate array testing 86–46751
Shimizu, M., Oku, K. New-style battery power storage systems. II 86–13005
Shimizu, M., Shimoishizaka, M., Yoshida, S. Radiometric temperature measurement using infrared optical fibers 85–62360
Shimizu, M., Suda, H., Horiguchi, M. High-efficiency Nd-doped fibre lasers using direct-coated dielectric mirrors 87–68411
Shimizu, M., Tomita, N., Kobayashi, H. Optical loss change characteristics of fiber organizers for optical fiber cable joints 88–41703
Shimizu, M., Tomita, N., Kobayashi, H., Ogasawara, O. Optical loss deviation characteristics for fiber splice accommodation block of an optical cable joint 86–55305
Shimizu, M. *see* Ajika, N. 88–19844
Shimizu, M. *see* Ando, T. 86–42798, 88–64002
Shimizu, M. *see* Arita, T. 88–162
Shimizu, M. *see* Enatsu, M. 88–411
Shimizu, M. *see* Goto, S. 87–86
Shimizu, M. *see* Hanawa, F. 87–68131
Shimizu, M. *see* Haneda, H. 86–6285, 86–50804
Shimizu, M. *see* Ikeda, S. 85–58345, 87–28790
Shimizu, M. *see* Inoue, T. 85–33389
Shimizu, M. *see* Ito, S. 88–63061
Shimizu, M. *see* Itoh, H. 87–32970
Shimizu, M. *see* Itoh, Y. 87–2493
Shimizu, M. *see* Iwamoto, M. 88–6067
Shimizu, M. *see* Kagawa, T. 88–22576
Shimizu, M. *see* Kawakami, H. 86–31224
Shimizu, M. *see* Kimura, S. 85–36933
Shimizu, M. *see* Kobayashi, H. 87–34593, 88–22122
Shimizu, M. *see* Matsuda, Y. 88–19169
Shimizu, M. *see* Matsumoto, T. 85–15150
Shimizu, M. *see* Minaki, T. 87–63409
Shimizu, M. *see* Nagai, H. 87–70432, 88–53793
Shimizu, M. *see* Nagai, M. 85–62368
Shimizu, M. *see* Nakahara, K. 86–51538
Shimizu, M. *see* Nakahara, M. 86–42273
Shimizu, M. *see* Nishimura, T. 86–24063
Shimizu, M. *see* Ohgi, N. 86–2774
Shimizu, M. *see* Okamoto, T. 85–50272, 86–21346, 87–25167, 88–33079
Shimizu, M. *see* Saitoh, S. 88–36662
Shimizu, M. *see* Sakai, J. 85–7230
Shimizu, M. *see* Sato, T. 88–9320
Shimizu, M. *see* Satoh, S. 86–4426
Shimizu, M. *see* Shirai, N. 86–4655
Shimizu, M. *see* Sugawara, K. 87–16036
Shimizu, M. *see* Takayama, Y. 88–21986
Shimizu, M. *see* Taoda, K. 87–49948
Shimizu, M. *see* Terada, H. 88–44199
Shimizu, M. *see* Tomita, N. 87–7135
Shimizu, M. *see* Tsukamoto, K. 85–34890, 85–50463, 88–38526
Shimizu, M. *see* Yamaguchi, H. 88–67007
Shimizu, M. *see* Yoshida, Y. 88–62799
Shimizu, N. Fusion splicing between deposited silica waveguides and optical fibers 85–35451
Shimizu, N., Fujiwara, Y., Wakatsuki, N. $LiTaO_3$ resonator application to frequency modulators and demodulators 85–18521
Shimizu, N., Fujiwara, Y., Wakatsuki, N. Examination of oscillator circuit conditions using $LiTaO_3$ and $LiNbO_3$ chip resonators 86–816
Shimizu, N., Horii, K. The effect of absorbed oxygen on electrical treeing in polymers 85–56027
Shimizu, N., Kawashima, N. An optical arbiter module 85–20175
Shimizu, N., Kosaki, M., Horii, K. Ice as capacitor dielectric 86–67534
Shimizu, N., Nagata, T., Horii, K., Fukushima, K., Nagao, M., Kosaki, M. Thermal contraction and cracking of extruded polyethylene electrical insulation at cryogenic temperatures 87–1811
Shimizu, N., Ohmori, H., Kurashima, S., Ono, M. VCOs with $LiTaO_3$ resonators and their applications to PLL 87–1863
Shimizu, N., Tanishiro, Y., Kobayashi, K., Takayanagi, K., Yagi, K. Reflection electron microscope study of the initial stages of oxidation of Si(111)-7×7 surfaces 86–28212
Shimizu, N., Uchida, K., Horii, K. Initiation mechanism of electrical tree–chain scission by injection charge and role of oxygen 88–26625
Shimizu, N. *see* Bamji, S. 85–35255, 86–47920
Shimizu, N. *see* Chigusa, Y. 85–40141
Shimizu, N. *see* Hongoke, H.J. 85–56037, 86–6358
Shimizu, N. *see* Kajitani, M. 88–28004
Shimizu, N. *see* Kasahara, H. 86–43482
Shimizu, N. *see* Kawabe, M. 85–1360, 85–40481, 85–45442, 87–25093
Shimizu, N. *see* Kawai, K. 85–36641
Shimizu, N. *see* Kosaki, M. 86–70694
Shimizu, N. *see* Mizuno, Y. 85–29351, 85–45913, 86–68091, 87–6942, 88–26569, 88–44928
Shimizu, N. *see* Nishio, M. 87–48490
Shimizu, N. *see* Shimada, T. 87–55655
Shimizu, N. *see* Takehisa, K. 87–33083
Shimizu, O., Muramatsu, Y., Kinoshita, S., Nakane, F., Uematsu, A. Application of potassium titanate whisker-filled materials to optical fibers 87–60937
Shimizu, O. *see* Saegusa, M. 86–49618
Shimizu, R., Mase, H., Ikuta, T., Yabumoto, M., Matsuo, Y., Nozawa, T. Application of line-sampling multiframe stroboscopy for dynamic observation of magnetic domains in Si steels 86–2582
Shimizu, R., Yamauchi, Y., Nishihara, S., Hashimoto, H. A new ion gun of electron impact type with compact permanent magnet mounted 85–37889
Shimizu, R. *see* Emoto, F. 86–21309, 86–21311
Shimizu, R. *see* Fukushima, Y. 88–60508
Shimizu, R. *see* Gamo, K. 85–29078, 85–45577
Shimizu, R. *see* Ishibashi, H. 88–45241, 88–65134
Shimizu, R. *see* Kang, H.J. 88–1340
Shimizu, R. *see* Kimura, Y. 88–44640
Shimizu, R. *see* Saito, T. 87–60287
Shimizu, R. *see* Samoto, N. 85–40577, 85–55353
Shimizu, R. *see* Yabumoto, M. 86–58664
Shimizu, S. Construction of high grade information systems using new media 85–47031
Shimizu, S. Comparison of experimental output current-voltage characteristics by a sandwich type thermionic converter with calculated results by SIMCON code 87–78964
Shimizu, S. A study of TUNNETT diodes 88–7064
Shimizu, S., Fukuda, R. Analysis of output-current characteristics of thermionic converters 87–43471
Shimizu, S., Jinzenji, S., Kajima, A., Miyama, T., Fujii, T. Transparent ferromagnetic films coexisting with ferroelectricity of the $BiFeO_3$-$PbTiO_3$ system fabricated by reactive RF-sputtering 88–39795
Shimizu, S., Kamatani, Y. GaAs DFET logic operated on single supply voltage 85–45016
Shimizu, S., Kamatani, Y., Toyoda, M., Kanazawa, K., Mochizuki, M., Terada, T., Hojo, A. A 1 GHz 50 mW GaAs dual modulus divider IC 85–22801
Shimizu, S., Komiya, S. Epitaxial growth of InP on Si using MIBE technique 87–44317
Shimizu, S., Mutoh, Y. Weldability and weld performance of a special grade Hastelloy-X modified for high-temperature gas-cooled reactors 85–21989
Shimizu, S., Tsukakoshi, O., Komiya, S., Makita, Y. A mass separated As^+ and P^+ ion beam deposition system for MBE growth of III-V compound semiconductor 85–10735
Shimizu, S., Tsukakoshi, O., Komiya, S., Makita, Y. Molecular beam epitaxy of InP using low energy P^+ ion beam 85–33421
Shimizu, S., Tsukakoshi, O., Komiya, S., Makita, Y. Molecular beam epitaxy of GaAs using a mass-separated, low-energy As^+ ion beam 85–39740
Shimizu, S., Tsukakoshi, O., Komiya, S., Makita, Y. Application of mass separated low energy As^+ and P^+ ion beams for MIBE technique 85–60974
Shimizu, S., Tsukakoshi, O., Koyima, S., Makita, Y. A molecular and ion-beam epitaxy system for the growth of III-V compound semiconductors using a mass-separated, low-energy group-V ion beam 86–20049
Shimizu, S., Tsukakoshi, T., Komiya, S., Makita, Y. Molecular and ion beam epitaxy of GaAs, InP and InGaAsP 86–52490
Shimizu, S. *see* Gonohe, N. 87–65517
Shimizu, S. *see* Hayashi, K. 85–32718
Shimizu, S. *see* Iga, K. 85–35789
Shimizu, S. *see* Ito, K. 88–32191
Shimizu, S. *see* Kajisa, K. 88–38568
Shimizu, S. *see* Kamatani, Y. 86–34737, 87–59682
Shimizu, S. *see* Kaneko, H. 86–47840, 87–25561
Shimizu, S. *see* Kawamoto, H. 85–22874
Shimizu, S. *see* Kimura, K. 88–6820
Shimizu, S. *see* Kishimoto, S. 87–41855
Shimizu, S. *see* Koyanagi, M. 85–40741
Shimizu, S. *see* Nakagawa, T. 88–24717
Shimizu, S. *see* Ohtsuki, M. 87–34087
Shimizu, S. *see* Sato, K. 86–14225
Shimizu, S. *see* Shimazu, K. 85–34895
Shimizu, S. *see* Shimohigashi, K. 87–59484
Shimizu, S. *see* Sunami, H. 85–40899, 85–50726
Shimizu, S. *see* Tanaka, Y. 87–75759
Shimizu, S. *see* Tomoda, K. 85–58563, 86–24089
Shimizu, S. *see* Uchiyama, S. 86–42591
Shimizu, S. *see* Yuasa, F. 87–8464
Shimizu, T. Image sensing and transfer using quartz fiber scope in hazardous environment 86–9581
Shimizu, T. A new large scale uninterruptible power supply (UPS) system employing GTO thyristors 87–4807
Shimizu, T., Askawa, K., Ishikawa, Y., Haga, T., Yosino, F. Development and evaluation tests of MTI radar raingauge system 85–47587
Shimizu, T., Hasegawa, M., Kondo, K. Tracking and control system for application satellites 87–40790
Shimizu, T., Hasegawa, T., Matsuda, Y. Automatic-tracing white balance system for color video cameras 85–42744
Shimizu, T., Hayakawa, K. Recording techniques [magnetic and optical] 85–35315
Shimizu, T., Kageyama, N., Miyamoto, S. A control logic synthesis and optimization algorithm with an overlap degree vector 88–25137
Shimizu, T., Kubota, S., Motobayashi, T., Ruan, J., Shiraishi, F., Takami, Y. A new barium-fluoride plastic scintillator 86–50393
Shimizu, T., Okuyama, K. Development of multiphase loop-antenna-type misdeparture preventive equipment 87–43575
Shimizu, T., Shibata, Y. On the feasible tree-diameter sets of graphs 85–54276
Shimizu, T., Shioya, M. Electric power transmission characteristics of high-frequency inverter with a load connected through a distributed constant line 88–30781
Shimizu, T., Takamine, Y., Shinsha, T., Kubo, T. A logic synthesis algorithm for the design of a high performance processor 86–58563
Shimizu, T., Tekamine, Y., Kageyama, N., Miyamoto, S. High-level logic synthesis algorithm with global minimization process 87–36914
Shimizu, T., Yoshida, T., Saito, Y., Matsuo, M., Enomoto, T. A 32-bit microprocessor based on the TRON architecture: Design of the GMicro/100 88–44230
Shimizu, T. *see* Aida, S. 88–54963
Shimizu, T. *see* Ando, K. 86–31251, 87–3448
Shimizu, T. *see* Chen Guanghua 85–23459
Shimizu, T. *see* Doi, H. 87–59958
Shimizu, T. *see* Fujihara, T. 87–70662
Shimizu, T. *see* Hagino, Y. 85–53191
Shimizu, T. *see* Hamada, Y. 87–49351
Shimizu, T. *see* Hatade, Y. 86–4217
Shimizu, T. *see* Hotta, M. 87–59665, 88–19219

Shimizu, T. *see* Imai, M. 87−68094
Shimizu, T. *see* Kawabata, H. 86−42388
Shimizu, T. *see* Kubota, S. 87−41831
Shimizu, T. *see* Kudo, Y. 86−42380, 88−33790
Shimizu, T. *see* Kumeda, M. 85−1323, 87−31577
Shimizu, T. *see* Matsuki, M. 88−51648
Shimizu, T. *see* Matsuno, T. 85−47589
Shimizu, T. *see* Mizutani, T. 85−6157
Shimizu, T. *see* Morikawa, H. 85−13438
Shimizu, T. *see* Morimoto, A. 86−27937
Shimizu, T. *see* Murakami, H. 85−8575
Shimizu, T. *see* Naganawa, H. 87−63240
Shimizu, T. *see* Nakano, M. 88−21891
Shimizu, T. *see* Ohtsuki, M. 87−34087
Shimizu, T. *see* Okude, S. 87−75271
Shimizu, T. *see* Saito, K. 88−26675, 88−51294
Shimizu, T. *see* Saito, T. 87−34713
Shimizu, T. *see* Sakamoto, M. 86−46856
Shimizu, T. *see* Sasakawa, Y. 88−33791
Shimizu, T. *see* Shimizu, Y. 85−18505, 86−2472, 87−53847
Shimizu, T. *see* Shimpo, S. 85−50633
Shimizu, T. *see* Shirako, G. 88−54752
Shimizu, T. *see* Shoji, K. 85−47592
Shimizu, T. *see* Suzuki, T. 88−27013
Shimizu, T. *see* Tachikawa, M. 86−29210, 87−54229, 88−51852, 88−51937, 88−65805
Shimizu, T. *see* Takada, M. 87−10853, 87−17094
Shimizu, T. *see* Takasaki, F. 88−22916
Shimizu, T. *see* Takeshima, T. 88−767, 88−32198
Shimizu, T. *see* Tanii, K. 88−27257
Shimizu, T. *see* Tomisawa, O. 88−70857
Shimizu, T. *see* Uchida, K. 86−42381
Shimizu, T. *see* Wakao, M. 88−73821
Shimizu, T. *see* Watanabe, A. 87−78966
Shimizu, T. *see* Yamamoto, T. 85−25375, 86−4226
Shimizu, T. *see* Yuse, C. 85−3087
Shimizu, T.T. *see* Jackson, H.G. 85−20851
Shimizu, T.T. *see* Leskovar, B. 87−41828
Shimizu, Y. High thermal resistant resins for coil impregnation 85−7118
Shimizu, Y. Principle of sensory substitution and examples of visual/auditory aids 86−5988
Shimizu, Y. Micro-wave absorber 86−22021
Shimizu, Y. Tactile display terminal for visually handicapped 86−65456
Shimizu, Y. Protocol Verification System 87−48720
Shimizu, Y. Insulation systems with refrigerant (R-22) resistance for high-voltage hermetic motor 87−58474
Shimizu, Y., Arai, H., Seiyama, T. Theoretical studies on the impedance-humidity characteristics of ceramic humidity sensors 85−47917
Shimizu, Y., Arai, H., Seiyama, T. Ceramic humidity sensors. II. A study of humidity sensitive characteristics by a complex impedance method 86−11525
Shimizu, Y., Hashimoto, Y., Ishino, K., Nishikata, A. The shielding effect of wave absorber on leakage through the gap of microwave oven 86−3585
Shimizu, Y., Iyotani, R., Konishi, N., Yatsuo, T. A high voltage light activated thyristor with novel overvoltage self-protection structure 87−67247
Shimizu, Y., Kuriki, K., Morimoto, S., Suzuki, H., Uematsu, K., Enya, S., Takiyama, T. Endurance test of MPD arcjet discharge chamber 85−31912
Shimizu, Y., Maesako, T. Evaluation of TV-lecture connecting two campuses by optical fiber cable 87−28823
Shimizu, Y., Maesako, T. Description and educational evaluation of TV lecture system between two campuses connected by optical fiber communication 88−70048
Shimizu, Y., Marubashi, K., Kainuma, S., Shiro, I. VHF long distance propagation by the *E*s layer 87−54555
Shimizu, Y., Matsudaira, T. ITO films for EL panels 86−29007
Shimizu, Y., Miroku, Y. Scattering from edge corrugations of SAW $\Delta v/v$ waveguide on $LiNbO_3$ 85−35281
Shimizu, Y., Murakami, K. A new cut of $LiNbO_3$ with zero slope temperature by a leaky surface wave 87−60762
Shimizu, Y., Murakami, K. Characteristics of leaky surface acoustic waves on $LiNbO_3$ and the new cut 88−44940
Shimizu, Y., Nakamura, S. Studies on the flow patterns around the horizontal axis wind turbines and the characteristics (comparison between optimum twisted rotor blades and untwisted ones) 86−33233
Shimizu, Y., Nishikata, A., Maruyama, N., Sugiyama, A. Absorbing concrete for TV-frequency mixed with carbon fibers and beads 87−33456
Shimizu, Y., Nishikata, A., Suzuki, S. Absorbing range sheet mixed with carbon for X-band marine radar frequencies 86−10104
Shimizu, Y., Nishikata, A., Suzuki, S. Absorbing rubber sheet mixed with carbon for X-band marine radar 87−40992
Shimizu, Y., Ozawa, H. A theoretical study of the characteristics of leaky-surface-acoustic-wave filters with propagation loss by an equivalent circuit model 88−13649
Shimizu, Y., Shimizu, T. SAW propagation characteristics of piezoelectric ceramics polarized in an arbitrary direction 85−18505
Shimizu, Y., Shimizu, T. Excitation of the surface acoustic wave by parallel electrodes on piezoelectric ceramics polarized by IDT 86−2472
Shimizu, Y., Shimizu, T. Excitation of the surface acoustic wave by parallel electrodes on piezoelectric ceramics polarized by IDT 87−53847
Shimizu, Y., Shippo, O., Arai, H., Seiyama, T. Influence of the reducing gases on the sensitivity of the semiconductive humidity sensor 85−58950
Shimizu, Y., Tanaka, M. New cut of quartz for SAW devices with extremely small temperature coefficient 85−35271
Shimizu, Y., Tanaka, M. A new cut of quartz for SAW devices with extremely small temperature coefficient by leaky surface wave 86−9373
Shimizu, Y., Tanaka, M. Leaky surface wave on quartz and a new cut with extremely small temperature coefficient 86−15322
Shimizu, Y., Tanaka, M. A new cut of quartz for SAW devices with extremely small temperature coefficient by leaky surface wave 87−53848
Shimizu, Y., Tanaka, M., Watanabe, T. A new cut of quartz with extremely small temperature coefficient by leaky surface wave 87−6980
Shimizu, Y., Teramoto, K., Teshigawara, Y., Yagi, T., Kojima, H. Design and implementation of a satellite packet communication processor for integrated services networks 85−8280
Shimizu, Y., Terasaki, M., Kashihara, S. Magnesia porous particle separators for lithium-aluminum/iron sulfide batteries 85−10088
Shimizu, Y. *see* Asano, H. 85−19510
Shimizu, Y. *see* Asano, T. 88−37948, 88−38013
Shimizu, Y. *see* Egashira, M. 88−60944
Shimizu, Y. *see* Hara, O. 86−4368
Shimizu, Y. *see* Hashimoto, O. 86−29345, 86−47043, 86−68713, 87−3721, 87−18429, 87−24406, 87−63493, 87−70764, 87−73584, 87−77370
Shimizu, Y. *see* Hashimoto, Y. 86−3580
Shimizu, Y. *see* Ichihara, K. 85−61443
Shimizu, Y. *see* Imada, H. 87−49451
Shimizu, Y. *see* Irino, T. 87−60763, 88−7767
Shimizu, Y. *see* Kawakami, H. 86−31224
Shimizu, Y. *see* Kunii, Y. 85−31940
Shimizu, Y. *see* Kuriki, K. 85−64675
Shimizu, Y. *see* Maesako, T. 88−21807
Shimizu, Y. *see* Nishikata, A. 88−16440
Shimizu, Y. *see* Nishioka, H. 85−38103
Shimizu, Y. *see* Shibata, T. 88−74631
Shimizu, Y. *see* Teshi-Gawara, Y. 88−3530
Shimizu, Y. *see* Utsumiya, K. 85−52042
Shimizu, Y. *see* Watanabe, T. 88−20231
Shimizu, Y. *see* Yamakoshi, Y. 86−41628 to 41629
Shimizu, Y. *see* Yamazoe, N. 87−41492
Shimizu Takao *see* Takao Shimizu
Shimizume, K. *see* Nakano, K. 88−35750
Shimkaveg, G. *see* MacGowan, B.J. 88−2177
Shimkaveg, G. *see* Matthews, D. 87−12339
Shimkaveg, G. *see* Matthews, D.L. 87−12369
Shimkene, I. *see* Lideikis, T. 86−14883
Shimkene, I. *see* Valatska, K. 86−63160
Shimkevich, G.Ya. *see* Fursa, O.I. 86−39999
Shimkevichus, T.T. *see* Kostrauskas, P.I. 87−42971
Shimko, A.A. *see* Vorobiov, V.S. 88−22300
Shimkovich, F. *see* Gavrilov, O.G. 85−44060
Shimkunas, A. *see* King, P. 88−13222
Shimkunas, A. *see* King, P.L. 88−39298
Shimkunas, A.R. Advances in X-ray mask technology 85−7031
Shimkunas, A.R., Harrell, S.A. X-ray mask technology 86−8949
Shimkunas, A.R., LaBrie, J.J., Mauger, P.E., Yen, J.J. Mask technology of X-ray step-and-repeat system 87−11534
Shimkunas, A.R. *see* Mauger, P.E. 86−53515
Shimm, D.S., Cetas, T.C., Oleson, J.R., Gross, E.R., Buechler, D.N., Fletcher, A.M., Dean, S.E. Regional hyperthermia for deep-seated malignancies using the BSD annular array 88−36504
Shimmell, P. Gateway anarchy [videotex] 85−57749
Shimmin, D., Ali, S.M.G., Headley, P., Ryan, H.M., Jones, G.R. A comparison of the thermal performance of two pressure and puffer circuit breakers 86−26221
Shimmin, D.W., Jones, G.R. Arc radiation monitoring in a commercial EHV circuit breaker using optical fibre transmission 88−49085
Shimmin, D.W. *see* Ali, S.M.G. 85−39147
Shimmin, K.D. *see* Bhagat, P.K. 85−6082, 85−6086
Shimo, K. *see* Arai, T. 85−44477
Shimo, T. *see* Aso, A. 88−19056
Shimo Ma *see* Ma Shimo
Shimoda, A. *see* Ayukawa, M. 87−67134
Shimoda, H., Ueda, S., Nakayama, T., Okunaka, J. Japanese Teletex communication system 85−3038
Shimoda, H., Yanagi, H., Kato, Y., Chikira, K., Yoshikawa, K., Takao, T., Ogata, Y., Oketa, Y., Akiyama, K., Yuuki, S., Araki, H., Itoyama, N., Tanaka, T. Development of high-speed turbocompressor 88−48860
Shimoda, H. *see* Fukue, K. 86−18534
Shimoda, H. *see* Fuse, G. 88−19166
Shimoda, H. *see* Sadamatsu, H. 85−50689
Shimoda, H. *see* Sakata, T. 88−54730
Shimoda, K., Yamashita, A., Katoh, T., Ageno, Y. Automatic recovery method for Fano sequential decoder 87−27201
Shimoda, K., Yamashita, A., Katoh, T., Ageno, Y. New recovery method for sequential decoder buffer overflow 87−39664
Shimoda, K. *see* Hirano, K. 87−24719
Shimoda, M., Itakura, T. Scattering by a finite set of staggered parallel half-planes 86−68723
Shimoda, M., Itakura, T. Scattering by finite parallel plates 87−75417
Shimoda, M., Itakura, T. Scattering by parallel plates 88−20889
Shimoda, M., Itakura, T. Scattering of electromagnetic plane waves by two parallel finite planes 88−20898
Shimoda, M., Kobayashi, T., Kida, H. Enhanced FICS facsimile data conversion and interface control equipment 86−59554
Shimoda, M., Kobayashi, T., Kida, H., Tonomura, Y. Enhanced facsimile data conversion and interface control equipment in FICS 86−23393
Shimoda, M., Sakano, H., Yoshioka, T., Kitazaki, M. NEC paging information management system 88−21989
Shimoda, M. *see* Adachi, F. 86−23394, 86−59555
Shimoda, M. *see* Kosugi, M. 85−3082
Shimoda, M. *see* Nakabayashi, S. 86−64454
Shimoda, S., Ito, K., Harada, T., Taguchi, M., Iwasa, K. An optimum bias condition for multiplex driving of the chiral smectic-C LCD 88−42223
Shimoda, S., Shimizu, I., Migitaka, M. Chemical vapor deposition of a silicon nitride layer with an excellent interface by NH_3 plasma treatment 88−39435
Shimoda, S. *see* Kurashige, M. 87−6342, 87−56370
Shimoda, S. *see* Maeda, T. 87−72331
Shimoda, S. *see* Sueoka, T. 87−8423
Shimoda, S. *see* Wakui, K. 85−8572
Shimoda, T. Compression-molded magnets suit step motor applications 88−69429
Shimoda, T., Natori, E., Tomita, C. Development of injection molded rare earth magnet 86−22005
Shimoda, T. *see* Akioka, K. 88−51196
Shimoda, T. *see* Fujita, K. 87−44307
Shimoda, T. *see* Funada, S. 88−58256
Shimoda, T. *see* Inoue, T. 86−52431
Shimoda, T. *see* Itahashi, T. 87−71065
Shimoda, Y. *see* Mori, M. 87−34477, 87−48990
Shimoda, Y. *see* Sugihara, H. 87−65853
Shimodaira, M. Space use semiconductor and its radiation hardening 88−5064
Shimodaira, M. Reliability engineering for satellite system 88−16814
Shimodaira, M., Hamazaki, T. Present status and future trends in satellite technology 88−15413
Shimodaira, M., Nomura, H., Yukawa, J., Matsumoto, Y., Nishimura, K., Kawano, O., Yamashita, M., Kuritani, K., Iguchi, H. Fiber optic loop transmission system 87−40906
Shimodaira, M., Yukawa, J., Nishimura, K., Nomura, H., Ito, K., Takenomata, S. Optical technology for ISDN user access 87−48384
Shimodaira, M. *see* Matsuda, S. 85−54154
Shimodaira, M. *see* Yukawa, J. 87−40943
Shimodaira, Y., Hiwatashi, K. Perception of motion in successively displayed pattern stimuli 87−41391
Shimodoi, T. *see* Takahashi, T. 86−49212
Shimoe, T., Hajikano, K., Murakami, K. A path-independent-insertion-loss optical space switching network 87−76492
Shimogaki, K. The improvements of problems related to practical properties on lamps for general lighting 88−37726
Shimogaki, K., Ochi, M., Maseki, K. High efficacy self-ballasted mercury lamps and their operating circuits 85−5493
Shimogaki, K., Yamasaki, S., Yamamoto, Y., Kitagawa, M. Translucent aluminum oxide to niobium metal seals on high pressure sodium lamps 85−60522
Shimogori, S. *see* Kage, T. 88−6620
Shimograki, K. *see* Sugiura, M. 86−13160
Shimohara, K., Tokunaga, Y., Matsui, H. An information terminal for a local community 88−59871
Shimohara, K., Yuito, M., Tokunaga, Y. Modified Voice telecommunications and their protocol models 87−34039
Shimohara, K. *see* Akiyama, K. 85−13720, 85−47279
Shimohigashi, K., Kimura, K., Sakai, Y., Tanaka, H., Yagi, K., Ishihara, M., Miyazawa, K., Shimizu, S., Murata, J. A 65 ns CMOS DRAM with a twisted driveline sense amplifier 87−59484

Shimohigashi, K. *see* Aoki, M. 86−8262, 87−44829
Shimohigashi, K. *see* Horiguchi, M. 88−6879, 88−32195
Shimohigashi, K. *see* Ishihara, M. 88−6844
Shimohigashi, K. *see* Ito, K. 88−32191
Shimohigashi, K. *see* Kimura, K. 88−6820
Shimohigashi, K. *see* Takeuchi, K. 88−6871
Shimohigoshi, M. *see* Koumoto, K. 88−25914
Shimohka, T. *see* Yamamoto, M. 88−69286
Shimoi, K. *see* Watanabe, K. 87−28563
Shimoi, M. *see* Doi, M. 87−77056
Shimoi, Y. *see* Ishida, S. 85−46511
Shimoichi, T. *see* Nagata, H. 88−28627
Shimoishizaka, M. Optical fiber sensor 86−38385
Shimoishizaka, M. *see* Shimizu, M. 85−62360
Shimoishizaka, M. *see* Takabayashi, T. 86−9540
Shimoji, M. *see* Ikuta, H. 85−63270
Shimoji, Y., Djeu, N. Overtone pumped superfluorescent HCl laser frequency converter 86−63751
Shimoji, Y. *see* Hasui, K. 85−42378
Shimojima, K. *see* Morishita, S. 86−51048
Shimojo, M., Ishikawa, M. A method for displaying a two dimensional distributed pressure using pressure conductive rubber and liquid crystal 85−42985
Shimojo, M., Lshikawa, M. Thin and flexible position sensor and its applications 86−24522
Shimojo, S., Miyahara, H. Job dispatching problem in multi-processor system for image processing 88−34798
Shimojo, T., Kikuta, S. Vacuum fluorescent displays enter third decade of evolution 88−53789
Shimojo, T., Mibuchi, Y., Tsuji, A. A measure for stability of electric power system 86−50853
Shimojo, Y. *see* Inoue, S. 85−52220
Shimokawa, K., Mita, N., Makishima, H. Deflector for a deflection-modulated EBS amplifier 85−23361
Shimokawa, K. *see* Makishima, H. 85−11030
Shimokawa, M. *see* Ando, S. 86−5108
Shimokawa, M. *see* Yamasaki, H. 86−55643
Shimokawa, R. A study on photovoltaic device physics and performance measurements of terrestrial solar cells 88−17939
Shimokawa, R., Hayashi, Y. Effect of illumination wavelength and intensity on minority-carrier diffusion length of EFG silicon ribbon solar cells 85−44177
Shimokawa, R., Hayashi, Y. Effect of localized recombination planes on minority-carrier diffusion length in silicon solar cells 86−26293
Shimokawa, R., Hayashi, Y. Evaluation of grain boundaries in polycrystalline solar cells by the scanning MBIC method 86−33649
Shimokawa, R., Hayashi, Y. Effect of localized grain boundaries in semicrystalline silicon solar cells 86−47274
Shimokawa, R., Hayashi, Y. Characterization of high-efficiency cast-Si cell wafers by MBIC measurement 88−57294
Shimokawa, R., Hayashi, Y., Nagamine, F. Applicability of the reference cell method to polycrystalline silicon cells with the spectral response shift under illumination 86−13053
Shimokawa, R., Horiguchi, M., Hamakawa, Y. New method of analysis for the error due to spectral mismatch in short-circuit current measurement using the reference solar cell method 85−32711
Shimokawa, R., Horiguchi, M., Hamakawa, Y. Effect of natural and simulated solar spectra on short-circuit current measurement of silicon solar cells 85−44179
Shimokawa, R., Horiguchi, M., Hamakawa, Y. New analysis method of error in short-circuit current measurement due to spectral mismatch in the reference solar cell method 85−44180
Shimokawa, R., Miyake, Y., Nakanishi, Y., Hamakawa, Y. Global radiation model and angular distribution of the diffuse irradiance 87−64799
Shimokawa, R., Miyake, Y., Nakanishi, Y., Kuwano, Y., Hamakawa, Y. Possible errors due to deviation from the cosine response in the reference cell calibration under global irradiance 86−40084
Shimokawa, R., Miyake, Y., Nakanishi, Y., Kuwano, Y., Hamakawa, Y. Effect of atmospheric parameters on solar cell performance under global irradiance 87−36141
Shimokawa, R., Miyake, Y., Nakanishi, Y., Kuwano, Y., Hanakawa, Y. Effect of atmospheric parameters on solar-cell performance under global irradiance 87−64800
Shimokawa, R., Nagamine, F., Hayashi, Y. Applicability of the reference cell method to calibration of polycrystalline silicon cells with the spectral response shift under illumination 85−44181
Shimokawa, R., Nagamine, F., Hayashi, Y. Photon collection enhancement by white rear cover reflection and the design of reference cells for module performance measurement 86−45673
Shimokawa, R., Nagamine, F., Hayashi, Y. Photon collection enhancement by white rear cover reflection and the design of reference cells for module performance measurement 87−64798
Shimokawa, R., Nagamine, F., Miyake, Y., Fujisawa, K., Hamakawa, Y. Japanese indoor calibration method for reference solar cells and comparison with outdoor calibration 87−36131
Shimokawa, R., Nishida, K., Suzuki, A., Hayashi, Y. Solar cell characteristics of high-efficiency polycrystalline silicon solar cells using solar grade (SOG) cast wafers 87−64796
Shimokawa, R., Nishida, K., Suzuki, A., Hayashi, Y. Solar cell characteristics of high-efficiency polycrystalline silicon solar cells using SOG-cast wafers 88−17935
Shimokawa, R., Nishiura, M., Horiguchi, M., Hamakawa, Y. Applicability of the reference cell method to the performance measurement of amorphous silicon solar cells with a spectral response shift 87−36149
Shimokawa, R., Nose, J., Fujisaki, M., Mitsui, K., Nakano, S., Nishiura, M., Uda, H., Hamakawa, Y. Sample cell circulation measurements (II) and spectral error reduction using the reference cell coupled with filters 87−9799
Shimokawa, R. *see* Takamori, N. 87−43438
Shimokawa, Y. *see* Kusaka, H. 85−30870, 86−49062
Shimokawa, Y.M. *see* Miyake, Y. 87−51478
Shimokawato, S. *see* Funada, S. 88−58256
Shimokohbe, A., Ma, S. Three dimensional coordinate measurement based on phase shifts of multi-intermittent ultrasonic waves 88−16980
Shimokohbe, A., Osada, H. An optical noncontacting probe 85−14807
Shimokohbe, A. *see* Ma, S. 86−55837, 88−74583
Shimokohbe, A. *see* Osada, H. 86−38343
Shimokura, N. *see* Hiroo, I. 86−51043
Shimokura, N. *see* Tsujimoto, K. 86−12511
Shimokura, S.H. *see* Mardon, D. 86−54744
Shimokura, S.H. *see* Rybczynski, A.M. 86−37293
Shimomiya, E. *see* Takagi, K. 88−49428
Shimomora, T. *see* Yoshida, K. 88−26894
Shimomoto, Y. *see* Ishioka, S. 87−17658
Shimomoto, Y. *see* Kusano, C. 86−41492
Shimomura, A., Niimura, Y., Shinohara, K., Ueno, A., Ikegami, K., Takagi, A., Mori, Y., Fukumoto, S. Pulsed dye laser for polarized ion source 87−12420
Shimomura, E. *see* Sasaki, T. 88−58009
Shimomura, H. *see* Maruyama, S. 87−57819 to 57820
Shimomura, H. *see* Mizuno, A. 86−6603
Shimomura, K. *see* Koentjoro, S. 87−18984
Shimomura, K. *see* Nayyer, J. 88−72108
Shimomura, K. *see* Ravikumar, K.G. 88−39992, 88−65726
Shimomura, M. *see* Ishiguro, F. 87−4259
Shimomura, M. *see* Maeda, T. 87−71584
Shimomura, M. *see* Sugimoto, H. 87−71522 to 71523
Shimomura, O. A new crystal growth method from solution by electrodialysis 85−10668
Shimomura, O. Seed crystal in growth of KDP single crystal for optical harmonic generation 86−13736
Shimomura, O. Optical waveguide of KDP-DKDP mixed crystal grown on {101} plane of DKDP crystal 87−54067
Shimomura, O. Growth and valuation of large KDP single crystals for high power harmonic generation by temperature decrease method 87−58909
Shimomura, O., Ohhashi, K., Sasazawa, Y., Ide, K., Komori, K. Purification of mother liquor for growth of KDP single crystal 87−58910
Shimomura, O., Yokotani, A., Sasaki, T., Yoshida, K., Yamanaka, C. Laser damage threshold of KDP single crystal at 1.053 μm 88−34107
Shimomura, S. Seed crystal in growth of KDP single crystal for optical harmonic generation 87−52092
Shimomura, S. A study of double gate static induction thyristor 88−7593
Shimomura, S. Video frame buffer ‘SPI-3’ 88−50147
Shimomura, S. *see* Ishizaka, Y. 88−53551
Shimomura, S. *see* Nishizawa, J. 87−38232
Shimomura, S. *see* Nishizawa, J.I. 86−41773
Shimomura, S. *see* Takaoka, S. 86−53371
Shimomura, T. Measurement of space frequency spectra in kanji pictures by a microcomputer 86−17903
Shimomura, T. Pattern dependence of color gamut of blackness in a liquid crystal display 86−36263
Shimomura, T. Polarization analysis of a twisted nematic liquid crystal cell by the Poincare sphere 87−33010
Shimomura, T., Asahi, K., Ando, K., Sugiyama, K. The development of extruded and molded straight joint for ultra high voltage XLPE cable 87−30237
Shimomura, T., Furuta, T., Eguchi, Y. Optical and colorimetric properties of an EC 8CB-cell for the transmission and reflection cell types 88−65384
Shimomura, T., Furuta, T., Maki, T. Colorimetric evaluation of an ECD for the reflection- and transmission-types 87−56754
Shimomura, T., Kawaguchi, K., Kobayashi, S. Cell-thickness dependence of color properties for a twisted nematic liquid crystal display 86−9629
Shimomura, T., Kobayashi, S. Color gamut of blackness in a liquid crystal display 85−37674
Shimomura, T., Suzuki, H. Educational software for understanding the concept of power system behavior 88−68828
Shimomura, T., Wakazono, H., Kobayashi, S. Colorimetric evaluation of liquid crystal displays with TN and GH modes 86−28904
Shimomura, T. *see* Ashford, V. 86−50391
Shimomura, T. *see* Hara, K. 88−41023
Shimomura, T. *see* Kubota, H. 87−54122
Shimomura, T. *see* Miyashita, Y. 86−68126
Shimomura, T. *see* Nagatsuka, T. 86−31511
Shimomura, T. *see* Oh-ishi, H. 86−2875, 87−70726
Shimomura, T. *see* Sagisaka, Y. 88−54885
Shimomura, T. *see* Williams, S. 85−43247
Shimomura, T. *see* Yamaguchi, A. 88−16359
Shimomura, T. *see* Yoshiyagawa, M. 86−34407
Shimomura, Y. *see* Asano, Y. 87−77538
Shimon, N.Yu. *see* Bratasyuk, N.M. 86−50104
Shimoni, Y. *see* Hsia, P.-W. 86−65436
Shimoni, Y. *see* Jenkins, J. 87−21592
Shimonishi, J., Hinamoto, T., Maekawa, S. Balanced realization of two-dimensional separable-denominator transfer functions 87−5570
Shimonishi, J. *see* Hinamoto, T. 88−38329
Shimonishi, Y. *see* Ikeda, H. 88−10333
Shimono, T., Oozeki, K., Takahashi, M., Kawai, M., Funatsu, S. An AC/DC test generation system for gate array LSIs 86−47733
Shimono, T. *see* Kawai, M. 87−41355
Shimono, T. *see* Kitajima, H. 85−41992
Shimono, T. *see* Takemura, H. 85−2763
Shimono, T. *see* Wu, Z. 88−46270
Shimooka, T., Aoki, M. Linear circuit theory CAI 87−31635
Shimooka, T., Ito, N., Ishigohka, T., Mizukami, N. Manufacture and test of a small superconducting transformer 88−24010
Shimooka, Y. *see* Sekiguchi, T. 85−28672, 87−52774
Shimosaka, N. *see* Fujii, Y. 86−68632, 88−65224
Shimosaka, N. *see* Numai, T. 88−35475
Shimoseko, S. Application to satellite imaging techniques 85−38359
Shimoseko, S. International status of satellite broadcasting 88−15415
Shimoseko, S., Iwasaki, K. Outline of the satellite broadcasting experiments using the BSE 86−37841
Shimoseko, S., Murakami, H., Muranaga, K., Mori, T., Nemoto, C., Suzuki, A., Yokoyama, S., Arai, K. The attitude control performance of the BSE and its influence on the received television signal strengths on the ground 86−37851
Shimoseko, S., Takahashi, Y., Kajikawa, M. The characteristics with the passage of time of the on-board equipments 86−37850
Shimoseko, S. *see* Iida, T. 85−20148, 85−42509, 85−42712
Shimoseko, S. *see* Iwasaki, K. 85−57211
Shimoseko, S. *see* Kozu, T. 86−36815
Shimoseko, S. *see* Shimada, M. 85−8551, 86−37815
Shimoseko, S. *see* Yoshimoto, S. 86−64920
Shimoshio, Y. A computational algorithm for the S-θ curve in computing the rotational angle of the object 88−21330
Shimotake, H., Chilenskas, A.A., Malecha, R.F., Yao, N.P. Thermal management of a lithium/iron-sulfide battery [electric vehicle batteries] 85−49186
Shimotake, H. *see* Hiroi, M. 85−16218, 86−51884
Shimotomai, M. *see* Hirota, J. 86−14764
Shimotori, K. *see* Ishigami, T. 88−13522
Shimotouno, H. *see* Kondo, S. 87−50957
Shimotsu, T. *see* Futamoto, M. 85−60995
Shimotsu, T. *see* Itoh, H. 88−32872
Shimotsuji, S. *see* Tsunekawa, S. 85−49701
Shimouma, T. *see* Ogawa, M. 85−35643
Shimoura, S. *see* Krebs, G.F. 88−54190
Shimoura, S. *see* Nakamura, M. 88−47755
Shimoyama, H. Electron gun characteristics 86−21003
Shimoyama, H., Maruse, S. Theoretical considerations on electron optical brightness for thermionic, field and T-F emissions 85−23313
Shimoyama, H. *see* Fujioka, Y. 88−16296
Shimoyama, H. *see* Hinata, J. 87−59607
Shimoyama, T. *see* Nakazima, T. 85−53412
Shimoyama, T. *see* Tonegawa, A. 87−56984
Shimoyama, Y. *see* Honma, K. 86−35972
Shimoyama, Y. *see* Kubota, T. 87−67778
Shimoyana, T. *see* Mochizuki, K. 88−53434
Shimozato, M. *see* Yoshikawa, E. 87−7922
Shimozuma, M., Kitamori, K., Ohno, H., Hasegawa, H., Tagashira, H. Room temperature deposition of silicon nitride films using very low frequency (50 Hz) plasma CVD 86−7837
Shimozuma, M. *see* Oda, N. 88−12057
Shimp, M.J. *see* Weidman, L.E. 87−31197

Shimpo, H., Suzuki, H., Haneyoshi, T., Tadokoro, M. Extraordinary oscillation in nonlinear polyphase circuit 86−62394
Shimpo, H., Suzuki, H., Haneyoshi, T., Tadokoro, M. An analysis of extraordinary oscillation of potential transformers 88−12640
Shimpo, M. *see* Ogawa, S. 87−38712
Shimpo, S., Murai, M., Shimizu, T., Tsutsui, T. Interactive electronic-circuit simulation using a CAE workstation 85−50633
Shimpo, T. *see* Andoh, S. 87−17409
Shimpuku, Y., Fukuda, S., Sugiki, H., Odaka, K. A new digital-audio recording technique 86−38155
Shimpuku, Y., Fukuda, S., Sugiki, H., Odaka, K. R-DAT: a new digital audio recording technique 86−65090
Shimshak, D.G. *see* Ghosal, A. 86−7598
Shimshock, J.F. *see* Aabo, T. 85−15612
Shimshock, J.F. *see* Cooper, J.H. 86−51854
Shimshock, J.F. *see* Stepniak, F.M. 87−71719
Shimulite, E.A. *see* Bartashevich, Z.N. 87−60152
Shimulite, E.A. *see* Kavalyauskas, A.A. 87−74081
Shimulite, E.A. *see* Peka, G.P. 88−58355
Shimura, A. *see* Matsumura, T. 87−23593
Shimura, F., Baiardo, J.P., Fraundorf, P. Infrared absorption study on carbon and oxygen behavior in Czochralski silicon crystals 85−50182
Shimura, F., Craven, R.A. Process-induced microdefects in VLSI silicon wafers 85−29228
Shimura, F., Dyson, W., Moody, J.W., Hockett, R.S. Oxygen behavior in heavily Sb-doped CZ-silicon 86−21115
Shimura, F. *see* Chiou, H.-D. 85−23629
Shimura, F. *see* Craven, R.A. 85−23422
Shimura, F. *see* Huff, H.R. 85−40923, 85−62119
Shimura, F. *see* Lee, D.M. 88−71442
Shimura, F. *see* Narabu, T. 87−10743
Shimura, H. *see* Kaneaki, T. 88−56715
Shimura, H. *see* Kato, J. 86−63149
Shimura, H. *see* Shiragasawa, T. 85−6325
Shimura, M., Kishi, H., Baba, H. Temperature dependence of dark conductivity for β-metal-free phthalocyanine sublimed films 85−45407
Shimura, M., Kohno, A., Teranishi, N. A new color coding method with quasi-field integration mode for solid-state color imaging equipment 87−70247
Shimura, M., Kon, M., Baba, H. A pn junction of GaSe 85−34569
Shimura, M., Shakushiro, K., Shimura, Y. Photoelectrochemical solar cells with a SnO_2-liquid junction sensitized with highly concentrated dyes 87−4880
Shimura, M., Toyoda, A. Photovoltaic properties of sandwich cells prepared with fluoroaluminium phthalocyanine 85−27635
Shimura, M. *see* Asai, M. 88−72322
Shimura, M. *see* Fujimoto, A. 85−12845, 86−9855, 87−52139
Shimura, M. *see* Imanaka, K. 87−39092
Shimura, M. *see* Kitoh, H. 87−48745
Shimura, M. *see* Sato, F. 88−34027
Shimura, S. The global network of transoceanic submarine cables 85−42416
Shimura, S. *see* Horikoshi, J. 88−41568
Shimura, S. *see* Wakhara, T. 88−11525
Shimura, S. *(editor)* International submarine cable systems 85−32899
Shimura, T., Noda, M., Hosogi, K., Tanino, N., Nishitani, K., Otsubo, M. A buried P-layer lightly doped drain (BPLDD) self-aligned GaAs MESFET 87−25591
Shimura, T. *see* Aono, K. 87−59874
Shimura, T. *see* Ito, K. 88−19401
Shimura, T. *see* Iwasaki, K. 86−2331
Shimura, T. *see* Kohno, T. 87−36264
Shimura, T. *see* Kuroda, K. 86−29080
Shimura, T. *see* Machida, E. 86−11972
Shimura, T. *see* Maemura, K. 87−59683, 88−19113
Shimura, T. *see* Miwa, H. 85−46958
Shimura, T. *see* Namiki, F. 88−57867
Shimura, T. *see* Ogura, I. 85−64210
Shimura, T. *see* Yamaguchi, N. 85−40877
Shimura, Y. *see* Shimura, M. 87−4880
Shimura, Y. *see* Sueyasu, Y. 85−57634
Shimuza, T. *see* Morimoto, A. 86−21155
Shimy Mansour, M.A., Alhaider, M.A. Proposed digital simulation for controlled slip drive 86−19549
Shimzu, H. *see* Likura, Y. 88−28955
Shin, B.C., Kim, H.G. Effects of microstructure on the dielectric breakdown of polycrystalline $BaTiO_3$ 87−25635
Shin, B.C., Un, C.K. Performance analysis of a quasi-M/D/1 cut-through switching network with noisy channels 87−7880
Shin, B.C. *see* Kim, S.Y. 88−28612
Shin, C.G. *see* Ni, Y.-X. 88−23427
Shin, C.H. *see* Jin, J.H. 88−19973
Shin, C.W., Kim, T.H., Lee, M.Y. Adaptive noise canceller for radar signal using microprocessor 88−28936
Shin, D., Cho, G. A new pulse-width variation technique of forced commutated cycloconverters 87−43233
Shin, D., Park, M., Lee, M. Self-correcting clock recovery circuit with improved jitter performance 87−31973
Shin, D.-H., Cho, G.-H. A simple high-performance analog frequency-to-voltage converter 87−52785
Shin, D.-H., Cho, G.-H., Park, S.-B. Optimised pulse-width modulation method of forced commutated cycloconvertor 87−64680
Shin, D.B. *see* Lee, B. 88−25168
Shin, D.H., Cho, G.H., Park, S.B. An optimized pulse-width modulation method of forced commutated cycloconverters 88−30920
Shin, F.G. *see* Kwan, S.H. 85−17000
Shin, H., Malek, M. A Boolean content addressable memory and its applications 85−54890
Shin, H., Sangiovanni-Vincentelli, A. Mighty: a 'rip-up and reroute' detailed router 87−38441
Shin, H., Sangiovanni-Vincentelli, A. A detailed router based on incremental routing modifications: Mighty 88−13476
Shin, H., Sangiovanni-Vincentelli, A.L., Sequin, C.H. Two-dimensional compaction by 'zone refining' 87−5600
Shin, H., Sangiovanni-Vincentelli, A.L., Sequin, C.H. Two-dimensional module compactor based on 'zone-refining' 88−20077
Shin, H. *see* Burns, J. 88−31944
Shin, H.-B., Kim, J.-J., Youn, M.-J. The speed control of CSI-induction motor using the time-delayed output feedback 88−31090
Shin, H.-C., Abraham, J.A. Fault collapsing techniques for MOS VLSI circuits 86−67130
Shin, H.-D. *see* Yuan, H.-T. 87−17024
Shin, H.-Y. *see* Schluessel, P. 87−50565
Shin, H.M. *see* Choi, D.H. 87−56942
Shin, H.M. *see* Choi, E.H. 87−60047
Shin, H.Y. *see* Ajmera, P.K. 88−449
Shin, J. *see* Chung, N.S. 85−20482, 85−26192
Shin, K., Hamamoto, M. Monte Carlo unfolding of pulse-height spectra 88−54420
Shin, K. *see* Murata, H. 85−8042
Shin, K. *see* Numata, S. 88−54419
Shin, K.C., Kim, H.K., Kim, C.K., Chung, C.H., Moon, D.C., Lim, H. LPE growth system using a gold furnace 87−16616
Shin, K.G., Chen, M. Performance analysis of distributed routing strategies free of ping-pong-type looping 87−34122
Shin, K.W. *see* Choi, B.Y. 88−26525
shin, M.E.Min *see* Min shin, M.E.
Shin, P., Koontz, J. Smart chip outperforms FIFOs in network adapters 85−47295
Shin, P.S. *see* Lee, M.J. 88−52065
Shin, R.T. *see* Kong, J.A. 88−48315
Shin, R.T. *see* Lin, F.C. 86−65020, 88−10577
Shin, S., Yano, H. Evaluation of error of X-ray residual stress measurement method 86−18150
Shin, S.-C. Thermal analysis of thin films under pulsed laser irradiation 86−42092
Shin, S.-C., Ketterson, J.B., Hilliard, J.E. Two-dimensional transport behavior in PbTe-Bi superlattice 85−61766
Shin, S.B. *see* Ferrari, L.A. 85−15278
Shin, S.C. *see* DiVenere, A. 85−39767
Shin, S.H., Gertner, E.R., Pasko, J.G., Tennant, W.E. Isothermal vapor-phase epitaxy of $Hg_{1-x}Cd_xTe$ on CdTe and Al_2O_3 substrates 85−49551
Shin, S.H., Niizawa, G.T., Pasko, J.G., Bostrop, G.L., Ryan, F.J., Khoshnevisan, M., Westmark, C.I., Fuller, C. p-i-n CdTe gamma ray detectors by liquid phase epitaxy (LPE) 85−43220
Shin, S.H., Pasko, J.G., Lo, D.S., Tennant, W.E., Anderson, J.R., Gorska, M., Fotouhi, M., Lu, C.R. $Hg_{1-x-y}Cd_yTe$ alloys for 1.3-1.8 μm photodiode applications 88−45309
Shin, S.H. *see* Arias, J.M. 88−11994, 88−26970, 88−31781
Shin, S.H. *see* Gertner, E.R. 85−41260
Shin, S.H. *see* Ryan, F.J. 85−26727
Shin, S.M. *see* Tan, K.L. 87−11786, 88−20166
Shin, S.Y. *see* Berntsen, S. 85−19112
Shin, T.Y. *see* Ibikunle, O. 85−51792
Shin, V.I. *see* Dashevskii, M.L. 85−30238
Shin, Y., Mooney, R., Fletcher, T. Dynamic hysteresis circuit for high speed CMOS devices 87−59285
Shin, Y. *see* Cho, S. 86−63469
Shin, Y.G. *see* Choi, C.T. 88−44546
Shin, Y.H., Noh, S.N., Chung, C.H. Automation of a computer-aided Hall effect measurement system 86−4973
Shin, Y.S. *see* Bien, Z. 88−43690
Shin, Y.S. *see* Chung, M.J. 85−29308
Shin An Sun *see* Sun Shin An
Shin Byong-Kyu *see* Byong-Kyu Shin
Shin Byoung-Chul *see* Byoung-Chul Shin
Shin Cho Jae *see* Jae Shin Cho
Shin Dae-Seung *see* Dae-Seung Shin
Shin Dong Hee *see* Dong Hee Shin
Shin Dong Hyuk *see* Dong Hyuk Shin
Shin Dong Kwan *see* Dong Kwan Shin
Shin Dong-ryeol *see* Dong-ryeol Shin
Shin Dong-ryul *see* Dong-ryul Shin
Shin Gun Soon *see* Gun Soon Shin
Shin Gun-Soon *see* Gun-Soon Shin
Shin Heung-Kyo *see* Heung-Kyo Shin
Shin Hwi-Beom *see* Hwi-Beom Shin
Shin Hyun Kook *see* Hyun Kook Shin
Shin Hyung-Sub *see* Hyung-Sub Shin
Shin In Chul *see* In Chul Shin
Shin Jae Ho *see* Jae Ho Shin
Shin Jae Seop *see* Jae Seop Shin
Shin Joon *see* Joon Shin
Shin Kwon Oh *see* Oh Shin Kwon
Shin Kyung-Chul *see* Kyung-Chul Shin
Shin Myung Chul *see* Myung Chul Shin
Shin Myung-Chul *see* Myung-Chul Shin
Shin Sang Woon *see* Sang Woon Shin
Shin Sang Yung *see* Sang Yung Shin
Shin Sang-Mo *see* Sang-Mo Shin
Shin Sang-Yung *see* Sang-Yung Shin
Shin Suh Joong-Lin *see* Suh Joong-Lin Shin
Shin Sung-Chul *see* Sung-Chul Shin
Shin Whan Kim, Goon Cherl Park The analysis of stability in a steam generator 86−45104
Shin Yong-Jin *see* Yong-Jin Shin
Shin Yoon Ki *see* Yoon Ki Shin
Shin Young Kil *see* Young Kil Shin
Shin Yun-Seung *see* Yun-Seung Shin
Shin-ichi Motoyama *see* Kaneda, S. 87−10386
Shin-ichi Tobishima, Yamaki, J.-I. 3-methyl-2-oxazolidinone-based electrolytes for secondary lithium batteries 86−51879
Shin-ichi Tobishima *see* Arakawa, M. 87−4866
Shin-Ichiro Ishihara, Kitagawa, M., Hirao, T., Wasa, K. Effects of discharge parameters on deposition rate of hydrogenated amorphous silicon for solar cells from pure SiH_4 plasma 87−58969
Shin-Il Cho, Sullivan, N.S. A low temperature MOSFET regenerative detector 87−37086
Shin-min Chao *see* Chao Shin-min
Shin-ts'ai Chin *see* Chin Shin-ts'ai
Shin-Tson Wu, Efron, U., Tsung-Yuan Hsu Near-infrared-to-visible image conversion using a Si liquid crystal light valve 88−26895
Shin-Tson Wu, Lackner, A.M., Efron, U. Optimal operation temperature of liquid crystal modulators 87−74875
Shin-Yi Hsu, Famighetti, J.A. A stable structure approach to automated scene understanding and awareness with multi-polarized SAR image data 88−28931
Shinada, K. Asahi National Broadcasting lighting systems of TV studios 88−31186
Shinada, K., Matsukawa, N., Morita, S., Mikata, Y., Usami, T., Nozawa, H. Reliability of thin oxide grown on heavily doped polysilicon 87−1436
Shinada, K., Mori, S., Mikata, Y. Reduction in polysilicon oxide leakage current by annealing prior to oxidation 86−9028
Shinada, K. *see* Atsumi, S. 85−35179
Shinada, K. *see* Maruyama, T. 88−63680
Shinada, K. *see* Matsukawa, N. 86−41131
Shinada, K. *see* Mikata, Y. 86−15066
Shinada, K. *see* Miyamoto, J. 87−5881
Shinada, K. *see* Mori, S. 86−41977
Shinada, K. *see* Tsujimoto, J. 86−34819
Shinada, S. *see* Mikoshiba, S. 85−14901, 85−14927, 87−8688
Shinada, S. *see* Okamoto, Y. 87−21160, 88−16285
Shinada, Y. *see* Kakinuma, Y. 88−25041
Shinagawa, J. *see* Kawamura, R. 86−6396
Shinagawa, J. *see* Ogata, S. 87−71678
Shinagawa, J. *see* Sato, R. 85−38512
Shinagawa, J. *see* Uchida, K. 86−65718
Shinagawa, J.-i. *see* Kawamura, R. 86−6411
Shinagawa, K. *see* Iijima, A. 85−29438, 86−42117
Shinagawa, K. *see* Nakamura, A. 87−46318
Shinagawa, K. *see* Shiiki, K. 85−24135
Shinagawa, K. *see* Yoshida, H. 87−5005
Shinagawa, M. *see* Imai, S. 85−56204
Shinagawa, M. *see* Kamoto, T. 88−32280
Shinagawa, M.A. *see* Shinkawa, K. 86−67446
Shinagawa, N. *see* Nakajima, A. 88−46941
Shinagawa, T. *see* Mori, S. 88−38539
Shinagawa, T. *see* Ohtsuka, N. 88−6823
Shinaishin, M.A., Aly, M.N., Abu-Shady, Y. Accident analysis in multi-loop PWR nuclear power plants 87−9332
Shinakov, Yu.S. Joint detection and resolution of an unknown number of signals 86−48942
Shinakov, Yu.S. *see* Morkovina, N.I. 87−69159
Shinar, J., Albers, M.L., Bevolo, A.J., Shanks, H.R. An optical, infrared, electron-spin-resonance, and Auger study of *a*-Si:H films prepared by radio frequency sputtering in He/H_2, Ar/H_2, and Xe/H_2 88−6503
Shinar, J. *see* Albers, M.L. 88−6511
Shinbashi, M. *see* Forbes, G. 87−40951
Shinbata, T. *see* Goto, N. 86−31156
Shinbkarenko, V.G. *see* Doktorevich, M.M. 85−6214
Shinbo, M. Silicon-to-silicon direct bonding and its applications 88−26013
Shinbori, O. *see* Nakai, T. 85−56299, 85−62278, 86−22061, 86−28775
Shinbori, O. *see* Tokiwa, H. 85−62279, 85−62313, 86−15462
Shinchi, Y. *see* Nonaka, H. 85−27826
Shincovich, J.T. *see* Fisher, J.J. 88−55416
Shinde, R.F. *see* Setty, M.S. 86−53215
Shindin, S.A. *see* Ivanov, F.P. 88−47717
Shindler, J. *see* Turner, L.R. 85−56246

Shindo, H. Lecture on data transmission [railways] 87−72514
Shindo, K. *see* Shirakawa, S. 88−55084
Shindo, K. *see* Yoshinaga, K. 87−77238
Shindo, M. Data transmission. 11 88−9569
Shindo, M., Sato, S., Myokan, I., Mano, S., Shibata, T. Preparation capacity of reactive evaporation method for amorphous silicon 85−28239
Shindo, M., Sato, S., Myokan, I., Mano, S., Shibata, T. Bombardment damage in reactively-evaporated a-Si:H 86−7840
Shindo, M., Tomita, E. A simple algorithm for finding a maximum clique and its worst-case time complexity 88−49707
Shindo, M. *see* Shinohara, K. 87−2451
Shindo, R. *see* Takano, M. 85−53450
Shindo, S., Hagiwara, E., Satoh, K. NTT's program of Experimental Mobile Satellite Systems (EMSS) using Engineering Test Satellite-V (ETS-V) 88−67310
Shindo, S., Hagiwara, E., Satoh, K., Komagata, H. NTT's program of experimental mobile satellite systems (EMSS) using engineering test satellite-V (ETS-V) 88−35428
Shindo, S., Minemura, M., Tajima, K. Radio local distribution systems for broadband communications 85−30863
Shindo, S., Minemura, M., Tajima, K. Radio local distribution systems for high-speed and broadband communications 86−10653
Shindo, S. *see* Kobayashi, T. 85−59730
Shindo, T., Aoshima, Y., Kishizima, I., Harada, T. A study of predischarge current characteristics of long air gaps 86−18888
Shindo, T., Suzuki, T. A new calculation method of breakdown voltage-time characteristics of long air gaps 85−59821
Shindo, T. *see* Imamura, K. 86−59887
Shindo, T. *see* Kinoshita, H. 86−57216
Shindo, Y. A simplified data processing system [for spectral analysis] 85−3851
Shindo, Y. *see* Mizuno, T. 86−59853
Shindo, Y. *see* Nakamura, S. 85−65230
Shindoh, S. *see* Kojima, M. 86−62123
Shine, M.C. *see* Fox, L.R. 86−566, 86−14649
Shin'e, T. *see* Uda, Y. 86−4663, 88−4067
Shiner, W. Nd:glass lasers: industrial powerhouses 87−2245
Shinev, Hr.D., Gachev, M.G. Quasi optimal linear array synthesis using Hausdorf approximation 86−68928
Shing, B.L. *see* Wong, K.F. 87−5829
Shing, M.T., Hu, T.C. A decomposition algorithm for multi-terminal network flows 86−46177
Shing, M.T., Hu, T.C. Computational complexity of layout problems 87−52303
Shing, M.T. *see* Hu, T.C. 86−9217
Shing, M.T. *see* Komlos, J. 86−19931
Shing, Y.H., Perry, J.W., Coulter, D.R., Radhakrishnan, G. Amorphous silicon deposition diagnostics using coherent anti-Stokes Raman spectroscopy 88−56310
Shing, Y.H., Perry, J.W., Hermann, A.M. In situ process diagnostics of silane plasma for device-quality a-Si:H deposition 88−37472
Shing, Y.H., Tran, N.T., Bachmann, K.J. Extrinsic p-type doping of CuInSe 86−8997
Shing, Y.H. *see* Mitchell, K.W. 87−9789
Shing, Y.H. *see* Roberts, S.S. 86−31587
Shing Wong Wing *see* Wing Shing Wong
Shing-Hong Lin, Krile, T.F., Walkup, J.F. Optical triple-product processing in logic design 87−7801
Shing-Hong Lin, Krile, T.F., Walkup, J.F. Two-dimensional optical Clos interconnection network and its uses 88−51632
Shing-kuo Wang, Ching-Der Chang, Siracusa, M., Liu, L.C.T., Pauley, R.G., Asher, P., Sokolich, M. Production technology for high-yield, high-performance GaAs monolithic amplifier 86−27601
Shing-Kuo Wang *see* Kems-Gwor Wang 88−25480
Shingai, S. *see* Kokawa, M. 85−5845
Shingai, S. *see* Miyazaki, S. 85−28066
Shingai, S. *see* Takaragi, K. 86−240 to 241
Shingaj, Y. *see* Miyamoto, Y. 88−45447
Shingaki, S. *see* Saburi, A. 86−4584
Shingirei, N.P. *see* Miroshnikov, I.P. 88−5791
Shingler, K. *see* Atkinson, A. 88−55906
Shingo, Y., Mathuda, T., Murayama, M., Yoshikawa, S., Hasegawa, M., Yoshino, A. Development of low smoke, halogen free, flame retardant cables for ships 86−49434
Shingo, Y., Matsuda, T., Murayama, M., Yoshikawa, S., Hasegawa, M., Yoshino, A. Development of 'clean cable'—low smoke, halogen free, flame retardant cable for ships 87−21941
Shingo, Y. *see* Den, H. 87−78120
Shingu, H., Takahashi, T., Sumi, T. Heat generation on screwed electric contacts. I 85−34235
Shingu, H., Takahashi, T., Sumi, T. Heat generation on screwed electric contacts. II 86−27676
Shingu, Z., Uetake, K., Higashisaka, A., Mitsuhashi, G. RIE induced carbon-related shallow acceptor in GaAs 88−50743
Shingubara, S., Iwabuchi, S., Shima, S. Effect of stress on electromigration MTF in Al based interconnections 88−19861
Shinguryo, S., Ikeda, I., Sakai, K., Yonenaga, K. Improvement of tone reproduction by dot pattern erasing in color electrophotographic process 87−7501
Shinguryo, S. *see* Sakai, K. 88−72206
Shingyouchi, K., Konishi, S., Susa, K., Matsuyama, I. Radial gradient refractive-index glass rods prepared by a sol-gel method 86−22060
Shingyouchi, K. *see* Konishi, S. 88−43952
Shinha, R.M.K. *see* Murty, Y.V.V.S. 86−61606
Shinhama, T. *see* Miyoshi, T. 86−41296
Shinian Fu *see* Fu Shinian
Shinihara, H. *see* Ichinose, K. 87−17084
Shinji, M. *see* Kuramoto, M. 86−43745, 86−69635
Shinji, O., Yagi, K., Saegusa, M., Kumazawa, Y., Nakane, F., Kojima, T. Reduction of transmission loss increase of optical fibers due to hydrogen 85−35505
Shinji, O. *see* Nakane, F. 85−35527
Shinji, O. *see* Takasaki, F. 88−22916
Shinjo de Corvetto, A. *see* Zanutto, B.S. 86−38815
Shinjun Zong *see* Zong Shinjun
Shinka, J. *see* Dzedons, A. 87−51509
Shinka, J. *see* Krogeris, A. 87−50623, 88−1625, 88−5325, 88−7091
Shinka, Ya.K. *see* Drozdov, V.A. 87−64666
Shinka, Ya.K. *see* Krogeris, A.F. 87−78062
Shinkai, H. *see* Miura, Y. 87−9632
Shinkai, M. *see* Kurahashi, Y. 88−11526
Shinkai, N. *see* Kokubu, Y. 86−13852
Shinkai, S. *see* Kitamura, M. 88−51339
Shinkarenko, G.V., Boldyrev, A.N., Sazonov, V.V., Yaroshinskii, B.G. Testing a relay protection device by a logic-state analyser 88−17196
Shinkarenko, G.V., Solokha, V.Ya., Boldyrev, A.N., Izrailevskii, N.L. A logic state analyser for relay protection devices and automatic equipment 86−25631
Shinkarenko, G.V. *see* Gobrei, R.N. 87−30865
Shinkarenko, G.V. *see* Mischenko, E.N. 86−45472
Shinkarenko, S.P. *see* Brodetskii, A.M. 88−37163
Shinkarenko, V.F., Kamrat, A.A. An experimental facility for investigating traction linear induction motors 86−33434
Shinkarenko, V.F. *see* Bugyanis, S.A. 87−35953
Shinkarenko, V.N. *see* Zdor, S.G. 87−71793
Shinkarev, V.A. *see* Garashchuk, V.P. 87−54383
Shinkawa, K., Noda, M. A highly stabilized FET oscillator for Ku-band receiver 87−24457
Shinkawa, K., Noda, M., Shinagawa, M.A., Irimajiri, T. Low noise integrated SHF converter for satellite TV broadcasting 86−67446
Shinkawa, K. *see* Arai, T. 85−3404
Shinkawa, K. *see* Nakagawa, I. 87−20692
Shinkawa, T. High-performance multifunctional intelligent hybrid recorder 86−38433
Shinkawa, T. *see* Watase, Y. 86−65337
Shinki, T. *see* Maeda, T. 86−41721
Shinkura, M. *see* Nakano, K. 88−35750
Shinmi, A., Utsumi, H., Andoh, N., Yamada, T., Uomori, A. Laser welding and its applications for steelmaking process 87−7471
Shinmi, T., Inohira, S., Nagata, M., Iida, K., Nakagome, Y. Bipolar transistor CAD model including quasi-saturation phenomena 85−23752
Shinmi, T., Inohira, S., Nagata, M., Iida, K., Nakagome, Y. Bipolar transistor CAD model including quasi-saturation phenomena 87−53479
Shinmi, T. *see* Inohira, S. 86−21648, 88−71751
Shinmori, S., Hoda, M., Koga, Y. Realization method of totally self-checking error checking and correcting circuits for main memory systems 87−59681
Shinmura, T. *see* Nishiguchi, Y. 88−19129
Shinmyo, S. *see* Miyake, M. 88−28725
Shinn, D.H., Kitchen, R. Prediction and measurement of power flux in microwave radar and communications equipment 85−15011
Shinn, G. Practical application of OTDR for cable measurements 88−9612
Shinn, G. Practical OTDR cable measurements 88−35524
Shinn, G., McGilvery, P. Giving a boost to capacity of fiber systems 88−4011
Shinn, H.R., Swensrud, R.B. Intersputnik: current status and future options 86−11033
Shinn, H.R., Swensrud, S.B. INTERSPUTNIK: current status and future options 85−58069
Shinn, M. *see* Stokowski, S. 87−5388
Shinn, M.D., Krupke, W.F., Caird, J.A., Newkirk, H.W. Optical properties of $LaMgAl_{11}O_{19}$:Cr,Nd 87−7308
Shinn, M.D., Krupke, W.F., Solarz, R.W., Kirchoff, T.A. Spectroscopic and laser properties of Pm^{3+} 88−65635
Shinn, M.D. *see* Caird, J.A. 87−7314, 87−26347, 88−14138
Shinn, M.D. *see* Krupke, W.F. 86−29101, 88−27102
Shinn, M.D. *see* Stokowski, S.E. 88−14137
Shinn, N. *see* Bartlett, R.J. 88−47821
Shinn, R. An instrumentation revolution is hiding inside your personal computer 85−47818
Shinn, R.A. *see* Dick, E.P. 88−75547
Shinn Yang Jyh *see* Jyh Shinn Yang
Shinnai, K., Nakamura, T., Sasaki, R., Fujikura, N. Sensitivity analysis of optimal message sizes for file transfer via satellite and terrestrial links 88−14869
Shinnai, K. *see* Nakamura, T. 87−28483
Shinnai, K. *see* Nakamurta, T. 88−3930
Shinnaka, S. *see* Ferrari, L.A. 87−45091
Shinnick, W.J., McIntosh, T.F. Lightguide: designing for distribution system flexibility. I 85−52375
Shinnick, W.J., McIntosh, T.F. Lightguide: designing for distribution system flexibility. II 85−58127
Shinno, S. *see* Nozaki, I. 87−61085
Shinno, Y., Sakaguchi, Y., Tachikura, K. Commercialization test of OS-280M optical submarine cable system 88−28847
Shino, K. *see* Sumiyoshi, T. 88−74661
Shino, T., Arai, K., Yamada, Y., Tomita, N., Yanagawa, S. High-power GaAs FET's prepared by ion implantation 86−21575
Shino, T. *see* Kamimura, T. 85−42741
Shino, T. *see* Tonami, S. 88−35283
Shinobu, Y. *see* Tanaka, S. 88−55734
Shinobu, Y. *see* Yanagisawa, N. 86−71069
Shinoda, H. *see* Kimata, K. 85−27828
Shinoda, H. *see* Takebayashi, Y. 85−36229
Shinoda, K., Kawaguchi, T., Tanaka, N. Development of hot-line insulator washing robot 87−9203
Shinoda, K., Nagumo, F., Terakawa, H. Broadcast charge-coupled device imagers 88−9742
Shinoda, K., Suzuki, Y. Electron beam addressed spatial light modulator 87−12258
Shinoda, K., Tamura, E. Charge-coupled device technology 87−14129
Shinoda, K., Tamura, E. CCD imaging technology—application to lightweight combined cameras and VTRS 87−14206
Shinoda, K. *see* Hara, T. 86−68326
Shinoda, M. *see* Irie, M. 88−45056
Shinoda, M. *see* Kitaori, N. 88−33507
Shinoda, S. Total automation in wafer fabrication 87−6808
Shinoda, S., Sengoku, M. The concept of space modification and a theory of function measuring the centrality (or mediality) of a point in a network 86−40811
Shinoda, S., Sengoku, M. Concept of space modification and a theory of function measuring the centrality (or mediality) of a point in a network 87−76044
Shinoda, S., Tsukiyama, S., Shirakawa, I. On a second shortest *k*-tuple of edge-disjoint paths 88−18588
Shinoda, S., Tsukiyama, S., Shirakawa, I., Omura, K. On a second shortest k-tuple of edge-disjoint paths 87−188
Shinoda, S., Yamaguchi, I., Omura, K., Shirakawa, I. Parameter-value determination using several test frequencies 85−17608
Shinoda, S. *see* Sengoku, M. 86−3741, 86−26958, 86−46212, 86−62329, 86−66728, 87−44130, 87−52316, 88−27722
Shinoda, S. *see* Yamaguchi, I. 86−687, 87−65760, 88−24939
Shinoda, T., Kajimoto, T., Ito, K., Kenmizaki, K., Ishihara, M., Yasu, Y., Tanimura, N. A 60 ns 1 Mb pseudo static RAM with high speed modes 87−24209
Shinoda, T., Kariatsumari, J., Watanabe, H. Turbine control system using DCS 87−78228
Shinoda, T., Naka, T., Yoshikawa, K. Flat panel displays with large display capacity 88−4553
Shinoda, T., Niinuma, A. Logically addressable surface discharge AC plasma display panels with a new write electrode 85−14937
Shinoda, T., Ohtsuka, A., Hirose, T., Niinuma, A. Green surface-discharge plasma decode displays 86−31539
Shinoda, T. *see* Ando, S. 88−16280
Shinoda, T. *see* Kawamoto, H. 85−22874
Shinoda, T. *see* Murai, M. 85−52061
Shinoda, T. *see* Ohnaka, S. 88−2430
Shinoda, T. *see* Ohsako, M. 87−8173
Shinoda, T. *see* Otsuka, A. 87−3690
Shinoda, T. *see* Uchiike, H. 85−14669
Shinoda, T. *see* Uematsu, K. 85−37083
Shinoda, Y. *see* Kobayashi, Y. 87−37880
Shinoda, Y. *see* Nishioka, T. 85−22481
Shinoda, Y. *see* Oku, S. 87−23616
Shinoe, K. *see* Watanabe, K. 88−29747
Shinohara, A. *see* Fukumoto, A. 85−7085
Shinohara, A. *see* Fuse, G. 87−38538
Shinohara, A. *see* Imanishi, N. 88−10248
Shinohara, A. *see* Odanaka, S. 86−41983
Shinohara, A. *see* Ohzone, T. 86−8238
Shinohara, A.H. *see* Iwasaki, H. 87−32762
Shinohara, A.H. *see* Suzuki, C.K. 87−32763
Shinohara, F. *see* Nakanushi, T. 87−72207
Shinohara, H., Anami, K., Ichinose, K., Wada, T., Kohno, Y., Kawai, Y., Akasaka, Y., Kayano, S. A 45 ns 256K CMOS SRAM with tri-level word line 86−14221

Shinohara, H., Anami, K., Ichinose, K., Wada, T., Kohno, Y., Kawai, Y., Akasaka, Y., Kayano, S. A 45-ns 256K CMOS static RAM with a tri-level word line 86−20533
Shinohara, H., Anami, K., Yoshihara, T., Kihara, Y., Kohno, Y., Akasaka, Y., Kayano, S. A fast 8K×8 mixed CMOS static RAM 86−8240
Shinohara, H., Chiba, T., Aizawa, M. Enzyme microsensor for glucose with an electrochemically synthesized enzyme-polyaniline film 88−29349
Shinohara, H., Kawase, M., Nihei, F. A new simple optical cable manufactured in a single process 86−69783
Shinohara, H., Kawase, M., Saito, K. Transmission characteristics of aerial optical fiber cable 85−3465
Shinohara, H., Konno, Y., Ichinose, K., Wada, T., Kawai, Y. A 256K-bit CMOS static RAM 87−5886
Shinohara, H., Kono, Y., Kihara, Y., Yoshihara, T., Akasaka, Y. A mixed MOS 64 Kbit static RAM 85−17409
Shinohara, H., Tomita, S., Kawase, M. Design of self-supporting optical fiber cable with SZ twisting structure 87−70104
Shinohara, H. *see* Adachi, R. 86−52074
Shinohara, H. *see* Aizawa, M. 87−53475
Shinohara, H. *see* Ichinose, K. 87−66180
Shinohara, H. *see* Kato, T. 86−41664
Shinohara, H. *see* Katsuyama, Y. 87−8254
Shinohara, H. *see* Kawase, M. 85−3240, 87−8323
Shinohara, H. *see* Kayano, S. 87−10864
Shinohara, H. *see* Morimoto, H. 87−38015
Shinohara, H. *see* Tanaka, K. 87−63050
Shinohara, H. *see* Tomita, S. 87−7157, 87−20572, 88−9591, 88−35496
Shinohara, H. *see* Wada, T. 88−6831
Shinohara, H. *see* Yamazaki, S. 86−7035
Shinohara, J. *see* Okubo, T. 85−43869
Shinohara, K., Matsumoto, H., Tsumori, K., Takeda, S. L-band amplifier. A new solid state L-band amplifier for the exciter of Osaka University linac 87−14676
Shinohara, K., Minami, T. Encoding of line drawings with a multiple hexagonal grid chain code 86−36944
Shinohara, K., Minami, T. Encoding of still pictures with successive clustering and predictive vector quantization 87−48002
Shinohara, K., Minami, T., Kawata, H., Shibata, K., Tanabe, H. The high efficient coding method of line picture using variable coding-grid 85−2745
Shinohara, K., Minami, T., Negishi, T., Shimada, T., Shindo, M., Mori, S. An improved version of Freeman's generalized chain coding scheme 87−2451
Shinohara, K., Nishijima, Y., Ebe, H. PbSnTe laser with buried heterostructure 87−18962
Shinohara, K., Nishijima, Y., Ebe, H., Ishida, A., Fujiyasu, H. PbSnTe multiple quantum well lasers for pulsed operation at 6 μm up to 204K 86−15690
Shinohara, K., Nonaka, S. Stability improvement of a current source inverter-induction motor drive system 87−58347
Shinohara, K., Yoshida, H., Odagiri, M., Tomago, A. Columnar structure and some properties of metal-evaporated tape 85−24131
Shinohara, K. *see* Dohi, M. 88−47490
Shinohara, K. *see* Fukaya, H. 86−60031
Shinohara, K. *see* Horikawa, J.I. 87−46378
Shinohara, K. *see* Ishida, A. 86−48402, 87−26422
Shinohara, K. *see* Isomura, S. 86−58284
Shinohara, K. *see* Kunieda, T. 85−56109
Shinohara, K. *see* Minami, T. 86−48980
Shinohara, K. *see* Naohara, T. 88−64909
Shinohara, K. *see* Nonaka, S. 85−27536
Shinohara, K. *see* Nouchi, N. 87−18504
Shinohara, K. *see* Shimomura, A. 87−12420
Shinohara, K. *see* Tokuda, K. 87−76946
Shinohara, K. *see* Tomago, A. 86−36041
Shinohara, M. Analysis and control of reattempt phenomenon 85−36472
Shinohara, M. Correlation between dislocation effects on carrier concentration and growth conditions for molecular-beam epitaxially grown GaAs 87−31508
Shinohara, M. Circuit dimensioning algorithm for optimizing circuit-switched networks 87−48281
Shinohara, M. Vocal character reader for persons with disabled sight 88−5007
Shinohara, M. Dislocation-free GaAs epitaxial growth with the use of modulation-doped AlAs-GaAs superlattice buffer layers 88−31727
Shinohara, M., Hyuga, F., Kozen, A., Hirano, M., Tsuzuki, N. 1-μm bubble ion-implanted devices with two-level ion-implanted layers between propagation tracks 85−35326
Shinohara, M., Imamura, Y., Yanagawa, F. Growth properties of $Al_xGa_{1-x}As$ grown by MOVPE using TEG and TMA 88−410
Shinohara, M., Ito, T., Wada, K., Imamura, Y. Electrical properties of surface defects on molecular beam epitaxially grown GaAs layers and defect free growth procedures 85−33465
Shinohara, M., Ito, T., Yamada, K., Imamura, Y. Dislocation propagation into MBE grown GaAs layers under the condition of misfit dislocation generation 86−20053
Shinohara, M., Ito, T., Yamada, K., Imamura, Y. Misfit dislocation generation for MBE grown GaAs on In-doped LEC-GaAs substrates 86−20056
Shinohara, M., Kimura, G. A dimensioning method for hierarchical circuit-switched networks 88−21370
Shinohara, M., Kimura, G. A dimensioning method for hierarchical circuit-switched networks 88−41141
Shinohara, M., Yamanaka, M., Daimon, H., Sakuma, E., Okumura, H., Misawa, S., Endo, K., Yoshida, S. Growth of high-mobility 3C-SiC epilayers by chemical vapor deposition 88−43886
Shinohara, M. *see* Diamon, H. 88−19992
Shinohara, M. *see* Ito, T. 85−376
Shinohara, M. *see* Kimura, G. 88−32297
Shinohara, M. *see* Nakagawa, T. 86−21993
Shinohara, M. *see* Takeuchi, H. 86−52476
Shinohara, M. *see* Tsubone, K. 88−64709
Shinohara, M. *see* Yamane, M. 88−74622
Shinohara, N. *see* Nakajima, H. 85−63778
Shinohara, N. *see* Sekiguchi, H. 85−20290
Shinohara, O. *see* Yamao, Y. 87−3068
Shinohara, S., Inoue, N., Yoshida, H., Sumi, M. New automatic control of returned light into frequency stabilised semiconductor laser 85−29819
Shinohara, S., Kanematsu, M., Yoshida, H., Sumi, M. Synchronous FM modulation of external-cavity semiconductor laser diode 88−45532
Shinohara, S., Mochizuki, A., Yoshida, H., Sumi, M. Laser Doppler velocimeter using the self-mixing effect of a semiconductor laser diode 86−54229
Shinohara, S., Shimizu, E.T., Yoshida, , Sumi, M. Approximate theory and characteristics of laser Doppler velocimeter using self-mixing effect of semiconductor laser diode 88−51987
Shinohara, S., Shimizu, E.T., Yoshida, H., Sumi, M. Directional laser Doppler velocimetry using self-mixing effect of semiconductor laser diode 87−54460
Shinohara, S., Takenaka, H., Kaji, A., Ohba, A., Yoshida, H., Sumi, M. Crosstalk characteristics of optical space transmission systems using spread spectrum modulation 88−9592
Shinohara, S. *see* Fuse, G. 86−41981
Shinohara, S. *see* Matsumoto, K. 85−14067
Shinohara, S. *see* Mineo, K. 87−28231
Shinohara, S. *see* Nagaosa, M. 88−75513
Shinohara, S. *see* Oikawa, H. 85−3227
Shinohara, T., Nakatsu, M., Kusunoki, K., Motoishi, K. Realization of a simulator for encoders/decoders on the basis of calculation over a finite field 87−27195
Shinohara, T., Yamada, K., Yoda, H., Akashi, T. Centralized supervisory control system for hydraulic power stations 85−27344
Shinohara, T. *see* Boothroyd, G. 87−10147
Shinohara, T. *see* Nishiyama, T. 88−51296
Shinohara, T. *see* Takatsuki, T. 85−25541
Shinohara, Y. Activities on computer application for nuclear reactor operation in Japan—an overview 88−48745
Shinohara, Y. *see* Kitamura, M. 88−65684
Shinohara, Y. *see* Kudo, K. 85−21361
Shinohara, Y. *see* Morikiyo, G. 87−42369
Shinohara, Y. *see* Terano, T. 87−42371
Shinohara, Y. *see* Yoshida, K. 88−48689
Shinojima, M. *see* Dote, Y. 88−43355
Shinoki, F. *see* Aoyagi, M. 85−24231, 88−20308
Shinoki, F. *see* Kosaka, S. 85−54824, 87−73127
Shinoki, F. *see* Koyanagi, M. 88−13729
Shinoki, F. *see* Morohashi, S. 85−56167
Shinoki, F. *see* Nakanishi, M. 87−63383, 88−16454
Shinoki, F. *see* Sakamoto, Y. 88−13740
Shinoki, F. *see* Shoji, A. 85−46055, 88−13737, 88−20278, 88−43940
Shinoki, F. *see* Tahara, S. 86−27227
Shinoki, T. *see* Yokoyama, N. 86−8241
Shinomiya, H., Takeda, Y., Abe, T., Funada, H., Dendo, I. Fabrication of an oxidation and diffusion system for fundamental IC process education 87−43833
Shinomiya, H., Takeda, Y., Abe, T., Ito, S., Dendo, I. Thermal oxidation of Si-wafer and its characteristics 88−57483
Shinomiya, M., Hasebe, S. Analysis of error in second-by-second position-detection for automatic-correction type system-slave-clock for use in broadcasting stations 88−22808
Shinomiya, S. *see* Okada, Y. 87−4751
Shinomiya, T. *see* Nagagawa, K. 88−13949
Shinomiya, Y. *see* Sato, H. 86−6700
Shinomoto, M. *see* Koiso, H. 86−24879
Shinomoto, M. *see* Kurokawa, S. 86−24851, 86−24880, 86−60404, 88−53994
Shinomura, K. *see* Itoh, T. 87−6543
Shinomura, K. *see* Kamiya, Y. 86−63036
Shinomura, R., Takeuchi, H., Kanda, H., Katakura, K. Ultrasonic array transducer using interdigital electrode 85−21028
Shinonaga, H., Satoh, G., Ohkawa, M. On-board baseband processor for regenerative SS/TDMA system operating with digital intersatellite links 88−46993
Shinonaga, H., Yamasaki, N., Koga, K., Muratani, T., Wu, W.W. The TNS program: a computer simulation package for the INTELSAT TDMA network 87−20443
Shinonaga, H. *see* Watanabe, T. 86−23814
Shinopoulos, G. FOtalk fiber optic talkset 88−35558
Shinopoulos, G. *see* Hayes, J.E. 85−41284, 85−46383
Shinoto, H. *see* Endo, M. 87−77656
Shinotsuka, T. *see* Takatori, H. 88−2603
Shinoyama, S. Growth of dislocation-free InP single crystals 88−388
Shinoyama, S., Tohno, S., Katsui, A. Large diameter dislocation-free crystal growth of InP 86−52436
Shinozaki, D.M., McGowan, J.W., Cheng, P.C., Tan, K.H. Properties of polymer resists 87−17885
Shinozaki, D.M. *see* Cheng, P.C. 86−60686
Shinozaki, E. *see* Sone, K. 87−73285
Shinozaki, J. *see* Aruga, S. 88−16309
Shinozaki, K., Mannoh, M., Nomura, Y., Mihara, M., Ishii, M. Effects of thermal annealing on Si-doped GaAs grown by molecular beam epitaxy 85−50205
Shinozaki, K., Tomizuka, Y., Nojiri, A. Performance of lithium/polyacetylene cell 85−27608
Shinozaki, K., Watanabe, N. High power operation of 830 nm AlGaAs laser diodes 88−27162
Shinozaki, K. *see* Abiko, S. 87−17137
Shinozaki, K. *see* Anzai, K. 86−13503
Shinozaki, K. *see* Iwase, N. 86−517, 86−14736, 86−20989, 87−16708, 87−74401
Shinozaki, K. *see* Mannoh, M. 85−56638, 86−9825
Shinozaki, K. *see* Mori, T. 88−14341
Shinozaki, K. *see* Morishita, M. 88−55583
Shinozaki, K. *see* Nomura, Y. 87−7368
Shinozaki, K. *see* Ohhori, K. 86−61730
Shinozaki, K. *see* Yuasa, T. 85−23433, 86−42521, 86−42608, 87−75097
Shinozaki, M. *see* Kitajima, H. 85−41992
Shinozaki, S. *see* Fujii, S. 87−10857, 87−17092
Shinozaki, S. *see* Matsumoto, Y. 85−34969
Shinozaki, S. *see* Mizuno, T. 86−47612, 87−46020, 88−26058
Shinozaki, S. *see* Ohsawa, T. 87−59510, 88−6822
Shinozaki, S. *see* Saito, S. 86−8265, 86−20529
Shinozaki, S. *see* Sawada, S. 85−50592, 86−21826
Shinozaki, S. *see* Sugiura, S. 87−60194
Shinozaki, S. *see* Watanabe, S. 85−1049, 85−17824, 85−23120
Shinozaki, S. *see* Watanabe, T. 86−14966, 88−1463
Shinozaki, S. *see* Mizuno, T. 88−71591
Shinozaki, T., Wantanabe, T. Recent progress on microlithography in VLSI fabrication 87−32608
Shinozaki, T. *see* Kazama, T. 86−61566
Shinozaki, T. *see* Mori, I. 86−21314
Shinozaki, T. *see* Nagayoshi, H. 87−71655
Shinozaki, T. *see* Shigemitsu, F. 88−13250
Shinozaki, T. *see* Yoshida, T. 86−61567
Shinozaki, Y. *see* Toya, H. 86−19420, 86−21913
Shinozawa, M. *see* Okita, Y. 88−64751
Shinozuka, K. *see* Hightower, D. 88−1748
Shinozuka, S. *see* Antoku, F. 86−59450
Shinozuka, T. *see* Arai, M. 85−14055, 86−23611
Shinozuka, T. *see* Hayakawa, T. 86−4373
Shinozuka, T. *see* Kawamura, M. 88−52536
Shinozuka, T. *see* Miyatake, H. 86−50293, 87−71051
Shinozuka, T. *see* Morita, K. 87−70968
Shinozuka, T. *see* Onodera, T. 88−61053
Shinozuka, T. *see* Yamaguchi, M. 87−48383
Shinozuka, T. *see* Yamaya, T. 85−15121
Shinozuka, T. *see* Yoshii, M. 87−70969
Shinozuka, Y. *see* Sugishima, N. 88−51779
Shinpo, M. *see* Kita, A. 87−78871
Shinpo Zhang *see* Zhang Shinpo
Shinpuku, Y. *see* Fukuda, S. 87−32864
Shinpuku, Y. *see* Negaki, T. 87−32863
Shinriki, H., Kisu, T., Kimura, S., Nishioka, Y., Kawamoto, Y., Mukai, K. Ta_2O_5 capacitor technology compatible with advanced VLSI process 88−71819
Shinriki, H. *see* Nishioka, Y. 86−47779, 87−37991, 87−59920, 87−74408
Shinriki, M. Nonlinear techniques for the improvement of signal-to-noise ratio 87−5687
Shinriki, M. *see* Sasase, I. 87−12999
Shinsha, T., Kubo, T., Hikosaka, M., Akiyama, K., Ishihara, K. POLARIS: polarity propagation algorithm for combinational logic synthesis 85−747
Shinsha, T., Kubo, T., Sakataya, Y., Koshishita, J., Ishihara, K. Incremental logic synthesis through gate logic structure identification 87−5839
Shinsha, T. *see* Shimizu, T. 86−58563

Shintake, T. TeV e^+e^- linear collider R and D. III. DENKAI–a computer program for static electric field simulation 87–14656
Shintake, T. Experimental results of microwave undulator 87–26640
Shintake, T., Tejima, M., Ishii, H., Kishiro, J. Sensitivity calculation of beam position monitor using boundary element method 87–29400
Shintake, T. *see* Fukushima, Y. 85–64418, 86–31986
Shintake, T. *see* Ieiri, T. 88–54161
Shintake, T. *see* Matoba, M. 85–43230
Shintake, T. *see* Miyao, M. 86–18227
Shintake, T. *see* Momose, T. 88–54298
Shintake, T. *see* Oide, K. 86–32140
Shintake, T. *see* Takeda, S. 86–5696
Shintake, T. *see* Tejima, M. 86–31777
Shintaku, H. *see* Katagiri, M. 85–47937
Shintaku, H. *see* Tsuchimoto, S. 88–42075
Shintaku, T., Nagase, R., Sugita, E. Study on connection stability of optical connectors with spherically convex-polished ends 87–54065
Shintaku, T. *see* Nagase, R. 87–32934
Shintaku, T. *see* Sugita, E. 88–13890, 88–20389, 88–65219
Shintani, A. Excimer laser initiated chemical vapor deposition of tungsten films on silicon dioxide 87–58966
Shintani, H., Wakimura, Y., Okada, K., Yamada, S. VLSI processor architecture for switching systems 85–3277
Shintani, H. *see* Futagami, S. 86–30208
Shintani, H. *see* Higuchi, K. 87–73338
Shintani, H. *see* Niwa, A. 87–13515
Shintani, K. *see* Minagawa, S. 85–29383
Shintani, M. *see* Oikado, T. 87–66840 to 66841
Shintani, N. *see* Morikawa, Y. 86–34110
Shintani, T., Nitta, T., Okada, T. Explicit representation of machine constants and structural parameters of superconducting generators 87–78579
Shintani, T. *see* Fujita, M. 88–26874
Shintani, T. *see* Horinouchi, A. 88–31255
Shintani, T. *see* Iri, E. 86–59892, 87–74166, 88–28855, 88–67816
Shintani, T. *see* Ishigohka, T. 88–69287
Shintani, T. *see* Okada, T. 85–60152, 86–51611, 87–78640
Shintani, T. *see* Satake, T. 86–58749
Shintani, T. *see* Suzuki, T. 87–74718
Shintani, T. *see* Tohyama, O. 88–64420
Shintani, T. *see* Utsumi, A. 88–68375
Shintani, T. *see* Yoshida, M. 88–26792
Shintomi, T. Study of the coil configuration of a 5 GWh SMES 85–49132
Shintomi, T., Masuda, M. The first model of shielded superconducting energy storage as a power supply for poloidal coils 85–5217
Shintomi, T., Otani, K., Masuda, M., Cha, G., Kwon, Y. The experimental study of protection method of large superconducting coil systems 87–78968
Shintomi, T., Wake, M., Tsuchiya, K., Kobayashi, M., Hirabayashi, H., Asano, K., Suzuki, F., Yamagiwa, T., Saito, R., Aihara, K., Hakuraku, Y., Moriai, H. Development and test results of a 10 tesla dipole magnet for future accelerators 86–44519
Shintomi, T., Wake, M., Tsuchiya, K., Kobayashi, M., Mito, T., Hirabayashi, H., Aihara, K., Hakuraku, Y., Suzuki, F., Suzuki, T., Yamagiwa, T., Saito, R., Moriai, H. The construction and test results of a 10 T dipole magnet 86–25062
Shintomi, T. *see* Fukumoto, S. 86–24909, 87–41748, 88–53999
Shintomi, T. *see* Hayakawa, K. 88–69716
Shintomi, T. *see* Igarashi, Z. 87–14644
Shintomi, T. *see* Kato, T. 87–14688
Shintomi, T. *see* Masuda, M. 86–45730, 87–72461
Shintomi, T. *see* Takasaki, E. 87–14639
Shintomi, T. *see* Yamamoto, A. 87–63601
Shintomi, T. *see* Yoshihara, T. 88–69717
Shintomi, Y. *see* Fujii, H. 85–31803
Shinutani, T. Coping with disasters in Information Network Systems 86–69279
Shinya, K., Saito, K., Miyazawa, E. Improvement of performance of the magnetic frequency tripler 86–62795
Shinya, K., Saito, K., Miyazawa, E. Design of saturable reactor for the magnetic frequency tripler 88–55448
Shinya, K. *see* Shitara, T. 88–4151, 88–60433
Shinya, M., Meguro, S., Umeda, M. Post-processing in character recognition involving integrated use of linguistic and pattern feature information 85–36337
Shinya, M., Umeda, M. Evaluation of compound post-processing method in character recognition 85–57511
Shinya, M. *see* Hashimoto, S. 86–43419
Shinya, M. *see* Matsushita, K. 86–43658, 86–43663, 87–8114, 88–9264
Shinya, M. *see* Minato, D. 86–43420
Shinya, M. *see* Suzuki, H. 88–46980
Shinya, T., Sakame, S. LIM for transportation 88–31152
Shinyanskii, A.V. *see* Kogan, A.I. 88–43524
Shinzawa, K. *see* Watanabe, N. 88–48680
Shinzawa, M., Dosaka, S., Fujimagari, H., Yoshida, M., Kurohata, Y. A packet-network support system for the MELCOM computer series 86–37496
Shio, A. A dynamic thresholding method for character detection in complex scene images 88–59327
Shio, A. *see* Ohya, J. 88–73234
Shio, H. *see* Takeuchi, R. 88–72207
Shiobara, H. *see* Sugimoto, Y. 88–50969
Shiobara, M.O. *see* Sy, K.K. 88–3528
Shiobara, R. *see* Maki, N. 88–69327
Shiobara, Y., Matsudaira, T., Sashida, Y., Chikuma, M. Advanced MAP for real-time process control 88–41370
Shiochi, M. *see* Tago, H. 85–33857
Shioda, F. *see* Makabe, T. 87–28235
Shioda, H. *see* Inoue, T. 86–64904
Shioda, S. *see* Harada, N. 85–21830
Shioda, S. *see* Okamura, T. 85–62256
Shioda, S. *see* Okuno, Y. 86–19510, 88–43390
Shioda, S. *see* Yamasaki, H. 85–21833
Shioda, S. *see* Yoshikawa, K. 85–21533, 86–25963, 88–31048
Shioda, S. *see* Yoshikawa, Y. 85–21831
Shiode, S. *see* Oshima, K. 87–40909
Shioden, M. *see* Abe, K. 88–16629
Shioden, M. *see* Asano, Y. 87–29494, 87–77538 to 77539
Shioiri, S. *see* Arita, T. 88–162
Shioiri, T. *see* Okawa, M. 87–37776, 88–38962
Shioiri, T. *see* Takahashi, H. 86–9324
Shioji, M. *see* Itano, K. 87–8358, 88–15580
Shiojima, K. *see* Hyuga, T. 86–45463
Shiojima, K. *see* Okuda, T. 85–58444
Shiojima, K. *see* Yokomachi, Y. 85–58446, 87–70254
Shiojiri, E., Fujii, Y. Transmission capability of an optical fiber communication system using index nonlinearity 85–29528
Shiojiri, E. *see* Fujii, Y. 85–2015
Shiokawa, H. *see* Iwai, M. 87–8459
Shiokawa, J. *see* Arakawa, T. 86–14867, 86–15183, 87–45605, 88–51669, 88–60945
Shiokawa, J. *see* Hirano, M. 87–46669
Shiokawa, J. *see* Imanaka, N. 86–24496, 87–14280, 87–63374
Shiokawa, S., Kikuchi, T., Moriizumi, T. Measurement of ultrasonic phase fluctuations caused by a plant cell using IDT system 87–3973
Shiokawa, S., Moriizumi, T., Kikuchi, T. Ultrasonic cell with IDTs for measurement of liquid acoustic velocity 86–70256
Shiokawa, S., Moriizumi, T., Kikuchi, T. Ultrasonic cell with IDTs for measurement of liquid acoustic velocity 88–16945
Shiokawa, S., Obashi, Y., Nagoya, A. DIPS-11/5E series mainframes 88–21669
Shiokawa, S. *see* Hidaka, R. 87–64008
Shiokawa, S. *see* Moriizumi, T. 88–57888
Shiokawa, S. *see* Nomura, T. 85–53211, 87–60769
Shiokawa, T., Karasawa, Y. High-efficiency array antenna composed of 4 units of short axial mode helical antenna 85–2697
Shiokawa, T., Karasawa, Y. Fading reduction technique for maritime satellite communications 86–30721
Shiokawa, T., Karasawa, Y., Yamada, M. A compact shipborne antenna system for maritime satellite communications 86–64954
Shiokawa, T., Karasawa, Y., Yuki, H. Reduction method for pointing error of E_l/A_z mount for maritime satellite communications 87–7611
Shiokawa, T., Karasawa, Y., Yuki, H. Reduction method of pointing error of $\mathrm{E_L/A_Z}$ mount for maritime satellite communications 88–35433
Shiokawa, T., Karasawa, Y., Yuki, H., Yamada, M. Some techniques for the rejection of reflected radio waves from the sea surface in maritime satellite communications 85–52320
Shiokawa, T., Karasawa, Y., Yuki, H., Yamada, M. A compact shipborne antenna system for maritime satellite communications 85–63616
Shiokawa, T., Kim, P.H., Hamagaki, M., Hara, T., Aoyagi, Y., Toyoda, K., Namba, S. 40 nm width structure of GaAs fabricated by fine focused ion beam lithography and chlorine reactive ion etching 88–64443
Shiokawa, T., Kim, P.H., Toyoda, K., Namba, S., Suzuki, M., Matsui, S. Focused ion beam exposure characteristics of Langmuir-Blodgett films 88–57539
Shiokawa, T., Miyamoto, I., Phil Hyon Kim, Ochiai, Y., Masuyama, A., Toyoda, K., Namba, S. Ridge type microfabrication by maskless ion implantation of Si into SiO_2 film 86–21405
Shiokawa, T., Pil Hyon Kim, Toyoda, K., Namba, S., Suzuki, M., Matsui, S., Mori, K. FIB exposure characteristics of LB film 87–74164
Shiokawa, T., Toyoda, K., Kim, P.H., Namba, S., Gamo, K., Aihara, R., Anazawa, N. 200 keV mass-separated focused ion beam system 86–5746
Shiokawa, T. *see* Gamo, K. 85–1532
Shiokawa, T. *see* Kagami, M. 88–68191
Shiokawa, T. *see* Karasawa, Y. 85–25810, 85–30040, 86–37835, 86–42853, 86–69709, 88–8467
Shiokawa, T. *see* Kashiki, K. 86–23822
Shiokawa, T. *see* Matsui, S. 87–1369, 88–13202
Shiokawa, T. *see* Miyake, H. 88–57437
Shiokawa, T. *see* Nakamura, K. 86–27871, 87–38077
Shiokawa, T. *see* Ochiai, Y. 85–40617, 86–35588, 86–67817, 87–38400
Shiokawa, T. *see* Ohmura, Y. 88–13175
Shiokawa, T. *see* Yasunaga, M. 86–42852, 87–20472, 87–47406
Shiomi, H. Reliability of electronic components 86–46140
Shiomi, M. *see* Yamada, J. 86–11297, 86–15325
Shiomi, S., Masuda, M. Effect of implantation-induced anisotropy on magnetization distributions in garnet films 86–28634
Shiomi, S. *see* Ito, A. 88–51242
Shiomi, S. *see* Izawa, I. 87–74506
Shiomi, S. *see* Miyachi, I. 86–51707
Shiomi, S. *see* Shirafuji, K. 87–52818
Shiomi, S. *see* Takagi, H. 88–7034
Shiomi, T. Highly precise positioning system using GPS 88–4128
Shiomi, T., Kozono, S.-I., Arimoto, Y., Nagai, S., Isogai, M. Precise orbit determination of a geosynchronous satellite by ΔVLBI method 85–15365
Shiomi, T., Kozono, S.-I., Arimoto, Y., Nagai, S., Isogai, M. Precise orbit determination of a geosynchronous satellite by ΔVLBI method 85–30972
Shiomi, T., Nagai, S., Kozono, S., Arimoto, Y., Isogai, M. Differential interferometry for precise tracking of a geosynchronous satellite 86–50658
Shiomi, T., Takahashi, K. Auto-correlative derivation of Doppler and Doppler-rate observables from satellite-observed interference radio signals 86–4594
Shiomi, T. *see* Hama, S. 88–4658
Shiomi, T. *see* Kayano, S. 87–66168
Shiomi, T. *see* Levy, G.S. 87–28712
Shiomi, T. *see* Nagase, H. 88–49269
Shiomi, T. *see* Nakase, Y. 87–24188, 88–50140
Shiomi, T. *see* Nishigaki, T. 86–64900
Shiomi, T. *see* Nishimura, H. 86–26400
Shiomi, Y., Shizuya, O., Omoto, N., Fujisaki, H., Yoshimura, Y., Hirashima, M., Takahashi, T., Nezu, T., Ito, S. C-Band satellite TV broadcast reception system 87–8394
Shiomi, Y. *see* Nakajima, H. 85–20289, 85–63778
Shiomi, Y. *see* Nishio, M. 87–48490
Shiomi, Y. *see* Sekiguchi, H. 85–20290
Shiomi, Y. *see* Takeda, J. 85–36560
Shiono, K. Flutter meter at home in R&D or production line 87–49838
Shiono, K., Hakata, T. Power transformers 88–5740
Shiono, K. *see* Tada, S. 87–15831
Shiono, M. A study on fast computation of binary pictures matching by column division multiplexing method 88–34806
Shiono, N., Sakagawa, Y., Matsumoto, T., Akasaka, Y. A 64K SRAM with high immunity from heavy ion induced latch-up 86–41950
Shiono, N., Sakagawa, Y., Sekiguchi, M., Sato, K., Sugai, I., Hattori, T., Hirao, Y. Single event effects in high density CMOS SRAMs 87–31887
Shiono, N., Shimaya, M., Nakajima, O. Charge character of interface traps at the Si-SiO_2 interface 86–47409
Shiono, N., Shimaya, M., Yamaguchi, C., Sakagawa, Y. Radiation effects on LSI 87–11861
Shiono, N. *see* Amazawa, T. 85–23573, 85–40551
Shiono, N. *see* Matsumoto, T. 85–7019
Shiono, N. *see* Ohfuji, S. 85–61779
Shiono, N. *see* Ohno, T. 86–47569, 87–32684, 88–13577
Shiono, N. *see* Shimaya, M. 87–32356
Shiono, N. *see* Ushizaka, H. 86–67869
Shiono, N. *see* Wada, Y. 88–15396, 88–38749
Shiono, S., Nakako, M., Hanazato, Y., Maeda, M. Lipid measurement technology using semiconductor biosensor 87–41471
Shiono, S. *see* Hanazato, Y. 86–24505, 86–32226
Shiono, T., Setsune, K., Yamazaki, O., Wasa, K. Computer-controlled electron-beam writing system for thin film micro-optics 87–38848
Shiono, T., Shahrzad, T., Aida, F., Hosokawa, E. Improvement of voltage endurance by additives in semiconductive shield of XLPE cable 85–38511
Shiono, T., Tassavoir, S., Aida, F., Aihara, M., Hosokawa, E. Improvement of AC breakdown stress of XLPE cable by adding N-vinyl carbazol to conductive shielding layer 88–30385
Shiono, T. *see* Aihara, M. 88–55008
Shiono, T. *see* Hanai, M. 85–4641
Shionoya, S. *see* Furuya, N. 86–49344
Shionoya, S. *see* Kanemitsu, Y. 85–1480, 85–6687
Shionoya, S. *see* Masumoto, Y. 85–41472

Shiori, H. Air-fuel ratio control using CO analyzer and O_2 analyzer 87−63565
Shiosaki, T., Adachi, M., Kawabata, A. Growth and properties of piezoelectric lithium tetraborate crystal for BAW and SAW devices 87−53803
Shiosaki, T., Fukuichi, T., Tokuda, M., Kawabata, A. Temperature compensated high coupling and high quality factor ZnO/SiO_2 bulk wave resonators on high resistance substrates 86−2566
Shiosaki, T., Masuda, H., Adachi, M., Kawabata, A. Detection and application of acoustic emission in laser-enhanced chemical etching 88−16983
Shiosaki, T., Masuda, H., Adachi, M., Kawabata, A. Applications of acoustic emission to automatic focus adjustment, laser marking, flaw detection and etching monitoring of ceramics 88−54815
Shiosaki, T., Mikamura, Y., Takeda, F., Kawabata, A. High coupling and high velocity SAW using a ZnO/AlN/glass substrate 87−6975
Shiosaki, T. *see* Adachi, M. 86−46306, 87−6937
Shiosaki, T. *see* Mu-Shiang Wu 88−1983
Shiosaki, T. *see* Shimizu, M. 85−44740
Shiosaki, T. *see* Takeda, F. 86−15301
Shiosaki, T. *see* Wu, M.-S. 88−51540
Shiota, F., Hara, K. A study of the equilibrium trajectory of the superconducting magnetic levitation system for the absolute determination of the magnetic flux quantum 85−31291
Shiota, F., Hara, K. A study of a superconducting magnetic levitation system for an absolute determination of the magnetic flux quantum 87−14498
Shiota, F., Hara, K. A study of an absolute determination of magnetic flux quantum 87−63212
Shiota, F., Hara, K. A study of a superconducting magnetic levitation system for an absolute determination of the magnetic flux quantum 88−16442
Shiota, F. *see* Hara, K. 85−64258
Shiota, H., Furuya, N., Suzuki, R., Hashimoto, Y. Japan's CS (Sakura) communications satellite experiments. VI A. Communications experiments: time division multiple access 86−64903
Shiota, H. *see* Nakanishi, K. 86−51838
Shiota, K., Nishigaki, K., Wada, H., Satoh, K. Development of the new kinds of additives for oil-impregnated capacitors 88−20174
Shiota, M. *see* Nakamura, N. 87−14651
Shiota, M. *see* Nakashima, K. 87−74633
Shiota, M. *see* Tomita, T. 87−29335
Shiota, M. *see* Yoshimasu, T. 87−6733
Shiota, N. *see* Goto, F. 85−18569
Shiota, N. *see* Osaka, T. 86−9404
Shiota, N. *see* Yamaguchi, H. 87−7008
Shiota, T., Hidaka, H., Fukuda, O., Inada, K. High-temperature effects of aluminum-coated fiber 87−7128
Shiota, T., Hidaka, H., Suzuki, F., Fukuda, O., Inada, K. Temperature distribution sensor using silica based optical fiber 86−48163
Shiota, T., Inada, K. Development of multipoint measurable fiber-optic temperature sensor and its application field 87−41470
Shiota, T. *see* Fujioka, N. 88−30345
Shiota, T. *see* Hidaka, H. 88−68052
Shiota, T. *see* Imoto, K. 87−60916
Shiota, T. *see* Inada, K. 87−38813
Shiota, T. *see* Kohata, M. 88−68838
Shiota, T. *see* Suzuki, F. 88−67854
Shiota, T. *see* Tanaka, S. 86−9564, 87−18621
Shiota, Y. Rehabilitation engineering and mechatronics 87−35430
Shiota, Y. Outline of new safety equipment for signals in 1986 88−37685
Shiota, Y. *see* Takeuchi, M. 85−41644
Shiotaka, N., Iizuka, K. Stepping up the integration refinement made possible in new VLSI steppers 85−55904
Shiotake, N. Optical stepper for lithography system 86−53504
Shiotake, N., Yoshida, S. Recent advances of optical step-and-repeat system 86−9222
Shiotani, A. Cyclic remote supervisory control system 86−65682
Shiotani, A. Outline of remote controller for power apparatus and its performance test [railway applications] 87−16117
Shiotani, H. *see* Hosono, K. 86−58667
Shiotani, Y. *see* Yanagi, T. 88−58153
Shiotari, Y. *see* Ichinose, K. 87−73422
Shiotari, Y. *see* Nagao, K. 86−2421
Shiotari, Y. *see* Sawada, K. 88−70700
Shiotsuki, T. *see* Kawaji, S. 86−36945
Shiotsuki, Y. *see* Hayashi, T. 87−79221
Shiou-Yun Wu *see* Seeley, J.S. 85−35576
Shioya, H. *see* Yamashita, F. 87−29857
Shioya, J. *see* Yamaguchi, Y. 87−44390
Shioya, M. Policies of the MPT of Japan towards the advanced information society 88−28183
Shioya, M. *see* Hoshino, M. 88−55246
Shioya, M. *see* Kimura, G. 85−60207
Shioya, M. *see* Shimizu, T. 88−30781
Shioya, M. *see* Tsuchiya, J. 87−52352
Shioya, T. *see* Yamakawa, T. 86−60450
Shioya, Y., Ikegami, K., Kobayashi, I., Maeda, M. Properties of chemical vapor deposited tungsten silicide films using reaction of WF_6 and Si_2H_6 87−52181
Shioya, Y., Itoh, T., Kobayashi, I., Maeda, M. Changes in resistivity and composition of chemical vapor deposited tungsten silicide films by annealing 87−1367
Shioya, Y., Maeda, M., Yanagida, K. Barrier effect of selective chemical vapor deposited tungsten films 87−11698
Shioya, Y. *see* Uoochi, Y. 88−7288
Shioyama, K. *see* Gamo, K. 87−11664
Shioyama, T. Stability improvement of TaN thin films used as resistive thermoconductive vacuum gauges 85−64124
Shioyama, T. Fabrication of resistive thermoconductive vacuum and humidity sensors with TaN thin films 86−70238
Shioyama, T. *see* Kusaku, T. 86−18178
Shioyama, T. *see* Ohno, K. 86−4075, 88−8884
Shiozaki, A. Bit error rate reduction performance of MPSK by compressed coding 85−62978
Shiozaki, A. A new class of orchard codes with double bit error and single byte error correcting capability 87−33624
Shiozaki, A. A multiple address data communication system via satellite link 88−9492
Shiozaki, A., Okuno, K., Satoh, S., Segawa, T. Approximate expression of transmission efficiency of HDLC REJ protocol on a satellite channel 87−28484
Shiozaki, H. *see* Adachi, R. 86−52074
Shiozaki, H. *see* Koyama, H. 88−57776
Shiozaki, J. *see* Miyazaki, Y. 87−50464
Shiozaki, K., Mitsuhashi, K., Ohtake, K., Koba, M. Low resistive, high aspect ratio via-hole filling system completely planarized by selective W deposition and subsequent etch-back 88−20102
Shiozaki, K. *see* Imoto, F. 88−6491
Shiozaki, K. *see* Mitsuhashi, K. 88−64433, 88−71449
Shiozaki, N. *see* Hirobe, T. 86−8658
Shiozaki, N. *see* Morimoto, H. 87−16009
Shiozaki, O., Aono, Y., Anraku, H., Urabe, J., Hikino, T. X to Ku band high power NEC GaAs FET series 86−58065
Shiozaki, O., Miyagaki, K., Shibata, Y., Gotou, Y. Si-high power transistors for 900 MHz band handheld radios 86−2091
Shiozaki, O., Suzuki, H., Miyagaki, K., Shibata, Y., Gotou, Y. L-band/S-band pulsed power transistors 86−2092
Shiozaki, O. *see* Hirakawa, K. 86−24042
Shiozaki, T., Nuno, Y., Sekikawa, O., Imamura, S., Suzuki, S., Ogura, Y., Kudou, N., Asahara, S. CAE-EL: electronic design aid system 85−28784
Shiozawa, H., Okuda, H., Ishikawa, M., Hatakoshi, G.-I., Uematsu, Y. High-temperature CW operation of visible light-emitting GaInP/AlGaInP inner stripe laser diodes 88−65672
Shiozawa, K., Fujita, M., Kase, T., Hayakawa, H., Mizuno, F., Haruta, R., Okazaki, S. Application and evaluation of direct-write electron beam for ASICs 87−60667
Shiozawa, K. *see* Fujita, M. 88−51011
Shiozawa, S. *see* Ohba, T. 86−32153
Shiozawa, S. *see* Sato, S. 88−37375
Shiozawa, S. *see* Yamamoto, A. 86−50263
Shiozawa, T. Standardizing electronics components for the world market−standardization of transformers 87−66605
Shiozawa, T., Iwaoka, H. Analysis of a low-aberration hologram scanner 88−58698
Shiozawa, T., Kondo, H. Mode analysis of an open-boundary Cerenkov laser in the collective regime 88−2302
Shiozawa, T., Nakano, H. Optimization of the beam configuration in the Raman-type free-electron laser 86−3203
Shiozawa, T., Nakashima, T. Optimum beam thickness for the Raman-type free-electron laser using a two-dimensional hollow beam 85−18959
Shiozawa, T., Nakashima, T. Optimum beam thickness for the Raman-type free-electron laser using a two-dimensional hollow beam 85−41418
Shiozawa, T. *see* Ishido, Y. 88−38706
Shiozawa, T. *see* Iwaoka, H. 86−29250
Shiozawa, T. *see* Kondo, H. 86−9890, 87−54353
Shiozawa, T. *see* Nakano, H. 85−56727, 87−54352
Shiozawa, T. *see* Shibuya, Y. 88−72340
Shiozawa, Y. *see* Shimada, Y. 87−72841
Shiozumi, M. *see* Shibata, Y. 87−47063
Ship, V.V. *see* Erminson, A.L. 87−52227
Shipe, R.W. Core concepts in science and mathematics: a series of videodisc courses for education 88−6163
Shipeng Yu *see* Yu Shipeng
Shipilin, A.V. *see* Koterov, V.N. 87−12404
Shipillo, V.P. Determination of the Z-transformation time function when investigating processes in digital circuits and systems 85−28325
Shipillo, V.P., Erisova, V.V. A continuous model of a self-excited independent current inverter with parametric control 87−78763
Shipilov, O.I. *see* Khaikin, M.N. 87−77865
Shipilov, S.A., Lumin, V.V. Rig for low-cycle corrosion-fatigue testing of construction materials 88−38306
Shipilova, D.P. *see* Atuchin, V.V. 85−18719
Shiping Fang *see* Fang Shiping
Shiping Lu *see* Lu Shiping
Shiping Shao *see* Shao Shiping
Shiping Zhao *see* Zhao Shiping
Shipitsyn, A.A. *see* Tamm, D.L. 86−37000, 87−59188, 87−65944
Shipley, C.L., Broome, B.J. Rural telephone network: maintaining viability after deregulation 86−23341
Shipley, E.N. *see* Cohen, D. 85−19703
Shipley, F. *see* Pelikan, G. 85−43409
Shipley, K.L. *see* Rosenberg, A.E. 85−57293
Shipley, R. Solid state switch trends 87−59945
Shipley, R.O. Offloading mainframe linear IC testers to control testing costs 85−37425
Shipley, S. *see* Boucouvalas, A.C. 86−48199
Shipley, S.A. *see* Zimmerman, D.K. 86−61440
Shipley, S.P. All-single-mode-fibre interferometric polarisation beam splitter 88−45072
Shipley, S.P., El Fatatry, A. All single-mode optical fibre wavelength-tunable WDM with very narrow pass/stopband separations 87−56127
Shipley, S.P., Fatatry, A.El. A wavelength selective all fibre switching matrix 88−39917
Shipley, S.P., Georgiou, G., Boucouvalas, A.C. Compact all-fibre Mach-Zehnder devices 87−53994
Shipley, S.P., Trwoga, P.F. Fully encapsulated narrow-band wavelength selective optical fibre coupler 88−65279
Shipley, S.P. *see* Blackie, T.C. 87−40977
Shipley, S.P. *see* El Fatatry, A. 88−7884, 88−41618, 88−65281
Shipley, S.T. *see* Browell, E.V. 86−6092
Shipley, W.D. *see* Kibbe, R.K. 85−56229
Shipley, W.D. *see* Singh, S.K. 87−67953
Shipman, D.C. An analysis: the advantages of automation to EMC susceptibility testing 85−3873
Shipman, D.C. The advantages of automation to EMC susceptibility testing 85−52634
Shipman, D.C. *see* Rothhammer, G.P. 86−24292, 87−49452
Shipman, J.D. *see* Bradley, D.A. 85−65357
Shipman, J.D., Jr., Wexler, B.L., Lupton, W.H. Water dielectric pulse power driver for rare-gas-halide lasers 87−19021
Shipman, J.D., Jr. *see* Commisso, R.J. 88−30959
Shipman, J.D., Jr. *see* Meger, R.A. 85−1119, 85−4184
Shipman, J.D., Jr. *see* Ottinger, P.F. 87−22603
Shipmann, D. Some aspects of electromagnetic compatability 86−22711
Shipov, N.V. Diffraction of Cerenkov radiation by sound in solids 88−27479
Shipov, P.M. *see* Nezhevenko, E.S. 88−13936
Shipov, P.M. *see* Oparin, A.N. 85−2425
Shipov, P.M. *see* Smolentsev, I.V. 87−68194
Shipov, P.M. *see* Tarkov, V.A. 85−2103
Shipov, P.M. *see* Vanyushev, B.V. 86−36276
Shipova, V.F. *see* Aleinikov, S.Ya. 86−11607
Shipp, D. Selection of current transformers for relay applications 86−35139
Shipp, D. Selection of current transformers for relay application 86−70961
Shipp, D.D., Storms, A.D. Life extension for electrical power distribution systems using vacuum technology 87−71659
Shipp, T., Doherty, E.T., Hollien, H. Some fundamental considerations regarding voice identification 87−69061
Shippen, J.M., Dunn, J.W. A finite element technique for acoustic analysis of car body structures at the conceptual design stage 88−63197
Shippen, K. Transducer weighbridges−their origins and evolution 86−5552
Shippey, G. *see* Dobbinson, A. 88−60291
Shippey, G.A. *see* Eaves-Walton, C. 87−56285
Shippey, G.A. *see* Granum, E. 87−62214
Shippo, O. *see* Shimizu, Y. 85−58950
Shippou, O. *see* Fuse, G. 88−19166
Shippy, G.R. *see* Cherukuri, R.J. 87−40616
Shipsey, I. *see* Arnault, C. 87−14216
Shipsey, I.P. *see* Burkhardt, H. 88−47997
Shipsey, P. An emulator for £10 .. 85−58458
Shipstone, D. Pupils' understanding of simple electrical circuits. Some implications for instruction 88−70062
Shipton, M. *see* Chisholm, R. 87−13259
Shipulin, A.S. *see* Evgen'eva, G.G. 86−11437
Shipulin, Yu.G. *see* Azimov, R.K. 88−38346
Shipulo, G.P. *see* Devyatykh, G.G. 85−18152
Shipulo, G.P. *see* Stepanov, D.Yu 85−41501, 86−9968
Shipunov, V.A. *see* Bagrov, A.M. 86−36169
Shipunov, V.A. *see* Borisevich, V.G. 87−74751
Shipunov, V.A. *see* Vasil'ev, A.V. 86−36192
Shipunov, V.A. *see* Voronin, N.I. 86−36137
Shipway, C.E. *see* Cordaro, J.F. 87−32583
Shiqiang Liao *see* Liao Shiqiang
Shiqiang Liu *see* Liu Shiqiang
Shiqiu Wang *see* Wang Shiqiu

Shiquan Zhu *see* Zhu Shiquan
Shique Wang *see* Wang Shique
Shira, C. Converter power supplies—more options for arc welding 85—65667
Shira, M. *see* Kawasaki, N. 88—39948
Shira, S. *see* Mikoshiba, S. 85—14901
Shira, Y., Ueno, F., Inoue, T. A configuration of fuzzy membership function circuits using current mode 87—17012
Shirabakina, T.A. Analysing errors in opto-electronic scanning systems for measuring coordinates of moving emitter 85—14650
Shirabakina, T.A. *see* Kolodin, V.A. 87—29070
Shirabe, T. *see* Harada, K. 87—513
Shirachi, D.K. Codec testing using synchronized analog and digital signals 85—42321
Shirachi, D.K. Codec testing using synchronized analog and digital signals 85—63392
Shirachi, D.K. Controlling the test process by integrating standardized functional instrumentation with commercial ATE 86—35224
Shirae, K. Noise in amorphous magnetic materials 85—24176
Shirae, K. Odor and sensor 87—29349
Shirae, K. *see* Chihara, K. 86—32286, 86—50561
Shirae, K. *see* Furukawa, H. 85—56223
Shirae, K. *see* Kawabe, K. 85—23170
Shirae, K. *see* Koyama, H. 88—33520
Shirae, K. *see* Oshiro, O. 87—66602 to 66603, 88—50446
Shirafuji, J., Kuwagaki, M., Nagata, S. Steady-state photoconductivity in glow-discharged amorphous hydrogenated silicon 85—56409
Shirafuji, J., Kuwagaki, M., Sato, T., Inuishi, Y. Effect of substrate temperature on properties of glow-discharged hydrogenated amorphous silicon 85—18096
Shirafuji, J., Nagata, S., Kuwagaki, M. Effect of hydrogen dilution of silane on optoelectronic properties in glow-discharged hydrogenated silicon films 86—9654
Shirafuji, J., Nagata, S., Kuwagaki, M. Effects of hydrogen dilution of silane on properties of glow-discharged undoped hydrogenated silicon 86—40770
Shirafuji, J., Nagata, S., Shirakawa, K. γ-irradiation effect on electronic properties in hydrogenated amorphous silicon 87—17731
Shirafuji, J., Shirakawa, K. Hole transport in boron-compensated a-Si:H films 86—27907
Shirafuji, J., Shirakawa, K. Hole transport in glow-discharged a-Si:H films compensated with boron 86—35290
Shirafuji, J. *see* Aoki, A. 87—74195
Shirafuji, J. *see* Asada, H. 85—56226
Shirafuji, J. *see* Hattori, R. 87—53210
Shirafuji, J. *see* Jiranapakul, K. 86—47322, 87—18813, 87—53203
Shirafuji, J. *see* Kuwagaki, M. 85—11960, 85—34527
Shirafuji, J. *see* Nagata, S. 87—24766
Shirafuji, J. *see* Shirakawa, K. 87—24803
Shirafuji, K., Seki, Y., Shiomi, S., Kurazono, S. Waveguide-type band-pass filter utilizing a dielectric resonator 87—52818
Shirafuji, K. *see* Takagi, H. 88—7034
Shirafuji, Y. *see* Hirai, K. 86—28933
Shirafuji, Y. *see* Masuda, W. 85—51225, 85—62640
Shiraga, Y. *see* Umeda, H. 86—27113, 86—27135, 86—67072, 87—31760, 87—59863, 88—44348
Shiragaki, K., Yokoo, H., Sakai, H., Fujishima, T., Terashima, Y., Yoshitake, N. Color plotter printer for personal computers 85—14869
Shiragasawa, T. Laser probe 88—27350
Shiragasawa, T., Shimura, H., Kagawa, K., Yonezawa, T., Noyori, M. Latch-up analysis on a 64K bit full CMOS static RAM using a laser scanner 85—6325
Shiragasawa, T., Sugano, M., Mano, Y., Noyori, M. An on-lined laser probing system for diagnosing scaled VLSI 86—47740
Shiraham, H. *see* Ishigaki, Y. 87—15266
Shirahama, H., Sakurai, Y., Matsuda, Y., Ishigaki, Y., Murai, K. Instantaneous control method with a GTO converter for active and reactive powers in superconducting magnetic energy storage 88—75959
Shirahama, H. *see* Ishigaki, Y. 88—75961
Shirahama, H. *see* Shimada, R. 85—49041
Shirahama, S. *see* Utsuro, M. 88—68193
Shirahashi, A., Aihara, H., Itoh, R., Kamae, T., Kusuki, N., Tanaka, M., Fujii, A., Jujii, K., Ikeda, H., Iwasaki, H., Kobayashi, M., Matsuda, T., Miyamoto, A., Nakamura, K., Ochiai, F., Tsukamoto, T., Yamauchi, M. Performance of the TOPAZ time projection chamber 88—68216
Shirahashi, A. *see* Enomoto, R. 88—61123, 88—68217
Shirahashi, A. *see* Itoh, R. 86—50319, 87—41842
Shirahashi, A. *see* Kamae, T. 87—21432
Shirahata, I., Yazaki, T., Nakamura, N., Yamazaki, K., Nishigori, T., Sasaki, T. Practical application of powder coating to magnet wires 86—3461
Shirahata, K. Mobile message and data communications 86—69650
Shirahata, K. *see* Matsuda, S. 87—78931
Shirahata, M., Hamaguchi, C. Normal electric field dependence of electron mobility in MOS inversion layer 86—67870
Shirahata, M., Taniguchi, K., Hamaguchi, C. A self-consistent Monte Carlo simulation for two-dimensional electron transport in an MOS inversion layer 88—1457
Shirahata, M. *see* Hamaguchi, C. 87—25325, 87—38175
Shirahata, R. *see* Matsumoto, T. 88—53500
Shirai, G. Load frequency control using discrete time V-function with power demand estimation 86—61018
Shirai, G. *see* Okada, K. 87—78001, 88—42823
Shirai, H. Deemphasizing low frequency defects in GTD analysis of pulsed signal scattering by a perfectly conducting flat strip 87—12695
Shirai, H., Eelsen, L.B. Rays, modes and beams for plane wave coupling into a wide open-ended parallel-plane waveguide 88—2011
Shirai, H., Felsen, L.B. Modified GTD for generating complex resonances for flat strips and disks 86—63942
Shirai, H., Felsen, L.B. High-frequency multiple diffraction by a flat strip: higher order asymptotics 87—7515
Shirai, H., Felsen, L.B. Wavefront and resonance analysis of scattering by a perfectly conducting flat strip 87—12691
Shirai, H., Felsen, L.B. Rays and modes for plane wave coupling into a large open-ended circular waveguide 88—13925
Shirai, H., Nakamura, T., Shimizu, I. Amplification of photoconductive gain with space charge doping *nini* multilayered structure 88—26956
Shirai, H., Oda, S., Nakamura, T., Shimizu, I. Design of band potential with a-Si$_x$Ge$_{1-x}$:H(F) alloys 87—38903
Shirai, H., Oda, S., Nakamura, T., Shimizu, I. Preparation method and optoelectrical properties of a-Se/Cd$_x$Se$_{1-x}$ multilayer films 87—65554
Shirai, H., Shimizu, I. Transport and relaxation properties of photo-induced carriers in amorphous Si-based films with artificial potential structure 88—26949
Shirai, H., Tanabe, A., Hanna, J., Oda, S., Nakamura, T., Shimizu, I. Designing new materials with amorphous semiconductors. Structure and electrical properties of multiply stacked a-Si/a-SiGe$_x$ layers 86—67730
Shirai, H., Tanabe, A., Oda, S., Hanna, J., Nakamura, T., Shimizu, I. Design of multiple layered a-Si:H(F)/a-SiGe$_x$:H(F) films for enhancement in photoresponse in the near-infrared spectrum 87—26151
Shirai, H. *see* Felsen, L.B. 87—26005
Shirai, H. *see* Nakazawa, Y. 87—68365
Shirai, H. *see* Oda, S. 86—27926, 86—40771, 87—24887
Shirai, H. *see* Ogawa, T. 87—73924
Shirai, H. *see* Pae, J. 88—27275, 88—40254
Shirai, H. *see* Tanabe, A. 87—61014
Shirai, I. *see* Yoshimoto, H. 88—76052
Shirai, J. *see* Abe, K. 88—16629
Shirai, J. *see* Ikeno, M. 85—3913
Shirai, J. *see* Mori, N. 85—63350
Shirai, K. Knowledge processing in speech understanding systems 87—69063
Shirai, K. Speech recognition techniques and applications 88—34606
Shirai, K., Iwata, K. Prosodic rules for speech synthesis representing word emphasis 87—69072
Shirai, K., Iwata, K., Ohno, T. Pitch contour control in Japanese conversational speech 87—27289
Shirai, K., Kobayashi, T., Yazawa, J. Estimation of articulatory parameters by table look-up method and its application for speaker independent phoneme recognition 87—19596
Shirai, K., Mano, K. A clustering experiment of the spectra and the spectral changes of speech to extract phonemic features 86—48808
Shirai, K., Mano, K., Ishige, S. Speaker identification based on frequency distribution of vector-quantized spectra 87—69075
Shirai, K., Mano, K., Ishige, S., Sano, K. An organization of speaker space based on vector quantization method 87—47632
Shirai, K., Nagai, Y., Takezawa, T. An expert system to design digital signal processors 86—41157
Shirai, K., Takezawa, T., Nagai, Y. Automatic data path synthesis method based on high level specification description 88—13523
Shirai, K., Uchida, S. 3-D measurement using automatic camera calibration method 87—49577
Shirai, K. *see* Hoshida, M. 87—59487
Shirai, K. *see* Kato, I. 88—4249
Shirai, K. *see* Kobayashi, T. 85—19385, 85—41880, 85—63023, 87—19584
Shirai, K. *see* Mano, K. 87—19595, 87—27246
Shirai, K. *see* Saito, S. 85—25069
Shirai, K. *see* Takemae, Y. 86—8264
Shirai, M., Haibara, T., Kawasaki, N., Miyauchi, M. Loss increase mechanism on arc-fusion splice for bunched optical fibers 88—7880
Shirai, M. *see* Haibara, T. 88—7881
Shirai, M. *see* Yokoyama, T. 86—65014
Shirai, N., Fukuda, H., Hoshino, T., Yoshida, S., Shimizu, M., Hoshino, A., Usui, S., Saigo, M., Nozaki, T., Abe, M., Otaki, H. Development of measuring equipment for vehicle behaviour in collision test 86—4655
Shirai, R. *see* Aota, M. 87—57382
Shirai, S., Fukushima, M., Miyamoto, S., Miyazaki, M. Quadrupole lens for dynamic focus and astigmatism control in an elliptical aperture lens gun 88—16325
Shirai, S., Takano, H., Fukushima, M., Yamauchi, M., Iidaka, Y. A rotationally asymmetric electron lens with elliptical apertures in color picture tubes 85—40408
Shirai, S. *see* Iwayanagi, T. 87—53327
Shirai, S. *see* Moriuchi, N. 87—11907
Shirai, S. *see* Serikawa, T. 87—38286
Shirai, T. Temperature controller of electric furnace 88—11498
Shirai, T., Kobayashi, M., Kishi, Y., Machida, H., Nishi, H., Kaneda, T. A new InP/GaInAs reach-through avalanche photodiode 88—45307
Shirai, T., Mikawa, T., Kaneda, T. Planar GaInAs avalanche photodiodes for the 1 μm region of optical fiber communication systems 85—14270
Shirai, T. *see* Yokoyama, K. 87—28832
Shirai, Y. Extraction of stomach region from barium-filled stomach image by a feedback method 85—51762
Shirai, Y. PROM programmer conditions demanded in the age of mass storage memories 86—27301
Shirai, Y. PROM programmers for large memories 87—44825
Shirai, Y., Nitta, T., Okada, T. Computer simulation for power system including superconducting magnetic energy storage 88—75114
Shirai, Y., Saito, K., Suzuki, H. On ship's magnetic field measurement by a three dimensional magnetic field detector 86—65259
Shirai, Y., Saito, K., Suzuki, H. Measurement of ship's motion using turning fork angular rate gyros 88—42274
Shirai, Y., Suzuki, H., Saito, K. Relation between the error by the compass-bowl-motion and the directional system 85—58254
Shirai, Y., Ueno, F., Inoue, T. Configuration of fuzzy multi membership function circuits 87—5937
Shirai, Y., Ueno, F., Inoue, T. Configuration of fuzzy membership function circuits using current mode 88—12293
Shirai, Y. *see* Gotoh, T. 88—28063
Shirai, Y. *see* Koshikawa, K. 88—46143
Shirai, Y. *see* Miyazaki, T. 85—56905
Shirai, Y. *see* Nitta, T. 85—56252, 87—36178
Shirai, Y. *see* Otsuka, K. 85—16794
Shirai, Y. *see* Suzuki, H. 85—58854
Shirai, Y. *see* Tomita, F. 85—36361
Shirai, Y. *see* Tsukiyama, T. 86—10499
Shirai, Y. *see* Ueno, F. 87—59332, 88—32162
Shirai, Y. *see* Yoshioka, S. 86—19660
Shirai Koji *see* Koji Shirai
Shiraishi, A. *see* Kuroda, T. 86—43780
Shiraishi, A. *see* Miyaguchi, S. 88—66279
Shiraishi, A. *see* Ohyama, N. 86—5896
Shiraishi, A. *see* Okamaoto, T. 86—68990
Shiraishi, A. *see* Okamoto, T. 85—57270, 86—3792
Shiraishi, A. *see* Yokota, H. 88—45259
Shiraishi, F., Takami, Y., Hashimoto, T., Hatori, K. A new type personnel neutron dosimeter with thin Si detectors 88—61482
Shiraishi, F., Takami, Y., Hosoe, M. A large area solid state detector made of ultra high purity p-type Si 85—15174
Shiraishi, F., Takami, Y., Husimi, H., Ohkawa, S., Kim, C., Kim, Y., Kikuchi, K., Sakai, T. A new fast neutron spectrometer made of epitaxial integrated dE-E Si detector 85—43309
Shiraishi, F. *see* Hamanaka, H. 85—6808, 85—55685, 86—58387
Shiraishi, F. *see* Kim, Y. 86—50344
Shiraishi, F. *see* Shimizu, T. 86—50393
Shiraishi, F. *see* Takami, Y. 86—50361, 87—41894
Shiraishi, F. *see* Yahagi, M. 85—55687
Shiraishi, H., Yamada, R., Matsui, N., Umeno, M. AlGaAs/GaAs MQW laser diode fabricated on Si substrates by MOCVD 87—39118
Shiraishi, H., Yamada, R., Matsui, N., Umeno, M. Low-threshold AlGaAs/GaAs MOW laser diode fabricated on Si substrates by MOCVD 87—68519
Shiraishi, H. *see* Kato, F. 86—47720
Shiraishi, H. *see* Kawamura, K. 87—6223
Shiraishi, H. *see* Mitani, K. 88—57524
Shiraishi, H. *see* Mori, Y. 88—47637
Shiraishi, H. *see* Nonogaki, S. 86—1903
Shiraishi, H. *see* Okazaki, S. 87—38395
Shiraishi, H. *see* Sakai, S. 87—68502
Shiraishi, H. *see* Sawada, K. 88—57025
Shiraishi, H. *see* Suga, O. 88—39318
Shiraishi, H. *see* Suga, T. 85—36816

Shiraishi, H. *see* Toriumi, M. 87–53613
Shiraishi, H. *see* Ueno, T. 85–55715
Shiraishi, K. Fiber-embedded micro-Faraday rotator for the infrared 85–35385
Shiraishi, K., Kawakami, S. Cascaded optical isolator configuration having high-isolation characteristics over a wide temperature and wavelength range 87–68222
Shiraishi, K., Nishino, K., Kawakami, S. Temperature-insensitive fiber Faraday rotator 85–56272
Shiraishi, K., Sugaya, S., Baba, K., Kawakami, S. Optical micro-isolator for longer wavelengths 86–42346
Shiraishi, K., Tajima, F., Kawakami, S. Compact Faraday rotator for an optical isolator using magnets arranged with alternating polarities 86–28935
Shiraishi, K. *see* Baba, K. 85–7207
Shiraishi, K. *see* Matsumoto, K. 88–20643
Shiraishi, K. *see* Shigihara, K. 87–25972, 88–65341
Shiraishi, K. *see* Shiina, T. 87–18673
Shiraishi, M., Shiraki, M., Hayakawa, M. 1/*f* fluctuation effect in one control system 86–38188
Shiraishi, M. *see* Hanma, K. 86–49822
Shiraishi, M. *see* Okubo, T. 85–43869
Shiraishi, N. *see* Oguchi, T. 88–20042
Shiraishi, O. *see* Shiraishi, Y. 86–17071
Shiraishi, S. *see* Tomura, M. 87–55894
Shiraishi, T. *see* Ishida, N. 86–20096
Shiraishi, T. *see* Limura, Y. 87–37889
Shiraishi, T. *see* Maeda, . 87–27618
Shiraishi, T. *see* Miyaoka, S. 88–8846
Shiraishi, T. *see* Takaragi, K. 87–54943
Shiraishi, T. *see* Yamazaki, S. 85–18099
Shiraishi, T. *see* Yokoyama, S. 88–18699
Shiraishi, T. *see* Yoshino, K. 86–66866
Shiraishi, Y. The reason why VTR has become Japan's monopoly 86–4871
Shiraishi, Y. History of home videotape recorder development 86–31040
Shiraishi, Y. A planar description algorithm of a vertex-grouped graph and its application to a channel assignment problem [LSI routing] 86–57797
Shiraishi, Y., Sakemi, J. A permeation router 87–59046
Shiraishi, Y., Shiraishi, O. Subscriber line interface circuits in the D70 Digital Switching system 86–17071
Shiraishi, Y. *see* Imai, M. 88–70304
Shiraishi, Y. *see* Ogawa, Y. 87–5841
Shiraiwa, T., Inenaga, S. Hydrogen in silicon and generation of haze on silicon surface in aging 88–7295
Shiraiwa, T., Ochiai, T., Sano, M., Tada, Y., Arai, T. Applications of X-ray fluorescence analysis to the thin layer on silicon wafers 88–7501
Shiraiwa, T. *see* Sano, M. 88–64669
Shirakabe, K. *see* Miyazaki, H. 85–19054
Shirakai, M. *see* Tsuya, N. 87–46346
Shirakata, H. *see* Nagashima, T. 85–1237
Shirakata, M. *see* Matsumoto, M. 87–66704
Shirakata, M. *see* Niiyama, S. 88–50437
Shirakata, S., Kondo, M., Tsushi, A., Nishino, T., Hamakawa, Y., Kariya, T. LEP growth of $In_{1-x}Ga_xP_{0.96}As_{0.04}$ on GaAs substrate by two-phase melt method 85–49565
Shirakata, S. *see* Fujiwara, Y. 87–16612
Shirakata, S. *see* Kondo, M. 85–60965, 87–23640
Shirakata, T., Wada, T. Wide Area Integrated Supervisory Control System PATOPHONE P-3000 88–9038
Shirakawa, H. 100 Mbits/s optical loop network supports TSUKUBA EXPO '85 85–52345
Shirakawa, H. Optical fiber submarine systems in NTT 86–59904
Shirakawa, H., Watanabe, R., Miura, H. Trends in optical fiber systems development at NTT 85–63719
Shirakawa, H. *see* Aizawa, M. 87–53475
Shirakawa, H. *see* Amemiya, M. 87–76804
Shirakawa, H. *see* Magara, J. 88–4035
Shirakawa, H. *see* Odawara, G. 87–45379
Shirakawa, H. *see* Tokumoto, M. 85–11971
Shirakawa, I. PCB connectors designed for high-speed transmission and high-density mounting 86–41385
Shirakawa, I. *see* Harada, I. 85–28494, 86–67148
Shirakawa, I. *see* Kawakami, Y. 88–50968
Shirakawa, I. *see* Kimoto, T. 85–33575
Shirakawa, I. *see* Motohara, A. 87–37213
Shirakawa, I. *see* Nishimura, H. 85–51786
Shirakawa, I. *see* Shinoda, S. 85–17608, 87–188, 88–18588
Shirakawa, I. *see* Tani, K. 88–39638
Shirakawa, I. *see* Tsukiyama, S. 85–17243, 86–66921, 86–67949, 88–7714
Shirakawa, I. *see* Uno, H. 86–40857, 87–53735
Shirakawa, I. *see* Yoshida, S. 85–17324, 87–31828
Shirakawa, K., Maekawa, M., Yamazaki, O., Tsuji, H., Koba, M. The characterization of P-MOS FET fabricated on SOI with controlled crystal orientation 88–19981
Shirakawa, K., Shirafuji, J. Time-of-flight measurement of hole transport in lightly boron-doped a-Si:H films 87–24803
Shirakawa, K. *see* Hattori, R. 87–53210
Shirakawa, K. *see* Jiranapakul, K. 87–18813
Shirakawa, K. *see* Kitayoshi, H. 86–50121
Shirakawa, K. *see* Nagata, S. 87–24766
Shirakawa, K. *see* Ohtake, K. 87–44846
Shirakawa, K. *see* Satoh, T. 85–37446
Shirakawa, K. *see* Shirafuji, J. 86–27907, 86–35290, 87–17731
Shirakawa, S., Mizukoshi, A. Zinc oxide lightning arresters 'ZLA' for HVDC applications 86–39236
Shirakawa, S., Owada, S., Iimura, N., Kurita, K., Yamazaki, T., Shindo, K., Yamauchi, Y. Application and development of a ceramics resistor for use as a neutral grounding resistor (NGR) 88–55084
Shirakawa, S., Smith, J.R., Azumi, K. Filter transient response to EEG waveforms 87–29775
Shirakawa, T. *see* Miura, Y. 88–50985
Shirakawa, T. *see* Munakata, I. 86–14746
Shirakawa, T. *see* Ohyama, K. 86–59528
Shirakawa, T. *see* Ozawa, T. 86–62974
Shirakawa, T. *see* Tsuji, T. 88–1232
Shirakawa, T. *see* Yoenhara, H. 88–50541
Shirakawa, Y. *see* Ohno, J. 88–22767, 88–60920
Shirakawa, Y. *see* Suda, Y. 86–13802
Shiraki, H. Recent progress in solid state image sensors 86–24368
Shiraki, H., Murase, S., Ohguma, H., Hamajima, T., Aoki, N., Ichihara, M. Strain effects of cable-in-conduit Nb_3Sn conductors 85–24223
Shiraki, H. *see* Murase, S. 85–62217
Shiraki, H. *see* Tashiro, T. 85–54853
Shiraki, H. *see* Tokuda, Y. 87–66903
Shiraki, K. Space station program and Japanese Experiment Module 88–36576
Shiraki, K., Katoh, Y., Takahashi, H., Yamaguchi, D., Okuzumi, A., Okamoto, T., Ryu, K., Hinooka, K., Matsukawa, S., Hareyama, K. CMOS PCM COMBO for telecommunications 86–4139
Shiraki, M., Tokushima, T., Wakui, Y., Tsuya, N. Recording characteristics of perpendicular magnetic medium by anodic oxidation method 86–36023
Shiraki, M., Wakui, Y., Tokushima, T., Tsuya, N. Perpendicular magnetic media by anodic oxidation method and their recording characteristics 86–28676
Shiraki, M. *see* Shiraishi, M. 86–38188
Shiraki, M. *see* Tsuya, N. 87–32855, 88–51285, 88–57967
Shiraki, M. *see* Tsuya, T. 88–44981
Shiraki, Y. Molecular beam epitaxy technology 85–39779
Shiraki, Y. Silicon molecular beam epitaxy 85–44709
Shiraki, Y. Silicon molecular beam epitaxy 87–16621
Shiraki, Y., Mishima, T., Morioka, M. Low temperature MBE growth of high quality AlGaAs 87–36719
Shiraki, Y., Ohshima, T., Ishizaka, A., Nakagawa, K. High quality $NiSi_2/Si$ epitaxial films grown by MBE 87–36728
Shiraki, Y. *see* Ishizaka, A. 85–33464, 86–63188
Shiraki, Y. *see* Kakibayashi, H. 85–22470
Shiraki, Y. *see* Katayama, Y. 86–53667
Shiraki, Y. *see* Morioka, M. 86–52494
Shiraki, Y. *see* Nakagawa, K. 86–58309, 87–1277
Shiraki, Y. *see* Ueda, S. 86–62229
Shiraki, Y. *see* van Gorkum, A.A. 88–26303
Shiraki, Y. *see* Bean, J.C. *(editor)* 87–5138
Shirako, G., Kobayashi, M., Koshizaka, S., Horie, H., Shimizu, T., Ichikawa, K., Suzuki, M., Hoshino, T., Oishi, K. Tracking and control systems for 'MOMO-1' [Marine Observation Satellite-1] 88–54752
Shirako, G., Takai, T., Kato, H., Miyajima, D. CAD application for spacecraft system EMC 85–62850
Shirako, G. *see* Shimamura, T. 88–54750
Shirako, K. *see* Ikeda, H. 87–11114, 88–12678
Shirakura, H., Fukushima, T., Nishijima, H., Chiba, M. Cherenkov light distribution function 87–77549
Shirakura, H. *see* Nishijima, H. 87–35347
Shirakura, H. *see* Saito, H. 88–68236
Shirakura, K. *see* Yoshida, K. 87–1035
Shirakura, T., Srivastava, J. Characteristic polynomial of the information matrix of a balanced resolution V design of the 4^n type approached through the 2^{2n} factorial 88–14704
Shiral, T. Procedures for the safe handling of disposable semiconductor gases 85–50360
Shiramizu, T., Kamimoto, T., Tsuji, T., Kimijuma, S., Inoue, S. Infrared characteristics of back-incidence-type InSb photodiode 87–35088
Shiran, S. *see* Cory, H. 88–45738
Shiran, Y. NISC, noniterative silicon compiler 87–36888
Shiran, Y. Efficient algorithms for validating VLSI design database 87–38435
Shiran, Y. Format-independent CAD software for VLSI mask data preparation 87–38436
Shiran, Y. YNCC: a new algorithm for device-level comparison between two functionally isomorphic VLSI circuits 87–38459
Shiran, Y. $YNCC_{FLT}$: a new algorithm for filtering and comparing different but logically equivalent VLSI networks 87–65658
Shiran, Y. $YNCC_{DB}$: a new database representation of VLSI circuits for fast navigation and layout verification applications 88–49978
Shirane, G., Majkrzak, C.F. Magnetic scattering and polarized neutrons 85–64441
Shirane, K. *see* Kimura, M. 88–60986
Shirao, Y., Inagaki, Y., Kawaba-Ta, H., Kido, M. A study of 4/6-harmonics in the neighborhood of branching point in the nonautonomous piecewise linear systems with unsymmetrical restoring force 87–73257
Shirao, Y., Nagahara, T., Kido, M. A study of $(2n+1)/4$-harmonics $(n=0, 1, 2, \ldots)$ in the neighborhood of branching point in the nonautonomous piecewise linear systems with unsymmetrical restoring force 85–16845
Shirao, Y. *see* Inagaki, Y. 88–5318
Shiraogawa, M. Facsimile system development trends 85–25381
Shiraogawa, M. *see* Mohri, K. 88–3464
Shiraogawa, M. *see* Oda, H. 86–43776
Shiraoka, K. *see* Nakazima, J. 87–4417
Shirasago, J. *see* Symanski, J.J. 88–40933
Shirasaka, S. *see* Umezu, N. 86–45397
Shirasaka, T. *see* Sato, S. 86–11961
Shirasaka, Y. *see* Fuse, K. 85–37005
Shirasaki, H., Ishihara, F. Properties of linear tapered cutoff waveguide filters 87–6030
Shirasaki, H., Ishihara, F. Properties of raised cosine tapered cutoff waveguide filters 87–52817
Shirasaki, H., Ishihara, F. Properties of tapered circular waveguide cutoff filters for TE_{01} mode millimeter-waves 88–56874
Shirasaki, H. *see* Suga, T. 88–52268
Shirasaki, M., Fukushima, N., Nakajima, H., Asama, K. Optical isolator for single mode fiber 88–65243
Shirasaki, M., Nishimoto, H., Okiyama, T., Touge, T. Fibre transmission properties of optical pulses produced through direct phase modulation of DFB laser diode 88–47031
Shirasaki, M., Soda, H., Yamakoshi, S., Nakajima, H. $\lambda/4$-shifted DFB-LD corrugation formed by a novel spatial phase modulating mask 86–36506
Shirasaki, M., Wada, F., Takamatsu, H., Nakajima, H., Asama, K. Magnetooptical 2×2 switch for single-mode fibers 85–2100
Shirasaki, M. *see* Norimatsu, M. 87–68043
Shirasaki, M. *see* Wakana, S. 87–54300
Shirasaki, S. Structure-property relationships in functional ceramics 87–330
Shirasaki, S., Iriguchi, M., Mizutani, S., Kondo, Y. Newly developed engine control ECU with high integration of function 87–43609
Shirasaki, S. *see* Fujimoto, M. 88–49863
Shirasaki, Y., Asakawa, K., Kojima, K., Iwamoto, Y., Ohkubo, M. Development of optical fiber/power line composite tether cable for a remotely operated unmanned submersible 85–37026
Shirasaki, Y. *see* Asakawa, K. 85–14252
Shirasaki, Y. *see* Matsuzaki, A. 86–55145
Shirasawa, T. *see* Nagamoto, S. 85–25529, 85–39337
Shirasawa, T. *see* Sugawara, Y. 88–39726
Shirasawa, T. *see* Tachigami, S. 85–56350
Shirase, K., Inamura, T., Yasui, T., Ito, M. Identification of unknown applied forces from measured surface deformation of a structure. I. Basic theory 88–72432
Shirasu, H., Koya, M., Amada, E. PB/MF receiver and modem 86–55070
Shirasu, H., Suzuki, T., Maejima, Y., Tanabe, S., Kusaba, A. Innovative approach to switching software design using dataflow concept 87–76461
Shirasu, H. *see* Amada, E. 87–76465
Shirasu, H. *see* Hagiwara, Y. 86–52887
Shirasu, H. *see* Kozaki, T. 88–46770
Shirasu, H. *see* Kusama, M. 88–53088
Shirasu, H. *see* Tanabe, S. 86–49390
Shirasu, H. *see* Yamakido, K. 87–20297
Shirasu, I. *see* Matsubara, T. 85–48796
Shirasu, K. *see* Yoshida, K. 88–8373
Shirata, K. *see* Ohno, S. 85–37237
Shirata, K. *see* Ohzeki, K. 87–63143
Shirata, K. *see* Okui, M. 88–4184
Shiratani, Y. *see* Morihiro, Y. 87–13881
Shirato, H. Development trends of semiconductor memory 88–19135
Shirato, H. The present state and trends of car electronics in Japan 88–49261
Shirato, H., Tameda, M., Shimakura, K., Inoue, Y. 1 Mbit DRAM family 87–37291
Shirato, K. *see* Saito, T. 88–16707
Shirato, S. *see* Ando, Y. 87–21386
Shirato, T. *see* Hosoya, Y. 85–2552, 85–25740
Shirato, T. *see* Kamoshita, S. 85–41598
Shirato, T. *see* Kawamura, S. 88–39702
Shirato, T. *see* Kubosawa, H. 87–59361

Shirato, T. *see* Sasaki, N. 88−36146
Shirato, T. *see* Sato, S. 87−687
Shirato, T. *see* Suehiro, Y. 88−70628
Shirato, T. *see* Takahashi, H. 86−8182, 86−20435
Shirato, T. *see* Yamashita, K. 87−59589, 88−51004
Shiratom, N. *see* Tokahashi, K. 85−51979
Shiratori, A. *see* Inami, D. 88−59757
Shiratori, K., Nakata, T., Miyazaki, S., Takasina, T., Matsumoto, T. 2 GHz Si monolithic ultra wideband amplifier IC 86−58064
Shiratori, M. *see* Ohno, M. 88−57041
Shiratori, N., Gohara, J., Noguchi, S. EXPA: validation method of a communication protocol based on the perturbation analysis 86−43180
Shiratori, N., Takahashi, K., Noguchi, S. IDESS/85: intelligent support system for protocols and communication software development 87−48293
Shiratori, N., Takahashi, K., Noguchi, S. A software design method and its application to protocol and communication software development 88−73564
Shiratori, N., Takahashi, K., Sugawara, K., Noguchi, S., Oizumi, J. An intelligent support system for developing communication software in computer networks 87−69715
Shiratori, N. *see* Arakawa, N. 85−8074
Shiratori, N. *see* Kinoshita, T. 88−66988
Shiratori, N. *see* Noguchi, S. 85−19824, 87−2894
Shiratori, N. *see* Varakulsiripunth, R. 86−49247, 87−48308
Shiratori, S. *see* Kamasamatsu, M. 87−12534
Shiratori, S. *see* Kasamutsu, M. 86−36374
Shiratori, T., Toyama, Y., Okuyama, H. Flat panel displays 88−74520
Shiratsuchi, R. *see* Nogami, G. 85−61797
Shirayama, S. *see* Wimpee, L.C. 85−4225
Shirazi, B., Hurson, A.R. A VLSI implementable block oriented data driven multiprocessor 87−11974
Shirazi, B., Mukherjee, P. VLSI layout of a pipelined multiplier 88−71811
Shirazi, B., Yun, D.Y.Y., Zhang, C.N. VLSI designs for redundant binary-coded decimal addition 88−50123
Shirazi, B. *see* Hurson, A.R. 85−33854, 86−1010, 86−41061, 86−46725, 86−53732, 87−67484
Shirazi, M. *see* Chang, Y.L. 88−31047
Shirbeeny, T.El *see* El Shirbeeny, T.
Shirck, J. *see* Patel, R.I. 87−5470
Shirck, J.R. *see* Patel, R.I. 87−16701
Shire, A. ACB traps EM forces to boost performance [air circuit breakers] 86−6921
Shire, B. Microcomputer-based scanning interface for powered wheelchairs 88−61471
Shire, B. *see* Killoran, T. 86−10058
Shiren Zhou *see* Zhou Shiren
Shirer, D.L. *see* Huelsman, L.P. 86−45964
Shires, G. Building with the 386 86−27321
Shires, G. Caching in the speed advantages of the 80386 86−57867
Shires, G. A new VLSI graphics coprocessor−The Intel 82786 87−17115
Shires, M. *see* Matts, D. 87−22130
Shires, M.J. Combined heat and power using coal gasification 86−25872
Shirilau, M.S. Computerized data collection for end-use experiments 88−42788
Shirinskii, V.S. *see* Mastyaev, N.Z. 87−47116
Shirinskii, V.S. *see* Mastyev, N.Z. 87−7510
Shirinskikh, N.V. *see* Van'ko, V.I. 87−42500
Shirk, D.G., Hoffman, N.M. Monte-Carlo error analysis in X-ray spectral deconvolution 85−52625
Shirk, R.E. Short-duration ILRT and LLRT requirements 85−65110
Shirk, T.R. Real-time video assembly involving transitions and keys 86−60057
Shirkhanzadeh, M. *see* Alwash, S.H. 87−44420
Shirkoohi, G.H. *see* Moses, A.J. 88−57908
Shirkov, A.V. *see* Bulatov, E.D. 87−70780
Shirkov, A.V. *see* Makhmutov, R.Kh. 86−58404
Shirkov, A.V. *see* Milyaev, V.A. 86−58240
Shirkov, A.V. *see* Zavaritskaya, V.A. 85−46246
Shirkov, G.D. *see* Perel'shtein, E.A. 85−9022
Shirkova, V.V. *see* Tretyakova, S.P. 87−29569
Shirkovskaya, A.O. *see* Zaitsev, S.V. 85−46166
Shirkovskii, N.A., Gladkov, E.A., Polyanskii, P.V., Kiselev, O.N. Adaptive automatic system of controlling the process of argon-arc welding pipes 88−24294
Shirkovskii, N.A. *see* Gladkov, E.A. 85−53982
Shirland, F.A. *see* Farrow, R.F.C. 85−44703
Shirland, F.A. *see* Kim, T.W. 88−12984
Shirland, F.A. *see* Zheng, Y.-D. 87−11392, 87−37946
Shirley, B.L. *see* Cowan, B.J. 88−2682
Shirley, C.G. High field phenomena in thermal SiO_2 85−40535
Shirley, C.G., Blish, R.C., II Thin-film cracking and wire ball shear in plastic DIPS due to temperature cycle and thermal shock 88−196
Shirley, C.G., Gupta, S. A technique for electrical measurement of ball bond location 88−64162
Shirley, C.G. *see* Barr, G.W. 87−21312
Shirley, C.G. *see* Furaus, J.P. 87−21325
Shirley, D.A. *see* Liu, G. 86−60630
Shirley, G. *see* Ahmad, S. 86−62983
Shirley, J. Fluorescent light shift in optically pumped cesium standards 86−38496
Shirley, J. *see* Drullinger, R.E. 87−29233
Shirley, J.H. *see* Derbyshire, A. 86−38495
Shirley, M., Wu, P., Davis, R., Robinson, G. A synergistic combination of test generation and design for testability 88−19087
Shirley, M.H. An automatic programming approach to testing 87−10618
Shirley, M.H. Generating tests by exploiting designed behavior 87−36892
Shirley, R.S. Status report 3 with lessons: an expert system to aid process control 87−58759
Shirley, S. Working the network 87−69679
Shirley, S. *see* Chu, T.L. 86−458
Shirmohammadi, D., Hong, H.W., Semlyen, A., Luo, G.X. A compensation-based power flow method for weakly meshed distribution and transmission networks 88−10851
Shirmohammadi, D., Janischewskyj, W., Nguyen, D.H., Lanoie, R. Practical aspects in the application of conductive barriers to field controlled air gaps 86−47891
Shirmohammadi, D. *see* Menemenlis, C. 85−40956
Shirmohammadi, D. *see* Rogers, G.J. 88−30702
Shirmulis, E. *see* Ashmontas, S. 86−67720
Shirmulis, E. *see* Maldutis, E. 86−48351
Shirmulis, E. *see* Mazheika, R. 87−7201
Shirmulis, E.I. *see* Ashmontas, S.P. 86−1769, 87−54161
Shirn, G.A. *see* Burks, D.P. 88−50026
Shirn, G.A. *see* Hofmaier, R.L. 88−63992
Shirn, G.A. *see* Mogilevski, B.M. 88−63995
Shirn, G.A. *see* Mogilevsky, B.M. 86−62866
Shirnin, I.G., Zbarskii, L.A. A new series of explosion-proof high voltage induction motors 88−11226
Shirnin, I.G. *see* Goryagin, V.F. 87−58074, 88−75609
Shirnin, I.G. *see* Zbarskii, L.A. 88−43188
Shirnov, Yu.N., Shkul'kov, A.V., Kanaev, I.A. Oxide melt temperature under steady-state melting conditions in induction furnaces with cold crucibles 85−16431
Shiro, I. *see* Naito, H. 88−53358
Shiro, I. *see* Shimizu, Y. 87−54555
Shiro, I. *see* Tsuchiya, S. 86−37848
Shiro, K. *see* Hanaki, K. 85−44249
Shiro, K. *see* Suzuki, S. 85−53891
Shirobokov, A.M., Kolyanov, A.N. Use of light-emitting diodes in a pulsed regime in infrared imaging systems 86−49987
Shirobokov, A.V. *see* Ivanov, B.P. 85−43948
Shirochin, L.A. *see* Andriyanov, Yu.V. 85−11835, 85−23324
Shirochin, L.A. *see* Grishanov, B.I. 87−63621
Shirochin, S.P. *see* Domnikov, S.V. 85−53297
Shirochkov, A.V. *see* Vovk, V.Ya. 85−30031
Shirogami, T. *see* Ogawa, T. 86−33640, 87−36116 to 36117
Shirogami, T. *see* Sounai, A. 86−61723, 87−15961, 87−78897, 88−17919
Shirogane, T. *see* Ise, M. 85−13903
Shiroishi, Y., Shiiki, K., Tsumita, N., Koizumi, M., Uesaka, Y. Perpendicular recording characteristics of ring head and Co-Cr/Co-Zr-Mo double-layer media 86−58692
Shiroishi, Y., Shiiki, K., Yuitoo, I., Kumasaka, N., Kudo, M. Probe-type thin-film head for perpendicular recording using multilayered Fe-Si-Ru films 85−45992
Shiroishi, Y., Shiiki, K., Yuitoo, I., Nakamura, H., Hamakawa, Y., Kumasaka, N. Perpendicular recording characteristics of eight-turn probe type thin film head 86−63558
Shiroishi, Y., Tsumita, N., Shiiki, K., Uesaka, Y., Kudo, M. Perpendicular recording characteristics of ring head and Co-Cr/Co-Zr-Mo double-layer media 85−45993
Shiroishi, Y. *see* Honda, Y. 86−42098
Shiroishi, Y. *see* Ohno, T. 88−51211
Shiroishi, Y. *see* Shiiki, K. 85−24135, 86−9410, 86−58665, 87−18515, 87−46370
Shiroishi, Y. *see* Suzuki, H. 88−51222
Shiroishi, Y. *see* Tsumita, N. 87−67708
Shiroki, K. *see* Honda, Y. 88−33523
Shirokikh, A.P. *see* Bazhulin, S.P. 86−15623
Shiroko, K. *see* Nishio, M. 85−5583
Shirokov, A.A., Usov, Yu.N., Zakharov, I.S. Charging of traps in the anodic oxide on InAs 86−28051
Shirokov, A.A., Usov, Yu.N., Zakharov, I.S. Features of MIS structures based on InAs 86−47414
Shirokov, A.A. *see* Pushkarev, A.I. 85−18180
Shirokov, A.A. *see* Romanovskiy, M.N. 87−45709
Shirokov, A.G. Torque regulator for an induction motor fed from a controlled source of current 86−61509
Shirokov, A.G. Synthesis of a frequency-current automatic control system for a multiphase asynchronous motor 87−42944
Shirokov, A.M. *see* Guga, K.Yu. 87−24777
Shirokov, E.A. *see* Movshevich, B.Z. 88−25053
Shirokov, G.A., Bukhinnik, A.Yu. Evaluation of the reliability of signal transmission along digital optical fiber lines with differential pulse position keying 86−30816
Shirokov, N.G., Kutuzov, S.I. The EMF and inductive reactances of low power synchronous generators at higher harmonics 86−51594
Shirokov, N.G. *see* Kutuzov, S.I. 88−37210
Shirokov, P.P. *see* Bochkar', E.P. 88−33883
Shirokov, P.P. *see* Kogan, B.V. 85−22714
Shirokov, S.M. *see* Klovskii, D.D. 88−45129
Shirokov, V.I. *see* Muzhitskii, V.F. 88−43961
Shirokov, V.L. *see* Lobanova, T.P. 85−32563
Shirokov, V.V. Characteristics of adaptive device for measuring correlation interval of noise 86−24746
Shirokov, V.V. Optimizing the length of the stationarity interval in estimating signal-to-noise ratio by the maximum-likelihood method 87−19363
Shirokov, V.V. Regularization of signal-to-noise ratio estimates produced by an indirect method using sign-statistics 87−69171
Shirokov, V.V., Fedotov, B.V. Use of 'degenerate' sequential analysis in digital processing of composite signals 88−8726
Shirokov, V.Ye. *see* Nikolayev, A.N. 87−56339
Shirokov, Yu.F., Kolpakov, A.I. High-power narrowband-noise generator 87−37050
Shirokov, Yu.P. *see* Sheminov, V.G. 86−39818
Shirokshina, Z.V., Gromova, M.N. Increasing the light transmission and chemical resistance of elements made from magneto-optic glasses 88−13780
Shiromizu, M. The telecommunication network in an age of the information intensive society 85−47026
Shiromizu, T., Numakura, K. Basic characteristics of flex circuit. I. Reliability evaluation for flexural use by MIT tester 88−64074
Shirong Peng *see* Peng Shirong
Shirong Yu *see* Yu Shirong
Shirono, J. *see* Kuroda, K. 87−56725
Shirono, J. *see* Matsuoka, S. 86−31683
Shirono, J. *see* Miyagi, K. 86−28927
Shirono, J. *see* Nishida, Y. 88−16526
Shirono, J. *see* Sonobe, Y. 88−42010
Shironoshita, P. *see* Kabuka, M. 88−53475
Shirosaki, Y. *see* Irino, T. 87−60763
Shiroshita, M. *see* Ryo, G. 86−38390
Shirota, A. *see* Inada, T. 85−40654
Shirota, N. *see* Kondo, T. 88−45968
Shirota, R., Itoh, Y., Nakayama, R., Momodomi, M., Inoue, S., Kirisawa, R., Iwata, Y., Chiba, M., Masuoka, F. A new NAND cell for ultra high density 5 V-only EEPROMs 88−70781
Shirota, R. *see* Masuoka, F. 88−38538
Shirota, R. *see* Natayama, A. 87−32564
Shirota, S. *see* Wakimoto, A. 85−17467, 88−44206
Shirota, Y., Noma, N., Mikawa, H. Electrochemical doping of poly[4-(n,n-diphenylamino)phenylmethyl methacrylate], and rectification and photovoltaic properties 87−37920
Shirota, Y. *see* Kunii, T.L. 87−28133
Shirotani, T. Development of realistic chest phantom for calibration of in-vivo plutonium counting facilities 88−48255
Shirotori, F. *see* Kishida, K. 87−5847
Shirotori, K. Application of robotics in measuring instrument 88−15942
Shirotori, K. *see* Nakata, T. 86−8472, 86−27629
Shirotori, T. *see* Sawada, K. 88−32193
Shirouzu, S., Tsuji, T., Harada, N., Sado, T., Aihara, S., Tsunoda, R., Kanno, T. 60×64 InSb focal plane array with improved two layer structure 87−70445
Shiroyama, K., Kikuchi, H., Inaba, T. Rapidly solidified solder tapes 86−514
Shiroyama, K. *see* Kachi, S. 85−18669, 86−36142
Shiroyama, K. *see* Kimura, M. 87−18712
Shirshin, S.I., Morzhakov, A.A. Construction of a finite discrete complex signal 87−75812
Shirshin, S.I. *see* Bayburin, V.B. 85−6654
Shirshin, S.I. *see* Morzhakov, A.A. 87−55089
Shirshov, L.S., Enderlein, G. Apparatus for critical current measurement of high current superconductors 85−62215
Shirshov, L.S. *see* Andreyev, N.I. 86−53933
Shirshov, L.S. *see* Batalov, A.A. 87−8791
Shirshov, L.S. *see* Gemeri, F. 85−8941
Shirshov, Yu.M., Nabok, A.V. Degradation effect on the trapped charge profile in a metal-nitride-oxide-semiconductor structure insulator 85−23593
Shirt, M.A. *see* Dew, A.M. 86−48895
Shirtcliffe, T.G.L. *see* Moore, M.I. 88−42658
Shiru Xu *see* Xu Shiru
Shirvaikar, M.V., Musavi, M.T. A stroke feature distribution scheme for the recognition of alphanumeric characters 88−52599
Shirvastava, R. *see* Pathak, S. 86−8250
Shiryaev, A.O., Ryazanov, B.P., Bol'shakov, V.N. The output stage of an ultrasonic generator 87−64003
Shiryaev, A.O. *see* Ryazanov, B.P. 87−505, 87−73575, 88−55469
Shiryaev, F.Z. *see* Ageev, A.I. 88−47779

Shiryaev, F.Z. *see* Balbekov, V.I. 85−26562
Shiryaev, S.Yu. *see* Galloni, R. 87−45765
Shiryaev, S.Yu. *see* Larsen, A.N. 86−63156
Shiryaev, V.A. *see* Buchenkov, V.A. 86−29108
Shiryaev, V.I. *see* Bagdasarov, Yu.E. 86−65862
Shiryaev, V.I. *see* Kochetkov, L.A. 86−65859
Shiryaev, V.S. *see* Borisevich, V.G. 87−74751
Shiryayev, A.M. *see* Nezlin, D.V. 85−55022
Shiseki, N., Yano, S., Itoh, Y., Nakamura, M. Electrical field distribution for HVDC cable and accessories 87−21940
Shiseki, N. *see* Ono, M. 87−21938
Shishaev, A.V. *see* Kiryunikov, K.V. 86−29204
Shishakov, M.L. Management of data transfer between 'Elektronika DZ-28' microcomputers 86−49295
Shishatskaya, L.P., Simakin, A.G., Tsvetkov, V.D., Khuzmiev, M.A. Increasing the service life of deuterium lamps 86−40271
Shishchenko, V.V. Reducing the amount of heat spent in heat treating water with a high calcium sulphate content [water treatment] 85−15827
Shishchenko, V.V., Samoryadov, B.A., Lazarenko, I.S., Lebedev, V.Yu. Thermal after-cleaning of washing waters for regenerative air-heating steam generators 86−33056
Shisheng Chen *see* Chen Shisheng
Shishido, A. *see* Naiki, K. 87−66812, 88−39020, 88−53799
Shishido, A. *see* Yamaguchi, Y. 86−5390, 86−5395
Shishido, F. *see* Matumoto, T. 88−16709
Shishido, H., Kan, T., Ito, Y. The magnetic domain and properties of amorphous ribbons 85−35291
Shishido, H. *see* Gotoh, S. 87−25852
Shishido, K., Suzuki, M. New series of high-voltage molded instrument transformers [switchgear] 85−49053
Shishido, K. *see* Orito, K. 87−45425
Shishido, M. Sensors for prospecting resources under the seabed 85−21005
Shishido, M. Subseafloor profiling using seismic waves 87−29913
Shishido, S. Radio regulation 85−3350
Shishido, S. *see* Miyakawa, H. 85−52460
Shishido, T. *see* Otsuka, F. 85−37085
Shishikui, Y. *see* Masuda, S. 85−18503
Shishimoto, M., Kimura, H., Honda, M. High-speed epoxy die bonder model CPS-100 88−12863
Shishina, L.Yu. *see* Gafarov, P.M. 87−18144
Shishino, M. *see* Mayumi, S. 87−67148, 88−1565
Shishkan', A.N. *see* Skipochka, S.I. 85−6187
Shishkin, A.A. *see* Khrunich, A.N. 87−42589
Shishkin, A.G. *see* Kirsh, A.K. 86−6482
Shishkin, A.I. *see* Abramyan, L.E. 87−34679
Shishkin, A.I. *see* Esepkina, N.A. 85−3550
Shishkin, A.L. *see* Gromov, V.O. 88−42592
Shishkin, A.L. *see* Onishchenko, L.M. 87−63666
Shishkin, A.V. Terminals with one-gun color index kinescopes 86−17592
Shishkin, A.V. *see* Gofaizen, O.V. 86−43962
Shishkin, B.B. *see* Gostev, A.V. 86−27786, 88−19584
Shishkin, B.V. *see* Luchinin, A.G. 85−50147
Shishkin, G.G., Jones, G.R. Electromagnetic emission from high current, convection controlled arcs 86−26215
Shishkin, G.P. *see* Kogan, I.Sh. 87−3746
Shishkin, I.F. *see* Granovskii, V.A. 87−28888
Shishkin, V.A. *see* Dzyuba, A.S. 87−27625
Shishkin, V.F. *see* Zotov, A.Ya. 86−18875, 86−19403, 87−4834, 87−9630, 88−25624
Shishkin, V.G., Bagdasaryan, A.S., Kmita, A.M., Shchukin, Yu.M. Small-aperture surface acoustic wave transducers 88−1848
Shishkin, V.G., Markov, I.A., Kmita, A.M. Frequency response of piezoceramic surface acoustic wave filters 88−7783
Shishkin, V.S. *see* Grigor'ev, A.N. 87−49479
Shishkin, Yu.M. *see* Kazakov, Ye.L. 85−36916, 86−30864
Shishkina, G.A. *see* Derbin, A.V. 86−70337
Shishkina, N.B. *see* Chikrii, A.A. 86−19898
Shishkina, N.N. *see* Ahraf'yan, S.P. 88−41790
Shishkina, N.N. *see* Ashraf'yan, S.P. 87−49225
Shishkina, N.V. *see* Chikrii, A.A. 87−58782
Shishko, A.Ya. *see* Andrianov, A.N. 85−10120, 86−33704
Shishko, A.Ya. *see* Bandere, Z.I. 85−21829
Shishko, V.I. *see* Meshkov, A.N. 85−22710
Shishkov, A.B. *see* Domrachev, V.G. 87−66269
Shishkov, A.B. *see* Kudryashov, B.A. 85−61404
Shishkov, A.B. *see* Smirnov, Yu.S. 87−24278
Shishkov, A.V. *see* Bin'ko, G.F. 86−5729
Shishkova, V.A. *see* Polonnikov, D.Ye. 86−41172
Shishkow, V.F. *see* Markov, V.B. 86−10020
Shishkunov, V.A. *see* Afanas'ev, A.A. 87−71830
Shishlov, A.V. *see* Kinber, B.E. 85−41743
Shishlov, A.V. *see* Klassen, V.I. 87−61500
Shishmanov, I.V. *see* Gospodinov, G.A. 85−39302
Shishmarev, V.Y. *see* Sukhorukov, R.Y. 87−45446
Shishmolin, A.N. *see* Gubanov, V.G. 86−38932
Shishodia, P.K. *see* Jagadish, C. 88−50634
Shishonkov, L.V. *see* Ashmarin, I.I. 85−35893
Shishov, E.V., Roganov, P.S., Klorikian, P.V., Zabolotsky, V.P. Correction of constant current anemometer readings in high-frequency temperature fluctuation measurements 88−4690
Shishov, I.V. *see* Zaderei, A.V. 87−42634
Shishov, S.Ya., Yampurin, N.P. Spectral characteristics of digital multilevel signal synthesizers 86−34597
Shishov, S.Ya., Yampurin, N.P. Investigation of the spectral characteristics of multilevel digital computing synthesizers 87−47712
Shishov, V.I. *see* Gochelashvili, K.S. 86−54193
Shishov, Yu.A. *see* Bartenev, V.D. 86−18832
Shiskowski, R. *see* Bluzer, N. 87−20931
Shistik, L.N. *see* Andronik, I.Ya. 85−28998
Shitara, T., Murai, Y., Tokizaki, S., Shinya, K., Matsushima, A. Television network supervisory and control system 88−4151
Shitara, T., Takahashi, Y., Murai, Y., Tokizaki, S., Shinya, K., Matsushima, A. Television network supervisory and control system 88−60433
Shitara, T. *see* Takahashi, Y. 88−57667
Shito, S. *see* Zhou, J. 88−34341
Shito, T. *see* Mori, S. 86−26158
Shitov, K.M. *see* Bakalov, V.P. 87−55096
Shitov, S.V. *see* Belitsky, V.Y. 87−67853
Shitov, S.V. *see* Koshelets, V.P. 88−13746
Shitov, S.V. *see* Vystavkin, A.N. 86−15432
Shitov, V.A. *see* Bulatov, O.G. 85−21733, 85−54639, 86−26128, 86−39942, 87−9657
Shitov, V.A. *see* Ivanov, V.S. 88−58612
Shitov, V.A. *see* Petrosyan, N.N. 85−44110, 85−54757
Shitov, V.G. Multichannel angle ADC 87−44969
Shitov, V.V., Semenov, N.A., Gozman, N.Ya. Additional losses in optical fibers induced by microbends due to a polymer coating 86−36154
Shitov, V.V. *see* Gozman, N.Ya. 86−49588
Shitov, Yu.P. *see* Il'in, V.G. 85−31600, 86−31675
Shitova, E.V. *see* Kruze, T.A. 85−12194
Shitsman, M.E. Results of operation of steam turbines of power units under oxygenated water conditions 88−17375
Shitz, S. Maximum likelihood detection of discrete time PAM in non-Gaussian noise 86−29706
Shitz, S., Bar-David, I., Michel, R. Capacity of peak and average power constrained quadrature Gaussian channels 87−54803
Shitz, S., Zeevi, Y.Y. On the duality of time and frequency domain signal reconstruction from partial information 86−29852
Shitz, S., Zeevi, Y.Y. On signal representation by partial information 86−29934
Shitz, S. *see* Curtis, S.R. 87−61840
Shitz, S. *see* Gavriely, A. 86−3950, 86−30046
Shitz, S. *see* Kalet, I. 86−29708, 87−12887
Shitz, S. *see* Polacek, M. 88−40896
Shiu, K., Hanan, N., Rubin, M. Review results of a BWR standard plant PRA and an assessment of potential benefits from design modifications 85−43782
Shiu, K., Papazoglou, A., Sun, Y.H., Anavim, E., Ilberg, D. An evaluation of internal flooding in a BWR 85−43775
Shiu, K. *see* Anavim, E. 85−43767
Shiu, K.P. *see* Kwong, C.P. 87−5315
Shiu, M.R. *see* Szarvas, G.G. 85−58041
Shiu, P. Counting sums of two squares: the Meissel-Lehmer method 86−66719
Shiue, C.C. *see* Lan, H. 87−31514, 88−38143
Shiue, D.-C. *see* Cadzow, J.A. 88−40918
Shiue, D.C. *see* Cadzow, J.A. 87−62040, 88−73115
Shiue, J.C. *see* Wang, J.R. 88−9620
Shiuh Chao, Yuh-Fung Huang, Yung Chiey Chen, Lan Yan Materials for multiple stages of archival optical recording 88−65161
Shiuh-Yung Chen, Ming-Yang-Chern Flexible corner detection based on a single-parameter control 88−46215
Shiur, W.-K. *see* Bain, L.J. 85−16829
Shiv, K. *see* Stigall, P.D. 88−638
Shiva, S. An observation about DES 87−54816
Shiva, S.G., Klon, P.F. The VHSIC hardware description language 86−8079
Shiva, S.G.S. *see* Benyamin-Seeyar, A. 86−59216
Shivakumar, A.K. *see* Crocker, M.J. 88−68593
Shivakumar, B. *see* Shapira, D. 85−59148
Shivakumar, G.K. *see* Krishna Moorthy, P.A. 85−22545, 86−67700
Shivakumar, G.K. *see* Rousina, R. 88−38247, 88−50663
Shivakumar, P.N. *see* Chawla, M.M. 86−360, 86−57398
Shivakumar, S.K. *see* Ramachandran, P. 85−26838
Shivapprasad, A.P. *see* Madivanan, S. 87−77289
Shivaprasad, A. *see* Shivashankar, H.N. 86−41175
Shivaprasad, A.P. *see* Govindan, V.K. 88−14791
Shivaprasad, A.P. *see* Krishnan, G. 86−67161, 87−802, 87−66040, 87−66267, 88−6752
Shivaprasad, A.P. *see* Mytri, V.D. 86−43160, 86−52732, 87−2404, 87−33601
Shivaprasad, A.P. *see* Rameshu, C. 87−29329, 87−77091, 88−22431
Shivaram, B.S. *see* Field, S.B. 86−47304
Shivaraman, M.S. *see* Ziska, M. 87−12264
Shivarov, N., Yanakiev, K. Automated manipulating system for an industrial robot for arc-welding 85−21982
Shivarova, A., Yu, M.Y. Nonlinear TM azimuthally-symmetric mode in layered structures 86−36737
Shivarova, A. *see* Boardman, A.D. 85−1966, 87−54403
Shivashankar, H.N., Shivaprasad, A. Circuits for ternary-to-analog conversion 86−41175
Shivashankar, S.A. *see* Robinson, B. 88−49889
Shive, L. *see* Swaroop, R. 87−45568
Shive, L.W., Schulte, B.K. Oxygen determination in silicon using Fourier transform infrared spectroscopy 85−55654
Shive, L.W. *see* Chiou, H.-D. 86−21341
Shive, L.W. *see* Craven, R.A. 85−23422, 87−10885
Shive, S. *see* Maury, A. 87−45812
Shively, A.W., Bhakta, P.M., Look, N.L. Intermountain power project nears completion 87−35580
Shively, C. *see* Braff, R. 87−34672
Shively, J. *see* Felch, K. 85−28906, 85−55361
Shively, J. *see* Jory, H. 85−50155
Shively, J.F., Felch, K., Jory, H., Neilson, J. Second harmonic 106.4 GHz gyrotron 88−25802
Shively, R.J. *see* Haworth, L.A. 87−50523
Shively, R.R. *see* Gorin, A.L. 87−61712
Shively, S.T. New software solutions for the design of gate arrays 86−46710
Shivers, L. *see* Eakely, E. 87−30028
Shivers, R. *see* Gyuk, I. 85−53864
Shivpuri, R. *see* Engels, E., Jr. 87−29488
Shivpuri, R.K. *see* Lobkowicz, F. 85−43185
Shivris, O.N., Postoenko, Yu.K., Trunov, V.V. Algorithms for calculation of settings for the elements of the RATAN-600 primary mirror 85−42680
Shivris, O.N. *see* Glumov, A.P. 87−34685
Shiwa, S. *see* Ooba, Y. 87−46601
Shiwen Gu *see* Gu Shiwen
Shiwen Shi *see* Shi Shiwen
Shixi, C., Ledwich, G.F., Jordon, T.A. On line loss minimization for induction motors by voltage/frequency control 88−48961
Shixiao Le *see* Le Shixiao
Shixin Cheng *see* Cheng Shixin
Shixiong Wu *see* Wu Shixiong
Shixuan Xie *see* Xie Shixuan
Shixun, Ye Microcomputer telecontrol of dispatching automation 86−12247
Shixun Ye *see* Ye Shixun
Shixun Zhou *see* Fengyi Huang 88−33741
Shiyan, I.V. *see* Sozon-Yaroshevich, E.A. 87−27604
Shiyan, V.P., Popov, A.I., Gonyaev, G.S. Generation of nanosecond microwave pulses by Gunn diodes 88−603
Shiyan, V.P. *see* Novikov, S.A. 85−27077
Shiyan Wang *see* Wang Shiyan
Shiyang Chen *see* Chen Shiyang
Shiyanov, N.V. A phase-stable attenuator 87−70696
Shiyanov, N.V. *see* Petrukhin, G.D. 87−24724
Shiyanov, Yu.A. *see* Aristov, V.V. 87−38149
Shiyao Zhu *see* Zhu Shiyao
Shiyi Liu *see* Chao Chen 88−40052
Shiyi Liu *see* Liu Shiyi
Shiyi Xu *see* Xu Shiyi
Shiying Ding *see* Ding Shiying
Shiying Wang *see* Wang Shiying
Shiying Zhang *see* Zhang Shiying
Shiyong Liu *see* Chunsheng Ma 87−68119, 88−45195, 88−65330
Shiyong Liu *see* Yudong Li 88−58560
Shiyong Liu *see* Liu Shiyong
Shiyu Feng *see* Feng Shiyu
Shiyu Lu *see* Lu Shiyu
Shiyu Zhong *see* Zhong Shiyu
Shiyuan Hu *see* Hu Shiyuan
Shize Ni *see* Ni Shize
Shizhan Lei *see* Lei Shizhan
Shizhen Tu *see* Tu Shizhen
Shizho Hao *see* Hao Shizho
Shizhong Qiao *see* Qiao Shizhong
Shizhong Xu *see* Xu Shizhong
Shizhong Ye *see* Ye Shizhong
Shizhu Wen *see* Wen Shizhu
Shizhuo Li *see* Li Shizhuo
Shizuma, K., Iwatani, K., Hasai, H. Gamma-ray scattering in the low-background shielding for Ge detector 88−10258
Shizuma, K. *see* Hasai, H. 85−64348, 87−77475
Shizuma, K. *see* Nishibayashi, Y. 85−60996
Shizuma, K. *see* Nishiyama, F. 85−64349
Shizume, Y. *see* Watanabe, H. 85−58054
Shizuya, H., Sone, H., Echigo, H., Takagi, T. An argumental expression of correlation function between arbitrary codewords 87−33623
Shizuya, H., Takagi, T. A public-key cryptosystem based upon generalized inverse matrix over discrete logarithmic domain of finite field 88−52352
Shizuya, H. *see* Sone, H. 88−6953
Shizuya, O. *see* Shiomi, Y. 87−8394

Shkabardnya, A.M. *see* Kopanishin, B.I. 87−46516
Shkabardnya, A.M. *see* Ulanov, A.G. 87−78529
Shkabardnya, M.S. Improving the automated process control systems of nuclear power stations 85−59894
Shkabardnya, M.S. Development of instrument branch and of scientific progress 86−40595
Shkadarevich, A.P., Dubinskii, M.A., Nikonovich, M.V., Silkin, N.I., Umreiko, D.S., Yagudin, Sh.I., Yarmolkevich, A.R. Tunable room temperature laser on colour centers in KM_gF_3 86−42508
Shkadarevich, A.P. *see* Abdulsabirov, R.Yu. 87−26356
Shkadarevich, A.P. *see* Al'tshuler, G.B. 88−14164, 88−33984
Shkadarevich, A.P. *see* Apanasevich, P.A. 87−68418
Shkadarevich, A.P. *see* Boiko, B.B. 88−14151
Shkadarevich, A.P. *see* Burakov, V.S. 86−22342
Shkadarevich, A.P. *see* Demchouk, M.I. 85−62546, 85−62631, 86−3119
Shkadarevich, A.P. *see* Demchuk, M.I. 86−9810, 87−68590
Shkadarevich, A.P. *see* Dubinskii, M.A. 87−54282
Shkadarevich, A.P. *see* Kolyago, S.S. 86−48379
Shkadarevich, A.P. *see* Kruglik, G.S. 87−18939
Shkadarevich, A.P. *see* Mikhnov, S.A. 85−7400
Shkadarevich, A.P. *see* Zharikov, E.V. 87−46821, 88−27116
Shkaderarevich, A.P. *see* Boiko, B.B. 85−41426
Shkaleto, V.I. *see* Bulatova, R.F. 85−14955
Shkalikov, V.N. Phase shifters with antiparallel diodes 87−45134
Shkapa, A.F. *see* Zykov, L.I. 86−36394
Shkaptsov, V.A. *see* Lovetskaya, E.N. 87−42490, 87−64178
Shkardun, V.D. *see* Bulatova, S.V. 88−74760
Shkarin, Yu.P. Determination of the interference voltage from external sources in multiconductor transmission lines 85−7682
Shkarin, Yu.P. A simplified method for calculating the attenuation over the line circuit of carrier communication channels along overhead lines under sleet conditions 87−40634
Shkarin, Yu.P., Kniznik, R.G., Zeltser, A.N., Kotelnikov, B.G. Experimental study of high-frequency parameters of 1150 kV power lines 86−51058
Shkarin, Yu.P., Messerman, D.G., Rokhinson, P.Z. Influence of local increase of corona discharge intensity of open-wire line conductors on the level of radio interference 88−17172
Shkarin, Yu.P. *see* Zakruzhnyi, E.G. 88−17171
Shkarinov, Yu.S. *see* Model, A.M. 85−36139
Shkaruba, M.V., Borisov, A.G. Voltage-pulse generator with resistance coupling 87−37069
Shkaruba, M.V., Gerasimov, A.B., Khorunzhii, M.S. Arkad'ev-Marx generator with capacitive coupling 86−40963
Shkarupin, V.V. *see* Tuz, Yu.M. 88−35974
Shkatov, I.V. *see* Gurevich, G.L. 86−42076
Shkatov, V.T. *see* Aduev, B.P. 86−40900, 86−67439
Shkatova, T.Ya. *see* Alekseev, A.M. 86−8819
Shkerdin, G.N. *see* Burova, M.T. 86−29024, 86−63744
Shkerdin, G.N. *see* Gulyayev, Yu.V. 88−71867
Shkidina, V.V. *see* Kigel', G.A. 87−43329
Shkil, A.S., Rustinov, V.A., Khakhanov, V.I. Use of D-calculus in generating tests for sequential counting structures 85−22766
Shkilev, A.V. *see* Ermakov, V.S. 87−77318
Shkilev, A.V. *see* Gorin, B.N. 85−58792
Shkitin, V.A. *see* Arkhontov, L.B. 86−28895
Shklair, D. *see* Massey, H. 88−4246
Shklarksy, D. *see* Scholtz, A.V. 87−53859
Shklarsky, D., Biran, A. Circular FM waveform for improved wideband SAW devices 86−28590
Shklarsky, D. *see* Das, P. 87−12013
Shkliar, L.A. *see* Bobrov, P.A. 86−24102
Shkliar, L.A. *see* Gorizontov, A.M. 87−20704
Shklier, L.A. Routine planning of TV program production in the man-machine interaction mode 85−25985
Shklovskii, B.I., Efros, A.L. Electronic properties of doped semiconductors 85−15
Shklovskii, E.I. *see* Bagdasarov, V.Kh. 88−20602
Shklovskii, E.I. *see* Basiev, T.T. 86−63780
Shklovskii, E.I. *see* Grigor'ev, V.N. 87−46822
Shklovskii, E.I. *see* Gusovskii, D.D. 86−48119
Shklovskii, E.I. *see* Natarov, S.Yu. 85−24518, 87−68422
Shklovskii, E.I. *see* Vasil'ev, Yu.P. 85−41374, 86−36542
Shklovskii, E.I. *see* Zharikov, E.V. 86−48375
Shklovskii, I.G. *see* Namitokov, K.K. 85−21762, 85−28772, 86−47139, 88−25625
Shklyar, A.V. *see* Ryzhkov, V.K. 85−4929
Shklyar, V.H. *see* Alikin, A.A. 87−62948
Shklyarevskii, I.N., Ovcharenko, A.P. New design of narrowband interference filters 86−9644
Shklyarik, S.V. *see* Volynkin, V.M. 86−48495
Shkoda, K. *see* Kholevitski, I. 86−12835
Shkola, N.F. *see* Ignat'ev, O.V. 88−68297
Shkola, N.F. *see* Ignatyev, O.V. 88−16666
Shkol'nik, A.A. Measuring the resistances of transformer windings 86−45470
Shkol'nik, A.A. Testing high-voltage bushings 87−4425
Shkol'nik, A.A. Improving the reliability of estimating moisture content of hard insulation in power transformers 87−78718
Shkol'nik, A.A. Perfecting the measurement of dielectric characteristics of liquid insulating materials 88−60873
Shkol'nik, G.T. *see* Marushkin, V.M. 88−11090
Shkol'nik, I.Ya. *see* Makhmudov, K.M. 88−18215
Shkol'nik, M.I., Kimel'man, E.A., Ruche'ev, N.V., Khronusov, G.S. Control of power consumption requirements in a mining plant 87−43723
Shkol'nik, M.I. *see* Khronusov, G.S. 88−23353
Shkolnik, V.E. *see* Khutoretskii, G.M. 88−43124
Shkol'nikov, A.S. *see* Kantor, S.A. 86−6065
Shkolnikov, V.G. *see* Grishin, V.S. 87−66844
Shkol'nikov, V.G. *see* Man'kin, I.A. 85−6660, 86−21057, 88−1326 to 1327
Shkol'nyi, E.I. Accuracy of measurement of characteristics of systems described by birth-and-death processes [queueing systems] 86−40607
Shkol'nyi, E.I. Variances and covariances of statistical estimates of the characteristics of semi-Markov systems with a finite set of states 87−27123
Shkol'nyy, Ye.I., Naumova, Ye.O., Kharkevich, A.D. A method of determining the additional number of lines in overloaded groups taking repeated calls and traffic measurement errors into account 86−37331
Shkradarevh, A.P. *see* Akhvlediani, Z.G. 86−22364
Shkrebty, A.I., Kirillova, S.I., Primachenko, V.E., Snitko, O.V. Relaxation of nonequilibrium depletion due to electric field inhomogeneity caused by metal island impurities on the silicon surface 85−55599
Shkrebty, A.I. *see* Sachenko, A.V. 85−27661
Shkul'kov, A.V. A way of designing cold-crucible induction furnaces for melting of oxides 88−31200
Shkul'kov, A.V. *see* Shirnov, Yu.N. 85−16431
Shkundin, S.Z., Likhachev, A.V. Improvement of accuracy of acoustic anemometers 85−64775
Shkunov, N.V. *see* Bykov, V.N. 85−12903, 86−42515
Shkunov, V.V., Yakovleva, T.V. Calculation of the visibility of the interference pattern reconstructed by a doubly exposed hologram of a diffusely reflecting object 86−58988
Shkunov, V.V., Yakovleva, T.V. Calculation of noise in volume holograms of speckle fields under saturable photoresponse conditions 87−68651
Shkunov, V.V. *see* Bel'dyugin, I.M. 86−48455
Shkunov, V.V. *see* Krivoshchekov, V.A. 87−18650
Shkunov, V.V. *see* Mamaev, A.V. 85−24661
Shkunov, V.V. *see* Pilipetskii, A.N. 85−56798
Shkunov, V.V. *see* Zel-dovich, B.Ya. 86−58974
Shkunov, V.V. *see* Zel'dovich, B.Ya. 85−41524, 86−29113, 86−48492, 88−58667 to 58668
Shkuratnik, V.L. *see* Yamshchikov, V.S. 86−24454, 87−31595
Shkuratov, S.I. *see* Mesyats, V.G. 88−32710
Shkurenkov, A.V. *see* Ermolov, P.F. 86−5826
Shkurinov, A.P. *see* Basiladze, S.G. 87−8514
Shkuro, N.N. *see* Kiselev, M.I. 85−39287
Shkuropat, P.I. *see* Akhmatova, T.G. 86−62489, 87−59142
Shkuropat, V.G. *see* Tungushbayev, A.M. 87−49253
Shkurskii, B.I. Spatial density of false alarms in optoelectronic systems 85−18772
Shkurskii, B.I. Estimation of the probability of missing a signal in optoelectronic instruments having Gaussian noise 86−10386
Shkuta, A.F., Menshov, B.G., Osipenko, M.I. The problems of improving the systems of electric supply in gas industry plants 86−40359
Shkuta, A.F. *see* Slizskii, E.P. 85−21872
Shkvarin, V.V. *see* Yerokhin, G.A. 88−14537
Shkvarko, Yu.V. *see* Kravchenko, V.F. 88−46159
Shkvarko, Y.V., Ponomaryov, V.I. The regularized maximum-likelihood solution for boundary-value problems of the heat fields spectral analysis 88−46208
Shkvarko, Y.V. *see* Fal'kovich, S.E. 87−39811
Shkvarko, Y.V. *see* Ponomaryov, V.I. 88−46207
Shkvarun, N.M. A projected gradient method that uses the property of activity of the constraints to speed up the optimization process 86−52359
Shkvarunets, A.G. *see* Bogdanov, V.V. 88−7265
Shkvarunets, A.G. *see* Kuzelev, M.V. 88−64180
Shkvarunets, A.G. *see* Nikolov, N.A. 88−58398
Shlaifshtein, V.A. *see* Koshcheev, I.A. 87−4665
Shlaifshtein, V.A. *see* Koshcheev, L.A. 87−4831
Shlaifshten, V.A. *see* Koshcheev, L.A. 86−39728
Shlain, V. *see* Palmin, S. 86−39850, 86−45454
Shlapakovskii, A.S. *see* Borisov, A.R. 87−37826
Shlapakovskii, A.S. *see* Didenko, A.N. 85−12755
Shlapakovskii, A.S. *see* Tashkun, S.A. 88−58799
Shlayn, A.I. *see* Belovolov, M.I. 88−41700
Shlayn, A.I. *see* Kirik, Yu.M. 87−49292
Shlee, V.R., Mikhal'chenko, V.I. Microstrip directional couplers with smoothly irregular coupling domain 87−45177
Shleenkov, A.S., Krotov, L.N., Shcherbinin, V.E., Kop'ev, M.A. Multielement transducer for magnetic flaw detection 88−70392
Shleenkov, A.S. *see* Krotov, L.N. 88−70377
Shlegel, O.A. *see* Apakin, A.V. 88−23998
Shleifer, M. Synchrotron radiation vacuum chamber installation and beam size 86−25105
Shleifman, I.L. Transients due to switching of large capacitor banks 86−61759
Shleifman, I.L. *see* Apol'tsev, Yu.A. 86−33535
Shleifman, I.L. *see* Bobyl'kov, A.N. 86−51798
Shleifman, I.L. *see* Petrovichev, V.A. 86−51799
Shleifshtein, V.A. *see* Zekkel', A.S. 86−32715
Shleiman, Yu.G. *see* Tsvetyanskii, V.L. 86−52552
Shlekis, G.P. *see* Krushas, V.V. 88−27301
Shlemenzon, Ya.M. *see* Belogolovkin, D.E. 86−39865
Shlemenzon, Ya.M. *see* Bushuev, V.V. 86−6225
Shlenov, V.V. *see* Zadorina, T.O. 86−26108
Shlenov, Yu.V. *see* Tikhonov, A.N. 86−36081
Shlenskii, A.L. *see* Fridkin, V.M. 85−18794
Shlenskii, A.L. *see* Lazarev, V.G. 87−68251
Shlensky, A.L. *see* Fridkin, V.M. 85−56403, 87−38897
Shlepnev, I.O. *see* Varvaritsa, V.P. 87−36519
Shlesberg, S.G., Khristenko, E.B. Calculations for nonsteady-state thermalhydrodynamics of a two-phase heat-transport medium in the process circuit of a nuclear power plant 88−23615
Shleye, V.R. Differential equations for matrices of a nonuniform line 86−22736
Shlezinger, M.I. *see* Alekseev, S.K. 87−19861
Shlichta, P.J. *see* Barth, P.W. 86−53558
Shlien, S. A geometric description of stable linear predictive coding digital filters 86−3770
Shlien, S. Minimization of the peak amplitude of a waveform 88−34700
Shlien, S. *see* Goldberg, M. 86−43303
Shlifer, A.L. *see* Bykov, A.M. 87−46501
Shlifer, A.L. *see* Gulyaev, Yu.V. 86−22163, 87−26017
Shlikhtov, S.N. *see* Sidorov, V.G. 85−34923
Shlimak, I.S. *see* Aleshin, A.N. 86−21153
Shlimak, I.S. *see* Andreev, A.A. 85−7307, 85−24375, 85−24386
Shlimak, I.S. *see* Ionov, A.N. 86−21093, 86−41519, 87−17684
Shlimak, I.S. *see* Kozhukh, M.L. 86−24264
Shlimak, I.S. *see* Verbitskaya, E.M. 88−61156
Shlimak, I.S. *see* Volle, V.M. 86−21356
Shlimak, I.S. *see* Voronov, I.N. 85−61842
Shlimovich, V.D. *see* Dubrovina, I.V. 85−59639
Shlimovich, V.D. *see* Ershevich, V.V. 86−6197, 87−50721, 87−57580, 87−64124, 88−10697
Shlionskiy, A.G. Influence of errors in specifying the medium on waveguide wave propagation characteristics 86−36779
Shlionskiy, A.G. Forecasting of duct radiowave propagation 86−42849
Shlionskiy, A.G. *see* Fenik, S.G. 87−47184
Shlionskiy, A.G. *see* Kostromin, V.D. 87−47181
Shlishevskii, V.B. *see* Chaika, N.F. 88−59237
Shliteris, E.P. *see* Bugaev, V.A. 85−7374, 85−41337, 86−3035
Shliteris, R.Z. *see* Ragauskas, A.V. 85−48143
Shloma, A.M. Indirect method of nonlinear filtering of Markovian processes 88−8767
Shloma, A.M., Frolov, S.M. A fiducial approach to adaptive filtering of a multiply connected Markov process 85−41817
Shloma, A.M., Frolov, S.M. Synthesis of adaptive filters for radar tracking systems 85−42638
Shloma, A.M., Frolov, S.M., Preobrazhenskii, L.A. Adaptive filtering of vector process 87−61858
Shloma, A.M., Frolov, S.M., Preobrazhenskii, L.A. Adaptive filtering of the parameters of a curved path 87−69152
Shloma, A.M., Mamonov, A.V. Quasilinear filtering of Gaussian processes under conditions of a priori uncertainty 87−13029
Shloma, A.M., Mamonov, A.V. Optimal reception of discrete signals in a communications channel with frequency-dependent parameters 88−66505
Shloma, A.M., Volchkov, V.P. Synthesis of sliding adaptive filtering algorithms under conditions of nonstationary parametric uncertainty 87−19714
Shloma, A.M., Volchkov, V.P. Synthesis of optimal secondary processing algorithms 87−47706
Shloma, A.M. *see* Gol'fel'd, G.B. 85−7880
Shloma, A.M. *see* Volchkov, V.P. 86−37076
Shlomo Pri Tal, Gregorcyk, A.J., Harris, M., Kraft, D., Perkins, G., Rush, M. VME chip supports dynamic bus adaptation 88−38457
Shlomot, E., Zeevi, Y.Y., Pearlman, W.A. The importance of spatial frequency and orientation in image decomposition and coding 88−41070
Shlopak, L.A. *see* Pokhoriler, V.L. 86−33040
Shlyadin, V.M. *see* Solodimov, A.A. 88−4349
Shlyagin, M.G., Khomenko, A.V. Noise in a PRIZ space-time light modulator 88−40005
Shlyagin, M.G., Khomenko, A.V., Bryksin, V.V., Korovin, L.I., Petrov, M.P. Mechanisms of nonlinearity in a PRIZ space-time light modulator 85−62408

Shlyagin, M.G. *see* Petrov, M.P. 86—63692, 87—38862
Shlyak, Yu.F. Effect of geometric distortions of an input pattern in correlation comparison of images 85—46941
Shlyak, Yu.F. Investigation of correlation response parameters with change of scale and rotation of correlated images 85—51711
Shlyakhin, A.G., Bondareva, G.G. Switching overvoltages and single-phase induction motors 86—45409
Shlyakhin, V.M. Operating characteristics of an optimum detector of small non-Gaussian signals in the presence of white noise 88—3040
Shlyakhin, V.M. *see* Brovkov, B.A. 85—46805
Shlyakhin, V.M. *see* Melititskii, V.A. 87—39787
Shlyakhov, I.N. *see* Portnoi, M.G. 85—43520
Shlyakhovoi, V.B., Borisov, V.G. Controlled gas-filled coaxial discharger 87—18464
Shlyakhtin, A.E. *see* D'yakonov, V.P. 86—67489
Shlyakin, V.M. *see* Melititskii, V.A. 87—75813
Shlyamov, N.Yu. *see* Arbenina, V.V. 86—20037
Shlyandin, V.M. *see* Prozorov, Yu.P. 86—60211
Shlyapnikov, P.V. *see* Goncharov, V.A. 87—29030, 87—29675
Shlygin, P.N. *see* Bogorodskii, O.V. 86—35666
Shlyk, N.I. *see* Kudin, V.P. 86—48653
Shlyk, V.V. *see* Aleksandrov, I.N. 86—61131
Shlykov, G.P. Analysis of ADC errors by means of experimental data 85—47913
Shlykov, G.P. Modernising method of determining interval evaluations of error in digital devices 87—34890
Shlyuko, V.Ya. *see* Oliker, V.E. 86—26440
Shlyuko, V.Ya. *see* Ovod, V.I. 86—24771, 88—7863
Shmachilin, A.S. *see* Golovanov, A.G. 88—36214
Shmachilin, A.S. *see* Volkov, N.P. 88—4365
Shmagin, A.B. *see* Paka, V.T. 85—43487
Shmagin, V.B. *see* Andreev, B.A. 87—33044
Shmagin, V.G. *see* Andreev, B.A. 86—44387
Shmakov, A.N. *see* Diasamidze, E.M. 85—20825
Shmakov, M.S., Panasyuk, A.I. Normalisation of differential equations for the dynamics of control system drives and a reduction of dimensionality of state space 87—58376
Shmakov, M.S. *see* Panasyuk, A.I. 87—78668
Shmakov, N.G. *see* Rybkin, N.P. 87—70835
Shmal-ko, A.V. *see* Semchenko, O.N. 86—2711
Shmalenyuk, A.S. Reconstruction of the temperature profile in biological tissue from its microwave emission parameters at a single frequency 88—4928
Shmal'gauzen, V.I. *see* Kuz'minskii, A.L. 87—68240
Shmal'gauzen, V.I. *see* Vasil'ev, A.A. 87—1983
Shmal'gauzen, V.I. *see* Vorontsov, M.A. 86—3535, 86—22449, 88—20204, 88—59238
Shmalii, Yu.S. Dynamic distortions in frequency-modulated autooscillation systems 87—65904
Shmalii, Yu.S. *see* Barzhin, V.Ya. 86—21928
Shmaliy, Yu.S., Barzhin, V.Ya. Reduction of the effect of quartz resonator anharmonics on the distortions in frequency-modulated oscillators 86—35953
Shmal'ko, A.V. Selection and calculation of parameters of strip optical waveguides 88—20411
Shmal'ko, A.V. *see* Semchenko, O.N. 85—41169
Shmal'ko, A.V. *see* Semenov, A.S. 88—20467
Shmarev, E.K. *see* Derenovskii, M.V. 85—24172, 85—62413
Shmarev, E.K. *see* Linchevskii, I.V. 87—47920
Shmarin, P.L. *see* Aleshin, V.A. 87—3857
Shmarko, K.Yu. *see* Deryagin, V.N. 87—18736
Shmartsev, Yu.V. Quantum effects in the conductivity of a two-dimensional electron gas 85—45429
Shmartsev, Yu.V. *see* Adamyan, Z.N. 85—23527
Shmartsev, Yu.V. *see* Alferov, Zh.I. 85—23531 to 23532, 85—34592, 86—21176
Shmartsev, Yu.V. *see* Antonova, L.I. 86—27781
Shmartsev, Yu.V. *see* Biryulin, Yu.F. 85—33452, 87—32401, 87—38932, 88—38970, 88—49802
Shmartsev, Yu.V. *see* Golubev, L.V. 85—49572, 86—20059
Shmartsev, Yu.V. *see* Gorelenok, A.T. 87—24832
Shmartsev, Yu.V. *see* Makarova, T.L. 85—23537
Shmartsev, Yu.V. *see* Vorob'eva, V.V. 86—20058
Shmartsev, Yu.V. *see* Vul', A.Ya. 86—1389, 86—27646, 87—32315, 88—1359
Shmatko, A.A. Synchronization of the resonance O-type generators with distributed interaction by the outside signal 86—1637
Shmat'ko, A.A. Effect of a high-frequency signal on an O-type distributed-interaction tuned self-excited oscillator 86—21049
Shmat'ko, A.A. Properties of electron-wave interaction on the upper modes in orotron diffracted radiation oscillators 87—32200
Shmat'ko, A.A. *see* Kurbarov, S.G. 86—1355
Shmat'ko, A.A. *see* Tarasov, M.M. 86—21015, 86—21047, 86—41480, 87—73958
Shmat'ko, A.S. *see* Vavriv, D.M. 85—50148
Shmat'ko, E.I. Investigating spectral characteristics of amplitude-modulated oscillations accompanying interaction in crossed fields 87—17654
Shmatok, V.P. *see* Varvaritsa, V.P. 87—36519
Shmatov, A.A. *see* Borisov, F.I. 85—23535, 86—1673
Shmatov, A.A. *see* Strikha, V.I. 88—4580
Shmatov, A.A. *see* Torchinskaya, T.V. 87—12308
Shmatovich, C. Constructing reliable vehicles for digital signal transmission 85—1098
Shmatovich, C. Connector, cable crosstalk in controlled impedance cable assemblies 86—4463
Shmatovich, V.V. *see* Volkenau, V.A. 87—35690
Shmelev, A.B. Relationship between optimal filtering and interpolation of random signals in observations against a background of white Gaussian noise 86—23062
Shmelev, A.B. The quality of Markov filtering with inaccurate optimum processing algorithms 88—3038
Shmelev, G.M., Zheru, I.I., Nguen Hong Shon, Tsurkan, G.I. Influence of optical alignment of momentum on galvanomagnetic effects in layer semiconductors 85—18120
Shmelev, G.M. *see* Hguen Hong Shon 85—23451
Shmelev, G.M. *see* Kozhokaru, D.I. 86—6963
Shmelev, O.Ya. Amplifier-shaper for high-power radio-frequency pulses 87—37093
Shmelev, O.Ya., Prokop'ev, V.I. Quartz-crystal thermometer 86—70123
Shmelev, S.G. *see* Abarikhin, V.V. 86—44594
Shmelev, V.E. *see* Fedulin, V.N. 86—6502, 88—17298
Shmelev, V.E. *see* Pyatin, Yu.M. 86—31355
Shmelev, V.E. *see* Sbitnev, S.A. 85—41040, 87—5539
Shmelev, V.E. *see* Zabelin, A.I. 87—22059
Shmelev, V.M., Margolin, A.D. Optical losses in CO-GDL accompanying resonant self-absorption of the induced radiation 88—20535
Shmelev, V.M., Margolin, A.D. Resonant optical pumping of carbon monoxide by radiation from an electron-beam-controlled CO laser 88—27054
Shmelev, V.S. *see* Akimov, V.V. 85—9085
Shmelev, V.V. *see* Belonogova, L.Yu. 88—19912
Shmelev, Yu.V. *see* Chkalov, L.A. 85—5561
Shmeleva, A. *see* Batley, R. 86—25127
Shmeleva, A.P. *see* Baranov, A.M. 86—50447
Shmel'kin, A.D. *see* Genis, Ya.G. 85—27273
Shmel'kov, K.I. Choosing certain parameters of optoelectronic scanners 86—50101
Shmerlin, Ya., Tsubin, V., Kippasto, A. A computer-controlled generator of synchronizing pulses 85—56751
Shmid, O.I. *see* Makeev, S.N. 86—44380
Shmidel, N.A. *see* Varaksin, A.A. 86—36870
Shmidt, N.M. *see* Adomaitis, E. 87—61037
Shmidt, N.M. *see* Alferov, Zh.I. 85—14813
Shmidt, N.M. *see* Andreev, V.M. 85—61724, 86—48279
Shmidt, N.M. *see* Gorelenok, A.T. 85—62448, 86—22210, 88—25922
Shmidt, N.M. *see* Volkov, L.A. 88—60732
Shmigol', I.N. *see* Kropp, L.I. 85—48849
Shmilauer, Ya. *see* Ferster, M. 86—25412
Shmilevich, A.M. *see* Golovanov, V.V. 87—6378
Shmilevich, A.M. *see* Turetskii, A.E. 85—37792
Shmit-Tong *see* Tzuen-Luh Huang 88—44706
Shmizu, K. *see* Kato, Y. 88—30487
Shmoilov, A.V. On supply voltage regulation for the reduction of power losses 87—50737
Shmoilov, A.V. Calculating the available reactive power of synchronous generators, taking nonlinearity of the magnet system into account 88—37188
Shmonina, L.I. *see* Danilevich, Ya.B. 87—64539
Shmorgun, E.I., Bulyga, S.G., Gribok, N.I., Zdeb, V.B., Zorii, V.I., Ogirko, R.N., Putzylo, V.I., Yatsuk, V.A., Svitluk, V.M., Karabelash, A.E., Gul'ka, M.M., Luchanin, I.S. Panel multifunctional digital instrument of type A565 86—50139
Shmorgun, E.I., Bulyga, S.G., Zdeb, V.D., Ogirko, R.N., Yatsuk, V.A., Karabelesh, A.E., Luchanin, I.S., Svitlyk, V.M. General-purpose industrial A566 digital temperature meter 88—36121
Shmoys, D. *see* Dwork, C. 87—33854
Shmoys, D.B. *see* Hochbaum, D.S. 85—54277, 86—19998, 87—52030
Shmoys, J. *see* Fathy, A. 86—42942, 86—43078
Shmoys, J. *see* Liu, C. 85—41771
Shmoys, J. *see* Stalzer, H.J., Jr. 87—61434
Shmukler, B.I. *see* Krasheninnikov, V.V. 85—48853
Shmulevich, G.M. *see* Glagolev, I.A. 87—35243
Shmulovich, J. Electron-beam-pumped one-dimensional array of light emitters 87—3433
Shmulovich, J., Berkstresser, G.W. High-brightness one-dimensional array of electron-beam-pumped light emitters 86—31230
Shmulovich, J., Patel, J.S. Output coupling efficiency of a 1-D array of light emitters 86—63603
Shmulovich, J. *see* Berkstresser, G.W. 86—28977, 88—14020, 88—56231
Shmulovich, J. *see* Brandle, C.D. 88—11956
Shmundak, A. *see* Olman, V. 86—318
Shmygol, A.S. *see* Kulikov, S.A. 87—33800
Shmykov, V.N. *see* Konyashenko, Ye.A. 88—72476
Shmyreva, A.N. *see* Kirpatenko, L.T. 87—43425
Shmyreva, M.M. *see* Kuleshov, V.I. 88—75594
Shmyt'ko, I.M. *see* Agafonov, Yu.A. 86—58365
Shmyt'ko, I.M. *see* Borovikov, V.V. 88—26644
Shnaider, A.G. Imbalance of a rotor in a gas-magnetic suspension 85—32422
Shnaider, A.G. Questions concerning the axial stability of a thrust motor-bearing 86—66038
Shnaider, V.Z. *see* Sokol, V.M. 87—72157
Shnaiderman, L.M. A structural method for improving the accuracy of rotating transformers 88—30764
Shnaiderman, L.M., Aizenshtein, E.M. Experimental-analytical method for estimating the accuracy of rotating transformers [measurement transformers] 85—43057
Shnaiderman, L.M., Aizenshtein, E.M., Yurevich, V.M. A circuit technique for improving the accuracy of rotating transformers 86—51683
Shnayderman, M.G. *see* Borisov, B.P. 86—37603
Shneerson, E.M. The dynamics of digital relaying responding to components of mutually orthogonal functions 85—32234
Shneerson, E.M. Analysis of the tripping characteristics of remotely-operated protection devices for three-phase networks 86—32711
Shneerson, E.M. Analysis of digital relay elements for frequency deviation in a power system 87—9218
Shneerson, E.M. Influence of incompletely-phasal conditions of extensive overhead power lines on the behaviour of remote-control elements for protection against interphase short circuits 87—64179
Shneerson, E.M. Input impedance loci of a synchronous generator for steady-state asynchronous conditions 88—37189
Shneerson, E.M., Fedorov, E.K., Birg, A.N. Modern remote protection equipment for transmission lines 87—9187
Shneerson, E.M. *see* Birg, A.N. 86—6407, 86—45011
Shneerson, E.M. *see* Fedorov, E.K. 86—32754, 86—58095, 88—69646
Shneerson, E.M. *see* Polyakov, V.G. 86—25632
Shneerson, G.A. Long solenoids with a force-free winding without external stress relieving conductors 87—7507
Shneerson, G.A. *see* Adam'yan, Yu.E. 87—9163
Shneerson, G.A. *see* Alfeev, E.B. 88—16600
Shneerson, G.A. *see* Belogorskii, V.V. 87—21300
Shneerson, G.A. *see* Bocharov, Yu.N. 88—40498
Shneerson, G.A. *see* Chubanova, Yu.A. 86—46622
Shneerson, G.A. *see* Demichev, V.F. 88—40471
Shneerson, G.A. *see* Grigor'ev, A.V. 85—61475
Shneerson, G.A. *see* Novgorodtsev, A.B. 85—41556
Shneiberg, Ya.A. *see* Venikov, V.A. 85—21218
Shneider, A.A. Classification analysis of heuristic algorithms for graph coloring 85—60858
Shneider, A.A., Kardash, S.N. Algorithms for synthesizing single-tier circuits from PLAs 88—56556
Shneider, A.G. *see* Ivanov, N.A. 87—46820
Shneider, M.Ye. *see* Alekseyev, Yu.V. 88—7031
Shneider, Yu.A. *see* Egorov, D.F. 86—18367
Shneidman, M.I. *see* Terent'ev, V.V. 88—44826
Shneier, M.O. *see* Hong, T.-H. 87—62306
Shneier, M.O. *see* Tsai-Hong Hong 86—4048
Shnell, R.V., Kartavtsev, V.V. Analysis of economical zones corresponding to nominal transmission line voltages 85—9509
Shnell', R.V., Lovyagin, V.F. Identifying the parameters of models for the routes of transmission lines 86—56406
Shnell, R.V., Stogov, V.M. Selecting conductor cross section for transmission lines in the presence of indeterminacy 88—23486
Shnell, R.V., Voropaev, P.V. A modified method for the numerical integration of the equations of state of circuits with distributed parameters 87—44510
Shnell, R.V., Voropaev, P.V. Analysis of the sensitivity function of long-distance transmission circuits 88—75141
Shneps, M.A. *see* Petrov, A.F. 87—76212
Shneps, M.A. *see* Vrazhnov, V.N. 85—41813
Shneps-Shneppe, M.A., Ozols, A.A. Normalization of the load of long-distance telephone channels taking redialling into account 85—8237
Shneps-Shneppe, M.A., Petrov, A.F. Optimization of the quality of service of a toll telephone network 88—3292
Shnidere, L.Ya. Thermophysical study of electrical machines under heavy-duty operating conditions 87—9871
Shnidman, D.A. *see* Kiang, J.F. 87—26754
Shnip, A.I. *see* Kolpashchikov, V.L. 86—2707, 87—36824
Shnir, M.A. *see* Shats, Yu.Ya. 88—14989
Shnirman, G.L. Certain problems of remote calibration of magnetoelectric seismometers 86—44782
Shnirman, M.G. *see* Kushnir, A.F. 86—6075
Shnitko, V.T. *see* Lakhodanov, S.V. 85—6185
Shnitman, M.N. *see* Branzburg, E.Z. 87—78174
Shnitnikov, A.S., Filatov, N.I. Behavior of a microwave limiter diode within the working frequency band and outside the band 88—71032
Shnitnikov, A.S. *see* Filatov, N.I. 87—66484
Shnitnikov, A.S. *see* Lebedev, I.V. 85—23139, 87—17311, 88—63912
Shnur, I.I. *see* Arabadzhi, V.I. 88—60559

Shnuriger, J.C. *see* Eaton, T.W. 86−32134
Shnypkin, A.G. *see* Akulina, G.A. 86−36557
Shnyrev, E.F. *see* Yakhnin, V.G. 86−23660
Shnyrev, G.D. *see* Belousov, Yu.N. 86−22610, 87−19208, 87−68691
Shnyrev, Ye.F. *see* Bylinkin, V.P. 87−76937
Shnyrkov, V.I., Tsoi, G.M., Kozyr', A.G., Glyantsev, V.N. RF SQUID of 10^{-28} J/Hz sensitivity at nitrogen temperature 88−58028
Shnyrkov, V.I. *see* Dmitrenko, I.M. 85−29493, 85−35339, 85−50876, 88−13717
Shnyrkov, V.I. *see* Verkin, B.I. 88−26704
Sho Sang-Ho *see* Sang-Ho Sho
Shoaee, H. *see* Higo, T. 88−53995
Shoaee, H. *see* Hutton, A.M. 86−31892
Shoaee, H. *see* Jager, J. 86−24856
Shoaee, H. *see* Jobe, R.K. 88−54157
Shoaee, H. *see* Kheifets, S. 85−26613
Shoaee, H. *see* Phinney, N. 88−54181
Shoaee, H. *see* Ross, M.C. 88−54160
Shoaee, H. *see* Sheppard, J.C. 88−54097
Shoaee, H. *see* Woodley, M.D. 88−54159
Shoaf, M.L. *see* Wilson, R. 86−6479
Shoamanesh, A. *see* Wachira, M. 88−9496
Shoap, S. Build a robotic vision system with a digital signal processor 88−59202
Shoat, D.B. *see* Watts, M.P. 87−71139
Shobatake, K. *see* Hayasaka, N. 87−67108
Shobatake, Y. *see* Purba, S.H. 87−3015
Shobha, B. *see* Sharma, O.P. 88−38056
Shobu, M. *see* Kobayashi, Y. 88−4507
Shobu, M. *see* Minato, T. 87−8638
Shobu, M. *see* Tsuboi, T. 88−4335
Shocher, M. *see* Amidei, D. 88−54400
Shochet, M. *see* Amidei, D. 86−50416
Shochet, M. *see* Amidel, D. 88−29913
Shochet, M. *see* Sanders, H. 86−50430
Shockley, F. Repair of printed circuits 85−28817
Shockley, P. *see* Lagerkvist, M. 86−12407
Shockley, P.R. *see* Bahrman, M.P. 87−35559
Shockley, P.R. *see* Wu, C.T. 86−12912
Shockley, W. The path to the conception of the junction transistor 85−12255
Shoda, E. Present state and perspectives of the new traffic system 87−79024
Shoda, I. *see* Onuki, K. 86−40270
Shoda, T. F net−facsimile network service 87−76260
Shodmonkulov, T.D. *see* Mitin, I.V. 88−36373
Shoemaker, A.C., Kacker, R.N. A methodology for planning experiments in robust product and process design 88−49480
Shoemaker, A.C. *see* Kackar, R.N. 87−23367
Shoemaker, A.C. *see* Leon, R.V. 88−11786
Shoemaker, F.C. *see* Biino, C. 86−38719
Shoemaker, G.H.N., Ko, W., Michael, W., Lander, R.L., Pellett, D.E., Yager, P.M., Smith, J.R., Cain, M.P., Maeshima, K., Williams, M.C.S. A three-view segmented hadron calorimeter 86−38710
Shoemaker, K. 16-bit μP with integrated periphery Intel 80186/80188: CPUs of the latest generation 85−28568
Shoemaker, K. *see* Keating, T.J. 86−14241, 86−52856
Shoemaker, R.L. *see* Kuhn, W.P. 88−61311
Shoemaker, R.L. *see* Liao, C. 85−35533
Shoemaker, R.L. *see* Seaton, C.T. 85−18649
Shoemaker, R.L. *see* Valera, J.D. 85−18648
Shoemaker, S., Fisher, L., Crane, L. Ionic contaminant cleaning of dry film solder masked high reliability boards 88−19523
Shoemaker, T.M. Good training prevents electrical injuries 87−36368
Shoenfelt, J.E. *see* Gorin, A.L. 87−19466
Shoenfelt, J.E. *see* Kuzmak, S.D. 88−59119
Shoenwetter, H.K. Design and characterization of a programmable step generator with very fast settling performance 87−14356
Shoesmith, T., Sharples, G. Target acquisition using multispectral sensors 87−56267
Shoffa, V.N. Analysis of open bridge magnetic systems 85−20659
Shoffa, V.N., Chicheryukin, V.N. Design of open-circuit multi-function magnetic systems for master controllers employing an equivalent-solenoid approach 88−51372
Shoffstall, D. *see* Robinson, K.E. 87−75137
Shoffstall, D. *see* Slater, J. 87−2164
Shoffstall, D.R., Gallagher, W.J. On the relative merits of travelling-wave and resonant operation of linacs 86−25021
Shoffstall, D.R. *see* Adamski, J.L. 86−31806, 86−31819
Shofman, S.G. *see* Gorfinkel', V.B. 85−55425, 87−17757
Shoful, A.K. *see* Kalinichenko, S.P. 87−78696, 88−37240
Shoga, M., Adams, P., Chenette, D.L., Koga, R., Smith, E.C. Verification of single event upset rate estimation methods with on-orbit observations [RAMs] 88−25186
Shoga, M., Binder, D. Theory of single event latchup in complementary metal-oxide semiconductor integrated circuits 87−32711
Shoga, M.A. *see* Nichols, D.K. 87−32709
Shogan, R.P., Yanichko, S.E., Galloway, W.S. The use of reconstituted Charpy specimens to extend R.E. Ginna reactor pressure surveillance data 86−51219
Shogen, K. An analysis of the elliptical corrugated horn for circularly polarized wave feed 86−64145
Shogen, K. *see* Toyama, N. 85−30100
Shogenji, K. *see* Okazaki, T. 86−8784
Shoham, Y. Vector predictive quantization of the spectral parameters for low rate speech coding 87−61771
Shoham, Y., Gersho, A. Pitch synchronous transform coding of speech at 9.6 kb/s based on vector quantization 85−19395
Shoham, Y., Gersho, A. Efficient codebook allocation for an arbitrary set of vector quantizers 86−16150
Shoham, Y. *see* Cox, R.V. 88−41446
Shohata, N., Matsubara, S., Miyasaka, Y., Yonezawa, M. Epitaxial growth of $PbTiO_3$ on $MgAl_2O_4$/Si substrates 87−52150
Shohata, N. *see* Croteau, A. 88−24799
Shohata, N. *see* Matsubara, S. 86−46367
Shohet, J.L. *see* Tully, L.A. 88−39231
Shoichi Kudoh *see* Kazutoshi Sawada 86−31512
Shoidin, S.A. *see* Sander, E.A. 86−9984
Shoji, A. A study of Josephson tunnel junctions with niobium nitride thin films as electrodes 88−51394
Shoji, A., Aoyagi, M., Kosaka, S., Shinoki, F. Fabrication of NbN/MgO/NbN/MgO/NbN Josephson tunnel junctions 88−13737
Shoji, A., Aoyagi, M., Kosaka, S., Shinoki, F. Niobium nitride Josephson junctions with double-tunnel barriers 88−20278
Shoji, A., Aoyagi, M., Kosaka, S., Shinoki, F., Hayakawa, H. Niobium nitride Josephson tunnel junctions with magnesium oxide barriers 85−46055
Shoji, A., Aoyagi, M., Shinoki, F. Fabrication of niobium nitride Josephson tunnel junctions which can be operated at 15 K 88−43940
Shoji, A., Hayashi, Y. Measurement of minority carrier life time in solar grade crystalline semiconductor materials 87−60087
Shoji, A. *see* Aoyagi, M. 85−24231, 88−20308
Shoji, A. *see* Kosaka, S. 85−54824, 87−73127
Shoji, A. *see* Koyanagi, M. 88−13729
Shoji, A. *see* Morohashi, S. 85−56167
Shoji, A. *see* Nakanishi, M. 87−63383, 88−16454
Shoji, A. *see* Niemeyer, J. 86−58714
Shoji, A. *see* Tahara, S. 86−27227
Shoji, H., Arakawa, Y., Fujii, Y. Lasing wavelength dependence of bistable operation in inhomogeneously excited semiconductor lasers 87−61170
Shoji, H., Arakawa, Y., Fujii, Y. New bistable wavelength switching device using a two-electrode distributed feedback laser 88−65416
Shoji, H. *see* Ohki, S. 87−59643
Shoji, H. *see* Solomonow, M. 86−50120, 86−56135
Shoji, H. *see* Watanabe, H. 88−40054
Shoji, K. CCD imager and system IC's for solid state camera 88−4453
Shoji, K. A method for real-time range-gated imaging 88−52596
Shoji, K., Ando, H. Development of VLSI layout CAD system VILLA 87−6803
Shoji, K., Arai, K. A method for extracting 3-D information using a rotating camera 88−42295
Shoji, K., Hayashi, S., Shimizu, T., Matsuno, T. Echo enhancement for marine radar by new display techniques 85−47592
Shoji, K., Iijima, Y., Hayashi, S. Improvement of echo signals in navigational radars−achievements and prospective view 86−30897
Shoji, K., Nagayama, S., Arai, T. Video signal analyzer 86−50008
Shoji, K., Otake, M., Arai, T., Ishii, J. Digital video generator MG6301A/B/C 88−67911
Shoji, K., Uehara, Y. Preparation and properties of grain-orientation $Bi_4Ti_3O_{12}$ ceramics by cold-uniaxial pressing method 86−26925
Shoji, K., Uehara, Y. Preparation and properties of grain-orientation $Bi_4Ti_3O_{12}$ ceramics by cold-uniaxial pressing method 87−65578
Shoji, K. *see* Fujioka, Y. 88−16296
Shoji, K. *see* Imura, I. 86−65188
Shoji, K. *see* Suzuki, H. 86−54309
Shoji, M. FFT scaling in Domino CMOS gates 86−20444
Shoji, M. Elimination of process-dependent clock skew in CMOS VLSI 87−6883
Shoji, M. Reliable chip design method for high performance CMOS VLSI 87−46214
Shoji, M., Nagai, A., Murayama, N., Obi, Y., Fujimori, H. Magneto-optical properties of PtMnSb films prepared by RF magnetron sputtering 88−33494
Shoji, M., Rolfe, R.M. Negative capacitance bus terminator for improving the switching speed of a microcomputer databus 85−61305
Shoji, M. *see* Akashi, Y. 86−58014
Shoji, M. *see* Berenbaum, A. 87−59605
Shoji, M. *see* Berenbaum, A.D. 88−6897
Shoji, M. *see* Murata, M. 88−19141
Shoji, M. *see* Tsuchida, Y. 86−71139
Shoji, S., Esashi, M., Matsuo, T. M_2O-Al_2 O_3-SiO_2 glass gate pNa, pK ISFET 85−64139
Shoji, S., Esashi, M., Matsuo, T. Prototype of micro ISFET for biomedical researches 86−11933
Shoji, S., Esashi, M., Matsuo, T. M_2O-Al_2O_3-SiO_2 glass gate pNa and pK ISFETs 87−56889
Shoji, S., Esashi, M., Matsuo, T. Prototype of micro ISFET for biomedical research 87−57057
Shoji, S., Esashi, M., Matsuo, T. Prototype miniature blood gas analyser fabricated on a silicon wafer 88−47494
Shoji, S., Esashi, M., Matsuo, T. Fabrication of an integrated microprobing head for fault analysis of MOS integrated circuits 88−47496
Shoji, S. *see* Kawanobe, T. 86−14766
Shoji, S. *see* Satoh, T. 85−47012
Shoji, S. *see* Takahashi, K. 87−14904, 87−63775
Shoji, S. *see* Yuasa, K. 87−36105
Shoji, T., Hishinuma, M., Yamamoto, T. Zinc−manganese dioxide galvanic cell using zinc sulphate as electrolyte. Rechargeability of the cell 88−75901
Shoji, T., Mochizuki, K., Fujita, S., Hiratate, Y. ZnS single crystal growth by iodine transport method and its electrical and optical characterization 85−60945
Shoji, T., Yono, H., Tsukada, M. DIPS communication control processor development 88−9309
Shoji, T. *see* Hirama, K. 87−32805
Shoji, T. *see* Hirano, M. 87−66287
Shoji, T. *see* Kato, S. 86−39126, 86−50991
Shoji, T. *see* Mashiko, K. 87−14642
Shoji, T. *see* Mesuda, E. 87−14078
Shoji, T. *see* Mochizuki, K. 86−7743
Shoji, T. *see* Nakajima, H. 88−43018
Shoji, T. *see* Ohba, K. 85−43221
Shoji, T. *see* Okaya, K. 87−47873
Shoji, T. *see* Sha, K. 86−27446, 87−37524
Shoji, T. *see* Takei, Y. 86−59448
Shoji, Y., Suzuki, T. Improved double integration delta-sigma modulations for A to D and D to A conversion 87−66280
Shoji, Y. *see* Baba, Y. 86−15341
Shoji, Y. *see* Yamauchi, A. 87−49853
Shokhin, E.A., Danilov, M.E. Investigation of the dielectric strength of high-voltage vacuum arc-control devices following deenergized switching 87−43294
Shokhin, E.A. *see* Danilov, M.E. 87−53089
Shokhudzhaev, N. *see* Akhmedov, D. 86−54090
Shokhudzhaev, N. *see* Eliseev, P.G. 85−24584, 87−2126 to 2127, 87−26412 to 26413
Shoki, H., Itoh, K. Analysis of a slot antenna cut on a finite conducting plane 85−30081
Shoki, H., Morooka, T., Kawabata, K., Ueno, M. A pattern synthesis method for a multiple beam reflector antenna with cluster feeds 86−68849
Shoki, H. *see* Yoshimoto, S. 86−64920, 87−28477
Shokin, A.A. *see* Zverev, G.M. 88−2201
Shokina, E.V. *see* Eremin, V.K. 88−4859
Shokina, E.V. *see* Verbitskaya, E.M. 88−61156
Shokolo, V.I. *see* Kravtsov, N.V. 88−45379
Shokooh, F., Knutson, H.M., Jr. Ampacity derating for underground cables 88−61930
Shokoohi, F.K. *see* Abeles, J.H. 87−74939
Shokoohi, F.K. *see* Zah, C.E. 87−75089
Shokoohi, S. Centralized fault location for digital transmission systems 85−42110
Shokoohi, S. Forward-looking surveillance of fiber optic transmission systems 86−55321
Shokoohi, S. Block-balancing of linear systems 88−6629
Shokoohi, S. *see* Chikte, S.D. 87−40195
Shokralla, S.S. *see* Hassanein, A.A. 88−17625
Sholley, C.B. A method to improve wavesoldering quality 87−6242
Sholley, M., Allen, B., Maas, S., Nichols, A. HEMT millimeter wave amplifiers, mixers and oscillators 87−38330
Sholley, M., Berenz, J., Nichols, A., Nakano, K., Sawires, R., Abell, J. 36.0-40.0 GHz HEMT low noise amplifier 86−8513
Sholley, M., Maas, S., Allen, B., Sawires, R., Nichols, A., Abell, J. HEMT MM-wave amplifiers, mixers and oscillators 86−20832
Sholley, M., Nichols, A. 60 and 70 GHz (HEMT) amplifiers 87−6135
Sholley, M.D., Allen, B., Nichols, A., English, D., Freitas, E., Tahim, R. 40 GHz millimeter wave downconverter 88−19393
Sholley, M.D., Nichols, A.S. HEMT millimeter-wave amplifiers 88−19392
Sholomov, L.A. Complexity of representation-of-choice functions as compositions. Asymptotic estimates of complexity characteristics 85−28106
Sholomov, L.A. On representation of a binary relation by a collection of criteria 85−39631
Sholomov, L.A. Complexity of the composition representation of choice functions. II. Tradeoff between realization parameters 85−60857
Sholomov, L.A. *see* Yudin, D.B. 86−40653
Sholtis, J.A., Jr. *see* Schnyer, A.D. 86−32460
Sholtis, J.A., Jr. *see* Wiley, R.L. 87−42127
Sholukh, A.V. *see* Blinov, V.N. 85−48480
Sholukh, A.V. *see* Nakhan'kov, A.A. 86−57631

Shoman, T. *see* Mogami, Y. 87−52070, 88−9970
Shomar, W. *see* Furht, B. 88−63719
Shombert, D.G., Harris, G.R. Use of miniature hydrophones to determine peak intensities typical of medical ultrasound devices 86−50767
Shombert, D.G. *see* Harris, G.R. 86−25461
Shombert, L.A., Siewiorek, D.P. Using redundancy for concurrent testing and repairing of systolic arrays 87−66149
Shombinov, E.K. *see* Asaubaev, K.Sh. 86−3962
Shome, N.R. *see* Biswas, B.N. 86−53040
Shome, T., Gole, A.M., Zarowski, C.Z., McLeod, R.D. Cascade implementation of the Walsh transform in silicon 88−736
Shomron, A. *see* Stewart, D.G. 85−57388
Shon, E.M., Hamberg, O. Packaging films for electronic and space-related hardware 86−26645
Shon, H.Y. *see* Jin, J.H. 88−19973
Shon Hguen Hong *see* Hguen Hong Shon
Shon Le Hong *see* Le Hong Shon
Shon Nguen Hong *see* Nguen Hong Shon
Shon Nguyen Hong *see* Nguyen Hong Shon
Shonaka, A. *see* Morimoto, M. 86−69373
Shone, F. *see* Goede, A.P.H. 88−45651
Shone, F.C., Hansen, S.E., Kao, D.B., Saraswat, K.C., Plummer, J.D. Modeling dopant redistribution in SiO$_2$/WSi$_2$/Si structure 87−45695
Shone, F.C., Saraswat, K.C., Plummer, J.D. Formation of 0.1 μm N$^+$/P and P$^+$N junctions by doped silicide technology 86−47848
Shone, M. The technology of YIG film growth 86−22024
Shone, M., Greenberg, B., Kaczenski, M. Vertical zone growth and characterisation of undoped and Na, P and Mn doped ZnSe 88−31715
Shone, M.F. *see* Loiacono, G.M. 86−36444
Shone Fu-Chia *see* Fu-Chia Shone
Shong Cong *see* Cong Shong
Shonin, L.N. *see* Podkopaev, K.P. 87−35239
Shoniya, V.M. *see* Zyablin, V.L. 87−29517
Shono, H. *see* Maeda, M. 86−25168
Shono, I. *see* Nakakita, T. 86−5011
Shono, K., Kang, R.-I. Bit-map CAD and electron-beam direct lithography for bottom-up IC design 87−74391
Shono, K., Kano, H., Koshino, N., Ogawa, S. Magneto-optical recording of sputtered garnet films using laser diode 88−51593
Shono, K., Kano, H., Koshino, N., Ogawa, S. Recording characteristics of sputtered garnet films by laser diode 88−51600
Shono, K., Kano, H., Koshino, N., Ogawa, S. Microstructure of sputtered garnet films for magneto-optical recording media 88−58273
Shono, K. *see* Amano, J. 85−16924
Shono, K. *see* Dumin, D.J. 87−60612
Shono, K. *see* Kano, H. 88−51599
Shono, K. *see* Kim, C. 85−54815
Shono, K. *see* Koide, H. 85−62031, 86−67990, 87−11927, 87−59069
Shono, K. *see* Miyazaki, R. 87−3306
Shono, K. *see* Park, S.-W. 87−38406
Shono, K. *see* Park, Sun-Woo 87−67052
Shono, K. *see* Sugiura, S. 85−22487, 85−50774, 86−21827
Shono, K. *see* Yoshida, T. 85−40484
Shono, M. *see* Yodoshi, K. 88−40238
Shono, Y., Inuzuka, T. New image transmission method using planar plates and rectangular fibers 85−29529
Shook, D.E. *see* Rice, R.E. 88−59541
Shook, R.L. Thermosonic wire bonding on single-layer polymer hybrid integrated circuits (POLYHICs) 87−45472
Shook, R.L. Thermosonic wire bonding on single-layer polymer hybrid integrated circuits (POLYHICs) 87−53080
Shooman, M.L. Independence bounds and approximations for system availability computations 86−261
Shooman, M.L., Laemmel, A.E. Simplification of Markov models by state merging 87−44071
Shoon Lau Yeong *see* Lau Yeong Shoon
Shoor, M.C.Van *see* Van Shoor, M.C.
Shoots, C., Loflin-Beres, L. Lofty locations for Peru's power systems 87−30448
Shopbell, M. Automated inter-equipment transport 87−36469
Shope, D. *see* Staszak, Z.J. 87−72847
Shope, D.A., Fahey, W.J., Prince, J.L., Staszak, Z.J. Experimental thermal characterization of VLSI packages 88−50982
Shope, S.L., Frost, C.A., Ekdahl, C.A., Freeman, J.R., Hasti, D.E., Leifeste, G.T., Mazarakis, M.G., Miller, R.B., Poukey, J.W., Tucker, W.K., Godfrey, B.B., Reinstra, W.W. Ion-focused transport of relativistic electron beams 87−21355
Shope, S.L., Frost, C.A., Leifeste, G.T., Crist, C.E., Kiekel, P.D., Poukey, J.W., Godfrey, B.B. Laser generation and transport of a relativistic electron beam 86−32056
Shope, S.L., Mazarakis, M.G., Miller, R.B., Poukey, J.W. The design of the accelerating gaps for the linear induction accelerator RADLAC II 88−54026
Shope, S.L., Tucker, W.K., Hasti, D.E., Poukey, J.W., Kamin, G.W., Rienstra, W.W. Acceleration and bending of a relativistic electron beam on the Sandia recirculating linac 88−54191
Shope, S.L. *see* Frost, C.A. 86−31960, 87−41789
Shope, S.L. *see* Mazarakis, M.G. 86−25030, 87−41788, 88−54017
Shope, S.L. *see* Miller, R.B. 88−25769
Shope, S.L. *see* Tucker, W.K. 88−54023
Shopsky, W.E. *see* Amendola, A.M. 85−53428
Shor, A. Design considerations for frequency hopping power amplifier 87−37042
Shor, A. Broadbanding techniques for TEM *N*-way power dividers 88−70997
Shor, A., Chayes, D. Navigation for surveys of the trans-Pacific fiber-optic cables 88−5200
Shor, A. *see* Waltham, C.E. 87−41864
Shor, A.M. *see* Litvinov, B.V. 88−69404
Shor, B.A. *see* Alekseev, L.F. 86−34514
Shor, I.Ya. *see* Levin, M.G. 87−51512
Shor, N.Z., Davydov, A.S. Method of obtaining estimates in quadratic external problems with Boolean variables 86−40645
Shor, S.W.W. Reliability risks in utility contracts for cogeneration capacity 86−61080
Shor, S.W.W. Earning contract capacity payments for cogeneration plants 87−51021
Shor, S.W.W. Design features for high peak-load availability in cogeneration plants 87−51052
Shor, S.W.W. Design features for high peak-load availability in cogeneration plants 87−78440
Shor, S.W.W. Earning contract capacity payments for cogeneration plants 87−78441
Shor, S.W.W. High availability is key to successful cogeneration 87−78524
Shor, S.W.W. Availability issues in power purchase from gas turbine cogeneration plants 88−11106
Shor, S.W.W. *see* Ashley, G.K. 88−62004
Shoraka, F., Gealer, C., Bettez, E. Finite element analysis of compliant coating 88−63060
Shoraka, F., Kinsman, K., Natarajan, B., Gealer, C. Package and molding compound mechanics 87−36515
Shoraka, F. *see* Shea, J.J. 85−23154
Shore, A. MCCBs and the 15th edition 88−11314
Shore, B.T. *see* Szczepanek, A. 86−10820
Shore, D. *see* Vaughan, J. 85−50103
Shore, D.E., Mansour, M.N., Larsen, L.L., Chogyoji, R.H. Utilization of landfill gas in a utility boiler 86−32916
Shore, H. Simple general approximations for a random variable and its inverse distribution function based on linear transformations of a nonskewed variate 86−46170
Shore, J. Interactive signal processing with UNIX 88−52470
Shore, J.E. On a relation between maximum likelihood classification and minimum relative-entropy classification 85−30136
Shore, J.E. State spaces and initial estimates in minimum relative-entropy inversion with application to spectrum analysis and image enhancement 88−34544
Shore, J.E. *see* Buck, J.T. 86−10297
Shore, J.E. *see* Burton, D.K. 85−46729, 86−10279
Shore, K.A. Model for semiconductor laser structures incorporating longitudinal and transverse variations 85−29837
Shore, K.A. Optical switching properties of semiconductor lasers: analysis in canonical form 85−29841
Shore, K.A. Stability of self-pulsing due to Hopf bifurcation in semiconductor lasers 86−3154
Shore, K.A. Optical and electronic control of Hopf bifurcation in twin-stripe semiconductor lasers 87−33172
Shore, K.A. Non-linear dynamics and chaos in semiconductor laser devices 87−33210
Shore, K.A. Static and dynamic bifurcations in semiconductor lasers for device application 87−68623
Shore, K.A. Instabilities in twin-stripe laser diodes 87−75114
Shore, K.A. Small signal amplification in semiconductor lasers 88−40236
Shore, K.A. Amplification properties of dynamic instabilities: Hopf bifurcation in semiconductor lasers 88−51899
Shore, K.A. Non-linearities in laser diodes 88−58551
Shore, K.A., McCall, M.W., Asgharzadeh, A. Dressed resonance frequency for semiconductor lasers 88−45414
Shore, K.A., Rozzi, T. Bimodal switching behaviour in laser diodes 87−75112
Shore, K.A., Sharma, J. Optical fields in active semiconductor devices 85−35800
Shore, K.A. *see* Buckley, D. 87−33173
Shore, K.A. *see* Lambkin, P. 88−72116
Shore, K.A. *see* Lambkin, P.M. 88−58212
Shore, K.A. *see* McCall, M.W. 88−51803
Shore, K.A. *see* Rozzi, T.E. 85−24566
Shore, K.A. *see* Sarma, J. 85−41193, 86−15590, 88−39984
Shore, N.L., Zveiter, E., Branco, A.C. Commissioning of the Itaipu HVDC transmission system 86−12403
Shore, P. Sony ICF-7600DA receiver 87−70208
Shore, P. Radio Data System 88−22255
Shore, P. Sony ICF-PRO80 [radio receiver] 88−35365
Shore, R. *see* Steyskal, H. 86−64076
Shore, R.A. A simple derivation of the basic design equation for offset dual reflector antennas with rotational symmetry and zero cross polarization 85−24934
Shore, R.A. Sidelobe sector nulling with minimization of weight perturbations 87−26951
Shore, R.A., Yaghjian, A.D. Incremental diffraction coefficients for planar surfaces 88−45664
Shore, R.A. *see* Franchi, P.R. 88−2834
Shore, R.A. *see* Haupt, R.L. 85−13402, 85−51511
Shore, R.A. *see* O'Brien, M.J. 85−13426
Shore, R.A. *see* Prata, A., Jr. 88−2728
Shore, R.A. *see* Rusch, W.V.T. 87−27024
Shore, R.A. *see* Steyskal, H. 86−64050
Shore, R.S., Pierre, D.A. Sidelobe sector nulling with minimized phase perturbations 86−42938
Shore, T. The t distribution—a derivation, calculation of probabilities, and computer programs 88−6363
Shores, M.W. Uncommon shield techniques 86−29450
Shores, M.W. Improved technique for measuring induced bridgewire current 87−29223
Shorgen, M. *see* Cappy, A. 86−2219
Shori, R.K. *see* Steier, W.H. 86−69109
Shorin, K.N. *see* Molchanov, S.S. 86−32097
Shorin, K.N. *see* Moroz, E.M. 87−35282, 87−70972, 88−54091
Shorin, K.N. *see* Orlov, V.A. 86−44497
Shorin, V.F. *see* Bordina, N.M. 86−22235
Shorin, V.P., Zhuravlev, O.A., Logak, L.G., Medinskaya, L.N., Fedosov, A.I. Holographic apparatus for study of two-phase flows 86−70244
Shorin, V.P., Zhuravlev, O.A., Medinskaya, L.N., Rybin, V.A., Tokarev, V.V. Laser visualisation of the pattern of distribution of liquid in the spray of an atomiser 88−37064
Shorin, V.S. *see* Gamayunov, S.N. 87−50161
Shorm, R. Development of radioelectronics in Czechoslovak Socialist Republic 87−48872
Shorney, F.L., Grobmyer, W.P., Taylor, G. Zero discharge water treatment design has high reliability 86−19081
Shornikov, E.A. Use of the A351-11 microprocessor for calculating natural gas and air flow rates and steam heat flux 88−36285
Shornikov, E.A. *see* Barabanov, O.A. 86−44264
Shorokhov, O.A. *see* Aver'yanov, N.E. 86−58868
Shorov, V.I. *see* Popov, P.A. 85−33557
Shorr, G. *see* Howe, R.M. 88−68715
Shorrab, R., Razek, A. Modelling of homopolar alternators associated with static converters 86−66051
Shorrock, D. Spread spectrum technology for data transmission 86−49558
Shorrock, D. The impact of satellites [on VANS] 86−55278
Shorrock, D. Visual systems—the state of the art 87−14209
Shorrock, D.J. VSAT network economics in the UK 87−28535
Shorrock, G. An integrated bipolar 200 Mbit/s data regenerator 88−12478
Shorrock, L.D. *see* Pert, G.J. 85−7357
Shorrock, R.S., Atherton, E.J. The generation of stable hydraulic pressures in calibration systems 88−10166
Shorrocks, N.M., Whatmore, R.W., Robinson, M.K., Porter, S.G. Low microphony pyroelectric arrays 87−21096
Shorrocks, N.M. *see* Humphrey, K.J. 87−53810
Shorshorov, M.Kh., Bulychev, S.I., Kulapov, A.K., Kravchenko, V.I., Fedyunina, A.S. Microhardness of thin ductile coatings 85−49591
Short, D. *see* Summerscales, J. 88−12126
Short, D.L., Shell, G.S.G. Fundamentals of Clark membrane configuration oxygen sensors: some confusion clarified 85−14767
Short, D.L., Shell, G.S.G. Pulsing amperometric oxygen sensors: earlier techniques evaluated and a technique implemented to cancel capacitive charge 85−20597
Short, D.W. *see* Iida, T. 88−33728, 88−58096
Short, G. Superconductivity: further outlook warmer 88−33556
Short, G. The promising future of superconductors 88−51382
Short, G., Preston, T., Asal, M. Bit-map controllers 86−1177
Short, G., Preston, T., Asal, M. An introduction to the Graphics Systems Processor 88−63718
Short, G., Turek, J., Roskell, D., Simpson, R. Testability in the TMS34010 graphics systems processor 87−59586
Short, G.W., Smith, V. The box loop [antenna] 87−54688
Short, J. Where lies the value? [value added services] 85−30530
Short, K.L. Microprocessors and programmed logic. Second edition 87−51720

Short, K.L., Sarpa, E.J., Shapiro, S.D. An innovative program of university/industry cooperation in microprocessor education 86—52169
Short, K.L., Jr. *see* Aylor, J.H. 86—25187
Short, K.T., Chakrabarti, U.K., Pearton, S.J. Ultra-thin p$^+$ layers in GaAs 88—7468
Short, K.T., Chivers, D.J., Elliman, R.G., Liu, J., Pogany, A.P., Wagenfield, H., Williams, J.S. Ion-beam-induced damaging and dynamic annealing processes in silicon 85—18208
Short, K.T. *see* Chakrabarti, U.K. 88—31503
Short, K.T. *see* Elliman, R.G. 85—16954
Short, K.T. *see* Pearton, S.J. 88—31751, 88—44583, 88—64379
Short, K.T. *see* Vernon, S.M. 87—53346, 88—38206
Short, K.T. *see* White, A.E. 87—25103, 88—6484, 88—44696, 88—71963
Short, L.G. Level III interactive videodisc: trade show flash and substance 88—9805
Short, M. *see* Reynolds, G.A. 85—51720
Short, M.J. *see* Johnson, R.B.I. 87—15135
Short, N.J. *see* Cutherbertson, G.M. 87—20958
Short, R. *see* Ural, H. 87—20207
Short, R.C. Software validation for railway signalling and train control systems 87—79139
Short, R.D. *see* Chapman, W.W. 86—30575
Short, R.J. The DASS needs you—an update on the activities of the DASS [electronic systems design automation] 87—25479
Short, W.A. Comparison of international and US classification of hazardous areas [petroleum industry] 86—40337
Shorte, K. Design package for PCs covers schematic capture through board layout 85—33573
Shorter, J.B. *see* Degenkolb, E. 86—9027
Shorter, S.C., Bridge, B. Design, manufacture and performance of narrowband ultrasonic immersion probes for multiple frequency operation in the range 3-170 MHz 86—44828
Shorthose, M. *see* Schwarz, K.K. 85—10157
Shorthose, R.J. *see* Dennis, J. 88—61763
Shorthouse, G., Walton, B. Precision printing for high density interconnections 88—1223
Shortridge, T. *see* Cressman, P.J. 87—46596
Shortt, D.J., Carter, R.A., Lee, F.C.Y. A transistorized chopper-inverter controller for electric vehicle propulsion 86—26372
Shortt, D.J., Michael, W.T., Avant, R.L., Palma, R.E. A 600 W four stage phase-shifted-parallel DC-to-DC converter 86—12115
Shortt, D.J., Michael, W.T., Avant, R.L., Palma, R.E. A 600 W four-stage phase-shifted-parallel DC-to-DC converter 87—71253
Shortt, D.J. *see* Avant, R.L. 85—61113, 86—7988
Shortt, D.J. *see* Christoph, K.J. 88—75807
Shoshenkov, V.D., Gelbras, V.A., Guslyannikov, S.D., Varady-Szabo, I., Kerecsen, I. Centralized supervisory and control system for microwave links (hardware and software), joint work of NIIR-USSR and TKI-Hungary 88—60010
Shoshin, S.A. *see* Rodina, L.P. 87—73665
Shoshin, V.M. *see* Bobylev, Yu.P. 85—51223
Shostak, A.S. *see* Duma, A.R. 87—23773
Shostak, I.V., Gorodetskiy, S.E. A method of tuning the output oscillatory system of a high-power SW transmitter at frequencies above the resonance frequency of the plate circuit 87—49242
Shostak, I.V., Gorodetskiy, S.E. Effect of antenna—feeder and oscillatory—system parameters on transmitter output circuit operation 87—63121
Shostak, V.A., Sharaevskii, V.N. Electrical strength of a vacuum gap during the action of charged particles on an anode 87—53090
Shostak, V.A. *see* Belyaev, V.K. 85—20771, 86—5659
Shosteck, H. Cellular technologies of 1995 and the interim profit potentials 87—3107
Shotov, A.E. *see* Leont'ev, D.I. 88—58004
Shotov, A.P., Selivanov, Yu.G. PbS/PbSSe/PbSnSe heterostructure lasers with a quantum-well active region 87—61163
Shotov, A.P., Selivanov, Yu.G. PbS/PbSSe/PbSnSe heterostructure lasers with separate electron and optical confinement fabricated by molecular epitaxy 87—75110
Shotov, A.P. *see* Astakhov, V.I. 88—68631
Shotov, A.P. *see* Boichenko, V.L. 85—2416
Shotov, A.P. *see* Itskevich, E.S. 86—67707, 88—12965
Shotov, A.P. *see* Kucherenko, I.V. 85—23413
Shotov, A.P. *see* Nadezhdinskii, A.I. 85—56654
Shotov, A.P. *see* Selivanov, Yu.G. 88—34051
Shotov, A.P. *see* Sinyatynskii, A.A. 85—51191
Shotov, A.P. *see* Zasavitskii, I.I. 86—28005
Shotov, A.P. *see* Zhdan, A.G. 87—3714
Shott, J. *see* Bousse, L. 88—26505
Shott, J. *see* Schmitt, J.M. 85—48266
Shott, J.D. *see* Gross, S.J. 85—48269
Shott, J.D. *see* Harame, D.L. 85—43335, 87—70564
Shott, J.D. *see* Hughes, R.A. 87—25454
Shott, J.D. *see* Pfiester, J.R. 85—40903
Shott, J.D. *see* Rafferty, C.S. 87—17888
Shott, J.D. *see* Schafft, H.A. 87—38159
Shott, J.D. *see* Shapiro, F.B. 85—48268
Shott, J.D. *see* Singh, H.J. 85—34810
Shott, J.D. *see* Smith, M.J.S. 85—43334
Shottan, S., Hill, D., Frederickson, G., White, J.K. Overcoming a performance bottleneck: The design of the Regulus system 88—26466
Shotter, A.C. *see* Anthony, I. 86—32209
Shotter, A.C. *see* MacGregor, I.J.D. 88—22925
Shotter, A.C. *see* Yorkston, J. 88—22926
Shotzman, G. *see* Colvin, J.C. 88—68232
Shotzman, G. *see* Fan, M. 88—54306
Shou Liu *see* Liu Shou
Shou Shao-Han *see* Shao-Han Shou
Shou-Gong Zhang *see* Zhang Shou-Gong
Shou-ichi Uchino, Iwayanagi, T., Ueno, T., Hashimoto, M., Nonogaki, S. A novel, diazonium-phenolic resin two-layer resist system utilizing photoinduced interfacial insolubilization 88—13241
Shou-jiao Wang *see* Wang Shou-jiao
Shou-jue Wang *see* Wang Shou-jue
Shou-ling Li *see* Li Shou-ling
Shou-Mao Lu *see* Lu Shou-Mao
Shou-qing Xue *see* Xue Shou-qing
Shou-she Wang *see* Wang Shou-she
Shou-sheng Tung *see* Tung Shou-sheng
Shou-song Li *see* Li Shou-song
Shou-wu Wang *see* Wang Shou-wu
Shou-Xian Fang *see* Fang Shou-Xian
Shou-Xian She, Li Qiao Analysis of three channel waveguide directional couplers by a variational method and weighted residual method 88—65326
Shou-yi Xu *see* Xu Shou-yi
Shou-Yih Wang *see* Sun-Yuan Huang 86—68235
Shou-yin Wang *see* Wang Shou-yin
Shou-yu Zhang *see* Zhang Shou-yu
Shou-zhen Zhao *see* Zhao Shou-zhen
Shoucair, F.S. Small-signal drain conductance of MOSFET in saturation region—a simple model 86—35674
Shoucair, F.S. Design considerations in high temperature analog CMOS integrated circuits 87—11964
Shoucair, F.S. CMOS logic cell switching speed thermal characterisation 87—46182
Shoucair, F.S., Early, J.M. High-temperature diffusion leakage-current-dependent MOSFET small-signal conductance 85—18335
Shouchang, Z. *see* Wei, H. 88—61370
Shouchuan Hu, Leela, S. Periodic boundary value problem for integrodifferential equations of Hammerstein type 88—31687
Shouchun Han *see* Han Shouchun
Shouchun Li *see* Li Shouchun
Shoucri, M.M. Dispersion relation for a large-orbit gyrotron 87—32205
Shoucri, R., Benesch, R. On the computation of digital filter coefficients 87—47770
Shouda, M., Hamauchi, T., Yamamoto, M., So, M., Watanabe, K. Incircuit emulator for V70 microprocessor 88—19193
Shoudu Zhang *see* Zhang Shoudu
Shouduo Zhang *see* Zhang Shouduo
Shouggang Liu, Shichang Zhang, Zhoughac Yang, Zrading Cheng, Zhongbiao Ouyang Electrostatic electron cyclotron resonance maser (linear theory) 86—54063
Shough, D.M. *see* Kwon, O.Y. 88—42291
Shouji, K. *see* Andou, H. 86—21795
Shoujue Wang *see* Wang Shoujue
Shoukri, M., Tahir, A., Carver, M.B. Numerical simulation of two-phase flow in horizontal interconnected subchannels 87—9328
Shoukri, M.M. Simple Bayes test of equality of exponential means 88—31620
Shoults, R.R., Venkatesh, S.V., Helmick, S.D., Ward, G.L., Lollar, M.J. A dynamic programming based method for developing dispatch curves when incremental heat rate curves are nonmonotonically increasing 86—50839
Shoults, R.R. *see* Helmick, S.D. 85—59600
Shoults, R.R. *see* Nara, K. 85—48533
Shoults, R.R. *see* Su, D.T.-W. 85—59609
Shoults, R.R. *see* Vempati, N. 87—42445
Shoumiao Zhang *see* Zhang Shoumiao
Shoumin Yang *see* Yang Shoumin
Shoumura, N. *see* Kurobori, T. 86—63787
Shounan Zhao *see* Zhao Shounan
Shoup, M.J., III *see* Cerqua, K.A. 88—65115
Shoup, M.J., III *see* Kelly, J.H. 88—20609
Shouping Wei *see* Wei Shouping
Shoupu, C., Thakor, N.V. Recording blood coagulation: A microprocessor interface 86—50560
Shouqi Zheng *see* Zheng Shouqi
Shouren Guan *see* Guan Shouren
Shouren Xiong *see* Xiong Shouren
Shoureshi, R., Carey, D. Bond graph modeling of an electroacoustic transducer 87—35520
Shoureshi, R., Carey, D. Dynamic modelling of coupled electroacoustic systems using bond graph 87—50591
Shoureshi, R. *see* Wagner, J. 88—11509
Shouse, D.V. 'On the fly' CRC-16 byte-wise calculation for 8088-based computers 85—62966
Shousen Song *see* Song Shousen
Shousha, A.H.M. Effects of electron trapping on photoinjected currents in amorphous insulating films 85—12058
Shoushan Wang *see* Wang Shoushan
Shousun Chen *see* Chen Shousun
Shoutko, V. *see* Galaktionov, Yu. 87—8841
Shouwan Kang *see* Kang Shouwan
Shouwen Tang *see* Tang Shouwen
Shouwu Wang, Yiyang Zheng, Xiaolin Xi, Jinchang Zhang Computer simulation and experimental observation of the transformation between stationary and transit domains in a Gunn device 87—53464
Shouwu Wang *see* Wang Shouwu
Shouwu Waug *see* Waug Shouwu
Shouxian She, Li Qiao, Jingyi Wang Variational analysis of dual-channel directional couplers 88—39970
Shouxian She *see* Jingyi Wang 88—7925
Shouxian She *see* Li Qiao 88—33744
Shouxian She *see* She Shouxian
Shouxiang Hu *see* Hu Shouxiang
Shouxiang You *see* You Shouxiang
Shouxiang Zou *see* Zou Shouxiang
Shouxin Chen *see* Chen Shouxin
Shouxin Wang *see* Wang Shouxin
Shouxing Kang *see* Kang Shouxing
Shouxu Shi *see* Shi Shouxu
Shouyi Zhang *see* Zhang Shouyi
Shouyin Wang, Xiwu Fan Investigation on excitation processes of electroluminescence spots in forward-biased ZnSe MIS diodes 88—40095
Shouyong Shi *see* Shi Shouyong
Shouyou Yao *see* Yao Shouyou
Shouyu Wang *see* Wang Shouyu
Shouyun Zhang *see* Zhang Shouyun
Shouzao Gui *see* Gui Shouzao
Shouzeng Zhou *see* Zhou Shouzeng
Shouzhang Wu *see* Wu Shouzhang
Shouzheng Zhu *see* Zhu Shouzheng
Shouzhong Wang *see* Wang Shouzhong
Shouzu Wei *see* Wei Shouzu
Shovic, J.C. *see* Cameron, K.B. 88—19095
Shovic, J.C. *see* Maki, G.K. 87—2950
Shovkun, D.V. *see* Zverev, V.N. 86—54030
Shovkun, I.D. *see* Moskalyuk, V.A. 87—53451
Show, E. *see* Silver, N. 88—1427
Showalter, R.E., Snyder, C.H. A distributed *RC* network model with dielectric loss 86—66973
Showalter, R.R. *see* Loree, T.R. 86—68487
Showen Zou *see* Zou Showen
Showers, D.K. *see* Fechner, P.S. 86—21878
Showers, D.K. *see* Guckel, H. 88—53676
Showers, R.M., Peters, S. Development of models for the shield-ground adapter 88—14411
Showers, R.M. *see* Guo, J. 87—28349
Showers, R.M. *see* Peters, S.J. 88—15307
Showers, R.M. *see* Shaw-Yueh Lin 86—29466
Showers, R.M. *see* Shi, J. 86—33521
Showghi, C. Faults in parallel cables 86—61146
Shoya, K. *see* Satoh, T. 85—47012
Shoya, L.D. *see* Boiko, G.N. 86—42845
Shoyama, E. *see* Endo, K. 86—24936
Shoyama, M., Harada, K. Effects of magnetizing current of the transformer on dynamic characteristics in the push-pull DC-to-DC converter 85—576
Shoyama, M., Harada, K. On the dynamic characteristics of the push-pull DC-DC converter 86—26166
Shoyama, M., Harada, K. Dynamic characteristics of the push-pull DC to DC converter 86—51755
Shoyama, M., Harada, K. Output voltage ripple in the push-pull DC-to-DC converter 86—61628
Shoyama, M., Harada, K. Dynamic characteristics of the push-pull DC-DC converter 87—52330
Shoyama, M. *see* Harada, K. 86—33519, 86—67017, 87—36979, 87—52332, 87—72268, 88—30862
Shoyama, Y. Prototype LIM driven railcar for subways of smaller cross section tunnels 85—49166
Shpachuk, V.P. *see* Bozhko, A.E. 86—55836
Shpagin, Yu.V., Martynenko, L.G., Nerukh, A.G. Heating of a metal disk in a waveguide 85—62877
Shpak, D. *see* Bruton, L.T. 85—19539
Shpak, I.V., Kanchenko, V.A., Solomin, A.V. The investigation of ring laser characteristics versus scattering parameters 87—46941
Shpak, I.V., Klochko, A.I., Kostolomov, A.F., Gudelev, V.G., Yasinskii, V.M. Effect of anisotropy on He-Ne laser parameters at the beat frequency of orthogonally polarized waves 87—68369
Shpak, I.V., Solomin, A.V., Razgonyaev, I.V. The Fermi phenomenon of polarization in rotating ring lasers 86—22442
Shpak, I.V., Solomin, A.V., Razgonyaev, I.V. Nonreciprocal effects in rotating ring interferometers 87—18656
Shpak, I.V. *see* Vorontsov, V.I. 85—12907
Shpak, M.T. *see* Barmashenko, B.D. 85—62507
Shpak, M.T. *see* Gyulnazarov, E.S. 88—34172
Shpak, M.T. *see* Ilchishin, I.P. 88—33968
Shpak, V.D., Stoikova, L.S. Dual estimates for reliability characteristics of certain systems with protection given incomplete information on initial data 86—13543
Shpak, V.G. *see* Bykov, N.M. 86—27805
Shpak, V.G. *see* El'chaninov, A.S. 86—8694
Shpak, V.G. *see* Korovin, S.D. 86—58208
Shpak, V.G. *see* Skakun, V.S. 88—51748

Shpak, V.V., Kolesnikov, G.F. Methods and instruments for bioregulated electrostimulation of neuromuscular structures 88–68453
Shpak, Ye.V. *see* Gritsyuk, N.P. 86–63014
Shpak, Ye.V. *see* Ovsyannikova, L.P. 86–63013
Shpakov, V.I. *see* Alkhazov, I.D. 87–50175, 88–68285
Shpakov, V.P. *see* Bakhert, I.A. 87–23383
Shpakova, M.I. *see* Gordov, A.N. 85–60520
Shpakovskaya, L.P. *see* Boiko, B.T. 85–44172
Shpankin, V.A. *see* Petrovich, V.I. 87–4541
Shpan'on, P.A. *see* Belikov, V.A. 88–66491
Shpan'on, P.A. *see* Velikov, V.A. 85–46682
Shpany, V. Analysis of a memory element by the boundary-surface method 86–52834
Shparlinskii, I.E. Weight spectra of some codes 87–33610
Shpater, I. Compensating parasitic effects in microwave coupled lines filters 86–27564
Shpenik, Yu.O. *see* Vokhmin, P.A. 88–27053
Shpenov, M.N. *see* Titov, M.A. 87–27392
Shper, V.L. *see* Grigor'ev, A.M. 85–40673
Shper, V.L. *see* Grigorov'ev, A.M. 86–9063
Shperling, B.R. *see* Belyakov, N.N. 85–21160
Shperling, B.R. *see* Scherer, H.N., Jr. 85–59757
Shperling, I., McCluskey, E.J. Circuit segmentation for pseudo-exhaustive testing via simulated annealing 88–12339
Shperling, I. *see* El Gamal, A.A. 87–39639
Shpiganovich, A.N., Maslovskaya, T.N. Effects of reliability of magnetic drives and motors on the work of a drift mine conveyer 85–16534
Shpiganovich, A.N., Minovskii, Yu.P., Maslovskaya, T.N., Kozhevnikov, V.A. Mathematical characteristics of the work of transformer substations and electric drives of mining complexes 85–49242
Shpigel, A., Perl, J.M. An adaptive digital receiver for HF communication 88–46876
Shpigel, A. *see* Perl, J.M. 87–27548, 87–34351
Shpigel, A.R. Measurement of performance characteristics of PCM channels at audio frequencies 86–16070
Shpigler, L.A. *see* Gol'ts, M.E. 87–51516
Shpigler, L.A. *see* Litvin, N.S. 87–43115
Shpigler, S. *see* Peleg, K. 87–35209
Shpil'berg, G.I. *see* Katolikov, V.E. 88–43527
Shpil'berg, S.M. The intonation of a synthesized Russian speech and the vocabulary of an automated information system 85–19380
Shpilevoi, A.S. *see* Ivanov, S.Yu. 88–35758
Shpilevoi, B.N. *see* Gordeev, V.N. 86–14322, 88–837
Shpilevoi, V.T. *see* Baida, N.P. 86–1530
Shpilevskaya, L.I. *see* Baryshev, V.I. 86–33039
Shpilevskii, R.V. *see* Gulyaev, Yu.V. 85–46186
Shpilevskii, R.V. *see* Kutsaenko, V.V. 86–36218
Shpilevskiy, R.V. *see* Potapov, V.T. 85–7277
Shpil'ka, V.N., Sandratskii, N.V., Vovk, V.M. Two-phase code-controlled generator 87–16918
Shpilman, A. *see* Kehs, R.A. 85–23349
Shpil'rain, E.E. On the efficiency limit in conversion of the heats of fuel combustion products into work [power plants] 86–12650
Shpil'rain, E.E. The possibility of improving the efficiency of thermal power circuits through the chemical regeneration of heat 87–22117
Shpil'rain, E.E. *see* Malikov, M.M. 86–63767
Shpin', A.P. Secondary data-conversion methods for magnetostrictive displacement transducers 87–63333
Shpin', A.P. *see* Maslova, A.V. 86–2598
Shpinar, L.I., Yaskovets, I.I. Theory of conduction and Hall effect in inhomogeneous semiconductors 85–18047
Shpiring, K. *see* Ivanenko, A.I. 88–42055
Shpiro, Z., Malah, D. Design of filters for discrete short-time Fourier transform synthesis 86–8391
Shpitalni, M. *see* Elber, G. 88–73237
Shpitsberg, V.E. *see* Tsitsikyan, G.N. 87–35629
Shpock, S., Thomas, G.E. High magnetic field experiments with a microwave crossed-field amplifier 85–23331
Shpolyanskii, Yu.B. *see* Lyatkher, V.M. 88–5579
Shpon, V.D. *see* Beklemishchev, A.I. 88–47485
Shpunt, V.Kh. *see* Kalmykova, N.P. 87–53202
Shpuntov, A.I. *see* Lapides, A.A. 86–16537
Shpuntova, A.D. *see* Gamburg, E.A. 88–74162
Shpurik, V.N. *see* Drozdov, V.N. 85–40526
Shpynev, G.P. *see* Anikin, M.M. 85–55767
Shrader, J.E. Effect of number of turns on railgun performance 85–24787
Shrader, J.E., Bohn, A.J., Thompson, J.G. Rail gun experimental results due to varying bore and arc materials, and varying the number of barrel turns 87–26709
Shrader, M., Preist, D., Gaiser, B. Pre-bunched beam devices—efficient sources of UHF and microwave power 86–47237
Shrader, M.B., Preist, D.H. Klystrode update 85–55398
Shrader, M.B., Preist, D.H. Compact high efficiency, light weight 200-800 MHz high power RF source 86–31959
Shrader, M.E. *see* Preist, D.H. 85–3627
Shrader, R., Blank, H. More control can help you have a better telecom system 86–16658
Shrader, R.W., Blank, H.A. ISDN in transition—concept to reality 86–54693
Shrader, W.W., Weil, T.A. Lens-effect loss for distributed targets 88–15510
Shrader-Frechette, M.A., Ritter, G.X. Registration and rectification of images using image algebra 87–55364
Shrader-Frechette, M.A. *see* Ritter, G.X. 88–21324
Shraga, I., Goldstein, P., Eckhouse, S. EMP wideband protection circuits 86–29502
Shraga, I., Goren, Y., Leibovitch, C., Eckhouse, S. Investigation of microwave generation by intense relativistic E-beams 85–1240
Shraga, I., Goren, Y., Leibovitch, C., Eckhouse, S., Gover, A. Experimental demonstration of longitudinal wiggler free-electron laser 87–26433
Shraga, I., Leibovitch, C., Eckhouse, S., Goren, Y., Gover, A. Doppler shift cyclotron maser radiation pumped by an asymmetric undulator 85–51074
Shrager, R.I. A rapid robust rootfinder 85–39664
Shragowitz, E., Desmonds, D. Statistical methods in hierarchical design of VLSI 85–33861
Shragowitz, E., Gerlovin, E. The set of Lagrange and Routh formulations for nonlinear networks 88–44027
Shragowitz, E., Keel, S. A global router for multilayer structures 86–46492
Shragowitz, E., Keel, S. Heuristic algorithms for CAD of VLSI, their justification, characterization and usage 86–63396
Shragowitz, E., Keel, S. A global router based on a multicommodity flow model 87–44465
Shragowitz, E., Lee, J., Sahni, S. Placer-router for 'sea of gates' design style 88–26458
Shragowitz, E., Lin, L., Sahni, S. Models and algorithms for structured layout 87–38179
Shragowitz, E., Lin, L., Sahni, S. Models and algorithms for structured layout 88–56386
Shragowitz, E., Youssef, H., Bening, L.C. Predictive tools in VLSI system design: timing aspects 88–49975
Shragowitz, E. *see* Krekelberg, D.E. 87–5611
Shragowitz, E. *see* Lee, J. 88–70240
Shragowitz, E. *see* Lin, L. 87–37216
Shragowitz, E. *see* Nahar, S. 86–21342
Shragowitz, M.A. *see* Miller, R.J.D. 87–54284
Shraifel'd, T.Ya. *see* Babak, A.P. 87–49815
Shramenko, B.I. *see* Bulgakov, N.K. 87–63700
Shramko, G.V. *see* Konyushenko, S.M. 88–66062
Shramkov, A.Ya. *see* Van'ko, V.M. 86–24583
Shramkov, I.G. One approach to the efficiency increase in solution of problems on multivariant analysis of linear equivalent circuits 86–46427
Shrauger, N. Remote monitoring and control of microwave communication networks 87–76573
Shrauner, J.A. *see* Roysam, B. 88–66705
Shreider, E.Ya. *see* Batishche, S.A. 86–3315
Shreider, Ya.I. *see* Sokolov, M.M. 87–58361, 87–78980
Shreier, J. *see* Bendl, J. 88–5674
Shreter, U. *see* Ho, K.T. 85–23551
Shreve, M.T. *see* Zusman, F.S. 88–17021
Shreve, W.R. Signal processing using surface acoustic waves 85–45934
Shreve, W.R., Baer, R.L. Reduced insertion-loss broadband SAW delay lines 88–51130
Shri Brajeshwar Singh *see* Lakshminarayanan, T.R. 88–55022
Shridar, M. *see* Cristi, R. 86–59350
Shridhar, M., Badreldin, A. Feature evaluation and sub-class determination through functional mapping 85–51563
Shridhar, M., Badreldin, A. Recognition of isolated and simply connected handwritten numerals 86–30004
Shridhar, M., Mohankrishnan, N. Data compressional techniques for electrocardiograms 85–15316
Shridhar, M., Prasada Rao, M.V. Segmentation of digitized images through label propagation method 85–41940
Shridhar, M., Sethi, A.S., Ahmadi, M. Image segmentation: a comparative study 87–27369
Shridhar, M. *see* Cristi, R. 86–16554
Shridhar, M. *see* El-Gabali, M. 87–62244, 88–66716
Shridhar, M. *see* Kaul, S. 86–16280
Shridhar, M. *see* Nagpal, H.K. 85–25190
Shridhar, T. *see* Bosshart, P.W. 88–6901
Shrikhande, N. A survey of compiler courses 85–22148
Shrikhande, N., Stockman, G. Surface normals from striped light 87–75945
Shrikhande, N. *see* Stockman, G. 88–34822
Shrikhande, V.K. *see* Limaye, M.A. 86–57018
Shrimani, M.R. *see* Shenoy, M.A. 88–50455
Shrimpton, K. Diluting the ravages of contamination [semiconductor industry] 86–53495
Shrinet, V., Singh, N.L., Chaturvedi, U.K., Agrawal, S.K., Mishra, G.P., Nigam, A.K. Recovery of the electrical insulation of a Van de Graaff accelerator's charging belt by vacuum drying 86–36664
Shrinet, V. *see* Chaturvedi, U.K. 87–10504
Shrinriki, H., Nishioka, Y., Mukai, K. Highly reliable Ta_2O_5/SiO_2 double dielectric films on polycrystalline silicon 88–19845
Shripachev, I.V. *see* Vasil'ev, A.V. 86–36192
Shriro, I.I. *see* Gal'perin, M.I. 87–4614
Shrivastava, A. *see* Kurose, J.F. 88–46346
Shrivastava, H.C., Ajane, K.V. Investigations for arriving at optimum stator winding bar joints for hydrogenerators 86–66018
Shrivastava, H.S. *see* Lal, P.K. 86–18631
Shrivastava, M.C., Swaminathan, S. SEM study of thermal degradation of indium phosphide substrates 88–39065
Shrivastava, M.M. Soft-start solid-state motor control: an update 85–65210
Shrivastava, N.P., Lal, P.K., Dwarkanath, A.R. Sealed type distribution transformers—experiences of Madhya Pradesh Electricity Board 88–37254
Shrivastava, R. *see* Pathak, J. 87–5790, 87–17033
Shrivastava, R. *see* Pathak, S. 86–20538
Shrivastava, S.K. *see* Bapat, M.N. 85–40082
Shrivastava, S.K. *see* Sitarama Raju, D. 88–60299
Shrivastava, U.A., Grow, R.W. Gyrotron and peniotron modes in rotating-beam devices 85–55380
Shrivastava, U.A., Grow, R.W., Rha, P.S., Baird, J.M., Barnett, L.R. Threshold power transfer for the gyrotron and peniotron oscillators operating at the harmonic cyclotron frequencies using coaxial electron beam-circuit configurations 86–53293
Shrivastava, U.A. *see* Barnett, L.R. 85–50159
Shriver, B.D. *see* Stohr, E.A. *(editor)* 87–58537
Shriver, E.L. Job performance aids 86–45134
Shriver, J. Where DEC fits into current LAN technology 86–59644
Shrnh-He Sun, Zhi-Wang The measurement of complex reflection coefficient by means of an arbitrary three-port network and variable attenuator 86–18092
Shrobe, H. *see* Weste, N. 88–25275
Shrobe, H.E. Abstraction and layering in silicon compilation tools 88–7689
Shrock, K.W. *see* Blodgett, S.R. 88–5040
Shroder, R.M. *see* Moncrief, E.C. 87–71837
Shroeck, K.A. *see* Kropp, L.D. 87–65022
Shroff, A., Firmain, G. High reliability TWTs for satellite applications 85–50162
Shroff, A. *see* Brion, D. 85–50133
Shroff, A.M., Firmain, G. Long-life travelling-wave tubes—use of 'M' type cathode—life prediction model 86–47251
Shroff, A.M., Tonnerre, J.C., Brion, D. Coverage and work function of dispenser cathodes 87–45493
Shroff, A.M., Tonnerre, J.C., Brion, D. Life test results of various impregnated cathode types 88–38975
Shroff, A.M., Tonnerre, J.C., Lucas, P., Palluel, P., Brion, D. Use of the work function distribution for cathode characterization 88–38978
Shroff, D.H., Stannett, A.W. A review of paper aging in power transformers 86–12874
Shroff, N. *see* Pillai, P.K.C. 86–3456, 87–68297, 88–26940
Shroff, N. *see* Sharma, P.K. 87–74914
Shropshall, M.R., Skinner, P.E. Residual impurities in boron trioxide encapsulant [for LEC growth of III-V semiconductors] 86–7751
Shrout, T.R., Halliyal, A. Preparation of lead-based ferroelectric relaxors for capacitors 87–52898
Shroyer, J. *see* Daniels, R.G. 85–7075
Shroyer, L.O. *see* Good, W.A. 86–60885
Shrubb, K.F. *see* Hulme, A.J. 86–65496
Shrubshall, P.A. *see* Harris, A.J. 88–33628
Shryock, R.S. *see* Duffy, D.D. 85–8701
Shtade, D. *see* Valov, B.M. 88–48449
Shtager, V.V. Method of solving extremal problems when optimizing communications systems 88–27700
Shtal'man, S.G. *see* Storozhuk, Ya.P. 86–61368
Shtamberger, G.A., Plotnikov, V.G. Errors in the results of combined measurements of the parameters of multi-unit two-terminal elements [bridge instruments] 86–65230
Shtan', A.S. *see* Afanas'ev, V.N. 87–77071
Shtan', A.S. *see* Kosarev, L.I. 88–17295
Shtandel, S.K. *see* Bliznyuk, Yu.A. 88–67666
Shtannikov, A.V. *see* Alde, D. 88–47996
Shtapel, M.G. *see* Gorizontov, A.M. 87–20704, 87–34725
Shtaras, S.S. Effect of mounting elements on the properties of meander deflection systems 88–19623
Shtarev, N.N. *see* Mordvova, V.I. 86–17912
Shtark, M.B. *see* Astaf'ev, S.V. 85–3836
Shtarkov, A.L. *see* Alimpiev, S.S. 88–26863
Shtarkov, L.N. *see* Govorkov, B.B. 87–35283
Shtar'kov, Yu.M. Generalized Shannon codes 85–51550
Shtar'kov, Yu.M. Universal sequential coding of single messages 88–52350
Shteiert, I.A. *see* Mints, M.B. 85–61129
Shtein, A.B. The present state of research on digital video recording 88–41880
Shtein, B.B. Design and analysis of oscillatory system containing Π–network 87–59224
Shtein, M.M. *see* Baginskii, B.A. 88–36388
Shtein, M.M. *see* Karpov, V.M. 88–16620
Shtein, M.M. *see* Larin, V.V. 85–22657

Shtein, V.M. *see* Chernishev, L.A. 87−55607

Shtein, Yu.G. *see* Arzin, A.P. 87−45506 to 45507

Shtein, Yu.G. *see* Didenko, A.N. 85−11850, 85−12755

Shteinberg, A.L. *see* Khesin, A.Ya. 86−17625

Shteinberg, A.L. *see* Soroka, E.Z. 86−11273

Shteinberg, G.Ya., Kavlashvili, N.V., Guruli, G.G. Multiloop orthogonal magnetic systems for producing uniform fields in a room 86−22589

Shteinberg, Sh.E., Serebryansky, A.Ya. A new adjustment parameter adaptation method in a measuring system 87−3363

Shteinberg, V.K. *see* Sivkovich, A.Yu. 88−5705

Shteinbok, L.S. *see* Karpina, O.Ya. 86−61020

Shteiner, A.L., Efremova, N.B., Pokazan'eva, V.A. Method of designing DC networks from conditions governing danger of single-pole contact 87−21916

Shteiner, G.S. *see* Gubin, M.M. 86−18175

Shteingart, L.M. *see* Pshenitsyn, V.I. 86−28882

Shteingart, L.M. *see* Strigalev, V.E. 88−72129

Shteingart, S., Nagle, A.W., Grason, J. RTG: automatic register level test generator 86−20504

Shteingauz, V.E. *see* Bademshina, I.B. 88−36735

Shteinschneider, A.V. *see* Biber, L.A. 86−33261

Shteinshleiger, V.B. Nonlinear scattering of radio waves by metallic objects 85−7645

Shteinshleiger, V.B. *see* Misezhnikov, G.S. 87−19281

Shteinshneider, A.V. A vibroacoustic method for diagnosing weakening of the clamp pressure of the stampings in the slotted zone of the end stacks in the stator core of a hydrogenerator 86−66022

Shteinshneider, A.V. *see* Biber, L.A. 86−33256, 87−4619

Shteinshneider, A.V. *see* Nadtochii, V.M. 87−4654

Shtekhman, G.Ya. *see* Serebrennikov, V.I. 85−14343

Shtele, L.A. *see* Galiullin, Z.T. 87−4483

Shtel'makh, S.V. *see* Nazarova, N.K. 88−57201

Shtepenko, P.K. *see* Yanov, V.P. 87−58398

Shtereva, R. *see* Nikolov, Z. 85−8019

Shtern, D.Ya. *see* Rzhiga, O.N. 85−8474

Shtern, D.Ya. *see* Savich, N.A. 87−56310

Shtern, I.I. *see* Sidyak, V.A. 86−14345

Shtern, Z.Yu. *see* Chudnovskaya, I.I. 85−48851

Shternberg, A.A. *see* Fridkin, V.M. 87−26156

Shtessel, Yu.B. *see* Kazarinov, L.S. 88−24879

Shteyn, A.B., Khleborodov, V.A. Digital video recording: state of the art and main problems 86−17649

Shteyn, V.M., Shuvalov, V.A. Linear transformations and estimates of transmission accuracy in digital lines 86−37684

Shteyn, Yu.G. *see* Grigor'yev, V.P. 86−32094

Shteyner, V.G. *see* Vishnevetskiy, Ye.M. 86−27042

Shteynshleyger, V.B., Misezhnikov, G.S., Sel'skiy, A.G. Experiments on the remote sensing of natural resources in the millimeter radar waveband using the aperture-synthesis principle 88−10514

Shtiben, G.A. Resistance compensation in a transverse filter section 85−17613

Shtin, A.A. *see* Filinov, V.V. 87−16726

Shtitel'man, A.D. *see* Kuzhekov, S.L. 86−61461

Shtitel'man, D.I. *see* Abramovich, R.D. 86−33271

Shtivel'man, K.Ya. *see* Lipnik, A.A. 86−27844

Shtivelman, V. *see* Landa, E. 87−55065

Shtofich, S.V. Effect of a temperature change on the differential quantum efficiency of stripe heterojunction injection lasers 85−12884

Shtompel, I.V. *see* Vovchenko, A.I. 85−55991

Shtrak, V.G. *see* Lobachev, V.V. 88−30537

Shtraks, V.L. *see* Simuni, M.M. 88−53549

Shtranikh, I.V. *see* Aleinikov, S.Ya. 86−11607

Shtrapenin, G.L. *see* Arapov, Yu.G. 85−24381

Shtrauss, V. Functional conversion of signals by logarithmic sampling 86−16318

Shtrauss, V. Discrete models of the relaxation signals 87−47728

Shtrauss, V. Optimal digital filters synthesis by identification method 88−56799

Shtrauss, V.D. *see* Matiss, I.G. 88−63417

Shtrikman, H., Oron, M., Raizman, A., Cinader, G. Determining the [001] crystal orientation of CdTe layers grown on (001) GaAs 88−43877

Shtrikman, H., Raizman, A., Oron, M., Eger, D. MOCVD growth of CdTe-ZnTe superlattices 87−73142

Shtrikman, H., Raizman, A., Oron, M., Eger, D. ZnTe layers grown on GaAs substrates by low pressure MOCVD 88−43875

Shtrikman, H. *see* Tamari, N. 85−23638

Shtrikman, M.M., Kucheryavyi, A.B. Automatic argon-arc welding with shunting the arc with filler wire 87−36279

Shtrikman, M.M., Kucheryavyi, A.E. Special features of heating in welding with a rotating electrode 85−5576

Shtrikman, S. *see* Ashkenazy, J. 85−41702, 86−29614, 86−43032, 88−40723

Shtrikman, S. *see* Bertram, H.N. 85−24081

Shtrikman, S. *see* Flanders, P.J. 85−24170

Shtrikman, S. *see* Fredkin, D.R. 88−72498

Shtrikman, S. *see* Jeffers, F. 86−36011

Shtrikman, S. *see* Levine, E. 88−27657

Shtrikman, S. *see* Oseroff, S.B. 86−28680

Shtrikman, S. *see* Perlmutter, P. 85−13262, 85−41703

Shtrikman, S. *see* Pinhas, S. 88−27621

Shtrikov, O.V. *see* Acharya, Y.B. 85−48471

Shtrobel, V.A. *see* Beim, R.S. 87−72119

Shtrobel', V.A. *see* Rasstrigin, A.K. 85−15496

Shtrobel', V.A. *see* Venikov, V.A. 86−25670

Shtromberg, Yu.Yu. *see* Fedotov, A.A. 86−39269

Shtrykov, V.K. *see* Efimov, A.I. 85−36030

Shtub, A. *see* Chakravarty, A.K. 85−54121

Shtub, A. *see* Schmitt, T.G. 85−54075

Shtus, T.I. *see* Prots', R.V. 87−21754

Shtverak, Ya. *see* Karpina, O.Ya. 86−61020

Shtym, A.S. *see* Slesarenko, V.N. 85−49239

Shtyrkov, E.I. *see* Akhmanov, S.A. 85−29907

Shtyrkov, E.I. *see* Zakirov, G.G. 85−50381

Shtyrov, A.I. *see* Rozanov, A.V. 85−6661, 85−56961

Shu, B.Y. *see* He, X.M. 87−31478

Shu, D. The synthetical accuracy research of the coordinate measuring instrument. I 86−55841

Shu, D., Motazavi, P., Rarback, H., Howells, M.R. Applications of heat pipes for high thermal load beam lines 86−60495

Shu, D., Siddons, D.P., Rarback, H., Kirz, J. Two-dimensional laser interferometric encoder for the soft X-ray scanning microscope at the NSLS 88−48060

Shu, D., Wumin Liu, Zhibing Cong, Yijuan Zhang, Dingchang Xian The BEPC bending magnet beam port for diffraction, small angle scattering and photoemission research 88−48053

Shu, D., Wuming Liu, Wei Wang, Zhibing Cong The BEPC focusing X-ray beamline optical design 86−60645

Shu, D. *see* Mortazavi, P. 86−31764, 86−60660

Shu, D. *see* Rarback, H. 86−60650, 88−29937

Shu, D. *see* Vladimirsky, Y. 88−48062

Shu, D.B., Li, C.C. Reordering of surface feature vectors in training for 3D object recognition 87−48065

Shu, D.B., Li, C.C., Mancuso, J.F., Sun, Y.N. A line extraction method for automated SEM inspection of VLSI resist 88−33300

Shu, D.B., Li, C.C., Sun, Y.N. An approach to 3-D object identification using range images 86−59356

Shu, D.B. *see* Li, C.C. 86−1944

Shu, D.M. *see* Nawrocky, R.J. 86−31765

Shu, E. *see* Koshiji, K. 85−7692, 85−62875, 87−6013, 87−47346, 87−61436, 87−68842

Shu, H.-T. *see* Pierce, R.M. 85−53899

Shu, J., Freeman, H. An expert system for image segmentation 88−59305

Shu, J.S.P. A new heuristic edge extraction technique 87−62243

Shu, L. *see* Costi, A. 86−70606

Shu, L. *see* Lotfalian, M. 86−18750, 86−56332

Shu, W., Wu, M., Chan, S.-P. An algorithm for generation of the mesh matrix 85−296

Shu, W. *see* Wu, M.-Y. 85−35181

Shu, Y., Qi, X., Wang, Y. Analysis equations for shielded suspended substrate microstrip line and broadside-coupled stripline 87−75507

Shu, Y. *see* Wang, Y. 88−70960

Shu Chuanyu *see* Chen Jianpu 88−36320

Shu Han *see* Han Shu

Shu Junzhan, Liu Dongyuan, Ren Shu An investigation of internal efficiency calculation of the steam turbine flow path 86−39580

Shu Juping *see* Wu Zhengliang 85−46347

Shu Lin *see* Kasami, T. 88−34571

Shu Lin *see* Ram Chandran, S. 87−20211

Shu Ren *see* Ren Shu

Shu Wang *see* Wang Shu

Shu Wong Yau *see* Yau Shu Wong

Shu Xie *see* Xie Shu

Shu Xue *see* Xue Shu

Shu Yong-Hiu *see* Yong-Hiu Shu

Shu Yong-hui *see* Yong-hui Shu

Shu Yonghui, Wang Yunyi, Shi Senchai A new procedure for numerical determination of two-ports parameters from measured data 87−66513

Shu Yonghui, Xia Yongxiang, Wang Yunyi Design and performance of 6-mm wave band crossbar mixer with suspended stripline 88−7067

Shu Yuwen, Zhang Xiaolin The modified equations of a multielement parallel scanning imaging system of Δf and NETD 88−29465

Shu Zheng *see* Zheng Shu

Shu Zhou *see* Zhou Shu

Shu-chu Ren *see* Ren Shu-chu

Shu-don Liu *see* Liu Shu-don

Shu-dong He *see* He Shu-dong

Shu-dong Liu *see* Liu Shu-dong

Shu-En Hsu *see* Der-Ray Huang 85−45956, 87−12035

Shu-En Hsu *see* Hong-Yow Chang 87−67780

Shu-En Hsu *see* Yung-Hsing Lin 88−17863

Shu-Fan Cui *see* Da-Wen Pang 87−31562

Shu-fang Liu *see* Liu Shu-fang

Shu-heng Jin *see* Jin Shu-heng

Shu-hong Wang *see* Wang Shu-hong

Shu-Hui Lin, Briedis, D.M. Limitations of the computerized ELZONE particle sizing system 88−36232

Shu-Hui Lin, Briedis, D.M. Correctness of the calibration procedure for the computerized ELZONE particle sizing system 88−36233

Shu-Hung Leung, Wei-Yau Horng Superresolution autoregressive spectral estimation technique using multiple step prediction 86−10400

Shu-hung Wang *see* Wang Shu-hung

Shu-Ing Liu *see* Fu-Shong Kuo 88−22182

Shu-Jiang Xiang *see* Yamada, H. 88−55379

Shu-li Zhang *see* Zhang Shu-li

Shu-lian Wang *see* Wang Shu-lian

Shu-lian Zhang *see* Zhang Shu-lian

Shu-lin Yang *see* Yang Shu-lin

Shu-lin Zhang *see* Zhang Shu-lin

Shu-Min Chiang *see* Chang, O. 86−23961

Shu-min Shen *see* Shen Shu-min

Shu-min Wang *see* Xiao-song Jiang 87−53256

Shu-Min Wang *see* Wang Shu-Min

Shu-Mo Gong New telescopes in China 86−30917

Shu-Park Chan *see* Chen min Hu 86−698

Shu-Park Chan *see* Nagehban-Hag, M. 86−1263

Shu-Park Chan *see* Tiekun Chen 86−697

Shu-ping Gong *see* Biao-rong Li 88−32820

Shu-Ping Liu *see* Liu Shu-Ping

Shu-qin Wang *see* Wang Shu-qin

Shu-qing Zhao *see* Zhao Shu-qing

Shu-rong Han *see* Han Shu-rong

Shu-Sen Lu *see* Lu Shu-Sen

Shu-tan Xu *see* Xu Shu-tan

Shu-tao Chen *see* Chen Shu-tao

Shu-Ti Fur *see* Fur Shu-Ti

Shu-tong Yao *see* Yao Shu-tong

Shu-wen Guo *see* Guo Shu-wen

Shu-Wu Jin *see* Jin Shu-Wu

Shu-xian Wu *see* Wu Shu-xian

Shu-Xiang Wu *see* Wu Shu-Xiang

Shu-Xiang Zhang *see* Zhang Shu-Xiang

Shu-yan Lin *see* Lin Shu-yan

Shu-yi Xiao *see* Xiao Shu-yi

Shu-yi Zhang, Li Chen Photoacoustic microscopy to detect subsurface features of integrated circuits 87−23373

Shu-yi Zhang *see* Zhang Shu-yi

Shu-Ying Ma *see* Ma Shu-Ying

Shu-ying Sun *see* Sun Shu-ying

Shu-ying Zhang *see* Zhang Shu-ying

Shu-Yuan Wang *see* Wang Shu-Yuan

Shu-yuan Zhang *see* Chang-xin Guo 88−40058

Shu-Ze Jin *see* Jin Shu-Ze

Shu-zhu Guan *see* Guan Shu-zhu

Shuag Xie *see* Xie Shuag

Shuaib, A.N., Elamin, I.M. Dynamic data system modelling of electrical power demand 88−10819

Shuang-ren Zhao *see* Zhao Shuang-ren

Shuanghui Shi *see* Shi Shuanghui

Shuangming Zhang *see* Chengtian Xue 88−56863 to 56864

Shuangxi Zhou *see* Zhou Shuangxi

Shub, V.E. *see* Arzuov, M.I. 88−58750

Shubak, A.S. *see* Pretorius, J.A. 85−33763

Shubaly, M.R. Ion sourcery for isotope separators 87−57004

Shubaly, M.R., Maggs, R.G., Weeden, A.E. A high-current oxygen ion source 86−32110

Shubaly, M.R. *see* Chidley, B.G. 86−5713

Shubaly, M.R. *see* McMichael, G.E. 85−58966

Shubao Li *see* Li Shubao

Shubat, A. *see* Ali, S. 88−6881

Shubat, A.S., Pretorius, J.A., Salama, C.A.T. Differential pass transistor logic in CMOS technology 86−34674

Shubat, A.S., Pretorius, J.A., Salaman, C.A.T. Expandable arithmetic block macrocell 87−44762

Shubat, A.S. *see* Ali, S.B. 88−32202

Shubat, A.S. *see* Pasternak, J.H. 87−38579, 87−44753

Shubat, A.S. *see* Pretorius, J.A. 85−33765, 85−44969, 87−623, 87−627

Shubenko-Shubin, L.A., Dorfman, L.A., Serazetdinov, A.Z., Stoyanov, F.A., Babak, N.Yu. A complex solution to the problem of designing power turbomachine stage with optimal characteristics 85−53660

Shubert, F. *see* Sulzberg, T. 87−17521

Shubert, K.A., Meadors, J.G., Birchmeier, J.R. Theoretical study of airborne electromagnetic leakage 85−9246

Shubert, K.A. *see* Birchmeier, J.R. 85−9282

Shubert, K.A. *see* Newman, E.H. 87−47141

Shubha, V., Ramesh, T.G. Teflon cell arrangement in high-pressure studies with a temperature programmer 86−38466

Shubha, V., Ramesh, T.G. Precision analogue lineariser for thermocouples 87−49651

Shubin, A.E. *see* Aleksandrova, G.A. 85−10726

Shubin, B.G. *see* Apollonov, V.V. 85−24476, 86−15626, 87−74980, 88−57242

Shubin, B.G. *see* Appollonov, V.V. 85−18875

Shubin, G.R., Bell, J.B. A modified equation approach to constructing fourth order methods for acoustic wave propagation 87−44250

Shubin, M.V. *see* Arkhipov, V.V. 85−8976

Shubin, N.N. *see* Egorov, V.S. 85−46332

Shubin, N.N. *see* Kazantsev, Yu.A. 86−11500

Shubin, S.F. *see* Andreev, Yu.M. 88−58662
Shubin, V.A. *see* Rzhiga, O.N. 85−8474
Shubin, V.E. *see* Aleinikov, S.Ya. 86−11607
Shubin, V.E. *see* Bogdanov, S.V. 86−35458
Shubin, V.E. *see* Dovgaleva, N.A. 87−54171
Shubin, V.E. *see* Kravchenko, A.B. 86−35459
Shubin, V.E. *see* Zheleznykh, I.M. 86−11606
Shubin, V.N. *see* Brusentseva, S.A. 87−42265
Shubin, V.V. *see* Popov, S.N. 87−18847
Shubkin, N.G. *see* Butakov, L.D. 86−67098
Shubkin, N.G. *see* Vizir', V.A. 86−67558
Shubladze, A.M. *see* Toropov, A.E. 87−71553
Shubladze, A.M. *see* Ulanov, A.G. 87−78529
Shubnikov, E.I. Effect of additive and multiplicative noise in the correlation comparison of images 88−28045
Shubnikov, E.I. *see* Kuleshov, A.M. 86−48512, 87−26562, 87−39254
Shubnikov, E.I. *see* Pavlov, A.V. 88−65895
Shubnikov, M.L. *see* Gorbatyuk, A.V. 87−1268
Shubnikov, M.L. *see* Guseinov, G.D. 86−1753
Shubnikov, V.A., Solov'ev, V.A., Pak, L.K. Estimating the errors in determining the color characteristics of luminescent materials 86−38584
Shubnyi, A.I. *see* Bulgakov, B.M. 88−12597
Shubnyy, A.I. *see* Bulgakov, B.M. 85−19185
Shubova, R.S. Relationship between statistical characteristics of VLF fields and modulating properties of the ionospheric boundary 86−36709
Shubova, R.S., Sopel'nikov, M.D., Knyazeva, N.A. Anomalies in VLF propagation and possible interpretations 86−36707
Shubrook, M. Manufacturing the level 30 system. II. Merlin: an advanced printed circuit board manufacturing system 86−14685
Shuch, H.P. A proximity warning system for light aircraft 88−60256
Shuchman, R., Campbell, W., Burns, B., Ellingsen, E., Farrelly, B., Gloersen, P., Grenfell, T., Hollinger, J., Horn, D., Johannessen, J., Johannessen, O., Josberger, E., Livingstone, C., Luther, C., Manley, T., Markson, R., Matzler, C., Mollo-Christensen, E., Onstott, R., Ross, D., Sandven, S., Schgounn, C., Stiffley, A., Svendsen, E., Symmonds, G., Top, Z. Remote sensing of the Marginal Ice Zone during MIZEX '83 86−6137
Shuchman, R.A., Lyzenga, D.R., Meadows, G.A. Synthetic aperture radar imaging of ocean-bottom topography via tidal-current interactions: theory and observations 85−64697
Shuchman, R.A. *see* Larson, R.W. 85−63748
Shuchman, R.A. *see* Lyzenga, D.R. 85−31084
Shuchun Chen *see* Chen Shuchun
Shudde, R.H. A non-iterative algorithm for Loran-C position determination 86−17524
Shudlo, Yu.G. *see* Gorodetskii, D.A. 85−28897
Shudo, K. Hurdles in parsing Japanese language 88−27844
Shudo, M. *see* Kikuchi, Y. 88−41201
Shudong Li *see* Li Shudong
Shudong Wu *see* Jian Yang 87−11562
Shue, Y.J. *see* Jan, G.J. 88−29252
Shueh, S.B. *see* Nagem, R.J. 85−28028
Shuen, A.K. *see* McMahon, R.W. 88−70351
Shuenn-Tsong Young, Kwok-Hon Chan, Chiu-Fa Chen An instrument using variation of resistance to aid in needle tip insertion in epidural block in monkeys 88−30017
Shuenn-Tyan Lee *see* Chawla, H.S. 87−70292
Shuenn-Tyan Lee *see* Gautrea, R. 88−24399
Shuey, K. *see* Clinard, K. 86−59758
Shuey, K.C. *see* Vines, R.M. 85−43589
Shuey, R., Wiederhold, G. Data engineering and information systems 86−43530
Shuey, R.T. *see* Banik, N.C. 86−32514 to 32515
Shufchuk, Yu.B., Raikin, A.L. Analysis of the traffic value effect on dependence of units for one model of demand processing in a network 87−16458
Shufchuk, Yu.B. *see* Nechitaylenko, V.A. 85−49425
Shufelt, G. *see* Chaparro, L.F. 86−41241, 86−64277
Shufen Fu, Jianwen Chen Phase difference amplification of double-exposure holograms 88−72439
Shufen Fu *see* Fu Shufen
Shufen Gao *see* Gao Shufen
Shufeng Fu *see* Fu Shufeng
Shufeng Liu *see* Lan Jin 88−15147
Shufflebotham, P. *see* Mejia, S.R. 86−34369
Shufflebotham, P.K., Card, H.C., Kao, K.C., Thanailakis, A. Amorphous silicon-tellurium alloys 87−1210
Shufflebotham, P.K., Card, H.C., Thanailakis, A. A review of amorphous silicon alloys. Fabrication, properties and applications 88−1393
Shufflebotham, P.K., White, J.F., Card, H.C., Kao, K.C. Activated reactive evaporation of hydrogenated amorphous silicon nitride 87−5439
Shufflebotham, P.K. *see* Herak, T.V. 88−24768
Shuford, R.J. *see* Hinton, Y.L. 85−49667
Shuford, R.S. An introduction to fiber optics. I 85−18653
Shuford, R.S. An introduction to fiber optics. II. Connections and networks 85−25858
Shuford, R.S. Two flat-display technologies 85−37673
Shufu Huang *see* Huang Shufu
Shugaeva, E.L. *see* Kaplin, O.K. 86−65791
Shugan, I.V. *see* Bunkin, F.V. 85−59491
Shugan, I.V. *see* Grigor'ev, P.V. 88−30182
Shugan, I.V. *see* Shevchenko, T.B. 88−30177
Shugan, I.V. *see* Volyak, K.I. 87−77882
Shugan Fang *see* Fang Shugan
Shugard, A. *see* Tarascon, R.G. 87−11878, 87−67130
Shugard, A. *see* Wolf, T.M. 87−38394
Shugard, D.D., Swartzwelder, J.C., Hatamian, M. A CMOS VLSI chip for real-time centroid calculation 87−59593
Shugard, M.H. *see* de Fontenay, A. 87−40142
Shugars, G. *see* Edmonds, J.S. 86−70872
Shugars, H.G., Scheibel, J.R. On-line vibration monitoring of turbines, pumps and fans: recent results of research 85−9601
Shugen Yi *see* Yi Shugen
Shugin Chen *see* Chen Shugin
Shugin Liu *see* Liu Shugin
Shugol, A.A. *see* Aksenov, V.A. 85−29451
Shuguang Wang *see* Wang Shuguang
Shuguo Li *see* Li Shuguo
Shugurov, V. *see* Knishevskaya, L. 87−73598, 88−14464
Shugurov, V.K. *see* Dienys, V.I. 87−11728
Shugurov, V.K. *see* Ivashka, V.P. 87−75411
Shugurov, V.K. *see* Ivaska, V.P. 87−12776, 87−47267
Shugurov, V.K. *see* Knichevskaya, L.V. 88−38669
Shugurov, V.K. *see* Knishevskaya, L. 87−32046
Shugurov, V.K. *see* Knishevskaya, L.V. 87−45161, 88−32368
Shugurov, V.K. *see* Kotov, M.N. 87−75543
Shugyo, S., Sugimoto, Y., Yamamoto, M., Takao, N. P channel power MOS FET 87−74437
Shugyo, S., Yamamoto, M., Yoshida, H., Shibata, Y. Low on-resistance power MOSFET 86−2390
Shuhai Chen *see* Chen Shuhai
Shuhao Hu *see* Hu Shuhao
Shuhara, A. *see* Yamanishi, K. 85−16992
Shuheng Bian *see* Bian Shuheng
Shuhong Li *see* Li Shuhong
Shuhua Sun *see* Sun Shuhua
Shuhuai Shi *see* Shi Shuhuai
Shuhui Liu *see* Liu Shuhui
Shuhy, J.L., Grunes, M.R., Uliana, E.A., Choy, L.W. Comparison of GEOSAT and ground-truth wind and wave observations: preliminary results 88−10562
Shui, M. *see* Hack, M. 86−7001
Shui, Y. *see* Khuri-Yakub, B.T. 85−6073
Shui, Y.A. *see* Yin, J.H. 88−51141
Shui, Y.A. *see* Zhang, D. 85−50818
Shui Yong-An *see* Zhang De 88−51100
Shui-Sheng Qiu, Filanovsky, I.M., Stromsmoe, K.A. An equivalent small parameter method for strongly nonlinear systems 86−57602
Shui-xin Chiang *see* Chiang Shui-xin
Shui-Yuan Yang *see* Ching-Yuan Wu 85−6956
Shui-zhen Peng *see* Peng Shui-zhen
Shuicai Wang *see* Wang Shuicai
Shuichi Ye *see* Ye Shuichi
Shuilian Chen *see* Chen Shuilian
Shuin, V.A. How faulty phase capacitance discharge affects earth fault transients in 3-10 kV cable networks 85−21159
Shuizong Hong *see* Hong Shuizong
Shuji Yang *see* Yang Shuji
Shujuan Gao *see* Gao Shujuan
Shujun Chen *see* Chen Shujun
Shukang Cheng *see* Cheng Shukang
Shukang Lu *see* Lu Shukang
Shukeilo, I.A. *see* Belov, V.P. 88−54009
Shukeilo, I.A. *see* Severgin, Y.P. 86−31948
Shukejlo, I.A. *see* Boldyshev, V.F. 88−54012
Shukelis, A.V. *see* Ragulskis, K.M. 88−18144
Shuken, R. VSAT market gets new TWT amplifier 88−28781
Shuker, R. *see* Golub, I. 87−46810
Shukevich, Yu.V. Nonlinearity of the procedure for converting information into rank form 85−7781
Shukh, A.M. *see* Pleshkevich, V.M. 86−50030
Shukhman, A.T. *see* Danilov, V.S. 86−18497
Shukhman, T., Schwartz, A. On random multiple access with unknown interference probabilities 87−55423
Shukhtin, A.M. *see* Kirichenko, N.A. 85−8959
Shuki, I. *see* Asano, H. 87−4460
Shukin, E.V. *see* Enyakin, Yu.P. 86−33038
Shukis, F.A. *see* Campion, K. 87−4067
Shukkel, Yu.F. *see* Babikov, O.I. 87−6953
Shukkel, Yu.F. *see* Bezmenov, F.V. 86−19658
Shukla, A. *see* Kokar, M. 88−53327
Shukla, A. *see* Singh, S.K. 88−49580
Shukla, A.K., Manoharan, R., Paliteiro, C., Hamnett, A., Goodenough, J.B. High efficiency cathodes for alkaline air electrodes 86−13024
Shukla, A.K., Ramesh, K.V., Kannan, A.M. Fuel cells: problems and prospects 87−64790
Shukla, A.K. *see* Cannon, P.S. 88−47017
Shukla, A.K. *see* Kannan, A.M. 88−43376
Shukla, A.K. *see* Ramesh, K.V. 86−6993
Shukla, A.K. *see* Sharma, R.P. 85−34499
Shukla, A.K. *see* Vijayamohanan, K. 87−78890
Shukla, J., Walker, S. Capacitance technique for measuring moisture content using dielectric data—an immersion method 88−36188
Shukla, J. *see* Roy, R.P. 86−55845
Shukla, K. *see* Chen, S.S. 88−24788
Shukla, K.N. *see* Chacko, M.J. 87−65209
Shukla, M.P. Telecommunications—the important infrastructure for economic development 85−8041
Shukla, M.P. A system approach to management of Mahanagar Telephone Nigam Limited 87−10084
Shukla, P. Dynamics of a multiple set of low orbiting satellites 88−22040
Shukla, P.K., Rasmussen, J.J. Modulational instability of short pulses in long optical fibers 86−36184
Shukla, R., Arnold, R.G. Monolithic microwave GaAs IC design using an electromagnetic field theory approach 88−12620
Shukla, R., Eddison, I.G., Harvey, A., Pengelly, R.S. 2 to 8 GHZ, 1 watt monolithic power amplifiers: a comparison between distributed, feedback and reactive designs 85−45246
Shukla, R., Eddison, I.G., Pengelly, R.S. Comparison of circuit techniques for monolithic broad-band power amplifiers 85−44914
Shukla, R., Eddison, I.G., Pengelly, R.S. A 1 watt DC to 4 GHz MMIC travelling wave amplifier 86−41351
Shukla, R., Mencinger, N. Moisture evolution analysis of sealing glasses used in integrated circuit packaging 85−54146
Shukla, R. *see* Green, C.R. 88−15584, 88−32466
Shukla, R.K., Davies, P.W., Tracy, B.M. The formation of titanium silicide by arsenic ion beam mixing and rapid thermal annealing 87−24926
Shukla, R.K., Mencinger, N.P. A critical review of VLSI Die-attachment in high reliability applications 85−62025
Shukla, R.K., Multani, J.S. Thermal stability of titanium silicide thin films 87−67174
Shukla, R.K. *see* Chen, S. 87−67524
Shukla, R.K. *see* Mitra, U.N. 87−18291
Shukla, R.P. *see* Murty, M.V.R.K. 86−63880
Shukla, S. *see* Amos, N. 87−21405
Shukla, S. *see* Singh, S.K. 88−49580
Shukla, S.K. *see* Kumar, U. 85−34051
Shukla, S.R., Swarup, P., Sen, M.N. Computation of large signal GaAs IMPATT diode parameters from closed form analytical solution 88−25448
Shukla, U.S., Mahapatra, P.R. Generalized linear solution of proportional navigation 88−67496
Shukla, V. *see* Amin, A. 86−1754
Shukla, V.K. Instructional objectives 86−13327
Shukla, V.M. *see* Joag, D.B. 85−11828
Shukla, V.N., Hingorany, P., Amin, A. CERCIC—a hybrid substrate 88−57209
Shukri, S.M.Al *see* Al Shukri, S.M.
Shukun Han *see* Han Shukun
Shukuri, H. *see* Masuda, H. 86−46843
Shukuri, H. *see* Toyabe, T. 86−21475
Shukuri, S., Ishitani, T., Tamura, M., Wada, Y. Two-dimensional Monte Carlo simulation of damage distribution induced by ion implantation into submicron silicon areas 88−19798
Shukuri, S., Wada, Y., Hagiwara, T., Komori, K., Tamura, M. A novel EPROM device using focused boron ion beam implantation 87−24203
Shukuri, S., Wada, Y., Hagiwara, T., Komori, K., Tamura, M. A novel EPROM device fabricated using focused boron ion-beam implantation 87−59452
Shukuri, S., Wada, Y., Masuda, H., Ishitani, T., Tamura, M. Submicron channel MOSFET using focused boron ion beam implantation into silicon 85−1586
Shukuri, S., Wada, Y., Tamura, M., Masuda, H., Ishitani, T. Submicron channel MOSFET using focused boron ion beam implantation into silicon 85−35007
Shukuri, S., Wade, Y., Tamura, M., Umemura, K., Ishitani, T. Precise measurement of a focused ion beam profile 87−74151
Shukuri, S. *see* Kawanami, Y. 88−14353
Shukuri, S. *see* Moniwa, M. 88−6481
Shukuri, S. *see* Tamura, M. 85−45540, 86−35539, 88−57436
Shukuya, S. *see* Sy, K.K. 88−3528
Shulai Zhao *see* Chengtian Xue 88−56863 to 56864
Shulakov, N.V., Medvedev, E.I. An asynchronous inverter with a series excitation of the motor 88−48943
Shulakov, N.V., Trefilov, V.A. A two-machine unit with an asynchronised synchronous motor 86−39729
Shulakov, N.V., Trefilov, V.A., Klyuchnikov, A.T. A two-machine set with tandem starting of the main motor 85−60169
Shulan Ning *see* Ning Shulan
Shulan Sun *see* Sun Shulan
Shul'deshov, G.A. *see* Petunin, Yu.I. 87−19862
Shul'deshov, G.A. *see* Tyrskii, S.Ya. 88−52539
Shulekin, S.F. *see* Zenchenko, S.A. 85−51222
Shulenin, A.V. *see* Alekseev, V.A. 85−56582, 85−56748, 88−40166

Shulenin, A.V. *see* Ustinov, G.N. 86−29049
Shulev, Yu.V. *see* Bykovskii, Yu.A. 85−7286, 85−24337, 85−24684
Shuley, N.V. Analytical and numerical study of two dimensional multilayer structures for use as dichroic surfaces 85−41811
Shuley, N.V., Langley, R.J. Method for treatment of finite-sized dichroic structures using a surface impedance approach 88−58840
Shuley, N.V.Z. *see* Derneryd, A.G. 88−34468
Shul'ga, A.G. *see* Kulikov, A.O. 86−31441
Shul'Ga, A.N. *see* Glushko, V.I. 88−42895
Shulga, E.P. *see* Akhoyan, A.P. 88−8051
Shul'ga, R.N. Evaluating converter transient response on the basis of the frequency characteristic 86−45512
Shul'ga, R.N. *see* Skrypnik, A.I. 87−71634
Shul'ga, V.G. *see* Groysman, V.B. 86−37242
Shulga, V.M. *see* Kopylov, A.A. 85−56466
Shul'ga, Yu.I., Martsinenko, Yu.N., Momot, D.E. A method of recognising the form of operating conditions of power-system plant using a microcomputer 88−36764
Shul'ga, Yu.N. A study of spatial stochastic networks at regeneration points 86−57306
Shul'gin, A.V., Koval'chuk, Ya.M. The statistical characteristics of the ratio of correlated Rice random variables 88−2915
Shul'gin, B.V. *see* Lukichev, A.A. 86−70344
Shul'gin, V.A. Contactless detection of ultrasonic pulses in rods 85−49631
Shul'gin, V.A. *see* Karinskii, S.S. 85−35538
Shul'gin, V.F. *see* Ledovskaya, V.I. 86−24067
Shul'gin, V.N. *see* Kolechitskii, E.S. 88−40461
Shul'gin, Yu.N. *see* Os'kin, S.V. 87−63476
Shul'gina, M.N. *see* Arshavskii, A.N. 85−55355, 87−45490
Shulian Zhang, Dacheng Li Using beat frequency lasers to measure microdisplacement and gravity: a discussion 88−27339
Shuliang Li *see* Li Shuliang
Shulika, N.G. *see* Belei, A.S. 86−70295
Shulika, N.G. *see* Gusev, E.V. 88−61003
Shulika, N.G. *see* Khizhnyak, N.A. 85−20784, 85−52930
Shulika, S.D. *see* Garb, Kh.L. 86−14452
Shulimov, V.N. *see* Samsonov, G.V. 85−43709
Shulin Wen *see* Ruguang Cheng 86−26889
Shulishova, O.I. *see* Islamgaliev, R.K. 88−57007
Shull, C.G. *see* Kwok, K.S. 85−59233
Shull, T.A., Holloway, R.M., Conway, B.A. NASA spaceborne optical disk recorder development 88−65165
Shull, T.A., Rinsland, P., Larsen, J. Sample averaging and rectify, integrate and dump for synchronous demodulation measurement of mean radiation 86−18253
Shull, T.A., Rinsland, P., Larsen, J. Sample averaging and rectify, integrate, and dump for synchronous demodulation measurement of mean radiation 86−24402
Shull, T.A., Rinsland, P.L. Application of FIR filtering to laser wavemeter linear CCD array processing 87−56607
Shull, T.A., Stoughton, J.W. Transform coding of filtered sensor data 85−57393
Shull, T.A. *see* Kist, E.H., Jr. 88−58643
Shulman, A. *see* Gersht, A. 87−55415, 88−59390
Shul'man, A.Ya. *see* Kotel'nikov, I.N. 88−1008
Shul'man, A.Ya. *see* Mordovets, N.A. 88−1628
Shulman, D. *see* Aloimonos, J.Y. 88−3276
Shulman, D. *see* Skrzypek, J. 85−46906
Shul'man, E.I. *see* Zubkov, A.A. 87−57136
Shulman, H. *see* Gawrys, G.W. 87−27826
Shulman, H. *see* Gebman, J. 87−77785
Shulman, J.S. *see* Mitchell, T.M. 85−39880, 86−9208
Shulman, L. Electromagnetic interference and grounding considerations in distributed control systems 86−3601
Shulman, M.B. *see* Gavan, J.J. 85−20071 to 20072
Shulman, M.H. *see* Johnson, D.W. 86−23760
Shulman, R.B. *see* Suryadevara, O. 88−53200
Shulman, S. *see* Rehfuss, S. 87−3393
Shul'man, V.L., Knyazev, A.V., Kopylova, A.K. Questions regarding the establishment of standards for the ejection of toxic substances from thermal power stations into the atmosphere 87−15500
Shul'man, V.L. *see* Kulikov, A.A. 88−43023
Shulman, Y. Reducing off-axis comb-filter effects in highly directional microphones 87−77038
Shul'man, Z.P., Korodonskii, V.I., Khusid, B.M., Voronovich, G.K., Demchik, S.A., Kuz'min, V.A. Amplitude-frequency characteristics of an electrodynamic loudspeaker with magnetorheologic suspension 88−74171
Shul'pina, I.L. *see* Argunova, T.S. 88−20509
Shul'pina, I.L. *see* Gevorkyan, V.A. 88−57603
Shul'pina, I.L. *see* Mokhov, E.N. 88−38176
Shultheiss, P.M. *see* Rockah, Y. 87−61510
Shultis, J.K. *see* Faw, R.E. 86−25722
Shults, D. The NATO Integrated Communication Systems (NICS) 85−30590
Shultz, R.D., Gonzales, R.F. Operating characteristics of an HVDC multiterminal transmission line under single-pole faulted conditions and high resistance earth return 86−50969
Shultz, R.D., Mankouski, K.E., Smith, R.A. A power system operator emulation—the security assessment task 86−32627
Shultz, R.D., Mason, G.A. Blackstart utilization of remote combustion turbines, analytical analysis and field test 85−5050
Shultz, R.D., Smith, R.A., Witthuhn, L.L. Suspected bad data substitution using a search emulation procedure 88−30280
Shultz, R.D. *see* Muslu, M. 88−23395 to 23396
Shultze, K., Trettin, T., Henke, K. Programming of the U555 and U2716 EPROMs 86−27304
Shulyaev, T.B. *see* Golovan, G.D. 86−56803
Shulyakovskii, E.A. *see* Popov, I.I. 85−14777
Shulyat'ev, V.B. *see* Shepelenko, A.A. 86−68613
Shulz, C. Automatic recognition of number symbols in TV images 86−11321
Shulz, P. Gather masses of data quickly. Collect and pre-process offline with SIDASS 85−47873
Shulz, W. Spurious emission measurements of common site FM transmitter installations using separate collocated antenna systems 85−14405
Shulze-Hennings, F. *see* Simon, L. 88−35815
Shul'zhenko, G.I., Bashkeev, A.A., Kovalenko, Yu.V., Fedotov, M.G. Device for recording particle and photon flux distributions 88−42433
Shul'zhenko, S.F. *see* Bogomolov, E.N. 88−29634
Shul'zhenko, S.V. *see* Liseev, M.S. 85−21077
Shum, C.-D., Cox, J.R., Blaine, G.J. Design analysis of a wide-band picture communication system 85−30731
Shum, D.K., Temes, G.C. Stray-insensitive differential input stages for A/D convertors 85−11345
Shum, K., Ho, P.P., Alfano, R.R. Determined valence-band discontinuity via optical transitions in ultrathin quantum wells 87−66914
Shum, K., Ho, P.P., Alfano, R.R., Welch, D.F., Wicks, G.W., Eastman, L.F. Photoluminescence determination of well depth of $Ga_{0.47}In_{0.53}As/Al_{0.48}In_{0.52}As$ in an ultrathin single quantum well 86−1787
Shum, K., Ho, P.P., Alfano, R.R., Welch, D.F., Wicks, G.W., Eastman, L.F. Dependence of electron temperature on well width in the $Al_{0.48}In_{0.52}As/Ga_{0.47}In_{0.53}As$ single-quantum well 87−6425
Shum, K., Junnarkar, M.R., Chao, H.S., Alfano, R.R., Morkoc, H. Energy relaxation and diffusion of photoexcited carriers in symmetric and asymmetric GaAs quantum wells 88−1428
Shum, S.C.-Y. *see* Bradley, G.C. 86−10737
Shumaev, V.V. *see* Bakhmet'eva, N.V. 88−34305
Shumai, I.L. *see* Abdullaev, A.Yu. 88−74269
Shumaker, D.L., Wood, J.T. Overview of current IR analysis capabilities and problem areas 88−53735
Shumaker, J.B. *see* Hattenburg, A.T. 85−3985
Shumaker, R.P. Embedded expert system 87−41365
Shumakov, A.V. *see* Gribov, I.V. 86−50387
Shumakov, M.N. *see* Alekseev, G.D. 86−44589
Shuman, A. *see* Quinlan, P.J. 88−23611
Shuman, D. *see* Halbach, K. 86−25040
Shuman, D. *see* Hoyer, E. 87−18486, 88−54457
Shuman, D. *see* Tirsell, K.G. 87−29408
Shuman, V.B. Increasing the speed of diodes 86−2116
Shuman, V.B. *see* Guk, E.G. 86−21331
Shuman, V.B. *see* Zubrilov, A.S. 86−67718, 88−64506
Shumard, E. *see* Claus, R. 88−16639
Shumarov, E.V. Design of single-level weighting functions for efficient mains noise suppression 86−67268
Shumate, A. Error correction coding for channels subject to occasional losses of bit count integrity 85−30155
Shumate, M.S. *see* Ahlberg, H. 86−18588
Shumate, M.S. *see* Kahle, A.B. 86−12155
Shumate, P. Temperature effects on dispersion and loss for high-bit-rate LED-based lightwave systems 86−23848
Shumate, P.W. Reliability considerations for optoelectronic interconnections 88−2146
Shumate, P.W. Recent progress in long-wavelength lightwave devices 88−15481
Shumate, P.W., Gimlett, J.L., Stern, M., Romeiser, M.B., Cheung, N.K. Transmission of 140 Mbit/s signals over single-mode fibre using surface- and edge-emitting 1.3 μm LEDs 85−47505
Shumate, P.W. *see* Asous, W.A. 85−20225
Shumate, P.W. *see* Chang, G.K. 88−15450
Shumate, P.W. *see* Choy, M.M. 85−62551
Shumate, P.W. *see* Gee-Kung Chang 88−47078
Shumate, P.W. *see* Gimlett, J.L. 85−56300, 86−17369, 86−49696
Shumate, P.W. *see* Reith, L.A. 86−63619, 87−32963, 88−1956, 88−51474
Shumate, P.W. *see* Stern, M. 86−4637
Shumate, P.W., Jr. *see* Chang, G.K. 87−70071
Shumate, P.W., Jr. *see* Saul, R.H. 85−41270
Shumate, W.A. *see* Gardner, S.H. 87−40824
Shumay, I.L. *see* Akhmanov, S.A. 85−29907
Shumay, W.C., Jr. Superconductors to market? 88−7810
Shumay, W.C., Jr. Corrosion in electronics 88−19552
Shumay, W.C., Jr. Copper's expanding role in microelectronics 88−25750
Shumay, W.C., Jr. New materials for SMT 88−44448
Shumei He *see* He Shumei
Shumila, M.J. *see* Perlman, S.S. 87−63141
Shumilin, V.P. *see* Batyrev, N.I. 86−26824
Shumilin, V.P. *see* Butusov, M.M. 86−42290
Shumilin, V.V. *see* Buchenkov, V.A. 86−29108
Shumilo, A.A. *see* Buzaneva, E.V. 86−58339
Shumilo, T.V. *see* Lerman, L.B. 87−47428
Shumilov, B.M. Application of a local spline approximation to the problem of preliminary data processing. II 86−4927
Shumilov, E. *see* Galaktionov, Yu. 87−8841
Shumilov, K.A. *see* Petukhov, G.B. 88−35761
Shumilov, L.A. *see* Balakin, V.I. 87−37140
Shumilov, T.I. *see* Fomina, V.I. 86−39507
Shumilov, V.B. *see* Boshernitsan, E.S. 85−64302
Shumilov, V.F. Correlation functions and spectral densities of stochastic industrial loads 88−48848
Shumilov, V.F., Shumilova, N.I. Construction of a subordinate control system for an asynchronous cascade rectifier subjected to random disturbances 85−60279
Shumilov, V.F., Shumilova, N.I. Synthesizing an optimal frequency-controlled asynchronous electric drive 86−45741
Shumilov, V.N. *see* Girnyk, V.I. 85−41520
Shumilov, Yu.A. *see* Boryu, N.V. 85−21694
Shumilov, Yu.A. *see* Popov, P.G. 87−9551
Shumilov, Yu.N., Khramov, L.F., Pokrovskii, S.F. Breakdown of glass insulators due to partial surface discharges 85−21233
Shumilova, E.D. *see* Vdoviko, V.P. 86−9337
Shumilova, N.I. *see* Shumilov, V.F. 85−60279, 86−45741
Shumin Wang *see* Wang Shumin
Shuming Guo *see* Guo Shuming
Shuming Pan *see* Pan Shuming
Shuming Zhang *see* Zhang Shuming
Shumjatsky, P.S. *see* Domnin, Y.S. 86−38588
Shumka, A. *see* Kim, Q. 85−5385, 87−22754
Shumljansky, I.I. Horn radiation with curve formers 88−2810
Shumlyanskii, I.I. Use of certain combinations of orthogonal coordinate systems to solve electrodynamics boundary-value problems 86−22762
Shumov, Yu.S. *see* Prosvirin, K.A. 85−29685
Shumovich, R. *see* Zahn, M. 85−40945
Shumpert, T. *see* Barefield, J. 86−32445
Shumpert, T.H. *see* Kosiba, E.A. 86−29578
Shumskaya, E.G. *see* Karlova, G.F. 85−55433
Shumskaya, L.I. *see* Golubchenko, V.P. 88−2182
Shumskaya, L.P. *see* Loshakov, L.N. 86−15852
Shumskii, A.E. *see* Podkopaev, B.P. 85−6267
Shumskii, A.L. Phase-comparison protection with current transformers for self-contained electrical plant 86−56490
Shumskii, A.L., Lisochenko, V.N., Matukhno, A.V., Levandovskii, A.P. Phasing the current transformers in busbar differential protection 86−65756
Shumskii, L.D. *see* Sergeev, B.G. 85−37531
Shumskii, V.N. *see* Vasin, O.I. 87−36764
Shumyatskii, P.S. *see* Domnin, Yu.S. 87−34898, 88−20551
Shun Cheung Distributed computer simulation of a data communication network 88−21499
Shun Gou Yin *see* Yin Shun Gou
Shun Li *see* Li Shun
Shun Yuwen *see* Zhang Xiaolin 86−60224
Shun-de Wang, Shi-yang Jiang, Li Men A new type optical fibre TV adaptor-link between telescope and spectrograph 86−50033
Shun-en Xie, Calvert, T.W. The CSG-EESI scheme for representing solids with a conversion expert system 86−10566
Shun-Ji Huang *see* Huang Shun-Ji
Shun-Liang Hsu *see* Jiann-Ruey Chen 87−73146
Shun-Lin Su, Rao, V.B., Trick, T.N. HPEX: a hierarchical parasitic circuit extractor 87−65716
Shun-Ping Chen Low loss bends for planar optical waveguides 88−65293
Shun-Shi Zhong A broadband feeding technique for microstrip antenna elements 87−47438
Shun-yi Zhang, Hasegawa, S., Suwa, A. A simple image processing system using a facsimile and a personal computer 87−27612
Shun-Yu Chan *see* Chao-Shun Chen 87−71638
Shunanee, J. *see* Worobow, L. 86−34007
Shunchang Zhuang *see* Zhuang Shunchang
Shunchao Xu *see* Xu Shunchao
Shundi Sun *see* Sun Shundi
Shundo, S. *see* Iwabuchi, M. 86−46823
Shunevich, S.A. *see* Gulakov, I.R. 88−58360
Shunfu Zhang *see* Zhang Shunfu
Shung, C. *see* Azim, S.K. 88−73020
Shung, C. *see* Ruetz, P.A. 87−775
Shung, K.K. *see* Bronez, M.A. 86−5905
Shung, K.K. *see* Yu, F.T.S. 85−48240
Shung Ling Lung *see* Lung Shung Ling
Shung Wang *see* Cailong Bao 88−27277
Shung Woo Lee, Ho Jung Hwang A new algorithm for drawing the shuffle-exchange graph 86−53736
Shung-Wu Lee *see* Lam, P.T. 86−22799
Shunhua He *see* He Shunhua

Shunhuang Wang *see* Wang Shunhuang
Shuni Chu, Chen, T.C. A flexible format video sequence processing simulation system 87−49309
Shunichi Mura Kami *see* Mura Kami Shunichi
Shunin, O.A. *see* Tensin, V.S. 87−39504
Shunin, V.A. *see* Bazanov, V.F. 87−29295
Shunji Huang *see* Huang Shunji
Shunk, E.R. *see* Dowdy, E.J. 87−42031
Shunk, S.C. *see* Feuer, M.D. 87−25206, 87−32518, 87−73698, 88−38715
Shunk, S.C. *see* Flahive, P.G. 85−54855
Shunkang Liu *see* Liu Shunkang
Shunqing Zhou *see* Zhou Shunqing
Shunquan Gao, Wai-Kai Chen Application of lattice theory to the generation of trees by decomposition 86−596
Shunsheng Chen *see* Chen Shunsheng
Shunsheng Liu *see* Liu Shunsheng
Shunshi Zhong, Demin Fu, Yukuan Mao, Quanqing Xia, Li Yu Design of a partially shaped Cassegrain antenna 86−68893
Shunxuan Zheng *see* Zheng Shunxuan
Shunyi Zhang *see* Zhang Shunyi
Shuo Han *see* Han Shuo
Shuo-hsien Wang *see* Chuen-horng Tsai 86−51377
Shuo-Tung Chang, Lyon, S.A., Johnson, N.M. Charge trapping and impurity diffusion in nitrided oxides on silicon 86−21286
Shuo-Yen, Robert Li Binary trees and uniform distribution of traffic cutback 86−49128
Shupaev, M.V. *see* Kovtonyuk, N.F. 88−20484
Shuparskii, A.I. *see* Popov, A.I. 88−23713
Shupe, M. *see* Lobkowicz, F. 85−43185
Shupe, M.A. *see* Laasanen, A.T. 85−52986
Shupe, N.K., Bernabe, B. The digital map as a tactical situation display 87−50518
Shupe, R.E., Hornback, N.B. The friendly fields of RF [patient treatment] 85−53091
Shupenev, V.A. *see* Kornienko, P.M. 87−64701
Shupik, I.S. *see* Kazakevich, O.Ya. 85−5392
Shuping, R.E. *see* Heang-Ping Chan 85−9090
Shupletsov, A.S. *see* Karpova, G.I. 88−55220
Shupov, V.P. Setting up a radio link for remotely-controlled explosions in quarries 88−9392
Shuppe, G.N. *see* Nosov, A.A. 85−6642
Shuppert, B. Microstrip/slotline transitions: modeling and experimental investigation 88−63834
Shupruta, V.V. *see* Pozhidaev, V.M. 85−8804, 86−40029
Shupyatskii, A.B. *see* Megalinskii, V.R. 87−57364
Shuqin Sun *see* Sun Shuqin
Shuqin Yan *see* Yan Shuqin
Shuqing Cui *see* Cui Shuqing
Shuqing Tian *see* Tian Shuqing
Shuquan Guo *see* Guo Shuquan
Shuquan Zhou *see* Zhou Shuquan
Shur, A.A., Mel'nikov, B.F., Shergin, N.N. Experimental investigation of the directional characteristics of TV receiving antennas 87−54689
Shur, A.A., Melnikov, B.F. A more accurate calculation of the field strength in hilly and mountainous terrain in the frequency band from 30 to 1000 MHz 85−8533
Shur, D.H. *see* Tobagi, F.A. 87−28360
Shur, G.I. *see* Glebov, I.A. 85−60048
Shur, G.I. *see* Gol'denberg, S.I. 86−33203
Shur, G.I. *see* Kostin, K.F. 86−33277
Shur, M. Folded gate—A novel logic gate structure 85−11205
Shur, M. Spill-over effects in planar doped barrier devices 86−9076
Shur, M. 3.4 GaAs FET models 87−53561
Shur, M. GaAs devices and circuits 88−11575
Shur, M. Bipolar permeable base transistor 88−13348
Shur, M. Recombination current in forward-biased p-n junctions 88−71324
Shur, M., Choong Hyun, Hack, M., Yaniv, Z., Yang, M., Cannella, V. Localized states distribution and the characteristics of amorphous silicon alloy field effect transistors 86−41827
Shur, M., Hack, M. Determination of density of localized states in amorphous silicon alloys from the low field conductance of thin n-i-n diodes 86−35360
Shur, M., Hack, M. Determination of density of localized states in amorphous silicon alloys from the low field conductance of thin *n-i-n* diodes 86−35623
Shur, M., Hack, M., Hyun, C. Characteristics of amorphous silicon based alloy field effect transistors 85−50604
Shur, M., Hyun, C., Hack, M. New high field-effect mobility regimes of amorphous silicon alloy thin-film transistor operation 86−47585
Shur, M., Hyun, C., Hack, M., Czubatyj, W. Amorphous silicon alloy thin film transistor operation with high field effect mobility 87−18146
Shur, M. *see* Arch, D.K. 87−32551
Shur, M. *see* Baek, J. 87−67263, 88−71613
Shur, M. *see* Baek, J.H. 87−6709
Shur, M. *see* Chen, C. 86−63299
Shur, M. *see* Daniels, R.R. 87−46223, 88−44788, 88−64559
Shur, M. *see* Hack, M. 85−18778, 85−18791, 85−65441, 86−7051, 86−33668, 86−35728, 86−45665, 86−53617, 87−16017, 87−25356, 87−30936, 87−78907, 88−26300, 88−44772
Shur, M. *see* Jingming Xu 86−67671, 88−26347, 88−32808, 88−57624
Shur, M. *see* Xu, J. 87−1484, 87−66901, 87−67277
Shur, M.L. *see* Benklevskaya, N.P. 87−16727
Shur, M.L. *see* Reiderman, A.F. 88−44972
Shur, M.L. *see* Shcherbinin, V.E. 86−13857
Shur, M.S. Analytical models of GaAs FETs 85−23784
Shur, M.S. Low field mobility, effective saturation velocity and performance of submicron GaAs MESFETs 85−35027
Shur, M.S. Device models for high speed GaAs integrated circuits 86−63456
Shur, M.S., Abrokwah, J.K., Daniels, R.R., Arch, D.K. Mobility enhancement in highly doped GaAs quantum wells 87−32302
Shur, M.S., Abrokwah, J.K., Daniels, R.R., Arch, D.K., Cirillo, N.C., Jr Novel heterostructure transistors with extremely small separation between gate and channel 87−25334
Shur, M.S., Arch, D.K., Daniels, R.R., Abrokwah, J.K. New negative resistance regime of heterostructure insulated gate transistor (HIGFET) operation 86−41797
Shur, M.S., Tzu-Hung Chen, Hyun, C.H., Jenkins, P.N. Design and simulation of self-aligned modulation doped AlGaAs/GaAs ICs 86−15276
Shur, M.S. *see* Baek, J. 86−21581
Shur, M.S. *see* Baier, S.M. 86−21588
Shur, M.S. *see* Byun, Y.H. 88−64613
Shur, M.S. *see* Chen, C.-H. 87−60467, 88−50880
Shur, M.S. *see* Chen, T.-H. 85−23781, 85−40752
Shur, M.S. *see* Cirillo, N.C. 85−1592
Shur, M.S. *see* Cirillo, N.C., Jr. 86−28325, 86−41795, 86−47614
Shur, M.S. *see* Conger, J. 88−39503
Shur, M.S. *see* Drummond, T.J. 85−1084
Shur, M.S. *see* Grinberg, A.A. 85−1351, 85−18300, 85−29004, 85−55527
Shur, M.S. *see* Hyun, C. 85−18315
Shur, M.S. *see* Hyun, C.H. 86−53818, 86−63472, 87−5793
Shur, M.S. *see* Lee, K. 85−6932
Shur, M.S. *see* Lee, K.W. 85−6951, 85−40759
Shur, M.S. *see* Peczalski, A. 86−53817, 87−45948
Shur, M.S. *see* Vu, T.T. 88−32114
Shur, R.D. *see* Althoff, J.C. 86−20218
Shur, S.S. *see* Antipov, K.M. 86−25646
Shur, S.S. *see* Artem'ev, A.S. 87−35662
Shur, S.S. *see* Belyakov, N.N. 86−39226
Shur, S.S. *see* Borodulina, L.V. 87−9687
Shur, S.S. *see* Evtushenko, V.A. 86−33533
Shur, S.S. *see* Garasim, S.I. 86−65776
Shur, S.S. *see* Redrugina, M.N. 87−71748
Shur, V.L. *see* Bolonin, A.A. 86−11699
Shur, V.L. *see* Popov, O.I. 87−63516
Shur, V.Ya., Letuchev, V.V., Ovechkina, I.V. Polarization switching in lead germanate single crystals 85−40981
Shur, Ya.S. *see* Khrabrov, V.I. 85−35288
Shur, Ya.S. *see* Serikov, V.V. 85−7160
Shur, Yu.B. *see* Gitman, V.A. 86−61190
Shur, Yu.B. *see* Shcherbina, Yu.V. 88−61824
Shuralev, S.L. *see* Bakhir, L.P. 88−65576
Shurchkov, I.O. Allowance for measurement accuracy in monitoring parameters of large-scale integrated circuits 86−9183
Shurchkov, N.K. The duration distribution of the periods of a narrow-band random signal 87−13007
Shure, D., Gregoratos, G., Moser, K.M. Angioscopy is useful in the evaluation of chronic pulmonary arterial obstruction 85−38072
Shure, D., Moser, K.M., Peterson, K.L., Gregoratos, G. Fiberoptic pulmonary angioscopy: a comparison of two prototype angioscopes 87−41951
Shuren Xi *see* Xi Shuren
Shurgaya, R.R. Theoretical sensitivity study of a wide-aperture power-measuring facility for the power of laser radiation 87−61217
Shurgaya, R.R. Receiving element of wide-aperture devices for measuring laser radiation power 88−10146
Shurgaya, R.R. *see* Gandel'man, G.M. 85−46444
Shurina, E.P., Karchov, D.S. Simulation and analysis of the sensitivity of thermal condition of a superconducting turbogenerator 88−37184
Shurina, E.P. *see* Glebov, I.A. 87−4674
Shurina, E.P. *see* Petrov, Yu.V. 88−17528
Shurinov, S.G. *see* Solov'ev, V.I. 88−42309
Shurkin, J. The dry look in cooling towers 86−45193
Shurmer, H., Fard, A., Barker, J., Bartlett, P., Dodd, G., Hayat, U. Development of an electronic nose 88−9954
Shurmer, H.V. Graphical approach to constant gain amplifier design 87−52405
Shurmer, H.V. Application of the bilinear transformation to broad-band microwave amplifier design 88−50351
Shurmer, H.V., Kidd, K.R. A hybrid probe network analyser 87−29274
Shurmer, H.V. *see* Abbott, D.A. 86−31631
Shurmer, H.V. *see* Baker, C.R. 87−24485
Shurong Chen *see* Chen Shurong
Shurong Wang *see* Wang Shurong
Shurong Zeng *see* Zeng Shurong
Shurpach, S.A. *see* Tuz, Yu.M. 88−35974
Shurter, R. *see* Humphries, S., Jr. 86−44532
Shurter, R.B. *see* Bowling, P.S. 87−61284
Shurter, R.P. *see* Ballard, E.O. 86−32123
Shurter, R.P. *see* Rutkowski, H.L. 86−32107
Shurter, R.P. *see* Wilson, D.C. 87−50017
Shurukhin, B.P., Kuznetsov, V.N., Makhotkin, V.E., Bulushev, A.G. High-temperature magnetometer with vibrating platform 87−21138
Shurukhin, B.P. *see* Bulushev, A.G. 87−74750, 88−27225, 88−45192
Shurukhin, V.P. *see* Bulushev, A.G. 87−76771
Shurupov, A.A. *see* Kremnev, R.S. 86−30313
Shurupov, A.A. *see* Nikitin, A.A. 87−9699
Shurupov, A.V. *see* Davydov, A.N. 88−43315
Shurupov, V.V. Training aid for dispatchers in the Siberian power pool 87−15164
Shurygin, A.I. *see* Krokhotkin, A.A. 86−44200
Shurygin, B.D. *see* Kangin, V.V. 87−73506
Shurygin, G.V. *see* Kornilov, G.P. 87−9890
Shurygin, M.N. *see* Borodulin, Yu.B. 86−48524
Shurygin, N.A. *see* Yarichin, E.M. 87−65880
Shurygina, G.V. *see* Kornilov, G.P. 85−27510
Shusen Ma *see* Ma Shusen
Shuseng Li *see* Li Shuseng
Shusha, V.V. *see* Filippov, I.M. 87−1180
Shusha, V.V. *see* Kolkovskii, I.I. 87−17683
Shusha, V.V. *see* Lugakov, P.F. 85−18043
Shushan, B., Quan, E.S.K., Boorn, A., Douglas, D.J., Rosenblatt, G. Materials characterization using elemental and isotopic analyses by inductively coupled plasma mass spectrometry 87−24741
Shushan Jin *see* Jin Shushan
Shusheng Wang *see* Wang Shusheng
Shusheng Yu *see* Yu Shusheng
Shushkevich, G.Ch. Calculating capacitance of two thin spherical shells 86−3421
Shushkevich, G.Ch. The electrostatics of an open spheroidal shell located inside a cylinder 88−65948
Shushkevich, S.S. *see* Pryakhin, A.E. 85−8997
Shushkevich, S.S. *see* Slepyan, G.Ya. 86−29524
Shushnar, G. *see* Arnett, J. 85−48911
Shushnar, G. *see* Hoff, T. 87−64480
Shushnar, G. *see* Reinoehl, R. 86−45281
Shushnar, G.J., Caldwell, J.H., Hoff, T.E. Performance of the Carrisa 6-MW photovoltaic power plant 86−56674
Shushnar, G.J. *see* Arnett, J.C. 85−53624
Shushpanov, O.E. *see* Aleksandrov, I.V. 85−18710, 85−41165
Shushurin, G.S. *see* Sonin, M.S. 87−29183
Shussler, H.-H. Metrology of length by laser interferometry 86−11715
Shuster, B.S., Gol'dberg, G.E. A cooling system for transformer multilayer windings 88−37264
Shuster, K.Sh., Grodnikas, G.Kh., Shenkar, V.S. Production technology of the magnetic circuit for a low-capacity motor with the use of electrical sheet steel wastes 88−69274
Shuster, K.Sh., Grodnikas, G.Kh., Yashin, S.L. Technology for fabrication of low-power electric motors with no special lead ends 88−55385
Shuster, M.D. *see* Thompson, R.H. 85−4408
Shuster, M.S. *see* Gaudreau, M.P.J. 87−75338
Shuster, V. *see* Azar, C. 88−56391
Shuster, Ya.B., Mukhin, V.A., Kir'yanov, D.I. Copper plating of printed circuit boards in ultrasonic field 85−34335
Shusters, A.Ya. *see* Krumin'sh, K.Ya. 87−63519
Shustin, E.G. *see* Armand, N.A. 86−42856
Shustov, A.V. *see* Pankov, A.P. 86−70928
Shustov, L.N. *see* Maksimov, M.V. 88−11577
Shustov, Yu.V. *see* Manokhin, V.I. 86−25359
Shustrov, B.A. *see* Afonin, O.F. 88−57421
Shustrov, N.D. *see* Kalinichev, V.M. 86−61366
Shustryakov, V.M. *see* Golovach, D.G. 85−58749
Shute, G.M. *see* Thomborson, C.D. 87−72944
Shute, M.J. An implementation of a 16 bit processor using only 600 transistors 85−11319
Shute, M.J. Functional programming aspects of wafer scale integration 88−64671
Shute, M.J. *see* Kelly, P.H.J. 86−35846
Shute, M.W., Sr., Brown, C.S., Ritger, A.J. A study of the polarization properties of AT&T's rectangular polarization-maintaining fiber 88−39935
Shute, S. RDS: the EBU Radio Data System. I 87−70178
Shute, S. RDS: the EBU Radio Data System. II 87−76919
Shute, S. Towards the intelligent radio 88−4145
Shute, S. RDS—the EBU radio data system. I 88−15342
Shute, S.A. Digital audio in the BBC 85−47746
Shuti Fu *see* Fu Shuti
Shutilov, V.A., Charnaya, E.V., Kotov, L.N., Kuleshov, A.A., Sarnatskii, V.M. Effect of magnetic field, temperature, and annealing on the long-term memory in ferrite powders 87−60797

Shutko, A.M. The status of the passive microwave sensing of the waters—lakes, seas, and oceans—under the variation of their state, temperature, and mineralization (salinity): models, experiments, examples of application 86−32557
Shutko, A.M. *see* Gitel'son, A.A. 88−36675
Shut'ko, A.P. *see* Lapinskene, M.K. 88−30978
Shut'ko, V.F. *see* Gol'din, R.G. 86−39730
Shuto, K. Stereoscopic display using polarized light 88−67965
Shuto, K. *see* Ninomiya, K. 86−44758
Shuto, Y., Takekuchi, Y., Yamamoto, F. Transmission loss of liquid-crystal-polyester-coated optical fibers at liquid-nitrogen-temperatures 87−38839
Shuto, Y., Takeuchi, Y., Yamamoto, F. Liquid crystal polyesters for optical fiber jacketing 88−13795
Shuto, Y., Takeuchi, Y., Yamamoto, F. Application of liquid-crystal polyesters to optical fiber jacketing 88−67380
Shuto, Y., Yamamoto, F., Takeuchi, T. High-temperature stability of optical transmission properties attained by liquid-crystal polymer jacket 86−63639
Shuto, Y., Yamamoto, F., Takeuchi, Y. High lateral-load resistance of liquid-crystal-polyester-jacketed optical fibers 86−68285
Shuto, Y., Yamamoto, F., Yamakawa, S. Fibre strain induced during heat cycle in liquid-crystal polyester-jacket optical fibre 85−1993
Shuto, Y. *see* Takeuchi, Y. 86−2804
Shutoh, M. *see* Ohyama, Y. 85−19379, 87−71151
Shutoh, T. *see* Ohyama, Y. 87−71151
Shutong Yao *see* Yao Shutong
Shutov, S.D. *see* Arkhipov, V.I. 85−50215
Shutov, S.L. *see* Afanas'yev, L.N. 87−76047
Shutov, S.L. *see* Sultanov, B.V. 88−52443
Shutov, S.M. *see* Kulikov, A.O. 86−31441
Shutov, V.B. *see* Anishchenko, N.G. 85−52942
Shutov, V.B. *see* Belushkina, A.A. 88−42409
Shutov, V.I. *see* Neduzhii, G.I. 87−51662
Shutov, V.K. *see* Abakumov, V.N. 86−8564
Shutova, M.Yu. *see* Logunov, L.A. 85−11981
Shutskii, V.I. *see* Goncharov, A.F. 87−72501
Shutt, J.D., Rickert, S.E., Lando, J.B. Measurement of environmental vibrations in Langmuir films 87−56918
Shutt, R. *see* Brown, D. 88−68107
Shutt, R. *see* Dahl, P. 86−25050, 86−44521, 87−74618, 88−68131
Shutt, R. *see* Skaritka, J. 88−54039
Shutt, R. *see* Strait, J. 87−74617, 88−54294, 88−68133
Shutt, R. *see* Thompson, P.A. 86−25056, 87−21342, 88−54288
Shutt, R. *see* Wanderer, P. 88−29730, 88−68136
Shutt, R.P. *see* Bleser, E.J. 85−48153
Shutt, R.P. *see* Cottingham, J.G. 85−59040
Shutt, T. *see* Wang, N. 88−60688
Shutterly, H.B. *see* Einolf, C.W., Jr. 86−4335, 88−28333, 88−41369, 88−73631
Shuttic, G.M. *see* Dellomo, M. 86−16274
Shuttleworth, A.E. The integration of private and public networks 88−67122
Shuttleworth, M. HICOM—enter a new communications network 88−46537
Shuttleworth, R. *see* Auckland, D.W. 85−15044, 87−64519, 88−33157
Shutz, K. *see* Carmichael, R. 87−5807
Shuvaev, L.E. *see* Artem'eva, S.V. 87−1410
Shuvaev, L.E. *see* Vacher, A.A. 85−37791
Shuvalov, A.L. *see* Verkhovskaya, K.A. 87−2013
Shuvalov, E.N. *see* Dudkin, G.N. 86−65363
Shuvalov, L.A. *see* Novitsky, E.Z. 85−64451
Shuvalov, M.Yu., Gleizer, S.E., Larina, E.T. Study of transients in the insulation of DC cables 85−64911
Shuvalov, M.Yu., Gleizer, S.E., Obraztsov, Yu.V., Peshkov, I.B. A model of aging processes in plastic insulation of high-voltage cable 88−36854
Shuvalov, M.Yu. *see* Gleizer, S.E. 85−43584
Shuvalov, M.Yu. *see* Obraztsov, Yu.V. 85−48596
Shuvalov, R.S. *see* Antipov, Yu.M. 85−9108
Shuvalov, R.S. *see* Arkhangel'skii, B.V. 86−5187, 87−17661
Shuvalov, R.S. *see* Cerri, C. 85−20813
Shuvalov, R.S. *see* Fedyakin, N.N. 86−25122, 87−29495
Shuvalov, R.S. *see* Korytov, A.V. 87−67283
Shuvalov, R.S. *see* Krasnokutskii, R.N. 86−5808, 87−8881, 87−71018, 87−77363
Shuvalov, R.S. *see* Krasnokutsky, R.N. 85−20820
Shuvalov, S.M. *see* Degtyarenko, P.V. 86−5787
Shuvalov, S.M. *see* Vlasov, A.V. 87−50162
Shuvalov, V.A. Exchange of energy and momentum between ions in a rarefied-plasma flow and an electrically conducting surface coated with a thin layer of dielectric 88−62620
Shuvalov, V.A. *see* Shteyn, V.M. 86−37684
Shuvalov, V.A. *see* Stein, V.M. 87−47441
Shuvalov, V.A. *see* Stepan'yants, G.A. 86−20152
Shuvalov, V.P., Astapchuk, V.A. An adaptive algorithm for producing erasures 86−36871
Shuvalov, V.V. *see* Egorov, K.D. 85−51142, 86−29088, 87−19002
Shuvalov, V.V. *see* Petnikova, V.M. 85−24640, 86−36441
Shuvalov, V.V. *see* Tolmachev, V.I. 86−21932
Shuvilo, I.V. *see* Alexeev, N.N. 86−31903
Shuwu Song *see* Song Shuwu
Shuxian Mai *see* Mai Shuxian
Shuxin Huang *see* Huang Shuxin
Shuxin Sun *see* Sun Shuxin
Shuxin Wang *see* Wang Shuxin
Shuxing Gong *see* Gong Shuxing
Shuxun Ma *see* Ma Shuxun
Shuy-Young Yung *see* Fossum, J.G. 86−8733
Shuyang Lin *see* Naifeng Mao 87−63690
Shuying, W., Cailong, B., Yulan, P., Yunying, Z., Jingjing, Z. Coupled wave theory of white-light information processing with Fe:LiNbO$_3$ crystal 87−13119
Shuying Li *see* Li Shuying
Shuying Wang, Jingjiang Zhang, Chun Lei New pseudocolor coding method using a sensitive plate with a code 87−39914
Shuying Wang *see* Tianbao Zhang 88−40091
Shuying Wang *see* Wang Shuying
Shuyuan Zhang *see* Zhang Shuyuan
Shuzhen Na *see* Na Shuzhen
Shuzhen Yang *see* Yang Shuzhen
Shuzhong Yuan *see* Yuan Shuzhong
Shuzi, Y., Wei, Z., Kechong, Y., Runsheng, D., Yupu, W. Microcomputer-based on-line dynamic measurement and analysis of ball screw travel deviation 87−63254
Shuzi Yang *see* Yang Shuzi
Shuzu Dai *see* Dai Shuzu
Shvachko, V.S. *see* Gubanov, V.G. 86−38932
Shvadron, U. *see* Chazan, D. 86−32381, 87−21668
Shvadron, U. *see* Chevion, D. 87−48024
Shvager, Y. *see* Balph, T. 86−23447
Shvaiko, I.G. *see* Babkin, N.I. 86−36852
Shvants, I.A. *see* Romanenko, V.N. 88−16078
Shvarchuk, E.A. *see* Barmashenko, B.D. 85−62507
Shvarev, A.M. *see* Kovalev, V.N. 85−44314
Shvarev, A.M. *see* Mineev, R.V. 86−45818
Shvartin, S.M. General stability problem for some classes of linear programming problems 86−13660
Shvarts, A.L. *see* Batunov, G.K. 86−45203, 86−61367
Shvarts, A.L. *see* Gorshkov, A.S. 88−30583
Shvarts, A.L. *see* Kuz'min, V.V. 86−19109
Shvarts, D. *see* Yaakobi, B. 88−58455
Shvarts, I.G. Providing more accurate calculation for wires along which single electrical sensors are supplied 86−18830
Shvarts, K.K., Ozols, A.O., Reinfelde, M.J. Dynamic self-enhancement of phase holograms in LiNbO$_3$-Fe crystals 86−3330
Shvarts, N.L. *see* Gadiyak, G.V. 87−74411
Shvarts, N.Z., Yelenskiy, V.G. Physical aspects of microwave field-effect transistors (review) 88−19383
Shvarts, Yu.M. *see* Garyagdyev, G. 88−26959
Shvarts, Yu.M. *see* Gorbachuk, N.T. 85−11882, 85−23418
Shvarts, Yu.M. *see* Mitin, V.F. 86−35300
Shvartsburd, E.Ya. Energy balance and efficiency of enamel furnaces with heat recovery 87−9946
Shvartsburg, A.B. *see* Demchuk, M.I. 85−41513, 86−63630
Shvartsburg, A.B. *see* Klovskii, D.D. 88−45129
Shvartsburg, A.B. *see* Sisakyan, E.V. 85−1318
Shvartsburg, A.B. *see* Sisakyan, I.N. 85−35498
Shvartsburg, L.E. Choice of discreteness of standard bench transducer for investigation of pulsed automatic data systems 86−24486
Shvartsburg, L.E. Collating information on position in electrical drives 86−55568
Shvartsman, A.G. Cutting pipes by twisting with local induction heating 85−16436
Shvartsman, A.R. Generalized electromagnetic compatibility characteristics of a radioelectronic facility 85−63522
Shvartsman, A.R. The theory of a digital-analog automatic gain control system in radio receivers 86−38027
Shvartsman, A.R., Shvartsman, E.A. Digital-analog automatic gain control of a radio receiver 85−8332
Shvartsman, B.B. *see* Degtyarenko, P.V. 86−5787
Shvartsman, B.B. *see* Goryainov, N.A. 88−61036
Shvartsman, B.B. *see* Vlasov, A.V. 87−50162
Shvartsman, E.A. *see* Shvartsman, A.R. 85−8332
Shvartsman, G.I. *see* Bashkirov, A.I. 86−15494
Shvartsman, L. *see* Shvartsman, V.A. 87−56788, 87−59218
Shvartsman, L.G. Design of high-voltage open cable end terminals with optimal utilization of insulation 85−48605
Shvartsman, L.G. *see* Bolonov, O.A. 85−43640
Shvartsman, L.G. *see* Zhbanov, A.I. 87−71689
Shvartsman, L.Ya. *see* Tkachenko, N.N. 85−50278
Shvartsman, R.I. *see* Egorov, L.V. 85−44348
Shvartsman, R.I. *see* Kantor, P.I. 87−5209
Shvartsman, R.I. *see* Maksimov, V.N. 87−58001
Shvartsman, R.I. *see* Sibirtsev, S.N. 85−65659
Shvartsman, V. A precision frequency-to-voltage converter/demodulator 86−67109
Shvartsman, V., Magruder, J. Time-variant data compression and retrieval [ECG application] 86−56162
Shvartsman, V.A. Perpetual pulsewidth counter 86−27167
Shvartsman, V.A. High sensitivity frequency-to-voltage converter/demodulator 86−62797
Shvartsman, V.A., Pierce, W.H. Jitter free FM synthesizer 87−14355
Shvartsman, V.A., Shvartsman, L. Measure phase/frequency quickly and cheaply 87−56788
Shvartsman, V.A., Shvartsman, L. Fast hopping, coherent multifrequency synthesizer 87−59218
Shvartsman, V.O. Computer data networks and data transmission networks 87−76338
Shvartsman, V.O. *see* Netes, V.A. 87−48260
Shvartsman, V.O. *see* Zvereva, G.I. 85−7985
Shvartsman, Ya.I. *see* Malyutin, Yu.P. 85−21432
Shvarz, Yu.M. *see* Gorbachuk, N.T. 85−14780
Shvayster, H., Peleg, S. Inversion of picture operators 87−39928
Shvaytser, H. Detecting motion in out-of-register pictures 88−73365
Shvaytser, H., Peleg, S. A new approach to the consistent labeling problem 86−4023
Shvaytser, H., Peleg, S. Representation of patterns of symbols by equations with applications to puzzle solving 87−55267
Shvaytser, H. *see* Brown, L.G. 88−73342
Shvaytser, H. *see* Harouche, E. 85−30342
Shved, S. *see* Lau, H.T. 86−40447
Shvedchikova, I.A. *see* Kartashyan, V.O. 86−29324
Shvedenko, M.V. *see* Gulidov, E.N. 86−35525
Shvedenko, V.V. Parallel method of high-precision numerical integration for LSI integrated circuit analysis 88−24864
Shvedenko, V.V. *see* Sonin, M.S. 87−38333
Shvedov, V.A. High-frequency ammeters with wideband current transformers for measurements in high-voltage circuits 87−29171
Shvedova, N.A. *see* Usin, V.A. 88−72670
Shvedova, O.I. Feasibility of measuring 'closed' irregularities in the resistivity of semiconductors by the four-probe method 88−19785
Shvedova, O.I. *see* Zotov, L.V. 85−12246
Shvedunov, V.I. *see* Alimov, A.S. 88−22867
Shvedunov, V.I. *see* Grishin, V.K. 87−41663, 87−50083
Shvedunov, V.I. *see* Ishkhanov, B.S. 87−35257, 88−36344, 88−68115
Shvedunov, V.I. *see* Nikol'skiy, M.Yu. 87−54506
Shveikin, V.I. *see* Bazhenov, V.Yu. 88−34047
Shveikin, V.I. *see* Borodkin, A.A. 87−18868
Shveikin, V.I. *see* Duraev, V.P. 88−58556, 88−58567
Shveikin, V.I. *see* Garbuzov, D.Z. 86−22265
Shveikin, V.I. *see* Vasil'ev, M.G. 85−7412
Shvets, A.V. *see* Bogomol'nyi, V.M. 86−9363
Shvets, A.Yu. *see* Berdichevskii, A.M. 87−34645
Shvets, Yu.P. *see* Gribachev, O.V. 85−39266
Shvetskii, B.I., Narezhnyi, Yu.A. Structure and algorithm for a specialized measuring and computing arrangement to check electronic counting frequency meters 85−47833
Shvetskii, B.I. *see* Vishenchuk, I.M. 86−17771
Shvetsov, A.G. *see* Gorskii, S.V. 86−57512
Shvetsov, A.V. *see* Zaychenko, Yu.P. 86−10744
Shvetsov, B.N. *see* Algazinov, E.K. 87−48880
Shvetsov, G.A., Bashkatov, Y.L., Stadnichenko, I.A., Anisimov, A.G. Structure of plasma armature of a railgun 88−40521
Shvetsov, G.A., Stadnichenko, I.A. Measuring brightness temperature of plasma armature of railgun 88−40522
Shvetsov, G.A., Titov, V.M., Anisimov, A.G., Bashkatov, Yu.L., Chistyakov, V.P. Railgun accelerators of macroparticles. I. General characteristics 88−40503
Shvetsov, G.A., Titov, V.M., Anisimov, A.G., Bashkatov, Yu.L., Stadnichenko, I.A. Railgun accelerators of macroparticles: II. Experimental investigations 88−40504
Shvetsov, G.A. *see* Anisimov, A.G. 87−54504
Shvetsov, G.A. *see* Bashkatov, Yu.L. 88−34262
Shvetsov, L.N. *see* Golovkov, A.G. 88−18951
Shvetsov, V.N. *see* Akimov, Y.K. 88−29822
Shvetsov Shilovskii, I.N. Analysis of the precision of the extraction of the components of the base current for a bipolar transistor 87−1491
Shvidler, A.B., Mikhailovskii, Yu.A., Cherednichenko, G.B., Vakulevskaya, L.E., Gorovykh, V.G. Intensification of heat exchange in transformer coil windings 88−30760
Shvidler, A.B. *see* Mikhailovsky, Y.A. 86−51717
Shviryaev, Yu.V., Fedotov, D.K., Derevyankin, A.A. Influence of the reliability of actions of the working personnel on the operating safety of a nuclear power plant 88−55112
Shvitai, V.A. *see* Hermel, W. 87−9945
Shvom, E. *see* Danelyus, R. 86−29111
Shvom, E.M. *see* Dobrovol'skii, A.V. 86−9793
Shvyrkov, N.N. *see* Avdeev, V.V. 88−43525

Shvyryaev, Yu.V., Barsukov, A.F., Derevyankin, A.A. Influence of technical maintenance on the reliability of safety systems of nuclear power stations 86−39295

Shvyryaev, Yu.V. *see* Klemin, A.I. 87−35746

Shwartz, A., Makowski, A.M. An optimal adaptive scheme for two competing queues with constraints [packet switching] 86−64397

Shwartz, A., Sidi, M. Erasure, capture and noise errors in controlled multiple-access networks 87−55413

Shwartz, A. *see* Altman, E. 87−44113

Shwartz, J. *see* Baum, E. 87−61097

Shwartz, J. *see* Weksler, M. 88−20624, 88−65641

Shwartzman, S., Mayer, A., Kern, W. Megasonic particle removal from solid-state wafers 85−59531

Shwayri, N. *see* Heising, C.D. 87−51008

Shwed, D. *see* Long, G. 87−39826, 88−40994

Shwedyk, E., Xiong, F., Jayakar, P.B., Seshia, S.S. Filtering characteristics of ambulatory EEG recording systems 88−68406

Shwedyk, E. *see* Brown, J.W. 86−56138

Shwedyk, E. *see* Brusse, E. 85−4329

Shwedyk, E. *see* Fleisher, S. 86−3911, 87−55179, 88−66257

Shwedyk, E. *see* Gulak, P.G. 85−30443, 86−43106 to 43107

Shwedyk, E. *see* Jayakar, P. 88−61384

Shwedyk, E. *see* Jayakar, P.B. 86−32312, 87−63772

Shwedyk, E. *see* McKenzie, M.M. 86−56137

Shwedyk, E. *see* Oh, Y. 88−45932

Shwedyk, E. *see* Safaee-Rad, R. 88−42492

Shwedyk, E. *see* Xiong, F. 88−45821

Shwedyk, E. *see* Xiong, F.Q. 86−56133, 87−41970

Shwu-Jen Jeng *see* Oehrlein, G.S. 88−19827, 88−39041

Shy Jow-Tsong *see* Jow-Tsong Shy

Shya Wang, Hsu, K.B. The study of pneumatic gauge to surface roughness measurement 88−74589

Shyakuda, Y. *see* Ichikawa, S. 85−39954, 87−539

Shyamasundar, R. *see* Joseph, M. *(editor)* 85−39435

Shyamasundar, R.K. *see* Ghosh, S.K. 85−28136

Shyamasunder, R.K. A simple livelock-free algorithm for packet switching 85−19547

Shyamsundar, C.R., Mozumder, P., Strojwas, A.J. Statistical control of VLSI fabrication processes. II. A software system 88−44813

Shyamsundar, C.R., Mozumder, P.K., Strojwas, A.J. Cost minimization approach to VLSI design and manufacturing 86−67941

Shyamsundar, C.R. *see* Mozumder, P.K. 86−67942, 88−6255, 88−44812

Shyatkus, A. *see* Gal'dikas, A. 85−34547

Shyatkus, A. *see* Krotkus, A. 86−67656

Shyder, A.W. *see* Zheng, X.H. 87−38735

Shyh Wang *see* Kuo-Liang Chen 86−3126, 86−54140

Shyh Wang *see* Lee, H.P. 85−50240, 88−24705

Shyh Wang *see* Ming Tang 87−61144, 88−2255

Shyh Wang *see* Ming-Chiang Wu 88−45400

Shyh Wang *see* Minghuang Hong, J. 86−15701

Shyh Wang *see* Ogura, M. 88−14180

Shyh Wang *see* Vakhshoori, D. 88−7343, 88−72134

Shyh Wang *see* Yao-Hwa Wu 85−2297

Shyh Wang *see* Yihjye Twu 85−7413, 86−29129

Shyh-Jye Jou, Wen-Zen Shen, Chein-Wei Jen, Chung-Len Lee Simulatable timing model for MOS logic circuit 88−12308

Shyh-Kang Jeng, Ruey-Beei Wu, Chun Hsiung Chen Waves obliquely incident upon a stratified anisotropic slab: a variations reaction approach 86−68703

Shyh-Shyong Chiou *see* Chih-hao Lee 88−68295

Shyi, C.N., Tseng, L.M., Lee, J.Y. Design of a high performance flexible VLSI discrete Walsh transform processor 86−53779

Shykoff, B.E., Swanson, H.T. A model-free method for mass spectrometer response correction 88−48032

Shyne, J.C. *see* Resch, M.T. 85−6072

Shynk, J.J. A complex adaptive algorithm for IIR filtering 87−12992

Shynk, J.J. On the parallel form in adaptive IIR filtering 88−901

Shynk, J.J. On lattice-form algorithms for adaptive IIR filtering 88−66561

Shynk, J.J., Gooch, R.P. Frequency-domain adaptive pole-zero filtering 86−14383

Shynk, J.J., Gooch, R.P., Widrow, B. A frequency-domain adaptive pole-zero filter with applications 87−7759

Shynk, J.J., Widrow, B. Bandpass adaptive pole-zero filtering 87−27452

Shynk, J.J. *see* Gooch, R.P. 86−64114

Shyong, D.-Y. *see* Chang, P.-T. 87−73198

Shyong, D.-Y. *see* Kaufman, I. 88−18826

Shyr Jin-Sheng *see* Jin-Sheng Shyr

Shyu, C.M. *see* Cheng, L.J. 86−1729

Shyu, H. *see* McDonald, J.F. 87−21796

Shyu, H.-C. *see* Truong, T.K. 88−34567

Shyu, H.C., Truong, T.K., Reed, I.S., Hsu, I.S. Pipeline prime-factor DFT for VLSI using cyclic shuffling 87−72995

Shyu, H.C., Truong, T.K., Reed, I.S., Hsu, I.S., Chang, J.J. A new VLSI complex integer multiplier which uses a quadratic-polynomial residue system with Fermat numbers 87−66025

Shyu, H.C. *see* Hsu, I.S. 87−69048

Shyu, J., Fishburn, J.P., Dunlop, A.E., Sungiovanni-Vincentelli, A.L. Optimization-based transistor sizing 87−60672

Shyu, J., Temes, G.C., Krummenacher, F. Random error effects in matched MOS capacitors and current sources 86−63463

Shyu, J. *see* Shealy, D.L. 88−64140

Shyu, J. *see* Thompson, R.G. 88−64681

Shyu, J.-B., Temes, G.C., Krummenacher, F. Random error effects in matched MOS capacitors and current sources 85−29333

Shyu, J.-M., Sangiovanni-Vincentelli, A., Fishburn, J.P., Dunlop, A.E. Optimization-based transistor sizing 88−51005

Shyu, K. *see* Hwang, C. 86−46972

Shyu, M.-Y.S. *see* Chen, C.-W. 87−66166

Shyu Jyn-Bang *see* Jyn-Bang Shyu

Shyue, S.-W. *see* Hsu, Y.-Y. 87−42297

Shyuji, M. *see* Segami, K. 88−35553

Shyussler, R. *see* Nikityuk, N.M. 85−20528

Shyutte, N.M., Sheronova, S.M., Vasnina, G.P., Platov, E.A., Kaptsov, V.G. Some operating characteristics of herringbone microchannel amplifiers 88−12899

Si, G.-J. *see* Sun, H.-C. 88−68305

Si Chengcai *see* Yan Shensheng 88−39199

Si Chong Chen *see* Po Lung Yu 88−25602

Si Dang Le *see* Le Si Dang

Si Guo-jian *see* Sun Chen-ren 86−65391

Si Guojian *see* Guojian Si

Si Hou-Zhi *see* Spolaore, P. 85−64501

Si Hwan Kim *see* Kook Jong Lee 86−45103

Si Ko *see* Mao Yukuan 87−75609

Si Liwo Yu Hok, Tabucanon, M.T. Cost analysis of attribute single sampling plan with inspection errors 88−31520

Si Whan Kim *see* Moon Hyun Cho 85−26919

Si Yuancheng *see* Zheng Yuhong 88−58324

Si-Chem Lee, Jau-Nan Kau, Hao-Hsiung Lin Current transport across the emitter-base potential spike in AlGaAs/GaAs heterojunction bipolar transistors 85−61903

Si-Chen Lee, Hao-Hsiung Lin Transport theory of the double heterojunction bipolar transistor based on current balancing concept 86−41756

Si-Chen Lee, Jau-Nan Kau, Hao-Hsiung Lin Origin of high offset voltage in an AlGaAs/GaAs heterojunction bipolar transistor 85−18292

Si-Chen Lee, Tsan-Bin Sun A p-(Al,Ga)As/GaAs modulation-doped heterostructure prepared by liquid phase epitaxy 87−17760

Si-Chen Lee *see* Chee-Wee Liu 88−12033

Si-Chen Lee *see* Chung-Zen Chen 88−13331, 88−26230

Si-Chen Lee *see* Hao-Hsiung Lin 86−9091, 87−1192

Si-Chen Lee *see* Hsiung-Kuang Tsai 88−35990

Si-Chen Lee *see* Jiahn-Ann Chen 86−15717, 86−28198

Si-Chen Lee *see* Ming-Huei Shieh 86−9852

Si-Chen Lee *see* Sea-Way Jan 88−6495

Si-Chen Lee *see* Wen-Jer Tzeng 87−74910, 87−74913

Si-cheng Wang *see* Wang Si-cheng

Si-En Chang, Bedi, J.S. VLSI impact on fast multiplier architecture 87−67390

Si-hai Li *see* Li Si-hai

Si-hua Zheng *see* Zheng Si-hua

Si-Hwan Kim *see* Chong Chiu 86−33008

Si-ji Guo *see* Guo Si-ji

Si-le Yu *see* Yu Si-le

Si-Qing Zheng *see* Gonzalez, T.F. 88−31951

Si-Yeong Hwang, Jung Wan Cho An improved protocol validation technique for a class of communication models 87−13235

Si-Yu Chen *see* Heald, R. 86−14218

Si-Yu Chen *see* Chen Si-Yu

Si-yuan Li *see* Li Si-yuan

Si-Yun Gu *see* Gu Si-Yun

Sia, J.B., Obenauer, J.E., Will, P.C., Reisman, S.S., Gaginella, T.S. Automated ion transport analysis across isolated tissues 85−38005

Siafarikas, P.D. *see* Ifantis, E.K. 87−44098, 88−24618

Siakavara, K., Papadimitraki-Chlichlia, H., Sahalos, J.N. On the treatment of wire antennas near an elliptic cylinder 85−57134

Siakavara, K., Sahalos, J.N. A hybrid MM-GTD technique for the optimization of the power gain of arrays of wire antennas near an elliptic cylinder 86−3706

Siakavara, K., Sahalos, J.N. Analysis of a conformal array of slots on a perfectly conducting elliptic cylinder 87−33497

Siakavara, K., Sahalos, J.N. Electromagnetic direction finding from an antenna array configured near an elliptic cylinder 88−35597

Siakkou, M. Digital information memory. A trend analysis 88−63677

Sial, M.A., Jamil, K., Sheikh, S.A., Khan, H.A., Molzahn, D., Vater, P., Brandt, R. The role of nuclear track filters in radon measurements 87−29641

Sial, M.A. *see* Khan, E.U. 85−37964

Sial, M.A. *see* Khan, H.A. 87−29582

Sial, M.A. *see* Waheed, A. 87−29638

Sial, M.Asiam *see* Asiam Sial, M.

Sialm, M. The wishes of users determine the future [telecommunications] 85−13683

Siang, H. *see* Niyogi, K.K. 85−9627

Siano, D.B. Orientational analysis—a supplement to dimensional analysis. I 86−24257

Siano, D.B. Orientational analysis, tensor analysis and the group properties of the SI supplementary units. II 86−24260

Siano, F.S. A connector for fine pitch chip carriers 85−11682

Siao-min Chen *see* Chen Siao-min

Siarkiewicz, K.R. GEMACS—an executive summary 86−29454

Siarkiewicz, K.R. *see* Evans, J.A. 87−68703

Siarry, P., Bergonzi, L., Dreyfus, G. Thermodynamic optimization of block placement 87−38361

Siarry, P. *see* Ouldali, B. 87−66796

Siasios, M. *see* Haque, T. 88−70883

Siba, J. Design concept of electric locomotives for Soviet Railways 87−72517

Sibagatullin, R.A. *see* Atakulov, Sh.B. 87−22729

Sibagatullin, R.S. *see* Rogozin, A.Ya. 86−33831

Sibai, A. *see* Dupuy, J.C. 85−18179

Sibai, A. *see* Vilotitch, B. 86−15060

Sibal, R.V. Rural telecommunications requirements in the Philippines 88−28187

Sibarov, Yu.G., Skolotnev, N.N., Laptev, A.F., Kopaev, V.N., Tabak, V.Ya., Bogushchevich, M.S. Threshold fibrillation currents [electric shocks] 85−20970

Sibata, C.H. *see* Austerlitz, C. 88−23129

Sibata, J. *see* Tojo, M. 88−65527

Sibayama, K., Kubo, M., Itani, K. Sensory characteristics of the 'Melcut-3DCM' 87−7476

Sibbald, A. A chemical-sensitive integrated-circuit: the operational transducer 85−47918

Sibbald, A. Recent advances in field-effect chemical microsensors 87−29063

Sibbald, A., Covington, A.K., Carter, R.F. Online patient-monitoring system for the simultaneous analysis of blood K$^+$, Ca^{2+}, Na$^+$ and pH using a quadruple-function ChemFET integrated-circuit sensor 85−64539

Sibbald, A., Shaw, J.E.A. A flow-through ion-selective field-effect transistor 88−4395

Sibbald, C. *see* Stuchly, S.S. 86−65258

Sibbald, D.R. Industrial design 88−6234

Sibbert, H. *see* Herbst, D. 88−26537

Sibbett, K.H., Ulacia, J.I., McVittie, J.P., Reichelderfer, R.F. Gate oxide damage in dry photoresist stripping environments 88−50746

Sibbett, W., Sleat, W.E. A Photochron IIC circular-scan streak camera with CCD readout 88−16835

Sibbett, W., Sleat, W.E., Taylor, J.R., Krause, W. Photochron IIC streak tube for 300 MHz circular-scan operation 85−61652

Sibbett, W. *see* Baggs, M.R. 86−5072

Sibbett, W. *see* Cohen, M.G. 85−62549

Sibbett, W. *see* Dawson, M.D. 85−24636

Sibbett, W. *see* Eagles, R.T. 86−24383, 86−44176

Sibbett, W. *see* Finch, A. 87−14191, 88−40271

Sibbett, W. *see* Gomes, A.S.L. 85−56599, 85−56815, 86−3108, 86−36411

Sibbett, W. *see* Kean, P. 87−33132

Sibbett, W. *see* Kean, P.N. 87−54405, 88−8282, 88−39889, 88−58645

Sibbett, W. *see* Langford, N. 86−48365, 88−2206, 88−8165, 88−14159

Sibbett, W. *see* Margulis, W. 85−52882

Sibbett, W. *see* Parker, D.G. 87−54185

Sibbett, W. *see* Smith, K. 86−9473, 86−9901, 86−48362, 88−2366

Sibbett, W. *see* Stoltz, B. 86−28821

Sibbille, A., Palmier, J.F., Minot, C., Harmand, J.C., Dubon-Chevallier, C. Perpendicular transport in superlattice bipolar transistors (SBT) 88−33187

Sibert, T.W. Computer aided Braille trainer 85−43437

Sibilia, C., Bertolotti, M. Nonlinear waveguide couplers 87−32995

Sibilia, C., Bertolotti, M., Sette, D. Bistable behaviour of light waves in a graded-index planar waveguide with nonlinear substrate 85−46483

Sibilia, C. *see* Bertolotti, M. 86−68636, 88−2488, 88−51941

Sibilia, C. *see* Mihalache, D. 88−34120, 88−45198

Sibille, A. *see* Dubon, C. 86−9113

Sibille, A. *see* Palmier, J.F. 87−74256, 88−32862, 88−57627

Sibille, F. Infrared detection and imaging 87−35095

Sibille, F. *see* Monin, J.-L. 88−74487

Sibille, F. *see* Monin, J.L. 87−35078

Sibilski, H. *see* Poniecki, W. 86−56866

Sibirtsev, S.N., Kozlovich, Yu.I., Ivanov, V.N., Kornyushkin, O.A., Saprykin, I.A., Ioffe, M.A. Automated pressure die casting complex for production of castings for the frames of AI 71 electric motors 87−42784

Sibirtsev, S.N., Shvartsman, R.I. Fabrication of thin-walled castings for electric motors by die casting 85−65659

Sibirtsev, S.N. *see* Provorov, M.M. 87−5224

Sibirtsev, V.A. *see* Gorbunov, A.M. 86−32783

Sibiryak, I.O. *see* Gordin, V.A. 85−11868

Sibiryak, I.O. *see* Londer, Ya.I. 86−22621

Sibir'yanov, R.F., Lifanov, V.A. Stabilization of rotational speed in direct current thyratron motors 88−69405

Sibley, L. Making light of technology [optical fibres] 85−24299

Sibley, M.J.N., Unwin, R.T., Smith, D.R. The design of p-i-n-bipolar transimpedance preamplifiers for optical receivers 85−37075

Sibley, M.J.N., Unwin, R.T., Smith, D.R., Boxall, B.A., Hawkins, R.J. A monolithic common-collector front-end optical preamplifier 85−39935

Sibley, M.J.N. *see* Calvert, N.M. 88−22077

Sibley, W.A., Suzuki, Y. Review of heavy metal fluoride glass materials for laser applications 87−46835

Sibley, W.A., Yeh, D.C. Radiation effects in heavy metal fluoride glass systems 87−18574

Sibley, W.A., Yeh, D.C. Infrared light to visible light upconversion in heavy metal fluoride glasses 88−45539

Sibley, W.A. *see* Powell, R.C. 85−46366

Sibley, W.A. *see* Yeh, D.C. 88−58656

Siblini, A., Souquet, E., Mesnard, G. Automatic measurement of the phase difference between two VLF sinusoidal signals 85−43063

Sibly, R.M. *see* Baldock, N.M. 88−10356

Sibner, R.J. *see* Hashimoto, K. 86−46203

Sibranietz, D. Simulation of multicast computer communication 87−69692

Sibtechenergo, V.N.Tochilkin *see* Tochilkin Sibtechenergo, V.N.

Sibul, A.H., Tague, J.A. A canonical representation approach to signal detection and estimation in adaptive array processors 87−62048

Sibul, L. *see* Michael, K. 85−17735

Sibul, L.H. Orthonormal decompositions in adaptive systems 87−27550

Sibul, L.H., Burke, S.E. Error analysis of eigenvector preprocessors used in adaptive beamforming 86−16473

Sibul, L.H., Fogelsanger, A.L. Application of coordinate rotation algorithm to singular value decomposition 85−19474

Sibul, L.H., Tague, J.A. Estimation, correlation, modeling and identification in adaptive array processors 88−8794

Sibul, L.H. *see* Prasad, S. 87−63028, 88−52421

Sibul, L.H. *see* Sohie, G.R.L. 87−12980

Sibul, L.H. *see* Wiliams, R.T. 88−73141

Sibul, L.H. *see* Williams, R.T. 87−62128, 88−46026

Sica, G.F., Fusari, W., Reginelli, A. Planning and management of outages in nuclear power plants 85−27200

Sica, M. *see* Odorico, A. 88−18284

Sicard, C.H. *see* Casalegno, L. 88−16577

Sicard, P. *see* Goodman, E.D. 87−30882

Sicard, P. *see* Joos, G. 87−31031, 88−24208

Sicard, P. *see* Saucier, G. 88−12314, 88−26468

Sicard, T. Measurement of the high and low levels of a positive signal [digital testing] 86−67126

Sicard, T. Control circuit for servomotor 87−51264

Sicard, T. Integrated circuit for servo motors 87−53603

Sicart, J. *see* Ada-Hanifi, M. 87−67015, 87−73984, 88−44534

Sicart, J. *see* Vettese, F. 88−32943

Siccardi, A. *see* Guzzi, R. 86−6094

Siccardi Suarez, O.J. Digital television: high quality picture and new performances 88−4163

Sich, E. *see* Demardiros, E. 86−10866

Sichanugrist, P., Konagai, M., Takahashi, K. Modeling and experimental performance of amorphous silicon solar cells with graded boron-doped active layers 85−21808

Sichanugrist, P., Suzuki, H., Konagai, M., Takahashi, K. High-rate preparation of amorphous-silicon solar cells with monosilane 86−45672

Sichanugrist, P. *see* Konagai, M. 86−7053

Sichardt, Trippler Experiences in the design and introduction of advisory systems in microelectronics 88−12162

Siche, D. Diffusion doping of $Pb_{1-x}Sn_xTe$ $(0 \leqslant x \leqslant 0.30)$ with In 86−15022

Sichel, E.K., Knowles, M.L., Sample, H.H. Equipotential distribution in the quantum Hall effect in GaAs-AlGaAs heterostructures 87−11405

Sichel, E.K., Sample, H.H., Salerno, J.P. Equipotential distribution in the quantum Hall effect 86−14905

Sicherman, A. *see* Keeney, R.L. 86−61054

Sichie, D. *see* Mollmann, K.-P. 87−17903

Sichina, W.J., Gill, P.S., Baker, K.F. Thermal analysis for the PC shop 86−14655

Sichkar, V.N., Momot, T.G. On a standardised method of pricing of scientific and technical products 88−55899

Sichkarev, V.I. The present state and future prospects of wave power 86−39613

Sichla, F. Turn-on response of noninverting amplifiers 86−67056

Sichla, F. INA 30, INA 52 and TTA 20 instrumentation amplifiers 88−56489

Sichler, R. *see* Bitterling, H. 88−66846

Sichting, T. *see* Just, H.-J. 86−17927

Sicilian, J. *see* Marino, A.M. 87−15193

Siciliano, G. *see* DeGregorio, R. 87−30093

Siciliano, P. *see* Di Giulio, M. 86−8877, 88−14004

Siciliano, R.J. Closed circuit television systems 87−3315

Sick, I. *see* Boeglin, W. 87−14701

Sick, I. *see* Henneck, R. 87−77517

Sickert, J., Herzog, R., Flade, T. 4.2 K-photoluminescence study of the annealing process in neutron-irradiated silicon 87−24750

Sickert, J. *see* Susse, K.E. 88−33964

Sickert, K. Stored voice-transitions 86−22936

Sickert, K. *see* Kern, W. 86−26983

Sickert, R. *see* Von Kabitzsch, K. 85−1814

Sicket, S.G. *see* Goodrich, R.S. 88−61726

Sicking, W. *see* Backer, R. 87−59679

Siclen, C.D.Van *see* Van Siclen, C.D.

Sicola, S. *see* Hare, M. 88−70134

Sicong Ren, Zi-Zheng Guo, Hung, J.C. A 'locked azimuth-gimbal' method of INS initialization 86−12091

Siconolfi, D.J. *see* Sinclair, J.D. 86−18176

Sicotte, J.R. *see* Emig, K.A. 86−49648

Sicre, E.E. *see* Grosz, S.I. 87−69246

Sicre, E.E. *see* Ojeda-Castaneda, J. 86−69149

Sicre, E.E. *see* Rabal, H.J. 86−48506

Sicre, E.E. *see* Trivi, M. 87−14385, 87−77325, 88−46183

Sicre, J.-L. *see* Carlac'h, J.-C. 85−62100, 88−57800

Sicre, J.L. *see* Leger, A. 88−25260

Sicuranza, G. *see* Cesa, F. 87−76923

Sicuranza, G.L. Theory and realization of nonlinear digital filters 85−17707

Sicuranza, G.L. Nonlinear digital filter realization by distributed arithmetic 86−8379

Sicuranza, G.L., Ramooni, G. Theory and realization of *M*-D nonlinear digital filters 87−19793

Sicuranza, G.L., Ramponi, G. Distributed arithmetic implementation of nonlinear echo cancellers 86−16452

Sicuranza, G.L., Ramponi, G. Adaptive nonlinear digital filters using distributed arithmetic 86−67370

Sicuranza, G.l., Ramponi, G. A variable-step adaptation algorithm for memory-oriented Volterra filters 88−8744

Sicuranza, G.L. *see* Cesa, F. 88−4194

Sicuranza, G.L. *see* Ramponi, G. 85−49996, 87−940, 87−47813, 87−62275, 88−8814, 88−59208

Sicz, K., Legrady, S. AC production testing of FAST TTL 85−11216

Sid Ahmed, S.A.I., Excell, P.S. Low-loss three-phase frequency conversion using a TDM-PWM technique 87−32033

Sid-Ahmed, M.A. A multi-level image threshold selection algorithm and its hardware realization 87−69399

Sid-Ahmed, M.A. A hardware structure for the realization of recursive digital filters 88−50265

Sid-Ahmed, M.A. Programmable non-multiplier architectures for one- and two-dimensional IIR filters 88−56796

Sid-Ahmed, M.A., Rajendran, N. A proposed hardware structure for automatic threshold selection in digital images 88−73175

Sid-Ahmed, M.A., Soltis, J.J., Rajendran, N. Specific applications of image processing to surface flaw detection 86−46400

Sid-Ahmed, M.A. *see* Habib, M.K.R. 86−54541

Sid-Ahmed, M.A. *see* Nagamuthu, N. 86−8385

Sid-Ahmed, M.A. *see* Nagpal, H.K. 85−25190

Sid-Ahmed, M.A. *see* Shah, A.R. 85−34080

Sid-Ahmed, M.A. *see* Soltis, J.J. 86−57990, 87−69385

Sidamonidze, O.M. *see* Lukoyanychev, V.M. 87−20800

Sidaravichyus, I.-D.B. *see* Gaidyalis, V.I. 86−28970

Sidaravicius, I.-D.B. *see* Gaidialis, V.I. 86−54029

Sidat, M.S., Davis, I., Brain, D.J. Steerable, low-profile, stabilised antenna for a mobile satcom terminal 87−47357

Sidat, M.S., Davis, I., Brain, D.J. A low-profile antenna for mobile satellite communications 87−54727

Sidat, M.S. *see* Brain, D.J. 85−41731

Sidat, M.S. *see* Tun, S.M. 88−14549

Siddagangappa, M.C., Lakshminarasimha, C.S., Naidu, M.S. Prediction of breakdown voltages of binary gas mixtures in uniform electric fields 85−1779

Siddagangappa, M.C., Van Brunt, R.J., Phelps, A.V. Influence of oxygen on the decomposition rate of SF_6 in corona 87−25675

Siddagangappa, M.C. *see* Qiu, Y. 85−60183

Siddalingaiah, T.N. Use of smaller transformers [power transformers] 85−16075

Siddall, E. A risk perspective [nuclear power] 87−78411

Siddall, G.J., Baldwin, R.R. Some recent developments in laser interferometry 88−4646

Siddall, M.B. *see* Smathers, D.B. 87−12086, 87−74552

Siddall, R.B. Auxiliary power converters for railway vehicles 86−19376

Siddall, W.F. *see* Bynum, J.E. 86−25901

Siddell, C. Design considerations for small outside broadcast television vehicles specifically for low budget productions for cable television 85−3593

Siddikov, I.Kh. *see* Azimov, R.K. 88−38346

Siddikov, Sh.M. *see* Bakhodirov, A. 88−62358

Siddiqi, M.A., Ahmed, M.T. Effect of temperature and bias voltage drifts on the performance of active-R networks 87−59715

Siddiqi, M.A., Ahmed, M.T. Effect of operational amplifier's nonidealness on the performance of active-R networks 88−38617

Siddiqi, S. Computer aided aircraft design education on the Plato system 87−23136

Siddiqi, S., Zaghloul, A.I., Chou, S.M., Eaves, R.E. An L-band active array system for global coverage 86−3701

Siddiqi, S. *see* Dewell, R. 88−15418

Siddiqi, S. *see* Lee, B.S. 85−13385

Siddiqi, S. *see* Sorbello, R.M. 87−39498

Siddiqi, S.A., Ahmed, I., Naseem, S. Field dependence of optical band gap in manganese phosphate glasses 88−20488

Siddiqi, S.A., Shah, M.A. A low frequency square wave generator 85−17208

Siddiqi, U., Lubkeman, D. An expert system dispatcher's aid for distribution feeder fault diagnosis 88−54988

Siddique, B.M.A. *see* Heinen, J.A. 88−27894

Siddique, M. *see* Tran, T. 86−2424

Siddique, N. System oriented IC chip-set to support high speed bit stream in hard disk control 85−45805

Siddique, N. Bit-stream management ICs pair up as the core of speedy data controllers 85−49907

Siddique, N. 100-MHz DRAM controller sparks multiprocessor designs 87−5926

Siddique, N., Dike, C. Metastable-free arbitrator coordinates processors 88−50091

Siddique, N., Galleni, S. Integrated circuits for data transfer 86−67290

Siddique, N., Krupecki, F. Fast controller converts large static RAMs to FIFO buffers 87−59448

Siddique, N., Krupecki, F. Fast controller converts large static RAMs to FIFO buffers 88−63665

Siddique, N. *see* Seltzer, J. 85−19797

Siddiqui, A.W. *see* Waheed, A. 87−29638

Siddiqui, I.M. *see* Arif, Z. 85−37957

Siddiqui, K.J., Hay, D.R., Suen, C.Y. Evaluation of materials using a rule-based non-destructive monitoring system 86−46419

Siddiqui, K.J., Suen, C.Y., Hay, D.R. KNOMES: Knowledge Monitoring Expert System 88−41971

Siddiqui, M.H. *see* Murphy, B.J. 88−67136

Siddiqui, M.Z. *see* Taqvi, S.G.H. 87−72249

Siddiqui, O. *see* Shi, W.-M. 88−10406

Siddiqui, Z. *see* Iqleem, J. 86−39428

Siddle, J. The electrical properties of multilayer ceramic chip capacitors 86−1410

Siddons, D.P., Hastings, J.B., Faigel, G. A new apparatus for the study of nuclear Bragg scattering 88−48063

Siddons, D.P. *see* Nawrocky, R.J. 88−47814

Siddons, D.P. *see* Shu, D. 88−48060

Siddons, D.P. *see* Stefan, P.M. 87−50085

Sidel, H. Heavy current cables at the Mulheim-Karlich nuclear power plant 87−30195

Sidel'nikov, A.E. *see* Dzisyak, A.P. 85−24489

Sidel'nikov, A.I. *see* Afanas'ev, S.N. 87−29317

Sidel'nikov, A.V. Using a multiloop network to represent the excitation winding in synthesis of a synchronous-machine equivalent circuit 85−43959

Sidel'nikov, A.V., Sidel'nikov, B.V. Influence of saturation on extreme-duty operation of turbogenerators 85−43929

Sidel'nikov, B.V. *see* Andreev, A.M. 88−37224

Sidel'nikov, B.V. *see* Ivanov, Yu.Ya. 85−44002

Sidel'nikov, B.V. *see* Rogachevskaya, G.S. 85−39009

Sidel'nikov, B.V. *see* Sidel'nikov, A.V. 85−43929

Sidel'nikov, V.M. *see* Gashkov, I.B. 87−75723

Sidel'nikov, V.N., Daenichev, B.A., Gokhman, M.S., Zhdanov, D.G. Sensors in automated thyristorised conversion systems 88−75726

Sidel'nikov, Yu.V. *see* Koloshnikov, G.V. 86−8673

Sideman, S. *see* Brevdo, L. 87−50240

Siden, T. Integrated in-line PC board assembly 87−66736

Sidenko, A.F. *see* Puida, S.K. 87−52314

Sidenko, T.S. *see* Kornienko, N.E. 88−33958

Sidenko, T.S. *see* Voronyuk, L.V. 86−3033

Sider, F.M. *see* Shapiro, N.L. 86−32691

Sideras-Haddad, E. *see* von Wimmersperg, U. 88−74696

Sideri, M. *see* Giakoumakis, E. 88−68437

Sideris, T. *see* Goller, K.R. 88–42971
Sides, C.H. Using attitude measurement to validate consultant-taught writing courses 87–65108
Sidey, D., Parker, I.D. Basic research guides Ontario Hydro's life-extension work 87–78476
Sidey, G. UK Government policy on OSI 88–21611
Sidey, R.C. *see* Atherton, P.D. 88–51095
Sidey, R.C. *see* Patrick, T.J. 87–35956
Sidhu, B.S. *see* Davies, R.M. 86–33870
Sidhu, D. *see* Aristizabal, J. 87–33842
Sidhu, D.P. Authentication protocols for computer networks. I 87–2668
Sidhu, D.P., Blumer, T.P. Automated verification of connection management of NBS Class 4 transport protocol 85–8136
Sidhu, D.P., Blumer, T.P. Verification of NBS class 4 transport protocol 87–2880
Sidhu, D.P., Crall, C.S. Executable logic specifications for protocol service interfaces 88–35100
Sidhu, D.P. *see* Blumer, T.P. 88–21632
Sidhu, G.S. *see* Joshi, L.M. 86–53300
Sidhu, J. *see* Devlin, W.J. 86–54137
Sidhu, J. *see* Dyer, P.E. 85–56909, 86–54191
Sidhu, S. *see* Ratner, L.G. 86–31891
Sidhu, S. *see* Reece, R.K. 88–54303 ·
Sidhu, T.S., Sachdev, M.S., Wood, H.C. Application of virtual digital relays 88–30422
Sidhu, T.S. *see* Sachdev, M.S. 87–30275
Sidhu, T.S. *see* Wood, H.C. 87–24527, 88–30421
Sidhwa, E.D. *see* Lewis, J.B. 85–38226
Sidi, A. *see* Lubinsky, D.S. 86–34238
Sidi, J. *see* Nussbaum, G.H. 86–60810
Sidi, M. Tandem packet-radio queueing networks 86–30115
Sidi, M. Tandem packet-radio queueing systems 87–40647
Sidi, M. Discrete-time priority queues with partial interference 87–75973
Sidi, M., Cidon, I. Splitting protocols in presence of capture 85–51830
Sidi, M., Cidon, I. A multi-station packet-radio network 88–41139
Sidi, M., Kurtz, D. Multiple access algorithms via group testing for heterogeneous population of users 87–62410
Sidi, M., Segall, A. A three-node packet radio network 85–20017
Sidi, M. *see* Bar-David, A. 87–40706
Sidi, M. *see* Ben-Zvi, I. 86–44489
Sidi, M. *see* Cidon, I. 85–8318, 85–13678, 85–36477, 86–30607, 86–54596, 86–54630, 86–55011, 87–20219, 87–27711, 87–40015, 87–55398, 87–62415, 88–15086, 88–41130, 88–46326, 88–52662
Sidi, M. *see* Horowitz, I. 85–557
Sidi, M. *see* Kessler, I. 87–39573
Sidi, M. *see* Kurtz, D. 87–39574
Sidi, M. *see* Pinsky, E. 86–55177, 87–19994
Sidi, M. *see* Schubert, N. 86–30223
Sidi, M. *see* Shwartz, A. 87–55413
Sidi, Y., Alpert, D., Biran, D., Epstein, L., Levi, J., Maytal, B., Quinones, L., Weiser, U. Design considerations for a 32-bit microprocessor. The third generation 88–32230
Sidi, Y. *see* Alpert, D. 87–66242
Sidi, Y. *see* Weiser, U. 88–19208
Sidibe, M. *see* Le Doeuff, R. 88–69796
Sidibe, M.D. *see* Le Doeuff, R. 87–22602
Sidik, A.Ghani *see* Ghani Sidik, A.
Sidiqi, S.A., Khan, R.D., Khwaja, F.A., Naseem, S. Band gap variation in manganese phosphate glasses with increasing manganese concentration 88–43949
Sidky, E.Y., Wachter, E.A., Farrar, T.C. State-machine digital pulse generator 88–53747
Sidler, H.F.A. *see* de Haas, J. 86–51856
Sidler, V.G. *see* Sokolov, E.Ya. 87–22116
Sidlin, Z.A. High-alloy welding electrodes 86–26442
Sidlo, C.M. Military interfaces for a burst switch 87–40589
Sidman, M. *see* Koklewicz, M. 85–54958
Sidman, S., Harris, S. Hardware methods improve 1-chip A/D converters 87–37393
Sidman, S. *see* Kuklewicz, J. 85–45127, 85–58549
Sidman, S.B., Kuklewicz, J.C. Monolithic color palette fills in the picture for high-speed graphics 85–22849
Sidman, S.B. *see* Kuklewicz, J.C. 85–58564, 86–5069
Sidnev, A.N. GaAs-FET pulse amplifier with subnanosecond settling time 88–70566
Sidnev, S.A. *see* Kolesnikov, V.A. 86–29506
Sidney, B.D., Schryer, D.R., Upchurch, B.T., Hess, R.V., Wood, G.M., Miller, I.M., Burney, L.G., Brown, K.G., Van Norman, J.D., Schryer, J. Research on catalysts for long-life closed-cycle Co_2 laser operation 88–27073
Sidney, B.D. *see* Brown, K.G. 87–39011
Sidney, J.B. *see* Nedzela, M. 85–63790
Sidney, J.K., Coulthard, J., King, N.W. Cross-correlation flow measurements in oil-air mixtures 88–60978
Sidor, T. Computer-aided analysis and optimisation of the electronic transducer circuit of a resistance thermometer 85–37589
Sidor, T. FM apparatus for strain gauge measurements 85–43108
Sidor, T. Capacitor loss angle meter for use at higher frequencies 87–77310
Sidorchuk, L.I., Klimovich, S.U. Pulse-time analog-digital converter for square-root extraction 87–59649
Sidorchuk, S.F. *see* Matyushkin, V.P. 85–24387
Sidorchuk, Yu.I., Moiseev, A.V., Sorokin, A.N. Certain decoding characteristics of convoluted codes based on Viterbi algorithm 85–51546
Sidorenko, A.A. *see* Vinogradova, T.A. 86–22204
Sidorenko, A.I. *see* Rzhiga, O.N. 85–8474
Sidorenko, A.P. *see* Emel'yanenkov, B.N. 88–12554
Sidorenko, D. *see* Deparade, M. 85–7569
Sidorenko, E.T., Burunin, O.A. The operation of a relay-pulse voltage regulator on an RL load 88–44040
Sidorenko, E.T., Burunin, O.A. Increasing the number of power control stages in a capacitive installation 88–49168
Sidorenko, I.A. *see* Bushuev, V.P. 87–78422
Sidorenko, K.A. *see* Tereshchenko, V.I. 85–16476
Sidorenko, N.F., Mikhailov, V.B., Belousov, A.A. A method of measuring modulation depth 86–24748
Sidorenko, N.G. *see* Sedunov, E.V. 88–29196
Sidorenko, N.V. *see* Inozemtsev, A.V. 87–16560
Sidorenko, S.A. *see* Egorov, A.G. 88–42444
Sidorenko, S.I. *see* Donishev, V.G. 88–26093
Sidorenko, V., Johannesson, R., Zigangirov, K.S.H. On sequential decoding for the Gilbert channel 87–55003
Sidorenko, V.A. *see* Gavrilyuk, V.I. 88–29930
Sidorenko, Yu.B. *see* Kryzhanovskii, V.V. 88–44325
Sidorenkov, S.I. *see* Amisimov, A.M. 85–9933
Sidorenkov, S.I. *see* Anisimov, A.M. 86–45723
Sidorets, V.N. *see* Pentegov, I.V. 86–7326
Sidorik, E.P., Kas'yanenko, I.V., Nikishina, N.G., Tovmachenko, N.N., Pershko, N.Yu., Malinovskii, B.N. Development and application of the computerized system 'IR-spectrometer-computer' for evaluating the androgenic and glucocorticoid adrenal function in patients with lung malignancy 86–60757
Sidorin, A.V. *see* Azarov, V.V. 85–51230
Sidorin, A.V. *see* Danileiko, Yu.K. 86–22463
Sidorin, A.Ya. *see* Borovikov, A.G. 87–77844
Sidorin, A.Ya. *see* Ostashevskii, M.G. 87–63915
Sidorin, K.K. *see* Kuznetsov, A.S. 88–10232
Sidorin, V.B. *see* Golubev, V.P. 88–57278
Sidorin, V.P. *see* Blinov, N.N. 86–18316
Sidorin, V.P. *see* Stavitsky, R.V. 85–38253
Sidorin, V.P. *see* Vasil'ev, V.N. 86–25301
Sidorin, Yu.S. *see* Spector, S.A. 88–10105
Sidorkin, A.L. *see* Romantsov, V.V. 86–33049
Sidorkin, S.F. *see* Bulkin, Yu.M. 86–5738
Sidorkin, V.V. *see* Volkov, A.D. 88–36366
Sidorov, A.F. *see* Vasin, V.V. 85–342
Sidorov, A.I. *see* Balykin, V.I. 85–41360, 88–58485
Sidorov, A.I. *see* Dolbilov, G.V. 88–68117
Sidorov, A.I. *see* Dolbilov, V.G. 87–41683
Sidorov, A.I. *see* Petrov, O.A. 87–64180
Sidorov, A.I. *see* Shchutskii, V.I. 86–57158
Sidorov, A.V. *see* Tul'chinskii, G.A. 88–43327
Sidorov, G.I. *see* Alekhin, V.I. 87–71356
Sidorov, I.N. *see* Koterov, V.N. 87–12404
Sidorov, I.V. *see* Klykov, N.A. 87–43690
Sidorov, N.A. *see* Ul'yanov, A.I. 88–38264
Sidorov, N.M. *see* Gut, R.E. 88–34696
Sidorov, N.M. *see* Okunev, Yu.B. 87–54841, 88–27738
Sidorov, O.P. *see* Adas'ko, V.I. 86–39815, 88–30731
Sidorov, S.V., Blagosklonov, A.A., Avanesyan, V.P., Darevskii, A.S. An apparatus for observing electroluminescence in concentrator solar batteries 86–51908
Sidorov, S.V., Chernikov, V.I., Darevskii, A.S. Generator of intense millisecond light pulses 87–22744
Sidorov, S.V. *see* Koroleva, O.B. 85–26128
Sidorov, V. *see* Batley, R. 86–25127
Sidorov, V.A. *see* Abubakirov, A.S. 88–45375
Sidorov, V.A. *see* Aulchenko, V.M. 88–16637
Sidorov, V.A. *see* Baru, S.E. 85–59234
Sidorov, V.A. *see* Blinov, A.E. 85–26540
Sidorov, V.A. *see* Bondar, A.E. 85–26599
Sidorov, V.A. *see* Golubev, V.B. 85–26688
Sidorov, V.A. *see* Khumarov, R.T. 85–17001
Sidorov, V.A. *see* Khvostantsev, L.G. 85–23410
Sidorov, V.A. *see* Kir'yanov, A.V. 87–39057
Sidorov, V.A. *see* Kornienko, L.S. 86–48377, 86–54180, 86–63784, 87–54278, 87–68591
Sidorov, V.A. *see* Vasilevskii, M.A. 87–78830
Sidorov, V.A. *see* Zykin, F.A. 85–31421
Sidorov, V.G., Shlikhtov, S.N., Shalabutov, Yu.K. Influence of an electric field on the capture of electrons in deep oxygen donor centers in gallium phosphide 85–34923
Sidorov, V.G. *see* Evstropov, V.V. 87–6411
Sidorov, V.G. *see* Gorelenok, A.T. 85–11995, 85–23534, 85–34594
Sidorov, V.G. *see* Korolev, V.L. 86–2984
Sidorov, V.G. *see* Rossin, V.V. 85–12711
Sidorov, V.I. *see* Hikitin, N.M. 85–21208
Sidorov, V.M., Bkhuyan, G.F. A method of reducing the transient duration in a frequency discriminator 86–16336
Sidorov, V.M. *see* Plekhanov, V.S. 86–58015
Sidorov, V.T. *see* Antyukhov, V.A. 86–60637
Sidorov, V.T. *see* Gromov, V.O. 88–42592
Sidorov, Yu.A. *see* Milevskii, L.S. 85–1273
Sidorov, Yu.G. *see* Varavin, V.S. 88–39099
Sidorova, M.A. *see* Domrachev, V.G. 88–9956, 88–36004
Sidorova, T.A., Golikova, O.A., Andreev, A.A., Guts, Z.A., Ablova, M.S., Feigel'man, V.A., Vinogradov, A.Ya. Tin doping in amorphous silicon 86–28134
Sidorova, T.A. *see* Ablova, M.S. 87–6385
Sidorova, T.A. *see* Andreev, A.A. 87–24751
Sidorova, T.A. *see* Dmitriev, V.A. 86–21236
Sidorova, T.V. *see* Varakin, L.Ye. 86–22884
Sidorova, V.I. *see* Gorchakov, O.E. 85–9083
Sidorovich, V.G. *see* Leshchev, A.A. 85–51303
Sidorovich, V.G. *see* Vasilev, M.V. 85–12961, 86–36575
Sidortsev, S.A. A barogalvanic device for converting solar energy into electricity and heat 86–19476
Sidoruk, N.V. *see* Varnavskii, O.P. 86–9796
Sidoruk, S.N. Transistorised switch for synchronous electrical machines 88–5670
Sidoruk, S.N. *see* Mel'nik, S.E. 88–49745
Sidoruk, S.N. *see* Mikhalev, A.S. 88–16034
Sidoruk, V.S. *see* Dudko, D.A. 87–43687
Sidoti, S. Simple baud rate generator 85–33718
Sidrach de Cardona, M., Carrascosa, M., Meseguer, F., Cusso, F., Jaque, F. Edge effect on luminescence solar concentrators 86–26302
Sidushova, L.V. *see* Svetlichnyi, V.A. 88–17337
Sidwell, A., Summerfield, Q. The auditory representation of symmetrical CVC syllables 87–19432
Sidwell, R.D. *see* Woo, D.L. 87–23511
Sidyak, V.A., Verkhovskii, Ya.M. Gyrator frequency selectors with a bandwidth independent of the input-signal level 87–52726
Sidyak, V.A., Verkhovskiy, Y.M., Shtern, I.I. Gyrator-type bandpass filters with parallel resonator connection 86–14345
Sidyakin, V.A., Machnev, E.A. Butt welding dissimilar metals using a low pressure arc 86–26444
Sidyakin, V.G. *see* Podlasov, S.A. 87–6391
Sie, C. *see* Currence, R. 87–17430
Sie, O. *see* Matheron, G. 85–54826
Sie-Biau Chou *see* Yuan, J. 86–34097
Siebel, K.-H. *see* Erlenhof, A. 85–48986, 85–60263
Siebelink, F.J. Single sideband radio in MCI [company] 85–42445
Siebenbrod, D. *see* Lunenburger, W. 87–28078
Siebeneck, J. *see* von der Ohe, J. 87–3479 to 3480, 87–34984, 88–74480
Siebeneicher, P.R. Educated, trained employees are key to success for today's businesses 87–51777
Siebenhaar, A. A new generation of space engines 88–16867
Siebenlist, F., Thomae, R.W., Van Amersfoort, P.W., Schonewille, F.G., Granneman, E.H.A., Klein, H., Schempp, A., Weiss, T. Matching of a cylindrical ion beam to a periodic quadrupole channel 87–50024
Siebenlist, F., Thomae, R.W., Van Amersfoort, P.W., Schonewille, F.G., Ivanov, S.T., Granneman, E.H.A., Klein, H., Schempp, A., Weiss, T. Transport of low-energy ions through a periodic quadrupole channel 87–50025
Siebenlist, F. *see* Ivanov, S.T. 88–22873
Siebenlist, F. *see* Thomae, R.W. 86–25022, 86–32051, 86–60396, 87–8786, 88–36315
Siebenlist, F. *see* van Amersfoort, P.W. 87–8809, 87–41675, 87–41734
Siebenlist, F. *see* Weis, T. 87–50028
Siebens, A.A. *see* French, J.J. 87–21642
Siebentritt, C.R. *see* Kronenberg, S. 87–21690
Sieber, A. A new frequency/current converter for the volumetric rate of flow and speed measurement 85–3953
Sieber, A., Noack, W. Results of an airborne synthetic-aperture radar (SAR) experiment over a SIR-B (Shuttle Imaging Radar) test site in Germany 87–50487
Sieber, A., Theilen-Willige, B. Comparative geologic analysis of Landsat and SIR-A images of the ADRAR des Iforas-area in NE-Mali 85–64721
Sieber, A. *see* Gnaedig, A. 86–4736
Sieber, A.J. Forest signatures in imaging and non-imaging microwave scatterometer data 86–55820
Sieber, A.J., Popella, A., Hartl, P. Simulation of SIR-B imagery over Freiburg test-site 86–12087
Sieber, A.J. *see* Hartl, P. 87–49179
Sieber, A.J. *see* Reigger, S. 88–5145
Sieber, B. New generation of VEM-generator-plants for touring railway carriages 87–43566
Sieber, B. *see* Triboulet, R. 86–7732
Sieber, C.S. *see* Brockman, I.H. 88–64048
Sieber, N. *see* Fenske, F. 86–28071

Sieber, P. BiCMOS2 for submicrometer structures 86−35740
Sieber, P. Submicron combined technologies [BIC MOS and UHF-bipolar from Telefunken Electronics] 86−35744
Sieber, P. The way to submicron technology 86−47652
Sieber, P. On the way to the submicron technology 87−1580
Sieber, P., Arndt, J. BICMOS−the combination of bipolar and CMOS technologies for constructing complex analogue-digital systems 86−35746
Sieber, P., Arndt, J. BiCMOS−a bipolar/CMOS combination technology for the implementation of complex analogue-digital systems 86−41860
Sieber, P., Arndt, J. BICMOS: a bipolar-CMOS combination technology 86−47657
Sieber, P., Arndt, J. 100000 functions digital and analog 87−1577
Sieber, P. *see* Denner, W. 86−62533
Sieber, P. *see* Goosen, P.V. 86−50958
Sieber, P. *see* Pesch, H. 85−65356
Sieber, P. *see* Tomaszewski, Z. 87−37453
Sieber, P. *see* Troster, G. 86−67940, 87−37411
Sieber, R. *see* Cooperman, M. 86−4451, 88−59900
Sieber, R.E., Hiltunen, R.A. Load management storage technologies: economic evaluation and proactive load shaping potential on the TVA system−a TVA case study 86−61079
Sieber, R.E., Ruffner, E. Potential economic benefits and load shape impacts of a high-efficiency commercial lighting program−TWA case study 86−61077
Sieber, R.E. *see* Harper, J.P. 86−25529
Sieber, R.E. *see* Ruffner, E.R. 87−71564
Sieber, R.W. *see* Cooperman, M. 86−49382, 88−59949
Sieber, W. *see* Turlo, Z. 85−31134
Siebert, B.R.L., Coyne, J.J. Dose conversion factors and W_n values for infinitesimal and infinite tissue-equivalent ion chambers in monoenergetic neutron fields from thermal to 20 MeV 85−26821
Siebert, B.R.L., Hollnagel, R., Jahr, R. Calibration and performance of individual neutron monitors 86−18397
Siebert, B.R.L. *see* Hollnagel, R. 86−18399
Siebert, B.R.L. *see* Scholermann, H. 85−52927
Siebert, E., Fouletier, J., Vilminot, S. Characteristics of an oxygen gauge at temperatures lower than 200°C 85−8833
Siebert, H. Data transmission in our automation and control systems 85−19619
Siebert, H., Engelhardt, W. Performance data and limiting conditions of object tracking algorithms in the presence of camera noise 88−28015
Siebert, H. *see* Buhn, U. 85−52647
Siebert, H. *see* Grossniklaus, U. 88−15148
Siebert, H. *see* Schott, J. 85−34008
Siebert, H.-P. 4 A switched at 100 kHz. Ten applications of the monolithic integrated switching regulator L 296 85−6143
Siebert, H.-P. Sound broadcasting and data: joined in the ether. Programs are automatically identified 85−8525
Siebert, H.-P. Nonvolatile random-access-memory 85−22848
Siebert, H.-P. Cross-symmetrical LF amplifiers: mass-less 85−33682
Siebert, H.-P. Colour video recording on floppy disc: perpendicular magnetisation for video 86−24145
Siebert, H.-P. Signal analysis techniques for spectrum analysis 86−27432
Siebert, H.-P. Applications of spectrum analysis 86−31282
Siebert, H.-P. Modern spectrum analysers 86−31283
Siebert, H.-P. ICs for power electronics 86−58516
Siebert, H.-P. An overview of display technology. I. Cathodoluminescence displays 87−8522
Siebert, H.-P. Flat screen displays: Review of display technologies. II. Vacuum fluorescence and plasma displays 87−8661
Siebert, H.-P. Colour video cameras: the CCD chip in detail−design and function of the CCd image converter from Sony 87−13904
Siebert, H.-P. Survey of display technologies 87−14391
Siebert, H.-P. Measurements and tests on LWL components 87−18618
Siebert, H.-P. Display technologies in review: passive flat-screen concepts 87−21149
Siebert, H.-P. Output amplifier of high efficiency 87−23950
Siebert, H.-P. Competition for CD and compact cassette in view: digital audio tape recorder for the car 87−28871
Siebert, H.-P. Transient distortion in concert halls: sound differences 87−35248
Siebert, H.-P. Optical measurement of microscopic deformations. Application of the Speckle interferometry 87−56914
Siebert, H.-P. Manufacture of DAT cassettes. What has Goethe to do with DAT? 87−70323
Siebert, H.-P. CO-sensor for the ppm-range 88−29313
Siebert, H.-P. Optical fibre switches 88−33615
Siebert, H.P. Video tapes in head abrasion tests: tape types affect lifetime 85−7149
Siebert, H.P. A purely digital preamplifier/equalizer for CD signals 87−17238
Siebert, H.P. *see* Platte 87−14014
Siebert, H.W. A new hyperon beam facility at CERN 88−10211
Siebert, J. Freely programmable digital open-loop/closed-loop control system for converters and converter drives 86−71087
Siebert, J. SIMADYN D — a high-speed digital closed·loop and open-loop control system [for electric drives] 87−16089
Siebert, J.E., Rosenbaum, T.L., Oosterwijk, H. Communication network for metropolitan area interhospital image exchange 86−32397
Siebert, J.E., Rosenbaum, T.L., Oosterwijk, H. Experience and insights with a metropolitan area medical imaging broadband network 87−20244
Siebert, J.E. *see* Rosenbaum, T.L. 87−28116
Siebert, L.D. *see* Knickelbein, M.B. 88−72262
Siebert, W. The hardware is decisive. The incorporation of PCs 87−28101
Siebert, W. The practice of data transmission. I. Problems and basic concepts of data transmission 87−55836
Siebert, W.M. Changing patterns of engineering education 85−32975
Siebert, W.M. *see* Wyatt, J.L., Jr. 85−533
Siebert, W.McC. Circuits, signals and systems 86−33976
Siebke, K. Developments in the field of coaxial cables 85−47398
Sieboerger, G. *see* Brilka, J. 85−37263
Siebold, H. A computer program for optimizing homogeneous field magnets with iron yoke 88−52149
Siebold, H., Huebner, H., Soeldner, L., Reichert, T. Performance and results of a computer program for optimizing magnets with iron 88−52150
Sieczkos, J.H., Kindig, W.G. Reliability: ‘better than the best’ [engine control] 87−50533
Siedband, M.P. Data card system for filmless radiography 88−36570
Siedel, D. Combining high-performance with operator-friendliness. A complete range of test equipment for all branches of telecommunications 88−9886
Sieder, K. *see* Schramm, M. 88−42179
Sieder, R. Printed circuit card design with KC85/2 minicomputer 87−31645
Sieder, R., Lemke, K. Introduction of microelectronics to economise in laboratory work 86−4989
Siedhoff, H. *see* Lenz, M. 88−38628
Siedhoff, H. *see* Wupper, H. 87−17237
Siedhoff, N. In the system [gate arrays] 87−31791
Siedhoff, N. Integration of analogue components with full gate array flexibility 88−71641
Siedlaczek, M. *see* Lavoie, P. 88−40813
Siedlecki, A. *see* Chwaleba, A. 85−43133, 85−43469
Siedlecki, M. *see* Roszkowski, A. 85−16130
Siedler, H.-J. Technical control individualities of electric motors 86−6689
Siedlewski, J. *see* Pawel Luk Aszewicz, J. 88−60947
Siefert, D. Match the scope to the waveform 87−20984
Siefert, D.C. *see* Basalyk, P.I. 85−10822
Siefert, F. *see* Bahai-Wadji, A.R. 86−2525
Siefert, J.-M., de Rosny, G. In situ measurements of the fermi level position in undoped and doped a-Si:H films 86−28149
Siefert, J.M. *see* de Rosny, G. 86−21264
Siefert, W. Corona spray pyrolysis: a new coating technique with an extremely enhanced deposition efficiency 85−22511
Siefert, W. Properties of thin In_2O_3 and SnO_2 films prepared by corona spray pyrolysis and a discussion of the spray pyrolysis process 85−23454
Siefert, W. Selfsynchronization of permanent magnet energized stepper motor with detection of position by evaluation of the BEMF−positioning control of 2-phase-stepper motors with controlled dynamic behaviour 86−51667
Siefert, W. *see* Bauch, H. 87−38804, 88−20356
Siefert, W. *see* Krause, D. 86−36221
Siefert, W. *see* Pickenhain, R. 85−41292
Siefken, E.O.F. *see* Dijk, J. 85−19694
Siefken-Herrlich, F. *see* Arndt, F. 88−40648
Siefker, R. *see* Dringenburg, D. 86−32432
Siefker, R.G. Modifications needed to improve MIL-STD-462 test method CS03 87−26820
Siefker, R.G. Tailoring MIL-STD-461B for naval avionics applications 87−26854
Siefker, R.G. Tailoring MIL-STD-461B for naval avionics applications 88−16824
Siefrist, P. *see* Brand, C. 87−21430
Siegal, B. Cumulative bibliography of articles on semiconductor thermal and temperature testing 88−53920
Siegal, B.S. Factors affecting semiconductor device thermal resistance measurements 88−53919
Siegal, B.S. A method for thermal parametric testing of IGBT devices 88−71532
Siegal, M., Santiago, J.J., van der Spiegel, J. Characterization of tungsten silicides formed by rapid thermal annealing 87−11714
Siegal, M.P., Santiago, J.J. Effects of rapid thermal processing on the formation of uniform tetragonal tungsten disilicide films on Si(100) substrates 88−32970
Siegbahn, K. *see* Norell, K.E. 85−26730
Siegel, A. Resistor gives timer a square-wave output 85−54725
Siegel, A., Dolev, D. Some geometry for general river routing 88−64687
Siegel, A. *see* Cole, R. 85−33553, 86−21800
Siegel, A.F., O'Brien, F. Unbiased Monte Carlo integration methods with exactness for low order polynomials 85−33358
Siegel, A.M. Single control adjusts variable oscillator over four-decade range 85−22690
Siegel, A.R. Minimum storage sorting networks 85−40816
Siegel, A.R. Remarks on sorting and parallel processing 87−5938
Siegel, B. *see* Lewis, G. 88−44715
Siegel, B.M. Comparison of data transfer rates of focused electron and ion beam nanometer lithography 88−39314
Siegel, B.M. Ion-beam lithography 88−57567
Siegel, B.M. *see* Blackwell, R.J. 85−29995
Siegel, B.M. *see* Lewis, G.N. 86−38680
Siegel, B.M. *see* Paik, H. 85−29994, 87−26637
Siegel, D. *see* Bergan, E.S. 86−55022
Siegel, D.R. *see* Greguras, F.M. 85−54077
Siegel, E.H., Jr. *see* Frank, R.J. 85−52166
Siegel, H.J. *see* Kuehn, J.T. 86−4027, 87−75914
Siegel, I.M. Electrical soundings in the visual current 85−4344
Siegel, J. The electric 50-Hz-power supply installations of large railway stations of the German Federal Railway on the example Nuremberg 85−4539
Siegel, J. New nuclear power plants are in the electric industry's future 86−25733
Siegel, J. PLANAR−a circuit simulator including distributed transmission-line-structures in high-speed circuits 87−412
Siegel, J. *see* Kelly, F.J. 88−66075
Siegel, J.H. *see* Nikias, C.L. 86−50573, 86−50590, 86−56150, 87−4013, 87−8935 to 8936, 88−16747
Siegel, J.H. *see* Raghuveer, M.R. 85−59284
Siegel, J.I. Measurement and analysis in an image analysis system 87−56558
Siegel, J.M. Ocean thermal energy conversion: electricity and fresh water from the sea 85−5015
Siegel, J.R., Sillin, J.O. Rethinking utility strategy under conditions of high growth 85−26961
Siegel, J.R., Sillin, J.O. Revitalizing nuclear power: the case for deregulation 86−51223
Siegel, J.Van der *see* Van der Siegel, J.
Siegel, M. *see* Byrne, W. 86−60772
Siegel, M. *see* Flynn, P. 88−10342
Siegel, M. *see* Hoshal, G. 85−38133, 85−59276
Siegel, M. *see* Rathjen, D. 85−62878
Siegel, M.R. The CVD format in the development of the video book and the impact of the video book on electronic publishing 86−55466
Siegel, M.W. Lasers and CCDs for flash measurement of small diameters 87−77414
Siegel, M.W. *see* Hoffheins, B.S. 87−77202, 88−1206
Siegel, M.W. *see* Kuc, R. 87−63082, 88−15694
Siegel, P., Marcus, B. Worst case code patterns for magnetic buried servos 85−24151
Siegel, P.H. Recording codes for digital magnetic storage 86−28649
Siegel, P.H. A planar log-periodic mixtenna for millimeter and submillimeter wavelengths 87−7612
Siegel, P.H., Kerr, A.R. The measured and computed performance of a 140-220 GHz Schottky diode mixer 85−23118
Siegel, P.H., Kerr, A.R., Mattauch, R.J. A comparison of the measured and theoretical performance of a 140-220 GHz Schottky diode mixer 85−17878
Siegel, P.H. *see* Ashley, J.J. 87−75711
Siegel, P.H. *see* Marcus, B.H. 87−75710
Siegel, R. *see* Kundel, H.L. 88−36460
Siegel, R.B. Optical effects of thin film adhesives in multijunction solar cells 86−40133
Siegel, R.B. Optical effects of thin film adhesives in mechanically stacked multijunction solar cells 87−4911
Siegel, R.B. *see* King, D.L. 86−7116
Siegel, S. VME building blocks make image processing a snap 86−24417
Siegel, S. VME boards warp images at high speeds 88−16008
Siegel, S., Apte, D., Kindl, L. GaAs IC paces fast fiber-optic system 88−47044
Siegel, S. *see* Herczfeld, P.R. 87−73643
Siegel, S. *see* Hermel, W. 87−9945
Siegel, S.A., Baroni, J.C., DiRusso, E., Herczfeld, P.R. Fiber optic link for space communication application 87−20528

Siegel, W. Removal and replacement of surface mounted devices (SMDs) and chip carriers 86−35187
Siegel, W., Kuhnel, G. Electrical properties of large grain polycrystalline GaP 86−67672
Siegel, W., Kuhnel, G., Koi, H., Gerlach, W. Electrical properties of n-type and p-type InP grown by the synthesis, solute diffusion technique 86−58256
Siegel, W., Kuhnel, G., Schneider, H.A. On the determination of the carrier concentration in large-grain polycrystalline InP, GaAs, and GaP by Hall effect measurements 85−28963
Siegel, W., Kuhnel, G., Schneider, H.A. Symmetrical and asymmetrical potential barriers of grain boundaries in p-type GaP. Determination of barrier heights by *C-U* measurements 87−11410
Siegel, W. *see* Kirsten, P. 86−20022
Siegel, W. *see* Koi, H. 85−22452
Siegel, W. *see* Kuhnel, G. 87−53190, 87−74013
Siegel, W. *see* Weinert, B. 87−65459
Siegeler, E. *see* Koepsch, G. 88−55518
Siegenthaler, A. High accuracy electronic voltage transformer, in particular for enclosed switchgear plant 87−58133
Siegenthaler, J. Measuring receiver set at 40 GHz to 60 GHz 85−31428
Siegenthaler, J. Gunn sweepers for U and E bands. II 87−65911
Siegenthaler, J. Gunn sweepers for U and E bands. I 87−73700
Siegenthaler, J., Bosch, R., Hilty, K., Haydl, W., Benz, K.W., Haspeklo, H. Fullband (60-90 GHz) tunable fundamental mode InP Gunn oscillators 85−11093
Siegenthaler, J., Hilty, K. Fullband millimeter wave downconverter with high sensitivity 86−24469
Siegenthaler, J., Stager, C. The measurement of microwave intermodulation effects on passive components and system parts 88−60898
Siegenthaler, K.E. *see* Romberger, A.B. 85−35376
Siegenthaler, M. *see* Hein, K. 86−65080
Siegenthaler, M. *see* Heinz, K. 85−49787
Siegenthaler, T. Correlation-immunity of nonlinear combining functions for cryptographic applications 85−19338
Siegenthaler, U., Gautschi, M. A monitoring system for rotating electrical machines 85−32424
Siegenthaler, U. *see* Josten, G. 88−51488
Sieger, A.A. *see* Sandwith, C.J. 88−48364
Sieger, E.R. *see* Ho, T. 86−70509
Sieger, E.R. *see* Ho, T.-L. 88−48284
Sieger, G.E. *see* Lefevre, H.W. 85−55423
Sieger, J. The Scophony television system 87−28796
Siegert, H. *see* Brettschuh, W. 88−17266
Siegert, W. Cable marketing in the Federal Republic of Germany [cable television] 88−15814
Siegfried, E.M. *see* Miller, F.D. 86−37342, 86−40497
Siegfried, E.M. *see* Zeldin, P.E. 87−34244
Siegfriedt, W.E., Ludwig, M. Desulfurization processes in West Germany−an overview [coal-fired boilers] 86−33096
Siegl, J. Planar directional couplers in microwave integrated circuits−basic treatment 85−34146
Siegl, J. Design of microelectronic circuits 86−2248
Siegl, J. Layout-oriented computer simulation of high-speed circuits 87−16816
Siegl, J., Hoffmann, R.K. Design and optimization of planar directional couplers with improved directivity 85−34147
Siegl, J., Wirth, K.-H. Method for layout-oriented printed circuit simulator using the PLANAR computer program 87−52990
Siegl, J. *see* Diestel, H. 86−35055
Siegle, G. Television with single programme payment (pay TV) 86−31025
Siegle, V.G. Television with controlled programme access (Pay TV) 86−24108
Siegler, M., Rorres, C. The effects of diffusion on the steady-state temperature profiles within a flat-plate solar collector loop 86−61757
Siegman, A.E. Axial modes in a grating-dispersed laser cavity 87−39153
Siegman, A.E. *see* Fouquet, J.E. 85−24390, 85−35606
Siegman, A.E. *see* Kostenbauder, A. 88−42098
Siegman, A.E. *see* Kostenbauder, A.G. 87−26207
Siegmann, E.R. *see* Gallucci, R.H.V. 88−10804
Siegmann, H.C. *see* Kay, E. 85−4088
Siegmon, G. *see* Berndt, M. 87−29667
Siegmon, G. *see* Sermund, G. 87−29604
Siegmund, D., Sowa, P. Comparison of digital and analogue simulations for electric power networks with lumped constant parameters 88−30343
Siegmund, D. *see* Oswald, B. 88−5633
Siegmund, G. Programmable voltage source 85−54666
Siegmund, G. Floating current-voltage-converter 86−8410
Siegmund, J. Japan's SMOBC option 88−7160
Siegmund, O.H.W., Coburn, K., Malina, R.F. Investigation of large format microchannel plate Z configurations 85−43214
Siegmund, O.H.W., Everman, D.E., Vallerga, J.V., Lampton, M. Soft X-ray and extreme ultraviolet quantum detection efficiency of potassium bromide photocathode layers on microchannel plates 88−50569
Siegmund, O.H.W., Everman, E., Vallerga, J.V., Lampton, M. Extreme ultraviolet quantum efficiency of opaque alkali halide photocathodes on microchannel plates 88−64172
Siegmund, O.H.W., Everman, E., Vallerga, J.V., Sokolowski, J., Lampton, M. Ultraviolet quantum detection efficiency of potassium bromide as an opaque photocathode applied to microchannel plates 88−4428
Siegmund, O.H.W., Lampton, M., Bixler, J., Bowyer, S., Malina, R.F. Operational characteristics of wedge and strip image readout systems 86−50366
Siegmund, O.H.W., Vallerga, J., Wargelin, B. Background events in microchannel plates 88−61107
Siegoczynski, R.M. *see* Domanski, A. 87−77243
Siegrist, J. *see* Barsotti, E. 88−54403
Siegrist, J. *see* Himel, T. 86−5643
Siegrist, J. *see* Saarloos, J. 88−61096
Siegrist, J.L. *see* Beer, A. 85−9043
Siegrist, M.R. *see* Behn, R. 86−3024
Siegrist, M.R. *see* Dupertuis, M. 87−68316
Siegrist, M.R. *see* Dupertuis, M.A. 85−12799, 85−46328, 86−42468, 87−74955
Siegrist, P. The DELPHI TPC readout preprocessing and data acquisition 85−9058
Siegrist, T., Segmuller, A., Mariette, H., Holtzberg, F. Growth of epitaxial films of CdTe and (Cd,Mn)Te on GaAs substrates 86−52445
Siegrist, T., von Molnar, S., Holtzberg, F. Magnetic field dependence of Fowler-Nordheim tunneling in $Cd_{1-x}Mn_xTe$ 86−14971
Siegwarth, D.P., Choi, S.S., McNeill, B.D., Passell, T.O. Application of computer assisted data trending and problem assessment techniques to power plant chemistry control 87−71909
Siegwarth, D.P., Hook, T.A., Jones, V.W., Itteilag, T.J. Reduction of organic contaminants in Millstone 2 makeup water 87−71871
Siegwarth, J.D. *see* Voth, R.O. 88−42302
Sieh, L. *see* Geier, G.J. 88−41771
Siejca, A. *see* Adamowicz, T. 85−2203, 87−38977
Siejka, J., Perriere, J. Mechanisms of plasma oxidation of Si 86−28221
Siejka, J. *see* Bentini, G.G. 85−34641
Siejka, J. *see* Charasse, M.N. 88−44631
Siejka, J. *see* Croset, M. 85−1523
Siejka, J. *see* Martinez-Duart, J.M. 86−2032
Siejka, J. *see* Mercandalli, L.M. 87−10451
Siejka, J. *see* Pelloie, B. 88−56291
Siejka, J. *see* Perriere, J. 85−12183, 86−28222, 86−47471, 87−60326
Siejka, J. *see* Pribat, D. 85−10676, 85−12217, 85−50412
Siekai, S. *see* Shibata, N. 86−9478
Siekhaus, W.J. *see* Balooch, M. 87−1418
Siekkinen, J. *see* Schubert, P. 88−39415
Sieklik, J., Matejka, V. Automated measurement of the technical parameters of VSW radio stations 86−23674
Sielaff, B. *see* Charland, M. 86−41025
Sielaff, C. Hierarchical decomposition and synthesis of relational descriptions−the modelgraph 87−48220
Sielaff, C. Building hierarchies−an algorithmic approach 88−73392
Sielaff, G. *see* Harder, N. 88−1508
Sielinsky, J.W. *see* Larson, H.A. 85−65099
Sielman, P. The application of adaptive spatial nulling, spectral cancellation and cross polarization to terrestrial networks at VLF, LF and HF 85−30122
Sielmann, H., Bajsarowicz, A. Electromechanical tuning element (EMT) with extended range for differ stabilization of lasers 85−7478
Siemann, R. *see* Kirchgessner, J. 88−53674
Siemann, R.H. Computer simulation of beams in high energy electron storage rings 85−26606
Siemann, R.H. Low emittance damping rings 87−70954
Siemann, R.H. Advanced accelerator concepts and electron-positron linear colliders 88−42346
Siemann, R.H. Non-plasma based advanced methods of acceleration 88−47780
Siemann, R.H. *see* Blum, E.B. 85−26683
Siemann, R.H. *see* Jackson, G.P. 88−47859
Siemann, R.H. *see* Jackson, P. 85−26593
Siemann, R.H. *see* Sakazaki, L.E. 86−24973
Siemasko, J.F. *see* Berglund, C.D. 86−62468
Siemen, A. *see* Langen, B. 88−67098
Siemens, A.G. *see* Schmidtner, E.G. 88−75820
Siemens, P.von *see* von Siemens, P.
Siemer, H. *see* Friehmelt, R. 88−34744
Siemerling, K. Electrical equipment in modern shipping 88−18149
Siemers, D. A new alloy for connectors: Wieland K62 86−62904
Siemers, G. *see* Schaller, R. 85−20905
Siemers, I., Blatt, R., Sauter, T., Neuhauser, W. The kinetic energy of ion clouds in Paul traps 88−68184
Siemianowski, J. Electric energy consumption in Poland against the background of economically developed countries 86−18684
Siemiarczuk, T. *see* Arignon, M. 85−48171
Siemiatkowski, Z. *see* Nolan, J.G. 87−59480
Siemienski, P. Algorithms for generation of sum common part and difference of two plane figures 86−594
Siemienski, P. Design database as a kernel of VLSI CAD system 87−1623
Siemienski, P., Tabaczynski, W. Global geometrical checking of IC layout 86−2242
Siemko, A., Fink-Finowicki, J., Synejko, A. Universal measuring system for the study of metal glass magnetic tape properties 87−63498
Siemons, J. *see* Delandtsheer, A. 87−10265
Siemsen, K. EOS test limits for manufacturing equipment 88−49511
Siemsen, K.J., Reid, J., Danagher, D.J. Improved CW lasers in the 11-13-μm wavelength region produced by optically pumping NH_3 86−29033
Siemsen, K.J., Reid, J., Weiss, C.O. Self-pulsing and chaos of a vibrational NH_3-laser 87−75000
Siemsen, K.J., Riccius, H.D. Experiments with point-contact diodes in the 30-130 THz frequency region 85−6747
Siemsen, K.J., Williams, E., Reid, J. Alternative approach to stable lasers: the optically pumped NH_3 laser 88−14108
Siemsen, K.J. *see* Kroeker, D.F. 87−26320
Siemsen, K.J. *see* Petersen, F.R. 85−2216
Siemsen, K.J. *see* Riccius, H.D. 85−1554
Sien-Chong Wu *see* Yunck, T.P. 86−37953
Sienicki, J.J., Spencer, B.W. Superheat effects on localized vessel breach enlargement during corium ejection 86−65883
Sienicki, M.L. HAST pressure cooker testing of ICs 87−73916
Sienkiewicz, A. *see* Stapor, A. 87−53332
Sienkiewicz, P. *see* Janik, E. 87−37924
Sienknecht, V., Funck, T. Determination of the SI volt at the PTB 85−58781
Sienknecht, V., Funck, T. Determination of the SI volt at the PTB 86−24629
Sienknecht, V., Funck, T. Realization of the SI unit volt by means of a voltage balance 86−60295
Sienknecht, V. *see* Funck, T. 88−36166
Sieper, P., Brandt, E., Thomas, R., Sander, D. The aging behaviour of switchgear clamps on the basis of the new VDE regulation DIN VDE 0212, Part 52/7.86 86−70996
Sieper, P. *see* Czernek, G. 86−56487
Siepmann, D. *see* Reimer, M. 86−62115
Siepmann, R., Weiser, J. Optimizing contact materials in relays for use in specific load−cases of automobiles 88−7119
Sieradzki, B. Converting a conventional wave solder machine to a single pass system for surface mounts 88−32665
Sieradzki, M. Air-enhanced contact cooling of wafers 85−34727
Sieradzki, M. *see* Turner, N. 87−53375
Sieranski, K., Szatkowski, J. Free-carrier absorption in semimagnetic semiconductors 85−34539
Sieranski, K., Szatkowski, J. Electrical conductivity of Zn_3P_2 86−47337
Sieranski, K. *see* Misiewicz, J. 85−34530
Sieranski, K. *see* Szatkowski, J. 88−32931, 88−50676
Siereckl, I. *see* Jacak, W. 86−30015
Sierens, W.M., Wheeler, J.M. A novel interconnection system using combined polymer cermet technologies for use in thick film hybrids 88−1281
Sierila, P. The Finnish energy programme 85−48657
Siero, M. Designing a workstation system with the NS16000 family 85−17514
Sieron, P.K., Beving, J.E., Rankin, R.C. The changing role of the tactical reconnaissance crewmember 87−15007
Sierota, A., Calderwood, J.H. Breakdown by discharges on solid dielectric surfaces in air and in insulating liquids 88−33421
Sierota, A. *see* Babula, E. 85−56001
Sierotzki, W. Description of the electrical and mechanical auxiliaries. [Rabenstein hydro power station] 88−23780
Sierra, F., Perez, J. Analysis of harmonic injection frequency dividers with three-terminals devices 88−38713
Sierra, F. *see* Perez, J. 88−916
Sierra, M. *see* Rosario, M.J. 87−11060
Sierra, R. Flashlamp-excited dye lasers achieve new performance levels 88−58486
Sierra, R. *see* Matthews, L.K. 87−36165
Sierra, R. *see* Mier, M. 86−50907
Siess, E.W., Weber, C.L. Spread spectrum acquisition under narrowband interference 85−30881
Siess, E.W., Weber, C.L. Acquisition of direct sequence signals with modulation and jamming 86−49447
Sieverding, H., Poli, G. Electronics and asynchronous motors in electrified locomotives 88−76024

Sieverding, H., Poll, G. The electronics and the use of asynchronous motors in electric locomotives 88−62712
Sieverling, H. S-Bahn line Dortmund-Lutgendortmund-Unna (S4) begins operation [electric railways] 85−27721
Sievers, A.J. *see* Gosnell, T.R. 85−29800, 85−35722, 88−72300
Sievers, A.J. *see* Zhu, L.D. 86−8839
Sievers, L.D. ENEREX: an operating partnership of Iowa utilities 86−61072
Sievers, R. Ultrasonic cleaning by means of a freely programmable handling system 86−12224
Sievers, R. High frequency control circuit for GTO thyristors 87−60438
Sievers, R. *see* Schmidt, J. 86−61635, 88−24996
Sievers, R.K. *see* Tupper, R.B. 85−59967
Sievers, W.H. How testability is designed into programmable logic 85−17366
Sievert, B. Filling in data sheets. The dynamic cut off parameters of free running diodes under user conditions 87−16857
Sievert, J.D. Determination of AC magnetic power loss of electrical steel sheets: present status and trends 85−26441
Sievert, J.D. *see* Ahlers, H. 85−58726, 86−24561
Sievert, J.D. *see* Nakata, T. 87−21211
Sievert, J.D. *see* Rahf, L. 88−16446
Sieving, K.W. Estimating the funding levels for nuclear plant decommissioning 88−10987
Siew, Y.H., Aubrey, J.E. The transverse electric fields in zinc 86−5474
Siew Wah Hoon *see* Yong, P. 87−66781
Siewerdt, L. *see* Friesinger, G. 88−65031
Siewerdt, L. *see* Herz, W. 85−35365, 85−41097, 85−56233, 87−67974
Siewerdt, L.O. *see* Luton, J.N. 87−74642
Siewerdt, L.O. *see* Shen, S.S. 87−67971
Siewert, T.A. *see* Schramm, R.E. 87−5546
Siewiorek, D.P. Synthesis from specification: the DEMETER project 86−62554
Siewiorek, D.P. *see* Birmingham, W.P. 85−859, 86−28429, 88−38557
Siewiorek, D.P. *see* Joobbani, R. 86−20207, 86−40827, 86−46483
Siewiorek, D.P. *see* Kim, J.H. 85−7082
Siewiorek, D.P. *see* Schuette, M.A. 87−2457
Siewiorek, D.P. *see* Shombert, L.A. 87−66149
Siewiorek, D.P. *see* Tseng, C. 86−62356
Siewiorek, D.P. *see* Tseng, C.-J. 85−1687
Sifakis, J. *see* Richier, J.L. 88−21429
Sifan Li *see* Li Sifan
Siferd, R.E. Pipelining highly concurrent VLSI processors to meet stringent finite impulse filter requirements 86−8394
Siferd, R.E. Pipelined VLSI systolic array and algorithm for digital filtering 86−63471
Siferd, R.E. Pipelined VLSI systolic array and algorithm for digital filtering 87−59538
Siferd, R.E. Design and performance of a custom VLSI array processor for linear phase transversal filtering 88−44157
Siferd, R.E., Brandeberry, J.E. VLSI implementation of a fully digital transversal filter 85−6451
Siferd, R.E. *see* Birbal, J.V. 86−67263
Siferd, R.E. *see* Dixon, R.D. 88−63687
Siferd, R.E. *see* Peterson, L.S. 87−73437
Siferd, R.E. *see* Sweet, F.W. 88−19294
Siffert, P. *see* Ababou, Y. 86−41525
Siffert, P. *see* Adekoya, W.-O. 87−45556
Siffert, P. *see* Adekoya, W.O. 87−24986, 87−53157, 88−63306, 88−71386
Siffert, P. *see* Barhdadi, A. 86−47407, 87−17793
Siffert, P. *see* Biglari, B. 86−47312, 87−53191, 87−53344
Siffert, P. *see* Courcelle, E. 85−55442, 86−7088
Siffert, P. *see* Fogarassy, E. 85−60416
Siffert, P. *see* Goltzene, A. 86−41524
Siffert, P. *see* Grob, J.J. 88−33015
Siffert, P. *see* Krynicki, J. 86−28169, 87−53416
Siffert, P. *see* Levy, D. 85−45500
Siffert, P. *see* Li, J.-C. 87−9821
Siffert, P. *see* Martinez, J. 87−45639
Siffert, P. *see* Muller, J.C. 85−34798, 86−45704, 87−15993, 87−72422
Siffert, P. *see* Pedulli, L. 86−35538
Siffert, P. *see* Samimi, M. 86−8774, 86−41545
Siffert, P. *see* Stoquert, J.P. 88−18068
Siffert, P. *see* Toulemonde, M. 85−1279, 85−18192, 86−46383
Siffert, P. *see* Vartsky, D. 88−29803
Siffert, P. *see* Zundel, T. 86−58439, 88−18007
Siffert, R.S. *see* Hakim, N. 88−4943
Sifri, J.D. Matching technique yields optimum LNA performance 86−53028
Sifuentes, S. *see* Kramer, M.A. 88−51877
Sigachev, V.B. *see* Bakhteuzov, V.E. 86−28637
Sigachev, V.B. *see* Gubarev, A.P. 86−36275
Sigachev, V.B. *see* Zabolotnaya, N.V. 85−50830
Sigachev, V.B. *see* Zorya, V.I. 85−35300
Sigaev, V.E. *see* Kazovskii, E.Ya. 86−25992, 87−42781
Sigaev, V.E. *see* Rubisov, G.V. 87−42637
Sigaev, Yu.F. *see* Bunin, V.D. 86−70094
Sigahev, V.B. *see* Randoshkin, V.V. 87−7002
Sigal, C. *see* Manton, M.R.S. 85−21791
Sigal, M.V. *see* Kustov, V.P. 87−4497
Sigalas, I. *see* Chetty, N. 87−56877
Sigalas, I. *see* Pierrus, J. 85−37783
Sigalla, L. *see* Hager, H. 88−35983
Sigalov, A.V. *see* Dul'nev, G.N. 88−21914
Sigalov, E.A. A technique for measuring the rotation frequency of an induction gyro motor without access to the rotor 87−78665
Sigalov, G.G. *see* Nikolaeva, G.V. 88−28145
Sigalov, L.M. *see* Azimov, S.A. 86−7855
Sigalov, L.M. *see* Kan, V.V. 86−13178
Sigan Guo *see* Guo Sigan
Sigari, G. *see* Schlueter, R.A. 86−51537
Sigaud, G.L. *see* Coppadoro, F. 88−11262
Sigaudi, G. *see* Coppadoro, F. 87−9629
Sigaudi, G.L. Substitution of Askarels in transformers. Purified transformers 88−37276
Sigel, C. Effective colour image encoding 87−3467
Sigel, E. Videotex: into the cruel world 85−8098
Sigel, G.H. *see* Shahriari, M.R. 88−42149
Sigel, G.H. *see* Tran, D.C. 86−28771
Sigel, G.H. *see* Nagel, S.R. *(editor)* 87−72706
Sigel, G.H., Jr., Tran, D.C. Ultra-low loss optical fibers: an overview 85−18658
Sigel, G.H., Jr. *see* Bucholtz, F. 86−2728
Sigel, G.H., Jr. *see* Burk, M.J. 85−35375
Sigel, G.H., Jr. *see* Dandridge, A. 85−29617
Sigel, G.H., Jr. *see* Eknoyan, O. 86−48160
Sigel, G.H., Jr. *see* Koo, K.P. 85−62350
Sigel, G.H., Jr. *see* Shahriari, M.R. 88−53708, 88−67864
Sigel, G.H., Jr. *see* Tran, D.C. 85−12532, 85−62396
Sigel, R. *see* Banfi, G.P. 85−12955
Sigelle, M., Fouin, P. CRITER: an interactive computer tool for rural telephone network planning 86−64578
Sigelmann, R.A. *see* El-Sharkawi, M.A. 85−9922
Sigesmund, M. Teleconferences. Source of information for the competition? 88−59848
Sigety, E.A. *see* Ciemiecki Nelson, K. 86−22104
Sigety, E.A. *see* Pearson, A.D. 85−7237
Sigfusson, T.I. A sensitive temperature modulation technique for studies in magnetism 86−31602
Sigg, H. *see* Horstman, R.E. 85−45434
Sigg, H. *see* Rikken, G.L.J.A. 86−53409
Sigg, P. *see* Joho, W. 86−24904
Sigg, R. *see* Kalin, A. 87−10963
Sigg, R. *see* Kelin, A. 87−66352
Sigg, R.P., Kaelin, A., Muralt, A., Black, W.C., Jr., Moschytz, G.S. An SC filter compiler: fully automatic filter synthesizer and mask generator for a CMOS gate-array-type filter chip 88−25324
Siggelkow, H. Spurious frequency suppression in the direct digital frequency synthesis 87−10720
Siggelkow, U. *see* Rheinlander, B. 85−35649
Sighanl, S. *see* Singh, R.P. 88−52394
Sigillito, V.G. *see* Kim, B.F. 87−2582
Sigiyama, N. *see* Kaminaga, K. 88−23481
Sigl, D. *see* Ender, H. 85−49172
Sigl, G. *see* Schiller, M. 86−59140
Sigle, R.G. *see* Kurnosov, A.I. 88−17179
Sigley, R.M., Jr. *see* Garver, L.L. 86−32640
Sigley, R.M., Jr. *see* Jordan, G.A. 88−30346
Sigloch, R. Requirements for small high efficiency DC/DC converters in complex communication networks 87−30813
Sigmon, B.E., Ayyagari, M. A multi-diode cavity power combiner using state-of-the-art pulsed Gunn diodes 87−73782
Sigmon, B.E., Van Alstyne, T.W. Development of a pulsed IMPATT diode amplifier 87−6098
Sigmon, M. *see* Moses, J. 88−26822
Sigmon, M.A. *see* McDowell, H.R., III 88−28915
Sigmon, N. *see* Rhoads, R. 88−38843
Sigmon, T.M. *see* Hinnawi, N. 86−10606
Sigmon, T.W. Ion implantation in II-VI compound semiconductors 85−45529
Sigmon, T.W. UV laser processing of semiconductor devices 88−33023
Sigmon, T.W., Carey, P.G., Press, R.L., Fahler, T.S., Pressley, R.J. Structural and electrical properties of gas immersion laser doped layers in crystalline silicon 85−12158
Sigmon, T.W. *see* Anholt, R. 87−32516, 88−20006, 88−26348, 88−39513
Sigmon, T.W. *see* Bahir, G. 86−35338, 87−11362, 87−74110
Sigmon, T.W. *see* Carey, P.G. 85−50695, 85−55924, 87−1741, 88−44582
Sigmon, T.W. *see* Deal, M.D. 88−39737
Sigmon, T.W. *see* Kao, T.-M. 87−1381, 88−13104
Sigmon, T.W. *see* Landi, E. 88−32997
Sigmon, T.W. *see* Magel, L.K. 88−33006
Sigmon, T.W. *see* Moslehi, M.M. 86−2038
Sigmon, T.W. *see* Opyd, W.G. 85−34492
Sigmon, T.W. *see* Parker, M.A. 85−61772, 86−13781
Sigmon, T.W. *see* Pressley, R.J. 85−12120
Sigmon, T.W. *see* Rosemblatt, D.H. 88−38714
Sigmon, T.W. *see* Shibata, T. 86−8882
Sigmon, T.W. *see* Wu, C.S. 85−34637
Sigmon, T.W. *see* Appleton, B.R. *(editor)* 86−33936
Sigmond, J., Terpstra, M. *(editor)* High-power lasers: improvements and applications. A literature study 88−69981
Sigmond, R.S. *see* Walsh, P.J. 85−1206
Sigmund, E., Schwendimann, P. On the vibronic laser theory 85−46364
Sigmund, F., Rea, J., Huffman, D., Lautzenhiser, J., Megahed, S. Predicting the data retention lifetime of a lithium carbon mono-fluoride battery connected to a Zeropower RAM 86−19445
Sigmund, F.J. A new approach to non-volatile static RAM 85−17447
Sigmund, F.J. Nonvolatile static RAM memory 86−62585
Sigmund, H. Efficiency of thin silicon solar cells with a heterogeneous base layer 86−40114
Sigmund, H. *see* Fuchs, D. 87−4884
Sigmund, M. The importance of practical correlation coefficients in speech processing 88−8702
Signell, R. *see* Beardsley, R. 87−9006
Signell, S. A bilinear switched capacitor bandpass filter with independent selectivity and center frequency adjustments 85−17667
Signell, S. Design of maximally flat group delay discrete-time recursive filters 85−17702
Signer, K. *see* Goudie, D. 88−17403
Signer, K. *see* Vitins, M. 87−30019
Signer, R.M. *see* Mahler, B.P. 86−67602
Signevich, N.Yu. *see* Leonovich, E.N. 88−47597
Signore, T.L. ATC air/ground digital communications architecture 87−40775
Signore, V. *see* Marsan, M.A. 88−3634
Signorelli, A.J. *see* Leone, E.A. 88−7935
Signori, D.T., Jr. The Command Center Improvement Program: an innovative approach 87−76079
Signorile, R., Kershenbaum, A. Multipoint line optimization using fuzzy set partitioning 87−40208
Signorile, R., LaTourrette, J., Fleisch, M. A study of a priority protocol for PC based local area networks supporting large file transfers 88−3624
Signorile, R.P., LaTourrette, J., Fleisch, M. MBRAM−a priority protocol for PC based local area networks 88−67000
Signorini, C., Cervellera, F., Bezzon, G. Status report of the Legnaro XTU Tandem 86−38630
Signorini, C., Cervellera, F., Bezzon, G.P., Costa, L. Upgrading of the XTU tandem 88−47753
Signorini, C. *see* Beghini, S. 86−5673
Signorini, C. *see* Queirolo, G. 87−17955
Signorini, C. *see* Spolaore, P. 85−64501, 88−53965
Signorini, F. *see* Federghini, E.M. 86−14125
Signorini, S.R. *see* Magnell, B.A. 87−9020
Sigogne, D. *see* Artigue, C. 86−36508, 87−39132
Sigogne, D. *see* Fernier, B. 88−45470
Sigorskii, V.P. Electronic component simulation in computer-aided design systems 87−52291
Sigorskii, V.P., Druzhinin, B.N. Modeling layout of a printed-circuit board with additional wiring 88−38877
Sigorskii, V.P., Kolyada, Yu.V., Kolodnitskii, N.M. Problem adaptation of the numerical analysis of electronic circuits 87−73221
Sigorskii, V.P., Kolyada, Yu.V., Kolodnitskii, N.M. Problem-adaptive numerical analysis of electronic circuits. II. Bidirectional algorithms 88−24876
Sigorskii, V.P., Vityaz', O.A. Coordinate adaptation of analysis algorithms for dynamic regimes of electronic circuits 85−10910
Sigorskii, V.P., Zabolotni, R.A. Adaptation of simulation accuracy in technical circuit design 87−16786
Sigournay, N.L. Constant current generator with reference voltages 86−7955
Sigov, A.S. *see* Abrarov, V.N. 86−29315
Sigov, A.S. *see* Chechetkin, V.R. 85−29514, 88−51378, 88−51399
Sigova, T.A. *see* Pavlyuk, V.A. 85−36130
Sigrist, A. *see* Beer, A. 85−9043
Sigrist, M.R. *see* Behn, R. 88−45507
Sigrist, M.W. *see* Bernegger, S. 88−10596
Sigrist, M.W. *see* Chirtoc, M. 85−43000
Sigrist, W. Technical developments in process turbidimeters 88−36678
Sigritz, K. *see* Hausler, R. 85−53158
Sigsbee, R. *see* Mao-Min Chen 88−51225
Sigua, G.V. *see* Kantariya, R.V. 87−46681
Sigueira, G.L. *see* Thomas, H. 87−56005
Siguier, J.M. *see* Levy, L. 87−77804
Sigulla, T. *see* Kretschmer, K.-H. 85−55149
Sigurd, B. Computer simulation of spontaneous speech production 85−36236
Sigurd, D. *see* Jargelius, M. 87−16054
Sigurd, D. *see* Stolt, L. 86−34392, 87−5473, 88−17977
Sigurdsson, S. *see* Scharf, L.L. 85−2798
Sigush, R. *see* Klose, H. 86−8921
Sigward, P. *see* Martin, J. 86−51847
Sih, G.C., Michopoulos, J.G. Nondestructive detection of damage in aluminium: electromagnetic discharge imaging 86−26952
Sihlbom, A. Introduction to thermal design of electronics 85−49357

Sihlbom, A. Thermal design. TMOD - Computer program for printed board asemblies, version 1.0 86−41452
Sihvola, A. Note on frequency dependence of quality factor of cavity resonators 85−61424
Sihvola, A. Dielectric properties of mixtures with inhomogeneous scatterers: application to rain and hail modeling 88−8479
Sihvola, A. Radar angels in Finland 88−27508
Siil, I. *see* Ott, A. 87−55010
Siil, K. *see* Garrick, R. 86−68998
Siimar, R.A. *see* Ritso, A.E. 86−36052
Siitari, D.W. *see* Freese, R.P. 85−50893
Siitari, D.W. *see* Funkenbusch, A.W. 87−60996
Siitari, D.W. *see* Gardner, R.N. 87−60877
Siizel', E.E. Regulating the setting of the third-harmonic element of ZZG-1 protection [machine protection] 86−61463
Sijbring, J. *see* Drentje, A.G. 88−74702
Sijelmassi, R. *see* Castanet, R. 86−64734, 87−34218
Sijing Zhang *see* Zhang Sijing
Sijmons, K. Computer-assisted detection of linear features from digital remote sensing data 88−10501
Sik, F. *see* Hrebicek, J. 87−36643
Sik, M.J. *see* Shaw, A. 87−14821
Sik Cho Chel *see* Chel Sik Cho
Sik Cho In *see* In Sik Cho
Sik Hong Bong *see* Bong Sik Hong
Sik Kim Yeong *see* Yeong Sik Kim
Sik Kim Yueong *see* Yueong Sik Kim
Sik Na Guen *see* Guen Sik Na
Sik Oh Choon *see* Choon Sik Oh
Sik Pak Pyong *see* Pyong Sik Pak
Sik Park Sang *see* Sang Sik Park
Sik Ryu Kang *see* Kang Sik Ryu
Sik-Yum Lee Analysis of conditional covariance structure models 86−57311
Sika, Z.K., Kurkalov, I.I. Prospects of the use of linear stepping motors in automated production equipment 87−22415
Sika, Z.K. *see* Kurkalov, I.I. 87−22417
Sikarev, A.A. *see* Marinichev, E.G. 86−43114
Sikarev, A.A. *see* Vishnevskii, Yu.G. 86−16084
Sikarev, A.A. *see* Vosilyus, Yu.Yu. 87−19362
Sikdar, B. *see* Bera, S.C. 86−11984
Sikdar, B. *see* Mitra, T.K. 88−4951
Sikes, A.C. Deregulation's irreversible momentum 88−52690
Sikes, A.C. *see* Danforth, J.C. 87−33872
Sikes, L., Kellogg, K. A scatterometer antenna composed of microstrip subarrays 86−48702
Sikes, W.A. The Data PABX solution for local networks 86−54953
Sikes, W.E. *see* Gellings, C.W. 85−59540
Sikhinin, V.P. *see* Kosyak, Yu.F. 85−4780
Sikiguchi, M. *see* Tanabe, T. 86−24990
Sikina, T., Jr. A method of antenna pattern synthesis 87−19288
Sikivie, P. *see* Cho, S.-I. 88−29332
Sikka, P. Semiconducting materials for electronic devices 85−45403
Sikka, P. Conduction mechanism in bulk amorphous $Ge_xSb_{10}Se_{90-x}$ system 87−74031
Sikka, P., Ferdinand, K.V., Jagadish, C., Mathur, P.C. Effect of vacuum and H_2S annealing on the electrical properties of CdS thin films 85−23443
Sikka, P. *see* Acharya, Y.B. 85−48471
Sikka, P. *see* Mehra, R.M. 85−18098, 86−27942
Sikka, V.K. *see* Horak, J.A. 86−51368
Sikkema, A. *see* Roozeboom, F. 88−14201, 88−40230
Sikkenga, J., Brandhorst, W., Knoben, J.H.A., ten Kate, H.H.J., van de Klundert, L.J.M. Design and construction of a 20 W/1000 A cryogenic power supply 86−27065
Sikkenga, J., Groenenboom, M., ten Kate, H.H.J., van de Klundert, L.J.M. Operation modes of superconducting rectifiers 86−48069
Sikkenga, J., Knoben, J., Spoorenberg, C.J.G., Kraaij, G.J., van der Klundert, L.J.M., ten Kate, H.H.J. The energizing of a NMR superconducting coil by a superconducting rectifier 85−62267
Sikkenga, J. *see* Koningstein, J.A. 88−24095
Sikkenga, J. *see* Sloot, J.G.J. 87−72342
Sikmashvili, Z.I. *see* Bogdanov, F.G. 86−15862, 87−12704, 87−19177, 88−34275
Sikolenko, S.F. Sensitivity analysis of a field-effect transistor adjustable-gain differential amplifier 85−6197
Sikolenko, S.F. Correction of the transfer function of a power FET-based attenuator 86−34944
Sikolenko, V.F. *see* Buldakovsky, V.N. 86−32036
Sikolenko, V.V. *see* Borovikov, A.A. 86−5823
Sikora, A. *see* Bronaugh, E.L. 86−26604
Sikora, D.S. Special power considerations for distributed control systems 85−21114
Sikora, E.S.R. Estimation of the service life of fibres after proof testing: a perspective 88−45167
Sikora, J. New approach to identifying boundary conditions 87−73242
Sikora, J., Albagli, D., Bharadwaj, J., Brennan, J.M., Cole, M., Finger, K., Hasstedt, J., Lefferts, R., Noe, J.W., Preble, J., Sprouse, G.D., Zhao, K. Further development of the Stony Brook superconducting heavy-ion linac 88−54362
Sikora, J., Skoczylas, J., Sroka, J., Tobola, A., Wincenciak, S. Singular values decomposition in inverse problems approximated with finite element method 86−29289
Sikora, J., Skoczylas, J., Sroka, J., Wincenciak, S. The use of the singular value decomposition method in the synthesis of the Neumann's boundary problem 85−62718
Sikora, J., Skoczylas, J., Sroka, J., Wincenciak, S. Boundary Neumann's problem described by the integral equation−problems of analysis and synthesis 87−12657
Sikora, J., Skoczylas, J., Sroka, J., Wincenciak, S. Singular value decomposition in identification of magnetic field modelled with finite elements 87−26648
Sikora, J., Skoczylas, J., Sroka, J., Wincenciak, S. Synthesis of boundary conditions with application of SVD method 87−31449
Sikora, J., Skoczylas, J., Sroka, J., Wincenciak, S. The singular value decomposition in synthesis of magnetisation conditions 87−33373
Sikora, J., Zolek, A. Experiences of the communication civil service in the GDR attained by multiplying cable lines using PCM 120 system devices 86−55140
Sikora, J. *see* Bolkowski, S. 86−6813
Sikora, J. *see* Brennan, J.M. 86−31815
Sikora, J. *see* Halas, S. 87−63380
Sikora, J. *see* Michalski, A. 88−53934
Sikora, J. *see* Starzynski, J. 86−63895
Sikora, J.J., Ireland, T.S. Information Systems Network−A versatile LAN 87−55755
Sikora, L., Womack, J. The art and science of manufacturing waveguide slot-array antennas 88−66221
Sikora, M. Modular microprocessor system compatible with Microrudder system 87−37318
Sikora, P.A. *see* Bronaugh, E.L. 86−17811
Sikora, R., Gawrylczyk, K.M., Gramz, M., Gratkowski, S., Ziolkowski, M. An unified approach to the boundary element method [magnetic field modelling] 85−35958
Sikora, R., Gawrylczyk, K.M., Gramz, M., Gratkowski, S., Ziolkowski, M. Magnetic field computation in the end region of electrical machines using various boundary conditions on iron surfaces 85−38967
Sikora, R., Gawrylczuk, K.M., Gramz, M., Gratkowski, S., Ziolkowski, M. Mathematical background for the electromagnetic field synthesis 85−56932
Sikora, R., Gawrylczyk, K.M., Gramz, M., Gratkowski, S., Ziolkowski, M. Magnetic field computation in the end-region of electric machines using various boundary conditions on iron surfaces 86−66031
Sikora, R., Gawrylczuk, M., Granz, M., Gratkowski, S., Ziolkowski, M. A software system for numerical methods of electromagnetic field analysis 86−3416
Sikora, R., Gramz, M., Gratkowski, S., Ziolkowski, M. Losses in the end ring of induction motor 85−9882
Sikora, R., Palka, R. Synthesis of one- and two-dimensional electrostatic field using boundary condition 86−3432
Sikora, R. *see* Gratkowski, S. 87−43033
Sikora, R. *see* Komorowski, M. 85−49682, 86−55843, 86−58022, 87−32837
Sikora, T., Blohm, W. Scattering at finite wire-structures 87−2286
Sikora, T. *see* Blohm, W. 88−66217
Sikora, W. *see* Moniuszko, A. 86−49440
Sikorav, J. Experiments to identify and track non stationarities in audio conference rooms 88−74177
Sikorav, J. *see* Muron, O. 87−20776
Sikorav, S. Magnetic materials for high density recording 87−18469
Sikorov, V.G. *see* Korolev, V.L. 85−7330
Sikorra, C.F. *see* Mueller, R.N. 86−60244
Sikorskaya, G.V. *see* Yakusheva, N.A. 86−63034
Sikorski, C. *see* Alsmeier, J. 88−57391
Sikorski, Ch. *see* Merkt, U. 88−32948
Sikorski, J. On the surrogate constraint dual problem 85−54289
Sikorski, J. Suppression of the ferroresonance process in the UO-110 voltage transformers 87−64655
Sikorski, J., Szpak, S., Teluk, T. Examination of electric potentials transferred by cables outside substations 87−4400
Sikorski, J. *see* Dudzinski, K. 86−49364
Sikorski, J. *see* Mizukami, K. 85−54292
Sikorski, Z., Kolenda, C. An investigation of the electric disturbances influence on the type LAS-1 impulse overhead power line fault localiser operation 85−43661
Sikorski, Z., Kolenda, C. Impulse mode testing of electric power branched MV aerial line 88−10877
Sikorski, Z. *see* Badziak, J. 85−46325, 85−51126
Sikorski, Z. *see* Michalski, S. 88−10912
Sikri, T.R., Kaplan, K.W., Snider, D.M. Network based business services: evolution and deployment 87−76131
Sikstrom, B., Wanhammar, L., Afghahi, M., Pencz, J. A high speed 2-D discrete cosine transform chip 88−784
Sikstrom, B. *see* Afghahi, M. 87−7792, 87−48048
Sikstrom, B. *see* Matsumura, S. 85−45189
Sikstrom, B. *see* Wanhammar, L. 87−7790
Siktorov, N. *see* Babenskas, E. 87−53312
Sikula, J., Musilova, V., Koktavy, B., Cermakova, A., Cermak, M. Investigating the degradation of luminescence diodes 87−54196
Sikula, J., Vasina, P., Musilova, V., Chobola, Z., Rothbauer, M. $1/f$ noise in GaAs Schottky diodes 85−1568
Sikula, J. *see* Cermakova, A. 87−10678
Sikula, J. *see* Ficker, T. 85−18493, 86−2449
Sikula, J. *see* Nespurek, S. 85−11956
Sil Chu Sung *see* Sung Sil Chu
Sila, S. Communication network of the regional supervisory control centre of the Drava Power Plants−Maribor 86−6598
Sila-Novitskii, S.Yu. *see* Aleksandrov, Yu.N. 86−38289
Siladi, V. Plant for supplying the railway safety signalling and interlocking equipment from 25 kV, 50 Hz overhead lines 88−31127
Silady, F.A. *see* McDonald, C.F. 85−38711
Silaev, A.I. The use of the combined estimation based on quadratic decision-making functionals in the task of sensor movement determination using irregular informational field measurements 88−45812
Silaev, A.M. *see* Mal'tsev, A.A. 86−13631, 86−64268 to 64269, 87−31392, 88−34676
Silaev, E.A. *see* Zarifyants, Yu.A. 85−34804
Silaev, L.N. *see* Golubev, V.P. 88−57278
Silaev, V.P. *see* Il'inskaya, L.S. 85−47955
Silaeva, N.V., Suchkova, R.V. Results of investigation of the vibrational conditions of large hydrogenerators 86−33270
Silage, D.A. Bit serial digital signal processor in the spectral analysis of vehtilation 88−10310
Silajev, V.N. Device for maintaining interaction between exchange computer of integrated digital network and telephone subscribers 88−35322
Silalnikas, V.I. *see* Baranskii, P.I. 87−45561
Silanes, M.C.Lopez de *see* Lopez de Silanes, M.C.
Silant'ev, V.A. *see* Kravtseva, I.I. 87−53823
Silant'ev, V.A. *see* Maslov, V.V. 85−40992
Silant'ev, V.N., Izmailov, L.I. Amplitude-difference meter for asymmetric harmonic voltage 86−18053
Silant'ev, Yu.A. *see* Bulatov, O.G. 88−58611
Silant'ev, Yu.A. *see* Ivanov, V.S. 88−58612
Silant'eva, N.K. *see* Amosov, I.S. 86−25216
Silantieva, I.A. *see* Akhmanov, S.A. 86−3313
Silant'Yeva, O.V. *see* Bronza, L.A. 88−7249
Silar, J. Single channel scanner for the investigation of the function of kidneys of little children using ^{125}I-hippuran 88−29963
Silard, A. Power thyristors: current status and trends 85−10013
Silard, A. Silicon optical sensors fabricated through masked ion implantation 86−5245
Silard, A., Cimpoga, V., Ghita, I., Bica, B. Characteristics of p^+-n-n^+ silicon solar cells fabricated through masked ion implantation 87−15978
Silard, A., Floru, F., Stefan, C., Nani, G. Simple method for increasing current gain and voltage ratings of power transistors 88−7570
Silard, A., Kosa, B. Dynamic behaviour of double-interdigitated (TIL) GTO thyristors under resistive-inductive loads 85−45663
Silard, A., Kosa, B. A versatile test-and-drive circuit for GTO thyristors 86−727
Silard, A., Kosa, B. Circuit offers precision chopper control 86−57611
Silard, A., Kosa, B., Turtudau, F. Switching efficiency of double-interdigitated (TIL) GTO thyristors under inductive load conditions 86−2147
Silard, A., Marinescu, R. Development of 2″ BSF type silicon solar cells through masked ion implantation techniques 85−10114
Silard, A., Nani, G. Large-area, high-efficiency, BSF-type silicon solar cells 88−5883
Silard, A., Nani, G. Bifacial solar cells on large-area low-cost silicon wafers 88−31002
Silard, A., Nani, G., Floru, F., Stefan, C. Applying the TIL concept to bipolar power transistors 88−33158
Silard, A., Nani, G., Floru, F., Stefan, C. Double-interdigitated (TIL) bipolar power transistors with lightly doped collectors 88−39388
Silard, A., Pera, F., Nani, G. Development of preferentially current-generating silicon solar cells 86−40076
Silard, A., Pera, F., Nani, G. High-efficiency, large-area p^+-n-n^+ silicon solar cells 87−22762
Silard, A., Pera, F., Nani, G. High efficiency, large-area p^+-n-n^+ silicon solar cells 87−51481
Silard, A., Rusu, S. Increasing the current-handling capability of TIL GTO thyristors up to its limit. I. Analysis and design 85−50511
Silard, A., Rusu, S., Turtudau, F. Current balancing in TIL GTO thyristors 85−6914

Silard, A., Rusu, S., Turtudau, F., Kosa, B. Development of a double-interdigitated GTO thyristor: II. Experimental 85−34950
Silard, A., Rusu, S., Turtudau, F., Kosa, B. Increasing the current-handling capability of TIL GTO thyristors up to its limits. II. Experimental 85−50512
Silard, A., Stefan, C., Floru, F., Turtudau, F., Dumitrescu, G. Ultrahigh-voltage double interdigitated (TIL) gate-assisted turnoff thyristors 88−26235
Silard, A., Turtudau, F., Kosa, B. Characteristics of TIL GTO thyristors using no lifetime killers 86−47555
Silard, A., Turtudau, F., Kosa, B. Development of 60 A, TO-220-packaged, double-interdigitated (TIL) GTO thyristors with enhanced electrothermal reliability 87−1500
Silard, A., Turtudau, F., Margarit, M. High-power, TIL-type gate-assisted turn-off thyristors 86−28303
Silard, A., Turtudau, F., Margarit, M. Influence of technological factors on TIL GATTs performance 87−74279
Silard, A., Turtudau, F., Margarit, M., Kosa, B. High-voltage, high-current, double-interdigitated (TIL) gate turn-off (GTO) thyristors 87−25262
Silard, A., Turtudau, F., Margarit, M., Luca, M. Gate-assisted turn-off effect in TIL-type thyristors 86−21537
Silard, A., Turtudau, F., Margarit, M., Luca, M. A high-power double-interdigitated GTO thyristor 86−41776
Silard, A., Turtudau, F., Margarit, M., Luca, M. A 2500 V TIL-gate assisted turn-off thyristor 86−41777
Silard, A.P. Switching characteristics of 45-A double-interdigitated GTO thyristors 85−1579
Silard, A.P. Achieving the limits of I_{ATO} in TIL GTO thyristors 85−6913
Silard, A.P. On approaches to the built-in electric-field calculations in shallow silicon n^+-p junctions 85−34573
Silard, A.P. Monitoring the final on-zone dynamics in TIL GTO thyristors 85−55795
Silard, A.P. A 60 A, TO-220-packaged, failure-safe GTO thyristor 85−61916
Silard, A.P. Performance of n^+-p-p^+ silicon solar cells fabricated through masked ion implantation 86−26301
Silard, A.P. Electro-optical characteristics of shallow silicon junctions fabricated through masked ion implantation 86−36323
Silard, A.P. Efficiency of gate control in double-interdigitated (TIL) GTO thyristors 86−41774
Silard, A.P. The dV/dt capability of double-interdigitated (TIL) thyristors 87−6687
Silard, A.P. Importance of the n-base width in the turn-off performance of TIL GATTs 87−6688
Silard, A.P. Using silicon dioxide as device engineering parameter in the fabrication of photovoltaic cells through masked ion implantation 87−16001
Silard, A.P. Masked ion-implanted silicon solar cells/optical sensors 87−22770
Silard, A.P. A simple method for achieving immunity to internal noise signals in thyristors 87−60442
Silard, A.P. Electro-optical performance of large-area silicon sensors for radiative energy signals 87−70660
Silard, A.P. Analysis of electric field distributions in ultra-shallow silicon junctions under thermodynamic equilibrium conditions 88−7338
Silard, A.P., Duta, M.J. Analysis of electric fields in very shallow silicon junctions 87−11399
Silard, A.P., Duta, M.J. Investigation of the majority carriers diffusion coefficients behavioural pattern in degenerately-doped silicon 88−19655
Silard, A.P., Duta, M.J. The importance of the n-base in p-n-p-n-like structures subjected to dV/dt ramps 88−50827
Silard, A.P., Koda, B.B. A precision control circuit for GTO-based choppers 88−55476
Silard, A.P., Nani, G. Design/technological experiments on low-cost, BSF-type, bifacial solar cells fabricated on large-area silicon wafers 88−37402
Silard, A.P., Nani, G. Double-interdigitated (TIL) bipolar transistor with heavily doped base wells 88−57609
Silard, A.P., Nani, G., Floru, F., Stefan, C. Double-interdigitated power transistors 88−64527
Silard, A.P., Turtudau, F., Margarit, M., Kosa, B. Implementing the TIL concept in high-power GTOs 87−6686
Silard, A.P., Turtudau, F.I., Margarit, M.N., Kosa, B.B. High-power double-interdigitated (TIL) GTO/GAT thyristors 87−67239
Silayev, A.I. A filter with regular covariations and the minmax principle in the problem of movement determination using measurements of pseudorandom informational fields 88−45811
Silayev, A.M. *see* Mal'tsev, A.A. 88−46057
Silber, D., Nowak, W.-D., Wondrak, W., Thomas, B., Berg, H. Improved dynamic properties of GTO-thyristors and diodes by proton implantation 86−47561
Silber, D. *see* Berg, H. 85−23763
Silber, D. *see* Thomas, B. 86−45545
Silber, D. *see* Wondrak, W. 85−40703
Silber, L.M. A 54-58 GHz tunable ferrite filter 86−36057
Silber, L.M. *see* Azzeer, A.M. 85−43065
Silberbeg, J. *see* Bassen, H. 87−8887
Silberberg, J. *see* Bassen, H. 86−50466
Silberberg, R., Tsao, C.H., Letaw, J.R. Neutron generated single-event upsets in the atmosphere 85−18396
Silberberg, R. *see* Letaw, J.R. 86−35850
Silberberg, S.J. *see* Albertini, P.C. 85−40356
Silberberg, T.M. Infrared image interpretation using spatial and temporal knowledge 88−28111
Silberberg, T.M., Davis, L., Harwood, D. An iterative Hough procedure for three-dimensional object recognition 85−13621
Silberberg, T.M., Harwood, D.A., Davis, L.S. Object recognition using oriented model points 86−69114
Silberberg, Y. All-optical repeater 86−59909
Silberberg, Y., Perlmutter, P., Baran, J.E. Digital optical switch 88−7951
Silberberg, Y., Sfez, B.G. Nonlinear effects in waveguide devices 88−72114
Silberberg, Y., Smith, P.W. Subpicosecond pulses from a mode-locked semiconductor laser 86−68527
Silberberg, Y., Smith, P.W., Eilenberger, D.J., Miller, D.A.B., Gossard, A.C., Wiegmann, W. Passive mode locking of a semiconductor diode laser 85−12875
Silberberg, Y., Smith, P.W., Miller, D.A.B., Tell, B., Gossard, A.C., Weigmann, W. Fast nonlinear optical response from proton-bombarded multiple quantum well structures 85−41452
Silberberg, Y., Smith, P.W., Miller, D.A.B., Tell, B., Gossard, A.C., Wiegmann, W. Fast multiple quantum well absorber for mode locking of semiconductor lasers 87−26543
Silberberg, Y., Stegeman, G.I. Nonlinear coupling of waveguide modes 87−60896
Silberberg, Y. *see* Finlayson, N. 87−53956
Silberberg, Y. *see* Friberg, S.R. 88−1965
Silberberg, Y. *see* Haus, H.A. 85−56649, 86−42612
Silberberg, Y. *see* Perlmutter, P. 87−46583, 87−74836
Silberberg, Y. *see* Smith, P.W. 85−56648
Silberberg, Y. *see* Stegeman, G.I. 88−58228
Silberberg, Y. *see* Thurston, R.N. 88−1978, 88−51515
Silberberg, Y. *see* Vatarescu, A. 88−13904
Silberman, E. *see* Burshtein, Z. 88−57402
Silberman, G.M., Spillinger, I. The difference fault mode−using functional fault simulation to obtain implementation fault coverage 87−25481
Silberman, G.M., Spillinger, I. Test generation for VLSI designs using functional fault simulation 87−65974
Silberman, G.M., Spillinger, I. An approach to test generation of VLSI designs using their functional level description 88−25160
Silberman, G.M., Spillinger, I. RIDDLE: a foundation for test generation on a high level design description 88−70736
Silberman, G.M. *see* Barzilai, Z. 85−22812, 85−29334, 85−29345, 86−46767, 87−6906, 87−24124, 88−71813
Silberman, G.M. *see* Mendelson, B. 87−60618
Silberman, G.M. *see* Ostpako, D.L. 88−19070
Silberman, G.M. *see* Spillinger, I. 86−62357
Silberman, J.A., Laser, D., Lindau, I., Spicer, W.E., Wilson, J.A. Comparative study of activated oxygen uptake on HgTe, $Hg_{0.69}Cd_{0.31}Te$, and CdTe 85−34841
Silberman, J.A. *see* Bertness, K.A. 85−61862
Silberman, J.A. *see* Carey, G.P. 85−34568
Silberman, J.A. *see* Laser, D. 85−1511
Silbermann, A. *see* Lajugie, M. 87−6116
Silbermann, G.M., Spillinger, I. Test generation using functional fault simulation and the difference fault model 88−22455
Silbermann, M. *see* Bornard, G. 87−55322
Silberschatz, A. *see* Ramakrishnan, I.V. 86−41878
Silbert, H.-P. Measurements and tests on optical light guide components 87−13701
Silbert, J. *see* Rees, E. 85−22109
Silbey, A. *see* Milutinovic, V. 87−17104
Silbiger, A. *see* Preminger, J. 86−32693
Silbiger, H.R. Standards and the integrated office 87−33972
Silbiger, M. *see* Clarke, L.P. 87−3981 to 3982
Silbiger, M.L. *see* Clarke, L.P. 87−29719
Silburt, A.L., Boothroyd, A., Elmasry, M.I. A novel multiple threshold MOSFET structure for A/D and D/A conversion 85−23778
Silburt, A.L., Boothroyd, A.R., Digiovanni, M. Automated parameter extraction and modeling of the MOSFET below threshold 88−50840
Silburt, A.L. *see* Foss, R.C. 86−9184
Sil'chenko, V.V. *see* Lysenko, E.V. 86−45599
Silcox, A.R., Green, W.B. Data communication networks in Zimbabwe−a developing country perspective 87−13393
Silcox, J. *see* Lee, K. 87−25211
Sil'dos, I. *see* Aizengendler, M. 87−56533
Silei, M. *see* Coletti, A. 85−49034
Silenas, A. *see* Bareikis, V. 87−53186
Silenas, A. *see* Kavaliauskas, A. 86−27873, 87−17716
Siler, L. The Wang Remote Office Connection 87−34094
Siler, M. *see* Valka, J. 87−64983
Siler, W., Tucker, D., Buckley, J., Hess, R.G., Powell, V.G. Artificial intelligence in processing a sequence of time-varying images 86−5919
Siles, J.A. *see* Gilsanz, M. 85−47209
Silevitch, M.B. *see* Feldman, J.M. 85−49289
Silfvast, W.T., Wood, O.R., II Photoionization lasers pumped by broadband soft-X-ray flux from laser-produced plasmas 87−46757
Silfvast, W.T., Wood, O.R., II, Al-Salameh, D.Y. Direct photoionization pumping of high gain VUV, UV and visible inversions in helium, cadmium and argon via two-electron (shakeup) and of sodium via the output from the LLNL soft-X-ray laser 87−12351
Silfvast, W.T., Wood, O.R., II, Macklin, J.J., Lundberg, H. Photoionization lasers pumped by broadband soft-X-ray radiation from laser-produced plasmas 85−7355
Silfvast, W.T. *see* Lacy, R.A. 87−12348
Silfvast, W.T. *see* Lundberg, H. 85−2196
Silfvast, W.T. *see* Wood, O.R., II 86−22281, 88−2178
Silfvenius, H. *see* Lindahl, O. 88−74813
Silga, M., Da Silva, F.W.O., Raisin, C., Lassabatere, L. Chemical preparation of GaSb (100) substrates regarding epitaxy 88−50732
Silga, M. *see* Coupat, B. 87−77559, 88−54413
Sili, F. *see* Qingyu, Z. 86−12318
Sili Fang *see* Fang Sili
Siliang Lu *see* Lu Siliang
Silichev, O.O. Characteristics of the behavior of nonlinear resonator modes 87−26463
Silichev, O.O. Analytic calculation of the lowest mode of a stable resonator 87−75172
Silichev, O.O., Kraev, E.I. Efficient single-mode pulse-pumped laser 88−27224
Silichev, O.O. *see* Lokhnygin, V.D. 85−29789
Silichev, O.O. *see* Rakcheev, D.A. 85−7408
Siligoni, M. *see* Lavoisard, J.L. 85−52118
Silin, A.A. *see* Karagioz, O.V. 88−29573
Silin, A.P. *see* Bisti, V.E. 87−37934
Silin, A.P. *see* Lobaev, A.N. 88−64294
Silin, A.P. *see* Markova, N.V. 85−29023
Silin, A.V. *see* Belous, A.I. 85−11208, 88−63631
Silin, P.V. *see* Gribkov, V.A. 86−11832
Silin, V.I. *see* Ryzhikov, V.D. 87−57038
Silin, V.I. *see* Zdesenko, Yu.G. 86−60632
Silin, V.I. *see* Zhizhin, G.N. 85−18723, 86−53969
Silin, V.P. *see* Kovalev, V.F. 85−51490
Silins, J. A microwave device (SHF-6) for testing heterogeneous layered semiconductor and metallic structures 88−970
Silins, J. A multipurpose microwave device SVP-7 for the study of layered semiconductor structures in electronics industry 88−971
Silinsh, J. *see* Grigulis, T. 86−36828
Silinsh, Ya. *see* Grigulis, Yu. 88−972
Silin'sh, Ya.E. *see* Grigulis, Yu.K. 88−64367
Silio, C., Jr., Wilson, T.C. A performance model for double PLAYTHROUGH circuit-switched rings 87−55801
Silio, C.B., Jr. Performance approximations for multimessage circuit-switched rings 86−54987
Silio, C.B., Jr. A model for message service time on PLAYTHROUGH rings 87−28161
Silio, C.B., Jr., Ghafir, H.M. A performance model for concurrent message transfer on Playthrough rings 88−52919
Silio, C.B., Jr. *see* Agarwal, V.K. 85−17425
Silio, C.B., Jr. *see* Ghafir, H.M. 88−66804
Silivra, A.A. Superheterodyne amplification and generation of electromagnetic waves in electron beams 87−19142
Silivra, A.A. *see* Borisov, A.R. 88−25780
Siljenberg, D.W., Trnka, J.T. High speed differential peak detector 85−11048
Silk, C.L. *see* Smethurst, G.W. 88−73599
Silk, D.J. Project Uniter−a communication system for the Royal Air Force 85−2960
Silk, D.J. User services in a communication network for the RAF 85−57651
Silk, D.J. Keeping information safe [computer fraud] 88−45885
Silk, M.G. Changes in ultrasonic defect location and sizing 87−31607
Silk, M.G., Stoneham, A.M., Temple, J.A.G. Reliability of non-destructive inspection. Assessing the assessment of structures under stress 88−31278
Silkensen, R.D. *see* Cannon, D.M. 86−63547, 87−60800
Silkin, N.I. *see* Abdulsabirov, R.Yu. 87−26356
Silkin, N.I. *see* Dubinskii, M.A. 87−54282
Silkin, N.I. *see* Shkadarevich, A.P. 86−42508
Silkina, T.G. *see* Dmitriev, A.E. 86−68419

Silkina, T.G. *see* Medvedev, B.A. 85—24512, 85—56808
Sil'kis, E.G. Single-quantum visible-region radiator 88—72233
Sil'kis, E.G. *see* Ganichev, V.A. 88—67799
Sill, J. *see* Jayakar, P.B. 86—32312
Sill, K.H. *see* Sattelmayer, T. 87—70875
Sill, R.D. Testing techniques for high shock acceleration sensors 86—11725
Sillaber, A. 'RELANA', a digital program for the analysis of system reliability in electricity distribution in urban supply areas 85—21191
Sillaber, A. Extended standard models of linear optimisation for the layout of electrical distribution systems 85—32138
Sillaber, A. The practical application of linear optimization for short-term optimized operation of complex energy supply systems 88—42748
Sillaber, A. *see* Steinbauer, E. 85—53266
Sillaber, A.H. A continuous linear optimization model for the exact solution of travelling-salesman-problems in connexion with expansion planning of ring networks 87—21894
Sillamaa, H. *see* Min, M. 87—3536
Sillanpaa, J. *see* Forsten, J. 85—27176
Sillard, G. *see* Henry, R. 85—58214
Sillars, D.B. Odd- and even-mode coupled-slot finline circuits 87—59826
Sillars, D.B., Davis, L.E. Coupled-slot fin-line isolators 85—23091
Sillars, D.B., Davis, L.E. Analysis of nonreciprocal coupled image lines 87—61427
Sillars, D.B. *see* Davis, L.E. 86—14476, 86—62813
Sillars, D.B. *see* Schieblich, C. 88—40640
Sille, E.C. *see* Baker, H.J. 87—46953, 88—34077
Sillem, H., Jermyn, R.S. Five years of operating experience of a vertical roller mill for cement in a German cement works 87—16221
Sillen, C.W.M.P., Ruigrok, J.J.M., van Groenou, A.B., Enz, U. Permalloy/Sendust metal-in-gap head 88—57970
Sillen, C.W.M.P. *see* Zieren, V. 88—57950
Siller, C.A. *see* Aprille, T.J. 88—9010
Siller, C.A. *see* Beale, M. 85—2558
Siller, C.A., Jr. Quantization noise in the digital transversal equalization of fading radio channels 85—25727
Siller, C.A., Jr. Multiplier- and memory-based digital FIR filters for Nyquist channels: an assessment of quantization noise 86—14417
Siller, C.A., Jr. Digitally implemented decision-directed transversal equalizers for terrestrial digital radio 86—69589
Siller, C.A., Jr., Debus, W. Spectral shaping of *M*-state data signals for bandlimited communications 88—8790
Siller, C.A., Jr. *see* Fenderson, G.L. 85—14114
Siller, C.A., Jr. *see* Kavehrad, M. 86—30619
Siller, C.A., Jr. *see* Tewksbury, S.K. 87—66375
Sillero, A. *see* Fernandez, A. 87—21442
Silletti, A. *see* Eichen, E. 87—68174, 88—22595
Silli, S. *see* Pescatori, L. 85—19978
Silliman, T.S., Uhlig, R.E. Sound track application detector 85—58415
Sillin, J.O. *see* Siegel, J.R. 85—26961, 86—51223
Sillin, L.F. *see* Black, J.M. 88—75313
Sillin, L.F. *see* Cataudella, J.J. 88—75307
Sillince, J.A.A. Will the British public accept nuclear energy? 85—21302
Sillion, B. *see* Boiteux, G. 88—33413, 88—71832
Sillitto, R.M. *see* Underwood, I. 85—29655, 86—28490, 88—52565
Sillitto, R.M. *see* Vass, D.G. 88—20454
Sillmon, R.S., Bottka, N., Butler, J.E., Gaskill, D.K. An ultra-fast delivery system for producing abrupt compositional switching in OMVPE 87—10395
Sillmon, R.S. *see* Bottka, N. 85—6815
Sillmon, R.S. *see* Ovadia, S. 88—50659
Sillou, D. *see* Agoritsas, V. 87—50137
Sillou, D. *see* Binon, F.G. 88—54405
Sillou, D. *see* Bussiere, A. 87—29510
Sillou, D. *see* Ditta, J. 86—5795, 87—3909
Sillou, D. *see* Kuroda, K. 87—77551
Sillou, D. *see* Nemoz, C. 88—10267
Sillpantini, P. *see* Bocciolini, M. 87—63680
Sills, D.L. Nuclear energy: public controversies and the analysis of risks 85—59879
Sills, E.D. *see* Doster, J.M. 88—75392
Sills, E.G. Linear voltage-to-pulsewidth converter 85—61406
Sills, R. *see* Freyer, J. 85—1437
Sills, R.M. *see* Freyer, J.L. 87—11526
Sillyman, S. Why burn in? 86—34061
Sillyman, S. Determining the suitability of an independent test lab 87—5203
Sil'nikova, E.F. *see* Beglov, V.M. 87—25776
Sil'nitskii, A.F. *see* Gorelik, D.O. 86—44797
Sil'nov, B.A. *see* Kuznetsov, Yu.I. 87—37055
Sil'nov, B.A. *see* Minakova, I.I. 85—39951, 85—61148
Sil'nov, S.M. *see* Bykovskii, Yu.A. 85—15124
Silny, A., Matiasovsky, K., Fellner, P. The present state and perspectives of electrochemical current sources 85—21781
Silny, J. Mankind in energy fields 85—43446
Silny, J., Vondenbusch, B., von Essen, R., Rau, G., Effert, S. ECG-mapping for continuous on-line monitoring in patients with myocardial infarction—experiences and results 85—53073
Silny, J. *see* Rau, G. 87—57171
Silny, J. *see* Reucher, H. 87—41967 to 41968
Silny, J. *see* Vondenbusch, B. 87—21580, 88—4978
Silsbee, R.H. *see* Cavicchi, R.E. 88—29531
Silsbee, R.H. *see* Lebens, J.A. 88—7330
Silson, P.M., Dunn, R.W., White, B.A. Modelling and control of a linear synchronous motor driven levitated vehicle 85—65564
Silson, P.M., White, B.A. Application of variable structure control techniques to a digital delay lock loop 87—52463
Siltanen, P. *see* Katila, T. 88—36492
Siltanen, P. *see* Nieminen, S. 85—43414
Siltanen, P. *see* Seppanen, M. 85—43337
Siluyanova, I.D. *see* Dashevskii, M.L. 85—30238
Silva, A.A.Da *see* Da Silva, A.A.
Silva, A.G.Da *see* Da Silva, A.G.
Silva, A.Martins da *see* Martins da Silva, A.
Silva, A.M.Leite da *see* Leite da Silva, A.M.
Silva, B.E.F.Da *see* Da Silva, B.E.F.
Silva, C.A.B. *see* Barroso, J.J. 86—1615
Silva, C.de Sa e *see* de Sa e Silva, C.
Silva, C.E.T.Goncalves da *see* Goncalves da Silva, C.E.T.
Silva, C.H.Da *see* Da Silva, C.H.
Silva, C.P., Chua, L.O. The overdamped double-scroll family. I. Piecewise-linear geometry and normal form 88—63255
Silva, E.Da *see* Da Silva, E.
Silva, E.de Souza e *see* de Souza e Silva, E.
Silva, E.F.da, Jr. *see* da Silva, E.F., Jr.
Silva, E.J. *see* Beineke, T.A. 85—4850
Silva, E.R C.da *see* da Silva, E.R.C.
Silva, E.R.da *see* da Silva, E.R.
Silva, E.S. Distribution analysis of product form queueing networks 87—72902
Silva, F.M.Ferreira da *see* Ferreira da Silva, F.M.
Silva, F.Perez *see* Perez Silva, F.
Silva, F.Quintana da *see* Quintana da Silva, F.
Silva, F.R. *see* Mason, J.H. 88—75212
Silva, F.W.O.Da *see* Da Silva, F.W.O.
Silva, H.J.A. *see* O'Reilly, J.J. 87—76750
Silva, J. NASA links satellite Earth stations with ISDN 86—49508
Silva, J.B.C. Reduction to the pole as an inverse problem and its application to low-latitude anomalies 86—60924
Silva, J.F. Thyristor current source control by real time simulation: a successful test against existing techniques 88—69607
Silva, J.F.Borges da *see* Borges da Silva, J.F.
Silva, J.F.Borges da *see* Borges da Silva, J.F.
Silva, J.G. *see* Fernandes, F.B. 88—9020
Silva, J.H. *see* Cowan, W.D. 88—57880
Silva, J.H. *see* Webster, R.T. 88—57881
Silva, J.L. *see* Naredo, J.L. 87—35625
Silva, J.M. *see* Choon, S.S. 86—64522
Silva, J.M. *see* Deno, D.W. 87—35660
Silva, J.M. *see* Ed Ramey, G. 85—15639
Silva, J.M. *see* Medina, M. 87—76129
Silva, J.R.de *see* de Silva, J.R.
Silva, L.C.Da *see* Da Silva, L.C.
Silva, L.E.Borges Da *see* Borges Da Silva, L.E.
Silva, L.F.C.A. *see* Terry, L.A. 86—45232
Silva, L.H.da *see* da Silva, L.H.
Silva, M. Designing system integrity into a data PBX 85—42379
Silva, M. Introducing software quality engineering into a telecommunications development environment 87—13220
Silva, M., Huber, D. Exposure to transmission line electric fields during farming operations 86—6382
Silva, M., Zaffanella, L., Hummon, N. An activity systems model for estimating human exposure to 6 Hz electric fields 86—26567
Silva, M. *see* Deno, D.W. 86—13423
Silva, M. *see* Leu, D. 86—66735
Silva, M.Appel da *see* Appel da Silva, M.
Silva, M.C.de *see* de Silva, M.C.
Silva, M.da *see* da Silva, M.
Silva, M.D.da *see* da Silva, M.D.
Silva, M.J.D.Z. *see* Soares, O.D.D. 87—26000
Silva, M.J.L.da *see* da Silva, M.J.L.
Silva, M.M. *see* Piedade, M.S. 86—46951
Silva, M.R.Da *see* Da Silva, M.R.
Silva, M.R.de.J.da *see* da Silva, M.R.de.J.
Silva, M.R.P., Lanca, M.J.A. INTCOM—an expert system for compaction of IC layouts 88—534
Silva, R. Electromigration in microelectronic conducting paths of metallic silicides 88—64695
Silva, R. *see* Buschel, M. 87—32448
Silva, R.C.F.Da *see* Da Silva, R.C.F.
Silva, R.E. *see* Liu, P.T. 87—27508
Silva, R.M. Instruments detect and remove subsurface wafer damage 85—61998
Silva, V.L.Da *see* Da Silva, V.L.
Silva, V.L.de *see* de Silva, V.L.
Silva, W.da Silveira e *see* da Silveira e Silva, W.
Silva, W.J., Bulmer, C.H. Compositional effects on lithium niobate substrates 87—12226
Silva, W.J. *see* Becker, R.A. 88—7939
Silva Curiel, A.Da *see* Da Silva Curiel, A.
Silva Da Costa, M. *see* Marechal, B. 86—32164
Silva Dos Santos, M.C. WCC and Interface '88 [World Congress on Computing] 88—59632
Silva F, J.I.Da *see* Da Silva F, J.I.
Silva Farias, J.L., Moreno Villalobos, P., Romero Polanco, R., Naredo, J.L. Approximated methods for designing PLC systems and applications 87—76520
Silva Girao, P.M.B., Borges da Silva, J.F. Automated measurement system to generate a Preisach type model of ferromagnetic hysteresis 86—65261
Silva Mello, L. *see* Blakey, J.R. 85—46562
Silva Mello, L.A.R.da *see* da Silva Mello, L.A.R.
Silva Reis, H.da *see* da Silva Reis, H.
Silva-Carvalho, F. *see* Abreu-Lima, C. 86—12001
Silva-Carvalho, F. *see* Marques de Sa, J.P. 86—12002
Silva-Martinez, J., Sanchez-Sinencio, E. Analogue OTA multiplier without input voltage swing restrictions, and temperature-compensated 86—52692
Silva-Martinez, J., Sanchez-Sinencio, E. Excess phase jitter cancellation method for SC relaxation oscillators 87—59228
Silva-Martinez, J. *see* Garcia, G.W. 87—66365
Silva-Martinez, J. *see* Sanchez-Sinencio, E. 85—6427, 85—6429, 85—17680, 86—62719
Silvaggi, C., Luk, F., North, W. Position/dimension by structured light 87—21233
Silvaggi, C., Luk, F., North, W. Relative position sensor using structure light 88—41989
Silvain, J.-F., Bauer, C.L., Guzman, A.M., Kryder, M.H. Measurement of implantation profiles in garnet by transmission electron microscopy 87—25787
Silvani, V. *see* de Agostino, E. 88—48674
Sil'vanskii, N.A. *see* Galzman, E.G. 87—63536
Silveira, J.P. *see* Briones, D. 88—56261
Silveira, M. *see* Brohet, C. 88—10376
Silveira, T.L.da *see* da Silveira, T.L.
Silveira, V.L.A., Mannheimer, W.A., Braunovic, M. Degradation of Cu-Sn/Pb surface layers on aluminum conductors by the action of an electric current 86—44958
Silveira, V.L.A.de *see* de Silveira, V.L.A.
Silveira, V.L.Antunes da *see* Antunes da Silveira, V.L.
Silveira e Silva, W.da *see* da Silveira e Silva, W.
Silven, O., Hakalahti, H. A fast method for distance determination and automatic alignment 88—14828
Silven, O., Piironen, T., Elsila, M., Pietikainen, M. Performance evaluation of algorithms for visual inspection of printed circuit boards 85—34337
Silven, O., Virtanen, I. Data conversion method and processor for binary patterns [printed wiring board inspection application] 87—77178
Silven, O., Virtanen, I., Hakalahti, H., Piironen, T. A method for the digitization of line drawings 86—3756
Silven, O., Virtanen, I., Pietikainen, M. CAD data-based comparison method for printed wiring board (PWB) inspection 85—45303
Silven, O., Virtanen, I., Piironen, T. Experimental system for the inspection of printed wiring boards 87—17476
Silven, O., Westman, T., Huotari, S., Hakalahti, H. A defect analysis method for visual inspection 87—44043
Silven, O. *see* Piironen, T. 85—61535
Silvennoinen, E. *see* Laitinen, A. 87—36263
Silvennoinen, R. *see* Saukkonen, A. 88—14294
Silvent, A. *see* Kofman, W. 85—19487, 86—27475
Silvent, A. *see* Serviere, C. 88—20936
Silver, A., Carlen, F.R., Zegel, F.H. New high sensitivity, high resolution dual color calibrated imaging radiometer 88—74427
Silver, A. *see* Wilcox, J.Z. 88—2214
Silver, A.H., Phillips, R.R., Sandell, R.D. High speed non-latching SQUID binary ripple counter 85—54825
Silver, A.H. *see* Smith, A.D. 85—55131, 87—67865, 87—67884, 87—74590
Silver, A.H. *see* Yurke, B. 88—32412
Silver, A.M.Leite da *see* Leite da Silver, A.M.
Silver, D.A., Seman, G.W., Buckweitz, M.D., Walker, J.J. Development of a 69 kV high-pressure gas-filled pipe-type cable system for an Arctic environment 86—39163
Silver, D.A. *see* Bush, R.A. 86—32774
Silver, D.A. *see* Lukac, R.G. 85—27068
Silver, D.A. *see* Morello, A. 88—54968, 88—54974
Silver, D.A. *see* Prime, J.B. 87—30201
Silver, D.A. *see* Seman, G.W. 85—21241
Silver, D.S. Energy-saving lighting 85—32795
Silver, E.H., Clauser, J.F., Failor, B.H. X-ray spectroscopy diagnostics for the Tandem Mirror Experiment-Upgrade 85—52997
Silver, H., Shi-Kuo Chang Picture information measures 86—64340
Silver, H.W. CMOS circuit generates short pulses 87—23991
Silver, J. *see* Caraballo, J.M. 86—21809
Silver, J.A., Stanton, A.C. Airborne measurements of humidity using a single-mode Pb-salt diode laser 87—63939
Silver, K. Electronic mail—the new way to communicate 86—37370

Silver, L.D., Jackson, P.M. VDT use and productivity 85–20513
Silver, M., Adler, D., Branz, H.M. Determination of the electronic density of states of n-type hydrogenated amorphous silicon from transient sweep-out experiments 88–1406
Silver, M., Adler, D., Shaw, M.P., Cannella, V. Transport and the electronic structure of hydrogenated amorphous silicon 86–47324
Silver, M., Adler, D., Shaw, M.P., Cannella, V., McGill, J. Electronic transport in hydrogenated amorphous silicon 87–17738
Silver, M., Cannella, V. A simplified analytic model for double injection applied to amorphous silicon alloys 88–25934
Silver, M., Snow, E. Transient electronic response in hydrogenated amorphous silicon 86–53362
Silver, M., Snow, E., Adler, D. Calculation of the extended-state electron mobility in hydrogenated amorphous silicon 85–40466
Silver, M., Winborne, G., Adler, D., Cannella, V. Electron mobility in hydrogenated amorphous silicon under single and double injection 87–45644
Silver, M. *see* Adler, D. 88–12959
Silver, M. *see* Cannella, V. 86–28271, 87–18073
Silver, M. *see* Snow, E. 86–27906
Silver, M. *see* Wang, K. 88–25935
Silver, M. *see* Xu, L. 88–50635
Silver, M.D. *see* Horwitz, C.M. 88–32110
Silver, N., Show, E., Cannella, V., McGill, J., Yaniv, Z., Adler, D. A simplified analytic model for double injection in amorphous silicon alloys 88–1427
Silver, N. *see* Le Xu 88–1426
Silver, R. *see* Kahn, R.M. 85–47865
Silver, R.M. *see* Ehrichs, E.E. 88–57529
Silver, R.N. *see* Bolie, V.W. 85–43155
Silver, R.N. *see* Nutter, M. 86–56027
Silver, W.M. Normalized correlation search in alignment, gauging and inspection 88–34773
Silvera, I.F. *see* Brisson, J.G. 87–17378
Silvera, I.F. *see* Stewart, K.R. 86–62261
Silvera, I.F. *see* van Straaten, J. 87–56803
Silvera, I.F. *see* Vessot, R.F.C. 87–26251, 88–14062
Silvera, I.F. *see* Walsworth, R.L., Jr. 87–2049
Silverans, R.E., Borghs, G., De Bisschop, P., Van Hove, M. Fast ion beam collinear laser spectroscopy: some aspects of recent applications, sensitivity and resolution 86–15818
Silverberg, E.B. *see* Arkin, E.M. 87–72916
Silverberg, G. Single-point tape automated bonding–a versatile, efficient interconnect technique 88–57232
Silverberg, G. Single point TAB (SPT): a versatile tool for TAB bonding 88–57235
Silverberg, M. *see* Guttner, E. 85–47656, 85–52483
Silverberg, M. *see* Schroder, H. 86–24056
Silverberg, P. *see* Landgren, G. 87–10394
Silvercestrini, P. *see* Barone, A. 86–63593
Silvergran, U., Woldegiorgis, K. Fault location system ZAN201 85–36544
Silvergran, U. *see* Kallgren, O. 88–15274
Silverio, V.J., Bennett, J.M., Tillman, S.J., Girardi, J. The MERLIN Communications System 85–63448
Silverman, A. North American street maps: developing a navigable database 88–69889
Silverman, B.D. *see* Sanda, P.N. 86–63210
Silverman, B.G. Expert intuition and ill-structured problem solving [project management] 85–33066
Silverman, B.G. Heuristics in an air pollution control cost model: the 'AIRCOST' model of the electric utility industry 85–64830
Silverman, B.G. Facility Advisor: a distributed expert system testbed for spacecraft ground facilities 87–42204
Silverman, B.G., Tsolakis, A.G. Expert fault-diagnosis under human-reporting bias 86–13557
Silverman, B.H. *see* Vorobyov, A.A. 88–68244
Silverman, E., Marian, F. Robotic surveillance and work vehicles for reactor plant applications 88–62091
Silverman, E.B., LeCocq, A.D., Meieran, H.B. Industrial remote inspection system (IRIS) 85–49369
Silverman, E.B., Simmons, R.K. Designing teleoperated tracked vehicles for nuclear power plants 86–25844
Silverman, E.B., Simmons, R.K., Gelhaus, F.E., Lewis, J. Surveyor: a remotely operated mobile surveillance system [for nuclear power plants] 86–61247
Silverman, G. Criteria for target recognizer evaluation 85–7943
Silverman, G.L. Advanced technology electric vehicle propulsion system 85–65574
Silverman, H.F. Some architectural concepts for speech recognition 86–48828
Silverman, H.F. A high-quality digital filterbank for speech recognition which runs in real time on a standard microprocessor 87–12945
Silverman, H.F. Some analysis of microphone arrays for speech data acquisition 88–15850
Silverman, H.F., Morgan, D.P., Miller, S.M. An early-decision, real-time, connected-speech recognizer 87–61639
Silverman, H.F., Yi-Teh Lee On the spectrographic representation of rapidly time-varying speech 88–40850
Silverman, H.F. *see* Lee, Y. 87–27257
Silverman, H.F. *see* Miller, S.M. 87–61689
Silverman, H.F. *see* Morgan, D.P. 86–16448, 88–66403
Silverman, H.F. *see* Rayfield, J.T. 85–47892, 88–70301
Silverman, H.F. *see* Yi-Teh Lee 88–66356
Silverman, J., Vickers, V.E. On the number of Costas arrays as a function of array size 87–55171
Silverman, J. *see* Mooney, J.M. 85–24397, 88–29409
Silverman, J.F., Cooper, D.B. Unsupervised estimation of polynomial approximations to smooth surfaces in images or range data 86–59361
Silverman, J.F., Cooper, D.B. Unsupervised Bayesian model-learning with application to textured and polynomial image segmentation 87–62382
Silverman, J.F., Cooper, D.B. Bayesian clustering for unsupervised estimation of surface and texture models 88–66626
Silverman, J.F. *see* Cohen, F.S. 85–36444
Silverman, J.P. *see* Chapin, T.J. 85–9055
Silverman, L. *see* Clune, L. 85–31088
Silverman, L.A., Teowee, G., Uhlmann, D.R. Characterization of sol-gel derived tantalum oxide films 87–25628
Silverman, L.M. *see* Lashgari, B. 86–69111
Silverman, M.S. *see* Switkes, E. 86–50525
Silverman, P. Evolving international data and message services 85–47011
Silverman, P.J. *see* Stillwagon, L.E. 88–26148
Silverman, R. *see* Koburger, C.W. 85–18478
Silverman, R. *see* Lizzi, F.L. 87–71128
Silverman, S. ISDN and the DOD 88–21795
Silverman, S.W. A nuclear reactor electrical power system for a manned space station in low Earth orbit 86–32467
Silverman, S.W. *see* Reiss, A.C. 87–42134
Silvermann, J., Pellegrini, P., Comer, J., Golvbovic, A., Weeks, M., Mooney, J., Fitzgerald, J. Characterization of thin PtSi/p-Si Schottky diodes 87–6661
Silvermetz, D., Pascaru, I., Meirs, M. Cesium beam frequency standard for the PLSS program 86–38497
Silvermetz, D. *see* Meirs, M. 85–58817
Silversmith, A.J., Lenth, W., Macfarlane, R.M. Green infrared-pumped erbium upconversion laser 88–20598
Silversmith, A.J. *see* Lenth, W. 88–65650
Silversmith, A.J. *see* Macfarlane, R.M. 88–45378
Silversmith, D.J., Ehrlich, D.J., Tsao, J.Y., Mountain, R.W., Sedlacek, J.H.C. Laser direct write technologies as tools for gate-array development 85–50783
Silversmith, D.J. *see* Lenth, W. 85–24395
Silverstein, F. *see* French, J.J. 87–21642
Silverstein, F.E. *see* Martin, R.W. 87–25736
Silverstein, J.D. First- and second-harmonic radiations from a near-millimeter-wave gyromonotron 85–61624
Silverstein, K.H. *see* McCary, R.O. 85–26255
Silverstein, L.D., Lepkowski, J.S. The perception of color primary spatial distribution in color information displays 87–8548
Silverstein, L.D., Lepkowski, J.S., Carter, R.C., Carter, E.C. Modeling of display color parameters and algorithmic color selection 87–21169
Silverstein, L.D. *see* Monty, R.M. 88–16317
Silverstein, M.E. A model for disaster management 87–48648
Silverstein, M.E. Critical medical care and computer communications: intrahospital LANs 87–48649
Silverstein, S.D. Coherence and speckle reduction in compounded correlated phased arrays: synthetic aperture radar 87–20626
Silverstein, S.D., O'Donnell, M. Speckle reduction using correlated mixed-integration techniques 88–28054
Silverstein, S.D., O'Donnell, M. Frequency and temporal compounding of partially correlated signals: speckle suppression and image resolution 88–41072
Silverstein, S.D. *see* Zinser, R.L. 85–20025
Silverstein, S.M. *see* Lake, C.J. 85–36873
Silverstein-Hedengren, K.H. *see* Joynson, R.E. 87–36839
Silvester, D. Printed circuits 85–28773
Silvester, D. Two metre amplifier 85–49765
Silvester, D. Two meter amplifier. II 85–49766
Silvester, D. A laboratory power supply 87–73293
Silvester, D. 20 m direct conversion receiver 88–46853
Silvester, D. *see* Evemy, P. 85–15710
Silvester, D.J. Power supplies and how to design them 87–65837
Silvester, D.J. Power supplies and how to design them. II 87–65838
Silvester, J. *see* Kleinrock, L. 87–33833
Silvester, J. *see* Liu, H.T. 88–52946
Silvester, J. *see* Polydoros, A. 86–30595, 87–75968
Silvester, J.A., Raghavendra, C.S. Analysis and simulation of a class of double loop network architectures 85–8205
Silvester, J.A. *see* Economides, A.A. 88–52671, 88–59392
Silvester, J.A. *see* Lee, S.S. 86–64391, 87–34366
Silvester, J.A. *see* Li, V.O.K. 85–13728
Silvester, J.A. *see* Raghavendra, C.S. 85–13931, 85–30145, 86–49246
Silvester, J.A. *see* Sachs, S.R. 86–37553, 86–54618
Silvester, J.A. *see* Sousa, E.S. 85–42434, 86–16615, 86–30593, 87–40046, 88–41131
Silvester, J.A. *see* Wang, J.L. 88–52644
Silvester, P. *see* Kotiuga, P.R. 85–46525
Silvester, P.J. *see* Ball, R.J. 86–20995
Silvester, P.J. *see* Dorey, A.P. 87–18276
Silvester, P.P. *see* Crowley, C.W. 87–17296, 88–8397, 88–34402, 88–52030
Silvester, P.P. *see* Leohold, J. 86–39888, 88–11274
Silvester, P.P. *see* Mishra, M. 85–24701
Silvester, P.P. *see* Ostiguy, J.-F. 85–46518
Silvester, P.P. *see* Pinchuk, A.R. 86–42104, 88–52003
Silvester, P.P. *see* Webb, J.P. 86–42702
Silvestre, P. *see* Luquet, H. 88–58363
Silvestre, P. *see* Perotin, M. 87–70659
Silvestri, A. *see* Cataliotti, V. 86–70716
Silvestri, A. *see* Cova, B. 87–77991
Silvestri, A. *see* Granelli, G.P. 86–70802, 88–36837, 88–75073
Silvestri, A. *see* Innorta, M. 88–10794
Silvestri, E., Serra, S., Paddleford, D.F. A model for the probability of core uncovery in LOOSP induced accidents, as applied in the probabilistic safety study for ENEL PWR standard power plant 85–53523
Silvestri, L., Grassi, A., Novarini, E. PAREX–a BJT modeling integrated system 87–1497
Silvestri, L. *see* Cali, R. 87–67541
Silvestri, L. *see* Garue, S. 85–40896, 87–442
Silvestri, M. *see* Colucci, E. 85–59700
Silvestri, S. *see* Frontera, F. 85–48172
Silvestri, S.De *see* De Silvestri, S.
Silvestri, V.J. Formation of silicon-oxide-silicon structures 85–29102
Silvestri, V.J. Higher resistivity trench fills 85–29155
Silvestri, V.J. Silicon-on-insulator processes for FET and bipolar devices 85–45766
Silvestri, V.J. Growth kinematics of a polysilicon trench refill process 87–16672
Silvestri, V.J. Growth kinematics of a polysilicon trench refill process 87–17887
Silvestri, V.J. Selective epitaxial trench (SET) 88–70316
Silvestri, V.J. *see* Bennett, R.S. 85–23883
Silvestrini, P., Cristiano, R. Retrapping mechanism in the switching dynamics of a Josephson junction 88–71981
Silvestrini, P. *see* Camerlingo, C.C. 88–39826
Silvestrini, P. *see* Cristiano, R. 87–67861
Silvestrini, V. *see* Amato, U. 87–64228
Silvestrini, V. *see* Bartoli, B. 85–9796
Silvestris, L. *see* Albrizio, R. 88–74766
Silvestro, G. *see* Jaffard, J. 87–10907
Silvestrov, G.I. *see* Bayanov, B.F. 85–26660
Silvestrov, G.I. *see* Chernyakin, A.D. 85–26581
Sil'vestrov, S.D., Nevol'ko, M.P., Kul'nev, V.V. Methods for increasing the accuracy of user navigational determinations in the operation of differential global positioning systems 88–9672
Silvestrova, I.M. *see* Kaminskii, A.A. 85–18892
Silvey, J. With EEPROM on a single-chip μC, changing programs is a snap 86–34837
Silvia, M.T. Deconvolution 88–46086
Silvia, M.T. Time delay estimation 88–46087
Silvis, H. *see* Hari, J. 87–63431, 88–16230
Silvus, H.S., Jr. Survey of electronic-component analysis techniques and benefits 86–57238
Silyutin, A.I. *see* Dmitriev, V.D. 87–73253
Sim, A.J.W. Microprocessors in indirect calorimetry 85–37990
Sim, C.-H. A stochastic bivariate process associated with the EAR(1) model 87–36581
Sim, D.A. *see* Oleson, J.R. 87–29796
Sim, F. Enhanced electron microscope imaging aids inspection 85–22262
Sim, P.K. Parameter space approach in analysing a class of complex digital filters 88–884
Sim, P.K. Relationship between input-scaling and stability of the forced response of recursive digital filters 88–56783
Sim, P.K., Pang, K.K. Effects of input-scaling on the asymptotic overflow-stability properties of second-order recursive digital filters 86–1281
Sim, P.K., Pang, K.K. Design criterion for zero-input asymptotic overflow-stability of recursive digital filters in the presence of quantisation 86–62772
Sim, P.K., Pang, K.K. Quantization phenomena in a class of complex biquad recursive digital filters 87–907
Sim, P.K., Pang, K.K. Conditions for overflow stability of a class of complex biquad digital filters 87–61844

Sim, P.K. *see* Gray, D.A. 88—14512
Sim, S.H. Availability model of periodically tested standby combustion turbine units 85—9580
Sim, S.H. Unavailability analysis of periodically tested components of dormant systems 85—60813
Sim, S.H. Reliability of standby equipment with periodic testing 87—58728
Sim, S.H., Endrenyi, J. Optimal preventive maintenance with repair 88—43666
Sim, S.M.L. *see* Grattan, K.T.V. 88—7857
Sim, S.P., Skeats, A.P., Skrimshire, C.P., Collins, J.V. Reliability testing of optoelectronic components 86—43810
Sim, S.P. *see* Cooper, D.M. 88—45413
Sim, Y.B. *see* Chien, C.H. 88—73316
Sim Puay Kia *see* Puay Kia Sim
Sim Soon-Kiong *see* Soon-Kiong Sim
Sima, A. *see* Kurbiel, A. 86—57038, 88—18216
Sima, A. *see* Sozanski, J. 86—18683, 86—18685
Sima, F. *see* Popescu, E. 88—62675
Sima, J., Bohatec, K., Zdarek, J. The life assessment of bellows for valves used in nuclear power plants 88—75341
Sima, T. *see* Horita, T. 85—60066, 87—30423
Simaan, M., Hussain, A., Hanna, M.T. . Nondestructive detection of flaws in material using transducer arrays 88—12108
Simaan, M. *see* Boles, W.W. 87—69355, 88—34834
Simaan, M. *see* Hanna, M.T. 85—54324, 85—62799, 85—63078, 86—14333, 86—29846, 87—7712, 87—59784, 87—61837, 87—66407, 88—5121, 88—67724
Simaan, M. *see* Love, P.L. 86—18526
Simaan, M. *see* Sheng, Z.W. 88—3057
Simaan, M. *see* Sword, C.K. 86—52576, 88—41725
Simaan, M. *see* Zhang, Z. 87—42217
Simachev, N.D. *see* Kalmykov, I.V. 86—53971
Simachev, V.Yu. *see* Novoselov, S.S. 87—64399
Simachev, V.Yu. *see* Svetlichnyi, V.A. 88—17337
Simada, S. *see* Taka, M. 88—21808
Simada, T. *see* Horiuchi, H. 87—7159
Simaeys, F.C.Van *see* Van Simaeys, F.C.
Simaeys, F.Van *see* Van Simaeys, F.
Simaitis, V. *see* Bernstein, D. 85—15253
Simaitis, V.J. *see* Ascoli, G. 88—48018 to 48019, 88—54401
Simak, A.L. Mathematical models of the fractional order reactive elements for electric circuit of variable sinusoidal current 86—27032
Simak, B. *see* Pham Thi Bich Hoa 88—49782
Simak, B. *see* Psenicka, B. 87—401
Simak, L.A. Method of automatic determination of probe coordinates in a conducting medium based on differential transformations 85—26431
Simak, L.A. Differential transformations on the basis of fractional order derivatives 86—66663
Simakin, A.G. *see* Shishatskaya, L.P. 86—40271
Simakov, A.S. On computation of toroidal solenoids with ferromagnetic structural elements 88—66000
Simakov, A.S. *see* Doinikov, N.I. 88—66001
Simakov, A.V. *see* Kosarev, B.I. 86—33463
Simakov, A.V. *see* Maslov, A.A. 88—49738
Simakov, V.A., Kizeev, A.A., Semenko, A.I. A digital frequency mixer for a two-loop phase-locked automatic frequency control system 86—14065
Simakov, V.A. *see* Pashko, S.A. 87—46884
Simakova, N.A. *see* Yakubov, V.P. 88—66082
Simamura, T. *see* Kano, Y. 87—14548
Simanchuk, V.I., Yanisov, V.V. Excitation of ultrasonic vibrations in solids by charged-particle pulse beams 85—10860
Simandl, S., Stefec, V. Selected aspects of the development of Czechoslovakian nuclear power engineering 87—35748
Simankova, L. The use of acoustic surface waves 86—15329
Simankova, L., Nemec, Z. Transmission characteristics of the SAW filter 87—53861
Simanov, S.V. *see* Khvatov, S.V. 87—36014
Simanovskaya, E.I. *see* Averina, L.M. 86—48146
Simanovskii, G.P. *see* Povarov, O.A. 85—4784
Simanovskii, M.F. *see* Panasyuk, V.S. 86—5657, 86—5834, 86—56074
Simanskii, V.L. *see* Belyaev, A.A. 85—48048
Simanton, J. *see* Ruchti, R. 85—43275
Simanton, R.J. *see* Baumbaugh, A.E. 86—24854
Simar, L.R., de Figueiredo, R.J.P. A new syntactic/semantic approach to 3D-surface reconstruction 86—16573
Simar, L.R. *see* Kehtarnavaz, N. 88—48107
Simar, R., Jr. Performance of Harvard architecture in TMS320 85—17506
Simar, R., Jr. TMS320: Texas Instrument's family of digital signal processors 88—63728
Simar, R., Jr., Davis, A. The application of high-level languages to single-chip digital signal processors 88—66577
Simar, R., Jr., Hames, M. CMOS DSP chip packs punch of a supercomputer 87—44867
Simar, R., Jr., Leigh, T., Koeppen, P., Leach, J., Potts, J., Blalock, D. A 40 MFLOPS digital signal processor: the first supercomputer on a chip 87—59571
Simar, R., Jr. *see* Crowell, C.D. 85—33945
Simar, R., Jr. *see* Lin, K.-S. 88—6911
Simard, D. *see* Raze, J.D. 88—61757
Simard, D.J. *see* Raze, J.D. 86—57273, 87—44069
Simard, M. *see* Nguyen, M. 85—13591
Simard, P., Gaillard, P. Automatic classification and recognition of defects in an eddy current non destructive testing 87—16767
Simard, P., Gaillard, P., Chretien, J.F. An attempt at automatization of an eddy current nondestructive testing 87—73188
Simard, P.Y., Mailloux, G.E. A projection operator for the restoration of divergence-free vector fields 88—41032
Simard, R., Le-Huy, H., Jacob, A., Rajagopalan, V., Le-Huy, P. A digital PWM control circuit for three-phase inverter 88—30907
Simard, R. *see* Benton, S.A. 85—46500
Simard, R. *see* Dion, J. 87—26578
Simard, R.L. Applications of NPRDS data to enhance nuclear plant design and operations 85—43765
Simard-Normandin, M. Electrical characteristics and contact resistance of B^+- and BF_2^+-implanted silicon diodes with furnace and rapid thermal annealing 85—55760
Simard-Normandin, M., Slaby, C. Analysis of low-energy boron implants in silicon 86—1985
Simard-Normandin, M., Slaby, C. Empirical modeling of low energy boron implants in silicon 86—15025
Simard-Normandin, M. *see* De Wilton, A.C. 88—32989
Simard-Normandin, M. *see* Wong, P.T.T. 85—45550
Simard-Normandin, M. *see* Young, J.F. 87—6568
Simas, M.I., Piedade, M.S., Freire, J.C. Characterization of power MOSFETs in high commutation level 88—71502
Simas, M.I.C., Piedade, M.S. Active protection for power MOS transistors 87—67302
Simas, M.I.Castro *see* Castro Simas, M.I.
Simashkevich, A.A. *see* Andriesh, A.M. 87—46655
Simashkevich, A.V. *see* Adeeb, N. 87—30973
Simashkevich, A.V. *see* Dobrynina, E.S. 86—66821
Simashkevich, A.V. *see* Gashin, P.A. 85—28997
Simashkevich, A.V. *see* Kasiyan, V.A. 85—6710, 87—1198
Simatovic, J. Contribution to the calculation of the pole foundation of overhead lines according to the Sulzberger method 88—10892
Simazaki, Y. *see* Kusaka, H. 87—28367, 88—28641
Simbo, M. *see* Ohashi, H. 87—46215
Simburger, E.J. *see* Rosen, D. 85—9490
Simchi-Levi, D. *see* Berman, O. 88—24650
Simchick, R. *see* Barber, P.G. 86—34282
Simchick, R.T. *see* Crouch, R.K. 88—24696
Simchock, F. *see* Monberg, E.M. 87—65464
Simchony, T., Chellappa, R. Direct analytical methods for solving Poisson equations in computer vision problems 88—28096
Simchony, T., Chellappa, R. Stochastic and deterministic algorithms for MAP texture segmentation 88—66740
Simchony, T. *see* Jinchi, H. 87—62287
Simchony, T. *see* Shao, M. 88—73346
Simcock, A.L., na Ranong, C., Leung, P. A synchronized spread-spectrum local area network 87—34125
Simcock, A.L. *see* Zayegh, A. 87—63798
Simcoe, R.J., Fisher, A., Leary, B.M., Bidermann, W.R., Wheeler, W.R. The MicroVAX 78132 floating point chip 87—44922
Simcoe, R.J. *see* Nelsen, D.E. 87—53744
Simcox, G. *see* Glavish, H.F. 87—53371
Simdyanov, E.V. *see* Safonov, L.P. 87—78501
Sime, D.G., Rock, K.A., Fisher, R.R. Stability of an uncooled reticon detector system at Mauna Loa Solar Observatory: a simple calibration scheme 85—52653
Simecek, T. *see* Skula, J. 85—18815
Simek, J. *see* Pavelka, J. 86—19240
Simek, M. *see* Novak, M. 87—484
Simek, P. Once upon a time there were three numbers [911 emergency telephone number] 88—34992
Simen, D.C., Sherman, A.B., Edelstein, S.A. Radiology: a communications view 87—14954
Simenova, B.G. *see* Minakova, I.I. 88—7070
Simeon, C. *see* Olive, J. 86—25747
Simeone, B. An asymptotically exact polynomial algorithm for equipartition problems 86—62084
Simeone, C. *see* Pensotti, S. 88—68237
Simeone, G. *see* Zanoni, E. 87—38533
Simeonov, K.A. *see* Sivova, R.A. 85—6551
Simeonov, R.I. *see* Tsanev, V.I. 87—42230
Simeonov, S.S., Kafedjiska, E.I., Guerrassimov, A.L. Quantum efficiency of the photocurrent in Schottky barrier structures 87—45690
Simeonov, S.S. *see* Rhoderick, E.H. 85—34626
Simeonov, V. *see* Mitev, V. 86—17518
Simeonova, B.G. *see* Minakova, I.I. 87—5709
Simeonova, K.Zh., Stroev, V.A. Problems associated with selection of automatic excitation control parameters for complex electric power systems 88—54926
Simeonova, S.V., Yakimov, T.N., Angelov, I.M., Stoev, I.K. Effect of some technological parameters on the electric characteristics of microstrip lines 88—50399
Simeonova, Y.M. *see* Kozlovsky, M.Y. 85—45367
Simeonova, Yu.M., Gattef, E., Dimitriev, Y.B., Kourtev, J.S. The electrical conductivity of heat reduced lead glass 85—44803
Simerska, C. Generalized L-splines as a solution of N-point boundary value problem 87—36644
Simes, R. *see* Hausken, T.R. 88—33899
Simester, J.H. *see* Couture, R.W. 87—33917
Simeth, P.G. *see* Barnes, R.A. 86—44800
Simhony, S., Katzir, A. Remote monitoring of ammonia using a CO_2 laser and infrared fibers 86—22559
Simhony, S. *see* Ben-Yosef, N. 85—58547
Simi, V.M. *see* Edwards, J.C. 85—28460
Simic, J., Kovac, B. Reduction of harmonic distortion in autonomy mains loaded by thyristor converters using resonant filters 86—66182
Simic, M., Uhlik, M., Drazenovic, J. Television coverage of the XIVth Winter Olympic Games 85—25969
Simic, M.G. *see* Radak, B.B. 86—32394
Simic, N. Power cable as element of power line carrier coupling filter 87—57652
Simic, P.D. *see* Milic, M.M. 87—65758
Simic, R. Pulse code modulation, multiplexing and hierarchic time multiplexing 88—21062
Simic, R. *see* Milanovic, B. 87—75991
Simic, R. *see* Milanovic, R. 87—69534
Simic, V. *see* Acimovic, R. 88—61411
Simic-Glavaski, B. Electrically modulated signals from molecular devices [optical modulation] 85—41216
Simic-Glavaski, B. Molecular electronic devices based on electrooptical behavior of heme-like molecules 88—1290
Simicevic, N. *see* Cierjacks, S. 85—64470
Simik, M. *see* Kubis, M. 86—61248
Simili, R. *see* Marchetti, S. 85—24457, 86—22311, 87—26305, 87—63415, 88—45352, 88—53695, 88—72273
Simin, B.A. *see* Isyanova, E.D. 86—15671
Simin, G.S. *see* Pavlenko, A.V. 87—26090
Siminel, A.V. *see* Kulyuk, L.L. 87—2122
Siming She *see* She Siming
Siminoritch, M.J., Rubinstein, F.M., Verderber, R.R. Determining lamp/ballast system performance with a temperature-controlled integrating chamber 85—65605
Siminovitch, M., Navvab, M., Brandle, K. The energy and visual quality implications associated with the lighting retro-fit of study carrels in a university library 88—31193
Siminovitch, M., Navvab, M., Rubinstein, F. The effects of interior room cavity obstructions on the illuminance distribution characteristics in task-station applications 88—31191
Siminovitch, M.J., Rubinstein, F.M., Clark, T.A., Verderber, R.R. A luminaire/plenum/HVAC simulator [fluorescent lamp modelling] 86—45806
Siminovitch, M.J., Rubinstein, F.M., Verderberg, R.R. The effects of fixture type and HVAC integration on fluorescent lamp/ballast performance 88—69910
Siminovitch, M.J., Rubinstein, F.M., Verderber, R.R., Clark, T.A. The effects of fixture type and HVAC integration on fluorescent lamp/ballast performance 87—43637
Siminovitch, M.J. *see* Rubinstein, F.M. 87—43642
Simion, A. Influence of electrical construction parameters on induction machines operation 85—21617
Simion, A. Reversible operation of the drag-cup AC servomotor 87—22432
Simion, E. *see* Munteanu, R. 88—48925
Simion, F., Radcenco, L. Research about behaviour to vibrations of rectification machines 88—53942
Simion, G. On the method of successive approximations 86—66773
Simion, G. *see* Gaburici, V. 88—56557
Simion, V. *see* Petrascu, M. 87—8860
Simionescu, C. *see* Goliciu, D. 87—57858
Simionov, D. *see* Coghias, H. 88—62677
Simizu, I., Suwa, K., Hattori, T. Performance of land mobile radio under impulsive noise environment 87—8207
Simizu, M. *see* Itoh, H. 86—68238 to 68239
Simizu, T. *see* Saito, T. 85—37191
Simkin, A.V. *see* Korshunov, Yu.M. 86—29896, 88—576
Simkin, J. Efficient algorithms for 3D eddy current calculation 85—24734
Simkin, J. Implementation and application of preconditioned conjugate gradient methods 85—28171
Simkin, J. Eddy current modelling in three dimensions 87—19135
Simkin, J. Modelling electromagnetic inspection using finite element methods 88—43984
Simkin, J. *see* Becker, R. 87—341, 87—16719
Simkin, J. *see* Blakeley, P.J. 86—42099
Simkin, J. *see* Harrold, C.S. 86—42701
Simkin, J. *see* Repetto, M. 88—44394
Simkin, J. *see* Ripley, C.P. 88—8398

Simkin, M.S. *see* Sorokin, N.A. 85–38857
Simkin, S.A. *see* Ivannikov, N.A. 88–12253
Simkin, Ya.V. *see* Muravin, G.B. 88–70382
Simko, S., Hudcovsky, S. The experience from design, development and realization of the 220 MW nuclear power plant turbine life-time counter 88–23608
Simko, S. *see* Cabrera, C.R. 87–60120
Simko, T., Zamastil, J. Design and technology problems of gate-assisted turnoff thyristors 86–63271
Simkova, I. *see* Kovac, D. 88–26251
Simkovic, F. Temperature rise of an oil-filled transformer solved by a graphic method 85–53734
Simm, C.-D. *see* Clabes, J.G. 85–55559
Simm, K. Computer simulated flaws help put ultrasonic testers to the test 88–38299
Simmel, W., Muhlpforte, H. Comments on the work with economical predictions for flexible automatization 86–46051
Simmelkjaer, J. Physics and chemistry of the electrolytic capacitor 88–50435
Simmen, R.L. Next-generation systems require real-time processing of sensor information 85–25111
Simmer, K.U. *see* Mantei, A. 87–47799
Simmers, C., Arnett, D. Specialized I/O and high-speed CPU yields efficient microcontroller for automotive applications 86–26382
Simmers, J.M. *see* Downes, M.K. 86–45487
Simmers, L. *see* Casey, P.E. 86–41133
Simmini, R. *see* D'Anna, E. 85–52960
Simmler, H., Kresnik, E. Scale model tests for Austria's Kuhtai pumped-storage plant 86–51518
Simmler, H., Steiner, R. Hydraulic model tests [Rabenstein hydro power station] 88–23777
Simmonds, A.C. *see* Agate, M. 88–56697
Simmonds, B. Expert systems in instrumentation 86–11405
Simmonds, E.J. A comparison between measured and theoretical equivalent beam angles for seven similar transducers 85–38368
Simmonds, J.G., Taylor, G.W. Theoretical studies of electronic conduction and optical generation mechanisms in the double-heterostructure optoelectronic switch (DOES) 88–65499
Simmonds, P.E. *see* Leadbeater, M.L. 88–39113
Simmonds, P.E. *see* Payling, C.A. 88–33145
Simmons, A. Voice and data integration through modems 85–25243
Simmons, A. *see* Stahle, C.M. 87–17985, 88–19751
Simmons, A.J., Bucher, E.A. EHF satellite communications 86–4613
Simmons, B. SCRAPP approval 85–30748
Simmons, B. Optimising private network performance 85–47004
Simmons, B. Digital network signalling 85–51852
Simmons, B. PABX approval update 86–23603
Simmons, B. Key questions and answers 86–43611
Simmons, B. Telecom standards–safety net or strait-jacket? 86–49075
Simmons, B. Microcomputers enhance hotel communications 86–49096
Simmons, B. How computers are transforming telecommunications 86–49376
Simmons, B. How computers are transforming telecommunications. II 86–59436
Simmons, B. Striking facts about lightning protection 86–69267
Simmons, B. Network code of practice. I. NCOP, the passport for private/public network interconnect 87–7906
Simmons, B. Call routing apparatus approval review 87–8108
Simmons, B. Network code of practice. II. NCOP, the passport for private/public network interconnect 87–13208
Simmons, B. The hidden cost of DDI [direct dialling] 87–13502
Simmons, B. Your flexible friend–the key system 87–40265
Simmons, B. Key systems review 87–48461
Simmons, B. Headsets–the fashionable interface 87–48741
Simmons, B. ISDN–where are we now? 87–55490
Simmons, B. A 'sty'lish compromise [subsidiary operation–piggy backing] 88–35272
Simmons, B. *see* Barnum, J. 86–17193
Simmons, B.D. The technology switch–choosing your next business telephone system 85–19708
Simmons, B.D. Choosing your next small business telephone system 85–25633
Simmons, B.D. Telecom systems for small businesses have a bright future in Europe 85–47081
Simmons, B.D. Network signalling 85–57598
Simmons, B.D. UK business users to welcome interconnect breakthrough [telecommunications] 86–64469
Simmons, B.D. Mercury/British Telecom interconnect. I 87–20067
Simmons, B.D. Mercury/British Telecom interconnect. II. [Digital data transmission] 87–28226
Simmons, B.J. *see* Bilger, H.R. 85–35821
Simmons, B.J. *see* Shaw, G.L. 85–24602, 87–12156
Simmons, D., Berger, B., Downing, G. Graphics controller implements bit block transfer 85–11376
Simmons, D. *see* Carew, E. 87–8089
Simmons, D. *see* Lynch, D. 86–10846
Simmons, D.A. *see* Buchanan, S.P. 88–19195
Simmons, D.M. Digitizing standard and high resolution high frame rate video camera signals 88–53729
Simmons, D.M. *see* Cooley, K.D. 87–40181
Simmons, D.M. *see* Kerner, M. 87–27772
Simmons, D.M. *see* Seitzler, T.M. 87–55292
Simmons, E.B., Jr., Hansen, C.W. Analysis of microwave Doppler effects for semi-active air-to-air missile seekers 86–69832
Simmons, G. *see* Shabde, S.N. 85–6967
Simmons, G.J. The subliminal channel and digital signatures [cryptography] 87–69030
Simmons, G.J. A survey of information authentication 88–66307
Simmons, G.J. How to insure that data acquired to verify treaty compliance are trustworthy 88–66308
Simmons, G.J. *see* Davis, J.A. 87–69023
Simmons, G.J. *see* Moore, J.H. 88–40815
Simmons, H.R., Lifshits, A. Vibration measurements for determining plant component reliability 86–60356
Simmons, I.C.P. The application of microprocessors to vehicle monitoring systems 87–72555
Simmons, I.C.P. *see* Laker, I.B. 86–49936
Simmons, J. *see* Brase, J. 85–26197
Simmons, J.A., Ebner, W.B. Accelerated rate calorimetry studies on partially discharged Li/SO$_2$ cells 88–17830
Simmons, J.A., Turner, C.D., Wadley, H.N.G. Vector calibration of ultrasonic and acoustic emission transducers 88–10622
Simmons, J.A., Wadley, H.N.G. Vector transducer calibration [for use in NDT] 85–15459
Simmons, J.A. *see* Wadley, H.N.G. 85–10888
Simmons, J.E. *see* Arignon, M. 85–48171
Simmons, J.E. *see* Peng, J.C. 88–10290
Simmons, J.E. *see* Tang, S.M. 87–29506
Simmons, J.F.L. *see* Stewart, B.G. 87–75774
Simmons, J.G., Hsueh, F.L., Faraone, L. Two-carrier conduction in MOS tunnel-oxides. II. Theory 85–34677
Simmons, J.G., Taylor, G.W. An analytical treatment of the performance of submicrometer FET logic 86–34703
Simmons, J.G., Taylor, G.W. Concepts of gain at an oxide-semiconductor interface and their application to the TETRAN–a tunnel emitter transistor–and to the MIS switching device 86–35465
Simmons, J.G., Taylor, G.W. New heterostructure junction field-effect transistor (HJFET) 87–11769
Simmons, J.G., Taylor, G.W. A new ultra-high-speed heterojunction transistor 87–32554
Simmons, J.G., Taylor, G.W. Heterostructure complementary technology 87–45929
Simmons, J.G., Taylor, G.W. Theory of electron conduction in the double-heterostructure optoelectronic switch (DOES) 87–54204
Simmons, J.G., Taylor, G.W. A comparison of minimum propagation delay and unity power transfer frequency of submicron MOSFETs 88–33233
Simmons, J.G. *see* Bolt, M.J.B. 87–45664, 88–7603
Simmons, J.G. *see* Crawford, D.L. 88–40098
Simmons, J.G. *see* Green, R.J. 85–64080, 88–64570
Simmons, J.G. *see* Lebby, M.S. 88–57614
Simmons, J.G. *see* Rhoderick, E.H. 85–34626
Simmons, J.G. *see* Taylor, G.W. 86–21577 to 21578, 86–28995, 86–48302, 86–48307, 86–54035, 86–63280, 87–1495, 87–25274, 87–26190, 87–33063, 87–46231, 87–54203, 87–56689, 88–33159
Simmons, J.K. *see* Laasanen, A.T. 85–52986
Simmons, J.L. *see* Hobson, R.F. 88–38545
Simmons, J.L., Jr. *see* Backus, M.M. 85–15412
Simmons, J.M., Stringer, I.A., Schaetzel, S.S., Raju, J.A.S., Pike, G.H.S., Briggs, G.P., Capizzi, V., McCracken, K.G., Astley-Bowen, C.E., Graham, G.R. An international spaceport for Australia 87–77727
Simmons, K.J. The MBX-1000 bus analyzer unveiled: an elegant trouble-shooter for PDP- and LSI-11s 85–14602
Simmons, L.D. High efficiency staged Rankine cycles using ceramic components [steam power plants] 85–48881
Simmons, M.A., Gale, P.S. Means of investigation of the electric strength of polymeric cable insulation 88–64012
Simmons, M.A., White, N.M. Electric field measurements adjacent to small high voltage components 88–67984
Simmons, M.K. *see* Dixon, J.R. 85–147
Simmons, P. *see* Bamber, J.C. 88–42540
Simmons, P.J., Green, H.I. Small switching units in local networks: a view of the future 87–55915
Simmons, R. *see* Brug, J.A. 88–64949
Simmons, R. *see* Darby, R. 85–31117
Simmons, R. *see* Davidson, B. 85–24141
Simmons, R. *see* Mohammed, J. 87–38059
Simmons, R.B.V., Popple, R.T., Thomas, R.A. Experience in the application of NUSS and Canadian quality assurance standards for overseas CANDU projects 85–43721
Simmons, R.B.V. *see* Kato, W.Y. 86–6534
Simmons, R.K. *see* Silverman, E.B. 86–25844, 86–61247
Simmons, R.T. *see* Wilczynski, D.V. 88–23655
Simmons, S.J. A nonsorting VLSI structure for implementing the (M, L) algorithm 88–50929
Simmons, S.J., McLane, P.J. Low complexity phase tracking decoders for continuous phase modulations 85–19314
Simmons, S.J., McLane, P.J. Low complexity carrier phase tracking decoders for continuous phase modulations 86–29692
Simmons, S.J. *see* Scott, P.A. 88–50103
Simmons, T.N. *see* Cook, D.L. 87–43208
Simmons, W., Adamosky, P. New methods for IC static discharge testing 88–70097
Simmons, W., Adamosky, P. Meeting the new 883 Test Method for IC static discharge testing 88–70103
Simmons, W. *see* Jansen, M. 87–7354
Simmons, W. *see* Wilcox, J.Z. 88–2214
Simmons, W.W. NOVA laser facility for inertial confinement fusion 85–2273
Simmons, W.W. *see* Manes, K.R. 85–35721
Simmons, W.W. *see* Wilcox, J.Z. 87–54298
Simmons, W.W. *see* Yang, J.J. 87–12453
Simmrock, K.H. Design principles for chlorine membrane cells 85–32675
Simmrock, K.H. Hydroxyl ion migration, chemical reactions, water transport and other effects as optimizing parameters in cross-, co- and countercurrently operated membrane cells for the chlor-alkali electrolysis 85–32676
Simms, C. Electronic equipment and systems in hazardous areas 85–33155
Simms, J.R. Lightning overvoltage protection of SF$_6$ gas insulated substations 85–65390
Simms, J.R. Overvoltage protection of gas-insulated substations 87–64668
Simms, N.T. RETRAN-02 comparison of natural circulation flow rates at Babcock & Wilcox 177-FA plants 85–65096
Simms, R.A. *see* Dereniak, E.L. 85–58578, 86–24388
Simms, R.L. Common channel signaling–key to control of modern telecommunications networks 87–40159
Simms, R.L. *see* Kollmorgen, M.A. 87–69550
Simms, W.T. *see* Makin, B. 85–27543, 86–67115
Simnett, J. *see* Gibbons, M. 85–8586
Simniskis, S.K. *see* Leonas, V.L. 86–39078
Simo, T. *see* Matal, O. 87–42605, 87–50963
Simoaa, K., Kelha, V., Tuomi, T., Korhonen, M.A., Suominen, L. X-ray detection using a CCD device and its application to synchrotron radiation imaging and stress measurement 88–4871
Simock, A.L., na Ranong, C., Leung, P. A localised spread spectrum network 88–3540
Simoen, E.R. *see* Dierickx, B. 88–71556
Simoens, H., Baert, D., Kuyken, H. A 5 kW peak photovoltaic demonstration project for residential applications 86–45280
Simoens, H. *see* Baert, D. 86–51531
Simoens, H. *see* Kuyken, H. 86–61624
Simoes, F.E.R. On the variance of the output signals from spectral analyzers 87–41447
Simoes, I.L. *see* Wilhelm, M.R. 88–61908
Simoes da Fonseca, J. *see* Barahona da Fonseca, J. 88–48182
Simoes Piedade, M. *see* Castro Simas, M.I. 88–64585, 88–64588
Simoes-Pereira, J.M.S. Underlying graph and total length of optimal realizations of variable distance matrices 88–11859
Simoff, D.A. *see* Chan, M.G. 87–7165
Simoh, M.K. *see* Divsalar, D. 87–34483
Simoilenko, V.I. *see* Grubrin, I.V. 87–47392
Simoliunas, S. *see* John, K. 87–37703, 88–25692
Simon, A. ACEC's experience of underwater operations within the context of nuclear service work. I 88–36921
Simon, A. ACEC's experience of underwater operations within the context of nuclear service work. II 88–36922
Simon, A. Fuel handling and storage systems in nuclear power stations 88–36923
Simon, A. *see* MacGowan, B.J. 88–2177
Simon, A. *see* Minguet, R. 88–36924
Simon, A. *see* Ravez, J. 88–71865
Simon, A.J. Technology transfer in nuclear manufacturing: characteristics and limitations 86–39331
Simon, A.J., Bailey, G.L. Bare chip semiconductor procurement system [hybrid circuit manufacture] 88–1249
Simon, B., Prado, J., Day, L. Software tools for analysis of wafer sort yield data 88–20067
Simon, B., Votta, L.G. The optimal retry distribution for lightly loaded slotted ALOHA systems 85–63132

Simon, B. *see* Chung, F.R.K. 87−48269
Simon, B. *see* Flannagan, S.T. 87−17080
Simon, B. *see* Maier, R. 88−47954
Simon, B. *see* Sauvage, D. 85−50516
Simon, C. *see* Goldberg, B.B. 86−53414
Simon, C. *see* Pays, M. 85−59721
Simon, D.J. *see* Asseo, E. 85−26681
Simon, D.J. *see* Chanel, M. 85−37831
Simon, D.S. *see* Loo, B.W. 86−50510
Simon, E., Muccio, P., Chizeck, H., Mansour, J., Pereira, J., Marsolais, E.B. The feasibility of using strain measurements in an ankle-foot orthosis as a feedback signal for closed-loop FNS gait 88−61462
Simon, E.T. Calculator program simplifies microstrip line computations 85−17768
Simon, G. Electronic tuning fork: playing in unison 85−44865
Simon, G. Detection of harmonic burst signals 85−57369
Simon, G. An extended resonator concept and its application in switched-capacitor DFT processors 87−45046
Simon, G. A stray-insensitive switched-capacitor delay circuit 87−45047
Simon, G. An extended resonator concept and the detection of harmonic burst signals by SC circuits 88−52478
Simon, G., Henk, T., Baranyi, A., Cserna, I., Baldauf, L., Kiraly, Sz., Kukucska, P. Quadrature receiver with AGC and PLL functions 88−53140
Simon, G., Roizen, J. Novel human interfaces for videotape editing 85−26089
Simon, G. *see* Pokerznik, V. 86−40299, 86−66490
Simon, G. *see* Schulz, W. 88−45600
Simon, G. *see* Vicanek, M. 87−31098, 87−75270
Simon, H. *see* Kusters, L. 86−10940
Simon, H. *see* Pfeifer, T. 85−8703
Simon, H.E. *see* Maudsley, A.A. 85−9158
Simon, H.J. *see* Yund, E.W. 88−54648
Simon, I., Jacobs, K., Butter, E. Thermodynamic calculation of the alloy composition of $Ga_xIn_{1-x}As$ grown in the trichloride system using solid sources 86−66811
Simon, I. *see* Hunyar, M. 86−12804
Simon, I. *see* Jacobs, K. 85−22532, 86−40731
Simon, J. Videostudio and the computer aided video editing system in MAFILM 87−41247
Simon, J., Grumpelt, D. Digital I/O expander and counter circuit type DAEZO1 85−42837
Simon, J., Tournilhac, F., Andre, J.-J. Molecular materials. II. Towards electronics finalities 87−60119
Simon, J., Vierna, C. Design of an advanced cable factory 86−26625
Simon, J. *see* Andre, J.J. 86−1815, 87−53263
Simon, J. *see* Babai, L. 87−32643
Simon, J. *see* Boudjema, B. 85−6749
Simon, J. *see* Chang, Y. 86−64387
Simon, J. *see* Cohen Sabban, J. 85−20900
Simon, J. *see* Corno, F. 85−4309
Simon, J. *see* Hambrusch, S.E. 85−62019
Simon, J. *see* Ja'Ja, J. 85−19562
Simon, J. *see* Madru, M. 88−13376
Simon, J. *see* Madru, R. 88−39436, 88−57638
Simon, J. *see* Maitrot, M. 87−11428
Simon, J. *see* Paturi, R. 85−36495
Simon, J.-C. *see* Monerie, M. 86−49581
Simon, J.-C. *see* Tanimoto, S.L. 85−30399
Simon, J.-J., Barbut, F., Brabant, R. VLSI design in the HP 2392A terminal 85−40152
Simon, J.-M. *see* Lesk, M. 88−46610
Simon, J.C. Invariance in pattern recognition. Application to character recognition 85−57333
Simon, J.C. Invariance and uncertainty in pattern recognition−application to line images 87−13155
Simon, J.C. GaInAsP semiconductor laser amplifiers for single-mode fiber communications 88−8198
Simon, J.C. Present status and future of optical amplification for communication 88−67418
Simon, J.C., Landousies, B., Bossis, Y., Doussiere, P., Fernier, B., Padioleau, C. Gain, polarisation sensitivity and saturation power of 1.5 μm near-travelling-wave semiconductor laser amplifier 87−39102
Simon, J.C., Landousies, B., Vassallo, C. Polarisation characteristics of very low reflectivity coatings for semiconductor laser amplifiers 88−65730
Simon, J.C., Vassallo, C., Landousies, B. Progress on semiconductor laser amplifiers at CNET 85−41412
Simon, J.C., Vassallo, C., Landousies, B. On the coupling efficiency in a gain guiding semiconductor laser amplifier 86−48431
Simon, J.C. *see* Brosson, P. 87−39097
Simon, J.C. *see* Favre, F. 86−63845
Simon, J.H. *see* Holtas, S.L. 88−29954
Simon, J.H.de *see* de Simon, J.H.
Simon, J.L. *see* Berlinet, D. 85−57666
Simon, J.M., Ratto, J.O. Modulated interference gratings for image reconstruction. A classification for holographic methods and other techniques 86−68646
Simon, J.M. *see* Danet, A. 87−55838
Simon, K. An improved algorithm for transitive closure on acyclic digraphs 86−66725
Simon, K.M. *see* Schindler, M.J. 88−71119
Simon, K.P. Electronic control of crane-drive motors prevents load-swinging 87−9896
Simon, L., Shulze-Hennings, F., Dosh, F. Automatic calibration systems TS 9000 88−35815
Simon, L. *see* Kako, Y. 85−56022
Simon, M. Completion of the Mulheim-Karlich nuclear power station 86−65868
Simon, M. Redundancy proves its worth in FR Germany 87−57754
Simon, M. Safety measures for incident control 88−17289
Simon, M., Courcier, P. PWR nuclear fuel design and manufacturing technology transfer 86−39478
Simon, M., Ures, M. High-integrity data communications between SICOMP systems and mainframes in SNA computer networks 86−10800
Simon, M. *see* Galvier, J. 88−19838
Simon, M. *see* Haunhorst, H. 85−21395
Simon, M. *see* Mathis, K.D. 85−4220, 88−22929
Simon, M.de Saint *see* de Saint Simon, M.
Simon, M.K. Double symbol error rates for differential detection of narrow-band FM 85−46661
Simon, M.K. On the probability density function of the squared envelope of a sum of random phase vectors 86−4472
Simon, M.K. Dual-pilot tone calibration technique [mobile satellite receivers] 87−3133
Simon, M.K., Divsalar, D. Open loop frequency synchronization of MDPSK with Doppler 88−2924
Simon, M.K., Divsalar, D. The performance of trellis coded multilevel DPSK on a fading mobile satellite channel 88−2931
Simon, M.K., Divsalar, D. Multiple trellis coded modulation (MTCM) performance on a fading mobile satellite channel 88−45866
Simon, M.K., Omura, J.K., Scholtz, R.A., Levitt, B.K. Spread spectrum communications. Vol.II 85−60648
Simon, M.K., Omura, J.K., Scholtz, R.A., Levitt, B.K. Spread spectrum communications. Vol.III 86−13339
Simon, M.K., Wang, C.C. Differential detection of Gaussian MSK in a mobile radio environment 85−20074
Simon, M.K., Wang, C.C. Two-bit differential detection of MSK 85−41836
Simon, M.K., Wang, C.C. Bit synchronization of differentially detected MSK and GMSK 86−16362
Simon, M.K. *see* Divsalar, D. 86−54422, 87−39596, 87−39630, 88−2969, 88−45887
Simon, M.K. *see* Polydoros, A. 85−20016
Simon, N.J. *see* Reed, R.P. 87−44398
Simon, N.V. *see* Hansberry, P.A. 86−50541
Simon, P., Juhasz, N. Dye cell design for high-efficiency amplifier of high beam quality 86−9905
Simon, P., Klebniczki, J., Szabo, G. A study of picosecond pulse generation by a double-resonator dye laser 86−22339
Simon, P.D. The control of metallic corrosion of cement plant facilities 87−51677
Simon, P.R. The fundamentals of thin film resistive technology for the production of ultra-stable resistors and networks 85−45252
Simon, P.R., Krebill, J. 'State-of-the-art' third generation thin metal resistive films 88−7222
Simon, P.S. *see* Richards, W.F. 87−39445
Simon, R. A new class of anisotropic Gaussian beams 86−9924
Simon, R. Laser cavities bounded by crossed cylindrical mirrors 88−2320
Simon, R., Beck, R., Gamst, A., Zimmermann, G., Zinn, E.-G. Computer-aided integrated radio network design for cellular radio systems 86−23719
Simon, R., Beck, R., Gamst, A., Zinn, E.G. Influence of hand-off algorithms on the performance of cellular radio networks 87−76623
Simon, R., Coles, H.J. Side chain polysiloxane liquid crystals and their behaviour in electric fields 87−7186
Simon, R., Dunn, D. Improving the field of view for the next generation of US Army Black Hawk helicopters 88−68675
Simon, R., Eizenhofer, A., Juechter, H. Switches network interfacing of mobile automatic telephone systems 85−63561
Simon, R., Sudarshan, E.C.G., Mukunda, N. Cross polarization in laser beams 87−54378
Simon, R. *see* Coles, H.J. 86−22191, 86−68344
Simon, R. *see* Gamst, A. 86−4526, 86−43741
Simon, R. *see* Schlusselberg, D.S. 87−57125
Simon, R.H. Aluminium flakes give plastics properties of metals 85−22552
Simon, R.M. ASTM testing for EMI/RFI shielding 85−46594
Simon, R.M. ASTM test assesses the effectiveness of EMI/RFI protection 85−62808
Simon, R.M. EMI shielding with aluminium flake filled polymer composites 86−3599
Simon, R.S. *see* Weiler, K.W. 88−47247
Simon, R.W. *see* Leung, M. 87−63413, 87−70644
Simon, R.W. *see* Smith, A.D. 87−67865, 87−67884
Simon, R.W. *see* Yurke, B. 88−32412
Simon, S. Alternative approaches to TV servicing: tackling the ITT CVC20 series 85−63817
Simon, S. Approaches to TV servicing: quick steps 85−63819
Simon, S. Quick checks: hybrid CTV chassis 86−17593
Simon, S. Quick tests: hybrid receivers 86−24074
Simon, S. Quick checks: Fidelity CTV14R 86−49814
Simon, S., Gordon, T. ISDN multimedia desk top teleconferencing 88−67133
Simon, T., Spaniol, O., Suppan-Borowka, J. Performance measurements of different protocol layers in a LAN environment 88−35148
Simon, T. *see* Fehlau, F. 87−62643
Simon, T. *see* Hieber, H. 87−1455
Simon, U. Microelectronics and automated assembly 85−39377
Simon, U. *see* Dernbach, B. 88−23672
Simon, U. *see* Opitz, H. 85−209
Simon, W. Federal Post Office warns electronic hobbyists: grave infringements. Whether dabbling with the telephone network? 86−10686
Simon, W. Dialling support by personal computer. PC-application improves comfort in telephoning 87−28237
Simon, W. *see* Oesch, U. 87−63721
Simon, W.E. Electrical power systems for space station 85−48403
Simon, W.E. Direct solar heating for space station application 86−32472
Simon, W.E. Technology advancements for the US Manned Space Station: an overview 88−30070
Simon, W.E., Nored, D.L. Manned spacecraft electrical power systems 87−42121
Simon, W.E., Van Tassel, K.E. Solar dynamic energy conversion systems for a manned space station 85−64674
Simon, W.E. *see* Daigle, J.N. 87−55448
Simon, W.E. *see* Faget, N.M. 86−38911
Simon, W.E. *see* Van Tassel, K.E. 86−38906
Simon, Z. A more precise mechanical theory of Askania gravity meters 85−59461
Simon Yu Yeou-Chong *see* Yeou-Chong Simon Yu
Simonangeli, L.J. *see* Lampe, R.W. 88−2830
Simonato, A.R. *see* Cals de Oliveira, L. 86−39371
Simonavichyus, Yu.Yu. Reliability of logic gates taking into account factors increasing probability of fault-free operation. VI. Calculating probability of fault-free operation of logic gates taking into account input signal errors 85−6294
Simoncelli, E. *see* Adelson, E.H. 88−41060
Simoncini, L. *see* Briccoli, A. 87−13189
Simoncini, L. *see* Scevarolli, M. 88−3647
Simoncsics, L., Balazs, M., Hermann, A. Use of p-i-n structured silicon detectors for gamma radiation measurement 85−37945
Simond, J.-J. Simulation of the synchronous machine-rectifier bridge-3-phase network system: influence of rotor structure and operating point on the current and torque harmonics 87−42830
Simond, J.-J., Neidhofer, G. Numerical determination of no-load voltage waveform of salient-pole machines considering constructional particularities 87−42908
Simond, J.J. *see* Bose, B.N. 87−42905
Simond, J.J. *see* Goossens, J. 86−70881
Simondet, F. *see* Contour, J.P. 87−73091
Simonds, R.M. Reduction of large convolutional kernels into multipass applications of small generating kernels 88−66643
Simone, F. *see* de la Fuente, V. 88−30113
Simone, F. *see* Mancini, N.A. 87−22686
Simone, G. *see* Belli, M. 87−63752
Simone, L.Di *see* Di Simone, L.
Simone, S.De *see* De Simone, S.
Simoneaux, G.E. Availability improvement program for Louisiana Power & Light's Waterford 3 nuclear power plant 86−51232
Simonelic, J.J. *see* Bicking, R.E. 86−55701
Simonelli, G. Utilization in electrotechnical industry of fasteners based on insulating threaded rods 86−63497
Simonelli, P. *see* Lechi, G.M. 85−64772
Simonen, E.P. Predicted irradiation effects on alloy aging kinetics 86−51352
Simonenko, G.V. *see* Medvedev, B.A. 85−24512, 85−56808
Simonenko, I.B., Soibel'man, Ya.S. On methods of calculating the electrostatic capacitance 88−40482
Simonenko, Yu.V. *see* Baranskii, P.I. 85−23406, 86−1674, 86−63018
Simonenko, Yu.V. *see* Gaidar, G.P. 87−17686
Simonet, W. *see* Labeyrie, M. 85−24093
Simonet, W. *see* Warin, D. 85−24092
Simonet, W.B. *see* Parmentier, P.R. 88−31475
Simonett, D.S. *see* Richards, J.A. 87−71278
Simonetta, A. *see* Rocchelli, R. 86−19856
Simonetti, E. *see* Misiano, C. 88−13170
Simonetti, G. *see* Bastida, E.M. 85−14209
Simonetto, A. *see* Cima, G. 86−5500

Simoni, F., Bartolino, R. Nonlinear optical behavior of hybrid aligned nematic liquid crystals 85−35876
Simoni, F., Cipparrone, G., Bartolino, R. Effect of tuning of a dye laser induced by a liquid crystal device 86−3100
Simoni, F., Cipparrone, G., Bartolino, R. Tuning of a dye laser by a liquid crystal 87−7284
Simoni, F. *see* Diels, J.-C.M. 85−46438
Simoni, F. *see* Umeton, C. 88−27234
Simoni, L. Application of a new geometrical approach to determination of combined stress endurance of insulating materials 88−71845
Simoni, L., Kako, Y., Kadotani, K., Tsukui, T. Comments, with reply, on 'An analysis of combined stress degradation of rotating machine insulation' by Y. Kako et al 85−5038
Simoni, L., Montanari, G.C. Comments, with reply, on 'On the estimation of life of power apparatus insulation under combined electrical and thermal stress' by T.S. Ramu 86−47908
Simoni, L., Pattini, G., Montanari, G.C., Cacciari, M. Endurance of insulating materials subjected to single and combined electrical and thermal stresses 86−68075
Simoni, L. *see* Masoni, S. 86−68115
Simoni, L. *see* Montanari, G.C. 85−32183, 86−70688, 87−71669
Simoni, L. *see* Sandrolini, F. 85−35252
Simoni, R.T. *see* Horowitz, M. 87−59603, 88−6899
Simonini, F. *see* Cognetti, C. 85−61969
Simonis, G.J. Millimeter-wave material properties and measurements 87−73582
Simonis, H., Dincbas, M. Using logic programming for fault diagnosis in digital circuits 88−31954
Simonis, J. Binary even [25,15,6] codes do not exist 87−39643
Simonis, J.C., Bowman, S.W. Generic test procedure for the qualification of a nuclear emergency generator 86−51405
Simonne, J.J. *see* Barbottin, G. 87−60203
Simonne, J.J. *see* Bunuel, A. 87−32744, 88−4441
Simonne, J.J. *see* Farre, J. 87−25144
Simonne, J.J. *see* Pham, V.V. 88−13038
Simonne, J.J. *see* Reynes, A. 88−74476
Simonne, J.J., Buxo, J. *(editor)* Insulating Films on Semiconductors. Proceedings of the International Conference INFOS 85 87−23002
Simonnot, G. *see* Balbi, J.H. 86−39620
Simonov, A.I. *see* Levshin, V.P. 86−46248, 88−21189
Simonov, A.N. *see* Kol'tsov, G.I. 85−45542
Simonov, A.P. *see* Abakumov, G.A. 85−56517
Simonov, A.P. *see* Kolovskii, V.B. 85−46342
Simonov, A.V. *see* Dovchenko, D.N. 88−14271
Simonov, A.V. *see* Vysloukh, V.A. 87−75200
Simonov, A.Ya. *see* Lushnikov, A.A. 86−3485
Simonov, A.Yu. A refinement of the derivation of the condition for no nonlinear distortions to be present in a diode amplitude detector due to load inertia 85−8836
Simonov, A.Yu. Capacitive connection of a diode amplitude detector to a radio-frequency amplifier 85−22685
Simonov, A.Yu. *see* Simonov, Yu.L. 87−38191, 87−47734, 87−65948
Simonov, M.M., Pan'kov, G.Kh. The design and application of phase-locked automatic frequency control relay circuits to satellite communications systems with time division multistation access 85−8365
Simonov, M.M. *see* Gavrilov, A.B. 87−3384
Simonov, N.A., Naganyuk, S.V. A heterodyne frequency synthesizer for repeaters 88−67556
Simonov, N.F. *see* Makarov, M.I. 85−9820
Simonov, N.I. *see* Korovyakov, A.N. 88−60726
Simonov, N.K. *see* Korichev, A.A. 85−16114
Simonov, V.N. *see* Malov, V.V. 88−74372
Simonov, V.P. *see* Burova, T.V. 86−24371
Simonov, V.P. *see* Fel'dman, G.G. 87−53133, 88−42158
Simonov, V.P. *see* Ignatosyan, S.S. 87−12266, 87−28973
Simonov, Yu.L., Simonov, A.Yu., Zhmurov, V.V. Connection between detector characteristics of an amplitude diode detector and the voltage-current characteristics of a diode 87−38191
Simonov, Yu.L., Simonov, A.Yu., Zhmurov, V.V. Analysis of an amplitude detector based on a DC isolated diode 87−65948
Simonov, Yu.L., Yamnitskiy, V.A., Simonov, A.Yu. The effect of signal source parameters on the linearity of a diode detector 87−47734
Simonov, Yu.N. *see* Antyukhov, V.A. 86−60637
Simonova, V.M., Shestopalov, Yu.K. Polarization characteristics of thermal radio emission of rough surface with large-structure steep inhomogeneities. II. Statistically rough surfaces 86−63993
Simons, B. *see* Broder, A. 86−35816
Simons, B. *see* Dolev, D. 87−40116
Simons, D. Romancing the phone: promise and progress in videotex development 85−57750
Simons, D.G., de Korte, P.A.J., Peacock, A., Smith, A., Bleeker, J.A.M. Performance of an imaging gas scintillation proportional counter with microchannel plate read-out 85−43199
Simons, D.G., Fraser, G.W., De Korte, P.A.J., Pearson, J.F., De Jong, L. UV and XUV quantum detection efficiencies of CsI-coated microchannel plates 88−16641
Simons, D.H., Jr. EMC and environmental stress screening 86−29444
Simons, D.S. *see* Ehrstein, J.R. 85−55682
Simons, F.O. *see* Barrett, A.J. 87−23055
Simons, F.O., Jr., Harden, R.C. FFT vs. real argument polynomial algorithms for evaluating $H(z)$ frequency responses 87−69223
Simons, F.O., Jr. *see* Harden, R.C. 88−18548
Simons, H.J., Dijk, J., Verlijsdonk, A.P. Document transfer by a digital satellite link 88−28807
Simons, J.M.J.M. *see* Schreurs, C.A.A.M. 85−53528
Simons, J.S. Recent advances in diagnostic testing equipment and measuring techniques for large machine insulation 88−69249
Simons, K. *see* Guyton, D.L. 87−50233
Simons, L.M. The cyclotron trap as decelerator and ion source 88−42400
Simons, M. *see* Anderson, W.T. 86−35767, 87−32544, 88−19103, 88−57688
Simons, P. *see* van Etten, W. 85−35388
Simons, P.H. Managing advanced avionic system design 88−61559
Simons, R.E. Direct liquid immersion cooling: past, present, and future 88−49537
Simons, R.E., Chu, R.C. Direct immersion cooling techniques for high density electronic packages and systems 86−52272
Simons, R.E. *see* Antonetti, V.W. 86−190
Simons, R.H., Grunnel, P.D. The high pressure sodium lamp—a source for lighting motorways 86−33822
Simons, R.H., Hargroves, R.A., Pollard, N.E., Simpson, M.D. Lighting criteria for residential roads and areas 88−43486
Simons, R.H. *see* Hargroves, R.A. 87−64956
Simons, R.N. Microwave performance of an optically controlled AlGaAs/GaAs high electron mobility transistor and GaAs MESFET 88−25473
Simons, R.N., Bhasin, K.B. Analysis of optically controlled microwave/millimeter wave device structures 87−6141
Simons, R.N., Bhasin, K.B. Analysis of optically controlled microwave/millimeter-wave device structures 87−17359
Simons, R.N., Bhasin, K.B. Microwave performance of an optically controlled AlGaAs/GaAs high electron mobility transistor and GaAs MESFET 87−73770
Simons, R.N., Ponchak, G.E. Modeling of some coplanar waveguide discontinuities 88−72626
Simons, R.N. *see* Bhasin, K.B. 88−25515
Simons, R.N. *see* Bilik, V. 86−42900
Simons, R.S., III *see* Chamberlin, J.W. 87−48856
Simons, W. *see* Alonso, M. 87−40083
Simons, W.R. Developments in flammable gas monitoring 87−14609
Simonsen, A.N. Timer chip drives high-voltage inverter 86−7926
Simonsen, C. *see* Chou, S. 87−53720
Simonsen, C.J. *see* Mohsen, A. 85−22873
Simonsen, E., Thomsen, C.E., Wildschiodtz, G. A generalized model of sleep EEG compared to manual scoring—a sleep analysis method based on autoregressive modeling and cluster analysis 88−61373
Simonsen, F., Kristensen, J. Electrical installations in areas with a danger of explosions 86−7471
Simonsen, K.A. *see* Murty, Y.V. 88−38266
Simonsen, S.O. Compatibility of NTSC color decoders with HDTV signals 86−69888
Simonson, R. Examining the potential application possibilities for businesses making use of ISDN features 87−27752
Simonsson, D. *see* Ekdunge, P. 86−26265 to 26266
Simonsson, H. *see* Eriksson, G. 88−9342
Simonton, R. *see* Milgate, R. 87−53387
Simonton, R. *see* Turner, N.L. 86−2007
Simonton, R.B. The use of self-implanted amorphized silicon substrates to eliminate channeling effects in low energy boron implants 87−60294
Simontov, I.M., Lega, Yu.G. The amplitude-frequency characteristic of a tracking AM filter 85−37099
Simonutti, M.D. *see* Hsu, T. 85−17789
Simonyan, G. Evaluating noise sources for noise-figure measurement 88−16223
Simonyan, Kh.A. *see* Avakyan, R.O. 86−44571
Simonyan, R.A. *see* Avetisyan, A.G. 88−53762
Simonyan, S.A., Mirimanyan, V.Kh., Petrakov, M.D. Utilisation of the second field harmonic in a two-channel independent induction generator for a power channel of modest power 88−62357
Simonyan, S.A. *see* Mirimanyan, V.Kh. 87−22320 to 22321, 88−69272
Simonyan, S.O. Construction of algorithms to solve systems of finite equations based on differential transformations. II. Example of solution and certain remarks 87−16535
Simonyi, E. *see* Dudas, J. 87−55221, 88−49784
Simonyi, E. *see* Foldvari-Orosz, J. 86−67428, 87−52758, 88−59178
Simonyi, E. *see* Toth, L. 85−23022, 86−62419, 87−499, 88−25316, 88−56425
Simonyte, V. *see* Slivinskas, V. 87−47777
Simonyuk, A.F. *see* Evgrafov, V.I. 85−47993
Simoons, M.L. *see* Reijs, A.E.M. 87−48054
Simoons, M.L. *see* Vinke, R.V.H. 85−53082
Simoudis, E. A knowledge-based system for the analysis and redesign of digital circuit networks 88−522
Simoudis, E. Learning selection rules in a circuit redesign environment 88−25653
Simoudis, E., Bee, B., Evans, R., Vonada, D. An AI system for improving the performance of complex transmission line networks [PCB] 87−37679
Simoudis, E., Fickas, S. The application of knowledge-based design techniques to circuit design 86−27020
Simov, S. *see* Stoev, I. 87−65176
Simov, S.V. *see* Gushchin, E.M. 85−26719
Simova, E. *see* Stoev, I. 87−65176
Simova, P.D. *see* Angelov, A.K. 86−11068
Simovskaya, S.F. Application of the Laguerre recursive discrete filter with correlation frequency and power meter for narrowband Doppler signals 85−4453
Simovskaya, S.F. Evaluating time intervals of correlation function approximated by Laguerre series 85−30148
Simovskaya, S.F., Sakhnovskii, E.Z. An orthogonal series-parallel Laguerre filter 88−19266
Simovskaya, S.F. *see* Proshkin, E.G. 88−23182
Simovskii, K.R. *see* Kantorovich, M.I. 87−39360
Simovskiy, K.R. An example of the combination of an asymptotic approach and the attenuation-function method 88−27488
Simovskiy-Veytkov, I.S. *see* Savin, A.P. 87−15037
Simoyu, L.L., Gar'kavenko, I.V., Lagun, V.P. Modernising the exhaust pipe of turbine type K-160-130, manufactured by the Kharkov turbogenerator factory 87−9336
Simoyu, L.L. *see* Alekseeva, R.N. 85−38858
Simoyu, L.L. *see* Kondakov, A.Yu. 87−78502
Simoyu, L.L. *see* Lagun, V.P. 85−4930, 85−38853
Simozato, M. *see* Date, A. 85−63348
Simozato, M. *see* Sugimoto, O. 88−21652
Simpkin, D.J. Radiation shielding of multiple X-ray sources in diagnostic radiology 86−32388
Simpkin, J. *see* Emson, C.R.I. 86−42755
Simpkin, P.G., Parrott, D.R. Effects of small scale seafloor roughness on acoustic reflectivity measurements on the Newfoundland shelf 88−54755
Simpkins, B.E. *see* Adler, R.J. 85−52959
Simpkins, D. Photoimageable solder mask: not a 'dry' subject 85−61576
Simpkins, D., Steeden, T.T. Time interval analysis. Time interval measurement 88−41944
Simpkins, D.C. Liquid epoxy photopolymer 86−58161
Simpkins, D.R. Testing fmax in a production environment 87−36475
Simpkins, S. *see* Severson, F. 87−59107
Simpo, M. *see* Ogawa, S. 88−33560
Simpson, A. Cell talk [police communications] 85−42246
Simpson, A. Esso: oil lines 85−42390
Simpson, A. Cellular: voices of experience 85−42479
Simpson, A. Joining forces [Unilever communications network] 86−16884
Simpson, A. The toll-free duel [telephone services] 88−52757
Simpson, A., Sembi, P.S. On the use of exact modal analysis techniques in the design of damping devices for multi-conductor overhead power lines. I. The control of Aeolian vibration 85−43625
Simpson, B. *see* Lowry, M. 88−47580
Simpson, B.R.S., Meyer, B.R. A multiple-channel 2- and 3-fold coincidence counting system for radioactivity standardization 88−29801
Simpson, B.R.S. *see* Brooks, F.D. 88−61200
Simpson, C. *see* Lavine, J.M. 86−15000
Simpson, C.A., Moore, C.A., Ruth, J.C. Testing for robust speech recognition performance 86−69031
Simpson, C.A., Navarro, T. Intelligibility of computer generated speech as a function of multiple factors 85−9338
Simpson, C.A., Ruth, J.C. The phonetic discrimination test for speech recognizers. I 87−58664
Simpson, C.A., Ruth, J.C. Phonetic discrimination (PD-100) test for robust speech recognition 88−3005
Simpson, C.A., Ruth, J.C. The phonetic discrimination test for speech recognizers. II 88−14641
Simpson, C.A., Ruth, J.C. The phonetic discrimination test for speech recognizers 88−72873
Simpson, C.A., Ruth, J.C., Moore, C.A. Integrating speech technology to meet crew station design requirements 87−50524
Simpson, D. High quality precision directional coupler 85−28684
Simpson, D. Instant sampling [sound sampler] 86−24237

Simpson, D. Tailoring your system: the ASIC edge 87–24077
Simpson, D. Speedy relief for cabling hassles [multiplexers] 88–9336
Simpson, D. How to separate PC fax from vendor fiction 88–15016
Simpson, D. Disputes shake up 2400-BPS modem market 88–41465
Simpson, D., Cupp, J.G. Solid-state recorders reach out to cut energy costs 88–75876
Simpson, D., Walker, J. Extending cost-benefit analysis for energy investment choices 87–64063
Simpson, D. *see* Abraham, P.M. 88–48683
Simpson, D.A. Shopping for the optimum LAN [CAD/CAM networks] 88–52835
Simpson, D.A. *see* Hays, D.O. 87–62644
Simpson, D.D. AUSSAT with today's business: planning for tomorrow's successes 87–62916
Simpson, D.I. Speaking computer terminal for control and calibration work 85–47877
Simpson, D.L. Helicopter fatigue monitoring using a single channel recorder 86–18412
Simpson, D.P. Present status of ISDN in Pacific Bell and Project Victoria 87–33998
Simpson, D.T. *see* Biino, C. 86–38719
Simpson, E., Persson, E., Bonin, W., Wuori, E. Underlayer-induced readback signal modulation in double-layer perpendicular media 85–18568
Simpson, E.M., Curland, N., Matz, R.T.J. Growth characteristics of double-layer perpendicular media 86–28674
Simpson, E.M., Judy, J.H. Canting in double-layer perpendicular recording media prepared by in-line DC magnetron sputtering 87–32832
Simpson, E.M., Narayan, P.B., Swami, G.T.K., Chao, J.L. Effect of circumferential texture on the properties of thin film rigid recording disks 88–51314
Simpson, E.M. *see* Byun, C. 86–28597
Simpson, E.V., Lastra, A.A., Pritchett, E.L.C., Smith, W.M. A time-sharing computer system for rhythm analysis of long-term electrocardiographic data 88–54574
Simpson, G. Laser-welding the large MIC: a new approach to hermetic sealing 85–33184
Simpson, G.A. *see* Sermund, G. 87–29604
Simpson, G.R. *see* Maury, M.A., Jr. 85–14718, 86–1348, 87–976, 87–70504
Simpson, G.R. *see* Pollard, R.D. 87–56498
Simpson, H.M., Matosky, M.T. Simple wide ranging digital integrator 86–20654
Simpson, I.B.K., Bensted, D.J., Dawalibi, F., Blix, E.D. Computer analysis of impedance effects in large grounding systems 86–45022
Simpson, I.B.K., Bensted, D.J., Dawalibi, F., Blix, E.D. Computer analysis of impedance effects in large grounding systems 87–64196
Simpson, I.C., Taylor, N.A. Literature review of fire modelling techniques and related subjects 85–33117
Simpson, J. Internal visual inspection of mining equipment 88–11542
Simpson, J. PRF set selection for pulse-Doppler radars 88–74039
Simpson, J., Adler, R.F., North, G.R. A proposed Tropical Rainfall Measuring Mission (TRMM) satellite 88–61635
Simpson, J., Bates, M., Brookes, C., Nolan, P.J. The performance of a special geometry bismuth germanate escape suppressed spectrometer 88–54451
Simpson, J., Norem, J., Schoesssow, P., Cole, F., Ruggiero, A.G. Measurement facility for new acceleration techniques 86–32068
Simpson, J., Parent, D. Integrating test, management, and control [data communication networks] 85–63200
Simpson, J., Ritger, J., DiMarcello, F. UV-radiation induced color centers in optical fibers 87–7065
Simpson, J. *see* Burrows, J.D. 85–20816
Simpson, J. *see* Butler, P.A. 86–5838
Simpson, J. *see* James, A.N. 88–48033
Simpson, J. *see* Konecny, R. 87–41694
Simpson, J. *see* Kramer, S.L. 85–26603 to 26604
Simpson, J. *see* Mavrogenes, G. 87–41772
Simpson, J. *see* Ruggiero, A.G. 87–70915
Simpson, J. *see* Woods, P.J. 88–36348
Simpson, J.D., Konecny, R. Low dispersion notch filter for multi-GHz frequencies using fiber optics delays 86–27433
Simpson, J.D. *see* Gai, W. 88–47785
Simpson, J.J. *see* Jagam, P. 86–5781, 88–48038
Simpson, J.R., Mensah, T., Wong, S., Ritger, A.J., Mies, E., Klein, A., Glodis, P. The effects of phosphorus on the low temperature radiation response in optical fiber 88–45160
Simpson, J.R., Stolen, R.H., Pleibel, W., Ritger, A.J., Shang, H.T. Properties of rectangular polarizing and polarization maintaining fiber 88–13879
Simpson, J.R. *see* Ciemiecki Nelson, K. 86–22104
Simpson, J.R. *see* Desurvire, E. 88–14158
Simpson, J.R. *see* Dziedzic, J.M. 85–2021
Simpson, J.R. *see* Haber, J.B. 88–33633
Simpson, J.R. *see* Islam, M.N. 87–68134, 88–2205
Simpson, J.R. *see* Jopson, R.M. 85–56306, 86–29185
Simpson, J.R. *see* Stolen, R.H. 85–12574, 88–45074
Simpson, J.R. *see* Wood, D.L. 87–46480
Simpson, K. Use of AI expert systems in CAE/CAD. Brute force and intelligence: automatic placement of components on PCBs 88–7152
Simpson, K. *see* Atwood, W.B. 87–21411
Simpson, K. *see* Hodges, C. 86–50313
Simpson, K. *see* Young, C.C. 86–50316
Simpson, K.J. *see* Bates, B.T. 88–42495
Simpson, L. VK Powermaster–for high-power RF linears [amplifiers] 85–10966
Simpson, L. VHF amateur transceiver. II 85–14113
Simpson, L. Build a teletext decoder 85–19741
Simpson, L. VHF amateur transceiver 85–20029
Simpson, L. Thermocouple probe for your digital multimeter 85–37575
Simpson, L. Speed controller for drills and lawn edgers 85–40196
Simpson, L. Realistic CD-1000 compact disc player 85–42788
Simpson, L. Playmaster Series 200 stereo amplifier 85–61120
Simpson, L. The Downunda project. I. [2 m transceiver] 85–63500
Simpson, L. The Downunda project. II. [transceiver] 86–4480
Simpson, L. Data General One laptop computer 86–20572
Simpson, L. Liquid crystal displays 86–38447
Simpson, L., Clarke, J. Railmaster pulse-power train controller 85–23057
Simpson, L., Clarke, J. Playmaster Series 200 stereo amplifier. II 86–754
Simpson, L., Clarke, J. Build this high-power FET stereo amp 86–57686
Simpson, L., Clarke, J. High-power FET stereo AMP. II 86–69970
Simpson, L., Clarke, J. High-power FET stereo amp. III 86–69971
Simpson, L., Flynn, B. High power dummy load 85–14529
Simpson, L., Flynn, R. High-power MOSFET amplifier module 86–34551
Simpson, L. *see* Maszara, W.P. 87–6554
Simpson, L. *see* Ozguz, V.H. 85–18130
Simpson, L. *see* Skeen, J. 85–14880, 85–20639
Simpson, L. *see* Ubaudi, F. 85–37646
Simpson, L. *see* Upton, L. 86–55483
Simpson, L.E. Surface mounted components–the quiet revolution 86–19846
Simpson, M. SOX–the first half century [sodium lamps] 85–27768
Simpson, M. Liquid solder mask debubbling system solves board processing delay problems 88–38897
Simpson, M.B., Andrews, D.C. A calibration of the Fourier-transform far-infrared absorption method for measuring the concentration of boron and phosphorus in silicon, suitable for application to bulk, wafer and epitaxial samples 88–64395
Simpson, M.B., Halfpenny, P.J. The assessment of oxygen precipitation during CMOS processing of silicon wafers: a microspectroscopic Fourier transform infrared and X-ray topographic study of variation in oxide precipitate formation 88–57496
Simpson, M.C.S., Clark, J.T. Improved house service cut-out and meter arrangements 87–49837
Simpson, M.D. Motorway lighting–a base for economic comparison 86–33846
Simpson, M.D. *see* Hargroves, R.A. 87–64956
Simpson, M.D. *see* Simons, R.H. 88–43486
Simpson, M.J., Ervin, P.A., Snyder, M.A. Radon transform applications in optical inspection 88–46182
Simpson, M.J. *see* Barclay, D.H. 86–38237
Simpson, M.L., Williams, R.D. Mixed chip testing 87–18268
Simpson, M.R. Evaluation of a vessel-mounted acoustics Doppler current profiler for use in rivers and estuaries 87–9019
Simpson, M.R., Gough, P.A., Hshieh, F.I., Rumennik, V. Analysis of the lateral insulated gate transistor 86–47622
Simpson, M.R. *see* Gough, P.A. 87–46003
Simpson, N. Integrated circuit packaging trends 85–23871
Simpson, N. Integrated circuit packaging trends 86–13482
Simpson, P., Roberts, J.B.G., Merrifield, B.C. Mil-DAP: its architecture and role as a real time airborne digital signal processor 86–60900
Simpson, P. *see* Roberts, J.B.G. 85–2821, 86–55360
Simpson, P.A., Johnson, E.G., Jr. A calorimeter for measuring 1-15 kJ laser pulses 85–52893
Simpson, P.A. *see* Phelan, R.J., Jr. 87–21219
Simpson, P.B. Orkney 3 MW wind turbine synchronization due 88–11159
Simpson, P.B., Burton, A.L., Lindley, D. The LS1, 3 MW horizontal axis wind turbine 87–51132
Simpson, R. The application of video discs to exhibitions, museums and displays 85–58370
Simpson, R. Video discs at Bradford 87–56398
Simpson, R. *see* Short, G. 87–59586
Simpson, R. *see* Smith, P. 88–9739
Simpson, R.A. *see* Pfeiffer, H.C. 86–1949
Simpson, R.C.E. *see* Marubashi, R.P. 87–28436
Simpson, R.D. *see* Romano, A.M. 86–12676
Simpson, R.G. A decision-theoretic performance benchmark for neural networks trained to discriminate two autoregressive processes 88–73027
Simpson, R.H. Multivoltage short-circuit duty calculation for industrial power systems 86–6208
Simpson, R.H. Multivoltage short-circuit duty calculation for industrial power systems 86–50984
Simpson, R.H. Protective relaying for multisource generator buses 88–76061
Simpson, R.J., Terrell, T.J. Digital filtering using the NEC μPD7720 signal processor 85–20532
Simpson, R.J., Terrell, T.J., Shark, L.-K. New frame synchroniser for satellite-switched time-division multiple-access systems 86–30695
Simpson, R.J. *see* Shark, L.-K. 85–47456, 88–28760
Simpson, R.J. *see* Shark, L.K. 88–15399
Simpson, R.J. *see* Terrell, T.J. 86–35011
Simpson, R.J. *see* Turner, A.B. 88–48808
Simpson, R.L., Helm, F.H., Kury, J.W. The use of fiber optics in the determination of temperature and extent of reaction in detonating explosives 88–36298
Simpson, R.L. *see* Antoine, M.M. 87–14556
Simpson, R.L. *see* Browning, J.S. 88–25187
Simpson, R.L. *see* Chew, Y.T. 88–36287
Simpson, R.L., Jr. Strategic computing computer vision: taking image understanding to the next plateau 88–42730
Simpson, R.M. Packet switching software technology transfer to Japan 87–62457
Simpson, R.P. *see* Tsao, M.C. 85–6092
Simpson, R.W. *see* Sashin, D. 85–38060
Simpson, R.W. *see* Slasky, B.S. 88–29955
Simpson, R.W., Jr. Flexible laminates: key insulation for motors and generators 86–28559
Simpson, R.W., Jr. Flexible laminates for use in EMI shielding applications 88–40588
Simpson, S. *see* Zifcak, M. 87–45362
Simpson, S.H.W. *see* Watson, A.W.D. 85–52265
Simpson, T.B., Pennise, C.A., Bruno, J.D., Tobin, M.S., Dutta, M. Optically induced index of refraction changes in gallium arsenide doping superlattices 88–64293
Simpson, T.B. *see* Zebda, Y. 88–20500
Simpson, T.L., Brice, C.W., III Moment method analysis of the electric field under EHV transmission lines 88–23526
Simpson, T.L., Hagaman, B.G., Poston, T.D. Voltage division on low-frequency insulator strings using an electrostatic moment method 88–2691
Simpson, W.A., Jr. Time-domain deconvolution: a new technique to improve resolution for ultrasonic flaw characterization in stainless steel welds 86–66872
Simpson, W.C. *see* Locher, R.E. 88–75841
Simpson, W.G. General introduction to telecommunication networks 86–10696
Simpson, W.G. General introduction to telecommunication networks 87–76234
Simpson, W.I. *see* Manasevit, H.M. 87–10421
Simpson, W.M. *see* Bokor, J. 86–65141
Simpson, W.M. *see* Johnson, A.M. 85–41355, 85–62536, 86–42597, 87–26179, 87–68283
Simpson, W.R. STAMP testability and fault-isolation applications, 1981-4 86–38239
Simpson, W.R. Organizational maintenance: a modified state representation [for complex electronic systems] 86–40500
Simpson, W.R. Active testability analysis and interactive fault isolation using STAMP 88–35831
Simpson, W.R., Agre, J.R. Experiences gained in testability design trade-offs 85–31365
Simpson, W.R., Dowling, C.S. WRAPLE: the weighted repair assistance program learning extension 86–46042
Simpson, W.R., Gwilliam, T.J.P., Lawford, V.A., Fasham, M.J.R., Lewis, A.R. In situ deep water particle sampler and real-time sensor package with data from the Madeira Abyssal Plain 88–5182
Simrock, S. *see* Alrutz-Ziemssen, K. 87–41706
Sims, A. Circuit for the programming of electronic organ instruments 86–24196
Sims, A.V. *see* Phillips, J.R. 86–39596
Sims, C. *see* Helmick, R. 86–52331
Sims, C. *see* Nagpal, K. 86–69093, 88–3083, 88–34665
Sims, C.S. Comparison of neutron dosimetric quantities 88–54674
Sims, C.S. *see* Bailey, M. 86–57994
Sims, C.S. *see* Helmick, R.E. 87–61853
Sims, C.S. *see* Nagpal, K. 87–7749
Sims, C.S. *see* Nagpal, K.M. 87–61852
Sims, C.S. *see* Siskel, R.L. 87–63861
Sims, C.S. *see* Swaja, R.E. 87–4049
Sims, D. Acoustic test methods for environmental simulation 86–12064
Sims, G.R., Denton, M.B. Spatial pixel crosstalk in a charge-injection device 88–22647

Sims, G.R., Denton, M.B. Characterization of a charge-injection-device camera system as a multichannel spectroscopic detector 88–22648
Sims, G.R. *see* Epperson, P.M. 88–4458
Sims, G.R. *see* Sweedler, J.V. 88–22649
Sims, J.R., Christensen, K.E., Cummings, C.E., Calkins, N.C. A launcher barrel for the Lethality Test System railgun 87–26710
Sims, J.R., Creter, P.G. Application of custom microelectronics technology to government communication systems 88–1750
Sims, J.R. *see* Bush, E.D., Jr. 86–32053
Sims, J.R. *see* Parsons, W.M. 87–26697
Sims, J.R. *see* Thayer, G.R. 88–68119
Sims, J.T., Tadelli, J.D. The effects of controlled speech level input on the intelligibility testing of speech compression algorithms 86–10305
Sims, J.T. *see* La Follette, P.A. 87–61774
Sims, L.L. *see* Peressini, P.P. 85–1458
Sims, M.L. *see* Goad, C.C. 85–59429
Sims, M.R., Turner, M.J.L., Willingale, R. The influence of disturbing effects on the performance of a wide field coded mass X-ray camera 85–31770
Sims, M.R. *see* Lamb, P. 88–10237
Sims, M.S. *see* Clarke, D.J. 85–125
Sims, R.A. *see* Hutchins, D.K. 85–4102
Sims, R.I. *see* Mangan, M.F. 88–62716
Sims, R.W.L. Office systems–communications 85–47269
Sims, R.W.L. Office systems–communications 86–30426
Sims, S., Benkual, J. Regulus: A high performance VLSI architecture 88–44233
Sims, S., Benkual, J., Powers, L., Slingwine, J. The Regulus architecture 88–26465
Sims, S.R.F. *see* Jenkins, E.L., Jr. 88–21325
Sims, T.M., Jr. *see* Greiner, R.A. 85–20414
Sims, T.P. Simple guidelines cut EMI testing costs 88–146
Sims, W. *see* Carroll, A. 86–32046, 88–54314
Sims, W. *see* Leonhardt, W. 88–54317
Sims, W.A. Considerations to be made when selecting and applying instrument transformers 87–78749
Sims, W.P., Carroll, A., Leonhardt, W., Monaghan, R., Pearson, C., Pendzick, A., Ryan, G., Sandberg, J., Smith, G., Walker, J. Assembly techniques used in construction of neutrino horns at BNL 88–54315
Sims, W.P. *see* Sandberg, J. 88–54318
Sims, W.P. *see* Stillman, P. 88–54319
Sims, W.P. *see* Walker, J.C. 88–54316
Simsa, J. A 34 Mbit/s fibre-optic transceiver for 0.85 μm wavelength 87–3205
Simsa, J. *see* Prucha, L. 87–2323
Simson, C. *see* Wong, S.L. 85–22687
Simson, M. *see* Kemp, M. 87–55622
Simsons, Ya.A. *see* Gel'fgat, Yu.M. 86–7163
Simsova, J. *see* Nevriva, M. 86–393
Simula, O. *see* Hartimo, I. 85–45190, 86–27176, 86–66737
Simula, O. *see* Hyvarinen, O. 87–69216
Simula, O. *see* Kronlof, K. 85–17480, 86–57977
Simulescu, D., Trusca, V., Vlase, I.O. Constructive optimization of the DC ultra high-speed switch contacts 87–51393
Simulite, E. *see* Bareikis, V. 87–53186
Simulyte, E. *see* Dienys, V. 87–45583
Simulyte, E. *see* Kavaliauskas, A. 86–27873, 87–17716
Simun, E.A. *see* Gorshkov, B.G. 86–22450
Simunek, J. Calculation of the synchronous operation of a frequency convertor of a superheterodyne receiver using the TI-58 85–20020
Simunek, J. The modernization of winding electric motors for washing machines in the conditions of mass production 85–21984
Simunek, P. *see* Fecko, S. 87–42579
Simunek, P. *see* Janicek, F. 88–36928
Simuni, M.M., Shtraks, V.L., Peker, M.Kh., Yushina, G.A., Ivanov, Yu.M., Yufereva, N.G., Zhukovskaya, O.A. The TA 1201 automated tester 88–53549
Simunkova, N. *see* Spurny, F. 85–38265, 87–41849
Simyugin, Yu.I. *see* Konyushenko, S.M. 88–66062
Sin, E.H. *see* Ong, C.K. 86–54192
Sin, J.K.O., Salama, A.T., Hou, L.Z. Analysis and characterization of the hybrid Schottky injection field effect transistor 87–46004
Sin, J.K.O., Salama, C.A.T. The SINFET: a new high conductance, high switching speed MOS-gated transistor 86–15157
Sin, J.K.O., Salama, C.A.T. High frequency distortion analysis of DMOS transistors 86–15170
Sin, J.K.O., Salama, C.A.T. Wideband DMOS amplifier competes with bipolars 87–5689
Sin, J.K.O., Salama, C.A.T. Hybrid Schottky injection MOS-gated power transistor 87–6697
Sin, J.K.O., Salama, C.A.T., Hou, L.-Z. The SINFET–a Schottky injection MOS-gated power transistor 87–32521
Sin, J.K.O. *see* Ng, W.T. 88–39490
Sin Chong Park *see* Hyung Sup Yoon 87–45791
Sin Chong Park *see* Jeon Wook Yang 87–44336
Sin Chong Park *see* Jin Hee Lee 88–7483 to 7484
Sin Kwong Yong *see* Kwong Yong Sin
Sin Ryeong Kim, Chang Eon Kang Design of a cascaded cyclic product coding system 86–43173
Sin Sam-Kit *see* Sam-Kit Sin
Sin Sun Dok *see* Strel'nikov, N.A. 88–11513
Sin-Chong Park *see* Chang Seok Lee 87–45971
Sin-Chong Park *see* Hyung Sup Yoon 87–24762
Sin-Horng Chen, Min-Tau Lin Text-independent speaker identification via LPC and tone structure of Mandarin speech 88–34603
Sin-Horng Chen *see* Chin-Liang Wang 85–57223, 86–20420
Sin-Min Chang, Chin-Long Wey Test generation for C-testable array multipliers 88–32175
Sinadinovic, D. *see* Durkovic, B. 85–32836
Sinadinovski, G. *see* Ristov, M. 87–58953
Sinadinovski, G.J. *see* Ristov, M. 85–44767
Sinaev, A.N. *see* Antyukhov, V.A. 86–60637
Sinagl, O. Preventive protection of cable links against fire 88–23501
Sinai, K. *see* Ali, S. 88–6881
Sinai, K. *see* Ali, S.B. 88–32202
Sinai, Y. *see* Maniv, S. 88–29388
Sinaiskii, B.N., Butseroga, V.P., Gorodetskii, V.A., Skonechnykh, G.K. A method of examining cyclic characteristics of creep-resisting materials at high temperatures in dual-frequency asymmetric loading 88–49917
Sinajova, E. *see* Maehara, H. 88–56129
Sinak, L.J. *see* Behrenbeck, T. 85–4318
Sinal, J. *see* Vrbensky, J. 86–19031
Sinanidis, A. *see* Engels, E., Jr. 87–29488
Sinanova, I.G. A method of simplifying the parameters of stable modes of electrical systems 88–12142
Sinansky, K. *see* Kersey, A.D. 88–13882
Sinanyan, L.G. *see* Belikov, V.G. 88–70380
Sinapius, G., Spicher, G., Ravn, H.L. Positron sources for atomic physics experiments 87–50103
Sinar, A. *see* Shacham-Diamand, Y. 88–38524
Sinar, D.R., Joyce, J.M., Sato, T.L. Initial experience with a portable 24-hour unit to record the surface gastrogram 88–30021
Sinayuk, S.L. *see* Geller, R.L. 87–58004, 88–37159
Sinberg, H. Port technique allows complex-impedance emulation and scaling 86–46575
Sinbo, C. *see* Horiuchi, H. 87–7159
Sinca, I. *see* Sasu, M. 88–62520
Sincerbox, G. *see* Juetz, J. 85–15030
Sincerbox, G. *see* Werlich, H. 85–35913
Sincerbox, G.T. Chromatic correction for a laser diode/holographic deflector 85–24674
Sincerbox, G.T. Holographic image converter for optical information processing 85–29943
Sincerbox, G.T., Werlich, H.W. Method for generating large area, uniform efficiency, holographic recordings 85–2435
Sincerbox, G.T. *see* Juetz, J. 85–47939
Sincerbox, G.T. *see* Kostuk, R.K. 88–65881
Sincerny, P., Di Capua, M., Stringfield, R., Wong, S., Gilman, C., Ashby, S., Sheridan, T. The limit of power flow along a high-power MITL 85–4631
Sincerny, P., Stringfield, R., Di Capua, M., Ashby, S., Gilman, C., Wong, S., Sheridan, T., Peters, T. Operating specifications for a rod anode, low inductance, high power MITL 85–1228
Sincerny, P. *see* Frazier, G.B. 85–5248, 87–22796
Sincerny, P. *see* Stringfield, R. 85–1116
Sinchenko, V.G. Information representation by a focused-image hologram recorded through stationary phase-inhomogeneous media. Coherent transfer characteristics 88–40362
Sin'chugov, F.I. *see* Korolev, S.G. 87–78061
Sin'chugov, F.I. *see* Lordkipanidze, V.D. 86–39114
Sinchugov, F.I. *see* Makarov, S.F. 87–30153
Sinchuk, O.N. On the control of a traction load for mine electric locomotives 85–49163
Sinclair, A. Analysis of the ultrasonic frequency response for flaw detection: a technical review 85–33545
Sinclair, A.N. *see* So, K.K. 87–65602
Sinclair, B.D. *see* Kean, P.N. 88–8282, 88–39889
Sinclair, C. The role of an international funding agency in promoting innovation 88–49430
Sinclair, C. *see* Garwin, E.L. 86–32012
Sinclair, C.K. The SLAC lasertron project 87–70918
Sinclair, C.K. *see* Loew, G.A. 87–41752
Sinclair, C.K. *see* Welch, J.J. 87–35300
Sinclair, D. Speech acquisition and replay using the PC PIE signal processor 86–36984
Sinclair, D. IBM PC software support for a parallel formant synthesiser 86–36985
Sinclair, D. PIEUTIL IBM PC PASCAL support for the PIE Signal Processor 86–37097
Sinclair, D. Interfacing a formant synthesiser to an IBM PC 86–38173
Sinclair, D. SAY speechlab hardware and device drivers 86–43207
Sinclair, D. Introduction to data communications 86–49306
Sinclair, D. LPCLIB - LPC analysis and synthesis on an IBM personal computer 88–59109
Sinclair, D. PISYN - a versatile speech synthesiser based on an IBM personal computer 88–59110
Sinclair, D. *see* Alderson, P. 86–16175
Sinclair, D. *see* Claus, R. 88–16639
Sinclair, D. *see* Wuest, C.R. 86–1649
Sinclair, D.A., Smith, I.R., Bennett, S.D. Elastic constants measurement with a digital acoustic microscope 85–9385
Sinclair, D.A. *see* Alderson, P.R. 85–47908, 85–57330
Sinclair, D.C. *see* Hunter, C.C. 88–75910
Sinclair, F., Clapp, A., Entine, G., Kronenberg, S. Energy compensated solid state gamma dosimeter 88–61111
Sinclair, F. *see* Entine, G. 88–24855
Sinclair, F. *see* Frederick, E. 87–50132
Sinclair, F. *see* Lund, J.C. 86–50357, 88–61086
Sinclair, F. *see* Squillante, M.R. 86–50347
Sinclair, G. Early history of the OSU ElectroScience Laboratory 85–33149
Sinclair, G.G. *see* Gaddess, T.G. 85–42377
Sinclair, G.L. *see* Katz, R. 87–29558
Sinclair, I. Working with microprocessors 86–61838
Sinclair, I.N., Kalil, A.G., Jr., Bourgelais, D.B.C., Schoen, F.J., Spears, J.R. Laser balloon angioplasty: theory and techniques 88–23112
Sinclair, I.N. *see* Spears, J.R. 88–61246
Sinclair, J.B. Optimal assignments in broadcast networks 88–46553
Sinclair, J.B. *see* Iyer, B.R. 85–11249
Sinclair, J.C. *see* Spragins, J.D. 87–13226
Sinclair, J.D. Corrosion of electronics by ionic substances in the environment 87–72865
Sinclair, J.D. Corrosion of electronics. The role of ionic substances 88–49574
Sinclair, J.D., Crane, G.R., Frankenthal, R.P., Siconolfi, D.J. Volatile components in rosin flux: characterization and reliability effects 86–18176
Sinclair, J.D. *see* Comizzoli, R.B. 87–16443
Sinclair, J.D. *see* Opila, R.L. 86–15094
Sinclair, J.E. ISDN–picturephone revisited? 88–3671
Sinclair, J.S., Firemark, R., Dickman, J.I. Computer-assisted fitting of an implanted cochlear prosthesis 87–71172
Sinclair, M., Morgan, M., Kereliuk, S. The in-flight simulation program at the NAE flight research laboratory 86–32425
Sinclair, M. *see* Moses, D. 87–61025
Sinclair, M.J., Finlay, M.M., Blanton, K.A. The design of a videodisc based interactive simulation visual system 88–75027
Sinclair, M.W. RF and microwave noise standards in the UK 86–31630
Sinclair, M.W., Wallace, A.M. A new national electrical noise standard in X-band 86–60330
Sinclair, M.W., Wallace, A.M., Thornley, B. A new UK national standard of electrical noise at 77K in WG15 87–21286
Sinclair, M.W. *see* Wallace, A.M. 87–14516
Sinclair, M.W. *see* Williams, G.L. 86–31623
Sinclair, P. A zero-insertion-force hybrid circuit connector for severe environments 85–23205
Sinclair, P.N. *see* Peet, N.J. 88–23603
Sinclair, R. *see* Beyers, R. 85–23718, 87–60356
Sinclair, R. *see* Carim, A.H. 86–21527, 86–21813, 87–17850
Sinclair, R. *see* Parker, M.A. 85–61772, 86–13781, 88–427
Sinclair, R. *see* Wang, F. 87–74201
Sinclair, R.L., Reid, J., Morrison, H.D., Garside, B.K., Rolland, C. Dynamics of the line-tunable 12-μm continuous-wave NH_3 laser as measured with a tunable-diode laser 85–46318
Sinclair, R.L., Tulip, J. Parameters affecting the performance of a RF excited CO_2 waveguide laser 85–7371
Sinclair, R.L., Tulip, J. Radio frequency excited CO_2 waveguide lasers 85–7381
Sinclair, R.N., Tasker, C.G., Clare, A.G., Wright, A.C. The calibration of neutron time-of-flight diffractometers for amorphous materials 86–5846
Sinclair, R.N. *see* Paoli, M.P. 86–56066
Sinclair, R.N. *see* Windsor, C.G. 86–32145
Sinclair, S.W. *see* Firth, W.J. 88–40339
Sinclair, T. Two birds with one stone–heat and power from the same plant 85–59977
Sinclair, T. Hotrodding the medium wave receiver 87–55958
Sinconolfi, D.J. *see* Frankenthal, R.P. 87–74493
Sincoskie, W.D. Transparent interconnection of broadcast networks 87–20264
Sincoskie, W.D., Cotton, C.J. Extended bridge algorithms for large networks 88–52864
Sincoskie, W.D. *see* Albanese, A. 86–54698, 87–34317
Sincoskie, W.D. *see* Limb, J.O. 86–54759
Sincoskie, W.D. *see* Wu, L.T. 88–59943
Sincraian, N. *see* Popescu, I. 85–21504
Sindahl, B.B. Interactive graphical analysis of bit-fail map data using interactive pattern recognition 88–19149

Sindalovskii, E.I. *see* Krasil'nikov, S.B. 86−65156, 87−37608
Sindelar, J., Kopacka, V. Insulation of collector rings of turbogenerators 87−72080
Sindelar, J. *see* Kopacka, V. 85−39822
Sindelar, J. *see* Roubicek, O. 88−24177
Sindelar, R. A concept for output control of a coal-fired power plant unit 85−9699
Sinden, F.W. Shape information from rotated scans 86−23126
Sinden, F.W., Boie, R.A. A planar capacitive force sensor with six degrees of freedom 86−60247
Sinderen, M.van *see* van Sinderen, M.
Sindhu, P. *see* Barth, R. 88−71700
Sindhu Pradeep *see* Pradeep Sindhu
Sinding-Larsen, R. *see* Chung, C.F. *(editor)* 88−49381
Sindler, Yu.B. *see* Kalitina, M.Ye. 88−14715
Sindler, Yu.B. *see* Kalitinia, Ye.M. 87−68916
Sindler, Yu.B. *see* Kukebayev, A.M. 86−29878
Sindoni, O.I. *see* Borghese, F. 88−52199
Sindorf, J.F., Burant, L.J., Dunlop, J.D. Design and cost of a 15 kWh hydrogen/nickel oxide battery for photovoltaic applications 86−33636
Sindorf, J.F. *see* Beauchamp, R.L. 88−48288
Sindt, H. *see* Horvath, I. 87−41719
Sinebryukhov, A.A. *see* Arbuzov, A.I. 88−24970
Sinebryukhov, A.A. *see* Borisov, A.R. 86−5679
Sinebryukhov, A.A. *see* Krasik, Ya.E. 88−36363
Sinegub, G.A. *see* Bratolyubov, V.B. 87−74225
Sinegubko, Yu.E. Analysis of electromagnetic processes in a three-phase transformer-thyristor converter of alternating voltage, by the method of phase components 88−55479
Sinegubov, N.N. *see* Katkov, B.G. 88−20456
Sinekop, Yu.S., Tsurin, O.F., Bonat, E.E. Analysis of the technical accuracy of the process of thermal oxidation of a silicon surface in dry and wet oxygen 88−50717
Sinekop, Yu.S. *see* Tsurin, O.F. 88−39205
Sinel, N.M. *see* Towey, D.P. 85−21101
Sinel'nik, S.I. *see* Bagdasarov, Yu.E. 86−65862
Sinel'nikov, A.E. *see* Blanter, B.E. 85−48106
Sinel'nikov, V.P. *see* Blinov, N.A. 86−9748, 86−29067
Sinel'nikov, V.Ya., Kazanskii, S.V., Landa, M.L. Overload protection of power transformers in networks 86−12869
Sinel'nikov, Yu.M., Sinyavskii, G.P., Tikhov, Yu.I. Electrodynamic analysis of diode generators mounted in a ridge waveguide resonator 88−25497
Sinel'nikova, D.S. *see* Romanov, V.A. 87−22526
Sinel'nikova, E.S. *see* Gross, L.G. 85−64342
Sinel'Nikova, I.P. *see* Selivanov, A.S. 88−61627
Sinel'nikova, L.A. *see* Zapara, G.N. 85−8917
Sinel'shchikov, V.A. *see* Zalkind, V.I. 85−21825
Sinencio, I.C. *see* Garibay, D.T. 85−27310
Sinenko, A.S. *see* Rassadovskiy, V.A. 86−50108
Sinenko, V.V. *see* Ageev, V.P. 87−2085
Sinenko, V.V. *see* Anan'ev, L.M. 85−11001
Sinenko, V.V. *see* Polyakov, N.P. 85−32237
Sinenok, S.M. *see* Kachmin, V.A. 85−26035
Sineok, V.I., Bril, V.M. Extension of the dynamic range of a receiver using a low-noise parametric attenuator 86−17475
Sineok, V.I., Bril, V.M., Zaitsev, A.A. Determination of the electric tension of the parametric diode of an adaptive attenuator 87−52697
Sinepol, V.S. *see* London, S.E. 87−44544
Sinepol'skii, V.A. *see* Aizenshtein, A.G. 87−9656
Sinepol'skii, V.A. *see* Aleksandrov, A.S. 86−39681
Sines, C.D. *see* Coughlin, J.P. 86−6076
Sinev, N.B. *see* Bel'zer, L.I. 88−36369
Sinev, V.N. *see* Baranov, S.I. 85−6261
Sineva, N.V. *see* Mizyurin, S.R. 87−58194
Sing, B. *see* Verma, S. 88−23889
Sing, J. *see* Mokhtari, S. 88−54918
Sing, M.Lam Chok *see* Lam Chok Sing, M.
Sing, M.L.C. *see* Robbes, D. 88−20295
Sing, Y.W., Oxaal, J., Chu, G. 32-bit data-path chip heralds next generation of floating-point tasks [CMOS WTL3332] 86−53788
Sing Chow Wing *see* Wing Sing Chow
Sing H. Lee *see* Fainman, Y. 88−3197
Sing Pin Tay, Ellul, J.P. High pressure technology for silicon IC fabrication 86−63383
Sing T. Bow, Rong-Tarng Yu, Bin Zhou Optimal acquisition of ground information for dynamic analysis 87−50547
Sing Tao Yao *see* Tao Yao Sing
Sing-ling Lee *see* Gonzalez, T.F. 87−73236
Sing-Ye Tang A design theory of a single stage YIG-tuned impedance transformer/filter 87−67809
Singaby, M.El *see* El Singaby, M.
Singal, A.K. Covariance of narrow-band noise in multiple beams of a phased-array system 85−41772
Singal, C.M. *see* Agarwal, A. 85−60426, 86−6999
Singal, M.A. *see* Ananthakrishnan, S. 85−58262
Singal, R.K. Some design considerations for pumped storage plants 85−5000
Singal, R.K. Environmental pollution by power industry−an overall view 85−15817
Singal, R.K. Harnessing of lunar energy [tidal power stations] 85−15928
Singal, R.K. Selection criteria for new energy technologies 85−16185
Singal, R.K. MHD for hybridisation with thermal power plants 85−21462
Singal, R.K. Floating type micro hydro power plants 85−43888
Singal, R.K. Theory and design of compressed air storage plants 85−49121
Singal, R.K. Design criteria for solar energy systems 87−42714
Singal, R.K. Gas turbine-steam turbine combined-cycle systems 88−30593
Singal, R.K. Energy conservation through cogeneration 88−37021
Singal, R.K. A city of fuel cells 88−43374
Singal, R.K. Evaluation of industrial co-generation plants 88−69132
Singal, R.K. Hydro power plants: great ecological havocs 88−75496
Singal, S.P. Radio wave propagation and acoustic sounding 87−19189
Singal, S.P. Noise problem in the design of sodar system 87−71297
Singal, S.P., Aggarwal, S.K., Gera, B.S. Atmospheric boundary layer studied using forward scattering sounder 86−65512
Singaram, S. *see* Sabo, C.J. 86−53225
Singe, D.M. *see* Agrawal, V.D. 85−33736
Singell, L., Jr. *see* Pacey, P.L. 85−8056
Singer, A. *see* Klein, P.H. 85−18633
Singer, A.H. *see* Klein, P.H. 85−56333
Singer, B. *see* Jayaraman, R. 85−50664
Singer, B.M. *see* Shaulov, A.A. 86−2571, 87−57454
Singer, B.M. *see* Smith, W.A. 86−2479
Singer, D. *see* Mehmood, Z. 88−26436
Singer, D.H. *see* Myers, G.A. 87−29770
Singer, D.M. Testability analysis of MOS VLSI circuits 85−40103
Singer, D.M. *see* Jain, S.K. 87−36915
Singer, E. An architecture for a multiple function speech processor 86−27365
Singer, E. *see* Harrison, W.A. 86−37008
Singer, E. *see* Rodriguez, J.J. 87−61935
Singer, F. Compensation system management planning considerations in consulting engineering 86−7464
Singer, H. *see* Abdel-Salam, M. 87−25683, 87−39329
Singer, H. *see* Bruns, H.-D. 88−8515
Singer, H. *see* Ettner, N. 88−75968
Singer, H. *see* Garbe, H. 88−8504
Singer, H. *see* ter Haseborg, J.L. 88−2620
Singer, H.E. *see* Klose, J. 85−5472
Singer, I. Optimization by level set methods. VI. Generalizations of surrogate type reverse convex duality 88−18602
Singer, J. *see* Bluhm, H. 87−21307
Singer, J. *see* Srinivasan, V.S. 88−17923
Singer, J.F. Growing through acquisition in consulting engineering 87−43898
Singer, J.F. Evaluating acquisitions in consulting engineering 88−55910
Singer, J.F. *see* Hung, H.-L.A. 88−63963
Singer, K. The video module of the new VHS recorders 85−14477
Singer, K. *see* Dohring, D. 87−73893
Singer, K. *see* Taylor, D.C. 86−21214
Singer, K.D., Lalama, S.J., Sohn, J.E. Organic nonlinear optical materials 87−12580
Singer, K.D., Sohn, J.E., Lalama, S.J., Kuzyk, M.G. Electro-optic polymer glasses 88−7841
Singer, K.D. *see* Lalama, S.J. 87−12099
Singer, K.D. *see* Small, R.D. 88−1919
Singer, K.E. *see* Eaves, L. 85−55541, 86−1781, 86−58310
Singer, K.E. *see* Evans, J.H. 88−64261
Singer, K.E. *see* Guimaraes, P.S.S. 85−55529
Singer, K.E. *see* Hamilton, B. 86−53435
Singer, K.E. *see* Khamsehpour, B. 86−53380
Singer, K.E. *see* Lee, M. 86−41535
Singer, K.E. *see* Missous, M. 86−35427, 86−47392, 87−10381, 87−36695, 87−45577, 87−65532
Singer, K.E. *see* Poole, I. 88−24711, 88−25959
Singer, K.E. *see* Szubert, J.M. 85−45637
Singer, K.E. *see* Taylor, D.C. 87−6636
Singer, K.E. *see* Truscott, W.S. 85−44722
Singer, M. Springs for electronic connectors 86−47211
Singer, M. Utilisation of loadability and operating safety of 110 kV underground cables in Prague 87−57651
Singer, M. Power cable laying at low temperatures 87−71716
Singer, M. A semistandard way to differentiate designs 88−12274
Singer, M. *see* Schroder, G. 88−30604
Singer, M.F., Davenport, J.H. Elementary and Liouvillian solutions of linear differential equations 86−62191
Singer, M.F., Saunders, B.D., Caviness, B.F. An extension of Liouville's theorem on integration in finite terms 86−13688
Singer, P.A. Practical VLF/LF radio test system 88−60063
Singer, P.F., Chellappa, R. Machine perception of partially obscured planar shapes 86−10539
Singer, P.H. Testing ultra high speed devices 85−6982
Singer, P.H. Gallium arsenide: a practical alternative to silicon 85−23605
Singer, P.H. Leak detection in IC packages 85−39521
Singer, P.H. Techniques of low pressure chemical vapor deposition 85−40566
Singer, P.H. The technology of clean room design 85−40571
Singer, P.H. Hybrid wire bonding advances 85−55343
Singer, P.H. Automating inter-equipment transport [cleanrooms] 85−61813
Singer, P.H. Photomask and reticle defect detection 85−62010
Singer, P.H. Technologies of photovoltaic cell fabrication 85−65443
Singer, P.H. Deflashing IC packages and leadframes 86−196
Singer, P.H. Advances in diffusion furnace technology 86−1927
Singer, P.H. Linewidth measurement aids process control 86−2286
Singer, P.H. Parametric testing: design to production 86−19832
Singer, P.H. Test software development 86−20181
Singer, P.H. Trends in resist design and use 86−21700
Singer, P.H. CAD tools for custom IC layout 86−41896
Singer, P.H. Merchant mask-making in a state of change 86−53755
Singer, P.H. Dry etching of SiO_2 and Si_3N_4 86−63200
Singer, P.H. Memory testing requirements 87−5890
Singer, P.H. Molecular beam epitaxy 87−16629
Singer, P.H. Material requirements of GaAs ICs and future III-V devices 87−37898
Singer, P.H. Verifying IC layouts through design rule checking 87−38421
Singer, P.H. Process modeling and simulation 87−45860
Singer, P.H. Plasma etching of metals 87−53418
Singer, P.H. GaAs on silicon 87−60241
Singer, P.H. Contactless probing 87−60549
Singer, P.H. Analyzing parametric test structures 88−1745
Singer, P.H. The test connection: plugging ATE into CAE 88−9885
Singer, P.H. Wet bench fire suppression 88−11717
Singer, P.H. Helium leak detection in vacuum systems and IC packages 88−11767
Singer, P.H. High energy ion implantation 88−13587
Singer, P.H. The transistor: 40 years later 88−33119
Singer, P.H. Testing high speed VLSI ICs 88−33316
Singer, P.H. Gallium arsenide on silicon 88−51696
Singer, P.H. Fast turnaround for ASIC photomasks 88−57759
Singer, P.H. New directions in wet chemical processing 88−71423
Singer, R. *see* Prada, K.E. 88−48337
Singer, S. Report of the working group on laser technology 86−5638
Singer, S. Canonical approach to energy processing network synthesis 87−388
Singer, S. Modeling and synthesis of harmonic-free power conversion and VAr compensation systems 87−52351
Singer, S. Gyrators application in power processing circuits 87−73283
Singer, S. Loss-free gyrator realization 88−32315
Singer, S. Power processing by means of controlled gyrators 88−70910
Singer, S., Braunstein, A. A general model of maximum power point trackers [solar power] 86−33703
Singer, S., Braunstein, A. Maximum power transfer from a nonlinear energy source to an arbitrary load 87−64612
Singer, S. *see* Braunstein, A. 88−5614
Singer, S. *see* Jacob, J.H. 86−36373
Singer, S. *see* Tajima, T. 86−31845
Singer, V.V. *see* Konovalov, S.V. 88−42256
Singer, W. *see* Bremer, J. 88−58867
Singerl, P. TV Dual-sound Coder STCF with new functions 85−26029
Singh, A. Sputter etched molybdenum-oxidation technique for fine patterns 85−7025
Singh, A. Characterization of interface states at $\mathrm{Ni}/n\mathrm{CdF}_2$ Schottky barrier type diodes and the effect of CdF_2 surface preparation 85−45457
Singh, A. Transmission electron microscopy of electron-beam-evaporated arsenic trisulfide films 85−49598
Singh, A. A simple technique for eliminating hillocks in integrated circuit metallization 85−50631
Singh, A. Simple method to determine thickness of thin silicone dioxide film 85−58890
Singh, A. A thick film conductive microline fabrication technique 85−61606
Singh, A. Stabilization of cycloconverter fed induction motor drive 86−7209

Singh, A. Sputtered molybdenum-polysilicon interaction for interfacial silicon dioxide growth 86—21419
Singh, A. Boron-doped glass-coated Mo-Si interaction 86—35619
Singh, A. Discharge treatment technique for fabricating Nichrome-aluminium thin film resistors 86—58077
Singh, A. Nickel silicide formation by reaction of filament evaporated nickel with silicon substrate 87—24933
Singh, A. Electrical resistivity and surface profile due to Al/Si/Ti reaction kinetics on an oxidised silicon wafer 87—53429
Singh, A. Deposit anneal etch anneal method for nickel disilicide formation 87—74218
Singh, A. Removal processes for damage and contamination after $CF_4/40\%H_2$ reactive ion etching of silicon 88—13143
Singh, A., Bischoff, P.G. Optimization of thin film heads for resolution, peak shift and overwrite 86—36014
Singh, A., Chojnacki, E.P., Destler, W.W., Goutos, D., Granastein, V.L., Lawson, W., Stiffler, C.D. Efficiency enhancement by using depressed collector techniques in devices employing gyrating electron beams 88—25822
Singh, A., Corcoran, J.C.W., Allen, W.G. Harmonics and power factor correction in an industrial power network 87—21924
Singh, A., Fugate, T. Characterization of thin film magnetic recording heads using transverse Kerr effect 88—64954
Singh, A., Goutos, D., Hix, W.R., Lawson, W., Striffler, C.D., Granatstein, V.L., Destler, W.W. Depressed collectors for a large orbit gyrotron 88—25815
Singh, A., Khokle, W.S. Novel technique of nickel disilicide formation 87—67349
Singh, A., Kumar, S., Khokle, W.S. Novel vapour source for powdered materials 85—430
Singh, A., Lessard, R.A. Characterization of evaporated tellurium oxide films 85—16976
Singh, A., Lessard, R.A., Li Song Hologram recording in amorphous arsenic trisulphide films. Films doped with antimony sulphide 87—68643
Singh, A., Li Song, Lessard, R.A. Real-time hologram recording in SeGe films 87—61245
Singh, A., Prudenziati, M. Thick film polyester screen on glass as photomask 85—7026
Singh, A., Prudenziati, M., Majni, G. Characteristics of polycide-oxide-silicon structures for VLSI applications 87—53658
Singh, A., Prudenziati, M., Morten, B. Reverse photolithographic technique for thick film circuits 85—34382
Singh, A., Prudenziati, M., Morten, B. SEM-EDAX analysis of interaction of photoresist with thick films 85—45336
Singh, A., Prudenziati, M., Morten, B. Technique for lifting off thick film print fired on alumina 86—8659
Singh, A., Prudenziati, M., Morten, B. Super gauge factor thick film strain gauge 88—42080
Singh, A., Prudenziati, M., Morten, B., Bosi, M. Screen printed thick film nickel-silicon interaction 86—14931
Singh, A., Raina, J.P. Dispersion in optical fibres—measurement methods and state-of-the-art 86—48093
Singh, A., Singh, A. Empirical-Bayes estimation of mean life for a censored sample, constant hazard rate model 87—23402
Singh, A., Song, L., Lessard, R.A. Structural, morphological, and optical recording characterization of selenium films 88—13785
Singh, A. *see* Banerjee, S. 88—37484
Singh, A. *see* Bhattacharya, S.K. 87—23408
Singh, A. *see* Das, N.C. 86—2172
Singh, A. *see* Destler, W.W. 88—64183
Singh, A. *see* Kalra, S.P. 85—38771
Singh, A. *see* Kreischer, K.E. 87—53117
Singh, A. *see* Kulish, J.R. 88—65308
Singh, A. *see* Morrison, R.E. 88—5973
Singh, A. *see* Scraton, R.E. 88—24665
Singh, A. *see* Singh, A. 87—23402
Singh, A. *see* Singh, A.K. 85—5838
Singh, A.D. An area efficient redundancy scheme for wafer scale processor arrays 86—47714
Singh, A.D. Four-valued interface circuits for NMOS VLSI 86—57908
Singh, A.D. Four valued buses for clocked CMOS VLSI systems 87—53750
Singh, A.D. Four-valued interface circuits for NMOS VLSI 87—66041
Singh, A.D. *see* Youn, H.Y. 88—71726
Singh, A.K., Singh, A. On estimation of mean life in the presence of an outlier 85—5838
Singh, A.K. *see* Jain, R.K. 88—48015
Singh, A.K. *see* Mittra, D.K. 87—51688
Singh, A.K. *see* Olson, D.E. 87—71866
Singh, A.K. *see* Pandya, T.P. 85—24591
Singh, A.S., Wright, A.G. The determination of photomultiplier temperature coefficients for gain and spectral sensitivity using the photon counting technique 87—41830
Singh, B. Optimum utilization of single-phase induction machine as a capacitor self-excited induction generator 88—5676
Singh, B., Bhadani, P.K., Mittal, J.K., Bhatnagar, R. Compact externally heated discharge tube for metal vapor lasers 85—7477
Singh, B., Chern, G.C., Lauks, I. Spin-coated As_2S_3: a barrier layer for high resolution trilayer resist system 85—34715
Singh, B., Mesker, O., Devlin, D. Deposition of planarized dielectric layers by based sputter deposition 87—74204
Singh, B., Mesker, O.R., Levine, A.W., Arie, Y. Diamond synthesis by hollow cathode plasma assisted chemical vapor deposition 88—63374
Singh, B., Saxena, R.B. Optimum design of small distribution transformer using aluminium conductors 87—58135
Singh, B., Saxena, R.B., Murthy, S.S., Singh, B.P. A single-phase self-excited induction generator for lighting loads in remote areas 88—62754
Singh, B., Singh, B.P., Murthy, S.S., Jha, C.S. Effect of voltage fluctuations on performance of pump motors connected to single phase supply system 85—21626
Singh, B., Singh, B.P., Murthy, S.S., Jha, C.S. Design optimization of a squirrel cage induction motor for irrigation-pump applications 87—43719
Singh, B., Srivastava, S.P., Mohan, G. Improvements in the design for optimum steady state performance of polyphase reluctance motors 88—55305
Singh, B., Surace, G., Fox, J. Low voltage analogue components on a digital CMOS process 88—13593
Singh, B. *see* Brummet, B.D. 85—53814
Singh, B. *see* Chand, R. 87—22385, 88—23921
Singh, B. *see* Gupta, J.R.P. 85—43974, 86—61520, 86—61772
Singh, B. *see* Haigh, D.G. 87—66367, 88—19261
Singh, B. *see* Kumar, N. 87—16696, 87—44393
Singh, B. *see* Lesrado, L. 85—26836
Singh, B. *see* Mittal, J.K. 88—45356
Singh, B. *see* Ong, E. 87—38404
Singh, B. *see* Rangole, P.K. 87—49264
Singh, B. *see* Saini, S.P.S. 87—48938
Singh, B. *see* Singh, Y.P. 87—36004
Singh, B. *see* Upadhyay, P.N. 85—6243
Singh, B.B. Surveillance of transmission systems in Indian telecommunication network 88—34950
Singh, B.K. *see* Mitra, R.N. 85—5387
Singh, B.P., Prasad, P.N. Optical bistable behavior of a planar quasi-waveguide interferometer made with a conjugated organic polymer film 88—34115
Singh, B.P., Rai, B.S. Realization of floating FDNR using ground capacitor 85—33690
Singh, B.P. *see* Gupta, J.R.P. 85—43974, 86—61520, 86—61772
Singh, B.P. *see* Kulkarni, D.K. 85—38995
Singh, B.P. *see* Kumar, A. 86—61528
Singh, B.P. *see* Murthy, S.S. 86—33406, 87—43039
Singh, B.P. *see* Rai, B.S. 87—34947
Singh, B.P. *see* Singh, B. 85—21626, 87—43719, 88—62754
Singh, B.P. *see* Singh, E. 87—22382
Singh, B.P. *see* Tandon, A.K. 85—21622
Singh, B.P.N. *see* Narain, M. 88—69959
Singh, B.R. *see* Singh, J.K. 87—67348
Singh, B.S. *see* Henriksen, G.L. 88—17883
Singh, B.S. *see* Whittlesey, C.C. 87—36109
Singh, C. Nondifferentiable fractional programming with Hanson-Mond classes of functions 86—57354
Singh, C., Asgarpoor, S. Reliability evaluation of flow networks using delta-star transformations 87—23415
Singh, C., Beydoun, R., Dichirico, C. Modeling common mode failures in transmission lines when repair times are Gamma distributed 87—9147
Singh, C., Chen, Q. Computational aspects of the Equivalent Load Method in generation system reliability evaluations 87—9139
Singh, C., Chen, Q. An analytical technique for the reliability modeling of generation systems including energy limited units 87—42300
Singh, C., Duggal, J.S. Fractional duration before first failure—a useful index and an analytical tool 85—16838
Singh, C., Hanson, M.A. Saddle-point theory for nondifferentiable multiobjective fractional programming 86—40634
Singh, C., Lago-Gonzalez, A. Reliability modeling of generation systems including unconventional energy sources 85—48900
Singh, C. *see* Chen, Q. 86—51171
Singh, C. *see* Endrenyi, J. 88—54909
Singh, C. *see* Mukundan, T.R. 88—62339
Singh, C. *see* O'Donnell, P. 86—6687 to 6688
Singh, C. *see* Patton, A.D. 85—21050
Singh, Chanan, Patton, A.D. Reliability evaluation of emergency and standby power systems 85—43573
Singh, C.P. *see* Aggarwal, S.K. 85—64505
Singh, C.V.K., Rangarajan, S.V., Seetharamaiah, P. Alphanumeric CRT terminal for Telugu and Hindi scripts 85—42899
Singh, D., Bolton, M. An efficient architecture for PCB routing 87—461
Singh, D., Morgan, G.B. Microwave integrated circuit filters with very narrow bandwidths 85—22978
Singh, D., Morgan, G.B. Computation and experimental determination of the higher mode resonances of high permittivity cylindrical dielectric resonators on integrated circuit substrates and application to narrow band microwave filters 87—45210
Singh, D., Morgan, G.B. Computation and experimental determination of the higher mode resonances of high permittivity square cuboid dielectric resonators on integrated circuit substrates and application to narrow band microwave filters 87—45211
Singh, D., Morgan, G.B. Higher mode resonances of high permittivity square cuboid dielectric resonators on integrated circuit substrates 88—12565
Singh, D., Morgan, G.B. The theoretical properties of higher mode cylindrical dielectric resonators for millimetre wave monolithic circuits 88—25421
Singh, D. *see* Morgan, G.B. 86—41313, 87—59827
Singh, D. *see* Sayal, A. 85—51425
Singh, D.B., Kumar, A., Tayal, V.P., Sanyal, B. Dielectric behaviour of epoxy and polyester laminates in moisture and electronic packaging exhalates 88—38270
Singh, D.K., Govila, A.K., Ganpate, V.K. Characterisation of polyester resins and composites by differential scanning calorimetry (DSC) and thermogravity (TG) 86—62279
Singh, D.K. *see* Kaul, K.C. 85—1792
Singh, D.N. *see* Ramamurthy, S. 88—50768
Singh, D.P. Ultrasonic investigations of amorphous germanium-selenium alloys at 300 K 88—10661
Singh, D.P., Dey, K.K. A new conical-Archimedean shaped antenna array: study of feed impedances and excitation currents 86—22838
Singh, D.P., Dey, K.K. Effect of lossy ground on radiation characteristics of helical antenna array 88—27663
Singh, D.P. *see* Chandra, S. 85—23482
Singh, D.P. *see* Dey, K.K. 87—75624
Singh, D.R. W-band microstrip oscillator using InP Gunn diode 87—73792
Singh, D.R., Seashore, C.R. Straightforward approach produces broadband transitions 85—28685
Singh, D.R., Seashore, C.R., Gawronski, M.J. Large signal modeling of millimeter wave Gunn diodes for planar circuits 88—25524
Singh, D.R. *see* Champlin, K.S. 86—42873
Singh, D.R. *see* Gawronski, M.J. 87—41015, 88—25545
Singh, D.R. *see* Jager, D. 87—33467
Singh, E., Saxena, R.B., Murthy, S.S., Singh, B.P. Reactive power requirements of single-phase self-excited induction generator to obtain constant voltage outputs 87—22382
Singh, G., Devi, S., Singh, S., Virk, H.S. Track etch rate characteristics of makrofol polycarbonate plastic detector exposed to xenon ions 87—29592
Singh, G., Eimar, R. Palo Verde full-range feedwater control system operating experience 87—22087
Singh, G., French, C.T. C-E Productivity Improvement Program 87—9234
Singh, G., Galloway, K.F. Radiation-induced interface traps in power MOSFETs 87—32545
Singh, G., Galloway, K.F., Russell, T.J. Temperature-induced rebound in power MOSFETs 88—26288
Singh, G., Gour, L.S. Equivalent capacity model of a discharge tube 86—47265
Singh, G., Gour, L.S. Measurement of the equivalent capacity of a discharge tube in its active state 87—11311
Singh, G., Nag Sarkar, T.K., Rao, C.S. Selection of stabilizing signal for the static excitation system of Bhaba hydro generators 86—33197
Singh, G., Sahoo, G.K., Ramamurthi, S.S. Spectral brilliance of a weak focussing electron storage ring for synchrotron radiation 88—74651
Singh, G. *see* Bahadur, S.R. 88—74679
Singh, G. *see* Bapat, M.N. 85—40082
Singh, G. *see* Kundu, A. 86—14393
Singh, G. *see* Pearce, L.W. 88—62110
Singh, G. *see* Sahoo, G.K. 88—74650
Singh, G. *see* Virk, H.S. 87—41879
Singh, G.P. Application of static relays for the protection of power system in India 85—15666
Singh, G.P., Lamping, G.A., Light, G.M. Nondestructive examination of low-pressure steam turbine rotors 85—43505
Singh, G.P., Udpa, S. The role of digital signal processing in NDT 86—66873
Singh, G.P. *see* Kwun, H. 85—17011
Singh, G.S. *see* Fikioris, J.G. 87—47257
Singh, G.S. *see* Vishen, A. 86—42899
Singh, H. Computational algorithm for state-space approach to circuit realization of a transfer-function matrix 88—25305
Singh, H. ISDN—design and application 88—28503
Singh, H. *see* Anneberg, L. 87—60536

Singh, H. *see* Eydgahi, A. 88−50958
Singh, H. *see* Eydgahi, A.M. 85−246, 85−22579, 85−39598, 85−44578, 85−60832
Singh, H. *see* Fleisher, S. 87−55179, 88−66257
Singh, H. *see* Geissberger, A. 87−73760
Singh, H. *see* Lim, Y.C. 86−52726
Singh, H. *see* Ngan, K.N. 87−47984
Singh, H. *see* Ngan King Ngi 88−7180
Singh, H. *see* Talahmeh, S. 88−52520
Singh, H.B., Pal, R. Nuclear hardened radio communication to submarine: a review 87−3041
Singh, H.J., Saraswat, K.C., Shott, J.D., McVittie, J.P., Meindl, J.D. Hydrogenation by ion implantation for scaled SOI/PMOS transistors 85−34810
Singh, H.P., Sadler, R.A., Geissberger, A.E., Fisher, D.G., Irvine, J.A., Gorder, G.E. A comparative study of GaAs logic families using universal shift registers and self-aligned gate technology 87−31846
Singh, H.P., Sadler, R.A., Geissberger, A.E., Tanis, W.J., Schineller, E.R. High speed, low-power GaAs programmable counters for synthesizer applications 88−19112
Singh, H.P., Sadler, R.A., Irvine, J.A., Gorder, G.E. GaAs low-power parallel multipliers for a high-speed digital signal processor 88−19109
Singh, H.P., Sadler, R.A., Irvine, J.A., Gorder, G.E. GaAs low-power shift register and arithmetic logic unit for a high-speed digital signal processor 88−70693
Singh, H.P., Sadler, R.A., Naber, J.F., Johannessen, B.O. A high speed GaAs error-detection circuit for fiber-optic transmission systems 88−73920
Singh, H.P. *see* Geissberger, A.E. 88−71082
Singh, H.P. *see* Johannessen, B.O. 87−63001
Singh, H.R., Shankar, G. GERT analysis of two-stage attribute sampling plans based on an exponential failure model 88−38041
Singh, H.R. *see* Singh, R.K. 86−28562
Singh, H.S. Current status of electro-optics 88−72155
Singh, I., Allen, R. Satellite television and mass politics 88−60102
Singh, I. *see* Venetsanopoulos, A.N. 86−64672
Singh, I.B. Future markets for satellite communications 88−53234
Singh, I.M. Implementation of standard LAN protocols−Tools for development and verification 85−3180
Singh, J. Theory of photoluminescence in quantum wells in the presence of transverse electric field: Monte Carlo approach 86−47344
Singh, J. A proposal for a high-speed $In_{0.52}Al_{0.48}As/In_{0.53}Ga_{0.47}As$ MODFET with an $(InAs)_m(GaAs)_m$ superlattice channel 87−1518
Singh, J. Inventory control in minor telecom districts 88−34906
Singh, J., Bajaj, K.K. A model for high-field transport in alloys: application to $In_{0.53}Ga_{0.47}As$ 85−23440
Singh, J., Bajaj, K.K. Role of resonant laser enhanced surface kinetics in the low substrate temperature molecular beam epitaxial growth of compound semiconductors: a Monte Carlo study 85−33412
Singh, J., Bajaj, K.K. Impurity scattering effects on electron transport in short GaAs channels 85−34665
Singh, J., Bajaj, K.K. Theoretical studies of the intrinsic quality of GaAs/AlGaAs interfaces grown by MBE: role of kinetic processes 85−39730
Singh, J., Bajaj, K.K. Role of thin multiquantum wells in controlling intrinsic interface quality in molecular beam epitaxially grown heterostructures 86−415
Singh, J., De la Rue, R.M. An experimental study of in-plane light scattering in titanium diffused Y-cut $LiNbO_3$ optical waveguides 85−41142
Singh, J., De La Rue, R.M. Observations of intermodulation effects in an integrated optical spectrum analyser 86−31293
Singh, J., Dudley, S., Bajaj, K.K. A study of novel growth approaches to influence the growth mechanism and interface quality in heterostructures grown by molecular beam epitaxy 87−266
Singh, J., Dudley, S., Davies, B., Bajaj, K.K. Role of kinetics and thermodynamics in alloy clustering and surface quality in InAlAs grown by molecular-beam epitaxy: consequences for optical and transport properties 87−16588
Singh, J., Foo, S.P. On the thermodynamic efficiency of solar energy converters: solar cells 86−45661
Singh, J., Hong, S., Bhattacharya, P.K., Sahai, R., Lastufka, C., Sobel, H.R. System requirements and feasibility studies for optical modulators based on GaAs/AlGaAs multiquantum well structures for optical processing 88−72160
Singh, J., Mazumder, J. Evolution of microstructure for laser clad Fe-Cr-Mn-C alloys 87−44396
Singh, J., Ormondroyd, R.F., Rozzi, T.E., Ryan, T. Facet fabrication by reactive ion milling 85−41416
Singh, J., Tobin, J.R., De La Rue, R.M. Observation of thermo-optic and photorefractive effects during acousto-optic interaction in Ti:$LiNbO_3$ waveguides 86−5154
Singh, J. *see* Al-Shukri, S.M. 86−9640
Singh, J. *see* Armenise, M.N. 85−1976, 85−2061
Singh, J. *see* Banerjee, P.K. 87−47224
Singh, J. *see* Berger, P.R. 87−52115, 88−18688, 88−70308
Singh, J. *see* Chan, Y.J. 88−39526
Singh, J. *see* Dawar, A. 85−46227
Singh, J. *see* De La Rue, R.M. 85−46233
Singh, J. *see* Hong, S.C. 88−20437
Singh, J. *see* Hong, W.-P. 87−1232, 87−74008
Singh, J. *see* Jaffe, M. 88−19989, 88−25927
Singh, J. *see* Jaffe, M.D. 88−39533
Singh, J. *see* Juang, F.-Y. 87−44330
Singh, J. *see* Mehta, D. 86−50378
Singh, J. *see* Mokhtari, S. 88−10793
Singh, J. *see* Reynolds, D.C. 85−23499, 86−42415
Singh, J. *see* Schulten, R. 86−33002
Singh, J. *see* Seklguchl, Y. 88−64629
Singh, J. *see* Teuchert, V.E. 87−35743
Singh, J. *see* Vormwald, K. 86−50915
Singh, J. *see* Won-Pyo Hong 87−37927
Singh, J. *see* Yu, P.W. 86−47355
Singh, J.K., Gokgor, H.S., Howard, A.M., Myers, F.A. Near state-of-the-art power in p^+-n-n^+ D-band IMPATT diode on a wafer with ramped n-n^+ interface 88−25512
Singh, J.K., Roybardhan, A., Kothari, H.S., Singh, B.R., Khokle, W.S. Dependence of process parameters on planarization isolation and etching of sloped vias in polyimides for GaAs ICs 87−67348
Singh, J.Krishna *see* Krishna Singh, J.
Singh, J.P., Narayanan, K. Broadcasting-satellite service in India 85−37177
Singh, J.P., Shi, D., Capone, D.W., II Mechanical and superconducting properties of sintered composite $YBa_2Cu_3O_{7-\delta}$ tape on a silver substrate 88−58010
Singh, J.P. *see* Rao, U.R. 88−22014
Singh, J.P. *see* Upadhyay, P.N. 87−8790
Singh, J.S. *see* McIlroy, P.W.A. 87−53984
Singh, K. On improvements to password security 85−30193
Singh, K. Improving SMD reliability 87−52963
Singh, K. Temporary memory freeze dump analysis an effective debugging methodology in Fetex 100L system 88−35299
Singh, K. Li_2SO_4:$LiNbO_3$ binary system for solid state battery applications 88−55577
Singh, K., Rai, J.P. Photoelectric conversion studies on zinc selenide 87−26167
Singh, K., Upadhyay, D.N. Electrosynthesis and photoelectroactivity of polycrystalline cadmium selenide films 86−46355
Singh, K. *see* Ayoub, F. 85−13484
Singh, K. *see* Jetli, R. 87−72550
Singh, K. *see* Sharma, R.K. 85−31712
Singh, K. *see* Singh Grewal, N. 85−15533
Singh, K.C. *see* Roberts, J.S. 87−52110
Singh, K.P. On some performance parameters for closed feedwater heaters 87−78384
Singh, K.P., Gray, A.L., Hawkins, R.K., O'Neil, R.A. The influence of surface oil on C- and Ku-band ocean backscatter 87−4153
Singh, K.P. *see* Digby-Argus, S.A. 88−35580
Singh, L., Tyagi, T.R., Somayajulu, Y.V. On the determination of initial polarization of signals transmitted by geostationary satellites 85−57111
Singh, L. *see* Khan, A.A. 85−45762, 85−55846, 87−32549
Singh, L.K. Electroluminescence in ZnSe:Mn system 87−7210
Singh, L.Kant *see* Kant Singh, L.
Singh, L.P. *see* Choudhary, M.M. 86−39073
Singh, L.P. *see* Islam, K.K. 87−57694
Singh, L.P. *see* Kellogg, A.J. 85−32238
Singh, L.P. *see* Pal, U. 86−6409
Singh, L.P. *see* Srivastava, K.N. 88−5281
Singh, L.P. *see* Sunnak, V.P. 85−59822
Singh, L.P. *see* Tiwari, S.N. 86−18673
Singh, M. Phonon scattering in multiquantum well structures 87−66976
Singh, M., Brechner, R.R., Horne, C. Single photon imaging at high energies with electronic collimation 87−77649
Singh, M., Chaubey, M.P. Polar-optical-phonon contribution to the damping of the magnetophonon oscillations in multiple-quantum-well structures 87−11407
Singh, M., Leahy, R., Brechner, R., Hebert, T. Noise propagation in electronically collimated single photon imaging 88−61276
Singh, M., Singh, N.P., Singh, S., Virk, H.S. Calibration of radon detectors 87−29649
Singh, M., Wong, B., Brechner, R.R., Horne, C. Basics of neuromagnetic imaging: a potential new modality for functional brain imaging 87−77610
Singh, M. *see* Agarwal, S.K. 87−297
Singh, M. *see* Brechner, R. 88−61257
Singh, M. *see* Brechner, R.R. 86−50352, 87−50261
Singh, M. *see* Hebert, T. 88−23049
Singh, M. *see* Leahy, R. 88−23090
Singh, M. *see* Periasamy, A. 85−48225
Singh, M. *see* Ramachandran, G. 86−60771
Singh, M. *see* Ramola, R.C. 88−4841
Singh, M. *see* Sai Prakash, S.K.L.V. 88−27677
Singh, M. *see* Singh, N.P. 87−29660
Singh, M.D. *see* Bhatnagar, P.S. 85−2674, 86−63980
Singh, M.G. *see* Malinowski, K. 87−44260
Singh, M.G. *see* Wang, L. 87−44262
Singh, M.G., Hindi, K.S., Schmidt, G., Tzafestas, S.G. *(editor)* Fault Detection and Reliability; Knowledge Based and Other Approaches. Proceedings of the Second European Workshop on Fault Diagnostics, Reliability and Related Knowledge Based Approaches 88−31288
Singh, M.N. *see* Chhabra, K.C. 86−50051
Singh, M.P., Suarez, L.E. A perturbation analysis of the eigenproperties of equipment-structure systems 87−15453
Singh, M.P. *see* Davies, R.W. 85−62317
Singh, M.P. *see* Ghosh, S.N. 86−12168
Singh, M.P. *see* Jain, V. 87−70443
Singh, M.P. *see* Wei, T. 88−477, 88−13845, 88−45121
Singh, M.S. *see* Wang, C.L. 88−54427
Singh, N. Recursive estimation of phase-mission reliability 86−34088
Singh, N. Saturn: an automatic test generation system for digital circuits 87−36890
Singh, N. An artificial intelligence approach to test generation 88−22
Singh, N., Cheng, I. Tests for equality of location and scale parameters of exponential distributions with type-II censoring 86−61981
Singh, N., Peiris, M.S. A simple and asymptotically optimal test for equality of $q(\geqslant 2)$ multivariate normal distributions: a pragmatic approach to multivariate one-way classification 87−65336
Singh, N. *see* Dahake, S.L. 86−5373, 86−5473
Singh, N. *see* Ho, C.Y. 86−63477
Singh, N. *see* Kumar, S. 88−54436
Singh, N. *see* Mehta, D. 86−50378
Singh, N.B., Gottlieb, M., Goutzoulis, A. Devices made from vapor-phase-grown mercurous chloride crystals 87−54139
Singh, N.B., Gottlieb, M., Goutzoulis, A.P., Hopkins, R.H., Mazelsky, R. Mercurous bromide acousto-optic devices 88−63280
Singh, N.B. *see* Gottlieb, M. 87−68236, 88−13957
Singh, N.B. *see* Goutzoulis, A.P. 88−27947, 88−40023
Singh, N.L. *see* Shrinet, V. 86−36664
Singh, N.P., Singh, M., Singh, S., Virk, H.S. Uranium estimation in Siwalik vertebrate fossil bones using SSTD 87−29660
Singh, N.P., Singh, Y.P., Ahson, S.I. An iterative approach to reduced-order modeling of synchronous machines using singular perturbation 86−70884
Singh, N.P., Singh, Y.P., Ahson, S.I. Near-optimal controllers for synchronous machines with prescribed degree of stability via iterative separation of time scales 87−30525
Singh, N.P., Singh, Y.P., Ahson, S.I. New design of composite controllers for synchronous machines via separation of timescales 88−48905
Singh, N.P. *see* Arora, N.K. 86−40089
Singh, N.P. *see* Singh, M. 87−29649
Singh, N.P. *see* Singh, S.N. 85−32714
Singh, O. Digital E-10B TAXs 88−35308
Singh, O. *see* Klein, J.D. 86−24949
Singh, O.N., Hopman, H.J. LIF investigations of the surface chemistry in the dry processing of semiconductor devices 87−53414
Singh, O.P. *see* Read, L. 86−25291
Singh, O.V. *see* Nawrocky, R.J. 88−47853
Singh, P., Baishya, B. CdS and CdSe thin-film transistors employing 'mixed oxide' as the gate insulator 87−1536
Singh, P., Baishya, B. CdS/Nd_2O_3 and CdSe/Nd_2O_3 thin film transistors 87−1555
Singh, P., Baishya, B. Effect of ambient atmosphere on CdS-Nd_2O_3 and CdSe-Nd_2O_3 TFTs 87−25294
Singh, P., Baishya, B. 'Mixed semiconductor' thin film transistors 87−25295
Singh, P., Baishya, B. A comparative study of thin film transistors using rare earth oxides as gates 87−38322
Singh, P., Baishya, B. Thin film transistors with Er_2O_3 gate insulators 87−53554
Singh, P., Baishya, B. Thin film transistors with Sm_2O_3 as gate insulator 87−74308
Singh, P., Baishya, B. Some studies on thin film transistors (TFTs) with Er_2O_3 as gate insulator 87−74322
Singh, P., Baishya, B. Some studies of mixed oxide thin film transistors 88−19955
Singh, P., Baishya, B. Suitability of rare-earth oxides for use in thin film transistors 88−26354
Singh, P., Baishya, B. Some studies on mixed semiconductor thin film transistors 88−64616
Singh, P., Baishya, B. Some studies on Sm_2O_3 thin film transistors fabricated by multiple pumpdown method 88−71358

Singh, P., Fagen, E.A. Field effect density of states in flow-discharge a-(Si, Ge):H 87−11378
Singh, P., Harsh, Agarwa, S.K. A simple solar cell characteristics plotter 85−27653
Singh, P., Jain, A.K. Maintenance philosophy of E-10B exchanges 88−35310
Singh, P., Mythili, R., Betigeri, M.G. Design studies of a 100 MeV proton linear accelerator 87−50045
Singh, P., Sarkar, K.K. Average energy gaps and photoconducting applications of some complicated semiconductors 85−55429
Singh, P. *see* Bailey, S.I. 88−62570
Singh, P. *see* Bhattacharya, P.K. 86−28128
Singh, P. *see* Kapur, V.K. 86−13077
Singh, P. *see* Overfield, R.B. 85−28785
Singh, P.I. *see* Kung, R.T.V. 86−32379
Singh, P.K., Singh, S.N., Kishore, R. Modeling and observation of photoconductivity in polycrystalline silicon 86−36295
Singh, P.K. *see* Singh, S.N. 85−18053, 85−40424, 85−50186
Singh, P.N.P. *see* Al-gobaisi, D.M.K. 88−68763
Singh, P.N.P. *see* Gray, C.B. 86−25638
Singh, R. Development trends in ultra thin gate dielectrics for ultra large scale integration (ULSI) 85−35120
Singh, R. Low cost interactive video 86−31047
Singh, R. Dielectrics for very large scale integration (VLSI) 86−58499
Singh, R. Selecting the right application/media [CBT] 87−20733
Singh, R. Performance and reliability of thin gate dielectrics for VLSI: materials and processing perspective [submicron MOSFETs] 87−25362
Singh, R. Development trends in the direction of rapid isothermal processing (RIP) dominated silicon integrated circuit fabrication 87−25527
Singh, R. Materials and processing perspective of photovoltaics for large scale terrestrial and space applications 87−58337
Singh, R. Use of hardware design simulation techniques in preventive and appraisal quality management 88−46390
Singh, R. Rapid isothermal processing 88−64361
Singh, R. The Rongtong Hydro Scheme at el 3690 m 88−69215
Singh, R., Ashok, S. Low-energy hydrogen ion implantation in Schottky barrier control 85−61753
Singh, R., Biegel, B.A. High-temperature superconducting thin films: high-speed electronics perspective 88−33566
Singh, R., Kumar, G.G., Taylor, K.C. Reliability of thin gate dielectrics for VLSI 86−21761
Singh, R., Maier, M., Krautle, H., Young, D.R., Balk, P. Diffusion of ion-implanted arsenic in thermally grown SiO_2 films 85−23641
Singh, R., McGruer, N.E., Rajkanan, K., Weiss, J.H. A new growth enhancement in thin SiO_2 formed by rapid isothermal oxidation of silicon 88−64409
Singh, R., Radpour, F., Anandakugan, S., Chou, P., Ullal, H.S., Asher, S., Kazmerski, L.K. Rapid isothermal processing of bulk and thin film solar cells 88−37568
Singh, R., Radpour, F., Chou, P., Nguyen, Q., Joshi, S.P., Ullal, H.S., Matson, R.J., Asher, S. Junction and ohmic contact formation in compound semiconductors by rapid isothermal processing 88−7413
Singh, R., Radpour, F., Narayan, J., Joshi, S.P., Rahmati, M., Anandakugan, S., Kahng, S.K. In-situ rapid isothermal processing of thin epitaxial dielectric films on silicon and compound semiconductors 88−31814
Singh, R., Radpour, F., Narayan, J., Kahng, S.K. Thin epitaxial CaF_2 films on silicon 88−63332
Singh, R., Taylor, K.C., Chaney, G.A., Rajkanan, K., Krishnamurthy, G.S.R. Thin gate dielectric for VLSI 85−23918
Singh, R. *see* Aslam, M. 85−1419
Singh, R. *see* Fonash, S.J. 85−61851
Singh, R. *see* Isu, R. 88−15299
Singh, R. *see* Meier, D.L. 86−7063
Singh, R. *see* Mu, X.C. 86−63176
Singh, R. *see* Nath, P. 85−7778, 88−45808
Singh, R. *see* Patil, S.S. 87−1776
Singh, R. *see* Radpour, F. 87−53673, 88−39177
Singh, R. *see* Ranganatha Rao, K. 85−34949
Singh, R. *see* Rohatgi, A. 86−61738
Singh, R. *see* Tickle, A. 85−45027
Singh, R.A. *see* Dubey, G.C. 87−295
Singh, Raghubir *see* Lesrado, L. 85−26836
Singh, Rajveer *see* Lesrado, L. 85−26836
Singh, R.D. *see* Unnikrishnan, N.V. 87−2022
Singh, R.K., Gopal, R., Dwivedi, R., Srivastava, S.K. A simpler technique for the fabrication of metal-insulator-semiconductor (MIS) silicon solar cell 85−34661
Singh, R.K., Sharma, Y.K., Singh, H.R. Current injection in an insulator with specially distributed deep traps 86−28562
Singh, R.K. *see* Biswas, S. 87−29599
Singh, R.N. Interdiffusion and compound formation in the Mo/Pd/Si thin film metallization system 87−11701
Singh, R.N. The NRC performance indicator program 87−71832
Singh, R.N. Palladium silicide contact process development for VLSI 88−7367
Singh, R.N., Brown, D.M., Kim, M.J., Smith, G.A. Study of molybdenum-Alusil interdiffusion kinetics and contact resistance for VLSI applications 87−11710
Singh, R.N., Skelly, D.W., Brown, D.M. Palladium silicide ohmic contacts to shallow junctions in silicon 87−17785
Singh, R.N. *see* Kim, M.J. 86−21757
Singh, R.N. *see* Sinha, N.P. 85−6936
Singh, R.P. Scanning electron microscopy of burnt electric wires 88−38791
Singh, R.P., Agrawal, S.L., Singh, Y.D. Some studies on WO_3 thin films 87−74034
Singh, R.P., Bhattacharya, B.B., Rankin, D. Potentiality of MT method for the location of hydrocarbon deposits beneath Dcccan traps region in India 88−5108
Singh, R.P., Khare, N., Singh, S.L. Electrodeposited $CuInSe_2$ thin film photoelectrochemical solar cell 85−44193
Singh, R.P., Sighanl, S. Voice transmission over mixed packet- and circuit-switched networks 88−52394
Singh, R.P., Singh, S.L. Electrodeposited semiconducting $CuInSe_2$ films. II. Photo-electrochemical solar cells 87−4883
Singh, R.P., Singh, S.L. Photoelectrochemical solar cells using vacuum-evaporated zinc phosphide films 87−72401
Singh, R.P., Singh, S.L., Chandra, S. Electrodeposited semiconducting $CuInSe_2$ films. I. Preparation, structural and electrical characterisation 86−63062
Singh, R.P. *see* Bhu Dev Sharma 85−57188
Singh, R.P. *see* Erramilli, A. 88−59348
Singh, R.P. *see* Pound, B.G. 87−4867
Singh, R.P. *see* Singh, S.L. 85−31557
Singh, R.P. *see* Tiwari, A.K. 86−62815, 86−68815, 88−7006
Singh, R.R.P. The last Bell System subscriber loop survey 88−9325
Singh, R.R.P. *see* Ahamed, S.V. 87−34243
Singh, R.S., Korman, C.S., Kaputa, D.J., Surowiec, E.P. Total-dose and charge-trapping effects in gate oxides for CMOS LSI devices 85−23957
Singh, R.S., Raburn, W.D. Reliability consideration of Si and GaAs active components in a radiation environment 87−74378
Singh, R.S. *see* Borland, J.O. 85−45898, 86−21860
Singh, R.S. *see* Parkash, O. 87−61544
Singh, S. Short pulse generation from a flashlamp-pumped rhodamine 6G ring dye laser using the colliding pulse mode-locking technique 87−26329
Singh, S. Improved methods for storing and updating information in the out-of-kilter algorithm 87−51962
Singh, S. Motors for oil exploration industry 88−76069
Singh, S., Agrawal, P.K. Seismic analysis of fossil plant structures 86−33109
Singh, S., Cartwright, P. A study of electrostatic activity in grain silos 85−7575
Singh, S., Hearn, G.L. Development and application of an electrostatic microprobe 85−46540
Singh, S., Katz, J.L. Scientific basis of electrostimulation 87−41987
Singh, S., Saha, S. Electrical characteristics of the electrode/bone interface 87−63791
Singh, S., Tandon, S.N., Gupta, H.M. An iterative restoration technique 86−64282
Singh, S. *see* Cartwright, P. 87−43997
Singh, S. *see* Chin, A.K. 86−15044
Singh, S. *see* Das, B.K. 88−51269
Singh, S. *see* Hearn, G.L. 85−44764, 88−27411
Singh, S. *see* Holliday, G.S. 87−54413
Singh, S. *see* Kurose, J.F. 86−55009
Singh, S. *see* Ramola, R.C. 88−4841
Singh, S. *see* Schwarz, S.A. 86−1989
Singh, S. *see* Singh, G. 87−29592
Singh, S. *see* Singh, M. 87−29649
Singh, S. *see* Singh, N.P. 87−29660
Singh, S. *see* Srivastava, A. 85−50698
Singh, S. *see* Swaminathan, V. 85−12716
Singh, S. *see* Virdi, G.S. 88−39460
Singh, S. *see* Wilton, D.R. 86−42944
Singh, S. *see* Young, M.R. 88−27058, 88−51890, 88−72275
Singh, Sampuran *see* Cartwright, P. 85−41554
Singh, S.K. Logic: an automated PLA design system 86−8173
Singh, S.K., Gaberson, P.C. Design and installation of instruments in the Westinghouse LCP coil 87−67952
Singh, S.K., Gaberson, P.C., Hordubay, T.D., Young, J.L., Jarabak, A.J. Advantages of the distributed structure concept of the Westinghouse LCP coil design 85−1933
Singh, S.K., Hampton, T.E., Hordubay, T.D., Gaberson, P.C., Kibbe, R.K., Shipley, W.D., Young, J.L. Manufacture of the Westinghouse forced flow Nb_3Sn test coil for the large coil program 87−67953
Singh, S.K., Heyne, C.J., Hackworth, D.T., Gaberson, P.C. Advantages of the distributed structure concept of the Westinghouse LCP coil design. II 87−67951
Singh, S.K., Heyne, C.J., Hackworth, D.T., Shestak, E.J., Eckels, P.W., Rogers, J.D. Designs of pulsed power cryogenic transformers 88−69461
Singh, S.K., Ray, G.C. Microcomputer-based gain control for the effect of sweating on EMG channel 88−48161
Singh, S.K., Shukla, S., Shukla, A. Cost-benefit analysis of a system with inspection, replacement and two types of repair 88−49580
Singh, S.K., Srinivasu, B. Stochastic analysis of a two unit cold standby system with preparation time for repair 87−36540
Singh, S.K., Srinvasu, B. Cost analysis of a one server two unit system subject to two types of repair and arbitrary distributions 87−36539
Singh, S.K. *see* Gaberson, P.C. 85−7188
Singh, S.K. *see* Galgali, R.K. 88−6440
Singh, S.K. *see* Goel, L.R. 85−33228 to 33231, 86−40576, 86−46133, 87−31345, 87−31350
Singh, S.K. *see* Gumaste, J.L. 88−6439
Singh, S.K. *see* Lesrado, L. 85−26836
Singh, S.K. *see* Rogers, J.D. 88−43256
Singh, S.L. OMC testing in DTAX exchange 88−35307
Singh, S.L., Saxena, A.K., Swami, R., Singh, R.P., Chandra, S. Circuit for quick monitoring of solar cell parameters 85−31557
Singh, S.L. *see* Chandra, S. 86−40081
Singh, S.L. *see* Singh, R.P. 85−44193, 86−63062, 87−4883, 87−72401
Singh, S.M., Cracknell, A.P., Spitzer, D. Evaluation of sensitivity decay of Coastal Zone Colour Scanner (CZCS) detectors by comparison with in situ near-surface radiance measurements 85−53190
Singh, S.N., Arora, N.K., Singh, N.P. Novel nondestructive method of measurement of the dead layer thickness of a p^+/n (or an n^+/p) silicon solar cell 85−32714
Singh, S.N., Iyer, A. Transient performance of gyro in spinning spacecraft 88−16830
Singh, S.N., Kishore, R., Arora, N.K. The determination of minority carrier lifetime in polycrystalline silicon by the photoconductivity decay method 85−34480
Singh, S.N., Kishore, R., Singh, P.K. Thermionic-emission diffusion model of current conduction in polycrystalline silicon 85−40424
Singh, S.N., Kishor, R., Singh, P.K. Thermionic emission diffusion model of current conduction in polycrystalline silicon and temperature dependence of mobility 85−50186
Singh, S.N., Singh, P.K., Kishore, R. Physical significance of scaling factor used in transport expressions of polycrystalline silicon 85−18053
Singh, S.N. *see* Arora, N.K. 86−40089
Singh, S.N. *see* Chakravarty, B.C. 86−33657
Singh, S.N. *see* Deb, A.K. 88−55038
Singh, S.N. *see* Sharma, S.K. 87−24753
Singh, S.N. *see* Singh, P.K. 86−36295
Singh, S.P., Prabhaker, A., Bhattacharyya, A.B. Design methodologies for *C-2C* ladder-based D/A convertors for PCM codecs 88−63757
Singh, S.P., Prabhakar, A., Bhattcharyya, A.B. C-2C ladder-based D/A converters for PCM codecs 88−19225
Singh, S.P., Saxena, A.K., Tiwari, L.M., Agnihotri, O.P. SnO_2:F/n-Si and In_2O_3:Sn/n-Si semiconductor/insulator/semiconductor solar cells 86−13057
Singh, S.P. *see* Agnihotri, O.P. 88−37616
Singh, S.P. *see* Cackovic, D.L. 87−79085
Singh, S.P. *see* Panda, S.K. 88−23871
Singh, S.P. *see* Prasad, M. 87−71978
Singh, S.P. *see* Saxena, A.K. 85−11975, 86−21170, 87−298, 87−36150
Singh, S.R., Pal, B.B. Ionization rates of electrons and holes in GaAs considering electron-electron and hole-hole interactions 85−40443
Singh, S.R., Pal, B.B. Hot-electron drift velocity in III-V semiconductors under the condition of impact ionization 87−53174
Singh, S.R., Pal, B.B. The electron ionisation rate in $Ga_{1-x}In_xAs_yP_{1-y}$ alloys 88−57311
Singh, U. *see* Gupta, V.P. 86−13572
Singh, U.N. *see* Grossmann, B.E. 87−54256
Singh, V. Formulation of a criterion for the absence of limit cycles in digital filters designed with one quantizer 86−1283
Singh, V. A new realizability condition for limit cycle-free state-space digital filters employing saturation arithmetic 86−1285
Singh, V. Formulation of a discrete MKY lemma [digital filter stability criterion] 86−20730
Singh, V. An extension of Jury-Lee's criterion for the stability analysis of fixed-point digital filters designed with two's complement arithmetic 86−46997
Singh, V. Realization of two's complement overflow limit cycle 87−10990
Singh, V. On the realization of two's complement overflow limit cycle free state-space digital filters 87−10994
Singh, V. A new proof of the discrete-time bounded-real lemma and lossless bounded-real lemma 87−73267

Singh, V. On Hilberman's theorem and the characterization of ideal op amp semi-indefinite networks 88−32317
Singh, V. New floating point impedance simulation using operational amplifiers 88−50243
Singh, V. *see* Dikshit, H.P. 88−43827
Singh, V. *see* Kumar, A. 88−70192
Singh, V.A. *see* Misra, D.S. 85−55443, 86−1745
Singh, V.K., Chattopadhyay, S.N., Pal, B.B. Optically controlled characteristics in an ion-implanted silicon MESFET 87−2034
Singh, V.K., Pal, B.B. Frequency dependent characteristics in an ion-implanted photo MESFET 87−33061
Singh, V.K., Pal, B.B. Optically-controlled switching characteristics of silicon MESFETs 87−38317
Singh, V.K., Pal, B.B. Carrier frequency-dependent intrinsic parameters in an ion-implanted silicon photoMESFET 88−20497
Singh, V.K., Pal, B.B. Effect of diffusion and modulated frequency in an ion-implanted OPFET 88−26977
Singh, V.K. *see* Chattopadhyay, S.N. 87−45985
Singh, V.K. *see* Gupta, B.R. 86−61192
Singh, V.N., Pal, B.B., Basu, B.N., Vaidya, N.C. Design curves for an inhomogeneously-loaded helical slow-wave structure for a broad-band travelling-wave tube 85−11853
Singh, V.N., Singh, V.P., Basu, B.N., Jha, R.K. Interaction impedance of an inhomogeneously loaded helical slow-wave structure of a TWT 86−27804
Singh, V.P., Basu, B.N., Jha, R.K. Theoretical mode-gain in a non-intercepting gridded dual-mode broadband helix TWT 86−27803
Singh, V.P., Basu, B.N., Jha, R.K. An estimate of the interaction impedance of a vane-loaded helix using equivalent-circuit analysis 86−41483
Singh, V.P., Kenney, R.H., McClure, J.C., Albright, S.P., Ackerman, B., Jordan, J.F. Electronic characteristics of thin-film CdS-CdTe photovoltaic cells 88−37418
Singh, V.P., Morton, D.C., Miller, M.R. Luminescence characteristics of $SrS:CeF_3$ thin-film electroluminescent devices 88−26987
Singh, V.P., Murty, K.V.R., Basu, B.N. Interaction impedance from the equivalent circuit parameters of a dielectric-loaded helical slow-wave structure of a traveling-wave tube 88−39005
Singh, V.P., Saha, S.K. Voltage controlled oscillator with sine-wave output 88−56502
Singh, V.P. *see* Albright, S.P. 88−62608
Singh, V.P. *see* Chatterjee, C.K. 86−8033, 86−46599
Singh, V.P. *see* Gomber, K.L. 86−18255
Singh, V.P. *see* Jarem, J.M. 88−51689
Singh, V.P. *see* Singh, V.N. 86−27804
Singh, V.P. *see* Yogeshwar, G.K. 87−44658
singh, V.Prakash *see* Prakash singh, V.
Singh, V.P.Sundar *see* Sundar Singh, V.P.
Singh, V.R. Safety standardisation of medical transducer devices 88−68390
Singh, V.R. *see* Bindal, V.N. 87−21534
Singh, V.R. *see* Chakarvarti, S.K. 87−5542
Singh, Y.D. *see* Singh, R.P. 87−74034
Singh, Y.P. Two-time analysis of jump behaviour in interconnected systems 86−20238
Singh, Y.P., Singh, B., Saxena, R.B. Optimization of design of transformers using aluminium conductors 87−36004
Singh, Y.P. *see* Singh, N.P. 86−70884, 87−30525, 88−48905
Singh, Y.Pal *see* Pal Singh, Y.
Singh Amarjit *see* Amarjit Singh
Singh Bhim *see* Bhim Singh
Singh Chanan *see* Chanan Singh
Singh Grewal, N., Singh, K. Planning techniques for transmission system for integrated operation 85−15533
Singh Jasprit *see* Jasprit Singh
Singh Kaisi, A. *see* Ahmed, K.U. 85−11404
Singh Kamal, T. Analysis of intermodulation noise due to harmonic transmission in PSK communication system using TWT amplifier 85−41652
Singh Kamal, T. Digitalisation of the communication network in India 86−59513
Singh Nahar *see* Nahar Singh
Singh Ranu, H. Engineering aspects of rehabilitation for the handicapped 86−25253
Singh Shri Brajeshwar *see* Shri Brajeshwar Singh
Singh Sirohi, R. *see* Joenathan, C. 85−46493
Singh Surinder *see* Surinder Singh
Singhal, A., Liu, M.T. Concurrency control in hybrid networks: a step towards the integration of time-stamp and optimistic methods 85−19902
Singhal, A. *see* Gupta, P.P. 88−11798
Singhal, A. *see* Mehmood, Z. 88−24930, 88−26436
Singhal, A. *see* Prasad, K. 88−15167
Singhal, K., Vlach, J. Formulation of circuit equations 87−52267
Singhal, K. *see* Barby, J. 85−18363, 86−67889
Singhal, K. *see* Barby, J.A. 88−50779
Singhal, K. *see* Chadha, R. 85−23019, 87−59055
Singhal, K. *see* Christen, E. 86−67341
Singhal, K. *see* Jain, N.K. 85−10912
Singhal, K. *see* Liu, S. 86−41851
Singhal, K. *see* McAndrew, C.C. 86−2097, 88−7552, 88−64224
Singhal, K. *see* Nagaraj, K. 85−39986, 85−55000, 86−20695, 86−57962, 86−67337, 87−5955, 87−59710
Singhal, K. *see* Opal, A. 86−66999, 87−65790
Singhal, K. *see* Vlach, J. 85−928, 88−56765
Singhal, K. *see* Vlach, M. 86−62418
Singhal, L.C. *see* Tuteja, R.K. 88−52319
Singhal, M. *see* Chauhan, G. 86−65965
Singhal, S. Reducing computation in optimal amplitude multipulse coders 87−19614
Singhal, S. On encoding filter parameters for stochastic coders 87−61757
Singhal, S., Thompson, G.L. A method for maximizing the reliability coefficient of a communications network 86−64618
Singhal, S. *see* Thompson, G.L. 85−28120
SinghDeo, N.N. Design rules in assembly automation 86−57208
SinghDeo, N.N., Butt, S.H. Metal DIP and its impact on automation 87−16403
SinghDeo, N.N., Cherukuri, S.C., Butt, S.H. Metal DIP with superior thermal conductivity 87−51869
Singhi, N.M. *see* Deza, M. 88−56128
Singhi, N.M. *see* Manickam, N. 88−43787
Singhvi, N. Energy efficient drives 88−43433
Singkarat, S. *see* Aronsson, D. 86−50294
Singkarat, S. *see* Csikai, J. 86−5791
Single, P. Optimize the hybrid interface to increase modem dynamic range 85−8244
Single, P. *see* Chan, A. 85−3253
Singleton, D.L., Paraskevopoulos, G., Jolly, G.S., Irwin, R.S., McKenney, D.J., Nip, W.S., Farrell, E.M., Higginson, L.A.J. Excimer lasers in cardiovascular surgery: ablation products and photoacoustic spectrum of arterial wall 86−44691
Singleton, D.L., Paraskevopoulas, G., Taylor, R.S., Higginson, L.A.J. Excimer laser angioplasty: tissue ablation, arterial response, and fiber optic delivery 88−8361
Singleton, D.L. *see* Taylor, R.S. 87−61216
Singleton, D.M. *see* Chiang, R.G. 86−25238
Singleton, J., Nasir, F., Nicholas, R.J. High-magnetic field characterisation of (Hg,Cd)Te detectors 87−35093
Singleton, J., Nasir, F., Nicholas, R.J. Resonant 2D magnetopolarons in accumulation layers on n-$Hg_{0.8}Cd_{0.2}Te$ 87−67025
Singleton, J. *see* Nicholas, R.J. 88−32785
Singleton, J. *see* Ondria, J. 88−53166
Singleton, J. *see* Rogers, D.C. 87−11406, 87−74101
Singleton, J. *see* Soutar, A. 86−60965
Singleton, J.F., Seeds, A.J., Brunt, S.P. Optical control of W-band IMPATT oscillators 86−27638
Singleton, J.F., Seeds, A.J., Brunt, S.P. Optical control of W-band IMPATT oscillators 87−17348
Singleton, J.F. *see* Seeds, A.J. 87−45257
Singleton, M.F., Cooper, J.F., Andresen, B.D., Milanovich, F.P. Laser-induced bulk damage in potassium dihydrogen phosphate crystal 88−40292
Singleton, N.R. Design resolution of Westinghouse preheat steam generator flow induced vibration concerns 85−38756
Singleton, P., Bennett, K.H. The Keele terminal multiplexer 86−16953
Singleton, R.M. *see* Harris, K.L. 85−12325, 86−13524
Singleton, R.S. CAE−essential for VLSI 85−12385
Singlevich, S.G. *see* Burdick, R.G. 87−53439
Singovsky, A.V. *see* Alde, D. 88−47996
Singovsky, A.V. *see* Binon, F. 86−65395
Singovsky, A.V. *see* Binon, F.G. 88−54405
Singpurewalla, N.D., Song, M.S. Reliability analysis using Weibull lifetime data and expert opinion 88−70171
Sin'guchov, F.I. Consideration of the operating conditions of power supply networks in calculating their reliability 88−48427
Singula, W. *see* Munser, H. 85−60021
Singy, D. *see* Gruebler, W. 86−55965
Singy, D. *see* Konig, V. 87−3844
Singy, D. *see* Schmelzbach, P.A. 87−8815, 87−77504
Sinha, A. *see* Ray, K.S. 88−21334
Sinha, A. *see* Tsach, U. 87−50422
Sinha, A.K. Design and development of a digital temperature meter and control unit using analogue switching techniques 85−4146
Sinha, A.K. Design and development of a controlled constant current source using feedback technique for precision resistance calibration 86−14360
Sinha, A.K. Metallization and interconnects for post-Mb DRAM applications 86−58431
Sinha, A.K. Interconnects and contacts for VLSI applications 87−11706
Sinha, A.K. Design and development of a general purpose professional bench type linear power supply for precision laboratory work 87−44555
Sinha, A.K., Nagrath, I.J. Pattern recognition method for power system steady state security assessment 85−4609
Sinha, A.K. *see* Basu, B.N. 86−14812
Sinha, A.K. *see* Brat, T. 88−24789
Sinha, A.K. *see* Hayles, J.G. 87−8988
Sinha, A.K. *see* Hey, H.P.W. 87−45829, 88−71450
Sinha, A.K. *see* Mahto, J. 85−32097, 86−6257
Sinha, A.K. *see* Mathur, S.P. 87−19319, 88−66232
Sinha, A.K. *see* Murarka, S.P. 88−13176
Sinha, A.K. *see* Panousis, P.T. 86−53750
Sinha, A.K. *see* Rana, V.V.S. 88−39704
Sinha, A.K. *see* Satsangi, P.S. 87−23091
Sinha, A.K. *see* Saxena, A.K. 85−23604
Sinha, A.K. *see* Sheel, S. 85−65029
Sinha, A.K. *see* Yeh, J.L. 87−67151
Sinha, A.N. Release burst and formant transition as acoustic cues for English stop consonants perception by native speakers of Indian languages 85−41876
Sinha, A.P.B. *see* Rao, V.J. 85−44186, 87−60176
Sinha, B. *see* Loomis, H.H., Jr. 85−34063
Sinha, B. *see* Soderstrand, M.A. 85−23048, 86−1320
Sinha, B.K. Transient thermal response of surface acoustic wave resonators 85−62180
Sinha, B.K. On the interaction of temperature gradients with surface wave propagation in anisotropic solids 86−2507
Sinha, B.K. Propagation characteristics of surface waves in quartz and their influence on device performance 87−6979
Sinha, B.K. A stress and temperature compensated orientation and propagation direction for surface acoustic wave devices 87−32811
Sinha, B.K., Locke, S. Acceleration induced frequency shifts in SAW devices 87−60770
Sinha, B.K., Locke, S. Thin film induced effects on SAW devices 88−51145
Sinha, B.K., Raghavan, K. A study of the error in EMI measurements inside a shielded enclosure 86−3586
Sinha, B.K. *see* Bose, S. 87−29498, 87−29504, 88−68249
Sinha, B.K. *see* Locke, S. 87−67670
Sinha, B.K. *see* Mazumdar, M. 86−10555
Sinha, B.K. *see* Seshadri, T.K. 86−29485
Sinha, B.K. *see* Tiersten, H.F. 87−1850
Sinha, B.P., Bhattacharya, B.B. On the numerical complexity of short-circuit faults in logic networks 85−28458
Sinha, B.P., Bhattacharya, B.B., Ghosh, S., Srimani, P.K. An efficient distribution algorithm for directed circuits in a graph 86−57347
Sinha, B.P., Dattagupta, J., Sen, A. Improvement in the speed of FFT processors using segmented memory and parallel arithmetic units 85−49929
Sinha, B.P., MacPhie, R.H. Mutual admittance characteristics for two-element parallel prolate spheroidal antenna systems 86−22804
Sinha, B.P. *see* Dattagupta, J. 87−55792
Sinha, D.K., Chatterjee, S.K., Bandyopadhyay, P., Nath, D.K. Rain attenuation and fading on a line-of-sight microwave link 88−40556
Sinha, D.N. *see* Wagner, R.S. 88−26203
Sinha, H.C. Dielectric study of polystyrene film in a cylindrical configuration with an air-gap 85−56034
Sinha, J.K. *see* Rajaram, L.N. 88−28255
Sinha, L.P., Freedman, B.A., Karmarkar, N.K., Putcha, A., Ramakrishnan, K.G. Overseas network planning 86−64514
Sinha, L.P. *see* Dinn, N.F. 86−52368, 87−40169
Sinha, M.C. *see* Powell, C.M.R. 87−15040
Sinha, M.K. Synthesis of active RC ladder networks 86−67312
Sinha, M.K. *see* Raja, N.S. 85−25562
Sinha, M.K. *see* Rajaram, L.N. 88−28255
Sinha, M.P. Coupled planar helices 86−54321
Sinha, M.P., Jha, R.K. Experimental study on leaky cable for propagation constants 87−40631
Sinha, M.P., Jha, R.K. Planar helix impedance parameters 88−32725
Sinha, M.P., Mahapatra, S. SEM study of etching of GaAs substrates in the $H_3PO_4:H_2O_2:H_2O$ system 87−53415
Sinha, M.P. *see* Bvasu, B.N. 85−55406
Sinha, N.K., Kanchan, A.K. Adaptive real-time modeling of human speech for digital transmission 85−30234
Sinha, N.K. *see* El-Kady, M.A. 85−43517, 85−64843, 86−50790, 87−30016
Sinha, N.K. *see* Lastman, G.J. 86−19971
Sinha, N.K. *see* Puthenpura, S. 87−52018
Sinha, N.K. *see* Raol, J.R. 85−51664, 85−59375, 88−72942
Sinha, N.P., Singh, R.N., Misra, M. Frequency dependence of inductive nature of drain gate junction of a junction field effect transistor 85−6936
Sinha, P.K. Flying low magnetically 85−10176
Sinha, P.K. Design of a magnetically levitated vehicle 85−21898

Sinha, P.K. Some structural properties of the electromagnetic suspension system 87–5056
Sinha, P.K. Electromagnetic suspension: dynamics and control 88–62869
Sinha, R., Gupta, S.C. Performance evaluation of a protocol for packet radio network in mobile computer communications 85–3155
Sinha, R., Gupta, S.C. Performance degradation due to hidden terminal problem in carrier sense multiple-access for mobile packet radio channels 85–14203
Sinha, R., Gupta, S.C. Mobile packet radio networks: state-of-the-art 85–42481
Sinha, R.K. *see* Kumar, A. 87–68124
Sinha, R.M.K. Computer processing of Indian languages and scripts—potentialities and problems 85–41903
Sinha, R.M.K. Segment display for Devanagari script and numerals 85–42901
Sinha, R.M.K. Rule based contextual post-processing for Devanagari text recognition 87–75879
Sinha, R.M.K. *see* Murty, Y.V.V.S. 85–27504
Sinha, S. Hybrid CO_2 laser with a multiple electrode CW gain cell for temporal synchronization of independently tunable laser emissions 88–65546
Sinha, S., Gupta, P.K. Longitudinal mode selection in hybrid CO_2 laser for subthreshold operation of CW discharge section 87–12356
Sinha, S. *see* Chattopadhyay, A.K. 88–30724
Sinha, S. *see* De, N.K. 85–27705, 85–53874
Sinha, S. *see* Peng, C.K. 88–7339
Sinha, S. *see* Sarma, U.K. 88–5299
Sinha, S. *see* Yadava, R.D.S. 86–13729
Sinha, S.K. Bayes estimation of the reliability function of normal distribution 86–13555
Sinha, S.K. Conductivity salinometer for continuous monitoring of small density changes over an extended region 87–77366
Sinha, S.K. *see* Cheng, S.W. 85–60744
Sinha, S.M. *see* Gupta, R. 87–16432 to 16433
Sinha, S.N. Analysis of multiple-strip discontinuity in a rectangular waveguide 86–59118
Sinha, S.N. A generalised network formulation for a class of waveguide coupling problems 88–12552
Sinha, S.N., Mehra, D.K., Agarwal, R.P. Radiation from a waveguide-backed aperture in an infinite ground plane in the presence of a thin conducting plate 86–54330
Sinha, S.N., Mehra, D.K., Agarwal, R.P. Analysis of reactively loaded waveguide-fed short backfire arrays 87–75632
Sinha, S.S. *see* Waxman, A.M. 85–46915, 86–69125
Sinha, V. Satellite communication. I 85–52310
Sinha, V. Satellite communication. II 86–17324
Sinharoy, S., Hoffman, R.A., Farrow, R.F.C., Warner, J.D., Bhasin, K.B. Surface morphology and electrical properties of epitaxial CaF_2 on GaAs(100) 87–16642
Sinharoy, S., Hoffman, R.A., Rieger, J.H., Farrow, R.F.C., Noreika, A.J. Epitaxial growth of CaF_2 on GaAs(100) 85–54463
Sinharoy, S., Hoffman, R.A., Rieger, J.H., Takei, W.J., Farrow, R.F.C. Epitaxial growth of lanthanide trifluorides by MBE 85–44707
Sinharoy, S., Hoffman, R.A., Rieger, J.H., Warner, J.D., Bhasin, K.B. Growth and characterization of epitaxial SrF_2 on InP(100) 86–63322
Sinharoy, S., Lin, Y.F., Rieger, J.H. Epitaxial CaF_2 on GaAs(100) after ambient transfer with arsenic overlayer 87–31513
Sinharoy, S. *see* McMullin, P.G. 88–71360
Siniagina, N., Adjarov, T. Tape tensioning loops for magnetic tape data recording systems 87–56433
Sinichkin, Yu.P. *see* Akchurin, G.C. 85–35696
Sinichkin, Yu.P. *see* Akchurin, G.G. 86–42488
Sinigallia, T. *see* Cosi, P. 85–57307
Sinilnikov, A.M. *see* Vlasov, G.I. 88–29165
Sinilo, V.P. *see* Rzhiga, O.N. 85–8474
Sinina, I.I., Kurmashev, Sh.D., Vikulin, I.M. Injection amplification of the photocurrent in an inhomogeneously doped semiconductor 87–54187
Sinis, V.P. Heating of holes by an electric field applied to boron-doped silicon subjected to uniaxial compression 88–12918
Sinisar, V.V., Gotal'skii, Yu.N., Filyakina, E.G. Preventing cracking in welded joints between E1437B nickel alloy and 45 carbon steel 88–55999
Siniscalchi, S. Automated wet processing—an overview 86–62932
Sinishchuk, I.K. *see* Grusha, S.A. 85–23620
Sinisi, D. *see* Corman, N. 87–58679
Sinitiere, J.J., Hubis, W.A. An automated instrument indexing and performance analysis system 86–24346
Sinitsa, I.T., Chistyi, A.N. Chemical cleaning of the main condensers of the 800 MW generator units at the Uglegorsk steam power station 86–33136
Sinitsa, L.N. *see* Kochanov, V.P. 86–15824
Sinitsa, L.N. *see* Serdyukov, V.I. 88–33986
Sinitsa, N.N. *see* Troitskii, V.A. 87–52226
Sinitsa, S.A. *see* Mironov, A.V. 88–33947
Sinitsa, S.P. *see* Belousov, I.I. 88–39083
Sinitsa, S.P. *see* Esaev, D.G. 85–45603, 87–74126
Sinitsa, S.P. *see* Gadiyak, G.V. 87–1325, 87–45697, 87–74411
Sinitsa, S.P. *see* Kolosanov, V.A. 85–12313
Sinitsa, S.P. *see* Meerson, E.E. 88–7381
Sinitsin, A.P. *see* Golovichev, V.I. 86–3081
Sinitsin, G.F. *see* Burkhanov, G.S. 85–39301
Sinitsin, M.V. *see* Velikanov, S.D. 85–41345
Sinitskii, L.A. *see* Romanishin, I.M. 86–66661, 87–52263
Sinitskiy, L.A., Felyshtyn, O.I. Mathematical model of a quasi-periodic oscillator 88–12248
Sinitsyn, A.B. *see* Golikova, S.N. 86–15676
Sinitsyn, A.G. *see* Bogdanovich, V.B. 87–11077
Sinitsyn, A.K. Limiting regimes of the interaction of an electron beam with the field in the gap of a klystron resonator 87–53115
Sinitsyn, A.K. *see* Dikun, T.F. 85–6652
Sinitsyn, A.K. *see* Kurayev, A.A. 86–67633
Sinitsyn, A.M. *see* Bel'dyugin, I.M. 85–41434
Sinitsyn, B.N. Basic trends in development of scales-measurement instruments 87–49969
Sinitsyn, D.V. *see* Anan'ev, V.Yu. 86–29050 to 29051, 87–2088, 88–51903
Sinitsyn, D.V. *see* Ananiev, V.Yu. 87–54224
Sinitsyn, D.V. *see* Babaev, I.K. 87–54235
Sinitsyn, D.V. *see* Basov, N.G. 86–3056
Sinitsyn, D.V. *see* Glotov, E.P. 87–7272
Sinitsyn, G.V. Purely optical discrete logic elements based on bistable thin-film interferometers 87–68610
Sinitsyn, G.V. *see* Apanasevich, S.P. 85–19012, 85–24662, 85–56796, 88–65774
Sinitsyn, G.V. *see* Basiev, T.T. 88–58664
Sinitsyn, G.V. *see* Ivanov, N.A. 87–46820
Sinitsyn, G.V. *see* Karpushko, F.B. 86–9797
Sinitsyn, G.V. *see* Karpushko, F.V. 85–35732
Sinitsyn, M.A. *see* Alferov, Zh.I. 87–33202
Sinitsyn, M.A. *see* Belyantsev, A.M. 87–1267
Sinitsyn, M.A. *see* Ber, B.Ya. 87–16633
Sinitsyn, M.A. *see* Il'inskaya, N.D. 88–24739
Sinitsyn, M.A. *see* Konnikov, S.G. 88–25920
Sinitsyn, M.A. *see* Zhmakin, A.I. 87–23662
Sinitsyn, N.I. *see* Golant, M.B. 88–71286
Sinitsyn, R.M. Characteristics of air interchange in the building of the main body of the heat and electric power plant 87–4545
Sinitsyn, R.M. Experience of operation of the ventilation plant of the main building of the Kostromskaya State Regional power station 87–57857
Sinitsyn, V.N., Ginzburg, Yu.N. Charge-sensitive preamplifier with drain feedback for X-ray spectrometer 87–71036
Sinitsyn, V.N., Ginzburg, Yu.N. Analysis of preamplifier noise sources with sink feedback for X-ray spectrometers 88–4857
Sinitsyn, V.N., Ginzburg, Yu.N., Lysenko, P.L. Modernized plotter interface for AI-4096 analyzer 86–17867
Sinitsyn, V.V. *see* Ovechkin, S.M. 85–40254
Sinitsyn, Yu.A. Theory of wave scattering by an inhomogeneous layered medium with statistically rough boundaries 86–3517
Sinitsyn, Yu.A. *see* Bass, F.G. 86–3484, 87–75357
Sinitsyn, Yu.A. *see* Kalmykov, A.I. 85–64698
Sinitsyn, Yu.A. *see* Timchenko, A.I. 86–36710
Sinitsyn, Yu.A. *see* Velichko, S.A. 88–72546
Sinitsyna, L.A. *see* German, L.A. 85–65493
Sinius, J. *see* Baltramijunas, R. 87–45764
Sinius, J. *see* Kazlauskiene, V. 87–33042, 87–45634
Sinka, Ya.K. *see* Krogeris, A.F. 87–6690
Sinke, W., Frijlink, G.P.A., Saris, F.W. Oxygen in titanium nitride diffusion barriers [VLSI metallisation] 85–61948
Sinke, W., Polman, A., Saris, F.W. A comparison between excimer laser and thermal annealing for ion-implanted polycrystalline silicon solar cells 87–43450
Sinke, W., Polman, A., Van Sark, W.G.J.H.M., Saris, F.W. The use of a pulsed laser for shallow-junction processing [solar cells] 86–45709
Sinke, W., Saris, F.W. Low-energy, pulsed-laser irradiation of amorphous silicon: melting and resolidification at two fronts 86–27951
Sinke, W., Stout, P.K., Saris, F.W. Pre-annealing of TiN barriers in Al metallization of silicon 86–28240
Sinke, W., Van Sark, W., Doorn, S., Saris, F.W. Optimization of polycrystalline silicon solar cells produced by ion implantation and pulsed laser annealing 86–51912
Sinke, W. *see* Bruines, J.J.P. 86–52418
Sinke, W. *see* Miyao, M. 87–25045, 88–38211
Sinke, W. *see* Polman, A. 87–15995, 88–18046
Sinke, W.C., Polman, A., Saris, F.W. New physical processes for silicon solar cells 87–15969
Sinkevich, V.F. *see* Gostev, A.V. 88–57601
Sinkevich, V.F. *see* Kerner, B.S. 87–24787
Sinkevich, V.F. *see* Konakova, R.V. 88–7564
Sinkevich, V.F. *see* Solov'ev, V.N. 86–2084
Sinkevich, V.I. *see* Alishev, Ya.V. 86–37876
Sinkevich, V.I. *see* Turov, V.G. 86–37875
Sinkewiz, G.C. Satellite communications: directions and technology 86–11032
Sinkey, L. *see* Winn, B. 86–37326
Sinkkonen, J. Equivalent circuit of the barrier-conductor structures 88–57594
Sinkkonen, J., Eranen, S. AC transport in short n^+nn^+ layers 86–41585
Sinkkonen, J., Eranen, S. Electrical transport in a microdevice chain 87–45861
Sinkkonen, J., Eranen, S., Stubb, T. Linear conductance of short semiconductor structures 85–12059
Sinkkonen, J. *see* Eranen, S. 86–9065
Sinkkonen, J. *see* Heleskivi, J. 86–26533
Sin'kov, E.M., Astakhov, Yu.N., Blok, V.M., Pritaka, I.P., Kozyrskii, V.V. Nomograms for time intervals of reconstruction of power transmission lines 85–64908
Sin'kov, M.V. Hypercomplex numerical systems and potentialities of their application in simulation 86–66754
Sinkov, M.V., Radvanskii, S.L. Approximation error of reciprocal projection in computer tomography 87–71092
Sin'kov, M.V., Tarasenko-Zelenaya, L.I., Gubareni, N.M. Mathematical methods for the reconstruction of the internal structure of an object with respect to the projections [image reconstruction] 85–7924
Sinkov, M.V., Zakidalskii, A.I., Radvanskii, S.L. One method of approximate calculation of compression in computer tomography 87–29717
Sin'kov, V.M., Pritaka, I.P., Omel'chuk, A.A., Kalinovskii, Ya.A. Working conditions of 110/35/10 kV substations with triple-wound transformers 86–66120
Sin'kov, V.M. *see* Syaber, N.A. 85–32949
Sinkule, M.V., Rankin, W. NRC implementation of Vogtle Unit 1 readiness review pilot program 87–57779
Sinkyavichyus, V. *see* Bareika, B. 85–7409
Sinn, E. *see* Keszei, B. 87–73053
Sinn, E.-G. *see* Gamst, A. 86–43741
Sinnadurai, F.N., Saunders, A. A customer's view of hybrid technology 85–23301
Sinnadurai, F.N., Smail, D.J. The manufacture and reliability of the EPIC chip carrier 85–11741
Sinnadurai, F.N. *(editor)* Handbook of microelectronics packaging and interconnection technologies 86–7375
Sinnadurai, N. Advances in microelectronics packaging and interconnection technologies—towards the new generation of hybrid microelectronics 86–7527
Sinnadurai, N. EPIC, a cost-effective plastic chip carrier for VLSI packaging 86–40520
Sinnadurai, N. High reliability hybrid circuits for digital exchanges 86–55097
Sinnadurai, N., Cooper, K., Woodhouse, J. Assessing the joints in surface-mounted assemblies 86–41443
Sinnadurai, N., Cosma, M.T. Packages and interconnections 87–36497
Sinnadurai, N., Sutherland, R.R., Wilson, K.J. The influence of plastic encapsulation, overglaze, and voltage on anomalous behavior of thick-film resistors 85–50121
Sinnadurai, N. *see* Maunder, C. 85–10510, 85–33194
Sinnaeve, A., Willems, R., Stroobandt, R. Requirements of the ideal pacemaker lead 86–38822
Sinnaeve, J. *see* Miles, J.C.H. 87–29648
Sinnatt, J.F. Development of the Australian intercapital digital transmission network 88–59978
Sinnecker, G. *see* Bettge, H. 86–12972
Sinnema, S., Franse, J.J.M., Radwanski, R.J., Buschow, K.H.J., de Mooij, D.B. Magnetic measurement on $R_2Fe_{14}B$ and $R_2Co_{14}B$ compounds in high fields 86–15363
Sinnema, S. *see* Yang Fu-Ming 87–6996
Sinnema, W. Digital, analog, and data communication. Second edition 88–6155
Sinner, B. *see* Nilsson, T.R. 86–19679, 86–71165
Sinnidura, N. *see* Pearne, N. 86–10906
Sinnig, T. *see* Ehrke, H.-J. 86–4815
Sinnig, T. *see* Kuhlow, B. 87–61001
Sinnig, T. *see* Troller, G. 86–8700
Sinnis, C. *see* Resvanis, L.K. 88–54421
Sinnis, G. *see* Amendolia, S.R. 87–21426 to 21428
Sinno, K. *see* Minakoshi, H. 86–69737
Sinnott, D.H. Developments in military antennas 88–34407
Sinnott, R.D., Place, D.R., Thompson, W.I., III, Sunkenberg, H.A., Killian, J.D., Benham, G.O. Meteor burst communication with a buried antenna 86–30597
Sinnreich, H., Stom, D. System parameters and performance of high speed modems on analog radio 87–48895
Sinnreich, J. *see* Dwyer, J.P. 85–64579
Sinnwell, G. *see* Nerke, R. 85–52078
Sinoda, K. *see* Kaneko, S. 88–16956
Sinofsky, E. Comparative thermal modeling of Er:YAG, Ho:YAG and CO_2 laser pulses for tissue vaporization 88–16763
Sinofsky, E., Dumont, M. Measurement of laser beam spreading in biological tissue scattering 88–10330

Sinofsky, E., Hopf, F.A. Interferometrically measuring phase mismatch for second harmonic generation 85−62650
Sinofsky, E., Roth, L. Safety interlocking laser output prior to optical fiber burnback 87−42032
Sinofsky, E.L., Andrus, W.S. Calculated temperature distribution in a cylindrical tissue volume under laser irradiation below the vaporization threshold 88−10426
Sinohara, S., Fukuda, J., Takahashi, T., Yoshida, J., Hata, T. Evaluation of perpendicular magnetic recording Co-Cr films by CMF magnetron sputtering 88−44955
Sinolitsyi, A.F. *see* Oleinik, V.D. 87−79265
Sinomoto, M. *see* Kurokawa, S. 86−60427
Sinopoli, J. Management and user issues in multitenant communication systems 85−42363
Sinor, S.S. *see* Jackson, J.R. 88−60665
Sinor, T.W., Menzel, E.R. Endpoint detection for silicon wafer etching 88−19819
Sinoya, Y. *see* Tsutsumi, K. 86−63429
Sinozawa, K. *see* Shimada, R. 85−53767
Sinram, K., Grafen, A., Janzon, W., Werber, K. The influence of fine blanking on the magnetic properties of soft magnetic steel 88−68142
Sinram, K. *see* Hemmie, G. 86−31864
Sinram, K. *see* Kaul, O. 88−68155
Sinsawad, A. *see* Palayanon, V. 87−42406
Sinsky, A.I., Reed, J.E., Fee, J.J. Enhanced TCAS II tracking accuracy 86−18470
Sint, P.-P. *see* Bauer, J. 88−21492
Sinthenathan, R. *see* Prince, J. 87−45169
Sinton, A.M., Davey, B.L.K., Bates, R.H.T. Augmenting shift-and-add with zero-and-add 86−64345
Sinton, A.M., Seagar, A.D., Davis, A.M. Automated venous occlusion plethysmograph 88−61360
Sinton, A.M., Suntheralingam, R. Respiratory inductance plethysmography with an electrical impedance plethysmograph 88−42553
Sinton, R. *see* Kwark, Y.H. 85−55790
Sinton, R.A., Kwark, Y., Gan, J.Y., Swanson, R.M. 27.5-percent silicon concentrator solar cells 87−15970
Sinton, R.A., Kwark, Y., Gruenbaum, P., Swanson, R.M. Silicon point contact concentrator solar cells 87−4899
Sinton, R.A., Kwark, Y., Swirhun, S., Swanson, R.M. Silicon point contact concentrator solar cells 86−6998
Sinton, R.A., Swanson, R.M. Recombination in highly injected silicon [solar cells] 87−64812
Sinton, R.A., Swanson, R.M. Increased photogeneration in thin silicon concentrator solar cells 88−11382
Sinton, R.A., Swanson, R.M. Design criteria for Si point-contact concentrator solar cells 88−17933
Sinton, R.A., Swanson, R.M. Limiting recombination in Si concentrator solar cells 88−18047
Sinton, R.A., Swanson, R.M. An optimization study of Si point-contact concentrator solar cells 88−37556
Sinton, R.A. *see* Crane, R.A. 87−9802
Sinton, R.A. *see* Gruenbaum, P.E. 88−49130
Sinton, R.A. *see* King, R.R. 88−37552
Sinton, R.A. *see* Kwark, Y. 87−4959
Sinton, R.A. *see* Swanson, R.M. 88−18017
Sintonen, L. Use of the public circuit-switched data network in higher-level applications 86−37540
Sintorn, H. *see* Smith, D.A. 86−32914
Sintsov, V.N. *see* Pimenov, Yu.D. 85−46237
Sinttruyen, J.S.van *see* van Sinttruyen, J.S.
Sinuany-Stern, Z. *see* Lugasi, Y. 85−38737
Sinutko, M. Memory access to multiple-sensitivity information 87−52691
Sinvani, M. *see* Bornstein, A. 88−58116
Sinyagin, O.V. *see* Agrikov, Yu.M. 88−57468
Sinyagovskii, V.I. *see* Gelvich, E.A. 87−41995
Sinyakevich, B.G. *see* Golyshev, L.V. 86−39267
Sinyakin, A.F., Tikhomirova, G.P. Approximate method for calculating the resistance of AC current-carrying cores 85−43603
Sinyanskaya, L.A. *see* Svalov, G.G. 85−41082
Sinyatynskii, A.A., Shotov, A.P. Optical confinement in semiconductor $PbS_{1-x}Se_x$ lasers with a controlled profile of carrier concentration in the active region 85−51191
Sinyavskii, A.V. Sampled photodetector 87−41520
Sinyavskii, A.V. Time characteristics of an optical signal in a communications channel with scattering 88−34335
Sinyavskii, C.P. *see* Lyapin, V.P. 85−24908
Sinyavskii, D.V. *see* Alferov, Zh.I. 87−7379, 87−23661, 87−33202
Sinyavskii, D.V. *see* An, V.A. 87−39140
Sinyavskii, D.V. *see* Gladushchak, V.I. 88−45435
Sinyavskii, D.V. *see* Il'inskaya, N.D. 88−24739
Sinyavskii, D.V. *see* Karpov, S.Yu. 86−54149
Sinyavskii, G.P. *see* Gubskii, D.S. 85−1013
Sinyavskii, G.P. *see* Lyapin, V.P. 87−59830
Sinyavskii, G.P. *see* Sinel'nikov, Yu.M. 88−25497
Sinyavskii, T.I. *see* Kalashnikov, N.I. 87−21757
Sinyavskii, V.A. *see* Gurevich, M.K. 88−55435
Sinyavskii, V.M. *see* Nemirovskii, V.M. 86−31330
Sinyavskii, V.V. *see* Babushkin, Yu.V. 87−9874
Sinyavskii, V.V. *see* Mendel'baum, M.A. 85−39219
Sinyavskiy, G.P. *see* Lyapin, V.P. 86−22757
Sinyczek, R. Co-operation. Integrated circuit-board-repair and test-program-creation 88−1093
Sinyukov, M.P. *see* Neizvestnyi, I.G. 87−45629
Sinyukov, Yu.M. *see* Shelest, V.P. 87−56450
Sinyus, Ya. *see* Baltrameyunas, R. 88−50697
Sinyus, Ya. *see* Kazlauskene, V. 86−63703
Sinyuta, Yu.A. *see* Kozhukhar, A.F. 86−40280
Sinyutin, P.A., Trotsenko, A.A. Logic synthesis of a two-level adaptive transformer protection 88−30766
Sinyutin, P.A. *see* Polyakov, V.E. 88−5387
Siocos, C.A. Satellite FM television channel bandwidth 85−20115
Siocos, C.A. The International Telecommunication Union and broadcasting from satellites—a brief review 85−37160
Siodla, K. *see* Rakowska, A. 88−26614
Sioe Yao Kan, van Ruyven, L.J. Design considerations for a common weapon sight 88−20496
Siohan, P. Comparison of combinatorial and gradient methods for designing finite wordlength 2-D FIR digital filters 88−44309
Siohan, P., Benslimane, A. Design of linear phase finite impulse response digital filters with finite wordlength coefficients 85−6436
Siohan, P. *see* Benslimane, A. 87−17259
Siohan, P. *see* Choquet, B. 87−8434
Siohan, P. *see* Jaumard, B. 88−32333
Siok, C.J. *see* Austin, K.B. 87−50360
Siol, K. Revolution counter [with digital read-out] 85−16344
Siomalas, K.O., Bowen, B.A. A proposal for very high performance FFT processor architectures 86−16441
Siomalas, K.O., Bowen, B.A. Synthesis of efficient pipelined architectures for implementing DSP operations 86−29853
Sion, E. US domestic satellite transponder activity survey 87−76680
Sion, E. Suppressed demand in telecommunication systems 88−59445
Sion, E., Mathur, U. Optimum satellite home receiving antenna size a *C* band 87−47312
Sioshansi, F.P. The pros and cons of spot pricing—electric utility perspective 88−75088
Sioshansi, F.P. *see* Grusky, S.T. 88−10748
Sioshansi, F.P. *see* Straughan, I.R. 85−59646
Sioshansi, P. *see* Bunker, S.N. 87−53364, 87−60184, 88−44605
Siotis, I. *see* Albrow, M.G. 87−41857
Siotis, I. *see* Barber, G. 87−29555
Siotis, I. *see* Hall, G. 86−50341, 86−50373, 87−29553
Sipailov, G.A., Frankovskii, B.A. Joint action of a pulse generator and a capacitive battery 85−33719
Sipailov, G.A., Rikkonen, S.V., Verkhoturov, A.I. Experimental study of dynamic operating conditions of synchronous double-fed vibrator motors 85−43947
Sipailov, G.A. *see* Chuchalin, A.I. 88−24045
Sipala, P. *see* Luk, W.K. 87−59079, 87−74357
Sipala, P. *see* Tamminen, M. 86−57516
Sipe, J.E., Young, J.F., Van Driel, H.M. On the origin of lamellae-like inhomogeneities in coupled laser-semiconductor interactions 85−50455
Sipe, J.E. *see* Mizrahi, V. 88−45546, 88−72014
Sipe, J.E. *see* Preston, J.S. 85−12095
Sipe, J.E. *see* Puccioni, G.P. 87−38969
Sipe, J.E. *see* Tratnik, M.V. 86−9715, 86−68578
Sipek, E. *see* Dinsel, S. 85−58295, 85−63806
Sipek, E. *see* Nesladek, M. 87−45540
Sipek, E. *see* Vanecek, M. 87−46652, 88−14017
Sipenko, S.M. *see* Popovich, N.G. 85−7159
Siperko, C.M. LaserNet—a fiber optic intrastate network (planning and engineering considerations) 85−47518
Sipes, D.L. Highly efficient neodymium: yttrium aluminium garnet laser end pumped by a semiconductor laser array 85−56585
Sipes, D.L., Jr. Nd:YAG end pumped by semiconductor laser arrays for free space optical communications 86−29169
Sipes, D.L., Jr. Mars to Earth optical communication link for the proposed Mars Sample return mission roving vehicle 87−20519
Sipes, J.D. Software design principles for the 5ESS switching system: a distributed real-time switching system 85−47337
Sipes, K.L., Nelson, T.T. Binary geothermal plant cycle breaks new ground in Southern California 87−4602
Sipila, H.T., Heselius, S.-J., Saarni, H.K., Ahlfors, T. A compact low-voltage ionization chamber for monitoring positron- and photon-emitters in flowing gases 85−64481
Sipila, K. Heat storage in Kuopio's district heating system 85−48857
Sipila, M.T.A., Arndt, F., Tucholke, U., Wriedt, T., Patzelt, H. Comments on 'Double-plane steps in rectangular waveguides and their application for transformers, irises, and filters' [and reply] 86−22750
Siping Liu *see* Liu Siping
Sipkema, P. *see* Heemels, J.P. 86−38761
Siplivyi, B.N. Mathematical modeling of electrophysical processes in the channels of induction MHD devices 88−75949
Siplivyi, B.N., Tolmach, I.M. Role of longitudinal end effects in integral characteristics of linear MHD induction machines 86−7161
Siplivyi, B.N. *see* Petrov, V.F. 85−32486, 86−19305
Siplivyi, B.V. *see* Ershov, Yu.K. 87−64594
Sipocz, I. *see* Zakarias, L. 85−47425
Sipola, M. *see* Juntunen, T. 88−71658
Siponmaa, E. *see* Lignell, E. 86−45685
Sipos, M. Aluminium or copper [conductors] 88−49281
Sippach, F.W. An analog CCD pipeline for ZEUS 88−29912
Sippel, R. *see* Wagner, R. 87−12844
Sippel, T. *see* Bantel, T. 87−15021
SippensGroenewegen, A., Reek, E.J., Spekhorst, H., Broekhuijsen, P., Smit, H.W., Grimbergen, K.A. A venturi suction electrode array for clinical body surface mapping 87−4001
SippensGroenewegen, A., Spekhorst, H., Hauer, R.N.W., van Hemel, N.M., Broekhuijsen, P., Dunning, A.J. A radiotransparent carbon electrode array for body surface mapping during cardiac catheterization 88−36490
Sippensgroenewegen, A. *see* Spekhorst, H. 88−54555
Sipress, J.M. Application of digital and lightwave technology to undersea communications 85−47543
Sipress, J.M. Undersea cable goes digital and lightwave 86−11091
Sipser, M. *see* Bui, T. 85−33299
Sipser, M. *see* Papadimitriou, C.H. 85−3161
Sipu Fan *see* Fan Sipu
Sipunov, F.I. *see* Gulyaev, V.N. 87−42577
Siqueira, G.L. *see* Cole, R.S. 86−36725, 88−28728, 88−66054
Siqueira, G.L. *see* Sarma, A.D. 86−63948
Siqueira Campos Araujo, M.de *see* de Siqueira Campos Araujo, M.
Sira, T. *see* Innvaer, R. 88−18236
Sira, T. *see* Ronquist, E.M. 85−7584, 85−24696
Sira-Ramirez, H. Sliding motions in bilinear switched networks 87−73264
Sira-Ramirez, H. Sliding regimes in analog signal encoding and delta modulation circuits 88−34554
Sira-Ramirez, H. A geometric approach to pulse-width-modulated control design [power converters] 88−43317
Sira-Ramirez, H. Sliding-mode control on slow manifolds of DC-to-DC power converters 88−55463
Siracusa, M. *see* Chi, T.Y. 88−19407
Siracusa, M. *see* Kanber, H. 85−55802
Siracusa, M. *see* Liu, L.C.T. 85−61462
Siracusa, M. *see* Shing-kuo Wang 86−27601
Siracusa, M. *see* Wang, S.K. 87−993
Siracusa, R. *see* Keith, M. 85−3104
Siracusa, S. *see* Corvino, A. 87−35452
Sirae, K. *see* Chihara, K. 85−38131
Siraga, Y. *see* Umeda, H. 85−61152
Sirahuji, Y. *see* Enokizono, M. 88−39791
Sirai, A. *see* Yoshikawa, A. 86−57475
Sirai, Y. *see* Nomura, S. 88−4497
Sirajuddin, M. *see* Ali, S.W. 87−72250
Sirakura, Y. *see* Nakahara, K. 85−44194
Siraky, J. Synchronous serial interface aids absolute encoders 88−46757
Siraky, J. Brushless photoelectric tacoder 88−74434
Siraky, J. Synchronous serial interface (SSI) [angle encoders] 88−75578
Siraky, J. *see* Bergmann, G. 88−30048
Siran, J., Skoviera, M. Quotients of connected regular graphs of even degree 86−329
Siran, J. *see* Horak, P. 87−23476
Siran, J. *see* Maly, O. 87−33922
Siran, J. *see* Porizek, R. 87−2442
Sirany, R., Yitref, M. Batch fermentation pH measurement 86−24827
Sirasu, T. *see* Nishizawa, T. 87−46278
Sirat, G., Fisher, Y., Ben-Yosef, N. A piezoelectric-elastooptic space to frequency converter 85−12653
Sirat, G., Psaltis, D. Conoscopic holography 85−24681
Sirat, G., Psaltis, D. Conoscopic holography 86−10005
Sirat, G., Psaltis, D., Charlot, D. Conoscopic holograms 87−47015
Sirat, G. *see* Charlot, D. 88−65879
Sirat, G. *see* Psaltis, D. 85−12683, 85−24348
Sirat, G.Y., Ben-Yosef, N. Piezoelectric elastooptic-space-to-temporal-frequency converter image processing 87−53834
Sirat, G.Y., Psaltis, D. Conoscopic holograms 88−34147
Sirava, T.N. *see* Tarbeev, Yu.V. 86−44106

Siraya, T.N. *see* Granovskii, V.A. 87−28888
Siraya, T.N. *see* Muginova, G.D. 88−4261
Sirazetdinov, M.M. Method of designing linear displacement transducers with low-capacitance sensor 88−35929
Sirazetdinov, V.S. *see* Alekseev, V.N. 88−8285
Sirazetdinov, V.S. *see* Golubev, V.V. 88−20723
Sirazi, S., Thomas, W., Rossen, T. Two-way cable system using residential CATV facilities 85−37304
Sirazi, S. *see* Krystosek, P. 88−3616
Sirazi, S.D., Dranter, R.A. Interconnectivity and an integrated-system solution 87−55591
Sirbegovic, S. *see* Komljenovic, M. 87−49464
Sirbu, M. The attenuation factor determination of the gamma exposure rate with distance, in the case of a spherical radioactive source 86−5732
Sirbu, M. Neutron detectors 87−8861
Sirbu, M.A., Zwimpfer, L.E. Standards setting for computer communication: the case of X.25 85−42257
Sirbu, M.A., Jr., Sutherland, J.B. Naming and directory issues in message transfer systems 85−25348
Sirbu, M.A., Jr. *see* Estrin, D.L. 85−20356
Sirc, G. Projections on the networked writing classroom 88−93
Sircar, P. Excimer laser annealed gold and silver ohmic contacts on n$^+$-GaAs 87−6463
Sircar, P. Laser and furnace annealed Au, Ag and Al ohmic contacts on n$^+$-GaAs 87−74113
Sircar, P., Aubin, M. Pulsed UV laser processed gold and aluminum Ohmic contacts on n$^+$-GaAs 85−12008
Sircar, P., Sarkar, T.K. System identification from nonuniformly spaced signal measurements 88−52465
Sire, A. *see* Cheron, H. 86−4360
Sire, A. *see* de Passoz, G. 85−63413
Sire, A. *see* Point, B. 85−3270
Sire, G., Gerlach, P., Kalfon, C., Onodera, T., Ueda, K., Asai, K., Mutoh, T., Iiyoshi, A., Uo, K. Design of the high final stage amplifier of the Heliotron-E for ICRH at Kyoto University 85−611
Sire, G. *see* Gerlach, P. 87−11289
Sire, P. *see* Cribier, M. 88−29784
Siren, L. Optical cables 87−13679
Siren, L. Optical cables in power utility applications 88−73973
Sirenko, Yu.K. Resonance scattering of inhomogeneous plane waves by reflecting gratings 87−7513
Sirenko, Yu.K., Shestopalov, V.P., Yashina, N.P. Free oscillations in a coaxial-waveguide resonator 88−66153
Sirenko, Yu.K. *see* Kirilenko, A.A. 85−41683, 86−63955, 87−68837
Siret, F. *see* Mayousse, C. 88−32455
Siri, A. *see* Barone, A. 85−37903
Siri, A. *see* Matacotta, F.C. 88−1894
Siri, A.S. *see* Bracco, R. 87−67282
Siri, K., Wai-kai Chen On the design of low-pass transmission power amplifiers 86−57691
Siri, K. *see* Lee, C.Q. 86−52647, 87−31697
Siri, S. *see* Barone, A. 85−48184
Siri-Upathum, C. *see* Saisomboon, S. 88−10261
Sirico, J. *see* Goodman, W. 85−39554
Sirico, J.L. *see* Goodman, W.A. 85−11789
Sirieix, M.M. IR focal plane arrays application and system design 88−74475
Sirik, V.N. *see* Medved', O.E. 86−61935
Sirinaovakul, B., Czajkiewicz, Z. Modelling a spatial diffusion of innovation: a new perspective 88−43660
Sirinyan, K. *see* Wolf, G.D. 85−6026
Siripala, W., Jayakody, J.R.P. Observation of n-type photoconductivity in electrodeposited copper oxide film electrodes in a photoelectrochemical cell 87−9703
Sirisena, H.R., Brown, E.P.M. Inclusion of HVDC links in AC power system stochastic load flow analysis 85−43579
Sirisena, H.R., Brown, E.P.M. Composite hydroelectric energy system state estimation 87−72054
Sirisena, H.R., Gleadow, J.C. Modern control theory applied to power-frequency control of HVDC links 85−32116
Sirisena, H.R. *see* Ang, B.W. 87−64109
Sirisena, H.R. *see* Brown, E.P.M. 87−71509
Sirisena, H.R. *see* Halliburton, T.S. 85−53595
Sirisena, H.R. *see* Walker, M.K.R. 87−65403
Sirivadhna, K., Miles, A.R. Flux density calculation for a twin-spherical motor 87−22433
Sirjani, A., Cross, G.R. An algorithm for polygonal approximation of a digital object 88−66653
Sirk, A., Pikkov, V., Lippmaa, E. An automated air monitoring station for background measurements 87−57413
Sirkar, S.De *see* De Sirkar, S.
Sirkin, E. *see* Shacham-Diamand, Y. 88−38524
Sirkis, J. Interferometric optical fiber strain sensor under biaxial loading 88−67844
Sirkis, J.S., Taylor, C.E. Interferometric-fiber-optic strain sensor 88−67812
Sirkis, M.D., Conrad, G.W. Heating of low-resistivity semiconductor ribbons and wafers with traveling microwaves 87−24997
Sirkova, I., Popov, A., Mihalev, M. The influence of sea surface on the radiowave propagation conditions in the evaporation ducts 88−66057
Sirlin, S.W. *see* Blackwell, C.C. 88−68515
Sirlin, S.W. *see* Laskin, R.A. 85−38295, 86−70455
Sirmulis, E. *see* Asmontas, S. 86−21204, 86−36301
Sirochenko, V.P. *see* Azjazov, V.N. 86−3058
Sirohi, R.S. *see* Ganesan, A.R. 88−59188
Sirohi, R.S. *see* Parthiban, V. 88−14293
Sirohi, R.S. *see* Venkateswara Rao, V. 85−63107, 86−69141, 87−39911
Sirohi, R.Singh *see* Singh Sirohi, R.
Sirois, R.H., Furman, G. Acid dewpoint: new concern for an old problem in fossil plant design 87−78517
Sirois, Y. *see* Akesson, T. 88−22918, 88−68271
Sirois, Y. *see* Leroy, C. 87−14726
Siroklin, A.A. *see* Kolchina, G.A. 87−68224
Sirokorad, J. Automating equipment for steam and gas turbines 85−43878
Siroky, P. *see* Valiev, U.V. 88−58325
Siromakhov, B., Savadzhiev, K. Basic calculation procedures for determining the optimum spacing of pylons along the path of an overhead power transmission line 87−42489
Siromoney, G. *see* Chandrasekaran, R. 85−41964
Siromoney, G. *see* Siromoney, R. 86−48756
Siromoney, R., Siromoney, G. A public key cryptosystem that defies cryptanalysis 86−48756
Siromoney, R., Subramanian, K.G., Jeyanthi, A. Cryptosystems for picture languages 88−72776
Siron, P. *see* Churoux, P. 88−60172
Siron, P. *see* Comte, D. 88−8018
Sironi, S. *see* Bobbio, A. 86−66388
Sirota, A.A. Analysis of losses with incomplete allowance for the correlation structure of noise in the process of reception of signals with random phase 88−21177
Sirota, A.A. *see* Rog, A.I. 86−23058, 86−37063, 87−47713
Sirota, A.M., Latunin, V.I., Donnikov, V.E. Measuring the electrode potentials of steel in a flow of demineralised water at temperatures up to 150°C 87−71931
Sirota, D.N. *see* Yamshchikov, V.S. 87−31595
Sirota, I.M. On conditions of the neutral of 6-35 kV networks 88−68863
Sirota, I.M., Bogachenko, A.E., Maslyanik, V.V. On the operating principle and selectivity of devices for protection from short-circuits to earth in power distribution networks of increased danger 85−43653
Sirota, I.M., Bogachenko, A.E., Maslyanik, V.V. Transient processes during a short-circuit to earth in a network with an arc-suppressing reactor 86−6413
Sirota, I.M., Bogachenko, A.E., Maslyanik, V.V. On the sensitivity of devices for protection against short circuits to earth in distribution networks with increased danger 86−12512
Sirota, I.M., Fabrikant, V.L. Current converter circuit analysis taking the load into account [relay protection] 85−32584
Sirota, I.M. *see* Yagudaev, B.M. 87−21970
Sirota, J.M., Christiansen, W.H. Lasing in N_2O and CO_2 isotope mixtures pumped by blackbody radiation 86−22287
Sirota, T.V. *see* Poberovskii, A.V. 88−42650
Sirotic, D. *see* Pasalic, N. 85−39351
Sirotic, Z., Jaric, V. Output limits of hydroelectric generators in consideration of mechanical stresses of critical rotor parts 86−61481
Sirotic, Z. *see* Gavric, L. 88−11205
Sirotin, A.A., Pozdeev, D.A. Sensitivity of a drive to parameter changes in a flexible actuating mechanism 86−51941
Sirotin, A.A., Pozdeev, D.A. Synthesis of servodrives for machine tools with elastic actuating mechanisms 87−9965
Sirotin, A.A., Pozdeev, D.A. Effect of parameters of a flexible actuating mechanism on the quality of transients in a servo drive 87−22424
Sirotin, F.L., Lubnevskii, G.E., Nizhnikov, V.V. Estimating the error of the standard channel in ultrasonic rangefinders with various types of circuits 87−34664
Sirotin, V.I. Variable power supply for photomultipliers 87−65834
Sirotina, V.M. *see* Shcherbich, V.I. 86−33047
Sirotinin, E.I. *see* Almazov, A.V. 88−68114
Sirotinin, E.I. *see* Dzagurov, O.B. 88−29733
Sirotinskii, M.S. *see* Paton, B.E. 85−16473
Sirotkin, A.A. *see* Apollonov, V.V. 85−35700, 86−9739, 86−48338, 87−33113, 87−61101
Sirotkin, A.L. *see* Krasnik, E.V. 88−26549
Sirotkin, A.P. *see* Adamov, E.O. 88−30510
Sirotkin, A.P. *see* Markin, V.V. 86−38026
Sirotkin, A.P. *see* Markin, W.W. 86−11244
Sirotkin, A.P. *see* Maslennikov, V.V. 88−25321
Sirotkin, O.L. *see* Golubentsev, A.F. 86−1616
Sirotti, F. *see* Morten, B. 88−44495
Sirotti, P., Rizzatto, G. Coherent optical texture recognition of digital ultrasonic images 85−7929
Sirotti, P., Rizzatto, G. Joint Fourier transform tissue characterization of liver ultrasonic scans 86−5927
Sirotti, P., Rizzatto, G. Coherent optical-digital liver echotexture classification 86−32300
Sirotti, P., Rizzatto, G., Di Stefano, E. Optical-digital joint Fourier transform classification of liver echotexture 87−19918
Sirotyuk, L.T. Controlled electric drive for a gantry crane with 6.3 t load capacity 85−22047
Sirotyuk, M.G. *see* Belikov, V.G. 88−70380
Sirou, M. *see* Sabrie, J.L. 87−38706
Siroux, J., Gillet, D. A system for man-machine communication using speech 86−22957
Siroux, J. *see* Guyomard, M. 88−72905
Sirovica, D. *see* Halsall, F. 85−63364, 87−27770
Sirovica, D. *see* Malcolm, J.A. 88−67078
Sirovich, F. *see* Malatesta, G. 85−19879
Sirox, J. *see* Bigorgne, D. 88−66404
Sirr, S.A. *see* Morin, R.L. 85−9144
Sirtl, E. Milestones in silicon semiconductor technology 86−1939
Sirtl, E. *see* Dietl, J. 88−32979
Sirtl, E. *see* Helmreich, D. 87−24760
Sirtl, E. *see* Holm, C. 85−10741
Sirutkaitis, V. *see* Bareika, B. 85−7409
Sirutkaitis, V. *see* Danelyus, R. 86−29111, 87−46974
Sirutkaitis, V. *see* Ionushauskas, G. 88−45543
Sirutkaitis, V. *see* Piskarskas, A. 85−24521
Sirutkaitis, V. *see* Vasilyauskas, V. 86−63861, 87−75235
Sirutkaitis, V.A. *see* Bareika, B.F. 87−19046
Sirutkaitis, V.A. *see* Nedbaev, N.Ya. 88−72392
Siry, R. *see* Gortz, H. 87−69457
Siryapina, L.A., Margulova, T.Kh. Improving the effectiveness of blowdown for the steam generators of nuclear power stations with water-moderated water-cooled reactors 85−48707
Siryapina, L.A., Margulova, T.Kh. Improving the cleaning of blowdown water of the steam generators of nuclear power stations with water-moderated water-cooled reactors 86−32955
Sisa, E.M. 17 MW high speed current source converter drives 88−24296
Sisak, F. *see* Saal, C. 86−61765
Sisak, S. *see* Quateman, J.H. 88−1438
Sisakyan, E.V., Shvartsburg, A.B., Chimakadze, G.N. Resonance magnetic modulation of submillimeter radio waves in a semiconductor plasma 85−1318
Sisakyan, E.V. *see* Karlov, N.V. 86−2054, 88−24756
Sisakyan, I.N., Shvartsburg, A.B. Nonlinear dynamics of picosecond pulses in fiber-optic waveguides (review) 85−35498
Sisakyan, I.N. *see* Akopyan, V.S. 85−59338
Sisakyan, I.N. *see* Demchuk, M.I. 85−41513, 86−63630
Sisakyan, I.N. *see* Demchyuk, M.I. 85−12833
Sisakyan, I.N. *see* Dokhikyan, R.G. 85−18747
Sisakyan, I.N. *see* Golub, M.A. 85−35501
Sisakyan, I.N. *see* Goncharskii, A.V. 85−2382, 85−12914, 87−7466
Sisakyan, I.N. *see* Klovskii, D.D. 88−45129
Sisakyan, I.N. *see* Krivoshlykov, S.G. 86−53985, 87−7155, 87−68114
Sisakyan, N.N. *see* Krivoshlykov, S.G. 86−36193
Sischka, F. Microwatt operational amplifier for monocell powering 85−22666
Sischka, F. A method to determine the SPICE-parameters for bipolar junction transistors 85−55776
Sischka, F. Well coded is quickly measured. [Fibre optics test equipment] 88−33613
Sischy, B. *see* Tobochnik, N. 87−57248
Sishkov, N.M. *see* Geiderman, Zh.P. 86−25645
Sisina, V.M. *see* Izidinov, S.O. 85−45484
Sisk, D.R. *see* Swinth, K.L. 88−61479
Siska, M. *see* Kostal, A. 85−45963, 86−63537
Siskel, R.L., Sims, C.S., Swaja, R. A comparative study of three types of civil defense high-range pocket dosimeters 87−63861
Siskos, S., Fontaine, C., Munoz-Yague, A. Epitaxial growth of lattice-matched $Ca_xSr_{1-x}F_2$ on (100) and (110) GaAs substrates 85−388
Siskos, S. *see* Fontaine, C. 86−453
Siskov, V.S., Coporski, N.I., Altmann, S. The influence of the operating condition of electric power plants on the reliability of electric power distribution 86−12532
Sisle, M.E. *see* Powers, S.J. 88−68705
Sisler, M. A multi-parametric iteration procedure for systems of linear equations with a thin matrix 87−44185
Sismilich, R.C. *see* Rothschild, C.J., III 86−60113
Sisodia, M.L. *see* Khanna, P.K. 87−52889, 87−66329, 88−7081
Sisolefsky, B., Thomas, H. Computer-aided industrial measurement technique for the application in the production of thin-film hybrid circuits 85−60749
Sisolefsky, B. *see* Augustin, E. 86−20336
Sison, A.X. *see* Carney, M.J. 88−5582
Sissakian, I.N. *see* Garitchev, V.P. 86−9516
Sissakian, I.N. *see* Krivoshlykov, S.G. 85−56332
Sissener, M. *see* Pastell, M.J. 86−33130

Sissoko, G., Kane, M., Mialhe, P. Photovoltaic cells in a transient regime: measurement of carrier lifetime 88−20504
Sissoko, G. *see* Mialhe, P. 87−58323
Sisson, J.C. *see* Arnstein, N.B. 87−50271
Sisson, R.D., Jr. *see* Oparowski, J.M. 88−18733
Sistanizadeh, M.K., Yu, K. Constraint optimization filter design for radar target enhancement 87−27441
Sistanizadeh, M.K., Yu, K.-B. Detection of fixed target in *K*-distributed sea clutter 87−75952
Sistanizadeh, M.K. *see* Moose, R.L. 87−34663, 87−69118
Sistanizadeh, M.K. *see* Yu, K. 87−27440
Sistemich, K. *see* Borgs, J.W. 87−67982, 87−71050
Sistere, F. *see* Marti, R. 87−48619
Sistla, S. *see* Standish, W.P. 87−76135
Sistler, F.E. *see* Tappan, J.H. 88−14756
Sisto, R. Metastability of digital circuits 87−52685
Sisunenko, O.I. *see* Shidlovskii, A.K. 86−66136
Sitakaze, S. *see* Harada, A. 87−51655
Sitar, B. New directions in the development of drift chambers 88−54435
Sitar, B. *see* Antyukhov, V.A. 86−60637
Sitar, B. *see* Bitsadze, G.S. 87−3891
Sitar, B. *see* Budagov, Yu.A. 85−9080, 85−37546, 85−59184, 85−64459, 87−50140, 88−16024
Sitar, B. *see* Hlinka, V. 87−8837
Sitar, I., Ivankovic, I. Cast-resin power transformers [transformer windings] 85−32555
Sitar, Z. *see* Paisley, M.J. 88−63331
Sitaram, D. The inconsistency index method for estimating the accuracy of Schweitzer's approximation 88−18553
Sitarama Raju, D., Sreehari Rao, C., Shrivastava, S.K. Short arc orbit determination using interferometer phase angle rate data for low Earth orbits 88−60299
Sitaramachandrarao, R. *see* Chidambaraswamy, J. 87−58845
Sitaramachandrarao, R. *see* Pettet, M.R. 87−36597
Sitarik, J.P. *see* Burman, D.Y. 87−23303
Sitarik, J.P. *see* Neve, J.M. 88−32681
Sitarskii, K.Yu. *see* Gusovskii, D.D. 88−20363
Sitarskii, K.Yu. *see* Maier, A.A. 88−20737, 88−26852, 88−51934
Sitas, V.I. *see* Sokolov, K.Yu. 86−39310
Sitati, R.N. Deregulation: consequences for developing countries 88−21454
Sitbon, C. *see* Desrosiers, B. 87−44919, 87−52647
Sitbon, S., Gasmi, F., Castanie, F., Carillo, J.P., Perisse, J., Moog, J.J. Classification and assistance with diagnosis in EMG 88−23093
Sitbon, S. *see* Castanie, F. 88−42561
Sitch, J. Comparison of field-effect transistor logic families for a GaAs depletion-mode metal semiconductor field-effect transistor 88−32090
Sitch, J.E. Microwave semiconductors devices 85−34897
Sitch, J.E. *see* Cudd, P.A. 85−30065, 86−41372
Sitch, J.E. *see* David, J.P.R. 86−9090
Sitch, J.E. *see* Kendall, P.C. 85−35477
Sitch, J.E. *see* Li Kam Wa, P. 85−18679
Sitch, J.E. *see* Newcombe, L.A. 85−28329
Sitchikhin, Yu.V. *see* Shchutskii, V.I. 86−57158
Sitdikov, A.M., Lur'e, A.M. Noise-immune oscilloscope synchronizer 86−44239
Sitek, S. *see* Kijak, S. 85−19932
Sitek, W. Effect of location of a cavity on partial discharge development 86−28539
Sitenkov, Yu.L. Current commutator for generator with inductive storage device 88−32000
Sitenkov, Yu.L., Khokhlov, Yu.M. Transmitted-power meter for production CO_2 laser 86−15756
Sites, J.R., Gilstrap, P., Rujkorakarn, R. Ion beam sputter deposition of optical coatings 85−7199
Sites, J.R., Hollingsworth, R.E. Photoluminescence in polycrystalline $CuInSe_2$ solar cells 88−5874
Sites, J.R., Mauk, P.H., Jacobson, R.D. Reflection loss from polycrystalline $CuInSe_2$ solar cells 88−37514
Sites, J.R. *see* Hollingsworth, R.E. 85−27645, 86−7150, 86−66342, 87−9856
Sites, J.R. *see* Patel, D. 87−21226, 87−60085
Sites, J.R. *see* Tavakolian, H. 87−9815
Sites, K.R. Shock and particle motion measurements in Yuma soil 86−60389
Sites, M.J. *see* Kolavennu, V.R. 87−40833
Sites, R.L. *see* Brown, J.F., III 85−39975
Sitges, M. *see* Amado, J.B. 86−38824
Sitharama Iyengar, S. *see* Gautier, N.K. 85−51700
Sitin, A.P. *see* Abramovich, R.D. 86−33271
Siting Wang *see* Wang Siting
Sitkin, Yu.V. *see* Ivanov, S.L. 86−17772
Sitko, S.J. Constant-temperature modular anemometer, type SAM 86−60385
Sit'ko, S.P. *see* Andreev, E.A. 86−5918, 86−50450
Sitler, W.R., Wong, D.M. Design of early error detection for memory 85−40085
Sitnichenko, V.M., Chevalkov, O.V., Kovalenko, S.P. Device for matching tracking electrical drive with source of test signals 86−40204
Sitnichenko, V.M. *see* Boshernitsan, E.S. 85−64302
Sitnichenko, V.M. *see* Gol'ts, M.E. 87−51516
Sitnik, D.N. *see* Kotov, I.R. 88−46187
Sitnik, D.N. *see* Nagibina, I.M. 86−9977
Sitnik, N.A. *see* Pimenov, Yu.D. 85−46237
Sitnik, N.Kh., Syrkin, B.L. Asynchronous traction motor for rolling stock of an underground railway 87−5026
Sitnik, T.A. *see* Philipp, H.R. 86−36112
Sitnikov, A.M. *see* Kasatkin, V.V. 87−46682
Sitnikov, I.A. *see* Shabalov, D.V. 88−6249
Sitnikov, L.L. *see* Rybov, V.M. 87−36832
Sitnikov, L.S. *see* Grinberg, K.V. 85−64702
Sitnikov, L.S. *see* Verzhbitskaya, A.I. 86−38210
Sitnikov, V.F., Khruslov, L.L. Comparison of transistor and magnetic switches for pulse stabilisers 88−56442
Sitnikov, V.F. *see* Kostyukhin, S.L. 87−9934
Sitnikov, Yu.M. *see* Ermakov, V.S. 87−77318
Sitnyakovskiy, I.V. *see* Maglitzkiy, V.N. 87−55862
Sitnyakovskiy, I.V. *see* Nekhayev, A.L. 86−17056
Sitnyakovskiy, I.V. *see* Pertseva, V.A. 88−8669
Sitnyakovskiy, I.V. *see* Zvonkovich, V.R. 87−55013
Sitnyanskii, A.I. *see* Monchares, V.Ya. 87−4607
Sitnyanskii, B.D. Characteristics of aperture antenna with a composite amplitude distribution 87−33502
Sitomer, J. *see* Tehrani, S. 88−10344
Sitte, W., Weppner, W. Investigation of ternary lithium intermetallic systems as solid state cathode materials 86−66246
Sitter, H. Hot-wall epitaxy of IV-VI compounds 85−33467
Sitter, H., Lischka, K., Faschinger, W., Wolfrum, J., Pascher, H., Pautrat, J.L. Growth and characterization of high-quality CdTe epilayers on GaAs substrates by hot-wall epitaxy 88−31784
Sitter, H., Schikora, D. Investigations of the initial stage of the epitaxial growth of CdTe layers 85−5997
Sitter, H. *see* Easchinger, W. 87−67093
Sitter, H. *see* Fantner, E.J. 88−6486
Sitter, H. *see* Faschinger, W. 88−44655
Sitter, H. *see* Humenberger, J. 86−7782
Sitter, H. *see* Pongratz, P. 87−31525
Sitter, H. *see* Sadeghi, M. 85−39749
Sitter, H. *see* Schikora, D. 86−52442
Sitterle, J.J., Claspy, P.C., Merat, F.L. Computer simulation of atmospherically corrupted signals at the focal plane of a parabolic antenna 88−66044
Sitterle, J.J., Manning, R.M., Claspy, P.C., Merat, F.L. Near-millimeter wave propagation instrumentation 86−38306
Sitterle, J.J., Podany, M.E., Galm, J.M., Claspy, P.C., Merat, F.L. A meteorological data-acquisition system for atmospheric propagation studies 88−74970
Sitters, E.F., Cordfunke, E.H.P. Investigation into alternative electrode materials for molten carbonate fuel cells 88−62580
Sittig, J.M. *see* Nelson, G.L. 88−53227, 88−65399
Sittig, R., Ruegg, A. Prospects for the continuing development of power semiconductor devices 85−5164
Sittig, R. *see* Stoisiek, M. 87−53736
Sittig, R. *see* Whiteside, F. 87−17072
Sittig, U. *see* Wilhelm, W. 86−58674
Sittkus, A. *see* Kromer, B. 86−32185
Sitton, W.H. Cost-effective equipment upgrades SCADA capabilities [for power systems] 88−48499
Situmorang, M., Goldsmid, H.J. Anisotropy of the Seebeck coefficient in bismuth telluride 86−41564
Sitzer, M.M. *see* Yemel'Yanov, N.P. 88−10855
Sitzia, A., Chalmers, B.J. Brushless DC motors with slotless stator 88−17637
Sitzia, A.M., Chalmers, B.J. Electromagnetic design of brushless DC motor with slotless stator 88−17646
Sitzlach, G. *see* Scheieder, N.F. 86−17145
Sitzlach, G. *see* Schneider, N.F. 85−42230
Sitzmann, J. *see* Hatty, B. 87−55236
Siu, A.Kam *see* Kam Siu, A.
Siu, B. *see* Kaizuka, H. 88−62551
Siu, B. *see* Ting, C.H. 87−17880
Siu, B. *see* Tzeng, J.C. 87−53728
Siu, B.B. *see* Baerg, W. 86−28327
Siu, C.-P. *see* Neogy, R. 88−61523
Siu, D. Realization of an exact 5-pole elliptic function filter employing dielectric loaded triple-dual-mode cavity structure 87−6054
Siu, D. *see* Tang, W.C. 86−11040
Siu, D.Chi *see* Chi Siu, D.
Siu, D.P. *see* Ch'en, D. 85−12366
Siu, E.K.M. *see* Mandelis, A. 88−26294
Siu, N., Apostolakis, G. Modeling the detection and suppression of fires in nuclear power plants 85−43777
Siu, N. *see* Chung, G. 85−38738
Siu, S., Jaw, B.Y., Wu, J., Chiu, W.J., Jaw, G.J. Analysis of the maximum tolerable input jitter in a chain of digital regenerators 87−37071
Siu, S. *see* Chiu, W.-J. 88−2966
Siu, T. *see* Reiss, W.T. 86−67344
Siu, W. A 1 μm CMOS technology optimized for 1 Megabit dRAMs 86−41973
Siu, W., Chen, C. A new technique for symbolic function generation using number theoretic transform 86−61995
Siu, W., Constantinides, A.G. Realisations of cyclic convolutions using Mersenne number transforms 86−59297
Siu, W.-C. A nesting algorithm for very fast discrete Fourier transforms 88−70298
Siu, W.-C., Constantinides, A.G. A hardware efficient realisation of number theoretic convolvers 87−19747
Siu Wan-Chi *see* Wan-Chi Siu
Siu-Cheong So *see* Shehadeh, N.M. 87−27119
Siu-Kay Chow Detection of signals with frequency-shifted replicas 86−54503
Siu-Kee Chan *see* Fu, J.W. 87−42670
Siu-Ming Ng *see* Tomek, I. 88−70479
Siuda, K. Technological measures for secure transmission of information in future telecommunications networks (ISDN) 86−30165
Siuda, K. Security services in telecommunications networks 88−59462
Siuda, K. *see* Marti, M. 86−64573, 86−69325, 87−2728, 87−13213, 87−48471
Siuda, P. Problems of residual chlorine measurements in treated water by means of a platinum-iodide electrode 88−4682
Siudakiewicz, M. Injection moulding of permanent magnets and ferrite cores 85−56126
Siuling Cheng *see* Kai-Bor Yu 86−16402
Siuta, V.P. *see* Bacher, R.J. 86−62966
Siuta, V.P. *see* Button, D.P. 87−24642
Siuzdak, J. A noise resistant phasemeter with synchronous detection 85−14864
Siuzdak, J. Influence of atmospheric turbulence on light propagation 85−51451
Siuzdak, J. Phase estimation of harmonic signal in presence of noise and amplitude fluctuation 85−52838
Siuzdak, J. Noise-proof phase meter with switched lowpass filters 85−58818
Siuzdak, J. Digital phasemeter with phase compensation 85−58819
Siuzdak, J. Compensative phase meter with lock-in detection 86−5351
Siuzdak, J. Measurements of signal with energy fluctuations 86−5456
Siuzdak, J. Noise performance of a type of phasemeter 86−18011
Siuzdak, J. A method of measurements in the presence of signal fading 86−29829
Siuzdak, J. Instrument for measuring the frequency characteristics of LEDs and laser diodes 86−44349
Siuzdak, J. Phase ranging of mobile vehicles 86−44418
Siuzdak, J. Incoherent light propagation over a folded path in the turbulent atmosphere 86−48601
Siuzdak, J. Application of the phase screen method in problems of electromagnetic wave propagation in the random medium 86−54285
Siuzdak, J. The influence of fading on phase measurement 87−14452
Siuzdak, J. Wideband phase shifters 87−17273
Siuzdak, J. Square wave quadrature phase detector 87−31759
Siuzdak, J. Distance measurements with survey distance meters in turbulent atmosphere 87−39258
Siuzdak, J. Linear phase detector in the presence of noise 87−56787
Siuzdak, J. Synchronous phase meter controlled by microprocessor 87−77313
Siuzdak, J. Phase detector performance in the presence of harmonic distortion 88−613
Siuzdak, J. Digitally controlled phase shifter 88−12542
Siuzdak, J. Noise-resistant digital phase meter design 88−16241
Siuzdak, J. Noise resistant methods of phase measurement 88−29582
Siuzdak, J. *see* Holejko, K. 86−11675
Siva, A.J., Babb, J.D., Lipkin, J., Pietryka, P., Butler, D. In Situ Vane system for seafloor strength investigations 85−48462
Siva Kumar, J. *see* Chandra Shekar, M. 85−1423
Siva Kumar, M. A rational approach to nuclear licensing 86−39487
Siva Kumar, V. Consider static-RAM cache memory for 32-bit μc design 87−59444
Sivachenko, S.D. *see* Kurbatov, L.N. 86−68545, 87−54342
Sivaganam, P., Arumugam, M. Load frequency controller design for interconnected power system using modal control technique 88−68799
Sivagnanam, P., Arumugam, M. Load frequency controller design using unity rank feedback for interconnected power system 86−6258
Sivagnanam, V.P. *see* Arumugam, M. 88−30332
Sivak, J. *see* Kus, J. 87−68846

Sivak, J. *see* Kus, Z. 86−59925, 87−7588, 88−14513
Sivakov, A.L. *see* Virnik, Ya.Z. 88−27222
Sivakov, E.R. *see* Glebov, I.A. 87−22217
Sivakumar, P. *see* Begamudre, R.D. 85−60224
Sivakumar, S., Sharaf, A.M. Static phase shifter models in power system studies 85−27518
Sivakumar, S., Sharaf, A.M. Robust multivariable control strategies for current source inverter fed induction motor drives 86−40211
Sivakumar, S., Sharaf, A.M., Doraiswami, R. Digital implementation of robust linear multivariable controllers for current fed induction motor drives 87−31036
Sivakumar, S., Sharaf, A.M., Hamed, H.G. Coordinated tuning of power system stabilizers in multimachine power systems 85−43533
Sivakumar, S., Sharaf, K. Improving the performance of indirect field orientation schemes for induction motor drives 87−42953
Sivakumar, S. *see* Murty, Y.V.V.S. 88−49024
Sivakumar, S. *see* Natarajan, K. 88−5619
Sivakumar, S. *see* Sharaf, A.M. 85−27517, 85−43532, 87−30588
Sivalingham, A., Pillai, S.K. An efficient control strategy for CSI fed self-controlled synchronous motor drives 88−49207
Sivan, R. *see* Ariel, D. 85−9264
Sivan, U., Sa'ar, A. Light wave localization in dielectric wave guides 88−33717
Sivananda, N. *see* Ratnam, K.V. 88−11196
Sivananda, N. *see* Venkata Ratnam, K. 87−15665
Sivanandan, K.S. High sensitive permittivity-proximity synthetic composite medium capacitive pressure sensor 85−8839
Sivananthan, S., Chu, X., Boukerche, M., Faurie, J.P. Growth of $Hg_{1-x}Zn_xTe$ by molecular beam epitaxy on a GaAs (100) substrate 86−20031
Sivananthan, S., Chu, X., Faurie, J.P. Dependence of the condensation coefficient of Hg on the orientation and the stability of the Hg−Te bond for the growth of $Hg_{1-x}M_xTe(M=Cd, Mn, Zn)$ 87−65499
Sivananthan, S., Chu, X., Reno, J., Faurie, J.P. Relation between crystallographic orientation and the condensation coefficients of Hg, Cd, and Te during molecular-beam-epitaxial growth of $Hg_{1-x}Cd_xTe$ and CdTe 87−252
Sivananthan, S., Lange, M.D., Monfroy, G., Faurie, J.P. New achievements in $Hg_{1-x}Cd_xTe$ grown by molecular-beam epitaxy 88−49830
Sivananthan, S. *see* Arias, J.M. 88−11994
Sivananthan, S. *see* Chu, X. 88−64291
Sivananthan, S. *see* Faurie, J.P. 85−23431, 85−33424, 86−41566, 86−46341, 86−46348, 86−66826, 86−67729, 88−64274
Sivananthan, S. *see* Hsu, C. 86−46308
Sivananthan, S. *see* Lange, M.D. 88−38133
Sivananthan, S. *see* Lemasson, P. 88−57348
Sivananthan, S. *see* Miles, R.H. 86−53377
Sivananthan, S. *see* Monfroy, G. 86−66806
Sivananthan, S. *see* Wijewarnasuriya, P.S. 88−19662
Sivanathan, S. *see* Boukerche, M. 88−64385
Sivanathan, S. *see* Faurie, J.P. 87−66942
Sivanayagam, A., Findlay, D. High resolution noncollinear acoustooptic filters with variable passband characteristics: design 85−18763
Sivanayagam, A. *see* Findlay, D. 85−29667
Sivanthan, S. *see* Olego, D.J. 86−15561
Sivaprakasapillai, P. *see* Burton, N.J. 85−7926
Sivaprasad, K., Petrin, M.F. A computer simulation for the analysis of radar echo-sounding of polar ice sheets 88−16924
Sivaprasad, K. *see* Ambats, I. 85−43251
Sivaprasad, K. *see* Bakshi, P.M. 88−8433
Sivaprasad, K. *see* Coirin, M.R. 87−3223
Sivaprasad, K. *see* Lacourse, J. 85−13173, 88−16682
Sivaram, B.M. *see* Masilamani, V. 86−68485
Sivaram, B.M. *see* Palanisamy, P.K. 88−58491
Sivaram, S. *see* Chen, S.S. 88−24788
Sivaramaiah, G., Subramanian, V.R. Market potential for lead/acid batteries for rural electrification needs in India 88−55605
Sivaramakrishnan, A.Y., Hariharan, M.V., Srisailam, M.C. Switched control of frequency of interconnected power systems using variable structure 86−18704
Sivaramakrishnan, M. *see* Pandey, Y.K. 87−69828
Sivaramakrishnan, T.R. Radar capability of areal precipitation estimation around Oklahoma 87−4137
Sivaramakrishnan, V. *see* Ganesan, N. 87−74042
Sivaraman, K., Rajappan, K.P. A study of rectangular transforms for data compression 85−2819
Sivaraman, K. *see* Kulkarni, A.D. 85−2902
Sivaraman, M.R. *see* Mathur, B.S. 86−49517
Sivaraman, M.S. Solar power-plant for microwave repeater stations 88−37096
Sivaraman, S. *see* Bapat, M.N. 85−40082
Sivart, A.A. *see* Botvinov, V.P. 85−60045
Sivasamy, R. A preemptive priority queue with a general bulk service rule 86−52336
Sivasankar, B. *see* Masilamani, V. 86−68485
Sivasankar, R. *see* Randall, J.N. 87−38030, 87−67070
Sivasankara Pillai, P.V., Sasidharan, P. Sintering mechanism of thick film conducting composition 85−33523
Sivasankara Reddy, N., Kamath, K.M. NMR spectroscopy−role in identification of insulating materials 85−1791
Sivasegaram, S. Power augmentation in wind rotors: a review 87−9449
Sivasundaram, S. *see* Lakshmikantham, V. 88−347
Sivasundaram, S. *see* Trigiante, D. 87−58827
Sivaswamy, R., Zeoli, G.W. Comments, with reply, on 'Self-clutter cancellation and ambiguity properties of subcomplementary sequences' by R. Sivaswamy 86−43882
Sivazlian, B.D. *see* Capehart, B.L. 88−49451
Sivco, D. *see* Capasso, F. 86−53375, 87−59304
Sivco, D. *see* Penna, A.F.S. 85−23505
Sivco, D. *see* Rogers, D.C. 87−11413
Sivco, D. *see* Sen, S. 88−13309, 88−71507
Sivco, D. *see* Sermage, B. 86−21224, 86−68529
Sivco, D. *see* Weiner, J.S. 85−34553
Sivco, D.L. *see* Beltram, F. 88−64512
Sivco, D.L. *see* Levine, B.F. 88−53686
Sivek, J. *see* Matal, O. 87−15429
Sivenkova, V.E. *see* Burakov, V.S. 86−22342
Siventsev, A.A. *see* Vdovin, Yu.V. 85−20706
Siverin, V.A. *see* Petrov, Yu.P. 85−65471, 86−40196
Siverling, M.M. *see* Collins, D.W. 85−29446
Sivers, M.A. *see* Artem'ev, B.N. 87−16930
Siversten, A. Lead-acid batteries for emergency power supply 86−6867
Siverts, J.G. Earth leakage detectors 85−21262
Sivertsen, J.M. *see* Byun, C. 85−44782, 86−28597, 87−32830
Sivertsen, J.M. *see* Chen, G.L. 85−24085
Sivertsen, J.M. *see* Leu, C. 85−44728
Sivertsen, J.M. *see* Lin, J.K. 85−44783, 86−28630, 87−18465
Sivertsen, J.M. *see* Ravipati, D. 87−32829
Sivertsen, J.M. *see* Ravipati, D.P. 87−67709
Sivertsev, V.F. *see* Mordvova, V.I. 86−17912
Sivilotti, M., Emerling, M., Mead, C. A novel associative memory implemented using collective computation 86−8248
Sivilotti, M.A. A dynamically configurable architecture for prototyping analog circuits 88−44854
Sivilotti, M.A., Emerling, M.R., Mead, C.A. VLSI architectures for implementation of neural networks 87−25544
Sivilotti, M.A., Mahowald, M.A., Mead, C.A. Real-time visual computations using analog CMOS processing arrays 87−67608
Sivina, M. *see* Byrd, C.L. 85−53098
Sivinski, J.S., Sloan, D.P. The role of linear accelerators in industry 85−58971
Siviour, J.B. Practical solutions to energy efficient housing using conventional technology 87−58469
Sivjee, M.G. *see* Hecht, J.H. 86−32545
Sivkov, A.A. *see* Astashkin, I.N. 87−22527
Sivkov, A.A. *see* Korol'kov, V.L. 85−44127, 86−51805, 86−56857, 88−43112
Sivkov, A.P. *see* Vartan'yan, A.G. 88−37158
Sivkov, A.S. *see* Korol'kov, V.L. 88−30948
Sivkovich, A.Yu., Topchii, V.D., Shteinberg, V.K. Dependence of the winding EMF of a noncontacting DC axial motor on the rotor rotation angle 88−5705
Sivkovich, A.Yu. *see* Klimenko, V.N. 87−36082
Sivkovich, A.Yu. *see* Perminov, Yu.N. 86−56774
Sivokobylenko, V.F., Grebchenko, N.V. Sensor for the investigation of transient conditions of synchronous machines 86−39726
Sivokobylenko, V.F., Levshov, A.V. Experimental study of asynchronous operating conditions in the STD-12500-2 turbogenerator 88−62296
Sivokobylenko, V.F., Paulyukov, V.A., Kostenko, V.I. Improvement of operational reliability of inherent-need motors under dynamic conditions 86−61451
Sivokon, V.P. *see* Vorontsov, M.A. 86−63846
Sivov, A.N. *see* Katsenelenbaum, B.Z. 85−57099, 86−22775
Sivov, A.N. *see* Korshunova, Ye.N. 88−45756
Sivov, A.N. *see* Meriakri, V.V. 88−72612
Sivov, F.A. *see* Sivova, R.A. 85−6551
Sivov, V.A. A comparative assessment of the noise immunity and carrying capacity of waveform-division multiplex communications systems 85−7966
Sivov, V.A., Pisarev, Yu.G. Stability of phase-lock loops with delaying feedback 87−10738
Sivov, V.A., Pisarev, Yu.G., Prytkov, V.I. Synthesis of an optimal system of clock synchronization using a relay pilot-signal 88−67221
Sivova, R.A., Sivov, F.A., Simeonov, K.A. Dynamic changes of positors operational characteristics during self heating. New application possibilities of posistors 85−6551
Sivovolov, V.A. *see* Belega, E.D. 88−58483
Sivozalizov, N.A. Asymptotic expansion of the rice integral 86−43123
Sivrides, D. *see* Avaritsiotis, J.N. 86−45272
Sivridis, D.K. *see* Avaritsiotis, J.N. 88−450
Sivtsov, A.I. *see* Levchenko, G.I. 87−57919
Sivtsov, A.V. *see* Vorob'ev, V.P. 87−22907
Sivulka, G. A variable inductor pressure sensor 85−14790
Sivulka, G.M. *see* Sullivan, R.W. 85−60507
Sivyer, A. *see* Ryde, S.J.S. 88−10328
Siwak, P.P. Cellular automata ideas in digital circuits and switching theory 87−5739
Siwei Lu, Wong, K.C. Recognition of 3-D scene with partially occluded objects 87−69324
Siwek, Z. *see* Kinda, R. 85−37081
Siwek, Z. *see* Paczensiak, A. 85−25616
Siweris, H.-J. *see* Spaude, M. 85−20538
Siweris, H.J., Schiek, B. Analysis of noise upconversion in microwave FET oscillators 85−34181
Siwiak, K. Transmit-receive switch with selectable antenna ports 88−34513
Siwiak, K. *see* Balzano, Q. 86−68843, 88−34420
Siwik, A. Analysis of some methods for determining of power losses in capacitors supplied with nonsinusoidal voltages 88−19432
Siwik, A. *see* Adamczyk, K. 88−75885 to 75886
Siwinski, M. *see* Bolkowski, S. 85−17045
Six, H.W. *see* Schlageter, G. 88−62934
Six, J.-C. The 68070, a subsystem of the 68000 family. Characteristics and applications 87−46180
Six, J.-C. *see* Braune, D. 86−46864
Six, J.P. *see* Brudny, J.F. 87−22503
Six, J.P. *see* Hamdan, M. 87−22270, 87−36042
Six, P., Claesen, L., Rabaey, J., De Man, H. An intelligent module generator environment 87−5624
Six, P., Vandeweerd, I., Croes, K., Rijnders, L. Interactive module generator design based on symbolic layout 88−20075
Six, P., Vandeweerd, I., De Man, H. An interactive environment for creating module generators 87−24139
Six, P. *see* Croes, K. 88−56578
Six, P. *see* De Man, H. 87−31639, 88−6926, 88−43994, 88−70436
Six, P. *see* Rijnders, L. 88−56579
Six, R.E. Homebrewing antennas with copper and brass 85−57150
Six, R.E. How to build a 2 meter Oscar 10 antenna 86−68911
Sixin Xu *see* Xu Sixin
Sixl, H. Transfer and storage of information at the molecular level 88−71259
Sixl, H. *see* Mehring, M. 88−32694
Sixt, P., Falco, L., Jeanneret, J.P., Parriaux, O. General self-reference single-fiber head for intensity modulated sensors 86−48161
Siy, P. *see* Chen, B.-D. 87−47912
Siy, P. *see* Hassan, M.H. 87−39875, 87−75857
Siyambalapitiya, D.J.T., McLaren, P.G., Acarnley, P.P. A rotor condition monitor for squirrel cage induction machines 87−42966
Siyambalapitiya, D.J.T., McLaren, P.G., Acarnley, P.P. A rotor condition monitor for squirrel-cage induction machines 87−51205
Siyami, S., Zapp, R., Tennes, B., Brown, G. Instrumented pseudofruit for acquisition of impact damage data for agricultural perishables 87−70390
Siyuan Song *see* Song Siyuan
Siyuan Sun *see* Sun Siyuan
Siyuchenko, O.G. *see* Angert, N.B. 88−65645
Siyuchenko, O.G. *see* Bagdasarov, Kh.S. 86−54114
Sizelove, J.R. *see* Look, D.C. 87−11346, 87−37892
Sizemore, C.S. How to measure quality 85−39576
Sizer, T., II, Duling, I.N., III Neodymium lasers as a source of synchronized high-power optical pulses 88−40335
Sizer, T., II *see* Bado, P. 85−62537
Sizer, T., II *see* Duling, I.N., III. 85−41354
Sizer, T., II *see* Koch, T.L. 87−68182
Sizer, T., II *see* Norris, T. 85−41353
Sizer, T., II *see* Walmsley, I.A. 85−35874
Sizgoric, S., Liadsky, J., Karczewski, J. Medium-range, high accuracy laser rangefinders for industrial applications 87−41032
Sizgoric, S. *see* Banic, J. 87−41040, 87−50566, 88−16923
Sizgoric, S. *see* Houston, J.D. 86−65508
Sizikov, V.S. New algorithms for solution of first-kind integral equations: application of these algorithms in applied problems and realization as computer programs 87−16552
Sizikov, V.S. *see* Verlan', A.F. 88−6345
Sizmann, R. *see* Mosser, V. 88−64350
Siz'mina, L.K. *see* Troitskii, V.S. 86−18315
Sizmur, M., Blatch, H. Voltmeters 85−14828
Sizov, A.S. *see* Alekseev, V.A. 85−8509
Sizov, A.S. *see* Lipatov, B.N. 85−25963
Sizov, F.F., Plyatsko, S.V., Darchuk, S.D. The laser-irradiated transformation of intrinsic and impurity defects in narrow-gap $Pb_{1-x}Sn_xTe$ 87−60118
Sizov, F.F., Teterkin, V.V., Troyan, Yu.G., Chopik, V.Yu. Properties of metal-PbTe contacts 88−25968
Sizov, F.F. *see* Gutsulyak, V.G. 85−40479
Sizov, F.F. *see* Troyan, Yu.G. 87−38898, 87−45637
Sizov, V.D. *see* Gordon, E.B. 87−54242

Sizov, V.D. *see* Gordon, E.V. 85—51113
Sizov, V.E. *see* Aleksandrov, A.L. 86—24318
Sizov, Yu.M., Zakhidov, R.A., Baranov, V.G. Controlling solar-energy conversion systems 86—51521
Sizov, Yu.M. *see* Khakimov, R.A. 85—42992
Sizt, W., Engelsberger, J. Holographic applications of computer-based fringe interpretation 87—19080
Sizun, H., Lissillour, M. Weekly and daily radioelectric propagation conditions forecasting in the Tahiti region 88—40577
Sizun, H. *see* Davy, P. 87—47225
Sizyakov, Yu.A. *see* Obrezkov, G.V. 86—23962
Sjamaar, F.A. *see* Valk, J.M. 88—53566
Sjelvgren, D. *see* Andersson, S. 87—30124
Sjelvgren, D. *see* Backlund, Y. 87—4312
Sjelvgren, D. *see* Brannlund, H. 87—30123, 88—11137, 88—55229
Sjelvgren, D. *see* Habibollahzadeh, H. 85—4998
Sjelvgren, D. *see* Nordlund, P. 87—42405
Sjobbema, D. Diagnosis by nuclear-spin tomography 85—15283
Sjobbema, D. A substrate for surface assembly 85—28787
Sjobbema, D. Modern medical image diagnostics. I. Sonography 86—18297
Sjobbema, D. Modern medical diagnostic imaging. III. Nuclear-spin tomography and isotope diagnosis 86—32252
Sjobbema, D. Dielectric microwave resonators 88—50305
Sjobbema, D.J.W. Sheet step motors 85—48974
Sjobbema, D.J.W. The Hall effect has many aspects 85—50478
Sjobbema, D.J.W. SMDs take off: survey of available components 85—55179
Sjobbema, D.J.W. Modern medical imaging diagnosis. II. Computer tomography and digital subtraction angiography 86—25196
Sjobbema, D.J.W. Magnetic transducers 86—44254
Sjobbema, D.J.W. Capacitative humidity transducers 86—60221
Sjobbema, D.J.W. Membrane switches: thin, light and reliable 86—62888
Sjobbema, D.J.W. The physics of the blue LED 87—2039
Sjobbema, D.J.W. Hearing aids: small, mini, micro . . 87—14929
Sjobbema, D.J.W. Reed relays: still not excluded 87—24517
Sjobbema, D.J.W. Silicon thermistors under the magnifying glass 87—37585
Sjobbema, D.J.W. Acoustic surface waves: manipulation in microstructures [SAW components; their operation, design criteria and fabrication] 88—7780
Sjobbema, D.J.W. Ceramic multilayer chip capacitors 88—44388
Sjoberg, A., Arvidsson, G., Lipovskii, A.A. Characterization of waveguides fabricated by titanium diffusion in magnesium-doped lithium niobate 88—39965
Sjoberg, A. *see* Arvidsson, G. 86—2801
Sjoberg, F., Bergholm, F. Extraction of diffuse edges by edge focusing 88—3224
Sjoberg, F., Bergholm, F. Extraction of diffuse edges by edge focusing 88—46193
Sjoberg, L. Psychometric considerations in the dimensional analysis of subjective picture quality 88—9733
Sjoberg, P. *see* Thylen, L. 85—35546
Sjoberg, S. *see* Lagebrand, L. 87—20747
Sjoblom, S. Reliability is the key word in choice of components 88—24610
Sjoebergh, B. ARTAC—an automatic adaptive HF radio system in field tests 88—46911
Sjogren, J.A. *see* Kearns, J.P. 88—67045
Sjogren, L., Asthner, B., Liljestrand, L.-G., Revay, L.B. Properties of nickel-hardened gold plated with low-frequency periodic reverse current 86—52510
Sjogren, L. *see* Liljestrand, L.-G. 85—50072
Sjogren, S. *see* Malmerhag, O. 86—34457
Sjoholm, B. Swedish developments in the field of advanced heat pumps 85—32825
Sjoholm, B., Karlsson, B. Spot pricing suits Swedish supply 85—21109
Sjoholm, B.H., Karlsson, B. Load management with a cost differential rate 87—50700
Sjoholm, B.H., Karlsson, B.G. Direct cost differential rates as an energy load management tool [load regulation] 85—21138
Sjoholm, B.H., Karlsson, B.G. Differential rates as general load management 86—25531
Sjoholm, E. *see* Suchy, L. 85—5620
Sjolinder, S. Bandwidth in dichromated gelatin holographic filters 85—12991
Sjolinder, S. Secondary holograms in dichromated gelatin filters 85—12992
Sjolinder, S., Von Gegerfelt, D. Holographic distant display in dichromated gelatin 86—22545
Sjolund, A. *see* Fertner, A. 87—12874
Sjolund, A. *see* Gustafsson, C.-E. 88—60906
Sjoquist, I. *see* Sandberg, K. 85—52176
Sjoreen, A.L., Athey, G.F., Sakenas, C.A., McKenna, T.J. Screening model for assessing doses from radiological accidents 88—75324
Sjoreen, T.P. *see* Holland, O.W. 85—18216, 85—50299, 86—2016
Sjoreen, T.P. *see* Wang, P. 88—33009
Sjosten, P. Suppress noise with a signal processor 86—65578
Sjostrand, K. *see* Johansson, G. 85—21323
Sjostrom, O. Experiences of implementation and operation of the public circuit switched data communications network in Sweden 86—37520
Sjostrom, O. *see* Axelsson, K.-E. 85—63194
Sjostrom, U. *see* Afghahi, M. 87—48048
Sk, I. Television in Indonesia: towards a revolutionary information era 88—29029
Skaalie, B. *see* Olsen, A. 87—8877
Skaanderup-Larsen, J. *see* Steinfeld, G. 87—43402
Skaar, T. *see* Mueller, R.K. 87—4172
Skaar, T. *see* Rudd, E.P. 87—29973
Skaballanovich, V.S. SZD extends cab signalling to cover high speed running 85—10188
Skacel, H. *see* Doll, P. 87—70994
Skacel, H. *see* Herringa, W. 86—60528
Skacel, V. A through-flow oxygen analyser 87—71083
Skachko, V.I. Analysis of broadband varactor-tuned IMPATT-diode oscillators 85—22700
Skachko, V.I., Kosinskii, V.S., Gorlachev, V.E. Measurement of loss resistance and avalanche frequency of IMPATT diodes 88—71029
Skachko, V.I. *see* Kashtanov, S.F. 87—16925, 87—45249
Skachko, Yu.N., Panteleimonov, E.A., Polukhin, V.V., Shcherbachenko, S.V. Analysis of the process of flashing of the weld edges during high-frequency welding 85—32849
Skachkov, V.S. *see* Kapchinskiy, I.M. 87—41647, 87—41676
Skachkov, V.V. *see* Neonet, E.P. 86—14583
Skachkova, S.P. *see* Lagutin, V.I. 85—46119, 85—62276
Skaczylo, A.T., Keller, S.A., Lo, A., Won, D.J. Computer-aided load monitoring for steel floor framing structures 86—61400
Skafi, M., Seifferth, L. Discharge and retention of radioactive substances from light water reactors 85—27254
Skagen, D.W. Estimation of running frequency spectra using a Kalman filter algorithm [Time series of physiological variables] 88—66493
Skagerwall, R. *see* Welin, C.W. 87—13522
Skagfjord, G. *see* Moose, R.L. 87—34663
Skaggs, D. *see* Harjes, C.H. 85—6672
Skaggs, D. *see* Schoenbach, K. 85—18041, 85—27572
Skaggs, D. *see* Schoenbach, K.H. 85—23378, 85—39149, 87—17605
Skaggs, F., Meyer, R. Vision computer based parts measurement system 85—45328
Skagjord, G. *see* Moose, R.L. 87—69118
Skahill, G. A dual reflector antenna scans many beamwidths without loss of gain, resolution or sidelobe level 88—40733
Skakovskii, S.I. *see* Arbenina, V.V. 86—20037, 86—58253, 88—38148
Skakun, V.S., Tarasenko, V.F., Fedenev, A.V., Fomin, E.A., Shpak, V.G. Neon laser pumped by electron beam of compact accelerator 88—51748
Skakun, V.S. *see* Bunkin, F.V. 85—56506, 86—3036, 86—36388, 86—63755, 87—2080
Skakun, V.S. *see* Bunkon, F.V. 87—74971
Skakun, V.S. *see* Derzhiev, V.I. 87—26310, 87—68358, 88—65578
Skakun, V.S. *see* Koval', N.N. 87—12400
Skakun, V.S. *see* Kozyrev, A.V. 85—7386
Skakun, V.S. *see* Vintizenko, L.G. 87—54221
Skala, I., Chvojka, M., Pekarek, L., Kralikova, B., Zuev, V.S., Korol'kov, K.S., Orlov, E.P. Optical inhomogeneities in a photodissociation nanosecond-pulse iodine amplifier utilizing slow pumping by ultraviolet radiation 85—41336
Skala, J. *see* Chvojka, M. 86—42487
Skala, J.L. *see* Giubellino, P. 87—29452
Skala, K. Improvement of optical signal detectibility by means of multiple observation 85—57504
Skala, M. Solution of transformers for butt welding 85—44336
Skalafuris, A.J. Current theoretical attempts toward synchronization of a global satellite network 86—25347
Skalafuris, A.J. Microwave geodesy by interferometric radiometry 88—16880
Skalare, A. *see* Murowinski, R. 88—34412
Skalevoi, MV. *see* Romanovski, R. 88—9889
Skalevoi, V.V., Bubliinik, V.E. Synchronous detection in digital self-balancing potentiometers for strain measurement 85—26278
Skalicky, J. Regulation properties of the revolution loop of DC drives of the MEZOMATIC-K feed motion 85—65478
Skalicky, J., Hercik, P. Electric drives of cold strip rolling mills 85—44329
Skalicky, J. *see* Hereick, P. 88—24180
Skalicky, P. Frequency discriminators with dielectric resonators 85—28693
Skalicky, P. Calculating the inherent quality factor of a cylindrical dielectric resonator 86—1350
Skalicky, P. *see* Fidler, J. 85—29469
Skalny, J. Influence of small impurities of halocarbons on negative corona discharge current in air 87—38613
Skalozubov, V.I. *see* Gerlinga, B.A. 87—35815
Skalsey, M., Van House, J. Proposed new reactor-activated positron source for intense slow e^+ beam production 88—47918
Skal'skaya, I.P. *see* Lebedev, N.N. 85—24709
Skalsky, J., Lorch, H. ONAN-cooled 350 MVA grid coupling transformer 87—78715
Skalvik, J.N. *see* Christiansen, M. 87—34786
Skalyga, A.N., Kulinyak, L.A., Gingol'd, V.M., Zhelninskaya, E.A. Use of safe mixtures in checking thermochemical instruments for monitoring combustible gases 85—48138
Skan, P.L. *see* Barton, M.H. 85—47267
Skanadore, W.R. Understanding and using third generation bipolar switching transistors 85—12262
Skantzaris, A. *see* Wong, C. 87—73662
Skapa, H. *see* Harter, J. 86—9298
Skapa, H. *see* Strzempa-Depre, M. 87—18348, 87—60644
Skapa, L. Bessel functions and the calculation of the FM side-bands 88—3056
Skaperda, N. *see* Dyczmons, W. 85—47377
Skaperda, N. *see* Ribbeck, G. 85—52162
Skapin-Rugelj, M. Solution of the unit commitment problem using dynamic programming 88—56163
Skapura, D.M., Zoch, D.R. A real-time production system for telemetry analysis 87—40314
Skarabottolo, N. *see* Antola, A. 87—28031
Skarback, E. The potential for wind power in Sweden 86—19184
Skarbek, W. Generating ordered trees 88—63182
Skarbek, Z. *see* Kugler, J. 85—42421
Skarda, V. *see* Majerhoferova, J. 86—44122
Skarek, P. *see* Casalegno, L. 88—16577
Skarek, P. *see* Daneels, A. 86—60415
Skarek, P. *see* Malandain, E. 88—54111
Skarha, J. *see* Byrum, K. 88—48020
Skaric, I. The entropy of uncoordinated systems 86—22860
Skaritka, J., Kelly, E., Schneider, W., Shutt, R., Thompson, P., Wanderer, P., Willen, E., Bintinger, D., Coluccio, R., Schieber, L. Development of the SSC trim coil beam tube assembly 88—54039
Skaritka, J. *see* Anerella, M. 86—25049
Skaritka, J. *see* Danby, G. 86—31881 to 31882
Skaritka, J. *see* Ganetis, G. 88—54036
Skarke, D.D. *see* Bohley, T.K. 88—60645
Skarnulis, A.J., Kokubo, Y., Suzuki, K., Mori, S., Suzumi, J., Taira, M. The external computer control of a JEM-2000FX electron microscope 87—17677
Skaron, S.A. Direct quaternion determination from BARS measurements 85—15383
Skarp, J. *see* Linden, I. 85—14947
Skarp, J. *see* Noll, B. 88—28890
Skarp, K. New display screens: double deflection cells increase the contrast 87—21150
Skarp, K. *see* Andersson, G. 88—2066
Skarp, K. *see* Flatischler, K. 86—68343
Skarp, K. *see* Lagerwall, S.T. 88—33780
Skarpaas, K. *see* Bernstein, D. 85—15253
Skarpaas, K. *see* Dubois, R. 86—50321
Skarpaas, K. *see* Roehrig, J. 85—15175
Skarpiak, C.M. *see* Laxpati, S.R. 86—22845
Skarsgard, L.D. *see* Lam, G.K.Y. 86—38808
Skarstad, P.M. *see* Owens, B.B. 85—10091
Skarstad, P.M. *see* Phipps, J.B. 86—45638
Skarstein, O. *see* Aam, S. 85—38462
Skarstein, O. *see* Finnset, T. 88—17153
Skarzhepa, V.A. *see* Maksimovich, A.B. 87—8515
Skarzynski, G., Kumanowski, M. A uniform time base for the power industry 87—63428
Skaslien, T.G. A DC power supply system for small telecommunication stations 88—30868
Skasyrskii, Ya.K. *see* Dinov, Yu.S. 85—61647
Skasyrskii, Ya.K. *see* Kozlovskii, V.I. 85—7411
Skatrud, D.D., De Lucia, F.C. Excitation, inversion, and relaxation mechanisms of the HCN FIR discharge laser 85—12763
Skatrud, D.D., De Lucia, F.C. Dynamics of the HCN discharge laser 85—35669
Skatrud, D.D., De Lucia, F.C. Radio-frequency Stark tuning of optically pumped far-infrared lasers 85—46334
Skatrud, D.D. *see* Everitt, H.O. 87—12353, 88—27079
Skatrud, D.D. *see* McCormick, R.I. 88—20536 to 20537, 88—27083 to 27084
Skaug, R. Spread spectrum radio systems—technological implementations and the compatibility issue 86—64863
Skaug, R. Defence communications. Must tolerate electronic warfare 88—15315
Skaug, R. Defence communications: mobile radio system for TADCOM 88—15357
Skaug, R., Hjelmstad, J.F. Spread spectrum in communication 86—29
Skaug, R., Olaisen, H. Fast synchronization model for UHF spread spectrum communication system 85—25729
Skavantzos, A., Griffin, M., Taylor, F.J. On the multidimensional RNS and its applications to the design of fast digital systems 87—62071

Skears, J. *see* Blahnik, C. 85−65075
Skears, J. *see* Reeves, D.B. 85−65076
Skeath, A.H. Making presentations and conducting meetings 87−31206
Skeath, P., Bulmer, C.H., Hiser, S.C., Burns, W.K. Novel electrostatic mechanism in the thermal instability of z-cut $LiNbO_3$ interferometers 87−18746
Skeath, P., Su, C.Y., Lindau, I., Spicer, W.E. Comparative study of Fermi energy pinning and adatom bond character: antimony versus the column 3 elements (Al, Ga, In) on GaAs (110) and GaSb (110) 85−50271
Skeats, A.P. *see* Ainslie, B.J. 86−9545
Skeats, A.P. *see* Cooper, D.M. 88−45413
Skeats, A.P. *see* Sim, S.P. 86−43810
Skebe, G. *see* Den Boer, W. 86−38457
Skebe, G.G. *see* Kapoor, V.J. 85−32706
Skeel, R.D. Thirteen ways to estimate global error 86−34260
Skeel, R.D. Second order backward differentiation formula is unconditionally zero-stable 87−16539
Skeel, R.D., Berzins, M. Method for the spatial discretization of parabolic equations in one space variable 87−52046
Skeel, R.D., Vu, T.V. Note on blended linear multistep formulas 87−44230
Skeele, F.P., Newnham, R.E., Cross, L.E. Barium metaplumbate ceramic electrodes for ceramic capacitors 88−57012
Skeen, D. *see* Strong, R. 88−15139
Skeen, J. A versatile LCR bridge. III 85−14882
Skeen, J., Simpson, L. A versatile LCR bridge—for laboratory and workshop. I 85−14880
Skeen, J., Simpson, L. DFM adaptor for the Function Generator 85−20639
Skeens, K.M. *see* Huck, F.O. 86−69177
Skeer, J. *see* Herod, J.S. 85−48553
Skeff Neto, K. *see* Morais, P.C. 85−37733
Skegg, R. *see* Bryman, D.A. 85−37900
Skegin, V.R. *see* Akopyan, R.L. 87−68203
Skeie, H., Elston, G. High performance wide band Bragg cells employing beamsteering transducers 88−51607
Skeie, K., Hagemaier, D.J. Quantifying magnetic particle inspection 88−56345
Skeist, S.M., Chambers, D. Recent advances in high power, high voltage technology [HV power supplies] 85−32628
Skelboe, S. Multirate integration methods, theory and implementation 85−16893
Skelboe, S., Stangerup, P. ESACAP: a minicomputer based network analysis program 85−6120
Skelboe, S. *see* Johansen, P. 87−47850
Skelcher, W.L. *see* Perry, D.M. 87−25826
Skeldon, M.D., Narum, P., Boyd, R.W. Phase conjugate mirror with gain based on Brillouin scattering 88−20765
Skeldon, M.D. *see* Narum, P. 87−12559
Skellern, D. *see* Liu, Y.-S. 88−28762
Skellern, D. *see* Vucetic, B. 88−46965, 88−47261
Skellern, D.J. A very large scale integration (VLSI) system for image reconstruction from projections 87−18231
Skellern, D.J. *see* Jabri, M.A. 87−1636, 87−59092, 88−44022
Skellern, D.J. *see* Jones, I.G. 85−42691
Skellern, D.J. *see* Kalcina, A.P. 87−3159, 88−3908
Skellern, D.J. *see* Mott, C.A. 87−3165, 87−70003
Skellern, D.J. *see* Sault, R.J. 87−40797
Skellett, C.A. *see* Fisher, G.R. 85−48193
Skelly, B.W. *see* Marx, G.E. 88−72189
Skelly, D. *see* Ramanarayanan, R. 87−11699
Skelly, D. *see* Ramayarananan, R. 87−38388
Skelly, D.W., Gruenke, L.A. Significant improvement in step coverage using bias sputtered aluminium 86−62249
Skelly, D.W., Lu, T.-M., Woodruff, D.W. Metallization techniques 88−57512
Skelly, D.W. *see* Kim, M.J. 86−21757, 88−1568, 88−13483
Skelly, D.W. *see* Singh, R.N. 87−17785
Skelly, J. *see* Bachman, M. 85−26527
Skelly, J. *see* Ratner, L.G. 86−31891
Skelton, D.E. *see* Bayes, D.V. 85−49035
Skelton, E.F. *see* Cukauskas, E.J. 85−56159
Skelton, P.G. *see* O'Brien, B.J. 87−56329
Skelton, R. *see* Stattel, P. 86−24927, 88−54305
Skelton, W.J. *see* Dirilten, H. 85−52218
Skenderian, A. Videoconferencing as a business tool 86−60063
Skenderian, A. Security applications using compressed video 88−4220
Skendzic, V., Beros, S., Pekic, S., Sekso, I. A precision microprocessor based five channel digital thermometer 88−60819
Skene, J. The advanced data PBX: a comparative analysis 85−42352
Skene, J. How DOVs cut cabling costs 86−10937
Skene, J. An alternative to ISDN using the central-office switch 88−9158
Skene, J. *see* Schneider, A. 88−9312
Skensved, P. *see* Scanlon, P.J. 85−45521
Skerjanec, R.E. *see* Farrow, J.E. 86−30153, 86−49448
Skerl, O. *see* Schmidt, W. 88−68084
Skerrett, R.J. *see* Eggleton, M.N. 87−50784
Sketch, M.H. *see* Nolle, F.M. 88−10371
Sketchley, T.A. *see* Goebel, D.M. 86−1619
Sketon, J.R., Knight, J.R. Liquid-phase epitaxy of In(As,Sb) on GaSb substrates using antimony-rich melts 86−7807
Skettrup, T. *see* Fabricius, H. 86−68391
Skettrup, T. *see* Filinski, I. 85−51277, 88−8069
Skevington, P.J. *see* Davis, J.R. 86−53616
Skewis, W.H. Predicting the reliability of mechanical equipment 86−281
Skhirtladze, G.I. *see* Megalinskii, V.R. 87−57364
Skiadas, C.H. Two simple models for the early and middle stage prediction of innovation diffusion 87−58610
Skiba, A. *see* Zimny, P. 85−60356
Skiba, R. Gate arrays—developed by a low-cost workstation 86−20184
Skiba, S. *see* Nizielski, M. 85−21298
Skibenko, I.T. Enumeration of hypergraphs. I 85−28115
Skibenko, I.T. Enumeration of hypergraphs. II 85−60856
Skibin, V.A. *see* Bychkov, N.G. 85−466
Skibina, L.I. *see* Eremin, V.N. 85−26221
Skibinski, G., Thunes, J., Mehlhorn, B. Effective utilization of surge protection devices 86−45023
Skibinski, G. *see* Divan, D.M. 88−30885
Skibinski, G.L., Divan, D.M. Characterization of power transistors under zero voltage switching 88−26233
Skibinski, G.L., Thunes, J.D., Mehlhorn, W. Effective utilization of surge protection devices 87−4456
Skibityanskii, D.A. *see* Perevodchikov, V.I. 85−44098
Skibyatinskii, D.A. *see* Perevodchikov, V.I. 88−52144
Skidanov, V.M. Determination of parameters for optimum control of a converter in self-contained DC traction drives 86−13145
Skidanov, V.M. *see* Shidlovskii, A.K. 85−10190
Skidmore, K. Cleaning techniques for wafer surfaces 88−7492
Skidmore, K. Sputtering for deposition and etch 88−56298
Skidmore, K. Applying photoresist for optimal coatings 88−57553
Skidmore, R., Evans, J.M., Jenkins, D., Wells, P.N.T. A data collection system for gathering electrical impedance measurements from the human breast 87−50319
Skidmore, R. *see* Beard, J.D. 87−29747
Skidmore, S.M., Hess, R.W. A utility-initiated SSFI program 88−62080
Skidmore, S.M., Taggart, D.A. Achieving quality excellence at the Diablo Canyon nuclear power plant 88−42963
Skidmore, S.M. *see* Cudlin, R.L. 85−21376
Skiena, S.S. Further evidence for randomness in π 88−24632
Skierski, J. Induction motors for auxiliary systems of the big power engineering blocks 85−9899
Skierski, J. Estimation of transients of mechanical and electrical quantities of power transmission systems by the method of substitute motors 87−58089
Skierszkan, S.J., Schulz, F.J., Dodds, D.E., Pan, S. A PCM transceiver for T1 links 88−41487
Skiffins, R. *see* Durkin, J. 85−63578
Skiffins, R.M. Spectrum management for the land mobile radio service 85−63569
Skiffins, R.M. Regulatory control of land mobile radio 86−10995
Skifstad, K.D. *see* Bartlett, S.L. 88−32538
Skilbeck, F. *see* Hein, N.W., Jr. 85−172
Skiles, J. *see* Kustom, R. 85−49130
Skiles, J. *see* Kustom, R.L. 85−56253
Skiles, J. *see* Wang, J. 88−75962
Skiles, J.J. *see* Boom, R.W. 86−26326
Skiles, J.J. *see* Garcia, R. 87−23168
Skiles, J.J. *see* Hirano, M. 86−12942
Skiles, J.J. *see* Ise, T. 88−75960
Skiles, J.J. *see* Kustom, R.L. 86−45729, 88−55452
Skiles, J.J. *see* Wang, J. 88−31058
Skillicorn, D.B. The performance of cluster structures 87−55775
Skilling, J., Bryan, R.K. Maximum entropy image reconstruction: general algorithm 85−8499
Skilling, J., Gull, S.F. Prior knowledge must be used [maximum entropy method] 88−34548
Skilling, J. *see* Gull, S.F. 85−2889, 88−34838
Skilling, J.K. Backdriving [in-circuit testing] 87−38347
Skillings, B.J. *see* Rehbein, D.K. 86−13873
Skillington, D.E. *see* Rice, M.R. 86−40421
Skillman, D.H. *see* Bates, C.P. 86−43730
Skilton, P.J., Anderson, A.S.McK. A folding antenna for SHF satcoms 87−54723
Skilton, P.J., Smith, A.C. Miniature portable satcom terminals 87−28545
Skilton, P.J. *see* Smith, A.C. 88−34508
Skingley, D. Data loggers 85−52793
Skingley, J., Quegan, S. Thin line detection in SAR images 87−49181
Skingley, J., Rye, A.J. The Hough transform applied to SAR images for thin line detection 87−62186
Skinner, A.D. Traceability of in situ automatic test systems using transfer standards 86−38247
Skinner, A.D. Establishment of traceability of measurement for television waveforms 87−76990
Skinner, A.D. Changes in electrical units and the effect on industry in the UK 88−16366
Skinner, B.C. Engineering education at the United States Coast Guard Academy 85−33012
Skinner, B.C. *see* Kozlik, G.W. 88−43050
Skinner, C.H., Keane, C., Milchberg, H., Suckewer, S., Voorhees, D. Spatial profiles and time evolution of plasmas which are candidates for a soft X-ray laser 85−7354
Skinner, C.H. *see* Clark, C.W. 86−42485
Skinner, C.H. *see* Kim, D. 88−58456
Skinner, C.H. *see* Milchberg, H. 86−15607, 87−29695
Skinner, C.H. *see* Suckewer, S. 85−7351, 87−12344, 87−12350, 87−12371, 87−61090
Skinner, C.R. *see* Picton, T.W. 87−71137
Skinner, D. Building a SCSI disk controller with the NCR VLSI chip set 85−17580
Skinner, D. Speed storage data transfers with the new SCSI standard 88−63598
Skinner, D.K., Hill, C., Jones, M.W. Auger sputter depth profiling applied to advanced semiconductor device structures 87−11628
Skinner, D.M. *see* Roberts, K.A. 85−45025
Skinner, D.P. *see* Holman, R.L. 85−41297, 85−46242, 87−18760, 87−38861, 87−46558, 88−7839
Skinner, D.R., Beckwith, P.J. Two approaches to the instrumental estimation of detectability 85−13582
Skinner, D.R. *see* Benke, K.K. 88−14750, 88−41037
Skinner, G. Progress toward a computerized mask shop 88−44832
Skinner, G., Wrabetz, J.M., Schreier, L. Resource management in a distributed internetwork environment 88−59607
Skinner, G. *see* Ponman, T. 88−22932
Skinner, I.M. Simple approximation formulae for elliptical dielectric waveguides 87−25996
Skinner, I.M., Love, J.D. Butterfly model of single-polarization fibers 88−39883
Skinner, J. *see* Pitt, C.W. 88−65317
Skinner, J.D. *see* Pitt, C.W. 85−35486, 86−48181
Skinner, J.Ess *see* Ess Skinner, J.
Skinner, J.P. *see* Macias, U.J. 87−34651
Skinner, L. *see* Ram, B. 87−29898
Skinner, M.A. *see* Bates, C.P. 85−42464, 85−57963, 86−43730
Skinner, M.A. *see* Fenderson, G.L. 86−22691
Skinner, P.E. *see* Shropshall, M.R. 86−7751
Skinner, R. *see* Diener, W. 87−42571
Skinner, S. Mercury network breaks new ground 85−3316
Skinner, S.J. *see* Bird, T.S. 87−2351
Skinner, S.M., Jr., Brainard, E.C., II Use of the triple point of water and melt point of gallium cells as standards at sea 88−42670
Skinner, W.R., Hays, P.B., Abreu, V.J. High resolution Doppler imager 88−5181
Skinner, W.R. *see* Abreu, V.J. 85−64653
Skinnes, J. Transmission and synchronization in digital telephone networks 85−36626
Skinnes, J. *see* Egeland, T. 85−36594
Skinrood, A.D. *see* Castro, M. 88−5615
Skipetrov, E.P., Dmitriev, V.V., Zaitov, F.A., Kol'tsov, G.I., Ladygin, E.A. Electrophysical properties of *n*-type indium antimonide irradiated with fast electrons 87−37881
Skipetrov, E.P. *see* Brandt, N.B. 87−66899
Skipetrov, V.V., Yakovleva, L.S., Shapiro, D.A., Finkel, E.A., Mironova, A.M. New composition material of heat resistance class N [machine insulation] 86−39699
Skipochka, S.I., Shishkan', A.N. Transistor pulse power amplifier 85−6187
Skipp, R. Soldering handbook. A practical guide to process and quality control 88−69983
Skipper, D.J. *see* Ball, E.H. 86−51017
Skipper, M.D. *see* Hopkinson, G.R. 87−14204, 88−4459
Skipsey, E. *see* Brown, G.C. 87−43761
Skipwith, D. *see* Sucharczuk, M. 85−14314
Skital'tsev, V.S. Carrier-frequency communications for transmitting signals for type ANKA-AVPA automatic-control systems [power system control] 86−39025
Skiteva, A.Ya. *see* Aref'ev, V.A. 88−68264
Skiteva, L.A. *see* Deryagin, V.N. 87−18736
Skjaeran, I. The Lillestrom digital network group 88−15282
Skjellanger, S.H. Power from gas in Oslo 88−42912
Skjellanger, S.H. Gas power station—where should it be located? Near steam/heat demanding industries it is argued 88−62144
Skjellnes, A. A UPS with inverter specially designed for nonlinear load 88−30860
Skjerve, L.J. *see* Levy, G.S. 87−28712

Skjervold, J.E. *see* Myrabo, H.K. 87−28826
Skjoeldebrand, R. International nuclear markets: problems and prospects 85−15729
Skjoeldebrand, R. The emerging nations: the opportunities for nuclear power 86−12556
Skjoeldebrand, R. *see* Bennett, L.L. 88−5432
Skjoeldebrand, R. *see* Konstantinov, L.V. 86−6536
Skjoeldebrand, R. *see* Laue, H.J. 85−53393
Skjoldebrand, R., Wald, F. Sizing up the market for small and medium power reactors 86−12581
Skjoldebrand, R., White, D. The IAEA Power Reactor Information System and its possible use for improving plant performance 86−18965
Skjoldebrand, R. *see* Calori, F. 85−27205
Skladnik-Sadowska, E. *see* Langner, J. 86−28170
Sklansky, J. *see* Blume, W.M. 85−36459
Sklansky, J. *see* Ferrari, L. 85−19498
Sklansky, J. *see* Ferrari, L.A. 85−41947, 87−5358, 87−45091
Sklansky, J. *see* Foroutan, I. 86−10570, 87−48107, 87−62152
Sklansky, J. *see* Hashimoto, M. 87−62147
Sklansky, J. *see* Ichino, M. 85−19512, 85−30385, 85−41975
Sklansky, J. *see* Kitamura, K. 87−50296
Sklansky, J. *see* Nguyen, T.V. 87−14849, 87−50297
Sklar, B. Digital communications: fundamentals and applications 88−37883
Sklar, E. The advantages of a negative branch unstable resonator for use with free-electron lasers 86−68575
Sklar, E. The tilt sensitivity of a grazing incidence confocal unstable resonator with applications to free-electron lasers 87−39160
Sklar, E. *see* Abernathy, M.F. 88−60769
Sklar, H. *see* Smith, C. 87−42076
Sklenar, B. Integrated circuits for time measurement 87−5743
Sklenar, J. *see* Ertinger, Z. 85−30149
Sklenar, J. *see* Filka, M. 85−30568
Sklenar, P. *see* Rukovansky, I. 85−22937
Sklenar, S. *see* Olach, O. 86−27648, 88−12632
Sklenat, P. The influence of users on building local networks 86−4296
Sklenicka, J. *see* Danelewsky, K. 87−35671
Sklenicka, V. *see* Korcova, I. 85−43630, 86−32944
Sklenicka, V. *see* Streubel, H. 86−53854
Skliar, O., Loew, M.H. A new method for characterization of shape 86−10485
Sklin'ski, R., Zelenkevich, M. Investigations into the adequacy of methods of measuring the parameters of earthing systems 88−30965
Sklizkov, G.V. *see* Basov, N.G. 85−56907
Sklizkov, G.V. *see* Bykovskii, N.E. 88−58515
Sklizkov, G.V. *see* Ivanov, V.V. 86−68500, 87−68419
Sklizkov, G.V. *see* Shcherbakov, A.A. 85−41375
Skliznev, S.M. *see* Vorob'ev, M.D. 87−45250
Sklokin, F.N. *see* Gubankov, V.N. 87−35359
Sklorz, A. New mathematical model for PLL-loops with rectangular signals 87−567
Sklyankin, A.V. *see* Semak, D.G. 87−1218
Sklyar, S.F. *see* Avdeenko, B.K. 87−45575
Sklyar, V.S. A method of distinguishing between two-level signals 86−43264
Sklyarchuk, V.M. *see* Kosyachenko, L.A. 85−2164, 85−24392, 86−9088, 87−6677, 87−38933, 88−7393
Sklyarenko, L.A. *see* Tolmachev, V.I. 86−21932
Sklyarenko, S.L. *see* Balobaev, V.T. 88−23170
Sklyarenko, V.I. *see* Rezvov, V.A. 85−15193
Sklyarevich, A.N. Determination of efficiency figures of a network fragment with random jumps in the phase coordinates with change of mode 86−7911
Sklyarevich, A.N. Transfer time characteristics of a specified information volume transmitted through a network channel with possible failures 87−39545
Sklyarevich, A.N. Performance indices of a data channel in one-way simultaneous transmission of large-information files 87−69404
Sklyarevich, A.N. Probability characteristics of the number of frames in a 'data' packet sent over a data link during file transfer 88−28147
Sklyarevich, A.N. A model of one-way transmission of information fragments in a channel 88−41283
Sklyarevich, A.N. Model of two-way transmission of fragments over a channel 88−59343
Sklyarevich, F.A. Residence characteristics of a network fragment in a fixed subset of states 86−37173
Sklyarevich, V.E., Chistyakova, T.P. Determining the mean life of welding equipment 87−58487
Sklyarov, A.E. *see* Astapov, V.I. 88−37190
Sklyarov, A.P. *see* Kokhno, A.G. 88−72610
Sklyarov, M.Yu. *see* Angelov, I.P. 86−15677
Sklyarov, O.K. The influence of fluctuations arising during signal input on noise in optical communications system cables 88−3984
Sklyarov, V.A. Synthesis of control automata on matrix LSIC 86−41887
Sklyarov, V.F. The setting-up of multilevel automated systems of power regulation and control in power plants 85−21170
Sklyarov, V.F., Parkhovnik, A.V., Ekel, P.Ya. On the multicriterion control of electric consumption 88−5260
Sklyarov, V.F., Prakhovnik, A.V., Prokopenko, V.V., Kudovbenko, K.P. Controlling energy-demand conditions by using the situational approach 87−4240
Sklyarov, V.F., Sosyukin, L.N., Grekalo, N.E., Potashnik, S.I. Updating of low-pressure hydroelectric stations 86−33186
Sklyarov, V.F., Tomash, Z.P. Use of diagnostic methods for monitoring water-chemistry of power generating plant 86−61370
Sklyarov, V.F., Tsipstyura, R.D., Perkhach, V.S., Skrypnik, A.I., Kidyba, V.P. Fundamentals of logic-dynamic models of automated systems of teaching and training for operational electrotechnical personnel of electric power generating stations 85−39462
Sklyarov, V.F., Tsiptsyura, R.D., Uvarov, L.A., Kozlov, V.N., Krylov, A.S., Baranyuk, N.M. Logical-dynamic model of the turbine installation and auxiliary equipment in a 300 Megawatt system used for central training in a scientific-training centre of the Minenergo of the USSR 85−27290
Sklyarov, V.F., Udod, E.I. The effectiveness of live-line maintenance in power systems [transmission networks] 86−32710
Sklyarov, V.F., Udod, E.I., Molchanov, V.N., Alferov, S.E., Kul'matitskii, O.I., Talover'ya, V.L. Maintenance of electrical equipment under voltage 87−71702
Sklyarov, V.P. *see* Bobrov, S.A. 85−22664
Sklyarov, V.P. *see* Pavlyuk, V.A. 85−46115
Sklyarov, V.Ya. Construction of control automata on the basis of programmable logic devices 85−17264
Sklyarov, Yu.M. *see* Maimistov, A.I. 87−46489, 87−74706
Sklyarov, Yu.S., Goch, V.P. Study of EM phenomena in independent inverters by a phase space method 88−43283
Skobareva, Z.A., Teksheva, L.M., Usvyatsova, E.P., Fedorov, V.V. Development and hygienic evaluation of multifunctional fluorescent lamps 85−16392
Skobarikhin, Yu.V. *see* Ignatov, V.E. 85−49024
Skobeeva, V.M., Serdyuk, V.V., Semenyuk, L.N., Malushin, N.V. Influence of technological conditions upon the luminescence properties of ZnTe-ZnSe heterostructures grown by liquid-phase epitaxy 87−24866
Skobelev, A.N. *see* Chernyshev, V.K. 88−43299
Skobelev, I.Yu. *see* Bezdenezhnykh, S.V. 88−53580
Skobelev, I.Yu. *see* Boiko, V.A. 85−24487
Skobelev, N.K. *see* Kupczak, R. 86−60181
Skobelev, S.P. Analysis and synthesis of a modulated rodded structure excited by electric and magnetic currents 86−10183
Skobelev, S.P. Radiation from an array of planar waveguides with slotted coupling elements 88−72701
Skobelev, V.E., Dolgosheev, E.A., Semenyuk, A.K. Estimation criterion for the switching flux in a magnetic system for pulsing current motors 88−62307
Skobelev, V.E. *see* Epifanov, A.P. 85−38990
Skobelev, V.G. Studying the controllability of combinational circuits 88−70637
Skobelkin, O.K. *see* Artyushenko, V.G. 87−21652
Skobelkin, V.I. *see* Balagurov, A.Ya. 87−33332
Skobelkin, V.L. *see* Balagurov, A.Ya. 87−46551
Skobel'tsev, Yu.V. *see* Popov, A.S. 86−23048
Skobern, J.R. Thermoelectrically assisted convection-cooled sealed electronic package 85−5797
Skoblikov, A.I. *see* Atakishev, T.S. 88−43523
Skoblikov, S.N. *see* Baruzdin, S.A. 86−48930
Skoblin, A.A. *see* Nesterov, V.V. 86−28881
Skochilov, A.F., Sattarov, F.A. Secondary gratings in 3-D phase holograms 87−39252
Skochilov, A.F. *see* Meiklyar, M.P. 88−72446
Skochilov, A.F. *see* Pavlichenkov, S.A. 86−23092
Skochilov, A.F. *see* Protasevich, V.I. 88−46150
Skocpol, W.J. Transport physics of multicontact Si MOS nanostructures 87−25352
Skocpol, W.J. Inside submicron MOSFETs 87−67307
Skocpol, W.J. Conductance fluctuations in narrow silicon MOSFETs 88−19961
Skocpol, W.J. Random quantum interference in microdevices 88−50775
Skocpol, W.J., Jackel, L.D., Howard, R.E., Mankiewich, P.M., Tennant, D.M., White, A.E., Dynes, R.C. Quantum transport in narrow MOSFET channels 86−53665
Skocpol, W.J., Mankiewich, P.M., Howard, R.E., Jackel, L.D., Tennant, D.M., Stone, A.D. Universal conductance fluctuations in silicon inversion-layer nanostructures 86−63323
Skocpol, W.J., Manklewich, P.M., Howeard, R.E., Jackel, L.D., Tennant, D.M. Quantum transport in silicon nanostructures 88−13401
Skocpol, W.J. *see* Chang, T.Y. 85−50578
Skocpol, W.J. *see* Howard, R.E. 86−9138, 86−21661, 86−35464, 87−11263, 87−25324, 87−67607
Skocpol, W.J. *see* Jackel, L.D. 86−47626
Skocpol, W.J. *see* Mankiewich, P.M. 86−35451
Skoczkowski, T. *see* Kalus, M. 85−60589, 86−56778
Skoczowski, S. Simple models of electrothermal devices for regulation of temperature 88−30971
Skoczylas, J. 3D magnetic field analysis in electrical machine 87−78632
Skoczylas, J., Sochocki, R. Numerical analysis of magnetization process of permanent magnets 87−35950
Skoczylas, J. *see* Bolkowski, S. 86−6813
Skoczylas, J. *see* Sikora, J. 85−62718, 86−29289, 87−12657, 87−26648, 87−31449, 87−33373
Skoda, R.E. *see* Luborsky, F.E. 85−50823, 86−28920
Skoda, V. The properties of TiO_2 and SiO_2 thin films and their applications in laser optics 86−58735
Skoda, V., Cuchy, Z. Thermal and optical properties of KDP, DKDP and $LiNbO_3$ electro-optical monocrystals 86−58798
Skoda, V. *see* Kvapil, J. 88−33972
Skoda, Z. *see* Stiborova, E. 87−58230
Skodras, A.N., Deliyannis, T. Multiple-microprocessor implementation of IIR digital filters 85−49998
Skodras, A.N., Deliyannis, T. Three methods for 16-bit microprocessor implementation of digital filters 86−35027
Skodras, A.N., Zigouris, E. Automatic unit delay execution circuit for digital signal processing systems based on general-purpose microprocessors 88−44288
Skof, F. *see* Crnosija, P. 85−44206, 87−30676
Skog, K.E. *see* Koning, J.W., Jr. 87−64219
Skogen, J.D. *see* Tan, K.L. 87−11786
Skogheim, O. *see* Knudsen, J. 86−50976
Skoglund, M. *see* Ahlin, L. 88−46871
Skogorev, I.V. Increased reliability and economic effectiveness of electric locomotives by rationalization of the cooling system 87−5024
Skogorev, I.V. *see* Yanov, V.P. 88−31122
Skogsrud, H., Thorsteinsen, K. Electronic data processing tools for the planner [telecommunications] 87−31253
Skok, P., Miler, M. Spatial filtering method of oblique slit for measurement of refractive-index profile of optical-fibre preforms 87−74671
Skok, S. *see* Meludin, V. 86−51136
Skokan, J. Association for electronics implementation to national economy 87−5125
Skokan, J. *see* Suran, L. 86−46879
Skokan, K. *see* Kropacek, J. 86−19567
Skokan, M. Construction of Dukovany nuclear power station 86−51227
Skokan, V. *see* Ubra, O. 86−56565, 87−15473
Skokan, Z.E. *see* Shier, J.S. 87−67538
Skokljev, I. The superposition property of linear functions and the application of this property in solving the load flow problem encompassing the elementary topology changes with power system networks 88−61799
Skokljev, I. One intermediary application of superposition property determining electrical distance at power system networks in steady state operation 88−61860
Skokljev, I. *see* Lazarevic, Z. 87−30398
Skokov, V.S. *see* Venikov, N.I. 87−14697
Skolarikos, M. *see* Tzafestas, S. 87−48011, 88−36961
Skold, J. *see* Bleeker, E.J. 86−5739
Skold, K. *see* Delaplane, R.G. 86−5866
Skold, R. *see* Davy, J.G. 85−54155, 85−55277, 86−1502
Skolelev, V.E. *see* Epifanov, A.P. 87−64620
Skolnick, M.M., Butt, D. Cellular array algorithms for the analysis of EKG signals 86−38793
Skolnick, M.S. *see* Bass, S.J. 86−52458, 87−23650
Skolnick, M.S. *see* Claxton, P.A. 87−44323
Skolnick, M.S. *see* Cockayne, B. 86−7775
Skolnick, M.S. *see* Hope, D.A.O. 86−1709
Skolnick, M.S. *see* Pollard, C.J. 86−9010
Skolnik, B. *see* Myers, G. 88−10404
Skolnik, M.I. Fifty years of radar 85−47548
Skolnik, M.I. Antennas, propagation, and radar systems 87−28690
Skolotnev, N.N. *see* Sibarov, Yu.G. 85−20970
Skolotzdra, S.V. *see* Gavrilenkov, V.A. 86−33838
Skoloud, O. *see* Pokovny, J. 87−70510
Skolozdra, S.V. *see* Lakhotskii, T.V. 86−13158
Skomal, E.N. A long term trend in urban zone man made radio noise and the UHF automotive ignition resonance 86−29465
Skomorokh, V.G., Starov, V.I., Trofimenko, V.I. Vacuum deposition of metal films by thermionic methods 87−23721
Skomorokh, V.G. *see* Starov, V.I. 87−23722
Skomorokhov, V.A. Synthesis of switched-inverting methods using the principle of mirror symmetry of channel conversion functions 86−44077

Skomp, G. Surface mount CAD design 87—1065
Skomp, G. CAM data base management issues 87—66708
Skomp, G. *see* Talley, B. 86—46025
Skonechnykh, G.K. *see* Sinaiskii, B.N. 88—49917
Skoneczni, W. *see* Bykov, V.L. 85—36994
Skonieczka, R., Marasek, K., Wasilewski, Z. The sequential control system of the complex equipment of an OP230 boiler mills train 86—19067
Skonieczny, J. *see* Dittmar-Wituski, A. 85—15017
Skonieczny, W. Measurements of rainfall intensity for radio communication use 88—58859
Skoog, G. *see* Askne, J. 85—64735
Skoog, G. *see* Winberg, E. 85—15425
Skopakow, P. *see* Ding, L. 88—9577
Skopal, I., Tobias, F., Ivanov, P. Some problems of eddy current testing with air-cored probe coils 88—49909
Skopalik, E., Jechev, P. Tactile-sensing transducers based on conductive rubber for robot construction 87—8583
Skopenko, V.V. *see* Gofaizen, O.V. 86—43962
Skopenko, V.V. *see* Gofayzen, O.V. 87—55143
Skopenko, V.V. *see* Gofyzen, O.V. 86—11246
Skopik, D.M. *see* Asai, J. 87—77543
Skopin, I.A. *see* Popov, Yu.M. 88—8229
Skopina, V.I. *see* Andreev, V.M. 85—61724
Skopina, V.I. *see* Gurevich, S.A. 86—29165 to 29166, 87—33198, 87—74747
Skopintsev, V.A. *see* Liseev, M.S. 85—21074
Skopljak, E. *see* Corda, J. 87—22294
Skopyuk, M.I. *see* Andreev, E.A. 86—5918
Skorchakovskii, M.L. *see* Kravchenko, V.I. 86—22341
Skorchenko, V.A. *see* Lushchaev, G.A. 87—63365
Skorczakowski, M. *see* Kravchenko, V.I. 87—2214
Skordalakis, E. Syntactic ECG processing: a review 86—65447
Skordalakis, E. Recognition of the shape of the *ST* segment in ECG waveforms 87—14900
Skordalakis, E. The syntactic approach to ECG analysis 88—54572
Skordalakis, E., Papakonstantinou, G. Toward an attribute grammar for the description of ECG waveforms 85—38159
Skordalakis, E., Trahanias, P. Primitive pattern selection and extraction in ECG waveforms 87—50354
Skordalakis, E. *see* Papakonstantinou, G. 86—65446
Skordeva, E. *see* Vateva, E. 86—28204
Skordoulis, C. *see* Cefalas, A.C. 86—9762, 87—7264
Skorik, L.I. *see* Bogachkov, N.I. 87—18862
Skorik, V.I. *see* Gavrilenkov, V.A. 86—33838
Skorik, V.N. *see* Gorokhov, S.M. 88—526
Skorikov, V.M. *see* Efimenko, I.M. 87—33009
Skorin-Kapov, J., Granot, F. Non-linear integer programming: sensitivity analysis for branch and bound 88—24651
Skorjanec, J. *see* Stubbs, D.P. 85—45995
Skorjanec, J. *see* Whisler, J.W. 85—45996
Skorka, S.J. *see* Assmann, W. 86—38645
Skorka, S.J. *see* Lobner, K.E.G. 87—71049
Skorka, S.J. *see* Machlitt, N. 88—53974
Skorka, S.J. *see* Schodlbauer, D. 86—38666
Skormin, V. *see* Buchanan, J. 88—49216
Skormin, V.A. Statistical technique for grading and justification of grades 88—24442
Skornjakov, S.G. *see* Beer, W. 85—64518
Skornyakov, V.A., Al'vares, E.Kh. The distribution of current on the surface of a rod insulator when a discharge is developing 85—53344
Skornyakov, V.A. *see* Karpenko, L.N. 85—55220, 87—66622
Skornyakov, V.A. *see* Karpenko, L.V. 86—26198
Skornyakov, V.A. *see* Lupkin, I.D. 87—64889
Skornyakov, Yu.A. *see* Borisova, M.E. 85—62134
Skorobogatov, B.S., Usoskin, A.I. Amplification of scattered fluxes of stimulated emission in laser rods with high gain 85—35726
Skorobogatov, P.K. *see* Agakhanyan, T.M. 85—45850
Skorobogatov, P.K. *see* Astvatsatur'yan, E.R. 85—48095
Skorobogatov, V.N., Yurchenko, Yu.V. Optimal scaling of a random signal during recording 85—46799
Skorobogatova, S.N. *see* Prokhorov, E.D. 86—47078
Skorodumov, S.A. *see* Oboishev, Yu.P. 85—8896
Skorodumov, V.A. *see* Kogan, A.Ya. 87—22020
Skorokhodov, N.E. A cell for measuring the pyroelectric effect at 90-900K 86—50203
Skorokhodov, V.A. *see* Romanovskii, G.F. 86—26322
Skorokhvatov, N.A. *see* Il'in, Yu.A. 87—35493
Skoropacki, W. Method of increasing the memory time in sample and hold circuits 85—973
Skorospenshkin, A.I., Chebotkov, E.G., Troshin, V.V. Magnetic field in the commutation zone of a DC machine 85—53713
Skorospeshkin, A.I. *see* Karetnyi, V.D. 88—23955
Skorospeshkin, A.N. *see* Vysotskii, V.E. 86—45440
Skorov, V.G. *see* Letunov, L.A. 85—64215
Skorton, D.J. *see* McPherson, D.D. 87—57109
Skorupa, W., Knothe, P., Groetzschel, R. Heavy metal gettering in buried nitride silicon-on-insulator structures 88—44611
Skorupa, W., Kreissig, U., Hensel, E., Wollschlager, K., Hoffmann, W., Pham, M.T., Bartsch, H. Formation of SOI-structures by high dose nitrogen implantation and flash lamp annealing 86—41655
Skorupa, W., Kreissig, U., Oertel, H., Bartsch, H. Properties of epitaxial silicon layers on buried silicon nitride produced by ion implantation 87—45714
Skorupa, W., Oertel, H., Bartsch, H. Mechanism of carrier lifetime increase in ion beam synthesised SOI structures 87—6480
Skorupa, W., Voelskow, M., Matthai, J., Knothe, P. Ion-beam-induced epitaxial crystallisation (IBIEC) of amorphous silicon layers produced by chemical vapour deposition 88—63297
Skorupa, W., Wieser, E., Groetzschel, R., Posselt, M., Buecke, H., Armigliato, A., Garulli, A., Beyer, A., Markgraf, W. High energy implantation and annealing of phosphorus in silicon 87—38087
Skorupa, W., Wollschlager, K., Grotzschel, R., Schnoneich, J., Hentschel, E., Kotte, R., Stary, F., Bartsch, H., Gotz, G. Properties of buried insulating layers in silicon formed by high dose implantation at 60 keV 88—57446
Skorupa, W., Wollschlager, K., Kreissig, U., Grotzschel, R., Bartsch, H. Properties of ion beam synthesized buried silicon nitride layers with rectangular nitrogen profiles 87—38082
Skorupa, W. *see* Hensel, E. 86—15057
Skorupa, W. *see* Jager, H.U. 86—9037
Skorupa, W. *see* Posselt, M. 87—38100
Skoryatina, E.A. Diffusion of manganese in extrinsic p-type GaAs 87—37882
Skoryukin, V.E. *see* Abdurakhimoiv, A.A. 86—47517
Skoryupin, V.A. *see* Basmanov, A.B. 87—66818
Skoryupin, V.A. *see* Dolgachev, G.I. 88—37335
Skoryupin, V.A. *see* Gorev, V.V. 86—41472
Skosar, I.N. *see* Shakirov, A.Sh. 87—57920
Skosareva, S.I. *see* Lyatkher, V.M. 87—78568
Skoskiewicz, T. *see* Chmielowski, M. 88—32832
Skosyrskaya, T.A. *see* Bryukhnevich, G.I. 86—8699
Skotalek, J., Hudec, M. Automation of the measurement of electric rotating machines 86—45332
Skotarenko, N.G. *see* Gridnev, I. 86—35968
Skotarenko, N.G. *see* Tyurin, V.M. 87—6990
Skotheim, T.A., Inganas, O. Charge transfer between polypyrrole coated n-Si electrodes and solid polymer electrolytes 86—1857
Skotheim, T.A., Inganas, O. Polymer solid electrolyte photoelectrochemical cells with n-Si-polypyrrole photoelectrodes 86—13002
Skotheim, T.A. *see* Inganas, O. 86—35473
Skotnicki, T. CCDTS program in designing CCD device with buried channel 87—11958
Skotnicki, T., Marciniak, W. A new approach to threshold voltage modelling of short-channel MOSFETS 87—18149
Skotnicki, T., Merckel, G., Pedron, T. The voltage-doping transformation: a new approach to the modeling of MOSFET short-channel effects 88—39440
Skotnicki, T., Merckel, G., Pedron, T. A new punchthrough current model based on the voltage-doping transformation 88—64483
Skotte, J. Reduction of radiofrequency exposure to the operator during short-wave diathermy treatments 86—25328
Skou, N. Microwave radiometry for oil pollution monitoring, measurement and systems 86—12203
Skou, N. *see* Huhnerfuss, H. 87—63974
Skouby, D.C., Jensen, K.F. Modeling of energy and mass transport in laser-assisted CVD. I. Surface morphology 88—12064
Skov, J.M. *see* Withrow, M. 88—62087
Skov, K. The parabolas receive TV signals from the satellites 88—9714
Skov, M. *see* Jensen, M.N. 88—3640, 88—73656
Skovgaard, O. *see* Berg, P. 87—54288
Skovgaard, O. *see* If, F. 86—42467
Skovgaard, O. *see* Soerensen, M.P. 85—1879, 85—56193
Skoviera, M. *see* Siran, J. 86—329
Skovitin, A.I. *see* Gorbatikov, A.V. 87—77849
Skovmand, T. μP friendly voltage regulators 87—73287
Skow, D. *see* Engels, E., Jr. 87—29488
Skow, D. *see* Lobkowicz, F. 85—43185
Skowron, J.F., Besse, S.B., Jr. Facing the microwave tube/system interface problem 85—55401
Skowron, J.F. *see* Dallos, A. 87—53112
Skowronek, K. *see* Kordus, A. 87—15846
Skowronek, M., Romeas, P. Properties of a miniature X-ray source 87—37810
Skowronski, J.I. *see* Fleszynski, J. 85—50787
Skowronski, J.M., Reksc, W., Jurewicz, K. A new type of auxiliary electrode for alkaline zinc cells 88—55610
Skowronski, J.M., Stonier, R.J. The barrier in a pursuit-evasion game with two targets 87—65308
Skowronski, J.M. *see* Galperin, E.A. 85—49436, 87—65307
Skowronski, M. *see* Lagowski, J. 87—6373
Skrabka, T. *see* Koscielniak, W. 86—8459
Skrabka, T. *see* Radziszewski, A. 85—55156
Skrabka, T. *see* Szreter, M. 88—7624
Skrainar, S.F., Royster, L.H., Berger, E.H., Pearson, R.G. Do personal radio headsets provide hearing protection? 85—58430
Skrbic, M., Babic, G.A. An approach to ISDN transport facilities design 85—63470
Skrdlant, B. Microprogrammed automatic device for transmitter control 85—43526
Skrebkov, S.A. *see* Atamasov, V.D. 85—44202
Skrebov, V.N. *see* Kudryavtsev, A.A. 86—15634
Skrehot, M.K. *see* Chang, K. 88—28952
Skreiner, K.M. New approaches in seismic qualification of equipment in operating plants 85—9661
Skresanov, V.N. *see* Bulgakov, B.M. 85—19185, 86—63956, 88—12597
Skretting, A. *see* Souchkevitch, G.N. 88—54502
Skrgatic, R. *see* Marinovic, N. 86—33891
Skrgatic, R. *see* Milicevic, D. 85—21568
Skriba, L. *see* Hawkins, H. 87—14963
Skribanov, E.V., Alekseev, K.B., Markin, S.V., Matveenko, V.I. A device for optical measurement of linear dimensions by means of matrix signal converters 85—58880
Skribanov, E.V., Grishin, M.P., Bratenkov, A.A. Device for measuring linear displacement 85—8958
Skribanov, E.V., Nikitenko, A.I., Tolokonnikov, S.M., Bratenkov, A.A., Starshinov, Yu.B. Computerized system for precise measurement of geometrical dimensions and digital processing of one-dimensional patterns 88—16481
Skribanowitz, G. Quartz-controlled time switch 86—62892
Skribanowitz, G. A drive circuit for electromechanical counters 86—67119
Skribanowitz, G. Temperature controller with oscillation packet control 87—45344
Skribanowitz, G. Melody-generator for a house-bell-system 87—56426
Skribanowitz, G. The M61 amplification monitoring system 87—70747
Skribanowitz, G. Input stages in measurement technology. I 88—18948
Skribanowitz, G. Input stages for measurement technology. II. Conclusion 88—18949
Skrien, D.S. *see* Starr, P.J. 87—36480
Skrimshire, C. *see* Jenkins, D.G. 88—45315
Skrimshire, C.P. *see* Robertson, M.J. 88—33869
Skrimshire, C.P. *see* Sim, S.P. 86—43810
Skrinsky, A.N. Status of electron cooling 85—15116
Skrinsky, A.N. Linear colliders 85—26575
Skrinsky, A.N. *see* Anashin, V.V. 86—58721
Skrinsky, A.N. *see* Balakin, V.E. 85—31665
Skrinsky, A.N. *see* Baryshev, V.B. 86—60697
Skrinsky, A.N. *see* Belomesthnykh, S.A. 85—15111
Skrinsky, A.N. *see* Blinov, A.E. 85—26540
Skrinsky, A.N. *see* Bondar, A.E. 85—26599
Skrinsky, A.N. *see* Borodin, Yu.I. 86—60684
Skrinsky, A.N. *see* Chernyakin, A.D. 85—26581
Skrinsky, A.N. *see* Dementyev, E.N. 86—60572
Skrinsky, A.N. *see* Derbenev, Ya.S. 85—26560, 85—26619
Skrinsky, A.N. *see* Gluskin, E.S. 86—60452
Skrinsky, A.N. *see* Kornyukhin, G.A. 85—56712
Skrinsky, A.N. *see* Parkhomchuk, V.V. 85—26635
Skrinsky, A.N. *see* Perevedentsev, E.A. 85—26639
Skrinsy, A.N. *see* Avdienko, A.A. 85—26586
Skripachev, I.V. *see* Bagrov, A.M. 86—36169
Skripachev, I.V. *see* Baikalov, P.I. 86—9519
Skripachev, I.V. *see* Borisevich, V.G. 87—74751
Skripachev, I.V. *see* Svet, D.Ya. 85—37634
Skripachev, I.V. *see* Voronin, N.I. 86—36137
Skripal, A.V. *see* Usanov, D.A. 88—25499, 88—71026
Skripchenko, A.I. Probe measurements of the diameter of the beams in processing laser equipment 86—36548
Skripchenko, A.I., Surkov, A.V. Penetration capacity of a concentrated laser beam 85—56776
Skripchenko, A.I., Surkov, A.V., Bashenko, V.V. Special features of laser welding with complete penetration 85—56921
Skripchenko, A.I. *see* Ishanin, G.G. 88—27036
Skripinkov, Yu.S. *see* Kostyukov, N.S. 86—58628
Skripka, N.I. *see* Kovalenko, L.N. 85—63060
Skripka, V.G., Kargin, A.I. Development of computer-aided design systems for reproduction engineering in the electric-locomotive industry 88—18155
Skripkin, V.A. *see* Avdeeva, V.P. 85—12880
Skripkin, V.A. *see* Bochkarev, A.E. 87—39119
Skripkin, V.A. *see* Dolginov, L.M. 85—12881
Skripkin, V.A. *see* Dolginov, M.L. 85—29854
Skripkin, V.A. *see* Vasil'ev, M.G. 85—7412
Skripko, A.P. *see* Senyagin, Yu.V. 86—33057
Skripko, G.A. *see* Abdulsabirov, R.Yu. 87—26356
Skripko, G.A. *see* Al'tshuler, G.B. 88—33984
Skripko, G.A. *see* Kruglik, G.S. 87—18939

Skripko, G.A. *see* Krugluk, G.S. 88−40189
Skripko, O.A. *see* Timchenko, V.F. 87−78032
Skripnichenko, A.S. *see* Zemskov, K.I. 85−2452
Skripnik, A.I. *see* Markov, N.N. 88−4264
Skripnik, A.N., Garmashov, Yu.K., Lagoshin, V.E. Seasonal and planning optimisation of the configuration of power networks 87−15229
Skripnik, A.N. *see* Shcherbina, Yu.V. 87−4413
Skripnik, A.N. *see* Shcher'ina, Yu.V. 88−30249
Skripnik, Yu.A., Grigor'yan, R.L., Maslov, N.V., Rugalenko, Yu.V. Probability characteristics of the distortion factor of synthesized quasisinusoidal signals 85−30277
Skripnik, Yu.A. *see* Kovtonyuk, A.A. 87−55152
Skripochenko, O.A. *see* Goldberg, S.I. 87−19882
Skritek, P. Measurements of audio companders, sound simulator for electronic modelling of tone interference 85−3788
Skritek, P. A measurement method for stationary and dynamic nonlinear distortions in audio systems 85−3809
Skritek, P. Computer aided circuit analysis. Functioning and characteristics of network analysis programs 85−10931
Skritek, P. CAD of analog filters 86−52615
Skritek, P. A combined measurement method for both dynamic intermodulation and static nonlinear distortions 87−35181
Skritek, P. Unified compandor measurements by using a channel simulator 87−56424
Skritek, P., Parth, E., Polleros, R., Rabitz, J. Design of an expandable 'low-cost' digital audio mixer 85−3807
Skritek, P., Parth, E., Polleros, R., Rabitz, J. Hardware-unit for digital audio signal-processing 87−49409
Skriver, H., Gudmandsen, P., Ulander, L. Active microwave observations of sea ice and iceberg 87−49176
Skrivskaya, I.I. *see* Golitsyn, V.P. 86−47096
Skrobacki, E. Ventilation testing of the MASTER system control cabinets in the Belchatow power station 88−69082
Skrobockaja, V., Ramanauskiene, D. Influence on Ni electroplating of substances stimulating ceramic powder codeposition 86−40328
Skromme, B.J. *see* Bhat, R. 87−52168
Skromme, B.J. *see* Low, T.S. 86−8989
Skromme, B.J. *see* Nottenburg, R.N. 88−33167
Skromme, B.J. *see* Tamargo, M.C. 88−418
Skron'ski, Ya. *see* Korolev, V.S. 88−4346
Skrotzki, B.G.A., Vopat, W.A. *(editor)* Power station engineering and economy 85−27925
Skrotzki, T. *see* Depenbrock, M. 87−35932
Skrtic, M.M., Hines, V., Skrtic, P.A. RPV and UAV strike weapons: an approach to augment manned aircraft effectiveness 88−10691
Skrtic, P.A. *see* Skrtic, M.M. 88−10691
Skruhak, R.J. *see* Raghunathan, K. 87−24238
Skryabin, A.S. Calibration of a sea-surface radar-return simulator 87−49140
Skryabin, A.S. Variance of the depolarization coefficient of radio waves 87−54554
Skryabin, V.G. *see* Kolerov, O.K. 86−5517
Skryabina, I.E. *see* Kozlov, E.I. 85−16475
Skryabinskii, V.S. Field-effect transistors as functional transducers of electrical measuring devices 87−21056
Skryabinskii, V.V. *see* Lankin, Yu.N. 86−40325
Skryl', S.I. *see* Glinchuk, K.D. 85−11881, 85−34470, 85−45378, 85−50359, 85−50395, 85−55432, 86−14992
Skryl', V.F. Data network for computerised central dispatcher control of regional power networks 86−44863
Skryl, V.F., Andreeva, E.V. Effect of parameters of modulators and communications links on transmitting digital data over distributed electrical networks 87−39558
Skryl, V.F., Khlystov, V.M. Influence of periodicity on accuracy of remote measurement of energy losses in power networks 88−17217
Skryl, V.F. *see* Vulpe, A.A. 86−45473
Skrylnikov, A.M. *see* Hegai, N.L. 88−9790
Skrynnik, B.K. *see* Ermak, G.P. 87−73610
Skrynnik, B.K. *see* Evdokimenko, Yu.I. 86−1632
Skrypnik, A.I., Ravlik, A.M., Sokolov, L.N., Shul'ga, R.N. 'Substantial' program package for development of electric equipment of transmission lines and direct current links 87−71634
Skrypnik, A.I. *see* Perkhach, V.S. 87−22120
Skrypnik, A.I. *see* Sklyarov, V.F. 85−39462
Skrypnik, A.I. *see* Stryadan, V.N. 87−4239
Skrypnik, G.I. *see* Bogomolov, A.F. 86−29997
Skrypnik, V.A. *see* Parkhomenko, A.I. 88−76070
Skrypnyk, R. *see* Roy, O.Z. 86−18362
Skryshevskii, V.A., Kil'chitskaya, S.S., Strikha, V.I., Matviichuk, A.S. Effect of pulse laser irradiation on properties of Al-n-Si structures 85−12241
Skryshevskii, V.A. *see* Vorob'ev, Yu.V. 87−12293
Skrzypczak, C. Between Utopia and reality−telecommunication strung between technical possibilities and practical realities 88−28192
Skrzypczak, C.S. *see* Geeslin, B.M. 88−3685
Skrzypek, J. A computing structure for a spatial-context model of lightness constancy 86−49031
Skrzypek, J., Shulman, D. Preprocessing using multiresolution lateral inhibition 85−46906
Skrzypkowiak, S.S., Chen, T.M. A method of including resistor current noise in SPICE circuit analysis 87−52897
Skshipulets, K. *see* Dzhevinski, K. 88−74258
Skubal, A. Czechoslovak silicon diode for the detection of fast neutrons 86−32149
Skubal, A., Prouza, Z., Hermanska, J. Energy and kerma dependence of the Czechoslovak dosimetric Si-diode 86−60553
Skubal, A. *see* Prouza, Z. 87−35315
Skubenko, N.A. *see* Lisitsa, M.P. 85−41467
Skubis, J. Piezoelectric transducers for detection and measurement of partial discharges in transformers [transformer insulation] 85−21675
Skubis, T. RM type resistors testing under alternating current 88−19426
Skubis, T. *see* Kwiczala, J. 88−22742
Skubiszak, W. *see* Kotowski, T. 85−29792, 85−62529
Skucas, J. *see* Gorski, J.W. 85−38049
Skuce, D. It all depends on the lens 85−31187
Skuchas, J. *see* Lazenas, G. 87−49438
Skudelny, H.- *see* Langer, H.G. 88−30882
Skudelny, H.-C. Application of AC drives in transportation 85−16320
Skudelny, H.-C. Characteristics of a single-phase diode rectifier without smoothing reactance 88−6654
Skudelny, H.-C. *see* Becker, W. 85−5187
Skudelny, H.-C. *see* Fregien, G. 88−75759
Skudelny, H.-C. *see* Gratzfeld, P. 85−27743
Skudelny, H.-C. *see* van der Broeck, H. 88−69591
Skudelny, H.-C. *see* van der Broeck, H.W. 87−43222, 88−43279, 88−55652
Skudelny, H.-Ch. *see* Bendien, J.Ch. 88−69483
Skudelny, H.-Ch. *see* Van Wyk, J.D. 87−10669
Skudera, W. *see* Daniels, W.D. 86−55366
Skudlarek, H.-L. *see* Haensel, E. 87−20339
Skugarev, V.V. Design of a rectifier for a pulsed voltage stabilizer 87−16860
Skuja, A. *see* Zimmermann, W. 86−32195
Skujdelny, H.-C. *see* van der Broeck, H. 87−22342
Skula, J., Chobola, Z., Simecek, T., Hulicius, E., Roskovcova, L. Degradation process in GaAs:Si luminescent diodes 85−18815
Skula, L. Linear transforms and convolution 87−51916
Skulachenko, S.S. *see* Kuz'minskii, A.S. 88−74318
Skulachev, D.P. *see* Koryakin, N.D. 87−29144
Skulakov, S.P. *see* Kovtun, V.N. 86−55791
Skuletic, S. On complex power systems reliability calculation using the Markov model of states 86−39031
Skuletic, S. Maintenance consideration in the reliability calculation of parallely connected elements with equal characteristics 87−152
Skuletic, S. Calculating reliability parameters of parallelly connected elements. I. Two parallelly connected elements 87−36532
Skulish, E.D., Beisyuk, P.P., Grushka, G.G. Thermally stimulated conductivity of $Hg_3In_2Te_6$ 86−67704
Skullney, W.E. *see* Jamison, R.D. 87−23757
Skulski, J. *see* Kowalski, K. 88−56956
Skulski, R. *see* Ciesla, B. 87−41585
Skul'skii, K.V. *see* Kolesnik, E.S. 88−16016
Skultety, O. *see* Nudron, J. 86−1768
Skumanich, A., Fournier, D., Boccara, A.C., Amer, N.M. In situ investigation of transport in semiconductors: a contactless approach 85−61660
Skumanich, A. *see* Dersch, H. 85−50217
Skumanich, A. *see* Fournier, D. 86−35287
Skuncke, O. *see* Alvsten, B. 85−11603
Skuncke, O. *see* Falk, S. 85−6557
Skuncke, O. *see* Granath, G. 87−11086
Skuncke, O. *see* Thorborg, K. 85−1081
Skunke, O. *see* Falk, S. 85−11598
Skura, J.P. Worldwide anomalous refraction and its effects on electromagnetic wave propagation 88−40543
Skuratov, V.B. *see* Kozlova, N.P. 85−65681
Skuridin, A.M. *see* Pankov, A.R. 87−47779
Skurikhin, A.V. *see* Nikonenko, I.U. 87−78197
Skurnik, D. High-voltage amplifier draws little current 87−23939
Skurovec, V. *see* Habrinsky, J. 86−65606, 87−15120
Skurskii, P.P. *see* Lerman, L.B. 87−47428
Skursky, M. New structures and functions of the secondary technique in VHV and HV distribution substations 88−30966
Skurzynski, A. Amplifier circuits with short-circuit resistance outputs 87−16900
Skurzynski, A. The control of DC relays 88−71152
Skuse, N.F., Burke, D. Conditioning of the visual evoked potential using a LED stimulator 86−11974
Skutnik, B. *see* Beck, W.B. 87−1964
Skutnik, B.J., Beck, W.B., Hodge, M.H. Hazards for fiber optics in the medical application environment 88−36456
Skutnik, B.J., Hille, R.E. Environmental effects on hard clad silica optical fibers 85−35426
Skutnik, B.J., Hodge, M.H., Clarkin, J.P. Passivated optical fibers for harsh environments 88−45120
Skutnik, B.J., Munsey, B.D. The connector connection in fiber optics 85−12622
Skutnik, B.J., Munsey, B.D., Brucker, C.T. Coating adhesion effects on fiber strength and fatigue properties 87−74820
Skutnik, B.J., Wei, T.-S. Mechanical reliability of optical fibers through fatigue testing 88−45115
Skutsach, W. *see* Rhein, D. 85−6954
Skutsch, W. Pulse-measuring set-up with K-1520-DMA-assembly 87−3390
Skvarca, M. *see* Kosmac, M. 86−19312, 87−15946
Skvarca, M. *see* Zore, Z. 87−15947
Skvarenina, T. *see* Kristiansen, M. 85−48
Skvarenina, T.L. An update on the AFIT pulsed power program 85−49
Skvarenina, T.L. *see* Joseph, P.J. 85−2514
Skvaril, J. Derandomizing buffer and microcomputer memory for the use of a fast MWPC image memory 87−29463
Skvarka, P. Analysis and planning of the load factor of nuclear power plants 87−15451
Skvarka, P., Kovacs, Z., Kandrac, J. Reliability of human factor in nuclear power 87−35750
Skvarka, P. *see* Votruba, J. 85−65044
Skvarla, M.J. *see* Kitai, A.H. 86−21375
Skvirskaya, I.I. *see* Arbit, L.G. 88−7773
Skvirskaya, I.I. *see* Minakova, N.N. 86−58073
Skvirskii, V.Ya. Information quality and a graphic representation of the logical structure of information 87−47453
Skvor, Z. *see* Hudec, P. 88−70432
Skvortsov, A.K., Chistyakov, V.V. Shaping of openings for interlayer connections in multilevel boards 88−44464
Skvortsov, A.V. Measuring flat items in flexible production 87−29288
Skvortsov, A.V. Standard algorithms for machine-component geometrical parameter monitoring 88−29636
Skvortsov, B.V. Computation of electric field in thin nonhomogeneous films 85−62721
Skvortsov, B.V., Aleinikov, L.V. Synthesis of electric fields in thin homogeneous films 85−62711
Skvortsov, K.V., Aleinikov, L.V. Thin uniform film electric field synthesis 86−36634
Skvortsov, L.I. *see* Leonov, E.I. 87−60954
Skvortsov, M.N. *see* Vasilenko, L.S. 86−15748
Skvortsov, S.S. *see* Veselovskii, A.S. 85−21537, 86−56713, 87−22221
Skvortsov, T.A., Dovnarovich, L.A. Combined discovery and measurement of the co-ordinates of a radiation source found in the Fresnel zone of an antenna array 87−39510
Skvortsov, V.V., Sukhovoi, M.B., Uspenskii, A.A. Characteristics of the modulated collector current of secondary electrons from the grids of a multielectrode probe in an attitude sensor 88−16833
Skvortsov, V.V. *see* Govorun, V.N. 86−44221
Skvortsov, Yu.S. *see* Lemanov, V.V. 85−43106
Skvortsov, Yu.S. *see* Malamed, E.R. 86−48273
Skvortsova, G.V. *see* Butkevich, V.I. 87−39014, 87−74992
Skvortsova, N.A. *see* Zotov, E.A. 88−43655
Skvortsova, N.E. *see* Belova, N.A. 87−3715
Skvortsova, N.N. *see* Ovchinnikov, I.E. 86−39927
Skvortsova, N.V. *see* Borisenko, V.A. 87−59035
Skvortsova, N.Ye. Gunn effect mm-band oscillators (a review) 85−18278
Skvorz, S.J. *see* Jenkins, R.M. 88−68596
Skvotsova, G.V. *see* Butkevich, V.I. 86−44795
Skwirzynski, J.K. Basic principles of radar polarimetry 86−49720
Skwirzynski, J.K. *(editor)* Impact of Processing Techniques on Communications. Proceedings of the NATO Advanced Study Institute 85−60656
Skwortsov, A.K. *see* Pyskov, V.P. 87−12648
Skyas, E.D., Protonotarios, E.N. Adaptive CSMA and CSMA/CD protocols 86−30118
Skyba, P. *see* Kollar, P. 87−63224
Skygge, C.-O. Inherently safe SECURE reactors 86−6540
Skylarov, S.M. *see* Dyakin, V.V. 85−61680
Skyllas-Kazacos, M., Grossmith, F. Efficient vanadium redox flow cell 88−37361
Skyllas-kazacos, M., McCann, J.F., Arruzza, R. Chemically deposited alloy semiconductor thin films 85−54486
Skyllas-Kazacos, M. *see* Cvetko, B.F. 88−29584
Skyllas-Kazacos, M. *see* Rychcik, M. 87−30909, 88−17879
Skyllas-Kazacos, M. *see* Stillman, R. 85−10086
Skyllas-Kazacos, M. *see* Sum, E. 86−6987, 86−33605
Skytta, J., Hyvarinen, O. A general high level language for signal processors 85−51650
Skytta, J., Hyvarinen, O. Description of multirate structures with the signal processing language PL/SEQ 86−64294
Skytta, J., Takala, T. VLSI-based partially ordered tree for storing 3-D geometric information in database 87−67425
Skytta, J. *see* Hartimo, I. 86−27176, 86−66737
Skyttemyr, S.A. An antenna for the ROLAN basic station 86−3692

Skyttemyr, S.A. Cross polarization in dual reflector antennas—a PO and PTD analysis 86—64061
Skyttermark, B. *see* Norremark, J. 86—4484
Skyum, S. *see* Johansen, K.E. 88—73664
Slaaf, D.W., Jeurens, T.J.M., Tangelder, G.J., Reneman, R.S., Arts, T. Methods to measure blood flow velocity of red blood cells in vivo at the microscopic level 86—70380
Slabak, J. Effective damping of alternator oscillations in parallel operation during resonance with steam turbine 87—51167
Slabakov, E.V. *see* Aksenova, G.P. 86—1082
Slabakov, KH. *see* Belyayev, M.F. 87—42251
Slabikov, V.A., Fedorov, L.I. Utilising heat at two potentials in the thermal scheme of a steam turbine 88—48792
Slabko, V.V. *see* Lukinykh, V.F. 85—24657, 88—2376
Slabko, V.V. *see* Myslivets, S.A. 86—9957
Slabodchikov, P.I. *see* Klimenko, E.Yu. 88—71987
Slabon, R.W. Project management of national satellite projects 87—76665
Slabon, R.W. Business communications in the German telecommunication satellite (DFS-Kopernikus) switched network 87—76689
Slabon, R.W., Haag, J. Presentation of digital switching systems to the Deutsche Bundespost network—presentation method and experiences 85—52183
Slaby, C., Marciak-Kozlowska, J. Analysis of distribution of boron and phosphorus concentration in poly Si-SiO_2-Si 85—29067
Slaby, C., Smith, D.A., Baytman, M., Ilowski, J., Chau, R. Test insert structures for advanced CMOS technology 87—38580
Slaby, C. *see* Simard-Normandin, M. 86—1985, 86—15025
Slaby, J., Szoplik, T. Evaluation of resonant modes in cascaded holographic system 85—56882
Slaby, J., Szoplik, T. Resonant modes in a cascaded system of Fourier holograms 86—42655
Slaby, J.G. Overview of NASA Lewis Research Center free-piston Stirling engine activities 85—59405
Slaby, J.G. Overview of the 1985 NASA Lewis Research Center SP-100 free-piston Stirling engine activities 86—38919
Slaby, J.G. Overview of the 1986 free-piston Stirling SP-100 activities of the NASA Lewis Research Center 87—35471
Slacalek, Z., Lauda, J. An automated system for testing printed circuit boards 85—55309
Slack, A.H. *see* Sayers, A.T. 87—51124
Slack, D.S. *see* Kerns, J.A. 88—65101
Slack, E.R., Calder, M.A. Tariff and accounting requirements for global maritime mobile services 86—59796
Slack, L.H. *see* Allington, T.R. 85—34401
Slack, M.R. *see* Algar, T.H. 86—19001
Slack, R.B. *see* Welch, R. 88—68650
Slack, T.B. *see* Smith, A.R. 86—16242
Slade, M. *see* Chiaradia, P. 88—13020
Slade, M.A. *see* Jurgens, R.F. 88—67502
Slade, M.L. *see* Brillson, L.J. 85—55565, 86—63104, 87—1294, 87—53269
Slade, M.L. *see* Viturro, R.E. 88—19743
Slade, P.G. Arc erosion of tungsten based contact materials: a review 87—37615
Slade, P.G. *see* Lee, A. 86—19425
Slade, R.M. On-line from paradise: a report on the telecommunications aspects of the world logo conference 88—66917
Slade, S. Lighter weight aircraft instruments with improved readability 88—23165
Sladecek, P. *see* Pajdla, V. 87—3771
Sladek, M. *see* Foitl, V. 88—66856
Sladek, N.J., Jesch, R.L. Standardization of coaxial connectors in the IEC 86—35175
Sladek, P. *see* Salyk, O. 88—24781
Sladek, V. *see* Stauber, J. 87—35874
Sladen, F.M.E., Reichard, H.S., Uveges, S. Chromatic dispersion measurements on long fibre lengths using LEDs 86—63621
Sladen, J. *see* Brown, P. 86—24873
Sladen, J.P.H., McGeehan, J.P. The performance of a phaselocked single sideband land mobile receiver in the multipath environment 85—25140
Sladen, J.P.H. *see* McGeehan, J.P. 85—36945
Sladen, J.P.H. *see* Peschardt, E. 86—64970, 87—63603
Sladkova, V.A. *see* Vakhmyanin, L.P. 86—66842
Sladky, J. *see* Hodousek, V. 85—21584
Slaen, T. *see* Hamalainen, M. 86—25433
Slafer, W.D. *see* Cowan, J.J. 85—56847, 87—12611, 88—8315
Slager, C.J., Vandenbrouke, W.V.A., Phaff, A.C., Schuurbiers, J.C.H., Bom, N., Serruys, P.W. Thermal ablation of atherosclerotic plaques by spark erosion 88—36500
Slager, C.J. *see* Bom, N. 88—36426
Slager, C.J. *see* Kooijman, C.J. 87—48055
Slager, C.J. *see* Reiber, J.H.C. 88—29981
Slager, J. Microprocessor employs mainframe performance design techniques 86—1111
Slager, J. Microprocessors in the year 2001 87—17161
Slager, J. Performance optimizations of the 80386 87—44915
Slager, J., Louie, G., Gindraux, L. iAPX 286 microarchitecture to maximize performance 86—1113
Slager, J., Louie, G., Gindraux, L., Rash, B. Applying pipelining techniques to microprocessors 86—1112
Slagle, J.R., Dixon, J.K. Freedom descriptions: a way to find figures that approximate given points 85—13622
Slais, J. *see* Matejka, F. 87—18418
Slakhorst, J. *see* Otten, A. 85—6558, 86—20863, 87—59917
Slama, J. A method of evaluating control electromagnets 87—61343
Slama, J., Prejsa, M. The influence of stacking the oriented FeSi plates on magnetisation losses 85—21674
Slama, N.Ben *see* Ben Slama, N.
Slamecka, E. Medium-voltage vacuum circuit breakers, a contribution to the state of the art and its further developments 87—43292
Slamin, B. Television broadcasting facilities for the Commonwealth Games 86—43965
Slamin, B. Plain man's guide to Eureka 95: compatible high definition television 87—70188
Slaminka, J. *see* Cukanova, K. 88—26629
Slane, P. *see* Resvanis, L.K. 88—54421
Slane, S. *see* Plichta, E. 87—78888
Slane, S. *see* Uchiyama, M. 87—72379, 88—17897
Slanetz, H. *see* Tschurlovits, M. 86—44719
Slaney, M., Kak, A.C., Larsen, L.E. Limitations of imaging with first-order diffraction tomography 85—4291
Slaney, P.J. Improvements in ST compatible technology 88—45107
Slanina, S. ZFA filtering unit for nuclear power engineering 87—64241
Slaninka, P. The influence of the earth on high-frequency transmission characteristics of the overhead high-voltage power lines 85—9510
Slaninka, P. Factors influencing information transfer by means of VHV lines from the viewpoint of primary parameters 85—14082
Slaninka, P. Determination of the primary parameters of the transmission element model for ribbon cable 85—17916
Slaninka, P. Factors which influence information transmission by means of overhead VHV lines from the viewpoints of effects of radiation, reflection and soil 85—20007
Slaninka, P. Transmission inductance in a ferromagnetic duct or an armoured cable 85—28745
Slaninka, P. The influence of semiconductor shielding on dielectric parameters of a power cable 85—43629
Slaninka, P. Influence of the ferromagnetic materials on the short-circuit powers of conductors and cables 85—50066
Slaninka, P. External heat resistance of cable in Earth of geometrically defined heterogeneity 86—6376
Slaninka, P. Contribution to the solution of the electrical field of one conductor 86—22591
Slaninka, P. Capacitance of two conductors of circular cross section, placed in a symmetrical nonhomogeneous dielectric 86—28591
Slaninka, P. Surface phenomenon on copper conductors at very low temperatures 86—32776
Slaninka, P. Electrical field of two cylindrical conductors in nonhomogeneous surroundings in the form of halfspaces or layers 86—41357
Slaninka, P. Eddy current losses in multifilamentary supraconducting conductors caused by own tangential magnetic field 87—32900
Slaninka, P. Losses by eddy currents in multifilament superconductors from an outer perpendicular magnetic field 87—67813
Slaninka, P. New circuit breakers with electronic triggers 88—62506
Slaninka, P., Glatz, J., Ksinan, A. Electrical operating properties of overhead suspended cables 88—30397
Slaninka, P., Hradsky, S., Poljovka, P. Approximate method for evaluating eddy current losses caused by an order perpendicular magnetic field in the internal stabilizing construction elements of NbTi and Nb_3Sn superconducting wires 88—71965
Slaninka, P., Ksinan, A., Glatz, J. Operating capacitance of outdoor overhead cables 88—55034
Slaninka, P., Kvapilik, Z. Continuous current rating of cables placed in plastic ducts 87—4370
Slaninka, P. *see* Kvapilik, Z. 87—9197
Slanov, A.K., Kitayeva, N.Zh. Protection of circuits in balanced cable communications lines from lightning strokes by means of arresters 88—67206
Slaoui, A. *see* Ababou, Y. 86—41525
Slaoui, A. *see* Fogarassy, E. 87—66870
Slapnicar, P., Sasa, S. Solution of critical situations in nonlinear electrical networks due to significant variations in time constants 85—17113
Slapnicar, P. *see* Sasa, S. 87—52255, 88—501
Slasky, B.S., Sashin, D., Horton, J.A., Sternglass, E.J., Bron, K.M., Deutsch, M., Herron, J.M., Kennedy, W.H., Boyer, J.W., Girdany, B.R., Simpson, R.W., Hoy, R.J., Feist, J.H. Digital radiography of the chest by selfscanning linear diode arrays 88—29955
Slasky, B.S. *see* Sashin, D. 85—38060
Slastinin, S.B. Method of verifying coercimeters 85—64255
Slate, E.L., Popko, J.A. The next five years in communications 86—30202
Slatem, R.R. An introduction to power system protection. I 85—27098
Slatem, R.R. An introduction to power system protection. II 85—38552
Slatem, R.R. Single-phase auto-reclosing: philosophy and experience in Southern Africa 86—6353
Slatem, R.R. Single-phase auto-reclosing: philosophy and experience in Southern Africa. I 86—18895
Slater, A. *see* Berry, M. 88—2594
Slater, A.I. *see* Chapman, D.F. 88—31187
Slater, A.J. Improving the immunity of telecommunications terminals 85—36803
Slater, A.J. Establishing immunity standards 87—61401
Slater, D.H. *see* Gaydon, B.G. 85—32659
Slater, D.H. *see* Steere, N.G.T. 87—50892
Slater, J. An FEL-powered particle accelerator? 86—5639
Slater, J. Satellites to bring a radio renaissance? 88—29024
Slater, J. Cable television 88—60452
Slater, J., Churchill, T., Quimby, D., Robinson, K., Shemwell, D., Valla, A., Vetter, A.A., Adamski, J., Gallagher, W., Kennedy, R., Robinson, B., Shoffstall, D., Tyson, E., Vetter, A., Yeremian, A. Visible wavelength FEL oscillator 87—2164
Slater, J. *see* Joshi, C. 88—2293, 88—27246
Slater, J. *see* Lowenthal, D. 86—5640
Slater, J. *see* Robinson, K. 87—18996
Slater, J.B. CANDU advanced fuel cycles a long-term energy source 86—56549
Slater, J.M. Allowable field errors in undulators used as synchrotron radiation sources 88—47966
Slater, J.M., Miller, D.W., Archambeau, J.O. Development of a hospital-based proton beam treatment center 88—74864
Slater, J.M. *see* Eggleston, J.M. 88—2319
Slater, J.M. *see* Neilsen, I.R. 87—62696
Slater, J.M. *see* Quimby, D.C. 86—3209 to 3210
Slater, J.M. *see* Robinson, K.E. 87—2154, 87—75137 to 75138, 88—2287
Slater, J.M. *see* Shemwell, D.M. 87—75175, 88—2318
Slater, M. Composite digital video tape recording 88—47324
Slater, M., Blake, R.J. Holographic 3D image preprocessor for welding control feedback 85—53977
Slater, M., Kostic, S., Nobes, M.J., Carter, G. A comprehensive study of defect production and annealing in ion implanted InP 85—45532
Slater, M., Nobes, M.J., Carter, G. Disorder production in Si^+ implanted InP 85—50396
Slater, M. *see* Allwood, A.R. 85—52244
Slater, M.J. *see* Kirton, J. 86—31527
Slater, P.J. Domination and location in acyclic graphs 87—31416
Slater, P.N. Radiometric considerations in remote sensing 85—59454
Slater, P.N. Effects of atmosphere on oblique reconnaissance 87—14190
Slater, P.N. *see* Begni, G. 85—64019
Slater, R. N_2 production in e-beam pumped XeF lasers containing NF_3 87—26266
Slater, R. *see* Litzenberger, L. 87—68387
Slater, R.A. *see* Bates, R.N. 86—52290
Slater, R.C. *see* Leung, K. 88—45537
Slaterbeck, M.E. *see* Park, P.K. 85—11519
Slatewala, M.A. *see* Forde, S.J. 88—35564
Slatinka, L. Gearless drive for an ore grinding mill 86—57057
Slaton, J., LaViolette, P. Controller with SCSI port and on-chip μC manages hard disks single-handedly 86—8270
Slatt, C.G. *see* Bednarik, R.A. 86—50917
Slatt, C.G. *see* Bendarik, R.A. 86—61073
Slatter, J.A. *see* Gough, P.A. 85—18311
Slatter, J.A.G. *see* Fisher, C.A. 86—15118
Slatter, J.A.G. *see* Sandoe, J.N. 85—45600, 86—15121
Slattery, D.T., Watson, J.D. Extension of regenerative control range in phase controlled 3-phase, 6-pulse thyristor converters 87—15919
Slattery, J.A. Overview of plating with indium 87—119
Slattery, K.P. *see* Jobe, R.K. 86—24889
Slattery, M.C. Computing character degrees in *p*-groups 86—57338
Slattery, P. *see* Engels, E., Jr. 87—29488
Slattery, P. *see* Lobkowicz, F. 85—43185
Slauf, F. *see* Kott, J. 87—64302
Slaughter, D.R. *see* Derzon, M.S. 86—50439
Slaughter, D.R. *see* Wang, C.L. 87—8858
Slaughter, J. *see* Foley, K.J. 88—68313
Slauson, W.E. Bit-error rates due to EMI 86—29478

Slauson, W.E., Lessard, B.J., Hurley, M.T., Bossart, R.K., Paludi, C.A., Jr. General methodologies for assessing EMI/EMC in complex electronic circuits and systems 86−29496
Slava, H. *see* Pablaks, D. 85−28736
Slavcev, A. *see* Kerin, T.P. 87−29525
Slaven, Y. *see* Molajo, A.O. 86−38828
Slavenko, E.I. *see* Gordeev, V.I. 85−27834, 86−7315, 87−64048, 88−5314
Slavenko, R.B. *see* Zoran, P.R. 86−29399
Slavicek, J. *see* Stojan, M. 86−11999
Slavich, D.M. Planning in a global framework: major planning challenges in engineering and construction 88−31375
Slavik, I. Power semiconductor components for invertors 85−22630
Slavik, I. Blocks with power semiconductor modules 85−34893
Slavik, I. The use of lasers for products marking 86−57190
Slavik, I., Buchcar, A., Stacho, V., Rydzi, R. Measurement and control of the power factor in a distributed industrial power network 87−49874
Slavik, I., Kucera, V. Series connection of power transistors 85−972
Slavik, O. *see* Moravek, J. 88−17263
Slavin, D.A. *see* Elliott, J.H. 87−60756
Slavin, G.A. *see* Ryazansev, V.I. 85−27851
Slavin, G.B. *see* Belyaev, L.S. 87−9244
Slavin, I.V. Selection criterion for optimal frequency range when checking parameters of laminated dielectric structures 86−24701
Slavin, I.V. *see* Akhmetshin, A.M. 85−470
Slavin, I.V. *see* Bartashevskii, E.L. 85−44817, 87−77401
Slavin, S.E., Hawrylo, F.Z., Hughes, J.J. Intrusions in the active layer of channeled-substrate-planar laser diodes 87−68508
Slavin, S.E. *see* Connolly, J.C. 88−51823
Slavin, T.P. *see* Garosshen, T.J. 85−61869
Slavin, Z.M. *see* Koshelev, V.K. 86−37647
Slavinska, D. *see* Chudacek, I. 86−66868
Slavinskii, M.M. *see* Dargeiko, M.M. 86−3624
Slavinskii, M.M. *see* Saichev, A.I. 86−15860
Slavinskii, M.M. *see* Virovlyanskii, A.L. 86−35056, 86−59029
Slavinskii, S.I. *see* Kolbasin, A.I. 87−29229
Slavinskii, S.I. *see* Pavlenko, Yu.F. 85−8678
Slavinskii, V.M., Shilov, V.I., Chernyak, Z.A. The output function and calibration curve for a natural-radioactivity coal-seam thickness gauge 87−3743
Slavka, R., Cambel, V. One-dimensional model of BCCD 87−53710
Slavko, G.V. *see* Zinov'ev, A.S. 87−61319
Slavkov, V.D., Shcherbakov, A.D. Radiation doses and the duration of radiographic monitoring 86−551
Slavkovsky, P. *see* Hulin, I. 86−5953
Slavov, S., Ouroushev, D. Frequencies of the energy-trapping modes of the thickness-shear and thickness-twist vibrations in unelectroded circular, AT-cut quartz plates 87−67655
Slavov, S.H. Modes of vibration, motion inductance, and resonance interval of circular, convex AT-cut bevelled design trapped energy quartz resonators 86−58642
Slavov, S.H. Equivalent resonance radius of contoured AT-cut quartz resonators 87−53831
Slavov, Yu.M. *see* Leonov, Yu.V. 87−78659
Slavtsov, K.B. *see* Zinov'ev, V.G. 87−52113
Slawecka-Wozniak, M. *see* Dmochowski, Z. 86−18059
Slawecki, M., Lazowski, Z. Solventless epoxy impregnating materials for the windings of electric motors 87−12002
Slawinski, C., Mao, S.-Y., Chang, P.-H., Lam, H.W., Keenan, J.A. The physical and electrical properties of buried nitride SOI structures synthesized by nitrogen ion implantation 87−17823
Slawinski, C. *see* Mao, B.-Y. 87−60219
Slawinski, C. *see* Teng, C.W. 85−50666
Slawinski, E.B., Jamieson, D.G., Ells, J.G., Wasko, T. Computer-based laboratory demonstrations for an introductory course in behavioural statistics: experience with an application using networked Macintosh microcomputers 88−97
Slawinski, E.B. *see* Jamieson, D.G. 88−54553
Slawinski, J. *see* Vydyanath, H.R. 87−46693
Slawinski, J.W. *see* Nayar, P.S. 85−50261
Slawitschka, L. GaAs-FET oscillator in the 13 GHz frequency band 85−1025
Slawitschka, L. FET oscillator with dielectric resonator 86−52714
Slawitschka, L. Analysis of dielectric resonators coupled to microstrip lines 88−7023
Slawny, T. *see* Rao, S.T. 85−44819
Slawomir, P. *see* Feliks, S. 87−78145
Slawsky, G.M., Bush, R.M. An operations costing process for digital data networks 86−54711
Slawson, M.R. Coming in at 20 Mbaud, an optocoupler IC doubles the data transfer rate 86−11065
Slawson, M.R. Optical components for the physical layer medium dependent (PMD) 88−35562
Slawson, M.R. Surface acoustic wave (SAW) technology for clock recovery in the fiber distributed data interface (FDDI) 88−47074
Slawson, M.R. *see* Rampf, E.J. 88−35568
Slayman, C.W. *see* Jensen, J.E. 85−1440
Slayman, C.W. *see* Lee, J.Y. 85−55966, 86−8181, 87−37167, 87−60220
Slayman, C.W. *see* Tam, N.N. 88−39317
Slayton, D. Sensors: the key to automation on the workshop floor 88−53663
Slayton, M. *see* Engelken, R.D. 88−24760
Slayton, M.H., Angleton, P.A., Janicky, W. Correlation between physical dimensions and piezoelectric parameters for poled ferroelectric disks 86−2480
Sleaford, B.W., Lieber, A.J., West, W.J., Perez-Mendez, V. Large area position-sensitive X-ray detector for a Bragg crystal spectrometer 86−56040
Sleat, W. *see* Finch, A. 88−40271
Sleat, W.E. *see* Baggs, M.R. 86−5072
Sleat, W.E. *see* Eagles, R.T. 86−24383, 86−44176
Sleat, W.E. *see* Finch, A. 87−14191
Sleat, W.E. *see* Gomes, A.S.L. 86−36411
Sleat, W.E. *see* Sibbett, W. 85−61652, 88−16835
Sleator, D.D. *see* Bentley, J.L. 86−43210
Sleator, F.B. *see* Chaudhuri, S.K. 85−2539
Sleator, T. *see* Hilbert, C. 85−62242
Slechta, V. Interconnection of power-plant construction preparation and materialisation schedules, supplier costs and planned construction costs 87−42545
Slechta, V., Kadlec, J. The importance of experiences gained in building power plants for prognosis of further development of the Czechoslovak power system 86−25863
Sledd, F. 'Burn in' is a tool for enhancing power supply reliability [power supply manufacture] 85−28372
Sledd, F., Jr. Environmental stress testing: confirming power supply quality 86−26172
Sledge, D.H. International telecommunications: the challenge of the new marketplace 86−30142
Sledkov, V.A., Chuprin, A.D. Analysis and optimization of multichannel in-phase binary microwave power dividers 87−32054
Sledkov, V.A., Rzhevskaya, L.A., Ryazanov, V.D. Experimental investigation of 90-degree bends in striplines and microstriplines 86−47040
Sledkov, V.A. *see* Lerer, A.M. 85−55097
Sledzinsky, S. *see* Denus, S. 88−16602
Slee, O.B. *see* Wright, A.E. 87−63100
Sleefe, G.E., Lele, P.P. The limitations of ultrasonic phased arrays for the induction of local hyperthermia 87−4031
Sleeman, B.D., Griffiths, D.F., Mitchell, A.R., Smith, P.D. Stable periodic solutions in nonlinear difference equations 88−56195
Sleeman, J. *see* Bernstein, D. 85−15253
Sleeman, J. *see* Dubois, R. 86−50321
Sleeman, J.C. *see* Ash, W.W. 88−10244
Sleep, N.H., Morton, J.L. Hydrothermal resources at mid-oceanic ridge axes 85−4982
Sleeper, H.A. *see* Wilson, S.G. 85−19313
Sleeper, H.A., II *see* Wilson, S.G. 85−19339
Sleeper, S. *see* Ting, J. 86−50189
Sleezer, J. A dual port memory interface via a DRAM controller 85−45138
Sleger, K., Mack, I., Scott, C., Buot, F. Compound semiconductor digital integrated circuits 85−29306
Sleger, K., Mack, I., Scott, C., Buot, F. Compound semiconductor digital integrated circuits 87−6799
Sleger, K. *see* Kelner, G. 87−74301, 88−44791
Sleger, K.J., Spielman, B.E., Neidert, R.E., Dietrich, H.B., Christou, A., Henry, R.L., Bishop, S.G., Weller, J.F. InP monolithic integrated circuits for MM-wave applications 85−6528
Sleger, K.J. *see* Buot, F.A. 85−34997, 88−1695
Slegler, S.L. *see* Drake, G. 88−54402
Slegtenhorst, B.C. *see* Honderd, G. 86−70933
Sleigh, A.C. Advanced image understanding 86−10588
Sleigh, A.C. The extraction of boundaries using local measures driven by rules 87−19877
Sleigh, A.C., Hearn, D.B., Fretwell, P. Knowledge representation and inference for image understanding 86−37166
Sleigh, A.J. Consumers classification for tariff purposes−the practical application of Supply Regulation no.25 [electricity supply industry] 85−15521
Sleigh, P. *see* Haine, J. 86−17263
Sleight, A.W. *see* Chowdhry, U. 88−1193
Sleijpen, G.L.G. *see* ter Maten, E.J.W. 86−62180
Sleim, S.Z., Ismail, M.A. On the local optimality of the fuzzy ISODATA clustering algorithm 86−48983
Sleiman, M. *see* Lichtenberg, L.R. 86−62921
Slekys, A. The world's cellular revolution 85−63542
Slekys, A.G. *see* El Banna, M. 86−4552
Slemaker, C. *see* Winner, G. 87−53641
Slember, R.J., Smith, D.W. Benefits for a nuclear fuel technology recipient 86−39480
Slemeyer, A. *see* van Damme, S. 88−60950
Slemon, C. *see* Hodara, H. 85−1956
Slemon, G. *see* Sebastian, T. 88−62663
Slemon, G.R. *see* Rahman, M.A. 85−27397, 85−27407, 86−33287, 86−33336
Slemon, G.R. *see* Sebastian, T. 87−22304, 87−30520, 87−42845, 87−51504, 88−23933
Slemp, W.S. *see* Byvik, C.E. 86−7026
Slemzin, V.A. *see* Krokhotkin, A.A. 86−44200
Slemzin, V.A. *see* Vinogradov, A.V. 88−16665
Slenski, G. *see* White, E. 88−11809
Slenski, G.A. Field and laboratory investigation of KAPTON insulated aircraft wiring 85−7120
Slenski, G.A. *see* Zinger, P.C. 88−70185
Slepchenkov, L.F. *see* Volubuev, V.S. 86−11558
Slepian, R.M. Synchronous machines adapted for six step converters. I. Design study 86−56729
Slepian, R.M. Synchronous machines adapted for six step converters II. Experimental evidence 86−56730
Slepian, R.M. *see* Alexion, C.C. 86−45848
Slepich, A.N., Domrachev, V.G. Accuracy aspects of a digital method of measuring phase-shifter error 88−908
Slepkov, A.I. *see* Garutsa, N.A. 87−45513
Slepkov, A.I. *see* Kanavets, V.I. 88−1328
Slepnev, Yu.V. *see* Afanas'ev, S.M. 87−32237
Slepnev, Yu.V. *see* Il'chev, E.A. 85−40773
Slepnev, Yu.V. *see* Il'ichev, E.A. 87−6481
Slepoi, B.Kh. *see* Popa, O.A. 87−11859, 87−27574
Slepov, V.I. *see* Lyapin, A.G. 88−30341
Slepov, V.I. *see* Strebkov, D.S. 87−51087
Slepov, Yu.V. *see* Zhezhelenko, I.V. 88−75981
Slepowronski, M. *see* Modrzejewski, A. 86−7724
Sleppin, M. Hot air solder leveling 88−25694
Sleppin, M. An overview of hot air solder leveling 88−38864
Sleptsov, I.E. *see* Dyakonov, M.N. 86−65371
Sleptsov, V.V. *see* Vinogradov, A.V. 88−16665
Sleptsova, E.B. *see* Stolyarov, I.M. 85−21865
Slepyan, A.Ya. *see* Il'inskii, A.S. 88−40618
Slepyan, A.Ya. *see* Kuraev, A.A. 86−3481
Slepyan, A.Ya. *see* Kurayev, A.A. 85−45225
Slepyan, A.Ya. *see* Slepyan, G.Ya. 88−8445
Slepyan, G.Y. *see* Kobylinskii, Yu.V. 88−38118
Slepyan, G.Ya. Diffraction of a plane wave by a metallic comb structure with a nonlinear magnetodielectric filling material 85−13079
Slepyan, G.Ya Bistability of a nonlinear diffraction structure in the vicinity of a Wood's anomaly 86−63959
Slepyan, G.Ya., Slepyan, A.Ya. Reflection of an *H*-polarized plane wave from nonideally conducting 'beveled comb' and 'echelette' periodic structures 88−8445
Slepyan, G.Ya., Teterev, A.V., Fursa, Ye.Ya., Shushkevich, S.S. Electrodynamic design of complex volume resonators used in electron spin resonance spectrometers 86−29524
Slepyan, G.Ya. *see* Il'inskii, A.S. 88−40618
Slepyan, G.Ya. *see* Il'Inskiy, A.S. 87−68724
Slepyan, G.Ya. *see* Kuraev, A.A. 86−3481
Slepyan, G.Ya. *see* Kurayev, A.A. 85−45225, 87−24714
Slepyan, G.Ya. *see* Modenov, V.P. 85−57096
Slepyan, G.Ya. *see* Rodionova, V.N. 88−19339
Slepyan, M.A. *see* Fatkhutdinov, A.Sh. 86−5217
Slepysheva, T.M. *see* Fedorenko, G.M. 86−66037
Slesarchuk, G.D. *see* Naumov, V.F. 86−26014
Slesarenko, V.N., Shtym, A.S. Determining the enthalpy and entropy of sea water when designing desalting plants 85−49239
Slesarev, E.S. *see* Veselov, G.I. 87−25748
Sless, D. Communication and the limits of knowledge 86−10233
Slesser, M. Net energy as an energy planning tool 87−64226
Sletbak, J., Ildstad, E. The validity of the mechanical damage theory of water treeing tested against experimental results 85−32178
Sletbak, J., Reed, C.W., Hirabayashi, S. Multistress behaviour of insulating materials and insulation structures 86−47909
Sletbak, J. *see* Herstad, K. 85−59749
Sletbak, J. *see* Paloniemi, P. 87−16743
Sletmoe, G. Toward an understanding of the adhesion of PVA-deposited MP1 phosphor DVST screens 86−27809
Slettemark, R. Telecommunication: an important aid in the transport industry 86−4511
Slettemark, R. Active use of accounts for cost control 87−55469
Slettemoen, G.A. *see* Winther, S. 85−58904
Sletten, C.J., Carrillo, S.E. Scanning multibeam communication antennas 85−13347
Sletten, C.J., Payne, W., Shillue, W. Offset dual reflector antennas for very low sidelobes 87−2367
Sletten, E. MobilData: technological realization of a pilot project for the Oslo area 87−48958
Sletten, G., Hagemann, G.B. Tellurium as a target in a heavy ion beam 85−59135
Sletten, H. *see* Calicchio, M. 88−29811
Sletten, H. *see* Catanesi, M.G. 87−29686
Sletten, H. *see* De Vincenzi, M. 86−65331
Sletten, L.M. Mobile distribution unit handles six feeders 87−58173
Sletten, T. *see* Erfjord, T. 87−71606
Sletten, T. *see* Kroken, S. 85−38380

Sleva, D.G., Chikov, N.F., Kalinkova, N.I., Panteleev, Ts.Ts. 'Sandwich'-type neutron spectrometer 86−32211
Slevin, D.P. *see* Pinto, J.K. 87−43931
Slevin, J. *see* Tang, F.C. 87−29432
Slevin, M.E. *see* Wheeler, J.C.G. 88−69010
Slewiorek, D. *see* Bhandari, I. 88−70407
Slezak, A. *see* Krukiewicz, R. 87−75341
Slezak, J. Cooperation of the ZSF EJF enterprise with the VUT Brno and the customers in facilitating operational reliability of products 88−17769
Slezak, L. Transmission loss of sandwich radomes 85−41808
Slezak, L. Corrected equatorial assembly of antennas for satellite reception 88−35448
Slezak, S. *see* Fevrier, L. 87−8133
Slezak, V. *see* Ryba, J. 86−60847
Slezhanovskii, O.V., Datskovskii, L.Kh., Itenberg, B.Z., Kuznetsov, I.S., Boguslavskii, I.Z. New directions in the field of slow-speed regulated electric drives for ferrous metallurgy 86−33740
Slezhanovskii, O.V., Fainshtien, V.G., Fainshtein, E.G. Microprocessor control of a thyristor drive 85−32726
Slezhanovskii, O.V., Feinstein, W.G., Feinstein, E.G. Thyristor drive with microprocessor control 85−39239
Slezhanovskii, O.V. *see* Il'inskii, N.F. 88−24184
Slezinger, I.I. Piezooptical measuring transducers 87−3573
Slezinger, I.I., Alievskaya, A.N., Mironov, Yu.V. Piezooptic devices 87−3576
Sliedregt, J.M.van *see* van Sliedregt, J.M.
Slife, J. Calculator program designs filters built around MF10 switched-capacitor IC 85−924
Slifkin, M., Abbott, G. Direct conversion receivers for the MW band using ICs 88−15336
Slifkin, M.A., Kushelevsky, A.P., Pilling, M.W. The application of photoacoustic spectrophotometry (PAS) to the study of positive plates in lead-acid batteries 87−30906
Sligar, N.J. Problems of agglomerating coal at Eraring power station 87−9355
Sligh, R.L., Jr. *see* Jurenko, D.J. 88−28230
Slight, H.A. Sensors and their application 87−49666
Slijpe, A.R.D.van *see* van Slijpe, A.R.D.
Slimak, J.R. *see* Slimak, S.R. 87−72882
Slimak, S.R., Slimak, J.R. A contribution on the theory of integrated metrological systems [inspection automation] 87−72882
Slimane, A.B. *see* Zouabi, B. 88−21241
Slimane, S.B., Le-Ngoc, T. Bandwidth efficient differential phase shift keying (PSK) techniques for TDMA applications 88−66276
Slimani, D. *see* Ferendeci, A.M. 88−25806
Slimani, M., Roux, C., Hillion, A. Image segmentation by cluster analysis of high resolution textured SPOT images 87−21793
Slimani, T. *see* Mimault, J. 87−49916
Sliney, D.H., Armstrong, B.C. Radiometric evaluation of surgical microscope lights for hazards analyses 86−60801
Sliney, D.H. *see* Petersen, R.C. 86−42518
Sliney, D.H. *see* Van de Merwe, W.P. 86−18390
Slinger, C.W., Solymar, L. Grating interactions in holograms recorded with two object waves 87−7445
Slinger, C.W., Syms, R.R.A., Solymar, L. Non linear recording in silver halide planar volume holograms 85−35904
Slinger, C.W., Syms, R.R.A., Solymar, L. Multiple holographic transmission gratings in silver halide emulsion 87−33331
Slinger, C.W. *see* Miler, M. 85−2437
Slingerland, H.N. Optimization of a chronically limited ion microprobe 86−1871
Slingerland, H.N., Bohlander, J.H., van der Mast, K.D., Koets, E. Progress on the Delft ion beam pattern generator 87−29396
Slingerland, H.N. *see* Bohlander, J.H. 88−29748
Slingerland, H.N.S., Barth, J.E., Koets, E., Kramer, J., van der Mast, K.D. Proposal for a second generation IBPG (Ion Beam Pattern Generator) 86−5711
Slingland, E. High accuracy positioning systems implementing microstepping motors 85−9949
Slingland, E. Indexers add precision to stepping motor motion control 86−33442
Slingland, W. *see* Lemnios, Z. 88−63918
Slingsby, H. Burn-in 88−11721
Slingwine, J. *see* Sims, S. 88−26465
Slin'ko, V.N. *see* Didenko, A.N. 87−75003
Slinko, V.N. *see* Vaulin, V.A. 88−65573
Sliozberg, S.K. *see* Smirnov, V.V. 88−24540
Slipchenko, N.I., Yalovega, G.I. Phenomenon of self-modulation in nonlinear resonant circuits with internal feedback 87−36947
Slipchenko, N.I., Yalovega, G.I. Simulating stationary mode of frequency-harmonic multi-stable element based on nonlinear loop 87−65916
Sliper, C. *see* Raby, J. 86−68994
Sliper, R.E. *see* Nauman, D.G. 86−56527
Slipka, J. The TOA 1 automatic test system 88−74265
Slippens, C. *see* Teule, F. 86−56224
Sliski, A. *see* Lee, C. 85−37888
Slissa, M., Laroche-Levy, P. Workshops for designing avionics systems, and for producing the on-board software 88−54714
Slitenko, A.F. Gas-turbine rotor cooling systems 87−51053
Sliter, G.E. EPRI helps utilities keep pace with equipment qualification [nuclear power plant safety] 85−38626
Sliter, G.E. EPRI seismic qualification research program 86−51209
Sliter, G.E. Utility research brightens the future of equipment qualification 88−42957
Sliter, G.E., Carey, J.J. EPRI research on component aging and nuclear plant life extension 86−51341
Sliter, G.E. *see* Czarnecki, R.M. 88−48633
Sliter, G.E. *see* Holt, D.C. 88−23634
Sliva, D.E. The R and D/manufacturing interface 87−43875
Sliva, R.J. Analysis shows effects of aging on T/R modules 88−47203
Sliva, T.E. *see* Galford, J.E. 85−59957
Slivakovskiy, Ye.L. *see* Bleykhman, V.S. 87−55635
Slivets, N.F. *see* Lapitskii, V.M. 88−40730
Slivinskas, V., Simonyte, V. On the foundation of Prony's method 87−47777
Slivinski, C. *see* Adams, G. 85−33006
Slivinski, V. Motion nonuniformity of feed electric drives using DC motors 85−44356
Slivinsky, V.W. *see* McWright, G.M. 88−7985
Slivkov, I.N. *see* Volkov, I.N. 86−70357
Slivnik, T., Tomsic, G. A numerical method for the solution of two-parameter eigenvalue problems 86−46229
Slivnik, T., Jr. *see* Shenton, G. 87−1672
Slivnik, T., Jr. *see* Trontelj, L. 88−24952
Sliwa, B. *see* Glinka, T. 87−43030, 88−43214
Sliwa, H. Analogue, digital and hybrid simulation in the academic training of control system engineers 85−32969
Sliwa, H. Analogue simulation of continuous systems using operational amplifiers 86−34557
Sliwa, H. Analogue simulation of continuous systems using operational amplifiers. Construction and behaviour of standard control loops. II 86−41253
Sliwa, R. *see* Glinka, T. 85−9883
Sliwinska, D., Kowalski, R., Matys, S. Some problems of the shape of fuzzy sets and the dimension of a model with respect to its adequacy 88−43408
Sliwinska, D.S. *see* Kiszka, J.B. 85−39012 to 39013
Sliwinski, G., Stanco, J., Antropik, E., Irczuk, M., Konefal, J., Kukiello, P., Mikienko, W., Rabczuk, G., Rozkwitalski, Z., Werdon, R., Zaremba, R. High-power CO_2 laser facility 87−33081
Sliwinski, G. *see* Stanco, J. 87−18880, 88−14076
Sliwinski, P., Haerter, H., Mayr, B. S-/X-band diplexer for 30 m antenna in Weilheim 85−41806
Sliwinski, T. Analysis of optimal designed induction motors 87−15749
Sliwinski, T. Electromagnetic field in slots of electrical machines 88−62312
Slizhis, R.P. *see* Mikul'skis, K.K. 86−20072
Slizkov, G.V. *see* Avtonomov, V.P. 86−21330
Slizskii, E.P., Vasil'chenko, V.M., Bezberzh'ev, Yu.V., Shkuta, A.F., Tuzhilkin, V.N., Egorov, V.V. On self-starting of load assemblies in power systems comprising groups of 12500 kW synchronous motors 85−21872
Slizskii, E.P. *see* Bruev, I.V. 88−75980
Sloan, B. *see* Micali, S. 88−40839, 88−45920
Sloan, C. *see* Stein, I.M. 85−9201
Sloan, D.M. Numerical solution of a free boundary problem by continuation 86−34245
Sloan, D.P. *see* Sivinski, J.S. 85−58971
Sloan, I.H. Lattice methods for multiple integration 85−49505
Sloan, I.H., Spence, A. The Galerkin method for integral equations of the first kind with logarithmic kernel: theory 88−31696
Sloan, I.H., Spence, A. The Galerkin Method for Integral equations of the first kind with logarithmic kernel: applications 88−31697
Sloan, I.H. *see* Graham, I.G. 85−60932
Sloan, I.H. *see* Joe, S. 87−5384
Sloan, I.H. *see* Kumar, S. 87−52078
Sloan, J. *see* Buzzard, R. 88−7999
Sloan, J.W. Prepayment for electric service with the 'PowerStat' 87−78219
Sloan, L. *see* Swanson, P.D. 88−45193
Sloan, M.L. Measurement of rail gun projectile velocities by shorted transmission line techniques 87−26711
Sloan, M.L. Physics of railgun plasma armatures 87−26712
Sloan, S.R. *see* Figueredo, D.A. 88−44751
Sloan, T., Dermois, O., Yurko, M. Fabrication and magnetic field measurements of the IUCF cooler ring dipole magnets 88−52159
Sloan, T.B. Clinical applications of EEG monitoring 87−57186
Sloane, B.D., Sherbine, C.A. Evaluation of off-normal release frequencies for a PCB incinerator under design 88−68648
Sloane, C.C. Can the distributor assist with technology? 88−6172
Sloane, E.A. The evolution of converter characteristics, applications and testing 85−17552
Sloane, E.A. Transfer function estimation. I. Theoretical and practical considerations [testing application] 85−41934
Sloane, M. Packet options [communications] 87−62405
Sloane, M.E. *see* Wixson, S.E. 88−74535
Sloane, N.J.A. A new approach to the covering radius of codes 86−68980
Sloane, N.J.A. A new approach to the covering radius of codes 87−54905
Sloane, N.J.A. *see* Calderbank, A.R. 85−42343, 85−51540, 86−64195, 87−47509, 87−54919
Sloane, N.J.A. *see* Cohen, G.D. 87−12898, 87−68981
Sloane, N.J.A. *see* Conway, J.H. 85−30140, 86−48767, 86−59207
Sloane, N.J.A. *see* Downie, D.E. 85−57239
Sloane, N.J.A. *see* Graham, R.L. 85−57235
Sloane, N.J.A. *see* Reeds, J.A. 85−61226
Sloane, N.J.A. *see* Schroeder, M.R. 87−39640
Sloane, R.J. Managing the technical communications project: a new emphasis on an old job element 86−40455
Sloane, R.J. 'Basics of Desktop Publishing', a course for training engineers in technical writing 87−36377
Sloane, T.H. Acquisition of small-signal frequency-domain measurements from switch-mode power supplies 87−70483
Sloane, T.H. Acquisition of small-signal frequency-domain measurements from switch-mode power supplies 88−15921
Sloane, T.H., Wilson, T.G., Owen, H.A., Jr. Tailoring inductor and capacitor circuit models to frequency-domain measurements 87−16815
Sloarzh, A.M. *see* Moshkin, E.A. 86−32811
Sloat, D. *see* Chu, A. 87−59886
Slob, A. *see* Slotboom, J.W. 87−24201
Slob, A.F.L. *see* Berkhuizen, J.C. 88−48844
Slobbe, J.T.M.van *see* van Slobbe, J.T.M.
Sloboda, A. *see* Young, R. 88−11101
Slobodchikov, S.V. *see* Andrushko, A.I. 86−67674, 87−54186
Slobodchikov, S.V. *see* Kovalevskaya, G.G. 85−6752
Slobodchikov, S.V. *see* Malinin, Yu.G. 86−15569, 87−18066
Slobodchikov, S.V. *see* Radautsan, S.I. 85−16239
Slobodian, S.M. *see* Bol'shanin, A.A. 88−74471
Slobodin, D., Aljishi, S., Okada, Y., Shen, D.-S., Chu, V., Wagner, S. a-(Si,Ge):H,F alloys prepared from SiH_4 and GeF_4 87−24812
Slobodin, D., Aljishl, S., Schwarz, R., Wagner, S. Preparation of a-(Si,Ge):H alloys by DC glow discharge deposition 86−34396
Slobodin, D., Aljishi, S., Wagner, S. Deposition of a-Ge:H by GeF_4/H_2 glow discharge 88−49888
Slobodin, D., Kolodzey, J., Aljishi, S., Okada, Y., Chu, V., Shen, D.-S., Schwarz, R., Wagner, S. a-$Si_{1-x}Ge_x$:H,F alloys prepared by DC and RF glow discharge deposition [solar cell applications] 87−9866
Slobodin, D. *see* Aljishi, S. 87−24811, 87−74907, 88−25911
Slobodin, D. *see* Chu, V. 87−24944, 88−37478
Slobodin, D. *see* Kolodzey, J. 86−27931, 87−23712
Slobodin, D. *see* Schwarz, R. 86−8717, 86−35303, 87−6457, 87−25095, 87−74025
Slobodin, D.E. *see* Chiang, C.-L. 87−6360
Slobodnik, A.G. *see* Bykov, V.V. 87−34726
Slobodnik, A.J., Jr., Stiglitz, M.R., Roberts, G.A. 16 GHz dielectric resonator oscillators with digital temperature compensation 85−33709
Slobodnik, A.J., Jr. *see* Cowan, W.D. 88−57880
Slobodnik, A.J., Jr. *see* Scalzi, G.J. 88−60628
Slobodrian, R.J., Labrie, R., Bertrand, R., Lapointe, R., Pouliot, L., Pigeon, G., Rioux, C., Giroux, J., Meunier, J.-F., Roy, R. Intense polarized, ^{3}He ion source 86−25096
Slobodrian, R.J., Rioux, C., Giroux, J., Roy, R. Polarized ^{3}He ion source based on the 2^3S_1 metastables: status report 86−11816
Slobodrian, R.J., Rioux, C., Giroux, J., Roy, R. A polarized ^{3}He ion source for electrostatic accelerators 86−38682
Slobodrian, R.J., Rioux, C., Roy, R., Giroux, J., Meunier, J.f. Polarized ^{3}He ion source based on a metastable atomic beam 86−70304
Slobodrian, R.J., Rioux, C., Roy, R., Giroux, J., Meunier, J.F. Polarized ^{3}He ion source based on a metastable atomic beam 87−3860
Slobodskoi, A.P., Kovalev, A.E., Berzin, V.A. Infrared electric heating: one way of conserving energy resources 86−19607
Slobodskoi, A.P. *see* Lopukhov, G.I. 85−65684
Slobodskoi, E.S. *see* Kritsula, P.M. 86−33883
Slobodyan, S.M. *see* Arutyunov, V.A. 86−31211
Slobodyan, S.M. *see* Motoshkin, V.V. 86−2899
Slobodyan, V.M. *see* Romanyuk, L.I. 88−43268
Slobodyanin, V.P. *see* Bunkin, A.F. 85−53148
Slobodyanov, A.T., Drabkin, B.V., Divinskaya, R.E. Using electric heating for heat treatment in the electrical equipment industry 86−13175

Slobodyanyuk, V.S. *see* Mechev, V.S. 85−5575, 85−16478, 85−32844

Slock, D.T.M., Cioffi, J.M., Kailath, T. A fast transversal filter for adaptive line enhancement 87−61954

Slock, D.T.M., Kailath, T. Numerically stable fast recursive least-squares transversal filters 88−72986

Slock, S. *see* van Ginderdeuren, J. 86−14064

Slocombe, D. All programming algorithms aren't created equal 87−5863

Slocombe, D.A. PC-based workstation neatly bundles tools for logic, software design 85−700

Slocum, J., Sahakian, A., Swiryn, S. Computer detection of atrial fibrillation on the surface electrocardiogram 88−4973

Slocum, R.E., Andrychuk, D. New near-infrared polarizer for laser applications 88−27240

Slodarzh, B.M. *see* Kushnir, G.Z. 86−39116

Slodarzh, M.I. On the excitation boosting of synchronous motors 86−26017

Slodarzh, M.I. Relay protection of parallel lines 87−15314

Slodarzh, M.I., Afanas'ev, G.P., Fridman, A.Yu. Relay protection and automation using sectionalised switches in 6 to 10 kV substations 86−25630

Slodarzh, V.M. Finding the adjustment parameters for automatic voltage regulators of transformers in supply networks 86−66122

Sloev, B.A. *see* Nemolochnov, O.F. 88−44112

Sloev, B.A. *see* Zvyagin, V.F. 85−22765

Slofstra, M. Videotex/teletext 85−3093

Sloggett, D.R. The design of an international data centre for remote sensing programmes 87−57425

Sloggett, D.R. The role of expert systems on Space Station 87−77715

Sloggett, D.R. *see* Lyon, R. 87−3491

Sloggett, G.J., Barton, N.G., Spencer, S.J. Fringing fields in disc capacitors 87−6171

Sloggett, G.J., Barton, N.G., Spencer, S.J. Addendum to 'Fringing fields in disc capacitors' 88−1050

Sloggett, G.J., Clothier, W.K., Benjamin, D.J., Currey, M.F., Bairnsfather, H. The CSIRO absolute volt project 85−64218

Sloggett, G.J., Clothier, W.K., Currey, M.F., Benjamin, D.J., Bairnsfather, H. Absolute determination of the volt using a liquid electrometer 85−58780

Sloggett, G.J., Clothier, W.K., Currey, M.F., Benjamin, D.J., Bairnsfather, H. Absolute determination of the volt using a liquid electrometer 86−24619

Sloggett, G.J., Clothier, W.K., Ricketts, B.W. Determination of $2e/h$ and h/e^2 in SI units 87−28898

Sloggett, G.J. *see* Inglis, B.D. 86−4935

Sloka, V.K. *see* Zhukov, S.V. 85−57378

Sloley, H.J., Willard, J., Paatz, S.R., Keat, M.J. High power, high frequency helix TWTs 87−45537

Sloma, D.J. Video masking 85−44506

Sloma, R.R. *see* Olson, L.T. 86−13495, 86−61944, 88−190

Sloman, A.W. *see* Melot, J.P. 88−26126

Sloman, M.S., Andriopoulos, X. A routing algorithm for interconnected local area networks 85−63293

Slominski, L. *see* Eskenazi, D. 88−37112

Slominski, L.T., Eskenazi, D.V. Evaluation of international photovoltaic projects 86−45296

Slominski, M. Reception, identification and synchronization of words of 5B-6B line code 87−68967

Slominski, M. Sequential word synchronizer for transmission code receiver 87−75725

Slominski, M. *see* Rydel, M. 87−68966

Slominski, M.E. *see* Chambers, F.W. 88−36329

Slominski, M.E. *see* Weir, J.T. 86−25089

Slominski, M.M., Wysocki, T., Jr. Optimal decoding of a line code for digital transmission on optical fibers 88−45910

Slominski, W.R. Code of practice for the assembly and maintenance of explosion protected electrical equipment and installations 88−18424

Slominskii, Yu.L. *see* Bondar, M.V. 85−7399

Slominskii, Yu.L. *see* Posokh, S.V. 85−24498

Slomovitz, D. The temperature/resistance curve of NTC thermistors 87−77262

Slomowitz, H. *see* Krogh, O. 88−7479, 88−7488

Slomp, A. *see* Habraken, F.H.P.M. 88−1531

Slomski, H. *see* Handschin, E. 86−39525

Slone, J.P. Broadband LANs: do the advantages outweigh the limitations? 86−64656

Slone, R.M., Fitzsimmons, J.R. Magnetic resonance imaging system stability: temporal variability in signal intensity, signal-to-noise, T_1, and T_2 measurements on a 0.15-T resistive system 87−41946

Slonecker, M.H. *see* Ragdale, C.M. 85−7212

Slonim, A. *see* Presta, E. 88−30012

Slonim, A.A. Analytical and experimental analysis of nonlinear bouncing contacts 86−1439

Slonim, A.A. Bouncing of contacts under current load (the influence of mechanical system parameters and load current on the closing process of electrical contacts) 87−52933

Slonim, M., Tslaf, A. Joule adiabatic heating of high-resistance alloys [comments and reply] 85−21766

Slonim, M.A. Analysis of transient and steady-state processes in the series (resonant) inverter 88−37296

Slonim, M.A., Kremer, T.M. Transient and steady-state processes in RC choppers 87−32029

Slonim, M.A., Kremer, Z. Analysis of transient and steady-state process in *LC* chopper 87−65824

Slonim, M.A., Kremer, Z.M. Analysis of transient and steady-state processes in DC-DC buck-boost converter 88−18909

Slonim, M.A., Kremer, Z.M. Analysis of transient and steady state process in Cuk converter 88−30918

Slonim, M.A., Kremer, Z.M. Transient processes and stability in an *LC* chopper 88−63498

Slonim, M.A., Levitin, Y., Zandman, D. Stability of controlled rectifiers: phenomena and experiment 85−9998

Slonim, M.A., Tslaf, A.L. Novel equivalent diagram of a solar cell 86−33680

Slonim, M.A., Tslaf, A.L. Equivalent diagram of a solar cell, based on short-circuit and open-circuit tests 88−31015

Slonim, M.A., Van Wyk, J.D. Power components in a system with sinusoidal and nonsinusoidal voltages and/or currents 88−37140

Slonimskii, A.D. *see* Golachev, S.M. 86−41435

Slonov, V.V. *see* Kirakosyants, V.E. 87−75450

Sloof, G.W. *see* Duijn, J.H. 88−61176

Sloot, J.G.J. Analog simulations of the heat flow in a high voltage fuse 87−72339

Sloot, J.G.J., Kalasek, V.K.I., Sikkenga, J. A one-dimensional mathematical model for the dynamical burnback velocity of silver strips [fuses] 87−72342

Slooten, R.W.Van *see* Van Slooten, R.W.

Slootman, F. *see* Amouroux, J. 86−35530, 88−18013

Sloper, A.N., Flanagan, M.T. Novel iron phosphate optical waveguides fabricated by a low temperature process 88−39958

Slorach, F., Alsford, J.R. A RAM based CMOS histogrammer integrated circuit 88−61185

Slosar, G. Application and experiences of the audio-frequency central control in the Budapest electricity works [power system control] 85−59567

Slosar, G. *see* Tersztyanszky, T. 87−57525

Slosarcik, S., Felix, J. Simplification method of analysis and synthesis of the temperature field in hybrid integrated circuits 88−25733

Sloss, J.M. *see* Bruch, J.C., Jr. 86−13703

Slot, G. *see* Hall, J.A. 85−43118

Slota, P., Jr. *see* Rickerl, P.G. 87−74398, 88−26109

Slotboom, J.W., Bartsen, J.W., Dil, J.G., Pelgrom, M.J.M., de Klerk, J.J.M.J., Verhaar, R.D.J., Juffermans, C.A.H., Vinton, D.J., Swetman, J.P. Submicron CCD memory structures fabricated by electron-beam lithography 85−50738

Slotboom, J.W., Osinski, K., Davids, G.J.T., Maas, H.G.R., Slob, A., Kuijk, K.E., Jansen, B. High-density CCD video-memories: physics and technology 87−24201

Slotboom, J.W., Streuker, G., Davids, G.J.T., Hartog, P.B. Surface impact ionization in silicon devices 88−39527

Slotta, G. *see* Finke, K.-H. 86−11360

Slouf, J. *see* Drahy, J. 86−19106, 86−51444

Slouf, R. *see* Rehacek, L. 88−61886

Sloup, J. *see* Opl, J. 87−58480, 88−31225

Slovenkai, S. *see* Sander, I. 87−60993

Slover, C.C. Curing bad cures 87−11158

Slover, C.C., Anderson, J.L. Measuring the degree of cure of solder mask on printed circuit boards by evaporative rate analysis 87−11136

Slovinskii, Yu.G. *see* Gerlinga, B.A. 87−35815

Slowiaczek, L.M. *see* Pisoni, D.B. 85−63002

Slowik, J.H., Ashok, S. Deep level transient spectroscopy of interfacial traps at ion-implanted ultrahigh *p*-Si Schottky barriers 87−24914

Slowik, J.H., Brillson, L.J., Richter, H. Acceptor-like electron traps control effective barrier for ultrahigh vacuum-cleaved and laser-annealed Al/InP 87−1299

Slowik, J.H. *see* Chien, H.-C. 87−67091

Slowikowska, H. *see* Kulikowski, J. 88−75689

Slowikowski, A. *see* Fiok, A. 86−5455

Slowikowski, A. *see* Zmudzin, S. 86−47938

Slowikowski, J. *see* Kulikowski, J. 88−75689

Slowing Microcomputer-controlled testing of analogue assemblies 87−77098

Slowko, W. *see* Drzazga, W. 87−53144, 87−60062

Slowko, W. *see* Maternia, Z. 86−21008 to 21009

Sloyev, B.A. *see* Zvyagin, V.F. 86−41004

Sluchaev, A.A. *see* Babenko, Yu.A. 86−14085

Sluchak, I.I. *see* Vaganov, V.I. 88−35928

Sluchanko, E.I. *see* Antonov, B.M. 85−21820 to 21821, 85−60286, 86−26316, 87−78758

Sluchanko, Ye.I. *see* Labuntsov, V.A. 85−60450

Slugocki, M. *see* Czajkowski, W. 86−30418

Sluijk, B.G. Plasma enhanced CVD of titanium silicide 85−45622

Sluijter, F.W. *see* van Duin, C.A. 86−42306

Sluijtman, R.W. *see* Bruza, I.V. 86−29398

Sluis, A.van der *see* van der Sluis, A.

Sluis, K.L.Vander *see* Vander Sluis, K.L.

Sluis, L.van der *see* van der Sluis, L.

Sluizer, S. Using executable specifications to model and analyze finite state protocols 87−48312

Sluka, R. Measuring techniques and the assessment of maximum demand 86−61198

Slukhaevskii, S.P. *see* Kosilov, M.S. 86−24319

Slukhotskii, A.E. *see* Rassudova, N.V. 85−16469

Sluman, C. The management of communications-based systems and current work in OSI management 88−9241

Sluman, C. Network and systems management in OSI 88−21675

Slump, C.H., Hoenders, B.J. The determination of the location of the global maximum of a function in the presence of several local extrema 86−3722

Slump, C.H. *see* Gerbrands, J.J. 85−36328

Slunin, N.I. *see* Dorofejev, G.L. 86−47984

Slunsky, L. *see* Matys, J. 87−18148

Slusark, W.J., Jr. *see* Mancino, V.J. 85−4395, 86−59831

Slusky, S.E.G. *see* Luther, L.C. 87−32844

Slusky, S.E.G. *see* Nelson, T.J. 86−63575

Sluss, F. *see* Schechter, D.E. 88−66176

Sluss, J.J., Jr., Batchman, T.E. Computer aided education packages for teaching field theory 85−60694

Sluss, J.J., Jr., Batchmann, T.E. Preparation and characterization of RF sputtered a-Si:H films for optoelectronic device applications 88−49875

Sluss, J.J., Jr., Veasey, D.L., Batchman, T.E., Parrish, E.A., Jr. An introduction to integrated optics for computing 88−26869

Slusser, G. *see* Nesbit, L. 86−21367, 86−67793, 87−17927

Slusser, G.J. *see* Banke, G.W., Jr. 88−7466

Slusser, G.J. *see* Geffken, R.M. 88−26091

Slusser, G.J. *see* Ryan, J.G. 88−18734

Slutsker, A.I. *see* Berezhanskii, V.B. 87−60696

Slutsker, A.I. *see* Dakhiya, M.S. 85−29353

Slutsker, I.W., Scudder, J.M. Network observability analysis through measurement Jacobian matrix reduction 87−57488

Slutskii, I.A., Smirnov, B.Ya. The modern state and prospects of developing domestic magnetic video recording 86−24169

Slutskii, I.A., Smirnov, V.L. Video channel and the choice of format for a second generation video tape recorder 85−26093

Slutskii, I.A. *see* Levitin, G.V. 88−41926

Slutz, S.A. Minimum energy principle in magnetic insulation theory 87−39421

Slutz, S.A., Mehlhorn, T.A., Maenchen, J.E., Ruiz, C., Woodworth, J.R. Impedance control of Applied-*B* ion diodes 87−77510

Slutz, S.A., Seidel, D.B., Coats, R.S. Electromagnetic particle-in-cell simulations of Applied-*B* proton diodes 86−25107

Slutz, S.A. *see* Cook, D.L. 87−43208

Slutz, S.A. *see* Johnson, D.J. 85−59105

Slutz, S.A. *see* Swegle, J.A. 87−29392

Sluyter, R. *see* Hellwig, K. 86−67240, 87−37346, 87−44935

Sluyter, R. *see* Vary, P. 86−23731

Sluyter, R.J. Digitization of speech 85−19381

Sluyter, R.J., Bosscha, G.J., Schmitz, H.M.P.T. A 9.6 kbit/s speech coder for mobile radio applications 85−20084

Sluyter, R.J. *see* Kroon, P. 87−12944, 87−27343

Sluyter, R.J. *see* Vary, P. 88−67144, 88−67273

Sluyterman, A.A.Seyno *see* Seyno Sluyterman, A.A.

Sluyters, J.H. *see* Sluyters-Rehbach, M. 87−51424

Sluyters, T. *see* Alessi, J.G. 86−55964

Sluyters, T. *see* Hershcovitch, A. 86−32114

Sluyters, T. *see* Kponou, A. 86−32115

Sluyters, Th. *see* Alessi, J.G. 87−41813

Sluyters-Rehbach, M., Bongenaar, C.P.M., Remijnse, A.G., Sluyters, J.H. On the interpretation of cell impedance measurements in terms of the Randles' equivalent circuit 87−51424

Sluzalec, A. Thermal effects in laser microwelding 87−26580

Sluzark, W.J. *see* Gardner, P.D. 86−63293

Sluzek, A. Identification of 2D objects in 3D space 87−55337

Sluzek, A. Identification of planar objects in 3-D space from perspective projections 88−28051

Sluzek, A. Using moment invariants to recognize and locate partially occluded 2D objects 88−52549

Slvsarczyk, C. On a certain property of linear-fractional function and its application 87−72970

Slyke, R.Van *see* Van Slyke, R.

Slyn'ko, E.I. *see* Brodovoi, A.V. 85−23491

Slyn'ko, V.M. *see* Stognii, B.S. 86−5219, 86−39909, 86−55614

Slyunkov, N.D. *see* Ermakov, V.S. 85−4941

Slyusar, P.B. *see* Petrenko, A.I. 87−10328, 87−31461, 87−52261

Slyusar, V.M. *see* Lokot, N.M. 88−6690

Slyusarenko, S.S. *see* Novikov, A.D. 87−2234

Slyusarenko, S.S. *see* Odulov, S.G. 85−18904, 85−41303
Slyusarenko, S.S. *see* Zaporozhets, T.E. 87−19104
Slyusarenko, S.Ya. *see* Bosamykin, V.S. 88−25850
Slyusarenko, V.I. *see* Dzyuba, A.N. 88−66900
Slyusarev, N.S. *see* Gus'kov, L.N. 88−58620
Smaal, A. Single-chip multistandard colour decoder 86−4811
Smadja, G. *see* Benvenuti, A.C. 85−15254
Smadja, G. *see* Brand, C. 87−21430
Smadja, G. *see* Saxon, D.H. 88−42416
Smaev, V.P., Bryskin, V.Z., Znamenskaya, E.M., Kursakova, A.M., Shakhova, I.B. Features of the recording of holograms on a two-layer photographic material 87−26569
Smaev, V.P. *see* Brui, V.P. 85−56870
Smaev, V.P. *see* Bryskin, V.Z. 86−36604
Smaev, V.P. *see* Ermolaev, M.M. 85−13001, 85−46502
Smaev, V.P. *see* Gal'perm, A.D. 87−26568
Smaev, V.P. *see* Gal'pern, A.D. 86−22552, 87−26564, 88−40361, 88−58715
Smaeva, S.A. *see* Kuleshov, A.M. 87−39254
Smaga, E. *see* Dobija, M. 86−66680
Smaga, J.A. *see* Battles, J.E. 86−66289
Smagin, A.G. Fundamental energy losses in quartz crystals in the $4\times10^4-1.8\times10^9$ Hz frequency interval 85−35265
Smagin, A.G. *see* Mil'shtein, B.G. 85−4457
Smagin, A.G. *see* Shchepetil'nikov, B.V. 86−2470
Smagin, A.P. *see* Meleshko, I.Y. 88−75702
Smagin, V.A., Filimonikhin, G.V. An approximate calculation method for open queueing networks 87−36570
Smaili, Y. *see* Radman, G. 88−69336
Smajler, A.J. *see* Brakelmann, H. 87−50807
Smajstrla, V. Frame of reference of rotating measured object 87−75299
Smajstrla, V. Impedance of an inductance transducer above moving measured object 88−16061
Smakaev, E.I. *see* Kokinov, A.M. 85−44297
Smakhtin, V.A. *see* Gribachev, O.V. 85−39266
Smakov, A.M. *see* Zhidiyatov, A.M. 88−5555
Smakov, A.Ya. *see* Bin'ko, G.F. 86−5729
Smakovskii, Yu.B. *see* Adamovich, V.A. 87−46762, 87−68343
Smakuszewski, T. *see* Kozlowski, Z. 88−28777
Smale, M. The impact of microprocessor technology on receiver/amplifier noise measurement 85−64008
Smale, S. On the topology of algorithms. 1 88−11904
Smalikho, I.N. *see* Banakh, V.A. 88−34336, 88−45516
Small, B. *see* Monticelli, D. 86−67041
Small, C.H. EE software for design tasks spreads use of personal computers [electrical engineering] 85−504
Small, C.H. Lack of standard industrial supplies forces semicustom designs upon engineers 85−28338
Small, C.H. Digitizing instruments 85−37650
Small, C.H. PC-board CAD systems don't handle SMDs; updated systems will come later 85−50093
Small, C.H. 100M-sample/sec digitizing oscilloscope has industry's deepest high-speed memory 85−52794
Small, C.H. Benchtop pulse generators address high-speed applications 85−54735
Small, C.H. Serial-data analyzers become instruments for system-level testing during development 86−23539
Small, C.H. Logic analyzers evolve in response to high-level languages 86−31139
Small, C.H. Benchtop component testers 86−40510
Small, C.H. Backup batteries 87−15949
Small, C.H. User-configurable power supplies speed development [power supply product report] 87−30755
Small, C.H. Programmable-logic devices 87−37145
Small, C.H. Magnetic materials provide the final piece to the high-frequency switching-supply puzzle 87−38664
Small, C.H. Surface-mount technology forces engineers to follow testability guidelines 87−59963
Small, C.H. Beware of subtle electrical, thermal differences between through-hole components and SMDs 87−66697
Small, C.H. Automatic test generators for PLDs clean up your logic designs 87−72787
Small, C.H. PLD-design software meets the challenge of multiple-device PLD applications 88−32091
Small, C.H. Inexpensive, shirt-pocket DMMs are smaller and handier than ever 88−53751
Small, C.H. Adhesives spread to all phases of Electronics 88−64052
Small, D.J., Blain, A.A. Tape automated bonding 85−55340
Small, D.J. *see* Sinnadurai, F.N. 85−11741
Small, D.M. *see* Herbelin, R.L. 85−9346
Small, G.W. Australia's contribution to the determination of the SI ohm 87−14472
Small, G.W. Twenty years of SI ohm determinations at NML 88−16411
Small, G.W., Hegedus, Z.S. Measurement of rail cross-section with solid-state sensor arrays 86−31651
Small, G.W., Leslie, K.E. Synthesizing signal generator for use with lock-in amplifiers in audiofrequency measurements 87−14352
Small, G.W. *see* Hegedus, Z.S. 86−5509
Small, G.W. *see* Lee, R.D. 88−7086
Small, G.W. *see* Somlo, P.I. 86−38504
Small, H. Business communications at the halfway stage 85−2953
Small, J. *see* Bastani, B. 88−7710
Small, J.A. *see* Brown, M.D. 88−70691
Small, J.C. *see* Young, C.M. 87−17450
Small, J.G. *see* Eckhardt, W.O. 88−54823
Small, K.L. *see* Frey, D.A. 86−33166
Small, M.B. *see* Hu, C.-K. 87−1456, 87−67124
Small, M.B. *see* Ramakrishna, V. 87−67523
Small, R.D., Charron, R.J. Continuous and discrete nonlinear approximations based on Fourier series 88−70252
Small, R.D., Singer, K.D., Sohn, J.E., Kuzyk, M.G., Lalama, S.J. Thin film processing of polymers for nonlinear optics 88−1919
Small, R.D. *see* Ireland, K.F. 86−34168
Small, R.D. *see* Shiflett, C.C. 88−7238
Small, R.H. Total difference-frequency distortion: practical measurements [audio] 86−60074
Small, R.L. *see* Williamson, D.T. 88−5070
Small, T. Lasers: a bright spot on the factory floor 87−75278
Smallen, M., Mee, P.B., Ahmad, A., Freitag, W., Nanis, L. Observations on electrochemical and environmental corrosion tests for cobalt alloy disc media 86−36000
Smalley, K.G. *see* Rich, D.A. 86−1061
Smalley, S. Development of an automated ultrasonic 20 dB drop pulse echo technique to allow a more accurate evaluation of the character and size of carbon crack flaws 87−65609
Smallman, J. Communications network keeps freight firm on track 85−7992
Smallwood, J. *see* Fleming, J.S. 86−60717
Smallwood, R.H. Recording Doppler blood flow signals on magnetic tape 86−25194
Smallwood, R.H., Dixon, P. An electronic Doppler signal generator for assessing continuous-wave ultrasonic Doppler flowmeters 86−31449
Smallwood, R.H. *see* Kapur, B.K. 87−57056
Smallwood, W.N. *see* Dalton, G.W. 87−31234
Smarandoiu, G. *see* Samachisa, G. 87−59490, 88−6824
Smarin, V.A. A method of investigating nonMarkovian systems 85−28111
Smarslik, J., Wiznerowicz, F. Clarifies behaviour: simulation of reflection and transmission of travelling waves 86−22731
Smart, A. *see* Backhouse, P. 85−64242
Smart, A.E. Laser transit anemometry developments 87−70819
Smart, D. *see* Mokari-Bolhassan, M.E. 86−41940
Smart, D.V. Considerations of laser material interactions for the trimming of thin film resistors 85−18430
Smart, D.V., Stewart, D.M. Laser processing for application specific integrated circuits (ASICs) 88−13513
Smart, D.W., Trick, T.N. Increasing parallelism in multiprocessor waveform relaxation 88−26543
Smart, G. The global gossips [international telecommunication networks] 85−25241
Smart, G.R. Open wire to fibre optics engineering to meet the Canadian telecommunications challenge 88−22161
Smart, G.R. DVACS solves data demand dilemma [Digital/Voice Access and Control Systems] 88−28228
Smart, J. *see* Whitham, K. 85−2277
Smart, J.R. *see* Sullivan, C.H., Jr. 87−28120
Smart, M.D. *see* Baker, R.C. 85−31631
Smart, M.G., Ballinger, J.A. Measuring solar and electric heating contributions in occupied houses 87−16180
Smart, P.W. *see* Kemp, R.C. 85−52890
Smart, R.G. *see* Hanna, D.C. 88−65285
Smartt, H.B. *see* McIlwain, M.E. 85−52896
Smaryshev, M.D., Shenderov, E.L. Noise immunity of planar arrays in an anisotropic noise field 86−32598
Smarzewski, R., Bujalska-Horbowicz, A. Quartic X-splines 85−22373
Smather, D.B. Production scale niobium ingots for RF cavity application 88−38263
Smathers, D.B., Marken, K.R., Lee, P.J., Larbalestier, D.C., McDonald, W.K., O'Larey, P.M. Properties of idealized designs of Nb_3Sn composites 85−56165
Smathers, D.B., O'Larey, P.M., Siddall, M.B., McDonald, W.K. Effectiveness of vanadium as a diffusion barrier in Nb-Sn composite wires 87−12086
Smathers, D.B., O'Larey, P.M., Siddall, M.B., Peterson, J.R., McDonald, W.K. Characterization of vanadium diffused barriers in Nb-Sn composite wires 87−74552
Smathers, D.B., O'Larey, P.M., Steeves, M.M., Hoenig, M.O. Production of tin core modified jelly roll cable for the MIT Multipurpose Coil 88−64990
Smathers, D.B. *see* Peterson, J.R. 87−31089
Smathers, J.B., Holly, F.E. Verification timer for AECL 780 Cobalt Unit 85−4355
Smathers, R.L. Three dimensional display of tumors via computed tomography 86−32275
Smatlak, D.L. *see* Petty, C.C. 88−74708
Smay, S.R. *see* Allyn, M.C. 86−58680
Smayling, M.C. *see* Baglee, D.A. 85−35053, 85−40754, 86−2231, 86−46847
Smayling, M.C. *see* Guo Zhenhua 85−18838
Smayling, M.C. *see* Zhenhua, G. 85−12774
Smazal, V. Skoda twenty-roll rolling mill (for rolling low-carbon steels) 86−52072
Smaznov, A.V. *see* Mamedov, F.A. 86−45410
Smead, F.W. Universal receiver for ICNIA 87−42114
Smead, F.W. Universal receiver for ICNIA 87−50496
Smeby, J.M. Solder joint behavior in HCC/PWB interconnections 86−41440
Smeby, J.M. *see* Douglas, R.B. 87−73164
Smedema, C.H., Breeus, C., Hornbach, T.S., Rowe, M.J. The implementation of an integrated C-CHILL development environment under the UNIX operating system 86−49412
Smedinghoff, J.G. The Fermilab accelerator control system parameter program and plotting facilities 86−60421
Smedman, K.E. A power supply system application for a large telecom data center 88−30839
Smedman, K.E., Svensk, R., Eriksson, M. Microprocessor control of power plants−needs and system aspects 85−64855
Smedman, K.E., Wiren, K.T. Some aspects and experiences regarding centralized/decentralized power supply systems in the Swedish telecommunications network 87−30013
Smedman, K.E. *see* Hjertman, B.N.V. 86−59503
Smedsfelt, S., Ericsson, R., Wilhelmsson, L. New HVDC submarine link meshes with GIS bus 85−4612
Smedt, M.De *see* De Smedt, M.
Smedt, R.De *see* De Smedt, R.
Smee, G.J., West, R.S.V. Factors influencing the choice between paper and XLPE insulated cables in the voltage range 66 kV-132 kV 87−15305
Smee, J.L. Decontaminating LWRs with Candecon dilute processes 85−32315
Smee, J.L. *see* Bradbury, D. 88−36959
Smeers, Y. *see* Boucher, J. 85−32273
Smeers, Y. *see* De Groote, X. 85−79, 85−4729
Smeeta Gupta Structured-test devices simplify test generation 86−20414
Smeets, B. On the number of polynomials over GF(2) that factor into 2, 3 or 4 prime polynomials 86−19973
Smeets, B. A general class of windmill polynomials for fast *m*-sequence generation 87−54958
Smeets, B.J.M. On the use of the binary multiplying channel in a private communication system 87−69028
Smeets, E.T.J.M. Solid composition of $GaAs_{1-x}P_x$ grown by organometallic vapour phase epitaxy 87−44333
Smeets, E.T.J.M., Cox, A.M.W. Influence of alkyl substituents of OMs and operating pressure on the quality of $In_xGa_{1-x}As$/InP heterostructures grown by OMVPE 87−16592
Smeets, E.T.J.M. *see* Haisma, J. 88−24713
Smeets, G., Mathieu, G. Velocity interferometry in shock tubes and shock tunnels 87−71224
Smeets, J., Gunst, P., Van Roy, M., Denayer, M., Nagels, P. Properties of glow-discharge deposited amorphous $Si_{1-x}C_x$ films from SiH_4-CH_4 and SiH_4-C_2H_4 mixtures 86−40791
Smeets, J., Gunst, P., Van Roy, M., Denayer, M., Nagels, P. The effect of deposition parameters on glow-discharge deposited a-Si:H p-i-n solar cells 86−51920
Smeets, J., van Roy, M., Nagels, P. I-V curve fitting for a-Si:H solar cells 88−17986
Smeets, L. *see* Wartmann, R. 85−49202
Smeets, R.P.P. Stability of low-current vacuum arcs 86−41465
Smeets, R.P.P. Transient electron shield currents in vacuum arcs 87−17576
Smeets, R.P.P. Electron shield current following forced decline of vacuum arc current 87−43314
Smeets, R.P.P. Low-current behaviour and current chopping of vacuum arcs 87−73300
Smegal, R. *see* Shafai, L. 87−27056
Smegel, R. *see* Shafai, L. 87−27078
Smeins, L.G. Thermistor bridge senses air flow 85−34117
Smejkal, J. Some notes on random signal treatment 85−37398
Smekal, Z. *see* Krticka, A. 87−39684
Smekalin, L.F. *see* Kononov, B.A. 88−71270
Smekalin, L.F. *see* Sapozhkov, Yu.I. 87−359
Smela, E., Santiago-Aviles, J.J. A versatile twisted optical fiber sensor 88−36054

Smeliakov, S.V., Samoilenko, A.B.S., Zaremba, V.V. An approach to continuous optimization on the graph model of power networks 87–64147
Smelker, T.C. Data acquisition system feeds road test data to simulator 88–35802
Smelker, T.C. Data acquisition application. Vehicle road simulator test systems 88–42001
Smelov, M.V., Kirsanov, Yu.A., Denisov, D.S., Makarova, N.Ya. Experimental investigation into magnetostatic-wave delay lines 87–18546
Smelser, P. *see* May, D.P. 85–58998, 88–74722
Smelters, M. *see* Pulver, M. 87–32670
Smelters, M.E., Hanson, J.V. A CMOS analytic demodulator 87–65955
Smelters, P., Gibbins, R.G., Smith, D.A. Latchup considerations in standard cell CMOS design 86–67184
Smeltz, P.D. *see* Hokanson, J.L. 88–47163
Smeltzer, R. *see* Brucker, G.J. 85–22886
Smeltzer, R.K., Benyon, C.W., Jr. Dielectric integrity of the gate oxide in SOS devices 85–1747
Smeltzer, R.K. *see* Cullen, G.W. 85–23978
Smeltzer, R.K. *see* Kern, W. 85–54513
Smelyanskii, I.M. *see* Makeev, S.N. 86–70343, 87–17660, 88–32730
Smelyansky, V.V. *see* Belushkina, A.A. 88–42409
Smend, F., Schaupp, D., Czerwinski, H., Millhouse, A.H., Schenk-Strauss, H. A Compton polarimeter for synchrotron radiation in the X-ray energy range 86–18243
Smentek, P. How to specify switches 88–44407
Smerdelj, D., Bastar, B. Data channels in primary multiplexer PCM 30 88–67171
Smerdov, V.Yu., Adamov, P.G. A distributed amplifier using high-power MOS-transistors and M-derived filters 86–8014
Smerdov, V.Yu. *see* Adamov, P.G. 86–67490
Smerdov, V.Yu. *see* Bachurin, V.V. 86–863, 86–41783, 86–67116, 87–43190
Smerdov, V.Yu. *see* D'yakanov, V.P. 87–65831
Smerdov, V.Yu. *see* D'yakonov, V.P. 85–6224, 86–57629, 87–44711, 87–65933, 88–25593
Smerdov, V.Yu. *see* Orlov, V.I. 86–67023
Smerdov, V.Yu. *see* Zienko, S.I. 85–22709, 86–13993
Smereka, A.S. *see* Zubyuk, G.G. 87–26012
Smernos, S.C. *see* Richter, H. 88–1100
Smertenko, P.S. *see* Dyakin, V.V. 88–8045
Smertenko, P.S. *see* Gusev, M.Yu. 88–19648
Smertenko, P.S. *see* Zavyalova, L.V. 85–24388
Smertenko, P.S. *see* Zyuganov, A.N. 88–71295
Smestad, G., Hamill, P. Concentration of solar radiation by white backed photovoltaic panels 85–21795
Smestad, G. *see* Abernathy, C.R. 85–5999
Smestad, G. *see* Haba, B. 88–64269
Smet, G.De *see* De Smet, G.
Smet, M.-A.De *see* De Smet, M.-A.
Smetak, E.C. *see* Cendes, Z.J. 88–48874
Smetana, J., Kascak, T.J., Alexovich, R.E. MMIC antenna technology development in the 30/20 gigahertz band 86–58071
Smetana, M. *see* Cherochak, J. 85–34328
Smetana, P. *see* Kim, K.M. 85–33398, 86–7728
Smetana, P. *see* Kran, A. 85–10659
Smetana, R. *see* Bonn, R.M. 85–10465
Smetana, S.I. *see* Avramenko, B.N. 87–4242
Smetana, W. Parameters affecting the infrared firing process of thick film resistors 86–53243
Smetana, W., Wiedermann, W. Using integrated capacitive humidity sensors in thick-film technology 87–70599
Smetanin, A.I. *see* Gershenzon, Ye.M. 86–20352
Smetanin, L.D. Investigation of a method of statistical diagnosis of ALTS facilities based on counters of the number of busy calls 85–8268
Smetanin, L.D. *see* Golomshtok, L.V. 86–30504
Smetanin, V.I. *see* Kondrat'ev, N.A. 87–60053
Smetanin, V.K. *see* Bodunov, V.P. 85–6219
Smetanka, T.D. *see* Eisenbies, J.L. 86–37311
Smetannikova, L.V. *see* Grigorenko, L.P. 85–6662
Smetannikova, T.L. *see* Rebarbar, Ya.M. 87–35250
Smetanyuk, Ya.B. *see* Lozinskii, O.Yu. 87–72592
Smethurst, G.W., Silk, C.L. The use of a TMS 320 chip for a Cambridge ring-host computer interface 88–73599
Smetona, S. *see* Matukas, J. 87–53470
Smets, B. *see* McAllister, W.A. 88–51668
Smetsers, R.C.G.M., van Etteger, A.F., Bluyssen, H.J.A. Optical and transport properties of a double heterojunction GaAs/AlGaAs injection laser from the shift of the wavelength and the threshold current in a strong magnetic field 87–2128
Smeudlers, A.W.M. *see* Dorst, L. 86–48981
Smeulers, W. *see* Hovens, P.J.M. 86–11259
Smeyers, G., Buts, A. High speed alignment and inspection in the electronics industry 87–44018
Smiai, M.S., Haque, S.E., Khan, A.A., Ohali, A.H. Simple circuit for self-compensating high-power factor AC voltage controller 86–40892
Smiai, M.S. *see* Ad'doweesh, K.E. 88–48984
Smiai, M.S. *see* Haque, S.E. 85–54649, 86–11627
Smiai, M.S. *see* Khan, A.A. 88–1642
Smick, T.H. *see* Purser, K.H. 86–2001
Smid, A. *see* Braat, J.J.M. 85–51017
Smid, J. Limitation of the influences of electrical equipment on the power system in the standard CSN 33 3430 86–65615
Smid, J. Cascade current multiplier 87–44554
Smid, M.E., Branstad, D.K. Data Encryption Standard: past and future 88–66303
Smid, M.H.M. Duadic codes 87–54863
Smid, M.P. Fibre optics communications, technology and applications 85–47547
Smid, M.P. *see* Bresser, O.R. 86–59917
Smid, V., Dung, N.M., Stourac, L., Jurek, K. Field effect in DC-sputtered a-Si:H in structure using SiN_x prepared in situ 85–34667
Smid, V., Mares, J.J., Dung, N.M., Stourac, L., Kristofik, J. The role of interface states in the evaluation of density of states from field effect measurements in DC-sputtered a-Si:H 86–28056
Smid, V. *see* Benak, L. 88–74322
Smid, V. *see* Hlava, K. 85–4615
Smid, V. *see* Kristofik, J. 85–50218
Smid, V. *see* Kritofik, J. 85–55468
Smid, V. *see* Mares, J.J. 85–55568, 87–11366, 88–71310
Smidek, M. *see* Matys, J. 88–57453
Smidt, D. *see* Leinemann, K. 86–32951
Smidt, J.J. The high power microwave amplifiers of ERS-1 87–6334
Smidt, J.J., Perring, D. Amplifiers for pulsed operation in active remote sensing from space 85–61134
Smidt, J.J. *see* Perring, D. 85–58082
Smidt Olsen, H. *see* Wahlstrom, B. 85–21332
Smiel, A.J. *see* Jakowatz, C.V., Jr. 88–47523
Smievskoi, G.N. Effect of spontaneous emission of the working transition on ring laser noise 86–9895
Smigelski, J.E. Wet-stack design, operation avoid penalties for reheat 87–78495
Smigielski, J. Inductance of multilayer short coil 85–11609
Smigielski, J. Magnetic characteristics of a coil with a ferromagnetic open core 85–35318
Smigielski, J. Extremal position of ferromagnetic core suspended in magnetic field of a coil 85–35319
Smigielski, J. Measuring range of an electromagnetic float-type flowmeter with a magnetic suspension 85–37802
Smigielski, J. Estimation of fundamental relations for an electromagnetic float-flowmeter based on magnetic suspension 86–31721
Smigielski, J. Resistive transducer of gas density 87–21046
Smigielski, J. Coulometric heating costs indicator 87–29075
Smigielski, J. Electromagnetic horizontal float-type flowmeter with linear characteristic 87–77462
Smigielski, J. Simple electric flap-flowmeter and flowcounter 88–29351
Smigielski, J. An electric flap flowmeter 88–36289
Smigielski, J. Transistorized rectifying circuit for low-voltage signals 88–50018
Smigielski, P. Holographic cinematography and its applications 88–20789
Smigielski, P. Applications of coherent optics at ISL 88–51984
Smigielski, P., Fagot, H., Albe, F. Holographic cinematography with the help of a pulse YAG laser 86–3367
Smigielski, P., Fagot, H., Albe, F. Progress in holographic cinematography 87–19096
Smigielski, P., Fagot, H., Albe, F. Holographic cinematography with the help of a pulse YAG laser 88–2442
Smigielski, P., Fagot, H., Albe, F. Holographic cinematography and its application 88–42527
Smigielski, P., Fagot, H., Albe, F., Stimpfling, A., Meyer, R., Schneider, J.-P., Reilhan, S. Cineholography 86–10024
Smigielski, P. *see* Albe, F. 85–51314, 87–19098
Smigielski, P. *see* Stimpfling, A. 86–3358, 86–15814, 87–19097, 88–58720
Smigirinov, S.A. *see* Serebryakov, A.S. 87–9911
Smikal, F. Exact method for the calculation of double-cage asynchronous machine with alternate rotor slots 87–22325
Smikal, F. Calculation of the skewing leakage [electric machines] 88–62302
Smilanski, I. *see* Petr, R.A. 85–5230
Smiles, M.I. *see* Prime, J.B. 87–30201
Smiley, M.W. A numerical study of spontaneous bifurcation 87–65429
Smiley, R.G. Expert system for machinery fault diagnosis 85–16737
Smiley, S.A. *see* Tustaniwskyj, J.I. 87–72880
Smiley, V. *see* Whitcomb, B. 85–50923
Smiley, V.N. Fibers for high-speed measurement 88–60616
Smiley, V.N., Peressini, M.A., Whitaker, D.E. Material dispersion measurements on fiber optic cables used at the Nevada test site 85–35406
Smiley, V.N., Whitcomb, B.M., Peressini, M.A., Whitaker, D.E., Flurer, R.L., Colburn, C.W., Lyons, P.B., Ogle, J.W., Looney, L.D. Optical characterization of radiation-resistant fibers 85–35409
Smiley, V.N. *see* Whitcomb, B.M. 85–35421, 87–12177
Smilga, V.I. *see* Artamonov, V.I. 85–15126, 86–50270
Smil'gevich, V.V. *see* Dolgosheev, P.I. 88–68965
Smil'gis, R.L. *see* Veis, R.V. 88–29205
Smil'gyavichus, A.Yu. *see* Karalyunas, B.S. 87–58113
Smilgyavichus, V.I. *see* Nedbaev, N.Ya. 88–72392
Smil'gyavichyus, A.Yu. Spectral characteristics of a linear induction motor in braking mode 87–58111
Smil'gyavichyus, V. *see* Danelyus, R. 87–46974
Smil'gyavichyus, V. *see* Piskarskas, A. 85–46355, 87–19036
Smilgyavichyus, V.I. *see* Butkus, K.D. 85–41376
Smil'gyavichyus, V.I. *see* Krushas, V.V. 88–27301
Smiljanic, D. *see* Vrankovic, V. 87–47118
Smiljanic, M. *see* Djuric, Z. 85–18813
Smillie, D. From Bach to rock—it's silicon sound 86–24235
Smillie, D.H. Space age hewers and drawers [Canadian energy industry] 88–68761
Smillie, R.J. *see* Nugent, W.A. 86–38242
Smilor, R.W. Managing the incubator system: critical success factors to accelerate new company development 88–103
Smilowitz, B. *see* Adler, Z. 85–17857
Smilowitz, B. *see* Mehdizadeh, M. 86–8445
Smilowitz, B. *see* Porter, W.A. 87–1853
Smilyanskii, I.I. *see* Gogosha, P.I. 86–38483
Smirenskii, V.I. *see* Nikolenko, A.N. 86–61774
Smirl, A.L., Boggess, T.F., Boyd, I.W., Moss, S.C., Bohnert, K., Mansour, K. Spatial and temporal resolution of the nonlinear optical properties and melt dynamics of Si at 1 μm 85–62667
Smirl, A.L. *see* Boggess, T.F. 86–29245
Smirl, A.L. *see* Boggess, T.F., Jr. 85–51246
Smirl, A.L. *see* Bohnert, K. 87–26331
Smirl, A.L. *see* Dawson, M.D. 87–7287, 87–19007, 87–39020, 87–39026, 87–75035, 88–27097
Smirl, A.L. *see* Schulman, J.N. 87–26420
Smirl, A.L. *see* Soileau, M.J. 85–7506
Smirl, A.L. *see* Valley, G.C. 87–19040, 88–65434
Smirl, A.L. *see* Van Stryland, E.W. 86–3306
Smirnitskaya, A.A. *see* Gordin, V.L. 87–1429
Smirnitskii, A.M. *see* Sotnikov, V.E. 86–13896
Smirnitskii, A.V. *see* Goryainov, N.A. 88–61036
Smirnitskii, V.B. *see* Aleksandrov, S.N. 85–56665
Smirnitskii, V.B. *see* Alferov, Zh.I. 88–27170
Smirnitskii, V.B. *see* Gladushchak, V.I. 88–45435
Smirnitskii, V.B. *see* Gonsales, K. 88–58201
Smirnitskii, V.B. *see* Karpov, S.Yu. 85–12883
Smirnitskii, V.B. *see* Kizhaev, K.Yu. 87–18976, 87–26399, 88–8201, 88–34046
Smirnitskii, V.B. *see* Kuchinskii, V.I. 87–33199
Smirnitskii, V.B. *see* Vasil'ev, M.G. 86–58942
Smirnoff, S.R. Ship-to-shore isn't radio anymore 86–55248
Smirnov, A.A. *see* Gumerova, N.I. 87–35647, 87–57639
Smirnov, A.A. *see* Shelaev, I.A. 85–26621
Smirnov, A.F. *see* Fedotov, A.A. 86–39269
Smirnov, A.I. An investigation of the way in which frequency conversion at a transistor collector junction influences the noise and gain characteristics of a microwave transistor mixer 87–32082
Smirnov, A.I. Wave scattering and absorption under parametric interaction with waveguide modes 87–33486
Smirnov, A.I. *see* Beer, W. 85–64518
Smirnov, A.I. *see* Bilenko, D.I. 88–64419
Smirnov, A.I. *see* Lukin, A.E. 86–54117
Smirnov, A.M. *see* Alekseev, R.A. 85–43713
Smirnov, A.M. *see* Semenov, V.A. 87–29173
Smirnov, A.N., Eismont, V.P., Gorshkov, I.Yu. Some aspects of the time response of thin film breakdown counters for heavy charged particle detection 87–3886
Smirnov, A.N., Eismont, V.P., Gorshkov, I.Yu., Chugunov, I.N., Naidenov, V.O. Detection of heavy ions lighter than fission fragments by thin film breakdown counters 86–70332
Smirnov, A.N. *see* Basiladze, S.G. 86–24442, 86–60625, 88–25079, 88–29241
Smirnov, A.N. *see* Benenson, Z.M. 88–58445
Smirnov, A.N. *see* Fainberg, E.A. 85–52075
Smirnov, A.N. *see* Kogan, Ya.A. 86–23181
Smirnov, A.N. *see* Taran, V.I. 87–39381
Smirnov, A.P. Development of the principles of construction of wave-front sensors based on the Talbot effect. I. Determination of field parameters in the plane of a periodic transparency 87–77277
Smirnov, A.S. *see* Farkas, P. 87–12908
Smirnov, A.S. *see* Kurochkin, Yu.A. 88–50904
Smirnov, A.S. *see* Vassilev, P.G. 85–26649
Smirnov, A.S. *see* Vorobiev, Yu.V. 87–74019

Smirnov, A.V. An audio signal connector 88−38834
Smirnov, A.V. *see* Antanov, E.V. 85−45925
Smirnov, A.V. *see* Antonov, E.V. 87−15086
Smirnov, A.V. *see* Astrelin, V.T. 86−60439
Smirnov, A.V. *see* Borodkin, A.A. 87−18868
Smirnov, A.V. *see* Bystrov, S.V. 88−67756
Smirnov, A.V. *see* Golubenko, Yu.I. 87−66261
Smirnov, A.V. *see* Goncharov, S.F. 85−56906
Smirnov, A.V. *see* Koziratskiy, L.Yu. 87−70120
Smirnov, A.Ya., Teplyashin, L.L., Kostik, O.E. Characteristics of radiation emitted by laser-pumped dye lasers with phase-polarization control of the emission spectra 88−58484
Smirnov, A.Ya. *see* Babkina, T.V. 85−58531
Smirnov, A.Ya. *see* Runets, L.P. 87−7414
Smirnov, A.Ya. *see* Voitovich, A.P. 85−24502, 85−56579
Smirnov, A.Yu., Bolnov, V.A., Shashkin, S.L. A mathematical model of a shielded stepping motor 86−26081
Smirnov, B.I. *see* Andreev, V.Ya. 85−4427
Smirnov, B.M. *see* Eletskii, A.V. 88−8106
Smirnov, B.N., Gavallas, L.A., Dyatchenko, A.A., Roze, Yu.A., Stolbovskii, V.M., Tsagolov, A.N. Role of the secondary electrons of a transmission film in the output current of microchannel plates 88−12895
Smirnov, B.N. *see* Dyatchenko, A.A. 88−12896
Smirnov, B.N. *see* Petras, S.V. 88−19639
Smirnov, B.P. *see* Dzyubenko, I.V. 88−30190
Smirnov, B.Ya. *see* Krivosheykin, A.V. 86−17584
Smirnov, B.Ya. *see* Slutskii, I.A. 86−24169
Smirnov, D.N. *see* Orlov, L.I. 87−29917
Smirnov, D.N. *see* Ryabinin, Yu.A. 86−24458
Smirnov, E.A. A noise-immune algorithm for reception of discrete noise-like signals with frequency-phase modulation in a background of structural interference 88−40905
Smirnov, E.A. *see* Petrov, V.K. 87−55090
Smirnov, E.A. *see* Privalov, V.E. 86−70194, 88−8122
Smirnov, E.M. *see* Karachev, V.M. 86−33836
Smirnov, G. Numerical optimization of energy collection in photovoltaic solar cell 88−24156
Smirnov, G.A. *see* Brekhovskikh, S.M. 86−60322
Smirnov, G.A. *see* Rybin, V.M. 87−70064
Smirnov, G.I. *see* Badalyan, A.M. 88−60883
Smirnov, G.I. *see* Benvenuti, A.C. 85−15254
Smirnov, G.K. *see* Cuseva, L.S. 85−10206
Smirnov, G.V. Relationships describing the distribution of inversion in cylindrical and planar neodymium glass active elements 88−20606
Smirnov, G.V. *see* Kliment'ev, S.I. 85−7869
Smirnov, G.V. *see* Lavrent'ev, V.V. 85−46465
Smirnov, I.A. *see* Akmanov, A.G. 87−61210
Smirnov, I.A. *see* Gitman, M.I. 87−4973
Smirnov, I.A. *see* Milovanov, O.S. 88−68112
Smirnov, I.A. *see* Vinogradov, A.A. 85−6723
Smirnov, I.M. Contribution of the Institute of Electric Power Network Design towards acceleration of scientific and technical progress in the electric power engineering industry of the USSR 87−71477
Smirnov, I.S. *see* Tikhonov, A.N. 86−36081
Smirnov, I.V. Ion-selective sensors for control systems for the concentrations of compounds in solutions 86−17939
Smirnov, K.A. On the number of solutions to the equations for the steady state regime of an electric power system 85−9477
Smirnov, L.M. *see* Gubrienko, K.I. 88−16575
Smirnov, L.N. *see* Kadochnikov, A.I. 85−29988
Smirnov, L.S. *see* Kadyrakunov, K.B. 87−6537
Smirnov, L.S. *see* Lovyagin, R.N. 86−35551
Smirnov, M.G. *see* Basov, N.G. 87−19035
Smirnov, M.Z. *see* Vitushkin, L.F. 86−11697, 86−68651
Smirnov, N.I. Multicriterial sampling of an optimum complex signal and a signal processor for asynchronous data transmission systems 87−55518
Smirnov, N.I. *see* Emel'yanov, G.M. 87−69622
Smirnov, N.L. *see* Gertsev, K.F. 88−65034
Smirnov, O., Serdiuk, V. The teleconferencing system of the USSR National Centre for Automated Data Exchange (NCADE) 88−21809
Smirnov, O.L., Kerzhentsev, Y.A., Ostapenko, A.M. Principles of development and structure of the Automated Data Exchange Centre 87−28181
Smirnov, P.V. *see* Ageev, A.I. 88−47779
Smirnov, P.V. *see* Balbekov, V.I. 85−26562
Smirnov, P.V. *see* Bun'kov, S.N. 85−6216, 87−29313, 88−70972
Smirnov, R.E. *see* Luchko, A.A. 88−10168
Smirnov, S.A. *see* Konopleva, N.P. 86−22609, 87−15638
Smirnov, S.D. *see* Gutenkov, G.M. 86−45854
Smirnov, S.I. *see* Anisimov, V.I. 87−10592, 88−24878
Smirnov, S.N. *see* Nazarov, L.V. 86−52341
Smirnov, S.N. *see* Raev, V.K. 85−24218
Smirnov, S.S. *see* Abakumov, B.V. 86−68452
Smirnov, S.V., Kolombet, E.A. Pulse amplitude and duration selector 86−60620
Smirnov, S.V., Reznikov, S.B., Bocharov, V.V. Autonomous electric energy system voltage fluctuation reduction 85−20991
Smirnov, S.V., Reznikov, S.B., Bocharov, V.V. Reduction of voltage fluctuations in independent power systems 85−21073
Smirnov, S.V. *see* Bertinov, A.I. 88−49224
Smirnov, S.V. *see* Gvozdev, V.I. 86−41285
Smirnov, S.V. *see* Mizyurin, S.R. 85−61075, 86−7253
Smirnov, V.A. The effect of the perpendicular component of the recording head field on wave characteristics of a magnetic recording-playback channel with frequency biasing 85−29452
Smirnov, V.A. On improving planning of the development of heat and gas-supply systems 87−4557
Smirnov, V.A. Nonlinear distortions in a magnetic recording channel 87−46388
Smirnov, V.A. Unified gas-supply system adaptation processes with changes in the territorial structure of gas consumption 88−24305
Smirnov, V.A. Evaluating energy-system integrity 88−36915
Smirnov, V.A., Shcherbakov, I.A. Rare-earth scandium chromium garnets as active media for solid-state lasers 88−65622
Smirnov, V.A., Starshinova, I.V., Fryazinov, I.V. Analysis of oxygen distribution in fused silicon 85−16919
Smirnov, V.A. *see* Allat'ev, A.N. 87−39039
Smirnov, V.A. *see* Avanesov, A.G. 88−51772
Smirnov, V.A. *see* Belousova, I.M. 86−22460
Smirnov, V.A. *see* Berenberg, V.A. 87−46818
Smirnov, V.A. *see* Biberin, V.I. 86−40705
Smirnov, V.A. *see* Danilov, A.A. 88−27122
Smirnov, V.A. *see* Denisov, A.L. 86−29100
Smirnov, V.A. *see* Gel'mont, B.L. 86−58249
Smirnov, V.A. *see* Malyshkov, Yu.P. 85−6042
Smirnov, V.A. *see* Maslov, V.K. 87−3947
Smirnov, V.A. *see* Ostroumov, V.G. 86−29099
Smirnov, V.A. *see* Romanov, V.V. 85−60112, 85−60116
Smirnov, V.A. *see* Zharikov, E.V. 85−7404, 85−24522, 86−9792, 86−9795, 86−54119, 87−12438
Smirnov, V.B. *see* Babkina, T.V. 85−41168
Smirnov, V.B. *see* Bagaev, S.A. 86−9510
Smirnov, V.B. *see* Ozhiganov, Yu.V. 88−43025
Smirnov, V.D. Determination of the energy parameters of optical systems for operation with a television camera 88−74122
Smirnov, V.F. *see* Sosul'nikov, V.P. 87−47738
Smirnov, V.G. *see* Burtsev, V.A. 88−65808
Smirnov, V.G. *see* Dronnik, L.M. 85−9910
Smirnov, V.G. *see* Kovalevskaya, G.G. 85−6752
Smirnov, V.G. *see* Kulyuk, L.L. 85−56666, 87−2122
Smirnov, V.G. *see* Kurunov, R.F. 86−58889, 87−26328
Smirnov, V.I. Spontaneous light scattering in pulsed excitation of fiber-optic waveguides 85−46189
Smirnov, V.I. An angle digitizer containing a multiphase-multipole rotating transformer 85−58878
Smirnov, V.I., Mokerov, V.G. Injection currents in two-layer semiconductor MIS systems upon the creation of nonequilibrium surface depletion 87−17808
Smirnov, V.I., Trushevskii, S.N. Software for tracking the sun by declination 88−62258
Smirnov, V.I. *see* Balinov, V.V. 88−28661
Smirnov, V.I. *see* Krokhalev, B.M. 86−65906
Smirnov, V.I. *see* Kuznetsov, Yu.N. 86−58332
Smirnov, V.I. *see* Miller, N.E. 86−32661, 86−39204
Smirnov, V.I. *see* Mokerov, V.G. 87−6361
Smirnov, V.I. *see* Sokol, E.A. 86−50381
Smirnov, V.K. *see* Pustovarov, V.Ya. 86−46982
Smirnov, V.L. *see* Andriesh, A.M. 85−29604, 85−41176, 87−18572
Smirnov, V.L. *see* Bykovskii, Yu.A. 85−7286, 85−24337, 85−24684, 85−41526, 86−9451, 87−13716, 87−68167, 87−75259, 88−26858, 88−27323
Smirnov, V.L. *see* Gladkikh, V.V. 86−28835
Smirnov, V.L. *see* Gusak, N.V. 88−58702
Smirnov, V.L. *see* Kazakevich, A.V. 87−68181
Smirnov, V.L. *see* Korovin, S.B. 88−20361
Smirnov, V.L. *see* Semenov, A.S. 88−20467
Smirnov, V.L. *see* Slutskii, I.A. 85−26093
Smirnov, V.M. *see* Armand, N.A. 88−29655, 88−72550
Smirnov, V.M. *see* Leonov, E.I. 87−60954
Smirnov, V.M. *see* Meleshko, Yu.P. 87−38616
Smirnov, V.M. *see* Vorontsov, V.D. 88−37668
Smirnov, V.N., Strokovskii, G.A. Transverse-mode generation in a ring laser with a 1-D diaphragm 87−26467
Smirnov, V.N., Strokovskii, G.A. Diffraction phase coupling of the counterpropagating waves in a ring resonator with a 1-D diaphragm 88−27227
Smirnov, V.N. *see* Korovin, N.V. 88−75888
Smirnov, V.O. *see* Kolomeets, S.D. 88−13838
Smirnov, V.P., Musheg'yants, Kh.A. A model for a system of inductively-coupled coils 85−17899
Smirnov, V.P., Ostrovskii, A.S., Ushakov, Yu.A. Simulation modelling by computer of nonlinear systems with the aid of structural circuits 88−23854
Smirnov, V.P. *see* Baidak, A.F. 86−11501
Smirnov, V.P. *see* Balakin, V.E. 85−26577 to 26578
Smirnov, V.P. *see* Braterskaya, G.N. 86−35150
Smirnov, V.P. *see* Chernenko, A.S. 86−8683
Smirnov, V.P. *see* Dyshel', D.E. 87−1113
Smirnov, V.P. *see* Emel'yanov, A.I. 86−6506
Smirnov, V.P. *see* Golovin, G.G. 85−6633
Smirnov, V.P. *see* Nichiporenko, O.S. 87−17428
Smirnov, V.P. *see* Znatnov, E.V. 86−44614
Smirnov, V.S., Fazliev, A.Z. On large statistical fluctuations in a two-mode laser with an injected signal 88−14127
Smirnov, V.S., Fazliev, A.Z. Frequency dependence of the first-passage time for a two-mode ring laser 88−58608
Smirnov, V.S., Fazliev, A.Z. Statistical characteristics of a ring laser with strong coupling of external signal 88−72358
Smirnov, V.S., Studenov, V.I. Investigation of the effect of the duration of pumping on the spectral and spatial angular characteristics of lasing by rhodamine 6G solutions in a short resonator 86−68481
Smirnov, V.S., Studenov, V.I., Rozuvanova, V.A. Study of the spectral and angular characteristics of laser action by rhodamine 6G solutions in a short cavity 85−29788
Smirnov, V.S. *see* Baranov, V.A. 87−14796
Smirnov, V.S. *see* Grekhov, I.V. 88−55434
Smirnov, V.S. *see* Zyazyulya, F.E. 87−21291
Smirnov, V.V. Development of new welding equipment at VNIIESO Institute 85−22006
Smirnov, V.V. The development of new automated electric welding equipment 88−31237
Smirnov, V.V. Relationship between the structure of holograms on dichromated gelatin and their optical characteristics 88−34151
Smirnov, V.V. Method for performing n-dimensional Fourier transformations in coherent optical systems 88−59194
Smirnov, V.V., Bokshtein, O.N. Use of direct current in readjustable specialised equipment for resistance welding 86−66520
Smirnov, V.V., Sliozberg, S.K., Nikitin, A.S. Conservation of resources with utilization of new welding equipment in the electric-equipment industry 88−24540
Smirnov, V.V. *see* Averyanov, A.V. 87−71281
Smirnov, V.V. *see* Bogdankevich, O.V. 86−22362
Smirnov, V.V. *see* Didenko, N.K. 85−4447
Smirnov, V.V. *see* Kalnitskaya, T.Ya. 85−12994, 87−61255
Smirnov, V.V. *see* Koshelev, P.A. 86−45858
Smirnov, V.V. *see* Mukashev, B.N. 85−40600, 87−6579
Smirnov, V.V. *see* Tolkunov, V.P. 85−53667
Smirnov, V.V. *see* Vakhterov, A.A. 86−3049
Smirnov, V.V. *see* Vartapetov, S.K. 86−68584
Smirnov, Ye.A. *see* Osipov, A.N. 86−29686
Smirnov, Yu.A. *see* Barilovich, V.A. 86−65945
Smirnov, Yu.G. *see* Il'inskii, A.S. 87−33490
Smirnov, Yu.K. *see* Duvlov, S.V. 88−35325
Smirnov, Yu.N. *see* Fudeman, M.O. 86−65795
Smirnov, Yu.N. *see* Klykov, N.A. 87−43690
Smirnov, Yu.S., Shishkov, A.B. Integrated-circuit design for tangent digitizers 87−24278
Smirnov, Yu.S., Vasichev, B.N., Kamunin, A.A. Forming a videosignal in an electron microscope 85−6675
Smirnov, Yu.S. *see* Bogdanov, V.D. 85−37592
Smirnov, Yu.S. *see* Domrachev, V.G. 87−66269
Smirnov, Yu.S. *see* Krapukhin, V.V. 85−6674
Smirnov, Yu.S. *see* Kudryashov, B.A. 85−16288, 85−61404, 86−18133, 88−4364
Smirnov, Yu.V. Approximation of mechanical characteristics of induction short-circuited motors with high slip 86−45423
Smirnov, Yu.V. *see* Karpukhin, V.I. 85−63058
Smirnov, Yu.V. *see* Mikhaylov, G.D. 86−36854
Smirnov, Yu.Yu. *see* Lyamshev, L.M. 85−59523
Smirnova, A.L. *see* Bondar, M.V. 85−7399
Smirnova, A.N. *see* Artiugina, I.M. 87−15399
Smirnova, A.S. *see* Andriesh, A.M. 85−24321, 86−28837
Smirnova, E.A. *see* Bogolyubskii, S.L. 88−49163
Smirnova, E.B. *see* Glazov, V.M. 86−35316
Smirnova, E.L. *see* Filippov, V.I. 87−62429
Smirnova, E.N. *see* Elakhovskii, S.B. 87−4613
Smirnova, E.N. *see* Matsnev, V.V. 85−15844
Smirnova, E.P. *see* Smolenskii, G.A. 86−58647
Smirnova, G.A. *see* Lyubomirov, A.B. 85−48112
Smirnova, G.M. *see* Gornyi, M.B. 88−29580
Smirnova, I.A. A control unit for storage CRT operational modes 85−20658
Smirnova, I.A. *see* Grekhov, I.V. 86−47133
Smirnova, L.A. *see* Artemenko, V.I. 88−42663
Smirnova, L.A. *see* Vorsin, N.N. 88−74370
Smirnova, L.D. *see* Kliment'ev, S.I. 86−48472
Smirnova, L.D. *see* Kuprenyuk, V.I. 85−18858
Smirnova, L.I. *see* Dmitriyevskiy, Ye.S. 88−4103
Smirnova, L.I. *see* Illarionov, O.I. 85−14566, 87−48874, 88−35354
Smirnova, L.P. *see* Kozlovsky, M.Y. 85−45367
Smirnova, M.I. *see* Arkhipova, T.A. 85−23371, 86−47263
Smirnova, N.A. *see* Peev, N.S. 87−31502, 87−36696
Smirnova, N.A. *see* Tairov, Yu.M. 87−31501
Smirnova, N.I. *see* Manashirov, O.Ya. 86−28978
Smirnova, N.N. *see* Evstropov, V.V. 87−6411

Smirnova, N.N. *see* Kos'kin, Yu.P. 87−64020
Smirnova, N.P. *see* Smyagin, Yu.A. 85−17549
Smirnova, N.S. *see* Ivanov, V.I. 88−54434
Smirnova, O.I., Godik, E.E., Gontar', A.G. Mechanism of the room-temperature photosensitivity of photoconducting diamonds 85−61665
Smirnova, O.I., Godik, E.E., Gontar, A.G. Hopping photoconductivity of semiconducting diamonds 87−18809
Smirnova, O.N. *see* Gubanov, N.N. 87−44623
Smirnova, O.V. *see* Veselov, G.I. 87−53932
Smirnova, R.I., Klimin, A.I. On chemical processes occurring in thermal cleaning of the GaAs surface in a vacuum 86−67807
Smirnova, S.N. *see* Vennikov, V.A. 88−68791
Smirnova, T.A. *see* Cherpak, N.T. 86−48310
Smirnova, T.A. *see* Vorsul', K.V. 87−61055, 87−73702
Smirnova, T.N. *see* Gyulnazarov, E.S. 88−34172
Smirnova, T.N. *see* Rossikhin, L.Ya. 87−78505
Smirnova, T.P. *see* Belyi, V.I. 87−17960
Smirnova, V.B. *see* Leonov, G.A. 85−36159
Smirnova, Z.A. *see* Demchuk, M.I. 86−29208
Smirnova, Z.A. *see* Gibelev, A.I. 85−18991
Smirnykh, V.V. *see* Mesentsev, N.A. 86−60675
Smironov, Yu.V. *see* Alishev, Ya.V. 86−37876
Smissaert, G. How Belgium improves NPP operating performance 85−53458
Smissaert, G. Recent developments in components & techniques 86−32999
Smissaert, G. *see* Damsin, M. 87−42574, 87−57755
Smissaert, G. *see* Prevot, J. 86−32997
Smit, A.T.Sypkens *see* Sypkens Smit, A.T.
Smit, D.M. Small uninterruptible power supply systems 87−64685
Smit, F.D. *see* Brooks, F.D. 88−61200
Smit, G. *see* Dekker, H.H. 88−59040
Smit, G.E., III. *see* Askin, H.O. 85−11200, 85−11379
Smit, H.A. *see* Burger, S.J. 85−58979
Smit, H.W., Schellart, N.A.M., Grimbergen, C.A. Gain-controlled frequency sweep generator for auditory stimulation 86−60705
Smit, H.W., Verton, K., Grimbergen, C.A. A low-cost multichannel preamplifier for physiological signals 87−50334
Smit, H.W. *see* SippensGroenewegen, A. 87−4001
Smit, I. *see* van Wyk, J.D. 88−69543
Smit, J. High frequency electronic lighting system 85−16400
Smit, J. The success of SF_6 [high voltage circuit breaker] 85−21743
Smit, J. Dielectric liquids for transformers 85−27454
Smit, J. Developments in heat/power installations: a modern process control system for EBR (Rhineland Energy Industry) and Akzo Zout Chemie 85−43518
Smit, J. Economics in maintenance and energy consumption of a public lighting system: selective remote switching systems 85−44299
Smit, J. Electronic boilers 85−65639
Smit, J. The Cyclocontrol remote control system 86−4231
Smit, J. Solar energy 86−45677
Smit, J. Current measurement in high voltage networks 86−56400
Smit, J. Continuing demand for better light 87−16139
Smit, J. Reactive current compensation 87−78619
Smit, J. Earthing in the Netherlands 88−23552
Smit, J. Reorganization of power distribution system 88−30334
Smit, J. Saving power in public lighting systems 88−31189
Smit, J. *see* Spaanenburg, L. 85−44972, 86−21833
Smit, J.A., Willems, C.P.M., Kneefel, W., Huijser, J.M. Static radar sensors for observation and control of inland vessel traffic 88−15642
Smit, J.J. *see* Barten, H. 88−58011
Smit, L.H.E., Cloete, J.H. Analysis of a narrow band polarizer for a slotted waveguide array 88−34494
Smit, M.K. New focusing and dispersive planar component based on an optical phased array 88−39980
Smit, M.K., Acket, G.A., van der Laan, C.J. Al_2O_3 films for integrated optics 86−58736
Smit, M.K. *see* Pennings, E.C.M. 88−65348
Smit, M.K. *see* van Blitterswijk, W. 87−25956
Smit, M.K. *see* Van Vaalen, M.J.M. 88−65300
Smit, P.M. *see* Nordquist, J.I. 87−30683
Smit, Th. *see* Schmitz, Th. 86−38849
Smit, W. Application of a modified colloid chemical site binding model to Mott-Schottky plots determined at oxidic semiconductor/electrolyte systems 86−8907
Smit, W. *see* Evers, E.J. 87−29501
Smit, W. *see* Meijer, R.J. 88−29917
Smit, W.B.de Villiers *see* de Villiers Smit, W.B.
Smith, A. Instant ATV! [amateur television] 85−63825
Smith, A. Engineering and industry—the hidden hunger 87−16306
Smith, A. Combined heat and power: project economics and feasibility (with reference to Tyneside) 87−42660
Smith, A., Kitz, W. Monitoring the fab gives real time control 88−13069
Smith, A. *see* Johnson, W. 88−64675
Smith, A. *see* Leake, J.W. 85−48228
Smith, A. *see* Oldham, N.M. 87−70738
Smith, A. *see* Putatunda, R. 86−47708
Smith, A. *see* Simons, D.G. 85−43199
Smith, A. *see* Valero, J. 88−61116
Smith, A., Sr., Smith, A.L. Commodore's RTTY riot 87−28356
Smith, A.A., Jr. *see* German, R.F. 85−2695
Smith, A.B. Ordnance Survey's digital databases 88−35606
Smith, A.B. *see* Hetrick, D.L. 88−75407
Smith, A.C. Determination of the airgap flux-density distribution in electrical machines using numerical field solutions 87−30511
Smith, A.C. Liquid radwaste in-leakage reduction at TVA's Browns Ferry Nuclear Plant 87−71835
Smith, A.C., Appel, L.C. Determining the maximum thrust of a permanent-magnet linear actuator 88−17806
Smith, A.C., Gibbs, J.A. Aspects of multiband antennas for use in military satellite communication ground terminals 88−28821
Smith, A.C., Searle, G.C.L. Empirical observations of a sonar adaptive array 86−17520
Smith, A.C., Skilton, P.J. The added value of array antennas to land-based MILSATCOMS 88−34508
Smith, A.C. *see* Owens, R.P. 87−39520
Smith, A.C. *see* Skilton, P.J. 87−28545
Smith, A.C. *see* Szczepanek, A. 86−10820
Smith, A.C. *see* Williamson, S. 85−53694
Smith, A.D., Allington-Smith, J.R. A study of microchannel plate intensifiers 86−50339
Smith, A.D., Dalrymple, B.J., Silver, A.H., Simon, R.W., Burch, J.F. Microstrip resonances in superconducting circuits 87−67865
Smith, A.D., Hastings, I.J., Fehrenbach, P.J., Morel, P.A., Sage, R.D. Dimensional changes in operating UO_2 fuel elements: effects of pellet density, burnup and ramp rate 86−19020
Smith, A.D., Sandell, R.D., Burch, J.F., Silver, A.H. Low noise microwave parametric amplifier 85−55131
Smith, A.D., Sandell, R.D., Silver, A.H., Burch, J.F. Chaos and bifurcation in Josephson voltage-controlled oscillators 87−74590
Smith, A.D., Simon, R.W., Burch, J.F., Sandell, R.D., Silver, A.H. Integrated microwave SQUID 87−67884
Smith, A.D. *see* Lapington, J.S. 87−41829
Smith, A.D. *see* Magee, W.A. 86−32483
Smith, A.D. *see* Yurke, B. 88−32412
Smith, A.G. *see* Flower, M.A. 85−15284
Smith, A.G. *see* Oldham, N.M. 88−16384
Smith, A.H. Time and frequency measurement. I. The universal counter timer 88−67942
Smith, A.H. Time and measurement. II. The UCT: signal processing and the input circuits 88−74508
Smith, A.J., Kwek, K.H., You, T.Y., Gholap, A.V., Lee, S. Measurement of nitrogen laser channel current, inductance, and resistance 87−38980
Smith, A.J., Smith, G., Beezhold, W., Posey, L.D., van Lint, V.A.J., Wrobel, T.F. Electron beam simulation of pulsed photon effects in electronic devices at very high doses and dose rates 85−57059
Smith, A.J. *see* Carpenter, D.L. 88−34308
Smith, A.J. *see* Hill, M.D. 85−17426
Smith, A.J. *see* Ponce, F.A. 87−58941
Smith, A.J. *see* Posey, L.D. 86−35890
Smith, A.J. *see* Wrobel, T.F. 86−35697
Smith, A.J.S. *see* Biino, C. 86−38719
Smith, A.K., Johnson, W.H., Keenan, W.A. Sheet resistance low dose monitoring using the double implant technique 87−11621
Smith, A.K., Johnson, W.H., Keenan, W.A., Rigik, M., Kleppinger, R. Sheet resistance monitoring of low dose implants using the double implant technique 87−60066
Smith, A.K., Perloff, D.S., Edwards, R., Kleppinger, R., Rigik, M.D. The use of four-point probe sheet resistance measurements for characterizing low dose ion implantation 85−35069
Smith, A.K., Wang, E.F. The application of contour maps and statistical control charts in monitoring dielectric processes 88−13081
Smith, A.K. *see* Johnson, W.H. 87−16647
Smith, A.K. *see* Keenan, W.A. 85−55676, 86−2009, 88−7443
Smith, A.K. *see* Perloff, D.S. 85−34818, 87−60251, 88−31440
Smith, A.L. *see* Percival, W.S. 87−30718
Smith, A.L. *see* Pollock, H.C. 87−22460
Smith, A.L. *see* Smith, A., Sr. 87−28356
Smith, A.L. *see* Williams, G.C.R. 85−12815
Smith, A.L.S., Mellis, J. Scaling and performance of CO_2 lasers at supra-atmospheric pressure 85−51084
Smith, A.L.S. *see* Scott, S.J. 85−12791, 88−72267
Smith, A.L.S. *see* Shields, H. 85−56480
Smith, A.L.S. *see* Williams, G.C.R. 85−29764
Smith, A.M. Optical-fibre sensors—new opportunities for chemical sensing? 87−18603
Smith, A.M. Technology overview: optical fibre biological and chemical sensors 88−4413
Smith, A.M. Optical waveguide immuno-sensors 88−36457
Smith, A.M., DeWitt, C.A. Videotex: a new area for user services 86−4247
Smith, A.M., Vasudevan, R.V., Matteson, T.D., Gaertner, J.P. Enhancing plant preventive maintenance via RCM [reliability-centred maintenance] 86−57171
Smith, A.M. *see* Crellin, G.L. 86−51224, 87−9280 to 9281, 88−10994, 88−11078
Smith, A.M. *see* Crelling, G.L. 85−43837
Smith, A.M. *see* DiLaura, D.L. 88−62736
Smith, A.M. *see* Feller, A. 85−40933
Smith, A.M. *see* Hull, J.R. 88−61754
Smith, A.M. *see* Kripps, L.J. 87−78287
Smith, A.M. *see* Powell, G.P. 86−2426
Smith, A.M. *see* Worledge, D.H. 85−53424
Smith, A.N. *see* Bloom, A.R. 88−38408
Smith, A.P., Genna, S. Acquisition and calibration principles for ASPECT—A SPECT camera using digital position analysis 88−61274
Smith, A.P. *see* Genna, S. 88−61258
Smith, A.R. Comments, with reply, on 'A non-aliasing, real-time spatial transform technique' by K.M. Fant 87−7814
Smith, A.R. The video computer: image computing in the studio 88−41848
Smith, A.R. Image computing [film & video] 88−53451
Smith, A.R., Denenberg, J.N., Slack, T.B., Tan, C.C., Wohlford, R.E. Application of a sequential pattern learning system to connected speech recognition 86−16242
Smith, A.R. *see* Ahlen, J.W. 86−7467
Smith, A.R. *see* Alston-Garnjost, M. 88−74747
Smith, A.R. *see* Goulding, F.S. 85−43217
Smith, A.R. *see* Stone, D.C. 85−7084
Smith, A.T. A sensitive technique for measuring moisture ingress into service equipment 86−19824
Smith, A.V. Tunable resonant enhancement in nonlinear optical frequency mixing 85−7512
Smith, A.V. Four-photon-resonant third-harmonic generation in Hg 85−56817
Smith, A.V., Alford, W.J., Hadley, G.R. Optimization of two-photon-resonant four-wave mixing: application to 130.2-nm generation in mercury vapor 88−65838
Smith, A.V. *see* Muller, C.H., III 88−72417
Smith, A.V.W. *see* Murray, A.F. 87−73396, 88−32261, 88−33364, 88−56576
Smith, A.W. Optical and electrical properties of III-V and III-VI compound semi-conductors at low temperatures 85−1319
Smith, A.W. Introduction to IEEE 841-1986 Recommended Practice for Chemical Industry Severe Duty Squirrel-Cage Induction motors—600 volts and below 87−35944
Smith, A.W., Andreas, J.C., Bonnett, A.H., Dygart, H.B., Frasure, J.W., Kinler, B.N., Martiny, W., Varner, A.C., Wennerstrom, C.H. Introduction to IEEE 841-1986, severe duty squirrel-cage induction motors—600 volts and below 88−31240
Smith, A.W., Andreas, J.C., Kinler, B.N., Bonnett, A.H., Martiny, W., Dygart, H.B., Varner, A.C., Frasure, J.W., Wennerstrom, C.H. Introduction to IEEE 841-1986, recommended practice for chemical industry severe duty squirrel-cage inductor motors—600 V and below 88−43507
Smith, A.W. *see* Barnes, F.S. 86−42351, 87−25924
Smith, B. New portable TWTs for satcom uplinks in Ku-band 86−63003
Smith, B. Lamps for pumping solid-state lasers: Performance and optimization 87−39041
Smith, B. Overview of flashlamps and arc lamps 87−39188
Smith, B., Peckham, P.H., Gazdik, M., Letechipia, J.E., Banks, S.A., Keith, M.W. Development and evaluation of an externally powered, multichannel, implantable stimulator 88−48237
Smith, B., Peckham, P.H., Keith, M.W., Roscoe, D.D. An externally powered, multichannel, implantable stimulator for versatile control of paralyzed muscle 87−71169
Smith, B. *see* Afek, Y. 86−2303
Smith, B. *see* Buckett, J.R. 87−14926, 88−68478
Smith, B. *see* Carling, A. 85−60676
Smith, B. *see* Parkinson, G.G. 87−44672
Smith, B. *see* Sagdeev, R.Z. 87−49573
Smith, B. *see* Shiell, J. 88−25178
Smith, B. *see* Snodgrass, J.G. 87−62145
Smith, B.A., McRae, M.R., Tabakin, E.L. Issues in forecasting demand-side management program impacts 86−18649
Smith, B.A. *see* McRae, M.R. 85−59590
Smith, B.A. *see* Ping-Po Gong 87−14632
Smith, B.B. *see* Thompson, P.T. 87−28538
Smith, B.C. *see* Reichmanis, E. 87−60227
Smith, B.C. *see* Wilkins, C.W., Jr. 85−35048
Smith, B.D. Practical short baseline direction finding [DF]techniques for unmanned vehicles 88−35601
Smith, B.D. *see* McHugh, J.O. 86−56036

Smith, B.D. *see* Vero, L. 86−38939
Smith, B.E., Anschutz, K.J., Jr. Southwestern Bell tries dispersion-shifted fiber 87−70103
Smith, B.E. *see* Murphy, J.E. 85−5285
Smith, B.E. *see* Nies, C.W. 88−52241
Smith, B.E. *see* Ros, W.J. 85−16086
Smith, B.G. *see* Self, A.G. 85−58165
Smith, B.G.R. *see* Wells, G.M. 88−68301
Smith, B.H. *see* Leung, M.Y.A. 87−22348, 88−43202
Smith, B.H. *see* Perera, B.S.P. 88−48965
Smith, B.H. *see* Platt, D. 87−51217, 88−49246
Smith, B.H. *see* Rich, E.L. 88−57212
Smith, B.J. ZIPSCAN−a new concept in ultrasonics instrumentation 86−20121
Smith, B.J. Computers in ultrasonic NDT 87−57468
Smith, B.J., Martin, R. Computers in ultrasonic NDT 87−49468
Smith, B.J. *see* Peet, N.J. 88−23603
Smith, B.K. *see* Anderson, H.M. 87−18012
Smith, B.L. High-power electron tubes designed for modern microwave systems 85−58209
Smith, B.L. New developments in TWTs for satellite communications systems 88−7267
Smith, B.L. High-power microwave tubes for state-of-the-art military and scientific applications 88−12885
Smith, B.L. Constant monitoring: quality you can't afford to be without 88−49572
Smith, B.L. *see* Auberdiac, A. 87−3229
Smith, B.L. *see* Belna, M. 88−71285
Smith, B.L. *see* Faillon, G. 88−44520
Smith, B.L. *see* Guidee, P. 88−64209
Smith, B.L. *see* Kuntzmann, J.C. 86−47246
Smith, B.L. *see* Warnock, J.G. 85−5001
Smith, B.M. US and international efforts in product data exchange 87−40462
Smith, B.M., Potter, P.G. Design criteria for crosstalk interference between digital signals in multipair cable 86−54307
Smith, B.M. *see* Demytko, N. 86−30488
Smith, B.M. *see* McGregor, I. 88−35464
Smith, B.M. *see* Potter, P.G. 85−36895
Smith, B.R. Technical publishing−the new look 85−39476
Smith, B.R. Drilling Al causes PTH problems 86−53176
Smith, B.R. Modular test equipment: boon or bane 88−35848
Smith, B.S. GaAs panel technology 87−42137
Smith, B.S., Brooks, G.R., Pinkerton, R. High temperature, high intensity solar array 87−4944
Smith, B.S., Cavicchi, B.T. GaAs solar cell circuit assembly 88−36624
Smith, B.S. *see* Arnold, J.H. 87−9776
Smith, B.T., Buoncristiani, A.M., Freeman, S.M. Digital signal processing methods for ultrasonic backscattered waves in composite materials 87−71472
Smith, B.T. *see* Buoncristiani, A.M. 87−380
Smith, B.T. *see* Byvik, C.E. 86−7026
Smith, B.T. *see* Madaras, E.I. 88−56365
Smith, B.V. *see* Atkins, P. 87−56279, 87−77915
Smith, B.V. *see* Jain, S.K. 88−33461
Smith, B.V. *see* Kehil, D. 88−60293
Smith, B.V. *see* Mansour, M. 88−60288
Smith, B.V. *see* Steel, G.A. 86−59954
Smith, B.W. Optimizing achievement of plant performance goals 86−51398
Smith, B.W. *see* Marriott, P.W. 85−4760
Smith, B.Z.D. *see* Walker, J.R.M. 87−42013
Smith, C. Theory of Auger recombination in quantum well heterostructures 86−1796
Smith, C. The synergistic importance of an integrated approach to balance-of-systems 86−45262
Smith, C. The design of a general-purpose, optically isolated amplifier 87−41972
Smith, C. The RP-1 three-dimensional effects system 87−70233
Smith, C. MCB selection is easy 88−69622
Smith, C., Abram, R.A., Burt, M.G. Auger recombination in long-wavelength quantum-well lasers 85−2324
Smith, C., Bailey, R.E. An evaluation of the potential for extending the range of photovoltaic solutions applied to cathodic protection systems 88−62272
Smith, C., Farschon, J., Harvey, A., Hill, J., Nisley, R., Plock, R. Strategic defense simulator-performance assessment 88−17016
Smith, C., Jones, M.E. Theoretical analysis of a Si/SiGe HEMT structure 88−39130
Smith, C., Jones, M.E. The mobility of electrons in strained silicon 88−57298
Smith, C., Sklar, H. Embedded expert systems for fault detection and isolation 87−42076
Smith, C., Welbourn, A.D. Prospects for a heterostructure bipolar transistor using a silicon-germanium alloy 88−13350
Smith, C., Young, R. Power Play−design optimization or game? 87−9121
Smith, C. *see* Calicchio, M. 88−29811
Smith, C. *see* Cole, E.I., Jr. 86−35733
Smith, C. *see* Levine, S. 85−52651
Smith, C. *see* Peng, J.C. 88−10290
Smith, C. *see* Taylor, R.I. 86−15715
Smith, C. *(editor)* Discovery '84. Technology for Disabled Persons. Conference Papers 85−54043
Smith, C.A. Using thermochemical analysis in the quality control of prepregs and laminates for multilayer PCB manufacture 86−1501
Smith, C.A. The thermal characterization of epoxide resins 86−14682
Smith, C.A. The glass transition temperature and its measurement in epoxy glass laminates 86−27708
Smith, C.A. Palladium nickel as an electronic connector finish 87−37641
Smith, C.A. Water absorption in glass fibre-epoxide resin laminates 88−38269
Smith, C.A. Protecting electrical supplies to computers 88−75712
Smith, C.A., Bagnell, C.R., Cole, E.I., Jr., DiBianca, F.A., Johnson, D.G., Oxford, W.V., Propst, R.H. Resistance contrast imaging: a new SEM mode for failure analysis 86−40572
Smith, C.A., Graves, K.W. Sensitivity of GPS acquisition to initial data uncertainties 86−17526
Smith, C.A. *see* Anderson, J. 85−64373
Smith, C.A. *see* Gusdal, I. 86−31953
Smith, C.A. *see* Propst, R.H. 85−33252
Smith, C.A. *see* Schumann, S.A. 85−9333
Smith, C.B., Kline, E.H. A modular robot system for electronic assembly 86−41453
Smith, C.C. *see* Karim, M.A. 87−26499
Smith, C.C. *see* Thomann, G.C. 86−59108
Smith, C.E., Chang, R.-S. Microstrip transmission line with finite-width dielectric and ground plane 85−61411
Smith, C.E. *see* Jacobson, H.P., Jr. 88−66196
Smith, C.E. *see* Michalsk, K.A. 85−57108
Smith, C.E. *see* Samaan, S.B. 87−29016
Smith, C.E., Jr., Fletcher, R.J. Retrofit for low excess air multi-fuel burning 86−33083
Smith, C.F., Johansen, W.E., Vangsness, C.T., Yamaguchi, K., McEleney, E.T., Bales, P. Does success of arthroscopic laser surgery in the knee joint warrant its extension to 'non-knee' joint? 88−16768
Smith, C.F., Peterson, A.F., Mittra, R. The treatment of multiple excitations by iterative methods for problems of electromagnetic scattering 88−2530
Smith, C.F. *see* Alesso, H.P. 85−54283
Smith, C.F. *see* Johansen, W.E. 88−16769
Smith, C.F., Jr. End termination compositions for multilayer chip capacitors: platable bases and plating 87−66599
Smith, C.G., Ahmed, H., Wybourne, M.N. Fabrication and phonon transport studies in nanometer scale free-standing wires 87−37755
Smith, C.G., Pepper, M., Ahmed, H., Frost, J.E.F., Hasko, D.G., Peacock, D.C., Ritchie, D.A., Jones, G.A.C. The transition from one- to zero-dimensional ballistic transport 88−71328
Smith, C.H. Metallic glasses in high-energy pulsed-power systems 85−62201
Smith, C.H. *see* Faltens, A. 85−45955
Smith, C.H. *see* Fossey, D.J. 85−10504
Smith, C.H. *see* Keey, R.B. 85−22282
Smith, C.H. *see* Nathasingh, D.M. 85−24066
Smith, C.H. *see* Ramanan, V.R.V. 85−45954, 87−74508
Smith, C.J. Getting out of micros! [Power devices] 85−12228
Smith, C.J. Procedures for polynomial and rational function recognition 85−33344
Smith, C.J. The reduction of errors caused by bright bands in quantitative rainfall measurements made using radar 87−71336
Smith, C.J. The introductory digital laboratory: a creative approach 88−18393
Smith, C.J. Signal processing of the electromyogram 88−42545
Smith, C.J. *see* Kachwalla, Z. 86−54018
Smith, C.J.T. *see* Clark, M.G. 86−5399, 86−48228
Smith, C.K., O'Donnell, J. 110 MW cogeneration plant designed and built in 18 months 87−51003
Smith, C.M., Gonzalez, R.C. Long-term automated-surveillance of a commercial nuclear power plant 85−59949
Smith, C.N. Optical fiber measurements at NBS 85−18691
Smith, C.O. Technical education in India 85−44
Smith, C.O. Danger: how much is acceptable? 86−13433
Smith, C.P. *see* Stennes, M.J. 88−12570
Smith, C.R., Chamberlain, S.G. Two dimensional simulations on single phase CCDs 87−60691
Smith, C.R., Inguva, R. Remote sensing and ill-posed problems 88−10034
Smith, C.R. *see* Inguva, R. 88−10491
Smith, C.R., Erickson, G.J. *(editor)* Maximum-Entropy and Bayesian Analysis and Estimation Problems. Proceedings of the Third Workshop on Maximum Entropy and Bayesian Methods in Applied Statistics 88−31308
Smith, C.S. *see* Dawes, W.R., Jr. 87−32541
Smith, C.T. *see* Bickford, J.P. 85−9551
Smith, C.T. *see* Vogler, L. 85−64995
Smith, C.U., Frank, G.A., Cuadrado, J.L. An architecture design and assessment system for software/hardware codesign 86−23085
Smith, C.U., Gross, R.R. Technology transfer between VLSI design and software engineering: CAD tools and design methodologies 86−67927
Smith, C.V. Auroral activity 85−13125
Smith, C.V., Jr., Schoenwald, J.S. A two tone narrow bandwidth range-rate finding system 86−4753
Smith, C.V., Jr. *see* Nunnally, W.C. 88−68590
Smith, C.V., Jr. *see* Petr, R.A. 88−29734, 88−65484, 88−65491
Smith, C.V., Jr. *see* Reed, K.W. 87−47127
Smith, C.V., Jr. *see* Schoenwald, J.S. 86−4754
Smith, C.W. ACCUNET Switched 56 Service−a dial-up digital network 86−54730
Smith, C.W., Dumbreck, A.A. 3D TV: the practical requirements 88−35690
Smith, C.W. *see* Chiu, C. 85−55992
Smith, C.W. *see* Griffiths, H. 85−26742
Smith, C.Y. *see* Chesnutt, C.C. 88−43633
Smith, D. CAE design systems and functional testers combine to ease testing of prototype ICs 85−22790
Smith, D. Design centers expand your CAE experience while implementing your ICs in silicon 85−23863
Smith, D. Ataturk 2400 MWe hydropower project supplies largest irrigation scheme 85−38886
Smith, D. Power converters for switched reluctance drives 85−45675
Smith, D. Linear arrays and standard-cell ICs simplify your analog-circuit designs 85−50613
Smith, D. Gallium arsenide challenges silicon in high-speed-array applications 85−55873
Smith, D. LSI-level standard cells form the core of integrated μP and peripheral systems 86−1084
Smith, D. 32-bit-μP chips offer system-like benefits 86−8268
Smith, D. Standard-cell ICs and gate arrays integrate memory systems on chip 86−14181
Smith, D. Semicustom ICs for military use meet rigid reliability specs 86−28373
Smith, D. Programmable logic devices 86−52755
Smith, D. Design and simulate semicustom ICs on low-cost IBM PC-based design systems 86−57550
Smith, D. Vendors stock standard-cell libraries with linear and LSI-level functions 87−10753
Smith, D. An economical way to refire the Clipperton L amplifier 87−52385
Smith, D. Getting to the core 87−59553
Smith, D. Some developments in the Cox-Isham theory of coincidence corrections, including the extension to the computer-discrimination method 87−77521
Smith, D. Finding fault: an update on fault simulation 88−689
Smith, D. The M212−a zero-glue single-chip VLSI Winchester controller with on-board 10 MIPS processor 88−805
Smith, D. User-programmable chips take on a broader range of applications 88−63639
Smith, D. Coincidence counting corrections under conditions used by A. DeVolpi 88−68299
Smith, D., Chen Yongshou The 4π β-γ coincidence method for parent-daughter decay in non-equilibrium: the measurement of the disintegration rates of ^{47}Ca-^{47}Sc, ^{45}Ca 85−52974
Smith, D., MacDougall, J.M. Combined cycle with dual pressure waste heat boiler, using floating pressure LP section for fluctuating demand 86−33112
Smith, D. *see* Albrecht, G.F. 86−3109
Smith, D. *see* Apicella, A. 88−48144
Smith, D. *see* Bennett, M. 88−41891
Smith, D. *see* Bernstein, D. 85−15253
Smith, D. *see* Blissett, R.J. 87−63051
Smith, D. *see* Boardman, A.K. 85−37997
Smith, D. *see* Cennini, P. 86−50312
Smith, D. *see* Chen Yongshou 85−52975
Smith, D. *see* Evans, N.T.S. 86−32265
Smith, D. *see* Evans, T. 86−49056
Smith, D. *see* Fox, J.D. 87−56956
Smith, D. *see* Gibson, D. 88−33392
Smith, D. *see* Hashemi-Tafreshi, J. 87−28853
Smith, D. *see* Haverty, M.B. 88−28607
Smith, D. *see* Judge, S.M. 87−77522
Smith, D. *see* Kessler, T. 87−46843
Smith, D. *see* Kidd, T. 88−1950
Smith, D. *see* Kizilyalli, I.C. 88−1678, 88−7636
Smith, D. *see* McNeary, S. 87−10760
Smith, D. *see* Mannheim, D. 86−20861
Smith, D. *see* Murray, R.T. 86−5268
Smith, D. *see* Pengue, L. 85−55976
Smith, D. *see* Perkowski, M. 87−58603
Smith, D. *see* Putatunda, R. 87−5625
Smith, D. *see* Tong, R. 85−17808
Smith, D. *see* Weber, P.M. 87−29037
Smith, D. *see* Wilson, C.R. 85−38051
Smith, D.A. The effectiveness of high intensity acoustic noise testing 87−57267
Smith, D.A. Guided wave optical power regulator 88−7956
Smith, D.A., Braim, S.P., Campbell, A.P. Performance improvements to the UK class II common modules thermal imager 85−47845
Smith, D.A., Laflesh, R.C., Sintorn, H. Review of Sundyberg CWM firing tests in a wall fired industrial boiler 86−32914

Smith, D.A., Leung, P., Tarasewicz, S.W. Design-rule development for a 1.2 μm complementary metal oxide semiconductor process 88−33372
Smith, D.A., McMahon, R.A., Ahmed, H., Barfoot, K.M., Peters, T.B., Hopper, G.F., Godfrey, D.J. Scanning electron microscopy study of seeded recrystallization of silicon-on-insulator layers with either polycrystalline or epitaxially deposited silicon in the seed windows 88−49804
Smith, D.A., Rief, C.D. Internal quality auditing and ESD control 87−47093
Smith, D.A., Shernoff, D.I. Simple measurement of gain and loss in ultralow loss optical resonators 85−51210
Smith, D.A. *see* Ascoli, G. 88−48018 to 48019, 88−54401
Smith, D.A. *see* Eizenberg, M. 87−244
Smith, D.A. *see* Grovenor, C. 85−6812
Smith, D.A. *see* Joshi, R.V. 87−16704
Smith, D.A. *see* Meyerson, B.S. 87−258
Smith, D.A. *see* Naem, A.A. 87−21200
Smith, D.A. *see* Patterson, R.A. 85−35818
Smith, D.A. *see* Slaby, C. 87−38580
Smith, D.A. *see* Smelters, P. 86−67184
Smith, D.A. *see* Tarasewicz, S.W. 86−21876
Smith, D.A. *see* Wong, C.Y. 85−28933
Smith, D.A. *see* Wong, S.L. 85−22687
Smith, D.A. *see* Wrubel, J.N. 86−50918
Smith, D.A. *see* Yee, D.S. 86−20084
Smith, D.A.J. *see* Howard, D.M. 86−48866
Smith, D.B. *see* Zyda, M.J. 88−36707
Smith, D.C. Re-inventing the wheel: electronic warfare resistant communications systems 86−17253
Smith, D.C. Computer simulation of ESD and lightning events 87−46141
Smith, D.C., Noto, R., Werbickas, J.C., Powell, G., Sharma, S. VGAUA and ATLAUA: a total gate-array design capability 85−45026
Smith, D.C. *see* Allman, W.A. 88−49165
Smith, D.C. *see* Arnold, J. 87−11052
Smith, D.C. *see* Evans, A.L. 85−64613, 87−71171
Smith, D.C. *see* Grant, G. 85−60095
Smith, D.C. *see* MacGillivray, J. 85−15343
Smith, D.C. *see* Putatunda, R. 85−40858
Smith, D.C. *see* Waters, P.H. 88−28738
Smith, D.D. Satellites and space stations: realities, retrievals and future perspectives 86−25344
Smith, D.D. *see* Cho, N.M. 88−57670
Smith, D.D. *see* Cook, C.F., Jr. 87−67069
Smith, D.D. *see* Moss, S.C. 88−38747
Smith, D.E., Bowns, T.B. Regain lost I/O ports with erasable PLDs 87−44728
Smith, D.E., Jander, D.R., Roeske, F. Optical fiber radiation-damage measurements 88−13851
Smith, D.E. *see* Colley, R.W. 88−48694
Smith, D.E. *see* Kennedy, J.P. 86−24345
Smith, D.E. *see* Murray, R.T. 86−52023, 87−68057
Smith, D.E. *see* Pruett, B.L. 85−35407
Smith, D.E. *see* Reedy, R.P. 85−56345
Smith, D.E. *see* Roeske, F. 85−35410
Smith, D.E. *see* Tse, K.A. 87−34613
Smith, D.E.A. *see* Alles, D.S. 87−38372
Smith, D.E.H. *see* Mole, P.J. 87−67571
Smith, D.F., King, J.P., Timpson, P., Gray, M., Wright, S. Coherent OTDR for fault location in long wavelength optical systems 86−30844
Smith, D.F., Wright, S., Epworth, R.E., King, J.P. Coherent reflectometry with semiconductor sources 85−43116
Smith, D.F. *see* Epworth, R.E. 86−3177
Smith, D.F. *see* Hall, J.C. 88−17840
Smith, D.F. *see* King, J.P. 87−54003
Smith, D.F. *see* Wright, S. 86−5555
Smith, D.G. Avoiding QA pitfalls [nuclear power stations] 85−4801
Smith, D.G., Gisser, D.G., Feustel, P.J., Newell, J.C. A mobile physiological data acquisition system for clinical research 86−11927
Smith, D.G., Phillips, R.E. An MSI translation of the RCA CDP-1802 microprocessor 85−33041
Smith, D.G. *see* Abedin, M.J. 86−23192, 87−13188, 87−69631, 88−9214
Smith, D.G. *see* Conner, D.A. 88−24418, 88−24421
Smith, D.G. *see* Donaldson, S.A. 86−5019
Smith, D.G. *see* Dunlop, J. 85−16559
Smith, D.G. *see* Green, D.G. 88−24423 to 24424
Smith, D.G. *see* Swedan, S.E. 86−49052
Smith, D.G. *see* Winter, C.S. 87−60981
Smith, D.G.C. *see* Laing, W.D. 87−21900
Smith, D.H. The submillimeter giants 86−4787
Smith, D.H., Bowman, T.G., Lind, R., Riley, T.S. New approaches to packaging for high speed GaAs IC applications 86−34056
Smith, D.I. *see* Kraus, N. 87−71134
Smith, D.J. Trends in industrial power plants 85−16463
Smith, D.J. Trends in load management by industry 85−39373
Smith, D.J. Reliability of software-based fire and gas detection control systems 85−60819
Smith, D.J. Preventive maintenance and cleaning of major power plant equipment 85−65017
Smith, D.J. Advances in fluidized bed combustion and cogeneration 86−19079
Smith, D.J. Computers and their use by power engineers 86−32616
Smith, D.J. Waste fuels, refuse-derived fuels and cogeneration 86−56598
Smith, D.J. Utilities employ energy storage for load management 86−65982
Smith, D.J. Micro-electronic components failure rate data comparison 86−66643
Smith, D.J. Nuclear-to-fossil conversions move forward 87−30376
Smith, D.J. Plant performance monitoring leads the way to higher efficiency 87−35791
Smith, D.J. Diagnostic analysis leads the way in preventive maintenance 87−57880
Smith, D.J. Control upgrades improve power plant operations 87−71921
Smith, D.J. An evaluation model for advanced interactive videodisc applications 88−11648
Smith, D.J. FERC reviews changes to PURPA 88−30309
Smith, D.J. Computer aided design and engineering leads the way 88−30552
Smith, D.J. Power plants upgrade instrumentation and control systems 88−42919
Smith, D.J., Petford-Long, A.K. A high resolution TEM study of in-situ surface oxidation of indium III-V semiconductors 88−39077
Smith, D.J., Reynolds, M. Cogeneration, small power production show rapid growth 87−22118
Smith, D.J., Reynolds, M. Independent power producers dominate new plant construction 88−5419
Smith, D.J., Reynolds, M. Utilities adapt to growth of independent power 88−61854
Smith, D.J. *see* Brooks, S.R. 85−64751
Smith, D.J. *see* Chambers, J. 87−52870
Smith, D.J. *see* Cullis, A.G. 85−10664
Smith, D.J. *see* Dines, K.A. 85−59273
Smith, D.J. *see* Kelly, J.H. 88−20609
Smith, D.J. *see* Sommerville, I. 85−3042
Smith, D.J. *see* van Poelje, O.E. 88−59925
Smith, D.K. Non-gaussian model for fundamental-mode field in single-mode optical fibres 87−18613
Smith, D.K. *see* Leith, J.R. 88−54696
Smith, D.K. *see* Petty, C.C. 88−74708
Smith, D.L. Effects of blocking contacts on generation-recombination noise and responsivity in intrinsic photoconductors 85−2126
Smith, D.L. High-pressure etching 86−9043
Smith, D.L. Application of the pole-dipole resistivity technique to the detection of solution cavities beneath highways 86−50731
Smith, D.L., Hamil, R.A., Prestwich, R., Rohwein, G.J., Donovan, G.L., Schaub, C.M. Power oscillator circuit modeling and redesign for the particle beam fusion accelerator II (PBFA-II) switch trigger laser 88−24054
Smith, D.L., Mailhiot, C. Proposal for strained type II superlattice infrared detectors 88−4435
Smith, D.L., Mailhiot, C. Long-wavelength infrared detectors made from strained type-II superlattices 88−42099
Smith, D.L., Ramirez, J.J., Corley, J.P., Hasti, D.E. Power flow evaluations for HERMES III 87−21323
Smith, D.L. *see* Arch, D.K. 86−2955
Smith, D.L. *see* Brown, J.D. 88−63127
Smith, D.L. *see* Burnham, R.D. 87−24869
Smith, D.L. *see* Cerqua, K.A. 88−65115
Smith, D.L. *see* Collins, R.T. 88−7347
Smith, D.L. *see* Evan Iverson, A. 85−56408, 87−26163
Smith, D.L. *see* Hamil, R.A. 85−2455
Smith, D.L. *see* Harnagel, G.L. 85−24544
Smith, D.L. *see* Heinemann, P.H. 88−35582
Smith, D.L. *see* Iverson, A.E. 88−14003, 88−65477
Smith, D.L. *see* Kania, D.R. 87−21082
Smith, D.L. *see* Kelly, J.H. 88−20609
Smith, D.L. *see* Liu, Y.Y. 87−25729
Smith, D.L. *see* Mailhiot, C. 87−1246
Smith, D.L. *see* Mazarakis, M.G. 86−25030, 87−41788, 88−54017
Smith, D.L. *see* Mersereau, R.M. 85−23052
Smith, D.L. *see* Paoli, T.L. 85−62456
Smith, D.M. Dealing with venture capitalists 87−10087
Smith, D.M., Lord, M. A tool for standing load line assessment [prosthetic legs] 86−32373
Smith, D.M. *see* Lord, M. 85−31878
Smith, D.N. Determination of impedances using numerous simultaneous currents (DINSC)−system design and practical applications 86−25189
Smith, D.N. *see* Petersen, R.H. 85−34411
Smith, D.N. *see* Svetkoff, D.J. 87−51883, 88−1098
Smith, D.P. *see* Borum, J.C. 86−10898
Smith, D.P. *see* Croxall, L.M. 85−52214
Smith, D.P.E., Elrod, S.A. Magnetically driven micropositioners [for high resolution microscopy] 86−2615
Smith, D.P.E. *see* Binnig, G. 87−1164
Smith, D.R., Braunstein, H.R., Borst, J.D. Voltage unbalance in 3- and 4-wire delta secondary systems 88−68926
Smith, D.R., Cormack, J.J. Improvement in digital radio due to space diversity and adaptive equalization 85−42449
Smith, D.R., Cybrowski, W.J. Performance standards for military long haul digital transmission system design 86−55163
Smith, D.R. *see* Bhushan, B. 86−7863
Smith, D.R. *see* Boyer, H.D. 85−61385
Smith, D.R. *see* Brain, M.C. 85−3450, 85−25907
Smith, D.R. *see* Castle, J.G., Jr. 85−23128
Smith, D.R. *see* Frawley, A.D. 86−55936
Smith, D.R. *see* Gopalakrishnan, G.C. 87−38438
Smith, D.R. *see* Herder, L.E. 87−17620
Smith, D.R. *see* Hooper, R.C. 85−20219
Smith, D.R. *see* Jenkins, D.G. 88−45315
Smith, D.R. *see* Klingle, D.L. 87−77866
Smith, D.R. *see* Sibley, M.J.N. 85−37075, 85−39935
Smith, D.R. *see* Smyth, P.P. 86−11113
Smith, D.R. *see* Steeley, W.J. 86−56681
Smith, D.R., Jr. *see* Carpenter, S.H. 87−23331
Smith, D.S., Fremeau, H., Baumard, J.F., Abelard, P. Experimental study of heterogeneous microstructures in ZnO varistors and in $BaTiO_3$ 88−32488
Smith, D.S. *see* Walker, A.C. 88−33813
Smith, D.S. *see* Wimmers, J.T. 85−47973
Smith, D.T. Filters for very low frequency noise measurements 86−44412
Smith, D.T. The time requirement in noise measurements 87−34887
Smith, D.T. Low frequency noise in tantalum capacitors 88−12628
Smith, D.T. *see* Cannon, T.C. 86−47120
Smith, D.T. *see* Ifeachor, E.C. 87−24371
Smith, D.W. Direction of integrated workstation tools for IC development 86−645
Smith, D.W. Coherent fiberoptic communications 86−23876
Smith, D.W. Meteorological data from a United States Coast Guard (USCG) Exposed Location Buoy (ELB) 86−65565
Smith, D.W. Dicing, die attach and wire bond assembly equipment: issues, trends and future developments 88−1769
Smith, D.W. Techniques for multigigabit coherent optical transmission 88−22086
Smith, D.W., Booth, R.C., Cameron, K.H., Hodgkinson, T.G., Malyon, D.J., Matthews, M.R., Smyth, P.P. Techniques for high capacity coherent optical fibre transmission 86−43852
Smith, D.W., Hill, G.R. Optical processing in future coherent networks 88−47101
Smith, D.W., Hodgkinson, T.G., Malyon, D.J., Healey, P. Demonstration of a tunable heterodyne receiver in a two channel optical FDM experiment 85−42627
Smith, D.W., Majdecki, S.A., Johnson, D. Interactive control of analog system simulation 87−65651
Smith, D.W. *see* Atkins, C.G. 86−49586
Smith, D.W. *see* Brain, M.C. 87−49094, 88−35532
Smith, D.W. *see* Chidgey, P.J. 88−9534
Smith, D.W. *see* Cotter, D. 86−54207
Smith, D.W. *see* Hodgkinson, T.G. 85−58084, 86−4634, 87−56126, 87−70050, 88−22070, 88−60146
Smith, D.W. *see* Hooper, R.C. 86−37868
Smith, D.W. *see* Malyon, D.J. 85−25910, 86−43815, 86−49637
Smith, D.W. *see* Mogensen, F. 85−47504
Smith, D.W. *see* Slember, R.J. 86−39480
Smith, D.W. *see* Soule, D.E. 87−30443
Smith, D.W. *see* Stanley, I.W. 85−42565, 87−34618, 87−56153
Smith, D.W. *see* Wuest, C.R. 86−1649
Smith, D.W. *see* Wyatt, R. 85−8404
Smith, E. Nuclear effects on RF propagation 85−30027
Smith, E. Characterization of EDM notches and real fatigue cracks in flat surfaces using uniform field eddy current technique 86−20142
Smith, E. Principles of industrial measurement for control applications 86−33910
Smith, E. *see* Fitch, J. 85−15180
Smith, E. *see* Miller, V.D. 87−40278
Smith, E.A., Huffman, F.N. Characteristics of two thermionic converters with oxide collectors 85−53854
Smith, E.A. *see* Dunlay, J.B. 86−33717
Smith, E.B. *see* Tsuo, Y.S. 88−12956, 88−69694
Smith, E.C. *see* Shoga, M. 88−25186
Smith, E.C., Jr. TVRO antenna pointer 87−8389
Smith, E.D., Sasmor, L., Tarjan, P.P. The role of expert system technology in the evaluation of implanted pacemakers 88−5017
Smith, E.D., Thorbjornsen, A.R., Jamali, M.M., Kim, C.B. A MOSIS-based VLSI design course 87−58591
Smith, E.D. *see* Sasmor, L. 88−5016
Smith, E.G. *see* Johnson, M.W. 86−56029
Smith, E.J. *see* Ahlgren, W.L. 88−31760
Smith, E.K., Njoku, E.G. The microwave noise environment at a geostationary satellite caused by the brightness of the Earth 86−30723
Smith, E.K. *see* Flock, W.L. 85−2588, 85−24820
Smith, E.K. *see* Njoku, E.G. 85−57062
Smith, E.K. *see* Vogel, W.J. 85−63585, 86−30705

Smith, E.M. *see* Kender, J.R. 87−62364
Smith, E.R. *see* Horacek, B.M. 86−5960
Smith, E.S. *see* Duffy, M.E. 85−26697
Smith, E.T. *see* Richter, G. 88−9417
Smith, E.W., Pascoe, K.J. Practical strain extensometry for biaxial cruciform specimens. II 86−11565
Smith, F. Better surface finishes [PCB manufacture] 86−62937
Smith, F. Painless PABX installation (well almost) 88−3719
Smith, F. No more hanging on the telephone 88−21845
Smith, F. Integrated power supply covers wide range of applications 88−62473
Smith, F., Streicker, M. Passive ranging from a moving vehicle via optical flow measurement 88−59311
Smith, F. *see* Salz, K. 85−64170
Smith, F.A. *see* White, G. 85−37933
Smith, F.B., Jr. *see* Ellis, R.H. 87−20578
Smith, F.C. Variations on the vertical 87−68873
Smith, F.C. Mini beam for 14/21 MHz bands 88−40735
Smith, F.C., Anderson, A.P., Sali, S., Ait-Mehdi, R. Microwave diffraction tomography for the determination of the dielectric loss of an object immersed in a lossy homogeneous medium 88−2552
Smith, F.C., Anderson, A.P., Sali, S., Aitmehdi, R. Microwave diffraction tomography for the determination of the dielectric loss of an object immersed in a lossy homogeneous medium 88−10345
Smith, F.C. *see* Conway, J. 88−36508
Smith, F.D. *see* Morris, J.H. 86−37463
Smith, F.G.H. *see* Beale, M.I.J. 86−21320
Smith, F.J. *see* Clotworthy, C.J. 86−48837
Smith, F.J. *see* Corr, P.H. 88−27869
Smith, F.L. *see* Trembour, F.W. 87−71339
Smith, F.R. Lead and lead alloy grids for lead-acid cells: implications for communications applications 87−30917
Smith, F.T.J. Epitaxial growth of GaAs by low-pressure MOCVD 85−5986
Smith, F.W. Run diameter statistics as a measure of image texture 86−43881
Smith, F.W., Calawa, A.R., Chen, C.-L., Manfra, M.J., Mahoney, L.J. New MBE buffer used to eliminate backgating in GaAs MESFETs 88−33242
Smith, F.W., Calawa, A.R., Chen, C.L., Mahoney, L.J., Manfra, M.J., Huang, J.C., Spooner, F.H. New MBE buffer for micron and quarter-micron gate GaAs MESFETs 88−39541
Smith, F.W., Calawa, A.R., Chen, C.L., Manfra, M.J., Mahoney, L.J. New MBE buffer used to eliminate backgating in GaAs MESFETs 88−33409
Smith, F.W., Malin, J.A. Models for radar scatterer density in terrain images 87−34635
Smith, F.W. *see* Evans, N.T.S. 86−32265
Smith, F.W. *see* Ghidini, G. 85−29161
Smith, G. Standby diesel generators 87−64445
Smith, G. Using GPS as a time and frequency reference [global positioning system] 88−47394
Smith, G., Friedrich, R. Isolation amplifiers break through the cost and voltage barrier 88−18934
Smith, G., Hamer, K. The Silver Sensor 87−3290
Smith, G., Parker, G. Converter substation provides key connection to Canadian power 88−43294
Smith, G. *see* Bennett, J. 85−55917
Smith, G. *see* Bonifield, T. 88−71452
Smith, G. *see* Carroll, A. 86−32046, 88−54314
Smith, G. *see* Chow, T.P. 85−23540, 86−1802
Smith, G. *see* Cornbleet, S. 86−48677
Smith, G. *see* Gallino, A. 85−20929
Smith, G. *see* Hamer, K. 85−31169, 87−70204, 87−70207, 88−4155, 88−9725 to 9726, 88−22277 to 22278, 88−35675, 88−35689, 88−53414, 88−60401, 88−74101
Smith, G. *see* Kim, M.J. 88−13483
Smith, G. *see* Leonhardt, W. 88−54317
Smith, G. *see* Lobkowicz, F. 85−43185
Smith, G. *see* Meinel, W. 88−56494
Smith, G. *see* Oddone, P. 87−21434
Smith, G. *see* Oliver, J. 88−47126
Smith, G. *see* Rubenstein, P. 85−8156
Smith, G. *see* Sadoulet, B. 88−61110
Smith, G. *see* Sims, W.P. 88−54315
Smith, G. *see* Smith, A.J. 85−57059
Smith, G. *see* Witkover, R.L. 88−54114
Smith, G., II, Zins, E. RAM engineering problem solving using PC programs 87−44078
Smith, G., II, Zins, E.E. Reliability implementation of error correction 87−44859
Smith, G., II *see* Zins, E.E. 87−46129
Smith, G.A. Changes in microsectioning requirements for multilayer circuit boards 85−23264
Smith, G.A. Environmental testing requirements for military boards 87−17527
Smith, G.A. Fourth generation qualification test circuitry for the 1990s 88−12794
Smith, G.A., Donegani, D. Performance comparison of single and dual speed range slip recovery devices 87−16106
Smith, G.A. *see* Bunker, S.N. 87−53364
Smith, G.A. *see* Chang, H.R. 88−33011
Smith, G.A. *see* Chrenko, R.M. 88−426
Smith, G.A. *see* Dowben, S.L. 87−6614
Smith, G.A. *see* Katz, W. 85−12106
Smith, G.A. *see* Minadeo, M.M. 85−61575, 88−64102
Smith, G.A. *see* Sandberg, J. 88−54318
Smith, G.A. *see* Singh, R.N. 87−11710
Smith, G.A. *see* Stillman, P. 88−54319
Smith, G.A. *see* Walker, J.C. 88−54316
Smith, G.B. Stereo reconstruction of scene depth 86−10585
Smith, G.B. Non-contact torque sensors for automotive applications 88−4655
Smith, G.B., McKenzie, D.R. DC magnetron glow discharge amorphous silicon 85−16983
Smith, G.B., McKenzie, D.R. Steady-state photoconductivity in a-Si:H prepared by d.c. magnetron methods 87−18817
Smith, G.B., Niklasson, G.A., Svensson, J.S.E.M., Granqvist, C.G. Noble-metal-based transparent infrared-reflectors. Preparation and analysis of thin gold films 87−18584
Smith, G.B. *see* McKenzie, D.R. 85−60418
Smith, G.C. CVD tungsten contact plugs by in situ deposition and etchback 86−28457
Smith, G.C. The scanning acoustic microscope—a new tool for the materials scientist 87−363
Smith, G.C. Contact resistance results on CVD blanket tungsten plugs 87−6475
Smith, G.C. Scanning acoustic microscopy: a new technique for the materials scientist 87−10536
Smith, G.C., Bonifield, T.D., Blumenthal, R., Keenan, J., Chang, P.-H. Damage to $TiSi_2$ clad doped silicon due to CVD selective tungsten deposition 87−67153
Smith, G.C., Fischer, J., Radeka, V. X-ray position detection at 22 μm FWHM with a gas proportional chamber 85−43226
Smith, G.C., Fischer, J., Radeka, V. Capacitive charge division in centroid finding cathode readouts in MWPCs 88−68215
Smith, G.C., Gale, R.J., Huffman, C., Kuehne, J., Weaver, T. Thermal budgeting in a double level metal process with CVD tungsten as first metal 88−71468
Smith, G.C., Jucha, R.B. Comparison of two contact plug techniques for use with planarized oxide 87−1792
Smith, G.C., Purdes, A.J. Sidewall-tapered oxide by plasma-enhanced chemical vapor deposition 86−20082
Smith, G.C. *see* Almond, E.A. 87−367
Smith, G.C. *see* Bonifield, T.D. 87−1785
Smith, G.C. *see* Fischer, J. 86−50333, 86−60556, 87−29541
Smith, G.C. *see* Woody, C.L. 86−50309
Smith, G.D. Numerical solution of partial differential equations. Finite difference methods. Third edition 86−52182
Smith, G.D. *see* Hall, M.R. 86−6658
Smith, G.D.W. *see* Hetherington, M.G. 85−29467
Smith, G.F. Mica film 88−64844
Smith, G.F., Werner, W.L. The renaissance of HF communications 88−34438
Smith, G.H. CMOS dual-processor 85−17532
Smith, G.H. *see* Grant, I. 87−70888, 88−29703
Smith, G.I. Introduction of an operational B-MAC system for broadcasting and program distribution 87−13897
Smith, G.J. *see* Finnes, S.J. 85−45195
Smith, G.J. *see* Mudge, J.C. 85−37537
Smith, G.J. *see* McGee, G.D. 86−1070
Smith, G.K. INMARSAT plans for early introduction of aeronautical satellite communications 88−3932
Smith, G.L. Model for delay faults based upon paths 86−46749
Smith, G.L. Matrix method yields direct solution of nonlinear field problems [electric field examples] 88−27398
Smith, G.L. Nonlinear simulation reveals cause of nodal emission on negative DC corona wires discharging in air 88−27450
Smith, G.L. *see* Promis, G.G. 85−37767
Smith, G.M. Method and apparatus for three-dimensional position measurement 85−8953
Smith, G.M. Length measuring apparatus 85−8954
Smith, G.P., Ramsden, V.S. A very low cost variable speed drive for domestic applications using a cycloconverter 88−49306
Smith, G.P. *see* Birtles, A.B. 85−30050
Smith, G.R. Development of a 5000 meter remote operated vehicle for marine research 88−54761
Smith, G.R., Mayer, J.K., Durocher, J.J.G. Study of Hamamatsu mesh dynode photomultiplier tubes for potential use with the ZEUS detector 88−68205
Smith, G.R. *see* Durocher, J.J.G. 87−29398, 88−54359
Smith, G.R. *see* Mayer, J.K. 88−68206
Smith, G.S. Limitations on the size of miniature electric field probes—the smallest dipoles 85−14958
Smith, G.S. Measurement of the permittivity of materials using monopole antennas 86−44398
Smith, G.S., Nordgard, J.D. Measurement of the electrical constitutive parameters of materials using antennas 85−58825
Smith, G.S., Scott, W.R., Jr. A simple method for the in situ measurement of the electrical properties of the ground 88−4586
Smith, G.S., Scott, W.R., Jr. Measurement of the electrical constitutive parameters of materials using antennas. II 88−10099
Smith, G.S. *see* Nordgard, J.D. 87−63865
Smith, G.S. *see* Scott, W.R., Jr. 86−65256, 86−70197, 87−14236, 87−29257
Smith, G.W., Evans, T.J. Optimization of thermal performance of Langmuir-Blodgett film pyroelectric devices 87−32826
Smith, G.W. *see* Detweiler, V.W. 85−4044
Smith, G.W. *see* Vaz, N.A. 87−68213 to 68214
Smith, H. An overview of the static electricity problems and solutions 85−16773
Smith, H. Methods for training the technical editor in interpersonal skills 85−44438
Smith, H. Jamming payloads for unmanned aerial vehicles 87−42080
Smith, H. *see* Medina, M. 87−20139
Smith, H. *see* Niver, E. 86−68864
Smith, H. *see* Vilar, E. 85−41621, 86−36803
Smith, H.-J. Quantitative Doppler flowmetry. I. Construction and testing of a duplex scanning system 85−15282
Smith, H.A. *see* Batchman, T.E. 87−10169
Smith, H.A. *see* Betts, P.J. 86−1420
Smith, H.B. Evolution of radar technology 87−8357
Smith, H.C. *see* Floyd, R.E. 85−52840
Smith, H.D. *see* Yoldas, B.E. 85−41232
Smith, H.D., Jr. *see* Schultz, W.E. 85−59447
Smith, H.E., Morrison, G.H., Hodul, D.T. The determination of amorphous layer thickness in ion implanted silicon using secondary ion mass spectrometry 87−25081
Smith, H.I. A statistical analysis of ultraviolet, X-ray, and charged-particle lithographies 86−35494
Smith, H.I. A review of submicron lithography 86−67786
Smith, H.I. A statistical analysis of microlithography 87−25034
Smith, H.I. A model for comparing process latitude in ultraviolet, deep-ultraviolet, and X-ray lithography 88−39313
Smith, H.I., Thompson, C.V., Geis, M.W., Atwater, H.A., Yonehara, T., Wong, C.C. Zone melting recrystallization of patterned films and low-temperature graphoepitaxy 85−12044
Smith, H.I. *see* Anderson, E.H. 88−26168, 88−44712
Smith, H.I. *see* Antoniadias, D.A. 86−47619
Smith, H.I. *see* Atwater, H.A. 87−6551
Smith, H.I. *see* Chou, S.Y. 86−28326, 86−28345, 86−35707, 86−47620, 87−32558, 87−45955, 87−60492
Smith, H.I. *see* Geis, M.W. 86−66840, 88−12028
Smith, H.I. *see* Ismail, K. 88−39499
Smith, H.I. *see* Ku, Y.-C. 88−39296
Smith, H.I. *see* Plotnik, I. 87−25002
Smith, H.I. *see* Schattenburg, M.L. 88−26138
Smith, H.I. *see* Shahidi, G.G. 87−46026, 88−33205, 88−39458
Smith, H.I. *see* Warren, A.C. 85−50527, 85−55858, 86−35708, 86−47417, 87−1513
Smith, H.I. *see* Wong, C.C. 85−10762
Smith, H.I. *see* Yonehara, T. 85−367, 85−44748
Smith, H.J. *see* Fearnot, N.E. 85−4363
Smith, H.J. *see* Geddes, L.A. 85−31873
Smith, H.J.T., Dion, M., Escudero, R. A study of applied microwaves and quasiparticle injection on the dynamically enhanced supercurrent of a microbridge 87−67879
Smith, H.J.T., Woolner, K.A. Inexpensive demonstration of an anharmonic oscillator 85−616
Smith, H.J.T. *see* Escudero, R. 85−1876, 85−18608
Smith, H.J.T. *see* Yang Zhou-jing 87−14376
Smith, H.K., Mayes, P.E. Stacking resonators to increase the bandwidth of low-profile antennas 87−26983
Smith, H.K., Mayes, P.E. Stacking resonators to increase the bandwidth of low-profile antennas 88−40665
Smith, H.K. *see* Mayes, P.E. 88−2787
Smith, H.K. *see* Tanner, D.R. 88−2753
Smith, H.L., Jr., Wilber, C.E. Comparison of dedusting alternatives for clinker coolers 85−16527
Smith, H.M. *see* Wagner, C.L. 85−21763
Smith, H.N. 12 productivity tips with digital readouts 86−38435
Smith, H.R., Fink, P.K., Lusth, J.C. Intelligent tutoring using the integrated diagnostic model: an expert system for diagnosis and repair 86−45800
Smith, H.S. *see* Marsh, W.J., Jr. 87−78743
Smith, H.S. *see* Patel, B.K. 86−66130
Smith, H.T., Armitage, W.J., Duckworth, R.J. Integrating AppleTalk workstations into a UNIX network environment 87−20282
Smith, H.T., Armitage, W.J., Duckworth, R.J. Using the Macintosh on a Unix network 87−62596

Smith, H.T. *(editor)* Computer-Based Message Services. Proceedings of the IFIP WG 6.5 Working Conference 85−22083
Smith, H.V. The numerical approximation of a class of finite integrals 85−10653
Smith, H.V., Henry, E.M., Wildgen, G. A solar experiment: Mississippi County Community College Blytheville, Arkansas 85−15944
Smith, H.V., Jr., Allison, P., Sherman, J.D. The 4× source 86−32126
Smith, H.V., Jr., Schnurr, N.M., Whitaker, D.H., Kalash, K.E. H^- ion source with high duty factor 88−47935
Smith, H.V., Jr *see* Keller, R. 86−32105
Smith, I. Mains modems 87−20373
Smith, I. Networking on the mains wiring 87−28038
Smith, I. Messaging in a multivendor environment 88−73533
Smith, I. *see* Chown, D.P.M. 87−49079
Smith, I.C. *see* Lawrence, L.A.J. 86−61312
Smith, I.D. *see* Hasti, D.E. 85−26670
Smith, I.D. *see* Ramirez, J.J. 87−21309
Smith, I.F.C. Detection and measurement of fatigue cracks in welded joints 85−39839
Smith, III, T.P., Stiles, P.J., Augustnyiak, W.M., Brown, W.L., Hull, R., Jacobson, D.C., Kant, R.A. Comparison of pulsed laser and furnace annealing of nitrogen-implanted silicon 85−50386
Smith, I.L. Operation of the JANET network [UK Joint Academic Network] 86−23534
Smith, I.R. Multiple binary independent mark-space as an improved form of M-ary FSK signaling 86−29705
Smith, I.R. Adaptation of spread spectrum digital voice radios 86−30584
Smith, I.R. Three-dimensional metrology for submicron lithography using CSLM 87−18251
Smith, I.R. Three-dimensional metrology for submicron lithography using CSLM 87−38429
Smith, I.R., Bennett, S.D., Lindow, J.T., Monahan, K. Planarization profile measurement using a confocal scanning laser microscope 87−11558
Smith, I.R., Harvey, R.A., Fathers, D.J. An acoustic microscope for industrial applications 85−53216
Smith, I.R., Kettleborough, J.G., Kok, T.C. Brushless and current-compounded frequency-convertor exciter 86−26134
Smith, I.R. *see* Bennett, S.D. 87−25447
Smith, I.R. *see* Gregory, K. 86−33425, 88−36780
Smith, I.R. *see* Lindow, J.T. 87−11862
Smith, I.R. *see* Sinclair, D.A. 85−9385
Smith, I.R. *see* Vadher, V.V. 86−45444, 87−22868, 87−22870, 87−35470, 87−58375, 88−17551, 88−18137
Smith, I.V. Argo's practical approach [digital network] 85−57896
Smith, I.V. Banking on it [Bankers Television Network] 86−4599
Smith, I.V. Crossing educational borders [international videoconferencing] 86−4884
Smith, I.V. Expanding the campus 86−17321
Smith, I.V. Getting a closer look [satellite surveillance systems] 86−18409
Smith, I.V. Well-positioned? [GPS] 87−3125
Smith, I.W. The status of synthetic liquid fuel development in Australia 85−53388
Smith, I.W. Gallium arsenide digital technology 88−39730
Smith, I.W., Statz, H., Haus, H.A., Pucel, R.A. On charge nonconservation in FETs 88−26337
Smith, I.W. *see* Chen, W.T. 88−19239
Smith, I.W. *see* Haus, H.A. 85−29867
Smith, I.W. *see* Statz, H. 86−36630, 87−38279
Smith, J. Callback security system prevents unauthorized computer access 85−8245
Smith, J. The real cost of overspecifying a power supply 85−28365
Smith, J. Stratified refractivity effects on microwave propagation near the Earth's surface 85−41602
Smith, J. Progress in digital GaAs ICs 85−50614
Smith, J. The development of intelligent telex terminals 86−4190
Smith, J. GaAs IMPATT diodes 86−9089
Smith, J. Specify your own state of the art switching power supply 86−20301
Smith, J. Software quality issues 87−36478
Smith, J., Chase, R., Garcia, J., Hsieh, C., Vaslow, D. Intensified CCD camera system for plasma diagnostics 85−52676
Smith, J. *see* Allen, D. 86−67997
Smith, J. *see* Bass, K. 88−69670
Smith, J. *see* Emberson, D.L. 87−3468
Smith, J. *see* Lee, W.S. 86−29016
Smith, J. *see* Power, G.A. 88−53391
Smith, J. *see* Warren, M. 87−33305
Smith, J.A., Burger, C.P. Spectral analysis of natural grid features for surface analysis of composite plates 87−36856
Smith, J.A., Katzmann, F.L. Computer-aided DMM calibration software with enhanced AC precision 87−70401
Smith, J.A., Katzmann, F.L. Computer-aided DMM calibration software with enhanced AC precision 88−16243
Smith, J.A. *see* Henze, C.P. 88−69553
Smith, J.A. *see* Wang, C.L. 87−8857
Smith, J.B. Addressable control of pay-TV home terminals 85−47699
Smith, J.B. The new H2Ss 86−11192
Smith, J.C. Electrical contracting−bridging the gap 85−28008
Smith, J.C. *see* Irokawa, S. 88−69005
Smith, J.C. *see* Wade Allen, R. 85−14727
Smith, J.D. *see* Culwick, B.B. 86−60541
Smith, J.D. *see* Gunn, J.E. 88−4465
Smith, J.D. *see* Klein, J.D. 86−24949
Smith, J.D.B. Low viscosity cycloaliphatic epoxy impregnants for motor and generator insulation 86−62274
Smith, J.E. On separable unordered codes 85−2756
Smith, J.E., Baird, C.F. Retrofit of new digital control systems in existing power stations 86−61290
Smith, J.E., Livingstone, D., Balasubramanyam, P.R. Reducing fault tree processing costs 88−267
Smith, J.E. *see* Bruck, G.J. 87−7468
Smith, J.E. *see* Craig, G.L. 87−59541
Smith, J.E. *see* Fournier, R.D. 87−71845
Smith, J.E. *see* Goicolea, J.I. 86−55691
Smith, J.E. *see* Liang Ye-Wei 87−10756
Smith, J.E. *see* Schwarzblat, M. 85−53437
Smith, J.F., Alers, G.A., Armstrong, P.E., Eash, D.T. Separation and characterization of stress levels and texture in metal sheet and plate. I. Principles and preliminary experiment 86−13883
Smith, J.F. *see* Clark, A.V., Jr. 88−56352
Smith, J.F. *see* Park, Y.H. 86−21451
Smith, J.F. *see* Rehbein, D.K. 85−17038, 86−13873
Smith, J.G. Communicating through deep space 86−11048
Smith, J.G. Motivating students to learn through visual aids: a SPICE case study 88−18379
Smith, J.G. *see* Ash, W.W. 88−10244
Smith, J.G. *see* Ford, W.T. 87−50139
Smith, J.G. *see* Wilkinson, J.S. 88−58386
Smith, J.H. SNUPPS units log successful first year of operation 87−22031
Smith, J.H. Colour multi-function displays for aircraft 88−36612
Smith, J.H., Dodd, C.V., Chitwood, L.D. Multifrequency eddy current examination of seam weld in steel sheath 86−13891
Smith, J.H., Reiter, L.R. Photovoltaic performance models−a report card 86−15574
Smith, J.H. *see* Jackson, P.C. 87−50237
Smith, J.H. *see* Waters, C.M. 88−33784
Smith, J.J. Research issues in future Navy lithium battery technology 85−49066
Smith, J.J. Battery fundamentals: a look inside the container 86−33582
Smith, J.J. *see* Berger, J. 88−45389
Smith, J.J. *see* Driscoll, J.R. 86−40040
Smith, J.J. *see* McAleer, J.F. 87−65584
Smith, J.J. *see* Muzi, M. 86−32225
Smith, J.J. *see* Tsou, H.E. 85−6374
Smith, J.K., Stamus, P.A., Johnson, C.A. Constant pressure analysis from SSM/T soundings 88−5170
Smith, J.L. Processing of superconductive materials and high frequency 88−7820
Smith, J.L., Maia, P.P. A method for predicting intermodulation product levels 86−29473
Smith, J.L. *see* Abedin, M.J. 86−23192, 87−13188, 87−69631, 88−9214
Smith, J.L. *see* Abut, H. 87−61686
Smith, J.L. *see* Ackroyd, M.H. 86−10609
Smith, J.L. *see* Chirovsky, L.M.F. 86−28711
Smith, J.L. *see* Cogswell, F.J. 88−65111
Smith, J.L. *see* Swedan, S.E. 86−49052
Smith, J.L., Jr Development of superconducting synchronous machines in the USA 88−55319
Smith, J.L., Jr., Liepert, A.G. Construction of MIT-DOE 10-MVA superconducting generator 85−65231
Smith, J.L., Jr *see* Nisenoff, M. 86−9431
Smith, J.M. Current ISO work on document profile 85−25351
Smith, J.M. Fast-scan processing in maritime surveillance radars 85−47594
Smith, J.M. Blue Joker. An exotic radar of the 1950s 85−52418
Smith, J.M., Stewart, J. From vacuum tubes to solid state imagers−the past, the present, the future 87−28982
Smith, J.M. *see* Gruber, J.J. 88−24838
Smith, J.M. *see* Zurada, J. 85−17668
Smith, J.M. *see* Zurada, J.M. 85−915
Smith, J.MacGregor *see* MacGregor Smith, J.
Smith, J.Moss *see* Moss Smith, J.
Smith, J.N., Jr. Suppression of prebreakdown current by a cathode coating of silicon 86−62988
Smith, J.O. Fundamentals of digital filter theory 86−14370
Smith, J.O. Ultrasonic distance sensors for industrial use 86−31353
Smith, J.O. Elimination of limit cycles in time-varying lattice/ladder filters 86−67391
Smith, J.O., Abel, J.S. The spherical interpolation method of source localization 87−69121
Smith, J.O., Abel, J.S. Closed-form least-squares source location estimation from range-difference measurements 88−14678
Smith, J.O., Friedlander, B. Global convergence of the constant modulus algorithm 86−16410
Smith, J.O., Friedlander, B. Adaptive interpolated time-delay estimation 85−2858
Smith, J.O., Friedlander, B. Adaptive interpolated time-delay estimation 85−51602
Smith, J.O., Friedlander, B. Extensions of the constant modulus algorithm 86−3929
Smith, J.O., Friedlander, B. Adaptive multipath delay estimation 86−11146
Smith, J.O. *see* Abel, J.S. 87−63076
Smith, J.O. *see* Friedlander, B. 85−3528, 87−8365
Smith, J.P., Connor, D.R., Bose, A., Burton, E. Development of operator training curricula using the instructional systems development approach 86−32628
Smith, J.R. Parallel algorithms for depth first searches. I. Planar graphs 85−28137
Smith, J.R. The simulation of small marine systems incorporating gas-turbine and diesel prime movers 87−36229
Smith, J.R., Doggett, W.O. Calibration of charged-particle analyzer fields 88−61203
Smith, J.R., Doggett, W.O., Armstrong, C.M. Collective ion acceleration and relativistic electron-beam propagation 85−37879
Smith, J.R., Fisher, R.K., Leffler, J.S. Lithium-free scintillation glasses for fast-neutron detection 88−10259
Smith, J.R., Johnson, A.S. A method for reducing the noise generated in digitizing or analog recording of EEG data 87−29766
Smith, J.R., Papadopoulos, D., Cudworth, C.J., Penman, J. Prediction of forces on the retaining structure of hydrogenerators during severe disturbance conditions 88−43067
Smith, J.R., Schneider, R.F., Nguyen, K.T., Uhm, H.S. Plasma channels used for relativistic electron beam transport 88−54323
Smith, J.R., Schneider, R.F., Rhee, M.J., Uhm, H.S., Namkung, W. Propagation of a mildly relativistic electron beam at sub-Torr pressures 87−29395
Smith, J.R., Stronach, A.F. The simulation of small marine systems incorporating gas-turbine and diesel prime movers 88−37704
Smith, J.R., Tait, A.J. Electrical drive simulator for teaching purposes 88−18352
Smith, J.R., Young, D. The designing and testing of a sub-optimal excitation controller 87−64547
Smith, J.R. *see* Bednar, F.H. 86−61305
Smith, J.R. *see* Chang, T.G. 88−68439
Smith, J.R. *see* Lees, P. 86−10059
Smith, J.R. *see* Mclochlin, C. 88−48148
Smith, J.R. *see* Nguyen, K.T. 88−47888
Smith, J.R. *see* Penman, J. 86−33309
Smith, J.R. *see* Pierre, D.A. 87−78013
Smith, J.R. *see* Principe, J.C. 86−65434, 87−14898
Smith, J.R. *see* Schneider, R.F. 85−64490, 86−32072, 87−21352, 88−29893, 88−47874
Smith, J.R. *see* Shirakawa, S. 87−29775
Smith, J.R. *see* Shoemaker, G.H.N. 86−38710
Smith, J.R. *see* Stronach, A.F. 88−55294
Smith, J.R. *see* Wilson, A.F. 87−39293
Smith, J.R.W. Using SDL in telephone exchange development 85−52189
Smith, J.S. Uses of operational amplifiers in data acquisition 88−70564
Smith, J.S., Derry, P.L., Margalit, S., Yariv, A. High quality molecular beam epitaxial growth on patterned GaAs substrates 86−7753
Smith, J.S. *see* Chung-en Zah 86−16048
Smith, J.S. *see* Hasnain, G. 88−7329
Smith, J.S. *see* Kapon, E. 85−24527
Smith, J.S. *see* Lee, Y.H. 86−42621
Smith, J.S. *see* Tranfield, D.R. 88−11670
Smith, J.S. *see* Venkatesan, T. 86−36558
Smith, J.T. Remote monitoring of the pressurised cable network. II. Cable pressure monitoring 85−14077
Smith, J.T. Remote monitoring of the pressurised cable network. I. Cable flow monitoring 86−4955
Smith, J.T. Remote monitoring of the pressurised cable network. II. Cable pressure monitoring 86−23641
Smith, J.T. *see* Birtles, A.B. 85−27999
Smith, J.T. *see* Dunn, G. 87−70673
Smith, J.W. Long-term operation of positive temperature coefficient resistors 88−57003
Smith, J.W., Smith, K.S., Smith, R.J., II Faster architectural simulation through parallelism 87−65980
Smith, J.W. *see* Bakhru, P.U. 86−9554
Smith, J.W. *see* Bobba, V.S. 87−6224
Smith, J.W. *see* Gelpey, J.C. 87−11587
Smith, J.W. *see* Marshal, T.O. 86−50641
Smith, J.W. *see* Smitherman, K.O. 88−6336
Smith, J.W. *see* Sripad, A.B. 85−41859
Smith, J.W.R. Some advances in electrical diagnostic testing of generators and large AC motors 86−66040

Smith, J.W.R. 'Online' partial discharge monitoring of hydrogenerator stator winding insulation 87−15688
Smith, J.W.R., Berry, A. Developments in electrical diagnostic testing of the HV electrical insulation of the stator windings of generators and large AC motors 88−69297
Smith, K. Transformer fire damage prevention 85−21671
Smith, K. Developments in domestic protection 85−27558
Smith, K. Implications of value added network services 85−63314
Smith, K. An inexpensive high frequency, high power, VLSI chip carrier 86−2319
Smith, K. Scanning the helical horizon [storage] 88−26681
Smith, K., Catherall, J.M., New, G.H.C. Comparison of experiment and theory in a synchronously mode-locked dye laser 86−48366
Smith, K., Kean, P.N., Crust, D.W., Sibbett, W. An experimental study of a synchronously pumped fibre Raman oscillator 88−2366
Smith, K., Langford, N., Sibbett, W., Taylor, J.R. Passive mode locking of a continuous-wave dye laser in the red-near-infrared spectral region 86−9901
Smith, K., Langford, N., Sibbett, W., Taylor, J.R. A passively mode-locked CW rhodamine 700 dye laser 86−48362
Smith, K., Morrell, R., Hofhine, P., Soria, A., Broadhead, D., Whitaker, M., Huth, M. A local-area-network VLSI chip set 86−67254
Smith, K., Morrell, R., Hofhine, P., Soria, A., Broadhead, D., Whitaker, M., Huth, M. A local-area-network VLSI chip set 87−38588
Smith, K., Sibbett, W., Langford, N. Streak camera study of ultrashort pulse propagation in a weakly multimode optical fibre 86−9473
Smith, K. *see* Ainscough, J. 85−39456
Smith, K. *see* Anger, C.D. 87−57363
Smith, K. *see* Campan, J.L. 86−51357
Smith, K. *see* Cotter, N.E. 88−44160
Smith, K. *see* Hungerford, K. 87−28524
Smith, K. *see* Kean, P. 87−33132
Smith, K. *see* Kean, P.N. 87−54405, 88−8282, 88−39889
Smith, K. *see* Langford, N. 86−48365, 88−2206, 88−8165, 88−14159
Smith, K. *see* Mako, F. 85−2500
Smith, K. *see* Mollenauer, L.F. 88−72042
Smith, K. *see* November, S. 85−5461
Smith, K. *see* Shih, C.C. 85−62521
Smith, K.A. Artificial intelligence and learning how to learn 87−23204
Smith, K.A. Grading and distributive justice 87−31227
Smith, K.A. *see* Gao, R.S. 85−20830
Smith, K.A. *see* Johnson, D.W. 85−33037
Smith, K.C. The future for personal computers in laboratory instruction in electrical engineering 85−54064
Smith, K.C. A multiple valued logic: a tutorial and appreciation 88−50084
Smith, K.C. *see* Bergin, J.J. 86−3753
Smith, K.C. *see* Charette, C. 88−71242
Smith, K.C. *see* Cheng, C.H. 87−70397
Smith, K.C. *see* Chong, C.P. 87−10961, 87−52430, 88−38647
Smith, K.C. *see* Hancu, M.V.A. 87−25471, 88−50183
Smith, K.C. *see* Hassanein, H.S. 87−31910
Smith, K.C. *see* Hu, M. 85−17335, 86−40994
Smith, K.C. *see* Song, W. 87−73379
Smith, K.C. *see* Webb, J.F. 87−23199
Smith, K.F. Power controls: the trend is toward internal systems 88−36893
Smith, K.F. *see* Carter, T.M. 85−518
Smith, K.F. *see* Grant, P.S. 87−44967
Smith, K.F. *see* Gu, J. 86−67954, 87−31935, 87−46114
Smith, K.F. *see* Israelsen, P.D. 86−46480
Smith, K.F. *see* Jun Gu 87−14836
Smith, K.F. *see* Li, T. 85−35131
Smith, K.F. *see* Nelson, B.E. 85−33869, 87−10771
Smith, K.F. *see* Sumner, T.J. 87−75467
Smith, K.F. *see* Tao Li 88−25253
Smith, K.F. *see* Wang, W. 87−66300
Smith, K.H. Domestic heating economy 87−36259
Smith, K.J. *see* Haldipur, G.B. 85−53386
Smith, K.K., McGuire, G.E. Analysis requirements in the semiconductor industry 85−45833
Smith, K.L. DC supplies from AC sources 85−555
Smith, K.L. DC supplies from AC sources. III 85−22648
Smith, K.L. Standards and architectures for industry and cross-industry VANS [Value Added Network Services] 85−30597
Smith, K.L. DC supplies from AC sources. IV. Constructing a stabilized power supply 85−33641
Smith, K.L. DC supplies from AC sources. IV. Switched-mode supply design 85−44874
Smith, K.L. Social electronics for youth 85−49284
Smith, K.L. Switched-mode power supply 86−706
Smith, K.L. 'Q' 86−52587
Smith, K.L. Heat transfer in electronic equipment 86−63216
Smith, K.L., Mayer, J.B., Dann, M.S., Hulse, N.D. The evaluation of ultrasonic transducers for use in the mineral processing industry 87−9041
Smith, K.L. *see* Moulder, J.F. 86−58673
Smith, K.L., Jr. *see* Richter, K.E. 85−48486
Smith, K.M. Making on-size phototools 88−32644
Smith, K.M., Ciavarelli, A.P. The use of predictive models for the early assessment of crew station design utilities 88−68693
Smith, K.M. *see* Amendolia, S.R. 87−21426
Smith, K.M. *see* Drysdale, S.L.T. 87−29450
Smith, K.M. *see* Ledingham, K.W.D. 85−4217, 86−25123
Smith, K.Oldham *see* Oldham Smith, K.
Smith, K.R. Mobile incineration services at Commonwealth Edison's nuclear stations 86−12594
Smith, K.R., Jackson, D.F. New tissue equivalent phantom materials for negative pions 87−35437
Smith, K.S. *see* Read, L. 86−25291
Smith, K.S. *see* Smith, J.W. 87−65980
Smith, K.W. Flag algebras of a symmetric design 88−63135
Smith, L. AM and FM find common ground 85−3624
Smith, L. Remote set point control of hydroelectric generators 86−25951
Smith, L. Medium frequency induction melting of nonferrous metals 87−16175
Smith, L., Saveriano, J.W. New technology in robotic wire harnessing 85−10473
Smith, L. *see* Bass, S.J. 86−52458
Smith, L. *see* Celata, C.M. 86−25012, 86−25027, 88−54213
Smith, L. *see* Danby, G. 86−31881 to 31882
Smith, L. *see* Edgerley, C.J. 88−31207
Smith, L. *see* Fessenden, T.J. 87−41652
Smith, L. *see* Kim, C.H. 86−70292, 87−50015
Smith, L. *see* Krafft, G.A. 86−25014
Smith, L. *see* Lee, E.P. 88−47898
Smith, L. *see* Stokowski, S. 87−5388
Smith, L.A., Mandakovic, T. Estimating: the input into good project planning 86−19791
Smith, L.A., Mills, J. Concurrent and sequential networks−implications for project management 86−46017
Smith, L.A. *see* Bell, M.J. 86−32971
Smith, L.A. *see* Krause, J.K. 87−70845
Smith, L.A. *see* Mandakovic, T. 87−43930, 88−31442
Smith, L.A., Jr., Hearn, D., Parker, K. Catalytic distillation 85−49232
Smith, L.D. Operations systems support for future telephone company networks 88−9034
Smith, L.D. Integrating CAE with printed circuit design 88−57106
Smith, L.D., Beyer, P.E. The changing of PCB CAD 88−32560
Smith, L.D., Thibodeaux, T.B. Upgrade 138-kV line on existing R/W 86−18846
Smith, L.D. *see* Ferris-Prabhu, A.V. 87−45728
Smith, L.D. *see* Jones, R.E., Jr. 86−28453, 87−53612
Smith, L.D. *see* Massetti, M.A. 88−64712
Smith, L.D.R., Robinson, G.P., Stevenson, D.J., Sanghera, H., Quarendon, P. A semi automatic computerised system for the production of quantitative moving three dimensional images of the heart and coronary arteries 87−3984
Smith, L.D.R. *see* Stevenson, D.J. 87−71100
Smith, L.E. *see* Koester, D.P. 86−54306
Smith, L.G. *see* Whitehead, J.D. 85−2571
Smith, L.H. Transforming a city-run network from a disaster to a showcase 86−16925
Smith, L.H. Logicon Electronic Warfare Consultant: an expert system application 88−75014
Smith, L.J. Diversifying a records and design system 87−40277
Smith, L.J. *see* Sawoska, D.A. 87−11899
Smith, L.J.M., Burton, G.D. Punctured coding for forward error correction in satellite communications 88−53217
Smith, L.K. *see* Caird, J.A. 87−26347
Smith, L.M. ISDN user-network interfaces (layer 1) 87−27836
Smith, L.M. Nonstationary noise effects in the Abel inversion 88−43768
Smith, L.M. An algorithm for constrained roundoff noise minimization in state-space digital filters 88−63810
Smith, L.M., Thompson, J., Jenkin, G.T., Nguyen Duy, T., Gori, P. The use of $Cd_{0.7}Hg_{0.3}Te$ grown on GaAs for optical fibre communication devices 88−60174
Smith, L.M. *see* Bartoli, P.D. 85−25476
Smith, L.M. *see* Dorman, M.F. 88−74875
Smith, L.M. *see* Thompson, J. 88−31765
Smith, L.N., Jillie, D.W., Kroger, H. Simplified fabrication of magnetically coupled Josephson circuits 85−62252
Smith, L.N. *see* Danchi, W.C. 85−56177
Smith, L.N. *see* Ghoshal, U. 87−67160, 88−71097
Smith, L.N. *see* Green, J.B. 87−67872
Smith, L.N. *see* Kroger, H. 85−62251
Smith, L.N. *see* Rogers, C.T. 87−11371
Smith, L.P., Godbole, S.S., Howe, W.C., Byrd, J.R. Control system development for atmospheric fluidized-bed combustion 85−9759
Smith, L.P. *see* Bartells, P.S. 85−59849
Smith, L.R. The benefits of photoimageable solder mask for SMT applications 88−32666
Smith, L.R. *see* Cukauskas, E.J. 85−46059
Smith, L.S., Nichols, D.K., Coss, J.R., Price, W.E., Binder, D. Temperature and epi thickness dependence of the heavy ion induced latchup threshold for a CMOS epi 16K static RAM 88−25201
Smith, L.S. *see* Giddings, A.E. 86−35884
Smith, L.S. *see* Nicholas, D.K. 85−22807
Smith, L.S. *see* Nichols, D.K. 85−23724, 88−26388
Smith, L.S. *see* Zoutendyk, J.A. 85−18442, 86−35849, 87−31883, 88−25190
Smith, L.T., Gross, D.A. Preparing large networks for a simulation accelerator 86−57798
Smith, L.T., Rezac, R.R. Methodology for and results from the use of a hardware logic simulation engine for fault simulation 85−33826
Smith, L.T., Rezac, R.R. A simulation engine in the design environment. II. Fault simulation methodology and results 86−8159
Smith, L.T. *see* Rezac, R.R. 85−33860
Smith, L.Turner *see* Turner Smith, L.
Smith, M. Energy scheme broadens its horizons 85−5542
Smith, M. Maintenance videos boost electrician training 85−5660
Smith, M. Interactive video training set to boom 85−31223
Smith, M. MAP: specifying the fluent factory [computerised manufacturing control] 86−23446
Smith, M. Docklands provide a welcome power boost 86−32618
Smith, M. Cooperative education: a student's viewpoint 86−45967
Smith, M. Can in-circuit testers test analogue LSI? 87−11857
Smith, M. Duplication and segregation of 330 kV protection in the Snowy scheme 87−15366
Smith, M. Predicting test accuracy for analogue in-circuit testing 87−60003
Smith, M. A model of human communication 88−34927
Smith, M. The use of emulation 88−70790
Smith, M. Using the microprocessor emulator 88−70794
Smith, M., Cook, S. Probe problems with SMDs 86−7498
Smith, M., Cook, S. Techniques of SMD probing 87−11168
Smith, M., Ladell, B. Hong Kong stock exchange opts for teletext 86−10720
Smith, M. *see* Anderson, J. 88−49542
Smith, M. *see* Birx, D.L. 85−5307
Smith, M. *see* Dawn, T. 86−26626
Smith, M. *see* Fleetwood, R. 88−27570 to 27571
Smith, M. *see* Goldhammer, L.J. 88−36628
Smith, M. *see* Taylor, B. 86−70647
Smith, M.A. Control rod withdrawal from full power at ANO-1 85−9662
Smith, M.A. Get them listening: strategy and organization in oral presentations 87−36397
Smith, M.A. A GaAs monolithic true logarithmic amplifier for 0.5 to 4 GHz applications 88−63951
Smith, M.A. GaAs monolithic implementation of active circulators 88−71122
Smith, M.A., Anderson, K.J., Pavio, A.M. Decade-band mixer covers 3.5 to 35 GHz 86−58057
Smith, M.A., Graves, J.E., Jaksha, D.B., Plymate, C.L., Ramsey, L.W. Improvements in spectroscopic continuum noise with fiber-optics illumination of a Reticon array 87−77147
Smith, M.A., Howard, T.S., Anderson, K.J., Pavio, A.M. RF nonlinear device characterization yields improved modeling accuracy 87−6119
Smith, M.A., Pavio, A.M. An 18-40 GHz double balanced microstrip mixer 86−8439
Smith, M.A., Pavio, A.M., Kim, B. A Ka-band dual-channel tracking receiver converter 87−6152
Smith, M.A., Pye, D.W. A surface coil design for a vertical field MRI system and its application in imaging the breast 87−8910
Smith, M.A. *see* Bruns, J.H. 88−31245
Smith, M.A. *see* Pavio, A.M. 86−8484, 86−27584
Smith, M.A. *see* Waldspurger, C.J. 85−1856
Smith, M.B., Bochantin, G.T. Laboratory facility for F-15E avionics systems integration testing 87−77743
Smith, M.B., Friedman, R.H., Stollerman, J.E., Hardy, W.L., Torgerson, J.S. The voice-based telephone-linked computer system 88−73500
Smith, M.B., Schmid, F., Khattak, C.P., Trumble, T.M. Efficient slicing of GaAs by the fixed abrasive slicing technique (FAST) [for solar cells] 88−37451
Smith, M.C., Hung, Y.S. Equivalence to Smith form for matrices over rings 85−5884
Smith, M.C. *see* Petrou, A. 85−61746
Smith, M.D. Phototool generation: the key to a quality board 88−32643

Smith, M.D. *see* Filardi, R.E. 85−27893
Smith, M.D. *see* McRae, T. 88−36267
Smith, M.D. *see* Middlestead, R.W. 87−34482
Smith, M.D. *see* Morgan, E.L. 88−4950
Smith, M.E. *see* Barker, A.T. 86−25304
Smith, M.E. *see* Rogers, D. 85−27130
Smith, M.F. Modular hardware of reduced performance for dedicated microprocessor applications: examples and justification 85−838
Smith, M.F. Microcomputer systems for acquisition and display of conductivity-temperature-depth data 85−38352
Smith, M.F. *see* Stevens, J.C. 87−57143
Smith, M.G., Parker, F.T., Oesterreicher, H. Corrosion improvement and magnetic properties of CoCr with small Gd additions 88−57976
Smith, M.G. *see* Savir, J. 85−35077
Smith, M.H. Workmanship standards for hybrid microelectronics 85−28877
Smith, M.J. The increasing effectiveness of standards of performance programs [electric utility industry] 87−9128
Smith, M.J. Machine intelligence in passive sonar: a humanistic viewpoint 87−56291
Smith, M.J. Mental and physical strain at VDT workstations 88−18422
Smith, M.J. New approach to setting up and monitoring safe handling areas 88−18429
Smith, M.J., Cowan, C.F.N., Adams, P.F. Nonlinear echo cancellers based on transpose distributed arithmetic 88−34349
Smith, M.J., Mohindra, N.K. Human psychophysical assessments in sonar display design 85−52453
Smith, M.J., Nuth, V.R. The truth about the ripple beam amplifier 87−24704
Smith, M.J. *see* Diprose, G.K. 86−5951
Smith, M.J. *see* Iden, D.C. 88−11005
Smith, M.J. *see* Liming, J.K. 88−11098
Smith, M.J. *see* Schlindwein, F.S. 88−42513
Smith, M.J. *see* Trainor, D.W. 88−27065
Smith, M.J.S. On the circuit analysis of the Schmitt trigger 88−32061
Smith, M.J.S., Bowman, L., Meindl, J.D. Analysis, design, and performance of a capacitive pressure sensor IC 86−44626
Smith, M.J.S., Bowman, L., Meindl, J.D. Analysis, design, and performance of micropower circuits for a capacitive pressure sensor IC 87−21513
Smith, M.J.S., Bowman, L., Prisbe, M.A., Meindl, J.D. A custom analog IC for a smart pressure sensor 86−5891
Smith, M.J.S., Meindl, J.D. Exact analysis of the Schmitt trigger oscillator 85−28415
Smith, M.J.S., Prisbe, M.A., Bowman, L., Meindl, J.D. A micropower IC for a biomedical pressure transducer 86−56128
Smith, M.J.S., Prisbe, M.A., Shott, J.D., Meindl, J.D. Integrated circuits from a capacitive pressure transducer 85−43334
Smith, M.J.T., Barnwell, T.P., III A unifying framework for analysis/synthesis systems based on maximally decimated filter banks 86−10432
Smith, M.J.T., Barnwell, T.P., III Exact reconstruction techniques for tree-structured subband coders 86−69003
Smith, M.J.T., Barnwell, T.P., III A new filter bank theory for time-frequency representation 87−39753
Smith, M.J.T., Eddins, S.L. Subband coding of images with octave band tree structures 87−62295
Smith, M.J.T., Eddins, S.L. Reconstruction from decimated subband images 87−69376
Smith, M.J.T., Mersereau, R.M., Barnwell, T.P., III Exact reconstruction recursive filter banks for subband image coding 88−46303
Smith, M.J.T., Tracy, K. Recursive QMFs for one-dimensional and multi-dimensional frequency domain coding 88−45955
Smith, M.J.T. *see* George, E.B. 87−61758
Smith, M.J.T. *see* Kim, C.-S. 88−73244
Smith, M.J.T. *see* Nayebi, K. 87−69222, 88−66426
Smith, M.L. Allotment planning for telecommunication satellites 88−22015
Smith, M.L. *see* Ragland, K.W. 85−21464
Smith, M.L., III The orbit/spectrum resource and the technology of satellite telecommunications: an overview 87−56068
Smith, M.P., Weaver, L.A. International standards on R&M—a panel discussion 86−260
Smith, M.P. *see* Vesecky, J.F. 85−31098, 87−57388, 88−30173
Smith, M.R. Binary image transforms: an old twist in image processing revisited 88−46302
Smith, M.R., Dunhill, A.K. The design and performance of PVDF transducers 88−61690
Smith, M.R., Grant, T.L., Orbay, H. A development system for high speed microprogrammable sequential controllers 86−41062
Smith, M.R., Munro, E. Computer programs for designing multipole electron and ion optical systems 87−39309
Smith, M.R., Nichols, S.T. Magnetic resonance image noise reduction and resolution enhancement using parametric techniques 88−21289
Smith, M.R. *see* Nichols, S.T. 87−29020
Smith, M.R. *see* Salami, M.J.E. 87−61963
Smith, M.R. *see* Umstatter, H.L. 88−2397
Smith, M.S. Multiple beam crossovers for a lens-fed antenna array 85−24982
Smith, M.S. Rotman lens multiple beamformers 87−39495
Smith, M.S. A balanced approach to teaching antennas and propagation 88−43644
Smith, M.S., Barrett, M.J. Experimental wire grid modelling for antennas on structures 87−2343
Smith, M.S., Calmon, L.C. Near field predictions using wire grid modelling techniques 85−13280
Smith, M.S., McEwen, C.D., Waddoup, W.D. Beamforming for mobile satellite ground station antennas 87−54726
Smith, M.S., Thomas, R.R., Walker, G.H. A UHF buoyant antenna 87−47373
Smith, M.S., Wang, W.L., Lord, C. Random phase and amplitude weighting for antenna arrays 85−41786
Smith, M.S. *see* Calmon, L.C. 85−13240, 85−14960, 86−16022
Smith, M.S. *see* Diaz, L.M. 85−13326
Smith, M.S. *see* Hoque, M. 85−13328, 86−70210
Smith, M.S. *see* Musa, L. 87−33569
Smith, M.S. *see* Pearson, R.A. 87−26977
Smith, M.S. *see* Sole, G.C. 85−13279, 86−68932, 87−68889
Smith, M.S.A. The oscilloscope and logic analyser as a unit. Measuring instruments for developing and testing of modern electronics 87−8565
Smith, M.T. Adaptation of a switch level model for digital circuit utilizing steering logic 86−47594
Smith, M.T. New initiatives that will impact fielding supported weapon systems 86−66625
Smith, M.T. A hardware switch level simulator for large MOS circuits 87−65702
Smith, M.T. Air Force Systems Command approach to R&M 88−10672
Smith, M.W. Harsh environmental testing 88−11733
Smith, M.W. Power modules continue to grow in size, power and applications 88−44045
Smith, M.W., O'Donnell, C.M. The interactive display design tool: an application program for human factors part-task simulation development 88−68526
Smith, M.W. *see* Birx, D.L. 85−26668, 85−58965, 86−31957, 87−2145, 87−50047
Smith, M.W. *see* Grafham, D.R. 85−55815
Smith, M.Y. *see* Miller, C.M. 85−52372
Smith, N. Micromagnetic analysis of a coupled thin-film self-biased magnetoresistive sensor 87−56623
Smith, N. Reciprocity principles for magnetic recording theory 88−1868
Smith, N. A specific model for domain-wall nucleation in thin-film Permalloy microelements 88−71890
Smith, N., Wachenschwanz, D. Magnetoresistive heads and the reciprocity principle 88−57955
Smith, N. *see* Jagielinski, T. 87−29261
Smith, N. *see* Jeffers, F. 86−36011
Smith, N.A. *see* Cockayne, B. 85−10656, 85−33395, 85−50389, 86−26811, 88−18669, 88−38127
Smith, N.C.V. *see* Bimpson, A.D. 86−43397
Smith, N.P.A. *see* Holmes, P.G. 87−43051
Smith, N.S. *see* Fasching, G.E. 88−29373
Smith, N.W., Stoeve, A. A modal survey test facility for shuttle payloads 85−26864
Smith, O.J. Safety considerations in intravenous infusion devices: the IVAC approach 86−50612
Smith, O.J.M. Three-phase induction generator for single-phase line 88−5682
Smith, O.P. Applications of meteor-burst telemetry to coastal engineering data collection 85−30659
Smith, P. Silicon compilers—can the system designer really design silicon? 85−45842
Smith, P. A three channel solid state sound store 86−11369
Smith, P. Dual mode airborne radar array 86−43068
Smith, P. In search of the ultimate test strategy 87−6232
Smith, P. Observations of surface currents at Nantucket Shoals and implications for radar imaging of the bottom 87−57396
Smith, P. EL displays develop into colour 87−70723
Smith, P. International users: their place in planning 88−28236
Smith, P., Daniel, S. The VIVID system approach to technology independence: the master technology file system 86−21885
Smith, P., Lester, L., Chao, P., Lee, B., Smith, R., Ballingall, J., Duh, K. Millimeter wave double heterojunction pseudomorphic power HEMTs 88−38758
Smith, P., Simpson, R. PICBLOC—a flexible method of controlling videowalls 88−9739
Smith, P. *see* Allen, D. 88−54188
Smith, P. *see* Corvi, F. 88−61164
Smith, P. *see* Dey, P. 85−47401
Smith, P. *see* Esterowitz, L. 87−21655
Smith, P. *see* Young, T.P. 87−25958, 87−74817
Smith, P.A., East, G.C., Brown, R.C., Wake, D. Generation of triboelectric charge in textile fibre mixtures, and their use as air filters 88−72489
Smith, P.B. *see* Corvi, F. 88−29880
Smith, P.C., deBelin, M.J. Evaluation of a 140 Mbit/s DRRS operating in the 19 GHz band 87−34418
Smith, P.C. *see* Born, P.J. 85−46256
Smith, P.C. *see* Lawrence, D.J. 86−65534
Smith, P.D. Current waveforms induced on a long wire by a broadside electromagnetic field 88−72494
Smith, P.D. *see* Bonner, R.F. 88−23100
Smith, P.D. *see* Cascio, H.E. 85−37487
Smith, P.D. *see* Hardy, G.S. 88−48644
Smith, P.D. *see* Parkes, D.M. 85−36095, 87−33510, 88−2454, 88−66185
Smith, P.D. *see* Sleeman, B.D. 88−56195
Smith, P.D. *see* Spring, K.R. 88−23038
Smith, P.F. Feasibility of detection of solar neutrinos and other astrophysical particles using superconducting filaments 86−63600
Smith, P.F., Frye, D.E., Cresswell, G. New lost-cost ARGOS drifting buoy 85−32030
Smith, P.F., Player, M.A., Collie, D.A.L. The determination of surface topology by the signal processing of ultrasonic pulses 88−47678
Smith, P.F. *see* Lewin, J.D. 85−20807
Smith, P.H. Practical application of 'creeping' waves 88−483
Smith, P.J., Allan, D.A. Damage effects in GaAs produced by plasma and related processes 85−6854
Smith, P.J., Merrett, R.P. High speed testing of GaAs digital ICs 86−41084
Smith, P.J. *see* Faulkner, D.W. 88−53424
Smith, P.J. *see* Love, D.J.G. 86−5790
Smith, P.J. *see* Merrett, R.P. 86−41086
Smith, P.K., Bartlett, J.R. The development proving of the PTARMIGAN packet switching network 85−63388
Smith, P.K. *see* Hashemi, S. 86−25801
Smith, P.K. *see* McComish, P.A. 86−61237
Smith, P.L. On the sensitivity of weather radars 87−76846
Smith, P.L. The relationship between coherent integration and Doppler spectral processing of weather radar echoes 88−16912
Smith, P.L. *see* Miller, J.R., Jr. 87−50555
Smith, P.L. *see* Wang, C.P. 85−51015
Smith, P.M. The emissivity of sea foam at 19 and 37 GHz 88−10568
Smith, P.M., Campbell, C.K. The design of SAW linear phase filters using the Remez exchange algorithm 86−47943
Smith, P.M., Campbell, C.K., Edmonson, P.J. Measurements of the complex impulse response of two-port SAW resonators 87−6986
Smith, P.M., Chao, P.C., Duh, K.H.G., Lester, L.F., Lee, B.R. 94 GHz transistor amplification using an HEMT 86−62825
Smith, P.M., Chao, P.C., Duh, K.H.G., Lester, L.F., Lee, B.R., Ballingall, J.M. Advances in HEMT technology and applications 87−73764
Smith, P.M., Chao, P.C., Lester, L.F., Smith, R.P., Lee, B.R., Ferguson, D.W., Jabra, A.A., Ballingall, J.M., Duh, K.H.G. InGaAs pseudomorphic HEMTs for millimeter wave power applications 88−71113
Smith, P.M., Chao, P.C., Mishra, U.K., Palmateer, S.C., Duh, K.H.G., Hwang, J.C.M. Millimeter wave power performance of 0.25 μm HEMTs and GaAs FETs 86−62840
Smith, P.M., Mishra, U.K., Chao, P.C., Palmateer, S.C., Hwang, J.C.M. Power performance of microwave high-electron mobility transistors 85−28722
Smith, P.M. *see* Aksun, M.I. 87−25266, 87−45279
Smith, P.M. *see* Campbell, C.K. 87−1852, 87−60744
Smith, P.M. *see* Chao, P.C. 85−50533, 86−20817, 86−62837, 88−1686, 88−38750
Smith, P.M. *see* Duh, K.H.G. 86−53034, 88−39507, 88−71112
Smith, P.M. *see* Edmonson, P.J. 86−2552
Smith, P.M. *see* Henderson, T. 87−17351, 87−45278
Smith, P.M. *see* Hollis, M.A. 86−47545
Smith, P.M. *see* Liu, S.-J. 88−38751
Smith, P.M. *see* Liu, S.-M. 86−63341
Smith, P.M. *see* Mishra, U.K. 85−34184, 85−55133
Smith, P.M. *see* Nightingale, S.J. 86−8477, 86−20831, 86−27602
Smith, P.M. *see* Palmateer, S.C. 86−53043
Smith, P.M. *see* Pospieszalski, M.W. 86−41810
Smith, P.M. *see* Saw, C.B. 87−67676, 88−57882
Smith, P.M. *see* Smith, R.P. 88−50353
Smith, P.M. *see* Tan-Hua Yu 87−11593
Smith, P.M. *see* Upton, M.A.G. 87−73793
Smith, P.N. *see* Cameron, R.D. 86−16987
Smith, P.N. *see* Lavia, A. 87−55756
Smith, P.R. Use of polyvinylidene fluoride (PVDF) thin film as pyroelectric sensors 88−36008
Smith, P.R., Auston, D.H., Nuss, M.C. Subpicosecond photoconducting dipole antennas 88−40070

Smith, P.R., Burge, R.E. The phase of real-zero-converted image data with amplitude weighting 87−75870
Smith, P.R., LaDuca, V.A., Wood, R.P. Control rod assembly examination program 86−61303
Smith, P.R., Pollard, D. The role of computer simulations in engineering education 86−61868
Smith, P.R. *see* Auston, D.H. 87−26146, 87−26148, 87−45168
Smith, P.R. *see* Cheer, A.P. 87−48890
Smith, P.R. *see* Ibitoye, F.I. 88−23667
Smith, P.R. *see* Jardine, R.J. 86−6071
Smith, P.R. *see* Murray, H.G. 88−54585
Smith, P.R. *see* Valdmanis, J.A. 88−39653
Smith, P.R.C. A design study for a low cost 3-5 micron thermal imager 88−29396
Smith, P.S., Salvo, H.L., Jr., Shepherd, S.G., Moore, R.A., McAvoy, B.R. Low loss stepped delay lines for active aperture antennas 87−2385
Smith, P.T. *see* Crittenden, R.R. 88−60562
Smith, P.W. Applications of all-optical switching and logic 85−46481
Smith, P.W. Pulsed power techniques for discharge excited excimer lasers 86−58891
Smith, P.W. Digital optics: progress towards practical applications 87−55283
Smith, P.W. On the role of photonic switching in future communications systems 87−62468
Smith, P.W. On the role of photonic switching in future communications systems 88−4043
Smith, P.W. Optical switching in glass fibers: experiments 88−65839
Smith, P.W. Photonic switching: present research and future prospects 88−65862
Smith, P.W., Silberberg, Y., Miller, D.A.B. Mode locking of semiconductor diode lasers using saturable excitonic nonlinearities 85−56648
Smith, P.W., Weiner, A.M. Ultrashort light pulses 88−65923
Smith, P.W. *see* Brown, A.J.W. 87−43277
Smith, P.W. *see* Chemla, D.S. 86−3299
Smith, P.W. *see* Friberg, S.R. 88−1965, 88−20321
Smith, P.W. *see* Osborne, M.R. 85−29770
Smith, P.W. *see* Silberberg, Y. 85−12875, 85−41452, 86−68527, 87−26543
Smith, P.W. *see* Vogel, E.M. 87−74658
Smith, P.W. *see* Wilson, C.R. 87−51361
Smith, R. Expand−true distributed processing and networking 85−3199
Smith, R. Bermuda goes digital 85−8055
Smith, R. The case for a national medical cyclotron facility 86−5644
Smith, R. Quality−commitment to the future 86−34062
Smith, R. An operative system for microcontrollers 86−46876
Smith, R. Usage, control, and maintenance of the air traffic control system remote communication facilities 86−70518
Smith, R. Interactive video−why and a case study of how 87−20734
Smith, R. BT bites back. . .new cable more than a match for 'Jaws' 88−3793
Smith, R. Financial implications of spot pricing [in electricity supply industry] 88−75093
Smith, R., Dillon, M., Sobelman, G. SAC: a systolic array controller chip 88−70682
Smith, R., Saltz, J. Performance analysis of strategies for moving mesh control 85−44665
Smith, R., Tagg, M.A., Carter, G., Nobes, M.J. Erosion of corners and edges on an ion-bombarded silicon surface 86−21398
Smith, R., Wilde, S.J., Carter, G., Katardjiev, I.V., Nobes, M.J. The simulation of two-dimensional surface erosion and deposition processes 87−74206
Smith, R. *see* Benford, J. 88−12890
Smith, R. *see* Chenais-Popovics, C. 88−14118
Smith, R. *see* Clement, P. 88−35259
Smith, R. *see* Cook, J.W. 87−34223
Smith, R. *see* Draper, A.R. 87−57361
Smith, R. *see* Eerkens, J.W. 87−39006
Smith, R. *see* Gay, M.J. 85−37265
Smith, R. *see* Hopper, J. 87−14184
Smith, R. *see* Jaeger, R. 87−21541
Smith, R. *see* Katardjiev, I.V. 88−71476
Smith, R. *see* Key, M.H. 87−12373
Smith, R. *see* Khuwatsamrit, T. 85−27709
Smith, R. *see* Lewis, C.L.S. 88−33919
Smith, R. *see* McAdoo, J. 86−31801
Smith, R. *see* Schardt, M. 85−58575
Smith, R. *see* Smith, P. 88−38758
Smith, R. *see* Tickle, A. 85−45027
Smith, R. *see* Watkins, D. 87−11065
Smith, R.A. The benefits of commercially pure wrought powder metallurgy alloy strip in lithium battery and nickel cadmium energy systems 85−49072
Smith, R.A. Transformer tap estimation at Florida Power Corporation 86−33458
Smith, R.A. Calibration of hydrophones for use in medical ultrasonic fields - a review 87−35406
Smith, R.A., Hanbury-Brown, R., Mould, A.J., Ward, A.G., Walker, B.A. ASV: the detection of surface vessels by airborne radar 86−11157
Smith, R.A. *see* Clark, B.W. 88−50417
Smith, R.A. *see* Gallantree, H.R. 88−57871
Smith, R.A. *see* Marathe, M.V. 88−66994
Smith, R.A. *see* Parsons, C.R. 85−4194
Smith, R.A. *see* Preston, R.C. 88−54507
Smith, R.A. *see* Sassi, A. 88−18347
Smith, R.A. *see* Schultz, R.D. 86−61142
Smith, R.A. *see* Shultz, R.D. 86−32627, 88−30280
Smith, R.A. *see* Wagner, R.D. 87−40280
Smith, R.A. *see* Willi, O. 88−2174
Smith, R.A.C. *see* Malley, H.M. 88−61552
Smith, R.B. Future technology and the automotive industry 86−66465
Smith, R.B. *see* Sanders, G.A. 88−67871
Smith, R.B. *see* Scanlon, E. 88−49420
Smith, R.C., Bush, C.H., Reichardt, J.W. Small accelerators as neutron generators for the borehole environment 88−61620
Smith, R.C., Cheeseman, P. On the representation and estimation of spatial uncertainty 87−47918
Smith, R.C. *see* Chi, G.-C. 88−26976
Smith, R.C. *see* Crawford, J.D. 85−28504
Smith, R.C. *see* Ogle, J.W. 85−41125, 88−61158
Smith, R.C. *see* Schafft, H. 88−50756
Smith, R.C. *see* Strausser, Y.E. 88−1571
Smith, R.D. R&M 2000−an Air Force Logistics Command challenge: do it now 88−10675
Smith, R.D. Fast reactor progress−slow but sure 88−11027
Smith, R.D., Ranade, S.J., Prasad, N.R. A technique for generalized fault analysis 88−23389
Smith, R.D., Womack, B.B. Quality factors in plated discrete capacitor chips 86−62863
Smith, R.D., Womack, B.B. Ni plating induced stress in MLCC components 87−66600
Smith, R.D. *see* Matsunaga, M. 86−49992
Smith, R.D. *see* Perkins, R.P. 86−32912
Smith, R.E. Safety and emergency systems following Chernobyl 88−55134
Smith, R.E., Bayes, M. The compact disc 86−60081
Smith, R.E., Eriksson, L.-E. Algebraic grid generation 88−11927
Smith, R.E., Jones, D.P. Electronic simulator of panting manoeuvre signals generated in whole-body plethysmography 86−50473
Smith, R.E., Jones, D.P., O'Connor, S.A. An electronic processor for use with a whole body plethysmograph to determine specific airways conductance 88−4877
Smith, R.E., O'Connor, S.A., Langford, R.M. Instrument to indicate acute airway obstruction in remote anaesthesia 86−25178
Smith, R.E. *see* Griffith, R.W. 88−10772
Smith, R.E. *see* O'Connor, S.A. 85−48210
Smith, R.E. *see* Semnani, R. 88−4876
Smith, R.E. *see* Terwilliger, G.E. 85−9758
Smith, R.E., III *see* Overett, T. 88−50592
Smith, R.F. *see* Abbott, K.R. 88−22426
Smith, R.F. *see* Abi-Samra, N.C. 85−43917
Smith, R.F. *see* Clarke, R.L. 85−38363, 86−38753
Smith, R.F. *see* Wilreker, V.F. 86−33231
Smith, R.G. Videoconferencing on switched 56 networks economy comes into the picture 87−56419
Smith, R.G., III Implementation of the human performance evaluation system at Virginia Power 88−11009
Smith, R.H. *see* Vidula, B.S. 85−14317
Smith, R.J. MAGLEV may still make it 86−71096
Smith, R.J. Wideband lasercom transmitter performance 87−20522
Smith, R.J. Dichroically combined diode laser transmitter 87−68678
Smith, R.J., Casey, W.L., Begley, D.L. Wideband laser diode transmitter for free-space communication 88−60166
Smith, R.J., Sery, G., McCollum, J., Orton, J., Mantha, B., Smudski, J., Chi, T., Smith, S., Dishaw, J.P., Kokkonen, K. A double layer metal CHMOS III technology 85−50720
Smith, R.J. *see* Sery, G. 85−35201
Smith, R.J., II Fundamentals of parallel logic simulation 87−5828
Smith, R.J., II *see* Hefferan, P.M. 86−21893
Smith, R.J., II *see* Smith, J.W. 87−65980
Smith, R.J., II Simulating logic with parallel processors 87−10555
Smith, R.K. *see* Bank, R.E. 86−21647, 87−67192, 88−26199
Smith, R.K. *see* Coughran, W.M., Jr. 88−33382
Smith, R.K. *see* Sangiorgi, E. 86−41799
Smith, R.L. The use of surface scanning waves to detect surface-opening cracks in concrete 85−17021
Smith, R.L. Timing analysis for wafer scale integration 85−45817
Smith, R.L. Extreme value statistics and reliability applications 86−52321
Smith, R.L. Ultrasonic materials characterization 87−31609
Smith, R.L., Collins, S.D. Micromachined packaging for chemical microsensors 88−53621
Smith, R.L., Herman, S.L. Electrical wiring. Industrial. Sixth edition. Based on the 1987 national electrical code 88−18371
Smith, R.L., Kryder, M.H. Dynamic effects in current-access dual conductor perforated sheet magnetic bubble logic gates 86−36065
Smith, R.L., Scott, D.C. A solid state miniature reference electrode 85−38025
Smith, R.L., Scott, D.C. An integrated sensor for electrochemical measurements 86−44260
Smith, R.L., Smith, S.E. Guidelines for space station maintainability 86−60852
Smith, R.L., Whittington, R. TAT-8: an overview 86−69756
Smith, R.L. *see* Curran, R.J. 86−19680
Smith, R.L. *see* Fleischacker, A.E. 85−48220
Smith, R.L. *see* Keister, B.D. 87−32893
Smith, R.L. *see* Mullin, R.C. 88−18370
Smith, R.L. *see* Reynolds, W.N. 86−527
Smith, R.L. *see* Scruby, C.B. 87−16749
Smith, R.L. *see* Senturia, S.D. 88−53677
Smith, R.L. *see* Teig, S. 86−57748
Smith, R.L., Jr., Hamilton, H.B. Where are the industrial power engineers? 88−49413
Smith, R.L., Jr., Stratford, R.P. Power system harmonics effects from adjustable-speed drives [industrial power systems] 85−9494
Smith, R.M. *see* Hetzler, M.C. 88−21316
Smith, R.N., Moses, R.L. Time and space domain filtering for improved HF communication 85−25138
Smith, R.P. The printed circuit design process 85−40302
Smith, R.P. PC based CAE tools 85−44854
Smith, R.P., Seielstad, D.A., Ho, P., Smith, P.M., Reep, D.H., Fabian, W., Ballingall, J.M. Impulse-doped GaAs power FETs for high efficiency operation 88−50353
Smith, R.P., Stiles, P.J. Temperature dependence of the conductivity of a silicon inversion layer at low temperatures 86−53476
Smith, R.P. *see* Furneaux, J.E. 88−19969
Smith, R.P. *see* Garbincius, P.H. 85−26602
Smith, R.P. *see* Smith, P.M. 88−71113
Smith, R.R., Sze, H., Harteneck, B., Benford, J. Direct experimental observation of π-mode oscillation in a relativistic magnetron 88−57254
Smith, R.R. *see* Benford, J. 88−50582
Smith, R.R. *see* Davis, A.M. 86−57964, 87−17225
Smith, R.S., DiMauro, L.F. Efficiency and linewidth improvements in a grazing incidence dye laser using an intracavity lens and spherical end mirror 87−46930
Smith, R.S., Muller, H.D., Ennen, H., Wennekers, P., Maier, M. Erbium doping of molecular beam epitaxial GaAs 87−25069
Smith, R.S. *see* Bomkamp, D.H. 85−53570
Smith, R.S. *see* Ng, K.T. 86−62996
Smith, R.S. *see* O'Brien, D.M. 86−10054
Smith, R.S., III, Thomas, G.E., Coleman, D.C., Pappalardo, T.J. The capability of conventional receiver protectors against HPM 87−17341
Smith, R.S., III *see* Doggett, W.O. 87−17622, 88−25827
Smith, R.S., III *see* Parker, J.K. 87−17621
Smith, R.S., III *see* Treado, T.A. 88−57255
Smith, R.T., Chung, T. High-performance, high-density connectors utilizing multiple layer metal/polymer construction 88−64050
Smith, R.T. *see* Chung, C.H. 87−66646
Smith, R.T. *see* Longeway, P.A. 88−63313
Smith, R.T. *see* Maa, J.S. 85−50276
Smith, R.T. *see* Menna, R.J. 87−44342
Smith, R.V. *see* Krohe, J.G. 87−21670
Smith, R.W. Reliable military power supplies 85−9978
Smith, R.W. Give the vendor a chance: prepare a useful military power supply specification 87−64722
Smith, R.W., Delavaux, J.-M.P., Kuo, C.Y., Nguyen, T.V. Polarization sensitivity of $Ti:LiNbO_3$ intensity modulators 88−7983
Smith, R.W., Tatarewicz, J.N. Replacing a technology: the Large Space Telescope and CCDs 85−64038
Smith, R.W. *see* Delavaux, J.-M. 87−8276
Smith, R.W. *see* Dickinson, F.S. 85−4852, 85−15745
Smith, R.W. *see* Emerton, N. 88−8349
Smith, R.W. *see* Kazovsky, L.G. 87−76736
Smith, R.W. *see* Noel, G.T. 87−9847, 87−9862
Smith, R.W. *see* Park, Y.-K. 88−73927
Smith, R.W. *see* Park, Y.K. 86−30786, 88−15448
Smith, R.W. *see* Stewart, R.D. 86−6110
Smith, R.W. *see* Stone, F.T. 88−41688
Smith, R.W. *see* Tench, R.E. 87−56158
Smith, R.W. *see* Truman, A.K. 88−47064
Smith, S. Digital democracy: the Alaska Legislative Computer System 85−47264
Smith, S. Optimizing saturable reactors 86−53091
Smith, S. CAD/CAM communications 87−2914
Smith, S., Liu, F., Ismail, M. Active-RC building blocks for MOSFET-C integrated filters 87−66351
Smith, S., McGinn, S. The design of high-performance data acquisition systems 88−22488
Smith, S. *see* Dalton, E. 87−24598
Smith, S. *see* Eddy, R. 87−60281
Smith, S. *see* Ferguson, D.K. 87−76349
Smith, S. *see* Harrington, T. 85−14911
Smith, S. *see* Hughes, H. 87−62607, 88−9298
Smith, S. *see* McLean, B. 88−30108
Smith, S. *see* Payne, P.A. 86−56285

Smith, S. *see* Smith, R.J. 85—50720
Smith, S. *see* Tucker, R. 87—14095
Smith, S.A. Congruent harmonic and space charge electrostatic fields 88—66121
Smith, S.A. *see* Burnham, G.O. 87—77757
Smith, S.A. *see* Dyos, G.T. 87—49983
Smith, S.A.C. Microstrip and S-parameter design 87—73585
Smith, S.A.Crosson *see* Crosson Smith, S.A.
Smith, S.B. *see* Oberst, D.J. 86—64635
Smith, S.C. *see* Haase, M.A. 87—33048
Smith, S.C. *see* Robbins, V.M. 88—32772
Smith, S.D. An introduction to optically bistable devices and photonic logic 85—41476
Smith, S.D. Optical logic devices, optical bistability and giant non-linear effects in semiconductors with possible applications using amorphous materials 85—51289
Smith, S.D. Lasers, nonlinear optics and optical computers 85—56807
Smith, S.D. Optical bistability, photonic logic, and optical computation 86—54197
Smith, S.D. Optical bistability and optical computers 87—2230
Smith, S.D. Cascadable restoring digital optical logic and optical circuits using bistable elements: prospects for significant processing rates 88—65418
Smith, S.D., Clark, A.P., Brent, J.B., Ahluwalia, K. Implementation of an experimental modem for cellular mobile radio channels 88—28711
Smith, S.D., Donaldson, N.R. Innovations in dynamic modelling of iceberg drift 88—48333
Smith, S.D., Janossy, I., MacKenzie, H.A., Mathew, J.G.H., Reid, J.J.E., Taghizadeh, M.R., Tooley, F.A.P., Walker, A.C. Nonlinear optical circuit elements as logic gates for optical computers: the first digital optical circuits 86—3300
Smith, S.D., Mathew, J.G.H., Taghizadeh, M.R., Walker, A.C., Wherrett, B.S., Hendry, A. Room temperature, visible wavelength optical bistability in ZnSe interference filters 85—24648
Smith, S.D., Taghizadeh, M.R., Kar, A.K. Nonlinear and holographic optical elements for all-optical digital processing 88—33818
Smith, S.D., Tooley, F.A.P., Walker, A.C., Kar, A.K., Mathew, J.G.H., Wherrett, B.S. Optically bistable devices using InSb 85—56836
Smith, S.D., Tooley, F.A.P., Walker, A.C., Mathew, J.G.H., Taghizadeh, M., Wherrett, B.S. All-optical logic gates with external switching by laser and incoherent radiation 85—56843
Smith, S.D., Walker, A.C. The prospects for optically bistable elements in optical computing 85—51281
Smith, S.D., Walker, A.C., Tooley, F.A.P., Mathew, J.G.H., Taghizadeh, M.R. Demonstration of a triple bistable-element loop circuit for a digital parallel all-optical computer 87—33300
Smith, S.D., Walker, A.C., Wherrett, B.S., Tooley, F.A.P. The prospects for optically bistable devices in digital optical circuits for a simple optical finite state machine 88—8291
Smith, S.D., Walker, A.C., Wherrett, B.S., Tooley, F.A.P., Craft, N., Mathew, J.G.H., Taghizadeh, M.R., Redmond, I., Campbell, R.J. Restoring optical logic: demonstration of extensible all-optical digital systems 87—39221
Smith, S.D., Walker, A.C., Wherrett, B.S., Tooley, F.A.P., Mathew, J.G.H., Taghizadeh, M R., Janossy, I. Cascadable digital optical logic circuit elements in the visible and infrared: demonstration of some first all-optical circuits 86—54199
Smith, S.D. *see* Bigot, J.Y. 87—7436
Smith, S.D. *see* Brunner, T.A. 85—29249
Smith, S.D. *see* Buller, G.S. 88—73930
Smith, S.D. *see* Cooling, J.E. 85—16642
Smith, S.D. *see* Daunois, A. 87—61236
Smith, S.D. *see* Dugan, R.C. 88—75695
Smith, S.D. *see* Gillespie, W.A. 87—2165
Smith, S.D. *see* Hagan, D.J. 87—33324
Smith, S.D. *see* Janossy, I. 86—22496, 87—26512
Smith, S.D. *see* Jaroszynski, D.A. 88—2339
Smith, S.D. *see* MacGillivray, W.R. 85—62659
Smith, S.D. *see* Mandel, P. 88—65422
Smith, S.D. *see* Mathew, J.G.H. 87—33310
Smith, S.D. *see* Pidgeon, C.R. 86—3223, 87—75209
Smith, S.D. *see* Poole, M.W. 85—56702
Smith, S.D. *see* Prise, M.E. 85—1292, 86—8805
Smith, S.D. *see* Seaton, C.T. 85—18649
Smith, S.D. *see* Taghizadeh, M.R. 85—2017, 85—29897
Smith, S.D. *see* Tooley, F.A.P. 85—46482, 86—22481, 86—22484, 88—72187
Smith, S.D. *see* Walker, A.C. 85—41482, 86—42620, 88—8012, 88—51652, 88—65426
Smith, S.D. *see* Wherrett, B.S. 85—24649, 87—39930, 88—65417
Smith, S.D. *see* Gibbs, H.M. *(editor)* 87—31134
Smith, S.D. *see* Mandel, P. *(editor)* 88—24334
Smith, S.E. *see* Smith, R.L. 86—60852
Smith, S.F. Exchange organisation and switching 86—64833
Smith, S.G. Developments in inertial navigation 87—4081
Smith, S.G. Automatic synthesis of logic circuits 87—10614
Smith, S.G. Recent developments in silicon compilation 87—10615
Smith, S.G. Serial/parallel modules for complex arithmetic 87—10782
Smith, S.G. Serial/parallel automultiplier 87—44733
Smith, S.G. Ring laser gyros 88—8375
Smith, S.G. Silicon compilation—design and synthesis beyond CAD [IC design] 88—70475
Smith, S.G., Denyer, P.B. Efficient bit-serial complex multiplication and sum-of-product computation using distributed arithmetic 87—24092
Smith, S.G., Denyer, P.B. Serial/parallel architectures for area-efficient vector multiplication 87—59572
Smith, S.G., Denyer, P.B., Renshaw, D., Asada, K., Coplan, K.P., Keightley, M., Mhar, J.I. Full-span structural compilation of DSP hardware 87—59565
Smith, S.G., Fitzgerald, A., Denyer, P.B., Renshaw, D., Wootton, N.P., Creasey, R. A comparison of micro-DSP and silicon compiler implementations of a polyphase-network filter bank 87—24365
Smith, S.G., Keightley, M. Method for synthesis of MOSFET logic networks 88—643
Smith, S.G., Keightley, M., Denyer, P.B., Nagara, S. SECOND: synthesis of elementary circuits on demand 88—56580
Smith, S.G., McGregor, M.S., Denyer, P.B. Techniques to increase the computational throughput of bit-serial architectures 87—59573
Smith, S.G., White, S.A. Hardware approaches to vector plane rotation 88—73025
Smith, S.G. *see* McGregor, M.S. 87—37150
Smith, S.G. *see* Nagara, S. 88—12296
Smith, S.H. *see* Celenk, M. 87—13132, 87—48179
Smith, S.H. *see* Xu, H. 86—69814
Smith, S.L. Application of the tri-color theory of additive color mixing to the full color reflection hologram 86—3378
Smith, S.L., Robinson, S.M. An off-line, one MHz 350-Watt parallel resonant converter (PRC) utilizing an RF transformer 88—75809
Smith, S.L. *see* Zoutendyk, J.A. 87—31883
Smith, S.L., III, West, G.B., Malyevac, C.W. Determination of ocean geodetic data from GEOSAT 88—10508
Smith, S.M. The specular reflectance of IR-opaque coatings 85—35377
Smith, S.M., Cronin, N.J., Harris, J.J., Foxon, C.T. A new submillimetre-wave detector using cyclotron resonance in $Ga_{1-x}Al_xAs$/GaAs heterostructures 88—25542
Smith, S.M., Cronin, N.J., Nicholas, R.J., Brummell, M.A., Harris, J.J., Foxon, C.T. Millimeter and submillimeter detection using $Ga_{1-x}Al_xAs$/GaAs heterostructures 88—9980
Smith, S.M. *see* Abbott, J.L. 86—60967
Smith, S.M. *see* Grainger, S.R.W. 86—32339
Smith, S.P. A compact electromechanical actuator 85—9327
Smith, S.P., Jain, A.K. An experiment on using the Friedman-Rafsky test to determine the multivariate normality of a data set 86—3937
Smith, S.P., Mercer, M.R., Brock, B. Demand driven simulation: BACKSIM 87—66109
Smith, S.P., Torng, H.C. A fast inner product processor based on equal alignments 86—46878
Smith, S.P., Underwood, B., Mercer, M.R. An analysis of several approaches to circuit partitioning for parallel logic simulation 88—19093
Smith, S.P., von Blucher, R.G. A demand driven multiword parallel fault simulator 88—24891
Smith, S.P. *see* Hemmer, P.R. 88—22408
Smith, S.P. *see* Hergenroeder, L. 88—65934
Smith, S.R. The SLD at the SLAC Linear Collider 88—36383
Smith, S.R., Solomon, J.S. Stable ohmic contacts to n-GaAs using ion-beam mixing 85—50275
Smith, S.R., Wheeler, B.C. Neural signal detection techniques: performance for real-time applications 86—60799
Smith, S.R., Wheeler, B.C. A digital real-time action potential detection system 87—50359
Smith, S.R. *see* Dubois, R. 86—50321
Smith, S.R. *see* Pietras, J.S. 88—61621
Smith, S.R. *see* Solomon, J.S. 87—11439, 87—11683
Smith, S.T. *see* Gaige, C.D. 87—9038
Smith, S.V. *see* Ismail, M. 88—878, 88—32314
Smith, S.W. Spectral averaging and low-frequency sampling modifications for the IQS 401 fast Fourier transform spectrum analyzer 85—31426
Smith, S.W. Low-noise Hall probe preamplifier 86—65186
Smith, S.W. Check value verification under different levels of illumination 87—64935
Smith, S.W., Kruger, R.A. Fast circular tomography device for cardiac imaging: image deflection mechanism and evaluation 87—63737
Smith, S.W. *see* Shattuck, D.P. 86—11949
Smith, S.W. *see* Trahey, G.E. 87—42282, 87—71105 to 71106
Smith, T. Which transmatch? 85—57948
Smith, T. Digital transmission measurements 85—63222
Smith, T. Protection against DC faults 86—32843
Smith, T. A modeling system for simulation of GaAs FET performance 86—35671
Smith, T. The origins of Morse 86—37347
Smith, T. Beyond-punchthrough current in GaAs MESFETs 86—41804
Smith, T. I have a message for you [third-party amateur radio traffic handling] 87—55460
Smith, T. Switching with Pro-Bel 87—70306
Smith, T. Protecting electronic equipment 87—78754
Smith, T. Keep IT clean [power supplies] 87—78755
Smith, T. Television stereo sound 88—22289
Smith, T. Nine CCD 88—22323
Smith, T. ASICs set the pace in ATE progress 88—47420
Smith, T. *see* Allison, J.R. 86—58488
Smith, T. *see* Floyd, L. 86—24884, 86—60407
Smith, T. *see* Golden, J. 88—54195
Smith, T. *see* Gupta, R. 87—73695
Smith, T. *see* Hegazi, G. 88—71062
Smith, T. *see* Hung, H.-A. 87—73711
Smith, T. *see* Hung, H.-L.A. 87—59893
Smith, T. *see* Hung, H.A. 88—25535
Smith, T. *see* McDonald, K.F. 87—19131, 87—22665, 87—66651
Smith, T. *see* Mako, F. 86—32039
Smith, T. *see* Polak-Dingels, P. 88—71044
Smith, T. *see* Schennum, G.H. 85—13430
Smith, T.A., Spreadbury, P.J. An intelligent voltage standard 86—31562
Smith, T.A., Spreadbury, P.J. An intelligent voltage standard 87—14425
Smith, T.A., Spreadbury, P.J. An intelligent voltage standard 88—16377
Smith, T.A. *see* Kobayashi, H. 85—17588
Smith, T.C. Status of IC applications of ion implantation 87—53362
Smith, T.C. *see* Current, M.I. 85—34792
Smith, T.C. *see* Turner, N.L. 85—34821, 86—2007
Smith, T.E. Two extension theorems for log-linear representations of positive probabilities 86—46165
Smith, T.E., Carpinella, R.J. Ziv-Zakai bound applied to an amplitude-comparison monopulse radar 86—17483
Smith, T.G.G. Future reactor capacity for the irradiation of silicon 85—23659
Smith, T.G.G. An infrastructure for a nuclear program 86—39449
Smith, T.I. Production of intense low emittance beams for free electron lasers using electron linear accelerators 87—2147
Smith, T.I. Intense low emittance linac beams for free electron lasers 87—41692
Smith, T.I., Schwettman, H.A., Rohatgi, R., Lapierre, Y., Edighoffer, J. Development of the SCA/FEL for use in biomedical and materials science experiments 87—75134
Smith, T.I. *see* Edighoffer, J.A. 88—51830
Smith, T.I. *see* Fornaca, S. 88—54342
Smith, T.I. *see* Hess, C.E. 86—32018
Smith, T.I. *see* Neil, G.R. 85—56700
Smith, T.I. *see* Rohatgi, R. 88—45490
Smith, T.I. *see* Schwettman, H.A. 86—31794
Smith, T.J. Suggested design techniques for telephone equipment requiring Canadian certification 86—10844
Smith, T.L. Compressing and digitizing images 86—59349
Smith, T.L., Cheng, H., Mohapatra, S.K., Potts, J.E. Secondary ion mass spectrometry studies of Al, Ga, and In unintentional donors in ZnSe epilayers on GaAs 88—12952
Smith, T.L. *see* Cheng, H. 87—36735, 88—1379
Smith, T.L. *see* DePuydt, J.M. 88—18682, 88—31776
Smith, T.L. *see* Lu, K.S. 85—36572
Smith, T.L. *see* Park, R.M. 88—63298
Smith, T.L. *see* Potts, J.E. 87—26390, 87—31506, 88—34033
Smith, T.M., Andrews, K.G. Computer-assisted video instruction: promises and pitfalls 85—49282
Smith, T.M., Choung, Y.H. EHF dual-band feed development [antennas] 85—13428
Smith, T.N. *see* Krishnamurti, G. 87—13803
Smith, T.P., Heiblum, M., Stiles, P.J. Capacitively coupled measurements of the magnetoconductivity tensor in heterostructures 86—47373
Smith, T.P., Stiles, P.J. Capacitively coupled measurements of the quantized Hall effect in silicon inversion layers 85—18184
Smith, T.P. *see* Goldberg, B.B. 86—53410
Smith, T.P., III, Fang, F.F. Upper-subband transport in GaAs heterostructures 88—57352
Smith, T.P., III, Goldberg, B.B., Heiblum, M., Stiles, P.J. Magnetocapacitance measurements in GaAs heterostructures 86—53424
Smith, T.P., III, Phillips, J.M., Augustyniak, W.M., Stiles, P.J. Fabrication of metal-epitaxial insulator-semiconductor field-effect transistors using molecular beam epitaxy of CaF_2 on Si 85—6921

Smith, T.P., III, Phillips, J.M., People, J.M., Gibson, J.M., Pfeiffer, L., Stiles, P.J. The electronic properties of epitaxial calcium fluoride-silicon structures 87−11487
Smith, T.P., III, Phillips, J.M., People, R., Gibson, J.M., Stiles, P.J. Charge transport in CaF_2/Si metal-epitaxial insulator-semiconductor field-effect transistors 86−15182
Smith, T.P., III, Stiles, P.J., Augustyniak, W.M., Brown, W.L., Jacobson, D.C., Kant, R.A. Comparison of pulsed laser and furnace annealing of nitrogen implanted silicon 85−11912
Smith, T.P., III *see* Munekata, H. 88−32858
Smith, T.P., III *see* People, R. 86−14969
Smith, T.P., III *see* Pfeiffer, L. 85−49540
Smith, T.R. Advanced logic technologies boost Mil-system performance 85−6991
Smith, T.R., Carter, D.R. Fibre optics in dynamic strain cables 88−26820
Smith, T.R. *see* Isnardi, M.A. 88−29069, 88−41835, 88−47259
Smith, T.R.Graves *see* Graves Smith, T.R.
Smith, T.V. Thirty years of operation at Calder Hall, 1956-1986 87−35735
Smith, T.W. A stand-alone VLSI engineering workstation 85−17501
Smith, T.W. *see* Bracker, W.E. 87−27758
Smith, U. *see* Lammer, P.M. 85−12502, 86−36062
Smith, U.S., Jr. *see* Fundakowski, S.W. 85−7165
Smith, V. *see* Pingry, D. 86−50922
Smith, V. *see* Short, G.W. 87−54688
Smith, V.H. *see* Best, W.S. 85−18020
Smith, V.J. Inverters turn on power in the field 88−62456
Smith, W. Control of screen glare 85−8718
Smith, W. Fax catches up with telex 86−16845
Smith, W. Think like a mainframe 87−55685
Smith, W., Bjorklund, E. A CAMAC-based knob controller for the LAMPF control system 88−54106
Smith, W. *see* Bijleveld, J.H.M. 86−60651
Smith, W. *see* Deans, H.E. 88−74808
Smith, W. *see* Komisarcik, K. 85−64436, 86−65323
Smith, W. *see* Moise, J.C. 85−38228, 86−32377
Smith, W., Jr., Khory, N. Does the burn-in of integrated circuits continue to be a meaningful course to pursue 88−64701
Smith, W.A. Composite piezoelectric materials for medical ultrasonic imaging transducers—a review 87−53784
Smith, W.A., Shaulov, A., Auld, B.A. Tailoring the properties of composite piezoelectric materials for medical ultrasonic transducers 87−3954
Smith, W.A., Shaulov, A.A., Singer, B.M. Properties of composite piezoelectric materials for ultrasonic transducers 86−2479
Smith, W.A. *see* Hight, R.S. 88−31474
Smith, W.A. *see* Kiraly, R.J. 88−36521
Smith, W.A. *see* Marinovic, N.M. 86−70549, 87−3966
Smith, W.A. *see* Shaulov, A. 87−3955
Smith, W.A. *see* Shaulov, A.A. 86−2571, 87−57454
Smith, W.B. *see* Dana, W.H. 86−70474
Smith, W.B., Jr. Integrated product and process design to achieve high reliability in both early and useful life of the product 87−44065
Smith, W.D. The effect of lead coplanarity on PLCC solder joint strength 87−23345
Smith, W.D., Grigg, C.H. Security aspects of transmission reliability assessment 87−9122
Smith, W.D., Lager, D.L. Evaluation of simple algorithms for spectral parameter analysis of the electroencephalogram 86−44661
Smith, W.D., McDonald, J., Chang, C.-T., Herdonek, R. NEXT: a hierarchical layout verification system for VLSI 85−35136
Smith, W.E., Barrett, H.H. Linear estimation theory applied to the evaluation of a priori information and system optimization in coded-aperture imaging 88−52527
Smith, W.E., Paxman, R.G., Barrett, H.H. Image reconstruction from coded data. I. Reconstruction algorithms and experimental results 85−36343
Smith, W.E., Paxman, R.G., Barrett, H.H. Application of simulated annealing to coded-aperture design and tomographic reconstruction 85−43356
Smith, W.E., Sullivan, P.L., Giger, A.J., Alley, G.D. Recent advances in microwave interference prediction 88−2575
Smith, W.E. *see* Bailey, K.F. 85−38471
Smith, W.E. *see* Barrett, H.H. 85−56264
Smith, W.E. *see* Dallas, W.J. 88−23089
Smith, W.E. *see* Fiete, R.D. 88−23061
Smith, W.E. *see* Morgan, D.O. 85−15429
Smith, W.E. *see* Paxman, R.G. 85−36344, 85−59247
Smith, W.F. *see* Iansiti, M. 87−60859
Smith, W.G., Boone, J.P. Standardized avionics integrated fuzing 86−70475
Smith, W.H., Schempp, W.V., Conner, C.P., Katzka, P. Spectral imagery with an acousto-optic tunable filter 88−40029
Smith, W.J., Wettach, T.C., Schwab, A.J. Law and technology transfer 86−7448
Smith, W.K. *see* Choquette, K.D. 88−20398
Smith, W.K. *see* Schlusselberg, D.S. 87−57125, 88−48131
Smith, W.L. Progress report on the EIA/P.11 round robin crystal measurement experiment 88−20222
Smith, W.L., Hahn, S., Arst, M. Polishing damage characterization of silicon wafers using thermal wave mapping 87−17988
Smith, W.L., Huang Connick, I. Measurement of plasma etch-induced damage to silicon beneath SiO_2 layer: effective range of plasma etch damage through SiO_2 88−50745
Smith, W.L., Kelly, G.A.M. Use of satellite imagery and soundings in mesoscale analysis and forecasting 86−12166
Smith, W.L., Powell, R.A., Woodhouse, J.D. Use of thermal waves to measure dose and uniformity of Si^+ and Be^+ implants into GaAs 86−2010
Smith, W.L., Rosencwaig, A., Willenborg, D., Taylor, M.W. Process control inspection of ion implantation, dry etching and wafer polishing with thermal wave technology 88−7447
Smith, W.L., Rosencwaig, A., Willenborg, D.L. Ion implant monitoring with thermal wave technology 86−1983
Smith, W.L., Rosencwaig, A., Willenborg, D.L., Opsal, J., Taylor, M.W. Ion implant monitoring with thermal wave technology 86−28503
Smith, W.L., Rosencwaig, A., Willenborg, D.L., Opsal, J., Taylor, M.W. Ion implant monitoring with thermal wave technology 87−60303
Smith, W.L., Shah, V.S., Young, W.C. Factors affecting splice loss measurements using the OTDR 88−41691
Smith, W.L., Taylor, M.W., Schuur, J. Ultra-high-resolution dose uniformity monitoring with thermal waves 86−2012
Smith, W.L. *see* Bates, J.J. 86−32566, 87−77878
Smith, W.L. *see* Geraghty, P. 87−11691
Smith, W.L. *see* Lee, J. 87−74118
Smith, W.L. *see* Malazgirt, A. 88−44889
Smith, W.L. *see* Martini, R. 87−60550
Smith, W.L. *see* Revercomb, H.E. 88−74964
Smith, W.L. *see* Schuur, J. 87−60079
Smith, W.L. *see* Wendman, M.A. 87−60305
Smith, W.Lee *see* Lee Smith, W.
Smith, W.M., Ideker, R.E., Wolf, P.D., Danieley, N.D., Bartram, F.R. Intraoperative cardiac mapping 87−57183
Smith, W.M. *see* Blanchard, S.M. 86−60796
Smith, W.M. *see* Simpson, E.V. 88−54574
Smith, W.M. *see* Wolf, P.D. 87−57166, 88−68435
Smith, W.P., Jr. Twelve steps to successful energy project management 87−5109
Smith, W.P., Jr., Fischer, R.N. Cogeneration: small turbine-generator case study 86−45160
Smith, W.R., Powell, S., Persky, G. A 'missing neighbor model' for capacitive loading in VLSI interconnect channels 87−67334
Smith, W.R., Snyder, D.E. Circuit loading and crosstalk signals from capacitance in SOS and bulk-silicon interconnect channels 85−40929
Smith, W.R. *see* Erickson, C.J. 86−40335
Smith, W.R. *see* Norin, R.S. 86−54492
Smith, W.R. *see* Powell, S. 86−28427
Smith, W.T. *see* Barts, R.M. 88−2577
Smith, W.T., Jr. The gas-ion laser: medical handyman 85−38192
Smith, W.W., Jr Agile development system, running on PCs, builds TMS320-based FIR filter 85−58625
Smith, W.W., Jr. Playing to win: product development with the TMS320 chip 86−48954
Smith, W.W., Jr., Sullivan, P. Systolic array chip recognizes visual patterns quicker than a wink 85−26240
Smith, Z.E., Wagner, S. Dangling bond density and solar cell performance in amorphous silicon 86−33663
Smith, Z.E., Wagner, S. A carrier lifetime model for the optical degradation of amorphous silicon solar cells 86−35371
Smith, Z.E., Wagner, S. Dynamic equilibrium dangling bond density in amorphous silicon solar cells 87−9844
Smith, Z.E., Wagner, S. Asymmetries in amorphous silicon devices 87−30981
Smith, Z.E., Wagner, S. Spectral dependence of performance in multijunction amorphous silicon solar cells 88−37416
Smith, Z.E., Wagner, S. Stability in amorphous silicon 88−45284
Smith, Z.E., Wagner, S., Faughnan, B.W. Carrier lifetime model for the optical degradation of amorphous silicon solar cells 85−49089
Smith, Z.E. *see* Aljishi, S. 87−24811, 87−74907, 88−25911
Smith, Z.E. *see* Chu, V. 88−37478
Smith, Z.E. *see* Conde, J.P. 88−37547
Smith, Z.E. *see* Kolodzey, J. 87−24810
Smith, Z.E. *see* Schade, H. 85−16241, 85−27648, 85−60417, 86−45662, 87−21203
Smith, Z.E. *see* Schwarz, R. 87−74025
Smith, Z.E. *see* Shen, D.S. 88−37520
Smith Hughes, R. Determining maximum sensitivity and optimum maximum gain for detector-video amplifiers with RF preamplification 86−40969
Smith Temple, B. *see* Bilderback, D. 88−42460
Smith-Vargo, L. Intelligent techniques for PCB plating success 87−37702
Smith-Vargo, L. Give new strength to multilayer bonding 87−53016
Smith-Vargo, L. Screen printers acquire sophistication 87−53029
Smith-Vargo, L. Process windows widen on aqueous resists 87−66734
Smith-Vargo, L. Electronic packaging technology profits from specialty metals 88−169
Smith-Vargo, L. Engineers run experimental designs to improve PCB quality 88−7174
Smith-Vargo, L. Metalizing through-hole interconnections 88−12764
Smith-Vargo, L. Low-waste technology for final PCB etching 88−12770
Smith-Vargo, L. Thermal analysis explores PCB behavior 88−38872
Smith-Vargo, L. Laser direct imaging: facing reality 88−57094
Smith-Vargo, L. Cleanliness in printed circuit board manufacturing 88−57107
Smither, M.A. Using a personal computer in filter circuit design 85−17645
Smither, R.K., Westbrook, E.M. Design of the angiography beamline for the Argonne Advanced Photon Source 88−48122
Smither, R.K. *see* Knapp, G.S. 86−60654
Smitherman, K.O., Smith, J.W. Military TTL obsolescence: what now? 88−6336
Smitherman, K.O. *see* Lane, R.A. 87−37128
Smithers, B.W. The screening properties of coaxial cables and connectors 85−30064
Smithers, B.W. *see* Ahmad, S. 86−30548
Smithers, B.W. *see* Bull, D.A. 85−57070
Smithers, B.W. *see* Jackson, G.A. 85−2606
Smithers, C.R. Further reflectors on envelope feedback for linearising bipolar power amplifiers at HF and VHF 85−63533
Smithers, M.E. Laser resonators with nonuniform gain and magnification 86−29184
Smithers, M.E. *see* Ferguson, T.R. 86−36526
Smithers, M.E. *see* Sung, C.C. 88−27212
Smithgall, D.H., Frazee, R.E., Jr. Characterization of the preform stretching process 88−26777
Smithgall, D.H., Miller, T.J., Frazee, R.E., Jr. A novel MCVD process control technique 87−12127
Smithies, S.A., Poole, K.F. A graphical model for two-region saturation in bipolar transistors and its implementation in the modeling program SPICE 87−46161
Smithmeyer, L.P. *see* Reynolds, D.K. 85−13423
Smithrick, J.J. Initial performance of advanced designs for IPV nickel-hydrogen cells 86−33616
Smithrick, J.J. Effect of impregnation method on cycle life of the nickel electrode 87−43392
Smithrick, J.J., Manzo, M.A., Gonzalez-Sanabria, O. Advanced designs for IPV nickel-hydrogen cells [space vehicle power generation] 85−48443
Smithrick, J.J. *see* Gonzalez-Sanabria, O.D. 87−22706
Smithson, A. *see* Bergot, M.-V. 88−65198
Smithson, P.H. *see* Garrett, J.A. 87−35388
Smithson, S. *see* Fry, F.J. 87−71167
Smithson, T.L. *see* Boreiko, R.T. 85−8497
Smitley, D.L., Bajcsy, R. Stereo processing of aerial, urban images 85−30425
Smitnov, V.V. *see* Baldenkov, G.N. 88−30159
Smits, C.M. Telephone management functions [business communication systems] 85−57873
Smits, E.J.F.M. *see* Klaassens, J.B. 87−22561
Smits, E.M. *see* Barrett, J.J. 87−25516, 87−32663
Smits, J.G. Equivalent circuit for end-loaded piezoelectric bimorph actuators 85−12458
Smits, J.G., Tilmans, H.A.C., Lammerink, T.S.J. Pressure dependence of resonant diaphragm pressure sensor 86−55652
Smits, J.W. *see* Luitjens, S.B. 85−24126
Smits, K. *see* Stroobandt, R. 86−38799
Smits, K. *see* Won, I.J. 86−44811
Smits, M.R.T. *see* Spanjer, T.G. 88−16326
Smits, R. *see* Natarajan, S. 85−23016
Smits, R.G. *see* Eberhard, P.H. 86−48030
Smitt, E.L. Signature analysis testing in last standard-cell ASICs 87−66061
Smoch, R. New guidelines portend changes in boiler water treatment practices 86−70809
Smock, G.S. *see* Humphrey, J.H. 87−62742, 88−53075
Smock, R. New generating plants: when, where, and by whom 86−56518
Smock, R. Pressurized fluid bed combustion aims for utility acceptance 87−9348
Smock, R. Nuclear engineers aim at excellence in power plant performance 87−30312
Smock, R. Power plant owners 'phase in' life extension 87−51001
Smock, R. Fluid bed combustion invades industrial, utility boiler markets 88−5527
Smock, R. Interest in coal conversion technologies rises with oil prices 88−23734

Smock, R. Competition raises value of life extension, aging plant upgrading 88−42918
Smock, R. Heat pipe finds air preheat applications in power plants 88−43052
Smock, R. Gas turbines are poised to meet new utility, cogeneration demands 88−75427
Smock, R.W. Power industry eyes new superconductors with caution 87−71552
Smock, R.W. Direct coal-fired gas turbine development work shows promise 88−55214
Smock, W. Getting the most from your service monitor 86−55577
Smokers, R.T.M. *see* de Waele, A.T.A.M. 87−60865
Smokler, M.I. Block V module development and test results 86−45683
Smokler, M.I., Otth, D.H., Ross, R.G., Jr. The block program approach to photovoltaic module development 87−9827
Smokov, T.I., Gusti, I.P., Eremenchuk, V.A., Shilonosov, V.M., Yurasov, A.M. The results of setting up and testing an automatic system of changing over the PGU-250 unit from steam turbine-gas turbine to steam turbine operation 85−4900
Smokov, T.I. *see* Botvinov, V.P. 85−60045
Smolak, A. *see* Moser, J. 85−9736
Smolalski, G. On some limitations of application of the pseudo-random voltage generators 87−14405
Smolalski, G. The concept and forms of measuring comparisons 87−63206
Smolarski, A. Thermostat type- T569-86 for integrated circuit sorting machine 88−11713
Smolarski, A., Wojcicki, M. T-type two-port for measurement of quartz crystal resonators in frequency range up to 200 MHz 86−53861
Smolarski, D.C., Saylor, P.E. Optimum semi-iterative method for solving any linear set with a square matrix 86−13680
Smolarski, D.C. *see* Saylor, P.E. 88−31675
Smolarz, A. *see* Dubuisson, B. 85−15791
Smolcic, V. *see* Marovic, D. 85−63440
Smolcic, Z., Bertol, Z. The selection of the optimum brush of a DC traction motor 86−12844
Smolders, A. *see* Basseville, M. 88−21283
Smolders, A. *see* Favier, G. 85−57394
Smole, F. *see* Furlan, J. 86−27950, 86−33694, 87−43460, 87−49669
Smolec, W. The possibilities of solar energy use in Poland 88−69222
Smolen, R. *see* Murphy, R.J. 87−17022
Smolenska, H. Radiocommunication during forty years of Polish People's Republic 85−25260
Smolenski, L. *see* Zientalski, M. 86−23645
Smolenskii, G.A., Isupov, V.A., Yushin, N.K., Smirnova, E.P., Sotnikov, A.V., Parfenova, N.N. Control drives made of electrostrictive ferroelectric ceramics 86−58647
Smolenskii, G.A. *see* Baitamaev, B. 85−18507
Smolenskii, G.A. *see* Gridnev, V.N. 86−54016
Smolenskii, G.A. *see* Prokhorov, A.M. 85−29603
Smolentsev, I.V., Shipov, P.M. Signal modulator based on $Bi_{12}SiO_{20}$ operating on longitudinal-transverse electrooptical effect 87−68194
Smolik, L. *see* Bock, P. 86−32157
Smolin, D.A. *see* Benvenuti, A.C. 85−15254
Smolin, G.M. *see* Glebov, I.A. 85−32259, 85−38956
Smolin, M.D., Fedorov, V.N., Grebenkina, V.G. Electrophysical properties of composites based on some ruthenium compounds 88−63981
Smolin, M.D., Fedorov, V.N., Grebenkina, V.G., Artamonov, G.M., Kornatovskii, Yu.A. Influence on the degree of dispersion of ruthenium dioxide on the electrical properties of thick-film ruthenium resistors 88−44386
Smolin, M.D. *see* Dyshel, D.E. 86−21151, 87−1113
Smolin, O.V. *see* Kerner, B.S. 87−32291
Smolin, V.N. *see* Emel'yanov, A.I. 86−6506
Smolin, Yu.N. *see* Abdrakhmanov, V.G. 85−54398
Smolin, Yu.Z. *see* Dorin, V.A. 87−2042
Smoliner, J., Christanell, R., Hauser, M., Gornik, E., Weimann, G., Ploog, K. Fowler-Nordheim tunneling and conduction-band discontinuity in GaAs/GaAlAs high electron mobility transistor structures 87−53505
Smoliner, J., Gornik, E., Weimann, G. Depletion charge measurements by tunneling spectroscopy GaAs-GaAlAs field-effect transistors 88−64594
Smoliner, J., Hauser, M., Gornik, E., Weimann, G. Observation of subbands in the GaAlAs on two-dimensional electron gas field-effect transistor structures 88−26327
Smoliner, J., Lassnig, R., Girnik, E., Weimann, G., Ploog, K. Tunneling from quasi 2D electronic states into continuum-and bound states in GaAs/GaAlAs-heterostructures 88−32867
Smolinska, B. Recognition of complementary signals 85−51714
Smolinska, B., Krul, A., Kolodziejezyk, A. Images similarity measurements in optical correlator systems 86−3946
Smolinska, B., Zubrzycki, L. Average image of similar optical signals 85−57449
Smolinski, A. Unipolarizing single-mode optical fibres 85−1998
Smolinski, W.J. *see* Murty, Y.V.V.S. 87−30274, 88−36890, 88−49024, 88−75693
Smolinsky, G. The low pressure chemical vapor deposition of silicon oxide films in the temperature range 450 to 600°C from a new source: diacetoxyditertiarybutoxysilane 87−23728
Smolinsky, G., Wendling, T.P.H.F. Measurements of temperature dependent stress of silicon oxide films prepared by a variety of CVD methods 85−44786
Smolinsky, G. *see* Reichmanis, E. 85−55628, 86−2295, 87−60227
Smolitskii, V.A. *see* Aksenov, V.N. 88−54391
Smolka *see* Reithmann, E. 88−57808
Smolka, G.J. Synthesis of switched-capacitor circuits simulating canonical reactance sections 85−55007
Smolka, G.J., Rademacher, L.J., Weinberger, G., Bareither, J., Grehl, U., Geiger, G. A 384-kbit/s ISDN burst transceiver 88−21757
Smolka, G.J., Rademacher, L.J., Weinberger, G., Geiger, G. PEB 2095 ISDN two-wire transmission device 88−59792
Smolka, G.J., Weinberger, G., Rademacher, L.J., Geiger, G. A 384 Kb/s ISDN burst transceiver 87−62727
Smolka, G.J. *see* Hechler, E. 88−59776
Smolka, J. Modern capacitors for high voltage applications 85−44138
Smolka, J., Szorat, K.H. Compensating capacitors for voltages above 1 kV with higher economic effectiveness 87−22680
Smolka, J. *see* Burow, P. 88−37351
Smolka, J. *see* Eisenhardt, D. 85−59624
Smolka, J. *see* Szorat, K.-H. 87−22682
Smolka, J. *see* Zielinski, J.S. 87−42429 to 42430
Smolka, S.A. *see* Bolognesi, T. 88−21425
Smolka, S.A. *see* Debray, S.K. 85−42306
Smolkin, B.D. *see* Burova, T.V. 86−24371
Smolkov, G.Ya., Pistolkors, A.A., Treskov, T.A., Krissinel, B.B., Putilov, V.A., Potapov, N.N. The Siberian Solar Radio-Telescope: parameters and principle of operation, objectives and results of first observations of spatio-temporal properties of development of active regions and flares 86−37967
Smolkov, G.Ya., Stepanov, V.E., Grigoryev, V.M., Banin, V.G. The east-Siberian complex of SibIZMER solar observatories 86−30918
Smolleck, H.A. A simple revolving-field demonstrator for the personal computer 88−55278
Smolleck, H.A., Kim, K.C. An interactive distribution load forecasting methodology for mini-computer use based upon a Markov-type process 88−55548
Smolleck, H.A. *see* McCotter, R.E. 86−39146
Smoller, J. *see* Hoff, D. 86−7705
Smolley, R. Button Board: a new technology interconnect for 2 and 3 dimensional packaging 86−53206
Smolnikar, H.M. *see* Morley, L.A. 88−31256
Smolnikov, A.A. *see* Klimenko, A.A. 87−14736
Smol'nikov, L.P. *see* Nemkov, V.S. 85−65617
Smolov, B.V. *see* Chekmarev, Yu.D. 86−1051
Smolov, V.B. Tangential-multiplying digital-analogue convertor 85−28596
Smolov, V.B. Functional electronics−long term trend in design of data-processing systems 88−8986
Smolov, V.B., Khvoshch, S.T., Surov, S.V. Organisation of self-diagnostic microprocessor LSI circuit 86−14247
Smolov, V.B. *see* Anisimov, A.V. 85−54976
Smolovik, S.V. *see* Benkhal'di, M. 88−17558
Smolskaya, L.P., Lobanov, B.D., Maksimova, N.T., Grigorov, V.A. $Tl^0V_a^+$ color centers in KCl:Tl crystals 87−68425
Smolski, A.P. *see* Chang, K.C. 88−14557
Smolski, B. Choice method of stability measure magnitude in resonant amplifying networks 85−49755
Smolski, B. Frequency measurement in microwave range by means of multi-channel frequency discriminators 85−64227
Smolskii, O.V. *see* Alferov, Zh.I. 86−68603
Smol'skii, O.V. *see* Arutyunov, E.N. 85−61841
Smol'skii, O.V. *see* Gladushchak, V.I. 88−45435
Smol'skii, O.V. *see* Kalinina, E.V. 86−28029
Smol'skii, S.M. *see* Ivanov, V.A. 87−16931
Smol'skii, S.M. *see* Laut, L.N. 87−44655
Smol'skii, S.M. *see* Morosanov, S.A. 87−45130
Smol'skiy, S.M. *see* Artemenkov, S.L. 86−34606, 88−44082
Smol'skiy, S.M. *see* Laut, L.N. 86−14040, 88−70590
Smol'skiy, S.M. *see* Morosanov, S.A. 87−16935
Smolsky, O.V. *see* Vlad, V.I. 85−35862
Smolucha, J.M. *see* Zagel, J.R. 88−54183
Smoluchowski, M. *see* Gawecka, H. 88−13297
Smolyak, A.I. *see* Gribkov, A.M. 85−44129
Smolyak, M.I. *see* Korotkov, B.A. 86−70557
Smol'yakov, E.R. Existential theories and the necessary conditions of equilibrium optimality in differential multiperson games 86−40616
Smolyakova, L.E. Experimental prototype instruments for nondestructive testing 88−18785
Smol'yaninov, S.S. *see* Presnyakov, I.N. 86−25348, 87−19197
Smol'yaninov, V.M. Discrete multiplicative group signals and their relationship to group codes 87−19720
Smol'yaninov, V.M., Nazarov, L.Ye. Multiplicative limit of the probability of correct identification for coherent reception 88−46061
Smolyanskii, B.E. Antinoise correction in optoelectronic devices 86−48274
Smolyanskii, M.F. *see* Gavrilenkov, V.A. 86−33838
Smolyar, A.N. *see* Derikot, N.Z. 86−47504, 87−11493
Smolyar, A.N. *see* Kudinov, V.A. 87−46697
Smolyar, A.N. *see* Peka, G.P. 85−1547, 85−23727, 85−29719 to 29720, 88−14030, 88−58355
Smolyar, V.A. Backscattering, transmission and energy release in a plate bombarded by an electron beam 87−19145
Smolyar, Yu.A. *see* Agamalov, Yu.R. 88−60829
Smolyarenko, V.D., Pirogov, N.A. The heavy-current regime in arc steel-melting furnaces 85−44317
Smolyarova, V.G. *see* Bandurin, Yu.A. 87−45563
Smoody, R.F. Arnold: applying an AI workstation to production test code generation 87−31287
Smooke, M.D., Mattheij, R.M.M. On the solution of nonlinear two-point boundary value problems on successively refined grids 86−13689
Smookler, L. New additive techniques benefit printed wiring boards 85−11758
Smoot, G. *see* Congalton, R. 88−10575
Smoot, G.F., Golden, R.L., Israel, M.H., Kephart, R., Niemann, R., Mewalt, R.A., Ormes, J.F., Spillantini, P., Widenbeck, M.E. ASTROMAG: A superconducting particle astrophysics magnet facility for the Space Station 87−74624
Smoot, G.F., Levin, S.M., Kogut, A., De Amici, G., Witebsky, C. Atmospheric emission variation measurements at 3, 0.9, and 0.33 cm wavelength 87−68773
Smoot, G.F. *see* Costales, J.B. 86−29381
Smoot, G.F. *see* Kogut, A. 88−35623
Smoot, G.F. *see* Witebsky, C. 88−27622
Smoot, L. *see* Hayward, G. 87−76157
Smoot, L.S. *see* Chao, H.J. 88−9367, 88−35210
Smoot, L.S. *see* Wagner, S.S. 88−41619
Smoot, M. *see* Bennett, M.S. 88−45287
Smoot, M.A. *see* Fortmann, C.M. 88−75932
Smorchkov, P.I. *see* Gudnov, A.G. 87−20702
Smorgonskaya, E.A. *see* Kalmykova, N.P. 87−53202
Smorgonskii, A.V. *see* Bratman, V.L. 85−50146
Smorgonskii, A.V. *see* Gubanov, V.P. 86−1640
Smorgonskii, A.V. *see* Movshevich, B.Z. 85−51471
Smorgonskii, A.V. *see* Sergeev, A.S. 88−34063
Smorgonskii, V.Ya. *see* Valuev, K.K. 85−11500
Smorgonskiy, A.V. *see* Rodygin, L.V. 88−1323
Smorgonsky, A.V. *see* Bratman, V.L. 86−2997
Smorgonsky, A.V. *see* Denisov, G.G. 85−18024
Smorgonsky, V.I. Calculation of the inductive ballast impedance 85−16393
Smorgorzewski, S., Gudmundson, J. Coal-fired cogen project gets go-ahead at Mount Poso 88−17355
Smorkalova, V.M., Shil'man, S.V. Synthesis of digital parametric filters (review) 87−24339
Smorodin, V.I., Kostyshena, N.M. Calculation of the parameters of a clamping prism of a high power turbogenerator 85−21572
Smorodin, V.I., Kuz'min, V.V., Cheremisov, I.Ya., Kramarskii, V.A., Rakogon, V.G., Kaplunov, V.B. Refinement of the heat-ventilating characteristics of the outer laminations of the stator of a turbogenerator ASTG-200 88−37183
Smorodin, V.I., Kuz'min, V.V., Cheremisov, I.Ya., Kramarskii, V.A., Rakogon, V.G., Kaplunov, V.B., Lyutyi, B.I. Analysis of the effectiveness of measures taken to improve the loading capacity of the outer laminations of the stators of ASTG-200 and TGV-200-2M turbogenerators 88−23867
Smorodin, V.I., Rudenko, L.N., Kramarskii, V.A., Rakogon, V.G., Cheremisov, I.Ya., Kaplunov, V.B. Increasing the load-carrying capacity of the TGV-200M turbogenerator by means of an electrically conductive screen at the stator end 86−25990
Smorodin, V.V. A two-diode Gunn generator with a quasioptical resonator 88−25501
Smorodin, V.V. *see* Borodkin, A.I. 88−71039
Smorodinov, V.A. *see* Vologdin, A.G. 88−40568
Smorodinov, V.V. *see* Donskoi, A.V. 86−33485
Smorodinov, V.V. *see* Korichev, A.A. 85−16114
Smorodinskii, A.V. Asymptotic distribution of the queue length in a queuing system 87−10239
Smorodinskii, A.V. *see* Kogan, Ya.A. 87−28114
Smorodiv, V.I. Analysis of the axial magnetic field on surfaces of end packets of the stator core of a turbogenerator allowing for the swelling of slot leakage field in the toothed zone 88−17517
Smorto, J.E. IR solder reflow update 86−53162
Smorto, J.E., Russell, K., Finkel, J.N. The improvement in process using an infrared furnace for irradiating polymer thick film hybrids 85−28262
Smorygo, L.N. *see* Markovich, L.M. 87−78723
Smotherman, M. *see* McGough, J. 85−61180

Smotkin, E.S. *see* Cervera-March, S. 88−49105
Smotrov, E.A., Gudzenko, A.B. Calculating the correction for EShIR1 electric drive taking into account high-frequency resonance phenomena in drive mechanisms 86−61773
Smotrov, E.A. *see* Gudzenko, A.V. 87−43498
Smotrov, E.A. *see* Gulymanov, B.V. 87−31021
Smotrov, E.A. *see* Nikolenko, A.N. 86−61774
Smotryaev, S.A. *see* Brailovskaya, R.V. 88−14237
Smotryaev, S.A. *see* Gondra, A.D. 88−14152, 88−58501
Smouse, E. Machine vision use is increasing in electronics 85−49368
Smout, A.J.P.M., Van der Schee, E.J. Computer analysis of cutaneously recorded gastric electrical activity 88−30003
Smout, A.M.C., Eason, R.W., Gower, M.C. Regular oscillations and self-pulsating in self-pumped $BaTiO_3$ 86−68624
Smouzh, A.K. *see* Gorlovskii, V.B. 88−8063
Smovzh, A.K. *see* Broide, D.A. 88−25575
Smovzh, A.K. *see* Gorlovskii, V.B. 85−12699, 87−38931
Smovzh, A.K. *see* Kul'chitskii, V.L. 85−11589
Smovzh, A.K. *see* Plakhotnyi, V.P. 85−50051, 88−26983
Smovzh, A.K. *see* Rakhlin, M.Ya. 85−52870, 86−13806, 87−58963
Smovzh, A.K. *see* Svechnikov, S.V. 88−63378
Smovzh, A.K. *see* Zav'yalova, L.V. 88−8047
Smowton, P.M. *see* Blood, P. 86−48388
Smrcek, K. Heat pipes from the CKD Semiconductors enterprise 87−31298
Smrcka, L. *see* Isihara, A. 87−66975
Smrckova, O. *see* Tichy, R. 88−20272
Smrha, P., Kocur, P., Racek, S. Modelling the reliability of a communication subsystem of a local microcomputer network with two-bus topology 88−15050
Smrz, S. *see* Kaiser, Z. 86−48025
Smsith, R.S., III, Thomas, G.E., Coleman, D.C., Pappalardo, T.J. Gas-breakdown transmit-receive tube turn-on times 86−41474
Smudksi, J. *see* Sery, G. 85−35201
Smudski, J. *see* Smith, R.J. 85−50720
Smulders, P. *see* van Meel, J. 87−21256, 87−78573
Smulders, P.J. Noise in operational amplifiers. I. A theoretical and practical examination of the problem 85−580
Smulders, P.J. Noise in operational amplifiers. II. Circuits with low noise 85−6170
Smulders, P.J. Designing with the OP-32 85−54688
Smulders, P.J. The solderless alternative [PCB assembly] 87−17513
Smull, B.F., Houze, R.A., Jr. Dual-Doppler radar analysis of a midlatitude squall line with a trailing region of stratiform rain 88−15575
Smurov, M.Yu. *see* Fedorov, S.M. 85−9294
Smurthwaite, R. *see* Kuzawinski, K.M. 88−56079
Smutek, L. *see* Bromborsky, A. 88−50584
Smutek, L. *see* Gilgenbach, R.M. 87−17602
Smutka, J. *see* Budar, V. 85−17476
Smutnev, V.I., Revin, A.V., Efryushkin, V.A. The operator of a control system for a nuclear power station and the need to improve his supply of information 86−61216
Smutny, M. *see* Dimovsky, K. 87−68239
Smutov, A.I. *see* Yufit, G.A. 88−27963
Smy, P.R., Weinberg, F.J. Electrical aspects of plasma jet ignition 86−33814
Smy, P.R. *see* Au, S. 85−10061, 88−20178
Smy, T., Ristic, L., Baltes, H. An analytical model of a new magnetotransistor: the SSIMT 88−42074
Smy, T. *see* Nathan, A. 88−33132
Smy, T. *see* Ristic, L. 87−35076, 87−77378, 88−33153
Smyagin, Yu.A., Smirnova, N.P., Trifonov, E.F., Shadrin, M.P. High-speed frequency-to-code convertor 85−17549
Smyczek, J. The autocorrelation function and the power spectrum density of the stochastic process of the output of the parametric system 85−40210
Smyczek, J. Development of optimal filtering in certain nonlinear systems 87−73260
Smyczek, J. Voltage noise of nonlinear dynamic circuit 88−63484
Smyczek, J.J. Optimal nonlinear filtering with constraints. II 85−19466
Smydke, D. *see* Boiciuc, D. 87−56846
Smye, S.W., Unsworth, J. The assessment of a SPECT system with reference to aerosol lung imaging 86−60727
Smye, S.W. *see* Wells, J.H. 86−44685
Smyk, A.F. Quantitative analysis of mode composition of the field on the end of a circular optical waveguide 86−42289
Smyk, A.F. *see* Bondarev, L.A. 85−46165, 86−15495, 88−33712
Smyk, A.F. *see* Mirovitskiy, D.I. 86−28865
Smyk, E.B. *see* Chow, L.S.H. 85−15964
Smyk, E.B. *see* Klinger, J. 85−15962
Smyk, L.A. *see* Gaifullin, A.Sh. 87−4529
Smyk, W. Insulating materials−the requirements of electrical engineering industry 87−11998
Smykov, I.T. Calculations on a vibrocontact measurement device 86−18146
Smykov, L.P. *see* Anisimov, Yu.S. 87−14745, 87−23788
Smykov, L.P. *see* Zanevskii, Yu.V. 86−70340
Smyntyna, V.A. Negative differential resistivity of high ohmic cadmium selenide films 87−45600
Smyntyna, V.A. Saturation and negative differential resistance in volt-ampere characteristics of the photocurrent in CdSe films 87−54165
Smyntyna, V.A. *see* Golovanov, V.V. 87−6378
Smyntyna, V.A. *see* Turetskii, A.E. 85−37792
Smyrl, W.H. *see* Jeh-Beck Ju 87−73152
Smyslov, V.P. Equations of the longitudinal components of the magnetic field of coils of random form 86−36672
Smyth, C.C. Automated voice and touch data entry for the US Army's Forward Area Alerting Radar (FAAR) 85−57318
Smyth, D.P. *see* Hooper, R.C. 85−20219
Smyth, E.R. Application of digital telecommunications equipment in the utility environment 87−76437
Smyth, G.J. *see* Meininger, R.D. 85−59892
Smyth, J.J. The development of computer assisted learning at the National Institute for Higher Education, Limerick 87−58568
Smyth, M. *see* Halbout, J.-M. 87−46700
Smyth, M.H.C. *see* Drysdale, S.L.T. 87−29450
Smyth, M.H.C. *see* Ledingham, K.W.D. 86−25123
Smyth, M.J. *see* Tang, D.D. 87−17028
Smyth, P. *see* Goodman, R. 87−54824
Smyth, P.P., Chidgey, P.J., Brain, M.C., White, B.R., Hooper, R.C., Smith, D.R. Gbit/s optical fibre communication systems for 1.1 to 1.6 μm wavelength using PIN-FET receivers 86−11113
Smyth, P.P. *see* Brain, M.C. 85−3450, 85−25907
Smyth, P.P. *see* Smith, D.W. 86−43852
Smyth, R.R. *see* Holmes, R.C. 85−60512
Smyth, S.M.F., Challener, P. An efficient coding scheme for the transmission of high quality music signals 88−59010
Smyth, S.M.F., McCanny, J.V. High-fidelity music coding at 4 bits 88−45875
Smyth, S.M.F., McCanny, J.V., Challener, P. An independent evaluation of the performance of the CCITT G.722 wideband coding recommendation using music signals 88−73092
Smyth, S.M.F., McCanny, J.V., Challener, P. An independent evaluation of the performance of the CCITT G.722 wideband coding recommendation 88−73095
Smyth, W.F. Algorithms for the reduction of matrix bandwidth and profile 85−54365
Smythe, C. Direct sequence spread spectrum techniques in local area networks 86−37516
Smythe, C., Spracklen, C.T. Computer simulation techniques in a direct sequence spread spectrum local area network 85−52092
Smythe, C., Spracklen, C.T. Secure communications in a local area network using spread spectrum techniques 85−57803
Smythe, C., Spracklen, C.T. Code sequence allocation in a direct sequence spread spectrum local area network 86−16902
Smythe, C. *see* Spracklen, C.T. 85−13945, 86−17009, 87−13475, 87−34124, 87−69704, 88−21684
Smythe, D.L. *see* Green, J.B. 87−59694
Smythe, D.L. *see* Oates, D.E. 86−1213, 87−836
Smythe, D.L. *see* Tsang, D.Z. 87−26234, 88−2147
Smythe, D.W. Radio spectrum policy and world needs 88−35630
Smythe, R.C. Phase noise in crystal filters 86−34956
Smythe, R.C., Howard, M.D., Hunt, J.R. VHF monolithic crystal filters fabricated by chemical milling 86−42058
Smythe, R.C., Hunt, J.R., Howard, M.D. Chemically-milled VHF and UHF quartz resonators and monolithic filters 87−1855
Smythe, R.C., Morley, P.E. Experimental evaluation of the effective non-linear elastic constant for trapped energy and contoured resonators 86−42035
Smythe, R.C., Tiersten, H.F. An approximate expression for the motional capacitance of a lateral field resonator 88−20213
Smythe, R.C., Tiersten, H.F. An approximate expression for the motional capacitance of a lateral field resonator 88−57852
Smythe, R.C. *see* Howard, M.D. 86−42060
Smythe, R.C. *see* Hunt, J.R. 86−42033
Smythe, W.R. Some comments on the beam-cavity stability problem as it affects RF system requirements 88−42388
Smythe, W.R., Brophy, T.G., Carlini, R.D., Friedrichs, C.C., Grisham, D.L., Spalek, G., Wilkerson, L.C. RF cavities with transversely biased ferrite tuning 86−32022
Smythe, W.R. *see* Carlini, R.D. 88−42385
Smythe, W.R. *see* Friedrichs, C.C. 88−54368
Snable, K.R. *see* Bromberg, M.L. 86−65255
Snaddon, R.W.L. Electrically enhanced collection of respirable aerosols in granular bed filters at low Reynolds numbers [electrostatic precipitators] 85−41564
Snaddon, R.W.L. *see* Joos, F.M. 85−24710
Snaddon, R.W.L. *see* Salasoo, L. 87−33390
Snaddon, R.W.L. *see* Schwabe, R.J. 88−45648
Snaddon, R.W.L. *see* Tardos, G.I. 85−26472, 88−2495
Snakker, W. *see* Hoffmann, U. 87−78935
Snapp, C.P. *see* Leung, C.C. 86−8494, 88−56935
Snapp, W. *see* Lee, B. 85−12416
Snare, J. *see* Ellershaw, J. 85−13754
Snare, J.L., Ellershaw, J.C., Park, J.L., O'Neill, C.J., Dickson, G.J. Interworking using the CCITT network service 86−37308
Snare, R.C. *see* Crawford, K.E. 86−54712
Snarr, V. *see* Bult, T. 87−69835
Snashall, G. *see* Bowman, C. 87−77771
Snashall, G. *see* Bowman, C.L. 86−18440
Snayal, A. A statistical-empirical interference prediction model for tactical land-mobile communication over a limited geographical area 85−62821
Sneberger, J. *see* Palik, F. 85−39253
Snebergr, J. *see* Palik, F. 85−21876
Sneddon, J. Is there an alternative to barrier glands? [cable safety] 86−7472
Sneddon, J.D. *see* Murray, B.G. 87−22951
Snedeker, D.F., Thomas, L.S., Schmoker, D.S., Cade, M.S. Removal, transportation and disposal of the Millstone 2 neutron thermal shield 86−12598
Snee, R.D. An alternative approach to fitting models when re-expression of the response is useful 87−10195
Snegirev, V.P. *see* Lisenkov, G.B. 85−18154
Snegireva, N.I. *see* Averin, A.P. 85−35703
Snegon, A. *see* Balaz, I. 86−27759, 87−67669
Snegov, M.I. *see* Levin, M.B. 88−14132, 88−20592
Snegov, V.S., Toropin, S.I. Precision-balance optoelectronic readout device 88−74506
Snegur, V.I. *see* Bushlanov, V.P. 87−63364
Sneij, G., Kitamura, T., McInnis, B.C. A microprocessor-based signal generation for the portable artificial heart 87−42008
Snel, D. *see* Wildeman, K.J. 87−35951
Snelgrove, M. *see* Galloway, D.R. 87−66433
Snelgrove, W.M., Sedra, A.S. Synthesis and analysis of state-space active filters using intermediate transfer functions 86−46970
Snelgrove, W.M. *see* Culbert, J.J. 87−45057
Snelgrove, W.M. *see* Eaton, G.V. 87−37460, 87−66346
Snelgrove, W.M. *see* Liu, Q. 86−67345
Snelgrove, W.M. *see* Nowicki, E.P. 88−38376
Snelgrove, W.M. *see* Roberts, G.W. 86−57958, 86−67336, 87−37447, 87−66354
Snelgrove, W.M. *see* Rosati, D. 87−38490
Snelgrove, W.M. *see* Rose, J.S. 87−38446, 88−39563
Snelgrove, W.M. *see* Sedra, A.S. 86−62670
Snelgrove, W.M. *see* Song, W. 87−73379
Snelgrove, W.M. *see* Yeap, T.H. 86−47712
Snell, A.J. *see* Choi, W.K. 87−24833, 88−25938
Snell, A.J. *see* Lecomber, P.G. 86−41580
Snell, B.R. *see* Barker, J.R. 86−1696, 86−21215
Snell, B.R. *see* Chan, K.S. 88−39114
Snell, B.R. *see* Eaves, L. 85−55541, 86−1781, 86−58310
Snell, B.R. *see* Guimaraes, P.S.S. 85−55529
Snell, B.R. *see* Payling, C.A. 87−24862
Snell, B.R. *see* Taylor, D.C. 86−21214, 87−6636
Snell, C. *see* Peter, W. 86−31837
Snell, C.M. *see* Bowers, R.L. 88−37318
Snell, C.M. *see* Peratt, A.L. 86−21033
Snell, C.M. *see* Thode, L.E. 87−17634
Snell, D.J. *see* Taylor, E.C. 88−54822
Snell, E., Naumann, S., Atkinson, C. Comparison of three PC-XT based voice recognition systems 88−52404
Snell, E. *see* Antczak, J.M. 88−62721
Snell, J. Lucasfilm audio signal processor and music instrument 85−20433
Snell, J. The computer-aided man-model: a safety valve in high technology 88−30094
Snell, J. *see* Moorer, J.A. 86−60076
Snell, K.J., McCarthy, N., Piche, M., Lavigne, P. Single transverse mode oscillation from an unstable resonator Nd:YAG laser using a variable reflectivity mirror 88−40275
Snell, M.K. *see* Gangel, D.J. 87−19199
Snell, R. Upgrading 3/4″ High Band: the YCC443 technique [VCRs] 87−70238
Snell, R.S. Technical possibilities of the new portable norm transformer. [TV] 86−11256
Snell', R.V., Abramov, I.V. Computer aided design system for planning deicing (of overhead power lines) 85−43621
Snell, W.W. *see* Chandrasekhar, S. 88−8078
Snelling, D. The CED video disc system 85−8611
Snelling, D. Remote control for VCRs 85−37320
Snelling, D. VHS Hi-Fi sound 85−42771
Snelling, D. VHS VCR audio/control heads 85−58400
Snelling, D. Servicing Hitachi VT8000 Series VCRs 87−28839
Snelling, J.B. *see* Schirber, J.E. 85−61742
Snelling, J.V. *see* Hughes, R.C. 88−74898

Snelling, M., Bennett, K., Clear, J. A calibration system for space borne energy gamma ray telescopes 86—65349
Snelling, R.K. Environmental aspects of ISDN 88—28468
Snelling, R.K., Kaplan, K.W. Current and future fiber optics applications—operating telephone company perspective 85—42178
Snelling, R.K., Kaplan, K.W. Services and revenue requirements [ISDN] 86—49120
Snelling, R.K., Kaplan, K.W. Southern Bell's ISDN rollout: narrowband and broadband 88—3660
Snelling, R.K., Kaplan, K.W. All fiber networks—a reality by 1988-9 88—4033
Snelling, R.S. Building the intelligent network 88—52754
Snelling, W.E., Penn, J.E. A fully pipelined, bit-sliced, VLSI correlator 85—45139
Snellman, M. Higher yields in new processes: GaAs-circuits are manufactured using silicone methods 86—15201
Snellman, M., Lunden, H., Svardstrom, E. A simple procedure for the extraction and calculation of circuit parasitic capacitances in GaAs digital ICs 87—10763
Snellman, M. *see* Lunden, H.B. 87—11932
Snels, W.C.E. *see* Van der Plas, P.A. 88—7744
Snelsire, R.W. *see* Cathey, S.G. 87—19832
Snelson, P. *see* Johne, A. 88—70074
Snepscheut, J.L.A.van de *see* van de Snepscheut, J.L.A.
Snepvangers, J.J.M., Stork, J. Gasification of coal for generating electricity 88—30540
Snetkov, E.I. *see* Starovoitov, A.T. 86—48219
Snetkova, O.A. *see* Biryukov, A.N. 87—63241
Sneyd, A.D. *see* Craig, I.J.D. 88—70273
Sneyers, B., Detemmerman, B., Lataire, P., Bodson, J.M., Maggetto, G. Improved voltage source GTO inverter with new snubber design 88—69557
Sneyers, B., Novotny, D.W., Lipo, T.A. Field weakening in buried permanent magnet AC motor drives 85—43919
Snezhkov, G.Yu. *see* Bobrov, B.D. 88—22816
Sng, H.M. *see* Crockett, R.G.M. 85—45784
Sng, S.H. *see* Saluja, K.K. 87—37279
Snha, B.K., Locke, S. Acceleration and vibration sensitivity of SAW devices 87—32809
Snicer, R.P. *see* Albert, W.G. 85—42361
Snickars, F.Hermanson *see* Hermanson Snickars, F.
Snickers, R. Taking care of transformers 85—21685
Snider, A.D. Linear regression with delta-modulated integrated signals 85—2824
Snider, A.D. A new strategy for heat sink design 87—16397
Snider, A.D. A visualization of the vector potential 87—54500
Snider, A.D. *see* Kuzmierczyk, A.G. 87—54502
Snider, A.D. *see* Levinson, D.P. 86—27643, 87—52896
Snider, D.M. *see* Sikri, T.R. 87—76131
Snider, D.R., Hench, M.L. The magnetic pressure exerted on a metal sheet due to a parallel current-carrying rod when both have a finite skin depth 88—20859
Snider, F., Binkley, M., Huth, J., Kephart, R., Newman-Holmes, C., Palanque, C., Patrick, J., Yarema, R., Yeh, G.P., Zimmerman, T., Schub, M., Abe, F., Kondo, K., Mimashi, T., Sekiguchi, M. The CDF vertex time projection chamber system 88—48022
Snider, J.B. *see* Heggli, M. 87—63955
Snider, J.B. *see* Jacobson, M.D. 87—4131, 88—68015
Snider, J.B. *see* Zhao Conglong 88—29333
Snider, L.B. Counterintelligence and security: systematic weaknesses in the US approach 88—23234
Snider, R. *see* Lieber, A.J. 85—52564
Snidow, N.L., Wilson, T.L. U-tube steam generator for the Modular Modeling system [nuclear plant steam generator] 85—59914
Sniedovich, M. A class of nonseparable dynamic programming problems 87—31423
Sniedovich, M. A new look at fractional programming 87—58814
Sniger, P. Terminal emulation software links micros to mainframes 85—30715
Snigirev, O.V. Limiting sensitivity of DC SQUIDS employing Josephson tunnel junctions 86—22051
Snigirev, O.V. *see* Avdeev, L.Z. 85—56205
Snigirev, O.V. *see* Kuz'min, L.S. 87—74604
Snigirev, O.V. *see* Likharev, K.K. 85—46090
Snigirev, O.V. *see* Maslennikov, Yu.V. 87—60860, 88—13755
Snijder, J. *see* Bisschop, J. 87—17829
Snijder, J. *see* Korma, E.J. 85—6941
Snijder, J. *see* Schropp, R.E.I. 86—9143, 86—67863, 87—24976, 87—25354
Snir, M. *see* Dickey, S. 86—47698
Snir, M. *see* Kruskal, C.P. 85—19872, 85—30510, 87—48278
Snitko, O.V. *see* Antoshchuk, V.V. 86—58822, 88—57491
Snitko, O.V. *see* Beridze, B.Sh. 86—14837
Snitko, O.V. *see* Burshta, I.I. 88—25358 to 25359
Snitko, O.V. *see* Kirillova, S.I. 85—11886, 85—29065, 85—34678
Snitko, O.V. *see* Lysenko, V.S. 86—21283
Snitko, O.V. *see* Shkrebty, A.I. 85—55599
Snitko, O.V. *see* Tyagai, V.A. 86—48374
Snitko, O.V. *see* Zimenko, V.I. 86—14926
Snitko, V.Yu., Mizarene, V.I., Ragul'skis, K.M. Linear-displacement transducers for surface acoustic waves 86—31385
Snitko, V.Yu. *see* Paskhin, V.M. 85—56074, 87—12030
Snitsvuk, L.A. *see* Gritskiv, Z.D. 86—21058
Snitz, S.H. Tests keep tabs on distribution transformer losses 85—32561
Snitzer, E. Rare earth fibers 88—65266
Snively, H.D. *see* Rhudy, R.G. 86—61526, 88—69325
Snively, L.O., Osborne, W.P. Analysis of the Geostar Position Determination System 86—59967
Snively, L.O. *see* Richards, R.T. 87—41067, 87—41146
Snodgrass, J.G., Smith, B., Feenan, K., Corwin, J. Fragmenting pictures on the Apple Macintosh computer for experimental and clinical applications 87—62145
Snodgrass, M.L., Klinman, R. A high reliability high sensitivity lightwave receiver for the SL undersea lightwave system 85—37041
Snodgrass, T.D. *see* Harris, M.E. 85—38303
Snodgrass, W.N.J. *see* Cunningham, R.A. 85—37904
Snoeys, R., Gobin, R. Computer-aided engineering education at the K.U. Leuven 88—55862
Snoeys, R. *see* Dekeyser, W. 86—26439
Snoeys, R. *see* Van der Auweraer, H. 87—41436, 87—49778
Snoeys, R. *see* Van der Auweraer, H.D. 88—22429
Snoeys, W. *see* Puers, B. 88—53619
Snoke, R. A 220-MHz portable pocket J-pole [antenna] 88—8581
Snook, J.B. Substrates for hybrid microelectronic applications 88—44501
Snook, M.L., Teska, M.A. Digital subsystem for a board test system 85—14607
Snook, P. *see* Helmich, R.C. 85—2506
Snook, P.G. *see* Chrzanowski, J.H. 88—64006
Snook, R. Chemical sensors 86—11547
Snopko, V.N., Tsaryuk, O.V. Polarization and energy characteristics of CO_2 laser radiation with misalignment of the resonator mirrors 86—36420
Snopko, V.N. *see* Geda, Ya.M. 85—43004
Snopko, V.N. *see* Zhdanovskii, V.A. 86—44447
Snopkov, I.G. *see* Aulchenko, V.M. 87—21412
Snorrason, O. *see* Garber, F.D. 88—60216
Snow, A., Dillencourt, K. A system perspective on local area networks 88—21686
Snow, A. *see* Colton, R.J. 88—13204
Snow, A. *see* Guiliani, J.F. 86—55649
Snow, A. *see* Marrian, C.R.K. 87—67074
Snow, A. *see* Wohltjen, H. 86—55647
Snow, A.C. Some practical observations on the processes involved in surface mounted technology 85—40320
Snow, A.W. *see* Barger, W.R. 86—55711
Snow, A.W. *see* Wohltjen, H. 85—58661, 87—49681
Snow, E., Silver, M. Transient single-carrier injection currents in a-Si:H 86—27906
Snow, E. *see* Silver, M. 85—40466, 86—53362
Snow, G.R. *see* Chapin, T.J. 85—9055
Snow, G.S. *see* Kass, W.J. 87—35071
Snow, J.B., Zheng, J.-B., Chang, R.K. Increased sensitivity of a vidicon optical multichannel analyzer with a detachable electrostatic image intensifier 86—27808
Snow, J.C. A user protocol for a fiber-optic high-speed serial data bus 87—76386
Snow, J.H. *see* Frasure, J.W. 85—15604, 86—44961, 86—45865
Snow, J.W., MacKay, I.B., Paton, B.E., Herman, A.W. Fibre optic remote sensing for in situ measurement of marine optical properties 87—42260
Snow, J.W., Paton, B.E., Herman, A. A fibre optic remote sensing head for in situ chlorophyll-a fluorescence measurement in phytoplankton 87—74778
Snow, K. Critical dimension control 85—15036
Snow, K.H., Komiak, J.J., Bates, D.A. Wideband variable gain amplifiers in GaAs MMIC 88—63973
Snow, L. So you're new to land mobile? 86—30649
Snow, M.S. Regulation to deregulation: the telecommunications sector and industrialization—evidence from the Pacific rim and basin 86—43790
Snow, M.S. Natural monopoly in INTELSAT: cost estimation and policy implications for the separate systems issue 87—76685
Snow, M.S. Telecommunications literature. A critical review of the economic, technological and public policy issues 88—59412
Snow, N. A switch for all systems [cable TV] 85—26052
Snow, N. Film channels push forward [Swiss pay-TV] 85—31148
Snow, N. Cable: raising the stakes [TV systems] 85—63845
Snow, N. Satellite solution in Scandinavia? 86—4557
Snow, N. System for sale [Rediffusion interactive cable net System 8] 86—4860
Snow, N. Descrambling encryption 87—56312
Snow, N. Breaking the broadcasting code 87—70172
Snow, N. *see* O'Connor, V. 88—9694
Snow, P. A plausible utility-like ordering for lotteries that violate the independence axiom 85—44588
Snow, P. Use a spectrum analyzer to find oscillator VSWR 86—5507
Snow, P. *see* Sang, E. 87—60772
Snow, P.B. Harmonic filtering at UHF and microwave frequencies 87—17215
Snow, R. Creating a connection [cellular radio] 85—47438
Snow, R.J. Fully integrated cellular management information systems 86—23770
Snow, R.V. *see* McNutt, W.J. 86—51709
Snow, S.W. *see* Bene, P. 88—56532
Snow, S.W. *see* Bonesini, M. 88—23001, 88—29823, 88—61141
Snow, T.D. *see* Worsley, W.H. 86—69834
Snow, W.L. *see* Burner, A.W. 87—71225
Snow, W.R., Mongeau, P. Collapsing front coilgun with brushless commutation 87—19161
Snowball, A.E. Global maritime mobile service via satellite—the INMARSAT system now and in the future 86—59826
Snowden, C. The acoustics at Limehouse Studios 85—3560
Snowden, C.M. Computer aided design and characterisation of MMIC oscillators using physical device models 85—11094
Snowden, C.M. Semiconductor device modelling 85—29181
Snowden, C.M. Two-dimensional modelling of non-stationary effects in short gate length GaAs MESFETs 87—6765
Snowden, C.M. Computer-aided design of MMICs based on physical device models 87—10585
Snowden, C.M. Modelling of III-V semiconductor devices 87—32458
Snowden, C.M., Loret, D. Two-dimensional hot-electron models for short-gate-length GaAs MESFETs 87—38284
Snowden, C.M., Pollard, R.D., O'Conner, P.D.T. Reliability analysis for VLSI electronic systems 86—41894
Snowden, C.M. *see* Baek, J. 88—71613
Snowden, C.M. *see* Barry, D.M. 86—14534, 88—45316
Snowden, C.M. *see* Barton, T.M. 87—6764, 87—53512
Snowden, C.M. *see* Bunting, J.M. 87—32104
Snowden, C.M. *see* Haigh, P.J. 88—19909
Snowden, C.M. *see* Healy, M. 88—32461
Snowden, C.M. *see* Hughes, W.A. 87—67262
Snowden, C.M. *see* Krier, P. 88—27644
Snowden, C.M. *see* Licqurish, C. 88—44377
Snowden, C.M. *see* Loret, D. 87—6754
Snowden, C.M. *see* McKenzie, W. 87—10583
Snowden, C.M. *see* Mawby, P.A. 87—6681
Snowden, C.M. *see* Shepherd, P.R. 86—41353
Snowden, C.M. *see* Xuan, Y. 87—73759, 88—25468
Snowden, D.P., Morris, G.C., Jr., van Lint, V.A.J. Measurement of the dielectric constant of soil 86—38520
Snowden, D.P., van Lint, V.A.J. Vaporization and breakdown of thin columns of water 87—32750
Snowden, H.R. *see* Bollinger, K.E. 86—51435
Snowden, M.A., Falater, S.L. A monolithic data access and line interface chip for modems and PBX trunks 87—20296
Snowden, P.J.A. *see* Homer, I.R. 88—48514
Snowdon, J.F. *see* Tooley, F.A.P. 88—72187
Snowdon, J.M. The Japanese approach to productivity and quality—a European's view 87—72751
Snowdon, J.M., Guan, D.Y., Gukelberger, T.F. Flow dependencies in temperature/humidity stress tests 86—52242
Snowdon, J.M. *see* Guan, D.Y. 86—63425
Snowdon, K.G. *see* Jones, C.J. 87—25153
Snowdon, K.J., Havener, C.C., Meyer, F.W., Overbury, S., Zehner, D.M., Heiland, W. Technique for determination of the metastable fraction of multicharged ion beams 88—61038
Snowdon, S. *see* Bartelson, L. 88—54301
Snowdon, S. *see* Huson, F.R. 85—26567
Snowdon, S. *see* McInturff, A. 85—26566
Snuggerud, D.K. High rate lithium batteries: safety testing for UL component recognition 86—33587
Snukaev, A.V., Gritsenko, A.D. Wide-range precision current regulator 86—34524
Snukaev, A.V., Gritsenko, A.D., Khodan, A.E. Micro-ohmmeter F4104 86—65224
Snyder, A.J. *see* Fikse, T.H. 85—38230
Snyder, A.J. *see* Kloss, D.A. 87—50419
Snyder, A.J. *see* Rosenberg, G. 88—36520
Snyder, A.J. *see* Weiss, W.J. 88—36519

Snyder, A.W. Polarising beamsplitter from fused-taper couplers 85−56298
Snyder, A.W., Ankiewicz, A. Polarising anisotropic fibres and their leaky modes 86−15459
Snyder, A.W., Ankiewicz, A. Anisotropic fibers with nonaligned optical (stress) axes 86−58769
Snyder, A.W., Ankiewicz, A. Fibre couplers composed of unequal cores 87−12115
Snyder, A.W., Ankiewicz, A. Optical fiber couplers—optimum solution for unequal cores 88−39887
Snyder, A.W., Ankiewicz, A., Altintas, A. Fundamental error of recent coupled mode formulations 87−74684
Snyder, A.W., Ruhl, F.F. Radiation losses from couplers 85−41139
Snyder, A.W., Stevenson, A. Polarisation splitters and birefringent couplers 85−18686
Snyder, A.W., Stevenson, A. Anisotropic fiber couplers with nonaligned optical axes 88−39886
Snyder, A.W., Xue-Heng Zheng Fused couplers of arbitrary cross-section 86−9477
Snyder, A.W. *see* Ankiewicz, A. 87−12123, 88−58108
Snyder, A.W. *see* Chu, P.L. 88−1967
Snyder, A.W. *see* Love, J.D. 88−1968
Snyder, A.W. *see* Streifer, W. 88−51498
Snyder, A.W. *see* Zheng, X.-H. 88−72035
Snyder, A.W. *see* Zheng, X.H. 88−1972
Snyder, B.E. *see* Fuhrer, P.T. 86−10902
Snyder, C.E., Webster, S.L. Videodiscs and training 87−65098
Snyder, C.G. *see* Pal, G.S. 85−22242
Snyder, C.H. *see* Showalter, R.E. 86−66973
Snyder, C.R. *see* Tippets, F.E. 87−71903
Snyder, C.W. *see* Schieber, F. 87−73800
Snyder, D. Introduction to communication between computers 85−13916
Snyder, D. Introduction to communications between computers. I 85−19834
Snyder, D., Regan, R.R. Controlled impedance backpanels present new challenges for the designer and manufacturer 85−10472
Snyder, D. *see* Cutler, R. 87−38574
Snyder, D. *see* Geschwind, G. 86−181
Snyder, D.A. Surface mounted component evolution 85−60778
Snyder, D.A. *see* Suh, S.Y. 85−12529, 85−35368, 88−3541
Snyder, D.B. Characteristic of arc currents on a negatively biased solar cell array in a plasma 85−27642
Snyder, D.D., Fleming, D.B. Well logging—a 25-year perspective 86−32505
Snyder, D.E. *see* Chen, J.Y. 86−41953
Snyder, D.E. *see* Jain, R.K. 85−6248
Snyder, D.E. *see* Smith, W.R. 85−40929
Snyder, D.F. Improving the resolution of IM and other distortion measurements 87−3739
Snyder, D.L. Algorithms and architectures for statistical image processing in emission tomography 85−30298
Snyder, D.L. A correspondence between delay-Doppler radar-imaging and radionuclide imaging 86−64370
Snyder, D.L., Miller, M.I. The use of Grenander's sieves in quantum-limited imaging 87−48248
Snyder, D.L., O'Sullivan, J.A., Miller, M.I. An estimation-theoretic approach for imaging diffuse radar-targets 88−41720
Snyder, D.L., Whitehouse, H.J., Wohlschlaeger, J.T., Lewis, R.C. A new approach to radar/sonar imaging 87−55124
Snyder, D.L. *see* Georghiades, C. 85−37073
Snyder, D.L. *see* Georghiades, C.N. 87−13707
Snyder, D.L. *see* Miller, M.I. 85−43358, 87−44121, 87−55169, 87−55281
Snyder, D.L. *see* Miller, M.L. 87−75828
Snyder, D.L. *see* Narayan, P. 87−75666
Snyder, D.L. *see* Piestrup, M.A. 88−68226
Snyder, D.N. Micro power comes to 1/4 DIN temperature controllers 86−4961
Snyder, D.R. An overview of GaAs technology 86−46703
Snyder, D.R. Variations in programmable logic 87−5855
Snyder, D.R. Control MIL-STD-1553 with remote terminal chips 87−71243
Snyder, D.R. *see* Lee, W. 88−74489
Snyder, D.R. *see* Sanders, T.J. 85−17249
Snyder, F.W. Managing independent research and development in our high-tech environment 88−70076
Snyder, H.E., Senser, D.W., Lefebvre, A.H., Coutinho, R.S. Drop size measurements in electrostatic paint sprays 88−27447
Snyder, H.J., Jr. STAR-C space thermionic advanced reactor-compact 87−42122
Snyder, H.L. The ANSI human factors standard for visual display terminal workstations: a process and progress report 88−16300
Snyder, H.L. *see* Baggen, E.A. 87−8679
Snyder, H.L. *see* Beaton, R.J. 85−20515
Snyder, H.L. *see* Donohoo, D.T. 86−31525
Snyder, H.L. *see* Hunter, M.W. 88−16303
Snyder, H.L. *see* Rancourt, J. 87−8692
Snyder, J.E., France, H.M. The local network solution 87−48683
Snyder, J.E., Kryder, M.H. Influence of deposition conditions on magnetic properties of CoCr thin films 85−44785
Snyder, J.H. *see* Cox, R.V. 87−20103, 87−61571
Snyder, J.J. *see* Helmcke, J. 87−12654
Snyder, J.J. *see* Morris, M.B. 85−12927
Snyder, J.L. High-performance thermal imaging for commercial applications 87−14185
Snyder, J.M. *see* Parker, N.W. 87−14703
Snyder, J.S. Programmable convolutional encoder and threshold decoder 88−3691
Snyder, J.S., Hersey, W.J. Pseudo-bit-error-rate measurement for 120-Mbit/s TDMA 85−57203
Snyder, J.S. *see* Inukai, T. 86−34665
Snyder, L. A model for university, industry and government cooperation 85−80
Snyder, L. The role of the CHiP computer in signal processing 85−46813
Snyder, L. Programming environments for systolic arrays 87−17007
Snyder, L., Tyagi, A. The energy complexity of transitive functions 87−38492
Snyder, L. *see* Baer, J.-L. 88−63657
Snyder, L. *see* Bailey, M.L. 88−71788
Snyder, L. *see* Hedlund, K.S. 85−33978
Snyder, L. *see* Ho, S. 86−46909
Snyder, M. *see* Ophir, S. 88−30983
Snyder, M.A. Uncertainty analysis of image measurements 88−8874
Snyder, M.A. *see* Simpson, M.J. 88−46182
Snyder, M.M. *see* Weis, E.A. 87−29123, 87−49769, 87−61045, 88−45299
Snyder, P.G., Rost, M.C., Bu-Abbud, G.H.., Oh, J., Woollam, J.A., Poker, D., Aspnes, D.E., Ingram, D., Pronko, P. Study of Mo-, Au-, and Ni-implanted molybdenum laser mirrors by multiple angle of incidence spectroscopic ellipsometry 86−68591
Snyder, P.G. *see* Alterovitz, S.A. 88−32977
Snyder, P.G. *see* Oh, J.E. 86−63130, 87−1338
Snyder, R., Hesselink, L. High speed optical tomography for flow visualization 86−24832
Snyder, R. *see* Swyer, J. 88−35409
Snyder, R.A. Artificial intelligence in the future factory—test program generators 85−58539
Snyder, R.C., Niewierski, W.J. Standard industrial microprocessors in static CMOS technology 85−11297
Snyder, R.D. The Snyder antenna 85−19242
Snyder, R.E. The design and construction of a multiple proportional counter used to study axonal transport 85−4294
Snyder, R.V. Lossy, hybrid coupled amplitude equalizers for narrow band filters 85−17795
Snyder, R.V., Qian, J.R., Zhuang, W.-C. Comments on 'New narrow-band dual-mode bandstop waveguide filters' [and reply] 85−40224
Snyder, S.I. An integrated navigation system for advanced attack helicopters 87−50503
Snyder, T.J. An entrepreneur's perspective of capital sources 87−10086
Snyder, T.M. *see* Hutcheson, W.D. 86−55114, 87−34266
Snyder, T.R., Vann Bush, P., Pontius, D.H. Laboratory analysis of back-corona discharge 87−33394
Snyder, T.R. *see* Vann Bush, P. 87−33393
Snyder, W., Tibbitts, S., Keshlear, W. A 100 MegaFlop double precision IEEE multiplier block for advanced bipolar VLSI 88−70696
Snyder, W.E., Bilbro, G. Segmentation of three dimensional images 86−4013
Snyder, W.E. *see* Bilbro, G.L. 87−62314
Snyder, W.E. *see* Hemler, P.F. 87−62304
Snyder, W.E. *see* Padgett, M.L. 87−20590
Snyder, W.F., Bragaw, C.L. Achievement in radio. Seventy years of radio science, technology, standards, and measurement at the National Bureau of Standards 87−36315
Snyder, W.G. Coal gasification combined cycle plant phased capacity addition 86−18729
Snyder, W.L. *see* Steranka, F.M. 88−72230
Snyder, W.L., Jr. Reactive power simulation and control for electric utilities 85−53280
Snyder, W.L., Jr., Powell, H.D., Jr., Rayburn, J.C. Dynamic programming approach to unit commitment 87−57540
Snyder, W.S. *see* Jinks, B.W. 86−20561, 86−34869
Snyders, J. *see* Be'ery, Y. 86−59209
Snydsman, W.E., Aminzadeh, F., Weil, C.B. Pattern recognition in geophysical exploration 88−30156
Snyers, D., Thayse, A. Artificial intelligence methods for speech understanding 86−69008
Snyers, D., Thayse, A. Prolog as a formalism for systolic architectures 87−66081
Snyers, D., Thayse, A. Logic programming for speech understanding 88−40873
Snyers, D. *see* Wellekens, C.J. 86−43200
Snyman, H.C., Gouws, G.J., Muller, R.J. A TEM investigation of the nucleation, growth and structure of HWE grown lead-tin telluride films 85−39763
Snyman, H.C., Neethling, J.H., Ball, C.A.B. TEM studies of the structure and damage distribution in boron implanted gallium arsenide 87−24795
Snyman, I.M. A variational method applied to a linear hyperbolic initial boundary value problem 87−44174
Snyman, J.A. A parameter-free multiplier method for constrained minimization problems 88−70239
Snyman, J.A., vam Rooyen, M. An experimental investigation of a new multiplex method for linear programming 87−72971
Snytnikov, V.N. *see* Orishich, A.M. 87−18901
Snytserev, V.V. *see* Kozlov, G.I. 86−22310, 88−14096
So, D., Lai, B., Cerrina, F. A model for optimal beamline design for synchrotron radiation X-ray lithography 88−13211
So, D., Lai, B., Wells, G.M., Cerrina, F. The effect of beam emittances on X-ray lithography exposure line resolution 88−7410
So, D. *see* Wells, G.M. 88−44719
So, E. A current-comparator-based 20-bit digital-to-analog converter 85−58644
So, E. A current-comparator-based 20-bit digital-to-analog converter 86−20776
So, E. The application of the current comparator in instrumentation for high voltage power measurements at very low power factors 86−39256
So, E. A microprocessor-controlled current-comparator-based DC voltage calibrator 87−14424
So, E. A current-comparator-based 25-bit multiplying digital-to-analog converter 87−66278
So, E. A microprocessor-controlled current-comparator-based DC voltage calibrator 88−16376
So, E. A current-comparator-based wattmeter for high voltage power measurements at very low power factors 88−22682
So, F.C.T., Kolawa, E., Kattelus, H.P., Zhao, H.-A., Nicolet, M.-A., Lien, C.-D. Thermal stability and nitrogen redistribution in the ⟨Si⟩/Ti/W-N/Al metallization scheme 87−25158
So, F.C.T., Kolawa, E., Tandon, J., Nicolet, M.-A. Solid-phase ohmic contact to p-GaAs with W and W-N diffusion barriers 88−7365
So, F.C.T., Kolawa, E., Xin-an Zhao, Nicolet, M.-A. WN_x: properties and applications 88−18741
So, F.C.T., Kolawa, E., Zhao, X.-A., Pan, E.T.-S., Nicolet, M.-A. Reactively sputtered RuO_2 and Mo-O diffusion barriers 88−24790
So, F.C.T., Lien, C.-D., Kolawa, E., Zhao, X.-A., Nicolet, M.-A. Thermal stability and nitrogen redistribution in the Ti/W-N bilayer 87−60377
So, F.C.T., Lien, C.-D., Nicolet, M.-A. Formation and electrical properties of $HfSi_2$ grown thermally from evaporated Hf and Si films 86−21447
So, F.C.T. *see* Kolawa, E. 87−59007, 87−60352, 88−7517, 88−25978
So, F.C.T. *see* Lien, C.-D. 85−6889
So, F.C.T. *see* Tandon, J.L. 87−6622
So, F.C.T. *see* Zhu, M.F. 85−23720
So, F.F., Forrest, S.R. Dependence of the electrical characteristics of organic-on-inorganic semiconductor contact barrier diodes on organic thin-film composition 88−32846
So, H. *see* Gaw, H. 86−8251
So, H.C. *see* Wong, S.C. 87−5789, 87−17031
So, K., Rechtschaffen, R.N. Cache operations by MRU-change 87−44840
So, K. *see* Chang, J.H. 87−60693
So, K.K., Sinclair, A.N. Size measurement of tightly closed surface cracks by surface acoustic waves 87−65602
So, M. *see* Shouda, M. 88−19193
So, P., Hoefer, W.J.R., Saguet, P. CAD of E-plane circuits with field-theory based lookup tables and discontinuity models 88−70961
So, P.P. Experience with operational fiber optic systems in the Hong Kong telephone network 87−28584
So, S.M., Hwang, W., Meyers, P.V., Liu, C.H. Photoelectric study of the Ni- and $Ni-TeO_2$-electrodeposited *n*-type CdTe interfaces 86−36300
So, V., Lamont, J., Vella, P.J. Fault-locating accuracy with an OTDR: reflective versus nonreflective faults 87−7104
So, V. *see* Hughes, R. 86−48157
So, V.C.Y., Hughes, R.P., Lamont, J.B., Vella, P.J. Splice loss measurement using local launch and detect 88−26770
So Siu-Cheong *see* Siu-Cheong So
So-Woong Jung *see* Min-Ho Park 85−21603
Soame, T.A., Gould, D.M. Description of an experimental bistatic radar system 88−15612
Soames, R. Assessing ATE on a cost-avoidance basis 85−14599
Soames, R. Developing public videotex services 86−10721
Soane, D. *see* van den Bogert, W. 88−24583
Soardo, G.P. *see* Bertotti, G. 86−15351, 88−51230
Soares, A. *see* Raffel, J. 88−56701
Soares, A.J.M., Fonesca, S.B.d.A., Giarola, A.J. Maximum surface wave radiation in wraparound antennas with dielectric truncation 88−2771
Soares, A.J.M., Fonseca, S.B.A., Giarola, A.J. The effect of a dielectric cover on the current distribution and input impedance of printed dipoles 85−19248

Soares, A.J.M., Giarola, A.J. Radiated field from a tubular dielectric antenna 88−2775

Soares, A.J.M., Giarola, A.J., de Assis Fonseca, S.B. Current distribution and input impedance of printed dipoles with dielectric cover 85−13355

Soares, A.J.M., Giarola, A.J., de Assis Fonseca, S.B. Efficiency of space wave excitation of a wraparound antenna 87−27020

Soares, A.M. *see* Raffel, J.I. 85−28617, 85−35175

Soares, A.M. *see* Rhodes, F.M. 88−33298

Soares, A.S. General plan for the Castelo de Paiva hydroelectric scheme 87−78537

Soares, A.S. Alvarenga hydroelectric power plant and water supply to the zone of Oporto 88−17404

Soares, C.G. Predicting beta particle response of instruments from their response to monoenergetic electrons 86−56211

Soares, C.G., Bright, E.L., Ehrlich, M. Fricke dosimetry in high-energy electron beams 88−68507

Soares, C.G., Dick, C.E., Pruitt, J.S., Sparrow, J.H. Development of monoenergetic electron beam sources for radiation-instrument calibration 85−59159

Soares, C.G. *see* Duvall, K.C. 85−59160

Soares, E.A. *see* Guedes Valente, L.C. 88−42137

Soares, J.V. *see* Bernard, R. 87−15077

Soares, M.J. Cubic and quintic spline extrapolated collocation methods for two-point boundary value problems 87−44213

Soares, M.J. *see* Papamichael, N. 88−18626

Soares, O.D.D. Electronic speckle pattern interferometry (ESPI) for dynamic studies 88−51963

Soares, O.D.D., Fernandez, J.F. Moire evaluation holography 88−40406

Soares, O.D.D., Gomes, A.O.S. Laser dimensional metrology 88−4644

Soares, O.D.D., Lage, A.L.V.S. Real-time moire holography 87−12631

Soares, O.D.D., Lage, A.L.V.S., Bernardo, L.M. Progress on dynamical studies by moire evaluation on holography and improvements on electronic speckle pattern interferometry 86−3319

Soares, O.D.D., Lage, A.L.V.S., Bernardo, L.M. Moire evaluation with fringe patterns of interferograms, holograms, moiregrams and specklegrams 88−2417

Soares, O.D.D., Lage, A.L.V.S., Gomes, A.O.S. Dynamic digital memory for holography, moire and ESPI techniques 88−2413

Soares, O.D.D., Liegeois, C., Righini, G.C. Holographic interconnections 88−58388

Soares, O.D.D., Silva, M.J.D.Z. Ion-exchanged slab waveguide characterization 87−26000

Soares, O.D.D. *see* Bernardo, L.M. 86−69146

Soares, O.D.D. *(editor)* Optical Metrology. Coherent and Incoherent Optics for Metrology, Sensing and Control in Science, Industry and Biomedicine. Proceedings of the NATO Advanced Study Institute 88−64

Soares, R., Castelletto, J.P., Legaud, P., Armand, M. Performance of an InP MISFET X-band oscillator and K-band oscillator-doubler 85−11569

Soares, R. *see* Camargo, E. 86−62835

Soares, R.A. *see* Camargo, E. 86−20839

Soares, S. *see* Araujo, E.O. 85−25631

Soares, S. *see* Carvalho, M.F. 87−77931

Soares, S.M. *see* Leite da Silva, A.M. 85−43507

Soatov, Kh.S. Nonlinear distortions in the separate amplification of the components of a single-sideband signal 87−44617

Soave, R.J. *see* Proano, R.E. 88−39493

Sobajic, D.J., Pao, Y.-H. An artificial intelligence system for power system contingency screening 88−10767

Sobajima, M. Experimental modeling of steam-water countercurrent flow limit for perforated plates 86−18993

Sobajima, M. *see* Iwamura, T. 86−51275

Sobajima, S. *see* Kadokura, S. 88−57941, 88−64935

Sobajima, S. *see* Yamamura, M. 87−18493

Sobakin, E.L. Synthesis of combinational devices from full decoders 88−25086

Sobalev, V.S. *see* Koronkevich, V.P. 85−58941

Sobami, M. Credit and Finance Information Network development 86−10643

Sobanski, R. Analysis of cardiographic impedance curves 86−44668

Sobczak, B.J. *see* Mianowski, R.G. 86−24831

Sobczak, W. The notion of selection of information on random signals 85−57335

Sobczyk, T. A reinterpretation of the Floquet solution of the ordinary differential equation system with periodic coefficients as a problem of an infinite matrix 86−46281

Sobczyk, T., Sapinski, B. Harmonic analysis of currents in R, L systems with semiconductor switching devices 85−6911

Sobczyk, T.J. A classification of squirrel-cage induction motors in the view of side effects of energy conversion 87−42979

Sobczyk, T.J. How to compute the time-constants of induction motors accounting for higher space harmonics 87−43044

Sobczyk, T.J. An analysis of multiphase resistance networks with periodically variable parameters 87−52325

Sobczyk, T.J. Equations of squirrel-cage induction motors with symmetrical design in steady-state operation 88−30714

Sobczyk, T.J., Mikulik, J. A mathematical model of an arch motor with a squirrel cage as a secondary 88−30715

Sobczyk, T.J., Weinreb, K. Steady-state equations of multiphase squirrel-cage induction motors 87−22355

Sobczyk, T.J., Weinreb, K. Analysis of currents and electromagnetic torque in steady states of induction squirrel-cage motors with asymmetric stator windings 88−55332

Sobczyk, T.J. *see* Drozdowski, P. 87−78652

Sobczyk, W. Electrical connectors and contacts. II 86−1465

Sobczyk, W. Electroluminescent light sources 88−14040

Sobczynska, D., Torbicz, W. ZrO_2 gate pH-sensitive field effect transistor 85−37557

Sobczynska, D. *see* Olszyna, A. 87−53537

Sobczynska, D. *see* Torbicz, W. 85−26314

Sobczynski, C. 0.5 ns resolution, 8-bit time-to-digital converter with flash ADC 87−37412

Sobczynski, S. *see* Eartly, D. 86−32135

Sobczynski, S.F. New advanced sensor development for technical parameter measurements 86−11572

Sobe, G., Schreiber, H., Weise, G., Voigtmann, R., Zies, G., Sonntag, J., Bruckner, W., Grotzschel, R. Deposition of Cr-Si thin films by reactive plasmatron-magnetron sputtering 86−13808

Sobe, G. *see* Weise, G. 85−34373

Sobecki, J., Tomsia, M. Present state and development trends of the design and technology of magnetic heads for use with flexible disks 85−35303

Sobel, A. *see* DeJule, M. 85−8904 to 8905, 87−8547

Sobel, H.R. *see* Singh, J. 88−72160

Sobel, H.W. *see* Claus, R. 88−16639

Sobel, H.W. *see* Wuest, C.R. 86−1649

Sobel, P.A. *see* Bernero, R.M. 88−48642

Sobelman, G. *see* Seymour, E.M. 87−58586

Sobelman, G. *see* Smith, R. 88−70682

Sobelman, G.E. *see* Jhon, C.S. 85−54764

Sobelman, G.E. *see* Krekelberg, D.E. 86−21890, 87−5611

Sobel'man, I.I. *see* Alekseev, V.A. 85−51075

Sobenin, N.P. *see* Zavadtsev, A.A. 85−20692

Sober, D.J., Knight, G.J. Quality by the numbers 88−37999

Sober, M., Lundblad, A. Small, circular cells solve capacity problems 85−58019

Sober, T. *see* Chari, M.V.K. 85−38968

Sober, T.J. *see* Konrad, A. 88−7216

Sobera, H. *see* Daciuk, B. 88−69160

Soberano, F.T. *see* Meininger, R.D. 86−51325

Sobering, T.J., Lucas, M.S.P. Power switched sample-and-hold provides accurate analog inputs for ADC in low power system 86−62446

Sobeslavsky, E. *see* Jager, H.U. 86−9037

Sobetzko, W. *see* Gerhard, H.-J. 86−68401

Sobezyk, T. Equivalent circuits of split ring asynchronous motors with regard to air gap field harmonics 85−9892

Sobhanadri, J. *see* Murali, K.R. 86−7796, 86−34367, 86−46376

Sobhanadri, J. *see* Natarajan, T.S. 86−31593

Sobhanadri, J. *see* Prasad, J.J.B. 86−15125, 86−41577

Sobhanadri, J. *see* Rao, D.K. 86−47520

Sobhy, M.I., Bassirato, F. Non-linear modelling and design of microwave mixers 88−71132

Sobhy, M.I., Jastrzebski, A.K. Computer-aided design of microwave integrated circuits 85−11581

Sobhy, M.I., Jastrzebski, A.K. CAD of nonlinear microwave networks 86−14538

Sobhy, M.I., Jastrzebski, A.K., Pengelly, R.S., Jenkins, J., Swift, J. Computer modelling of monolithic MICs 85−34198

Sobhy, M.I. *see* Jastrzebski, A.K. 85−17125

Sobhy, M.I. *see* Keen, A.G. 88−26891

Sobhy, M.I. *see* Makky, M. 87−935

Sobhy, M.I. *see* Tayrani, R. 85−40235

Sobie, M.A. *see* Barakat, N. 87−18592

Sobie, R. *see* Albrow, M.G. 87−41857

Sobie, W.R. Cryopump standardization in metallization 85−23110

Sobierajski, M. Probabilistic analysis of load flow equations 87−9055

Sobierajski, M. The multiple solution analysis of probabilistic load flow 88−5257

Sobierajski, M. Existence and stability conditions of nonlinear probabilistic load flow solutions 88−23305

Sobierajski, M. *see* Lipko, K. 88−17070

Sobieski, D.W., Bhavaraju, M.P. An economic assessment of battery storage in electric utility systems 86−32677

Sobieski, D.W. *see* Lebow, W.M. 85−59642

Sobieski, J.F., Tingerthal, W.C. Photodielectric technology applied to engineering documentation/plain paper output 85−29998

Sobieski, P., Laloux, A., Brussaard, G. Results of the European Space Agency OTS propagation campaign 85−7653

Sobieszczanski, S. Development trends in the national distribution networks 86−18799

Sobieszczuk, A. Fundamental thermal field at electric arc cathode taking into account thermal fields of elementary spots 86−27773

Sobieszczuk, A. Some problems of microscopic analysis of arc traces on the cathode 86−35935

Sobieszek, T. Environmentally-compatible evacuation of gases and vapours 87−65003

Sobirov, K. *see* Mirsagatov, Sh.A. 88−55621

Sobis, Z. *see* Longchamps, J. 85−21082

Sobishchansky, B.M. *see* Bandur, A.I. 86−63111

Sobki, M.S.El *see* El Sobki, M.S.

Sobko, E.I. *see* Grinberg, V.S. 88−58808

Sobkowiak, J. *see* Cyranowska, M. 85−16201

Sobkowski, I.S. *see* Segal, G. 85−8157

Soblickas, Z., Palenskis, V. Noise spectroscopy of impurity levels and 1/f noise in high-resistance silicon 86−53322

Sobocan, B. Automatic digital ICs cell designer (ACD) 86−47795

Sobocan, B. *see* Trontelj, L. 88−39690

Sobocinski, J. *see* Grudziecki, S. 86−33544

Sobocki, R. Function representation of lightning impulse wave 88−17189

Sobodowski, J.J. More is better—the latest in memory devices 86−1079

Sobokev, N.N. *see* Kroo, N. 85−19013

Sobol, D. Angle of arrival estimation with a linear antenna array for correlated signals 88−58967

Sobol, H. Microwave communications—an historical perspective 85−238

Sobol, H. Overview of the application of microwave techniques for lightwave systems 87−6147

Sobol, H. The application of microwave techniques in lightwave systems 87−49058

Sobol, K. The status of microwave terrestrial communications in the USA 88−15341

Sobol, M. Security in a LAN environment requires controls that deny unauthorized access to information 88−35066

Sobol, M.I. Audit concerns with local area networks 87−62617

Sobol, M.I. Audit concerns in a local area network environment 88−46620

Sobol', N.M., Novichkov, V.I., Izmailov, V.N., Efimov, N.G., Kurban, V.D. Experience in automation of heating systems for office buildings of the Ministry of Instrument Making 86−38215

Sobolenko, N.A. *see* Krasnov, G.A. 86−33187

Sobolera, L.P. *see* Kolli, Ya.N. 86−62858

Sobolev, A.A. *see* Kolesov, G.V. 87−53134

Sobolev, A.G. *see* Belenov, E.M. 85−61893, 86−8904, 86−47431

Sobolev, A.G. *see* Kompanets, I.N. 86−41621

Sobolev, A.G. *see* Varga, P. 86−35469

Sobolev, A.I. *see* Arzamastseva, G.V. 86−2589

Sobolev, A.T. *see* Kucha, V.V. 87−12280

Sobolev, B.N. *see* Kaminskii, A.A. 85−12831

Sobolev, B.P. *see* Antipenko, B.M. 86−9803, 87−18938, 88−8161

Sobolev, B.V. *see* Bondarenko, V.S. 85−1420, 85−56073

Sobolev, E.A. *see* Pravotorov, I.V. 86−65753

Sobolev, G.A. *see* Kamshilin, A.M. 85−59417

Sobolev, G.A. *see* Migunov, N.I. 86−36706

Sobolev, I.V., Luk'yanchenko, E.S., Grigos, V.I. Optical properties of polymer films for liquid-crystal displays 87−18792

Sobolev, L.B. Calculating the resistances of ring circuits from results of input resistance measurements 88−16409

Sobolev, L.G. Parameter estimation for a class of measurement-series distributions 88−67619

Sobolev, L.M., Bryukvin, V.V., Parfianovich, I.A., Penzina, E.E. Passive *Q* modulation of optical resonators using KCl crystals containing OH^- ions 85−56753

Sobolev, L.M., Penzina, E.E., Parfianovich, I.A., Bryukvin, V.V., Varnavskii, O.P. Passive Q-switching of a laser resonator using alkali halide crystals with *Z* centers 85−2366

Sobolev, L.M., Varnavskii, O.P., Penzina, E.E., Leontovich, A.M., Parfianovich, I.A., Bryukvin, V.V. Self-locking of neodymium laser modes by alkali halide crystals with *Z* color centers 85−2271

Sobolev, L.M. *see* Ermakov, B.A. 88−58616

Sobolev, M.M. *see* Dmitriev, A.P. 86−27977

Sobolev, M.M. *see* Konnikov, S.G. 85−28999, 88−25920

Sobolev, N.A., Chelnokov, V.E. Effect of heat treatment in chlorine-containing atmosphere on defect formation in silicon 88−32768

Sobolev, N.A. *see* Boronin, K.D. 86−21532

Sobolev, N.A. *see* Volle, V.M. 86−21356

Sobolev, N.A. *see* Voronov, I.N. 85−40431

Sobolev, N.N. *see* Bel'tyugov, V.N. 85−41433, 87−12526, 87−26462

Sobolev, N.N. *see* Csillag, L. 85−56830

Sobolev, N.N. *see* Dubovskii, P.E. 85−62495, 86−22306

Sobolev, N.N. *see* Golubchenko, V.P. 88−2182

Sobolev, N.N. *see* Ponomarev, D.I. 88−14121

Sobolev, N.V., Kustanovich, L.G., Kushch, E.V., Guseinova, N.S. Enhancing the impregnation process of electrical insulation by the application of electric fields 88−71846
Sobolev, S.M., Borisenko, S.I. Cutting-force transducer 85−64112
Sobolev, S.S. *see* Apanasevich, P.A. 85−18907
Sobolev, S.S. *see* Gandel'man, G.M. 85−19038
Sobolev, V.A. *see* Aliev, E.T. 85−18859
Sobolev, V.A. *see* Basov, N.G. 85−41333, 86−3056
Sobolev, V.A. *see* Kovsh, I.B. 87−39015
Sobolev, V.B. *see* Abdullin, U.A. 85−12975
Sobolev, V.B. *see* Basov, N.G. 87−19035
Sobolev, V.I. *see* Afanas'ev, V.A. 86−44222
Sobolev, V.N., Chekhet, E.M. Analytic determination of instantaneous values of asynchronous-motor currents with direct frequency converter supply 87−58072
Sobolev, V.N., Chekhet, E.M., Cherzhovski, Z., Lettl, I. Quasisteady-state processes in the system: direct frequency converter−asynchronous motor under pulse-duration control 85−32492
Sobolev, V.N. *see* Cerovsky, Z. 86−6729
Sobolev, V.N. *see* Mikhal'skii, V.M. 85−10011
Sobolev, V.V. *see* Vishnevskii, Yu.G. 86−16084
Sobolev, Yu.F. *see* Belyaev, V.P. 85−51105
Sobolev, Yu.V., Polyakov, P.F., Ivanov, V.G. Efficiency of analysis and synthesis in discrete Haar basis 85−13558
Sobolev, Yu.V., Polyakov, P.F., Ivanov, V.G. Complexity and efficiency of calculations of Haar coefficients and series 85−46761
Sobolev, Yu.V., Polyakov, P.F., Ivanov, V.G. A method of estimating the convergence of the Haar coefficients in problems of data compression 87−47701
Sobolev, Yu.V. *see* Bobrov, E.G. 85−44099
Sobolev, Yu.V. *see* Tenenbaum, Yu.Z. 85−48091
Soboleva, E.M. *see* Belenov, E.M. 85−61893, 86−8904, 86−47431
Soboleva, E.M. *see* Kompanets, I.N. 86−41621
Soboleva, E.M. *see* Varga, P. 86−35469
Soboleva, N.F. Calibration of medical thermal viewers 85−26763
Soboleva, N.S., Temirova, A.V. The dynamic range of the RATAN-600 86−37962
Soboleva, N.S. *see* Dikerman, D.N. 87−35728
Sobolevskaja, R.L. *see* Dobrynina, E.S. 86−66821
Sobolevskii, A.S. *see* Budenkov, G.A. 86−20134
Sobolevskii, S.M. *see* Lavrov, G.N. 87−21869
Sobolewski, A., Nowicki, R. The optoacoustic effect in methanol optically pumped by CO_2 laser 86−42490
Sobolewski, A. *see* van Goor, F.A. 88−33957
Sobolewski, J. *see* Fink, B. 87−48297
Sobolewski, J. *see* Kordysz, A. 86−18244
Sobolewski, M.A., Helms, C.R. Analysis of thin thermal silicon nitride films on silicon 88−13044
Sobolewski, M.A., Helms, C.R. X-ray photoelectron spectroscopy and Auger spectroscopy studies of thin silicon nitride films thermally grown on silicon 88−71417
Sobolewski, R., Dykaar, D.R., Hsiang, T.Y., Mourou, G.A. Picosecond switching in Josephson tunnel junctions 87−46421
Sobolewski, R., Gierlowski, P., Lewandowski, S.J. Nonlinear propagation of fluxons in long, cross-type Josephson junctions 85−46082
Sobolewski, R., Hsiang, T.Y. Superconductive magnetoelectric field-effect transistor 88−13761
Sobolewski, R., Whitaker, J.F., Dykaar, D.R., Hsiang, T.Y., Mourou, G.A. Dispersion in superconducting transmission lines 88−12560
Sobolewski, R. *see* Dykaar, D.R. 87−67860, 88−39832
Sobolewski, R. *see* Hsiang, T.Y. 88−7004
Sobolewski, R. *see* Konopka, J. 88−71018
Sobolewski, R. *see* Whitaker, J.F. 88−12556, 88−34376
Sobolewski, V.C. *see* Fourikis, N. 88−3798
Sobolski, A. *see* Zabludowski, A. 85−19828
Sobon, C.A., Bowen, H.K., Broad, A., Calvert, P.D. Precipitation of magnetic oxides in polymers 87−67765
Sobota, D.A., Lizza, G.D., Reising, J.M. Micro-based control and display research 86−18459
Sobota, J. *see* Moskal, S. 88−69161
Sobotka, J. *see* Matal, O. 87−15429, 87−42605, 87−50963
Sobotka, L.G. *see* Norbeck, E. 88−22941
Sobotka, L.G. *see* Sarantites, D.G. 88−29923
Sobotka, Z. Bit synchronization in digital transmission of video signals 86−4857
Sobotkovskii, B.E. *see* Parsamyan, Dzh.K. 86−60204
Sobotta, H. *see* Garbe, K. 86−10790
Sobottka, H., Fabian, H. Advanced design of the DWR through probabilistic safety analysis (PSA) 85−43849
Sobottka, S.E., Williams, M.B. Delay line readout of microchannel plates 88−56529
Sobottke, M.D. *see* Pohl, W.C. 88−33955
Sobral, S.T., Peixoto, C.A.O., Mukhedkar, D. Ground potential distribution in the neighborhood of the Itaipu generation complex 86−39210
Sobrero, E. Liquid metal heat-pipes for steam generators: research on the computation of transmitting sections 85−43881
Sobrero, E., Rimini, B. Optimum conditions for regenerative cycles with surface heaters 85−48875
Sobrero, E., Rimini, B. General design and optimisation criteria of the SBA ventilation system in light water reactor safety containments 86−33003
Sobrero, E. *see* Rimini, B. 85−15737, 86−6528, 86−32954
Sobrevila, M. A variation of the transfer busbar system 86−26209
Sobue, H. *see* Banno, H. 88−13613
Sobyanina, I.V. *see* Zakharov, E.V. 86−57409
Socard, A. *see* Bocqueho, P. 86−31022
Socard, A. *see* Bougeot, M. 86−31023
Soccolich, C. *see* Bowers, J.E. 88−14190
Soccolich, C.E. *see* Boyd, G.D. 86−15700
Soccolich, C.E. *see* Corzine, S.W. 88−27138
Soccolich, C.E. *see* Koren, U. 87−25938
Socconi, A. The new definition of the metre 85−14571
Soch, J. Thermal and power engineering decomposition of industrial agglomerations 86−7313
Socha, E. *see* Schoenbaum, G.L. 87−24569
Socha, J.B., Buot, F.A., Krumhansl, J.A. The validity of the drift-diffusion equation in small semiconductor devices 85−34907
Sochacka, M. Mode propagation in a perturbed slab dielectric waveguide 85−46177
Sochacka, R. *see* Rondio, J. 86−44565
Sochacki, J. Accurate reconstruction of the refractive-index profile of fibers and preform rods from transverse interferometric data 87−7070
Sochacki, J. Lenses for integrated optics 87−68191
Sochacki, J. Geodesic components of integrated optics: seeking for the perfect lens 87−74832
Sochacki, J. *see* Radojewski, J.M. 87−74831
Sochacki, R. *see* Kosowicz, A. 85−9940
Sochaniwskyj, A. *see* McClenaghan, B.A. 87−14840
Sochava, S.L., Stepanov, S.I., Petrov, M.P. Ring oscillator using a photorefractive $Bi_{12}TiO_{20}$ crystal 88−40350
Sochava, S.L. *see* Stepanov, S.I. 88−65916
Socher, B. Acoustic and vibration studies in the Voitsberg 3 thermal power station 85−9720
Socher, W., Gehrtz, M., Rauscher, G., Chr Brauchle, Voitlander, J. A versatile timing generator system with scanning delay facility 85−26258
Sochocki, R. *see* Kuczmanski, A. 85−21664 to 21665
Sochocki, R. *see* Skoczylas, J. 87−35950
Sochor, Q. *see* Lelek, V. 85−65085
Sochor, V., Tam, T.T. Stimulated scattering, line broadening and pulse narrowing in optical fibres 85−12944
Sochor, V. *see* Gusev, A.A. 87−33135, 87−61117
Sochtig, J. Ti:$LiNbO_3$ stripe waveguide Bragg reflector gratings 88−58332
Sochtig, J. *see* George, H. 86−9609
Socino, G. *see* Carlotti, G. 88−53953
Socino, G. *see* Palma, A. 85−24024, 86−2482, 86−9369
Socino, G. *see* Palmieri, L. 85−62416, 87−1997, 87−67634
Sockell, M.E. *see* Ngo Dinh Hoc 86−22647
Sockolov, S. *see* LaBouff, M. 87−73496
Soclof, S. Applications of analog integrated circuits 85−44385
Soclof, S. Analog integrated circuits 85−44442
Socolovsky, A. Productivity and automation in the US electronics industry 87−163
Soda, F., Yukawa, T., Ishibe, H. Diffusion bonded matrix of high gradient magnetic filter 85−56981
Soda, F., Yukawa, T., Yamadera, T. Diffusion bonded matrix of HGMF for BWR condensate water purification 85−27243
Soda, H., Imai, H. Analysis of the spectrum behaviour below the threshold in DFB lasers 86−58856
Soda, H., Ishikawa, H., Imai, H. Design of DFB lasers for high-power single-mode operation 87−7351
Soda, H., Ishikawa, H., Imai, H. Design for single-mode asymmetric quarter-wavelength-shifted DFB laser with high differential efficiency 87−54319
Soda, H., Ishikawa, H., Imai, H. Longitudinal mode selectivity above threshold for asymmetric mirror structure DFB lasers with low front facet reflectivity 88−40207
Soda, H., Kihara, K., Furutsu, M., Matsuda, M., Seki, H., Ogita, S., Ishikawa, H., Imai, H. Wide temperature range of stable single-mode operation in weakly coupled asymmetric mirror reflectivity DFB lasers 87−68451
Soda, H., Kotaki, Y., Ishikawa, H., Imai, H. Reduction of mode selectivity in DFB lasers with one cleaved facet by a tapered refractive-index profile 86−42528
Soda, H., Kotaki, Y., Sudo, H., Ishikawa, H., Yamakoshi, S., Imai, H. Stability in single longitudinal mode operation in GaInAsP/InP phase-adjusted DFB lasers 87−68469
Soda, H., Nakai, K., Ishikawa, H., Imai, H. High-speed GaInAsP/InP buried-heterostructure optical intensity modulator with semi-insulating InP burying layers 88−7974
Soda, H., Wakao, K., Sudo, H., Tanahashi, T., Imai, H. GaInAsP/InP phase-adjusted distributed feedback lasers with a step-like nonuniform stripe width structure 85−12853
Soda, H. *see* Furutsu, M. 88−57673
Soda, H. *see* Hamada, T. 88−16295
Soda, H. *see* Ieda, T. 88−41656
Soda, H. *see* Iga, K. 85−35789
Soda, H. *see* Ishikawa, H. 86−48436, 87−68515, 88−14167, 88−47032
Soda, H. *see* Ishino, Y. 88−41657
Soda, H. *see* Kihara, K. 87−75098
Soda, H. *see* Kishi, S. 88−41658
Soda, H. *see* Kotai, Y. 86−42537
Soda, H. *see* Ogita, S. 87−39103
Soda, H. *see* Shirasaki, M. 86−36506
Soda, K. *see* Beonio-Brocchieri, F. 88−62036
Soda, K. *see* Isoyama, G. 85−26551
Soda, K. *see* Miyahara, Y. 85−26685, 88−4736
Soda, K. *see* Takashima, M. 88−68021
Soda, K. *see* Takeda, S. 86−5696
Soda, K.J., Lorenzo, J.P., Davies, D.E., Ryan, T.G. Study of dielectric caps for incoherent lamp annealing of InP 85−12218
Soda, S. CRT displays increasingly grow in resolution 87−3440
Soda, S. *see* Ogata, S. 87−71678
Soda, Y. *see* Kitamura, A. 88−46712
Soda, Y. *see* Mochiji, K. 86−41642, 88−57531
Sodaigui, B. Relative Galois structure of rings of integers 88−31642
Sodan, H. *see* Gemic, M. 88−42917
Sodan, H. *see* Schilling, K.D. 87−63692
Sodaro, G. Magnetic shielding for CRT displays 85−26411
Sodec, F. Influence of the air conducting system on the energy demand of RLT-plant 87−79222
Soden, J.M. Reliability of CMOS ICs with gate oxide shorts 87−60653
Soden, J.M., Hawkins, C.F. Test considerations for gate oxide shorts in CMOS ICs 87−6880
Soden, J.M. *see* Gammill, P.E. 87−46237
Soden, J.M. *see* Hawkins, C.F. 86−47839, 87−25587
Soden, J.M. *see* Horning, L.K. 88−20127
Soder, G., Ballweg, A. The channel capacity as the limiting factor for digital transmission systems 85−30130
Soder, G. *see* Cygan, D. 87−27362
Soder, G. *see* Derr, F. 86−43516
Soder, G. *see* Franz, J. 86−43247
Soderberg, A., Widl, W. Maintenance of telephone circuits in AXE 10 networks 85−51858
Soderberg, A., Widl, W. Maintenance of telephone circuits in AXE 10 networks 86−23621
Soderberg, A., Widl, W. Quality of service in ISDN networks 86−54706
Soderberg, D. State of the art in temperature calibration 87−28893
Soderberg, G.L. *see* Minor, S.D. 87−14895
Soderberg, L. The place of operations support in a world of telecommunications 86−23319
Soderberg, L., Backstrom, T. Man machine communication in AXE 10 86−55122
Soderberg, L., Jonsson, T. An integrated operations support architecture 88−3749
Soderberg, L. *see* Andersson, J.-E. 87−34278
Soderberg, L. *see* Strandberg, K. 85−14074, 85−51933
Soderberg, R., Sornmo, L., Pahlm, O., Tranesjo, J., Jonson, B. Noise-dependent QRS delineation in exercise testing 87−21591
Soderblom, O.S. The evolving token ring [LAN] 88−52907
Soderholm, G., Widmark, J., Ornulf, E. Ericsson cellular mobile telephone systems 88−9422
Soderholm, H. Cellular circles the globe 88−28721
Soderini, M. *see* Bosi, C. 86−25320
Soderlind, G. On nonlinear difference and differential equations 85−22425
Soderlind, G. Bounds on nonlinear operators in finite-dimensional Banach spaces 87−16545
Soderlind, G. *see* Gustafsson, K. 88−63236
Soderling, L. *see* Beard, C.A. 86−12400
Soderlund, B. Winners and losers in the new Telephone America 85−63159
Soderlund, B. Telephone revolution in the USA 86−59533
Soderlund, B. Private network threat to telecommunications companies in USA 88−14947
Soderlund, L. *see* Erikkson, J.-T. 87−72462
Soderman, D. Advances in HCMOS array development 86−983
Soderman, D., Wan, E. HCMOS gate array design approach 85−742
Soderman, D. *see* Reynolds, M.I. 85−64707
Soderman, E. Preventative maintenance during operation: a pilot project at Forsmark-2 87−15480
Soderman, L. *see* Koehler, B. 85−162

Soderstrand, M.A., Chang, B. Design of a high-performance FIR digital filter on a CMOS semi-custom VLSI chip 87−18338
Soderstrand, M.A., Chopper, K., Sinha, B. Comparison of three new techniques for pipelining IIR digital filters 86−1320
Soderstrand, M.A., Escott, R.A. VLSI implementation in multiple-valued logic of an FIR digital filter using residue number system arithmetic 86−35005
Soderstrand, M.A., Johnson, T., Chopper, K. Use of quadratic and quadratic-like complex residue number systems in digital signal processing 86−64292
Soderstrand, M.A., Johnson, T.G. Hardware implementation a moving discrete Fourier transform 87−23588
Soderstrand, M.A., Johnson, T.G., Chopper, K.V., Clark, G.A. Adaptive filtering using a recursive complex number theoretic transform (CNTT) in a generalized quadratic residue number system (GQRNS) 86−59307
Soderstrand, M.A., Johnson, T.G., Clark, G.A. Hardware realizations of frequency-sampling adaptive filters 86−67424
Soderstrand, M.A., Johnson, T.G., Clark, G.A. Use of generalized quadratic RNS arithmetic in adaptive filters 87−7750
Soderstrand, M.A., Sinha, B. New technique for high-speed pipelined IIR RNS digital filters 85−23048
Soderstrand, M.A. *see* Berchin, G. 88−506
Soderstrand, M.A. *see* Chopper, K.V. 86−57997
Soderstrand, M.A. *see* Clark, G.A. 86−62751
Soderstrand, M.A. *see* Johnson, T.G. 87−24368, 87−66394
Soderstrom, E. *see* Abrams, G.S. 88−54244
Soderstrom, E. *see* Seeman, J.T. 88−47834, 88−54272
Soderstrom, H. STDL: a graphical behaviour language 86−34481
Soderstrom, J., Andersson, T.G. A multiple-state memory cell based on the resonant tunneling diode 88−50139
Soderstrom, K. *see* Garpman, S. 88−54439
Soderstrom, R. Computer based text communication in six Swedish companies 86−37362
Soderstrom, R.L., Block, T.R., Karst, D.L., Tong Lu A miniaturized fiber optic laser receptacle using a compact disc (CD) laser as a low cost, reliable source 88−34056
Soderstrom, T., Stoica, P. On some system identification techniques for adaptive filtering 88−59148
Soderstrom, T. *see* Moses, R. 87−62091
Soderstrom, T. *see* Stoica, P. 86−22853, 87−19775, 87−69094
Sodeyama, C., Kondo, H. A note on performance of new type 4-step decoder for product code 87−54923
Sodha, M.S., Ashvini Kumar, Govind Solar heating of open swimming pools 88−69711
Sodha, M.S., Chand, A., Sawhney, B.K., Gupta, B., Dahiya, R.P., Chandra, A. H$_2$/O$_2$ operated portable and steam bottomed MHD power generators: an analytical study 85−21826
Sodha, M.S., Raman, R., Kumar, A., Goyal, A.K. Energy conservation in electrical water heating in buckets 88−37748
Sodha, M.S. *see* Goyal, A.K. 88−11490
Sodha, M.S. *see* Kumar, A. 87−38745, 87−54024
Sodhi, R.N.S. *see* Lau, W.M. 87−67092, 88−71418
Sodi, C.M. *see* Basini, B. 86−59989
Sodin, L.G. Mutual coupling compensation for small, circularly symmetric planar antenna arrays 85−13372
Sodin, L.G. *see* Glibitskiy, M.M. 87−19325
Sodin, L.G. *see* Kopylovich, L.E. 87−7583
Sodini, C., Zippel, R., Wade, J., Tsai, C., Reif, R., Osler, P., Early, K. The MIT Database Accelerator: a novel content addressable memory 87−73455
Sodini, C.G. Analog-to-digital conversion: the link between our world and the digital computer 87−17170
Sodini, C.G., Ko, P.-K., Moll, J.L. The effect of high fields on MOS device and circuit performance 85−6931
Sodini, C.G., Ko, P.K., Wong, S.S. Device design requirements for MOS analog circuits 88−1621
Sodini, C.G. *see* Bair, L.A. 88−39446
Sodini, C.G. *see* Chen, W.T. 88−19239
Sodini, C.G. *see* Ditmer, G.A. 87−58588
Sodini, C.G. *see* Dunn, G.J. 88−50670
Sodini, C.G. *see* Garverick, S.L. 87−38275, 87−46192, 88−590, 88−32019
Sodini, C.G. *see* Giancarlo, C.H. 86−34900
Sodini, C.G. *see* Jayaraman, R. 87−46017
Sodini, C.G. *see* Ko, P.K. 85−50563
Sodini, C.G. *see* Lau, D. 86−47621
Sodini, C.G. *see* Lee, W.L. 87−66282
Sodini, C.G. *see* McCarroll, B.J. 88−846, 88−32283
Sodini, C.G. *see* Scott, J.W. 87−16946, 87−16957
Sodini, C.G. *see* Wade, J.P. 86−46842, 87−44827, 88−6938
Sodini, C.G. *see* Yang, W. 88−64562
Sodini, D., Torbati, K., Rigaud, D., Touboul, A. Numerical simulation of the charge transfer in GaAs BCCDs 87−1553
Sodini, D., Touboul, A., Rigaud, D. Two-dimensional numerical simulation of the charge transfer in GaAs charge-coupled devices operated in the GHz range 85−29208
Sodini, D., Touboul, A., Rigaud, D., Godin, J. 2-D numerical simulation of the charge transfer in GaAs BCCDs in the GHz range 85−50547
Sodini, D. *see* Rigaud, D. 85−12311, 86−58487
Sodja, J. *see* Browne, M.J. 86−25094
Sodja, J. *see* Clendenin, J.E. 88−47944
Sodja, J. *see* Sheppard, J.C. 88−47923
Sodomka, L. Protection and safety at work with lasers 85−26827
Sodomka, L. Laser radiation detectors 87−35085
Sodomka, L., Hanzl, J. Measurement of a biaxial vibration of shafts by means of piezoelectric sensors 86−50254
Soe Min Tun *see* Watson, B.K. 87−54724
Soeanto, T., Harrison, K. Optimization of Optimetrix wafer steppers in very large scaled integrated circuit (VLSI) process 85−6989
Soeberg, H. *see* Canqian Yang 88−74380
Soeberg, H. *see* Yang, C. 88−36290
Soeda, H. *see* Yamasaki, J. 87−25765
Soeda, S. *see* Mishima, Y. 86−28272
Soeda, T. *see* Omatu, S. 85−43674
Soeda, Y. *see* Miyata, S. 88−14007
Soede, M. Development of a speech recognition command set for wheelchair control 87−21635
Soede, M. *see* van Balkom, H.L.M. 88−52325
Soegaard-Knudsen, M. Hierarchical specification and switch-level simulation of digital circuits 85−33743
Soejima, S. *see* Tanji, S. 86−36004
Soejima, T., Yamashita, H., Kuwahara, H. Experimental optical ping-pong transmission system 87−20576
Soejima, T. *see* Kuwahara, H. 86−30210
Soejima, T. *see* Murano, K. 88−46433
Soejima, T. *see* Takeda, M. 88−11515
Soejima, T. *see* Yamazaki, K. 87−28562
Soekawa, H. *see* Nakai, H. 85−35522
Soeldner, J.S. *see* Sarangapani, S. 88−54477
Soeldner, L. *see* Siebold, H. 88−52150
Soellner, P. *see* Schuecktanz, G. 86−33107
Soemer, D. Future digital communication : from 64 kbit/s to 140 Mbit/s 87−7918
Soen, J. *see* Hrejsa, A.F. 85−43452
Soenen, L. *see* Crappe, M. 85−32446, 86−51585, 87−22284
Soenen, L. *see* Goossens, J. 86−70881
Soenksen, D.G. *see* Chun, M.K. 88−14249
Soerensen, M.P., Bartuccelli, M., Christiansen, P.L., Bishop, A.R. On low-dimensional chaos in RF SQUIDs 85−50873
Soerensen, M.P., Parmentier, R.D. Josephson junction dynamics by multimode theory and numerical simulation 85−46086
Soerensen, M.P., Parmentier, R.D., Christiansen, P.L., Skovgaard, O., Dueholm, B., Joergensen, E., Koshelets, V.P., Levring, O.A., Monaco, R., Mygind, J., Pedersen, N.F., Samuelsen, M.R. Magnetic field dependence of microwave radiation in intermediate-length Josephson junctions 85−1879
Soerensen, M.P., Parmentier, R.D., Christiansen, P.L., Skovgaard, O., Dueholm, B., Joergensen, E., Koshelets, V.P., Levring, O.A., Monaco, R., Mygind, J., Pedersen, N.F., Samuelsen, M.R. X-band radiation from Josephson junctions in magnetic field 85−56193
Soergel, V. Status of HERA 86−38658
Soest, T.L.van *see* van Soest, T.L.
Soetanto, K., Ohtsuki, S., Okujima, M., Tanaka, M. Ultrasonic beamwidth effect on evaluation of attenuation by sampling medical B-mode imaging data 87−29757
Soetanto, K., Ohtuski, S., Okujima, M. Study on estimation of sound velocity in massive tissue from image distortion of ultrasonic echogram 85−31790
Soetarman, R. *see* Scheffer, L.K. 86−20210, 86−41873
Soete, M.De *see* De Soete, M.
Soetratma, D. *see* Freeman, B.C. 86−56422
Soezima, T. *see* Yamada, Y. 88−71108
Soffa, W.A. *see* Ray, A.E. 88−51195
Soffen, G.A. *(editor)* Visions of Tomorrow: A Focus on National Space Transportation Issues. 25th Goddard Memorial Symposium 88−55825
Soffer, B. *see* Owechko, Y. 88−58063
Soffer, B.H., Dunning, G.J., Owechko, Y., Marom, E. Associative holographic memory with feedback using phase-conjugate mirrors 86−29256
Soffer, B.H., Marom, E., Owechko, Y., Dunning, G. Holographic associative memory employing phase conjugation 88−8325
Soffer, B.H., Owechko, Y., Marom, E., Grinberg, J. Programmable real-time incoherent matrix multiplier for optical processing 86−69099
Soffer, B.H. *see* Dunning, G.J. 87−19102, 87−54440
Soffer, B.H. *see* Jenkins, B.K. 85−7909
Soffer, B.H. *see* Marom, E. 85−25180
Soffer, B.H. *see* Owechko, Y. 87−47014, 87−54839, 88−65520
Soffer, H. *see* Gaspar, J. 87−26079
Soffer, J.S. *see* Etter, J.P. 87−14432
Soffer, L., Martin, J.A., Jr., Grill, R.P. An examination of a graded response strategy in emergency planning and preparedness 85−48724
Sofi, G. *see* Giandonato, G. 85−2952, 85−52177
Sofia, J.W. *see* Fox, L.R. 86−566, 86−14649
Sofield, C.J. *see* Harper, R.E. 86−28036
Sof'in, M.V. *see* Kritskii, V.G. 86−70765
Sofko, G., Koehler, J., Prikryl, P., McDiarmid, D.R. 50-MHz auroral Doppler spectra dynamics during Harang discontinuity 85−62771
Sofko, G.J. *see* Koehler, J.A. 85−41594, 85−62770
Sofko, G.J. *see* Prikryl, P. 86−49701, 88−67464
Sofman, L.B. *see* Pinsker, M.S. 87−75671
Sofo, J.O., Proetto, C.R., Balseiro, C.A. Charge distribution in GaAs-Ga$_{1-x}$Al$_x$As heterostructures under an external magnetic field 88−64280
Sofonea, V. Models of the optical bistability 86−68631
Sofrata, H. A thermoelectric refrigerator powered by photo-voltaic solar collectors 85−10240
Sofron, E. *see* Teodorescu, H.N. 87−77474
Sofroniou, S.P. The electric arc as a nonlinear circuit parameter for the digital simulation of the interruption of small inductive currents 85−16150
Sofronov, N.N. *see* Volkov, I.F. 86−33835
Sofronov, Yu.V. *see* Svintsov, G.P. 86−1440
Softly, E.J. *see* Bonde, L.W. 85−4474
Soga, H. *see* Hamada, N. 87−68680
Soga, H. *see* Tacano, M. 88−57313
Soga, M. *see* Koono, Z. 87−76472, 88−43736
Soga, S. *see* Kobayashi, T. 86−7228
Soga, T., Hattori, S., Sakai, S., Takeyasu, M., Umeno, M. MOCVD growth of GaAs on Si substrates with AlGaP and strained superlattice layers 85−6005
Soga, T., Hattori, S., Sakai, S., Takeyasu, M., Umeno, M. Characterization of epitaxially grown GaAs on Si substrates with III-V compounds intermediate layers by metalorganic chemical vapor deposition 85−50239
Soga, T., Hattori, S., Sakai, S., Umeno, M. Epitaxial growth and material properties of GaAs on Si grown by MOCVD 87−10426
Soga, T., Imori, T., Ogawa, M., Jimbo, T., Umeno, M. MOCVD growth of GaAs on Si with strained layer superlattices 88−49884
Soga, T., Imori, T., Umeno, M. Heteroepitaxy of GaAs on Si by MOCVD 88−38192
Soga, T., Imori, T., Umeno, M., Hattori, S. Stress and strain of GaAs on Si grown by MOVCD using strained superlattice intermediate layers and a two-step growth method 87−52191
Soga, T., Kubota, T., Ohta, T. Electronic switching system software structure considering virtualizing technique and software components 86−69542
Soga, T., Kubota, T., Ohta, T. Electronic switching system software structure considering virtualizing technique and software components 88−15270
Soga, T., Nakano, F., Fuyama, M. Development of a high reliability flip-chip packaging reinforced by resin 88−32690
Soga, T., Sakai, S., Takeyasu, M., Hattori, S. Heteroepitaxial growth of III-V compounds on Si by MOCVD 86−52495
Soga, T., Sakai, S., Umeno, M., Hattori, S. Deep levels in GaAs grown using superlattice intermediate layers on Si substrates by MOCVD 87−16675
Soga, T., Sakai, S., Umeno, M., Hattori, S. Selective MOCVD growth of GaAs on Si substrate with superlattice intermediate layers 87−44385
Soga, T., Takahashi, Y., Sakai, S., Umeno, M. High temperature growth rate in MOCVD growth of AlGaAs 85−10694
Soga, T. *see* Fuyama, M. 87−77330
Soga, T. *see* Kuniyoshi, S. 88−64461
Soga, T. *see* Nakano, F. 88−57219
Soga, T. *see* Sakai, S. 86−9857, 86−36459, 86−54164, 87−16613, 87−33192, 87−44394
Soga, T. *see* Takeyasu, M. 86−52521, 87−12326
Soga, T. *see* Umeno, M. 87−36762, 88−8080
Soga, T. *see* Xiongwei Hu 88−40218
Soga, T. *see* Yatani, T. 87−69642
Soga, Y. *see* Kasahara, H. 85−36748
Soga, Y. *see* Minato, D. 86−43420
Soga, Y. *see* Nozaki, T. 86−64456
Soga, Y. *see* Tomimori, A. 85−36792
Sogabe, K. *see* Nakamura, T. 85−59745
Sogame, H. An outline of B-767 flight management system 88−42617
Soganic, J., Franc, J., Wohlmut, J., Erben, O., Horinek, K. In core control systems of the nuclear power plant WWER 440 reactor V-213 87−78351
Soganic, J. *see* Erben, O. 88−30514
Soganic, J. *see* Franc, L. 87−50964
Sogard, M.R., Feng, I.-J. A Monte Carlo study of an electron beam pumped CW argon ion laser 88−58426
Sogawa, I. *see* Tsuno, K. 87−50216
Sogawa, T., Arakawa, Y., Kamiya, T. Picosecond pulse generation in detuned distributed feedback lasers 88−27146

Sogawa, T. *see* Arakawa, Y. 88−8176
Sogawara, S. An overview of optical LAN based on bus topology 86−30792
Soggard, M.R. *see* Crawford, E.A. 88−26113
Sogi, A., Moraru, A. Nonlinear model for steady-state of the synchronous motor with losses 86−33346
Sogihara, H. *see* Ashiya, M. 86−45769
Sogolov, M.A. *see* Azimov, Ye.I. 88−1332
Sogolovskii, E.P. *see* Gavrilyuk, M.A. 88−12546
Sogolovskii, E.P. *see* Pokhodylo, E.V. 85−47946
Sogomonyan, E.S. *see* Aksenova, G.P. 86−1082
Sogomonyan, E.S. *see* Litikov, I.P. 86−27170
Sogomonyan, S.B. *see* Arakelyan, S.A. 86−9940
Sogor, M., Ban, G. Processing of EMG signals 86−18347
Sogor, M. *see* Ban, G. 86−18348
Sogor, M. *see* Farago, A. 86−18349
Soh, B.C. Fourier series of B-splines 88−18630
Soh, R. SMPS move to higher frequencies 87−10673
Soh, S. *see* Furukawa, N. 86−71036, 88−17836
Soh, S.H. *see* Abraham-Shrauner, B. 85−34511
Soh, Y.C. *see* Evans, R.J. 88−15555
Soha, M. A distributed approach to LAN monitoring using intelligent high performance monitors 87−69658
Soha, M., Perlman, R. Comparison of two LAN bridge approaches 88−52867
Soha, M. *see* Cargill, C. 88−52875
Sohal, A.S. Implementing statistical process control: two case histories 88−56052
Sohal, J.S. *see* Kataria, I.K. 88−27978, 88−56377
Sohal, J.S. *see* Koonar, S.S. 85−22381, 85−54591, 86−26960, 86−57541, 86−57588, 86−62336
Sohal, S. *see* Djuric, S.V. 86−14106
Sohaney, R.C., Nieters, J.M. Proper use of weighting functions for impact testing 85−44807
Sohi, B.S. *see* Chopra, Y.C. 85−8186
Sohi, M.S. Improved circuit for motor speed control 85−39026
Sohie, G.R.L. Adaptive systems as optimal processors 86−14408
Sohie, G.R.L. Bounds on output power for adaptive lattice filters 87−19834
Sohie, G.R.L., Alshibani, S.A. Misadjustment expressions for infinite impulse response adaptive filters 87−61929
Sohie, G.R.L., Mirchandani, A. Accurate estimation of closely spaced, real, decaying exponentials in noise 87−61962
Sohie, G.R.L., Sibul, L.H. Stochastic operator norms for two-parameter adaptive lattice filters 87−12980
Sohie, G.R.L. *see* Tylavsky, D.J. 86−66650
Sohier, J., Roguin, J. Circuit-breakers on the Paris MV system: high transient recovery voltages 87−78840
Sohkura, K. *see* Sugimoto, T. 85−10095 to 10096, 85−27623
Sohlbach, H. *see* Baumann, F.M. 86−60543
Sohler, W. Nonlinear integrated optical devices 85−51282
Sohler, W. Integrated optical devices: an introduction 87−38850
Sohler, W., Hampel, B., Regener, R., Ricken, R., Suche, H., Volk, R. Integrated optical parametric devices 86−48503
Sohler, W. *see* Bava, G.P. 86−9973, 87−33266
Sohler, W. *see* Brucksch, M. 87−54098
Sohler, W. *see* Bruland, A. 87−74872
Sohler, W. *see* George, H. 86−9609
Sohler, W. *see* Hampel, B. 87−54416
Sohler, W. *see* Herrmann, H. 88−40341
Sohler, W. *see* Hinkov, V. 86−9639, 87−74843
Sohler, W. *see* Hinkov, V.P. 88−72090
Sohler, W. *see* Regener, R. 85−35532, 88−40340, 88−65771
Sohler, W. *see* Suche, H. 87−12584, 88−2388
Sohlstrom, H. *see* Holm, U. 85−3928, 85−20584, 86−2782
Sohm, E.K. Sputtering techniques for optical disk storage 87−49352
Sohma, K. Half-pitch connector designed for high-density mounting 88−12851
Sohma, K. *see* Gilstrap, M. 88−53092
Sohma, S. *see* Yamashita, K. 88−11639
Sohma, S. *see* Yanabu, S. 87−30874
Sohma, Y. Recent trends of professional use of digitalized audio equipment 87−34858
Sohma, Y. *see* Amano, M. 86−30295
Sohmer, R.G. *see* Haire, M.J. 86−274
Sohn, H.M. The impact of R&M 2000 on organizational structure and operations of a company 88−10690
Sohn, J.E. *see* Lalama, S.J. 87−12099
Sohn, J.E. *see* Singer, K.D. 87−12580, 88−7841
Sohn, J.E. *see* Small, R.D. 88−1919
Sohn, S.M. *see* Chang, J.H. 88−66632
Sohn, Y. *see* Yager, C. 85−17535
Sohn Byung-Ki *see* Byung-Ki Sohn
Sohn Ho-Tae *see* Ho-Tae Sohn
Sohner, W. *see* Clos, G. 86−45525
Sohng, K., Kameyama, M., Higuchi, T. Design of a complementary pass gate network for a multiple-valued logic system 87−52558
Sohngen, B. *see* Breiling, G. 87−64294
Sohns, C.W. *see* Bailey, J.M. 88−69300
Sohor, V., Tam, T.T., Varga, F. Nonlinear phenomena in optical fibers 85−18652
Sohrab Afzal, R. *see* Lawandy, N.M. 88−2187
Sohrabi, M. Advances in solid state nuclear track personnel neutron dosimeters 85−38264
Sohrabi, M. Discovery of an 'internal heating effect' during electrochemical etching of polymeric dosimeters: a study of polymer characteristics 87−21483
Sohrabi, M., Khoshnoodi, M. The effects of pre-etching time on the characteristic responses of electrochemically etched CR-39 neutron dosimeters 87−21482
Sohrabi, M., Mahdi, S. Background heat treatment studies in LR-115 87−21476
Sohrabi, M., Zainali, G. Broadening registration energy range of alpha tracks in CR-39 under a new ECE condition 87−21481
Sohrabia, F., Fu, K.S. An interactive environment for design automation of logical circuits 85−39883
Sohraby, K., Molle, M.L., Venetsanopoulos, A.N. Why analytical models of Ethernet-like local networks are so pessimistic 85−42289
Sohraby, K., Molle, M.L., Venetsanopoulos, A.N. On the stochastic structure of asynchronous CSMA protocols applied to linear (bus-like) networks 87−33849
Sohraby, K., Molle, M.L., Venetsanopoulos, A.N. Comments on 'Throughput analysis for persistent CSMA systems' [by H. Takagi] 87−40005
Sohraby, K., Molle, M.L., Venetsanopoulos, A.N. Throughput analysis of asynchronous CSMA protocols on linear (bus-like) local area networks with general loading 88−9177
Sohraby, K., Venetsanopoulos, A.N., Molle, M.L. On the performance and stability of a simple gated conflict resolution algorithm 87−62401
Sohraby, K. *see* Kaplan, M.A. 86−64814, 88−41473
Sohraby, K. *see* Molle, M.L. 87−75965
Sohtell, E.V. Mutual admittance between slots on a cylinder using the extended Poynting vector method [antennas] 86−48645
Sohtell, E.V. Microstrip patch antennas on cylindrical structures 88−34464
Sohtell, E.V., Starski, J.P. Cylindrical microstrip patch phased array antenna−CHALSCAN C 87−39519
Soi, I.M., Aggarwal, K.K. Overall reliability evaluation for large computer communication networks: an MHC approach 85−47224
Soi, I.M., Aggarwal, K.K. On hierarchical design of large CCNs: an empirical approach [computer communication networks] 87−59045
Soi, I.M., Aggarwal, K.K. A unified approach for on-line performance evaluation of CCNs [computer communication networks] 88−3551
Soi, I.M., Aggarwal, K.K. Empirical relationship between communication costs and the channel bit rate for large computer networks 88−3552
Soibel'man, Ya.S. *see* Simonenko, I.B. 88−40482
Soibelzon, H.L. The specification of zinc-oxide surge divertors with respect to the physics of their operation 86−18892
Soicher, H. Variability of transionospheric signal time delay at high latitude near solar minimum 86−59873
Soicher, H. Variability of transionospheric signal time delay at subauroral latitudes 87−12709
Soicher, H., Gorman, F.J. Seasonal and day-to-day variability of total electron content at midlatitudes near solar maximum 85−51442
Soicher, H. *see* Reinisch, B.W. 85−24843
Soicher, H. *(editor)* Propagation Effects on Military Systems in the High Latitude Region. Papers Presented at the 36th Symposium of the Electromagnetic Wave Propatation Panel (AGARD-CP-382) 86−57111
Soicher, L., McKay, J. Computing Galois groups over the rationals 86−19994
Soiculescu, I., Stoian, M., Vatau, R., Dumitru, M., Lupascu, P. Contribution to the reliability increase of the hydropower plants operating within the national energy system 87−57942
Soifer, V.A. *see* Garitchev, V.P. 86−9516
Soifer, V.A. *see* Golub, M.A. 85−35501
Soifer, V.A. *see* Goncharskii, A.V. 85−2382, 85−12914, 87−7466
Soifer, V.N. *see* Aleinikov, S.Ya. 86−11607
Soikin, V.F. *see* Beneskriptov, I.Yu. 86−22632
Soikkeli, J. *see* Aittoniemi, K. 85−59416
Soikkeli, J. *see* Rajala, J. 85−13064
Soila, R.O. Contacts of the p-side of InGaAsP/InP laser diodes 87−12505
Soileau, M.J., Guha, S., Van Stryland, E.W. Passive optical limiting with picosecond response 85−62668
Soileau, M.J., Guha, S., Van Stryland, E.W. Passive optical limiting 86−29244
Soileau, M.J., Van Stryland, E.W., Williams, W.E. Laser light induced bulk damage to optics 86−48476
Soileau, M.J., Williams, W.E., Van Stryland, E.W., Boggess, T.F., Smirl, A.L. Temporal dependence of laser-induced breakdown in NaCl and SiO_2 85−7506
Soileau, M.J. *see* Guha, S. 85−46477
Soileau, M.J. *see* Hagan, D.J. 88−45548
Soileau, M.J. *see* Mohebi, M. 85−56824
Soileau, M.J. *see* Van Stryland, E.W. 86−3306, 86−9964
Soimakallio, S., Manninen, H., Mahlamaki, S. Examination of the lumbar spine with large-field image intensifier photofluorography 86−50486
Soimakallio, S. *see* Manninen, H. 85−38034
Soin, R.S., Hughes, J.B., Bird, N.C. A novel approach to the time domain simulation of switched capacitor systems 87−874
Soin, R.S., Rankin, P.J. Efficient tolerance analysis using control variates 85−54585
Soin, R.S. *see* Hughes, J.B. 85−63412, 86−46985, 86−67351, 87−5950
Soini, E. *see* Kojola, H. 85−20866
Soini, J. *see* Ehnholm, G. 85−41096
Soininen, J.-P. *see* Heusala, H.H. 86−50523
Soininen, J.-P. *see* Juntunen, T. 88−71658
Soinski, M. Demagnetisation of a rectangular 2-dimensional and ferromagnetic sample parallel in stationary magnetic field 85−7135
Soinski, M. Anisometric method of measuring the magnetic properties of isotropic cold-rolled electrical steels 85−64254
Soinski, M. Determination of electric resistance of oxide insulation on electrical sheets 86−5475
Soinski, M. Demagnetisation of a ring-shaped sample made of electrical sheet placed in an anisometer 86−24713
Soinski, M. The anisotropy of coercive force in cold-rolled Goss-texture electrical sheets 88−26652
Soinski, M. Magnetic field intensity model in cold-rolled electrical sheets 88−26655
Soinski, M., Bulica, W., Cieslewicz, K., Szczyglowski, J. Current transformer with cut core made of metallic glass ribbon 88−57018
Soirat, J.P. *see* Michau, J.C. 86−44559
Soisalon-Soininen, E. *see* Ottmann, T. 85−10610
Soistman, E.C., Jr. *see* Fiorentino, E. 86−267
Soitinaho, J. *see* Purho, T. 87−34286, 87−48805
Soitkar, V.S. *see* Bedare, C.Y. 87−14562
Sojdr, L. *see* Kroupa, V.F. 86−24749, 87−1823
Sojka, J., Matousek, A. Two-channel gamma absorption ashmeter 87−35233
Sojka, J.J. *see* Rasmussen, C.E. 88−36668
Sojka, L. *see* Szymura, S. 85−12480, 85−56125, 86−35978
Sojka, P.E., Jaul, W.K., Kerber, R.L. Time resolved spectroscopy in a flash initiated, pulsed HF laser 86−3086
Sojka, P.E., Jaul, W.K., Kerber, R.L. Detailed characteristics of a pulsed H_2+F_2 laser. I. Experiment 86−29031
Sojka, P.E., Kerber, R.L. Detailed characteristics of a pulsed H_2+F_2 laser. II. Theory 86−29032
Sojka, R.E., Henderson, S.A. ERFIS will improve man-machine interface at Vermont Yankee 87−71816
Sok Kim Eun *see* Eun Sok Kim
Sok Won Kim, Kyung Hyun Park, Sung Hong Hahn, Hong Jin Kong, Sang Soo Lee Design, fabrication and analysis of wide band pass filters with multiple Fabry-Perot interference filter structure 87−12286
Sokabe, N., Horikawa, K., Zumoto, N., Murai, A. Electric field effects on an optically-pumped HCOOH FIR laser and Zeeman laser theory 86−9735
Sokabe, N., Tamura, Y., Matsushima, K., Murai, A. Nonlinear level crossing in the infrared transitions of optically pumped far infrared laser media 88−8102
Sokabe, N. *see* Horiuchi, Y. 86−9736
Sokabe, N. *see* Zumoto, N. 87−68364
Sokai, K. *see* Miura, Y. 87−9632
Sokal, N.O. Circuits eliminate power-supply surge currents 86−704
Sokal, N.O. Check lists help you avoid trouble with MOS and memory ICs 87−24014
Sokal, N.O. Use of check list prevents problems in TTL systems 87−24039
Sokal, N.O., Redl, R. Power transistor output port model 87−60392
Sokal, N.O., Redl, R. Model for switching power transistors output port, for analyzing high-frequency resonant power converters 88−30932
Sokal, N.O. *see* Domb, M. 86−34536
Sokal, N.O. *see* Kazimierczuk, M. 85−595
Sokal, N.O. *see* Redl, R. 85−6168, 86−7995, 86−52663 to 52664, 86−56848, 86−67018, 87−22583, 87−31721, 87−44581, 87−64721, 87−65848
Sokar, S.K., Prabhakar, B.R. Sparkover and voltage-current characteristics of a practical electrostatic precipitator using spiral corona electrodes 86−42779
Sokawa, M. *see* Yokoi, S. 88−3487
Sokei, H. *see* Nishizawa, S. 87−70454
Sokel, R.J., MacMillen, D.B. Practical integration of process, device, and circuit simulation 86−20172
Sokhakyan, R.A. *see* Karapetyan, M.M. 87−66576
Sokhatskii, V.P. *see* Kuts, P.S. 87−18517
Sokhin, V.N., Kochmola, I.M., Bondarenko, V.P. Dielkometric determination of carbon in the ash from the boiler plant of thermal power stations 88−43024

Sokhnich, V.Ya. *see* Kaptskii, Ya.I. 88−63791
Sokhor, Yu.N. *see* Matin, V.I. 85−39259
Sokhranskii, A.S. *see* Bogomol'nyi, P.Ya. 88−75199
Sokhranskii, A.S. *see* Volgina, L.A. 85−8285
Sokil, J. *see* Kalisz, A. 87−47953
Sokiryanskaya, L.S. *see* Muradov, N.S. 87−35878
Sokkar, T.Z.N. Determination of dopant flow variation in graded-index fiber 85−56274
Sokkar, T.Z.N. *see* Hamza, A.A. 86−36163
Soklakov, G.I. *see* Alekseev, B.V. 86−5656
Soknes, J. Status of the introduction of ISDN in Denmark, Finland, Norway and Sweden 88−35227
Sokob, P. New dual-frequency shunting locomotive class 1063 of the Austrian Federal Railways (OBB) [electric locomotives] 85−21886
Sokob, P. Operational experiences with the locomotives class 1063 with three-phase drive technology of the OBB 85−53887
Sokol, B.J. Double-notch filtering simplifies distortion analysis 87−24311
Sokol, B.J. Double-notch filter simplifies distortion analysis 87−31990
Sokol, B.J. Minimal EPROM programmer 87−52569
Sokol, B.J. Minimal EPROM programmer 87−59446
Sokol, B.J., Velmans, M. Speech transposer for radio hearing aids 88−30045
Sokol, E.A., Dushin, V.N., Daniel, A.V., Zeinalov, S.S., Ter-Akopian, G.M. Assessment of the parameters of a setup for searches for nucleon decay and neutron oscillation by detecting multiple neutron events in massive samples 86−70322
Sokol, E.A., Ter-Akopian, G.M., Saro, S., Zeinalov, Sh.S., Ivanov, M.P., Flerov, G.N. On the experimental possibilities of detecting multiple neutrons in massive samples 87−14741
Sokol, E.A., Zeinalov, Sh.S., Smirnov, V.I., Ter-Akopian, G.M., Chelnokov, L.P. A system for correlation measurements of the products of rare spontaneous fission events 86−50381
Sokol, E.G. *see* Zavaritskaya, E.I. 87−17690
Sokol, G.A. *see* Eremin, V.K. 86−38714
Sokol, J.H., Kolasinski, W.A., Wong, M., Koga, R., Suhrke, R.V., Frey, T.H. Advantage of advanced CMOS over advanced TTL in a cosmic ray environment 88−26509
Sokol, K.P. *see* Farrell, N.A. 85−45583
Sokol, L. Transparent alumina in lighting technology 88−6026
Sokol, S. *see* Peli, E. 88−48181
Sokol, V.A. *see* Labunov, V.A. 85−16959
Sokol, V.A. *see* Parkhutik, V.P. 85−22510
Sokol, V.F. *see* Zakharin, M.I. 87−24337
Sokol, V.M., Shnaider, V.Z. Protection of electric motors from fractional phase power supply 87−72157
Sokolas, J. *see* Reksnys, R. 87−45562
Sokolenko, V.N. *see* Kryukov, D.I. 87−61895
Sokolich, M. *see* Liu, L.C.T. 85−1054
Sokolich, M. *see* Sato, R.N. 87−44749, 88−50876
Sokolich, M. *see* Shing-kuo Wang 86−27601
Sokolik, A.I. *see* Filinov, V.V. 87−16726, 87−73172
Sokolik, I.A. *see* Frankevich, E.L. 86−14873
Sokolik, L.I. Some algorithms for computerising the testing of current transformers 86−12876
Sokolik, L.I. Analysis of phase voltages of an idling induction motor during rundown 88−62359
Sokolin, A.A. *see* Borisochkin, V.V. 87−3269
Sokolinskaya, I.G. *see* Afanasenko, I.A. 85−6055
Sokolinskaya, I.G. *see* Lumirovskaya, L.I. 85−49651
Sokoll, G. Videotex applied to occupational safety and rehabilitation 87−27972
Sokoloff, H. IUS propulsion, guidance and control−an integrated design 85−15387
Sokoloff, M.D. *see* Karchin, P.E. 85−43241
Sokoloski, M.M., Curran, R.J. The Earth Observing System: a mission for lidar remote sensing technology 88−68624
Sokoloski, M.M., Rubin, B. Remote sensing technologies for space missions in the second half of the nineties' decade 87−77898
Sokoloski, M.M. *see* Lesh, J.R. 87−70026
Sokolov, A., Sheromov, M., Fedorov, V., Hrdy, J., Kamarad, J., Krousky, E. Utilization of a channel-cut double crystal X-ray spectrometer with vertical dispersion in synchrotron radiation experiment 86−60627
Sokolov, A.A. *see* Buber, V.B. 88−16246
Sokolov, A.A. *see* Grigor'yants, A.G. 85−44352
Sokolov, A.D. *see* Ryzhukhinskii, V.V. 86−50640
Sokolov, A.D. *see* Zelepukhin, M.V. 86−18247
Sokolov, A.E. Vibration tests on the joints in the stator (core) of a hydrogenerator 88−37079
Sokolov, A.I., Yurchenko, Yu.S. Design of linear discrete filters with constant parameters 87−17206
Sokolov, A.I., Yurchenko, Yu.S. Tracker optimization 88−41715
Sokolov, A.I., Yurenko, Yu.S. Accuracy characteristics of the optimum filtering of the coordinates of a moving target 88−40952
Sokolov, A.I. *see* Makarov, V.M. 88−5366
Sokolov, A.M., Nikonov, B.P. A study of composition and property changes in the surface of an oxide cathode 87−6311
Sokolov, A.M. *see* Buzynin, A.N. 88−11948
Sokolov, A.N. Algorithm for phase voltages using mathematical modelling of drives with three-phase magnetoelectric stepping motors 85−49138
Sokolov, A.P. *see* Bochkar', E.P. 87−21186, 87−76780
Sokolov, A.S. *see* Anashin, V.V. 86−58721
Sokolov, A.S. *see* Borodin, Yu.I. 86−60684
Sokolov, A.S. *see* Dementyev, E.N. 86−60564, 86−60572
Sokolov, A.S. *see* Mesentsev, N.A. 86−60675
Sokolov, A.T., Patselyuk, S.N. Experience of the adjustment of automatic control systems of the boilers of the power unit of the 440 MW Rovenskaya nuclear power station 87−15431
Sokolov, A.T., Patselyuk, S.N., Kazakov, V.I. Overall adjustment of automatic control systems of supply of steam generators for power units using the VVER-440 reactors at the Roven nuclear power stations 86−32941
Sokolov, A.T., Patselyuk, S.N., Kazakov, V.I. Results of modifying the feed-water regulator on the Rovensk nuclear power station 86−61218
Sokolov, A.T. *see* Kazakov, V.I. 86−51197
Sokolov, A.T. *see* Patselyuk, S.N. 86−32939
Sokolov, A.V. Absolute spectral sensitivity of a type FPZS-2M CCD matrix 87−14144
Sokolov, A.V. *see* Tsytovich, L.I. 87−59202
Sokolov, A.V. *see* Vinogradov, S.V. 88−34099
Sokolov, A.Yu. *see* Belozerskii, G.N. 87−70667
Sokolov, B.M. *see* Vaks, E.D. 88−65921
Sokolov, B.V., Mel'nikov, V.L., Shevchuk, S.N., Magazinnik, G.G. Stability enhancement of the inverting operation of dependent inverters 87−51347
Sokolov, D.P. *see* Likhachev, V.M. 85−46974
Sokolov, E., Milanov, B., Karchev, L., Spasov, R. Transient switching overvoltages in high voltage induction motors 88−17590
Sokolov, E.R. *see* Popadyin, St.V. 87−16099
Sokolov, E.Ya., Korytnikov, V.P. Ways of increasing the thermal economy of district heating power stations 87−9335
Sokolov, E.Ya., Martynov, V.A. An exergetic method of calculating the thermal efficiency characteristics of a heat and power station 86−12691
Sokolov, E.Ya., Zinger, N.M., Budin, V.S., Nadyrov, I.I. Covering the peak heating loads of heat and power stations working on solid fuel 87−71934
Sokolov, E.Ya., Zinger, N.M., Sidler, V.G., Sennova, E.V. Problems in management of the functioning and reconstruction of heat-supply systems 87−22116
Sokolov, E.Ya. *see* Gorshkov, A.S. 85−60001
Sokolov, G.A. *see* Bogomolov, A.F. 86−30925
Sokolov, G.A. *see* Ivanov, V.A. 88−2599
Sokolov, G.E. Peculiarities of the convergence of the method of partial regions in the study of the dispersion of waves in dielectric waveguides 87−32044
Sokolov, G.E. *see* Gassanov, L.G. 88−27574
Sokolov, G.E. *see* Koshevaya, S.V. 85−40241
Sokolov, G.V. *see* Olchak, A.S. 88−39037
Sokolov, G.Ya. *see* Belov, E.A. 86−5563
Sokolov, G.Ya. *see* Kozin, V.M. 86−50239
Sokolov, I., Ivanov, V. Atomic heat-supply stations in the USSR 88−42934
Sokolov, I.A., Borisova, Z.U. Nature of the conductivity of metal-containing chalcogenide glasses 86−63047
Sokolov, I.A. *see* Arutyunov, E.N. 86−21377
Sokolov, I.A. *see* Talakin, K.N. 87−58925
Sokolov, I.A. *see* Vasil'ev, M.G. 86−58942
Sokolov, I.A. *see* Vlad, V.I. 85−35862
Sokolov, I.B., Marchuk, A.N., Tsarev, A.I., Alipov, V.V., Kuzmin, K.K., Kuznetsov, V.S., Aleksandrovskaya, E.K., Pavlov, V.L. Stress state of dams during staged start-up of the Sayano-Shushenskoe and Nurek hydroelectric stations 87−9406
Sokolov, I.N. Possible areas of application of low-temperature heat from AST-300 and AST-500 nuclear district-heating plant reactors 85−38672
Sokolov, I.N. Research and development work forming the basis of the principal options for the AST-300 and AST-500 reactor facilities 85−38682
Sokolov, I.V. Parameters of a biconical measuring antenna 88−8592
Sokolov, I.V. *see* Egorov, V.S. 87−2070
Sokolov, I.V. *see* Kolobov, M.I. 88−14239
Sokolov, K.Yu., Sitas, V.I., Pereletov, A.I., Ivanov, G.V. A cost-effectiveness assessment of chemothermal systems of district heating 86−39310
Sokolov, L.N. *see* Skrypnik, A.I. 87−71634
Sokolov, L.V., Lamin, M.A., Pchelyakov, O.P., Stenin, S.I., Toropov, A.I. Surface reconstruction in the epitaxial growth of germanium on silicon 87−36765
Sokolov, M.A. *see* Romanov, O.V. 85−29050
Sokolov, M.M., Chekalov, L.V. Operating features of an electric filter and its power supply unit 87−4775
Sokolov, M.M., Dolbilin, E.V., Tsukanov, V.V. Employing converter devices to supply electrothermal installations 87−9651
Sokolov, M.M., Kopyrin, V.S., Shreider, Ya.I. Protection of an interconnected asynchronous electric drive 87−78980
Sokolov, M.M., Kopyrin, V.S., Shreider, Ya.I., Patrik, A.A. A two-motor electric drive for pumps, fans, and compressors 87−58361
Sokolov, M.M., Kuvaldin, A.B., Sal'nikova, I.P. Application of the method of inductively-coupled elements for electromagnetic design of multilayer inductors 87−43151
Sokolov, M.M., Rubtsov, V.P. Analysis of the effectiveness of utilizing linear motors in mechanisms of electrothermal installations 88−37242
Sokolov, M.M. *see* Brukovskii, I.P. 85−65653
Sokolov, N.A. An estimate of the carrying capacity of a common channel signalling system 87−76048
Sokolov, N.I. Parameters and properties of 'self-compensating' lines 85−15603
Sokolov, N.I., Fokin, V.K. Prospects of the use of capacitance-compensated synchronous phase-modifiers with a lateral winding on the rotor 86−39725
Sokolov, N.I., Fokin, V.K., Filatov, V.I., Khudyakov, V.V., Roshchin, G.V., Ivakin, V.N. Comparison of the operating efficiency of static and synchronous compensations in a 1150 kV power transmission line 88−10856
Sokolov, N.I., Kasparov, E.A. Operating conditions and stability of turbogenerators having a quadrature-axis control winding on its rotor 85−21543
Sokolov, N.I., Kasparov, E.A. Operating conditions and stability of turbogenerators with a transverse control winding on the rotor 85−21559
Sokolov, N.I. *see* Bushuev, V.V. 88−23275
Sokolov, N.I. *see* Gur'yanov, A.N. 87−53934
Sokolov, N.L. *see* Evtushenko, V.A. 88−62538
Sokolov, N.N. *see* Apostolatov, G.A. 87−42463
Sokolov, R.A. *see* Kovchavtsev, A.P. 88−50678
Sokolov, R.I. Determining the state of the rotor in an induction motor 86−61508
Sokolov, S.A. *see* Afonin, A.M. 88−44518
Sokolov, S.A. *see* Aleksandrov, A.F. 85−57001
Sokolov, S.A. *see* Cherepenin, V.A. 88−7266
Sokolov, S.A. *see* Kanavets, V.I. 86−41479
Sokolov, S.A. *see* Vdovin, V.A. 87−45497
Sokolov, S.E., Biktashev, Sh.Sh. Controlled reactors using pulse magnetic fields for compensation of wattless power in networks 86−12868
Sokolov, S.E. *see* Gaal', V.G. 87−30170
Sokolov, S.E. *see* Tsybakov, B.S. 88−3294
Sokolov, S.G. *see* Belousov, I.V. 88−36736
Sokolov, S.M. An information-control technical vision system for the adjustment and check of the measuring needle instruments 86−60108
Sokolov, S.M. *see* Platonov, A.K. 87−49497
Sokolov, S.N. Relation between ULF signal anomalies on long-distance mid-latitude paths and the ring current of a magnetospheric storm 88−40551
Sokolov, S.N. *see* Mikaelyan, G.T. 87−18974
Sokolov, S.N. *see* Zhizdyuk, T.B. 86−36504
Sokolov, S.V. *see* Gol'dberg, M.M. 86−522
Sokolov, S.V. *see* Suminov, V.M. 87−2239
Sokolov, S.V. *see* Venikov, N.I. 87−14697
Sokolov, S.Ye., Enktashev, Sh.Sh. Controlled pulsatile magnetic field reactors for electronic network reactive power compensation 86−70951
Sokolov, S.Yu. The effect of the noise spectrum on the signal-to-noise ratio in the correlation extraction of seismic signals in the ocean 86−69072
Sokolov, S.Yu. *see* Kuzemchenko, T.A. 88−50618
Sokolov, V., Geddes, J., Contolatis, A. Two stage dual fate MESFET monolithic gain control amplifier for Ka-band 87−59888
Sokolov, V. *see* Bauhahn, P. 86−27624, 86−67506
Sokolov, V. *see* Chen, Y. 87−17383
Sokolov, V. *see* Geddes, J. 85−1064, 85−17839, 86−41318, 87−59876, 88−19406
Sokolov, V. *see* Hiedmann, P. 87−73344
Sokolov, V. *see* Ray, S. 86−58293
Sokolov, V.A. *see* Dorofeev, I.A. 87−19004, 88−58640
Sokolov, V.A. *see* Gorshkov, B.G. 86−22450
Sokolov, V.A. *see* Kravchenko, V.I. 86−22439, 87−33236, 88−65765
Sokolov, V.B. *see* Alamplyev, B.V. 85−39303
Sokolov, V.B. *see* Krasnopolskii, A.E. 86−40274
Sokolov, V.D. *see* Dumarevskii, Yu.D. 87−18765
Sokolov, V.E. *see* Gavrilin, A.I. 87−30323
Sokolov, V.G. *see* Belkin, V.S. 87−70771
Sokolov, V.G. *see* Fudeman, M.O. 86−65795
Sokolov, V.I., Kovalenko, V.N. Voltage-pulse coincidence circuit 86−34638
Sokolov, V.I. *see* Gerzon, V.M. 85−60002

Sokolov, V.I. *see* Litvinenko, S.A. 86—14962
Sokolov, V.I. *see* Veinger, A.I. 85—34545
Sokolov, V.K. Features of the digitisation in level and time of data used in computerised dispatcher-control systems 86—44879
Sokolov, V.K. Control of the voltage operating modes of an electric network with selection of the quality characteristics 86—50852
Sokolov, V.K. Methods for determining the value of information in management of electric power systems 87—64074
Sokolov, V.K. Determination of the limiting lead time during automated control of electric power systems 87—71534
Sokolov, V.K. On defining the concepts of accuracy of information and information lifetimes in application to automatic dispatcher control systems 87—71545
Sokolov, V.K., Mel'tser, M.M. Information-structure reliability of an automatic control system 87—9096
Sokolov, V.K., Rezaev, V.V. Quantization of ensembles of energy parameters for utilization in automatic dispatcher control systems 87—35567
Sokolov, V.K., Suvorov, V.I. Accuracy distribution of procedures for the sampling and quantisation of parameters in automatic supervisory control systems with allowance for cost factors 88—75111
Sokolov, V.K. *see* Venikov, V.A. 86—32663, 87—42326
Sokolov, V.L. *see* Georgiadi, V.Kh. 87—78584
Sokolov, V.M., Golushko, V.V., Afanas'ev, V.A., Grebenkin, Yu.P., Muralev, A.B. Acoustic noise from steam generators in the BOR-60 reactor during simulation of leaks by argon and steam 86—65867
Sokolov, V.N. *see* Afonskii, A.K. 88—14299
Sokolov, V.N. *see* Ivanov, A.V. 87—70830
Sokolov, V.N. *see* Kogan, S.S. 86—30988, 88—41804
Sokolov, V.N. *see* Zakhlenyuk, N.A. 86—35333
Sokolov, V.O. *see* Pustovarov, V.Ye. 87—45021
Sokolov, V.S., Lebedeva, A.I. Determining the service life of turbine blades under conditions of irregular loading 85—15843
Sokolov, V.S. *see* Dolgopol'skii, B.S. 85—22003
Sokolov, V.S. *see* Roitman, M.S. 88—29284
Sokolov, V.V., Tsurpal, S.V., Konov, Yu.S., Korolenko, V.V. Detecting deformations of the windings of heavy-duty power transformers 88—69444
Sokolov, V.V. *see* Dmitriev, S.P. 85—15090
Sokolov, V.V. *see* Nosul'ko, D.R. 88—5728
Sokolov, V.V. *see* Vanin, B.V. 86—26094
Sokolov, Yu.B. The Electronika Hi-Fi magnetic tape decks 87—20799
Sokolov, Yu.B. Calibration tape recording for audio tape recorders using delayed ALC 88—4245
Sokolov, Yu.V. *see* Lenivkin, V.A. 87—16206
Sokolova, E.L. *see* Osvenskii, V.B. 87—1405
Sokolova, E.M. *see* Bespalov, V.Ya. 86—6736
Sokolova, E.M. *see* Mashinyan, L.Kh. 85—21856
Sokolova, G.V. PPN-type protection against short-circuits to earth 86—32813
Sokolova, I.G. *see* Vasnetsov, M.V. 87—75258
Sokolova, I.V. Automated diagnostic system for evaluating cerebrovascular function based on rheoencephalography 87—50346
Sokolova, I.V. *see* Barzali, F.D. 86—6504
Sokolova, I.V. *see* Loboda, L.I. 86—54105
Sokolova, L.I. *see* Kozlov, V.A. 88—69453
Sokolova, L.K. *see* Baranov, V.Yu. 88—8272
Sokolova, L.S. *see* Savchenko, K.V. 86—26928
Sokolova, M.A. *see* Zakharenkov, L.F. 86—46326
Sokolova, M.E. *see* Vlasov, N.G. 87—54446
Sokolova, M.V. Characteristics of a discharge in an air gap with an electrode coated with a solid dielectric 85—18502
Sokolova, M.V. Optimization of ozone formation in an electric discharge 85—40973
Sokolova, N.A. *see* Knichevskaya, L.V. 88—38669
Sokolova, N.E. *see* Vaks, E.D. 88—65921
Sokolova, N.Yu. *see* Ershevich, V.V. 87—57580
Sokolova, T.G. *see* Rakhlin, M.Ya. 86—13806, 87—58963
Sokolova, T.N. *see* Bazhenov, V.A. 87—8839
Sokolova, V.A. *see* Zinchenko, N.S. 86—27782, 87—32196
Sokolova, Z.N. *see* Alferov, Zh.I. 87—18977
Sokolova, Z.N. *see* Evtikhiev, V.P. 86—22380
Sokolova, Z.N. *see* Garbuzov, D.Z. 85—12878, 85—62560
Sokolova, Z.N. *see* Gel'mont, B.L. 85—29858
Sokolova, Z.N. *see* Tarasov, I.S. 86—22381
Sokolovskaia, A.I. *see* Brekhovskikh, G.L. 85—29921
Sokolovskaya, A.I., Brekhovskikh, G.L., Kudryavtseva, A.D. Wavefront reconstruction (conjugation) by stimulated scatterings: a review 88—2391
Sokolovskaya, A.I. *see* Brekhovskikh, G.L. 85—19015
Sokolovskaya, Zh.D. *see* Kulakov, M.P. 86—34280
Sokolovski, K.A. *see* Zdanowicz, W. 85—28979
Sokolovskii, A.A. *see* Klevitskii, B.G. 88—45130
Sokolovskii, G.G., Postnikov, Yu.V., Trofimuk, N.I. An electric drive with a flexible element for control with an observer 88—24185
Sokolovskii, G.G., Trofimuk, N.I. Controlling a multimass object by way of a reduced-order observer 86—45739
Sokolovskii, G.G., Tuder, L.A., Kopylov, S.V., Nazarov, Yu.A. Seminatural-scale modeling of control systems for electric drives with elasticity 88—75967
Sokolovskii, I.I. *see* Kolomoitsev, V.F. 85—22726
Sokolovskii, K.V. Comparative evaluation of errors in methods of determination of useful power of electrical machines 87—42786
Sokolovskii, S.A., Romanenko, Yu.V. Testing a high-voltage high-frequency transformer 87—4762
Sokolovskii, S.I. *see* Arnol'dov, M.N. 88—18088
Sokolovskii, V.L. *see* Meerovich, V.M. 85—48995
Sokolovskiy, A.A. *see* Moiseyev, V.V. 87—70591
Sokolovskiy, I.I. *see* Kolomoytsev, V.F. 87—52864
Sokolovskiy, M.N. *see* Poberezhskiy, E.S. 86—27120
Sokolovskiy, S.V. *see* Gulyayev, Yu.V. 88—40955
Sokolovskiy, V.I. *see* Kopeikin, V.V. 85—7647
Sokolowski, E. Human error as a source of disturbances in Swedish nuclear power plants 86—45082
Sokolowski, J. *see* Siegmund, O.H.W. 88—4428
Sokolowski, J.S. *see* Ben-Zvi, I. 85—1946, 86—32090, 86—44489, 86—55946, 88—51834
Sokolowski, J.S. *see* Brennan, J.M. 86—25075
Sokolowski, J.S. *see* Jerby, E. 87—75163
Sokolowski, P. *see* Winiecki, W. 87—3407
Sokolowski, S. Stereo TV decoder 86—49825
Sokolowski, W. *see* Beyer, E. 86—54234, 88—40442
Sokolowski, W.J. Understanding DC motor speed-control techniques 87—9572
Sokolsky, P. *see* Baltrusaitis, R.M. 88—29820
Sokoly, T.O., Baranowski, J.F., Goedde, G.L., Ghinazzi, J.M., Porter, J.W. Development of a distribution transformer not subject to destructive failure—an update 85—9966
Sokolyanskii, V.N. *see* Volkov, I.V. 85—21726
Sokov, I.A. *see* Dubovikov, N.I. 86—55902
Sokovikov, V.G. *see* Dudel'zak, A.E. 88—74988
Sokovikov, V.G. *see* Gerasimov, V.A. 85—7390
Sokovnin, S.Yu. *see* Kotov, Yu.A. 87—41662
Sokrustov, V.V. Evaluating voltage oscillations in open-cast coal mine networks 86—26467
Sol, C., Forest, F. Forward self-oscillating converter in bidirectional mode 87—44532
Sol, J.C. *see* Moynet, G. 86—6477
Sola, R.Garcia de *see* Garcia de Sola, R.
Solacolu, C., Solacolu, R., Kreindler, L., Magureanu, R. Static frequency converters using gate turn-off thyristors (GTO) with pulse-width modulation (PWM), controlled by microprocessor 85—44076
Solacolu, C. *see* Magureanu, R. 87—58062, 88—17627, 88—37228, 88—69378
Solacolu, R. *see* Magureanu, R. 87—58062
Solacolu, R. *see* Solacolu, C. 85—44076
Solaiman, B., Glavieux, A., Hillion, A. Performance of a slow frequency hopping BFSK system using convolutional coding in underwater acoustic media 88—73795
Solajic, Z. *see* Heppner, J. 85—2200
Solak, M.E., Henderson, T.J., Allan, R.B., Duckering, D.W. Winter orographic cloud seeding over the Kern River basin in California 87—71349
Solak, M.E., Henderson, T.J., Allan, R.B., Duckering, D.W. Winter orographic cloud seeding over the Kaweah River basin in California 87—71350
Solak, W. *see* Garloff, J. 86—34236
Solal, G.W.Cohen *see* Cohen Solal, G.W.
Solan, M. *see* Waller, D. 88—68531
Solana, J.M., Michell, J.A., Bracho, S. The operation map: a new method of describing the behaviour of a circuit under test orientated to fault diagnosis in scan-designed circuits 86—14107
Solana, J.M., Michell, J.A., Bracho, S. Elimination algorithm: a method for fault diagnosis in combinational circuits based on an effect-cause analysis 86—27218
Solana, J.M. *see* Bracho, S. 85—54766
Soland, J., Cazaban, D. Voltage off-peaks: know them in order to live with them 87—22920
Soland, R.M. *see* Gross, D. 86—230
Solani, P. Automated attendant exchanges placed ahead of PBX will process calls even if the PBX fails 88—73761
Solanilla, R., Etzel, W. Technology transfer to an Argentine engineering company 86—39473
Solanilla, R.B. *see* Gonzalez, A.J. 87—57745, 88—62105
Solanki, R., Moore, C.A., Collins, G.J. Laser-induced chemical vapor deposition 85—54514
Solanki, R., Sudarsan, U., Johnson, J.C. Laser-induced homoepitaxy of GaP 88—38138
Solanki, R., Zarnani, H., Kovall, G.A., Marrs, J.M. Photodeposition of tungsten 87—5500
Solanki, R. *see* Emery, K. 85—413
Solanki, R. *see* Kovall, G.A. 88—38250
Solanki, R. *see* Sritharan, S. 87—18331
Solano, C., Lessard, R.A. Red sensitivity of dichromated gelatin films 85—41516
Solano, C., Lessard, R.A. Phase grating formed by induced anisotropy in dyed gelatin plates 85—51291
Solano, C., Lessard, R.A., Roberge, P.C. Methylene blue sensitized gelatin as a photosensitive medium for conventional and polarizing holography 87—54430
Solano, C. *see* Calixto, S. 86—3324
Solano, J.Domingo Tardos *see* Domingo Tardos Solano, J.
Solano, M.A., Prieto, A., Rodriguez, J. Reduction of losses in dielectric waveguide Y-junctions with wide aperture angles 88—19330
Solano, M.A., Rodriguez, J., Prieto, A. Theoretical and experimental studies of symmetrical Y junctions in image guides 87—25916
Solano, M.A. *see* Prieto, A. 87—17328, 87—32036, 88—2663
Solano, M.A. *see* Rodriguez, J. 87—73591, 88—56848
Solar, B., Debeljak, Z., Verdenik, I. Use of robot ROKI 200 in electronic and electromechanical industry 87—118
Solar, B. *see* Cibej, I. 88—6223
Solar, B. *see* Kralj, A. 88—37945
Solar, J. *see* Langus, J. 86—4959
Solar, M. *see* Rothbauer, M. 88—12600
Solarski, E. *see* Czerwinski, A.J. 86—761
Solarz, R.W. *see* Shinn, M.D. 88—65635
Solaun, S.A. *see* Anderson, W.A. 87—9773
Solbach, K. Some millimeter-wave slotted array antennas 85—7768
Solbach, K. Self-mixing oscillators simplify smart weapons 85—11072
Solbach, K. MM-wave oversized cavity slotted array 85—13374
Solbach, K. Hybrid design proves effective for flat millimeter-wave antennas 85—57127
Solbach, K. Phased array simulation using circular patch radiators 87—2377
Solbach, K. EHF multifunction phased array antenna 87—12846
Solbach, K. Aircraft antennas/conformal antennas missile antennas 87—61471
Solbach, K. Integrated microwave antennas in multilayer technology 87—61519
Solbach, K., Wolff, I. Dielectric image line groove antennas for millimeter waves. I. Theoretical background 85—57125
Solbach, K., Wolff, I. Dielectric image line groove antennas for millimeter waves. II. Experimental verification 85—57156
Solbach, K. *see* Wolff, I. 86—64125
Solberg, B. *see* Pope, S.P. 87—52687
Solberg, J. *see* Chen, Y.G. 85—5220
Solberg, V. Design guidelines for SMT [surface mount technology] 86—53144
Solberg, V. Designing reliable high density printed circuit boards for SMT 87—11151
Solberg, V. Design for surface mount assembly manufacturability 87—60016
Solberg, V. Heat dissipation and reliability 88—56016
Solbes, A. *see* Roy, G. 85—21531
Solbes, M. *see* Dessimoz, J.-D. 88—26892
Solbiati, G. *see* Dellera, L. 85—4668 to 4669, 85—4686
Solbiati, G.L. *see* Di Stefano, M. 86—15961, 88—2623
Solbrig, M. *see* Wassew, K. 85—43013
Solbut, A. Adaptation of the design of an induction motor to be fed from a voltage source of reduced frequency 85—5096
Solc, V. *see* Cuchy, Z. 88—71863
Solca, F. *see* Camani, M. 86—33215, 86—45300
Solca, M. *see* Damia, G. 87—50377
Soldan, D. *see* Johnson, L. 87—52927
Soldani, L. Economic production of gate arrays in small quantities 88—19032
Soldatenko, K.V. *see* Bozhkov, V.G. 86—63099, 87—17782
Soldatenko, L.M. *see* Kovalenko, V.A. 87—2450
Soldatenko, M.V. *see* Neustroev, S.N. 86—859
Soldatenko, V.S. *see* Kanazeev, K.G. 87—35108
Soldatkin, V.M. *see* Ganeev, F.A. 86—24841
Soldatkin, V.Yu. *see* Veselov, G.I. 86—3628, 88—953
Soldatov, A.N. *see* Elaev, V.F. 87—12542
Soldatov, A.N. *see* Evtushenko, G.S. 85—7376
Soldatov, A.N. *see* Gerasimov, V.A. 85—7390
Soldatov, A.N. *see* Rybalov, A.M. 87—56968
Soldatov, B.I., Rol'shchikov, V.B. Correlometer based on pulse analyzer 86—70359
Soldatov, E.A. *see* Orlov, V.S. 88—24168
Soldatov, E.S. *see* Golovashkin, A.I. 88—20314
Soldatov, E.S. *see* Kuzmin, L.S. 87—67877
Soldatov, E.S. *see* Likharev, K.K. 85—46090
Soldatov, G.E. *see* Gutsev, D.F. 87—4500
Soldatov, G.E. *see* Veretennikov, G.A. 86—39297
Soldatov, M.M. *see* Boratave, M. 86—50449
Soldatov, V.F., Kobazev, V.P., Nikol'skii, G.I., Pavlenko, N.S. Automatic adjustment regulator of an arc-suppressing reactor in cable networks, with compensation of the potential of a damaged phase 88—68862
Soldatov, V.I. *see* Bykovskii, Yu.A. 86—9451
Soldatov, V.I. *see* Gusak, N.V. 88—58702

Soldatov, V.N., Litvin, A.I., Shcherbakov, A.F. Methods for construction of orthogonal discrete Walsh functions 88−40791
Soldatov, V.P. Elimination of the effect of differences in the signal shape on the accuracy of optoelectronic devices 85−20565
Soldatov, Ye.S. *see* Kornev, V.K. 88−65021
Soldatova, G.V. *see* Kislenko, V.I. 88−62371
Soldner, K. *see* Burton, P. 86−51720
Soldner, K.D., Spitznagel, K.L. A multi-task robotic workcell for electronic assembly 85−50126
Soldner, L. *see* Reichert, T. 88−68357
Sole, A. New steps in standardisation in Spain 86−69994
Sole, A.Creus *see* Creus Sole, A.
Sole, G.C., Smith, M.S. 3-D multiple beam forming lenses for planar arrays 85−13279
Sole, G.C., Smith, M.S. Design and performance of a three dimensional Rotman lens for a planar antenna array 86−68932
Sole, G.C., Smith, M.S. Multiple beam forming for planar antenna arrays using a three-dimensional Rotman lens 87−68889
Sole, J., Olivella, L. Computer reading of printed texts. III. Character recognition 85−13600
Sole, J. *see* Nadeu, C. 86−29915, 86−29944
Sole, P. Low correction sequences 85−57261
Sole, P. Covering radius in weakly metric association schemes 87−47461
Sole, P. The Lee association scheme 87−54882
Sole, P. Completely regular codes and completely transitive codes 88−21093
Solecki, M. *see* Dmochowski, Z. 86−18059
Soleit, S. *see* Talkhan, E.A. 85−7908
Solel, B. Invariant subspaces for algebras of analytic operators associated with a periodic flow on a finite von Neumann algebra 85−10571
Solem, J. Automatic call distributors 87−62709
Solem, J.C. Interlevel transfer mechanism and their application to grasers 87−7292
Solem, J.C. *see* Biedenharn, L.C. 87−7300 to 7301
Solem, O. Professional engineers' need for managerial skills and expertise 87−43882
Solenberger, J.C. PET resins designed for electronic/electrical needs 85−29389
Soler, A. *see* Weinstock, S. 87−78383
Soler, C. Code conversion by means of a PROM store. [Seven segment display application] 85−7818
Soler, F. *see* Rausell, J.A. 85−13517
Soler, J. Direct memory access controllers (DMA) 87−44836
Soler, J. On cubature with a minimal number of lines 87−65389
Soler, J., Marti, R. Single chip microcontrollers 88−797
Soler, X. *see* Peracaula, J. 88−69603
Solera, J.S. 100 kWp experimental PV power plant 86−33216
Solera, J.S., Pantoja, A. 100 kWp experimental PV power plant 86−45278
Solessio, E. Analogue filter with two variable poles in the audio range 85−49980
Soleyamani, M.R., Morgera, S.D. On multiple codebook vector quantization 86−43274
Soleymani, M.R., Morgera, S.D. An efficient nearest neighbor search method [vector quantisation] 87−54972
Soleymani, M.R., Morgera, S.D. An efficient nearest neighbor search method 87−61579
Soleymani, M.R., Morgera, S.D. A high-speed search algorithm for vector quantization 87−61594
Solfrian, W. *see* Schramek, E.-R. 87−57867
Solgaard, O. *see* Jakobsen, H. 87−14316
Solheim, A.G., Roulstohn, D.J. Optimum emitter aspect ratio for bipolar fiber-optic preamplifiers 87−73337
Solheim, A.G., Roulston, D.J. Optimization of transconductance in JFETs and MESFETs 88−13438
Solheim, A.G., Roulston, D.J. Computed noise performance of optimized JFETs as front ends in fiber-optic preamplifiers 88−33261
Solheim, R. Electrical installations offshore−past and future. I. Culture shock when the first electrical (generating) installations were installed on the North Sea 85−27269
Solheim, R. *see* van Gemst, P. 87−9647
Soli, D. *see* Calicchio, M. 88−29811
Soli, G.A. *see* Nicholas, D.K. 85−22807
Soli, G.A. *see* Zoutendyk, J.A. 86−35849, 87−31883, 88−25190
Soliani, G. *see* Boscolo, I. 85−24590
Soliani, G. *see* Leo, M. 85−35805
Solie, L.P. A new low-loss, single-bounce, reflective array filter using hyperbolically tapered transducers 87−60750
Solie, L.P. *see* Fredrickson, H.P. 88−51124
Solignac, J.-L. *see* Deron, R. 88−40580
Soliman, A. *see* Nosseir, A. 85−29362
Soliman, A. *see* Salama, M.M.A. 85−27069, 86−47907
Soliman, A.M. Novel phase and magnitude compensated noninverting voltage amplifiers 86−34562
Soliman, A.M. Novel phase and magnitude compensated inverting amplifiers 86−62454
Soliman, A.M. Active op-amp compensation 87−10689
Soliman, A.M. New active compensated noninverting and inverting amplifier circuits 87−44619
Soliman, A.M. Building blocks for active op-amp compensation 87−45026
Soliman, A.M. Generation of actively compensated noninverting amplifiers 88−574
Soliman, A.M. First order building blocks and their applications in active compensation 88−56753
Soliman, H.M., Fleming, R.J. Decentralized stabilization of large electric power systems 86−39015
Soliman, H.M., Sakr, M.M.F. Wide-range power system pole placer 88−48478
Soliman, H.M. *see* Nagrial, M.H. 86−38994
Soliman, H.M. *see* Sakr, M.M.F. 88−5253
Soliman, H.S., El-Nahas, M.M., Jamjoum, O., Mady, K.A. Characteristics of p-CuInSe$_2$/n-CdS heterojunction 88−75942
Soliman, J.I. Vehicle management systems 85−21921
Soliman, J.I. Trends in automotive microelectronics 87−72560
Soliman, J.I. Expert systems in transportation 88−69905
Soliman, K.M. *see* Areed, F.F.G. 87−31033
Soliman, K.M. *see* Atia, A.A. 87−35549
Soliman, M.A. On the convergence acceleration of iterative processes 85−39658
Soliman, M.A. A new update for the solution of nonlinear algebraic equations 85−60834
Soliman, M.Y., Habib, S.E.-D. Surface recombination velocity in MINP solar cells 87−58336
Soliman, S.A., Christensen, G.S. Modelling and optimization of reservoirs for long-term regulation with variable head using functional analysis 87−4620
Soliman, S.A., Christensen, G.S. Application of functional analysis to optimization of a variable head multireservoir power system for long-term regulation 87−15586
Soliman, S.A., Christensen, G.S. Long-term optimal operation of series-parallel reservoirs for critical period with specified monthly generation 87−77957
Soliman, S.A., Christensen, G.S. Optimization of hydropower systems operation with a quadratic model 88−48800
Soliman, S.A., Christensen, G.S. Optimization of reservoirs in series on a river with a nonlinear storage curve for long-term regulation 88−62232
Soliman, S.A., Christensen, G.S. Optimization of the production of hydroelectric power systems with a variable head 88−75511
Soliman, S.A., Christensen, G.S., Abdel-Halim, M.A. Optimal operation of multireservoir power systems 86−61209
Soliman, S.A. *see* Christensen, G.S. 86−70825, 87−4221, 87−57950, 87−72680, 88−23328, 88−23377
Soliman, S.S. Performance degradation due to receiver mismatch in binary continuous-phase modulation systems 87−19384
Soliman, S.S. Closed loop synchronizer over fading dispersive channels 87−39563
Soliman, S.S. Performance degradation due to receiver mismatch in communication over fading dispersive channels 87−47785
Soliman, S.S. A search algorithm for synchronization over fading dispersive channels 87−75675
Soliman, S.S., Scholtz, R.A. Synchronization over fading dispersive channels 85−41824
Soliman, S.S., Scholtz, R.A. Autocorrelation ambiguity functions 86−54399
Soliman, S.S., Scholtz, R.A. Synchronization over fading dispersive channels 88−45801
Soliman, S.S., Scholtz, R.A. Spread ambiguity functions 88−66256
Soliman, S.S. *see* Hsue, S.Z. 88−72564
Soliman, S.S. *see* Mokrani, K. 88−72773
Soliman, S.S. *see* Sandeep, C. 87−76552
Soliman, S.S. *see* Zeghlache, D. 87−68943, 88−52482, 88−73158
Solimene, L. *see* Pontarollo, E. 87−22010
Solimeno, S., Cutolo, A. Coupling coefficients of mismatched and misaligned Gauss-Hermite and Gauss-Laguerre beams 86−36556
Solimeno, S., Cutolo, A., Barbarino, G., Castellano, M., Cavallo, N., Cevenini, F. Inverse free electron laser on a storage ring 85−56715
Solimeno, S., Torre, A. Optical resonators for free electron lasers 85−56724
Solimeno, S. *see* Biagini, M. 85−56711
Solimeno, S. *see* Cutolo, A. 85−35803, 86−5690, 87−2174, 87−26456
Solimeno, S. *see* Luchini, P. 85−56687, 86−3206, 87−2196
Solimeno, S. *see* Prisco, G. 85−41420
Solimini, D. Aspects of microwave remote sensing 86−56248
Solimini, D. *see* Bardati, F. 86−11965, 86−32301, 86−60748, 87−8926, 87−54715, 87−77660, 88−23064, 88−36469
Solimini, D. *see* Basili, P. 87−62873
Solimini, D. *see* Bonsignori, R. 88−10609
Solimini, D. *see* D'Auria, G. 87−50578, 87−77900
Solimini, D. *see* Mongiardo, M. 88−4925
Solin, O., Kronman, D., Lindblom, P., Rosengard, U., Vuorinen, K. Atomic near-infrared noble gas scintillations. II. Application to particle beam intensity measurement 88−54072
Solin, O. *see* Lindblom, P. 88−54396
Solin, V.G. *see* Bogdankevich, O.V. 86−15496
Solina, F. *see* Bajcsy, R. 87−62332
Solina, F. *see* Zazula, D. 85−15338, 86−18357
Solinsky, J.C. The use of color in machine edge detection 86−16583
Soliterman, M.N. *see* Alimov, A.K. 86−25959
Soliven, M. *see* Kadis, A.L. 87−53683
Soliz, E., Gonzalez, S., Fernandez-del-Busto, R. Digital simulation as a tool for power plant control systems performance evaluation 85−60015
Solka, H. *see* Adams, H. 85−46363
Soll, J. *see* Hoffmann, U. 87−78935
Soll, M. *see* Braun, F. 85−2680
Soll, M. *see* Noterdaeme, J.M. 85−30102
Soll, M. *see* Wesner, F. 85−30101
Solla, S.A. *see* Jackel, L.D. 88−19120
Sollami, R., Toscani, L., Ragghianti, P., Seerlazzo, R. Model of the standing wave; spectral analysis of EEG in the course of visual stimulation 88−30001
Sollami, R., Toscani, L., Ragghianti, P., Sferlazzo, R. The decomposition of EEG in real time using numerical filters; standing and travelling waves 88−29999
Sollami, R. *see* Sferlazzo, R. 88−29998
Sollami, R. *see* Toscani, L. 88−30000
Sollars, P.M.A. Crimp Dee developments 86−1454
Sollberger, A. Frequency stabilization of semiconductor lasers 86−9863
Solleder, R. Why use fault current protective circuit breakers with a network voltage independent solution? 87−15927
Sollenberger, N.R. *see* Feggeler, J.C. 85−63579
Soller, B. *see* Shepela, A. 87−60330
Sollero, R.B. *see* Tureli, A. 85−65008
Solley, D.J. CAE applications in switching supplies 86−66201
Sollfrank, E. *see* Bartling, N. 85−21875
Sollfrey, W. Interference problems for nongeostationary satellites 85−31004
Sollfrey, W. *see* Hiebert, A.L. 85−31003
Sollia, D.J. *see* Nelson, J.K. 87−25667
Sollid, J.E. *see* Hanlon, J. 86−29078
Sollid, J.E. *see* Newnam, B.E. 86−3198
Sollie, G. *see* Stapper, M. 88−10653
Sollinger, M. *see* Eichler, H.J. 85−18835, 87−38984
Sollins, K.R., Clark, D.D. Distributed name management 88−59524
Sollner, T.C.L.G. Current directions in resonant tunneling research 88−39349
Sollner, T.C.L.G., Brown, E.R., Goodhue, W.D., Le, H.Q. Observation of millimeter-wave oscillations from resonant tunneling diodes and some theoretical considerations of ultimate frequency limits 87−32464
Sollner, T.C.L.G., Brown, E.R., Groodue, W.D. Microwave and millimeter-wave resonant tunneling diodes 87−45291
Sollner, T.C.L.G., Brown, E.R., Le, H.Q. Microwave and millimeter-wave resonant-tunneling devices 88−63916
Sollner, T.C.L.G., Le, H.Q., Correa, C.A., Goodhue, W.D. Persistent photoconductivity in quantum well resonators 85−56401
Sollner, T.C.L.G., Le, H.Q., Correa, C.A., Goodhue, W.D. Persistent photoconductivity in resonant tunneling structures: toward a resonant tunneling transistor 86−63270
Sollner, T.C.L.G., Tannenwald, P.E., Peck, D.D., Goudhue, W.D. Quantum well oscillators 85−23496
Sollner, T.C.L.G. *see* Brown, E.R. 87−32463, 88−32430
Sollner, T.C.L.G. *see* Danly, B.G. 85−40396
Sollner, T.C.L.G. *see* Fetterman, H.R. 85−13362
Sollner, T.C.L.G. *see* Goodhue, W.D. 87−11391
Sollner, T.C.L.G. *see* Whitaker, J.F. 88−71504
Solman, J.V. Testing special series in the 80s−Bell Canada's ATACS test system 86−17785
Solman, J.V. Design of a public electronic mail system 88−9061
Solmi, S., Landi, E., Negrini, P. Effect of the annealing conditions on the electrical characteristics of p$^+$/n shallow junctions 85−6730
Solmi, S. *see* Angelucci, R. 86−21368, 87−25065
Solmi, S. *see* Cembali, F. 86−47353, 87−25086
Solmi, S. *see* Cerofolini, G.F. 85−12132, 85−50388, 86−15035
Solmi, S. *see* Fahey, P. 87−25079
Solmi, S. *see* Guimaraes, S. 86−35295, 86−63154
Solmi, S. *see* Landi, E. 87−17766
Soln, J. Quantum model of the free-electron laser in a uniform magnetic field 86−9883
Soln, J. Electron trajectories in the uniform-magnetic-field orotron free-electron laser 86−68566
Soln, J. A quantum description of the free-electron lasers with a uniform magnetic field and a corrugated slow-wave structure 87−7390

Soln, J. Analysis of dynamically generated slow-wave structures in the magneto-orotron free-electron laser 88−27197
Soln, J. Dynamical slow-wave structures in the magneto-orotron 88−51838
Sol'nik, V. *see* Zaida, Z. 86−55888
Solntsev, E.V. *see* Krakhmalin, I.G. 87−4562
Solntsev, M.V. *see* Grigor'ev, P.V. 88−16929
Solntsev, V.A. *see* Osin, A.V. 85−6666, 87−66838
Solntsev, V.A. *see* Romashin, N.L. 87−53123, 88−38985
Solntsev, V.M. *see* Antipenko, B.M. 87−26358
Solntsev, V.P. *see* Alimpiev, A.I. 87−12437
Solntsev, V.P. *see* Gulev, V.S. 88−51777
Solnyshkin, A.A. *see* Belyaev, S.N. 86−70370
Solnyshkin, N.I. *see* Matin, V.I. 88−65940
Solo, A.Garrido del *see* Garrido del Solo, A.
Solo, V. Modelng of two-dimensional random fields by parametric cepstrum 87−27376
Solo de Zaldivar, J. VLSI technology 87−60636
Solo de Zalvidar, J. *see* Luscher, R.E. 86−9304
Soloboev, V.E. *see* Vernokovskii, V.V. 85−4150
Solod, T.A. *see* Sablin, N.I. 86−50273
Solodilov, V.Yu., Strangul, O.N. Nonlinearly transformed speech signals for speech analyzer investigation 87−50212
Solodimov, A.A., Polubabkin, Yu.V. High-accuracy high-speed analog-digital converter 87−29033
Solodimov, A.A., Polubabkin, Yu.V., Shlyadin, V.M. Fast analog-to-digital converter with input-signal extrapolation 88−4349
Solodkaya, M.S. *see* Vasil'ev, F.P. 86−52369
Solodkaya, T.I. *see* Gorfinkel', V.B. 87−17757
Solodkhin, A.S., Trushin, S.A. Generating radiation in the 4.4-μm region in a $^{13}CO_2$ laser 88−40151
Solodkii, V.A. *see* Fedulin, V.N. 86−6502, 88−17298
Solodkov, A.F. *see* Goldobin, I.S. 85−2339, 85−35787, 86−9858, 86−36496
Solodkov, A.F. *see* Kocherov, D.A. 88−51901
Solodkov, A.F. *see* Malakhova, V.I. 86−9861
Solodkov, A.F. *see* Plyavenek, A.G. 87−68520
Solodkov, A.F. *see* Vasil'ev, M.G. 86−9859, 87−18975
Solodov, A.A. Optimum receiver of weak optical Gaussian signals 85−63672
Solodov, A.A. Investigation of the quality of linear filtering of analog optical signals 86−30033
Solodov, A.M. *see* Makogon, M.M. 86−63786
Solodov, E. *see* Ashford, V. 87−41835
Solodov, E.P. *see* Aulchenko, V.M. 87−21412
Solodov, P.P. *see* Metel'skiy, G.B. 86−30506
Solodov, S.E., Morozova, N.D. Optoelectronic data unit for metal cutting machine tools 88−45275
Solodov, V.I. *see* Musatov, I.A. 88−60385
Solodov, Yu.S. *see* Lebedev, I.V. 85−23139
Solodovnik, A.I., Kizema, I.I. A method for determining preference strategy in synthesis problems 87−31272
Solodovnik, V.A. *see* Kirichenko, A.Ya. 87−59833
Solodovnikov, G.K., Levchenko, L.S., Russkin, V.M., Yatsutsenko, A.Ya. Echo-signal detection under ionospheric fading conditions 86−16341
Solodovnikov, G.K., Russkin, V.M., Cheremnyy, V.A. Probability distribution of amplitude fluctuations of radio signals in the high-latitude ionosphere 86−48587
Solodovnikov, G.K., Russkin, V.M., Savenkov, A.V. Automated dispersion interferometer-polarimeter for study of the ionosphere and radio-wave propagation 88−68634
Solodovnikov, G.K., Stadnik, A.M. Fluctuations of the parameters of spherical radio waves in a multiscale ionosphere 87−39387
Solodovnikov, G.K. *see* Bakai, A.S. 87−33427
Solodovnikov, V.V. *see* Samylov, S.N. 85−39110
Solodovnikov, V.V. *see* Subbotin, V.I. 85−41048
Solodukha, A.M., Zhukov, O.K., Lesovoi, M.V. Structure of thin films of tungsten trioxide obtained by laser evaporation 85−16975
Solodukhin, A.P. *see* Lobashev, V.M. 85−64506
Solodukhin, A.S. Hot-cell-free sequence-band CO_2 laser 87−54228
Solodukhin, A.S., Stepanov, B.I., Trushin, S.A. Sealed CO_2 laser emitting in the 4.3 μ range 87−2078
Solodukhin, A.S., Stepanov, B.I., Trushin, S.A. Hot-cell-free 4.3 μm CO_2 laser 87−7246
Solodukhin, A.S., Trushin, S.A. Investigation of output parameters of a 4.3-μm longitudinal-discharge CO_2 laser 87−26308
Solodukhin, A.S. *see* Andreev, Yu.M. 88−58662
Solodukhin, A.S. *see* Petukhov, V.O. 87−26300, 88−51747
Solodukho, F.M. *see* Obradovich, K.A. 85−4113
Solodukhov, V.V. *see* Vasil'ev, E.N. 86−41273
Solodukhov, V.V. *see* Vasil'yev, Ye.N. 86−29528
Solodunov, A.M., Livshits, A.M. Organization and prospects for development of washing-machine production at the Riga electric machine building plant 86−61924
Solodunov, A.M. *see* Ivanov, I.A. 88−24228
Solodyannikov, Yu.V. *see* Klyachko, A.A. 86−66679
Sologub, V.G. *see* Barkov, A.D. 85−34134, 86−22759
Sologub, V.G. *see* Boltonosov, A.A. 87−68757
Sologub, V.G. *see* Boltonosov, A.I. 88−72531
Sologub, V.G. *see* Doroshenko, V.A. 88−72532
Sologub, V.G. *see* Koshevoy, G.I. 86−29522
Sologub, V.G. *see* Misyura, N.N. 86−62799
Sologub, V.G. *see* Pazynin, L.A. 86−3451, 88−27576
Solokha, V.Ya. *see* Shinkarenko, G.V. 86−25631
Solokhin, A.E. *see* Kuz'min, A.M. 86−40505
Solomakha, D.A., Mikhailova, T.P., Ivashechkina, M.A. Certifying a Fizeau interferometer for a working wavelength standard for pulsed lasers 87−68561
Solomakha, M.A., Mokobotskii, S.I. The reliability of steam pipe bends made from 12 XIMF steel 88−55159
Solomakha, O.N., Karlusov, V.Yu. Construction of reversible discrete mathematic models for dynamic systems 86−46272
Solomakha, O.N., Yadovina, E.S. Optimization of processes and synthesis of local controllers in pulse-type voltage stabilizers 88−61865
Solomakhin, D.V., Popov, M.A. Design of electromechanical modules for multi coordinate stepping motor drive 86−19539
Solomakho, G.I. *see* Dmitriev, N.I. 88−14289
Soloman, R.S. *see* Wolf, C.J. 85−1793
Solomatin, I.I. *see* Varnavskii, O.P. 86−9796
Solomatin, V.A. Phase analyzer employing a multielement radiation receiver 85−56437
Solomatin, V.A., Yakushenkov, Yu.G. Comparison between several methods of finding coordinates of images using multiple-element radiation detectors 87−14722
Solomatin, V.A., Yakushenkov, Yu.G. Formation of the sensitivity field of raster converters 88−26980
Solomatin, V.A. *see* Kondaurov, I.N. 86−24535
Solomatin, V.E. X-ray methods of examining welded joints 85−4249
Solomatin, V.S. *see* Aleksandrov, A.V. 85−12977
Solomatin, V.S. *see* Krasnikov, V.V. 85−7540
Solomatin, V.Ya. *see* Ermolaev, V.T. 87−33543
Solomatin, Yu.V. *see* Gal'perm, A.D. 87−26568
Solomatina, N.M. *see* Loseva, E.I. 85−39324
Solomatov, V.N., Kolker, D.G., Sherlaimov, N.N., Yashin, Yu.N., Rovinskii, S.I., Rozina, M.D. Arc resistance of insulators of glass-plastic and silico-organic rubbers for use on 110-220 kV overhead lines 87−21958
Solomey, N., Dominik, W., Santiard, J.-C. A parallel-plate avalanche chamber with a gated drift-chamber readout 88−74743
Solomey, N. *see* Ambats, I. 85−43251
Solomey, N. *see* Bouclier, R. 86−50314, 87−21422, 88−29846, 88−42439
Solomey, N. *see* Dawson, J. 86−50424
Solomin, A.V. *see* Shpak, I.V. 86−22442, 87−18656, 87−46941
Solomin, A.V. *see* Vorontsov, V.I. 85−12907
Solomita, M. *see* Ahlgren, D.J. 88−61236
Solomko, A.A., Gaidai, Yu.A., Dovzhenko, A.D., Antonishin, M.V., Pridatchenko, Yu.V. Conversion of optical waveguide modes by ferromagnetic resonance in ferrite-garnet films 88−33748
Solomko, A.A., Gaidai, Yu.A., Dovzhenko, A.V., Antonishin, M.V. Conversion of optical waveguide modes in gyroanisotropic planar waveguides 87−68123
Solomko, N.N. *see* Ezovit, G.P. 86−66207
Solomon, A. A modem that works miracles 86−23585
Solomon, A.D. A numerical study of the performance of latent heat storage for solar dynamic power systems 86−38912
Solomon, A.D. *see* Wood, R.F. 86−28110
Solomon, B.D. Synfuel development impacts−econometric modelling and policy analysis 85−59859
Solomon, C. Exploring the problems of internetworking 85−63301
Solomon, C. Getting the data there: issues in network connectivity 85−63306
Solomon, C.W. Switched-capacitor filters: precise, compact, inexpensive 88−56745
Solomon, C.W. *see* Mok, T.D. 86−57963
Solomon, D.A. *see* Pinamaneni, S. 86−62951, 87−10155
Solomon, D.L. Covariance matrix for α-β-γ filtering 85−36262
Solomon, F. *see* Schue, T.J. 88−17914
Solomon, H.D. Fatigue of 60/40 solder [joints] 86−61986
Solomon, H.D. The influence of hold time and fatigue cycle wave shape on the-low cycle fatigue of 60/40 solder 88−63428
Solomon, I. Improvement of efficiency and long term stability of amorphous silicon solar cells: a fundamental research challenge 86−45697
Solomon, I. A new technique for photovoltaic energy conversion: solar cells made of amorphous silicon 86−66356
Solomon, I. *see* Hallerdt, M. 86−27922
Solomon, I. *see* Schmidt, M.P. 86−27924
Solomon, I. *see* Thioulouse, P. 86−38460, 87−3658, 87−56747
Solomon, J. The future role of international telecommunications institutions 85−7988
Solomon, J. *see* Lazow, R. 85−59329
Solomon, J. *see* Vane, G. 86−12150
Solomon, J.C., Selvester, R.H. ECG mapping for the inverse problem 85−53070
Solomon, J.C., Selvester, R.H., Tolan, G.D. Forward ECG simulation 86−50603
Solomon, J.E. Computer-based design for tomorrow's super chip 87−18263
Solomon, J.H. Telecommunications evolution in the UK 87−20008
Solomon, J.M. *see* Hall, D.J. 85−28822
Solomon, J.S., Smith, S.R. UV-ozone cleaning of GaAs (100) surfaces for device applications 87−11683
Solomon, J.S., Thomas, D.R., Smith, S.R. The effect of oxygen on diffusion and compounding at Ni-GaAs(100) interfaces 87−11439
Solomon, J.S. *see* McDevitt, N.T. 87−11469
Solomon, J.S. *see* Smith, S.R. 85−50275
Solomon, L. Motorola's muscular 68020 85−6339
Solomon, L. A look inside the 6502 87−52597
Solomon, L.I. MAP: a standard for survival 87−28075
Solomon, M. *see* DeWitt, D. 85−42285
Solomon, O.M. *see* Stearns, S.D. 85−2864
Solomon, O.M., Jr. *see* Cadzow, J.A. 86−16432, 86−69056, 87−7769, 87−19828, 87−33676
Solomon, O.M., Jr. *see* Stearns, S.D. 85−19471
Solomon, P. *see* Baratte, H. 88−13097
Solomon, P.M. Physics at the limits of VLSI scaling 85−29207
Solomon, P.M. Properties of and prospects for the GaAs gate heterojunction FET 87−6743
Solomon, P.M. Three part series on heterojunction transistors 87−24899
Solomon, P.M., Knoedler, C.M., Wright, S.L. A GaAs gate heterojunction FET 85−6944
Solomon, P.M., Wright, S.L., La Tulipe, D. Probe pressure effect on tunneling current through a GaAs-(Al,Ga)As-GaAs heterojunction barrier 87−24818
Solomon, P.M., Wright, S.L., Lanza, C. Perpendicular transport across (Al,Ga)As and the Γ to X transition 87−24865
Solomon, P.M. *see* Baratte, H. 87−46006, 88−1685, 88−39536
Solomon, P.M. *see* Frank, D.J. 87−25345
Solomon, P.M. *see* Hickmott, T.W. 85−50340, 86−47378
Solomon, P.M. *see* Mooney, P.M. 86−2228
Solomon, P.M. *see* Nathan, M.I. 85−61920, 87−6746
Solomon, P.M. *see* Parrish, A. 88−54739
Solomon, P.M. *see* Ricco, B. 85−29000
Solomon, P.M. *see* Theis, T.N. 87−25265
Solomon, P.R. *see* Penner, S.S. 87−78236
Solomon, R.A. *see* Ashley, D.J. 85−23257
Solomon, R.J. Open Network Architectures and broadband ISDN: the joker in the regulatory deck 88−3675
Solomon, S., Tuson, A., Owen, H. A rural communications development in the Caribbean 88−59470
Solomon, S. *see* Bozdog, H. 86−24306
Solomon, S. *see* Vlad, V.I. 87−47016
Solomon, S.B., Peggie, J.R., Grealy, G., Leach, V.A. An integrating thermoluminescent Rn daughter personal dosimeter 87−42028
Solomonidis, S.E. *see* Goh, J.C.H. 85−31877
Solomonik, E.A. *see* Artem'ev, A.S. 86−32794
Solomonik, E.A. *see* Gutman, I.Yu. 87−4419, 87−4424
Solomonik, E.A. *see* Merkhalev, S.D. 86−26676
Solomonik, E.A. *see* Ostapenko, E.I. 87−71705
Solomonik, V.A. *see* Ostrovskii, E.S. 87−29052
Solomonov, S.V. *see* Vystavkin, A.N. 86−22050
Solomonov, V.I. *see* Prokop'ev, V.E. 86−9754
Solomonov, V.I. *see* Rybalov, A.M. 87−56968
Solomonov, V.M. *see* Gagauz, I.B. 85−31720
Solomonov, V.M. *see* Pomerantsev, V.V. 88−54388
Solomonow, M. Comments, with reply, on 'Design and evaluation of digital closed loop controller for the regulation of muscle force by recruitment modulation' by G. Wilhere, et al 87−41898
Solomonow, M., Baratta, R., Miwa, T., Shoji, H., D'Ambrosia, R. Myoelectric profile of electrically stimulated muscle and its potential as feedback variable in a closed-loop control scheme 86−56135
Solomonow, M., Shoji, H., D'Ambrosia, R., Douglas, R. Electromechanical walking system for paraplegics 86−50120
Solomun, T., McIntyre, R., Richtering, W., Gerischer, H. Surface stoichiometric changes of n-GaAs after anodic treatment: an XPS study 86−47483
Solomyak, B.M. *see* Dzliev, S.V. 88−49997
olonchuk, I.V. *see* Guts, V.V. 86−9702, 86−36359, 87−70834, 88−33892
Solonchuk, L.S. *see* Gavaleshko, N.P. 87−6376
Solonenkin, A.A. Changing the speed of two-speed induction motors 87−51209
Solonin, M.I. *see* Fot, N.A. 86−46415
Solonin, V.I. *see* Glazov, A.G. 87−8777

Solonin, V.Yu. Selection of desired-signal pulses according to delay of their amplitude variation 87−59271
Solonko, A.G. *see* Kravchenko, A.B. 86−35459
Solontsova, L.V. *see* Gavrilov, L.R. 87−41994, 87−50584, 88−42507
Solop, N.A., Gofayzen, O.V., Timchik, Yu.F. Estimate of the effectiveness of TV signal predistortion 87−49235
Solopchenko, G.N. Metrological model of data-and-measurement system 86−24276
Solopchenko, G.N. Principles of normalization, determination, and control of error characteristics in data-and-measurement systems 86−44105
Solopchenko, G.N. Inverse problems in measurement 88−4270
Solopchenko, G.N. *see* Baskin, N.V. 86−31107
Solopchenko, G.N. *see* Reznik, L.K. 87−8493
Solopchenko, G.N. *see* Seregina, N.I. 85−52626
Solopov, V.M. A method of calculating the natural modes in multilayer radially nonuniform lightguides 85−18715
Soloshchanskii, V.A. *see* Shelenberg, V.R. 88−5364
Soloshenko, V.I. *see* Roizin, Ya.O. 87−56640
Soloski, S.C. *see* Frederking, T.H.K. 86−48058
Solosky, A.G. iNet 2000−an intelligent communications service 85−19658
Soloukhin, R.I. *see* Achasov, O.V. 88−8114
Soloukhin, R.I. *see* Khizhnyak, S.M. 86−3074
Soloukhin, R.I. *see* Koudryavtsev, N.N. 86−3077
Soloukhin, R.I. *see* Yakobi, Yu.A. 85−56733
Soloukhin, R.I. *see* Zhdanok, S.A. 88−20544
Soloukin, R.I. *see* Anisimov, V.N. 87−74701
Solovei, V.V., Kanilo, P.M. Hydrogen stored systems using thermochemical compression 87−22792
Soloveichik, L.F. *see* Kremenetskiy, S.D. 85−36050
Soloveichik, Yu.G. *see* Glebov, I.A. 87−4674
Solovetskii, Yu.I. *see* Pimonov, A.A. 86−40973
Solov'Ev, A.D., Solov'Ev, S.A. Queueing systems with a limited time in the system 87−36571
Solov'ev, A.P. *see* Barmin, V.V. 86−5822
Solov'ev, A.P. *see* Belyi, V.I. 87−17960
Solov'ev, A.P. *see* Dolotov, L.E. 87−26494
Solov'ev, A.S. *see* Akimenko, S.A. 85−9081
Solov'ev, A.S. *see* Antyukhov, V.A. 86−60637
Solovev, A.S. *see* Bitsadze, G.S. 87−3891, 87−50166
Solov'ev, A.S. *see* Blik, A.M. 88−29891
Solov'ev, A.V. Formalization, analysis, and implementation of protocols 87−69618
Solov'ev, D.A. *see* Melkov, G.A. 88−12555
Solov'ev, D.A. *see* Zhitnyuk, V.S. 87−46397
Solov'ev, E.P., Ostapenko, E.I., Kuznetsov, A.V., Trifonov, V.Z. Temperature-time conditions of typical thermomechanical tests of polymer insulators 86−39190
Solov'ev, E.P. *see* Kuznetsov, A.V. 87−25710
Solov'ev, G.I. *see* Epifanov, A.P. 85−38990
Solovev, I.A. *see* Imankulov, Z. 88−40136, 88−51749
Solov'ev, I.R. Experience in vibration tests and balancing rotors of large turbine-generator units 85−60053
Solov'ev, K.L. *see* Shagalova, S.L. 85−48852
Solov'ev, L.M. *see* Esengulov, D.E. 88−37156
Solov'ev, M.L. *see* Borodulin, Yu.B. 87−58158
Solov'ev, N.A. *see* Andreev, A.A. 86−3272
Solovev, N.E. *see* Golikova, O.A. 85−23405
Solov'ev, N.G. *see* Pavlov, Yu.S. 86−70360
Solov'ev, N.G. *see* Vikulov, V.F. 87−8800
Solov'ev, N.N. *see* Kiseleva, E.V. 86−21133
Solov'ev, N.N. *see* Kurbatov, V.A. 86−15552
Solov'ev, O.V. Effect of local ionospheric inhomogeneity on the field of a vertical electric dipole 86−59043
Solov'ev, O.V. Field measurement in a flat impedance atmospheric duct with a local inhomogeneity above the source 88−72528
Solov'Ev, S.A. *see* Solov'Ev, A.D. 87−36571
Solov'ev, S.L. *see* Popov, V.A. 88−42868
Solov'ev, S.M. *see* Shchuka, Yu.V. 85−43574, 88−11544
Solov'ev, S.M. *see* Vorob'ev, I.B. 87−41874
Solov'ev, S.P. *see* Gres'kov, I.M. 86−67789
Solov'ev, S.P. *see* Kolin, N.G. 85−45559
Solov'ev, V.A. Measurement of the relative spectrum flux density of radiation sources 86−57014
Solov'ev, V.A. *see* Shubnikov, V.A. 86−38584
Solov'ev, V.G. *see* Mulyarchik, S.G. 85−17078, 87−53444, 87−53452, 88−26191, 88−50814
Solov'ev, V.G. *see* Mulyarchuk, S.G. 87−67213
Solov'ev, V.I., Upadyshev, V.V., Shurinov, S.G., Yakovleva, M.V. Calorimetric apparatus for continuous measurement of the heat of combustion of gaseous fuel 88−42309
Solov'ev, V.I. *see* Artyushin, L.M. 88−63076
Solov'ev, V.L. Improving the functional characteristics of household electrical appliances 86−66509
Solov'ev, V.M. Method for improving the accuracy of digital filters 85−55031
Solov'ev, V.M. *see* Grigor'yants, A.G. 85−21998
Solov'ev, V.N., Sinkevich, V.F., Dyadyna, G.A. Micromechanisms for electromigration failure in thin-film metallization 86−2084
Solov'ev, V.N. *see* Kirnos, D.P. 87−63910
Solov'ev, V.R. *see* Isakov, I.M. 87−39002
Solov'ev, V.V. Interaction of a fluxon with a microshort 86−2628
Solov'ev, V.V., Nesterova, Z.V., Petrovskii, G.T. Influence of stimulated Brillouin scattering on the radiation characteristics of stimulated Raman scattering components in multimode fiber-optical waveguides 87−68112
Solovev, V.V. *see* Nesterova, Z.V. 85−24652, 86−3307
Solov'ev, Yu.A. *see* Diasamidze, E.M. 85−20825
Solov'ev, Yu.V. *see* Belousov, A.S. 87−50190
Solov'eva, A.A. *see* Latyyev, S.M. 86−24256
Solov'eva, A.B. *see* Ivantsev, A.S. 85−24357
Solov'eva, E.S. *see* Ovinskii, V.M. 86−56693
Soloveva, G.I. *see* Bondarchuk, Ya.M. 88−33948
Solov'eva, G.R., Khabarov, V.V. Choice of optimum geometry for a multilayer cylindrical solenoid 87−2273
Solov'eva, G.R., Khabarov, V.V. Study of the axial magnetic field in a system of two multi-layer solenoids 88−20864
Solov'eva, T.D., Tomash, Z.P. Analysis of operation of 300 MW units under neutral/oxygen water conditions 86−45202
Solov'eva, V.A. *see* Varshavskii, G.Ya. 86−51598
Solov'eva, Z.I., Zhebelev, Yu.A. Left-bank dam of the Bratsk hydroelectric station 85−53593
Solov'eva, Z.I. *see* Zhebelev, Yu.A. 85−60052
Solovey, M.P. *see* Kurayev, A.A. 87−24714
Soloviev, A.S. *see* Bitsadze, G.S. 88−54407
Soloviev, L.D. *see* Ageev, A.I. 88−47779
Soloviev, L.D. *see* Balbekov, V.I. 85−26562
Soloviev, L.D. *see* Myznikov, K.P. 85−31661
Soloviev, L.D. *see* Vasilev, A.A. 86−38661
Solovieva, G.M. *see* Dzhelepov, V.P. 88−61136
Solovov, V.A. *see* Eliseev, V.N. 85−43117
Solovskii, G.G. Flexibly coupled electric drive control system 85−32725
Solovtsov, S.L. A set of equations for determining the radiation pattern of an antenna from near-field readings 85−62884
Solovtsov, S.L. Determination of antenna polar diagram from field measurements in Fresnel zone 87−47285
Solov'yanov, V.L. *see* Avvakumov, I.A. 88−61202
Solov'yev, A.A. *see* Asovich, P.L. 85−7783, 88−44069
Solov'yev, A.N., Tseytlin, M.B., Belyavskiy, B.A. Analysis of the conditions of excitation of higher order oscillations in an orotron based on a nonlinear multifrequency theory 86−21045
Solovyev, A.S. *see* Hlinka, V. 87−8837
Solovyev, G.A. *see* Zhitkov, V.V. 85−57709
Solov'yev, M.Yu. *see* Dinges, S.I. 86−27131
Solov'yev, V.S. *see* Gaiduk, P.I. 85−11903, 86−58385
Solov'yev, V.V. A system of radio-spectrum utilization-efficiency indices 88−41780
Solov'yev, Yu.A. Potential accuracy of a centralized active-synchronization algorithm 87−69176
Solovyov, E.P. *see* Alexandrov, G.N. 86−51056
Solow, H. A review of the evolution and development of devices for the dynamic evaluation and rehabilitation of the back or trunk musculature 87−3938
Soloway, C.S. *see* Aldermeshian, H. 87−76170
Soloway, G.S. *see* Chriss, W.H. 87−55856
Solt, J.C. *see* Yuen, M.H. 85−15848
Solt, K. Silicon thermal erasing head—design and technology 87−24630
Solt, R. *see* Pelka, E.J. 85−37139
Soltan, A. *see* Kupczak, R. 86−60181
Soltan, V.P. Partition of a plane set into a finite number of d-convex parts 86−7627
Soltan, V.P., Chepoi, V.D. Conditions for invariance of set diameters under d-convexification in a graph 85−5903
Soltan, V.P. *see* Lebedeva, T.T. 86−7652
Soltani, F. *see* Bozic, S.M. 88−44293
Soltani, S. *see* Sahoo, P.K. 88−34740
Soltani-Zamani, J. *see* McLean, G.W. 88−17573
Soltanov, V.S. *see* Romanenko, V.N. 88−16078
Soltes, L. Orientations of graphs minimizing the radius or the diameter 87−10272
Soltis, J.J., Sid-Ahmed, M.A. The use of potential analog methods in the design and understanding of 2-D digital filters 86−57990
Soltis, J.J., Sid-Ahmed, M.A., Srdanovic, M. Phase contrast filtering for edge enhancement in digital images 87−69385
Soltis, J.J. *see* Sid-Ahmed, M.A. 86−46400
Soltis, R.A. *see* Duffy, M.T. 85−55594
Soluch, W. Early stage of piezoelectronics in Poland 85−216
Soluch, W. New compensation techniques for acoustic surface wave phase fronts distortions in interdigital transducers with variable electrode interaction 85−1818
Soluch, W. Surface acoustic waves 85−1819
Soluch, W. Filters with surface acoustic waves (SAW) 85−18533
Soluch, W., Koczynski, B., Kozlowski, L. Television filter type FT-381 with surface acoustic wave. I 88−32301
Soluch, W., Ksiezopolski, R., Piekarczyk, W., Berkowski, M., Goodberlet, M.A., Vetalino, J.F. Preliminary results of measurement of the $BaLaGa_3O_7$ piezoelectric crystal 86−2475
Soluch, W. *see* Josse, F. 87−1858
Soluch, W. *see* Narayanan, R.S. 86−2557
Soluk, G. Understanding film dynamics on continuous-motion telecines 86−49851
Soluyanova, Ye.A. *see* Vashkovskiy, A.V. 88−2490
Solvang, E. *see* Sand, K. 88−17137
Solvay, J.-P. *see* Danoel, E. 86−29765
Solway, A.E. *see* Taylor, D.M. 88−29586
Solworth, J. *see* Dickey, S. 86−47698
Solworth, J.A. Cell libraries for silicon compilers 86−40862
Solworth, J.A. GENERIC: a silicon compiler support language 87−6844
Solyak, N.A. *see* Balakin, V.E. 85−26579
Solyakov, V.N. *see* Kukushkin, V.V. 86−27865
Solyanik, O.A. An eight-element collinear-coaxial antenna 86−43063
Solyanik, V.I. *see* Ivanov, A.A. 86−65362, 86−70339
Solyanik, V.I. *see* Ronzhin, A.I. 86−65366
Sol'yanik, V.Kh., Tishechkin, A.A. Assessing the operation of groups of current transformers under transient conditions 87−78730
Solyanyk, Z.V. *see* Lakhotskii, T.V. 86−13158
Solyarchuk, S.Yu. *see* Borodin, V.G. 86−48584
Solymar, L. Theory of volume hologram formation in photorefractive crystals 87−68664
Solymar, L., Wilson, T. Controllable nonreciprocal optical phase shifter 85−35857
Solymar, L. *see* Erbschloe, D.R. 88−51926
Solymar, L. *see* Heaton, J.M. 85−7551, 85−51304, 86−3322, 87−54437
Solymar, L. *see* Huignard, J.P. 86−3302
Solymar, L. *see* Newell, J.C. 86−22537
Solymar, L. *see* Riddy, G.D.G. 86−63878
Solymar, L. *see* Slinger, C.W. 85−35904, 87−7445, 87−33331
Solymar, L. *see* Ward, A.A. 86−58984, 87−12612
Solymoss, E., Kiss, J. Some problems of measuring the transient noise and vibration of electrical machines 86−70854
Solymoss, E. *see* Nemeth, K. 86−6741, 86−26050
Solynin, V.A. *see* Berezin, I.V. 88−34302
Solzbach, U. *see* Wollschlager, H. 86−60724
Som, A., Bond, L.J. High frequency ultrasonic scanning system 88−42708
Soma, J., Kimura, Y. Car audio systems and in-car acoustics 85−3799
Soma, J. *see* Kawaura, J. 87−7743
Soma, K. Connectors for high-density mounting 87−1048
Soma, K., Aihara, M., Kataoka, Y. Diagnostic method for power cable insulation 87−35640
Soma, K. *see* Mochizuki, T. 88−30373
Soma, K. *see* Oonishi, H. 87−35642
Soma, K. *see* Otomo, D. 87−62831
Soma, M. Reliability characterizations of implantable prosthetic devices 85−31880
Soma, M. Reliability of implantable electronic devices: two case studies 87−35441
Soma, M. A PC-based VLSI design and test system for education 88−31339
Soma, M., Galbraith, D.C., White, R.L. Radiofrequency coils in implantable devices: misalignment analysis and design procedure 87−50409
Soma, M., Seki, Y., Inada, A., Ishimota, K., Matsuno, K., Minegishi, A. Optical fiber tester SA-9601 86−2708
Soma, M., Spelman, F.A., Rubinstein, J.T. Fields produced by the cochlear prosthesis: the ear as a multilayered medium 85−38234
Soma, M. *see* Galbraith, D.C. 87−50408
Soma, M. *see* Koskowich, G.N. 88−50963
Soma, M. *see* Rubinstein, J.T. 88−16785
Soma, M. *see* Tsutsumi, M. 86−32285
Soma, T., Idesawa, M., Goto, E., Sasaki, T. A computer-aided evaluation system for sectored-type multipole electrostatic deflectors 85−35975
Soma, T. *see* Goto, E. 86−41895, 86−68204, 88−8495
Soma, T. *see* Harada, Y. 88−51388
Soma, Y. *see* Takenaka, T. 87−1805
Somal, H. *see* Peczalski, A. 87−694, 87−31849, 88−51039
Somal, H. *see* Tho Vu 87−59341
Somal, H.S. *see* Vu, T.T. 87−66026
Somalvico, M., Salmon, M. Global design concepts for the MORO locomotive robot 87−40313
Somalwar, S., Frisch, H., Incandela, J. Transient-response induction detectors for magnetic monopoles: first operation at 78 K 88−54425
Somalwar, S., Frisch, H., Incandela, J., Kuchnir, M. Series-parallel gradiometers for monopole detectors 85−15176
Somalwar, S. *see* Incandela, J. 87−14748
Somalwar, S. *see* Incandela, J.R. 85−31730
Soman, S. *see* Pitchumani, V. 87−1105
Soman, S.D. *see* Swaminathan, N. 85−20848
Soman, S.S. *see* Pitchumani, V. 88−63622
Somanatham, R. *see* Rajkumar, A.D. 88−5695

Somani, A.K., Gupta, A. Rendezvous type protocols without acknowledged packets 88−52952
Somani, A.K., Penla, N. Compact neural network 88−57781
Somasiri, N.L.D., Macdiarmid, A.G. Polyaniline: characterization as a cathode active material in rechargeable batteries in aqueous electrolytes 88−43370
Somasiri, N.L.D. *see* MacDiarmid, A.G. 85−21790
Somasundaram, K. *see* Ramachandran, P. 85−26838
Somasundaram, R. Requirements of quality and reliability for defence electronic systems 86−46120
Somasundaram, S. Advances in manufacturing technology 85−16483
Somasundaram, S. *see* Garg, S.P. 86−70441
Somasundaram, S.K., Sundaram, K.V.S. Energy management in the 21st century 88−69707
Somasundaram, S.K. *see* Sridharan, S. 86−65899
Somasundaram, T.N. *see* Vickers, M.S. 85−53362
Somatani, T. *see* Nakajima, S. 86−47606
Somayaji, T.S.N. *see* Sahu, S.C. 85−51424
Somayajulu, Y.V. *see* Acharya, Y.B. 85−48471
Somayajulu, Y.V. *see* Singh, L. 85−57111
Somayazulu, V. *see* Cappello, P. 87−27460
Sombach, B. *see* Koppendorfer, W. 86−42181
Somberg, H. Low-cost silicon sheet for solar cells 87−9824
Somberg, H. Development of a commercial photovoltaic module with integrated DC conversion for battery float charging 87−9838
Somberg, H. Improvements in direct-cast silicon sheet for low-cost solar cells 88−18023
Somboon, S. *see* Ishida, M. 87−42946
Sombrin, J. *see* Larroque, J. 87−37536, 88−25067, 88−67284
Some, R.R. Programmable jumpers 85−1204
Someda, C.G., Castelli, R., Irrera, F. Modal analysis and design criteria of azimuthally inhomogeneous circularly birefringent fibers 88−65264
Someda, C.G., Vinco, A., Galtarossa, A. Parallel waveguides decoupled by the refractive index distribution in the surrounding medium 88−66156
Someda, C.G. *see* Cibotto, S. 87−68069
Someda, C.G. *see* Galtarossa, A. 86−28811
Someda, C.G. *see* Irrera, F. 88−72023
Somekh, M. Present and future uses of scanning acoustic microscopy for material studies 87−65596
Somekh, M.G. Modeling the response of the reflection acoustic microscope with structural variation in the specimen 87−4173
Somekh, M.G. Scanning optical techniques for semiconductor analysis 87−45753
Somekh, M.G., Bertoni, H.L., Briggs, G.A.D., Burton, N.J. A two-dimensional imaging theory of surface discontinuities with the scanning acoustic microscope 86−6149
Somekh, M.G., Faridian, F. A discussion of wideband frequency modulation techniques for acoustic microscopy 88−42696
Somekh, M.G. *see* Bertoni, H.L. 87−4190
Somekh, M.G. *see* Crean, G.M. 88−57459
Somekh, M.G. *see* Faridian, F. 86−65577, 87−71420
Somekh, M.G. *see* Sheard, S.J. 87−37857
Somekh, M.G. *see* Weaver, J.M.R. 85−53218
Somekh, R.E. *see* Blamire, M.G. 87−74561, 87−74600, 88−26725
Somekh, R.E. *see* Boothroyd, C.B. 87−6466
Somekh, R.E. *see* Evetts, J.E. 88−29813
Somekh, R.E. *see* Lumley, J.M. 85−56186
Somekh, R.E. *see* Naclerio, N.J. 85−56202
Somenkov, V.A. *see* Glazkov, V.P. 88−29831
Someno, N. *see* Asano, H. 87−30878
Somenzi, F., Gai, S. Fault detection in programmable logic arrays 86−62544
Somenzi, F., Gai, S., Mezzalama, M., Prinetto, P. Testing strategy and technique for macro-based circuits 85−28457
Somenzi, F., Gai, S., Mezzalama, M., Prinetto, P. Testable design with PLA macros 85−49827
Somenzi, F. *see* Gai, S. 87−23843, 87−37226, 88−12311, 88−70722
Somenzi, F. *see* Lioy, A. 86−46784
Somenzi, F. *see* Poretta, A. 85−45022
Somer, J. *see* Wells, P.N.T. 86−60720
Somer, J.C., Jongsma, H.M. Optical deconvolution using phase-holograms as spatial filters 85−53237
Somer, J.C. *see* Jongsma, F.H.M. 85−51020
Somer, J.C. *see* Waszczuk, T. 85−43340
Somer, M.De *see* De Somer, M.
Someren, A.van *see* van Someren, A.
Someren Greve, S.C.van *see* van Someren Greve, S.C.
Somerkoski, J.V.A., Ahola, H., Laakso, L. Properties of the Finnish NbTi superconductors 85−46051
Somerkoski, J.V.A., Laakso, L., Vanhatalo, V., Toivanen, R.O., Lindroos, V.K. High critical current densities of multifilamentary Nb-46.5 wt.% Ti superconductors 85−56147
Somers, H. Transfer of fossil-fuelled power-plant engineering and design technology [project management] 85−33065
Somers, J.-P. Advanced microcontroller builds car trip computer 88−11466
Somers, M., Searle, R. GLORIA sounds out the seabed 85−15434
Somerton, C.W., Brouillette, T., Pourciau, C., Strawn, D., Whitehouse, L. RANKINE: a computer software package for the analysis and design of steam power generating units 87−64401
Somerville, A.N., Tridgell, R.H. Derivation from the MPT 1327 signalling standard of specifications MPT 1343, MPT 1347 and MPT 1352 88−28733
Somerville, I.R. *see* Mak, D.K. 88−12132
Somerville, J. Power line disturbance simulators 85−9554
Somerville, J.A. *see* Murphy, A.T. 86−57924
Somerville, R.L. *see* Oreskovich, J.P. 88−23644
Somerville, W.M. Floating wave driven wind turbines and island supplies 85−15968
Somerville, W.M. The operating experience of the Fair Isle wind turbine 85−48920
Somerville, W.M. Operating experience of the Fair Isle wind turbine 87−51116
Somerville, W.M. Operating experience of the Fair Isle wind turbine 87−57977
Somerville, W.M., Stevenson, W.G. A wind turbine greatly improves the power supply on Fair Isle 85−65187
Somerville, W.M. *see* Davies, T.S. 87−51130, 88−5626
Someya, A. *see* Sagara, S. 88−42819
Someya, H., Adachi, T., Baba, H., Irie, Y., Matsumoto, S., Sasaki, H., Yano, Y. Application of a GTO thyristor to a dual resonant frequency circuit for the magnet of a rapid-cycling synchrotron 86−26144
Someya, H. *see* Sasaki, H. 86−5755, 88−42392
Someya, K. *see* Minato, A. 86−42760
Someya, K. *see* Yanagi, H. 87−46426
Someya, R. *see* Tanaka, M. 87−28352
Someya, T. *see* Russell, P.E. 85−31306
Somkuty, J. VH 302 type UHF/VHF single channel radio link equipment 86−43724
Somla, R., Parrymore, C.S. Load Management and SCADA by means of radio 88−23317
Somlai, I. *see* Adams, C. 86−24743
Somlo, A. *see* Cseke, L. 88−5263
Somlo, A. *see* Gonczi, P. 88−5264
Somlo, J. *see* Miskolczi, J. 88−71649
Somlo, P.I. Signal flow graph reduction: computer-generated algebraic formula using Mason's non-touching loop rule 87−31644
Somlo, P.I., Hunter, J.D. Microwave impedance measurement 86−26483
Somlo, P.I., Hunter, J.D., Arthur, D.C. Accurate six-port operation with uncalibrated nonlinear diodes 85−37738
Somlo, P.I., Small, G.W. Phase-shift measurements in a standards laboratory environment 86−38504
Somlo, P.I. *see* Berman, M. 86−44075, 88−19327
Somlo, P.I. *see* Hunter, J.D. 85−26161, 85−31580, 85−43082, 88−74569
Somm, E., Schlachter, W., Schwarzenbach, A. Power generating equipment 85−21477
Somma, S.A. *see* Miller, G.D. 85−65092
Somma-Riva, G. *see* Maranzana Figini, M. 85−4333
Sommariva, A.M. A method for investigating free-running and force behavior of almost sinusoidal oscillators with shifting bias 87−73359
Sommariva, A.M. On the analysis of internally resonant oscillators 88−32042
Sommariva, A.M. Refinement and extension of Belevitch's criterion through perturbation techniques 88−70589
Sommariva, A.M. *see* Calandra, E.F. 85−54715, 86−8037, 86−34602, 87−541
Sommariva, G. *see* Figini, M.M. 85−9177
Sommaruga, C. *see* Abdallah, A. 86−19138
Sommaruga, E. *see* Crepaz, S. 85−55208, 87−17416, 87−31722
Sommeer, H. *see* Graichen, H. 86−1466
Sommeijer, B.P. On the economization of explicit Runge-Kutta methods 86−40679
Sommeijer, B.P., Van Der Houwen, P.J., Neta, B. Symmetric linear multistep methods for second-order differential equations with periodic solutions 86−40680
Sommeijer, B.P. *see* van der Houwen, P.J. 85−10648, 87−10333
Sommen, P.C.W. Frequency-domain adaptive filter with an efficient window function 87−33725
Sommen, P.C.W. On the convergence behaviour of a frequency-domain adaptive filter with an efficient window function 87−52760
Sommen, P.C.W., van Gerwen, P.J., Kotmans, H.J., Janssen, A.J.E.M. Convergence analysis of a frequency-domain adaptive filter with exponential power averaging and generalized window function 87−68805
Sommer, A.C. A case history of plant life extension for multiple boiler/turbine plants 86−6584
Sommer, A.C. Plant life extension for a multiple boiler/turbine plant—a case history 86−12670
Sommer, A.C. Powerhouse life extension: a retrofit case history 86−19076
Sommer, A.C., Rand, R.S. Industrial power house system coordination 85−65674
Sommer, A.C., Rand, R.S. Industrial powerhouse system coordination 86−33886
Sommer, A.J., Fuerniss, S.J., Appelt, B.K. Characterization of thin-film negative resist via photo-FT-IR 88−64434
Sommer, B. *see* Baier, P. 86−64885
Sommer, C. *see* Baker, C. 88−25276
Sommer, D., Spieth, R., Schwarz, J., Gleichauf, W., Porsch, D. Effect of position dependent data of activation measurements in the assessment of fuel element operation 88−5490
Sommer, D. *see* Pribyl, W. 88−56616
Sommer, D.L. *see* Dige, M.W. 88−5093
Sommer, D.L. *see* El-Sharkawi, M.A. 86−70940
Sommer, E., Rohrweg, A. Vertical single phase turbogenerators for the Ruetz power station at Fulpmes of the Austrian Federal Railways 85−32451
Sommer, E. *see* Dudok, E. 88−14548
Sommer, E. *see* Lieke, M. 85−41732, 88−34471
Sommer, E.M. *see* Level, M.P. 85−64394, 86−31931, 88−47964
Sommer, E.M. *see* Zyngier, H. 86−25104
Sommer, F.G. *see* Gehlbach, S.M. 88−28056
Sommer, G., Gottschild, D., Kubenk, F., Brandstaedt, A. Pattern analysis of periodic time-variant scenes [cardiology] 87−3934
Sommer, G., Meinel, G. The design of optimal gaussian DOLP edge detectors 88−14836
Sommer, G., Vollmer, W. Television camera tube with electrostatic deflection 87−13922
Sommer, H. A concept of data/voice integration with PBX terminals and servers 87−34326
Sommer, H. A concept of data/voice integration with PBX terminals and servers 88−35238
Sommer, H. *see* Huhn, K.-E. 85−52173
Sommer, H.A. *see* Walton, J.T. 86−50511
Sommer, K. The world of in-house ISDN 87−55510
Sommer, K.-H. *see* Bosterling, W. 86−56851
Sommer, K.H. *see* Bosterling, W. 87−38231
Sommer, K.O. *see* Giodano, R. 86−33502
Sommer, M. Examples of unicity subspaces in L_1-approximation 87−23551
Sommer, M. Properties of unicity subspaces in L_1-approximation 88−43823
Sommer, M. *see* Baconnier, Y. 85−37840
Sommer, M. *see* Nunberger, G. 86−46247
Sommer, P. *see* Brauschke, P. 88−1649, 88−33226
Sommer, R. A new design for large capacity directly mounted load cells 86−11745
Sommer, R. *see* Hoge, H. 87−19577
Sommer, R. *see* Kersting, T. 86−10796
Sommer, R. *see* Ney, H. 86−69007
Sommer, R.C. A note upon another error detecting code that is not proper 85−62968
Sommer, S., Tschopel, R. Operating system components for the local computer network LANCELOT 86−16961
Sommer, T., Reilly, P. Curricular validity or 'educational handwaving'? 87−51790
Sommer, T.J. Picture-phone on the road to mass service [ISDN] 88−59484
Sommer, T.J. Picture phone service within the ISDN-64 88−59761
Sommer, V.F., Jr. *see* Grisham, D.L. 86−32057
Sommer, W.F. *see* Agnew, L. 86−5717
Sommer, W.F. *see* Graf, K.H. 86−56005
Sommereyns, P. *see* Hoeffelman, J. 88−17150
Sommerfeld, R. *see* Bango de Varona, F. 85−13886
Sommerfeldt, R., Rupp, R.A., Vormann, H., Kratzig, E. Thermal fixing of volume phase holograms in $LiNbO_3$:Cu 87−39256
Sommerfeldt, R. *see* Gericke, V. 88−7910
Sommerfeldt, R. *see* Hertel, P. 88−27322
Sommerhauser, W. Video program system: flexible programming by VPS 86−24016
Sommerhuber, C. *see* Kofler, H. 85−5042
Sommerlatte, T. The office communication market takes shape 85−36517
Sommerlatte, T. Information technology for the masses—concentrated action by the Japanese 86−59518
Sommers, A.N. Supplying specialized continuing education programs to defense contractors 87−23137
Sommers, H.S., Jr. Critical analysis and correction of the rate equation for the injection laser 85−29835
Sommers, J. A standard cell system utilizing super cells 86−1008
Sommers, J. System integration with super cells 86−46720
Sommers, M.J. Capabilities and constraints of automatic speech recognition and its use for the space station 88−72881
Sommers, R. Hand-held instruments 85−42832
Sommers, R. Variety, versatility make nonvolatile memory difficult to forget 85−54864
Sommers, S., Johnson, G., Waller, A. An editing and reporting system for Fermilab's accelerator controls system database 86−60436
Sommers, S.A. *see* Holmes, S.D. 86−31772

Sommerville, I., Smith, D.J. An electronic secretary 85−3042
Sommerville, J. *see* MacLoon, F. 87−9310
Sommerville, J.D., Thompson, P.D. The ongoing licensing of an operating reactor−a Canadian viewpoint 88−62063
Somoano, R., Carter, B.J., Subba Rao, S., Shen, D., Yen, S.P.S. The cycle life chemistry of ambient-temperature secondary lithium cells 86−40059
Somoano, R. *see* Krishnakumar, B. 88−30387
Somoano, R. *see* Yen, S.P.S. 87−24499, 87−30886
Somoano, R.B., Yen, S.P.S. Materials performance study of rep rate, long life capacitors 85−40948
Somoano, R.B. *see* Gutmann, F. 85−22152
Somoano, R.B. *see* Ott, F.M. 85−34215
Somoano, R.B. *see* Shen, D.H. 87−22695
Somoano, R.B. *see* Subba Rao, S. 88−16862
Somoano, R.B. *see* Yen, S.P.S. 88−17896
Somodi, J. A new generation of 100 W TV transposers 88−47287
Somodi, P., Knez, N. An investigation of partial discharge of instrument transformers by ultrasonic detection 88−11267
Somogyi, A. *see* Apathy, I. 85−37434
Somogyi, A. *see* Drommer, G. 88−48818
Somogyi, A. *see* Drommer, Gy. 88−62443
Somogyi, A. *see* Farago, M. 85−37437
Somogyi, A. *see* Jareb, O. 88−57772
Somogyi, A. *see* Polgar, I. 86−44714
Somogyi, G. Current problems in chemical track etching 85−37952
Somogyi, G., Hafez, A.-F., Hunyadi, I., Toth-Szilagyi, M. Measurement of exhalation and diffusion parameters of radon in solids by plastic track detectors 87−29640
Somogyi, G., Kozma, E. Automatic measuring devices — integrated testing systems during manufacture 87−14076
Somogyi, G., Lenart, L. Time-integrated radon measurements in spring and well waters by track technique 87−29647
Somogyi, G., Toth-Szilagyi, M., Hunyadi, I., Hafez, A.-F. Effect of certain production parameters and post-production treatments on the etching characteristics of CR-39 sheets 87−29574
Somogyi, G., Varaga, Z., Paripas, B. Measurement of radon, radon daughters and thoron concentrations by multi-detector devices 85−38262
Somogyi, G. *see* Balogh, A. 88−67940
Somogyi, G. *see* Dajko, G. 87−29620
Somogyi, G. *see* Hafez, A.-F. 87−29639
Somogyi, G. *see* Ilic, R. 87−29663
Somogyi, G. *see* Medveczky, L. 87−14779
Somogyi, I. *see* Gyuro, I. 88−31744
Somogyi, K. Hall mobility lowering in GaAs epitaxial layers 87−73993
Somogyi, K. On Cr behaviour during the VPE growth of GaAs epitaxial layers 88−6456
Somogyi, K. *see* Gorog, T. 86−411
Somogyi, K. *see* Gyuro, I. 86−14502, 88−6449, 88−56958
Somogyi, K. *see* Meszaros, I. 87−73055
Somogyi, L.F. *see* Schwartz, M.S. 87−13421
Somogyi, M. Dopant concentration determination at frequencies above 10 kHz on GaP-electrolyte system 86−53492
Somogyi, M. *see* Fried, M. 85−12143
Somogyl, M. Impedance of GaAs-GaAsP- and GaP-electrolyte interfaces in the 10 kHz−100 kHz frequency range 88−7402
Somorjai, G.A. *see* Turner, J.E. 85−1429
Somos, I.L., Electra, S., Eriksson, L.O., Tobin, W.H. Understanding di/dt ratings and life expectancy for thyristors 86−47558
Somos, I.L., Eriksson, L.O., Tobin, W.H. Establishing conditions for a meaningful di/dt test for thyristors 86−35667
Somos, I.L., Piccone, D.E., Tobin, W.H. Plasma spreading in 6 kV, 100 mm diameter thyristors 88−26243
Somos, I.L., Piccone, D.E., Tobin, W.H. Plasma spreading loss in 100 mm thyristors 88−57632
Somos, N. Co-processors enhance PC functionality. I 85−28572
Somos, N. Co-processors enhance PC functionality. II 85−28573
Somov, A.M. Calculation of the noise temperature of a beam-guide 86−17306
Somov, A.Yu. *see* Kats, L.I. 85−58853
Somov, N.N. *see* Drabek, S.V. 88−15972
Somov, P.A. *see* Norenkov, I.P. 87−52287
Somov, S.V. *see* Artamonov, A.A. 86−5824
Somov, S.V. *see* Gushchin, E.M. 85−26718, 86−25142 to 25143, 86−38713
Somov, V.A. *see* Gorobets, N.N. 88−40698
Somova, T.A. *see* Drabek, S.V. 88−15972
Somppi, D.E. A monolithic DMOS amplifier 87−38587
Soms, L.N. *see* Berezhnoi, A.A. 85−35547
Soms, L.N. *see* Groznov, M.A. 88−72166
Soms, L.N. *see* Kornev, A.F. 85−2392
Soms, L.N. *see* Mezenov, A.V. 88−45387
Soms, L.N. *see* Myl'nikov, V.S. 86−2873
Soms, L.N. *see* Vitrishchak, I.B. 88−65767
Soms, L.N. *see* Vladimirov, F.L. 86−36533
Somuah, C.B., Baidas, H.M., Opoku, G. Multistate reactive power optimization 88−5246
Somuah, C.B., Schweppe, F.C. Minimum frequency constrained generation margin allocation using quadratic programming 87−50662
Somuah, C.B. *see* Baidas, H.M. 88−30282
Son, C.W. *see* Martinez, R. 87−55764
Son, D.R., Lee, W.C., Woo, B.C., Lee, S.H., Kim, C.S. Construction of magnetic properties measuring system by transient recording method 87−77099
Son, I., Tang, T.-W., Navon, D.H. Modeling of bistable device *I-V* characteristic resulting from conductivity modulation in semiconductors 88−39361
Son, K. Fault simulation with the parallel value list algorithm 86−34729
Son, K. Rule based testability checker and test generator 86−46771
Son, K., Fong, Y.O.J. Table driven behavioural test generation [LSI/VLSI logic circuits] 85−17320
Son, S.H. On multiversion replication control in distributed systems 87−40080
Son, S.H., Agrawala, A.K. Practicality of noninterfering checkpoints in distributed database systems 87−27211
Son, S.H. *see* Ki, H.C. 87−74305
Son Hyun *see* Hyun Son
Son Jim-Hyeon *see* Jim-Hyeon Son
Son Jung-Young *see* Jung-Young Son
Son Kim Tschang *see* Kim Tschang Son
Son Le Mong *see* Volks, G. 87−57853
Son Li Do *see* Li Do Son
Son Li Za *see* Li Za Son
Son Lyu Jong *see* Jong Son Lyu
Son Sang Hee *see* Sang Hee Son
Son Tae Ho *see* Tae Ho Son
Son Woon Ho *see* Woon Ho Son
Son Yong *see* Yong Son
Sona, A. RF and DC excited high power CO_2 lasers 88−40140
Sona, A. Lasers in industry: metalworking processes and systems 88−72460
Sona, A. *see* Garifo, L. 87−46791, 87−54211
Sona, A. *see* Abraham, N.B. *(editor)* 86−52127
Sonada, S. Development and launch of Broadcasting Satellite-2 85−36979
Sonawat, H.M., Phadke, R.S., Govil, G. Towards biochemical fuel cells 85−27630
Soncini, G. *see* Cova, S. 86−50212
Soncini, G. *see* Fantini, F. 85−45002, 85−55982
Soncini, G. *see* Finetti, M. 85−18163, 85−45619
Soncini, G. *see* Poggi, A. 87−66886
Soncini, G. *see* Scorzoni, A. 85−29032, 88−25955
Sonck, G. The DPS 1500 LAM: a high performance line access module 86−54731
Soncrant, T.T. A semi automated system for quantitative densitometry of autoradiographs 86−32249
Sondaar, L.H. *see* van Ardenne, A. 85−2703
Sondak, N. *see* Koster, A. 85−22913
Sonde, B.S. *see* Bhat, S.R. 87−42732, 88−23916
Sonde, B.S. *see* Salem, O.M. 86−46931, 86−64794
Sonder, E., Levinson, L.M., Katz, W. Role of short-circuiting pathways in reduced ZnO varistors 86−21623
Sonder, E., Quinby, T.C., Kinser, D.L. ZnO varistors made from powders produced using a urea process 86−47095
Sonder, E., Zuhr, R.A., Martinelli, J.R. Electronic barriers produced at ZnO surfaces by ion implantation and annealing 87−32405
Sonder, E. *see* Modine, F.A. 85−50605
Sonderegger, E. Laser measuring head in the practical three-coordinate measuring technique 85−19068
Sonderegger, P. Fibre calorimeters: dense, fast, radiation resistant 87−63647
Sonderegger, P. *see* Burmeister, H. 85−9051
Sondergaard, N.A. *see* Maribo, D. 87−43063, 88−23953
Sondergaard, N.A. *see* Woo, J.T. 88−75626
Sondergeld, M., Lang, A. Chlorine gas warning instrument for the continuous monitoring of the air 86−12191
Sondergeld, M. *see* Kuntz, W. 88−42062
Sondericker, D. *see* Eberhardt, W. 88−71361
Sondericker, D. *see* Sansone, M. 88−48077
Sonderman, D. *see* Pourbabai, B. 85−60837
Sonderman, J.B. *see* Shaw, L.L. 86−5080
Sondermann, J.P., Nimz, P. Mobile measuring technique by coordinates with an electronic theodolite 88−36228
Sonderskov, T. *see* Goede, A.P.H. 88−45651
Sondheim, W.E. *see* Kapustinsky, J.S. 86−20367
Sondheim, W.E. *see* Sunier, J.W. 86−18261
Sondhi, M.M., Elko, G.W. Adaptive optimization of microphone arrays under a nonlinear constraint 87−20778
Sondhi, M.M., Schroeter, J. A nonlinear articulatory speech synthesizer using both time- and frequency-domain elements 87−27278
Sondhi, M.M., Schroeter, J. A hybrid time-frequency domain articulatory speech synthesizer 87−69057
Sondhi, M.M. *see* Juang, B.H. 86−16181, 86−57317
Sondhi, M.M. *see* Rabiner, L.R. 86−10271
Sondhi, M.M. *see* Ramamoorthy, V. 88−40860
Sondhi, M.M. *see* Schroeter, J. 87−61654, 88−66353
Sondhi, M.M. *see* Soong, F.K. 87−61668, 88−27835
Sondhi, R. *see* Ames, L.J. 88−62946
Sondocie, Z. *see* Aicha, A. 85−34139
Sone, H., Nakai, M., Takagi, T. Automatic measurement of critical point and features of breaking arc voltage in Ag contacts 88−24089
Sone, H., Nakai, M., Takagi, T. A measurement on the relationship between metallic phase arc duration and electrode mass change in Ag contacts 88−50459
Sone, H., Shizuya, H., Takagi, T. Fully digital Gaussian signal source 88−6953
Sone, H., Takagi, T. A basic study on automatic measurement of surface profile of electric contact using light section microscope 87−59938
Sone, H., Takagi, T. Current dependencies of contact resistance, arc duration and bridge voltage in Ag and Pd contacts 88−25610
Sone, H., Takagi, T. A measurement and a classification of arcing phenomena of AgPd alloy contacts in low pressure 88−32517
Sone, H. *see* Echigo, H. 86−70185
Sone, H. *see* Handa, N. 85−63821
Sone, H. *see* Ishida, H. 88−1065
Sone, H. *see* Katoh, S. 85−47893
Sone, H. *see* Kohata, M. 86−66665, 87−75735
Sone, H. *see* Kubota, K. 87−27242
Sone, H. *see* Ohtaguro, Y. 85−18947
Sone, H. *see* Sato, K. 86−67556, 87−52936, 87−63506, 87−70402
Sone, H. *see* Sato, T. 86−67555
Sone, H. *see* Shizuya, H. 87−33623
Sone, J. Turn-on delay analysis of current-injection Josephson logic circuits 85−49826
Sone, J., Kumura, T., Yamada, T. Analytical modeling of small semiconductor devices using the relaxation time approximation 88−19907
Sone, J., Tsai, J., Abe, H. A 280-ps Josephson 4-bit×4-bit parallel multiplier 86−20442
Sone, J., Tsai, J.-S., Abe, H. Picosecond Josephson logic gates for digital LSIs 87−24091
Sone, J., Tsai, J., Ema, S., Abe, H. A 280 ps Josephson 4 b×4 b parallel multiplier 86−8197
Sone, J., Yamada, T. Current-injection Josephson latch employing a single-flux quantum 86−46685
Sone, J. *see* Hidaka, M. 85−49859
Sone, J. *see* Yamada, T. 85−45013, 86−46686
Sone, K., Kondo, H., Takanashi, M., Takeda, M. A monolithic 12-bit A/D converter 86−1156
Sone, K., Takahashi, A., Shinozaki, E., Takanashi, M., Matsumoto, Y., Ohtsuka, S., Isoda, M., Kameyama, Y., Asami, Y. Operational amplifier ICs for +5 V power supply−low noise use and high speed use 87−73285
Sone, M. *see* Endo, A. 85−62817
Sone, M. *see* Hashizume, T. 86−68048
Sone, M. *see* Imai, I. 85−62819
Sone, M. *see* Isono, H. 86−28542
Sone, M. *see* Nakayama, H. 87−77875
Sone, M. *see* Onoe, M. 87−2447, 87−39965
Sone, S. Solid-state traction controls at the economic point of balance 85−65500
Sone, S. Advanced recorder AR series 88−35805
Sone, S., Irinatsu, H. Very precise turnoff timing control of gate turn-off thyristors 85−61911
Sone, S., Ishizu, S. Reassessment of power feeding systems at introducing regenerative trains 87−79126
Sone, S., Maekawa, T., Kase, K. New application technologies of electricity for transportation systems 88−31092
Sone, S. *see* Matsumoto, A. 87−79115, 88−55672
Sone, T., Makino, T., Tachita, R. GPS receiver used for vehicle navigation system 88−47240
Sone, T., Nakabayashi, K. A floating track method for the complete routing 86−28405
Sone, T., Nakabayashi, K. A floating track method for complete routing 87−53586
Sone, T., Yamamoto, J., Nomura, K., Kodama, H. Electrostatic focusing 'Plumbicon' XQ4187 with new structure 85−40404
Sone, T. *see* Ishigaya, S. 88−37908
Sone, T. *see* Kawaura, J. 87−7743
Sone, T. *see* Seki, S. 86−65081
Sone, T. *see* Suzuki, Y. 86−40694
Sone, T. *see* Tokita, K. 86−47256
Sone, Y. *see* Ando, S. 85−41517
Sone, Y. *see* Ishikawa, K. 85−42742
Sonehara, K. *see* Homma, Y. 87−29684
Sonehara, K. *see* Tanabe, S. 86−4431
Sonehara, N., Adachi, F. An evaluation method of facsimile picture quality using pel error rate 87−2598
Sonehara, N., Wakabayashi, M., Murakami, C., Ohtake, T. Standard retrieval terminal (PAX1) for visual information response and communication processing system (VIRPS) 88−15014
Sonehara, N. *see* Adachi, F. 86−64600
Sonehara, N. *see* Suzuki, R. 88−41267

Sonehara, T. *see* Morozumi, S. 85−14905, 85−64201, 86−31530, 87−8544
Soneira, M.J. *see* Ruiz-Moreno, S. 88−27287
Soneira, R.M. Three-dimensional imaging and scanning range finders using the parallax principle 88−74050
Sonek, G.J., Ballantyne, J.M. Reactive ion etching of GaAs using BCl$_3$ 85−23686
Sonek, G.J., Ballantyne, J.M., Chen, Y.J., Carter, G.M., Brown, S.W., Koteles, E.S., Salerno, J.P. Dielectric properties of GaAs/AlGaAs multiple quantum well waveguides 86−68262
Sonek, G.J., Li Jian-zhong, Wolf, E.D., Ballantyne, J.M. SiCl$_4$ reactive ion etching for GaAs optical waveguides 86−22127
Sonek, G.J. *see* Chen, Y.J. 86−36131, 87−74812
Soneoka, T., Imase, M., Okada, K. CANDY: Computer Aided Network Design System for highly reliable communications networks 86−64516
Soneoka, T., Manabe, Y., Imase, M., Inoue, M. The optimum design of highly reliable duplex networks 87−48280
Soneoka, T. *see* Imase, M. 85−33290
Sones, R.A., Morgan, D.R., Tesic, M.M., Mattson, R.A. Measured performance characteristics of a solid-state linear detector array 85−43373
Sones, R.A. *see* Barnes, G.T. 85−53032, 86−11959
Sones, R.A. *see* Morgan, D.R. 88−10321
Sones, R.A. *see* Sanders, J.N. 86−38767
Sonez, H. *see* Kohataz, M. 86−48820
Song, B. CMOS RF circuits for data communications applications 86−47811
Song, B. A narrowband FM receiver based on modulation IF filtering 87−69899
Song, B.-S. A narrow-band CMOS FM receiver based on single-sideband modulation IF filtering 88−21910
Song, B.-S. Synchronous data recovery in RF communication channels 88−21911
Song, B.-S. A 10.7-MHz switched-capacitor bandpass filter 88−70501
Song, B.-S., Barner, J.R. A CMOS double-heterodyne FM receiver 87−20380
Song, B.-S., Gray, P.R. Switched-capacitor high-*Q* bandpass filters for IF applications 87−17221
Song, C., Zhang, Y., Liang, T., Wang, X., Liu, H. Integrated-circuit type power line carrier protection with directional comparison for 500 kV transmission lines 88−69065
Song, D., Wade, B., Avenia, C. System 12 line and trunk testing 85−47362
Song, D.Y. *see* DeSandre, L. 87−26143
Song, I. A recursive formula for even order harmonic series 88−24615
Song, I., Ann, S. An upper bound on run-length coding entropy 85−57247
Song, I., Kassam, S.A. Nonlinear filters based on generalized ranks for edge preserving smoothing 86−64317
Song, I., Kassam, S.A. A new noiseless coding technique for binary images 87−7815
Song, I., Kassam, S.A. A class of rank filters based on the Wilcoxon signed rank statistic 87−39856
Song, I., Kassam, S.A. Random signal detection in a generalized observation model 87−69227
Song, I., Kassam, S.A. Rank detection of random signals in additive noise 88−27980
Song, I., Pan, D.-S. Efficiency and power output of the quantum-well injection transit-time device 88−19363
Song, J., Mescua, J. On the identification of induction motor parameters 87−9568
Song, J. *see* Ramamoorthy, C.V. 87−20205
Song, J. *see* Ramamorthy, C.V. 87−33850
Song, J.-N., Chen, Y.-K. Two-stage channel routing for CMOS gate arrays 88−51016
Song, J.-w. *see* He, J.-l. 88−69066
Song, J.H. *see* Jang, H.K. 87−17915
Song, J.I., Fossum, E.R. Inhibition of charge packet broadening in GaAs charge-coupled devices 88−13412
Song, J.J., Yoon, Y.S., Fedotowsky, A., Kim, Y.B., Schulman, J.N., Tu, C.W., Huang, D., Morkoc, H. Barrier-width dependence of optical transitions involving unconfined energy states in GaAs-Al$_x$Ga$_{1-x}$As superlattices 87−24853
Song, J.J., Yoon, Y.S., Jung, P.S., Fedotowsky, A., Schulman, J.N., Tu, C.W., Kopf, R.F., Huang, D., Morkoc, H. Experimental and theoretical studies of quantized electronic states above the energy barrier of GaAs/Al$_x$Ga$_{1-x}$As superlattices 88−19716
Song, J.J. *see* Naganuma, M. 87−1236
Song, J.J. *see* Otsuka, K. 86−9966
Song, J.K. *see* Kim, T.H. 88−28507
Song, J.M. *see* Wu, P.H. 88−13720
Song, J.N., Chen, Y.K. An algorithm for one and half layer channel routing 86−21886
Song, J.S., Choi, E.H., Park, K.H., Kim, M. An implementation of reliable network controller for real-time application 87−48712
Song, J.S., Yang, E.S. A study of the photovoltaic effect of a semiconductor grain boundary by a scanning laser beam 86−9652
Song, J.S. *see* Williams, E.R. 86−24261
Song, J.T. *see* Tiersten, H.F. 87−60742
Song, J.W., Fung, A.K., Gan, Z.Q., Chen, M.F. Effect of range on radar backscattering characteristics 88−5124
Song, L. *see* Singh, A. 88−13785
Song, L. *see* Wu, X.Z. 87−77527
Song, M.H., Birbas, A.N., van der Ziel, A., van Rheenen, A.D. Influence of magnetic field on 1/*f* noise in GaAs resistors without surface effects 88−64238
Song, M.S., Matilla-Montalvo, R., Peterson, A.M. IIR filter implementation in LSP structure 86−1318
Song, M.S., Narasimha, M.J. A VLSI for 32 kbps ADPCM transcoding 86−2427
Song, M.S., Yang, P.P.N., Shenoi, K. Nonlinear compensation for finite word length effects of an LMS echo canceller algorithm suitable for VLSI implementation 88−67146
Song, M.S. *see* Singpurewalla, N.D. 88−70171
Song, M.S. *see* Yang, P.P.N. 87−59757
Song, N., Neikirk, D.P., Itoh, T. Modelling of ion-implanted GaAs MESFETs by the finite-element method 86−47574
Song, N., Neikirk, D.P., Itoh, T. Device modeling and characterization of ion-implanted GaAs MESFETS by finite element method 88−50899
Song, P. *see* Dally, W.J. 88−20082
Song, P.S. *see* Lee, H.L. 88−54424
Song, Q.W., Yu, F.T.S. Generalized perfect shuffle using optical spatial filtering 88−45250
Song, Q.W. *see* Mu, G.G. 85−57499
Song, Q.W. *see* Yu, F.T.S. 88−13986
Song, S. *see* Eichler, H.J. 87−26312
Song, S.A. *see* Kim, Y.B. 88−1854
Song, S.N., Auvil, P.R., Ketterson, J.B. Propagation and generation of Josephson radiation in superconductor/insulator superlattices alternately containing two different barriers 87−74584
Song, S.N., Jin, B.Y., Yang, H.O., Ketterson, J.B., Schuller, I.K. Preparation of large area NbN/AlN/NbN Josephson junctions 88−20280
Song, S.S. *see* Lin, L.Z. 86−47978
Song, S.T., Pan, H.Y., Wang, Z., Yang, B. Synthesis, properties and application of high conductive LaCrO$_3$-based ceramic materials 85−39817
Song, T.-C. *see* Patz, B.W. 88−15177
Song, T.L., Ahn, J.Y., Park, C. Suboptimal filter design with pseudomeasurements for target tracking 88−47194
Song, T.L., Speyer, J.l. A stochastic analysis of a modified gain extended Kalman filter with applications to estimation with bearings only measurements 86−10365
Song, W., Smith, K.C., Snelgrove, W.M. Partitioning for pseudo-exhaustive testing is *NP*-complete 87−73379
Song, W.-J., Pearlman, W.A. Edge-preserving noise filtering based on adaptive windowing 88−72930
Song, W.S., Glasser, L.A. Power distribution techniques for VLSI circuits 86−35763
Song, W.S., Musicus, B.R. A fault-tolerant architecture for a parallel digital signal processing machine 88−29305
Song, W.Y., Park, H.K. Analysis of the array antenna by coordinate transformation 88−27598
Song, Y., Cable, J.S., Vu, K.N., Witteles, A.A. The dependence of latch-up sensitivity on layout features in CMOS integrated circuits 87−32704
Song, Y., Vu, K.N., Coulson, A.R., Lizotte, S.C., Cable, J.S., Miscione, A.M. Parametric investigation of latch-up sensitivity in 1.25 μm CMOS technology 88−26511
Song, Y. *see* Aukerman, L.W. 85−12733
Song, Y. *see* Martin, R.C. 88−25191
Song, Y.C. *see* Guo, W.L. 87−66939
Song, Y.P., Van Meirhaeghe, R.L., Laflere, W.H., Cardon, F. On the difference in apparent barrier height as obtained from capacitance-voltage and current-voltage-temperature measurements on Al/*p*-InP Schottky barriers 86−67754
Song, Y.P., Van Meirhaeghe, R.L., Laflere, W.H., Cardon, F. On the influence of the thin interfacial oxide layer on the electrical and photovoltaic properties of Au/oxide/p-InP diodes 88−13059
Song, Z., Yu, J., Li, R., Yuan, Z. A side extraction PIG ion source with permanent magnetic mirror field 86−25093
Song, Z.Q. *see* Chen, X.B. 88−26263
Song, Z.Z. Technology transfer and technology planning 86−13415
Song Aiping Transmission of high speed data and digital voice using analog modulated station. I 87−76909
Song An *see* McKenzie, T. 86−30725
Song Bae Park *see* Chin Sup Park 85−22572
Song Bae Park *see* Jin Ha Kim 85−4506, 85−22984 to 22985
Song Bae Park *see* Seoung Ryool Kim 85−26760
Song Bai Park *see* Chan Woo Lee 88−33192
Song Bai Park *see* Gil Soon Kang 87−31811
Song Bai Park *see* Jong Hyun Ih 87−35521
Song Bai Park *see* Ki Jun Lee 87−44470
Song Bai Park *see* Kyung Ho Kim 88−44132
Song Bai Park *see* Won Kil Lee 86−23005
Song Bai Park *see* Young Hyun Jun 88−44886
Song Bai-sheng Flow-graph solutions of the characteristic problems for the linear Bianchi equation 85−22571
Song Chan Park *see* Chil-Min Kim 87−18890, 88−65581
Song Changli A new pretreatment method for IR remote sensing 88−4280
Song Changlie *see* Tian Liguang 86−42484
Song Chuan-jie *see* Chuan-jie Song
Song Chuanjie, Qiu Peiyong, He Yancai Energy deposition and distribution within the resist film in electron beam lithography 87−6594
Song Chuanxin *see* Shi Jiawei 88−29896
Song Chung-Tae *see* Chung-Tae Song
Song Ding-Ji *see* Ding-Ji Song
Song Dong Il *see* Dong Il Song
Song Ghie-Hugh *see* Ghie-Hugh Song
Song Guang-li *see* Bai He-xiang 88−32726
Song Guoxing *see* Tang Baoxing 85−36316
Song Hui-Min *see* Zhu Song-Ran 88−37372
Song Huide *see* Yu Zhiqiang 88−33505
Song Huixian, Zao Xiaofeng A program for the optimal design of beam transport systems 86−32093
Song Hyuon-Seon *see* Hyuon-Seon Song
Song Iick Ho *see* Iick Ho Song
Song Iickho *see* Iickho Song
Song Jae *see* Jae Song
Song Jae Won *see* Jae Won Song
Song Jerng-Sik *see* Jerng-Sik Song
Song Jian-zhong *see* Jian-zhong Song
Song Jihua *see* Zhao Tiesong 86−28623
Song Jin-Soo *see* Jin-Soo Song
Song Jinsheng, Chang Shanxiang A new type of optical and electric hybrid switch 87−76812
Song Jisheng *see* Jisheng Song
Song Joon-Tae *see* Joon-Tae Song
Song Junde, Xin Delu A PLA folding method related to processes 88−6726
Song Jung Hee *see* Jung Hee Song
Song Ke-chang, Su Ping, Li Tong-min The indium seal and it's application to the proximity focused image intensifier 87−24720
Song Kil Ho *see* Kil Ho Song
Song Kil-Yeong *see* Kil-Yeong Song
Song Kil-Yeung *see* Kil-Yeung Song
Song Kye-Hyu *see* Kye-Hyu Song
Song Li *see* Li Xinjiao 86−15307
Song Li *see* Li Song
Song Lingfeng *see* Song Zhwming 86−54113
Song Luguang *see* Shao Junzhe 86−31697
Song Maoqiang Automatic functional testing of microprocessor CPU 88−56639
Song Pan Gui *see* Pan Gui Song
Song Peiying *see* Xu Shunchao 88−72258
Song Ping-Shen *see* Ping-Shen Song
Song Qi Wang *see* Qi Wang Song
Song Qian *see* Zhang Yuancheng 88−72259
Song Qifong, Bi Guangguo Performance analysis for FH/DS spread-spectrum communication system in the presence of multiple-access interference. I. BPSK modulation 87−69886
Song Qifong, Bi Guangguo Performance analysis for FH/DS spread-spectrum communication system in the presence of multiple-access interference. II. DBPSK modulation 87−69887
Song Qingxi *see* Zhang Yanxin 88−74403
Song Renjie *see* Wang Shouxin 88−59009
Song Ruhua *see* Dai Par 88−53301
Song Seok Ho *see* Seok Ho Song
Song Shiguang Parameter selection of 'Δ' PWM in AC variable-frequency system 87−15647
Song Shiguang, Feng Qingguo, Liang Jingkai A new scheme for improving the dynamic performance of SCR cascade adjustable speed systems 86−7193
Song Shijun *see* Shijun Song
Song Shousen *see* Han Shuo 85−18624
Song Shuwu, Qin Jiamei, Gan Danlin, Liao Mengyang Picture geometrical parameter measurement with computer 88−34759
Song Siyuan *see* Zheng Jiaqi 88−68608
Song Sung Hae *see* Sung Hae Song
Song Tran *see* Klug, W. 87−63298
Song Wen-Bin, Yu Mei-Yun, Wu Wen-Hai Crystal growth and characterization of CdTe from the melt under controlled Cd partial pressure 88−31714
Song Wen-miao A discussion of dyadic Green's function in its complete form [waveguide theory] 87−39426
Song Wenmiao The energy conservation in the process of electron beam radiation in a waveguide system 88−27578
Song Wenmiao *see* Li Zhenhuai 88−19332
Song Wenzhong, Xu Sixin, Huang Dong Identification experiment of a 350 MW boiler-turbine-generator set 88−48776
Song Wenzhong *see* Xu Sixin 88−48773
Song Woo-Jin *see* Woo-Jin Song
Song Xiao-fei *see* Ma Ji-mao 88−22911
Song Ximing, Li Ruihua, Zhang Yufeng, Rao Bailiang A small horizontal size backfire antenna using circular dipole 88−27631
Song Xueqin *see* Zhang Rongyao 88−27015

Song Ya-min Operation for state model map of piecewise linear resistive networks and its applications 87−36940
Song Yaozhu, Xia Xuejiang, Qing Minghua Experimental research of single-longitudinal-mode operation of a hollow-cathode He-Cd$^+$ laser 85−12783
Song Yaozu *see* Li Jianyi 88−40386
Song Yi *see* Yi Song
Song Yicheng *see* Guo Naijian 85−29889
Song Yong-zhong Extensions of the Ostrowski-Reich theorem in AOR iterations 86−7689
Song Yong-zhong Perturbation bounds for eigenvalues of arbitrary matrices 86−57405
Song Yong-zhong Convergence of the AOR iterative method 87−10318
Song Yonghua *see* Xiong Zhengmei 88−48495
Song Yoo Seop *see* Yoo Seop Song
Song Yu A miniature free electron laser−electric undulator 88−72336
Song Yung Jae *see* Yung Jae Song
Song Yunn-Fang *see* Yunn-Fang Song
Song Zhengfang, Feng Yuezhong, Han Shouchun, Liu Xiaochun, Ding Qiang Aperture-averaging effects for collimated beam in a folded path 88−72566
Song Zhengfang, Gu Weiyu, Liu Xiaochun The signal-to-noise ratio of infrared coherence detection systems in atmosphere 86−5306
Song Zhenhu, Huo Dianzhong Ultrasonic flowmeters and their application to hydroelectric stations 85−15913
Song Zhi-ming *see* Zhi-ming Song
Song Zhidong, Liu Sheng, Dong Chuanyou Application of PEBS method in direct transient stability analysis of multimachine power system 88−10747
Song Zhiping A theoretical approach to waste-heat power cycle 86−39543
Song Zhizhong, Yu Jinxiang, Li Renxing, Yuan Zhongxi Several mini ion sources 87−50119
Song Zhwming, Sun Jun, Cao Wenzhi, Song Lingfeng A CW LiF:F$_2^-$ color center laser 86−54113
Song-Bai Park *see* Kwang-Won Lee 88−5760
Song-Feng Wang, Jong-Rong Wang Nodalization study of the model F steam generator secondary side using the RETRAN02/MOD3 code 88−62135
Song-Feng Wang *see* Cheng-Chi Wu 88−62134
Song-guang Xiang *see* Xiang Song-guang
Song-hao Liu *see* Liu Song-hao
Song-hua Gu *see* Gu Song-hua
Song-lan Sun *see* Sun Song-lan
Song-lin Zhuang *see* Zhuang Song-lin
Song-ling Zhao *see* Zhao Song-ling
Song-mao Li *see* Li Song-mao
Song-quan Shang *see* Shang Song-quan
Song-Ran Zhu *see* Zhu Song-Ran
Song-Won Cho, Yung Jae Lee Research on self-powered detectors for gamma-ray monitoring 86−5777
Song-Won Cho *see* Sung-Suk Choi 88−74739
Song-yan Sun *see* Sun Song-yan
Song-yao Hu *see* Hu Song-yao
Song-Yao Shi *see* Shi Song-Yao
Song-Yop Hahn, Guee-Soo Cha, Soon-Hum Hong, Yong-Kwon Kim, Kyeung-Dal Choi, Sung-Soo Kang Design and development of 3 tesla superconducting magnet 86−53923
Song-Yop Hahn, Hyun-Kyo Jung Magnetic field computations of the magnetic circuits with permanent magnets by infinite element method 86−36056
Song-yop Hahn *see* Hyun-kyo Jung 87−75309, 88−34209
Song-Yop Hahn *see* Tae-Kyung Chung 87−51265, 87−78713
Song-Yop Hahn *see* Young-Kun Park 85−2472
Song-Yop Han *see* Jong-Keun Park 86−63903
Songcun Peng *see* Peng Songcun
Songe, J.R., Becker, J.H. The modular integrated training system: a total integrated maintenance training concept [aerospace engineering] 86−66567
Songen Sun *see* Sun Songen
Songgen Sun *see* Sun Songgen
Songhai Yu *see* Yu Songhai
Songhurst, D.J. The purpose of teletraffic engineering and its application 86−64558
Songhurst, D.J. *see* Stacey, R.R. 87−76232
Songlin Wu *see* Wu Songlin
Songlin Zhaung *see* Zhaung Songlin
Songling Li *see* Li Songling
Songliu Yuan *see* Yuan Songliu
Songmei Wang *see* Wang Songmei
Songnian Zhang *see* Zhang Songnian
Songnian Zhao *see* Zhao Songnian
Songquan Chang *see* Chang Songquan
Songsan Zhao *see* Zhao Songsan
Songshan Zhao *see* Zhao Songshan
Songster, H. *see* Orville, R. 87−71738
Songster, H.J. Electric power-related lightning research in the United States 86−6423
Songster, H.J. *see* Koch, R.E. 85−21266
Songyu Yu *see* Yu Songyu
Soni, A. *see* Higashi, H. 87−60299
Soni, D. *see* Wood, I.C. 86−37917
Soni, J.N. *see* Dasannacharya, B.A. 86−5864
Soni, P. *see* Ellis, R.H. 87−20578
Soni, S.K., Patel, A.N. Geological and geomorphological studies of Malwa Plateau (India) using image processing technique−a case study 86−18557
Sonico, J.S. *see* Felch, S.B. 87−1432
Sonier, F. *see* Denizart, M. 85−31646, 85−45356
Sonin, A.S. *see* Klyukin, L.M. 85−8949, 86−50208
Sonin, A.Yu. *see* Papakin, V.F. 86−3037
Sonin, M.S., Kogan, V.L., Nefedov, V.S., Shushurin, G.S. Automated workstation/oscillograph for VLSI circuit design 87−29183
Sonin, M.S., Popov, V.Z., Uskov, V.L. Organisation of information exchanges in two-level large-scale integrated circuits of computer-aided design system 88−7663
Sonin, M.S., Shvedenko, V.V. Computer-aided design of large-scale integrated circuits on a multiprocessor computer system having a common flow of instructions 87−38333
Sonin, U.P., Prusakov, Yu.I. Starting characteristics of a doubly-fed machine running as an inverter 88−49033
Sonin, Yu.P. Static characteristics of a doubly-fed machine operating as an inverter 85−65323
Sonin, Yu.P. The static characteristics of a doubly-fed machine running as a valve motor [AC traction motors] 86−51552
Sonin, Yu.P., Prusakov, Yu.I. Overload capability of double-fed machines running as rectifier motors 87−4668
Sonin, Yu.P., Prusakov, Yu.I. The doubly-fed machine overload capability in operation as a valve motor 88−11167
Sonka, M. *see* Hlavac, V. 87−1622
Sonka, U. *see* Schornack, W. 86−69944
Sonkoly, A., Szaraz, G., Zsoldos, B. High frequency hybrid integrated circuits 88−64135
Sonn, A., Letan, R. Restraints of a direct contact evaporator and their effect on a solar pond power system 86−56957
Sonneborn, J.H., Hawken, K.W. Design of a microchannel plate CRT for a general-purpose oscilloscope 87−1156
Sonnenberg, R., Gundel, H. Dynamic modelling of fluorescent lamp plasmas 87−43626
Sonnenblick, Y. *see* Avni, E. 88−32947, 88−32963
Sonnenfeld, R., Schneir, J., Drake, B., Hansma, P.K., Aspnes, D.E. Semiconductor topography in aqueous environments: Tunnelling microscopy of chemomechanically polished (001) GaAs 87−53399
Sonnenmoser, A., von Planta, A., Svoboda, R. Design criteria for corrosive environments and implications for maintenance 85−21453
Sonnenschein, S. What to know when considering cabling systems 88−52829
Sonnenwald, D.H. A universal interface to multiple operations systems [telephone networks] 87−34043
Sonnenwald, D.H. Applying artificial intelligence techniques to human-computer interaction 88−59490
Sonner, R.H., Dailey, W.V., Wright, D.E. An open-path infrared hydrocarbon detector 86−17971
Sonneveld, W.A. *see* Kreuger, F.H. 88−74579
Sonneville, W. From cordless telephones to cellular portability 85−36955
Sonnier, C. *see* Gartner, K.J. 87−70272
Sonninen, M. *see* Hyvarinen, J. 88−31790
Sonnleithner, O. *see* Hnilica, K. 87−15484
Sonnov, E.V. *see* Belovintsev, K.A. 87−50096
Sonntag, B. *see* Prescher, T. 87−35318
Sonntag, D. Results of long-term measurements made by electrolytical dew-point sensors with LiCl-KCl solution and higher frequency of the heating current 87−77868
Sonntag, F. Carrier frequency generation and derivation for TV transmission on 18/60 MHz systems 85−63801
Sonntag, J. Shielding effect of thin and slit conducting shells 86−3547
Sonntag, J. *see* Bruckner, W. 85−1075
Sonntag, J. *see* Sobe, G. 86−13808
Sonntag, J. *see* Weise, G. 85−34205, 85−34373
Sonntag, J.L. *see* Fischer, J.H. 87−62756, 88−21840
Sonntag, M. Some Hamiltonian properties of products of digraphs 85−54274
Sonntag, M. Some results on Hamiltonian properties of products of digraphs. I. t-Hamiltonian properties and strong path-connectedness 87−58800
Sonntag, M. Some results on Hamiltonian properties of products of digraphs. II. Pancyclicity properties 87−72939
Sonntag, M. *see* Frimmel, G. 87−49490
Sonntag, M. *see* Ludwig, P. 86−20185
Sonntag, P. Power plant control system PROCONTROL P 87−64215
Sonntag, P., Revermann, H. What consequences will ISDN have? 88−53014
Sonntag, P. *see* Brasche, U. 88−60680
Sonntag, R.E. *see* Torab, H. 85−53947
Sonntag, S. *see* Trakowski, W. 85−4204
Sono, A. *see* Vu, D.P. 87−38517
Sono, K. *see* Makita, Y. 88−1955, 88−33618
Sono, K. *see* Shimada, R. 87−7667, 88−14592
Sonobe, T. *see* Nagasaka, T. 88−64133
Sonobe, T. *see* Watanabe, T. 87−31574, 87−52189, 87−73140, 88−63367
Sonobe, Y., Shirono, J. Optical communication measurement technology for high accuracy and high resolution 88−42010
Sonobe, Y. *see* Tamura, Y. 85−26237, 86−31278
Sonobe, Y. *see* Taniguchi, A. 88−15981
Sonoda, H. *see* Watanabe, K. 86−34914
Sonoda, M., Wada, F., Andoh, Y. Packaging technology for electronic control unit in automobiles 85−5464
Sonoda, M. *see* Araki, S. 88−4176
Sonoda, M. *see* Okochi, K. 85−51987
Sonoda, N. Kansai applies experience through an expert system [nuclear plant operation] 87−71815
Sonoda, S., Imahori, Y. An overview of current DBS situation in Japan 88−15739
Sonoda, S., Iwabuchi, S., Igarashi, H. Trends in maintenance technology 86−26564
Sonoda, S. *see* Dobashi, H. 85−36978
Sonoda, S. *see* Tsuge, M. 88−5224
Sonoda, T., Ito, M., Segawa, K., Takamiya, S., Mitsui, S. Ultra-high throughput of GaAs and (AlGa)As layers grown by molecular beam epitaxy (MBE) with a specially designed MBE system 88−43883
Sonoda, T., Ueda, R. Field and force sensors using amorphous ribbons 87−29049
Sonoda, T., Ueda, R. A novel detection method of flux level in a core 88−51345
Sonoda, T., Ueda, R. Effects of core characteristics on detection performances in zero flux type magnetic sensor 88−53632
Sonoda, T., Ueda, R. Behaviors of magnetic noise as a function of magnetizing level in hysteresis loop of amorphous ribbon 88−57985
Sonoda, T., Ueda, R. Magnetic field controlled type current sensor 88−67738
Sonoda, T., Ueda, R., Fujitani, K., Irisa, T., Tatata, S. DC magnetic field type eddy current speed sensor detecting cross magnetization field with amorphous core 86−31366
Sonoda, T., Ueda, R., Mochizuki, T. AC-DC current transducer reducing impulsive electrostatic induction noise 86−5289
Sonoda, T., Ueda, R., Takayama, K. Measurement of fluctuations of magnetized loop in amorphous cores 87−18532
Sonoda, T. *see* Hayashi, K. 87−73797
Sonoda, T. *see* Ijima, K. 85−21231
Sonoda, T. *see* Irisa, T. 85−43975, 86−6762, 86−56783
Sonoda, T. *see* Kadowaki, Y. 87−73776
Sonoda, T. *see* Koga, K. 87−43527
Sonoda, T. *see* Nishikawa, R. 86−42134
Sonoda, T. *see* Tanaka, Y. 88−43926
Sonoda, T. *see* Ueda, R. 85−9997, 86−39797, 87−18528, 87−42945, 87−42964 to 42965, 87−43523, 88−55353
Sonoda, T. *see* Yamagami, K. 88−7050
Sonoi, Y. *see* Hiroo, I. 86−51043
Sonoyama, S., Nagatomo, M., Yamanaka, T. Japanese mission model for the Space Station 86−25342
Sonsino, S. Medical examination [computer-aided imaging systems] 85−20904
Sonsino, S. I/O computers boost high speed acquisition 87−49592
Sonsky, M. *see* Nevesely, M. 85−18536, 88−25307
Sonstegaard, M.H. Water diversion with multilevel pumpback hydropower 87−30431
Sonstegaard, M.H. World standards for shipborne barges 87−51565
Sonta, S. Automation problems of exploitation and maintenance processes for networks of telephone circuits. II 86−37611
Sonta, S. Automation problems of exploitation and maintenance processes for networks of telephone circuits 86−49181
Sonta, S. Telephone service for persons with disabled hearing (deaf people) in Poland 87−55615
Sonta, S. Telephone set for the handicapped 87−55866
Sonta, S. Communication systems for the deaf 87−55867
Sonta, S., Trzaskowska, M. Reception of an audiofrequency signal from a magnetic field by hearing aid 87−57236
Sontag, A. *see* Joeckle, R. 88−40439
Sontag, A. *see* Joeckle, R.C. 87−68682
Sontag, E.D., Sussmann, H.J. Image restoration and segmentation using the annealing algorithm 86−54566
Sontag, E.D. *see* Dickinson, B.W. 86−16075
Sontag, H., Tam, A.C. Optical detection of photoacoustic pulses in thin silicon wafers 87−23768
Sontag, K. *see* Ross, A.J. 87−56180
Sontag, M. *see* Papageorgiou, G. 86−42459
Sonter, M. Proposal for a space-derived resources development project 87−4052
Sontheim, B. *see* Miller, C. 88−34180

Sonti, P.V. Overview of criteria for selection of photovoltaic pump storage systems 86–40187
Sontz, C. *see* Wallace, W.E., Jr. 86–282
Sontz, S. *see* Sakumoto, W. 85–43162
Sonu, G.H. *see* Karp, J.M. 85–1846
Sonu Gene Ho *see* Gene Ho Sonu
Sonwalkar, N. *see* Larsen-Basse, J. 87–35852
Sonza Reorda, M. *see* Cabodi, G. 87–415
Sonzogni, V. *see* Sanchez Sarmiento, G. 86–32986
Soo, D. *see* Cave, D. 87–64851
Soo, D.C., Voschenkov, A.M., Chin, G.M., Archer, V.D., Lau, M., Morris, M., Ko, P.K., Meyer, R.G., Wooley, B.A. A 750 MS/s NMOS latched comparator 86–9311
Soo, D.C. *see* Chiu, T.-Y. 88–33385
Soo, D.C. *see* Toh, K. 87–59212
Soo, D.C. *see* Toh, K.-Y. 88–18935
Soo, S.L., Cheung, K.C. Steam desulfurization of coal 86–32923
Soo Chang Ik *see* Ik Soo Chang
Soo Chang Pei, Ja-Ling Wu Determination of *P*-adic transform bases and lengths 85–44583
Soo Choi Jong *see* Jong Soo Choi
Soo Choi Kwang *see* Kwang Soo Choi
Soo Choi Seong *see* Seong Soo Choi
Soo Chung Kwan *see* Kwan Soo Chung
Soo Dong Lee *see* Keun Ho Ryoo 85–3233
Soo Han Jeong *see* Jeong Soo Han
Soo Hoo, W.J. High power GaAs FET solid state amplifier (32 watt) development program (U) 87–37567
Soo Hwan Oh, Sang Uk Lee Real-time implementation of a SBC codec using a NEC 7720 DSP 87–33654
Soo Joong Kim *see* Sun Mi Jeon 86–595
Soo Kang Jeoung *see* Jeoung Soo Kang
Soo Kap Hahn, Borland, J.O., Wong, C.-C. Effects of n-type substrate on epilayer quality for twin TUB CMOS technology 86–21862
Soo Kap Hahn *see* Kyu Hyun Choi 86–21861
Soo Kap Hahn *see* Seajin Oh 87–18014
Soo Kim Chang *see* Chang Soo Kim
Soo Kim Dal *see* Dal Soo Kim
Soo Kim Duk *see* Duk Soo Kim
Soo Kim Eun *see* Eun Soo Kim
Soo Kim Heung *see* Heung Soo Kim
Soo Kim Jin *see* Jin Soo Kim
Soo Kim Jung *see* Jung Soo Kim
Soo Kim Kwang *see* Kwang Soo Kim
Soo Kim Kyeong *see* Kyeong Soo Kim
Soo Kim Moon *see* Moon Soo Kim
Soo Kim Sung *see* Sung Soo Kim
Soo Ko Jin *see* Jin Soo Ko
Soo Lee Byung *see* Byung Soo Lee
Soo Lee Doo *see* Doo Soo Lee
Soo Lee Ho *see* Ho Soo Lee
Soo Lee Hyon *see* Hyon Soo Lee
Soo Lee Jong *see* Jong Soo Lee
Soo Lee Sang *see* Sang Soo Lee
Soo Lee Tae *see* Tae Soo Lee
Soo Nam Kee *see* Kee Soo Nam
Soo Oh Moon *see* Moon Soo Oh
Soo Pak Kon *see* Kon Soo Pak
Soo Park Tong *see* Tong Soo Park
Soo Seo In *see* In Soo Seo
Soo Yun Mun *see* Mun Soo Yun
Soo-Chang Pei, Chan-Lin Chen Recursive optimization technique for the design of 2D half-plane recursive digital filters 85–34085
Soo-Chang Pei, Ja-Jing Wu Split-radix fast Hartley transform 86–20015
Soo-Chang Pei, Ja-Ling Wu Exact fast digital convolution by using *P*-adic numbers and polynomial transformations 86–13608
Soo-chang Pei, Ja-ling Wa Improved long convolutions using generalized number theoretic and polynomial transforms 86–26696
Soo-Chang Pei, Tswei-Ying Wang Homomorphic analysis of Wigner distribution function 87–55229
Soo-Chang Pei *see* Gorgui-Naguib, R.N. 86–3844
Soo-Chang Pei *see* Ja-Ling Wu 85–5969, 87–69197
Soo-Chang Pei *see* Kang-Ping Lin 86–11981
Soo-hyun Choi Magnetohydrodynamic power generation technology 87–36156
Soo-Hyun Choi Power utilization and energy economy 87–64494
Soo-Ik Chae, Walker, J.T., Chong-Cheng Fu, Damerson, D.H., Pease, R.F. Template-set approach to defect detection and classification for VLSI patterns 87–67510
Soo-il Chae, Walker, J.T., Dameron, D.H., Chong-Cheng Fu, Meindl, J.D. Template-set approach to VLSI pattern inspection 87–74379
Soo-Young Lee, Ju-Seog Jang, Sang-Yung Shin, Chang-Sup Shim Optical implementation of associative memory with controlled bit-significance 88–58055
Soo-Young Lee *see* Chang-Hee Lee 88–58638
Soo-Young Lee *see* Ju-Seog Jang 88–72001
Soo-Young Oh *see* Kit Man Cham 87–18256
Sooch, N.S. *see* Kerth, D.A. 88–70876
Sooch, N.S. *see* Stern, K.J. 87–62738
Sood, A.K., Akhtar, S., Alam, M. Markov models for performance evaluation of multiple bus local area computer network 86–64692
Sood, A.K., Akhtar, S., Srinivasan, K.Y. IMAP: A deterministic bus protocol for embedded networks 87–20267
Sood, A.K., Tseng, G. A sensor driven approach to engine fault analysis 87–43586
Sood, A.K. *see* Armstrong, R.D. 85–65419
Sood, A.K. *see* Contreras, G. 86–8739
Sood, A.K. *see* Mohan, S. 87–18213
Sood, A.K. *see* Tseng, G. 88–34821
Sood, A.S. *see* Desikamani, S. 87–3283
Sood, D.R., Hoernig, O.W., Jr. Encryption protection for communication satellites 85–31013
Sood, D.R. *see* Hoernig, O.W., Jr. 85–30986, 87–40826
Sood, L.C., Golab, J., Leiss, J., Yee-Chaung See, Barnes, J.J. A 8K×8 SRAM with an internal power down design 86–14223
Sood, L.C., Golab, J.S., Salter, J., Leiss, J.E., Barnes, J.J. A fast 8K×8 CMOS SRAM with internal power down design techniques 86–20535
Sood, P. Digital networking 88–67123
Sood, P. *see* Azelmad, A. 88–32990
Sood, P. *see* Ma, F. 88–35233
Sood, P.K., Lipo, T.A. Power conversion distribution system using a resonant high frequency AC link 87–43229
Sood, P.K., Lipo, T.A. Power conversion distribution system using a high-frequency AC link 88–55442
Sood, P.K., Lipo, T.A., Hansen, I.G. A versatile power converter for high frequency links systems 87–51379
Sood, P.K., Rehaoulia, H., Novotny, D.W., Lipo, T.A. A pulse width controlled three switch exciter for induction generators 86–39802
Sood, R.K., Jain, S.C., Nahar Singh, Jain, S.C. Spectral attenuation measurement of optical fibers using cut-back method 87–46448
Sood, R.K., Prasad, C.R., Nahar Singh Development of fiber lightguide technology 87–46449
Sood, R.K., Prasad, C.R., Nahar Singh, Pandey, V. Design and development of fiber optic clinical headlamp 87–50382
Sood, R.K. *see* Shamshi, M.A. 87–70794
Sood, S.C. *see* Thakur, D.K. 87–38222, 87–38237, 88–31075
Sood, V.K. A novel DC line-side force-commutated HVDC inverter for feeding remote loads 86–6899
Sood, V.K. Force-commutated HVDC inverters 86–6900
Sood, V.K. Analysis and simulator evaluation of a small force commutated series inverter tap in a HVDC line 86–12406
Sood, V.K. Analysis and simulator evaluation of a DC line-side force-commutated HVDC inverter for feeding a remote load 86–12939
Sood, V.K., Galanos, G., Vovos, N.A., Giannakopoulos, G. Combined control and protection system for improved performance of HVDC links in the presence of AC faults 85–32242
Sood, V.K., Rashid, M.H. Losses and efficiency of a line side commutated thyristor chopper for railway applications 86–7268
Sood, V.K. *see* Krishnayya, P.C.S. 85–15503
Soodak, C. *see* Gould, G. 85–31074
Soofi, A.K. *see* Swanson, R. 88–61626
Soohoo, K.L., Freed, C., Thomas, J.E., Haus, H.A. Line-center stabilized CO_2 lasers as secondary frequency standards: determination of pressure shifts and other errors 86–3022
Soohoo, K.L. *see* Bradley, L.C. 86–42473
Soohoo, R. *see* Khanna, A.P.S. 87–73728, 88–4099
Soohoo, R. *see* Vendelin, G. 87–994
Soohoo, R.E. *see* Roe, K. 87–25817
Soohoo, R.F. Magnetization processes in a thin-film recording head 85–45989
Soohoo, R.F. *see* Sherrima, F. 87–25811
Sook Aum Kyung *see* Kyung Sook Aum
Sook Jun Hwa *see* Hwa Sook Jun
Sook-Il Kwun, Lee, M.H., Liou, L.L., Spitzer, W.G., Dunlap, H.L., Vaidyanathan, K.V. Solid phase regrowth of low temperature Be-implanted GaAs 85–29122
Sook-Il Kwun *see* Liou, L.L. 86–41533
Sook-Il Kwun *see* Kyung-Hwan Oh 87–77158
Sool, O.H. *see* Sang, K.J. 88–27187
Sool Oh Hwan *see* Hwan Sool Oh
Soole, J.B.D., Hughes, H.P., Apsley, N. Electromagnetic resonance enhanced photoabsorption in planar metal-oxide-metal tunnel junction detectors 87–41510
Soole, J.B.D., Hughes, H.P., Apsley, N. Mode-selective detection of optical guided waves by integrated metal-oxide-metal structures 87–60966
Soole, J.B.D., Lamb, R.N., Hughes, H.P., Apsley, N. Surface plasmon enhanced photoconductivity in planar metal-oxide-metal tunnel junctions 86–67776
Soom, B., Balmer, J.E. Effective cavity length in mode-locked Nd:glass oscillators due to intracavity etalons 88–34071
Sooma, T. *see* Ishihara, H. 88–1599
Soomro, A.A., Rahman, M., Sait, S.M. A general real-time decoder based on AMD2900 devices 88–27791
Soon, A.K. *see* Aarik, Ya.A. 85–28996
Soon, G.H. *see* Huang, H.H. 85–1549
Soon, S.Y. *see* Ranai, K. 88–9186
Soon Chan Hong, Min Ho Park Microprocessor-based optimal efficiency drive of a separately excited DC motor 85–5122
Soon Heung Chang, Joo Young Park, Myung Ki Kim The Monte-Carlo method without sorting for uncertainty propagation analysis in PRA 85–28108
Soon Heung Chang, Myung Ki Kim, Joo Young Park Analytical and numerical unavailability analysis of redundant systems with dependent human error 85–22280
Soon Heung Chang *see* Hyiun Koon Kim 86–56564
Soon Heung Chang *see* Joo-Young Park 86–26673
Soon Heung Chang *see* Kwang Sub Jeong 88–243
Soon Heung Chang *see* Seon Ho Kim 86–19008
Soon Heung Chang *see* Seung Hyuk Lee 87–71877
Soon Heung Chang *see* Tae Woon Kim 88–43005
Soon Jae You *see* Tae Won Kang 88–44613
Soon Kang Gil *see* Gil Soon Kang
Soon Kim Hyung *see* Hyung Soon Kim
Soon Kim Young *see* Young Soon Kim
Soon Park Chul *see* Chul Soon Park
Soon See-Aun *see* See-Aun Soon
Soon Shin Gun *see* Gun Soon Shin
Soon Young Park *see* Yong Hoon Lee 88–34832
Soon-Byoung Lee Long term power development programme for 2000s 86–18757
Soon-Chan Hong Motor efficiency improvement using a microprocessor 85–60134
Soon-Hak Kwon *see* Myoung-Sam Ko 85–21657
Soon-Hum Hong *see* Song-Yop Hahn 86–53923
Soon-ill Hong, Chang-Joo Noh Analysis and schemes on induction motor drive by a vector control of slip frequency 85–39235
Soon-Kiong Sim Clarification of certain (α, β)-polarity results of Bachem and Grotschel 87–72963
Soon-Kwon Nam, Kamada, S., Yamamoto, N. A study on a low emittance lattice as a SOR source 88–74680
Soon-Man Kwon *see* Yo-Hui Kim 88–5408
Soon-Suk Hong *see* Chang-Yub Park 87–73804, 88–33585
Soong, D.S. Dissolution kinetics of E-beam resists 86–1882
Soong, D.S. *see* Flack, W.W. 85–12084
Soong, D.S. *see* Hartney, M.A. 88–13146
Soong, D.S. *see* Papanu, J.S. 88–13252
Soong, F.K. A training procedure for a segment-based-network approach to isolated word recognition 87–61678
Soong, F.K., Cox, R.V., Jayant, N.S. Subband coding of speech using backward adaptive prediction and bit allocation 86–16270
Soong, F.K., Cox, R.V., Jayant, N.S. On the backward adaptive predictor and optimal time-frequency bit assignment of a high performance subband speech center 86–69486
Soong, F.K., Cox, R.V., Jayant, N.S. A high quality subband speech coder with backward adaptive predictor and optimal time-frequency bit assignment 87–19619
Soong, F.K., Juang, B.-H. Optimal quantization of LSP parameters [speech coding] 88–66427
Soong, F.K., Rosenberg, A.E. On the use of instantaneous and transitional spectral information in speaker recognition 87–19528
Soong, F.K., Rosenberg, A.E. On the use of instantaneous and transitional spectral information in speaker recognition 88–59091
Soong, F.K., Rosenberg, A.E., Biing-Hwang Juang, Rabiner, L.R. A vector quantization approach to speaker recognition 87–69049
Soong, F.K., Rosenberg, A.E., Rabiner, L.R., Juang, B.H. A vector quantization approach to speaker recognition 86–10296
Soong, F.K., Rosenberg, A.E., Rabiner, L.R., Juang, B.H. Application of vector quantization to speaker recognition 86–29797
Soong, F.K., Sondhi, M.M. A frequency-weighted Itakura spectral distortion measure and its application to speech recognition in noise 87–61668
Soong, F.K., Sondhi, M.M. A frequency-weighted Itakura spectral distortion measure and its application to speech recognition in noise 88–27835
Soong, F.K. *see* Bergh, A.F. 85–51557
Soong, F.K. *see* Chin-Hui Lee 88–72813
Soong, F.K. *see* Nocerino, N. 86–16185, 86–22958
Soong, F.K. *see* Pan, K.-C. 85–57291
Soong, F.K. *see* Pan, K.C. 86–16215
Soong, F.K. *see* Rabiner, L.R. 85–13507, 86–29759, 88–66362
Soong, F.K. *see* Rosenberg, A.E. 87–19527
Soong, F.K. *see* Svendsen, T. 87–61634
Soong, J.H., Otto, A.E. Innovative launch base operation concepts for future space transportation systems (FSTS) 88–30068
Soong, N., Patel, A. Wirability expert system 87–11827
Soong, N.L. *see* Patel, A.M. 85–39848
Soong, P. *see* Hum, R. 86–44128
Soop, E.M. *see* Kawase, S. 86–60919

Soorholtz, V.W. *see* Wang, K.L. 87−44854, 87−59501, 88−6828

Sooryakumar, R. Valence band mixing and optical emission in modulation-doped GaAs-(AlGa)As heterostructure 87−6414

Soos, J.I., Rosemeier, R.G., Rosenbaum, J. GHz GaAs acousto-optic modulator devices 88−26908

Soos, J.I., Rosemeier, R.G., Rosenbaum, J. Optimization of shear modes to produce enhanced bandwidth in GHz GaP Bragg cells 88−58281

Soos, J.I. *see* Rosemeier, R.G. 88−65403

Soos, L. *see* Huszar, T. 87−29904

Soos, L. *see* Kosa, J. 85−44072

Sooth, J. *see* Dalhof, A. 86−10862

Soothill, D. Experience with the domestic satellite in ABC Radio 87−63116

Sopel'nik, Yu.V. *see* Levchenko, L.S. 88−40962, 88−72958

Sopel'nikov, M.D. *see* Dudnik, B.S. 87−34897

Sopel'nikov, M.D. *see* Shubova, R.S. 86−36707

Soper, G.K., Casey, K.F. Understanding the EMP threat 88−20925

Soper, J.W. Economic conductor analysis—a microcomputer application 86−39151

Soper, M.C. Useful matrix theorem with applications to electronic circuit theory 85−54220

Soper, S. *see* Fernandez, A. 88−47309

Soper, T.J. *see* Friedman, P.S. 87−21174

Soper, T.J. *see* Wedding, D.K., Sr. 88−16314

Sopher, S.M. *see* Orr, G.B. 85−49335

Sopicki, T., Kopec, M. Acoustic detection of leakages in boiler heating surfaces 88−75420

Sopicki, T. *see* Chmielniak, T. 88−30578, 88−69159

Sopil'nik, A.V., Tverdostup, N.I., Khandetskii, V.S., Serebrennikov, S.V. Resonant meter of magnetic permeability of iron ore resources in boreholes with dynamic error correction 88−68615

Sopinskii, N.V. *see* Kostyshin, M.T. 86−29259

Sopira, M. *see* Coon, D. 85−9073

Sopira, M.M. *see* Hobgood, H.M. 86−406

Sopko, B., Frank, H., Rothbauer, M., Stastny, V. Silicon epitaxial layer doping by nuclear transmutation 86−58381

Sopko, B. *see* Frank, H. 85−18265

Sopko, B. *see* Matusu, J. 88−58356

Sopko, M.E. *see* Huang, C.I. 88−39421

Sopko, V. Status of the American Society for Testing and Materials (ASTM) efforts to provide a standard practice for infrared roof moisture surveys 88−14

Soplyachenko, V.N., Lopukhov, G.I., Starshov, G.I., Vlasov, V.G. Control of texture intensity in magnetically hard alloys 88−64961

Soplyachenko, V.N., Lopukhov, S.N., Sergeev, I.V., Savrasov, G.A., Vlasov, V.G. Determining the easy magnetization axis for a cylindrical magnet 88−6558

Sopocy, D.M., Kovach, J.C. Chemistry improvement programs for PWRs 86−32970

Sopori, B.L. Characterization of solar cell substrates 87−22768

Sopori, B.L. Crystal defects in RTR ribbons: their characteristics and influence on the ribbon cell performance 87−44295

Sopori, B.L. A spectral response measurement system for large-area solar cells 88−31018

Sopori, B.L. Fabrication of diode arrays for photovoltaic characterization of silicon substrates 88−50762

Sopori, B.L. Principle of a new reflectometer for measuring dielectric film thickness on substrates of arbitrary surface characteristics 88−53880

Sopori, B.L., Markham, J.L., Krishnan, K., Hill, S. Measurement of boron in polycrystalline silicon solar cell substrates 87−16030

Sopori, B.L. *see* Schroder, D.K. 86−21110

Sopott, M. Two processors to one memory. Dual-port-DRAM-controller controls access 87−66163

Sopott, M. The FAST high speed bipolar logic family 88−63611

Soppa, W.M., Wagemann, H.-G. Investigation and modeling the surface mobility of MOSFETs from −25 to +150°C 88−64564

Soppe, M. A method for testing data aspects of protocol implementation and its applications to the OSI session layer 88−67050

Sopper, P., Rogalla, K. High power amplifiers for the microwave frequency range 88−56900

Sopprano, C. *see* Saggese, E. 87−34518

Sopr, M. Impulse interference analyzer and the methods of evaluation of measurement 86−64012

Soprano, C. *see* Saint-Aubert, P. 86−59845

Soprunyuk, P.M., Tsybul'skii, V.S., Trush, O.I. Correlation analysis methods and hardware (survey) 86−19905

Sopsick, F. *see* Farena, L. 88−52900

Soptea, E. *see* Gavriliu, S. 88−57030

Sopwith, T. *see* Lewis, J.R.T. 87−21234, 87−21546

Sop'yanik, V.Kh. Using the Wegstein method for solving the nonlinear equations of mathematical models of relay protection by computer 86−61184

Sop'yanik, V.Kh. A computer program for calculating transients and steady-state processes in current transformer circuits 87−43148

Sop'yanik, V.Kh. Calculation of transient and steady-state processes in current transformers and current circuits of relay-protection devices 88−23567

Sor Khem Tan A logic analyzer at 2 GHz 86−31281

Soraghan, J.J. New data movement algorithms for processor arrays 88−73011

Soraghan, J.J. *see* Appleby, D.G. 87−28687

Sorais, D. *see* Baer, J.M. 88−9446

Sorak, N.M. Digital filter as a learning vehicle in A/D and D/A conversion 88−24409

Soras, K., Makios, V. Feasibility study for small solar cell operated units in Greece 86−19176

Sorasen, O. *see* Lundh, Y. 86−59948

Sorato, L. Information system and organisation of a firm 87−35552

Sorayan, R.A. *see* Kinney, J.H. 88−29986

Sorba, A., Hamad, A., Kresha, Y. Identification of weakly nonlinear systems by pseudo-noise-loading method 86−29951

Sorba, L., Craciun, F., Acciarini, M., Lamberti, N., Pappalardo, M. A simple model for one dimensional piezoelectric composites 88−7785

Sorbello, F. *see* Ardizzone, E. 87−32657

Sorbello, R.M., Lee, B.S. A 12/17-GHz transmit/receive feed module for DBS antenna application 86−43100

Sorbello, R.M., Zaghloul, A.I., Lee, B.S., Siddiqi, S., Geller, B.D. 20-GHz phased-array-fed antennas utilizing distributed MMIC modules 87−39498

Sorbello, R.M. *see* Chen, C.H. 85−11520

Sorbello, R.M. *see* Tulintseff, A.N. 88−2786

Sorbello, R.M. *see* Zaghloul, A.I. 85−13390, 88−22033

Sorber, J., Meschke, M. High-performance drive system with DC servomotors for multiple coordinate operation 85−65281

Sorbye, R. *see* Philipson, L. 87−57232

Sorden, J.L. Precision digital oscilloscopes and waveform recorders 88−47610

Sorden, J.L. *see* Allen, M.S. 86−24568

Sordo, B. *see* Anelli, P. 86−17365, 86−42332, 86−49650

Sordo, B. *see* Cisternino, F. 86−15451, 86−42313

Sordo, B. *see* Cocito, G. 88−7845, 88−39891, 88−51439

Sordo, B. *see* De Benardi, C. 88−58184

Sordo, B. *see* Meliga, M. 88−51532

Sordo, B. *see* Modone, E. 88−1943, 88−58073

Sordo, B. *see* Morasca, S. 88−51497

Sordo, M.Del *see* Del Sordo, M.

Soree, G. *see* Walckiers, M. 88−66911

Soref, R. *see* Herczfeld, P.R. 87−73643

Soref, R.A. Programmable time-delay devices 85−12635

Soref, R.A. Voltage-controlled optical/RF phase shifter 86−22848

Soref, R.A. Proposed $N \times N$ switch for the quantum confined Stark effect 88−2051

Soref, R.A., Bennett, B.R. Kramers-Kronig analysis of electro-optical switching in silicon 88−7984

Soref, R.A., Lorenzo, J.P. Single-crystal silicon: a new material for 1.3 and 1.6 μm integrated-optical components 86−2847

Soref, R.A., Lorenzo, J.P. All-silicon active and passive guided-wave components for $\lambda = 1.3$ and 1.6 μm 86−68309

Soref, R.A., McDaniel, D.L., Jr., Bennett, B.R. Guided-wave intensity modulators using amplitude-and-phase perturbations 88−39997

Soref, R.A. *see* Albares, D.J. 88−7930

Soref, R.A. *see* Bennett, B.R. 88−51565

Soref, R.A. *see* Brown, T.G. 87−74744

Soref, R.A. *see* Friedman, L. 86−63688, 88−8296, 88−45218

Soref, R.A. *see* Horner, J.L. 88−52507

Soref, R.A. *see* Lorenzo, J.P. 87−74855

Soref, R.A. *see* McMahon, D.H. 85−9375

Soreide, D.C., Douglas, G.D., Brandt, W.P. Pulsed laser light sheet flow visualization 86−31726

Sorek, S. *see* Rascoe, T. 85−28201

Sorel, M., Aubert, J., Brand, A., Vacelet, M.H. Ultrasonic measurement of the tension due to tightening of bolted joints 85−43110

Sorel, Y. *see* Dechelle, F. 88−21277

Sorel, Y. *see* Hamel, A. 88−35533

Sorel, Y. *see* Leboutet, A. 85−3448, 86−49675

Sorell, L.S. Federal preemption of state and local zoning regulation of satellite Earth stations 88−67286

Sorella, S., Froeyan, M., Hellemans, L. Comments on 'Improved algorithm for the discrete Fourier transform' [Rev. Sci. Instrum. 56, 2325 (1985)] 87−44275

Soren, B.W. *see* Casper, N.D. 88−7442

Sorens, M.J., Kuchinsky, A.J., Rogers, R.G., Lewis, J., Barrett, W. Using ICPL: a programmatic IC design language 85−33595

Sorensen, A. Technical measurement module from Jydsk Telefon 88−53528

Sorensen, A.A. Space station electrical power system technology 85−48422

Sorensen, A.A. *see* Reppucci, G.M. 86−32466

Sorensen, A.F. Effect of repetition rate on breakdown under repetitive impulse voltages superimposed on a DC voltage 86−29316

Sorensen, B. Energy storage 85−44205

Sorensen, B., Donath, M., Ben Yang, G., Starr, R. Performance of the Minnesota scanner: a prototype for 3D tracking of moving body segments 87−63253

Sorensen, C. *see* Guy, A.W. 88−23127

Sorensen, D. *see* Schott, O. 86−26113

Sorensen, D.C. *see* Dongarra, J.J. 86−353, 87−55113

Sorensen, E.S. *see* Larsen, A.N. 86−63156

Sorensen, F.M. *see* Moeskjaer, H. 88−35330

Sorensen, G. *see* Eskildsen, S.S. 85−45616

Sorensen, H.O. Use of standard modulation codes for fiber optic link optimization 85−14302

Sorensen, H.V., Burrus, C.S. Efficient computation of the short-time fast Fourier transform 88−70297

Sorensen, H.V., Heideman, M.T., Burrus, C.S. On computing the split-radix FFT 86−37016

Sorensen, H.V., Jones, D.L., Burrus, C.S. Real-valued algorithms for the FFT 87−58903

Sorensen, H.V., Jones, D.L., Burrus, C.S., Heideman, M.T. On computing the discrete Hartley transform 86−23016

Sorensen, H.V., Jones, D.L., Heideman, M.T., Burrus, C.S. A split-radix real-valued fast Fourier transform 87−55217

Sorensen, H.V., Jones, D.L., Heideman, M.T., Burrus, C.S. Real-valued fast Fourier transform algorithms 87−58895

Sorensen, H.V. *see* Li, Z. 87−19759

Sorensen, J.M. *see* May, R.S. 88−62123

Sorensen, J.N. On the calculation of trajectories for blades detached from horizontal axis wind turbines 85−27361

Sorensen, K., Nielsen, O., Agesen, L. Methods for the calculation of contrast (the facet model) 85−48114

Sorensen, O.H. EMC recommendations for telecommunications equipment: an interNordic harmonization project 88−8520

Sorensen, P.K. LSI Design Centre: new methods in analogue IC design 85−50610

Sorensen, R. *see* Alonso, J.R. 88−54042

Sorensen, R. *see* Fugitt, J. 86−32001

Sorensen, R. *see* Sugarman, A. 85−4767

Sorensen, R.M. *see* Gradin, L.P. 86−45139

Sorensen, S.-A. Cambridge ring performance 86−10750

Sorensen, S.A. *see* Leung, C.H.C. 88−34535

Sorensen, S.B. *see* Albertsen, N.C. 86−43026

Sorensen, S.P. *see* Honkanen, K.J. 87−63695

Sorenson, B., Starr, R., Guo Ben Yang, Donath, M. Performance of the laser scanning system for 3-D measurement of human body segmental motion 87−14890

Sorenson, J.A. *see* Kruger, R.A. 85−59275, 86−11944

Sorenson, J.A. *see* Plenkovich, D. 86−56106, 87−41944

Sorenson, P.F. Visual effects [human visual system] 87−8660

Sorenson, R.M. *see* Gradin, L.P. 86−51205

Sorge, R. *see* Quick, J. 87−60207

Sorger, G. *see* Engeman, J. 85−31430, 85−58636

Sorger, G.U. Using preamp gain to improve sensitivity of spectrum analyzers 88−12231

Sorger, G.U. The 1 dB gain compression point for cascaded two-port networks 88−63438

Sorger, G.U. *see* Raicu, D. 86−15407

Sorgo, M.de *see* de Sorgo, M.

Soria, A. *see* Smith, K. 86−67254, 87−38588

Soria, D. *see* Fraissard, D. 87−29451

Soria, L. *see* Herrera, E.J. 88−30399

Soria, M. *see* Flajolet, P. 88−70236

Soria, W.C. An automatic recharging device for capacitors 88−44393

Soria-Buil, D. *see* Bettoni, D. 85−52968

Sorial, M.M. An investigation into the use of digital MOS technology for analog circuit applications 86−52707

Soriano, A.V. Commercial development of a large-scale coal gasification system designed to produce low-Btu gas 85−21295

Soriano, C., Aubes, M., Bellon, B., Damelincourt, J.J., Abdennadher, T., Stambouli, M., Annabi, M. Lamps and circuits: from physical model to electric circuit 88−62747

Soriano, C., Damelincourt, J.J., Abdennadher, T., Stambouli, M., Annabi, M. Lamps and circuits: from the physical model to the electrical circuit. II. Application to the analysis of electrical circuits including high-pressure mercury vapour lamps 88−62748

Soriano, D.J.Lao *see* Lao Soriano, D.J.

Soriano, E.S. *see* Lloret Alcaniz, M.J. 87−61615

Soriano, L., Leon, M., Arjona, F., Garcia Camarero, E. On the photoconductivity of copper sulphide polycrystalline thin films 85−41250

Soriano, P.R., Gomez, V.E., Calomarde, A.R., Ruiz, E.V. An approximation and elimination algorithm for isolated words recognition 85−57302

Soric, M. OPS–the operator subsystem in AXE 10 85–63441
Sorimachi, H., Hosoya, T. Properties of sputtered W-Si-N thin-film resistors 88–64125
Sorimachi, H., Terashima, M., Sato, K., Ikeda, T., Mohri, Y. High-speed thermal printing head 86–14563
Sorimachi, K. Space-saving installation techniques for motors used in small products 86–12861
Sorimachi, K., Endo, T., Yamada, S. A new range image sensor system 88–4495
Sorimachi, K. *see* Togashi, S. 85–20676, 86–5416, 86–18038
Sorimachi, Y. Bidirectional online video theater 86–30991
Sorimachi, Y., Matsumura, T., Yamashita, T., Tsubata, I., Miyauchi, S. Structural and electrical properties of V_3Si films formed by solid-phase-reaction 88–26690
Sorimachi, Y., Tomita, Y., Tsubata, I. Temperature coefficient of resistance for iron-silicide thin film resistor 85–34376
Sorimachi, Y., Tsubata, I., Miyauchi, S. Operation temperature of overcurrent protector with selfrecovery 85–32244
Sorimachi, Y., Tsubata, I., Miyauchi, S. Thermal and electrical characteristics of thick film overcurrent protector with self recovery 88–5404
Sorimachi, Y., Tsubata, I., Miyauchi, S. Thermal and electrical characteristics of thick film overcurrent protector with self-recovery 88–25724
Sorimachi, Y. *see* Miyauchi, S. 87–53284
Sorimachi, Y. *see* Nishino, I. 85–55188
Sorin, A. Microcontrollers for robotics and industrial motor control 88–12393
Sorin, A. Microcontrollers for robotics and the control of industrial motors 88–19173
Sorin, C. *see* Bartkova, K. 88–2995
Sorin, L.A. *see* Galuyev, S.V. 85–57727
Sorin, L.N., Kurochka, A.A. Analysis of magnetic fields in electrical machines under transient conditions 86–70860
Sorin, N. *see* Cazacu, C. 87–57916
Sorin, W.V., Kim, B.Y., Shaw, H.J. Phase-velocity measurements using prism output coupling for single- and few-mode optical fibers 86–28849
Sorin, W.V., Kim, B.Y., Shaw, H.J. Highly selective evanescent modal filter for two-mode optical fibers 87–2008
Sorin, W.V., Newton, S.A. Tunable single-mode output of a multimode laser in a tunable fibre grating external cavity 87–46860
Sorin, W.V., Yu, M.H. Single-mode-fiber ring dye laser 86–9899
Sorin, W.V., Zorabedian, P., Newton, S.A. Tunable single-mode fiber reflective grating filter 88–13822
Sorin, W.V. *see* Baney, D.M. 88–51804
Sorin, W.V. *see* Liu, K. 86–36266
Sorin, W.W., Shaw, H.J. A single-mode fiber evanescent grating reflector 86–22114
Sorine, M. *see* Medigue, G. 87–63296
Soring, A. *see* Kirchner, D. 88–74604
Sorini, O. *see* De Genst, P. 88–37076
Sorkin, G.B. Trivial global wiring of large chips: a statistical analysis 87–36906
Sorkin, G.B. Asymptotically perfect trivial global routing: a stochastic analysis 88–1719
Sorkin, G.B., Kundert, K.S., Sangiovanni-Vincentelli, A. An almost-periodic Fourier transform for use with harmonic balance [microwave circuit simulation] 87–73262
Sorkin, G.B. *see* Kundert, K.S. 88–31971
Sorkin, M.Z. *see* Zemskov, V.S. 87–236, 87–10353
Sorkin, R.A. *see* Burgsdorf, V.V. 87–4420
Sorkin, R.D., Robinson, D.E., Berg, B.G. A detection theory method for the analysis of visual and auditory displays 88–29563
Sorkin, R.D. *see* Adkins, J.M. 85–42792
Sorkina, R. *see* Miidla, P. 88–51722
Sorkina, R. *see* Peet, V. 88–51723
Sorkina, R. *see* Treshchalov, A. 85–56491
Sorkina, R.A. *see* Miidla, P.Kh. 87–46760
Sorlei, Z. *see* Abraham, T.O. 85–12813, 85–35681
Sorlei, Z. *see* Bakos, J.S. 87–68333
Sorlei, Z. *see* Yundev, D.N. 88–68048
Sorlet, E. Videotex for decision makers 85–13848
Sorlet, E. How videotext services pay for themselves 85–47173
Sorlet, E. Teletex for business: a powerful service 85–51977
Sorm, R. *see* Chmurny, J. 85–3867
Sornmo, L., Pahlm, O. Evaluation of noise immunity for algorithms in exercise ECG analysis 85–53081
Sornmo, L., Pahlm, O., Nygards, M.-E. Adaptive *QRS* detection: a study of performance 85–53055
Sornmo, L. *see* Pahlm, O. 87–41969
Sornmo, L. *see* Soderberg, R. 87–21591
Sornmo, L. *see* Tranesjo, J. 87–21579
Sorochan, A.A. *see* Boyar-Sozonovich, S.P. 86–12820, 87–78677, 88–30706, 88–69366
Sorochan, A.K. *see* Brainin, E.I. 86–45340
Sorochenko, R.L. *see* Matveenko, L.I. 86–30929
Sorochenko, V.R. *see* Apollonov, V.V. 85–62503, 87–74988
Sorochinskii, V.V., Tereshchenko, N.F. Multipurpose programmable pulse generator 86–67094
Sorochinsky, V. *see* Moskvin, G. 88–60337
Sorochinsky, V.A. *see* Moskvin, G.I. 88–35621, 88–60304
Sorochkin, B.M. Errors of photoelectric instruments for automatic sorting of parts by size 86–24756
Soroka, A.M. *see* Aleksandrov, A.Yu. 87–12358, 88–58439, 88–72277
Soroka, A.M. *see* Averin, A.P. 85–51108
Soroka, A.M. *see* Baginskii, V.M. 86–29076
Soroka, A.M. *see* Basov, N.G. 85–18872, 85–51091, 85–51114, 85–56533, 86–3029, 86–9757, 86–15643, 86–22320, 86–22562, 86–29074 to 29075, 86–58866, 87–12541, 87–18897, 87–18909
Soroka, A.M. *see* Batyrbekov, G.A. 88–20549
Soroka, A.M. *see* Dolgikh, V.A. 88–8126
Soroka, A.M. *see* Glotov, E.P. 87–7272
Soroka, A.M. *see* Rudoi, I.G. 88–65598
Soroka, A.M. *see* Ustinov, N.D. 86–22480
Soroka, A.S. *see* Baginskii, V.M. 87–2071
Soroka, E. *see* Shaked, U. 86–43233, 87–33691
Soroka, E.Z., Mavritsin, V.G., Khleborodov, V.A., Shteinberg, A.L. Improved methods for the formation of the SECAM signal 86–11273
Soroka, G.E. *see* Catina, J.L. 88–75434
Soroka, J.A. *see* Kotowski, T. 85–29792
Soroka, L. *see* Anderson, O.A. 86–31838, 88–47870, 88–47932
Soroka, L. *see* Kwan, J.W. 86–55988, 87–77488
Soroka, L.G. *see* Gerasimovich, A.N. 86–19201
Soroka, L.S. *see* Aleksandrov, V.A. 87–39659
Soroka, L.S. *see* Korolev, A.V. 86–23164
Soroka, M.V. *see* Lazarev, V.I. 86–39886
Soroka, S.A. A physically compact quad ridge horn design 87–33530
Soroka, Ye.Z. Possibilities to improve TV image block coding 87–69339
Soroka, Ye.Z. *see* Luneva, Z.P. 86–24099
Soroka, Ye.Z. *see* Novakovskiy, S.V. 86–17583
Soroker, D. Fast parallel strong orientation of mixed graphs and related augmentation problems 88–43780
Soroker, T.G. *see* Voskresenskii, A.P. 88–17591
Sorokevich, I.S. *see* Brativnyk, Ya.G. 87–52423
Sorokin, A. *see* Merlina, S. 86–19687, 86–45271
Sorokin, A.A. *see* Iz'yurova, G.I. 85–6156
Sorokin, A.F. Arc particle source 86–70308
Sorokin, A.F. Extension of the dynamic range for recording images with microchannel plates 87–49571
Sorokin, A.F. *see* Aleksandrov, G.N. 86–25614
Sorokin, A.M. *see* Lotsmanov, G.S. 86–66885
Sorokin, A.N. *see* Sidorchuk, Yu.I. 85–51546
Sorokin, A.P. *see* Khudasko, V.V. 87–78340
Sorokin, A.P. *see* Zhukov, A.V. 88–17297
Sorokin, A.R. Population processes in high-pressure inert-gas-mixture lasers 88–8108
Sorokin, A.R. *see* Bokhan, P.A. 85–46343, 86–27775
Sorokin, A.V. *see* Bobrov, Yu.K. 87–18360
Sorokin, G.M., Petrovskii, B.S., Yarema, I.T., Nakonechnyi, Yu.N., Grigor'ev, S.P. Equipment for examining polymer materials in cyclic loading 88–38307
Sorokin, G.P., Idrichan, G.Z., Sorokina, Z.M. Aging in Cu(I) selenide crystals 85–23474
Sorokin, I.N., Gat'ko, L.E. Effect of fluorine ions on the growth and properties of anodic oxide layers of indium arsenide 86–63182
Sorokin, I.N., Gat'ko, L.E., Nikitina, N.G. Properties and composition of anodic oxide layers of indium antimonide 86–63124
Sorokin, I.N., Klebanova, N.A., Nosikov, S.V. Influence of the substrate on defect-formation processes in intrinsic oxide films on gallium arsenide 86–28191
Sorokin, I.N. *see* Gorchakov, A.P. 87–45797
Sorokin, I.N. *see* Kashkarov, P.K. 86–15053, 87–17809
Sorokin, J. *see* Stepanov, G. 86–9039
Sorokin, L.K. Study of traction and energy characteristics of a linear induction motor with primary winding wired in parallel 87–9589
Sorokin, L.K. *see* Bespalov, V.Ya. 86–6736
Sorokin, L.M. *see* Talanin, I.E. 85–29159
Sorokin, N.A., Simkin, M.S., Krivoshei, M.Z. LMZ 200 MW steam turbines with a modified series of low-pressure cylinders 85–38857
Sorokin, N.A. *see* Ivanov, V.A. 86–39577
Sorokin, N.D. *see* Nurmagomedov, Sh.A. 87–65487
Sorokin, N.G. *see* Blistanov, A.A. 87–54409
Sorokin, N.N. *see* Korablin, A.Yu. 87–14099
Sorokin, O.M. Digital generation of the inverse function and calculation of the energy distribution of electron emission 85–15251
Sorokin, P.P. *see* Glownia, J.H. 86–29072, 87–68335, 88–8133
Sorokin, S.A. *see* El'chaninov, A.S. 86–57721
Sorokin, S.A. *see* Vizir', V.A. 87–66606
Sorokin, S.V. *see* Korolkov, V.L. 87–72320
Sorokin, V.A., Rozhkov, I.T., Titov, S.A., Filippov, A.N. Generator of pseudorandom binary sequences 86–40958
Sorokin, V.A. *see* Bondarev, B.V. 87–75169
Sorokin, V.A. *see* Kashnikov, G.N. 85–41341
Sorokin, V.A. *see* Rozhdestvenskii, S.S. 86–39519
Sorokin, V.A. *see* Zuev, V.S. 87–54239
Sorokin, V.B. *see* Bogdanov, V.L. 88–58490
Sorokin, V.B. *see* Bondarev, B.V. 87–18932
Sorokin, V.B. *see* Kononov, B.A. 88–6557
Sorokin, V.G. *see* Gulyaev, Yu.V. 87–25864
Sorokin, V.G. *see* Hikitin, N.M. 85–21208
Sorokin, V.G. *see* Rubichev, N.A. 86–37075
Sorokin, V.G. *see* Shcheglov, I.M. 88–33547
Sorokin, V.L., Zmitruk, V.F., Urusov, V.S., Akhromeeva, L.G., Zueva, N.A. Instrument for determination of the depth of a surface crack by the electropotential method 86–26955
Sorokin, V.M. *see* Glinternik, S.R. 88–23276
Sorokin, V.S. *see* Gorelenok, A.T. 87–53243
Sorokin, V.S. *see* Kuznetsov, V.V. 85–44694, 85–49545, 88–6459, 88–38161
Sorokin, Yu.G. *see* Bogorodskii, O.V. 86–35666
Sorokin, Yu.L. *see* Gostev, D.G. 86–65828
Sorokin, Yu.M. *see* Bakunov, M.I. 87–33447, 88–72568
Sorokin, Yu.M. *see* Vdovin, V.A. 85–13075, 85–51258
Sorokina, A.N. *see* Vityaz', P.A. 85–33548
Sorokina, I.T. *see* Allat'ev, A.N. 87–39039
Sorokina, I.T. *see* Avanesov, A.G. 88–51772
Sorokina, K.L. *see* Golikova, O.A. 87–37903
Sorokina, K.L. *see* Terekhov, V.A. 85–34525, 87–26172
Sorokina, L.P. *see* Elyukhin, V.A. 85–44742
Sorokina, L.P. *see* Il'inskaya, N.D. 88–24739
Sorokina, M.T. *see* Aleksin, V.P. 86–58235
Sorokina, R.K. *see* Akindinov, V.V. 86–64099
Sorokina, S.I. *see* Elakhovskii, S.B. 87–4613
Sorokina, T.G. *see* Maksakov, A.A. 88–9759
Sorokina, Y.A. *see* Alenitskij, Y.G. 88–68103
Sorokina, Z.M. *see* Sorokin, G.P. 85–23474
Soroko, Z.N. *see* Kezerashvili, V.Ya. 88–54096, 88–61045
Soroko-Novitsky, N.V. *see* Kurbatov, L.N. 85–55430
Sorokoumova, N.V. *see* Efimov, V.F. 85–65683
Sorokovnikov, V.N. *see* Bykovskii, Yu.A. 87–68167
Soron, E.W. X-ray inspection meets increased PWB throughput, density challenge. 1 88–32608
Soron, E.W. X-ray inspection meets increased PWB throughput, density challenge. 2 88–32614
Sorooshian, K. *see* Badi'i, F. 85–36441
Sorotskii, V.A. Evaluation of energy efficiency and reliability of a voltage inverter with a forming filter 87–23922
Sorotskii, V.A. *see* Dmitrikov, V.F. 87–17439
Sorotskiy, V.A. *see* Vinogradov, P.Yu. 86–40944
Sorour, E., Elnoubi, S. Probability of error analyses of a BFSK-FH system with diversity under partial-band multiple tone interference 87–40694
Soroushian, M. Potential distribution inside a closed cavity in terms of surface potentials 87–47081
Soroushnejad, M., Geraniotis, E. Collision resolution algorithms for networks with spread-spectrum capture capability 87–40704
Sorrell, S.W. *see* Garrett, T.J. 87–42613
Sorrells, D.L., Oscilowski, A.A., Dosher, T. Selection and cure optimization of conductive adhesives for use in Au/Sn sealed microelectronic packages 85–28060
Sorrentino, A.L., Amedo, J.C., Jackson, P.C. An advanced microcircuit tester architecture 87–18260
Sorrentino, R. Planar circuits, waveguide models and segmentation method 86–8463
Sorrentino, R. Millimeter wave activities in Italy 88–56830
Sorrentino, R. Numerical techniques for planar and quasi-planar millimeter-wave passive components 88–63830
Sorrentino, R. Numerical methods for passive components 88–71015
Sorrentino, R., Itoh, T. Transverse resonance analysis of finline discontinuities 85–19206
Sorrentino, R., Itoh, T. Transverse resonance analysis of finline discontinuities 85–24900
Sorrentino, R. *see* Alessandri, F. 88–967, 88–32388
Sorrentino, R. *see* Bartolucci, G. 87–19267, 88–56843
Sorrentino, R. *see* Forte, G. 88–25308
Sorrentino, R. *see* Giannini, F. 85–11573, 85–19198, 85–23096, 88–966
Sorrentino, R. *see* Salerno, M. 86–41201, 87–6065
Sorrentino, R. *see* Schiavon, G. 88–52265, 88–58926, 88–72637
Sorrentino, R. *see* Uwano, T. 87–75514, 88–27554, 88–32403
Sorrentino, R. *see* Vrba, J. 86–16007, 87–982
Sorri, V., Lahelma, O. Power economy systems of the processing industry 88–61802
Sors, L. *see* Kulcsar, S. 87–9713

Sorsdal, S. *see* Berge, T. 88−37252
Sorst, M. *see* Fischer, W.J. 86−62543
Sort, M. France prepares for steam generator replacement 86−12610
Sort, M. Removing steam generators 86−19012
Sortais, P., Debernardi, J., Geller, R., Ludwig, P., Pauthenet, R. Study of a magnetic structure for an ECRIS built exclusively with permanent magnets 88−74720
Sortais, P. *see* Bex, L. 88−74704
Sortais, P. *see* Delaunay, M. 87−50108
Sortais, P. *see* Geller, R. 86−38690, 88−74699
Sorum, L.N. *see* Lynch, M.T. 88−54177
Sos, V.T. *see* Erdos, P. 86−62041
Sosa, E.N. Generic TWTs for improved performance 85−30984
Sosa E., A. *see* Menezes, C.A. 85−33475
Sosdian, C.P., Tucker, A. Networking efficiencies of demand-assigned TDMA satellite channels 85−42512
Sosedov, V.A., Boyarskii, M.Yu., Abramov, G.I. Analysis of cooling systems for the current leads of cryogenic electric devices 85−41068
Sosedov, V.N. *see* Bobrenko, V.M. 85−467
Sosenskii, A.M., Kazentseva, N.N., Koshkin, G.V., Feigin, D.M., Pershin, M.P. Modulator for unpolarized radiation made from LZTL ceramic 85−35549
Soshchin, N.P. Structuring principles for efficient cathodoluminophors and prospects for applied cathodoluminescence 87−18835
Soshin, K. *see* Suzuki, Y. 88−11253
Soshnikov, V.G. *see* Fridliand, I.V. 86−69952
Sosic, R. *see* Trontelj, L. 88−24952
Sosin, B.M. Receiver parameters and specifications 88−73789
Sosin, Z., Kozik, T., Micek, S., Grotowski, K. A gas ionization chamber for on-line heavy ion identification 86−70326
Sosinski, L., Wanczyk, S. An analysis of moment transient components and currents of an induction motor with resistance asymmetry in the rotor circuit during the starting of a conveyor belt 87−35941
Soska, G. The right card as the trump card 88−44118
Soskin, D.A. *see* Legkii, V.N. 86−20371
Soskin, M.S., Taranenko, V.B. Holographic optical elements for quantum electronics 85−56884
Soskin, M.S. *see* Bazhenov, V.Yu. 85−29868, 86−36609, 87−26057, 87−46492
Soskin, M.S. *see* Kolezhuk, K.V. 85−24672
Soskin, M.S. *see* Kucherov, Yu.I. 85−12915
Soskin, M.S. *see* Lyuksyutov, S.F. 88−40357
Soskin, M.S. *see* Novikov, A.D. 87−2234, 88−45534
Soskin, M.S. *see* Odulov, S.G. 85−18904, 85−41303
Soskin, M.S. *see* Vasnetsov, M.V. 85−56739, 86−3338, 87−75258
Soskin, M.S. *see* Zaporozhets, T.E. 87−19104
Soskin, S.I. *see* Levin, V.Ya. 85−62678
Soskina, S.K. *see* Alamplyev, B.V. 85−39303
Soskind, J. *see* Kell, K.-J. 87−12543
Soskind, Ya.G. *see* Krylov, K.I. 88−58603
Soskov, A.G. *see* Namitokov, K.K. 87−37624
Soskov, V.I. *see* Akhrarov, M. 85−12810, 87−2068, 87−26292, 87−26298
Sosnin, A.V. *see* Andreev, Yu.M. 85−24667, 86−22524
Sosnin, F.R. Existing and potential scope for industrial radiography 86−52549
Sosnin, F.R. *see* Gusev, E.A. 85−10861
Sosnin, F.R. *see* Kanter, B.M. 86−57501
Sosnin, F.R. *see* Leonov, B.I. 85−49614
Sosnin, F.R. *see* Tusev, E.A. 88−31576
Sosnin, F.R. *see* Veselovskii, L.N. 85−17025
Sosnin, O.M. Transient analysis in electrical systems possessing factorial-rational transfer functions 87−59074
Sosnin, S.K. *see* Bukreev, V.G. 88−67757
Sosnin, V.A. *see* Egorov, V.G. 86−51849
Sosnin, V.P., Telegin, G.I. Experimental study of backward signals in fiber ring interferometers 85−50965
Sosnizkij, V.N. *see* Tinchev, S.S. 86−42162
Sosnov, E.N. *see* Bertsev, V.V. 87−26309
Sosnov, E.N. *see* Zinchenko, M.I. 88−26857
Sosnova, T.L. *see* Loseva, E.I. 85−39324
Sosnovikov, G.K. *see* Pashkeev, S.D. 86−45316
Sosnovikov, V.V. *see* Rozhdestvenskiy, A.A. 86−30502
Sosnovskaya, A.A. *see* Brusentseva, S.A. 87−42265
Sosnovskii, S.A. *see* Voronin, V.F. 86−36503, 86−42577, 87−75120
Sosnovskikh, Yu.N. *see* Gorchakov, A.P. 87−45797
Sosnovskikh, Yu.N. *see* Kashkarov, P.K. 86−15053, 87−17809
Sosnovtsev, V. *see* Bobkov, S. 85−15181
Sosnovtsev, V.V. *see* Bobkov, S.G. 86−60619
Sosnowicz, E.J. *see* Karalis, A.J. 85−49124
Sosnowski, J. The influence of nonlinearity of magnetic induction profile on coupling current losses in multifilamentary superconducting composite 85−41046
Sosnowski, J. Transient fault tolerance in a data acquisition system 86−24408
Sosnowski, J. Superconductor materials and chosen equipment 86−53907
Sosnowski, J. Experiments with transient fault upsets in microprocessor controllers 88−828
Sosnowski, J. Power losses in superconducting materials 88−71969
Sosnowski, T.P. *see* Hsing, T.R. 87−20303
Sosonkin, M.G. Digital modeling of the noise generation process in a multistage electron-optical converter 87−66856
Sosonkin, M.G. *see* Svyatogorov, O.A. 85−22626
Soster, M.-C., Malinge, J.-L. New low-loss mechanical splices and the special tool kit for optical communication 86−48141
Soster, M.C., Malinge, J.L. Low-loss splices and special tool kit for multimode optical fibers 88−13873
Sostman, H.E. *see* Borovicka, M. 85−8983
Sosulin, Yu.G., Parshin, Yu.N. Nonlinear estimation of stochastic signals using algorithms with adaptive parameters 88−3036
Sosul'nikov, V.P., Sarayev, S.I., Smirnov, V.F. Power losses in multichannel detection systems and a method of reducing them 87−47738
Sosunov, G.A. *see* Uzlov, Ye.N. 86−16785
Sosyukin, L.N. *see* Sklyarov, V.F. 86−33186
Soszek, P. How to avoid wet processing 88−71194
Sota, K. *see* Fujioka, M. 88−46697
Sotelo, H. *see* Aboites, V. 88−40147
Sotelo, W., Fukuda, A. On multiserver queues with synchronous fluctuation of traffic intensity 88−21398
Sotelo, W., Mukumoto, K., Fukuda, A. On multiserver queues with *m*-phase synchronous fluctuation of traffic intensity 88−34865
Sotelo, W., Mukumoto, K., Fukuda, A. M/M/*K* systems with M-phase fluctuations of traffic intensity 88−52323
Sotes, B. *see* Almonacid, G. 86−33699
Sotgiu, A., Gualtieri, G. Cavity resonator for in vivo ESR spectroscopy 86−14465
Sotgiu, A., Gualtieri, G., Momo, F. Generation of axial fields of arbitrary profile by air core coils 88−20849
Sotgiu, A. *see* Momo, F. 88−64003
Sotin, V.E., Shevtsov, V.M. Anisotropic properties of a multilayer optical waveguide 85−35509
Sotin, V.Ye. *see* Gudzenko, A.I. 88−40582
Sotirov, I.A., Nazarski, T.G., Kamenov, G. SHF waveguide semiconductor modulator for space radiometric systems 87−57362
Sotirovic, T.H. *see* Djordjevic, A.R. 87−73656
Sotirovic, T.H., Djordjevic, A.R. Analysis of half-wave stepped microwave filters 88−50277
Sotnichenko, E.A. *see* Bykovskii, Yu.A. 85−15124
Sotnichenko, N.A., Yakovets, V.P. Asymptotic representation of solutions of systems of linear partial differential equations with slowly varying coefficients 85−54399
Sotnichenko, S.A. *see* Bokun, V.Ch. 87−26287
Sotnichenko, S.A. *see* Gordon, E.B. 86−29060
Sotnik, N. *see* Berg, F. 86−41622, 86−58344
Sotnik, N. *see* Borbonus, M. 88−7401
Sotnik, N. *see* Gengenbach, T. 86−67775, 87−53545
Sotnik, N. *see* Licznerski, B.W. 88−25576
Sotnik, N. *see* Pagnia, H. 85−29222, 85−55606, 86−2185
Sotnikov, A.F. *see* Monakhov, A.S. 85−15739
Sotnikov, A.F. *see* Zverev, V.A. 85−48703
Sotnikov, A.V. *see* Smolenskii, G.A. 86−58647
Sotnikov, I.A. *see* Berezinets, P.A. 86−56608
Sotnikov, I.M. *see* Zaslavskii, B.I. 86−31712
Sotnikov, M.A. *see* Grishin, V.K. 87−41663
Sotnikov, M.A. *see* Ishkhanov, B.S. 88−68115
Sotnikov, V.E., Smirnitskii, A.M., Satanovskii, A.V., Balkevich, V.L., Mosin, Yu.M. An oven for testing materials in air at temperatures up to 1850°C 86−13896
Sotnikov, V.G. *see* Antonov, N.N. 85−64335
Sotnikov, V.G. *see* Arestova, V.V. 88−13625
Sotnikov, V.I. *see* Fiala, V. 88−14394
Sotnikov, V.N. *see* Gulyayev, Yu.V. 88−40955
Sotnikov, V.V. External magnetic field of a harmonic current distributed over a cylindrical surface of finite length 87−26628
Sotnikov-Yuzhik, Yu.M. *see* Tkhostov, M.Kh.-M. 85−27761
Sotnikova, G.Yu. *see* Buzyalis, R.R. 88−58641
Sotnikova, G.Yu. *see* Gavrilov, G.A. 86−49013, 88−39734
Sotnikova, O.S. *see* Hegai, N.L. 88−9790
Soto, J.A. Automated display generation for improved ATE operator interface 87−20872
Soto, J.C., De La Sen, M. Expert system approach in controlling direct-current motors 88−17641
Soto, J.C. *see* De La Sen, M. 88−62378
Soto, L. *see* Mies, E.W. 86−42311
Soto, O.G. Recent advances in services traffic modelling and evaluation 88−46706
Soto, O.G., Borja, T. A step to ISDN planning: from user traffic to service cost comparison 86−23256
Soto, O.G. *see* Agusti, J. 88−41415
Soto, O.Gonzalez *see* Gonzalez Soto, O.
Soto Bello, D. The capacity of the general enclosed circular-toroidal condenser 86−53085
Sotobata, I. *see* Koide, M. 88−4955
Sotoca, M.I.Acevedo *see* Acevedo Sotoca, M.I.
Sotom, M. *see* Dugas, J. 88−7849
Sotomayor Torres, C.M., Claxton, P.A., Roberts, J.S., Stradling, R.A., Wasilewski, Z. Magnetotransport studies in MBE-grown GaInAs-InP heterostructures under hydrostatic pressure 86−53427
Sotomayor Torres, C.M., Portal, J.C., Maan, J.C., Stradling, R.A. *(editor)* Optical Properties of Narrow-Gap Low-Dimensional Structures. Proceedings of a NATO Advanced Research Workshop 87−72707
Sotomayor-Diaz, O. Modeling of transmission circuits with two-ports and three-ports 85−25006
Sotomayor-Diaz, O. *see* Malek, M. 88−52712
Sotomayor-Torres, C.M. *see* Claxton, P.A. 87−44323
Sotomayor-Torres, C.M. *see* Roberts, J.S. 87−52110
Sotomura, K. *see* Ogikami, K. 86−62600
Sotorrio, P.J. *see* Ocana, G.R. 88−59657
Sotoudeh, V., Roos, M. Statistical analysis of simulated automatic network analyzer measurements 87−77064
Sotoudeh, V. *see* Roos, M. 87−77182
Sotres, D. *see* Matuszewski, A. 86−7607
Sotscheck, J. *see* Kollmeier, B. 88−59049
Sotskov, J.V. *see* Farkas, P. 87−12908, 88−28312
Sotta, J.P. *see* Held, K. 88−59559
Sottile, J., Jr., Kohler, J.L. Techniques for improved predictive maintenance testing of industrial power systems 87−65029
Sottile, M.R. Multi-processor data conversion unit 86−12105
Sottini, S., Giorgetti, E. Fabrication and characterization problems of a new family of geodesic lenses 88−7964
Sottini, S., Russo, V., Giorgetti, E. A new family of geodesic lenses for waveguide optical devices 88−2034
Sottini, S. *see* Li, Q. 85−2111, 85−41226
Sottini, S. *see* Russo, V. 85−4345, 85−47526, 85−59345, 86−11132, 86−38774, 86−69793
Sou, I.K. *see* Boukerche, M. 86−67685, 88−12979, 88−64385
Sou, I.K. *see* Chow, D.H. 88−25916
Sou, I.K. *see* Faurie, J.P. 86−46341, 86−66826, 87−17765
Sou, I.K. *see* Raccah, P.M. 86−67686
Sou, I.K. *see* Reno, J. 86−13739, 86−46316
Sou, I.K. *see* Wijewarnasuriya, P.S. 88−19662
Sou-mee Tse *see* Abel, S.M. 87−29815
Soubeyroux, J.-L. *see* Kanno, R. 86−66243
Soubie, A. *see* Spinelli, P. 85−35161, 85−55590
Soubrane, G. Photocoagulation treatment for age related macular degeneration 88−48220
Soucaille, J.F. *see* Zeeberg, B.R. 85−59251
Soucek, A., Spejchal, L., Khol, V. Two-channel sound in television broadcasting 88−22253
Soucek, J. *see* Nemec, J. 87−1625
Soucek, R. Measurement automation of standard cells at LCIE [Laboratorie Central des Industries Electriques] 88−67672
Soucek, R. *see* Erard, L. 87−14326, 87−14382, 88−16239, 88−16383
Soucek, R. *see* Knosp, R. 86−24690
Souchard, J.J. *see* Gheysen, A. 87−48346
Souchet, R. *see* Zyngier, H. 86−25104
Souchkevitch, G.N., Asikainen, M., Bauml, A., Bergmann, H., Busemann-Sokole, E., Carlsson, S., Delaloye, B., Dermentzoglou, F., Herrera, N., Jasinski, W., Karanfilski, B., Mester, J., Oppelt, A., Perry, J., Skretting, A., van Herk, G., Volodin, V., Wegst, A., Mould, R.F. The World Health Organization and International Atomic Energy Agency second interlaboratory comparison study in 16 countries on quality performance of nuclear medicine imaging devices 88−54502
Soucy, R.M. *see* Derin, H. 86−18549
Souda, R. *see* Oshima, C. 85−11833
Souda, Y. *see* Nakamura, M. 87−27889
Souder, C.W. *see* Donahue, J.P. 87−53004
Souder, C.W. *see* Juha, M. 88−2439, 88−12829
Souder, P.A. *see* Badertscher, A. 85−64417
Souder, W.E. A scale for measuring technologies 86−13396
Souder, W.E. *see* Mandakovic, T. 85−33071
Souders, J. *see* Brost, G. 86−24774
Souders, T.M. Data converter test methods 86−38316
Souders, T.M., Flach, D.R. Accurate frequency response measurements from step response data 87−14256
Souders, T.M., Flach, D.R. Accurate frequency response determinations from discrete step response data 88−14697
Souders, T.M., Flach, D.R., Schoenwetter, H.K. Transient response characterization of waveform recorders 87−21013
Souders, T.M., Schoenwetter, H.K., Hetrick, P.S. Characterization of a sampling voltage tracker for measuring fast, repetitive signals 87−70532
Souders, T.M., Schoenwetter, H.K., Hetrick, P.S. Characterization of a sampling voltage tracker for measuring fast, repetitive signals 88−15996

Souders, T.M., Stenbakken, G.N. Modeling and test point selection for data converter testing 86–46935
Souders, T.M., Stenbakken, G.N. Reduction of calibration points via *QR* factorization of linear models 87–14060
Souders, T.M. *see* Flach, D.R. 86–24447
Souders, T.M. *see* Schoenwetter, H.K. 88–29477
Souders, T.M. *see* Schwitz, W. 85–58797, 86–24636
Souders, T.M. *see* Stenbakken, G.N. 86–24268, 86–44086, 88–15880
Soudi, O. *see* El Degheidy, M.M. 86–38737
Soudoplatoff, S. Markov modeling of continuous parameters in speech recognition 87–19440
Soudoplatoff, S. *see* Merialdo, B. 87–27321
Soueid, E., Kumar, R., Prasad, M. MSAP/CSMA-CD: A hybrid protocol for a local area network 86–49315
Soueid, E., Pendse, S. CSMA-CD with channel capture 86–37554
Soueid, E.W. Performance study of a multibeam satellite system with onboard storage and processing 85–47486
Soueid, E.W. A queueing model for a superprocessing satellite system 86–4604
Soufflet, C. *see* Fink, M. 88–61697
Soufflot, A. *see* Puget, P. 88–67806
Souflis, J.L., Machias, A.V., Dialynas, E.N. Transient security assessment using a statistical pattern recognition method 87–21887
Souflis, J.L., Machias, A.V., Dialynas, E.N., Papadias, B.C. Computer-aided design of power systems by a pattern recognition method 87–57600
Souflis, J.L. *see* Dialynas, E.N. 88–42734
Souflis, J.L. *see* Machias, A.V. 87–35557, 87–57502
Souguil Ann *see* Heunggyoon Ryu 88–6702, 88–44094, 88–46841
Souguil Ann *see* Iick Ho Song 85–25037
Souguil Ann *see* Myung Jin Bae 88–45979
Souguil Ann *see* Myung Jong Lee 86–3974
Souguil Ann *see* Myungjin Bae 88–45980 to 45981
Souguil Ann *see* Pan Bong Ha 88–46045
Souhua Jiao *see* Jiao Souhua
Souillard, B., Toulouse, G. Hall effect in four acts 85–61661
Souk, J.H., O'Hanlon, J.F., Angillelo, J. Characterization of electron-beam deposited tungsten films on sapphire and silicon 86–21448
Soukas, A. *see* Sanders, R. 88–61068
Soukek, I.H. The humanist engineer of Aleksandr Solzhenitsyn 87–6
Soukiassian, P., Bakshi, M.H., Hurych, Z. Exceptionally large enhancement of InP(110) oxidation rate by cesium catalyst 87–60327
Soukiassian, P., Bakshi, M.H., Starnberg, H.I., Bommannavar, A.S., Hurych, Z. Precursor molecular-oxygen state in the initial catalytic oxidation of the InP(110) surface modified by alkali metals 88–44675
Soukiassian, P., Bakshi, M.H., Starnberg, H.I., Hurych, Z., Gentle, T.M., Schuette, K.P. Enhancement of silicon nitridation by alkali metals 88–64411
Soukiassian, P., Gentle, T.M., Bakshi, M.H., Bommannavar, A.S., Hurych, Z. Catalytic oxidation of semiconductors by alkali metals 87–45796
Soukiassian, P., Gentle, T.M., Bakshi, M.H., Hurych, Z. SiO_2-Si interface formation by catalytic oxidation using alkali metals and removal of the catalyst species 87–24801
Soukiassian, P. *see* Bakshi, M.H. 88–7485
Soukup, D.J. Continuing industrial engineering education 87–23113
Soukup, F. Instruments for low temperature thermometry. II. Four-terminal AC resistance bridge Series R4 86–38593
Soukup, F. *see* Malek, Z. 85–43416
Soukup, G.C. *see* Bonnett, A.H. 86–39791, 87–30565, 87–51213, 88–17602
Soukup, H. *see* Becker, B. 87–53726
Soukup, H. *see* Lee, C.M. 85–23953
Soukup, J. Place and route strategies 87–11928
Soukup, J. An industrial grade integrated system for the design of VLSI circuits 87–32669
Soukup, J. *see* Abegg, R. 85–37899
Soukup, J. *see* Royale, J. 87–65705
Soukup, J. *see* Tran, A. 88–38358
Soukup, P. Voltage controlled oscillator with V 4011 D 88–56505
Soukup, R.J., Bartunek, G.P., Lipps, D.R. Limitations of built-in electric field enhancement of minority carrier current collection in GaAs backwall Schottky barrier solar cells 87–30956
Soukup, R.J., Cole, C.M. FO cables and petroleum pipe lines: strange bedfellows work well together 86–49624
Soukup, R.J., Ekstrand, J.P. Electron-beam-induced currents collected by a *p-n* junction of finite junction depth 85–50244
Soukup, R.J., Tiwald, T.E. Complex impedance versus frequency analysis of Al:SiC:Al metal-insulator-metal structures 88–64356
Soukup, R.J. *see* Tiwald, T.E. 87–10611, 88–1458
Soukup, T. *see* Alexander, K. 85–6327, 85–33895
Soukupora, R. *see* Malina, V. 85–2163
Soul, J. *see* Chan, K.K. 86–68857
Soulabail, R. *see* Fichaut, J. 85–57678
Soulage, G., Arnould, F., Jurczyszyn, M., Tardy, A. High resolution reflectometer 88–53899
Soulage, G. *see* Benoit, J. 88–65486
Soulage, G. *see* Boulou, M. 86–42443
Soulanille, T.A. *see* Myers, D.K. 88–25200
Soulard, M. *see* Levent-Villegas, M. 86–41354, 88–32457
Soule, C.A. Forced-air chart predicts thermal performance of an extruded heat sink 88–24566
Soule, C.A. Predicting thermal performance of an extruded heat sink under forced air convection 88–24579
Soule, D.E., Rechel, E.F., Smith, D.W., Willis, F.A. Efficient hybrid photovoltaic-photothermal solar conversion system with cogeneration 87–30443
Soule, D.E., Wood, S.E. Heat-mirror spectral profile optimization for TSC hybrid solar conversion 88–11390
Soule, G.B. *see* Prange, T.W. 87–71671
Soule, H.H. *see* Parekh, S.V. 86–25349
Soule, J. TRANSDOC—an electronic document transmission project at CDST 85–30648
Soule, L., Blank, T. Parallel logic simulation on general purpose machines 88–70440
Soulen, R.J. *see* Ono, R.H. 87–67895
Soulen, R.J., Jr. Recent developments in the international temperature scale 86–65100
Soulen, R.J., Jr., Van Vechten, D. Impedance of radio-frequency-biased resistive superconducting quantum interference devices 87–60857
Soulen, R.J., Jr. *see* Colwell, J.H. 85–47789
Soulen, R.J., Jr. *see* Cutkosky, R.D. 85–8986
Soulen, R.J., Jr. *see* Fogle, W.E. 85–48132
Soules, T.F., Klatt, W.A. Optical properties of powder coatings 88–58333
Souletie, P., Bethke, S., Wessels, B.W., Pan, H. Growth and characterization of heteroepitaxial ZnO thin films by organometallic chemical vapor deposition 88–31767
Souletie, P., Wessels, B.W. Growth kinetics of ZnO prepared by organometallic chemical vapor deposition 88–63363
Souliac, M. *see* Atlas, G. 87–77807
Soulie, A. *see* Darmana, R. 88–61405
Soulie, D. *see* Roux, D. 88–52823
Soulie, M. *see* Friart, D. 85–7503
Soulie, N. Radiocom 2000: a step beyond pure cellular 86–17262
Soulie, N. Can we reconcile cellular and PMRs? 86–23774
Soulie, N. Flexibility: a key word to cellular expansion 87–3102
Soulie, N. Data transmission—a key factor to the efficiency of the transport industry 87–13627
Soulie, N. The pan-European digital system: an analysis of some key factors for success 88–60052
Soulie, N. *see* Duplessis, P. 85–20097
Soulie, N. *see* Fino, B. 87–48925
Soulier, D. *see* Proulx, R. 85–59661
Soulllard, M. *see* Carel, J.L. 86–51113
Soulos, T. *see* Rey, H.R. 85–31778
Soulos, T. *see* Schulze, K. 85–31861
Soulsby, D.R. *see* Larsen, S.T. 88–54955
Soulsby, J. Analogue modems: growing up in a digital world 85–36820
Soulsby, J. A guide to multiplexing 86–55082
Soulsby, J. Multiplexing—the route to network efficiency 87–34327
Soults, R.R., Chen, M.S., Domijan, A., Jr. The Energy Systems Research Center electric power system simulation laboratory and energy management system control center 87–36384
Soumagne, J., Mabilleau, P., Morissette, S., Chouinard, G. A digital coding method for music: delta modulation 87–47536
Soumagne, J., Mabilleau, P., Morissette, S., Chouinard, G., Bennett, D. A comparative study of the proposed high quality coding schemes for digital music 87–20814
Soumagne, J. *see* Hamel, P. 86–16271
Soumagne, J. *see* Paillard, B. 87–61597
Soumagne, J.-C., Do, V.-Q., MacDonald, R., Gavrilovic, M.M. Distributed computer control for a multi-user power system simulator 88–10711
Soumekh, B. *see* Mueller, R.K. 87–4171 to 4172
Soumekh, B. *see* Rudd, E.P. 87–29973
Soumekh, M. Image reconstruction from limited projections using the angular periodicity of the Fourier transform of the Radon transforms of an object 86–10548
Soumekh, M. A method of image reconstruction in fan beam tomography 86–16565
Soumekh, M. Image reconstruction techniques in tomographic imaging systems 87–7816
Soumekh, M. Reconstruction of bandlimited signals from their unevenly-spaced sampled data 87–61996
Soumekh, M. Band-limited interpolation from unevenly spaced sampled data 88–27898
Soumekh, M. Phase reconstruction/unwrapping from amplitude for diffracted waves using a perturbation solution for the wave equation 88–66479
Soumekh, M. Binary image reconstruction from four projections 88–73264
Soumekh, M. Reconstruction from incomplete data in echo diffraction imaging 88–73270
Soumekh, M., Kaveh, M., Mueller, R.K. Fourier domain reconstruction methods with application to diffraction tomography 86–10547
Soumekh, M. *see* Kaveh, M. 85–9152, 85–62763
Soumini, T. *see* Prabhu, A.V. 86–36993
Soumura, T. *see* Saito, S. 85–7123
Sounai, A., Murata, K., Shirogami, T. Performance of molten carbonate fuel cells with low pressure electrolyte. I 86–61723
Sounai, A., Murata, K., Shirogami, T. Performance of molten carbonate fuel cells with low pressure electrolyte. II. The effect of carbonate content 87–15961
Sounai, A., Oozu, H., Murata, K., Shirogami, T., Watanabe, T., Izaki, Y., Horiuchi, N. Performance of molten carbonate fuel cells with the electrolyte molded at low pressure. IV. Analysis of performance decay factors in MCFC stack 88–17919
Sounai, A., Suzuki, N., Murata, K., Shirogami, T. Performance of molten carbonate fuel cells with the electrolyte molded at low pressure. III. The stability of anode microlayers 87–78897
Soundararajan, J.S., Chakraborti, N.B. Performance of adaptive filters using combined lattice and transform techniques 86–64276
Soundararajan, J.S. *see* Mishra, R. 85–57534
Soundararajan, M. *see* Sridhara Rao, G. 87–30752
Soundararajan, N. *see* Das, V.D. 88–12958
Soundararajan, V. *see* Govindaraju, K. 87–10197
Soung Hie Kim, Keebom Kang R&D project selection in Hong Kong, Korea and Japan 88–49443
Souque, D., Vielpeau, D. The turbine generator unit and the grid: a sometimes difficult cohabitation 86–66027
Souque, D., Vielpeau, D. Torsional stresses on turbogenerators caused by planned steady-state switching operations—application to adjustment of automatic reclosing control devices 86–70880
Souquet, E. *see* Siblini, A. 85–43063
Souquet, J. *see* De Jong, N. 85–53008
Souquet, J. *see* Lancee, C.T. 85–45942
Sourek, Z. *see* Cembali, F. 87–25086
Sourek, Z. *see* Susi, E. 88–71383
Soures, J. *see* Kessler, T. 87–46843
Soures, J.M., Hutchison, R.J., Jacobs, S.D., Lund, L.D., McCrory, R.L., Richardson, M.C. OMEGA: a short-wavelength laser for fusion experiments 85–2274
Soures, J.M. *see* Yaakobi, B. 88–58455
Sourgens, J. *see* Blanc, F. 86–11116, 86–17567
Sourice, C. *see* Levallois, E. 85–37491
Souris, J.P. The why and how of co-contracting maintenance of production plant 88–6209
Sourkes, A.M. *see* Ross, R.N. 85–20948
Sousa, C.M.de *see* de Sousa, C.M.
Sousa, E.S., Silvester, J.A. A spreading code protocol for a distributed spread spectrum packet radio network 85–42434
Sousa, E.S., Silvester, J.A. A code switching technique for distributed spread spectrum packet radio networks 86–16615
Sousa, E.S., Silvester, J.A. Determination of optimum transmission ranges in a multi-hop spread spectrum network 86–30593
Sousa, E.S., Silvester, J.A. On multi-hop spread spectrum network modeling 87–40046
Sousa, E.S., Silvester, J.A. Spreading code protocols for distributed spread-spectrum packet radio networks 88–41131
Sousa, J.B. *see* Algarabel, P.A. 87–74507
Sousa, M., Griffin, M., Taylor, F. A DFT using number theoretic logarithms 88–63274
Sousa, M., Taylor, F. Complex integer to complex residue encoding 86–67160
Sousa, P.T.de *see* de Sousa, P.T.
Sousa Pinto, J. *see* Rocha, N.P. 88–9019
Sousa Pires, J.de *see* de Sousa Pires, J.
Sousa Vieira, M.C.de *see* de Sousa Vieira, M.C.
Soussaline, F. Use of position sensitive-detectors in medicine 85–15216
Soussaline, F. *see* Boulanger, F. 88–21357
Soustin, B.P. *see* Ivanchura, V.I. 85–65325, 87–73297
Soustin, B.P. *see* Manakov, A.V. 87–36994
Soutar, A., Singleton, J., Rau, S., Butler, M., Zaneveld, R., Baumgartner, T., Duffrin, E., Folsom, T. Environmental time series measurement in the central Gulf of California—small vessel instrument adaptation 86–60965
Souter, J.W., Staunton, W. The fretting wear of electrodeposited contact coatings 88–44406
Souter, J.W. *see* Whitlaw, K.J. 85–50071
Souteyrand, E. *see* Allongue, P. 88–25963
South, A. *see* Broster, D. 85–1641
South, A.C. Electronic product design: a brief overview of manufacturing technologies for equipment housing 88–6285
South, C.R. An adaptive filter in LSI 85–23028
South, C.R. The application of adaptive filters to handsfree telephony 86–10867

South, C.R. Estimation of random spectral misadjustment of an adaptive filter 87−27525

South, C.R., Lewis, A.V., Harbridge, J., Cox, A., Walmsley, C.F. VLSI architecture of a FIR adaptive filter 86−35026

South, R.B., McDonough, H. Determination of refractive index of thick-film sealing glasses for optical waveguide applications 86−62955

South, V., II Accuracy and precision in automatic video inspection systems 87−77113

South, W.H. *see* Cooper, J.H. 86−51854

Southall, D., Galer, M.O. Automotive electronics and man-car communication: the ergonomics issues 86−45794

Southall, D., Twiss, M.K. Human factors considerations in the design of in-car navigation systems 88−69892

Southall, D.P. *see* Stevens, V.G. 88−61230

Southall, H.L., McGrath, D.T. An experimental completely overlapped subarray antenna 86−54375

Southam, D. Electronic enclosures for the defence industry 88−6278

Southard, J.R. Silicon compiler demands no hardware expertise to fashion custom chips 85−10928

Southard, J.R. CAE software uses algorithms instead of schematics 88−63594

Southard, J.R. *see* Sundaramurthy, M. 86−52631

Southard, R. An overview of the different types of LANs and the various technologies and designs involved 88−35063

Southard, R.K. Local area networks. II. Network standards 87−2913

Southard, R.K. Optical fiber moving into new world 87−13685

Southard, R.K. Quick and easy analysis of fiber optic links 87−28592

Southard, R.K. Put it together for the future−fiber optic system design 88−4009

Southard, R.K. LANs: state of the unions 88−9142

Southard, R.K. Getting down to the basics of LAN technology 88−9156

Southard, R.K. Fiberoptic transceiver for FDDI applications 88−35559

Southcott, C.B., Boyd, I., Coleman, A.E., Hammett, P.G. Low bit rate speech coding for practical application 88−59053

Southcott, C.B. *see* Boyd, I. 88−59859

Souther, J.W. What to report [management report reading habits] 86−13361

Souther, J.W. Identifying the informational needs of readers: a management responsibility 86−13362

Souther, J.W. Identifying the informational needs of readers: a management responsibility 86−40482

Southern, J.R., Davis, C.G., Edwards, M.P. Army BM/C^3 in the SDI program [Strategic Defence Initiative] 86−10657

Southgate, P.D. A contour deformation model of capacitance VideoDisc signal pickup 85−20375

Southon, J.R., Vogel, J.S., Nelson, D.E. The proposed TRIUMF accelerator mass spectrometer 86−25150

Southon, J.R. *see* Proctor, I.D. 88−47762

Southon, J.R. *see* Vogel, J.S. 85−20798

Southwell, S.W. *see* Oki, A.K. 88−19240

Southwell, W.H. Unstable-resonator-mode derivation using virtual-source theory 87−19001

Southwell, W.H., Gunning, W.J., Hall, R.L. Narrow-bandpass filter using partitioned cavities 88−8027

Southwick, R., Bennett, W.S. Comparative site attenuations of open-field test sites 86−5469

Southwick, R., Hoehn, A. An active bowtie antenna for E-field measurement 86−5442

Southwood, D.J., Mier-Jedrzejowicz, W.A.C., Russell, C.T. The fluxgate magnetometer for the AMPTE UK subsatellite 85−53173

Southwood, P.D., Bright, N.J. Integrated factory interface for the Precision Implant 9000 ion implanter operator. Operator, service personnel, factory management host, and remote diagnostics 87−60298

Southwood, W.A. *see* Allsop, A.C. 85−41810

Southworth, G.R. Freeze-frame video-teleconferencing 86−17668

Southworth, J.H., Ishimaru, C. Enriching classroom experiences and career opportunities through telecommunication technologies: the Global Education TELEclass Project Partnership Model 88−24394

Southworth, R. *see* Ballantyne, A. 86−28089

Southworth, S.H., Parr, A.C., Hardis, J.E., Dehmer, J.L., Holland, D.M.P. Calibration of a monochromator/spectrometer system for the measurement of photoelectron angular distributions and branching ratios 86−60700

Southworth, S.H. *see* Bartlett, R.J. 87−14817, 88−47821

Soutschek, E. *see* Bouwman, N. 86−34876

Souveton, H. Integration of videotex techniques in the system of communications between the National Family Allowances Fund and its beneficiaries 87−27963

Soux, C. *see* Carson, R.S. 88−27538

Souza, A.C. de A.e *see* e Souza, A.C. de A.

Souza, B.Alencar de *see* Alencar de Souza, B.

Souza, C.E.de *see* de Souza, C.E.

Souza, E.J.S.Pires de *see* Pires de Souza, E.J.S.

Souza, G.G.B.de *see* de Souza, G.G.B.

Souza, J.B.de Oliveira e *see* de Oliveira e Souza, J.B.

Souza, J.P.de *see* de Souza, J.P.

Souza, J.R. Conformal mapping analysis of shielded striplines 87−75488

Souza, L.de *see* de Souza, L.

Souza, L.De Salvo *see* De Salvo Souza, L.

Souza, M.M.Campello de *see* Campello de Souza, M.M.

Souza, M.N. *see* Marechal, B. 88−10250

Souza, P. *see* Noufi, R. 86−13056

Souza, P.de *see* de Souza, P.

Souza, P.V.de *see* de Souza, P.V.

Souza, R.E.De *see* De Souza, R.E.

Souza, R.F. *see* Conforti, E. 85−13228

Souza, R.F. *see* da Motta Pires, P.S. 86−48092

Souza, R.F. *see* Fernandes, H.C.C. 88−25363

Souza, R.J., Miller, S.P. UNIX and remote procedure calls: a peaceful coexistence? 86−64785

Souza, R.M.Campello de *see* Campello de Souza, R.M.

Souza, R.M.C.De *see* De Souza, R.M.C.

Souza, W.Lopes de *see* Lopes de Souza, W.

Souza, Z.de *see* de Souza, Z.

Souza Barros, F.de *see* de Souza Barros, F.

Souza e Silva, E.de *see* de Souza e Silva, E.

Sova, B.J., DeOrio, L.A., Johnson, T.K. Materials engineering considerations in bonding surface mount technology printed wiring boards to aluminum heat sinks 88−19551

Sova, D. An old technology takes on a new shine [facsimile] 85−30650

Sova, M. *see* Sova, V. 85−10224

Sova, V., Bollhalder, H. Wear reduction of silver-plated sliding contacts 88−38813

Sova, V., Sova, M. Heat pumps for use in variable load heat exchangers 85−10224

Sovacool, R.M. EPROM enhances TMS32010 μC's memory 87−44864

Sovalov, S.A., Barinov, V.A. Application of linearised mathematical models for the analysis and control of power system operating conditions 85−64803

Sovalov, S.A., Barinov, V.A. Application of linearized mathematical models to analysis and control of power system duty 86−50820

Sovalov, S.A., Stroev, V.A., Tsukernik, L.V., Ushakov, E.I., Venikov, V.A. Steady-state stability analysis of electrical power systems−methods and accomplishments 86−50796

Sovalov, S.A. *see* Barinov, V.A. 87−9079, 88−5234

Sovalov, S.A. *see* Mamikonyants, L.G. 87−50647

Sovalov, S.A. *see* Rabinovich, M.A. 85−32222, 85−38422

Sovalov, S.A. *see* Rudenko, Yu.N. 87−9093

Soval'skaya, L.K. *see* Pokrovskii, S.V. 85−44096

Sovero, E., Gupta, A.K., Higgins, J.A., Hill, W.A. 35-GHz performance of single and quadrupole power heterojunction HEMTs 87−6077

Sovero, E. *see* Asbeck, P.M. 88−25451, 88−25475

Sovero, E. *see* Chang, C.S. 88−26326

Sovero, E. *see* Sheng, N.H. 88−38757

Sovero, E.A., Gupta, A.K., Higgins, J.A. Noise figure characteristics of 1/2-μm gate single-heterojunction high-electron-mobility FETs at 35 GHz 86−41802

Sovero, E.A., Sahai, R., Hill, W.A., Higgins, J.A. Microwave frequency GaAs charge-coupled devices 85−55859

Sovero, E.A. *see* Asbeck, P.M. 87−59875

Sovero, E.A. *see* Gupta, A.K. 85−28721, 86−27628

Sovero, E.A. *see* Hill, W.A. 86−34987

Sovero, E.A. *see* Ng, W.W. 85−2327

Sovetov, V.L. *see* Eshchin, E.K. 85−65255

Sovetov, V.M. A multistage, multicycle routine for searching for a complex signal with expanded analysis cells 88−3054

Sovetov, V.M. A multistage multicycle search procedure for a complex signal with two thresholds 88−66508

Sovik, R.E. Selecting both conventional and smart transmitters 87−77190

Sovka, P. *see* Magyar, A. 85−51623

Sovlel', V.B., Stepanenko, I.E., Dolotova, V.V. Calculating parameters of non-salient pole synchronous motors 86−26025

Sovlukov, A.S. *see* Aleksanyan, G.G. 87−29289

Sovorovskii, N.S. Portable eddy current flow detector VD-22N V1P1 'Proba-5' 86−70122

Sovpel, V.B., Galkin, V.D., Litvinov, A.E. Asymmetric and nonfull-phase states of asynchronous motors and their protective technical acquisition 86−19264

Sovpel', V.B., Kaika, V.V., Litvinov, A.E., Galkin, V.D. Static stability of induction motors with supply from power-limited mains 87−78664

Sovpel', V.B., Mukha, V.P. On searching for steady-state periodic conditions in nonlinear circuits by single-step methods [circuit analysis computing] 85−28327

Sovpel, V.B., Mukha, V.P., Krugovaya, L.E., Poterailo, V.M. Integral matrix transformations for the analysis of periodic states in nonlinear electrical networks 87−16839

Sovpel', V.B., Mukha, V.P., Yarmolenko, V.I. Effect of supply mains parameters on static characteristics of induction motors 86−6748

Sovpel, V.B., Petrushechkina, L.M. Synthesis of the equivalent circuits of synchronous motors 86−51601

Sovu, I.Ye. *see* Artishevsky, V.I. 88−58329

Sow, G. *see* Dakyo, B. 88−69343

Sowa, A. Investigation into the spread of impulse current in structure models of industrial buildings. [lightning protection] 85−48618

Sowa, A. Lightning current distribution in the conducting elements of the building during a direct strike 86−56471

Sowa, A. Induced voltages in electronic systems within the buildings which are struck by lightning 86−56478

Sowa, A., Zielenkiewicz, M. New possibilities offered by semiconductors in electric fields and cryogenic temperatures 87−53343

Sowa, A. *see* Kukula, L. 86−54314

Sowa, A.E., Witkowski, J.S. RFI effects in resonant circuits tuned by variable-capacitance diodes 85−62815

Sowa, A.E., Witkowski, J.S. A numerical analysis of selective electronic circuits using Volterra series 86−640

Sowa, A.E., Witkowski, J.S. Distortion in AM radio frequency resonant circuits tuned by high ratio variable capacitance diodes 88−44026

Sowa, M.J., Quinn, J.M., Rasmussen, J.E., Kossey, P.A., Ostergaard, J.C. A statistical analysis of polar meteor scatter propagation in the 45-104 MHz band 88−52228

Sowa, M.J. *see* Osergaard, J.C. 86−59087

Sowa, M.J. *see* Weitzen, J.A. 88−9517

Sowa, P. *see* Siegmund, D. 88−30343

Sowa, P. *see* Wiszniewski, A. 85−65309

Sowa, W. Comparison of methods for the determination of nonextended dead times 87−8870

Sowada, U., Kahlert, H.-J., Basting, D. Excimer laser processing of thin metallic films on dielectric substrates 88−40441

Sowada, U., Kahlert, H.-J., Basting, D. Excimer lasers in industrial manufacturing 88−58759

Sowada, U. *see* Pummer, H. 85−62497

Sowards, D. *see* Richmond, G. 88−64713

Sowden, C. *see* Cripps, M. 85−3188

Sowden, C. *see* Cripps, M.D. 85−47197

Sowell, B. *see* Stern, M.B. 88−27152

Sowell, L.J., Gillies, G.T., Allison, S.W. Measurements of lateral offset power losses in step-index optical fiber scanning point sources 87−68129

Sowerby, K.W., Williamson, A.G. Outage probability calculations for a mobile radio system having multiple Rayleigh interferers 87−55992

Sowerby, K.W., Williamson, A.G. Outage probability calculations for a mobile radio system having two log-normal interferers 88−15356

Sowerby, K.W., Williamson, A.G. Outage probability calculations for multiple cochannel interferers in cellular mobile radio systems 88−53180

Sowers, M.W., Hand, G., Rush, C.M. Jamming to the HF broadcasting service 88−67518

Sowinski, A. Present problems of measuring semiconductor elements 85−1635

Sowinski, A. Measurements of the future in microelectronics 86−60140

Sowinski, M. Guided modes of double core dielectric waveguides 87−75552

Sowinski, M.J.A. *see* Jablonski, T.F.B. 87−74756

Sowka, E. *see* Jauch, R. 85−10260

Sowmya, A. *see* Rao, K.S. 85−59466

Sowter, G.A.V. Soft magnetic materials for audio transformers: history, production, and applications 88−13660

Soyano, T., Noguchi, T., Aoki, T., Hamabe, M. XY-measuring machine with a TV-camera system 87−41609

Soychak, F.J. *see* Atwood, B.C. 85−29151

Soydan, R. *see* Jastrzebski, L. 85−35154, 86−28055, 86−28497, 87−37870 to 37871, 87−38020, 87−53614

Soydan, R. *see* Pagliaro, R., Jr. 87−65550

Soylemez, A.-I. 100-kHz switched-mode power supply for halogen lamp dimming 85−39925

Soylemez, A.-I. Battery-powered ballast for 8-W fluorescent lamps 86−13162

Soylemez, A.-I. 100 kHz mains-fed driver modules for LV halogen lamps 86−34505

Soylemez, A.I. 100 kHz mains unit for low voltage halogen lamps, using switching regulation 87−23894

Soylemez, S. Disc geometry synchronous machines with permanent magnets 86−19246

Soylemez, S.M. Hybrid approach helped firm manage rapid network growth 86−16931

Soysal, A.O., Sarioglu, M.K. A synthetic method for modelling transformer windings in the study of system switching transients 86−65602

Soysal, A.O., Sarioglu, M.K. A method for modelling of power transformers for the study of high speed system transients 87−15840

Soysal, A.O., Sebo, S.A. Wide frequency range performance of electric machines 88−23873

Soyster, A.L. *see* Murphy, F.H. 86−32703, 87−35594

Soyuer, M., Meyer, R.G. A 350 MHz bipolar monolithic PLL 88−70605

Soyunmamedov, S. *see* Bazarov, B.A. 87−22730

Sozanski, J., Sima, A., Szymanski, S., Strzelecki, M., Wlodarczyk, M. A computer system for the judicial distribution of shortages in the country's electric energy system 86−18683

Sozanski, J., Szymanski, S., Sima, A., Adamiak, K. Rational distribution of power limitation at power deficiency conditions in the power system 86−18685

Sozanski, J.P., Tabary, M., Moschetto, Y., Chive, M., Mabire, J.P. The new generation of a computerized microwave hyperthermia system associated with two radiometers for thermal control and dosimetry 88−61433

Sozanski, J.P. *see* Mordon, S.R. 88−14322, 88−54613

Sozinov, A.V., Khalilov, F.Kh. Results of investigating the protection of an insulated neutral in 110-220 kV power transformers against surges 88−5735

Sozinov, A.V. *see* Bogatenkov, I.M. 87−43168

Sozinov, V.N. *see* Yakusheva, N.A. 86−63034, 87−36699

Sozinov, Yu.A. *see* Vasil'ev, S.A. 87−35946

Sozon-Yaroshevich, E.A., Yanutsh, D.A., Shiyan, I.V. Consideration of texture nonuniformity in the statistical transformation of images 87−27604

Sozonov, A.P. *see* Markarov, G.I. 86−3480

Spaan, B. *see* Drescher, A. 86−70324

Spaanenburg, H. PSP/SVP−an advanced VLSI programmable systolic signal processor 87−27537

Spaanenburg, H.A.E. *see* Ennis, W.G. 86−10458

Spaanenburg, L. Concern for the quality of VLSI design 85−35114

Spaanenburg, L. Efficient custom digital IC design for control applications 86−41072

Spaanenburg, L. Efficient silicon compilation of digital control specifications 86−46466

Spaanenburg, L. Structured design of control specifications 87−53649

Spaanenburg, L., Beunder, M., Beune, F.A., Gerez, S.H., Holstein, B., Luchtmeyer, R.C.C., Smit, J., van der Werf, A., Willems, H. MOD/R: a knowledge assisted approach towards top down only CMOS VLSI design 86−21833

Spaanenburg, L., Broekema, A., Leenstra, J., Huys, C. VLSI top-down design based on the separation of hierarchies 87−422

Spaanenburg, L., Gradenwitz, P.G.M., Speek, H. A gate-array optimized for switch-level CMOS logic with guaranteed timing and back-up supply 87−670

Spaanenburg, L., Huijs, C., Leenstra, J. Separation of hierarchies in VLSI design 87−65672

Spaanenburg, L., Pollok, W., Vermeulen, W. Novel switched logic CMOS latch building block 85−39985

Spaanenburg, L., Smit, J., van der Veen, H. A methodology for the fast and testable implementation of state diagram specifications [logic design] 85−44972

Spaanenburg, L., Stolmeijer, A. A short course in structured testable gate array design 86−33966

Spaanenburg, L., vanEs, P., vanVeenendaal, C.A. ICD: the SPIRIT European VLSI design workstation 87−1629

Spach, S. *see* Poulton, J. 86−11481

Spachmann, J., Kallfass, T., Lueder, E., Moersch, G., Otterbach, W. CdSe thin-film transistors with low off-current and anodized Ta_2O_5 gate oxide in a 12288-pel LC display 88−16322

Spack, M.A. *see* Nistler, J.L. 87−11897

Spackman, J.W.C. Towards an integrated network for DHSS 87−40343

Spackman, T. *see* Ouimette, D. 86−32408

Spada, G. *see* Frontera, F. 85−48172

Spada, J.A. *see* Ward, C.S. 85−17874

Spada, P. *see* Buccianti, R. 87−15733, 87−30574

Spada, T., Morrissey, S., Dignazio, L. Tester flunks out [in-circuit testing] 87−17502

Spadaccini, G. *see* Chioccariello, A. 85−5702

Spadafora, A. *see* Bernstein, D. 85−15253

Spadafora, L. *see* Stein, M.A. 85−33172, 86−40533

Spadaro, G., Calderaro, E., Schifani, R., Rizzo, G. Ageing of organic electrical insulating materials due to radiation. III. Dielectric properties of a cycloaliphatic epoxy resin: effect of irradiation environmental conditions and dose rate 87−18430

Spadaro, J. Rad-hard product mix grows as GaAs joins silicon 86−34646

Spadaro, J.J. Ultrafast chips shoot for commercial sockets 86−34648

Spadavecchia, L. *see* Rauch, G. 86−65438

Spadavecchia, L. *see* Scotto, M. 88−36407

Spade, G. *see* Grangaard, J.L. 85−52779

Spadea, G. *see* Paltridge, M.L. 85−33856

Spadim, O., Carneiro, S., Jr., Martins Neto, S., Watanabe, E.H. A mathematical model of cylindrical rotor electrical machines 87−15772

Spadinger, N. *see* Camelin, A. 87−20367

Spadini, G. *see* Warkentin, P.A. 87−11554

Spadini, G. *see* Zych, L.J. 86−18123, 87−11550, 87−11911

Spadoni, M. *see* Acerbi, E. 88−68203

Spadoni, M. *see* Balsamo, E.P. 86−48057

Spadoni, M. *see* Bruzzese, R. 86−47982, 86−48036, 87−46407, 87−67820

Spadoni, M. *see* Deotto, T. 85−50867

Spadoni, M. *see* Pasotti, G. 86−50284

Spadtke, P. KOBRA3−three dimensional raytracing including space-charge effects 86−25007

Spadtke, P. ECR source extraction with space charge and plasma boundary conditions 88−74727

Spadtke, P. *see* Brown, I.G. 86−50266

Spadtke, P. *see* Klabunde, J. 86−25006, 87−41760

Spadtke, P. *see* Muller, R.W. 87−41653, 87−41677

Spadtke, P. *see* Wolf, B.H. 87−70941

Spaendonk, R.V. *see* Jensen, N.E. 85−24941

Spaepen, F., Greer, A.L., Kelton, K.F., Bell, J.L. Ion beam sputtering apparatus for fabrication of compositionally modulated materials 85−54512

Spaeren, P.H. *see* Lundegaard, L. 85−22562

Spaeth, D.M. Designing enhancements for and providing technical feedback to manufacturers of augmentative communication equipment 88−54663

Spaggiari, C. *see* Romeo, N. 88−38245

Spagnol, J. The Pacific Weather Centre satellite facility. An overview 88−16920

Spagnol, V. *see* Cukier, M. 85−47300

Spagnolo, G.S. *see* Paoletti, D. 86−22549

Spagnolo, G.Schirripa *see* Schirripa Spagnolo, G.

Spagnolo, O. *see* Albertengo, G. 88−21888

Spah, R., Lux-Steiner, M., Bucher, E., Wagner, S. n-ZrS_3/p-WSe_2 heterojunctions 85−6726

Spah, R., Lux-Steiner, M., Obergfell, M., Bucher, E. n-$MoSe_2/p$-WSe_2 heterojunctions 86−8824

Spah, R.A. *see* Capasso, F. 88−39124

Spah, R.J. *see* Capasso, F. 88−39115

Spahlinger, G. An approximation formula for the calculation of the inductance of a flat spiral coil 85−23167

Spahlinger, G. Suppression of limit-cycles in digital filters by statistical rounding 86−62771

Spahlinger, G. *see* Steinlechner, S. 86−46948

Spahn, R.G. *see* Gau, J.S. 87−18474

Spahni, S., Harms, J. A local name server for organizational message handling systems 88−59934

Spain, D.G. Maintenance of submarine systems. I. Terminal station maintenance, cable fault location and repair, and maintenance economics 86−69759

Spain, E.H., IKI, D.H. An optical videodisk system for visual performance testing with stereoscopic TV displays 87−34821

Spain, E.H. *see* Pepper, R.L. 87−21170

Spain, I.L. *see* Azzeer, A.M. 85−43065

Spain, I.L. *see* Kerwin, D.B. 86−27952

Spain, I.L. *see* Patel, D. 87−21226, 87−60085, 87−66991

Spain, J. UK moves towards DBS 85−3407

Spain, J. Arianespace−success for Europe 85−58049

Spajer, M. Linear phase detection for a bimodal fiber sensor 88−47544

Spajer, M., Carquille, B., Maillotte, H. Application of intermodal interference to fibre sensors 87−18657

Spak, M. *see* Marriott, V. 88−13266

Spak, M.A. High temperature post exposure bake (HTPEB) for AZ 4000 photoresist 86−1911

Spakhov, V.V. *see* Voropaev, P.V. 87−64664

Spal, R.D. *see* Jach, T. 88−29934

Spalding, D.J. *see* McDevitt, A.J. 88−15636

Spalding, I.J. Laser applications 85−13016

Spalding, I.J., Kaye, A.S., Ward, B.A. Trends in laser equipment 85−51323

Spalding, J. *see* Pietraszewski, D. 88−74070

Spalek, A. Direct Monte Carlo simulation of scattering processes of keV conversion electrons in a radioactive source 88−29778

Spalek, A. *see* Adam, J. 85−59185

Spalek, G., Billen, J.H., Garcia, J.A., Giles, P.M., Hansborough, L.D., McMurry, D.E., Stevens, S.B. The free-electron laser variable bridge coupler 86−31996

Spalek, G. *see* Billen, J.H. 86−25024

Spalek, G. *see* Carlini, R.D. 88−42385

Spalek, G. *see* Feldman, D.W. 87−75136, 88−2285, 88−45487

Spalek, G. *see* Friedrichs, C.C. 88−54368

Spalek, G. *see* Liska, D.J. 87−35288

Spalek, G. *see* Power, J.F. 85−5235

Spalek, G. *see* Smythe, W.R. 86−32022

Spalek, G. *see* Walling, L. 88−36333, 88−54212

Spalek, I. *see* Antyukhov, V.A. 86−60637

Spalek, I. *see* Budagov, Yu.A. 85−9080

Spalek, J. *see* Bitsadze, G.S. 87−3891, 88−61155

Spalek, J. *see* Budagov, Yu.A. 85−37546, 85−59184, 85−64459, 87−50140, 88−16024

Spalek, J. *see* Chirikov-Zorin, I.E. 87−77555

Spalek, J. *see* Hlinka, V. 87−8837

Spalek, Yu.M. *see* Mikhailov, I.F. 87−38140

Spalinger, R. Water heating in large multiple dwellings−a largely unused substitution potential [electric heating] 86−7297

Spalinger, R. Electric current saving−realistically considered 88−42762

Spalinger, R. Technical features of small batteries 88−62563

Spalla, M., Fornasiero, A., Della Rosa, F., Pavan, M. Task to task communication and resource sharing in a geographically distributed network 88−41329

Spalla, M. *see* Gai, S. 87−23843

Spalla, M.F. *see* Corti, M. 87−18351

Spalla, P., Ciraolo, L., Capannini, E. SIRIO: a good chance for eight years of ionospheric research 87−62884

Spalla, P. *see* Cappellini, V. 85−20171

Spallek, R. *see* Stenzel, R. 87−74326

Spallek, R.G. *see* Elschner, H. 87−32459

Spalthoff, U. *see* Kuebart, W. 88−2127, 88−65497

Spalvins, T. Ion plated gold films: properties, tribological behavior and performance 87−73147

Spamer, E. *see* Alrutz-Ziemssen, K. 87−41706

Spampinato, P.T., Deutsch, L., Rathke, J. A maintenance assessment for TFTR near-term remote handling operations 85−115

Spandonk, J.Van *see* Van Spandonk, J.

Spandre, G. *see* Cerri, C. 85−20813

Spang, S., Bier, R., Craig, L.J., Felch, K., Huey, H., Ives, L., Jory, H., Lopez, N. Design and operation of a 200 kW CW, 140 GHz gyrotron oscillator 87−45518

Spang, S. *see* Felch, K. 85−28906, 85−50157, 85−55361, 87−24679, 88−25788

Spang, S. *see* Jory, H. 85−50155

Spang, S.T. *see* Garcia, R.F. 88−38999

Spang, T.C. *see* Manseur, B. 86−16810, 87−3097

Spangen, I., Danbolt, M. Internal communication in business: not just a question of technology 86−37337

Spangenberg, B., Danew, G., Spasowa, E. Multilayer resist systems for the microlithographic processing of profiled substrate surfaces 88−26173

Spangenberg, K.-H. Operational safety practice in nuclear power stations 88−17284

Spangenberg, P. Fault analysis of light waveguide transmission lines in electric energy plants 85−52329

Spangenberg, P., Tischer, K. Noise immunity and transmission reliability of serial signal transfer via optical fibres 85−8403

Spangenberg, P. *see* Engelage, D. 85−3442, 86−63624

Spangenberg, S., Cote, R.G.A. Views on a network analyzer 87−62600

Spangenberg, W. Facilities for generating and distributing district heat in the city of Hameln 86−65917

Spangenberg, W. Coal-fired fluidised bed cogeneration plant at the Afferde power plant of the Wesertal electricity works 86−65918

Spangenberger, R.S., Herren, P.C., Jr. An interactive circuit drafting program 87−10554

Spangler, C. *see* Flynn, M.J. 86−55195

Spangler, D. Pumps as hydraulic turbines for small-scale hydropower 86−61426

Spangler, G.E., Vora, K.N., Carrico, J.P. Miniature ion mobility spectrometer cell 86−44814

Spangler, G.L., Wright, V.P. Another look at growth in demand for electricity 85−21100

Spangler, J. Use of bipolar transistors in resonant convertors 88−31987

Spangler, J.J. A power factor corrected, MOSFET, multiple output, flyback switching supply 86−34534

Spangler, L. *see* McDonald, J. 88−71753

Spangler, L. *see* Maini, R. 88−12476

Spangler, L.J., Wise, K.D. A technology for high-performance single-crystal silicon-on-insulator transistors 87−38272

Spangler, L.S. Spectra Image and the DRAW videodisc 85−42767

Spanias, A. *see* Mikhael, W.B. 86−3920, 86−16445

Spanias, A.S., Mikhael, W.B. Implementation of the optimum block adaptive algorithm in the frequency-domain 87−69205

Spanias, A.S. *see* Mikhael, W.B. 86−48919, 86−64288, 86−69091, 87−61849, 88−34689

Spaniel, F.A. *see* Powell, C.D. 86−7511

Spanier, S. The emergence of TCP/IP [protocols] 87−48681

Spanier, S. Three distributed file systems compared 87−55592

Spanier, S. Ethernet's flexibility makes it ideal for virtually all networking applications 87−55713

Spanier, S. Networking: the way forward 88−3509

Spanier, S. How to troubleshoot Ethernet LANs 88−3522

Spanier, S. TCP/IP−a born-again protocol 88−3580

Spaniol, O. *see* Bechtold, M. 85−41999

Spaniol, O. *see* Fehlau, F. 87−62643
Spaniol, O. *see* Hubner, M. 88−28788
Spaniol, O. *see* Martini, P. 88−73587
Spaniol, O. *see* Simon, T. 88−35148
Spaniol, O., Danthine, A. *(editor)* High Speed Local Area Networks. Proceedings of the IFIP TC 6/WG 6.4 International Workshop 88−18334
Spaniol, P. *see* Schuh, H.-J. 85−25573
Spanjaard, N. *see* Moupfouma, F. 87−34374
Spanjer, K. *see* Kulesza, F.W. 88−33056
Spanjer, T.G., van Gorkum, A.A., van Soest, T.L., Smits, M.R.T. A high-resolution electron gun for color projection CRTs 88−16326
Spanjersberg, L. Flat conductor cable assures flexibility [office wiring] 85−53306
Spanke, R.A. Architectures for large nonblocking optical space switches 86−68316
Spanke, R.A. Architectures for guided-wave optical space switching systems 87−56144
Spanke, R.A., Benes, V.E. *N*-stage planar optical permutation network 87−47876
Spann, A.C. The effects of tech control on communications reliability 86−30152
Spann, J.R. *see* Rice, R.W. 85−35374
Spann, K. *see* Brenner, R. 87−63300
Spann, M., Dodgson, T., Wilson, R. Coding textures 87−33612
Spann, M., Wilson, R. A quad-tree approach to image segmentation which combines statistical and spatial information 86−3986
Spann, M. *see* Wilson, R. 88−41031
Spann, M.L., Bird, W.L., Weldon, W.F., Woodson, H.H. The rebuilding and testing of an active rotary flux compressor 85−5062
Spann, M.L., Pratap, S.B., Brinkman, W.G., Perkins, D., Thelen, R.F. A rapid fire, compulsator-driven railgun system 87−26713
Spann, M.L. *see* Pratap, S.B. 87−19168, 87−26702
Spann, M.L. *see* Werst, M.d. 87−26723
Spann, M.S. *see* Gully, J.H. 85−5119
Spannaus, R. *see* Frohberg, W. 87−28299
Spanne, P., Rivers, M.L. Computerized microtomography using synchrotron radiation from the NSLS 87−57098
Spanner, E. The FM stereo sound circuit-board in the VS 380 Hi-Fi [videorecorder] 87−41238
Spanner, J.C., Sr. An overview of acoustic emission codes and standards 88−18794
Spanner, K., Dietrich, L. Piezoelectric translators 88−76004
Spanner, K., Marth, H., Gutheil, W. Piezoelectric translators with submicron accuracy [for IC manufacture] 87−12011
Spano, F., Warren, W.S. Theoretical analysis of injection-locked dye lasers: an application to the generation of optical pulse sequences with phase control 87−26342
Spano, P., D'Ottavi, A., Mecozzi, A., Daino, B. Experimental observation of time jitter in semiconductor laser turn-on 88−65659
Spano, P., Kawanishi, S., Saruwatari, M. Wideband frequency response measurement of photodetectors using optical heterodyne detection technique [comment and reply] 86−60248
Spano, P., Piazzolla, S., Tamburrini, M. Measurements of the injection-locking influence on the frequency noise spectrum of single-mode semiconductor lasers 86−9864
Spano, P., Piazzolla, S., Tamburrini, M. Frequency and intensity noise in injection-locked semiconductor lasers: theory an experiments 86−42556
Spano, P. *see* Arona, F. 85−52775
Spano, P. *see* Crosignani, B. 85−29595
Spano, P. *see* Daino, B. 85−1989, 86−11125
Spano, P. *see* Mecozzi, A. 88−2240
Spano, P. *see* Piazzolla, S. 85−7457, 87−26403, 88−41668
Spano, P. *see* Sapia, A. 87−33139, 88−2274, 88−45457, 88−65722
Spano, P. *see* Tamburrini, M. 86−48416, 88−65734
Spanos, C.J. Hippocrates: a methodology for IC process diagnosis 87−38465
Spanos, C.J.B., Director, S.W. Parameter extraction for statistical IC process characterization 86−46451
Spanos, P.-T.D. Filter approaches to wave kinematics approximation 86−38964
Spanos, T. *see* Merkelo, H. 88−40069
Spanton, A.M., Williams, M.L. A comparison of the structure of the atmospheric boundary layers in central London and a rural/suburban site using acoustic sounding 88−60284
Spanulescu, I., Secareanu, I., Baltateanu, N., Zaker Abdi, I., Khalass, T. Effect of electron irradiation on electrophysical properties of CdSe and CdS thin films 87−6379
Spany, V. A circuits model and a complex analysis of a memory cell by means of the boundary surface 86−1037
Spanyol, J.L. *see* Bolton, B. 85−16613, 85−16633
Spape, H.A.J.M. Risks, security and control of local area networks 88−46621
Sparacino, M. *see* Bonfigli, G. 88−17386
Sparby, D.M. Re-evaluating the fixed-rate concept for regulated electric utilities 87−30077
Sparck, S. *see* Grafton, B. 85−28030
Sparger, J.R. Product update: data PBXs 87−62800
Spargo, C.J. *see* Lauby, M.G. 86−50846
Spargo, J.W., Phillips, R.R. Analog signal processing with Josephson junctions: analog to digital conversion 88−12461
Spargo, J.W. *see* Petersen, D.A. 85−54953
Sparke, D.R. *see* Clarke, I.M. 87−11066
Sparkes, C. *see* Elliot, D.J. 86−21676
Sparkes, C. *see* Yeung, M. 87−11516
Sparkes, P. *see* Ioannou, A. 87−43971
Sparkes, R. QuickChip 4: a methodology for the prototyping of mixed analog-digital designs 87−1719
Sparkes, R., Boyle, G., Woolhiser, R. Evaluation of macro models for mixed analog/digital circuits 88−64707
Sparkes, R., Gross, W. 6-GHz analog transistors, ECL team up in versatile array 86−58508
Sparkes, R. *see* Bergquist, S. 87−1720
Sparkes, R.A. Teaching electronics with the aid of a microcomputer 86−19756
Sparkes, R.G., Gross, W. Recent developments and trends in bipolar analog arrays 87−67536
Sparkes, R.T. Burn-in and life testing 85−44502
Sparks, B. Further developments in frequency translation 85−36899
Sparks, B. EEPROM MCU's, past, present, and future 88−802
Sparks, B., Horrabin, C. 27-29 MHz conversions 85−30922
Sparks, C.J. *see* Habenschuss, A. 88−48048
Sparks, C.J. *see* Ice, G.E. 88−48073
Sparks, D.R., Chapman, R.G. The use of rapid thermal annealing for studying transition metals in silicon 87−1364
Sparks, D.R., Chapman, R.G., Alvi, N.S. Anomalous diffusion and gettering of transition metals in silicon 87−1353
Sparks, D.R., Dahlquist, D.M., Adam, P.S., Reger, R.K. A comparison between radiant and induction heated epitaxial reactors 88−1786
Sparks, F.B. *see* Zappella, P.I. 88−7233
Sparks, K. *see* Lander, R.L. 87−11187
Sparks, K.B. *see* Maeshima, K. 87−29464
Sparks, L., Summer, G. A microcomputer-based weather station monitoring system 85−38337
Sparks, L.E. *see* Lawless, P.A. 86−42783, 86−42785, 86−63923, 87−47087
Sparks, L.E. *see* Mclean, K.J. 86−63924
Sparks, L.E. *see* Yamamoto, T. 86−42781, 87−11989, 87−38608
Sparks, L.E. *see* Yamoto, T. 88−27449
Sparks, M. *see* Klocek, P. 85−18660, 86−22158
Sparks, M.B. *see* Drury, G.M. 86−38108
Sparks, P.D., Allen, F.G., Daud, T. Computer modeling results on all-Si cascade solar cells 86−13069
Sparks, P.D. *see* Pappas, D. 88−58377
Sparks, R.A. Systems applications of mechanically scanned slotted array antennas 88−66219
Sparks, R.J., Wallace, G., Bartle, C.M., Coote, G.E., Ditchburn, R.G., Lowe, D.C., McCabe, W.J., Pohl, K.P. Status on the New Zealand tandem accelerator mass spectrometry facility 85−20856
Sparks, S.R. *see* McGuffin, L.J. 88−66990
Sparks, W.W. *see* Gaibrois, G.L. 86−32828
Sparling, T.E. Electrical analysis of an office building fire 86−34004
Sparr, G. *see* Nielsen, L. 87−75926
Sparr, T.M. Toward the education of future manufacturing engineers 87−23222
Sparrell, D. *see* Adleman, R. 85−14027
Sparrell, D. *see* Banerjee, S. 86−54458
Sparrell, D. *see* Kilm, T. 85−42120
Sparrell, D.K. *see* Adleman, R. 85−3260
Sparrell, D.K. *see* Benvenuto, N. 87−39617
Sparrow, A. *see* Hall, P.S. 88−2811
Sparrow, C. *see* Mees, A. 88−286
Sparrow, F. Earthing clamps: BS951 requirements explained 85−4667
Sparrow, F.T. *see* Haddock, J. 85−43672
Sparrow, J.A. *see* Green, C.R. 88−15584
Sparrow, J.A. *see* Oxley, C.H. 86−53676
Sparrow, J.H. *see* Soares, C.G. 85−59159
Sparrow, L.J. Pollution performance of surge arresters 86−6440
Sparrow, M.K., Sparrow, P.J. Topological coding of single fingerprints for automated comparison 86−3793
Sparrow, M.K., Sparrow, P.J. Topological coordinate systems: applications in latent mark matching and image retrieval 87−21011
Sparrow, P.J. *see* Sparrow, M.K. 86−3793, 87−21011
Sparrow, T.G., Tang, T.T., Valdre', U. Objective lens and specimen stages for a versatile high voltage CTEM/STEM 85−11871
Sparso, J. *see* Jensen, M.N. 88−3640
Sparthmann, R. *see* Harjes, B. 85−31039
Sparts, P., Ogawa, M. Plant operation training simulator for Tarong power station 87−36383
Spas, T.A. *see* Lavrov, A.V. 86−9730
Spasennikov, V.V. *see* Lozhkin, G.V. 88−22177
Spasev, Yu.V. *see* Gorbenko, I.D. 86−48747
Spash, D.I., McLachlan, A.S. Derivation and standardisation of limits of radio frequency emission from industrial, scientific and medical apparatus 87−19223
Spasibkina, S.N. *see* Bogomolova, L.D. 87−1213, 87−45619
Spasibo, Ye.A. *see* Masliy, V.N. 87−52448
Spasic, L., Samardzija, M. Design and fabrication of overtone filter crystals 87−60719
Spasojevic, Z. *see* Popovic, Z. 85−51382
Spasokukotskaya, O.N. *see* Elisyutin, G.P. 88−68465
Spasov, A. *see* Angelov, I. 87−48982, 88−56952
Spasov, A. *see* Nikolov, N.A. 88−58398
Spasov, A. *see* Yanev, A. 85−6885
Spasov, A.I., Toromanov, G.D., Angelov, A.M. Failure control and diagnostics method of microprocessor based radio systems 88−35367
Spasov, A.Y., Georgiev, P.G. A method for analysis of the waves evolution and modulation in distributed systems 87−490
Spasov, A.Y., Tinchev, S.S. RF power measurements using non-hysteretic RF SQUID 85−48045
Spasov, R. *see* Sokolov, E. 88−17590
Spasov, S.Kh. *see* Gogoshev, M.M. 85−48475
Spasov, V. *see* Dundarov, P. 85−43997
Spasovsky, I.P. *see* Nikolov, N.A. 88−58398
Spasowa, E. *see* Spangenberg, B. 88−26173
Spasskii, M.R., Lokhov, Yu.N., Ashkerov, Yu.V. Measurement of the profiles of ultrasmooth pliable metallic surfaces by means of a contact profilograph 85−52913
Spasskov, Y.P. *see* Luk'yanov, M.A. 85−21389
Spassov, G. *see* Mazakova, M. 85−56857
Spassov, I. *see* Borissov, M. 87−32775
Spassov, L. *see* Borisov, M. 85−29403
Spassova, F.M. Semiconductor on the basis of active ZnO 86−58266
Spasyuk, A.M. *see* Gurevich, G.L. 86−28585
Spata, D.A. *see* Beauchamp, N.A. 88−21868
Spataro, A. *see* Augugliaro, A. 88−10739
Spataro, A. *see* Boardman, J.T. 87−35596
Spataro, B. *see* Boni, R. 86−31981
Spataro, B. *see* Fernandes, P. 86−31980, 87−41786
Spataro, B. *see* Preger, M. 86−70307
Spataro, B. *see* Schaerf, C. 87−41802
Spataro, B. *see* Tronc, D. 87−41778
Spataro, V.J. The transformer isolated gate drive analysis and design 87−46041
Spath, B. Stresses and strains on electric wires 86−44976
Spath, B., Goedecke, H.-P. Line hawsers in energy technology 86−25623
Spath, F. *see* Herz, W. 85−35365, 85−41097
Spath, H. Orthogonal least squares fitting with linear manifolds 86−46246
Spath, H. Algorithm. Clusterwise linear least absolute deviations regression 87−23545
Spath, H. Using the L_1 norm within cluster analysis 87−72914
Spath, H., Watson, G.A. On orthogonal linear l_1 approximation 88−6400
Spath, H. *see* Bellomi, A. 87−16076
Spath, H. *see* Clos, G. 86−45525
Spathopoulos, M.P. *see* Davis, M.H.A. 87−47757, 87−55198
Spatke, P. *see* Haseroth, H. 87−41680
Spatny, W., Hagmann, R. New microprocessor-based voltage controllers for electrostatic precipitators 86−13963
Spatny, W., Herbst, W., Blahous, L. Converters for fusion research 87−51334
Spatola, K.B. Connector materials keep pace with performance needs 85−11785
Spatola, K.B. *see* Rimsa, S.B. 87−10177
Spatschil, F. Analog signals processed digitally. Function and applications of Intel's 2920 digital signal processor. I 85−14706
Spatschil, F. Digital processing of analogue signals. Application of Intel digital processor, type 2920. II 85−14709
Spatz, A. *see* Goudie, D.B. 85−26931
Spatz, D.E., Franke, S.J., Yeh, K.C. Analysis and interpretation of spaced receiver scintillation data recorded at an equatorial station 88−58863
Spaude, M., Schiek, B. Accurate noise temperature measurements on mismatched semiconductor devices 85−12234
Spaude, M., Siweris, H.-J., Reinschlussel, R., Schiek, B. A noise temperature measurement system for mismatched noise sources 85−20538
Spaulding, A.D. Locally optimum and suboptimum detector performance in a non-Gaussian interference environment 85−57363
Spaulding, A.D. Locally optimum and sub-optimum detector performance in non-Gaussian 'broadband' and 'narrowband' interference environments 86−16487
Spaulding, G. *see* Thompson, W. 87−11532
Spaulding, K.E. Use of electrophotographic system model for image-quality studies 86−23161
Spaulding, K.E., Engeldrum, P.G. A decision theory approach to tone reproduction 86−23159
Spaulding, M.D., Fuchs, W.K. Design for concurrent error detection ion storage/logic arrays 88−25177
Spaulding, S.A. *see* Arnstein, N.B. 87−50271

Spaulding, W.M. A broadband two-port S-parameter test set 85−20537
Spaulding, W.M. A high-level active mixer [for HP 3326A frequency synthesizer] 86−46628
Spaulding, W.M. *see* Aken, M.B. 86−50116
Spavins, T.C. Federal regulatory policy and information services: an economist's perspective [ISDN] 88−3662
Spazhakin, V.A. *see* Vasil'ev, A.B. 87−46799
Spaziante, A. *see* Lavagno, E. 87−30385
Spazzoli, R. *see* Pirani, S. 88−69597
Speake, C.C. Optimum positioning of attracting masses in the Heyl-type determination of the Newtonian gravitational constant 88−4273
Speake, C.C., Lawrence, M. Dynamical precision angle measurement with an acousto-optic beam deflector 88−74590
Speake, C.C., Metherell, A.J.F. The design of a beam balance for a determination of G 85−63944
Speake, C.C. *see* Metherell, A.J.F. 85−63945
Speake, C.C. *see* Quinn, T.J. 87−29320
Speake, G.D. Technology trends in the first fifty years 85−63752
Speake, J.H. Benefits of automated NDT 87−56513
Speake, J.H., Piggins, J.M. Developments in automated inspection 85−20491
Speake, T.C. *see* Corey, L.E. 85−13251
Speaker, E.E. *see* Reitsema, H.J. 85−38356
Speaker, R. *see* Gerber, H. 86−5012
Speakman, N.O. Adaptive autoregressive (AR) target model identification 86−48962
Speakman, N.O., Bullock, T.E. A new approach to the maneuvering target tracking problem 85−7900
Speakman, N.O., Bullock, T.E. Kalman filter design using the Levinson algorithm and output statistics 85−51671
Speakman, T., Hafer, L. Loud sharing strategies for a distributed computer system 87−69739
Spear, D.A.H., Dawe, P.J.G., Thompson, G.H.B. Embedded GaInAs pin diode for opto-electronic integration 85−41280
Spear, D.A.H. *see* Dawe, P.J.G. 85−18822, 86−42463, 86−54057
Spear, D.A.M. *see* Renaud, J.-C. 88−73978
Spear, J. *see* Merillat, J. 88−23111
Spear, K.F., Matson, J.V. Enhance cooling-water reuse with sidestream softening 85−32341
Spear, M. Setting the standard for humidity measurement 86−38191
Spear, M.C. *see* Kelly, D.W. 87−8980
Spear, T. *see* Marsolais, E. 86−25316
Spear, T.C.L.M., Ko, W.H., Massiello, A., Spear, T.M. Sensors in prosthetic systems for computer controlled walking 88−54636
Spear, T.M. *see* Leung, A.M. 86−50468
Spear, T.M. *see* Spear, T.C.L.M. 88−54636
Spear, W.E. The deposition and device applications of glow discharge silicon 86−46380
Spear, W.E. Recent fundamental and applied developments in the amorphous silicon field 87−17735
Spear, W.E. The investigation of transport properties in a-Si by fast transient techniques 87−45613
Spear, W.E., Cloude, C.S. Interpretation of the low-temperature photoconductivity in a-Si 87−61023
Spear, W.E., Dunnett, B., Lecomber, P.G. Substitutional and interstitial doping of amorphous silicon nitride 88−44644
Spear, W.E., Heintze, M. The effects of applied and internal strain on the electronic properties of amorphous silicon 87−37874
Spear, W.E., Le Comber, P.G. Transient mobility and lifetime studies in amorphous silicon and their interpretation 86−1742
Spear, W.E., Steemers, H.L., Le Comber, P.G., Gibson, R.A. Majority and minority carrier lifetimes in doped a-Si junctions and the energy of the dangling-bond state 85−1382
Spear, W.E. *see* Choi, W.K. 87−24833, 88−25938
Spear, W.E. *see* Cloude, C. 87−17688
Spear, W.E. *see* Djamdji, F. 86−47632
Spear, W.E. *see* Doghmane, A. 86−63051
Spear, W.E. *see* Goldie, D. 88−64265
Spear, W.E. *see* Heintze, M. 86−27915
Spear, W.E. *see* Le Comber, P.G. 86−35348
Spear, W.E. *see* LeComber, P.G. 85−61894, 85−61943, 86−41580, 88−25910
Spear, W.E. *see* Marshall, J.M. 85−40465
Spear, W.E. *see* Steemers, H.L. 86−47385
Spear, W.E. *see* Willeke, G.P. 86−47289
Spearing, R.E., Harper, W.R. Autotracking from space: the TDRSS approach 85−14212
Spearman, R., Spracklen, C.T., Miles, J.H. The application of systolic arrays to radar signal processing 86−54523
Spearman, R.W., Jr. *see* Feeney, J.W. 85−28469
Spears, D. *see* Linnell, L. 88−46729
Spears, D.L. *see* Kostiuk, T. 88−29386
Spears, D.R. Broadband ISDN switching capabilities from a services perspective 88−15195
Spears, D.R. Broadband ISDN−service visions and technological realities 88−46658
Spears, D.R. *see* Minzer, S.E. 88−3297
Spears, G. A demultiplexed analog subsystem 85−33989
Spears, J.R., Sandor, T., Hanlon, W., Sinclair, I.N., James, L., Minerbo, G. Computerized axial tomographic reconstruction of coronary tree cross sections from a small number of cineradiographic views 88−61246
Spears, J.R. *see* Sinclair, I.N. 88−23112
Spears, J.R. *see* Spokojny, A.M. 85−38194
Spears, R. *see* van der Pligt, J. 85−9589
Specchia, G. *see* Mazzoleni, C. 87−21611
Specchia, G. *see* Pinna, G. 85−59245
Specchiulli, G. A degradation model for metallized polyester capacitors 87−37596
Specht, A. *see* Fischer, R. 86−54131
Specht, A. *see* Pion, M. 88−34024
Specht, A.P. *see* Leopold, M.M. 87−61136
Specht, A.P. *see* Zabrowski, D.W. 86−48401
Specht, D.F. *see* Roehrig, J.R. 85−4282
Specht, D.F. *see* Wang, S.P. 85−4275
Specht, E. *see* Schmidt, C. 86−53930, 87−67985
Specht, G., Suss, K. Distribution in Germany: an investigation at TH Darmstadt 85−54104
Specht, H. *see* Fischer, P. 88−68294
Specht, H.J. The HELIOS experiment 86−32210
Specht, H.J. *see* Breskin, A. 88−68214
Specht, L.T., Hoke, W.E. HgCdTe infrared detectors 88−42096
Specht, L.T., Hoke, W.E., Oguz, S., Lemonias, P.J., Kreismania, V.G., Korenstein, R. High performance HgCdTe photoconductive devices grown by metalorganic chemical vapor deposition 86−36329
Specht, T.R. *see* Cham, E.J. 85−5188
Specht, U. *see* Kronauer, P. 87−42572
Spechtenhauser, A. Present and future considerations for nuclear district heating in Switzerland 86−45177
Speciale, R.A. *see* Val Lil, E. 85−37739
Speck, C.E., Reynolds, M.G. Electrostatic processes affecting attraction of dirt to vehicle bodies during conventional (nonelectrostatic) painting 85−32859
Speck, C.E., Reynolds, M.G. Electrostatic processes affecting attraction of dirt to metallic vehicle bodies during conventional (nonelectrostatic) painting 88−8407
Speck, D., Waste, W. Operation and technology of new regional network command points of the Neckar Works [transmission network control] 86−12260
Speck, D.A. *see* Seitz, C.L. 86−8090
Speck, E. *see* Hulpusch, G. 85−33199
Speck, J., Digmayer, M., Bohme, M., Bohme, K. Computation of electrostatic fields as an auxiliary means of developing medium voltage switching plants 86−19404
Speck, J. *see* Bohme, H. 87−32757
Speck, J. *see* Hauschild, W. 88−54842
Speck, K.R. *see* Potember, R.S. 88−58291
Speck, R., Hutchcroft, T. Head-up displays broaden pilot's horizons 87−77334
Speck, R. *see* Matthews, D. 85−7350
Speck, R.C. *see* Huang, S.L. 88−74316
Speckhard, A. *see* Stohr, E.A. *(editor)* 87−58537
Speckhardt, H. *see* Stallmann, K. 85−456
Specking, W., Nyilas, A., Flukiger, R. Strain sensitivity of subscale fusion conductor based on Nb_3Sn 86−47995
Specking, W., Weiss, F., Flukiger, R. Effect of filament diameter and spacing on J_c of Nb_3Sn wires in the intermediate field range (10-12 T) and at high fields 87−74550
Specking, W., Weiss, F., Flukiger, R. Effect of transverse compressive stress on I_c up to 20 T for binary and Ta alloyed Nb_3Sn wires 88−65000
Specking, W. *see* Arendt, F. 86−27639
Specking, W. *see* Drost, E. 85−12508, 85−56151
Specking, W. *see* Flukiger, R. 85−50858, 86−53909
Specking, W. *see* Xu, J.Q. 88−64989
Speckman, B.M., Wells, K.J. Juggling power control [automatic generation control] 88−62003
Speckman, D.M., Wendt, J.P. Alternatives to arsine: the atmospheric pressure organometallic chemical vapor deposition growth of GaAs using triethylarsenic 87−36790
Specovius, J. *see* Naunin, D. 88−69945
Specter, C. The transfer of remote sensing technology to developing countries: a survey of experts in the field 87−57424
Spector, H.N., Arora, V.K. Scattering of electrons by a sheet of impurities in a quasi-two-dimensional heterostructure 85−11990
Spector, H.N. *see* Arora, V.K. 88−12909
Spector, H.N. *see* Brown, J.W. 86−53394
Spector, H.N. *see* Lee, J. 85−23389
Spector, M., Dodson, G.A. Reliability evaluation of GaAs IC pre-amplifier HIC 88−20160
Spector, M. *see* Moore, W.E. 86−17478
Spector, S.A., Sidorin, Yu.S. Automatic magnetic induction meter with improved metrological characteristics 88−10105
Spector, V.A. *see* Chory, M.A. 85−37126
Spectro, H.N., Arora, V.K. Mobility in a quantum well heterostructure limited by scattering from remote impurities 86−1794
Specty, M. *see* Deschamps, J. 88−67958
Spedding, S., MacDonald, K. Optical cable designs for local networks 88−73970
Spedding, S.T., Taylor, J.E. Mathematically modelled fully filled strandless optical cable designs 88−28908
Spedding, T.A. *see* Sweeney, F. 88−42285
Spedicato, E. Computational experience with Rank-one positive definite quasi-Newton algorithms 86−19965
Spedicato, E. *see* Abaffy, J. 85−22393, 88−344
Spee, R., Wallace, A.K. Performance characteristics of brushless DC drives 88−24200
Spee, R., Wallace, A.K. Modeling of brushless DC drive systems with pulse-width modulated excitation 88−55654
Spee, R. *see* Engle, J.F. 88−48615
Spee, R. *see* Wallace, A.K. 87−78699, 88−24212, 88−75653
Speed Hensinger, J. Why and what you need to know to connect a modem to your phone and your micro 86−37567
Speedy, J. Vacuum switchgear wins design award 85−10053
Speek, H. *see* Spaanenburg, L. 87−670
Speelman, C.J. *see* Wassenaar, R.F. 88−56824
Speelman, J.E. Development of safety analyses for nuclear power stations 87−57807
Speeney, D.V. *see* Jugle, D.B. 85−11795
Speeney, D.V. *see* Phadke, M.S. 88−20122
Speer, F.D. *see* Ban, V.S. 88−12013
Speer, G. Management and organization of scientific and technical progress in capitalist combines 85−5716
Speer, J.Alexander *see* Alexander Speer, J.
Speer, R. *see* Curtin, M. 87−44958
Speer, W.H. *see* Johnson, M. 85−1092
Spegiorin, G. *see* Caccia, M. 88−17143
Speh, R.M. *see* Oeding, D. 85−64997, 86−65779
Spehn, R., Rosenthal, B. Planning: essence of design [ASICs] 87−24043
Spehn, R. *see* Liang-Tsai Lin 87−52509
Spehn, R.W. *see* Lin, L.T. 87−52512, 87−73403
Spehr, R. Limitations on the performance of charged particle beams in microlithography 86−21313
Speicher, B. *see* Patrick, W.C. 86−12565
Speicher, C.G. *see* Acciai, M.A. 85−40163
Speidel, J. A new design of impulses for digital signal transmission over band-pass channels 86−3849
Speidel, J. A terminal for transmission of full-motion pictures and graphics, high-quality speech and data with 2 Mbit/s for video-teleconferencing and visual telephony 86−59697
Speidel, J., Heck, B. The design and implementation of digital filters for pre- and postfiltering and sampling rate conversion of video signals 87−7865
Speidel, J., Streicher, F. The transmission of moving pictures and graphics, speech and data using the 2 Mbit/s videoconference codec 86−59696
Speidel, J., Vogel, P. Improved hybrid coders with 2D-signal processing for moving pictures 88−27800
Speidel, J., Vogel, P. Space and transform domain filtering in hybrid coders 88−66278
Speidel, J. *see* Heck, B. 87−52759
Speidel, J. *see* Schnell, K. 86−59557
Speidel, K.-H. *see* Karle, W. 88−74750
Speidel, M.O., Bertilsson, J.E. Stress corrosion cracking of steam turbine rotors 85−21480
Speidel, M.O. *see* Scarlin, R.B. 85−21575
Speidel, M.O., Atrens, A. *(editor)* Corrosion in Power Generating Equipment. Proceedings of the Eighth International Brown Boveri Symposium 85−16581
Speidel, P. *see* Hubner, E. 87−11280
Speidel, R., Benner, G. Electron beam microrecorder with field emission gun 86−58200
Speidel, R., Brauchle, P. Electron beam test system with field emission gun 87−73952
Speidel, R., Brauchle, P., Kramer, B., Schwab, U. The Zr-O-W-field emitter in the low temperature mode 86−8686
Speidel, R., Hirscher, H. Development and testing of an electron field emission gun for scanning microscopy up to 100 kV 88−32707
Speidel, R., You, B. Ion-beam exposure of SiO_2 for pattern generation 85−6800
Speidel, R. *see* Behringer, U.F.W. 86−1951
Speidel, S., Iwata, S., Uchiyama, S. Dynamics of stripe domain walls in bubble films 88−13690
Speidel, S. *see* Hamamoto, M. 85−24215
Speidel, S. *see* Sato, S. 87−60793
Speidel, S. *see* Sato, Y. 88−26659
Speidel, T.M. *see* Rekow, E.D. 88−29952
Speidel, W. *see* Brodarac, D. 85−49763
Speidell, J. *see* Cuomo, J. 85−7177
Speidell, J.L. *see* Cohen, S.A. 85−12108
Speier, P., Wunstel, K., Tegude, F.J. MOVPE studies for the development of GaInAsP/InP lasers with semi-insulating InP blocking layers 88−14197
Speier, P. *see* Bach, H.G. 88−73976

Speier, P. *see* Kuebart, W. 88–65497
Speight, J. Overview [chemistry of the semiconductor industry] 88–7427
Speights, D. Reliable low cost fixturing for testing surface mount boards 88–32669
Speinle, E. Fellow traveller—operation of a secondary shaft in synchronism with an NC shaft 85–32663
Speir, P., Schemmel, G., Kuebart, W. MOVPE growth and characteristics of Fe-doped semi-insulating InP layers 87–10378
Speiser, A.P. The impact of science 85–25224
Speiser, J. *see* Van Loan, C. 87–55116
Speiser, J.M. Progress in eigenvector beamforming 87–13014
Speiser, J.M. Linear algebra algorithms for matrix-based signal processing 87–19703
Speiser, J.M. Signal processing computational needs 87–55109
Speiser, J.M. Some observations concerning the ESPRIT direction finding method 88–40930
Speiser, J.M., Van Loan, C. Signal processing computations using the generalized singular value decomposition 85–30247
Speiser, J.M. *see* Drake, B.L. 87–66202
Speiser, J.M. *see* McKnight, W.M. 88–63762
Speiser, J.M. *see* Whitehouse, H.J. 85–46809
Speiser, S., Orenstein, M. Spatial light modulation via optically induced absorption changes in molecules 88–65411
Speiser, S., Shakkour, N. Photoquenching parameters for commonly used laser dyes 86–9772
Speiser, S. *see* Orenstein, M. 86–22506, 87–54422
Speivack, E.B. The truth about telephone company diversification 86–64571
Spejchal, L. *see* Soucek, A. 88–22253
Spek, A.C., den Dulk, R.C. A new second order costas DPLL configuration 87–44705
Spek, A.M.van der *see* van der Spek, A.M.
Spek, G.A.Van der *see* Van der Spek, G.A.
Spek, R.van der *see* van der Spek, R.
Spekhorst, H., Sippensgroenewegen, A., David, G.K., van Rijn, C.M., Broekhuijsen, P. Radiotransparent carbon electrode for ECG recordings in the catheterization laboratory 88–54555
Spekhorst, H. *see* SippensGroenewegen, A. 87–4001, 88–36490
Spektor, A.A. Multivariate discrete Markov fields and their filtering in the presence of uncorrelated noise 86–43251
Spektor, A.A. Two-step image filtering in the presence of correlated noise 87–47993
Spektor, A.A. Effective estimation of a digital piecewise-linear signal in Gaussian noise 88–34679
Spektor, A.A. Two-stage estimation of the inhomogeneity of an image formed by a line of receivers 88–34787
Spektor, B.I. *see* Bogomolov, E.N. 88–29634
Spektor, B.I. *see* Marin, M.Yu. 87–59946
Spektor, I.E. *see* Khodzhaev, A.Sh. 87–63359
Spektor, L.I. *see* Gol'dman, V. 85–21305
Spektor, N.A. *see* Gromov, E.M. 86–29661
Spektor, Yu.I. *see* Agizim, A.M. 87–55106
Speldrich, W., Morz, G. Simplification of ground station antennas using a new wideband rotation coupling 87–54763
Speliotis, D.E. Media for high density magnetic recording 85–24115
Speliotis, D.E. Temperature effects in barium ferrite particles 87–25803
Speliotis, D.E. Barium ferrite magnetic recording media 87–46332
Speliotis, D.E. Digital recording performance of Ba-ferrite media 87–67745
Speliotis, D.E. Distinctive characteristics of barium ferrite media 88–51304
Speliotis, D.E. Magnetization reversal in Ga-ferrite particulate media 88–71901
Speliotis, D.E. Overwrite modulation in Ga-ferrite particulate media 88–71930
Speliotis, D.E., Chagnon, M.S., Donadio, R. Pigment-to-binder loading effects in Ba-ferrite coatings 87–25804
Speliotis, D.E., Fernelius, N.C. Slope-intercept analysis of *M-H* curves for samples with mixed ferromagnetic and paramagnetic regions 87–60813
Speliotis, D.E. *see* Judge, J.S. 87–67754, 88–51313
Speliotis, D.E. *see* Kugiya, F. 86–28668, 88–71918
Spell, B.D. *see* Aspnes, J.D. 88–22430
Spellman, J.A., Jr. *see* Urban, A.R. 85–27476
Spellmeyer, B. *see* Alber, D. 88–22973
Spells, G.S. Frequency management in HF broadcasting 87–28749
Spells, G.S. *see* Davey, I.E. 88–47277
Spelman, F.A. The design of cochlea implants 86–25308
Spelman, F.A., Clopton, B.M., Duckert, L.G. Biophysical and physiological mechanisms for the encoding of speech through a cochlear prosthesis 85–38235
Spelman, F.A. *see* Rubinstein, J.T. 88–16785, 88–68489
Spelman, F.A. *see* Soma, M. 85–38234
Spelman, V.R. *see* Jalali, A. 88–41838
Spelt, H. *see* Jansen, W.J.L. 88–67654
Spelta, C. *see* Gambino, G. 86–66580
Spelta, S. An application of the LEGO package to PWR power plant modelling 87–42585
Spelta, S. *see* Pedroni, G. 87–78367
Speltacker, W. Terminals for visual communications in ISDN 88–73717
Spence, A. *see* Sloan, I.H. 88–31696 to 31697
Spence, A.M., Welter, D.J. Capacity planning of a photolithography work cell in a wafer manufacturing line 87–60260
Spence, C. *see* Monahan, K.M. 88–7671
Spence, C.D. *see* Pearson, J.C. 88–74262
Spence, C.F. Capacitive continuity testing of multilayer hybrid substrates: its capabilities and limitations 86–53258
Spence, H.E. *see* McComas, D.J. 85–53181
Spence, H.E. *see* Wilkerson, T.D. 87–42242
Spence, J.A. Information technology in Australia—capabilities and opportunities 85–42049
Spence, J.C.H. *see* Fathy, D. 85–34643
Spence, L.M. *see* Jensen, D.L. 88–43978
Spence, N., Yuill, F. Testability of military electronics—the way ahead 86–167
Spence, P. *see* Buchet, J. 85–1117
Spence, P. *see* Proulx, G.A. 87–22620
Spence, P.W. *see* Hasti, D.E. 85–26670
Spence, P.W. *see* Hedemann, M.A. 86–38725
Spence, P.W. *see* Ramirez, J.J. 87–21309
Spence, P.W. *see* Sanford, T.W.L. 86–55980, 87–21353, 88–32714, 88–42377
Spence, P.W. *see* Wright, T.P. 87–22617
Spence, R. CAD in circuit design 86–7426
Spence, R., Burgess, J. From exposition to exploration 85–39455
Spence, R., Burgess, J.P. Circuit analysis by computer from algorithms to package 86–45913
Spence, R., Rankin, P. MINNIE: a tool for the interactive-graphic design of electronic circuits 85–44855
Spence, R. *see* Ilumoka, A. 88–49966
Spence, R. *see* Jones, I. 85–18426
Spence, R. *see* Jones, I.W. 88–13470
Spence, R. *see* Provencher, C. 88–53296
Spence, R. *see* Wehrhahn, E. 85–22601
Spence, R. *see* Zuzek, J. 85–20119
Spence, R.L. *see* Miller, E.F. 88–47007
Spence, R.L. *see* Ponchak, D.S. 86–59843
Spence, T.L. *see* Orozco, O. 87–66637
Spence, W.D. *see* Goh, J.C.H. 85–31877
Spence, W.L. The 'phase velocity' of nonlinear plasma waves in the laser beat-wave accelerator 86–31841
Spence, W.L. Coherent beamsstrahlung 86–31905
Spence, W.L. *see* Morton, P.L. 86–24957
Spenceley, N.M. *see* Holder, J.E. 85–3613
Spencer, A. Elastomeric connectors—a flexible friend? 85–11790
Spencer, A. *see* Jones, H.M. 86–51382
Spencer, A.C. *see* Cordes, W.F., III 87–11900
Spencer, A.C. *see* Grunwald, J. 86–1908, 86–1914
Spencer, A.C. *see* Grunwald, J.J. 87–11880, 88–13278
Spencer, A.C. *see* Sawoska, D.A. 87–11899
Spencer, A.E., Jr. *see* Martersteck, K.E. 86–10893
Spencer, A.G., Bishop, C.A., Howson, R.P. The design and performance of planar magnetron sputtering cathodes 87–73964
Spencer, A.G., Howson, R.P. The properties of magnetron sputtered ferromagnetic films 86–15370
Spencer, B. Simple DC transistor tester 85–20653
Spencer, B. Simple RF transistor tester 85–20654
Spencer, B. Economy UHF prescalar 85–64184
Spencer, B. New developments in lamp technology 86–61801
Spencer, B. An effective TVI filter 87–24310
Spencer, B. LED brightness controller 88–56819
Spencer, B., Zare, R.N. Magnetic susceptibility measurements using a laser-pendulum apparatus 88–74565
Spencer, B.G. *see* Denton, F.T. 88–42750
Spencer, B.J. A system to monitor source inspection in receiving inspection [hybrid ICs] 88–1251
Spencer, B.W. *see* Sienicki, J.J. 86–65883
Spencer, C.M., Hung, D.T., Perlmutter, R.J., Wilfley, B.P. Magnetic field stability issues in magnetic resonance imaging 88–68358
Spencer, D. *see* Whittington, H.W. 87–36531
Spencer, D.F., Alpert, S.B., Gilman, H.H. Cool Water: demonstration of a clean and efficient new coal technology [combined cycle power plant] 86–56603
Spencer, D.F., Benziger, P.H. Coal gasification combined-cycle power plants: a versatile clean coal technology for the 1990s 87–9350
Spencer, D.F. *see* Alpert, S.B. 86–25888
Spencer, D.J. *see* Bubiak, N. 86–18483
Spencer, E., Coyle, P., Williams, D., Bienz, T., Bird, F., Gaillard, M., Hallewell, G., Kwon, Y.J., Leith, D., McShurley, D., Oxoby, G., Ratcliff, B., Rensing, P., Schultz, D., Shapiro, S., Toge, N., Caldwell, D., Lu, A., Yellin, S., Meadows, B., Nussbaum, M. Development of a low noise preamplifier for the detection and position determination of single electrons in a Cerenkov ring imaging detector by charge division 88–61189
Spencer, E. *see* Ashford, V. 87–41835
Spencer, E. *see* Hallewell, G. 88–68213
Spencer, E. *see* Johnson, R. 88–68277
Spencer, E.G. Programmable bistable switches and resistors for neural networks 87–24512
Spencer, E.G. *see* Griffiths, J.E. 88–44411
Spencer, E.M. *see* Miller, D.B. 85–9504
Spencer, F.W., Diegert, K.V., Easterling, R.G. Uncertainty assessment in probabilistic assessment 85–48735
Spencer, G.R. *see* Dallos, A. 87–11300
Spencer, H. *see* Collyer, G. 87–40490
Spencer, H.J.C. Quick, easy test checks cable leaks 85–52252
Spencer, H.J.C. Secure splice closures for optical fiber systems 87–8291
Spencer, J. Telecommunications giants flex their muscles 86–4143
Spencer, J., Parry, J., Jones, G.R. Complex aspects of arc behaviour in a rotary arc circuit breaker 86–33569
Spencer, J. *see* Baltay, M. 88–51351
Spencer, J. *see* Erdos, P. 88–70218
Spencer, J. *see* Jones, G.R. 86–56909
Spencer, J.E. Some uses of REPMMs in storage rings and colliders 86–25048
Spencer, J.E. Present optics options for TeV colliders 87–41787
Spencer, J.E. Internal targets in storage rings 88–54387
Spencer, J.E., Borel, R.A., Hoff, A. High rate photoresist stripping in an oxygen afterglow 87–11507
Spencer, J.E., Brodsky, S.J. Breeding new light into old machines (and new) 86–32067
Spencer, J.E., Hoff, A. Productivity enhancement through afterglow photoresist removal 87–11663
Spencer, J.E. *see* Higo, T. 88–53995
Spencer, J.E. *see* Jackson, R.L. 87–52199
Spencer, J.H. *see* Mazur, E.M. 85–51877, 85–63209
Spencer, J.H., Jr. *see* DeLessio, N.X. 86–17159
Spencer, J.L. The highs and lows of reliability predictions 86–57261
Spencer, J.L. Component reliability assurance practices of digital switch suppliers 87–34293
Spencer, J.L. Laser reliability assurance and the need for standards 88–45441
Spencer, L. *see* Brandenburg, G. 88–47984
Spencer, M. *see* Chown, D.P.M. 87–49079
Spencer, M. *see* Thompson, P.E. 86–2004
Spencer, M.G. *see* Harris, G.L. 86–34336, 87–60124, 88–43901
Spencer, M.G. *see* Myers, L. 87–11852
Spencer, M.P. *see* Nowicki, A. 85–38031
Spencer, N., Bogart, J., Phinney, N., Thompson, K. Error message recording and reporting in the SLC control system 86–31787
Spencer, N. *see* Bogart, J. 88–54184
Spencer, N.P. RF filters—general theory 87–66311
Spencer, N.P. RF filters—specific applications 87–66312
Spencer, N.P. A review of the design of helical resonator filters 88–7027
Spencer, P. The connector as part of automotive electronic systems of today 88–37711
Spencer, P. Open systems interconnection: a migration path 88–41288
Spencer, P.H. *see* Cockayne, E.J. 88–56102
Spencer, R. Array field optimization for central station photovoltaic power plants 85–53625
Spencer, R., Anderson, N. SMUDPV1 photovoltaic powerplant construction and operating experience 86–6625
Spencer, R. *see* Gonzalez, C.C. 86–6623
Spencer, R. *see* Taylor, R. 86–19165
Spencer, R.B. *see* Dowsett, J. 88–20223
Spencer, R.D. The architecture of the iAPX432 85–11335
Spencer, R.E., Melling, R.J., Haggis, J.S., Morrison, I., Davis, R.J., Cui Xiang Qun Resurfacing the Jodrell Bank MK II radio telescope 87–49215
Spencer, R.H. Why we test—to know how it performs or might fail 88–37951
Spencer, R.J. The use of Quality Circles in quality improvement programmes 87–72873
Spencer, R.R., Fleischer, B.M., Barth, P.W., Angell, J.B. The voltage controlled duty-cycle oscillator: basis for a new A-to-D conversion technique 86–52907
Spencer, R.W. A satellite passive 37-GHz scattering-based method for measuring oceanic rain rates 86–70529
Spencer, R.W. Global weather and climate studies via satellite remote sensing 88–10550
Spencer, R.W., Howland, M.R., Santek, D.A. Severe storm identification with satellite microwave radiometry: an initial investigation with Nimbus-7 SMMR data 88–5158
Spencer, S.J. *see* Sloggett, G.J. 87–6171, 88–1050

Spencer, S.P., O'Reilly, G.P., Purkey, R.C. Evolution of the integrated digital wirecenter 87−40171
Spencer, T.H. Provably good pattern generators for random pattern test 87−31858
Spencer, T.H., Savir, J. Layout influences testability 85−33779
Spencer, T.H., Savir, J. Layout influences testability 85−33843
Spencer, W.D., Miller, T.M. Putting EW systems to the test 87−28674
Spencer, W.D. *see* Aubrey, D.G. 85−32021, 87−9009
Spencker, A. Quality assurance for electronic components in telecommunication equipment: possibilities and limits of the exercise of influence by the German Federal Post Office 87−69441
Spender, R.R., Fleischer, B.M., Barth, P.W., Angell, J.B. A theoretical study of transducer noise in piezoresistive and capacitive silicon pressure sensors 88−67748
Spendley, D.G. Evaluation of surgical diathermy units 86−12015
Spendley, D.G. Evaluation report: surgical diathermy units 87−14910
Spendley, D.G. *see* McCarthy, J.P. 85−20946
Spengler, J. *see* Drescher, A. 85−59220, 86−70324
Spengler, W., Gottfried, N., Wingert, M. Comparison of modulation codes for a magneto-optic disk drive 88−65145
Spengler-Rast, C. Electronic message systems on the market 86−16835
Spennato, C. *see* Impedovo, S. 87−55360
Spenner, B.F. *see* Baugh, R.A. 87−12922, 87−32859
Spenner, B.F. *see* Opfer, J.E. 86−58675
Spenner, K. Fiber optic liquid level sensors 85−4168
Spenser, K. Networking for control series. III. Standards, organizations, and the seven-layer OSI model 85−47216
Spera, D.A. *see* Neustadter, H.E. 86−19181
Speranskaya, L.S. *see* Leonov, G.A. 86−46630
Speranskii, D.V. Combined functional and test diagnostic circuits for digital devices 86−27188
Speranskii, D.V., Shatokhina, N.K. Design of self-checking circuits for diagnostics of digital devices with memory 86−57736
Speranskii, D.V. *see* Bogdanov, Yu.Yu. 86−26959
Speranskii, Yu.V. *see* Aver'yanov, K.P. 85−4029
Speranza, D. *see* Holmes, R.C. 85−60512
Speranza, J.J. *see* Uddin, M.N. 87−75283
Speranza, P.D. *see* Goldstein, M. 85−64854
Sperber, P., Penzkofer, A. Pulse compression in a passively mode-locked ruby laser 85−51151
Sperber, P., Penzkofer, A. Pulse-shape determination of intracavity compressed picosecond pulses by two-photon fluorescence analysis 86−63743
Sperber, P., Weidner, M., Penzkofer, A. A versatile dye-laser generator-amplifier system for intense, tunable picosecond pulse generation 87−39018
Sperber, W., Blink, R.P. Characterization of electrostatic discharge generated by an occupant of an automobile 88−14342
Sperber, W. *see* Ehrlich, N. 85−63580, 86−49484
Sperduto, R. Relays interface to fiber-optic network 87−3175
Sperduto, R.D. Test equipment can enhance system reliability 85−4681
Sperduto, R.D., Mitchell, M.K. Installation experience with a fiber optic cable helically wrapped around a Rochester Gas and Electric Corporation 115 kV transmission phase conductor 88−73922
Spergel, D.N. *see* Drukier, A.K. 87−67992
Spergel, D.N. *see* Legros, M. 88−22962
Speriosu, V.S. *see* Hamdi, A.H. 85−29005
Speriosu, V.S. *see* Paine, B.M. 87−38070
Sperl, H. Commissioning of the Saudi Iron and Steel Company's electric steel plant, Hadeed 85−16466
Sperling, A. *see* Metzdorf, J. 88−37581
Sperling, B.R. *see* Belyakov, N.N. 85−21225
Sperling, D. *see* Klose, J. 85−5472
Sperling, D. *see* Storch, W. 88−42059
Sperling, G., Landy, M., Cohen, Y., Pavel, M. Intelligible encoding of ASL image sequences at extremely low information rates 86−23096
Sperling, P.G. *see* Depser, H. 85−16028
Spero, E. *see* Greenspan, E. 88−75951
Spero, J. *see* Blumenau, L. 86−61752
Spero, R. *see* Hoskins, J.K. 85−63947
Sperr, P. Timing measurements with barium fluoride scintillators 87−35357
Sperr, P. *see* Schodlbauer, D. 87−21351
Sperrhacke, A. Molecular beam epitaxy of alkaline earth fluoride/semiconductor multilayer structures 88−64353
Sperry, R.K., Feliachi, A. Discrete-time decentralized estimators for interconnected systems 88−54952
Sperti, A. *see* Cappellieri, D. 86−6444
Spesard, K. *see* Jay, C. 88−50135
Spescha, G. *see* Falco, L. 87−46508
Spescha, G.A. A fast digital revolution counter 87−35195
Spescha, G.A. A fast digital revolution counting instrument. II 87−35196
Spesivov, S.S. *see* Bocharov, P.P. 87−55379
Speth, A. Segmented barrier grid for electron beam charging 85−29288
Speth, E. *see* Koppendorfer, W. 86−42181
Speth, R. Electronic message systems—functions and standards 86−30304
Speth, R. Cooperative research in teleinformatics within the COST 11ter action of the European Community 87−48640
Speth, R. *see* Ahtiainen, A. 86−37541
Speth, R. *see* Baker, D.E. 87−54758
Speth, R. *see* Palme, J. 87−48498
Speth, R. *see* Prinz, W. 88−59530
Speth, R. *(editor)* Message Handling Systems: State of the Art and Future Directions. Proceedings of the IFIP TC 6/WG 6.5 Working Conference 88−55818
Spettell, C.M. *see* Ryan, T.G. 86−51313
Spetz, A., Armgarth, M., Lundstrom, I. Thin platinum or iridium gate MOS-capacitors as ammonia gas sensitive structures 87−14319
Spetz, A., Armgarth, M., Lundstrom, I. Optimization of ammonia-sensitive metal-oxide-semiconductor structures with platinum gates 87−70601
Spetz, A. *see* Ackelid, U. 86−63117
Spetz, A. *see* Armgarth, M. 88−19762
Spetz, A. *see* Fare, T. 87−14320, 88−64336
Spetz, A. *see* Lundstrom, I. 87−41493
Spetz, S.W. *see* Andrews, J.B. 86−61259
Spetzler, H. *see* Getting, I.C. 87−73190
Spetzler, H.A. *see* Boler, F.M. 85−3971
Speybrouck, G. *see* Vandewalle, J. 87−20088
Speyer, B.A., Hadland, R. Image converter cameras as multi channel recorders 86−11467
Speyer, B.A. *see* Hadland, R. 86−11466
Speyer, J.L. A perspective on aerospace control systems 87−50473
Speyer, J.L. *see* Balakrishnan, S.N. 85−58181, 87−28651
Speyer, J.l. *see* Song, T.L. 86−10365
Speyer, J.L. *see* White, J.E. 86−10450, 87−69138
Spezamiglio, A. *see* Hale, J.K. 85−49521
Speziale, V., Bucciarelli, C. The SIRIO satellite in orbit 87−62866
Speziale, V. *see* Saggese, E. 87−76652
Speziali, V. *see* Avondo, J.P. 86−18259
Speziali, V. *see* Gatti, E. 85−9102
Speziali, V. *see* Lutz, G. 88−29908
Speziali, V. *see* Manfredi, P.F. 85−42589
Spezio, A.E., Lee, J., Anderson, G.W. Acousto-optics for systems applications 85−58207
Spezio, A.E. *see* Anderson, G.W. 85−13537
Spharim, I., Szakonyi, R. A simple method for evaluation and selection of R&D proposals for a competitive grant fund 85−16672
Sphicopoulos, T., Bernier, L.-G., Gardiol, F.E. Theoretical analysis for the design of a compact circular cavity with empty core 85−11534
Sphicopoulos, T., Gardiol, F. Measuring the behaviour of resonators 85−11510
Sphicopoulos, T., Gardiol, F. Design of phase arrays using arbitrarily shaped slots on the narrow side of rectangular waveguides 86−29643
Sphicopoulos, T., Gardiol, F. Slotted tube cavity: a compact resonator with empty core 88−935
Sphicopoulos, T., Gardiol, F. Phased arrays using C-slots on the narrow side of rectangular waveguides 88−58972
Sphicopoulos, T., Gardiol, F.E. A compact resonator for frequency standards 87−56822
Sphicopoulos, T., Gardiol, F.E. Compact resonator for hyperfrequencies 88−63864
Sphicopoulos, T., Teodoridis, V., Gardiol, F. Simple nondestructive method for the measurement of material permittivity 86−55813
Sphicopoulos, T., Teodoridis, V., Gardiol, F.E. Dyadic Green function for the electromagnetic field in multilayered isotropic media: an operator approach 85−56986
Sphicopoulos, T. *see* Barlatey, L. 88−40701
Sphicopoulos, T. *see* Besson, J.-C.E. 86−29546
Sphicopoulos, T. *see* Bourat, C. 85−40217
Sphicopoulos, T. *see* Macedo, J. 87−37512
Sphicopoulos, T. *see* Martinson, T. 86−5488
Sphicopoulos, T. *see* Teodoridis, V. 85−46605, 86−5490
Spialter, E.B., Brandewie, J.V., Kjar, R.A. An ion implant induced instability mechanism in CMOS/SOS device 85−7105
Spicer, A. *see* Dennis, R. 86−51722
Spicer, C.R. *see* Holder, J.E. 87−76996
Spicer, D.F. A new direction for electron beam lithography 88−57574
Spicer, D.F., Sackett, J.N. Shot noise limits to measurement accuracy and bandwidth in electron-beam testing 86−35793
Spicer, D.F. *see* Garth, S.C.J. 86−21669, 86−35794, 87−32624, 88−39581
Spicer, R. *see* Baker, R.E. 85−31769
Spicer, R.E. *see* Gimlett, J.L. 88−41629
Spicer, W.E. Organization of the Japanese effort on non-silicon based opto- and micro-electronics 86−57135
Spicer, W.E., Eglash, S.J. Fundamental studies of interfaces: the unified defect model and its application to GaAs integrated circuits 87−45692
Spicer, W.E., Newman, N., Kendelewicz, T., Petro, W.G., Williams, M.D., McCants, C.E., Lindau, I. Experimental results examining various models of Schottky barrier formation on GaAs 86−1805
Spicer, W.E., Pan, S., Mo, D., Newman, N., Mahowald, P., Kendelewicz, T., Eglash, S. Metallic and atomic approximations at the Schottky barrier interfaces 85−1394
Spicer, W.E. *see* Bertness, K.A. 85−61862
Spicer, W.E. *see* Cao, R. 88−13009
Spicer, W.E. *see* Carey, G.P. 85−34568
Spicer, W.E. *see* Chen De-sen 85−23309
Spicer, W.E. *see* Chin, K.K. 86−63101, 87−11444, 88−13021
Spicer, W.E. *see* Doniach, S. 87−24934
Spicer, W.E. *see* Eglash, S.J. 85−1395, 87−60406
Spicer, W.E. *see* Friedman, D.J. 86−67680, 87−1300
Spicer, W.E. *see* Kendelewicz, T. 85−18166, 85−50279, 86−1811, 86−47387, 87−1297, 88−13013
Spicer, W.E. *see* Laser, D. 85−1511
Spicer, W.E. *see* Liliental-Weber, Z. 87−1293, 87−11448, 87−24912
Spicer, W.E. *see* Lindau, I. 86−21250
Spicer, W.E. *see* List, R.S. 85−55563, 88−7344
Spicer, W.E. *see* McCants, C.E. 88−13019, 88−64322
Spicer, W.E. *see* Miret, A. 88−44738
Spicer, W.E. *see* Newman, N. 85−29041, 85−45458, 85−55550, 85−55562, 86−35644, 87−1295, 87−11451, 88−13012, 88−64494
Spicer, W.E. *see* Pan Shihong 86−28020
Spicer, W.E. *see* Schachter, R. 86−47330
Spicer, W.E. *see* Shih, C.K. 88−19687
Spicer, W.E. *see* Silberman, J.A. 85−34841
Spicer, W.E. *see* Skeath, P. 85−50271
Spicer, W.E. *see* Tabe, M. 87−1428
Spicer, W.E. *see* Williams, M.D. 85−55560, 86−1810, 87−1296
Spicher, G. *see* Sinapius, G. 87−50103
Spichiger, A. *see* Boillat, J.E. 88−59713
Spichkin, G.L. *see* Bel'kov, E.P. 88−14120
Spichkin, G.L. *see* Gallai, I.Ya. 85−23493
Spichty, C. Communicating Sestep 430 offers new capabilities: automatically welded noble metal contacts 86−52075
Spicka, J. *see* Hrivnakova, D. 87−35964
Spicka, M. Possibilities for reducing the radiation exposure in nuclear power plants with pressurized water reactors through its design and during its operation 85−15749
Spickelmier, R.L., Newton, A.R. Connectivity verification using a rule-based approach 86−27019
Spickelmier, R.L. *see* Harrison, D.S. 87−38443
Spicker, H.A. Automatic switching of AC power in larger telephone exchanges equipped with standby operating equipment 85−65394
Spidell, E. Selecting the optimum image sensor: camera tubes vs. solid-state arrays 87−41378
Spieb, K., Timmermann, U. Increasing the reliability of 2-Mbit/s transmission routes 86−37510
Spiegel, H.U., Hauss, J., Schonleben, K., Karbe, T., Bunte, H. The polarographic pO_2-measurement in medicine 87−57080
Spiegel, J.van der *see* van der Spiegel, J.
Spiegel, J.van der *see* van der Spiegel, J.
Spiegel, K. International standards and regulations for power supplies 85−28362
Spiegel, P. Determination of the network sensitivity from the network matrix 87−52309
Spiegel, R.J. A review of numerical models for predicting the energy deposition and resultant thermal response of humans exposed to electromagnetic fields 85−4369
Spiegel, R.J., Fatmi, M.B.E., Kunz, K.S. Application of a finite-difference technique to the human radiofrequency dosimetry problem 86−65467
Spiegel, R.J., Joines, W.T., Blackman, C.F., Wood, A.W. A method for calculating electric and magnetic fields in TEM cells at ELF 88−14452
Spiegel, R.J. *see* Blackman, C.F. 88−48251
Spiegelberg, A. *see* Kitamura, T. 86−12036
Spiegelberg, Ch. *see* Henneberger, F. 87−39231, 88−51920
Spiegelberg, J. Powerful DC and mixed voltage testing units up to 2.25 MV for outdoor installation 85−10446
Spiegelberg, J., Elstner, G. Direct-current and pulsating direct-current testing plants for high-voltage direct-current transmission 88−5329
Spiegelberg, J. *see* Dietrich, M. 87−43959
Spiegelberg, J. *see* Frank, H. 85−10445, 88−54964
Spiegelberg, J. *see* Lemke, E. 85−10447
Spiegelhalder, R. *see* Goettling, D. 86−11776
Spiegelhalter, B.R., Wingfield, A.J., Chapman, M.C., Harper, S.F.W. The implementation of an LAN gateway to an X.25 public network 86−37539
Spiegelman, C.H. *see* Carroll, R.J. 87−3368
Spiegleman, A. Networking, compatibility emerge as key T1 issues 87−69528

Spiegleman, A. How voice/data integration issues impact the technology of T1 transmission and networking 87—76028
Spiegler, D.B. *see* Coirin, M.R. 87—3223
Spieker, P. *see* Ando, M. 86—60647
Spiekerman, A.J.G. Junction CCD optical line sensor 87—8519
Spielberg, A.C. *see* Mohler, R.L. 85—35182
Spielberg, J.I. A solar powered outer space helium heat engine 86—6046
Spielberg, J.I. Inexpensive fine point pen system for H-P, Tektronix, and Wang plotters 86—31485
Spielberg, K., Suhl, U.H. Solving large-scale integer optimization problems 88—24656
Spieler, H.G., Haller, E.E. Assessment of present and future large-scale semiconductor detector systems 85—43210
Spieler, H.G. *see* Kleinfelder, S.A. 88—61182
Spielmaker, R. *see* Torr, M.R. 86—70019
Spielman, B.E. Technology summaries for microwave theory and techniques—1983 85—6480
Spielman, B.E. Monolithic millimeter-wave integrated circuits 86—35109
Spielman, B.E. Millimeter-wave integrated circuits 87—45285
Spielman, B.E. Millimeter-wave monolithic integrated circuits 88—71061
Spielman, B.E. *see* Sleger, K.J. 85—6528
Spielman, B.E. *(editor)* IEEE 1986 Microwave and Millimeter-Wave Monolithic Circuits Symposium. Digest of Papers (Cat. No.86CH2326-7) 86—66548
Spielman, D., Paulraj, A., Kailath, T. A high resolution algorithm for combined time-of-arrival and direction-of-arrival estimation 87—8348
Spielman, D., Paulraj, A., Kailath, T. Performance analysis of the MUSIC algorithm 87—27438
Spielman, D., Paulraj, A., Kailath, T. Eigenstructure approach to directions-of-arrival estimation in IR detector arrays 87—29140
Spielman, D., Paulraj, A., Kailath, T. Eigenstructure approach to directions-of-arrival estimation in IR detector arrays 87—35077
Spielman, R. *see* McGuire, E.J. 87—7233, 87—12374
Spielman, R.B., Hsing, W.W. Anode and cathode joints and gap closure in a high current MITL 87—22618
Spielman, R.B., Hussey, T.W., Lopez, S.F. Megagauss magnetic field generation on Proto-II 88—42347
Spielman, R.B. *see* Hsing, W.W. 87—22627
Spielman, R.B. *see* Wright, T.P. 87—22617
Spielvogel, L.Q., Saxena, N.K., Tucker, S.P. Submeter acoustic surveying 87—70151
Spielvogel, L.Q., Saxena, N.K., Tucker, S.P. Seafloor Benchmark Positioning System Experiment interim report 88—5197
Spiering, H. *see* Albrecht, R. 87—63693
Spiering, H. *see* Alflen, M. 88—29878
Spierings, G.A.C.M., Jochem, C.M.G., Meeuwsen, T.P.M., Thomas, G.E. A new class of glasses for double-crucible optical fibers with high numerical apertures 85—18635
Spierings, W. Industrial applications of holography 88—58727
Spiers, A.I. *see* May, P. 88—57740
Spiers, D.J. Solar charged batteries 87—30457
Spiers, D.J. Photovoltaics for the home 88—62275
Spiers, D.J. *see* Gay, C.F. 88—18082
Spiers, G.D., Vass, A., Harrison, R.G. The effect of sliding spark, corona and semiconductor preionisers on the operation and output of a TEA CO_2 laser 87—54245
Spiers, G.D. *see* Callegari, A. 87—38300, 88—19729
Spiers, G.D. *see* Magerlein, J.H. 87—60649
Spiers, K.J. Electric heat pumps for space heating in dwellings 87—58470
Spiers, S. *see* Evins, D.J. 87—11871
Spiers, T.D., Edwards, D.A. A high performance routing engine 87—65733
Spiertz, E.J., Vollenbroek, F.A., Verhaar, R.D., Dil, J.G. UV hardening of novolak resist patterns 86—1977
Spiertz, E.J. *see* Bruns, A. 88—26159
Spies, G. In comparison: local networks for UNIX systems 86—4273
Spies, K. Influence of the computer on the mathematical education of engineers 87—5167
Spies, K.P. *see* Seitz, N.B. 86—17054
Spies, P.P. Loss of information in distributed systems 86—37569
Spies, P.P. On the time-dependence of information in distributed systems 87—40457
Spiesberger, J. *see* Cornuelle, B. 85—59494
Spiess, H. Optical telecommunications in power supply networks 86—12364
Spiess, L. *see* Nitzsche, K. 85—10788
Spiess, L. *see* Tippmann, H. 87—18043
Spiess, W. Securing the electromagnetic compatability (EMC) in installations of the Federal German Post Office (DBP) 88—34355
Spiessen, O. *see* Debeys, A. 86—49468
Spiessens, W. *see* Nollet, M. 87—62426
Spiesser, M. *see* Lewerenz, H.J. 85—44678
Spieth, J.E. Data bus interface MIL-STD-1553B/ARINC 561 86—18456
Spieth, J.E., Seward, W.D. Simulation model of a high-speed token-passing bus for avionics applications 87—50513
Spieth, R. *see* Sommer, D. 88—5490
Spiewak, E. Networking schemes integrate islands of automation 87—76367
Spiewak, I., Weinberg, A.M. Inherently safe reactors 86—39493
Spiewak, I. *see* Weinberg, A.M. 85—65037
Spiewak, I. *see* Wilson, R. 86—6479
Spieweck, F. Influence of small impurities in absorption cells of I_2 stabilized lasers upon their frequency 85—56494
Spieweck, F. Influence of small impurities in absorption cells of I_2 stabilized lasers upon their frequency 86—22329
Spieweck, F. *see* Weiss, C.O. 86—58880
Spiga, A. *see* Garbato, L. 85—16913
Spiga, G., Spiga, M. Radiant heat transfer in participating media bounded by reflecting surfaces 85—65079
Spiga, M. *see* Lorenzini, E. 85—27221, 85—48701, 87—9351, 87—30466, 88—5480
Spiga, M. *see* Spiga, G. 85—65079
Spigarelli, D.J. SMT rework brings managers on board 87—53007
Spigarelli, D.J., Drislane, W.F. Development of a semi-automated machine for repair of surface mounted printed circuits 88—25698
Spigelman, M. *see* Farrell, E.J. 87—57120
Spiger, R.J. *see* Nicholson, D.A. 86—18446
Spigler, R. Nonlinear parametric oscillations in certain stochastic systems: a random van der Pol oscillator 86—14038
Spigler, R. Monte Carlo-type simulation for solving stochastic ordinary differential equations 87—73022
Spijker, J.G. *see* Molmans, H.A.H. 87—28239
Spijker, J.van *see* van Spijker, J.
Spijker, M.N. On the relation between stability and contractivity 85—22424
Spijker, M.N. Feasibility and contractivity in implicit Runge-Kutta methods 85—54404
Spijker, M.N. Stepsize restrictions for stability of one-step methods in the numerical solution of initial value problems 86—26782
Spijker, M.N. Monotonicity and boundedness in implicit Runge-Kutta methods 87—16549
Spijker, M.N. A note on contractivity in the numerical solution of initial value problems 88—6414
Spijker, M.N. *see* Dekker, K. 86—34242
Spijker, M.N. *see* Kraaijevanger, J.F.B.M. 88—11933
Spijker, M.N. *see* Liu, M.Z. 88—18654
Spijker, M.N. *see* Sanz-Serna, J.M. 86—62182
Spiker, A., Rogers, S.P., Cicinelli, J. Color and brightness contrast effects in CRT displays 85—14664
Spiker, A., Rogers, S.P., Cicinelli, J. Effects of adaptation and display luminance on CRT symbol recognition time 86—17833
Spiker, A., Rogers, S.P., Cicinelli, J. Choosing colors and luminances for a CRT map display 87—3464
Spiker, D.G. *see* Brenner, R.P. 87—50330
Spiker, V.A., Rogers, S.P., Cicinelli, J.G. Legibility of a CRT color-map display in bright sunlight 87—77155
Spiker, V.A. *see* Rogers, S.P. 88—16349
Spikhal'skii, A.A. Emission of surface light waves from distributed Bragg mirrors 85—12645
Spikhal'skii, A.A. Background conversion of light waves in distributed structures 85—19031
Spikhal'skii, A.A. Enhancement of the efficiency of the process of mode diffraction on corrugated sections of optical waveguides 85—35499
Spikhal'skii, A.A. Mode conversion in surface optical waveguides 85—35500
Spikhal'skii, A.A. Coupled-wave method for systems with directional energy transfer 85—35536
Spikhal'skii, A.A. Effective use of diffraction gratings in optical devices based on diffused waveguides 86—22140
Spikhal'skii, A.A. Radiative Bragg mirrors: spectral characteristics versus grating groove profile 86—42356
Spikhal'skii, A.A. Coatings for waveguide Bragg reflectors 86—58794
Spikhal'skii, A.A. Optimal designing of grating couplers for diffused waveguides in electro-optical crystals 86—63665
Spikhal'skii, A.A. Anomalous modal spectrum of radiation of DFB and DBR lasers 87—7239
Spikhal'skii, A.A. Waveguide Bragg mirror with negative differential characteristic 87—26071
Spikhal'skii, A.A. Asymmetrically disturbed Bragg mirrors 87—46491
Spikhal'skii, A.A. Improvement of the characteristics of a waveguide grating polarizer 88—20413
Spikhal'skii, A.A. Stabilization of the characteristics of distributed Bragg mirrors 88—58229
Spikofski, G. The diffuse-field probe transfer function of studio-quality headphones 88—67607
Spikofski, G., Jakubowski, H. SQAM—the EBU compact disc for subjective assessments of audio systems 88—53495
Spikofski, G. *see* Jakubowski, H. 88—41919
Spikofski, G. *see* Plenge, G. 86—44053, 87—28737
Spikofski, G. *see* Schroter, J. 86—55474
Spikofski, G.E. *see* Plenge, G. 87—3276
Spilgies, G., Wank, J. Membrane switches 88—25612
Spilker, C. Medical imaging: merging picture archives and communications 87—63739
Spilker, W., Weichsel, R. Dealers order with Bildschirmtext 86—10727
Spill, S. Implementing local area network solutions 86—4300
Spillane, A.R., Brown, D.E. An intelligent design aid for large scale systems with quantity discount pricing 87—35707
Spillantini, P. *see* Amendolia, S.R. 85—15169
Spillantini, P. *see* Bleichert, B. 86—18236
Spillantini, P. *see* Bocciolini, M. 87—63651
Spillantini, P. *see* Celletti, F. 85—9042
Spillantini, P. *see* Green, M.A. 88—65038
Spillantini, P. *see* Smoot, G.F. 87—74624
Spiller, E. *see* Nelson, R.S. 87—21547
Spiller, G.D.T. *see* Ambridge, T. 87—17696
Spiller, G.D.T. *see* Davis, J.R. 86—53616
Spiller, G.D.T. *see* Dowsett, M.G. 88—64375
Spiller, G.D.T. *see* Wilkie, J.H. 88—13102
Spiller, J.L. Implementing the automated features of the PBFA-I control/monitor system 87—21318
Spiller, T.P. *see* Prance, H. 86—2634, 86—42171
Spiller, T.P. *see* Prance, R.J. 85—24240, 86—31555, 86—63596
Spillinger, I. Issues in switch level simulation on a logic simulation machine 86—27015
Spillinger, I., Silberman, G.M. Improving the performance of a switch-level simulator targeted for a logic simulation machine 86—62357
Spillinger, I. *see* Silberman, G.M. 87—25481, 87—65974, 88—25160, 88—70736
Spillinger, I. *see* Silbermann, G.M. 88—22455
Spillman, H. *see* Kroger, I. 88—54892
Spillman, Jr., W.B., Patriquin, D.R., Kline, B.R. Spectral linewidth dependence of photoelastic sensor performance 87—12163
Spillman, P.A. A CELLSOS fast Fourier transform chip set 85—33988
Spillman, R. *see* Albert, J. 86—60134
Spillman, W.B., Kline, B.R., Lord, J.R., Fuhr, P.L. Self-referencing frequency division multiplexing technique for fiber optic sensors 88—45127
Spillman, W.B *see* Fuhr, P.L. 88—74436
Spillman, W.B., Jr. Industrial uses of fibre optic sensors 88—16141
Spillman, W.B., Jr., Fuhr, P.L. Fiber optic rotary displacement sensor with wavelength encoding 88—67848
Spillman, W.B., Jr., Lord, J.R. Self-referencing multiplexing technique for fiber-optic intensity sensors 87—68084
Spillman, W.B., Jr., Lord, J.R. Self-referencing multiplexing technique for intensity modulating fiber optic sensors 88—16158
Spillum, M. *see* Eriksrud, M. 86—43857
Spillum, M. *see* Stueflotten, S. 86—43858
Spilsbury, R.W. *see* Hobson, R.F. 88—38545
Spina, G. *see* Addario, M.G. 86—30875
Spina, G. *see* Picardi, G. 86—17492
Spina, J.F. Towards the assessment of the electromagnetic susceptibility of VLSI 85—62833
Spina, W.J. Noise isolation in two-state circuit 85—664
Spindel, L.A. *see* Neigh, J.L. 86—49092
Spindel, R. *see* Cornuelle, B. 85—59494
Spindel, R.C. Signal processing in ocean tomography 85—57423
Spindel, R.C., Worcester, P.F. Technology in ocean acoustic tomography 87—77887
Spindel, R:C. *see* Worcester, P.F. 85—53184
Spindle, H.E. *see* Calvino, B.J. 85—16162
Spindler, E. Receiving antenna arrays. I 85—41776
Spindler, E. Aerial groups. II 85—51486
Spindler, E. Aerial groups. III 85—57128
Spindler, E. Aerial groups. IV 85—62896
Spindler, E. Aerial groups. V 86—3663
Spindler, J. *see* Gesemann, R. 87—72164
Spindler, J. *see* Pavlinec, P. 86—12371
Spindler, K. The German cellular radiotelephone system C 86—43746
Spindler, K., Blochl, H., Bursik, A. Flocculation and decarbonization of water in a high performance treatment plant 86—6577
Spindler, K., Lorenz, G., Hahne, E. Fiber-optic sensor for measurement of local void fraction in liquids 87—54062
Spindler, K. *see* Fuhrmann, W. 87—28438
Spindler, U. Planning small industrial supply systems in accordance with DIN VDE 0100 88—23402
Spindler, U., Wierny, H. Protective insulation—protective measures against dangerous body currents 87—31257
Spindler, W. How handy is Weibull? Or, the use of failure distributions in the planning and analysis of battery experiments 86—66223
Spindler, W. *see* Deshpande, S. 87—43370
Spindler, W.C. *see* Himpler, H.P., Jr. 87—9723
Spindt, C.A., Holland, C.E., Stowell, R.D. Recent progress in low-voltage field-emission cathode development 85—34425

Spineanu, G., Marculescu, R. Electromagnetic torque and thermocompensation ring effect in a disk armature magneto-inductive tachometer 86−31397
Spineaunu, F. *see* Novac, B. 87−43262
Spinedi, C. *see* Camani, M. 86−33215, 86−45300
Spinei, F., Ionescu, G. Establishing the limited variation domain for the command magnitudes of nonlinear resistive elements 86−689
Spinei, F. *see* Cristea, P. 88−6590
Spinei, F. *see* Preda, M. 86−27039, 87−10276, 87−73248
Spinella, S. *see* Gilfillan, C.D. 85−23857
Spinelli, J.C., Clavin, O.E., Cabrera Fischer, E.I., Pichel, R.H., Valentinuzzi, M.E. Stability and repeatability of the multielectrode admittancimetric intraventricular volume measurements 87−50368
Spinelli, J.C. *see* Herrera, M.C. 86−65405
Spinelli, P., Biasse, B., Jaussaud, C., de Pontcharra, J., Soubie, A., Bruel, M. In-depth spreading resistance characterization of buried insulating layers synthesized by high dose implantation of nitrogen or oxygen ions 85−55590
Spinelli, P., Cartier, A.M., Bruel, M. Critical aspects of high energy implants for CMOS technology: channeling effects and masking problems 87−60286
Spinelli, P., Dal Fante, M. Contact laser endoscopic surgery with sapphire micro-probes 88−8382
Spinelli, P., Escaron, J., Soubie, A., Bruel, M. High energy ion implantation for CMOS isolation n-wells technology: problems related to the use of multicharged phosphorus ions in an industrial context 85−35161
Spinelli, P. *see* Averbuch, A. 87−20775, 87−61680
Spinelli, P. *see* Biasse, B. 87−60295
Spinelli, P. *see* Calicchio, M. 88−29811
Spinelli, P. *see* Castellano, M. 87−41858
Spinelli, P. *see* Cristoloveanu, S. 85−45715
Spinelli, P. *see* De Marzo, C. 87−29473
Spinelli, P. *see* De Palma, M. 85−59203
Spinelli, P. *see* De Pontcharra, J. 86−35557
Spinelli, P. *see* Maja, M. 87−78873
Spinetti, M. Streamer tubes: features and their use 88−48030
Spinetti, M. *see* Basile, M. 85−43273, 86−5785
Spinetti, M. *see* Calicchio, M. 88−29811
Spingarn, J.E. Applications of the method of partial inverses to convex programming: decomposition 85−44624
Spingarn, J.R. *see* Thomas, G.H. 85−17037
Spingarn, K. Passive position location estimation using the extended Kalman filter 88−14688
Spingarn, K. *see* Kagiwada, H. 85−33365
Spingarn, K. *see* Kagiwada, H.H. 87−31463
Spingler, J. *see* Schraft, R.-D. 85−10281
Spingler, J.C. *see* Schraft, R.D. 88−57135
Spinhirne, J.D., Strange, M.G., Blaine, L.R. Solar infrared photometer 87−71315
Spink, B. *see* Gee, C.M. 88−67373, 88−73867
Spink, D.M. *see* Noras, J.M. 88−47415
Spink, M.A. A survey of silicon compilation 88−49947
Spink, M.A., Kahn, H.J. Hierarchical design manipulation within a general silicon compiler 87−1664
Spinka, H. *see* Haberichter, W. 88−68239
Spinks, N.J. *see* Dunn, J.T. 86−61297
Spinks, R.L. *see* Dobbs, B. 86−13483
Spinks, T.J., Jones, T., Gilardi, M.C., Heather, J.D. Physical performance of the latest generation of commercial positron scanner 88−61270
Spinner, C. *see* Liou, F.T. 88−64774
Spinner, J.W. *see* Migliaro, M.W. 87−72108, 87−78519
Spinnewijn, J. *see* Strauven, H. 87−32785, 88−43918
Spinnewijn, J. *see* Verbeke, O.B. 87−49987
Spinos, F.R. *see* Young, N.E. 85−4251
Spinrad, J. Circular-arc graphs with clique cover number two 88−49674
Spinrad, J., Brandstadt, A., Stewart, L. Bipartite permutation graphs 88−11845
Spintsis, A.A. *see* Zharkov, M.A. 86−37645
Spira, H. Network control system 88−35088
Spira, K. A ghostly process for materials testing? [automatic materials testing] 85−20464
Spira, K. Robots and CNC machines take on material testing 88−49920
Spira, K. Computer network in material testing 88−59673
Spira, P.M., Hage, C. Hardware acceleration of gate array layout 86−20486
Spira, S., Kreischer, K.E., Wang, C.Y., Temkin, R.J. High power, millimeter and submillimeter gyrotron oscillators 88−12888
Spira, S.E., Kreischer, K.E., Temkin, R.J. High power submillimeter gyrotrons 88−25805
Spira, S.E., Kreischer, K.E., Temkin, R.J. Submillimeter gyrotron for space based radar 88−60254
Spira, S.E. *see* Kreischer, K.E. 87−53117
Spirakis, P. The logical 'first mile-last mile' digital terminal systems 87−34384
Spirakis, P., Tsakalidis, A. A very fast, practical algorithm for finding a negative cycle in a digraph 86−66726
Spirakis, P. *see* Makedon, F. *(editor)* 88−32
Spiralski, L. Measurement of electronic devices noise with elimination of self-noise of measuring system 86−65267
Spiralski, L., Bartkiewicz, D. A new method for potentiometer clicks evaluation 86−62855
Spiralski, L. *see* Hasse, L. 86−5506
Spiralski, L. *see* Hasse, L.Z. 86−65269
Spiralski, L. *see* Kolodziejski, J.F. 88−12336 to 12337
Spirchenko, Yu.V. *see* Alekseev, R.A. 85−43713
Spircu, L. *see* Stancu-Minasian, I.M. 86−13195
Spires, D.A. *see* Chen, R.K. 87−20301, 87−20305
Spires, R.A. *see* Sherwin, R.P. 88−66879
Spires, R.J. *see* Rouse, D.M. 87−48439
Spiric, J. Capacity of heating devices for household heating 86−26423
Spiric, J. Factors for a uniform approach regarding electrical thermal-storage heating and control of electrical heating load 86−33861
Spiric, J. Dimensioning of the part of the distribution system for different density of the surface load 86−65685
Spirichev, Yu.E. *see* Vvedenskii, Yu.V. 85−62309
Spiridenkov, E.M. *see* Vorobyov, A.A. 88−68244
Spiridon, D. The inventory and utilization of the microhydro potential of the rivers in Romania [hydroelectric power] 85−21505
Spiridonov, A.P. *see* Dashevskii, E.A. 87−49970
Spiridonov, N.S., Morozov, S.G., Vlasov, A.N. Analytical derivation of Schottky field effect transistors with analysis of source and drain resistances 87−67272
Spiridonov, V.A. *see* Basiev, T.T. 85−51227, 86−9808
Spiridonov, V.N. Communications lines based on flat conductors and cables 87−48833
Spiridonov, Yu.G., Pichugin, A.P. The effect of meteorological conditions on radar images of the Earth's surface obtained from space 87−35482
Spiridonov, Yu.G. *see* Shestopalov, V.P. 86−12130
Spiridonov, Yu.N. *see* Bondarenko, V.M. 88−49942
Spiridonova, E.V. *see* Khrustalev, Yu.P. 88−4656
Spirin, A.A. On the mechanism of the low-pressure electrodeless capacitive discharge 85−39288
Spirin, A.V. *see* Veinberg, D.M. 88−37349
Spirin, G.N. *see* Berchenko, N.N. 87−45798
Spirin, V.M. *see* Volkov, I.V. 86−45515
Spirin, V.V. *see* Kuzin, E.A. 87−33285
Spirin, Yu.L. *see* Iz'yurova, G.I. 85−6156
Spiring, F.A. *see* Cheng, S.W. 87−58788
Spirio, A. *see* Vanderborgh, E. 88−43438
Spirit, D.M. Raman amplification measurements using the 800 cm^{-1} band in silica fibres 88−58145
Spirit, D.M. *see* Marshall, I.W. 87−75078
Spiriti, E. *see* Alekseev, G.D. 88−61138
Spirito, P., Cocorullo, G. Measurement of recombination lifetime profiles in epilayers using a conductivity modulation technique 86−11666
Spirito, P., Cocorullo, G. Recombination lifetime profiles measurements in thin epi layers as a function of injection level 87−24744
Spirito, P., Cocorullo, G. A measurement technique to obtain the recombination lifetime profile in epi layers at any injection level 88−26017
Spirito, P., Ransom, C.M., Qehrlein, G.S. Schottky diode analysis for evaluation of RIE effects on silicon surfaces 86−67809
Spirito, P. *see* Bellone, S. 86−21554, 86−41842
Spirito, P. *see* Caruso, A. 87−18168, 87−38327, 88−50885
Spirito, P. *see* Ferla, G. 87−25331
Spirito, P. *see* Oehrlein, G.S. 86−53548
Spirkl, W., Lavemann, E., Ries, H. An easy-to-build balance for automatic measurement 88−22811
Spirkl, W., Ries, H. Solar thermophotovoltaics: an assessment 85−53842
Spir'kov, I.P. *see* Logginov, A.S. 87−7421
Spirlet, J.C., Muller, W., van Audenhove, J. Single crystal growth of actinide compounds 85−59119
Spirlet, J.C., Muller, W., van Audenhove, J. Direct reduction of actinide oxide and carbide to metal: application to the preparation of plutonium metal 85−59122
Spiro, A.G. *see* Dmitriyev, A.S. 85−632
Spiro, C.L. *see* Kosky, P.G. 85−60210
Spiro, H. The simulation of integrated circuits by means of universal computer programs 85−29316
Spiro, I.J. *see* Wiemokly, G.D. 87−14156, 87−20963
Spiro, M. *see* Cribier, M. 88−29784
Spiro, M. *see* Michau, J.C. 86−44559
Spiro, V. *see* Behr, J.-P. 85−14053
Spirtos, T. *see* Maglaris, B. 87−62511
Spisak, P.B. *see* Chu, C.K. 86−12923, 87−67241
Spismi, F. *see* Faldella, E. 86−45541
Spiss, E. Telex in Chinese 87−34052
Spiss, E. Telex−Chinese style 87−48484
Spissak, L., Kiss-Albert, I. Industrial application of custom designed circuits 87−66268
Spitalnik, J., Durrands, K.J. The importance of technician training for efficient and effective technology transfer 86−39380
Spitalnik, J. *see* Martin, H.-D. 86−39349
Spiteri, C.J. An innovative approach to teaching using robotics 87−23220
Spiteri, P. Application of a stability criterion to the study of a large-scale differential system modelling the functioning of a network of electrical machines 87−21843
Spiteri, P. Parallel asynchronous algorithms for solving boundary value problems 87−23581
Spitsyn, E.M. *see* Dmitriev, V.G. 86−15652
Spitsyn, E.M. *see* Stel'makh, M.F. 85−24621
Spittal, W. A practical microhydro using standard pumping equipment [pumped storage power stations] 85−15933
Spittle, A.H. *see* Nagra, A. 85−14192
Spittle, F.V. Some problems concerning the measurement of RF radiation 85−15360
Spittle, T. Satellites−a sure bet 87−28735
Spitz, D.M., Cobb, B., Yenawine, D.L., Wolverton, W.M. Solderability optimization for vapor phase reflowed, surface mount, electronic assemblies 87−66766
Spitz, J. *see* Gluckaufova, D. 88−68841
Spitz, S.L. How to handle a million chips 86−1523
Spitz, S.L. Fiber optics: light at the end of the tunnel 86−9479
Spitz, S.L. Chemicals play vital roles in PCB manufacturing 86−14662
Spitz, S.L. Cleaning printed circuit boards for higher quality 86−20938
Spitz, S.L. Innovation paces production machinery developments 86−27723
Spitz, S.L. Trimmed for precision [hybrid IC resistor manufacture] 86−27758
Spitz, S.L. SMA promotes automation and boosts machine vision 86−47165
Spitz, S.L. Computers power the soldering process 86−52244
Spitz, S.L. Plated through hole reliability 87−24582
Spitz, S.L. Automated inspection systems reveal loaded PCB flaws 87−37704
Spitz, S.L. Drilling: an ancient process with new twists 87−37709
Spitz, S.L. For higher yield: test or inspect bare PCBs? 87−53021
Spitz, S.L. From schematic to PCB with phototools 87−66733
Spitz, S.L. Surface-mount connectors: more than through-hole devices 87−66770
Spitz, S.L. Optical inspection of electrical testing for printed circuits boards? 88−1153
Spitz, S.L. AOI 'sees' better, users say 88−7177
Spitz, S.L. Designer thermoplastics resist high heat 88−11758
Spitz, S.L. Connectors and substrates for surface mounting components 88−12688
Spitz, S.L. Solder mask: issues and answers 88−12765
Spitz, S.L. Films for printed circuit production 88−25675
Spitz, S.L. Fine lines: tweaking the process or a quantum leap? 88−57098
Spitzenberger, U. *see* Zywietz, C. 85−9214
Spitzer, A. *see* Becker, F.S. 88−24785
Spitzer, A. *see* Rosner, W. 88−71587
Spitzer, C.R. Digital avionics−the best is yet to come 85−9292
Spitzer, C.R. A new direction in energy conversion−the all-electric aircraft 86−38894
Spitzer, C.R. All-digital jets are taking off 87−21718
Spitzer, C.R. *see* Credeur, L. 87−57312
Spitzer, D. *see* Singh, S.M. 85−53190
Spitzer, D.W. Vortex shedding flowmeters−a user's perspective 86−5301
Spitzer, H. *see* Bauer, G. 86−5735, 86−56018
Spitzer, H. *see* Bieler, C. 85−37924
Spitzer, H. *see* Catanesi, M.G. 87−77548
Spitzer, H. *see* Derfler, H. 85−30107
Spitzer, H. *see* Jung, H.-P. 85−10273
Spitzer, H. *see* Winter, G.-G. 85−64493
Spitzer, K.W. *see* Steadman, B.W. 88−42506
Spitzer, M. Writing style in computer conferences 86−40438
Spitzer, M. Computer conferencing for the scholar, researcher and teacher 88−46749
Spitzer, M.B., Geoffroy, L.M., Nowlan, M.J. High efficiency flat-plate module research 86−45694
Spitzer, M.B., Geoffroy, L.M., Nowlan, M.J., Keavney, C.J. Performance improvements in silicon flat-plate cells and modules 87−58334
Spitzer, M.B., Geroffroy, L.M., Nowlan, M.J., Drake, H.E. Large-area high-efficiency ion-implanted cells and flat-plate modules [solar cells] 87−9834
Spitzer, M.B., Keavney, C.J. Attainment of transparent boron-implanted layers for silicon solar cell applications 86−13029

Spitzer, M.B., Keavney, C.J. Low recombination p^+ and n^+ regions for high performance silicon solar cells 87–4896
Spitzer, M.B., Keavney, C.J., Geoffroy, L.M. Theoretical and experimental considerations for high silicon solar cell performance 87–15988
Spitzer, M.B., Keavney, C.J., Tobin, S.P., Lindholm, F.A., Neugroschel, A. Mechanisms limiting open circuit voltage in silicon solar cells 86–7140
Spitzer, M.B., Keavney, C.J., Tobin, S.P., Milstein, J.B. Ion implanted silicon solar cells with 18% conversion efficiency 86–7059
Spitzer, M.B., Keavney, C.J., Vernon, S.M., Haven, V.E. Indium phosphide shallow homojunction solar cells made by metalorganic chemical vapor deposition 87–72390
Spitzer, M.B., Keavney, C.J., Vernon, S.M., Haven, V.E. Junction formation techniques for indium phosphide solar cells 88–37407
Spitzer, M.B., Keavney, C.J., Wolfson, R.G., Matson, R.J. A study of ion implantation and annealing of low-cost silicon sheet 86–2025
Spitzer, M.B., Vernon, S.M., Keavney, C.J. Passivation techniques for silicon solar cells 88–24143
Spitzer, M.B. *see* Case, C. 88–37448
Spitzer, M.B. *see* Keavney, C.J. 88–49131
Spitzer, M.B. *see* Nowlan, M.J. 85–53828
Spitzer, M.B. *see* Tobin, S.P. 88–31033, 88–37601
Spitzer, M.B. *see* Verhoef, L.A. 88–62596
Spitzer, M.B. *see* Vernon, S.M. 87–43463
Spitzer, M.D. *see* Vernon, S.M. 86–7064
Spitzer, W.G. *see* Kou-Wei Wang 86–21364
Spitzer, W.G. *see* Liou, L.L. 86–41533, 87–12098
Spitzer, W.G. *see* Sook-Il Kwun 85–29122
Spitzl, W., Durdik, A. Magnetic induction from Wiener Stadtwerke-Elektrizitatswerke's 380 kV lines 86–6320
Spitzl, W., Vogler, K. Extension of the Vienna EHT system. [HV power systems] 85–21123
Spitzl, W. *see* Binder, H. 86–6304
Spitznagel, J.A. *see* Choyke, W.J. 85–18239
Spitznagel, J.A. *see* Jayaram, R. 88–1353
Spitznagel, K.L. *see* Soldner, K.D. 85–50126
Spivack, M. Numerical simulation of wave propagation in random media 88–52198
Spivak, G.V. *see* Gostev, A.V. 86–9212, 86–27823, 86–28245, 88–56348
Spivak, G.V. *see* Kartamyshev, M.G. 85–7066
Spivak, G.V. *see* Koltun, M.M. 85–24396
Spivak, S.I. *see* Umarov, G.Ya. 86–12740
Spivak, V.L. Restoration of UHF radio images in laminated media 88–6550
Spivak, V.M. *see* Teplitskii, F.N. 86–18186
Spivak, V.S. *see* Naer, V.A. 85–44203
Spivey, J. *see* Hagan, D. 87–34943
Spiwak, R.R. *see* French, H.T. 88–28524
Spizzichino, A. *see* Caroli, E. 85–51709
Spizzichino, F. *see* Clarotti, C.A. 86–13559, 87–31364, 88–63150
Splear, J. ISDN corporate networking 86–54757
Splecker, R.G., Haggis, D. Soldering techniques for surface mounted leadless chip carriers 88–1306
Splettstosser, V.W. *see* Ries, S.E. 85–13572
Splettstosser, W. *see* Mugler, D.H. 85–63029, 87–55079
Splettstosser, W. *see* Schlebusch, H.J. 86–23027, 86–29856
Splettstrosser, J. *see* Vescan, L. 86–41734
Spliethoff, H., Abroll, G. The 750 MW bituminous coal power plant at Bexbach 85–60003
Splinter, P., Krasnakevich, C., Felsenthal, D., Garvey, E., Gagne, G. Implementation of an automatic setup for ion beam implanters 85–34776
Splinter, P. *see* Taylor, C. 87–53366
Splitt, F.G. Remote isolation devices: present status and future direction 86–23546
Splitt, G. The modal analysis for microstrip antennas using the Green application of coated dielectrics 87–61461
Splunter, J.M.Van *see* Van Splunter, J.M.
Spocci, S. 'Intelligent' bus and line 87–13378
Spocci, S. A graphics co-processor for PCs 87–37323
Spoelstra, T.A.T. Effect of amplitude and phase scintillations on radio astronomical observations at decimeter wavelengths 86–24004
Spoelstra, T.A.T. *see* Sukumar, S. 87–26774
Spoer, P. Moving object detection by temporal frame difference accumulation 85–57537
Spoerri, A., Ullman, S. The early detection of motion boundaries 87–62330
Spohh, F. Experiences gained in measuring and location of partial discharges in transformers 85–5138
Spohn, D., Kotschenreuther, H. A custom-made turboset for the Buer district heating power plant 87–72601
Spohn, D., Kotschenreuther, H. A turboset made to measure for the Buer district heating power station 88–62207
Spohn, J.P. *see* Voge, K.H. 88–46665
Spohn, P. Solutions for communication installations in the offices of large public administrations–a test report 88–73714
Spohn, R. *see* Frost, V. 88–21928
Spohnheimer, J.V. *see* Sussman, H.H. 85–17438
Spohr, R. *see* Perelygin, V.P. 87–29590
Spohrer, S. *see* Neuf, D. 86–14509, 87–989
Spohrer, S. *see* Weiner, S. 88–71129
Spohrer, W. The Intercity Express as a system component of a future high-speed transport network 88–31154
Spoifer, T. *see* Hakim, N. 88–4943
Spokane, R.B. *see* Clark, L.C., Jr. 88–54474
Spokoinyi, M.Yu. *see* Dul'nev, G.N. 85–16425
Spokojny, A.M., Bourgelais, D., Serur, J.R., Paulin, S., Spears, J.R. Intravascular application of hematoporphyrin derivative photodynamic therapy 85–38194
Spolaczyk, R. *see* Schwider, J. 88–60909
Spolaore, P., Bisoffi, G., Guan, X.L., Beghini, S., Signorini, C. High voltage insulation over large gaps in vacuum 88–53965
Spolaore, P., Larson, J.D., Signorini, C., Beghini, S., Zhu Xi-Kai, Si Hou-Zhi A recoil mass spectrometer for the XTU tandem at LNL 85–64501
Spolaore, P. *see* Tuniz, C. 85–31764
Spolek, J. Management of rational power consumption for electric heating in the CSSR 85–27803
Spolsky, A.I., Taylor, A.W. Satellite communications in the Pacific Rim 87–70022
Sponable, J.M., DeWispelare, A.R. Augmenting the Space Shuttle with a space station and tug 85–59401
Spond, D.F., Buford, A.C., III, Gravier, G.C. Degradation and replacement of main feedwater nozzle spray heads in two once-through steam generators 86–51365
Spong, M.W. *see* Ilic-Spong, M. 85–38438, 86–50964
Sponga, L. *see* Dang, M. 88–21728, 88–73602
Spongano, M. *see* Lamberti, C. 88–68350
Sponholz, H.-J. *see* Marnet, C. 85–43859
Sponholz, H.J. *see* Marnet, C. 85–38865
Sponholz, T. *see* Pilz, W. 86–21412
Sponsel, W. *see* Jager, K.-W. 85–17071
Sponzilli, F., Pisano, A. Italian work abroad: an important telecommunications installation for Libya 85–30546
Spooncer, R.C. Passive fibre optic sensors 85–29639
Spooncer, R.C., Jones, B.E., Ohba, R. A pulse modulated optical fibre quartz temperature sensor 88–36035
Spooncer, R.C. *see* Ghezelayagh, H.M. 87–29087
Spooncer, R.C. *see* Jones, B.E. 85–41159, 85–62372
Spooncer, R.C. *see* Oliver, M.R. 87–38826
Spooner, A. Automatic antenna retraction 85–27747
Spooner, E. Multilayer analysis of electromagnetic systems incorporating layers of discrete conductors 85–32438
Spooner, E. DC traction motor with slotless armature 85–32508
Spooner, E. Increasing the power limits for DC machines by means of slotless armatures 87–15787
Spooner, E. *see* Rash, N.M. 86–33366
Spooner, E. *see* Richardson, K.M. 88–13686, 88–17645
Spooner, E.D., Grantham, C., Largent, R. Synthetic loading of machines 87–42967
Spooner, F. *see* Bandla, S. 88–50378
Spooner, F. *see* Dawe, G. 88–63925
Spooner, F.E. Switch mode power supplies with idealised performance 87–30806
Spooner, F.H. *see* Smith, F.W. 88–39541
Spooner, G.F. *see* Mintz, R.B. 86–12062
Spooner, N.J.C., Engel, A.R., Leake, J.W., Quenby, J.J., Sanford, P.W. Background in escape gated detectors for hard X-ray astronomy 86–65348
Spooner, P. *see* Angus, C. 88–75374
Spooner, P.W. The interceptor radar evolves as a sensor 85–63760
Spooner, P.W., Sage, D.S. The Foxhunter airborne interceptor radar 85–63755
Spooner, S.A. Comparing laser and EB welding 87–58496
Spoonhower, J.P. *see* Deri, R.J. 85–4099
Spoorenberg, C.J.G., Kraaij, G.J., Pieterman, K., Franken, W.M.P., Tran, M.Q. A 5.0 Tesla superconducting magnet system for a gyrotron 86–42196
Spoorenberg, C.J.G., Overweg, J.A., van de Klundert, L.J.M., Pieterman, K., Roeterdink, J.A. A 2.0 Tesla, 0.35 meter bore superconducting magnet for NMR 85–35367
Spoorenberg, C.J.G. *see* Sikkenga, J. 85–62267
Spoorenberg, C.J.G. *see* Tuinman, E. 85–41084
Sporbert, R. Behaviour of first-order digital phase coupling systems–simulation results 86–16326
Sporbert, R. Synthesis of discrete algorithm for the coherent signal reception 87–27790
Sporbert, R., Schulze, A. Synchronisation of digital communications networks 88–14937
Sporck, C. *see* Murphy, R.J. 87–17022
Sporck, F.R. *see* Piro, R.A. 85–33788, 85–40010, 86–2439
Sporckmann, H. *see* Bahde, C. 85–27794
Sporea, D. *see* Miron, N. 85–18039
Sporea, D.G., Cotescu, O.C. Enhance the 8214 interrupt controller 86–27193
Sporer, H. *see* Kraemer, H. 87–3207
Sporer, H. *see* Roessler, B. 87–62707
Sporer, H. *see* Rossler, B. 87–40604
Spores, D.G., Cotesu, C.O. Programmable timer for watchdog functions 85–34097
Sporevoi, I.G. *see* Kleshchevnikov, E.F. 87–70383
Sporin, K.N. *see* Orlov, V.A. 86–11814
Sporing, K. *see* Mantei, A. 87–47799
Sporkmann, N. Differing versions of power supply units 88–63492
Sporleder, F. Fiber optics in the subscriber loop plant 85–14294
Sporleder, F., Besier, H., Hanke, G., Hessenmuller, H., Wengenroth, G. A services-integrated, all-digital optical subscriber loop system 85–20245
Sporleder, F. *see* Dingeldey, R. 86–64821
Sporleder, F. *see* Heuer, P. 85–52379
Sporleder, F. *see* Richter, H. 87–70045
Sporn, S.R. Comments on 'Automated VOR ground check techniques' by E.J. Martin [radionavigation] 86–49744
Spornic, A. *see* Dascalu, D. 88–53151
Spornik, N. *see* Zeilikovich, I. 86–36598
Spornik, N.M. *see* Zeilikovich, I.S. 86–36601, 86–36613, 87–26335, 88–27321, 88–72302
Sporon-Fiedler, F., Weber, E.R. Scanning deep level transient spectroscopy (DLTS) of GaAs 87–11360
Sporon-Fiedler, F., Williams, J. Atmospheric pressure induced reduction errors in reduction stepper lenses 86–15003
Spors, M. *see* Schmidt, H. 88–5945
Sporzynski, G.A. *see* DeCamp, W.F. 87–59336
Sposini, M. *see* Brosio, A. 86–23456, 87–13688
Sposini, M. *see* Ferrero, F. 87–8017, 88–35140
Sposini, M. *see* Gogliardi, F. 87–20547
Sposini, M. *see* Lambarelli, L. 86–30358, 86–54919, 86–64752
Sposito, A. *see* de Vincenzi, M. 85–4206
Sposito, V.A. On median polish and L_1 estimators 87–65329
Spoto, J.P., Coston, W.T., Harnandez, C.P. Statistical integrated circuit design and characterization 86–46453
Spotts, R.W. Photovoltaic applications in the oil and gas industry instrumentation field 86–11402
Spousta, E. *see* Jirak, J. 87–32363
Spowart, A.R. Design of neutron detectors utilising luminescent glass 85–15206
Spozito, O.O. *see* Baydan, I.Ye. 87–61826
Spracklen, C.T., Ismail, N.A. Application of bit slice microprocessors in spread spectrum communication systems 85–63528
Spracklen, C.T., Scott, M.A., Ismail, N.A. A spread spectrum local area network 86–37469
Spracklen, C.T., Smythe, C. Communication protocols for a spread spectrum local area network 85–13945
Spracklen, C.T., Smythe, C. Direct sequence spread spectrum access to local area networks 87–13475
Spracklen, C.T., Smythe, C. The application of code division multiplexing techniques to local area networks 87–69704
Spracklen, C.T., Smythe, C. Direct sequence spread spectrum access to local area networks 88–21684
Spracklen, C.T., Smythe, C., Scott, M.A., Ismail, N.A. The performance of a spread spectrum local area network 86–17009
Spracklen, C.T., Smythe, C., Scott, M.A., Ismail, N.A. Spreadnet–a spread-spectrum local area network 87–34124
Spracklen, C.T. *see* Fox, A. 88–70665
Spracklen, C.T. *see* Ismail, N.A. 87–20262
Spracklen, C.T. *see* Smythe, C. 85–52092, 85–57803, 86–16902
Spracklen, C.T. *see* Spearman, R. 86–54523
Spracklen, H.P. *see* Cable, M.D. 88–61194
Spradlin, B.C. Reliability growth measurement applied to ESS [environmental stress screening] 86–57254
Spradlin, R.E. Modern air transport flight deck design 88–10480
Spragg, D.A. *see* Blenkinsop, I.D. 88–47565
Spragg, D.A. *see* Myatt, A.J. 88–47566
Spragins, J. Limitations of current telecommunication network reliability models 85–42021
Spragins, J. *see* Kang, Y.J. 85–19850, 88–28376
Spragins, J.D. A fast algorithm for computing availability in networks with dependent failures 85–8206
Spragins, J.D., Sinclair, J.C., Kang, Y.J., Jafari, H. Current telecommunication network reliability models: a critical assessment 87–13226
Spragins, J.D. *see* Den, M.A. 87–76184
Spragins, J.D. *see* Glidewell, S.R. 87–40222
Spragins, J.D. *see* Hammond, J.L. 87–62690
Spragins, J.D. *see* Kang, Y.J. 86–54989
Spragins, J.D. *see* Lyui, W.P. 87–76624
Spragins, J.D. *see* Shier, D.R. 86–16765
Sprague, A. *see* Lai, T.-H. 88–12159
Sprague, A. *see* Ten-Hwang Lai 85–10607, 86–13641, 86–52598

Sprague, D.L. A forum on RF/microwave production ATE: an invitation to comment 88—11709
Sprague, G.J., Battaglia, M. IDSS—A systems approach to integrated diagnostics 85—31341
Sprague, J.W. *see* Carlson, N.W. 88—45431
Sprague, J.W. *see* Rosenberg, A. 88—72312
Sprague, M.E. *see* Beumeler, W.M. 85—36751
Sprague, R.A. Improving laser printers with solid-state light modulators 87—26581
Sprague, R.A. *see* Popovic, Z.D. 88—45202, 88—65522
Sprague, R.H., Jr. *see* Stohr, E.A. *(editor)* 87—58537
Sprague, R.W., Gigioli, G.C., Chou, H.M., Tsao, M.T., Wang, L., Jin, R., Macleod, H.A., Gibbs, H.M. Effects of design parameters on ZnS bistable etalons 88—8288
Sprague, R.W. *see* Jin, R. 87—33311
Sprague, R.W. *see* Khitrova, G. 88—65432
Sprague, R.W. *see* Tsao, M.T. 87—39220
Sprague, R.W. *see* Wang, L. 88—33816, 88—51629
Sprague, W.H., Woo, Y.D. Press nip pressure profile measurement 85—22028
Sprang, H.A.van *see* van Sprang, H.A.
Sprang, H.D. Magnetrail—rival or complement to the wheel rail systems 87—31048
Sprang, M.van *see* van Sprang, M.
Sprangers, O.M. New possibilities for logic analyzers 85—37510
Sprangers, W.J.J.M. *see* Brondijk, J.J. 87—46356
Sprangle, P., Cha-Mei Tang Evolution of the laser beam envelope in the beat wave accelerator 86—5618
Sprangle, P., Chernin, D. Beam current limitations due to instabilities in modified and conventional betatrons 85—9026
Sprangle, P., Kapetankos, C.A. Beam trapping in high-current cyclic accelerators with strong focusing fields 86—70294
Sprangle, P., Tang, C.M. Betatron-synchrotron detrapping in a tapered wiggler free-electron laser 85—51205
Sprangle, P., Tang, C.M., Bernstein, I. The evolution of spontaneous and coherent radiation in the free electron laser oscillator 85—56681
Sprangle, P., Tang, C.M., Serafim, P. Induced resonance electron cyclotron (IREC) quasi-optical maser 87—2188
Sprangle, P., Tang, C.M., Serafim, P. Induced resonance electron cyclotron quasi-optical maser in an open resonator 87—12337
Sprangle, P., Tang, C.M., Serafim, P. An induced resonance electron cyclotron (IREC) quasi-optical maser 87—18875
Sprangle, P., Ting, A., Hafizi, B., Tang, C.M. Radiation focusing, guiding and steering in free electron lasers 88—45478
Sprangle, P., Ting, A., Tang, C.M. Radiation focusing and guiding in the free electron laser 87—75210
Sprangle, P., Ting, A., Tang, C.M. Analysis of radiation focusing and steering in the free-electron laser by use of a source-dependent expansion technique 88—2311
Sprangle, P., Ting, A., Tang, C.M. Radiation focusing, guiding and steering in the free electron laser 88—40255
Sprangle, P., Vomvoridis, J.L. Longitudinal and transverse instabilities in a high-current modified-betatron electron accelerator 86—65316
Sprangle, P. *see* Cha-Mei Tang 88—65753
Sprangle, P. *see* Hafizi, B. 88—2310, 88—27200, 88—27208, 88—45483
Sprangle, P. *see* Hafizi, R. 88—72345
Sprangle, P. *see* Kapentanakos, C.A. 86—70291
Sprangle, P. *see* Kapetanakos, C.A. 85—31674
Sprangle, P. *see* Levush, B. 85—56726
Sprangle, P. *see* Marable, W.P. 87—75156, 88—40259
Sprangle, P. *see* Maruyama, X.K. 87—75109
Sprangle, P. *see* Pasour, J.A. 85—56694
Sprangle, P. *see* Pellegrini, C. 85—26633
Sprangle, P. *see* Prakash, A. 86—24921
Sprangle, P. *see* Riyopoulos, S. 87—68314, 88—45332
Sprangle, P. *see* Tang, C.-M. 85—56683, 87—2171, 88—45482
Sprangle, P. *see* Tang, C.M. 85—2175, 87—74948, 88—40256
Sprangle, P. *see* Ting, A. 88—29738
Sprangle, P.A. *see* Tang, C. 86—3208
Sprangle, P.A. *see* Ting, A.C. 88—16573
Spratley, P. Viewdata from food to finance 86—54841
Spratt, B. The consequences of accurate bearing resolution on the TCAS limited implementation program 87—42108
Spratt, D.B. *see* Zorinsky, E.J. 87—46222
Spratt, E.B. Trends in local area networks 87—13426
Spratt, E.B. Local area network trends within the UK academic community 87—48644
Spratt, E.B. Networking developments in the UK academic community 88—28419
Spratt, E.B., Caul, D.J., Binns, S.E. The management of services on computer networks 86—64697
Spratt, E.B., Wu, Z.D. A performance comparison between two network services on a Cambridge Ring based local network 88—8922
Spratt, E.B. *see* Wu, Z.D. 87—55766
Spratt, G.W.D., Bissell, P.R., Chantrell, R.W. Static and dynamic switching field distribution for magnetic tape systems 87—18513
Spratt, G.W.D., Bissell, P.R., Chantrell, R.W. The SFD of a system of interacting tape particles and its relation to the time dependent magnetisation 87—46317
Spratt, G.W.D., Fearon, M., Bissell, P.R., Lyberatos, A., Chantrell, R.W., Wohlfarth, E.P. Interaction fields and the anhysteretic susceptibility of recording media 88—57916
Spratt, G.W.D. *see* Bissell, P.R. 85—26460
Sprawls, H. Education at home through teleconferencing 88—28538
Sprayberry, R. *see* Harrison, J.M. 87—78363
Spreadbury, D.J., Rees-Roberts, T.M. Prime radix Fourier transform—from algorithm to silicon implementation [sonar signal processing] 85—47611
Spreadbury, D.J., Rees-Roberts, T.M. A VLSI Gate array prime radix Fourier transform processor 85—49939
Spreadbury, D.J., Rees-Roberts, T.M. VLSI gate array prime radix Fourier transform processor 86—13720
Spreadbury, P.J. 8 years experience of 10 volt solid-state standards 85—31554
Spreadbury, P.J. *see* Roberts, D.E. 87—65842, 88—16386
Spreadbury, P.J. *see* Smith, T.A. 86—31562, 87—14425, 88—16377
Sprecase, R. *see* Hopkins, R.H. 87—51461
Spreckelmeyer, N. *see* Jobmann, K. 88—73712
Spreckels, H. *see* Pfalzgraf, B.W. 86—55812
Spreen, J.H. Preventing core saturation in parallel power transformers in a switching converter 85—17139
Spreen, J.H. Approximating a constant impedance transmission line on a ceramic chip carrier 85—28058
Spreer, F. The linear time-variable current tariff. The model experiment over the whole of Federal Germany 88—30294
Spreij, P. An on-line parameter estimation algorithm for counting process observations 86—57316
Spreng, D. Present methods of energy forecasting 88—61874
Spreng, D., Hediger, W., Reutlinger, I. On the dynamics of electricity consumption in the service sector 88—10716
Sprengel, U. The power supply in space travel. The potential of the dynamic solar system 88—30122
Sprenger, H. ISDN and its effects on in-circuit tests 88—21753
Sprenger, H. Implications of ISDN for in-circuit testing [VLSI] 88—60591
Sprenger, H. Check ISDN boards fast with in-circuit test 88—64055
Sprenger, H. *see* Buchmann, L. 87—70983
Sprenger, H. *see* Hardwick, S. 88—67113
Sprenger, H. *see* Kokke, R. 88—54302
Sprenger, W. *see* Albers, K. 86—18679
Sprengers, L., Campbell, R., Kostlin, H. Low pressure sodium lamps with a luminous efficacy of 200 lm/W 86—40268
Sprengers, L. *see* Kroontje, W. 87—16150
Sprengers, L.M., Peters, J.I.C. SOX-E(conomy)—a new generation of low-pressure sodium lamps with improved overall performance 86—52038
Sprenke, J.J. *see* Appell, G.F. 88—48344
Sprent, A. Lasers and nearshore positioning 88—8391
Sprevak, D., Ferguson, R.S. Statistical assessment of the fabrication yield of multi-component logic circuits 85—22783
Sprevak, D. *see* Bradley, S.M. 86—14158
Spriggs, H.D., Shah, J.V., Eastwood, A. Analyze process/cogen-system link before the design stage 88—11054
Spring, D.J. *see* Powell, B.D. 88—29397
Spring, K.R., Smith, P.D. Illumination and detection system for quantitative fluorescence microscopy 88—23038
Spring, P.G. *see* Fehlauer, J. 86—16731
Spring Thorpe, A.J. *see* Falt, C.E. 87—74082
Spring-Thorpe, A.J., Mandeville, P. GaAs/GaAlAs device structures prepared by molecular beam epitaxy using indium-free mounting techniques 87—264
Spring-Zu Yang *see* Yinn-Nien Huang 87—38766
Springall, T. Developments in low power analogue-to-digital converters 86—52903
Springall, T. DMOS—the way forward for discretes? 86—58484
Springall, T., Dendinger, S. Simplifying power supply design with ICs 87—16863
Springall, T., Nurman, B. Power FETs and threshold voltage 87—74285
Springer, E., Wilhelm, M., Weisse, H.J., Rupp, G. Properties of $(NbTa)_3Sn$-filamentary conductors 85—46040
Springer, G., Jorgensen, F. A novel magnetic transducer for magnetographic printing 86—36006
Springer, G.S. *see* Marsh, L.L. 85—22553
Springer, H. BRAUMAT PA 5000—a process-oriented automation system 86—52088
Springer, J. *see* Heindl, H. 87—43153
Springer, K.N., van Harlingen, D.J. Resistive transition and magnetic field response of a Penrose-tile array of weakly coupled superconductor islands 88—7828
Springer, K.T. *see* Jain, A.K. 85—56215
Springer, K.T. *see* Ono, R.H. 85—35337
Springer, L. *see* Clayton, S. 88—57418
Springer, P.L. *see* Gucwa, L.T. 85—43701
Springer, R.H., Lake, W.H. Thermal balance of HID electrodes [mercury vapour lamps] 85—5487
Springer, R.W. *see* Stotlar, S.C. 86—22457
Springer, S. *see* Schauer, W. 86—33734
Springer, T. *see* Werner, K. 86—5741
Springer, T.A. *see* van Lint, J.H. 87—54861
Springer, T.E., Murray, H.S., Vanderborgh, N.E. Methanol reformer system and design for electric vehicles 86—40074
Springer, T.E. *see* Vanderborgh, N.E. 88—17927
Springfield, R.W. *see* Huff, C.H. 88—63121
Springgate, J.E. Silicon and semiconductors: partners in the late 1980's 88—7437
Springham, S. *see* Anthony, I. 86—32209
Springham, S.V. *see* MacGregor, I.J.D. 88—22925
Springman, R.A., Little, R.R. The authoritarian professor: a classroom despot or a builder of character? [teaching and discipline] 85—32983
Springmann, W. Telephone—EMUF [automatic dialling with a computer] 85—30750
Springs, R., Belfanti, C., Weinberg, I., Vittorini, G., Hosley, L. Automatic test equipment workload model for Navy intermediate maintenance 86—38223
Springthorpe, A.J. *see* Benzaquen, M. 87—45580
SpringThorpe, A.J. *see* Blaauw, C. 85—44697, 86—7762, 88—1517
SpringThorpe, A.J. *see* Cada, M. 88—33732
Springthorpe, A.J. *see* Houston, P.A. 87—74255
SpringThorpe, A.J. *see* Hurd, C.M. 87—60142, 88—57345
SpringThorpe, A.J. *see* Mandeville, P. 88—31739
SpringThorpe, A.J. *see* Moore, W.T. 88—31740
Springthorpe, A.J. *see* Surridge, R.K. 88—57689
Sprinkle, M.D. *see* Anderson, S. 86—4177
Sprogis, A.A. *see* Krumins, A.E. 86—2463
Sprogis, E. *see* Kenney, D. 88—70778
Sprogis, E. *see* Lu, N. 86—46859
Sprogis, E.J. *see* Lu, N.C. 87—10855
Sprokel, M. *see* Klaassen, F.M. 85—50754
Sprokel, M.A. *see* Gubbels, W.C.H. 88—6833
Sproles, E.S., Drozdowicz, M.H. Comparison of the stability of gold and palladium alloy connector contacts subjected to vibration 86—62902
Sproles, E.S., Jr. *see* Cohen, H.M. 88—24549
Spronck, F., Coulon, E. Superconductivity and superconducting materials. IV. Electronic applications 88—64980
Spronck, J. *see* Schellekens, P. 86—70231
Spronsen, C.J.van *see* van Spronsen, C.J.
Sprosen, B. *see* Price, E.M. 85—25852
Sproson, D.W., Messing, G.L., Gardner, T.J. Powder synthesis for electronic ceramics by evaporative decomposition of solutions 86—57492
Sproson, W.N. Colour science in television display systems 85—26011
Sproson, W.N. The development of television lens specifications 87—26132
Spross, I. Generation of orthogonal forms of the structure function of binary monotone systems 88—234
Spross, L. *see* Beichelt, F. 87—58718
Sprossig, W. *see* Gurlebeck, K. 87—16553
Sprosst, R.L. *see* McIntyre, J.A. 86—50491
Sproston, J.L. The design of electrodes with prescribed field distributions for use in electrostatic precipitators 88—34252
Sproston, J.L. *(editor)* Electrostatic Damage in the Electronics Industry. Proceedings of a One-Day Meeting of the Static Electrification Group of the Institute of Physics 88—18339
Sproston, J.L. *(editor)* Electrostatics 1987. Invited and Contributed Papers from the Seventh International Conference on Electrostatic Phenomena 88—31285
Sproston, J.L. *(editor)* Electrostatic Charge Migration. Papers from a One-Day Meeting of the Static Electrification Group of the Institute of Physics 88—62903
Sproston, M. *see* Brown, R.M. 85—43257
Sprott, G.F. A software environment for testing microprocessor-based boards and systems 86—20626
Sprott, J.C. Diffusion of magnetic fields into conductors of nonuniform resistivity 87—33360
Sprott, J.C. *see* Rosenzweig, J.B. 86—5622
Sproul, R. The working man's phase shift primer 85—40194
Sproule, G.I. *see* Roth, A.P. 87—11404, 88—32837
Sproules, H.S. *see* Whalen, M.F. 85—26924

Sproull, L., Kiesler, S. Reducing social context cues: electronic mail in organization communication 87−27925
Sproull, R.D. *see* Bottenberg, W.R. 88−75930
Sproull, R.D. *see* Fthenakis, V.M. 88−75928
Sprouse, G.D. *see* Brennan, J.M. 86−31815
Sprouse, G.D. *see* Sikora, J. 88−54362
Sprouse, L. *see* Weiss, P.B. 86−5091
Sprouse, L.B. *see* Yages, G.J. 88−4462
Spruce, G., Pringle, R.D. Measurement of spontaneous polarisation by field reversal 88−36187
Spruch, E. The electrical and I&C equipment in the cement plant 'Karl Marx' of Cienfuegos (Cuba) 86−33888
Spruijt, A.M.J. *see* Zeper, W.B. 88−44959
Spruill, M.C. Optimal designs for minimax extrapolation 85−10611
Spruin, W.G. Combination of thermography and pressure tests to combat air leakage problems in building enclosures 88−4468
Spruit, J.H.M. *see* Ruigrok, J.J.M. 88−64938
Spruit, R. Forth in a muon channel with CAMAC control 86−11809
Sprunger, T. *see* Daniels, R.G. 85−7075
Sprungk, R. *see* Tobisch, J. 86−24710
Sprusa, V.V. *see* Pokhitailo, V.N. 86−39673
Spruyt, H. *see* Capel, A. 88−75743
Spruyt, H. *see* O'Sullivan, D. 88−71729
Sprysa, V.V. *see* Danilovich, M.S. 86−19328
Spulak, R.G., Jr. *see* Wheeler, T.A. 85−43740
Spuller, J. *see* Blackmore, E.W. 85−37839
Spuller, J. *see* Bryman, D.A. 85−37900
Spuller, J. *see* Mes, H. 85−9054
Spunda, I. Methods and equipment for enhancement of radioscopy image quality 88−53590
Spundflasche, R. Modular workstation 88−47403
Spurdens, P.C., Hockly, M. A TEM study of GaInAsP/InP heterojunctions grown by atmospheric pressure MOVPE 87−268
Spurdens, P.C. *see* Cooper, D.M. 88−45413
Spurdens, P.C. *see* McIlroy, P.W.A. 87−53984
Spurdens, P.C. *see* Moss, R.H. 85−5978, 85−10687, 86−13767
Spurdens, P.C. *see* Nelson, A.W. 85−35759, 86−40730
Spurgin, A.J., Hannaman, G.W., Lukic, Y., Worledge, D.H. Impact of a behavior model of the control-room crew on plant transient analyses [power plants] 85−59848
Spurgin, A.J. *see* Hannaman, G.W. 85−43799, 86−51316
Spurio, M. *see* Calicchio, M. 88−29811
Spurlin, W., Voci, J. WGBH-FM: host to a first [live direct-to-local station digital audio broadcast] 86−49773
Spurling, J.O.N. A computerised Radio Frequency Management System 85−8310
Spurling, K.L., Poitras, A.E., McGranaghan, M.F., Shaw, J.H. Analysis and operating experience for back-to-back 115 kV capacitor banks 88−24173
Spurney, H. The reality of standards in local are networking 86−69481
Spurny, F. Solid state nuclear track detectors in high energy particle dosimetry 87−29618
Spurny, F. Neutron sources for biology and medicine, their dosimetric characteristics 87−35314
Spurny, F. Dosimetry of relativistic charged particle beams with solid state detectors. I. Methodology 87−35364
Spurny, F., Bordy, J.M., Medioni, R., Portal, G., Turek, K. Development of fast neutron detector for multielement personal neutron track dosimeter 87−21693
Spurny, F., Pinak, M., Turek, K. On the use of CR-39 SSNTD as a fast neutron personal dosemeter 88−23132
Spurny, F., Turek, K. Personal neutron dosimetry with Kodak CN-85 solid state nuclear track detector 88−23133
Spurny, F., Turek, K., Votockova, I., Simunkova, N. Depth dose measurement in a cyclotron neutron beam with nuclear track detectors 85−38265
Spurny, F., Votockova, I. Neutron dosimetry with ionization chambers. V. Measurements in pulsed radiation beams 85−64645
Spurny, F., Votockova, I. Neutron dosimetry with ionization chambers. VI. Response of chambers of low energy photons 86−38697
Spurny, F., Votockova, I., Turek, K. Dosimetry of relativistic charged particle beams with solid state detectors. II. Protons 87−35334
Spurny, F., Votockova, I., Turek, K., Simunkova, N. Dosimetry of relativistic charged particle beams with solid state detectors. III. Helium and carbon nuclei 87−41849
Spurny, F. *see* Prouza, Z. 87−35315
Spurny, K.R. *see* Jamil, K. 87−29665
Spurny, R. Standard balances with upper scale limits up to 10 kg 87−29318
Spurr, K.J.W. *see* Bury, K.V. 86−19154
Spurrier, F.R. *see* Kesavan, K. 87−42621
Spurrier, J.D. *see* Padgett, W.J. 86−239
Spurrier, J.H. Run a 68008 based 1 board computer on the STD bus 86−20569
Sputz, S.K. *see* Chand, N. 88−49796
Sputz, S.K. *see* Tu, C.W. 87−36718, 87−73088
Sputz, S.K. *see* Wilson, B.A. 88−38208
Spyk, R.P.van *see* van Spyk, R.P.
Spyra, F. *see* Szendzielorz, A. 88−64015
Spyridelis, J. *see* Kalomiros, J.A. 88−379
Spyrou, N.M. *see* Davies, G. 86−26948
Spyrou, N.M. *see* Grant, J.P. 86−55725, 88−61364
Spyrou, N.M. *see* Kouris, K. 87−36307
Spyrou, S.M. *see* Cristophorou, L.G. 85−1780
Spyrou, S.M. *see* Hunter, S.R. 87−18412
Squadrito, C. *see* Vita, P. 88−34516
Squarcia, S. *see* Anguilar-Benitez, M. 87−71031
Squarer, D. *see* Oehlberg, R.N. 86−25832
Squeff, M.C.J. *see* Douglas, J., Jr. 87−45852
Squibb, N. Broadband−the dominant large site LAN technology 86−37562
Squibb, N. Policing LANs 88−3573
Squibb, N. *see* Willson, R.G. 86−66562
Squibb, N.J. Spread-spectrum LANS−a new form of media access? 88−9212
Squibb, N.J. Preventing data theft on broadband local area networks 88−66976
Squicciarini, M. *see* Scharpf, W. 87−74998
Squicciarini, M.F. *see* Lugiato, L.A. 87−7409
Squier, G.T.A. *see* Brook, F.D. 88−47801
Squier, J. *see* Bado, P. 88−65638
Squier, J.A., Kowalski, F.V., Stanich, M.J. Testing of nonimpact optical printheads 87−47025
Squier, J.A. *see* Kowalski, F.V. 87−61072
Squier, R. *see* Kugelmass, S.D. 88−7707
Squillante, M.R., Farrell, R., Lund, J.C., Sinclair, F., Entine, G., Keller, K.R. Avalanche diode low energy X-ray and nuclear particle detector 86−50347
Squillante, M.R., Reiff, G., Entine, G. Recent advances in large area avalanche photodiodes 85−41267
Squillante, M.R. *see* Entine, G. 88−24855
Squillante, M.R. *see* Frederick, E. 87−50132
Squillante, M.R. *see* Hazlett, T. 86−50346
Squillante, M.R. *see* Lund, J.C. 88−61086
Squire, D.W. *see* Dagata, J.A. 88−13142
Squire, J.S. Electronic step motor damping using bipolar chopper drive circuits 87−30684
Squire, L.C. *see* Lai, E. 86−12063
Squire, M.L. *see* Pearce, P.D. 88−11660
Squire, P.T., Gibbs, M.R.J. Shear-wave magnetometry using metallic glass ribbon 87−35174
Squire, P.T., Gibbs, M.R.J. Fibre-optic dilatometer for measuring magnetostriction in ribbon samples 87−56818
Squire, P.T., Gibbs, M.R.J. Shear-wave magnetometry 88−68010
Squire, P.T. *see* Brugel, D. 88−64969
Squire, P.T. *see* Gibbs, M.R.J. 87−60828
Squires, A.C. A user's view of cellular radio−a large organisation: case study 88−67269
Squires, D., Kmetz, J., Cox, B. A high level DC servo controller implemented as a new generation of ASIC 88−75641
Squires, D., Kmetz, J., Santos, J., Isbell, T. A dedicated IC for DC closed loop position control 87−51283
Squires, D. *see* Santos, J.T. 87−17162
Squires, J. Outsmarting smart interfaces to test Winchester drives 88−64925
Squires, M.L. *see* Deustch, J.T. 87−6811
Squires, P.L. A software phase-detection algorithm 87−68933
Squires, P.L. *see* Bates, R.H.T. 88−27849
Squires, R.W. *see* Szuchy, N.C. 85−4122
Squirrell, R.J. *see* Hammond, C. 88−73759
Squitieri, R., Yu, O., Roach, C. The coming boom in computer loads 87−57596
Squitieri, R. *see* Faruqui, A. 86−25530
Sramkova, T. *see* Trnovcova, V. 87−54005
Srank, Z., Sysala, O., Hajek, B. Luminophors based on silicates 85−41258
Srannek, R., Nandraska, S. Chemical etching of InGaAsP 87−53400
Srapionov, V.A. Mode coupling at the junctions of optical fibers that have a spread in their parameters 87−62949
Srb, N. Production of windings with switching-free strand groups (phase groups) 88−11170
Srb, N. Manufacture of windings with jointless circuit groups (phase groups) 88−11215
Srb, N. *see* Bobetic, Z. 87−43858
Srb, N. *see* Podkrajsek, V. 86−6595, 86−45402
Srb, N. *see* Polak, J. 85−5046, 85−21557, 85−60167
Srb, N. *see* Pollack, J. 87−9512
Srb, N. *see* Pollak, J. 87−15636
Srba, J. A new dawn for concentrators? 86−30470
Srdanovic, M. *see* Soltis, J.J. 87−69385
Srdjan, B., Vladan, J. Precision full-wave rectifier features wide dynamic range and high speed 86−20380
Srdoc, D. *see* Horvatincic, N. 85−38695
Srdoc, D. *see* Krajcar-Bronic, I. 87−14744
Srebnyi, V.I. *see* Ivanov, I.A. 88−24228
Sreckovic, M., Vedlin, B., Backovic, N. Laser damage in silicon 85−2388
Sreckovic, M. *see* Ignjatijevic, D. 86−3254
Sredniak, B. *see* Kalus-Jecek, B. 87−77352
Sredniawa, M. *see* Jarocinski, M. 87−28287
Sredniawski, J.J. *see* Szuchy, N.C. 85−4122
Srednicki, M. A Bayesian analysis of A-B listening tests 88−40768
Sree Rama Murthy, J. *see* Kumar, A.R. 86−59955
Sreedhara Reddy, P., Uthanna, S., Reddy, P.J. Characterization of indium doped zinc oxide films 88−56277
Sreedharan, C.R. *see* Acharya, Y.B. 85−48471
Sreedharan, C.R. *see* Vanugopal, G. 87−63958
Sreedharan, O.M. *see* Azad, A.M. 88−11362
Sreedharan, V.P. An algorithm for nonnegative norm minimal solutions 87−23553
Sreedharan, V.P. A note on the modified Gram-Schmidt process 88−63206
Sreehari Rao, C. *see* Sitarama Raju, D. 88−60299
Sreehari Sastry, S., Sundar Raj, T.F., Satyanandam, G., Jeyraj, M. Dielectric properties of PMMA+HET-1,2-PD polymeric systems 88−71831
SreeHarsha, K.S. *see* Aita, C.R. *(editor)* 86−26511
Sreekanth, J. *see* Yegnanarayana, B. 86−10343
Sreekumar, T. *see* Yegnanarayana, B. 85−13527
Sreenath, K., Feher, K. Comparison of SCPC and TDMA systems [satellite communications] 85−14199
Sreenath, K., Feher, K. Effects of amplifier nonlinearities on the performance of digital radio systems 87−28369
Sreenath, K., Sasase, I., Feher, K. Performance comparison of high level QAM & QPRS schemes in nonlinear radio channels 87−33590
Sreenivas, K., Mansingh, A. The growth and structure of RF sputtered indium tin oxide thin films 85−54482
Sreenivas, K., Mansingh, A. Preparation and characterization of RF sputtered BaTiO$_3$ thin films 87−52208
Sreenivas, K., Sudersena Rao, T., Mansingh, A., Chandra, S. Preparation and characterization of RF sputtered indium tin oxide films 85−22526
Sreenivas, K. *see* Mansingh, A. 87−53310
Sreenivas, R.S. T-complement Petri nets 88−31653
Sreenivas, T.V. Modelling LPC-residue by components for good quality speech coding 88−66375
Sreenivasan, V.K. Prediction of the thermal behaviour of duty-cycling TEFC motors 87−22350
Sreeram, A. *see* Wali, U.V. 87−45043
Sreeram, V. *see* Bhat, A.K.S. 88−24998
Sreetharan, M., Langenbacher, F. A dual-processor-based digital controller for application in a Rankine cycle energy recovery system 88−31160
Sreetharan, M., Stubblefield, R., Subramaniam, S. Architecture of a multiprocessor-based high speed communications processor 88−52661
Sreseli, O.M. *see* Belyakov, L.V. 86−58321, 87−17854, 87−60174, 88−13025
Sresty, G.C. *see* Broz, J.S. 86−39283
Sretenskii, V.N. Metrological problems in microelectronics 86−2274
Sretenskii, V.N. *see* Bakhtin, P.A. 86−2633
Sretenskiy, V.N. *see* Devyatkov, N.D. 85−40397, 86−19875
Sribar, J. *see* Zelic, G. 88−32993
Sribi, C. *see* Barriere, A.S. 88−38244
Sridevi, D., Prasad, J.J.B., Reddy, K.V. Preparation and characterization of flash-evaporated CuInSe$_2$ thin films 87−299
Sridevi, D., Reddy, K.V. Electrical conductivity and optical absorption in flash-evaporated CuInTe$_2$ thin films 87−1226
Sridevi, D. *see* Prasad, J.J.B. 86−15125
Sridevi, D. *see* Rao, D.K. 86−47520
Sridhar, B., Cheng, V.H.L. Computer vision techniques for rotorcraft low-altitude flight 88−61530
Sridhar, C.G., Chow, R., Nocerino, G. Sputter deposition of refractory metal silicides from cold-pressed vacuum-sintered targets 86−62263
Sridhar, C.G., Chow, R., Powell, R.A., Stellrecht, D.E. High-power sputter deposition of tantalum silicide films form a composite target 86−26894
Sridhar, C.G., Hodul, D.T., Chow, R. Characterization of tungsten silicide films deposited from ultrahigh density composite target 87−5496
Sridhar, C.S., Devarajan, G., Aatre, V.K. Feature extraction using median filtering technique 88−34779
Sridhar, C.S. *see* Saseendran Pillai, P.R. 86−38976
Sridhar, K. *see* Swaminasthan, M.K. 85−15083
Sridhar, K.T., Bharadwaj, R. CSP as a formal description technique for OSI protocols 88−9232
Sridhar, M.A. Testing permutation network equivalence 88−6375
Sridhar, M.K., Srinath, R., Parthasarathy, K. On the direct parallel solution of systems of linear equations: new algorithms and systolic structures 88−11919
Sridhar, M.R., Kumeresan, R., Agarwal, B.P. Multi processor architecture for communications 85−51939
Sridhar, N. *see* Gupta, K.K. 86−5986
Sridhar, S. Microwave technology and materials research 87−66462

Sridhar, S., Kennedy, W.L. Novel technique to measure the microwave response of high T_c superconductors between 4.2 and 200 K 88−53821

Sridhar, S., Reagor, D., Gruner, G. Complex conductivity measurements between 26 and 110 GHz using complex impedance bridges 86−5479

Sridhar, S. *see* Zahopoulos, C. 88−51416

Sridhar, T. A new parallel test approach for large memories 86−46837

Sridhar, T. A new parallel test approach for large memories 87−6791

Sridhar, T., Ho, D.S., Powell, T.J., Thatte, S.M. Analysis and simulation of parallel signature analyzers 87−70491

Sridhar, T. *see* Bosshart, P. 87−37360

Sridhar, T. *see* Bosshart, P.W. 87−59617

Sridhar, T. *see* Lusky, S.L. 86−46770

Sridhara Murthy, K.R. *see* Thutupalli, G.K.M. 85−48368

Sridhara Rao, G., Vadivel, S., Soundararajan, M. An efficient method of PWM waveform generation using a microprocessor 87−30752

Sridhara Rao, G. *see* Pavithran, K.N. 87−22328

Sridhara Rao, G. *see* Vadivel, S. 87−30513

Sridharan, G. Electro-optical position measurement for active magnetic bearing 85−31593

Sridharan, G. Optical reflectance sensor measures displacement in magnetic suspension 85−37755

Sridharan, K., Zargham, M.R. Dynamic probabilities and message based priority in CSMA-CD 86−49066

Sridharan, K.S., Amaresan, M., Loganathan, N., Anand Kumar, J.S., Harish Naidu, K. Modeling and simulation of auditory evoked potential 86−60795

Sridharan, K.S., Kumar, J.S.A., Naidu, K.H., Mahalakshmi, A. Instrumentation for CNS studies during ECG biofeedback 87−50399

Sridharan, K.S., Mahalakshmi, A., Jayanthi, S., Sugandhi, S. Measuring techniques for detection of human 'mu' rhythm 87−57164

Sridharan, R., Das, S.R., Raghavarao, R. A novel temperature probe for middle atmospheric and meteorological applications 88−10545

Sridharan, R. *see* Raju, V. 85−3305, 88−28252

Sridharan, S. Pilot plant for MHD power generation−research programme of Bharat Heavy Electricals Limited (INDIA) 85−15959

Sridharan, S. Implementation of state-space digital filter structures using block floating-point arithmetic 87−59763

Sridharan, S. On improving the performance of digital filters designed using the TMS32010 signal processor 87−66388

Sridharan, S., Dickman, G. Block floating-point implementation of digital filters using the DSP56000 88−63805

Sridharan, S., Manjunath, K.B., Manohara, K., Murthy, V.S. Wake Simulation Laboratory at Central Power Research Institute 88−68967

Sridharan, S., Somasundaram, S.K., Sundaram, K.V.S. Retrofitting MHD system to existing thermal power plant−an investigation into its feasibility in India 86−65899

Sridharan, S., Williamson, D. Implementation of high-order direct-form digital filter structures 87−899

Sridharan, S. *see* Rajaram, R. 88−49158

Sridharan, S. *see* Williamson, D. 85−46797, 85−55040, 86−1270, 86−16366, 87−7733

Sridharan, T.R., Kulasekaran, K., Ramchandran, K. A solution to rural communication problems 88−59465

Sriffler, C.D. *see* Booske, J.H. 88−27206

Srigouri, K., Ramaprabhu, S., Prasada Rao, T.A. Vapour pressure equation for metal halides used in double pulse lasers 87−26272

Srigouri, K., Ramaprabhu, S., Prasada Rao, T.A. Resonance radiation trapping effects in copper and manganese lasers 87−33086

Sriharan, S. Note on the synchronous machine sudden short-circuit problem 86−45369

Sriharan, S., Hiong, K.W. Synchronous machine modelling by standstill frequency response tests 87−64550

Srihari, S.N. Pyramid representations for solids 85−25156

Srihari, S.N., Zack, G.W. Document image analysis 87−48128

Srihari, S.N. *see* Hardas, D.M. 85−19522

Srihari, S.N. *see* Kumar, R. 86−44655

Srihari, S.N. *see* Palumbo, P.W. 87−47963

Srihari, S.N. *see* Taie, M.R. 87−37659, 87−44487, 87−45402

Srikanta Kumar, P.R. On optimal flows in circuit-switched network 85−42026

Srikanta Kumar, P.R., Merakos, L. Distributed control of broadcast channels with acknowledgement feedback: stability and performance 85−57572

Srikanta Kumar, P.R., Vastola, K.s. Flows in circuit-switched and integrated networks 86−16762

Srikanta Kumar, P.R., Young, G.K. Distributed optimal sampling with asynchronous communication 86−64395

Srikanta Kumar, P.R. *see* Arieh Cimet, I. 87−20217

Srikantaiah, D.V., Philip, T., Wilson, W.W. Velocity measurements in MHD flows using a remote controlled laser velocimeter 85−20757

Srikantaiah, D.V., Philip, T., Wilson, W.W. Dedicated microprocessor system to control laser Doppler velocimetry measurements and to reduce data 88−53940

Srikantakumar, P.R. *see* Seshadri, N. 85−57553

Srikanth, K., Ashok, S. A Schottky barrier study of beam incidence in argon ion beam etching 88−50665

Srikanth, S., Pathak, P.H., Chuang, C.D. Hybrid UTD-MM analysis of the scattering by a semicircular cylinder 85−13098

Srikanth, S., Pathak, P.H., Chuang, C.W. Hybrid UTD-MM analysis of the scattering by a perfectly conducting semicircular cylinder 87−12694

Srikanthan, S., Chand, R., Pande, M.M. Common-mode interference reduction in seismic recording using a programmable signal processor 86−50136

Srikanthan, S. *see* Pande, M.M. 87−57323

Srikantiah, G.S. *see* Kalra, S.P. 85−38771

Srikrishna, K. *see* Palanichamy, C. 88−5280, 88−23592

Srikrishnan, K.V., Totta, P.A. Multilevel VLSI interconnection−an optimum approach? 86−58496

Srikrishnan, K.V. *see* Shatzkes, M. 85−6771

Srimani, P.K. *see* Mishra, S. 88−35182

Srimani, P.K. *see* Sinha, B.P. 86−57347

Srinath, G. *see* Burns, J. 88−31944

Srinath, M.D., Nasburg, R.E., Peacock, G.S. Distance functions using density estimates 85−30449

Srinath, M.D. *see* Brumback, B.D. 87−55078, 88−30099

Srinath, M.D. *see* Eggerton, J.D. 85−41994, 87−2569, 87−13056 to 13057

Srinath, M.D. *see* Gupta, L. 87−19969, 87−69302, 88−59248

Srinath, M.D. *see* Mort, M.S. 88−66723

Srinath, M.D. *see* Rezaie, B. 85−25153

Srinath, N.K. *see* Wilson, S.G. 85−19313

Srinath, R. *see* Sridhar, M.K. 88−11919

Srini, V.P. Architecture comparison of two MIPS 85−17507

Srini, V.P., Murphy, R.A. IPC in UNIX using a restricted TCP/IP 85−19864

Srini, V.P., Tam, J., Nguyen, T., Chen, C., Wei, A., Testa, J., Patt, Y.N., Despain, A.M. VLSI implementation of a PROLOG processor 87−66259

Srini, V.P., Tam, J.V., Nguyen, T.M., Patt, Y.N., Despain, A.M., Moll, M., Ellsworth, D. A CMOS chip for Prolog 88−25280

Srinivas, A., Ramar, K. A new time domain method for stable power system stabilizer design with output feedback 88−5256

Srinivas, D.N. *see* Lee, Y.S. 86−64938

Srinivas, K.T. *see* Shankaranarayanan, N.K. 88−39946

Srinivas, M.K., Nandy, S.K., Moona, R. Implementation issues of a two-layer block router based on Lee's algorithm on personal computers 88−18874

Srinivas, N. *see* Wojcik, A.S. 85−148

Srinivas, N.C. *see* Mehmood, Z. 88−24930

Srinivas, N.C.E., Agrawal, V.D. Prove: Prolog based verifier 87−37222

Srinivas, N.C.E., Agrawal, V.D. Formal verification of digital circuits using hybrid simulation 88−38430

Srinivas, N.C.E., Wojcik, A.S., Levendel, Y.H. An artificial intelligence based implementation of the P-algorithm for test generation 87−31841

Srinivas, N.C.E. *see* Taylor, S.L. 88−26437

Srinivas, S. *see* Biswas, N.N. 88−25111

Srinivas, T. *see* Ramaswamy, M.A. 87−71228

Srinivas, T.K. *see* Helsing, D.V. 85−20459

Srinivas Kumar, S. *see* Chandra Mouly, M.C. 85−36084

Srinivasa, K.V., Balachandra, T.C., Nagabhushana, G.R. Prebreakdown conduction in vacuum gaps under 50 Hz alternating voltages 87−37774

Srinivasa, K.V., Nagabhushana, G.R. Prebreakdown conduction in vacuum gaps under 50 Hz excitation 85−35231

Srinivasa, K.V., Nagabhushana, G.R. Prebreakdown conduction in vacuum gaps under switching impulse excitations 86−9319

Srinivasa, N., Amarnath, N.S., Ramakrishnan, K.R., Rajgopal, K. On detecting edges from projection data 88−28084

Srinivasa, N., Krishnan, V., Ramakrishnan, K.R., Rajgopal, K. Image reconstruction from truncated projections: a linear prediction approach 87−27633

Srinivasa, N., Rajgopal, K., Ramakrishnan, K.R. On the programmable signal processor for VLSI 87−61968

Srinivasa, N., Ramakrishnan, K.R., Rajgopal, K. Two dimensional spectral estimation: a Radon transform approach 87−62024

Srinivasa, N., Ramakrishnan, K.R., Rajgopal, K. Two-dimensional spectral estimation: a Radon transform approach 87−69112

Srinivasa, N., Ramakrishnan, K.R., Rajgopal, K. Adaptive noise cancelling in computed tomography 88−66770

Srinivasa, R., Panish, M.B., Temkin, H. Control of orientation of CdTe grown on clean GaAs and the reconstruction of the precursor surfaces 87−58918

Srinivasa Moorthy, S.A. A simple digital Sruthi box 88−15851

Srinivasa Moorthy, S.A. *see* Hebbar, K.M. 86−14310

Srinivasa Murty, N., Jawalekar, S.R. Fabrication and characterization of SnO_2Si heterojunction solar cells 85−27651

Srinivasa Rao, K., Abraham Mathew, M., Sai Prasad, R., Srinivasan, T.M. A time-of-flight method for ultrasonic tomography 86−65403

Srinivasam, R. *see* Bahel, V. 87−4126

Srinivasamoorthy, V.R., Anandam, C. New transverse surface waves in piezoelectric (622) crystal class 86−15298

Srinivasamurthy, N., Sudhakar, M., Agrawal, B.L., Gopalan, A.U. Design and fabrication of Stretched Rohini Satellite-1 solar array 87−77806

Srinivasamurthy, N., Sudhakar, M., Sharma, S.K., Agrawal, B.L. State-of-the-art of solar cell welding technology at ISRO-experiences and future plans 88−5893

Srinivasamurthy, N. *see* Kanthimathinathan, T. 85−26865

Srinivasan, B., Ananda, A.L. A simple file server for a terminal support network environment 87−28049

Srinivasan, B. *see* Ananda, A.L. 85−13877

Srinivasan, G., Booth, J.G., Patton, C.E. Characterization of magnetostatic wave devices by Brillouin light scattering 88−51355

Srinivasan, G., Patton, C.E. Direct detection of magnetostatic wave excitations in magnetostatic wave device structures by Brillouin light scattering 86−9420

Srinivasan, G., Patton, C.E. Direct observation of surface wave excitations in magnetostatic wave devices 86−36061

Srinivasan, G., Patton, C.E., Emtage, P.R. Brillouin light scattering on yttrium iron garnet films in a magnetostatic wave device structure 87−59854

Srinivasan, G. *see* Shealy, D.L. 88−64140

Srinivasan, G. *see* Zhang, Y.T. 87−49905

Srinivasan, G.M. *see* Berchmans, A.J. 85−4504

Srinivasan, G.R. Modeling and applications of silicon epitaxy 85−403

Srinivasan, G.R. CVD epitaxial autodoping in bipolar VLSI technology 85−10749

Srinivasan, G.R. CVD epitaxial autodoping in bipolar VLSI technology 85−23666

Srinivasan, G.R. Recent advances in silicon epitaxy and its application to high performance integrated circuits 85−39759

Srinivasan, G.R. CVD epitaxial autodoping in bipolar VLSI technology 86−28472

Srinivasan, G.R., Meyerson, B.S. Current status of reduced temperature silicon epitaxy by chemical vapor deposition 87−73132

Srinivasan, G.R. *see* Havas, J. 85−40820

Srinivasan, G.R. *see* Knepper, R.W. 85−55780

Srinivasan, G.R. *see* O'Brien, R.R. 85−55781

Srinivasan, G.R. *see* Wong, M. 85−34731

Srinivasan, G.S. *see* Damodara Das, V. 85−12314

Srinivasan, K. Errors in digital measurement of voltage, active and reactive powers and an on-line correction for frequency drift 87−35703

Srinivasan, K. Acquisition of frequency, voltage, active and reactive powers with asynchronous multiplexed sampling 87−77122

Srinivasan, K., St-Jacques, A. Effect of intermediate and remote-end loads on fault location in sub-transmission lines 88−23490

Srinivasan, K. *see* Nguyen, C.T. 85−4700

Srinivasan, K.N., Shanmugam, N.V., Selvam, M., John, S., Shenoi, B.A. Electrolytic stainproofing of copper foils for printed circuit applications 86−20969

Srinivasan, K.Y. *see* Sood, A.K. 87−20267

Srinivasan, L. *see* Lord, W. 85−10894

Srinivasan, M., Earl, M. Quality assurance in manufacturing high-performance ceramics 87−59019

Srinivasan, M.M. *see* Chiarawongse, J. 88−3618, 88−66997

Srinivasan, M.P. *see* Kowel, S.T. 88−1500

Srinivasan, M.P. *see* Zhou, G.-G. 88−53615

Srinivasan, M.R. Why India opts for nuclear energy 85−27165

Srinivasan, M.R. Transfer of nuclear technology: the Indian experience 86−39436

Srinivasan, M.R. Nuclear power−good safety, viability record 88−69105

Srinivasan, N., Narasimhan, M.A., Sen, S., Subbaiyya, S., Kumar, V. An algorithm for a decoupled state estimator using line flows 88−23243

Srinivasan, N., Prakasa Rao, K.S., Indulkar, C.S. Economic dispatch using a constant sensitivity matrix 85−9415

Srinivasan, N., Prakasarao, K.S., Indulkar, C.S. Load shedding and generation rescheduling using sensitivity relations in power systems 85−32098
Srinivasan, N., Prakasa Rao, K.S., Indulkar, C.S. A novel method for filtering and ranking of critical contingencies [power systems] 85−43525
Srinivasan, N., Prakasa Rao, K.S., Indulkar, C.S. Simulation of line and transformer outages in power systems using constant-sensitivity matrix 87−35564
Srinivasan, N., Prakasa Rao, K.S., Indulkar, C.S., Venkata, S.S. On-line computation of phase shifter distribution factors and lineload alleviation [power systems] 85−59607
Srinivasan, R. Distributed radar detection theory 86−23946
Srinivasan, R. A theory of distributed detection 87−19724
Srinivasan, R. Image restoration by spatial filter design 87−47988
Srinivasan, R. Data network for India 87−76351
Srinivasan, R. Interpolation of stereo data with Shepard's surfaces 88−46235
Srinivasan, R., Cannon, M., White, J. Destriping of Landsat data using power spectral filtering 87−69328
Srinivasan, R., Patnaik, L.M. Two algorithms for three-layer channel routing 85−18373
Srinivasan, R., Ramakrishnan, K.R., Sastryy, P.S. A contour based stereo algorithm 87−62383
Srinivasan, R., Rao, K.R. Predictive coding based on efficient motion estimation 85−13639
Srinivasan, R., Rao, K.R. Predictive coding based on efficient motion estimation 85−63096
Srinivasan, R., Rao, K.R. Teleconferencing 86−24178
Srinivasan, R., Rao, K.R. Motion compensated coder for videoconferencing 87−20291
Srinivasan, R., Rao, K.R. Motion-compensated coder for videoconferencing 87−41263
Srinivasan, R., Rao, K.R. Videoconferencing 88−29151
Srinivasan, R., Sharma, P., Malik, V. Distributed detection of Swerling targets 87−13750
Srinivasan, R., Usha, S. Auxiliary coils for generating magnetic field gradients for a Faraday magnetometer 87−49898
Srinivasan, R. *see* Bahel, V. 87−51643, 88−31218
Srinivasan, R. *see* Cuomo, J.J. 85−1849
Srinivasan, R. *see* Dommermuth, F.H. 87−40982
Srinivasan, R. *see* Dreyfus, R.W. 88−7490
Srinivasan, R. *see* Raveendra, K.R. 87−61562
Srinivasan, S., Jain, A.K., Chin, T.M. Cosine transform block codec for images using TMS32010 86−70091
Srinivasan, S., Palaniswamy, K., Natarajan, A.E. Machine recognition of Indian language characters using a tree structure based on primitives 87−48161
Srinivasan, S., Ticianelli, E.A., Derouin, C.R., Redondo, A. Advances in solid polymer electrolyte fuel cell technology with low platinum loading electrodes 88−49124
Srinivasan, S. *see* Farrelle, P.M. 87−19760
Srinivasan, S. *see* Kuhlman, J.M. 87−17587
Srinivasan, S. *see* Lucas, D. 87−59396
Srinivasan, S. *see* Natarajan, T.S. 85−32954
Srinivasan, S. *see* Prabhakar Rao, P. 87−3439
Srinivasan, S. *see* Swaminathan, G. 87−78731
Srinivasan, S. *see* Tomantschger, K. 86−33642
Srinivasan, S. *see* Mahabala, H.N. *(editor)* 85−22081
Srinivasan, T.K. Closer operational integration of EHV and 132 kV, 66 kV networks for high reliability and optimum demand management 85−15562
Srinivasan, T.M. *see* Rao, R.C. 86−56082
Srinivasan, T.M. *see* Sai Prasad, R. 87−41928
Srinivasan, T.M. *see* Srinivasa Rao, K. 86−65403
Srinivasan, T.T. *see* Madhavan, C. 88−61323
Srinivasan, T.T. *see* Nies, C.W. 88−52241
Srinivasan, T.V. *see* Krishnan, M.P. 88−21522
Srinivasan, V., Babu, S.V. Cross-linking photoresists: effect of frequency of radiation on uniformity of cross-linking and contrast 85−23621
Srinivasan, V., Babu, S.V. Effect of process parameters on the contrast of positive photoresists: calculation 87−11502
Srinivasan, V., Babu, S.V. Modeling the dependence of photoresist contrast and linewidth on processing variables 87−11903
Srinivasan, V., Liu, H.C., Halioua, M. Automated phase-measuring profilometry of 3-D diffuse objects 85−4108
Srinivasan, V., Mishra, L.N. Renewable energy sources and efforts of MPEB in the field of application 88−5605
Srinivasan, V. *see* Babu, S.V. 86−1887, 86−8925
Srinivasan, V. *see* Banerji, N.K. 87−71772, 88−6060
Srinivasan, V. *see* Jain, N.C. 86−45466
Srinivasan, V. *see* Prakash, K.V.S. 87−63030
Srinivasan, V.S., Singer, J. Evaluation studies on carbon supported catalysts for oxygen reduction in alkaline medium 88−17923
Srinivasu, B. *see* Singh, S.K. 87−36540
Srinivasulu Naidu, B. *see* Syamalamba, Y. 86−41553
Srinivasulu Naidu, B. *see* Venkateswara Rao, L. 86−41552
Sriniwas, K.S. *see* Thakur, D.K. 87−38237
Srinvasu, B. *see* Singh, S.K. 87−36539
Sripad, A.B., Smith, J.W. Performance of the cyclic redundancy check code in the new 1.544-Mb/s extended framing format 85−41859
Sripad, A.B. *see* Kremer, W. 87−13513
Sriraghavan, S.M. *see* Hilloowala, R.M. 86−67021
Sriram, A.R. *see* Nair, S.K. 86−53307
Sriram, K., Lucantoni, D.M. Traffic smoothing effects of bit dropping in a packet voice multiplexer 88−52647
Sriram, K., Whitt, W. Characterizing superposition arrival processes and the performance of multiplexers for voice and data 86−54611
Sriram, K., Whitt, W. Characterizing superposition arrival processes in packet multiplexers for voice and data 87−13171
Sriram, R., Nagaraj, Y.R. Use of multi-circuit transmission line towers for EHV lines 87−57672
Sriram, S. Improved manufacturing techniques to obtain high yield in the production of optoelectronic components 86−63736
Sriram, S. Novel V-groove structures on silicon 87−12232
Sriram, S., Das, M.B. An experimental study of backgating effects in GaAs MESFETs 86−9160
Sriram, S., Salzberg, J., Keur, M. Integrated optical devices in $LiNbO_3$ 87−54088
Sriram, S., Supertzi, E.P. Novel V-groove structures on silicon 85−50980
Sriram, S. *see* Bristow, J.P.G. 88−51530, 88−51555, 88−53712
Sriram, S. *see* Chang, P.C. 88−51472
Sriram, S. *see* Fried, J. 85−40855
Sriram, S. *see* Leone, E.A. 88−7935
Sriram, S. *see* Mentzer, M.A. 85−29732, 85−41200
Sriram, S. *see* Sellers, G.J. 87−38851
Sriram, S. *see* Wey, A.C.T. 88−51574 to 51575
Srirama Rao, M. *see* Niranjan, K. 86−36714
Sriraman, R., Koplowitz, J., Mohan, S. Tree searched chain coding for subpixel reconstruction of line drawings 86−64203
Srirangapatna, N.P. A conceptual-level, semantic data model for integrated design databases 88−31947
Srisailam, M.C. *see* Sivaramakrishnan, A.Y. 86−18704
Srisuchinwong, B. *see* Pookaiyaudom, S. 88−18967
Sritharan, S., Collins, G.J., Fukumoto, J., Szluk, N., Jones, K.M., Al-Jassim, M.M. The effect of channel-protect oxide on laser recrystallized silicon-on-insulator MOS devices 88−13411
Sritharan, S., Solanki, R., Collins, G.J., Fukumoto, J., Szluk, N., Ellsworth, D. Latchup free lateral CMOS on laser recrystallized silicon 87−18331
Sritharan, S. *see* Ganousis, D. 86−68005
Srivas, M.K. *see* Gopalakrishnan, G.C. 87−38438
Srivastav, A.K. *see* Sen, D.K. 85−52243
Srivastav, R.P. *see* Driscoll, M.A. 86−13708
Srivastava, A. N-MOS JK master/slave flip flop design for use in high speed control and counting applications 86−52806
Srivastava, A. Threshold voltage dependence on channel length in small geometry MOSFETs 87−38309
Srivastava, A. Effect of polysilicon-silicon interface recombination velocity on current transport properties of poly-emitter transistors 88−50818
Srivastava, A. Second law (exergy) analysis of various types of coal 88−69091
Srivastava, A., Eftekhari, G., Audenaerde, K. Instructional programs in microelectronics and VLSI design at SUNY, New Paltz 87−58592
Srivastava, A., Gupta, S.N., Shekhar, C. Computer-aided design of an eight bit binary counter N-MOS chip for large scale integration (LSI) 85−7096
Srivastava, A., Paveri-Fontana, S.L. Numerical experiments on the rational Runge-Kutta method 87−16540
Srivastava, A., Singh, S., Pavate, K.D. Computer-aided design of an *n*-MOS custom IC 'Subscriber Chip' of the 32-lines microprocessor based PAX (private automatic exchange) system 85−50698
Srivastava, A. *see* Chelluri, B. 87−23623, 87−36737
Srivastava, A. *see* Dolins, S.B. 88−41961
Srivastava, A. *see* Wadhawan, O.P. 85−50699
Srivastava, A.K., DeWinter, J.C., Caneau, C., Pollack, M.A., Zyskind, J.L. High performance GaInAsSb/GaSb *p-n* photodiodes for the 1.8−2.3 μm wavelength range 86−48259
Srivastava, A.K., Zyskind, J.L., Lum, R.M., Dutt, B.V., Klingert, J.K. Electrical characteristics of InAsSb/GaSb heterojunctions 86−63071
Srivastava, A.K., Zyskind, J.L., Lum, R.M., Dutt, B.V., Klingert, J.K. Band discontinuities at InAsSb/GaSb heterojunctions 87−1259
Srivastava, A.K. *see* Bowers, J.E. 86−31424
Srivastava, A.K. *see* Caneau, C. 85−62557, 86−63806, 87−7348
Srivastava, A.K. *see* Chandvankar, S.S. 88−38164
Srivastava, A.K. *see* Srivastava, R. 86−7621
Srivastava, A.K. *see* Wood, H.C. 87−49831
Srivastava, A.K. *see* Zyskind, J.L. 87−52117, 88−15479
Srivastava, A.P. *see* Tripathi, A. 85−18112
Srivastava, B.B. *see* Chandra, S. 86−45675
Srivastava, B.B. *see* Naman, S.A. 85−39200
Srivastava, C.K. *see* Johri, G.K. 88−10177
Srivastava, D.N. Behaviour of an intrinsic fission-couple in a long duration neutron pulse 85−4212
Srivastava, G. Managing local area networks [medical library] 88−59651
Srivastava, G.P., Sharma, K.K., Bhatnagar, P.K., Ojha, V.N., Dhariwal, S.R. Al-Si peaked Schottky barriers 87−45708
Srivastava, G.P., Tripathi, K.N., Sehgal, N.K. Effect of laser irradiation on the electrical properties of amorphous germanium films 86−63049
Srivastava, G.P. *see* Chilana, G.S. 85−61888, 86−41740
Srivastava, G.P. *see* Das, S.K. 86−64101
Srivastava, G.P. *see* Dhariwal, S.R. 85−23386
Srivastava, G.P. *see* Gupta, K.K. 86−5986
Srivastava, G.P. *see* Gupta, R.S. 86−58444, 87−1304
Srivastava, G.P. *see* Sharma, K.K. 85−50313
Srivastava, G.P. *see* Vishen, A. 86−42899
Srivastava, G.S. *see* Goel, R.C. 87−64471
Srivastava, G.S. *see* Gupta, P.P. 88−70176
Srivastava, G.S. *see* Khan, A.M. 88−30276
Srivastava, H.M. *see* Buschman, R.G. 87−230
Srivastava, H.O. Information system for management of maintenance. Development of repair vs. replacement models 85−20296
Srivastava, H.O. A system approach to replacements in AIR [All India Radio] 85−63782
Srivastava, H.O. Data base management system in AIR [All India Radio] 86−59972
Srivastava, H.O. Integrating computer systems into broadcast organisations 88−74090
Srivastava, J. *see* Ramamoorthy, C.V. 86−55007, 86−64789, 87−56017
Srivastava, J. *see* Shirakura, T. 88−14704
Srivastava, J.K., Irene, E.A. A measurement of the effect of intrinsic film stress on the overall rate of thermal oxidation of silicon 86−21396
Srivastava, J.K., Supe, S.J. The thermoluminescence characterisation of a LiF(Mg, Cu, P) phosphor 88−45290
Srivastava, J.K. *see* Choi, S.S. 87−37864
Srivastava, J.K. *see* Ravindra, N.M. 87−1427, 87−53412
Srivastava, J.P., Lal, D. Subscriber line testing in E-10B system 86−69537
Srivastava, J.P. *see* Ramanujam, J. 86−69529, 86−69535
Srivastava, K.B. Some results in the theory of interpolation using the Legendre polynomial and its derivative 86−62093
Srivastava, K.D., van Heeswijk, R.G. Dielectric coatings−effect on breakdown and particle movement in GITL systems 85−32120
Srivastava, K.D. *see* Anis, H. 85−24016
Srivastava, K.D. *see* Chakrabarti, A.K. 88−1821
Srivastava, K.D. *see* Chisholm, W.A. 86−6418, 86−12479
Srivastava, K.D. *see* de Tarso Medeiros, P. 87−25671
Srivastava, K.D. *see* Maller, V.N. 85−24006, 86−6394, 88−7766
Srivastava, K.D. *see* Morcos, M.M. 85−29371
Srivastava, K.D. *see* Mousa, A.M. 86−34002, 88−75198
Srivastava, K.D. *see* Naidu, S.R. 88−26588
Srivastava, K.D. *see* Neilson, J.B. 88−44913
Srivastava, K.D. *see* Salama, M.M.A. 85−27463
Srivastava, K.D. *see* Sudhakar, C.E. 87−25674
Srivastava, K.K. *see* Lakshminarayan, K.N. 86−8812
Srivastava, K.K. *see* Verma, R. 85−26455
Srivastava, K.N., Singh, L.P. Economic load scheduling of hydro-thermal system including transmission losses 88−5281
Srivastava, M.C. *see* Karan, B.M. 87−898, 87−45020
Srivastava, N., Fei-Jian Wu, Lang, T., Chalsen, M. Automatic and flexible die placement system 88−1299
Srivastava, O.N. *see* Chandra, S. 85−44766
Srivastava, O.N. *see* Janam, R. 85−34548, 86−51906
Srivastava, O.N. *see* Prasad, G. 87−16557, 88−62559
Srivastava, O.N. *see* Rao, M. 87−22723
Srivastava, P.C., Tolpadi, A., Tripathi, D. Some studies on Pd-Si Schottky diode 85−55765
Srivastava, P.C. *see* Chandra, S. 85−23482
Srivastava, R. Equivalent-step-index parameters in single-mode fibers: measurement and applications 85−41117
Srivastava, R., Kao, C.K., Ramaswamy, R.V. WKB analysis of planar surface waveguides with truncated index profiles 88−20406

Srivastava, R., Ramaswamy, R.V., Cheng, H.C., Zhenguang, H. Fabrication and characterization of single-mode glass waveguides 88−51536
Srivastava, R., Srivastava, A.K. On fuzzy Hausdorffness concepts 86−7621
Srivastava, R. *see* Campos, A.C. 85−7236
Srivastava, R. *see* Das, U.K. 87−26002
Srivastava, R. *see* Dasgupta, K. 88−2183
Srivastava, R. *see* deCampos, A.C. 87−3203
Srivastava, R. *see* Franzen, D.L. 86−22118
Srivastava, R. *see* Najafi, S.I. 86−58742
Srivastava, R. *see* Pandey, B.N. 86−315, 88−11840
Srivastava, R. *see* Ramaswamy, R.V. 88−51496, 88−65304, 88−65315, 88−65332, 88−72094
Srivastava, R. *see* Sharma, R.P. 85−34499
Srivastava, R. *see* Varshney, R.K. 87−25922
Srivastava, R. *see* Vershney, R.K. 88−72008
Srivastava, R.D. *see* Farber, M. 85−16265
Srivastava, R.K., Choudhury, M.A., Quaicoe, J.E., Rahman, M.A. Microcomputer implementation of delta modulation technique for inverter operation 88−30905
Srivastava, R.K., Mahendra, S.N. A modified finite difference field analysis of a longitudinal flux linear induction motor 88−23976
Srivastava, R.S. *see* Howell, R. 88−48373
Srivastava, R.S. *see* Joshi, D.P. 85−6693, 85−18105, 86−42404
Srivastava, R.S. *see* Sharma, S.K. 87−26171, 87−68259, 87−74911
Srivastava, S. *see* Bose, S.C. 87−53722, 88−19959
Srivastava, S. *see* Shekhar, C. 87−38545
Srivastava, S.C. *see* Nanda, J. 85−32133, 87−64087, 88−75068
Srivastava, S.K., Ahuja, N. An algorithm for generating octrees from object silhouettes in perspective views 88−28133
Srivastava, S.K., Walsh, J. An analysis of the second-order Doppler return from the ocean surface 86−32559
Srivastava, S.K., Walsh, J. An analytical model for the HF backscattered Doppler spectrum for the ocean surface 86−65541
Srivastava, S.K. *see* Gopal, R. 86−9082, 86−66326
Srivastava, S.K. *see* Howell, R. 88−48373
Srivastava, S.K. *see* Khakoo, M.A. 85−11832
Srivastava, S.K. *see* Singh, R.K. 85−34661
Srivastava, S.K. *see* Walsh, J. 86−65538, 87−28655, 87−54531, 88−52221
Srivastava, S.L. *see* El Hassan Ben Mohammed, M. 85−8773
Srivastava, S.L. *see* El-Hassan Ben Mohammed, M. 85−8772
Srivastava, S.N. *see* Kumar, M. 87−15414
Srivastava, S.P. *see* Singh, B. 88−55305
Srivastava, V., Carter, R.G. Effect of boundaries on the space charge potential in coupled cavity travelling wave tubes 87−6332
Srivastava, V.C. D-T axicell magnet system for MFTF-α+T 85−1894
Srivastava, V.C. High-performance TF coil design for the Tokamak Fusion Core Experiment (TFCX) 85−56242
Srivastava, V.C., O'Toole, J.A. MFTF-α+T end plug magnet design 85−1901
Srivastava, V.K., Fahim, A. *k*-out-of-*m* system availability with minimum-cost allocation spares 88−70165
Srivastava, V.K., Prakash, R., Talukder, N.K.D. Study of crack growth resistance by ultrasonic technique 86−7865
Srivastava, V.K. *see* Gupta, A. 85−45406
Srivastava, V.Kumar *see* Kumar Srivastava, V.
Srivastava, Y., Widom, A., Friedman, M.H. Microchips as precision quantum-electrodynamic probes 86−15166
Srivastava, Y. *see* Widom, A. 86−36098
Srivastava, Y.N. *see* Widom, A. 85−50542
Srivathsan, K.R. *see* Sharan, R. 87−18171
Srivatsa, K.M.K. *see* Ram, G.V. 88−57616
Srivatsa, S.K., Malaiyarasu, K. On the address inputs of a multiplexer 86−1173
Srivatsa, S.K. *see* Malaiyarasu, K. 85−881
Srivatsan, R., Downing, D.R., Bryant, W.H. Development of a takeoff performance monitoring system 88−5061
Srivisal, C. *see* Chu, G.C. 85−57685
Srivstava, R. *see* Planas, S.A. 85−46180
Sriyudthsak, M., Yamagishi, H., Moriizumi, T. Enzyme-immobilized Langmuir-Blodgett film for a biosensor 88−74803
Sriz, V. The B 589 D monolithic reference voltage source from GDR 87−52366
Srnanek, R., Nandraska, S., Kovac, J. Observation of dislocation etch pits on (001) InGaAsP (λ=1.3 μm) 87−32423
Srnanek, R. *see* Habovick, P. 86−27862
Srnka, A. *see* Jelinek, J. 86−36104
Srobar, F. *see* Prochazkova, O. 86−58922
Srok, W. *see* Hakenjos, U. 88−4504
Sroka, J., Bolkowski, S. Numerical analysis of temperature field of permanently loaded cable line 85−59766
Sroka, J. *see* Bolkowski, S. 86−6813
Sroka, J. *see* Sikora, J. 85−62718, 86−29289, 87−12657, 87−26648, 87−31449, 87−33373
Srokin, V.I. *see* Chernyakova, L.E. 87−353
Srokosz, M.A. On the joint distribution of surface elevation and slopes for a nonlinear random sea, with an application to radar altimetry 86−38967
Srokosz, M.A. *see* Challenor, P.G. 87−57324
Sromicki, J., Quin, P.A., Haeberli, W., Adelberger, E.G., Gossett, C.A., Swanson, H.E., Zeps, V.J. Energy modulations of a polarized proton beam associated with polarization reversal 87−50107
Sromin, A.F. *see* Sukazov, E.A. 85−61489
Sromovsky, L.A. *see* Revercomb, H.E. 88−74964
Sroufe, E. Legal aspects of venture capital financing 86−26549
Srour, J.R., Anderson, S.L. Radiation effects on satellite microelectronics 86−2313
Srour, J.R., Hartmann, R.A. Effects of single neutron interactions in silicon integrated circuits [image sensors] 86−38268
Srour, J.R., Hartmann, R.A., Kitazaki, K.S. Permanent damage produced by single proton interactions in silicon devices 87−32605
Srour, J.R. *see* Hopkins, M.A. 85−18285
Srour, J.R. *see* Shanfield, Z. 86−35319
Srubar, R.L., Cohen, R.L. CFC/ozone/greenhouse issues 88−43654
Srulijes, J.A. *see* Seiler, F. 87−70890
Ssorin, V.G. PAUM-2 program for the analysis of electronic circuits 85−17077
St-Cyr, G. *see* Holliday, D. 87−28647
St-Jacques, A., Lemay, J., MacDonald, R. Multiprocessor UHV line relay testing with transient network analyzer 86−56461
St-Jacques, A., Lemay, J., MacDonald, R. Multiprocessor UHV line relay testing with transient network analyzer 86−65782
St-Jacques, A. *see* Srinivasan, K. 88−23490
St-Jean, G. The IREQ source of synthetic tests [protective device testing] 85−32652
St-Jean, G. A 2 MV 4.5 MJ synthetic test source for HV circuit breakers 86−39995
St-Jean, G. *see* Landry, M. 86−33554
St-Jean, G. *see* Latour, Y. 85−32247, 86−32853, 87−30269
St-Jean, G. *see* Ozawa, J. 86−39239
St-Onge, H., Langhame, Y., Duval, M., Crine, J.P., Castonguay, J. Factors affecting the low-temperature performance of insulating oils in power apparatus 86−68101
St-Onge, H. *see* Crine, J.-P. 85−56040
St-Onge, H. *see* Langhame, Y. 85−44045, 85−60240
St-Onge, H. *see* Pelissou, S. 87−18381, 88−71848
Staa, R.Van *see* Van Staa, R.
Staab, E.V. *see* Johnston, R.E. 87−14882
Staab, E.V. *see* Parrish, D.M. 87−29836
Staab, E.V. *see* Perry, J.R. 85−31817, 86−44653
Staab, E.V. *see* Pizer, S.M. 88−48228
Staab, E.V. *see* Thompson, B.G. 86−32411
Staak, A.P., Reineck, K.M. Generating sensitivity compensated networks by means of an equivalence transformation 86−1260
Staak, H.P.A.M.van der *see* van der Staak, H.P.A.M.
Staal, M. *see* von Weiler, J.L.W.C. 85−58224
Staals, A.A., van Houwelingen, M.C., Huisman, H.F., Mulder, C.A.M. Localization and characterization of sub-surface particles in magnetic tape 87−46351
Staar, J. *see* Van Huffel, S. 85−22379
Staath, J.-C. *see* Demey, J.-P. 86−65002
Staath, J.C. *see* de Vecchis, M. 85−58138
Staats, G., Owens, W., McElwain, J. The MHD Development Corporation's current role in the commercialization of magnetohydrodynamics (MHD) 87−36157
Staats, G., Owens, W., McElwain, J. The MHD development Corporation's current role in the commercialization of magnetohydrodynamics (MHD) 87−72457
Staats, G.E. Magnetohydrodynamic space power: an assessment of its potential in the Strategic Defense Initiative 88−42624
Staats, G.W., Lee, J.-J. Multimachine power system stabilizer design using optimal multivariable structure methods 88−68750
Staats, G.W., Xian-Shu, L. Maximum permissible slip for synchronizing salient-pole synchronous motors 88−5667
Staats, P.A. *see* Ma, C.H. 86−68786
Staats, R.A. *see* Hasman, A. 85−15290
Staben, E. *see* Bachmair, H. 88−36167
Staber, P.R. *see* Caird, J.A. 88−65791
Stabile, P. *see* Herczfeld, P.R. 86−35106, 86−47085
Stabile, P. *see* Jespersen, N. 87−19331
Stabile, P. *see* Rosen, A. 88−7071
Stabile, P. *see* Yarman, B.S. 85−23144
Stabile, P.J., Rosen, A. Silicon millimetre-wave integrated-circuit (SIMMWIC) SPST switch 85−6518
Stabile, P.J., Rosen, A. A silicon technology for millimeter-wave monolithic circuits 85−40246
Stabile, P.J., Rosen, A., Herczfeld, P.R. Optically controlled lateral PIN diodes and microwave control circuits 87−45268
Stabile, P.J., Rosen, A., Janton, W.M., Gombar, A., Kolan, M. Millimeter wave silicon device and integrated circuit technology 85−17871
Stabile, P.J. *see* Rosen, A. 88−63827
Stabinis, A. *see* Piskarskas, A. 85−41512, 86−29236, 86−48494, 87−75253
Stabinis, A. *see* Vasilyauskas, V. 86−29238, 86−63861, 87−2233, 87−75235
Stabler, E.P. *see* Chin, S.-K. 87−44795
Stabler, E.P. *see* Horstmann, P.W. 85−1676
Stabler, K. Light water reactors: experience and operation 85−15753
Stabler, K. Environmentally favourable power plant operation 85−48823
Stabler, K., Muh, H. The erection of Heilbronn Unit 7 in the context of discussion about environmental protection 87−57891
Stabo, S. *see* Dahlfors, F. 86−65607, 88−17073
Stabon, G. Characteristics of the electric traction in relation to the transport by rope systems 88−37690
Stabrowski, M. Block-banded algorithm for solution of very large linear equation systems with symmetric DBBF (double bounded band form) coefficient matrix 85−28196
Stabrowski, M. *see* Bolkowski, S. 86−6813
Stabrowski, M. *see* Tumanski, S. 86−24514
Stabrowski, M.H. *see* Tumanski, S. 88−51152
Stabrowski, M.M. *see* Tumanski, S. 85−26300
Stace, G. *see* Searle, S.D. 87−47010
Stacewicz, T. *see* Kotowski, T. 85−29792
Stacey, C. Magnetic compensation gives new life to transformer-based SLICs 87−55860
Stacey, C. Adaptors and terminals for ISDN 88−59750
Stacey, C. Integrated circuits for ISDN 88−59751
Stacey, C., Pieters, R., Lim, P. Line card applications of a digital line interface controller 86−30476
Stacey, C. *see* Guinea, J. 86−69554
Stacey, C. *see* Guinea, J.A. 87−8083
Stacey, C. *see* Laber, C. 85−17222
Stacey, F.D., Tuck, G.J. Non-Newtonian gravity: geophysical evidence 85−63949
Stacey, F.D. *see* Moore, G.I. 88−67632
Stacey, G.S. Using technological forecasting in research and development and strategic planning 86−13418
Stacey, M. Cable development—now and in the future 88−42852
Stacey, R.R., Songhurst, D.J. Dynamic alternative routing in the British Telecom trunk network 87−76232
Stacey, R.W., McCormick, P.G. Effect of concentration on the performance of flat plate photovoltaic modules 85−49108
Stacey, T.R., Whaley, M.D. Diagnostics integration—a TAC maintainer's view 88−68676
Stacey, W. *see* Wang, N.L. 88−19403, 88−63956
Stacey, W.A. AM quality improvement [how the FCC's AM review could affect Canadian stations] 88−41784
Stach, J. The role of public policy in advanced technology 85−22173
Stach, J. *see* Kundu, A. 87−62508
Stach, J. *see* Kundu, A.K. 86−54764
Stach, J. *see* Monkowski, J.R. 85−1530
Stach, J. *see* Tressler, R.E. 85−12140
Stach, J.F. Expert systems find a new place in data networks 86−16934
Stach, J.F. *see* Chen, K. 87−28571
Stach, J.F. *see* Chen, K.J. 87−27853
Stach, J.F. *see* Kim-Joan Chen 86−23515
Stach, J.F. *see* Wu, T.-H. 86−37556
Stach, R.-M. *see* Kleinmann, H. 87−20563
Stach, S. SMT rework and repair for the 1990s 87−37716
Stach, S. SMT rework and repair for the 1990s 87−53060
Stach, S. The future of surface mount repair processes 88−19541
Stach, S. The future of surface mount repair processes 88−25697
Stach, S., Aleksonis, J. More than just hot air [SMT repair] 87−53006
Stach, S. *see* Aleksonis, J.A. 87−11195
Stach, V. *see* Krett, V. 85−65084
Stachel, J. *see* Sen, S. 88−29910
Stachelsky, F.von *see* von Stachelsky, F.
Stacho, V. *see* Slavik, I. 87−49874
Stachowiak, T. On classification of telecommunication networks 87−62487
Stachowiak, T., Turska, E. On selecting parameters characterizing telephone zone networks 86−30262
Stachowiak, T. *see* Nowicki, T. 87−23520
Stachowiak, W. *see* Dudzikowski, I. 85−9917, 85−21648, 87−15777, 87−43073, 88−17647, 88−23964
Stachowski, W. *see* Mazus, J. 85−44033
Stachura, W. *see* Jablonski, Z. 85−14596
Stachurski, Z.H. *see* Kennedy, P.M. 86−31645
Stack, D.W. *see* Bohn, M.P. 85−48767
Stack, G.M., Ting, R.Y. Piezoelectric properties and temperature stability of poly(vinylidene fluoride-trifluoroethylene) copolymers 87−53811
Stack, J.R. *see* Burch, R.H. 85−34268
Stackegard, H. *see* Hansson, B. 88−68818
Stacker, G. 2nd generation video program system 87−3319
Stacker, G. *see* Lentzer, A. 87−63157

Stackhouse, D.W. *see* Gay, G.A. 87−78472

Stacklin, C.A. *see* Gordon, E. 87−7789

Stacy, G.D., Gaines, L., Griffin, D.E. Justification for on-line utility management system 86−26453

Stacy, H.W. Principal test methods for the evaluation of the combustion toxicity of materials and products 88−24850

Stacy, K. *see* Huck, F.O. 86−10532

Stacy, N.J. *see* Gilchrist, B.E. 87−28692

Stacy, T. *see* Charlson, E.M. 88−49140

Stacy, W.T., Broadbent, E.K., Norcott, M.H. Interfacial structure of tungsten layers formed by selective low pressure chemical vapor deposition 85−39798

Stacy, W.T., Broadbent, F.K., Norcott, M.H. Interfacial structure of tungsten layers formed by selective LPCVD 87−6478

Stacy, W.T., Donald, R.G., Ritz, K.N., Norcott, M.H. The disruption mechanism of Ti-W fusible links 88−50962

Stacy, W.T., Ritz, K.N., Norcott, M.H. Scanning transmission electron microscopy/energy-dispersive X-ray analysis of metal fusible links in programmable read only memory integrated circuits 85−11259

Stacy, W.T., Ritz, K.N., Norcott, M.H. Artifact free imaging of PROMs using scanning transmission electron microscopy 85−61277

Stacy, W.T. *see* Broadbent, E.K. 86−20103

Stacy, W.T. *see* Carim, A.H. 86−21527, 86−21813

Stacy, W.T. *see* Ellwanger, R.C. 87−1724

Stacy, W.T. *see* Ritz, K.N. 88−1566

Stade, D., Schau, H. Special short-circuit relationships in three-phase low-voltage plants 87−22641

Stade, D., Tran Duc Chinh Power computation in electrical energy systems with nonlinear, unsymmetrical and time-varying loads 87−64154

Stade, J., Khan, A.A., Heidt, H. Investigation on inherent unsharpness of different screen materials for 8 MV X-rays and Co^{60} γ-rays 88−18778

Stade, J. *see* Nabel, E. 86−46397

Stade, K.C., Zschetke, J. Operating experience with alkaline and combined method of operation at the KNK experimental reactor 86−19016

Stadele, M. *see* Fink, D. 85−59381

Stadelmaier, H.H., ElMasry, N.A., Stallard, S.R. Alternative method of preparing high-coercivity neodymium-iron-boron magnets 85−54526

Stadelmaier, H.H. *see* Bedair, S.M. 87−10408

Stadelmaier, H.H. *see* Jones, P.L. 87−1882, 87−67721

Stadelmaier, H.H. *see* Liu, N.C. 87−1881

Stadelman, S., Madey, G. The impact of R&M 2000 on business planning 88−10689

Stadelmann, T. Repair and maintenance concept for the centralized service workshop (ZBW) 85−36827

Stader, J.E. *see* Difransico, T.W. 85−38740

Stader, N.R., II *see* Harden, J.C. 88−25075

Staderini, E.M., Castellano, A. An automatic analyzer of solid state nuclear track detectors using an optic RAM as image sensor 86−31270

Staderini, E.M., Castellano, A. Automatic track counting with an optic RAM-based instrument 87−14773

Staderini, E.M. *see* Castellano, A. 85−48350

Stadermann, G. *see* Both, W. 87−33175

Stadie, L. *see* Petzel, H.-K. 88−43056

Stadler, E. Simple locus curves in the Smith diagram 85−37711

Stadler, E. Impedance transformation using a $\lambda/4$ line: design criteria using a Smith diagram or BASIC program 85−49702

Stadler, E. Impedance measurements with calibrated transmission lines 86−18073

Stadler, E. The directional coupler function and use 86−27562

Stadler, E. Measurement of cable-impedance with impulses and sine-waves 86−31588

Stadler, E. Behaviour of reflected pulses along cables 86−37691

Stadler, E. Reflection coefficient 87−19266

Stadler, E., Dubyk, W. Measuring the parameters of coaxial cables 85−36883

Stadler, E., Dubyk, W. Measuring the properties of coaxial cables. II 85−48055

Stadler, E.E. Multilayer flexcircuit wart package 85−44516

Stadler, E.E., Wagner, O. Metal-filled elastomers as heat conductors for chip cooling 85−33182

Stadler, E.E. *see* Gruber, H. 85−44519 to 44520

Stadler, E.E. *see* Hinrichsmeyer, K. 85−33179, 85−35471, 85−44517

Stadler, E.E. *see* Kerjilian, G.K. 85−22257

Stadler, H., Knosalla, J., Weigl, K.H. Heavy starting of HV 'increased-safety' motors 85−32441

Stadler, J.P., Nimtz, G., Maier, H., Ziegler, J. Surface conductivity of n-type $Hg_{0.8}Cd_{0.2}$ in high magnetic fields 86−14859

Stadler, J.P., Nimtz, G., Remenyi, G. On the activation energy of the electron liquid in $Hg_{0.8}Cd_{0.2}Te$ 86−35331

Stadler, J.P., Nimtz, G., Schlicht, B., Remenyi, G. Thermally activated longitudinal magnetoresistivity in undoped *n*-type $Hg_{0.8}Cd_{0.2}Te$ 85−1317

Stadler, J.P. *see* Gebhardt, J. 86−8787, 87−37896

Stadler, R. Haemodynamic aspects of rheoencephalography (impedance measurement) 85−20919

Stadler, R. Teletex service and its communications protocols 86−43368

Stadler, R. Teletex and its protocols 86−49199

Stadler, R. Protocol of group 3 telefax 87−48514

Stadler, R. Power supply for rupture capacity test equipment and high current test stations 87−58148

Stadler, T. Surface mount circuits: important to design for testing 88−50479

Stadler, W. *see* Dauer, J.P. 87−16509

Stadlinger, A. *see* Braun, E. 87−3201

Stadnichenko, I.A. *see* Shvetsov, G.A. 88−40504, 88−40521 to 40522

Stadnick, S.J. *see* Wong, D.W. 87−42141

Stadnik, A.I. *see* Stadnik, I.P. 86−42730

Stadnik, A.M. *see* Solodovnikov, G.K. 87−39387

Stadnik, B. Single-mode evanescent-wave optical fiber couplers. I. Single-mode optical fibers 86−36118

Stadnik, B. Single-mode evanescent-wave optical fiber couplers. II. Optical fiber couplers 86−36119

Stadnik, B., Berka, L., Kratena, J., Doupovec, J. Results of experimental investigation into the birefringence of polarization-maintaining fibers with stress-applying parts by means of photoelasticity 88−65190

Stadnik, B., Osvald, F., Doupovec, J. A refracted near field method for measuring optical and geometrical parameters of optical communication fibres 88−28846

Stadnik, I.P., Gridnev, A.I., Klevets, N.I., Kelin, N.A., Gorskaya, I.Yu. Synthesizing and optimizing built-up rotors of high-coercivity permanent magnets and of systems for their magnetization 88−64966

Stadnik, I.P., Klevets, N.I., Gridnev, A.I. Analysis of optimum orientation of magnetisation in multipole permanent magnets 87−32880

Stadnik, I.P., Klevets, N.I., Gridnev, A.I., Baev, A.V. Analysis of optimum orientation of magnetisation of four-pole permanent magnets 86−47972

Stadnik, I.P., Kozik, G.P. Integral equations for the case of EM wave diffraction on a dielectric body 88−66043

Stadnik, I.P., Milyukov, V.V., Koshelev, V.A., Cherednichenko, I.I., Kulikov, S.P. Optimisation of electrostatically formed antennas 85−51492

Stadnik, I.P., Milyukov, V.V., Koshelev, V.A., Kulikov, S.P., Cherednichenko, I.I. The shape of an antenna electrode area formed by electric field 86−10189

Stadnik, I.P., Stadnik, A.I. Calculation of improper integrals occurring in the solution of integral equations of the first kind in axisymmetric instances of electro- and magnetostatics 86−42730

Stadnik, I.P., Telegin, A.P. Calculating magnetic field disturbed by set of ferromagnetic plates and shells 86−22596

Stadnik, I.P. *see* Milyukov, V.V. 86−53082

Stadnik, I.P. *see* Ponomarenko, V.I. 86−59123

Stadnik, I.P. *see* Telegin, A.P. 86−21947

Stadnik, P.E. *see* Ryzhkov, V.D. 86−5805

Stadnik, V.A., Khasanov, I.Sh. Optical bistability in an ion-implanted semiconductor 88−27307

Stadnik, V.A. *see* Golubev, G.P. 86−15789

Stadnik, V.T., Fandeev, E.I., Lushchaev, G.A. Increasing accuracy and response speed of surface-temperature monitoring equipment 87−63549

Stadt, H.van de *see* van de Stadt, H.

Stadtfeld, S. *see* Holtz, J. 86−66387, 86−66394

Stadthaus, M., Haeger, H. About magnetization in magnetic-particle-inspection 87−5548

Stadthaus, W. *see* Adam, V. 85−31609

Stadtherr, K.O. Communication media used within organizations 85−19719

Stadtherr, K.O. Telecommunications terminal equipment for small and medium-size businesses 85−47282

Stadtherr, K.O. ISDN−perspective of tomorrow's network. Principles, characteristic features, advantages, interfaces, services, tariffs 86−64459

Stadtherr, K.O. The world of in-house ISDN 86−64460

Stadtherr, K.O. Telephoning under extreme conditions: rural communications−telecommunication networks in developing countries 87−20038

Stadtherr, K.O. Inhouse networks for office communications: PABX versus LAN 87−34129

Stadtherr, K.O. ISDN communication systems for in house operation 87−40359

Stadtherr, K.O. ISDN: perspectives for the network of tomorrow 87−48812

Stadtherr, K.O. Telecommunications management: strategic advantages against competitors 87−55732

Stadtherr, K.O. Composite telecommunications networks 87−69510

Stadtherr, K.O. The beginnings of ISDN−importance of terminal equipment 88−41423

Stadtherr, K.O. Central data collection 88−42000

Stadtherr, K.O. Finger-tip selection of the world [broking system] 88−46571

Stadtherr, K.O. High technology for ISDN communication systems 88−46673

Stadtherr, K.O. The countdown is underway [ISDN] 88−53013

Stadtherr, K.O. Open ISDN system concept with access to the central data processor 88−59749

Stadtherr, K.O. Progress of and prospects for the introduction of ISDN 88−67102

Stadtherr, M. *see* Alkire, R. 85−60382

Stadtherr, O. ISDN−start with high technology 88−35202

Stadtmuller, A.A. *see* Good, J.A. 86−48026

Stadtmuller, A.A. *see* Lam, K. 86−48027

Staecker, P. MM-wave transmitters using power frequency multipliers 88−32445

Staecker, P.W., Chick, R.W. 10 to 40 GHz doubler-doubler chain for satcom applications 86−53045

Staecker, P.W., Hines, M.E., Occhiuti, F., Cushman, J.F. Multi-watt power generation at millimeter-wave frequencies using epitaxially-stacked varactor diodes 87−73790

Staecker, P.W. *see* Hines, M.E. 88−25556

Staeger, C. Measurements of the impedance uniformity of radio frequency cables by complex and scalar methods 88−53108

Staeger, C. *see* Eicher, B. 88−41493

Staeger, Ch. *see* Joos, K. 88−20837

Staehle, M. Experimental verification of strength calculations for a field-fabricated hydro turbine spiral case 86−25952

Staehler, R. *see* Carney, D.L. 86−10895

Staehler, R.E., Bennett, R.L., Carney, D.L., Chapman, R.C. Advances in remote switching concepts 85−52190

Staehler, R.E. *see* Luderer, G.W.R. 87−76140

Staehli, J.L. *see* Bosacchi, A. 87−37890

Staehlin, H. Quality assurance organisations in Switzerland. Activities of the Swiss Electrotechnical Association 87−51882

Staehr, W., Lahmann, W., Weitkamp, C. Range-resolved differential absorption lidar: optimization of range and sensitivity 85−59503

Staehr, W. *see* Lahmann, W. 86−12197

Staehr, W. *see* Weitkamp, C. 88−35592

Staehr-Johansen, K., Sundararajan, S., Wahba, A.H.W. Global appropriate health care technology/national and international aspects 87−63715

Staelens, D. *see* Janssens, G.K. 88−66970

Staelin, D.H. Passive microwave remote sensing of the atmosphere from satellites 86−6115

Staelin, D.H. *see* Chen, T.M. 87−71279

Staelin, D.H. *see* Malvar, H.S. 88−27910, 88−34653, 88−73251

Staelin, D.H. *see* Nathan, K.S. 85−64736

Staelin, D.H. *see* Wornell, G.W. 88−73250

Staenz, K., Meyer, P., Itten, K.I. Hierarchical classification with knowledge based binary decision [remote sensing] 88−5206

Staenz, K., Meyer, P., Itten, K.I., Goodenough, D.G., Teillet, P.M. Viewing angle corrections of airborne multispectral scanner data acquired over forested surfaces 87−63992

Stafast, H. Initial steps in the photochemical vapour deposition of amorphous silicon 88−24747

Stafast, H. Lasers in materials technology 88−58741

Stafeev, A.D. *see* Chernyshev, V.A. 87−59323

Stafeev, A.D. *see* Ryavtsev, V.G. 87−14100

Stafeev, S.K. *see* Rondarev, V.S. 88−19667

Stafeev, V.I. *see* Alekseev, A.G. 86−53386

Stafeev, V.I. *see* Kurbatov, L.N. 85−10666

Stafeev, V.I. *see* Ponomarenko, V.P. 88−57642

Stafeev, V.I. *see* Vorob'ev, L.E. 86−21091

Stafeev, V.I. *see* Zaitov, F.A. 85−11923

Staff Report Choosing a motion system display 87−63270

Staffaroni, G. Semicustom linear arrays 88−26498

Staffaroni, G. *see* Sullini, R. 85−16360

Staffelbach, O. Data protection during transmission and in networks 86−22897

Staffelbach, O. Products of linear recurring sequences with maximum complexity 87−27214

Staffelbach, O. The development of coding methods 88−27756

Staffelbach, O.J. *see* Rueppel, R.A. 87−39555

Stafford, B., Sabisky, E. Status of chemical vapor deposition methods for hydrogenated amorphous silicon 88−18753

Stafford, B. *see* Sabisky, E. 87−9747

Stafford, B. *see* Sabisky, E.S. 87−72411

Stafford, B. *see* Wallace, W. 88−37475

Stafford, B.L. *see* Langford, A.A. 88−37471

Stafford, B.L. *see* Nemanich, R.J. 85−34618

Stafford, E.K. *see* Dawson, S.W., Jr. 85−37018

Stafford, G. *see* Bell, J.D. 87−47418

Stafford, J. The first private DBS system 86−17296

Stafford, J.W. Optoelectronics packaging an issue of stress 87−46914
Stafford, L. *see* Lewin, I. 88−37731, 88−62744
Stafford, P. *see* Goebel, J.H. 87−20938
Stafford, P.S. *see* McCreight, C.R. 85−58602
Stafford, R.G. Induced metrology distortions using machine vision systems 86−18129
Stafford, R.G. *see* Cucchiara, A.L. 85−48349
Stafford, T.J. *see* Oon Tian Tan 88−14321
Stafsudd, D.M. *see* Craig, R.R. 85−18930
Stafsudd, O.M. *see* Alfrey, A.J. 87−46838
Stafsudd, O.M. *see* Basol, B.M. 86−14856, 86−26307, 87−16045
Stafsudd, O.M. *see* Kianian, S. 87−74246
Stafsudd, O.M. *see* Ou, S.S. 85−23477
Stafsudd, O.M. *see* Parsons, J.D. 86−20062
Stafsudd, O.M. *see* Vivien, D. 88−20599
Stafunski, J.M. *see* Donchev, D.S. 87−39535, 88−48896
Stafunski, Yu.M., Angelov, L.V. Method for dimensioning windings of direct-current motors in case of preset mechanical characteristics and known geometry of cross-section 86−12834
Stafylopatis, A. Modeling the parallel execution of large matrix operations on a locally distributed computing system 88−3318
Stagemann, K.-H. *see* Voelskow, M. 86−41656
Stager, C. *see* Siegenthaler, J. 88−60898
Stagg, J. Insurance on Prestel−a policy for growth 86−37426
Stagg, J.P. *see* Briggs, A.T.R. 88−57403
Stagg, J.P. *see* Butler, B.R. 88−56219
Stagg, J.P. *see* Dawe, P.J.G. 85−18822
Stagg, J.P. *see* Thrush, E.J. 88−11974
Stagg Newman, L. Early alternatives to the ISDN 87−28227
Staggs, D. RF stabilization 87−26853
Staggs, D.M. Conductive plastics offer an alternative for EMC control 88−2627
Stagno, V. *see* Boscolo, I. 85−2180, 85−24590, 85−56670, 86−48459, 87−33237
Stahan, I. Computation and plotting of mechanical stresses at post insulators of HV circuit-breakers 86−33557
Stahan, I. *see* Markulin, M. 87−51408
Stahan, I. *see* Naumovski, I. 86−12968, 86−56862
Stahelin, M., Kohler, D. Nonlinear organic molecular crystals as optical switches 88−51563
Stahelin, P. *see* DeWulf, J.P. 87−21468, 88−22985
Stahelin, P. *see* Dorenbosch, J. 87−29472
Stahl, A. The influence of the specular component on the colour measurement of paint coatings 88−16535
Stahl, A.L. *see* Phelps, W.L. 85−60515
Stahl, B. Digital termination systems−new alternative for data communications 86−16702
Stahl, D.B. *see* Bauke, W. 86−22586
Stahl, E. *see* Weiss, D. 86−53421
Stahl, H. Harmful substance measurement according to GRAVO and TA Luft: obligations and margins 87−77443
Stahl, H. *see* Lutzke, K. 85−48834
Stahl, H.P., Koliopoulos, C.L. Interferometric phase measurement using pyroelectric vidicons 87−63262
Stahl, J., Hoene, E.-L. High-power tubes for physical research 87−6320
Stahl, J., Hoene, E.-L. High power tetrodes for physics research 87−45496
Stahl, J., Meyr, H. A bit serial Viterbi decoder chip for the Mbit/s range 87−61599
Stahl, J., Meyr, H., Oerder, M. Implementation of a high speed Viterbi decoder 87−55008
Stahl, J., Meyr, H., Zalnieriunas, A. Low cost testing of complex digital circuits 87−49499
Stahl, J. *see* Blischke, F. 87−14249
Stahl, K.A. *see* Batishko, C.R. 88−75010
Stahl, M. Dialogic's AMX/81 family of Audio Multiplexer products 88−14645
Stahl, M., Holmgren, K. OSI standardisation−the current position and future 87−28112
Stahl, R. *see* Gruber, H. 85−44519 to 44520
Stahl, R. *see* Hinrichsmeyer, K. 85−33179, 85−35471, 85−44517
Stahl, R. *see* Kerjilian, G.K. 85−22257
Stahl, R.O. Multilayer ceramic 86−2336
Stahl, S., Ankenbrandt, C. Simulation of the capture process in the Fermilab booster 88−47895
Stahl, S., Bogacz, S.A. Coupled-bunch instability in a circular accelerator and possible cures: longitudinal-phase-space simulation 88−47829
Stahl, S.D. The graduate engineering education program: development and future direction 87−23085
Stahl, W. *see* Goetzberger, A. 87−4635, 88−17957
Stahl, W. *see* Grohmann, E. 88−3875
Stahl, W.L. *see* Loomis, T.C. 86−56083
Stahlberg, B. Control of laser frequencies using a Fabry-Perot interferometer and DAC techniques 86−22461
Stahlberg, B. Improved frequency stability of two-mode He-Ne lasers in varying temperature environment 86−36545
Stahlberg, B. *see* Fellman, T. 87−74961
Stahlberg, B. *see* Junttila, M.-L. 87−68595
Stahlbush, R.E. *see* Glembocki, O.J. 85−34856
Stahle, C.M., Helms, C.R., Simmons, A. Thermal stability of the anodic oxide/$\mathrm{Hg}_{1-x}\mathrm{Cd}_x\mathrm{Te}$ interface 88−19751
Stahle, C.M., Thomson, D.J., Helms, C.R., Becker, C.H., Simmons, A. Quantitative measurements of the stoichiometry of anodic oxides grown on $\mathrm{Hg}_{0.78}\mathrm{Cd}_{0.22}\mathrm{Te}$ 87−17985
Stahle, C.M. *see* Helms, C.R. 88−19668
Stahle, C.M. *see* Lu, Y.-C. 88−33038
Stahle, C.M. *see* Wang, F. 87−74201
Stahlhut, G. *see* Hereth, I. 85−42084
Stahlhut, R.D. *see* Mahmoud, A.A. 85−32803
Stahli, A. The engineer and management 88−62968
Stahli, M., Fuhrer, M. Digital multichannel spectrometer for solar microwave observations 88−60355
Stahlkopf, K. *see* Roberts, J.T.A. 86−39492
Stahlkopf, K.E., Braun, C. A perspective on small and medium size reactors 86−6538
Stahlkopf, K.E., Chaplin, D.M. The next generation light water reactor 85−53517
Stahlkopf, K.E., Noble, D.M., Taylor, J.J. Next generation light water reactor 87−71898
Stahlkopf, K.E. *see* Danko, J.C. 86−33010
Stahlman, J.R. *see* O'Donnell, H.B. 87−35466
Stahlman, M.D. Bypass technologies for metropolitan area networks 85−13756
Stahlman, M.D. Bypass opportunities and metropolitan area networks 85−42353
Stahlmann, R. *see* Wolff, I. 86−13942
Stahmer, A. Rural satellite services−getting the mixture right 88−3912
Stahmer, A. Satellite technologies and services; implications for international distance education 88−11633
Stahn, K.-D. Measurement recording of process data 86−70005
Stahnke-Jungheim, K.-H. *see* Dunke, H. 86−32548, 88−16913
Stahr, L.B. Tactics for teleconferencing 86−10788
Staib, P. *see* Contour, J.P. 86−2029
Staib, P. *see* Pantel, R. 86−62306
Staiculescu, S. *see* Weinrich, G. 88−69733
Staiger, E.H. A spiral-sequenced guided design course in electronic communication systems 85−49288
Staiger, J. Status monitoring: for more efficient field technical service and less disconnects 85−47703
Staiger, L. The entropy of finite-state ω-languages 86−16095
Staiger, L. One-track error correction method for 15-track magnetic tape recording 87−12913
Staiger, L. On infinitary finite length codes 87−33600
Staiger, L. Why are serial convolutional encoders catastrophic? 88−27789
Staiger, P.J. *see* Klann, J.L. 86−32469
Staikov, G., Yankulov, P.D., Savova-Stoynov, B.S., Stoynov, Z.B. Measurements of AC impedance of sodium-sulphur cells with symmetric and asymmetric resistance behaviour 86−19456
Staimer, A. *see* Borst, A. 88−36925
Staimova, E.D. *see* Arzamastsev, D.A. 88−68790
Stainback, P.C. A review of hot wire anemometry in transonic flows 86−31724
Stainsby, D.F. *see* Sadedin, D.R. 88−34265
Stair, K.A., Yip-Wah Chung Composition and electronic properties of P-enriched InP ($\bar{1}\bar{1}\bar{1}$)-Au interfaces 86−1818
Stairs, D. *see* Cox, B. 85−64465
Stairs, D.G. *see* Anassontzis, E. 86−32202
Stajer, B., Pavic, I. Area planning, urban and civil aspects for construction of remote heating ways 87−78432
Stajer, V. *see* Folk, V. 87−72519
Stakelum, R. *see* Curtin, M. 87−5921
Stakenborg, J.H.T. Exploring the spatial domain 88−5209
Staker, K.J. *see* Subramanian, S. 85−23782
Staker, M.R. A dual-reflector dual-band main network Cassegrain antenna with shaped subreflector 88−27647
Stakhiv, P.G. *see* Lugin, A.I. 86−46442
Stakhov, A.A. *see* Nemerovskii, L.I. 87−50213
Stakhov, A.P., Azarov, A.D., Moissev, V.I., Martsenyuk, V.P., Steiskal, V.Ya. 17-digit self-correcting AD convertor 86−34905
Staklitsky, S.A. *see* Andronov, A.A. 88−14165
Stalberg, C.E. Digital telematics: present and future 88−3335
Stalberg, E.V. Techniques of recording motor unit action potentials 87−41910
Stalberg, E.V. *see* Hilton-Brown, P. 86−18339
Stalberg, E.V. *see* Nandedkar, S.D. 86−18338
Stalcup, B.J. The need for combat resilience 86−57289
Stalder, H. Digital control of electro-magnetic brakes in railway shunting yards 87−43559
Stalder, J. Computer-aided planning for radio-relay links 87−62840
Stalder, M. Optimisation and simulation of systems of protection of distribution systems 87−78080
Stalder, M. 220 kV oil cable from Hamma to Kouba for Sonelgaz, Algiers 88−68949
Stalder, M., Luthy, W. Polarisation of 3 μm laser emission in YAlO_3:Er 87−39042
Stalder, M., Luthy, W. Spectroscopy of 3-μm laser transitions in YAlO_3:Er 88−27118
Stalder, M., Luthy, W., Weber, H.P. Five new 3-μm laser lines in YAlO_3:Er 87−68429
Stalder, M. *see* Aguet, M. 88−17130
Stalder, M. *see* Schnell, S. 88−40180
Stalder, M. *see* Zbinden, K. 87−4404
Stalev, V.I. *see* Lysenko, V.S. 86−19650
Staley, B. Reseller makes bad circuits sound good [repeater device application] 86−4454
Staley, D.A. *see* Armstrong, R.W. 86−38885
Staley, H.C. *see* Wolf, M.A. 85−43288
Staley, J.T. Research on high-strength aerospace aluminum alloys 86−13826
Staley, W.W. High speed digital packaging−simplified 88−11773
Staley, W.W. *see* Harper, C.A. 86−182, 86−27685
Stalker, K.T., Dickey, F.M., Molley, P.A. Comparison of real-time acousto-optic SAR processor architectures 88−28966
Stalker, K.T., Molley, P.A., Dickey, F.M. Real-time optical processor for synthetic aperture radar image formation 88−27946
Stalker, R.J. Australia and the new reusable launch vehicles 87−77725
Stalker, R.J. *see* Morgan, R.G. 87−77748
Stall, E., Heuser, G. A novel four-wheel test bench to simulate different roadway conditions for testing automatic antilock braking systems (ABS) and drive slip regulators (DSR) 88−63027
Stall, J.A. *see* Calder, R.W. 87−57772
Stall, J.A. *see* Heacock, D.A. 88−23694
Stall, R. *see* Cheng, J. 85−40721, 85−55834
Stall, R. *see* Wunder, R. 86−431
Stall, R.A., Wunder, R.J., Swaminathan, V., Cox, H.M. Effect of oxygen on $\mathrm{In}_{0.53}\mathrm{Ga}_{0.47}\mathrm{As}$ films grown by molecular beam epitaxy 85−61677
Stall, R.A., Zilko, J., Swaminathan, V., Schumaker, N. Morphology of GaAs and $\mathrm{Al}_x\mathrm{Ga}_{1-x}\mathrm{As}$ grown by molecular beam epitaxy 85−39731
Stall, R.A. *see* Malik, R.J. 85−34933
Stall, R.A. *see* Polgar, L.G. 87−36772
Stall, R.A. *see* Schumaker, N.E. 87−263
Stall, R.A. *see* Swaminathan, V. 86−26841
Stall, R.A. *see* Tu, C.W. 86−53472
Stallard, B. First and second harmonic ECRH experience at gyrotron frequencies at LLNL 88−74707
Stallard, B.R., Bukhman, Y. Use of a confocal scanning laser microscope for the measurement of submicrometer critical dimensions 88−13501
Stallard, B.R., Bukhman, Y., Casteel, C., Gonzales, A.J., Helbert, J.N., Ziniewicz, G. Exposure and focus scales for optical lithography 88−33104
Stallard, B.R. *see* Ehrstein, J.R. 85−55682
Stallard, B.W. *see* Anderson, A.T. 87−11016
Stallard, B.W. *see* Felker, B. 85−994
Stallard, B.W. *see* Rubert, R.R. 85−993
Stallard, G.S. *see* Galluzzo, N.G. 87−78497
Stallard, M.M. Optimisation of travelling wave integrated optic modulators in GaAs; a study 87−74860
Stallard, M.M., Erasme, D., Wilson, M.G.F. Design considerations and analysis of velocity mismatch effects in an electrooptic Fabry-Perot modulator 86−9618
Stallard, S.R. *see* Stadelmaier, H.H. 85−54526
Stallard, W.A., Cameron, K.H., MacDonald, B.M., Booth, R.C. LiNbO_3 electro-optic waveguide devices for coherent optical fibre systems 85−41217
Stallard, W.A., Daymond-John, B.E., Booth, R.C. LiNbO_3 optical frequency translators for coherent optical fibre systems 86−9616
Stallard, W.A., Daymond-John, B.E., Booth, R.C. LiNbO_3 optical frequency translators for coherent optical fibre systems 86−9627
Stallard, W.A., Heatley, D.J.T., Lobbett, R.A., Beaumont, A.R., Hunkin, D.J., Daymond-John, B.E., Booth, R.C., Hill, G.R. Electro-optic frequency translators and their applications in coherent optical fibre systems 87−13681
Stallard, W.A., Heatley, D.J.T., Lobbett, R.A., Beaumont, A.R., Hunkin, D.J., Daymond-John, B.E., Booth, R.C., Hill, G.R. Electro-optic frequency translators and their applications in coherent optical fibre systems 87−54117
Stallard, W.A., Hodgkinson, T.G., Preston, K.R., Booth, R.C. Novel LiNbO_3 integrated-optic component for coherent optical heterodyne detection 86−9604
Stallard, W.A. *see* Blank, L.C. 87−76749
Stallard, W.A. *see* Daymond-John, B.E. 87−12254
Stallard, W.A. *see* Garnham, R.A. 87−76754, 88−45168
Stallard, W.A. *see* Heatley, D.J.T. 85−63636, 87−20542
Stallard, W.A. *see* Hill, G.R. 86−17372
Stallard, W.A. *see* Hunkin, D.J. 86−42526
Stallard, W.A. *see* Lord, A. 88−47189, 88−73752
Stallard, W.A. *see* Phelan, P. 86−48456
Stallard, W.A. *see* Walker, S.D. 87−40976
Stallard, W.G. Compatible extended definition TV, an available approach 85−37207

Stallard, W.G. *see* O'Mahony, M.J. 87−13698
Stallen, J.P. Earth resistance 88−23555
Staller, C.O. *see* Schroeder, J. 85−1950
Stallhofer, P. Carbon and oxygen determination in silicon by IR spectroscopy 85−1286
Stallings, W. A primer: understanding transport protocols 85−13654
Stallings, W. Digital signaling techniques 85−13730
Stallings, W. The integrated services digital network 85−19627
Stallings, W. Local networks 85−19778
Stallings, W. Can we talk? [computer communication] 86−10756
Stallings, W. An annotated bibliography on local networks 86−43529
Stallings, W. The IEEE 802 local network standards 86−43561
Stallings, W. The DOD communication protocol standards 86−54587
Stallings, W. An annotated bibliography on integrated services digital networks (ISDN) 86−69268
Stallings, W. A tutorial on the IEEE 802 local network standard 86−69430
Stallings, W. Here is one way to get a close estimate of a data link's efficiency 87−7874
Stallings, W. Master plan for LANs 87−13370
Stallings, W. Interfacing to a LAN: where's the protocol? 87−48575
Stallings, W. Standards: the new fiber diet [LAN] 87−48580
Stallings, W. A manager's guide to protocols for local networking 88−3577
Stallings, W. Is there an OSI session protocol in your future? 88−15076
Stallings, W. Fairness in LANs: is the performance price worth it? 88−35076
Stallings, W. Tuning into TCP/IP [protocols] 88−59683
Stallknecht, M. IBM and local data networks 86−10760
Stallmann, K., Hirth, F.W., Speckhardt, H. Ultrasonic testing of metal deposits 85−456
Stallmann, M., Gabow, H.N. An augmenting path algorithm for the parity problem on linear matroids 85−33301
Stallworthy, D. Energy costs plummet at Sheffield University 85−39311
Stal'makhov, A.V. *see* Grechushkin, K.V. 87−53901, 88−13673
Stal'makhov, A.V. *see* Vashkovski', A.V. 87−25865
Stal'makhov, A.V. *see* Vashkovskiy, A.V. 85−18588, 86−21973, 87−18545, 88−1883
Stal'makhov, V.S., Gurzo, V.V., Grechushkin, K.V. Coupled magnetostatic waves in layered film structures 85−62207
Stal'makhov, V.S. *see* Grechuskin, K.V. 87−53900
Stal'makhov, V.S. *see* Prokushkin, V.N. 86−54259
Stal'makhovich, G.V. *see* Amromin, A.L. 87−9626
Stal'makhovich, G.V. *see* Zborovskii, I.A. 87−64690
Stal'markhov, A.V. *see* Vashkovskiy, A.V. 88−64970
Stal'naya, M.I., Labuzova, L.P. A memory synchronisation monitor [power system protection] 85−4679
Staloff, M. Computer-aided design and analysis of microwave transistor amplifiers 87−66539
Stalon, C.G. Wheeling, competition, and economic efficiency [wholesale electricity] 87−77976
Stalzer, H. *see* Fathy, A. 86−42942, 86−43078
Stalzer, H.J., Jr., Shmoys, J., Hessel, A. Surface impedance for the analysis of phased arrays with a lossy ground plane 87−61434
Stalzer, M.A. Mathematical guarding: a new approach to board assembly testing 88−19490
Stam, H., van den Berg, B., Bogaard, J.M., Versprille, A. A simple and accurate automated system for continuous long-term metabolic studies during artificial ventilation 87−77600
Stam, M.T.H.C.W., Gerritsma, G.J., Lodder, J.C., Popma, T.J.A. CoCr/NiFe double layers studied by FMR and VSM 87−46312
Stam, W.J. ECN wind turbine test site: general experience 86−51535
Stamac, M. *see* Bozicevic, J. 86−5476
Stamate, A. *see* Tertisco, M. 85−5585
Stamatelos, G., Hayes, J.F. Comparison of optimum sequence and optimum symbol-by-symbol detection 88−14597
Stambaugh, D. *see* Giddings, J.J. 85−1537
Stambaugh, D.P. *see* Logan, J.S. 85−6007
Stambaugh, L. Firmware innovation enhances performance of microwave counters 85−42853
Stamberger, A. A thermal imaging system, with a resolution better than 0.001K, measures mechanical stresses by thermoelastic temperature changes 85−37771
Stamberger, A. Noiseless 1 kW three-phase drive with digitally controlled power MOSFETs and 20 kHz clock pulses 85−49137
Stamberger, A. Series or parallel connected high-power gate turn-off thyristors with precisely synchronized switching off 85−49729
Stamberger, A. Computer-aided design optimization of power electronic systems 85−49730
Stamberger, A. Earthed driver circuits protection against interference in transistor- or GTO-bridge rectifiers 85−49731
Stamberger, A. Computer-controlled graphic and exciting systems in the television studio 86−17601
Stamberger, A. Trends in utilization of various energy sources 86−18920
Stamberger, A. 120- and 250-A arc welding machines with weight-saving high-frequency transistor-inverters 86−19656
Stamberger, A. Improvements in the circuits of self-oscillating transistor push-pull choppers 86−20265
Stamberger, A. The dependence of disturbances in optical transmission lines on the bias current of laser transmitter 86−23858
Stamberger, A. Low-loss transistor circuit with auxiliary thyristors also provides overcurrent protection in a 250 kVA inverter drive 86−26336
Stamberger, A. Phase changer with simple, electronically controlled LC network for cost effective working of three-phase induction motors from a single-phase supply 86−66070
Stamberger, A. Operational experiences with wind power installations 87−15617
Stamberger, A. Turn-off thyristors (GTOs) from the user's point of view. I 87−25256
Stamberger, A. Battery chargers for motive power lead batteries 87−30763
Stamberger, A. Gate-turn-off-thyristors in the user's view. II 87−38227
Stamberger, A. Wind power plant in practice. I 87−57975
Stamberger, A. Wind power equipment in practice. II 87−57976
Stamberger, A. The insulated gate bipolar transistor−a voltage-controlled high-speed rectifying valve 88−1634
Stamberger, A. Alternative introduction strategies for improving TV picture quality 88−15729
Stamberger, A. Spectral analysis of the leakage field serves for automatic fault monitoring of three-phase motors 88−17497
Stamberger, A. Submarine cables for the telecommunication and energy technology 88−35331
Stamberger, A. Submarine cable lines in telecommunication and power transmission 88−42854
Stambler, I. GT's burn gasified coal and methanol in California tests 86−45210
Stambler, I. See 3-year payback for 8-MW CHP peaking plant 86−51478
Stambler, I. Closed cycle plant with AFB design nears full load test 88−23762
Stambler, I. Radical new engine design being readied for testing 88−23763
Stambler, I. Unocal sees less than 3-year payback for 44 MW cogen 88−37778
Stambler, I. Sycamore and Midway EOR plants rate high in cogen efficiency 88−43031
Stambler, I. Security Pacific's combined cycle cogen plant proves ultra reliable 88−43032
Stambler, I. Kalina ready to start tests of a 3 MW sized plant early next year 88−43049
Stambler, L.B., Zabavnikova, I.R. Modernization of machine tool electric feed drives 88−62669
Stambolich, J.Y. *see* Chu, R.Y. 88−75315
Stambouli, M. *see* Soriano, C. 88−62747 to 62748
Stambuk, I., Gavric, L. Seismic influences on generating units 88−11052
Stambuliev, G. *see* Vasil'ev, G.A. 85−43994
Stamelos, I., Halatsis, C. Efficient test generation for register transfer level descriptions 88−1782
Stamelos, I., Melgara, M., Paolini, M., Morpurgo, S., Segre, C. A multi-level test pattern generation and validation environment 87−25477
Stamelos, J., Melgara, M., Paolini, M., Morpurgo, S., Segre, C. A multi-level test pattern generation and validation environment for VLSI 87−16357
Stamenkovic, B.B. On the active RC realization of voltage gain matrices with prescribed ranges of passive RC element values 87−867
Stamenkovic, Z. *see* Dimitrijev, S. 88−39692
Stamer, R.W. *see* Eckstein, D. 88−63983
Stamerjohanns, P. Simulation of the dynamic behaviour of a rolling mill drive with the simulation language SCALE/F 85−39365
Stamile, W. Telephone off-hook alarm 85−63400
Stamkulov, A.A. *see* Korotkov, V.P. 86−50103
Stamm, S.L. Plant Vogtle−independent design review 87−57778
Stamm, U. Numerical analysis of pulse generation in synchronously mode-locked CW dye lasers 88−27090
Stamm, U., Weidner, F., Wilhelmi, B. Analysis of pulse parameters in synchronously pumped infrared dye lasers 87−68405
Stamm, U. *see* Kaschke, M. 86−36433
Stamm, U. *see* Schubert, D. 86−9781
Stammbach, T. *see* Henneck, R. 87−77517
Stammbach, T. *see* Schryber, U. 85−52919
Stammberger, W. *see* Boller, H. 87−28093
Stammberger, W. *see* Deistung, K. 86−17096
Stammberger, W. *see* Koebsch, F. 88−52718
Stammely, T.E. *see* Annunziata, E.J. 85−8182
Stammely, T.E. *see* Freedman, D.R. 86−48904
Stamminger, R. *see* Pritchard, W.L. 88−22028
Stamminger, W. Mobile exchange 88−3718
Stamminger, W. *see* Hofmann, R. 86−43677
Stammler, W., Brehm, H. Correlation estimation for spherically invariant speech model signals 86−29816
Stammler, W. *see* Brehm, H. 87−47567, 87−56016
Stammler, W. *see* Elterich, A. 88−70294
Stammnitz, P. Error protection for digital moving picture transmission 86−69484
Stammnitz, P. *see* Hahn, M. 88−53062
Stamnitz, T.C. Cable design approach for partial solution of lead sensitivity problems in undersea fiber optic sensor systems 88−72057
Stamon, G. *see* Lichtin, J.P. 85−63114
Stamos, J. *see* Rogers, W.L. 85−15292
Stamov, I.G. *see* Kamertsel', A.Yu. 85−50265
Stamov, V.N. *see* Tsiulyanu, D.I. 88−2097
Stamp, I.J. *see* Nicholas, K.H. 85−12415
Stamp, J.M. *see* Harris, N.D. 87−71150
Stamp, R.L. Considerations for automation of an ATE work cell 86−7514
Stampa, A. *see* Gasthaus, K. 87−36984
Stampa, L. *see* Bracciocurti, G. 86−40141, 88−18004
Stampa, W. 'This is a recorded message...' 85−36795
Stampa, W. Technical standards, implemented through electronics 85−57791
Stampa, W. Towards 'total' communication with ISDN? 86−16697
Stampa, W. The 'NATEL C' Swiss mobile telephone network 87−69942
Stampa, W. Dictation has a future 88−41921
Stampelos, J.G., Apostolakis, G. A methodology for the analysis of dynamic human actions [nuclear safety] 85−43854
Stampelos, J.G. *see* Abbott, E.C. 85−43706
Stampfl, R.A. The APT on the polar orbiting weather satellites 88−30158
Stampfler, R. *see* Mailloux, G.E. 85−25187
Stampfli, A. *see* Jeannerat, F. 85−57868
Stampke, S. *see* Aronson, S. 88−61122
Stampke, S.R. *see* Banerjee, S. 88−54447
Stamps, D. Who's teaching telecom? 86−4092
Stamps, D. The tough search for telecom talent 88−21449
Stamps, R.E. *see* Fietz, W.A. 86−28753
Stamps, R.E. *see* Haubenreich, P.N. 87−67987
Stamps, R.E. *see* Lubell, M.S. 88−65028
Stamps, R.E. *see* Lue, J.W. 88−45031
Stamps, R.E. *see* Luton, J.N. 85−56230
Stamps, R.E. *see* Shen, S.S. 87−67971
Stamus, P.A. *see* Smith, J.K. 88−5170
Stan, Gh. *see* Barbonie, T. 85−20273
Stan, H.J. *see* Lipinski, J. 87−70828
Stan, M. *see* Petersen, J.S. 86−1909
Stan, V.V. *see* Zhelezko, Yu.S. 85−26984
Stanaland, W.D. Electrode effects from Kerr effect measurements 88−53808
Stanasila, T. On some random equations 85−10587
Stanasolovich, D., Katz, S., Schnur, S., Danner, D., Wang, L.K. A process for 0.5 micron CMOS gate definition 87−67600
Stanasolovich, D. *see* Alcorn, C. 85−29168
Stanasolovich, D. *see* Barber, J.R. 85−29285
Stanasolovich, D. *see* Fredericks, E.C. 85−34975
Stanaway, J.J., Jr. *see* Dailey, M.R. 85−3285
Stanbery, B.J., Avery, J.E., Burgess, R.M., Chen, W.S., Devaney, W.E., Doyle, D.H., Mickelsen, R.A., McClelland, R.W., King, B.D., Gale, R.P., Fan, J.C.C. Thin film tandem GaAs/CuInSe$_2$ solar cells for space power applications 88−37429
Stanbery, B.J. *see* Chen, W.S. 88−37590
Stanbery, B.J. *see* Mickelsen, R.A. 87−9816, 88−37501
Stanbrook, V.W. *see* Brooks, R.M. 85−25905, 85−37067, 86−17406
Stanbury, H.J. An industry-based standards system for the measurement of power loss and apparent power of electrical sheet steel 85−37703
Stanbury, J. *(editor)* 3rd International Symposium on Wave, Tidal, OTEC, and Small Scale Hydro Energy: Water for Energy 86−61854
Stanc, S., Tomik, J. A more accurate system for measuring the temperature difference of the coolant in the VVER-440 nuclear reactor 85−20577
Stancampiano, C.V. *see* McColgin, W.C. 86−5038
Stancampiano, C.V. *see* Nichols, D.N. 88−42167
Stancavage, P. BWR operation for life extension 87−78292
Stancavage, P.P. GE's approach to BWR longevity 87−22027
Stancavage, P.P. BWR performance for longevity 88−23654
Stancavage, P.P. *see* Brandon, R.J. 88−43016
Stancavage, P.P. *see* Rogers, A.E. 86−25787
Stancescu, C. *see* Gheorghe, M. 87−5320
Stanchak, C. *see* Laubhan, R. 87−1642
Stanchev, I., Kozhuharov, R. Characterization of second-harmonic effects in Gunn diode microwave oscillators 88−50388

Stanchev, I.Kh., Kozhukharov, R.I., Taslakov, M.A., Urshev, L.K. Converter of frequency from 1 to 10 GHz 87—59813
Stanchev, K. *see* Kolev, L. 86—62393
Stanchev, K.P. *see* Kolev, L.V. 85—54620
Stanchev, S.D. *see* Litkens, I.V. 87—50667
Stancheva, L. *see* Dimov, V. 88—22584
Stancheva, N. *see* Adamchuk, Yu.V. 85—52985
Stancheva, R. *see* Papazov, S. 86—54240
Stanchi, L. *(editor)* ESARDA 9th Annual Symposium on Safeguards and Nuclear Material Management Proceedings (EUR 11041 EN) 88—62887
Stanchina, W.E., Clark, M.D., Vaidyanathan, K.V., Jullens, R.A., Crowell, C.R. Effects and characterization of ion implantation enhanced GaAs Schottky barriers 87—53278
Stanchina, W.E. *see* Crowell, C.R. 88—57599
Stanchina, W.E. *see* Sunderland, D.A. 88—39384
Stancic, M. *see* Torma, L. 88—69456
Stancil, D.D. Thin-film permanent magnet requirements for magnetic devices in MMIC 87—67805
Stancil, D.D. *see* Adkins, L.R. 86—53901
Stancil, D.D. *see* Buris, N.E. 85—50848, 86—9421, 87—25785
Stancil, D.D. *see* Halchin, D.J. 85—50828, 86—21972
Stancil, D.D. *see* Poston, T.D. 87—67797
Stancil, D.D. *see* Wallin, S.J. 85—50827
Stancil, P. *see* Hemminger, B.M. 87—21708
Stancil, P.E. *see* Hemminger, B.M. 88—36565
Stanciu, D., Gavat, S., Tudor, V. Wide speed range induction motor drive with vector control transistor converter 86—66396
Stanciu, V. *see* Mereanu, A. 87—58142
Stanciulescu, D. *see* Derbyshire, A. 86—38495
Stanciulescu, G. *see* Duma, M. 87—57583
Stancliff, R. *see* Jerse, T.A. 88—60632
Stanclik, J. *see* Glowacki, M. 88—25031
Stanco, A. The development of gold and copper vapour lasers for medical applications in Australia 88—20813
Stanco, J., Rozkwitalski, Z., Sliwinski, G., Konefal, J., Kukiello, P., Rabczuk, G., Zaremba, R. A high-power transverse-flow CW CO_2 laser—output and small-signal gain measurements 87—18880
Stanco, J., Sliwinski, G., Konefal, J., Kukiello, P., Rabczuk, G., Rozkwitalski, Z., Zaremba, R. Investigations of a transverse-excited high-power CO_2 laser 88—14076
Stanco, J. *see* Sliwinski, G. 87—33081
Stanco, L. *see* Gasparini, F. 88—42440
Stancu-Minasian, I.M., Spircu, L., Galupa, A., Dumitrescu, E., Fabian, C. Cybernetic system for the control of the steel batch manufacturing process in electric furnaces 86—13195
Stancu-Minasian, I.M. *see* Patkar, V. 85—54294
Stanculescu, A. *see* Luckham, D. 87—36913
Stanculescu, A.G. *see* Augustin, L.M. 88—26447
Stanculescu, F., Antohe, S. On the equations describing the photovoltaic effect in Schottky barrier junctions 85—23558
Stanczak, B. Actualization of the Polish standards concerning lightning protection of buildings 86—39213
Stanczak, B. *see* Flisowski, Z. 88—69052
Stanczak, D. Replacing and integrating a combustion control system and a data acquisition system 88—23749
Stanczak, E.J. *see* Botsakos, M.A. 88—73480
Stanczak, J. *see* Augustyn, R. 86—19066
Stanczak, W. An efficient algorithm for partitioning a network into minimally interconnected subnetworks 85—22320
Stanczak, W. On equivalent random method [telephone traffic] 86—30261
Stanczak, W. General solution of telegraphist's equation for nonhomogeneous line and non-zero initial conditions 87—19230
Stanczak, W. *see* Nowicki, T. 87—23520
Stanczak, W. *see* Polowczyk, W. 87—36076
Stanczuk, A. MAP 83 microcomputer for measurements results registration and semiconductor structures maps formation 85—12232
Standa, J. *see* Bechtold, Z. 87—49955
Standa, J. *see* Szymocha, K. 87—35207
Standage, M.C. *see* Schulz, W.E. 85—41491
Standar, H. *see* Dudziak, M. 87—35198
Standen, D.J. Receiving satellite TV now 86—17301
Standen, J. *see* Seeley, G.W. 88—36544
Stander, C.M. *see* Demanet, C.M. 86—9036
Standerfer, F.R. TMI-2: how the cleanup is coming 86—61300
Standfuss, B., Regel, W. The LED display families 88—58379
Standiford, K. *see* Fok, S.S.M. 86—1915
Standiford, K. *see* Freyer, J. 85—1437
Standig, K.F. Rehabilitation of the Delta dam 85—27147
Standing, D. *see* Finlay, H.J. 85—11062
Standing, K.G. *see* Ens, W. 86—44606
Standing, N. *see* Chisholm, R. 87—13259
Standish, C.J. *see* Schlee, F.H. 88—67501
Standish, T.R. *see* Finley, L.A. 85—59585
Standish, W.P., Guevara, E.S. Planning Telecom Canada's common channel signalling No. 7 network 87—76227
Standish, W.P., Hurley, B.R. Approach to dimensioning analysis of Telecom Canada's CCS7 network 87—62509
Standish, W.P., Sistla, S. Network switching in the 1990s 87—76135
Standlee, A.G. *see* Harrington, J.A. 85—18668
Standlee, A.G. *see* Wysocki, J.A. 88—58048, 88—58120
Standlee, D.J., Miller, L. High reliability, 100 ampere-hour, light weight nickel-cadmium space battery 87—43384
Standler, R.B. An experiment to monitor disturbances on the mains 88—30264
Standler, R.B. Equations for some transient overvoltage test waveforms 88—40593
Standler, R.B. Use of low-pass filters to protect equipment from transient overvoltages on the mains 88—56740
Standley, C.L. *see* Logan, J.S. 85—6007
Standley, K.J., Hashim, M., Storey, B.E., Tooke, A.O. Isochronal recovery behaviour of the effective linewidth in yttrium iron garnet 85—29433
Standley, K.J., Tooke, A.O. Magnetic susceptibility of polycrystalline YIG at 6 GHz 86—47955
Standley, K.J. *see* Tooke, A.O. 85—29434
Standley, M. Towards fully integrated office communications [business] 85—57593
Standley, R.D., Cheung, N.K. Performance studies of some microstrip structures using superconducting materials 88—32379
Standley, R.D. *see* Millicker, D.J. 87—66440
Standley, R.D. *see* Vodhanel, R.S. 86—43136
Standnik, I.P., Gorskaya, I.Yu., Pukhov, I.K., Chertov, M.P. Analysis of a magnetic displacement device using cylindrical magnetic domains 86—53903
Stanek, E.K., Cataltepe, T., Wiitanen, D.O. Phenomena that affect the calculation of the inductance and resistance of mine track-trolley systems 85—26999
Stanek, E.K., Tompkins, C.J. Power engineering education as viewed from university administration 87—36364
Stanek, E.K., Venkata, S.S. Mine power system reliability 86—45885
Stanek, E.K. *see* Abdel-Salam, M. 86—44969, 86—45006, 87—4426, 87—25665, 87—38611, 87—46263
Stanek, E.K. *see* Abdel-Salem, M. 87—64157
Stanek, E.K. *see* Cataltepe, T. 86—52094
Stanek, E.K. *see* Wiitanen, D.O. 87—43728, 87—65030
Stanek, F. *see* Kazelle, J. 85—7116
Stanek, F. *see* Novak, J. 87—31592
Stanek, F. *see* Voda, P. 87—35636
Stanek, J. *see* Lisowski, W. 88—15961, 88—16540
Stanek, J. *see* Vysin, I. 85—7470
Stanek, P., Fenton, J.H. Premises telecommunications network technological and financial modeling 88—34963
Stanek, R. *see* Haberichter, W. 88—68239
Stanek, R. *see* O'Callaghan, J.P. 85—4210
Stanek, R.P. *see* Garbincius, P.H. 85—26602
Stanek, W. Optimized release of plates during conveyance and stacking 85—35980
Stanescu, A. *see* Docheru, I. 88—43020
Stanescu, C. *see* Gheorghiu, C. 88—31982
Stanescu, D. *see* Droasca, B. 85—2882
Stanescu, D. *see* Hohan, I. 85—4152
Stanescu, D. *see* Necula, A.M. 86—35034
Stanescu, S. *see* Iancu, V. 88—71973
Stanev, I. *see* Dotcheva, R. 86—16797
Stanfel, L.E. Mathematical optimization and the synchronizing properties of encodings 88—45901
Stanfill, L. *see* Bresler, M. 88—61472
Stanford, D.A., Islam, M. Comparative network strategies for the management of mutual consistency in distributed databases 87—48671
Stanford, D.A., Manfield, D.R., Mathur, A. The case for DLC dynamic channel assignment 87—20304
Stanford, D.A., Pagurek, B., Woodside, C.M. The serial correlation coefficients for waiting times in the stationary GI/M/*m* queue 88—31596
Stanford, D.A. *see* Woodside, C.M. 85—13553
Stanford, G., Worsham, R., Fong, K., Hutton, S. A new and improved RF resonator segment for the TRIUMF cyclotron 86—32020
Stanford, G. *see* Worsham, R. 88—54349
Stanford, L.M., McIntyre, J.W.R., Nelson, T.M., Hogan, J.T. Affective responses to commercial and experimental auditory alarm signals for anaesthesia delivery and physiological monitoring equipment 88—61223
Stanford, T.H. S-parameters aid design of RF amplifiers 88—63543
Stang, H.-W. Soldering of surface-mounted components by means of the equipment in general use 88—1138
Stang, L.D. Common board description to aid manufacturing test process 86—8643
Stange, G. A small size 7 tesla flux-concentrator of modular construction fed by a small thyristor pulse generator 85—24784
Stange, G. Numerical optimization of an extraction magnet in the form of a flat table 85—30020
Stange, G. *see* Lund, T. 88—21123
Stange, H.W., Martin, H., Diehm, U., Samlenski, D. New electrical contact materials which require less noble metal 87—17427
Stange, H.W. *see* Martin, H. 86—20877
Stange, U., Hutchins, M.G., Groome, N., Tarassenko, L. Quantitative analysis of immunological reactions on silicon surfaces by multiple-angle Brewster angle reflectometry 88—42500
Stange, U. *see* Tarassenko, L. 86—56116
Stangeby, P.C. *see* Pitcher, C.S. 87—64964
Stanger, D. Monte Carlo procedures in lighting design 85—16414
Stanger, H.-K. *see* Bohn, H. 86—61270, 87—71407
Stanger, H.K. *see* Schwerdt, H. 87—63722
Stanger, V.J. A comparative study of practical image segmentation techniques 88—3226
Stangerup, P. Microwave simulations using ESACAP [programming language] 85—55126
Stangerup, P. Danish simulation program has reached PC level 88—31925
Stangerup, P. Danish simulation program has reached the PC level. II 88—31926
Stangerup, P. *see* Laursen, A. 85—53898
Stangerup, P. *see* Skelboe, S. 85—6120
Stanghan, C.J. High frequency performance modelling for multilayer ceramic packages 86—52287
Stanghan, C.J., Macdonald, B.M. Electrical characterisation of packages for high speed integrated circuits 86—13493
Stanghellini, C. *see* Dall'olio, G. 88—10700, 88—68730
Stanghellini, C. *see* Molteni, E. 85—39161
Stanghellini, E. What is quality in general and especially in the service industries? 87—65241
Stangherlin, S. *see* Bertazzi, A. 87—11983 to 11986
Stangl, B., Mitterauer, J., Ruedenauer, F.G., Marowsky, G. Excimer laser replication of ion-implanted photomasks 85—40801
Stangl, G., Rudenauer, F., Maurer, W., Fallmann, W. Submicron lithography and DUV-master masks made by ion projection lithography 86—21318
Stangl, G., Rudenauer, F.G., Stengl, G., Loschner, H., Maurer, W., Wolf, P. Fabrication of submicron deep ultraviolet masks by ion microprojection 86—21624
Stangl, G. *see* Fischer, R. 87—25013
Stangl, G.A., Turney, D.L. Meeting the fiber optic challenge with vibratory cable plows 87—8286
Stangroom, J.E. Giving micro-electronics some working muscle [electrorheological fluids] 85—7131
Stanhope, R.J. *see* Corden, M.J. 85—64462
Stanhope, T. *see* Davidson, G. 86—16252
Stanhouse, E. *see* Dunn, G. 85—7946
Staniaszczyk, J. Start 8085 RAM addresses at 0000_{HEX} 85—40078
Stanic, J. Term and definition of measuring in information theory 85—3824
Stanic, J. *see* Belic, I. 88—27360
Stanic, S., Eckstein, B.E., Williams, R.L., Fleischer, P., Briggs, K.B. A high-frequency, shallow-water acoustic measurement system 88—74984
Stanic, U. *see* Acimovic, R. 88—61411
Stanich, C.G. Thermal IR imaging: a new geological tool 87—8995
Stanich, M. Design of a semiconductor laser print head 87—2134
Stanich, M.J. *see* Heussmann, D.W. 85—29891
Stanich, M.J. *see* Squier, J.A. 87—47025
Staniek, J. Contribution to the investigation of mobile radio network's structure 87—76587
Stanier, B.J. Modern electronics and integrated circuits 86—13336
Stanier, J., Hamid, M. Hybrid modes in a dielectric lined conical waveguide 86—53000
Stanier, J. *see* Elsherbeni, A.Z. 88—27550
Staniewicz, R.J., Dixon, R.A., Willson, J.A. The safety and performance of spiral wound $Li/SOCl_2$ cells for military applications 88—17856
Stanik, T.D. *see* Weston, H.T. 88—56568
Stanikunas, D.K. *see* Kaasik, P.Yu. 87—9548
Stanilov, K., Dundarov, P., Popov, E., Atanasov, R. Electric drives for metal-cutting machine tools with numerical program control and for industrial robots 85—44355
Stanionis, K. *see* Paulauskas, M. 87—9104
Stanionis, K.L. *see* Paulauskas, M.A. 86—39042
Stanisa, B. 100 years of steam turbine production and development 85—15816
Stanisa, B. Estimated life of eroded rotor blades of large-capacity turbines 88—23746
Stanislas, M. *see* Marelli, L. 86—12159
Stanislavlev, A.V. *see* Mokhov, V.N. 86—25566
Stanislavskii, Yu.A. *see* Gerlinga, B.A. 87—35815
Stanislaw, D.L. General aviation data bus update 86—18441
Stanislaw, W. The numerical problems in synthesis of boundary shape 87—75310
Stanislawski, J., Serebrankow, E. High voltage optocoupler 86—15575
Stanke, F.E., Lang, S.W. Automated system for measuring the constants of low-*Q* piezoelectric materials 87—3722

Stanke, F.E., Randall, C.J. Practical forms of the reciprocity relations for ultrasonic transducers 88−61694
Stanke, F.E. *see* Randall, C.J. 88−48392
Stanke, G., Nyland, B. Controller for sinusoidal and optimized PWM with pulse pattern changes without current transients 88−70609
Stanke, G. *see* van der Broeck, H.W. 87−43222
Stanke, G.V. *see* van der Broeck, H.W. 88−43279
Stanke, K. Automation and flexibility in the automated production of electronic assemblies 87−51836
Stanke, K. *see* Fruhauf, U. 88−1294
Stankevich, A.I. *see* Dan'ko, V.G. 86−33424
Stankevich, K.S. *see* Ivanov, V.P. 87−20644
Stankevich, V.Ch. *see* Semiletov, S.A. 87−73061
Stankevich, V.Ch. *see* Vasil'ev, M.G. 86−40748
Stankevich, V.I. *see* Zharkov, M.A. 86−37645
Stankiewicz, A. *see* Domanski, A.W. 87−74768
Stankiewicz, J., David, L. Electrical properties of doped and undoped $Mn_{0.05}Cd_{0.95}Se$ 85−18114
Stankiewicz, J., David, L. Electrical properties of $Mn_xCd_{1-x}Se$ 85−23476
Stankiewicz, J., von Molnar, S., Giriat, W. Magnetotransport near the metal-insulator transition in $Cd_{0.6}Mn_{0.4}Se$ 86−35326
Stankiewicz, J. *see* Giriat, W. 85−16909
Stankiewicz, N. *see* Dayton, J.A. 88−25832
Stankiewicz, R. *see* Kaczmarek, S. 88−73764
Stankos, W.C. *see* Uhlhorn, R.W. 86−69791
Stankov, A., Popova, E., Nedyalkov, E., Dragostinov, T., Mantchev, N., Aroyo, I., Zhivkov, P. Transmission of additional information in the active television lines 86−69883
Stankov, K., Kurtev, S. Reliable and efficient TEA N_2-laser 86−15638
Stankov, K.A. Laser resonator with ultrabroad longitudinal mode spacing 86−54170
Stankov, K.A. A mirror with an intensity-dependent reflection coefficient 88−34103
Stankov, K.A. Compact high flow dye cell for laser-pumped dye lasers 88−51769
Stankov, K.A., Jethwa, J. A new mode-locking technique using a nonlinear mirror 88−45517
Stankov, K.A., Kurtev, S.Z., Milev, I.Y. High-energy output from a short-channel N_2 laser 87−46778
Stankov, K.A., Milev, I.Y., Kurtev, S.Z. Coherent nitrogen laser with high output energy 87−46937
Stankov, K.A. *see* Koprinkov, I.G. 85−18837
Stankov, K.A. *see* Saltiel, S.M. 86−54188
Stankov, P.R. Influence of natural parameter fluctuations on the spectral characteristics of nonlinear oscillations 85−39950
Stankov, P.R. *see* Panov, V.I. 87−45197
Stankovic, A. *see* Ilic, M. 88−42806
Stankovic, J.A. *see* Zhao, W. 88−66802
Stankovic, M. Fast algorithms for operations in spectral domain 88−34627
Stankovic, M. Forecast of quality status with insulation systems in power transformers 88−49028
Stankovic, R. A survey of procedures for target maneuver tracking 87−3213
Stankovic, R.S. A note on differential operators on finite Abelian groups 87−75770
Stankovic, R.S., Stojic, M.R. A note on the discrete generalized Haar derivative 88−34626
Stankovich, D. *see* Paik, C. 88−53699
Stankowski, K., Fabijanski, P. Analysis of wattless power compensation system with network converter of inner commutation 86−19359
Stankowski, K., Palczynski, L. Thyristor sequential inverter with sectionalized primary winding of output transformer 85−53746
Stankowski, K. *see* Fabijanski, P. 86−70600
Stankowski, K. *see* Hering, M. 85−16129
Stankus, K. *see* Schluter, P. 85−53068
Stankyevich, K.S. *see* Barabanov, A.P. 87−35494
Stanley, A.J. *see* Bilson, R.T. 86−53250
Stanley, A.M. CEPS—using an expert system as a maintenance diagnostic aid 88−74917
Stanley, A.R. Review of current operational practice and system design using digital techniques 85−31157
Stanley, A.R. *see* Parker, F.G. 87−28752
Stanley, B., Barry, R. Microprocessor based servomotor control system 87−30674
Stanley, C. *see* Heeter, C. 87−62585
Stanley, C. *see* Lee, K.Y. 87−38303
Stanley, C. *see* Teza, J. 87−798
Stanley, C.B. A technique for dynamic compensation of grounding-conductor current 85−62845
Stanley, C.R. *see* Airaksinen, V.M. 87−44326, 87−74180
Stanley, C.R. *see* Iliadis, A. 86−62221
Stanley, C.R. *see* Lee, K.Y. 87−25273
Stanley, C.R. *see* Martin, T. 85−49541
Stanley, C.R. *see* Thoms, S. 87−25117
Stanley, D.C. Versatile serial protocol for a microcomputer—peripheral interface 85−13973
Stanley, D.C. Versatile serial protocol for a microcomputer—peripheral interface 85−17595
Stanley, D.L. *see* Cottrell, D.J. 86−5572
Stanley, D.P. Truck & bus electronics—worldwide 85−65577
Stanley, D.P. Commercial vehicle electronics—a North American perspective 87−79165
Stanley, F. *see* Shen, C.N. 86−54568
Stanley, G. *see* King, M.G. 85−13649
Stanley, I.W. A tutorial review of techniques for coherent optical fiber transmission systems 85−63649
Stanley, I.W., Cooper, R.C., Smith, D.W. Trends in Gbit/s optical fibre system developments in the United Kingdom 87−34618
Stanley, I.W., Hill, G.R., Smith, D.W. The application of coherent optical techniques to wide-band networks 87−56153
Stanley, I.W., Smith, D.W. Progress in coherent optical fibre transmission techniques in the United Kingdom 85−42565
Stanley, I.W. *see* Hill, G.R. 87−20541, 87−62974
Stanley, I.W. *see* Shepherd, J.N. 88−53278
Stanley, J. TALK [a VMS-to-oscilloscope communication program] 87−70674
Stanley, J.T. *see* Cost, J.R. 88−64888
Stanley, K. Developments in wet electrolytic capacitors 86−14568
Stanley, N.C. Putting integrated digital loop carrier systems to the test 88−52734
Stanley, P. An appraisal of a new infrared based stress analysis technique 87−21257
Stanley, P.M. *see* Fowler, C.M. 87−26673, 88−40511
Stanley, R.C. Microprocessors in brief 85−45081
Stanley, R.P. Reconstruction from vertex-switching 86−328
Stanley, R.P. Symmetries of plane partitions 87−10261
Stanley, T., Neamen, D., Dressendorfer, P., Schwank, J., Winokur, P., Ackermann, M., Jungling, K., Hawkins, C., Grannemann, W. The effect of operating frequency in the radiation induced buildup of trapped holes and interface states in MOS devices 86−35695
Stanley, T.P. ISDN standards—an FCC view 88−3673
Stanley, T.P. Recent US spectrum management experience 88−35635
Stanley, W.B. High basic service rates and connection charges: wrong for the telephone industry 85−25317
Stannard, G. *see* Lautzenheiser, T. 85−5485
Stannard, R. *see* Domann, G. 87−20059, 87−34015
Stannard, R. *see* Dugan, D.J. 86−43387
Stannard-Powell, S.J. *see* Fox, M. 86−42256
Stannard-Powell, S.J. *see* Plessner, K.W. 86−42255
Stannarius, R. *see* Reinmuth, J. 86−70046
Stannett, A.W., Swift, D.A. Some comments on the value of tests on materials in the design of plastic insulators 88−69025
Stannett, A.W. *see* Shroff, D.H. 86−12874
Stannett, G.M. A low-cost keyer using CMOS logic 87−76243
Stano, A. Analysis of recombination parameters in n-n^+ epitaxial silicon layers by moving light strip method 87−11329
Stano, A. Chemical etching characteristics of InGaAs/InP and InAlAs/InP heterostructures 87−38124
Stano, A. Chemical etching of InGaAs/InP and InAlAs/InP heterostructures 87−73976
Stano, A. *see* Cinguino, P. 85−29711, 85−51039, 87−38739, 87−54201, 87−74810, 88−20399, 88−45329, 88−51702, 88−58381
Stano, A. *see* Delpiano, F. 88−20644
Stano, A. *see* Franzosi, P. 86−66816, 88−39061
Stano, A. *see* Genova, F. 85−384, 85−49543 to 49544
Stano, A. *see* Meliga, M. 87−5444
Stano, S. *see* Genova, F. 85−33496
Stanojevic, D. Effective temperature and its usage for the forecasting of electric power and energy validity 88−10820
Stanojevic, D. Determination on higher climatic factors and their effects on the value of electric power and energy by applying the dispersion analysis method 88−49286
Stanojevic, D. *see* Milanov, T. 87−42332
Stanomir, D. Hyperbolic systems. Some integral formula 85−44581
Stanomir, D. A variational approach to the derivation of the Brayton-Moser equations 87−492
Stanomir, D. Hyperbolic systems. A distributional approach to the boundary values 87−10343
Stanomir, D. Some summation formulae in $\mathcal{D}'$ 87−72893
Stanomir, D., Iftime, A. An emphasis and de-emphasis active network for audio frequencies 88−70892
Stanomir, D. *see* Manescu, O. 87−486
Stanoulov, N. Contemporary trends in applied metatheoretic research: a case study about information metatheory: a fragment 88−14569
Stanovnik, A., Plesko, M., Zavrtanik, D., Sever, F., Korbar, D. Measurement of the difference of positive and negative pion interactions in a Cherenkov radiator 86−5780
Stanovnik, A. *see* Kernel, G. 86−44601
Stanovnik, A. *see* Zavrtanik, D. 85−20814
Stanphill, R. *see* Vegesna, R. 87−37376
Stansberry, M. Macro configurations meet design requirements 85−61954
Stansberry, M. Feasibility studies for CMOS gate arrays. II 86−889
Stansberry, M. Energy saver [CMOS gate array power consumption] 86−14119
Stansberry, M. Project studies for CMOS gate arrays. II. Selection and circuit design in practice 86−46677
Stansberry, M. Project studies for CMOS gate arrays. I 86−52787
Stansberry, M. Interface various IC technologies to CMOS arrays 87−38514
Stansberry, M. The integration of fiber optics into network systems 88−47092
Stansberry, M.C. Detailed analysis helps you reduce gate arrays' power consumption 85−39991
Stansberry, M.C. Gate-array design—a hierarchical development trend 85−54777
Stansberry, M.C. Semi-custom counters: design classification, and performance 87−5798
Stansell, T.A., Jr. RTCM SC-104 recommended pseudolite signal specification 87−41055
Stansfeld, J., Ditcham, S. Developments in fluid density transducers 87−3550
Stansfield, E.V. Adaptive techniques in speech coding 86−10324
Stansfield, E.V., Martin, D.P., Newman, M. Adaptive filters in speech coding 87−55015
Stansfield, E.V. *see* O'Sullivan, T. 87−48739
Stansfield, R.F.D., McIntyre, G.J. Online evaluation of position-sensitive detector (PSD) diffraction data 85−64492
Stansfield, R.F.D., Thomas, M., Mason, S.A., Nelmes, R.J., Tibballs, J.E., Zhong, W.L. Tests of the quality of data from DKDP using a 'fly's-eye' neutron PSD 85−15231
Stansfield, R.F.D. *see* Thomas, M. 85−15228
Stansfield, S.A. ANGY: A rule-based expert system for identifying and isolating coronary vessels in digital angiograms 85−43389
Stansfield, S.A. Representing generic objects for exploration and recognition 88−66760
Stansfield, S.A., Bajcsy, R. An integrated robotic sensory system 87−70469
Stansfield, W.H. *see* McKee, H.D. 86−67460
Stanski, B. A high resolution colour TV camera 85−52511
Stantchev, I., Mechergui, H. Analysis of metrological parameters of RC oscillators using linear peak clippers 88−18976
Stantchev, K. *see* Georgiev, V. 87−5951
Stantchev, K.P. *see* Farchy, S.L. 87−887
Stantchev, K.P. *see* Georgiev, V.I. 86−41211, 87−853, 87−59705
Stanton, A.C., Caulfield, H.J., Stewart, G.W. An approach for automated analysis of particle holograms 85−15034
Stanton, A.C., Wormhoudt, J. Laser diagnostics of semiconductor processing systems 87−10477
Stanton, A.C. *see* Silver, J.A. 87−63939
Stanton, A.D. Multiple access techniques 88−73875
Stanton, B.J., Jamieson, L.H., Allen, G.D. Acoustic-phonetic analysis of loud and Lombard speech in simulated cockpit conditions 88−66411
Stanton, B.J. *see* Reintjes, J.F. 85−17548
Stanton, B.J., Jr., Burge, L.L., Jr. Development of a speech research capability at the US Air Force Academy 86−22969
Stanton, C. *see* Wang, N. 88−60688
Stanton, C.J., Baranger, H.U., Wilkins, J.W. Analytic Boltzmann equation approach for negative differential mobility in two-valley semiconductors 86−67670
Stanton, C.J., Nelkin, M. Random-walk model for equilibrium resistance fluctuations 85−10581
Stanton, C.J., Wilkins, J.W. Nonequilibrium current fluctuations in semiconductors: a Boltzmann equation-Green function approach 87−66862
Stanton, C.J. *see* Bailey, D.W. 88−32804
Stanton, D. Harmonics on posets 86−34140
Stanton, D. Getting the picture: four VHS VCRs offer a mix of economy and luxury 87−28828
Stanton, D. *see* Chihara, L. 86−66688
Stanton, D. *see* Greene, J. 86−46205
Stanton, G.W. Implementation of teletext on cable television system in the United States 85−13855
Stanton, G.W., Woodsum, G.T. A teletext data decoder for the home environment 85−36692
Stanton, J.A., Stanton, M.J. Video recording: a history 87−41257
Stanton, J.P. *see* Steele, C.A. 87−77144
Stanton, L., Day, J.L., Villafana, T., Miller, C.H., Lightfoot, D.A. Screen-film mammographic technique for breast cancer screening 87−71101
Stanton, M. *see* McDonald, J.F. 88−13496
Stanton, M.J. A challenge to complacency: changing attitudes to training 88−11641
Stanton, M.J. *see* Stanton, J.A. 87−41257
Stanton, R.H., Alexander, J.W., Dennison, E.W., Glavich, T.A., Hovland, L.F. Optical tracking using charge-coupled devices 88−16204
Stanton, R.H., Alexander, J.W., Dennison, E.W., Glavich, T.A., Salomon, P.M., Williamson, R.E. ASTROS: a sub-arcsec CCD star tracker 85−58598
Stanton, S.A. *see* Robinson, D.G. 87−55501
Stanton, S.E. Transient control for electric power systems—our latest innovation 87−57575

Stanton, S.E., Adams, G. Investigation of error in the pseudo-energy method of instability analysis 87−78634

Stanton, S.E., Rogers, E.E. Analysis of an 85-foot soft-airfoil wind turbine 87−35862

Stanton, S.E., Waggoner, D.R. A rotational transform for reducing large circuits preserving a regional centroid 88−75143

Stanton, S.J., Levy, S., Dollinger, R., Sarjeant, W.J. Modeling of linear and nonlinear circuits 85−526

Stanton, S.J. *see* Belling, M. 87−22508

Stanton, S.J. *see* Hitchcock, R.N. 85−5162

Stanton, T.K. Effects of second-order scattering on high resolution sonars 85−3521

Stanton, T.K. Volume scattering: echo peak PDF 85−37115

Stanton, T.K. Sea surface scattering: echo peak PDF 85−37116

Stanton, T.K., Clays, C.S. Sonar echo statistics as a remote-sensing tool: volume and seafloor 86−44809

Stanton, T.K., Nash, R.D.M., Eastwood, R.L., Nero, R.W. A field examination of acoustical scattering from marine organisms at 70 kHz 88−9661

Stanton, T.R. Designing nickel-cadmium batteries into consumer electronics applications 87−36114

Stantso, E. *see* Atanasov, P.A. 87−26271

Stanus, E. Automatic sleep stage scoring with a microprocessor 86−32331

Stanus, E., Lacroix, B., Kerkhofs, M., Mendlewicz, J. Automated sleep scoring: a comparative reliability study of two algorithms 87−57147

Stanus, E. *see* Lacroix, B. 85−48288

Stanwyck, D.A. *see* Burg, F.M. 87−2761, 87−7942

Stanziano, G., Kaplan, H., Koblasz, A., Davey, K. Microcomputer analyses of clinical ERG, EOG, and other tests of retinal function 88−68429

Stapel, A.G. Pipes without faults. Piping in nuclear power stations—safety worth the cost 85−48676

Stapel, M.G. Automated planning of TV center equipment distribution for multi-zone broadcasting 88−47302

Stapel, M.G. *see* Lisogursky, V.I. 88−41854

Stapelbroek, M.G. *see* Petroff, M.D. 87−66855

Stapelbroek, M.G. *see* Stetson, S.B. 87−49550

Stapelmanns, H.W. The car telephone produces drive and opportunities 87−62851

Stapf, R.O., Azechi, H., Miyanaga, N., Nakaishi, H., Yamanaka, M., Izawa, Y., Yamanaka, T., Yamanaka, C. Calibration of neutron detector response to 2.45 MeV neutrons based on 3.02 MeV proton tracks in CR39 87−29507

Stapfer, G. *see* Wood, C. 85−52860

Stapfer, G. *see* Zoltan, D. 85−52861

Stapinski, T. Cadmium-tin oxide (Cd_2SnO_4) transparent thin-film electrodes 87−11385

Stapinski, T., Leja, E., Marszalek, K. Cadmium-tin oxide transparent conductive thin films 88−7315

Stapinski, T. *see* Leja, E. 85−34534

Stapinski, T. *see* Marszalek, K. 86−15523

Stapinski, T. *see* Roberts, E. 85−58606

Stapinski, T.E. Towards an Australian space industry 87−76713

Staples, J. RFQ's in Research and Industry 87−35304

Staples, J., Gough, R., Schneider, H., Zajec, E. Initial operation of the LBL heavy ion RFQ 85−26641

Staples, J. *see* Alessi, J.G. 88−47789

Staples, J. *see* Gough, R.A. 87−35273

Staples, J. *see* Haseroth, H. 87−41680

Staples, J. *see* Renner, T.R. 86−25037

Staples, J. *see* Wolf, B.H. 87−70941

Staples, J.L. *see* Piggin, B.P. 86−38462, 87−1151

Staples, J.W. *see* Alonso, J.R. 88−54003

Staples, L.A. *see* Taylor, H.L. 85−9276

Stapleton, J.C., Bass, S.C. Adaptive noise cancellation for a class of nonlinear, dynamic reference channels 85−19164

Stapleton, J.C., Bass, S.C. Adaptive noise cancellation for a class of nonlinear, dynamic reference channels 85−36268

Stapleton, J.C., Bass, S.C. Karhunen-Loeve-based additive synthesis of musical tones 86−69990

Stapleton, J.C. *see* Widmer, H.P. 87−63077

Stapleton, J.P. *see* Beckham, J.T., Jr. 86−61310

Stapleton, S.P., Stubbs, M.G., Wight, J.S. GaAs monolithic analogue frequency halver 86−62823

Stapleton, S.P. *see* Stubbs, M.G. 87−32101

Stapley, B. Satellite racing: a winner for the racing industry 87−40841

Stapor, A., Raczynska, J., Przybylinska, H., Sienkiewicz, A., Fronc, K., Langer, J.M. Spectroscopy of GaAs and InP grown in the presence of rare earth elements 87−53332

Stapor, W.J., August, L.S., Wilson, D.H., Oldham, T.R., Murray, K.M. Proton and heavy-ion radiation damage studies in MOS transistors 86−35704

Stapor, W.J., Johnson, R.L., Jr., Xapsos, M.A., Fernald, K.W., Campbell, A.B., Bhuva, B.L., Diehl, S.E. Single event upset dependence on temperature of an NMOS/resistive-load static RAM 87−31885

Stapor, W.J. *see* Bhuva, B.L. 88−25196

Stapor, W.J. *see* Burke, E.A. 88−25882

Stapor, W.J. *see* Campbell, A.B. 85−17389, 86−35879, 86−35882, 87−32543

Stapor, W.J. *see* Hauser, J.R. 86−35768

Stapor, W.J. *see* Knudson, A.R. 85−18145, 86−35702, 87−32292

Stapor, W.J. *see* Xapsos, M.A. 88−25197, 88−25993

Stapp, R.S., Feller, D.G., Johnson, L.R., Westmark, C.I., Bajaj, J., Vural, P.R., Newman, P.R., Blazejewski, E.R. Anomalous behavior of reverse leakage currents in liquid phase epitaxial HgCdTe photodiodes with 10 MeV electron irradiations 88−51673

Stapp, R.W. *see* Gassaway, J.D. 85−64167

Stappaerts, E.A. *see* Komine, H. 87−12566

Stappen, G.van der *see* van der Stappen, G.

Stapper, C. Productivity optimization of VLSI DRAM chips with redundant circuits 88−63689

Stapper, C.H. Modeling of defects in integrated circuit photolithographic patterns 85−28830

Stapper, C.H. Yield model for fault clusters within integrated circuits 85−29279

Stapper, C.H. The effects of wafer to wafer defect density variations on integrated circuit defect and fault distributions 85−35075

Stapper, C.H. The defect-sensitivity effect of memory chips 86−34782

Stapper, C.H. Yield model for planning and controlling the manufacture of VLSI memory chips 86−41916

Stapper, C.H. On yield, fault distributions, and clustering of particles [VLSI] 86−63366

Stapper, C.H. Yield statistics for large area ICs 87−18264

Stapper, C.H. Correlation analysis of particle clusters on integrated circuit wafers 88−26382

Stapper, C.H. Productivity optimization of VLSI DRAM chips with redundant circuits 88−33354

Stapper, M. Ultrasonic imaging techniques 86−56110

Stapper, M., Sollie, G. Characterization of biological tissues by scans of ultrasound transmission tomography using a personal computer 88−10653

Staprans, A., Huey, H. Unique aspects of gyrotron operating equipment 85−55405

Star, D.M. Integrating the ISDN and LAN services in the office environment 87−2759

Star, M.van der *see* van der Star, M.

Starasinic, S., Trontelj, J., Trontelj, L. High-frequency monolithic SC circuit building blocks 87−46066

Starbuck, B., Cathers, E., Routh, M.W., Tikkanen, M.W. Materials and process characterization using ICP and AES 87−60247

Starbuck, B. *see* Jackson, R. 86−18851

Starbuck, M.B. *see* Marutiak, D.J. 87−40214

Starcevic, M. *see* Fust, A. 86−25969

Starch, W. *see* Larbalestier, D.C. 85−56148

Starchenko, E.A. *see* Anguilar-Benitez, M. 87−71031

Starchenko, E.A. *see* Boratav, M. 86−5801

Starchenko, E.G. *see* Navolokin, S.N. 85−54545

Starck, C., Goldstein, L., Boulou, M., Bonnevie, D., Lambert, M., Audry, C. Growth and characterization of $Ga_xIn_{1-x}As_yP_{1-y}$/InP quantum wells 88−31804

Starck, C. *see* Artigue, C. 87−39132

Starck, C. *see* Goldstein, L. 88−64256

Starczakow, W. Mechanism and effect of influence of external high current circuit on current transformer with multiturn primary winding 85−21692

Starczewski, E. *see* Cha, C.-C. 88−60228

Stareev, G., Mroziewicz, B., Banasiak, S., Dobosz, E. High power pulse lasers for fiber optic measurements 87−74758

Starer, D. *see* Nehorai, A. 87−62098

Stares, C. Time to plunge into the telecom market 85−10406

Stares, C. The electronic office—a new market for the electrical contractor 86−57152

Stargardt, A. *see* Mirande, W. 88−10339

Staric, M. *see* Kernel, G. 86−44601

Staric, P. Interpolation between Butterworth and Thomson poles 88−500

Staric, P. Inductive peaking circuits 88−44313

Staric, P. Optimisation of the HV surge voltage testing circuits 88−69076

Starik, A.M. *see* Biryukov, A.S. 85−12812

Starik, A.M. *see* Britan, A.B. 86−54087

Starik, A.M. *see* Kirmusov, I.P. 85−46333, 87−54255

Starik, P.M., Garasim, V.I., Drapak, Z.T., Zayachuk, D.M. Transfer phenomena in four-component solid solutions based on lead and tin sulphides and selenides 85−28969

Starik, P.M., Lastivka, V.I., Omel'yanyuk, I.V. Simple device for orientation and grinding of semiconductor crystals 87−25025

Starik, P.M., Zayachuk, D.M. Peculiarities of the cadmium donor action in the lead telluride 87−6538

Starik, P.M. *see* Kurbatov, L.N. 86−68545, 87−54342

Starik, P.M. *see* Zayachuk, D.M. 85−40476

Starik, W., Kumer, L. The principles of an economical use of energy and the role played by electrical energy 88−36917

Starikov, A.D. *see* Afonin, S.L. 88−58234

Starikov, A.D. *see* Alekseev, V.N. 85−56591, 86−15670, 88−8285

Starikov, A.D. *see* Bayanov, V.I. 87−33128

Starikov, A.D. *see* Golubev, V.V. 88−20723

Starikov, A.D. *see* Malinov, V.A. 87−26205

Starikov, A.D. *see* Volynkin, V.M. 87−12251

Starikov, A.I., Razovskii, N.P., Svetlichnyi, V.M. Noise, breakdown, and dynamic range of diodes with hot charge carriers 88−19913

Starikov, A.M. *see* Akhmanova, L.N. 85−8940

Starikov, A.M. *see* Lachinov, V.M. 88−51406

Starikov, B.P. *see* Korolev, M.V. 87−70792

Starikov, B.P. Konovalov, A.A. *see* Korolev, M.V. 88−487

Starikov, D.I. *see* Kosyachenko, L.A. 85−2164

Starikov, E.V. *see* Pozela, J.K. 85−40430

Starikov, E.V. *see* Pozhela, Yu.K. 86−27843, 88−2197

Starikov, E.V. *see* Vorob'ev, L.E. 86−21091

Starikov, M.N. *see* Balagurov, L.A. 88−57323

Starikov, S.N. *see* Berik, E.B. 86−63773

Starikov, V.A. *see* Fot, N.A. 86−46415

Starikov, V.I. *see* Barilovich, V.A. 86−65945

Starikov, V.V. *see* Bobrovskii, Yu.L. 87−45502

Starikova, L.V. *see* Derkach, V.P. 86−35796

Starikova, T.I. *see* Zarifyants, Yu.A. 85−34804

Starikovskii, A.I. *see* Artamkin, I.V. 87−54784

Starinskii, V.N., Trunov, N.N. New effects in charged He II and their possible applications in metrology 87−70816

Starita, A., Battaglini, A., Bergamasco, M., Dario, P. A sensorized platform-based, computerized system for posture rehabilitation 88−68455

Starita, A. *see* Cioni, R. 86−25228

Starita, A. *see* Rossi, B. 85−4334

Stark, A. Propagation of electromagnetic waves. I 86−59034

Stark, A. Propagation of electromagnetic waves. II 87−12701

Stark, A. Propagation of electromagnetic waves. III 87−39383

Stark, A. Propagation of electromagnetic waves. IV 87−54551

Stark, A. Propagation of electromagnetic waves. I 88−27497

Stark, A. Propagation of electromagnetic waves. II. Space waves 88−40529

Stark, A. Propagation of electromagnetic waves 88−40555

Stark, A. EMP-protected antennas 88−45754

Stark, A. *see* Demmel, F. 87−61497

Stark, A.C., Jr., Villiere, P.M. Harnessing intelligent networks 88−21592

Stark, A.M. SMD pick and place machines—an assessment 85−23230

Stark, B. *see* Degen, K.-H. 85−46264

Stark, D., Horowitz, M. REDS: resistance extraction for digital simulation 87−65717

Stark, D. *see* Bosshart, P.W. 87−59617, 88−6901

Stark, D. *see* Horowitz, M. 88−6899

Stark, D.B. *see* Welch, W. 88−56106

Stark, D.C. *see* Horowitz, M. 87−59603

Stark, D.S., Harris, M.R. The application to sealed CO_2 TEA lasers of platinum catalysts bonded to aluminium-containing ferritic steel 88−72361

Stark, E., Danielmeyer, H.G. Measurement of quantum efficiencies in laser crystals by compensation calorimetry 85−35725

Stark, E., van der Heide, H.-J. Fast multichannel photon counter for fluorescence spectroscopy 86−11505

Stark, E. *see* Albers, P. 86−29104

Stark, E.L. *see* Engels, W. 88−49754

Stark, E.W. *see* Dolev, D. 87−55719

Stark, F. Surface attach chip carriers for conventional and high performance applications 86−46091

Stark, F. Surface attach chip carriers for conventional and high-performance applications 88−176

Stark, G.E. Dependability evaluation of integrated hardware/software systems 88−6321

Stark, G.E. Monitoring software reliability in the Shuttle Mission Simulator 88−36600

Stark, G.L., Stetson, L.E. Computed design and measured electrical loads on farms 88−55759

Stark, G.L. *see* Stetson, L.E. 86−12353, 87−78028

Stark, H., Hui Peng Shape estimation in computer tomography from minimal data 88−52528

Stark, H., Tuteur, F.B., Anderson, J.B. Modern electrical communications: analog, digital, and optical systems. Second edition 88−37827

Stark, H., Woods, J.W. Authors' reply to comments on 'Direct Fourier reconstruction in computer tomography' 86−44635

Stark, H., Wu, R. Recognition of two and three dimensional objects 86−3943

Stark, H., Wu, R. Rotation and scale invariant recognition using optimum feature extraction 86–10534
Stark, H. *see* Oskoui-Fard, P. 88–68394
Stark, H. *see* Piegorsch, W. 85–34296
Stark, H. *see* Sezan, M.I. 86–16407
Stark, H. *see* Wu, R. 85–25143, 87–2581, 87–48062
Stark, H. *see* Yudilevich, E. 87–27595, 88–41045, 88–73266
Stark, H. *(editor)* Image recovery: theory and application 88–55804
Stark, J. The integrated display controller (IDC) for VLSI-design workstations 88–64697
Stark, J. *see* Joseph, H. 86–20186
Stark, J. *see* Thabit, S.S. 85–5027, 85–27363, 85–60603
Stark, J.P.W. *see* Mahdavieh, Y. 86–16578
Stark, J.W. *see* McKay, J.W. 86–25091
Stark, L. AM transmission in fiber 88–41609
Stark, L. *see* Hannaford, B. 85–37994
Stark, L. *see* Kim, W.S. 88–47652
Stark, L.W. The TU][revisited—a simple but effective computer interface for reception of CW RTTY, and ASCII 85–30632
Stark, L.W. How to build a homebrew 813 amplifier 87–37011
Stark, L.W. The calibrated Drake [radio receiver] 87–48846
Stark, M. *see* Fior, G. 87–18355
Stark, M. *see* Zajac, J. 85–7050
Stark, P. Automated shield arc welding in suspension production at BMW 85–27878
Stark, P.A. CoCo's compu-charger [battery testing] 87–9708
Stark, P.A. Build the PT-68K 88–56611
Stark, P.M. Government policies on space commercialization: industry waits at the altar 88–30071
Stark, S.Z., Scholl, T.H. The role of the software support organization in systems development [telecommunication projects] 86–30151
Stark, T.H. What to consider in choosing a Fax system 85–8077
Stark, T.H. Facsimile equipment: faster, better, cheaper 87–13315
Stark, W. *see* Hegde, M. 87–55973
Stark, W. *see* Moayeri, N. 87–54887
Stark, W.B. *see* German, D.M. 86–6422
Stark, W.B. *see* Jones, J.E. 87–49863
Stark, W.E. Coding for frequency-hopped spread-spectrum communication with partial-band interference. I. Capacity and cutoff rate 86–10959
Stark, W.E. Coding for frequency-hopped spread-spectrum communication with partial-band interference. II. Coded performance 86–10960
Stark, W.E. Capacity and cutoff rate of noncoherent FSK with nonselective Rician fading 86–22879
Stark, W.E., McEliece, R.J. On the capacity of channels with block memory 88–66253
Stark, W.E. *see* Castor, K.G. 86–64211
Stark, W.E. *see* Hassan, A.A. 88–34586
Stark, W.E. *see* Hedge, M. 86–30601
Stark, W.E. *see* Hedge, M.V. 88–35368
Stark, W.E. *see* Hegde, M.V. 88–73779
Stark, W.E. *see* Kim, B.G. 87–40703
Stark, W.E. *see* Lee, J.H. 88–19159, 88–28674
Stark, W.E. *see* Moayeri, N. 86–64204
Stark, W.E. *see* Pursley, M.B. 85–63514
Starke, C.W. Built-in test for CMOS circuits 85–33831
Starke, C.W. *see* Koppe, S. 85–50639
Starke, C.W. *see* Williams, T.W. 87–24109, 87–44747, 88–19083, 88–32130
Starke, E.A. *see* McQueen, H.J. 86–67514
Starke, G. *see* Jones, S.B. 86–13224
Starke, H. *see* Eder, E. 87–63858
Starke, J. Techniques and equipment for dimensional test of cylinder head gaskets 85–14618
Starke, J.C. *see* Brown, C.C. 87–23333
Starke, L. The gate-turn off thyristor and its application to convertor design 86–2143
Starke, L. Satellite television in the USA 86–11018
Starke, L. Satellite television in the United States. II 86–11020
Starke, L. Introducing digital technology. I 87–52519
Starke, L. Pyroelectric sensors for space surveillance 87–56692
Starke, L. USW radio receivers with transmitter identification 88–9420
Starke, L. An introduction to digital technology. II 88–12302
Starke, L. Protective measures for thyristors 88–13363
Starke, L. Introduction to digital technology. III—Conclusion 88–32291
Starke, L. DAT digital audio tape technology 88–35744
Starke, L. The transistor and its working point 88–39439
Starke, L. The stepper motor as digital positioning device 88–49005
Starke, L. Super VHS—a new video system? 88–53453
Starke, L. The use of stepping motors as digital actuators 88–55384
Starke, L. Kirchoff's laws and their practical application 88–63436
Starke, L. Aerials and communication networks 88–66182
Starke, L. The class AA audio amplifier circuits—a new type of amplifier 88–74180
Starke, M., Dimitrijewitsch Tschistjakow, O. Manufacture, purification and characterisation of rare earth diphthalocyanines 88–16299
Starke, M. *see* Mann, G. 88–24593
Starke, M. *see* Schumacher, W. 87–77765
Starke, M.M., Corcoran, D.W., Bilello, J.C. Motor control and data-acquisition system: automatic control of X-ray cameras 86–56076
Starke, R. Test set for byte-serial-bit-parallel interface 86–4978
Starke, R. A meter with an IMS-2 interface 86–70000
Starke, T.P. *see* Moir, D.C. 86–31807
Starke, W. *see* Heun, J. 88–55692
Starken, G.M. The diagnostic reporting system: a report on the development of a system 88–74905
Starker, J. *see* Barany, A. 87–50088
Starker, K. *see* Sattler, P.K. 88–75596
Starker, S. A time transfer experiment between atomic clocks on the space shuttle and on the ground 87–40836
Starkes, R.J. Evolution of rural digital switch and the rural network 85–42373
Starkes, R.J. DMS-10—an evolving rural digital switching system 85–52205
Starkey, C.J., IV High-resolution projection cathodochromic CRT display with automatic self-alignment 87–3476
Starkey, E. Consumer research—objectives and report [cable TV] 86–24119
Starkey, P.G. Experimental performance of phased array direction finding algorithms in severe multipath conditions 86–30912
Starkey, P.G. Experimental performance of high resolution direction-finding algorithms for phased arrays 87–39525
Starkey, P.G. Direction-finding with linear phased arrays using eigenanalysis techniques 88–28992
Starkey, R.S. *see* Chong Chiu 86–33008
Starking, G.N., Yarkov, V.S., Tokarev, V.I. Programmable interface for controlling the KADR-103ST VTR 88–4214
Starkins, G. Putting backbone into fibre optics 87–76718
Starkov, G. *see* Williams, P.J.S. 88–53344
Starkov, M.A. A dielectric cylinder with impedance boundary conditions 85–61430
Starkov, M.A. *see* Belago, I.V. 85–36303
Starkov, S.O. *see* Dmitriev, A.S. 86–67080, 87–31675
Starkov, S.O. *see* Dmitriyev, A.S. 88–38412
Starkov, S.O. *see* Kal'yanov, E.V. 86–47247
Starkov, S.O. *see* Maksimov, N.A. 86–40942
Starkov, V.N. *see* Kukhtarev, N.V. 85–19011
Starkov, V.V., Yakimov, E.B., Konyakhin, E.V., Kozhitov, L.V., Koveshnikov, S.V. Investigation of electrically active defect generation in forming n-n$^+$ structures of high voltage devices 87–60166
Starkov, V.V. *see* Izidinov, S.O. 85–45484
Starkov, V.V. *see* Koveshnikov, S.V. 88–33076
Starkov, V.V. *see* Trifonov, A.I. 85–40399
Starkova, V.N. *see* Kurdyumov, V.N. 88–44519
Starkova, V.N. *see* Voskresenskiy, G.V. 85–6653
Starkovich, E.G. *see* O'Hara, J.B. 87–42747
Starkovskii, A.N. *see* Bagdasarov, V.Kh. 87–26362
Starks, S., Netland, L., Tucker, D. Analysis of aerosol particle samples by expert system 85–13648
Starks, S.A., Elizandro, D.W. System autonomy hooks and cars for Space Station 88–42598
Starks, S.A., Rundus, D., Erikson, W.K., Healey, K.J. NASA Systems Autonomy Demonstration Program: a step towards Space Station automation 87–63868
Starling, P. 6502 single board computer project 88–70795
Starmann, W.W. Using solder masks: design and application constraints 85–178
Starmer, P. Putting a minicomputer onto a chip-PDP-11 to J11 85–839
Starnberg, H.I. *see* Soukiassian, P. 88–44675, 88–64411
Starner, D.L. Third generation DIP relays 85–40282
Starner, J.W. *see* Talbert, W.L., Jr. 87–71053
Starner, R.A. *see* Weaver, R.A. 86–60862
Starnes, T.W. 8/16/32-bit compatible MPUs offer product breadth 85–17519
Starnes, T.W. On-chip cache memory—the MC68020 and the MC68030 88–12436
Starness, L. *see* Guterman, D. 87–44857
Starobin, B.Ya. Analysis of transients for certain pulse stimuli 87–36865
Starobinskii, A.A. *see* Zel'dovich, Ya.B. 87–68694
Starobogatov, I.O. *see* Nikolaev, S.D. 87–75059
Starobogatov, R.O. *see* Tarbeev, Yu.V. 88–74238
Starodub, G.A. *see* Dubenetz, A.L. 85–37594
Starodub, G.J. *see* Perelygin, V.P. 87–29590
Starodub, V.P. *see* Veresh, M.F. 88–20562
Starodubov, S.A. *see* Babenkov, M.I. 87–14731
Starodubov, V.A. Maximum capacity of asynchronous motor in extended electrical network 86–19273
Starodubtsev, A.I. *see* Andreev, Yu.M. 87–75240
Starodubtsev, A.I. *see* Baranov, V.Yu. 86–29066, 87–68357, 88–20547
Starodubtsev, A.I. *see* Dyad'kin, A.P. 87–74985
Starodubtsev, E.S. *see* Babaev, A.I. 88–61157
Starodubtsev, I.A. *see* Gandel'sman, M.I. 86–18504
Starodubtsev, N.A. Asynchronous processes and antitonic controlling circuits. II. Basic properties 86–57793
Starodubtsev, V.A., Fursa, T.V., Erofeeva, G.V. Change of electron injection in irradiated dielectrics caused by surface charging 88–72487
Starodubtsev, V.A. *see* Bordina, N.M. 88–17929
Starodubtsev, V.F. *see* Krasnov, A.E. 88–14835
Starodumov, A.N. *see* Gochelashvili, K.S. 86–54193
Starodumov, V.Ya. Digital recorder of single signals 85–20647
Starodumov, Yu.M. *see* Belyanko, A.E. 86–48073
Staromlynska, J., Clay, R.A. Transient response of an electrically addressable nonlinear bistable optical device 88–14279
Staromlynska, J., Miller, A., Clay, R.A. An electrically addressable nonlinear optical bistable device 87–38877
Staromlynska, J. *see* Miller, A. 88–34110, 88–65450
Staropolsky, M. *see* Gutierrez, J.A. 87–57491
Starosel'skii, V.I. Noise characteristics of stroboscopic converters using gallium arsenide integrated circuits 86–35893
Starosel'skii, V.I. Optimal design of logic elements in gallium-arsenide LSI circuits 86–57745
Starosel'skii, V.I. A comparative analysis of the speed and energy properties of fast logic elements in integrated circuits 87–37178
Starosel'skii, V.I., Suetinov, V.I., Bratov, V.A. Gallium-arsenide LSI logic elements with an expanded efficiency range 86–41049
Starosel'skiy, V.I. The modeling of gallium-arsenide field-effect transistors with a Schottky gate and an ion-doped channel 85–55849
Starosta, K. *see* Prochazkova, O. 86–58922
Starostenko, N.N. *see* Boldyrev, V.M. 85–59897
Starostenko, V.I. *see* Boldyrev, V.M. 85–59897
Starostenko, V.V. *see* Zhdanov, N.N. 87–17317, 87–37836
Starostenko, Ye.L. *see* Gabeskirija, G.M. 86–69884
Starostenko, Yu.G., Vasiliev, D.G. From the practice of using silver-zinc batteries 85–27599
Starostin, A.N. *see* Baranov, V.Yu. 85–2417, 87–46759
Starostin, A.N. *see* Dem'yanov, A.V. 86–29055
Starostin, A.N. *see* Lopantseva, G.B. 85–2230
Starostin, I.A. *see* Vakarov, B.S. 88–26958
Starostin, J.A. *see* Vakarov, B.S. 87–38912
Starostin, K.V. *see* Grodnenskii, I.M. 86–58308
Starostin, K.V. *see* Volkov, V.A. 85–55524
Starostin, N.I. *see* Bazarov, E.N. 86–29041, 88–58437
Starostin, P.Ya. *see* Lomako, V.M. 85–1315
Starostin, V.-I., Vyazigin, V.L., Karpov, V.V. A generalised energo-technological model for estimating the consequences of disturbance of power supplies 86–7341
Starostin, V.A. *see* Aleksandrov, P.A. 86–63174
Starostin, V.I. Establishing standards for reliability of electricity supply to petroleum-chemical complex enterprises 87–22940
Starostin, V.I. *see* Belogolovkin, D.E. 86–39865
Starostin, V.I. *see* Bushuev, V.V. 86–6225
Starostin, Yu.P. *see* Aizenshtein, A.G. 87–9656
Starostina, G.P. *see* Danil'chuk, N.V. 87–68244
Starostina, G.P. *see* Pshenitsyn, V.I. 86–28882
Starostina, G.P. *see* Verenik, V.N. 85–56758
Starostina, L.S. *see* Sevast'yanov, B.K. 85–35729, 86–54115
Starostina, T.M. *see* Abramov, A.A. 88–65195
Starostina, T.P. *see* Kravtseva, I.I. 87–53823
Starostina, T.P. *see* Maslov, V.V. 85–40992
Staroswiecki, M., Hamad, M. Validation of measurements and detection of sensors' failures in control systems 87–51903
Staroszczyk, Z. *see* Chwaleba, A. 85–42942, 88–22500
Starov, V. Influence of X-ray exposure conditions on pattern quality 88–7528
Starov, V.I. Production of one-lever switching structure based on vacuum copper condensates using ceramic substrates 87–11107
Starov, V.I., Skomorokh, V.G. Production of highly stable resistive layers based on the alloy RS-3710 87–23722
Starov, V.I. *see* Skomorokh, V.G. 87–23721
Staroverov, B.A., Terekhov, V.G. A precision drive with an FM speed transducer 85–49140
Staroverov, G.A. *see* Andrushechko, S.A. 88–17300
Staroverov, G.A. *see* Pytkin, Yu.N. 86–39407

Staroverov, G.M. How the size of supply transformer windings is influenced by the kind of polyphase rectifier circuit 85−21672
Staroverova, T.Ya. *see* Moz, L.S. 86−33334
Starovoitov, A.T., Snetkov, E.I. Electrooptical photographic arrangement 86−48219
Starovoitov, S.F. *see* Bol'shanin, A.F. 86−36549
Starovoitov, V.S. *see* Petukhov, V.O. 85−56509, 87−26300
Starovoitova, N.P. *see* Alekseev, I.I. 86−26018, 87−22253
Starovoitova, N.P. *see* Zechikhin, B.S. 88−69331
Starovoytov, A.V. *see* Afanas'yev, L.N. 87−76047
Starr, A. *see* Jones, D. 86−22972
Starr, C. The United States in 2000: power-less or power-full? 86−12297
Starr, C., Braun, C. US nuclear power performance [nuclear power stations] 85−9584
Starr, C., Searl, M.F. US electricity needs vs. planned capacity additions 86−6296
Starr, C. *see* Whipple, C. 88−55128
Starr, C. *see* Zeborski, E. 85−53432
Starr, D.J. Desk top computers in process control [ATE for thermoelectric coolers] 87−3417
Starr, E.C., Diemond, C.C. AC and DC power transmission economics and operating strategies 88−68875
Starr, E.M., Nourshargh, N., McCormack, J.S. The effect of laser heating on optical properties of germania doped silica optical waveguides 87−74822
Starr, E.M. *see* Nourshargh, N. 85−62398, 86−68252, 86−68306, 87−10501, 87−26062, 87−26075, 88−6525
Starr, M.R. Photovoltaics for rural electrification−economic aspects 86−45286
Starr, M.R. Photovoltaics for rural electrification 88−62278
Starr, M.R., Hacker, R.J. Updating the price projection for PV modules and systems 86−45695
Starr, P.J., Skrien, D.S., Meyer, R.M. Simulating schedule recovery strategies 87−36480
Starr, R. *see* Chow, P.C.W. 85−48748
Starr, R. *see* Crannell, C.J. 85−4238
Starr, R. *see* Massopust, T.P. 85−55763
Starr, R. *see* Sorensen, B. 87−63253
Starr, R. *see* Sorenson, B. 87−14890
Starr, T.E., Galanti, C.B., Jamra, J.A. Effect of temperature on laser transmitters 86−48412
Starr, W.T., Steffens, H.G. Searching for thresholds in voltage endurance 86−68085
Starr, W.T., Steffens, H.G. Corona: insulation's silent enemy. I 88−64806
Starre, J. *see* de Graauw, Th. 87−17337
Starritt, H.C. *see* Duck, F.A. 86−5899, 87−50239
Starshinina, T.P. *see* Gorina, Yu.I. 87−53215
Starshinov, Yu.B. *see* Skribanov, E.V. 88−16481
Starshinova, I.V. *see* Biberin, V.I. 86−40705
Starshinova, I.V. *see* Smirnov, V.A. 85−16919
Starshov, G.I. *see* Soplyachenko, V.N. 88−64961
Starski, J.P., Albinsson, B. An absorptive attenuator with optimized phase response 85−11393
Starski, J.P. *see* Sohtell, E.V. 87−39519
Startsev, A.V. *see* Bazhulin, S.P. 88−27094, 88−40165
Startsev, A.V. *see* Stoilov, Yu.Yu. 85−18889
Startsev, A.V. *see* Zuev, V.S. 85−2258, 85−24665
Startsev, E.M. *see* Burgsdorf, V.V. 87−4420
Startsev, V.R. *see* Gorbunov, V.A. 86−15769
Startsev, V.R. *see* Papernyi, S.B. 85−12962, 85−41500
Startseva, L.V. Application of the two-dimensional linear-difference filter in flaw inspection 86−20136
Staruk, W., Jr. Pushing HF data rates 86−4118
Starunov, B.M. *see* Donskoi, A.V. 86−33485
Stary, F. *see* Kotte, R. 87−63696
Stary, F. *see* Schilling, K.D. 87−63692
Stary, F. *see* Skorupa, W. 88−57446
Stary, J. *see* Jeger, D. 86−5165
Staryga, E., Lipinski, A. Electrical properties of carbon films in the MIM and MIS systems 88−44607
Starzak, S. *see* Moeneclaey, M. 88−66487
Starzewski, G. *see* Ehret, H.P. 85−64372
Starzyk, J. An efficient cluster algorithm 86−46173
Starzyk, J.A. Decomposition approach to a VLSI symbolic layout with mixed constraints 85−18421
Starzyk, J.A., Dai, H. Element evaluation in the resistive networks 86−57586
Starzyk, J.A., Dai, H. Multifrequency measurement of testability in analog circuits 87−65763
Starzyk, J.A., El-Gamal, M.A. An optimization approach to fault location in analog circuits 87−393
Starzyk, J.A., Konczykowska, A. Flowgraph analysis of large electronic networks 86−46428
Starzyk, J.A., Rastogi, S.C. Hierarchical decomposition approach to DC power flow solution 86−61011
Starzynski, J., Sikora, J., Wincenciak, S. Using the finite element method for teaching the theory of electromagnetic fields in laboratories 86−63895
Stas', V.F. *see* Lovyagin, R.N. 86−35551
Staschan, W. New ways of high level picture postfinishing in the film and television technique 88−9752
Staschewski, D. Hydrogen-air fuel cells of a new alkaline matrix type designed for vehicular applications 86−71052
Staschus, K. *see* Sherali, H.D. 85−38396, 87−78048
Staseev, V.G. Recognition of defects of the pore chain type on the basis of spectra of the reflected signal 86−52561
Staseev, V.G. *see* Vopilkin, A.Kh. 86−52557
Staselko, D.I., Churaev, A.L. Investigation of the phase characteristics of holographic recording media 85−51300
Stasel'ko, D.I., Churaev, A.L. Method for calculating the contrast of images of diffusely scattering objects produced by thick-layer transmission phase holograms 87−19106
Staselko, D.I., Churaev, A.L. Light scattering by silver halide materials for holography. Effect of noise holograms and specklegrams 87−68653
Stasel'ko, D.I. *see* Alekseev, V.P. 87−7460
Staselko, D.I. *see* Aristov, A.V. 87−47007
Stasel'ko, D.I. *see* Berezinskaya, A.M. 85−46503, 86−48513
Stasel'ko, D.I. *see* Bespalov, V.G. 86−48496
Stasel'ko, D.I. *see* Churaev, A.L. 85−7555, 87−23791
Stasel'ko, D.I. *see* Kliot-Dashinskaya, I.M. 85−24682, 86−15802
Stasel'ko, D.I. *see* Korolev, A.E. 85−7556, 85−51297, 85−62694, 86−9983, 88−2395
Stasel'ko, D.I. *see* Krylov, V.N. 88−33983, 88−34152
Staselko, D.I. *see* Maier, B.O. 85−35919
Staselko, D.I. *see* Malyshev, S.L. 88−65606
Stasel'ko, L.I. *see* Korolev, A.E. 87−39257
Stasenko, R.F. *see* Geiderman, Zh.P. 86−25645
Stasenko, V.A. *see* Filippov, L.P. 85−20747
Stas'ev, V.P. *see* Novakovskii, M.V. 86−68652
Staseva, G.I. *see* Yanitskii, V.A. 86−39516
Stasevich, S.G. Calculating the voltage levels in the DC networks when a differential busbar protection operates outdoor switchgear 86−32812
Stasevich, S.G. *see* Astakhov, B.A. 86−25854
Stasevich, V.I. *see* Danilkin, N.P. 88−66061
Stashkevich, A.A. Distortion of the instrumental function in a real acoustooptical spectrum analyzer 85−2109
Stashkevich, A.A. Impedance matching paratellurite acoustoelectronic devices 87−32815
Stashkevich, A.A. *see* Preslenev, L.N. 87−33017
Stashkevich, I.V. *see* Durasov, V.M. 86−42658
Stashuk, D., De Bruin, H. Automatic decomposition of selective needle-detected myoelectric signals 88−30010
Stasiak, J., Batey, J., Tierney, E., Li, J. Fabrication of thin gate oxide MOSFETs using low-temperature plasma-enhanced chemical-vapor-deposited SiO$_2$ 88−33215
Stasiak, J. *see* Pan, S.-K. 88−71066
Stasiak, M. Computation of the probability of losses in commutation systems with mutual aid selectors 87−62543
Stasicki, B. *see* Frungel, F. 86−5358
Stasienko, J., Wojtyczka, A. Electric resistance of some selected amorphous metals and change of resistance of Fe$_{60}$Ni$_{20}$B$_{10}$Si$_{10}$ alloy during tensile test 86−53365
Stasiewicz, J. Thin film inductive magnetic heads 85−1839
Stasiewicz, J. Discs applied in contactless optical recording 86−49849
Stasiewski, H. *see* Abeles, B. 85−18134
Stasiewski, H. *see* Eberhardt, W. 88−71361
Stasiewski, H.C. *see* Abeles, B. 85−55545
Stasik, P. Cleaning of the windings of electrical rotating machines 85−27371
Stasinski, R. Comments on 'Bounds on the minimum number of data transfer in WFTA and FFT programs' 85−22446
Stasinski, R. The WFTA for computing the cosine/sine DFT in one and more dimensions 85−44675
Stasinski, R. Memory savings in look-up tables for functions with bounded first derivative 87−754
Stasinski, R. Rader-Winograd's DFT algorithms for N=2^r 87−44277
Stasinski, R. FFT pruning−a new approach 87−55212
Stasinski, R. Prime factor DFT algorithms for new small-*N* DFT modules 87−58894
Stasinski, R. Efficient realization of digital frequency division multiplexing modems 88−46365
Stasinski, R., Lukasik, E. Minimization of rounding errors in WFTA programs 88−70295
Staske, R. *see* Rechenberg, I. 88−8182
Staskewicz, P.C., Sagianis, E.M. Software-defined networks 87−69530
Staskiewicz, J., Czyzniewski, A., Szypowski, C., Gulbinski, W. Improvement of the sensitivity of a bridge for the inductive measurement of superconducting critical temperatures 88−22830
Stasonis, R.A. Justifying a distributed repair philosophy [electronics field services] 88−55931
Stasovskii, V.D. *see* Bar'yakhtar, F.G. 87−77380
Stassar, P.J.J. Components for subscriber networks 88−9523
Stassen, H.H. The similarity approach to EEG analysis 86−18352
Stassen, H.H. Masking artifacts in EEG time series 88−16742
Stassen, H.H., Bomben, G. Affective state and voice: reproducibility and sensitivity of speech parameters 88−52373
Stassen, W.M. *see* Cloete, J.H. 88−34396
Stassi, P. *see* Alarja, J. 86−18250, 86−32165
Stassi, P. *see* Liatard, E. 88−47982
Stassinopoulos, D. *see* Brown, D. 88−68107
Stassinopoulos, E.G., Brucker, G.J., Stauber, M.C., Stephen, J.H., Chang, J.Y., Sanderson, T.K. Thermoluminescent detector performance in low-dose slow-rate environments 88−48253
Stassinopoulos, E.G., Brucker, G.J., Van Gunten, O. Total-dose and dose-rate dependence of proton damage in MOS devices during and after irradiation 85−18472
Stassinopoulos, E.G. *see* Adolphsen, J.W. 85−17390
Stassinopoulos, G.I. Simulation results for dynamic, centralized routing in communication networks 85−63366
Stassinopoulos, G.I. Fenchel duality and smoothness of solution of the optimal routing problem [communication networks] 86−37172
Stassinopoulos, G.I. Optimal dynamic routing in multidestination networks 87−40013
Stassinopoulos, G.I. Approximate online implementable algorithms for dynamic routing in communication networks 87−55420
Stassinopoulos, G.I., Bambos, N. Bifurcated shortest path routing in communication networks 86−43596
Stassinopoulos, G.I., Konstantopoulos, P. Optimal congestion control in single destination networks 85−63134
Stassinopoulos, G.I., Theodorakis, P.C. The congestion clearing problem in multi-destination networks 86−30125
Stassinopoulos, G.I. *see* Drigas, A.S. 88−3411
Stassinopoulos, G.I. *see* Mitrou, N.M. 87−47762, 87−47783
Stassinopoulos, G.I. *see* Protonotarios, E.N. 87−34007 to 34008
Stassinopulos, G.I., Protonotarios, E.N. Dynamic routing and prospects for online implementation [data networks] 87−28156
Stassinos, E.C., Anderson, T.J., Lee, H.H. A mechanism and kinetics of silicon growth 86−7790
Stastny, M. Heat and power station turbines incorporating a stage with an adjustable guide disc 86−33067
Stastny, M., Falout, F. Stage with control guide wheel for district heating plant turbines 85−53561
Stastny, V. *see* Sopko, B. 86−58381
Stasyak, V.I. *see* Petrov, O.A. 87−15823
Stasyuk, I.D. *see* Pistun, E.P. 85−9003
Stasz, P. *see* Tucker, R.D. 88−68458
Staszak, Z.J., Cooke, B., Shope, D., Jafar, M., Chidambaram, N., Prince, J.L. Design and performance of a system for VLSI packaging thermal modeling and characterization 87−72847
Staszak, Z.J. *see* Hamilton, D.J. 87−51793
Staszak, Z.J. *see* Jain, S.C. 88−26206
Staszak, Z.J. *see* Prince, J.L. 86−194, 86−45974
Staszak, Z.J. *see* Shope, D.A. 88−50982
Staszak, Z.J. *see* Wilamowski, B.M. 86−63228, 86−67135, 88−509
Staszewski, G.G.Marvon *see* Marvon Staszewski, G.G.
Staszewski, P. Nonstationary reluctivity underrelaxation in the iterative magnetic field calculations in electrical machine 87−15691
Staszewski, P. Field model of determination of main pole leakage parameters in DC machine 87−30620
Staszewski, P. *see* Biczel, A.L. 85−32501, 87−35899
Stathakis, K. *see* Nagata, K. 87−1804
Stathman, M.D. *see* Evans, C.A., Jr. 85−50374
Stathopulos, I.A. Experimental and theoretical investigations on the puncture of porcelain insulators in air 88−42886
Stathopulos, I.A., Burkas, P.D., Katsambekis, T. Man in a 50 Hz electric field 88−48252
Stathopulos, I.A., Burkas, P.D., Katsambekis, T. Man in a 50 Hz electric field 88−61481
Stathopulos, I.A. *see* Atsonios, G. 88−42885
Stathopulos, I.A. *see* Bourkas, P.D. 88−75700
Stathopulos, I.A. *see* Burkas, P.D. 88−43255
Statkevich, A.A. *see* Bogachkov, N.I. 87−18862
Statler, R.L. Radiation effects on solar cells 86−51909
Statler, R.L., Faraday, B.J. New materials technology for improving the efficiency of photovoltaic solar cells 88−11392
Statler, R.L. *see* Curtis, H.B. 86−7128
Statler, R.L. *see* Faraday, B.J. 87−72444
Statler, R.L. *see* Walker, D.H. 87−9782, 87−72443, 88−37487, 88−49147
Statler, R.L. *see* Weinberg, I. 88−37467
Statman, J.I. Simplified solution for a class of fading memory filters 87−70114

Statman, J.I., Rodenmich, E.R. Parameter estimation based on Doppler frequency shifts 87—47683
Statman, J.I. *see* Crow, R.B. 85—38312
Statman, J.I. *see* Hurd, W.J. 88—15699
Statman, M., Tyebjee, T.T. The risk of investment in technological innovation 85—16670
Statman, R. Every countable poset is embeddable in the poset of unsolvable terms 87—44159
Staton, D.A. *see* Birch, T.S. 86—33429
Staton, J.B., III SNA connection a greater role seen for type 2.1 nodes plus 86—37473
Staton, J.B., III *see* Schutt, T.E. 88—15004, 88—67021
Staton, J.B., III *see* Sundstrom, R.J. 87—62635
Staton, L.D. *see* Khalaf, C.S. 88—4118
Staton, R. Photon switching: a status report 87—8317
Staton, T.C. *see* Schafft, H.A. 87—38159
Stats, H. Railroads launch fiber optic network 85—31055
Statsenko, A.A. *see* Kokurin, Yu.L. 87—54281
Statsenko, V.N. *see* Grishin, V.M. 88—43274
Statsenko, V.V. *see* Babenko, A.I. 87—52823
Stattel, P., Briggs, J., DeBoer, W., Skelton, R. High vacuum portable pumping station suitable for accelerator use 86—24927
Stattel, P., Feigenbaum, I., Hseuh, H.C., Robinson, T., Skelton, R., Wong, V. Vacuum system control for the Heavy Ion Transport Line 88—54305
Statton, R.J. *see* Richman, S.H. 86—16994
Statz, H., Dorchner, T.A., Holtz, M., Smith, I.W. The multioscillator ring laser gyroscope 86—36630
Statz, H., Newman, P., Smith, I.W., Pucel, R.A., Haus, H.A. GaAs FET device and circuit simulation in SPICE 87—38279
Statz, H. *see* Haus, H.A. 85—29867
Statz, H. *see* Namordi, M.R. 86—8196
Statz, H. *see* Smith, I.W. 88—26337
Staub, A.O., Owen, E.L. Solid-state motor controllers 86—19230
Staub, A.O., Owen, E.L. Solid-state motor controllers 87—30498
Staub, T., Laeng, P. Mechanical properties and long-term behaviour of glass fibres used for optical transmission 86—42242
Staub, T. *see* Fischer, R. 86—30540, 87—5264
Staub, U. *see* Netta, F. 88—62941
Stauber, J. The calculation of mechanical stresses in a superconducting magnet with a cylindrical coil 86—36105
Stauber, J., Sladek, V. Design solution of the stator winding of a short circuit generator 87—35874
Stauber, J. *see* Kurka, J. 88—58045
Stauber, M. *see* Chang, J.Y. 88—57686
Stauber, M.C. *see* Stassinopoulos, E.G. 88—48253
Stauber, R., Walt, E. Computer assisted instruction 88—31416
Staubermann, H. *see* Juschka, R. 85—27863
Staubi, P., Heinzmann, P. Bidirectional 2 Mbit/s transmission over a single fibre using electrical echo cancellation 86—49585
Staubli, R. LED/1.3 μm single-mode fiber transmission systems 88—53276
Stauch, G. Mechanical fundamental frequency of compact switching plants 86—19406
Staudacher, A. Central electrically heated water-storage—a system with a future 87—64962
Staudacher, K. Protection for structures in extreme earthquakes: full base isolation (3-D) by the Swiss Seismafloat System [nuclear plants] 85—38633
Staudacher, W. Linear optimisation: an HX-20 BASIC program 86—62076
Staude, A. *see* Benvenuti, A.C. 85—15254
Staude, A. *see* Deiters, K. 88—68308
Staude, A. *see* DeWulf, J.P. 87—21468, 88—22985
Staude, E. *see* Thamm, W. 87—78418
Staudemann, J.L. *see* Arch, D.K. 86—58292
Stauden, T. *see* Muller, B. 86—26904
Staudenmann, J.-L., Horning, R.D., Knox, R.D., Arch, D.K., Schmit, J.L. Anomalous temperature dependence of lattice parameters of metalorganic chemical vapor deposition CdTe grown on GaAs 86—46315
Staudenmann, J.-L. *see* Ahlgren, W.L. 88—461, 88—31760
Staudenmann, J.-L. *see* Horning, R.D. 87—23622
Staudenmann, J.L. *see* Monfroy, G. 86—66806
Staudigel, L. *see* Bohm, K. 85—62378, 87—8618
Staudigl, G. *see* Becker, F.S. 86—52520
Staudinger, G. Calculation of manufacturing yields with allowance for random measurement errors 86—26665
Staudinger, G. The desulphurisation of flue gases: research and further development 87—35790
Staudinger, J., Seely, W. MMIC tests improved with standards on chip 87—52853
Staudinger, J., Seely, W. Miniaturized mode type isolators employing resistive resonator terminations 88—32395
Staudinger, W. A 64 Kbit/s model network as a first ISDN approach 85—51906
Staudinger, W.F.A. Evolution of telematic terminal equipment in an OSI and ISDN environment, as seen from the viewpoint of the CCITT Study Group VIII 86—37363
Staudt, A. *see* Schneider, H.W. 87—1930, 88—39911, 88—58149
Staudt, J. *see* Bethmann, J. 86—19396
Staudt, T.F. Defuse RFI [in radio transceivers] 87—28355
Staudt, U. Computer-based collation and evaluation of analytical data in the power station 86—51448
Staudte, R. *see* Baumgardt, H.G. 87—14772
Staufer, H. *see* Mauch, S. 86—18665
Stauffer, A. *see* Pedron, C. 88—63624
Stauffer, C. *see* Alling, E. 86—2282, 88—57558
Stauffer, D. *see* Mun, S.K. 88—29980
Stauffer, L. Easier way to splice fiber-optic cables 88—28851
Stauffer, M. *see* Piguet, C. 87—74435, 88—71686
Stauffer, M.K. VLSI systems processors for digital image processing 88—6928
Stauffer, M.K. VLSI systems processors for digital image processing 88—7684
Stauffer, M.K., Eidson, S. Versatile VLSI signal processor simplifies video compression 88—9918
Stauffer, M.K., Eidson, S. Image compression with VLSI 88—34795
Stauffer, M.K. *see* Eidson, S. 88—66615
Stauffer, P.R. Simple RF matching circuit for conversion of electrosurgical units or laboratory amplifiers to hyperthermia treatment devices 85—38178
Stauffer, P.R., Satoh, T., Suen, S.A., Fike, J.R. Thermal dosimetry characterization of implantable helical coil microwave antennas 88—61440
Stauffer, P.R. *see* Satoh, T. 88—54606
Stauffer, R.N. Three-robot workcells help assemble solid—state ignition modules 85—44335
Stauffer, R.N. Robots assume key role in electronics manufacturing 86—19843
Stauffer, R.N. Robotics Research: what the labs might hold in store 88—75018
Stauning, P. Absorption of cosmic noise in the E-region during electron heating events. A new class of riometer absorption events 85—30033
Stauning, P. *see* Kelly, J.D. 86—60944
Staunstrup, J., Barrett, F., Greenstreet, M., Moller-Nielsen, P. The design of a problem-mesh 87—67387
Staunstrup, J. *see* Greenstreet, M. 87—6853, 88—1723
Staunstrup, J. *see* Greenstreet, M.R. 87—65673, 88—25175
Staunton, W. *see* Souter, J.W. 88—44406
Stauss, G. *see* Zayek, F. 88—72592
Stauss, H. *see* Pagnia, H. 86—2185
Stautberg, J.L., Whalen, W.P. A unified approach to data communications in aircraft 85—9303
Stautner, J.P., Horowitz, D.M. Efficient data reduction for digital audio using a digital filter array 87—20803
Stautz, W. *see* Schemmann, B. 86—39983
Stavanja, P. Design steps in the conception of monolithic integrated circuits 87—46065
Stavarache, P., Mincinopschi, G. Experiments concerning the use of electronics in the drives of electric trucks for transportation inside the factory 87—51529
Staveley, J.C., Dale, B.G. Some factors to consider in developing a quality-related feedback system 88—11782
Stavenow, B. Throughput-delay characteristics and stability considerations of the access channel in a mobile telephone system 85—14142
Stavenow, B. A characterization of the reverse control channel in the cellular system and the TACS 87—76615
Stavenow, B. *see* Eklundh, B. 88—46728
Stavenow, B. *see* Sallberg, K. 87—76614
Staver, D.A., Ho, C., Molnar, K.L., Baertsch, R.D. A 30-MFLOPS CMOS single floating point multiply/accumulate chip 87—59422
Staver, D.A. *see* Ho, C.-Y. 86—2423, 86—20630
Staver, P.R. *see* Caird, J.A. 87—7314, 88—14138
Stavert, L.R. *see* Levy, G.S. 87—28712
Staves, S.M. *see* Bergmann, E.E. 88—73984
Stavinoha, P. Convergence of L_p-norms of a matrix 86—26767
Stavinskii, A.A. *see* Ignatov, V.A. 85—43988, 85—60171, 86—39769
Stavinskii, A.V. *see* Vlasov, A.V. 87—50162
Stavinsky, A.V. *see* Degtyarenko, P.V. 86—5787
Staviskaya, R.M. *see* Stroganov, G.G. 88—41910
Stavisskii, Yu.Ya. *see* Bulkin, Yu.M. 86—5738
Stavitskii, I.P. *see* Prot's, V.I. 88—8247, 88—14269
Stavitskii, R.V. Engineering basis for standardizing X-ray examinations 87—14859
Stavitskii, R.V., Gurevich, L.A., Khasidashvili, I.Sh. Effect of tissue heterogeneity on the selection of the operating regime of an X-ray tube in radiodiagnostic investigations 87—21545
Stavitskii, R.V. *see* Blinov, N.N. 86—18316
Stavitskii, R.V. *see* Gurvich, A.M. 86—18317
Stavitskii, R.V. *see* Vasil'ev, V.N. 86—25301
Stavitsky, R.V., Sidorin, V.P., Frolov, N.V., Plotnikov, V.A., Sheffer, Yu.M., Khasidashvili, I.Sh. Tissue irradiation doses in X-ray examination of the chest 85—38253
Stavola, M., Capasso, F., Nabity, J.C., Alavi, K., Cho, A.Y. Metastability and polarization effects in a *pn* heterojunction device due to deep states 86—48260
Stavola, M., Parsey, J.M., Jr., Forrest, S.R., Kaplan, M.L., Schmidt, P.H., Young, M.S.S. Transient capacitance analysis of III-V semiconductors with organic-on-inorganic semiconductor contact barrier diodes 85—29184
Stavola, M. *see* Dautremont-Smith, W.C. 87—11347
Stavola, M. *see* Lin, W. 85—60939
Stavola, M. *see* Nabity, J.C. 87—45572
Stavola, M. *see* Pearton, S.J. 87—60105, 87—74282, 88—31751
Stavola, M. *see* Vernon, S.M. 88—38206
Stavola, M. *see* Von Neida, A.R. 87—25066
Stavrakakis, I., Kazakos, D. A simple stack algorithm for a code division multiple access communication system 87—55422
Stavrakakis, I., Kazakos, D. A non-homogeneous user population multi-user random-access communication system 88—40772
Stavrakakis, I., Kazakos, D. On the approximation of the output process of multi-user random access communication networks 88—52651
Stavrakeva, T.B. Current distribution analysis of reverse parallel thyristors in low voltage breaker 86—61669
Stavrakov, G.N. *see* Balakshii, V.I. 85—62418
Stavridou, V. Formal specification and verification of hardware: the HAVE perspective 88—12168
Stavrinidis, C., Klein, M., Wijker, J. Engineering and software interfacing for thermal, structural, and dynamic control related with spacecraft activities 87—13658
Stavrou, J. *see* Mueller, R.O. 85—27152
Stavroulakis, N.K. Upgrading the quality of service by quantitative control corrective maintenance in exchanges 86—37656
Stavroulakis, P. Recent advances in the study of network and system sensitivity 85—22578
Stavroulakis, P., Tzafestas, S.G. Walsh and block-pulse operational matrices in distributed-parameter and delay systems: an overview 86—36946
Stavrov, A.A. *see* Apanasevich, P.A. 87—68418
Stavrov, A.A. *see* Demchouk, M.I. 86—3119
Stavrov, A.A. *see* Demchuk, M.I. 86—9810
Stavrov, A.A. *see* Rakush, V.V. 86—36451
Stavrov, A.A. *see* Verenik, V.N. 85—56758
Stavrov, A.A. *see* Zaporozhchenko, V.A. 87—61122
Stavrov, K.G. *see* Demin, B.N. 86—16289
Stavrovskii, D.B. *see* Marowsky, G. 85—51111
Stavrovskii, D.B. *see* Zuev, V.S. 85—18870, 85—35699
Stawell, W.B. *see* McGeoch, I. 87—76883
Stawhorne, B. *see* Hayes, D. 87—13049
Stawicki, R.P. *see* Peterson, G.E. 88—68020
Stawinski, L., Wawrzyniak, Z.M. Influence of the head core machining upon the fringing field 86—68159
Stawiszynski, L. *see* Burger, S.J. 85—59218
Stawski, R., Ashley, K.L. Field effects in semiconductor double-injection devices 88—64486
Stawski, R. *see* Ashley, K.L. 87—74233
Stawski, R. *see* Chu, T.L. 86—458, 86—7099, 87—16021
Stawski, R. *see* Pauleau, Y. 85—49581
Stay, B.J. *see* Edgar, R.F. 87—21252
Stayt, J.W., Jr. *see* Dautremont-Smith, W.C. 85—23544
Stazak, S. *see* Pion, M. 88—34024
Stazyk, M. *see* Lester, T. 87—74184
Stead, W.W. *see* Kirby, J.D. 88—28433
Steadman, B.W., Moore, K.B., Spitzer, K.W., Bridge, J.H.B. A video system for measuring motion in contracting heart cells 88—42506
Steadman, B.W. *see* Ershler, P.R. 87—57207
Steadman, J.W., Jacquot, R.G., Reed, K.A. A 16-bit microcomputer for audio bandwidth digital filtering 85—49991
Steadman, J.W. *see* Ula, A.H.M.S. 87—79005, 88—49182
Steadman, J.W. *see* Zulinski, R.E. 86—47034, 86—57649, 87—17286, 88—6671
Steady, G. *see* Bratahalim, S. 85—20138
Steagall, R.N. *see* Lloyd, J.R. 86—67814
Steane, P.J., Davies, J.A. The application of microcontrollers to PWM inverters 87—15915
Stearns, C.C., Luthi, D.A., Ruetz, A., Ang, P.H. A reconfigurable 64-tap transversal filter 88—70838
Stearns, C.W., Burnham, C.A., Chesler, D.A., Brownell, G.L. Simulation studies for cylindrical positron tomography 88—61268
Stearns, C.W., Chesler, D.A., Brownell, G.L. Three dimensional image reconstruction in the Fourier domain 87—50262
Stearns, C.W., Chesler, D.A., Kirsch, J.E., Brownell, G.L. Quantitative imaging with the MGH analog ring positron tomograph 85—48237
Stearns, C.W. *see* Burnham, C.A. 85—48235, 88—61262
Stearns, D.G. Development of a novel soft X-ray source for laboratory applications 86—32147

Stearns, D.G., Ceglio, N.M., Hawryluk, A.M., Stearns, M.B., Petford-Long, A.K., Chang, C.-H., Danzmann, K., Kuhne, M., Muller, P., Wende, B. TEM and X-ray analysis of multilayer mirrors and beamsplitters 88−2332
Stearns, D.G. *see* Ceglio, N.M. 87−12524, 87−19011, 88−2324, 88−27226, 88−45191
Stearns, D.G. *see* Hawryluk, A.M. 88−2331
Stearns, D.G. *see* Kuhne, M. 88−2330
Stearns, F.C. *see* Bedford, M.S. 87−43862, 88−6211
Stearns, F.S. *see* Adkins, L.R. 86−53901
Stearns, F.S. *see* Glass, H.L. 85−22476
Stearns, J.W., Pyle, R.V. Negative lithium emission from a tungsten surface in a plasma 85−59109
Stearns, J.W. *see* Kaplan, S.N. 86−32106
Stearns, J.W. *see* Leung, K.N. 88−4777
Stearns, J.W. *see* Phillips, W.M. 86−39623
Stearns, J.W. *see* Schlachter, A.S. 87−77490
Stearns, M.B. *see* Ceglio, N.M. 87−12524
Stearns, M.B. *see* Stearns, D.G. 88−2332
Stearns, R. *see* Lambeth, P.J. 88−23542
Stearns, R.C., Asawa, C.K., Yao, S.K. Angular division multiplexer for fiber communication using graded-index rod lenses 85−8412
Stearns, R.G., Khuri-Yakub, B.T., Kino, G.S. Effect of photocarriers on acoustic wave propagation for measuring excess carrier density and lifetimes in silicon 85−18050
Stearns, R.G., Khuri-Yakub, B.T., Kino, G.S. Effect of photo-carriers on acoustic wave propagation for measuring excess carrier density and lifetimes in silicon 86−591
Stearns, R.G., Kino, G.S. High-frequency photoacoustic in air 87−50588
Stearns, S.D., Solomon, O.M. A comparison of methods for estimating coherence 85−2864
Stearns, S.D., Solomon, O.M., Jr. On adaptive coherence estimation 85−19471
Stearns, S.D. *see* Cadzow, J.A. 86−16432, 87−7769, 87−19828
Stearns, S.D. *see* David, R.A. 85−19486
Stearns, S.D. *see* Hush, D.R. 87−17240
Stearns, S.D. *see* Widrow, B. 86−22
Stearns, T.H. A new high density connector 85−11683
Stearns, W. *see* Penz, P.A. 85−14931
Stears, J. *see* Gray, J.E. 85−38043
Stears, J.G., Felmlee, J.P., Gray, J.E. Half-value-layer increase owing to tungsten buildup in the X-ray tube: fact or fiction 87−8914
Stebbin, E. *see* Rumi, G. 85−42932
Stebbings, D.W. *see* Gravereaux, D.W. 86−24024
Stebbings, J. A vertical antenna for 21 and 28 MHz 87−47340
Stebbings, J. Side-tone oscillator 87−69931
Stebbings, R. Computer aided test generation 85−37438
Stebbings, R.F. *see* Gao, R.S. 85−20830
Stebbins, W.L. New concepts in electrical metering for energy management 86−45038
Stebbins, W.L. New concepts in electrical metering for energy management 86−51158
Stebbins, W.L. Energy management attitudes: the psychology of getting people to do things 87−5108
Stebbins, W.L. A user's perspective on the application of adjustable speed drives and microprocessor control for HVAC savings 88−62793
Stebel, M.D. Measurement of microresistances [PWBs] 85−33147
Steben, J.D., Streletz, L.J. Multiprocessing computer system for sensory evoked potentials and EEG spectral analysis for clinical neurophysiology laboratory 86−25236
Steben, J.D., Urkowitz, H. An improved model for simulating radar sea return including sea spikes 88−15553
Steber, G.R. Implementation of adaptive filters on the TMS32010 DSP microcomputer 87−24364
Steber, G.R. Audio frequency DSP laboratory on a chip−TMS32010 88−44223
Steber, J.M. Understanding PSK demodulation techniques. II 85−2730
Steber, J.M. PSK demodulation techniques provide lowest probability of error 85−2737
Steblay, B.J. New instrumentation for roof bolt load measurement 87−77429
Stebler, B. *see* Andersson, G. 88−2066
Stebler, B. *see* Flatischler, K. 86−68343
Steblev, Yu.I. Designing eddy-current device with influence of uncontrollable parameter of component suppressed 85−52725
Steblev, Yu.I. Individual determination of electrophysical parameters of a solid conducting body 85−56081
Steblev, Yu.I. Synthesis of the specified characteristics of eddy-current transducers 86−532
Steblev, Yu.I. Synthesis of eddy-current transducers with specified structure of the exciting field in the zone of inspection 87−36834
Steblev, Yu.I., Burov, V.N., Denisov, V.A. The parameters of an electromagnetic transducer for nondestructive testing of mechanical stresses in metals 86−11527
Steblev, Yu.I., Polulekh, A.V. Simulating defective products of restricted dimensions during electromagnetic monitoring 86−20137
Steblev, Yu.I., Sharkov, V.A. Localization of the exciting field of eddy-current transducers with the aid of electromagnetic screens 86−543
Steblev, Yu.I. *see* Kostrov, D.S. 87−65591
Stebleva, N.G. *see* Germanov, V.A. 85−6572
Steblin, V.F. *see* Konstantinovskii, A.G. 85−13159
Stebnisky, M.W. *see* Powell, G.P. 86−2426
Stec, B., Gruchala, H. Broadband homodyne system for microwave circuit measuring in microstrip technique 88−56960
Stec, B. *see* Przybysz, C. 86−41284
Stecco, S.S., Bidini, G. A computer analysis matched to experimental data for assessment of steam power plant behavior 88−43059
Stecco, S.S., Bosio, A. Parametric study of flexibility and versatility in cogeneration gas turbines 87−42683
Stecco, S.S., Manfrid, G. Second-law analysis of large steam power plants at nominal and off-design loads 85−48880
Stecco, S.S., Manfrida, G. Optimal choice of gas turbines for cogenerative applications 86−33178
Stecco, S.S., Manfrida, G. Exergy analysis of compression and expansion processes [turbomachines] 86−56512
Stech, D.J., Biezad, D.J. Optical feedback stabilization of laser diodes for rotation sensing applications 88−14241
Stech, D.J. *see* Neumann, D.K. 88−58464
Stechele, W., Ruge, I. Microelectron and its influence on telecommunication 87−53661
Stechele, W. *see* Kling, T. 88−33377
Stechele, W. *see* von Granau, C. 86−67153
Stechemesser, H., Thamm, G. Target designs for stepwise development of SNQ 86−5764
Stechemesser, H., Thamm, G. State of design of the SNQ-target 86−56006
Stechemesser, H., Thamm, G. Design for remote handling in the SNQ target station 86−56008
Stechemesser, H. *see* Buttgereit, H. 86−5774
Stechenko, V.I., Talaluev, A.V., Aksarin, L.A. Wide-band power divider 87−45181
Stecher, G. Free supporting structures in thick film technology: a substrate integrated pressure sensor 88−4409
Stecher, K. Evaluation of large fault-trees with repeated events using an efficient bottom-up algorithm 86−46131
Stecher, L.C. *see* Craven, L.A. 86−49404
Stecher, L.C. *see* Delatore, J.P. 86−10896, 87−13531
Stecher, M. Time-efficient EMI analysis with test receivers 87−26818
Stecher, M. Spectrum monitor EZM for radiomonitoring, field-strength and interference measurements 87−56582
Stecher, M. Artificial-mains networks for EMC measurements 88−34360
Stecher, M. Test-receiver systems for EMI measurements to MIL and VG standards 88−46852
Stecher, M. *see* McDouall, P. 86−24416
Stecher, M. *see* Pohn, E. 88−53577
Stecher, R. Criteria for the characterization of the instability of frequency standards 85−8679
Stecher, R. Pulse selection circuit 86−8148
Stecher, R. *see* Behr, J.-P. 85−51912
Stecher-Rasmussen, F. Upgrading the beam facilities of the high flux reactor in Petten 85−37860
Stechhoefer, W. *see* Perise, S.J. 88−3366
Steciw, A. European plans for landmobile satellite communication systems 88−53190
Steck, B. Better lighting for marshalling yard−a new lighting installation for the Nurnberg marshalling yard 85−21945
Steck, D. *see* Baltrusaitis, R.M. 88−29820
Steck, J.A., Pham, D. A new TWT linearizer for satellite-communications transmitters 87−70004
Steck, M., Grieser, M., Jaeschke, E., Kramer, D., Repnow, R., Sailer, H. Design and test of a superconducting quarter-wave-resonator 86−32077
Steck, M. *see* Baumann, P. 88−53982
Steck, R. *see* Brandli, B. 86−18060
Steck, R.B. *see* Glesner, M. 87−6831
Steck, W. Preparation and properties of particles for magnetic recording 86−15375
Steckel, H. The Arzberg power station. Flue gas purification using the Mining Research/Uhde process 88−42915
Steckel, J.K., Gruber, C.O. Cost management in a nuclear operating environment 86−61242
Steckelmacher, W. The calibration of vacuum gauges 88−42320
Steckenborn, A. *see* Bimberg, D. 85−35656, 85−55466
Steckenborn, A. *see* Christen, J. 86−67739
Stecker, J.F., Jr. *see* Felderman, T.P. 86−11964
Stecker, L. *see* Fathimulla, M.A. 88−50875
Steckhan, H. TAB−an economical solution for VLSI integrated circuit packaging concepts 87−45478
Stecki, J.S. *see* Kuhnell, B.T. 87−16768
Steckl, A.J. Particle-beam fabrication and in situ processing of integrated circuits 87−25453
Steckl, A.J., Balakrishnan, S., Jin, H.-S., Corelli, J.C. Micromachining of polyimide films with focused ion beams 87−25124
Steckl, A.J., Lin, C.-M., Chu, S.-D., Corelli, J.C. Simulation of graded-base bipolar transistor characteristics fabricated with a focused ion beam 87−25236
Steckl, A.J., Moore, J.A., Corelli, J.C., Liu, W.-T. Image enhancement in high-resolution lithography through polymer grafting techniques 85−50370
Steckl, A.J., Murarka, S.P., Corelli, J.C. In-situ processing of semiconductor devices and custom integrated circuits 87−1377
Steckl, A.J. *see* Bencuya, S.S. 85−7089, 87−38318
Steckl, A.J. *see* Choi, J.O. 87−38390
Steckl, A.J. *see* Chow, T.P. 85−12188, 87−60660
Steckl, A.J. *see* Chu, S.D. 86−35660
Steckl, A.J. *see* Chu, S.S.D. 88−56615
Steckl, A.J. *see* Hamadeh, H. 85−29119
Steckl, A.J. *see* Haslam, M.E. 85−34702
Steckl, A.J. *see* Higuchi-Rusli, R.H. 87−41803, 87−77512
Steckl, A.J. *see* Kim, S.Y. 86−35518
Steckl, A.J. *see* King, D.C. 86−35509
Steckl, A.J. *see* Lin, C.-M. 88−57339, 88−57435
Steckl, A.J. *see* Lu, W.-J. 85−1516, 86−21867, 86−67802
Steckl, A.J. *see* McDonald, J.F. 85−18402, 87−25420, 88−13497
Steckl, A.J. *see* Pan, W.-S. 87−67120
Steckl, A.J. *see* Sugiura, J. 86−35591
Steckl, A.J. *see* Tarro, R.M. 86−1978
Steckl, A.J. *see* Vogelsong, T.L. 85−45866
Steckl, A.J. *see* Zetterlund, B. 87−32527
Steddum, G. Front-end solutions for major problems 87−7910
Stedeford, B., Welsh, A. The use of a desk-top microprocessor for treatment verification and other radiotherapy tasks 85−38213
Stedham, D.J. *see* Jones, D.I. 86−50222
Stedman, G.E. *see* Bilger, H.R. 88−2312
Stedman, J.K. *see* Marcoux, L. 85−48433
Steeb, H., Mehrmann, A., Seeger, W., Schnurnberger, W. Solar hydrogen production: photovoltaic/electrolyzer system with active power conditioning 85−65440
Steeb, W.H. On a driven nonlinear circuit and chaotic behavior 88−24946
Steed, A. *see* Wyatt, C.L. 88−74417
Steed, J.C. Using fault statistics to monitor equipment failure rates and lifetimes 87−50785
Steed, S., Avey, J. Bridging the rugged/mol-spec gap [C^3I] 87−69485
Steeden, T.T. *see* Simpkins, D. 88−41944
Steedman, D. Message-handling systems (MHS) 86−64593
Steedman, D. *see* Martel, C. 86−64680
Steeds, J.W. *see* Anderson, D.A. 88−32929
Steeg, M.J.H.van de *see* van de Steeg, M.J.H.
Steeger, P.F., Asakura, T., Fercher, A.F. Polarization preservation in circular multimode optical fibers and its measurement by a speckle method 85−7242
Steeghs, M.H.G. *see* Schipper, D.J. 86−14777
Steel, A.K. *see* Byrne, C.L. 87−62126
Steel, A.T. *see* Elliot, S.R. 87−1396
Steel, C.G.H. *see* Chiang, R.G. 86−25238
Steel, G.A., Smith, B.V., Gazey, B.K. Tunable sonar transducer 86−59954
Steel, G.K. Digital signals 85−2729
Steel, G.K. Digital signals and systems 86−10463
Steel, J. The ITU and standards for digital microwave radio 87−76566
Steel, J. Long haul system design considerations 87−76567
Steel, J., Campbell, J.C. Measurement and prediction of digital radio performance on a long overwater path 86−17225
Steel, J., Nowotny, H.G. Digital radio and fibre optics in Australian telecommunications 88−46857
Steel, J.M. Fixing machinery with FEA 87−43944
Steel, M. *see* Baghurst, A.H. 87−38599
Steel, M.C., Sheppard, R.J., Collins, R. Precision waveguide cells for the measurement of complex permittivity of lossy liquids and biological tissue at 35 GHz 87−70761
Steel, R. *see* Cheng, N.T. 88−15387
Steel, R.L. SENTPEX: A functional test pattern extractor for SENTRY testers 86−58575
Steel, T.B., Jr. *see* Bartoli, P.D. 85−25476
Steel, W.H., Freund, C.H. Single-step rainbow holograms without distortion 85−12993
Steel Wilker, J. *see* Conradson, S. 87−43965
Steele, A.G. *see* Thewalt, M.L.W. 87−23617
Steele, A.K. *see* Byrne, C.L. 85−57413, 85−63036
Steele, B.C.H. Thermodynamic aspects of solid state battery performance 86−66302
Steele, B.C.H. Solid state electrodes: a materials introduction 86−66303
Steele, B.C.H. *see* Jensen, J. 85−65556

Steele, B.C.H. *see* Maskell, W.C. 86–70110
Steele, B.R. *see* Burolla, V.P. 85–60088
Steele, C. *see* Harrold, J. 86–5401, 86–48227
Steele, C.A., Harrold, J., Stanton, J.P., Daley, R., Hughes, A.J. Performance of laser-addressed liquid crystal map overlay display 87–77144
Steele, C.M. *see* Crane, H.D. 85–31786
Steele, C.W. A coercivity-limited model for perpendicular magnetic recording 86–42108
Steele, D. EurOSInet: raising the standards 88–67001
Steele, D., Otto, A. A microstructural study of anodized aluminium bonding wire 88–44503
Steele, D.L. *see* Jelsma, L.F. 88–51568
Steele, G. 1,000,000 kilometres per annum–by high-performance, traffic-compatible electric vehicles in operational fleet service–at a higher efficiency with lower costs than equivalent internal combustion-engined vehicles 85–65547
Steele, G.L., Jr. *see* Hillis, W.D. 87–31450
Steele, G.P. *see* Perrott, R.A. 87–54752
Steele, H. Failure mechanisms in batteries using Weibull statistics 87–43385
Steele, J. The educational implications of the supertext superdisc project 88–31363
Steele, J. *see* Roth, C.H., Jr. 88–24454
Steele, J.D. *see* Bartlett, D.T. 87–29628
Steele, J.D. *see* Gilvin, P.J. 88–23136
Steele, J.E., Jr. Personal computers reduce costs in power plants 87–71985
Steele, J.M. Machinery problem diagnosis using finite element methods 86–18126
Steele, J.M. Hasegawa's three point method for determining transient time constants 87–3356
Steele, J.M. On Frieze's $\zeta(3)$ limit for lengths of minimal spanning trees 87–72920
Steele, J.M. Diagnosing machinery problems with FEA 87–78704
Steele, J.McA. *see* Oldfield, S. 85–41729
Steele, J.McA *see* McA Steele, J.
Steele, K.E., Lau, J.C.-K., Hsu, Y.L. Theory and application of calibration techniques for an NDBC directional wave measurements buoy 86–32555
Steele, L., Marvin, A.C. New screened room techniques for the measurement of RFI 87–12756
Steele, L. *see* Marvin, A.C. 86–22710
Steele, N.C. *see* Mills, W.C. 85–63434
Steele, R. Towards a high-capacity digital cellular mobile radio system 85–58004
Steele, R. Transmitting digital speech in microcellular structures 86–11004
Steele, R. Packetization of log-PCM speech 86–64230
Steele, R. Test methods and equipment. II 87–51846
Steele, R. Test methods and equipment. I 87–56455
Steele, R. Test measurements and equipment. IV 87–66584
Steele, R. Test methods and equipment. III 87–70739
Steele, R., Benjamin, F. Variable-length packetization of μ-law PCM speech 86–10272
Steele, R., Fortune, P. An adaptive packetization strategy for A-law PCM speech 86–16614
Steele, R., Hennies, D., Duluk, J. Use of solid-state imaging components in a reading aid for the blind 86–25273
Steele, R., Hennies, D., Duluk, J., Vogel, E., McMillan, K. Software modules for a hand-scanned reading aid for the blind 87–21630
Steele, R., Prabhu, V.K. High-user-density digital cellular mobile radio systems 85–58003
Steele, R., Sundberg, C.-E., Wong, W.C. Transmission errors in companded PCM over Gaussian and Rayleigh fading channels 85–2734
Steele, R., Sundberg, C.-E.W., Wong, W.C. Transmission of log-PCM via QAM over Gaussian and Rayleigh fading channels 87–75429
Steele, R., Sundberg, C.-E., Wong, W.C. Log PCM via QAM over Gaussian and fading channels 88–2939
Steele, R. *see* Appleby, D.G. 87–8211
Steele, R. *see* Bennett, M.A. 88–46950
Steele, R. *see* Chia, S.T.S. 86–48598 to 48599, 86–69599, 88–28710
Steele, R. *see* Cleverley, C. 88–15215
Steele, R. *see* Gharavi, H. 85–46715, 87–75741
Steele, R. *see* Green, E. 88–27514
Steele, R. *see* Hawkins, N.D. 86–10094
Steele, R. *see* Ko, Y.F. 87–7893
Steele, R. *see* Lam, W.H. 87–8191, 87–48929, 88–3310, 88–15386
Steele, R. *see* Richardon, S. 88–63445
Steele, R. *see* Sundberg, C.-E. 86–22892
Steele, R. *see* Sundberg, C.-E.W. 87–75430
Steele, R. *see* Wassell, I.J. 88–15385, 88–72739
Steele, R. *see* Wong, K.H.H. 87–40767, 88–28709
Steele, R. *see* Wong, K.H.J. 85–19324, 85–46683
Steele, R. *see* Wong, W.C. 85–30160
Steele, R.C., Marshall, I.W. 100 Mbit/s PSK heterodyne experiment using a travelling-wave laser amplifier 87–40881
Steele, R.C., Marshall, I.W. 100 Mbit/s PSK heterodyne experiment using a travelling wave laser amplifier 87–40973
Steele, R.C., Marshal, I.W. Investigation of coherent optical communications systems with DPSK and PSK modulation and the use of a travelling wave laser amplifier in a PSK transmission experiment 88–41694
Steele, R.C. *see* Creaner, M.J. 88–35477
Steele, R.D., Miranda, R.F. A multibus-compatible interface to selected reading displays for the blind 87–4016
Steele, R.D., Weinrich, M. Training severely impaired aphasics on a computerized visual communication system 87–14922
Steele, R.D., Gerrey, W. *(editor)* RESNA '87: Meeting the Challenge. Proceedings of the 10th Annual Conference on Rehabilitation Technology 88–49390
Steele, R.E., Schmitt, H.J. Development of fiber optics for passenger car applications 88–43468
Steele, R.J. *see* Letcher, G.K. 88–22059
Steele, R.L. An expert system application in semicustom VLSI design 87–65730
Steele, R.W. Security issues for the sensitive, but unclassified, community 88–23235
Steele, R.W. *see* Walraven, J.L. 86–12076
Steele, W.A. *see* Varadan, V.V. 87–68749
Steele, W.F. *see* Kwan, J.W. 85–26677, 86–55988, 87–77488
Steeley, W.J., Ilyin, M., Smith, D.R. PG&E's evaluation of wind generation 86–56681
Steelman, J.E., Olson, E., Beasley, J.S. VLSI design experiences 86–58576
Steelman, J.E. *see* Amin, A.M.A. 86–57914, 87–42305
Steels, R., Baston, D. Modal-survey testing of the Olympus spacecraft 87–71202
Steels, R. *see* Bonhomme, R. 85–48371
Steeman, H. Solid-state ignition 86–33811
Steeman, J. Solid-state relay 86–8546
Steeman, J. Telephone exchange 86–23606
Steeman, P.A.M. *see* Mulders, J.J.L. 85–64315
Steemers, H., Chen, I., Mort, J., Jansen, F., Morgan, M., Machonkin, M., Kuhman, D. Planar and perpendicular conductivity of doping modulated amorphous silicon multilayers 87–24905
Steemers, H., Mort, J., Chen, I., Jansen, F., Grammatica, S., Kuhman, D. Transport properties of amorphous silicon/silicon oxide heterostructures 87–17853
Steemers, H. *see* Chen, I. 87–25219
Steemers, H.L., Spear, W.E., Gibson, R.A., LeComber, P.G. Drift mobility and transient lifetime measurements on amorphous silicon junctions and their interpretation 86–47385
Steemers, H.L. *see* Spear, W.E. 85–1382
Steen, A. Intensified photodiode array applied to one-dimensional auroral imaging 85–31991
Steen, A., Collis, P.N., Haggstrom, I. On the development of folds in auroral arcs 88–53343
Steen, A. *see* Tsunoda, R.T. 85–63763
Steen, A.F.W.van der *see* van der Steen, A.F.W.
Steen, G. *see* Holmberg, G. 86–4720
Steen, H. Metallographic examination of solder joints on surface-mounted components 85–17970
Steen, H.A.H. Metallographic examination of soldered joints 88–38858
Steen, H.G.W.van der *see* van der Steen, H.G.W.
Steen, I.L.van den *see* van den Steen, I.L.
Steen, L., Hall, M. Here comes a new breed of ion implanter 86–1987
Steen, L.S., Hall, J.M., Aitken, D., Plumb, F.G., Wauk, M.T., Bright, N., Pruitt, C., Robinson, L. The Precision Implant 9000, a new concept in ion implantation systems 87–53381
Steen, M.R.van *see* van Steen, M.R.
Steen, P., Johansson, T.B. The significance of energy efficiency 88–62017
Steen, P.G. *see* Waisman, E.M. 85–49043
Steen, R. America's dream array [National Radio Astronomy Observatory] 85–63776
Steen, R. Little or no resistance [superconductivity] 86–36086
Steen, R. Radio at Green Bank [observatory] 88–9688
Steen, R.F. IBM local area network directions: the new LAN era 87–48700
Steen, W.M., Dowden, J., Davis, M., Kapadia, P. A point and line source model of laser keyhole welding 88–72458
Steen, W.M., Weerasinghe, V.M. Monitoring of laser material processes 87–47048
Steen, W.M., Weerasinghe, V.M. In process beam monitoring 88–2433
Steen, W.M., Weerasinghe, V.M., Monson, P. Some aspects of the formation of laser clad tracks 87–44359
Steen, W.M. *see* Lim, G.C. 85–12935
Steen, W.M. *see* Shah, S.T. 88–2173, 88–40277
Steen, W.M. *see* Weerasinghe, V.M. 87–7475
Steenaart, W. *see* Aboulnasr, T. 86–57993, 87–48021, 88–56663
Steenaart, W. *see* Beraldin, J.A. 87–52768
Steenaart, W. *see* Bingol, S. 86–29818
Steenaart, W. *see* Choi, C.Y. 88–46138
Steenaart, W. *see* Chowdary, N. 86–34190
Steenaart, W. *see* Klowak, G.P. 86–17897
Steenaart, W. *see* Pawate, B.I. 86–4379, 88–41460
Steenaart, W. *see* Sandoz, J.-P. 85–17217
Steenaart, W. *see* Sankur, B. 85–51643
Steenaart, W. *see* Savov, E. 87–69206
Steenaart, W. *see* Tatangsurja, H. 86–1309, 88–38643
Steenaart, W. *see* Tjahjadi, T. 85–17734
Steenaart, W.J. *see* Raut, R. 88–38875
Steenaart, W.J. *see* Tjahjadi, T. 85–34075
Steenackers, G. *see* Franco, J.I. 85–64636
Steenbergen, A.van *see* van Steenbergen, A.
Steenbergen, R.van *see* van Steenbergen, R.
Steenblik, R.Arend *see* Arend Steenblik, R.
Steeneken, H.J.M. Diagnostic information from subjective and objective intelligibility tests 87–61625
Steeneken, H.J.M., Langhout, G. Voice interactive systems in severe noise conditions 87–69086
Steenhaut, O. *see* Verhelst, W. 86–10282, 86–36966, 87–19457, 87–47592, 88–66406
Steenhuis, W., Alessandroni, V. An oscilloscope with digital memory to show pretrigger in real time 85–48002
Steenhuis, W., Kobisch, W. Into the follow-up. Digital storage oscilloscope with real time pretriggering 85–26366
Steenhuysen, L.W.G. *see* Mulders, J.J.L. 85–56572, 85–64315
Steenkeste, F. *see* Richaume, A. 88–68497
Steenkiste, P. *see* Horowitz, M. 87–59603
Steennis, E.F. Results of KEMA investigation concerning the reliability of synthetic cable 87–9168
Steennis, E.F., Boone, W. Water treeing in service aged and accelerated aged XLPE cables 87–15297
Steennis, E.F. *see* Barten, H. 88–58011
Steennis, E.F. *see* Boone, W. 86–51018
Steennis, E.F. *see* van der Laan, P.C.T. 85–51457
Steennis, E.F. *see* Wolzak, G.G. 87–42481
Steensen, O. *see* Laursen, A. 85–53898
Steensma, L. *see* de Ru, E. 87–69507
Steenstrup, F. *see* Wickwar, V.B. 85–15420
Steenvoorden, G.K. *see* Frietman, E.E.E. 88–61467
Steenvoorden, G.K. *see* Verbeek, P.W. 86–60166
Steenvoorden, G.K. *see* Winkler, E.M. 88–1200
Steenvoorden, J.J.M. *see* van Amersfoort, P.W. 88–47793
Steenwijk, J.A.van *see* van Steenwijk, J.A.
Steenwijk, R.van *see* van Steenwijk, R.
Steenwinkel, R.Van *see* Van Steenwinkel, R.
Steenwyk, S.D., Kankowski, E.F. Electromigration in aluminum to tantalum silicide contacts 87–1452
Steenwyk, S.D. *see* Fu, J.S. 88–38535
Steenwyk, S.D. *see* Hey, H.P.W. 87–45829
Steenwyk, S.D. *see* Lee, K.H. 88–26512
Steeper, R.R., Jensen, P.A., Dunn-Rankin, D. Using Mie scattering for measuring size changes of individual particles 88–47677
Steeples, D.W. *see* Knapp, R.W. 86–60923
Steeples, K. Sheet resistivity of silicon wafers implanted with a high current machine 85–34801
Steeples, K., Guerra, M.A. Buried oxygen formation by ion implantation 86–2015
Steeples, K. *see* Mack, M.E. 85–34800
Steeples, K. *see* White, N. 85–34820
Steer, C. Narrow-minded filtering 87–31988
Steer, G. *see* Eisenburger, L. 87–50684
Steer, J.K., Johnson, W. Markets for Maglev 85–44268
Steer, M.B. Multifrequency analysis of nonlinear circuits 85–61059
Steer, M.B. Gain saturation in circulator-coupled reflection amplifiers 86–8497
Steer, M.B., Khan, P.J. Large signal analysis of nonlinear microwave systems 85–17811
Steer, M.B., Trew, R.J. High-frequency limits of millimeter-wave transistors 87–17350
Steer, M.B., Trew, R.J. Comparison of the gain and frequency performance of state-of-the-art MESFET, MODFET, and PBT millimeter-wave transistors 87–66568
Steer, M.B. *see* Brauns, G.T. 88–25065
Steer, M.B. *see* Paulos, J.J. 87–65952
Steer, M.B. *see* Rhyne, G.W. 86–8498, 87–6140, 87–65782, 87–73717, 88–25462, 88–31972
Steer, M.B. *see* Trew, R.J. 87–32068
Steer, M.G. *see* Bougault, R. 86–50379
Steer, M.G. *see* Stentiford, F.W.M. 88–59060
Steer, P.J. *see* Randall, N.J. 88–42547
Steer, R.P. *see* Demmer, D.R.M. 85–29883
Steer, R.W. *see* Reineck, K.M. 86–57967
Steer, W.S. *see* Schouten, J.C. 87–70578
Steere, N.G.T., Sturges, R.A., Slater, D.H. CETAS-D: a bulk supply point metering data collection system 87–50892
Steere, S.W., Funk, J.E. Lead bisilicate in electrical porcelain 87–12004
Steers, E.B.M. Excitation by charge transfer in hollow cathode discharges and in the 'Grimm' lamp 86–35257
Steeves, G.D. *see* Dinn, D.F. 88–48367
Steeves, J.G. *see* Losie, B.J. 85–38942, 85–65191

Steeves, M.M., Hoenig, M.O., Cyders, C.J. Effects of Incoloy 903 and tantalum conduits on critical current in Nb_3Sn cable-in-conduit conductors 85−50859
Steeves, M.M., Hoenig, M.O., Cyders, C.J. Comparison of long and short sample critical currents in Incoloy 903 Nb_3Sn cable-in-conduit conductors 85−62221
Steeves, M.M., Hoenig, M.O., Minervini, J.V., Gibson, C.R., Morra, M.M., Martin, J.L., Ballinger, R.G., Autler, S., Ichihara, T., Randall, R., Takayasu, M., Hale, J.R. The US-DPC, a poloidal coil test insert for the Japanese Demonstration Poloidal Coil Test Facility 88−65067
Steeves, M.M. *see* Hoenig, M.O. 85−56238, 86−48042, 88−65088
Steeves, M.M. *see* Jungst, K.P. 87−74643
Steeves, M.M. *see* Miller, J.R. 87−67961
Steeves, M.M. *see* Minervini, J.V. 85−62257, 87−74556
Steeves, M.M. *see* Smathers, D.B. 88−64990
Stefan, C. *see* Silard, A. 88−7570, 88−26235, 88−33158, 88−39388
Stefan, C. *see* Silard, A.P. 88−64527
Stefan, H. *see* Burr, W. 88−10357
Stefan, I. *see* Albert, H. 88−36731
Stefan, O. *see* Kubovy, A. 86−41459, 86−53073
Stefan, P.M., Siddons, D.P., Hastings, J.B. A new beam position monitor for X-ray synchrotron radiation facilities 87−50085
Stefan, P.M. *see* Ohta, T. 86−60656
Stefan, P.M. *see* Oversluizen, T. 88−48070
Stefan, S. A new series of rotary cam switches 86−27672
Stefanadis, Ch. *see* Gialafos, J. 86−38834
Stefanakos, E. *see* Heath, M. 87−53674
Stefanakos, E.K. *see* Iyer, S. 85−391, 85−39758
Stefanec, O. How to specify a power supply 85−28363
Stefanec, O. The model 70I series high performance switching power supplies 85−28378
Stefanec, O. How to specify a power supply 86−26168
Stefanelli, M.C. *see* De Perez, T.A. 88−36482
Stefanelli, P., LeLarge, J.L. Signal to noise ratio measurement in digital recording 85−29457
Stefanelli, R. Multiple error correction in triply redundant arithmetic units 86−20412
Stefanelli, R. *see* Doniants, V.N. 85−23837, 86−20605
Stefanelli, R. *see* Lombardi, F. 87−66150, 87−66248, 87−67381, 88−26476
Stefanelli, R. *see* Negrini, R. 86−41913, 86−46707, 86−46862, 87−31953
Stefanelli, R. *see* Piuri, V. 88−39609
Stefanelli, R. *see* Sami, M. 86−62628, 86−67250
Stefanelli, R. *see* Sami, M.G. 85−33872
Stefanelli, R. *see* Irwin, M.J. *(editor)* 87−58542
Stefanenko, M.F. *see* Katanaev, A.O. 87−4527
Stefanescu, A. A general min-max theorem 86−7656
Stefanescu, A. *see* Rentea, D. 86−6464
Stefanescu, D. Numerical methods for analyzing the deflection of transducer flexible elements 87−6951
Stefanescu, D.-M. Taring circuit for resistance sensors 85−64127
Stefanescu, D.-M. Investigation of elastic transverse beams for recording using strain measurement strips through the finite element method 87−49961
Stefanescu, D.-M. Strain gauge transducers for measurements in electrotechnics and energetics 88−29341
Stefanescu, D.M. Measuring means and methods for measuring cables extension 86−61167
Stefanescu, F. *see* Puscasu, S. 87−58143, 87−78583
Stefanescu, S., Vaduva, I. On computer generation of random vectors by transformations of uniformly distributed vectors 88−11943
Stefanescu, V. *see* Petrica, I. 87−19349 to 19350
Stefani, F. *see* Botti, E. 88−15755
Stefani, F. *see* Gola, A. 87−23966
Stefani, F. *see* Koblitz, R. 87−28876
Stefani, G.C. *see* Carella, R. 86−19136
Stefani, J.-B. MHS−PDS interworking and Teleimpression Postale 88−59521
Stefani, J.A., Tien, J.K., Choe, K.S., Wallace, J.P. Eddy current monitoring system and data reduction protocol for Czochralski silicon crystal growth 88−38125
Stefani, J.A. *see* Choe, K.S. 88−38126
Stefani, S. A note of stochastic dominance of distributions of truncated random variables 85−49431
Stefaniak, K. *see* Broekere, D. 85−53789
Stefaniak, T.D. Stability of hard coating filters 87−68247
Stefanides, E.J. 'Smart' pressure transducer simplifies, upgrades control systems 87−35032
Stefanik, J. *see* Podhovsky, V. 85−39961
Stefanik, M.J. *see* Bonuccelli, H.A. 86−16735
Stefanik, M.J. *see* Brooks, F.M. 86−54705
Stefanik, M.J. *see* Tirawantanawit, S. 88−46440
Stefanini, A. *see* Amendolia, S.R. 85−9069, 85−15169 to 15170
Stefanini, A. *see* Apollinari, G. 87−21436, 87−29489, 88−22966
Stefanini, A. *see* Bedeschi, F. 86−50310, 88−48021
Stefanini, A. *see* Bertolucci, S. 88−47987
Stefanini, A.M. *see* Beghini, S. 86−5673
Stefanini, G. *see* Amendolia, S.R. 86−5779, 87−21426 to 21428
Stefanini, G. *see* Coc, A. 85−64509
Stefanini, G. *see* Konoplyannikov, A. 85−42924
Stefanini, K.M. *see* Dahlke, W.T. 86−25900
Stefanishin, Ya.I. *see* Kryzhanovskii, V.L. 85−42647
Stefanko, S. *see* Jadric, M. 87−4706
Stefano, A.Di *see* Di Stefano, A.
Stefano, E.Di *see* Di Stefano, E.
Stefano, M.Di *see* Di Stefano, M.
Stefano, M.R.Di *see* Di Stefano, M.R.
Stefano, S.De *see* De Stefano, S.
Stefano, S.Di *see* Di Stefano, S.
Stefanon, A. Marine sedimentology through modern acoustical methods. I. Side scan sonar 85−38350
Stefanon, A. Marine sedimentology through modern acoustical methods. II. UNIBOOM 85−53139
Stefanoni, M. CAE/CAD integration: a simple test 87−52283
Stefanov, B. *see* Rohlena, K. 85−51088
Stefanov, E.N. *see* Asenov, A.M. 87−60471, 88−13393
Stefanov, E.N. *see* Petrova, R.S. 88−26310
Stefanov, E.N. *see* Senov, M.A. 85−55808
Stefanov, I.L. *see* Dinev, S.G. 85−24464, 87−33116
Stefanov, V.J. *see* Cartaleva, S.S. 85−56539
Stefanova, I.A. *see* Gurevich, V.E. 88−6695
Stefanova, M., Pramatarov, P., Pacheva, Y. Laser generation on Cu II, Kr II, Ar II and Ne I lines in a water-cooled helical hollow-cathode discharge 86−29073
Stefanova, M., Pramatarov, P., Pacheva, Y. Laser generation on CuII, KrII, ArII and NeI lines in water cooled helical hollow cathode discharge 87−33118
Stefanova, V., Laftschiew, I. A method for the simulation of traffic processes in a server system 87−58781
Stefanovic, L. *see* Petkovic, M. 85−325
Stefanovic, L.V. *see* Petkovic, M.S. 85−327, 86−40665, 86−46240, 87−5356, 87−36623
Stefanovic, M., Brkovic, M. Flyback capacitor charging unit: evaluation of losses 88−75796
Stefanovic, M.C., Nikolic, Z.B. Performance of PSK signal transmitted over satellite channel 88−53202
Stefanovic, V.R. *see* Bhagwat, P.M. 85−9996
Stefanovic, V.R. *see* Krishnan, R. 86−7215
Stefanovic, V.R. *see* Weichmann, E.P. 87−51346
Stefanovic, V.R. *see* Wiechmann, E.P. 85−5262, 85−15543, 86−7950, 86−45550
Stefanovic, V.R. *see* Ziogas, P.D. 85−5259, 85−32620 to 32621, 86−7895, 86−7949, 86−12896, 86−45572, 87−30773
Stefanovich, G.B. *see* Zakharchenya, B.P. 86−1853
Stefanovich, Yu.T. *see* Linchevskii, I.V. 87−47920
Stefanovitch, D. *see* Epstein, G. 88−74484
Stefanovitch, D. *see* Rouan, D. 87−20964
Stefanovska, A., Vodovnik, L., Benko, H., Malezic, M., Turk, R., Kolenc, A., Rebersek, S. Enhancement of ulcerated tissue healing by electrical stimulation 88−61406
Stefanovska, A. *see* Vodovnik, L. 86−18359, 87−63802
Stefanovskii, D.G. *see* Anisimov, I.A. 88−32370
Stefanowa, V. *see* Lange, J. 88−35213
Stefanowicz, J. Computer simulation application to precise measurement instrumentation design 88−22412
Stefanowicz, J., Zborucki, A. Precise electronic thermometer assisted by a microcomputer 88−22558
Stefanska, W. Electric current shock protection by self acting supply isolation 88−69051
Stefanski, C. A generalization of Lin's theorem on bilinear form of network functions 85−17108
Stefanski, H. Optical telegraphy in Poland 85−58115
Stefanski, H. Techno-exploitational properties of teletex apparatus 86−4192
Stefanski, H. Modern text-telecommunication 87−55640
Stefanski, H. Modern systems for textural communication−equipment and organisation 88−34959
Stefanski, H. Means of textual communication in automation of offices 88−52780
Stefanski, M. *see* Schulze, K. 85−31861
Stefanski, R. *see* Foley, K.J. 88−68313
Stefanski, R.J. *see* Baker, S.I. 86−65313
Stefanski, R.J. *see* Blair, R. 85−15110
Stefansson, V. *see* Bodvarsson, G.S. 85−32368, 87−42686
Stefany, J.H. *see* Kirsch, H.C. 86−14226
Stefanyi, I., Koller, L. Determining flicker voltage from the current input of arc furnaces 86−19374
Stefanyi, I., Koller, L. Flicker determination on the basis of arc furnace current consumption 86−71124
Stefchev, P. *see* Harizanov, O. 85−49117
Stefec, V. *see* Simandl, S. 87−35748
Stefek, M. A contribution to the theory of linear parametric optimisation 88−18608
Stefenel, R. Two-way amplifier uses few parts 87−44607
Stefenel, R. Diodes and capacitors imitate transformer 87−52782
Stefens, P.F. *see* Van Dommelen, D.M. 88−11491
Steffan, G. *see* Davenas, J. 86−40798
Steffani, C.P. *see* Hopkins, D.B. 88−54341
Steffano, J.E., Sr., Rotherforth, W.R. Computer-based photogrammetry helps locate embedded inserts 85−15700
Steffen, A. SAW pulse compression systems 87−46283
Steffen, B. *see* Klatt, R. 87−35308
Steffen, C. Reception of radio and television programmes in Switzerland 88−9704
Steffen, F., Fels, P. The electroacoustical equipment of the new variety-theatre 'Friedrichstadtpalast' in Berlin 85−20404
Steffen, F., Fels, P., Schwarzinger, W. The Dresden Semperoper sound equipment 87−8475
Steffen, F., Fels, P., Schwarzinger, W. The sound-technical equipment in the Semperoper 88−22350
Steffen, F. *see* Steinke, G. 87−8476
Steffen, J. *see* Mizeraczyk, J. 85−12784
Steffen, K. Perspectives and plans for HERA 85−48158
Steffen, K. Basic course on accelerator optics 86−44503
Steffen, K. Note on turning on a Siberian snake in the 1-70 GeV SSC booster 86−70274
Steffen, K. *see* Buon, J. 86−50267
Steffen, L. *see* Reinert, G. 87−66017
Steffen, P. Fourier-approximation with interpolative constraints 85−10624
Steffen, P. Two-dimensional digital filters for geophysical applications: a simple design method leading to an easy implementation 85−21010
Steffen, P. Multichannel digital filters for wave-equation migration [seismology] 85−53154
Steffen, P. On digital smoothing filters: a brief review of closed form solutions and two new filter approaches 86−69036
Steffen, P. FOCON, fibre optical communication network 87−49128
Steffen, P. *see* Arnault, C. 87−14216
Steffen, P. *see* Burkhardt, H. 88−47997
Steffen, P. *see* Schuessler, H.W. 86−16368
Steffen, P. *see* Schussler, H.W. 85−34064, 87−24328
Steffen, R. Measurement equipment in the digital laboratory−an insight 85−22224
Steffen, R. Optimizing program run times with Logic Analysis System LAS 85−26203
Steffen, R. Ethernet test using Logic Analysis System LAS 85−26205
Steffen, R. Measurements on the Ethernet with a logic analyser 85−47882
Steffen, R. Analog recorder for Logic Analysis System LAS 86−31481
Steffen, R. Assembly test with logic analysers. The system at instrument cost 88−32070
Steffen, R. Gate-array test using logic analysis system LAS 88−35812
Steffen, R. *see* Hubler, E. 85−50805
Steffen, W., Stumm, W. Direct measurement of mass flow, especially by means of the Coriolis effect 87−56903
Steffen, W. *see* Scheibengraf, H. 88−30859
Steffenhagen, R. *see* Roberts, J.A. 85−38864
Steffens, E. New developments in polarized heavy ion sources 86−70303
Steffens, E. *see* Baumann, P. 88−53982
Steffens, E. *see* Jansch, H. 85−59101, 87−3836, 87−29426
Steffens, E. *see* Kramer, D. 87−3866
Steffens, E. *see* Tungate, G. 87−3839
Steffens, H. *see* Munzer, H. 88−47764
Steffens, H.-D., Busse, K.-H., Selbach, H. Measurement in a low-pressure plasma jet with a laser dual focus velocimeter (L2F) 87−21276
Steffens, H.-P. *see* von Kiparski, R. 85−43323
Steffens, H.G. How thermal is thermal ageing?: a survey of the significance of aging oven performance 86−40570
Steffens, H.G. Thermal endurance testing by the weight-loss method 87−25693
Steffens, H.G. Structure and bonding in matter: a primer for the users of electrical insulation 87−60705
Steffens, H.G. *see* Starr, W.T. 86−68085, 88−64806
Steffens, J.C. *see* Goossens, J. 86−70881
Steffens, J.C. *see* Mushamalirwa, D. 88−55004
Steffens, K.H. European domestic market and the import of current 88−54897
Steffens, P. Simulations using tubes. Test generator using thyratron as active circuit element 88−56508
Steffens, T., Krzemkowski, U. The importance of the middle ear impedance for the evaluation of the stimulus shape with respect to evoked response audiometry (ERA) 88−61345
Steffens, W. The construction of a gas turbine plant in a chemical factory 85−60618

Steffens, W., Westbrook, M.H. A microprocessor based method of battery charge measurement [vehicular applications] 86−49937
Steffens, W. *see* Kalker, M. 85−65569
Steffens, W. *see* Lurkens, P. 86−66255
Steffens, W. *see* Schleuter, W. 85−39175
Stefferud, E., Sweet, J., Domae, T. MZnet: mail service for personal micro-computer systems 85−25370
Stefferud, E.A. ARPA-Internet gateway standards workshop report 86−69454
Stefferud, E.A. *see* Rose, M.T. 86−23380
Steffinger, K. SBM 383 subminiature plug connectors with soldering terminals 85−17941
Stefko, P. *see* Saly, V. 86−61745
Stefl, J. Modified method of nodal voltages and its use for the analysis of switched-capacitor networks 88−70901
Stefl, J. *see* Herec, I. 86−57526, 87−5956
Stefler, S. An experimental microcomputer controlled integrated remote supervisory system for microwave, TV and VHF broadcasting network 86−43940
Steg, P.G. *see* Isner, J.M. 88−8360
Stegailov, V.I. *see* Morozov, V.A. 86−50437, 86−65340
Stegall, M. *see* Schueler, C. 86−32597 .
Stegall, R.L. Multiple object tracking radar 87−49166
Stegbauer, W. *see* Frohling, D. 87−13376
Stege, R. *see* Blumberg, L.N. 86−31822
Stegelmann, H.U. *see* Renn, O. 85−77
Stegeman, G.I., Ariyasu, J., Seaton, C.T., Shen, T.P., Moloney, J.V. Nonlinear thin-film guided waves in non-Kerr media 86−22478
Stegeman, G.I., Caglioti, E., Trillo, S., Wabnitz, S. Parameter trade-offs in nonlinear directional couplers: two level saturable nonlinear media 87−74727
Stegeman, G.I., Caglioti, E., Trillo, S., Wabnitz, S. Parameter trade-offs in a directional coupler with a two level saturable nonlinearity 88−45554
Stegeman, G.I., Seaton, C.T. Nonlinear integrated optics 86−22182
Stegeman, G.I., Seaton, C.T. Nonlinear integrated optics 86−48504
Stegeman, G.I., Seaton, C.T. Nonlinear guided-wave phenomena 87−33314
Stegeman, G.I., Seaton, C.T. Third-order nonlinear guided-wave optics 88−2383
Stegeman, G.I., Seaton, C.T. Numerical and experimental studies of nonlinear EM guided waves 88−52272
Stegeman, G.I., Seaton, C.T., Hetherington, W.M., III, Boardman, A.D., Egan, P. Nonlinear guided waves 87−46991
Stegeman, G.I., Seaton, C.T., Ironside, C.N., Cullen, T., Walker, A.C. Effects of saturation and loss on nonlinear directional couplers 87−53953
Stegeman, G.I., Seaton, C.T., Walker, A.C., Ironside, C.N. Nonlinear directional couplers with integrating nonlinearities 87−38775
Stegeman, G.I., Seaton, C.T., Winful, H.G. Applications of guided waves to nonlinear optics 85−46479
Stegeman, G.I., Seaton, C.T., Winful, H.G. Nonlinear planar guided wave interactions and devices 86−68324
Stegeman, G.I., Seaton, C.T., Zanoni, R. Organic films in non-linear integrated optics structures 88−2043
Stegeman, G.I., Wright, E.M., Finlayson, N., Zanoni, R., Seaton, C.T. Third order nonlinear integrated optics 88−72146
Stegeman, G.I., Wright, E.M., Finlayson, N., Zanoni, R., Seaton, C.T., Thylen, L., Wabnitz, S., Trillo, S., Silberberg, Y. Nonlinear all-optical guided-wave devices: operating characteristics and material trade-offs 88−58228
Stegeman, G.I., Wright, E.M., Seaton, C.T., Moloney, J.V., Shen, T.-P., Maradudin, A.A., Wallis, R.F. Nonlinear slab-guided waves in non-Kerr-like media 86−68619
Stegeman, G.I. *see* Aitchison, J.S. 87−75228
Stegeman, G.I. *see* Ariyasu, J. 86−68620
Stegeman, G.I. *see* Assanto, G. 87−19039, 87−46967, 88−33731, 88−65309, 88−65342
Stegeman, G.I. *see* Boardman, A.D. 87−54403
Stegeman, G.I. *see* Caglioti, E. 87−68026, 88−2021, 88−33807
Stegeman, G.I. *see* Cullen, T.J. 87−25936
Stegeman, G.I. *see* Daino, B. 88−51516
Stegeman, G.I. *see* Finlayson, N. 87−53956, 88−45201, 88−65333
Stegeman, G.I. *see* Fortenberry, R.M. 87−7073, 88−33730
Stegeman, G.I. *see* Gubbels, M. 87−38776
Stegeman, G.I. *see* Gubbels, M.A. 88−13918
Stegeman, G.I. *see* Heatley, D.R. 88−51508, 88−65292
Stegeman, G.I. *see* Hetherington, W.M., III. 85−2419
Stegeman, G.I. *see* Ironside, C.N. 86−42646, 88−33734, 88−58323
Stegeman, G.I. *see* Karaguleff, C. 85−35851
Stegeman, G.I. *see* Liao, C. 85−35533
Stegeman, G.I. *see* Lifeng Li 88−51553
Stegeman, G.I. *see* Mecozzi, A. 88−45555
Stegeman, G.I. *see* Mizrahi, V. 88−45546, 88−72014
Stegeman, G.I. *see* Moloney, J.V. 86−42623
Stegeman, G.I. *see* Moshrefzadeh, R. 87−68028
Stegeman, G.I. *see* Moshrezadeh, R. 87−60892
Stegeman, G.I. *see* Sang-Yung Shin 88−72093
Stegeman, G.I. *see* Seaton, C.T. 85−18649, 85−29932, 86−3303, 86−9972, 86−68325, 87−12582, 87−18573
Stegeman, G.I. *see* Shen, T.P. 88−27543
Stegeman, G.I. *see* Silberberg, Y. 87−60896
Stegeman, G.I. *see* Thylen, L. 87−18674, 88−8280, 88−33733
Stegeman, G.I. *see* Trillo, S. 87−18596, 88−72041, 88−72092
Stegeman, G.I. *see* Valera, J.D. 85−18648, 86−36134, 86−42308, 88−7929
Stegeman, G.I. *see* Vatarescu, A. 88−13904
Stegeman, G.I. *see* Wabnitz, S. 87−7435, 88−65877
Stegeman, G.I. *see* Winful, H.G. 85−51273
Stegeman, G.I. *see* Wright, E.M. 87−1936, 88−65289, 88−66155
Stegeman, G.I. *see* Xu Mai 86−2843
Stegemann, D. *see* Martinez, M.V. 86−51591
Stegemann, D. *see* Runkel, J. 86−51420
Stegemann, G., Berger, F. Stochastic determination and evaluation concerning loads of short-circuit current in electric energy transmission installations 88−54969
Stegemann, G. *see* Langmacker, D. 87−15319
Stegemann, K.-H. *see* Fischer, A. 87−45758
Stegens, R.E., Alliss, D.N. Coplanar microwave integrated circuit for integrated subsystems 88−12595
Steger, H.W. Application of piezo-translators in machine tool engineering 88−57862
Steger, K. *see* Feldmann, U. 87−65665
Steger, L.K. Vectorization of the LU-decomposition for circuit simulation 88−24933
Steger, W.A. *see* Ayres, R.U. 86−13381
Steghafner, H. *see* Demmel, F. 87−54672
Stegherr, M. Flicker noise in hot electron degraded short channel MOSFETs 85−34996
Stegherr, M. *see* Klar, H. 88−44799
Stegle, M. *see* Bamberger, A. 87−3892, 87−29449
Steglinski, Z. *see* Lowicki, A. 87−64656
Steglinski, Z. *see* Ostrowski, J. 87−64657, 88−75171
Stegman, G.I. *see* Ironside, C.N. 87−12585
Stegman, G.I. *see* Romagnoli, M. 88−13919
Stegman, R. *see* Fan, M. 88−54306
Stegman, R. *see* Huson, F.R. 86−31828
Stegman, S.C.J. *see* Troughton, D.J. 85−30797
Stegmann, G.C., Mormile, D.J., Piper, B.F. Emissions and performance evaluation of coal derived and petroleum fuel oils in a utility boiler 85−53571
Stegmann, R. *see* Oelgart, G. 86−22252
Stegmann, W. De V. *see* Ferreira, H.C. 87−75699
Stegmeier, A. *see* Krausse, P. 85−41179
Stegmeier, H. Technical evolution in conjunction with economic processes 85−13734
Stegmeier, H. New communications systems−a challenge for microelectronics 87−13248
Stegmeier, H. Telecommunications technology 88−8950
Stegmeier, H. Future key technologies for telecommunications 88−34903
Stegmeier, H. Trends in telecommunication 88−59443
Stegmueller, B. *see* Amann, M.-C. 88−34055
Stegmuller, B., Honsberg, M., Luy, J.-F., Harth, W. Galvanized top heat spreader for improved CW-performance of up-side-up mounted MCRW-lasers 85−24557
Stegmuller, B. *see* Amann, M.-C. 86−36487, 86−48387, 87−18964, 88−45418, 88−65723
Stegmuller, B. *see* Wolf, Th. 88−27149
Stegmuller, K. Switching of high-voltage motors [circuit breakers switching characteristics]. I 85−21760
Stegmuller, K. Switching of high voltage motors 85−32430
Stegmuller, K. Medium-voltage circuit breakers with different principles of arc suppression 87−51403
Stegmuller, K. *see* Binz, T. 87−78844
Stegner, H. *see* Bruckner, M. 86−18855
Stehelin, G., David, J.P., Floret, F., Verlinden, P. Comparison of the open circuit voltage for point contact and linear contact IBC solar cells 88−18037
Stehelin, G. *see* Verlinden, P. 87−4898, 88−18041, 88−37449
Stehle, H. *see* Holzer, R. 86−39401
Stehle, P. Information and automation technology 88−63006
Stehle, R. Holographic double pulse YAG lasers 88−58510
Stehle, R. *see* Warta, W. 85−35586
Stehle, R.H. A double-sideband shortwave-broadcast signal-quality estimation algorithm 88−67521
Stehle, R.H., DesBrisay, G.A., Whitson, A.L., Hagn, G.H. RELEDOP: a full-scale antenna pattern measurement system for high-powered HF transmitting antennas 88−67714
Stehle, R.H. *see* Hagn, G.H. 88−67519
Stehle, W. Design of equiripple amplitude filters using generalized Chebyshev functions 85−17603
Stehle, W. Closed form minimum search in equal ripple filter design 86−59306
Stehle, W. *see* Zabalawi, I.H. 86−1205
Stehlik, S. The influence of surface oxidation stacking faults in the CMOS technology on electrical parameters of p-n junctions 86−15040
Stehlin, R.A. Bergeron plots predict delays in high-speed TTL circuits 85−11172
Stehling, J. *see* Baehrle, D. 85−28813
Stehling, W. Interrupt operations for the type 680XX microprocessors. II. Stack, hardware and programming 87−44904
Stehly, M.P. *see* Dincher, J.T. 87−79083
Stehno, Z. *see* Moos, P. 87−59718
Stehwien, W., Haykin, S. Statistical classification of radar clutter 86−55348
Steib, N. *see* Hasse, P. 86−45017, 86−51144, 86−64411
Steichele, E. *see* Sutherland, J.C. 86−55956
Steichen, W. *see* Lahalle, D. 88−10618
Steickart, H.W. New monitor headphones for radio 86−17692
Steidel, R.F., Jr., Pankow, D.H., Frau, B., Parker, D.R. Hybrid staging of geothermal energy conversion processes 87−42559
Steidel, T.C. Programs simplify systems analysis 85−54605
Steidl, W. *see* Bangert, R. 87−49570
Steidley, J. Another eggbeater [2 m omnidirectional antenna design] 85−2659
Steier, S. *see* Brisegard, M. 88−39590
Steier, W.H., Kavounas, G.T., Sahara, R.T., Kumar, J. Enhanced optooptical light deflection using cavity resonance 88−51916
Steier, W.H., Shori, R.K. Optical Hough transform 86−69109
Steier, W.H. *see* Albanese, G. 87−19041
Steier, W.H. *see* Sexton, C.S. 85−7524
Steiert, C.J. Electric rate reform−food for thought 85−38427
Steifer, W., Cross, P.S., Welch, D.F., Scifres, D.R. Analysis of a Y-junction semiconductor laser array 86−63807
Steig, K.-M., Wiegandt, R. System of software management for network control 88−68866
Steigelmann, W.H. Mitigating the impacts of nuclear plant delays 85−4819
Steigelmann, W.H. Winning the rate base battle 87−22039
Steigenberger, H., Mitterer, H. EWSD: the switching system of the ISDN 85−19944
Steigenberger, H. *see* Mitterer, H. 85−47375, 87−34306, 88−9362
Steiger, D., Feirtag, F.D. A real-time AXBT data acquisition and processing system using a personal computer 88−48382
Steiger, D. *see* Tervola, K. 86−5895
Steiger, D. *(editor)* Proceedings 1986 Working Symposium on Oceanographic Data Systems (Cat. No.86CH2269-9) 86−55383
Steiger, E. Miniature relay D2: touchfree laser adjustment of centre contact blades 85−17931
Steiger, H. Distribution frame connector system 83 (VS 83) 86−23612
Steiger, K. Detection of encrustations and obstructions in pipelines 88−42697
Steiger, W. *see* Urban, G. 86−5812, 86−31435
Steigerwald, M.L. *see* Kisker, D.W. 87−58919
Steigerwald, R.L. Analysis of a resonant transistor DC-DC converter with capacitive output filter 86−26137
Steigerwald, R.L. A comparison of half-bridge resonant converter topologies 87−44574
Steigerwald, R.L. A comparison of half-bridge resonant converter topologies 88−55459
Steigerwald, R.L., Kuo, M.H., Claydon, G.S., Routh, K.C. A high-voltage integrated circuit for power supply applications 87−44579
Steigerwald, R.L. *see* Baliga, B.J. 86−7981
Steigerwald, R.L. *see* Bass, J.T. 86−45560
Steigerwald, R.L. *see* Bose, B.K. 85−32406, 86−12742
Steigerwald, R.L. *see* Ehsani, M. 87−64846
Steigerwald, R.L. *see* Ngo, K.D.T. 87−78810
Steigleder, K. *see* Goossens, J. 86−70881
Steiglitz, K. Hierarchical, parallel and systolic array processing 85−61313
Steiglitz, K., Honig, M.L., Gopinath, B. Multichannel signal processing for data communications in the presence of crosstalk 88−72999
Steiglitz, K., Morita, R.R. A multi-processor cellular automaton chip 86−14283
Steiglitz, K. *see* Cappello, P.R. 85−17689, 85−30249, 85−34081
Steiglitz, K. *see* Caulfield, H.J. 87−7805
Steiglitz, K. *see* Honig, M.L. 88−73000
Steiglitz, K. *see* Iwano, K. 86−14325, 87−10947, 88−63181
Steiglitz, K. *see* Kugelmass, S.D. 88−7707, 88−63583
Steiglitz, K. *see* McCaslin, S.R. 87−62035
Steiglitz, K. *see* Vergis, A. 86−26992
Steiglitz, M. X.25 standard simplifies linking of different LANs 85−36715

Steigmeier, E.F., Auderset, H. Elastic light scattering techniques for semiconductor technology 85—55643
Steigmeier, E.F. *see* Widmer, A.E. 87—10489
Steihaug, T. *see* Dembo, R.S. 86—13655
Steijer, O. *see* Krigh, M. 87—26043
Steijger, J. *see* Van Dantzig, R. 88—23000
Steijger, J.J.M. *see* Bijleveld, J.H.M. 86—60651
Steil, J. *see* Yang, F.C. 88—58765
Steilberg, J. Common data bank for design and manufacture 88—24868
Steimer, F. On the road to integration in the office 85—7996
Steimer, F. The 8051 microcomputer family 85—28570
Steimer, F. Microcomputer peripheral components. I 85—44955
Steimer, F. Microcomputer peripheral components. II. Characteristics and uses 85—45753
Steimer, F. *see* Schinagl, W. 88—6332, 88—11552, 88—31574 to 31575
Steimer, P. *see* Stemmler, H. 85—10155
Steimer, P.K. Redundant, fault-tolerant control system for a 13 MW high speed drive 88—69764
Stein, A. Maintaining a high level of integration and an open interface in IC CAD software 87—46155
Stein, A. *see* Ritter, A.B. 86—18294
Stein, A. *see* Wang, Z. 88—51409
Stein, A.D., Trembly, B.S. Improved temperature distributions for hyperthermic treatment of cancer through the use of variably phased antenna arrays 86—44700
Stein, A.D. *see* Trembly, B.S. 86—60746
Stein, A.H. Touch Tone Dialer [BASIC program to access networks] 87—2907
Stein, B.A. Satellite selection criteria during altimeter aiding of GPS 86—69853
Stein, B.A., Wheaton, C.E. Graphic depiction of dynamic satellite constellation accuracy/coverage over time 88—29004
Stein, B.A., Wheaton, E. Equatorial sparing of the Navstar/GPS 18 satellite constellation 87—41070
Stein, C. Materials changes taking place during the opening of exploding foil switches 85—5336
Stein, C. Accurate voltage and current measurements for high frequency power supplies 87—77323
Stein, C.M. *see* Feely, W.E. 87—18223
Stein, C.M. *see* Tai, E. 88—13223
Stein, D.T. *see* Marcus, S. 86—22297, 87—26324, 88—65561
Stein, E. Electronics in the electric drive field opens new applications 87—22809
Stein, E. Electronic packaging 87—58673
Stein, E. A speed sensoring and controlling system for inverter fed induction machines by evaluating the rotor slot harmonics 88—49208
Stein, E., Schroder, D. Computer aided design of circuits for power controlling with the new power elements MOSFET and SIT 85—27532
Stein, E. *see* Berger, M. 87—29484
Stein, E.S. Roles for simulation in air traffic control systems' development 88—74945
Stein, F. *see* Geisslinger, K. 85—33939
Stein, G. Manufacture of retaining rings 85—21576
Stein, G. Automatic inspection of surface defects using image processing techniques 85—61024
Stein, G. Conflict resolution on a statistical basis in image analysis with production rules 88—41113
Stein, G. *see* Bretfeld, H. 85—22563
Stein, G. *see* Richter, B. 85—38696, 87—69874, 88—41866
Stein, G.D. Design and use of metal cluster beam sources: implications for thin film devices 85—16989
Stein, H., Gortz, M., Schubach, R. Process control computer in the telecommunications service—hardware and software maintenance 88—8996
Stein, H.-D.von *see* von Stein, H.-D.
Stein, H.J. Thermally annealed silicon nitride films: electrical characteristics and radiation effects 85—34664
Stein, H.J. Thermal annealing of Si-N absorption bands in nitrogen-implanted silicon 85—45545
Stein, H.J. Nitrogen in crystalline Si 87—11630
Stein, H.J., Hahn, S.K., Shatas, S.C. Rapid thermal annealing and regrowth of thermal donors in silicon 86—53318
Stein, H.J. *see* Luera, T.F. 88—26227
Stein, H.J. *see* Myers, D.R. 88—44603
Stein, I.M., Hoffman, P., Fredericks, D., Marshall, A., Luby, E. The silent ischemia profile—a new quantitative method for the analysis of ST-segment changes in ambulatory recordings 87—57149
Stein, I.M., Hoffman, P., Sloan, C., Doxtader, D.R., Day, C.C. The micro CPR: an automated two lead ambulatory ECG analysis system 85—9201
Stein, J. Ring inspection helps avoid costly repairs 88—17491
Stein, J. *see* Cote, L.S. 86—40411
Stein, J. *see* Shiff, M. 88—9471
Stein, J.A., Rajchman, J.A., Melngailis, J., Summa, D.A. A display based on switchable zero order diffraction grating light valves 86—18044
Stein, J.L., Colvin, D., Clever, G., Wang, C.-H. Evaluation of DC servo machine tool feed drives as force sensors 87—36085
Stein, J.L., Kyung-Chul Shin Current monitoring of field controlled DC spindle drives 87—36195
Stein, K.-U. Power semiconductors hit stride 88—19929
Stein, K.-U. Power semiconductors hit stride 88—44750
Stein, K.J. *see* Dori, L. 87—38592
Stein, L. *see* Haeusler, E. 86—65808
Stein, L. *see* Hausler, E. 85—15350, 87—70561
Stein, L. *see* Kraus, N. 87—71134
Stein, M. The SUN network file system 87—48703
Stein, M. Developing/expanding the Defense Department's packet-switching wide-area datacomm network 88—41177
Stein, M., Bordeian, N. On the possibilities of enhancing the transmission capacity of HV networks 87—50744
Stein, M., Costin, E., Diaconu, St. The risk factor, an additional index in the correct selection of the solutions from the operation reliability standpoint [power systems] 85—15470
Stein, M., Popescu, N., Izsak, D. Some conclusions resulted from studies about the use of transfer buses from 400, 220, 110 kV substations 88—49097
Stein, M., Valcereanu, A. On the estimation of the operational reliability of thermal power plant automatic monitoring installations 87—50977
Stein, M. *see* Armencoiu, N. 87—50634
Stein, M. *see* Ciobanu, M. 88—36840, 88—62002
Stein, M. *see* Mutschler, P. 87—58357
Stein, M. *see* Olshansky, R. 85—62457
Stein, M. *see* Pavel, E. 88—61786
Stein, M. *see* Vatra, F. 87—50978
Stein, M.A. How to choose solder pastes for surface mounting. II 85—55279
Stein, M.A., Muckett, S.J. Solder paste design and handling for reliable surface mount assemblies 87—66760
Stein, M.A., Spadafora, L., Patel, D. Specifying the powder component of solder paste 85—33172
Stein, M.A., Spadafora, L., Patel, D. Solder paste: powders affect performance 86—40533
Stein, M.A. *see* Graham, L.S. 86—70399
Stein, M.C. Fractal image models and object detection 88—41083
Stein, M.L. An efficient method of sampling for statistical circuit design 86—46448
Stein, N., Bauer, E., Brandt, E., Dannheim, H., Lehmann, W., Meyer, W., Pietsch, K. Dynamic behaviour and strength of high voltage substation post insulators under short-circuit loads 86—51725
Stein, N. *see* Miri, A.M. 88—42878
Stein, P.J., Ball, D.M., Davis, C.K. Important design considerations for efficient trunked mobile radio systems 85—63574
Stein, P.J., Parker, J.P. An Enhanced Packet Radio System for the forward area 86—64857
Stein, P.J. *see* Ball, D.M. 85—20089
Stein, P.J. *see* Jarvis, L.J. 87—8210
Stein, R. A modular acoustic measurement electronics system 85—3526
Stein, R. Fire protection measures for electrical equipment with liquid askarel insulation 86—13425
Stein, R. Telex—tradition with a future 88—21555
Stein, R. Fire protection for electrical installations—fundamentals, laying, conductors, insulation monitoring, cable bulkheading, cable protection 88—37911
Stein, R., Cummings, D.H., Shaper, J.A. Calibrating microscopic linewidth measurement systems 86—55848
Stein, R. *see* Gupta, A. 85—55178
Stein, R.A., Fowlow, T.J. The use of median filters for edge detection in noisy signals 86—64365
Stein, R.A. *see* Bauer, J.M. 87—69384
Stein, R.B. Natural and artificial control of movements 87—42019
Stein, R.B., Rolf, R., Calancie, B. Improved methods for studying the mechanical properties of biological systems with random length changes 86—50459
Stein, R.B. *see* Charles, D. 87—63847
Stein, R.C. *see* Lottes, S.E. 86—12675
Stein, R.D. *see* Gupta, A.K. 85—28721, 86—1378
Stein, R.J. *see* Wall, C. 88—49536
Stein, R.M. Automation for the joint interoperability of tactical command and control systems (JINTACCS) 87—40689
Stein, S. Fading channel issues in system engineering 87—33420
Stein, S.A. The ISO connectionless transport standards 85—30673
Stein, S.A. *see* Piscitello, D.M. 86—49253
Stein, S.C. *see* Dragoni, J.A. 87—76162
Stein, S.J., Huang, C., Bless, P. New thick film capacitor dielectrics 85—11607
Stein, S.J., Huang, C., Bless, P. New thick film capacitor dielectrics 86—62956
Stein, S.J., Huang, C., Bless, P. Connecting materials in multilayers 87—24643
Stein, S.J., Huang, C., Bless, P. Pd/Ag conductors show promise 87—37752
Stein, S.J. *see* Bless, P. 88—7223
Stein, S.J. *see* Huang, C. 85—34391, 85—34394, 86—62965
Stein, S.R. The design of atomic frequency standards and their performance in specific applications 85—8968
Stein, S.R., Gifford, G.A. Software for two automated time measurement systems 85—58914
Stein, S.R., Macintyre, A., Huebner, G. Control of the frequency and phase of an atomic-clock by an external reference 87—63209
Stein, S.R. *see* MacIntyre, A. 87—25741
Stein, V. *see* Klement, D. 88—47195
Stein, V.M., Shuvalov, V.A. A line conversion method for comparing cable links in digital transmission systems with respect to thermal noise 87—47441
Stein, V.R. Fire protection measures on electrical equipment with askarel insulating liquids 85—54101
Stein, W. The effects of resonant frequency voltages on transformer windings 85—16073
Stein, W. Laminating flexible and flexi-rigid circuit boards in the isostatic gas-pressure vacuum press 88—38886
Stein, W., Muller, W., Moller, K., Brantl, U., Claudi, A., Glaninger, P., Kotschnigg, J., Neinens, C.A. Oscillatory switching voltages and relevant response of HV power transformers 86—51704
Stein, W. *see* Konig, B. 87—28607, 87—34555, 88—73937
Stein, W.E., Dattero, R. A new discrete Weibull distribution 85—16852
Stein, W.E., Dattero, R., Pfaffenberger, R.C. Preferences among lifetime distributions of systems of components 85—49409
Stein, W.E., Sheffield, R.L. Electron micropulse diagnostics and results for the Los Alamos free electron laser 87—2139
Stein, W.E., Warren, R.W., Winston, J.G., Fraser, J.S., Young, L.M. The accelerator for the Los Alamos free-electron laser. IV 86—5645
Stein, W.E. *see* Dattero, R. 85—60810
Stein, W.E. *see* Feldman, D.W. 87—75136, 88—2285, 88—45487
Stein, W.E. *see* Lumpkin, A.H. 88—45484
Stein, W.E. *see* Newnam, B.E. 86—3198
Stein, W.E. *see* Sheffield, R.L. 86—3447
Stein, W.E. *see* Warren, R.W. 85—56698, 87—75135
Stein, W.W. *see* Kennedy, W.M. 86—66129
Stein, Z. *see* Weiss, A.J. 88—27905
Steinacker, A. Data security in LANs—cryptoalgorithms and key-management 88—73661
Steinacker, M. SDL and ESTELLE: state transition oriented specification techniques in CCITT and ISO 86—64723
Steinacker, W.R. Fluorocarbon cleaning agents increase performance, reliability 85—10480
Steinacker, W.R. *see* Hale, J.E. 86—58153
Steinbach, A. A photoneutron source based upon an electromagnetic undulator 86—32141
Steinbach, A. *see* Milanovic, M. 86—19371
Steinbach, C., van Rooij, M. Scanning wire beam profile monitor 86—31770
Steinbach, F.-K. Regulations and standards for connection terminals: screw terminals 88—32525
Steinbach, G., Langmann, U. New proposal for a high-speed high-resolution analogue/digital convertor with reduced component count 85—33992
Steinbach, G. *see* Hernaut, K. 86—53714, 86—61869, 86—61883
Steinbach, G.L., Busch, J.W. Combining voice and data communications in a hospital environment 86—49308
Steinbach, H. Noncontacting temperature measurement of rotating parts of electric machines 87—15639
Steinbach, H., Gebhardt, A. Digital video signal processing 86—43974
Steinbach, W. Requirements and selection criteria for CAQ systems 87—44024
Steinback, M. *see* Minuhin, V.B. 86—42115
Steinbakk, A. *see* Rogne, T. 88—30855
Steinbakk, A. *see* Undeland, T. 85—10015
Steinbauer, E. Technical and economical use of hydro and thermal generation 85—53245
Steinbauer, E. The role of management and its training for taking responsibility on safety matters 88—31374
Steinbauer, E., Muschick, M., Sillaber, A., Harhammer, P., Strobl, H., Haschka, H. Economic operation of power systems 85—53266
Steinbeiser, C.F. *see* Zurada, J.M. 86—57804
Steinberg, A., Horden, I. Using the 8051's 9-bit serial mode 85—19843
Steinberg, A. *see* Hagemaier, D. 88—38287
Steinberg, A.I. *see* Gamburg, E.A. 88—74162

Steinberg, A.L. *see* Benedichuk, I.V. 88−29026, 88−60468
Steinberg, A.L. *see* Kurkov, I.N. 87−70257
Steinberg, A.N. A closed-loop simulator for tactical aircraft systems 88−5052
Steinberg, B., Gover, A., Ruschin, S. Unified analysis of absolute and convective instabilities in stimulated Compton Raman scattering and free-electron lasers 86−22420
Steinberg, B. *see* Gover, A. 85−56705
Steinberg, B. *see* Olshan, R.Z. 87−2167
Steinberg, B.A. *see* Jones, L.E. 86−6992
Steinberg, B.D. Relationships and fundamentals examined for phased-array design 85−57161
Steinberg, B.D. Adaptive beamforming of distorted microwave imaging antenna arrays using radiation-field measurements 86−3709
Steinberg, B.D. Hard limiting and other distortions at the input to a microwave-imaging phase array 86−48705
Steinberg, B.D. The role of digital adaptive beamforming in high resolution microwave imaging 87−55122
Steinberg, B.D. The radio camera: imaging with large aberrant arrays 88−4116
Steinberg, B.D. A theory of the effect of hard limiting and other distortions upon the quality of microwave images 88−8817
Steinberg, B.D. Diversity combining with examples in microwave imagery [aircraft radar application] 88−9623
Steinberg, B.D., Yadin, E. Effect of multipath and scattering on array gain of a large adaptive beam forming phased array 85−46618
Steinberg, B.D. *see* Luthra, A.K. 85−52390
Steinberg, B.D. *see* Subbaram, H.M. 86−42948, 87−26952, 88−27661
Steinberg, B.D. *see* Tsao, J. 86−64077, 87−28635, 88−67446
Steinberg, B.Z., Gover, A., Ruschin, S. Three-dimensional theory of free-electron lasers in the collective regime 87−68539
Steinberg, B.Z. *see* Heyman, E. 87−47147
Steinberg, C. *see* Tober, G. 88−63423
Steinberg, C.A. Video tape recording 1935-1996−a perspective and prospective view 87−28843
Steinberg, D.J. *see* Shearer, J.W. 88−43314
Steinberg, E.R., Baskin, A.B., Hofer, E. Computer simulations and the acquisition of problem-solving skills 87−23845
Steinberg, G. Tribology of magnetic media and its relation to media failure 87−46352
Steinberg, H. *see* Gasser, T. 86−5937
Steinberg, H.-W., Gasser, T., Franke, J. Fitting autoregressive models to EEG time series: an empirical comparison of estimates of the order 85−48284
Steinberg, J. Computation of expansion coefficients in a singular harmonic problem 87−58860
Steinberg, J. *see* Burkhardt, H. 88−47997
Steinberg, J.I., Horowitz, S.J., Bacher, R.J. Low temperature co-fired tape dielectric materials system for multilayer interconnections 86−20113
Steinberg, J.I., Horowitz, S.J., Bacher, R.J. Low temperature Co-fired tape dielectric material systems for multilayer interconnections 86−27765
Steinberg, L.I. Design=top down refinement plus constraint propagation plus what? 88−31939
Steinberg, L.I., Mitchell, T.M. A knowledge based approach to VLSI CAD−the REDESIGN system 85−1693
Steinberg, L.I., Mitchell, T.M. The Redesign system: a knowledge-based approach to VLSI CAD 85−33582
Steinberg, L.I. *see* Mitchell, T.M. 85−39880, 86−9208
Steinberg, M.A. Materials for aerospace 87−10516
Steinberg, P. *see* Chang, C.Y. 88−29902
Steinberg, R. Safety aspects of transformer installation 88−5730
Steinberg, R. *see* Calicchio, M. 88−29811
Steinberg, R.A. NOVELINK: a small, multifeature PABX 88−41476
Steinberg, R.I., Brown, K., Cherry, M.L., Corbato, S., Davidson, I., Keida, D., Lande, K., Lee, C.K. Monopole search and neutrino astrophysics with liquid scintillation detectors 85−31741
Steinberg, R.J. *see* Holt, D.C. 88−23634
Steinberg, S. *see* Castillo, J.E. 88−11934
Steinberg, S. *see* Roache, P.J. 85−2463
Steinberg, T. *see* Chen, R.I. 88−44807
Steinberger, H. The IC manufacture: from the circuit design to the chip 86−15197
Steinberger, H. Automated line up of 'wireless' components 86−27727
Steinberger, H. Three-dimensional structures for ICs 86−28379
Steinberger, H. The clean room requirements [electronic assemblies] 87−16389
Steinberger, H. Integrated circuits in 3D 87−17554
Steinberger, H. Clean room, men and machine 88−6244
Steinberger, H. The manufacture of mult-layer ceramic chip capacitors 88−50434
Steinberger, H. 3D-ICs: development trends 88−50993
Steinberger, H. *see* Xu Qiuxia 88−38223
Steinberger, J. *see* Arnault, C. 87−14216
Steinberger, M.L. *see* Carlin, J.W. 87−48902
Steinberger-Willms, R. *see* Beyer, H.G. 87−51133
Steinbichler, H. Holographic non destructive testing with automatic evaluation 87−47011
Steinbigler, H. *see* Beierl, O. 86−56476
Steinbigler, H. *see* Beirel, O. 86−56470
Steinbigler, H. *see* Tan, K.X. 86−42724
Steinborn, J. Communication becomes virtual and multifunctional 88−46781
Steinbrecher, D.H. Achieving maximum dynamic range in a modern receiver 86−23665
Steinbruchel, C., Curtis, B.J. The role of F atoms in the reactive sputter etching of silicon dioxide: Langmuir probe and optical actinometry measurements 87−67122
Steinbruchel, C., Lehmann, H.W., Frick, K. Mechanism of dry etching of silicon dioxide. A case of direct reactive ion etching 85−34858
Steinbruchel, C., Lehmann, H.W., Frick, K. Mechanism of dry etching of silicon dioxide: a case of direct reactive ion etching 86−35604
Steinbrucker, G. *see* Schellenberg, E. 87−58503
Steinbrunn, W. *see* Schmid, J.J. 88−4976
Steinbuch, M. Dynamic modelling and analysis of a wind turbine with variable speed 86−33229
Steinbuch, M. Optimal multivariable control of a wind turbine with variable speed 88−5623
Steinbuch, M., Meiring, F. Analysis and simulation of a wind turbine with variable speed 86−70835
Steinchen, A. *see* Gillon, P. 88−11497
Steinchen-Sanfeld, A. *see* Lallemant, M. 88−62773
Steincross, R. *see* Bostwick, S. 88−41306
Steindl, A. *see* Markowich, P.A. 85−12235
Steindorfer, P. *see* Germann, R.H. 86−50622
Steinebronn, K.H. *see* Kessinger, J.P. 86−61484
Steinecke, H.-F. *see* Jacobs, K. 87−17372, 87−20648
Steinemer, N. *see* Bettge, H. 86−12975
Steiner, A. Combined cycle plant uses GE frame 6 turbines 85−15903
Steiner, A. *see* Atwood, W.B. 87−21411
Steiner, A. *see* Hodges, C. 86−50313
Steiner, A. *see* Holschke, H. 86−24406
Steiner, A. *see* Litke, A. 88−29849
Steiner, A. *see* Young, C.C. 86−50316
Steiner, C. *see* De Mesmaeker, I. 85−32215
Steiner, C.N. *see* Weber, L.F. 85−14938
Steiner, D. *see* Bay, A. 88−74749
Steiner, D. *see* Hagmann, D. 87−32398
Steiner, E. Synchronization of digital narrowband networks 85−47050
Steiner, E. New mini distributor with double the capacity 86−64827
Steiner, E., Thanhauser, G. Special requirements on fiber optic transmission systems for high bit rate digital signals 85−58155
Steiner, E. *see* Beer, W. 85−64518
Steiner, E. *see* Braun, E. 87−40932, 87−76720
Steiner, E. *see* Hartmann, H.L. 86−64432
Steiner, G. A compact labeling scheme for series-parallel graphs 85−49460
Steiner, G. Development of a large inert gas ion thruster 86−25371
Steiner, H. The Malters electrical utility (EWM) of Steiner Energie AG 85−21066
Steiner, H. Measurement of electron beam polarization at the SLC 88−29754
Steiner, H. *see* Schmid, C. 85−49206
Steiner, H. *see* Wang, N. 88−60688
Steiner, H.J. *see* Dudok, E. 87−61485
Steiner, H.J. *see* Fasold, D. 85−42564
Steiner, H.L., Hanitsch, R. Electromechanic driving unit for an artificial heart 87−22449
Steiner, I. Hard gold of the connector edges of printed circuit boards 85−61509
Steiner, J.-L., Schweizer, A., Vitins, J. Fast switching thyristors replace thyratrons in high-current pulse applications 88−64546
Steiner, J.-L. *see* Leisten, O. 88−33136
Steiner, J.-L. *see* Vitins, J. 85−23765
Steiner, J.L., Leisten, O., Tabak, B.A. Laser supply with thyristors 88−27245
Steiner, J.L. *see* Leisten, O. 87−16101
Steiner, J.L. *see* Renggli, H. 86−61653
Steiner, J.L. *see* Schweizer, A. 88−6694
Steiner, J.L. *see* Vitins, J. 88−26244
Steiner, J.P., Furgason, E.S., Weeks, W.L. Passive delay estimation techniques for locating acoustic emission sites in solid dielectric-metal composites 86−66883
Steiner, J.P., Furgason, E.S., Weeks, W.L. Robust deconvolution of correlation functions 88−56362
Steiner, J.P., Weeks, W.L. Digital estimation of partial discharge 88−26579
Steiner, J.P., Weeks, W.L., Erickson, C.B., Furgason, E.S. Estimating the location of acoustic emission sites in solid dielectric-metal composites 86−66889
Steiner, J.P., Weeks, W.L., Furgason, E.S. Acoustic emission from partial discharge in encapsulated voids 86−590
Steiner, J.P. *see* Weeks, W.L. 85−48588
Steiner, K., Heuken, M., Heime, K., Trew, R.J., Konig, U. Trap detection at a p-p $In_{0.53}Ga_{0.47}As/InP$ heterojunction by means of *C-V*, *I-V* and photocapacitance measurements 87−60149
Steiner, K., Seiler, U., Brockerhoff, W., Heime, K., Kuphal, E. High transconductance submicron self-aligned InGaAs JFETs 88−57696
Steiner, K. *see* Kugler, S. 88−26328
Steiner, K. *see* Schmitt, R. 86−53690
Steiner, K.-H. Microprocessor-aided process measuring and control technology on a material testing machine 87−34925
Steiner, L.K. Supercomputer design challenges 86−41971
Steiner, M. *see* Daniel, H.-U. 86−5463
Steiner, M. *see* Kachelmaier, H. 88−73691
Steiner, R., Brandis, H., Englert, G., Rosch, W. Microprocessor-based interfacing of synchrotron equipment 86−60430
Steiner, R. *see* Dworzak, F. 85−53505
Steiner, R. *see* Goloskie, D. 85−59208
Steiner, R. *see* Simmler, H. 88−23777
Steiner, R.G. System planning and operations research−who needs it? [power systems] 86−44929
Steiner, R.L. *see* Hamilton, C.A. 86−31112, 88−16372
Steiner, R.L. *see* Niemeyer, J. 86−44370
Steiner, T., Thewalt, M.L.W., Koteles, E.S., Salerno, J.P. Time-resolved photoluminescence study of molecular beam epitaxial growth induced defect lines in GaAs 85−60949
Steiner, T.O., Suhl, D. Investigations of large PLCC package cracking during surface mount exposure 88−181
Steiner, V. *see* Breskin, A. 88−68214
Steiner, V. *see* Fischer, P. 88−68294
Steinert, L. *see* Dewald, A. 88−47765
Steinert, R.F. *see* Puliafito, C.A. 85−20956, 86−18374
Steinert, W. Single channel monopulse system for simplified aerial tracking 85−58212
Steinert, W. *see* Bauer, R. 86−37828
Steines, L.W. *see* Naylor, A.I. 87−28463
Steinfeld, G., Skaanderup-Larsen, J., Kurpit, S.S. Diesel fuel processing for phosphoric acid fuel cells 87−43402
Steinfelder, K. *see* Schaffer, W. 88−19458
Steinfelder, K. *see* Schiller, S. 88−6519
Steinfield, C.W., Pizante, G., Komiya, M. The strategic management of telecommunications in the information age: a case study of three large users 88−28178
Steinfuhrer, H., Kostner, R. Computer aided repairs to memory circuits 88−12373
Steingacher, K. Electrical and mechanical equipment in the railway power stations operated by Austrian State Railways 87−79052
Steinger, H. Possible benefits of electronic message services 88−3454
Steinger, H. Possible benefits of electronic message services 88−52789
Steingraber, W. *see* Makareinis, D. 86−56869
Steinhagen, H. Channel assignment of measured values transmitted in time-division multiplex 86−30494
Steinhagen, H. An automatic information gathering and processing system, AES-2, for radio sonde measurements 86−44203
Steinhardt, A.O. Reconstructing a finite length sequence from several of its correlation lags 87−62077
Steinhardt, A.O. An invariance in system identification 87−75803
Steinhardt, A.O. Harmonic retrieval of analog signals 88−27903
Steinhardt, A.O. Correlation matching by finite length sequences 88−45799
Steinhardt, A.O. Corrections to 'Harmonic retrieval of analog signals' 88−72926
Steinhardt, A.O. The partial realization problem for moving average models 88−73063
Steinhardt, A.O., Bretherton, C. Thresholds in frequency estimation 86−16417
Steinhardt, A.O., Goodrich, R.K. Least energy extension of a truncated correlation sequence 87−7768
Steinhardt, A.O., Goodrich, R.K., Roberts, R. Spectral estimation via minimum energy correlation extension 86−16376
Steinhardt, A.O., Goodrich, R.K., Roberts, R.A. Spectral estimation via minimum energy correlation extension 86−29664
Steinhardt, A.O., Makhoul, J. On the autocorrelation of finite-length sequences 86−29665
Steinhardt, A.O. *see* Jones, W.B. 86−20725, 87−7729
Steinhardt, A.O. *see* Makhoul, J. 87−61552
Steinhardt, A.O. *see* Radar, C.M. 87−27065
Steinhardt, A.O. *see* Rader, C.M. 87−16450
Steinhardt, R. *see* Klober, L. 88−29690
Steinhauer, L.C., Quimby, D.C. Sideband suppression in a high-extraction free electron laser 88−40258
Steinhauer, P.E. *see* Fest, J.A. 88−62129
Steinhaus, R. Compatibility of wire enamel and impregnating agent by means of bond strength evaluation 86−62317
Steinhausen, D. *see* Geuth, V. 85−31842

Steinhauser, A. *see* Brucher, L. 88−68510
Steinhauser, F. *see* Pichler, H. 87−52383
Steinhauser, K., Hauszer, M., Volz, G. The new BMW car engine works at Steyr 86−19653
Steinhauser, K.-A. Production and use of ultracold neutrons 85−64440
Steinhauser, S.W. *see* Mariella, R.P., Jr. 88−13077
Steinhoff, H.J. A continuous wave laser T-jump apparatus and its application to chemical reactions in hemoglobin single crystals 88−74812
Steinhoff, R. *see* Lauterborn, W. 88−51892
Steinhoff, T. The breaking point [PWB processing] 86−62934
Steinhoff, U. *see* Guttner, F. 86−57510
Steinhorn, I., Zrnic, D.S. Uses of differential propagation phase shift constant to characterize hydrometeors 88−5179
Steining, R.F. *see* Ross, M.C. 86−25019
Steininger, H. *see* Thull, R. 88−54595
Steininger, J.M., Swanson, E.J. A 50 Mb/s CMOS optical data link receiver integrated circuit 87−18870
Steininger, K.-H. *see* Kordesch, K. 88−69675
Steinitz, M.O., Genossar, J., Schnepf, W., Tindall, D.A. Simple, versatile and compact capacitance dilatometer 86−31653
Steinkamp, E. *see* Gottschalk-Gaudig, H. 88−23673
Steinkamp, J. Radio relay systems for modern communications networks—an introduction. I. Basic conceptual considerations 85−25743
Steinkamp, J. Radio relay systems for modern communications networks—an introduction. II. Digital radio relay systems for different network levels 85−25744
Steinkamp, J. Digital signal transmission technology. XLII. Directive radio system for modern communication networks—an introduction to the theme 85−47429
Steinkamp, J. Directive radio systems for modern communication networks. II. Digital radio systems for various network levels 85−52270
Steinkamp, J., Vogtle, G. Modern digital radio relay systems—production and quality assurance in the Munich production center 86−23678
Steinkamp, J. *see* Otremba, K. 88−28684, 88−46886
Steinkamp, J. *see* Panschar, H. 87−3060
Steinkamp, J.A. Flow cytometry 85−4260
Steinke, E. *see* Hoeg, W. 86−43960
Steinke, G. Stereophony 85−37360
Steinke, G. Stereophony 85−42796
Steinke, G. Theses for stereophonic sound reproduction 87−63181
Steinke, G., Adam, R. Technological-technical requirements for a new generation of sound studio techniques in broadcasting and television 85−3567
Steinke, G., Fels, P., Hoeg, W., Ahnert, W. The Delta-Stereophonics-System. I 88−22358
Steinke, G., Fels, P., Hoeg, W., Ahnert, W. The Delta stereophonic system. II 88−22359
Steinke, G., Fels, P., Hoeg, W., Lorenz, W., Steffen, F., Ahnert, W. New developments in the field of delta stereophonic system for large room-acoustic irradiation 87−8476
Steinke, J.K. Experimental results on the influence of the capacity of the snubber capacitor on the shape of the tail current of a GTO-thyristor 88−64545
Steinke, J.K. Control of a neutral-point-clamped PWM inverter for high power AC traction drives 88−69546
Steinke, J.K. Basic principles for the development of control strategies for three-level inverters with three phase AC traction drives 88−69830
Steinke, J.K. Control strategy for a three phase AC traction drive with three-level GTO PWM inverter 88−76029
Steinke, R., Booker. C., Giguere, P., Liles, D., Mahaffy, J., Turner, M., Wiley, R. The nuclear plant analyzer: an interactive TRAC/RELAP power-plant simulation program 85−59916
Steinkerchner, S. Have it your way: a flexible approach to silicon compilation 88−13544
Steinkolk, R.B. *see* Talwar, A.K. 88−50381
Steinkraus, R.F. *see* Summers, M.A. 87−46828
Steinle, B., Gruber, P. Comments on upper bounds on limit-cycles in digital filters of second order 85−57386
Steinle, B. *see* Schaub, T. 87−7735
Steinlechner, S. Sine x/x equaliser for D/A convertor 85−28583
Steinlechner, S. EPROM as peripheral memory for Z80 systems 86−46795
Steinlechner, S., Spahlinger, G. Carry-save adders and their application for a multiplication with factored multiplicands 86−46948
Steinlein, H.-W. Maximum detection and transmission of measured data [power system tariff unit] 87−4465
Steinlin, W. Transmission aspects of the basic subscriber lines in ISDN 87−69453
Steinlin, W. *see* Buijs, J.H. 86−4353
Steinman, A. Establishing specifications for room ionization 86−26595
Steinmann, F. *see* Bohli, W.U. 88−31156
Steinmann, J., Bock, J., Hoeft, A., Korb, H., Wolpers, H.G., Hellige, G. In vivo measurement of the oxygen saturation of blood using quartz fibre optics and an optical multichannel analyzer 87−14847
Steinmann, P. New family of fusion splicers for optical waveguides 85−2037
Steinmann, P. *see* Finzel, L. 87−38835
Steinmann, P. *see* Hillerich, B. 86−64996
Steinmayer, M. *see* Lobner, K.E.G. 87−71049
Steinmetz, E. *see* Christiansen, P. 86−44343
Steinmetz, G. Experiences with the Emsland TRANSRAPID-system 87−5052
Steinmetz, G. *see* Bohn, G. 85−21891, 85−21897
Steinmetz, G. *see* Schenker, H. 87−50760, 88−48551
Steinmetz, J.D. Precision electron beam heat treating 85−39384
Steinmetz, K. *see* Wesner, F. 85−30101
Steinmetz, L.L. *see* McMillan, C.F. 88−29656
Steinmetz, L.L. *see* Shaw, L.L. 86−5080
Steinmetz, P.D. *see* Kuntz, R.A. 88−50490
Steinmetz, R. *see* Lenzer, J. 85−2842
Steinmeyer, G. *see* Kohling, A. 85−46583
Steinparz, F.X. *see* Plattner, B. 88−59534
Steinruck, H. *see* Ascher, U. 88−1611, 88−7557
Steinruck, K.P., Gutzmerow, G. Delay and throughput analysis for the German packet switched public data DATEX-P 85−42022
Steinrucken, A. *see* Drechsler, N. 87−25130
Steinset, M. *see* Hammerstad, E. 86−65554
Steinvall, O. *see* Ahlberg, H. 87−3244
Steinvall, O. *see* Letalick, D. 87−29925 to 29926
Steinvorth, R. *see* McDonald, J.F. 86−58627
Steinvorth, R.H., Taylor, G.F., McDonald, J.F., Hunter, T.M. Wafer scale integration of a video rate Fuzzy Golay Processor 86−47724
Steinvorth, R.H. *see* Bergendahl, A.S. 86−21756, 86−28449
Steinvorth, R.H. *see* Donlan, B.J. 85−62033, 86−35245
Steinvorth, R.H. *see* McDonald, J.F. 86−47705, 87−18255, 87−45924
Steinvorth, R.H. *see* Taylor, G.F. 85−37540, 86−2321
Steinwarz, W. Modular high-temperature reactor launched 88−5470
Steinwarz, W., Batschko, H.D. A mobile high-temperature reactor module for the Third World 86−18990
Steinwarz, W., Batschko, H.D. Self-supporting barge-mounted energy station with HTR-module 86−39404
Steinwarz, W. *see* Leuchs, U. 88−62106
Steinweg, R.L., Pierce, K., Aguirre, S.J., Nance, S. Silicon compilation of gate array bases 86−20489
Steinwender, F., Lockau, J., Rudolph, J. Experimental investigation of the load transfer behaviour of piping supports under high-frequency excitation 85−27184
Steinz, J.A. Precise electromagnetic measurements [EMC testing] 86−24626
Steiskal, V.Ya. *see* Stakhov, A.P. 86−34905
Stejny, J. The polymer physics of CR-39—the state of understanding 88−22989
Stejny, J., Portwood, T. A novel 'rapid development' plastic track detector 87−29565
Stejny, J., Portwood, T. A study of the molecular structure in CR-39 87−29580
Stejny, J. *see* Portwood, T. 87−29577 to 29579
Stejskal, A. *see* Petru, F. 85−52871, 85−58887, 87−54458
Stejskal, J. *see* Zoul, A. 88−7332
Stejskal, M. Electronic checking and control gauges for grinding machines 85−14834
Stek, R.M. *see* Abramovich, R.D. 86−25978, 86−33271
Steketee, J. *see* van Deursen, J.B.P. 86−18310
Stekh, Yu.V. *see* Davimuka, S.A. 85−63954
Stekhanov, V.N. *see* Anisimov, S.N. 86−18246
Stekl, M., Eret, J. Perspective of the development of new type of SKODA electric locomotives 87−72518
Stekl, M., Eret, J. Prototypes of two-system electric locomotives designed for the Czechoslovak and GDR State railways 87−79017
Stekl, M. *see* Eret, J. 87−72520
Steklasa, R. Who's switching to SL-10? 85−57876
Steklov, A.V. *see* Protsenko, L.D. 88−27928
Steklov, O.I. Plasma arc welding 02Kh8N22S6 high silicon, corrosion resisting steel 88−55994
Stekly, M. *see* Malach, J. 86−4982
Stekly, V. Polling in the IMS-2 system 88−74266
Stekly, Z.J.J. Nuclear magnetic resonance imaging 85−20912
Stekolnikov, A.F. *see* Avtjushkov, A.P. 88−6523, 88−7298
Stekol'nikov, A.F. *see* Ivanov, O.M. 88−57159
Stel, H.H. *see* Robertson, J.M. 87−38663
Stel, H.H. *see* Schruwen, C.P.G. 88−57917
Stelbrink, J. Data security need not be expensive 86−30188
Stelbrink, J. Content addressable storage accelerates the software. The new component includes a search and sorting algorithm 87−24160
Stelczer, T. *see* Berta, I. 88−34225
Steld, A.van der *see* van der Steld, A.
Steldinger, G., Burgel, R. A new reflector headlight from the Kombinat VEB NARVA Rosa Luxemburg 87−43623
Steldinger, G., Goerke, R. A new spot light programme with halogen incandescent lamps 85−21931
Stell, H. Satellite: a soft way to communicate 88−3953
Stell, T. *see* Stewart, S.H. 87−32606
Stella, A. Reliability management for purchased functional components 87−23435
Stella, A. *see* Bellina, F. 86−42194, 88−51999, 88−64044, 88−65991
Stella, A. *see* Borghesi, A. 86−8981
Stella, A. *see* Chitarin, G. 88−52120
Stella, A. *see* Geddo, M. 86−27838, 87−1176
Stella, A. *see* Guarnieri, M. 86−27650, 86−45479, 87−31077
Stella, B. *see* Braunschweig, W. 88−29874, 88−68282
Stella, B. *see* D'Agostini, G. 87−21466
Stella, D., Morganti, F., Nielsen, G. Contraves' antenna tip hinge mechanism for Selenia Spazio's 20/30 GHz antenna 87−12859
Stella, E. *see* Biallo, G. 87−48244
Stella, E. *see* Caponetti, L. 86−3945
Stella, E. *see* Chiaradia, M.T. 88−46231
Stella, E. *see* Distante, A. 88−59211
Stella, M. Speech synthesis 86−29788
Stella, M.G., Charpentier, F.J. Diphone synthesis using multipulse coding and a phase vocoder 86−16203
Stella, M.G. *see* Charpentier, F.J. 87−27282
Stella, P. *see* Scott-Monck, J. 85−53826, 86−33679, 87−42133
Stella, P.M., Crotty, G.T. Solar cell design for avoiding LILT degradation [space vehicle power plants] 88−36630
Stella, R. *see* Cinquepalmi, R. 85−49292
Stella, R.A. *see* London, A. 85−28870
Stellato, J.M., Garver, R.V. Survey of the state of the art of electrical transient upset in digital circuits 87−24019
Stellbrink, B., Hegemann, K.-R. Measures in flue gas desulphurization plant design at Wilhelmshaven power station for simplification and increasing its effectiveness 86−56612
Stellema, L. Temperature controller is simple to set up 86−50034
Steller, G. Development of the new S-Bahn EMU for the municipal rapid transit enterprises of Berlin (BVG) 86−51983
Stellhorn, J.E. Integrating electronic assembly—solution or problem 87−11200
Stelling, C.B., Wang, P.C., Lieber, A., Mattingly, S.S., Griffen, W.O., Powell, D.E. Prototype coil for magnetic resonance imaging of the female breast. Work in progress 85−48253
Stelling, H.-A. Non-destructive testing of locally corroded areas 88−38302
Stelling, R.P. The application of GTH technology to flexible circuitry and flat cable connections 85−34259
Stellman, R.H. Factors to consider when specifying hazard-free cordsets 88−1072
Stellmaschek, K.-H. *see* Dix, W.-R. 86−60692
Stellmaschek, K.H. *see* Dix, W.R. 88−4922
Stello, V., Jr. An NRC perspective on the use of PRA to support backfit decisions [nuclear plants] 85−53441
Stellrecht, D.E. *see* Sridhar, C.G. 86−26894
Stellwag, B., Beyer, W., Wieling, N. On-line monitoring of tube corrosion potentials—a method to identify and counter critical corrosion conditions in nuclear SG's 86−51390
Stellwag, B. *see* Weiss, E. 86−39423
Stelma, T.T. *see* Fos, J.E., Jr. 87−26862
Stel'makh, M.F., Dmitriev, V.G., Mikhailov, L.K., Seregin, S.L., Spitsyn, E.M., Cherednichenko, O.B. Tunable lasers and laser spectral instruments using acoustooptical filters 85−24621
Stel'makh, M.F., Malyshev, B.N. Application of lasers in medicine 86−25298
Stel'makh, M.F. *see* Belozerov, S.A. 85−24619
Stel'makh, M.F. *see* Dianov, E.M. 85−19006, 85−24305, 85−29913
Stel'makh, M.F. *see* Machulka, G.A. 86−22587
Stel'makh, M.F. *see* Onishchukov, G.I. 87−75050
Stel'makh, N.M. *see* Alferov, Zh.I. 87−61164
Stel'makh, N.M. *see* Zhuravlev, A.B. 87−2124
Stel'makh, V.F., Tsvirko, L.V. Superheterodyne channel of microwave EPR spectrometer 87−65945
Stelmakh, V.F. *see* Kamara, M.S. 85−1312
Stel'makh, V.F. *see* Klimkovich, B.V. 86−1658, 86−21094
Stel'makh, V.V. *see* Lobkova, L.M. 86−3515
Stelmasik, H. Database for teletransmission networks 87−27806
Stelson, P.H. *see* Jones, C.M. 86−38627
Stelson, P.H. *see* Raatz, J.E. 86−38641
Stelson, P.H. *see* Shapira, D. 85−59148
Stelt, P.F.van der *see* van der Stelt, P.F.
Stelte, D.J. Software implementation of the remote packet module in the AT&T Western Electric 1 Packet Switching System (1PSS) 85−42108

Stelte, D.J., Kafka, H.J., Paule, W.J. AT&T Technologies implementation of Local Area Data Transport—a hardware and software overview 85—2965
Stelte, M. *see* Marsch, H. 86—49487
Stelter, T. *see* Mueller, K.H. 87—25302
Stelts, M.L., Bendt, P.J. A new facility for averaged resonance capture studies at the Omega West Reactor 87—70982
Stelzer, H. *see* Albrecht, R. 86—44563
Stelzer, H. *see* Michel, C. 86—38721
Stelzer, J. *see* Shenhav, N.J. 85—31703
Stelzer, R., Wapler, H.-K. Measures designed to increase the reliability of production facilities in the steel industry 85—10257
Stelzer, R. *see* Mommertz, K.H. 85—14601
Stelzried, Ch. *see* Preston, R. 86—30928
Stelzried, C.T. *see* Preston, R.A. 86—55400
Steman, H. *see* Boelders, W. 87—18321
Stember, L.H., Epstein, M.M., Gaines, G.B., Derringer, G.C., Thomas, R.E. Analysis of field failure data on HMWPE and XLPE insulated high-voltage distribution cable 85—59738
Stember, L.H. *see* Epstein, M.M. 87—30209
Stember, M., Wilk, J. Power-saving dynamic randomly addressable memory refreshing control 85—786
Stembridge, J.R. Rational tableaux and the tensor algebra of gl_n 87—65353
Stemkovskii, E.P. *see* Lyakhovich, A.L. 86—7330
Stemkovskii, E.P. *see* Umanskii, M.S. 86—66516
Stemme, G. A CMOS integrated silicon gas-flow sensor with pulse-modulated output 88—60972
Stemme, G. *see* Stenberg, M. 88—35958
Stemme, G.N. A monolithic gas flow sensor with polyimide as thermal insulator 87—8600
Stemmer, A. *see* Ringger, M. 87—11316
Stemmer, W. *see* Hofbauer, F. 85—53733
Stemmler, B. *see* Venditti, V. 86—67255
Stemmler, B.H., Jager, A. Influence of GTO thyristors on electronic drive systems for traction vehicles 85—39248
Stemmler, H., Kobi, H., Steimer, P. A new high-speed controller with simple program language for the control of variable-speed converter-fed AC-drives 85—10155
Stemmler, H., Terens, L., Dahler, P., Neidhart, P., Guth, G. Redundant, fault-tolerant programmable control system for back-to-back ties 86—25491
Stemmler, H., Terens, L., Guth, G., Dahler, P., Neidhart, P. Redundant fault-tolerant microprocessor based control system for the Blackwater HVDC back-to-back tie/USA 86—12408
Stemmler, H. *see* Kobi, H. 87—43490
Stemmler, J. *see* Hermann, L. 85—31326
Stemmons, W., Peceli, Z., Eliason, J.R. Installation economics: onsite construction vs. packaged power control assemblies 85—15598
Stemp, G.C., Towler, G.O. DBS parameter variations since WARC 77 86—11222
Stempek, Z. *see* Chmura, J. 87—49705
Stempkovskii, A.L. *see* Zadoenko, A.V. 87—38052
Stemple, D. *see* Vinter, S. 86—64782
Stemple, D.K. *see* Ford, J.M. 88—39448
Stemple, H.L., III *see* Polisky, L.E. 85—62843
Stempski, M.O. *see* Roemer, J.M. 87—7982
Stempson, R.L. *see* Guastaferro, A. 87—29881
Stenbakken, G.N. A wideband sampling wattmeter 85—14863
Stenbakken, G.N. Dual-channel sampling systems 86—38311
Stenbakken, G.N. Characterizing square and triangular waveforms 87—65401
Stenbakken, G.N., Laug, O.B., Kibalo, T.H., Bell, B.A., Perrey, A.G. NBS wideband sampling wattmeter 88—30425
Stenbakken, G.N., Souders, T.M. Test-point selection and testability measures via OR factorization of linear models 88—15880
Stenbakken, G.N., Souders, T.M., Lechner, J.A. An efficient calibration strategy for linear, time invariant systems 86—24268
Stenbakken, G.N., Souders, T.M., Lechner, J.A., Boggs, P.T. Efficient calibration strategies for linear, time invariant systems 86—44086
Stenbakken, G.N. *see* Laug, O.B. 87—8479
Stenbakken, G.N. *see* Souders, T.M. 86—46935, 87—14060
Stenbakkern, G.N. Characterizing square and triangular waveforms 88—16367
Stenberg, M., Stemme, G., Kittilsland, G., Pedersen, K. A silicon sensor for measurement of liquid flow and thickness of fouling biofilms 88—35958
Stenberg, P. *see* Lyngfelt, A. 88—75260
Stenberg, R. Postprocessing schemes for some mixed finite elements 88—56198
Stenberg, R. *see* Ostberg, O. 87—49508
Stenbok, I.A. *see* Adamov, E.O. 88—30510
Stenby, E.W. *see* Damon, J.E. 86—25896
Stenby, E.W. *see* Sebesta, J.J. 87—64383
Stendahl, G. *see* Kraemer, W. 85—21416
Stendal, K. *see* Hansen, K. 85—23660
Stender, A. Non-flammable insulating fluids 88—33446
Stender, A. New developments in solventless UP resin impregnation of electrical machines 88—43156
Stender, B. Damage to steel wire lines from the effects of arcing 87—42487
Stender, B. *see* Meyenberg, H. 87—43562
Stenderup-Larsen, J. *see* Degenkolw, K.S. 86—59100
Steneck, N.H. Science and standards: the case of ANSI C95.1-1982 [health standards] 85—38259
Stenerhag, B. Power capacitors for advanced applications 85—16182
Stenerhag, B. Screening test on capacitor fluids—low temperature PD properties 85—65412
Stenerhag, B. On the meaning of PDIV and PDEV [HV power capacitors] 86—45628
Stenerhag, B., Wirsen, L.-E. Compacting—the key to power capacitors 85—21772
Stenersen, K., Jain, R.K. Direct measurement of picosecond propagation delays in individual logic gates by a differential optoelectronic technique 85—6291
Stenersen, K., Wang, G. Direct optical pumping of high-pressure CO_2 and N_2O lasers with a pulsed HF pump laser 87—26275
Stenersen, K. *see* Jain, R.K. 85—2400, 85—6248, 85—18855
Stenerson, R. *see* Lind, H. 87—77768
Stenerson, R. *see* Wood, R. 85—24120
Stenerson, R.O. *see* Shelnutt, J.B. 86—70500
Stenflo, J.O., Povel, H. Astronomical polarimeter with 2-D detector arrays 86—17818
Stengel, R.F. *see* Belkin, B.L. 88—48279
Stenger, F. Explicit nearly optimal linear rational approximation with preassigned poles 86—66769
Stenger, F. *see* Dikshit, H.P. 88—43827
Stenger, F. *see* Johnson, S.A. 86—12228
Stenger, H.G., Jr., Akiki, G.S. Kinetics of plasma etching silicon with nitrogen trifluoride 87—18011
Stenger, L. HDTV—a new high definition television system 85—58333
Stenger, L. Digital coding of TV signals for ISDN-B applications 86—64193
Stenger, L. HDTV: the European alternative 88—74098
Stenger, L. *see* Buley, H. 85—52519
Stenger, L. *see* Long, T. 87—49223
Stenger, L. *see* Sauerburger, V.H. 85—14401
Stenger, V. *see* Resvanis, L.K. 88—54421
Stengl, G., Loschner, H., Maurer, W., Wolf, P. Current status of ion projection lithography 86—8943
Stengl, G., Loschner, H., Maurer, W., Wolf, P. Ion projection lithography for submicron modification of materials 86—21351
Stengl, G., Loschner, H., Maurer, W., Wolf, P. Ion projection lithography machine IPLM-01: a new tool for sub-0.5-micron modification of materials 86—35498
Stengl, G., Loschner, H., Muray, J.J. Ion projection lithography 86—41652
Stengl, G., Loschner, H., Wolf, P. Ion projection lithography for sub-micron modification of materials 87—45740
Stengl, G. *see* Fischer, R. 87—25013
Stengl, G. *see* Stangl, G. 86—21624
Stengl, K. *see* Vlc, M. 88—69630
Stengl, R. High-voltage planar junctions investigated by the OBIC method 87—45868
Stengl, R., Gosele, U. Variation of lateral doping—A new concept to avoid high voltage breakdown of planar junctions 86—47460
Stengl, R., Gosele, U., Fellinger, C., Beyer, M., Walesch, S. Variation of lateral doping as a field terminator for high-voltage power devices 86—41737
Stengl, R. *see* Stoisiek, M. 88—39431
Stenham, T. Telex: the second coming 86—54813
Stenholm, S. Effect of field fluctuations in laser spectroscopy 86—58999
Stenholm, S. Non-classical properties of quantum amplifiers 88—25018
Stenholm, S. *see* Bambini, A. 85—18976, 87—33231
Stenholm, S. *see* Bamini, A. 85—51217
Stenholm, S. *see* Mizerski, J. 88—72342
Stenickova, D. *see* Svobodova, M. 88—30290
Stenin, S.I. Molecular beam epitaxy of semiconductor, dielectric and metal films 87—10454
Stenin, S.I. *see* Rzhanov, A.V. 86—57454
Stenin, S.I. *see* Sokolov, L.V. 87—36765
Stening, R.J. *see* Christopoulos, A.S. 88—74694
Stening, R.J. *see* Clark, P.J. 86—5665
Stening, R.J. *see* Hora, H. 86—36520
Stenis, T.B., Hennessey, A.K., Hahn, K.S., Kuo, C.W. Solution of simultaneous equations on a microcomputer for electrical engineering students 86—57582
Stenlund, H. Time-of-flight mass spectrometry 85—43310
Stenne, E. *see* Hogge, M. 87—14989
Stennes, M.J., Stephan, K.D., Campbell, H., Smith, C.P., Zilberstein, R.M. Investigation of thick film technology for microwave applications 88—12570
Stennes, P. Versatile TDRs spot more than wet cable [time domain reflectometer] 86—24730
Stenning, B.F. *see* Perkins, W.J. 86—25254
Stens, E., Schmidt, B. Computer-assisted temperature field determination of hybrid circuits 88—32684
Stens, E., Scholzel, G., Schmidt, B. Liquid crystal thermography used to determine the temperature distribution of hybrid circuits 87—45465
Stensby, J. False lock equilibrium in phase locked loops 87—10740
Stensby, J. False lock in Costas loops 88—52356
Stensby, J. *see* Greene, M. 87—56202
Stensby, J. *see* Greene, M.E. 88—47193
Stensby, J. *see* Walls, J. 88—53330
Stenseth, A. European LORAN-C policy group 88—60317
Stensgaard, R. ASTRID—the Aarhus storage ring 88—61000
Stensland, L. *see* Hellstrom, B. 85—52332
Stensland, R.A. *see* Divakaruni, S.P. 87—41075
Stensland, R.W. Test designers challenged by a new generation of CMOS dynamic RAMs 85—54865
Stensland, R.W. CHMOS: test problems [RAM and PROM testing] 86—14188
Stenson, E. Alternatives [PROLOG programming language] 85—31277
Stenstadvolden, J.A. Air traffic services and instrumentation: in general and specifically for municipal regional airports 86—6059
Stenstadvolden, J.A. Satellite services in the Oslo telecommunication district 86—49534
Stenstrom, G. *see* Carlegrim, B. 88—25349
Stenstrom, G. *see* Larsson, B. 88—15650
Stenstrom, J.R. An improved segmentation for a syntactic curve network parser 87—48130
Stenstrom, J.R. Training and model generation for a syntactic curve network parser 88—73388
Stenstrom, J.R., Connolly, C.I. Building wire frames from multiple range view 86—59365
Stenstrom, J.R., Mattheyses, R.M. Switch-box routing the greedy way 86—34470
Stenstrom, J.R. *see* Connolly, C.I. 87—48060
Stenstrom, U. *see* Lindgren, I. 87—69798
Stentiford, F.W.M. Automatic feature design for speech recognition 86—48835
Stentiford, F.W.M., Steer, M.G. Machine translation of speech 88—59060
Stentiford, F.W.M., Twell, T.J. Automatic registration of scanning electron microscope images 88—39587
Stenton, C. Quick design on silicon—the Qudos approach 86—47768
Stenton, C. Quick design on silicon 88—32184
Stenton, C., Brennan, C. How to get a quick chip—the design of CAD tools for a fast turnaround service 87—1671
Stenton, C. *see* Guyer, R.C. 87—41033
Stenton, J.A.C., Edgcombe, C.J. Measurement of transverse velocity in electron beams emitted from axisymmetric electrode systems 85—56956
Stenton, J.A.C., Williams, J.G.S., MacAulay, R.J.D. Electron-beam direct write on gate arrays 88—64683
Stenton, J.A.C. *see* Edgcombe, C.J. 85—34430
Stenzel, E. A speech recognition algorithm with adaptation to single speakers 85—7834
Stenzel, R., Elschner, H., Spallek, R. Numerical simulation of GaAs MESFETS including velocity overshoot 87—74326
Stenzel, R. *see* Mojzes, I. 88—60871
Stenzel, R. *see* Passlack, M. 87—38313
Stenzel, R.L., Urrutia, J.M. Laboratory model of a tethered balloon—electron beam current system 87—4127
Stenzel, W. Btx for the middle classes: good for business [viewdata] 87—76279
Stenzel, W.J. Silicon compilers tame 10000-gate-plus ASICs, gate arrays 88—50908
Stenzl, W. *see* Meier, U. 88—12612
Stenzler, S.A. *see* Llewellyn, J.A. 87—57124
Stenzler-Centonze, M. IBM's LAN: to wait is the question 85—8188
Stepakhin, Yu.P. *see* Khvatov, S.V. 86—7178, 86—26333
Stepan, J. A new method for the nonlinear approximation of signals. I. The optimal damping factor 87—27399
Stepan, J. A new method for the nonlinear approximation of signals. II. The convergence problem 87—27400
Stepan, J. *see* Benda, B. 87—64297
Stepanchikov, I.V. *see* Karelin, V.Ya. 87—4502
Stepanchuk, K.F., Antonov, G.I., Dolyuk, R.P. Calculating the electric strength of the oil gap in combined insulation structures [transformer insulation] 86—12877
Stepanchuk, K.F., Dolchuk, R.P., Antonov, G.I. Calculating the electric strength and choosing the best structural dimensions of combined insulation on the basis of an avalanche model of the development of a fault 88—64841
Stepanchuk, K.F., Klimovich, G.S., Kras'ko, A.S., Gerasimov, V.V. The dynamics of variations in the concentrations of gaseous contaminants in the hydrogen cooling systems of generators 87—64530
Stepanchuk, K.F. *see* Klimovich, G.S. 85—15993
Stepanchuk, V.P. *see* Rakhlin, M.Ya. 85—52870
Stepanchuk, V.P. *see* Zav'yalova, L.V. 88—8047
Stepanek, B. *see* Moravec, F. 87—52091

Stepanek, J. *see* Seifritz, W. 85–38681, 86–45176
Stepanek, S., Kralovec, J. The manufacture of VVER-1000 reactors 87–78346
Stepanek, St., Kralovec, J., Vioprada, J. Preparation of manufacture of the VVER-1000 reactor 85–48777
Stepaneko, V.I. *see* Ponomarev, L.I. 87–33535
Stepanenko, A.V., Boginskii, L.S., Girutskii, I.I., Pavlovskaya, L.F. Determination of the density of porous materials by gamma radiography 86–7867
Stepanenko, I.E. *see* Sovlel', V.B. 86–26025
Stepanenko, V.A. *see* Andreev, E.A. 86–50450
Stepanenko, V.A. *see* Beketov, G.V. 88–44684
Stepanenkov, G.G. *see* Kaplin, O.K. 86–65791
Stepanescu, A. *see* Gobetto, A. 85–52803
Stepanets, Yu.V. *see* Aranovich, Z.I. 87–77842
Stepanov, A.A., Shcheglov, V.A., Shchetinkina, T.A. Energy characteristics of a self-contained CW CO chemical laser 85–62496
Stepanov, A.A., Shcheglov, V.A., Yuryshev, N.N. Continuous-wave transfer chemical lasers (review) 86–9751
Stepanov, A.A. *see* Ashanin, V.S. 86–44269
Stepanov, A.A. *see* Bel'dyugin, I.M. 87–61084, 87–68351
Stepanov, A.A. *see* Belov, A.S. 86–44534, 87–50106
Stepanov, A.A. *see* Konoplev, N.A. 86–63851
Stepanov, A.A. *see* Krutova, V.G. 86–68473
Stepanov, A.A. *see* L'vov, V.I. 85–41302, 86–3082, 86–9746, 87–46777
Stepanov, A.A. *see* Mel'nikov, I.V. 86–54094
Stepanov, A.D. A sensor for measuring the current and the energy of electron bunches 85–20780
Stepanov, A.D., Anders, V.I., Bogatin, A.A. Analysis of the operation of an induction generator with an inverter in the self-excitation mode 86–33375
Stepanov, A.D., Kolobov, M.G., Prokopovich, A.V., Graponov, V.G. Electromagnetic magnetic phenomena in the operation of an induction generator using switched converters in industrial and traction electric drives 87–43497
Stepanov, A.E., Kirillova, L.G. Mathematical simulation of the processes of epitaxial film and alloyed single crystal growth 87–65485
Stepanov, A.E. *see* Gorokhov, S.M. 88–526
Stepanov, A.E. *see* Ivanenko, N.P. 88–50689
Stepanov, A.I. *see* Akodus, L.E. 85–22009
Stepanov, A.I. *see* Antipenko, B.M. 87–18938
Stepanov, A.I. *see* Aristov, A.V. 88–33966
Stepanov, A.I. *see* Berezhnoi, A.A. 85–35547
Stepanov, A.I. *see* Buchenkov, V.A. 86–29108, 87–54289, 88–20611
Stepanov, A.I. *see* Eremenko, A.S. 86–29213
Stepanov, A.I. *see* Gavrilov, O.D. 85–7529
Stepanov, A.I. *see* Gratsianov, K.V. 87–46934
Stepanov, A.I. *see* Karpukhin, S.N. 87–26523
Stepanov, A.I. *see* Kornev, A.F. 85–2392
Stepanov, A.I. *see* Mezenov, A.V. 88–45387
Stepanov, A.I. *see* Posokh, S.V. 85–24498
Stepanov, A.I. *see* Volynkin, V.M. 86–48495
Stepanov, A.N. *see* Basiladze, S.G. 86–60625
Stepanov, A.N. *see* Vikharev, A.L. 86–15884
Stepanov, A.P. Improvement of production quality of printed-circuit boards 86–35213
Stepanov, A.P. The spectrum of an FM signal when modulated with a multichannel telephone message 87–13280
Stepanov, A.P. *see* Kalashnikov, N.I. 87–54607
Stepanov, A.S. *see* Kerimov, A.M. 86–18792
Stepanov, A.V. *see* Grigor'ev, Yu.V. 86–67623, 88–71269
Stepanov, A.V. *see* Karoblev, O.I. 86–70013
Stepanov, A.V. *see* Potemkin, V.V. 85–531
Stepanov, A.Yu. *see* Alfanasev, S.N. 88–36271
Stepanov, B.I. *see* Solodukhin, A.S. 87–2078, 87–7246
Stepanov, B.M. *see* Akimov, Yu.A. 85–4030
Stepanov, B.M. *see* Aver'yanov, K.P. 85–4029
Stepanov, B.M. *see* Bogolyubov, A.V. 85–12674
Stepanov, B.M. *see* Bryukhnevich, G.I. 86–8699
Stepanov, B.M. *see* Buber, V.B. 85–48016
Stepanov, B.M. *see* Gandel'man, G.M. 85–19038
Stepanov, B.M. *see* Golovastikov, Yu.A. 85–4028
Stepanov, B.M. *see* Ignatosyan, S.S. 87–12266, 87–28973
Stepanov, B.M. *see* Klyukin, L.M. 85–8949
Stepanov, B.M. *see* Kolesov, G.V. 85–14649, 85–23364, 85–47951, 86–1645, 86–5074, 86–5096, 86–44171, 87–11299
Stepanov, B.M. *see* Kotyuk, A.F. 85–56761
Stepanov, B.M. *see* Lekhtsier, E.N. 85–7547
Stepanov, B.M. *see* Maksimov, M.V. 88–11577
Stepanov, B.M. *see* V'yugina, T.S. 86–5077, 86–27810
Stepanov, D.P. *see* Bershtein, I.L. 85–29534
Stepanov, D.Yu, Shigorin, V.D., Shipulo, G.P. Phase matching directions in optical mixing in biaxial crystals having quadratic susceptibility 85–41501
Stepanov, D.Yu., Shigorin, V.D., Shipulo, G.P. Directions of phase synchronism under addition and subtraction of frequencies in uniaxial crystals with quadratic optical susceptibility 86–9968
Stepanov, E.K. *see* Danilenko, V.I. 88–36399
Stepanov, E.K. *see* Danilenko, V.N. 86–38716, 87–8882
Stepanov, E.K. *see* Garapov, E.F. 87–14698
Stepanov, E.K. *see* Misharin, V.V. 86–25106
Stepanov, E.P. *see* Andronova, N.V. 86–25162
Stepanov, E.V. *see* Artjushenko, V.G. 88–39909
Stepanov, E.V. *see* Nadezhdinskii, A.I. 85–56654
Stepanov, G., Sorokin, J., Zur, A. Modelling of silicon thermal oxidisation processes on manufacturing integrated microcircuits 86–9039
Stepanov, G.N., Bochkarev, V.N., Stepanova, V.M. Self-adjusting directional protection with blocking [relay protection] 85–38555
Stepanov, G.V., Shevchenko, O.F., Mukailov, N.S., Lukyanov, A.E., Urazgil'din, I.F., Krokhina, E.K. Mass transfer of the electrode material on the silicon surface and in the silicon dioxide bulk 85–34656
Stepanov, I.P., Isaev, Yu.V., Agureev, A.A. Experience in production of hybrid thick-film microcircuits in the joint stock company 'ASPO' 85–50125
Stepanov, I.V. *see* Kondrat'ev, V.P. 87–63672
Stepanov, L.J. Application of specific heat consumption of steam turbines depending on the load of thermal dynamic states at the entrance of the turbine and operational regime of the thermal scheme 85–9705
Stepanov, M.G. Biased estimators in radio signal parameter measurement 86–37087
Stepanov, M.G. Combined measurement of the parameters of motion of the elements of a group target 86–50217
Stepanov, M.G. Principle of compressing unbiased evaluations in measuring systems 87–63205
Stepanov, N.N. *see* Vinogradov, A.A. 85–6723
Stepanov, N.S. *see* Biragov, S.B. 86–59021
Stepanov, N.S. *see* Gavrilenko, V.G. 87–75390, 88–2505
Stepanov, N.S. *see* Gel'fer, E.I. 88–4636
Stepanov, O.A. Recurrent method of calculating lower limit of evaluation accuracy in problem with nonlinear measurements 86–38177
Stepanov, S.A. *see* Bobrov, S.T. 88–20478
Stepanov, S.A. *see* Butusov, M.M. 86–60365
Stepanov, S.E. On the classification of rigged hypersurfaces with respect to nets 85–33298
Stepanov, S.I., Petrov, M.P. Degenerate four-wave mixing via shifted phase holograms in cubic photorefractive crystals 85–29922
Stepanov, S.I., Petrov, M.P. Photorefractive crystals of the $Bi_{12}SiO_{20}$ type for interferometry, wavefront conjugation and processing of non-stationary images 85–29948
Stepanov, S.I., Petrov, M.P. Efficient unstationary holographic recording in photorefractive crystals under an external alternating electric field 85–41521
Stepanov, S.I., Petrov, M.P., Krasin'kova, M.V. Efficient degenerate four-wave mixing in a photorefractive cubic $Bi_{12}TiO_{20}$ crystal 85–24658
Stepanov, S.I., Sochava, S.L. Effective energy transfer in a two-wave interaction in $Bi_{12}TiO_{20}$ 88–65916
Stepanov, S.I., Trofimov, G.S. Holographic storage mechanisms in photorefractive crystals with a complex impurity level structure 86–10023
Stepanov, S.I. *see* Sochava, S.L. 88–40350
Stepanov, S.I. *see* Trofimov, G.S. 85–41525, 87–39247, 88–14012
Stepanov, S.N. The design of a trunk group based on repeated calls and waiting 85–8267
Stepanov, S.N. Numerical calculation accuracy of communication models with repeated calls 85–36152
Stepanov, S.N. Increasing the efficiency of numerical methods for models with repeat calls 87–75986
Stepanov, S.N., Tsitovich, I.I. The model of a full-available group with repeated calls and waiting positions in the case of extreme load 85–36616
Stepanov, S.N., Tsitovich, I.I. Qualitative methods of analysis of systems with repeat calls 88–28157
Stepanov, V.A., Beletskii, G.G. Use of modern time and frequency service means in geophysical surveys 88–5112
Stepanov, V.A. *see* Anishchenko, V.S. 87–73947
Stepanov, V.A. *see* Konenkov, N.V. 86–21083
Stepanov, V.A. *see* Melekhin, G.V. 85–51115, 86–68467
Stepanov, V.A. *see* Reznikovskii, A.M. 87–9407
Stepanov, V.B. *see* Danilov, V.S. 86–18497
Stepanov, V.E., Maksimova, N.K., Krasil'nikova, L.M., Vyatkin, A.P., Bel'tyukova, N.G., Arbuzova, G.K. The role of surface states in electroplating of metals on GaAs 85–44760
Stepanov, V.E. *see* Bogolyubskii, S.L. 88–49163
Stepanov, V.E. *see* Eremenko, A.S. 87–75034
Stepanov, V.E. *see* Smolkov, G.Ya. 86–30918
Stepanov, V.I. Check on and increase in reliability of measurements in the system of calculating technical and economic characteristics of power generating units 85–60000
Stepanov, V.N. A program for controlling an alphanumeric display system 86–37271
Stepanov, V.P., Zhezhelenko, I.V. On causes of overprediction of heating loads 85–21173
Stepanov, V.P. *see* Avetisyan, D.A. 86–34453
Stepanov, V.P. *see* Zhezhelenko, I.V. 86–5199, 87–15123, 88–23254, 88–23462, 88–48450
Stepanov, V.S. *see* Sharov, A.N. 85–36483
Stepanov, V.V. Numerical solution of incorrectly posed problems on sets of piecewise-monotonic and convex functions 86–46258
Stepanov, V.V. Multielement relaxation models for type MBM capacitors 88–50431
Stepanov, V.V. *see* Borisov, M.F. 86–29056
Stepanov, V.V. *see* Goncharskii, A.V. 85–2382, 85–12914, 87–7466
Stepanov, Yu.A. *see* Lebedeva, E.L. 85–62432
Stepanov, Yu.D. *see* Artem'ev, B.V. 87–75193
Stepanov, Yu.Yu. *see* Baranov, V.Yu. 86–9950
Stepanova, G.A. *see* Matukhnov, V.M. 86–18368
Stepanova, I.P. *see* Medbed', O.E. 85–17997
Stepanova, I.P. *see* Medved', O.E. 88–32481
Stepanova, I.P. *see* Vasyutinskii, S.B. 85–60232
Stepanova, I.V. The choice of the conditions for the functioning of telephone station microprocessors 86–23553
Stepanova, I.V. Application of microprocessors for reception of address information 86–37330
Stepanova, I.Yu., Mirimanyan, V.Kh. The influence of axial inductor generator scattering fluxes on its bearings 85–16034
Stepanova, M.I. *see* Faradzhev, B.G. 86–27878
Stepanova, M.N. *see* Alferov, Zh.I. 88–57582
Stepanova, M.N. *see* Korol'kov, V.I. 85–23817, 85–34593
Stepanova, M.N. *see* Lagunova, T.S. 85–50200
Stepanova, M.N. *see* Nemenov, M.I. 85–35552
Stepanova, N.A., Kupriyanov, V.D., Malygin, A.A. Structure of a zinc sulfide film prepared by molecular stratification on the surface of disperse silica 88–38235
Stepanova, N.V. *see* Kamalov, V.F. 86–38806
Stepanova, T.I. *see* Dzyundzyuk, B.V. 88–23140
Stepanova, V.M. *see* Stepanov, G.N. 85–38555
Stepanskii, L.G. Evaluation of the reliability of wave soldering and tinning 86–40539
Stepantsov, E.A. *see* Regel', V.R. 88–12975
Stepanyan, E.A. *see* Talyshinskii, R.I. 88–37166
Stepanyan, S.O. Algorithmic test specification language (AZAT) 88–44100
Stepanyan, S.O. *see* Alumyan, R.S. 86–8100
Stepanyants, E.A. *see* Boiko, E.P. 86–12805
Stepan'yants, G.A., Shuvalov, V.A. Equilibrium states and static stability of ideal electrical circuits in magnetic field 86–20152
Stepanyuk, V.E. *see* Kolosova, V.F. 88–24052
Stepanyuk, V.V. *see* Pribega, S.V. 86–20289
Stepar, V. Innovated AC power supply with automatic start-up of invertors in the event of power failure 85–21704
Stepar, V., Sara, B. Medium-frequency convertors for arc welding 85–21980
Stepar, V. *see* Havlicek, V. 88–74502
Stepashkin, A.I. *see* Alpatov, B.A. 85–46929
Stepashkin, A.I. *see* Klochko, K.K. 88–4172, 88–34754
Stepashkin, A.I. *see* Vityazev, V.V. 85–11432, 86–35019, 87–45072
Stepashkin, V.N. *see* Vorob'ev, V.V. 88–2347
Stepashko, V.S. *see* Ivakhnenko, A.G. 88–40885
Stepchuk, N.P. *see* Kiselevskii, V.N. 86–46416
Stepenko, O.N. *see* Kalaida, G.I. 86–66140
Stephan, A. Digital multimeter packaging tackles harsh environments 85–31514
Stephan, B., Metivier, P. Flight evaluation trials of a heterodyne CO_2 laser radar 88–28960
Stephan, B.A. Field tests and performance analysis of a heterodyne CO_2 laser radar 87–20630
Stephan, E., Wendland, W.L. An augmented Galerkin procedure for the boundary integral method applied to mixed boundary value problems 85–33370
Stephan, E. *see* Lamp, U. 85–22407
Stephan, E.P. *see* Costabel, M. 88–72530
Stephan, G., Hugon, D. Light polarization of a quasi-isotropic laser with optical feedback 85–62502
Stephan, G., May, A D., Mueller, R.E., Aissaoui, B. Competition effects in the polarization of light in a quasi-isotropic laser 87–68336
Stephan, G., Trumper, M. Macroscopic parameters and line shapes of a gas laser 85–7380
Stephan, G. *see* Kellou, A. 87–26488
Stephan, G.A. *see* Gladstone, B. 85–22798
Stephan, K. *see* Koehring, M. 86–70595
Stephan, K. *see* Welzl-Muller, K. 86–60830
Stephan, K.-H. *see* Pfeffermann, E. 88–23023
Stephan, K.D. Inter-injection-locked oscillators with applications to spatial power combining and phased arrays 87–6100
Stephan, K.D. Inter-injection-locked oscillators for power combining and phased arrays 87–10716
Stephan, K.D., Itoh, T. Inexpensive short-range microwave telemetry transponder 85–3089
Stephan, K.D., Morgan, W.A. Analysis of inter-injection-locked oscillators for integrated phased arrays 87–75620
Stephan, K.D., Perks, G. Quasi-optical slot ring mixer noise figure measurements 86–8520
Stephan, K.D., Young, S.-L. The open-cavity millimeter-wave resonator as a high-Q microstrip circuit element 88–25410

Stephan, K.D., Young, S.-L. Mode stability of radiation-coupled interinjection-locked oscillators for integrated phased arrays 88−52302
Stephan, K.D., Young, S.-L., Wong, S.-C. Microstrip circuit applications of high-Q open microwave resonators 88−70967
Stephan, K.D., Young, S.L. Open-cavity resonator as high-Q microstrip circuit element 87−73604
Stephan, K.D. *see* Itoh, T. 85−8945
Stephan, K.D. *see* Morgan, W.A., Jr. 88−27678
Stephan, K.D. *see* Stennes, M.J. 88−12570
Stephan, K.D. *see* Young, S.-L. 87−73727, 88−19378
Stephan, K.H., Brauninger, H., Kaase, H., Maier, H.J., Schone, W., Wilski, H. Multilayered foils as radiation entrance windows and spectral filters for image converters in the ultrasoft X-ray wavelength region 88−23017
Stephan, P. *see* Erman, M. 87−54046, 87−74947, 88−40104
Stephan, R. *see* Feudel, T. 88−13112
Stephan, R. *see* Freiberg, A. 87−53558
Stephan, R. *see* McAleer, J.F. 86−44291
Stephan, R. *see* Robbes, D. 88−20295, 88−29596
Stephan, R. *see* Vizot, J. 88−33508
Stephan, R.M. Generation of the model and simulation of a rectifier-supplied direct current machine for time-discrete drive control 85−39021
Stephan, R.M., Hahn, V., Unbehauen, H. Cascade adaptive speed control of a thyristor-driven DC motor 88−23952
Stephanakis, A.C., Rubin, D.I. Advances in 1:1 optical lithography 88−1584
Stephanakis, A.C., Rubin, D.I., Voisin, R. Advances in 1:1 optical lithography 88−19890
Stephanakis, S.J. *see* Apruzese, J.P. 88−58454
Stephanakis, S.J. *see* Meger, R.A. 85−1119, 85−4184
Stephanakis, S.J. *see* Scherrer, V.E. 88−40157
Stephanblome, H. New impulses from microelectronics 87−32615
Stephanek, R. Laser measurement systems of the METRA Blansko national enterprise 85−8957
Stephani, D. *see* Sezi, R. 88−19892
Stephani, R., Loser, J. The CCD sensor matrix L 216 C 86−70045
Stephanides, H.V. Optimising the overvoltage protection of electrical plant 85−21244
Stephanides, M.C. *see* Kovacs, G.T.A. 88−48242, 88−54631
Stephanides, M.C. *see* Rosen, J.M. 88−54656
Stephanidis, C. *see* Fairhurst, M.C. 88−61468
Stephanie, J.G. *see* Rickerl, P.G. 87−74398, 88−26109
Stephanopoulos, G. *see* Gevelber, M.A. 88−11957
Stephanou, G.J., Mavrakis, D.H. Switched-beam planar arrays suitable for high-resolution acoustic sounders 87−3250
Stephanou, G.J. *see* Asimakopoulos, D.N. 88−10544
Stephanou, H.E. Imperfectly supervised classification using fuzzy prototypes 86−10569
Stephanova, D.I. Mathematical analysis of the changes in the parameters of the action potentials, membrane and ionic currents of frog muscle fibre during the recovery cycle 88−54548
Stephansson, O. *see* Hakami, H. 88−30145
Stephany, J.F. *see* Perregaux, A.E. 88−13952
Stephen, A.E. *see* Currey, C.F. 85−43684
Stephen, D.D. Power management systems 88−37705
Stephen, J.H. Low noise junction field effect transistors exposed to intense ionizing radiation 87−32547
Stephen, J.H., Sanderson, T.K., Mapper, D., Farren, J., Harboe-Sorensen, R., Adams, L. A comparison of heavy ion sources used in cosmic ray simulation studies of VLSI circuits 85−20801
Stephen, J.H., Sanderson, T.K., Mapper, D., Hardman, M., Farren, J., Adams, L., Harboe-Sorensen, R. Investigation of heavy particle induced latch-up, using a californium-252 source, in CMOS SRAMs and PROMs 85−22884
Stephen, J.H. *see* Mapper, D. 86−35772
Stephen, J.H. *see* Sanderson, T.K. 88−25189
Stephen, J.H. *see* Stassinopoulos, E.G. 88−48253
Stephen, K.D. The video-taped course revolution 85−16618
Stephen, K.D. International distance learning and satellites 88−11663
Stephen, K.H. *see* Cullmann, E. 87−67047
Stephen, M. *see* Brost, G. 86−24774
Stephens, A.B. *see* Aziz, A.K. 85−39661
Stephens, A.J., Williams, H.C. Some computational results on a problem concerning powerful numbers 88−49704
Stephens, B.A. *see* Harper, S.L. 88−9544
Stephens, B.M., Rossow, I.C. Heavy haul 25 kV electric locomotives 87−79099
Stephens, C. *see* Moody, M.V. 85−47967
Stephens, C. *see* Watson, W. 87−31916
Stephens, C.E., Amos, C.T. A study of EOS in microcircuits using the infrared microscope 87−53670
Stephens, C.E., Amos, C.T. Real time examination of sub-surface ESD damage in plastic encapsulated integrated circuits 88−20104
Stephens, C.E. *see* Footner, P.K. 87−1125
Stephens, C.E. *see* Taylor, R.G. 85−39577
Stephens, D. Electrical interconnections for industrial cogeneration 87−71945
Stephens, D.A., Bohn, P.W. Prism coupling efficiencies by direct measurement of the coupling gap in integrated optical structures 87−1972
Stephens, D.C. Full scale simulator utilization for fossil plant operator training 87−15544
Stephens, D.H. *see* Hughes, H.G. 85−52382
Stephens, G.B. *see* Ayers, R.L. 85−18404
Stephens, G.L., Scott, J.C. A high speed spectrally scanning radiometer (SPERAD) for airborne measurements for cloud optical properties 87−71308
Stephens, G.M. WARC will be work 86−11200
Stephens, G.M. The VSAT-teleport team 87−8241
Stephens, G.M. European DBS: on the brink 88−67315
Stephens, G.M. *see* Poelzleitner, W. 86−11995
Stephens, J. You can build this modem for your Commodore 64. I 86−23578
Stephens, J. You can build this modem for your Commodore 64. II 87−2975
Stephens, J.M. *see* Zuleeg, R. 87−17781
Stephens, J.P., Prescott, G.E. A review of satellite code division multiple access and a technique for determining the number of simultaneous accesses 88−3956
Stephens, J.S. *see* Notthoff, J.K. 88−19164
Stephens, J.W., Hall, J.L., Zeitz, D., Curl, R.F., Jr., Glass, G.P., Kasper, J.V.V., Tittel, F.K. Kinetic spectroscopy using a color center laser 87−7315
Stephens, K. *see* Allison, J. 85−52971, 85−64456 to 64457
Stephens, K. *see* Gwilliam, R. 85−45557
Stephens, K.G. Ion implantation for GaAs integrated circuits 85−12152
Stephens, K.G. *see* Barret, N.J. 85−50385
Stephens, K.G. *see* Barrett, N.J. 85−23439
Stephens, K.G. *see* Harper, R.E. 85−33454, 85−33456, 86−28036
Stephens, K.G. *see* Hemment, P.L.F. 85−18233, 85−34655, 85−50288
Stephens, K.G. *see* Maydell-Ondrusz, E. 87−24937
Stephens, K.G. *see* Maydell-Ondrusz, E.A. 85−34629, 85−34638
Stephens, K.G. *see* Mynard, J.E. 85−34774
Stephens, L.C. International DBS regulations brought down to Earth 85−37162
Stephens, M. *see* Bhardwaj, J. 88−7507, 88−19829
Stephens, M. *see* Kiermasz, A. 88−7444
Stephens, P.W. *see* Eng, P.J. 88−48047
Stephens, R. Power supply units. Switched mode supplies in exchange equipment 86−51730
Stephens, R. Common pitfalls and problems with PSUs 86−51736
Stephens, R. The great switch to switched mode [power supplies] 86−61583
Stephens, R. A voice for the disabled [computers with speech recognition] 87−63806
Stephens, R. Switched mode power supplies for high reliability applications 87−72253
Stephens, R.E. Load control demand reduction estimation 88−54905
Stephens, R.M. Voice recognition for the BBC microcomputer: an aid for physically handicapped children 86−48877
Stephens, R.R., Lind, R.C., Giuliano, C.R. Phase conjugate master oscillator-power amplifier using $BaTiO_3$ and AlGaAs semiconductor diode lasers 87−39206
Stephens, R.R. *see* Sashital, S.R. 86−34319
Stephens, S.A. Gamma-ray astronomy and the study of electrons $>10^{13}$ eV and bursts using an array of γ-ray detectors on a space platform 85−64517
Stephens, S.A. *see* Tralli, D.M. 88−58858
Stephens, S.G. *see* Feess, W.A. 87−41089, 87−70150
Stephens, T., Davis, W.R., Jr., Forman, S.E. Full aperture mechanical beam steering 88−28970
Stephens, T.D., Nicholson, G. Optical homodyne receiver with a six-port fibre coupler 88−3973
Stephens, T.D., Rockliff, S.C. Telecom pushes bit rates 86−11051
Stephens, T.D. *see* Adams, J.L. 87−70099, 88−58375
Stephens, W.E., Joseph, T.R. A 1.3-μm microwave fiber-optic link using a direct-modulated laser transmitter 85−52343
Stephens, W.E., Joseph, T.R. RF fiber optic links for avionics applications 87−40956
Stephens, W.E., Joseph, T.R. System characteristics of direct modulated and externally modulated RF fiber-optic links 87−49061
Stephens, W.E., Joseph, T.R. RF fiber optic links for avionics applications 87−49081
Stephens, W.E., Joseph, T.R., Chen, B.U. Analog microwave fiber optic communications links 85−20243
Stephens, W.E., Joseph, T.R., Finakly, T. High power, single optical frequency, composite-cavity laser diodes 85−46427
Stephens, W.E. *see* Banwell, T. 88−47155
Stephens, W.E. *see* Bruno, W.M. 87−76795
Stephens, W.E. *see* Joseph, T.R. 85−14235, 86−69798, 87−70061, 88−4047
Stephensen, J.B. Practical issues in OSI technology implementations 87−40477
Stephenson, A., Molyneux, L. The rapid determination of rotational remanent magnetization and the effective field which produces it 87−71273
Stephenson, A., Potter, D.K. Gyroremanent magnetizations in dilute anisotropic dispersions of gamma ferric oxide particles from magnetic recording tape 88−51241
Stephenson, A. *see* Potter, D.K. 88−57971
Stephenson, B.K. *see* Buxton, B.F. 85−2888
Stephenson, D.G. High latitude sound broadcasting from satellites 86−4560
Stephenson, D.T. *see* Ibrahim, H.M. 88−40658
Stephenson, D.T. *see* Read, A.A. 88−24474
Stephenson, E. *see* Schunter, W. 87−63884
Stephenson, E.F. Automate distribution to expand options 87−15158
Stephenson, E.J., Bacher, A.D., Brown, J.D., Cantrell, M.S., Cupps, V.R., Friesel, D.L., Gering, J.A., Low, D.A., Moore, R.S., Olmer, C., Opper, A.K., Schwandt, P., Wissink, S.W. Horizontally polarized proton beams at IUCF 85−59080
Stephenson, E.T., Marder, A.R. The effects of grain size on the core loss and permeability of motor lamination steel 86−63539
Stephenson, F.W., Burton, L.C., Riad, A.A.R., Razzaghi, K. Modeling of ground plane effects in distributed parameter networks 85−34384
Stephenson, F.W., Reineck, K.M., Campbell, C.R.W., Schneider, S. Theoretical and practical limitations of composite amplifiers 86−67060
Stephenson, F.W. *see* Bowron, P. 86−34488
Stephenson, F.W. *see* Elshabini-Riad, A. 87−73922
Stephenson, F.W. *see* Hopkins, D.C. 87−44571
Stephenson, F.W. *see* Li, S.-W. 85−23018
Stephenson, F.W. *see* Li, S.-W. 86−34977
Stephenson, F.W. *see* Reineck, K.M. 86−57967
Stephenson, F.W. *see* Riad, A.A.R. 88−1216
Stephenson, F.W. *see* Yoo, I.K. 86−53227, 88−1046
Stephenson, G. Modelling of energy processes in the pulp and paper industry 88−24298
Stephenson, G.B. Time-resolved X-ray scattering using a high-intensity multilayer monochromator 88−42449
Stephenson, H. Asset management of power and building engineering services plant in British Telecom 86−57149
Stephenson, H.N. Indiana Bell hits target−one day at a time 85−8439
Stephenson, I.M. *see* Easter, B. 87−47437
Stephenson, J. Low cost capture of data from Meteosat 88−53199
Stephenson, J.D., Reistad, G.M. Analysis of a wood-fueled trimburner system for use in a combined-cycle, wood-fired power plant 88−62212
Stephenson, J.M., Lawrenson, P.J., Fulton, N.N. High power switched reluctance drives 87−22859
Stephenson, J.M. *see* Blake, R.J. 86−7267
Stephenson, J.M. *see* El-Khazendar, M.A. 87−22296
Stephenson, J.M. *see* French, P.St.-J.R. 85−10146
Stephenson, J.M. *see* Fulton, N.N. 86−33759
Stephenson, J.M. *see* Ray, W.F. 86−7217, 86−45751, 87−4984
Stephenson, J.M. *see* Sugden, D.M. 88−24214, 88−69804
Stephenson, J.M. *see* Ula, A.H.M.S. 88−48909 to 48910
Stephenson, K.A. *see* Bocko, M.F. 88−74358
Stephenson, M., Molloy, M.K. Measurements of terminal character input behavior 87−34192
Stephenson, M.D. Automatic fire-detection systems 86−60240
Stephenson, P. A user's dream [3 Com's 386 LAN] 88−73580
Stephenson, P. *see* Babaoglu, O. 87−2931, 87−2933
Stephenson, P.L. A computer model for calculating temperature rises in turbogenerator rotors caused by conductor losses 86−33314
Stephenson, R. *see* Bateman, J.E. 85−4286, 86−5783, 86−18320, 87−77545, 88−29835, 88−61299
Stephenson, R. *see* Hawkesworth, M.R. 87−29471
Stephenson, R.A. Cross correlation to two images using an all-points-addressable display 85−13593
Stephenson, R.A. *see* Bird, C.L. 85−8734
Stephenson, R.S., Overbeck, G.W. An improved microelectrode resistance meter [neuroscience application] 87−14372
Stephenson, R.W. Relative costs and benefits of aircrew training equipment systems 86−66566
Stephenson, T.A. *see* Garosshen, T.J. 85−61869
Stephenson, T.A. *see* Narayan, J. 86−67813, 87−11707
Stephenson, W. *see* Arnault, C. 87−14216

Stephenson, W. *see* Burkhardt, H. 88−47997
Stephenson, W.M., Barney, D.J. Economics of energy reliability 88−56064
Stephenson, W.M., Walters, W.C. Measurement of residential outage costs for reliability planning 88−10825
Stephien, M. On iterative correction methods of systematic errors in measurement-information systems 88−15886
Stephinson, A. Fibre optics for local communications 86−49582
Stepien, A. *see* Kardach, K. 85−40139
Stepien, C. Application of the Minkowski metric for determining connecting tracks on PC-boards and their costs 85−55251
Stepien, J. Computer system of constant data catalogue (KUK) 88−75134
Stepien, M. *see* Gruszecki, J. 85−63928
Stepien, R. *see* Kociszewski, L. 87−74652, 88−13781, 88−72059
Stepien, S. Microelectronics development in the world 88−11571
Stepin, A.P., Borisov, E.V. Optimum ranked algorithm for optical signal detection 86−30032
Stepin, A.P., Borisov, E.V. Rank detection of optical signals using the distribution-function scale variation 88−46264
Stepin, A.P. *see* Nedelin, V.Ye. 86−17427
Stepin, V.M., Shcherbina, E.M., Yudin, V.N. Effectiveness of weight processing in compression of LFM signals 88−27923
Stepin, V.M. *see* Bakulev, P.A. 87−40984
Stepina, J. Matrix calculation of inductances for the general theory of electrical machines 86−45326
Stepina, J. The application of the duality of equivalent circuits to modelling cylindrical solid-iron rotors of synchronous machines at asynchronous speeds 87−15693
Stepina, J. Modelling cylindrical solid-iron rotors of synchronous machines by equivalent circuits 87−15711
Stepina, J. Matrix analysis of space harmonics of asymmetrical stator windings 87−64583
Stepina, J. The theory of electrical machines in the computer era 88−48882
Stepina, J., Geisler, P. A comparison of the single-phase induction motor with an asymmetrical stator yoke to the shaded-pole motor 85−27394
Stepina, J., Greilach, P. Calculation of magnetic circuits by means of fictitious ampere-turns 85−56950
Stepina, S.A. *see* Goryachev, S.B. 85−41347
Stepina, S.A. *see* Korolenko, P.V. 87−39013, 87−54384
Stepinska, W. Setup for digital measurement of linear or angular displacement 85−3946
Stepinska, W. Thyristor controlled bridge converter operating in excitation system of electric machine 85−16050
Stepka, V. Computer in the battle for clean environment 86−17783
Stepkin, V.I. *see* Levchenko, G.V. 85−34422
Stepko, M.F. *see* Bondarenko, B.N. 88−919
Stepko, T.A. *see* Mavrin, I.I. 87−77240
Stepko, T.A. *see* Mavrin, O.I. 87−1222
Stepner, D. Lasers and liquid crystals project large images quickly 88−29534
Stepner, D. *see* Kahn, F.J. 88−16337
Stepney, S. *see* Lord, S.P. 87−13263
Stepniak, F.M., Boliver, V.J., Burghardt, R.R., Shimshock, J.F. Effects of aging on premolded elastomeric splices for 138 kV XLPE cable 87−71719
Stepniak, G. *see* Burza, M. 85−16499
Stepniak, G. *see* Jaron, S. 85−12450
Stepniewski, J. *see* Malachowski, M.J. 85−18187
Stepnik, M. *see* Gadalinski, A. 85−39150
Stepnowski, A. Digital signal processing and spatial filtering in sonar systems 86−3884
Stepnowski, A., Salamon, R. High resolution sampled phase-delay sonar beamformer 87−20632
Stepnowski, S., III A versatile, low-cost logic probe 86−20404
Steponavichyus, S.I. *see* Amulyavichyus, A.P. 87−50193
Stepovich, M.A. *see* Gvozdover, R.S. 85−29706, 85−49668
Stepoway, S.L., Wells, D.L., Kane, G.R. A multiprocessor architecture for generating fractal surfaces 85−11314
Stepp, J.C., Coppersmith, K., King, J.L. Tectonic framework methodology for developing seismic source zones in the Eastern United States 85−43770
Stepp, R. *see* Goser, G. 86−17580
Steppan, J.J., Roth, J.A., Hall, L.C., Jeannotte, D.A., Carbone, S.P. A review of corrosion failure mechanisms during accelerated tests. [Microelectronics] 87−38369
Steppart, U. *see* Bierhals, R. 86−10646
Steppat, U. *see* Gundrum, U. 88−28212
Steppat, U. *see* Schroder, K.T. 87−2742
Steppe, H. *see* Morris, D. 88−27316
Steptoe, K.J. *see* Davies, O.J. 88−24495
Steptoe, K.J. *see* Guy, C.G. 88−50116
Steptsyura, L.E. *see* Otrubyannikov, Yu.A. 87−73291
Stepura, Z.F. *see* Berlin, I.B. 86−33185
Steranka, F.M., DeFevere, D.C., Camras, M.D., Chin-Wang Tu, McElfresh, D.K., Rudaz, S.L., Cook, L.W., Snyder, W.L. Red AlGaAs light-emitting diodes 88−72230
Steranka, F.M. *see* Cook, L.W. 88−58380
Steranko, J. Choices in standard and custom busing for multilayer backplanes 87−45382
Sterba, D. A rule-based digital board testability checker 88−35839
Sterbinsky, L. *see* Mojzis, M. 86−50027, 86−60375
Sterenbogen, Yu.A. *see* Nazarchuck, A.T. 85−60601
Sterett, W.K. A practical approach to company-wide quality improvement 85−4831
Sterian, P.E., Podoleanu, A.G., Popescu, I.M., Manaila, D. Regenerative hybrid optical bistable device 88−72398
Sterian, P.E. *see* Catuneanu, V.M. 86−3055
Sterian, P.E. *see* Podoleanu, A.G. 87−75017
Sterian, P.E. *see* Popescu, I.M. 85−24656, 85−56375, 86−3054
Steringer, A., Perotto, C. Remotely-operated decontaminator 86−51423
Steriopolo, E.A. *see* Pesetskii, B.I. 87−12816
Steriopolo, T.A. *see* Borodin, V.A. 87−237
Steriu, D., Rusu, A., Varlan, M. Teleprocessing of data concerning methane concentration in coal mining 86−11492
Sterk, A.B., Kruijt, O.G. Two years of experience with a 600 KW ECRH installation on TFR 87−66836
Sterk, A.B. *see* van Ingen, A.M. 85−48793
Sterk, A.B. *see* Verhoeven, A.G.A. 87−15898
Sterk, M.W. *see* Blodgett, S.R. 88−5040
Sterk, P. CAD for SMD printed circuit boards 87−17497
Sterk, P. CAD/CAM in an enterprise of appliance engineering. A report on its implementation and actualization 87−65164
Sterkhov, G.V. *see* Gorkunov, E.S. 85−17027
Sterkhov, G.V. *see* Ul'yanov, A.I. 88−38264
Sterl, H. *see* Kurze, D. 85−57790
Sterle, Z. *see* Lovsin, T. 86−50242
Sterler, G. Microcomputer-controlled driver information systems in Audi cars 86−26386
Sterligov, V.A. *see* Tyagai, V.A. 86−48374
Sterlikov, A.V. *see* Zharova, N.Ya. 85−59319
Sterlin, A.M. Extension of an internally modified Lagrange function for solving a nonlinear programming problem 88−63195
Sterlin, A.M. *see* German, L.A. 86−13139
Sterlina, E.I. *see* Ananishnov, V.V. 86−16673
Sterlina, E.I. *see* Iokhvin, B.M. 85−8266
Sterlina, P.S. *see* Cavone, A.A. 87−70486
Sterling, A.M.. *see* Rowan, D. 87−57059
Sterling, C.H., Kasle, J.F. Telecommunications programs at George Washington University 88−66825
Sterling, M.J.H. Optimisation methods for economic dispatch in electric power systems 85−43563
Sterling, M.J.H., Irving, M.R. Real time simulation for the verification of advanced online control algorithms 87−4309
Sterling, M.J.H. *see* Bargiela, A. 86−56297
Sterling, M.J.H. *see* Cheung, C.H. 87−4316
Sterling, M.J.H. *see* Clewer, B.C. 85−43546
Sterling, M.J.H. *see* Gann, J.O. 87−4321
Sterling, M.J.H. *see* Hon, T.K. 86−70624
Sterling, M.J.H. *see* Irving, M.R. 85−27019, 85−64851, 87−4308, 87−15142, 88−5324
Sterling, M.J.H. *see* Rafian, M. 86−12234, 87−57536, 88−61839
Sterling, M.J.H. *see* Rafian, M.R. 87−4307
Sterling, M.J.H. *see* Raflan, M. 87−15136, 88−5288
Sterling, M.J.H. *see* Shafie-Pour, A.R. 86−70651
Sterling, R. It's a lifesaver [emergency communication] 87−20416
Sterling, T. The theory of disk-error correction 85−2744
Sterlyadkin, V.V. *see* Gorelik, A.G. 85−64742
Sterlyakhina, L.B. *see* Veretenkov, A.V. 85−10065
Sterman, J.D. Modeling the formation of expectations: the history of energy demand forecasts 88−61879
Sterman, L.S., Arakelyan, E.K., Tsugunyan, R.V. The effect that the operating conditions of sets on a steam power station have on the optimum level of fault reserve in the power system 87−50671
Sterman, L.S. *see* Makarevich, V.V. 87−22124
Stermer, R.L. *see* Caulfield, H.J. 85−7934
Stermer, R.L. *see* Stetson, S.B. 87−49550
Stern, A. *see* Amir, A. 86−22414, 87−2142
Stern, A. *see* Biderman, S. 88−43858
Stern, A. *see* Horowitz, A. 88−11953
Stern, B. The APOLLO project: an explanation 85−57717
Stern, B.E. *see* Barabash, A.S. 85−43189, 87−14737
Stern, C. Semicustom devices and design 86−14105
Stern, C.M. Teaching the distance learner using new technology 87−77027
Stern, D. A quick model for getting network response time close to perfect 86−16924
Stern, D. An alternative national electronic mail network for libraries 88−41255
Stern, D., Kurz, L. Edge detection in correlated noise using Latin Square masks 88−59240
Stern, D. *see* McDermott, R.M. 87−67444
Stern, D.P. *see* Davies, P.B. 85−35682
Stern, D.R. *see* Graham, R.G. 87−14495
Stern, E. Uncertainty bands in CCDF risk curves; their importance in decision making processes 85−43744
Stern, E. Acoustoelectronic Rayleigh wave devices 87−1875
Stern, E.A. *see* Heald, S.M. 86−60642
Stern, E.A. *see* Keller, E.N. 87−14806
Stern, F. *see* Dowsett, J. 86−42081
Stern, F. *see* Laux, S.E. 86−63114
Stern, F. *see* Wang, W.I. 85−1353
Stern, F.M., Scherer, A.E., Kingseed, J.B. Backfit implementation: the Five Year Schedule 87−9272
Stern, G.J., Elliott, R.S. Resonant length of longitudinal slots and validity of circuit representation: theory and experiment 86−22832
Stern, G.J., Elliott, R.S. Resonant length of longitudinal slots and validity of circuit representation: theory and experiment [antennas] 86−43016
Stern, G.J. *see* Elliott, R.S. 85−13212, 85−13253
Stern, G.J. *see* Gulick, J.J. 87−26957
Stern, G.J. *see* Orchard, H.J. 85−24927
Stern, H. To manage fast switching jobs, look to silicone elastomers [keyboards] 88−38275
Stern, H., Cover, T.M. Maximum entropy and the lottery 87−51928
Stern, H.E., Polge, R.J. Synthesis of binary sequences using an extended Markov generator 88−66264
Stern, H.E. *see* Polge, R.J. 87−65288
Stern, H.P. Design issues relevant to developing an integrated voice/data mobile radio system 88−73818
Stern, J. Secret linear congruential generators are not cryptographically secure 88−14598
Stern, J. *see* Geschwind, H. 88−23107
Stern, J.A. *see* LeDuc, H.G. 87−67866, 88−26708
Stern, J.A. *see* Thakoor, S. 87−67899
Stern, J.R. Optical wideband subscriber loops and local area networks in the UK 85−20227
Stern, J.R., Ballance, J.W., Faulkner, D.W., Hornung, S., Payne, D.B., Oakley, K. Passive optical local networks for telephony applications and beyond 88−15232
Stern, J.R. *see* Payne, D.B. 86−43589, 86−54934, 87−20552, 87−34605, 88−67413
Stern, K. *see* Greco, J. 85−28294
Stern, K.H., McCollum, M.E. Electrodeposition of silicon from molten salts 85−54490
Stern, K.J., Sooch, N.S., Knapp, D.J., Nix, M.A. A monolithic line interface circuit for T1 terminals 87−62738
Stern, K.J. *see* Dunlop, A.E. 86−63455
Stern, K.J. *see* Kimble, C.D. 86−660
Stern, K.R. *see* Schmidt-Nielsen, A. 86−48792
Stern, L.A. *see* Randall, J.N. 86−35499
Stern, L.A. *see* Shaver, D.C. 87−23719, 88−13152
Stern, L.A. *see* Ward, B.W. 88−64682
Stern, M. The dish [satellite-TV antenna] 85−19232
Stern, M. Satellite-TV basics 85−20123
Stern, M. Satellite-TV receivers 85−20124
Stern, M. Feedhorns, waveguides, and LNAs [for TV receive only system] 85−20125
Stern, M. Modems 85−52121
Stern, M. Cellular mobile telephones 85−52284
Stern, M. Smart cable [RS-232 compatible] 85−57900
Stern, M. Touchscreen technology 86−18029
Stern, M. Secrets of cellular radio 86−23697
Stern, M. Electronics in the passenger compartment 86−26388
Stern, M. Electronics under the hood 86−26389
Stern, M. GPIB [the General-Purpose Interface Bus] 86−59630
Stern, M. Optical disks 87−3344
Stern, M. Touchscreen technology 87−3651
Stern, M. V-20 vs. 8088 87−17101
Stern, M. Clear Channel's Ranger AR-3300−affordable 10-meter fun 88−9413
Stern, M. Cellular technology−revisited for rural service 88−9416
Stern, M. Kenwood TH-215 Handheld [2 m transceiver] 88−15343
Stern, M. Kenwood TR-751A multi-mode VHF transceiver 88−28693
Stern, M., Gimlett, J.L. Advances in light-emitting diode (LED)/single-mode fiber technology 87−70067
Stern, M., Gimlett, J.L., Cheung, N.K. Dispersion-limited transmission and spectral filtering in light-emitting-diode/single-mode-fiber communication systems 87−3198
Stern, M., Gimlett, J.L., Curtis, L., Cheung, N.K., Romeiser, M.B., Young, W.C., Shumate, P.W. Bidirectional LED transmission on single-mode fibre in the 1300 and 1500 nm wavelength regions 86−4637

Stern, M., Graziano, V. Designing a cellular system for reliable mobile and portable service 86−23772
Stern, M., Graziano, V. Advantages of a sector-receive cellular plan 86−69659
Stern, M., Millicker, D.J., Elrefaie, A.E., Runge, K. Transmission at 1 Gbit/s over 7.4 km of single-mode fibre using an edge-emitting LED and PINFET receiver 87−49027
Stern, M., Shah, V., Way, W.I., Romeiser, M.B., Young, W.C. Three-channel, high-speed transmission over 8 km installed, 1300 nm optimised single-mode fibre using 800 nm CD laser and 1300/1500 nm LED transmitters 88−28831
Stern, M., Way, W.I., Shah, V., Romeiser, M.B., Young, W.C., Krupsky, J.W. Short-wavelength transmission on 1300 nm optimized single-mode fiber 88−47079
Stern, M. *see* Gimlett, J.L. 85−56300, 86−17369, 86−49696
Stern, M. *see* Lehmann, R. 88−62646, 88−75580
Stern, M. *see* Merillat, J. 88−23111
Stern, M. *see* Romeiser, M. 88−33704
Stern, M. *see* Shumate, P.W. 85−47505
Stern, M.B., Brody, E., Sowell, B. InP electroluminescence as a tool to directly monitor carrier leakage in InGaAsP/InP buried heterostructure lasers 88−27152
Stern, M.B. *see* Olshansky, R. 86−42458
Stern, M.D. Laser Doppler velocimetry in blood and multiply scattering fluids: theory 85−58939
Stern, M.D. Laser Doppler measurement of coronary blood flow velocity 88−16717
Stern, M.E. The fission product barrier approach to emergency event classification for nuclear power reactors 85−21377
Stern, M.O. Energy storage in magnetic fields 88−39839
Stern, M.S. Semivectorial polarised finite difference method for optical waveguides with arbitrary index profiles 88−26842
Stern, M.S., Kendall, P.C., Robson, P.N. Estimation of rib waveguide radiation losses 88−27546
Stern, M.S. *see* Kendall, P.C. 87−75489, 88−26841
Stern, M.S. *see* Roberts, D.A. 87−68826
Stern, P., Eskenazi, M., Memmi, D. An expert system for speech spectrogram reading 87−19554
Stern, R.A., Babbitt, R.W. Millimeter wave microstrip circulator 87−24420
Stern, R.A., Babbitt, R.W., Borowick, J. A MM-wave homogeneous ferrite phase scan antenna 87−54702
Stern, R.A., Babbitt, R.W., Borowick, J., Mikucki, G. A millimeter wave dielectric waveguide antenna 86−16036
Stern, R.A., Catura, R.C., Kimble, R., Davidsen, A.F., Winzenread, M., Blouke, M.M., Hayes, R., Walton, D.M., Culhane, J.L. Ultraviolet and extreme ultraviolet response of charge-coupled-device detectors 88−16198
Stern, R.A. *see* Walton, D. 85−58601
Stern, R.B. Time domain calculation of electric field penetration through metallic shields 88−72585
Stern, R.B. *see* Carson, R.S. 88−27538
Stern, R.H. Distinguishing legitimate reverse engineering from unlawful chip piracy under the Semiconductor Chip Protection Act 86−52198
Stern, R.L., Becchetti, F.D., Casey, T., Janecke, J.W., Lister, P.M., Liu, W.Z., Kovar, D.G., Janssens, R.V.F., Vineyard, M.F., Phillips, W.R., Kolata, J.J. Tests of a large air-core superconducting solenoid as a nuclear-reaction-product spectrometer 87−77590
Stern, R.L., Becchetti, F.D., Casey, T., Janecke, J.W., Lister, P.M., Liu, W.Z., Kovar, D.G., Janssens, R.V.F., Vineyard, M.F., Phillips, W.R. Tests of a large air-core superconducting solenoid as a nuclear-reaction-product spectrometer 88−36394
Stern, R.M., Lasry, M.J. Dynamic speaker adaption for feature-based isolated word recognition 87−61612
Stern, R.M., Ward, W.H., Hauptmann, A.G., Leon, J. Sentence parsing with weak grammatical constraints 87−61663
Stern, R.M. *see* Ward, W.H. 88−66397
Stern, T.E. Analysis of packet voice on local area networks 86−16992
Stern, T.E. Progress toward integrated networks of the future 87−20043
Stern, T.E. Real time traffic on high speed local area networks 88−3324
Stern, T.E. *see* Ahmadi, H. 87−27719
Stern, T.E. *see* Luhanga, M.L. 86−4080
Stern, T.E. *see* Yin, N. 87−62513, 88−46353
Stern, T.G. A parabolic trough photovoltaic concentrator for space power generation 85−48441
Stern, T.G. Initial performance tests of SLATS photovoltaic concentrator modules 88−37454
Stern, T.G., Hayes, E.W. Structural design for high-power parabolic trough concentration arrays in space 86−7050
Stern, T.G., Kominski, P.A. Application of a parabolic trough concentrator to space station power needs 86−32462
Stern, W. Colour plasma displays by UV-excited phosphors. A review 85−34442
Stern, W. *see* Kreher, J. 88−50567
Stern, W. *see* Schlageter, G. 88−62934
Stern, W.A. *see* Khanna, S.K. 88−13769
Stern, Z.S. MIL-STD-1553 technology from a designer's viewpoint 87−20888
Sternbach, E., Sessler, A.M. A steady-state FEL: particle dynamics in the FEL portion of a two-beam accelerator 87−2204
Sternbach, E.J. *see* Kuenning, R.W. 87−70922
Sternbach, E.J. *see* Masud, J. 87−33222
Sternbach, E.J. *see* Yu, S.S. 87−75157
Sternberg, A. Developing a meaningful QA trend analysis program 88−23648
Sternberg, A. *see* Krumins, A. 87−74467 to 74469
Sternberg, N. How to make friends at 1200 Baud [packet radio] 86−69567
Sternberg, N. The AEA ATU-1000 advanced terminal unit [radio modem] 87−34249
Sternberg, R. Technical advances in data communications alter large-scale messaging environment 85−63283
Sternberg, R.L., Grafton, R.B. On a numerical minimization problem for a new class of nonlinear partial differential equations arising in nonspherical geometrical optics and beamforming lenticular antennas. II 88−27630
Sternberg, R.L., Grafton, R.B., Childs, D.R. On a numerical minimization problem for a new class of nonlinear partial differential equations arising in nonspherical geometrical optics and beamforming lenticular antennas 85−54405
Sternberg, S.R. Industrial morphology 85−30330
Sternberg, S.R. *see* Haralick, R.M. 87−69276
Sternberg, S.R. *see* Shapiro, L.G. 87−39922, 87−48124
Sternberg, Y. *see* Yamin, H. 88−62564
Sterndorff, P. Implementation of ISDN services in northern Europe 88−35226
Sterner, H. *see* Ekstrom, C. 88−60999
Sterner, R. *see* Khu, A. 87−44731
Sternfeld, H.J., Wolfmuller, K. Hydrogen/oxygen standby installation−an approach to economic power generation from hydrogen 87−15523
Sternglass, D. Interactive development tools for digital automotive driveline controls [data logger] 87−70485
Sternglass, E.J. *see* Sashin, D. 85−38060
Sternglass, E.J. *see* Slasky, B.S. 88−29955
Sternheim, E. *see* Weiss, J. 85−24192
Sternick, E.S. *see* Wu, A. 87−57215
Sternin, D.M. *see* Vilenskaya, R.M. 87−57918
Sternin, V.M. *see* Averkiev, N.S. 85−23417
Sternin, V.M. *see* Ilisavskii, Yu.V. 85−23416
Sternklar, S., Weiss, S., Fischer, B. Controlling the self-frequency shift and intensity of oscillations with photorefractive crystals 86−3282
Sternklar, S., Weiss, S., Fischer, B. Optical information processing with the double phase conjugate mirror 87−62176
Sternklar, S., Weiss, S., Segev, M., Fischer, B. Beam coupling and locking of lasers using photorefractive four-wave mixing 86−68611
Sternklar, S., Weiss, S., Segev, M., Fischer, B. Image bearing photorefractive oscillators 87−55289
Sternklar, S. *see* Fischer, B. 85−24265, 85−56784, 86−29248, 86−58947, 87−39204, 87−68574
Sternklar, S. *see* Weiss, S. 87−26533, 88−72394
Sternlicht, R. *see* Cravey, R.W. 87−39442
Sternlight, D. *see* Hollander, J.M. *(editor)* 86−33914, 87−22977, 88−24339
Sternowski, R.H. Growth in HF C^3 capability 85−25721
Sterns, R.G. *see* Kino, G.S. 87−15118
Sterns, W.G., Wolfson, R.I. An affordable high-performance serpentine feed 88−2905
Sterns, W.G. *see* Wolfson, R.I. 85−13351, 86−43075, 87−27097
Sterpin, E., Delbianco, L. Practical problems considered in grounding 10 kV neutral point 86−51092
Sterr, G. *see* Borger, W. 86−6990
Sterrenburg, F.A.S. A digital attempt to solve an analogue mystery [superheterodyne receiver design] 85−42722
Sterrett, R.H. Sizing a thermal storage system of a solar electric plant for peaking applications 85−48906
Sterrett, R.H., Brzeczak, M.E. Prefeasibility study for a solar thermal central receiver power plant for the Farafra Oasis, Egypt 86−39626
Stervoedov, N.G. *see* Borzhkovskii, V.F. 85−26233, 87−70970
Sterzelmeier, K. OMEGA−opto-electronic measurements of the yaw angle of projectiles 86−5528
Sterzelmeier, K. OMEGA−opto-electronic measurements of the yaw angle of projectiles 87−21246
Sterzenbach, G. *see* Amian, W. 86−5757
Sterzenbach, G. *see* Job, P.K. 88−74744
Sterzer, F. Hyperthermia in cancer research 86−50614
Sterzer, F. Microwave radiometers for noninvasive measurements of subsurface tissue temperatures 88−16693
Sterzer, F., Paglione, R.W., Friedenthal, E., Mendecki, J. A microwave apparatus for producing uniform hyperthermic temperatures over large surfaces 86−12022
Sterzer, F., Paglione, R.W., Winter, A., Laing, J., Friedenthal, E., Mendecki, J., Botstein, C. Enhancing the efficacy of localized thermotherapy by monitoring changes in tumor blood flow 85−20961
Sterzer, F., Paglione, R.W., Wozniak, F.J., Friedenthal, E., Mendecki, J. A robot-operated microwave hyperthermia system for treating large malignant surface lesions 87−8944
Sterzer, F. *see* Friedenthal, E. 85−9227
Sterzer, F. *see* Paglione, R.W. 87−8946
Sterzik, M. *see* Struder, L. 88−68207
Steski, D. *see* Bedford, R.E. 87−56880
Stesmans, A., Wu, Y. Anomalous change of DC conductivity with ambient conditions in slowly-deposited sputtered *a*-Si and *a*-Si:H 87−53209
Stesmans, A. *see* Strauven, H. 88−43918
Stesmans, A. *see* Wu, Y. 86−47327, 88−57325
Stetch, D.J., Muller, C.H., III, Czyzak, S.R., Neumann, D.K. Photochemically pumped $L_2(D'^3II_{2g} \rightarrow A'^3II_{2u})$ emission in mixtures of $L_2+C_3F_7L$ and L_2+O_3: Implications for chemically initiated, broadband optically pumped $L_2(D' \rightarrow A^1)$ lasers 87−26269
Stetiu, P. Preliminary studies on crystal growth of $Pb_{1-x}Cd_xS$ solid solutions 86−383
Stetkar, J.W. *see* Bley, D.C. 88−62116
Stetkar, J.W. *see* Christie, R.F. 85−43780
Stetler, K.A. *see* Kania, D.R. 87−21082
Stets, J., Conant, J., Gruninger, J., Ryali, B. Synthetic IR scene generation 88−52581
Stetsenko, A.I., Shamfarov, Ya.L. Contribution to the theory of a travelling wave maser with a comb-type slow wave system asymmetrically positioned in the pump waveguide 85−41300
Stetsenko, A.I. *see* Shamfarov, Ya.L. 86−9708
Stetsenko, S.G. *see* Perelygin, V.P. 87−29590
Stetsenko, S.G. *see* Yadav, J.S. 86−50406, 87−29606
Stetsko, Yu.P. *see* Kshevetsky, S.A. 86−70377
Stetson, F.T. *see* Levine, S. 86−45068
Stetson, H.W., Cabato, N.L., Wahlers, R.L. Development of a high *K* thick film capacitor with copper electrodes for nitrogen fired system 86−62862
Stetson, J.W. *see* Friesel, D.L. 85−59074
Stetson, K.A. A critical review of hologram interferometry 86−10013
Stetson, K.A. Matrix methods in hologram interferometry and speckle metrology 88−2415
Stetson, K.A., Brohinsky, W.R. Electrooptic holography and its application to hologram interferometry 86−15795
Stetson, K.A., Brohinsky, W.R. An electro-optic holography system for vibration analysis and nondestructive testing 88−20790
Stetson, K.A., Brohinsky, W.R. Electro-optic holography system for vibration analysis and nondestructive testing 88−27318
Stetson, L.E., Stark, G.L. Rural electric demand research 86−12353
Stetson, L.E., Stark, G.L. Peak electrical demands of individuals and groups of rural residential customers 87−78028
Stetson, L.E. *see* Stark, G.L. 88−55759
Stetson, M.B. *see* Robinson, C.M., Jr. 86−33108
Stetson, S.B. A controllable piecewise linear-output circuit for CCD multiplexers 86−2385
Stetson, S.B., Reynolds, D.B., Stapelbroek, M.G., Stermer, R.L. Design and performance of blocked-impurity-band detector focal plane arrays 87−49550
Stette, G. Large/small carrier performance of non-linear devices 88−27735
Stetter, H., Neft, H. The application of research and development knowledge to practical steam turbine engineering 87−64404
Stetter, H., Neft, H. Application of R+D results in practical steam turbine technology 88−11085
Stetter, H., Wallon, M. Designing turbines for dry cooling 87−4572
Stetter, J.R., Chang, S.C., Maclay, G.J., Findlay, M.W., Jr. Amperometric gas sensors 88−35982
Stetter, J.R., Otagawa, T. Selective detection of chemicals using energy modulated signals 86−55882
Stetter, J.R., Zaromb, S., Findlay, M.W., Jr. Monitoring of electrochemically inactive compounds by amperometric gas sensors 85−43123
Stetter, J.R. *see* Maclay, G.J. 88−53622
Stetter, J.R. *see* Otagawa, T. 86−31404
Stetter, J.R. *see* Zaromb, S. 85−43493
Stetter, W. *see* Juergens, W. 87−22780, 88−17983
Stetter, W. *see* Kruhler, W. 85−23732
Stetter, W. *see* Moeller, M. 86−35566
Stetter, W. *see* Plattner, R. 88−62604
Stettler, U. The Marsens pilot project, experience in construction and operation [optical fibre links] 85−52380
Stettler, U. *see* Kaser, A. 88−22315

Stettner, R., DeWald, A.B. A surface discharge model for spacecraft dielectrics 86−35925
Stettner, R., Duerksen, G. The discharge of spacecraft dielectrics and the theory of Lichtenberg figure formation 85−20980
Stettner, R., Sveum, M.D. Nonlinear electron cloud modification of satellite modes 85−26843
Stetyick, K.A. *see* Potember, R.S. 88−58291
Stetz, A. *see* Waltham, C.E. 87−41864
Steudel, G. *see* Heintz, K. 87−76675
Steudel, M. Fully automatic assembly system for an electromechanical product family 87−5219
Steudel, M. Assembly automation of light engineering and electronic equipment 87−10138
Steudel, M. Fully automatic flexible assembly of an electromechanical timer group 87−73846
Steudle, W. *see* Birli, H.J. 87−76383
Steudler, K. Notch filter with an adjustable bandwidth 87−10965
Steudtner, W. *see* Christiansen, J. 86−15639
Steuer, D. During network planning, interconnections must be observed. Effects of the 29th AndVFO (Amendment of Telecommunications Regulation) on data links 87−27796
Steuer, M. The new Integral 2 communication system 86−59496
Steuer, M. *see* Bleichert, B. 86−18236
Steuer, M. *see* Celletti, F. 85−9042
Steuer, M. *see* Dietl, H. 85−48166
Steuer, R. *see* Dib, R.N. 88−17027
Steuerwald, G. *see* Hollerbach, W. 86−61780
Steur, P.P.M., Durieux, M. Constant-volume gas thermometry between 4K and 100K 87−14593
Steurer, J., Hochmair, E. Transcutaneous signal and power transmission for implants via coupled coils [cochlear prosthesis] 86−50632
Steurer, J. *see* Gerhard, A. 87−48135
Steusloff, H.U. Optical fibre in private telecommunication networks 88−28919
Steuten, H.M. *see* Reesink, A.L. 88−29679
Stevanato, F. *see* Bargigia, A. 86−56488
Stevanovic, D.V. *see* Kostic, S. 87−38097
Stevanovska, A. *see* Vodovnik, L. 88−74860
Steven, M.D., Rollin, E.M. Estimation of atmospheric corrections from multiple aircraft imagery 86−60933
Stevenhagen, J.H. Protection technological aspects of the application of plastic insulated high-voltage cables in national and provincial high-voltage networks 87−9174
Stevenhagen, J.H. *see* Kersten, W.F.J. 86−12434, 87−15282
Stevenin, D., Jouglain, B. Computerized system used for decentralized telecontrol of low density networks 85−59687
Stevenin, D. *see* Aye, P. 85−27045
Stevenin, D. *see* Bornard, P. 87−58174
Stevens, A. Radar speed-gun controller 86−69817
Stevens, A., Clifford, T., Frankel, R. Distribution of computer functionality for accelerator control at the Brookhaven AGS 86−24950
Stevens, A.J. *see* Bleser, E.J. 85−48153
Stevens, A.K. Practical automation and networking 85−8712
Stevens, A.K. 300 MHz frequency counting with VLSi testers 86−47735
Stevens, A.L. *see* Cowan, D. 88−42511
Stevens, A.L. *see* Richardson, P.C.A. 88−23041
Stevens, A.P. *see* Tse Tung 88−428
Stevens, A.W. *see* O'Neill, D.J. 85−5216
Stevens, B.J. Three-dimensional circuitisation of plastic mouldings 87−59955
Stevens, B.N. Determining the surface resistivity of ESD protective cellular packaging materials 87−51865
Stevens, C. Advanced telecom products—key to the ISDN 85−19995
Stevens, C. A new telecommunications family—the 29CX 86−30221
Stevens, C., Azizi, M., Massman, M. Risk-based evaluation tool for safety-related maintenance involving scaffolding 88−42978
Stevens, C.B. Rochester's high-power laser fusion lab 85−62699
Stevens, C.D. Butt stacking cuts high labor costs in transformer laminations 85−17894
Stevens, C.H. Electronic organization and expert networks: beyond electronic mail and computer conferencing 88−35154
Stevens, C.R. *see* Chu, B.B. 87−71849
Stevens, D. PCs on broadband 86−4324
Stevens, D. *see* Haque, A.K.M.M. 87−10840, 87−50455
Stevens, D. *see* Van Leuven, J. 88−48839
Stevens, D.L. *see* Holden, G. 88−60204
Stevens, D.L. *see* Pereira, T.J. 88−60202
Stevens, D.M. *see* Coulter, J.E. 88−48766
Stevens, D.M.G., Parkin, R. The application of computers to metrology instruments for the assessment of surface texture regarding system control and data processing 85−64296
Stevens, D.S., Tiersten, H.F. On the change in orientation of the zero-temperature contoured SC-cut quartz resonator with the radius of the contour 85−62159
Stevens, D.S., Tiersten, H.F. An analysis of doubly-rotated contoured quartz crystal resonators 86−42052
Stevens, D.S., Tiersten, H.F., Shick, D.V. On the reduction in quality factor of the piezoelectric thin film on semiconductor composite resonator due to radiation into the bulk semiconductor 87−1857
Stevens, D.S. *see* Shick, D.V. 87−12008
Stevens, D.S. *see* Tiersten, H.F. 86−35956, 86−42036, 87−18459
Stevens, E. *see* Schmitz, A.E. 88−63764
Stevens, E.C., Lee, T., Nichols, D.N., Anagnostopoulos, C.N., Berkey, B.C., Chang, W.C., Kelly, T.M., Khosla, R.P., Losee, D.L., Tredwell, T.J. A 1.4-million-element CCD image sensor 87−63285
Stevens, E.E., Bernstein, B. APPC: the future of microcomputer communications within IBM's SNA 86−64631
Stevens, E.G. *see* Carter, N.J. 85--4397
Stevens, E.G. *see* Chang, W.C. 88−29463
Stevens, E.G. *see* Nichols, D.N. 88−42167
Stevens, E.H. On the base region in very small geometry, bipolar transistors [for logic gate applications] 85−23933
Stevens, E.H., Larson, W.L., Kiddon, J.A., Urke, B.D. A bipolar technology for ULSI applications 86−9280
Stevens, E.H. *see* Couch, D.W. 85−9279
Stevens, E.H. *see* Kubena, R.L. 85−1584, 85−1599
Stevens, E.H. *see* Melngailis, J. 86−35790
Stevens, E.H. *see* Wu, M.C. 88−65666
Stevens, F. VLSI developments herald the ISDN 86−23261
Stevens, F.A. *see* Haseler, L.E. 85−53659
Stevens, G. *see* Vinckier, C. 87−74199
Stevens, G.A. *see* Kwatra, S.C. 85−20149
Stevens, G.C. The appraisal and significance of acidic gas emissions form burning electric cable materials 88−64014
Stevens, G.C. Chemical evaluation of combustion gas toxicity tests applied to electric cable materials 88−68958
Stevens, G.C., Dickson, M.R., Weller, M.G. Acidic gas emissions from electrical insulation and their influence on electronic components 88−64855
Stevens, G.C., Gibbons, J.A.M. Assessing smoke and gas emission hazards from burning electric cables 85−119
Stevens, G.C., Perkins, E., Champion, J.V. Microvoid formation and growth in epoxy resins under mechanical and electrical stress by laser light scattering 88−64860
Stevens, G.C., Swingler, S.G. The morphology of low density and crosslinked polyethylene 85−1800
Stevens, G.C. *see* Swingler, S.G. 88−68957
Stevens, G.H. *see* Meader, C.B. 86−64940
Stevens, G.H., Jr. *see* Selig, B.J. 87−78359
Stevens, G.J. *see* Miller, M.J. 87−2445
Stevens, G.T. *see* Morgan, H. 86−31585
Stevens, H.A., Hance, R.L., Hong, C., Pyle, R.E. Correlation of quantitative Auger electron spectroscopy with secondary ion mass spectroscopic investigations of Al/Si/Cu VLSI metallization 85−55739
Stevens, H.A. *see* Farley, C.W. 88−11998
Stevens, H.A. *see* Pyle, R.E. 85−7043
Stevens, H.C. *see* Hillis, D.L. 85−5018
Stevens, H.C. *see* Panchal, C.B. 87−35854
Stevens, H.H., Tucker, R. The development and implementation of a program to improve the performance of reactor trip breakers after Salem 86−65833
Stevens, J. Electronic tracking probes in air transport: The integration of radar and computers 85−64665
Stevens, J. A smaller role in the power game 86−26122
Stevens, J. Switched-mode supplies prompt rethink for standby power 86−33470
Stevens, J. The charging of stationary batteries 86−33528
Stevens, J. Utility intertied photovoltaic system islanding experiments 88−37108
Stevens, J. AC power protection. What sort? 88−61890
Stevens, J., Van Daele, P., Demeester, P., Botte, M., Baets, R., Lagasse, P. Integration of a LED-array with driver MESFET's on a semi-insulating GaAs substrate using LPE and MOCVD 87−74946
Stevens, J.C., Webb, H.D., Smith, M.F., Buffin, J.T., Ruddy, H. A comparison of oto-acoustic emissions and brain stem electric response audiometry in the normal newborn and babies admitted to a special care baby unit 87−57143
Stevens, J.C. *see* Bygrave, C.J. 85−64551
Stevens, J.C. *see* Kenyon, N.J. 88−61218
Stevens, J.E. *see* Irvine, H.S. 88−36971
Stevens, J.F. Current status of ion selective electrodes and chemical sensors in biomedical practice 86−55723
Stevens, J.G. *see* Maruska, H.P. 88−68001
Stevens, J.H. *see* Read, P.M. 86−70261, 87−29388
Stevens, J.J. With electronics in the air [microprocessor at the heart of a new aircraft system] 85−38287
Stevens, J.J. Display screens in the cockpit. Developments in aircraft instrumentation 86−18427
Stevens, J.J. TERPROM helps low flyers [radionavigation system] 86−43912
Stevens, J.J. Equipment for satellite navigation 87−40786
Stevens, J.J. Tactical information and distribution system for military applications—house computer game now hard working reality 87−62462
Stevens, J.J. 'Black boxes' now unnecessary? [aircraft flight data recording] 87−62890
Stevens, J.J. Aircraft radar for the 21st century: European collaboration in multi-mode radar 87−76840
Stevens, J.R. *see* Babulanam, S.M. 88−45268
Stevens, J.R. *see* Musson, B.G. 85−58891
Stevens, J.W., Key, T.S. The utility interface—can state-of-the-art power conditioners alleviate our concerns? 86−6645
Stevens, J.W. *see* Jones, G.J. 87−9430
Stevens, J.W. *see* Thomas, M.G. 86−6650
Stevens, K.A., Brookes, A. Depth reconstruction in stereopsis 87−62384
Stevens, K.N. Spectral prominences and phonetic distinctions in language 85−63006
Stevens, K.R. A review of current placement and routing techniques for integrated circuits 85−12394
Stevens, K.T. *see* Pennell, G.F. 85−32437
Stevens, K.W.H. *see* Eaves, L. 87−24898
Stevens, K.W.H. *see* Foden, C. 88−39091
Stevens, L., Jonckheere, R., Froyen, E., Decoutere, S., Lanneer, D. Determination of the proximity parameters in electron beam lithography using DOUGHNUT-structures 87−25012
Stevens, M. Transputers: Lego for fifth generation machines 85−17452
Stevens, M. *see* Grant, D.A. 85−43011
Stevens, M. *see* Leberl, F.W. 87−15041
Stevens, M.C. New developments in secondary-surveillance radar 85−52419
Stevens, M.C. New developments in secondary-surveillance radar 86−59932
Stevens, M.C. Monopulse secondary surveillance radar 88−15630
Stevens, M.C. *see* Sheppard, R.A. 85−58238
Stevens, M.P. *see* Deacon, S. 86−60132
Stevens, M.P.J., van Loon, M.P.M. Multifunction I/O-controller 85−12384
Stevens, N.J. Environmentally-induced voltage limitations in large space power systems 85−20992
Stevens, N.J. *see* Stillwell, R.P. 87−36124
Stevens, P. Extension of the BCH decoding algorithm in order to decode binary cyclic codes up to their maximum error correction capacities 88−59037
Stevens, P.H. *see* Greensmith, R. 86−11934
Stevens, P.H. *see* Jackson, P.C. 87−50237
Stevens, P.R.C. *see* Evans, M. 86−1848
Stevens, R. Broadband metropolitan networks. The switched star approach 86−17633
Stevens, R. Broadband metropolitan networks: more than CATV 87−8441
Stevens, R. Cable television—the case for fibre optics 87−49338
Stevens, R., Rozay, M., Charbonneau, P. From Phoenix to Beijing: a partnership providing a sound basis for ISDN 88−41403
Stevens, R. *see* Bossu, P. 87−34536
Stevens, R. *see* Harris, D.J. 88−37599
Stevens, R.A., Rizy, D.T., Purucker, S.L. Performance of conventional power flow routines for real-time distribution automation applications 87−9131
Stevens, R.F. *see* Hutley, M.C. 85−35398, 87−25966
Stevens, R.G. The development of a real-time waveform generation and capture system for the evaluation of modulation schemes on satellite links 88−53218
Stevens, R.J., Greenwood, R.T., Alvisi, G., Deschamps, M. Design of a large distributed information system 88−66963
Stevens, R.R. *see* Koester, D.P. 86−29495
Stevens, R.R., Jr., York, R.L., Leung, K.N., Ehlers, K.W. Operation of a magnetically filtered multicusp volume source 88−4769
Stevens, R.R., Jr. *see* Koester, D.P. 86−54306
Stevens, R.R., Jr. *see* York, R.L. 85−59158
Stevens, R.T.A. The multifunction instrument 85−8708
Stevens, R.W. MACROLAN: a high-performance network 85−30693
Stevens, R.W., Flatman, A.V. Implementation of and experience with a high performance optical LAN 85−57802
Stevens, S.B. *see* Spalek, G. 86−31996
Stevens, S.L. *see* Haverty, M.B. 88−28607
Stevens, S.N., McCabe, S. An integrated approach for hierarchical verification of VLSI mask artwork 85−45759
Stevens, V.G., Wilson, A.J., Franks, C.I., Southall, D.P. Techniques for the analysis of long-term cardiorespiratory recordings from infants 88−61230
Stevens, W.H. Innovation through digital and analog compilation 86−47752
Stevens-Guille, P.D. *see* Pelling, E.E. 88−6219

Stevenson, A. How to build a tower of strength [microwave structure installation] 88−59992
Stevenson, A., Faulkner, D.W. Proprietary semicustom regenerator IC for 140 Mbit/s optical transmission systems 85−33793
Stevenson, A., Faulkner, D.W. Proprietary semicustom regenerator IC for 140 Mbit/s optical transmission systems 85−37074
Stevenson, A., Whitt, S., Rowley, R. A 280 Mbit/s monomode optical trunk transmission system 85−20226
Stevenson, A. *see* Bickers, L. 85−45943
Stevenson, A. *see* Brooks, R.M. 85−25905, 85−37067, 86−17406, 87−13683
Stevenson, A. *see* Snyder, A.W. 85−18686, 88−39886
Stevenson, A.J., Love, J.D. Vector modes of six-port couplers 87−74678
Stevenson, A.W. *see* Wilkins, S.W. 88−54452
Stevenson, C.R. A modulation/demodulation system for bandwidth-efficient multi-mode mobile communications 85−30942
Stevenson, D. Z80000 32-bit microprocessor 85−853
Stevenson, D. *see* Kenny, M.J. 85−45541
Stevenson, D.A. *see* Chang, J.S.C. 85−50364
Stevenson, D.A. *see* Chang, S.C. 87−73111
Stevenson, D.A. *see* Deal, M.D. 88−39737
Stevenson, D.A. *see* Eisler, T.J. 86−44808
Stevenson, D.A. *see* Fleming, J.G. 87−65495, 88−18686, 88−31786
Stevenson, D.A. *see* Suh, S.H. 88−31807
Stevenson, D.A. *see* Thompson, J.A. 86−28595
Stevenson, D.C., Rozsypal, A.J., Hogan, J.T. Application of monaural fusion technique for exploration of potential interaction between channels of phonetic analysis 88−2977
Stevenson, D.J., Smith, L.D.R., Robinson, G. Working towards the automatic detection of blood vessels in X-ray angiograms 87−71100
Stevenson, D.J. *see* Smith, L.D.R. 87−3984
Stevenson, D.L. The importance of quality of service to the customer—a field view of how best to meet customers' expectations 86−4154
Stevenson, D.M. *see* Bhatt, A.P. 85−34375
Stevenson, G.R. *see* Thomas, R.H. 85−26811
Stevenson, I. Modified supply for CRO storage adapter 85−17132
Stevenson, J. *see* Bouck, G.P. 87−56075
Stevenson, J.D. Standards for design in operating nuclear power plants 88−42977
Stevenson, J.K. Two-way circuits with inverse transmission properties 85−6421
Stevenson, J.K. Use of reciprocity and duality to generate equivalent active RC networks 86−62711
Stevenson, J.K., Haigh, D.G. Special cases of Fliege's complementary transformation for multiamplifier networks 85−922
Stevenson, J.L. *see* Aagesen, S.M. 88−11803
Stevenson, J.M. Up in the air! 85−41733
Stevenson, J.R., Fendley, J.R., Wallner, J. Optical characterization of anti-glare surfaces on cathode ray tubes 87−8693
Stevenson, J.T.M., Gundlach, A.M. The application of photolithography to the fabrication of microcircuits 87−11184
Stevenson, J.T.M. *see* Dinnis, A.R. 86−21671
Stevenson, J.T.M. *see* Holwill, R.J. 87−53654
Stevenson, M. Underwater fiber optics links Bird Key to the Florida mainland 87−70102
Stevenson, M., Wells, P. A 4×2 Mbit/s optical fibre digital line system 85−63722
Stevenson, P. Sealing pressurised capsules by laser welding 88−49314
Stevenson, R. *see* Lothrop, F. 86−31814, 88−54044
Stevenson, R.C. *see* Scholl, J.A. 87−39414
Stevenson, R.D. *see* Rosenwasser, S.N. 87−26706
Stevenson, R.E. *see* Scully-Power, P. 85−59502
Stevenson, R.L., Arce, G.R. Theoretical analysis of morphological filters 87−39986
Stevenson, R.L., Arce, G.R. Morphological filters: statistics and further syntactic properties 88−28018
Stevenson, R.L. *see* Arce, G.R. 87−45088
Stevenson, W. Role of cellular radio in the UK 85−36936
Stevenson, W. Role of cellular radio in the UK 86−49474
Stevenson, W.G. *see* Somerville, W.M. 85−65187
Steventon, A.G. *see* Adams, M.J. 88−69989
Steventon, A.G. *see* Ritchie, S. 85−56363
Steventon, J. *see* Clark, S.L. 88−10777, 88−68785
Stever, D. Pioneer work for the public ISDN 88−21787
Stever, S.D., Mueller, J.E., Rodine, T.G., Olsen, D.W., Tuttle, R.K. Seven-function systems multimeter offers extended resolution and scanner capabilities 86−70160
Steves, A.M. *see* Curtis, E.S. 88−4907
Steves, R.B. A signal processor with distributed control and multidimensional scalability 85−8778
Stevie, F. *see* Huang, J. 88−71399
Stevie, F.A. *see* Chu, S.N.G. 85−61837
Stevie, F.A. *see* Seidel, T.E. 85−23668
Steving, G. *see* Kehr, W.D. 85−1848
Steving, G. *see* Reith, T.M. 85−10771
Stevison, D.F. *see* Kumar, B. 87−38728
Steward, C.A. *see* Alexander, W. 88−35593
Steward, G. *see* Miller, A. 88−34110
Steward, P.J. *see* Ffrench, T.E. 85−28719
Steward, R.G. *see* Carder, K.L. 86−6132
Steward, S. Public enterprise and the public interest 85−32056
Steward, V. *see* Astles, M. 87−31523
Steward, V. *see* Vere, A.W. 86−7733
Stewardson, H.R. *see* O'Grady, K. 87−33403
Stewart, A. Spectrum-based communications. I 85−13689
Stewart, A. Spectrum-based communications. III 85−13792
Stewart, A. Voice and data—uncertain mix for Meridian 85−47076
Stewart, A. Guide to telecom's show biz events 86−16650
Stewart, A. Target: ISDN—digital all the way 86−37281
Stewart, A. Surveying the fiber optic splicing market 86−49622
Stewart, A. Voice transmission in a digital network 86−59492
Stewart, A. A new digital age dawns for rural India [telephone exchange installation] 86−64831
Stewart, A. The first digital phone channel 87−55621
Stewart, A. Transmission in Third World networks 88−21548
Stewart, A. System makes a hit with Bell telcos [Alcatel 300S Digital Loop Carrier] 88−28558
Stewart, A. Grade-of-service in a digital network 88−41238
Stewart, A. The building blocks of ISDN are in place and the network will evolve through the demands of users 88−41400
Stewart, A. A user's guide to ISDN standards 88−52731
Stewart, A. Towards an intelligent architecture [public telecommunication networks] 88−52755
Stewart, A. Packet-switching networks provide customers with diverse data services around the world 88−59428
Stewart, A. RBOCs help customers go ISDN 88−67080
Stewart, A. *see* Clint, M. 85−60899
Stewart, A. *see* Duncan, G.T. 86−7421
Stewart, A. *see* Hull, D.M. 86−22464
Stewart, A.D. *see* Dunnett, B. 86−35350
Stewart, A.D. *see* Ghiassy, F. 86−1739
Stewart, A.F., Guenther, A.H. Laser damage test results on Balzers round-robin thin film samples 85−12923
Stewart, A.F. *see* Becker, M.F. 86−29217
Stewart, A.F. *see* Guenther, K.H. 85−12917
Stewart, A.F. *see* Hull, D. 86−22465
Stewart, A.F. *see* Kardach, J. 85−7496
Stewart, A.F. *see* Kardach, J.A. 85−12926
Stewart, A.H. *see* Goodman, J.R. 88−10897
Stewart, A.J. *see* Thiel, D.V. 88−34422
Stewart, A.K.J., Dixon, G.E. Fault-tolerant parameterised memory 86−34821
Stewart, A.K.J. *see* Sumerling, G.W. 87−1669, 87−32658
Stewart, A.M. *see* Kramer, W.E. 86−13728, 87−23636
Stewart, A.T. *see* McKee, B.T.A. 85−37912, 88−61297
Stewart, B. Light source. Society of Television Lighting Directors. A buyer's guide to lighting equipment 85−5501
Stewart, B. *see* Hawe, B. 85−19791
Stewart, B. *see* Ho, B.K. 88−36533
Stewart, B.G., Simmons, J.F.L. Rician envelope estimation and confidence intervals in low signal/noise levels 87−75774
Stewart, B.K. Single exposure dual-energy digital radiography 88−29992
Stewart, B.K., Huang, H.K. Dual energy radiography using a single exposure technique 88−23054
Stewart, B.K., Taira, R.K., Cho, P.S., Mankovich, N.J. PACS module image communication at UCLA 88−36534
Stewart, B.K. *see* Mankovich, N.J. 87−14953
Stewart, B.L. Mobilization and commercial communications planning 85−57642
Stewart, B.R. *see* Hurd, C.M. 88−57345
Stewart, C. *see* Brazil, T. 87−11780
Stewart, C. *see* El-Rabaie, S. 88−71020
Stewart, C. *see* Kirkby, C.J.G. 85−29669
Stewart, C. *see* McMillan, S. 86−55344
Stewart, C. *see* Rowlett, R. 86−10459
Stewart, C.A. *see* Alexander, W. 88−28959
Stewart, C.M., Usenko, L. Videotex: addressing the information needs of the corporate end user 86−37457
Stewart, C.M. *see* Clarke, J. 86−55358, 86−59934
Stewart, C.M. *see* Finn, T.A. 86−37456
Stewart, C.P., Blight, S.R., Nicholls, R.E. Carrier concentration and mobility profiling of III-V semiconductors 87−24779
Stewart, C.P., Medland, J.D., Wickenden, D.K. Mobility profiling of implanted GaAs layers for MESFET devices 86−2198
Stewart, C.P. *see* Bartle, D.C. 86−2218
Stewart, C.P. *see* Blight, S.R. 88−53820
Stewart, C.P. *see* Jones, T.B. 86−59078
Stewart, C.P. *see* Waldock, J.A. 85−13139
Stewart, C.V., Dyer, C.R. Local constraint integration in a connectionist model of stereo vision 88−73305
Stewart, D. Bandwidth compression techniques in digital TV can cause problems 85−20331
Stewart, D. Direct broadcasting by satellite 85−31140
Stewart, D. A review of circuit multiplication equipment 85−47291
Stewart, D. Vacuum fluorescent display control with the MM58XXX-family 86−11643
Stewart, D. Positioning accuracy for 1M DRAM repair 87−5889
Stewart, D. Logic circuits. II 87−37188
Stewart, D. Logic circuits 87−52538
Stewart, D. Customer benefits of an ISDN 87−62442
Stewart, D. *see* Cohen, S.L. 88−9803
Stewart, D. *see* Vroomen, L.C. 86−65583
Stewart, D.A., Brinklow, A.J., Hewitt, J. Design criteria in semiconductor rinse mains 85−45508
Stewart, D.A. *see* McBain, D.J.G. 85−1720
Stewart, D.G., Giddens, R.E., Shomron, A. Bit compression for network expansion 85−57388
Stewart, D.M. The economics of laser repairing the one megabit dynamic RAM 85−6328
Stewart, D.M. Lasers fix dynamic RAMs 85−22862
Stewart, D.M. Network links increase productivity in redundant-memory wafer test and repair 85−35062
Stewart, D.M. Production test and repair of 256K DRAMs with redundancy 85−40069
Stewart, D.M. Choosing a memory repair strategy for production 86−46831
Stewart, D.M. *see* Smart, D.V. 88−13513
Stewart, D.R. A small company's approach to designing for profit [actuators production] 85−5709
Stewart, D.T. *see* Drysdale, S.L.T. 87−29450
Stewart, D.T. *see* Ledingham, K.W.D. 86−25123
Stewart, D.W., Knight, R.R., Nash, D.J., Price, W.H. Automated testing of System X line modules 86−30496
Stewart, D.W. *see* Risbridger, J.N.A. 87−62772
Stewart, F.G. *see* Rush, C.M. 86−54292
Stewart, G. Recent developments in integrated optics 85−29642
Stewart, G., Culshaw, B., Johnstone, W., Thursby, G. Design of optical fibre polarisers 88−13885
Stewart, G., Hutchins, R.H., Laybourn, P.J.R., MacRae, C.A. Construction of hybrid integrated optical circuits 86−36250
Stewart, G., Johnstone, W., Culshaw, B., Hart, T. Surface plasmon resonances in thin metal films for optical fibre devices 88−65265
Stewart, G., Nutt, A.C.G. Formation and analysis of tapers in proton-exchanged lithium niobate waveguides 86−9588
Stewart, G., Pennick, A.M. In-service inspection of the Calder Hall and Chapelcross reactor pressure circuits 87−35738
Stewart, G. *see* Boleda, A. 86−16738
Stewart, G. *see* Dawar, A.L. 86−53937, 87−32976
Stewart, G. *see* Johnstone, W. 88−65175
Stewart, G. *see* LaMarca, T. 85−30580
Stewart, G.W. Some problems in the scaling of matrices 85−54368
Stewart, G.W. *see* McAllister, D.F. 85−330
Stewart, G.W. *see* Stanton, A.C. 85−15034
Stewart, H. *see* Fireworker, R.B. 88−59647
Stewart, H. *see* Reid, G.T. 85−47987, 88−45606
Stewart, H.D. *see* Krantz, E.A. 87−9318
Stewart, H.J.H. *see* Peet, N.J. 88−23603
Stewart, I. *see* Rainey, G. 87−69839
Stewart, I.A. Automotive type batteries in long term float and UPS applications 87−30824
Stewart, I.D. *see* Thomson, W.T. 88−69379
Stewart, J. Enhanced field rate and sensitivity control of a frame transfer charge coupled device (CCD) solid state imager 86−24387
Stewart, J. New sensor probes SO_x 86−60981
Stewart, J. Machine vision, robotics, and printed circuit assembly 87−1090
Stewart, J. Considerations for selecting, applying PWB conformal coatings 88−25664
Stewart, J., Righton, D.W. Miniaturised plastic film capacitors 86−1406
Stewart, J. *see* Braswell, R. 85−21528, 85−21530
Stewart, J. *see* Ensslin, N. 87−21450
Stewart, J. *see* Smith, J.M. 87−28982
Stewart, J. *see* Valentine, R. 85−16349
Stewart, J.A. *see* Johnson, G.S. 86−44898, 87−35590
Stewart, J.A. *see* McIlwain, M.E. 85−52896
Stewart, J.A.C. *see* Choo, E.B.L. 88−44379
Stewart, J.A.C. *see* El-Rabaie, S. 88−44376, 88−71134
Stewart, J.A.C. *see* Fusco, V. 88−56984
Stewart, J.A.C. *see* Fusco, V.F. 88−56881
Stewart, J.F. *see* Landy, R.J. 87−63893
Stewart, J.G. *see* Schwartz, J.L. 86−56201
Stewart, J.Goodson *see* Goodson Stewart, J.

Stewart, J.J. *see* Eustice, A.L. 86–62977
Stewart, J.M. Some health and safety concerns in the research and production of $CuInSe_2/CdZnS$ solar cells 87–51470
Stewart, J.M., Chen, W.S., Devaney, W.E., Mickelsen, R.A. Thin film polycrystalline $CuIn_{1-x}Ga_xSe_2$ solar cells 87–72452
Stewart, J.M. *see* Chen, S.W. 85–49090
Stewart, J.M. *see* Chen, W.S. 88–37590
Stewart, J.M. *see* Mickelsen, R.A. 87–9816
Stewart, J.M. *see* Jesshope, C. *(editor)* 88–11578
Stewart, J.R., Choi, S.S. Voltage control of low fault level radial systems: the Karratha-Cape Lambert-Port Hedland interconnection 87–4287
Stewart, J.R., Hudson, T.L. 138 kV 12-phase as an alternative to 345 kV 3-phase 88–69008
Stewart, J.R., Humpage, W.D., Choi, S.S., Garrood, A.J., Nguyen, T.T. Measurements on long-distance transmission interconnection with saturated-reactor compensators. Correlation with computer simulation solutions 88–10735
Stewart, J.R., Kallaur, E., Grant, I.S. Economics of EHV high phase order transmission 85–21112
Stewart, J.R., Zelingher, S., Stillman, G.I. HPO line practical for limited R/W 86–18847
Stewart, J.R. *see* Frick, T.H. 85–27091
Stewart, J.R. *see* Grant, I.S. 85–21227
Stewart, J.R. *see* Sapozink, M.D. 88–30035
Stewart, J.R. *see* Wilson, D.D. 85–21228, 88–69002
Stewart, J.S. 11 kV overhead circuits—relevant developments in switchgear 85–39155
Stewart, J.S. An autorecloser with microprocessor control for overhead line distribution [circuit breakers] 85–65392
Stewart, J.S. An autorecloser with microprocessor control for overhead line distribution 86–12965
Stewart, J.S., Westrom, A.C. Designing reliability into an SF_6 recloser system for distribution automation 87–72330
Stewart, J.S., Wiffen, R.S. Recent developments in vacuum switchgear design 86–56927
Stewart, J.T., Jr. AFCC's family of initiatives for information systems Air Force-wide 85–25328
Stewart, K., Durrani, T.S. Constrained signal reconstruction—a unified approach 87–47847
Stewart, K., Durrani, T.S., Abbiss, J.B. The effects of bandwidth mis-estimation in bandlimited signal extrapolation 86–16443
Stewart, K.A. Controller based boiler load allocation 85–65673
Stewart, K.A. *see* Sharman, D.B. 86–37167
Stewart, K.A. *see* Sharmana, D.B. 87–19957
Stewart, K.P. *see* Heaney, J.B. 88–24257
Stewart, K.P. *see* Moeller, K.D. 88–25787
Stewart, K.P. *see* Moller, K.D. 88–60775
Stewart, K.R., Whiteshides, G.M., Godfried, H.P., Silvera, I.F. Improved adhesion of thin conformal organic films to metal surfaces 86–62261
Stewart, L. *see* Spinrad, J. 88–11845
Stewart, L. *see* Wist, A.O. 87–63741
Stewart, M. *see* Gallop, J.C. 88–74562
Stewart, M. *see* Radcliffe, W.J. 88–70966
Stewart, M.F. *see* Byrne, G.J. 87–9003
Stewart, M.J. *(translator)* The 68000 hardware and software 85–39421
Stewart, M.J. *(translator)* 68020, 68030 microprocessors and their coprocessors 88–56693
Stewart, O.W. *see* Hahn, O.J. 86–32924
Stewart, P. *see* Kenyon, N.J. 88–61218
Stewart, P.A.E. Imaging techniques for gas turbine development 88–53731
Stewart, P.A.E. Neutron and positron techniques for fluid transfer system analysis and remote temperature and stress measurement 88–74284
Stewart, P.A.E. *see* Hawkesworth, M.R. 87–29471
Stewart, R. Multipurpose unit at Torness helps with commissioning and training 87–57749
Stewart, R., Ipri, A., Preslar, D., Faraone, L., Plus, D., Schlesier, K. A high density EPROM cell and array 87–24195
Stewart, R. *see* Baudrand, D.W. 87–17472
Stewart, R. *see* Brucker, G.J. 87–31874
Stewart, R. *see* MacGowan, B.J. 88–2177
Stewart, R. *see* Matthews, D. 87–12339
Stewart, R. *see* Matthews, D.L. 87–12369
Stewart, R. *see* Wunsch, C. 86–12187
Stewart, R.A. Public radiopaging in Europe—from a UK perspective 88–15370
Stewart, R.C. *see* Johnston, R.A. 88–39924
Stewart, R.D., Smith, R.W., Rees, D., Dudeney, J.R., Rodger, A.S. First measurements of thermospheric winds in Antarctica by an optical ground-based method 86–6110
Stewart, R.D. *see* Debney, C.W. 85–63781
Stewart, R.D., Jr. The law of cogeneration in Oklahoma 87–42378
Stewart, R.E., King, P. Rain-snow boundaries over southern Ontario 88–22199
Stewart, R.E. *see* Young, B.K.F. 87–20969
Stewart, R.G., Ipri, A.C., Faraone, L., Cartwright, J., Schlesier, K. A shielded substrate injector MOS (SSIMOS) EEPROM cell 85–49883
Stewart, R.G. *see* Ipri, A.C. 85–40081
Stewart, R.G. *see* Nakagawa, I. 87–59478
Stewart, R.J. *see* Garcia, J.A. 88–53819
Stewart, R.J. *see* Messoloras, S. 88–64376
Stewart, R.J. *see* Raack, G.A. 85–25225, 85–47345
Stewart, R.M. The way ahead for machinery health monitoring as a subset of plant control 85–31424
Stewart, R.M. The way ahead for machinery health monitoring as a subset for plant control. II 85–43102
Stewart, R.M. A systematic approach towards automating the management of machinery complexes. I 85–54098
Stewart, R.M. A systematic approach to automating machinery management 85–60718
Stewart, R.T. *see* Wright, A.E. 87–63100
Stewart, R.W. Mapping signal processing algorithms to fixed architectures 88–73021
Stewart, R.W. *see* Buckman, T.W. 87–26865
Stewart, R.W. *see* Kung, S.Y. 88–41085
Stewart, S. Pharmaceutical videodiscs: marketing with continuing medical education 86–17651
Stewart, S.E., Buntzen, R.R., Carbone, J. Advanced CID array multispectral pushbroom scanner 85–64033
Stewart, S.E., Buntzen, R.R., Carbone, J., McFadin, L.W., Chladek, J.T., Huegel, F.G. Advanced CID array multispectral pushbroom scanner 85–58596
Stewart, S.F.C. *see* Ferguson-Pell, M.W. 86–32371
Stewart, S.H., Polman, A., Monson, K.E., van Vonno, N., Gaul, S.J., Woodbury, D.A., Ross, R.B., Strahan, V., Stell, T. A radiation hardened linear macrocell array 87–32606
Stewart, T. Towards a responsible policy on VDU health issues 86–60151
Stewart, T. *see* McGovern, T. 88–61238
Stewart, T.I., Zeniya, Y. Advanced gold conductor compositions for hybrid circuit applications 88–1264
Stewart, T.L. *see* Anakwa, W.K.N. 88–18380, 88–18395
Stewart, T.R. *see* Connolly, J.C. 88–51823
Stewart, W.B. *see* Baily, S. 86–50687
Stewart, W.C. Enhanced oil recovery: what have we learned and what can we expect? 86–39288
Stewart, W.C., Ebel, G.H. MIL-A-87172: a new mil spec for microelectronic adhesives 86–62950
Stewart, W.C., Farrell, J.P. Microelectronic Darwinism: judicious selection improves the breed [hybrid circuits] 85–28881
Stewart, W.C. *see* Bohannon, J.M. 86–39276
Stewart, W.J., Bennion, I., Goodwin, M.J. Resonant modulation 85–41213
Stewart, W.J., Bennion, I., Goodwin, M.J. Electro-optic resonant waveguide modulation 86–2868
Stewart, W.J., Love, J.D. Design limitation on tapers and couplers in single mode fibres 86–42337
Stewart, W.J., Rees, G.J., Reid, D.C.J. Waveguide dispersion measurement in monomode fibres from spot size 86–2833
Stewart, W.J. *see* Bennion, I. 85–19021, 85–56840, 86–36151
Stewart, W.J. *see* Blackmore, R.W. 85–52248
Stewart, W.J. *see* Edge, C. 86–53987, 87–54080, 88–65229
Stewart, W.J. *see* Fletcher, G.Y. 86–30083
Stewart, W.J. *see* Kirkby, C.J.G. 85–29669
Stewart, W.J. *see* McAllister, D.F. 85–330
Stewart, W.J. *see* Nain, P. 87–55436, 88–66789
Stewart, W.J. *see* Synder, P.M. 86–7603
Stewart, W.J. *see* Wei-Lu Cao 86–40618
Stewart, W.K., Ward, S.A. A solution to a special case of the synchronization problem 88–25296
Stewartson, A. Frequency control for a blind amateur 85–15339
Stewen, L., Boldt, W., Wendner, J. Speech output attachment for measuring sets 87–33650
Stewman, J.H., Bowyer, K.W. Aspect graphs for convex planar-face objects 88–28105
Steyaert, M. High accuracy pipeline D/A convertor configuration 88–32268
Steyaert, M., Comino, V. High-speed accurate CMOS comparator 88–63749
Steyaert, M., Sansen, W. Novel CMOS Schmitt trigger 86–28481
Steyaert, M., Sansen, W. A high-dynamic-range CMOS op amp with low-distortion output structure 88–18939
Steyaert, M. *see* Halonen, K. 86–67356
Steyaert, M. *see* Halonen, K.A.I. 87–45032
Steyaert, M. *see* Lauks, I. 86–55659
Steyaert, M. *see* Sansen, W. 86–50031, 86–57940, 87–70536
Steyaert, M. *see* Sansen, W.M. 88–57803
Steyaert, M. *see* Sansen, W.M.C. 85–33688
Steyaert, M. *see* Van Peteghem, P. 87–45056
Steyaert, M.S.J., Sansen, W.M.C., Chang Zhongyuan A micropower low-noise monolithic instrumentation amplifier for medical purposes 88–18937
Steyaert, M.S.J. *see* Qiuting, H. 88–56500
Steyaert, R. *see* Minsart, G. 85–59648
Steyer, M., Voges, H. Parametric study of X-ray preionized high-pressure rare gas halide lasers 87–38972
Steyn, C.G. Optimum size of dissipative nonlinear turn-off snubber 88–56439
Steyn, C.G., Van Wyk, J.D. Study and application of non-linear turn-off snubber for power electronic switches 86–40907
Steyn, C.G., Van Wyk, J.D. Ultra low loss nonlinear turn-off snubbers for power electronic switches 86–58100
Steyn, C.G., van Wyk, J.D. A non-linear turn-off snubber for power electronic switches 86–62893
Steyn, C.G., van Wyk, J.D. Study and application of nonlinear turn-off snubber for power electronic switches 86–67012
Steyn, C.G., van Wyk, J.D. Determination of the optimum turn-off snubber using nonlinear capacitances 87–11115
Steyn, C.G., van Wyk, J.D. Voltage dependent turn-off snubbers for power electronic switches 87–32027
Steyn, C.G., van Wyk, J.D. Optimum nonlinear turn-off snubbers: design and application 87–37005
Steyn-Ross, M.L. *see* Milburn, G.J. 87–52411
Steyskal, H. Digital beamforming antennas: an introduction 87–33547
Steyskal, H., Haupt, R., Shore, R. Null placement in array antenna patterns 86–64076
Steyskal, H., Shore, R.A., Haupt, R.L. Methods for null control and their effects on the radiation pattern 86–64050
Stezhko, L.K. *see* Umanskii, E.S. 88–1875
Stezhkov, L.L. *see* Umanskii, E.S. 88–1874
Stibbe, F. The development in the utilisation of fly ash and bottom ash from pulverised coal combustion installations 87–4490
Stibelli, S. *see* Boscolo, A. 88–69944
Stibitz, G.R. *see* McCann, F.V. 87–71141
Stiborova, E., Opatril, B. A new series of the JS03 HV special universal fuses 85–65626
Stiborova, E., Svoboda, V., Bocek, E., Pulkrabek, Z. Metal-clad 123 kV outdoor system for independent use [switchgear] 85–44120
Stiborova, E., Svoboda, V., Skoda, Z. The VMV 744 outdoor low level-oil switch for 38 kV voltage 87–58230
Stiborova, E. *see* Svoboda, V. 88–17767
Stice, J.E. The Kolb learning-style inventory 87–31213
Stice, R.L. *see* Chamberlin, E.P. 87–57009
Stichaner, P. A/D and D/A conversion: a solution at board level 87–37398
Stichnote, L.K. *see* Latham, W.J. 88–16358
Stichnoth, F.A. *see* Doler, W. 87–48051
Stickel, E. *see* Kratz, W. 87–72997
Stickel, H. Design of a low average power calorimeter for millimetre wave gyrotrons 88–19599
Stickel, H. *see* Dammertz, G. 88–19596
Stickel, H. *see* Janzen, G. 85–1004, 85–17784
Stickel, H. *see* Jodicke, B. 88–25808
Stickel, H. *see* Thumm, M. 87–45499
Stickel, R. *see* Marvel, O. 85–9272
Stickel, W. *see* Groves, T.R. 88–12878
Stickel, W. *see* Jansen, G.H. 85–35972, 86–1957
Stickel, W. *see* Kern, D.P. 86–1959
Stickelmann, C. *see* Van Oost, G. 88–48572
Stickels, T. *see* Gellings, C. 86–18692
Sticker, H. Network monitoring and analysis (NMA)—an advanced network monitoring tool 87–40192
Sticker, H. *see* Chapin, T.J. 85–9055
Stickland, C., Barber, C.P. Breadboard payload for DBS satellites 85–3598
Stickland, C. *see* Shelswell, P. 85–3599
Stickland, D. *see* Dietl, H. 85–48166
Stickland, D.P. *see* Bakken, J.A. 85–31696, 87–35350
Stickland, J. The role of semi-automatic PCB assembly techniques in the modern factory 86–14705
Stickle, W.F., Bomben, K.D. X-ray photoelectron spectroscopy applied to microelectronic materials 87–24739
Stickle, W.F. *see* Bomben, K.D. 88–24853
Stickle, W.F. *see* Hammond, J.S. 86–21698
Stickle, W.F. *see* Harris, D.W. 85–50681
Stickler, H. Variants of the Elred process 85–5783
Stickler, M.J. The remote control of broadcasting studio equipment 86–17553
Stickler, M.J. *see* Bradshaw, D. 86–38036
Stickles, L. *see* Vaseghi, S.V. 88–9833
Stickley, C.M., Gerhardt, I.D. The laser as tactical and strategic weapon 85–56901
Stickney, B., Johnson, R. Laser trimming works well in some automotive applications 86–7280
Stidd, J. Report on the NBS/OSI Workshop X.400 Special Interest Group 87–40468
Stiddard, M.H.B. Chemiplating of copper sulphide on cadmium and copper: stoichiometry and potential application in solar cells 87–67044
Stiddard, M.H.B. Direct deposition of thin films of chalcocite on copper 88–38224
Stidham, J. *see* Evans, S. 88–19104
Stidham, J.O. *see* Bethel, R.K. 85–39033

Stidham, S., Jr. Optimal control of admission to a queueing system 85−60839
Stidham, S., Jr. *see* Ghoneim, H.A. 85−60838
Stieb, K. Beef up your Heathkit SB-200/220 amplifier power supply 87−65800
Stieb, K. Heathkit HF linear mods [amplifiers] 88−38391
Stiebler, M., Kiewe, B. Closed-loop control of a step motor without using a rotor position encoder 87−51272
Stiebler, M., Ritter, C. Synchronous machine model including D/Q-flux coupling due to saturation 86−33357
Stiebler, M., Stronisch, V. New control concept for voltage-inverter drives 87−16077
Stiebler, M., Stronisch, V. A voltage inverter drive without rotor position encoder 87−22281
Stiebler, M. *see* Conrad, W. 86−70747
Stiebler, M. *see* Ritter, C. 87−22291, 87−42872
Stieding, L. *see* Schuecktanz, G. 86−33107
Stief, D. DC voltage calibrator in pocket calculator style 85−26360
Stief, D. On the selection of a suitable data converter 86−1140
Stief, D. The evolution of the hybrid converters 86−1143
Stief, D. System development with high speed A/D converters: obstacles and their removal 87−37397
Stief, D. The 'time' factor in real-time analogue data acquisition 88−9894
Stief, D. Accuracy specifications of data converters should be carefully studied 88−32269
Stief, D. VME bus boards as the backbone of flight simulators 88−61525
Stiefel, B. Implementing sequential test strategies by using computer controlled test systems 86−20462
Stiefel, B. *see* Albert, S. 86−20463
Stiefel, E. Fiber optical lighting components for image processing 88−13889
Stiefel, K.E. *see* Luniewicz, M.M. 85−30752
Stiefel, M. *see* von Boeckh, P. 87−71857
Stiefel, R.H. *see* Schrenker, R.A. 88−48257
Stiefel, U. *see* Hegedus, F. 87−35312
Stiefeld, R.E. *see* Casalnuovo, S.A. 88−13259
Stiefeld, R.E. *see* Renschler, C.L. 87−74153
Stieff, L.R. *see* Kotrappa, P. 88−30056
Stiefvater, H., Engel, M. Picture processing: system example from the ATE domain 85−37413
Stieger, H. Electronic ancillary equipment 'Connection System 83' (VS 83) 85−17942
Stieger, H. An outline of customer premises switches 87−62795
Stiegler, H., Wilson, W.L., Jr., Tittel, F.K., Nishida, N., Nighan, W.L. Novel approaches for the development of high energy broadband blue-green excimer lasers 87−68395
Stiegler, H. *see* Marowsky, G. 86−9725
Stiegler, U. *see* Blum, W. 87−21429
Stieglitz, M. Network security: how to get it and keep its costs within reach 85−3130
Stieglitz, M. Efficient token passing through silicon 85−19935
Stieglitz, M. Connecting dissimilar LANs with X.25 85−36773
Stieglitz, M. IBM provides industry with a versatile local network standard 85−63169
Stieglitz, M. Standardized interfaces for applications software 86−54961
Stiehl, H.S. *see* Lemke, H.U. 88−36538
Stiehl, W.E. Data exchange in measuring systems 87−3391
Stiehl, W.E. Use of personal computer in test and measurement systems 87−14119
Stiehler, T., Mosner, J., Schmidt, G., Pilz, W., Hutsch, J. A charged-particle spectrometer for measuring neutron-induced reaction products 85−52989
Stieler, B. *see* Kloeppel, F.W. 88−48431
Stieler, S., Heiden, C., Kuntze, K., Kohake, D. Investigation of magnetization creep of Co_5Sm samples 85−24186
Stieler, S., Kuntze, K., Kohake, D. Magnetization creep and thermal aftereffect in rare earth-transition metal-permanent magnets and PM-systems 86−21952
Stieler, S. *see* Kuntze, K. 86−15361
Stiening, R. The status of the Stanford Linear Collider 88−47773
Stiening, R. *see* Richter, B. 88−61021
Stiening, R. *see* Seeman, J.T. 88−54272
Stiening, R.F. *see* Ross, M.C. 86−24865
Stiening, R.F. *see* Seeman, J.T. 86−31893
Stiening, R.F. *see* Shappard, J.C. 86−31925
Stiening, R.F. *see* Sheppard, J.C. 88−54097
Stienstra, A.J. *see* van Eijck, G.L.P. 85−63893
Stienvenard, D., Vuilaume, D., Bourgoin, J.C., Deveaud, B., Regreny, A. Defects in superlattices 86−67715
Stier, G. *see* Pfister, G. 87−36842
Stier, H. *see* Kersting, T. 86−10796
Stier, H. *see* Meissner, T. 86−10798
Stier, H. *see* Schwarz, A. 86−10795
Stier, H.E. *see* Fischer, H.M. 87−21417
Stier, M. *see* Tessarotto, L.A.B. 85−15128
Stier, R., Ohlhaber, R. Fiber optics or electronic cable? 85−2007
Stieritz, W. *see* Petrelis, P.G. 87−62827
Stierlin, R., Battig, R., Henchoz, P.-D., Weber, H.P. Excess-noise suppression in a fibre-optic balanced heterodyne detection system 87−41515
Stierlin, R., Ricka, J., Zysset, B., Battig, R., Weber, H.P., Binkert, T., Borer, W.J. Distributed fiber-optic temperature sensor using single photon counting detection 87−53948
Stierlin, R. *see* Arnolds-Mayer, G. 86−31857
Stierlin, R. *see* Battig, R. 88−36014
Stierlin, U. *see* Amendolia, S.R. 85−37901, 85−43179, 86−5779, 87−21426 to 21428
Stierlin, U. *see* Bailey, R. 85−15164
Stierlin, U. *see* Benetta, M. 85−43239
Stierman, R.J. *see* Malhi, S.D.S. 88−39646
Stiernlof, B., Westin, D. Fiber optics improves broadband transmission quality 87−70100
Stietzel, U. *see* Karner, H. 86−47918
Stievano, B.M. *see* Cherubini, R. 86−44538
Stievano, B.M. *see* Tuniz, C. 85−31764
Stievenard, D., Bourgoin, J.C. Degradation and recovery of GaAs solar cells under electron irradiation 86−7130
Stievenard, D., Bourgoin, J.C. Accurate measurement of the temperature of a junction 87−29343
Stievenard, D., Lannoo, M., Bourgoin, J.C. Transient capacitance spectroscopy in heavily compensated semiconductors 85−50179
Stievenard, D. *see* Burgoin, J.C. 87−53261
Stievenard, D. *see* Vuillaume, D. 87−60197
Stiewe, J. *see* Drescher, A. 86−70324
Stiewe, J. *see* Heller, R. 85−43301
Stifel, J.M. *see* Weiss, J.L. 86−70453
Stiffert, P. *see* Adekoya, W.O. 87−72425
Stiffler, C.D. *see* Lawson, W. 88−57263
Stiffler, C.D. *see* Singh, A. 88−25822
Stiffler, J.A., Nellinger, M.A., Linville, T.R., Davis, H.M. Cogeneration as an answer to rising industrial energy costs 85−48837
Stiffler, S. *see* Nesbit, L. 86−21367, 87−17927
Stiffler, S.R. *see* Lasky, J.B. 86−47866
Stiffley, A. *see* Shuchman, R. 86−6137
Stifutkin, A.A. *see* Barabsh, L.S. 86−5807
Stigall, P.D., Erten, Y.M. Test generation for combinational logic circuits using information theory 87−593
Stigall, P.D., Shiv, K. Development of a user friendly gate-level logic simulator 88−638
Stigers, C.A., Hurley, J.D., Gordon, D.I., Callanan, D.M. Field tests and simulation of a high initial response brushless excitation system 86−56327
Stiglic, M. *see* Trontelj, J. 87−59657
Stiglich, G. Transmission in future networks 88−59979
Stiglitz, M.R. Will gallium arsenide take over where silicon leaves off? 86−21692
Stiglitz, M.R. The Joint Tactical Information Distribution System 88−16994
Stiglitz, M.R. SDI update 1988 88−30222
Stiglitz, M.R. GaAs foundry operations 1988 88−39613
Stiglitz, M.R. *see* Miller, A.E. 88−19351
Stiglitz, M.R. *see* Resnick, L.D. 88−36636
Stiglitz, M.R. *see* Slobodnik, A.J., Jr. 85−33709
Stigter, J.de *see* de Stigter, J.
Stih, Z. A method for optimization of electrode contours in rotationally symmetric electric fields 85−46515
Stih, Z. High voltage insulating system design by application of electrode and insulator contour optimization 87−21962
Stijgoren, E.Van *see* Van Stijgoren, E.
Stijns, M. *see* Robert, A. 85−9199
Stika, I. *see* Zwadil, Z. 88−49912
Stika, O. *see* Nesladek, M. 87−45540
Stika, O. *see* Triska, A. 85−24365
Stika, O. *see* Vanecek, M. 88−14017
Stikanov, V.E. *see* Krolevets, K.M. 86−21591
Stikhin, V.A. *see* Malakhovskii, V.A. 86−19663
Stikvoort, E. Digital distortion analyzer 85−3929
Stikvoort, E.F. Digital dynamic range compressor for audio 86−31066
Stikvoort, E.F. *see* Naus, P.J.A. 87−56429
Stil'bans, L.S. *see* Ageev, Yu.I. 85−14742, 86−66366
Stil'bans, L.S. *see* Prokof'eva, L.V. 88−32827
Stilburn, J.R. *see* Rambold, W.N. 88−50607
Stiles, C.M. *see* Lu, P.-Y. 87−10375
Stiles, G.J., Pearson, R.P. Designing for situational awareness [EW equipment] 87−49155
Stiles, G.S. *see* Raguhuram, A. 88−41366
Stiles, J.A. Interfacing secondary lithium batteries to electronic devices 87−36112
Stiles, J.A.R. Performance characteristics of the lithium molybdenum disulfide rechargeable lithium battery 85−65433
Stiles, J.A.R. Advanced rechargeable lithium batteries 87−72389
Stiles, J.A.R. *see* Laman, F.C. 85−44155, 87−30904
Stiles, J.E. Evolution of the DMS-10 [digital switching system] 86−37661
Stiles, K., Kahn, A. Correlation between E_F pinning and development of metallic character in Ag overlayers on GaAs(110) 88−32928
Stiles, K., Kahn, A., Kilday, D.G., Margaritondo, G. Initial stages of Schottky barrier formation: temperature effects 88−13008
Stiles, K., Kahn, A., Kilday, D.G., Tache, N., Margaritondo, G. Kinetics of E_F pinning at Au-GaAs(110) interfaces 88−19741
Stiles, P. *see* King, R.J. 85−17032
Stiles, P.J. *see* Chang, L.L. 85−23513
Stiles, P.J. *see* Crisman, E.E. 85−1515, 87−25272
Stiles, P.J. *see* Furneaux, J.E. 86−53668, 88−19969
Stiles, P.J. *see* Goldberg, B.B. 86−53410
Stiles, P.J. *see* Gregory, O.J. 88−50721
Stiles, P.J. *see* Smith, III, T.P. 85−50386
Stiles, P.J. *see* Smith, R.P. 86−53476
Stiles, P.J. *see* Smith, T.P. 85−18184, 86−47373
Stiles, P.J. *see* Smith, T.P., III 85−6921, 85−11912, 86−15182, 86−53424, 87−11487
Stiles, P.J. *see* Syphers, D.A. 85−6762
Stiles, P.J. *see* Veiga Salles, J.B. 88−57392
Stiles, P.J. *see* Zeller, R.T. 86−28061
Stiles, T.A. *see* Garin, J. 88−12824
Stiles, W.H. *see* Choung, Y.A. 87−27091
Stiling, P.A. *see* Hopmann, T.D. 87−20343
Stilinovic, M. *see* Biscontin, A. 86−50143
Stilke, H.-J. Converter−influence of commutating and load resistance at controlled rectifiers 85−32592
Stilke, H.-J. Converters. II 85−53759
Stilkerich, H. The concept of the Deutsche Bundespost for the regional cable TV network 88−29110
Still, D., Baldwin, D., Hoffman, R., Wick, D. A performance-programmable bipolar gate array family for building mainframe computer systems 87−59373
Still, D. *see* Carmichael, R. 87−5807
Still, D.W. *see* Wick, D. 85−49840
Still, D.W. *see* Wick, D.G. 86−1005, 86−46694
Still, G. *see* Bromborsky, A. 88−50584
Still, G.W. *see* Bromborsky, A. 88−25819
Still, J., McGinty, E. Often overlooked cable converter parameters 88−9777
Still, L. New current source invertor with GTO-extinction 88−11287
Still, L. *see* Runge, W. 86−71107
Still, P. Making sense of proximity switches 86−8544
Still, P. Choosing EMR or SSR relays 88−12679
Still, R.D. *see* Layne, G.W. 85−12452
Stille, G. *see* Brisegard, M. 88−39590
Stiller, A. *see* Dodel, H. 88−67498
Stiller, B., Adams, J.H., Jr., Beahm, L.P. Ultraviolet enhancement of tracks in Lexan with black light fluorescent lamps 87−21473
Stiller, B. *see* Adams, J.H., Jr. 87−29603
Stiller, H. State of the SNQ project 86−55995
Stiller, H.J. *see* Kaufhold, B. 87−28094
Stiller, M. *see* Lipscomb, G.F. 88−7838
Stiller, M. *see* Lytel, R. 88−51567
Stiller, M.A. *see* Armitage, D. 88−51586
Stiller, M.A. *see* Schroeder, J. 85−1950
Stiller, M.A. *see* Thackara, J.I. 88−39989
Stiller, P. *see* Hegedus, F. 87−35312
Stiller, P. *see* Herrnberger, V. 86−5766
Stiller, P. *see* Seifritz, W. 85−38681, 86−45176
Stiller, P.F. Classical automorphic forms and hypergeometric functions 88−31644
Stiller, P.H. *see* Wilreker, V.F. 86−33231
Stiller, T. *see* Gretsch, R. 85−59694, 86−6866
Stiller, W. *see* Loers, G. 88−23742
Stillinger, W. *see* Embrey, K. 88−23380
Stillinger, W.L. *see* Andersen, B.A. 86−32894
Stillings, D. Mediterranean origins of electrotherapy 85−9221
Stillman, G.E., Robbins, V.M., Hess, K. Impact ionization in InP and GaAs 86−27876
Stillman, G.E., Robbins, V.M., Tabatabaie, N. III-V compound semiconductor devices: optical detectors 85−12728
Stillman, G.E., Tabatabaie, N., Robbins, V.M., Aguilar, J.A. III-V compound semiconductor optical detectors 86−2965
Stillman, G.E. *see* Bose, S.S. 88−31749
Stillman, G.E. *see* Brunemeier, P.E. 85−389
Stillman, G.E. *see* Bulman, G.E. 85−34513, 86−21131
Stillman, G.E. *see* Haase, M.A. 85−40445, 87−33048
Stillman, G.E. *see* Jackson, G.S. 88−14179
Stillman, G.E. *see* Larkins, E.C. 87−241, 87−44328
Stillman, G.E. *see* Lee, B. 87−67083
Stillman, G.E. *see* Low, T.S. 86−8989
Stillman, G.E. *see* Pan, N. 87−10437, 87−73994
Stillman, G.E. *see* Robbins, V.M. 86−21099, 88−25893, 88−32772
Stillman, G.E. *see* Tabatabaie, N. 85−23731
Stillman, G.E. *see* Wang, W.I. 87−1237
Stillman, G.E. *see* Windhorn, T.H. 85−34514
Stillman, G.I. *see* Stewart, J.R. 86−18847
Stillman, J. *see* Cutchin, D. 87−9018
Stillman, J. *see* Narendran, P. 88−73290
Stillman, M. *see* Callon, R. 88−28231
Stillman, P., Sandberg, J., Carroll, A.S., Leonhradt, W., Monaghan, R., Pearson, C., Pendzich, A., Ryan, G., Sims, W.P., Smith, G.A., Walker, J.C. Neutrino horn power supply operational experience 88−54319

Stillman, P. *see* Carroll, A. 86−32046, 88−54314
Stillman, P. *see* Leonhardt, W. 88−54317
Stillman, P. *see* Sandberg, J. 88−54318
Stillman, P. *see* Walker, J.C. 88−54316
Stillman, R., Robins, R., Skyllas-Kazacos, M. Quantitative X-ray diffraction analysis of α-PbO/β-PbO in lead-acid battery primary oxide 85−10086
Stillwagon, L.E. Chromatography as a tool in the characterization and quality control of resist materials 85−50644
Stillwagon, L.E. Planarization of substrate topography by spin-coated films: a review 87−60253
Stillwagon, L.E., Larson, R.G. Fundamentals of topographic substrate leveling 88−64363
Stillwagon, L.E., Larson, R.G., Taylor, G.N. Spin coating and planarization 88−13263
Stillwagon, L.E., Vasile, M.J., Baiocchi, F.A., Silverman, P.J., Taylor, G.N. The nature of titanium-containing films formed on polymer-surfaces by reactions of sorbed water with $TiCl_4$ [resists] 88−26148
Stillwagon, L.E. *see* Watts, R.K. 87−67072
Stillwagon, W.W. New approach speeds simulator design and procurement 87−51781
Stillwell, D. *see* Tamburrini, M. 87−54731
Stillwell, H.R. Managing an automation design project 86−147
Stillwell, H.R. An automatic printed circuit board assembly factory 86−58165
Stillwell, J.H. *see* Rasmussen, D.J. 87−20319
Stillwell, R.P., Robinson, R.S., Kaufman, H.R. Current collection from the space plasma through defects in solar array insulation 86−32455
Stillwell, R.P., Robinson, R.S., Kaufman, H.R., Cupp, R.K. Experimental investigation of an argon hollow cathode 85−61614
Stillwell, R.P., Stevens, N.J. Plasma interactions with biased concentrator solar cells 87−36124
Stilp, A.J. *see* Kuscher, G.F. 86−38875
Stilp, L.A. Don't replace it−adapt it [terminal adapters] 88−9285
Stilwell, D., Goldberg, L., Parent, M., Czaplak, D., Sherman, G., Weller, J.F., Collins, W. Fiber optic feed for phased array antennas 87−19346
Stilwell, G. *see* Madni, A.M. 87−63062
Stilwell, G.R. *see* Freedman, D.R. 86−48904
Stilwell, G.R., Jr. *see* Loeb, M.L. 88−73926
Stilwell, G.W., Madni, A.M., Wan, L.A. Sensitivity analysis of a 15.0 GHz monopulse radar receiver using a logarithmic amplifier detector scheme 86−17477
Stilwell, J. A one-chip dual-conversion FM receiver 87−34763
Stilwell, P.D., Jr. *see* Parent, M.G. 88−27670
Stimadorakis, J.T. Turnkey vs. in-house SMT capability implementation 88−32672
Stimets, R.W., Li Ying, W., Rajasekharan, K. Rapid recognition of object outlines in reduced resolution images 86−30006
Stimmell, J. Properties of DC magnetron reactively sputtered TiN 87−25161
Stimmell, J., Strathman, M. Properties of planar magnetron cosputtered silicide films 88−24791
Stimmell, J. *see* Mehrotra, B. 88−26100
Stimmell, J. *see* Wittmer, M. *(editor)* 87−16298
Stimmell, J.B. *see* Chu, W. 85−23689
Stimmell, J.B. *see* Yangyuan Wang 88−26074
Stimmell, J.B. *see* Zhongde, Z. 87−24929
Stimmer, H. Thermal and dynamic short-circuit problems in electrical power supply 86−6226
Stimmer, H. The development of electrical installations in Austria 86−18908
Stimming, U. *see* Bindra, P. 88−24744
Stimper, K. The behaviour in service of low voltage insulation. I. Insulation resistance changes over a long period 88−33436
Stimper, K. The performance of electrical low voltage insulation in industry. II. Short term changes in insulating resistance 88−44918
Stimper, K., Middendorf, W.H. Mechanisms of deterioration of electrical insulation surfaces 85−1786
Stimper, K., Sachsenweger, C., Middendorf, W.H. Experiments on tracking enhancement by copper 88−64808
Stimper, K. *see* Middendorf, W.H. 85−10377
Stimper, K. *see* Sachsenweger, C. 88−24523, 88−44917
Stimpfling, A., Smigielski, P. New method for compensating and measuring any motion of three-dimensional objects in holographic interferometry 86−3358
Stimpfling, A., Smigielski, P. New method for compensating and measuring any motion of 3D objects in holographic interferometry 86−15814
Stimpfling, A., Smigielski, P. A new method for compensating and measuring any motion of 3D-objects in holographic interferometry: recent developments 87−19097
Stimpfling, A., Smigielski, P. Compensation and measurement of any motion of 3D-objects in holographic interferometry 88−58720
Stimpfling, A. *see* Smigielski, P. 86−10024
Stimpson, I.M. *see* Gerrard, W.A. 85−31782
Stimson, A.L. *see* Oei, A.S. 86−4588
Stimson, B.O. *see* Olsen, R.G. 88−40589
Stimson, P.A., James, B.W., Falconer, I.S., Whitbourn, L.B., Macfarlane, J.C. Observation of enhanced laser emission and new laser transitions in triple cascade operation of an optically pumped CW HCOOH submillimeter laser 87−61073
Stimson, P.A. *see* Whitbourn, L.B. 88−20539
Stimson, P.T. *see* Whitbourn, L.B. 86−48319
Stinar, M. Impact of the 386 today and future directions 88−12439
Stinchcombe, M. Non-inverting ramp generator 86−8051
Stindt, W. *see* Baro, G. 87−71873, 88−55153
Stine, B.D. *see* Baldini, J.J. 86−4692
Stine, C.M. *see* Fitzgerald, F.J. 87−50841
Stine, L.L. Telecommunications: government needs and commercial contributions 85−30589
Stine, L.R. *see* Subramanyam, V.R. 86−70457, 87−77762, 88−68540
Stine, R., Leland, W., Mansfield, C., Rosocha, L., Jansen, J., Gibson, R., Allen, G. Development of the Antares electron gun 86−8682
Stinehelfer, H.E., Sr. Discussion of de-embedding techniques using time-domain analysis 86−38535
Stinehelfer, H.E., Sr. Testing technique checks line/antenna absorption 86−54385
Stinespring, C.D., Wormhoudt, J.C. Gas phase kinetics analysis and implications for silicon carbide chemical vapor deposition 88−31794
Stingeder, G., Grundner, M., Grasserbauer, M. Investigation of surface contamination on silicon wafers with SIMS 87−11673
Stingeder, G. *see* Guerrero, E. 86−28144
Stingley, R.M. *see* West, L. 87−21370
Stinnett, R.W., Allen, G.R., Davis, H.P., Hussey, T.W., Lockwood, G.J., Palmer, M.A., Ruggles, L.E., Widman, A., Woodall, H.N., Bengtson, R.D. Cathode plasma formation in magnetically-insulated transmission lines 86−8539
Stinnett, R.W., Gray, E.W., McDaniel, D.H., Moore, W.B., Renk, T.J., Rochau, G.E., Woodall, H.N., Meger, R.A., Ottinger, P.F., Commisso, R.J., Oliphant, W.F., Hinshelwood, D.D., Neri, J.M., Weber, B.V. Plasma opening switch performance on Supermite and PBEA II 87−17441
Stinnett, R.W. *see* Cook, D.L. 87−43208
Stinnett, R.W. *see* Gray, E.W. 87−17445, 87−61413
Stinnett, R.W. *see* McDaniel, D.H. 87−21934
Stinnett, R.W. *see* Moore, W.B. 87−18392
Stinnett, R.W. *see* Payne, S.S. 87−17443
Stinnett, R.W. *see* Woodall, H.N. 87−22619
Stinnett, R.W. *see* Wright, T.P. 87−22617
Stinson, D.G., Petronio, J. The dependence of maximum readout power on various properties of thin-film magneto-optic media 87−54134
Stinson, D.G., Petronio, J. Dependence of maximum readout power on various properties of thin-film magnetooptic media 88−33589
Stinson, D.G. *see* Revelli, J.F. 87−54136
Stinson, D.R. Improved C^3I capability through ISDN technology 86−54689
Stinson, D.R. Air Force communications computer systems architecture 88−3567
Stinson, D.R. Some constructions and bounds for authentication codes 88−40842
Stinson, D.R., Ferch, H. 2000000 Steiner triple systems of order 19 85−49450
Stinson, D.R., Seah, E. 284457 Steiner triple systems of order 19 contain a subsystem of order 9 86−52347
Stinson, D.R. *see* Colbourn, C.J. 86−62020
Stinson, D.R. *see* Mullin, R.C. 88−11857
Stinson, D.R. *see* Seah, E. 88−49703
Stinson, G. *see* Craddock, M.K. 86−31908
Stinson, G.H., Pulskamp, B.E. Chemical cleaning and steam blow of the reheater, superheater, and steam leads of Miami Fort Station Unit 7 86−33165
Stinson, M.E. *see* Averweg, J.L. 86−30518
Stinson, M.E. *see* Wood, D. 88−66872
Stinson, M.R., Daigle, G.A. Electronic system for the measurement of flow resistance 88−68091
Stinson, W.F. *see* Grynberg, R. 85−560
Stiphout, M.T.van *see* van Stiphout, M.T.
Stipkovits, A. *see* Dudas, J. 87−55221
Stipp, V., DeWitt, A. Performance of the H^- ion source for the intense pulsed neutron source 86−32111
Stipp, V. *see* Kramer, S.L. 86−32028
Stipp, V. *see* Potts, C. 86−31811, 88−54059
Stipp, V. *see* Rauchas, A. 86−32131, 86−56000
Stipura, A.P. *see* Zagorul'ko, V.S. 87−73175
Stirand, O., Krejci, V., Perkarek, L., Zuev, V.S., Orlov, E.P. Evolution of active-medium perturbations and the focusing of radiation from photodissociation lasers utilizing 'slow' pumping 87−68360
Stirand, O. *see* Dubovskii, P.E. 85−62495
Stirbis, P.P. *see* Bredikis, Yu.Yu. 86−25309
Stiriti, P., Lonardoni, D. Alternate components in the signalling current due to static converters and electronic control equipments 86−71099
Stirk, C.W., Athale, R.A. Sorting with optical compare-and-exchange modules 88−51630
Stirk, C.W., Athale, R.A., Friedlander, C.B. Optical implementation of the compare-and-exchange operation for applications in symbolic computing 88−33830
Stirk, C.W., Rovnyak, S.M., Athale, R.A. Effects of system noise on an optical implementation of an additive lateral inhibitory network 88−58319
Stirland, D.J. Defect etching of GaAs on Si 88−43914
Stirland, S.J. Shaped reflectors: optimisation technique and examples [antennas] 88−14559
Stirling, A.J. The development of industrial linacs with the capacity to open new horizons for electron processing 88−29741
Stirling, A.M. The use of test films for television 86−55405
Stirling, G.C. *see* Andreani, C. 87−35369
Stirling, G.C. *see* Carne, A. 86−5762
Stirling, G.C. *see* Eaton, G.H. 88−61054
Stirling, L.J. *see* Le Marshall, J.F. 88−61634
Stirling, R. Ohmic heating−a new process for the food industry 88−18273
Stirling, R.C. Microwave frequency synthesizers 87−65054
Stirling, W.C., Morf, M. A new decision-directed algorithm for nonstationary priors 85−13546
Stirling, W.C., Swindlehurst, A.L. Decision-directed multivariate empirical Bayes classification with nonstationary priors 88−3167
Stirling, W.C. *see* Muir, R.A. 87−62041, 88−73036
Stirling, W.C. *see* Swindlehurst, A.L. 88−3104
Stirling, W.D. A note on degrees of freedom in sparse contingency tables 86−57312
Stirling, W.D. Testing linear hypotheses in contingency tables with zero cell counts 86−57372
Stirling, W.L. *see* Dagenhart, W.K. 88−4778
Stirling, W.L. *see* Whealton, J.H. 88−4782
Stirn, R. *see* Wolf, M. 86−1691
Stirn, R.J., Nouhi, A. Low-temperature deposition of low resistivity ZnSe films by reactive sputtering 86−62244
Stirn, R.J. *see* El-Korashy, A.M. 87−5435
Stirn, R.J. *see* Nouhi, A. 86−62248, 88−5866, 88−24750, 88−37593
Stirnemann, A., Bolleter, U., Rathe, E.J. Possibilities and limits of sound power measurements with a real-time intensity analyzer 85−43100
Stirrat, I.M. Operational features of British Telecom's ISDN 87−48402
Stirzaker, L. *see* Castro, A. 87−16308
Stishkov, Yu.K. EHD-transformers of electrochemical type 85−34224
Stishov, S.M. *see* Zanevskii, Yu.V. 88−36370
Stistrup, J.W. Electromagnetic flowmeters 87−70558
Stitch, M.L., Bass, M. *(editor)* Laser handbook. Vol. 4 86−33913
Stitch, M.L. *see* Bass, M. *(editor)* 86−66532
Stites, J. *see* Carter, C. 87−68059
Stites, J.R. Solar thermal plants thrive in Mojave desert 87−30441
Stites, S. *see* Regan, R. 86−2184
Stith, C., Scott, C. Peripheral-controller IC helps processors handle I/O tasks 87−5927
Stith, J.J., Wilson, J.W. Microscopic defect structures and equivalent electron fluence concepts [solar cells] 87−16033
Stitt, D.N., Goss, R.J., Glaser, P.E. Opportunities for commercial space power 88−74939
Stitt, J.R. Implementation of a large-scale direct load control system−some critical factors 85−59608
Stitt, J.R. Target-area monitoring: a look into the future [load forecasting] 87−15156
Stitt, M., Burt, R. Possibilities for noise suppression. A little trick in circuitry works wonders 88−25014
Stitt, R.M. Monolithic difference amp. eases the design of a variety of circuits 86−40915
Stitt, R.M. Reference operates from low supply voltage 87−23891
Stitt, R.M. Precision differential-amplifiers with integrated control-resistors. II 87−52394
Stitt, R.M. A precision differential amplifier with integrated wired-in resistors 87−65862
Stitt, R.M. Conquer common-mode limits with difference-amp IC 87−73333
Stitt, R.M. A differential amplifier with +/− 100 V common mode signal 88−12226
Stitzer, P. Digital weighbelts boost cable plant efficiency 87−30205
Stitzer, S.N. A microwave circuit model for a magnetostatic wave filter 88−71955
Stitzer, S.N., Emtage, P.R. Nonlinear microwave signal-processing devices using thin ferrimagnetic films 86−22020
Stiuca, P. *see* Cretu, T. 86−45257
Stiurca, D. *see* Pastravanu, O. 88−19926
Stivers, A. *see* Ting, C.H. 88−50565
Stivers, A.R., Ferguson, D.C. Fault contrast: a new voltage contrast VLSI diagnosis technique 87−580
Stivers, A.R. *see* Borland, J.O. 87−23673
Stivison, D.S. Miles 33 tackles US market 86−10794
Stivrca, D. *see* Alexa, D. 85−49004

Stix, A.H. Computer conferences: what makes them difficult, and for what types of conferencing situations are they most suited? 88−53054
Stix, G. Spinning a global web [information networks] 85−30542
Stix, G. PTTs make life rough overseas 85−57608
Stix, G. Integrating voice and data. I. DOV gets on track 85−63166
Stix, G. Ending the supplier paper chase [electronic data interchange] 86−4196
Stix, G. 'Digitized sunshine' aids architects 88−43483
Stix, G. Telephone wiring: a conduit for networking standards 88−59873
Stix, M.S. Phase-plane analysis of passively mode-locked dye lasers 85−46350
Stix, M.S., Kesler, M.P., Ippen, E.P. Observations of subpicosecond dynamics in GaAlAs laser diodes 86−63800
Stix, M.S. *see* Nakazawa, M. 87−75052
Stix, R.K. *see* Chu, T.-C. 87−20567
Stix, R.K. *see* Tek-Che Chu 86−49663
Stix, R.K. *see* Yanowski, E. 87−13737
Stiz, M. *see* Bargigia, A. 86−61569
Stizza, S., Davoli, I., Tomellini, M., Marcelli, A., Bianconi, A., Gzowski, A., Murawski, L. EXAFS of amorphous vanadium phosphate oxides: correlation between hopping conductivity and local structure 85−50222
Stjernberg, H. *see* Holte, S. 88−61272
Stjernlof, B. ZAC-280, a digital CATV system for fiber optic networks 88−41865
Stjernlof, B. *see* Johansen, B. 86−23859
Stjernvall, J., Hedberg, B., Ekemark, S. Radio test performance of a narrowband TDMA system [cellular radio] 87−69970
Stjernvall, J.-E., Raith, K. Selection of code word for burst synchronization in a quadrature MSK demodulator 87−12932
Stjernvall, J.-E., Uddenfeldt, J. Gaussian MSK with different demodulators and channel coding for mobile telephony 85−19705
Stjernvall, J.-E., Uddenfeldt, J. Performance of a cellular TDMA system in severe time dispersion 88−46939
Stjernvall, J.-E. *see* Raith, K. 87−3092
Sto, T. *see* Yamakoshi, Y. 86−41628
Stoa, P. *see* Holen, A.T. 88−10806
Stobach, P. A new class of least squares ladder estimation algorithms 87−7752
Stobart, R.H., Russell, W.C. Use of microcomputer-based image digitization for the measurement of wool fiber diameter 87−70791
Stobbema, D.J.W. Fluxistors: multipurpose magneto-resistive transducers 87−56615
Stobbs, M. *see* Meakin, D. 88−38227
Stobbs, W.M. Recently developed TEM approaches for the characterisation of semiconductor heterostructures and interfaces 87−24894
Stobbs, W.M. *see* Boothroyd, C.B. 87−6466
Stobbs, W.M. *see* Britton, E.G. 87−37935
Stobbs, W.M. *see* Couch, N.R. 87−45662
Stobbs, W.M. *see* Cowern, N.E.B. 87−6567
Stobbs, W.M. *see* McMahon, R.A. 86−9005
Stobbs, W.M. *see* Newcomb, S.B. 86−62226
Stobbs, W.M. *see* Razeghi, M. 87−32286
Stobbs, W.M. *see* Williams, D.A. 88−32957
Stober, K.-J. *see* Sachs, U. 85−59812
Stober, R. Component inserting by industrial robots 87−32160
Stobie, I. Procom 20 telex on a card [IBM compatible telex board] 87−7983
Stobiecki, F., Stobiecki, T. Bimetallic sensor of FeB amorphous film 87−49739
Stobiecki, T. *see* Maksymowicz, L.J. 85−1825
Stobiecki, T. *see* Stobiecki, F. 87−49739
Stobnicki, A. *see* Iwanski, Z. 88−75266
Stocchino, G. Improve voltage-controlled current source 85−22993
Stocchino, G. Mosfet bridge amplifier for 12 volt operation 86−8005
Stocchino, G., Tognoni, A. Adjustable regulator covers wide range 87−36956
Stochholm, K. 'Correlation between reliability prediction, reliability testing methods and field data' 87−23436
Stochino, G., D'Amico, A. New high performance rectifier circuit configurations 85−34095
Stock, A.F. *see* McClean, J.H. 87−14125
Stock, D. *see* Andra, W. 86−28218
Stock, D. *see* Lenders, W. 85−36222
Stock, D. *see* Wesch, W. 86−41687
Stock, D.E. *see* Kallio, G.A. 86−42773, 88−27458
Stock, D.J.R. Radar target handling in clutter, consideration of the measurement system 85−58188
Stock, D.J.R. *see* Wanielik, G. 88−15544
Stock, E.P. *see* Bigham, C.B. 86−31963
Stock, G. Realisation of integrated-optical absorbers for Ti:LiNbO$_3$ 87−74827
Stock, G. Realisation of integrated optical polarisers for Ti:LiNbO$_3$ with Au, Al and Ti metal cladding 88−65347
Stock, G.N. *see* Hallenbeck, J.J. 85−61183
Stock, H.W., Haase, W. The flow field in the second throat region of a wind tunnel, computed by an Euler method 88−5048
Stock, K.D. Si-photodiode spectral nonlinearity in the infrared 86−42421
Stock, K.D. Internal quantum efficiency of Ge photodiodes 88−26969
Stock, K.D. Optical power meter and their calibration in PTB 88−58169
Stock, K.D. Spectral ageing pattern of carefully handled silicon photodiodes 88−60730
Stock, K.D., Heine, R. On the aging of photovoltaic cells 86−9658
Stock, K.D., Ishido, M. Comments, with reply, on 'Pressure-change detection by infrared sensors of thermal type, thermistor bolometer, and pyroelectric sensor' 86−5310
Stock, P.Van der *see* Van der Stock, P.
Stock, S., Clague, M.B. A microcomputer-based system for the assessment of post-operative fatigue in surgical patients 87−29711
Stock, S.R. *see* Benz, R.G., II 88−31774
Stock, S.R. *see* Summers, C.J. 87−31540
Stockard, P.M., Shilling, S.R. EMS matches new operating philosophy 85−38405
Stockbauer, R., Pararas, A. Construction of an ellipsoidal mirror analyzer for ion detection 88−42423
Stockbauer, R. *see* Kurtz, R.L. 88−42446
Stockbridge, C., Ravin, C.E. Phased implementation of AT&T PACS at Duke University Medical Center 87−21707
Stockbridge, C., Ravin, C.E. Phased implementation of AT&T PACS at Duke University Medical Center 87−77699
Stockdale, J. *see* Belanger, P. 86−28478
Stockel, C.T. *see* Dove, M.J. 86−55388
Stockel, C.T. *see* Grout, V.M. 87−27674
Stockel, J.F. Self-discharge performance and effects of electrolyte concentration on capacity of nickel-hydrogen (Ni/H$_2$) cells 86−33619
Stockel, J.F., Cooper, D.B. Geosynchronous performance of nickel-hydrogen cells [space vehicle power] 85−48427
Stocker, A.C. Small-cell mobile phone systems 85−20069
Stocker, A.D. Dwelltime minimization for radar target detection in the clear 87−49134
Stocker, E., Weiss, P. Structural and electrical properties of TiSi$_2$/Si interfaces in a CMOS technology with self-aligned contacts 88−25973
Stocker, F. Description and analysis of a method for automatic frequency assignment using graph theory 85−14385
Stocker, F. A computerized frequency assignment method based on the theory of graphs 85−42697
Stocker, F. *see* Seiler, W. 86−43966, 88−9711
Stocker, H. Surface acoustic wave devices 85−1815
Stocker, H. The use of permanent magnets and adjustment principles in miniaturizing modern relays 85−18581
Stocker, H. *see* Manner, O. 86−2531
Stocker, H. *see* Taylor, G. 86−45796
Stocker, H.J., Windheim, R. Applications of interest to the Mediterranean countries from R&D projects of the Federal Republic of Germany [wind energy] 86−33244
Stocker, H.R. Second order effect modelling for SAW bandpass filters 87−53867
Stocker, H.R. *see* Ehrmann-Falkenau, E. 87−52707
Stocker, H.R. *see* Ruppel, C. 86−2518, 86−63525, 87−1832
Stocker, J. *see* Hausler, R. 85−53158
Stocker, J.D., Jones, B.K. The gate current noise of junction field effect transistors 85−18353
Stocker, M. A telephone, please! 88−21824
Stocker, R. Non-mains noise filtration and data-logging accuracy 85−14740
Stocker, W.A. *see* Hayes, W.P. 86−20598
Stocker, W.A. *see* Kershaw, R.N. 86−8306
Stockert, B. Electrical equipment for the ten-rope winder of the 'Haard' mine 85−27910
Stockert, H., Emmert, H., Meyer zu Schwabedissen, Ch., Seifert, K. Removal of antimony from the primary circuit of pressurized water reactor plants and performance results at Philippsburg II nuclear power plant 87−57841
Stockford, J.A. Simplifying the switching structure 88−15269
Stockford, J.A. Digital expansion to the local loop 88−35522
Stockham, N.R. *see* Oakley, P.J. 85−51342
Stockham, N.R. *see* Riches, S.T. 88−1307
Stockham, T.G., Jr. *see* Budge, S.E. 88−66698
Stockholm, J.G., Buffet, J.P. Thermoelectric cooling of cabinets with water heat rejection 85−53851
Stockholm, J.G., Schlicklin, P.M. Industrial thermoelectric air cooling in the kilowatt range with heat rejection to air 87−43483
Stockholm, J.G., Schlicklin, P.M. Waste heat thermoelectric generators 88−18094
Stockholm, J.G., Schlicklin, P.M., Goudot, A. Experimental characterization with single-band analysis of bismuth-telluride materials at 300K 86−33724
Stockigt, H. *see* Morgner, W. 87−381
Stocking, W.R. HF antennas: all bands, all wire 87−7591
Stocking, W.R. Resonant wire antennas 87−7598
Stockinger, F.J. Change of probability distribution with the application of multiple-variable-functions on random-variables 86−4698
Stockinger, J. *see* Reichmeyer, H. 87−32592
Stockinger, N., Dutter, R. Robust time series analysis: a survey 87−31393
Stockl, R., Schwindt, G. Manufacturing process and assembling line of guideway and its components of the TRANSRAPID Maglev system 87−64921
Stockle, J. Digital filters in central control techniques 88−42784
Stockler, K. Automatic staircase light controller with two conductors 86−7293
Stockli, E. *see* Linke, J. 88−55913
Stockli, M.P. EBIS development status 88−74711
Stockli, M.P., Carnes, K., Cocke, C.L., Curnutte, B., Eck, J.S., Gray, T.J., Legg, J.C., Richard, P., Arianer, J. KRYEBIS, a proposed Kansas cryogenic electron beam ion source 85−59149
Stockli, M.P., Cocke, C.L. KSU project: CRYEBIS for producing slow, bare, heavy-ion beams 86−55984
Stockman, A., Nicholson, P.S. Ultrasonic characterization of model defects in ceramics. I. Voids in glass−theory and practice 86−57505
Stockman, A., Nicholson, P.S., van den Andel, J. Detection and characterization of spherical particles in glass and glass-ceramic matrices 88−18817
Stockman, G., Chen, S.-W., Hu, G., Shrikhande, N. Recognition of rigid objects using structured light 88−34822
Stockman, G., Esteva, J.C. Use of geometrical constraints and clustering to determine 3D object pose 85−30446
Stockman, G., Esteva, J.C. 3D object pose from clustering with multiple views 85−63111
Stockman, G., Sei-Wang Chen Detecting the pose of rigid objects: a comparison of paradigms 88−46202
Stockman, G. *see* Shrikhande, N. 87−75945
Stockman, G.C. *see* Goshtasby, A. 86−56245
Stockman, H.E. Dependent source theorem 88−70409
Stockmann, H.G. Mosaic-A editing control systems from AEG 86−11308
Stockmann, M., Clemens, P. Planar Bragg cell RF-spectrum analyzer with large time-bandwidth product 86−38308
Stockmann, M., Clemens, P. Acoustooptic spectrum analyzer using a planar Bragg-cell 86−68360
Stockmayer, C. Simulation of transmission and optical-transmission systems 85−47524
Stockmeyer, L. *see* Dwork, C. 87−33854
Stocks, J. The use of Petri nets for modelling dynamic relations 88−11847
Stocks, K., Musgrove, A. MENSA−a regionalized version of MARKAL, the IEA linear programming model for energy systems analysis 85−15489
Stocks, K.J., Maher, K.J., Le, D., Bannister, C.H. An LP model for assessing cogeneration strategies 86−19077
Stockton, D.B., Cupples, E.J. Goal directed man-machine dialog for audio information processing 87−61815
Stockton, D.J. *see* Freeman, R.A. 87−70030
Stockton, J. Megacells simplify end to end design tasks 87−1606
Stockton, J.F. The MC 6801 gets a CMOS cousin 85−17530
Stockton, J.F. Memory management with the M68000 family 85−33936
Stockton, J.F. Megacells 86−57555
Stockton, J.F. Megacells offer high density design alternatives 87−585
Stockton, J.F. RISC machine design motivations 87−787
Stockton, J.F., Farrell, J.J., III The VL86C010 RISC family 88−817
Stockton, J.R. Mk.I NPL digital sampling AC wattmeter 86−5371
Stockton, J.R. Towards the accurate digitisation of smoothly varying waveforms 87−29028
Stockton, J.R. On improved methods for timing the digitisation of AC waveforms 88−16249
Stockton, T.E. Semiconductor lasers expand their military applications 87−26392
Stockton, T.E. A review of Fabry-Perot and DFB lasers for use in 1.55 micron fiber optic communications systems 88−14212
Stockton, T.E. *see* Rashid, A.A.M. 88−20652
Stockton, T.E. *see* Rashid, A.M. 88−34035
Stockum, L., Profeta, J., Ballou, L. Precision stabilization system design to reduce the effects of friction 88−61595
Stockwell, D.A. *see* Blanchard, R.C., Sr. 85−785
Stockwin, P.A. *see* Birch, M.J. 87−24134
Stoddard, D. *see* Hoitt, L.A. 87−6249
Stoddard, J.C. *see* Hsing, T.R. 85−36793
Stoddard, L.E., Levy, S.L. Integrated photovoltaic central station conceptual design 86−6656
Stoddard, L.E. *see* Levy, S.L. 87−9841

Stoddard, M.C., Bergan, N.E. The application of infrared thermography to solar central receiver temperature measurements. II. Receiver evaluation 85−52674
Stoddard, M.C. *see* Bergan, N.E. 85−52673
Stoddard, M.C. *see* Falcone, P.K. 87−42722
Stoddard, P.Kraft *see* Kraft Stoddard, P.
Stoddard, R. Stalking the Mobilesats market 87−13653
Stoddard, R. Reuters' way. Satellites play a substantial role in Reuters' sprawling worldwide network 87−28459
Stoddard, R. Taking politics to the skies [satellite communications] 88−41596
Stoddard, R., Grimes, A.J. US DBS on the comeback trail 88−67316
Stoddard, W.G., Davis, C.W., Lathrop, J.W. Accelerated stress testing of amorphous silicon solar cells 85−65462
Stoddard, W.G. *see* Lathrop, J.W. 86−40149
Stoddart, A.G., Dell, P.W. Project management and control requirements 86−66568
Stoddart, H. *see* Landis, G.A. 88−37504
Stoddart, H. *see* Thomsen, C. 86−42408
Stoddart, H.A., Tauc, J., Vardeny, Z., Zeldor, E., Weiser, K. Effect of bias illumination on photoinduced absorption decay in a *a*-Si:H [comment and reply] 85−24373
Stodieck, L.S., Luttges, M.W. Relationships between the electrocardiogram and phonocardiogram: potential for improved heart monitoring 85−64591
Stodieck, S.R.G. *see* Wieser, H.G. 86−25229
Stodola, E.K. Some examples of post World War II radar work in the USA 85−58163
Stodola, E.K. World War II army coherent pulse search radar for moving target detection 86−17515
Stodola, J. Input mixers of ground receivers for satellite broadcasting services 86−58069
Stodolsky, L. *see* Pretzl, K. *(editor)* 88−37853
Stodt, J. *see* Young, C.T. 88−61608
Stoe Tho Mak TWACS, a power line communication technology for power distribution network control and monitoring 86−39125
Stoebe, T. *see* Burke, K.M. 87−31495
Stoebe, T.G. *see* Rayes, I.M. 87−50446
Stoeckel, F., Atkinson, G.H. Time evolution of a broadband quasi-CW dye laser: limitations of sensitivity in intracavity laser spectroscopy 86−15648
Stoeckel, T., Finkenrath, H. Current-voltage spectra of metal/oxide/SnTe diodes. I. Experiments 87−53305
Stoeckel, T. *see* Cottey, A.A. 87−53306
Stoeckli, M. *see* Haessig, M. 88−69197
Stoeff, S. *see* Bachert, H. 86−48410
Stoeff, S. *see* Beister, G. 86−9866
Stoehlker, U. *see* Rabbel, V. 87−57012
Stoehr, B. *see* Anderhub, H. 88−22984, 88−29843
Stoehr, G.R. Analyzing applications, performance in multilayer, Multiwire board technology 85−17945
Stoehr, G.R. Cutting prototype development time and costs using multiwire technology 88−50494
Stoehr, H.G., Holle, J., Kern, H., Mayr, W., Schwanda, G., Thoma, H. Application of gate arrays in implants for nerve stimulation (remobilization of paraplegic patients) 87−21663
Stoehr, R. *see* Witkover, R.L. 88−54114
Stoelzle, A. Multiplication-unit for adder-based signal processors using a modified 2nd order Booth algorithm 86−67256
Stoelzle, A. *see* Drews, W. 87−59596
Stocmenos, J., Jaussaud, C., Brue, M., Margail, J. New conditions for synthesizing SOI structures by high dose oxygen implantation 86−28053
Stoemenos, J., Margail, J. Nucleation and growth of oxide precipitates in silicon implanted with oxygen 86−41705
Stoemenos, J. *see* Dimitriadis, C.A. 88−32853
Stoemenos, J. *see* Hemment, P.L.F. 87−38102
Stoemenos, J. *see* Hilsum, C. 88−74540
Stoemenos, J. *see* Jaussaud, C. 85−45514
Stoemenos, J. *see* Karakostas, T. 88−43936
Stoemenos, J. *see* Meakin, D. 88−24784, 88−38227
Stoemenos, J. *see* Meakin, D.B. 87−60446, 88−12035
Stoemenos, J. *see* Reeson, K.J. 88−26029
Stoenescu, Gh. *see* Grosu, N.D. 85−35638
Stoenescu, V., Butnaru, E. The recovery of low temperature heat with organic fluid turbogenerator units 85−53534
Stoeppel, G. *see* Jacklitch, E. 88−36147
Stoermer, P. *see* Brown, D. 85−56053
Stoessner, J. Troubleshooting microprocessor-based systems 85−20456
Stoev, A. *see* Kaschel, J. 87−15857
Stoev, A. *see* Schonfeld, R. 86−13123
Stoev, I., Bauer, F. Field stress degradation in depletion-mode *n*-channel MOSFETs 86−28310
Stoev, I., Bauer, F., Balk, P. Hot-hole-induced degradation in depletion-mode *n*-channel MOSFETs 85−18323
Stoev, I., Simov, S., Simova, E., Bonnet, N., Balossier, G. Scanning electron microscopy of the geometry of V-groove structures 87−65176
Stoev, I. *see* Angelov, I. 86−40928, 88−56952
Stoev, I.G. Characteristics of short-channel MOSFET with buried channel 86−9131
Stoev, I.G. *see* Gueorguiev, V.K. 86−47458
Stoev, I.G. *see* Kassabov, J.D. 86−9014
Stoev, I.K. *see* Simeonova, S.V. 88−50399
Stoev, N.A. *see* Zubarevich, S.E. 87−14530
Stoeva, A., Urshev, L., Angelov, I., Guguljanov, I. A unified method for the analysis of planar multidielectric structures 88−44891
Stoeva, A. *see* Angelov, I. 88−50299
Stoeva, N.I. *see* Sarov, G.A. 87−18077
Stoeva, S.P., Bobcheva, M.L. Control algorithm synthesis of inverter schemes 88−55515
Stoeve, A. *see* Smith, N.W. 85−26864
Stoever, J.H. *see* Weiss, J.D. 86−2659
Stoewer, H. *see* Reinhartz, K. 87−77703
Stofanik, A. Inverter with two position regulation and sine output voltage 86−45502
Stofanik, A. A contribution to the optimization of the output LC filter at constant frequency and two level controlled inverters 86−57654
Stofel, E.J., Mardesich, N. Long-life, lightweight solar array testing 86−7029
Stofel, E.J. *see* Kukulka, J.R. 87−4920
Stoff, H. *see* Kovacs, P. 85−43885
Stoff, H.T.C. *see* Verhaar, B.J. 88−20528
Stoffa, P.L. *see* McCowan, D.W. 85−26886
Stoffel, J. *see* Schaffer, G. 87−42312
Stoffel, J.B. *see* Fast, R.W. 86−50261
Stoffel, N.G., Johnson, P.D. A low-energy high-brightness electron gun for inverse photoemission 85−34420
Stoffel, N.G. *see* Kapon, E. 88−26838, 88−33996, 88−65678
Stoffelen, H.J.H. *see* Hasker, J. 86−14779
Stoffels, B. Cellular−up and running 85−3385
Stoffels, B. The T1 phenomenon [digital communication carriers] 87−55930
Stoffels, H., Nordholt, E.H. Automated noise optimizating in amplifiers 86−67062
Stoffels, P.R. Which service is best for your community? Update on 911 [emergency telephone number] 88−34991
Stoffer, R. *see* Hahn, V. 85−59993
Stoffl, W., Henry, E.A. An electron spectrometer with a superconducting magnet transporter for in-beam use 85−15255
Stoffregen, B. Scanning laser Doppler vibration analysis system 85−47835
Stoffregen, B. *see* Felske, A. 87−75294
Stofka, M. A two-pole with current limiting 87−52365
Stofko, M.J. *see* Christens, J.M. 85−27260
Stofleth, J.H., Owenby, R.N. Jet formation and characterization of a conical shaped charge 88−48414
Stogdale, N.F. Self-aligned titanium silicide by RTA for shallow source-drains in one-micron CMOS technology 88−64784
Stogdale, N.F. *see* Butler, A.L. 88−71798
Stoger, H. Experiments on the mechanical resistance of the outer jackets of VPE-insulated medium voltage cable 85−21236
Stoger, H. Cable installation 87−4391
Stoger, H., Stubbe, R., Ulrich, M. Stresses and behaviour of polyethylene sheaths [cable sheaths] 85−59800
Stoger, H., Stubbe, R., Ulrich, M. Stresses and behaviour of polyethylene jackets [cable jackets] 86−6363
Stoger, R. *see* Gerlinger, H. 86−50106, 88−36259
Stogerer, J.K. *see* Mulner, H. 86−37447
Stogner, H., Preis, K., Richter, K.R. Three-dimensional finite element magnetic field and eddy current calculations 87−35912
Stogner, H. *see* Magele, C. 88−52075
Stogner, H. *see* Renhart, W. 88−52108
Stogner, H. *see* Rinolfi, L. 86−31861
Stognii, B.S., Boryu, N.V., Makhlin, P.V., Slyn'ko, V.M. Indirect method of determining errors in cascade current transformers under transient conditions 86−39909
Stognii, B.S., Godlevskii, V.S., Kirilenko, A.V., Demin, A.E. Structural methods of regenerating the input signal of electromagnetic measuring current converters 85−28677
Stognii, B.S., Slyn'ko, V.M., Demin, A.E., Vainshtein, Yu.A., Burtsev, G.A. Accuracy of welding current transducers 86−55614
Stognii, B.S., Tankevich, E.N., Bogdanevich, N.A. Switching-off characteristics of measuring current transformers 88−17683
Stognii, B.S., Zakharov, B.V., Slyn'ko, V.M., Bespalyi, A.F., Boryu, N.V., Kalashnichenko, A.I., Makhlin, P.V. Standard current transformer for measurements under transient conditions 86−5219
Stognii, B.S. *see* Boryu, N.V. 85−21694
Stognii, B.S. *see* Krivonos, V.P. 85−5559
Stognii, B.S. *see* Nazarenko, V.M. 87−9219
Stognin, B.S., Orobets, Yu.N., Vainshtein, Yu.A. Investigation of the operation of current measuring converters using mathematical modelling of stochastic actions 85−26271
Stogov, V.I. *see* Afanas'ev, A.A. 87−78504
Stogov, V.M. *see* Shnell, R.V. 88−23486
Stogova, V.A. *see* Sheftel', I.T. 86−35128
Stogryn, A. Strong fluctuation theory for moist granular media 85−38324
Stogryn, A., Desargant, G.J. The dielectric properties of brine in sea ice at microwave frequencies 85−48063
Stohlberg, J., Adams, D. Faster chips for process control 86−21628
Stohr, B. *see* Anderhub, H. 87−21420
Stohr, E.A., Hoevel, L., Haynes, L., Chu, Y., Speckhard, A., Shriver, B.D., Grams, R.R., Sprague, R.H., Jr. *(editor)* Proceedings of the Twentieth Hawaii International Conference on System Sciences 1987 87−58537
Stohr, H., Frey, M., Holle, J., Kern, H., Mayr, W., Schwanda, G., Thoma, H. Customized integrated circuit design used in implantable nerve stimulation systems 86−32350
Stohr, H. *see* Schwanda, G. 86−32382
Stohr, J. *see* Abeles, B. 85−18134
Stohr, J. *see* Fischer, D.A. 86−60567
Stohr, J. *see* Jark, W. 88−42462
Stoia, D., Moiseanu, A. Finite element analysis of DC moving coil motors 87−43066
Stoia, D., Moiseanu, A., Radulescu, M.M. Finite-element magnetic field analysis of permanent-magnet DC motors 85−9920
Stoia, D. *see* Apetrei, C. 87−30617
Stoia, D. *see* Radulescu, M.M. 85−39019
Stoiaken, L.N. Modular cogeneration: full steam ahead 88−11034
Stoian, M. *see* Moraru, D. 85−53608
Stoian, M. *see* Soiculescu, I. 87−57942
Stoian, M. *see* Tanasescu, F.T. 85−32390
Stoianova, P.I., Andreichin, R.E. Coordinate sensitive photoelement on the basis of the photoelectret state in vitreous semiconductors 85−35634
Stoianova, R.K. *see* Dafinova, R.M. 86−9673
Stoiantschewsky, S.O. *see* Greub, H.J. 88−25271
Stoica, A. *see* Teodorescu, H.N. 87−77474
Stoica, M. *see* Popescu, I.M. 85−6801
Stoica, M. *see* Sachelarie, D. 86−26801, 87−67067
Stoica, P., Friedlander, B., Soderstrom, T. Asymptotic properties of high-order Yule-Walker estimates of frequencies of multiple sinusoids 87−19775
Stoica, P., Friedlander, B., Soderstrom, T. Asymptotic bias of the high-order autoregressive estimates of sinusoidal frequencies 87−69094
Stoica, P., Nehorai, A. The poles of symmetric linear prediction models lie on the unit circle 87−12993
Stoica, P., Nehorai, A. On stability and root location of linear prediction models 87−47667
Stoica, P., Nehorai, A. On the asymptotic distribution of exponentially weighted prediction error estimators 88−27904
Stoica, P., Nehorai, A. Study of the statistical performance of the Pisarenko harmonic decomposition method 88−34642
Stoica, P., Nehorai, A. Performance analysis of an adaptive notch filter with constrained poles and zeros 88−59143
Stoica, P., Nehorai, A. On linear prediction models constrained to have unit-modulus poles and their use for sinusoidal frequency estimation 88−59146
Stoica, P., Nehorai, A. MUSIC, maximum likelihood and Cramer-Rao bound 88−73050
Stoica, P., Nehorai, A. Statistical analysis of two non-linear least-squares estimators of sine waves parameters in the colored noise 88−73074
Stoica, P., Nehorai, A., Kay, S.M. Statistical analysis of the least squares autoregressive estimator in the presence of noise 87−75795
Stoica, P., Soderstrom, T. Optimization with respect to covariance sequence parameters 86−22853
Stoica, P. *see* Curelaru, F. 88−59130
Stoica, P. *see* Moses, R. 87−62091
Stoica, P. *see* Nehorai, A. 87−61978, 88−66570, 88−72917
Stoica, P. *see* Soderstrom, T. 88−59148
Stoica, S. Why a test chip? 87−66060
Stoica, T. *see* Popescu, C. 87−78925, 88−24780
Stoicia, P., Nehorai, A. Performance analysis of the minimal parameter adaptive notch filter with constrained poles and zeros 87−27523
Stoicoviciu, L., Candea, R.M. Polycrystalline p-WSe$_2$ photoelectrochemical solar cells. I. Dark electrochemical behavior 85−21809
Stoicovy, S.C. Geared vs. gearless adjustable speed drive systems in the pulp and paper industry 87−65007
Stoikova, L.S. *see* Shpak, V.D. 86−13543
Stoiljkovic, J. Spectral-domain calculation of characteristic impedance of shielded microstrip line 86−22743
Stoiljkovic, V. Determination of resonance frequency of cylinder-type dielectric resonator 86−8429
Stoiljkovic, V. The simple method of determination of resonance frequency of cylindrical inductive resonator 88−7032
Stoiljkovic, V., Golubcic, Z. Microwave Gunn oscillator for Ku band 87−52866
Stoiljkovic, V. *see* Stojkovic, I. 88−12576

Stoilov, E.I. On the flying horizon method used for traffic optimization in process control communication systems 87−19367
Stoilov, E.I. On-line multilevel-multilayer control in local area networks 88−21657
Stoilov, E.I., Kissiov, M.P., Strugarova, M.S. Traffic control and optimization in process control communication systems 88−15122
Stoilov, E.I., Strugarova, M.S. Optimizing traffic in local area networks 87−40346
Stoilov, E.I. *see* Sgurev, V.S. 86−43558
Stoilov, S. *see* Marazov, O. 85−56538
Stoilov, S. *see* Marazov, O.R. 85−56541
Stoilov, S.Kh., Marazov, O.R. Energy conversion efficiency in a copper-vapor laser 85−46338
Stoilov, T.A. *see* Mladenov, D.I. 86−37956 to 37958
Stoilov, Yu.Yu., Bazhulin, S.P. Lasing of a solution of coumarin 6 in the bleaching wave regime 86−68479
Stoilov, Yu.Yu., Startsev, A.V. Spatial, angular, and spectral changes of radiation emitted from lasers utilizing vapors of complex organic compounds 85−18889
Stoilov, Yu.Yu. *see* Bazhulin, S.P. 88−27094, 88−40165
Stoilov, Yu.Yu. *see* Zuev, V.S. 85−24665
Stoilova, K.P. *see* Mladenov, D.I. 86−37956 to 37958
Stoinov, T. *see* Atanassov, Y. 86−64720
Stoisiek, M., Beyer, M., Kiffe, W., Schultz, H., Schmid, H., Schwarzbauer, H., Stengl, R., Turkes, P., Theis, D. A large area MOS-GTO with wafer-repair technique 88−39431
Stoisiek, M., Patalong, H. Power devices with MOS-controlled emitter shorts [power thyristors] 85−39115
Stoisiek, M., Sittig, R. Power thyristors using IC-technology 87−53736
Stoisiek, M., Strack, H. MOS GTO−A turn off thyristor with MOS-controlled emitter shorts 86−47560
Stoisiek, M., Theis, D. Turn-on principles of MOS-GTO 87−18120
Stoisiek, M., Theis, D. Turn-on principles of the MOS-GTO 88−13365
Stojadinovic, A., Meyer, F., Wehmann, U. Criticality study for the post accident heat removal (PAHR) problem in liquid metal cooled fast breeder reactors 86−6509
Stojadinovic, N., Dimitrijev, S., Mijalkovic, S. Effects of high field stresses on threshold voltage of CMOS transistors 85−45713
Stojadinovic, N. *see* Dimitrijev, S. 87−74286, 88−1665, 88−13584, 88−39692
Stojadinovic, N. *see* Mijalkovic, S. 87−67401
Stojadinovic, N. *see* Pesic, B. 88−71567
Stojadinovic, N. *see* Zivic, Z. 85−35192
Stojakovic, M., Vasiljevic, N., Savic, B. The concept of determination and monitoring operating life of parts of thermal facilities [power station turbines] 85−32339
Stojakovic, S., Milekovic, I. Tyrect C-RK converters for the supply of DC motors 88−30736
Stojan, M., Netusil, M., Boudik, F., Rezna, A., Rezny, J., Slavicek, J., Vancura, J. Body surface repolarization isopotential maps and coronary-arteriographic findings in patients with chronic coronary heart disease 86−11999
Stojan Ristic Characteristics of strongly doped semiconductors 85−28930
Stojancic, M. *see* Eichmann, G. 87−39937, 87−55250
Stojanoff, C.G., Tholl, H.D., Kubitzek, R. Design and optimization of holographic solar concentrators 88−51959
Stojanoff, C.G., Windeln, W. Development of holographic notch filters and filter stacks for specific spectral transmission 87−68661
Stojanoff, C.G., Windeln, W. Development of high efficiency holographic optical elements 88−40364
Stojanoff, C.G., Windeln, W., Tropartz, S. Investigation of the properties of dichromated gelatin layers and their influence on the diffraction efficiency and on the bandwidth of holographic solar concentrators 88−51960
Stojanoff, C.G. *see* Windein, W. 88−47723
Stojanoff, C.G. *see* Windeln, W. 87−26570
Stojanoff, H. A study of long term stability of connections to thick film semiconductor devices 88−25623
Stojanoff, H., Blasek, G., Herenz, A. Long-term stability of solder contacts on thick film wiring supports 88−50544
Stojanoff, V. *see* Bulla, D.A.P. 88−13101
Stojanoff, V. *see* Hahn, S. 87−31473
Stojanovic, B. *see* Begovic, M. 85−43656
Stojanovic, B. *see* Bosnjakovic, P. 86−24643
Stojanovic, B. *see* Miljanic, P. 86−24645, 87−14358
Stojanovic, B. *see* Miljanic, P.N. 87−14381, 88−16396
Stojanovic, B.M. *see* Bosnjakovic, P.M. 87−49832
Stojanovic, I. *see* Paunovic, D. 86−29396
Stojanovic, I.S. *see* Dukic, M.L. 85−13154
Stojanovic, I.S. *see* Mirkovic, M.D. 87−33596
Stojanovic, I.S. *see* Paunovic, D.S. 85−3382, 88−15724
Stojanovic, I.S. *see* Pejanovic, M.M. 87−27139
Stojanovic, I.S. *see* Stojanovic, Z.D. 86−27162, 88−2644
Stojanovic, P.I., Kirby, R.C. Decisions of the XVIth CCIR Plenary Assembly 87−13192
Stojanovic, Z. *see* Paunovic, D. 86−29396
Stojanovic, Z.D., Dukic, M.L., Stojanovic, I.S. A PSK demodulator reducing adjacent radio-channel interference noise 86−27162
Stojanovic, Z.D., Dukic, M.L., Stojanovic, I.S. A new method for the narrow-band interference rejection in the direct sequence spread-spectrum systems using transversal filters 88−2644
Stojanovic, Z.D. *see* Dukic, M.L. 85−13154
Stojanovic, Z.D. *see* Paunovic, D.S. 85−3382
Stojanovic, Z.D. *see* Stojkovic, M.P. 85−14095
Stojanovski, D. Electronic time-lag relays in automatically controlled electric power plants 88−5806
Stojanovski, P. The deviation from the linearity of the $U_{be}=f(T)$ characteristic of silicon transistors 85−29195
Stojcev, M. *see* Jevtic, M. 86−17600
Stojcev, M. *see* Kosanovic, M. 85−14447
Stojic, M. *see* Zizic, O. 85−55503
Stojic, M.R. Design of the microprocessor-based digital system for DC motor speed control 85−5105
Stojic, M.R. *see* Stankovic, R.S. 88−34626
Stojiljkovic, Z., Novakovic, R., Milosevic, O., Bozovic, Z. A multiparametric analysis of sintering of varistors based on ZnO 87−31591
Stojilkovic, Z., Bozovic, Z. The clinical engineering organization in Belgrade health care system 88−61216
Stojkovic, I., Stoiljkovic, V. Experimental definition of Q-factor of dielectric resonator coupled with microstrip line 88−12576
Stojkovic, M.P., Stojanovic, Z.D. Error probability variation due to the nonlinearity of the TDMA/PSK multicarrier system caused by on-off bursting 85−14095
Stojnaovic, I.S. *see* Beca, H.O. 86−30615
Stojsavljevic, M. *see* Culinovic, B. 87−21834
Stojsavljevic, M. *see* Zoricic, D. 86−61498
Stok, L., van den Born, R., Janssen, G.L.J.M. High level of a silicon compiler 87−31653
Stok, P.van der *see* van der Stok, P.
Stoker, G.C. *see* Gieske, J.H. 85−6088
Stoker, J. *see* Gough, D. 88−54200
Stoker, R.G., Kijowski, P.J. Use of pressure zone microphones with FM auditory training equipment to improve signal to noise ratio 88−61461
Stokes, A. The Trio-Kenwood 'TS-430S' transceiver 85−30919
Stokes, A. Communications technology−the Network Layer 86−59435
Stokes, A. LANs going cheap 88−3500
Stokes, A. OSI report 88−28344
Stokes, A. ONA−British Telecom's open network architecture 88−35071
Stokes, A. Implementation of OSI in the National Health Service 88−73612
Stokes, A.D., Manganaro, S., Colombo, E., Mantovani, E. Circuit interruption prediction using a current dependent arc model [SF_6 puffer circuit breakers] 86−51840
Stokes, A.D. *see* Agarwal, M.S. 88−7132
Stokes, A.D. *see* Matsumura, T. 86−26228, 87−22656
Stokes, A.D. *see* Oppenlander, W.T. 86−26217
Stokes, A.D. *see* Schmidt-Harms, C.A. 87−52949
Stokes, A.V. Installation of a LAN at St. Thomas's Hospital 85−8200
Stokes, A.V. Communications technology: data security in networks 85−19621
Stokes, A.V. Telecommunications and data security 86−4107
Stokes, A.V. Distributed processing: a strategy for health care computing 86−16903
Stokes, A.V. Voice and data 86−23252
Stokes, A.V. The Physical Layer [Open Systems Interconnection model] 86−49242
Stokes, A.V. The transport layer. V 86−59623
Stokes, A.V. An annotated bibliography of communications standards 86−64413
Stokes, A.V. LAN extension and conformance to the OSI model: issues and approaches for the user 86−69478
Stokes, A.V. The Hewlett-Packard 4971S LAN protocol analyser 86−70066
Stokes, A.V. The presentation layer. VII 87−13359
Stokes, A.V. Current status of standardisation in the upper levels of OSI 88−14966
Stokes, A.V. *(editor)* Communications standards. State of the art report 86−61837
Stokes, G.H., Stupin, D.M., Elliott, N.E., Graser, M., Jr. Pockels readout optical modulator: an X-ray imaging detector that maintains good efficiency over a broad energy range 86−18269
Stokes, G.H. *see* Tabacco, M.B. 88−58125
Stokes, H.K. *see* Cooper, R.K. 88−54329
Stokes, H.W., Khan, M.R., Krishnasamy, S., Koziak, W.W., Bukhanov, T. 16 PRV blow-through test at Bruce 'B' GS 85−65069
Stokes, L.F. Environmental testing of a prototype open-loop fiber optic gyro for space applications 88−42133
Stokes, L.F. *see* Bielas, M.S. 88−10008
Stokes, L.F. *see* Digonnet, M.J.F. 86−2764
Stokes, L.F. *see* Feth, J.R. 87−12170
Stokes, N. Harnessing micros for humidity checks 87−77195
Stokes, N.A.D., Fatah, F.M.A., Venkatesh, S. Self-excited vibrations of optical microresonators 88−60742
Stokes, R. Industry has money to burn [energy saving in motors] 87−15634
Stokes, R. Traces for hardware verification 87−18192
Stokes, R.B., Yen, K.H., Lau, K.F. SBAW versus SAW oscillator aging 85−62178
Stokes, R.B. *see* Elliott, J.H. 87−6964, 87−32824, 87−60756
Stokes, R.B. *see* Lau, K.F. 85−18537
Stokes, R.H., Minerbo, G.N. Scheme to funnel ion beams with a radio-frequency quadrupole 86−60443
Stokes, R.H., Wangler, T.P., Crandall, K.R. RFQ accelerators for heating thermonuclear plasmas 88−47792
Stokes, R.J. *see* Koepke, B.G. 87−67628
Stokes, R.W. Recent developments in semiconductor converters for motor drives 86−7199
Stokes, V.K. Nominal stresses in molded commutators 86−26069
Stokes, W. *see* Brown, D. 88−68107
Stokesberry, D. *see* Heatley, S. 88−67047
Stokke, K.N. Ground conductivity measurements 85−13422
Stokke, K.N. Calculation and measurement of noise in reception of satellite radio broadcasts 86−4601
Stokke, K.N. World atlas of ground conductivities with particular emphasis on the high latitude region 86−59085
Stokke, K.N. A method of measuring the deviation and bandwidth of FM broadcast transmission 86−60002
Stokke, K.N. Measurement of deviation and bandwidth of a local FM transmitter 87−56341
Stokke, K.N. Measurements of signals from a radio beacon. Influence of the ground conductivity 88−45699
Stokke, K.N. *see* Anfinnsen, V. 88−9706
Stokke, K.N. *see* Danielsen, A.B. 88−9705
Stokkebo, O. Ulla Forre hydropower and pumped storage system 88−69221
Stokkel, L.A., Klinkenberg-Knol, E.C., Breedijk, M. Microcomputer system for long-term ambulatory pH recording 87−35384
Stokker, P.van der *see* van der Stokker, P.
Stokker, P.van der *see* van der Stokker, P.
Stokkmo, O. Projecting and short-term planning [telecommunications] 87−31249
Stokkom, H.T.C.van *see* van Stokkom, H.T.C.
Stokl, C. Safety in the laser laboratory 85−24628
Stokla, W.P.G. Teletext, a new service, a new way of communication 85−19758
Stokla, W.P.G. Teletext looks forward 85−25425
Stokla, W.P.G. What makes teletext work 85−25433
Stoklitskii, S.A. *see* Alekseev, V.I. 86−22425
Stoklitskii, S.A. *see* Andronov, A.A. 88−8163
Stoklitskii, S.A. *see* Mityagin, Yu.A. 87−68430, 88−51785
Stoklosa, A. *see* Molenda, J. 87−74023
Stokoe, J.C.D. *see* Hinds, D.J. 85−49850
Stokowski, S., Caird, J., Shinn, M., Smith, L., Wilder, R. GSGG crystal growth and quality: a status report 87−5388
Stokowski, S.E. Nd:Cr:GSGG, will it replace Nd:YAG? 88−20617
Stokowski, S.E., Randles, M.H., Morris, R.C. Growth and characterization of large Nd,Cr:GSGG crystals for high-average-power slab lasers 88−65621
Stokowski, S.E., Shinn, M.D., Randles, M., Dawes, D. Large Nd,Cr:GSGG boule growth and quality 88−14137
Stokowski, S.E. *see* Cook, L.M. 85−41103
Stokowski, S.E. *see* Fratello, V.J. 88−11955
Stokowski, S.E. *see* Krupke, W.F. 86−29101
Stokowski, S.E. *see* Meissner, H.E. 88−2199
Stokowski, S.E. *see* Summers, M.A. 87−46828
Stokstad, R.G., Albiston, C.R., Bantel, M., Chan, Y., Countryman, P.J., Gazes, S., Harvey, B.G., Homeyer, H., Murphy, M.J., Tserruya, I., Van Bibber, K., Walda, S. Study of transfer and breakup reactions with the plastic box 86−44578
Stokstad, R.G. *see* Bantel, M. 85−15183
Stokstad, R.G. *see* Pouliot, J. 88−61144
Stokstad, R.G. *see* Schmidt, H.R. 86−25129
Stokum, F.R. *see* Lenk, D.W. 88−75216
Stokum, Gy. The R and D activity of the Measurement and Instrumentation Service of the Hungarian Academy of Sciences 86−31125
Stol, N. *see* Helvik, B.E. 87−34515
Stolarczyk, L.G., Dobroski, H., Jr. Medium frequency vehicular control and communication systems for underground mines 85−3388
Stolarczyk, L.G., Dobroski, H., Jr. Medium frequency vehicular control and communication systems for underground mines 85−42498
Stolarczyk, L.G. *see* Dobroski, H., Jr. 86−4503

Stolarski, E. *see* Czerwinski, A.J. 85−20315
Stolarski, E. *see* Grzegorczyk, A. 85−3947, 86−13444, 88−39632
Stolarski, E. *see* Kern, J. 87−46091
Stolarski, E. *see* Kwiatkowski, R. 85−157, 85−703
Stolaruk, R. *see* Negahban-Hagh, M. 88−70576
Stolarz, S. *see* Walczuk, E. 87−43317, 88−5797
Stolarz, W. *see* Ottischnig, R. 87−58218
Stolba, G. *see* Zeger, J. 86−50451
Stolbov, V.I., El'tsov, V.V. Repair of castings of magnesium alloys using a three-phase arc 85−53985
Stolbova, L.A. *see* Sazhin, S.G. 85−52632
Stolbovoi, L.N. The relative permittivity of polyethylene foam insulation 85−30843
Stolbovskii, V.M. *see* Smirnov, B.N. 88−12895
Stoldt, C. *see* Franke, D. 88−35826
Stolen, R.H. Single-mode fiber devices 85−2050
Stolen, R.H. Nonlinear propagation effects in glass fibers 85−50978
Stolen, R.H. Fiber nonlinear optics-problems, limitations, and opportunities 86−2829
Stolen, R.H. Polishing-induced birefringence in single-mode fibers 86−36122
Stolen, R.H., Ashkin, A., Bowers, J.E., Dziedzic, J.M., Pleibel, W. Polarization-selective fiber directional coupler 86−22124
Stolen, R.H., Ashkin, A., Pleibel, W., Dziedzic, J.M. Polarization-selective 3-dB fiber directional coupler 86−9517
Stolen, R.H., De Paula, R.P. Single-mode fiber components 88−20378
Stolen, R.H., Johnson, A.M. The effect of pulse walkoff on stimulated Raman scattering in fibers 87−12120
Stolen, R.H., Pleibel, W., Simpson, J.R. High-birefringence optical fibres by preform deformation 85−12574
Stolen, R.H., Pleibel, W., Simpson, J.R., Reed, W.A., Mitchell, G. Short W-tunnelling fibre polarisers 88−45074
Stolen, R.H., Tom, H.W.K. Self-organized phase-matched harmonic generation in optical fibers 87−75245
Stolen, R.H. *see* Dziedzic, J.M. 85−2021
Stolen, R.H. *see* Heritage, J.P. 85−56282
Stolen, R.H. *see* Islam, M.N. 87−68134, 88−2205
Stolen, R.H. *see* Knox, W.H. 85−56783
Stolen, R.H. *see* Mollenauer, L.F. 85−46168
Stolen, R.H. *see* Simpson, J.R. 88−13879
Stolen, R.H. *see* Tom, H.W.K. 88−58671
Stolen, R.H. *see* Tomlinson, W.J. 86−2762
Stolen, R.H. *see* Trillo, S. 87−18596
Stolen, R.H. *see* Weiner, A.M. 88−34113
Stoleru, B., Voinea, D., Petre, N. ISPE conceptual design of the 110-400 kV substations 87−51285
Stoleru, B. *see* Rascu, P. 87−50635
Stoletov, G.D. *see* Azhgirei, L.S. 88−61154
Stoletov, G.D. *see* Boreiko, V.F. 88−68298
Stolfi, F., de Jonge, A.K. Stirling cryogenerators with linear drive 85−49211
Stolfi, J. *see* Guibas, L.J. 87−72972
Stolinski, R., Leonard, J. Parts obsolescence: a new concern for EEs 88−6222
Stolinski, R. *see* Leonard, J.V. 88−71744
Stolk, A. *see* Verplancke, J. 86−50455
Stolka, M., Abkowitz, M. Electronic transport in glassy silicon−backbone polymers 88−1400
Stoll, A., Wenzel, G. Realization of Signalling System No.7 in an ISDN 85−51918
Stoll, A. *see* Lampe, B. 85−47376
Stoll, B. *see* Brown, D. 86−2257
Stoll, D. TOM [drum-computer with digital-stored sound] 86−4901
Stoll, D. Loudspeaker 86−11337
Stoll, D. Test report on Soundtracs 16/6 monitor [audio mixer] 86−38130
Stoll, E. Image-processing and pattern recognition of scanning tunneling microscope data 87−45548
Stoll, G. Pitch of vowels: experimental and theoretical investigation of its dependence on vowel quality 85−7830
Stoll, G., Urban, P. Experiments on the audibility of aliasing distortion 86−44054
Stoll, G. *see* Theile, G. 87−68958
Stoll, H. *see* Castricher, G. 88−19814
Stoll, H. *see* Enke, K. 88−12078
Stoll, H. *see* Hussla, I. 87−60334
Stoll, H.G. *see* Felak, R.P. 88−36733
Stoll, H.G. *see* McDonough, C.M. 88−10944
Stoll, H.M. *see* Jannson, T. 87−55296
Stoll, H.M. *see* Karaguleff, C. 87−12588
Stoll, H.W. Design for manufacture 88−31439
Stoll, L. LCDs tested fully automatically 86−38444
Stoll, L. *see* Paulus, P. 88−19350
Stoll, L. *see* Schleer, E. 87−66685
Stoll, P.A. PMX: a hardware solution to the VLSI model availability problem 86−46737
Stoll, R.D. *see* Frohling, W. 86−45892
Stoll, R.L. Damping tests on a small superconducting synchronous generator 87−42918
Stoll, R.L., Hennache, A. Analysis and detection of shorted turns in the rotor winding of synchronous machines 87−15705
Stoll, R.L., Hennache, A. Effect of rotor eccentricity on the detection of shorted field winding turns in large synchronous machines using air gap search coils 88−11211
Stoll, R.L. *see* Leurs, L. 86−39737
Stoll, R.W. *see* Wilson, R.H. 86−28456, 87−5485
Stoll, U. *see* Ackermann, G. 88−75365
Stoll, W. *see* Brandstetter, A. 85−9643
Stoll, W. *see* Gantenbein, D. 88−9203
Stollard, W.A. *see* Lord, A. 88−28827
Stolle, D. *see* Peier, D. 87−57700
Stolle, D.M. *see* Hahn, J.J. 85−13664
Stolle, M.A. Cable shielding test advancements 88−54993
Stolle, P. *see* van Delft, D.R.V. 88−48830
Stollenmaier, F. *see* Jonas, J. 85−47787
Stollenwerk, F. Compatible improved TV systems and their subjective evaluation 85−52480
Stollenwerk, F. On the relation between line flicker and spot size 86−43956
Stollenwerk, F. Analysis of pairing-errors with line-interlaced scanning 86−49800
Stollenwerk, F. Viewing distance of future TV systems 86−60009
Stollenwerk, F. RDS−a new service in USW radio [Radio Data System] 87−56322
Stollenwerk, F. Data transmission over UHF radio transmissions, using the RDS system 88−46751
Stollenwerk, F., Schroder, H. Comparison of television systems offering better picture quality and compatibility 85−14400
Stoller, A. *see* Borenstein, N. 88−52792
Stoller, C. *see* Balzer, R. 85−20788
Stoller, C. *see* Nessi, M. 85−20864
Stoller, C. *see* Suter, M. 85−20765
Stoller, F. *see* Levy, R. 86−68847
Stoller, F.W. *see* Bathker, D.A. 86−68896
Stoller, H.F. A novel satellite communications monitor using commercial products 88−3919
Stoller, H.I. *see* Kraus, C.J. 85−10514
Stoller, K.P., Taff, B.E. Remote physiological sensing: historical perspective, theories and preliminary developments 87−21567
Stoller, R.A. Performance of an electroluminescent (EL) panel in the Magnavox digital message device 85−8906
Stoller, R.A., Peters, E.F., Mansor, D.J. Rapid update addressing of a 2 million pixel AC gas discharge display 87−21175
Stollerman, J.E. *see* Smith, M.B. 88−73500
Stollov, Yu.Yu. *see* Zuev, V.S. 85−2258
Stolmeijer, A. A twin-well CMOS process employing high-energy ion implantation 86−47814
Stolmeijer, A. *see* de Werdt, R. 88−38533
Stolmeijer, A. *see* Spaanenburg, L. 86−33966
Stolmeijer, A. *see* Van der Plas, P.A. 88−7744
Stol'nits, M.M. *see* Makarov, V.A. 87−68604
Stolov, A.L. *see* Dubinskii, M.A. 88−51783
Stolov, E.G. Optical method for coding and processing data 88−45251
Stolov, E.I. *see* Mansurov, R.M. 87−27372
Stolov, E.L. *see* Mansurov, R.M. 86−37180
Stolov, M.Ya. Induction units with transit metal flow for devising a new generation of induction hot-air ovens 88−69927
Stolov, W.C. *see* Rondinelli, D. 88−74835
Stolovitzky, G. *see* Talpe, J. 88−16052
Stolovy, G., Wadensweiler, W., Madey, J.M.J., Benson, S., Velghe, M. High quality hybrid wiggler for infrared FEL and coherent harmonic generation 87−19016
Stolp, D. Tucker's theorem for linear programming problems in infinite-dimensional linear spaces 85−16871
Stolp, K.-H. *see* Rosenbaum, D. 86−61638
Stolp, K.H. Technical procedures for quality assurance of telecommunications services 88−52717
Stolpe, G. *see* Weber, H.J. 87−22455
Stolper, E.M. *see* Rigden, S.M. 88−42637
Stolpman, J.L. Weather radar in general aviation 88−47208
Stolshek, J.D., Koehring, P.A., Jr. Ultrasonic technology provides for control of lighting 85−27782
Stolt, K. *see* Zurawsky, W.P. 85−50269
Stolt, K.S. *see* Kim, M.E. 87−32682
Stolt, K.S. *see* Lam, W.W. 88−50366
Stolt, L., Bohlin, K. Deep-level transient spectroscopy measurements using high Schottky barriers 86−14850
Stolt, L., Hedstrom, J., Jargelius, M., Niemi, E., Sigurd, D. $CuInSe_2$ and $CuGaSe_2$ thin film solar cells for tandem structures 88−17977
Stolt, L., Hedstrom, J., Jargelius, M., Sigurd, D. $CuInSe_2$ for thin film solar cells 86−34392
Stolt, L., Jargelius, M., Hedstrom, J., Sigurd, D., Niemi, E. Growth of $CuInSe_2$ thin films 87−5473
Stolt, L. *see* Jargelius, M. 87−16054
Stolt, L. *see* Niemi, E. 87−72453
Stolte, C. *see* Rohdin, H. 85−17854
Stolte, D.H.H. District heat supply in Hamburg: tradition with a future 87−22104
Stolte, E. The developing of railway power supply 87−64864
Stolte-Heiskanen, V. Comparative perspectives on research dynamics and performance: a view from the periphery 88−6184
Stolting, H.D. Unequal winding distribution of single-phase induction motors with two stator phases 86−39779
Stolting, H.D. *see* Kokornaczyk, E. 88−17660
Stoltz, B., Osterberg, U., Gomes, A.S.L., Sibbett, W., Taylor, J.R. Streak camera investigation of Raman pulse generation and propagation in an optical fiber 86−28821
Stoltz, B. *see* Granestrand, P. 86−63685, 87−74871, 88−72154
Stoltz, B. *see* Lagerstrom, B. 87−7173
Stoltz, B. *see* Margulis, W. 85−52882
Stoltz, J.R., Hill, J.O. Applications of personal computers to marine navigation and surveying on the Gulf Coast 86−4770
Stolupin, V.A. *see* Bystritskii, V.M. 86−5725
Stolyar, V.F. *see* Yaglo, G.I. 87−38650
Stolyarchuk, S.Yu. *see* Tyapkin, V.A. 87−36990
Stolyarenko, N.D. *see* Novikov, A.A. 86−39186
Stolyarenko, N.D. *see* Vol'pov, K.D. 86−32816
Stolyarov, A.K. *see* Borodin, G.A. 86−36939, 87−68968
Stolyarov, I.M., Sleptsova, E.B. Determination of asynchronous machine parameters 85−21865
Stolyarov, O.G. *see* Osvenskii, V.B. 87−1405
Stolyarov, S.M., Filatov, Yu.A. Reflection of electromagnetic waves from inhomogeneous layers 85−2542
Stolyarov, S.N. Wave reflection from an interferential coating 88−34279
Stolyarov, V.R. *see* Kravtsov, G.I. 87−16742
Stolyarov, Yu.V. Optimal linear filtering of images 85−13609
Stolyarov, Yu.V., Berezin, N.P., Korolev, A.N. Peculiarities of zero-order filtering of a Fourier spectrum in a coherent optical system 85−13611
Stolyarov, Yu.V. *see* Kurshin, A.P. 85−28748, 88−74588
Stolz, D. *see* Schoning, J. 86−18982
Stolz, H.J., Trumpp, H.J., Behringer, U. Vertical trench etching in Si with zero etch bias 85−1525
Stolz, H.J. *see* Moritz, H. 85−12359
Stolz, M. *see* Hieber, K. 85−10815, 87−67157
Stolz, P. *see* Pensl, G. 85−12110
Stolz, W., Naganuma, M., Horikoshi, Y. Initial growth conditions of GaAs on (100) Si grown by migration-enhanced epitaxy 88−43885
Stolz, W. *see* Boeck, W. 86−51861
Stolz, W. *see* Heiss, W. 88−24096
Stolz, W. *see* Ploog, K. 86−2936
Stolz, W. *see* Tapfer, L. 87−24882
Stolz, W. *see* Wagner, J. 86−8855, 86−35416
Stolzenberg, H. *see* Schnatz, H. 87−3848
Stolzfus, C. Station-to-station concept reduces material handling 85−10454
Stolzl, D. *see* Arndt, E. 87−71789
Stolzl, D. *see* Schwabedissen, D. 87−78250
Stolzle, A., Rainer, A., Ulbrich, W. Parallel-serial multiplication using Booth's algorithm and Horner's scheme [for a signal processor] 86−62632
Stom, D. *see* Sinnreich, H. 87−48895
Stoma, A.S. *see* Buss, V.A. 86−56772
Stoma, E.F. *see* Revenko, V.A. 86−19270
Stoma, S.A., Palastin, L.M., Myagkov, I.V. Permanent-magnet pressure valves 88−33550
Stomberg, H., Akerlund, C.E. On the influence of field strength in wire-plate electrostatic precipitators with regard to the electrode configuration and dust space charge 85−51374
Stone, A. The tolerability of risk from nuclear power stations 88−62023
Stone, A. *see* Morra, F., Jr. 86−39281
Stone, A.C., Buckley, M.G. Ultra high performance brushless DC drive 85−10163
Stone, A.C., Buckley, M.G. Novel design and control of a trapezoidal back EMF motor−the smooth transition from brush to brushless DC 86−51947
Stone, A.D. *see* Skocpol, W.J. 86−63323
Stone, A.J.B. A comparison of sealed nickel cadmium and lead acid batteries 86−19466
Stone, A.J.B. Distributed battery systems−power where you need it 88−62481
Stone, A.P. A differential geometric approach to electromagnetic lens design 85−30017
Stone, A.P. EM lens waveguide transition 87−37508
Stone, A.P., Baum, C.E. Design of two-dimensional EM lenses via differential geometric scaling 88−72519
Stone, C.S. *see* DeJule, M. 85−8905, 87−8547
Stone, D. The communications revolution goes to sea 85−52288
Stone, D. Car boot alarm 86−19588
Stone, D. Scratch and rumble filter unit 86−55491
Stone, D., Hannula, S.-P., Che-yu Li The effects of service and material variables on the fatigue behavior of solder joints during the thermal cycle 86−14726
Stone, D., Lafontaine, W., Ruoff, S., Hannula, S.-P., Yost, B., Che-Yu Li Indentation load relaxation studies of thin film-substrate systems 87−23802

Stone, D., Ruoff, S., LaFontaine, W., Wilson, H., Hannula, S.-P., Li, C.-Y. The use of indentation techniques for characterizing wire bonding materials 86−62320

Stone, D., Wilson, H., Subrahmanyan, R., Che-Yu Li Deformation properties of a lead-tin (95-5) solder 87−23803

Stone, D., Wilson, H., Subrahmanyan, R., Li, C.-Y. Mechanisms of damage accumulation in solders during thermal fatigue 86−61987

Stone, D. *see* Habboosh, A. 88−53382

Stone, D. *see* Hannula, S.-P. 86−13904

Stone, D. *see* Hannula, S.P. 86−15079

Stone, D.A. *see* Nolan, M.B. 87−29865

Stone, D.C., Schroeder, J.E., Kaplan, R.H., Smith, A.R. Analogue CMOS building blocks for custom and semicustom applications 85−7084

Stone, D.G. Wavelet estimation 85−15413

Stone, D.H. *see* Rajkumar, B.R. 87−79088

Stone, D.R. *see* Anderson, J.R. 87−45633

Stone, D.R. *see* Leung, C.W. 88−64773

Stone, D.S., Homa, T.R., Che-Yu Li Kinetics of cavity growth in solder joints during thermal cycle [packaging] 86−13511

Stone, F. LAN−local area networking 86−59629

Stone, F.R., Winnerling, W.J. Load management by computer, DLC and microwave 88−48500

Stone, F.T. Modal noise in single-mode-fiber communication system 85−42566

Stone, F.T. The relation between source spectral width and coherence length in single-mode fibers: the effect of modal noise 86−2826

Stone, F.T. Applications of lithium niobate devices to photonic systems 88−2044

Stone, F.T., Smith, R.W. Lithium niobate modulators for high speed digital transmission 88−41688

Stone, F.T. *see* Brown, C.S. 85−29619, 86−28817

Stone, F.T. *see* Lumish, S. 87−13699, 87−34612

Stone, F.T. *see* Minford, W.J. 88−16131

Stone, F.T. *see* Sears, F.M. 86−48165, 86−63644

Stone, F.W. *see* Awcock, G.J. 87−47889

Stone, G. Current status of a CMOS digital signal processor 88−38582

Stone, G. *see* Matthews, D.L. 85−24467

Stone, G.C., Gupta, B.K., Kurtz, M., Sharma, D.K. Investigation of turn insulation failure mechanisms in large AC motors 85−9836

Stone, G.C., Gupta, B.K., Lloyd, B.A. Comments with reply, on 'Insulation diagnostics for rotating machine insulation' by H. Yoshida and K. Umemoto 88−5635

Stone, G.C., Kurtz, M. Interpretation of megohmmeter tests on electrical apparatus and circuits 86−28560

Stone, G.C., Rosen, H. Some graphical techniques for estimating Weibull confidence intervals 85−49373

Stone, G.C., Wilson, A., Jackson, R.J., Wang, N. Discharge detection techniques for stator windings [comments and authors' reply] 86−39701

Stone, G.C. *see* Boggs, S.A. 88−39749

Stone, G.C. *see* Gupta, B.K. 85−60124, 87−30476, 87−30497, 88−30657 to 30659

Stone, G.C. *see* Henriksen, M. 87−9493

Stone, G.C. *see* Kurtz, M. 85−5049, 87−72191

Stone, G.C. *see* Rizzetto, S. 88−24536

Stone, G.C. *see* Sedding, H.G. 88−69306

Stone, G.C. *see* VanHaeren, R. 86−19423

Stone, G.C. *see* Ward, B.E. 88−7770

Stone, G.M. Communications privacy and security: a comment 86−4173

Stone, G.M. Bandwidth efficient technology. A report on the art 86−37977

Stone, G.M. Future trends in law enforcement/public safety communications/command and control (C^3) 87−20087

Stone, G.T. *see* Saleh, A.O.M. 85−21688

Stone, H. Comparative performance analysis of on and off-campus video-based engineering graduate students 88−18356

Stone, H.E.N. A circular saw attachment for use in spark machining 87−65189

Stone, H.R. An update of Gibbons' Stanford study 87−23157

Stone, H.R. Comparative characteristic analyses of on-campus resident and off-campus video-based engineering graduate students and their implications 87−51773

Stone, I.Z. *see* Dresser, T.M. 85−15776

Stone, J. Optical-fibre Fabry-Perot interferometer with finesse of 300 85−46139

Stone, J. An optical fiber Fabry-Perot interferometer with finesse of 300 86−48166

Stone, J. Interactions of hydrogen and deuterium with silica optical fibers: a review 87−60919

Stone, J. Photorefractivity in GeO_2-doped silica fibers 88−33623

Stone, J. Total Terrain Avionics 88−36614

Stone, J. Stress-optic effects, birefringence, and reduction of birefringence by annealing in fiber Fabry-Perot interferometers 88−72028

Stone, J., Chraplyvy, A.R., Burrus, C.A. Observation of Raman scattering from N_2 in a silica optical fiber 85−18636

Stone, J., Chraplyvy, A.R., Kasper, B.L. Long-range 1.5 μm OTDR in a single-mode fibre using a D_2 gas-in-glass laser (100 km) or a semiconductor laser (60 km) 85−46145

Stone, J., Chraplyvy, A.R., Wiesenfeld, J.M., Burrus, C.A. Overtone absorption and Raman spectra of H_2 and D_2 in silica optical fibers 85−2010

Stone, J., Ignatius, H., Nuss, R. Parallel programming significantly improves production NVM wafer sort 86−46827

Stone, J., Marcuse, D. Direct measurement of second-order dispersion in short optical fibres using white-light interferometry 85−1986

Stone, J., Marcuse, D. Ultrahigh finesse fiber Fabry-Perot interferometers 86−48098

Stone, J., Stulz, L.W. Pigtailed high-finesse tunable fibre Fabry-Perot interferometers with large, medium and small free spectral ranges 87−68037

Stone, J., Wiesenfeld, J.M., Marcuse, D., Burrus, C.A., Yang, S. Formation of hydroxyl due to reaction of hydrogen with silica optical fiber preforms 85−62287

Stone, J., Witt, E., McConnell, R., Flaim, T., Surek, T., Ritchie, D. Recent developments in photovoltaics 86−6646

Stone, J. *see* Calicchio, M. 88−29811

Stone, J. *see* Chraplyvy, A.R. 85−14248, 85−56529

Stone, J. *see* Cimini, L.J. 87−49035

Stone, J. *see* Glance, B. 87−62943, 88−9536

Stone, J. *see* Kaminow, I.P. 88−3972, 88−47166

Stone, J. *see* Marcuse, D. 85−29602, 86−48097

Stone, J. *see* Wiesenfeld, J.M. 85−7244, 85−62383, 86−42596

Stone, J.I. LAN-oriented duct system proves value 88−28411

Stone, J.L. Future new devices for photovoltaic conversion 88−18083

Stone, J.L., Hughes, J.R., Kumar, A., Meyer, D., Subramanian, K.S., Zalkind, M.S., Fino, J. Electrocochleography recorded non-invasively from the external ear 86−65431

Stone, J.L. *see* Claus, R. 88−16639

Stone, J.L. *see* Incandela, J.R. 88−54417

Stone, J.L. *see* Wuest, C.R. 86−1649

Stone, J.L. *(editor)* Monopole '83. Proceedings of a NATO Advanced Research Workshop 85−31637

Stone, J.L., Jr. *see* Lines-Browning, M.K. 88−22027, 88−28784

Stone, J.R., Moritz, W.E. A machine vision system for the detection of missing components on through-hole, printed circuit boards prior to soldering 88−25709

Stone, L. *see* Cooper, P.D. 85−23146

Stone, L.G. *see* Moseley, A.J. 87−38966

Stone, M. AEA PK-FAX software 88−41257

Stone, M. *see* Blackburn, J.A. 85−20529

Stone, M.E. *see* Fast, R.W. 85−43266, 85−59167, 86−50261

Stone, M.E. *see* Latimer, J.R. 86−50913

Stone, P. Remote access to OPACs, and the use of electronic mail, in university libraries: developments in the use of the Joint Academic Network (JANET) 87−13300

Stone, R. The Monster Quad 87−33550

Stone, R. The grey-line DX path [an explanation and a practical grey line predictor] 87−68781

Stone, R. Cap.Co magnetic loop antenna AMA 5 88−34432

Stone, R. *see* Alder, M. 88−62188

Stone, R. *see* Hudson, C. 88−67688

Stone, R. *see* Kotula, J. 85−52159

Stone, R.A. *see* De Groot, J.S. 88−51712, 88−65536

Stone, R.E. Linear complementary problems with an invariant number of solutions 86−46222

Stone, R.E., Barkely, V.A., Fleming, J.A. Performance of a gamma-ray and X-ray spectrometer utilizing germanium and Si(Li) detectors cooled by a closed-cycle cryogenic mechanical refrigerator 86−50453

Stone, R.E. *see* Chandrasekaran, R. 88−6344

Stone, R.E. *see* Donohoe, D.C. 87−13229

Stone, R.E. *see* Driscoll, T.A. 86−54211

Stone, R.E. *see* Saigal, R. 85−22329

Stone, R.J. *see* Hutchings, S.M. 86−50265

Stone, R.S., McBride, A.F. Safety implications of control systems 86−25754

Stone, S. *see* Basch, B. 87−13721, 87−49092

Stone, S. *see* Blucher, E. 85−43252, 86−70318

Stone, S.A., Kashyap, S. Correction factor for relating measurements made in an absorber lined chamber to measurements made at an open field site 87−26852

Stone, S.A. *see* Kashyap, S. 87−26866

Stone, S.M. 15 MHz channel spacing of two frequency division multiplexed optical carriers intensity-modulated with analogue video signals 88−47035

Stone, S.R. *see* Faddoul, R.Y. 88−43465

Stone, T. *see* George, N. 88−58711

Stone, T.A. Britain's first TV broadcasting and business satellite 85−37000

Stone, T.A. The European Communications Satellite 85−63615

Stone, T.W. IF commutation increases monopulse radar accuracy 85−30883

Stone, W.R. A review of the new results on uniqueness in the inverse scattering problem 87−75378

Stone, W.R. How to exploit common I/O arithmetic operation architectural relationships for electromagnetic computations 88−2452

Stone, W.R. A review and examination of results on uniqueness in inverse problems 88−20892

Stone, W.R. Radar signal processing using the 'analytical signal' 88−59176

Stone, W.Ross *see* Ross Stone, W.

Stonebanks, D. Cassette recording with the BBC Micro 85−47763

Stonebridge, R. *see* Matts, D. 87−22130

Stoneham, A.M., Grovenor, C.R.M., Cerezo, A. Oxidation and the structure of the silicon/oxide interface 87−38144

Stoneham, A.M. *see* Silk, M.G. 88−31278

Stoneham, E. *see* Majidi-Ahy, R. 88−979

Stoneham, E.B. *see* Supple, R.W. 85−54506

Stoneking, D.E., Trew, R.J., Yan, J.B. Load pull characteristics of GaAs MESFETs calculated using an analytic, physics based large signal device model 88−71124

Stoneking, D.E. *see* Yan, J.B. 88−71055

Stoneking, J.E. *see* Wagner, R.S. 86−18152

Stoner, J.O., Jr. Optical constants of evaporated carbon target foils 85−59137

Stoner, J.O., Jr. Thin-sheet sensor for particle beams 85−64090

Stoner, M. French connections with Minitel: the future has arrived in France 88−35049

Stoner, R. *see* D'Iorio, M. 88−32884

Stoner, R. *see* Hutchins, D.A. 88−56363

Stoner, R.J. *see* Baribeau, J.-M. 88−38204

Stoner, T., Nevins, R. A user-designed voice/data facilities wiring system 87−48449

Stoner, W. Review of 1-D signal processing using the optical transfer function 88−8764

Stones, D.I. *see* Swift, G.W. 88−70978

Stonestrom, E.D. *see* Gestrich, D.A. 87−33918

Stonestrom, P. *see* Aliphas, A. 86−14390

Stoney, P. *see* Cunnington, J. 85−42354

Stong, R.A. On 1-factorizability of Cayley graphs 86−19917

Stong, R.W. Compatibility considerations for DBS home terminals 85−42533

Stonham, T.J. Digital logic techniques. Principles and practice 85−10362

Stonier, R. *see* Pace, A. 87−12856

Stonier, R.J. *see* Skowronski, J.M. 87−65308

Stonier, T. Intelligence networks, overview, purpose and policies in the context of global social change 87−2686

Stonier, T. What is information? 87−27135

Stonikas, P. *see* Grois, I. 86−65013

Stonys, S. *see* Asmontas, S. 86−21204

Stoof, H.T.C. *see* Verhaar, B.J. 87−46734

Stoop, P. *see* Godfrey, B. 88−15338

Stoop, R. *see* Derighetti, B. 87−12636

Stoop, T., Tom, J., Verhaart, H.F.A., Verhage, A.J.L. The role of electrostatic charges in insulator flashover in SF_6 86−21002

Stoop, T., Tom, J., Verhaart, H.F.A., Verhage, A.J.L. Flashover along insulators in a gas-insulated system 86−25625

Stoop, T. *see* Gaertner, T.J.M. 85−29394

Stoops, E.H. Output noise compensation circuit 85−976

Stoops, E.H. Selective signal or voltage module substrate connection 85−34399

Stopczyk, M. *see* Krassowska, W. 85−64601

Stopelli, R. Purchasing power supplies 87−72227

Stopkova, D. *see* Lukes, Z. 88−75682

Stopp, R. *see* Brun, E. 87−46826

Stoppe, A. Automating studio management [audio] 87−70320

Stopper, H. A wafer with electrically programmable interconnections 86−15244

Stopper, H. Transmission lines for wafer scale integration 87−67410

Stopple, J. A reciprocity law for prime geodesics 88−56149

Stoquert, J.P., Stuck, R., Ganter, C., Siffert, P. Analysis of light elements in solar silicon 88−18068

Stoquert, J.P. *see* Ababou, Y. 86−41525

Stoquert, J.P. *see* Toulemonde, M. 86−46383

Stora, J.P. *see* Gautier, B. 87−15490

Stora, M.J. A new approach to military ATE 86−24329

Stora, R. *see* Lacoume, J.-L. *(editor)* 88−11607

Storaas, S. CHATS equipment for the upgrading of analogue exchanges for new telephone services 85−52154

Storaas, S. TEMI: equipment for controlled tele and data environments 87−48320

Storaasli, O.O. *see* Rasdorf, W.J. 88−69

Storace, P. *see* Adimari, M. 88−41109

Storandt, S., Lenninger, R. SAB 80515−a standard microcontroller of the SAB 8051 family 86−34863

Storasta, J. *see* Vaitkus, J. 88−32795

Storbeck, F. *see* Winkler, R. 88−17388

Storbeck, I., Balke, H., Wolf, M. Substrate bowing of multilayer thick film circuits 87−6293

Storbeck, I., Leitner, G. Temperature behaviour of the bowing of multilayer thick film substrates 87–53069
Storbeck, I., Wolf, M. On experimental data of the TCR of TFRs and their relation to theoretical models of conduction mechanism 85–50048
Storbeck, I., Wolf, M. About the influence of SiO_2 on the temperature behaviour of ruthenate based thick film resistors 87–45300
Storbeck, I., Wolf, M., Jaenicke-Rossler, K. On the influence of the temperature coefficient of expansion of the substrate upon sheet resistivity and temperature coefficient of resistance of thick-film resistors 85–1076
Storch, H., Ungewiss, K., Frauendorf, G., Gaebler, H. Computation of asymmetric operating states and of the reaction of the network protection using the BERELT program system 86–18635
Storch, K., Fischer, R. Precision current supplies B724X and B7240X in hybrid D-A converters 88–6662
Storch, K. *see* Racurow, B. 85–866
Storch, S. *see* Edmond, W. 87–20430
Storch, W., Klose, J., Sperling, D., Paszczynski, S. Manufacturing of sensors by hybrid technology for automotive electronics 88–42059
Storch, W. *see* Felkl, D. 86–67276
Storch, W. *see* Klose, J. 85–5472
Storchi, P.R.M. *see* Huizenga, H. 86–50485
Stordahl, K. Forecasts as a basis for planning [telecommunications] 87–31250
Stordahl, K., Saether, J.P. Prospects of conference TV in Norway 86–17662
Stordahl, K. *see* Nymo, B.J. 86–17637
Storer, J. *see* Honda, S. 87–18472
Storer, J.A., Nicas, A.J., Becker, J. Uniform circuit placement 86–21739
Storer, R.H. *see* Montgomery, D.C. 87–44020
Storer, T.S. Voice/data integration 85–3323
Storer, T.S. *see* Keedney, C.G. 87–40618
Storeton-West, T.J. *see* Pearson, N.D. 87–56280
Storey, B. *see* Giorgi, T.A. 85–45357
Storey, B.E. *see* Standley, K.J. 85–29433
Storey, B.E. *see* Tooke, A.O. 85–29434
Storey, J. *see* Theden, U. 86–11480
Storey, J.D. *see* Holmes, D.C. 85–30810
Storey, J.W.V. *see* Kurianski, J.M. 86–17616, 86–38382, 88–16211
Storey, M., Jr. *see* Jones, P. 86–17505
Storey, M.G. Energy management cuts water pumping costs 85–4535
Storey, M.H. *see* Fox, M.J. 85–30803
Storey, P.A. Holographic interferometry of rotating components: decorrelation limitations of the double pulsed technique 87–19076
Storey, P.A., Longman, R.J., Davies, N.A. Environmental evaluation of rugged and long-life write once optical disks 88–65159
Storey, R. 'Teletrack' - A special effect (for TV) 85–47675
Storey, R. Electronic detection and concealment of film dirt 85–47682
Storey, R. Electronic detection and concealment of film dirt 85–58356
Storey, R. Electronic detection and concealment of film dirt 86–24079
Storey, R. HDTV motion adaptive bandwidth reduction using DATV 87–13901
Storey, R. HDTV motion adaptive bandwidth reduction using DATV 87–49318
Storey, R. *see* Drewery, J.O. 85–47662
Storey, R.H. Plastics in component packaging: a review of 'static safe' packaging materials and products 87–5520
Storey, R.S. *see* Dixon, W.R. 86–5800
Storey, T.F. DMI: a PBX perspective 86–37665
Storjohann, D.E. *see* Fisher, G.L. 87–17522, 87–17524
Stork, D. *see* Gutay, L.J. 88–68314
Stork, D.G. *see* Neff, R. 86–17989
Stork, D.H. Interaction pileup tag 88–10289
Stork, G.A. *see* Lawton, D. 85–58986
Stork, J. *see* Snepvangers, J.J.M. 88–30540
Stork, J.M.C., Arienzo, M., Wong, C.Y. Correlation between the diffusive and electrical barrier properties of the interface in polysilicon contacted n^+-p junctions 86–8833
Stork, J.M.C., Cressler, J.D. The impact of non-ohmic polysilicon emitter resistance on bipolar transistor performance 87–25240
Stork, J.M.C., Ganin, E., Cressler, J.D., Patton, G.L., Sai-Halasz, G.A. Electrical and microstructural investigation of polysilicon emitter contacts for high-performance bipolar VLSI 88–26490
Stork, J.M.C., Harame, D.L., Meyerson, B.S., Nguyen, T.N. High performance operation of silicon bipolar transistors at liquid nitrogen temperature 88–39413
Stork, J.M.C., Wong, C.Y., Arienzo, M. Polysilicon emitter resistance and carrier transport studies 86–41766
Stork, J.M.C. *see* Iyer, S.S. 88–39416
Stork, J.M.C. *see* Li, G.P. 87–74407
Stork, J.M.C. *see* Nguyen, T.N. 87–46126
Stork, J.M.C. *see* Patton, G.L. 88–39387
Stork, J.M.C. *see* Tang, D.D. 87–38205
Stork, J.M.C. *see* Woo, J.C.S. 87–32488
Stork, W. Optical crossbar 87–62975
Storm, C.L. *see* Orr, M.A. 85–28475
Storm, D.W., Amsbaugh, J.F., Corcoran, D.T., Howe, M.A. Superconducting tests of beta=0.1 and beta=0.2 resonators 86–55930
Storm, D.W., Amsbaugh, J.G., Cramer, J.G., Swanson, H.E., Trainor, T.A., Vandenbosch, R., Weitkamp, W.G., Will, D.I. The University of Washington superconducting booster linac 86–24920
Storm, D.W., Brennan, J.M., Ben-Zvi, I. Superconducting resonators for the University of Washington booster linac 86–32079
Storm, D.W. *see* Amsbaugh, J.F. 86–55924
Storm, D.W. *see* Swanson, H.E. 86–55933
Storm, E. *see* Holzrichter, J.F. 86–15678
Storm, F.K. *see* Harrison, W.H. 86–50628
Storm, H. *see* Schwander, T. 85–35446, 86–15692
Storm, K. An industry group takes the initiative [electrical engineering and computer science education] 86–52164
Storm, K. Variable drives for remote heat pumps 88–31217
Storm, L. Precision measurements of the Boltzmann constant 86–60101
Storm, M. *see* Allen, R. 87–2100
Storm, M. *see* Bonner, R.F. 88–23100
Storm, M. *see* Esterowitz, L. 87–21655, 87–63818
Storm, M.E. *see* Eckardt, R.C. 85–24624, 87–7433
Storm, M.R. Accelerator computer controls: past, present, and future 86–60401
Storm, R.E. *see* Giuntini, R.E. 86–60861
Stormberg, H.-P. *see* Schafer, R. 87–5076
Stormberg, H.P. *see* Schafer, R. 85–44293
Stormer, H.L. Physics in quantum wells 86–14915
Stormer, H.L. *see* Boebinger, G.S. 86–8856
Stormer, H.L. *see* Chang, A.M. 85–1376
Stormer, H.L. *see* Chin, M.A. 86–47369
Stormer, H.L. *see* Eisenstein, J.P. 85–18149, 86–53419
Stormer, H.L. *see* Gornik, E. 85–34605, 86–53420
Stormer, H.L. *see* Gossard, A.C. 85–40726
Stormer, H.L. *see* People, R. 85–18132
Stormer, H.L. *see* Shah, J. 86–47370
Stormer, H.L. *see* Tsui, D.C. 87–6420
Stormon, C.D. *see* Oldfield, J.V. 87–67375
Stormont, C. *see* Liu, L.C.T. 85–1054
Storms, A.D. *see* Shipp, D.D. 87–71659
Storms, M.A. *see* Huey, D.P. 86–56258
Storn, R. Fast algorithms for the Discrete Hartley Transform 86–62201
Storonskii, V.I., Ferendovich, B.V. Chemical methods of purifying towns' waste water for use at thermal power stations 86–33055
Storovink, M. *see* Clark, A.R. 88–10245
Storozhenko, O.A. *see* Gunko, V.N. 87–58000
Storozhenko, Va. *see* Denisov, S.S. 85–65286
Storozhenko, V.A. *see* Vavilov, V.P. 85–6047
Storozhik, D.L. *see* Pereguda, V.L. 85–27875
Storozhuk, Ya.P., Abryutin, A.A., Enkyakin, Yu.P., Shtal'man, S.G., Zhmerik, N.G., Grishin, A.D., Taran, O.E. The main results of testing the furnace chamber of the TGMP-1202 boiler of the 1200 MW power generating unit 86–61368
Storozhuk, Yu.A. *see* Grabchak, A.V. 87–34861
Storozum, S.L. Fibre optic systems. Practical design. I 86–22162
Storozum, S.L. Fiber optic systems: Practical design. II 86–36188
Storozum, S.L. Fiber optic systems: practical design. III 86–37885
Storozum, S.L. Fiber optic Ethernet design trade-offs 87–2937
Storozum, S.L., Saulnier, J.L. An Ethernet active star fiber optic distribution system 88–47063
Storr, G.J., Haneman, D. The surface photovoltage technique: applications to CdSe films with different electrolytes 85–55610
Storr, G.J., Haneman, D. Surface recombination velocity and barrier width from surface photovoltage measurements 86–1706
Storr, G.J. *see* Szot, J. 87–30946
Storrer, W. *see* Pahl, L. 87–3980
Storrick, R.P. *see* Kramer, W.E. 87–23636
Storrs, R. Equipment for attenuation of mains transients 88–30776
Storrs, R., Tillander, M. Static electricity: advanced communication systems more sensitive to static electricity 86–37280
Storry, D.J.T. *see* Ball, A.A. 87–5357
Storti, G. *see* Bragagnolo, J.A. 88–37519
Storti, R. *see* Bruschi, L. 85–37789, 87–8765, 88–9930
Storti, R. *see* Torzo, G. 87–41593
Storti, S. *see* Cini, C. 87–37639
Storti, S. *see* Contiero, C. 88–39650
Storti, S. *see* Diazzi, C. 87–38504
Storti Gaiani, G. *see* Maitra, S. 87–24230
Stortnik, H.-J. *see* Fehsenfeld, B. 86–11037
Storvik, G. *see* Hjort, N.L. 87–57432
Story, D.T. *see* Williams, J.C. 88–10975
Story, J.R., Cereijo, M., Roign, G. From technology to engineering: our experience [electrical engineering education] 88–43629
Story, M.H., Campbell, J.B., Best, G. An evaluation of the accuracies of five algorithms for machine classification of remotely sensed data 85–59414
Story, M.J. Hardware costs of systems aspects of ADCs 88–12463
Story, P.W. *see* Fellows, T.G. 85–39489
Story, R.D. *see* Bushanam, G.S. 85–39973, 86–867, 86–8102, 86–57751
Story, R.D. *see* Bushanam, S. 86–34660
Story, T., Lewicki, A., Szczerbakow, A. Correlation between transport and magnetic properties of PbSnMnTe 85–34531
Storz, F.G. *see* Chandrasekhar, S. 88–72136
Storz, F.G. *see* Koch, T.L. 87–68182
Storz, H. *see* Stout, G. 87–37349
Storz, L.J. *see* Dungan, R.H. 86–15299
Storz, R.H. *see* Bokor, J. 86–65141
Storz, W. *see* Weick, J.M. 88–58745
Stoschek, E. Group code representation based on structural theories 86–29743
Stosek, V. *see* Hruby, J. 88–37017
Stosic, B. *see* Zizic, O. 85–55503
Stoskus, V.E. *see* Bikbaev, V.B. 88–1442
Stoss, H.-J. The complexity of evaluating interpolation polynomials 86–52396
Stoss, P. *see* Gregory, R.B. 87–11341
Stoss, P. *see* Krause, S.J. 87–6569
Stoss, V. *see* Wood, D. 88–66872
Stosser, B. *see* Hoffmann, E. 86–51047
Stosser, B. *see* Hoffmann, V.E. 87–15330
Stosser, B. *see* Moller, K. 86–61551
Stoter, J. *see* van Meerbergen, J.L. 87–17156
Stoter, J. *see* Van Wijk, F.J. 87–5912, 87–17135
Stothers, I.M. *see* Elliott, S.J. 88–8731
Stothers, J., Dietrich, M. A perspective on NAPLPS and its impact on the development of videotex in North America 86–4250
Stotlar, S.C., Springer, R.W., Sherwood, B., Cordi, R. Gallium arsenide photocathode for the free electron laser 86–22457
Stotlar, S.C. *see* Edgett, L.B. 86–28778
Stotlar, S.C. *see* Wang, C.L. 87–8857
Stotskii, A.A. *see* Maiorova, E.K. 88–15713
Stotskii, A.A. *see* Pinchuk, G.A. 86–43921
Stotskiy, A.A., Berlin, A.B., Kaydanovskiy, M.N., Khaykin, V.B. Fluctuations in the radio emission of a cloudless atmosphere at centimeter wavelengths 88–22240
Stott, A.L., Green, R.G., Seraji, K. Comparison of the use of internal and external electrodes for the measurement of the capacitance and conductance of fluids in pipes 85–52842
Stott, A.L. *see* Huang, S.M. 88–35934, 88–60710
Stott, B., Alsac, O. An overview of sparse matrix techniques for online network applications 87–71573
Stott, B., Alsac, O., Alvarado, F.L. Analytical and computational improvements in performance-index ranking algorithms for networks 86–6200
Stott, B., Alsac, O., Monticelli, A.J. Security analysis and optimisation 88–30314
Stott, F.H. *see* Glascott, J. 86–20878
Stott, H.L., Jr. Multi-range standard for AC/DC difference measurements 86–60307
Stott, J.H. Digital transmission: 68 Mbit/s PAL field trial system 85–47641
Stott, J.H. Satellite broadcasting of sound radio 86–11224
Stott, J.H. Satellite broadcasting of sound radio 86–59978
Stott, J.H. Satellite sound broadcasting 87–13829
Stott, J.H. *see* Henderson, A. 85–42559
Stott, J.H. *see* Maddocks, M.C.D. 87–47191
Stott, J.P. Upgrading the control system of the SRC 1 GeV storage ring 86–60410
Stott, J.P. Interfacing light source users to the control system 88–47749
Stott, J.P. *see* Brown, F.C. 86–60478
Stott, J.P. *see* Green, M.A. 88–47748
Stott, P., Britten, M. Optimising modern light sources 88–62756
Stott, P.J. The design and application of LV switchgear to meet the latest revisions of international standards 86–61692
Stott, P.J. The design and application of LV switchgear to meet the latest revisions of international standards 87–22669
Stottlemyer, A.R. *see* Crannell, C.J. 85–4238
Stotts, L.J., Baker, R.G., Jr., Miner, J. An 8b microcomputer for implantable biomedical applications 86–14294
Stotts, L.J., Infinger, K.R. An 8-bit microcomputer with analog subsystems for implantable biomedical applications 88–68490
Stotz, J. Heat from nuclear power stations of Nordwestdeutsche Kraftwerke AG (NWK) 85–38677
Stotzel, H. Properties of a-SiN_x:H films 87–44381
Stouder, G. The earth station at Loache, its role and future 85–3417
Stouder, G. Electronic developments: a changing face [microelectronics] 85–12376
Stouder, G. AXE-10 introduced into Switzerland 86–17133

Stouder, G. Modern data record carriers: some trends 86—28696
Stouffer, R.L. *see* Danforth, D.R. 85—37494
Stoughton, J.W. Space domain approximation for separable 2-D IIR filters 87—52771
Stoughton, J.W. *see* Gerheim, A.P. 87—39758
Stoughton, J.W. *see* Shull, T.A. 85—57393
Stoughton, J.W. *see* Zahorian, S.A. 87—16315
Stoughton, T. *see* Goloskie, D. 85—59208
Stouky, J. *see* Molkenthin, J. 85—9609
Stouppe, D. *see* Scofield, C.M. 87—43665
Stourac, L. Growth and characterization of GaAs single crystals with low dislocation density 88—6435
Stourac, L. *see* Mares, J.J. 85—55568
Stourac, L. *see* Smid, V. 85—34667, 86—28056
Stouraitis, T., Natarajan, S., Taylor, F.J. A reconfigurable systolic primitive processor for signal processing 86—14284
Stouraitis, T., Taylor, F. DF-PAK: a digital filter design software package 88—32342
Stouraitis, T., Taylor, F.J. Analysis of logarithmic number system processors 88—56665
Stouraitis, T., Taylor, F.J. Floating-point to logarithmic encoder error analysis 88—63803
Stout, G., Talty, R., Gottle, G., Storz, H., Neal, M., Hartl, K., Bernecker, O. The e3400 modular microcomputer—an economical solution for autonomous systems and intelligent networks 87—37349
Stout, K.J. *see* Sweeney, F. 88—42285
Stout, L.E. *see* Carlson, R.L. 86—31780, 87—14661
Stout, L.E. *see* Czuchlewski, S.J. 88—47869
Stout, P.K. *see* Sinke, W. 86—28240
Stout, Q.F. Algorithm-guided design considerations for meshes and pyramids 87—75911
Stout, Q.F. *see* Livingston, M. 88—43793
Stout, Q.F. *see* Miller, R. 85—30400, 88—44246
Stout, R.P. Capacitive linear position transducer 87—56672
Stout, R.P. *see* Kallis, J.M. 86—31693
Stout, T. *see* Goldman, K. 88—56402
Stout, T. *see* Mirabella, R. 85—54596
Stoval, J.P. *see* Brooks, C.L. 86—61696
Stovall, J. *see* Boltezar, E. 85—26642
Stovall, J. *see* Wilson, M.A. 88—47791
Stovall, J.E. *see* Penner, S. 86—24905
Stovall, J.P. *see* Cassidy, T.P. 87—78060
Stovall, J.P. *see* Rizy, D.T. 86—12237
Stovall, R. *see* Lieberman, B. 87—46400
Stove, A.G. *see* Barrett, M. 88—15661
Stove, A.G. *see* Bates, R.N. 86—69815
Stover, A.C. ATE: Automatic test equipment 86—16
Stover, D. *see* Tikal, D. 88—25687
Stover, G. Beam profile monitor system for the Bevalac transfer line 86—24948
Stover, G., Fowler, K. Operating results for the beam profile monitor system currently in use at Bevalac facility 88—54133
Stover, G., Nyman, M., Halliwell, J., Lutz, I., Dwinell, R. A raster scanning power supply system for controlling relativistic heavy ion beams at the Bevalac biomedical facility 88—55486
Stover, G., Zajec, E. Improved Bevatron local injector ion source performance 86—32129
Stover, G. *see* Hunt, D. 88—54051
Stover, G. *see* Nyman, M. 86—31924
Stover, G. *see* Oppermann, H. 86—378
Stover, G.D. *see* Alonso, J.R. 88—54003
Stover, H. *see* Wittekoek, S. 87—11515
Stover, H.A. Survivable timing capability for a worldwide military digital communications systems 86—10597
Stover, H.L., Nagler, M., Bol, I., Miller, V. Submicron optical lithography: I-line lens and photoresist technology 85—6779
Stover, H.L. *see* Miller, V. 85—35103
Stover, J. Placing fine-pitch SMDs in high-volume environment 88—32652
Stover, J. Prep of high-density components—no-hands process control: forming through kitting 88—38888
Stover, J. *see* Moser, R. 86—3774
Stover, J.V. Recent impacts upon ground and shipboard microwave transmitter design 85—25745
Stover, R.J. *see* Robinson, L.B. 88—4466
Stovesandt, B. *see* Bock, H. 86—39533
Stovicek, D. Redinet: a distributor-endorsed telecommunications network 86—64591
Stovicek, D. Better maintenance through thermography 87—72766
Stovicek, D. Mapping factory automation progress 88—15106
Stovold, R.V. *see* Apsey, R.Q. 85—64453
Stow, C.D. *see* Bradley, S.G. 87—42239, 87—50560
Stow, C.D. *see* Hosking, J.G. 86—32539, 87—71310
Stow, D.A. Remote sensing and image processing requirements for Eulerian flow field estimations 88—61655
Stow, J., Cushing, T. Laser reflow soldering of ribbon leaded devices onto printed wiring boards 87—11227
Stow, R.G. Receiving conditional access teletext 86—37461
Stow, R.G., Ray, P.K. Privacy and security in broadcast teletext systems 87—13346
Stow, R.L., Wyland, G. Electronic cinematography—promise and performance 85—3757
Stow, R.L., Wyland, G. Electronic cinematography—promise and performance 85—3762
Stow, R.L., Wyland, G. Electronic cinematography; progress towards high definition 85—47666
Stowe, D.W. *see* DePaula, R.P. 87—68143
Stowe, D.W. *see* Meyer, R.E. 85—2020
Stowe, D.W. *see* Moore, W.E. 87—12192
Stowe, H. *see* Bryant, G.H. 85—41719
Stowe, R.W. Improvements in efficiency of UV curing systems for optical fiber buffer coatings and fiber coloring 88—26827
Stowell, C. *see* Papula, P. 85—53119, 87—22740
Stowell, R.D. *see* Spindt, C.A. 85—34425
Stowitschek, J.J., Mangus, B., Rule, S. Inservice training via telecommunications: out of the workshop and into the classroom 87—8025
Stoy, B. Future principal aspects of electricity applications 85—9437
Stoy, B. The focal points of the electricity supply of the future [electric power generation] 85—15697
Stoy, B. The use of electricity between innovation and prohibition 87—77971
Stoy, B. Regenerative energies—feasibility, limits and environmental effects 88—23798
Stoy, B. The heat pump—electricity—the electrical utilities 88—36795
Stoy, B. *see* Kretschmer, W. 88—10949
Stoy, B. *see* Rettich, S. 88—48624
Stoyakov, V.P. *see* Dorofeichik, A.N. 86—65624
Stoyalov, M.N. *see* Kasimov, F.D. 87—3588
Stoyan, D. A heuristic approximation for a single-server cyclic queueing system 85—271
Stoyan, Yu.G., Putyatin, V.P., El'kin, B.S. Mathematical model and arrangement-heat synthesis of multichannel systems 86—46084
Stoyanov, A.J. *see* Subrahmanyam, J.V. 87—39280
Stoyanov, A.K. *see* Popov, A.A. 87—361
Stoyanov, D.V. Statistical characteristics of a signal restored from photon counting receivers 85—13583
Stoyanov, D.V., Mladenov, L.C. Life-time measurements of sea-scattered signals 85—20248
Stoyanov, F.A. *see* Shubenko-Shubin, L.A. 85—53660
Stoyanov, G.K. *see* Uzunov, I.S. 86—8361
Stoyanov, G.S., Zakharov, L.F. A method of improving the dynamic properties of combined-regulation DC voltage stabilizers 86—34512
Stoyanov, P.A., Makarova, I.S., Freidman, A.V. Electron-optical system of ultrahigh-voltage electron microscope 88—71294
Stoyanov, P.A. *see* Moseev, V.V. 85—6677
Stoyanov, P.A. *see* Moseeva, N.M. 85—6636
Stoyanova, D.A. *see* Cerri, C. 85—20813
Stoyanova, I.G. *see* Georgobiani, A.N. 85—55521
Stoyanova, K., Petrova, T., Pangelova, N., Kovatchev, M. Using silver chloride emulsions as adaptive optical filters for image processing 85—12691
Stoyanova, K. *see* Mateeva, T. 85—35902
Stoyanova, K. *see* Todorov, T. 85—12996, 85—35899
Stoyanovskii, A.A. *see* Kunitsyna, L.T. 86—70084
Stoychev, S.M., Aroyo, M.I., Pandourova, V.P. Preparing and applying thin film nickel temperature sensors 87—21057
Stoychev, S.M., Pandourova, V.P., Aroyo, M.I. Technological considerations when obtaining high-precision resistors with controllable temperature coefficient of resistance 87—17400
Stoye, C.A. *see* Wells, O.C. 87—32216
Stoyev, I. *see* Angelov, I. 87—48982
Stoykov, V. Transimpedance measurement receivers for modulated optical power in optical fibre systems 87—28551
Stoykov, V. Analysis of DC and LF AC measurement: optical receivers for optical fibre communication systems 87—56173
Stoykov, V., Drajev, M. Transimpedance measurement receiver units for constant optical power in optical fibre systems 87—28550
Stoykov, V. *see* Drajev, M. 86—48129, 87—25995, 87—54190
Stoykov, V. *see* Drazhev, M. 86—17965
Stoykova, L.S. *see* Kovalenko, I.N. 88—31564
Stoykovich, M. Seismic restraint reduction approaches for nuclear piping 87—71908
Stoynov, Z.B. *see* Savova-Stoynov, B. 88—30974
Stoynov, Z.B. *see* Staikov, G. 86—19456
Stozek, A. Indirectly discharged waste waters. Pretreatment from the point of view of the public sewage disposal plants and the protection of water resources. I 85—10296
Stozek, A. Indirectly discharged waste waters. Pretreatment from the point of view of the public sewage disposal plants and the protection of water resources. II 85—15439
Straad, M. *see* Jenicek, O. 86—24483
Straaten, J.van *see* van Straaten, J.
Straayer, A., Hellings, G.J.A., van Beek, F.M., van der Maesen, F. Barrier-height fixation in DC-sputtered Au-*p* silicon Schottky barriers 86—47389
Straayer, A. *see* Hellings, G.J.A. 85—40516
Straayer, R.J., Davis, R.E. Exposure control in laser printing 85—41534
Straboni, A. *see* Camelin, C. 86—47463, 87—45781
Straboni, A. *see* Pelloie, B. 88—56291
Straboni, A. *see* Perriere, J. 86—47471
Strabykin, D.A. Dialogue-type microprocessor systems for controlling measuring devices 88—53544
Stracca, G.B. Communications in air traffic control systems 87—28415
Stracca, G.B., Dolci, G., Politi, M., Macchiarella, G. Design formulas for coupled slab-lines 86—35061
Stracca, G.B., Macchiarella, G., Politi, M. Numerical analysis of various configurations of slab lines 86—42874
Stracca, G.B., Miglioli, L., Macchiarella, G. Study of a new equivalent circuit of posts in rectangular waveguide 87—37494
Stracca, G.B., Panzeri, A. Design optimization of slab-line resonators for compact microwave bandpass Comb-filters 86—52933
Stracca, G.B., Panzeri, A. Unloaded *Q*-factor of stopped-impedance resonators 87—17303
Stracca, G.B. *see* Carassa, F. 85—44427
Stracca, G.B. *see* Macchiarella, G. 87—6965, 87—66490, 87—73599, 88—56991
Stracca, G.B. *see* Politi, M. 87—1824, 88—56896
Stracca, G.B. *see* Van der Walt, P.W. 88—20965
Stracener, D.W. *see* Sarantites, D.G. 88—29923
Stracey, C., Pieters, R., Lim, P. Digital subscriber connection circuit in an interface module group 86—69509
Strachan, D.C., Heard, N.A., Hossack, W.J., Boyce, J.F., Cresswell, T.M. Imaging of hydrocarbon vapours and gases by infrared thermography 85—52903
Strachan, D.C. *see* Heard, N.A. 85—64213
Strachan, D.F. *see* Frazier, G.B. 85—5248, 87—22796
Strachan, J.A., Bhargava, V.K., Hara, E.H. A 1.55 μm optoelectronic broadband matrix switch 87—70107
Strachar, E. Hybrid trio takes charge of the bus-to-CPU interface in military avionics gear 85—40376
Strachota, J. *see* Benvenuti, A.C. 85—15254
Strachota, J. *see* Deiters, K. 88—68308
Strachotinsky, Ch. *see* Duftschmid, K.E. 86—44542
Strack, C. New photoelectric and proximity sensors are smaller, more versatile 87—29046
Strack, C.M. Special purpose photoelectric sensors 88—29415
Strack, H. *see* Miller, G. 86—47546, 87—45902, 88—26232, 88—44742
Strack, H. *see* Porst, A. 87—38219
Strack, H. *see* Sapotta, H. 87—38958
Strack, H. *see* Stoisiek, M. 86—47560
Strack, K.-G. *see* Jeltsch, R. 86—26751
Strack, K.-M. The deep transient electromagnetic sounding technique: first field test in Australia 86—25384
Strack, K.G. Stability and accuracy for implicit semidiscretizations of hyperbolic problems 86—34219
Stracke, K. *see* Kraft, D. 85—65541
Strackee, J. *see* de Boer, R.W. 85—31853
Strada, R. *see* Minoni, U. 86—17770, 88—47176
Strada, T.J., Vargas, A., Rivera, J.F. Minimization of estimated large-scale operating costs of hydrothermal power systems, considering the random nature of the factors involved 88—11129
Strader, E.A. *see* Cross, L.A. 85—29725
Strader, N.R. *see* Allen, P.E. 85—39487
Strader, N.R., II *see* Brosnan, T.J. 88—70657
Strader, N.R., II *see* Lee, J.J. 87—66173
Strader, N.R., II *see* Rhyne, T. 87—10807
Stradling, G.L., Studebaker, J.K., Cavailler, C., Launspach, J., Planes, J. Characterization results from several commercial soft X-ray streak cameras 87—57051
Stradling, R.A. *see* Kuchar, F. 85—12704, 87—74021
Stradling, R.A. *see* Sotomayor Torres, C.M. 86—53427
Stradling, R.A. *see* Sotomayor Torres, C.M. *(editor)* 87—72707
Stradomskii, M.V., Maksimov, E.A., Fedorova, O.V. Measurement of thermal fluxes in power plant components 86—44453
Stradomskii, Yu.I., Ovchinnikov, E.A. Analysis of magnetic field of special damping winding configurations [salient-pole synchronous machines] 85—60150
Straede, C. *see* Budtz-Jorgensen, C. 87—71008
Straehle, W. *see* Gruber, H. 85—44519 to 44520
Straehle, W. *see* Hinrichsmeyer, K. 85—35471
Straehle, W. *see* Kerjilian, G.K. 85—22257
Straehle, W. *see* Klein, W. 85—17232
Straehle, W. *see* Rossi, F.R. 88—12378
Straeten, C.Vander *see* Vander Straeten, C.

Strafner, M., Weinberger, G. The ISDN subscriber access controller (ISAC-5) a single chip solution for the connection of speech/data terminal equipment to ISDN-5 interfaces 87−40606
Strafner, M. *see* Lerach, L. 85−3288
Strahan, V. *see* Stewart, S.H. 87−32606
Strahan, V.H. *see* Friedman, A.L. 86−34705
Strahan, V.H. *see* Waskiewicz, A.E. 87−32548
Strahan, V.H., Jr. *see* Pickel, J.C. 86−35886
Strahbehn, J.W. *see* Paulsen, K.D. 88−40459
Strahler, A.H. *see* Woodcock, C.E. 87−57422
Strahm, M. Tape automated bonding of circuits 88−1295
Strahm, M. Applications of a Swiss-made watchdog 88−6643
Strahm, M., Bosse, N. TAB combines the shaping of the housing with the technology for its assembly 88−25751
Strahm, M.M. TAB: possibilities−reliability 87−73910
Straight, H.J. *see* Gimbel, J. 87−72926
Straight, J. High energy density plastic film capacitors 86−1414
Strain, R.A. The shape of screens to come [TV] 88−67580
Strain, R.V. *see* Neimark, L.A. 88−75403
Straining, R.J., Abdou, I. Modeling and correcting scattering in industrial applications of computerized tomography 88−59297
Strait, J., Brown, B.C., Carson, J., Engler, N., Fisk, H.E., Hanft, R., Koepke, K., Kuchnir, M., Larson, E., Lundy, R., Mantsch, P., Mazur, P.O., McInturff, A., Nicol, T., Ohmori, T., Schmidt, E.E., Theilacker, J., Tool, G., Cottingham, J., Dahl, P., Garber, M., Ghosh, A., Goodzeit, C., Greene, A., Herrera, J., Kahn, S., Kelly, E., Morgan, G., Prodell, A., Sampson, W., Schneider, W., Shutt, R., Thompson, P., Wanderer, P., Willen, E., Caspi, S., Gilbert, W., Hassenzahl, W., Meuser, R., Peters, C., Rechen, J., Royer, R., Scanlan, R., Taylor, C. Full length prototype SSC dipole test results [Superconducting Super Collider] 87−74617
Strait, J., Brown, B.C., Hanft, R., Koepke, K., Kuchnir, M., Lundy, R., Mantsch, P., Mazur, P.O., McInturff, A., Cottingham, J., Dahl, P., Garber, M., Ghosh, A., Goodzeit, C., Greene, A., Herrera, J., Kahn, S., Kelly, E., Morgan, C., Prodell, A., Sampson, W., Schneider, W., Shutt, R., Thompson, P., Wanderer, P., Willen, E., Caspi, S., Gilbert, W., Hassenzahl, W., Meuser, R., Peters, C., Rechen, J., Royer, R., Scanlan, R., Taylor, C., Tompkins, J. Tests of prototype SSC magnets 88−54294
Strait, J., Brown, B.C., Hanft, R., Koepke, K., Kuchnir, M., Lundy, R., Mantsch, P., Mazur, P.O., McInturff, A., Orr, J.R., Cottingham, J., Dahl, P., Garber, M., Ghosh, A., Goodzeit, C., Greene, A., Herrera, J., Kahn, S., Kelly, E., Morgan, G., Prodell, A., Sampson, W., Schneider, W., Shutt, R., Thompson, P., Wanderer, P., Willen, E., Caspi, S., Gilbert, W., Meuser, R., Peters, C., Rechen, J., Royer, R., Scanlan, R., Taylor, C., Tompkins, J., Schermer, R. Tests of prototype SSC magnets 88−68133
Strait, J., Glass, A.M. Time-resolved photorefractive four-wave mixing in semiconductor materials 86−36569
Strait, J. *see* Ige, O.O. 88−68170
Strait, J. *see* McGuire, K. 88−39848
Strait, J. *see* McInturff, A.D. 87−70937
Strait, J.B. *see* Kuchnir, M. 87−70931
Strait, R.W., Jr. Discussion of the development of a practical multi-mode fiber optic connector embodying a mechanical clamp and featuring low installation time 85−8400
Straka, J., Devaty, J., Faltus, E. New generation of unified thyristor converter stations of CKD Praha, o.p., electrotechnical factory, for the supplying of trolley networks of tramways and trolley buses 86−40238
Straka, J., Devaty, J., Faltus, E. New generation of unified thyristor convertor stations built by CKD Praha for feeding tram and trolleybus overhead lines 86−51962
Straka, J., Ryant, J., Kamenicky, J. HV inverters for very large power drives 87−15858
Strake, B. *see* Aulich, H.A. 87−9837
Strake, E., Bava, G.P., Montrosset, I. Guided modes of Ti:LiNbO$_3$ channel waveguides: a novel quasi-analytical technique in comparison with the scalar finite-element method 88−72106
Strake, E. *see* Brucksch, M. 87−54098
Straker, F., Selberherr, S. Computation of wire and junction capacitance in VLSI structures 85−40859
Straker, F., Selberherr, S. Capacitance computation for VLSI structures 87−53665
Strakhov, L.P. *see* Bodrova, T.K. 87−21225
Strakhov, S.V. Methods of computing electromechanical transients in power systems 85−64782
Strakhov, S.V., Bakulin, S.N., Urdin, V.I., Abramov, E.I. Investigation of reverse voltages across diodes of a rectifier-exciter in an independent supply system 86−61608
Strakhov, S.V., Shaposhnikov, V.G., Morozov, N.B. Determining tolerances for a voltage-regulator inspection system 88−50014
Strakhov, S.V., Shaposhnikov, V.G., Morozov, N.B. Working order control of voltage regulators for independent supply systems in terms of static and dynamic characteristics 88−55470
Strakhov, V.N. Two paradigms in the theory of interpretation of gravitational and magnetic anomalies 88−61628
Strakhov, Yu.A. *see* Maksimov, B.K. 87−47077
Strakhova, L.A. *see* Kovan, S.E. 87−13005
Strakhovenko, V.M. *see* Baier, V.N. 87−3885
Strakos, V. *see* Vaclavik, M. 88−19930
Stranak, F. The development of communication methods in satellite television 87−34497
Strand, A., Murphy, T.J., Malmo, J.T., Vikhagen, E. TV-holography applied to the vibration analysis of vehicle bodies and components 88−65917
Strand, A. *see* Lokberg, O.J. 88−22855
Strand, D. *see* Young, R.T. 87−25914
Strand, D.A. *see* Ross, R.C. 87−25915
Strand, J.L. *see* Clark, C.E. 88−46444
Strand, T.C. Optical three-dimensional sensing for machine vision 85−37759
Strand, T.C., Mueller, E. Real-time extended range interferometry 86−11719
Strand, T.C. *see* Armand, A. 87−69248
Strand, T.C. *see* Jenkins, B.K. 85−7909 to 7910
Strand, T.C. *see* Kuan, D.T. 85−40190, 87−39884
Strandberg, H. *see* Rosenqvist, M. 86−38798
Strandberg, K. CCITT quality-of-service concepts applied to telecommunication network planning 86−16737
Strandberg, K. IEC TC56 standards with application to telecom quality of service, reliability and maintainability 87−33893
Strandberg, K. Dependability of telecommunications and information technology systems 87−58739
Strandberg, K. Automated tools for telecom systems dependability calculations 87−76146
Strandberg, K. SCM−increased dependability and reduced maintenance cost 88−129
Strandberg, K., Bergsten, S. Integrated DP tools for R&M math and product handling 86−57246
Strandberg, K., Soderberg, L. AXE 10−automatic quality-of-service control 85−14074
Strandberg, K., Soderberg, L., Vestin, C.G., Todini, R. Experience with integrated network operation and maintenance 85−51933
Strandjord, L.K. *see* Lenz, J.E. 85−52847
Strang van Hees, G.L. Adjustment of hyperbolic patterns 85−47614
Strang van Hees, G.L. *see* Salzmann, M.A. 88−10593
Strangas, E.G. Coupling the circuit equations to the non-linear time dependent field solution in inverter driven induction motors 86−45420
Strangas, E.G., Scott, T.W. Design of a magnetic flowmeter for conductive fluids 88−60684
Strangas, E.G., Theis, K.R. Shaded pole motor design and evaluation using coupled field and circuit equations 86−39782
Strangas, E.G. *see* Wu, Z.K. 88−37215
Strange, E. DCJ11 CMOS processor 85−17531
Strange, J.E. Low-leakage fuel management at Sequoyah 87−22080
Strange, J.L. The position-fixing needs of merchant ships: an assessment in the area Portland Bill to the Thames Estuary 88−29000
Strange, M.G. *see* King, M.D. 87−63946
Strange, M.G. *see* Spinhirne, J.D. 87−71315
Strange, P. Two electrical periodicals: the Electrician and the Electrical Review 1880-90 86−19702
Strange, P. Duplex telegraphy and the artificial line: the beginnings of system modelling 86−23365
Strange, R.R. *see* Atkinson, W.H. 85−3981
Strange, W.L. *see* Hobson, R.F. 88−38545
Strangeway, R.A., Ishii, T.K., Hyde, J.S. Low-phase-noise Gunn diode oscillator design 88−38728
Strangeway, R.A., Ishii, T.K., Hyde, J.S. Design and fabrication of a 35 GHz, 100 mW low phase noise Gunn diode oscillator 88−63920
Strangeways, H.J., Thomson, N.R. 24 kHz MSK Doppler receiver at Faraday, Antarctica 86−64007
Strangeways, H.J. *see* Bullough, K. 86−25594
Strangio, C.E. Microprocessor instruction in the engineering laboratory 88−70046
Strangul, O.N. *see* Solodilov, V.Yu. 87−50212
Strangway, D.W. *see* Arkani-Hamed, J. 86−25378
Strangway, D.W. *see* Sugiura, N. 86−32523
Stranix, A.J. *see* Korsun, V. 85−32396
Stranne, G. *see* Taylor, C.W. 86−56295
Stransfeld, R. *see* Otto, P. 86−24177
Strantchev, K.P. *see* Bodurova, M.M. 88−56426
Strappaveccia, S. Spatial jammer suppression by means of an automatic frequency selection device 88−15677
Strappaveccia, S. *see* Bucciarelli, T. 85−31079
Strappaveccia, S. *see* Fedele, G. 85−37091, 86−17439
Strappaveccia, S. *see* Giaccari, E. 87−49167
Strasburger, H., Rentschler, I. A digital fast sweep technique for studying steady-state visual evoked potentials 87−50339
Strashilov, V. *see* Germanova, K. 87−41582
Strashilov, V.L., Konstantinov, L.L., Ivanov, O. Topographical studies of semiconductor surfaces by using a combined photo-acoustoelectric method 87−53319
Strashilov, V.L., Konstantinov, L.L., Manov, A.C. Temperature dependence of the force-frequency effect in noncentral AT-cut quartz resonators 86−68139
Strashilov, V.L. *see* Brunzalov, K.P. 85−45922
Strashimirov, T.D. Mathematical model of a capacitive-input full-wave power supply 86−67020
Strashkov, A.V. *see* Demchuk, M.I. 88−39999
Strashnov, A.A. *see* Liniichuk, I.A. 86−21466
Strashnov, V.P. *see* Volubuev, V.S. 86−11558
Strashun, L. Betacam−basics and overview. I 85−31215
Strashun, L. 'Betacam'−fundamentals and overview. II 85−31216
Strashun, L. The Betacam range: principles and overview 85−47709
Strashun, L. Interactive training using operative equipment 86−33964
Strashun, L. An interactive training system using operative equipment 86−44044
Strashun, L. Evolution and concepts of an interactive expert system 87−34865
Strasilla, U. Realization of a microcomputer controlled adaptive filter (hardware aspects) 86−1255
Strasilla, U. Realization of a microcomputer-controlled adaptive filter (software aspects) 86−54527
Strasilla, U. *see* Chiao, S.H. 88−50152
Strasilla, U. *see* Mok, T.D. 86−57963
Strassberg, D. Cooling devices take the heat from SMDs 88−18485
Strassberg, D. In-circuit emulators ease development of hardware for 80386-based applications 88−32225
Strassberg, D. High-performance DMMS and calibrators bring standards-lab specs to the benchtop 88−36093
Strassberg, D. Pioneering engineers begin to adopt board-level automatic test generation 88−38894
Strassberg, D. Feature-packed universal programmers deliver good value 88−63003
Strassburger, A.G. *see* Zayakov, D. 86−12734
Strasser, G. *see* Gornik, E. 86−53420
Strasser, H. The case for an IS-PABX−a new breed has arrived 86−55130
Strasser, J. German communications satellite system: Examination of the necessity for an uninterruptible power supply for small Earth stations 86−59829
Strasser, P. *see* Baumuller, F. 85−43855, 87−64369
Strasser, P. *see* Schlessing, J. 86−33156
Strasser, T. *see* Grotzbach, M. 88−69600
Strasser, W. A VLSI-oriented architecture for parallel processing image generation 87−25473
Strassle, F. A process control system for the pulp and paper industry 87−43711
Strassler, S., Reis, A., Wieser, D. The electrical properties of oxides under conditions of oxidation, reduction and catalysis 87−1205
Strassler, W. The utility-controlled mixed heating−a freely controllable load group 86−19626
Strassman, K. *see* Hanson, R.T. 87−34033
Strassner, G. *see* Beer, W. 85−64518
Strassner, V. On the decomposition of set systems. Boolean functions, and graphs 87−31400
Strasz, W. YSPICE−a statistical optimization program for analog integrated circuits 86−2240
Straszewski, G.Mahr von *see* Mahr von Straszewski, G.
Strat, T.M., Fischler, M.A. One-eyed stereo: a general approach to modeling 3-D scene geometry 87−19852
Strata, G. *see* Arosio, G. 86−18298
Stratan, A. *see* Draganescu, V. 88−14161
Stratan, A. *see* Muscalu, G.L. 87−2223, 87−33248, 88−26927
Strate, J. *see* Finckh, E. 88−22935
Strate, L., Swerdlow, S. The maze of the law: how technical writers can research and understand legal matters 88−6174
Strate, M. Low voltage installations in dwellings and in business houses, with respect to the 'Technical Conditions of Connection to the Network', operative in the Federal Republic of Germany 87−64153
Straten, G.von der *see* von der Straten, G.
Straten, G.von der *see* von der Straten, G.
Strater, D. *see* Bergmeister, F.-J. 86−38649
Stratford, M. *see* Lockett, G. 86−57145
Stratford, R.P. What power system problems caused by drive static power converters should the static power converter solve? 88−23293
Stratford, R.P. What power system problems caused by drive static converters should the static power converter solve? 88−62465
Stratford, R.P. *see* Davis, W.K. 88−17739, 88−62462

Stratford, R.P. *see* Dunki-Jacobs, J.R. 88−17787
Stratford, R.P. *see* Smith, R.L., Jr. 85−9494
Stratheam, L. Stored power−choosing a battery 86−66249
Strathearn, L. Capacitors−SMDs unlikely to eclipse leaded components 86−53080
Strathearn, L. Relays−reductions in size and power consumption 86−58094
Strathearn, L. The space war−connectors for high density requirements [PCBs] 87−1093
Strathearn, L. Logic analysers take on a broader role 87−20986
Strathman, E. *see* Ingram, D.C. 87−60288
Strathman, E.M. *see* Wong, H. 87−60285
Strathman, L.R. An avionic caution and advisory display panel 87−50505
Strathman, M. *see* Byrne, P.F. 85−18231
Strathman, M. *see* Stimmell, J. 88−24791
Strathman, M. *see* Wang Yang-yuan 86−446
Strathman, M. *see* Wittmer, M. *(editor)* 87−16298
Strathman, M.D. *see* Wang Yangyuan 87−25142
Strathman, M.D. *see* Wong, H. 87−60285
Strathman, M.D. *see* Wu Guoying 86−26895
Strathman, M.D. *see* Yangyuan Wang 88−26074
Strathman, M.D. *see* Zhongde, Z. 87−24929
Strathmeyer, C. Voice/data integration: an applications perspective 88−28472
Strathmeyer, C.R. Integrating corporate message systems: a practical application of electronic mail standards 86−69346
Stratieva, N.R., Konstantinova, E.M. Structural and photoelectrical properties of $Zn_xCd_{1-x}S$ layers prepared by the $Zn_xCd_{1-x}S+Cr_2O_3$ system 86−42409
Stratieva, N.R. *see* Kabassanov, K.S. 87−60086
Stratievskii, I.Kh. *see* Doronin, K.S. 87−63237
Stratigakis, A.V. *see* Cook, M.K. 85−41996
Stratigopoulos, D. A property of ramification groups and numbers of algebraic finite extensions of valued fields 88−38074
Stratling, T. *see* Kabel, R. 86−13278
Stratonov, A.V., Korolev, S.Ya. Active and reactive components of current and voltage under steady-state conditions [electrical circuits] 87−78071
Stratskevich, L.I. *see* Mikhnov, S.A. 85−7400
Strattan, L.A. *see* Kallis, J.M. 87−36877
Strattan, R.D. *see* Rowe, M. 87−57244
Stratton, A. Land vehicle location and navigation using OMEGA/VLF radiolocation 87−49208
Stratton, A. Omega in the land environment 87−76882
Stratton, A.D. Solving problems with CEFFA 86−52303
Stratton, A.D. A powerful tool for facilitators [cause-and-effect/force-field analysis] 88−111
Stratton, A.W., Roessing, T.J., Burkhard, J.D. A comparative stability study related to the performance of PE/PJ and ETPR filling compounds 88−19443
Stratton, F.P. *see* Kubena, R.L. 87−53322, 88−39315
Stratton, J.A. *see* Endrenyi, J. 88−54909
Stratton, L.W. *see* Pinto, J.F. 85−56600
Stratton, P. The personal computer as a design component 86−52855
Stratton, R.C., Town, G.G. An artificial intelligence program in a computer application supporting nuclear reactor operations 88−48690
Stratton, R.C. *see* Lindsay, R.W. 86−25833
Stratz, A. The operation of steam turbines beyond the planned design operating period 88−5557
Stratz, A. Suitability of old plants for new operational requirements 88−30585
Straub, B., Blanz, W.E. A combination of a decision-theoretic and a syntactic approach to image segmentation 88−3228
Straub, D. *see* Ludeke, R. 88−19736
Straub, D.W., Beauclair, R.A. Current and future uses of group decision support system technology: report on a recent empirical study 88−67140
Straub, G. FEMBE−district heat Muehleberg-Bern. The Bern West and neighbourhood district heat supply from the Muehleberg nuclear power station and the Teuftal refuse depot 86−32931
Straub, G., Thoni, H.-R. District heat for Bern-West and vicinity from waste heat of the Muhleberg nuclear power plant and biogas from the Teuftal refuse tip 86−66365
Straub, L. 'Open' satellite reception via 'dish' 87−76948
Straub, R.D. *see* Hames, R.J. 85−60511
Straub, R.J. *see* Graham, M.A. 85−22258
Straub, W.D. *see* Rohatgi, A. 88−64633
Straube, W. *see* Nussbaum, G.H. 87−57229
Straubel, B. Transients recorder, type TRC 571 87−35139
Straubendt, H.R. A modern noise-reduction procedure 86−68794
Strauch, D. Comfort for power supplies: automatic range switching 87−44548
Strauch, D. User surfaces for information and communication services in future broadband networks 87−69513
Strauch, F. Planning and execution of a 10 kV VPE cable line operating in an area with ground subsidence 85−27082
Strauch, G. The licenced radioactivity release levels of French nuclear facilities 87−35723
Strauch, K. *see* Becker, U. 88−22943
Strauch, R.A. *see* Sunderland, D.A. 85−624
Strauch, R.G., Merritt, D.A., Moran, K.P., Earnshaw, K.B. Profiling winds with UHF Doppler radars 88−5178
Strauch, R.G., Merritt, D.A., Moran, K.P., Earnshaw, K.B., Van De Kamp, D. The Colorado wind-profiling network 85−26897
Strauch, R.G., Weber, B.L., Frisch, A.S., Little, C.G., Merritt, D.A., Moran, K.P., Welsh, D.C. The precision and relative accuracy of profiler wind measurements 88−61641
Strauch, R.G. *see* Frisch, A.S. 87−77857
Strauch, R.G. *see* Nastrom, G.D. 86−23981
Strauch, S. *see* Rapoport, W.R. 88−20622
Straugh, B.L. *see* Howard, R.E. 87−59455
Straughan, I.R., Sioshansi, F.P. The increasing significance of electricity: strategic implications for energy planning 85−59646
Straughan, K. *see* Jennings, S.J. 87−8898
Straughan, K. *see* Lerski, R.A. 88−48119
Straughn, B. *see* Graf, H.P. 87−25542
Straughn, B. *see* Hubbard, W. 87−25365
Straughn, B. *see* Schwartz, D.B. 87−52773
Straumann, U. *see* Braunschweig, W. 88−29874, 88−68282
Straumann, W. *see* Muller, B. 85−30657
Straus, E.G. *see* Hilliker, D.L. 86−66707
Straus, I. Meeting the VDE requirements [data processing equipment standards] 86−30204
Straus, J. *see* Malek, Z. 85−43416
Straus, L.P. *see* Al-Salihi, F. 88−59867
Straus, L.P. *see* Damper, R.I. 88−4986
Strauss, A.J., Fahey, R.E., Sanchez, A., Aggarwal, R.L. Growth and characterization of $Ti:Al_2O_3$ crystals for laser applications 88−2212
Strauss, A.J. *see* Sanchez, A. 86−58909, 88−63277
Strauss, A.J. *see* Wall, K.F. 88−65628
Strauss, B., Andre, M., Calmant, S. Case studies of ducting conditions in the lower troposphere 85−41630
Strauss, D. The mc EPROM survey, all EPROMS from 2716 to 27210 87−24176
Strauss, D. Super micro 80386, the processor for multitask operating systems 87−24236
Strauss, D. Local computer networks 87−40376
Strauss, D. CAD for the PC. Drawing of circuits with Shamrock-CAD 87−59095
Strauss, E. 80386 technical reference 88−44215
Strauss, F. *see* Cichocki, A. 86−34979
Strauss, G. Digital multimeter UDL 44 for laboratory and service 87−56734
Strauss, H. Monotonicity of quadrature formulae of Gauss type and comparison theorems for monosplines 85−320
Strauss, H. Characterization of strict approximations in subspaces of spline functions 85−10630
Strauss, H. An algorithm for the computation of strict approximations in subspaces of spline functions 85−10631
Strauss, H. *see* Nunberger, G. 86−46247
Strauss, H. *see* Pinkus, A. 88−31670
Strauss, J. *see* Kleinjohann, B. 87−17167
Strauss, J. *see* Maier, R. 87−64364
Strauss, J.A. *see* Brink, D.J. 86−68621
Strauss, J.L., Hoyt, B.A., DeGroat, J.W., Terzuoli, A.J., Lair, A.V. Computer architecture implications of the numerical solution for the electromagnetic field of an arbitrary current source 88−2451
Strauss, J.P., Elliott, D.F. A signal processing system implementation for a nonimaging infrared sensor 86−4749
Strauss, K. Operational consequences of primary side NO_x reduction in pulverized fuel combustion [power stations] 87−15519
Strauss, K. Engineering ideology 88−43538
Strauss, K. *see* Breidenbach, H. 88−55205
Strauss, K. *see* Heitmuller, W. 88−30562
Strauss, K.-P. *see* Germer, H. 87−3335
Strauss, M. Buildup of X-ray laser gain by fluctuations in channeled relativistic beam systems 88−65544
Strauss, M., Amendt, P., Rostoker, N., Ron, A. X-ray laser gain from Bragg reflection coupling in channeled relativistic beam systems 88−40264
Strauss, M.G., Brenner, R., Chou, H.P., Schultz, A.J., Roche, C.T. Spatial resolution of neutron-position scintillation detectors 85−15208
Strauss, M.G., Naday, I., Sherman, I.S., Kraimer, M.R., Westbrook, E.M., Zaluzec, N.J. CCD sensors in synchrotron X-ray detectors 88−42424
Strauss, M.G., Naday, I., Sherman, I.S., Zaluzec, N.J. CCD-based parallel detection system for electron energy-loss spectroscopy and imaging 87−56535
Strauss, M.G., Sherman, I.S., Roche, C.T., Pehl, R.H. Si(Li)-NaI(Tl) sandwich detector array for measurements of trace radionuclides in soil samples 86−32170
Strauss, M.G. *see* Naday, I. 88−4865
Strauss, M.G. *see* Pehl, R.H. 86−65346
Strauss, M.G. *see* Roche, C.T. 85−43202
Strauss, M.S., Lin, D.L., Welsher, T.L. Variations in failure modes and cumulative effects produced by commercial human-body-model simulators 88−50977
Strauss, M.S. *see* Barber, F.E. 86−14215
Strauss, M.S. *see* Lin, D.L. 88−263
Strauss, P. Squeeze play: carriers quietly trying compressed voice; users could soon squeeze big savings 87−75771
Strauss, P., Prazak, C.J., Sae Dong Lee Construction of a flat tension mask color CRT 87−3699
Strauss, P.R. Faster reshuffles: why data companies restructure management 85−28000
Strauss, P.R. 1986: Information networking's quiet watershed year in review 87−27759
Strauss, P.R. Small is beautiful: new T1 muxes stress savings 88−28580
Strauss, S. *see* Komanecky, M. 88−52989
Strauss, S.D. BWR pipe crack control advances, with emphasis on water chemistry 85−15767
Strauss, S.D. Industry strives for improved feed-water-heater reliability [power plants] 85−15833
Strauss, S.D. Condenser-biofouling control looms large in light of toxic-discharge deadline 86−25915
Strauss, S.D. Uprate nuclear powerplants to stretch output capacity 86−45066
Strauss, S.D. Improved hydrogen monitoring helps control corrosion 86−45107
Strauss, S.D. Water-treatment control and instrumentation 88−75235
Strauss, S.D., Keen, S., Puckorius, P. Boiler water treatment for low- and moderate-pressure plants 87−78494
Strauss, S.D., Puckorius, P.R. Cooling-water treatment for control of scaling, fouling, corrosion 85−4919
Strauss, W. *see* Bowman, W.C. 88−55494, 88−62429
Strauss, W. *see* Nitz, W.A. 88−55495
Strausser, Y.E., Euzent, B.L., Smith, R.C., Tracy, B.M., Wu, K. The effect of metal film topography and lithography on grain size distributions and on electromigration performance 88−1571
Strautman, F. *see* Thomas, S. 87−27698
Strautmanis, G.F. *see* Bilinsky, I.Ya. 87−771
Strautmanis, G.F. *see* Vol'pert, L.A. 85−41900
Strautzelis, V.V. *see* Stroev, K.N. 86−14023
Strauven, H., De Wijngaerdt, E., Spinnewijn, J., Verbeke, O.B. Quadruple thickness monitor with double backup 87−32785
Strauven, H., Stesmans, A., Winters, J., Spinnewijn, J., Verbeke, O.B. Hydrogen incorporation mechanisms in the preparation of *a*-Si:H by ion bombardment-activated reactive evaporation 88−43918
Strauven, H. *see* Verbeke, O.B. 87−49987
Straver, W.G.M., Nordholt, E.H., Nauta, H.C. A synchronous phase-lock loop detector for integrated AM radio 85−656
Straver, W.G.M. *see* Weisen, C. 86−47669
Stravisi, F. A posteriori calibration of a mechanical pyranograph 86−32546
Stravli, Q. Watch out−here comes teletex 85−36635
Stravrov, A.A. *see* Demchouk, M.I. 85−62546
Strawczynski, L. *see* Gruber, J.G. 85−62994
Strawczynski, L. *see* O'Higgins, B. 87−55489, 87−76172
Strawinski, L.J. *see* Boruc, L.P. 87−18526
Strawn, D. *see* Somerton, C.W. 87−64401
Strawn, J. Orchestral instruments: analysis of performed transitions 87−28863
Strawn, J. Editing time-varying spectra 87−55097
Strawn, J. *see* Roads, C. *(editor)* 85−60651
Strawser, D.A. Connectorized circuitry utilizing polymer thick film 86−47138
Strawser, D.A. Polymer thick film in a computer system application 87−11266
Strawthorn, B. *see* Hayes, D. 86−16437
Strayer, D.M., Dick, G.J., Mercereau, J.E. Performance of a superconducting cavity stabilized ruby maser oscillator 87−68311
Strayer, D.M. *see* Dick, G.J. 85−62469, 88−19347
Strayer, D.M. *see* Thakoor, S. 86−27552
Strayer, H.J., Roulston, D.J., Bryant, P.R. DC solution speed in piecewise linear network analysis programs 86−27035
Strayer, J.R. *see* Glaser, R.M. 86−25318
Strayer, W.T., Weaver, A.C. Performance measurement of data transfer services in MAP 88−66993
Strazicky, B. *see* Deak, I. 86−12309
Strazisar, A.J. *see* Chima, R.V. 85−4162
Strba, S. *see* Tekus, J. 88−36084
Strbik, V. *see* Benacka, S. 86−36091
Strbuncelj, Z. *see* Saban, J. 87−72015
Streater, R. *see* Jay, P. 87−53634
Streater, R. *see* Suthers, M. 87−60743
Streater, R.W. *see* Dzioba, S. 88−12042
Streb, W. *see* Hezel, R. 85−1563, 85−55733
Strebanig, S.F. *see* Crane, L.F. 86−54319
Strebe, D.L. Using sound intensity in troubleshooting 88−47729
Strebe, D.L. *see* Upton, R. 88−47458
Strebe, J.L. *see* Mahato, B.K. 85−39178

Strebel, B., Heydt, G. Multi-channel optical carrier frequency technique 88−47102
Strebel, B. *see* Baack, C. 87−34557
Strebel, B. *see* Bachus, E.-J. 86−11101, 86−17371, 86−49698, 88−60179
Strebel, B. *see* Bachus, E.J. 85−8414, 87−8266
Strebel, B. *see* Bochus, E.J. 85−20184
Strebel, B. *see* Braun, R.-P. 85−42626
Strebel, B. *see* Caspar, C. 88−47140
Strebel, B. *see* Westphal, F.-J. 88−41630
Strebel, T.D. *see* McComb, B.J. 85−48421
Strebkov, D.S., Askarov, S.M., Kamenstskii, S.L., Prokof'eva, G.I., Slepov, V.I., Shamaro, L.A. High-voltage solar photoelectric stations 87−51087
Strebkov, D.S., Krylov, V.M., Ivanov, A.P., Kidyashev, Yu.K., Lemasov, B.I., Rozhdestvenskii, A.M. Autonomous solar photoelectric station for lifting water 88−55762
Strebkov, D.S., Potapov, V.N., Kosinerova, L.V., Kurenkova, V.A., Rozhdestvenskii, A.M. Service life of solar photoelectric stations 86−65986
Strebkov, D.S., Potapov, V.N., Kurenkova, V.A., Rozhdestvenskii, A.M. Temperature characteristics of solar-array modules 86−26285
Strebkov, D.S. *see* Afyan, V.V. 87−58320
Strebkov, D.S. *see* Alimov, A.K. 87−51454
Strebkov, D.S. *see* Askarov, S.M. 86−51901
Strebkov, D.S. *see* Bychkovskii, S.K. 87−51086
Strebkov, D.S. *see* Evdokimov, V.M. 87−22732
Strebkov, D.S. *see* Irodionov, A.E. 88−43101
Strebkov, D.S. *see* Radautsan, S.I. 85−27659
Strebkov, D.S. *see* Vasil'eva, E.N. 87−46680
Strebkov, D.S. *see* Zhuchkov, V.M. 87−33050, 87−58317
Strebkov, S.S., Tikhomirova, V.A., Fedosova, G.B. Temperature dependence of electrophysical parameters of germanium photogenerators at high illumination 86−19478
Streck, J.P. *see* Ellenberger, A. 85−6407
Strecke, H. Electroplating in bulk: computer with software designed for the industry 85−53972
Strecke, V., Pfahlbusch, H. Hardware design in the menu system [EPROM programming] 85−17416
Strecker, H. Supervised-learning approach to image segmentation in automated X-ray testing 87−44439
Strecker, H. *see* Boerner, H. 88−31515
Strecker, H. *see* Gehrtz, M. 88−56342
Strecker, W.D. CI: a high speed interconnect for computers and mass storage controllers 85−13956
Streckert, J. A new fundamental mode field-radius definition usable for non-Gaussian and noncircular field distributions 85−50928
Streckert, J., Schirmer, J. Transverse offset data processing for evaluating Petermann's 'strange' mode field diameter: a comparison of three methods 88−51465
Streckhardt, F., Frischbier, G., Ueding, L. Integration from CAD to computer aided engineering in factory practice 86−19836
Street, C. What data on cellular can do 87−13601
Street, D.L. The communications technology in a large value added network 86−69307
Street, K. *see* Brotherton, W.A. 85−11822
Street, M.A., Borys, S.F. Microwave performance monitor application at the Bonneville Power Administration 88−22757
Street, P. X.25 user experience 86−30435
Street, R.A. Transient conductivity and photoconductivity in *a*-Si:H 86−2923
Street, R.A. Transient photoconductivity studies of a-Si:H interfaces 86−35433
Street, R.A. The origin of metastable states in a-Si:H 88−69692
Street, R.A., Thompson, M.J. Electronic states at the hydrogenated amorphous silicon/silicon nitride interface 85−6753
Street, R.A., Thompson, M.J. Amorphous silicon heterojunctions studied by transient photoconductivity 85−18136
Street, R.A., Thompson, M.J., Johnson, N.M. The electrical characterization of surfaces, interfaces and contacts to a-Si:H 85−24379
Street, R.A., Tsai, C.C. Fast and slow states at the interface of amorphous silicon and silicon nitride 86−58325
Street, R.A., Tsai, C.C. The origin of slow states at the interface of a-Si:H and silicon nitride 87−17776
Street, R.A. *see* Johson, N.M. 86−35599
Street, R.A. *see* Kakalios, J. 87−18831, 87−68261, 87−74026
Street, R.A. *see* Marshall, J.M. 86−68383, 88−39084
Street, R.A. *see* Perez-Mendez, V. 87−21438, 87−77557
Street, R.A. *see* Tsai, C.C. 86−27985, 87−17775
Street, R.A. *see* Winer, K. 88−71385
Street, R.A. *see* Wu, I.W. 87−11426
Street, R.L. *see* Papadimitrakis, Y.A. 85−38282, 86−44475
Street, R.W. *see* Heiberger, M. 87−12685
Streeter, H., Glenn, T.E. Engineering student attitudes and enrollment in social science and humanities courses 88−24405
Streeter, L. *see* Chizeck, H.J. 85−48339
Streeter, L. *see* Macchi, M. 88−66450
Streeter, L.A., Chizeck, H.J., Kobetic, R. Input-output response of the quadriceps muscle in paraplegic patients 86−25276
Streetman, B.G. *see* Banerjee, S.K. 85−40490
Streetman, B.G. *see* Block, T.R. 87−11363
Streetman, B.G. *see* Campbell, A.C. 87−74050, 88−57349
Streetman, B.G. *see* Chalmers, S.A. 87−74106
Streetman, B.G. *see* Chan, S.S. 86−21135
Streetman, B.G. *see* Crook, G.E. 86−41511
Streetman, B.G. *see* Dodabalapur, A. 87−74154
Streetman, B.G. *see* Farley, C.W. 86−35419, 87−37893, 87−38073, 87−38151, 87−67266, 88−11998, 88−49823
Streetman, B.G. *see* Kesan, V.P. 87−37547, 87−45290, 88−25528, 88−38716, 88−39371, 88−71603
Streetman, B.G. *see* Lester, S.D. 86−47450, 86−58263
Streetman, M.M. *see* Appel, J.A. 86−38720
Streeton, D.F. *see* Malcotsis, G. 86−65840
Streeton, M. *see* Wassell, I.J. 88−15385
Streets, D.G. Clean coal technology vs retrofits in acid rain precursor control 88−5530
Streets, J. *see* Albrow, M.G. 88−29872
Strege, K.E. *see* Chu, S.N.G. 85−22480, 85−61837, 86−52448
Strege, K.E. *see* Logan, R.A. 88−11966
Strege, K.E. *see* Macrander, A.T. 86−26829
Strege, K.E. *see* Wilt, D.P. 85−2344
Strehl, P. Beam diagnostics 88−4759
Strehl, P. *see* Fradj, M. 87−41743
Strehl, P. *see* Losert, W. 87−41744
Strehle, G.O. The network management problem in private packet switching networks 85−63320
Strehle, G.O. A measuring model for the performance evaluation of virtual transport connections in real packet switching networks 86−30367
Strehmel, K., Weiner, R. Estimation of the local error by a modified Richardson extrapolation in linear implicit one-step methods 85−10619
Strehmel, K., Weiner, R. Nonlinear stability and phase analysis for adaptive Nystrom-Runge-Kutta methods 86−26776
Strehmel, K. *see* van der Houwen, P.J. 87−10333
Streianu, E. *see* Brasovan, I. 87−21041
Streib, O. ISDN: ICs for exchanges and terminals 87−48814
Streib, O. The step towards the digital telephone 88−67151
Streibel, G. *see* Heinze, J. 87−43625
Streibl, B. *see* Koppendorfer, W. 86−42181
Streibl, B. *see* Laurenti, A. 87−74634
Streibl, B. *see* Mukherjee, S. 88−65984
Streibl, N. Parallel optical interconnections and computer architecture 88−33906
Streibl, N. *see* Bartelt, H. 86−24366
Streibl, N. *see* Brenner, K.-H. 87−7797
Streibl, N. *see* Lohmann, A.W. 88−65407
Streibl, N. *see* Murdocca, M.J. 88−51621
Streibl, N. *see* Prise, M.E. 88−65421
Streich, M. *see* Kunze, U. 88−75362
Streich, P. *see* Frank, A. 86−55220
Streich, P. *see* Jauch, R. 87−13594
Streicher, A. Quartz oscillators with TTL and HCMOS circuits 87−10713
Streicher, C. A single-chip microcomputer with two central units 85−11298
Streicher, C.H. *see* Logan, H.L. 85−13892
Streicher, F. *see* Speidel, J. 86−59696
Streicher, R., Dooley, W. Basic stereo microphone perspectives−a review 85−63890
Streicher, R. *see* Donitz, W. 88−55613
Streicher, V., Miksch, M. KWU's Series '86 systems increase life expectancy, availability and safety 88−36939
Streicher, V. *see* Jax, P. 86−19035
Streicher, V. *see* Ruthrof, K. 85−53447
Streicher, V. *see* Wehling, H.-J. 88−75361
Streicker, J., Yang, Y.-H. Revisiting conditional sum adders 87−52550
Streicker, M. *see* Smith, F. 88−59311
Streif, T.A. *see* Bui, M.D. 87−67137
Streif, T.A. *see* Dorrance, R.H. 88−24786
Streifer, W. Center for High Technology Materials 86−33903
Streifer, W. Coupled mode theory 87−38748
Streifer, W., Hardy, A., Burnham, R.D., Scifres, D.R. Single-lobe phased-array diode lasers 85−24563
Streifer, W., Hardy, A., Burnham, R.D., Thornton, R.L., Scifres, D.R. Criteria for design of single-lobe phased-array diode lasers 85−46394
Streifer, W., Osinski, M. Comments, with reply, on 'Array-mode far-field patterns for phase-locked diode-laser arrays: Coupled-mode theory versus simple diffraction theory' by D. Botez 86−42918
Streifer, W., Osinski, M., Hardy, A. Reformulation of the coupled-mode theory of multiwaveguide systems 87−32959
Streifer, W., Osinski, M., Hardy, A. A critical overview of coupled mode theory 88−51526
Streifer, W., Osinski, M., Scifres, D.R., Welch, D.F., Cross, P.S. Phased-array lasers with a uniform, stable supermode 87−26379
Streifer, W., Scifres, D.R., Harnagel, G.L., Welch, D.F., Berger, J., Sakamoto, M. Advances in diode laser pumps 88−65693
Streifer, W., Snyder, A.W., Ankiewicz, A., Altintas, A. Comments on 'Fundamental error of recent coupled mode formulations' [and reply] 88−51498
Streifer, W., Welch, D.F., Berger, J., Cross, P.S., Scifres, D.R. Losses in Y-junction semiconductor laser arrays 88−45402
Streifer, W., Welch, D.F., Cross, P.S., Scifres, D.R. Y-junction semiconductor arrays. I. Theory 87−68461
Streifer, W., Yevick, D., Burnham, R.D., Paoli, T.L. Threshold analysis of cleaved-coupled-cavity lasers 85−2287
Streifer, W., Yevick, D., Burnham, R.D., Paoli, T.L. An analysis of cleaved coupled cavity lasers 85−2350
Streifer, W., Yevick, D., Burnham, R.D., Paoli, T.L. Frequency modulation in the cleaved-coupled-cavity laser 85−7468
Streifer, W., Yevick, D., Paoli, T.L., Burnham, R.D. Analysis of cleaved-coupled cavity (C^3) diode lasers. II. Frequency modulation, above threshold operation, and residual amplitude modulation 85−62624
Streifer, W. *see* Andrews, J.R. 86−9847
Streifer, W. *see* Berger, J. 87−54273, 88−8155, 88−45389, 88−51651, 88−65610
Streifer, W. *see* Burnham, R.D. 85−12870, 87−24869
Streifer, W. *see* Chang-Hasnain, C.J. 87−54362
Streifer, W. *see* Cross, P.S. 88−8221
Streifer, W. *see* Elliot, R.A. 85−62574
Streifer, W. *see* Epler, J.E. 85−35777
Streifer, W. *see* Gavrilovic, P. 85−41382
Streifer, W. *see* Hardy, A. 85−51186, 86−22126, 86−28824, 86−42262, 86−48133, 86−63808, 87−12116, 87−18675, 88−8204, 88−33743
Streifer, W. *see* Meehan, K. 85−51177
Streifer, W. *see* Osinski, M. 88−45464
Streifer, W. *see* Sakamoto, M. 88−51818, 88−65662
Streifer, W. *see* Thornton, R.L. 85−18766
Streifer, W. *see* Weich, D.F. 87−39098
Streifer, W. *see* Welch, D.F. 85−56623, 86−15687, 86−36476, 86−42538, 86−63798, 87−26384, 87−33144, 87−54310, 87−68462, 87−75082, 88−8187, 88−14170, 88−20641
Streifer, W. *see* Yaeli, J. 85−56729
Streiff, B. The Song-Loulou hydroeletric plant 88−69194
Streiffert, D.L. *see* Duncan, R.A. 85−48545
Streil, T. *see* Pretzsch, G. 86−38853
Streilein, R. Hybrid gas removal system improves geothermal economics 87−9399
Streit, D., Metzger, R.A., Allen, F.G. Comparison of solid phase vs. molecular beam epitaxial growth of silicon with evaporative doping 85−23672
Streit, D.C., Ahlers, E.D., Allen, F.G. Sharp profiles and low-temperature diffusion of Ga and Sb in silicon modulation-doped superlattices 87−74066
Streit, D.C. *see* Hwu, R.J. 88−71077
Streit, E. *see* Golovatyuk, V.M. 85−52982
Streit, J.E. *see* Wolf, J.R. 85−9670
Streit, P. *see* Loward, E. 85−43044
Streit, R.L. Solution of systems of complex linear equations in the l_∞ norm with constraints on the unknowns 86−46265
Streit, R.L. Algorithm 635: an algorithm for the solution of systems of complex linear equations in the $\mathcal{L}_\infty$ norm with constraints on the unknowns 87−203
Streit, R.L. *see* Sherrill, M.S. 87−68890
Streit, U. *see* Andra, H. 86−35440
Streiter, R. *see* Tolonics, J. 88−33021
Streitlien, B. Digital switching network of ITT 1240 85−36855
Strejc, V. Riccati equation solved by matrix triangulization 85−16888
Strek, W. *see* Jezowska-Trzebiatowska, B. 86−51910
Strekaler, A.A., Pisiks, N.A., Rogova, O.E. The service possibilities of a multifunctional integrated system MISA 87−62651
Strekalov, G.N. *see* Lyalin, K.V. 85−60610
Strekalovskii, V.P. *see* Churkin, A.A. 86−18312
Strelanu, E. *see* Brasovan, I. 86−31392
Strel'bitskii, E.K. *see* Maziya, L.V. 88−17507
Strel'chenko, S.S., Bondar', G.V., Testova, N.A., Lun'kina, G.B., Igumenov, V.T. Thermodynamic analysis of interactions in the system In-As-Sb-Cl-H and preparation of epitaxial $InAs_{1-x}Sb_x$ layers 86−20038
Strel'chuk, A.M. *see* Anikin, M.M. 87−18063, 87−32289
Strel'chuk, A.M. *see* Dmitriev, V.A. 86−21236, 86−47521, 87−60155, 88−70323
Strelen, J.C. Probability distributions of maximum entropy for the wait times in G/G/1 systems 88−49628
Streletsky, R. *see* Zhuikov, V.Ya. 88−55429
Streletz, L.J. *see* Steben, J.D. 86−25236

Strelkov, G.M. *see* Sadovnikov, V.P. 88−58624
Strelkov, P.S. *see* Bogdanov, V.V. 88−7265
Strelkov, P.S. *see* Kuzelev, M.V. 88−64180
Strelkov, V.I., Fokin, G.G., Yakubson, G.G., Kostina, A.D. A device for single- and triple-phase automatic reclosure of 500-750 kV transmission lines 87−9189
Strelkov, V.M. Analysis of the operating range of a remotely-controlled selector in single-phase automatic reclosure gear 88−69623
Strelkov, V.M., Fokin, G.G., Yakubson, G.G. Multifunctional automatic reconnection switch for 500-750 kV lines using integrated microcircuits 87−4453
Strelkov, V.M., Fokin, G.G., Yakubson, G.G. Equipment based on integrated circuits for three-phase autoreclosure of circuit breakers at 330 kV and above 87−15922
Strelkov, V.N. *see* Mal'tsev, G.I. 86−33559
Strelkova, K.S., Mironova, N.I. On the strength of the header systems of high-pressure preheaters [power station steam plants] 86−33041
Strelkova, K.S. *see* Marushkin, V.M. 88−11090
Strella, S. *see* Cain, S.R. 85−35962
Strel'nikov, A.V., Oparin, V.A. The exploitation of remotely-controlled and current-driven protection devices for 110-330 kV transmission lines 88−5393
Strel'nikov, N.A., Kulikov, A.E., Sin Sun Dok Control and regulation of maximum power load in an industrial plant 88−11513
Strel'nikov, V.N. *see* Bazarov, E.N. 88−58437
Strel'nikov, V.P., Kachanov, B.Ya., Pronin, A.M., Akimova, M.Ya. Determining the electrical resistance of straight seam tube metal during high-frequency welding 85−53969
Strel'nikov, Yu.N. *see* Anisimov, V.I. 88−28653
Strelow, E.R. *see* Warren, D.H. *(editor)* 86−33946
Strel'tsov, A.M. *see* Konovalov, V.A. 85−19036
Strel'tsov, A.M. *see* Volyak, K.I. 87−2331, 88−34369
Strel'tsov, A.P. *see* Adamovich, V.A. 87−46762, 87−68343
Strel'tsov, A.P. *see* Andreev, Yu.M. 88−51904
Strel'tsov, A.P. *see* Babaev, I.K. 88−58441
Strel'tsov, A.P. *see* Baranov, V.Yu. 85−2417, 87−46759, 87−74983, 88−8272
Strel'tsov, A.P. *see* Kuntsevich, B.F. 87−68349
Strel'tsov, I.P. A noniterative solution of the Dirichlet case using magnetic field analysis of triangular grooves as an example [synchronous generators] 85−32456
Strel'tsov, I.P. Analytical solutions of magnetic field of semicircular grooves [synchronous generators] 86−12789
Strel'tsov, I.P. Calculating magnetic field in angular air gap for arc rectangular-shaped grooves 86−26055
Strel'tsov, V.N. *see* Brysev, A.P. 87−32269
Strel'tsov, V.N. *see* Vlasov, D.V. 85−7539, 86−32578
Strel'tsova, T.M. *see* Osipenko, V.P. 85−48097
Strelyaev, P.I. *see* Dzhuvarly, Ch.M. 85−4691
Strelyaev, P.I. *see* Lipin, V.M. 85−5600
Strelyuk, M.I., Sergei, I.I. A method for calculating the electrodynamic stability of flexible buses of outdoor high voltage distribution gear 85−32634
Strelyuk, M.I., Sergei, I.I., Bladyko, Yu.V. The effect of suspension insulator sets on the electrodynamic stability of flexible busbars in outdoor switchyards 87−9199
Strelyuk, M.I., Sergei, I.I., Bladyko, Yu.V. The boundary conditions for the equations of motion of the flexible busbars of outdoor switchgear during short circuits 87−15934
Strelyuk, M.I., Sergei, I.I., Evtushenko, V.A., Kuchkina, N.N. The electrodynamic effects of short-circuit currents on the flexible busbars of the outdoor switchgear of power stations and substations 85−60353
Strelyuk, M.I., Sergei, I.I., Kwame Danso, D. Approximate calculation of the electrodynamic stability of the flexible conductors of outdoor switchgear and overhead transmission lines 88−68988
Stremler, F. *see* Anthony, S. 88−60231
Stremme, E. *see* Hoffman, R. 88−21906
Stremme, W. *see* Bohnke, P. 87−51532
Stremsdoerfer, G., Martin, J.R., Garrigues, M., Perossier, J.L. Localized photoactivation with Pd of p-InP previous to an electroless gold plating 86−63208
Stremsdoerfer, G. *see* Curran, J.S. 87−10506
Strenger, H. Simulation of thermal processes 85−9683
Strengl, G., Loschner, H., Muray, J.J. Sub-0.1-μm ion projection lithography 87−25037
Streninson, L.D. *see* Andronov, A.A. 88−68724
Strenio, D. Why servo drives? I 88−5813
Strenio, D. Selecting the right servo 88−23989
Strenski, P.N., Doniach, S. A system of three Josephson junctions 85−35343
Strenski, P.N. *see* Bradley, R.M. 87−74599
Strenstrom, L., Lindberg, P., Samuelsson, J. Testing procedure for metal oxide varistors protecting EHV series capacitors 88−75884
Strese, H. Some results with a modified selfconsistent magnetic recording channel model 85−24171
Strese, H. On two-dimensional modeling of magnetic recording process 86−36036
Strese, H. BEM82: numerical experiences and new facilities 86−57365
Strese, H. On two-dimensional modelling of magnetic recording processes. III 87−67764
Stresow, U. *see* Waldis, W. 87−11142
Stressing, J. Transistor-level simulation using a hardware accelerator 86−41153
Stressing, J. Fast ECAD [logic and fault simulation] 87−433
Stretenskii, V.N. *see* Gavrilov, O.T. 86−14934
Stretnskiy, V.N. *see* Naumenko, Ye.D. 85−52928
Stretter, J.R. *see* Otagawa, T. 87−56654
Stretton, W.A. *see* Nicol, W.S. 87−57319
Streubel, G. Automatic spark counter for measurement of high track densities in SSNTDs 86−70351
Streubel, G., Dorschel, B., Hanisch, T., Reinhard, J., Schoop, K. Properties of MOS sensors for application in neutron area monitoring 88−29799
Streubel, G., Schoop, K., Dorschel, B. Dependence of the detection properties of MOS neutron sensors on the radiation field 87−14725
Streubel, H. On the calculation of sustainable AC power voltages for surface-contaminated insulators 87−35672
Streubel, H., Albrecht, G., Beier, H. Investigations on and experience with overhead line insulators in areas subject to pollution 86−12484
Streubel, H., Beier, H. Influence of dry and mechanical cleaning methods on the mechanical strength of insulators 86−65735
Streubel, H., Sklenicka, V., Vokalec, J. The effect of non-uniform pollution on the flashover voltage of insulators 86−53854
Streubel, K. *see* Korn, M. 88−20663
Streubel, K. *see* Maile, B.E. 88−25943
Streubel, R. Holographic investigations of transversely struck rolled plates 85−44814
Streubel, R.H. Insulators for HVDC transmission lines 88−69033
Streuber, C. *see* Buhler, H.-E. 88−55185
Streuber, M., Loeper, B. Problems in the effective use of computer-supported workstations for technical support in the manufacture of automation equipment 86−7432
Streuker, G. *see* Slotboom, J.W. 88−39527
Streydio, J.-M. *see* Berote, G. 86−27886, 88−18003
Streydio, J.-M. *see* Cossement, D. 86−7820, 86−40790
Streydio, J.M. *see* Orban de Xivry, E. 88−18067
Streyle, D.G. *see* Zyda, M.J. 88−36707
Strezoski, V., Levi, V. A mathematical model for the calculation of stationary regimes of interconnected electric power systems 85−32066
Strezoski, V., Popovic, D., Bekut, D. Promotion of calculation of short-circuit currents in electric power systems 88−23257
Strezoski, V., Trpovski, Z., Levi, V. Solution of the linear models of the electric power systems in the steady state 86−12262
Strezoski, V. *see* Levi, V. 88−48530, 88−61828
Strezoski, V.C., Calovic, M.S. Steady-state security analysis assuming large generation/load disturbances 86−12301
Strezoski, V.C. *see* Levi, V.A. 88−10754
Stribley, K.R. *see* Armstrong, N.P. 86−28462
Stribling, A. *see* Ross, L. 88−35829
Stricek, F. *see* Jurecka, J. 86−4825
Strich, R. *see* Cumminskey, B. 88−15175
Strich, R.F., Jackson, R.H. The use of LANs for defense systems 85−13944
Strich, R.R. *see* Mulford, J.O. 85−13952
Strich, W.E. *see* Cochrane, J.I. 86−16686
Strickel, M.A. *see* Brodwin, M.E. 86−18094
Stricker, J. *see* Goldschmidt, A. 85−62517
Stricker, P. COV's 4000-psi hydraulics adapt to multiple functions 88−68686
Strickert, H., Hoffmann, P. Kalman filter in integrated measurement systems 85−14567
Strickert, R.J. Availability management of Ontario Hydro's CANDU nuclear generating stations 85−65052
Strickert, R.J. *see* Chadha, J.A. 88−36976
Strickland, B.E. *see* Schaefer, G. 86−63010
Strickland, B.R. Strategic Defense Initiative Organization Neutral Particle Beam program overview 88−10224
Strickland, D., Mourou, G. Compression of amplified chirped optical pulses 86−9963
Strickland, D., Mourou, G. Compression of amplified chirped optical pulses 86−22530
Strickland, D. *see* Maine, P. 88−20628, 88−40173
Strickland, D. *see* Mourou, G. 87−39216
Strickland, E. *see* Schoenbach, K.H. 87−17605
Strickland, J.H., Berg, D.E., Touryan, K.J. Technical aspects in wind energy conversion 88−17487
Strickland, J.H., Jr., Sheppard, L.C. Visual evoked response phase spectrum as measure of latency 85−48310
Strickland, L., Gilmore, D.W. Status of surface coal gasification 85−21286
Strickland, L.F., Hewitt, M.A. New operations and maintenance centres for second generation System X exchanges 85−30809
Strickland, L.H. *see* Cohen, M.J. 85−65555
Strickland, M.F. *see* Pivec, A. 85−54124
Strickland, P.C. Shaped beam synthesis with series-fed microstrip patch arrays 87−47421
Strickland, P.C. Multiprocessor architecture gives SLAR new features [radar] 87−56223
Strickland, R., Aly, M.Y. Image sharpness enhancement using adaptive 3×3 convolution masks 86−3982
Strickland, R.N. Digital processing of nonstationary images using local autocovariance statistics 85−30337
Strickland, R.N. Estimation of local statistics for digital processing of nonstationary images 85−46934
Strickland, R.N., Cheol-Sung Kim Space-variant color image processing 86−69173
Strickland, R.N., Cheol-Sung Kim, McDonnell, W.F. Luminance, hue, and saturation processing of digital color images 87−47964
Strickland, R.N., Cheol Sung Kim, McDonnell, W.F. Digital color image enhancement based on the saturation component 87−69294
Strickland, R.N., Gerber, M.R. Estimation of ship profiles from a time sequence of forward-looking infrared images 87−3443
Strickland, R.N., Gerber, M.R., Tipper, D.W. Adaptive filtering of target features in a time-sequence of forward-looking infrared (FLIR) images 87−20591
Strickland, R.N. *see* Peters, R.A., II 87−39954
Strickland, R.N. *see* Zhuhua Mao 88−66674
Strickland, R.R. *see* Effenberger, J.A. 87−2384
Strickland, S.G. *see* Cassandras, C.G. 86−54724, 88−34844
Strickland, W. *see* Eartly, D. 86−32135
Stricklen, J.P. *see* Liebe, H.J. 88−27511
Strickler, G.F., Noell, S.K. Residential air conditioner cycling−a case study 88−54914
Strickler, T. *see* Nelson, M.E. 85−20831
Stricot, Y., Clechet, P., Martin, J.R. Optoelectrochemical impedance measurements: a new technique for the electrical characterization of dielectric/semiconductor interfaces 86−63113
Strid, E. *see* Chen, Y.K. 88−25474
Strid, E. *see* Jones, K. 88−50383
Strid, E. *see* Pengue, L. 85−55976
Strid, E.W. 26 GHz wafer probing for MMIC development and manufacture 87−8722
Strid, E.W. Wideband probing techniques for planar devices: a review 88−42266
Strid, E.W., Gleason, K.R. Calibration methods for microwave wafer probing 85−1062
Strid, E.W., Gleason, K.R. Calibration method for microwave wafer probing 85−17327
Strid, E.W., Gleason, K.R., Reeder, T.M. On-wafer measurement of gigahertz integrated circuits 87−49906
Strid, E.W. *see* Barta, G.S. 86−67510, 87−32076
Strid, E.W. *see* Carlton, D.E. 85−48077, 85−58864, 88−68043
Strid, E.W. *see* Jones, K.E. 87−52822
Strid, E.W. *see* Magerko, M.A. 88−74572
Stride, A.A. *see* Darbyshire, D.A. 87−74205
Strider, R.S., Wagner, G.D. Computer-aided manufacturing for electronic circuit board fabrication 87−24592
Striegel, G. Automation−and assembly−directed product design 85−39534
Strieter, F.J. A gallium arsenide IC pilot line 86−28412
Striffler, C.D., Calame, J., Granatstein, V.L., Latham, P.E., Lawson, W., Reiser, M., Park, G.S., Williams, F.J. A 100 MW magnetron injection gun for a 10 GHz gyroklystron 87−17646
Striffler, C.D., Yao, R.L., Zhang, X. Intense thermal electron-ion beam propagation properties with no applied magnetic field 88−54204
Striffler, C.D. *see* Bluem, H.P. 88−19592
Striffler, C.D. *see* Chu, K.R. 86−21027
Striffler, C.D. *see* Destler, W.W. 88−64183
Striffler, C.D. *see* Granatstein, V.L. 86−31799, 87−41757, 88−19608
Striffler, C.D. *see* Kulkarni, R. 85−23329
Striffler, C.D. *see* Latham, P.E. 87−17626
Striffler, C.D. *see* Lawson, W. 86−1635, 86−21029, 86−31800, 86−53299, 87−24696, 87−41758, 87−53118, 88−25811, 88−25821
Striffler, C.D. *see* O'Shea, P.G. 85−23317
Striffler, C.D. *see* Singh, A. 88−25815
Striffler, C.D. *see* Vaucher, A.M. 85−11538
Striffler, C.D. *see* Yurek, A.M. 85−17831
Strifler, W.A., Baliga, B.J. Comparison of neutron and electron irradiation for controlling IGT switching speed 86−9136
Strigalev, V.E., Shteingart, L.M., Kul'benkov, V.M. Device for measurement of mode phase lags in planar optical waveguides 88−72129
Strigalev, V.E. *see* Butusov, M.M. 87−60909
Striggow, K., Dankert, R. The exact theory of inductive conductivity sensors for oceanographic application 85−53188

Strigin, V.A. Methodical error of measuring the background distortion in TV signals 86−30951
Strigin, V.B. *see* Bashkirov, V.A. 87−8556
Strigin, V.B. *see* Kantserov, V.A. 87−65835, 88−35908
Strigina, E.V. *see* Belyavskaya, T.G. 86−60210, 87−54868
Strigini, L., Fratta, L., Albanese, A. Explicit offset routing for interconnected high-speed networks 88−9197
Strigini, L., Fratta, L., Albanese, A. Multicast services on high-speed interconnected LANs 88−21736
Strigul', O.I. Search for a global extremum in a certain subclass of functions with the Lipschitz condition 87−5343
Strigun, V.L. *see* Aristov, A.V. 87−47007
Strigun, V.L. *see* Kliot-Dashinskaya, I.M. 86−15802
Strigun, V.L. *see* Malyshev, S.L. 88−65606
Strijckmans, K. *see* Vandecasteele, C. 85−59134
Striker, G. The present state of control and instrumentation technology−as seen in England 86−55516
Striker, Gy., Boromisza, T., Havrilla, K., Kemeny, T. *(editor)* New Measurement Technology to Serve Mankind: ACTA IMEKO 1985. Proceedings of the 10th World Congress of the International Measurement Confederation 87−22985
Strikha, I.I. The effectiveness of using water heat stores on condenser power stations 87−51026
Strikha, M.V. *see* Khalfin, V.B. 86−14864
Strikha, V.I., Il'chenko, V.V. Tunneling through the space charge region in a metal-amorphous silicon contact 87−66984
Strikha, V.I., Il'chenko, V.V. Jump mechanism of current transport in metal-α-Si:H contact with a Gaussian distribution of density of states 88−25967
Strikha, V.I., Ilchenko, V.V., Buzaneva, Ye.V. The mechanism of current transport in platinum silicide-silicon contacts 86−41597
Strikha, V.I., Sheka, D.I. Current-voltage characteristics of a Schottky diode under conditions of a current disturbance of the distribution function 87−24919
Strikha, V.I., Tretyak, O.V., Shmatov, A.A., Mozok, G.M. Problem of capacitance relaxation measurements in deep level spectroscopy 88−4580
Strikha, V.I. *see* Andreev, A.A. 87−45870
Strikha, V.I. *see* Babak, A.K. 86−67827, 88−7345
Strikha, V.I. *see* Borisov, F.I. 85−23535, 86−1673
Strikha, V.I. *see* Buzaneva, E.V. 86−58339
Strikha, V.I. *see* Buzaneva, Ye.V. 86−47421
Strikha, V.I. *see* Il'chenko, V.V. 85−1400, 86−14928, 87−37982, 87−45686
Strikha, V.I. *see* Kil'chitskaya, S.S. 87−43440
Strikha, V.I. *see* Kobka, V.G. 85−28944
Strikha, V.I. *see* Skryshevskii, V.A. 85−12241
Strikha, V.I. *see* Vorob'ev, Yu.V. 87−12293
Strikha, V.I. *see* Zinets, O.S. 86−19481
Strikovskii, M.D. *see* Bityurin, Yu.A. 85−28965
Strikovskii, M.D. *see* Gaponov, S.V. 86−63371
Strikwerda, P.R. Analysis of anti-static materials 88−49491
Stril'chuk, O.N. *see* Kamuz, A.M. 88−14155
Stril'ko, S.I. Electric fields of symmetrical elliptical specimens 88−14335
Stril'ko, S.I. *see* Emets, Yu.P. 85−6684, 86−9074
Stril'ko, S.I. *see* Gorodzha, L.V. 86−36645
Strimelsky, V., Zadrazil, J., Cvan, M. Automatization of technical-economic performance data evaluation for nuclear power units with the WWER reactor type. II. Evaluation of TEPI code function 87−64256
Strimelsky, V. *see* Hatas, J. 87−71794
Strimer, P. *see* Gerbaux, X. 87−16605
Stringa, L. An artificial intelligence approach to speech recognition and understanding 88−72784
Stringer, C.A. *see* Novotny, M. 86−53277
Stringer, I.A. *see* Simmons, J.M. 87−77727
Stringer, J. Performance limitations in electric power generating systems imposed by high temperature corrosion 86−25868
Stringer, J.L. *see* Titzler, P.A. 85−22048
Stringer, P.G. *see* Riley, D.D. 88−30120, 88−68574
Stringer, T.A. *see* Herder, L.E. 85−23173
Stringfellow, B.C., Bujak, A.T., Carmony, D.D., Chung, Y.H., Finn, J.E., Gutay, L.J., Hirsch, A.S., Mahi, M., Paderewski, G.L., Porile, N.T., Sangster, T.C., Scharenberg, R.P., Turkot, F. Accelerator internal target experiments using a supersonic gas jet 87−8813
Stringfellow, G.B. A critical appraisal of growth mechanisms in MOVPE 85−10688
Stringfellow, G.B. Vapor phase epitaxial growth of III/V semiconductors 86−34343
Stringfellow, G.B. OMVPE growth of In containing III/V alloys 86−52493
Stringfellow, G.B. The role of impurities in III/V semiconductors grown by organometallic vapor phase epitaxy 86−57439
Stringfellow, G.B. Non-hydride group V sources for OMVPE 88−63316
Stringfellow, G.B., Buchan, N.I., Larsen, C.A. Reactions in OMVPE growth of InP 88−43909
Stringfellow, G.B. *see* Buchan, N.I. 88−396
Stringfellow, G.B. *see* Chen, C.H. 87−5406, 87−10388, 87−23634, 87−65527
Stringfellow, G.B. *see* Cherng, M.J. 85−397, 86−46331, 87−16601
Stringfellow, G.B. *see* Dunn, J. 88−44587
Stringfellow, G.B. *see* Fry, K.L. 85−51032, 86−46332
Stringfellow, G.B. *see* Gal, M. 85−61734
Stringfellow, G.B. *see* Hsu, C.C. 86−28140, 86−52455
Stringfellow, G.B. *see* Jen, H.R. 86−57434, 88−11982
Stringfellow, G.B. *see* Jou, M.J. 88−31729
Stringfellow, G.B. *see* Kitamura, M. 87−32301
Stringfellow, G.B. *see* Kuo, C.P. 85−39805, 86−7761
Stringfellow, G.B. *see* Larsen, C.A. 88−11981
Stringfellow, G.B. *see* Ranganathan, R. 88−19719
Stringfellow, G.B. *see* Wang, T.Y. 88−31726
Stringfellow, G.B. *see* Yuan, J.S. 85−28220, 85−61717, 87−250, 87−10436
Stringfellow, M., Hawker, B. Scanner improves ultrasonic inspection of austenitic material 88−74995
Stringfellow, M.F. A broadband high-gain antenna for VHF/UHF 85−46652
Stringfellow, M.F. Lightning-induced overvoltages on overhead distribution lines 86−6420
Stringfellow, M.F. *see* Bauer, K.G. 87−9005
Stringfellow, M.F. *see* Geldenhuys, H.J. 86−6438
Stringfellow, T.E., Sage, W.L., Atabay, K. Modifying existing furnace designs to CFB [circulating fluid bed] 86−61373
Stringfield, R., Sincerny, P., Di Capua, M., Wong, S., Peters, T., Sheridan, T., Gilman, C. Experimental investigations of plasma erosion switches on the PITHON generator 85−1116
Stringfield, R. *see* Sincerny, P. 85−1228, 85−4631
Stringfield, R.M. *see* Davis, H.A. 86−14810, 87−17636, 87−66829, 88−64194
Stringfield, R.M. *see* Kwan, T.J.T. 87−17635
Strini, D. Cutting costs with pre-ducted conduit 88−59957
Strintzis, M.G. *see* Pitas, I. 85−46793, 85−51658, 86−43102, 86−69063, 87−39548, 87−44276, 87−44279, 88−31664
Stripling, J. *see* De Young, R.J. 85−48405
Stripp, D. Broadcast monitoring loudspeakers: a BBC-biased view 87−56422
Stripp, V.F. *see* Potts, C.W. 86−5768
Stripple, H. *see* Norrman, S.H. 86−53267
Stripunskii, E.M. *see* Rydnitskii, L.M. 88−17595
Strishka, V.Ch. *see* Birbilas, A.Yu. 88−44984
Stritar, A. *see* Cheng, H.S. 86−39316
Stritar, A. *see* Wulff, W. 85−59972
Stritter, S., Gossett, P., Mills, M., Mishra, P., Pearson, W. Engineering a RISC hardware environment 87−44910
Strittmatter, D.J. Proposed standard for 'magnifying power' of visual magnification aid devices and 'Hughes Magnascope' calibration instrument description and use 88−11790
Stritzke, D. *see* Scheffler, K. 85−4751
Stritzke, P. *see* Penney, B.C. 88−10324, 88−21308
Stritzker, B. *see* Narayan, J. 85−23614
Stritzker, B. *see* Pospieszczyk, A. 85−12102
Strivastava, A.K. *see* DeWinter, J.C. 86−13755
Strivastava, G.P. *see* Dhariwal, S.R. 87−66874
Striz, V. The B721D switchable quadruple current source from East Germany for A/D convertors 85−54671
Striz, V. The B165 power operational amplifier from East Germany 86−790
Striz, V. Single-chip microcomputers of the U8810X series from East Germany 86−1109
Striz, V. New concepts of signal processing in colour TV receivers 86−4827
Striz, V. The RFT infrared light emitting diodes from East Germany 86−17387
Striz, V. Mask programmable 16 KB U2316D ROM memory from East Germany 86−20549
Striz, V. New RFT silicon transistors from East Germany 86−28297
Striz, V. RFT silicon rectifying diodes from East Germany 86−45539
Striz, V. New designations of Siemens light emitting diodes 86−58846
Striz, V. DL 8127 D integrated generator of systems clock frequency from East Germany 87−10710
Striz, V. The U214D static 4 KB RAM from GDR 87−52587
Striz, V. New integrated circuits for consumer electronic products 87−60626
Striz, V. 8-bit BFT C 5658 D digital analogue convertor from GDR 87−66272
Striz, V. The UL 7211 D and UP 7211 D control circuits for LCD displays from GDR 87−66296
Striz, V. The E435E integrated power exciter from GDR 88−12326
Striz, V. Static programmable memory EPROM U 2716 C from GDR 88−32217
Strizhachenko, A.V. *see* Korobkin, V.A. 88−8557
Strizhak, V.E. *see* Anishev, E.Yu. 87−78960
Strizhak, V.I. *see* Mitrokhin, O.E. 87−8880
Strizhalo, V.A., Ponomarenko, I.N., Likhatskii, S.I., Belogurova, I. Comparative test of apparatus for investigation of the strength and deformability of materials by the acoustic emission method 86−40808
Strizhevski, N.Z. Universal hum-suppressing video amplifiers for television connecting lines 88−25027
Strizhevskii, V.L., Fontanii, V.A., Yashkir, Yu.N. Parametric interaction of the optical modes of a fiber lightguide 88−20750
Strizhevskii, V.L. *see* Belous, A.I. 88−65194
Strizhevskii, V.L. *see* Dovgii, B.P. 86−3237
Strizhevskii, V.L. *see* Galaichuk, Yu.A. 85−41511, 86−22523
Strizhevskii, V.L. *see* Kislenko, V.I. 87−26461
Strizhevskii, V.L. *see* Volyar, A.V. 87−74726
Strizhevskii, V.L. *see* Zaporozhets, V.M. 88−26801, 88−72048
Strizhko, L.P. *see* Poladich, A.V. 87−25896
Strizhkov, A.M. *see* Drobushevskii, V.M. 88−49184
Strizhkov, B.V. *see* Afanas'ev, S.M. 87−32237
Strizhov, V.F. *see* Dzagurov, O.B. 88−29733
Strizich, M. *see* Errett, E. 87−74271
Strle, D. *see* Trontelj, L. 88−24952
Strmcnik, S., Sega, M., Petrovcic, J., Tramte, P. Black-box modelling in control system design−a case study 88−17601
Strmcnik, S. *see* Petrovcic, J. 88−24240, 88−69741
Strmen, P. *see* Antyukhov, V.A. 86−60637
Strmen, P. *see* Chirikov-Zorin, I.E. 87−77555
Strnad, A., Reynaud, C. Design aims in HV substations to reduce electromagnetic interference in secondary systems 85−65292
Strnad, A., Rohsler, H. Noise sources and interference values in high voltage substations 86−15943
Strnad, A. *see* Haug, O. 87−43290
Strnad, A. *see* Moller, K. 86−61551
Strnad, A. *see* Rohsler, H. 85−16148, 86−12491
Strnad, M. *see* Jakes, D. 86−25767
Strnad, P. Type descriptors of the intelligent terminal network of the Czechoslovak Academy of Sciences 87−48605
Strnad, P. Data processing system in the network of intelligent terminals of the Czechoslovak Academy of Sciences 88−59677
Strnad, P. Control of the data processing system in the network of intelligent terminals of the Czechoslovak Academy of Sciences 88−73618
Strnad, R. Sensing of cold spots on integrated circuits by using liquid crystals 88−29370
Strnat, K.J. Permanent magnets based on 4f-3d compounds 88−51154
Strnat, K.J., Li, D., Mildrum, H. High and low temperature properties of sintered Nd-Fe-B magnets 86−22018
Strnat, K.J. *see* Dellinger, S.J. 86−26007
Strnat, K.J. *see* Li, D. 85−56083, 86−21970
Strnat, K.J. *see* Morcos, T.C. 86−26008
Strnat, K.J. *see* Xiao, Y. 88−51190
Strnat, K.J. *(editor)* Proceedings of the Eighth International Workshop on Rare-Earth Magnets and their Applications and the Fourth International Symposium on Magnetic Anisotropy and Coercivity in Rare Earth-Transition Metal Alloys 86−19731
Strnat, R. *see* Grossinger, R. 86−21951
Strnat, R.M.W., Clarke, J.P., Leupold, H.A., Tauber, A. Metal-matrix magnets for new TWT applications 87−67783
Strobach, P. Pure order recursive least-squares ladder algorithms 87−7724
Strobach, P. New forms of least squares lattice algorithms and a comparison of their round-off error characteristics 87−19371
Strobach, P. Efficient and robust covariance ladder algorithms for linear prediction 87−47838
Strobach, P. A fast recursive approach to FIR system identification 87−52769
Strobach, P. Efficient covariance ladder algorithms for finite arithmetic applications 87−69183
Strobach, P. Recursive covariance ladder algorithms for ARMA system identification 88−46036
Strobach, P., Schutt, D., Tengler, W. Space-variant regular decomposition quadtrees in adaptive interframe coding 88−66734
Strobel, A. Circuit breakers as limit controllers 86−66202
Strobel, A. Equipment and apparatus circuit protection 87−30273
Strobel, E.L. *see* Reilly, M.H. 88−66076
Strobel, G.L. An azimuthal magnetic field model for a diode gap with a high density uniform injected current 88−44514
Strobel, G.L. *see* Denavit, J. 87−11284
Strobel, H., Horn, P. Energy optimum on board microcomputer control of train operation 86−13148
Strobel, L. *see* Jager, K.W. 85−33167

Strobel, O. Simultaneous wavelength and power stabilization of a GaAlAs semiconductor laser 86−3182
Strobel, O., Graf, N. Automatic start-up procedure for laser wavelength stabilization 86−42581
Strobel, O., Schmuck, H. Coherent optical transmission − a general view 88−3988
Strobel, O. *see* Schmuck, H. 87−12131
Strobel, R. *see* Bergner, H. 88−65489
Strobel, S.A., Ho, P.-T., Lee, C.H., Burdge, G.L. Continuous wave mode-locked neodymium: phosphate glass laser 85−18891
Strobel, S.A. *see* Nieuwoudt, J.C. 87−39030
Strobele, A. The network analysis with state-variables 88−12140
Strobell, M.E., Masursky, H., Saunders, R.S. Venus nomenclature: the sisterhood 88−15582
Strobl, A. Definitions of efficiencies of steam cycle heat power plants. I. Condensing power plants 86−19097
Strobl, A. Example for a modern municipal heating power plant 87−42667
Strobl, D. *see* Rott, H. 87−49177
Strobl, G., Kasper, C., Rasch, K.-D., Roy, K. Bifacial space silicon solar cell 87−9743
Strobl, G. *see* Schilling, R. 87−78934
Strobl, H. *see* Steinbauer, E. 85−53266
Strobl, J. Protection of generator and transformers in the Voitsberg 3 thermal power station 85−9740
Strochilo, A.G. *see* Goverdovskaya, L.G. 86−60361
Strochkov, V.I. *see* Torchinskaya, T.V. 87−12308
Strock, P. *see* Suzuki, M. 87−35352, 88−22964
Strock, R.B. *see* Wasilousky, P.A. 87−10165
Strock, R.D. *see* Harrold, D.J. 87−33915
Strocka, B. *see* Krumme, J.-P. 87−255
Strocka, B. *see* Tolksdorf, W. 87−60912
Stroebel, T. *see* Thompson, D. 88−63070
Stroehle, D. Simulation and testing techniques for speed-critical layouts 87−59320
Stroehle, D. Avoiding the pitfalls in CMOS design 87−67564
Stroeker, R.J., Tzanakis, N. On the application of Skolem's *p*-adic method to the solution of Thue equations 88−56093
Stroete, H.J.G.te *see* te Stroete, H.J.G.
Stroev, K.N., Frolkov, O.A. High-speed precision analog-digital converter of successive approximations with variable conversion step 85−22953
Stroev, K.N., Frolkov, O.A. High-speed push-pull amplifier implemented by MOS power transistors 86−67053
Stroev, K.N., Stroev, N.N., Strautzelis, V.V. Broadband amplifier having a short recovery time after an overload 86−14023
Stroev, K.N. *see* Troitskii, Yu.V. 88−4266
Stroev, N.N. *see* Stroev, K.N. 86−14023
Stroev, V.A. Mathematical description of power systems in investigations into steady-state stability 86−6216
Stroev, V.A. Mathematical descriptions of power systems in static stability investigations 86−25480
Stroev, V.A. On the interrelationship of power-system descriptions in static-stability investigations 87−21827
Stroev, V.A. *see* Brosmann, E. 85−59549
Stroev, V.A. *see* Gremyakov, A.A. 88−23316
Stroev, V.A. *see* Karasev, E.D. 85−43524
Stroev, V.A. *see* Simeonova, K.Zh. 88−54926
Stroev, V.A. *see* Sovalov, S.A. 86−50796
Stroev, V.A. *see* Venikov, V.A. 86−25670, 86−25941, 87−4280
Stroev, V.A. *see* Vennikov, V.A. 88−68791
Stroev, V.I. *see* Ivanov, N.I. 86−38478
Stroev, Yu.I. *see* Volgin, E.G. 86−18314
Stroeve, P. *see* Kowel, S.T. 88−1500
Stroeve, P. *see* Selfridge, R.H. 88−72066
Stroey, V.A., Nikolaeva, S.I. Allowing for automatic regulators in power-system transient calculations 87−50668
Stroganov, B.G. *see* Chunikhin, A.A. 86−41366
Stroganov, G.G., Staviskaya, R.M. Sony professional audio equipment 88−41910
Stroganov, L.I. *see* Aganbekyan, K.A. 86−46631
Stroganov, R.P. *see* Vasil'ev, V.P. 86−65625, 87−9094, 87−64049
Stroganov, V.N. *see* Kinber, B.E. 85−2676
Stroganov, V.V. *see* Babkin, Yu.S. 88−34298
Stroganova, E.P., Tsarapkin, D.P. Fluctuations in a combination-frequency generator 87−52434
Strogin, D.A. *see* Kislenko, V.I. 88−75608
Stroh, D. The EWSD digital switching system in the ISDN pilot project of the Deutsche Bundespost 85−47378
Stroh, D. The EWSD digital switching system in the ISDN pilot project 86−17146
Stroh, D. The ISDN pilot project in Mannheim 87−33930
Stroh, D. *see* Imhof, L. 88−67103
Stroh, D. *see* Reinartz, M. 85−25676
Stroh, K. *see* Menger, V.L. 87−21679
Stroh, T.J. *see* Goel, P. 85−33784
Strohbach, P. *see* Beraha, D. 87−57816
Strohbehn, J.W. Use of heat in cancer therapy 87−42006
Strohbehn, J.W., Jones, K.M. Interstitial microwave antenna array hyperthermia systems 88−61439
Strohbehn, J.W. *see* Fitzgerald, P.J. 87−57110
Strohbehn, J.W. *see* Granoff, N.R. 86−44701
Strohbehn, J.W. *see* Jones, K.M. 87−4033
Strohbehn, J.W. *see* Paulsen, K.D. 86−18373, 86−44702
Strohbehn, J.W. *see* Potvin, A.R. 86−32216
Strohbehn, J.W. *see* Trembly, B.S. 86−60746
Strohbehn, J.W. *see* Wong, T.Z. 86−44699, 86−60745
Stroher, H., Koch, G., Metag, V., Beck, R., Schoch, B., Vogt, J. A spectrometer for near threshold photoproduction of neutral pions 88−61196
Stroher, H. *see* Heil, R.D. 86−5841
Stroher, H. *see* Novotny, R. 88−22924
Strohl, K.P., House, P.M., Holic, J.F., Fouke, J.M., Cheung, P.W. Comparison of three transmittance oximeters 86−70400
Strohle, D. CMOS technology. A future route for VLSI integrated circuits 85−62069
Strohm, K. *see* Berchtold, K. 88−38705, 88−56938
Strohm, K. *see* Korner, W. 88−25518
Strohm, K.M., Buechler, J., Russer, P., Kasper, E. Silicon high resistivity substrate millimeter-wave technology 86−67512
Strohm, K.M., Hersener, J., Herzog, H.J. Stress compensated Si-membrane masks for X-ray lithography with synchrotron radiation 87−53655
Strohm, K.M., Hersener, J., Wilhelm, A. Invar as X-ray absorber with a low thermal expansion coefficient 86−1972
Strohm, K.M. *see* Buechler, J. 87−32070, 88−63889, 88−63958
Strohm, K.M. *see* Herzog, H.-J. 86−1969
Strohm, K.M. *see* Luy, J.F. 88−63932
Strohman, C. *see* Helmke, R.G. 86−60409
Strohman, C.R. *see* Thomas, R.J. 86−82
Strohmayer, J. The Wertachtal shortwave broadcasting station 88−67523
Strohmayer, W.H., Van Hagan, T.H., Fisher, C.R. Parametric analysis of a thermionic space nuclear power system 86−32484
Strohmeier, A. Technical methods of magnetic recording 87−67767
Strohmer, F., MAgauer, P. Application of pit-type bulb turbines for increasing the feasibility of low-head power plants 88−55234
Strohmer, F., Winkler, S. Design and manufacture of turbine runner blades using CAD/CAM technology 86−61419
Strohmer, J.C. A model for the design of a videodisc 88−60456
Strohmeyer, G.R. *see* Husbands, C.R. 87−48653
Strohrmann, G. Transmitters for pressure and differential pressure 85−42967
Strohrmann, G. ATP market analysis of flow measurement. I 86−44469
Stroick, B. *see* Frischenschlager, F. 86−19120
Stroick, G.R. *see* Ahlstrom, M.L. 85−33602, 85−40875
Stroikovskii, A.K., Pronyakin, V.A., Pershin, A.A., Savelov, V.D. A microprocessor control device for a neutron water content meter for powders 86−44480
Stroikovskii, A.K. *see* Dombrovskii, V.P. 86−26954
Stroili, R. *see* Bardin, G. 87−77536
Stroili, R. *see* Gasparini, F. 88−42440
Stroiman, I.M., Vorob'ev, Yu.A., Kulagin, D.P. Automatic cold spot welding of aluminum products 87−79243
Stroinikov, V.G. On temperature protection of power AC motors 86−56710
Stroinikov, V.G. *see* Portnoi, N.Ya. 86−56685
Stroinikov, V.G. *see* Voloshchenko, N.I. 86−26466
Stroink, G., MacAulay, C. Thermal magnetic noise generated by an eddy current shielded room 86−44649
Stroink, H. *see* Plandsoen, W.C.G. 88−29964
Stroinski, M. *see* Cellary, W. 85−19577
Stroinski, M. *see* Kosarzycki, K. 86−64647
Stroinski, M. *see* Krolikowski, Cz. 87−72343
Stroinski, M. *see* Moscicka-Grzesiak, H. 88−38961
Strojnik, A. A simple high-voltage electron microscope voltage stabiliser using current-regulated corona tubes 85−22658
Strojnik, P. *see* Acimovic, R. 88−61411
Strojwas, A. *see* Kager, P. 86−34473
Strojwas, A. *see* Maly, W. 88−64734
Strojwas, A. *see* Mozumder, P. 88−64744
Strojwas, A. *see* Razdan, R. 86−34471
Strojwas, A. *see* Moore, W. *(editor)* 88−62905
Strojwas, A.J. CMU-CAM system 86−19838
Strojwas, A.J. The CMU-CAM system 86−41871
Strojwas, A.J. Yield of VLSI circuits: Myths vs. reality 87−6282
Strojwas, A.J., Director, S.W. An efficient algorithm for parametric fault simulation in monolithic ICs 85−18424
Strojwas, A.J., Director, S.W. A pattern recognition based method for IC failure analysis 85−23844
Strojwas, A.J., Director, S.W. A process engineer's workbench 87−60589
Strojwas, A.J., Director, S.W. The process engineer's workbench 88−50930
Strojwas, A.J., Li, Z. Bipolar device models in the statistical process/device simulator FABRICS II 85−45660
Strojwas, A.J. *see* Benkoski, J. 87−37115, 88−12157
Strojwas, A.J. *see* Chen, I. 87−38455, 87−74362, 88−13478, 88−13533
Strojwas, A.J. *see* Chen, I.-Hao 86−2209
Strojwas, A.J. *see* Chew, M. 88−26443
Strojwas, A.J. *see* Maly, W. 86−46455
Strojwas, A.J. *see* Mozumder, P.K. 86−67942, 88−33353, 88−44812, 88−71685
Strojwas, A.J. *see* Nassif, S.R. 86−46454
Strojwas, A.J. *see* Odryna, P. 86−26989, 86−61919
Strojwas, A.J. *see* Razdan, R. 87−23833
Strojwas, A.J. *see* Saccamango, M.J. 85−45729, 88−26323
Strojwas, A.J. *see* Shyamsundar, C.R. 86−67941, 88−44813
Strokan, N.B. *see* Andreev, V.M. 87−37932
Strokan, N.B. *see* Eremin, V.K. 85−50235, 86−32191, 86−38714, 87−71026, 88−4859
Strokan, N.B. *see* Vasil'ev, A.V. 86−60602
Strokan, N.B. *see* Verbitskaya, E.M. 86−15580, 87−77565, 88−29384, 88−29889, 88−36352, 88−61156
Stroke, H.H., Artzner, G., Coron, N., Dambier, G., Hansen, P.G., Jegoudez, G., Jonson, B., Leblanc, J., Lepeltier, J.P., Nyman, G., Ravn, H.L., Testard, O. Bolometers as particle spectrometers 86−50372
Stroke, H.H. *see* Coron, N. 85−37975, 88−36402
Strokin, M.V. *see* Anikin, V.I. 86−28840
Strokovskii, G.A. *see* Smirnov, V.N. 87−26467, 88−27227
Strokovskii, Ya.N., Chasnyk, V.I. The trajectories of the boundary electron in the transition region beyond the slow-wave structure and the collector 87−73967
Strokovskiy, Ya.N. *see* Vinokurova, T.V. 87−37834
Strole, N.C. Overview [how IBM addresses LAN requirements with the token ring] 86−37471
Strole, N.C. The IBM token-ring network−a functional overview 87−33921
Strole, N.C. *see* Dixon, R.C. 85−19789
Strolin, P. *see* Caria, M. 86−11914, 86−14160, 88−4844
Strolin, P. *see* DeWulf, J.P. 87−21468, 88−22985
Stroll, S.Z. *see* Swartzlander, E.E., Jr. 85−30283
Stroll, Z. *see* Eldon, J. 86−16563
Stroll, Z.Z., Swartzlander, E.E., Jr., Eldon, J., Ashburn, J.L. Image rotation controller chip 85−33968
Stroll, Z.Z. *see* Saussy, S.E. 86−46824
Strolle, C.H. Cooperative processing for improved NTSC chrominance/luminance separation 86−69882
Strom, D. Opportunities for cogeneration in commercial buildings 85−4905
Strom, D. *see* Binnie, D.M. 85−31693
Strom, D.R. Optical lithography and contrast enhancement 86−63386
Strom, G. *see* Ejrnaes, C.J. 88−35415
Strom, P. *see* As, B.-O. 86−17488
Strom, S. Reduce noise in a serial bit stream 86−46635
Strom, S., Zheng, W. Null field approach to electromagnetic scattering from composite objects 87−75371
Strom, S., Zheng, W. Basic features of the null field method for dielectric scatterers 88−27390
Strom, S., Zheng, W. The null field approach to electromagnetic scattering from composite objects 88−66022
Strom, S. *see* Lytle, R. 86−23266
Strom, S. *see* Mowill, J. 85−4975
Strom, T.I. Measurement of radiated noise 86−5508
Strom, U., Freitas, J.A., Jr., Devaty, R.P., Tran, D.C. Effect of impurities on the vibrational properties of ZrF_4-based glasses 85−18630
Strom, U. *see* Leung, M. 87−63413, 87−70644, 88−58342
Strom, U. *see* Wolf, S.A. 85−58708
Strom-Olsen, J.O. *see* Narod, B.B. 86−31340
Stromberg, D. *see* Jungert, E. 88−74466
Stromberg, G. Communications security and access control. SWIFT 85−47270
Stromberg, L. *see* Whitney, S.A. 87−30391
Stromberg, P. *see* Hansson, G.-A. 87−50207
Stromberg, W.D., Farr, T.G. A Fourier-based textural feature extraction procedure 87−4112
Stromblad, L.-G. *see* Montan, S. 88−61281
Strome, D.H. Cinematic infrared scene simulator based on vanadium dioxide spatial modulator 85−14639
Strome, F. *see* Gupta, M.C. 86−42211, 87−12096
Stromeyer, C.F., III *see* Greenspun, P. 86−49874
Stromkov, A.A. *see* Gorskiy, S.M. 85−36155
Stromman, E. *see* Myrabo, H.K. 87−28826

Stromsmoe, K.A. *see* Ahn, J. 86−20077
Stromsmoe, K.A. *see* Filanovsky, I.M. 85−17205, 85−61035, 86−822, 86−57702, 86−57711, 86−62480, 86−62501, 86−67086
Stromsmoe, K.A. *see* Fung, W.C.K. 85−47260
Stromsmoe, K.A. *see* Shui-Sheng Qiu 86−57602
Strona, P.P. *see* Alemanni, M. 86−32213
Stronach, A.F., Smith, J.R. Development of a simulation model of turbocharged diesel engine prime-movers for power system studies 88−55294
Stronach, A.F. *see* Johnston, A.B. 87−22202
Stronach, A.F. *see* Smith, J.R. 88−37704
Strong, A.M. *see* Holt, J.C. 86−8345
Strong, A.P. *see* Dakin, J.P. 88−39941, 88−42115, 88−74465
Strong, D.K. A clamshell deflection yoke 85−18033
Strong, D.K. A clamshell deflection yoke [CRTs] 86−14816
Strong, D.K. A family of high-resolution high-brightness CRTs 87−3462
Strong, H.M. *see* Bisignani, W.T. 85−37321
Strong, H.M. *see* Cerva, J.R. 85−63380
Strong, H.R. *see* Dolev, D. 87−40116
Strong, J.J., Ott, R. Innovative static self-cleaning intake screen protects both aquatic life and turbine equipment 88−62248
Strong, J.P. The Fourier transform on mesh connected processing arrays such as the Massively Parallel Processor 86−34111
Strong, J.P. *see* Tilton, J.C. 86−12148
Strong, L. *see* Jaffe, J.S. 86−18586
Strong, L. *see* Markon, C. 87−4162
Strong, L.H., Masters, J.I. Optical and material properties of extruded silver halide fibers 87−18710
Strong, R., Skeen, D., Cristian, F., Aghili, H. Handshake protocols 88−15139
Strong, R. *see* Aghili, H. 87−34166
Strong, R. *see* Cristian, F. 87−2934
Strong, R.L., Anthony, J.M., Gnade, B.E., Keenan, J.A., Norbeck, E., Li, L.W., Helms, C.R. Composition and growth mechanism of anodic oxide on $Hg_{(1-x)}Cd_xTe$ 86−67806
Strong, R.T. *see* Goldfarb, S. 86−55562
Strong, R.T. *see* Tower, J.R. 86−12151, 86−70047, 87−20935
Strong, W.J. *see* Dudley, J.D. 87−59222
Stronge, B., Reiner, M. Integrating subsystems to give more for less [graphics] 88−33323
Strongin, R.G., Markin, D.L. Minimization of multiextremal functions under nonconvex constraints 87−52004
Strongin, R.G. *see* Grishagin, V.A. 85−54314
Strongin, R.G. *see* Markin, D.L. 87−31433
Strongin, R.G. *see* Novikov, E.V. 85−8021
Stronisch, V. *see* Stiebler, M. 87−16077, 87−22281
Stronski, J.P. *see* Masek, G.E. 87−50159
Stronski, W. Structure and operation of CCD image converters 86−17823
Stronskii, A.V. *see* Kostyshin, M.T. 86−3333, 86−29259
Stroobandt, R., Brachmann, J., Smits, K., Bourgeois, I., Kubler, W., Senges, J. A new catheter for the study of local myocardial repolarization 86−38799
Stroobandt, R. *see* Sinnaeve, A. 86−38822
Stroobants, G. Digital oscilloscopes: new concepts 88−29523
Stroobants, L. *see* Adant, J.M. 88−14806, 88−28261
Stroomer, M.V.C. Design of thin film transistors for matrix addressing of television liquid crystal displays 86−5417
Stroomer, M.V.C. *see* Powell, M.J. 85−64204
Stroosnijder, L., Lascano, R.J., Newton, R.W., van Bavel, C.H.M. Estimating net rainfall, evaporation and water storage of a bare soil from sequential L-band emissivities 85−64719
Stroot, J.P. High resolution differential Cherenkov counters 86−65357
Stroot, J.P. *see* Alde, D. 88−47996
Stroot, J.P. *see* Binon, F. 86−65395
Stroot, J.P. *see* Binon, F.G. 88−54405
Strop, H. Remote heating−utilization of back coupling−report on a large scale model 86−19075
Strope, D.H. Diffuse surface height measurement 85−37756
Strope, D.H., Wray, T.E. Side-looking fiber-optic probe with a focused spot 85−29580
Stropnik, A. *see* Popovic, D. 88−23319
Stroppel, J. *see* Blahna, J. 85−31040
Stroppiana, M. *see* Cominetti, M. 87−70198, 88−28814
Stroppolo, E. *see* Cognetti, C. 88−25735
Stroscio, M.A. Comment on 'Microchips as precision quantum-electrodynamic probes' 86−47588
Stroscio, M.A. Quantum-based electronic devices 86−58370
Stroscio, M.A. *see* Register, L.F. 88−32908
Strossenreuther, W., Ebersberger, G. Television signal distortion in surface-wave filters and its measurement 87−56354
Strossenreuther, W. *see* Ebersberger, G. 87−49313
Strossenruther, W. Broadband communication: R&S operations and test equipment 86−30547
Strothteicher, H. Sealed lead batteries 88−5826
Strottman, D., Arthur, E.D., Madland, D.G. Nuclear structure properties for gamma-ray lasers 87−7290
Strottman, D.D. The core-quasiparticle model for odd-odd nuclei and applications to candidates for gamma-ray lasers 88−58405
Strottman, D.D. *see* Madland, D.G. 88−58511
Strouble, R. *see* Morgan, D. 88−19160
Stroud, C.E. An automated BIST approach for general sequential logic synthesis 88−63650
Stroud, C.E., Munoz, R.R., Pierce, D.A. CONES: a system for automated synthesis of VLSI and programmable logic from behavioral models 87−37232
Stroud, C.E. *see* Jain, S.K. 87−17065
Stroud, C.E. *see* Munoz, R.R. 88−692
Stroud, C.E. *see* Pierce, D.A. 88−64702
Stroud, C.R., Jr., Koch, K., Chakmakjian, S., Hillman, L.W. Multimode instabilities in CW dye lasers 87−75038
Stroud, C.R., Jr. *see* Chakmakjian, S. 87−39173
Stroud, C.R., Jr. *see* Hillman, L.W. 85−24434
Stroud, C.V. *see* Wargotz, W.B. 88−12809
Stroud, J. Future developments of local area networks 88−28348
Stroud, K. *see* Katz, M.M. 88−53056
Stroud, L.J. New transmitter speeds process operations at Southwestern Refining 85−3941
Stroud, L.M. TV derived frequency standard 88−36174
Stroud, R.C. *see* Coppolino, R.N. 87−10132
Stroud, R.S. *see* Auzins, J. 85−63892
Strouhalova, M. *see* Nohavica, D. 86−52498
Stroumbakis, S. New motors satisfy water restrictions [nuclear power plant cooling system] 86−56535
Stround, R.S. *see* Auzins, J. 86−4912
Stroup, T.L. *see* Clark, L.C., Jr. 88−54474
Strovink, M. *see* Clark, A.R. 88−68287
Strozier, J. *see* Bensaoula, A. 87−25156
Strozzi, L. *see* Donati, F. 87−15849
Strub, A.S. *see* McMullan, J.T. 85−22168, 85−32264, 85−54074
Strub, H. The German contribution to SPACELAB 85−20986
Strub, P.M. *see* Whitney, M.A. 86−49859
Strub, R.A. Turbomachine rotating assemblies: power and elegance 85−9844
Struballa, D., Weinmann, W. System structure and selected components of the command centre, Sosynaut-R, for operation of the new regional network control points of the Neckar Works 86−12261
Strube, A.R. The challenge of reliability 85−54183
Strube, H.W. A generalization of correlation functions and the Wiener-Khinchin theorem 85−41819
Strube, H.W. Spectral moments from the ACF or directly from the signal 85−63065
Strube, H.W. *see* Meyer, P. 85−7828, 87−47573
Strube, H.W. *see* Wilhelms, R. 87−47586
Strube, J., Arndt, F. Rigorous hybrid-mode analysis of the transition from rectangular waveguide to shielded dielectric image guide 85−45220
Strube, V. *see* Langmann, R. 87−78847
Strubin, P. *see* Puntis, H. 87−79129
Strucaly, M.R. Coating process solves armature insulation problems 88−5704
Struchev, V.F. System architecture for adaptive spatial-frequency-temporal signal processing 86−37045
Struchev, V.F., Levshin, V.P. Estimate of the efficiency of digital signal processing computer systems 86−37050
Struchev, V.F. *see* Abramovich, Yu.I. 85−52424
Struchev, V.F. *see* Kryuchkov, V.V. 85−51621
Struchev, V.F. *see* Milykh, M.M. 86−37078
Struchkov, A.I., Goncharenko, G.I., Kakhan, B.G., Pravoverov, N.L., Turbin, G.B. A method for estimating contact erosion in switchgear 85−44128
Struchkov, A.I. *see* Pravoverov, N.L. 86−46389
Struck, M.M. *see* Hege, G. 87−31278
Struck, W. *see* Gerisch, W. 88−18565
Struckman, K.A. Time-delay-of-arrival resolution of multipath communication signals 86−10092
Struckman, K.A. Circular loop array MLM multiple signal resolution 86−42962
Struckman, K.A. Communication signal near-field scattering TDOA errors 87−33512
Struckmeier, J., Klabunde, J., Reiser, M. On the stability and emittance growth of different particle phase-space distributions in a long magnetic quadrupole channel 85−9027
Struckmeier, J. *see* Hofmann, I. 87−56932
Struder, L., Holl, P., Lutz, G., Kemmer, J. Device modeling of fully depletable CCDs 87−25303
Struder, L., Holl, P., Lutz, G., Kemmer, J. Development of fully depletable CCDs for high energy physics applications 87−63657
Struder, L., Lutz, G., Sterzik, M., Holl, P., Kemmer, J., Prechtel, U., Ziemann, T., Rehak, P. First tests with fully depleted pn-CCD's 88−68207
Struder, L. *see* Holl, P. 87−63655
Struder, L. *see* Radeka, V. 88−61180
Strudwick, C.P. *see* Hill, G.J. 88−18463, 88−63660
Strudwick, P. *see* Archer, C. 87−51376
Strudwick, P. *see* McMonagle, A. 86−17663
Strudwick, T.H. *see* Choe, K.S. 86−40701, 88−49788
Struemph, D.J., Hilko, J. Correlation of two accelerated corrosion test methods to the actual exposure of finished panels 87−65592
Strugala, M., Roll, G., Waldschmidt, K. VLSI realization of a full parallel associative memory array 87−17099
Strugala, M., Tavangarian, D., Waldschmidt, K., Roll, G. An associative processor as a design rule check accelerator 87−65679
Strugala, M. *see* Roll, G. 86−67223
Strugala, M. *see* Waldschmidt, K. 87−37295
Strugalski, Z. *see* Baber, N. 87−14529
Strugarova, M.S. *see* Sgurev, V.S. 86−43558
Strugarova, M.S. *see* Stoilov, E.I. 87−40346, 88−15122
Struges, R.H., Jr., Brecker, J.N., Wingert, C.D. A wire harness flexible manufacturing system 85−50068
Strugov, N.A. *see* Alferov, Zh.I. 88−27169, 88−27173
Strugov, N.A. *see* Garbuzov, D.Z. 88−27172
Strugov, N.A. *see* Voronina, T.I. 88−57301
Struif, B. Transparent LANs and LANs as OSI subnetworks 85−19788
Struik, R., van Tilburg, J., Boly, J.-P. On the Rao-Nam private-key cryptosystem 88−59044
Struk, J.R. *see* Chan, Y.H. 85−559, 85−6282, 87−17081
Struk, Z.R. Steel-iron test sheet 1922 (UT) a guide to the calibration procedure 88−63398
Strukalo, M.I. The statistical characteristics of crosstalk noise in the links of rural digital transmission systems 87−55608
Strukalo, M.I. *see* Vorobienko, P.P. 87−48366
Strukelj, B. *see* Brncic, I. 85−15676, 86−65761, 88−5395
Strukelj, B. *see* Kompare, M. 86−65762
Strukov, B.A., Minaeva, K.A. Determination of elastooptic coefficients of crystals by optical heterodyning 87−77917
Strukov, I.A. *see* Armand, N.A. 86−37388
Strukov, I.A. *see* Aslanyan, A.M. 88−35627
Strukov, I.A. *see* Koryakin, N.D. 87−29144
Strukov, I.A. *see* Matveenko, L.I. 86−30929
Strukov, I.A. *see* Nemlikher, Yu.A. 88−12233, 88−71040
Strukov, I.A. *see* Preston, R.A. 86−55400
Strukov, I.F., Gridin, Yu.I., Lukin, A.N. Device for recording radio-frequency holograms and images in real time 87−54441
Strul, B. *see* Vranckx, J. 88−36451
Strull, G. The impact of very high performance integrated circuits on avionics system readiness 86−58593
Strum, A., Bar-Lev, A. Temperature analysis and thermal resistance of a matrix of IMPATT diodes 88−25557
Strum, M.J. *see* Summers, L.T. 85−43619
Strum, R.D., Ward, J.R. Electric circuits and networks. Second edition 85−60689
Strum, W.E. Trends in microcomputer image processing 88−52584
Strumar, A.J. Management's role in planning the automated factory 85−16697
Strumban, E.E. *see* Aktsipetrov, O.A. 87−70800
Strumban, E.E. *see* Bergner, H. 86−2924
Strumban, E.E. *see* Kulyuk, L.L. 85−56666, 87−2122
Strumban, O.E. *see* Bogdankevich, O.V. 85−41255
Strumia, F. *see* Carelli, G. 88−8095
Strumia, F. *see* Inguscio, M. 85−18847, 86−63749
Strumia, F. *see* Ioli, N. 85−2215, 86−3012, 86−15620, 86−48324, 86−58872, 88−27077
Strumia, F. *see* Mukhopadhyay, I. 88−27031
Strumke, M. *see* Krell, L. 85−52902
Strumpf, H.J., Coombs, M.G. Solar receiver for the space station Brayton engine 88−74940
Strumpfel, J. *see* Schiller, S. 88−6519
Strunc, J. *see* Kruta, J. 86−12778
Strunck, F.J. *see* Ameling, D. 85−60553
Strunck, V. 2-D LDA-measurements in a wake 86−38615
Strunets, V.K., Nikonov, I.P., Syukasev, G.M., Medvedev, Yu.P., Musiyachanko, V.F., Paton, V.E. Selecting the angle between the electrodes for welding with a three-phase arc 87−58488
Strunevich, L.N. *see* Komarenko, A.N. 86−31664
Strung, M. *see* Andres, J. 87−73372
Strunin, A.G. *see* Tuz, Yu.M. 88−35974
Strunk, H.P., Cerva, H., Mohr, E.G. Damage in silicon after reactive ion etching 88−33066
Strunk, H.P., Kolbesen, B.O. Microscopy of process-related defects in silicon devices 87−60436
Strunk, H.P. *see* Bauser, E. 86−13776, 87−10461
Strunk, H.P. *see* Kass, D. 85−39778, 87−5430
Strunk, H.P. *see* Trah, H.-P. 88−38212
Strunk, Y. *see* Huang, S. 86−2412
Strunk, Y. *see* Khan, M. 86−28437

Strunskii, M.G., Gorbov, M.M. Evaluation of capacitance between two long coaxial rectangular sheaths 85–57917
Strunskii, M.G., Gorbov, M.M. Computation of the output capacitances of a three-electrode converter 85–65318
Strunskii, M.G., Gorbov, M.M. Calculation of capacitance between a plate and two parallel planes 87–73810
Strunskiy, M.G., Gorbov, M.M. Calculation of the capacitance of a symmetrical stripline taking the central conductor thickness into account 86–29536
Strunz, G. *see* Kokert, W. 88–53174
Strunz, H.G. *see* Baumann, R. 87–42311
Strupat, A. Graphic processor integrated circuit is central component for documentation systems 86–41141
Strupat, A. Building a bit-mapped graphics system. I 86–52881
Strupat, A. Graphic chips help display fonts without a bit map 87–28946
Strupat, A. VLSI graphics co-processor for high resolution workstations 87–44941
Strupat, A. *see* Daniel, A. 85–22959, 85–34010, 85–45129, 85–54964
Strupat, A. *see* Tindall, S. 87–73467
Strupczewska, K. *see* Gronowska, I. 87–77246
Strupczewski, A. Evaluation of effectiveness of safety systems in the Zarnowiec nuclear power station in case of a major design accident 87–15459
Strupczewski, A. Problems connected with analyses of the safety of nuclear power stations 88–17273
Strupczewski, A. Causes and progress of the breakdown in the Chernobyl nuclear power station 88–17323
Strupiechowski, M. Modern technology of typographic processes 85–16513
Strupinski, W., Brzozowski, W., Czub, M. The preparation of GaP layers by VPE 87–44366
Strupinski, W. *see* Czub, M. 87–44367
Struppler, A., Riescher, H., Lorenzen, H.-W., Chen, X.Z., Groter, H.-P., Schaller, J., Lorenzen, H.-W. Torque motor for investigation on functional stretch reflex 87–22438
Strusczinski, W. *see* Anguilar-Benitez, M. 87–71031
Struss, H. Direct digital control in power plant simulators 88–75454
Struss, O.W. Measurement system for emissivity independent temperature. Measuring on targets with low emissivity 88–68064
Struthers, H.E., Pendock, N.E. Geometric shape detection in Daedalus ATM data 87–4164
Struthers, N.G. *see* Arnold, R.J. 87–78074
Strutz, G., Egger, A., Sandner, O. Control and maintenance concepts for the Voitsberg 3 thermal power station 85–9723
Strutz, G., Laaber, F. Measurement and control equipment in the Voitsberg 3 thermal power station 85–9724
Struve, B., Fuhrberg, P., Luhs, W., Litfin, G. Thermal lensing and laser operation of flashlamp-pumped Cr:CSAG 88–33981
Struve, B., Huber, G. Laser performance of Cr^{3+}:Gd(Sc, Ga) garnet 85–24510
Struve, B., Klingner, H., Luhs, W., Litfin, G. Birefringent filter tunes a He-Ne laser 88–33941
Struve, B. *see* Luhs, W. 87–38990
Struve, K.W., Caporaso, G.J., Cole, A.G., Weir, J.T. Emittance growth and transverse motion damping of the ATA electron beam with a small diameter laser ion channel 88–42383
Struve, K.W., Chambers, F.W., Clark, J.C. Time resolved emittance measurements with a freely expanding electron beam 86–24864
Struve, K.W. *see* Chong, Y.P. 86–24911
Struve, W.G., Gresham, L.L. A digitally controlled pH-stat for enzyme activity estimation 87–14838
Struven, W. Networking through the new phone system the future of telecommunications 88–3326
Struyk, J.J. *see* Cruts, H.E.P. 87–21606
Struzak, R.G. Protection of radiocommunications against interference from ISM equipment 85–7660
Struzak, R.G. *see* Kirby, R.C. 88–34966
Struzewska, E. Verification of the standard sedimentation method for the determination of the specific leakage path of line insulators 88–75192
Struzewski, B., Struzewski, P. Lightning discharge not causing death as a significant hazard for human hearing organ 86–56208
Struzewski, P. *see* Struzewski, B. 86–56208
Struzhenkov, V.I. *see* Visyashchev, A.N. 85–59808, 86–12513
Struzyna, R. *see* Cole, C. 86–69562
Stryadan, V.N., Skrypnik, A.I., Kosar, D.M., Kuzmin, G.I. The operational switching simulator for power networks 87–4239
Stryapan, V.N. *see* Perkhach, V.S. 87–22120
Strybel, T. *see* De Maio, J. 86–12095
Stryczewska, D. *see* Nafalski, A. 87–67771
Stryczewska, H. *see* Janowski, T. 85–33660, 88–55453
Stryczewska, H. *see* Nafalski, A. 86–39903
Strydom, G. Matimba power plant 88–48784
Strydom, W.J., Lombaard, J.C., Pretorius, R. Low temperature formation of insulating layers on silicides by anodic oxidation 87–67112
Strygin, V.D. *see* Sysoev, B.I. 86–58327
Strygin, V.D. *see* Sysoev, V.I. 85–29044
Strygin, V.N. *see* Artemenko, V.I. 88–42663
Strygin, V.Z. Automation of the registration of the initiation and growth of cracks using a minicomputer 85–17030
Strykanov, V.S. *see* Berchenko, N.N. 87–45798
Stryker, M.P. *see* Ramm, P. 85–4295
Stryland, E.W.Van *see* Van Stryland, E.W.
Strynilin, V.N. *see* Barkalov, A.A. 87–31893
Stryuchenko, A.A. *see* Ryzhanovskii, A.S. 85–11109
Stryuk, Yu.S. *see* Galdar, G.P. 87–17907
Stryukov, B.A. Optimal signal filtering algorithms in radio systems for trajectory measurements 85–36283
Stryukov, B.A. The auxiliary systems method in radar 86–30861
Stryukov, B.A., Luk'Yanchikov, A.V. Nonstationary processes during video-pulse excitation of an O-type traveling-wave tube 87–17652
Stryukov, B.A., Milyayev, P.V. A picosecond radio-pulse reflectometer 85–8308
Stryukov, B.A. *see* Aleksandrov, A.S. 86–39681
Stryukov, S.M. *see* Galkin, L.M. 86–33714
Stryukov, V.A. *see* Popov, V.N. 87–41822
Stryutskov, V.K. *see* Kirakosov, V.G. 86–32863
Stryutskov, V.K. *see* Labunets, I.A. 86–66066
Stryutskov, V.K. *see* Markov, V.A. 85–49017, 86–66052
Stryutskov, V.K. *see* Volynskii, M.M. 85–15883
Strzalka, J. Application of the method of experiment planning for optimization of development horizon of a high-voltage station 87–57591
Strzalkowski, I. Ion implantation induced electron taps in SiO_2 films 87–17834
Strzalkowski, S., Marczewski, I., Kowalski, M. Research methods of trapping a charge in gate oxides 87–32513
Strzalkowski, W. *see* Czajkowski, W. 86–30418
Strzelec, M. *see* Kopica, M. 85–14810
Strzelec, M. *see* Machowski, T. 85–12798
Strzelecka, S. *see* Orlowsky, W. 88–6434
Strzelecki, A. *see* Bouras, C. 85–26504
Strzelecki, E.M., Cohen, D.A., Coldren, L.A. Distance sensing using constant-amplitude wavelength-swept semiconductor lasers 88–65932
Strzelecki, E.M., Cohen, D.A., Corzine, S.W., Karin, J.R., Coldren, L.A. Real-time technique for the characterization of tunable single-frequency lasers 88–65661
Strzelecki, E.M., Corzine, S.W., Karin, J.R., Alping, A., Coldren, L.A. Distance sensing and tunable laser characterization using an all fiber-optic interferometer 88–22626
Strzelecki, M. *see* Sozanski, J. 86–18683
Strzelecki, R., Zhuikov, V.J. Principle of tracking of the static power frequency changers using moments 86–61621
Strzelecki, R. *see* Jablonski, W. 87–52373, 88–24862
Strzempa-Depre, M., Harter, J., Werner, C., Skapa, H., Kassing, R. Improved physical design model for latchup analysis of VLSI-CMOS circuits 87–18348
Strzempa-Depre, M., Harter, J., Werner, C., Skapa, H., Kassing, R. Static and transient latchup simulation of VLSI-CMOS with an improved physical design model 87–60644
Strzempa-Depre, M. *see* Jacobs, H. 87–6923
Strzempko, T.J., Bliudnikas, V. Compact thermal imager using CVROS scanner and SPRITE detector 87–63272
Strzeszewski, J., Nazareth, A., Hadjipanayis, G.C., Aylesworth, K., Zhao, Z.R., Sellmyer, D.J. Microstructure studies in $Nd_2(Fe_{0.9}Co_{0.1})_{14}B$ thin films 88–64919
Stuart, A.D., Grazier, P.E. A fibre-optic relative humidity sensor 88–74446
Stuart, A.D. *see* Fredericks, P.M. 87–46444
Stuart, C.O. Underwater coating inspections cut BWR maintenance costs 88–5479
Stuart, G.C., Houtman, H., Meyer, J. High gain, multiatmosphere CO_2 laser amplifier 87–33249
Stuart, I.F., Williams, A.G. BWR plant outage experience 86–25795
Stuart, J. *see* Patrick, W.C. 86–12565
Stuart, J.C. *see* Warnicki, J.W. 88–48105
Stuart, J.R., Schroer, R.B. TOS and TOS/AMS: new capabilities for the STS [Space Transportation System] 85–26870
Stuart, M. Cylinder thermostat 85–55066
Stuart, M. Experimenting with robots. VI. High performance stepping motor driver 86–26087
Stuart, M. 25 kV AC electrification design constraints 87–79117
Stuart, P.R. Standards for the measurement of pressure 87–77455
Stuart, R. Bytebox. II 86–20548
Stuart, T. *see* Price, R. 86–69733
Stuart, T.A., King, R.J., Shamseddin, H. Rotary transformer design with fixed magnetizing and/or leakage inductances 86–12884
Stuart, T.A., King, R.J., Shamseddin, H.A. Rotary transformer design with fixed magnetizing and/or leakage inductances 87–35981
Stuart, T.A. *see* King, R.J. 85–60308
Stuart, T.A. *see* Ray, B. 87–78783, 88–75780
Stubb, P.R. Process engineering with a computer-aided MLB plating line 86–62933
Stubb, T. Grade of solar cells in energy production and its influence on energy price 87–58329
Stubb, T. *see* Lignell, E. 86–13036
Stubb, T. *see* Sinkkonen, J. 85–12059
Stubbe, E.J., Sablon, H. Analysis of plant transients following a steam generator tube rupture 85–38768
Stubbe, J. *see* Goossens, J. 86–70881
Stubbe, M. *see* Christensen, J.F. 87–57579
Stubbe, M. *see* van de Meulebroeke, F. 87–15698
Stubbe, P., Kopka, H., Thide, B., Derblom, H. Stimulated electromagnetic emission: a new technique to study the parametric decay instability in the ionosphere 85–4442
Stubbe, P. *see* Barr, R. 85–2574, 85–36019, 86–3525, 88–23181, 88–58865
Stubbe, P. *see* Hedberg, A. 86–30853
Stubbe, P. *see* Kohl, H. 87–68790
Stubbe, P. *see* Rietveld, M.T. 85–2570, 88–20904
Stubbe, R. *see* Stoger, H. 85–59800, 86–6363
Stubben, M.A. Pilot's perspective of the advanced fighter technology integration automated maneuvering attack system 88–5084
Stubberfield, D.R. *see* Bartlett, D.T. 87–29628
Stubberfield, R.A. Getting the most from your PMT 85–45368
Stubberud, A.R. Acquisition probability for a correlation algorithm with a wide-sense Markov model and a multiplicative noise 87–7753
Stubberud, A.R. Failure isolation using an associative memory algorithm 87–55323
Stubbings, A. *see* Arciscewski, K. 86–48832
Stubbings, R. Oscilloscope architecture. A case of revolution rather than evolution 88–29488
Stubbings, R.M. Computer aided test generation in the IEEE 488 environment 86–24341
Stubbings, R.M. The technology of fast transient pulse digitising 86–60167
Stubbings, T.J. Simple interrupt controller for the 8088 86–8141
Stubblebine, W.A. *see* Clark, M.H. 85–45101
Stubblefield, F.W. Operation of general purpose, stepping motor controllers at the National Synchrotron Light Space 87–41658
Stubblefield, R. *see* Sreetharan, M. 88–52661
Stubbs, C. *see* Meech, S.R. 85–19064
Stubbs, D.D. Test programming: the state of affairs 85–20486
Stubbs, D.M. Motor repair quality assurance 85–16013
Stubbs, D.P., Alexander, J.L. Transition lengths in magnetic recording on particulate disks 87–18503
Stubbs, D.P., Whisler, J.W., Moe, C.D., Skorjanec, J. Ring head recording on perpendicular media: output spectra for CoCr and CoCr/NiFe media 85–45995
Stubbs, D.P. *see* Sharrock, M.P. 85–24173
Stubbs, D.P. *see* Whisler, J.W. 85–45996
Stubbs, G.W. *see* Bartholet, W.G. 88–26548
Stubbs, J.B. Multiple lines of laser light for machine vision illumination 87–47065
Stubbs, M., Chow, L., Howard, G. Simulation tool accurately models MMIC passive elements 88–38733
Stubbs, M.A. *see* Gray, F.M. 87–49830
Stubbs, M.G., Chow, Y.L., Howard, G.E. Use of a spatial field technique for the analysis of active MMICs 88–32456
Stubbs, M.G., Stapleton, S.P. A single stage monolithic regenerative 1/2 analog frequency divider 87–32101
Stubbs, M.G. *see* Cuhaci, M. 85–11572
Stubbs, M.G. *see* Douville, R. 88–38731
Stubbs, M.G. *see* Gaudreault, M. 86–8453
Stubbs, M.G. *see* Lam, D.K.W. 86–58850
Stubbs, M.G. *see* Mizuno, H. 86–10142
Stubbs, M.G. *see* Stapleton, S.P. 86–62823
Stubbs, R. Memory in small computers 87–73464
Stubbs, R.J. The 32 bit microprocessor–a recipe for computation 88–56659
Stubbs, S.J. *see* Rodger, C.A. 87–51967
Stubbusch, H. *see* Winnewisser, G. 87–13805
Stubendorff, J.M. Designing for testability 87–11150
Stubenrauch, C.F., Francis, M.H. Comparison of measured and calculated mutual coupling in the near field between microwave antennas 86–68832
Stubenrauch, C.F. *see* Baird, R.C. 88–72654
Stubenrauch, C.F. *see* Francis, M.H. 88–66168
Stubenrauch, C.F. *see* Newell, A.C. 86–36808, 87–26941, 88–72659
Stubenrauch, R.R., Wagner, R. Diesel-electric locomotive with three-phase power transmission for the RENFE 87–22847
Stuber, A. VC 20 hardware tip: voltage measurement by computer–2-channel A/D converter 85–43054

Stuber, D.V. *see* Abbott, J.L. 86–60967
Stuber, G.L., Blake, I.F., Mark, J.W. Performance of adaptive transmission for FH/MFSK signaling over jammed fading channels 87–33586
Stuber, G.L., Mark, J.W., Blake, I.F. Performance of FH/MFSK with diversity and coding versus a partial band jammer 87–20396
Stuber, G.L., Mark, J.W., Blake, I.F. An adaptive rate algorithm for FH/BFSK signaling 88–2926
Stuber, G.L., Mark, J.W., Blake, I.F. Diversity and coding for FH/MESK systems with fading and jamming. I. Multichannel diversity 88–21913
Stuber, H.R. *see* Bharadwaj, V.K. 85–31695
Stuber, M. *see* Nemiroff, M. 88–26062
Stuber, P. Computer graphics and PCBs 85–6591
Stuber, R. *see* Schweizer, H. 87–68489
Stuber, R. *see* Zielinski, E. 87–68488
Stuber, S.M. *see* Ahmed, T. 88–13586
Stuber, S.M. *see* Brunner, T.A. 87–11551
Stubing, H., Rein, J.-M. A compact physical large-signal model for high-speed bipolar transistors at high current densities. I. One-dimensional model 87–67219
Stubing, H. *see* Rein, H.-M. 85–50493
Stubjaer, K.E. *see* Wang, J.W. 86–36514
Stubkjaer, K.E. *see* Wang, J. 87–33188
Stubkjaer, K.E. *see* Wang, J.W. 88–65727
Stubler, H. *see* Handel, S. 85–5707
Stubley, P. Experience with facsimile transmission in Birmingham libraries 87–13313
Stubley, P.H., Schwarzkopf, H. Snubbers: operating problems present day solutions 88–75286
Stubna, M. *see* Moravek, J. 88–17263
Stubrov, A.K. *see* Ivanov, E.V. 86–45150
Stucchi, A. *see* Cognetti, C. 86–66618
Stucchi, A. *see* Petrone, G. 85–40808
Stucchi, M. *see* Corsi, F. 88–57798
Stuchebnikov, V.M. *see* Koba, B.V. 86–14838
Stuchebnikov, V.M. *see* Kukarin, V.F. 87–8601
Stucheli, A. *see* Kromm, K. 85–4893
Stucheli, N., Baumann, G.G., Buchar, E. p-ZnSe/n-GaAs heterojunctions for blue electroluminescent cells 88–14041
Stuchenkov, V.M. *see* Perevodchikov, V.I. 88–52144
Stuchevnikov, V.M. Integrated semiconductor sensitive elements for mechanical strain transducers 86–50069
Stuchevnikov, V.M., Trukhachev, B.S. Current status of integral transducers for mechanical magnitudes 86–11550
Stuchevnikov, V.M. *see* Evdokimov, V.I. 86–11552
Stuchinskii, G.B. *see* Shchemelev, V.N. 88–57249
Stuchl, P., Vltavsky, L., Kanta, Z. Automation of turboalternator operation 85–60105
Stuchl, P. *see* Vltavsky, L. 86–12779
Stuchlik, F. *see* Bazewicz, M. 86–64699
Stuchlik, J. *see* Nesladek, M. 87–45540
Stuchlik, J. *see* Triska, A. 85–24365
Stuchlik, J. *see* Vanecek, M. 86–27897
Stuchlik, R. New nonlinear resistor surge dividers for medium-voltage networks with controlled operation design for 10 kA rated pulse current discharge 85–32239
Stuchlik, V. *see* Pasek, Z. 85–10037
Stuchly, J. Bayes unbiased estimation in a model with two variance components 87–72894
Stuchly, M.A., Kraszewski, A., Stuchly, S.S., Hartsgorve, G., Adamski, D. Dosimetry in a full-scale model of the human body 86–6012
Stuchly, M.A., Lecuyer, D.W. Induction heating and operator exposure to electromagnetic fields 86–19618
Stuchly, M.A., Lecuyer, D.W. Electromagnetic fields around induction heating stoves 87–72594
Stuchly, M.A., Mild, K.H. Environmental and occupational exposure to electromagnetic fields 87–50431
Stuchly, M.A., Stuchly, S.S., Hartsgrove, G.W., Markowski, J., Kraszewski, A. Instrumentation for measurements of electric fields at radio frequencies 86–60306
Stuchly, M.A. *see* Kraszewski, A. 85–4374, 85–20977
Stuchly, M.A. *see* Stuchly, S.S. 86–6000, 86–60838, 86–65258, 87–49891, 88–54481
Stuchly, M.A. *see* Wong, G.H. 85–4058
Stuchly, S.S., Gajda, G., Anderson, L., Kraszewski, A. A new sensor for dielectric measurements 86–65167
Stuchly, S.S., Kraszewski, A., Stuchly, M.A. A simple coaxial exposure cell for biological substances 86–60838
Stuchly, S.S., Kraszewski, A., Stuchly, M.A. Uncertainties in radiofrequency dielectric measurements of biological substance 87–49891
Stuchly, S.S., Kraszewski, A., Stuchly, M.A., Hartsgrove, G., Wong, G.H. System for measuring the distribution of the internal electric field in models of animals and humans 86–6000
Stuchly, S.S., Kraszewski, A., Symons, S., Stuchly, M.A., Surowiec, A., Sibbald, C. Automatic dielectric spectrometer at radio and microwave frequencies 86–65258
Stuchly, S.S., Stuchly, M.A. Electrical properties of biomaterials—instrumentation and measurements 88–54481
Stuchly, S.S. *see* Anderson, L. 86–44263
Stuchly, S.S. *see* Anderson, L.S. 86–44393
Stuchly, S.S. *see* Esselle, K.P.A.P. 88–60686
Stuchly, S.S. *see* Kraszewski, A. 85–4374, 85–20977
Stuchly, S.S. *see* Stuchly, M.A. 86–6012, 86–60306
Stuchly, S.S. *see* Tran, V.N. 85–39401, 87–51633
Stuchly, S.S. *see* Wong, G.H. 85–4058
Stuck, A. *see* Ingwall, R.T. 87–12629
Stuck, B.W. Gateways: market trends and design considerations 86–54951
Stuck, B.W. Performance analysis of 802 media access methods 86–54965
Stuck, B.W. ISDN push pull market dynamics: vendors, carriers and users 87–40245
Stuck, B.W. Internetworking LANs and WANs 87–48686
Stuck, B.W. Imaging technologies: the next decade 87–70717
Stuck, B.W. The digital cross-connect: cornerstone of future networks? 87–76040
Stuck, B.W. *see* Arthurs, E. 85–2921
Stuck, R. *see* Ababou, Y. 86–41525
Stuck, R. *see* Golanski, A. 87–24948
Stuck, R. *see* Levy, D. 86–41688
Stuck, R. *see* Maillet, S. 87–38083
Stuck, R. *see* Ponpon, J.P. 86–53547
Stuck, R. *see* Stoquert, J.P. 88–18068
Stuck, R. *see* Toulemonde, M. 86–66354
Stuck, T. *see* Schutze, T. 87–37009, 87–51420
Stucke, G. A complete 2 *D*-shuffle/exchange-state for large 1 *D* data arrays 88–20471
Stuckenberg, H.-J. *see* Deuter, A. 87–14636
Stuckenberg, H.J. *see* Neff, W. 85–48163
Stucker, J.P. The costs of closing nuclear power plants 85–15717
Stuckert, P.E. *see* Pennington, K.S. 85–31391
Stuckey, G. *see* Heald, S.M. 86–60642
Stuckey, R.L. *see* Butcher, M.E. 85–42473
Stuckey, R.L. *see* Young, P.M. 87–47434
Stuckey, W.D. *see* Bath, W.G. 88–15528
Stucki, B. *see* Blaser, K. 88–13462
Stucki, F., Bruesch, P., Greuter, F. Electron spectroscopic studies of electrically active grain boundaries in ZnO 88–25971
Stucki, F. *see* Baumann, T. 88–51093
Stucki, F. *see* Pfluger, P. 88–26563
Stucki, P. User requirements for office communication LANs 88–35136
Stuckle, M. *see* Liebig, H.-J. 88–43728
Stuckless, H.A., Braun, J.M., Chu, F.Y. Degradation of silica-filled epoxy spacers by arc contaminated gases in SF_6-insulated equipment [substation switchgear] 86–33551
Stuckless, H.A. *see* Chu, F.Y. 85–24022, 88–55566
Stuckless, H.A. *see* Fujimoto, N. 85–27574
Stuckman, B.E., Rusek, A. Comments on 'A new global optimization method for electronic circuit design' by A. Groch, et al 88–6593
Stuckrad, W. RSG1: a protective device for various applications [alarm system] 88–10636
Studd, G. Navigation requirements for general aviation 88–60312
Studdiford, W.E. *see* Carlin, J.W. 87–48902
Studebaker, J.F. Device for monitoring pH 85–8989
Studebaker, J.K. *see* Stradling, G.L. 87–57051
Studebaker, L.G., DeWhitte, G.J., Bugely, F.L., Riehl, D.H. Prototype to production using the Hewlett-Packard quarter-micron electron beam system 87–38382
Studebaker, L.G. *see* Pendegrass, L.L. 87–60773
Studebaker, L.G. *see* Pendergrass, L.L. 88–57879
Studemann, W. *see* Gloeckler, G. 85–53162
Studenik, J. *see* Jelinek, J. 86–36104
Studenikin, A.A. *see* Lashkov, A.I. 85–58680
Studenikin, M.I. *see* Georgescu, S. 85–12836
Studenikin, M.I. *see* Zhekov, V.I. 86–63781
Studenikin, P.A. *see* Danilov, A.A. 88–27122
Studenikin, P.A. *see* Zharikov, E.V. 88–58492
Studenikin, Yu.E. *see* Yakobi, Yu.A. 85–56733
Studenov, V.B. *see* Markin, A.S. 86–54120
Studenov, V.I. *see* Smirnov, V.S. 85–29788, 86–68481
Studentsov, N.V., Khorev, V.N., Chernyshev, V.E., Shifrin, V.Ya. System of metrological support for measurements of the Earth's magnetic field 85–21007
Studentsov, N.V., Khorev, V.N., Shilov, A.E., Shifrin, V.Ya. Reproduction of the ampere from the proton gyromagnetic ratio and quantum magnetoresonance phenomena 87–34896
Studentsov, N.V. *see* Afanasiev, Yu.V. 86–24719
Studeny, M. Asymptotic behaviour of empirical multiinformation 87–47452
Studer, B. *see* Brugger, St. 88–9615
Studer, C. *see* Hlavica, K. 86–56788
Studer, F.A. *see* Conte, E. 87–40981
Studer, F.A. *see* D'Addio, E. 85–25917
Studer, F.A. *see* Farina, A. 86–17443, 86–23945, 86–55359, 87–8353
Studer, F.A. *see* Galati, G. 86–17448, 88–15534
Studer, N. *see* Orlowski, P.F. 88–60794
Studer, P., Rodriguez, E. High speed reaction wheels for satellite attitude control and energy storage 86–38908
Studer, P.A., Fisher, R.L. 'New' brushless motors for advanced motion systems 88–62381
Studer, P.A., Fisher, R.L. 'New' brushless motors for advanced motion systems 88–75640
Studer, P.A. *see* Anand, D.K. 87–42054
Studer, R. Modeling time aspects of information systems 86–52605
Studer, R. *see* Joffe, S.N. 87–42000
Studer, R.M., Meyer, M. The electromyogram as an example of signal processing in medicine 86–56122
Studer, R.M. *see* Gerber, A. 85–31850
Studer, U. Electricity supply to Zurich international airport 86–70966
Studer, U. *see* Burkhard, F. 86–70654
Studer-Rabeler, K. *see* Mantese, J.V. 88–64978
Studinger, H., Weck, K.-H. Switching-impulse strength of the external insulation of three-phase power transformers 87–15827
Studley, B.C., Foreman, J.D. Primary air axial flow fans and controlling fan stall at the D. B. Wilson Station 87–64429
Studna, A.A. *see* Aspnes, D.E. 85–45567, 88–38190, 88–70318
Studna, A.A. *see* Harbison, J.P. 88–49821
Studniarz, J.J., Guha, P.K. Cogeneration: a potential new source of utility peaking power 88–17357
Studniarz, J.J. *see* Keller, S.C. 87–57929
Studnitz, E.-B.von *see* von Studnitz, E.-B.
Studtmann, G.D., Gunshor, R.L., Kolodziejski, L.A., Melloch, M.R., Cooper, J.A., Jr., Pierret, R.F., Munich, D.P., Choi, C., Otsuka, N. Pseudomorphic ZnSe/*n*-GaAs doped-channel field-effect transistors by interrupted molecular beam epitaxy 88–39500
Studtmann, G.H. Application of power electronic switching techniques to induction generators 85–27423
Studtmann, G.S., Gunshor, R.L., Kolodziejski, L.A., Melloch, M.R., Otsuka, N., Munich, D.P., Cooper, J.A., Pierret, R.F. Pseudomorphic ZnSe/GaAs MISFET devices 88–33218
Studwell, M.L. *see* McMillan, R.W. 87–983
Studzinski, W., Berg, D., Bell, D., Richards, D. Effects of orifice surface conditions on accuracy of flow rate measurements 88–60981
Stueckle, S. On natural isomorphisms of cycle permutation graphs 88–56132
Stuedel, M. Automated assembly of precision-mechanical and electronic products 87–72811
Stueflotten, S. Optical transmission and switching 87–49115
Stueflotten, S. Design flexibility with loose tube fibre cables 88–35537
Stueflotten, S., Bruusgaard, H.H. Development and testing of a fire-resistant optical cable 87–8299
Stueflotten, S., Bruusgaard, H.H., Eriksrud, M., Spillum, M. Development of a fire resistant optical cable 86–43858
Stueflotten, S., Christensen, T., Iversen, S., Hellvik, J.O., Almas, K., Wien, T., Graav, A. An infrared fibre optic gas detection system 85–62351
Stueflotten, S. *see* Ingebrigtsen, K.A. 86–9356
Stuehm, D.L. *see* Mairs, D.D. 88–55415
Stuehm, D.L. *see* Newell, R.J. 86–18642
Stuermer, W. *see* Drake, G. 88–54402
Stuffle, R.E. A BASIC AC circuit analysis program for use on personal computers 86–57579
Stuglik, Z. *see* Polacki, Z. 87–57037
Stuhlinger, E., Fechtig, H., Igenbergs, E., Loeb, H. Comet nucleus sample return missions with electrically propelled spacecraft 86–60910
Stuhlinger, E. *see* Loeb, H.W. 85–32771
Stuhlmuller, P. A faster symbol-chain search processor for μP systems 87–31922
Stuhlmuller, P., Renz, U. Digital signal processing with bipolar LSI modules 85–818
Stuhr, C.J. *see* Brake, R.M. 88–52982
Stuifbergen, J.A.M., Heideman, G.H.L.M. A model for moving images based on the human visual system 87–75953
Stuifbergen, J.A.M., Heideman, G.H.L.M. A comparison of two 3D-models for image coding based on visual processing 88–59337
Stuivinga, M.E.C. *see* Verbeek, P.W. 86–60166
Stuk, A.A. *see* Gres'kov, I.M. 86–67789
Stuk, A.A. *see* Voronov, I.N. 85–40431
Stukalin, A.G. *see* Uryadnikov, U.F. 85–13565
Stukalin, Yu.A. *see* Efimenko, V.V. 87–36941
Stukan, V.A., Tikhomirnov, S.I. Effect of a capacitive antenna on the parameters of a measuring transducer for an electric field 85–47956
Stuke, J. Thermoelectric power of amorphous silicon and germanium 86–1741
Stuke, J. Recent results on hydrogenated amorphous silicon 86–27847
Stuke, M. *see* Gottsleben, O. 88–63353
Stuke, M. *see* Larciprete, R. 87–10409
Stukey, F.W. *see* Lin, C.-J. 85–45991, 86–28652

Stukov, V.G. *see* Barkhatov, D.R. 86−18498
Stulc, P. *see* Drnec, J. 88−11346
Stulc, P. *see* Polasek, F. 88−48857, 88−62300
Stull, R.E., Knoll, K.R. Projecting computer displays 88−22701
Stull, S.P. Don't put people off-line when you go on-line to communicate [experiences of electronic mail systems] 86−49203
Stull, V. *see* Servedio, F.J. 88−61408
Stuller, J.A. On the relation between triangular matrix decomposition and linear interpolation 85−249
Stuller, J.A. Maximum-likelihood estimation of time-varying delay. I 87−39547
Stuller, J.A. *see* Namazi, M. 86−59303, 88−14677
Stuller, P.J. Power plant simulation using a distributed control system 87−35708
Stultz, J. *see* Liniger, M. 85−20034
Stultz, R.D. *see* Parazzoli, C.G. 88−65834
Stultz, T. *see* Kermani, A. 87−53430
Stultz, T.J. *see* Lee, K.F. 86−8746
Stulz, I.W. *see* Einsenstein, G. 87−26476
Stulz, L.W. *see* Alferness, R.C. 86−37873
Stulz, L.W. *see* Eisenstein, G. 85−29814, 85−41132, 87−12485, 87−54363, 88−34076
Stulz, L.W. *see* Glance, B. 87−33225, 87−62943, 87−76737, 88−9536
Stulz, L.W. *see* Glance, B.S. 88−35495
Stulz, L.W. *see* Heismann, F. 87−68440
Stulz, L.W. *see* Kaminow, I.P. 88−3972, 88−47166
Stulz, L.W. *see* Korotky, S.K. 86−23872
Stulz, L.W. *see* Stone, J. 87−68037
Stulz, L.W. *see* Tucker, R.S. 85−35749
Stumbaum, F. *see* Kurz, B. 86−38734
Stumbles, J. RC circuit detects phase sequence reversal 86−27502
Stumbras, A.Yu.A., Trutnevis, V.V. User-regulators in the Lithuanian Power System 86−65633
Stumer, I. *see* Akesson, T. 86−18235
Stumer, I. *see* Batley, R. 86−25127
Stumer, I. *see* Palmer, R.B. 86−5623, 86−5694
Stumm, M. Distributed systems: an introduction using the example of V 88−15092
Stumm, M. Strategies for decentralized resource management 88−59606
Stumm, W. *see* Steffen, W. 87−56903
Stummel, F. Forward error analysis of Gaussian elimination. I. Error and residual estimates 85−54329
Stummel, F. Forward error analysis of Gaussian elimination. II. Stability theorems 85−54330
Stummer, B. *see* Braun, E. 87−40931
Stummer, B. *see* Buttner, M. 86−64997
Stummer, B. *see* Gier, J. 85−20224, 85−25901
Stummer, B. *see* Trimmel, H. 86−11115
Stump, C.E. *see* Brown, R.L. 85−64314
Stump, C.W. *see* Mauldin, L.E., III. 87−15064, 87−71354
Stump, D.A. *see* Tiernan, T. 88−61266
Stump, H. System-level design analysis 88−71171
Stump, H., Widdoes, C. Advantages of hardware modelers in the design cycle 88−57786
Stump, H. *see* Widdoes, L.C., Jr. 88−62997
Stump, H.T. *see* Hladik, W.M. 88−73483
Stump, K.B. *see* Telander, S.H. 86−70727, 87−36064
Stump, P.O. *see* Gelpey, J.C. 85−34728, 86−1860, 87−11587, 87−11688, 87−53335
Stump, S.J. *see* Croxton, T.L. 88−10353
Stumper, U. Admittance measurement with double T-grouping in the 1 MHz to 300 MHz frequency area 85−14982
Stumper, U. Basics and applications of six-port measurement technology 85−15005
Stumper, U. Automatic determination of the complex permittivity of liquids of low dielectric loss 85−58845
Stumper, U. Automatic determination of the complex permittivity of liquids of low dielectric loss in a inclined X-band waveguide 86−24706
Stumper, U. Dielectric measurements by submillimetre six-port reflectometry 86−55824
Stumper, U. *see* Bayer, H. 87−21183
Stumper, U. *see* Jurkus, A.P. 86−38532
Stumper, U. *see* Ni, E. 85−26454
Stumpers, F.L.H.M. New developments in computers and their influence on communications 88−59694
Stumpf, B. On the fast track with the Navy 85−20984
Stumpf, F.B. *see* Mustaman, M. 86−38982
Stumpf, F.B. *see* Nahar, N. 87−42276
Stumpf, I. *see* McNab, A. 86−44829
Stumpf, R.J. A film studio looks at HDTV 87−41172
Stumpo, G. *see* Hattas, D.J. 87−73904
Stumpp, H. A 1.25 MeV electron accelerator for diffraction and interferometry with electrons 85−4176
Stumpp, H. *see* Dietrich, W. 88−7247
Stunkard, D. *see* Rubalcava, A.L. 87−53741
Stunkel, C. *see* Fuchs, K. 88−63738
Stunkel, C.B. *see* Fuchs, W.K. 88−33345
Stuntebeck, P.H. *see* Higdon, M.L. 86−49091
Stuntebeck, S.v. *see* Thompson, D.M.M. 88−213
Stuntz, W. Advantages of renting and leasing [electronic test and design equipment] 87−36419
Stupak, I.A. Power loss reduction in supply circuits to large current loads in industrial plants 87−43671
Stupak, M.F. *see* Prot's, V.I. 88−8247, 88−14269
Stupak, Yu.I. *see* Tarasenko, V.F. 88−58443
Stupel, A.I. *see* Agafonov, V.P. 85−44100
Stupel, A.I. *see* Levina, L.S. 85−59535, 85−59657
Stupian, G.W. *see* Leung, M.S. 86−58501
Stupica, J., Goradia, C., Swartz, C.K., Weinberg, I. Radiation damage and defect behavior in proton irradiated lithium-counterdoped n^+p silicon solar cells 88−37485
Stupica, J.W. *see* Weinberg, I. 87−4882
Stupin, D.M. Filmless radiographic detection of microscopic wires and very small areal density variations 88−18797
Stupin, D.M. *see* Stokes, G.H. 86−18269
Stupin, P. *see* Gesemann, R. 87−72164
Stupl, K. *see* Kostal, A. 86−63537
Stupmicki, J. *see* Lech, M. 85−58955
Stupnicki, J. *see* Lech, M. 85−58885
Stupp, E.H. *see* Jayaraman, R. 85−50664
Sturans, M.A. *see* Kern, D.P. 86−1959
Sturans, M.A. *see* Pfeiffer, H.C. 85−45503
Sturcbecher, J. *see* Garner, J.T. 88−41588
Sturgeon, A. In-service testing for analogue data circuits 87−62494
Sturges, P.J. *see* Chi, K.K. 87−17173, 87−17183
Sturges, R.A. CETAS-D, a complete metering data collection and processing system 86−32875
Sturges, R.A. *see* Steere, N.G.T. 87−50892
Sturgess, J.P., Macdonald, D.C. Generator transient performance in finite element terms 88−11190
Sturgess, P.E. *see* Booth, R.C. 85−12565
Sturgis, K.M. GMs manufacturing automation protocol 85−42310
Sturland, R.W., Mouneimne, Z.S., Keay, D.W., Denning, L.R. New concepts for DC traction substations 88−5979
Sturlese, L. *see* Devecchi, D. 86−658
Sturm, A., Uhlemann, S. Diagnosis of plain bearings by acoustic emission analysis [steam turbine monitoring application] 87−9050
Sturm, B. *see* Ferrari, G.M. 86−12199
Sturm, J. *see* Buhn, U. 85−52647
Sturm, J.C., Gibbons, J.F. Vertical bipolar transistors in laser-recrystallized polysilicon 86−2357
Sturm, J.C., Gibbons, J.F. Vertical bipolar transistors and a merged 3-D vertical bipolar-MOS device in recrystallized polysilicon 87−18112
Sturm, J.C., Gronet, C.M., Gibbons, J.F. Limited reaction processing: in-situ metal-oxide-semiconductor capacitors 86−53469
Sturm, J.C., Gronet, C.M., Gibbons, J.F. Minority-carrier properties of thin epitaxial silicon films fabricated by limited reaction processing 86−58230
Sturm, J.C., Gronet, C.M., King, C.A., Wilson, S.D., Gibbons, J.F. *In-situ* epitaxial silicon-oxide-doped polysilicon structures for MOS field-effect transistors 87−11785
Sturm, J.C., McVittie, J.P., Gibbons, J.F., Pfeiffer, L. A lateral silicon-on-insulator bipolar transistor with a self-aligned based contact 87−38203
Sturm, J.C., Plummer, J.D., Gibbons, J.F. Measurement and reduction of interface states at the recrystallized silicon-underlying insulator interface 85−55576
Sturm, J.C. *see* Baerg, W. 86−28327
Sturm, J.C. *see* Gibbons, J.F. 88−12031
Sturm, J.C. *see* Gronet, C.M. 86−47448, 87−11686
Sturm, J.C. *see* Ting, C.H. 87−17880
Sturm, K.-H., Perl, J. Specification and model building of energy flows in the techniques of (brewing) processes 85−32871
Sturm, L. *see* Liggesmeyer, P. 88−66943
Sturm, M. *see* Fazekas, P. 88−39600
Sturm, M. *see* Kollensperger, P. 85−40842
Sturm, P. Mailboxes: something different−databanks for everyone 86−23382
Sturm, R. Electromagnetic impulses from high altitude nuclear explosions. II 86−3558
Sturm, R. *see* ter Haseborg, J.L. 86−15941
Sturm, R.J. Shielding against EMP induced currents and voltages, EMP simulation and testing and EMP coupling to cables 87−12749
Sturm, R.W. Telecommunications and the emerging global corporation 88−28235
Sturm, V. *see* Bauer-Kirpes, B. 88−74865
Sturm, V. *see* Hartmann, G.H. 85−38211
Sturm, W. Accumulator power supply with constant displacement pumps: economical and energy saving solution for phased drive units 85−61088
Sturman, B.I. *see* Odulov, S.G. 88−27311
Sturmer, A. Measurement and evaluation system (MAUS) and its use for the determination of model parameters for simulation with the SPICE network analyser program 85−28315
Sturmer, W. Technical assessment of the safety aspects of the planned German reprocessing plant [nuclear fuel reprocessing] 85−48773
Sturminger, L. *see* Chaillie, C. 85−25601
Sturner, L., Frost, H. An ISDN communications system for language, text and data 85−51874
Sturrett, M.S. Process control for functional laser trimming of thick film resistors 88−50556
Sturridge, H. The micro-mainframe link: are the dealers fighting shy? 85−13900
Sturridge, H. The world jumping out of your screen [viewdata] 85−25389
Sturridge, H. Shrinking the world [value-added network services] 87−13237
Sturrock, W.R. *see* Fahr, A. 85−6074
Sturrock, W.R. *see* Prasad, S.E. 86−2481
Stursa, J. *see* Vich, R. 87−2496
Stursberg, R. Canadian dimensions of spectrum management−national policies and objectives 88−35634
Sturt, A.H.J. A high definition television standard based on 72 frames per second 87−13900
Sturtevant, T.E.W. *see* Audas, R.D. 86−473
Sturton, A.B. Extracts from some guides for industrial plant power engineering 85−4594
Sturton, A.B. Planning, applications, design, and performance of single pole switching on high voltage transmission 88−68873
Sturtz, J.P. *see* Wimpee, L.C. 85−4225
Sturtz, W.E. Configuration management from the user's point of view 85−16681
Sturz, H. *see* Dinsch, J. 86−59744
Sturz, H. *see* Johne, E. 86−13988
Sturz, H. *see* Kleinau, K.-H. 87−20355
Sturz, R. *see* Henkel, P. 88−48278
Sturz, R.A. *see* Captain, J.L. 87−15003
Sturza, M. *see* Ladd, J.W. 87−21749
Sturza, M.A., Brown, A.K., Kemp, J.C. GPS/AHRS: a synergistic mix 85−8495
Sturzenegger, C. *see* Schotzau, H.J. 86−51820
Sturzenegger, Ch. *see* Aeschbach, B. 86−51834
Sturzenegger, Ch. *see* Schoetzau, H.J. 86−33548
Sturzer, M. Motor regulation with galvanic separation of power and control modules 87−65813
Sturzer, M. Small thermostat for heating powers up to 5 W 88−18213
Sturzer, M. Motor control with electrical isolation of operator module and power unit 88−37180
Sturzinger, P. Swiss power supply estimates at the end of the decade 85−9559
Stus, N.M. *see* Aidaraliev, M. 88−27167, 88−27174
Stus', N.M. *see* Andrushko, A.I. 87−54186
Stus', N.M. *see* Evstropov, V.V. 87−6411
Stus', N.M. *see* Matveev, B.A. 85−34749, 87−36701
Stus', N.M. *see* Zotova, N.V. 87−75111
Stusser, D. Microcomputer use for call-accounting 86−4179
Stusser, D.I. Technology now offers more than just voice mail 88−9074
Stusser, D.I. Call accounting needs five new features 88−73505
Stussi, E. *see* Deranleau, D.A. 88−10334
Stussi, H. *see* Pixley, R.E. 88−16643
Stuttgart, D. *see* Bochtler, U. 88−44363
Stutts, J.E. Disposal of PCB transformers: case history 88−76062
Stutz, C.E. *see* Huang, C.I. 87−60402, 88−39374, 88−39421
Stutz, C.E. *see* Paulus, M.J. 88−64496
Stutz, D.E. The ASTM shielding effectiveness standard 85−13160
Stutz, D.E. The ASTM shielding effectiveness standard 85−24876
Stutz, D.E. The ASTM shielding effectiveness standard 86−29498
Stutz, D.E. *see* Bigg, D.M. 85−44804
Stutzke, M.A. A new time-line technique for station blackout core-melt analysis 87−30339
Stutzke, M.A. *see* Akhtar, M.W. 85−43783
Stutzki, J. *see* Harris, A.I. 88−9689
Stutzler, F.J. *see* Madenach, A.J. 87−9819
Stutzman, R.J. *see* Chan, J.Y. 85−5798
Stutzman, W.L. Wide bandwidth antenna array design 85−62929
Stutzman, W.L. Analysis of reflector antennas and some optimization results 87−68887
Stutzman, W.L., Bradley, W.S. Propagation effects on land mobile satellite communications 86−48593
Stutzman, W.L., Garrett, A.B. A personal computer graphics package to supplement the teaching of electromagnetic waves 87−26756
Stutzman, W.L., Pratt, T., Imrich, D.M., Scales, W.A., Bostian, C.W. Dispersion in the 10-30 GHz frequency range: atmospheric effects and their impact on digital satellite communications 86−43773
Stutzman, W.L., Runyon, D.L. The relationship of rain-induced cross-polarization discrimination to attenuation for 10 to 30 GHz earth-space radio links 85−2555
Stutzman, W.L., Yon, K.M. A simple rain attenuation model for Earth-space radio links operating at 10-35 GHz 86−30716
Stutzman, W.L. *see* Babcock, A.R. 85−60693
Stutzman, W.L. *see* Barts, R.M. 88−2577
Stutzman, W.L. *see* Bostian, C.W. 86−37825, 87−62877

Stutzman, W.L. *see* Claus, R.O. 85−60695
Stutzman, W.L. *see* Pratt, T. 87−47188
Stutzman, W.L. *see* Yon, K.M. 85−19143
Stutzmann, M. The doping efficiency in amorphous silicon and germanium 86−35554
Stutzmann, M. Dopant incorporation and doping efficiency in a-Si:H and a-Ge:H 87−25094
Stutzmann, M. Doping of amorphous semiconductors 87−74187
Stutzmann, M., Jackson, W.B., Tsai, C.C. Kinetics of the Staebler-Wronski effect in hydrogenated amorphous silicon 85−18774
Stutzmann, M., Jackson, W.B., Tsai, C.C. Light-induced metastable defects in a-Si:H: towards an understanding 86−35369
Stutzmann, M., Tsai, C.C., Jackson, W.B. The Staebler-Wronski effect in a-Si:H. Influence of impurities and kinetics of defect creation and annealing 86−48257
Stutzmann, M. *see* Biegelsen, D.K. 85−55580
Stutzmann, M. *see* Jackson, W.B. 88−1349
Stutzmann, M. *see* Janai, M. 85−55489
Stutzmann, M. *see* Tsai, C.C. 85−24364, 86−27985
Stuvermann, G.E. New materials for plug connectors 86−27677
Stuyt, J.J. A versatile high speed digital signal mixer 86−34877
Stuzhin, V.A. *see* Model, A.M. 85−36139
Stuzhin, Yu.V. *see* Tass, O.A. 86−25858
Stverka, V., Bigos, R. Digital signal processors 88−70823
Stwalley, W.C. *see* DeFaccio, M.A. 87−7234
Stwalley, W.C. *see* Kentwell, G.W. 87−12516
Stwalley, W.C. *see* Pichler, G. 87−7248
Styatyugin, E.B. *see* Medved', O.E. 86−61935
Styazhkin, V.P. *see* Isakov, V.N. 86−26348, 88−37651
Styblinska, B. On frequency-domain analysis and sensitivity calculation of switched capacitor circuits 86−46961
Styblinska, B. *see* Styblinski, M.A. 86−1249
Styblinski, M.A. Problems of yield gradient estimation for truncated probability density functions 86−46449
Styblinski, M.A. Yield gradient estimation for truncated density functions and related topics 86−62339
Styblinski, M.A. Interactive SPICE environment for deterministic and statistical circuit design 87−59106
Styblinski, M.A., Allen, P.E., Styblinska, B. Optimal automated design of switched capacitor filters realized in VLSI technology 86−1249
Styblinski, M.A., Opalski, L.J. A random perturbation method for IC yield optimization with deterministic process parameters 85−18427
Styblinski, M.A., Opalski, L.J. Software tools for IC yield optimization with technological process parameters 85−45814
Styblinski, M.A., Opalski, L.J. Algorithms and software tools for IC yield optimization based on fundamental fabrication parameters 86−46452
Styblinski, M.A. *see* Biernacki, R.M. 86−66938
Styblinski, M.A. *see* Opalski, L.J. 85−61026, 85−61044, 86−2316, 86−52227, 86−62340
Styblinski, M.A. *see* Tang, T.S. 86−66939
Styblo, D. *see* Lim, C.B. 85−43353
Styczynski, Z. Computer-supported, multi-criteria optimisation of industrial power systems 86−12348
Stygar, W. *see* Lockner, T.R. 87−77511
Stygar, W. *see* Zutavern, F. 87−18851
Stygar, W.A. *see* Cook, D.L. 87−43208
Stygar, W.A. *see* Johnson, D.J. 85−59105
Stygar, W.A. *see* Lee, J.R. 88−72504
Stygar, W.A. *see* Leeper, R.J. 86−60508, 87−29393
Stygar, W.A. *see* Mazarakis, M.G. 87−41788
Stygar, W.A. *see* Sanford, T.W.L. 86−55980
Stymne, P. More reliable electrical supply network using zinc oxide [surge divertor] 85−15681
Stymne, P. Finnish energy packaged in the USSR [Lovisa nuclear power station] 85−15724
Stymne, P. Stromberg invests in motor control [AC motors] 85−15985
Stymne, P. Electronics finds oil [fibre hole measurements] 85−21003
Stymne, P. An electrical power supply under the desk 85−39093
Stymne, P. National Swedish Power Administration rebuilds: new power lines save energy 85−48585
Stymne, P. Ring up the electric boiler [telecontrol] 85−57992
Stymne, P. The vacuum breaker— an old idea in new packaging 85−65383
Stymne, P. Power circuits take over from circuit boards 86−7934
Stymne, P. Stornorrfors still the biggest [hydroelectric plant] 86−12720
Stymne, P. The flying power station 86−18484
Stymne, P. High tension rectifiers: twenty years of optoelectronics 86−26132
Stymne, P. Small computers manage remote control of switchgear 86−26203
Stymne, P. The best thin that has happened in the lamp trade 86−26396
Stymne, P. Years of development behind new thyristors 86−63273
Stymne, P. Switchgear that saves space 86−66211
Stymne, P. With optical technology: the temperature of transformers can be measured while the transformer is operating 87−58161
Stymne, P. Power distribution: microprocessors make breakers more flexible 87−64741
Stymne, P. Asynchronous motors drive the X2 87−64845
Stymne, P. Easy to control power stations with computers. Dam in the primeval forest 87−72020
Stymne, P. With new convertors old motors suffice 87−79236
Stymne, P. The power condenser—an essential component in electricity distribution 88−17121
Stymne, P. Now Gotland will avoid power failures 88−17161
Stymne, P. Computers and pulses of light control the power network at Ornskoldsvik 88−17344
Stymne, P. Digital turbine regulators manage serious operational breakdowns 88−17411
Stymne, P. Bipolar technology the corner stone at Plessey 88−20108
Stymne, P. Swedish State Railways build own power supply network 88−49226
Stymne, P.S. Irreproachably clean in the thyristor factory 86−63272
Stynen, J. The integrated videotext system concept—public videotex plus in-house videotex plus EDP 85−19766
Stynes, M., O'Riordan, E. A finite element method for a singularly perturbed boundary value problem 87−16544
Stynes, M., O'Riordan, E. L^1 and L^∞ uniform convergence of a difference scheme for a semilinear singular perturbation problem 87−52068
Stynes, M. *see* O'Riordan, E. 86−34249, 87−58836
Stypula, K. *see* Dufrene, R. 87−69167
Stypulkowska, E. *see* Olesik, J. 85−1211
Stypulkowski, P. *see* van den Honert, C. 87−63838
Styrak, J., Jellus, V. Fast digital filter based on distributed arithmetics 88−56776
Styreski, R.W. Ink weight monitoring system 85−8972
Styrikovich, I.M. *see* Vereshchagin, I.N. 85−35226
Styrikovich, M.A. The future trends in development of district heating 87−71933
Styrikovich, M.A., Korsov, Yu.G., Gol'dshtein, A.D., Romanov, V.F., Dlugosel'skii, V.I. Utilization of flexible gas-turbine plants in heat-supply systems 87−72006
Styrlund, P. Bringing FO rings to market [fibre optics] 85−58126
Stys, D., Bhattacharyya, B.K. A technique for monitoring the consistency of package geometry and dielectric constant in the manufacturing process 88−63051
Stys, L.E. *see* Balagurov, L.A. 86−14839, 88−57323
Stys, L.E. *see* Vakarov, B.S. 85−40469, 87−38912, 88−26958
Stys, Z.S. *see* Karalis, A.J. 85−49124
Styslo, R. *see* Wojciechowska, J. 87−12001
Styts'ko, V.P. *see* Iskhakov, K.F. 86−34963
Styve, O.W. *see* Baver, D.K. 87−51308
Stzheletski, R. *see* Zhuikov, V.Ya. 87−44498
Su, C. A simple evaluation of some improper integrals for dyadic Green's function 87−19130
Su, C. A combined method for dielectric waveguides using the finite-element technique and the surface integral equations method 87−19239
Su, C., Chen, C.H. Calculation of propagation constants and cutoff frequencies of radially inhomogeneous optical fibres 86−42267
Su, C., Lin, S. A method for locating defective elements in the large planar array 87−27073
Su, C. *see* Samachisa, G. 87−59490
Su, C.-C. A simple evaluation of some principal value integrals for dyadic Green's function using symmetry property 88−27378
Su, C.-C. Calculation of electromagnetic scattering from a dielectric cylinder using the conjugate gradient method and FFT 88−40532
Su, C.-C. On the scalar approximation in fiber optics 88−58094
Su, C.-C. *see* Hsu, Y.-Y. 87−42297, 88−55237
Su, C.-L. *see* Cleaver, T.G. 88−66694
Su, C.-S. *see* Samachisa, G. 88−6824
Su, C.-T., Wu, T.-S., Lee, T.-H., Huang, C.-L. Capacity planning with flow and reliability evaluation using Monte Carlo simulation 87−31332
Su, C.-W. Synthesis of linear arrays' yielding a deep null pattern 88−2839
Su, C.B. Dielectric grating induced by cavity standing wave as a new explanation of origin of nonlinear gain in semiconductor diode lasers 88−40203
Su, C.B., Lanzisera, V. Effect of doping level on the gain constant and modulation bandwidth of InGaAsP semiconductor lasers 85−24532
Su, C.B., Lanzisera, V. Ultra-high-speed modulation of 1.3-μm InGaAsP diode lasers 87−7361
Su, C.B., Lanzisera, V., Olshansky, R. Measurement of nonlinear gain from FM modulation index of InGaAsP lasers 86−3137
Su, C.B., Lanzisera, V., Olshansky, R., Powazinik, W., Meland, E., Schlafer, J., Lauer, R.B. 15 GHz direct modulation bandwidth of vapour-phase regrown 1.3 μm InGaAsP buried-heterostructure lasers under CW operation at room temperature 85−51162
Su, C.B., Lanzisera, V., Olshansky, R., Schlafer, J., Fye, D.M., Meland, E., Powazinik, W., Lauer, R.B. High frequency modulation of InGaAsP lasers 86−63834
Su, C.B., Lanzisera, V., Powazinik, W., Meland, E., Olshansky, R., Lauer, R.B. 12.5-GHz direct modulation bandwidth of vapor phase regrown 1.3-μm InGaAsP buried heterostructure lasers 85−29804
Su, C.B., Lanzisera, V., Powazinik, W., Meland, E., Schlafer, J., Olshansky, R., Lauer, R.B. 17 GHz direct modulation bandwidth and impedance characteristics of vapor phase regrown 1.3 μm InGaAsP buried heterostructure lasers 86−36497
Su, C.B., Lanzisera, V.A. The resonance frequency dependence on the doping level of 1.3-μm InGaAsP lasers 86−22393
Su, C.B. *see* Cheng, W.H. 87−26377, 87−68439, 87−75072, 88−8208, 88−14186
Su, C.B. *see* Lange, C.H. 88−72315
Su, C.B. *see* Olshansky, R. 85−62552, 86−48434, 86−68518
Su, C.B. *see* Schlafer, J. 85−46265, 86−42439
Su, C.H., Lehoczky, S.L., Szofran, F.R. Growth of HgZnTe alloy crystals by directional solidification 88−31709
Su, C.S. *see* Huang, S.H. 86−60607
Su, C.T., Lee, T.H., Wu, T.S., Huang, C.L. Production costing and reliability evaluation for composite systems with outages and uncertainties 87−4323
Su, C.T., Wu, T.S., Huang, C.L., Lee, T.H. Transmission capacity expansion planning with economic dispatching and flow evaluation 87−57586
Su, C.Y. *see* Rohdin, H. 85−17854
Su, C.Y. *see* Skeath, P. 85−50271
Su, C.Y. *see* Tan, M. 88−32059
Su, D.T.-W., Shoults, R.R. A preventive strategy method for voltage and reactive power dispatch 85−59609
Su, F.-C., Levine, S., Vanier, P.E. Parameters affecting light-induced excess conductivity in amorphous silicon doping-modulated multilayers 87−18833
Su, F.-C., Levine, S., Vanier, P.E., Kampas, F.J. Light-induced excess conductivity and the role of argon in the deposition of doping-modulated amorphous silicon superlattices 85−61720
Su, F.-C., Levine, S., Vanier, P.E., Kampas, F.J. Factors affecting light-induced excess conductivity in doping-modulated amorphous silicon superlattices 86−41575
Su, F.-C., Levine, S., Vanier, P.E., Kampas, F.J. Light-induced excess conductivity and the role of argon in the deposition of doping-modulated amorphous silicon superlattices 87−11425
Su, F.-C. *see* Moddel, G. 87−16703
Su, F.-C. *see* Vanier, P.E. 87−72440
Su, G., Morf, M. Modal decomposition signal subspace algorithms 86−64252
Su, G. *see* Nehorai, A. 85−52411
Su, H.-Q., Wei, C.-C., Ma, T.-P. Mobility degradation in very thin oxide p-channel MOSFET's 85−40740
Su, H.T. *see* Jaeger, H. 87−77591
Su, J.-Y. Accuracy evaluation of Xtal lattice impedance transformation and optimization on the wide band filter 87−18451
Su, J.C. *see* Fraser, D. 85−41971
Su, J.J. *see* Katsouleas, T. 87−77484
Su, J.L., Mao-Min Chen, Lo, J., Lee, R.E. Laminated CoZr amorphous thin-film recording heads 88−64944
Su, K. *see* Loo, M.C. 86−52278, 87−6292
Su, K.-Y. *see* Fang, R.C.Y. 85−44968
Su, K.E., Jakle, G., Hild, H. A rack thermal evaluation program for electronic equipment with air infiltration 86−46113
Su, K.E., Linke, E.J. A new thermal analysis approach in PWA convection cooling 88−12720
Su, L., Rao, V.B., Trick, T.N. A simple and accurate node reduction technique for interconnect modeling in circuit extraction 87−36938
Su, L. *see* Zhang, Q. 85−13278
Su, L.M., Grote, N., Bach, H.G., Doldissen, W., Rosenzweig, M. A novel npn InGaAs bipolar transistor with a wide gap cadmium oxide (CdO) emitter 86−2136
Su, L.M., Grote, N., Kaumanns, R., Katzschner, W., Bach, H.G. An InGaAsP/InP double-heterojunction bipolar transistor for monolithic integration with a 1.5-μm laser diode 85−23749
Su, L.M., Grote, N., Kaumanns, R., Schroeter, H *NpnN* double-heterojunction bipolar transistor on InGaAsP/InP 85−55774

Su, L.M., Grote, N., Schmitt, F. Diffused planar InP bipolar transistor with a cadmium oxide film emitter 85−1572
Su, L.M., Mekonnen, G., Grote, N. On the storage time of InGaAs/InP bipolar transistors 86−21512
Su, L.M., Schroeter-Janssen, H., Li, K.C., Grote, N. *pnp*-type InP/InGaAsP/InP bipolar transistor 86−2122
Su, L.M. *see* Grote, N. 86−53604
Su, L.S. *see* Bureau, L. 85−29098
Su, L.S. *see* Hsia, L.C. 85−29071
Su, M.-J. *see* Martin, K.F. 88−47433
Su, N. *see* Kannenberg, D.P. 87−14943
Su, N. *see* Meadows, P.M. 87−14942
Su, N.Y. *see* Meadows, P.M. 88−48235
Su, P. Component reliability considerations for fiber optic communication systems 88−4021
Su, Q. *see* James, R.E. 88−48886
Su, R. *see* Ford, H. 85−33350
Su, S., Cutler, M., Wang, M., Saluja, K. Self-diagnosis of linear and mesh systolic arrays by signature comparison 87−37252
Su, S., Li, V.O.K. Time synchronization and ranging for multihop mobile radio networks 86−59802
Su, S., Li, V.O.K. Performance comparison of acknowledgement protocols for multihop code division multiple access networks 87−33846
Su, S. *see* Minghsien Wang 88−63744
Su, S. *see* Tzuang, C.-K.C. 88−27588
Su, S.-F. *see* Kirkish, S.D. 87−46193
Su, S.-L., Li, V.O.K. Performance analysis of a slotted code division multiple access (CDMA) network 85−30886
Su, S.-L., Li, V.O.K., Choudhury, G.L., Rappaport, S.S. Comments on 'Diversity ALOHA' [and authors' reply] 85−10589
Su, S.F. Fiber-optic electric field sensors utilizing electro-absorption 85−62394
Su, S.F., Jou, L., Lenart, J. A review on classification of optical switching systems 86−59716
Su, S.F., Jou, L., Lenart, J. Optoelectronic techniques for broadband switching 88−72236
Su, S.F., Ku, Y.C. Bulk photovoltaic effect in quartz crystals 85−62444
Su, S.F. *see* Jou, L. 88−41689
Su, S.F. *see* Lenart, J. 87−69861
Su, S.Y.H. IDAS−an integrated design automation system 85−28307
Su, S.Y.H., Lin, T. Functional testing techniques for digital LSI/VLSI systems 85−687
Su, S.Y.H. *see* Chen, T. 88−44107
Su, S.Y.H. *see* Cutler, M. 88−25125
Su, S.Y.H. *see* Li Shen 85−45812
Su, S.Y.H. *see* Lin, T. 85−42875, 86−2264, 86−46774
Su, S.Y.H. *see* Nale, A.S. 88−12340
Su, S.Y.H. *see* Saluja, K.K. 87−66200
Su, S.Y.H. *see* Shen, L. 85−17486
Su, S.Y.H. *see* Wang, M. 88−33348
Su, S.Y.H. *see* Xu, S. 85−54820, 87−67320
Su, W. *see* Barnes, F.S. 87−52831
Su, W.-F.A., Grosset, A.M., Barrett, A.P. Computer-assisted selection/development of electrical insulating materials by use of artificial intelligence 86−63508
Su, W.-F.A. *see* Grosset, A.M. 85−49230
Su, X.-H., Berglund, L. An uncovered reflecting and absorbing surface thermopile type radiometer 88−9989
Su, Y., Govindaraj, T. A model of expert fault diagnosis performance 86−52005
Su, Y.-L., Shan, T.-J., Widrow, B. Parallel spatial processing: a cure for signal cancellation in adaptive arrays 86−64113
Su, Y.-L. *see* Ramesh, N.S. 87−18194
Su, Y.J. *see* Evans, M.G.K. 86−51236
Su, Y.K., Chang, C.Y., Wu, T.S., Chou, Y.C., Nee, C.Y. Characterization of p-GaAs by low pressure MOCVD using DEZ as dopant 85−5981
Su, Y.K., Chou, Y.C., Chang, C.Y. Investigation of Se-doped GaAs epilayers grown by low-pressure metal-organic chemical vapor deposition 86−20046
Su, Y.K., Dai, T.A., Chen, S.C. Effect of the InP doping density on the electrical properties of the two-dimensional electron gas in LPE-grown modulation-doped heterostructures 88−39522
Su, Y.K., Wei, C.C., Lu, S.C., Chang, C.C. Surface morphology and properties of GaAs epilayers controlled by temperature difference method of liquid phase epitaxy 86−52446
Su, Y.K., Wu, M.C., Chang, C.Y. Surface analysis of $In_{1-x}Ga_xAs_yP_{1-y}$ epilayer growth by liquid-phase epitaxy 86−20045
Su, Y.K., Wu, M.C., Chang, C.Y., Cheng, K.Y. Electrical and optical properties of high purity $In_{0.5}Ga_{0.5}P$ grown on GaAs by liquid phase epitaxy 87−11351
Su, Y.K., Wu, M.C., Chang, C.Y., Cheng, K.Y. The fabrication of single heterojunction AlGaAs/InGaP electroluminescent diodes 88−2135
Su, Y.K., Wu, M.C., Cheng, K.Y., Chang, C.Y. Characterization of epitaxial $In_{0.75}Ga_{0.25}As_{0.56}P_{0.44}$ layers on InP grown by liquid phase epitaxy 85−5982
Su, Y.K. *see* Chang, C.Y. 85−44752
Su, Y.K. *see* Dai, T.A. 88−71330
Su, Y.K. *see* Koren, U. 88−14183
Su, Y.K. *see* Lee, C.T. 87−65568
Su, Y.K. *see* Miller, B.I. 88−24699
Su, Y.K. *see* Tzeng, J.S. 86−63189
Su, Y.K. *see* Wei, C.C. 87−65484
Su, Y.K. *see* Wu, M.C. 86−13748, 86−34328, 88−32801
Su, Y.T. Rapid code acquisition algorithm employing PN matched filters 88−59017
Su, Y.T., Chie, C.M. Rapid pseudonoise signal acquisition algorithms employing charge-coupled device matched filters 85−30282
Su, Y.T., Weber, C.L. On the performance evaluation of variable-dwell time PN acquisition systems 85−30157
Su, Z., Rollins, R.W., Hunt, E.R. Measurements of $f(\alpha)$ spectra of attractors at transitions to chaos in driven diode resonator systems 88−6691
Su Chang, Bao Zongming Calculation of spreading resistance correction factors by piecewise quadratic function interpolation 86−55809
Su Ching-Chuan *see* Ching-Chuan Su
Su Ching-Hua *see* Ching-Hua Su
Su Ching-Shen *see* Ching-Shen Su
Su Choi Kowang *see* Kowang Su Choi
Su Chun *see* Chun Su
Su De-fu, Yi Lian-xing, Pan Jin-song Cyclic multistep methods for solving functional differential equations 88−11940
Su Eo Kil *see* Kil Su Eo
Su Fan *see* Qui Mulan 87−66848
Su Genbuo *see* Zeng Yongjian 87−33265
Su Gui-xing *see* Zheng Yi-yang 87−60395
Su Haizheng *see* Hu Qiquan 86−36541
Su Hsu Tar *see* Hsu Tar Su
Su Hsun-Kang *see* Hsun-Kang Su
Su Huang *see* Huang Su
Su Hyon Paek *see* Kyung Sook Aum 85−27650
Su Hyon Paek *see* Oh Kyung Kwon 88−44795
Su Ing-Jiunn *see* Ing-Jiunn Su
Su Jianmin *see* Sun Dengwen 88−21381
Su Jinwen, Shi Guoliang, Ye Miaogen Pump absorption efficiency of an optically pumped submillimeter (SSM) laser 85−46302
Su Jinwen, Xiong Shouren, Shi Guoliang Pump absorption and losses of the optically pumped FIR waveguide laser 88−2313
Su Jinwen, Xiong Shouren, Shi Guoliang A CW optically pumped FIR waveguide laser with gold-coated glass tube 88−27014
Su Jinwen *see* Xiong Shouren 88−26840
Su Jiuling, Bao Zongming, Wang Changping, Mao Zhijun, Lu Jianxiong Photoacoustic spectroscopy studies of lattice damage in Si wafers 86−67788
Su Jun *see* Jun Su
Su Juping *see* Jin Chunyang 86−9773
Su Kang Sung *see* Sung Su Kang
Su Kim Nam *see* Nam Su Kim
Su Li-man A novel InGaAs phototransistor by CO emitter 86−63718
Su Liman Designs and performances of HBTs 87−67227
Su Meng-Chih *see* Meng-Chih Su
Su Ping *see* Song Ke-chang 87−24720
Su Qi-hui The smoothing method of Earth tide observation data 87−27357
Su Ra Tsol *see* Ra Tsol Su
Su Shun-Lin *see* Shun-Lin Su
Su Szu-lin *see* Szu-lin Su
Su Tang *see* Tang Su
Su Tian-Tsair *see* Tian-Tsair Su
Su Wuda *see* Li Xinjiao 86−15307
Su Xian-Yu *see* Xian-Yu Su
Su Yan-Kuin *see* Yan-Kuin Su
Su Yao-wen *see* Zhang Qi 88−36334
Su Yide *see* Li Xingyuan 88−48915
Su Ying *see* Lu Diantong 87−37866
Su Yong-Gang *see* Yong-Gang Su
Su Yonggang *see* Yonggang Su
Su Yoo Deuk *see* Deuk Su Yoo
Su Young-Lim *see* Young-Lim Su
Su Yuan-zhi *see* Huang Xin-yu 87−9001
Su Yun *see* Li Zingjiao 87−73807
Su Zaw-Sing *see* Zaw-Sing Su
Su Zaw-Swing *see* Zaw-Swing Su
Su Ze-feng A new kind of pulse-to-pulse agile codes and their statistical pulse compression characteristics 86−4694
Su Zhiyi *see* Zheng Jianchao 86−12485
Su Zimin, Liu Jingxi, Peng Shaoqi, Fei Qingyu Lateral photovoltaic effect on amorphous silicon junctions 88−26955
Su Zimin *see* Peng Shaoqi 87−45687
Su Zuniga, J.N. *see* Martinez Martinez, J. 85−57175
Su-hua Zhou *see* Zhou Su-hua
Su-Hyon Paek *see* Jin Seog Choi 88−44794
Su-Il Pyun, Jong-Tae Baek Microstructural dependence of permeability and permeability spectra in Ni-Zn ferrites 85−41021
Su-Il Pyun, Seung-Hyun Chang, Duk-Nong Yoon, Young-Jae Shim Permeability and temperature dependence of permeability in $Co^{2+}$and Al^{3+}-doped Mn-Zn ferrites 85−41020
Su-jen Tsung *see* Tsung Su-jen
Su-Kil Kim *see* Sung-Soo Kim 87−16678
Su-qin Li *see* Li Su-qin
Su-rong Zhao *see* Zhao Su-rong
Su-shing Chen A geometric approach to multisensor fusion 88−73223
Su-shing Chen Adaptive control of multisensor systems 88−74368
Su-shing Chen, Penna, M. Shape and correspondence 87−62202
Su-shing Chen *see* Penna, M.A. 88−46238
Su-tsing Chen *see* Chen Su-tsing
Su-Wen Zhang, Dongming Zhao Power amplifiers using pulse-duration modulation 87−37043
Su-xian, C., Xiao-song, L. The automatic classification of the welding defects 87−58672
Su-Yi Huang Criteria for solar thermal power system 86−39629
Su-yu Wang *see* Wang Su-yu
Sualnier, G.J., Haskins, W.A., Das, P. Tone jammer suppression in a direct sequence spread spectrum receiver using adaptive lattice and transversal filters 88−28671
Suan Ang Le *see* Le Suan Ang
Suan Khoy Dao *see* Dao Suan Khoy
Suarc, M., Baburek, V. The possibilities of improving the noise conditions at the input of a camera preamplifier 86−60028
Suard, E., Fernandez, A. Establishing chemical demands for oxygen 88−22836
Suarez, A.Lopez *see* Lopez Suarez, A.
Suarez, C. *see* Ares, R. 88−47090
Suarez, E. *see* Josa, J.M. 86−45894
Suarez, G.A. *see* Cannon, J.W. 85−782
Suarez, H.H. Parasitic overvoltage transients. Their origins and methods of protection against them 87−47239
Suarez, J.M.Santos *see* Santos Suarez, J.M.
Suarez, J.R. *see* Pettibone, D.W. 87−14604
Suarez, J.Santos *see* Santos Suarez, J.
Suarez, L.E. Toss out your tubes! [FET replacements] 86−17571
Suarez, L.E. Make the switch to PIN diodes 87−3051
Suarez, L.E. Secrets of silent switching 87−45336
Suarez, L.E. *see* Singh, M.P. 87−15453
Suarez, M.P., Gonzalez, A.P. Programmable cardiac electrostimulator 88−61363
Suarez, M.P., Gonzalez Hernandez, J. Tuning control by means of a microcomputer. A microcomputer based on the Intel 8085 is used for the automatic tuning of an FM receiver 88−9397
Suarez, O.J.Siccardi *see* Siccardi Suarez, O.J.
Suarez, R.A. Protection of information transmitted via satellite 85−47477
Suarez, R.A. The design of a link in a land based mobile service 88−21992
Suarez, R.E. *see* Adam, V. 85−38322
Suarez Echerri, H. *see* Corrales Barrios, L. 87−4447
Suarez Feijoo, R. Measurements of distances in robotics by the use of lasers 88−53879
Suarez Guerra, S. *see* Lopez Suarez, A. 85−64588
Suarez-Murias, J. *see* Geany, G. 85−34109
Suaris, P.R., Kedem, G. Quadrisection: a new approach to standard cell layout 88−24913
Suaris, P.R., Kedem, G. Standard cell placement by quadrisection 88−26469
Suaris, P.R., Kedem, G. An algorithm for quadrisection and its application to standard cell placement 88−38341
Suaya, R. *see* Mosteller, R.C. 87−67528
Sub Jeong Kwang *see* Kwang Sub Jeong
Suba, H. *see* Lojak, L. 85−60480
Subachev, A.S. *see* Biryukov, S.V. 86−45605
Subachyus, L.E. *see* Vaitkus, Yu.Yu. 87−66909
Subacius, L. Generation and power amplification of millimeter waves with impact ionization of charge carriers by a millimeter wave field in indium antimonide 87−45585
Subacius, L. Generation of microwave harmonics in indium antimonide when impact ionization occurs in crossed microwave electric and constant magnetic fields 88−71306
Subacius, L., Jarasiunas, K., Vaitkus, J. Light-induced high frequency current oscillations in millimeter wavelength range 86−58820
Subacius, L. *see* Asmontas, S. 88−39070
Subadhra, K. *see* Anbumani, K. 88−69333
Subaran, F. *see* Lee, Y.S. 85−42531
Subashiev, V.K. *see* Faradzhev, B.G. 86−27878
Subasinghe, D., Feher, K. Error floors in digital mobile radio systems due to delay distortion 88−72563
Subba Rao, A. Review of power supply and channel termination. Arrangements at CTOs/DTOs 86−70982
Subba Rao, B.V. *see* Chandra Mouly, M.C. 85−57170
Subba Rao, G.V. *see* Manivannan, A. 87−60121
Subba Rao, K. *see* Murty, V.R. 85−20828
Subba Rao, S., Shen, D.H., Yen, S.P.S., Somoano, R.B. The design analysis of a rechargeable lithium cell for space applications 88−16862
Subba Rao, S. *see* Shen, D.H. 87−22695
Subba Rao, S. *see* Somoano, R. 86−40059
Subba Rao, S.V., Subramanyam, B., Nandakumar, R. Program mode of antenna position control using microcomputer 85−58050

Subba Rao, T., Chaudhuri, A.K. Electrical and photoelectronic properties of SnSe thin films 85−55501
Subba Rao, T., Chaudhuri, A.K. Study of long-period relaxation in photoconduction in SnSe films 86−48251
Subba Rao, U.V. *see* Chandra Shekar, M. 85−1423
Subba Rao, V. Perturbation technique for fields and forces due to current filaments moving above a conducting plate of finite thickness 86−42750
Subba Rao, V., Messerle, H.K. Variable frequency and voltage operation of a saturated solid iron rotor induction motor 88−48958
Subba Rao, V.S. *see* Bandopadhaya, R.N. 85−9849, 86−12781, 87−42904
Subbaiah, R.R., Rao, M.R. Gas insulated switchgear: salient features 86−12951
Subbaiyya, S. *see* Srinivasan, N. 88−23243
Subbana, S. *see* Zielinski, E. 86−54163
Subbanna, S., Kroemer, H., Merz, J.L. Molecular-beam-epitaxial growth and selected properties of GaAs layers and GaAs/(Al,Ga)As superlattices with the (211) orientation 86−26830
Subbanna, S., Kroemer, H., Merz, J.L. Growth and selected properties of GaAs layers and GaAs/(Al,Ga)As superlattices with the (211) orientation 86−52463
Subbanna, S., Tuttle, G., Kroemer, H. *N*-type doping of gallium antimonide and aluminum antimonide grown by molecular beam epitaxy using lead telluride as a tellurium dopant source 88−64380
Subbanna, S. *see* Caine, E.J. 85−18795
Subbanna, S. *see* Cebulla, U. 88−32905
Subbanna, S. *see* Schweizer, H. 87−68489
Subbaram, H.M., Steinberg, B.D. Superresolution of coherent targets using aperiodic antenna arrays 86−42948
Subbaram, H.M., Steinberg, B.D. Effect of receiver location uncertainty on superresolution techniques 87−26952
Subbaram, H.M., Steinberg, B.D. Superresolution of near or far field coherent targets using aperiodic antenna arrays 88−27661
Subbaram, H.M. *see* Yuen, S.M. 86−17432
Subbaraman, B. *see* Sciammarella, C.A. 87−31616
Subbarao, A., Parasnis, A.S. Nonlinear effects in holography due to caustics 87−68656
Subbarao, E.C. *see* Arunachalam, L.M. 88−44892
Subbarao, E.C. *see* Velu, E.M.T. 87−7023
Subbarao, K. Popularity and performance of STD public telephones 88−35262
Subbarao, M. Solution and uniqueness of image flow equations for rigid curved surfaces in motion 87−62385
Subbarao, M. Direct recovery of depth-map. I. Differential methods 88−28098
Subbarao, M., Gurumoorthy, N. Depth recovery from blurred edges 88−73340
Subbarao, M. *see* Harwood, D. 88−3190
Subbarao, M. *see* Waxman, A.M. 87−62317
Subbarao, S., Lawson, D., Frank, H., Halpert, G., Barnes, J., Bis, R. Chemical analysis of charged Li-SO$_2$ cells 88−17827
Subbarao, S., Shen, D.H., Dawson, S., Deligiannis, F., Taraszkiewicz, J., Halpert, G. Development of ambient temperature secondary lithium cells 88−48291
Subbarao, S. *see* Deligiannis, F. 87−43344
Subbarao, S.N. *see* Upadhyayula, L.C. 87−73787
Subbarao, V.S. *see* Neidhoefer, G.J. 88−48869
Subbarao, W.V. Microprocessors: Hardware, software and design applications 85−32963
Subbarao, W.V. Simple through-air IR transmitter and receiver 85−42587
Subbarao, W.V. Multipurpose microcoded controllers for implanted electronic systems 87−5848
Subbarao, W.V. Building an inexpensive data-acquisition and signal-processing system 87−20976
Subbarao, W.V. Fiber optic busing scheme in optical communications 88−67431
Subbarao, W.V., MacDonald, N., Hernandez, J. Random access memory test philosophy 87−31869
Subbarao, W.V., Ruiz, L., Yomtov, B. Ultra-low power activation of microprocessors for bioinstrumentation 88−54465
Subbarao, W.V., Ruiz, L.V., Salinger, J.D. The M68000 family of microprocessors 88−44238
Subbaraya, B.H. *see* Acharya, Y.B. 85−48471
Subbarayadu, D. *see* Subrahmanyam, V. 85−38993
Subbarayan, A., Balasubramanian, C., Narayandass, S.K. Structural, aging, annealing and electrical properties of perylene thin films 88−71374
Subbiah, M. *see* Ammasai Gounden, N. 88−23915
Subbiah, M. *see* Ammasigounden, N. 86−70897
Subbiah, M. *see* Chidambaram, P. 87−30564, 87−58059
Subbiah, S., Natarajan, R. Thermodynamic analysis of binary-fluid Rankine cycles for geothermal power plants 88−30598
Subborough, I.H. *see* Gurari, E.M. 85−28140
Subbotin, A.G. *see* Korochentsev, V.I. 86−50764
Subbotin, I.M. *see* Kovchavtsev, A.P. 88−50678
Subbotin, L.K. *see* Avtonomov, V.P. 86−21330
Subbotin, V.G. *see* Kuznetsov, A.N. 88−16662
Subbotin, V.I., Deev, V.I., Pridantsev, A.I., Andreev, V.K., Arkhipov, V.V., Novikov, V.N., Savin, A.N., Solodovnikov, V.V. Heat transfer and hydrodynamics in cooling channels of superconducting devices 85−41048
Subbotin, V.I. *see* Basov, N.G. 85−56907
Subbotin, V.I. *see* Denisov, E.E. 85−4842
Subbotin, V.I. *see* Kharitonov, V.V. 85−7484
Subbotin, V.T. *see* Korzh, V.I. 88−36072
Subbotin, Yu.S. *see* Kuleev, V.G. 88−485
Subbotina, E.K. *see* Sekoyan, S.S. 86−55901
Subbotina, N.N. *see* Brusentseva, S.A. 87−42265
Sube, M. *see* Ito, T. 87−46891
Suber, G. *see* Bertolotti, M. 88−51941
Suber, G.L. Soft decision decoding metrics for DS/DPSK receivers 88−21934
Subercasaux, C.H.De *see* De Subercasaux, C.H.
Suberlucq, G. *see* Battiaz, M. 88−54292
Subhash, N., Sathianandan, K. A simple spark gap driven circuit for electro-optic *Q*-switches 85−2376
Subhash Chander Chopra *see* Chopra Subhash Chander
Subhedar, D.V. *see* Biswas, S. 87−29599
Subioli, A. Reliability and economy of auxiliary plant in thermal power stations 86−39546
Subioli, A., Pavesi, P. Power station cablework—fire risk and electrical installations 86−44984
Subirat, J.-P. Thermo-elements: degrees of precision 87−8607
Subirats, J.-P. Portable precision voltage calibrator 85−4057
Subirats, J.-P. Standardisation of a highly precise calibrator 85−14575
Subirats, J.B. RMS values: always true measurements? 86−55797
Subirats, J.P. Measuring the real effective value 87−8774
Subiura, O., Matsumura, M. Homoepitaxial growth of InSb by vacuum metal-organic chemical vapor deposition 86−26845
Subkjaer, K.E. *see* Jensen, N.H. 87−33177
Sublett, B.J. *see* Gooch, R.P. 88−73801
Sublette, J.D. A short vertical antenna for 160 and 80 meters 87−2356
Sublette, J.M. *see* Nazario, J.L. 85−558
Subochev, A.K. *see* Turetskii, L.I. 85−15781
Subochev, S.D. Errors in measuring relative bearings of radar reference points owing to inaccurate stabilisation of antenna base in terms of roll and pitch 87−63036
Subocz, J. *see* Fabrycy, E. 87−11574
Subocz, L. *see* Fabrycy, E. 87−11574
Subocz, M., Wright, P., Ikeda, Y., Fujioka, M. The CCITT Signalling System No.7 field trial between Japan and Australia 85−51915
Subotic, K.M. Air core superconducting cyclotrons 85−59002
Subotic, K.M., Jovanovic, V., Tasic, I., Tisma, M., Knezevic, M. Multipurpose superconducting cyclotron 85−64375
Subotic, N., Saleh, B.E.A. Generation of the Wigner distribution function of two-dimensional signals by a parallel optical processor 85−7937
Subotic, N.S., Liu, H.K., Saleh, B.E.A. Quadratic filtering of two-dimensional signals by use of serial and parallel optical processors 85−41966
Subotic, N.S., Saleh, B.E.A. Optical time-variant processing of signals in the mixed time-frequency domain 85−25167
Subotic, N.S. *see* Saleh, B.E.A. 86−29851
Subotowicz, M. *see* Mazurek, P. 86−68404
Subotowicz, M. *see* Scibior, H. 85−35609, 86−68388
Subrahanyam, J.P. *see* Jetli, R. 87−72550
Subrahmanian, P.S. *see* Chandrasekaran, A. 86−50997
Subrahmanyam, J. *see* Ramamurthy, V. 87−74189
Subrahmanyam, J.S.R., Chaudhuri, P.P. A divide and conquer testing strategy for detection of multiple faults by SFDTS 87−37238
Subrahmanyam, J.V., Vaucher, A.R., Cowart, G.A.H., Keskin, M., Stoyanov, A.J., Uberall, H. Helical surface waves on a dielectric rod 87−39280
Subrahmanyam, M.B. Suboptimal controllers for power system transient stability 85−9431
Subrahmanyam, M.B. A computational method to solve nonautonomous matrix Riccati equations 86−46152
Subrahmanyam, P.A. Synapse: an expert system for VLSI design 86−67907
Subrahmanyam, P.A. The algebraic basis of an expert system for VLSI design 87−32651
Subrahmanyam, P.A. LCS—a leaf cell synthesizer employing formal deduction techniques 87−67581
Subrahmanyam, P.A. Towards a framework for dealing with system timing in very high level silicon compilers 88−38498
Subrahmanyam, P.A. *see* Gabbe, J.D. 88−18853
Subrahmanyam, P.A. *see* Rajopadhye, S.V. 85−50628
Subrahmanyam, P.A. *see* Birtwhistle, G. *(editor)* 88−37851
Subrahmanyam, P.A. *see* Milne, G.J. *(editor)* 87−31145
Subrahmanyam, V. A method for the analysis and design of current source inverter induction motor drive 87−43011
Subrahmanyam, V., Gopalakrishnan, N. Steady state performance of a current controlled synchronous motor 86−66054
Subrahmanyam, V., Gopalakrishnan, N. Digital simulation of converter fed synchronous motor drives 87−42888
Subrahmanyam, V., Gopalakrishnan, N. Analysis of commutation of self controlled current source inverter-fed synchronous motor 88−43166
Subrahmanyam, V., Mouly, V. Analysis of an induction motor with square wave currents in the rotor 85−32477
Subrahmanyam, V., Subbarayadu, D. Steady state analysis of induction motor fed from voltage source inverter using Park's vector 85−38993
Subrahmanyam, V., Surendran, K. Correspondence: stability analysis of variable frequency induction motors using D-decomposition method 86−51619
Subrahmanyam, V., Surendran, K. Analysis of an induction motor with converter cascade in the rotor circuit 86−70908
Subrahmanyam, V., Surendran, K. Analysis of a variable speed induction motor drive employing static slip energy recovery scheme 87−22377
Subrahmanyam, V., Surendran, K. On the stability of a static slip energy recovery drive 88−11415
Subrahmanyam, V. *see* Mwandosya, M.J. 85−60160
Subrahmanyam, V. *see* Reddy, D.S. 88−5694
Subrahmanyam, V. *see* Surendran, K. 86−70919, 87−22378
Subrahmanyan, R. *see* Fair, R.B. 86−2008
Subrahmanyan, R. *see* Kedem, G. 87−777
Subrahmanyan, R. *see* Stone, D. 86−61987, 87−23803
Subrahmanyan, V., Mouly, V.S.R.K. On the analysis of induction motor with square wave currents in the rotor via state transition signal flow graph technique 85−9862
Subramaniam, G. *see* Rajaraman, K.C. 87−64584
Subramaniam, K., Ray, R.N. Design of a safety parameter display system for assisting the reactor operator in emergency conditions 85−32303
Subramaniam, P. Modeling MOS VLSI circuits for transient analysis 86−47806
Subramaniam, P. *see* Chang, F.-C. 88−70711
Subramaniam, P. *see* Chen, C.F. 85−678, 85−18483
Subramaniam, P. *see* Fazakl, F. 85−33863
Subramaniam, P. *see* Liu, S. 88−71501
Subramaniam, P. *see* Reddy, P.R. 85−32072
Subramaniam, R.K., Billington, R., Wacker, G. Factors affecting the development of an industrial customer damage function [power systems] 86−18643
Subramaniam, R.K. *see* Billinton, R. 87−9123, 87−30121, 87−42356
Subramaniam, S. Short circuit tests on aluminium wound transformers 85−16078
Subramaniam, S. *see* Sreetharan, M. 88−52661
Subramaniam, V.V., Lawless, J.L. Electrode-adjacent boundary layer flow in magnetoplasmadynamic thrusters 88−36637
Subramanian, A. Investigation on the waveguide element pattern design for phased array application 85−19247
Subramanian, A. Optical fibre systems 85−31056
Subramanian, A.K. ECCM improvement factor considerations in a multifunction radar 86−23957
Subramanian, A.K. Approach to knowledge based inference for radar ECCM evaluation 88−15646
Subramanian, A.K. *see* Clarke, J. 86−17447
Subramanian, C.V., Venkataraman, L. Ultrasonic bond evaluation of explosion welded materials 86−13871
Subramanian, D.K. *see* Lele, S.M. 88−62228
Subramanian, D.V., Pillai, K.P.B., Iyer, L.G.S. A grey scale test pattern generator for testing APT recorders 87−15059
Subramanian, D.V. *see* Sharma, R.V. 85−13119
Subramanian, G., Narayanan, U.H., Gowariker, S.R. Single electrode cochlear implant 88−68483
Subramanian, G. *see* Narayanan, U.H. 88−74852
Subramanian, K. *see* Nestleroth, J.B. 85−39825
Subramanian, K.G. *see* Siromoney, R. 88−72776
Subramanian, K.R., Nanje Gowda, C., Abdul Hameed, A.T., Sastry, C.V. A broadband low frequency radio telescope at Gauribidanur 87−76901
Subramanian, K.S. *see* Stone, J.L. 86−65431
Subramanian, M.A. *see* Clearfield, A. 86−66241
Subramanian, N. Network approach to planning in metro districts 86−69297
Subramanian, N., Annapurani, C.R., Pulikesi, M. Computer education for engineers 85−54060

Subramanian, N. *see* Ananthakrishnan, S. 85−58262
Subramanian, P.S. *see* Hegde, S.U. 87−25609
Subramanian, P.S. *see* Sherlekar, S.D. 88−38460
Subramanian, R., Natarajan, R. *G/G/G* two unit standby redundant systems 87−58746
Subramanian, R., Sarma, Y.V.S. Two-unit standby systems with non-instantaneous switchover and imperfect switch 87−58745
Subramanian, R., Sarma, Y.V.S. Stochastic model of multiple unit system 87−58752
Subramanian, R. *see* Chawla, M.M. 85−5959, 88−324, 88−24667, 88−63207
Subramanian, R. *see* Clearfield, A. 86−66241
Subramanian, R. *see* Elkateb, M. 87−21881
Subramanian, R. *see* ElKateb, M.M. 85−59637
Subramanian, R. *see* Mahalingam, V.S. 86−23182
Subramanian, S. Model for the temperature dependence of the threshold voltage of modulation-doped field-effect transistors 85−40750
Subramanian, S., Bhattacharya, P.K., Staker, K.J., Ghosh, C.L., Badawi, M.H. Geometrical and light-induced effects on back-gating in ion-implanted GaAs MESFETs 85−23782
Subramanian, S., Schuller, U., Arthur, J.R. Characterization of DX centers in molecular-beam-epitaxial grown Si-doped $Al_xGa_{1-x}As$ using Schottky barriers and modulation-doped field-effect transistors 85−61686
Subramanian, S., Schuller, U., Arthur, J.R., Jr., Channon, L.C. Electron traps in MBE $Al_xGa_{1-x}As$ and the temperature dependence of the threshold voltage of modulation-doped FETs 85−40728
Subramanian, S., Schwarz, J.A. Comparison of predictive methods for analysis of electromigration 88−26094
Subramanian, S., Vengurlekar, A.S., Diwan, A.A. Effect of shallow and deep donors on the equilibrium electron density of the two-dimensional electron gas in a modulation-doped field-effect transistor 86−53650
Subramanian, S., Vyas, M.K. Switching surges in connection with high voltage induction motors 85−65241
Subramanian, S. *see* Bhattacharya, P.K. 85−11930
Subramanian, S. *see* Flanner, P.D., III 87−11564
Subramanian, T.S. Telecommunication in aid of national development [in India] 85−2931
Subramanian, V., Ramakrishnan, V., Sankaranarayanan, P.E., Sudhakara Rao, P., Sethuramdan, R. A direct reading digital corrosion monitor 85−20750
Subramanian, V. *see* Krishnakumar, R. 87−30890, 87−52160
Subramanian, V.R. The lead/acid battery industry in India 87−58281
Subramanian, V.R. *see* Sivaramaiah, G. 88−55605
Subramanyam, B. *see* Subba Rao, S.V. 85−58050
Subramanyam, K.V.S., Dey, K.K., Ojha, S.P., Khastgir, P. Comparative modal dispersion in multilayered fibres 88−65172
Subramanyam, P. *see* Acharya, Y.B. 85−48471
Subramanyam, V.R., Stine, L.R. Design for testability for future digital avionics systems 86−70457
Subramanyam, V.R., Stine, L.R. Distributed control architecture for CNI preprocessors 87−77762
Subramanyam, V.R., Stine, L.R. Design for testability for future digital avionics systems 88−68540
Subramanyam Naidu, R., Goplan, M.N. On the *s*-expected number of inspections and repairs of a 1-server, 2-unit system 85−22181
Subramanyan, N. *see* Touchton, R.A. 88−62044
Subramanyan, R., Radhakrishna Rao, K. Novel high-Q narrowband/notch digital filter 86−62729
Subramanyan Naidu, R., Gopalan, M.N. On the stochastic behaviour of a one-server *n*-unit system subject to random inspection 86−7559
Subramonian, R., Chacko, E.C. Sealing of reaction wheel assembly 86−56236
Subrt, J. Current control of asynchronous motor 85−21606
Subudhi, M., Burns, E.L., Taylor, J. Operating experience and aging assessment of electric motors 86−51322
Subudhi, M., Taylor, J. Improving motor reliability in nuclear power plants 88−75333
Subudhi, M., Taylor, J.H. Aging of electric motors in nuclear power plants 88−23628
Subudhi, M. *see* Lofaro, R. 88−75334
Subul, L.H. Singular value decomposition in adaptive beamforming 87−55194
Sucar, H. *see* Chandramouli, R. 86−47835
Sucar, H. *see* Thakar, A. 88−20068
Sucar, H.R., Gelsinger, P., Bryant, R. Functional test grading as applied to the 80386 87−44917
Succi, T.M. *see* Rudd, E.I., Jr. 85−16426
Sucena Paiva, J.P., Pinto de Sa, J.L., Barruncho, L., Cortesao Abelaira, V. Distribution substation automated controller 85−60269
Sucena Paiva, J.P. *see* Ferreira de Jesus, J.M. 87−42437
Sucena Paiva, M. *see* Ferreira de Jesus, J.M. 86−12399
Suceveanu, I.D. Controlled rectifier with a variable number of pulses 85−65312
Suceveanu, I.D. The auto-starting and the automatic delayed load discharge of electric receivers 88−23840
Such, R. *see* Cooper, A. 88−66616
Such, V., Martinez, M.C., Munoz, V. The local dynamic magnetic characteristic in the solution of the electromagnetic diffusion equation in ferromagnetic materials 88−7790
Such, V., Munoz, V., Martinez, C. An analytical model of electromagnetic field diffusion in ferromagnetic half-spaces 86−42673
Such, V. *see* Andres, M.V. 87−24394, 87−39431, 87−68828
Such, V. *see* Martinez, M.-C. 87−46305
Such, V. *see* Munoz, V. 87−70770
Such, V. *see* Navasquillo, J. 86−29354, 88−8453
Sucha, G. *see* Bar-Joseph, I. 88−26878
Sucha, G. *see* Zucker, J.E. 88−45214
Sucha, G.D., Carter, W.H. Focal shift for a Gaussian beam: an experimental study 85−18996
Suchaneck, G. *see* Monch, J.-P. 88−63377
Suchaneck, J., Naunin, D. A new control strategy for the energy recovery in wind energy systems using induction machines 88−5627
Suchanski, M. Estimated communication range as a criterion for analog-digital systems 86−3734
Suchanski, M. Experimental fluctuation analysis of mobile radiocommunication signals in non-urban environment 87−13591
Suchanski, M.R. AC impedance of the carbon monofluoride electrode 86−13009
Sucharczuk, M., Margevicius, J., Skipwith, D. Digital lightwave system for trunking and local distribution or 'bypass' applications 85−14314
Suche, H., Hampel, B., Seibert, H., Sohler, W. Parametric fluorescence, amplification and oscillation in Ti:LiNbO$_3$ optical waveguides 87−12584
Suche, H., Ricken, R., Sohler, W. Integrated optical parametric oscillator of low threshold and high power conversion efficiency 88−2388
Suche, H. *see* Bava, G.P. 86−9973, 87−33266
Suche, H. *see* Sohler, W. 86−48503
Suchecka, M. *see* Klamka, J. 85−34175
Suchentrunk, R. *see* Gammel, F.J. 85−6021
Sucheston, L. *see* Brunel, A. 85−49416
Suchet, P., Duseaux, M., Maluenda, J., Martin, G.M. Effects of dislocations on threshold voltage of GaAs field-effect transistors 87−67276
Suchicital, C.T.A., Payne, D.A. Piezoelectric measurements on ceramic multilayer capacitors 86−1396
Suchik, V.E., Dyak, I.B. Analysis of steady-state phenomena in electric circuits employing a piecewise linear approximation of the characteristics of nonlinear elements 88−38368
Suchik, V.E., Kosenkov, I.E. Analytical calculation of steady-state conditions in converters with a high factor of external action and valve switching frequencies 88−24061
Suchik, V.E. *see* Zhuikov, V.Ya. 87−36015, 87−45018
Suchik, V.E. *see* Zuikov, V.Ya. 88−18885
Suchilin, V.A. Method of uniform search 85−16876
Suchilin, V.A. Synthesis of nonrecursive digital filters with the use of energy balance criterion 87−69157
Suchko, M. The flying VAX [air traffic control simulation] 87−71200
Suchkousov, V.P., Verkhalo, V.I., Aleshina, K.V. Automated units for hardening the shafts of low-power electric motors [induction motor manufacture] 86−40538
Suchkov, A.F. *see* Danilov, A.E. 85−51149
Suchkov, A.F. *see* Pyatakhin, M.V. 88−65807
Suchkov, S.G. A variational method for calculating the characteristics of magnetostatic waves in obliquely magnetized ferromagnetic films, bounded in two dimensions 86−47952
Suchkov, S.G. *see* Mezhuyev, D.I. 86−68146
Suchkov, S.G. *see* Zaslavskiy, A.M. 86−21943
Suchkov, S.I. *see* Bolotnikov, A.E. 87−63699
Suchkov, S.I. *see* Dmitrenko, V.V. 87−8884
Suchkov, V.P., Tarasov, M.D., Shcherbak, Yu.P. Foil adiabatic calorimeter 88−68186
Suchkova, R.V. Diagnostics of the mechanical state of stator cores for hydrogenerators 86−39676
Suchkova, R.V., Popov, A.I. Results of tests on and modernization of hydrogenerators 88−30639
Suchkova, R.V. *see* Silaeva, N.V. 86−33270
Suchodomski, M., Szczucki, J. Unified mechanical structures for electronic equipment 85−10487
Suchoki, A. *see* Powell, R.C. 88−45540
Suchorebrow, V. *see* Goloskie, D. 85−59208
Suchoski, P.G., Findakly, T.K., Leonberger, F.J. Depolarisation in Ti:LiNbO$_3$ waveguides and its effect on circuit design 88−13910
Suchoski, P.G., Findakly, T.K., Leonberger, F.J. Low-loss high-extinction polarizers fabricated in LiNbO$_3$ by proton exchange 88−33762
Suchoski, P.G., Findakly, T.K., Leonberger, F.J. Monolithic low-loss, high-extinction integrated optical polarizers 88−51549
Suchoski, P.G., Findakly, T.K., Leonberger, F.L. High quality integrated optical polarizers in LiNbO$_3$ 88−65366
Suchoski, P.G., Jr., Ramaswamy, R.V. Design of single-mode step-tapered waveguide sections 87−38760
Suchoski, P.G., Jr., Ramaswamy, R.V. Minimum-mode-size low-loss Ti:LiNbO$_3$ channel waveguides for efficient modulator operation at 1.3 μm 88−7975
Suchoski, P.G., Jr., Ramaswamy, R.V. Constant-width variable-index transition for efficient Ti:LiNbO$_3$ waveguide-fiber coupling 88−13934
Suchoski, P.G., Jr., Ramaswamy, V. Exact numerical technique for the analysis of step discontinuities and tapers in optical dielectric waveguides 86−36160
Suchoski, P.G., Jr. *see* Najafi, S.I. 87−25959
Suchowerskyj, W.E., Neukirchner, E.P., Zechnall, W. Vehicle navigation systems−status and developments in Europe, an overview 88−69888
Suchy, K. Geometric optical methods for mode conversion in anisotropic media 88−2593
Suchy, K. Geometrical optics methods for mode conversion in anisotropic media 88−20891
Suchy, K., Altman, C., Schatzberg, A. Orthogonal mappings of time-harmonic electromagnetic fields in inhomogeneous (bi)anisotropic media 85−41575
Suchy, K. *see* Altman, C. 85−19179, 87−12661, 87−75453
Suchy, L., Sjoholm, E. Safety aspects of a dry, subsea hydrocarbon production system 85−5620
Suchy, P. A programmable switch for staircase lighting 88−32155
Suchy, R. The software structure for stand-by computer RPP-16S of V1 nuclear power plant 88−62102
Suciu, I. Magnetic contact surface and its magnetic stress. II 85−44124
Suciu, I. The influence of the magnetic contact surface profile on the attraction force 87−61342
Suciu, M. *see* Filip, D. 85−41016
Suciu, P.I., Briner, M., Bill, C.S., Rinerson, D. A 64K EEPROM with extended temperature and page mode operation 86−8254
Suciu, P.I. *see* Bill, C.S. 86−20540
Suck Chang Yun *see* Jie Young Lee 88−45907
Suck-Won Min *see* Chung-Boo Kim 87−57666
Suckarieh, G.G. Microcomputer application to value engineering 88−24516
Suckewer, S., Keane, C., Milchberg, H., Skinner, C.H., Voorhees, D. Recent experiments on soft X-ray laser development in a confined plasma column 85−7351
Suckewer, S., Skinner, C.H., Keane, C., Kim, D., Schwob, J.L., Valeo, E., Voorhees, D., Wouters, A. Stimulated soft X-ray emission in a confined plasma column 87−61090
Suckewer, S., Skinner, C.H., Keane, C., Milchberg, H., Meixler, L., Nam, C.H., Valeo, E., Voorhees, D. X-ray laser development experiments at PPPL 87−12344
Suckewer, S., Skinner, C.H., Kim, D., Valeo, E., Voorhees, D., Wouters, A. Recent progress in soft X-ray laser development at Princeton 87−12350
Suckewer, S., Skinner, C.H., Kim, D., Valeo, E., Voorhees, D., Wouters, A. Recent progress in soft X-ray laser development at Princeton 87−12371
Suckewer, S. *see* Clark, C.W. 86−42485
Suckewer, S. *see* Kim, D. 88−58456
Suckewer, S. *see* Milchberg, H. 86−15607, 87−29695
Suckewer, S. *see* Skinner, C.H. 85−7354
Suckfull, H. ISDN−the universal network for all communication services 85−19982
Suckfull, H. ISDN−the universal network for all individual communication services 85−47083
Suckfull, H. The network of the future 86−23624
Suckfull, H. Building blocks for public networks 88−9338
Suckle, L.I. A primer on electronic tuning address systems 85−6226
Suckling, A.M. *see* Harris, J.J. 88−19697
Suckling, A.M. *see* Nicholas, R.J. 87−74097
Suckling, C.W. A 2 state X-band low noise amplifier gallium arsenide IC 85−11065
Suckling, C.W. Procedures examined for successful GaAs MMIC design 86−47074
Suckling, C.W., McGuinness, D. A three-stage 30 dB MMIC amplifier for satcoms 85−37001
Suckling, C.W. *see* Bambridge, T. 85−23077
Suckling, C.W. *see* Beech, G. 85−34199
Suckow, U. *see* von der Ohe, J. 87−3479 to 3480, 87−34984, 88−74480
Sucy, M. *see* Giold, S.H. 86−21019
Sucy, M. *see* Gold, S.H. 87−17639, 87−66828, 88−25809, 88−64189
Sucy, M. *see* Kinkead, A.K. 85−55389
Sucy, M. *see* McCowan, R.B. 88−27004
Sud, R. *see* Zettler, J. 88−74354
Sud, S. *see* Desrochers, G. 87−30461

Suda, A., Kumagai, H., Obara, M. Characteristics of an electron beam pumped KrF laser amplifier with an atmospheric-pressure Kr-rich mixture in a strongly saturated region 87−68330
Suda, A., Obara, M., Fujioka, T. Atmospheric pressure operation of an electron beam excited KrF laser using Kr/F_2 mixtures 85−18829
Suda, A., Obara, M., Fujioka, T. Kinetic studies of the electron-beam-pumped ArF laser using an $Ne/Ar/F_2$ mixture 86−22301
Suda, A., Obara, M., Noguchi, A. Properties of a KrF laser with atmospheric-pressure Kr-rich mixture pumped by an electron beam 85−62490
Suda, A., Obara, M., Noguchi, A. Performance characteristics of the ArF excimer laser using a low-pressure argon-rich mixture 87−26278
Suda, A., Obara, M., Noguchi, A. Atmospheric pressure operation of a KrF laser oscillator and amplifier with a krypton-rich mixture and a Kr/F_2 mixture 87−61281
Suda, A. *see* Inagaki, H. 85−62512, 86−29038, 86−68426
Suda, A. *see* Izawa, S. 86−15629, 87−61199
Suda, A. *see* Kannari, F. 85−2195, 85−2247
Suda, A. *see* Obara, M. 85−12769
Suda, H. High-rate fabrication of optical fiber preforms by the multi-flame VAD method 87−74668
Suda, H. High-rate fabrication of optical fiber preforms by the multi-flame VAD method 88−13892
Suda, H., Horiguchi, M. High-rate synthesis mechanism in the multi-flame VAD method 88−63379
Suda, H., Hosokawa, T., Imai, H. Concealment methods based on Kalman filter 85−30199
Suda, H., Hosokawa, T., Imai, H. Concealment methods based on the Kalman filter 87−834
Suda, H., Miki, T. An error protected 16 kbit/s voice transmission for land mobile radio channel 88−41557
Suda, H., Miki, T. Error correction capabilities of BCH codes with interleaving in Rayleigh fading channel 88−66285
Suda, H., Shibata, S., Nak, M. Double-flame VAD process for high-rate optical preform fabrication 85−18680
Suda, H., Shibata, S., Nakahara, M. High-rate fabrication of wholly synthesised fibre preforms by the multiflame VAD method using $SiHCl_3$ raw materials 86−15461
Suda, H., Shibata, S., Nakahara, M. High-rate fabrication of wholly synthesized fiber preforms by the multi-flame VAD method with $SiHCl_3$ raw materials 86−36229
Suda, H., Shibata, S., Nakahara, M. Multi-flame VAD process for high-rate fabrication of optical fiber preforms 87−26053
Suda, H., Shibata, S., Nakahara, M., Miya, T. Double-flame VAD process for high-rate deposition 86−9557
Suda, H. *see* Hanawa, F. 87−68131
Suda, H. *see* Imai, H. 85−19348, 87−2414
Suda, H. *see* Miki, T. 88−46940
Suda, H. *see* Mori, M. 85−46510
Suda, H. *see* Morimoto, M. 88−39786
Suda, H. *see* Shimizu, M. 87−68411
Suda, H. *see* Watanabe, T. 88−39787
Suda, K., Kubota, M., Ohrui, T. Realtime portable operating system for ISDN 88−21797
Suda, K. *see* Inoue, M. 85−57619
Suda, K. *see* Kimura, S. 88−44798
Suda, K. *see* Yajima, T. 86−23635, 87−13528
Suda, M. *see* Kawakami, K. 87−67760
Suda, M. *see* Nakamura, Y. 86−4008
Suda, M. *see* Takada, K. 88−53657
Suda, N. Nuclear engineering and simulation technology 85−38724
Suda, S., Hongo, K., Kobayashi, H. Processors to remote-control transmitters 87−13971
Suda, S. *see* Amano, M. 87−72541
Suda, S. *see* Sasayama, T. 85−16358
Suda, S. *see* Shibasaki, T. 88−74156
Suda, T. Performance of a tree network with collision avoidance switches 85−25552
Suda, T. AC power controller adapted to D/A converter 88−19234
Suda, T., Bae, J., Baxter, D.C. The robustness and performance of tree algorithms in an unshared feedback error environment 88−52658
Suda, T., Bradley, T.T. Packetized-voice/data integrated transmission on a token passing ring local area network 87−62692
Suda, T., Kuroyanagi, A. Effect of monatomic hydrogen in zinc phosphide 87−37918
Suda, T., Matsutani, M. High fidelity sound for television receivers 88−41816
Suda, T., Morris, S., Goto, K. Tree LANs with collision avoidance: protocol and switch architecture 88−46603
Suda, T., Murata, Y., Kurita, S. Anodic oxidation of zinc phosphide 86−35595
Suda, T., Schwartz, M., Yemini, Y. Protocol architecture of a tree network with collision avoidance switches 85−13758
Suda, T., Watanabe, N. Evaluation of error recovery schemes for a high-speed packet switched network: link-by-link versus edge-to-edge schemes 88−52646
Suda, T., Yemini, Y. Architectures for integrated service networks 86−37233
Suda, T., Yemini, Y., Hu, L., Kwartler, B., Yoshimoto, A. Multi-media communication systems 86−23312
Suda, T., Yemini, Y., Schwartz, M. Tree network with collision avoidance switches 85−8214
Suda, T., Yuen, C., Ohtsuki, K. Performance evaluation of packetized voice transmission on a token passing ring network 86−54401
Suda, T. *see* Baxter, D.C. 88−52666
Suda, T. *see* Kato, Y. 88−24758
Suda, T. *see* Oie, Y. 87−55432
Suda, T. *see* Watanabe, N. 88−46355
Suda, Y., Ogawa, A., Saito, T. Programmable full-automatic plasma CVD system 87−323
Suda, Y., Shirakawa, Y., Ogawa, A., Kaminaga, T., Akutsu, S., Inaba, M., Ushioda, T., Saito, T. Development of a programmable fully automatic plasma CVD system 86−13802
Suda, Y., Suzuki, K., Nakai, T., Takayama, S., Mori, K., Saito, T., Shimada, O., Sasaoka, K. A contact image sensor using a planar-type amorphous-silicon photoconductor array 88−42159
Suda, Y., Suzuki, K., Saito, T. Matrix-driven contact image sensor 87−77150
Suda, Y., Suzuki, K., Takayama, S., Mori, K. A matrix-driven contact image sensor using a-Si photoconductors 88−29390
Suda, Y. *see* Gecim, H.S. 85−61764
Suda, Y. *see* John, P.K. 86−1859
Suda, Y. *see* Saito, T. 85−20506, 87−28976
Suda, Y. *see* Suzuki, K. 85−26217, 85−31380
Sudak, A.D. The theory and design of DC truncated conical electromagnets 85−35977
Sudak, Yu.I. *see* Breslav-Maslennikov, M.B. 86−25147
Sudakov, E.N., Svidchenko, A.I., Kosyakov, V.K., Pugach, V.V., Tarkhanov, K.I., Ignatenko, V.V. Calculating norms for electrical power consumption for smelting steels in DSP-5 type electric arc furnaces 86−19651
Sudama, R. *see* Dah-Ming Chiu 88−59671
Sudan, I.M., Paul, K.M. Low cost turnstile TV transmitting antenna for Band III 85−58291
Sudan, L.K. Multiplexers—doing more, and doing it more efficiently 86−10887
Sudani, T., Bessho, K. An analytical investigation on the efficiency of a magnetic frequency tripler with series-connected reactors 88−910
Sudani, T. *see* Bessho, K. 86−39717
Sudani, T. *see* Yamada, S. 87−30519
Sudarsan, U. *see* Solanki, R. 88−38138
Sudarsanam, R. *see* Bitzer, R. 87−13646
Sudarsanam, R. *see* Dhillon, S.S. 85−20159, 85−30965
Sudarsanam, R. *see* Katz, A. 86−8522
Sudarsham, M.K. *see* Raju, V. 85−3305
Sudarshan, E.C.G. *see* Simon, R. 87−54378
Sudarshan, M.K. *see* Raju, V. 88−28252
Sudarshan, T. *see* Warren, T. 85−5304
Sudarshan, T.S., Dougal, R.A. Mechanisms of surface flashover along solid dielectrics in compressed gases: A review 87−18371
Sudarshan, T.S. *see* Arnold, P. 85−29395
Sudarshan, T.S. *see* Arnold, P.A. 87−38624, 88−39763
Sudarshan, T.S. *see* Chang, D.D. 86−47877, 88−1819
Sudarshan, T.S. *see* Chung, D. 85−35221
Sudarshan, T.S. *see* Jaitly, N.C. 88−5380, 88−26600, 88−64807, 88−69018
Sudarshan, T.S. *see* Kraft, R.J. 87−25676
Sudarshan, T.S. *see* Lewis, J. 85−23989
Sudarshan, T.S. *see* McDonald, C.L. 85−27129
Sudarshan, T.S. *see* Warran, F.T., Jr. 87−17578
Sudarshan, T.S. *see* Warren, F.T., Jr. 85−27128
Sudarshanam, G. *see* Kulkarni, A.D. 85−30455
Sudarsono, B. The future of nuclear power in Indonesia 85−59933
Sudau, A. *see* Lechner, W. 87−77870
Sudbo, A. Transmission capacity of single-mode optical fibres 86−36215
Sudbo, A. *see* Hafskjaer, L. 88−58542
Sudbo, A.S. Power and frequency modulation characteristics of a coupled cavity dynamic single mode GaAlAs laser 85−62568
Sudbo, A.S. The frequency chirp of current modulated semiconductor diode lasers 86−68533
Sudbo, A.S. Rate equation models and wavelength modulation in semiconductor diode lasers 87−68577
Sudborough, I.H. 'Cutwidth' and related graph problems 87−44454
Sudborough, I.H. *see* Miller, Z. 88−300
Sudborough, I.H. *see* Monien, B. 86−52356, 86−66724
Sudborough, I.H. *see* Moon-Jung Chung 85−35108
Suddarth, S.A., Johnson, G.A., Sherrier, R.H., Ravin, C.E. Performance of high-resolution monitors for digital chest imaging 87−57094
Suddath, J. *see* Chang, K. 88−28952
Suddeth, B.Noland *see* Noland Suddeth, B.
Suddeth, D. *see* Kramer, S.L. 85−26603 to 26604
Sudeiko, B.I. *see* Klimchuk, V.S. 88−60792
Sudersena Rao, T., Mansingh, A. Evaluation of effective polarisation charges and interface states from high frequency C-V hysteresis measurements 87−53311
Sudersena Rao, T. *see* Mansingh, A. 87−53310
Sudersena Rao, T. *see* Sreenivas, K. 85−22526
Sudhakan, V. *see* Jha, R.M. 88−27591
Sudhakar, C.E., Srivastava, K.D. Surface charge accumulation on spacers in SF_6 insulated systems under switching impulses 87−25674
Sudhakar, K. *see* Anguilar-Benitez, M. 87−71031
Sudhakar, M. *see* Srinivasamurthy, N. 87−77806, 88−5893
Sudhakar, P. *see* Agrawal, J.P. 86−35958, 86−46611
Sudhakar, R., Agarwal, R.C., Dutta Roy, S.C. Frequency estimation based on iterated autocorrelation function 85−46766
Sudhakar, R. *see* Zilouchian, A. 88−63816
Sudhakar, V. *see* Jha, R.M. 87−54644, 88−27592
Sudhakar, V. *see* Rakesh Mohan Jha 87−47307
Sudhakar Rao, K., Shafai, L. Phase center of reflector antenna feeds 85−13248
Sudhakar Rao, K., Shafai, L. Array factor considerations of space-fed planar phased arrays 87−54730
Sudhakar Rao, K. *see* Kildal, P.-S. 85−13420
Sudhakara Rao, P. *see* Subramanian, V. 85−20750
Sudhakara Rao, S.V.S.P., Udaya Ghaskar, G., Gupta, S.K. Recent trends in the analysis of pollutants in air and water 85−4496
Sudhakara Reddy, M., Dutta Roy, S.C., Hazra, S.N. Realization of first-order two-dimensional all-pass digital filters 87−5971
Sudhaker, R. *see* Kay, S.M. 86−37013
Sudharsanan, R. *see* Perkowitz, S. 87−53258
Sudharsanan, S.I. *see* Hariharan, S.I. 88−45743
Sudhaus, W. Large centrifugal pumps and axial induced draught fans for desulphurising plants 88−62155
Sudhofen, H.-D. *see* Pawlita, P.F. 85−13653
Sudholter, E.J.R. *see* Van den Berg, A. 86−31405
Sudilovskaya, T.B. *see* Gartsman, K.G. 87−59933
Sudlitz, K. Project of ECR ion source using cusp type trap in second stage 88−74724
Sudlitz, K. *see* Drentje, A.G. 88−74702
Sudnitsyna, M.O. *see* Kozina, N.V. 88−55110
Sudo, E., Kataoka, M. BORSCHT LSI 86−53764
Sudo, E. *see* Nutt, A.C.G. 88−20400
Sudo, E. *see* Okita, Y. 86−17148
Sudo, F. *see* Oguchi, K. 88−18910
Sudo, G. *see* Kajihara, N. 88−57347
Sudo, H., Hirata, I. Lithium batteries for electronic devices 88−62566
Sudo, H., Nakano, Y. Failure rate prediction of optical semiconductor devices 85−49395
Sudo, H., Nakano, Y., Iwane, G. Reliability of germanium avalanche photodiodes for optical transmission systems 86−28993
Sudo, H., Suzuki, M., Miyahara, N. Observation of the surface degradation mode of InP/InGaAs APD's during bias-temperature test 87−74927
Sudo, H. *see* Fukuda, M. 88−20518
Sudo, H. *see* Furutsu, M. 88−57673
Sudo, H. *see* Ishikawa, H. 87−68515
Sudo, H. *see* Iwane, G. 86−30827
Sudo, H. *see* Kamite, K. 87−68499
Sudo, H. *see* Kanamori, S. 86−2082
Sudo, H. *see* Kihara, K. 87−75086
Sudo, H. *see* Nakano, Y. 85−35745, 86−23843
Sudo, H. *see* Soda, H. 85−12853, 87−68469
Sudo, H. *see* Uehara, S. 88−8071
Sudo, H. *see* Wakao, K. 85−35756, 88−2249
Sudo, M., Ashiya, R., Uba, T., Murata, A., Amano, Y. High-resolution 20V″ × 20V″ trinitron and monochrome CRT 87−3700
Sudo, M., Maenaka, K., Ishida, M., Usui, S., Nakamura, T. Low supply-voltage driving telemetering IC for biological signals 88−36486
Sudo, M. *see* Amano, Y. 88−12904
Sudo, M. *see* Tanaka, S. 86−54836
Sudo, O. *see* Murata, Y. 88−43000
Sudo, S., Cordova-Plaza, A., Byer, R.L., Shaw, H.J. $MgO{:}LiNbO_3$ single-crystal fiber with magnesium-ion in-diffused cladding 88−13836
Sudo, S., Hosaka, T., Horiguchi, M. Dimension-control technique in the VAD process and wholly synthesised single-mode fibre preform 87−7082
Sudo, S., Hosaka, T., Itoh, H., Okamoto, K. High-Δn, small-core single-mode fibres for efficient nonlinear optical effects 86−63618
Sudo, S., Yano, H., Akegamiyama, Y. Communication terminal DT-6600 86−69505
Sudo, S. *see* Hosaka, T. 87−25944, 88−58652
Sudo, S. *see* Itoh, H. 88−65176
Sudo, S. *see* Izawa, T. 87−65058
Sudo, S. *see* Mitsuoka, K. 88−51281
Sudo, S. *see* Otoh, H. 88−59203

Sudo, S. *see* Teramoto, M. 85−17656, 86−57937
Sudo, S. *see* Toshinaga, Y. 85−63251
Sudo, S. *see* Uo, K. 85−32808
Sudo, T. Semiconductor test equipment advances to support higher degrees of integration 86−19825
Sudo, T. Simplification and conservation of online emission thermometers [IRTS-22F] 88−16108
Sudo, T., Iida, A., Yoshihara, K., Miyagi, T., Saito, T. Packaging technology for high speed logic devices 86−14177
Sudo, T., Nakashima, T., Yoshimura, H. Hardware algorithm for VLSI design 86−15211
Sudo, T., Yoshi, A. Limits of VLSI 85−1660
Sudo, T., Yoshii, A., Tamama, T., Narumi, N., Sakagawa, Y. 'Ultimate': a 500-MHz VLSI test system with high timing accuracy 88−13559
Sudo, T. *see* Arakawa, T. 87−45605
Sudo, T. *see* Horiguchi, S. 85−836
Sudo, T. *see* Ishikawa, H. 87−55577
Sudo, T. *see* Kitamura, Y. 87−52488
Sudo, T. *see* Kobayashi, T. 88−63581
Sudo, T. *see* Maehashi, Y. 87−37340
Sudo, T. *see* Ueda, K. 87−52485, 88−63452
Sudo, T. *see* Wakino, K. 87−66489
Sudo, T. *see* Yokoyama, K. 86−21472
Sudo, T. *see* Yoshihara, K. 85−55925
Sudo, Y., Ando, H., Ikawa, H., Ohnishi, N. Core thermohydraulic design with 20% LEU fuel for upgraded research reactor JRR-3 86−6512
Sudo, Y., Miyata, K., Ikawa, H., Ohkawara, M., Kaminaga, M. Experimental study of differences in single-phase forced-convection heat transfer characteristics between upflow and downflow for narrow rectangular channel 85−48693
Sudo, Y. *see* Kato, H. 88−28852
Sudoh, K., Egami, T., Tsuchiya, T. Efficiency optimized adaptive control system for DC motor 87−51231
Sudoh, K. *see* Egami, T. 87−51230
Sudoh, K. *see* Tagawa, K. 86−28601
Sudoh, K. *see* Yamamoto, H. 85−58441
Sudoh, S. *see* Kanoh, K. 88−67004
Sudoh, T. *see* Sugimoto, J. 86−61254
Sudoh, Y., Hirabayashi, F., Honjoh, K., Masuda, J. Iron conduit deterioration diagnosis technique 87−73833
Sudoh, Y., Hishiyama, M., Masuda, J., Arita, K. Lead sheathed cable deterioration diagnosis technique 87−73832
Sudoh, Y., Honjoh, K., Masuda, J. Deterioration diagnosis in iron conduit 88−23544
Sudoh, Y. *see* Honjoh, K. 88−18807
Sudoh, Y. *see* Kaga, T. 87−25487, 88−64660
Sudol, J. *see* Berliner, R. 85−15202
Sudou, R., Miwa, H., Tajima, T., Horigome, S., Ohta, N., Koyama, E. Optical disc substrate using photo-curable casting resin 88−65149
Sudou, R. *see* Niihara, T. 88−65396
Sudou, S. *see* Wakabayashi, J. 88−1422
Sudou, T. *see* Kitajima, T. 88−38385
Sudow, M. *see* Fridkin, V.M. 85−56403
Sudradjat, A. *see* Lubis, A. 88−17464
Sudraud, M. *see* Bittoun, J. 85−48251
Sudraud, P., Assayag, G.B. Focused ion beams for optoelectronic technology: a review 88−58390
Sudraud, P., Assayag, G.B., Bon, M. Focused-ion beam milling, scanning-electron microscopy, and focused-droplet deposition in a single microcircuit surgery tool 88−44819
Sudraud, P., Ben Assayag, G. Focused ion beam repair in microelectronics 88−20038
Sudraud, P. *see* Assayag, G.B. 85−37887
Sudraud, P. *see* Beam Assayag, G. 88−26025
Sudraud, P. *see* Orloff, J. 86−21317
Sudria, A. Uninterruptible power systems (UPS) 87−64677
Sudworth, J.L. Rapid testing of beta alumina ceramics 86−62303
Sudworth, J.L. Overview of advanced secondary battery testing in Britain 86−66261
Sudworth, K. *see* Booth, M.C. 86−53103
Sudworth, K. *see* Fox, D.R. 87−70628
Sue, H. *see* Nakamura, M. 85−19398
Sue, H. *see* Ninomiya, Y. 87−33812
Sue, K. *see* Tanaka, S. 87−56347
Sue, M.K. Effects of CW interference on the carrier tracking loop of the Deep Space Network 85−3435
Sue, M.K. A high-capacity aeronautical mobile satellite system 87−70017
Sue, M.K. A high-capacity aeronautical mobile satellite system 88−35437
Sue, M.K., Park, Y.H. A second-generation mobile satellite system 86−64934
Sue, V. *see* Katai, O. 86−5285
Sueda, A. *see* Nagao, K. 86−2421
Sueda, O. PC system for visually impaired people 87−29794
Sueda, O. Computer graphic system for the blind 87−29795
Sueda, O. Image information transmission via vibrotactile sensation for the blind 88−5006
Suedan, G.A., Jull, E.V. Beam diffraction by a wide slit in a conducting screen 86−68720
Suedan, G.A., Jull, E.V. Beam diffraction by a wide circular aperture 88−2797
Suedan, G.A., Jull, E.V. Two-dimensional beam diffraction by a half-plane and wide slit 88−14371
Suehiro, J. *see* Nagai, H. 88−53793
Suehiro, J. *see* Tsujikawa, K. 88−53794
Suehiro, K. *see* Matsuda, Y. 85−15715
Suehiro, M. *see* Kuriki, S. 85−35349, 85−46067
Suehiro, N. Fast algorithms for the discrete Fourier transform and for other transforms 87−19742
Suehiro, N., Hatori, M. Radar systems without interference using the same band based on a complete complementary code 85−47559
Suehiro, N., Hatori, M. Polyphase periodic sequences without crosscorrelation and their application to asynchronous SSMA systems 86−23202
Suehiro, N., Hatori, M. Fast algorithms for the DFT and other sinusoidal transforms 86−62202
Suehiro, N., Hatori, M. Modulatable orthogonal sequences and their application to SSMA systems 88−45846
Suehiro, N., Hatori, M. *N*-shift cross-orthogonal sequences 88−45898
Suehiro, N. *see* Li, T. 88−46864
Suehiro, T. *see* Shimizu, K. 86−12649
Suehiro, Y., Matsumura, N., Sugiura, Y., Yamamoto, M., Hoshikawa, R. Development of 8000-gate CMOS gate arrays for the ICL Level 30 system 86−15259
Suehiro, Y., Miura, D., Naitoh, M., Tsutsumi, S., Shirato, T. A 120 K-gate usable CMOS sea of gates packing 1.3 M transistors 88−70628
Suehiro, Y. *see* Kubosawa, H. 87−59361
Suehiro, Y. *see* Sugino, N. 88−41660
Suehle, J.S., Russell, T.J., Galloway, K.F. Interface trap effects on the hot-carrier induced degradation of MOSFETs during dynamic stress 88−26287
Suehle, J.S. *see* Bennett, H.S. 86−63119
Suehle, J.S. *see* Russell, T.J. 87−32534
Suehs, C.B. *see* Jellison, T.G. 88−68602
Suekane, F., Kondo, T., Odaka, S. A new preamplifier for drift chambers 86−50417
Suekane, F. *see* Abe, K. 88−16629
Suekane, F. *see* Ichimaru, K. 85−59180
Sueker, K.H. Power factor correction for thyristor equipment in the glass industry 87−43714
Sueker, K.H. Power factor correction for thyristor equipment in the glass industry 88−43513
Sueker, K.H. *see* Boenig, H.J. 85−27533
Sueki, K. *see* Kubono, S. 87−3915
Sueki, K. *see* Miyatake, H. 87−71051
Sueki, K. *see* Morita, K. 87−70968
Suematsu, H. *see* Ando, A. 86−12717
Suematsu, T., Imai, H. New models of compound channels and their modeling methods 85−51531
Suematsu, T., Imai, H. Methods for evaluating error correcting codes based on a compound channel model 85−57268
Suematsu, T., Imai, H. New models of compound channels and their modeling methods 87−2389
Suematsu, T., Imai, H. Methods for evaluating error correcting codes based on a compound channel model 87−2418
Suematsu, T., Imai, H. Three-state compound channel models 88−27729
Suematsu, T. *see* Kakuta, T. 87−7126
Suematsu, T. *see* Kohno, I. 86−50994
Suematsu, T. *see* Sugiyama, S. 85−38200
Suematsu, U. *see* Miyamoto, Y. 88−45447
Suematsu, Y. Progress in distributed reflector lasers 85−2341
Suematsu, Y. Advances in semiconductor lasers 85−46408
Suematsu, Y. Video communications−more natural systems 85−52556
Suematsu, Y. Progress in integrated optics lasers 86−9612
Suematsu, Y. Research trends in optical devices 86−48244
Suematsu, Y. Distributed-reflector GaInAsP/InP dynamic-single-mode lasers for lightwave communications 88−40243
Suematsu, Y. Present status of semiconductor integrated optical circuit 88−65523
Suematsu, Y., Arai, S. Integrated optics approach for advanced semiconductor lasers 88−20665
Suematsu, Y., Arai, S., Koyama, F. Dynamic-single-mode lasers 86−15720
Suematsu, Y. *see* Asada, M. 85−35742, 85−51171, 87−7366
Suematsu, Y. *see* Broberg, B. 85−56603, 86−9875, 86−9913
Suematsu, Y. *see* Cao, M. 88−58535
Suematsu, Y. *see* Eda, N. 85−56732
Suematsu, Y. *see* Fukui, H. 86−54146, 88−14217
Suematsu, Y. *see* In-hoon Choi 88−14208
Suematsu, Y. *see* Kido, Y. 85−35514, 87−54105
Suematsu, Y. *see* Koentjoro, S. 85−18923, 85−46397, 87−18984
Suematsu, Y. *see* Komori, K. 86−29167, 88−51827
Suematsu, Y. *see* Koyama, F. 85−51164, 86−3122
Suematsu, Y. *see* Miyamoto, Y. 86−26850, 87−39117, 87−54345
Suematsu, Y. *see* Nagashima, M. 86−15724, 86−42576
Suematsu, Y. *see* Nakata, Y. 86−21287, 87−6089, 87−6483
Suematsu, Y. *see* Nayyer, J. 88−72108
Suematsu, Y. *see* Pellegrino, S. 88−40208
Suematsu, Y. *see* Posadas, L. 86−68556
Suematsu, Y. *see* Posadas, L.S. 87−68468
Suematsu, Y. *see* Ravikumar, K.G. 88−39992, 88−65726
Suematsu, Y. *see* Sugou, S. 85−401, 85−10677, 85−44754
Suematsu, Y. *see* Tohmori, Y. 85−62553, 85−62602, 86−29136, 86−29168, 86−36509, 87−61174
Suematsu, Y. *see* Tsushima, H. 85−12886
Suematsu, Y. *see* Wang, W. 88−65702
Suematsu, Y. *see* Yamada, M. 85−2284
Suematsu, Y. *see* Yamamoto, H. 85−50234, 86−29021
Suematsu, Y. *see* Yang, S. 86−9872
Suemine, S. *see* Tsumori, K. 87−14685
Suemine, S. *see* Yamamoto, Y. 87−14672
Suemitsu, M., Miyamoto, N. All-aluminium-alloy UHV chamber for molecular beam epitaxy. I 85−5994
Suemitsu, W., Himad, B., Rognon, J.P. A microprocessor-based testing bench for brushless motors 87−22282
Suemori, N. *see* Hamada, N. 86−10715
Suemori, N. *see* Nakamura, K. 85−13825, 88−35035
Suemori, N. *see* Nakashima, K. 86−37381
Suemori, N. *see* Tadauchi, M. 86−23400
Suemoto, T. *see* Alonso, M.I. 88−18694
Suemoto, Y. Some improvements in thermoplastic devices 87−21088
Suemoto, Y. Dimensional measurement of moving holes using spatial filtering 87−49942
Suemoto, Y., Takeishi, Y. Fiber optic heterodyne displacement detection in wide dynamic range 88−29422
Suemune, I., Fujii, H., Yamanishi, M. Mode characteristics of grating-incorporated channeled-substrate-planar GaAlAs lasers 86−9824
Suemune, I., Fujii, H., Yamanishi, M. Mode characteristics of the grating-incorporated channeled-substrate planar GaAlAs lasers 86−42590
Suemune, I., Ohmi, K., Kanda, T., Yukutake, K., Kan, Y., Yamanishi, M. Control of ZnSe film stoichiometry at a ZnSe/GaAs interface grown by MOCVD 87−16676
Suemune, I., Takeoka, T., Yamanishi, M., Lee, Y. Gain-switching characteristics and fast transient response of three-terminal size-effect modulation laser 87−7365
Suemune, I., Terashige, T., Yamanishi, M. Phase-locked, index-guided multiple-strip lasers with large refractive index differences 85−18912
Suemune, I., Yamanishi, M., Yong Lee, Takeoka, T. Fast gain switching in a size-effect modulation laser 86−42578
Suemune, I. *see* Fujii, H. 85−56635
Suemune, I. *see* Kan, Y. 85−35793, 86−9668, 87−18957, 87−24881, 87−74094
Suemune, I. *see* Nagai, H. 86−67714, 87−24880
Suemune, I. *see* Nigami, T. 86−42532
Suemune, I. *see* Ogura, I. 88−19725
Suemune, I. *see* Ohmi, K. 88−31841
Suemune, I. *see* Takeoka, T. 87−39115
Suemune, I. *see* Yamanishi, M. 85−56425, 85−56454, 86−9667
Suen, A. Application of dielectric analysis in the VPI process of large generator insulation 86−70844
Suen, C.Y. *see* Ahmed, P. 88−66650
Suen, C.Y. *see* Chu, Y.K. 87−13144
Suen, C.Y. *see* Krzyzak, A. 87−75939
Suen, C.Y. *see* Siddiqui, K.J. 86−46419, 88−41971
Suen, C.Y. *see* Wang, Q.R. 87−39895
Suen, S.A. *see* Stauffer, P.R. 88−61440
Suen, W.-C.S. Flows through complete graphs 87−5574
Suen Ching Y. *see* Ching Y. Suen
Suenaga, H., Maeda, S., Iijima, T., Kobayashi, S. AD field and frequency-controlled electrooptic switching using a pyrimidine type ferroelectric liquid crystal 87−54128
Suenaga, H. *see* Iwai, M. 87−8459
Suenaga, H. *see* Nitta, M. 88−51583
Suenaga, M. Optimization of Nb_3Sn 85−56164
Suenaga, M., Klamut, C.J., Higuchi, N., Kuroda, T. Properties of Ti alloyed multifilamentary Nb_3Sn wires by internal tin process 85−56157
Suenaga, M., Tsuchiya, K., Higuchi, N., Tachikawa, K. Superconducting critical-current densities of commercial multifilamentary $Nb_3Sn(Ti)$ wires made by the bronze process 85−29484
Suenaga, M. *see* Garber, M. 86−22055
Suenaga, M. *see* Higuichi, N. 85−46039
Suenaga, M. *see* Ishida, M. 86−8371
Suenaga, M. *see* Pan, J.Z. 85−46041
Suenaga, M. *see* Pourrahimi, S. 86−63578
Suenaga, M. *see* Sadakata, N. 87−67835
Suenaga, M. *see* Taguchi, K. 88−41765
Suenaga, M. *see* Tsuchiya, K. 85−56139
Suenaga, N., Nakazono, M., Tsuchiya, H. Laser soldering 88−57126

Suenaga, T. Energy-efficient air conditioning system 87−5096
Suenaga, T., Matsuura, F. A new air conditioning system for telecommunications equipment rooms with high-heat generation capacity 85−65638
Suenaga, T. *see* Kurosawa, A. 86−56423
Suenaga, T. *see* Matsuura, F. 86−13186
Suenaga, Y. Some techniques for document and image preparation 85−51992
Suenaga, Y. *see* Hosaka, K. 85−30359
Suenaga, Y. *see* Okudaira, M. 86−54563
Suendermann, B. *see* Davis, J.R. 87−57082
Sueno, T. *see* Matsumoto, S. 88−53992
Sueoka, K. *see* Enpuku, K. 85−35347
Sueoka, K. *see* Watanuki, O. 88−51311
Sueoka, K. *see* Yoshida, K. 85−56201
Sueoka, O., Ito, Y., Azuma, T., Mori, S., Katsumura, Y., Kobayashi, H., Tabata, Y. Production of slow positrons using an electron line 85−37861
Sueoka, O. *see* Ejiri, A. 86−60479
Sueoka, T., Shimoda, S., Kawai, T., Wakui, K. Influence of terrestrial magnetism on misregistration in a color camera, and one countermeasure 87−8423
Sueoka, T., Wakui, K., Murakami, K. The development of precise registration and video level measuring equipment and its application to the design of a high-performance color camera 87−8422
Sueoka, T., Yamashita, T., Shidara, K. Photoelectric conversion unit and 1-inch Saticon 87−6341
Sueoka, T. *see* Hayashi, Y. 86−9125, 87−67240
Sueoka, T. *see* Hirano, S. 87−1501
Sueoka, T. *see* Ishibashi, S. 88−50828
Sueoka, T. *see* Kurashige, M. 87−56370
Sueoka, T. *see* Murakami, K. 87−8420
Sueoka, T. *see* Wakui, K. 85−8572
Sueoka, Y., Monta, K., Sumida, S. The improved BWR power control system for fast load following 85−48702
Suer, M. Quality inspection system with microcomputers 86−40564
Sues, R.H. *see* Ravindra, M.K. 85−43772
Suesada, K. *see* Iketani, A. 86−36929
Suesada, K. *see* Yamamitsu, C. 86−38109
Suesada, Y., Nishioka, N., Nii, K. Development and evaluation of ultrasonic flow meter for high temperature/pressure use at power station 87−41314
Suesserman, M.F. *see* Rubinstein, J.T. 88−16785, 88−68489
Sueta, T. Basic technology for laser applications 86−22563
Sueta, T. High-speed optical modulators 86−49593
Sueta, T. Picosecond light switching 87−3185
Sueta, T., Izutsu, M. Integrated optical devices for high-speed signal processing 85−56357
Sueta, T., Izutsu, M. Progress in dielectric integrated optic devices 88−65359
Sueta, T. *see* Amano, K. 88−20444
Sueta, T. *see* Enokihara, A. 88−22623, 88−26865
Sueta, T. *see* Haga, H. 85−41197, 86−36253, 86−68332
Sueta, T. *see* Izutsu, M. 86−15493, 86−28888, 86−48162, 86−68337, 87−26091, 88−58245, 88−65377
Sueta, T. *see* Kobayashi, T. 88−39994
Sueta, T. *see* Matsushima, T. 87−18885, 88−65568
Sueta, T. *see* Morimoto, A. 88−34087
Suetaka, S. *see* Yamashita, H. 85−50810
Suetaka, W. *see* Wadayama, T. 88−49871
Suetake, M. *see* Ezura, E. 88−54062
Suetens, P., Oosterlinck, A., Chen, M.J. High-speed processing for automatic visual inspection and measurement 87−20999
Suetens, P., Oosterlinck, A., Gybels, J., Vandermeulen, D., Marchal, G. A pseudo-holographic display system for integrated 3-D medical images 88−36541
Suetens, P. *see* Vandermeulen, D. 88−29949
Suetin, G.A. *see* Mokeev, S.F. 86−61455
Suetin, N.V. *see* Abrosimov, G.V. 86−48330
Suetin, N.V. *see* Mankelevich, Yu.A. 87−68348
Suetin, N.V. *see* Rakhimov, A.T. 88−45343
Suetinov, V.I. *see* Starosel'skii, V.I. 86−41049
Suetsugu, H. *see* Naiki, K. 87−70435
Suetsugu, H. *see* Yamagami, T. 85−30757
Suetsugu, I. *see* Ulrich, E. 87−10759
Suetsugu, Y., Kawai, Y. RF field distributions in a slotted-type Lisitano coil 85−2656
Suetsugu, Y. *see* Ishimaru, H. 88−54045, 88−74657
Suetsugu, Y. *see* Kakii, T. 86−49658
Suetsugu, Y. *see* Momose, T. 88−36317, 88−54298
Suetsugu, Y. *see* Myogadani, T. 86−36238
Suetsugu, Y. *see* Tanaka, G. 87−46545
Suetsugu, Y. *see* Tanaka, S. 88−45148
Suetugu, Y. *see* Ishimaru, H. 88−36301
Sueva, D. *see* Vasilev, V. 87−29436
Sueyasu, Y., Hakuta, K., Aoyama, H., Tchibana, I., Watanabe, M., Tanaka, K., Kikuchi, A., Shimura, Y., Iida, I. New centralized alarm system 85−57634
Sueyoshi, T. Morphology and porous texture of iron fine particles with relation to their magnetic properties 87−36817
Sueyoshi, T., Naono, H., Amemiya, M. Morphology of ultra fine iron particles 87−46307
Sueyoshi, Y. A characterization of number fields by *p*-closed extensions 88−31638
Suezawa, N. *see* Arakawa, T. 88−51669
Suezawa, T., Hara, K., Yoneda, K. Automatic reverse headphone stereo with graphic equaliser 86−11363
Suezawa, T. *see* Kaneko, K. 88−15863
Sufan, N. *see* Costin, E. 88−42812
Sufczinski, F.W., Thamarus, M.F. Electrical data base component tracking using microcomputers 86−61103
Sufen Wang *see* Wang Sufen
Suffczynski, M. Molecular beam epitaxy and negative ions 85−10734
Suffel, C. *see* Bauer, D. 85−46671, 88−24858
Suffel, C.L. *see* Chirlian, P.M. 86−48916
Suffern, K.G. Contouring functions of two variables 85−16878
Suffert, M. *see* Anderson, D.F. 85−26696
Suffert, M. *see* Bouclier, R. 88−42439
Suffert, M. *see* Mine, P. 88−61296
Suffner, D. Communications draft for the future 88−46411
Suffner, D. Integrated office information systems 88−73494
Suffolk, J.R., Buck, B.J., Tombs, P.N., Charlton, R.W. A production oriented GaAs monolithic low noise amplifier for phased array radar systems 88−32469
Suffolk, J.R. *see* Cooper, P.D. 85−17885
Suffolk, J.R. *see* Green, C.R. 88−15584
Sufi, A.T. *see* French, H.T. 88−28524
Sufian, T.M., Chadband, W.G. Positive streamer propagation in liquid insulation 85−50796
Sufletel, N. *see* Pocata, A. 85−38498
Sufletel, N. *see* Popescu, I. 88−61981
Sufletel, N. *see* Sufrim, M. 87−50865, 88−17169
Sufrim, M., Dumbrava, S. Calculation method and new solutions for the protection against atmospheric surges and transmission of dangerous voltages outside the 750/400 kV substation Isaccea 87−51286
Sufrim, M., Sufletel, N., Hristea, V. Contributions to the experimental determination of the parameters influencing the dimensioning and building of the earthing plants in the MV networks with the neutral provided with resistance coils 87−50865
Sufrim, M., Sufletel, N., Hristea, V. Experimental determination of influences of inductive coupling on 110 kV overhead power transmission lines belonging to IRE-Iasi 88−17169
Sug Jin Sakong, Han Kyoo Choi, Kyun Hyon Tchach A study on the design of VCO used in the spectrum analyzer 86−810
Suga, A. *see* Hara, T. 88−13126
Suga, A. *see* Yahagi, T. 88−46269
Suga, H., Kotera, M., Mizuno, T. Electron beam shaping for recrystallization of Si on insulator 88−19758
Suga, H., Murai, K. Effect of bulk defects in silicon on SiO_2 film breakdown 88−7394
Suga, H., Shimanuki, Y., Murai, K., Endo, K. Precipitation behaviour of deposited metals in CZ-silicon 85−55449
Suga, H. *see* Haneishi, M. 87−27004, 87−27009
Suga, H. *see* Hidai, T. 85−57933
Suga, K. *see* Toyoda, T. 86−42417
Suga, M., Niikura, Y., Murasugi, T., Saitoh, K., Takase, S. The control of the lockup clutch used in the microprocessor controlled automatic transmission 86−45780
Suga, M. *see* Iwamura, S. 88−21829, 88−52763
Suga, M. *see* Sakurai, K. 88−16948
Suga, M. *see* Utsumi, K. 87−67658, 88−24808
Suga, N. *see* Takeuchi, H. 86−43510
Suga, O., Aoki, E., Okazaki, S., Murai, F., Shiraishi, H., Nonogaki, S. A new contrast enhancement technique for electron-beam lithography 88−39318
Suga, O. *see* Okazaki, S. 87−38395
Suga, S. *see* Miyahara, Y. 85−26685
Suga, S. *see* Mizuno, K. 87−32887
Suga, S. *see* Nagai, H. 86−36079
Suga, S. *see* Nishida, M. 86−28564, 87−9183
Suga, S. *see* Takahashi, K. 85−18594
Suga, S. *see* Tanaka, T. 86−6940
Suga, S. *see* Yamada, Y. 85−60358
Suga, T., Kawakita, T., Shiraishi, H., Uno, K. Development of teletex/telex conversion equipment 85−36816
Suga, T., Kawakita, T., Yamamoto, A., Fushimi, T. Evaluation test report of bilateral communication between teletex and telex 86−30293
Suga, T., Saiga, N., Ichioka, Y. Measurement of the refractive-index profile of a graded-index optical fibre by the interference microscope employing fringe scanning 86−36179
Suga, T., Shirasaki, H., Ishihara, F. Quantities of high-mode generations in linearly-tapered waveguides 88−52268
Suga, T. *see* Fujita, K. 88−60581
Suga, T. *see* Ihara, A. 86−54643
Suga, Y. Data transmission in FMS 88−9552
Suga, Y. *see* Yamada, T. 86−14076
Sugachev, O.L. *see* Andrusenko, A.M. 88−36213
Sugahara, H. A study on quantum computer device in superconductivity 88−6762
Sugahara, H., Suzuki, M. Oxide formation on GaAs exposed to CF_4+O_2 plasma 86−28205
Sugahara, H. *see* Kuritani, K. 87−48770
Sugahara, H. *see* Okada, T. 86−4406
Sugahara, H. *see* Suzuki, S. 86−58696
Sugahara, H. *see* Tsutsumi, K. 87−18480, 87−60806, 87−67696
Sugahara, K. Linear programming design of IIR digital phase networks 85−55050
Sugahara, K. Linear programming design of IIR digital phase network 87−386
Sugahara, K., Kusunoki, S., Inoue, Y., Nishimura, T., Akasaka, Y. Three-dimensional device technology 86−58541
Sugahara, K., Kusunoki, S., Inoue, Y., Nishimura, T., Akasaka, Y. Orientation control of the silicon film on insulator by laser recrystallization 88−11978
Sugahara, K., Nishimura, T., Akasaka, Y., Nakata, H. SOI/SOI/bulk-Si triple level structure for three dimensional device 86−21848
Sugahara, K., Nishimura, T., Akasaka, Y., Nakata, H. Lateral impurity transport in silicon films on insulators during laser recrystallization 86−35541
Sugahara, K., Nishimura, T., Kusunoki, S., Akasaka, Y., Nakata, H. SOI/SOI/bulk-Si triple-level structure for three-dimensional devices 86−41805
Sugahara, K., Oohigashi, K. Symbolic analysis of digital networks by using symbolic and algebraic manipulation program 87−52481
Sugahara, K., Sako, B., Hirano, K. Effects of sampling rate for 2D digital signals on the velocity selection 86−3898
Sugahara, K. *see* Akasaka, Y. 85−50775
Sugahara, K. *see* Hirabayashi, K. 87−70420
Sugahara, K. *see* Hirose, S. 86−44190
Sugahara, K. *see* Inoue, Y. 86−52832
Sugahara, K. *see* Kayashi, K. 86−34996
Sugahara, K. *see* Kusunoki, S. 88−6948, 88−64374
Sugahara, K. *see* Nishimura, T. 85−45899, 86−41123, 88−42165
Sugahara, M., Nagai, M., Ando, N., Yoshikawa, N., Ogawa, Y., Kaneda, H. Experiment on phase-quantum-tunneling device 86−2630
Sugahara, M., Nagai, M., Yoshikawa, N., Ando, N., Ogawa, Y. Phase-quantum tunnel device 85−56210
Sugahara, M., Yoshikawa, N. Structure and parameters of phase-quantum-tunnel junction 88−26714
Sugahara, M. *see* Yoshikawa, N. 87−74579, 88−20283, 88−20299, 88−22721
Sugahara, R. *see* Fujiwara, N. 88−22970
Sugahara, R. *see* Kawabata, S. 88−61140
Sugahara, R. *see* Kuroda, S. 87−50134
Sugahara, R. *see* Suwada, T. 88−10249
Sugahara, S. *see* Matsumura, M. 86−26245
Sugahara, T. *see* Nakanishi, H. 87−3434
Sugahara, T. *see* Yanagihara, Y. 88−74829
Sugai, H., Toyoda, H., Yoshida, A., Okuda, T. Ion and radical contributions to hydrogenated amorphous silicon film formation in a DC toroidal discharge 85−44769
Sugai, H. *see* Sato, T. 87−61147
Sugai, H. *see* Toyoda, H. 86−26905, 86−57467
Sugai, H. *see* Yoyoda, H. 87−5459
Sugai, I., Eujino, T., Yamazaki, K., Hattori, T., Ogawa, M. A new method for making long-lived carbon foils for heavy ion beam strippers 85−59047
Sugai, I., Kato, H. A new technique for making enriched rare-earth metal plate targets 85−59132
Sugai, I. *see* Shiono, N. 87−31887
Sugai, I. *see* Tanabe, T. 87−63616
Sugai, M., Kanuma, A., Suzuki, K., Kubo, M. VLSI processor for image processing 88−6912
Sugai, M. *see* Kanuma, A. 87−17159
Sugai, M. *see* Kotera, Y. 85−35618
Sugai, M. *see* Okuda, N. 87−25449
Sugai, M. *see* Shigo, O. 87−48392
Sugai, M. *see* Toshima, M. 86−33787
Sugai, T. *see* Koakutsu, S. 88−56400
Sugai, Y., Hirata, H. A hierarchical simulated annealing method for VLSI block placement problem 88−50967
Sugak, M.I. *see* Yurov, Ya.Ya. 86−54367
Sugak, V.G. *see* Razskazovskiy, V.B. 87−20592
Sugama, S. *see* Kimura, Y. 87−61267, 88−34137, 88−45052
Sugama, S. *see* Miyazaki, H. 85−19054
Sugama, S. *see* Naemura, S. 85−14909
Sugama, S. *see* Ono, Y. 88−58707
Sugamura, N., Farvardin, N. Quantizer design in LSP speech analysis-synthesis 88−40864
Sugamura, N., Farvardin, N. Quantizer design in LSP speech analysis and synthesis 88−66428
Sugamura, N., Furui, S. Isolated word recognition using strings of phoneme-like templates (SPLIT) 85−19377

Sugamura, N., Furui, S. Speaker-dependent large vocabulary word recognition using SPLIT method 86—36955
Sugamura, N., Furui, S. Speaker-dependent large vocabulary word recognition using the SPLIT method 87—12951
Sugamura, N., Itakura, F. Speech analysis and synthesis methods developed at ECL in NTT—-from LPC to LSP 87—2488
Sugamura, N., Shikano, K., Aikawa, K. SPLIT-based speaker-independent isolated word recognition using multiple templates 87—12952
Sugamura, N., Shikano, K., Aikawa, K., Kohda, M. Speaker-independent isolated word recognition based on SPLIT method using multiple word templates 86—36956
Sugamura, N., Shikano, K., Kohda, M. Speaker-independent isolated word recognition based on multiple word templates using SPLIT method 85—19388
Sugamura, N., Tsuboi, T., Nakatsu, R. Japanese text input system based on continuous speech recognition 87—19550
Sugamura, N. *see* Tsuboi, T. 87—61690
Sugamura, Y., Telford, J.W. A new thermocouple thermometer 88—16908
Suganami, H. *see* Takegahara, T. 88—29075
Suganami, T. *see* Kazumoto, Y. 87—76975
Sugandhi, S. *see* Sridharan, K.S. 87—57164
Sugano, A., Takita, A., Fukai, M. The hierarchical and automatic thermal power plant-oriented/distributed control system 87—42641
Sugano, H. *see* Takaki, T. 87—63803
Sugano, K., Kishimoto, K., Yamane, K., Takahashi, N., Yamauchi, N., Maeda, M. Parameter measurement of class A interference on power line 85—62854
Sugano, M., Matsuda, S., Tamaki, M., Kamiya, S. OSI protocol-processing programs for microcomputers 87—34114
Sugano, M., Nishida, T., Miyahara, H. Optimum design algorithms for terrestrial/satellite communication network systems 87—48283
Sugano, M. *see* Hosaka, S. 87—1990, 87—74881
Sugano, M. *see* Ishikawa, H. 88—45337
Sugano, M. *see* Kambara, S. 85—13812
Sugano, M. *see* Motohara, A. 88—70723
Sugano, M. *see* Shiragasawa, T. 86—47740
Sugano, N., Masaki, Y., Ishizuka, E. Servomotors for factory automation 85—39040
Sugano, N. *see* Tokushima, A. 88—23198
Sugano, O., Yamashita, M. A passivation technique for high density packaging 88—13130
Sugano, S. *see* Kato, I. 88—4249
Sugano, T. VLSI technology to support ultra-high-speed information processing 86—27179
Sugano, T. Research activity on laser, ion, and electron beam processing in Japan 86—28107
Sugano, T. Application of plasma anodization technique to device fabrication 86—28226
Sugano, T. Development of various LED-applied indicators [on railways] 87—49859
Sugano, T. InP MISFETS technology 88—1674
Sugano, T., Miki, H. Characterization of SiO_2 films grown by furnace thermal oxidation and rapid thermal oxidation 88—26048
Sugano, T., Okabe, Y., Tamura, H., Miyake, H., Takatsu, M. Bridge type Josephson junctions as high speed digital devices 85—56221
Sugano, T. *see* Fremunt, R. 85—29126
Sugano, T. *see* Haneji, N. 85—34846
Sugano, T. *see* Hatori, F. 87—25336
Sugano, T. *see* Hiraki, M. 87—60862, 88—20307
Sugano, T. *see* Ishibashi, M. 88—37687
Sugano, T. *see* Iwase, Y. 88—44752, 88—71547
Sugano, T. *see* Kashihara, T. 88—47332
Sugano, T. *see* Miyake, H. 85—45015, 85—54831
Sugano, T. *see* Murayama, K. 88—12094
Sugano, T. *see* Murray, E.M. 86—35292
Sugano, T. *see* Nakayama, A. 85—1863
Sugano, T. *see* Nozawa, S. 87—36694
Sugano, T. *see* Okabe, Y. 85—46077
Sugano, T. *see* Takagi, S. 87—60484, 88—1363, 88—44754
Sugano, T. *see* Takahashi, Y. 88—57667
Sugano, T. *see* Throngnumchai, K. 86—63315
Sugano, T. *see* Triplett, B.B. 88—19790
Sugano, Y., Koyama, K., Hamajima, T. Aluminum DC bias sputtering for filling submicron via-holes 87—67154
Sugano, Y., Minegishi, S., Sumi, H., Itabashi, M. In-situ observation and formation mechanism of aluminum voiding 88—57517
Suganomata, S. *see* Ishikawa, K. 88—40284
Suganomata, S. *see* Saito, Y. 85—20805, 87—1917
Suganomata, S. *see* Tanaka, Y. 87—12075
Suganuma, H., Myogadani, T., Yokota, H. Characteristics of side-tunnel single-polarization optical fiber 86—36236
Suganuma, H. *see* Sasaoka, E. 88—65252
Suganuma, K. *see* Iwamura, J. 85—897
Suganuma, K. *see* Yoshida, Y. 86—67539
Suganuma, M. *see* Kanuma, A. 87—52636
Suganuma, N. *see* Doi, K. 88—43504
Suganuma, R. *see* Adachi, A. 88—47054
Suganuma, S. *see* Hoga, H. 87—11668
Suganuma, T. A novel method for automatic measurement and correction of astigmatism in the SEM 87—28919
Suganuma, T., Kurosawa, K. A graph theoretical validation method for channel boundedness of communication protocols 88—41143
Suganuma, T. *see* Katsuyama, T. 85—12573
Suganuma, T. *see* Musha, T. 85—52396
Suganuma, T. *see* Ogawa, Y. 86—20685
Suganuma, T. *see* Satoh, S. 85—18677
Suganuma, Y., Hashimoto, T. Disk media 87—12051
Suganuma, Y., Ikeuchi, Y., Watanabe, M. Disk media and magnetic heads 86—9413
Suganuma, Y. *see* Goto, F. 87—46366
Sugar, G.R. *see* Larsen, N.T. 86—17533
Sugar, J. *see* Reader, J. 88—58460
Sugar, P. *see* Balazs, A. 86—64712
Sugarbaker, E. *see* Taddeucci, T.N. 86—25153
Sugarbroad, I. *see* Conn, M. 85—42602, 86—37912
Sugarman, A. Condition monitoring of electrical equipment in nuclear power plants 87—9252
Sugarman, A., Franks, J., Morris, R., Sorensen, R., Dahan, P.G. A condition monitoring program for environmentally qualified equipment [nuclear plants] 85—4767
Sugarman, B. 16-Bit microprocessors 85—11302
Sugars, G. *see* Hazlett, T. 86—50346
Sugasawa, F. *see* Fujishiro, T. 86—50769
Sugasawa, Y., Murata, K., Kurabayashi, Y. Analysis of probabilistic behavior of a system with nonregeneration points interpreted as Petri net by Markov Renewal processes 86—68944
Sugasawa, Y., Muratra, K., Kurabayashi, Y. Analysis of probable behavior of the system with nonregeneration points interpreted Petri net by Markov renewal processes 85—5899
Sugasawara, S. Laser direct photoplotting without aperture wheels 85—40319
Sugata, A. *see* Yoshikawa, H. 87—63403, 88—47539
Sugata, F., Kubota, T. Error rate measuring equipment for 45 Mb/s systems in the USA 85—58624
Sugata, K. *see* Nagano, S. 86—33114
Sugata, M., Okubo, Y., Osada, Y., Kasugayama, Y. A TFT-addressed liquid-crystal color display 85—64206
Sugata, S., Asakawa, K. GaAS radical etching with a Cl_2 plasma in a reactive ion beam etching system 85—1504
Sugata, S., Asakawa, K. GaAs and AlGaAs crystallographic etching with low-pressure chlorine radicals in an ultrahigh-vacuum system 88—13135
Sugata, S., Asakawa, K. Characterization of damage on GaAs in a reactive ion beam etching system using Schottky diodes 88—57479
Sugata, S., Mikami, H. Ceramic elastomer composite hydrophone 85—56078
Sugata, S. *see* Asakawa, K. 85—12206, 85—29143, 86—53563, 86—63153
Sugata, S. *see* Takado, N. 87—61145, 88—39234
Sugata, S. *see* Takamori, A. 87—38137
Sugata, S. *see* Yuasa, T. 87—12447
Sugata, T., Iwata, H., Tsuchida, A., Oseko, K., Kawatsu, M., Kusakabe, M. Analysis of, and research into ways of lessening, the coefficient of friction of duct lines 87—4429
Sugawa, T., Nishie, M. High-speed optical digital transmitter/receiver module operating at 1.3 μm wavelength 88—3986
Sugawa, T., Takebayashi, W., Honma, K., Ueda, S. Development of a terminal information system 87—48626
Sugawa, T., Taylor, I. Fibre-optic technology in Japan 85—47500
Sugawa, T. *see* Suzuki, T. 86—43850, 87—34628
Sugawa, T. *see* Takada, H. 87—49112
Sugawara, F., Ajioka, T., Ichikawa, F., Ushio, S. Formation of silicon nitride films newly developed by the ion and vapour deposition method 87—5482
Sugawara, F. *see* Kimura, M. 86—41772
Sugawara, F. *see* Tomimasu, T. 88—30055
Sugawara, H. *see* Awaya, T. 87—59492
Sugawara, H. *see* Ishikawa, M. 86—9843, 86—29130, 86—68551, 87—26425, 88—20680
Sugawara, H. *see* Noto, K. 87—56722
Sugawara, H. *see* Ohba, Y. 87—16596
Sugawara, J. *see* Sato, S. 85—4053
Sugawara, K. R&D of three dimensional circuit device getting to the final stage 88—57741
Sugawara, K., Ikeda, A., Abe, T. Digital key telephone 'D-DT series' 88—9318
Sugawara, K., Iyoda, M., Ukigai, M., Abe, T. A design method for a multimedia system using a LAN 87—62664
Sugawara, K., Nishimura, M., Kuroda, A. Speaker adaptation for hidden Markov model 87—27309
Sugawara, K., Nishimura, M., Toshioka, K., Okochi, M., Kaneko, T. Isolated word recognition using hidden Markov models 86—16179
Sugawara, K., Sakurai, T., Awane, K., Mizuki, T., Shimizu, M., Miyago, M., Hisamatsu, T., Yamaguchi, T. MOCVD GaAs solar cells on Ge and ICB Ge/Si substrates 87—16036
Sugawara, K. *see* Abe, T. 87—62662
Sugawara, K. *see* Enatsu, M. 88—411
Sugawara, K. *see* Endo, K. 87—40788
Sugawara, K. *see* Iyoda, M. 87—62663
Sugawara, K. *see* Kinoshita, T. 88—66988
Sugawara, K. *see* Konno, T. 86—49655
Sugawara, K. *see* Mizuno, F. 85—61806, 86—15220
Sugawara, K. *see* Nakamura, K. 85—31308
Sugawara, K. *see* Nishimura, M. 88—66384
Sugawara, K. *see* Roux, M. 86—7028
Sugawara, K. *see* Shimizu, M. 87—16037
Sugawara, K. *see* Shiratori, N. 87—69715
Sugawara, K. *see* Suzuki, H. 88—12901
Sugawara, K. *see* Tsukioka, H. 86—51685
Sugawara, K. *see* Yano, T. 88—22130
Sugawara, M. New Transportation System in Japan 85—16310
Sugawara, M., Matsumoto, K., Fukaya, H., Sakurai, T., Nakajima, A., Ishizeki, Y. Infrared remote-control pre-amplifier and RF modulator for consumer VCR 86—4872
Sugawara, M., Miyada, Y., Satoh, N., Yamazaki, T., Muranaka, K., Miyaji, Y., Maruyama, T., Koukata, M. A 16 bit D to A converter 88—19227
Sugawara, M., Ozaki, N., Ohashi, I. 300 MVA LRT to Bokuto underground substation of the Tokyo Electric Power Co., Inc 87—43165
Sugawara, M., Sasakawa, H., Kojima, A., Handa, N., Fukuda, A. Development of phased mission probability code 'FTPHASE' 85—48811
Sugawara, M., Tateishi, H., Muranaka, K., Tomotsune, K., Abe, K., Hayashi, T. A programmable TV synchronous generator for LCD-TV set 87—34750
Sugawara, M. *see* Isozumi, S. 88—38182
Sugawara, M. *see* Kanayama, T. 88—39300
Sugawara, M. *see* Kikkawa, S. 87—50245
Sugawara, M. *see* Kikuchi, M. 86—59718
Sugawara, M. *see* Kondo, M. 87—23681, 88—70331
Sugawara, M. *see* Matsumoto, K. 86—14075
Sugawara, M. *see* Monta, K. 85—21337
Sugawara, M. *see* Ogawara, T. 86—1155
Sugawara, M. *see* Takanohashi, T. 88—44571
Sugawara, M. *see* Tamae, T. 88—29753
Sugawara, M. *see* Tanaka, K. 87—52119
Sugawara, M. *see* Tateishi, H. 87—34771, 87—37048
Sugawara, N. Pulse-current waveforms of negative DC surface discharges on PMMA 85—7108
Sugawara, N., Farzaneh, M. On the role of water film in the mechanism of flashover of iced insulators 87—25684
Sugawara, N., Iijima, F., Yamada, N. APEX 2400 IMS answering systems for incoming calls from central offices 87—8115
Sugawara, N., Noguchi, H., Kubo, S., Mochizuki, A., Masuda, Y. APEX2400 Information Management System for electric power communication network 86—43421
Sugawara, N. *see* Hokari, K. 88—64820
Sugawara, N. *see* Matsushita, K. 86—43688, 87—8113
Sugawara, R. *see* Seki, M. 87—76744, 88—67408
Sugawara, S., Hwang, C.C., Konno, M. Angular rate detection utilizing phase shift in a piezoelectric vibratory gyro 88—35937
Sugawara, S., Konno, M. Equivalent circuits of a piezoelectric vibratory gyro 88—53678
Sugawara, S. *see* Konno, M. 85—64138, 86—53866, 87—38635 to 38636, 88—29353
Sugawara, S. *see* Muraoka, K. 87—22911
Sugawara, S. *see* Nakaoka, M. 87—73321
Sugawara, S. *see* Nishizawa, J. 87—79215, 88—30825
Sugawara, S. *see* Nojiri, K. 86—43687
Sugawara, S. *see* Peng, F.Z. 88—31213
Sugawara, S. *see* Sugimoto, O. 88—75756
Sugawara, S. *see* Tomikawa, Y. 86—53864, 86—68134, 88—13650
Sugawara, S. *see* Umemura, H. 88—6040
Sugawara, T., Aikawa, T., Kakehi, A. Experimental study of asymmetrical waveform in digital recording 87—46379
Sugawara, T., Tsuchitani, S., Kinjo, N., Ohara, S. Electrical resistance type humidity sensor using ionic copolymers 86—44295
Sugawara, T. *see* Aikawa, T. 87—38657
Sugawara, T. *see* Baglee, D.A. 88—755
Sugawara, T. *see* Chua, L.O. 88—4541
Sugawara, T. *see* Hayashi, K. 88—25793
Sugawara, T. *see* Itoh, Y. 85—41230, 88—39001, 88—56861
Sugawara, T. *see* Kakizaki, M. 86—20237, 86—62411
Sugawara, T. *see* Moriyama, S. 85—17095, 86—57570
Sugawara, T. *see* Nakanishi, H. 86—38287
Sugawara, T. *see* Ogawa, Y. 88—12291
Sugawara, T. *see* Tsuchitani, S. 86—55676
Sugawara, T. *see* Ushida, A. 88—6633
Sugawara, Y. High voltage complementary gated MOS thyristors 87—45917
Sugawara, Y., Kamei, T. A high performance, high voltage lateral pnp transistors 85—40711
Sugawara, Y., Kamei, T. A high-performance high-voltage self-aligned double-diffused lateral (SADDL) p-n-p transistor 86—28471

Sugawara, Y., Kamei, T. Field reduction regions for compact high-voltage ICs 87−67337
Sugawara, Y., Kushibiki, J., Chubachi, N. Theoretical analysis on acoustic fields formed by focusing devices in acoustic microscopy 87−71421
Sugawara, Y., Miyata, K., Okamura, M. 350 V analog-digital compatible power IC technologies 86−47781
Sugawara, Y., Miyata, K., Okamura, M. 350-V analog-digital compatible power ICs using dielectrically isolated substrates 87−32676
Sugawara, Y., Shirasawa, T. Novel dielectrically isolated intelligent power IC technology using vertical lateral composite structure (VLCS) 88−39726
Sugawara, Y., Yamauchi, R., Murayama, T., Miyamoto, M. Optical pulse waveform traveling through quasi-monomode fibers 86−2819
Sugawara, Y. *see* Chubachi, N. 87−15100
Sugawara, Y. *see* Kikuchi, Y. 85−63706
Sugawara, Y. *see* Murakami, S. 88−50741
Sugawara, Y. *see* Sato, N. 86−49638
Sugawara, Y. *see* Sawano, H. 88−28916
Sugawara, Y. *see* Suzuki, H. 87−8328
Sugawara, Y. *see* Yamauchi, R. 85−24329, 87−1941
Sugaya, F. *see* Yasuda, Y. 88−46998
Sugaya, H. The videotape recorder: its evolution and the present state of the art of VTR technology 86−47967
Sugaya, H. *see* Kriz, J. 86−66608
Sugaya, M., Yamamoto, S., Fujii, K. Discharge phenomena using an insulator disc running between electrodes and its effects for decreasing the EMR 86−3566
Sugaya, N. *see* Hagino, S. 86−23561, 86−43616
Sugaya, N. *see* Machida, E. 86−11972
Sugaya, S. *see* Iwanaga, T. 88−33591
Sugaya, S. *see* Shiraishi, K. 86−42346
Sugaya, T. *see* Yamada, T. 88−57962
Sugayama, S. Monolithic IC for AM tuner with improved cross-modulation characteristics 85−31176
Sugazaki, H. *see* Satoh, Y. 86−30977
Sugden, D.E. *see* Williams, L.D. 88−61614
Sugden, D.M., Blake, R.J., Randall, S.P., Stephenson, J.M. Switched reluctance drives using MOSFETs 88−69804
Sugden, D.M., Blake, R.J., Randall, S.P., Stephenson, J.M., Lawrenson, P.J. High performance MOSFET switched reluctance drives 88−24214
Sugden, D.M., Randall, S.P., Webster, P.D. Low-power controlled-speed drives using SR motors 88−69757
Sugden, D.M. *see* Blake, R.J. 87−16100
Sugeno, M. *see* Onisawa, T. 86−7578
Sugerman, A. A method for evaluating Class 1E equipment for age-related seismic capacity 85−4768
Sugerman, A. *see* Chang, C.-A. 87−1366
Sugerman, A. *see* Chin-An Chang 86−53452, 87−11709
Sugerman, A. *see* Hadizad, P. 87−38099
Sugerman, A. *see* Yapsir, A.S. 88−64505
Sugeta, T. Recent GaAs technologies 88−26395
Sugeta, T., Mizutani, T., Ino, M., Horiguchi, S. High speed technology comparison−GaAs vs Si 87−32644
Sugeta, T., Osafune, K., Ohwada, K. A 13 GHz GaAs dynamic frequency divider and prescalar IC 87−18337
Sugeta, T. *see* Fujimoto, M. 87−60555
Sugeta, T. *see* Hirano, M. 85−12301
Sugeta, T. *see* Imai, Y. 85−6189, 85−55140
Sugeta, T. *see* Ishibashi, T. 86−2135, 86−63259
Sugeta, T. *see* Ito, H. 85−1571, 85−40695, 85−40713, 87−38209
Sugeta, T. *see* Izawa, T. 86−47551
Sugeta, T. *see* Muraguchi, M. 88−63960
Sugeta, T. *see* Nakajima, O. 86−9103, 86−28290
Sugeta, T. *see* Osafune, K. 85−50044
Sugeta, T. *see* Yamao, Y. 85−40774, 87−53695
Sugg, B.R. *see* Jackson, R.K. 88−74818
Suggett, A.J. *see* Harris, N.D. 87−50326
Sughita, Y. *see* Kobayashi, M. 87−35692
Sugi, K. *see* Kuga, T. 86−6909
Sugi, M. Langmuir-Blodgett films−a course towards molecular electronics: a review 86−27767
Sugi, M., Saito, M., Fukui, T., Iizima, S. Modification of optical and photoelectric characteristics by vapour phase treatments in Langmuir-Blodgett films of merocyanine dyes 86−15560
Sugi, M., Sakai, K., Saito, M., Kawabata, Y., Iizima, S. Photoelectric effects in heterojunction Langmuir-Blodgett film diodes 86−58833
Sugi, M. *see* Saito, K. 88−72223
Sugi, M. *see* Saito, M. 85−45421
Sugi, M. *see* Sakai, K. 85−62447
Sugi, N. *see* Tsunoda, J. 87−55026
Sugi, N. *see* Yamaguchi, A. 87−62138
Sugi, T. *see* Yamaguchi, H. 88−9738
Sugi, Y. *see* Maruyama, T. 87−12283
Sugiarto, H., Christie, I.R., Richards, B.P. Studies of zinc whiskers formation and growth from bright zinc electrodeposits 85−16963
Sugibuchi, S. *see* Yamano, M. 85−14421
Sugie, M. *see* Yoshizawa, S. 85−35328
Sugie, N., Inagaki, H. Recovery of three-dimensional structure of moving object from orthographically projected optical flow 85−13626
Sugie, N., Tsunoda, K. A speech prosthesis employing a speech synthesizer−vowel discrimination from perioral muscle activities and vowel production 85−64633
Sugie, N. *see* Feng, K. 86−16544
Sugie, N. *see* Kawamura, A. 88−41104
Sugie, N. *see* Koyama, T. 87−29816
Sugie, N. *see* Muraki, S. 86−32369
Sugie, N. *see* Ohnishi, M. 88−48244
Sugie, N. *see* Shibata, T. 86−16543, 87−13145
Sugie, N. *see* Yamada, K. 88−29556
Sugie, S. *see* Muraki, S. 87−57231
Sugie, T., Saruwatari, M. Distributed feedback laser diode (DFB-LF) to single-mode fiber coupling module with optical isolator for high bit rate modulation 86−42568
Sugie, T., Takada, A., Saruwatari, M. Effective technique for measuring intrinsic bandwidths of DFB-LDs utilizing a satellite mode induced by far-end reflection 87−61128
Sugie, T. *see* Takada, A. 86−3144, 87−18960, 88−20715
Sugihara, H., Imaoka, Y. Technical trends in tape recording fine particles. A short review 85−12475
Sugihara, H., Saito, K. PCM multiplex equipment 86−17112
Sugihara, H., Shimoda, Y. Low-loss Mn-Zn ferrite for high-frequency power supplies 87−65853
Sugihara, K. A necessary and sufficient condition for a picture to represent a polyhedral scene 85−13597
Sugihara, K. Routing and scheduling file transfers in a network with time constraints 87−40054
Sugihara, K. Recognition of three-dimensional surface structures from images 88−28038
Sugihara, K. Some location problems for robot navigation using a single camera 88−41017
Sugihara, K. *see* Feng, K. 86−16544
Sugihara, K. *see* Kawamura, A. 88−41104
Sugihara, K. *see* Mori, I. 86−21314
Sugihara, K. *see* Shibata, T. 86−16543, 87−13145
Sugihara, K. *see* Tojo, T. 86−15247, 86−34010, 88−1841
Sugihara, M. A class of functions for which the trapezoidal rule gives the exact value of integral over the infinite interval 88−18663
Sugihara, M. *see* Iri, M. 86−34107, 86−40677, 86−52375 to 52376, 86−66755, 87−165
Sugihara, M. *see* Kikuchi, T. 87−77831
Sugihara, M. *see* Morishita, E. 85−5535
Sugihara, O. *see* Sugii, M. 87−7282, 88−8105
Sugihara, R. *see* Takeuchi, S. 87−56928
Sugihara, R. *see* Yamanaka, K. 85−2647, 85−19212
Sugihara, S. *see* Mochizuki, A. 87−76974
Sugihara, S. *see* Ooba, Y. 87−46601
Sugihara, S. *see* Yamaguchi, I. 85−27900
Sugihara, T. *see* Hijikigawa, M. 86−55679
Sugihara, Y. *see* Takeda, M. 87−29189
Sugihara Kazuo *see* Kazuo Sugihara
Sugihashi, A. *see* Morita, R. 88−65853 to 65854
Sugii, K. *see* Kinoshita, K. 85−54434
Sugii, K. *see* Kubota, E. 85−10665, 87−52098
Sugii, M., Ando, M., Sasaki, K. Simple long-pulse XeCl laser with narrow-line output 88−2162
Sugii, M., Sasaki, K. Improved performance of the discharge pumped HgBr and HgCl lasers by adding SF_6 86−58864
Sugii, M., Sasaki, K. Improved performance of the discharge pumped HgBr and HgCl lasers by adding SF_6 87−68394
Sugii, M., Sugihara, O., Ando, M., Sasaki, K. A distributed feedback evanescent dye laser in a slab-type optical waveguide 87−7282
Sugii, M., Sugihara, O., Ando, M., Sasaki, K. High locking efficiency XeCl ring amplifier injection locked by backward stimulated Brillouin scattering 88−8105
Sugii, M. *see* Barada, M. 87−36068
Sugii, M. *see* Hara, H. 85−51097
Sugii, T., Ito, T., Furumura, Y., Doki, M., Mieno, F., Maeda, M. Epitaxial SiC emitter for high speed bipolar VLSIs 87−25239
Sugii, T., Ito, T., Furumura, Y., Doki, M., Mieno, F., Maeda, M. Si heterojunction bipolar transistors with single-crystalline β-SiC emitters 88−19925
Sugii, T., Ito, T., Furumura, Y., Doki, M., Mieno, F., Maeda, M. β-SiC/Si heterojunction bipolar transistors with high current gain 88−33160
Sugii, T., Ito, T., Ishikawa, H. Excimer laser enhanced nitridation of silicon substrates 85−6826
Sugii, T., Ito, T., Ishikawa, H. Low temperature nitridation of silicon by excimer laser irradiation 85−45604
Sugii, T., Ito, T., Ishikawa, H. Low-temperature fabrication of silicon nitride films by ArF excimer laser irradiation 88−70336
Sugii, T., Yamazaki, T., Fukano, T., Ito, T. Epitaxially grown base transistor for high-speed operation 88−7574
Sugii, T., Yamazaki, T., Fukano, T., Ito, T. Thin-base bipolar technology by low-temperature photo-epitaxy 88−7586
Sugii, T. *see* Nara, Y. 88−13147
Sugii, T. *see* Yamazaki, T. 88−39125
Sugikata, T. *see* Okabayashi, M. 88−57014
Sugiki, H. *see* Shimpuku, Y. 86−38155, 86−65090
Sugiki, T., Kajimura, T.., Fujita, N., Ogawa, T. GaAs hyper abrupt varactor diode 86−58067
Sugiki, T. *see* Ishiuchi, H. 87−74319 to 74320
Sugiki, T. *see* Kotaki, H. 85−37292
Sugimachi, N. *see* Hamada, T. 88−16295
Sugimori, A. *see* Hayashi, T. 86−44732
Sugimori, K. *see* Morishita, Y. 86−58212
Sugimori, Y. *see* Isobe, T. 86−69140
Sugimori, Y. *see* Sawabe, E. 88−15035
Sugimoto, A., Tsuji, M., Shikina, C. The digital video effects for HDTV 85−58346
Sugimoto, A., Tsuji, M., Shikina, C. The NTSC to HDTV up-converter 85−58347
Sugimoto, A. *see* Kido, T. 86−38053
Sugimoto, A. *see* Segawa, Y. 87−54276
Sugimoto, A. *see* Takeda, O. 85−31598
Sugimoto, F. *see* Honda, N. 86−30010
Sugimoto, G. *see* Hongo, T. 87−43569
Sugimoto, H. Outline of the K-3 data processing system 86−37972
Sugimoto, H. Digital private branch exchange 86−69552
Sugimoto, H. Mobile radio communications from the viewpoint of automobiles 86−69654
Sugimoto, H., Abe, Y., Matsui, T., Ogata, H. Novel fabrication method of quarter-wave-shifted gratings using ECR-CVD SiN$_x$ films 88−14189
Sugimoto, H., Abe, Y., Matsui, T., Ogata, H. Novel fabrication method of 120 nm period gratings using ECR-CVD SiN$_x$ films 88−58536
Sugimoto, H., Hama, S. Correlation processing equipment [for K-3 VLBI system] 86−37973
Sugimoto, H., Kawasaki, K., Ikutame, T. A direct-digital-controlled AC servo-motor drive system 85−48980
Sugimoto, H., Kimata, M., Yamazaki, H. Power electronics and applications to household appliances 88−62803
Sugimoto, H., Matsuda, S., Fujita, K., Tamura, K. Zinc-chlorine battery using molten zinc as negative electrode 86−33593
Sugimoto, H., Matsushita, K., Maeda, T., Ishiguro, F., Shimomura, M., Tanaka, S. Power system stability improvement by integrated adaptive control of exciter, turbine valve and shunt damping resistor. I 87−71522
Sugimoto, H., Matsushita, K., Maeda, T., Ishiguro, F., Shimomura, M., Tanaka, S. Implementation and experiments of integrated control of exciter, turbine valve and shunt damping resistor. II 87−71523
Sugimoto, H., Morimoto, S., Yano, M. A high performance control method of a voltage-type PWM converter 88−75751
Sugimoto, H., Tamai, S. Secondary resistance identification of an induction motor applied model reference adaptive system and its characteristics 86−39800
Sugimoto, H., Tamai, S. Secondary resistance identification of induction motor using a model reference adaptive system and the identification characteristics 87−9540
Sugimoto, H., Tamai, S. Secondary resistance identification of an induction-motor applied model reference adaptive system and its characteristics 87−51204
Sugimoto, H., Tamai, S., Yano, M. A high performance induction motor drive system 86−6770
Sugimoto, H. *see* Ishiguro, F. 87−4259
Sugimoto, H. *see* Kawaguchi, K. 87−40380
Sugimoto, H. *see* Maeda, T. 87−71584
Sugimoto, H. *see* Matsui, T. 88−57466
Sugimoto, H. *see* Ohtsuka, K. 86−54055, 88−63310
Sugimoto, H. *see* Saito, T. 87−6915
Sugimoto, H. *see* Takahashi, A. 87−21395
Sugimoto, H. *see* Tamai, S. 88−30723
Sugimoto, H. *see* Tasaka, S. 85−59207
Sugimoto, H. *see* Tsujino, J. 88−16987
Sugimoto, I. *see* Nakamura, K. 88−65656
Sugimoto, I. *see* Takahashi, H. 85−35488, 86−58781
Sugimoto, I. *see* Takasashi, H. 85−12570
Sugimoto, J., Sudoh, T., Murao, Y. Analytical study of thermal response similarity between simulated fuel rods and nuclear fuel rods during reflood phase of PWR-LOCA 86−61254
Sugimoto, K., Katoh, M. An algorithm for finding k shortest loopless paths in a directed network 86−40630
Sugimoto, K. *see* Itoh, K. 88−41920
Sugimoto, K. *see* Krebs, G.F. 88−54190
Sugimoto, K. *see* Mitsuhashi, J. 85−50772
Sugimoto, K. *see* Ohsumi, H. 87−3838
Sugimoto, K. *see* Tanimoto, M. 88−59680
Sugimoto, K. *see* Terada, K. 88−6052
Sugimoto, M. General-purpose model parameter extraction program with initial value exploration technique 87−1471

Sugimoto, M. Corrosion of wiring metals in semiconductor devices 88-26090
Sugimoto, M., Ajiki, T. Reliability consideration of fine pattern ICs 86-53747
Sugimoto, M., Arai, Y., Fujimura, T. Dynamic properties of perpendicular magnetic recording tape coated with acicular Ba-ferrite media 87-32841
Sugimoto, M., Endo, T. Private digital Captain system providing natural full color pictures and audio information 87-76282
Sugimoto, M., Fukuma, M. Standard description form for device characteristics in VLSIs 86-53726
Sugimoto, M., Hamao, N., Takado, N., Ueno, M., Iawata, H., Uchida, M., Onabe, K., Asakawa, K., Yuasa, T. Surface emitting bistable multiquantum well lasers with a 45° dry etched-mirror 88-20682
Sugimoto, M., Mitsuhashi, T., Tsuzikawa, K. High-definition television 87-34740
Sugimoto, M., Mitsuhasi, T., Yoshino, T. New technologies affecting radio and TV broadcasting 85-20303
Sugimoto, M., Sugiura, Y. Application of laser technology to television equipment 86-22565
Sugimoto, M., Suzuki, A., Nomura, H., Lang, R. InGaAsP/InP current confinement mesa substrate buried heterostructure laser diode fabricated by one-step liquid-phase epitaxy 85-7440
Sugimoto, M., Taniguchi, M., Yokoi, S., Hata, H. Videotex: advancing to higher bandwidth 88-35044
Sugimoto, M., Terashi, T. Advanced CAPTAIN system: dramatically changing the nature of videotex communications 87-28008
Sugimoto, M., Watanabe, S. The Cosmic Hall of the TSUKUBA EXPO Center [HDTV system] 86-30993
Sugimoto, M., Yamanouti, Y., Chiba, S., Mizumoto, M., Furuta, Y., Hyakutake, M. Tandem fast neutron TOF facility 87-21507
Sugimoto, M. *see* Agatsuma, K. 85-56235, 86-42193, 87-67959, 88-65027
Sugimoto, M. *see* Ajisawa, A. 88-2028
Sugimoto, M. *see* Chiba, S. 88-4861
Sugimoto, M. *see* Fujio, T. 85-20351
Sugimoto, M. *see* Fukuda, S. 87-36102
Sugimoto, M. *see* Gibbs, H.M. 88-72117
Sugimoto, M. *see* Hayashi, K. 85-37194
Sugimoto, M. *see* Hiratsuka, N. 88-20242
Sugimoto, M. *see* Kurachi, M. 86-37416
Sugimoto, M. *see* Nakajima, Y. 85-19190
Sugimoto, M. *see* Nakamura, K. 86-28911
Sugimoto, M. *see* Nishizuka, N. 86-1424, 86-14007, 86-14579
Sugimoto, M. *see* Ohno, K. 86-58348, 88-38429
Sugimoto, M. *see* Osanai, H. 88-58014
Sugimoto, M. *see* Saito, Y. 88-59569
Sugimoto, M. *see* Takeuchi, M. 87-10908
Sugimoto, M. *see* Tashiro, Y. 87-68287
Sugimoto, M. *see* Tatsuuma, K. 88-71373
Sugimoto, M. *see* Wada, T. 86-52234, 87-45827, 87-60531
Sugimoto, M. *see* Warren, M. 88-7913
Sugimoto, M. *see* Yamaguchi, K. 88-50988
Sugimoto, M. *see* Yanagi, H. 87-46426
Sugimoto, M. *see* Yokoyama, H. 88-58548
Sugimoto, N., Hamada, N. Performance evaluation for token ring LAN 87-55788
Sugimoto, N. *see* Asai, K. 88-61665
Sugimoto, N. *see* Iikura, Y. 87-42236
Sugimoto, N. *see* Likura, Y. 88-28955
Sugimoto, N. *see* Masuda, I. 85-12412
Sugimoto, N. *see* Saito, N. 86-25420
Sugimoto, N. *see* Shimizu, H. 85-31100, 86-65523
Sugimoto, O., Koga, T., Sugawara, S., Hayashi, H., Nozaki, T. High frequency carrier PWM inverter by static induction (SI) thyristor 88-75756
Sugimoto, O., Matsuo, K., Iida, H., Hirohashi, A., Ueda, E., Takahashi, A. Basic idea of network standardization 88-21653
Sugimoto, O., Simozato, M. Network management system 88-21652
Sugimoto, O. *see* Chiba, J. 87-20639
Sugimoto, O. *see* Date, A. 85-63348
Sugimoto, R. *see* Yoshino, K. 86-66866
Sugimoto, S., Honda, J., Ohtani, Y., Okada, M., Homma, M. Improvements of the magnetic properties of equiaxed Fe-Cr-Co-Mo hard magnets by two-step thermomagnetic treatment 88-57906
Sugimoto, S., Ichioka, Y. High speed image processing system with time shared multiframe data bus: MFIP 85-51790
Sugimoto, S., Kawabata, M., Kozaki, S. Electromagnetic scattering by perfectly conducting polygonal cylinders 85-41591
Sugimoto, S., Kawabata, M., Kozaki, S. Electromagnetic scattering by perfectly conducting polygonal cylinders 87-2285
Sugimoto, S., Kozaki, S. A new approach to the calculation of high frequency scattering by a perfectly conducting rectangular cylinder 86-3496
Sugimoto, S., Okada, M., Ohtani, Y., Tanaka, T., Homma, M. The effect of titanium on microstructure and magnetic properties of Fe-Cr-Co hard magnetic materials 85-56089
Sugimoto, S., Ueno, Y., Sakaguchi, M. General trends of fiber optic communication 87-40904
Sugimoto, S. *see* Abe, K. 88-16629
Sugimoto, S. *see* Hataoka, H. 88-48175
Sugimoto, S. *see* Iwahori, J. 86-65329
Sugimoto, S. *see* Kobayashi, M. 85-4229, 86-44560
Sugimoto, S. *see* Kobayshi, M. 86-44561
Sugimoto, S. *see* Kozaki, S. 86-68717
Sugimoto, S. *see* Nakano, Y. 87-8743, 87-56836, 88-53107
Sugimoto, S. *see* Ogawa, K. 85-31698, 86-11847, 86-32179
Sugimoto, S. *see* Okada, M. 85-56084
Sugimoto, S. *see* Sato, H. 88-47624
Sugimoto, S. *see* Sumiyoshi, T. 88-74661
Sugimoto, S. *see* Takasaki, M. 86-31869
Sugimoto, S. *see* Tamaki, N. 88-46772
Sugimoto, S. *see* Uebayashi, T. 88-29903
Sugimoto, S.A., Ichioka, Y. Digital composition of images with increased depth of focus considering depth information 85-57457
Sugimoto, S.A., Ichioka, Y. High-speed digital image processing system, MFIP, with bus-oriented architecture 86-44226
Sugimoto, S.A., Matsuki, H., Ichioka, Y. MFIP: multiframe image processing system and processing of moving objects 85-64053
Sugimoto, S.A., Matsuki, H., Ichioka, Y. Implementation of tracking and extraction of moving objects in successive frames 86-43286
Sugimoto, T., Iwasaki, Y., Watanabe, T., Suzuki, Y., Kayashima, H. A high-quality 40-inch CRT color display with high resolution and definition 86-38020
Sugimoto, T., Kaya, K., Okumura, H., Wakoh, M., Kawaguchi, T. Development of eddy current inspection system for detection of surface defects on hot steel slabs 88-24846
Sugimoto, T., Sohkura, K., Aramaki, I. Studies on hydrazine-air fuel cells with direct fuel supply systems. IV. Thermodynamic analysis 85-10095
Sugimoto, T., Sohkura, K., Aramaki, I. Studies on hydrazine-air fuel cells with direct fuel supply systems. V. Fuel control method 85-10096
Sugimoto, T., Sohkura, K., Aramaki, I. Studies on hydrazine-air fuel cells with direct fuel supply systems. VI. AC 3 kW power unit 85-27623
Sugimoto, T. *see* Fukuda, M. 86-22945
Sugimoto, T. *see* Iida, S. 86-7780
Sugimoto, T. *see* Matsumoto, I. 86-62556
Sugimoto, T. *see* Metsugi, Y. 86-21063
Sugimoto, T. *see* Miyamoto, K. 87-58183
Sugimoto, T. *see* Nakamura, M. 86-8320
Sugimoto, T. *see* Nakata, Y. 87-58249
Sugimoto, T. *see* Sakamoto, T. 85-47596
Sugimoto, T. *see* Suzuki, S. 86-21781, 86-47641
Sugimoto, T. *see* Tamari, J. 86-57045
Sugimoto, T. *see* Togawa, M. 87-32210
Sugimoto, T. *see* Yui, K. 88-221
Sugimoto, T. *see* Yumoto, N. 85-39285
Sugimoto, Y. A study for IC realization of the high-speed sample and hold circuit 85-50013
Sugimoto, Y., Mafune, H., Shiobara, H. High performance and versatile Bi-CMOS electronic volume IC 88-50969
Sugimoto, Y., Mizoguchi, S., Komatsu, S., Yamashita, T., Sawa, S., Itoh, T., Watanabe, T. A monolithic 10-bit A/D and D/A converter for PCM audio 85-869
Sugimoto, Y., Ohuchi, C., Yoshimoto, S., Yamamoto, M. Digital transmission experiments on NTSC color television signal by DPCM-PSK through BSE 86-37844
Sugimoto, Y., Torikai, T., Makita, K., Ishihara, H., Taguchi, K. Gain-bandwidth improvement in planar InP/InGaAsP/InGaAs avalanche photodiodes 86-42442
Sugimoto, Y., Yamamoto, M., Okamura, Y., Takao, N. Power MOS FET array 87-74438
Sugimoto, Y. *see* Hara, H. 85-54957
Sugimoto, Y. *see* Homma, T. 87-57021
Sugimoto, Y. *see* Ichikawa, T. 86-192
Sugimoto, Y. *see* Iwai, H. 88-39641
Sugimoto, Y. *see* Kawaguchi, N. 86-43926
Sugimoto, Y. *see* Kawai, H. 85-31699
Sugimoto, Y. *see* Kozu, T. 86-37843
Sugimoto, Y. *see* Kuroiwa, H. 86-69869
Sugimoto, Y. *see* Mizoguchi, S. 88-74167
Sugimoto, Y. *see* Nakamura, M. 86-8320
Sugimoto, Y. *see* Shugyo, S. 87-74437
Sugimoto, Y. *see* Taguchi, K. 86-27867, 86-48267
Sugimoto, Y. *see* Torikai, R. 86-9690
Sugimoto, Y. *see* Yamamoto, M. 86-37842
Sugimoto, Y. *see* Yoshizawa, H. 86-34911
Sugimura, A., Fukuda, Y., Hanabusa, M. Selective area deposition of silicon-nitride and silicon-oxide by laser chemical vapor deposition and fabrication of microlenses 88-6494
Sugimura, A., Hanabusa, M. Selective are laser CVD of silicon nitride and oxide and its application to microlenses 87-36804
Sugimura, A., Hosoi, T., Ishibitsu, K., Kawamura, T. Heteroepitaxial growth of GaAs on sapphire substrates by a three-step method using low pressure MOCVD 87-10430
Sugimura, A., Kawamura, T. Dynamic mechanism of fast switching in light valve using liquid crystal 86-2871
Sugimura, A., Patzak, E., Meissner, P. Homogeneous linewidth and linewidth enhancement factor for a GaAs semiconductor laser 86-22403
Sugimura, A., Patzak, E., Meissner, P. Auger effect in GaSb quantum well lasers 86-29143
Sugimura, A., Patzak, F., Meissner, P. Reduction of Auger effect by GaSb quantum well lasers in the 1.5 μm wavelength region 87-2131
Sugimura, A. *see* Kimura, T. 87-75090
Sugimura, A. *see* Tsubaki, K. 85-40435, 85-50242, 86-53408
Sugimura, A. *see* Yamada, S. 85-34557, 87-6451
Sugimura, M. *see* Hirota, K. 85-12483
Sugimura, M. *see* Tsuchida, H. 86-48397
Sugimura, R.S., Otth, D.H., Ross, R.G., Jr., Arnett, J.C., Samuelson, G. Candidate materials for advanced fire-resistant photovoltaic modules 87-9829
Sugimura, R.S., Otth, D.H., Ross, R.G., Jr., Lewis, K.J., Arnett, J.C. Flammability of photovoltaic modules 86-7074
Sugimura, R.S. *see* Gonzalez, C.C. 88-37585
Sugimura, R.S. *see* Rosen, D. 85-9490
Sugimura, R.S. *see* Ross, R.G. 88-69697
Sugimura, R.S. *see* Ross, R.G., Jr. 88-5850
Sugimura, R.S. *see* Shepard, N.F., Jr. 86-6624
Sugimura, S. *see* Sekikawa, K. 85-8430
Sugimura, T. *see* Ikegami, H. 88-9698
Sugimura, Y. ±Quinary parallel adding circuit and multiplication 88-44140
Sugimura, Y. *see* Yoshiyama, K. 87-8573
Sugino, H. *see* Mohri, K. 86-32227
Sugino, H. *see* Nishimura, N. 86-36026
Sugino, K. *see* Sumitani, H. 88-75008
Sugino, K. *see* Yoshizawa, A. 88-51291
Sugino, M., Akera, L.A. A generalized layout rule generator 85-45761
Sugino, M., Akers, L.A., Ford, J.M. Optimum p-channel isolation structure for CMOS 85-18466
Sugino, M. *see* Akers, L.A. 88-26266
Sugino, M. *see* Isono, H. 86-28542
Sugino, N., Suehiro, Y., Matsumura, K., Kurata, N., Nohara, H., Horie, T. 3 Mb/sec optical digital links and applications 88-41660
Sugino, N., Toshikiyo, A., Watanabe, E., Nishihara, A. Computational ordering of linear digital networks and its application to a compiler system for digital signal processors 88-38351
Sugino, N. *see* Okano, K. 87-2842
Sugino, R., Nara, Y., Yamazaki, T., Watanabe, S., Ito, T. Through-oxide cleaning of silicon surface by photo-excited radicals 88-19843
Sugino, R. *see* Nara, Y. 88-13147
Sugino, R. *see* Yamazaki, T. 87-31545
Sugino, T., Ito, Y., Umeno, M. A proposal for the methods of rapidly measuring relative complex permittivities of liquids at microwave frequency region 87-77373
Sugino, T., Yoshikawa, A., Yamamoto, A., Hirose, M., Kano, G., Teramoto, I. A single-step MOCVD technology for AlGaAs BH lasers 87-46905
Sugino, T. *see* Hirose, M. 86-68554
Sugino, T. *see* Kume, M. 88-8222
Sugino, T. *see* Teramoto, I. 85-39396
Sugino, T. *see* Umeno, M. 88-9636
Sugino, T. *see* Yoshida, Y. 86-40315
Sugino, T. *see* Yoshikawa, A. 87-68458
Sugino, Y. Infrared hygrometer for high-precision hygrometry under high temperatures 88-36663
Sugino, Y. *see* Kaneko, K. 88-15863
Sugino, Y. *see* Shimizu, H. 86-35709
Sugino, Y. *see* Yano, K. 87-57706
Suginoya, M., Kamamori, H., Iwasa, K., Kai, M., Nomura, T., Yasukawa, J., Suzuki, T. An electrodeposited tri-color filter for use in a full-color LCD 88-40045
Suginoya, M. *see* Ishida, T. 86-5378
Suginoya, M. *see* Kamamori, H. 85-14945
Sugio, Y. *see* Nishimura, S. 86-68922
Sugioka, K., Toyoda, K. Influence of laser fluence and dopant gas pressure on properties of photochemical doping of Si into GaAs using XeCl excimer laser 88-32770
Sugioka, K., Toyoda, K. Submicron patterned doping of GaAs using a thin solid Si dopant source by transient excimer laser melting 88-57433
Sugioka, K. *see* Ishizuka, F. 86-28266
Sugioka, R., Higeta, T., Tsuda, T. Integrated services digital network 85-63178
Sugioka, R., Tsuda, T. Electronic switching systems 86-4419
Sugioka, T. *see* Ogawa, S. 88-33560
Sugisaka, H., Nagata, K. A digital control system for recent pumped-storage power plants 88-75518
Sugisaka, M. Design of Chandrasekhar filter via imbedding method 86-37107
Sugisaka, M. The design of Chandrasekhar-type filters and smoothers 87-61916

Sugisaka, M., Tominaga, A. Detection of Gaussian signals with semi-degenerate covariances via imbedding method 87−55153
Sugisaka, M., Watanabe, H. The design of digital smoothers based on covariance function 86−37109
Sugisaka, M. *see* Helferty, J.J. 88−11403
Sugisaki, A.M. On the performance of navigational electronic calculators and some problems in the use of them 86−30899
Sugisaki, A.M. A research on the actual condition of the introduction of microprocessors into navigational equipment 87−76888
Sugisaki, A.M. *see* Tsuruta, S. 88−28999
Sugisaki, I. *see* Abe, M. 85−33687
Sugisaki, K. *see* Ueda, M. 85−17292
Sugisaki, M. *see* Kumabe, I. 88−68228
Sugisaki, S. *see* Aoki, T. 88−46162
Sugisaki, T. *see* Ujita, H. 88−17261
Sugisaki, Y. *see* Uematsu, T. 88−13671
Sugisawa, S. *see* Kubota, S. 87−64084
Sugishima, N., Takahashi, T., Negishi, M., Shinozuka, Y. Laser marker series SL475E, SL475EM 88−51779
Sugishita, A., Yanagisawa, M., Iguchi, I. Macroscopic quantum interference effect for high-T_c YBaCuO and GdBaCuO Josephson junctions 87−74602
Sugishita, A. *see* Iguchi, I. 87−53917, 88−20313, 88−51389
Sugishita, A. *see* Kasai, Y. 88−13704
Sugishita, K. *see* Yoshida, M. 87−37337
Sugishita, S. *see* Funazo, Y. 87−34748
Sugishita, S. *see* Yamano, M. 86−8705
Sugishita, T. *see* Ando, T. 86−28489
Sugishita, Y. *see* Akatsuka, T. 85−38120
Sugishita, Y. *see* Takeda, T. 88−23058
Sugita, A., Kakuchi, M., Tamamura, T. Nanometer patterning by focused low energy Electron beam lithography 87−67053
Sugita, A., Morita, M., Tamamura, T. Nanometer E-beam lithography using 2-layer resist system composed of silicone-based negative resist (SNR) 85−34755
Sugita, A. *see* Agui, T. 85−25184
Sugita, A. *see* Hikita, M. 85−33524
Sugita, A. *see* Kakuchi, M. 87−11505
Sugita, E., Iwasa, K., Inagaki, S., Sasakura, K. High performance push-pull coupling single fiber connectors and plug-in fiber-optic connectors 87−76724
Sugita, E., Iwasa, K., Shintaku, T. Design of high-performance push-pull coupling optical fiber connectors 88−20389
Sugita, E., Iwasa, K., Shintaku, T. Design for push-pull coupling single fiber connectors featuring zirconia (ZrO_2) ceramic ferrules 88−65219
Sugita, E., Shintaku, T., Sasakura, K. High performance push-pull coupling single fiber connectors and plug-in fiber-optic connectors 88−13890
Sugita, E. *see* Nagase, R. 87−32934
Sugita, E. *see* Nishi, I. 87−70058
Sugita, E. *see* Shintaku, T. 87−54065
Sugita, K. A design method of the cylindrical linear induction motor 85−5091
Sugita, K. A design method for the cylindrical linear induction motor 87−15801
Sugita, K., Miyatake, T., Sasaki, Y., Hosoi, T. Effect of electrode compression on the performance of sealed nickel-cadmium cells 86−19453
Sugita, K., Ohkuma, S., Fukui, K. A 60-AH sealed nickel-cadmium battery and associated power system for train applications 86−19452
Sugita, K., Sugiyama, Y., Kato, I., Sato, K. Multilayer waveguide polarizer with a-Si:H film clad 87−60944
Sugita, K. *see* Kato, I. 88−39979
Sugita, K. *see* Kobayashi, H. 85−3242
Sugita, K. *see* Ueno, N. 87−11656
Sugita, K. *see* Yoshiyama, K. 87−8573
Sugita, M. FFT spectrum analyzers find wide applications in acoustic, noise and vibration analysis 86−60198
Sugita, M., Sato, H., Mori, H. Two-way communication system using CATV systems 87−3313
Sugita, M. *see* Miwa, M. 88−28865
Sugita, N. *see* Kanazumi, J. 85−43134, 87−77467
Sugita, R. Co-Cr perpendicular magnetic recording tape by vacuum deposition 85−24118
Sugita, R., Honda, K., Noda, K., Tohma, K., Nanbu, T., Sakamoto, Y. Composition perpendicular recording medium with multilayered permalloy film 86−36018
Sugita, R., Nambu, T., Echihgo, N., Sakamoto, Y. CN ratio of continuously vacuum deposited Co-Cr media 88−71914
Sugita, R., Nambu, T., Sakamoto, Y. Magnetic properties of vacuum deposited Co-Cr perpendicular media and their recording performances 88−57945
Sugita, R., Tohma, K., Honda, K., Nambu, T., Sakamoto, Y. Recording and reproducing characteristics of vacuum-deposited double-layer perpendicular recording disks 87−18516
Sugita, R. *see* Honda, K. 87−18481, 88−44948
Sugita, R. *see* Nakamura, K. 87−32860
Sugita, R. *see* Nambu, T. 87−18482, 88−64891
Sugita, R. *see* Sakamoto, Y. 88−51238
Sugita, R. *see* Sasaki, S. 86−36022
Sugita, R. *see* Tohma, K. 86−36020
Sugita, S., Yanagisawa, H. Switching of threshold value for document scan 85−20501
Sugita, S. *see* Kikuchi, I. 85−20500
Sugita, T. Failure of signal equipments in 1984 [Japanese railways] 86−51999
Sugita, Y., Mochizuki, S. A study on impact problems of a spent fuel shipping cask 85−94
Sugita, Y., Suzuki, R., Ikeda, T., Takeuchi, T., Kodama, N., Tekeshita, M., Imura, R., Satoh, T., Umezaki, H., Koyama, N. Ion-implanted and Permalloy hybrid magnetic bubble memory devices 86−68178
Sugita, Y. *see* Hanazono, M. 87−67759
Sugita, Y. *see* Ikeda, T. 86−36070
Sugita, Y. *see* Imura, R. 85−12481, 87−38654
Sugita, Y. *see* Kodama, N. 85−24206
Sugita, Y. *see* Mitsuoka, K. 88−51281, 88−64893
Sugita, Y. *see* Niihara, T. 85−7133, 86−63528
Sugita, Y. *see* Ojima, M. 85−51008, 86−36271, 86−68350
Sugita, Y. *see* Satoh, T. 86−68182
Sugita, Y. *see* Takahashi, M. 87−25823
Sugita, Y. *see* Takayama, S. 86−63534, 87−60782, 87−74496
Sugita, Y. *see* Takeuchi, T. 85−24086, 86−68181
Sugita, Y. *see* Terao, M. 85−50895
Sugita, Y. *see* Umezaki, H. 86−22035, 88−71958
Sugita, Y. *see* Yoshimoto, S. 87−74534
Sugita, Y. *see* Yoshizawa, S. 85−35328
Sugitami, K. *see* Kawabata, K. 86−4778
Sugitani, K. *see* Ueno, F. 87−17179
Sugitani, M. *see* Sakamoto, Y. 86−3555
Sugitani, S., Yamasaki, K., Yamazaki, H. Characterization of a thin Si-implanted and rapid thermal annealed *n*-GaAs layer 88−7302
Sugitani, S. *see* Matsuoka, Y. 87−60496
Sugitani, S. *see* Onodera, K. 88−71610
Sugitani, T. *see* Mitsuda, A. 86−39555
Sugitani, T. *see* Uchida, K. 87−72528
Sugitate, T., Akiba, Y., Hayashi, S., Miake, Y., Nagamiya, S., Torikoshi, M. 100 cm long time-of-flight scintillation counters with RMS resolution of 50 ps 86−70366
Sugitate, T., Matsumoto, W., Michigami, T., Fukuda, T., Okada, K., Ogata, H. Fabrication and performance of a multistrip silicon detector for low energy nuclear experiments 86−44555
Sugitate, T. *see* Beavis, D. 88−54155
Sugitate, T. *see* Yoshida, K. 86−25101
Sugito, S. *see* Ikawa, E. 87−45803, 88−7509
Sugiuchi, H. *see* Kikuchi, T. 86−3530, 86−59047
Sugiuchi, H. *see* Ondoh, T. 88−45720
Sugiuchi, K., Nada, T., Inoue, T., Konno, M. Wideband underwater transducer arrays with single acoustic matching plate 87−71439
Sugiuchi, K. *see* Inoue, T. 88−10623, 88−10626, 88−23202, 88−57872
Sugiura, A., Ishihara, H. Future of low power communication equipment in Japan 87−2732
Sugiura, A., Oguchi, T., Nagatomo, H. Responses of radio interference measuring apparatus employing an envelope quasi-peak detector 85−43091
Sugiura, A., Oguchi, T., Nagatomo, H. Recurrent pulse response of radio interference measuring apparatus employing an average detector 85−62829
Sugiura, A., Oguchi, T., Nagatomo, H. Responses of radio interference measuring apparatus employing an envelope quasi-peak detector 87−2308
Sugiura, A., Okamura, M. Evaluation of interference generated by microwave ovens 88−8524
Sugiura, A. *see* Nagatomo, H. 85−36022
Sugiura, A. *see* Oguchi, T. 85−36048
Sugiura, A. *see* Okamura, M. 86−5502
Sugiura, A. *see* Tokushige, K. 85−31164
Sugiura, A. *see* Yamanaka, Y. 86−5451
Sugiura, H., Amano, C., Yamamoto, A., Yamaguchi, M. Double heterostructure GaAs tunnel junction for a AlGaAs/GaAs tandem solar cell 88−43385
Sugiura, H., Asai, H. Characterization and surface cleaning technique for MOCVD growth-interrupted GaAs films 86−20088
Sugiura, H., Kawashima, M., Horikoshi, Y. Simultaneous observations of RHEED oscillations during GaAs MBE growth with modulated electron beams 86−62232
Sugiura, H., Kawashima, M., Horikoshi, Y. Molecular beam epitaxial growth of GaAs with arsenic molecules transported by hydrogen gas 86−66831
Sugiura, H., Kawashima, M., Horikoshi, Y. Observation of transient behavior of GaAs MBE growth by RHEED oscillations 87−31530
Sugiura, H., Kawashima, M., Horikoshi, Y. RHEED oscillation study by modulated electron beam during GaAs growth 87−36703
Sugiura, H., Yamadaya, T. Rapid pressure measurement system utilizing the ruby fluorescence scale 87−49998
Sugiura, H. *see* Amano, C. 88−5853, 88−24127
Sugiura, H. *see* Aoyama, T. 87−35356
Sugiura, H. *see* Asai, H. 86−21374
Sugiura, H. *see* Kondo, N. 85−49568
Sugiura, H. *see* KuHara, H. 85−49508, 85−60894
Sugiura, H. *see* Sakurai, T. 87−54478, 88−65950
Sugiura, H. *see* Takada, M. 85−39558
Sugiura, H. *see* Takanashi, Y. 86−35090
Sugiura, H. *see* Yamaguchi, M. 88−37598
Sugiura, I. *see* Nishida, Y. 88−16526
Sugiura, J., Lu, W.-J., Cadien, K.C., Steckl, A.J. Reactive ion etching of SiC thin films using fluorinated gases 86−35591
Sugiura, K. Die bonder trends and technology 87−45474
Sugiura, M., Maseki, K., Horikoshi, S., Dodo, H., Shimograki, K. An improvement of the built-in starter for metal halide lamps 86−13160
Sugiura, M. *see* Kikuchi, Y. 86−49211
Sugiura, N., Redman, J.D., Hyodo, H., Strangway, D.W. Superconducting second-gradient spinner magnetometer 86−32523
Sugiura, N. *see* Tsuchiya, T. 87−34544, 87−49102
Sugiura, N. *see* Ujihara, E. 86−32832
Sugiura, O. Analysis of the characteristics of the 3-phase induction motor with the rotor-bar or end-ring faults 85−65258
Sugiura, O. Analysis of the characteristics of the 3-phase induction motor with the rotor faults 87−15740
Sugiura, O., Dentai, A.G., Joyner, C.H., Chandrasekhar, S., Campbell, J.C. High-current-gain InGaAs/InP double-heterojunction bipolar transistors grown by metal organic vapor phase epitaxy 88−50811
Sugiura, O., Kameda, H., Shiina, K., Matsumura, M. Low-temperature growth of InSb by vacuum MOCVD using TEIn and SbH_3 88−38237
Sugiura, O. *see* Katoh, Y. 86−53661, 87−23742
Sugiura, O. *see* Okada, H. 87−11800
Sugiura, O. *see* Takagi, Y. 85−6755
Sugiura, O. *see* Takahashi, T. 85−45687
Sugiura, O. *see* Zhang, H. 88−26077
Sugiura, S. Image processing for bubble-jet colour printer 85−8760
Sugiura, S., Shinozaki, S. Degradation in quality of very thin gate oxide by arsenic ion implantation 87−60194
Sugiura, S., Yoshida, T., Kaneko, T., Shono, K., Dumin, D.J. Integrated circuits fabricated on multiple silicon-insulator structures 85−50774
Sugiura, S., Yoshida, T., Kaneko, Y., Shono, K., Dumin, D.J. Crystalline properties of multiple BP-Si layers grown on silicon substrate 85−22487
Sugiura, S., Yoshida, T., Kaneko, Y., Shono, K., Dumin, D.J. MOS integrated circuits fabricated on multilayer heteroepitaxial silicon-insulator structures for applications to 3-D integrated circuits 86−21827
Sugiura, T. Giant screen movies and systems of TSUKUBA EXPO 85 86−30997
Sugiura, T. New common carrier paging systems 88−21984
Sugiura, T., Honjo, K., Tsuji, T. 12-GHz-band GaAs dual-gate MESFET monolithic mixers 85−34176
Sugiura, T., Itoh, Y., Mizushina, S., Hasegawa, T., Yoshimura, K., Harada, Y. Microcomputer-based cardiac pacemaker-control system through blood temperature 85−38220
Sugiura, T., Kimura, M., Hasegawa, T., Yoshimura, K., Harada, Y. Telemetry system for heart-rate and blood temperature using a microcomputer 85−38084
Sugiura, T., Kimura, M., Mizushina, S., Yoshimura, K., Harada, Y. Telemetry system for heart-rate and blood-temperature using a microcomputer 87−63767
Sugiura, T. *see* Hirano, T. 87−49274
Sugiura, T. *see* Honjo, K. 85−55173, 86−20822
Sugiura, T. *see* Hoshino, Y. 87−3136, 87−28457
Sugiura, T. *see* Kimura, M. 86−56187, 87−14932, 87−63844
Sugiura, T. *see* Miushina, S. 86−32247
Sugiura, T. *see* Mizushina, S. 86−60814
Sugiura, T. *see* Ondrusek, J.C. 88−50754
Sugiura, T. *see* Sakamoto, H. 88−42215
Sugiura, T. *see* Suzuki, K. 85−34960
Sugiura, T. *see* Tanaka, M. 88−21982
Sugiura, T. *see* Tarui, Y. 85−49606
Sugiura, T. *see* Ueno, Y. 88−5819, 88−12957, 88−30973, 88−37352
Sugiura, T. *see* Yamamoto, Y. 87−22568
Sugiura, T. *see* Yong Xiang 88−2748
Sugiura, Y. CAD system of personal computers with capability of 20000-gate-level logic simulation 87−66045
Sugiura, Y., Ishida, T., Ozaka, Y. Film systems for HDTV 86−38052
Sugiura, Y., Nishida, Y. Large capacity CVCF 88−37312
Sugiura, Y. *see* Iwase, N. 86−517, 86−14736
Sugiura, Y. *see* Kobayashi, Y. 87−43213
Sugiura, Y. *see* Morinaga, S. 85−27506
Sugiura, Y. *see* Nagashima, Y. 85−31385
Sugiura, Y. *see* Nishimura, S. 85−31175

Sugiura, Y. *see* Ohno, S. 87—37842
Sugiura, Y. *see* Suehiro, Y. 86—15259
Sugiura, Y. *see* Sugimoto, M. 86—22565
Sugiura, Y. *see* Yamagami, T. 85—30757
Sugivra, D. *see* Chandrasekhar, S. 88—33871
Sugiyama, A., Kenemasa, A., Koike, S. A decision feedback equalizer for ISDN subscriber loop transmission 87—34233
Sugiyama, A. *see* Fujii, K. 85—4231, 85—43187
Sugiyama, A. *see* Fujimoto, J. 87—14763, 87—63627
Sugiyama, A. *see* Fukuoka, K. 87—31838
Sugiyama, A. *see* Kanemasa, A. 86—17083, 87—13482, 87—19785, 88—45732
Sugiyama, A. *see* Koike, S. 87—7920
Sugiyama, A. *see* Sato, S. 86—9631
Sugiyama, A. *see* Shimizu, Y. 87—33456
Sugiyama, A. *see* Tsujino, J. 88—10652
Sugiyama, E. *see* Ueno, K. 88—38487
Sugiyama, F. *see* Nakamura, M. 85—19398
Sugiyama, F. *see* Ninomiya, Y. 87—33812
Sugiyama, H. Evaluation technique of leaking mass of impregnating resin during curing process [machine insulation] 85—7119
Sugiyama, H. Complete sequence of exponential functions on a complex domain and the sampling theorem for bandlimited distributions with general sampling points 86—10397
Sugiyama, H. Vacuum pressure impregnation technique for high voltage rotating machine 87—35903
Sugiyama, H. Stationary Markov renewal process on the whole time axis 88—31626
Sugiyama, H., Lee, E.S. Stochastic approximation—a powerful method for solving deterministic numerical problems 88—63252
Sugiyama, H., Ozaki, T., Kuwabara, S., Onodo, Y., Manabe, H., Gamachi, T. Medium-capacity sealed lead-acid batteries (MSE type) 87—36103
Sugiyama, H. *see* Fujii, Y. 85—56290
Sugiyama, H. *see* Hasebe, N. 86—23986, 87—49156
Sugiyama, H. *see* Hashiguchi, S. 86—21147, 87—53462
Sugiyama, H. *see* Matsuda, K. 86—40310
Sugiyama, H. *see* Ohshima, S. 85—62312
Sugiyama, H. *see* Saito, A. 87—53943
Sugiyama, I. *see* Dohi, M. 88—47490
Sugiyama, I. *see* Nagao, M. 85—29357, 86—45627
Sugiyama, I. *see* Tomie, T. 88—57903
Sugiyama, K. Surface reconstruction and morphology of InAs grown by molecular beam epitaxy 86—62225
Sugiyama, K. Molecular beam epitaxy of $InAs/Sr_{1-x}Ba_xF_2/InAs$ structures 87—52148
Sugiyama, K. Metallization of Si devices by RF ion plating method 88—39258
Sugiyama, K., Kaneko, M., Kubota, H., Hashikami, H., Kamata, Y. Development of an LSI device with solder bump electrodes 88—39634
Sugiyama, K., Sawada, A., Ito, K., Iwasaki, S., Endo, T. Crystal growth of $CuGaSe_2$ from In solutions 88—6437
Sugiyama, K. *see* Chiba, J. 87—13616
Sugiyama, K. *see* Hangai, S. 87—7746
Sugiyama, K. *see* Kitamura, M. 85—59950
Sugiyama, K. *see* Kitauchi, H. 85—5538
Sugiyama, K. *see* Kuwabara, K. 85—16219, 85—37676, 86—5375, 86—45633, 88—29543
Sugiyama, K. *see* Matsumoto, Y. 88—57374
Sugiyama, K. *see* Mori, Y. 88—50966
Sugiyama, K. *see* Nakabasami, T. 85—32181, 85—43606
Sugiyama, K. *see* Onishi, K. 87—55161, 88—47382
Sugiyama, K. *see* Shimomura, T. 87—30237
Sugiyama, K. *see* Washio, T. 87—71846, 87—78260, 88—48688
Sugiyama, M. Unsupervised speaker adaptation methods for vowel templates 87—27302
Sugiyama, M. A comparative study on various methods for unsupervised speaker adaptation of vowel templates 87—61622
Sugiyama, M., Higo, Y., Iwakami, T. Giga-bit technologies for long distance large capacity optical transmission equipment 85—42619
Sugiyama, M., Hirahata, S., Katsumata, K., Ishikura, K., Okuda, A., Sakamoto, T., Matono, T., Suzuki, S., Nakagawa, I., Achiha, M. High quality digital TV with frame store processing 88—15748
Sugiyama, M., Shikano, K. Centroids for LPC spectral matching measures and their application to word recognition 85—13502
Sugiyama, M., Shikano, K. Unsupervised learning algorithm for vowel templates based on quantization distortion minimum principle 86—36959
Sugiyama, M., Shikano, K. WLR measure applied to spoken word recognition 86—48806
Sugiyama, M., Shikano, K. Unsupervised learning algorithm for vowel templates based on minimum quantization distortion 87—12955
Sugiyama, M. *see* Aikawa, K. 86—16187
Sugiyama, M. *see* Hara, T. 86—2855, 86—68326
Sugiyama, M. *see* Kitamura, A. 88—46712
Sugiyama, M. *see* Kuroda, M. 85—36611
Sugiyama, M. *see* Matsumoto, K. 87—37421
Sugiyama, M. *see* Moroda, N. 88—11712
Sugiyama, M. *see* Saito, Y. 88—48233
Sugiyama, M. *see* Takashima, K. 87—12645
Sugiyama, M. *see* Takemura, H. 87—53494, 88—39674
Sugiyama, N., Ikeda, S., Uchikawa, Y. Low voltage SEM inspection of micro electronic devices 87—37753
Sugiyama, N., Ikeda, S., Uchikawa, Y. SEM voltage contrast mechanism of passivated devices 88—57279
Sugiyama, N. *see* Ashizawa, Y. 87—74186
Sugiyama, N. *see* Ikeda, S. 87—67180
Sugiyama, N. *see* Kitajima, F. 86—58560
Sugiyama, N. *see* Kitamura, Y. 87—17021
Sugiyama, N. *see* Kobayashi, T. 85—59719
Sugiyama, N. *see* Kurobe, A. 88—58543
Sugiyama, N. *see* Naritsuka, S. 88—18698
Sugiyama, N. *see* Uchida, K. 87—50804
Sugiyama, N. *see* Yamamoto, O. 86—68067
Sugiyama, R. *see* Matsuzawa, K. 88—60091
Sugiyama, R. *see* Ujihara, E. 86—32832
Sugiyama, S. Image processing performed by colour scanner 85—8759
Sugiyama, S., Suematsu, T., Atsumi, K. New developments in laser knives 85—38200
Sugiyama, S., Suzuki, T., Kawahata, K., Shimaoka, K., Takigawa, M., Igarashi, I. Micro-diaphragm pressure sensor 87—49730
Sugiyama, S., Uchino, K. Pulse driving method of piezoelectric actuators 87—53843
Sugiyama, S. *see* Hata, S. 86—49038
Sugiyama, S. *see* Mikado, T. 87—14714
Sugiyama, S. *see* Mizutame, M. 87—7477
Sugiyama, S. *see* Oba, Y. 88—9786
Sugiyama, S. *see* Ogura, S. 86—6177
Sugiyama, S. *see* Sandhu, A. 88—44636
Sugiyama, S. *see* Tadano, H. 88—64540, 88—75788
Sugiyama, S. *see* Tomimasu, T. 86—32138, 87—21347, 88—61002
Sugiyama, S. *see* Tomizawa, F. 86—25458
Sugiyama, S. *see* Uesugi, T. 87—5453
Sugiyama, S. *see* Uno, M. 86—67525
Sugiyama, S. *see* Yamazaki, T. 86—32139
Sugiyama, T. The approach of CIM 88—159
Sugiyama, T. Application trends and application examples of high-speed multi-functional modems 88—28572
Sugiyama, T., Itoh, T. Heavily arsenic-doped silicon epitaxial films grown by partially ionized MBE 86—58231
Sugiyama, T. *see* Hayashi, Y. 87—50933
Sugiyama, T. *see* Ishikawa, M. 86—45722
Sugiyama, T. *see* Katayama, M. 87—8742
Sugiyama, T. *see* Kawabata, K. 88—16075
Sugiyama, T. *see* Nakanishi, T. 86—19644
Sugiyama, T. *see* Nishi, H. 86—19645
Sugiyama, T. *see* Ohba, Y. 85—4589
Sugiyama, T. *see* Tanaka, Y. 88—15844
Sugiyama, Y. An encoding circuit for shortened cyclic codes with parity-check symbols in middle degrees 85—17300
Sugiyama, Y. Fundamental research on Hall effects in inhomogeneous magnetic fields 85—20604
Sugiyama, Y. An algorithm for solving discrete-time Wiener-Hopf equation based upon Euclid algorithm 85—44643
Sugiyama, Y. On the algorithm for solving Yule-Walker equation based upon Euclid algorithm 86—29740
Sugiyama, Y. An algorithm for solving discrete-time Wiener-Hopf equations based upon Euclid's algorithm 86—57295
Sugiyama, Y. A generalization of Levinson algorithm for solving Toeplitz systems 87—19763
Sugiyama, Y., Inata, T., Muto, S., Nakata, Y., Hiyamizu, S. Current-voltage characteristics of $In_{0.53}Ga_{0.47}As/In_{0.52}Al_{0.48}As$ resonant tunneling barrier structures grown by molecular beam epitaxy 88—32835
Sugiyama, Y., Kasahara, M., Hirasawa, S., Namekawa, T. Weight distribution of a class of binary linear superimposed concatenated codes 85—7819
Sugiyama, Y., Kasahara, M., Hirasawa, S., Namekawa, T. A generalization of concatenated codes based upon superimposing method 87—54877
Sugiyama, Y., Kataoka, S. S/N study of micro-Hall sensors made of single crystal InSb and GaAs 86—31402
Sugiyama, Y., Kondo, H., Terashita, T., Muraishi, T. High-power fully solid-state marine transmitter 88—15353
Sugiyama, Y. *see* Fujii, T. 86—40747
Sugiyama, Y. *see* Hariu, T. 86—7816
Sugiyama, Y. *see* Hirasawa, S. 87—54980
Sugiyama, Y. *see* Hiyamizu, S. 87—44329
Sugiyama, Y. *see* Iida, S. 85—23986
Sugiyama, Y. *see* Kato, I. 87—68162, 88—39979
Sugiyama, Y. *see* Kondo, K. 86—34330
Sugiyama, Y. *see* Kondow, R. 85—65012
Sugiyama, Y. *see* Muto, S. 87—37953, 88—32863
Sugiyama, Y. *see* Nakata, Y. 87—37952
Sugiyama, Y. *see* Nathan, A. 87—32461, 88—13305
Sugiyama, Y. *see* Oigawa, K. 87—32309, 88—13387, 88—50856
Sugiyama, Y. *see* Sugita, K. 87—60944
Sugiyama, Y. *see* Tacano, M. 87—32462, 88—13306, 88—57313, 88—71309, 88—71517
Sugiyama, Y. *see* Taguchi, T. 87—60398, 88—50786
Sugiyama, Y. *see* Takekoshi, E. 85—59179
Sugiyama, Y. *see* Watanabe, T. 87—6847, 87—38362
Sugiyama, Y. *see* Yoshikawa, H. 88—11449
Sugiyama Hayami *see* Hayami Sugiyama
Sugizaki, Y. *see* Onodera, H. 85—39037
Sugizaki, Y. *see* Watanabe, T. 87—71557
Sugla, B. *see* Hornak, L.A. 88—2144
Sugnet, W.R., Lewis, S.R., Boyd, G.J. Internal flooding: methods and results from the Oconee PRA 85—43776
Sugo, M., Yamamoto, A., Yamaguchi, M. n^+-p-p^+ structure InP solar cells grown by organometallic vapor-phase epitaxy 87—51458
Sugo, M., Yamamoto, A., Yamaguchi, M. Growth of antiphase-domain-free GaP on Si by organometallic vapor phase epitaxy 88—38159
Sugo, M., Yamamoto, A., Yamaguchi, M., Uemura, C. High-efficiency InP solar cells with n^+-p-p^+ structure grown by metalorganic chemical vapor deposition 86—26292
Sugo, M. *see* Uchida, N. 88—18701
Sugo, S., Sakita, Y. Speech path equipment in the D70 Digital Switching System 86—17149
Sugo, Y., Tanaka, M., Mafune, Y., Takeshima, T., Aihara, S., Tanaka, K. An ECL 2.8 ns 16K RAM with 1.2K logic gate array 87—17088
Sugonyaev, V.P. *see* Alde, D. 88—47996
Sugonyaev, V.P. *see* Binon, F. 86—65395
Sugonyaev, V.P. *see* Binon, F.G. 88—54405
Sugou, S., Kameyama, A., Miyamoto, Y., Furuya, K., Suematsu, Y. Conditions for OMVPE growth of GaInAsP/InP crystal 85—10677
Sugou, S., Kameyama, A., Miyamoto, Y., Watanabe, C., Furaya, K., Suematsu, Y. Growth conditions and doping control in GaInAsP/InP OMVPE 85—44754
Sugou, S., Kameyama, A., Miyamoto, Y., Watanabe, C., Furuya, K., Suematsu, Y. OMVPE GaInAsP/InP crystal growth for integrated optics 85—401
Sugou, S., Kato, Y., Kasahara, K., Murata, S., Koizumi, Y., Kuroda, N., Yanase, T. Selective embedding epitaxial technique of highly resistive InP for OEIC's device isolation 88—65529
Sugou, S., Kato, Y., Nishimoto, H., Kasahara, K. Planar surface buried-heterostructure InGaAsP/InP lasers with hydride VPE-grown Fe-doped highly resistive current-blocking layers 87—12465
Sugou, S., Nishimoto, H., Kitamura, M., Mito, I., Yanase, T. High reliability of 1.5 μm two-step VPE-LPE-grown DC-PBH lasers 86—15705
Sugou, S., Nishimoto, H., Kitamura, M., Mito, I., Yanase, T., Kobayashi, K. High reliability of 1.5 μm two-step VPE-LPE grown DC-PBH lasers 86—42579
Sugou, S. *see* Kato, Y. 87—75129, 88—20675
Sugou, S. *see* Yanase, T. 86—22405
Sugrei, V.I. *see* Petrov, V.P. 87—3802
Sugrobov, V.A. *see* Gerasimov, V.B. 87—33296, 88—58604
Sugrue, E. Menu controlled but nevertheless flexible software for the distributed test of switched mode power supplies 88—43270
Suguimoto, M. How to design digital filters. I 88—887
Suguira, T., Minoura, H., Ueno, H. Selective photoanodic dissolution of CdSe semiconductor electrodes 87—11494
Sugunakara Rao, T. Failure of distribution transformers—need for effective operation and protection [improved designs and specifications] 85—16089
Sugunakara Rao, T. *see* Krishna Rao, M.V. 88—17138
Suguro, K., Inoue, T., Hamasaki, T., Yoshii, T., Yoshimi, M., Takahashi, M., Taniguchi, K., Kashiwagi, M., Tango, H. Seeding lateral epitaxy of silicon on insulator with improved seed and cap structure by pseudoline shaped electron beam annealing 86—7752
Suguro, K., Nakasaki, Y., Shima, S., Yoshii, T., Moriya, T., Tango, H. High aspect ratio hole filling with CVD tungsten for multi-level interconnection 87—32450
Suguro, K., Nakasaki, Y., Shima, S., Yoshii, T., Moriya, T., Tango, H. High aspect ratio hole filling by tungsten chemical vapor deposition combined with a silicon sidewall and barrier metal for multilevel interconnection 87—67042
Suguro, K., Shima, S. Impurity effect on reduction in thermal stress of titanium silicides 88—19859
Suguro, K., Yamada, K., Mochizuki, T., Kashiwagi, M. Molybdenum silicide/silicon ohmic contacts 86—28034
Suguro, K. *see* Yoshii, T. 85—55964
Suguro, K. *see* Yoshimi, M. 86—41978
Suguro, M. *see* Tateishi, H. 87—37048
Suguta, S. *see* Tsuboi, J. 88—46824

Suh, B.J., Yu, I., Khim, Z.G., Park, J.C. Fabrication and characterization of Nb Josephson junctions 87−53919
Suh, C.-J., Yim, C.-H., Chung, S.-J. Performance evaluation of ISDN local network on the D-channel 88−28508
Suh, C.H. Spectral density due to the fluctuation of the total number of carriers in a semiconductor 85−23388
Suh, C.H. Carrier number fluctuation model of $1/f$ noise in a semiconductor device 87−45848
Suh, E.K. *see* Harper, R.L. 88−50700
Suh, I.H., Hwang, S.H., Bien, Z. A design and experiment of a speed controller with PI-plus bang-bang action for a DC servomotor with transistorized PWM drives 85−16045
Suh, I.H. *see* Bien, Z. 88−43690
Suh, J.J. *see* Lee, K.W. 88−41480
Suh, K. *see* Tanaka, J. 87−25713
Suh, K.S., Damon, D., Tanaka, J. Assignment of TSC peaks of PE/ionomer blends 88−64851
Suh, K.S., Tanaka, J., Damon, D. Thermally stimulated currents in polyethylene/ionomer blend. I. Effect of poling temperature, time and voltage 88−51084
Suh, K.Y., Kim, K.T., Lee, K.H., Lee, K.Y., Ryou, H.B. A study on the software development for radio telegraphy 85−13797
Suh, K.Y. *see* Mack, W.D. 88−35560
Suh, N.P. *see* Saka, N. 85−28755
Suh, S.H., Stevenson, D.A. Cooling rate dependence of the morphology of $Hg_{0.80}Cd_{0.20}Te$ liquid phase epitaxial layer 88−31807
Suh, S.Y. Statistical characterization of digital communication channels 87−14511
Suh, S.Y. Pulse width modulation for analog fiber-optic communications 87−34571
Suh, S.Y. Optical recording in multilayer Bi/Se thin films 87−38720
Suh, S.Y. Analog fiber optic communication by pulse-width modulation 87−40921
Suh, S.Y. Wavelength division multiplexed active star-based fiber optic local area network for an inter-network gateway 88−9216
Suh, S.Y., Anderson, D.L. Latent heat effects of pulsed laser beam induced temperature profiles in optical recording thin films 85−12928
Suh, S.Y., Craighead, H.G. Optical writing mechanism of textured media 85−24253
Suh, S.Y., Granlund, S.W., Hegde, S.S. Fiber-optic local area network topology 87−3182
Suh, S.Y., Granlund, S.W., Hegde, S.S. Considerations in selecting fiber optic based local area network topology 87−28115
Suh, S.Y., Granlund, S.W., Lumsdaine, A.J., Snyder, D.A., Wetzel, S.J., Daniels, C.J., Haag, K.W. Active star coupler based fiber-optic local area network 88−3541
Suh, S.Y., Onorato, F.J. Scanning pulsed laser beam induced temperature profile in optical recording thin films 88−65160
Suh, S.Y., Snyder, D.A., Anderson, D.L. Writing process in ablative optical recording 85−35368
Suh, S.Y., Snyder, D.A., Anderson, D.L., Craighead, H.G. Dynamic signal-to-noise measurements of textured optical storage media 85−12529
Suh Chang-Jin *see* Chang-Jin Suh
Suh Il Hong *see* Il Hong Suh
Suh Jae Hyon *see* Jae Hyon Suh
Suh Joong-Lin Shin *see* Young-Moon Park 88−17074
Suh Ki-Young *see* Ki-Young Suh
Suhail, A.M. Cold-cathode, glow-discharge, electron-beam gun pumped short pulse CO_2 lasers 87−26307
Suhail, A.M. High power, long pulse, CH_3I far infra-red laser 88−58453
Suhail, A.M., Kimmitt, M.F. Dependence of the laser output energy on the initial electron density in e-beam pumped TEA CO_2 laser 87−74960
Suhaimi, H. *see* Widodo, R.J. 85−5517
Suhara, H. *see* Chinen, K. 87−68178, 88−15498
Suhara, H. *see* Matsumoto, K. 88−20643
Suhara, H. *see* Nishino, S. 87−52120
Suhara, T., Fujiwara, S., Nishihara, H. Proton-exchanged Fresnel lenses in $Ti:LiNbO_3$ waveguides 87−18741
Suhara, T., Nishihara, H. Integrated optics components and devices using periodic structures 86−68307
Suhara, T., Nishihara, H., Koyama, J. High-performance focusing grating coupler fabricated by electron-beam writing 85−2081
Suhara, T., Nozaki, N., Nishihara, H. An integrated acoustooptic printer head 87−74898
Suhara, T., Ura, S., Nishihara, H., Koyama, J. An integrated-optic disc pickup device 86−36252
Suhara, T. *see* Nishihara, H. 87−74846
Suhara, T. *see* Ura, S. 86−22183, 87−54144, 88−13928, 88−72097
Suhari, L. *see* Wahl, G. 87−79001
Suhel, P. Electrical stimulators for treatment of urinary incontinence 86−5964
Suhel, P.F. *see* Rowan, D. 87−57059
Suhir, E. Stresses in bi-metal thermostats 87−23748
Suhir, E. Stresses in adhesively bonded bi-material assemblies used in electronic packaging 87−24658
Suhir, E. Die attachment design and its influence on thermal stresses in the die and the attachment 87−72845
Suhir, E. Calculated thermally induced stress in adhesively bonded and soldered assemblies 88−6283
Suhir, E. Could compliant external leads reduce the strength of a surface-mounted device? 88−64060
Suhir, E. Effect of initial curvature on low temperature microbending in optical fibers 88−72036
Suhir, E. *see* Luryi, S. 86−66805
Suhl, D. *see* Steiner, T.O. 88−181
Suhl, H. *see* Ghamati, S. 85−62232
Suhl, H. *see* Wilfley, B.P. 85−1880
Suhl, U.H. Solving large-scale mixed-integer programs with fixed charge variables 85−44623
Suhl, U.H. *see* Spielberg, K. 88−24656
Suhoke, R.B. Laser optical methods for measurement of velocity and vibration 88−34189
Suhr, D. They call it 'configurable logic' for good reason 85−17367
Suhr, D. E^2 technology and a fully user-configurable architecture array provide generic programmable logic functionality 86−987
Suhr, D. Electrically erasable devices provide full manufacturer and user testability for optimal programmable logic device quality 87−661
Suhr, D. *see* Righter, W.H. 86−20428
Suhr, H. *see* Zimmermann, W. 86−32195
Suhr, R.W. *see* Greenfield, P. 88−43136
Suhre, D.R. Randomly phased geometrical laser array 87−26485
Suhrke, M., Keiper, R., Ziep, O. Temperature dependence of the mobility in heterostructures modified by multi-subband effects 88−19693
Suhrke, R.V. *see* Sokol, J.H. 88−26509
Suhrmann, R. *see* Gebhardt, A. 88−41809
Suhuan Xie *see* Xie Suhuan
Suhui Hu *see* Hu Suhui
Suhy, A.M. Using microcomputers to download CICS programming logic 87−41176
Sui, D.C. *see* Weil, S. 86−62348
Sui, M. *see* Ghafir, H.M. 88−66804
Sui Hou-tang, Huang Ming-ya, Chen Siao-min Frame synchronization and allowable error analysis 86−64604
Sui Ren Wan *see* Wan Sui Ren
Suich, R.C. *see* Farnum, N.R. 87−31344
Suich, V. *see* Andres, M. 86−29550
Suichies, H.E. *see* Jentink, H.W. 88−16508, 88−36238
Suichun Yang *see* Yang Suichun
Suierveld, J. *see* Schaible, P.M. 85−33181
Suifu Wang *see* Wang Suifu
Suiser, D. A perspective on ISDN 88−53023
Suisheng Jian *see* Jian Suisheng
Suiskii, P.A. Calculation of torque and power of asynchronous motors for general industrial use 88−43189
Suit, W.T., Price, D.B. Technology development program for twenty-first century aerospace vehicles 88−61547
Suita, J.C. *see* Da Silva, A.G. 88−29832
Suitang Chao *see* Chao Suitang
Suiter, H. Integrated control technology in substations 87−78721
Suiter, H. *see* Hendricks, H. 88−24077
Suiter, H. *see* Neumann, C. 86−51842, 88−55046
Suiter, W.B. *see* Bowman, W.C. 88−55494, 88−62429
Suiter, W.B. *see* Nitz, W.A. 88−55495
Suits, B.H. *see* Marshall, S.A. 88−32393
Suits, F. *see* Argyle, B.E. 88−64947
Suits, J.C., Rugar, D., Lin, C.J. Thermomagnetic writing in Tb-Fe: modeling and comparison with experiment 88−71934
Suits, J.C. *see* Rugar, D. 88−51272
Suitsu, T. *see* Kozu, T. 88−4113
Suitz, T., Yoshikado, S., Ichinose, M., Echizenya, Y., Kamata, M., Kawai, E. SIR-B experiments in Japan: surface activity−rice crop experiment 88−53361
Suiyang Huang *see* Huang Suiyang
Suizu, R.I. *see* Maybeck, P.S. 85−58173, 86−10462
Suizu, T. *see* Sasaki, H. 88−36756
Suizu, Y. *see* Mori, S. 88−38539
Suizu, Y. *see* Shibata, H. 88−39474
Sujak, P. *see* Moravek, J. 88−17263
Sujak, P. *see* Prouza, Z. 87−14948
Sujak-Cyrul, B. *see* Misiewicz, J. 85−34530
Sujan, C.S. Transistor device techniques aid circuit designers, too 85−34170
Sujan, C.S. Generating circuits by predicting bias stability 88−525
Sujan, S. Some functionals on sets of stationary codes 85−36189
Sujan, S. A local structure of stationary perfectly noiseless codes between stationary non-ergodic sources. III. Relative isomorphism of non-ergodic transformations 85−57242
Sujan, S. Some stationary source and joint source-channel coding theorems with a fidelity criterion 87−27191
Sujane Wang *see* Tan-hua Yu 88−44647
Sujanov, V.L. *see* Martell, A.A. 87−72429
Sujata, K. *see* Chandra Mouly, C. 86−1347
Sujitjorn, S. *see* Mellitt, B. 88−37698
Sujka, B.R. *see* Neau, E.L. 87−21326
Sujun Mao *see* Mao Sujun
Suk, J.-B., Cassandras, C.G. Analysis and optimization of pacing window flow control with admission delay 88−52931
Suk, M., Pyo, S.S. A geometry processor for image processing and pattern recognition 87−17005
Suk, M., Seoung-Jun Oh Region adjacency and its application to object detection 86−49009
Suk, M. *see* Algazi, V.R. 86−62734
Suk, M. *see* Bogy, D.B. 88−20247
Suk, M. *see* Lee, J.C. 86−8382
Suk, M. *see* Nyo, H.L. 86−43340
Suk, M. *see* Xie, S.L. 88−14793
Suk Ki Min *see* Jae Shin Cho 86−400, 87−11658
Suk Lee, Venetsaopoulos, A. A sliced first-quadrant second-order two-dimensional digital filter chip set for modulator filter implementation 88−56797
Suk Lee Kang *see* Kang Suk Lee
Suk Minsoo *see* Minsoo Suk
Suk Park Kwang *see* Kwang Suk Park
Suk-Ho Choi, Byueng-Su Yoo, Choochon Lee, Jin Jang Doping and annealing effects on persistent photoconductivity in doping-modulated amorphous-silicon superlattices 88−14008
Suk-Ho Choi, Choochon Lee, Jin Jang Effect of argon dilution of silane on persistent photoconductivity in single-layered hydrogenated amorphous silicon 87−33038
Suk-Ho Choi, Gyeong-Lyong Park, Choochon Lee, Jin Jang Persistent photoconductivity in hydrogenated amorphous silicon 86−63714
Suk-Ki Min *see* Hyeon-Soo Kim 87−73989
Suk-ki Min *see* Jin Jang 85−5383
Suk-ki Min *see* Moo Sung Kim 86−26837, 86−52529
Suk-Kyo Hong Microprocessor control of a prosthetic arm by EMG pattern recognition 85−26791
Suk-Ryong Hahn *see* What-Tek Kim 86−22213
Suk-Won Lee *see* Heung-Suk Yang 88−31685
Sukach, G.A., Sypko, N.I., Bogoslovskaya, A.B. Thermal phenomena in light-emitting diodes under pulse excitation 88−8075
Sukach, G.A. *see* Nikolaenko, V.V. 85−51067
Sukach, G.A. *see* Oleksenko, P.F. 88−29511
Sukach, G.A. *see* Svechnikov, S.V. 86−63732
Sukagawa, Y. *see* Fujita, T. 87−34718
Sukanek, P.C., Sullivan, G. Reactive ion etching of silicon dioxide 88−19821
Sukawa, K. *see* Sakata, T. 86−41933
Sukazov, E.A., Sromin, A.F. Frequency limitations in a ferrite long-line transformer 85−61489
Sukeda, H., Ojima, M., Takahashi, M., Maeda, T. High-density magneto-optic disk using highly controlled pit-edge recording 88−45243
Sukeda, H. *see* Komiyama, S. 86−8738
Sukeda, H. *see* Nakao, T. 88−45238
Sukeda, H. *see* Ojima, M. 88−65153
Sukeda, H. *see* Takahashi, M. 88−64936
Sukegawa, K. *see* Chaki, E. 87−21743
Sukegawa, K. *see* Tamamura, T. 85−18194
Sukegawa, O., Ohta, K., Noguchi, K., Kitano, F., Takanohashi, N., Moriyama, H., Ogawa, F., Shima, T. 4.3 inch full color LCD module 88−53801
Sukegawa, T., Kan, H., Katsuno, H. Liquid phase epitaxial growth of GaP p-n junctions by temperature difference method 86−416
Sukegawa, T., Kan, H., Katsuno, H., Tanaka, A. Liquid phase epitaxial growth of InGaP-GaAlP heterostructure for NEA cold cathodes 86−26820
Sukegawa, T., Katsuno, H., Yamaguchi, T., Tanaka, A. Preparation of Si-N:H films by plasma CVD 85−34843
Sukegawa, T., Kimura, M., Katsuno, H., Kageyama, S., Tanaka, A. Growth of semiconductor crystals by YO-YO solute feeding method 87−65458
Sukegawa, T., Kimura, M., Mori, M., Tanaka, A. Highly sensitive Si pin photodiode fabricated by yo-yo solute feeding method 88−72213
Sukegawa, T., Miyahara, Y., Kawano, Y., Tobise, M., Kamiyama, K., Matsui, T. Recent microprocessor-based control for motor drives 86−19648
Sukegawa, T., Takeuchi, S., Hasegawa, S., Tanaka, A. Measurements of optical absorption coefficient, minority carrier diffusion length and impurity profile in diffused junction photodiodes 86−28983
Sukegawa, T., Takeuchi, S., Hasegawa, S., Ueno, H., Tanaka, A. Temperature dependence of optical absorption coefficient and minority-carrier diffusion length in Ga(As,P) alloy semiconductor 88−1357
Sukegawa, T., Tanaka, A. Preparation of bulk alloys of III-V compounds 86−385
Sukegawa, T., Tanaka, A., Takahashi, H., Katsuno, H. Characterization of LPE grown n-GaP on p-GaAs heterojunctions by admittance measurement 85−1367

Sukegawa, T., Yamashita, M., Ohshima, H., Tanaka, A. Preparation of bulk (In,Ga)Sb alloy semiconductors by solute-feeding Czochralski technique 86−46302
Sukegawa, T. *see* Asakawa, Y. 86−19647
Sukegawa, T. *see* Hasegawa, S. 85−18806, 85−46266, 86−2962
Sukegawa, T. *see* Ohmae, T. 87−43532, 88−11417
Sukegawa, T. *see* Ohshima, H. 85−54440, 86−52482
Sukegawa, T. *see* Saito, K. 87−43680, 87−64990
Sukegawa, T. *see* Sato, K. 87−58485
Sukegawa, T. *see* Yanagi, H. 87−15476
Sukehara, M. *see* Kobayashi, S. 85−16119
Sukehara, M. *see* Nishikawa, H. 86−32850
Sukere, A.A. Fracture mechanic testing of reactor coolant pump flywheels 87−9319
Sukhalov, L.A. *see* Kabanov, P.S. 85−60149
Sukhanov, A.A., Mantorov, V.V. Instability effects of the electron plasma in the channel of a ballistic field-effect transistor 86−41832
Sukhanov, A.A., Mantorov, V.V. Theory of a metal-insulator-semiconductor transistor with field emission from the source 87−32514
Sukhanov, A.A., Tkach, Yu.Ya. Equations for the surface potential distribution in two-dimensional layer systems 85−29223
Sukhanov, A.A. *see* Elinson, M.I. 85−35109, 88−14056
Sukhanov, A.A. *see* Gulyaev, Yu.V. 85−55322
Sukhanov, A.A. *see* Mantorov, V.V. 86−21546, 87−74120
Sukhanov, A.N. *see* Kerner, B.S. 87−32291
Sukhanov, A.V. *see* Batura, V.G. 87−17277
Sukhanov, I.I., Troitskii, Yu.V., Yakushkin, S.V. Formation of a laser beam with an annular distribution of the intensity 86−63857
Sukhanov, I.I., Troitskii, Yu.V., Yakushkin, S.V. He-Ne laser with annular output beam 87−74963
Sukhanov, I.I. *see* Yakushkin, S.V. 88−58642
Sukhanov, K.G. *see* Sagdeev, R.Z. 87−49573
Sukhanov, L.A. Currents in rotor circuits during a sudden three-phase short circuit of a synchronous machine, according to the equations of A.A. Gorev, 85−60159
Sukhanov, L.A., Kuz'min, N.F., Chicheva, G.A. New construction and design of a salient-pole rotor quadrature winding 87−9517
Sukhanov, L.A. *see* Kabanov, P.S. 85−59714
Sukhanov, L.A. *see* Loshkarev, V.P. 86−33278
Sukhanov, L.V. *see* Borovkov, V.V. 88−27032 to 27033
Sukhanov, O.A. *see* Kryuchkov, I.V. 87−4220
Sukhanov, V.B. *see* Elaev, V.F. 87−12542
Sukhanov, V.I., Ashcheulov, Yu.V., Petnikov, A.E. Method of measuring small diffraction efficiency values of three-dimensional phase holograms 86−15809
Sukhanov, V.I., Ashcheulov, Yu.V., Petnikov, A.E., Lashkov, G.I. 3D hologram in Reoksan as a narrow-band spectral selector 85−56873
Sukhanov, V.I. *see* Alenitskij, Y.G. 88−68103
Sukhanov, V.I. *see* Andreeva, O.V. 86−3365
Sukhanov, V.I. *see* Ashcheulov, Yu.V. 86−58991
Sukhanov, V.I. *see* Evdokimov, V.I. 87−29076
Sukhanov, V.I. *see* Korzinin, Yu.L. 85−29953, 85−46499, 85−56874, 86−9982
Sukhanov, V.I. *see* Kotikova, R.A. 85−63797
Sukhanov, V.L. *see* Azimov, S.A. 86−51897
Sukhanov, V.l. *see* Eremin, V.K. 87−71026
Sukhanov, V.L. *see* Klyachkin, L.E. 86−24543, 86−28003
Sukhanov, V.L. *see* Verbitskaya, E.M. 87−77565, 88−29384, 88−29889, 88−36352
Sukhanov, V.V. *see* Al'terman, D.Z. 87−15574
Sukhanov, V.V. *see* Varshavskii, V.D. 87−51152
Sukhanov, Yu.S. *see* Mironov, A.M. 86−47181
Sukhanova, V.F. *see* Volgin, E.G. 86−18314
Sukhanovskii, A.N. *see* Kokurin, Yu.L. 87−54281
Sukharev, A.G. *see* Likhanskii, V.V. 88−34093
Sukharev, A.G. *see* Vysotskuy, S.L. 87−53902
Sukharev, A.S. *see* Filatov, A.V. 85−1304
Sukharev, B.V. *see* Kandidova, O.V. 85−41499, 88−58717
Sukharev, B.V. *see* Kolesov, A.E. 85−56370
Sukharev, B.V. *see* Lazarev, M.V. 85−18724
Sukharev, F.M. *see* Akerman, V.Sh. 86−39292
Sukharev, F.M. *see* Konovalov, G.M. 85−38653
Sukharev, I.G. *see* Maksimov, V.M. 88−14532
Sukharev, I.G. *see* Vosrkresenskii, D.I. 86−42978
Sukharev, S.A. *see* Zaretskii, A.I. 86−15624
Sukharev, S.A. *see* Zykov, L.I. 86−36394
Sukharev, V.I. *see* Padalko, A.G. 86−67778, 87−53290 to 53291
Sukharev, V.N. *see* Safonov, S.D. 86−67099
Sukharev, V.Ya., Myasnikov, I.A. On the conductivity of a disordered semiconductor system with grain barriers under active particle adsorption 87−53149
Sukhareva, L.K. *see* Antipenko, B.M. 85−46374, 86−58905, 87−18938, 87−26358, 87−26366, 87−68424
Sukharevskii, I.V., Tarapova, E.I. Short-wave asymptotic form of lateral emission from elliptical aperture 87−19283
Sukharevskii, V.G. *see* Krekoten, S.P. 87−29391
Sukharevskiy, I.V., Sukharevskiy, O.I. Calculation of the field excited by a radiating aperture in the presence of an arbitrary system of scatterers 87−26930
Sukharevskiy, O.I. *see* Sukharevskiy, I.V. 87−26930
Sukhatme, S.P. Solar energy: Principles of thermal collection and storage 85−27991
Sukhera, M.B. Utilization of solar energy−a programme for the development of Cholistan desert 85−27150
Sukhin, N.N. *see* Fedorov, S.M. 85−9294
Sukhina, B.N. *see* Derbenev, Ya.S. 85−26560
Sukhinin, V.A. *see* Gordeev, V.F. 87−60044
Sukhinin, V.A. *see* Pustogarov, A.V. 85−6640
Sukhinin, V.P. *sec* Kosyak, Yu.F. 85−38655, 86−56544
Sukhinin, Yu.V. *see* Sadreev, A.F. 85−35266
Sukho Lee *see* Yoo Kun Cho 85−63136
Sukhodoev, V.V. *see* Zorin, V.N. 87−21569
Sukhodol'skii, A.M., German, O.V., Beityuk, Yu.R. Use of simulation methods for automated design of flexible production systems 86−46044
Sukhodol'skii, A.M. *see* Labotskii, V.V. 88−57165
Sukhodol'skii, A.T. *see* Pashinin, P.P. 85−12828, 85−24503, 87−46811, 87−75272
Sukhodol'skii, A.T. *see* Rastopov, S.F. 88−65930
Sukhodreva, I.M. *see* Mordkovich, V.N. 85−34803
Sukhoivanov, I.A., Kontar, A.A., Kublik, A.V., Makarevich, V.S. A comprehensive approach to investigating fibre optical communication lines 88−72062
Sukhoivanov, I.A., Petrov, S.I. Influence of parameters of microbends on nature of diffusion of power in short lightguides 87−38833
Sukhoivanov, I.A., Tereshchenko, A.I. Losses in short transmission lines using multilayer dielectric waveguides 85−61418
Sukholet, V.E. *see* Malykhin, A.V. 88−63859
Sukhomlin, K.B. *see* Golovkov, V.A. 86−43263
Sukhomlin, K.V. *see* Nikolayev, A.N. 87−56339
Sukhonin, Ye.V. *see* Babkin, Yu.S. 88−2569, 88−34298
Sukhonin, Ye.V. *see* Korotkov, V.A. 88−66073
Sukhoparov, A.I. *see* Belous, A.I. 88−63631
Sukhoparov, Yu.D., Mirzabekyan, G.Z. A practical approach to calculating voltage parameters for an electrostatic precipitator 88−52143
Sukhorebrii, V.B. *see* Malozovskii, Yu.M. 86−35282
Sukhorebry, V.B. *see* Kollyukh, A.G. 86−47270
Sukhorebryi, V.B. *see* Kislyi, V.P. 86−35314
Sukhorebyri, V.B. *see* Malyutenko, V.K. 86−35315
Sukhorosov, S.Yu. *see* Dolinina, V.I. 86−36392
Sukhoruchkin, A.K. *see* Nosov, A.V. 88−23627
Sukhoruchkin, I.V. Choosing the values of the ballast resistors for equipment type UKP-220(380) [HV circuit breakers] 87−15855
Sukhoruchkin, I.V. Protection of the secondary circuits of series C electromagnetic stabilizers 87−30246
Sukhoruchkin, I.V., Bocharov, N.V. Preventing the tripping of (rectifier) type VAZP when closing circuit breakers 88−37285
Sukhorukov, A.P., Timofeev, V.V., Trofimov, V.A. Compensation of nonlinear distortions of light beams in the case of restricted deformation of the control mirror 87−26520
Sukhorukov, A.P., Timofeev, V.V., Trofimov, V.A. Passage of a light beam through a thin layer with nonlinear and random phase distortions. Possibility of compensation 87−33445
Sukhorukov, A.P., Trofimov, V.A. Compensation of nonlinear distortions of scanning light beams 86−29234
Sukhorukov, A.P., Trofimov, V.A., Shameeva, T.Yu. Compensation of nonlinear distortions of light pulses by an adaptive flexible mirror under different control geometry conditions 85−56795
Sukhorukov, A.P. *see* Karamzin, Yu.N. 85−12974
Sukhorukov, A.P. *see* Kozhevnikova, I.N. 85−62658
Sukhorukov, A.P. *see* Kroo, N. 85−19013
Sukhorukov, A.P. *see* Pirogova, I.Yu. 86−58970
Sukhorukov, A.S. A method of increasing the data transmission rate by using differential methods 86−36887
Sukhorukov, A.S. Signal separation in a multibeam channel using narrowband signals and differentiation on reception 87−69172
Sukhorukov, A.V. *see* Mesentsev, N.A. 86−60675
Sukhorukov, O.G. *see* Grekov, E.V. 87−17810
Sukhorukov, R.Y., Shishmarev, V.Y. Principles of constructing versatile production systems for assembly of electronic blocks 87−45446
Sukhorukov, S.K. *see* Ivanov, P.D. 85−41444
Sukhorukov, V.V. *see* Fedosenko, Yu.K. 85−49647
Sukhorukov, V.V. *see* Glotov, Yu.I. 86−47055
Sukhorukov, Yu.P., Loshkareva, N.N., Pokazan'ev, G.V. Compact electromagnet for optical studies 87−68734
Sukhorukov, Yu.P. *see* Gizhevskii, B.A. 85−28985
Sukhotin, S.A., Golubev, V.V. Franz-Keldysh optical modulators in waveguides with nonuniform depth profiles of the absorption coefficient 88−2012
Sukhotin, S.A., Golubev, V.V. Influence of the Goos-Hanchen shift on the loss in electroabsorption waveguide modulators 88−65380
Sukhotin, S.A., Golubev, V.V., Kunin, V.Ya. Field relaxation in an MIS light modulator operating by the Franz-Keldysh effect 86−28899
Sukhotinskii, V.Yu. *see* Kolosova, V.F 88−24052
Sukhotskova, N.A. *see* Vysloukh, V.A. 88−51460
Sukhov, A.A. *see* Absadykova, G.A. 88−75054
Sukhov, A.V. *see* Gorshkov, V.V. 88−40961
Sukhov, M.S., Shcheglova, T.Z. The role of adsorption stages in layer deposition by oxidation of monosilane with nitrous oxide 87−5460
Sukhov, V.A. Radiation from a circular lightguide for mode scattering by an acoustic wave 88−13840
Sukhov, V.A. *see* Antonova, E.A. 87−1911
Sukhov, V.I. *see* Ginzburg, V.M. 88−42694
Sukhov, V.N. *see* Rotinov, A.G. 87−15624
Sukhov, Yu.M., Shamsiev, R.N. Hybrid switching networks of an infinite one-dimensional lattice 88−73402
Sukhov, Yu.M. *see* Kel'bert, M.Ya. 86−49058
Sukhoveev, S.P. *see* Golubev, V.P. 88−57278
Sukhoverkhova, L.G. Photochemical reaction in CdS crystals for holographic information recording 85−56883
Sukhoverkhova, L.G. *see* Embergenov, B. 85−19058, 85−56863
Sukhoverkhova, L.G. *see* Odulov, S.G. 85−7407
Sukhovoi, A.M., Khitrov, V.A. Method of improving the amplitude resolution of the spectra of gamma-transition cascades in the computer processing of encoded coincidence data 86−5852
Sukhovoi, M.B. *see* Skvortsov, V.V. 88−16833
Sukhtankar, D.R. *see* Patel, S.K. 87−4362
Sukiennicki, A. *see* Zebrowski, J.J. 85−24108
Sukiennicki, B. *see* Bernstein, D. 85−15253
Sukiennicki, B.A. *see* Bulos, F. 88−54364
Sukigara, M. *see* Aikawa, Y. 85−58767
Sukigara, M. *see* Kobayashi, K. 85−1430
Sukigara, M. *see* Minami, N. 85−64200, 86−28908
Sukigara, M. *see* Nishimura, N. 87−3675
Sukigara, M. *see* Sagara, T. 86−58346, 87−67030
Sukissian, L. *see* Boutalis, Y. 88−66743
Sukkar, R.A., LoCicero, J.L., Picone, J.W. Design and implementation of a robust pitch detector based on a parallel processing technique 88−40865
Sukmanov, V.I., Safonov, V.I., Il'in, A.N., Maslennikov, M.Yu. Instrument for measuring the strength of an electrical field 87−70733
Suko, S.K. *see* Rich, E.L. 88−57212
Sukoriansky, S. *see* Blumenau, L. 86−61752
Sukoriansky, S. *see* Branover, H. 85−21536, 86−33711
Sukoriansky, S. *see* Greenspan, E. 88−75951
Sukov, A.I. *see* Vainshtein, L.A. 87−54629
Sukov, A.I. *see* Vaynshteyn, L.A. 85−41589
Sukovatkin, N.N. *see* Gurov, G.B. 88−72952
Sukovitsyn, N.M. *see* Malinin, V.I. 87−63148
Suksang Chang *see* Sato, T. 88−65207
Sukudo, N. Trends of ion-implanter development 87−25080
Sukulal, K., Bhat, K.N. Current gain of narrow-base transistors 86−35661
Sukulal, K., Bhat, K.N. Effects of emitter-base junction gradation on the minority-carrier transport in the base region of bipolar junction transistors 87−25232
Sukulal, K., Bhat, K.N. Role of lifetime and energy-bandgap narrowing in diffused-junction silicon solar cells 87−72393
Sukulal, K. *see* Bhat, K.N. 85−18124
Sukumar, S. Ionospheric refraction effects on radio interferometer phase 88−47248
Sukumar, S., Spoelstra, T.A.T., Kelder, H. Multipath effects in UHF angle-of-arrival measurements 87−26774
SuKumar, V., Chen, D.Y. IGT/COMFET latching characteristics and application to brushless DC motor drive 86−40910
Sukumar, V., Chen, D.Y. IGT/COMFET latching characteristics and application to brushless DC motor drive 87−32520
Sul, S.K. A novel technique of rotor resistance estimation considering variation of mutual inductance 88−30722
Sul, S.K., Park, M.H. A novel technique for optimal efficiency control of a current source inverter fed induction motor 87−22343
Sul, S.K., Park, M.H. A novel technique for optimal efficiency control of a current-source inverter-fed induction motor 88−55352
Sul, S.K. *see* Jeong, S.K. 85−10023
Sul, S.K. *see* Kim, G.T. 87−78990
Sul, S.K. *see* Kim, H.G. 85−27678
Sul Seung-Ki *see* Seung-Ki Sul
Sula, J.G. Burn-in alternatives for high-power devices 88−33324
Sulaiman, F.H. *see* Vishvakarma, B.R. 85−7749, 86−64133

Sulaimanov, A.A., Pulatov, R.L. Mathematical model of a square-pulse coincidence stream [decoding] 86—36925
Sulaimanov, M.S. *see* Belyakov, Yu.P. 88—55227
Sulaimanov, R.T. Polynomial representation of nonlinear inertial devices in the presence of narrowband actions 88—18891
Sulak, L. *see* Calicchio, M. 88—29811
Sulak, L. *see* Claus, R. 88—16639
Sulak, L. *see* Ong, R.A. 85—52950
Sulak, L.R. *see* Incandela, J.R. 88—54417
Sulak, L.R. *see* Wuest, C.R. 86—1649
Sulakshin, A.S. *see* Arzin, A.P. 87—45507
Sulakshin, A.S. *see* Didenko, A.N. 85—11850, 87—75003
Sulakshin, A.S. *see* Vasil'ev, V.V. 88—32722
Sulakshin, A.S. *see* Vintizenko, I.I. 87—24731, 88—32721, 88—71276
Sulakshin, S.S. Unidirectional coupling of radiation out of a resonator-free laser 86—68451
Sulakshin, S.S. Laser method for determination of angle and energy characteristics of high-current proton beam 87—29406
Sulakshin, S.S. *see* Arteev, M.S. 86—22293, 87—46761
Sulakshin, S.S. *see* Bystritskii, V.M. 85—20806
Sulakshin, S.S. *see* Didenko, A.N. 87—75003
Sulakshin, S.S. *see* Vaulin, V.A. 88—65573
Sulan Tang *see* Tang Sulan
Sulanke, H., Arndt, K. A conservation law for queueing systems with batch arrivals 87—58776
Sulanke, H. *see* Arndt, K. 85—272
Sulanke, H. *see* Brandt, A. 87—58742
Sulaun, H. *see* Philbert, M. 87—29890
Sulc, J. The properties of a radiation anemometry system for measuring the directions of the velocity vectors of air flow 85—20598
Sulc, J. Findings from automated measurement of current characteristics on aerodynamic models 87—70871
Sulc, J., Bermann, J., Kulich, J. Optimisation of a nonuniform network in practice 88—30340
Sulc, J., Ulmann, J. Automatic monitoring of load dispatching operations based on the SAPI R system 88—30291
Sulc, J. *see* Hrbek, Z. 86—61249
Sulcoski, M. *see* Orehotsky, J. 86—15127
Sule, J. Examination of materials as a useful means of maintenance depending on state 86—39526
Sule, R.R., Vasanth, B.J., Krishnan, T., Kumar, M. Microprocessor-based speed control system for high-accuracy drives 85—65273
Suleiman, A.S. Meeting dollars dynamics 87—23263
Suleiman, M., Gear, C.W. Treating a single, stiff, second-order ODE directly 88—70284
Suleiman, M.B. *see* Hall, G. 85—60924
Suleimanov, I.R. *see* Glazov, V.M. 86—53333
Suleimanov, N.T., Khabibullin, M.L., Shchigolev, V.K. Synthesis of the equivalent circuits of dielectric waveguides 88—34379
Suleimanov, N.T., Samuilov, A.V., Nadyrov, R.G. Calculation of the correlations between fiber lightguide parameters 85—2024
Suleimanov, N.T. *see* Farakhutdinova, M.A. 85—46181
Suleimenov, M.D. *see* Taurbaev, J.I. 87—46689
Sulek, J.D. Joint government/industry planning [telecommunication] 85—25305
Suleman, A.K. *see* Especial, N.F.S. 87—50351
Suleman, M., Naseem, S. Effects of In_2O_3 deposition conditions on the SiO_2-Si interface [solar cell applications] 88—49148
Suleman, M. *see* Nasseem, S.N. 87—58332
Suleman, M. *see* Shamim, A. 88—49785
Sulentic, P. Yugoslavia's energy problems 85—38920
Sulewski, P.E. *see* Zhu, L.D. 86—8839
Suleyman Ustunel, A. The extension of Ito's calculus via the stochastic variation calculus 85—39608
Sulhoff, J.W. *see* Caneau, C. 86—63806, 88—2220
Sulhoff, J.W. *see* Dentai, A.G. 87—10377
Sulhoff, J.W. *see* Tell, B. 88—44634
Sulhoff, J.W. *see* Zyskind, J.L. 87—52117
Suli, E., Jovanovic, B., Ivanovic, L. Finite difference approximations of generalized solutions 86—26780
Suli, E.E. *see* Jovanovic, B.S. 87—73019
Sulik, A. *see* Werner, Z. 86—28016
Sulik, A.M. *see* Chaban, O.I. 85—48706
Sulima, O.V. *see* Alferov, Zh.I. 85—35786
Sulima, O.V. *see* Allakhverdiev, A.M. 85—27656, 85—35639
Sulima, O.V. *see* Andreev, V.M. 85—29129, 85—61724, 86—29003, 86—40085, 87—31534
Sulima, O.V. *see* Danil'chenko, V.G. 86—28301
Sulima, V.S. *see* Poladich, A.V. 87—25896
Sulimin, A.D. *see* Bliznetsov, V.N. 87—45799
Sulimov, V.B. *see* Dianov, E.M. 85—24255, 85—50914
Sulimov, V.B. *see* Grudinin, A.B. 86—2823
Sulin, A.B. *see* Tsvetkov, Yu.N. 87—22785
Sulitzki, R. *see* Faigle, U. 88—298
Sulivan, P.W., Bower, J.E., Metze, G.M. Growth of semiconductor/insulator structures—-GaAs/fluoride/GaAs(001) 85—39728
Suliz, B.N. *see* Krylova, Z.V. 87—29333
Sulkin, A. War games—PBX-style 87—28296
Sulkin, A. AT&T merges Systems 75 and 85 [PBX switching systems] 88—67177
Sulkin, A.M. RFPs show evolving rule for PBXs 87—76440
Sulkin, A.M. Running digital: PBX connections to the T1 pipe 88—41470
Sulkin, A.M. *see* Madrid, J.E. 85—63203
Sulkin, M.A. *see* Huss, H. 87—64915
Sulkowski, W. *see* Kazmierkowski, M.P. 87—42955, 88—11423
Sullakatko, T.Yu. Investigation of a complex envelope detector 86—29885
Sulle, C. *see* Verneau, A. 86—19132
Sullenberger, M. *see* Howry, S. 86—24888
Sullenberger, R. Bath County: the world's largest pumped-storage plant commissioned 86—51517
Sullengerger, M. *see* Bogart, J. 88—54184
Suller, V.P., MacKay, J.S., Poole, M.W., Walker, R.P. Limitations on single bunch operation in the SRS due to beam instabilities 88—47970
Suller, V.P. *see* Walker, R.P. 88—47969
Sullerey, R.K., Kumar, S. A study of axial turbine loss models in a streamline curvature computing scheme 85—15825
Sullerot, D. *see* Aldebert, P. 86—9578
Sulley, J.L. *see* Lo, K.L. 86—50893
Sullini, R., Staffaroni, G., Diodato, C. Custom IC development and reliability considerations for automotive applications 85—16360
Sullins, D. Matching routing technologies to your needs 86—66952
Sullins, D. Matching routing technologies to your needs 87—6215
Sullivan, A.C. *see* Cole, E.L. 86—55377
Sullivan, A.H. *see* Johnson, C.D. 86—32031
Sullivan, B. Electroplating theory and the high-speed copper debate 86—20950
Sullivan, B. *see* Lipscomb, G.F. 88—7838
Sullivan, B. *see* Lytel, R. 88—51567
Sullivan, B.J. A comparison of three methods for discrete-time signal extrapolation 86—10430
Sullivan, B.J. The Lanczos method and signal extrapolation 87—62031
Sullivan, B.J., Liu, B. On the use of singular value decomposition and decimation in discrete-time band-limited signal extrapolation 85—25101
Sullivan, B.J., Liu, B. The ill-posed nature of a method for sub-Nyquist rate signal reconstruction 87—39762
Sullivan, B.J., Nocedal, J.M. A new implementation of the conjugate gradient method for nonlinear systems 86—62141
Sullivan, B.J. *see* Katsaggelos, A.K. 88—34831, 88—66727
Sullivan, B.J. *see* Laico, S.A. 87—63761
Sullivan, B.J. *see* Lapin, G.D. 87—71121
Sullivan, B.M. *see* Chi, K.K. 87—17173, 87—17183
Sullivan, B.T. Gate arrays—the hidden cost savings 85—11215
Sullivan, B.T. Overview: functional cells define new 'standard' products 85—17992
Sullivan, B.T. *see* Zhan-Ming Li 88—45230
Sullivan, C. *see* Oseth, T. 87—76381
Sullivan, C.A., Destler, W.W., Rodgers, J., Segalov, Z. Short-pulse high-power microwave propagation in the atmosphere 88—66074
Sullivan, C.H., Jr., Smart, J.R. Planning for information networks [models for network planning] 87—28120
Sullivan, C.T., Connors Roth, M., Budzynski, T. Integrated optics approach for high-density optical interconnections in high-speed multichip IC packages 88—51704
Sullivan, C.T., Husain, A. Guided-wave optical interconnects for VLSI systems 88—65517
Sullivan, C.W. *see* Hartmann, O. 86—33198
Sullivan, D. *see* Matthews, D. 85—7350
Sullivan, D.B. *see* Drullinger, R.E. 86—38494
Sullivan, D.J. A high frequency vircator microwave generator 85—639
Sullivan, D.J. High power vircator source development 87—17647
Sullivan, D.J. *see* Adler, R.J. 85—52959
Sullivan, D.M., Schoenberg, A.A., Baker, C.D., Booth, H.E. Dynamic distance and tactile force measurement using ultrasonic PVF_2 transducers 86—6168
Sullivan, D.M. *see* Schoenberg, A.A. 85—15287
Sullivan, D.P. *see* Lee, H. 87—62033
Sullivan, E. OPTIM: linking cost, time, and quality 86—52302
Sullivan, E.A. *see* Belton, D.J. 88—24582
Sullivan, E.J. *see* Byrnes, J.S. 87—27064
Sullivan, E.J. *see* Nicolas, P. 88—22055
Sullivan, G. Mark-space ratio 85—33710
Sullivan, G. ADC converter UART interface 85—45133
Sullivan, G. Bridge power supply 86—46556
Sullivan, G. *see* Arias, J.M. 88—11996
Sullivan, G. *see* McKay, D. 86—23291
Sullivan, G. *see* Sukanek, P.C. 88—19821
Sullivan, G.A., Mutch, K.M. Issues for the construction of an automatic analog circuit design system 87—16813
Sullivan, G.D., Baker, K.D. Model-based vision: using cues to select hypotheses 87—47971
Sullivan, G.D., Baker, K.D., Anderson, J.A.D.W. Use of multiple difference-of-Gaussian filters to verify geometric models 86—48987
Sullivan, G.D. *see* Anderson, J.A.D.W. 86—64339
Sullivan, G.F., Coles, J.E. Minicomputers: better than micros for some retrofits 85—9690
Sullivan, G.F., Coles, J.E. Retrofitting of multiple control systems [steam power stations] 86—12703
Sullivan, G.J., Asbeck, P.M., Chang, M.F., Miller, D.L., Wang, K.C. AlGaAs/InGaAs/GaAs strained-layer heterojunction bipolar transistors by molecular beam epitaxy 86—41747
Sullivan, G.J. *see* Asbeck, P.M. 87—59875, 88—25451, 88—25475
Sullivan, G.J. *see* Chang, M.-C.F. 87—60416
Sullivan, G.J. *see* Chang, M.F. 87—10780, 88—33367
Sullivan, G.J. *see* Darcie, T.E. 85—56629
Sullivan, G.J. *see* Lee, C.-P. 87—38264
Sullivan, G.J. *see* Miller, D.L. 88—11999
Sullivan, G.J. *see* Sheng, N.H. 87—31907, 87—66174, 88—38757
Sullivan, G.J. *see* Wang, K.-C. 87—66444
Sullivan, G.J. *see* Wang, K.C. 87—31851, 87—73682, 88—15502, 88—19237
Sullivan, G.J. *see* Yuen, A.T. 87—53522
Sullivan, H. *see* Eberl, H. 85—52185
Sullivan, J., Ray, L. Modification of a laser recording beam for image quality improvement 87—47879
Sullivan, J. *see* Brown, E. 86—37365
Sullivan, J.A. Design of a 100-kJ KrF power amplifier module 87—61289
Sullivan, J.A., Levitt, H., Hwang, J., Hennessey, A.M. Comparison of four hearing aid prescription techniques using a computer controlled hearing aid simulation system 87—21677
Sullivan, J.A., Rosenberg, C.W., Jr. High energy krypton fluoride amplifiers for laser-induced fusion 86—36402
Sullivan, J.A. *see* Jensen, R.J. 87—46782
Sullivan, J.D. The design of an electronic desk dictionary for the visually-impaired 86—25262
Sullivan, J.E., Plexico, P.S., Blank, D.W. A urinalysis result reporting system for a clinical laboratory 88—28436
Sullivan, J.F. *see* Lanpher, D.A. 85—6629
Sullivan, J.F. *see* Palmateer, P.H. 85—10517
Sullivan, J.G. *see* Chrisman, N.R. 87—29922
Sullivan, J.G. *see* Ventura, S.J. 87—29923
Sullivan, J.J. Development of variable capacitance pressure transducers for vacuum applications 85—64121
Sullivan, J.J., Ewing, J.H., Jacobs, R.P. Calibration techniques for thermal-mass flowmeters 85—52748
Sullivan, J.J., Jacobs, R.P., Jr. Flow measurement and control in vacuum systems for microelectronics processing 87—18246
Sullivan, J.J., Uttaro, F.L. Performance and calibration of capacitance diaphragm gauges 87—70857
Sullivan, J.L. *see* Brown, G.M. 88—22799
Sullivan, J.R. Noise restoration of compressed image data 87—33791
Sullivan, J.R., Burns, P.D. Information content modeling and simulation of digital imaging systems 86—69180
Sullivan, J.R. *see* Rabbani, M. 85—57431, 87—21538
Sullivan, J.S., Rummler, D.C. Second-generation CAE tools learn to share one data base [electronic design] 86—62350
Sullivan, K.A. *see* Crowley, D.F. 85—11815
Sullivan, K.T. *see* Nock, H.T. 86—33161
Sullivan, L.P. Reducing variability: a new approach to quality 85—206
Sullivan, L.P. Quality function deployment 86—66623
Sullivan, L.P. The power of Taguchi methods [of quality improvement] 87—65237
Sullivan, L.P. The power of Taguchi methods 88—6301
Sullivan, M., Donahue, D.M., Hill, S.K. Simulation of multiple platforms using an intelligent vehicle workstation 88—5056
Sullivan, M. *see* Batley, R. 86—25127
Sullivan, M. *see* Hennessy, M. 88—48497
Sullivan, M. *see* Rosenbaum, G. 88—42454, 88—48074
Sullivan, M.A. *see* Tabasky, M. 87—11712, 87—45815
Sullivan, M.E. The management of RDT&E organizations: behavioral characteristics of supervisors—public vs. private sectors 88—31399
Sullivan, M.J. *see* Mancl, D. 87—23320
Sullivan, M.J. *see* Trembly, B.S. 86—60746
Sullivan, M.R. *see* Neven, R.L. 87—20622
Sullivan, M.T., Zader, R.T. The role of standards in network evolution 86—37231
Sullivan, M.W. The 50/60 Hz syndrome [electricity supply standards] 88—5283
Sullivan, N.G., Rosenberg, J.B. The cookie cutter algorithm for handling mixed hierarchy 88—527
Sullivan, N.G. *see* Berntsen, J.A. 86—30357
Sullivan, N.S. *see* Cho, S.-I. 88—29332

Sullivan, N.S. *see* Cho, S.I. 88−18963
Sullivan, N.S. *see* Kim, Y.S. 87−63350
Sullivan, N.S. *see* Shin-Il Cho 87−37086
Sullivan, P. *see* Seiden, P. 86−52174
Sullivan, P. *see* Smith, W.W., Jr. 85−26240
Sullivan, P.L., Schaubert, D.H. Analysis of an aperture coupled microstrip antenna 87−2347
Sullivan, P.L. *see* Giger, A.J. 87−40723
Sullivan, P.L. *see* Smith, W.E. 88−2575
Sullivan, P.W., Bower, J.E., Metze, G.M. Growth of epitaxial GaAs/fluoride/GaAs(001) structures 85−45483
Sullivan, P.W. *see* Rona, M. 85−5998
Sullivan, R. *see* Doshi, M. 85−6256
Sullivan, R. *see* Kermani, A. 88−39423
Sullivan, R.B. *see* Doshi, M.H. 85−680
Sullivan, R.D. *see* Hendershot, R.G. 85−31107
Sullivan, R.J., Nichols, A.D., Rawson, R.F., Haney, C.W., Darreff, F.P., Schanne, J., Jr. Polarimetric *X/L/C*-band SAR 88−60259
Sullivan, R.J. *see* Greeley, R. 88−67466
Sullivan, R.L., Heshemi, N., Capehart, B.L., Berg, S.V. Impact of residential time of day pricing on generation system expansion planning 87−30125
Sullivan, R.L. *see* Capehart, B.L. 86−39257, 86−56338
Sullivan, R.L. *see* Westphal, R.A. 85−15594
Sullivan, R.W., Sivulka, G.M. Variable inductor contactless position sensors [automobile electronics] 85−60507
Sullivan, S. Acquiring images by laser scanning 87−11246
Sullivan, S. Laser scanning for better images [and use in PCB inspection] 87−34981
Sullivan, S. *see* Atherton, D.L. 87−23781, 88−6564, 88−9972, 88−18777
Sullivan, S. *see* Sherman, R.J. 85−39821
Sullivan, S. *see* Wallace, B.M. 85−35935
Sullivan, S.C. *see* Chan, Y.H. 85−6282
Sullivan, S.C. *see* Martin, B.W., Jr. 85−28350
Sullivan, S.P., Reynolds, W.R. Validation of the physically reasonable infrared signature model (PRISM) 88−52578
Sullivan, T., Middleman, S. Factors that affect uniformity of plating of through-holes in printed circuit boards. I. Stagnant fluid in the through-holes 85−55304
Sullivan, T. *see* Whyte, W.A., Jr. 86−64948
Sullivan, T.E. *see* Policastro, S.G. 86−58544
Sullivan, T.J. Performance indicators and long-term goals 88−36972
Sullivan, T.J. *see* Morley, R.E., Jr. 88−74885
Sullivan, T.M. *see* Ottey, H.R. 86−64917
Sullivan, W. *see* Bultitude, R.J.C. 88−67231
Sullivan, W.B. Ultra-wideband IFM receiver fulfils design requirements 85−47573
Sullivan, W.B., Heller, D. Advances in design improve wideband receivers 86−59936
Sullivan, W.E. *see* Pearson, J.C. 88−74262
Sullivan, W.G. *see* Oldham, C.B. 86−56513
Sullivan, W.N. *see* Brauer, J.R. 88−55575
Sullivan, W.P., Larson, C.L., Atcheson, D.B., Landers, T.H. Application of reliability-based methodology to plant scram reduction 87−71891
Sullivan, W.P. *see* Rich, F.J. 85−9256
Sullivan, W.T., III The near-surface unwanted RF environment as observed using VHF lunar reflections 85−62801
Sullo, P., Triscari, T., Jr., Wallace, W.A. Reliability of communication flow in R&D organizations 85−44460
Sullwold, D. Transmission system for digital information on ships with optical fibres 87−28594
Sullwold, D. *see* Kaufhold, B. 87−28094
Sulmanov, M.B. *see* Krasheninnikov, M.V. 86−15537
Sulmonetti, B. The transborder data flow phenomenon 86−54665
Sulmont, P. *see* Rajaona, R.D. 86−16317
Sulocki, J. *see* Matuszewski, T. 88−26557
Sulowski, A.C. Ontario Hydro adopts fall protection system 85−15517
Sulpice, A. *see* Chaussy, J. 85−35332
Suls, J. *see* Lambrechts, M. 88−35965, 88−54478
Suls, J. *see* Sansen, W. 86−55700
Sultaimagomedov, S.N. *see* Romanov, O.V. 85−34827
Sultan, M.A. The figure of merit of a microstrip antenna 88−2791
Sultan, M.A., Tripathi, V.K. Radiation characteristics of annular microstrip antenna 86−42959
Sultan, M.A., Tripathi, V.K. The open-ring microstrip antenna 86−43036
Sultan, M.F. Modeling of a bulk current injection setup for susceptibility threshold measurements 87−26838
Sultan, M.F., Cangellaris, A.C. System level approach for automotive electromagnetic compatibility 88−18178
Sultan, M.F., Mittra, R. Analysis of the electromagnetic field distribution inside inhomogeneous lossy dielectric objects by the method of conjugate gradients 85−13031
Sultan, M.F., Mittra, R. An iterative moment method for analyzing the electromagnetic field distribution inside inhomogeneous lossy dielectric objects 85−35953
Sultan, M.F. *see* Cangellaris, A.C. 88−1061
Sultan, M.F. *see* Peterson, A.F. 85−13102
Sultan, N., Moody, M., Whelpton, J., Hodgson, C. Novel broadband double pitch cylindrical helical antenna for satellite and ground applications 85−13297
Sultan, N., Payne, W.F., Carter, D.R. Impact of modulation on optimization of ground terminal and mobile satellite payload 88−9465
Sultan, N., Payne, W.F., Carter, D.R., Ng, P., Ng, D. The importance of pointing accuracy and antenna system on maximum number of users available for mobile satellite 85−14197
Sultan, N., Payne, W.F., Musclow, R.R., Bouchard, M. Reconfigurable dual feed antenna for direct broadcast satellites 85−47453
Sultan, N., Whelpton, J., Moody, M.H. Design of broadband tapered helical antennas 85−41712
Sultan, P. *see* Chey, J.W. 88−5152
Sultan, R. *see* Trew, R.J. 85−34946
Sultan, R.A. CO_2 and Nd/YAG laser techniques in visceral surgery 88−54608
Sultan, R.A., Kermani, P., Grover, G.A., Barzilai, T.P., Baratz, A.E. Implementing System/36 Advanced Peer-to-Peer Networking 88−28375
Sultan, T.I. Optimum burn-in time: model and application 87−16436
Sultan, T.I. Printed circuit pack (PCP) yield prediction 87−24573
Sultan, T.I. Combined in-circuit and functional tests: model and application 87−60001
Sultan, T.I. Call setup time standards 87−69416
Sultan, T.I. Factors affecting call setup time 88−9039
Sultana, D. *see* Katsouleas, T. 86−31849
Sultanem, F., Gouiaa, R. Using electronically assisted commutators to power electric motors at variable speeds 87−15664
Sultanem, F. *see* Bleijs, C.A. 87−42970
Sultanem, F. *see* Rioux, C. 85−27417, 88−11405
Sultangaleev, R.N. *see* Khairullin, I.Kh. 85−21871, 85−46531
Sultanmuradov, S. *see* Garyagdyev, G. 86−35334, 87−26178
Sultanov, A.I. *see* Mirsagatov, Sh.A. 87−26195
Sultanov, A.Kh. *see* Bakirov, N.K. 85−57381
Sultanov, A.S., Antyufeev, V.I., Kulakov, V.A., Voronova, A.S., Ovsyannikov, Yu.V. Optimum structure and potential sensitivity of a modulation radiometer 88−74430
Sultanov, A.S. *see* Antyufeev, V.I. 88−22519, 88−22603
Sultanov, A.T. *see* Antonov, B.M. 85−65465, 86−26316, 86−51742, 87−4969
Sultanov, B.V., Afanas'ev, L.N., Shutov, S.L., Bol'shakova, N.V. Comparison of two techniques for digital detection of a single-sideband signal with relative phase modulation 88−52443
Sultanov, B.V. *see* Afanas'yev, L.N. 87−76047
Sultanov, G. *see* Benvenuti, A.C. 85−15254
Sultanov, M.B., Shcherbakov, V.A. Measurement of electromagnetic-field components with arbitrarily oriented platforms 85−48463
Sultanov, N.B. *see* Balakhnin, A.E. 88−2345
Sultanov, R.Z. Current-limitation system with automatic monitoring of cut-off current 86−19295
Sultanov, S. *see* Kudratillaev, A.S. 87−15383
Sultanova, N., Kasprzak, H. Influence of film nonlinearity on the Rayleigh criterion of resolution and energy concentration 85−62689
Sultanova, N. *see* Kasprzak, H. 85−56845, 87−54435
Sulway, D.V. *see* Seiler, D.G. 85−29244
Sulyaev, R.M. *see* Abramov, V.V. 85−48191
Sulyaev, R.M. *see* Dyshkant, A.S. 85−26706
Sulyan, J. *see* Arato, A. 86−64710
Sulygin, I.I. *see* Ageev, A.I. 88−47779
Sulygin, I.I. *see* Balbekov, V.I. 85−26562
Sulz, G. *see* Schlaak, H.F. 87−54042, 87−56871
Sulzberg, T., Shubert, F., Brewster, W.D. The relationship of cleaning copper to solder leveling 87−17521
Sulzer, M. *see* Hagfors, T. 85−4441
Sulzer, M.P. A phase modulation technique for a sevenfold statistical improvement in incoherent scatter data-taking 86−68707
Sulzer, M.P. A radar technique for high range resolution incoherent scatter autocorrelation function measurements utilizing the full average power of klystron radars 87−20601
Sulzer, M.P., Woodman, R.F. Pulse compression hardware decoding techniques for MST radars 86−23967
Sulzer, M.P. *see* Burnside, R.G. 87−50551
Sulzer, M.P. *see* Djuth, F.T. 88−8465
Sulzer, M.P. *see* Mathews, J.D. 88−41742
Sulzer, M.P. *see* Tsuda, T. 86−22683
Sul'zhenko, P.S. *see* Vedeneev, A.S. 86−14954
Sum, E., Rychcik, M., Skyllas-Kazacos, M. Investigation of the V(V)/V(IV) system for use in the positive half-cell of a redox battery 86−33605
Sum, E., Skyllas-Kazacos, M. A study of the V(II)/V(III) redox couple for redox flow cell applications 86−6987
Sum, J. *see* Perner, F. 87−24187
Sum, K.K. Advances in power sources 87−72259
Sum, K.K. On the design of constant frequency discontinuous conduction power converters 87−72293
Sum, K.K. Trends in high frequency power conversion 88−75797
Sum, K.K. *see* Kazem, K. 86−66155
Sum, K.Kit *see* Kit Sum, K.
Sum Lai Wai *see* Wai Sum Lai
Suma, J. *see* Kaiser, Z. 86−48025
Suma, S. *see* Pavone, S. 86−70818
Sumami, H. *see* Yamaguchi, K. 86−57840
Suman, M.C. *see* Pavlath, G.A. 85−24306
Suman, V. *see* Hruby, J. 88−37017
Sumanth, D.J. A total systems approach to technology management for inter-organizational competitiveness 88−49453
Sumarokov, A. *see* Bobkov, S. 85−15181
Sumarokov, A.V. *see* Barabash, L.S. 85−52969
Sumatani, S. *see* Yamanaka, T. 87−9105
Sumathy, M.R., Vijayaraghavan, V.K., Syamasundara Rao, Y. A low cost temperature indicator 87−14362
Sumbaev, A.P. *see* Dolbilov, G.V. 86−38675
Sumbaev, A.P. *see* Dolbilov, V.G. 87−41683
Sumbar, E., Lawson, R.P.W., Vermeulen, F.E. Novel ion acceleration tube design 85−20781
Sumbar, E., Lawson, R.P.W., Vermeulen, F.E., Chute, F.S. A design for a 280-kV ion accelerator 86−18201
Sumbar, E., Vermeulen, F.E., Lawson, R.P.W. Hydraulic coupling for generating electrical power inside a high-voltage accelerator terminal 85−37844
Sumbatyan, A.A. *see* Chernyshov, P.N. 88−4817
Sumerin, V.M. Noise thermometer structure diagram synthesis 85−58924
Sumerin, V.V. *see* Blistanov, A.A. 85−46448
Sumerling, G. *see* Chen, B.U. 87−34580
Sumerling, G.W. Progressing towards wafer scale integration 88−64730
Sumerling, G.W., Dixon, G.E., Stewart, A.K.J. Achieving high complexity ULSI and WSI application specific integrated circuits 87−1669
Sumerling, G.W., Dixon, G.E., Stewart, A.K.J. An assessment of non-regular cell based architecture for ULSI and WSI 87−32658
Sumerling, G.W. *see* Cook, M.P. 87−18871
Sumerling, G.W. *see* Cooke, M.P. 87−20497
Sumetani, T. *see* Mizuno, Y. 88−5912
Sumi, H. *see* Sugano, Y. 88−57517
Sumi, H. *see* Usagawa, T. 88−34613
Sumi, K., Nakajima, K., Sakaue, Y. Automated inspection vision using Gray-level image 88−38014
Sumi, M., Kai, N., Tanaka, S., Minagawa, T., Nagashima, I., Hamai, T., Mori, J. Bit map control processor (BMCP) design 88−70836
Sumi, M., Ohhashi, M., Yanagi, H., Kaizuka, M., Shimizu, H., Maruyama, T. A hard disk channel processor 85−62104
Sumi, M. *see* Hakata, H. 86−6715
Sumi, M. *see* Imoto, K. 88−45080
Sumi, M. *see* Shinohara, S. 85−29819, 86−54229, 87−54460, 88−9592, 88−45532, 88−51987
Sumi, M. *see* Takahashi, A. 86−3046
Sumi, N. *see* Mori, H. 88−56677
Sumi, S. *see* Kawauchi, K. 86−67959
Sumi, S. *see* Torazawa, K. 87−28877, 88−65390
Sumi, T., Oishi, H., Terakawa, S. A 60 ns 4 M-bit DRAM in a 300-mil DIP 87−66179
Sumi, T., Shimizu, H., Morita, I., Funakoshi, Y. A second-generation 16Kb fast static RAM 86−52835
Sumi, T., Taniguchi, T., Kishimoto, M., Hirano, H., Kuriyama, T., Nishimoto, T., Oishi, H., Tetakawa, S. A 60 ns 4 Mb DRAM in a 300 mil DIP 87−59508
Sumi, T. *see* Liu, J.N. 86−31730
Sumi, T. *see* Shingu, H. 85−34235, 86−27676
Sumi, T. *see* Yoshida, K. 86−25101
Sumi, Y. The present status, recent experimental results, and future plans at the Tokyo electron synchrotron 85−26528
Sumi, Y. Good performance in Japan is proof of continuing safety and reliability improvement practice [nuclear power stations] 87−71839
Sumi, Y., Oishi, S., Takase, T., Horiuchi, K. A constructive approach to the analysis of nonlinear resistive circuits based on the fixed point algorithm theory 86−66977
Sumi, Y., Oishi, S., Tsurumi, H., Horiuchi, K. An odd homotopy method of constructing solutions for nonlinear equations 86−40674
Sumi, Y., Oishi, S., Tsurumi, H., Horiuchi, K. A global method of constructing solutions for nonlinear resistive circuits 86−62400
Sumi, Y., Oishi, S., Tsurumi, H., Horiuchi, K. Nonlinear resistive circuits analysis using a new type of homotopy method−a method based on the gluing of two kinds of homotopies 87−52318
Sumi, Y., Takase, T., Horiuchi, K. A constructive approach to the analysis of nonlinear resistive circuits based on the fixed point algorithm theory 85−543
Sumi, Y. *see* Koike, Y. 87−18784
Sumi, Y. *see* Miyamoto, M. 87−23657

Sumiaki Ishigami Glass-packaged crystal unit. The GS crystal unit automates assembly of crystal units and insertion of crystal units into PC boards 86—2488
Sumic, Z. Parameter identification of the external system equivalent for security assessment 87—35547
Sumichrast, E. Field of the moving point charge—an application of generalised functions in the field theory [electromagnetic field theory] 85—19091
Sumichrast, L. The design of an optical system of a Gaussian beam input into a fibre 87—18619
Sumichrast, L. On teaching the subjects of fibre optics and integrated optics 88—31328
Sumida, D.S., Rockwell, D.A., Mangir, M.S. Energy storage and heating measurements in flashlamp-pumped Cr:Nd:GSGG and Nd:YAG 88—65626
Sumida, D.S. *see* Rand, S.C. 86—29107
Sumida, D.S. *see* Rockwell, D.A. 88—20758
Sumida, H. *see* Takahashi, Y. 88—51062
Sumida, J. *see* Davarian, F. 85—14133, 86—4390, 86—4595, 86—4609, 86—55069
Sumida, M., Takemoto, K. Aberration of GRIN-rod lenses in single-mode optical fiber devices 88—51483
Sumida, M., Tsuji, M. Optical transmission modules for intraoffice transmission networks 87—28578
Sumida, M. *see* Kishimoto, R. 88—8223
Sumida, M. *see* Nakamura, S. 85—42415
Sumida, M. *see* Niwa, A. 85—3276
Sumida, M. *see* Tokizawa, I. 87—40534
Sumida, M. *see* Tsutsumi, S. 85—37043
Sumida, S., Maekawa, E., Murata, H. Fundamental studies on flat bunched optical fibers 85—42584
Sumida, S., Maekawa, E., Murata, H. Design of bunched optical-fiber parameters for 1.3-μm wavelength subscriber line use 87—7110
Sumida, S., Magari, K., Kawachi, M. Low radiation loss branching/combining of optical circuits using high-silica channel waveguides 87—18645
Sumida, S., Murata, H., Katsuyama, Y. A new method of optical fiber loss measurement by the side-illumination technique 85—12575
Sumida, S., Yamada, Y., Yasu, M., Kawachi, M. High-silica guided-wave hybrid optical transmitting-receiving module 86—69782
Sumida, S. *see* Arakawa, A. 88—48732
Sumida, S. *see* Azuma, Y. 86—28872
Sumida, S. *see* Hatano, S. 86—48111
Sumida, S. *see* Kannari, S. 88—20065
Sumida, S. *see* Kitayoshi, H. 86—50121
Sumida, S. *see* Maekawa, E. 86—2731
Sumida, S. *see* Murata, H. 86—9530
Sumida, S. *see* Sueoka, Y. 85—48702
Sumida, S. *see* Yamamura, T. 87—8301
Sumida, T., Imamura, K. Design and evaluation of radio link control program for medium-capacity land mobile radio telephone system 86—23752
Sumida, T., Imamura, K., Inaba, H. Design of radio link control program for medium-capacity land mobile radio telephone system 85—20065
Sumida, T. *see* Imamura, K. 85—20066
Sumide, M. *see* Nakagawa, S. 88—71885
Sumigama, T. *see* Saito, M. 86—7324
Sumihiro, N. *see* Iida, N. 87—31937
Sumihiro, N. *see* Kamaya, M. 87—31898
Sumimoto, T., Okada, S., Imade, M. Analysis of dye concentration distributions for water pollution simulation 85—48495
Sumimoto, T., Okada, S., Imade, M., Ohta, M. Measurement of spilled oil thickness with an ultrasonic gauging apparatus 87—29988
Sumimoto, T., Okada, S., Imade, M., Ohta, M. Development of ultrasonic equipment for the measurement of oil film thickness and a method of measurement of the thickness distribution of oil layers 87—77404
Sumin, A.R. Analysis of the voltage induced in a single-conductor line laid between railway tracks 85—19149
Sumin, A.R. Distribution of induced current in rails and satellite line 87—22851
Sumin, M.I. *see* Gaikovich, K.P. 88—5185
Sumin, M.I. *see* Markina, N.N. 86—32544
Sumin, V.V., Kislitsyn, A.B., Vorob'ev, V.I., Savin, A.G. Small instrument system 87—49814
Suminaga, Y. Speech recognition methods aiming to recognize sentences of an extensive vocabulary 88—34608
Suminaga, Y., Inaba, N. Can the neural net change the current R&D trends on speech recognition? 88—66331
Suminaga, Y. *see* Okada, M. 88—25211
Sumini, M. *see* Colombo, V. 87—42623
Sumini, M. *see* Lavagno, E. 87—30385
Sumino, K. *see* Chikawa, J. *(editor)* 88—59
Sumino, S. *see* Imai, H. 88—70243
Suminov, I.V. Laser-electric method for production of plated-through holes in printed boards 86—8611
Suminov, I.V. Automation of production process for current conducting coatings in printed circuit board openings by a laser-electrical method 86—14686
Suminov, I.V. *see* Gol'dberg, M.M. 86—522
Suminov, V.M., Baranov, P.N., Oparin, V.I., Gorelochkin, F.F., Abramov, S.N., Boikov, A.A., Kulikov, S.N., Gafiullin, R.Kh. Automating the balancing of gyroscopes with elastic suspension in media at low pressure 85—29968
Suminov, V.M., Gol'dberg, M.M., Shanin, V.I., Sokolov, S.V. Holographic evaluation of laser hardening of instrument parts 87—2239
Suminov, V.M., Perel', E.A., Akilin, V.I., Kozlov, D.N. Equipment system for checking and for diagnosis of instrument micro-motors 87—56587
Suminto, J., Yeh, G.J., Ko, W.H., Johnson, G.W. Silicon diaphragm accelerometer for industrial control 88—4405
Sumita, I. *see* Kouchiyama, A. 86—9382, 87—18477, 88—51205
Sumita, I. *see* Nakayama, Y. 85—12493
Sumita, I. *see* Nakayana, Y. 85—29458
Sumita, K. *see* Chigusa, Y. 88—58095
Sumita, K. *see* Iida, T. 88—33728, 88—58096
Sumita, K. *see* Kinoshita, K. 87—57039
Sumita, M. *see* Daimaru, T. 85—21986
Sumita, M. *see* Kawano, K. 88—1991
Sumita, M. *see* Kiyono, S. 88—53858
Sumita, S. Analysis of common memory access contention with nonpreemptive priority discipline 85—30502
Sumita, S. Analysis of single server preemptive priority queues with a renewal process as high-priority input stream 85—42002
Sumita, S. A method for analyzing single server queueing models having two classes of customers 86—13619
Sumita, S. Analysis of an access contention model in a multiprocessor-controlled switching system 86—30517
Sumita, S. Approximation for loss systems with batch input 86—54591
Sumita, S. An application of the conservation law to analyzing single server queueing systems with two independent input streams 86—69225
Sumita, S. Analysis of common memory access contention with nonpreemptive priority discipline 87—2999
Sumita, S. Comparison of integration and segregation schemes for a loss system having two types of traffic 87—40613
Sumita, S. *see* Katayama, T. 86—59443, 87—19984
Sumita, U., Shanthikumar, J.G. A hybrid simulation analytic approach for computer communication systems via exponential limit theorems 88—21382
Sumitani, H., Ozaki, Y., Tomoda, T., Sato, F., Sugino, K. The development of a real-time synthetic-aperture ultrasonic scroll-imaging system 88—75008
Sumitani, H. *see* Kasuya, K. 88—29773, 88—42403
Sumitani, K. *see* Ito, K. 88—19401
Sumitani, K. *see* Tanino, N. 87—31908
Sumitani, M. *see* Takagi, Y. 85—41462
Sumito, K. *see* Morimoto, M. 88—43501
Sumitomo, H. *see* Uehara, H. 85—15939
Sumitomo, Y. *see* Kiyohara, T. 85—47219
Sumiya, H. *see* Awata, Y. 87—8549
Sumiya, K., Amemiya, M. Magnetic tape 86—21982
Sumiya, K., Hirayama, N., Hayama, F., Matsumoto, T. Determination of dispersibility and stability of magnetic paint by rotation-vibration method 85—24084
Sumiya, K. *see* Aoyama, S. 88—71932
Sumiya, K. *see* Kobayashi, H. 86—68165
Sumiya, M. Expectation for nanometer measurement technology in electronics industry. I. Machining technique and precision measurement 87—25418
Sumiya, M. *see* Kamiya, M. 86—68546
Sumiya, M. *see* Miyoshi, T. 87—79212
Sumiya, S. *see* Namikawa, T. 86—474
Sumiyama, T. *see* Yoshimizu, Y. 88—69142
Sumiyoshi, F., Matsuyama, M., Noda, M., Matsushita, T., Funaki, K., Iwakuma, M., Yamafuji, K. Anomalous magnetic behavior due to reversible fluxoid motion in superconducting multifilamentary wires with very fine filaments 86—36088
Sumiyoshi, F., Nagaishi, H., Ichimaru, O., Yamafuji, K. Increase of coupling-current losses in superconducting cables due to first-stage cabling 86—32775
Sumiyoshi, F. *see* Yamafuji, K. 87—74554
Sumiyoshi, F. *see* Zhang, Q.F. 85—15621, 85—29485
Sumiyoshi, H. *see* Tanimoto, M. 85—36903
Sumiyoshi, M., Aikawa, C., Hosokawa, T., Matsuoka, M. ZnO varistor 'ZNR' 86—1388
Sumiyoshi, T., Hayashi, K., Ogawa, K., Takasaki, F., Haba, T., Kamitani, T., Kanematsu, N., Osabe, H., Sugimoto, S., Yamashita, T., Sakano, M., Yoshida, H., Shino, K. Performance of the VENUS lead-glass calorimeter at TRISTAN 88—74661
Sumiyoshi, T. *see* Abe, K. 88—16629
Sumiyoshi, T. *see* Ogawa, K. 85—31698, 85—64466, 86—11847, 86—15912, 86—32179
Sumiyoshi, T. *see* Uebayashi, T. 88—29903
Sumiyoshi, Y. *see* Murase, S. 85—46113
Sumiyoshi, Y. *see* Noto, K. 85—46107, 87—53927
Sumkin, V.R. *see* Glagolev, S.F. 88—28076
Summa, D.A. *see* Stein, J.A. 86—18044
Summanen, K. *see* Oittinen, P. 88—16506
Summer, G. *see* Sparks, L. 85—38337
Summer, J.P. *see* Craveirinha, J.M.F. 88—14565
Summer, M. A workstation case study 86—30286
Summer, T.J. A calculation of the effect of a coaxial superconducting shield on the magnetic field distribution of an enclosed coaxial solenoid 87—54497
Summerer, K. *see* Armbruster, P. 88—36393
Summerer, K. *see* Hildebrand, N. 88—4806
Summerfield, Q., Foster, J., Tyler, R., Bailey, P.J. Influences of formant bandwidth and auditory frequency selectivity on identification of place of articulation in stop consonants 85—63013
Summerfield, Q. *see* Sidwell, A. 87—19432
Summerfield, S., Butcher, P.N., Long, A.R. The role of hydrogen on fermi level hopping in a-Ge 86—27911
Summerfield, S. *see* Balkan, N. 85—23464, 86—58272
Summerfield, S. *see* Chroboczek, J.A. 86—53352
Summerfield, S. *see* Long, A.R. 88—71318
Summerhill, D. *see* Moy, G. 87—14606
Summerlin, M. *see* Gage, B. 85—35417
Summers, A. *see* Barnes, S.R. 88—26829
Summers, A. *see* Houghton, I. 88—22157
Summers, A.T. *see* Holden, G. 88—60204
Summers, C. *see* Gustafson, S. 88—72691
Summers, C.F. Performance of IEEE 802.4—the basis of MAP 87—28153
Summers, C.F. *see* Weaver, A.C. 88—35097
Summers, C.J., Brennan, K.F. Variably spaced superlattice energy filter, a new device design concept for high-energy electron injection 86—41567
Summers, C.J., Brennan, K.F. New resonant tunneling superlattice avalanche photodiode device structure for long-wavelength infrared detection 87—68275
Summers, C.J., Brennan, K.F., Rogers, H.D., Wagner, B.K. The variably spaced superlattice energy filter 87—45862
Summers, C.J., Brennan, K.F., Torabi, A., Harris, H.M. Resonant tunneling and negative differential resistance in a variably spaced superlattice energy filter 88—25310
Summers, C.J., Brennan, K.F., Torabi, A., Harris, H.M., Comas, J. Resonant tunneling studies of variably spaced multiple quantum well structures in the AlGaAs system 88—32864
Summers, C.J., Darling, B., Martin, B.G. Computer modeling of carrier transport in (Hg,Cd)Te photodiodes 86—47343
Summers, C.J., Torabi, A., Wagner, B.K., Benson, J.D., Stock, S.R., Huang, P.C. MBE growth of CdTe and ZnCdTe on GaAs substrates 87—31540
Summers, C.J. *see* Benson, J.D. 88—31780
Summers, C.J. *see* Benz, R.G., II 88—31774
Summers, C.J. *see* Brennan, K. 88—50655
Summers, C.J. *see* Brennan, K.F. 87—32293, 87—38925, 87—63461, 88—32912
Summers, C.J. *see* Rohatgi, A. 88—56304
Summers, C.J. *see* Torabi, A. 88—50656
Summers, C.J. *see* Wagner, B.K. 88—31773
Summers, C.M., Harris, H.M., Meeks, E.L., Rucker, C.T., Hill, G.N. Compound semiconductor material growth and device fabrication 86—20065
Summers, D. *see* Bauer, G. 87—29544
Summers, D.J. *see* Bharadwaj, V.K. 85—31695
Summers, D.M. Convection and diffusion modes of induced Earth current 85—2477
Summers, D.W. *see* Covington, C.D. 87—62066
Summers, E., McIntyre, J., Brunel, A., Clarkson, J. Adapting microcomputers for special needs adults at Pearson Hospital 87—58583
Summers, G. *see* Campbell, A.B. 87—32543
Summers, G.P., Burke, E.A., Dale, C.J., Wolicki, E.A., Marshall, P.W., Gehlhausen, M.A. Correlation of particle-induced displacement damage in silicon 88—26224
Summers, G.P., Wolicki, E.A., Xapsos, M.A., Marshall, P., Dale, C.J., Gehlhausen, M.A., Blice, B.D. Energy dependence of proton displacement damage factors for bipolar transistors 87—32490
Summers, G.P. *see* Bandyopadhyay, P.K. 85—35598
Summers, G.P. *see* Burke, E.A. 88—25882
Summers, G.P. *see* Maisch, W.G. 88—26692
Summers, H.A.T. *see* Roberts, J.L.L. 88—72075
Summers, I.R. An improved tactile aid for the deaf 86—50621
Summers, I.R., Al-Dabbagh, A.D., Garnham, C.W. The electronic simulation for sensorineural hearing loss 87—71071
Summers, J. Interconnecting high speed logic 85—34279
Summers, J. *see* Goldwasser, S.M. 86—25199
Summers, J. *see* Izaguirre, A. 87—13131
Summers, J. *see* Krotkov, E. 87—49578
Summers, J.B. *see* Collison, R.R. 86—65207
Summers, J.G., Ng Thow Hing, L.A. An overview of gallium arsenide MMIC processes 87—1728
Summers, J.G. *see* Nagle, J.P. 86—53044

Summers, J.S. *(editor)* Lasers in Graphics. Electronic Publishing in the 80's. 1984 Conference Proceedings 86−46
Summers, L.G. *see* LaLumiere-Grubbs, L. 88−30118
Summers, L.T., Miller, J.R. The development of superconductors for applications in high-field, high-current-density magnets for fusion research 87−67962
Summers, L.T., Miller, J.R. Composite insulation materials: requirements for a small, superconducting, ignited tokamak 88−64848
Summers, L.T., Miller, J.R., Kerns, J.A., Myall, J.O. Cryogenic magnet case and distributed structural materials for high-field superconducting magnets 88−65104
Summers, L.T., Strum, M.J., Morris, J.W., Jr. Welding superalloy sheet for superconducting cable jackets 85−43619
Summers, L.T. *see* Kerns, J.A. 88−65101, 88−65103
Summers, L.T. *see* Luton, J.N. 86−48061
Summers, L.T. *see* Miller, J.R. 86−58723, 87−67961, 88−42864
Summers, M.A., Trenholme, J.B., Gagnon, W.L., Gelinas, R.J., Stokowski, S.E., Marion, J.E., Julien, H.L., Blink, J.A., Bender, D.A., Riley, M.O., Steinkraus, R.F. High average power solid state laser developments at Lawrence Livermore National Laboratory 87−46828
Summers, M.A., Williams, J.D., Johnson, B.C., Eimerl, D. Harmonic generation at high peak power 87−46980
Summers, M.A. *see* Haas, R.A. 87−19028
Summers, P. *see* Blakey, P.A. 85−34905
Summers, P.I. High performance fighter cockpits for the year 2010 and beyond 86−12100
Summers, P.I. Cockpits for 2010 and beyond 86−44744
Summers, P.M. UNIX-based test environment applied to RF testing 86−60122
Summers, R.C. A resource sharing system for personal computers in a LAN: concepts, design, and experience 87−69665
Summers, R.C. *see* Alkalaj, L. 87−55776
Summers, R.L. *see* Matus, L.G. 86−62981
Summers, S.C. Computer aided design−keeping pace with technology 86−52215
Summers, S.C. The evolution, growth of computer aided design 87−99
Summers, W.A., Parker, W.G. Fuel processing systems for phosphoric acid fuel power plants 87−42745
Summers, W.R., Schweikert, E.A. Compact time-of-flight mass spectrometer using particle-induced desorption 86−44607
Summersby, S.J. Industrial plugs and sockets: revision to IEC 309 proposed 87−1043
Summerscales, J. Embedded optical sensors in fibre reinforced plastics 87−68055
Summerscales, J. Corona discharge [NDT method] 88−12125
Summerscales, J., Short, D. Chemical spectroscopy [in NDT] 88−12126
Summerscales, J. *see* Glennie, A.M.G. 86−20122
Summerscales, J. *see* Gray, A.J. 86−529
Summerscales, J. *(editor)* Non-destructive testing of fibre-reinforced plastics composites. Vol.1 88−11574
Summhammer, J. *see* Rauch, H. 85−64415
Summonte, C. *see* Bentini, G.G. 86−45705, 88−18071, 88−44632
Summonte, C. *see* Campari, A. 86−22102
Sumner, E.E. The operations explosion 88−52884
Sumner, I. *see* Bordas, J. 86−60563
Sumner, J.P. *see* Lester, P. 85−5699
Sumner, M. The organisational impacts of electronic mail 87−76251
Sumner, M. The impact of electronic mail on managerial and organizational communications 88−59517
Sumner, M., Asher, G.M. PWM induction motor drive using the INMOS transputer parallel processor 88−55664
Sumner, R. The L3 BGO electromagnetic calorimeter 88−29866
Sumner, R. *see* Dietl, H. 85−48166
Sumner, R.L. *see* Bakken, J.A. 85−31696, 87−35350
Sumner, T.J., Pendlebury, J.M., Smith, K.F. Convectional magnetic shielding 87−75467
Sumner, W.J., Vogan, J.H., Lindinger, R.J. Reducing solid particle erosion damage in large steam turbines 86−61375
Sumney, L.W. Cooperative research and development and US electro-technology 85−10390
Sumney, L.W., Burger, R.M. The Semiconductor Research Corporation and university research in integrated circuits 86−53729
Sumney, L.W. *see* Burger, R.M. 85−18374
Sumorok, K. *see* Albrow, M.G. 88−29872
Sumorok, K. *see* Bauer, G. 87−29544, 87−77572
Sumorok, K. *see* Bettini, A. 87−29545
Sumorok, K.C.T.O. *see* Corden, M.J. 85−64462
Sumoto, T. *see* Morishita, M. 85−58348
Sumpf, B. *see* Tomm, J.W. 88−2231
Sumpter, C.M. *see* Weston, R.H. 87−2902, 88−71244
Sumption, E. Update on the spectrum analyser 85−31410
Sumption, E. Spectrum analyser 85−31411
Sumrov, V. *see* Zhuravleva, V. 87−11470
Sumsion, K. Why voltage varies−and what is noise? 85−9553
Sumsion, K. Electromagnetic interference and harmonic generation produced by HID and fluorescent lighting 86−7295
Sumski, S. *see* Panish, M.B. 85−44699
Sumski, S. *see* Temkin, H. 86−2937
Sun, A. *see* Chalmers, I.D. 85−56016
Sun, A. *see* Qiu, Y. 88−26594
Sun, A. *see* Qui, Y. 88−26589
Sun, B. *see* Zhao, Y. 86−6001
Sun, B.K.-H. *see* Cain, D.G. 86−70764
Sun, B.K.-H. *see* O'Brien, J.F. 86−25761
Sun, B.S. *see* Paige, E.G.S. 86−2530
Sun, C. *see* Chang, K. 85−6513
Sun, C. *see* Delaney, M.J. 86−8507
Sun, C. *see* Gu, L. 86−70693
Sun, C. *see* Jackson, C.M. 87−6051
Sun, C. *see* Tang, R. 86−45381
Sun, C.C., Chang, W.S.C., Wieder, H.H. The gate-controlled photodiode for optical matrix multiplication applications 87−54189
Sun, C.C. *see* Wei-Xi Chen 86−53553
Sun, C.J., Lue, J.T. Second harmonic generation with focused broadband and high-order transverse mode lasers 88−34109
Sun, C.P. *see* Seong-Ju Park 87−18005
Sun, C.R., Cue, N. Production of photon beams with aligned crystals 88−4754
Sun, C.R. *see* Carrigan, R.A. 88−4753
Sun, C.Y. *see* Chang, L.W. 87−23666
Sun, C.Y. *see* Hsu, Y.J. 88−33005
Sun, C.Y. *see* Hwang, H.L. 85−16961, 85−52976
Sun, D., Wang, S.M., Lu, C.Z., Zhou, C.S., Zhang, S.F. The test study of the interfering effect by the 500 kV transmission line on the communication open wire line 88−66110
Sun, D.C., Yu, Z.Q., Li, F.M., Du, Y.C., Wang, H. Rapid removal for photoresist by a large-area electron beam 87−60226
Sun, D.C. *see* Du, Y.C. 88−26049
Sun, D.C. *see* Jiang, W.B. 88−14261
Sun, D.I., Ashley, B., Brewer, B., Hughes, A., Tinney, W.F. Optimal power flow by Newton approach 85−15466
Sun, D.Q. *see* Cendes, Z.J. 88−85
Sun, D.Z. *see* Chmielowski, M. 88−32832
Sun, D.Z. *see* Huang, Y.H. 88−49808
Sun, D.Z. *see* Suski, T. 88−44575
Sun, E.Y. VLSI building blocks for high performance digital systems 86−46887
Sun, E.Y., Sackett, B. High performance VLSI for computational solutions 86−1121
Sun, E.Y. *see* Hildebrandt, E. 85−11145
Sun, G. *see* Cheng, Y. 88−69200
Sun, G. *see* Zahn, M. 87−43171
Sun, G.-Q. *see* Richards, J.A. 87−71278
Sun, G.Q. Adjustment of a 120 cm cyclotron 85−64376
Sun, G.Q. *see* Wang, X.L. 85−29436
Sun, H., Manikopoulos, C.N. Intra-frame image coding by adaptive vector quantization with variable block sizes 88−40796
Sun, H. *see* Goldberg, M. 86−69123, 88−52344
Sun, H. *see* Moghe, S. 85−1051, 85−55174
Sun, H.-C., Liang, D.-Q., Mao, N.-F., Sun, Q.-R., Chen, S.-P., Si, G.-J., Du, H.-S., Liang, S.-Z., Chen, W.-K., Wang, B.-D., Hu, Z.-L., Li, Y.-H., Xu, X.-X., Mei, Z.-Y. A low energy, high-luminosity, high-resolution double-focusing magnetic beta-ray spectrometer for measuring neutrino rest mass 88−68305
Sun, H.-F. *see* Goldberg, M. 86−64329
Sun, H.-H. *see* Onaral, B. 85−37609
Sun, H.-J. *see* Moghe, S.B. 85−17826, 85−23122
Sun, H.F., Goldberg, M. Image sequence coding using vector quantization 86−3996
Sun, H.F., Goldberg, M. Adaptive vector quantization for image sequence coding 86−10511
Sun, H.F., Goldberg, M. Frame adaptive vector quantization 87−33815
Sun, H.H., Onaral, B., Tsao, Y.-Y. Application of the positive reality principle to metal electrode linear polarization phenomena 85−3954
Sun, H.H. *see* Bartos, J. 88−56418
Sun, H.H. *see* Lee, F.K. 88−10394
Sun, H.H. *see* Moussavi, M. 88−16683, 88−68349
Sun, H.H. *see* Onaral, B. 85−31848, 88−48097
Sun, H.J. Frequency modulation instruments for skin friction measurement 87−70894
Sun, H.J., Terzian, P.A. A low current, high gain monolithic amplifier covering 5-20 GHz bandwidth 87−59880
Sun, J., Mason, B. Controlling an integrated automatic parameter characterization system with FORTH 86−11430
Sun, J. *see* Boileau, F. 88−38494
Sun, J. *see* Dori, L. 88−7607
Sun, J. *see* Hsu, I.S. 87−69046
Sun, J. *see* Hwang, F.K. 85−33287
Sun, J. *see* Mueller, T. 88−68681
Sun, J.-Y.-C., Maldonado, J.R., Rodriguez, M.D., Laskar, J., Zicherman, D.S. Effects of X-ray irradiation on the channel hot-carrier reliability of thin-oxide n-channel MOSFETs 87−32563
Sun, J.-Z., Qui, H.-H. Dynamic measurement of watch mechanism by means of laser Doppler effect 87−61291
Sun, J.H. *see* Densmore, W. 85−36872
Sun, J.V.-C., Wordeman, M.R., Laux, S.E. On the accuracy of channel length characterization of LDD MOSFETs 87−6721
Sun, J.Y., Taur, Y., Dennard, R.H., Klepner, S.P. Submicrometer-channel CMOS for low-temperature operation 87−32692
Sun, J.Y., Taur, Y., Dennard, R.H., Klepner, S.P., Wang, L.K. 0.5-μm-channel CMOS technology optimized for liquid-nitrogen-temperature operation 87−46216
Sun, J.Y. *see* Krusin-Elbaum, L. 87−32440
Sun, J.Y. *see* Lai, F.J. 87−1743
Sun, J.Y. *see* Wordeman, M.R. 85−45709
Sun, J.Y.-C. *see* Lai, F.-S.J. 86−21586
Sun, J.Y.-C. *see* Lai, F.J. 86−41815
Sun, J.Y.-C. *see* Taur, Y. 87−46194, 88−26502
Sun, K.H. *see* Clark, A.P. 85−63049
Sun, K.H. *see* Levy, M. 88−51385
Sun, K.J., Levy, M., Maple, M.B., Torikachvili, M.S. Ultrasonic attenuation measurements on the re-entrant superconductors $Er_{0.187}Ho_{0.813}Rh_4B_4$ and $Er_{0.705}Ho_{0.295}Rh_4B_4$ 87−1908
Sun, K.T. *see* Hsin Chia Fu 87−67389
Sun, L.-F., Chu, P.-C., Liaw, J.-M., Parng, T.-M. The EVADS Easily Verifiable Automated Design Synthesis system: overview, data path synthesis and control process synthesis 88−18866
Sun, L.-F. *see* Teng, T. 87−21789
Sun, L.T. *see* Wang, J.J.H. 85−14350
Sun, M., Kaul, P., Revkin, S. The middle ground between public and private networks 85−63302
Sun, M., Martin, K. A formant analysis vocoder based on state-variable biquads 86−64227
Sun, M. *see* Sclabassi, R.J. 88−42515
Sun, M. *see* Sharifi, M.H. 88−9495
Sun, M.-T. *see* Martin, K. 85−17703
Sun, M.H., Kim, J.H., Sandberg, C.L. Advances in Fluoroptic thermometry: new applications in temperature measurement 86−50238
Sun, M.H. *see* Ikeda, M.H. 88−67842, 88−67877
Sun, M.H. *see* Norton, E.T. 87−72197
Sun, M.H. *see* Wickersheim, K.A. 87−70577
Sun, M.H. *see* Williams, H.J. 88−67814
Sun, M.P. The response of pipework to noise and vibration in the reactor environment 85−48717
Sun, M.T., Chen, T.C. A 16×16 discrete cosine transform chip 88−38569
Sun, M.T., Wu, L., Liou, M.L. A concurrent architecture for VLSI implementation of discrete cosine transform 87−73477
Sun, M.T. *see* Chen, T.C. 88−73276
Sun, M.T. *see* Gottlieb, A.M. 88−70832
Sun, M.T. *see* Martin, K. 85−17732
Sun, M.T. *see* Martin, K.W. 86−34997
Sun, N.H., Zhu, S.Z., Chen, H.K. Calculation of input impedance of non-regular double loop antenna near rectangular cylinder reflector 87−47378
Sun, N.H. *see* Wu, C. 87−54544
Sun, P. *see* Bruell, P. 86−34467
Sun, P.K. A constraint based incremental compactor 88−26430
Sun, Q.-R. *see* Sun, H.-C. 88−68305
Sun, R.C. *see* Agraz-Guerena, J. 85−50722
Sun, R.C. *see* Wroge, D.M. 86−2416
Sun, S. *see* Wang, Z. 88−60893 to 60894
Sun, S.C. *see* Pilleteri, J. 86−33303
Sun, S.W., Lee, J.J., Boeck, B., Hance, R.L. Al/W/TiN_x/$TiSi_y$/Si barrier technology for 1.0-μm contacts 88−33078
Sun, S.W., Pintchovski, F., Tobin, P.J., Hance, R.L. Effects of $TiSi_x$/Tin_x/Al contact metallization process on the shallow junction related properties 88−39274
Sun, S.W. *see* Jen-Jiang Lee 88−50763
Sun, S.W. *see* Parrillo, L.C. 87−46217
Sun, S.Y. *see* Shih, C.-C. 88−70604
Sun, T.C., Jarrell, J.D., Schafer, R.L. Computer instrumentation for the NSDL soil bin penetrometer car 87−77079
Sun, T.D. *see* Zhu, J.H. 85−29472
Sun, V.I.H. Operational repair and maintenance of programmable controllers and process control computers 85−16522
Sun, W., Tang, C.S., Zhuge, X.B., Chen, M.S. Theory and experiments of dye lasers longitudinally pumped by copper vapor lasers (CVL) 86−58896
Sun, W. *see* Okabe, N. 87−33807
Sun, W. *see* Rothwell, E.J. 87−56204
Sun, W. *see* Tayama, N. 88−3204, 88−73233
Sun, W.M. *see* Rothwell, E.J. 87−34650
Sun, X., Davidson, F., Abshire, J.B. Performance measurements of a diode laser optical communications link with Q=4 PPM signaling 87−68525
Sun, X., Li, H.F., Jayakumar, R. Reflection on systolic architecture: a high level data flow language for silicon compilation 88−38497

Sun, X. *see* Li, H.F. 87—38583, 87—44891
Sun, X.-A. *see* Tang, H.-W. 85—15246
Sun, X.-H., Yahagi, T. Design of two-dimensional digital filters using circulant matrices and restoration of degraded images 88—34799
Sun, X.K. *see* Grossinger, R. 85—12477, 86—15355, 86—21959
Sun, X.Z., Venetsanopoulos, A.N. On the evaluation of the Fourier series coefficients in the design of digital FIR filters 86—20738
Sun, X.Z., Venetsanopoulos, A.N. Nonlinear point operators for edge detection 86—69110
Sun, X.Z., Venetsanopoulos, A.N. Adaptive schemes for noise filtering and edge detection by use of local statistics 88—34666
Sun, Y. The gain calculation of media and electrostatic free-electron lasers by the Madey theorem 88—2303
Sun, Y. *see* Cadzow, J.A. 87—19653, 87—62040
Sun, Y. *see* Chen, X.-X. 87—61688
Sun, Y. *see* Dong, Y. 87—3964
Sun, Y. *see* Lee, J. 86—6902
Sun, Y. *see* Liu, E. 88—37445
Sun, Y. *see* Pletersek, T. 86—2436
Sun, Y. *see* Shi, W.-M. 88—10406
Sun, Y. *see* Wu, J. 85—11914
Sun, Y.-C. *see* Heremans, P. 88—13373
Sun, Y.-Q., Ye, Z.-J., Yeh, R.T. Solving systems of linear and nonlinear functional equations 85—16892
Sun, Y.-S. *see* You, Z.-Q. 88—52017, 88—52078
Sun, Y.-Y. *see* Lee, J.-Y. 86—45531, 88—55445
Sun, Y.C. *see* Dori, L. 87—67128
Sun, Y.C. *see* Lai, F.S. 86—47854
Sun, Y.G. *see* Cai, G.R. 86—66730
Sun, Y.H. *see* Papazoglou, I.A. 85—43756
Sun, Y.H. *see* Shiu, K. 85—43775
Sun, Y.M., Kruhler, W., Nebel, C.E., Bauer, G.H. Temperature dependence of photodegradation in amorphous hydrogenated silicon 88—51656
Sun, Y.N. *see* Bai, Z.D. 87—63762
Sun, Y.N. *see* Li, C.C. 86—1944
Sun, Y.N. *see* Shu, D.B. 86—59356, 88—33300
Sun, Y.S. *see* Lord, W. 88—49904
Sun, Y.S. *see* Udpa, S.S. 88—52007
Sun, Yu-shi, Jiang, Zhong-wei, Ya, Guo-ji, Mu, Xing-hua, You, Zhong-qing Finite element solution of 3D magnetostatic field problems involving distributed current using a single scalar potential—the modification and application of the fictitious magnetic monopole model 86—42736
Sun, Yu-shi *see* Udpa, S.S. 86—42735
Sun, Y.Z., Das, S.R., Williams, D.F., Webb, J.B. Nature of photoconductivity in amorphous Si_xH_y alloy films prepared by planar RF magnetron sputtering 86—47321
Sun, Y.Z. *see* Hua, Q.H. 86—63041
Sun, Z., Li, S. W-band GaAs Gunn diode harmonic power combiners 85—17846
Sun, Z., Wang, L.-T. Self-testing of embedded RAMs 85—33918
Sun, Z., Zhou, F. Development of large power long distance HVDC transmission system between regional systems is inevitable trend 88—68889
Sun, Z. *see* Chen, H. 86—69097
Sun, Z.-L., Ning, C. Dielectric-resonator-stabilized second harmonic *Ka*-band microstrip Gunn oscillator 87—73762
Sun, Z.L. *see* Burnett, J.H. 86—28147
Sun, Z.L. *see* Mackenzie, K.D. 86—27927
Sun Bai Do *see* Do Sun Bai
Sun Bao-yin *see* Dong Jie 88—20465
Sun Baoding, Yang Liangmin Design of a fiber-optic cable coupler for high power YAG laser scalpels 85—64620
Sun Baoyin, Liu Yulan, Li Wennian, Jiang Jianping, Wang Zhenming Ion-implanted silicon detectors with high sensitivity to blue-light 85—58705
Sun Baoyin *see* Huang Xiaokang 86—42426, 87—7214, 88—20498, 88—58292
Sun Birou *see* Zhrng Bohou 86—41627
Sun Chang-yi *see* Liu Bao-yan 87—66809
Sun Changzhi *see* Li Ge 87—22303
Sun Chen-ren, Lin Shu-yan, Mao Nai-feng, Si Guo-jian, Wu Deng-xi Measurement of low magnetic field distribution of a β spectrometer 86—65391
Sun Cheng *see* Cheng Sun
Sun Chengcheng *see* Huang Xiaokang 87—7214, 88—20498
Sun Chengke *see* Lou Fengge 88—30024
Sun Chengtai *see* Lu Chuengang 85—23665
Sun Chengwei *see* Gong Xinggen 88—43295
Sun Chenren *see* Chenren Sun
Sun Cherng-Yuan *see* Cherng-Yuan Sun
Sun Chiao, Shih, W., Wang, C., Batra, T. Developments in thin polyoxides for non-volatile memories 85—62091
Sun Chien Jen *see* Chien Jen Sun
Sun Chunchang *see* Chen Miao 88—36324
Sun Chung Ho *see* Ho Sun Chung
Sun Chung Yen *see* Heui Li Huang 87—25842
Sun Chung Yen *see* Huei Li Huang 87—18519
Sun Chung-ping *see* Chung-ping Sun
Sun Daku, Yi Quanrui High coercivity 2-17 magnets with ideal rectangular demagnetization curves 86—21953
Sun Daoli *see* Zhang Qinghui 87—12841
Sun Degui *see* Cui Chengwu 88—40324
Sun Degui *see* Ding Lanying 88—40325
Sun Dengwen, Qu Delin, Zhao Kuiyuan, Su Jianmin Reachable vector method for network decomposition 88—21381
Sun Dianzhao *see* Liang Jiben 87—16585, 88—398, 88—43868
Sun Dianzhao *see* Zhong Zhantian 86—41589, 87—24915
Sun Dianzhau *see* Chen Zonggui 85—33416
Sun Dianzhau *see* Kong Meiying 88—24725
Sun Die-chi *see* Du Yuan-cheng 86—67780, 87—18032
Sun Die-chi *see* Die-chi Sun
Sun Diechi *see* Du Yuancheng 85—33480, 86—46352
Sun Diechi *see* Yang Yuanlong 85—29744
Sun Dok Sin *see* Sin Sun Dok
Sun Fang-Kuo *see* Fang-Kuo Sun
Sun Fu *see* Yang Hongji 88—21644
Sun Fu-an *see* Wei Hsueh-huan 86—4761
Sun Fuyin *see* Fuyin Sun
Sun Guanchao *see* Guanchao Sun
Sun Guanghui Developing a digital type low frequency automatic load shedding device 85—21069
Sun Guanghui *see* Cheng Yibing 88—62223
Sun Guanghui *see* Zhu Jie 88—61999
Sun Guanghut Stability control apparatus for power systems and future trends 86—18660
Sun Guo-Liang *see* Li Hui 88—12916
Sun Haiyin Laser wavelength monitoring by Young's interference 88—14252
Sun Han Te *see* Te Sun Han
Sun Han-fang The synthetic methods for correcting static errors of a transducer 87—41462
Sun Han-fang *see* Han-fang Sun
Sun Han-sheng *see* Zheng Zhi-peng 85—4224
Sun Hancheng *see* Hancheng Sun
Sun Heng-Hui *see* Heng-Hui Sun
Sun Henghui *see* Ren Yunzhu 87—66989
Sun Ho Kim *see* Ho Seong Lee 86—3042
Sun Hui-Fang, Goldberg, M. Image coding using LPC with vector quantization 85—51799
Sun Huifang *see* Huifang Sun
Sun Hwang Chong *see* Chong Sun Hwang
Sun Ji Rong *see* Rumpel, D. 87—71587
Sun Ji-guang Gerschgorin type theorem and the perturbation of the eigenvalues of singular pencils 86—7686
Sun Ji-guang An algorithm for the solution of multiparameter eigenvalue problems 86—62143
Sun Ji-guang The stability of solutions for inverse problems of matrices 87—10315
Sun Ji-guang On the sufficient conditions for the solvability of algebraic inverse eigenvalue problems 87—44219
Sun Ji-guang Least-squares solutions of a class of inverse eigenvalue problems 87—65409
Sun Jia New application of a single six-port reflectometer 85—8754
Sun Jia New method of measuring two-port devices by six-port reflectometer 86—70203
Sun Jia X-band single six-port reflectometer system 88—10110
Sun Jia-chang On the minimum eigenvalue separation for matrices 86—7688
Sun Jia-chang The Fourier transform approach to multivariate *B*-splines 86—62109
Sun Jia-Ping China's emerging power industry—expansion in many directions 86—44847
Sun Jiachang *see* Jiachang Sun
Sun Jiahong *see* Mo Yuanlong 85—55377
Sun Jian *see* Wu Weimin 86—40002
Sun Jianli *see* Jianli Sun
Sun Jihua *see* Xiao Jingcheng 88—10203
Sun Jing Ao *see* Jing Ao Sun
Sun Jing-wen Pulse calibration technique of X-ray detector 87—3884
Sun Jirong *see* Rumpel, D. 86—25489, 86—44851
Sun Jun *see* Song Zhwming 86—54113
Sun Ke-Xun *see* Ke-Xun Sun
Sun Kun, Fu Chongda, Sun Xiunan, Hu Bingwen, Xia Qing Investigation on laser pulse drilling with disc-rotor modulation 88—40425
Sun Kun, Wang Xiu, Hu Bingwen, Wang Keqin Investigation on laser hardening of high speed steel tools 87—54450
Sun Kun-qian *see* Li Duen-fu 87—59841
Sun Kunzhe *see* Zheng Zhiqin 85—29513
Sun Lan-shen A fast signal averager capable of subnanosecond rise time resolution 85—64082
Sun Le-lin *see* Kang Li-shan 86—7703
Sun Lee Hae *see* Hae Sun Lee
Sun Lee Woo *see* Woo Sun Lee
Sun Li, Deng Feifan Function analysis and parameters determination of resonator type fiber-gyroscopes 85—29563
Sun Lin *see* Fan Changxin 88—1911
Sun Lir-Fang *see* Lir-Fang Sun
Sun Lu, Hochbaum, A., Davis, C., Holycross, M., Boyer, D. Laser-addressed liquid-crystal light modulators for color electronic imaging with Mead microencapsulated paper 88—16355
Sun Lu *see* Fergason, J.L. 87—8672
Sun Maoheng MCSR data encoder and buffer on board geostationary meteorological satellite 88—42646
Sun Mei-xiang *see* Wang Zhi-chao 87—36787
Sun Mi Jeon, Soo Joong Kim A proposal of the directed product graph and its applications to network analysis. II 86—595
Sun Nai-hua *see* Nai-hua Sun
Sun Naihua *see* Chen Hankui 88—45770
Sun Pei-fen *see* Fan Yu-dian 88—12070
Sun Peifen *see* Zhang Renbo 85—54933
Sun Qi-wan Simple and practical formulae of noise bandwidth for sampled phase-locked loops 85—44935
Sun Qi-wan Stability criteria for general and delay sampled phase-locked loops 85—54738
Sun Qi-yue *see* Huang Wei-shi 88—40387
Sun Qiang *see* Zhu Yanbin 88—65612
Sun Qin-ren *see* Li Zeng-hai 87—29403
Sun Qing *see* Zhuang Yi-qi 88—57635
Sun Qing *see* Zhuang Yiqi 88—19922
Sun Qinren *see* Zhao Zhiyong 88—10182
Sun Rongjiu, Wu Rongfa, Li Qingxian MSK signal transmission on upper side-band AF channel for PLC 85—13455
Sun Saosien *see* Zhang Boming 87—71598
Sun Shangwen *see* Yu Junhua 88—65554
Sun Shao-Ming, Liu Xin-Yi, Li Kuo-Jian A microcomputer controlled speech/data interpolation system 87—69581
Sun Shaoxian *see* Zhang Boming 87—35607, 87—64080
Sun Sheng-He *see* Sheng-He Sun
Sun Shengfen Fission track dating of zircon 86—11885
Sun Shengfen *see* Meng Wu 86—11867
Sun Shi-qian *see* Ma Fei 88—32306
Sun Shin An *see* Guen Sik Na 87—55720
Sun Shin An *see* Jun Kim 88—46557
Sun Shrnh-He *see* Shrnh-He Sun
Sun Shu-ying *see* Wang Shen-lin 88—11937
Sun Shuhua, Guan Shouren, Xu Guoji, Wang Jainshe Recent progress in the preparation of nuclear targets at IAE 85—59113
Sun Shuhua *see* Qiu Junlin 88—65553
Sun Shulan *see* Liu Dawei 86—3097
Sun Shundi *see* Liao Shiqiang 87—34532
Sun Shundi *see* Tu Shigu 85—18983
Sun Shuqin *see* Tang Tongyi 87—15632
Sun Shuxin, Dai Mingxing μC data acquisition and control system used in dynamic analogue for power systems 85—15477
Sun Shuxin *see* Wu Qinghua 85—21582, 85—53672
Sun Shuxin *see* Yang Xiaojian 88—34625
Sun Siyuan, Sang Fengting, Zhou Bigian, Xie Xingbin, Zhuang Qi, Zhang Cunhao LIF visualization of supersonic chemical laser flowfields 85—12762
Sun Song-lan *see* Wei Kai-yu 88—22871
Sun Song-yan *see* Liu, Y.T. 85—53194
Sun Songen Discussion on two-photon laser oscillation process 87—74951
Sun Songen Semiclassical analysis of noise effect in two-photon lasers 88—65541
Sun Songgen Discussion on two-mode two-photon CW laser oscillation 88—40124
Sun Tian-Duo *see* Yang Fu-Ming 86—21958
Sun Tiandao, Zhou Xijian Magnetic properties of Nd-(Fe,Co)-B magnets 86—21957
Sun Tianduo *see* Li Wei 87—74500
Sun Tsan-Bin *see* Tsan-Bin Sun
Sun Tzouh-Liang *see* Tzouh-Liang Sun
Sun Wanjun *see* Liu Yudong 88—72400
Sun Wei, Wang Yorgjiang, Xia Tiejun, Yao Zhixing, Dong qi, Wu Zehua, Yin Xixiong, Chen Meisheng A pure copper laser of simple structure 87—7263
Sun Wei *see* Tang Chuanshun 88—72349
Sun Wei *see* Yao Zhixin 88—27045
Sun Wei *see* Zhang Shuming 86—11900, 88—10287
Sun Wei *see* Wei Sun
Sun Wei-dong *see* Wei-dong Sun
Sun Weimin, Peng Jihu, Wu Boyu, Fan Choncheng Crosstalk analysis of total-internal-reflection switches 87—60920
Sun Won Chee *see* Chee Sun Won
Sun Xiaoming *see* Guo Qingji 88—37247
Sun Xiaoxiang *see* Liang Peihui 88—65173, 88—72367
Sun Xiehua *see* Xiehua Sun
Sun Xingchu A MOSFET model with substrate bias for CAD 88—44753
Sun Xiunan *see* Sun Kun 88—40425
Sun Xiuying *see* Yang Xiuzhen 88—40051
Sun Xuanren, Zhuang Yan, Tan Shiaokiu The PTC effect and NTC effect of the $Pb(Ti,Mn)O_3$ and $(Pb,Ba)(Ti,Mn)O_3$ systems 87—74339
Sun Y. Kim *see* Duck H. Kim 86—41242
Sun Yan *see* Wang Chang-biao 86—68412
Sun Yan *see* Wang Changbiao 88—27579
Sun Yan *see* Wu Ziyu 88—72341
Sun Yangfang *see* Zhou Xiaogang 88—36400
Sun Yao-wu *see* Fan Xi-wu 85—35645
Sun Yi *see* Yu Lisheng 85—372
Sun Yi-chuang, Lin Zai-xu Quasi-fault incremental circuit approach for nonlinear circuit fault diagnosis 88—31962
Sun Yi-min *see* Shen Nai-cheng 86—3093
Sun Yilin *see* Guan Anmin 85—59162, 86—50295
Sun Ying *see* Ying Sun

Sun Yizhi *see* Cheng Yuansheng 87—66882
Sun Yo-Yu *see* Yo-Yu Sun
Sun Yong-Qiang, Huang Ren-Ling Deriving some expansion theorems for nonlinear functional equations by an algorithm 87—73009
Sun Yongqiang, Ye Zhijiang Solving nonlinear reducible equations 85—54373
Sun Yongqiang *see* Ye Zhijiang 85—54372, 86—62152
Sun Yoo Byung *see* Byung Sun Yoo
Sun York-Yih *see* York-Yih Sun
Sun Yu Specifications for transmission performance of digital networks 85—13705
Sun Yu Sheng, Jin Yongdong Laser heterodyne vibration measuring method 88—42335
Sun Yu-zhu *see* Chang Shi-liang 85—31964
Sun Yu-Zhu *see* Hu Yong-nian 85—53136
Sun Yuankun, Wang Xiaochun, Zhang Yimo Direct image transmission through a single optical fiber by optical phase conjugation 88—26756
Sun Yuanshan *see* Wang Zidan 85—18603
Sun Yue *see* Hu Shanrong 88—71988
Sun Yun-Peng Analysis of the gap magnetic field in shaded-pole asynchronous motors 87—22383
Sun Yun-zhang *see* Ge Bao-zhang 86—32248
Sun Yunmin, Shao Mingzhu The influences of the thickness of the carbon stripping foil on the charge state distribution 86—55941
Sun Yuping A new method for pattern making by using electron beam imaging in SiO_2 film 88—19865
Sun Yuping, Zhu Wenzhen, Liang Junhou, Ge Huang, Liang Jiuchun Irradiation damages in electron beam lithography 86—14986
Sun Yusheng, Jin Yundong A novel laser Doppler vibrometer 88—74241
Sun Zanao *see* Lin Xing 87—54397
Sun Zhan-Fu System problems in large area multilevel radio dispatching communication network 86—23700
Sun Zhaoxing, Huang Liangyu, Ma Xiuguo Mathematical simulation of flow and heat transfer processes in cylindrical combustion chambers 86—51462
Sun Zhendong *see* Wang Xishan 88—27022, 88—65787
Sun Zhengshun *see* Feng Yuankun 87—35443
Sun Zhi-xiao A simple and excellent active filter with single capacitor 86—1218
Sun Zhixin *see* Yin Gengshen 87—15150
Sun Zhong-kang, Zhang Peng Passive location and tracking for moving emitters 85—47549
Sun Zhonglin, Xiong Shaozhen, Xu Wenyuan Geminate recombination in a-Si:H 85—18095
Sun-Fei Fang Low temperature epitaxy of (In, Ga) (As, Sb) by plasma process 88—6473
Sun-Jai-Ji LDT-1 microstepmotor dynamical characteristics measuring system 88—41965
Sun-Kee Kim *see* Asakura, H. 88—16657
Sun-Koo Kang, Gaertner, J.P., Rayes, L.G., Reed, L.A. Computerization of Oconee PRA results for performing sensitivity analysis 85—48747
Sun-Soon Park *see* Gyu-Hyeong Cho 87—78782
Sun-Wah Kiu Calculating the S-T up and down distributions of a class of stochastic networks 87—62402
Sun-Wah Kiu, McAllister, D.F. Reliability polynomials of computer communication networks 87—27685
Sun-Yuan Huang, Shou-Yih Wang Light propagation characteristics in various dielectric waveguides 86—68235
Sun-Yuan Kung VLSI array processors for digital signal processing 88—13549
Sun-Yuan Kung *see* Yu Hen Hu 86—23019
Sun-Yuan Kung *see* Bromley, K. *(editor)* 88—70015
Sunada, H., Fukahori, K., Hayashi, T. Supervisory control system for shipbuilding of Oshima 87—51689
Sunada, I. *see* Fukukita, H. 86—25201
Sunada, K., Akiyama, T., Saga, Y., Ohta, S. HiFi color television receiver model C-21X55VW 85—58318
Sunada, K., Henmi, T., Itoh, T. Dual scan 15″ display TV receiver model PC-TV352 87—49277
Sunada, K., Henmi, T., Itoh, T., Ohta, S. 25-inch high quality stereo colour television C-25G921 87—34753
Sunada, K., Inose, T., Ohta, S., Niino, M., Takaoka, K. 25″ teletext color television receiver Model C-25M930 87—49270
Sunada, K., Inose, T., Ohta, S., Teramatsu, H., Niino, M., Tagishi, K., Osada, T., Takaoka, K. Teletext color television receiver model C-29M950, C-26M940 88—15762
Sunada, K., Ito, T., Teramatsu, H., Morimoto, K. Auto scan color TV receiver with high resolution picture tube 87—34768
Sunada, K., Itoh, T., Teramatsu, H., Morimoto, K. High picture quality auto-scan TV receiver model PC-TV451 86—65048
Sunada, K., Sakai, T., Teramatsu, H., Mouri, H. Auto-scan 21-inch TV receiver model PC-TV471/C-21M729 87—49276
Sunada, K., Sakai, T., Teramatsu, H., Mouri, H. Auto-scan 21-inch TV receiver 88—9721
Sunada, K., Satoh, H., Fujita, S., Kawabata, E., Kimura, M., Umeda, Y., Yamanoi, T., Nishida, M., Arai, N., Taniai, T., Furuya, M., Okada, Y., Mochizuki, K., Kogoshi, T., Senjyu, Y. High picture quality S-digital TV of IDTV system model C-29D70 88—53408
Sunada, K., Teramatsu, H. 15-inch color display television receiver model PC-TV351 86—24061
Sunada, K. *see* Inoue, Y. 85—58408
Sunada, K. *see* Kurokawa, Y. 88—41817
Sunada, T. FDM optical fiber transmission system for 7 TV channels using a light-emitting diode (LED) 88—28842
Sunada, T., Chiba, T. LED module with multiple output fibers 88—28893
Sunada, T. *see* Chikawa, J. 85—12099
Sunada, T. *see* Sato, F. 85—12162
Sunaga, H., Agematsu, T., Tanaka, R., Yosida, K., Kohno, I. Dosimetry by a cellulose triacetate film dosimeter in proton-beam irradiation 88—42590
Sunaga, H. *see* Haga, I. 88—60098
Sunaga, H. *see* Takenaka, T. 86—69541
Sunaga, H. *see* Tonami, S. 88—46415
Sunaga, J. *see* Kuroda, I. 87—59575
Sunaga, J. *see* Yoshida, M. 87—37337
Sunaga, T., Hayakawa, M.A.J., Maruki, Y. A computational method for all-integer interval linear programming 85—60868
Sunaga, T. *see* Baba, T. 87—36072
Sunaga, T. *see* Matsushita, K. 86—43664
Sunaga, Y. *see* Takuma, T. 85—37695
Sunaga, Y. *see* Watanabe, T. 86—68685
Sunagawa, H. *see* Ura, S. 88—72097
Sunagawa, K., Narahara, K. Transmission techniques [TV] 87—34712
Sunagawa, S. *see* Fukuda, S. 87—36102
Sunagawa, S. *see* Tomoda, K. 86—24087
Sunago, K. *see* Taniguchi, K. 86—56084
Sunahara, S. *see* Yasunaga, S. 86—55710
Sunahara, Y. Problems and future trends of random data processing 88—34702
Sunahara, Y., Ebisui, T., Sato, S., Takeda, F. An approximate method of the backscattering from polyhedron structures 86—68725
Sunahara, Y., Kaniya, S., Aoki, H., Sato, S., Mano, S. Backscattering from triangular cylinder and hexahedron 87—26745
Sunahara, Y., Ohse, N., Matoba, T., Itoh, H., Kawamura, T. Computer aided design of refrigerators based on predicting the total electric power input 86—7309
Sunahata, A. *see* Murakami, T. 88—41453
Sunak, H.R.D. Fibre optic communications—present and future 85—8446
Sunak, H.R.D. Launching light from single-mode semiconductor lasers into single-mode optical fibers 87—7068
Sunak, H.R.D. Polarization sensors and controllers for coherent optical communication systems 87—49095
Sunak, H.R.D. Single-mode fiber measurements 87—68150
Sunak, H.R.D. Propagation of LP_{01} and LP_{11} modes in coupled optical fibers 87—68173
Sunak, H.R.D. Propagation of LP_{01} and LP_{11} modes in kilometer lengths of optical fibers 88—13808
Sunak, H.R.D. Single-mode fiber measurements 88—58164
Sunak, H.R.D. Measurement of launching efficiency into multimode optical fibers using semiconductor laser diodes 88—58167
Sunak, H.R.D., Bastien, S.P. Advances in measurement techniques for characterizing mid-IR fibers in the 2-12 μm wavelength region 88—58166
Sunak, H.R.D., Bastien, S.P. Universal single-mode dispersion-flattened fluoride fibre designed for optimum performance from 1·5 to 2·9 μm 88—65178
Sunak, H.R.D., Bastien, S.P., Mendez, A. Chromatic dispersion characteristics of single-mode fluoride fibers having α-profiles 88—58113
Sunak, H.R.D., Doqrusoz, C., Mendez, A. Dispersion characteristics of mid-IR glasses and optical fibers 87—18704
Sunak, H.R.D., Mendez Ch., A. Considerations for the design of an experimental test facility for measurement of propagation characteristics of mid-IR fibers 88—58123
Sunak, H.R.D. *see* Cardoso, T.V. 85—41182
Sunak, H.R.D. *see* Il-Whan Oh 88—40237
Sunak, H.R.D. *see* Mendez, A. 87—70106, 88—15468, 88—58112
Sunak, H.R.D. *see* Mendez, Ch.A. 88—13869
Sunak, H.R.D. *see* Oh, I. 87—68596
Sunak, H.R.D. *see* Oh, I.-W. 88—8213, 88—14257
Sunakawa, H. *see* Okamoto, A. 85—39755
Sunakawa, H. *see* Terao, H. 85—10692
Sunakawa, H. *see* Usui, A. 86—40746, 86—52505, 87—65533
Sunako, K. *see* Tonegawa, A. 85—15149, 85—37872
Sunako, K. *see* Yabe, E. 85—15151, 85—37870
Sunami, H. Cell structures for future DRAMs 86—46852
Sunami, H., Asai, S. Trends in megabit DRAMs 86—20552
Sunami, H., Kure, T., Yagi, K., Wada, Y., Yamaguchi, K., Miyazawa, H., Shimizu, S. Scaling considerations and dielectric breakdown improvement of a corrugated capacitor cell for a future dRAM 85—40899
Sunami, H., Kure, T., Yagi, K., Yamaguchi, K., Shimizu, S. Scaling consideration and dielectric breakdown improvement of corrugated capacitor cell (CCC) for future DRAM 85—50726
Sunami, H., Matsuzawa, T., Ohgo, M., Yamamoto, S. Computer aided design of ULSI processing prior to fabrication 88—71722
Sunami, H. *see* Hori, R. 85—22877
Sunami, H. *see* Kaga, T. 88—19167, 88—38527, 88—63675
Sunami, H. *see* Kawamoto, Y. 88—70776
Sunami, H. *see* Kimura, S. 85—45609, 85—61855, 86—41791, 88—19168
Sunami, H. *see* Kimura, S.-I. 88—39243
Sunami, H. *see* Kure, R. 87—18210
Sunami, H. *see* Kure, T. 88—20098
Sunami, H. *see* Matsuzawa, T. 86—2258, 87—60224
Sunami, H. *see* Miyake, K. 85—12207
Sunami, H. *see* Miyao, M. 85—44747, 86—13770
Sunami, H. *see* Moniwa, A. 87—60223
Sunami, H. *see* Moniwa, M. 85—54445
Sunami, H. *see* Ohgo, M. 87—60525
Sunami, H. *see* Ohkura, M. 85—44745, 85—54453, 86—46858
Sunami, H. *see* Yamaguchi, K. 85—35172
Sunami, H. *see* Yamamoto, S. 87—60322
Sunao Yamada *see* Ryo Uehara 87—65168
Sunata, T., Miyake, K., Yasui, M., Murakami, Y., Ugai, Y., Tamamura, J., Aoki, S. A 640×400 pixels active matrix LCD using a-Si TFTs 86—31543
Sunata, T., Miyake, K., Yasui, M., Murakami, Y., Ugai, Y., Tamamura, J., Aoki, S. A 640×400 pixel active-matrix LCD using a-Si TFTs 87—3669
Sunata, T., Yukawa, T., Horiuchi, Y., Unate, T., Ugai, Y., Aoki, S. A large-area high-resolution active-matrix color LCD 88—42214
Sunata, T., Yukawa, T., Mikaye, K., Matsushita, Y., Murukami, Y., Ugai, Y., Tamamura, J., Aoki, S. A large area, high resolving power active matrix colour LCD addressed by a-Si TFTs 86—28365
Sunata, T., Yukawa, T., Miyake, K., Matsushita, Y., Murakami, Y., Ugai, Y., Tamamura, J., Aoki, S. A large-area high-resolution active-matrix color LCD addressed by a-Si TFTs 87—3668
Sunata, T. *see* Matsushita, Y. 88—42213
Sunatori, G.S. *see* Gibson, D. 88—33392
Sunayama, M., Miyauchi, H. Recent radar signal processing 85—3505
Sunazuka, H. *see* Nakamura, S. 86—21905
Sund, J.B. *see* Schei, A. 86—51708
Sund, L.D. *see* Hoffman, E.G. 86—39169
Sund, M. The photo diode—component for 'slow' optical systems 85—51040
Sundahl, R.C., Jr. *see* Beuhler, A.J. 87—24553
Sundal, G. *see* Hansen, S. 87—8199
Sundal, G.J. Error-correcting coding; Potential and limitations 87—54876
Sundal, G.J. Mobile radio transmission 88—15377
Sundar, H.G.K. *see* Safari, A. 88—65007
Sundar, M.G., Sharma, Y.K., Ibramsha, M. The NICNET distributed file system 85—25576
Sundar, R. *see* Rao, P.P. 85—52513
Sundar, R. *see* Yegnanarayana, B. 86—48838
Sundar, S. *see* Achuthan, P. 88—70251
Sundar, V. Wave characteristics off the south-east coast of India 86—70748
Sundar, V. Wave-power potential off the South-East coast of India 87—64469
Sundar Raj, P.A., Koplowitz, J. On bit reduction of chain coded line drawings 86—59341
Sundar Raj, T.F. *see* Sreehari Sastry, S. 88—71831
Sundar Singh, V.P. *see* Jog, S. 88—39107
Sundara Murthy, H., Narayan, K.Y., Suryanarayana, G.K., Lochan, R., Sasidharan Nair, K.G., Varambally, B.S. Wind tunnel investigation of strap-on booster separation characteristic of a launch vehicle 88—74912
Sundara-Rajan, A. *see* Eilts, M.D. 85—26900
Sundarajan, D. *see* Ahmad, M.O. 85—54816
Sundaram, C.V., Lee, S.M. Physics and engineering aspects of fast reactor safety 85—38741
Sundaram, G.S. COMINT and COMJAM: ill-appreciated force multipliers 87—54603
Sundaram, G.S. Trends in tactical communications—going into the future in hops and bursts 87—76533
Sundaram, G.S. Tactical digital facsimile—revolutionising battlefield command & control 88—41263
Sundaram, G.S. Milsatcom and its future—optimism reigns despite launcher shortfalls 88—60085
Sundaram, G.S. Surface and survive—how EW assets help submarines 88—75013

Sundaram, K.B., Dalacu, N., Garside, B.K. Some studies on the growth and properties of $Pb_{1-x}Sn_xTe$ layers by hot-wall and liquid-phase epitaxy 86−7763
Sundaram, K.V.S. *see* Somasundaram, S.K. 88−69707
Sundaram, K.V.S. *see* Sridharan, S. 86−65899
Sundaram, L.M.G., Weitzel, C.E., Goronkin, H. The effects of dielectric overlayers on GaAs surface depletion potential 87−17845
Sundaram, L.M.G. *see* Bhat, I. 86−13777
Sundaram, L.M.G. *see* Bhat, I.B. 86−28012
Sundaram, M. *see* Long, S.I. 88−64796
Sundaram, M. *see* Vainio, O. 87−59789
Sundaram, S. *see* Aubel, J.L. 85−31330
Sundaram, S. *see* Nigam, A.K. 85−64257
Sundaram, S. *see* Ramakrishnan, S. 85−58855
Sundaram, S. *see* Wrobel, J.M. 86−63136
Sundaram, V.S., Roth, A.P., Williams, D.F., Yakimova, R. Surface accumulation of tin in tin-doped gallium arsenide grown by low pressure metalorganic vapor phase epitaxy 85−16926
Sundaram, V.S. *see* Roth, A.P. 85−6817, 86−8757
Sundaram, V.S. *see* Yakimova, R. 85−6707
Sundaramurthy, M., Southard, J.R. A custom IC for linear detection 86−52631
Sundararajan, D., Ahmad, M.O. Implementation of cascade digital filters using multimicroprocessors 85−23044
Sundararajan, D. *see* Ahmad, M.O. 87−62150, 88−28023
Sundararajan, K. *see* Narayanan, U.H. 88−74906
Sundararajan, N. *see* Ramamoorty, M. 85−38992
Sundararajan, R., Adinarayana Rao, R. Network simulation and performance evaluation (NETSAPE) 87−48517
Sundararajan, S. *see* Staehr-Johansen, K. 87−63715
Sundararajan, T.K., Samson, A.A. Design of smoothing inductance for rectifier circuits 87−23913
Sundararajan, T.K. *see* Dubhashi, A.U. 86−728
Sundaresan, K.V., Venkataseshaiah, C. Suboptimal stabilization of a parallel AC-DC power system simulation by BPA EMTP 87−57497
Sundaresan, K.V. *see* Venkataseshaiah, C. 87−30098
Sundaresan, R., Chang, P.-H., Malhi, S.D.S., Lam, H.W. Comparison of structural and electrical characteristics of solid-phase epitaxial films recrystallized by rapid thermal annealing and furnace annealing 87−16638
Sundaresan, R., Malhi, S.D.S., Hite, L.R., Shah, A.H., Lam, H.W., Chatterjee, P.k. A fully self-aligned stacked CMOS 64K SRAM 85−54896
Sundaresan, R., Matloubian, M.M., Bailey, W.E. Rapid-thermal nitridation of SiO_2 for radiation-hardened MOS gate dielectrics 87−32365
Sundaresan, R. *see* Banerjee, S. 88−26276
Sundaresan, R. *see* Fossum, J.G. 88−7600
Sundaresan, R. *see* Hite, L.R. 86−21819
Sundaresan, R. *see* Malhi, S.D.S. 85−35171, 86−41845, 86−53791
Sundaresan, R. *see* Mao, B.-Y. 87−60219, 88−51017
Sundaresan, R. *see* Shichijo, H. 85−50725, 87−18262
Sundaresan, R.S. *see* Shah, A.H. 85−49888
Sundareshan, M.K. Hierarchical and multilevel schemes for adaptive routing and flow control in large communication networks 85−30505
Sundareshan, M.K., Muralidhar, K.H. A new hierarchical scheme for combined routing and flow control in data networks by application of positive system theory 88−9193
Sundareshan, M.K., Muralidhar, K.H. Performance evaluation of large-scale communication networks under a new hierarchical scheme for adaptive routing and flow control 88−21500
Sundareshan, M.K. *see* Lu, W.-P. 88−52950
Sundareshan, M.K. *see* Lu, W.P. 86−54461
Sundareshan, M.K. *see* Murahlidhar, K.H. 85−7975
Sundareshan, M.K. *see* Muralidhar, K.H. 86−16993, 87−20046, 87−34121
Sundareshan, M.K. *see* Tipper, D. 88−21432, 88−59700
Sundarrajan, R. Fiber optics and data communications 88−4014
Sundarrajan, R. Applications for FDDI 88−47072
Sundarrajan, R. *see* Chen, B.U. 88−53279
Sundarrajan, T.K., Lele, S.V., De, G. Tuned capacitors for power factor compensation of rectifiers 88−30809
Sundarsingh, V.P. A new architecture for nonlinear analogue-digital conversion 85−58649
Sundarsingh, V.P., Das, R.P. Study of the origin of double peaks in the conductance-voltage plots at Al-SiO_2-Si capacitors 85−1413
Sundarsingh, V.P., Kasbekar, U.R., Sekar, R. Yield of MOS capacitors in ambient HCl 85−1411
Sundarsingh, V.P. *see* Ghatol, A.A. 85−23737
Sundberg, A. New enclosed distribution boards type VDH. Modular system for the professional 86−33529
Sundberg, A. *see* Bergenmar, L.-O. 88−59497
Sundberg, C. *see* Lindell, G. 86−54423, 87−54846
Sundberg, C.-E. Continuous phase modulation 86−64172
Sundberg, C.-E., Wong, W.C., Steele, R. Three weighting schemes for companded PCM transmitted over Rayleigh fading channels 86−22892
Sundberg, C.-E. *see* Anderson, J.B. 87−10020
Sundberg, C.-E. *see* Aulin, T. 85−25010
Sundberg, C.-E. *see* Cox, R.V. 88−66389
Sundberg, C.-E. *see* Kavehrad, M. 87−33592, 88−3598
Sundberg, C.-E. *see* Lindell, G. 85−25017, 86−64179
Sundberg, C.-E. *see* Steele, R. 85−2734, 88−2939
Sundberg, C.-E. *see* Svensson, A. 85−13551, 85−19315, 85−25090, 85−41932, 86−16291, 86−29831
Sundberg, C.-E. *see* Wong, W.C. 85−30160
Sundberg, C.-E.W. Theoretical aspects of achieving power and bandwidth efficiency 87−54848
Sundberg, C.-E.W., Wong, W.C., Steele, R. Logarithmic PCM weighted QAM transmission over Gaussian and Rayleigh fading channels 87−75430
Sundberg, C.-E.W. *see* Goodman, D.J. 85−36944
Sundberg, C.-E.W. *see* Habbab, I.M.I. 88−28380, 88−46885
Sundberg, C.-E.W. *see* Hagenauer, J. 88−72770 to 72771
Sundberg, C.-E.W. *see* Kavehrad, M. 87−39632, 88−22093
Sundberg, C.-E.W. *see* Lee, K. 88−14584
Sundberg, C.-E.W. *see* Steele, R. 87−75429
Sundberg, C.-E.W. *see* Svensson, N.A.B 87−19376
Sundberg, C.-W. *see* Kavehrad, M. 87−39591
Sundberg, C.E. *see* Svensson, A. 85−41838
Sundberg, C.E.W. *see* Habbab, I.M.I. 88−3597
Sundberg, C.W. *see* Kavehrad, M. 87−19354
Sundberg, D. *see* Zhang, Y. 88−53714
Sundberg, G.R. Advances in solid state switchgear technology for large space power systems 85−50084
Sundberg, G.R. A new very high voltage semiconductor switch 86−9182
Sundberg, G.R. *see* Hansen, I.G. 87−21737
Sundblad, R., Svensson, C. Fully dynamic switch level simulation of CMOS circuits 87−38536
Sundblad, R. *see* Gustafsson, S. 87−2944, 87−5858, 87−45987
Sundburg, W.J. *see* Nash, F.R. 85−41404
Sunde, P.B., Dickinson, P. Ion chamber measurement assurance: a manufacturer's perspective 87−21446
Sundeep *see* Raviendra, D. 85−33474
Sundelin, R. High gradient superconducting RF 88−47782
Sundelin, R. *see* Bensiek, W. 87−41695
Sundelin, R. *see* Kneisel, P. 85−59038
Sundelin, R. *see* Reece, C. 86−24972
Sundelin, R.M. High gradient superconducting cavities for storage rings 86−31853
Sundelin, R.M. *see* Amato, J.C. 86−32075
Sundelin, R.M. *see* Grunder, H.A. 88−42341, 88−47775
Sundell, G. Digital cards can be simulated on small computers 88−513
Sundell, G. Program controlled gate arrays: can be reprogrammed while operational 88−12304
Sundell, G. Programmable logic circuits: labelling demands both time and effort 88−12306
Sundell, G. Chipsets give smaller AT boards 88−12411
Sundell, G., Holmen, G. 4 Mbit memory: samples now available with access times of 60 ns 88−12367
Sundell, I. 7 kHz audio coding within 64 kbit/s, a new standard from CCITT 87−2413
Sundell, S. *see* Bjornstad, T. 87−57001
Sundell, S. *see* Ravan, H.L. 87−57002
Sunder, R., Wach, D. Reactor diagnosis using vibration and noise analysis in PWRs 85−21334
Sunder, R. *see* Bastl, W. 85−59953
Sunder, R. *see* Thomopoulos, S.C.A. 87−62412
Sunder, W.A., Barns, R.L., Kometani, T.Y., Parsey, Jr., J.M., Laudise, R.A. Czochralski growth and characterization of GaSb 87−10357
Sunder, W.A. *see* Bevk, J. 86−28729
Sunder, W.A. *see* Dutt, B.V. 85−56610
Sunder, W.A. *see* Gualtieri, G.J. 87−11390, 88−19690
Sunderam, V.S. A fast transaction oriented protocol for distributed applications 88−52958
Sunderam, V.S. *see* Wang, C.S. 88−14049
Sunderland, D.A., Dapkus, P.D. The performance potential of P-n-p heterojunction bipolar transistors 86−28287
Sunderland, D.A., Dapkus, P.D. Optimizing n-p-n and p-n-p heterojunction bipolar transistors for speed 87−38210
Sunderland, D.A., Haden, J.M., Dzurko, K.M., Stanchina, W.E., Lee, W.-C., Danner, A.D., Dapkus, P.D. A fully planar p-n-p heterojunction bipolar transistor 88−39384
Sunderland, D.A., Strauch, R.A., Wharfield, S.S., Peterson, H.T., Cole, C.R. CMOS/SOS frequency synthesizer LSI circuit for spread spectrum communications 85−624
Sunderland, J.C. *see* Davis, Q.V. 85−2608
Sunderland, J.J. *see* Nickles, R.J. 85−59261
Sunderland, J.J. *see* Votaw, J.R. 87−50130
Sunderman, K. Built-in setup automation simplifies scope measurements 87−29165
Sunderman, K.E. Analog scopes automate bench test measurements 87−20843
Sunderman, K.E. The analog scope is alive and well 88−16254
Sundermann, B. *see* Reimer, M. 86−57369
Sundfors, R.K. *see* Holland, M.R. 86−38345
Sundgren, H. *see* Kindlund, A. 85−14747
Sundgren, J.-E. *see* Hasan, M.-A. 87−44344, 88−11997
Sundgren, J.-E. *see* Knall, J. 85−370
Sundgren, J.-E. *see* Rockett, A. 85−55667
Sundin, D.W., Northrup, S.D. The relationship between liquid flammability tests and transformer fire situations 87−72221
Sundling, D. *see* Underhill, J.A. 86−1893
Sundling, D.L. *see* Bruce, J.A. 88−26110
Sundling, D.L. *see* Underhill, J.A. 87−38385
Sundquist, M.L., Adney, J.A., Dehais, S.J., Cline, D.B., Larson, D.J., Anderson, D.R., Mills, F.E. Operation of a 3 MeV ampere intensity DC electron recirculation system 88−47850
Sundquist, M.L. *see* Adney, J.R. 86−24941
Sundquist, M.L. *see* Larson, D.J. 87−21341, 88−45485
Sundquist, M.L. *see* Rathmell, R.D. 85−34771
Sundqvist, B. Simple electronic resistance bridge with $\mu\Omega$ resolution at low current 86−18072
Sundqvist, B. Low T hydrostatic limits of n-pentane/iso-pentane mixture measured by a self-supporting Manganin pressure gauge 87−70581
Sundqvist, B., Lundberg, B. Contactless methods for measuring electrical resistivity under pressure 85−20695
Sundqvist, C., Pedersen, T. PIUS the forgiving reactor 86−25753
Sundqvist, H., Olsson, R. National control centre supplied in record time to Zimbabwe 87−15145
Sundqvist, H.A. *see* Pitkanen, T.M. 88−7520
Sundqvist, T., Jakobson, M., Magnusson, K.-E. Spatial distribution of cell fluorescence determined with a diode-matrix (32×32 elements) and computer controlled epifluorescence microscopy 86−5906
Sundqvist, T. *see* Eaton, G.H. 88−61054
Sundrama, S. *see* Auckland, D.W. 85−15044
Sundriyal, P. *see* Kornev, V.K. 88−1910
Sundriyal, R.R. *see* Prasad, C. 85−64727
Sundsbo, I., Fjeldy, T.A. Modeling of small-signal parameters in GaAs MESFETs with a stationary space-charge domain 87−11811
Sundsbo, I. *see* Fjeldly, T.A. 87−11810
Sundstrom, B. *see* Marklund, K. 88−29144
Sundstrom, D.G. Early operation of Dow IGCC looks good 88−5569
Sundstrom, R.J. Systems network architecture−past present and future 86−16976
Sundstrom, R.J., Staton, J.B., III, Schultz, G.D., Hess, M.L., Deaton, G.A., Jr., Cole, L.J., Amy, R.M. SNA: current requirements and direction 87−62635
Sundstrom, S., Katzeff, K. Coordinated initiative in data technology in Sweden 87−2693
Sundstrom, T.R. How come I can't hear anything. II. [BASIC program for propagation indices recording] 85−36006
Sunduchkov, K.S. *see* Galitsyn, V.V. 88−32390
Sune, C.T. *see* Chang, C.Y. 86−41736
Sunesson, A. *see* Edner, H. 88−5203, 88−10595, 88−23192
Sunesson, A. *see* Galle, B. 88−47224
Sung, C. *see* Millhollan, M.S. 86−20439
Sung, C. *see* Mlynski, D.A. 86−67945
Sung, C.-H. *see* Mlynski, D.A. 87−53646
Sung, C.C., Li, Y.Q., Smithers, M.E. Mode-medium instability in an unstable resonator 88−27212
Sung, C.C. *see* Bowden, C.M. 85−41489, 85−56841
Sung, C.C. *see* Englund, J.C. 87−68286
Sung, C.C. *see* Haus, J.W. 85−7522
Sung, C.C. *see* Ruffin, P.B. 88−39920, 88−45116
Sung, C.L. *see* Luo, X. 88−20533
Sung, C.P. *see* Tokumitsu, E. 87−276
Sung, C.S., Kim, C.H. Optimum ordering policy under random lead-time for equipment with a sensor 88−6215
Sung, C.S., Yeon Ki Park Optimum ordering policies for an equipment with a sensing device 86−44276
Sung, C.S. *see* Yoo, B.K. 85−54197
Sung, J.M. *see* Wang, S.J. 88−44602
Sung, K. Why do we have problems designing and implementing with 'Military standard-internet protocol (MIL-STD-1777)'? 87−19998
Sung, L.M. *see* Scholl, J.A. 87−39414

Sung, N. *see* Im, K. 86−54083
Sung, N. *see* Kim, J.J. 88−14109, 88−20569
Sung, P. *see* Dorning, P. 88−60070
Sung, P. *see* Gyurcsik, R.S. 85−17090
Sung, P.S. *see* Hsu, Y.-Y. 88−24279
Sung, T., Hu, Y. Parallel VLSI implementation of the Kalman filter 87−52525
Sung, T., Parng, T., Hu, Y., Chou, P. Design and implementation of a VLSI CORDIC processor 86−67252
Sung, T. *see* Jou, I. 86−58567
Sung, T.-Y., Hu, Y.-H. VLSI implementation of real-time Kalman filter 87−17267
Sung, T.Y., Hu, Y.H. Parallel VLSI implementation of Kalman filter 87−37380
Sung, T.Y., Hu, Y.H., Yu, H.J. Doubly pipelined CORDIC array for digital signal processing algorithms 87−19795
Sung, W., Mitra, S.K. Efficient multi-processor implementation of recursive digital filters 87−19752
Sung, W., Mitra, S.K. Implementation of digital filtering algorithms using pipelined vector processors 88−8762
Sung, W.Y., Mitra, S.K. Efficient FIR filter design using differential coding of filter coefficients 86−16364
Sung, Y.K. Mechanisms and characterization of plasma enhanced SiN film deposition 85−12208
Sung, Y.Y. A LP approach for optimal rectangle routing 88−31907
Sung Chang-kyung *see* Chang-kyung Sung
Sung Cheol Kim *see* Ki Woong Whang 88−33060
Sung Chi C. *see* Chi C. Sung
Sung Chiakang *see* Chiakang Sung
Sung Choi Min *see* Min Sung Choi
Sung Chul Kim *see* Jin Jang 87−38899, 88−12914, 88−44557 to 44558
Sung Chung Joong *see* Joong Sung Chung
Sung Do Cha, Sang Soo Lee Laser frequency stabilization by a polarization-sensitive optical system using a reflecting reference cavity 85−24600
Sung Do Cha, Sang Soo Lee Frequency tuning and intensity stabilization in single longitudinal mode dye laser 85−62528
Sung Do Chia, Sang Soo Lee Single longitudinal mode oscillation of CW dye laser with a system of tilted intra-cavity Fabry-Perot etalons 85−2365
Sung Gun Yong *see* Gun Yong Sung
Sung Ha Kwon, Hee Young Chun, Hyun Kook Shin A study of the variable structure adaptive control systems for a nuclear reactor 86−45058
Sung Hae Song *see* Kyoung Ik Cho 85−23702, 86−429
Sung Hae Song *see* Moon Cheol Paek 85−393
Sung Han Byong *see* Byong Sung Han
Sung Han Lee *see* Keu Hong Kim 85−50226
Sung Hee Park, Man Young Sung A study on carrier injection and trapping by the high field in MOS (metal-Al_2O_3-p-Si) structure 88−7378
Sung Ho Kim, Hong Jin Kong, Sang Soo Lee Linewidth narrowing and enhancement of the output power of pulsed dye laser by using a half wave plate, a telescope beam expander, and a grazing incident grating with a tuning mirror 87−75174
Sung Ho Kim, Kyung-Yong Chwa An algorithm for optimal routing around a rectangular component 85−39840
Sung Ho Lim *see* Aylor, J.H. 88−60643
Sung Ho Park *see* Jae Shin Cho 87−11658
Sung Ho Park *see* Jin Hee Lee 88−7484
Sung Hong Hahn *see* Sok Won Kim 87−12286
Sung Hwan Jung *see* Nam Chul Kim 88−46173
Sung Hwan Kim *see* Hyun Bae Han 86−5945
Sung Ihl Kim *see* Jong Dae Kim 86−57833
Sung Je Hong, Muroga, S. Binary logic theory for design of minimal decoded-PLA's 85−40030
Sung Joon Cho *see* Jong Won Chai 85−2736
Sung Jung Tae *see* Tae Sung Jung
Sung Ki Chae *see* Tae Woon Kim 88−23629
Sung Ki Min *see* Myung Chul Shin 87−2841
Sung Kim Cheol *see* Cheol Sung Kim
Sung Kim Ho *see* Ho Sung Kim
Sung Kim Moo *see* Moo Sung Kim
Sung Koeng-mo *see* Koeng-mo Sung
Sung Kwak Hoon *see* Hoon Sung Kwak
Sung Kwon Chung *see* Kilnam Chon 85−3184
Sung Kwon Kim A study on sequential labelings of graphs 85−60855
Sung Leiu Wei *see* Leiu Wei Sung
Sung Ma Dong *see* Dong Sung Ma
Sung Man Young *see* Man Young Sung
Sung Man-Young *see* Man-Young Sung
Sung Min Hong, Eun Won Kim, Chong Kug Park, Won Kyung Cho On-line recognition of handwritten Hangeul by structure analysis 86−59322
Sung Mo Nam *see* Byung Heon Cha 87−74989
Sung Mo Nam *see* In Heon Hwang 87−68378
Sung Nan-sing On the saturation voltage of high-voltage power transistors 86−15128
Sung Nguyen Van *see* Nguyen Van Sung
Sung Pack *see* Fior, G. 87−18355
Sung Park Ju *see* Ju Sung Park
Sung Pil Lee, Yong Hyun Lee, Duk Dong Lee, Byung-Ki Sohn CO gas sensors operating at relatively low temperature 87−49688
Sung Ryong Ro *see* Jung Hwa Jung 85−33752
Sung Sil Chu *see* Jae H. Yoo 88−48216
Sung Soo Kim, Chong Min Kyung Circuit extraction from MOS/LSI mask layout 87−46200
Sung Su Kang *see* Heung Soo Kim 87−31810
Sung Syck Jun *see* Kun Hee Kim 86−3043
Sung Tze-Yun *see* Tze-Yun Sung
Sung Wha Yang *see* Jae H. Yoo 88−48216
Sung Woo Choi, Chul Kim, Jae Gon Kim, Chun, J.S. Nucleation and growth of Al_2O_3 on Si in the CVD process 85−10816
Sung Woo Choi, Chul Kim, Jae Gon Kim, Chun, J.S. Nucleation and growth of aluminium oxide on silicon in the CVD process 87−44379
Sung Woo Lee, Ho Jung Hwang A new minimizing algorithm for design of the PLA of multiple output combinational circuits 87−636
Sung Young-Kwon *see* Young-Kwon Sung
Sung Yung-kwon *see* Yung-kwon Sung
Sung-Bong Byon, Joong-Han Kim, Jong-Wha Park An experience of short circuit test on real-size EHV power transformer 85−32553
Sung-Chu Hsueh, Baba, Y., Takahashi, S. Design of two-dimensional digital fan filters with complex coefficients using 90-degree phase-difference network 86−27485
Sung-Chu Hsueh, Takahashi, S., Baba, Y. Design of two-dimensional digital fan filters with complex coefficients using 90-degree phase-difference network 87−45066
Sung-Chul Ha *see* Yong-Hyun Paek 86−14774
Sung-Chul Kim, In-Duck Hwang, Jin Jang Effect of light soaking on steady state photoconductivity in hydrogenated amorphous silicon 88−65467
Sung-Chul Shin Dependence of microstructure and magneto-optical properties on deposition angle in evaporated TbFe and TbFeCo films 87−67701
Sung-Chul Shin High performance magneto-optical TbFeCo disks prepared by coevaporation 87−68219
Sung-Hee Park *see* Young-Hi Lee 87−45713
Sung-Ho Aum *see* Kee-Hee Lee 87−32612
Sung-Ho Myung *see* Gi-Chul Lee 87−75466
Sung-Hui Park *see* Gi-Man Ko 85−16230
Sung-Hwan Kim *see* Hyung-Hoon Kim 86−70424
Sung-Ik Lee *see* Xiao-Dong Chen 87−74562
Sung-Jin Chung, Murty, K.G., Chang, S.Y. On K^{Δ} 87−16475
Sung-Joon Hong *see* Sang-Soo Lee 88−12375
Sung-Joong Kim *see* Oh-Shin Kwon 88−11821
Sung-Man Lee *see* Chul-Han Oh 85−56577, 87−33251
Sung-Mo Nam *see* In Heon Hwang 87−18923
Sung-Shan Jao *see* Cherng-Tsong Kuo 85−48165
Sung-Shan Tai Reactive ion etch of tungsten silicide and polysilicon 86−21427
Sung-shan Tai, Choi, F. An optimized double level metallization process using RIE planarization techniques 86−28448
Sung-Shan Tai *see* Lu, O. 86−21909
Sung-Soo Hong, Bong-Hwan Kwon, Myung-Joong Yoon 'ON-OFF' current control method with frequency limiter and operating characteristics of brushless DC motors using resolver 87−35949
Sung-Soo Kang *see* Song-Yop Hahn 86−53923
Sung-Soo Kim, Dong-Sun Yoo, Bum-Sik Choi, Su-Kil Kim, Youn-Kyu Koh A study on the characteristics of a-SiC:H(B) thin film and its application to solar cells fabricated by plasma deposition system with 3 separated reaction chambers 87−16678
Sung-Suk Choi, Chung-Hum Kim, Song-Won Cho The study on plane type self-powered γ-ray detector 88−74739
Sung-Un Lee, Sang-Yung Shin An endless polarization state control scheme for coherent optical fiber transmission 88−28899
Sung-Won Rhee, Young-Ahn Kwon A study on minimum volume of highly homogeneous superconducting coil 85−50886
Sungiovanni-Vincentelli, A.L. *see* Shyu, J. 87−60672
Sungmuk Lee, Shi-kay Yao, Nuhn, M. Alignment wavelength optimization for wafer stepper microscope 87−11547
Sungmuk Lee *see* Nuhn, M. 87−11889
Sunh-Huei Lin, Yi-Chen Cheng High-field transport in n-type GaAs 86−47292
Sunhyun Youn, Jai-Hyung Lee, Joon-Sung Chang Instabilities in the delayed feedback system with twisted-nematic liquid crystal 88−45225
Suni, I., Blomberg, M., Saarilhati, J. Performance of titanium nitride diffusion barriers in aluminum-titanium metallization schemes for integrated circuits 86−21440
Suni, I., Finetti, M., Grahn, K. An analysis of conventional and self-aligned four terminal resistor structures for the determination of the contact resistivity from end resistance measurements 87−24947
Suni, I. *see* Cappelletti, P. 87−49884
Suni, I. *see* Finetti, M. 85−6751, 86−21257, 87−11488, 87−18048, 88−13178, 88−25972
Suni, I. *see* Pai, C.S. 85−34617, 86−13743, 86−26859
Suni, I. *see* Pan, E.T.-S. 85−55570
Suni, I. *see* Remba, R.D. 86−2163
Suni, I. *see* Scorzoni, A. 87−49883, 88−25955
Suni, I. *see* Zhu, M.F. 85−12005
Suni, P., Falk, J. Measurements of stimulated Brillouin scattering phase-conjugate fidelity 88−2374
Suni, P.J. *see* Fermann, M.E. 88−72295
Suni, P.J.M. *see* Hanna, D.C. 88−65285
Sunier, J.W., Bol, K.D., Clover, M.R., DeVries, R.M., DiGiacomo, N.J., Kapustinsky, J.S., McGaughey, P.L., Sondheim, W.E. CALLIOPE−a large acceptance multiparticle magnetic spectrometer for intermediate energy physics 86−18261
Sunier, J.W. *see* Kapustinsky, J.S. 86−20367
Sunil, P.J. Standardisation of networks: actualities, politics and technology 85−36707
Sunil, P.S. *see* Rama Krishna, D. 86−17781
Sunkenberg, H.A. *see* Sinnott, R.D. 86−30597
Sunlin Chou *see* Daniels, R.G. 85−7075
Sunnak, V.P., Singh, L.P. Microprocessor-based protection scheme for EHV/UHV transmission line 85−59822
Sunness, J.S., Johnson, M.A., Massof, R.W., Kays, D.L. Wilmer fundus camera stimulator 87−50229
Sunny Cheng *see* Chunshing Chen 87−11890
Sunny Cheng *see* Wei Wu 87−11549
Sunohara, H. *see* Yokote, K. 88−53790
Sunohara, M., Tanaka, Y., Nagaoka, Y., Ueda, M., Azuma, K. Single lens CD player pickup system using a bi-aspheric molded glass lens 88−22371
Sunoto, M. Lightning flash counting in Java Island of Indonesia 86−54357
Sunouchi, K. *see* Hieda, K. 88−39489
Sunouchi, K. *see* Horiguchi, F. 88−38525
Sunouchi, K. *see* Koma, A. 85−44708, 85−54470
Sunouchi, K. *see* Shigyo, N. 88−39476, 88−64563
Sunqui Feng *see* Yangyuan Wang 88−26074
Sunquist, M. Safety with numerically controlled machine tools 86−61825
Sunshine, C., Bernstein, M. Requirements for broadband LAN management 86−49314
Sunshine, C.A. A local net product family for DoD networking 87−48682
Sunshine, C.A. Network interconnection and gateways 88−28233
Sunshine, C.A., Ennis, G. Broad-band personal computer LAN's 85−52046
Sunshine, S.A., Kang, D., Ibers, J.A. Synthesis of new chalcogenide materials. The novel one-dimensional semiconductor $K_4Ti_3S_{14}$ 88−43861
Sunta, C.M. *see* Murthy, K.B.S. 85−37937
Sunter, S. Designing a CMOS standard cell library 87−59379
Sunter, S. *see* Vopni, E.A. 87−32738
Sunthankar, P.G., Varwandkar, S.D. Stresses in power apparatus 86−45315
Suntheralingam, R. *see* Sinton, A.M. 88−42553
Suntio, T. Evaluation of power systems availability using simplified methods based on Markov chains 88−30260
Suntola, T. Atomic layer epitaxy 85−44749
Suntola, T., Hyvarinen, J. Atomic layer epitaxy 86−26852
Suntsov, V.L. *see* Gorkunov, E.S. 87−44436
Suntz, R. *see* Jansch, H. 87−3836, 87−29426
Suntz, R. *see* Kramer, D. 87−3866
Sunu, W.G. Mathematical model for design of battery electrodes: lead-acid cell modelling 85−32697
Sunwoo, M.H. *see* Kim, S.R. 85−25673
Sunyach, M., Brunel, B., Comte-Bellot, G. Capabilities of the high-speed anechoic wind tunnel of the 'Ecole Centrale de Lyon' 85−64663
Sunyar, A.W. *see* Alburger, D.E. 87−29500
Suo-chun Feng *see* Feng Suo-chun
Suoc, H. About the stability of frequency-independent networks 86−601
Suomaa, L. *see* Malmivuo, J. 87−29724
Suomi, K. On talker and phoneme information conveyed by vowels: a whole spectrum approach to the normalization problem 85−25046
Suominen, K., Rontu, J.-P., Kiviniitty, K. A simple computer interface for the Bruker Minispec P20 pulse spectrometer 85−43338
Suominen, L. *see* Simoaa, K. 88−4871
Suontausta, A. Calculation of bar impedance method in one rotor slot pitch using a finite element 88−30717
Suoxiang Yuan *see* Yuan Suoxiang
Sup Chung Won *see* Won Sup Chung
Sup Kim Jin *see* Jin Sup Kim
Sup Park Chin *see* Chin Sup Park
Sup Yoon Hyung *see* Hyung Sup Yoon
Supadech, S., Okazaki, M.S., Akiba, Y., Kurosu, T., Iida, M. Voltage-controlled negative resistance in p^+-i-n^+ planar diodes with injection gate 86−28263
Supadhiloke, B. *see* Chu, G.C. 85−57685
Supadi, S. *see* Haddad, S.G. 86−61283
Supe, S.J. *see* Srivastava, J.K. 88−45290
Supe, V.V. *see* Podvysotskii, Yu.S. 88−28142
Superczynski, M.J. *see* Ekin, J.W. 85−50888

Superfin, Ya.Z., Vil'yanov, V.V. Organization of control and monitoring in a network of low-power TV repeaters in the unattenuated mode 88−67509
Superti Eurga, G. *see* Manigrasso, R. 87−72475
Superti Furga, G. *see* Farini, A. 86−71103
Superti Furga, G. *see* Fuga, F. 86−71102
Superti Furga, G. *see* Manigrasso, R. 88−18157
Superti-Furga, G. A second order model for induction machine transients 87−22356
Supertzi, E.P. *see* Sriram, S. 85−50980
Supianek, M. *see* Bergner, H. 86−22512
Supnick, R.M. MicroVAX 32, a 32 bit microprocessor 85−22930
Supnik, B., Evans, I. MicroVAX 32−A VAX-compatible microprocessor 85−856
Supnik, B. *see* Archer, D. 87−59604
Supnik, B. *see* Rubinfeld, P. 88−19205
Supnik, R.M. *see* Archer, D.W. 88−6903
Supnik, R.M. *see* Dobberpuhl, D.W. 87−44921
Supon, M.F. *see* Lefrank, P.A. 85−32852
Supowit, K.J. Finding a maximum planar subset of a set of nets in a channel 87−23805
Supowit, K.J. *see* Blair, J.R.S. 88−6597
Supowit, K.J. *see* Gabor, C.P. 86−19943
Supowit, K.J. *see* Greene, J.W. 85−33601, 86−46461
Suppa, E.G. Space calibration of solar cells−results of 2 shuttle flight missions 86−7045
Suppa, E.G. *see* Masson, J. 85−60420
Suppan, A. *see* Chazalon, M. 85−44479
Suppan, T.E., Taylor, E.W. Doubly cleaved coupled cavity monolithic laser amplifier 87−12499
Suppan-Borowka, J. Local area networks emerge from the mist 85−52067
Suppan-Borowka, J. Analysis of communication requirements of selected applications in decentralized LAN environments 87−48675
Suppan-Borowka, J. Analysis of the requested capacity of CSMA/CD protocol profiles in program development environments with different types of file servers 87−62685
Suppan-Borowka, J. TOP−Technical and Office Protocols 87−76341
Suppan-Borowka, J. *see* Fehlau, F. 87−62643
Suppan-Borowka, J. *see* Simon, T. 88−35148
Supper, G. *see* Kahl, H.W. 86−37392, 87−8008
Suppi, R.L., Normey, J. Frontal system processor for meteorological data 88−74294
Suppinger, A.V. Material selection for hybrid power package design 87−6302
Supple, R.W., Stoneham, E.B. Multichamber plasma processing system for research laboratory use 85−54506
Supriya, G. *see* Chandra Mouly, M.C. 88−40692
Supronowicz, H., Makal, J. Model system for reduction of reactive power in non-sinusoidal circuits 86−57607
Suprun, G.F. *see* Oliker, V.E. 86−45866
Suprun, V.P. Method of conversion of DNF of Boolean functions into a canonical Zhegalkin polynomial 86−8099
Suprunenko, D.A. Self-complementary graphs 86−57339
Suprunenko, S.A. *see* Drukker, M.S. 86−19545
Suprunov, V.I., Korkh, L.N., Radaev, N.N. Controlled generator of random time intervals with a specified distribution 88−4505
Suprunov, V.I. *see* Korkh, L.N. 88−63073
Suprunyuk, V.V. *see* Afanas'ev, S.N. 85−64328
Suprunyuk, V.V. *see* Alfanasev, S.N. 88−36271
Suprunyuk, V.V. *see* Kazakov, V.G. 87−29170
Suptel', A.A. *see* Arakelyan, A.K. 85−5067
Suptitz, P. *see* Ressel, R. 88−26042
Suptitz, P. *see* Thomas, A. 88−13203
Supurovic, D. *see* Klick, D. 87−75040
Sup'yan, V.Ya. *see* Revenok, V.I. 86−31474
Suqi Tian *see* Tian Suqi
Sur, A.K. *see* Chakraborty, B. 86−63978
Sur, D. *see* Righter, B. 86−46674
Surace, C. *see* Scaramuzzi, A. 88−53539
Surace, G. *see* Clewett, D.R. 88−64782
Surace, G. *see* Fox, J. 86−34872, 87−37164
Surace, G. *see* Singh, B. 88−13593
Surace, G. *see* Thomas, P.A. 86−20636
Suraci, F. *see* Blois, F. 86−39619
Suraci, J.A. Tempest shield interconnection gasketing 88−40603
Surakampontorn, W. Noise-reduction method for ROM/ACC filters 85−944
Surakampontorn, W. Integrable wide-dynamic-range negative resistance circuits 85−45148
Surakampontorn, W., Junnapiya, S. Electronically variable general-resistance circuit 86−34978
Surakampontorn, W., Thitimajshima, P. Integrable electronically tunable current conveyors 88−38615
Surakampontorn, W. *see* Laohakosol, V. 85−254
Surakura, N. *see* Watanabe, S. 88−65585
Suran, G., Ounadjela, K., Machizaud, F., Sztern, J. Magnetic and microstructural properties of CoPtTi thin films 87−18475
Suran, L., Skokan, J. The development and requirements for applications of single-chip 8048 microcomputers 86−46879
Suranov, A.Ya. Procedure for calculating parameters of system for adiabatic stabilisation of amplitude of signal from multiple-component photodetector 88−29387
Suranova, V., Daniska, V., Korytar, D. The influence of oxidation stacking faults in the CMOS technology on the minority carrier generation lifetime determined from C-V dependence 86−15255
Surant, I.V., Porokhnenko, O.P., Kuz'menko, B.I. A contact-diode breaker with non-arcing DC current switching 86−61686
Suratt, P.M. *see* Evans, R.J. 85−9123
Suratteau, J.Y., Cadilhac, M., Petit, R. The perfectly conducting wire grating: computation of the diffracted field from Maxwell's equations and Hamilton's canonical system 85−41582
Suratteau, J.Y., Petit, R. The electromagnetic theory of the infinitely conducting wire grating using a Fourier-Bessel expansion of the field 85−19114
Surawatpunya, C. Nonreciprocal filter behavior in a periodic edge-loaded ferrite microstripline 86−35072
Suray, C., Lucas, M. Glass or copper to transmit information? 87−62971
Surazynski, L., Szustakowski, M. Analysis of the electromagnetic wave propagation in an electrooptic multimode waveguide 86−42291
Surber, J. *see* Neal, J. 85−22955
Surbrook, T.C., Reese, N.D., Althouse, J.R. Parameters affecting neutral-to-earth voltage along primary distribution circuits 87−78115
Surbrook, T.C., Reese, N.D., Kehrle, A.M. Stray voltage: sources and solutions [rural distribution systems] 86−50983
Surd, D.J. *see* Waggoner, J.R. 88−17834
Surdu, M.I. *see* Lysak, E.M. 85−58766
Surdu, M.N., Derii, V.A. Inductive gauge of electrical conductivity 88−16097
Surdu, M.N. *see* Babenko, Yu.G. 88−35973, 88−60917
Surdu, M.N. *see* Voichenko, G.I. 86−24519
Surdu, M.N. *see* Zhuravlev, Zh.P. 86−11638
Surdutovich, G.I. *see* V'yun, V.A. 87−60156
Sureau, A. *see* Jaegle, P. 85−7356
Sureau, A. *see* Lewis, C.L.S. 88−33919
Sureau, H., Depond, G., Oliot, A. Plant state approach: a new concept in post-accident operation procedures 85−21392
Surek, T. *see* Stone, J. 86−6646
Surek, T. *see* Zweibel, K. 86−40099
Suren, J.N. *see* Lopez-quelle, M. 88−42437
Surendar, C. *see* Ray, R.N. 85−32304
Surender, G.D. Simulation studies on the steady-state performance of a dryer operating on solar energy and flash steam 86−61754
Surender, S. *see* Chandra Mouly, M.C. 85−36084, 86−4721, 86−11042
Surendra Babu, N.V. *see* Kotiveerachari, B. 85−20580
Surendran, K., Subrahmanyam, V. Digital simulation of an inverter induction motor 86−70919
Surendran, K., Subrahmanyam, V. Stability analysis of an induction motor with a converter cascade in the rotor circuit using D-decomposition method 87−22378
Surendran, K. *see* Subrahmanyam, V. 86−51619, 86−70908, 87−22377, 88−11415
Suresh, M.S. Effect of overcharge on capacity below 1 V of nickel/hydrogen cells 87−78889
Suresh, M.S. *see* Kanthimathinathan, T. 85−26865
Suresh, N.C., Meredith, J.R. Quality assurance information systems for factory automation 85−54162
Suresh, S. *see* Foley, R.D. 87−50486
Suresh Babu, B.N. Simulation of correlated clutter environment 88−15599
Suresh Kumar, A., Buddhudu, S. Spectral intensities and transition probabilities of Nd^{3+} in $POCl_3$:$ZrCl_4$ laser liquid 86−48356
Surette, G.J. The AT&T quality system 87−23365
Surette, G.J. *see* Ackerman, R.B. 87−31319
Surette, M.R. *see* Johnson, K.M. 88−51631
Surganov, V.F. *see* Tochitskyy, E.I. 88−32511
Surgent, J.G. *see* De Mara, F. 85−28351
Surgeoner, G.A. *see* Inculet, I.I. 85−5598
Surget, J. Reflection holography setup. Application to the interferometric study of sliding sparks 86−12173
Surget, J., Dunet, G. Holography stand for high-definition image recording of transparent or opaque images 85−62693
Surgi, M.R. The design and evaluation of a reversible fiber optic sensor for determination of oxygen 88−67861
Surguri, S. *see* Kato, W.Y. 86−6534
Surguy, P.W.H. *see* Waters, C.M. 88−33783 to 33784
Suri, A.K. *see* Mathur, B.S. 86−49517
Suri, B.M. *see* Kapoor, R. 86−15655
Suri, B.M. *see* Manohar, K.G. 87−54269
Suri, D.K. *see* Kishan, H. 86−53339
Suri, R., Zazanis, M. Perturbation analysis is exact for the M/G/1 queue 85−49444
Suri, R. *see* Dallery, Y. 86−64668
Suri, R.K. *see* Al-Kandari, A. 88−69226
Suri, R.K. *see* Al-Marafie, A.M.R. 88−69710
Suri, R.K. *see* Ayyash, S. 85−60077
Suri, S. A linear time algorithm for minimum link paths inside a simple polygon 86−66790
Surianu, F.D. *see* Kilyeni, S. 87−9522
Surianu, F.Dan Aspects regarding the influence of the load representation for the behaviour simulation of an electric power system in dynamic processes during extended time intervals 87−9087
Surie, S. *see* Berlinet, D. 85−57666
Surie, S. *see* Levy, M. 88−8956
Surie, S.R. *see* Maitre, X.C. 85−41649
Surin, A.M. Quasistatic impedance of a thin conductor in a moving isotropic collisional plasma 86−3648
Surin, M.I. *see* Keilin, V.E. 85−56228
Surin, V.G. Emissivity measurement for outdoor structures 88−16531
Surina, T., Kamaric, E. Theoretical and experimental approach to the pressure transmitter 85−37612
Surinder Singh *see* Sandhu, A.S. 87−29662
Suris, R.A., Shchamkhalova, B.S. Heating of electrons in superlattice semiconductors 85−23528
Suris, R.A., Tager, A.A. Coherence and spectral properties of radiation emitted by a semiconductor laser with an external reflector 85−2391
Suris, R.A., Tager, A.A. Influence of the carrier-density dependence of the refractive index on the emission spectrum of an injection laser 85−62559
Suris, R.A., Tager, A.A. Emission spectrum of a semiconductor laser with an external resonator 87−33196
Suris, R.A., Tager, A.A. Output linewidth of a semiconductor laser with a Bragg mirror 87−46896
Suris, R.A., Tager, A.A. Anomalous contraction of the emission line of a composite-resonator semiconductor laser 87−61195
Suris, R.A. *see* Berezhkovskii, A.M. 85−23530
Suris, R.A *see* Gergel', V.A. 85−1422
Suris, R.A. *see* Glazman, L.I. 87−37858
Suris, R.A. *see* Zykov, N.V. 87−11395
Suriyathumrong, S.K., Mak, H., Mizumoto, T., Naito, Y. Effects of sputter-etching on Ca-doped Bi: GdIG films for making low-loss optical waveguides 88−20422
Surkis, A. *see* Dagenais, M. 86−22498
Surkov, A.S. *see* Kalyuzhnyi, V.E. 86−836
Surkov, A.S. *see* Ponomarenko, A.G. 85−22715
Surkov, A.V., Kovalev, V.V., Novozhilov, N.M. Special features of the metallurgy of laser welding 85−56918
Surkov, A.V. *see* Bashenko, V.V. 85−56922
Surkov, A.V. *see* Kovalev, V.V. 85−21999
Surkov, A.V. *see* Skripchenko, A.I. 85−56776, 85−56921
Surkov, M.N. *see* Marder, M.M. 88−35575
Surkov, O.Yu. *see* Negodenko, O.N. 86−27145
Surkov, S.A., Naumov, S.G., Chernykh, V.A. Application of heaters from different graphites for obtaining high temperatures 88−31202
Surkov, V.I. *see* Bodrov, V.V. 87−54742
Surkov, V.I. *see* Kolosova, T.A. 88−45789
Surkova, V.F. *see* Alekseev, S.V. 86−18675
Surkova, V.F. *see* Berzina, G.D. 85−62543
Surkow, R. *see* Pietzner, B. 86−18575
Surma, A.M. *see* Asina, S.S. 86−41735, 87−53466
Surmenko, L.A. *see* Krasyukov, V.P. 85−58925
Surmenko, L.A. *see* Ryabukho, V.P. 88−72364
Surnin, S.B. *see* Karatsuba, A.S. 88−55267
Surnina, T.A., Tseitlin, V.G. Upper confidence limit for the uniform distribution parameter [of errors in calibration] 87−34889
Surnov, A.V., Nikitina, L.V. Fast-response valve for steam turbines and electric drives 87−64838
Surodin, M.P., Tikhomirov, S.V. Error of certification and measurement of instruments to detect damage sites of fiber lightguides 85−63651
Surodin, M.P., Tikhomirov, S.V. Complex and element-by-element certification of measurement facilities for fiber lightguide damage sites and lengths 86−22100
Surodin, M.P., Tikhomirov, S.V. Inspection apparatus for measurement facilities of damage sites and lengths of fiber lightguides 86−30795
Surodin, M.P. *see* Nikolaev, N.V. 88−1981
Suros, R., Montagne, E. Fitted diagonals for reducing I/O bandwidth in systolic systems 87−65407
Surov, A.O. *see* Dunaev, A.N. 86−38211
Surov, L.D. *see* Sagutdinov, R.Sh. 85−31469
Surov, S.N. Bidirectional counting of interference bands using one photodetector 88−60734
Surov, S.P. *see* Lyndin, N.M. 88−58925
Surov, S.V. *see* Smolov, V.B. 86−14247
Surova, H., Marikova, E., Samal, M., Rezny, Z. Factor analysis in Gamma-11 system 85−38167
Surovikov, A.A., Klimchenkov, V.T. Analytical study of the temperature field of a commutator under steady-state thermal conditions 86−61477
Surovtsev, Yu.A. *see* Velichkin, A.I. 85−8306
Surowiec, A. *see* Stuchly, S.S. 86−65258
Surowiec, E.P. *see* Singh, R.S. 85−23957
Surowiec, R. *see* Demiryont, H. 88−2082
Surowski, D.B. Vertex-transitive triangulations of compact orientable 2-manifolds 86−19922
Surprenant, J.P. *see* Berger, C. 87−50915

Surrey, J. Electric power plant in India: a strategy of self-reliance 88−17349
Surridge, A.D. Remote measurement of the atmospheric wind velocity and temperature profiles using acoustic interrogation techniques 87−77864
Surridge, R. *see* Este, G. 86−62257
Surridge, R. *see* Rabjohn, G. 88−36192
Surridge, R.K., Lester, T., Springthorpe, A.J., Mandeville, P., Miner, C., Day, D.J. Step doped HEMT structure for e-d logic and MMIC applications 88−57689
Surskii, K.O. *see* Bunkin, A.F. 87−29953, 88−30176
Surutka, J.V., Djordjevic, A.R. A novel approach to the design of insulators in MF tower broadcast antenna stays 88−34512
Surutka, J.V., Dordevic, A.R. A conceptually new medium-frequency broadcast antenna with directional radiation pattern 88−72672
Surutka, J.V., Velickovic, D.M. The elimination of static discharges on the stays of high-power MF antennas 85−24947
Suruwatari, M. *see* Okamoto, K. 85−18681
Suruwatari, T. *see* Otsu, Y. 87−48996
Survilene, S.P. *see* Paulavichyus, R.B. 88−12109
Survilo, I.K. A power directional relay for the protection of generators from short circuits to ground 87−4656
Sury, M.B. *see* Cohen, D. 85−19659
Surya Data transfer: the crucial three [electronic mail] 87−13298
Surya Liberate the mail [electronic mail and online databases] 88−15008
Surya Now your PC can fax lyrical 88−15224
Surya, C., Hsiang, T.Y. Theory and experiment on the $1/f^\gamma$ noise in *p*-channel metal-oxide-semiconductor field-effect transistors at low drain bias 86−53662
Surya, C., Hsiang, T.Y. Surface mobility fluctuations in metal-oxide-semiconductor field-effect transistors 87−45978
Surya, C., Hsiang, T.Y. A thermal activation model for $1/f^\gamma$ noise in Si-MOSFETs 88−39464
Suryadevara, B. *see* Bui, V.Q. 85−23260
Suryadevara, B. *see* Lu, N. 85−6605
Suryadevara, O., DeBettencourt, T.J., Shulman, R.B. Network control processor for a TDMA system [satellite communications] 88−53200
Suryan, S. *see* Chandra, M.M. 85−55761
Suryanarayana, C.V. *see* Chockalingam, M.J. 87−49761
Suryanarayana, D. Influence of core construction on the errors of a measuring voltage transformer 88−11257
Suryanarayana, D. *see* Anderson, H.R., Jr. 85−28266
Suryanarayana, G.K. *see* Sundara Murthy, H. 88−74912
Suryanarayana, N. *see* Seshadrinathan, P.K. 85−25574
Suryanarayana, N.V., Hanmandlu, M. Automatic generation control using singular perturbation approach 88−54887
Suryanarayana, N.V. *see* Hanmandlu, M. 88−17044
Suryanarayana, P., Acharya, H.N. Effect of X-ray and γ-ray irradiation on the electrical properties of solution-grown HgI_2 crystals 87−32274
Suryanarayana, T. *see* Rao, K.V.N. 85−5130
Suryanarayana, V. *see* Doradla, S.R. 85−27475
Suryanarayana Rao, K.N. *see* Latheef, G.A. 87−59258
Suryanarayanan, R., Brun, G., Akani, M. Growth and electrical properties of plasma-sprayed silicon 85−16964
Suryanarayanan, R., Brun, G., Akani, M. Growth and electrical properties of plasma sprayed silicon 86−468
Suryanarayanan, R. *see* Akani, M. 86−62238, 88−1351, 88−7294
Suryanto Hasyim, E., Wenham, S.R., Green, M.A. Shadow tolerance of modules incorporating integral bypass diode solar cells 87−36145
Suryanto Hasyim, E. *see* Green, M.A. 87−36144
Suryaprakasa, M. *see* Narayanan, S.S.Y. 87−30624
Suryaprasad, A.G. *see* Davis, G.M. 88−61407
Suryavanshi, S.G., Chavan, S.H. Solid state battery formation of sodium vanadate and potassium vanadate 87−51429
Surygin, A.I. *see* Usov, V.S. 87−46292
Surygin, A.I. *see* Valyukhov, V.P. 87−44625
Susa, F. *see* Hamada, K. 85−62579
Susa, F. *see* Kume, M. 85−62593
Susa, K. *see* Kobayashi, T. 87−10488
Susa, K. *see* Shingyouchi, K. 86−22060
Susa, M., Hiroshima, Y., Senda, K., Kuriyama, T., Matsumoto, S., Terakawa, S., Takamura, T. Borophosphosilicate glass flow for solid-state imager application 86−17972
Susa, M., Hiroshima, Y., Senda, K., Takamura, T. Borophosphosilicate glass flow in a PH_3-O_2 ambient 87−336
Susa, M., Terakawa, S., Fujimoto, M., Kozono, T., Hiroshima, Y., Kunii, T. A new accelerated transfer method for the CPD image sensor 85−47856
Susa, M. *see* Senda, K. 85−20496, 85−31398, 87−29139, 88−16182
Susa, N. Comparisons of GaAs, tungsten, and photoresist etch rates and GaAs surfaces using RIE with CF_4, CF_4+N_2, and SF_6+N_2 mixtures 86−21394
Susa, N., Ando, S., Adachi, S. Properties of tungsten film deposited on GaAs by RF magnetron sputtering 86−13800
Susa, N. *see* Adachi, S. 85−50525, 86−28197
Susa, N. *see* Takanashi, Y. 86−35090
Susa, N. *see* Uwai, K. 85−28213, 85−44751
Susak, D.M. *see* Vyne, R.L. 87−59215, 88−18936, 88−44062
Susaki, W., Takamiya, S., Ikeda, K., Namizaki, H., Takahashi, K. Semiconductor sources and detectors for optical-fiber communications 85−8427
Susaki, W. *see* Aoyagi, T. 88−14200
Susaki, W. *see* Isshiki, K. 87−18970
Susaki, W. *see* Kaneno, N. 85−62555, 87−26427
Susaki, W. *see* Komine, Y. 88−29414
Susaki, W. *see* Mihashi, Y. 86−48439
Susaki, W. *see* Murakami, T. 86−29139, 87−68456
Susaki, W. *see* Ohsawa, J. 85−62554
Susaki, W. *see* Okada, H. 86−57417
Susaki, W. *see* Otaki, K. 88−65724
Susaki, W. *see* Sakakibara, Y. 85−2310, 85−46417, 86−22399, 88−45451
Susaki, W. *see* Seiwa, Y. 87−33181
Susaki, W. *see* Shima, A. 87−54323
Susaki, W. *see* Takemoto, A. 87−54312
Susal, A.L. Electronically-scanned ophthalmic ultrasound 85−48259
Susawa, H. *see* Fujii, S. 87−31532
Susca, P. Word processors play key role in consulting firm's communications 86−49109
Suscavage, M.J. *see* El-Bayoumi, O.H. 86−2650
Suscavage, M.J. *see* Hutta, J.J. 85−18632
Suscavage, M.J. *see* Quimby, R.S. 87−26510
Suscavage, M.J. *see* Schroeder, J. 85−1950
Suscavage, M.J. *see* Yeh, D.C. 88−58656
Suschke, E. *see* Hohmann, R. 88−63792
Susdorf, J.E. *see* Buhler, O.R. 85−28481
Suse, M. *see* Kostowski, A. 85−9902
Susel, M. *see* Kostowski, A. 85−9901
Susen, P.T. *see* Retzler, J.P. 88−65167
Susendran, R., Krishnamurthy, P., Jairam, C.P. Testing of transmission line towers 85−32203
Susendran, R. *see* Gopalan, T.V. 86−12454, 86−18833, 86−39185
Sushchenko, A.Ya. *see* Mirsagatov, Sh.A. 88−55622
Sushchenko, S.P. Method of choosing efficient packet length in packet-switched networks 86−10592
Sushchenko, S.P. Parametric optimization of a packet-switched network 86−37178
Sushchenko, S.P. Effect of buffer blocking on the operating characteristics of a data link 87−19978
Sushchev, V.I. *see* Sedel'nikov, E.S. 86−38929
Sushchuk-Slyusarenko, I.I., Moskalenko, A.A., Khrundzhe, V.M., Tyukalov, V.G. The electroslag welding of 40 mm thick 12GN2MFAYu steel 85−27850
Sushentsev, A.N. *see* Roitman, M.S. 85−58788 to 58789
Sushentsov, A.A. *see* Pozdeev, A.D. 88−69313
Sushil *see* Vij, A.K. 88−62013
Sushkevich, E.S. *see* Volubuev, V.S. 86−11558
Sushkevich, K.D. *see* Adeeb, N. 87−30973
Sushko, A.F. *see* Kononenko, Ya.M. 88−18894
Sushko, V.A. *see* Alimov, Yu.N. 87−9215
Sushko, V.N. *see* Ignatov, S.M. 85−9172
Sushko, Yu.V. *see* Yagubskii, E.B. 85−35330
Sushkov, Yu.A. Connectivity of abstract graphs 86−13652
Sushkova, L.T., Marchenko, Ye.Ya., Bryksin, V.V. Use of a biGaussian approximation to describe fading in a communication channel with fading 86−36893
Sushnar, G.J., Caldwell, J.H., Jr., Reinoehl, R.F., Wilson, J.H. Balance of system costs for a 5 MW photovoltaic generating system 85−60073
Susi, E., Lulli, G., Passari, L. Minority carrier lifetime in furnace of e-beam annealed CZ silicon 87−66877
Susi, E., Lulli, G., Poggi, A., Sourek, Z. Low temperature equilibria of point defects induced by conventional and rapid thermal annealing in CZ silicon 88−71383
Susi, E., Negrini, P., Servidori, M. Annealing effects on lifetime and lattice disorder in monocrystalline silicon 86−35305
Susi, E., Passari, L., Merli, M., Carotta, M.C. Determination of minority carrier mobility in silicon from stationary and transient lifetime measurements 88−50621
Susi, E. *see* Carotta, M.C. 86−63015
Susi, E. *see* Negrini, P. 86−21105
Susi, E. *see* Poggi, A. 87−60225, 87−66886, 88−32985
Susi, J. *see* Treshchalov, A. 85−56491
Susini, A. *see* Bartalucci, S. 88−54333
Susinno, G. *see* Alberini, C. 87−35339
Susinno, G. *see* Bari, G. 87−8843
Susinno, G. *see* Basile, M. 85−43273, 86−5785
Susinno, G.C. *see* Alberini, C. 86−65387
Suski, T., Litwin-Staszewska, E., Bulka, B., Kulszewicz, I., Pron, A. Electrical conductivity measurements of $[CH(FeCl_4)_y]_x$ under high pressure 85−11957
Suski, T., Litwin-Staszewska, E., Plesiewicz, W. Pressure dependence of resistivity and magnetoresistivity in InSb below 1K 86−35332
Suski, T., Litwin-Staszewska, E., Szymanska, W. Influence of disorder on semiconductor-metal transition in InSb 86−53354
Suski, T., Litwin-Staszewska, E., Wisniewski, P., Dmowski, L., Zhuang, W.H., Liang, G.B., Sun, D.Z., Zhen, Y.P. Metastable carrier concentration in GaAs/GaAlAs heterostructure under hydrostatic pressure 88−44575
Suski, T., Trzeciakowski, W., Porowski, S. The effect of pressure on carrier scattering in semiconductors 85−18049
Suski, T. *see* Litwin-Staszewska, E. 85−28946
Suski, T. *see* Piotrzkowski, R. 86−53329
Susko, J.R. *see* Burns, F.C. 85−26477
Susko, J.R. *see* Ginsburg, R. 85−22555
Susko, J.R. *see* Niu, T. 85−10536
Susko, J.R. *see* Niu, T.F. 85−15461
Susla, B., Czajka, R., Rauluszkiewicz, J., Szuba, S. Electronic transition in Cu^{2+} ions studied by inelastic tunneling spectroscopy 85−55601
Susla, B.P. *see* Hipps, K.W. 87−6494
Suslin, L.A. *see* Tikhonov, A.N. 86−36081
Suslonov, S.A. Multiplexing and separation of phase-converted signals 88−21380
Suslov, A.I. *see* Avanesova, G.G. 85−59490
Suslov, E.V. *see* Filatov, A.V. 85−1304
Suslov, G.I. *see* Gavrilov, N.N. 85−32346
Suslov, I.A., Chernyshev, A.S. Defining the power of an induction drive machine in a failure-free source of supply with a flywheel energy storage on the shaft 87−43509
Suslov, V.A. *see* Bondar, V.A. 88−608
Suslov, Yu.F. *see* Vorontsov, M.A. 86−22449
Suslova, K.N., Rozov, A.N., Maznev, A.S. Analysis of types of power supply systems for high-speed tracked transport with an induction motor and an electromagnetic suspension 85−39269
Suslova, K.N. *see* Bocharov, V.I. 88−31121
Suslova, K.N. *see* Maznev, A.S. 85−39102
Susoeff, A.R. *see* Hawke, R.S. 87−26680, 88−40505, 88−40518
Susoeff, M. *see* Chow, R. 87−59000
Susono, M. *see* Harashima, F. 85−27706, 85−53876
Susov, A.M. *see* Kir'yanov, A.V. 87−39057
Susov, A.M. *see* Kornienko, L.S. 86−48377, 86−63784, 87−54278
Suss, E. *see* Jungst, K.P. 86−42187
Suss, H. Applications of the Abel transform in remote sensing and related problems 85−53155
Suss, K. *see* Specht, G. 85−54104
Susse, H. RFI suppression in switch-mode power supplies 85−10964
Susse, H. Laws and standards on radio interference suppression 85−13149
Susse, H. Getting the feel of electromagnetic compatibility. I. Increase of interference resistance of μP systems 86−46872
Susse, H. Enhancing the interference immunity of microprocessor systems. II 86−48605
Susse, H. Interference suppression for power supply units 87−15907
Susse, K.-E., Weidner, F. Pulse generation by distributed feedback dye lasers 85−46345
Susse, K.-E. *see* Schmidt, V. 87−46812
Susse, K.E., Weidner, F., Sickert, J. Simple arrangement of an improved distributed feedback dye laser 88−33964
Susse, R. *see* Gollhardt, E. 87−35959
Susse, R. *see* Parasotschkin, W.A. 87−52320
Sussenguth, E.H. MIPS and BPS−communication abundance for all? 86−17004
Susser, M. *see* Herz, W. 85−35365, 85−41097, 85−56233, 87−67974
Sussetto, A. *see* Acerbi, E. 88−65079
Susskind, A.K. A technique for making asynchronous sequential circuits readily testable 85−40043
Susskind, A.K., Bader, W. Logic and fault simulation based on binary decision diagrams 87−65990
Susskind, C. Heinrich Hertz: a short life 88−49593
Susskind, J., Reuter, D. Retrieval of sea surface temperatures from HIRS2/MSU 86−32565
Sussman, A. *see* Chin, C. 87−59685
Sussman, A. *see* Hsu, F.H. 86−8344, 86−20673
Sussman, A. *see* Seffren, S.S. 85−196
Sussman, D. Composing photographs for technical journals 85−44565
Sussman, D.W. Composing effective technical cover photographs 85−39469
Sussman, H. High performance 256K DRAMS 85−49873
Sussman, H. Graphics memory architectures 88−750
Sussman, H., Llewellyn, R. Video RAM 256K and beyond 87−10882
Sussman, H.H., Spohnheimer, J.V. High performance 256 K dynamic RAMs 85−17438
Sussman, S. *see* Hamaoui, H. 85−31528

Sussman, S.S. Electric and magnetic field exposure 88−61478
Sussman-Fort, S.E. An evolution of optimization and synthesis programs for personal computers 87−16810
Sussman-Fort, S.E. Synthesizing broadband matching networks of arbitrary structure 88−38349
Sussman-Fort, S.E., Hantgan, J.C. A SPICE-installed model for enhancement and depletion mode GaAs FETs 87−67305
Sussman-Fort, S.E., Hantgan, J.C. SPICE implementation of lossy transmission line and Schottky diode models 88−25356
Sussman-Fort, S.E., Hantgan, J.C., Huang, F.L. A SPICE model for enhancement- and depletion-mode GaAs FET's 87−18138
Sussman-Fort, S.E., Mayaram, K. SPICE source code implementation of a DC model for the nonpinchoff depletion mode MOSFET 85−34958
Sussman-Fort, S.E., Mayaram, K. On the implementation of general four-terminal DC device models in SPICE 85−50471
Sussman-Fort, S.E. *see* Huang, F.L. 87−1633
Sussmann, H.J. *see* Sontag, E.D. 86−54566
Sussmann, R.S., Ash, R.M., Moseley, A.J., Goodfellow, R.C. Ultra-low-capacitance flip-chip-bonded GaInAs PIN photodetector for long-wavelength high-data-rate fibre-optic systems 85−56431
Sussmann, R.S., Ash, R.M., Murphy, A., Monham, K.L. Dark current processes in InP/GaInAs heterostructure APDs 85−41273
Sussmann, R.S. *see* Hayes, R.C. 86−41082
Sussmann, R.S. *see* Scott, M.D. 86−53678
Sussmann, R.S. *see* Webb, A.P. 86−2073
Sussner, H. *see* Best, G.L. 87−25829
Sussner, H. *see* Chang, P.T. 88−51297
Sussner, H. *see* Homola, A.M. 87−67747
Sussner, H. *see* Hoyt, R.F. 85−24152
Sust, M. *see* Walla, T. 86−27755
Sust, M.K., Kowatsch, M. All digital signal processing in a spread spectrum communication system 88−3073
Susta, J. *see* Dwersteg, B. 86−32076, 88−51414
Sustarsic, A. *see* Milanovic, M. 86−19371
Sustarsic, A. *see* Rihar, M. 88−5805
Sustarsic, B. Ferrite ceramic magnets 87−53896
Sustik Huntley, J. *see* Johnson, L. 86−33977
Susuki, K., Kawaguchi, K., Oda, Y. Integration of voice and data traffic for international corporate network 88−67200
Susukida, H. *see* Sato, I. 85−38486, 86−65715
Susukida, H. *see* Uematsu, K. 85−37083
Susukida, M. *see* Yamazaki, S. 87−22778
Susumago, I., Suzuki, M., Miyama, K., Tsuji, T., Dan, K., Yamanishi, A. Development of a large-scale dispatcher training simulator and training results 86−52172
Susumago, I., Suzuki, M., Tsuji, T., Dan, K. Development of a large-scale real time dispatcher training simulator 87−15212
Susung, P. The public lighting in the city of Colombes 88−62755
Susurkin, V.R. *see* Mal'tsev, G.I. 86−33559
Suszycki, L. *see* Kisielewska, D. 87−56965
Sutabutr, P. Hydro-power development in Thailand 87−72023
Sutanto, D., Grantham, C. Some innovations in the teaching of electric power engineering 86−40425
Sutanto, D., Mismail, B., Outhred, H.R., Grantham, C., Bryce, P., Daly, K.C. Transient simulation of capacitively self-excited induction generators 88−43205
Sutanto, D. *see* Manhire, B. 87−71615
Sutanto, D. *see* Outhred, H.R. 87−42411, 88−75092
Sutardja, P., Oldham, W.G., Kao, D.B. Modeling of stress-effects in silicon oxidation including the nonlinear viscosity of oxide 88−39230
Sutardja, P., Shacham-Diamand, Y., Oldham, W.G. Two-dimensional simulation of glass reflow and silicon oxidation 87−25134
Sutardja, P., Shacham-Diamand, Y., Oldham, W.G. Simulation of stress effects on reaction kinetics and oxidant diffusion in silicon oxidation 87−45809
Sutardja, P. *see* Oldham, W.G. 85−40920
Sutardja, P. *see* Voros, K. 87−11571
Sutarwala, S. *see* Balakrishnan, M. 88−31932
Sutcliffe, A. The DV410 digital routing switcher 88−60427
Sutcliffe, D.S., Swabey, B.R., Dare, J.H. International synchronous time measurement 86−38578
Sutcliffe, H. RF impedance measurement on live supply mains 85−4709
Sutcliffe, H. Portable test set for RF interference from appliances 87−14257
Sutcliffe, P. *see* de Heering, P. 88−22227
Sutcliffe, P.L. The Boeing 7J7 advanced technology airplane 87−50489
Sutehall, R. *see* Barnes, S.R. 87−8329
Sutehall, R. *see* Ramsay, M.M. 86−49639
Sutej, T. *see* Ilic, R. 87−29664
Sutela, T. Atomic epitaxy [for thin film electroluminescent devices] 86−57455
Suter, B.W., Deans, S.R. A Hankel transform algorithm for uniformly sampled data 86−13722
Suter, B.W., Reilly, K.D. An integrated VLSI design environment 87−11922
Suter, D. Methods of testing which fully exploit the advantages of programmable units 86−63358
Suter, E. ASICs−application-specific integrated circuits 87−52518
Suter, F. *see* Jehle, W. 87−50921
Suter, H. *see* Celletti, F. 85−9042
Suter, J. *see* Haase, H. 86−51545
Suter, J. *see* Meyer, A. 87−15673
Suter, J.J. Acoustic loss phenomena in alpha quartz-crystal resonators over the 1.4−77 temperature range 88−64871
Suter, J.J., Cloeren, J.M., Norton, J.R., Kusnierkiewicz, D.Y., Koehler, A.M. Simulation of low-Earth-orbit radiation environments with a 5 to 120 MeV proton cyclotron beam using a proton beam modulator 88−13384
Suter, J.J., Maurer, R.H. Low and medium dose radiation sensitivity of quartz crystal resonators with different Al-impurity content 87−32796
Suter, J.J., Maurer, R.H. Low- and medium-dose radiation sensitivity of quartz crystal resonators with different aluminium impurity content 88−20224
Suter, J.J. *see* Maurer, R.H. 88−26390
Suter, J.J. *see* Norton, J.R. 85−24039, 85−62144
Suter, M., Balzer, R., Bonani, G., Wolfli, W. A fast beam pulsing system for isotope ratio measurements 85−20779
Suter, M., Bonani, G., Stoller, C., Wolfli, W. An accelerator voltage regulating system using a position sensitive Faraday cup 85−20765
Suter, M. *see* Andree, M. 85−20795
Suter, M. *see* Balzer, R. 85−20788
Suter, M. *see* Bonani, G. 85−20797
Suter, M. *see* Hofmann, H. 85−20791
Suter, M. *see* Nessi, M. 85−20864
Suter, P. Energy research policy in Switzerland 86−18924
Suter, P. The introduction of electronic data processing by AG Kraftwerk Wägital 87−4230
Suter, W. Equipment and function of IDN exchanges for centralized operation 88−41486
Suter, W. Equipment and function of IDN exchanges for centralized operation 88−53017
Suter, W. Equipment and function of IDN exchanges for centralized operation 88−59942
Sutera, M. An economic motor drive with very few components 88−76003
Sutera, M. *see* Aniceto, C.G. 88−69774
Suthar, R.L. *see* Korgaonkar, A.V. 88−61243
Sutherland, A.M., Jack, M.A., Laver, J. Improved pitch detection algorithm employing temporal structure investigation of the speech waveform 88−34598
Sutherland, D. *see* Helszajn, J. 88−63852
Sutherland, D.M., Becker, M.C. MIS cannot live by single-vendor net alone: access in and out of SNA provides universal link 85−36702
Sutherland, E., Morieux, Y.V.H. Managing telecommunications 88−66813
Sutherland, F.L. *see* Koul, S.L. 86−50411
Sutherland, G.J. *see* Cohen, D.D. 87−17783
Sutherland, G.J. *see* Nassibian, A.G. 86−41602
Sutherland, I. *see* Bishop, C.A. 87−74865
Sutherland, I.A. *see* Randall, N.J. 88−42547
Sutherland, J. *see* Martin, R.W. 87−29748
Sutherland, J.B. *see* Sirbu, M.A., Jr. 85−25348
Sutherland, J.C., Steichele, E., David, W.I.F., Johnson, M.W., Altrip, J.L., Ward, R.C., Carlile, C.J. The performance of the IRIS and HRPD guides on the SNS 86−55956
Sutherland, J.F. *see* Crew, A.W. 85−43694
Sutherland, K.M., Pearson, D.T., Gordon, L.S. Independent control of blood gas PO_2 and PCO_2 in a bubble oxygenator 88−61392
Sutherland, R. Reliability of hybrid microcircuits on thick film 87−53079
Sutherland, R. Answering the burning questions [combustion chemistry and multivariable control] 88−37014
Sutherland, R., Knight, R. Inexpensive videodisc for proficiency: a teaching model based on Bruner's learning hierarchy 87−70293
Sutherland, R. *see* Jenkins, D.G. 88−45315
Sutherland, R.J. The economic benefits of nuclear power 85−59883
Sutherland, R.J. Projecting electricity consumption with an econometric model 87−57584
Sutherland, R.R. The reliability of encapsulated and unencapsulated thick-film hybrid microcircuits 86−62970
Sutherland, R.R. The acoustic microscope in the testing of integrated circuits 87−46148
Sutherland, R.R., Videlo, I.D.E. Accelerated life testing of small-geometry printed circuit boards 85−28776
Sutherland, R.R., Videlo, I.D.E. A comparison of the reliability of copper and palladium-silver thick-film crossovers 86−14734
Sutherland, R.R., Videlo, I.D.E. Accelerated life testing small geometry PCBs 86−20958
Sutherland, R.R., Videlo, I.D.E. A comparison of the reliability of copper and palladium-silver thick-film crossovers 88−25725
Sutherland, R.R., Videlo, I.D.E., Chwastek, E.J. Rapid evaluation methods for thick-film multilayer conductor systems for hybrid microcircuits 86−41458
Sutherland, R.R. *see* Robertson, M.J. 88−33869
Sutherland, R.R. *see* Sinnadurai, N. 85−50121
Sutherland, R.R. *see* Wilson, K.J. 86−63426
Suthers, M., Cameron, T., Kennard, P., McNicol, J. SAW Nyquist filters for digital radio 88−51123
Suthers, M., Este, G., Streater, R., MacLaurin, B. Suppression of spurious SAW signals [filters] 87−60743
Sutlar, Z., Pogacnik, F., Balestrin, P. A computer-controlled alarm system for telephone subscribers 85−25320
Sutlieff, C. Making the right semi-custom choice 85−61222
Sutlieff, C. Custom design with a PC 88−50917
Suto, A. *see* Mel'nikov, V.I. 86−68209
Suto, H. *see* Ino, M. 87−24129, 88−19165
Suto, K., Kimura, T., Nishizawa, J. Heterostructure semiconductor Raman laser 87−68453
Suto, K., Kimura, T., Nishizawa, J. Lateral optical confinement of the heterostructure semiconductor Raman laser 88−14172
Suto, K., Nishizawa, J. Semiconductor Raman laser 85−29797
Suto, K., Nishizawa, J. Characteristics of the epitaxial semiconductor Raman laser 86−68494
Suto, K. *see* Sekine, H. 87−51229, 87−58109, 87−72101
Suto, K. *see* Yoneda, E. 87−34543, 87−49101
Suto, K. *see* Zschunke, W. 85−47694
Suto, S., Ikezawa, M., Mizuno, K. Millimeter wave spectrophotometry by the Ledatron 86−24724
Suto, T. *see* Sekine, H. 87−51229, 87−58109, 87−72101
Suto, Y., Kato, M., Ozeki, T., Ueda, M., Izumida, T., Tarora, K. Three-dimensional display of X-ray CT image. Extraction and display of cerebral ventricle 87−29749
Suto Koh-Ichi *see* Koh-Ichi Suto
Sutoh, T., Suzuki, H., Sekine, Y. Economic evaluation of a residential photovoltaic system based on a probability model using actual meteorological data 87−51095
Sutokhin, A.M., Balabanov, I.G., Bryzgalov, V.I., Voroshilov, V.P., Gaivoronskii, A.V., Zhidov, R.N., Zaitsev, V.A., Kulak, L.M., Milyaev, N.K., Palmskii, V.G., Khoroshailov, V.G. Experience of operating water cooling systems of high-utilization generators with use of inhibitor protection against corrosion and cupric oxide deposits 87−9404
Sutor, J.L., Boland, B., Robb, S.P., Terry, L. A novel isolation structure for SMART power ICs 87−46123
Sutor, J.L. *see* Robb, S.P. 85−40836
Sutor, N. Environmental tests on optical waveguide cables 86−23912
Sutorikhin, N.B. *see* Golomshtok, L.V. 86−30504
Sutorikhin, N.B. *see* Zelentsov, B.P. 85−8253
Sutorikhin, V.A., Sharangovich, S.N. Phase characteristics of distributed-gain amplifiers using balanced stages for excitation of acousto-optic modulators 88−50037
Sutorius, W., Jr. *see* Lee, V.D. 87−12084
Sutotskii, G.P., Kokoshkin, I.A., Vasilenko, G.V., Nikitin, V.I. Questions of water-chemistry conditions of turbine plants of thermal power stations with supercritical generating units 87−57922
Sutotskii, G.P., Tsvetkov, A.V. Automated system of controlling technological processes at Zeiskaya hydroelectric power station 88−17405
Sutotskii, G.P., Verich, V.F. Obtaining a representative sample of primary condensate 88−17373
Sutotskii, G.P. *see* Vasilenko, G.V. 85−38856, 85−48844
Suttels, R. The 20/30 GHz frequency bands for broadband, digital satellite communication systems 85−20161
Sutter, B. Electrolytic treatments by pulsed currents 87−79249
Sutter, E.E. The visual evoked response as a communication channel 85−38174
Sutter, E.E. Multi-input VER and ERG analysis for objective perimetry 86−56143
Sutter, H. Pin-point location of faults in buried cables 85−53365
Sutter, J.F., Hartung, J.B. Laser microprobe $^{40}Ar/^{39}Ar$ dating of mineral grains in situ 85−43471
Sutter, K. *see* Baitinger, U.G. 85−16647
Sutter, K. *see* Biehl, G. 86−62530
Sutter, K. *see* Gunter, P. 88−58683
Sutter, K. *see* Tatje, J. 87−25390
Sutter, L.V. Recent advances in surgical CO_2 lasers 85−59339
Sutter, L.V., Jr. Advanced applications for hand-held surgical CO_2 lasers 87−21653

Sutter, M.T. Smart questions, smart answers [troubleshooting ESS] 87−3014
Sutter, M.T. The SMART project: an approach to expert system integration and evaluation in the BOCs 87−34295
Sutter, R.J. *see* Chrien, R.E. 86−70368
Sutterfield, J.A. *see* Kusic, G.L. 88−48809
Suttie, D. Application of multi-component, strain gaged load elements (balances) in a reaction load measuring system for STS/Centaur structure tests 86−60884
Suttie, R.A. *see* Jaroszyunski, D.A. 87−77159
Suttle, B. Protocol converting 87−13417
Suttle, N.A. New piezoelectric polymers 88−12099
Sutton, A. *see* McGeough, P.A. 85−44275
Sutton, A.G. *see* Boyd, M.J. 85−20498
Sutton, B., Schnegelberger, E. DLC−the cost-effective solution [Digital Loop Carrier systems] 88−28559
Sutton, C. *see* Lesurf, J. 88−70949
Sutton, C.M. The accurate generation of small gauge pressures using twin pressure balances 87−56897
Sutton, C.M. Non-linearity in length measurement using heterodyne laser Michelson interferometry 88−16485
Sutton, D.C. Models for developing managers 87−51801
Sutton, E.C. *see* Danchi, W.C. 87−25888
Sutton, G.H., Duennebier, F.K. Optimum design of ocean bottom seismometers 88−42639
Sutton, G.W. *see* Margalith, E. 86−29229
Sutton, J. *see* Hargis, C. 86−33310
Sutton, J.A. The 80C86 CMOS design from the NMOS architecture 85−11281
Sutton, J.P. A rugged fiberoptic in-situ particle size meter 87−14549
Sutton, L.S., Phillips, F.M., Winfield, S.R. Managing a satellite communications program in a hospital library 87−62886
Sutton, M.A., Mingqi Cheng, Peters, W.H., Chao, Y.J., McNeill, S.R. Application of an optimized digital correlation method to planar deformation analysis 87−19672
Sutton, M.A. *see* Chao, Y.J. 88−10131
Sutton, M.A. *see* Russell, S.S. 87−31618
Sutton, M.A. *see* Walker, D.M. 88−71237
Sutton, P. Comparison of an electro-optical sensor employing pre- and post-detector processing with a sensor using post-detector processing alone 85−30483
Sutton, P. Signal and background discrimination using optical domain processing 85−46960
Sutton, P. New processing techniques for ESM using partial coherence 88−54828
Sutton, P., Jones, K.W. The detailed coherence characteristics of lasers 87−75023
Sutton, P., Karlsson, C. Performance and process evaluation of polyethylene for telephone cable manufacture 88−53112
Sutton, P. *see* French, H.A. 87−2663
Sutton, P. *see* Karlsson, C. 88−55023
Sutton, P.D., Jones, G.J. Photovoltaic system overview 85−53616
Sutton, P.J. Service Protection Network 87−40167
Sutton, R., Towill, D.R. Modelling the helmsman in a ship control system 88−36726
Sutton, R. *see* Driggers, R. 87−54390
Sutton, R.A., Evans, K.W., Waugh, J.P., Hornbuckle, D.M. Tracing quality with live calls [transmission networks] 87−33949
Sutton, R.B. *see* Bobbink, G.J. 85−26689, 88−54170
Sutton, R.T. The Eddystone 1650 series of communications receivers−a user's guide 85−42454
Sutton, R.T. The Eddystone 1995 series of VHF/UHF communications receivers−a user's guide 88−41502
Sutton, S., Mosher, D., Shear, R. A modified BIDFET process technology for symmetric electroluminescent display drivers 87−8683
Sutton, S. *see* Colclough, M.S. 87−53918
Sutton, S. *see* Gough, C.E. 88−26723
Sutton, T.J. Commissioning of the Dungeness 'B' boiler and unit load control systems 85−48772
Sutton, W.B., Muller, N.J. DLC−route to new revenues 87−62545
Suttor, K.-H. Analysis of the economic efficiency and the potential of the industrial combined heat and power plant 85−4874
Suttrop, W. *see* Glasow, P. 88−67804
Sutu Yue-Hong *see* Yue-Hong Sutu
Sutugin, A.G. *see* Lushnikov, A.A. 86−3485
Sutulin, V.A. *see* Guzik, Z. 85−829
Sutyagin, A.F. *see* Zimin, L.S. 87−36252
Sutyagin, A.N., Yur'ev, M.S. Cathode layer of an externally maintained discharge in a CO_2:N_2:He gas mixture at atmospheric pressure 85−24473
Sutyagin, A.N. *see* Rozanov, N.N. 86−9941
Sutyagin, V.G. *see* Belomestnykh, V.A. 85−31221, 87−69091
Sutyagin, V.G. *see* Kozik, V.I. 86−3965
Sutyrin, S.V. *see* Kulinchenko, G.V. 86−28688
Suu, H.V., Mezey, G., Peto, G., Kotai, E., Paszti, F., Manuaba, A., Lohner, T., Fried, M., Gyulai, J. Formation and characterization of gadolinium silicides 85−12013
Suu, H.V., Mezey, G., Peto, G., Paszti, F., Kotai, E., Manuaba, A., Fried, M., Gyulai, J. Oxidation behaviour of $GdSi_2$ studied by RBS 86−47492
Suuriraj, S.J. *see* Rajendran, S. 86−30879
Suva, J. Czechoslovak power industry in the years 1981 to 1985 85−59571
Suva, J. Some problems of management in the electrical power company 86−65604
Suva, J. The development of nuclear power up to year 2000 87−22021
Suva, J. Economic mechanism in power engineering 88−17060
Suvanto, K. *see* Farmer, A.D. 88−53354
Suvanto, K. *see* Lockwood, M. 88−53353
Suverkrubbe, R. Medium power and broadcast satellites: matter of opinion−considerations of reception confidence and aerial sizes 87−76640
Suvorov, A.L. *see* Ammosov, V.V. 88−4856
Suvorov, A.L. *see* Anikin, M.M. 85−55767
Suvorov, A.S., Detkov, A.Yu. Digital instruments for measuring the peak amplitude of acoustic-emission signals 88−31877
Suvorov, A.V. *see* Anikin, M.M. 87−18063, 87−32289, 87−53238
Suvorov, A.V. *see* Dmitriev, V.A. 87−35155
Suvorov, A.V. *see* Ivanov, P.A. 86−21179, 88−25919
Suvorov, B.A. *see* Selivanov, A.S. 88−61627
Suvorov, D.V. *see* Vasil'ev, A.V. 87−4561
Suvorov, E.V. *see* Aksenov, V.N. 88−54391
Suvorov, E.V. *see* Eliseev, P.G. 87−62988
Suvorov, M.B. *see* Kovalev, V.I. 87−26294
Suvorov, N.P. Noise immunity of noncoherent reception as a whole of M-ary composite signals with redundant coding 85−2837
Suvorov, N.P. Analysis of coded signal bases 85−63054
Suvorov, N.P. Development of the theory of communications signals 86−22869
Suvorov, N.P. A quantitative estimation of the basis of binary composite signals 86−43121
Suvorov, N.P. Design of optimal synchronization devices for multibase composite signals 87−39812
Suvorov, N.P. Synchronising multiple-base compound signals during incoherent reception with coherent accumulation of basic functions 87−39815
Suvorov, N.P. Synthesising devices for synchronising multiple phase manipulation 87−69168
Suvorov, N.P., Vyazovskii, V.A., Proskurin, A.D. Correlation properties of parallel composite signals 87−2521
Suvorov, S.A. *see* Aleksandrov, B.P. 86−33887
Suvorov, V.A., Bol'nykh, N.S. Increasing the duration of the discharge pulse of a radial forming line by means of a periodic slow-wave structure 88−22866
Suvorov, V.A. *see* Bol'nykh, N.S. 88−4383
Suvorov, V.I. *see* Sokolov, V.K. 88−75111
Suvorov, V.M. *see* Beer, W. 85−64518
Suvorov, V.V. *see* Basiladze, S.G. 86−24442, 88−25079, 88−29241
Suvorov, V.V. *see* Liutovich, K.L. 88−32874
Suwa, A. *see* Akisada, A. 86−60693
Suwa, A. *see* Shun-yi Zhang 87−27612
Suwa, H. *see* Itakura, Y. 87−21776
Suwa, I. *see* Mori, S. 85−45822
Suwa, K. Baseband SNR characteristics on equal-gain combining diversity with phase difference 85−20021
Suwa, K. Influence of click noise on selection diversity 86−29443
Suwa, K. Study on selection diversity with different receiving sensitivity 86−30567
Suwa, K., Daikoku, K. Evaluation of RZ SSB receivers employing an improved [mobile radio] 87−69976
Suwa, K., Hattori, T. A study on selection diversity for land mobile radio−baseband SIR improvement in co-channel interference 85−42487
Suwa, K., Hattori, T. A study on equal-gain combining diversity for land mobile radio 85−47441
Suwa, K., Kozono, S. Amount of Co-channel interference for selection diversity in land mobile communications 85−42488
Suwa, K., Shimizu, I., Hattori, T. Diversity improvement of voice signal transmission using postdetection selection combining in land mobile radio 85−3365
Suwa, K., Shimizu, I., Hattori, T. A study of selection diversity for land mobile radio-baseband SNR improvement in thermal noise 85−14134
Suwa, K. *see* Onoe, S. 86−69699
Suwa, K. *see* Simizu, I. 87−8207
Suwa, M. *see* Miyake, H. 86−27770
Suwa, M. *see* Onuki, J. 86−14767, 88−1293
Suwa, M. *see* Tsukiyama, T. 86−10499
Suwa, N., Hayakawa, M. Laser displacement and thickness meter with 2.5 μm resolution 86−60116
Suwa, N. *see* Shimazu, K. 85−34895
Suwabe, S., Takahashi, M., Tanaka, T., Wakiyama, T. Magnetic properties of Fe-Si sputtered films 87−60785
Suwabe, S. *see* Takahashi, M. 87−60786, 88−39794
Suwada, T., Sugahara, R., Ohama, T., Takahashi, K., Fujiwara, N., Iida, N. A test of a planar spark counter of 500 μm spark gap 88−10249
Suwada, T. *see* Fujiwara, N. 88−22970
Suwada, T. *see* Kawabata, S. 88−61140
Suwada, T. *see* Kuroda, S. 87−50134
Suwaki, T. Ultrasonic endoscope 86−5903
Suwama, M. *see* Anzai, T. 87−39322
Suwanwisoot, W. *see* Kirschen, D.S. 85−21623
Suwarso Future trends in nationwide data networks Indonesia 86−17005
Suwarso, M. Issues surrounding the numbering plan of data networks in the ISDN era 87−48808
Suwarso, M. Regulatory policy in the era of ISDN 88−46648
Suwazono, S. *see* Hirata, M. 86−55690, 88−7478
Suwazono, S. *see* Ishihara, T. 87−49671
Suwei Zhao *see* Zhao Suwei
Suwer, W. *see* Haselhoff, H. 87−64371
Suyama, H., Anzai, A. Examples of operation and future trends of temperature instrumentation at a town gas production plant 88−15999
Suyama, H. *see* Ikawa, M. 85−11475
Suyama, K. *see* Kobayashi, N. 88−37054
Suyama, M., Chikama, T., Onaka, H., Kiyonaga, T., Kuwahara, H. Implementation strategy of optical coherent technology suitable for subscriber networks 88−46768
Suyama, M., Okada, K., Nakajima, S. Impact of ISDN on network configuration 87−28331
Suyama, M. *see* Chikama, T. 88−47148, 88−53253
Suyama, M. *see* Hasegawa, T. 86−58690
Suyama, M. *see* Minami, T. 86−23458, 86−55311
Suyama, M. *see* Nakajima, S. 87−28482, 88−60078
Suyama, M. *see* Nakamura, K. 88−44938
Suyama, M. *see* Nose, T. 86−26379
Suyama, M. *see* Sakuta, Y. 85−49777, 87−6958, 87−52425, 88−57860
Suyama, M. *see* Sekine, Y. 85−28676, 86−2192, 87−477, 87−52710, 87−66453
Suyama, M. *see* Takiguchi, Y. 87−53132
Suyama, M. *see* Yamada, Y. 88−53098
Suyama, N., Ueno, N., Omura, K., Takada, H., Kita, Y., Kitamura, S., Hibino, T., Murozono, M. All screen printed (Cd, Zn)S/CdTe solar cell 88−37595
Suyama, N., Ueno, N., Omura, K., Takada, H., Kitamura, S., Hibino, T., Uda, H., Murozono, M. 'SUNCERAM II' printed thin-film solar cell for indoor power sources 87−36133
Suyama, S., Fukushima, M., Higo, Y. 400 Mb/s-1.55 μm fiber optic transmission equipment using a DFB laser diode 86−42318
Suyama, S., Okamoto, A., Serikawa, T. The effects of oxygen-argon mixing on properties of sputtered silicon dioxide films 88−12022
Suyama, S., Okamoto, A., Serikawa, T. Electrical characteristics of MOSFET's utilizing oxygen-argon sputter-deposited gate oxide films 88−13125
Suyama, S., Yachi, T., Serikawa, T. A new trench fabrication technique for silicon substrate utilizing undercutting and selective etching 85−50419
Suyama, S., Yachi, T., Serikawa, T. A new self-aligned well-isolation technique for CMOS devices 87−25560
Suyama, S. *see* Serikawa, T. 87−38286
Suyama, S. *see* Suzuki, T. 87−32839
Suyama, S. *see* Yachi, T. 86−2182
Suyama, T., Hayakawa, T., Kondo, M., Takahashi, K., Yamamoto, S., Hijikata, T. Near-ideal low-threshold current in (111)-oriented GaAs/AlGaAs quantum well lasers 88−34018
Suyama, T., Kondo, M., Takahashi, K., Hosoda, M., Sasaki, K., Hayakawa, T., Yamamoto, S., Hijikata, T. High quality quantum well lasers on (111)B 0.5° off GaAs substrates grown by molecular beam epitaxy 88−51825
Suyama, T. *see* Hayakawa, T. 85−18937, 86−20040, 86−63809, 87−279, 87−5400, 87−7334, 87−54335, 88−2217, 88−20677, 88−27137, 88−33988, 88−40246, 88−58553, 88−72321
Suyama, T. *see* Iwata, S. 87−14139
Suyama, T. *see* Takahashi, K. 87−7381
Suyama, T. *see* Takeda, Y. 85−27376
Suydam, B.R. *see* Babuel-Peyrissac, J.P. 86−36583
Suydam, B.R. *see* Fisher, R.A. 85−2410
Suydam, M. *see* Harger, J. 87−79006
Suyderhoud, H. *see* Williams, G. 85−41841
Suyderhoud, H.G. User quality assurance in telephone network system parameters 86−16808
Suyderhoud, H.G., Dimolitsas, S. Impact of noise and encoder/decoder mistracking on ADPCM system performance 88−66317
Suyderhoud, H.G. *see* Dimolitsas, S. 88−52337
Suying Zhang *see* Zhang Suying
Suyun Jiang *see* Jiang Suyun
Suzaki, K. Consideration on the number of the closed loops of a random graph 87−23503
Suzaki, R. *see* Fujii, K. 85−4231, 85−43187

Suzawa, C. *see* Onishi, T. 85−62269
Suzawa, S. *see* Fudo, H. 88−61851
Suzdal'nitskii, F.M., Maksimov, V.I., Khudzinskii, L.L. Information transmission system with pulse-time modulation 86−43603
Suzhedelis, A. *see* Ashmontas, S. 88−39105
Suz'ko, A.A. *see* Kolpashchikov, V.L. 87−32952, 87−74802
Suzukawa, I., Toda, Y., Kaneda, Y., Sato, Y., Yamada, T. JSW's baby cyclotron 85−15103
Suzuki, A. Double telecentric wafer stepper using laser scanning method 86−14994
Suzuki, A., Furukawa, K., Higashigaki, Y., Harada, S., Nakajima, S., Inoguchi, T. Epitaxial growth of β-SiC single crystals by successive two-step CVD 85−39761
Suzuki, A., Hamanaka, J., Sakai, K. A tentative design guide for preventing fast fracture of fine ceramic components 88−56320
Suzuki, A., Hirose, R., Hirabayashi, Y. Towards submicron . . . a new phase of optical stepper 87−11915
Suzuki, A., Inukai, M., Isogawa, M. VT-700 thin type cubicle 86−40011
Suzuki, A., Itoh, T., Terakado, T., Inomoto, Y., Kasahara, K., Asano, K., Fujita, S., Torikai, T. Long wavelength transmitter and receiver OEICs on GaAs-on-InP heterostructures 88−47168
Suzuki, A., Itoh, T., Terakado, T., Kashahara, K., Asano, K., Inomoto, Y., Ishinara, H., Torikai, T., Fujita, S. Long-wavelength PINFET receiver OEIC on a GaAs-on-InP heterostructure 87−76745
Suzuki, A., Kasahara, K., Shikada, M. InGaAsP/InP long wavelength optoelectronic integrated circuits (OEICs) for high-speed optical fiber communication systems 88−20519
Suzuki, A., Kikuchi, K. Early detection of new microcracks on aluminum and aluminum alloys caused by a fatigue 86−34409
Suzuki, A., Minemura, K., Nomura, H. Gbit/s fiber transmission experiments using 1.3 μm-wavelength high-speed surface-emitting DH LEDs 86−11121
Suzuki, A., Mito, I., Kasahara, K. Integrated opto-electronic devices for ultra-high-speed/heterodyne optical fiber transmission systems 87−38957
Suzuki, A., Sato, S., Hosaka, M., Tanaka, J. Evaluation and analysis of molten carbonate fuel cell 86−61726
Suzuki, A., Suzuki, M.N. Calibration factors for radionuclide calibration 87−21448
Suzuki, A., Tohyama, M. Sound power measurements in a rectangular reverberation room 87−35247
Suzuki, A., Tohyama, M. Interaural cross-correlation coefficients in stereo reproduced sound fields 87−70321
Suzuki, A., Uemoto, A., Shigeta, M., Furukawa, K., Nakajima, S. Temperature dependence of electrical properties of non-doped and nitrogen-doped beta-SiC single crystals grown by chemical vapor deposition 87−1220
Suzuki, A., Uemoto, A., Shigeta, M., Furukawa, K., Nakajima, S. High-temperature characteristics of CVD-grown β-SiC p-n junction diodes 87−25218
Suzuki, A., Uji, T., Inomoto, Y., Hayashi, J., Isoda, Y., Nomura, H. InGaAsP/InP 1.3-μm wavelength surface-emitting LEDs for high-speed short-haul optical communication systems 86−29011
Suzuki, A., Yabu, S., Ookubo, M. Intelligent optical system of a new stepper 88−1582
Suzuki, A., Yamaguchi, S., Ito, H., Suzuki, N., Yabu, T. A 19 ns memory 87−59494
Suzuki, A. *see* Fujii, Y. 87−6388, 87−31564
Suzuki, A. *see* Fukuchi, H. 86−37846
Suzuki, A. *see* Furukawa, K. 86−58442, 87−38260, 88−13436, 88−18709
Suzuki, A. *see* Furusawa, Y. 88−38475
Suzuki, A. *see* Gimlett, J.L. 86−17369, 86−49696
Suzuki, A. *see* Hasoya, K. 88−6005
Suzuki, A. *see* Hosaka, M. 86−61728
Suzuki, A. *see* Hoshino, T. 85−892
Suzuki, A. *see* Kasahara, K. 86−42461, 88−65530
Suzuki, A. *see* Kikuchi, K. 85−26452
Suzuki, A. *see* Kitagawa, M. 88−18670
Suzuki, A. *see* Matsuda, S. 85−65459
Suzuki, A. *see* Matsui, M. 88−6832
Suzuki, A. *see* Matsui, Y. 87−4887
Suzuki, A. *see* Matsushita, T. 86−2651
Suzuki, A. *see* Matsutani, T. 88−5897
Suzuki, A. *see* Nishimuta, I. 86−36721
Suzuki, A. *see* Ohbayashi, K. 86−11364
Suzuki, A. *see* Roux, M. 86−7028
Suzuki, A. *see* Shiga, S. 86−511
Suzuki, A. *see* Shigeta, M. 87−58959
Suzuki, A. *see* Shimokawa, R. 87−64796, 88−17935
Suzuki, A. *see* Shimoseko, S. 86−37851
Suzuki, A. *see* Sugimoto, M. 85−7440
Suzuki, A. *see* Suzuki, S. 86−49425
Suzuki, A. *see* Takamori, N. 87−43438
Suzuki, A. *see* Takita, K. 86−8793, 86−47305
Suzuki, A. *see* Terakado, T. 88−65516
Suzuki, A. *see* Tomita, A. 86−42630, 87−68505, 87−68619
Suzuki, A. *see* Tomomura, Y. 88−49841
Suzuki, A. *see* Yokote, H. 88−75624
Suzuki, C. Displays for new media systems 85−47857
Suzuki, C. Numerical solutions to nonlinear two-point boundary value problems of M-class by a numerical method for fixed point problems−convergences of Newton's method 88−6418
Suzuki, C. A numerical method for two-point boundary value problems based on approximate solutions of a fixed point problem 88−6424
Suzuki, C. *see* Hale, L.G. 85−14897
Suzuki, C.K., Shinohara, A.H., Oliveira, V.A.R., Takiya, S., Kiss, J. Characterization of Brazilian lascas from various regions and their use for synthetic quartz growth. II. Properties correlation 87−32763
Suzuki, C.K. *see* Iwasaki, H. 87−32762
Suzuki, D. *see* Okamoto, N. 85−13325
Suzuki, E. A study on degradation mechanisms and low voltage operations in MNOS-type memory devices 85−45056
Suzuki, E., Ariga, M. An analysis of leakage flux by using the measurement system of a three dimensional magnetic field 85−64252
Suzuki, E., Hayashi, Y. On oxide-nitride interface traps by thermal oxidation of thin nitride in metal-oxide-nitride-oxide-semiconductor memory structures 86−41609
Suzuki, E., Ichihara, M., Kumano, T., Kamisada, Y., Aoki, N. Wire configurations and properties of multifilamentary NbTi superconducting wires with Cu matrix 86−65723
Suzuki, E., Ichihara, M., Kumano, T., Nakamura, S., Kamisada, Y., Aoki, N. Multifilamentary superconducting wires for persistent current switch 88−50471
Suzuki, E., Ichihara, M., Nakamura, S., Nakane, F. Development of superconductor for pulse coil 86−2645
Suzuki, E., Kimura, K., Seki, T., Ogasa, H., Satake, K., Takahashi, Y., Yoshikawa, T. Compact thermal facsimile transceiver NEFAX-10 87−55652
Suzuki, E., Schroder, D.K., Hayashi, Y. Carrier conduction in ultrathin nitrided oxide films 87−24920
Suzuki, E. *see* Ara, M. 87−73561, 87−77254
Suzuki, E. *see* Murase, S. 85−62217
Suzuki, E. *see* Noto, K. 85−41091
Suzuki, E. *see* Orui, S. 87−73562 to 73563
Suzuki, E. *see* Watanabe, K. 87−53928
Suzuki, E.E. *see* Ohkubo, H. 85−62216
Suzuki, F., Kikuchi, Y., Shiota, T., Fukuda, O., Inada, K. Magnetic-field sensor with polarization-maintaining optical fiber 88−67854
Suzuki, F. *see* Akasaka, N. 86−49642
Suzuki, F. *see* Aoki, T. 87−8332
Suzuki, F. *see* Ara, M. 87−77253
Suzuki, F. *see* Arikawa, T. 88−65271
Suzuki, F. *see* Hidaka, H. 88−68052
Suzuki, F. *see* Ikejiri, T. 86−35927, 87−30635
Suzuki, F. *see* Kikuchi, Y. 87−74686
Suzuki, F. *see* Sakamoto, H. 88−74819
Suzuki, F. *see* Shintomi, T. 86−25062, 86−44519
Suzuki, F. *see* Shiota, T. 86−48163
Suzuki, F.T. *see* Hass, R.W., Jr. 87−42071
Suzuki, G., Hamada, N. Practical data structure for incremental design rule checking and compaction 88−24932
Suzuki, G., Hase, M., Izuoka, T. Small screen video communication terminal (Scopephone) 88−47296
Suzuki, G., Hase, M., Izuoka, T., Hashimoto, Y. 64 kbit/s small screen video communication terminal (Scopephone) 88−46765
Suzuki, G., Itoh, H., Hase, M. Tele-document Terminal−electronic filing terminal for INS Model System 85−47065
Suzuki, G., Itoh, H., Sakai, H., Hase, M. Tele-document terminal equipment 85−13976
Suzuki, G., Usui, K., Kunitomo, Y., Ishiga, T., Kinoshita, M., Nomoto, K. A fast data management method for very large scale schematics 87−23854
Suzuki, G. *see* Hoshino, Y. 87−12640
Suzuki, H. A proposal of two input terminals SC amplifier and its experimental results 85−608
Suzuki, H. Minimum-phase-shift property of a one-dimensional triangular source 86−4911
Suzuki, H. High-precision gyro for space use 86−6033
Suzuki, H. Mutual radiation impedance of a double-disk source and its effect on the radiated power 87−20763
Suzuki, H. Tsuruga 2−a new generation of PWR for Japan 87−78268
Suzuki, H. The CCITT G4 facsimile in the age of ISDNs 88−21572
Suzuki, H., Aikawa, T., Henoyoshi, T., Tadokoro, M. Operating characteristics of hybrid inverter system 86−66153
Suzuki, H., Akiyama, T., Ueno, K. A 1.6 GHz low power silicon dual modulus prescaler IC 85−54852
Suzuki, H., Akiyoshi, I., Nakanishi, H., Sanada, H., Tezuka, Y. Delay analysis of wait system model for window-controlled packet network and optimal window allocation 85−46981
Suzuki, H., Arimoto, S. Arithmetic operational algorithms for variable-length data encryption 87−54961
Suzuki, H., Ashizaki, S., Sugawara, K., Natsuhara, M., Muranishi, H. Progressive-scanned 33-in. 110° flat-square color CRT 88−12901
Suzuki, H., Ema, Y., Hayashi, T. MIS type CdSe thin film rectifier 86−1847
Suzuki, H., Fukazawa, K. Evaluation of high speed algorithms for cyclic convolution and construction of an optimal algorithm 88−40977
Suzuki, H., Haneyoshi, T., Tadokoro, M. Two step jumps in core-type nonlinear zero-phase-sequence circuit 87−67808
Suzuki, H., Haneyoshi, T., Tadokoro, M. Operating characteristics of magnetic frequency multiplier with core-type zero-phase-sequence circuit 88−33551
Suzuki, H., Harada, Y., Machida, S. Mini-flat photo-coupler PS2101 86−58774
Suzuki, H., Hasuo, S. A diagonal address generator for a Josephson memory circuit 87−38687
Suzuki, H., Hasuo, S. A capacitively coupled SFQ Josephson memory cell 88−71977
Suzuki, H., Imamura, T., Hasuo, S. Fine-grained Au-Pb-Bi counterelectrodes for lead alloy Josephson junctions 85−41061
Suzuki, H., Ishiguro, A., Nishizeki, T. Algorithm for finding edge-disjoint paths in a region bounded by nested rectangles 87−44163
Suzuki, H., Ishiguro, A., Nishizeki, T. Edge-disjoint paths in a region bounded by two nested rectangles 88−31647
Suzuki, H., Iwamoto, S. Fast transient stability solution using algebraic processing language 'REDUCE' 88−36757
Suzuki, H., Kanaya, S., Futaki, K. High density connectors 88−1075
Suzuki, H., Kokaji, M. Trends of drive developments for the Asian cement industry market 86−19555
Suzuki, H., Kudo, H. Multiple-error characteristics of self-synchronizing scrambler/descrambler in digital mobile radio transmission 85−30940
Suzuki, H., Momma, K. A new switching diversity technique utilizing carrier-jitter sensor for mobile radio applications 85−30941
Suzuki, H., Momma, K., Yamao, Y. Digital portable transceiver using GMSK modem and ADM codec 85−3372
Suzuki, H., Mori, K., Kawasaki, M., Sato, H. Spatially and time-resolved detection of gallium atoms formed in the laser photochemical vapor deposition of trimethylgallium by laser-induced fluorescence: decomposition in the adsorbed state 88−70345
Suzuki, H., Nakanishi, H., Sanada, H., Tezuka, Y., Akiyoshi, I. Delay analysis of wait system model for window-controlled packet network and optimal window allocation 86−69216
Suzuki, H., Nishizeki, T., Saito, H. Multicommodity flows in planar undirected graphs 86−62060
Suzuki, H., Nishizeki, T., Saito, N. Plane multicommodity flows and shortest paths 85−39641
Suzuki, H., Nishizeki, T., Saito, N. An algorithm for multicommodity flows in a class of planar networks 86−13909
Suzuki, H., Nishizeki, T., Saito, N. An algorithm for multicommodity flows in a class of planar networks 87−44131
Suzuki, H., Nobata, K. Experimental study on characteristics of a theta discharge in a linear device 88−2438
Suzuki, H., Shi-Yashiki, H., Toriwaki, J. Structural analysis of line patterns using distance transformation (DTLP) 85−41984
Suzuki, H., Shirai, Y. Stabilization of disturbing magnetic field upon the interior of an artificial field coil for testing compasses 85−58854
Suzuki, H., Shiroishi, Y., Hishiyama, S., Ohno, T., Matsuda, Y., Matsunaga, F., Tsumita, N. Magnetic properties and corrosion-resistance of sputtered Co-Ni and Co-Ni-M films for longitudinal recording 88−51222
Suzuki, H., Shoji, K., Iljima, Y., Taguchi, K. On the safe distance of nautical equipment from magnetic compasses 86−54309
Suzuki, H., Takahashi, H., Tajima, M., Kudoh, K., Serizawa, M., Itakura, T., Shinya, M. Modem and FEC LSIs for highly functional compact Earth station 88−46980
Suzuki, H., Takeuchi, T., Akashi, F. High speed packet switching protocol 88−46359
Suzuki, H., Takeuchi, T., Yamaguchi, T. Very high speed and high capacity packet switching for broadband ISDN 87−27848
Suzuki, H., Toriwaki, J. Iterative local parallel operations for structural analysis of line patterns using distance transformation 87−27648
Suzuki, H., Tsujita, T., Akiyama, M., Mogi, A., Sugawara, Y. Low smoke, halogen free, flame-retardant optical fiber cables 87−8328

Suzuki, H., Yamao, Y., Kikuchi, H. A single-chip MSK coherent demodulator for mobile radio transmission 86—43752

Suzuki, H., Yamao, Y., Momma, K. Single-chip baseband waveform generator CMOS-LSI for quadrature-type GMSK modulator 85—3375

Suzuki, H., Yamazaki, T., Ohta, M. 20-inch ultra high resolution color display monitor 86—65128

Suzuki, H., Yasumoto, H., Ohki, H. Flexible coaxial cable assembly with standard SMA connector for applications up to 34 GHz with improved properties 86—14588

Suzuki, H. *see* Akiyama, T. 88—731

Suzuki, H. *see* Akiyoshi, I. 85—42015

Suzuki, H. *see* Fujiwara, R. 86—50904, 87—4331

Suzuki, H. *see* Hane, Y. 85—21240

Suzuki, H. *see* Hanyu, I. 85—52833

Suzuki, H. *see* Hara, T. 88—13126

Suzuki, H. *see* Harada, N. 85—24230

Suzuki, H. *see* Harima, Y. 85—21797

Suzuki, H. *see* Hashimoto, T. 87—41264

Suzuki, H. *see* Hasuo, S. 86—27299

Suzuki, H. *see* Hattori, T. 87—14646, 87—41685

Suzuki, H. *see* Hosokoshi, K. 85—40386

Suzuki, H. *see* Igarashi, T. 87—38686

Suzuki, H. *see* Imamura, T. 86—42165

Suzuki, H. *see* Ito, S. 86—62286, 88—63061

Suzuki, H. *see* Iwata, H. 88—17779

Suzuki, H. *see* Kawaguchi, M. 86—44493

Suzuki, H. *see* Kobayashi, F. 87—62022

Suzuki, H. *see* Kohno, Y. 86—65656

Suzuki, H. *see* Kubota, T. 87—34835

Suzuki, H. *see* Kuroda, T. 87—25589, 88—71690

Suzuki, H. *see* Kurosawa, C. 87—72829

Suzuki, H. *see* Minami, T. 86—69770

Suzuki, H. *see* Mitsuhashi, G. 86—2275

Suzuki, H. *see* Miyake, K. 86—35775

Suzuki, H. *see* Mochizuki, K. 85—48116

Suzuki, H. *see* Morita, S. 87—77045

Suzuki, H. *see* Murayama, Y. 86—10982

Suzuki, H. *see* Nakamura, M. 87—34230

Suzuki, H. *see* Nakamura, Y. 87—72838

Suzuki, H. *see* Nakano, K. 86—49435

Suzuki, H. *see* Niihara, T. 88—65396

Suzuki, H. *see* Niwa, H. 87—34314

Suzuki, H. *see* Ogawa, K. 88—68951

Suzuki, H. *see* Ohashi, M. 88—4225, 88—53481

Suzuki, H. *see* Ohnishi, K. 85—44218

Suzuki, H. *see* Ohno, T. 88—51211

Suzuki, H. *see* Ohyama, T. 85—59601

Suzuki, H. *see* Okikawa, S. 85—55933

Suzuki, H. *see* Pellegrino, S. 88—40208

Suzuki, H. *see* Sakaguchi, T. 87—9137

Suzuki, H. *see* Satoh, H. 86—42041, 88—50059

Suzuki, H. *see* Sawaki, A. 87—74695

Suzuki, H. *see* Sawano, H. 88—28916

Suzuki, H. *see* Sei, M. 88—51373

Suzuki, H. *see* Sekine, Y. 86—51727

Suzuki, H. *see* Serizawa, M. 88—3067

Suzuki, H. *see* Shimakawa, T. 85—38106, 87—8885

Suzuki, H. *see* Shimizu, Y. 85—31912

Suzuki, H. *see* Shimomura, T. 88—68828

Suzuki, H. *see* Shimpo, H. 86—62394, 88—12640

Suzuki, H. *see* Shiozaki, O. 86—2092

Suzuki, H. *see* Shirai, Y. 85—58254, 86—65259, 88—42274

Suzuki, H. *see* Sichanugrist, P. 86—45672

Suzuki, H. *see* Sutoh, T. 87—51095

Suzuki, H. *see* Suzuki, K. 86—28364

Suzuki, H. *see* Tago, H. 85—33857

Suzuki, H. *see* Taguchi, I. 85—26736

Suzuki, H. *see* Tajima, M. 87—33626

Suzuki, H. *see* Takahashi, A. 86—26084

Suzuki, H. *see* Takeuchi, T. 87—13520, 88—15296, 88—46722

Suzuki, H. *see* Tanaka, K. 88—33267

Suzuki, H. *see* Tsuchiya, Y. 87—14152

Suzuki, H. *see* Tsujino, J. 87—15107, 87—71468

Suzuki, H. *see* Tsumita, N. 87—67708

Suzuki, H. *see* Ueda, Y. 86—6775

Suzuki, H. *see* Ueyama, A. 87—77658

Suzuki, H. *see* Wang Hangliang 88—45993

Suzuki, H. *see* Watanabe, T. 87—62219, 88—73236

Suzuki, H. *see* Wong, T. 87—698

Suzuki, H. *see* Yamaguchi, K. 86—62284

Suzuki, I. On the motion of simultaneous firings of transitions in Petri nets and marked graphs 86—336

Suzuki, I., Kasami, T. A distributed mutual exclusion algorithm 86—54858

Suzuki, I., Lu, H. Realization of global fairness by local control in live simple nets 86—57348

Suzuki, I., Niiyama, S., Date, T., Mori, N., Katou, Y., Yamaguchi, S. General purpose high-capacitance series and switching power supply use high-capacitance series multilayer ceramic chip capacitors 87—73812

Suzuki, I. *see* Furuya, H. 88—43852

Suzuki, I. *see* Ishibashi, M. 88—37687

Suzuki, I. *see* Kobayashi, T. 88—53639, 88—71882

Suzuki, I. *see* Onodera, T. 87—74687

Suzuki, I. *see* Shimanuki, Y. 86—26813

Suzuki, I. *see* Yamagata, N. 88—41208

Suzuki, I.H. Comparison between measured and calculated absolute intensities of ultra-soft X-rays of synchrotron radiation 85—31691

Suzuki, I.H., Saito, N. Absolute detection efficiency of a ceramic-channel electron multiplier in the soft X-ray region 86—21076

Suzuki, I.H. *see* Watanabe, M. 86—22068

Suzuki, J. Analysis of stereo speech signal by optimum orthogonal transform 88—45990

Suzuki, J., Baldwin, R.E., Korschgen, B.M. Sensory properties of dextrose- and sucrose-cured bacon: microwave and conventionally cooked 85—39400

Suzuki, J., Matsushima, T., Inazumi, H., Hirasawa, S. Stopping rules with the thresholds of a posterior probability for every pattern and every stage 88—72966

Suzuki, J., Mizuno, T. Gradient-index rod lens, planar lens and planar waveguide 86—9615

Suzuki, J., Taka, M. 64 kb/s wideband speech coding algorithm based on band splitting and adaptive prediction 85—51567

Suzuki, J., Taka, M. 64-kb/s wideband speech coding algorithm based on bandsplitting and adaptive prediction 87—7678

Suzuki, J., Taka, M., Tokizawa, I. Effect of finite word-length arithmetic processing in ADPCM coding 86—64177

Suzuki, J., Tokumaru, T., Kawamura, M., Hasegawa, N., Tsukawaki, K., Yoshinaga, M., Date, T. High-capacitance series and ultra-thin series multilayer ceramic chip capacitors 87—45323

Suzuki, J. *see* Hasegawa, N. 86—58081

Suzuki, J. *see* Ishikawa, H. 88—17395

Suzuki, J. *see* Kashima, Y. 87—36812

Suzuki, J. *see* Kawamura, M. 85—17891

Suzuki, J. *see* Le Tourneur, G. 87—40506

Suzuki, J. *see* Mori, N. 87—45324

Suzuki, J. *see* Morimoto, M. 85—38104

Suzuki, J. *see* Ogawa, K. 85—35102

Suzuki, J. *see* Oohira, F. 86—48002, 87—18558

Suzuki, J. *see* Shimada, S. 88—15218, 88—21804, 88—41441

Suzuki, J. *see* Taka, M. 88—21808, 88—21818

Suzuki, J. *see* Takagi, K. 86—14562, 87—1032

Suzuki, J. *see* Ueda, T. 87—15498

Suzuki, K. My reminiscences of the TV signal transmitting techniques, used for the Tokyo Olympic Games, via the US stationary satellite 85—8359

Suzuki, K. Session layer [OSI] 85—63335

Suzuki, K. Integrated circuit extractor 86—19833

Suzuki, K. Application of LIF to semiconductor processes 86—41725

Suzuki, K. Codec 86—55044

Suzuki, K. Multiwindow control in hardware and graphics control LSI 87—10949

Suzuki, K. Trends of mobile satellite communications 87—34492

Suzuki, K. Personal computer communications using packet protocols: powerful communications system for personal computers 87—55677

Suzuki, K. Toshiba high-power semiconductor laser for optical information processing 88—2258

Suzuki, K. Versatile X-ray mask fabrication techniques 88—13210

Suzuki, K. Station illumination in Sendai city subway 88—31182

Suzuki, K. Semiconductor laser for optical data processing 88—51974

Suzuki, K., Aoki, T., Ikeda, M., Higuchi, T., Akiyama, M., Dohjo, M., Niiyama, T., Oana, Y. A 9.5-inch color liquid crystal display addressed by *a*-Si TFTs 87—35148

Suzuki, K., Aota, K., Aihara, T., Suzuki, T., Kuroiwa, K., Tarui, Y. Characterization of μ-c-Si:H prepared by photo-chemical vapour deposition 87—5456

Suzuki, K., Ema, Y., Hayashi, T. Formation and properties of vacuum evaporated very high conductivity n type CdTe film 86—13815

Suzuki, K., Ema, Y., Hayashi, T. Formation of rectifying barrier by using evaporated CdTe thin film 86—53460

Suzuki, K., Ema, Y., Hayashi, T. Thin film CdTe solar cell fabricated by evaporation 87—22758

Suzuki, K., Ema, Y., Hayashi, T. Formation and properties of very high-conductivity CdTe film made by evaporation 87—24781

Suzuki, K., Goto, S., Torimaru, T., Yoshino, A. New magnetic flowmeter, COMPACT YEWMAG 86—24844

Suzuki, K., Hasegawa, H., Kanda, Y. Origin of the linear and nonlinear piezoresistance effects in p-type silicon 85—23401

Suzuki, K., Horiguchi, T., Seikai, S. Optical time-domain reflectometer with a semiconductor laser amplifier 85—4132

Suzuki, K., Ishihara, T., Hirata, M., Tanigawa, H. Nonlinear analyses on CMOS integrated silicon pressure sensor 86—50091

Suzuki, K., Ishihara, T., Hirata, M., Tanigawa, H. Nonlinear analysis of a CMOS integrated silicon pressure sensor 87—63361

Suzuki, K., Itoh, H., Sugiura, T. Variable-shaped EB sub-half-micron lithography applied to high-power GaAs FETs 85—34960

Suzuki, K., Iwanami, Y., Ikeda, T. A reduction method for ranging errors in GPS due to multipath wave 88—22237

Suzuki, K., Kameyama, Y., Sayama, H., Watanabe, N., Oikawa, T., Abe, K. Synthesis of fault trees in sequential control systems—-basic algorithm and its application 86—52305

Suzuki, K., Kanda, Y. Piezoresistance effect in microcrystalline silicon films 88—12927

Suzuki, K., Kobayashi, S. Dependence of prebreakdown currents in vacuum on anode oxidation conditions 87—17577

Suzuki, K., Kohana, S., Katoh, A. Movement toward standardization of Open Systems Interconnection 86—4293

Suzuki, K., Kohno, M., Saito, M. Electronic components innovation and printed wiring board 86—1476

Suzuki, K., Kominato, T., Takeuchi, H., Kuroiwa, K., Tarui, Y. Doping-induced defects in P-doped photo-CVD a-Si:H 87—66922

Suzuki, K., Konda, A., Fukunaga, S. XLPE cables move in on underground transmission 86—51006

Suzuki, K., Konda, A., Fukunaga, S. Recent development of XLPE cables and accessories for underground transmission lines rated 66 kV and above 86—70680

Suzuki, K., Lubben, D., Greene, J.E. Laser-assisted chemical vapor deposition of Si: low-temperature (<600°C) growth of epitaxial and polycrystalline layers 85—60959

Suzuki, K., Maeda, K. Automation technology for power-distribution systems 88—5285

Suzuki, K., Matsui, J. High flatness mask for step and repeat X-ray lithography 86—35501

Suzuki, K., Matsui, J., Okada, K., Endo, N., Iida, Y. Half micron CMOS device fabrication using hybrid lithography with X-ray and optical steppers 87—11967

Suzuki, K., Matsunaga, Y., Tachibana, M., Ohtsuki, T. A hardware maze router with application to interactive rip-up and rerouter 87—23829

Suzuki, K., Matsuo, K., Kohana, S. Trends of standardization of open systems interconnection—connectionless reference model and communication protocol 87—27787

Suzuki, K., Miyauchi, T., Morita, S. Pt-Co cryogenic resistance thermometer with complete interchangeability 88—74620

Suzuki, K., Nakazawa, M. Raman amplification in a P_2O_5-doped optical fiber 88—72418

Suzuki, K., Niikura, E., Morita, N. A new method which optimizes frequency reuse in cellular radio systems 85—3389

Suzuki, K., Ninomiya, K., Nishimatsu, S. Microwave plasma etching 85—34867

Suzuki, K., Ninomiya, K., Nishimatsu, S., Okada, O. Si etching with a hot SF_6 beam 86—58402

Suzuki, K., Ninomiya, K., Nishimatsu, S., Okada, O. Si etching with a hot SF_6 beam and the etching mechanism 87—38135

Suzuki, K., Ninomiya, K., Nishimatsu, S., Okada, O. Silicon etching with a hot SF_6 molecular beam 88—1541

Suzuki, K., Nishimura, E., Hashimoto, T. Development of a dual ion beam system with single accelerator for materials studies 86—70263

Suzuki, K., Nishimatsu, S., Ninomiya, K., Okudaira, S. Microwave plasma etching 85—18259

Suzuki, K., Nishiyama, K , Akiyama, H., Tanaami, T., Fukuoka, S., Wakabayashi, M. A computerized calibration system in a flowmeter factory 87—20899

Suzuki, K., Noguchi, K., Uesugi, N. Long-range OTDR for single-mode optical fibre using a P_2O_5 highly doped fibre Raman Laser 87—18604

Suzuki, K., Noguchi, K., Uesugi, N. Selective stimulated raman scattering in highly P_2O_5-doped silica single-model fibers 87—18660

Suzuki, K., Noguchi, K., Uesugi, N. 1.5-μm-band optical time domain reflectometer for single-mode optical fiber using a P_2O_5-highly-doped fiber Raman laser 88—33629

Suzuki, K., Ohkuma, S., Iwata, K. Parallel running of GTO PWM inverters and its power control 88—5759

Suzuki, K., Okada, K., Matsui, J., Endo, N., Fukuma, M. X-ray lithography for submicron device fabrication 87—6886

Suzuki, K., Okada, K., Matsui, J., Endo, N., Iida, Y., Fukuma, M. Submicrometer CMOS device fabrication using an X-ray 85—55957

Suzuki, K., Saito, S., Yoshida, S. Power cable insulation 87—30200

Suzuki, K., Saito, T., Suda, Y., Mori, K., Takayama, S., Nakai, T., Takikawa, O. High speed and high resolution contact-type image sensor using an amorphous silicon photodetector array 85—26217

Suzuki, K., Sakagami, M., Nishimura, E., Watanabe, K. Bias annealing of radiation and bias induced positive charges in n- and p-type MOS capacitors 86—35442

Suzuki, K., Sato, T. Electronic switching system in the Hashemite Kingdom of Jordan 86—59724

Suzuki, K., Suda, Y., Takayama, S., Nakai, T., Mori, K., Takikawa, O., Saito, T. Design and evaluation of a high speed and high resolution A4 amorphous Si hybrid image sensor 85−31380
Suzuki, K., Suzuki, H., Tsukada, T., Kawakami, H. Amorphous silicon active matrix addressing color LCD 86−28364
Suzuki, K., Takasu, K., Azegami, M. FACOM FAX 2000/4000 series high speed digital facsimile terminal 85−30651
Suzuki, K., Takatsukasa, N., Murata, K., Yoshida, K. INTELSAT TDMA system. IV. Monitor and control subsystem−CADC and OMC 87−8235
Suzuki, K., Uehara, Y., Watanabe, H. Ring laser gyro 88−65762
Suzuki, K., Yamazaki, H., Aoyama, T. Facsimile system network design 85−19731
Suzuki, K., Yoshida, A., Shibama, Y., Ando, H., Arai, T., Tanaka, T. The maintenance system of transmission lines using optical fiber compound overhead ground wire 88−68978
Suzuki, K., Yukawa, Y., Takao, H., Kuroiwa, K., Tarui, Y. Characterization of photo-CVD a-Si:H films by a thin-film transistor structure 87−17728
Suzuki, K. *see* Aoki, T. 85−45239
Suzuki, K. *see* Arakawa, H. 86−49112, 87−8098
Suzuki, K. *see* Araki, T. 86−31246
Suzuki, K. *see* Gotoh, S. 86−5598
Suzuki, K. *see* Higichu, K. 87−71441
Suzuki, K. *see* Hirata, A. 88−29540
Suzuki, K. *see* Hirata, F. 86−59889
Suzuki, K. *see* Hirata, M. 88−29347
Suzuki, K. *see* Honda, T. 85−50369
Suzuki, K. *see* Horiguchi, T. 86−2742, 86−9491, 88−51485
Suzuki, K. *see* Ishihara, T. 86−68002, 87−49671
Suzuki, K. *see* Ishijima, I. 87−55661
Suzuki, K. *see* Ishimatsu, K. 87−57303
Suzuki, K. *see* Ishiuchi, H. 87−74319
Suzuki, K. *see* Ishiwara, H. 85−1481, 85−12155
Suzuki, K. *see* Itoh, H. 87−32426
Suzuki, K. *see* Kamada, A. 86−28704
Suzuki, K. *see* Kameyama, Y. 85−314
Suzuki, K. *see* Kaneko, Y. 87−25337
Suzuki, K. *see* Kanuma, A. 87−17159, 87−52636, 87−52645
Suzuki, K. *see* Kato, S. 87−62646
Suzuki, K. *see* Kato, T. 87−48666
Suzuki, K. *see* Katsube, T. 88−42227
Suzuki, K. *see* Kayama, N. 85−20753, 86−5302
Suzuki, K. *see* Kitamura, A. 85−47357
Suzuki, K. *see* Kobayashi, H. 86−5284
Suzuki, K. *see* Kobayashi, M. 87−72210
Suzuki, K. *see* Kobayashi, S. 86−47223, 87−45481
Suzuki, K. *see* Kubo, M. 87−63936
Suzuki, K. *see* Lubben, D. 85−49583, 86−432
Suzuki, K. *see* Makabe, T. 87−28235
Suzuki, K. *see* Matsuda, F. 88−28079
Suzuki, K. *see* Minato, D. 86−43553
Suzuki, K. *see* Miyamae, S. 88−5520
Suzuki, K. *see* Murao, K. 86−8903
Suzuki, K. *see* Murayama, K. 87−2873
Suzuki, K. *see* Nagai, N. 88−61912
Suzuki, K. *see* Nakagawa, T. 85−22019
Suzuki, K. *see* Nakai, T. 85−37488
Suzuki, K. *see* Nakajima, T. 86−36339
Suzuki, K. *see* Nakatani, K. 88−62616
Suzuki, K. *see* Nieuwland, H.C.D. 85−39355
Suzuki, K. *see* Ninomiya, K. 85−23685, 85−45608, 85−61852, 87−74200, 88−26084
Suzuki, K. *see* Nishizeki, T. 85−22592
Suzuki, K. *see* Noguchi, K. 86−48084, 87−76726, 88−16536
Suzuki, K. *see* Noguchi, T. 85−55177
Suzuki, K. *see* Oana, Y. 86−31259
Suzuki, K. *see* Ohtsuki, T. 86−27021
Suzuki, K. *see* Ohyama, N. 86−5894
Suzuki, K. *see* Okuma, S. 85−10019
Suzuki, K. *see* Onodera, S. 85−39357
Suzuki, K. *see* Osano, S. 88−74968
Suzuki, K. *see* Saito, T. 85−20506, 87−28976
Suzuki, K. *see* Sano, K. 88−41103
Suzuki, K. *see* Sasaki, Y. 88−53250
Suzuki, K. *see* Sekiguchi, T. 87−23529
Suzuki, K. *see* Shima, Y. 86−35215
Suzuki, K. *see* Skarnulis, A.J. 87−17677
Suzuki, K. *see* Suda, Y. 87−77150, 88−29390, 88−42159
Suzuki, K. *see* Sugai, M. 88−6912
Suzuki, K. *see* Suzuki, S. 87−5068
Suzuki, K. *see* Tachibana, M. 86−57567, 87−23855
Suzuki, K. *see* Tanigawa, H.. 85−58664
Suzuki, K. *see* Tatsuta, T. 86−51008
Suzuki, K. *see* Terada, H. 86−51265
Suzuki, K. *see* Tsuchiya, Y. 85−61654
Suzuki, K. *see* Tsuji, M. 88−1158
Suzuki, K. *see* Tsujimoto, K. 87−32434
Suzuki, K. *see* Tsukada, H. 87−72623
Suzuki, K. *see* Uda, Y. 85−13962, 86−4663, 86−23863
Suzuki, K. *see* Urano, Y. 85−8008
Suzuki, K. *see* Urushihara, S. 88−40190
Suzuki, K. *see* Watanabe, T. 87−31574
Suzuki, K. *see* Yamamoto, Y. 88−11711
Suzuki, K. *see* Yamazaki, S. 87−22778
Suzuki, K. *see* Yano, M. 87−36153
Suzuki, K. *see* Yasui, M. 87−78158
Suzuki, K. *see* Yoshizawa, T. 88−4628
Suzuki, M. Defense 85−2973
Suzuki, M. The multistep avalanche chamber and its applications 86−38701
Suzuki, M. Micro weigher 86−50232
Suzuki, M. Railroad signaling in Switzerland and Austria 86−56999
Suzuki, M. dv/dt drive circuit method for pnpn switch with dv/dt protection 87−10747
Suzuki, M. Development of refractory metals and silicides targets, and their characteristics 87−59008
Suzuki, M. *dv/dt* drive circuit method for pnpn switch with *dv/dt* protection 87−74273
Suzuki, M. A fully automatic critical slew rate tester for thyristors 88−19948
Suzuki, M. Multi-media global VAN by JAPAN ENS 88−41187
Suzuki, M. Magneto-tunneling spectroscopy of InSb 88−44600
Suzuki, M., Akazawa, S., Yoshikai, N., Hagimoto, K. Integrated circuits for the F-1.6 G system 87−56114
Suzuki, M., Arakawa, C., Tagori, T. Fundamental studies on Wells turbine for wave power generator. I. The effect of solidity, and self-starting 85−21503
Suzuki, M., Breskin, A., Charpak, G., Daubie, E., Dominik, W., Fabre, J.-P., Gaudean, J., Sauli, F., Sauvage, D., Strock, P., Zeludziewicz, T. On the optical readout of gas avalanche chambers and its applications 88−22964
Suzuki, M., Chiba, J., Hosono, T. Outer electromagnetic field of helical coaxial line with regard to earth effect 85−23175
Suzuki, M., Chiba, J., Hosono, T. Outer electromagnetic field of helical coaxial line with regard to earth effect 87−3033
Suzuki, M., Fujimura, H., Harada, H., Ushigome, T., Noda, M., Matsui, H., Matsuo, N., Hiramatsu, Y., Yamashita, S., Saeki, S., Ohshima, T., Dazai, M., Ishikawa, M., Nishi, O., Ueno, K., Kanda, Y., Sako, T. Highway optical fiber cable project 88−60185
Suzuki, M., Hagimoto, K. Monolithic 2.1 Gbit/s decision circuit with a decision threshold ambiguity width of less than 10 mV 86−4631
Suzuki, M., Hagimoto, K., Ichino, H., Konaka, S. A bipolar monolithic multigigabit/s decision circuit 85−709
Suzuki, M., Hagimoto, K., Ichino, H., Konaka, S. A 9-GHz frequency divider using Si bipolar super self-aligned process technology 85−44992
Suzuki, M., Hidaka, Y., Enomoto, Y., Murakami, T. Preparation of superconducting BaPb$_{1-x}$Bi$_x$O$_3$ (BPB) thin films 86−26878
Suzuki, M., Hidaka, Y., Murakami, T. Preparation of superconducting BaPb$_{1-x}$Bi$_x$O$_3$ (BPB) thin films 86−58708
Suzuki, M., Higuchi, H., Tachibana, S., Watanabe, A., Ikeda, T., Odaka, M. A 7 ns/350 mW 16 Kb Hi-BiCMOS static RAM 87−24202
Suzuki, M., Hirata, M. A bipolar 32 bit parallel multiplier-accumulator using a 107 K-component VLSI macrocell 87−31842
Suzuki, M., Hirata, M., Ito, Y. An 86 K component bipolar VLSI masterslice with a 290-ps loaded gate delay 87−37168
Suzuki, M., Horiguchi, S. A 333 ps/800 MHz 7 K-gate bipolar macrocell array employing 4 level metallization 85−710
Suzuki, M., Ichino, H., Konaka, S. 4 GHz MSI 10-stage Johnson counter using super self-aligned process technology 85−699
Suzuki, M., Ichino, H., Konaka, S. Design for ultra high-speed masterslices using SST 87−59294
Suzuki, M., Ichino, H., Konaka, S. Design for Gb/s logic ICs using SST 88−6763
Suzuki, M., Ichino, H., Konaka, S. Design for ultra high-speed masterslices using SST 88−7727
Suzuki, M., Ichino, H., Konaka, S., Hagimoto, K. Design for Gb/s logic ICs using SST 87−60624
Suzuki, M., Iwasaki, J., Sato, Y., Yano, Y., Iwata, T., Koya, K., Araki, M., Uno, T., Takahashi, T., Nakagawa, S. 32-bit CMOS microprocessor V60 87−37335
Suzuki, M., Iwasaki, M., Chiba, J. Experimental research on underground vehicle television monitoring system 87−20716
Suzuki, M., Iwasaki, T., Sasahara, M., Nakayama, T., Yamada, K., Arai, M., Kashimura, M., Noguchi, K. μPD72091 floating point processor 86−34854
Suzuki, M., Kanai, T. Attenuation characteristics of corrugated rectangular waveguide with rounded corners 85−24912
Suzuki, M., Kanaya, M., Saito, T. 3-dimensional illustration by multiply exposed hologram 86−3377
Suzuki, M., Kashio, J., Yamaguchi, S., Konoh, T. A centralized routing method of packet switching network 88−52626
Suzuki, M., Katagiri, T., Yokoyama, R., Morita, T. Optimal design of advanced digital controller for multi-area power system 85−59625
Suzuki, M., Konaka, S. A 6 Ns 16 bit parallel multiplier using an SST macrocell array 86−67177
Suzuki, M., Konaka, S., Ichino, H., Sakai, T., Horiguchi, S. Design and application of a 2500-gate bipolar macrocell array 86−20437
Suzuki, M., Kuriyama, Y., Hirayama, M. A new self-aligned GaAs FET with a Mo/WSi$_x$ T-gate 86−21557
Suzuki, M., Makihara, H. Evaluation techniques for TV pictures. XI. Measurement of television receivers 85−37236
Suzuki, M., Matsumoto, T., Fujino, K., Wakahama, G. Estimation of the water equivalent in dry snowpack using a FM-CW microwave sensor 86−69827
Suzuki, M., Matsumoto, T., Itoh, K. Experimental results for patterns of a half wave slot fed by a slot transmission line 85−2662
Suzuki, M., Matsumoto, T., Kuroiwa, D., Fujino, K., Wakahama, G. Measurement of snowpack melting by a microwave sensor for a fixed frequency 86−3498
Suzuki, M., Miki, N., Nagai, N. New wave digital filters for basic reactance sections 85−45163
Suzuki, M., Monma, M. Electronics stand up to damage from snow and ice 87−54658
Suzuki, M., Murakami, T., Enomoto, Y. Boundary Josephson junctions in BaPb$_{1-x}$Bi$_x$O$_3$ (BPB) polycrystalline film 86−58709
Suzuki, M., Murakami, T., Enomoto, Y., Hidaka, Y. Boundary Josephson junctions in BaPb$_{1-x}$Bi$_x$O$_3$ (BPB) polycrystalline films 86−28735
Suzuki, M., Murase, K., Hirayama, M. A large logic swing and high speed DCFL with GaAs MASFETs 85−40938
Suzuki, M., Murase, K., Kato, N., Togashi, M., Hirayama, M. Advantages of metallic-amorphous-silicon-gate FETs in GaAs LSI applications 86−63307
Suzuki, M., Nagai, N., Miki, N. Synthesis of digital lattice filters realizing stable rational transfer functions 86−57978
Suzuki, M., Nagai, N., Miki, N. A consideration for the interpolation problem with first- and second-order information 87−5975
Suzuki, M., Nagai, N., Miki, N. Orthogonal type wave digital filters for cascade synthesis 87−45111
Suzuki, M., Nagai, N., Miki, N. A consideration for the interpolation problem with first- and second-order information 88−12514
Suzuki, M., Nagai, N., Miki, N. Criteria for approximate functions realized by multi-output digital lattice filters−a design method for branching filters 88−38638
Suzuki, M., Namatsu, H., Yoshikawa, A. Resolution of a three-layer resist using heavy metal as an intermediate layer 85−23609
Suzuki, M., Noda, Y., Kushiro, Y. Characterization of a dynamic spectral width of an InGaAsP/InP electroabsorption light modulator 86−68336
Suzuki, M., Noda, Y., Kushiro, Y., Akiba, S. Dynamic spectral width of an InGaAsP/InP electroabsorption light modulator under high-frequency large-signal modulation 86−36257
Suzuki, M., Noda, Y., Tanaka, H., Akiba, S., Kushiro, Y., Isshiki, H. Monolithic integration of InGaAsP/InP distributed feedback laser and electroabsorption modulator by vapor phase epitaxy 88−7954
Suzuki, M., Noto, F., Kobayashi, S., Isono, M. Comments, with reply, on 'The use of copper electrodes for the comparative tracking index test' by W.H. Middendorf 87−18370
Suzuki, M., Ogawa, T., Ozawa, H. FETEX-8150 voice mail system 85−3037
Suzuki, M., Ohnishi, Y. A cross-linked positive resist derived from poly(methacrylonitrile-co-methacrylic acid) 85−61805
Suzuki, M., Okamoto, H., Horiguchi, S. Advanced 5K-gate bipolar gate array with a 267 ps basic gate delay 85−28450
Suzuki, M., Okano, S., Machi, S., Yamakawa, H. Impurity effects of metal ions in chalcogenide glass films 87−6556
Suzuki, M., Orita, T. Microwave heating type thawers. I 85−60575
Suzuki, M., Osoguchi, H., Saito, T. On a dependent switched capacitor noise generator 88−25040
Suzuki, M., Sagawa, A., Izaki, N., Kawa-kami, H. Equivalent circuit model for analysis of *dv/dt* characteristics in complex pnpn switch circuit 86−27514
Suzuki, M., Sagawa, A., Izaki, N., Kawakami, H. Voltage-controlled ramp function generator with automatic slew rate change and direct-readout functions 85−58728
Suzuki, M., Sagawa, A., Izaki, N., Kawakami, H. Driving method for PNPN switch with *dv/dt* protection circuit 86−53614

Suzuki, M., Sagawa, A., Izaki, N., Kawakami, H. Equivalent-circuit model analyses of the dv/dt characteristics of a complex pnpn switch circuit 87-53495
Suzuki, M., Sagawa, A., Izaki, N., Kawakami, H. Driving method for pnpn switch with dv/dt protection circuit 87-53496
Suzuki, M., Sasaki, M., Miura, Y., Fukui, Y. Eccentricity correction method with synchronized sinewave for disc player 87-8485
Suzuki, M., Seki, T. Epitaxial growth of lead tin selenide films by MBE and its characterization 85-60972
Suzuki, M., Sekiguchi, S., Iwaya, H., Matoba, N., Okamoto, T., Aoyama, S. Electronic key telephone GX series 85-25597
Suzuki, M., Sha, K., Nakagawa, E. Microwave attenuation in sleet snowfall space 86-68771
Suzuki, M., Strock, P., Sauli, F., Charpak, G. The emission spectra of Ar, Kr and Xe+TEA 87-35352
Suzuki, M., Suzuki, M., Miki, N., Nagai, N. A derivation of ARMA coefficients using a digital lattice filter 85-17684
Suzuki, M., Suzuki, M., Miki, N., Nagai, N. Wave digital filters based on extracting two-wire lines 85-40193
Suzuki, M., Suzuki, M., Miki, N., Nagai, N. Wave digital filters based on extracting two-wire lines 87-892
Suzuki, M., Tanaka, H., Akiba, S. High-speed InGaAsP electroabsorption modulators and their monolithic integration with DFB lasers 88-65375
Suzuki, M., Tanaka, H., Akiba, S., Kushiro, Y. Electrical and optical interactions between integrated InGaAsP/InP DFB lasers and electroabsorption modulators 88-72137
Suzuki, M., Tasaka, K., Anoda, Y., Kumamaru, H., Nakamura, H., Shiba, M. Recirculation pump discharge line break tests at ROSA-III for a boiling water reactor 85-65101
Suzuki, M., Toyama, M., Harajiri, T., Maeda, T., Yamazaki, T. A new active diode matrix LCD using off-stoichiometric SiN_x layer 88-42207
Suzuki, M., Yamaguchi, S. Response characteristics of the frequency and output power of a GaAs semiconductor laser simultaneously stabilized by use of a Fabry-Perot interferometer 86-68516
Suzuki, M., Yamamoto, S., Nakamura, Y., Iwasaki, S. Write spacing loss in perpendicular magnetic recording 87-46372
Suzuki, M. *see* Aoyama, M. 86-49402
Suzuki, M. *see* Ashida, S. 88-53221
Suzuki, M. *see* Charpak, G. 87-71005, 88-54408, 88-61102
Suzuki, M. *see* Dallas, W.J. 88-36552
Suzuki, M. *see* Fowler, M.T. 88-7373
Suzuki, M. *see* Fujino, K. 86-69826, 87-57384
Suzuki, M. *see* Fukuda, M. 88-72319
Suzuki, M. *see* Hagimoto, K. 88-47136
Suzuki, M. *see* Hasebe, H. 86-5009
Suzuki, M. *see* Hasegawa, K. 87-53851
Suzuki, M. *see* Hatakoshi, G. 88-51826
Suzuki, M. *see* Hayashi, Y. 87-1825
Suzuki, M. *see* Hayata, H. 85-18689
Suzuki, M. *see* Hayata, K. 85-13190, 85-19189, 85-41684, 86-28794, 86-36768, 86-42244, 86-42274, 86-42302, 86-63620, 86-63637, 86-68530, 87-2333, 87-7091, 87-7119, 87-19237, 87-26050, 87-46966, 87-53972, 88-13907, 88-27544
Suzuki, M. *see* Hide, I. 87-23613
Suzuki, M. *see* Hirata, M. 87-33996
Suzuki, M. *see* Hirayama, K. 86-29538, 87-2337, 87-45152, 87-68825
Suzuki, M. *see* Hirayama, M. 85-22881, 86-27297
Suzuki, M. *see* Horiguchi, S. 86-8187, 88-33370
Suzuki, M. *see* Horiuchi, T. 86-41667
Suzuki, M. *see* Ichino, H. 85-40047, 87-701, 87-44751
Suzuki, M. *see* Ichiyanagi, K. 86-25940
Suzuki, M. *see* Inoue, T. 88-13647
Suzuki, M. *see* Ishido, M. 88-7591
Suzuki, M. *see* Ishii, A. 86-43657, 86-43665
Suzuki, M. *see* Isobe, H. 85-64571
Suzuki, M. *see* Kajii, K. 87-59377, 88-51038
Suzuki, M. *see* Kitsukawa, G. 85-40105
Suzuki, M. *see* Kobayashi, N. 86-34808, 86-52833
Suzuki, M. *see* Komatsu, K. 85-50677, 87-24992
Suzuki, M. *see* Konaka, S. 87-38509
Suzuki, M. *see* Koshiba, M. 85-18522, 85-30073, 85-35450, 85-36070, 85-62716, 86-2722, 86-9466, 86-10136, 86-10160, 86-15319, 86-28782, 86-41292, 86-42226, 86-42272, 86-42902, 86-63645, 86-68809, 86-68811, 87-2253, 87-12021, 87-26905, 88-13639, 88-14460
Suzuki, M. *see* Kubota, T. 88-57225
Suzuki, M. *see* Kugiya, F. 88-57898, 88-71918
Suzuki, M. *see* Kumagami, H. 85-30076, 87-7158, 87-53973, 87-60904
Suzuki, M. *see* Kuriyama, Y. 86-35618
Suzuki, M. *see* Kuroda, S. 85-54900
Suzuki, M. *see* Kushiro, Y. 88-7977
Suzuki, M. *see* Long, Y. 87-68831
Suzuki, M. *see* Maeda, Y. 87-44296
Suzuki, M. *see* Matsuyama, T. 88-32763
Suzuki, M. *see* Meazawa, S. 88-16305
Suzuki, M. *see* Mitobe, S. 85-29414, 87-6967, 87-53852, 88-1843
Suzuki, M. *see* Miyahara, N. 86-34670
Suzuki, M. *see* Miyaoka, S. 87-59493, 88-6835
Suzuki, M. *see* Miyata, K. 85-24965, 86-16042, 86-64071, 86-68883
Suzuki, M. *see* Morikiyo, G. 87-42369
Suzuki, M. *see* Motosugi, G. 87-56116, 87-62984
Suzuki, M. *see* Murakami, T. 86-58710
Suzuki, M. *see* Murase, K. 87-17789
Suzuki, M. *see* Nagai, N. 86-57984, 87-27491, 87-45107
Suzuki, M. *see* Nakada, W. 88-45785
Suzuki, M. *see* Nakazawa, I. 86-10957
Suzuki, M. *see* Nishihara, T. 87-8084
Suzuki, M. *see* Niwa, K. 85-20329
Suzuki, M. *see* Noda, Y. 86-15511, 87-18757
Suzuki, M. *see* Nomura, N. 87-60232
Suzuki, M. *see* Ohigashi, H. 88-48395
Suzuki, M. *see* Ohnishi, Y. 86-1890
Suzuki, M. *see* Okano, S. 85-18219, 85-61791, 87-67206
Suzuki, M. *see* Onozato, Y. 88-46595
Suzuki, M. *see* Ozeki, T. 88-36556
Suzuki, M. *see* Saigo, K. 85-34716
Suzuki, M. *see* Sakai, T. 86-31258, 86-47777
Suzuki, M. *see* Saotome, Y. 85-45498
Suzuki, M. *see* Sato, M. 87-31531, 87-36747, 87-73133
Suzuki, M. *see* Sawaki, N. 87-17767, 88-32893
Suzuki, M. *see* Senoh, M. 88-23658
Suzuki, M. *see* Sha, K. 86-27446, 87-37524
Suzuki, M. *see* Shima, T. 86-5889
Suzuki, M. *see* Shimada, Y. 85-16799, 87-72841
Suzuki, M. *see* Shimazu, Y. 87-73510
Suzuki, M. *see* Shimizu, J. 86-31158
Suzuki, M. *see* Shiokawa, T. 87-74164, 88-57539
Suzuki, M. *see* Shirako, G. 88-54752
Suzuki, M. *see* Shishido, K. 85-49053
Suzuki, M. *see* Sudo, H. 87-74927
Suzuki, M. *see* Sugahara, H. 86-28205
Suzuki, M. *see* Susumago, I. 86-52172, 87-15212
Suzuki, M. *see* Suzuki, M. 85-17684, 85-40193, 87-892
Suzuki, M. *see* Tajima, H. 88-41608
Suzuki, M. *see* Takagi, H. 85-36842
Suzuki, M. *see* Takahashi, H. 86-64906
Suzuki, M. *see* Takamizawa, H. 86-53209, 87-43990
Suzuki, M. *see* Takeda, H. 86-16667
Suzuki, M. *see* Tanaka, H. 88-1688
Suzuki, M. *see* Tanigaki, K. 86-28093, 86-58354
Suzuki, M. *see* Toshima, M. 86-33787
Suzuki, M. *see* Toyama, M. 88-16323
Suzuki, M. *see* Tsubone, K. 88-64709
Suzuki, M. *see* Tsujiuchi, J. 86-5920
Suzuki, M. *see* Tsumura, T. 87-77399
Suzuki, M. *see* Uchiyama, H. 88-59006
Suzuki, M. *see* Une, A. 88-13213
Suzuki, M. *see* Wakabayashi, H. 85-11423
Suzuki, M. *see* Watanabe, M. 88-12095
Suzuki, M. *see* Watanabe, Y. 87-17027
Suzuki, M. *see* Yamaguchi, H. 88-73721
Suzuki, M. *see* Yamaguchi, S. 88-20704
Suzuki, M. *see* Yamshita, K. 88-39649
Suzuki, M. *see* Yatagai, T. 86-28403
Suzuki, M. *see* Yokoyama, T. 87-53525
Suzuki, M. *see* Yoshikai, N. 86-23854
Suzuki, M.N. *see* Suzuki, A. 87-21448
Suzuki, N. Japanese experiences in improving light water reactors 85-4860
Suzuki, N. Optical connectors, technologically nearly perfect but expensive 87-3187
Suzuki, N., Fukinuki, T. Equivalence of two basic theorems on moving images 88-14820
Suzuki, N., Furuyama, H., Hirayama, Y., Morinaga, M., Eguchi, K., Kushibe, M., Funamizu, M., Nakamura, M. High-speed operation of 1.5 μm GaInAsP/InP optoelectronic integrated laser drivers 88-45323
Suzuki, N., Harashima, H. Image coding with motion compensation and motion interpolation 87-39867
Suzuki, N., Jimbo, Y. A study on dynamics of electromagnetic actuators—consideration about electro-mechanical energy conversion 87-36083
Suzuki, N., Kubota, K. Experience with design of a 32-bit microprocessor 87-59558
Suzuki, N., Mitsuhashi, K., Fujimura, R., Niwa, K. Picture enhancement for NTSC TV signals utilizing digital signal processings 85-37259
Suzuki, N., Mitsuhashi, K., Niwa, K., Fujimura, R., Morishita, M., Iwaibana, K., Hayashi, H. NTSC TV scan conversion using motion adaptive processings 85-51708
Suzuki, N., Nagano, O., Higashiyama, T. High-performance optical connectors for subscriber loop systems 85-3239
Suzuki, N., Saruwatari, M., Okuyama, M. Low insertion- and high return-loss optical connectors with spherically convex-polished end 86-22090
Suzuki, N. *see* Akiyama, M. 85-52377, 87-2796
Suzuki, N. *see* Goto, H. 85-37635
Suzuki, N. *see* Harasaki, H. 87-63150, 88-53587
Suzuki, N. *see* Hirayama, Y. 88-45409
Suzuki, N. *see* Horiuchi, T. 87-67933
Suzuki, N. *see* Imori, Y. 85-58090
Suzuki, N. *see* Katto, H. 86-41847
Suzuki, N. *see* Kawada, H. 86-40008, 88-17798
Suzuki, N. *see* Kawai, A. 87-2741
Suzuki, N. *see* Kobayashi, K. 86-10235, 87-7638
Suzuki, N. *see* Maruyama, Y. 86-70677
Suzuki, N. *see* Matsunaga, Y. 88-42166
Suzuki, N. *see* Nagashima, T. 85-1237
Suzuki, N. *see* Nagata, Y. 88-22079
Suzuki, N. *see* Nakagawa, K. 88-19192
Suzuki, N. *see* Nakamura, M. 85-14268, 86-68409
Suzuki, N. *see* Shimada, H. 88-6876, 88-32199
Suzuki, N. *see* Sounai, A. 87-78897
Suzuki, N. *see* Suzuki, A. 87-59494
Suzuki, N. *see* Tsukamoto, K. 85-870
Suzuki, N. *see* Yamada, T. 87-63282
Suzuki, N. *see* Yamasaki, T. 88-37274
Suzuki, N. *see* Yuasa, K. 87-36105
Suzuki, R. Rural satellite communications system using SSMA 85-52298
Suzuki, R. Recent development in magnetic-bubble memory 87-25875
Suzuki, R. Rural satellite communications system 87-56081
Suzuki, R. Recognition of biosystem characteristics by physical instrumentation—development of X-ray CT 87-63745
Suzuki, R., Hamamoto, N., Miura, R., Nishiyama, I., Nishigaki, T. Spread spectrum satellite communication terminal with coherent matched filter 87-40812
Suzuki, R., Hayashizaki, H. NTT domestic satellite communications system 86-64893
Suzuki, R., Hirota, K. Hybrid bubble memory using ion implanted track and new rotary magnetic field generating system 86-28719
Suzuki, R., Isobe, S., Tsuchiya, S., Fujieda, T. Digital FM signal transmission experiment via the CS satellite 86-11027
Suzuki, R., Maruyama, Y. Bloch line memory 88-51371
Suzuki, R., Nishigaki, T. On board antenna pattern measurements of geostationary satellite using spin coherent sampling method 86-11029
Suzuki, R., Saito, M., Watanabe, K. The effect of a heater on the initiation of discharges in high pressure gases 85-65596
Suzuki, R., Saito, M., Watanabe, K. Light emitting phenomena in microwave discharge lamps 88-49268
Suzuki, R., Saito, M., Watanabe, K. Light-emitting phenomena in microwave-discharge lamps 88-62746
Suzuki, R., Sonehara, N., Komiya, K. Retrieval and entry terminals for a visual information response and communication processing system 88-41267
Suzuki, R., Takeuchi, T., Takeshita, M., Ikeda, T., Umezaki, H. Reduction of cell size in hybrid bubble memory devices 85-46019
Suzuki, R., Tanaka, M. Engineering model transponders development for Communications Satellite CS-3 86-49518
Suzuki, R., Yokouchi, H., Ueda, K. Digital fluorography 88-4905
Suzuki, R. *see* Akiyama, S. 87-36456
Suzuki, R. *see* Hamamoto, N. 85-25818, 85-42442, 86-11028, 87-28490, 88-15424
Suzuki, R. *see* Hase, Y. 88-3936
Suzuki, R. *see* Hiroshima, M. 87-25873
Suzuki, R. *see* Hosoe, Y. 87-23637, 87-58924, 87-67729
Suzuki, R. *see* Ikeda, T. 86-36070
Suzuki, R. *see* Ikegami, T. 87-70016
Suzuki, R. *see* Imura, R. 87-38654
Suzuki, R. *see* Isobe, S. 85-36988
Suzuki, R. *see* Kataoka, H. 85-13822
Suzuki, R. *see* Kodama, N. 85-24206, 88-51365
Suzuki, R. *see* Komiya, K. 88-15013
Suzuki, R. *see* Kosaka, K. 85-25817
Suzuki, R. *see* Koyama, N. 86-68179
Suzuki, R. *see* Kurita, O. 85-3347, 85-25738
Suzuki, R. *see* Maruyama, Y. 88-64974
Suzuki, R. *see* Matsuki, M. 85-63262
Suzuki, R. *see* Nishizawa, J. 86-40699
Suzuki, R. *see* Saruwatari, T. 86-30718
Suzuki, R. *see* Sasaoka, H. 86-49524
Suzuki, R. *see* Sato, T. 86-63576, 87-32888 to 32889, 88-58002, 88-64972
Suzuki, R. *see* Satoh, T. 86-68182
Suzuki, R. *see* Shiota, H. 86-64903
Suzuki, R. *see* Sugita, Y. 86-68178
Suzuki, R. *see* Takeshita, M. 86-68180
Suzuki, R. *see* Takeuchi, T. 86-68181

Suzuki, R. *see* Tanigawa, S. 87—21460
Suzuki, R. *see* Toyooka, T. 88—58003
Suzuki, R. *see* Umezaki, H. 86—22035, 88—71958
Suzuki, R. *see* Watanabe, K. 88—16562
Suzuki, R. *see* Yamaguchi, H. 88—73721
Suzuki, R.O., Nagai, H., Oishi, T., Ono, K. Processes to produce superconducting Nb$_3$Sn powders from Nb-Sn oxide 87—53910
Suzuki, S. Existing building and land tract data processing system 85—10428
Suzuki, S. An improved CRT tuning method for pianos 85—52574
Suzuki, S. Recent trends of the digital television receivers 86—4816
Suzuki, S. New smoothing technique for considerably degraded images using local area homogeneity 86—5897
Suzuki, S. Compact, lightweight and high function 100 MHz oscilloscopes 86—31476
Suzuki, S. Device design of enhancement silicon MESFET 87—18170
Suzuki, S. Use of pen plotters extends to multicolor presentation 87—21129
Suzuki, S. The trend of research of biosensors 87—77214
Suzuki, S. Signal/communication facilities of private railways 88—31099
Suzuki, S. Signal and telecommunication facilities of private railway companies 88—31107
Suzuki, S. SMT: today and tomorrow 88—37961
Suzuki, S. Present situation and future trend of surface mounting technology 88—37974
Suzuki, S. Optical fiber cable joining and measuring technology 88—41644
Suzuki, S. Intelligent functions increase efficiency of analog oscilloscopes 88—67934
Suzuki, S. Graph-based vectorization method for line patterns 88—73357
Suzuki, S., Abe, K. Fusion algorithms not affected by the picture frame 85—13629
Suzuki, S., Abe, K. Sequential thinning of binary pictures using distance transformation 85—51768
Suzuki, S., Abe, K. New fusion operations for digitized binary images and their applications 86—23117
Suzuki, S., Abe, K. Sequential thinning of binary pictures using distance transformation 87—48098
Suzuki, S., Abe, K. Binary picture thinning by an iterative parallel two-subcycle operation 87—69306
Suzuki, S., Ando, M., Hayakawa, K., Nittono, O., Hashizume, H., Kishino, S., Kohra, K. A high-speed X-ray topography camera for use with synchrotron radiation at the Photon Factory 85—26738
Suzuki, S., Aoki, J., Shiina, Y., Miwa, T., Daikuzono, N., Joffe, S.N. Experimental studies of endoscopic local hyperthermia with contact Nd-YAG laser. [Computer controlled Laserthermia] 88—10417
Suzuki, S., Arita, T., Yabusaki, M., Ishino, F. Onboard baseband switch configuration in multibeam satellite system 87—28479
Suzuki, S., Asano, T., Morimiya, O. Radial profiles of electron density and current components at cathode surface in LaB$_6$ hollow cathode arc 87—60043
Suzuki, S., Doke, T., Hitachi, A., Kikuchi, J., Yunoki, A., Masuda, K. Photoionization in liquid argon doped with trimethylamine or triethylamine 86—50375
Suzuki, S., Doke, T., Hitachi, A., Yunoki, A., Masuda, K., Takahashi, T. Photoionization effect in liquid xenon doped with triethylamine (TEA) or trimethylamine (TMA) 86—44562
Suzuki, S., Fukui, K., Tashika, Y., Matsumoto, S. Examination of the characteristics of a submarine cable armoured with magnetized steel wire 85—36889
Suzuki, S., Hikasa, Y., Suzuki, K., Hosoda, Y., Yamaoka, S., Takada, N. Power supply system to drive HSST EXPO '86 87—5068
Suzuki, S., Hirai, S. Development of gamma-ray spectrometry system (GAMA-III system) for neutron activation analysis 86—32214
Suzuki, S., Hiraike, F. IR reflective layer for halogen lamps 88—6021
Suzuki, S., Kamano, T., Ozaki, I., Harada, H. Characteristics of DC series motor driven by field chopper controlled two power supplies 88—5701
Suzuki, S., Kawai, K., Muramatsu, K. A CMOS chip pair for digital TV 88—9716
Suzuki, S., Kawai, K., Muramatsu, K., Makino, T., Saji, S. A CMOS chip pair for digital TV 87—59618
Suzuki, S., Kawashima, M., Hosoda, Y., Tanida, T. HSST-03 system [transport system] 85—21899
Suzuki, S., Kojima, K., Uda, I., Ueno, K., Inui, T. Heat- and oil-resistant insulated wire rated at 200°C 87—45331
Suzuki, S., Kokubun, Y., Terai, T., Iga, K. Bellows-type mode scrambler integrated into a distributed-index branching waveguide 88—65314
Suzuki, S., Kondo, M., Nagashima, K., Mitsuhashi, M., Nishimoto, H., Miyakawa, T., Iwasaki, M., Ohta, Y. A 32-line optical space-division switching system using 8×8 optical matrix switches 88—22104
Suzuki, S., Kosugi, M., Hoshino, T. Automatic line drawing recognition of large-scale maps 87—69298
Suzuki, S., Kudo, Y., Nakagawa, M., Yoshimoto, A., Namioka, T. High picture quality digital TV for NTSC and PAL systems 85—3641
Suzuki, S., Kuroda, K., Hakuraku, Y., Saito, R. Recent technical improvements in superconducting magnets for nuclear fusion 87—7057
Suzuki, S., Kusaka, R. Pulsed holographic microscopy for photographing fast propagating crack tip 87—23797
Suzuki, S., Matsushita, T., Suzuki, T., Kimura, S., Kume, H. New position sensitive photomultiplier tubes for high energy physics and nuclear medical applications 88—68209
Suzuki, S., Murai, M., Kawashima, M. Operational experience of HSST-03 system at EXPO' 85 and EXPO' 86 87—64916
Suzuki, S., Muramatsu, K., Makino, T., Nose, S. 2 chip CMOS digital TV 87—63134
Suzuki, S., Nagashima, K., Hirosaki, B. Evolutional optical switching systems for broadband communications networks 88—4042
Suzuki, S., Nakao, M., Takeshima, T., Yoshida, M., Kikuchi, M., Nakamura, K., Mizukami, T., Yanagisawa, M. A 128K word×8 bit dynamic RAM 85—22875
Suzuki, S., Okutomi, T., Morimiya, O. Measurement of instability initiation current in vacuum arc 88—32700
Suzuki, S., Ozaki, M. PCM transmission interface unit developed for signaling from B type fault locator [transmission line fault location] 86—4230
Suzuki, S., Ozeki, T., Umesaki, M., Sugahara, H. Magnetic heads and media for high-density disk drives 86—58696
Suzuki, S., Sasayama, T., Miki, M., Yokono, H., Iwanaga, S., Ueno, S. Integrated zirconia air-fuel ratio sensor for automotive engine control 86—57007
Suzuki, S., Shiro, K. Series SP-VF standard elevators with VVVF motor-drive control 85—53891
Suzuki, S., Suzuki, T., Matsushita, T., Kume, H. New mesh PMTs for high magnetic environments 86—47262
Suzuki, S., Takahashi, K., Sugimoto, T., Kuwata, M. Integrated design system for supercomputer SX-1/SX-2 86—21781
Suzuki, S., Takahashi, K., Sugimoto, T., Kuwata, M. An integrated design system for the SX=1 and SX-2 supercomputers 86—47641
Suzuki, S., Terakado, T., Komatsu, K., Nagashima, K., Suzuki, A., Kondo, M. An experiment on high-speed optical time-division switching 86—49425
Suzuki, S., Yabusaki, M., Arita, T., Ishino, F. Channel reallocatable onboard baseband switch 87—48974
Suzuki, S., Yabusaki, M., Arita, T., Ishino, F. Channel reallocation onboard baseband switch for SS-TDMA communications system 88—46348
Suzuki, S., Yamaguchi, S. Comparison between an image reconstruction method of filtering backprojection and the filtered backprojection method 88—66607
Suzuki, S. *see* Akiba, T. 85—42290
Suzuki, S. *see* Ando, M. 86—60647
Suzuki, S. *see* Aoki, J. 88—10415
Suzuki, S. *see* Arai, R. 87—32918
Suzuki, S. *see* Arita, T. 85—52210
Suzuki, S. *see* Daikuzono, N. 88—30038
Suzuki, S. *see* Doi, Y. 87—38707
Suzuki, S. *see* Doke, T. 85—59174
Suzuki, S. *see* Fujii, K. 85—4231, 85—43187
Suzuki, S. *see* Fujimoto, J. 87—14763, 87—63627
Suzuki, S. *see* Fujiwara, M. 88—67339
Suzuki, S. *see* Fukuma, M. 88—22134
Suzuki, S. *see* Fukunishi, K. 87—71886
Suzuki, S. *see* Goto, H. 85—42612
Suzuki, S. *see* Gotoh, H. 85—9503
Suzuki, S. *see* Hakamata, N. 86—53978
Suzuki, S. *see* Hanaki, K. 85—44249
Suzuki, S. *see* Hatayama, K. 87—37209
Suzuki, S. *see* Hayashi, T. 88—686
Suzuki, S. *see* Hirakawa, K. 87—79094
Suzuki, S. *see* Hirokawa, T. 87—34882
Suzuki, S. *see* Igarashi, H. 88—15707, 88—69838
Suzuki, S. *see* Iida, S. 86—7780
Suzuki, S. *see* Ishihara, H. 85—38101
Suzuki, S. *see* Ishizuka, H. 88—21770
Suzuki, S. *see* Iwai, K. 88—37689
Suzuki, S. *see* Kashihara, K. 88—22137
Suzuki, S. *see* Kida, T. 86—62745
Suzuki, S. *see* Kimura, H. 85—57614, 86—23281
Suzuki, S. *see* Kishimoto, M. 86—18225
Suzuki, S. *see* Kokubun, Y. 85—46137, 86—2854, 86—53982, 87—18586, 87—18631, 87—68034
Suzuki, S. *see* Kondo, S. 86—40053
Suzuki, S. *see* Koyano, I. 86—60629
Suzuki, S. *see* Koyasu, M. 87—41303
Suzuki, S. *see* Kume, H. 85—40409, 85—40411, 86—47261, 88—44527
Suzuki, S. *see* Makino, S. 88—15749
Suzuki, S. *see* Masada, E. 87—5058
Suzuki, S. *see* Matsumoto, K. 87—37421
Suzuki, S. *see* Matsumoto, S. 86—58803
Suzuki, S. *see* Miya, S. 86—35997
Suzuki, S. *see* Morikawa, G. 85—37084
Suzuki, S. *see* Naganawa, H. 87—3507
Suzuki, S. *see* Nagihara, S. 87—50545
Suzuki, S. *see* Nakano, T. 88—45064
Suzuki, S. *see* Nikaido, T. 87—7914, 87—20328
Suzuki, S. *see* Nirasawa, N. 86—43855, 86—53979, 87—49111
Suzuki, S. *see* Nishimoto, H. 88—72153
Suzuki, S. *see* Nishimura, A. 88—65223
Suzuki, S. *see* Nishimura, M. 85—58919, 86—2831
Suzuki, S. *see* Nishizawa, J.-I. 85—24399
Suzuki, S. *see* Noda, H. 88—41843
Suzuki, S. *see* Numai, T. 88—35475
Suzuki, S. *see* Otomo, D. 87—62831
Suzuki, S. *see* Oura, N. 86—42053
Suzuki, S. *see* Saida, T. 87—8917
Suzuki, S. *see* Saiki, H. 85—51041
Suzuki, S. *see* Saitoh, S. 87—1807
Suzuki, S. *see* Sakai, H. 86—47963
Suzuki, S. *see* Sakata, S. 85—42188, 85—63260
Suzuki, S. *see* Sakata, Y. 87—49110
Suzuki, S. *see* Sasayama, T. 88—43469, 88—67813
Suzuki, S. *see* Sato, H. 85—56352
Suzuki, S. *see* Sawano, T. 88—46837
Suzuki, S. *see* Shiga, S. 86—512
Suzuki, S. *see* Shim, T.E. 86—35543
Suzuki, S. *see* Shimizu, Y. 86—10104, 87—40992
Suzuki, S. *see* Shiozaki, T. 85—28784
Suzuki, S. *see* Sugiyama, M. 88—15748
Suzuki, S. *see* Tanaka, F. 88—47331, 88—58268
Suzuki, S. *see* Tanaka, S. 86—42329
Suzuki, S. *see* Tarui, Y. 85—44791
Suzuki, S. *see* Wada, K. 85—31520
Suzuki, S. *see* Wakui, G. 87—4712
Suzuki, S. *see* Yamada, T. 85—52241
Suzuki, S. *see* Yamamoto, A. 86—63598 to 63599
Suzuki, S. *see* Yamamoto, Y. 87—38095
Suzuki, S.-I. *see* Kurosawa, S. 85—40900
Suzuki, T. A multiple-function audio deck for broadcasting stations 85—3816
Suzuki, T. Probing buried objects by underground radar 85—8447
Suzuki, T. Perpendicular magnetic recording—Its basics and potential for the future 85—24116
Suzuki, T. Hamiltonian formulation for synchrobetatron resonance driven by dispersion in RF cavities 86—24890
Suzuki, T. Perpendicular magnetic recording 86—36028
Suzuki, T. The evolution and applications of the cassette mechanism 86—49889
Suzuki, T. Synchrobetatron resonance driven by dispersion in RF cavities 86—70293
Suzuki, T. Fokker-Planck theory of transverse mode-coupling instability 87—3825
Suzuki, T. AlGaInP visible semiconductor lasers grown by metalorganic vapor phase epitaxy 87—26424
Suzuki, T. Miniature electromagnetic buzzers gain flexibility 87—50583
Suzuki, T. Thin metal film video tapes by vacuum deposition 87—67742
Suzuki, T. Multi-bunch instability in linear colliders 87—70956
Suzuki, T. Trend of research in optical devices and their application to TV engineering 88—3991
Suzuki, T. The generation of hollow beam rotating at cyclotron frequency 88—7264
Suzuki, T. Visible-light semiconductor lasers 88—8200
Suzuki, T. Application of ICCG method to the simulator for reverse biased semiconductor devices 88—39354
Suzuki, T., Akai, S., Tada, K., Murai, S. Development of low dislocation density GaAs crystals for integrated circuits 87—44306
Suzuki, T., Arai, H., Matsumoto, Y., Yuge, S., Sakamoto, N. AV surround center model AV-300 TYPE III 88—53482
Suzuki, T., Asada, H., Matsuyama, K., Fujita, E., Saegusa, Y., Morikawa, K., Fujimoto, K., Shigenobu, M., Nakashi, K., Takamatsu, H., Hidaka, Y., Konishi, S. Chip organization of Bloch line memory 87—25866
Suzuki, T., Chikushi, S. Simulation program for reverse biased semiconductor devices 85—34896
Suzuki, T., Ebata, T., Fukuda, K., Hirakata, N., Kikuchi, K., Yoshida, K., Hayashi, S., Takada, H., Sugawa, T. High-speed 1.3 μm LED transmitter with GaAs-integrated driver 86—43850
Suzuki, T., Ema, Y., Hayashi, T. In doping in CdTe film by co-evaporation of CdTe and In 88—24793
Suzuki, T., Fujita, H. A remark on the L^∞ bounds of the Ritz operator associated with a finite element approximation 87—5379

Suzuki, T., Fukabayashi, T. Unsupervised speaker adaptation methods for vowel recognition 87—27243
Suzuki, T., Hatori, M. A study on multipath distortion in FM-broadcast with the addition of a digital data signal subcarrier 87—47643
Suzuki, T., Hayashi, T., Gozen, T., Tanaka, H., Okamoto, S. Radiation resistivity of pure silica core fibers 88—13847
Suzuki, T., Hayashi, T., Gozen, T., Tanaka, H., Shintani, T., Okamoto, S. Radiation-resistant MRT fibers 87—74718
Suzuki, T., Hiraga, K. Static and dynamical observation of domain walls in $Fe_{77}Nd_{15}B_8$ permanent magnets 86—28617
Suzuki, T., Ibukuro, S. Expansion of system bandwidth of optical receivers using a GaAs MESFET by reducing $1/f$ noise 87—53562
Suzuki, T., Inokoshi, Y., Chisaka, H., Nakamura, T. Optimum geometry of large Marinelli-type vessels for in-situ environmental sample measurements with Ge(Li) detectors 88—36351
Suzuki, T., Inoue, Y., Aoyama, T., Maki, M. Si epitaxial growth of extremely uniform layers by a controlled supplemental gas adding system 85—60962
Suzuki, T., Isawa, N., Hoshi, K., Kato, Y., Okubo, Y. MCZ silicon crystals grown at high pulling rates 87—16579
Suzuki, T., Ishigaya, S., Yamashima, H. Contactless electronic buzzers to provide better sound 85—9395
Suzuki, T., Kamano, T. Modeling and transient response of DC separately excited motor taken account of armature reaction 88—5703
Suzuki, T., Katayama, T. Magnetic and magneto-optical properties of perpendicular magnetic Nd-Fe-Co and Pr-Fe amorphous films 87—38648
Suzuki, T., Katsu, K., Okamoto, K. Improved self-discharge characteristics of the electric double layer capacitor 87—6172
Suzuki, T., Katsu, K., Okamoto, K. FYH and FYD series super capacitor 87—66593
Suzuki, T., Matsuyama, K., Asada, H., Konishi, S. Initiating stripe domains in Bloch line memory 88—51369
Suzuki, T., Matsuyama, K., Fujita, E., Konishi, S. Simulation of punch-through characteristics of horizontal Bloch lines 86—36068
Suzuki, T., Matsuyama, K., Fujita, E., Suyama, S., Konishi, S. Stabilizing stripe domain by grooving garnet film 87—32839
Suzuki, T., Miyake, K., Hara, T. Breakdown process in rod-to-plane gaps with DC voltages 85—40975
Suzuki, T., Miyazaki, T., Ohyu, K., Natsuaki, N. Critical conditions for reliable self-aligned titanium silicide contact formation 87—25173
Suzuki, T., Murakami, A., Katayama, T. Magnetic and magneto-optical properties of (Nd, Pr)-(Fe, Co) alloy amorphous films with huge perpendicular magnetic anisotropy 88—51164
Suzuki, T., Muto, M., Hara, M., Hattori, T., Yamabe, K., Yamauchi, H. Nondestructive measurements of Si-SiO_2 interface structures studied by using X-ray excited Si KLL Auger electron spectra 85—40552
Suzuki, T., Muto, M., Hara, M., Yamabe, K., Hattori, T. Depth profiling of Si-SiO_2 interface structures 86—47416
Suzuki, T., Nagatsu, T., Mitsuishi, T., Kikuchi, T. System integration of land, maritime, aeronautical mobile telephone services 86—4543
Suzuki, T., Nakajima, T. Adaptive speech analysis system based on a non-steady state analysis method 86—59230
Suzuki, T., Niioka, T. Perpendicular magnetic recording and its application to digital recording 87—18525
Suzuki, T., Okawa, Y., Arai, H., Matsumoto, Y., Kubo, M., Satoh, Y., Nagano, K. AV Surround Decoder model AVD-900PRO 88—15861
Suzuki, T., Okawa, Y., Kubo, M., Satoh, Y., Nagano, K. High quality audio video selector model AVS-900 88—53480
Suzuki, T., Shikata, S., Nakajima, S., Mikamura, Y., Sugawa, T. GaAs IC family for high speed optical communication systems 87—34628
Suzuki, T., Takagi, M. Oil impregnation in transformer boards. I. Measurement of impregnation depth and internal pressure 85—1089
Suzuki, T., Takagi, M. Oil impregnation in transformer boards. II. Theoretical analysis of changes in impregnation depth 85—1090
Suzuki, T., Takayanagi, S., Matsuda, S., Saito, T. Development of the compact video camera for ENG 85—37294
Suzuki, T., Tanaka, Y., Onae, A., Tachikawa, M., Shimizu, T. Measurement of rotational temperature in CO_2 waveguide laser medium 88—27013
Suzuki, T., Taniguchi, H., Takada, H. A real-time electronic conferencing system based on distributed UNIX 87—2814
Suzuki, T., Ueda, K. Fixed-point DSP chips offer a low-cost alternative 87—19641
Suzuki, T., Usami, K., Yamanaka, S. The study in sub E-class DC-DC converter with saturating cores 86—27074
Suzuki, T., Wantanabe, M. Audio response order entry system at Kanzaki Paper Mfg. Co., Ltd 85—3772
Suzuki, T., Yamazaki, T., Yoshioka, H., Hikichi, K. Influence of thickness on H_2 gas sensor properties in polycrystalline SnO_x films prepared by ion-beam sputtering 88—49868
Suzuki, T., Yasunari, K. Family of telecommunications LSIs 88—35252
Suzuki, T., Yoshida, N., Hwang, U., Uchiyama, Y., Ishibashi, K. Magnetic properties and microstructure of Co-Cr-Pr vertically magnetized films 88—71889
Suzuki, T., Yuge, S. AV surround decoder model AVD-500 88—53483
Suzuki, T. *see* Abe, M. 85—868
Suzuki, T. *see* Akiyama, N. 87—16611
Suzuki, T. *see* Ando, H. 86—5045
Suzuki, T. *see* Aoyama, M. 86—49402
Suzuki, T. *see* Arai, H. 87—75726
Suzuki, T. *see* Arai, I. 85—43097, 85—52437, 86—69807
Suzuki, T. *see* Arai, K. 85—61482
Suzuki, T. *see* Baartman, R. 86—24896
Suzuki, T. *see* Botman, J.I.M. 86—31909
Suzuki, T. *see* Chang, N. 86—15660
Suzuki, T. *see* Craddock, M.K. 86—31908
Suzuki, T. *see* Dehli, G.J. 87—74818
Suzuki, T. *see* Ebihara, D. 87—64911, 88—62692
Suzuki, T. *see* Endo, T. 85—14357, 85—42656
Suzuki, T. *see* Fast, R.W. 85—35364, 85—43266, 85—59167
Suzuki, T. *see* Fujii, H. 87—75085
Suzuki, T. *see* Fujimoto, H. 85—63457
Suzuki, T. *see* Fujioka, T. 86—15628
Suzuki, T. *see* Fujiwara, Y. 86—61599
Suzuki, T. *see* Fukui, H. 86—58211
Suzuki, T. *see* Furumura, Y. 88—56230
Suzuki, T. *see* Futagami, M. 87—18347
Suzuki, T. *see* Gomyo, A. 87—16595, 87—26397
Suzuki, T. *see* Goto, N. 85—28642, 87—52709
Suzuki, T. *see* Hasui, K. 85—42378
Suzuki, T. *see* Hattori, T. 85—23568, 85—45475, 85—50308
Suzuki, T. *see* Hayahara, E. 85—61374, 86—14361, 86—67307
Suzuki, T. *see* Hayashi, Y. 86—9125, 87—67240
Suzuki, T. *see* Hayatsu, R. 86—24195
Suzuki, T. *see* Hidai, T. 85—57933
Suzuki, T. *see* Hino, I. 85—10715, 85—10769, 86—36465, 86—53539
Suzuki, T. *see* Hirano, S. 87—1501
Suzuki, T. *see* Hirata, K. 85—26550
Suzuki, T. *see* Hoshi, K. 85—44677, 86—389
Suzuki, T. *see* Ichihara, K. 88—64951
Suzuki, T. *see* Ichikawa, E. 87—34870 to 34871, 87—49399
Suzuki, T. *see* Imamura, K. 88—36371
Suzuki, T. *see* Inoda, Y. 87—38323
Suzuki, T. *see* Inoue, Y. 88—18711
Suzuki, T. *see* Ishibashi, K. 88—71886
Suzuki, T. *see* Isshiki, M. 86—28679
Suzuki, T. *see* Ito, H. 88—45310
Suzuki, T. *see* Itoh, S. 87—31820
Suzuki, T. *see* Iwasa, I. 88—36299
Suzuki, T. *see* Izumi, T. 87—14223
Suzuki, T. *see* Kadowaki, Y. 86—27614
Suzuki, T. *see* Kageyama, T. 88—50597
Suzuki, T. *see* Kamada, M. 87—17753
Suzuki, T. *see* Kamamori, H. 85—14945
Suzuki, T. *see* Kamano, T. 85—53715
Suzuki, T. *see* Kamata, N. 86—54034, 87—65504, 87—68265
Suzuki, T. *see* Kannari, F. 85—2247, 86—3084
Suzuki, T. *see* Kasahara, J. 86—35909
Suzuki, T. *see* Kawahara, H. 88—51370
Suzuki, T. *see* Kawakami, H. 86—51692
Suzuki, T. *see* Kawanishi, H. 85—365, 85—2305
Suzuki, T. *see* Kawata, S. 87—12469, 88—14191
Suzuki, T. *see* Kim, Y.-P. 86—42482
Suzuki, T. *see* Kinoshta, Y. 87—27786
Suzuki, T. *see* Kobayashi, K. 85—24536, 85—44716, 85—46414, 86—3140, 86—15706, 87—68455, 88—65711
Suzuki, T. *see* Kojima, T. 87—12024
Suzuki, T. *see* Koukitu, A. 85—49557, 88—404
Suzuki, T. *see* Kuriyama, T. 86—30471
Suzuki, T. *see* Kutsuwada, N. 87—39319
Suzuki, T. *see* Kuwabara, K. 85—65367
Suzuki, T. *see* Makita, K. 85—46253
Suzuki, T. *see* Matsuyama, K. 88—71899
Suzuki, T. *see* Matsuzaki, T. 86—14745, 86—52875
Suzuki, T. *see* Mimura, A. 88—39471, 88—39733, 88—57644
Suzuki, T. *see* Minemura, H. 85—56255
Suzuki, T. *see* Miyamoto, T. 87—28240
Suzuki, T. *see* Mori, T. 86—35097
Suzuki, T. *see* Murai, S. 85—49539
Suzuki, T. *see* Nagai, A. 85—26171
Suzuki, T. *see* Nakagawa, T. 85—22019
Suzuki, T. *see* Nakagawa, Y. 86—47900
Suzuki, T. *see* Nakamura, N. 87—14651
Suzuki, T. *see* Nakamura, T. 86—25330
Suzuki, T. *see* Nakano, K. 88—35750
Suzuki, T. *see* Natsuaki, N. 87—24938
Suzuki, T. *see* Nido, M. 87—68457
Suzuki, T. *see* Nishikawa, R. 86—9381, 86—42134
Suzuki, T. *see* Nishikawa, S. 87—34756
Suzuki, T. *see* Nishio, M. 86—62692
Suzuki, T. *see* Noda, A. 86—24939
Suzuki, T. *see* Nozawa, T. 85—28834, 86—14559
Suzuki, T. *see* Odaka, H. 87—16059
Suzuki, T. *see* Ogoshi, K. 86—42213
Suzuki, T. *see* Ohara, M. 86—61438
Suzuki, T. *see* Ohata, K. 88—59067
Suzuki, T. *see* Ohwada, J. 88—19980
Suzuki, T. *see* Ohyu, K. 88—20137
Suzuki, T. *see* Okamato, T. 87—35048
Suzuki, T. *see* Okuda, I. 85—14377
Suzuki, T. *see* Ono, M. 88—7283
Suzuki, T. *see* Razeghi, M. 86—14807
Suzuki, T. *see* Sagoi, M. 87—25770
Suzuki, T. *see* Sakai, T. 87—49484
Suzuki, T. *see* Sakayori, T. 87—11050
Suzuki, T. *see* Sakuma, H. 85—14928
Suzuki, T. *see* Sakurazawa, S. 87—28282
Suzuki, T. *see* Sato, N. 85—42358, 86—21052
Suzuki, T. *see* Satoh, M. 87—22554
Suzuki, T. *see* Satou, S. 87—25194, 88—50776
Suzuki, T. *see* Shindo, T. 85—59821
Suzuki, T. *see* Shintomi, T. 86—25062
Suzuki, T. *see* Shirasu, H. 87—76461
Suzuki, T. *see* Shoji, Y. 87—66280
Suzuki, T. *see* Suginoya, M. 88—40045
Suzuki, T. *see* Sugiyama, S. 87—49730
Suzuki, T. *see* Suzuki, K. 87—5456
Suzuki, T. *see* Suzuki, S. 86—47262, 88—68209
Suzuki, T. *see* Tada, J. 87—18492
Suzuki, T. *see* Tada, K. 85—55926
Suzuki, T. *see* Takahashi, M. 88—50470
Suzuki, T. *see* Takahira, A. 88—10463
Suzuki, T. *see* Takasaki, F. 88—1334
Suzuki, T. *see* Takatori, H. 85—30759, 85—42106, 88—2603
Suzuki, T. *see* Takebe, T. 85—55971, 86—9171
Suzuki, T. *see* Tanabe, S. 86—49390
Suzuki, T. *see* Taniguchi, H. 86—64682
Suzuki, T. *see* Tokuda, K. 87—77017
Suzuki, T. *see* Tomago, A. 86—35999
Suzuki, T. *see* Tsuchiya, K. 87—70936
Suzuki, T. *see* Uchida, K. 87—72528
Suzuki, T. *see* Uchida, Y. 87—17959
Suzuki, T. *see* Uchiyama, T. 87—56986
Suzuki, T. *see* Ueda, K. 86—52879, 87—27467
Suzuki, T. *see* Ueno, A. 85—14438
Suzuki, T. *see* Yamaguchi, A. 87—62138
Suzuki, T. *see* Yamamori, K. 87—32862
Suzuki, T. *see* Yamamoto, H. 86—28980
Suzuki, T. *see* Yamamoto, S. 85—459
Suzuki, T. *see* Yokoyama, H. 86—42132, 88—53904
Suzuki, T. *see* Yoshida, H. 85—60239, 88—26608
Suzuki, T. *see* Yoshida, M. 88—26792
Suzuki, T. *see* Yoshimi, M. 88—26500
Suzuki, T. *see* Musha, T. *(editor)* 85—49266
Suzuki, Y. Network surveillance and control technique 85—25293
Suzuki, Y. The possibility of collision of two geostationary satellites 85—26845
Suzuki, Y. NAVTEX system [Navigation Telex] 85—31124
Suzuki, Y. A qualitative investigation of time invariant nonlinear networks—global state equation existence criteria 85—39893
Suzuki, Y. Pattern width of negative resists in X-ray lithography 86—1867
Suzuki, Y. Numerical calculating method for nonlinear equations from the geometrical points of view 86—40673
Suzuki, Y. Recent chassis dynamometers 86—61791
Suzuki, Y. A qualitative investigation of time-invariant nonlinear networks. Global state equation existence criteria 87—476
Suzuki, Y. Trends of television transmission standards for satellite broadcasting 87—3270
Suzuki, Y. Design of an efficient dynamic time warping LSI 87—17132
Suzuki, Y. Shape memory alloys 87—52876
Suzuki, Y. Recent trends of CMOS technology 88—13581
Suzuki, Y. High sensitivity image devices 88—16189
Suzuki, Y., Asami, H., Ashida, T. Improvements of coaxial cable clamp devices for submarine repeaters 85—17919
Suzuki, Y., Chiba, T. Designing method of microstrip antenna considering the bandwidth 85—13334
Suzuki, Y., Chiba, T. Improved theory for a singly fed circularly polarized microstrip antenna 85—36115
Suzuki, Y., Chiba, T. An algorithm for pattern synthesis improvement 86—64060
Suzuki, Y., Doyama, M. The development of two-dimensional angular correlation system using a scintillation camera 87—29531
Suzuki, Y., Hara, T., Ooi, Y., Wu, M.H. Optical transfer characteristics of microchannel spatial light modulator 88—65439
Suzuki, Y., Hasegawa, H., Koyama, M., Honma, K., Ueda, S., Osawa, Y. Total videotex system UVTX-100 86—54851

Suzuki, Y., Hayakawa, K., Usami, K., Hirano, T., Endoh, T., Okamura, Y. X-ray sensing pickup tube 88−47556
Suzuki, Y., Henmi, Z. Cobalt-iron alloy for non-self-latching dry reed contacts 87−1034
Suzuki, Y., Hida, H., Toyoshima, H., Ohata, K. High-speed ring oscillators using planar p^+-gate n-AlGaAs/GaAs 2DEG FETs 86−52783
Suzuki, Y., Hirata, T., Imai, M., Yamashita, M., Ibaraki, T. Reconfiguration of a fault-tolerant rectangular systolic array 87−59282
Suzuki, Y., Hirayama, Y., Okamoto, H. Defects in Ga^+ ion implanted GaAs-AlAs MQW structures 87−25084
Suzuki, Y., Horikoshi, E., Niwa, K. Magnetic properties and ferromagnetic shielding of Ni-Fe-Mo alloys at cryogenic temperatures 85−45964
Suzuki, Y., Imai, T., Shibata, H., Oba, T., Tamura, S. The AUSSAT major-city satellite-communication system 88−9486
Suzuki, Y., Inoue, Y. A charge simulation method using boundary form 86−15835
Suzuki, Y., Inoue, Y. A charge simulation method with boundary shape taken into account 87−12660
Suzuki, Y., Ishio, N., Eimori, T., Yoshioka, N., Watakabe, Y., Yamazaki, T. X-ray lithography using chlorinated polymethylstyrene (CPMS) as a negative X-ray resist 87−38048
Suzuki, Y., Ishio, N., Eimori, T., Yoshioka, N., Yamazaki, T. A high throughput X-ray lithography with a negative resist for 0.3 μm devices 87−25029
Suzuki, Y., Ito, Y., Hanazawa, A. Communications control processors for FACOM M series computer systems 88−41305
Suzuki, Y., Kimura, M., Arimoto, N. A new high-resolution gun for projection tubes 85−61616
Suzuki, Y., Kuroda, H., Hashimoto, H. 32 Mb/s intra-frame DPCM codec using VLSIs 87−62713
Suzuki, Y., Masuyama, K. Reliability evaluation of solid tantalum capacitor for submarine repeaters 86−1398
Suzuki, Y., Matsumoto, A., Soshin, K., Shimaya, K., Hiromoto, H. Disc-rotor stepping motors 88−11253
Suzuki, Y., Mio, M. The structural controllability for the electrical-mechanical network 85−6132
Suzuki, Y., Mio, M. On the structural controllability of linear network systems 86−62323
Suzuki, Y., Mio, M. Structural controllability of electrochemical networks 86−67296
Suzuki, Y., Miyamoto, S., Matsumaru, H. Data flow structure for maintainable software in railway electric substation control systems 86−45765
Suzuki, Y., Miyano, N., Chiba, T. Circulatory polarised radiation from singly fed equilateral-triangular microstrip antenna 87−39458
Suzuki, Y., Mukai, S., Yajima, H., Sato, T. Transverse junction buried heterostructure (TJ-BH) AlGaAs diode laser 87−46859
Suzuki, Y., Nagai, H., Noguchi, Y., Matsuoka, T., Kurumada, K. High-power SLM operation of 1.3 μm InP/InGaAsP DFB LD with doubly buried heterostructure on *p*-type InP substrate 85−2323
Suzuki, Y., Nakamura, S., Yamane, T. Excimer laser XL120A 88−51735
Suzuki, Y., Nakano, K. CMOS 16-bit MPU and DMAC 87−37328
Suzuki, Y., Nishizawa, M., Mase, H. Programme production techniques for '84 Beppu-Oita Mainichi Marathon—Automatic selection, output of SHF diversity reception from OB van 85−25978
Suzuki, Y., Ogawa, K., Takenaka, S. Multilevel QAM digital radio 87−20379
Suzuki, Y., Ogawa, S., Takiguchi, K., Matsuda, H. On the deposition mechanism of a-Si:H films prepared with argon and hydrogen ion mixture by ion beam sputtering technique 85−10794
Suzuki, Y., Ogawa, S., Takiguchi, K., Yotsuya, T., Nagakubo, M. The preparation of a-Si:H films by DIBS deposition method with lower energy side ions 86−13801
Suzuki, Y., Pak, P.S., Kim, G., Tsuji, K. Long range electricity demand forecasts for Osaka city by modeling socio-economic structural changes 86−18765
Suzuki, Y., Sato, S., Shimada, S. Optimum aging time for industrial products with initial failure components 85−5860
Suzuki, Y., Seki, M., Okamoto, H. TEM observation of lattice image of $Al_xGa_{1-x}As$-AlAs superlattice with high contrast 85−45441
Suzuki, Y., Shibata, T., Koshizuka, N., Yamazaki, M., Masuda, H. Fabrication and structure of Co/Cu artificial superlattices 88−70344
Suzuki, Y., Shimizu, H. Reflection of surface acoustic waves from gratings on the surface of piezoelectric substrates 87−1828
Suzuki, Y., Shimizu, H. Reflection of surface acoustic waves from gratings on the surface of piezoelectric substrates 88−13635
Suzuki, Y., Sone, T., Kido, K. A new FFT algorithm of radix 3, 6 and 12 86−40694
Suzuki, Y., Taira, E., Kataoka, T., Taniguchi, T. 40 inch CRT display for Hi-Vision 86−49823
Suzuki, Y., Takayama, K. Clean wave VVVF for cooler of transformer 87−43214
Suzuki, Y., Takayama, S., Kirino, F., Ohta, N. Single ion model for perpendicular magnetic anisotropy in RE-TM amorphous films 88−51160
Suzuki, Y., Tomabechi, Y., Matsumura, K. Radiation loss from a small angle bend of a rectangular dielectric waveguide 88−8556
Suzuki, Y., Ueno, S. A numerical calculation method for nonlinear equations from geometrical viewpoints 87−73003
Suzuki, Y., Yamashita, E. 2-dimensional image-reconstruction method from holograms sampled by using the Fresnel zone plates 87−26573
Suzuki, Y., Yamashita, E. Coherent backscatter-induced noise in optical fiber gyroscopes with serrodyne modulation 87−68160
Suzuki, Y., Yamashita, E. Two-dimensional image reconstruction method from holograms sampled by Fresnel zone plates 88−14291
Suzuki, Y., Yamashita, E. Coherent backscatter-induced noise in optical fiber gyroscopes with serrodyne modulation 88−67740
Suzuki, Y., Yatsushiro, K. An numerical analysis of nonlinear wave equation 87−36653
Suzuki, Y., Yokota, K. Metal detector 85−22261
Suzuki, Y., Yokoyama, Y., Kanayama, H., Matsumoto, M. Control procedures for digital facsimile equipment 85−13820
Suzuki, Y., Yoshimura, M. The Bi-CMOS gate array: a double-barreled bonus offering high speed and low power consumption 85−55903
Suzuki, Y., Yoshioka, N., Yamazaki, T. Negative resist profiles in X-ray lithography 85−1443
Suzuki, Y., Yoshioka, N., Yamazaki, T. X-ray lithography with negative resists 85−50650
Suzuki, Y., Yotsuya, T., Ogawa, S., Iwata, A., Tokai, M., Dake, Y. ZnO thin films prepared by ion beam sputtering deposition 88−31850
Suzuki, Y. *see* Abe, K. 88−16629
Suzuki, Y. *see* Akahoshi, H. 88−1123
Suzuki, Y. *see* Ashida, H. 88−1015
Suzuki, Y. *see* Ashizaki, S. 88−41833
Suzuki, Y. *see* Bannai, T. 88−39366
Suzuki, Y. *see* Chiba, Y. 88−54412
Suzuki, Y. *see* Date, M. 88−24050, 88−53891
Suzuki, Y. *see* Fijiwara, K. 85−42217
Suzuki, Y. *see* Fukuda, S. 87−36102
Suzuki, Y. *see* Fukuhara, T. 87−71164
Suzuki, Y. *see* Hamaguchi, S. 88−6921
Suzuki, Y. *see* Hara, T. 86−2855, 86−68326, 87−12257, 87−12260
Suzuki, Y. *see* Harada, H. 87−32379
Suzuki, Y. *see* Hida, H. 86−53637, 86−62826, 87−46228
Suzuki, Y. *see* Hirayama, Y. 86−1786, 86−21201
Suzuki, Y. *see* Hori, Y. 87−13959
Suzuki, Y. *see* Horii, S. 86−45215, 88−17351, 88−17394
Suzuki, Y. *see* Hoshino, T. 85−892
Suzuki, Y. *see* Hotta, K. 87−7273
Suzuki, Y. *see* Iida, T. 87−34498
Suzuki, Y. *see* Isobe, S. 85−31381, 88−28801
Suzuki, Y. *see* Iwamura, H. 86−29164
Suzuki, Y. *see* Kadono, S. 85−22796
Suzuki, Y. *see* Kanayama, H. 86−23403
Suzuki, Y. *see* Katabuchi, K. 88−38833
Suzuki, Y. *see* Kataoka, H. 85−13821, 85−47152
Suzuki, Y. *see* Kato, T. 87−1152
Suzuki, Y. *see* Kawaguchi, K. 87−40380
Suzuki, Y. *see* Kawaura, J. 87−7743
Suzuki, Y. *see* Kimura, H. 87−73139
Suzuki, Y. *see* Kimuro, H. 87−78258
Suzuki, Y. *see* Kinoshita, K. 85−61650, 87−49523, 87−53145
Suzuki, Y. *see* Kirino, F. 88−51601
Suzuki, Y. *see* Kitani, T. 85−14896
Suzuki, Y. *see* Kobayashi, H. 86−49130
Suzuki, Y. *see* Kondo, M. 88−59954
Suzuki, Y. *see* Kosaka, K. 86−64907
Suzuki, Y. *see* Kusui, N. 88−13220
Suzuki, Y. *see* Maruyama, T. 88−63680
Suzuki, Y. *see* Matsuda, K. 85−12148
Suzuki, Y. *see* Matsumura, K. 88−20991
Suzuki, Y. *see* Matsuoka, T. 85−18922
Suzuki, Y. *see* Matsuzawa, H. 87−33386
Suzuki, Y. *see* Mitsuda, K. 87−70424
Suzuki, Y. *see* Miyano, N. 86−64100
Suzuki, Y. *see* Mukawa, N. 87−17019
Suzuki, Y. *see* Murakami, T. 86−44647
Suzuki, Y. *see* Nagai, H. 86−42558
Suzuki, Y. *see* Nagatani, M. 87−20687, 87−20712
Suzuki, Y. *see* Nakanishi, Y. 88−2109
Suzuki, Y. *see* Nguyen, L.D. 87−53535
Suzuki, Y. *see* Nishimura, Y. 86−17154
Suzuki, Y. *see* Nishio, Y. 85−33858
Suzuki, Y. *see* Nogawa, S. 88−31849
Suzuki, Y. *see* Noguchi, Y. 85−2311
Suzuki, Y. *see* Ogiue, K. 86−46822
Suzuki, Y. *see* Ohkoshi, S. 85−14065, 85−47063
Suzuki, Y. *see* Ohmori, Y. 86−9856, 86−54160
Suzuki, Y. *see* Onodera, H. 85−39037
Suzuki, Y. *see* Pak, P.S. 85−43862
Suzuki, Y. *see* Pyong Sik Pak 88−55212
Suzuki, Y. *see* Saito, T. 87−37359
Suzuki, Y. *see* Saku, T. 85−35740
Suzuki, Y. *see* Sasaki, T. 86−38525
Suzuki, Y. *see* Sato, S. 87−56773, 88−73848
Suzuki, Y. *see* Segawa, M. 87−17077
Suzuki, Y. *see* Seki, J. 85−63511
Suzuki, Y. *see* Seki, S. 86−65081
Suzuki, Y. *see* Shimada, M. 87−28476
Suzuki, Y. *see* Shimaoka, G. 85−33450
Suzuki, Y. *see* Shinoda, K. 87−12258
Suzuki, Y. *see* Sibley, W.A. 87−46835
Suzuki, Y. *see* Sugimoto, T. 86−38020
Suzuki, Y. *see* Takahashi, O. 87−20227
Suzuki, Y. *see* Takasaki, M. 86−31869
Suzuki, Y. *see* Takayama, S. 88−58259
Suzuki, Y. *see* Tamae, H. 88−24113
Suzuki, Y. *see* Toyoda, K. 86−1479
Suzuki, Y. *see* Tsuji, K. 88−23413
Suzuki, Y. *see* Uchino, H. 87−32473
Suzuki, Y. *see* Uebayashi, T. 88−29903
Suzuki, Y. *see* Watase, Y. 86−65337
Suzuki, Y. *see* Yamakawa, Y. 86−61768
Suzuki, Y. *see* Yamamoto, A. 87−63601
Suzuki, Y. *see* Yamashita, E. 87−73763, 88−25470
Suzuki, Y. *see* Yamashita, H. 85−29733
Suzuki, Y. *see* Yamato, I. 88−75775
Suzuki, Y. *see* Yanagihara, M. 85−37846
Suzuki, Y. *see* Yanai, Y. 85−5093
Suzuki, Y. *see* Yokota, Y. 86−61700
Suzuki, Y. *see* Yoshimoto, S. 87−28477
Suzuki, Y. *see* Yoshioka, N. 86−8938, 87−74159
Suzuki, Y. *see* Yotsuya, T. 88−29680, 88−36260
Suzuki, Y. *see* Yu, F.T.S. 87−74859, 88−46205
Suzuki, Z. *see* Ishizu, A. 86−31531, 87−3681
Suzuki Kei *see* Kei Suzuki
Suzuki Naomichi *see* Naomichi Suzuki
Suzumi, J. *see* Skarnulis, A.J. 87−17677
Suzumori, A. How Omron uses personal computers to expand automated production control 85−22208
Suzumori, S., Maehara, K., Tamura, M., Izawa, F. Barium ferrite tape application to high-definition VTRs 86−44039
Suzumura, N. *see* Horiba, I. 85−53037 to 53038, 85−64577, 86−5924, 87−29755
Suzumura, N. *see* Iwata, A. 85−15308, 86−70403, 87−29752
Suzumura, N. *see* Matsuo, H. 87−48006, 88−61320
Suzumura, N. *see* Yokoyama, K. 85−31809
Suzunaga, H. *see* Okamoto, K. 85−29111, 87−53158
Suzuoki, A. *see* Yamamoto, H. 87−4520
Suzuoki, Y., Muto, H., Mizutani, T., Ieda, M. Investigation of space charge in high-density polyethylene using thermal-pulse response 85−50808
Suzuoki, Y., Muto, H., Mizutani, T., Ieda, M. Effects of space charge on electrical conduction in high-density polyethylene 86−15304
Suzuoki, Y., Ohki, A., Mizutani, T., Ieda, M. Humidity dependence of electrical conduction in ZnO-Bi_2O_3 thin film composites 87−53195
Suzuoki, Y., Ohki, A., Mizutani, T., Ieda, M. Electrical properties of ZnO-Bi_2O_3 thin-film varistors 87−53577
Suzuoki, Y. *see* Cai, G.-X. 86−68100
Suzuoki, Y. *see* Ieda, M. 87−67648, 88−24828
Suzuoki, Y. *see* Kawamoto, A. 88−26617, 88−63392
Suzuoki, Y. *see* Mizutani, T. 88−51081
Suzzoni, J.P. *see* Ferry, M. 85−3232
Suzzoni, J.P. *see* Jouffroy, J.C. 85−3215
Svaasand, L.-O. Second generation optical components 87−20483
Svab, E. *see* Balasko, M. 87−65599
Svab, P. *see* Bozsik, K. 85−61968
Svacek, J. *see* Eros, M. 85−52565
Svacek, J.F., Wheeler, B.K., Eros, M.J. A long haul multichannel video super trunking system using analog FM/FDM over single mode fibers 85−14507
Svadzhyan, L.A., Demirchyan, V.A., Kabalyan, Yu.K., Nalbandyan, M.A. New flexible cables for stacking cranes 88−7098
Svahn, G. Digital image systems can replace X-ray film 85−53024
Svaic, S. *see* Tandaric, T. 86−56775
Svajger, A. *see* Demsar, A. 86−48240
Svakhin, A.S., Sychugov, V.A., Tulaikova, T.V. Dispersive device on polished cladding of a single-mode fiber waveguide 86−63655
Svakhin, A.S. *see* Avrutskii, I.A. 87−74711, 88−40228, 88−58198
Svakhin, A.S. *see* Golubenko, G.A. 86−63666
Svalov, G.G., Fedosova, S.V., Komarova, V.N., Sinyanskaya, L.A. Investigation of the effect of thermal and mechanical loads on the characteristics of enamel insulation for superconducting magnet wire 85−41082
Svalov, G.G. *see* Akopov, S.G. 85−41043, 87−42485
Svalov, G.G. *see* Andrianov, V.V. 85−41081
Svalov, G.G. *see* Meshchanov, G.I. 85−64922
Svalov, G.G. *see* Peshkov, I.B. 87−35654
Svalov, G.G. *see* Sytnikov, V.E. 85−43617

Svanbaev, E.A., Zhdanovich, N.S., Zherzdev, A.V., Taurbaev, T.M., Terukov, E.I. Physical properties of amorphous hydrogenated silicon films prepared by magnetron sputtering 88−38236
Svanberg, L. The media council−to be prepared for a change 86−16632
Svanberg, S. Laser spectroscopy applied to energy, environmental and medical research 88−58740
Svanberg, S. Laser spectroscopy applied to energy, environmental and medical research 88−74821
Svanberg, S. *see* Andersson, P.S. 87−71398, 88−8365
Svanberg, S. *see* Edner, H. 85−15442, 88−10595, 88−23192
Svanberg, S. *see* Lacy, R.A. 87−12348
Svandsen, V. *see* Sand, K. 88−17137
Svanidze, T.M. *see* Pavelets, S.Yu. 87−30977
Svansson, L. *see* Hellstrand, E. 85−21335
Svante Eriksson, B., Andersson, C., Svante Eriksson, B. Flexibility all the more important with data communication 87−76097
Svante Eriksson, B., Hellberg, S. Data security with open communication 87−76098
Svante Eriksson, B. *see* Svante Eriksson, B. 87−76097
Svanterova, T. *see* Bizik, J. 85−21080
Svaral, S. *see* Cukanova, K. 88−26629
Svarc, M., Kasprzyk, M. Comparison of some properties of simulated inductors from the viewpoint of the optimal value of voltage amplification 85−40180
Svard, H. Multilayer board for surface mounted components. Design guidelines and test results 86−27748
Svardstrom, E. *see* Snellman, M. 87−10763
Svarney, T.E., Turner, J.F. Polyimide discoloration−a failure analysis study 85−33528
Svarovskaya, A.I. *see* Vedyushkin, G.A. 85−20712, 87−8719
Svarovsky, J., Dummermuth, E. Increase in servo gain reduces jitter in high performance NC control 85−27586
Svartengren, J.O. *see* Potzsch, W. 85−53239
Svatik, A., Adamec, V. Dielectric properties of Relanex insulation 88−20201
Svatik, A., Adamec, V., Calderwood, J.H. Dielectric properties of epoxy/mica insulation 88−64865
Svaton, E.M. *see* Jason, A.J. 88−54325
Svaton, V. Microelectronic components for hybrid IC technology applications 85−34397
Svatos, J. Optimum integer division ratios for generating a tone structure 88−70592
Svatos, P. Influence of the parameters of a noise filter on the magnitude of industrial interference 86−41200
Svatos, P., Major, M. Noise suppression of the RESYP convertor for the drive of a synchronous motor 85−21706
Svatovskii, I.I. *see* Ivanov, M.A. 87−27778, 88−72724
Svec, A. One method of frequency compensation of the MAA 725 operational amplifier for large signals 86−789
Svec, A. Biased instrumentation amplifier 87−70530
Svec, A. A controlled current source on the basis of an operational amplifier 88−56461
Svec, J. *see* Preis, J. 87−32445
Svec, V. PROM memory contents scanner 86−27306
Svec, Z. *see* Kaiser, L. 86−31180
Svecharnik, D.V. The ultimate Q-factor of electric motors 86−26020
Svecharnik, D.V. Electromechanical conversion of different kinds of motion 88−69351
Svecharnik, D.V., Nareshelashvili, D.G. Margins for improving the efficiency of transformers 88−62414
Svecharnik, D.V., Nikiforov, B.D. Features of a linear electric drive for transport and industry 85−21855
Svechnikov, G.S. Elements of integrated optics and main development trends (survey) 85−12639
Svechnikov, G.S. Radiation sources for integrated optics 85−51187
Svechnikov, G.S. Trends in development of photodetectors for optical data processing systems 87−41518
Svechnikov, G.S. *see* Zav'yalova, L.V. 87−65486
Svechnikov, G.S. *see* Zharovsky, L.F. 86−13812
Svechnikov, M.B. *see* Alekseev, V.N. 85−62647
Svechnikov, S.V., Kozhemyako, V.P., Krasilenko, V.G. Display indicators based on optoelectronic sequential scalers 88−10060
Svechnikov, S.V., Sukach, G.A., Sypko, N.I., Nikolaenko, V.V. Local temperature measurements in GaAlAs light-emitting diodes 86−63732
Svechnikov, S.V., Vlasenko, N.A., Zav'yalova, L.V., Savin, A.K., Smovzh, A.K. Electroluminescent ZnS:Mn films obtained from chelated organometallic compounds with doping during growth 88−63378
Svechnikov, S.V. *see* Afanans'ev, V.A. 86−15577
Svechnikov, S.V. *see* Baich, A.D. 85−35632
Svechnikov, S.V. *see* Bogdanovich, V.B. 87−63336, 88−25574
Svechnikov, S.V. *see* Gavrilenko, V.I. 85−28973
Svechnikov, S.V. *see* Gorbach, T.Ja. 88−7471
Svechnikov, S.V. *see* Gorbach, T.Ya. 87−74919
Svechnikov, S.V. *see* Kamuz, A.M. 88−14155
Svechnikov, S.V. *see* Kul'chitskii, V.L. 85−11589
Svechnikov, S.V. *see* Nikolaenko, V.V. 85−51067
Svechnikov, S.V. *see* Rakhlin, M.Ya. 85−52870
Svechnikov, S.V. *see* Zavyalova, L.V. 85−24388
Svechnikov, S.V. *see* Zyuganov, A.N. 85−12698
Svecko, R. *see* Cucej, Z. 88−48989
Sved, J. A pallet based space program for Australia 87−4061
Svedberg, P. New SOS technology gives faster circuits 87−11960
Svedlindh, P., Lundgren, L., Nordblad, P. SQUID detector: unbeatable for measuring magnetism 87−8592
Svedlund, H. *see* Ahlfeldt, H. 88−5018
Svedung, O.A. An *in situ* method to study atmospheric corrosion of contact material 87−10525
Svedung, O.A., Johansson, L.G., Vannerberg, N. The influence of NO$_2$ and Cl$_2$ at low concentrations in humid atmospheres on the corrosion of gold-coated contact material 87−10524
Svehla, S., Kozacek, R. Ultrasound cleaning, its mechanisation and automation 85−53235
Sveider, P. *see* Odman, S. 86−5876
Sveinsson, J.R., Fairman, R.W., Kumar, A. Separately balanced realization of two-dimensional separable-denominator transfer functions 87−37468
Svejda, M., Fiedler, R. Stability of Ni-Cr based wire resistance 87−45304
Svelokuzov, A.E. *see* Alferov, Zh.I. 86−58941
Svelto, O. *see* Andreoni, A. 88−8380
Svelto, O. *see* De Silvestri, S. 87−26470, 88−8253, 88−14232, 88−45493, 88−58632, 88−65639
Svelto, O. *see* Docchio, F. 86−15736, 88−8256
Svelto, O. *see* Laporta, P. 86−3111, 87−68431
Svelto, O. *see* Ramponi, R. 86−5983
Svenchanskii, A.D., Borodachev, A.S., Bershitskii, M.D. Supply sources for electrotechnological installations and prospects for their development 86−45855
Svenconis, C. *see* Huston, B. 88−6157
Svenda, K. *see* Andreic, Z. 88−29398
Svenda, K. *see* Risovic, D. 86−44169
Svendsen, C., Jansen, H. Development of the telecommunications network during the 80s. II 85−51894
Svendsen, D.A. A model for the measurement of optical fibre preforms by a transverse illumination technique 87−54072
Svendsen, D.A. Resolution model for measurement of optical fibre preforms by focused laser transverse illumination technique 88−58089
Svendsen, D.A. *see* Emerton, N. 87−54073
Svendsen, E. Evaluation of wind estimates over open ocean from the Nimbus-7 scanning multichannel microwave radiometer 86−6113
Svendsen, E. *see* Shuchman, R. 86−6137
Svendsen, E.N. *see* Hameka, H.F. 85−35854
Svendsen, S.M. Optical transmission systems in the telecommunications network 88−53306
Svendsen, T. Multi-dimensional quantization applied to predictive coding of speech 87−27338
Svendsen, T. Speech recognition: an overview 88−21137
Svendsen, T., Soong, F.K. On the automatic segmentation of speech signals 87−61634
Svendsen, T. *see* Paliwal, K.K. 86−16273
Svendsen, V. Looking inside the global brain [outside plant management] 88−59478
Svenke, E. *see* Bjurstrom, S. 85−27175
Svenkvist, P. Experience from the 2000 kW Boving-KMW machine in Gotland [wind turbine plant] 85−48924
Svenle, I., Borgnas, H., Johansson, C. A large scale software factory 85−52194
Svenle, I. *see* Johansson, C. 85−52143
Svenne, J.P. *see* Abegg, R. 85−37899
Svensk, J.E.R., Ohlsson, T.G. Two power supply systems for small telecom switching offices 88−30867
Svensk, R. *see* Eriksson, M. 85−64856
Svensk, R. *see* Smedman, K.E. 85−64855
Svensmark, H. *see* Bindslev Hansen, J. 87−25883
Svensmark, H. *see* Hansen, J.B. 87−74576
Svensmark, H. *see* Mygind, J. 87−67880
Svenson, A.N. *see* Antonyuk, Ya.P. 86−23054
Svenson, A.N. *see* Popov, B.A. 85−51609
Svenson, B. *see* Seaton, C.T. 85−29932
Svenson, G. Don't raise the river, just lower the cable 87−8319
Svenson, J. *see* Gott, K. 88−36955
Svenson, J.G. *see* Olof-Andersson, P. 88−11022
Svenson, R. Strategic planning for training 87−23057
Svenson, R.H., Marroum, M.-C., Frank, F., Selle, J.G., Gallagher, J.J., Bou-Saba, G., Seifert, K.T., Linder, K., Tatsis, G.P. Successful Nd:YAG laser photocoagulation of arrhythmogenic myocardium: potential limitations of current optical delivery systems 88−16780
Svensson, A. On coherent detection of MSK on a two-ray multipath fading channel [mobile radio] 87−3088
Svensson, A. On an improved differential detector for continuous phase modulation 87−27547
Svensson, A. An algorithm for the optimum linear detector at large SNR to a general binary composite hypothesis testing problem 87−69244
Svensson, A. Optimum linear detector at small and large noise power for a general binary composite hypothesis testing problem 88−14662
Svensson, A. Error probability analysis for CPM with linear detection on Gaussian and Rayleigh fading channels with multiple signal interference 88−14663
Svensson, A., Aulin, T., Sundberg, C.-E. Symbol error probability behaviour for continuous phase modulation with partially coherent detection 86−29831
Svensson, A., Sundberg, C.-E. A class of reduced-complexity Viterbi detectors for partial response continuous phase modulation 85−13551
Svensson, A., Sundberg, C.-E. Optimum MSK-type receivers for continuous phase modulation on fading channels 85−19315
Svensson, A., Sundberg, C.-E. Serial MSK-type detection of partial response continuous phase modulation 85−25090
Svensson, A., Sundberg, C.-E. Performance of AMF receivers for CPM 85−41932
Svensson, A., Sundberg, C.-E. Performance of generalised AMF receivers for continuous phase modulation 86−16291
Svensson, A., Sundberg, C.E. On error probability for several types of noncoherent detection of CPM 85−41838
Svensson, A. *see* Andersson, T. 88−59015
Svensson, A. *see* Lindell, G. 86−54423, 86−64179
Svensson, A.B. *see* Rhodes, R.B., Jr. 87−39585
Svensson, B. *see* Assanto, G. 87−19039
Svensson, B. *see* Holmen, G. 85−18241
Svensson, B. *see* Moshrefzadeh, R. 87−68028
Svensson, B. *see* Valera, J.D. 86−36134, 86−42308
Svensson, B.C. *see* Valera, J.D. 88−7929
Svensson, C. Signal resynchronization in VLSI systems 86−46943
Svensson, C., Afghahi, M. On RC line delays and scaling in VLSI systems 88−44866
Svensson, C., Jeppson, K.O. Northern multiproject chip produces better silicon designers more cheaply 88−64649
Svensson, C. *see* Armgarth, M. 85−12302
Svensson, C. *see* Assadi, A. 88−64267
Svensson, C. *see* Elgh, R. 88−30995
Svensson, C. *see* Gustafsson, S. 87−2944, 87−5858, 87−45987, 88−39400
Svensson, C. *see* Jeppson, K. 88−63444
Svensson, C. *see* Ji-Ren, Y. 88−6746
Svensson, C. *see* Kepen Chen 87−534
Svensson, C. *see* Sundblad, R. 87−38536
Svensson, C. *see* Ulriksen, P. 87−49152
Svensson, G.K. *see* Atari, N.A. 86−65469
Svensson, G.K. *see* Kase, K.R. 86−65453
Svensson, J.S.E.M., Granqvist, C.G. Electrochromic tungsten oxide films for energy efficient windows 85−18639
Svensson, J.S.E.M., Granqvist, C.G. Electrochromic coatings for smart windows: crystalline and amorphous WO$_3$ films 86−2864
Svensson, J.S.E.M., Granqvist, C.G. Electrochromic hydrated nickel oxide coatings for energy efficient windows: optical properties and coloration mechanism 87−26139
Svensson, J.S.E.M. *see* Babulanam, S.M. 88−45268
Svensson, J.S.E.M. *see* Smith, G.B. 87−18584
Svensson, L. A sigma delta A/D-converter for mobile telephone applications 87−813
Svensson, L., Naeve, A. Estimating the N-dimensional motion of a $(N-1)$-dimensional hyperplane from two matched images of $(N+1)$ of its points 87−75941
Svensson, L. *see* Engdahl, G. 88−64878
Svensson, L.E. *see* Varnestig, B. 86−65341
Svensson, N.A.B. On optimum and suboptimum coherent detection of continuous phase modulation on a two-ray multipath fading channel 88−8666
Svensson, N.A.B., Sundberg, C.-E.W. Performance evaluation of differential and discriminator detection of continuous phase modulation 87−19376
Svensson, O. *see* Ekstrom, C. 88−60999
Svensson, P. Investments in innovations: the problem of cost and time overruns 88−31445
Svensson, P. *see* Edvall, G. 85−20587
Svensson, P. *see* Thylen, L. 85−50992
Svensson, S. *see* Andersson, G. 86−50879
Svensson, S. *see* Andersson, T.G. 87−11436
Svensson, S. *see* Nyholm, R. 86−60476
Svensson, S.P. Theoretical analysis of the layer design of inverted single-channel heterostructure transistors 87−53528
Svensson, S.P. Relationship between layer thickness uniformity and statistical device property distribution over a wafer grown by molecular-beam epitaxy 88−56223
Svensson, S.P., Andersson, T.G. Al-Ga-GaAs multimetal Schottky diodes prepared by MBE 85−45635

Svensson, S.P., Kanski, J., Andersson, T.G. Ga adsorption on GaAs(001) and Al-Ga-GaAs Schottky diodes grown by molecular-beam epitaxy 85—12244
Svensson, S.P., Nilsson, B.J.L., Willhite, J.R., Swanson, A.W. Threshold voltage dependence on design parameters and layer uniformity in high electron mobility transistors 87—1538
Svensson, S.P., Swanson, A.W. Temperature dependence of the Hall-effect electron concentration in n-Al$_{0.28}$Ga$_{0.72}$As/GaAs heterostructures 86—41578
Svensson, S.P., Swanson, A.W. Temperature dependence of the electron concentration and spatial distribution in n-Al$_{0.28}$Ga$_{0.72}$As/GaAs heterostructures 86—53401
Svensson, S.P. *see* Andersson, T.G. 86—14947
Svensson, T. Circuits for integrated services digital network is an enormous market for semiconductor manufacturers 85—35060
Sventun'kov, S.G. *see* Bagiev, G.L. 88—48523
Sverak, J.G., Booraem, C.H., Kasten, D.G. Post-design analysis and scale model tests for a two grid earthing system serving the 345 kV GIS facilities at Seabrook power plant 88—55194
Sverbitskaya, I.B. The present and future use of TV studio lighting systems using metal halide lamps 88—43481
Sverchikov, Ye.I. *see* Bazarov, Ye.N. 85—7278
Sverchkov, E.I. *see* Kukhta, A.V. 86—2768
Sverchkov, M.Yu. Nongeometrical ergodicity of discrete-time regenerative phenomenon 85—60850
Sverchkov, Yu.E. *see* Ivanov, V.V. 86—2767
Sverdlenko, Ye.A. *see* Gribovskiy, A.V. 85—7589
Sverdlichenko, V.D. *see* Domostroeva, N.G. 87—63573
Sverdlik, G.I. *see* Yakirin, R.V. 86—31642
Sverdlik, M.B. Matrix interpretation and computation efficiency of FFT (fast Fourier transform) algorithms [digital signal processing] 85—7878
Sverdlik, M.B., Nazarenko, A.A., Evseev, V.L., Radionov, V.V. An approach to application of fast orthogonal transforms in space-processing algorithms 88—27921
Sverdlik, M.B., Nazarenko, A.A., Yevseyev, V.L. Optimization of continuous FFT schemes in high-speed convolution algorithms 87—58897
Sverdlik, M.B., Tikodri-Togboa, S.S. Matrix forms of generalized fast Fourier transform algorithms 87—61892
Sverdlik, M.B. *see* Kononov, A.A. 86—10373
Sverdlik, M.V., Nazarenko, A.A., Tikodri-Togboa, S.S. A quasi-nested fast Fourier transform algorithm 87—23586
Sverdlin, G.M. *see* Rubanov, I.L. 86—60992
Sverdlov, A.L. *see* Mikaelyan, G.T. 87—18974
Sverdlov, B.N. *see* Akimova, I.V. 87—75206
Sverdlov, B.N. *see* Avdeeva, V.P. 85—12880
Sverdlov, B.N. *see* Bezotosnyi, V.V. 85—29853
Sverdlov, B.N. *see* Bochkarev, A.E. 87—39119
Sverdlov, B.N. *see* Bockarev, A.E. 86—9812
Sverdlov, B.N. *see* Dolginov, L.M. 85—62583
Sverdlov, B.N. *see* Dolginov, M.L. 85—29854
Sverdlov, B.N. *see* Drakin, A.E. 86—15722, 87—68504
Sverdlov, B.N. *see* Duraev, V.P. 88—58567
Sverdlov, B.N. *see* Eliseev, P.G. 85—24584, 87—26199, 87—26412 to 26413
Sverdlov, B.N. *see* Vasil'ev, M.G. 85—7412
Sverdlov, V.Va. *see* Yanov, V.P. 87—58398
Sverdlova, A.M. *see* Fomicheva, O.F. 86—58338
Sverdlova, A.M. *see* Lukashova, I.P. 86—58340
Sverdov, B.N. *see* Dolginov, L.M. 85—12881
Sverdrup, E.F. *see* Menguturk, M. 87—35827
Sverko, I. *see* Bittner, S. 87—29456
Sverkunov, Yu.D., Isaev, A.E. Dynamic characteristics of means of measurement with slight nonlinearity 86—17726
Sverkunov, Yu.D. *see* Petrov, V.V. 88—70942
Svershchevskii, V.P. *see* Degter, V.G. 88—17518
Svershnikov, V.I. *see* Odinokov, I.A. 87—35569
Sverzellati, P. *see* Alessandrello, A. 87—29540
Sverzellati, P.P. *see* Alessandrello, A. 87—14733
Sveshnikov, A.G., Eremin, Yu.A. The auxiliary source method in direct and inverse electromagnetic scattering problems 87—75379
Sveshnikov, A.G., Yeremin, Yu.A., Orlov, N.V. Study of some mathematical models in the theory of diffraction by the method of nonorthogonal series 86—22659
Sveshnikov, A.G. *see* Boldasov, V.S. 87—29433, 88—52175
Sveshnikov, A.G. *see* Eremin, Yu.A. 86—36693, 88—34272, 88—63268
Sveshnikov, A.G. *see* Modenov, V.I. 86—48642
Sveshnikov, B.V. *see* Paskhin, V.M. 87—46298, 88—1849
Sveshnikov, V.I. Taking the operating conditions of the consumer into account when calculating optimum reliability 88—30355
Sveshnikov, V.I. Application of variational principles in the solution of emergency control problems 88—48487
Sveshnikov, V.I., Garan'kin, O.P., Kovalenko, A.V., Shevchenko, A.T. Calculating the component reliabilities of the scheme when planning distribution networks 86—25578
Sveshnikov, V.K. Method of determining the coefficient of diffusion of sodium through a discharge tube 86—27820
Sveshnikov, Yu.N. *see* Averin, S.V. 85—55757
Sveshtarov, P. *see* Gospodinov, M. 88—64824
Svestka, M. A current-voltage convertor with two operational amplifiers 87—66459
Svestka, M. The use of capacitors as a power supply standby 88—70516
Svestka, Z. *see* Bouz, Z. 85—41033
Svestka, Z. *see* Filipensky, J. 85—24782
Svet, D.Ya., Bostandzhyan, Sh.G. Measurement of the linearity of the output characteristics of pyroelectric radiation receivers 88—4433
Svet, D.Ya., Kling, B.N., Vasil'ev, A.V., Devyatykh, G.G., Dianov, E.M., Plotnichenko, V.G., Skripachev, I.V., Churbanov, M.F. Low temperature pyrometer with flexible fibre-optics conduit 85—37634
Svet, I.V. *see* Andreyev, V.S. 88—44370
Svet, V.D. *see* Dement'ev, D.A. 87—62168
Svet, V.D. *see* Grinev, A.Yu. 86—37119
Svet, V.D. *see* Vinogradova, E.L. 85—56380
Svetasheva, A.G. *see* Gandel'sman, M.I. 86—18504
Svetkoff, D.J. Towards a high resolution, video rate, 3D sensor for machine vision 87—49598
Svetkoff, D.J. Image quality evaluation of machine vision sensors 88—53724
Svetkoff, D.J., Smith, D.N., Doss, B.L. Automatic inspection of component boards using 3-D and greyscale vision 87—51883
Svetkoff, D.J., Smith, D.N., Doss, B.L. Automatic inspection of component boards using 3D and greyscale vision 88—1098
Svetkoff, D.J. *see* Leonard, P.F. 86—13533
Svetkoff, D.J. *see* Rohrer, D.K. 85—30329
Svetlanov-Polupezhentsev, A.V. *see* Rasstrigin, A.K. 85—15496
Svetlanov-Polypezhentev, A.V. *see* Rasstrigin, A.K. 86—25508
Svetlichnyi, P.N. *see* Kumshaev, S.B. 85—26193
Svetlichnyi, V.A., Chmovzh, V.E., Gavrilov, A.F., Novoselov, S.S., Simachev, V.Yu., Ryzhikov, V.A., Zaplatinskaya, I.M., Demchuk, V.V., Sidushova, L.V. Experience of the setting-up and familiarization with an experimental-industrial plant for the simultaneous cleansing of flue gases from sulphur and nitrogen oxides by the ozone method 88—17337
Svetlichnyi, V.A. *see* Novoselov, S.S. 87—64399
Svetlichnyi, V.M. *see* Plaksii, V.T. 88—23141, 88—71375
Svetlichnyi, V.M. *see* Starikov, A.I. 88—19913
Svetlov, A.A. *see* Brukhman, V.Ya. 86—28869
Svetlov, V.D. *see* Baranov, L.A. 86—24809
Svetov, B.S., Gubatenko, V.P. Equivalence of systems of external electric and magnetic currents 86—22611
Svetov, L.V. *see* Vishnevskii, A.V. 85—9079
Svetsov, V.I., Chesnokova, T.A. Etching gallium arsenide in hydrogen discharge 86—28182
Svettsov, A.V. *see* Artemyev, A.N. 88—10229
Sveum, M.D. *see* Stettner, R. 85—26843
Svezhentsev, A.E. *see* Nosich, A.I. 87—54622
Svezhentsev, A.Y. The phenomenon of the intertype coupling of surface waves in the partially screened dielectric rod 87—7566
Svezhentseva, O.V. *see* Konovalov, Yu.S. 87—78046
Svi, P.M. Monitoring the state of high-voltage equipment without taking it out of service 85—32048
Sviatogor, V.V. *see* Kalinin, A.I. 88—60013
Svich, V.A. *see* Ryabykh, V.N. 85—24486
Svidchenko, A.I. *see* Sudakov, E.N. 86—19651
Svidchenkov, M.V. *see* Petrov, Yu.V. 88—17528
Svider, R. *see* Beglin, P. 88—21447
Sviderskaya, L.I. *see* Gordienko, Yu.E. 88—70975
Sviderskaya, O.V. *see* Pospelova, T.G. 87—43300, 88—31223
Sviderskii, A.G. *see* Davydov, N.I. 85—60028
Svidsky, P.M. *see* Avdyushin, S.I. 86—65373
Svidzinskii, K.K. Defining and comparing computing efficiency in semiconductor and optoelectronic integrated circuits 87—17002
Svidzinskii, K.K. The role of external and internal connections in limiting the speed and computing efficiency of logic integrated circuits 87—37177
Svidzinskii, K.K. *see* Bagdasaryan, M.G. 87—12145, 88—28880, 88—47053
Svilans, M.N., Day, D.J. High gain at low power in InGaAsP double-heterostructure bipolar transistors 88—39422
Svilans, M.N. *see* Houston, P.A. 87—74255
Svilo, E.V. *see* Tolkunov, V.P. 85—65271, 86—12837
Svinarev, S.V. *see* Bychkovskii, S.K. 87—51086
Svin'in, M.P. *see* Gusev, O.A. 85—31676
Svinnset, I. A parametric model for the calculation of costs in the development of cable TV networks 86—17638
Svinolobova, L.B. *see* Bravo, T.D. 85—43970
Svinolulov, Yu.G. *see* Roitman, M.S. 85—58789
Svinolupov, Yu.G. *see* Roitman, M.S. 85—58788, 88—29284
Svintenok, V.A., Nikiforov, E.A. Highly stable pulse stretchers 88—50067
Svintilov, M.V., Yakimovich, O.E. Compact regulated high-voltage supply for photomultipliers 88—50019
Svintsov, A., Gobelkov, V., Kanter, V. Calculation of static angular relationships for the linear synchronous reluctance motor with a saturated magnetic circuit 87—15788
Svintsov, A.A., Inkin, A.I. Magnetic field in the operating volume of a reaction synchronous two-coordinate motor 87—22248
Svintsov, A.A. *see* Aristov, V.V. 86—21327, 87—25021, 88—26124
Svintsov, G.P., Sofronov, Yu.V. On dynamics of power, π-type, AC electromagnets [electromagnetic relays] 86—1440
Svintsov, G.P. *see* Ivanov, I.P. 85—14778
Svintsova, E.V. *see* Lipin, V.M. 85—5600
Svircevic, S. Telephone traffic automation of rarely populated and difficult accessible rural areas 85—47119
Svircevic, S. New approach to the solution of power plants for telecommunication equipment 87—4782
Svirid, V.A. Fiber sensors for measuring liquid level 85—20755
Svirid, V.A., Bogomolov, N.F., Yarovoi, L.K. Laser splicing of lightguides 85—19069
Svirid, V.A. *see* Barvinskii, L.L. 87—35046
Svirida, S.V. *see* Repin, I.A. 86—70369
Sviridenko, E.Ya. *see* Kirillov, P.L. 88—17294
Sviridenko, V.I. *see* Medvedev, V.A. 88—29677
Sviridenkov, E.A. *see* Aivazyan, Yu.M. 86—68478, 87—68320
Sviridenkov, E.A. *see* Ajvasjan, Yu.M. 88—58478
Sviridenkov, E.A. *see* Baev, V.M. 86—48368, 87—26584, 87—61107
Sviridenkov, K.I. *see* Averchenkov, O.E. 88—74317
Sviridov, A.M. *see* Voitenko, V.A. 88—36273
Sviridov, A.P. *see* Bagratashvili, V.N. 85—56511
Sviridov, K.N. *see* Bakut, P.A. 85—46949, 85—51750, 86—16526, 86—37145, 87—27401, 87—69262, 88—73203
Sviridov, M.V. Operation of a ring laser with random frequency modulation 85—56747
Sviridov, M.V. An asymptotic estimate of the error in a ring laser with a random frequency base 87—68557
Sviridov, M.V., Chirkov, V.A. The optimization of a random frequency base in a ring laser 87—68558
Sviridov, M.V. *see* Krobka, N.I. 85—56734
Sviridov, M.Yu. Design of a digital-analog system model for computer analysis 87—10593
Sviridov, O.A. *see* Hegai, N.L. 88—9790
Sviridov, V.M. *see* Afuzov, A.Ya. 86—26284
Sviridov, Yu.B., Veremeenko, S.V. Study of the acoustic channel for velocity and attenuation measurements of ultrasound in a thin rod 87—73177
Sviridov, Yu.F. *see* Evlampiev, S.B. 88—43359
Sviridov, Yu.F. *see* Gromova, L.A. 88—32063
Sviridova, T.P. *see* Belikov, V.A. 88—66491
Sviridova, Yu.F. *see* Fedorov, Yu.D. 88—29921
Sviridova, Z.I. *see* Vainberg, E.I. 86—26949
Svirin, S.T. *see* Abramchuk, G.A. 87—24380
Svirina, L.P. *see* Kuznetsov, V.M. 86—54174
Svirko, Yu.P. *see* Lyakhov, G.A. 85—19014, 86—36434
Svirscheva, E.A. *see* Khoroshevskii, A.N. 87—16903
Svirskii, I.P. *see* Pirogov, V.V. 86—8569, 87—62650
Svirsky, M.A., Cullen, J.K., Walker, C.F. Matching acoustical properties of speech with electrical stimulation frequency boundaries in cochlear implant patients 87—71177
Svishchev, A.M. *see* Ogloblin, B.G. 87—4528
Svistov, A.E. *see* Itskevich, E.S. 86—67707, 88—12965
Svistov, A.E. *see* Kucherenko, I.V. 85—23413
Svistun, M.I. *see* Gizatullin, R.M. 88—33938
Svistunov, A.A. *see* Koledov, L.A. 86—9651, 86—19474
Svistunov, B.L., Frolov, I.N. Transducer with capacitive pickup 85—26313
Svistunov, E.P., Kuznetsov, R.K., Ostretsov, I.N., Kryukov, V.M., Pigilov, Yu.D. Level indication in drum-separators in a nuclear power station with reactor installation 86—25698
Svistunov, V.M., Belogolovskii, M.A., Dyachenko, A.I. One-particle tunneling in metal-insulator-metal structures (a review). I. Electron spectroscopy 86—1852
Sviszt, P. *see* Betko, J. 88—1358
Svitashev, K.K. *see* Kol'dyaev, V.I. 87—38546
Svitek, J. Location of partial discharges in high voltage equipment using ionizing rays 88—71839
Svitluk, V.M. *see* Shmorgun, E.I. 86—50139
Svitlyk, V.M. *see* Shmorgun, E.I. 88—36121
Svito, I.L. *see* Kuznetsov, A.P. 86—30198
Svob, L. *see* Boudoukha, A. 86—8775
Svoboda, D.E. *see* Caldecott, R. 88—67470
Svoboda, J. Electromagnetic compatibility—the necessary conditions for implementing electronics 86—15907
Svoboda, J. Development of a linear high-gradient magnetic separator 88—66005

Svoboda, J., Corrans, I.J. Particle removal from a matrix in HGMS 85−30019
Svoboda, J., Corrans, I.J. The removal of particles from the matrix of a high-gradient magnetic separator 85−35979
Svoboda, J., Dolezal, V. In-circuit testing 87−73902
Svoboda, J., Iomes, I. Rationalisation of data communication by means of local data networks 86−4295
Svoboda, J., Lazer, M., Te Riele, W.A.M. Selective magnetic separation of uranium and gold 87−54505
Svoboda, J. *see* Gooch, R. 88−3103
Svoboda, J. *see* Kukacka, M. 87−13316, 87−27956
Svoboda, J. *see* Mayer, D. 87−59923, 88−32509
Svoboda, J. *see* Vaculikova, P. 85−41639
Svoboda, J.A. Synthesis of short circuit conductance matrices using R Nullor networks 86−7915
Svoboda, J.A. The impact of the personal computer on teaching undergraduate circuits [courses] 86−57129
Svoboda, J.A. Using nullors to analyse linear networks 86−62385
Svoboda, J.A. Introducing personal computers in electrical engineering at Clarkson University 87−65123
Svoboda, J.A. Introducing the personal computer in introductory electrical engineering classes 88−18876
Svoboda, J.A. *see* Wierzba, G.M. 86−57965
Svoboda, J.V. *see* Manoussakis, E. 87−50507
Svoboda, J.V. *see* Manoussakis, E.C. 87−29891
Svoboda, K. *see* Melichar, F. 85−64564
Svoboda, M. Digital analysis of all types of linear antennae 88−2709
Svoboda, M. *see* Lorenz, J. 86−21646
Svoboda, M. *see* Seidl, A. 86−21301, 88−50938
Svoboda, R. Coping with chemical parameters in BWR plants 85−27168
Svoboda, R., Faber, G. Erosion-corrosion of steam turbine components 85−21478
Svoboda, R. *see* Claus, R. 88−16639
Svoboda, R. *see* Perotto, C. 88−23674
Svoboda, R. *see* Roeder, A. 86−51234
Svoboda, R. *see* Sonnenmoser, A. 85−21453
Svoboda, R. *see* Wuest, C.R. 86−1649
Svoboda, S. Equipment of two 500 MW power generating units for Shen-Tou power station from Skoda Plzen Concern 88−62190
Svoboda, V. Short-circuit current loading of HV and EHV electric equipment 88−42732
Svoboda, V., Lopata, L., Banecek, M. Electrical equipment components for SKODA locomotives 87−72522
Svoboda, V., Stiborova, E. New devices in the HV and VHV switching technique with advanced quenching media 88−17767
Svoboda, V. *see* Afek, Y. 86−2303
Svoboda, V. *see* Stiborova, E. 85−44120, 87−58230
Svobodova, B. *see* Ryba, J. 86−60847
Svobodova, L. The role of OSI in distributed computing 88−9183
Svobodova, L. *see* Meister, B. 86−4342
Svobodova, L. *see* Meister, B.W. 86−30091
Svobodova, M., Stenickova, D. Analysis of the existing development and evaluation of the prognosis of load diagrams 88−30290
Svobodova, M. *see* Lulay, M. 85−42650
Svoen, J. Short-term scheduling−present practices and trends 86−70639
Svoen, J. Methods of forecasting demand for electricity 88−42813
Svolou, A., Hudak, J. An expert system prototype for fault diagnosis in a rolling mill 88−31229
Svorcik, V., Rybka, V., Myslik, V. Laser-stimulated etching of n-type semiconductors 88−39059
Svorcik, V. *see* Kubecek, V. 88−71380
Svrcek, W.Y. *see* McRae, J.P. 86−10815
Svrluga, R. *see* Muller, D. 85−64625
Svuba, D. Small utility finds advanced SCADA more economic than EMS 87−71528
Svyachenyy, V.D. *see* Golub, V.S. 86−36999
Svyatchenko, A.A. *see* Bannov, N.A. 85−45433, 85−55786, 87−38197
Svyatchenko, A.A. *see* Lapushkin, I.Yu. 88−13327
Svyatochevskii, A.A. *see* Kashitsin, Yu.I. 86−44258
Svyatogo, V.V. *see* Nadenenko, L.V. 86−17195
Svyatogor, V.V. *see* Bykov, V.L. 85−36994
Svyatogorov, O.A., Sosonkin, M.G. Multipurpose 'Ukus' camera with an image-tube for astronomical photography. III. A stable high-voltage power source 85−22626
Svyatogorov, S.A. Stub directional couplers with waveguide coupling elements with increased range of single-mode operation 85−61431
Svyatoslavskii, N.L. *see* Grishin, M.P. 86−23142
Svyatov, V.A. *see* Chernetskii, N.S. 86−56606
Svyatov, V.A. *see* Ol'khovskii, G.G. 87−22122
Swabey, B.R. *see* Sutcliffe, D.S. 86−38578
Swaby, B.L. *see* Westney, R.P. 88−33833
Swahn, L. Hydro power control using computers 88−23769
Swaim, R.L. Management of continuing education 87−23078
Swain, D.M., Tansey, R.J. Heterodyne holographic interferometry 87−12602
Swain, D.W. *see* Chen, G.L. 88−21014
Swain, G. Li'l Pokey−an electronic poker machine 85−11447
Swain, G. Build this HF amateur transceiver. I 86−37708
Swain, G. Build this HF amateur transceiver. II 86−55149
Swain, G. Kit corner: the DSE radio direction finder 86−69843
Swain, G., Levido, A. Upgraded digital capacitance meter 86−31465
Swain, G., Levido, A. High-power car stereo amplifier. II 86−33809
Swain, G., Ubaudi, F. 30 V/1 A benchtop power supply 85−61067
Swain, G., Ubaudi, F. Build this versatile bench top power supply 86−57637
Swain, G. *see* Clarke, J. 85−14470, 85−14842, 85−16342, 85−37351, 86−20571
Swain, G. *see* Dawson, C. 86−26590
Swain, G. *see* Neuffer, D. 88−68180
Swain, G.R., Browman, A.A. Proposed bunching scheme for a polarized H^- injector 86−32038
Swain, I.D., Colvin, J.B., Ring, E.F., Russell, J., Grundy, D., Grant, L.J. The thermal effects of functional electrical stimulation 86−38804
Swain, I.D., Crook, S.E., Taylor, P.N., Grant, L.J. Functional electrical stimulation 87−50393
Swain, I.D. *see* Ewins, D.J. 88−42577
Swain, I.D. *see* Porter, J.M. 87−63785
Swain, J.E., Lowdermilk, W.H., Milam, D. Raising the surface damage threshold of neutral solution processed BK-7 by pulse laser irradiation 85−7502
Swain, J.E. *see* Vora, H. 85−7198
Swain, M. *see* Brown, C. 87−55269
Swain, M.J., Mundy, J.L. Experiments in using a theorem prover to prove and develop geometrical theorems in computer vision 86−59359
Swain, N. The co-existence of SNA and X25 86−64400
Swain, N. Suppliers in Europe's X.25 marketplace 88−73559
Swain, P.H. Advanced interpretation techniques for Earth data information systems 85−59456
Swain, P.H., Richards, J.A., Lee, T. Multisource data analysis in remote sensing and geographic information processing 86−18542
Swain, P.H. *see* Elliott, C.S. 87−23100
Swain, P.H. *see* Mowle, F.J. 87−36381
Swain, R.S. Cordless telecommunications in the UK 85−36608
Swain, R.S., Motley, A.J. Requirements of an advanced cordless telecommunication product 88−3879
Swain, S. Negative cross-correlation in the quantum-beat laser 88−33913
Swain, S. Field fluctuations and cross-correlation in the two-photon laser 88−33914
Swain, S. *see* Kennedy, T.A.B. 85−7340
Swaja, R. *see* Siskel, R.L. 87−63861
Swaja, R.E., Oyan, R., Sims, C.S., Dooley, M.A. Performance characteristics of a high-level solid-state personnel dosimetry system in pulsed radiation environments 87−4049
Swalen, J.D. *see* Rabolt, J.F. 85−50994
Swallom, D.W. *see* McClaine, A.W. 85−16256
Swallowe, G.M., Tang, T.B., Field, J.E. Application of a video system to time-resolved mass-spectroscopic investigations 86−4874
Swami, A., Giannakis, G.B. ARMA modeling and phase reconstruction of multidimensional non-Gaussian processes using cumulants 88−72971
Swami, A., Mendel, J.M. Cumulant-based approach to the harmonic retrieval problem 88−73044
Swami, A. *see* Giannakis, G.B. 88−40932, 88−70204
Swami, G.T.K., Haines, W.G. Oxidation studies of CoCr thin films for use as magnetic media 85−56079
Swami, G.T.K. *see* Simpson, E.M. 88−51314
Swami, H.S. Trends in national and international standards to maintain the quality of household electrical appliances 87−79229
Swami, N.K. *see* Rangole, P.K. 87−49264
Swami, N.K. *see* Thakur, D.K. 87−38222, 87−38237, 88−31075
Swami, R. *see* Agrawal, S.L. 86−47538, 86−67842, 87−45897, 88−22684
Swami, R. *see* Singh, S.L. 85−31557
Swaminasthan, M.K., Rankin, G.W., Sridhar, K. Some studies on hot-wire calibration using Monte Carlo technique 85−15083
Swaminathan, D. *see* Bandyopadhyay, K. 86−43799
Swaminathan, G., Moorthy, T.S.R., Venkateswaran, L.R., Kamath, K.M. Compatibility of varnished metallic glass laminations with transformer oil 87−73823
Swaminathan, G., Srinivasan, S., Ameerjan, S. Application of metallic glasses to power transformers: technical considerations 87−78731
Swaminathan, K. Some routes for increasing customer satisfaction in Indian telecommunication network 85−2982
Swaminathan, K. Signal restoration from data aliased in time 85−46769
Swaminathan, K., Vaidyanathan, P.P. Design of uniform DFT, parallel, FIR quadrature mirror filters 86−67395
Swaminathan, K., Vaidyanathan, P.P. Theory and design of uniform DFT, parallel, quadrature mirror filter banks 87−17249
Swaminathan, K., Vaidyanathan, P.P. Theory of uniform DFT, parallel, quadrature mirror filter banks 87−27479
Swaminathan, K. *see* Vaidyanathan, P.P. 88−25333
Swaminathan, N., Bhagwat, A.M., Soman, S.D. Track registration properties of CR-39 in electrochemical etching (ECE) and its application to fast neutron dosimetry 85−20848
Swaminathan, P. *see* Palumbo, P.W. 87−47963
Swaminathan, S. Characterisation of III-V quaternary multilayer semiconductor device materials by X-ray diffraction 86−27883
Swaminathan, S. *see* Shrivastava, M.C. 88−39065
Swaminathan, V. Microwave-powered unmanned drone: a poorman's satellite 87−48998
Swaminathan, V., Green, C.A., Huo, D.T.C., Brelvi, M. A photoluminescence technique for characterizing the GaInAsP channeled substrate buried heterostructure wafer for lasing wavelength 88−45424
Swaminathan, V., Lopata, J., Lee, J.W. Elastic stresses in InGaAsP heterostructures with alloyed contact metallizations 88−39129
Swaminathan, V., Parayanthal, P., Hartman, R.L. Electro-optical effects of externally applied ⟨100⟩ uniaxial stress on InGaAsP 1.3 and 1.5 μm injection lasers 88−51790
Swaminathan, V., Schwartz, B., Singh, S., Zilko, J.L. Photoluminescence study of the damage distribution in proton-bombarded (Al,Ga)As-GaAs-(al,Ga)As double heterostructure 85−12716
Swaminathan, V., Stall, R.A., Macrander, A.T., Wunder, R.J. Photoluminescence characterization of molecular beam epitaxy grown $In_xGa_{1-x}As$ ($0.51<x<0.57$) 86−26841
Swaminathan, V., Van Haren, D.L., Zilko, J.L., Lu, P.Y., Schumaker, N.E. Characterization of GaAs films grown by metalorganic chemical vapor deposition 85−50207
Swaminathan, V. *see* Dautremont-Smith, W.C. 87−11347
Swaminathan, V. *see* Pearton, S.J. 87−60105
Swaminathan, V. *see* Stall, R.A. 85−39731, 85−61677
Swaminathan, V.V. *see* Kumar, A. 86−41038
Swampillai, G.J. *see* Croft, T.S. 88−21894
Swamy, K.N.Krishna *see* Krishna Swamy, K.N.
Swamy, M.M. *see* Bhat, A.K.S. 88−55503, 88−75767
Swamy, M.N.S., Roytman, L.M. Pseudo-multifrequency approach to fault diagnosis in DC networks 85−17607
Swamy, M.N.S., Roytman, L.M., Plotkin, E.I. On stability tests for two-dimensional digital filters 85−34083
Swamy, M.N.S., Roytman, L.M., Plotkin, E.I. On stability properties of three- and higher dimensional linear shift-invariant digital filters 86−1269
Swamy, M.N.S., Roytman, L.M., Plotkin, E.I. Planar least squares inverse polynomials and practical−BIBO stabilization on *n*-dimensional linear shift-invariant filters 86−20736
Swamy, M.N.S., Roytman, L.M., Plotkin, E.I. BIBO stability of *n*-D linear shift-invariant filters 86−62765
Swamy, M.N.S., Roytman, L.M., Plotkin, E.I. On practical-BIBO stabilization of *n*-D filters 86−62766
Swamy, M.N.S. *see* Ahmad, M.O. 86−67412
Swamy, M.N.S. *see* Anakwa, W.K.N. 88−37029
Swamy, M.N.S. *see* Ananda Mohan, P.V. 86−1242, 86−27450
Swamy, M.N.S. *see* Bose, N.K. 85−44836
Swamy, M.N.S. *see* Ganesan, S. 86−16450, 86−50586, 87−27256, 88−74315
Swamy, M.N.S. *see* Jayakumar, R. 85−5913, 88−38067
Swamy, M.N.S. *see* Mohan, P.V.A. 86−1234, 86−46975
Swamy, M.N.S. *see* Natesan, J. 85−16834
Swamy, M.N.S. *see* Nguyen, D.T. 85−28649, 86−34109, 86−62735, 87−905
Swamy, M.N.S. *see* Omprakash Sharma, M.S. 88−49941
Swamy, M.N.S. *see* Plotkin, E.I. 85−13571, 86−37023, 87−69215
Swamy, M.N.S. *see* Rajan, P.K. 85−19477, 85−49414, 86−37101, 86−46238
Swamy, M.N.S. *see* Reddy, H.C. 86−35033
Swamy, M.N.S. *see* Reddy, N.S. 85−17700, 85−25056, 85−57361, 87−13757
Swamy, M.N.S. *see* Reddy, P.S. 85−10629
Swamy, M.N.S. *see* Roytman, L.M. 86−20741, 86−27470, 86−67405, 87−32013, 87−45082, 88−899, 88−6981, 88−8748
Swamy, M.N.S. *see* Sharma, M.S.O. 86−57537, 88−18888

Swamy, M.N.S. *see* Thulasiraman, K. 86−62059, 87−184
Swamy, N.V.V.J. *see* Saritepe, S. 86−15732
Swamy, S. *see* Ahuja, N. 86−31307
Swan, C.B., Gewartowski, J.W., Brooks, R.D. Lightwave transmitters, receivers, and data links 86−49633
Swan, C.B. *see* Asous, W.A. 85−20225
Swan, C.B. *see* Bosch, F. 85−37039
Swan, C.B. *see* Liou, K.-Y. 85−7417
Swan, D.G. *see* Bennett, J.C. 85−51491
Swan, G. *see* Namjoo, M. 88−44228
Swan, G.A.H., White, J.M., Downes, M.K. Examples of uprating substations in australia 86−51852
Swan, J., Gearing, B. An equipment vendor's view of fiber optic standards 88−35549
Swan, J.-P., Bausiere, R., Seguier, G. Eliminating 5th-and-7th line current harmonics in AC/DC converters by harmonic currents injection 88−69601
Swan, M.A. *see* Bass, G.L. 87−62917
Swan, M.K. *see* Petersen, J.S. 86−1909
Swan, R.A. Enhanced services over twisted pairs 85−47294
Swan, S. Automatically flatten hierarchical schematics 87−5593
Swan, S. Automatic flattening of design techniques 87−24044
Swan, T., Segal, M.G., Comley, G.C.W., McLean, A.N., Remark, J.F. UK development of decontamination reagents for water reactor systems 85−27236
Swanbaev, E.A. *see* Taurbaev, J.I. 87−46689
Swanberg, M.E. *see* Johnson, R.V. 85−12682, 85−35567
Swanekamp, S.B. *see* Kulkarni, R. 85−23329
Swanepoel, L.P. *see* Biout, B.J. 85−44363
Swanepoel, P.H., Van Wyk, J.D., Schoeman, J.J. Transformer coupled direct base drive technology for high power, high voltage, bipolar transistor PWM converters 88−30912
Swanepoel, P.H. *see* van Wyk, J.D. 88−69523
Swanepoel, R. Determination of surface roughness and optical constants of inhomogeneous amorphous silicon films 85−1280
Swanepoel, R. Accurate IV measurements of high resistance 85−37718
Swanepoel, R., Swart, P.L., Aharoni, H. Influence of argon partial pressure on the electrical and optical properties of sputtered hydrogenated amorphous silicon 86−13810
Swanepoel, R. *see* Myburg, G. 87−31569, 87−58984, 88−70355
Swanger, L.A. *see* Rogers, G.W. 85−43699
Swani, N.M. *see* Kumar, K.L. 87−23147
Swaninathan, V.V. *see* Arya, A. 86−20488
Swank, J.A. Rotate the Bobtail Curtain [wire antenna] 85−57146
Swank, W.D. *see* Bliem, C.J. 86−39595
Swann, G.E.D. Navigation by satellite beacon 86−49755
Swann, K. *see* Nguyen, D.T. 85−13494
Swann, R. Space station−a catalyst for data processing technology development 88−36579
Swann, R., Westwell-Roper, A., Wood, S. The automated extraction of digital terrain models from satellite imagery 87−69393
Swann, S. *see* Shen, Y. 86−41376
Swann, T. *see* Miller, E. 86−22441
Swann, T.A. *see* Newnam, B.E. 86−3198
Swansborough, R.H. Low cost energy management systems 86−13194
Swansen, J.E. Deadtime reduction in thermal neutron coincidence counter 85−43282
Swansen, J.E. *see* Menlove, H.O. 86−32187
Swansen, W.K. Good planning ensures clean microwave boards 86−41396
Swanson, A., Herb, J., Yung, M. First commercial HEMT challenges GaAs FETs 86−35094
Swanson, A.W. The pseudomorphic HEMT 87−52843
Swanson, A.W. *see* Pearah, P. 85−1372
Swanson, A.W. *see* Svensson, S.P. 86−41578, 86−53401, 87−1538
Swanson, B.W. *see* Hobgood, H.M. 88−11960
Swanson, B.W. *see* McGuigan, S. 87−10354
Swanson, C.A. *see* Kreith, K. 85−44654
Swanson, D., Symons, F.W. A fixed-point implementation of the unnormalized least-squares lattice using scaled-integer arithmetic 88−14685
Swanson, D. *see* Ruchti, R. 85−37950, 85−43275, 87−41845
Swanson, D.C., Symons, F.W. The unbiased least-squares lattice 86−16411
Swanson, D.H. The research and technology needs of industry 86−13282
Swanson, D.K., Myerowitz, P.D., Van Lysel, M.S., Peppler, W.W., Fields, B.L., Watson, K.M., O'Connor, J. Arterial blood flow measurement using digital subtraction angiography (DSA) 85−38052
Swanson, D.W., Licari, J.J. Effect of screen tests and burn-in on moisture content of hybrid microcircuits 87−1120
Swanson, E.A., Abbas, G.L., Yang, S., Chan, V.W.S., Fujimoto, J.G. High-speed electronic beam steering using injection locking of a laser-dipole array 87−26419
Swanson, E.A., Chan, V.W.S. Spatial tracking system for heterodyne optical communication 85−31070
Swanson, E.A., Chan, V.W.S. Heterodyne spatial tracking system for optical space communication 86−43826
Swanson, E.J. *see* Dunlop, A.E. 86−63455
Swanson, E.J. *see* Kerth, D.A. 88−70876
Swanson, E.J. *see* Kimble, C.D. 86−660
Swanson, E.J. *see* Steininger, J.M. 87−18870
Swanson, E.J. *see* Wilson, W.B. 86−35870
Swanson, G. *see* Leith, E.N. 85−35906
Swanson, G.D. *see* Campbell, L.L. 87−55165
Swanson, G.J., Leger, J.R., Holz, M. Aperture filling of phase-locked laser arrays 87−39199
Swanson, G.J., Veldkamp, W.B. Binary lenses for use at 10.6 micrometer 86−3353
Swanson, G.J. *see* Leger, J.R. 86−48469, 87−54293, 88−8266
Swanson, G.J. *see* Veldkamp, W.B. 85−41198, 86−48474
Swanson, H.E., Howe, M.A., Jackson, L.W., LaCroix, J.M., Readdy, H.P., Storm, D.W., Van Houten, L.P. NPL superconducting linac control system 86−55933
Swanson, H.E. *see* Amsbaugh, J.F. 86−55924
Swanson, H.E. *see* Sromicki, J. 87−50107
Swanson, H.E. *see* Storm, D.W. 86−24920
Swanson, H.J. SORF−an RF low power SMD alternative package 87−16394
Swanson, H.J. An SMT package for low-power RF circuits 88−6271
Swanson, H.T. *see* Shykoff, B.E. 88−48032
Swanson, J.G. VLSI design at the undergraduate level 88−1722
Swanson, J.G. *see* Adama-Acquah, R.W. 85−18490, 86−2174, 88−13129
Swanson, J.G. *see* Harrison, A.J. 86−886, 87−25346
Swanson, J.G. *see* Lee, W.S. 85−6765
Swanson, J.R., Friend, C.M., Chabal, Y.J. Deposition of iron on Si(111)-(7×7): photo- and electron-assisted decomposition of $Fe(CO)_5$ 88−33085
Swanson, K. New developments in the measurement of slurries and emulsions using Coriolis effect mass flowmeters 88−29711
Swanson, L. *see* Burghard, R.A. 87−61341
Swanson, L. *see* Gesley, M. 88−64170
Swanson, L. *see* McEliece, R.J. 86−59186, 87−12902, 87−39551
Swanson, L. *see* Puretz, J. 85−1622
Swanson, L.W. Field emission source optics 85−45352
Swanson, L.W. *see* Beam Assayag, G. 88−26025
Swanson, L.W. *see* Bell, A.E. 85−59154, 88−42401
Swanson, L.W. *see* Clark, W.M., Jr. 87−41804
Swanson, L.W. *see* Davis, P.R. 86−35262
Swanson, L.W. *see* Defreez, R.K. 86−68523
Swanson, L.W. *see* Gesley, M. 85−11834
Swanson, L.W. *see* Kingham, D.R. 85−37890
Swanson, L.W. *see* Orloff, J. 85−34419
Swanson, L.W. *see* Tuggle, D.W. 85−34418, 86−41467
Swanson, M. *see* Listvan, M.A. 85−7070
Swanson, N. *see* Canfield, L.R. 88−29411
Swanson, N. *see* Kowalski , M.P. 86−63008
Swanson, P. Using temporary solder masks 85−11762
Swanson, P., Alonzo, G., Dey, J. Automatic self-testing of machine-to-machine matching of wafer steppers 85−6787
Swanson, P. *see* Julien, F. 88−51494
Swanson, P.D., Julien, F., Emanual, M.A., Sloan, L., Tang, T., DeTemple, T.A., Coleman, J.J. Low-loss semiconductor waveguide bends 88−45193
Swanson, P.D. *see* Julien, F. 87−46721
Swanson, P.L. *see* Bowen, R. 86−69855
Swanson, P.S. *see* Koontz, R.L. 86−43758
Swanson, R., Zoughi, R., Moore, R.K., Dellwig, L.F., Jiang, J., Soofi, A.K. Backscatter and dielectric measurements at from rocks of southeastern Utah C-, X- and K_u-bands 88−61626
Swanson, R.C. *see* MacPherson, D.C. 88−58675
Swanson, R.E., Hill, F.J., Duan-Ping Chen Comparing VLSI structures using a silicon compiler 86−53768
Swanson, R.E. *see* Underwood, W.E. 88−48692
Swanson, R.M. Point contact silicon solar cells 86−7144
Swanson, R.M. Point contact solar cells: theory and modeling 87−9766
Swanson, R.M. Point-contact solar cells: modeling and experiment 87−15986
Swanson, R.M. Point contact silicon solar cells 87−43468
Swanson, R.M. Point contact silicon solar cells 87−72407
Swanson, R.M., Sinton, R.A. Point contact silicon solar cells 88−18017
Swanson, R.M. *see* Crabbe, E. 87−45898
Swanson, R.M. *see* Crane, R.A. 87−9802
Swanson, R.M. *see* del Alamo, J. 85−45382, 86−7146, 86−47282, 87−6365, 87−32496
Swanson, R.M. *see* del Alamo, J.A. 85−6691, 85−10740, 85−18302, 85−40425, 86−26840, 87−18090, 87−38212, 87−60388, 88−19932, 88−25870
Swanson, R.M. *see* Eades, W.D. 85−1414, 85−34854
Swanson, R.M. *see* Gruenbaum, P.E. 88−49130
Swanson, R.M. *see* Kane, D.E. 87−9763
Swanson, R.M. *see* King, R.R. 88−37552
Swanson, R.M. *see* Kwark, Y. 87−4959
Swanson, R.M. *see* Kwark, Y.H. 85−55790, 86−63253, 88−19931
Swanson, R.M. *see* Loh, W.M. 86−2260, 86−47402, 87−45681
Swanson, R.M. *see* Shenai, K. 85−40687
Swanson, R.M. *see* Sinton, R.A. 86−6998, 87−4899, 87−15970, 87−64812, 88−11382, 88−17933, 88−18047, 88−37556
Swanson, R.M. *see* Swirhun, S. 85−50741
Swanson, R.M. *see* Swirhun, S.E. 85−35167, 86−28022, 86−41512, 86−41590, 87−45570, 88−39390
Swanson, R.M. *see* Taylor, R.W. 86−61749
Swanson, R.M. *see* Yablonovitch, E. 86−7138, 86−19470, 86−28048
Swanson, R.T. *see* Dekamp, J.C. 85−59035
Swanson, R.T. *see* Zeller, A.F. 85−59075, 86−50283, 88−68157
Swanson, R.W. *see* Millman, G.H. 85−51436
Swanson, S. *see* Joshi, N.V. 87−33045
Swanson, S. *see* Vu, T. 86−2204
Swanson, S.J. Availability improvement through operator training [power plants] 88−6171
Swanson, S.K. *see* Vu, T.T. 88−32114
Swanson, S.R. *see* Clayton, L.D. 87−46288
Swanson, W.M. Relative performance of prosthetic heart valves based on power measurements 85−38221
Swanson, W.P. *see* McCaslin, J.B. 87−63597
Swanston, K. *see* McFadden, S.M. 87−21294
Swanston, P. Cellnet−a long way very fast 87−34433
Swant, D.H. *see* Tasca, D.M. 88−29039
Swanton, S.W. *see* Bateman, J.E. 87−77545
Swany, M.N.S. *see* Plotkin, E.I. 86−29867, 88−66569
Swanzy, G. How 'nationwide' is nationwide paging 87−56029
Swanzy, G. *see* Landis, D.L. 88−41128
Sward, D., Look, D. Mobile satellite markets 86−49561
Sward, D.J., Lok, M.F. MSAT system & service description 87−13676
Sward, D.J. *see* Winter, A.E. 86−37816
Sward, R.K. *see* Brown, W.W., Jr. 85−44776
Swarner, W.G., Bryan, R.H. Radar cross-section and imaging measurement systems 88−47206
Swaroop, G., Kar, R.K., Prakash, G. Power supply requirements and their distribution in E-10 B exchanges 88−37315
Swaroop, R., Kim, N., Lin, W., Bullis, M., Shive, L., Rice, A., Castel, E., Christ, M. Testing for oxygen precipitation in silicon wafers 87−45568
Swaroop, R. *see* Gupta, D.C. 85−6802
Swaroop, R.B. Effects of oxygen on process-induced defects and gettering in Cz-silicon 85−55448
Swaroop, R.B. Silicon epitaxy for CMOS devices 87−1373
Swaroop, R.B. Silicon epitaxial growth on N+ substrate for CMOS products 88−6480
Swarstzlander, E.E., Jr., Hallnor, G. Frequency-domain digital filtering with VLSI 85−45184
Swart, D., Banz, I. A review of the human reliability analysis performed for Empire State Electric Energy Research Corporation 85−43800
Swart, D.P. *see* Rae, J.W. 85−626
Swart, F.E. *see* Arbtin, E. 86−33017
Swart, H.C., Louw, C.W., Berning, G.L.P. The oxidation of PtSi, Pt_2Si and polycrystalline silicon in ultrahigh vacuum residual gas 88−39229
Swart, J.A. ISDN business services 87−27829
Swart, J.E. *see* de Souza, J.P. 88−39046
Swart, J.H. On the stability of the telegraph equation 87−62552
Swart, M. *see* Grunwald, S. 87−3298, 87−13919
Swart, P. Navigation system developed for car manufacturers 85−3530
Swart, P. Standard operating systems on chips 85−6336
Swart, P. Firm plans star role in array processing 85−16658
Swart, P. Housing needs in semiconductor land: housings always important 87−72823
Swart, P., Aharoni, H. Some practical remarks on the in situ calibration of the sensitivity factor S of a quadrupole mass spectrometer for hydrogen and argon during RF sputtering for the growth of thin a-Si:H layers 86−7839
Swart, P.L. *see* Lacquet, B.M. 85−34795
Swart, P.L. *see* Swanepoel, R. 86−13810
Swarthout, J.D. *see* Taylor, L.S. 87−77674
Swartwout, R.E. *see* Klinkhachorn, P. 86−965, 86−968
Swartwout, R.E. *see* Noore, A. 88−26455
Swartwout, R.E. *(editor)* Proceedings of the Twenty-Seventh Midwest Symposium on Circuits and Systems 86−50
Swartz, A.A. *see* Kong, J.A. 88−48315
Swartz, C. Pshenichnyi's theorem for vector minimization 87−51999

Swartz, C.K. *see* Curtis, H.B. 86–7128, 87–4942, 88–37488, 88–37499
Swartz, C.K. *see* Stupica, J. 88–37485
Swartz, C.K. *see* Weinberg, I. 86–7127, 87–4882, 87–4940, 87–16035, 87–78952, 88–5878, 88–37467
Swartz, C.K. *see* Weizer, V.G. 85–65458, 86–33656
Swartz, D. *see* Jaggernauth, J. 87–34256
Swartz, E.T., Pohl, R.O. Thermal resistance at interfaces 88–26367
Swartz, G.A. Closed-form solution of *I-V* characteristic for a-Si:H solar cells 85–65445
Swartz, G.A. Gate oxide integrity of MOS/SOS devices 86–28494
Swartz, G.A. Two-step-temperature oxidation for improved oxide integrity in radiation hardened MOS devices with edge topology 86–67986
Swartz, G.A. Gate oxide integrity of NMOS transistor arrays 87–25292
Swartz, J.C. *see* Radack, D.J. 87–67158
Swartz, J.F. *see* Muller, N. 88–50133
Swartz, L., Kitamura, K., Vijan, M., McGill, J., Cannella, V., Yaniv, Z. A high speed high resolution contact line imager using amorphous silicon alloy pin diodes 88–45312
Swartz, L. *see* Den Boer, W. 86–38457
Swartz, L.E. *see* Bachrach, R.Z. 88–47747
Swartz, P.A., Mednick, K. Incremental design rule checking 86–657
Swartz, R.G. In perspective: the tunnel diode 87–18079
Swartz, R.G., Voshchenkov, A.M., Chin, G.M., Finegan, S.N., Lau, M.Y., Morris, M.D., Archer, V.D., Ko, P.K. A 2Gb/s silicon NMOS laser driver 87–19019
Swartz, R.G. *see* Chiu, T.-Y. 88–39640
Swartz, R.G. *see* Jackel, L.D. 85–18328
Swartz, R.G. *see* Lee, K.F. 85–44711
Swartz, R.H. Selecting an optical microscope and conforming to mil specs 88–37992
Swartz, R.W. *see* Hallenbeck, K.S. 87–59399
Swartz, W.E. *see* Providakes, J. 88–53346
Swartz, W.E., Jr. *see* Linn, J.H. 85–28826
Swartz, W.P., Giuffre, C.R., Banzhaf, W.H., de Wit, M., Khan, H., McIntosh, C., Pavey, T., Thomas, D.A. CMOS RAM, ROM and PLA generators for ASIC applications 87–1773
Swartzendruber, R.F. *see* Cagle, G.C. 88–60191
Swartzlander, A. *see* Pern, F.J. 88–37571
Swartzlander, A.B. *see* De Oliveira Cruz, L.R. 86–7142
Swartzlander, A.B. *see* Dhere, N.G. 88–31859
Swartzlander, A.B. *see* Ekin, J.W. 88–44997
Swartzlander, E. *see* Eldon, J. 86–16563
Swartzlander, E. *see* Bromley, K. *(editor)* 88–70015
Swartzlander, E.E., Jr. High speed spectrum analyzer implementation 86–50024
Swartzlander, E.E., Jr. A VLSI based ultra fast FFT 87–6818
Swartzlander, E.E., Jr., Eldon, J.A., Hsu, D.D. VLSI testing: a decade of experience 86–2305
Swartzlander, E.E., Jr., Joseph, S.J. VLSI signal processing: a case study 85–18453
Swartzlander, E.E., Jr., Stroll, S.Z. High speed FFT processor implementation 85–30283
Swartzlander, E.E., Jr., Young, W.K.W., Joseph, S.J. A radix 4 delay commutator for fast Fourier transform processor implementation 85–22933
Swartzlander, E.E., Jr. *see* Stroll, Z.Z. 85–33968
Swartzlander, G.A., Jr., Kaplan, A.E. Self-deflection of laser beams in a thin nonlinear film 88–45510
Swartzwelder, J.C. *see* Mukherji, U. 88–67437
Swartzwelder, J.C. *see* Shugard, D.D. 87–59593
Swarup, J. Using FFT analysers in acoustics 86–65579
Swarup, P. Semiconductor photocathodes for image intensifiers 87–24673
Swarup, P. *see* Bhattacharya, D.K. 85–53818, 87–30957
Swarup, P. *see* Shukla, S.R. 88–25448
Swarup, S. *see* Tewari, R.K. 85–19230, 86–68757, 87–12710, 87–26784
Swarzlander, A., Coutts, T.J., Naseem, S., Massopust, T.P. Analysis of the interface of indium tin oxide with InP 86–52526
Swarztrauber, P.N. Symmetric FFTs 86–66792
Swarztrauber, P.N. Approximate cyclic reduction for solving Poisson's equation 87–58849
Swarztrauber, P.N. Multiprocessor FFTs 87–65454
Swarztrauber, P.N., Kasahara, A. The vector harmonic analysis of Laplace's tidal equations 85–33264
Swasey, H.A. *see* Ito, A. 85–7038
Swassing, C.R. *see* Huff, L.C. 87–9032
Swassing, C.R., II *see* Porter, D.L. 87–9011
Swaszek, P.F. Uniform spherical coordinate quantization of spherically symmetric sources 85–57179
Swaszek, P.F. Asymptotic performance of Dirichlet rotated polar quantizers 86–3769
Swaszek, P.F. Analytic design of convolutional encoders 87–54936
Swaszek, P.F., Ku, T.W. Asymptotic performance of unrestricted polar quantizers 86–59189
Swaszek, P.F., Tufts, D.W., Efron, A.J. Detection in impulsive environments 86–29875
Swaszek, P.F. *see* Martinez, A.B. 85–30259
Swat, M. *see* Lotko, W. 85–15051
Swathirajan, S. Potentiodynamic and galvanostatic stripping methods for characterization of alloy electrodeposition process and product 86–62242
Swatland, H.J. Remote measurement of electrical capacitance in meat carcasses and the effect of frequency and temperature 87–77359
Swatland, H.J. Effect of interface conditions on the optoelectronic measurement of carcass meat quality 88–36253
Swaton, E., Neboyan, V., Lederman, L. Human factors in the operation of nuclear power plants 88–55115
Swayne, D.A. Time-dependent boundary and interior forcing in locally one-dimensional schemes 88–359
Swearengin, R.D. The world goes digital 85–46747
Swearingen, D. MIDI programming 86–55502
Swearingen, D. Master Tracks Pro MIDI Sequencer 88–15807
Swearingen, D.W. Takeoff for aeronautical satellite communications services 88–3931
Swearingen, G.W. *see* Nielson, J.T. 86–18410, 86–44745
Swearingen, P. Multiplexed S/H amplifiers hide glitches 87–52386
Sweatt, W.C., Duffus, R.C. Rotating shearing plate interferometer 88–45529
Sweatt, W.C. *see* Hamil, R.A. 87–21334
Sweatt, W.C. *see* Neal, D.R. 88–51913
Sweatt, W.C. *see* O'Neil, R.W. 87–39181
Sweazey, P., Hansen, C., Johnson, M. Cache memory requirements in RISC computers 88–821
Sweazy, P. Cache memory means faster access, multiple microprocessors 87–5861
Sweby, P.K. *see* Baines, M.J. 86–8749, 87–6560
Swech, H.P. *see* Pruett, D.R. 85–3901
Swedan, S.E., Smith, D.G., Smith, J.L. Performance advantage of introducing an abort function into the DASS ISDN protocol 86–49052
Swedman, W. 'Offshore' assembly in Mexico: a summary of the in-bond program 85–10385
Swedman, W. Offshore assembly in Mexico—a summary of the in-bond program 85–16743
Swee Poo Gee *see* Gee Swee Poo
Sweedler, A., Green, J., Cronyn, W., Johnson, D. Operating performance of a grid-connected residential photovoltaic system in San Diego 86–6659
Sweedler, J.V., Denton, M.B., Sims, G.R., Aikens, R.S. Single-element charge-injection device as a spectroscopic detector 88–22649
Sweedler, J.V. *see* Epperson, P.M. 88–4458
Sweedyk, E.A. *see* Balaban, P. 88–3839
Sweeney, D. Uninterruptable power supply 85–59654
Sweeney, D. Frequency hop system for navy communications 86–69624
Sweeney, D.A., Lee, M.R. Packet technology—a satellite channel multiplier 85–30990
Sweeney, D.J. Learning about Loran 87–70162
Sweeney, D.L., Sweeney, M. Field strength/intensity measurement [antennas] 88–42267
Sweeney, D.W., Gallagher, N.C., Jr. Reflective optical elements for use in the microwave region 86–9997
Sweeney, D.W., Gallagher, N.C., Jr. Multi-element microwave computer generated holograms 88–65911
Sweeney, D.W., Ochoa, E., Schils, G.F. Experimental use of iteratively designed rotation invariant correlation filters 87–75852
Sweeney, D.W., Schils, G.F. Iteratively designed optical correlation filters for distortion invariant recognition 87–39940
Sweeney, D.W. *see* Allebach, J.P. 88–65897
Sweeney, D.W. *see* Felker, B. 85–994
Sweeney, D.W. *see* Ochoa, E. 87–26138, 88–59228
Sweeney, D.W. *see* Schils, G.F. 86–63699, 87–2575, 87–55265, 88–72186
Sweeney, D.W. *see* Seldowitz, M.A. 87–68636
Sweeney, E., Kenny, J. MAP: an implementor's point of view 88–3579
Sweeney, E., Redmond, P., Harhen, J. FMS in electronic assembly—a case study 85–5777
Sweeney, E., Redmond, P., Harhen, J. FMS in electronic assembly—a case study 88–18480
Sweeney, F., Davis, E.J., Spedding, T.A., Stout, K.J. An application of optical surface assessment to engine preparation techniques 88–42285
Sweeney, F.J., March-Leuba, J., Wood, R.T. Excitation sources for fuel assembly vibrations in a PWR 85–53491
Sweeney, F.L., Jr. *see* Carmody, S. 85–57792
Sweeney, G. *see* McLaughlin, K.L. 86–9093
Sweeney, G.G., Alvarez, T.R. Comparison of impurity profiles generated by spreading resistance probe and secondary ion mass spectrometry 88–7463
Sweeney, G.G. *see* Hwang, B.-Y. 88–13568
Sweeney, G.P. Information, communication and future prosperity 88–118
Sweeney, J. A new cross sectional thinning technique for transmission electron microscopy 85–50174
Sweeney, J. Vapour phase soldering 86–26628
Sweeney, J. Affordable 911 service for all [emergency telephone system] 88–34997
Sweeney, J.D., Mortimer, J.T. An asymmetric two electrode cuff for generation of unidirectionally propagated action potentials 86–65397
Sweeney, J.L. The response of energy demand to higher prices: what have we learned? 85–49215
Sweeney, K., Cummings, D. K_a-band solutions for frequency spectrum congestion 87–70010
Sweeney, K. *see* Corke, M. 87–12190 to 12191, 87–76811
Sweeney, K. *see* Kopera, P. 86–63681
Sweeney, K.J. Satellite hardware systems for 30/20 GHz 87–40858
Sweeney, K.J. *see* Cummings, D. 88–53220
Sweeney, K.L., Corke, M., Kale, B.M., Kopera, P.M. Wavelength dependence of devices fabricated in single mode fiber 87–46538
Sweeney, K.L. *see* Akhavan Leilabady, P. 88–16150
Sweeney, K.L. *see* Bryan, D.A. 85–35878
Sweeney, K.L. *see* Corke, M. 88–13857, 88–35539
Sweeney, K.L. *see* Johnson, L.M. 88–45119
Sweeney, K.L. *see* Kopera, P.M. 88–45099
Sweeney, K.L. *see* Muhs, J.D. 88–14304
Sweeney, K.L. *see* Prater, R.L. 88–13865
Sweeney, K.L. *see* Schmidt, K.M. 87–74788, 88–45438
Sweeney, M. *see* Junping Zou 88–64302
Sweeney, M. *see* Sweeney, D.L. 88–42267
Sweeney, M.A. PBFA-II vacuum insulator stack failure mechanisms 87–21313
Sweeney, M.A., Patterson, E.L., Samlin, G.E. Numerical simulations of the operation of an electron-beam pumped laser 88–40154
Sweeney, M.A. *see* Cook, D.L. 87–43208
Sweeney, M.A. *see* Gerber, R.A. 86–32102
Sweeney, M.A. *see* Johnson, D.J. 85–37876, 85–59105
Sweeney, M.F., Mahler, R. A travelling-wave parametric amplifier utilizing Josephson junctions 85–55130
Sweeney, M.S. *see* Kovacs, S.G. 86–60834, 87–50418, 88–54637
Sweeney, P. Coding 88–72761
Sweeney, R. *see* Hindel, R. 85–31825
Sweeney, T. What's on the menu? [FCC and land mobile] 85–42474
Sweeney, T. Land mobile's 1985 market 86–23701
Sweeney, T. Relief in sight [land mobile and broadcasting frequency sharing] 86–30935
Sweeney, T. Florida's narrow escape [public safety communications systems] 86–55147
Sweeney, T. Software copyright: what is protected? 87–56
Sweeny, M.F. An all-thin-film SQUID for ambient field operation 85–58669
Sweeny, M.F., Gershenson, M., Fleming, D.L. Materials and fabrication processes for Nb-Si-Nb SNAP devices 85–56196
Sweeny, M.F. *see* Fleming, D.L. 85–58670
Sweet, A. The development of a commercial telesoftware service 85–13858
Sweet, A.A. A parametric study of the behavior of 1 micron GaAs FET amplifiers 86–27609
Sweet, A.H., Nelson, N.J., Battey, J.F. Copper etching process for fine line PCBs 88–7197
Sweet, A.H., Nelson, N.J., Battey, J.F. Copper etching process for fine line printed circuit boards 88–12846
Sweet, A.L., Lam, Y., Bott, J. Computation of mean time to failure for a system with simple redundancy 87–31335
Sweet, D.R. The use of pivoting to improve the numerical performance of Toeplitz solvers 87–55110
Sweet, F.W., Siferd, R.E. Design of a programmable digital filter using CMOS VLSI technology 88–19294
Sweet, G.C. *see* Hoover, J.R. 85–63473
Sweet, J. *see* Stefferud, E. 85–25370
Sweet, J.N. *see* Rose, M.T. 86–23380
Sweet, L.M., Case, A.W., Jr. Advanced arc welding robot technology using vision sensor-based control systems 85–53995
Sweet, L.M. *see* Heck, B.S. 85–10192
Sweet, M.A.S., Rennie, J. Calcium sulphide as a thermoluminescence γ-ray and UV dosimeter 87–50445
Sweet, M.A.S., Rennie, J. Thermoluminescence dosimetry using doped calcium sulphide 88–33866
Sweet, M.M. *see* Fredricksen, H.M. 86–34166
Sweet, M.M. *see* Mesirov, J.P. 88–272
Sweet, R. *see* Bourbakis, N.G. 88–41760
Sweet, R.A. A parallel and vector variant of the cyclic reduction algorithm 88–63230
Sweetana, A. *see* Carlson, W.G. 86–51142
Sweeting, D.K. A proposal for the organisation of electrical power research in Australia 86–33995

Sweeting, D.K. Impulse testing proposals for high voltage motors 87−42800
Sweeting, D.K. *see* Berneryd, S. 86−6825
Sweeting, M.N. The University of Surrey *UoSAT*-2 spacecraft mission 88−9476
Sweeting, M.N. *UoSAT*-1: a review of orbital operations and results 88−9483
Sweeting, M.N. Cost-effective spacecraft engineering in low Earth orbit satellites 88−73887
Sweeting, M.N., Ward, J.W. Low cost digital satellite communications for rural areas 88−60110
Sweeting, M.N., Ward, J.W., Underwood, C.I., Macbeth, R.C. The *UoSAT* spacecraft mission control groundstation 88−9484
Sweeting, M.N. *see* Mansi, L.S.A. 88−9477
Sweeting, M.N. *see* Underwood, C.I. 88−9485
Sweetman, B. Laser radar: a new and versatile sensor 86−4746
Sweetman, B. And now, the stealth-defeating radar! 87−63034
Sweetman, B. The new wave in aircraft power 87−77812
Sweetman, B. US synthetic aperture radar developments 88−10667
Sweetman, B. Leading-edge technology for Swedish AEW [airborne early warning radar] 88−41731
Sweetman, B. The ITT Falcon—a purpose-built coastal defense radar 88−60240
Sweetman, B. Combat cockpit of the future. US promotes ambitious cockpit displays 88−61531
Sweetman, B., Hewish, M. Airborne navigation 88−36602
Sweetman, D. Accurate edge-triggered pulse generator 86−52727
Sweetman, D. Calculate the MTBF of EEPROMs with on-chip error correction 88−32187
Sweetman, D. Preventing malfunctions of microprocessor-based equipment 88−38565
Sweetman, D., Haifley, T. Reliability enhancements—million cycle EEPROMs 87−44858
Sweetman, D. *see* Hooshmand, G.A. 85−15040
Sweetman, D.E. *see* Choinski, T.C. 88−16341
Sweetman, J.M. The Falkland Islands Trunk System 87−7916
Sweetnam, D.J. A plywood satellite-TV dish 86−22849
Sweeton, D.C. Using RS-511 to meet the requirements of real-time communications in the factory 87−28053
Sweeton, D.C., Crowder, R.S. MAP and MMS serving the needs of the process industries 88−59691
Swegle, A.R. *see* Mueller, R.N. 86−60244
Swegle, J. *see* Leifeste, G.T. 85−23359
Swegle, J.A. Analytic theory of the Sandia backward wave oscillator 85−23356
Swegle, J.A. Approximate treatment near resonance of backward and traveling wave tubes in the Compton regime 86−14813
Swegle, J.A. Starting conditions for relativistic backward wave oscillators at low currents 87−45526
Swegle, J.A., Poukey, J.W., Leifeste, G.T. Backward wave oscillators with rippled wall resonators: analytic theory and numerical simulation 86−1639
Swegle, J.A., Slutz, S.A. Current neutralization of intense light ion beams in argon gas 87−29392
Swegle, J.A. *see* Leifeste, G.T. 86−35270
Sweid, I., Guillemot, N., Kamarinos, G. Two-dimensional analytic solution for the diffusion equation in the care of silicon-on-insulator structures 88−57393
Sweid, I., Guillemot, N., Kamarinos, G. A two-dimensional analytical solution of the diffusion equation for silicon-on-insulator structures 88−57425
Sweitzer, K. *see* Dalton, E. 87−24598
Sweitzer, K.A. A mechanical impedance correction technique for vibration tests 88−55958
Swen, J.W. *see* Gallaher, E.J. 85−37490
Swencki, S. *see* Pape, R. 86−44933
Swencki, S.J. *see* Dyer, R.T. 86−32751, 86−70885
Swencki, S.J., Jr. *see* Dyer, R.T. 87−42831
Swenne, C.A., van Hemel, N.M. Algorithms for the interpretation of ventricular arrhythmias 85−9207
Swensen, A.R. On a *GI/M/c* queue with bounded waiting times 87−51923
Swensen, A.R. *see* Bredrup, E. 86−4161, 87−13512
Swensen, E.C. *see* Clausen, B.R. 87−57888
Swensen, G. Replacing bellows with pressure ICs 86−28574
Swensen, G. MPX 2000 silicon pressure sensors. Application circuits 88−4384
Swensen, M. *see* Kurtz, J. 87−51868
Swenson, C. *see* DiBitonto, D. 87−56973
Swenson, C.A. *see* Bizek, H.M. 88−16586, 88−57256
Swenson, C.A. *see* DiBitonto, D. 87−50027
Swenson, C.A. *see* McIntyre, P.M. 88−54067
Swenson, D. *see* Huson, F.R. 86−31828
Swenson, D.A. Superconducting RFQs in the 100 MeV range 86−25031
Swenson, D.A. Manifold-coupled linac structure 86−31795
Swenson, D.A. A coaxial pulse line accelerating structure 86−31843
Swenson, D.A. *see* Iwashita, Y. 86−31991
Swenson, D.E. Principles of static protective packaging and work station design 86−46090
Swenson, D.E. Principles of static protective packaging and work station design 86−53767
Swenson, D.E., Lieske, N.P. Triboelectric charge-discharge damage susceptibility of large scale ICs 88−50979
Swenson, D.R., Anderson, L.W. Wall relaxation rates for an optically pumped Na vapor 86−55978
Swenson, D.R. *see* Anderson, L.W. 87−77506
Swenson, E.J. Present and future applications for laser processing of hybrids and semiconductors 85−45335
Swenson, E.J. Nd:YAG lasers in semiconductor processing 85−55633
Swenson, E.J. Present and future applications for laser processing of hybrids and semiconductors 86−21332
Swenson, E.J., Wagner, R. Laser trimming of monolithic circuits: new applications for a proven process 85−23909
Swenson, J.K. A high resolution projectile electron spectrometer 85−59228
Swenson, M. *see* Parrillo, L.C. 87−46217
Swenson, R. *see* Chendo, M.A.C. 87−26144
Swenson, R. *see* Hillman, P.D. 85−16996
Swenson, R. *see* Osborn, D.E. 87−22756
Swensrud, R.B. *see* Shinn, H.R. 86−11033
Swensrud, S.B. *see* Shinn, H.R. 85−58069
Swensson, R.G. *see* Judy, P.F. 88−21307
Swensson, S. *see* Goepper, D. 86−12411
Swent, R.L. Avoiding thermal breakdown in overdriven digital circuit outputs 87−44723
Swent, R.L., Ward, M.J. Thermal analysis of backdriven output transistors 87−24110
Swerdlow, S. Persuasive documents that sell projects and ideas: writing the effective letter proposals 88−63123
Swerdlow, S., Goodin, E.H. The essential skills for effective writing: do writers of technical correspondence meet the standards of business communication? 87−36409
Swerdlow, S. *see* Strate, L. 88−6174
Swerdlow, V.J. *see* Janow, V.P. 88−62680
Swerinson, A., McKay, J. Digital techniques for SCPC networks 85−47488
Swerling, P. Some methodological considerations in reducing RCS data to target model 85−63725
Swerling, S. Global acceleration—the new wave 86−66955
Swerling, S. *see* Feuer, M. 86−21748
Swerup, J. Mobile phones—a Swedish view 86−23764
Swerup, J. Continued success for the mobile telephone 87−28416
Swerup, J., Wiklander, I. Software structure in a PABX with distributed control 85−14058
Swerup, J. *see* Lindell, F. 88−9428, 88−9450
Swerup, J. *see* Linder, G. 88−8979 to 8980
Swet, C.J. New directions in high temperature solar thermal storage 88−37048
Swetland, G. VT Editing: the integrated family approach 86−24149
Swetman, J.P. *see* Slotboom, J.W. 85−50738
Swets, D.E. *see* Partin, D.L. 85−41389, 86−46338
Swette, L., Giner, J. Oxygen electrodes for rechargeable alkaline fuel cells 88−49125
Swezey, B.G. Current trends in US electricity use 86−40191
Swezey, B.G. Recent trends in US electricity use and prices. II 86−65616
Swiatek, F.E. *see* Colton, J.R. 85−752
Swiatek, J. *see* Tkaczyk, S. 88−44717
Swiatogor, W. *see* Berta, S. 87−47179
Swick, G. Telecommunications voltage protection: debunking the myths 88−41163
Swickert, S.L. *see* Xapsos, M.A. 88−25993
Swidan, A.M. *see* Fayoumi, A.H. 85−7947
Swidenbank, E., Bo, Z., Hogg, B.W. Control of laboratory turbogenerator using digital signal processors 87−42821
Swidenbank, E., Boyd, I., Hogg, B.W. On-line identification of large turbogenerators 85−65216
Swidenbank, E. *see* Bo, Z. 88−48900
Swidenbank, E. *see* Hogg, B.W. 88−11195
Swider, W. Ionic mobility, means mass, and conductivity in the middle atmosphere from near ground level to 70 km 88−61649
Swiderski, J. Unified analysis of local flow control mechanisms in message-switched networks 85−19555
Swiderski, J. Examining packet-switching networks with local congestion control for exposure to store-and-forward deadlocks 87−48669
Swiderski, T. *see* Jaworski, J. 85−39835
Swidzinska, B. Some remarks on a variable step Gear's method 86−46277
Swidzinskal, B.E. *see* Kudrewicz, J. 86−67111
Swiercz, S. *see* Lam, C.W.H. 86−68982
Swierczynski, T. *see* Olesik, J. 85−1211
Swierkowski, S., Mayeda, K., Cooper, G., McConaghy, C. A sub-200 picosecond GaAs sample-and-hold circuit for a multi-gigasample/second integrated circuit 86−47028
Swierkowski, S.P. *see* Rodwell, M.J.W. 88−20022
Swierstra, S. *see* Benoit, A. 87−57317, 88−36647
Swierstra, S.D. *see* de Raaf, A.J. 87−13436
Swierzawski, T.J. Improved thermal efficiency cuts nuclear power costs 87−50939
Swierzawski, T.J., Patkowski, P.J. Optimizing steam turbine sizes for cogenerating plants 87−64431
Swietlicki, B. *see* Ciurapinski, W. 87−74897
Swietlicki, T. *see* Kaczmarczyk, T. 88−75077
Swietlicki, Z. *see* Szalbierz, Z. 85−48641
Swiffin, A.L., Pickering, J.A., Arnott, J.L., Newell, A.F. PAL: an effort efficient portable communication aid and keyboard emulator 86−25271
Swift, A., Hastings, C., Pickett, S., Hartwig, R. Losing your innocence in programmable logic: a PLD pilgrim's progress 87−59287
Swift, A.H.P. *see* Hohenemser, K.H. 85−15952
Swift, C. *see* Chang, K.Y. 88−70707
Swift, C. *see* Le Vine, D. 88−5180
Swift, C.A. *see* Houghton, F. 85−24916
Swift, C.D., Bliss, E.S., Jones, W.A., Reeves, R.J., Seppala, L.G., Shelton, R.T., VanArsdall, P.J. Target plane imaging system for the Nova laser 87−39184
Swift, C.D., Bliss, E.S., Jones, W.A., Seppala, L.G. Three wavelength optical alignment of the Nova laser 85−18997
Swift, C.D., Bliss, E.S., Jones, W.A., Seppala, L.G. A target plane imager for inertial confinement fusion 86−22458
Swift, C.T., Ruf, C., Tanner, A., Levine, D. The electronically steered thinned array radiometer (ESTAR) 87−57436
Swift, C.T. *see* McIntosh, R.E. 85−26912, 85−32014
Swift, C.T. *see* Raghavan, R.S. 85−26913, 86−25438
Swift, D.A. Cap and pin insulators: an assessment of techniques for detecting defective porcelain 87−50828
Swift, D.A. *see* Stannett, A.W. 88−69025
Swift, D.R. *see* Abbott, W. 85−34363
Swift, D.W. Low-budget teletraining in Hawaii 86−60069
Swift, D.W. Innovations in imaging 87−26116
Swift, D.W. The application of holographic optical elements to head-up displays 88−8348
Swift, D.W., Barnett, M.J. Hawaii dials 1 for outer space [videotelephony system] 87−8469
Swift, D.W., Freeman, M.H. Application of head-up displays to cars 86−66463
Swift, E. *see* Feess, B. 88−29003
Swift, F.J. *see* Analouei, A.R. 87−15918
Swift, G. *see* Emery, L. 88−54456
Swift, G. *see* Ting-Ih Hsu 86−67487
Swift, G.W. Current and voltage waveform sampling methods for digital protection and metering devices 88−30419
Swift, G.W., Mansour, M.M. Complex waveform signal generator for protective relay testing 86−5334
Swift, G.W., Migliori, A., Wheatley, J.C. Liquid metal thermoacoustic engine 87−43470
Swift, G.W., Stones, D.I. A comprehensive design technique for the radial wave power combiner 88−70978
Swift, G.W. *see* Mansour, M.M. 85−64999, 86−39242, 86−56403, 87−30265
Swift, G.W. *see* Mohamed, E.A. 87−77992, 88−23304, 88−23561
Swift, G.W. *see* Naidu, M. 87−43144
Swift, G.W. *see* Tay, H. 87−30727
Swift, G.W. *see* Tay, H.C. 85−32552
Swift, G.W. *see* Yunik, M. 85−63903
Swift, J. Work-management program boosts productivity 86−18734
Swift, J. Planning the network 88−3355
Swift, J. *see* Sobhy, M.I. 85−34198
Swift, J.B. Fully integrated MMIC FET multipliers 86−41349
Swift, J.B., Jenkins, J.A., Saul, P., Eddison, I.G., Pengelly, R.S. GaAs ICs for microwave frequency synthesizers 86−35124
Swift, J.B. *see* Wiemer, L. 86−14532
Swift, K.J. *see* Dewhurst, R.J. 86−3401
Swift, M.A. *see* Gellings, C.W. 88−61863
Swift, R.H. On maximising the long-term efficiency of water pumping windmills 88−37133
Swift, R.H. *see* Dixon, J.C. 86−61442, 86−70839
Swift, R.N. *see* Hoge, F.E. 86−32550 to 32551
Swift, R.N. *see* Walsh, E.J. 86−12179, 86−32554, 87−71388, 88−10579
Swift, S.G. Using distributed microprocessor systems in marine applications 85−4462
Swift, T. *see* Weisbion, C.R. 85−53478
Swift, W.L. *see* Izenson, M.G. 88−36583
Swift-Hook, D.T. Wind power for the UK—conclusions and recommendations 88−37136
Swigger, K.M., Holman, B.B. Intelligent tutoring systems for Air Force applications 88−62945

Swiler, D.R., Varshneya, A.K., Prideaux, P.H. Strength of Ge-Sb-Se chalcogenide glass fibers 88−475
Swillo, R. *see* Ostrowski, J. 87−75266
Swimm, R.T. *see* Merkle, L.D. 85−7489
Swindal, W.N. Compact packaging technique 85−10515
Swindal, W.N. *see* Davis, J.W. 85−45775
Swindale, A.J. Hartlepool/Heysham I commissioning experience 85−48771
Swindell, H.V. Conductive plastics potentiometers—a new technology 88−7077
Swindell, W. *see* Hynynen, K. 87−41991
Swindle, R.I., Delapeyre, J., Nichols, P.A. ISDN standards investigation 88−28516
Swindle, R.I., Murray, J.A. Office network architecture 86−49103
Swindlehurst, A.L., Stirling, W.C. An adaptive empirical Bayes decision-directed detector 88−3104
Swindlehurst, A.L. *see* Stirling, W.C. 88−3167
Swindler, D.L. A comparison of vacuum and SF$_6$ technologies at 5-38 kV 85−21764
Swindler, D.L. A comparison of vacuum and SF6 technologies at 5 kV through 38 kV 86−6952
Swindon, T.N. The wearing position of personal radiation monitors 85−64640
Swinehart, D.C. Telephone management in the Etherphone system 88−52771
Swinehart, D.C. *see* Terry, D.B. 88−21565, 88−35004
Swinehart, D.C. *see* Zellweger, P.T. 88−41256
Swinehart, G.E. *see* Hirschman, C.B. 85−51878
Swinehart, P.R. *see* Krause, J.K. 86−11549
Swingler, D.N., Walker, R.S., Krolik, J. High-resolution broadband beamforming using a doubly-steered coherent signal-subspace approach 88−73114
Swingler, D.N., Walker, R.S., Lewis, G.B. Linear prediction for aperture extrapolation in line array beamforming 87−27476
Swingler, D.N. *see* Walker, R.S. 87−62078
Swingler, S.G. Ensuring satisfactory mechanical performance from polymeric cable sheathing 88−64010
Swingler, S.G. On the short-term electric strength of polyethylene film 88−64849
Swingler, S.G., Jackson, R.J., Drysdale, J. The dielectric response of polyethylene cable containing water trees 85−1798
Swingler, S.G., Stevens, G.C., Gibbons, J.A.M. Small-scale assessment of flame propagation and heat release rate of electric cable materials 88−68957
Swingler, S.G., Weedy, B.M. Polymer tape dielectrics for flexible superconducting cables 88−55029
Swingler, S.G. *see* Stevens, G.C. 85−1800
Swingler, S.G. *see* Weedy, B.M. 88−13620
Swiniarski, R. ISO-7 protocol and its application in series transmissions between microcomputers in simple local networks 87−62675
Swiniarski, R. Reduced order observer application to the recursive state estimation of nonlinear electrical machine 87−78691
Swinnen, J.F., Jacobs, P.A., Uytterhoeven, J.B., Tollens, E.F. An economic and simulation approach for renewable natural resources. Ethanol production in the EEC: a case study 88−69089
Swinnerton, B.W. MANWEB industrial metering policy 86−32874
Swinnerton, B.W. *see* Rogers, W.J.S. 87−50711
Swinney, E.A. Applications of GPS in the commercial world 87−41121
Swinth, K.L., Sisk, D.R. Computer-controlled testing and calibration of health physics instruments 88−61479
Swinth, K.L. *see* Selby, J.M. 85−48352, 87−63857
Swiontek, T. *see* Chilbert, M. 88−74779
Swirhun, S., Sangiorgi, E., Weeks, A., Swanson, R.M., Saraswat, K.C., Dutton, R.W. Latchup free CMOS using guarded Schottky barrier PMOS 85−50741
Swirhun, S. *see* Crabbe, E. 87−45898
Swirhun, S. *see* del Alamo, J. 85−45382, 86−47282
Swirhun, S. *see* Saraswat, K.C. 85−22547
Swirhun, S. *see* Sinton, R.A. 86−6998
Swirhun, S.E., del Alamo, J.A., Swanson, R.M. Measurement of hole mobility in heavily-doped n-type silicon 86−41512
Swirhun, S.E., Kane, D.E., Swanson, R.M. Temperature dependence of minority electron mobility and bandgap narrowing in p$^+$ Si 88−39390
Swirhun, S.E., Kwark, Y., Swanson, R.M. Measurement of electron lifetime, electron mobility and band-gap narrowing in heavily doped p-type silicon 87−45570
Swirhun, S.E., Loh, W.M., Swanson, R.M., Saraswat, K.C. Current crowding effects and determination of specific contact resistivity from contact end resistance (CER) measurements 86−28022
Swirhun, S.E., Sangiorgi, E., Weeks, A.J., Swanson, R.M., Saraswat, K.C., Dutton, R.W. A VLSI-suitable Schottky-barrier CMOS process 85−35167
Swirhun, S.E., Swanson, R.M. Temperature dependence of specific contact resistivity 86−41590
Swirhun, S.E. *see* Loh, W.M. 86−2260, 86−47402, 87−1282, 87−45681
Swirhun, S.E. *see* Sangiorgi, E.C. 86−21822
Swirhun, S.E. *see* Saraswat, K.C. 87−1312
Swiryn, S. *see* Slocum, J. 88−4973
Swistacz, B. Analysis of processes in metal-dielectric-metal system with regard to trapping 87−38001
Swistacz, B. The effect of generation-recombination processes and of injection mechanisms on current-voltage dependences in the metal-dielectric-metal system. I. Carrier generation 88−1466
Swistacz, B. The effect of generation-recombination processes and of injection mechanisms on current-voltage dependences in the metal-dielectric-metal system. II. Carrier recombination 88−1467
Swistacz, B. Nonrelativistic change of magnetic flux within a closed conductor; translatory and rotary motion 88−34198
Swit, A. *see* Jakubowski, A. 85−18456
Swit, A. *see* Kozminski, K.A. 88−56543
Swit, A. *see* Maly, W. 85−35056
Switaiski, B. *see* Melke, J. 88−24527
Swithenby, S.J. SQUID magnetometers: uses in medicine 87−50215
Swithenby, S.J. *see* Ioannides, A.A. 87−54485
Switick, D.M. *see* Meyer, R.A. 85−53509
Switkes, E., Tootell, R.B.H., Silverman, M.S , De Valois, R. Picture processing techniques applied to autoradiographic studies of visual cortex 86−50525
Switkiewicz, Z. A correlation method for non-contact measurement of liquid flow in an open channel 86−55893
Switzer, C. Display technologies for control applications 85−42889
Switzer, D.L. *see* Bowman, R. 87−48249
Switzer, D.L. *see* Gatenby, P.V. 88−7854
Switzer, H. *see* Marx, E. 87−44456
Switzer, H. *see* Waters, M. 87−38335
Switzer, I. A 'perfect picture' service for cable 85−47705
Switzer, I. Service delivery concepts [cable TV] 87−56383
Switzer, I. Video transport systems for optimizing CATV systems 88−29101
Switzer, J.A. The n-silicon/thallium(III) oxide heterojunction photoelectrochemical solar cell 86−66332
Switzer, P. MIN/MAX autocorrelation factors for multivariate spatial imagery 86−29691
Switzer, P. *see* Green, A.A. 88−30143
Switzer, P. *see* Ingebritsen, S.E. 85−57538
Switzer, S. *see* Kraemer, K.L. 85−42756
Swn Wang *see* Wang Swn
Swoboda, C. *see* Barsotti, E. 88−54403
Swoboda, D.P. Upgrade methods improve performance of hot-side precipitators 87−26645
Swoboda, J. Computer networks—situation and development tendencies 87−20239
Swoboda, J., Kohler, B., Bachle, A. A tool for specification and simulation and its application to ISDN D-channel protocol 87−48292
Swoboda, J. *see* Kohler, B. 88−53006
Swoboda, J. *see* Portscht, R. 85−52064
Swoboda, M., Pura, R., Schmid, C. A new control method for loudspeakers 86−44048
Swol, R.Van *see* Van Swol, R.
Swoope, S.C. San Onofre Units 2 and 3 fuel performance 86−19013
Swope, G.R. *see* Paulson, A.S. 87−69110
Swopes, L. *see* van Daal, A.J.W. 88−21517, 88−21882
Sworakowski, J. *see* Miniewicz, A. 88−58658
Sword, C.K., Simaan, M. Estimation of mixing parameters for cancellation of discretized eddy current signals using time and frequency domain techniques 86−52576
Sword, C.K., Simaan, M., Kamen, E.W. Multiple target tracking using sensor arrays 88−41725
Sworder, D.D. Control of systems subject to measurement misclassification 85−5396
Sworder, D.D. On the relative advantage of imaging vs. continuous trackers 88−4117
Sworder, D.D. Improved target prediction using an IR imager 88−21313
Sworder, D.D., Elliott, D.F. Structured background in IR signal processing 87−7767
Sworder, D.D., Elliott, D.F. A renewal process model of nuclear background 88−3117
Swords, S. The beginnings of radar 85−58220
Sworowski, P. Computer-controlled DC-motor as drive system for track motions 87−58369
Swyer, J., Snyder, R. Reconnaissance in cellular communication 88−35409
Sy, A. An alternative editing technique for oceanographic data 86−22985
Sy, A.M. *see* Yamanashi, W.S. 86−32353
Sy, B.-K., Deller, J.R., Jr. A design concept for a knowledge-based message generation system for the nonverbal, profoundly motor disabled 88−36522
Sy, B.-K. *see* Deller, J.R. 88−72859
Sy, H.K., Desai, D.K., Ong, C.K. Electron screening and mobility in heavily doped silicon 86−1683
Sy, H.K., Ong, C.K. Electron mobility in heavily doped silicon 85−11905
Sy, K.-B.K. *see* Pitt, D.A. 86−69437
Sy, K.K., Pitt, D.A., Donnon, R.A. Source routing for local area networks 86−54926
Sy, K.K., Shiobara, M.O., Yamaguchi, M., Kobayashi, Y., Shukuya, S., Tomatsu, T. OSI-SNA interconnections 88−3528
Sy, K.K. *see* Andrews, D.W. 85−42253
Sy, R., Thanawastien, S. Performance evaluation of dual channel local area network architectures 87−55439
Sy, W.N.-C. Higher frequency spectrum of a diffuse linear pinch with multiple ion species 85−46576
Sy-Ken Kuo *see* Fuchs, K. 88−63738
Syaber, N.A., Grekalo, N.E., Sin'kov, V.M., Bukhan, B.D. Training thermal-power engineers on the operation of the electrical side of power stations 85−32949
Syagailo, A.I. *see* Kashkarov, P.K. 86−15053
Syamalamba, Y., Srinivasulu Naidu, B., Jayarama Reddy, P. Physical investigations on single phase In$_{1-x}$Ga$_x$Sb films 86−41553
Syamaprasad, U. *see* Galgali, R.K. 88−6440
Syamaprasad, U. *see* Gumaste, J.L. 88−6439
Syamasundara Rao, Y. *see* Sumathy, M.R. 87−14362
S'yanov, A.M. *see* Zabolotnyi, A.P. 88−17600
S'yanov, V.A. *see* Pakhomov, Yu.I. 86−16316
Syas'ko, V.A. *see* Brandorf, V.G. 85−52864
Sybille, G., Gavrilovic, M.M., Belanger, J., Do, V.Q. Transformer saturation effects on EHV system overvoltages 85−44042
Sybille, G. *see* Tran, D.K. 85−15622
Sychenko, A.S. *see* Artemyan, G.L. 87−35937
Sychev, A.A. *see* Babenko, V.A. 87−68407, 88−58482
Sychev, A.N. Linearization methods used in the design of combination devices 87−37142
Sychev, E.I., Konstantinov, N.M. Metrological specifications for engineering systems 87−63203
Sychev, L.I. *see* Mechev, V.S. 85−5575, 85−16478
Sychev, P.E. *see* Polishchuk, V.P. 87−66815
Sychev, V.I. *see* Kozlov, A.P. 87−4653
Sychev, V.V. *see* Al'tov, V.A. 88−31870
Sychev, Yu.P., Saar, S.A., Yurasov, V.T., Egorov, E.A. Study of the operation of the TVM-500 turbogenerator under asynchronous conditions 87−4659
Sychev, Yu.P., Semashko, N.V., Lebedev, A.T., Cheremisin, V.V., Anishev, E.Yu., Ponomarev, V.M. Results of adjustments and tests of power unit electrical equipment with a BN-600 reactor [nuclear power stations] 85−32295
Sychevskii, S.E. *see* Daikovskii, A.G. 87−68709
Sychevskij, S.E. *see* Doinikov, N.I. 88−66001
Sychowski, H.-G.von *see* von Sychowski, H.-G.
Sychowski, H.G.V. Put aside conventional design methods [ASICs] 88−64647
Sychowski, H.G.Von *see* Von Sychowski, H.G.
Sychra, J.J., Pavel, D.G., Olea, E. Computerized diagnosis of cardiac left ventricular abnormalities based on image sequences obtained by radionuclide ventriculography 87−50301
Sychugov, V.A., Tishchenko, A.V., Tulaikova, T.V. Narrow-band integrated optical-filter 85−35537
Sychugov, V.A., Tulaikova, T.V. Waveguide effect during photoetching of semiconductors 85−7273
Sychugov, V.A. *see* Avrutskii, I.A. 87−25982, 87−46493, 87−74711, 88−20424, 88−40228, 88−58198
Sychugov, V.A. *see* Bazakutsa, P.V. 85−24638
Sychugov, V.A. *see* Belovolov, M.I. 87−68592
Sychugov, V.A. *see* Belyanko, A.E. 86−48073
Sychugov, V.A. *see* Dianov, E.M. 85−20205, 88−20430
Sychugov, V.A. *see* Golubenko, G.A. 86−63666, 87−1965, 87−26056
Sychugov, V.A. *see* Lyndin, N.M. 88−58925
Sychugov, V.A. *see* Miler, M. 85−8435
Sychugov, V.A. *see* Svakhin, A.S. 86−63655
Sychugov, V.A. *see* Zhizhin, G.N. 85−18723
Syck Jun Sung *see* Sung Syck Jun
Sycko, V. *see* Chaplin, K.R. 88−23218
Sycko, V.N. *see* Chaplin, K.R. 88−6581, 88−10662
Sydenham, P.H. Elastic design of fine mechanism in instruments 85−14585
Sydenham, P.H. Measurement and instrumentation courses in Australia: 1984 86−89
Sydenham, P.H. Structured understanding of the measurement process. I. Holistic view of the measurement system 87−8501
Sydenham, P.H. Structured understanding of the measurement process. II. Development and implementation of a measurement process algorithm 87−8502
Syder, J.S. *see* Wolejsza, C.J., Jr. 87−8222
Sydor, J.T. Mobile satellite terminal development at the Department of Communications 87−28495

Sydor, J.T. A study on the co- and adjacent channel protection requirements for mobile satellite ACSSB modulation 88−73837
Sydow, F.von *see* von Sydow, F.
Sydow, J. *see* Adam, E. 87−71878, 87−78350, 88−17286
Sydow, M. *see* Fridkin, V.M. 87−38897
Syed, A., Field, J.A. Performance analysis of error control alternatives in local area networks 86−55014
Syed, A.A. *see* Shamim, A. 88−49785
Syed, K.E., Abidi, A.A. Gigahertz voltage-controlled ring oscillator 86−53035
Syed, M.A. *see* Ilyas, M. 88−46629
Syed, V.H. *see* Newman, J.L. 85−7298
Syed, V.H. *see* van Saders, J.G. 88−26903
Syed-U-Zafar, M. *see* Arif, Z. 85−37957
Syh-Tsong Chiou Source term calculations for the radioactive waste management system of the Maanshan Nuclear Power Station 85−15725
Sykas, E.D. Comments on 'Synchronous and channel-sense asynchronous dynamic group-random-access schemes for multiple-access communications' 85−57554
Sykas, E.D., Karvelas, D.E., Protonotarios, E.N. Queueing analysis of some buffered random multiple access schemes 87−2673
Sykas, E.D., Markovitch, D.P., Protonotarios, E.N. Adaptive algorithms for load sharing between processors with applications to routing schemes 86−43595
Sykas, E.D. *see* Apostolopoulos, T.K. 85−47205, 87−62641
Sykas, E.D. *see* Drigas, A.S. 88−3411
Sykas, E.D. *see* Kehagias, G.K. 88−3312
Sykas, E.D. *see* Protonotarios, E.N. 87−34007 to 34008, 87−55412
Sykes, D. *see* Pape, I.J. 88−64283
Sykes, D.E. Surface analysis of semiconductors 85−45513
Sykes, D.E. *see* Cowern, N.E.B. 87−25067
Sykes, D.E. *see* Martin, T. 85−49541
Sykes, D.E. *see* Williams, G.M. 88−49805
Sykes, D.J. *see* Cochran, J.K. 87−77740
Sykes, D.J. *see* Keskey, L.C. 87−77742
Sykes, E.A., White, C.C., III Specifications of a knowledge system for packet-switched data network topological design 86−43594
Sykes, J., III. *see* Sherbini, S. 85−64642
Sykes, J.B. The characterisation of high power class C devices for a broadband high efficiency band II amplifier 85−44915
Sykes, M. Hardware/software integration in microprocessor-based systems 85−14693
Sykes, M. Personal instruments in the 80's: a revolution 85−64012
Sykes, M. End to end pcb design 87−17482
Sykes, M. Laser scanning head in coordinate measurement techniques 87−56841
Sykes, T. Switched-mode power supplies−the facts behind the spec 86−46552
Sykes, T.R. Plug-in SMPSUs suit 19 in rack technology 87−72252
Sykora, B. Are active directional filters unequivocally more advantageous than passive filters? 85−52577
Sykora, J. *see* Cechura, J. 86−19209, 86−51463
Sykora, J. *see* Kubias, T. 87−49772
Sykora, O., Vrto, I. Tight chip area lower bounds for string matching 88−13482
Sykora, O. *see* Duris, P. 86−14145, 86−28370, 87−67313
Sykorova, D. *see* Tichy, R. 88−20272
Sykulska, E. A state-space computer study of HV AC-DC power transmission systems 86−56302
Sykulska, E. Improving static stability of AC system by joint usage of controlled DC link 87−21908
Sykulska, E. *see* Davies, A.E. 86−12392
Sykulski, J.K. Computer package for calculating electric and magnetic fields exploiting dual energy bounds 88−34232
Sykulski, J.K. *see* Davies, A.E. 86−12392
Sylimova, M.I. Experience in the use of circuit-breaker back-up equipment 87−4836
Sylin, G. *see* Noblet, A. 85−52999
Sylla, D. Control engineering for flue gas desulphurization plants 86−51468
Syllaios, A.J. *see* Colombo, L. 85−33386
Syllaios, A.J. *see* Talasek, R.T. 85−34840, 85−45469
Sylor, M.W. Managing Phase V DECnet networks: the entity model 88−52880
Sylos, M. *see* Cannistra, G. 88−48928
Sylos Labini, M. *see* Amoruso, V. 86−50926, 88−74552
Sylos Labini, M. *see* Cannistra, G. 87−22346
Sylos Labini, M. *see* Castagna, V. 87−30881
Sylos Labini, M. *see* Chiarolla, D. 85−43650
Sylva, M. *see* McMillin, L.M. 88−74977
Sylva, P.Da *see* Da Sylva, P.
Sylvain, M. An overview on multipath studies 86−29362
Sylvain, M., Lavergnat, J. Modelling the transfer function in medium bandwidth radio channels during multipath propagation 86−29365
Sylvain, M., Lavergnat, J. Modelling the transfer function of a 55 MHz wide radio channel during multipath propagation 86−30637
Sylvain, M. *see* Gole, P. 88−46890
Sylvain, M. *see* Lavergnat, J. 85−19122, 86−29364, 86−29366, 86−55154, 87−48897
Sylvain, R. *see* Amick, J.A. 85−49106
Sylvan, J. Hybrid interface for LVDTs 85−11355
Sylvan, J. 14-bit D/A converter provides complete microprocessor interface over wide temperature range 85−33990
Sylvan, J. Sensor data transferred by chip 85−58683
Sylvan, J. Resolver-to-digital IC makes move to monolithic 87−44955
Sylvan, J. A monolithic RD converter 88−835
Sylvan, J. New options for resolver-to-digital conversion 88−12455
Sylvan, J. Projection television takes on a new look 88−22342
Sylvan, J. Monolithic DAC for RF signal processing 88−25291
Sylvan, J. Saving space on the board: multiple digital-analogue converters 88−32273
Sylvanus, F., Saydam, T. IEEE 802.4 token bus emulator 86−23531
Sylvere, O. Towards an optimal transformation of a paper into an electronic document 88−14993
Sylvester, D. Six-inch wafers: bigger is better! 86−9187
Sylvester, D. The Icom IC04E 88−28716
Sylvester, R.J. A concept for more test time on flight software 85−9269
Sylvester-Evans, R. *see* Livingston-Booth, A. 86−19786
Sylvestre, J. *see* Chalaoui, J. 85−43377
Sylvestri, J. *see* Cahoon, E.C. 87−751
Sylvia, J., Deziel, R. Auto-insertable passive devices−integrating circuits in DIP switches 85−45276
Symanczyk, R. *see* Baumann, H. 87−74249
Symanczyk, R. *see* Jager, D. 86−67733
Symanski, J.J. Architecture of the systolic linear algebra parallel processor (SLAPP) 87−52536
Symanski, J.J., Henderson, T., Shirasago, J., Celto, J., Drake, B. SLAPP: a special purpose multiprocessor array for signal processing and linear algebra 88−40933
Symanski, J.J. *see* Drake, B.L. 87−66202
Symanski, J.J. *see* Patterson, R.H. 85−30303
Symanski, J.S., Mahato, B.K., Bullock, K.R. Defining a recombination efficiency for sealed, lead-acid batteries. A material balance approach 88−49113
Symborski, C.W. Updating software and configuration data in a distributed communications network 88−52971
Syme, D.B. *see* Yorkston, J. 88−22926
Syme, J. *see* Morkel, A. 87−10149
Syme, R.W.G. *see* Moreau, W.R. 85−44420
Symeonidis, C.I. *see* Theodorou, D.E. 88−65469
Symes, P. The Kaleidoscope DPM-1 digital effects system 86−69911
Symes, P.D. Multilevel compositing in the digital domain 88−74160
Symes, R.A. *see* Damper, R.I. 88−4986
Symington, D.C. *see* Monga, T.N. 86−12027
Symko, O.G. *see* Bruno, A.C. 86−50054
Symko, O.G. *see* Costa Ribeiro, P. 87−67905
Symko, O.G. *see* Lee, B. 88−20303
Symm, G.T. An introduction to the application of boundary element methods in electrostatics 86−63912
Symm, G.T. *see* Grant, J.P. 86−55725, 88−61364
Symmonds, G. *see* Shuchman, R. 86−6137
Symon Chang Tung *see* Tung Symon Chang
Symonds, E.M. *see* Murray, H.G. 88−54585
Symonds, G. *see* Finch, A. 86−66951
Symonds, G. *see* Finch, A.C. 86−20916
Symonds, G.R. *see* Bradley, R.P. 88−74901
Symons, B.J. *see* Warren, C.S. 85−63387
Symons, E.D.P. Two electrical book collections: The Ronalds and Thompson Libraries 86−19703
Symons, F.W. *see* Swanson, D. 88−14685
Symons, F.W. *see* Swanson, D.C. 86−16411
Symons, J. Keeping the power supply efficient and reliable 87−64243
Symons, J., Axelgaard, J., Bellatti, J., McNeal, D.R., Waters, R.L. Electromyography and acceleration of the trunk as trigger sources for implantable gait stimulation 86−25317
Symons, J., Baert, K., Nijs, J., Mertens, R. Amorphous and microcrystalline silicon bipolar heterojunction transistors 88−26231
Symons, J., Ghannam, M., Neugroschel, A., Nijs, J., Mertens, R. Silicon heterojunction bipolar transistors with amorphous and microcrystalline emitters 88−19934
Symons, J., Ghannam, M., Nijs, J., van Ammel, A., de Schepper, P., Neugroschel, A., Mertens, R. The use of amorphous and microcrystalline silicon for silicon heterojunction bipolar transistors 87−25225
Symons, J., McNeal, D.R., Waters, R.L., Perry, J. Trigger switches for implantable gait stimulation 87−21680
Symons, J., Nijs, J., Vanhellemont, J., Baert, K., Michiel, H., Willeke, G., Vandervorst, W., Mertens, R. Heterojunction bipolar transistors (HBT) with a-Si:H or μc-Si emitter 88−44748
Symons, J. *see* Baert, K. 88−18675
Symons, J. *see* Mertens, R. 88−13349
Symons, J.I. Measuring the sensitivity of FM receivers by the SINAD method 85−3649
Symons, K.D. *see* Inkol, R.J. 86−58002
Symons, P.C. Advanced technology zinc/chlorine batteries for electric utility load-leveling 85−48551
Symons, R.S. Scaling laws and power limits for klystrons 87−45516
Symons, R.S., Arfin, B., Boesenberg, R.E., Ferguson, P.E., Kirshner, M., Vaughan, J.R.M. An experimental Clustered-Cavity klystron 88−38990
Symons, S. *see* Stuchly, S.S. 86−65258
Symons, T.J.M. *see* Dufour, J.P. 86−25124
Symons, T.J.M. *see* Kobayashi, T. 87−35338
Symons, W.M. *see* Pritchard, G.T. 86−64521
Symour, B. Run a computer flight simulator with a modified Ada 88−30077
Syms, C. Logic pulser probe 85−17263
Syms, R. *see* Watkins, R.E.J. 87−45806
Syms, R.R.A. Optical directional coupler with a grating overlay 85−29641
Syms, R.R.A. Resonant cavity sensor for integrated optics 85−50984
Syms, R.R.A. Characteristic mode theory of coupled waveguide arrays with periodically varying properties 86−36126
Syms, R.R.A. Multiple-waveguide distributed feedback lasers 86−42554
Syms, R.R.A. Perturbation analysis of nearly uniform coupled waveguide arrays 87−1935
Syms, R.R.A. Path-integral formulation of multiple scattering problems in integrated optics 87−26063
Syms, R.R.A. Approximate solution of eigenmode problems for layered coupled waveguide arrays 87−46467
Syms, R.R.A. Asymmetric switch response of three-arm directional couplers in $Ti:LiNbO_3$ 88−7955
Syms, R.R.A. Advances in channel waveguide lithium niobate integrated optics 88−51543
Syms, R.R.A., Peall, R.G. Explanation of asymmetric switch response of three-arm directional couplers in $Ti:LiNbO_3$ using strong coupling theory 88−51505
Syms, R.R.A., Watkins, R.E.J. On-chip integrated optic mirrors in $Ti: LiNbO_3$ by ion-beam micromachining 88−7952
Syms, R.R.A. *see* Korpel, A. 87−54083
Syms, R.R.A. *see* Peall, R.G. 88−72124
Syms, R.R.A. *see* Slinger, C.W. 85−35904, 87−33331
Synal, H.A. *see* Gassen, H.J. 86−50292
Synder, D. *see* Saubert, M. 85−61528
Synder, P.M., Stewart, W.J. An approximate numerical solution for multiclass preemptive priority queues with general service time distributions 86−7603
Synejko, A. *see* Siemko, A. 87−63498
Synek, S. *see* Chobola, Z. 86−60251
Synek, S. *see* Chokola, Z. 85−24400
Syngellakis, S. *see* Lee, P.C.Y. 87−67661
Synkov, V.G. *see* Doroshev, V.D. 86−11768
Synnott, S.P. *see* Kuiper, T.B.H. 86−4785
Synnott Armit, D.N. APX 211 02−a new processor for the AXE system 86−17135
Synofzik, R. *see* Salge, J.G.H. 87−19163
Synorov, Yu.V. *see* Sysoev, B.I. 86−47418
Syoji, K. Measurement of dynamic grinding force of abrasive grain 87−29309
Syphers, D.A., Martin, K.P., Higgins, R.J. Observation of giant induced voltages in high mobility $GaAs-Al_xGa_{1-x}As$ heterostructures in the quantized Hall regime 86−35381
Syphers, D.A., Martin, K.P., Higgins, R.J. Giant induced voltages in the quantum Hall regime 86−53415
Syphers, D.A., Martin, K.P., Higgins, R.J. Determination of transport coefficients in high mobility heterostructure systems in the presence of parallel conduction 87−1227
Syphers, D.A., Woo, K.C., Stiles, P.J. Effect of slow interface states on the quantum Hall effect 85−6762
Syphers, D.A. *see* Furneaux, J.E. 86−53668, 88−19969
Syphers, M.J. Statistics of dipole steering in the Tevatron 86−24976
Syphers, M.J. The new FNAL booster-to-main ring beam transport system 88−54326
Sypkens Smit, A.T. District heating in the Netherlands 87−79219
Sypko, N.I. *see* Nikolaenko, V.V. 85−51067
Sypko, N.I. *see* Oleksenko, P.F. 88−29511
Sypko, N.I. *see* Sukach, G.A. 88−8075
Sypko, N.I. *see* Svechnikov, S.V. 86−63732
Sypko, S.A. *see* Mazin, M.A. 86−14552
Sypko, S.A. *see* Pavelets, A.M. 85−22523
Sypniewski, J. *see* Polaszek, E. 85−20924
Sypniewski, S. Aperiodic switched-mode, solid state high power class D_{ap} HF amplifier 87−37028
Sypplie, W. Video displays versus mosaic mimics 87−20908
Sypplie, W. *see* Appenheimer, C.F. 85−21943
Sypula, R.J. *see* Barrett, H.A. 85−3746
Syr, V.A.St. *see* St. Syr, V.A.
Syrbe, H. *see* Pause, S. 87−47026

Syrbu, A.V. *see* Bezhan, N.P. 87−33194, 87−63423, 88−14218, 88−22127
Syrbu, A.V. *see* Gitsu, D.V. 86−54147
Syrbu, N.N. *see* Kamertsel', A.Yu. 85−50265
Syrdal, A.K. Aspects of a model of the auditory representation of American English vowels 85−63005
Syreishchikov, A.E. *see* Vasilev, P.G. 86−15435
Syren, J. The on-load tap-changer, a network controller 87−64674
Syresin, E.M. *see* Astrelin, V.T. 88−54093
Syrets, O.F. *see* Dezhkunova, S.V. 87−36833
Syretskii, G.A. *see* Lisitsyn, V.A. 86−44278
Syrett, B.A. *see* Lam, D.K.W. 86−58850, 87−46731, 87−54164
Syrett, B.A. *see* MacDonald, R.I. 87−38947
Syrett, B.A. *see* Wardle, G.A. 88−15552
Syrett, M.C. *see* Affolter, K.B. 88−57495
Syrett, M.C. *see* Baker, R.L. 87−32581
Syr'ev, N.E. *see* Vyzulin, S.A. 86−28636
Syrgabekov, I.N., Bunegin, V.V., Karapatnitskii, I.A. Optical cryostat with cooled modulator [far IR detector] 86−44321
Syrgoichev, S.I. *see* Gogoshev, M.M. 85−48475
Syries, L. *see* Mayousse, C. 88−32455
Syrigos, H., Crossland, D., Van Wyck, B. Miniature monopulse comparator 86−4725
Syrimis, N. *see* Carasso, G. 85−54916
Syrkin, A.L. *see* Anikin, M.M. 85−55767, 86−34317, 87−18063, 87−32289, 87−53238, 88−57343
Syrkin, A.L. *see* Dmitriev, V.A. 86−47521, 87−35155, 87−60155
Syrkin, A.L. *see* Popov, I.V. 87−17962
Syrkin, A.L. *see* Vainshtein, S.N. 88−50829
Syrkin, B.L. *see* Sitnik, N.Kh. 87−5026
Syrkin, L.N. *see* Polandov, I.N. 86−60377
Syrmos, V.L. *see* Mertzios, B.G. 88−38629
Syrmos, V.L. *see* Mertzios, V.G. 88−32326
Syroka, Z. The gamma distribution as applied to analysis of fading radio signals 86−42848
Syromyatnikov, A.G. *see* Belogorskii, V.V. 87−21300
Syromyatnikov, A.N. *see* Matyushin, O.T. 86−29884
Syromyatnikov, V.G. *see* Kezerashvili, V.Ya. 88−54096, 88−61045
Syromyatnikov, V.S. *see* Khairullin, I.Kh. 85−46531
Syropaeva, E.S. *see* Tikhonova, I.E. 88−37155
Syropushchinskii, V.M. *see* Shcherbina, A.V. 87−78477
Syrota, A. *see* Brittoun, J. 87−50268
Syrota, A. *see* Dinh, S.T. 86−11941
Syrota, J. The energy perspectives at the 2000 horizon 88−10753
Syrovatka, B. Transmission of two sound signals/stereo in a television channel by means of analogue modulation 85−31183
Syrovatka, B. Coding of stereo sound in a television channel during analogue sound transmission 85−37241
Syrovatka, V.V. *see* Kuchuk-Yatsenko, S.I. 85−27847
Syrovoi, V.A. Theory of two-dimensional potential flows of similarly charged particles 86−3449
Syrovoy, V.A. On invariant solutions of the equations of a nonsteady-state beam of charged particles 86−22620
Syrovoy, V.A. Solutions of equations of a stationary beam, invariant with respect to transformations with arbitrary time functions 86−22623
Syrovoy, V.A. The synthesis of nonparaxial relativistic beams of charged particles 86−27797
Syrovoy, V.A., Shanturin, L.P. Synthesis of extended relativistic beams using antiparaxial expansions 88−72509
Syrovoy, V.A. *see* Vashkovskiy, A.V. 88−2490
Syrtmadzhiev, A.D. *see* Marinov, M.I. 86−25744
Syrtsev, V.N. *see* Fel'dman, G.G. 87−53133, 88−42158
Syrtsev, V.N. *see* V'yugina, T.S. 86−5077, 86−27810
Syrtsov, V.A. *see* Antonenko, A.I. 87−30576
Syrus, V. *see* Andryunas, K. 86−15755, 86−29109, 86−42641
Syrus, V. *see* Vasil-eva, M.A. 86−9954
Syrus, V. *see* Vasil'eva, M.A. 85−24663, 86−9801
Syrus, V. *see* Vishchakas, Yu. 85−41373
Syrusas, V. *see* Viscakas, J. 88−33977
Syr'yev, N. *see* Vyzulin, S.A. 86−22606
Syrzycki, A. *see* Holejko, D. 88−53897
Syrzycki, M. Modelling of spot defects in MOS transistors 88−12283
Syrzycki, M., Maly, W., Gos, J. A model of NMOS transistor for system simulation 87−11773
Syrzycki, M. *see* Korzec, D. 88−26463
Syrzycki, M. *see* Maly, W. 85−23793, 85−35056
Sysala, O. *see* Srank, Z. 85−41258
Syshchikov, M.T. *see* Baskakova, Z.A. 87−30032
Syski, R. Markovian functionals in teletraffic analysis 87−40228
Syski, W. *see* Ruszczynski, A. 87−5350
Syslo, M.M. Series-parallel graphs and depth-first search trees 85−10599
Sysoev, A.A., Khafizov, R.S., Kalinin, Yu.T., Borisov, S.N., Markarov, A.N. Deposition of aerosol particles from a gas flow for mass spectrometry 85−9380
Sysoev, B.I., Antyushin, V.F., Strygin, V.D. Determination of the surface mobility in a charge-coupled metal-insulator-semiconductor structure 86−58327
Sysoev, B.I., Bezryadin, N.N., Dronov, A.S., Robinskii, A.P. Passivation of semiconductor surfaces by a film of a wide-band semiconductor 86−35598
Sysoev, B.I., Bezryadin, N.N., Synorov, Yu.V., Agapov, B.L. Investigation of gallium selenide films, grown by the hot wall method, on silicon substrates 86−47418
Sysoev, V.G. *see* Serykh, G.M. 85−3857
Sysoev, V.I., Antyushin, V.F., Strygin, V.D. Modulation of space charge regions in isotypic field-effect structures with a wide-gap semiconductor layer under the gate 85−29044
Sysoev, V.K. *see* Abakumov, A.O. 86−50629, 86−70431
Sysoev, V.K. *see* Aleinikov, V.S. 85−31870, 86−28855
Sysoev, V.K. *see* Alejnikov, V.S. 85−62335
Sysoev, V.K. *see* Artjushenko, V.G. 85−7233
Sysoev, V.K. *see* Artyushenko, V.G. 85−2025, 85−42983, 86−2749
Sysoev, V.K. *see* Baikalov, P.I. 86−9519
Sysoev, V.K. *see* Dianov, E.M. 85−24255, 85−50914, 86−22165, 88−7942, 88−51490
Sysoev, V.K. *see* Masychev, V.I. 85−2224
Sysoev, V.K. *see* Perminova, V.N. 86−15492
Sysoev, V.K. *see* Plotnichenko, V.G. 85−2030
Sysoev, V.K. *see* Vasil'ev, A.V. 86−9908
Sysoev, V.S. *see* Trunov, O.K. 86−18407
Sysoev, V.V. *see* Trofimov, G.G. 85−53335
Sysoeva, L.V. *see* Ivakin, V.N. 86−41196
Sysoeva, L.V. *see* Khoudiakov, V.V. 86−12451
Sysolyatin, A.A. *see* Dianov, E.M. 88−51490
Sysoyev, A.S. Structure of the field of decaying harmonics in the diffraction of wave beams by one-dimensionally periodic gratings 88−66051
Sysoyev, V.U. Convolution of a multifrequency signal using truncated FFT algorithms 86−37061
Sysuev, V.M. *see* Pentrun'kin, V.Yu. 87−46515
Sysun, V.V. *see* Denisov, V.P. 87−22885
Sysun, V.V. *see* Roldugin, V.I. 86−40277
Sytchev, V.V. *see* Altov, V.A. 85−41044, 87−38674, 87−38683, 88−51376
Sytdykov, R.A. Multiple criteria for optimizing and correcting networks of energosystems manifesting failing power supply 86−65595
Sytenko, L.V. *see* Grekhov, V.V. 85−31302
Sytenko, L.V. *see* Pugachev, V.A. 86−42094
Sytenko, T.M. *see* Zimenko, V.I. 86−14926
Sytenko, T.N. *see* Lysenko, V.S. 86−21283
Sythe, D. *see* Jaffe, J. 88−48006, 88−61159
Sytin, A.P. *see* Abramovich, R.D. 86−25978
Sytin, A.P. *see* Ol'khovskii, G.G. 88−37070
Sytnik, O.V. *see* Presnyakov, I.I. 88−72954
Sytnik, O.V. *see* Presnyakov, I.N. 86−42924, 87−39511, 87−39813, 88−20928, 88−66228
Sytnik, O.V. *see* Presnykov, I.N. 86−48691
Sytnik, V.M. *see* Bykov, V.N. 87−28696
Sytnik, V.V. *see* Ageyev, A.I. 85−50890, 88−45015
Sytnik, V.V. *see* Andreyev, N.I. 85−26650, 86−53933
Sytnikov, V.E., Svalov, G.G., Dolgosheev, P.I. Distribution of current between layers in multiconductor current conductors of a superconducting transmission line 85−43617
Sytnikov, V.E. *see* Akopov, S.G. 87−42485
Sytnikov, V.E. *see* Dolgosheev, P.I. 85−43616
Sytnikov, V.E. *see* Peshkov, I.B. 87−35654
Sytnikova, N.M. *see* Shcherbina, A.V. 87−78477
Syts'ko, Yu.I. *see* Arteev, M.S. 86−22293
Syts'ko, Yu.I. *see* Belov, A.L. 85−24482
Syukasev, G.M. *see* Strunets, V.K. 87−58488
Syunry, T.S., Madan, R.S., Prabhugaonkar, V.B. Sealing and vacuum processing techniques for high power microwave tubes and low energy linacs 86−53301
Syut'ev, A.N., Pidsan, V.A. Technology for automatic argon arc butt welding AMg61 alloy of large thickness 85−22014
Syutkin, B.D. *see* Rudenko, Yu.N. 87−9093
Syuvatkin, V.S. *see* Vvedenskiy, Yu.V. 87−10722
Syuzdan, E. *see* Kholeyko, K. 88−36231
Syuzev, V.V., Bezrukov, S.A., Kondakov, S.E. Synthesis of quasi-optimum algorithms for first-order differentiating-smoothing filters 87−47700
Syuzev, V.V., Vinokurov, E.V. Fast signal-differentiation algorithm 87−61859
Syvester, D. The new alchemists in Silicon Valley 85−176
Syzranov, V.A. *see* Lis, V.T. 87−17226
Syzranov, V.A. *see* Mirskikh, G.A. 85−23103
Szabados, B. The effects of heavy-duty inverters on an electrical power supply system [electromagnetic interference] 85−38444
Szabados, B. Characterization of the electromagnetic environment with the installation of industrial rectifiers 86−6852
Szabados, B., El Nahas, I., El Sobki, M.S., Findlay, R.D., Poloujadoff, M. A new approach to determine eddy current losses in the tank walls of a power transformer 87−72194
Szabados, B. *see* Alden, R.T.H. 86−57122
Szabados, B. *see* Brown, G.M. 87−4794
Szabados, B. *see* El Nahas, I. 86−66128, 88−52089
Szabados, L., Biro, E., Ezsol, G., Maroti, L., Perneczky, L., Toth, I., Trosztel, I., Vigassy, J. Forrocsatorna meghatarozasra alapozott uzemvitel a Paksi Atomeromu VVER-440-ES reaktoraban. I. Resz. A verona rendszer reszekent mukodtetheto szamitasi eljaras es modszer (Thermal-hydraulics determinations for the Paks Nuclear Power Station's VVER-440ES reactor. I. Results from the VERONA method using a subchannel approach) 87−57844
Szabados, L. *see* Ezsol, G. 87−57843
Szabados, L. *see* Toth, I. 85−21409
Szabados, M., Roman, C., Taylor, B. Transmission of real time oceanographic and meteorologic data from ships 88−48370
Szabados, M. *see* Beach, B. 85−63354
Szabados, M.W. *see* Friske, D.A. 85−32027
Szabados, T. Up-to-date die-cast of plastic components 85−22231
Szablya, J.F. Currents of synchronous machines immediately following a disturbance 85−65232
Szablya, S.J., Jachinowski, J.K., Baker, R.A. An undergraduate power laboratory using microcomputer based instrumentation 86−26527
Szabo, B. *see* Balazs, A. 85−37435
Szabo, B. *see* Szabo, P.P. 87−50458
Szabo, B.A. *see* Wang, D.W. 85−10573
Szabo, C. A new class of reservation type random multiple access protocols 88−52632
Szabo, C. *see* Fratta, L. 88−3315
Szabo, Cs. Analysis of the pure ALOHA protocol with collision detection 86−16605
Szabo, D. *see* Csanady, A. *(editor)* 86−7380
Szabo, D.B., Szepessy, S. User acceptance and requirements of electrical power products [manufacturing industries] 85−16495
Szabo, F. *see* Sagdeev, R.Z. 87−49573
Szabo, G., Bor, Z., Racz, B., Muller, A., Ketskemety, I. Picosecond and subpicosecond pulse generation by travelling wave amplified spontaneous emission and distributed feedback dye laser 85−56574
Szabo, G. *see* Bartha, L. 86−38648
Szabo, G. *see* Burger, G. 85−53453
Szabo, G. *see* Klebniczki, J. 88−58477
Szabo, G. *see* Simon, P. 86−22339
Szabo, Gy. *see* Kiss, A.Z. 88−53962
Szabo, I. *see* Berecz, I. 87−63250
Szabo, I. *see* Breuer, P. 87−48159
Szabo, I. *see* Valyi, G. 86−58415
Szabo, I.C. *see* Ormai, P. 88−36956
Szabo, J. Image-processing systems and their applications 88−41090
Szabo, J., Okrent, D., Gain, D.G. A logic generator and validator 86−6472
Szabo, J. *see* Farago, M. 85−37437
Szabo, J.P., Cocivera, M. Composition and performance of thin film CdSe electrodeposited from selenosulfite solution 87−290
Szabo, J.P., Cocivera, M. Effect of annealing atmosphere on the properties of thin-film CdSe 87−61016
Szabo, K., Richter, P., Lorincz, E. Behaviour of an imaging tube during short light pulse illumination 88−39022
Szabo, K.S.B., Elmasry, M.J. SYMPLE: a process independent symbolic layout tool for bipolar VLSI 85−33596
Szabo, K.S.B., Leask, J.M., Elmasry, M.I. Symbolic layout for bipolar and MOS VLSI 87−38360
Szabo, K.S.B., Leask, J.M., Elmasry, M.I. Symple: a symbolic layout tool for bipolar and MOS VLSI 88−39558
Szabo, L., Hofgen, G. Wideband radio simulator for digital mobile radios 86−23740
Szabo, L., Tevan, G. Characterization of the heavy current and voltage with power frequency in nonstationary and nonsinusoidal cases 86−57527
Szabo, L. *see* Adorjan, F. 87−71895
Szabo, L. *see* Apathy, I. 85−37434
Szabo, L. *see* Balazs, A. 85−37435
Szabo, L. *see* Farago, M. 85−37437
Szabo, L. *see* Galambos, P. 87−64244
Szabo, L. *see* Mehran, R. 85−6517
Szabo, L. *see* Sagdeev, R.Z. 87−49573
Szabo, L. *see* Szilagyi, A.G. 86−18319
Szabo, L. *see* Tersztyanszky, T. 88−5236
Szabo, L.D., Thuroczy, G., Kubinyi, G., Boloni, E., Predmerszky, T., Bodo, M., Almassy, G. Biological effects of electromagnetic fields. II. Biochemical, embryological and electro-physiological effects of microwaves 87−77694
Szabo, L.D. *see* Thuroczy, G. 88−5020
Szabo, M. Telecommunications networks for computer based learning 86−43449
Szabo, P., Josa, L. Receiver and transmitter antenna systems for TV transposers 85−13283
Szabo, P.P. On-line glow curve recording with a computerized TLD system 86−44712

Szabo, P.P., Feher, I., Deme, S., Szabo, B., Vagvolgyi, J. Dosimetric properties of the 'Pille' portable, wide dose range TLD reader 87—50458
Szabo, R. Development trends of electrical equipment in deep mine working 86—71168
Szabo, S.B., Elmasry, M.I. A SYMPLE approach to VLSI layout 87—38488
Szabo, T. Radio systems operating on the principle of spectrum spreading 87—34338
Szabo, T. *see* Rezsofi, F. 86—6392
Szabo, T.L. Principles of nonresonant transducer design 86—6174
Szabo, T.L., Melton, H.E., Jr., Hempstead, P.S. Ultrasonic output measurements of multiple-mode diagnostic ultrasound systems 88—54510
Szabo, T.L. *see* Preston, R.C. 88—54797
Szabo, T.Laczai *see* Laczai Szabo, T.
Szabo, W. Guidelines for the design of effective cine theaters. I. A proposed SMPTE engineering guideline 86—34009
Szabo, W. *see* Saal, C. 86—6321
Szabo, Z. System model for analysis of operational problems by 408 computer 88—10968
Szabo, Z. *see* Benedek, A. 88—53155
Szabo, Z. *see* Bognar, Z. 88—21528
Szabo, Z. *see* Kendrovics, A. 86—37714
Szabo, Z. *see* Ludvig, G. 86—51743, 88—55574
Szabo, Z. *see* Vanyai, P. 88—60008
Szaday, R. The 100 year old steam turbine 85—21435
Szadeczky-Kardoss, T., Szeghy, I. Symbolic description of PABX facilities 85—14026
Szadkowski, A.J., Lubomirska-Wittlin, A. Optical quenching of the imperfection photoconductivity in $Cd_{1-x}Mn_xTe$ 85—35582
Szadkowski, A.J., Lubomirska-Wittlin, A. The nature of the narrow main photoconductivity peak in $Cd_{1-x}Mn_xTe$ 86—68371
Szadkowski, B. Quasibalanced methods of impedance measurement 86—38516
Szafran, J. Fast method of electrical signals analysis 87—12962
Szafran, J. *see* Izykowski, J. 87—61550
Szafran, J. *see* Rosolowski, E. 88—30250
Szafranska-Miller, B., Plusa, D., Wyslocki, J.J., Pfranger, R., Wyslocki, B. Magnetic anisotropy and rotational hysteresis energy in $Nd_{15}Fe_{77}B_8$ permanent magnet 87—74504
Szafranska-Miller, B., Szymura, S., Wyslocki, B. Loss of energy at remagnetization of transformer plates 87—17413
Szafranska-Miller, B., Szymura, S., Wyslocki, B. Influence of various factors on domain structure of transformer plates and loss of energy during remagnetization thereof 87—17414
Szajdak, J. *see* Kasaty, O. 88—23965
Szajdak, J. *see* Kordecki, A. 85—9916
Szajna, J. *see* Baranowski, J. 86—44112
Szajnowski, W.J. A three-electrode system for locating charged-particle beams 85—20808
Szakats, M. Elaboration of measuring instruments information management system for enterprises SIM-I 87—14071
Szako, D. *see* Balazs, L. 88—76054
Szakolczay, J. *see* Wada, R. 87—34769
Szakonyi, R. Mechanisms for improving the effectiveness of R&D: how many mechanisms are enough? 85—60708
Szakonyi, R. Dealing with a nonobvious source of problems related to selecting R&D to meet customers' future needs: weaknesses within an R&D organization's and within a marketing organization's individual operations 88—37893
Szakonyi, R. *see* Spharim, I. 85—16672
Szalai, B.J. Review of self diagnostics for an acoustic signal processor 86—5171
Szalai, G. *see* Ferencz, K. 85—56774
Szalai, S. *see* Apathy, I. 85—37434
Szalai, S. *see* Balazs, A. 85—37435, 85—38309
Szalanczy, A. *see* Velbeck, K. 85—43192
Szalay, F. Stretch reducing mills with variable-speed group drives 85—21974
Szalay, I. Amplifier—designing by S-parameters on a programmable calculator 86—769
Szalay, J. *see* Bakos, I. 87—72496
Szalay, M. Tool plates for microwave circuit boards and for systems of fast data transmission 86—14676
Szalbierz, Z., Swietlicki, Z. Power and industrial heating plant parts demand forecast up to year 2000 maintenance 85—48641
Szalbierz, Z. *see* Moszkowicz, M. 85—21183
Szaliga, V., Karabutov, Ny., Csernogorov, A., Hadrevi, I. Structure of adaptive filters performing the filtering and prognosis of the state variables of controlled equipment 85—40189
Szalinska, H. *see* Pekala, W. 88—58348
Szalkowski, A.S. *see* Ronde, R.R. 87—40735
Szaloki, G. *see* Szilagyi, A.G. 86—18319
Szaloky, G. Narrow and wideband, partial discharge measurements 86—6443
Szaloky, G. Narrow and wide-band partial discharge measurements 86—11689
Szalontai, J. Power reactors in nuclear power plants of VVER-440 type 85—15757
Szameit, H. *see* Freyer, P. 87—6183
Szaniszlo, M. *see* Bendes, T. 86—50824
Szaniszlo, M. *see* Karsai, K. 85—33074
Szanto, J. *see* Nagel, F. 88—37714
Szanto, L. Simultaneous placement and routing in integrated circuits 87—1620
Szanto, L. Standard cell placement algorithms in integrated circuits 87—38520
Szanto, L., Burjan, Z. Simultaneous placement and routing in integrated circuits 86—53760
Szanto, L. *see* Herout, A. 87—650
Szanto, M. *see* Lokvenc, V. 87—15583
Szapiel, S. Point-spread-function computation: quasi-digital method 85—25151
Szapiro, B. *see* Alamon, A. 86—63700, 86—67619
Szapiro, B. *see* Rocca, J.J. 87—53098
Szapiro, S. Calculation of the zinc distribution in $Zn_yCd_{1-y}Te$ crystals grown from non-stoichiometric melts 87—23607
Szapiro, S. *see* Yellin, N. 85—33394
Szaplonczay, A., Fox, K., Dyment, J.C. Mirror formation by chemical etching and microcleaving of InP-based lasers 88—34075
Szaplonczay, A. *see* Blaauw, C. 87—16589
Szaplonczay, G. *see* Bognar, A. 87—57670
Szappanos, J., Truett, W.L. Infrared optics: the newest frontiers 87—7063
Szaraniec, E. On direct recovery of the impulse response 86—3850
Szaraniec, W. *see* Modzelewski, J. 88—25776
Szaraz, G. *see* Sonkoly, A. 88—64135
Szarka, I., Florek, M., Oravec, J., Holy, K., Helfer, H., Jahn, U. Gas proportional telescope used to investigate rare reactions induced by 3 MeV neutrons 87—14742
Szarka, J. *see* Baranov, V.A. 87—14796
Szaro, L. On the possibility of studying solid-gas interfaces by capacitance measurements 87—70751
Szaro, L., Krolicki, F. Determination of minority-carrier diffusion length in Zn_3P_2 by surface photovoltage measurements 85—1344
Szarska, St., Magierski, W. OSEE as the method of determining of defect degree for a fibre preforms 87—74767
Szarvas, G., Adam, A., Bogar, I., Fuzessy, Z., Gyimesi, F. Evaluation of holographic interferograms by parametric representation of the displacement vector field 85—56877
Szarvas, G.G., Akerman, S., Shiu, M.R. Measurement of data activity on satellite carrier VF channels 85—58041
Szasz, A. The design of time-delay circuits for the automatic control gears of the electric drives 88—24183
Szasz, E. *see* Thuroczy, G. 88—5020
Szathmary, I. *see* Farago, A. 86—18349
Szathmary, V. Apparent changes of the angular velocity of QRS vectors caused by the application of physically corrected orthogonal lead systems 86—5956
Szathmary, V. *see* Baum, O.V. 86—5955
Szatkowski, J., Sieranski, K. Interface effects on $Mg\text{-}Zn_3P_2$ Schottky diodes 88—32931
Szatkowski, J., Sieranski, K., Misiewicz, J. Characteristics of $Mg\text{-}Zn_3P_2{:}Cd$ contacts 88—50676
Szatkowski, J. *see* Mirowska, N. 88—33851
Szatkowski, J. *see* Misiewicz, J. 85—34530, 86—71055
Szatkowski, J. *see* Sieranski, K. 85—34539, 86—47337
Szatkowski, M.J. *see* Bird, C.L. 85—8734
Szatmari, J. Ni-Cr resistor film vacuum evaporation and cathode vaporization 85—22521
Szatmari, S., Racz, B. 3-ps pulse generation by excimer-laser-pumping dye-laser system using gated absorbers 87—46808
Szatmari, S., Racz, B. Generation of 320 fs pulses with a distributed feedback dye laser 87—54257
Szatmari, S., Racz, B. Novel achromatic distributed feedback dye laser for subpicosecond operation 87—61105
Szatmari, S., Racz, B., Schaffer, F.P. Bandwidth limited amplification of 220 fs pulses in XeCl 87—54247
Szatmari, S., Schafer, F.P. Comparative study of the gain dynamics of XeCl and KrF with subpicosecond resolution 88—27041
Szatmari, S., Schafer, F.P. Subpicosecond, widely tunable distributed feedback dye laser 88—65780
Szatmari, S., Schafer, F.P., Muller-Horsche, E., Muckenheim, W. Hybrid dye-excimer laser system for the generation of 80 fs, 900 GW pulses at 248 nm 87—74997
Szatmari, S. *see* Dick, B. 87—54248
Szatmari, S. *see* Zhao, Q. 88—58619
Szauter, F. Mass spectrometer analysis of residue gas content of vacuum arc quenching chambers 88—62510
Szava, G. Battery expanders and their use 85—27622
Szava, G.J. Role of the organic expander in modern lead/acid batteries 88—55599
Szawlowskii, M. *see* Abashidze, L.I. 86—60633
Szczech, T.J. A theoretical comparison of perpendicular and longitudinal ring head recording 86—36045
Szczech, T.J., Inverson, P.R. An approach for deriving field equations for magnetic heads of different geometrical configurations 87—18495
Szczech, T.J., Iverson, P.R. Improvement of the coefficients in field equations for thin-film recording heads 88—52091
Szczech, T.J. *see* Chi, C.S. 85—24134
Szczech, T.J. *see* Fayling, R.E. 85—24124
Szczech, T.J. *see* Robinson, G.M. 86—28660
Szczecinski, J. *see* Wrobel, T. 88—51104
Szczepanek, A., Shore, B.T., Hubbins, S.J., Hull, C., Smith, A.C., Watters, H.L., McGregor, M.S., Meads, R.S. An IEEE-802.5 compatible LAN controller with on-chip ROM 86—10820
Szczepanek, A. *see* Hamner, C. 88—28368
Szczepaniak, C. Analog computing transducers for electrical quantities 85—20566
Szczepaniak, C. Measurement of the resistance of the windings of asynchronous motors and transformers whilst in operation 85—21600
Szczepaniak, E. *see* Sczaniecki, L. 86—15599
Szczepanik, Z. *see* Moron, Z. 85—37720
Szczepanik, Z. *see* Rucki, Z. 88—36266
Szczepanski, J. Modernisation of Pentaconta system exchanges—the type UCME-148 exchange 87—55904
Szczepanski, J. Pentaconta 1000C exchanges with programmable control system—present state and realizations of destination 88—73763
Szczepanski, J. *see* Heldt, J.R. 85—18885
Szczepanski, P. Approximate analysis of nonlinear operation of a distributed feedback laser 86—15663
Szczepanski, P. Approximate analysis of gain saturation of a distributed feedback laser with end reflectors 86—42503
Szczepanski, P. Approximate analysis of nonlinear operation of a distributed feedback laser with parasitic losses 88—65698
Szczepanski, P. Semiclassical theory of multimode operation of a distributed feedback laser 88—72242
Szczepanski, P. *see* Wolski, R. 85—12835
Szczepanski, S. The dynamic distortion of integrator characteristics using a nonideal operational amplifier 87—962
Szczepanski, S., Guzinski, A. Conceptual network of audio-frequency amplifier with P-Z coupling of low intermodulation dynamic distortions TIM 86—52696
Szczepanski, Z. Influence of voltage value on quantity of charge flowing into the dielectric containing a gas chamber in which an electrical discharge occurs 86—58630
Szczepanski, Z., Fortuna, E. Problems of manufacturing microwave integrated circuits 85—55136
Szczepanski, Z., Perkowski, J. Wettability and leaching velocity of the contact layer in low-melting point solders 87—60037
Szczerbakow, A. *see* Kowalczyk, L. 85—28991, 87—39075, 88—45398
Szczerbakow, A. *see* Story, T. 85—34531
Szczerbakow, A. *see* Tomm, J.W. 88—2231
Szczerbanowski, R. Multifunctional sensor of rotor position of invertor-fed synchronous motor 86—12794
Szczerbanowski, R. *see* Jablonski, M. 88—55752, 88—69470
Szczerbanowski, R. *see* Jachowicz-Kociolek, K. 86—56980, 87—58167
Szczerbicka, H. *see* Lehmann, A. 88—71190
Szczesny, J., Jelenski, A. Thermal parameters of microwave diodes and transistors 88—980
Szczesny, P.M. *see* Bose, B.K. 85—32406, 86—12742, 86—39747, 87—4982, 88—43463
Szczesny, R., Gruszczynski, P. Modelling and simulation of converter systems 88—63529
Szczesny, R. *see* Gruszczynski, P. 88—69794
Szczot, F., Romaniuk, R. Optical fibre, local measurement systems for ships 88—47087
Szczot, F., Romaniuk, R.S. Optical fibre control-measurement systems of compound HV/HP electrical equipment 88—72058
Szczot, F. *see* Romaniuk, R.S. 88—13856, 88—20346
Szczucki, F., Kadzimierz, R. Influence of constructional parameters of inductive mixer and supply current pulsation on value of electrodynamic force 88—37774
Szczucki, J. *see* Suchodomski, M. 85—10487
Szczupak, J., Mitra, S.K., Fadavi-Ardekani, J. Realization of structurally LBR digital allpass networks 87—66405
Szczupak, J., Mitra, S.K., Fadavi-Ardekani, J. A computer-based synthesis method of structurally LBR digital allpass networks 88—56392
Szczupak, J. *see* Alvahydo, M.E. 86—58000
Szczupak, J. *see* Cardoso, M.J.S. 85—46844
Szczupak, J. *see* Pavani, A.M.B. 85—17701, 86—62774
Szczupak, J. *see* Tureli, A. 85—65008
Szczurek, A., Lorenz, K. Copper phthalocyanine film as gas detector 85—14775
Szczurek, M. Mode-locked Nd:YAG laser with intracavity phase conjugate mirror 87—26367
Szczurek, M. *see* Denus, S. 86—36445
Szczurek, M. *see* Dubik, A. 85—51256 to 51257
Szczurek, M. *see* Marczak, J. 87—39218
Szczygiel, L. *see* Szewczyk, J. 88—69372
Szczygielski, J. *see* Moszkowicz, M. 85—21183

Szczyglowski, J. Coating of the insulating varnish layer on metallic glass tape by the coil-coating method 87-74523
Szczyglowski, J. *see* Soinski, M. 88-57018
Szczypior, J. *see* Kaminski, G. 85-9894, 87-43101
Szczypior, J. *see* Koziej, E. 88-17655
Szczypka, Zb. Method of complex reflection coefficient estimation based on multiprobe discretization of standing wave pattern 87-75484
Szczytko, B., Achmatowicz, S., Szymanski, D. Adhesion of dielectric and encapsulant layers examined by means of the silver migration effect 85-35247
Szczytko, B. *see* Szymanski, D. 85-1190, 85-23276
Sze, D. *see* Meyer, C. 88-41459
Sze, D.T.W. A metropolitan area network 86-23455
Sze, D.T.W. Metropolitan area networks 86-54971
Sze, H., Benford, J., Fittinghoff, D., Harteneck, B., Price, D., Woo, W. A vircator amplifier 88-25818
Sze, H., Benford, J., Woo, W. High-power microwave emission from a virtual cathode oscillator 88-12884
Sze, H., Benford, J., Woo, W., Harteneck, B. Dynamics of a virtual cathode oscillator driven by a pinched diode 87-24710
Sze, H., Benford, J., Young, T., Bromley, D., Harteneck, B. A radially and axially extracted virtual cathode oscillator (vircator) 86-21032
Sze, H., Harteneck, B., Benford, J., Young, T.S.T. Operating characteristics of a relativistic magnetron with a washer cathode 87-60051
Sze, H., Price, D., Wee-yong Woo, Fittinghoff, D., Benford, J. Cavity vircator amplifier—priming and phase locking of high power vircators 88-50586
Sze, H. *see* Benford, J. 86-21039, 87-17637, 87-37047, 88-12882, 88-12890, 88-50582
Sze, H. *see* Price, D. 88-64192
Sze, H. *see* Smith, R.R. 88-57254
Sze, R.C. A high repetition rate, inductively stabilized long pulse excimer laser 86-3069
Sze, R.C. Inductively stabilized excimer lasers 88-8128
Sze, R.C. Excimer lasers 88-8138
Sze, R.C., Kurnit, N.A., Watkins, D.E., Bigio, I.J. Narrow band tuning with small long-pulse excimer lasers 87-61092
Sze, R.C. *see* Balog, G. 87-68396
Sze, S.-C. *see* Chen, M.-J. 87-46197
Sze, S.L. *see* Carter, W.S. 87-680
Sze, S.M. *see* Chang, C.-Y. 87-6673
Sze, S.M. *see* Lepselter, M.P. 85-40094
Sze, S.M. *see* Ng, K.K. 85-12316
Sze, T.W. *see* Lu, H.Q. 88-73288
Sze Juejue, Cao Danien, Wang Weiming, Zan Yude, Deng Huefang, Wang Jianhua, Yu Yuanhuan AES analysis of sapphire-silicon and spinel-silicon interfaces 85-34648
Sze-Keung Kwong, Cronin-Golomb, M., Yariv, A. Optical bistability and hysteresis with a photorefractive self-pumped phase conjugate mirror 85-19007
Sze-Keung Kwong, Yariv, A. One-way, real time wave front converters 86-36560
Sze-Keung Kwong, Young-Hoon Chung, Cronin-Golomb, M., Yariv, A. Experimental studies of phase conjugation with depleted pumps in photorefractive media 85-56821
Sze-Keung Kwong *see* Cronin-Golomb, M. 85-56819
Sze-Keung Kwong *see* Vahala, K. 87-26381
Sze-Keung Kwong *see* Yariv, A. 86-3242, 86-36603, 86-48508
Szebenyi, D. *see* Bilderback, D. 88-42460
Szechenyi, K., Bohm, K. The U-interface in the present and future network of the Deutsche Bundespost and international comparison [ISDN] 88-59772
Szechenyi, K., Zapf, F. Implementation of the U interface circuit [ISDN] 87-40085
Szechenyi, K., Zapf, F., Sallaerts, D. Integrated, full-digital U-interface circuit for ISDN subscriber loops 87-13480
Szechenyi, K. *see* Dierckx, R. 87-76155
Szechenyi, K. *see* Van Iseghem, P. 87-40597
Szechtman, M., Ping, W.W., Salgado, E., Bowles, J.P. Unconventional HVDC control technique for stabilization of a weak power system 85-4550
Szechtman, M. *see* Roitman, M. 86-12337
Szeden, W.S. *see* Shepperd, M. 88-59799
Szedenik, N., Palotai, T., Berta, I. Simulation of behaviour of charged particle clouds 88-34245
Szedenik, N. *see* Berta, I. 88-34225
Szedmak, K. *see* Kremer, P. 88-64137
Szedon, J. *see* Driscoll, M. 87-73367
Szedon, J.R. *see* Driscoll, M.M. 86-2567, 86-14523, 87-67686
Szedon, J.R. *see* Krishnaswamy, S.V. 86-2515
Szegedy, M. *see* Burosch, G. 85-19279
Szeghy, I. DIPEX software system 87-62774
Szeghy, I. DIPEX software system 88-9346
Szeghy, I. *see* Szadeczky-Kardoss, T. 85-14026
Szegi, A. *see* Pataricza, A. 85-58526
Szegi, Z. *see* Burger, L. 88-17288
Szego, K. *see* Apathy, I. 85-37434
Szego, K. *see* Sagdeev, R.Z. 87-49573
Szekacs, G. Low wattage HPS lamps for vehicle headlamps 87-16149
Szekeley, V., Sziranyi, T. On the simulation of IC chip temperature distribution 86-58542
Szekely, G. *see* Berecz, I. 87-63250
Szekely, I. Reliability and useful service life of electrical machines 88-62316
Szekely, I., Szita, I. Results and objectives in the development of large electrical machines a transformers 85-32444
Szekely, I. *see* Csipke, L. 86-71166
Szekely, J. Problems of digital simulation of power electronic circuits 85-6141
Szekely, J. The use of 'diakoptics' in analysis of transient processes 85-61031
Szekely, J. Systematical review of the theory of the complete analysis of electric circuits in transient states and its methods 85-61032
Szekely, J. Numerical analysis of linear and nonlinear circuits in transient state using the method of difference equations 86-26984
Szekely, J., Urednicek, Z. Numerical nodal analysis of power electronic networks 85-498
Szekely, J., Vittek, J., Dobrucky, B., Urednicek, Z. Modelling of dynamic-state of current inverter with load's reactive power control 87-51351
Szekely, J. *see* Cetl, M. 87-72494
Szekely, J. *see* Meyer, J. 87-79211
Szekely, J. *see* Rhee, S. 87-16671, 88-18725
Szekely, J. *see* Apelian, D. *(editor)* 88-49378
Szekely, L.A. Common origin of cubic binomial identities; a generalization of Suranyi's proof on Le Jen Shoo's formula 86-34145
Szekely, S. Construction of various no-break power supply systems 86-65587
Szekely, S. *see* Bakos, E. 87-9716
Szekely, S.N. *see* Jakab, L.S. 88-30851
Szekely, V. Identification of a thermal network describing the dissipation conditions of semiconductor devices 87-25181
Szekely, V., Baji, P., Kerecsen-Rencz, M., Koltai, M., Konya, I., Masszi, F. Computer-aided layout interconnection extraction of cell-structured integrated circuit masks 86-35801
Szekely, V., Baji, P., Kerecsenne, R.M., Konya, I., Masszi, F., Koltai, M. Layout recogniser program for cell-designed ICs 85-10932
Szekely, Z. A fast Fourier transformation algorithm for cellular processor 87-23589
Szeker, K. *see* Feher, G. 88-19456
Szekeres, A., Alexandrova, S. Mobile ions in oxygen plasma treated thermal SiO_2 86-63135
Szekeres, A. *see* Alexandrova, S. 85-1418, 85-18243, 86-15289, 86-28062, 87-1330, 87-25127, 87-67021
Szekeres, B. Investigation of ionic noise caused by residual gases in travelling wave tubes 85-23350
Szekeres, B. Development of a cathode for cathode ray tubes with fast heating time and low power consumption 87-53101
Szekeres, B., Lenart, F., Petre, P. Comparison of Monte Carlo and quadrature methods for numerical evaluation of two dimensional phase integrals 88-2802
Szekeres, B. *see* Adam, J. 85-1242
Szekeres, G. *see* Gabor, G. 86-16136
Szekeres, G. *see* Gyorfi, Z. 87--54897
Szekli, R. On the complete monotonicity of the waiting time density in some $GI/G/k$ systems 87-65302
Szelag, A. Modelling and simulation of a DC electric traction system 88-55676
Szelag, A. *see* Lewandowski, M. 86-56821
Szelag, A. *see* Mierzejewski, L. 86-19557 to 19558
Szelag, W. *see* Dabrowski, M. 87-32882
Szelagowska, D. Preparation of ferrite powders by chemical method using metaloorganic salts of Fe, Mn, Zn, and Li decomposition 86-40800
Szeless, A., Oszusky, F. Analysis of power generating availability of the world's nuclear power stations during 1983 85-9577
Szeless, A., Oszuszky, F. Capacity utilization of the World's nuclear power plants in the first six months of 1984 85-15712
Szeless, A., Zimmermann, W. Availabilities of the World's nuclear power plants in 1986 87-64236
Szeless, B. *see* Battisti, S. 88-54115, 88-54127
Szeliga, A. Selection of electric equipment to be operated in explosion hazard areas based on probability calculus 85-60104
Szeliski, R., Hinton, G. Solving random-dot stereograms using the heat equation 86-10587
Szeliski, R. *see* Matthies, L. 88-73327
Szeloch, R.F. *see* Kozlowski, J. 87-24638
Szeloczei, L., Reti, S., Kormany, T. Intrinsic gettering in Si wafer technology 87-24989
Szeluga, Z. *see* Augustyniak, W. 88-58747
Szema, L.C. *see* Touchton, G.L. 85-4964
Szemerey, I. *see* Bencze, P. 85-64731
Szemes, F. *see* Nordon, P. 85-37784
Szemmelveisz, T., Szucz, I., Csicsely, T. Instantaneous measurements of temperature distribution with a thermocouple element at high temperatures 86-11763
Szemok, I. Logic state analyzer 87-24018
Szendiuch, I., Myslik, V. On the problems of trimming film resistors 88-57173
Szendiuch, I. *see* Bursa, J. 88-1271
Szendrenyi, B. *see* Kazi, K. 88-56981
Szendrenyi, B.B., Kazi, K., Mojzes, I. An alternative broadband method for automatic measurement of the complex permeability and permittivity of materials at microwave frequencies 88-74574
Szendrenyi, B.B., Tichy-Racs, A., Kazi, K., Mojzes, I. An alternative broadband method for measuring the complex permeability and permittivity of materials at microwave frequencies 88-60899
Szendro, I. *see* Buzasne, J.K. 87-25394
Szendro, I. *see* Young, A.B. 88-24763
Szendzielorz, A., Spyra, F. Flammability of single cables 88-64015
Szeniszlo, M. Design system of audio-frequency central control and results of research-development work [power system control] 85-59563
Szente, P.A. *see* Kelly, W.M. 88-29475
Szente, R.N., Munz, R.J., Drouett, M.G. Effect of the arc velocity on the cathode erosion rate in argon-nitrogen mixtures 87-53103
Szente, R.N., Munz, R.J., Drouet, M.G. Arc velocity and cathode erosion rate in a magnetically driven arc burning in nitrogen 88-57241
Szente Varga, H.P., Schmidt, K.D. 550 kV SF_6 gas-insulated switchgear for the Itaipu power plant 87-30854
Szentesi, O.I. Reliability of optical fibers, cables, and splices 87-28581
Szentgyorgyi, A. *see* Resvanis, L.K. 88-54421
Szentiday, K. *see* Berkecz, J. 87-74925
Szentirmai, G. Filter design on workstations 86-46952
Szentirmai, G. Software for switched capacitor filter design 88-12508
Szentirmai, K. *see* Agosthazi, M. 86-43646
Szentirmai, L., Orosz, E. In-service training course in power and microelectronics for electrical technician engineers of metallurgical industry 88-11664
Szentirmai, L. *see* Fekete, G. 86-66383, 87-22373, 87-43012, 87-58359, 88-17606, 88-18131, 88-49215, 88-69948
Szentirmay, Zs., Kroo, N. Plasmon mediated electron-photon interaction in metal-oxide-metal tunnel structures 85-40558
Szentirmay, Zs. *see* Kroo, N. 85-18188, 85-55608, 86-22258
Szentirmay, Zs. *see* Varga, P. 86-35469
Szentivanyi, T. *see* Csaba, L. *(editor)* 86-61843
Szentkuti, B. *see* Eicher, B. 88-41493
Szentkuti, B. *see* Halme, L. 88-27530
Szentkuti, B. *see* Montandom, E. 88-2636
Szentner, J., Kovacs, L., Harangozo, J. Formal description verification and implementation of a local area computer network transport protocol 86-64727
Szentner, J. *see* Balazs, A. 86-64712
Szentner, J. *see* Harangozo, J. 85-57787
Szentpali, B., Kuhn, T. Monolithic microwave integrated circuit investigations on GaAs 88-50411
Szentpali, B., Papp, A.A. Optimum design of GaAs Schottky-barrier diodes 88-56996
Szentpali, B. *see* Horvath, Z. 88-32426
Szentpali, B. *see* Horvath, Z.J. 88-50402
Szentpali, B. *see* Horvath, Zs.J. 86-53054
Szentpali, B. *see* Kuhn, T. 88-56959
Szentpali, B. *see* Lalinsky, T. 85-34622
Szentpali, B. *see* Mojzes, I. 88-60871
Szentpeteri, P., Heksch, F. Type U400 gate array and design methods 85-11184
Szep, I. Research and development of gallium arsenide devices in Hungary 85-28216
Szep, I.C. *see* Didenko, P.I. 86-1824
Szep, J., Szilagyi, M. Statistical error analysis of electrode construction for electrostatic spline lenses 88-27445
Szep, J., Szilagyi, M. A novel approach to the synthesis of electrostatic lenses with minimized aberrations 88-65971
Szep, J. *see* Szilagyi, M. 88-57284
Szep, J. *see* Szulagyi, M. 88-20861
Szepes, K. *see* Borbely, S. 85-32311
Szepesi, L.L., Jr. Solid state thermal voltage converters help to set standards 87-11012
Szepesi, T. Stabilizing the frequency of hysteretic current mode DC/DC converters 87-22585
Szepesi, T. Hysteretic current-mode control of transformer-coupled DC/DC converters 87-64720
Szepesi, T. Stabilizing the frequency of hysteretic current-mode DC/DC converters 88-17726
Szepessy, L. *see* Henisch, H.K. 85-34625
Szepessy, S. *see* Szabo, D.B. 85-16495
Szepesvari, A. *see* Farago, M. 85-37437
Szepesvary, A. *see* Kurz, R. 88-61083
Szepieniec, A.A. HECTIC. Highly efferent construction of topology of integrated circuits 86-58554
Szepieniec, A.A. Integrated placement/routing in sliced layouts 87-6833
Szergenyi, I. The role of nuclear energy in the world's energy supply 86-12570
Szerlag, C.T. *see* Brink, J.V. 88-36559

Szerszeniewski, A. The multichannel remote control equipment of the Rk-1 88−5267
Szestakow, S.M. *see* Ljubow, W.K. 88−75257
Szeto, A.Y.J. Artificial electrotactile communication: decoupling intensity variations from frequency variations 86−25272
Szeto, A.Y.J., Hudson, M.H. Software and hardware implementation of electrocutaneous tracking 88−68331
Szeto, C. *see* Huang, T. 87−18132
Szeto, E. *see* Visvanathan, V. 85−16775
Szeto, E.W. *see* Chang, G.K. 86−67890
Szeto, E.W. *see* Lee, C.M. 86−58612, 87−1771
Szeto, H.H. *see* Vo, T.D.H. 86−65443
Szeto, N., Pulfrey, D.L., Tarr, N.G. Thermal stressing of bipolar transistors with metal-insulator-semiconductor heterojunction emitters 88−50804
Szeto, R. *see* Hui, A. 86−972, 88−70701
Szeto, R.K. *see* Kallis, J.M. 86−13062
Szeto, S., Reif, R. Asymptotic electron energy flux equations for hot-carrier transport simulation 87−74231
Szeto, S., Reif, R. Steady state lattice heating by hot carriers in silicon bipolar transistors 87−74268
Szewczuk, J. *see* Nutt, T. 86−11254
Szewczyk, A. *see* Doremus, R.H. 87−74203
Szewczyk, B., Zielinski, Z. Dynamic parameters semiautomatic measurements stand 85−14615
Szewczyk, J. Control algorithm in a thyristor time-optimal positional drive system with the limitation of armature current 86−13127
Szewczyk, J., Szczygiel, L. Energetic problems in induction motor supplied by voltage invertor 88−69372
Szewczyk, J. *see* Chrzescijanski, Z. 86−61522
Szews, E. *see* Domzalski, T. 88−5732
Szezynska, M. *see* Adamski, T. 87−31792
Szhevskii, S.V., Kuntsevich, A.V. Using the ε-subgradient method to solve the dual and the primal mathematical programming problems 86−57356
Szhiwen Shi *see* Shi Szhiwen
Szibel, E. *see* Pocztowski, G. 85−28236
Szichman, H. *see* Ludmirsky, A. 85−12655
Sziebold, P. *see* Hercz, E. 87−41177
Szigeti, G. Analysis of several features of response functions of frequency soundings over H- and K-type models 88−30137
Szigeti, T. *see* Bartel, W. 85−47057, 86−17081
Szil, E., Kiss, L.B., Kovacs, J., Mogyorosi, P. A new method for determination of absorptivity during laser heating 86−10031
Szilagyi, A., Grimbergen, M.N. Consequences of misfit and threading dislocations on PV device design 88−33877
Szilagyi, A. *see* Hajos, T. 86−25411
Szilagyi, A. *see* Kiss, L. 86−12307
Szilagyi, A.G., Szaloki, G., Szorenyi, K., Szabo, L. Microprocessor-controlled automatic audiometer 86−18319
Szilagyi, F. *see* Blankenship, G.C. 85−31356
Szilagyi, G. Temperature scale with optical pyrometer in the 1000°-3000°C range 86−55740
Szilagyi, L. Counter converts serial to parallel 85−34118
Szilagyi, M. Reconstruction of electrodes and pole pieces from optimized axial field distributions of electron and ion optical systems 85−2480
Szilagyi, M. Relativistic trajectory equations for charged particles in general orthogonal curvilinear coordinates 87−7497
Szilagyi, M. Electrostatic lenses with very small spherical aberration 87−7499
Szilagyi, M. Electrostatic spline lenses 87−54491
Szilagyi, M., Szep, J. Optimum design of electrostatic lenses 88−57284
Szilagyi, M. *see* Szep, J. 88−27445, 88−65971
Szilagyi, M. *see* Vijayakumar, P.S. 87−54493
Szilagyi, M.N. Electron optical synthesis and optimization 85−46533
Szilagyi, N. *see* Domjan, A. 86−18285
Szilagyi, S. *see* Vincze, A. 85−10470
Szilard, J. *see* Gunarathne, G.P.P. 86−34430, 87−376
Sziranyi, T. Some questions of thermal stabilizing of injection laser diodes 85−56667
Sziranyi, T. Thermal impedance measurement of laser diode chips using electrical methods only 87−68506
Sziranyi, T., Barczikay, P., Kovacs, T. Measurement theory of laser-beam diameter of about 1 μm by moving CCD sensor 88−72377
Sziranyi, T. *see* Szekeley, V. 86−58542
Sziray, J., Nagy, Z. The test description language TESTART and its application 86−20450
Sziray, J., Nagy, Z., Mate, L.L. An expert system for test design of digital circuits 88−25081
Szita, I. *see* Szekely, I. 85−32444
Szkaradnik, Z. FORTH in silicon−the NOVIX NC4000 processor 88−44198
Szkatula, K. *see* Dudzinski, K. 86−49364
Szkielo, W., Petermann, G. Electronic states at (011) tilt boundaries in germanium 86−47287
Szklarski, L., Horodecki, A., Koziol, R. Modelling, simulation and techno-economic evaluation of electromechanical objects 86−19193
Szklarz, G. *see* Berger, C. 88−22937
Szkodny, T. Hard magnetic cylindrical domains (MHD) as elements of multistate logic 85−29480
Szkurhan, P.M. *see* Banks, F.M. 88−67066
Szkutak, P.M. Design of a survivable packet radio network control algorithm 86−30685
Szkutnik, J., Gawlak, A. The effect of the equipment number increase on the technical network losses 88−5323
Szkutnik, W. On the solution of linear programming stochastic problems as *E*-models with statistical constraints 86−66752
Szlachta, A. Pulse control of angular speed of single-phase induction motor 85−21632
Szlachta, A. A system of synchronized rotary movement of induction motors with parallel connection of stator windings 87−58090
Szlachta, A. Mathematical model of equalizing electrical shaft with series connection of stators winding in induction machines 88−37205
Szlapa, A. Integrated bipolar junction transistors−effect of base broadening on the collector current 85−7058
Szlavik, F. *see* Kozmann, G. 86−5962
Szlavik, F. *see* Wolf, T. 86−12007
Szlavik, L. Remote-control pulse transmitter 88−29269
Szlendak, J., Zgutka, S. Automatizing the hardness testing of metals with the aid of electronic systems 85−33547
Szlenk, K., Poniewierski, T., Jesionek, J., Glowacki, R. Discharge transfer in a photoluminescent DC plasma display 87−21177
Szlichcinski, K. EDI and X.400−commercial and strategic issues 88−52795
Szluk, N. *see* Sritharan, S. 87−18331, 88−13411
Szluk, N.J. *see* Metz, W.A. 85−55958, 86−41720, 87−6925
Szmal, C. *see* Dobrucki, A. 87−10954
Szmanda, C.R. *see* Daniels, B.K. 87−11894
Szmanda, C.R. *see* Templeton, M.K. 88−13257
Szmanda, C.R. *see* Trefonas, P., III 87−74171
Szmania, E.P. *see* Kleppe, J.A. 87−71963
Szmelter, W., Gniotek, K. Measurement of muscle efficiency by an electrical method 85−38000
Szmidt, E.J. Chosen topics in an approximate analysis of a telecommunication controlled network with overflows 86−30269
Szmidt, J., Jakubowski, A., Balasinski, A. Some properties of metal/insulator/semiconductor structures with BN and carbon thin layers formed by the reactive pulse plasma method on silicon or SiO_2 substrates and annealing effects 87−11481
Szmidt, J. *see* Jakubowski, A. 86−58629
Szmigielski, S. *see* Debicki, P. 88−5001
Szmulowicz, F. Calculation of the mobility and the Hall factor for doped *p*-type silicon 87−6362
Szmulowicz, F., Bloch, K.T., Madarasz, F.L. Effect of light attenuation on the responsivity and detectivity of transverse and longitudinal detectors 87−29122
Szmulowicz, F., Madarasz, F.L., Diller, J. Photoconductive gain of a longitudinal detector with an arbitrary absorption profile 87−63419
Szmulowicz, F., Madarasz, F.L., Diller, J. Temperature dependence of the figures of merit for blocked impurity band detectors 88−67792
Szmulowicz, F., Madarsz, F.L. Blocked impurity band detectors−an analytical model: figures of merit 88−4434
Szmulowicz, F. *see* Madarasz, F.L. 86−8765
Szmurlo, T., Fugiel, W. The pumped-storage power station Zarnowiec 85−5006
Szmurlo, T.E., Mayes, P.E. Modified log-periodic cavity-backed slot antenna 87−27041
Szmytkiewicz, J. Methods of calibrator accuracy improvement 88−22401
Sznaider, K.A. *see* Wilson, E.L. 88−1712
Szobonya, L. Characterization of silicon by testchips 88−32769
Szocs, V. *see* Zvara, M. 87−1266
Szofram, F.R., Espy, P.N. Automated AC galvanomagnetic measurement system 85−58840
Szofran, F.R., Chandra, D., Wang, J.-C., Cothran, E.K., Lehoczky, S.L. Effect of growth parameters on compositional variations in directionally solidified HgCdTe alloys 85−39701
Szofran, F.R., Lehoczky, S.L. A method for interface shape control during Bridgman type crystal growth of HgCdTe alloys 85−39702
Szofran, F.R. *see* Ching-Hua Su 87−24994
Szofran, F.R. *see* Dakhoul, Y.M. 88−31708
Szofran, F.R. *see* Lehoczky, S.L. 85−22455
Szofran, F.R. *see* Su, C.H. 88−31709
Szoke, A. X-ray and electron holography using a local reference beam 87−12597
Szoke, S. Syntax design of a 16-by-16-bit multiplier with the analog simulation of the part circuits 86−14318
Szoleczky, I. *see* Erdos, E. 88−28584
Szolgay, P. *see* Rossmann, W. 87−1121
Szolovits, P. *see* Potvin, A.R. 86−32216
Szomor, P. *see* Kas, I. 86−20157
Szoncso, F. *see* Albrow, M.G. 87−41857
Szondi, E.J., Zzolnay, E.M. The uncertainty for predicted life expectancy of nuclear power plants 88−10967
Szondy, Gy. Computer simulation of orthogonal transform compression in transmitting digital video pictures 88−53441
Szonert, J. *see* Bieniak, B. 88−22498
Szonyi, Z. *see* Bajsz, J. 87−78347
Szoplik, T., Arsenault, H.H. Nonsymmetrical Fourier-transform hologram 85−24673
Szoplik, T., Arsenault, H.H. Rotation-variant optical data processing using the 2-D nonsymmetric Fourier transform 85−25142
Szoplik, T., Arsenault, H.H. Shift and scale-invariant anamorphic Fourier correlator using multiple circular harmonic filters 86−3961
Szoplik, T., Chalasinska-Macukow, K., Kosek, J. Precise angular measurements in anamorphic Fourier spectra 85−57452
Szoplik, T. *see* Slaby, J. 85−56882, 86−42655
Szorat, K.-H., Smolka, J. New ISOKOND shunt capacitors of over 1 kV with improved long-term stability 87−22682
Szorat, K.H. *see* Smolka, J. 87−22680
Szorenyi, K. *see* Szilagyi, A.G. 86−18319
Szornel, I. An asymmetrically seated swivelling, spring supported beam as an oscillating model for a recorder arm 85−52587
Szostak, D.J., Goldstein, B. Optically induced degradation in a-Si:H solar cells 87−36139
Szostak, E. *see* Jakubowski, R. 86−16529
Szostak, H.T. *see* Allen, R.W. 87−5370
Szostak, T. High performance injection molded ST compatible connector for LAN applications 88−33698
Szostak, T. New ST connector design eliminates fiber pistoning problems 88−39867
Szostak, T., Garner, P. Cleaving tools for practical in-field use 86−37889
Szostak Tad *see* Tad Szostak
Szot, J., Eatman, J. Radiation hardening through 2-micron I^2L technology 86−34823
Szot, J., Haneman, D. Preparation and characterization of $CuInSe_2$ and CdS films 85−22537
Szot, J., Haneman, D. Liquid-junction cells with thin-film $CuInSe_2$ 86−45668
Szot, J., Haneman, D. Thin film $CuInSe_2$ photoelectrochemical cells 87−16041
Szot, J., Storr, G.J., Haneman, D. Optical and electronic properties of $CuInSe_2$-based photoelectrochemical solar structures 87−30946
Szpak, M.D. ISDN and the move to integrated communications−an introduction 88−67087
Szpak, S., Gabriel, C.J., Driscoll, J.R. $Li/SOCl_2$ battery intercell currents 85−16196
Szpak, S. *see* Carter, B.J. 85−21779
Szpak, S. *see* Driscoll, J.R. 85−44151, 86−40040, 86−45631
Szpak, S. *see* Sikorski, J. 87−4400
Szpankowski, W. Bounds for queue lengths in a contention packet broadcast system 87−13179
Szpankowski, W. On an asymptotic analysis of a tree-type algorithm for broadcast communications 87−13183
Szpankowski, W. Performance evaluation of interval-searching conflict resolution algorithms 87−54797
Szpankowski, W. An analysis of a contention resolution algorithm: another approach 87−55366
Szpankowski, W. Stability, bounds and approximation in asymmetric buffered ALOHA-type systems 87−55418
Szpankowski, W., Kusiuk, A. Analysis and stability considerations of a random access system without retransmission discrimination discipline for multiple radio channels 86−30096
Szpankowski, W., Rego, V. Instability conditions arising in analysis of some multiaccess protocols 87−40057
Szpankowski, W., Rego, V. Stability conditions in a multiqueue system with applications to the analysis of computer communication networks 88−35192
Szpankowski, W. *see* Marinescu, D. 88−3612
Szpankowski, W. *see* Marinescu, D.C. 87−34180, 87−55791
Szpejn, J. *see* Lapinski, T. 88−53074
Szpilka, S. Subsynchronous valve cascade connection with improved power factor 86−18653
Szpilka, S.J. Induction motor speed-control with a compensator in the rotor 88−69393
Szpirglas, J. *see* Becam, D. 85−19307, 85−36142
Szpirglas, J. *see* Verhulst, D. 85−3368
Szpitalak, T. *see* Green, M.A. 86−7058, 87−4895
Szponder, J., Adamkiewicz, J., Miroslaw, J., Wawszczak, J. An analyser of low frequency harmonics 88−56754
Szpunar, B. *see* Atherton, D.L. 88−6564, 88−9972
Szpytma, A. *see* Kusy, A. 86−67604 to 67605
Szramek, Z. *see* Auleytner, K. 88−61985
Szramek, Z. *see* Korycki, P. 85−38576
Szreter, E. *see* Panek, M. 87−73107
Szreter, M., Boratynski, B., Jankowski, B., Radziszewski, A., Ratuszek, M., Skrabka, T. GaAs MESFET for S-band frequencies 88−7624
Szreter, Z. *see* Krzywaznia, A. 85−20327

Sztaba, O., Cybulska, K., Gandurska, J. Laser correction of thick film resistors 85−1191
Sztajer, J. *see* Krzysztofik, W. 88−56829
Sztajnman, A. *see* Galperin, M.D. 87−57465
Sztano, P. *see* Rajki, I. 86−61469
Sztano, R. Atmospheric pollution of wet cooling towers of large power stations. I 88−48786
Sztano, R. Contamination and endangerment of the environment caused by wet cooling towers of large thermal power stations. II 88−55187
Sztanyik, B.L. *see* Biro, T. 87−71179
Sztaricskai, T. *see* Andriashin, A.V. 87−29690
Sztaricskai, T. *see* Ormai, P. 88−36956
Sztark, H. *see* Clauzon, P.-P. 85−32319
Sztark, H. *see* Gourdon, J. 87−64313
Sztern, J. *see* Suran, G. 87−18475
Sztipanovits, J. Advances in intelligent instrumentation 87−41912
Sztipanovits, J., Bourne, J.R. Architecture of intelligent medical instruments 86−60706
Sztipanovits, J. *see* Biegl, C. 87−57128
Sztipanovits, J. *see* Foxvog, D. 87−57129
Sztipanovits, J. *see* Karsai, G. 87−57127
Sztipanovits, J. *see* Peceli, G. 86−18274
Sztrik, J. Reliability of heterogeneous stand-by systems in Markovian environment 88−11801
Sztrik, J. *see* Posafalvi, A. 88−18556
Sztylinski, L. Identification of induction motor model parameters in the frequency domain 86−39808
Sztylinski, L. Identification of induction motor model parameters in the frequency domain 87−42988
Sztylinski, L. Optimization of variable frequency induction motor drive 88−17613
Sztylinski, L. *see* Orlowska-Kowalska, T. 85−21725, 87−15844
Szu, H. Infrared power spectral density diurnal variations and clutter rejection scaling laws for focal plane arrays 87−39941
Szu, H. Holographic coordinate transformations and optical computing 88−2399
Szu, H. Iterative restoration algorithms for nonlinear constraint computing 88−6404
Szu, H. Nonlinear signal processing using fiber-optics neurograms 88−8765
Szu, H.H. Inverse problem of image processing 85−2891
Szu, H.H. Direct problem of image processing 85−2892
Szu, H.H. Matched filter spectrum shaping for light efficiency 85−46238
Szu, H.H. Image processing: analysis beyond matched filtering 85−63128
Szu, H.H. Non-convex optimization 87−51933
Szu, H.H. Inverse scattering problems in one-dimensional wide-band radar backscattering 87−63012
Szu, H.H., Caulfield, H.J. Optical expert systems 87−54833
Szu, H.H., Hartley, R.L. Nonconvex optimization by fast simulated annealing 88−18615
Szu, H.H. *see* Athale, R.A. 86−63869
Szu, H.H. *see* Caulfield, H.J. 88−33598
Szu, H.H. *see* Messner, R.A. 86−10531, 87−62198, 88−46225
Szu-lin Su, Li, V.O.K. An iterative model to analyze multihop packet radio networks 86−64750
Szuba, S. Selecting the optimum switching frequency for switcher design 87−10671
Szuba, S. *see* Susla, B. 85−55601
Szubert, J.M., Singer, K.E. A gate-controlled planar-doped barrier switch 85−45637
Szuchy, N.C., Caserta, A.L., Squires, R.W., Sredniawski, J.J., Ferrara, A.A. EMI free fiber optic strain sensor system for TFTR 85−4122
Szucs, I. *see* Farago, M. 85−37437
Szucs, K. *see* Balazs, A. 85−37435
Szucs, M. Laser test-pattern exposition device 88−40433
Szucs, Z. *see* Breitbart, E.W. 85−43418
Szucs, Z. *see* Rupper, U. 85−48983
Szucs, Z. *see* Ruppert, U. 87−35945, 87−43125
Szucz, I. *see* Szemmelveisz, T. 86−11763
Szukalski, J. *see* Jankiewicz, Z. 87−57220
Szukwei Min *see* Min Szukwei
Szulagyi, M., Szep, J. A systematic analysis of symmetric three-electrode electrostatic lenses 88−20861
Szulakiewicz, P. Minimum distance and spectrum for M-ary multi-T constant envelope digital CPM signals 88−52354
Szulakiewicz, P., Hofubowicz, W. *M*-ary multi-T phase codes 87−54937
Szulakiewicz, P. *see* Holubowicz, W. 86−3725, 87−2408
Szulc, W. *see* Klimek, C. 86−47939
Szulc, Z. *see* Jaworska, I. 88−18127
Szulc, Z. *see* Koczara, W. 88−69619
Szulce, A. Torque measuring transducers IV. Transducers operating on direct shaft twist angle measurements 85−31471
Szulce, A. Torque measuring transducers. III. Magnetoelastic transducers 86−60239
Szulczyk, A., Habermann, R., Bohm, W. Microstructure of vacuum-switch materials after arcing 86−51812
Szuldyner, C. *see* Tichit, B. 87−34816
Szuman, M. *see* Krason, P. 88−20825
Szumanowski, A. Analytic determination method of electroenergetistic characteristics of traction battery in dynamic conditions 85−53808
Szumanowski, A. *see* Cwiklinski, M. 87−36204
Szumowski, J. *see* Hornak, J.P. 87−41958
Szumowski, J. *see* Hornak, J.P. 87−77638
Szuprowicz, B. Demand for flat displays begins to bulge 85−20661
Szustakowski, M., Jaroszewicz, L. Change of polarization state by means of single-mode optical fibre 88−26763
Szustakowski, M. *see* Byszewski, A. 87−77242
Szustakowski, M. *see* Ciurapinski, W. 87−74897
Szustakowski, M. *see* Jaroszewicz, L. 85−51527
Szustakowski, M. *see* Kizlik, B. 88−26764
Szustakowski, M. *see* Neffe, S. 87−74766
Szustakowski, M. *see* Ostrowski, J. 87−75266
Szustakowski, M. *see* Surazynski, L. 86−42291
Szuszczewicz, E.P. Controlled electron beam experiments in space and supporting laboratory experiments: a review 86−25417
Szwarcfiter, J.L. On digraphs with a rooted tree structure 85−28129
Szwarcfiter, J.L., Persiano, R.C.M., Oliveira, A.F. Orientations with single source and sink 85−28126
Szweda, R., Lamb, M.S.M., Blunt, R.T. Transient annealing of high dose Mg implants in GaAs 88−12939
Szweda, R. *see* Blunt, R.T. 85−18211
Szwedowski, A. The influence of production technology of optical elements using NaCl on their work with CO_2 pulse lasers 85−7485
Szwedowski, A. Design and testing of AR coatings for NaCl optical elements used in CO_2 lasers 88−58334
Szwejda, A. *see* Malolepszy, J. 88−35526
Szwerinski, H. *see* Hightower, D. 88−1748
Szweycer, H. *see* Berus, T. 86−21146
Szweycer, H. *see* Goc, J. 87−11625
Szweycer, M. *see* Berus, T. 85−1840
Szweycerowa, H. *see* Berus, T. 85−12238
Szychlinski, J. DC measurements of the conductivity of liquids in the region 10^{-8}-10^{-15} S cm^{-1} 86−31583
Szychowski, J.H., Pasi, H. Comments on a phase compensator 85−2739
Szychowski, J.H., Pasi, H.E. Position meter 85−20726
Szydelko, Z. *see* Garloff, J. 86−34236
Szydlak, J. Application of lasers in satellite location 85−56899
Szydlak, J. *see* Jankiewicz, Z. 86−42505, 87−75070
Szydlak, J. *see* Kravchenko, V.I. 87−2214
Szydlak, J. *see* Mindak, M. 85−12901
Szydlo, N., Chartier, E., Perbet, J.N., Proust, N., Magarino, J., Hareng, M. Integrated matrix-addressed LCD using amorphous-silicon back-to-back diodes 85−64203
Szydlo, N., Perbet, J.-N., Chartier, E., Graciet, M., Magarino, J. Integrated amorphous silicon for LCD addressing 86−9633
Szydlo, N. *see* Chartier, E. 87−18162
Szydlo, N. *see* Magarino, J. 88−10085
Szydlovski, R. *see* Czolba, L. 87−40070
Szygenda, S.A., Wilson, M. Technology transfer: commercializing university research 88−31577
Szyller, J. Microprocessors of the eighties 85−45085
Szymanda, J. *see* Karwowski, A. 85−57107
Szymaniec, S. *see* Hickiewicz, J. 85−9900, 87−15769, 87−42999
Szymanowski, J. *see* Oledzki, J. 87−3705
Szymanska, W. *see* Litwin-Staszewska, E. 85−28946
Szymanska, W. *see* Suski, T. 86−53354
Szymanski, A. *see* Fjalkowski, Z. 88−37186
Szymanski, A. *see* Miedzinski, B. 86−19695
Szymanski, D., Achmatowicz, S., Bekisz, J., Szczytko, B. Creation of mechanical strains in a resistive layer as a means to study its temperature characteristics 85−1190
Szymanski, D., Achmatowicz, S., Bekisz, J., Szczytko, B. Creating mechanical stress in the resistive layer as a method of studying its temperature characteristics 85−23276
Szymanski, D. *see* Szczytko, B. 85−35247
Szymanski, D.F. Training for results with video power system operators 87−31200
Szymanski, E. The influence of some design and materials quantities of fuses on the steady-state temperature of the fuse element 86−14619
Szymanski, E. Dependence of fuse rated current upon ambient temperature 87−58252
Szymanski, G. Active power loss in thin nonmagnetic tape generated by two-sided inductor heater 85−56954
Szymanski, G., Patecki, A. Eddy-current and temperature of the sheath in three-phase pipe-sheathing systems 85−27075
Szymanski, G. *see* Barel, A. 88−20850
Szymanski, G. *see* Borucki, R. 88−30401
Szymanski, G. *see* Kurek, A. 85−61487
Szymanski, H. Present-day magnetic electron lenses 85−34443
Szymanski, H. *see* Drzazga, W. 87−53144, 87−60062
Szymanski, J., Neilson, D., Green, F., Kemeny, P.G., Linard, B.J. Functional dependence of electron mobility on the distance of remote donor impurities from the interface in AlGaAs/GaAs heterostructures 85−55519
Szymanski, L. *see* Darek, B. 85−2158
Szymanski, M. *see* Demmer, D.R.M. 85−29883
Szymanski, S. Determination method of the analytical form of unit cost characteristics for losses as a function of the power deficiency at industrial consumers [distribution networks] 85−21184
Szymanski, S. *see* Sozanski, J. 86−18683, 86−18685
Szymanski, S.T. *see* Kunz, H.R. 85−32699
Szymanski, T.G. Dogleg channel routing is NP-complete 85−22590
Szymanski, T.G. Leadout: a static timing analyzer for MOS circuits 87−37114
Szymanski, T.G., Van Wyk, C.J. GOALIE: a space-efficient system for VLSI artwork analysis 85−45825
Szymanski, T.G., Van Wyk, C.J. Goalie: a space efficient system for VLSI artwork analysis 85−61979
Szymanski, T.H. Tree network performance analysis using Monte Carlo simulation of performance Petri nets 88−3323
Szymanski, Z. Skin effect in cylindrical segments placed in the field of a thin conductor carrying current 85−19088
Szymborski, J., Mendygral, J., Oman, H., Hodgson, R.L. Cycle life testing of a 96-volt, 1500 Ah sealed lead acid battery system 86−33631
Szymczak, A. *see* Galwas, B. 86−18087
Szymczak, H. Magnetocrystalline anisotropy and magnetoelastic constants for $Nd_2Fe_{14}B$ in a crystal field model 86−15356
Szymczak, H. *see* Gorzkowski, W. *(editor)* 88−11616
Szymczak, R., Burzo, E., Wallace, W.E. Domain wall energy in $Nd_2Fe_{14}B$ and $Pr_2Fe_{14}B$ compounds 86−15365
Szymczak, R., Givord, D., Li, H.S. Dependence of domain width on crystal thickness in $Nd_2Fe_{14}B$ single crystals 87−74505
Szymerska, U. Telecommunication development prediction method 86−23238
Szymkat, M., Mosekilde, E. Global bifurcation analysis of an economic long-wave model 87−31679
Szymkowiak, A.E. *see* McCammon, D. 86−50329, 88−36396
Szymkowiak, A.E. *see* Moseley, S.H. 85−43317, 88−61205
Szymocha, K., Standa, J. Measuring anemometer arrangements 87−35207
Szymonski, M. The method of evaluation of the navigation satellite systems 87−41148
Szymulanski, A. *see* Fisk, H.E. 86−31827
Szymulanski, A. *see* McInturff, A.D. 85−64386
Szymulanski, A. *see* Niemann, R.C. 85−37848, 85−59034
Szymura, S., Sojka, L. Phase structure, magnetization and mechanical hardness of a magnetically hard Fe-Cr-Co alloy with Mo and Si addition 85−12480
Szymura, S., Sojka, L. Magnetic after-effect in Alnico alloys 85−56125
Szymura, S., Sojka, L. The effect of silicon on the structure and properties of Fe-Cr-Co permanent magnet alloys 86−35978
Szymura, S. *see* Olszewski, J. 87−74503
Szymura, S. *see* Szafranska-Miller, B. 87−17413 to 17414
Szynkarczuk, M. *see* Kulikowski, J. 88−13675
Szynkier, R.T. *see* Mattar, J.A. 88−36471
Szynowski, J. Measuring amplifier for electromagnetic flowmeter 85−586
Szyper, M. Methods, instruments and measurement systems developed in the Metrology Department of Mining and Metallurgy Academy for industrial measurements under difficult technical conditions 85−42836
Szyperski, N., Koring, K. Electronic mail systems−an up-to-date medium for office communications 86−16833
Szypowski, C. *see* Staskiewicz, J. 88−22830
Szyszko, S. Methods of signal analysis in vibroacoustical diagnostics 86−70253
Szyszko, S., Barszczewski, L. Application of multivariate correlation and regression analysis to feature reduction in vibroacoustic diagnostics based on pattern recognition methods 87−77470
Szyszko, W. *see* Jaworska, D. 88−64389

T. Bow Sing *see* Sing T. Bow
't Hoen, P.P. Technology and telecommunications: the role of the PTT 87−55477
't Hooft, G.W., Leys, M.R., Roozeboom, F. Low interface recombination velocity in GaAs-(Al,Ga)As double heterostructures grown by metal organic vapour phase epitaxy 86−21202
't Hooft, G.W., Leys, M.R., Thalen-van der Mheen, H.J. Temperature dependence of the radiative recombination coefficient in (Al,Ga)As quantum wells 85−45444
't Hooft, G.W. *see* Leys, M.R. 87−53249
't Klooster, C.G.M.van *see* van 't Klooster, C.G.M.
't Klooster, K.van *see* van 't Klooster, K.
't Klooster, P.van *see* van 't Klooster, P.
't Ooster, J.van *see* van 't Ooster, J.
T. Wang Cheng *see* Cheng T. Wang
T. Wu Tai *see* Tai T. Wu
Ta, D.T. *see* Philippow, E.S. 85−23083
Ta Do Trung *see* Do Trung Ta
Ta The, H. *see* de Chambost, E. 86−35488
Ta Thuy *see* Thuy Ta
Ta Van Dinh On multi-parameter error expansions in finite difference methods for linear Dirichlet problems 87−58866
Ta-Ke Tien *see* Ding, L. 86−20557
Ta-liang Teng, Min Hsu A seismic telemetry system of large dynamic range 87−15027
Ta-Peng Tsao, Shi-Lin Chen, Ching-Lien Huang, Wei-Chung Lin Dynamic response analysis of marine power systems 88−23324
Ta-Peng Tsao *see* Wei-Cheng Lin 88−36782
Taaffe, M.R., Clark, G.M. Approximating nonstationary two-priority non-preemptive queueing systems 88−24625
Taaffe, M.R., Ong, K.L. Approximating nonstationary $Ph(t)/M(t)/s/c$ queueing systems 87−44107
Taagholt, J. Danish and US geophysical measurements in Greenland and surrounding areas related to Arctic radio propagation 86−59079
Taagholt, J. *see* Johnson, A. 85−52303, 86−69743
Taalab, A.I. *see* Abdel-Karim, A.S. 88−69484
Taalab, A.I. *see* Yacamini, R. 85−53302
Taam, M.Z. *see* Frontin, S.O. 86−12915
Ta'ani, R. *see* Qashou, M. 87−30295
Tabacco, M.B., DiGiuseppe, T.G., Stokes, G.H. High power laser delivery through infrared transmitting optical fibers 88−58125
Tabacco, M.B. *see* Frankel, D.S., Jr. 88−13855
Tabachnik, E.I. *see* Efremenko, D.A. 88−12260, 88−22805
Tabachnik, E.I. *see* Kanevskii, I.D. 86−31671
Tabachnik, R.M. *see* Kesova, L.A. 85−15086
Tabachnik, V.P., Chernova, G.S., Fedorishcheva, E.E. Quality control of products according to the internal field when magnetized with an attached electromagnet 86−530
Tabachnik, V.P., Chernova, G.S., Fedorishcheva, E.E. Operation of a coercive force meter with U-shaped electromagnet when the cross-sectional areas of the electromagnet cores and testpiece are equal 87−3723
Tabachnik, V.P., Chernova, G.S., Fedorishcheva, E.E., Turetskii, Ya.Sh. Magnetic inspection parameters of cermet plates containing cobalt 88−70378
Tabachnik, V.P., Fedorishcheva, E.E., Chernova, G.S. Finding the characteristics for obtaining the lowest sensitivity to the gap between an applied electromagnet and testpiece during tests in the region of relaxation coercive force 86−52562
Tabachnik, V.P., Fridman, L.A., Chernova, G.S. Heads for the magnetic inspection of ball bearings 85−10865
Tabachnik, V.P. *see* Fedorishcheva, E.E. 87−350
Tabaczynski, W. *see* Siemienski, P. 86−2242
Tabak, B.A. *see* Steiner, J.L. 88−27245
Tabak, D. The Intel 80386 and new 32 bit microprocessors 87−31936
Tabak, D. Intel 80386 and new 32-bit microprocessors. I 87−44896
Tabak, D. Intel 80386 and new 32-bit microprocessor. II 87−52626
Tabak, D. *see* Etkin, J. 85−25627, 85−47263, 87−20089
Tabak, V.Ya. *see* Sibarov, Yu.G. 85−20970
Tabaka, L., Witomski, W. Phase meter−digital time meter 85−4012
Tabaka, T. *see* Ishizaki, A. 87−30480
Tabakin, E.L. *see* Smith, B.A. 86−18649
Tabako, T. *see* Ishizaki, A. 86−45389
Tabakov, A.V. *see* Kaganov, V.I. 85−6193
Tabakov, S.E., Goranov, P.T., Tsk'nov, G. Autonomous resonance inverter load oscillator frequency follower 86−20261
Tabar, F.Meibody *see* Meibody Tabar, F.
Tabar, L., Dean, P.B. Quality aspects in mammography 85−38087
Tabarin, V.A. A 'modulator-demodulator' type microwave ferrite amplifier 88−63875
Tabarin, V.A., Timashov, A.V. Study of nonlinear effects by means of ferromagnetic resonance with feedback 87−12057
Tabarin, V.A. *see* Bezmaternykh, L.N. 87−35082
Tabarin, V.A. *see* Dem'yantseva, S.D. 86−42492
Tabarov, T.S. *see* Abdullaev, Kh.O. 88−33849
Tabarov, T.S. *see* Alferov, Zh.I. 85−14813, 87−25306, 88−12976
Tabarov, T.S. *see* Bogdanovich, M.S. 86−2961, 86−36336
Tabarov, T.S. *see* Gorelenok, A.T. 85−62448, 86−22210
Tabarov, T.S. *see* Korol'kov, V.I. 85−23817, 88−8056
Tabarov, T.S. *see* Volkov, L.A. 86−36305
Tabarovskii, L.A. *see* Itskovich, B.G. 88−42631
Tabary, A. *see* Ferrando, P. 88−4812
Tabary, A. *see* Goret, P. 88−68252
Tabary, M. *see* Sozanski, J.P. 88−61433
Tabasky, M., Bulat, E.S., Ditchek, B.M., Sullivan, M.A., Shatas, S. Direct silicidation of Co on Si by rapid thermal annealing 87−11712
Tabasky, M., Bulat, E.S., Ditchek, B.M., Sullivan, M.A., Shatas, S.C. Direct silicidation of Co on Si by rapid thermal annealing 87−45815
Tabasky, M. *see* Burba, M.E. 87−11849
Tabasky, M. *see* Degenkolb, E. 86−9027
Tabasky, M. *see* Ditchek, B.M. 88−39278
Tabassum, S.A., Probert, S.D. Vertical-axis wind turbine: a modified design 88−5617
Tabat, M.D. *see* Loper, G.L. 85−1501, 85−34834, 86−9023, 87−45801, 88−33071
Tabata, H. *see* Ito, S. 86−62286
Tabata, H. *see* Kuwata, K. 86−13486
Tabata, H. *see* Nakamura, Y. 87−72838
Tabata, H. *see* Yamaguchi, K. 86−62284
Tabata, J. Electric propulsion activities in Japan 85−32772
Tabata, J. *see* Kitamura, S. 85−31902
Tabata, K. *see* Takeda, H. 86−69166
Tabata, K. *see* Yamada, M. 85−2284, 85−35790, 85−62582
Tabata, M., Aoyagi, K. Development of optical voltmeter and currentmeter 88−53713
Tabata, M., Tojo, T. Double diffraction alignment method using checker grating 88−7534
Tabata, M. *see* Kondo, T. 88−685
Tabata, M. *see* Mori, I. 86−21314
Tabata, M. *see* Nakamura, Y. 86−5008
Tabata, M. *see* Satoh, M. 86−35376, 86−40046
Tabata, M. *see* Yoshino, K. 86−22718, 86−66866
Tabata, N., Nagai, H., Yoshida, H., Hishii, M., Tanaka, M., Myoi, Y., Akiba, T. High power industrial CO_2 lasers 85−56549
Tabata, N. *see* Hishii, M. 86−58875
Tabata, N. *see* Myoi, Y. 85−35813
Tabata, N. *see* Tanaka, M. 86−36427
Tabata, O. Fast-response silicon flow sensor with an on-chip fluid temperature sensing element 86−44262
Tabata, O., Inagaki, H., Igarashi, I. Monolithic pressure-flow sensor 88−29314
Tabata, O., Kimura, S., Ikegami, M., Kunori, M. Characteristics of ion beam extraction from AC Freeman ion source 86−18226
Tabata, O., Kimura, S., Kunori, M. Characteristic of a Freeman ion source with an AC filament 85−15152
Tabata, O. *see* Kishimoto, M. 86−18225
Tabata, V., Masuda, S. Minimum potential of charged insulator to cause incendiary discharges 85−19083
Tabata, Y. Using micro PLCs 86−41023
Tabata, Y. Electrostatic properties of anti-static cloth woven partly with electrically conductive fibers 87−47088
Tabata, Y. Electrostatic properties of antistatic cloth woven partly with electrically conductive fibers 88−52054
Tabata, Y., Matsuo, Y., Yoshimochi, H. Shield effect of electrically conductive materials against electromagnetic waves radiated by electrostatic discharge 88−52249
Tabata, Y. *see* Aoki, Y. 88−71478
Tabata, Y. *see* Date, K. 88−49928
Tabata, Y. *see* Kobayashi, H. 85−58974, 87−12521, 87−14669, 87−29376 to 29377
Tabata, Y. *see* Kobayashi, T. 87−14692
Tabata, Y. *see* Kodama, T. 88−27423
Tabata, Y. *see* Konno, T. 86−49655
Tabata, Y. *see* Sueoka, O. 85−37861
Tabata, Y. *see* Ueda, T. 87−14683
Tabatabai, A. Some results on two-dimensional pseudoquadrature mirror filters 87−73558
Tabatabai, A., Malek-Zaverei, M. Generic design of digital services circuits 85−42113
Tabatabai, A. *see* Gharavi, H. 87−47977, 87−62300, 88−34752
Tabatabai, A. *see* Le Gall, D. 88−73246
Tabatabai, A. *see* Tsolas, N. 87−39564
Tabatabai, A.J. *see* Fredericks, R.M. 88−9015
Tabatabai, A.S., Andrews, W.B. A ranking of design and operational alternatives for the mitigation and avoidance of sabotage in nuclear power plants 87−64307
Tabatabai, M., Pollard, A., McPhail, A. A device for calibrating hot-wire probes at low velocities 87−21275
Tabatabaie, N., Robbins, V.M., Pan, N., Stillman, G.E. Impact ionization coefficients in (111) InP 85−23731
Tabatabaie, N., Tamargo, M.C. Determination of elastic tunneling traversal times 87−45670
Tabatabaie, N., Tamargo, M.C. New quantum interference effects in GaAs/AlAs resonant tunneling structures 87−60164
Tabatabaie, N. *see* Haase, M.A. 85−40445
Tabatabaie, N. *see* Lin, L.-J. 88−64240
Tabatabaie, N. *see* Meynadier, M.-H. 88−33855
Tabatabaie, N. *see* Nahory, R.E. 88−33175
Tabatabaie, N. *see* Pan, N. 87−10437
Tabatabaie, N. *see* Stillman, G.E. 85−12728, 86−2965
Tabatabaie, N. *see* Tsang, W.T. 86−66807, 87−6406
Tabatabaie, N. *see* Zah, C.E. 87−26395
Tabatabaie-Alavi, K., Black, B.W., Bernacki, S.E. Application of GaAs/(GaAl)As super-lattices to dose rate hardening of GaAs MESFETs 87−32566
Tabatabaie-Alavi, K. *see* Chen, W.T. 88−19239
Tabatabaie-Alavi, K. *see* Collins, S.R. 88−39668
Tabatabaie-Alavi, K. *see* Kazior, T.E. 87−11592
Tabatabaie-Raissi, A., Antal, M.J., Jr. Design and operation of a 30 kWe/2 kWth downward facing beam arc image furnace 86−52054
Tabatchikov, A.S. Appearance of fracture and impact toughness of weld metal alloyed with yttrium 88−55982
Tabatskii, V.A. *see* Petrov, V.M. 88−27915
Tabayashi, S. *see* Takano, K. 88−76018
Tabayashi, S. *see* Uozumi, O. 88−3914
Tabayshi, S., Yasuda, T. Development and release of a new SCADA system 85−26983
Tabb, E. *see* Leibowitz, H. 85−21490
Tabbagh, A. A new apparatus for measuring thermal properties of soils and rock in situ 86−25398
Tabbagh, A. *see* Sassi, K. 87−29943
Tabbara, W. Applications of time-domain scattering to electromagnetic waves 85−57013
Tabbara, W., Duchene, B., Pichot, Ch., Lesselier, D., Chommeloux, L., Joachimowicz, N. Diffraction tomography: contribution to the analysis of some applications in microwaves and ultrasonics 88−54511
Tabbara, W. *see* Duchene, B. 88−4933, 88−75006
Tabbara, W. *see* Lesselier, D. 86−59024, 87−75397
Tabbert, M. Computing facilities at ESOC 87−71265
Tabe, H. *see* Komatsu, K. 88−39897
Tabe, K., Hotate, K. Drift of an optical fibre gyroscope caused by the Faraday effect and its reduction by use of a polarizing fibre 87−46507
Tabe, K. *see* Hotate, K. 86−42234, 87−68104
Tabe, K. *see* Wada, H. 86−5523
Tabe, M. UV ozone cleaning of silicon substrates in silicon molecular beam epitaxy 85−16922
Tabe, M. Substrate surface cleaning in silicon molecular beam epitaxy 85−49570
Tabe, M. Production silicon molecular beam epitaxy apparatus for 4-in.-diam wafers 86−433
Tabe, M., Chiang, T.T., Lindau, I., Spicer, W.E. Initial stage of thermal oxidation of the Si(111)-(7×7) surface 87−1428
Tabe, M., Kunii, Y. Solid phase epitaxy of UHV-deposited amorphous Si over recessed SiO_2 layer 86−13769
Tabe, M., Takahashi, M., Sakakibara, Y. Oxygen-doped Si epitaxial films for Si hetero-bipolar transistors 87−23670
Tabe, M., Takahashi, M., Sakakibara, Y. Oxygen-doped Si epitaxial film (OXSEF) 88−24733
Tabe, M. *see* Kunii, Y. 85−49567, 86−7814, 87−65502
Tabe, M. *see* Mitani, K. 87−2738
Tabe, M. *see* Taguchi, T. 87−2737
Tabe, M. *see* Takahashi, J. 85−39789
Tabe, M. *see* Takahashi, M. 88−1419
Tabe, T., Ito, K., Akiyama, S. Safety and reliability of automotive electronics 85−65568
Tabe, T. *see* Kakehi, T. 87−31061
Tabei, H., Fujiki, M., Imamura, S. Direct pattern fabrication of substituted phthalocyanine films 86−21310
Tabei, H. *see* Fujiki, M. 87−74163
Tabei, M., Ueda, M. A method of high precision frequency detection with FFT 87−69192
Tabei, M., Ueda, M. High precision, detection of the frequency, amplitude and phase of a continuous signal with FFT 88−14732
Tabei, M., Ueda, M. FFT multi-frequency synthesizer 88−70296
Tabei, M. *see* Sato, M. 88−74595
Tabei, Y. *see* Morito, M. 87−47563
Tabenkin, A.N. *see* Parsons, F.G. 86−65275
Taber, D.B., Davis, J.A., Lilly, R.A. Walsh function spectrum analyzer using the programmable magnetooptic spatial light modulator 88−59189
Taber, D.B. *see* Davis, J.A. 88−58303
Taber, M., Cabrera, B. Reduction of excess of low-frequency noise in RF-biased SQUID's 86−5239
Taber, M. *see* Cabrera, B. 85−31728
Taber, M.A. *see* Huber, M.E. 87−77203, 88−22915
Taber-Jenkins, R. *see* Andersen, B.A. 86−32894
Tabib Azar, M. *see* Davari, B. 86−28064

Tabib-Azar, M. Characterization of electrical properties of semi-insulating GaAs using acousto-electric voltage spectroscopy between 83 and 300 K with surface wave power as an additional parameter 88−57312
Tabib-Azar, M., Abedin, M.N., Das, P. Acoustoelectric interaction in GaAs/AlAs superlattice using separate-medium configuration 88−50658
Tabib-Azar, M., Das, P. Nondestructive TAV spectroscopy to detect impurity levels in semiconductor by scanning the energy gap with biasing electric field 87−1185
Tabib-Azar, M., Das, P. Characterization of diode arrays using nondestructive SAW technique 87−46685
Tabib-Azar, M., Das, P. Acoustoelectric measurements of minority and majority carrier mobilities in semiconductors including $Hg_{1-x}Cd_xTe$ 88−25878
Tabib-Azar, M., Dewa, A.S., Ko, W.H. Langmuir-Blodgett film passivation of unpinned *n*-type gallium arsenide surfaces 88−26053
Tabib-Azar, M., Liu, T., Abedin, M.N., Das, P., Gilboa, H., Hata, W., O'Donnell, K. Characterization of RIE induced radiation damage in silicon using nondestructive transverse acoustoelectric voltage measurements 86−589
Tabib-Azar, M., Nam-Chun Park, Das, P. Transient type-inversion of semi-insulating GaAs under strong illumination at 140 K detected by the nondestructive surface-acoustic-wave technique 87−66912
Tabib-Azar, M. *see* Gilboa, H. 86−28228
Tabibi, B.M. *see* Lee, J.H. 88−72288
Tabin, J. Ultrasonic metering of flow velocity based on transit time differentials 87−56899
Tabin, J. Theoretical analysis of the ultrasonic Doppler flowmeter for measurements of high flow velocities 87−70865
Tabinskii, T.M. *see* Bortsov, Yu.A. 85−58504
Tabira, M. *see* Iri, E. 86−59892
Tabiryan, N.V. *see* Nersisyan, S.R. 85−46221
Tabiryan, N.V. *see* Zel'dovich, B.Ya. 85−46488
Tabisz, W.A., Gradzki, P., Lee, F.C. Zero-voltage-switched quasi-resonant buck and flyback converters−experimental results at 10 MHz 87−73315
Tabisz, W.A., Lee, F.C. Zero-voltage-switching multi-resonant technique−a novel approach to improve performance of high frequency quasi-resonant converters 88−70522
Tabisz, W.A., Lee, F.C. 5 MHz, 50 W, zero-voltage switched multi-resonant converter 88−75725
Tabisz, W.A., Lee, F.C. A novel, zero-voltage-switched multi-resonant forward converter 88−75815
Tabisz, W.A. *see* Jovanovic, M.M. 88−55496
Tabisz, W.A. *see* Ridley, R.B. 88−75819
Tablas, F.M.G. *see* Del Barrio, J.I. 86−3047, 86−58871, 86−58882
Tablawi, T., Botros, R., Fotouh, H., Taha, M., Faheed, M., Hoelscher, J.F., Quinn, R. Design of a PV-powered desalination plant in Egypt 88−37793
Taboada, A., Server, W.L. Reactor vessel annealing to mitigate radiation effects 86−51355
Taboada, G.S., Gauvrit, M. Observability and optimal maneuver for bearings only tracking 88−34708
Taboada, J. Laser-generated beam array for commutation of spatially modulated optical signals 87−54457
Taboada, J. *see* McDuff, O.P. 87−12445, 87−61061
Tabocchini, M.A. *see* Belli, M. 87−63752
Tabone, D. Radiosoftware: transmission and reception tests 88−47254
Tabor, H. Solar energy−dreams and reality 86−19172
Tabor, P.M., Wade, C.A. The effects of adding large static inverter drives to industrial power systems 85−10139
Tabor, S.L. BGO suppressed gamma detector arrays 87−50154
Taborek, K. *see* Jasik, J.R. 87−77309
Taborek, R. Ontario Hydro's acid gas control program 86−33095
Tabori, J. *see* Kerenyi, D. 87−72499
Taborov, V.F., Tarasov, V.F. Logarithmic radio pulse amplifier 86−14022
Taborov, V.N. *see* Ivanov, Yu.P. 86−57786
Tabors, R.D., Flagg, D.P. Natural gas fired combined cycle generators: dominant solutions in capacity planning 86−56644
Tabors, R.D. *see* Schweppe, F.C. 85−59606
Tabosa, J.W.R., Rios Leite, J.R. Optical bistability in the CO_2 laser: the regular-to sequence-band switching 87−2236
Tabouret, E. *see* Buiguez, F. 85−6780
Taboury, J., Wang, J.M., Chavel, P., Devos, F., Garda, P. Optical cellular processor architecture. I. Principles 88−51620
Taboury, J. *see* Chavel, P. 88−8014, 88−58283, 88−65424
Tabov, I.B. The solution of finite-difference elliptic equations with integration on subdomains 87−58888
Tabram, K. Antennas for defence networks 85−19228
Tabrin, V.N. *see* Zel'dovich, B.Ya. 86−29113
Tabrisky, J. *see* Ko, Y. 87−77648
Tabrizi, M. The nonlinear magnetic core model used in SPICE PLUS 87−44565
Tabrizi, M., Orgain, C. Analog CAE tools go beyond breadboarding 88−49965
Tabrizi, M., Orgain, C. Power supply designers say so long to breadboards 88−63446
Tabrizi, M., Walker, M.G. Computer aided engineering for power electronics using SPICE PLUS 88−12217
Tabrizi, M. *see* Crosby, B.C. 87−504
Tabucanon, M.T. *see* Si Liwo Yu Hok 88−31520
Tabuchi, H. *see* Wakao, K. 85−35756
Tabuchi, J. Application of VTR software servo system 87−77019
Tabuchi, N. *see* Kuboki, K. 88−8211
Tabuchi, N. *see* Kumada, M. 88−65745
Tabuchi, N. *see* Nakata, T. 88−51831, 88−52094
Tabuchi, N. *see* Ohtsu, M. 88−40303
Tabuchi, N. *see* Yodoshi, K. 88−40238
Tabuchi, T., Yamagishi, K., Tarui, Y. Low-temperature growth of transparent and conducting tin oxide film by photo-chemical vapor deposition 87−36805
Tabuchi, T. *see* Hikita, M. 85−50820, 86−2532, 87−74491, 88−60041
Tabuchi, T. *see* Matsumoto, K. 87−10402
Tabuchi, T. *see* Yokomachi, Y. 87−70254
Tabuchi, Y. Automatic lighting control systems integrated with daylight 86−33847
Tabuchi, Y., Hirata, M., Nakau, M., Nishimura, M., Satone, H. Lighting calculation procedure in a room with a louvered ceiling and its experimental evaluation. I. Calculation of the luminous intensity and the efficiency of square grid louvers 85−60540
Tabuchi, Y., Nakamura, H., Hasegawa, G. Development of the appropriate lighting method based on analyzing the atmosphere in the living room 86−33849
Tabuchi, Y., Nakamura, H., Kimoto, T. Subjective appraisal and the index of flicker sensation for light sources with alternating different waves. II. The analysis with Fourier expansion 88−37721
Tabuchi, Y., Nakamura, H., Kimoto, T., Matsuo, K. Subjective appraisal and the index of flicker sensation from light sources with alternating different light waves 86−13168
Tabuchi, Y., Nakamura, H., Matsushima, K. Analysis on the required atmosphere in the shop space by semantic differential method [lighting] 87−5079
Tabuchi, Y., Nakau, M., Kuchiishi, Y., Nishimura, M., Satone, H. Lighting calculation procedure in a room with a louvered ceiling and its experimental evaluation. II. Theoretical approach of calculation method and measurement in the experimental room 85−60541
Tabuenca, M.M. *see* Valeri, J.C. 86−13902
Tabuki, M. *see* Kasama, M. 88−6030
Tabuki, T. *see* Burnett, T.H. 87−8866
Tabulina, L.V. *see* Kurmashev, V.I. 85−29421
Tabunenko, E.N., Shcherbak, V.I. Transforming operators in a statistical synthesis of processors of spatial field parameter values 85−2839
Tabunenko, E.N., Shcherbak, V.I. Criterion of maximum probability in the statistical evaluation of spatial parameters of fine-structured fields 86−24616
Tabunov, V.P. *see* Goldobin, I.S. 85−2339
Tabunov, V.P. *see* Vasil'ev, M.G. 86−9862
Tabushi, K., Itoh, S., Sakura, M., Iinuma, T.A., Arai, T. A method for calculating the optimum irradiation condition for intracavitary radiotherapy using quadratic programming 88−61421
Tabusse, M. *see* Amadou, P. 86−34745, 87−715, 87−32742
Tabuyo, J. *see* Hernandez-Gil, F. 87−73655
Tabuyo, J.M. *see* Perez, F. 87−20406
Tacano, M., Kanayama, T., Hiroshima, H., Komuro, M., Sugiyama, Y. $1/f$ noise in a quarter-micron GaAs Hall device made by focused ion-beam implantation 88−13306
Tacano, M., Oigawa, K., Sugiyama, Y. $1/f$ noise in ion-implanted indium phosphide layers 88−71309
Tacano, M., Sugiyama, Y., Taguchi, T. $1/f$ noise in (AlGa)As/GaAs heterostructure Van der Pauw element 87−32462
Tacano, M., Sugiyama, Y., Taguchi, T., Soga, H. Low-frequency noise in GaAs layers grown by molecular beam epitaxy 88−57313
Tacano, M., Tamura, A., Oigawa, K., Uekusa, S.-I., Sugiyama, Y. A column-base InP lateral bipolar transistor 88−71517
Tacano, M. *see* Oigawa, K. 87−32309, 88−13387
Tacano, M. *see* Taguchi, T. 88−50786
Tacano, M. *see* Uekusa, S. 85−45588
Tacca, H. Active power transducer 85−3974
Tacca, H. Family of industrial frequency-meters with modular construction 85−4032
Tacca, H. Voltage detector relay for battery charger 85−28336
Tacca, H. Soldering machine controller 85−34098
Tacca, H. F/Voltage converter with 4 level detector 85−34115
Tacca, H. Controller for machine presses 85−40195
Tacca, H. N+1 wires connect N Hall-effect switches 85−55751
Tacca, H. Simple ultrasonic object detector 85−64776
Tacca, H. New advances in relay technology (last part) 88−57040
Tacca, H.E. Two-dimensional arrays of ultrasonic transducers for acoustic imaging 87−50594
Tacca, H.E. The connection of large arrays of ultrasonic capacitative transducers 87−71437
Taccetti, N. Gamma spectroscopy at high counting rates with large volume germanium detectors 85−4232
Taccetti, N. *see* Bini, M. 85−37867
Taccetti, N. *see* Bruschi, M. 88−48031
Tacchetti, S. *see* Bilenchi, R. 85−60980
Tacchi, T., Molinari, M. Technological trends in digital electronic circuits 85−28434
Tacchi, T. *see* Costa, P. 88−12808
Tacconi, E., Mantz, R., Carasi, J. Method of processing for linear prediction 86−64280
Tacconi, E. *see* Bouvet, M. 86−16421
Tacconi, G. *see* Nicolas, P. 88−22055
Tacconi, N.R.de *see* de Tacconi, N.R.
Tacer, M.E. Minimum realization of induction machines 87−22357
Tacer, M.E. Digital simulation of a synchronous machine with divided winding rotor by piecewise-constant feedback control 87−42902
Tacer, M.E. *see* Gurleyen, F. 87−30543
Tacey, J.P., Lawrence, G.R. Thermal infrared remote sensing: one of today's solutions 87−57444
Tachafine, M.Y. *see* Le Doeuff, R. 87−22602
Tachafine, M.Y. *see* Machmoum, M. 88−43207
Tache, J.-P. Ray matrices for tilted interfaces in laser resonators 87−33223
Tache, J.P. Diffraction losses of an asymmetric stable laser resonator using an equivalent resonator 86−9897
Tache, J.P. Intracavity skew-Brewster-angle plates as a calibrated attenuator for gas lasers 86−58954
Tache, J.P., Le Floch, A., Le Naour, R. Lamb dip asymmetry in lasers with plane-parallel resonators 87−2211
Tache, N. *see* Brillson, L.J. 87−1294
Tache, N. *see* Chiaradia, P. 88−13020
Tache, N. *see* Davis, G.D. 87−17946
Tache, N. *see* Kelly, M.K. 86−47395
Tache, N. *see* Stiles, K. 88−19741
Tachi, H. *see* Otsuka, K. 87−51874, 88−24563
Tachi, K. *see* Hara, Y. 88−30169
Tachi, S., Miyake, K. Plasma etching mechanism of silicon studied by mass-selected ion beam irradiation technique 86−9051
Tachi, S., Okudaira, S. Chemical sputtering of silicon by F^+, Cl^+, and Br^+ ions: reactive spot model for reactive ion etching 86−53550
Tachi, S., Sato, E., Kinugawa, K. Liquid crystal display panels and LCD drive LSIs 85−26416
Tachi, S., Schultz, J.A., Yang-Sun Jo, Rabalais, J.W. Direct recoil time-of-flight technique: In situ analysis of H, C, N, and O on Si(100) and polyimide surface 87−24769
Tachi, S., Tanie, K., Komoriya, K., Abe, M. Electrocutaneous communication in a guide dog robot (MELDOG) 85−64610
Tachi, S., Tsujimoto, K., Okudaira, S. Low-temperature reactive ion etching and microwave plasma etching of silicon 88−33026
Tachi, S. *see* Tsujimoto, K. 87−32434
Tachi, S. *see* Yamamoto, S. 87−60322
Tachibana, H. *see* Bekki, K. 88−55015
Tachibana, H. *see* Matsumura, H. 86−7825, 86−34374, 87−5476
Tachibana, H. *see* Teshigawara, T. 86−42792, 88−55753
Tachibana, K. History of JNR power facilities 87−58385
Tachibana, K. *see* Ando, K. 86−32849
Tachibana, K. *see* Matsui, Y. 88−444
Tachibana, K. *see* Mochizuki, J. 86−6824
Tachibana, K. *see* Watari, Y. 85−55227
Tachibana, M., Suzuki, K., Ohga, T., Nakajima, S. A wavefront machine−new parallel processing architecture for interactive routing design 87−23855
Tachibana, M., Suzuki, K., Ohtsuki, T. A hardware engine architecture for interactive routing [circuit layout CAD] 86−57567
Tachibana, M. *see* Emori, T. 87−61687
Tachibana, M. *see* Ohtsuki, T. 86−27021
Tachibana, M. *see* Sato, M. 85−12340
Tachibana, M. *see* Suzuki, K. 87−23829
Tachibana, N. *see* Doi, Y. 87−32404
Tachibana, N. *see* Masuda, S. 86−42774, 87−39318
Tachibana, S. *see* Suzuki, M. 87−24202
Tachibana, T. *see* Araki, S. 88−4176
Tachibana, T. *see* Hashimoto, M. 87−59477, 88−51009
Tachibana, T. *see* Tamura, Y. 87−8603

Tachibana, Y. Present state and technological view of international telecommunications 86−4093
Tachibana, Y., Nomoto, K. Spectral estimation from randomly missed data 85−46822
Tachibana, Y. *see* Miyoshi, N. 86−4005
Tachibana, Y. *see* Shimada, J. 88−22325
Tachigami, S., Inao, S., Murata, H. Recent development of splicing of single-mode fibers and connecting techniques 85−12627
Tachigami, S., Inao, S., Murata, H. Present status of mechanical connectors for optical fiber 87−8290
Tachigami, S., Inao, S., Yanagawa, H., Watanabe, K., Tsuchida, Y., Minamida, I. Splicing of single-mode optical fibers and jointing of fiber cables 85−18735
Tachigami, S., Ohtake, A., Hayashi, T., Shirasawa, T. Fabrication and evaluation of a high density multi fiber plastic connector 85−56350
Tachigami, S., Ohtake, A., Obara, Y., Nakai, S., Yuguchi, R., Kamata, Y. Optical fiber cable with premounted multi-fiber connector 86−48154
Tachigami, S., Yanagawa, H., Watanabe, K., Tsuchida, Y., Minamida, I., Uematsu, Y. Splicing and jointing of single-mode fiber cable 86−2689
Tachigami, S. *see* Inao, S. 87−28624
Tachigami, S. *see* Murata, H. 88−67420
Tachigami, S. *see* Ota, S. 88−22159
Tachihara, H. *see* Saka, O. 86−65503
Tachiiri, Y. *see* Kanamaru, K. 85−31309
Tachiiri, Y. *see* Nakano, J. 85−16370
Tachikawa, I. Recent hybrid technology in Japan 85−28872
Tachikawa, K., Inoue, K., Saeki, M., Aihara, K., Fujinaga, T., Hashimoto, H., Saito, R. A superconducting magnet generating fields over 18 T 87−67941
Tachikawa, K., Tada, N., Fujinaga, T., Saito, R., Kamata, K. Multifilamentary (Nb,Ti)$_3$Sn wire for high field magnet 86−42160
Tachikawa, K., Takeuchi, T., Iijima, Y., Inoue, K., Togano, K. High-field superconducting properties of V_3Ga tapes 88−39849
Tachikawa, K., Tanaka, Y., Inoue, K., Itoh, K., Asano, T., Iijima, Y. Operation of 17.5 T superconducting magnet system in the last 8 years 85−56237
Tachikawa, K. *see* Asano, T. 85−62213, 86−36089, 87−67811
Tachikawa, K. *see* Inoue, K. 85−46037, 85−62227, 86−2616, 86−15416
Tachikawa, K. *see* Kamata, K. 85−46042, 85−56150
Tachikawa, K. *see* Kumakura, H. 86−28727, 86−36087, 86−63579, 87−53909, 88−45003
Tachikawa, K. *see* Miyashita, S. 87−67816
Tachikawa, K. *see* Sharma, R.G. 85−50855
Tachikawa, K. *see* Shimamoto, S. 88−13775
Tachikawa, K. *see* Suenaga, M. 85−29484
Tachikawa, K. *see* Takeuchi, T. 86−68194, 87−46404
Tachikawa, K. *see* Togano, K. 85−62226, 87−38682
Tachikawa, K. *see* Wada, H. 85−35331
Tachikawa, K. *see* Yamada, Y. 87−7040
Tachikawa, M., Feng-Lei Hong, Tanii, K., Shimizu, T. Deterministic chaos in passive *Q*-switching pulsation of a CO$_2$ laser with saturable absorber 88−51937
Tachikawa, M., Fujisawa, T., Kukimoto, H., Shibata, A., Oomi, G., Minomura, S. Observation of the persistent photoconductivity due to the DX center in GaAs under hydrostatic pressure 86−22217
Tachikawa, M., Mizuta, M., Kukimoto, H. DX deep centers in $Al_xGa_{1-x}As$ grown by liquid-phase epitaxy 85−23436
Tachikawa, M., Tanii, K., Hong, F.-L., Tohei, T., Kajita, M., Shimizu, T. First observation of deterministic chaos in passive Q-switching pulsation 88−65805
Tachikawa, M., Tanii, K., Kajita, M., Shimizu, T. Undamped undulation superposed on the passive Q-switching pulse of a CO$_2$ laser 86−29210
Tachikawa, M., Tanii, K., Shimizu, T. Comprehensive interpretation of passive *Q* switching and optical bistability in a CO$_2$ laser with an intracavity saturable absorber 87−54229
Tachikawa, M., Tanii, K., Shimizu, T. Laser instability and chaotic pulsation in a CO$_2$ laser with intracavity saturable absorber 88−51852
Tachikawa, M. *see* Mori, H. 88−6445
Tachikawa, M. *see* Suzuki, T. 88−27013
Tachikawa, M. *see* Tanii, K. 88−27257
Tachikawa, N. *see* Nakazima, J. 87−4417
Tachikawa, S., Marubayashi, G. Interference noise of the spread spectrum multiple access communication systems using delay transform method 85−13656
Tachikawa, S., Marubayashi, G. Spread time spread spectrum communication systems 88−46863
Tachikawa, S. *see* Nii, K. 85−48873
Tachikawa, T. *see* Nakamura, O. 85−59789
Tachikawa, T. *see* Takekoshi, E. 85−59179
Tachikawa, Y., Oguchi, T., Kato, K. Three-channel wavelength-division-multiplexing transceiver module using LEDs for multimode fiber transmission systems 88−15484
Tachikawa, Y., Saruwatari, M. Laser diode module for analog video transmission 85−3768
Tachikawa, Y. *see* Kato, K. 88−47049
Tachikawa, Y. *see* Oguchi, T. 87−76528
Tachiki, S. The stage lighting control systems: its functions and historical aspects 88−31184
Tachikura, K. *see* Shinno, Y. 88−28847
Tachikura, K. *see* Wakabayashi, H. 86−64992
Tachikura, M., Haibara, T. Devitrification effect on optical-fiber strength reduction by fusion splicing 85−62321
Tachikura, M., Kashima, N., Hirai, M. Fusion mass-splicing of optical fibers 85−41136
Tachikura, M., Kashima, N., Hirai, M. Fusion mass-splicing for optical fibers 86−28866
Tachikura, M. *see* Haibara, T. 85−18675, 86−28873, 86−28879
Tachikura, M. *see* Ide, A. 88−58157
Tachikura, M. *see* Kashima, N. 85−3243
Tachikura, M. *see* Katagiri, T. 85−50904, 88−33692
Tachikura, M. *see* Matsumoto, M. 88−45139
Tachikura, M. *see* Miyauchi, M. 88−51480
Tachikura, M. *see* Sato, M. 85−46174, 86−9527, 88−1945
Tachikura, M. *see* Yamasaki, S. 88−72068
Tachimori, Y., Shimada, Y. Patient monitoring system in intensive care unit 86−5968
Tachimoto, H. *see* Yawata, K. 86−5392
Tachino, I. *see* Honma, K. 86−35972
Tachita, R. *see* Sone, T. 88−47240
Tachiuchi, T., Mano, H., Kitajima, M., Tsunekawa, S. A color LCD controller 88−16275
Tachiwada, H., Itoh, K.-I. DIPS-V series computer−a supermini system for versatile use in computer networks 87−76347
Tachkov, S.A. *see* Evseev, A.R. 88−16118
Tack, P.C., Mei, D. Finite element modelling of pressure sensor structures 88−35984
Tack, T. High performance data demodulator for deep space applications 88−73897
Tack Lim Je *see* Je Tack Lim
Tacke, M. *see* Lohe, T. 85−62399
Tacke, M. *see* Norton, P. 87−31542, 87−44331
Tacke, M. *see* Shani, Y. 86−48390, 88−65699, 88−72308
Tacker, W.A. *see* Jones, D.L. 88−30027
Tacker, W.A. *see* Kallok, M.J. 86−60825
Tacker, W.A., Jr. *see* Bourland, J.D. 86−70435
Tackett, D.E. *see* Lopriore, R.P. 88−62126
Tackett, G.T. *see* Gerber, J.L. 85−34270
Tackmann, K. The effect of track cross connections on the energy losses in the driving current return line system of DC railways 86−71091
Taconet, O. *see* Bernard, R. 87−57394
Tacussel, M.C. *see* Rey, A. 87−1796
Tacussel, M.Ch. *see* Buiguez, F. 86−1975
Tad Szostak A novel design approach of ST connector for optical glass fiber 88−39954
Tada, E., Hiyama, T., Kawano, K., Hoshino, M., Yamamura, H., Sato, M., Kato, T., Shimamoto, S. Performance test results of cryogenic pump system for Demonstration Poloidal Coil 88−65037
Tada, E., Kato, T., Hiyama, T., Kawano, K., Hoshino, M., Shimamoto, S. System design and verification test results of cryogenic system for Demonstration Poloidal Coil 88−39846
Tada, E., Shimamoto, S., Ando, T., Hiyama, T., Tsuji, H., Takahashi, Y., Nishi, M., Yoshida, K., Okuno, K., Koizumi, K., Kato, T., Nakajima, H., Kawano, K., Oshikiri, M., Hoshino, M., Ohgane, Y., Yaguchi, E., Phelan, P. System design of the demonstration poloidal coils and the test facility 87−67979
Tada, E., Takahasi, Y., Kato, T., Hiyama, T., Oshikiri, M., Kawano, K., Shimamoto, S., Ishihara, A., Ito, I., Uede, T., Ogushi, K. Development of 30-kA vapor-cooled current leads for fusion devices 87−38714
Tada, E. *see* Ando, T. 85−1925, 85−41089, 85−56142, 87−12090, 88−65086
Tada, E. *see* Kato, T. 85−56249
Tada, E. *see* Koizumi, K. 88−65105
Tada, E. *see* Ogawa, S. 87−38712, 88−33560
Tada, E. *see* Phelan, P.E. 88−68966
Tada, E. *see* Saji, Y. 85−49188, 86−42189, 86−48623
Tada, E. *see* Shimamoto, S. 85−1893, 85−1927, 85−41077, 87−12091, 88−13775, 88−65098
Tada, E. *see* Takahashi, Y. 85−35366, 85−56141, 86−42191, 87−67954
Tada, E. *see* Tsuji, H. 86−58725, 88−65066
Tada, E. *see* Yoshida, K. 87−67955
Tada, H., Bito, Y., Fujino, K., Kawahara, H. Electrochromic windows using a solid polymer electrolyte 88−13945
Tada, H., Fujino, K., Kawahara, H. Ion conductivity of poly(ethylene oxide)-based polyurethane networks containing alkali metal salts 88−26883
Tada, H., Nakada, A. Clean-room robot 86−7507
Tada, H. *see* Chonan, K. 87−9666
Tada, H. *see* Uozumi, O. 88−3914
Tada, J., Akihiro, M., Takei, K., Satoh, T., Suzuki, T. Significant improvement of magnetic properties and corrosion resistance in evaporated Co-Ni recording media 87−18492
Tada, J. *see* Akihiro, M. 87−25766
Tada, J. *see* Koike, K. 88−15367
Tada, K. Proposal of a distributed feedback laser with nonuniform stripe width for complete single-mode oscillations 85−56658
Tada, K., Kawanishi, S., Hayashi, H. GaAs-AlGaAs double-heterostructure coupled-waveguide optical modulators and their high-frequency modulation characteristics 88−66275
Tada, K., Kawanishi, S., Wang, M.H., Tsuchiya, M. High frequency modulation characteristics of GaAs-based semiconductor coupled-waveguide optical modulators 85−2039
Tada, K., Murai, S., Akai, S., Suzuki, T. Growth and characterization of dislocation-free GaAs mixed crystals for IC substrates 85−55926
Tada, K., Murai, T., Nakabayashi, T., Iwashima, T., Ishikawa, T. Fabrication of LiTaO$_3$ optical waveguide by H$^+$ exchange method 87−46488
Tada, K., Murai, T., Tanino, N., Liang, Y. Study of chalcogenide glass film fabrication and its application to optical waveguides 85−35393
Tada, K., Nakano, Y. Study on complete single-longitudinal-mode oscillation of distributed feedback semiconductor lasers 88−14205
Tada, K., Okada, Y. Bipolar transistor carrier-injected optical modulator/switch: proposal and analysis 87−18756
Tada, K., Okada, Y. Proposal of bipolar transistor carrier-injected optical modulators and switches 87−26243
Tada, K., Onoki, M. The Model HA-2000 home-security system 86−23271
Tada, K., Tatsumi, M. Development of large BSO single crystals 86−52428
Tada, K., Tatsumi, M., Nakagawa, M., Kawase, T., Akai, S. Growth of low-dislocation density InP by the modified CZ method in the atmosphere of phosphorus vapour pressure 88−49791
Tada, K. *see* Endo, T. 85−39969, 86−14071, 87−557
Tada, K. *see* Fujii, Y. 88−33546
Tada, K. *see* Ihara, S. 85−37604
Tada, K. *see* Kawase, T. 87−65475
Tada, K. *see* Kotani, T. 88−56258
Tada, K. *see* Liang, Y.C. 87−38845, 88−26833
Tada, K. *see* Matsumoto, K. 86−7750
Tada, K. *see* Miura, Y. 88−50985
Tada, K. *see* Morioka, M. 88−386
Tada, K. *see* Murai, S. 85−49539
Tada, K. *see* Nakai, R. 85−33401
Tada, K. *see* Nakano, Y. 87−12454, 87−26429, 87−39076, 87−68446, 88−14193, 88−26928, 88−27132
Tada, K. *see* Nambu, K. 88−56214
Tada, K. *see* Suzuki, T. 87−44306
Tada, K. *see* Takebe, T. 85−55971, 86−9171, 86−53358
Tada, K. *see* Yoshida, K. 85−58892
Tada, M., Nakata, J. Evaluation of development of new energy technology 86−51528
Tada, M., Nakazawa, K., Mitani, K., Kuriyama, K. An integrated network management system for large-scale complex networks 88−8990
Tada, M., Nakazawa, K., Yoda, Y. Networking solutions by C&C integrated information network 'VISION' 87−7923
Tada, M., Nishida, T., Ishii, G., Masuda, T. Generalized integer flow sharing problem 87−44165
Tada, M., Yamamoto, M., Funamo, H., Yanagawa, T. Outline of C&C integrated information network 'VISION' 87−7921
Tada, M. *see* Fujita, T. 86−52048
Tada, M. *see* Fukuoka, Y. 85−18818
Tada, M. *see* Nakazawa, K. 88−112
Tada, M. *see* Uetuzi, K. 86−51892
Tada, N., Aihara, K., Moriai, H. Development of high performance superconductors 87−7042
Tada, N. *see* Kamata, K. 85−46042, 85−56150, 87−67818
Tada, N. *see* Kita, H. 86−28759
Tada, N. *see* Nakato, K. 85−35362
Tada, N. *see* Tachikawa, K. 86−42160
Tada, N. *see* Tanaka, H. 86−65305
Tada, O. *see* Fukui, M. 85−41451
Tada, O. *see* Miyoshi, M. 86−20505
Tada, O. *see* Tominaga, K. 86−1711, 86−46370, 88−24800, 88−64248
Tada, S., Hisha, H., Kojima, Y., Shiono, K. The latest developments in predictive and preventive maintenance technologies for substations (on-line monitoring systems) 87−15831
Tada, S. *see* Fujimoto, Y. 86−39901
Tada, S. *see* Kumamoto, A. 86−51954, 87−30562
Tada, S. *see* Takeda, Y. 85−55210
Tada, T. Application and control of radiation thermometers in processes 86−31375
Tada, T., Hanafusa, A. Router system for printed wiring boards of very high-speed, very large-scale computers 87−6221
Tada, T. *see* Kido, T. 86−32418
Tada, T. *see* Maeno, H. 88−12377
Tada, T. *see* Tsutsumi, K. 86−63429

Tada, Y. Theoretical characteristics of generalized type electret generator employing polymer film electrets 86–56794
Tada, Y., Taka, M. Adaptive predictive coding with dynamic quantization adjustment (APC-DQA) at 16 kbit/s 87–19521
Tada, Y., Taka, M., Honma, K. 16 kbit/s APC-AB coder using a single chip digital signal processor 87–33665
Tada, Y. *see* Irie, K. 88–40861
Tada, Y. *see* Sasaki, T. 88–18189
Tada, Y. *see* Sato, Y. 88–46762
Tada, Y. *see* Shiraiwa, T. 88–7501
Tada, Y. *see* Taka, M. 88–21818, 88–41449
Tada, Y. *see* Tomita, Y. 87–20295
Tada, Y. *see* Ushio, T. 88–44080
Tadachi, C. *see* Hashimoto, C. 87–23729
Tadakuma, S., Tamura, Y., Hirano, M. Finite time settling control based current controller for thyristor dual converter 86–39956
Tadakuma, S., Tamura, Y., Hirano, M. Finite-time settling control based current controller for thyristor dual converter 87–73577
Tadakuma, S., Tanaka, S., Tamura, Y., Naito, H. Circulating current control based on the decoupling theory 85–32594
Tadakuma, S. *see* Naito, H. 87–9573
Tadakuma, S. *see* Naitoh, H. 86–6793, 86–40212, 87–51503
Tadakuma, S. *see* Tamura, Y. 86–33329
Tadakuma, S. *see* Tanaka, S. 88–43426
Tadano, H., Kushida, T., Sugiyama, S., Takigawa, M., Igarashi, I., Nishizawa, J. Proton irradiated high speed SI-thyristors 88–64540
Tadano, H., Kusida, T., Sugiyama, S., Inaguma, Y., Takigawa, M., Igarasi, I., Nishizawa, J.-I. High-performance SI-thyristor and its application to PWM inverter 88–75788
Tadano, H. *see* Aoki, S. 88–75632
Tadano, H. *see* Kushida, T. 87–38233, 88–43278
Tadano, H. *see* Naganawa, H. 87–3507, 87–63240
Tadano, H. *see* Nakamura, Y. 86–41775, 86–63300, 87–25259
Tadano, H. *see* Niizeki, Y. 86–45629
Tadano, M. *see* Arai, R. 87–32918
Tadano, M. *see* Doi, Y. 87–38707
Tadano, M. *see* Yamamoto, A. 86–63598 to 63599, 87–63601
Tadauchi, M., Hamada, N., Nakashima, K., Sato, K., Yasunari, K., Nagayama, Y., Nagai, K., Suemori, N., Kubo, T. LSI architecture of a facsimile video signal processor 86–23400
Tadauchi, M., Nakashima, K., Nagai, K. High speed and high accuracy CMOS LSI for document image signal processor 88–33393
Tadauchi, M., Tanno, K., Hamada, N., Sato, K. Image signal processing LSI for facsimile 85–30654
Tadauchi, M., Tanno, K., Hamada, N., Sato, K. Image signal processing LSI for facsimile 87–48508
Tadauchi, M. *see* Hamada, N. 86–10715
Tadauchi, M. *see* Nakamura, K. 87–34075
Tadauchi, M. *see* Nakashima, K. 86–37381
Tadauchi, M. *see* Takeuchi, R. 88–72207
Taddei, A., Varanini, M., Macerata, A., Baratto, M., Biagini, A., Bongiorni, M.G., Contini, C., Mazzei, M.G., Mazzocca, G.F., Marchesi, C. Performance evaluation of algorithms for the QRS morphology classification and for the detection of the ST changes in ambulatory monitoring 85–53077
Taddei, A., Varanini, M., Macerata, A., Marchesi, C., Contini, C., Biagini, A., Bongiorni, M.G., Mazzei, M.G., Mazzocca, G.F., Baratto, M. An annotated database for the evaluation of algorithms for the analysis of arrhythmias and ischemic events 85–9203
Taddei, A. *see* Varanini, M. 87–21619
Taddeucci, T.N., Goodman, C.D., Byrd, R.C., Carey, T.A., Horen, D.J., Rapaport, J., Sugarbaker, E. A neutron polarimeter for (p,n) measurements at intermediate energies 86–25153
Taddiken, A. *see* Shichijo, H. 87–46226
Taddiken, A.H. *see* McLevige, W.V. 87–44828
Taddiken, A.H. *see* Shichijo, H. 87–37281, 87–59467
Tadec, Y. *see* Chehata, T. 87–71588
Tadec, Y. *see* Lejuste, J.M. 88–75168
Tadelli, J.D. *see* Sims, J.T. 86–10305
Tadesse, M. *see* Korobeinikov, B.A. 85–53706
Tadeusiewicz, K. Speech signals processing and recognition 87–61623
Tadeusiewicz, M. Application of the relaxation method to analysis of DC nonlinear networks 86–27038
Tadeusiewicz, M. DC analysis of piecewise linear networks using the Gauss-Seidel method 87–44512
Tadeusiewicz, M. Existence and uniqueness of solutions of a certain class of nonlinear DC networks 87–73259
Tadeusiewicz, M. The solvability of DC nonlinear networks 88–24948
Tadeusiewicz, M., Assi, N., Ciesielski, G. An algorithm for generation of the nodal impedance matrix for networks containing mutually coupled inductors 88–36830
Tadeusiewicz, M., Kuczynski, A. Calculation of sensitivities and error gradients for nonlinear dynamic networks 88–49995
Tadeusiewicz, R. Speech signals conversion for telecommunications and control 85–19390
Tadeusiewicz, R. Hierarchical programming system for picture analysis and recognition 85–20554
Tadeusiewicz, R. Voice information input for computers. 2 88–14615
Tadeusiewicz, R., Pachowicz, P. CESARO—a new system for automatic picture analysis 85–20553
Tadini, P.E. Data acquisition with microcomputer 85–20530
Tadini, P.E. *see* Aguirre, C.R. 86–62508
Tadmor, E. Numerical viscosity and the entropy condition for conservative difference schemes 85–22430
Tadmor, E. *see* Goldberg, M. 85–49517, 87–52065
Tado, S., Narikawa, T., Tomita, H., Yamaguchi, S., Tsukamoto, T., Ueda, K., Yamada, T., Fukunaga, T., Satow, T., Ichihara, T., Asai, O., Hattori, Y., Sakabe, S., Ikeda, B. The development of a program system for the design of superconducting poloidal field coils 87–1926
Tado, S. *see* Ikeda, B. 87–67984
Tadokoro, M. Application of electromagnetic pump to aluminium 86–54276
Tadokoro, M. *see* Shimpo, H. 86–62394, 88–12640
Tadokoro, M. *see* Suzuki, H. 86–66153, 87–67808, 88–33551
Tadokoro, O. *see* Saito, T. 86–31257
Tadokoro, T., Koyama, F., Iga, K. A study on etching parameters of a reactive ion beam etch for GaAs and InP 88–44674
Tadokoro, T., Koyama, F., Iga, K. Classification of etching mechanism in reactive ion beam etching 88–71425
Tadokoro, T. *see* Tsutsui, K. 86–20897
Tadokoro, Y. Detection of multifrequency signals based on the solution of simultaneous equations 85–13574
Tadokoro, Y. What Japan is doing with DBS 85–36970
Tadokoro, Y. Detection of PB signals using extreme values and adaptive notch filters 86–10396
Tadokoro, Y. CCIR activities for standardization of high definition television system 87–13929
Tadokoro, Y., Abe, K. Exact computation of Fourier transform at arbitrary frequencies 87–55218
Tadokoro, Y., Abe, K. Notch Fourier transform 87–75796
Tadokoro, Y., Abe, K.-I., Rao, K.R. An algorithm for an adaptive multifrequency receiver 87–39765
Tadokoro, Y., Ban, H. A consideration of the frequency detection using a bandpass filter 88–6962
Tadokoro, Y., Haneda, Y. A dual-tone multifrequency receiver using synchronous additions and subtractions 87–39766
Tadokoro, Y. *see* Usui, Y. 87–38229
Tadokoro, Y. *see* Yamada, A. 86–34424
Tadokoro, Y. *see* Zhao, Q. 88–27976, 88–56784
Tadros, N.N., Holdeman, L.B. Thin-film cryogenic resistors from aluminium alloys 86–20854
Tadros, S. *see* Toukhy, M. 86–1892
Tadsen, A. *see* DeWulf, J.P. 87–21468, 88–22985
Tadzhibaev, A.I., Chursin, S.V., Zaikov, V.P. Isolation of the starting elements of a relay protection from high-frequency harmonics 85–4689
Tadzhibaev, A.I., Gil', A.I., Chursin, S.V. Starting circuits for relay protection with improved selectivity to pre-fault conditions 88–10900
Tadzhiev, M.A. *see* Usmankhodzhaev, N.M. 86–26331
Tae Choi Choon *see* Choon Tae Choi
Tae Chonju Choon *see* Choon Tae Chonju
Tae Ha Kwon, Wu Il Lee Silicon pressure sensors using diffused resistors 87–3580
Tae Ho Son, Sang Seol Lee The design of microwave integrated circuit for 2-bit phase shifter 88–44355
Tae Jeong Ki *see* Ki Tae Jeong
Tae Kim Jin *see* Jin Tae Kim
Tae Kim Kyeong *see* Kyeong Tae Kim
Tae Kim Kyung *see* Kyung Tae Kim
Tae Kwan Oh *see* Ashley, P.R. 88–51581
Tae Kyun Kim *see* Yoon Joong Kim 88–46169
Tae Kyung Yoo, Gi Oong Chung, Young Se Kwon, Tchang Hee Hong CW operation of 1.3 μm GaInAsP/p-InP BH lasers at room temperature 87–46886
Tae Lee Jung *see* Jung Tae Lee
Tae Lee Yun *see* Yun Tae Lee
Tae Park Gwi *see* Gwi Tae Park
Tae Park Jong *see* Jong Tae Park
Tae Park Kyu *see* Kyu Tae Park
Tae Soo Lee *see* Byung Goo Min 86–5909
Tae Sung Jung, Chong Min Kyung A channel routing system using CMOS standard cell library 86–635
Tae Sung Jung, Chong Min Kyung Two-dimensional simulation of MOS transistors using numerical method 86–41824
Tae Sung Jung, Yeong Yil Yang, Chong Min Kyung Automated layout of PLA using CIF 86–936
Tae Wan Kim, Beyermann, W.P., Reagor, D., Gruner, G. Complex conductivity measurements at several frequencies in the millimeter wave spectral range 88–74555
Tae Whan Yoo *see* Dong Hyuk Shin 86–42567
Tae Won Kang, Jae Jin Lee, Chi You Hong, Jin Whang Kim, Kwan Soo Chung Preprocess of GaAs epitaxial layer growth by MBE 86–52461
Tae Won Kang, Jae Jin Lee, Soon Jae You, Chi Yhou Hong, Kwan Soo Chung, Jae Young Leem Superlattice growth using RHEED intensity oscillation 88–44613
Tae Won Kang, Jae Jin Lee, Young Ham Kim, Jin Hwang Kim, Bong Ryul Kim GaAs epitaxial layer grown by MBE 87–262
Tae Won Kang *see* Young Soon Kim 86–58818
Tae Won Kwon *see* Young Moon Park 87–71506
Tae Won Rhee *see* Bu Il Kim 88–45978
Tae Won Rhee *see* Haing Sei Lee 86–5908
Tae Won Rhee *see* In Jung Park 86–1290, 87–45096
Tae Won Rhee *see* Kwang Il Lim 87–44899
Tae Woon Kim, Kwang Sub Jeong, Sung Ki Chae Design of Korean nuclear reliability data-base network using a two-stage Bayesian concept 88–23629
Tae Woon Kim, Soon Heung Chang, Byung Ho Lee Comparative study on uncertainty and sensitivity analysis and application to LOCA model 88–43005
Tae Woon Kim *see* Hyiun Koon Kim 86–56564
Tae Woon Kim *see* Kwang Sub Jeong 88–243
Tae Woon Kim *see* Sang Hoon Han 88–43751
Tae Young Choi Variance distributions of the DFT and CDFT [discrete Fourier transforms] 85–257
Tae Young Ma, Ki Wan Kim Carrier conduction of thin film transistors 85–23810
Tae-Bong Eom, Jae-Sun Lim, Jong-Wook Won, Myung-Sai Chung Frequency and power stabilization of internal mirror He-Ne laser using small fan 87–18903
Tae-gon Park *see* Chang-Yub Park 88–14014
Tae-Ho Chung *see* Chan-Bin Park 85–15375
Tae-Hoon Yoon *see* Chang-Hee Lee 85–24540, 86–58930, 86–62517
Tae-Jin Choi, Do-Sung Kim, Shi-Hong Do, Byoung-Wook Rah, Yung-Ho Kang The physical characteristics and preparation of $CaSO_4$:Dy thermoluminescent dosimeter 87–50136
Tae-Jin Choi *see* Yung-Ho Kang 87–21687
Tae-kang Chong Summary of and technical trends in step motors 88–62393
Tae-Kuk Ko Superconducting fluxpumps and AC generators 88–62309
Tae-Kyung Chung, Ki-Shik Lee, Song-Yop Hahn, Jong-Soo Won Finite element analysis of axisymmetric nonlinear problems [linear step motor application] 87–51265
Tae-Kyung Chung, Song-Yop Hahn, Jong-Soo Won Design of prototype rotary-linear step motor by the finite element method 87–78713
Tae-Kyung Yoo, Young-Se Kwon Recent technological trends of high speed devices based on III-V compound semiconductors 86–9150
Tae-Man Koo *see* Dal-Ho Im 88–40502
Tae-Soo Kim, Ung Kim Experimental investigation of a small-bore CW argon ion laser 87–38985
Tae-Won Chun *see* Min-Ho Park 86–19282, 87–4717
Tae-Won Jeon Design benefits in induction motor speed control systems 88–48945
Tae-Won Jung, Lindholm, F.A., Neugroschel, A. Variations in the electrical short-circuit current decay for recombination lifetime and velocity measurements 88–5876
Tae-Won Jung *see* Meng-Kai Chen 87–74251
Tae-Young Choi A new family of orthogonal transforms: derivation based on the parametric sinusoidal matrix 88–6350
Tae-Young Ma, Ki-Wan Kim Comparison of characteristics between thermal evaporated SiO and RF sputtered SiO_2 thin films by trap density measurements 88–44760
Tae-yup Kwak Electrical machinery in industry 88–24285
Taeed, O. An economic assessment of fluidized bed technology for power generation 87–22128
Ta'eed, O. Teleology of engineering research 87–58607
Taege, P. *see* Wolf, W. 87–34722
Taegen, F., Walczak, R. Experimental verification of stray losses in cage induction motors under no-load, full-load and reverse rotation test conditions 87–58056
Taegen, F. *see* de Jong, H.C.J. 87–15761

Taeil Kim, Chung, D.D.L., Mahajan, S. Cross-section transmission electron microscope study of Ni/Au/Ge/Au ohmic contact to gallium arsenide 88−39144
Taek Kim Yung *see* Yung Taek Kim
Taek Lee Euh *see* Euh Taek Lee
Taekim, K. *see* Ikeda, N. 86−54472
Taelemans, G. *see* Cigna, R. 86−19118
Taenaka, R.K. *see* Krause, S.J. 87−42145
Taenaka, Y. *see* Nakamura, T. 86−50530
Taenaka, Y. *see* Takatani, S. 88−54638
Taesler, R. *see* Lyberg, M.D. 88−68061
Taetow, W. CMOS components for microprogrammable signal processors. I 85−14694
Taetow, W. CMOS chips for microprogrammable signal processors. II 85−14697
Taetow, W. Multiplier assistance for μPs 86−14258
Taetow, W. A fast modem with a signal processor 87−8096
Taetow, W. Fast image processing with signal processor 87−44879
Taeusch, D.R., Ruselowski, J.M. Material processing laser systems for manufacturing 87−75289
Taev, I.S., P'yankova, I.A. A mathematical model of transient thermal conditions in a fuse with a liquid-metal working substance 88−25626
Taev, I.S., Ragulin, I.A. A synchronised experimental test bench for investigating the switching of current 86−6941
Taev, I.S., Ragulin, I.A. A study of current switching on the basis of experimental design [DC relays] 86−8547
Taev, I.S., Ragulin, I.A. Vibration of relay contacts upon connection of DC supplies 88−1069
Taev, I.S., Ragulin, I.A., Ivanov, V.D. Relay contact erosion over a complete DC current switching cycle 88−50463
Taeymans, J. *see* Goubert, J. 87−24135
Taeymans, J. *see* Urbanski, A. 86−47707
Taeymans, J.R. *see* Dierckx, R. 85−25649
Taeymans, J.R. *see* Lichtenberg, L. 87−40556
Taeymans, Y. *see* Block, P. 86−11998
Tafasov, A.Ya. *see* Azimov, S.A. 86−60597
Tafel, H.J. *see* Janitzki, A.S. 87−51531
Tafel, R., Jr. *see* Wiederholt, L. 87−41087
Taff, B.E. *see* Stoller, K.P. 87−21567
Taff, J. Main problems of testing the circuit of the microprocessor 85−814
Taff, J. *see* Kobus, A. 85−810
Taff, L.G. Satellite debris: recent measurements 87−4056
Taffel, A.B. Packet-satellite networks: updating and expanding the hybrid concept 88−15392
Taflinski, G. Magnet ≠ magnet. Consideration for the application of permanent magnets 85−18579
Taflove, A., Dunlap, J.H., Zalewski, R.A. Testing of railroad signal equipment for power line interference susceptibility. I. The test jig 86−26600
Taflove, A., Dunlap, J.H., Zalewski, R.A. Testing of railroad signal equipment for power line interference susceptibility. II. Test results 86−26601
Taflove, A., Umashankar, K. Detailed near/far field modelling of complex electrically large three dimensional structures 85−57012
Taflove, A., Umashankar, K.R. Computer technology issues affecting large-scale electromagnetic wave scattering and interaction codes 88−2527
Taflove, A., Umashankar, K.R., Beker, B., Harfoush, F., Yee, K.S. Detailed FD-TD analysis of electromagnetic fields penetrating narrow slots and lapped joints in thick conducting screens 88−45612
Taflove, A., Umashankar, K.R., Jurgens, T.G. Validation of FD-TD modeling of the radar cross section of three-dimensional structures spanning up to nine wavelengths 85−52391
Taflove, A. *see* Kriegsmann, G.A. 87−39345
Taflove, A. *see* Umashankar, K. 86−63941
Taflove, A. *see* Umashankar, K.R. 88−27536
Taft, C.K. Concepts of DC brushless motors 85−5110
Taft, C.K., Gauthier, R. Brushless motor torque speed curves 87−30668
Taft, C.K., Gauthier, R.G. The phase plane as a stepping motor system design tool 87−9605
Taft, C.K., Gauthier, R.G. Brushless motor torque-speed and efficiency-speed curves 87−31030
Taft, C.K., Gauthier, R.G. The phase plane as a stepping motor system design tool 88−11244
Taft, C.K., Harned, T.J. The dynamic characteristics of a three phase brushless DC motor 87−30666
Taft, C.K., Harned, T.J. Mid-frequency resonance in stepping motors 87−30686
Taft, C.K. *see* Burke, T.S. 85−8838
Taft, C.K. *see* Kiefaber, D.E. 88−69431
Taft, C.K. *see* Prina, S.R. 87−30537
Taft, E.A. Thin thermal oxide on silicon 85−12191
Taft, E.A. Diffusion of oxygen in silicon thermal oxides 86−21388
Taft, E.A. Growth of native oxide on silicon 88−57471
Taft, E.P. *see* Kasper, J.R. 86−32900
Taft, H.D. *see* Goloskie, D. 85−59208
Taft, J.D., Bose, N.K. Quadratic linear filters for signal detection and image segmentation 88−66745
Taft, V. Integrated test processor as a network component 87−55830
Tafto, J. *see* Vanier, P.E. 85−431
Taga, C. *see* Miyauchi, K. 87−63572
Taga, C. *see* Rotaru, T. 88−49989
Taga, S. *see* Ueno, K. 86−44012
Taga, T., Tsunekawa, K. A built-in antenna for 800 MHz band portable radio units 86−68861
Taga, T., Tsunekawa, K. A built-in diversity antenna for 800 MHz band portable radio units 87−27035
Taga, T., Tsunekawa, K. Performance analysis of a built-in planar inverted F antenna for 800 MHz band portable radio units 87−68865
Taga, T., Tsunekawa, K., Sasaki, A. Antennas for detachable mobile radio units 87−8188
Taga, T., Tsunekawa, K., Sasaki, A. Antennas for detachable mobile radio units 87−48946
Taga, T. *see* Habuka, T. 85−62818
Taga, T. *see* Sasaki, A. 87−8186, 87−34460
Taga, Y. *see* Goto, K. 85−17296
Taga, Y. *see* Matsuzaki, A. 86−55145
Taga, Y. *see* Motohiro, T. 85−22543
Taga, Y. *see* Sawada, Y. 86−2654
Tagagi, H. *see* Schibuya, N. 85−61049
Tagami, E. *see* Fukumura, S. 86−5354
Tagami, F. *see* Kawabe, S. 88−44207
Tagami, H. *see* Nakano, H. 85−57100
Tagami, K. Internal stress of Co-Cr perpendicular media 86−9384
Tagami, K. Chemical stability and microstructure on sputtered CoCr perpendicular media 86−28672
Tagami, K., Aoyama, M., Nishimoto, L., Goto, F. Ferrite thin film disks using electroless-plated Ni-P substrates 85−56096
Tagami, K., Hayashida, H. Corrosion rate activation energy of sputtered CoCr perpendicular media 88−51236
Tagami, K. *see* Aoyama, M. 85−46007
Tagami, K. *see* Inoue, T. 86−1246, 86−57944
Tagami, K. *see* Takeda, T. 87−46374, 88−71931
Tagami, K. *see* Tamai, H. 86−63559, 88−26671, 88−51201
Tagami, S. *see* Hashimoto, O. 86−45544, 86−67853
Tagami, S. *see* Nakano, J. 85−41896
Tagami, S. *see* Nishizawa, T. 87−67659
Tagami, S. *see* Ochi, A. 86−47932
Tagami, T. *see* Fujita, H. 86−8609
Taganov, O.K. *see* Andreev, E.P. 86−44319
Taganov, O.K. *see* Biryukov, A.N. 87−63241
Tagare, D.M. Economies of application of capacitors in the rural electrification scheme [distribution networks] 85−15580
Tagare, D.M. System disturbances and their effects on power capacitors 86−6960
Tagare, H.D., De Figueiredo, R.J.P. Order filters 85−30273
Tagaris, H. *see* Koppelhuber, R. 87−77730
Tagart, S.W. *see* Moore, K.E. 86−51393
Tagashira, H. *see* Hokari, K. 88−64820
Tagashira, H. *see* Nakao, Y. 88−44898
Tagashira, H. *see* Oda, N. 88−12057
Tagashira, H. *see* Sawada, S. 88−6006
Tagashira, H. *see* Shimozuma, M. 86−7837
Tagata, K. *see* Miya, K. 86−28768
Tagawa, H. *see* Haeno, M. 86−50578
Tagawa, I. *see* Nakamura, Y. 88−51287, 88−71915
Tagawa, K., Matsunaga, M., Ohshima, K., Hiramatsu, M., Ishibashi, T., Mikami, J. Annealing effect of oxidized α-Fe particles 87−25761
Tagawa, K., Sudoh, K., Takahashi, S., Matsunaga, M., Ohshima, K. Crystal-grain network-structure and magnetic properties of fine α-Fe particles 86−28601
Tagawa, M. *see* Hayakawa, K. 87−14671
Tagawa, M. *see* Ishihara, S. 87−18790
Tagawa, N., Hashimoto, M. Submicron spacing dynamics for flying head slider mechanisms using building block approach 86−35993
Tagawa, R. *see* Bai, S. 86−6823
Tagawa, S. Radiation chemistry and photo-chemistry of polystyrene and chloromethylated polystyrene as deep UV, electron and ion beam resists 85−12093
Tagawa, S., Kouchi, N., Aoki, Y., Shibata, H. Nanosecond proton and helium ion pulse radiolysis studies on polystyrene 87−11875
Tagawa, S. *see* Aoki, Y. 88−71478
Tagawa, S. *see* Sekigami, K. 88−17817
Tagawa, S. *see* Yoshida, O. 85−8528
Tagawa, T. *see* Hattori, S. 88−68318
Tagawa, Y. *see* Yorozu, T. 88−33501
Tager, A.A. *see* Suris, R.A. 85−2391, 85−62559, 87−33196, 87−46896, 87−61195
Tager, A.S. *see* Gorfinkel', V.B. 87−17757
Tager, A.S. *see* Kal'fa, A.A. 86−63318, 88−25921
Tager, A.S. *see* Lisenkov, G.B. 85−18154
Tager, A.S. *see* Ovechkin, S.M. 85−40254
Tager, A.S. *see* Poresh, S.B. 85−1552
Tager, S.A. *see* Bobylev, Yu.P. 85−51223
Tager, S.A. *see* Rotinov, A.G. 86−33230, 87−15624
Tager, S.A. *see* Rumyantsev, V.A. 85−19056
Tagg, E. Automating operator-assisted calls using voice recognition 88−52379
Tagg, E.D. *see* Lewis, R.E. *(editor)* 88−18329
Tagg, M.A. *see* Smith, R. 86−21398
Taggart, A.J. *see* McCullagh, P.J. 88−42484
Taggart, D.A. *see* Skidmore, S.M. 88−42963
Taggart, D.P. *see* Raleigh, M. 88−42379
Taggart, L.A. *see* Beattie, R.C. 88−16746
Taggart, R.A. *see* Abrams, C.W. 85−26016
Taggart, R.E. Micro Morse [universal CW interface] 87−48479
Taggart, R.E. Alden weatherchart fax recorder 88−9081
Tagge, G.E. An assessment of the 1990 digital/electric airplane 86−18474
Tagge, G.E. An assessment of the 1990 digital/electric airplane 86−44742
Taggert, R. *see* Abrams, C.W. 85−26017
Taghipoor, Y. *see* Yu, C. 86−35101
Taghizadeh, M. *see* Smith, S.D. 85−56843
Taghizadeh, M.R., Barton, J.S., Melling, P.J., Middleton, R.J., Smith, S.D. The absorption spectrum of polycrystalline silver halide fibres 85−2017
Taghizadeh, M.R., Janossy, I., Smith, S.D. Optical bistability in bulk ZnSe due to increasing absorption and self-focusing 85−29897
Taghizadeh, M.R., Redmond, I.R., Walker, A.C. Holographic and nonlinear optical elements for digital optical computing applications 88−2406
Taghizadeh, M.R., Tooley, F.A.P., Mathew, J.G.H. White light switching of visible nonlinear interference filters and its implications for the design of a spatial light modulator 87−33307
Taghizadeh, M.R. *see* Janossy, I. 86−22496, 87−26512
Taghizadeh, M.R. *see* Mathew, J.G.H. 87−33310
Taghizadeh, M.R. *see* Prise, M.E. 85−1292, 86−8805
Taghizadeh, M.R. *see* Smith, S.D. 85−24648, 86−3300, 86−54199, 87−33300, 87−39221, 88−33818
Taghizadeh, M.R. *see* Tooley, F.A.P. 88−72187
Taghizadeh, M.R. *see* Walker, A.C. 85−41482, 88−33813
Tagiev, B.G., Aidaev, F.Sh. Thermally depolarised current and photoconductivity in GaS:Ho single crystals 86−27969
Tagiev, B.G., Aidaev, F.Sh. Electroluminescence and injection currents in GaS:Ho single crystals 87−7207
Tagiev, B.G., Mamedov, G.M., Bagirzade, E.F., Mamedov, N.D., Aliev, B.Z., Dzhafarov, M.B. Thermal and field quenching of the exciton photoconductivity of GaSe:Ge 85−12708
Tagiev, B.G., Mamedov, G.M., Bagirzade, E.F., Mamedov, N.D., Dzhafarov, M.B. Exciton mechanism of the formation of an N-section on the volt-ampere characteristic of GaSa <Cu> 86−2915
Tagiev, B.G., Niftiev, G.M., Aidaev, F.S. Injection and thermodepolarization currents in GaS:Er single crystals 85−55505
Tagiev, F.K., Fradkina, M.A., Chernoguz, N.G., Shain, I.L. Adaptive noise-immune data-processing system 88−67618
Tagiev, O.B. *see* Aslanov, G.K. 87−68267
Tagiev, Z.A. Efficiency of second-harmonic generation in a cavity 85−51266
Tagiev, Z.A. Conversion efficiency of optical frequencies in cavities filled with inhomogeneous nonlinear media 87−26529
Tagirdzhanov, M.A. *see* Kolobov, A.V. 85−40608
Tagirov, V.I., Gasanova, L.G., Magomedov, A.Z. Optical quenching of injection currents in $Cu_3In_5S_9$ single crystals 85−62439
Tagirov, V.I., Guseinov, A.G., Gakhramanov, N.F., Khan Men Uk Photoconductivity of $Cu_3Ga_5S_9$ single crystals 85−29693
Tagirov, V.I. *see* Hympanova, I. 85−50227
Tagirov, V.I. *see* Kyazym-zade, A.G. 86−14893
Tagirova, F. *see* Enchevich, I. 85−52956
Tagishi, K. *see* Inose, T. 88−52814
Tagishi, K. *see* Ishiwatari, N. 85−57746, 87−48526
Tagishi, K. *see* Sunada, K. 88−15762
Tagishi, Y. *see* Murayama, T. 87−3840
Tagishi, Y. *see* Ohmori, C. 87−57027
Tagishi, Y. *see* Seki, S. 88−53963
Tagiyev, B.G., Niftiyev, G.M., Aidayev, F.Sh. Photoluminescence and photoconductivity of indium selenide single crystals doped with rare-earth elements 85−35601
Tagiyev, B.G., Niftiyev, G.M., Bashirov, S.M., Azhdarova, D.S. Effect of cobalt impurities on the electrical and photoelectrical properties of GaS single crystals 85−35600
Tagle, J.A. *see* Bures, M. 88−34431
Tagliabue, C. Use of magnetic tape to store electrical events 85−1850
Tagliabue, C. Permanent magnets 85−1857
Tagliabue, C. Notes on applied electronics: the sine wave 85−61033
Tagliabue, C. Notes on applied electronics: nonlinear resistors 86−8527
Tagliabue, C. Magnetic recording. I 86−15398
Tagliabue, C. Magnetic recording II 86−15399

Tagliabue, C. Magnetic recording. III 86−38147
Tagliabue, C. Magnetic recording. IV 86−47966
Tagliaferri, A.A., Calatroni, J., Froehly, C. Image transmission of phase objects through optical fibres 85−56271
Tagliaferri, A.A., Calatroni, J., Froehly, C. Transmission of a surface profile through a single optical fiber 88−58107
Tagliaferri, V. *see* Dillio, A. 85−51338
Tagliaferri, V. *see* Sergi, V. 85−56927
Tagliaferro, A. *see* Demichelis, F. 85−60441, 86−27895, 86−35342, 86−35356, 86−53323, 87−24808, 87−30949, 87−53212
Tagliaferro, A. *see* Mpawenayo, P. 87−37911
Tagliaferro, A. *see* Rava, P. 88−7319
Taglianetti, L. *see* Oreglia, M. 86−16507
Tagliasco, V. *see* Sandini, G. 86−59367
Tagliatesta, P. *see* Pasquali, M. 87−72385
Tago, A., Miyamoto, T. Properties of carbon protective films for magnetic disks 86−63552
Tago, A., Yanagisawa, K., Kishigami, J., Koshimoto, Y. Magnetic properties of ion beam sputtered CoCrTa films 88−44956
Tago, A., Yanagisawa, K., Toshima, T. Magnetic properties of ion-beam-sputtered Co-Cr thin films 86−9380
Tago, A. *see* Kishigami, J. 88−51284
Tago, A. *see* Ohta, S. 85−62196
Tago, H., Shiochi, M., Takada, T., Suzuki, H., Kobayashi, T., Yamaguchi, K. A CMOS gate array with easily testable three port RAMs 85−33857
Tago, H. *see* Lin, Y.-L.S. 87−60581
Tago, N., Satani, H., Miyamoto, Y., Amano, Y. Design and characteristics of radiating pair cable 85−57920
Tago, S. *see* Fukui, M. 85−41451
Tago, T. Monitoring performance of memory devices grows in precision as integration rises 85−54881
Tago, T. *see* Tanaka, K. 88−18439
Tago, Y. *see* Okuda, S. 85−14611
Tagori, T. *see* Suzuki, M. 85−21503
Tagoshima, I. *see* Saito, H. 85−26309
Taguchi, A., Hamada, N. Realization of separable-denominator two-dimensional digital filters with lattice structures 86−35024
Taguchi, A., Hamada, N. Block realization of 2-D IIR digital filter 86−41248
Taguchi, A., Hamada, N. Spatial domain design of three terms separable denominator two dimensional digital filters 87−66425
Taguchi, A., Hamada, N. Approximation of non-circular symmetric 2-D digital filters by three terms separable denominator transfer function 88−38639
Taguchi, A., Hamada, N. Spatial-domain design of three terms separable denominator two-dimensional digital filters 88−70915
Taguchi, A., Miyazaki, N., Yamamoto, A., Kitakami, H., Kaneko, K., Murakami, K. INI: internal network in the ICOT programming laboratory and its future−impact of the FGCS on future communication networks 86−43588
Taguchi, A., Nakahashi, T., Hamada, N. A 2-D digital filter design techniques using separate approximation of phase and magnitude responses by denominator and numerator respectively 88−19279
Taguchi, A., Yamada, S. Electron mobility and compensation ratios in high-purity *n*-type InP 87−60094
Taguchi, A. *see* Kozono, S. 88−21996
Taguchi, A. *see* Takeda, K. 85−55467
Taguchi, A. *see* Yamada, S. 85−34557
Taguchi, E. *see* Uehara, K. 85−45119
Taguchi, G. Experimental planning method for quality engineering. II. Utilization of orthogonal polynomial and tolerance design 86−13436
Taguchi, G., Phadke, M.S. Quality engineering through design optimization 85−39571
Taguchi, G. *see* Jugle, D.B. 85−11795
Taguchi, G. *see* Phadke, M.S. 88−43735
Taguchi, H. *see* Watabe, S. 86−26112
Taguchi, I., Hamada, H., Suzuki, H. Display system for computer aided X-ray micro analyzer 85−26736
Taguchi, J. *see* Hasegawa, K. 85−23185
Taguchi, K. Loran-C and Decca System−today and tomorrow 87−76885
Taguchi, K. Radiowave propagation of LF navigation band−Loran C and Decca system 88−4130
Taguchi, K. Radiowave propagation of LF navigation band. II. Loran C and Decca system 88−40563
Taguchi, K., Sao, K., Yamashita, M. DF errors of LF waves on the sea−the effect of a nearby mountain 86−54296
Taguchi, K., Sao, K., Yamashita, M. Position determination at sea using low-frequency radio waves−the effect of a nearby mountain 88−35599
Taguchi, K., Suenaga, M., Yamashita, M. Transequatorial OMEGA wave receptions in the Western Pacific and Australia 88−41765
Taguchi, K., Torikai, T., Sugimoto, Y., Makita, K., Ishihara, H. Temperature dependence of impact ionisation coefficients in InP 86−27867
Taguchi, K., Torikai, T., Sugimoto, Y., Makita, K., Ishihara, H., Fujita, S., Minemura, K. Planar InP/InGaAs avalanche photodiodes with preferential lateral extended guard ring 86−48267
Taguchi, K., Yamashita, M. Fluctuation on the DECCA phase difference in daytime observed at Kagoshima 87−34667
Taguchi, K. *see* Fujita, S. 88−67417
Taguchi, K. *see* Iwamoto, K. 87−40913
Taguchi, K. *see* Maki, K. 88−40063
Taguchi, K. *see* Makita, K. 85−33495, 85−46253
Taguchi, K. *see* Matsumoto, Y. 85−16939
Taguchi, K. *see* Minemura, K. 87−40910, 88−4017
Taguchi, K. *see* Morita, K. 87−70968
Taguchi, K. *see* Nakajima, Y. 87−41249
Taguchi, K. *see* Saito, T. 86−31257
Taguchi, K. *see* Shikada, M. 86−49695, 88−22087
Taguchi, K. *see* Sugimoto, Y. 86−42442
Taguchi, K. *see* Suzuki, H. 86−54309
Taguchi, K. *see* Torikai, R. 86−9690
Taguchi, K. *see* Yamada, H. 87−42023
Taguchi, K. *see* Yanagisawa, I. 88−46569
Taguchi, K. *see* Yoshii, M. 87−70969
Taguchi, M. Current distribution on the long bent wires 85−40273
Taguchi, M. How can LSI be improved in processing speed by applying superconductive wiring? 88−26402
Taguchi, M., Ando, S., Higaki, N., Goto, G., Ema, T., Hashimoto, K., Yabu, T., Nakano, T. Dielectrically encapsulated trench capacitor cell 87−44843
Taguchi, M., Ando, S., Hijiya, S., Nakamura, T., Enomoto, S., Yabu, T. A capacitance-coupled bit line cell [dRAM cell 85−40898
Taguchi, M., Egashira, S. Analysis of umbrella antenna at the Omega station 86−3651
Taguchi, M., Egashira, S., Ohzono, T. Analysis of sleeve antenna with ground wires 86−68882
Taguchi, M., Egashira, S., Ohzono, T. Analysis of sleeve antenna with ground wires 88−14490
Taguchi, M., Micallef, C.J. The latest industrial process recorder based on microprocessor and optical x/t sensor technologies 86−5134
Taguchi, M., Micallef, C.J. The latest industrial process recorder based on microprocessor and optical x/t sensor technologies 86−24403
Taguchi, M. *see* Ando, S. 86−41126
Taguchi, M. *see* Egashira, S. 85−36081, 85−62885, 86−22784, 88−34394
Taguchi, M. *see* Harada, T. 86−31518
Taguchi, M. *see* Kuribayashi, M. 85−34229
Taguchi, M. *see* Mizoguchi, S. 88−74167
Taguchi, M. *see* Shimoda, S. 88−42223
Taguchi, N. Keyboard switches move toward membrane and tact switch in contact structure 86−35164
Taguchi, N., Imai, A., Matsuda, H., Yubakami, K. Multi-usable printing characteristics of dye transfer sheets 88−31244
Taguchi, N. *see* Shibano, I. 86−58878
Taguchi, O. *see* Yoshizaki, K. 85−56156
Taguchi, S. High-definition TV receiver−a newly-developed MUSE receiver and 40-inch CRT display 86−11248
Taguchi, S., Kataoka, T. Display for high-definition TV 86−38017
Taguchi, S., Matsumoto, K., Yuhara, H., Yokoyama, Y., Mitsui, K. Recent train radio systems 88−3860
Taguchi, S., Tanaka, T. Fibrous polyaniline as positive active material in lithium secondary batteries 87−78883
Taguchi, S., Watanabe, T., Takahashi, E., Takahashi, S., Tanaka, S. Sandwich-construction loudspeaker diaphragm with foamed high-polymer and carbon fiber 87−28865
Taguchi, S., Watanabe, Y. The development of thick film resistor for thermal print head 88−57174
Taguchi, S. *see* Hamanaka, T. 86−4662
Taguchi, S. *see* Iwamura, J. 85−897
Taguchi, S. *see* Niitsu, Y. 86−47853
Taguchi, S. *see* Yamamoto, S. 85−28892, 86−67616, 88−1316
Taguchi, S. *see* Yoshii, T. 86−26860
Taguchi, T. Time-resolved blue electroluminescence and temperature-dependent characteristics in an efficient forward-bias ZnS diode 85−35646
Taguchi, T., Kawano, T., Hiraki, A. XPS and magneto-transport studies on the surface of CdHgTe 86−8781
Taguchi, T., Kusao, T., Hiraki, A. Growth of high-purity ZnSe by sublimation THM and the characteristics of the *Y* and *Z* deep-level emission lines 86−7730
Taguchi, T., Mitani, K., Ikuta, H., Shigeta, E., Yamamoto, H., Takayama, H., Inoue, H., Nakagaki, S., Tabe, M., Takao, M., Mochizai, H. C&C-VAN system configuration & service matrix 87−2737
Taguchi, T., Mitani, K., Ikuta, H., Yamamoto, H., Nakagaki, S., Takayama, H., Iinuma, K., Nishihara, Y., Tajima, S. C&C-VAN general purpose service 87−2739
Taguchi, T., Morikawa, M., Hiratsuka, Y., Toyoda, K. Enhancement of film deposition rate due to the production of Si_2H_6 as an intermediate in the photodecomposition of SiH_4 using an ArF excimer laser 87−5443
Taguchi, T., Sasaki, T., Terada, T., Ekawa, M., Hiraki, A. Surface oxidation of ZnHgTe and its interface reaction with metals 88−32793
Taguchi, T., Sugiyama, Y., Tacano, M. AlGaAs/GaAs heterojunction Hall device 88−50786
Taguchi, T., Sugiyama, Y., Takano, M. AlGaAs/GaAs hetero-junction Hall device 87−60398
Taguchi, T., Yao, T. Effect of Se vapor pressure and thermal dissociation process on excitonic-emission lines in molecular beam epitaxially grown high-purity zinc selenide 85−12717
Taguchi, T. *see* Hashimoto, H. 88−38678
Taguchi, T. *see* Hayamizu, S. 88−18671
Taguchi, T. *see* Inagaki, K. 88−55710
Taguchi, T. *see* Kawakami, Y. 88−18689, 88−49877, 88−57346, 88−70359
Taguchi, T. *see* Maruyama, T. 85−5536
Taguchi, T. *see* Ohigashi, N. 87−33216
Taguchi, T. *see* Ohtsuka, H. 86−15005, 88−64473
Taguchi, T. *see* Okamura, S. 86−67800
Taguchi, T. *see* Sasaki, T. 88−57306
Taguchi, T. *see* Sekoguchi, M. 88−51667
Taguchi, T. *see* Tacano, M. 87−32462, 88−57313
Taguchi, T. *see* Tanaka, K. 86−50864
Taguchi, T. *see* Toyoda, K. 88−24805
Taguchi, T. *see* Yamazaki, T. 86−49160
Taguchi, T. *see* Yoshimatsu, K. 88−40849, 88−41010
Taguchi, Y. Performance factors of keyboard switches should put them in a class by themselves 85−55225
Taguchi, Y. *see* Inoue, H. 88−3862
Tague, J.A. *see* Sibul, A.H. 87−62048
Tague, J.A. *see* Sibul, L.H. 88−8794
Taguirdzhanov, M.A. *see* Bedel'bayeva, G.E. 88−26041
Tagushi, T. *see* Okamura, S. 85−12153
Taguyrdzhanov, M.A. *see* Kolomiets, B.T. 85−18789
Tagvoryan, E.S. *see* Gazazyan, E.D. 87−47391, 88−34484
Tagyos, P.R.de *see* de Tagyos, P.R.
Tah-Hsiung Chu, Farhat, N.H. Polarization effects in electromagnetic inverse scattering of two perfectly conducting cylinders 87−75394
Taha, A., Elmoghazy, A., Elosmany, A. Speech encryption in linear predictive coding (LPC) system 87−39713
Taha, A., Hudson, J.E. Symmetric two-target monopulse angle estimator 87−8339
Taha, A., Hudson, J.E. Trigonometric high-resolution method to resolve two close targets 87−76826
Taha, A., Hudson, J.E. Effect of surface roughness on high resolution elevation angle estimate in multipath 88−15562
Taha, A.S.A. *see* Mitkees, A.A. 85−37086
Taha, B. *see* Vishvakarma, B.R. 85−13108
Taha, E. *see* Nosseir, A. 87−25626
Taha, M. *see* Tablawi, T. 88−37793
Taha, M.M.A. *see* Khalifa, A.M.A. 86−61817, 87−9958
Taha, M.S. An informational scheme for monitoring of power system's disturbances 85−4580
Taha, R.A. *see* El-Sattar, A.A. 87−42906
Taha, S.M.R. Multi-purpose controllable function generator 85−44927
Taha, S.M.R. Fast-reading DVM with real-time autocalibration 85−58746
Taha, S.M.R. Speed improvements for dual-slope A/D converters 86−31323
Taha, S.M.R. A precise LF frequency detector based on Taylor series 87−52454
Taha, S.M.R., Abdul-Karim, M.A.H. Implicit digital RMS meter design 85−20678
Taha, S.M.R., Abdul-Karim, M.A.H. Multipurpose digital meter for the measurement of electrical quantities 86−5181
Taha, S.M.R., Abdul-Karim, M.A.H. Direct digital RMS measuring device 86−5352
Taha, S.M.R., Abdul-Karim, M.A.H. A novel digital power-factor meter design 87−29224
Taha, S.M.R., Abdul-karim, M.A.H. Digital radiation meter design 88−22607
Taha, S.M.R., Omran, S.S. Microcomputer-controlled autoranging DMM with autocalibration 87−29169
Taha, S.M.R., Omran, S.S. Microcomputer-controlled sampling capnometer 87−41941
Taha, S.M.R., Selman, A.S., Abdul-Nabi, Z.C., Abdul-Raheem, A., Jamil, S. Triggered multi-purpose controllable function generator 86−14050
Taha, S.M.R. *see* Abdul-Karim, M.A.H. 87−63231
Taha, S.M.R. *see* Mahdi, F.A. 85−58748
Taha, S.M.R. *see* Omran, S.S. 87−77092
Taha, T.E. Semiconductor surfaces characterization using electrically controlled acoustoelectric transducer 88−26083

Taha, T.E. Determination of the actual SAW propagation velocity on interdigital $LiNbO_3$ delay lines 88−39783
Taha, T.R., Ablowitz, M.J. IST numerical schemes for nonlinear evolution equations of physical interest 87−44259
Taha, W.A. *see* Abass, A.K. 88−51421
Taha, W.A. *see* Mohammed, M.T. 85−49103
Taha El-Shirbeeny El-Hosseiny *see* El-Hosseiny Taha El-Shirbeeny
Tahani, H. *see* Keller, J.M. 87−13163
Tahara, A. Performance, functions and applications of digital storage oscilloscopes 88−67935
Tahara, H. Sendust head for metal tape 85−12489
Tahara, H. *see* Kagaya, Y. 85−31913
Tahara, H. *see* Oda, H. 86−43776
Tahara, H. *see* Yoshikawa, T. 85−31936
Tahara, I. *see* Wada, Y. 88−12383
Tahara, K. *see* Sasamoto, H. 87−9574
Tahara, M., Deguchi, T., Mizoguchi, S., Yoshida, Y. 6 GHz, 140 Mb/s digital radio system with 256 SSQAM modulation 88−28686
Tahara, M., Deguchi, T., Mizoguchi, S., Yoshida, Y. 6 GHz 140 Mbps digital radio system with 256-SSQAM modulation 88−46888
Tahara, M. *see* Ryu, T. 85−20026
Tahara, M. *see* Yoshida, Y. 87−34380
Tahara, N., Nagano, Y., Daicho, Y. An applied voltage indicator using a liquid crystal element for electric power systems 88−53807
Tahara, N., Nagano, Y., Ieda, M. The surface energy of the metal and the characteristics of the contact in insulating oil 85−28753
Tahara, N. *see* Nagano, Y. 88−16298
Tahara, S., Abe, H. Recent advancements in Josephson integrated circuit technology 86−41455
Tahara, S., Abe, H. Application for electronics−high-speed computers and SQUID magnetometers 88−58031
Tahara, S., Kosaka, S., Shoji, A., Aoyagi, M., Shinoki, F., Hayakawa, H. Fabrication and performance of all refractory Josephson logic circuits for 1 Kbit SFQ memory 86−27227
Tahara, S., Wada, Y. A vortex transitional NDRO Josephson memory cell 87−73445
Tahara, S. *see* Ishida, I. 88−20318, 88−65009
Tahara, S. *see* Kosaka, S. 85−54824
Tahara, S. *see* Wada, Y. 88−44171
Tahara, T. *see* Maeda, Y. 87−72409
Tahara, Y., Oura, K., Kodama, N., Kamata, K., Katano, K., Yagihashi, S., Maeda, Y. High throughput automated junction formation by ion implantation and halogen anneal for 9 mW production 87−4960
Tahara, Y. *see* Nakatsuka, K. 85−12596
Tahawy, H.El *see* El Tahawy, H.
Tahboub, K.K. *see* Ahmed, M.S. 87−7818
Taher, M.A., McMillan, M.L., Buse, A., Gillen, D.W. Renewable and non-renewable resource demand in Canadian manufacturing industries 86−13212
Taher, M.F., Rasmy, M.E., Ahmed, A.S., Rashwan, A.A. Discrimination between upper limb movements using EMG signals 88−68414
Taher, T. *see* Elrazaz, Z. 87−57518
Taher Abuelma'atti, M. Modelling DC characteristics of heterostructure bipolar junction transistors 87−11749
Taher Ahmed, M., Burke, P.E., Fawzi, T.H. Application of the BIE and the impedance B.C. approach to a large steel slab in a finite length coil 87−39302
Taheri, B.A. Design a stable current source for YIG filters 88−56446
Taheri, M., Jullien, G.A., Miller, W.C. Systolic ROM arrays for implementing RNS FIR filters 87−59469
Taheri, M., Jullien, G.A., Miller, W.C. High-speed signal processing using systolic arrays over finite rings 88−50174
Taheri, M.Mohammad *see* Mohammad Taheri, M.
Taheri, S.A. *see* Sanchez, P.P. 87−2613
Tahiliani, V.H., Miners, K.B., Lannes, W.J. Diagnostic techniques to detect abnormal operating conditions in gas insulated substations 86−51724
Tahim, R. *see* Kai Chang 86−8438
Tahim, R. *see* Sholley, M.D. 88−19393
Tahim, R.S., Chang, K. Development of high efficiency *W*-band microstrip circuit doublers 88−25531
Tahim, R.S., Chang, K., Hummer, K.A. Wideband microstrip balanced mixer 87−66524
Tahim, R.S., Grote, A., Kai Chung Miniature MM-wave LO/mixer modules based on suspended stripline and microstrip 87−37562
Tahim, R.S., Hayashibara, G.M., Chang, K. High-performance millimeter-wave suspended stripline Gunn VCO 87−6075
Tahim, R.S., Pham, T., Chang, K. Millimetre-wave microstrip subharmonically pumped mixer 86−1358
Tahim, R.S., Pham, T., Chang, K. MM-wave integrated circuit wideband downconverters 86−20828
Tahim, R.S., Pham, T., Chang, K. W-band integrated circuit PIN switches 87−24453
Tahim, R.S., Pham, T., Yen, P. W-band low noise integrated circuit subharmonically pumped mixer with over 10 GHz instantaneous RF bandwidth 87−6082
Tahim, R.S. *see* Grote, A. 86−14515
Tahim, R.S. *see* Kai Chang 86−27587
Tahir, A., Carver, M.B. ASSERT and COBRA predictions of flow distribution in vertical bundles 87−9329
Tahir, A. *see* Shoukri, M. 87−9328
Tahir, K.Y., Fang, M.T.C. On arc-circuit interaction 86−26230
Tahira, K., Kao, K.C. Anomalous photocurrent transient in polyethylene 86−15303
Tahira, Y. *see* Veno, H. 86−66447
Tahkola, E., Karras, M. The flowmeter for water using the phase modulation of ultrasonic beams analyzed by cross-correlation 86−6188
Tahkoor, A.P. *see* Daud, T. 88−38523
Tahmazian, B. Manic 5−addition power 88−23787
Tahr, N.H. *see* El-Kabbany, F. 88−44894
Tahsin, O., Bulent Ertan, H. An integral equation formulation for electrical machine field analysis 87−42857
Tahtinen, M. *see* Watola, A. 86−70637
Tahy, A. *see* Fellinger, H. 87−40570
Tai, A.M. Incoherent optical sampled Fourier transforms for pattern recognition and counting: comment 85−63082
Tai, A.M. Low-cost LCD spatial light modulator with high optical quality 86−54012
Tai, A.M. *see* Aleksoff, C.C. 88−28971
Tai, A.M. *see* Cederquist, J. 85−2433
Tai, A.M. *see* Cederquist, J.N. 88−65903
Tai, C.T. Boundary conditions in electromagnetic theory and some theorems involving moving volume, surface and contour 85−13033
Tai, C.T. Several problems involving moving isotropic medium 85−30068
Tai, C.T. A note on the integral equations for the scattering of a plane wave by an electromagnetically permeable body 86−42812
Tai, C.T. Some essential formulas in dyadic analysis and their applications 88−27391
Tai, C.T. Dyadic Green's functions for a rectangular waveguide filled with two dielectrics 88−58920
Tai, E., Fay, B., Stein, C.M., Feely, W.E. Aqueous base developed, single level resist for submicron X-ray lithography 88−13223
Tai, H., Tanaka, H., Yoshino, T. Fiber-optic evanescent-wave methane-gas sensor using optical absorption for the 3.392-μm line of a He-Ne laser 87−54031
Tai, H., Yamamoto, K., Abe, T., Ueki, T., Tanaka, H., Uehara, K. Quantitative remote sensing of methane using an intensity-modulated dual-wavelength He-Ne laser 88−68071
Tai, H. *see* Kataoka, T. 88−23938
Tai, I., Sano, Y., Fukumoto, A., Sato, M. Advanced monitoring and control system for large-scale fast breeder reactors 86−65894
Tai, I. *see* Fukumoto, A. 85−21379
Tai, I. *see* Monta, K. 85−21337, 88−48675
Tai, J.-W. A syntactic-semantic approach for Chinese character recognition 85−30419
Tai, Juwei *see* Wu Lide 87−48070
Tai, K. Attribute analysis for test generation of logical circuits 87−17038
Tai, K., Gibbs, H.M., Peyghambarian, N. Mirrorless dispersive optical bistability due to cross trapping of counterpropagating beams in sodium vapor 85−46475
Tai, K., Hasegawa, A., Bekki, N. Fission of optical solitons induced by stimulated Raman effect 88−51463
Tai, K., Hayes, T.R., McCall, S.L., Tsang, W.T. Optical measurement of surface recombination in InGaAs quantum well mesa structure 88−64281
Tai, K., Hegarty, J., Tsang, W.T. Nonlinear spectroscopy in $In_{0.53}Ga_{0.47}As$/InP multiple quantum wells 87−68436
Tai, K., Jewell, J.L., Tsang, W.T., Temkin, H., Panish, M., Twu, Y. 1.55-μm optical logic etalon with picojoule switching energy made of InGaAs/InP multiple quantum wells 87−61225
Tai, K., Tomita, A. 50× optical fiber pulse compression at 1.319 μm 86−36132
Tai, K., Tomita, A. 1100× optical fiber pulse compression using grating pair and soliton effect at 1.319 μm 86−48078
Tai, K., Tomita, A., Jewell, J.L., Hasegawa, A. Generation of subpicosecond solitonlike optical pulses at 0.3 THz repetition rate by induced modulational instability 86−68230
Tai, K. *see* Gibbs, H.M. 85−41481
Tai, K. *see* Le Berre, M. 86−22491
Tai, K. *see* Nakamura, K. 85−18798
Tai, K. *see* Tomita, A. 88−58677
Tai, K. *see* Valley, J.F. 87−39238
Tai, K.C. *see* Tsang, W.T. 87−65529
Tai, K.L. *see* Ong, E. 86−2058
Tai, L. *see* Fay, B. 86−8939, 87−11518
Tai, S., Hamanaka, K., Nunoshita, M. Fiber-optic sensors 87−77282
Tai, S., Kojima, K., Noda, S., Kyuma, K., Hamanaka, K., Nakayama, T. All-fibre gyroscope using depolarised superluminescent diode 86−48085
Tai, S., Kojima, K., Noda, S., Kyuma, K., Hamanaka, K., Nakayama, T. Narrow spectral linewidth semiconductor optical-fiber ring laser 87−12458
Tai, S., Kyuma, K. Fiber-optic sensors 87−3582
Tai, S., Kyuma, K., Hamanaka, K. Simultaneous stabilization of spectral linewidth and oscillation frequency of an external-cavity laser diode by fiber-optic ring-resonators 87−7411
Tai, S., Kyuma, K., Hamanaka, K. Simultaneous stabilization of spectral linewidth and oscillation frequency of an external-cavity laser diode by fiber-optic ring-resonators 88−2232
Tai, S., Kyuma, K., Hamanaka, K., Nakayama, T. Applications of fibre optic ring resonators using laser diodes 87−46506
Tai, S., Kyuma, K., Nakayama, T. Novel measuring method for spectral linewidth of laser diodes using fibre-optic ring resonator 85−24630
Tai, S., Kyuma, K., Nakayama, T. Spectral linewidth of an external-cavity laser diode stabilized by a fiber-optic ring resonator 85−62620
Tai, S., Kyuma, K., Nakayama, T. Simultaneous stabilization of spectral linewidth and oscillation frequency of an external-cavity laser diode by fiber-optic ring resonators 86−48464
Tai, S., Takahashi, M., Kyuma, K., Hamanaka, K. Distributed fiber optic sensors 88−4447
Tai, S. *see* Kameya, M. 87−12467, 87−39096
Tai, S. *see* Kojima, K. 86−42531, 87−2106
Tai, S. *see* Kyuma, K. 85−7259 to 7260, 85−7455, 85−18646, 87−18698
Tai, S. *see* Rossi, R.C. 85−40864
Tai, S. *see* Takahashi, M. 88−47543, 88−53710, 88−67869
Tai, Y.-C. *see* Fan, L.-S. 88−50944
Tai, Y.C., Mastrangelo, C.H., Muller, R.S. Thermal conductivity of heavily doped LPCVD polysilicon 88−39052
Tai, Y.C., Muller, R.S., Howe, R.T. Polysilicon-bridges for anemometer applications 86−55702
Tai, Y.S. *see* Murphy, T. 87−8854
Tai Can Nguyen *see* Nguyen Tai Can
Tai Hsien-chung *see* Hsien-chung Tai
Tai Kong *see* Kong Tai
Tai Kuo-Chung *see* Kuo-Chung Tai
Tai Sung-Shan *see* Sung-Shan Tai
Tai T. Wu, King, R.W.P. Lateral electromagnetic pulses generated by a vertical dipole on the boundary between two dielectrics 88−34352
Tai Tsun Wu, King, R.W.P., Hao-Ming Shen Spherical lens as a launcher of electromagnetic missiles 88−14365
Tai Yachuan *see* Pan Zhijie 88−231, 88−31552
Tai Yachuan *see* Zhou Faqing 86−65843
Tai Yu-Chong *see* Yu-Chong Tai
Tai-Chi Wang *see* Chung-en Zah 86−16048
Tai-Ching Hsieh, Yuan-Liang Lan Oxide conductive coated cathodes for a sealed-off CO_2 laser 88−8261
Tai-Ching Tuan, Hakimi, S.L. Single jog, river routing 88−31949
Tai-Huo Dong *see* Dong Tai-Huo
Tai-jie Wang *see* Wang Tai-jie
Tai-jun Wang *see* Wang Tai-jun
Tai-Liang Huang, T. Microsystem applications in switching equipment 86−30516
Tai-Ming Parng *see* Lir-Fang Sun 88−49946, 88−70416
Tai-Ming Parng *see* Tze-Yun Sung 88−8755, 88−32250
Tai-qian Dong *see* Dong Tai-qian
Tai-Shung Chung Laser-induced fluid motion on a dye/polymer layer for optical data storage 87−68572
Tai-Tseng Chu, Oltman, H.G., Jr. The sinuous antenna 88−58943
Tai-Tsong Wang *see* Boydston, T. 88−25313
Tai-Yu Chou *see* Min-Shyong Lin 86−13823
Taiariol, F. *see* Cocito, M. 87−54178
Taiariol, F. *see* Franzosi, P. 85−33391, 86−66816
Taibakhsh, A.E. *see* Cheung, A.C. 87−71911
Taichang Guo *see* Guo Taichang
Taie, M.R., Geller, J., Srihari, S.N., Shapiro, S.C. Knowledge based modeling of circuit boards 87−45402
Taie, M.R., Srihari, S.N. Device modeling for fault diagnosis 87−37659
Taie, M.R., Srihari, S.N. Modeling connections for circuit diagnosis 87−44487
Taieb, F. *see* Bouttes, J.P. 88−75126
Taifan, Q., Yongtan, L. A new method to improve tracking accuracy of maneuvering targets 86−65022
Taige, P. *see* Nunziata, E. 88−54630
Taiji Liang *see* Liang Taiji
Taiji Lin *see* Lin Taiji
Taikai Feng *see* Feng Taikai
Taikang Ning, Nikias, C.L. The optimum approach to multichannel AR spectrum estimation 86−16386
Taike, A., Teraguchi, N., Konagai, M., Takahashi, K. Growth of ZnSe−ZnS strained-layer superlattice by metallorganic molecular beam epitaxy 87−65510

Taike, A. *see* Ando, H. 86−52475, 87−66902, 88−417
Tailan Ye *see* Ye Tailan
Tailikh, Ya.V. *see* Borisov, R.I. 88−10927
Tailikh, Ya.V. *see* Borisov, R.T. 86−56417
Taille, G., Blanc, J.P., Mardon, R., Serge, M. A laboratory model of a Signalling Transfer Point (STP) 85−51920
Taillepied, M., Gourrier, S. Current drift mechanism in $In_{0.53}Ga_{0.47}As$ depletion mode metal-insulator field-effect transistors 86−47564
Taillepied, M., Gourrier, S., Chane, J.P. Electrical characterization of the insulator/$Ga_{0.47}In_{0.53}As$ interface 87−24974
Taillepied, M. *see* Theeten, J.B. 86−28227
Taillet, J., Larigaldie, S., Cassette, P., Purprix, P. A laminar flux hood neutralizer with a reduced residual voltage 88−27446
Taillet, J. *see* Larigaldie, S. 87−47108
Tailor, A., Corr, D.G., Cosoli, P., Cross, A., Hogg, D.C., Lawrence, D.H., Mason, D.C., Petrou, M., Vango, R.D. A system for knowledge-based segmentation of remotely-sensed images 88−5207
Tailor, A., Cross, A., Hogg, D.C., Mason, D.C. Knowledge-based interpretation of remotely sensed images 86−65574
Tailor, R.C., Nestor, O.H., Utts, B. Investigation of cerium-doped barium fluoride 86−50330
Taimanov, R.E., Sapozhnikova, K.V. In situ metrological checks on multichannel measuring instruments 88−29204
Taimanov, R.E. *see* Koltik, E.D. 88−74220
Taimaskina, A.N. *see* Sheshneva, Yu.I. 88−33444
Taimatsu, S. *see* Kikuchi, H. 88−50485
Taimisto, O., Lehtonen, K. Corporatewide energy management 87−36281
Taimisto, S. *see* Haase, H. 85−59685
Taimr, V. *see* Pasek, Z. 88−43272
Taino, M. *see* Takasaki, M. 86−31869
Taino, M. *see* Yamamoto, A. 87−63601
Taino, N. *see* Maeda, T. 86−34802
Tainsh, R.J., Andrikidis, C. Superconducting transitions from states with low normal conductivity in ceramic $SrTi_{0.97}Zr_{0.03}O_3$ 87−12066
Tainsky, S., Reid, S.J., Kongable, L.S. Cost effective hi-performance color television 88−22269
Taiocchi, G. *see* Annunziata, M. 88−74261
Taiocchi, G. *see* Bassini, R. 85−37944
Taiocchi, G.F. *see* Annunziata, M. 88−695
Taioka, T., Matsuda, Y., Kohama, H. Energy saving in the preheater-precalciner kiln−improved performance of cyclones 85−16528
Taipale, D.J. *see* Pursley, M.B. 86−30591, 87−34352
Taipau Chia *see* Ramaswamy, R.V. 88−65332
Taiping Zhang *see* Zhang Taiping
Taiqi Fu *see* Fu Taiqi
Taira, E. *see* Suzuki, Y. 86−49823
Taira, H., Kuribayashi, M., Higashi, T. Study on duration distributions for impulsive noise in an analog telephone circuit 86−4378
Taira, H. *see* Harada, T. 86−60477
Taira, J. *see* Nieuwland, H.C.D. 85−39355
Taira, K. A vector stimulator for neurophysiological studies of periodontal mechanosensitive units 88−42486
Taira, K., Kawai, H., Hase, I., Kaneko, K., Watanabe, N. Noninteger InAs monolayer well InAs/GaAs single quantum well structures grown by metalorganic chemical vapor deposition 88−71322
Taira, K., Kawai, H., Kaneko, K. MOCVD-grown AlGaAs/GaAs HBTs with epitaxially embedded p^+ layers in extrinsic base 87−74257
Taira, K., Murakami, T., Ichihara, K., Mori, M. Magneto-optic erasable disc memory with two optical heads 86−42385
Taira, K., Takano, C., Kawai, H., Arai, M. Emitter grading in AlGaAs/GaAs heterojunction bipolar transistor grown by metalorganic chemical vapor deposition 87−18083
Taira, K., Takano, C., Kawai, H., Arai, M. Band offset effect on transport in $Al_xGa_{1-x}As$/GaAs heterojunction bipolar transistors grown by metalorganic chemical vapor deposition 88−13322
Taira, K., Wada, M., Kato, Y., Dohsen, M., Kasahara, J., Arai, M., Watanabe, N. New lateral GaAs transistor 85−50502
Taira, K. *see* Hase, I. 88−33154
Taira, K. *see* Ichihara, K. 86−42156
Taira, K. *see* Koshiji, K. 87−68842
Taira, K. *see* Murakami, T. 87−26099
Taira, K. *see* Takano, C. 87−60430, 88−39385, 88−50807
Taira, K. *see* Tanaka, R. 88−51598
Taira, M. *see* Skarnulis, A.J. 87−17677
Taira, M. *see* Takara, T. 86−16171
Taira, M. *see* Watanabe, E. 88−61076
Taira, R.K. Operational characteristics of pediatric radiology: image display stations 88−36536
Taira, R.K. *see* Huang, H.K. 87−14880
Taira, R.K. *see* Kangarloo, H. 88−36532
Taira, R.K. *see* Mankovich, N.J. 87−14953
Taira, R.K. *see* Stewart, B.K. 88−36534
Taira, R.K. *see* Takeuchi, H. 86−32272
Taira, T. *see* Kanazawa, H. 87−74970
Taira, T. *see* Miyahara, T. 86−33575
Taira, T. *see* Ohmori, T. 87−41721
Taira, T. *see* Saito, H. 87−68380
Tairov, M.A. *see* Bekimbetov, R.N. 88−13308
Tairov, M.A. *see* Lunev, A.V. 87−24867
Tairov, S.I., Djafarov, K.A., Mamedov, V.S., Aliev, B.D., Bashshaliev, A.A. The influence of the thermal treatment upon electric and photoelectric properties of polycrystalline silicon 87−66876
Tairov, S.M. *see* Bratov, A.V. 87−3587
Tairov, S.M. *see* Eremin, V.K. 88−4859
Tairov, Yu.M., Peev, N.S., Smirnova, N.A., Kalnin, A.A. Liquid phase epitaxy of SiC in the system Si-Tb-SiC by temperature gradient zone melting. I. Investigation of solubilities in the system Si-Tb-SiC 87−31501
Tairov, Yu.M. *see* Dmitriev, V.A. 88−70323
Tairov, Yu.M. *see* Levin, V.I. 85−24391
Tairov, Yu.M. *see* Luchinin, V.V. 85−49571
Tairov, Yu.M. *see* Nurmagomedov, Sh.A. 87−58943, 87−65487
Tairov, Yu.M. *see* Peev, N.S. 87−31502, 87−36696
Tairov, Yu.M. *see* Violin, E.E. 85−61744
Tairova, D.A. *see* Rekalova, G.I. 86−27975
Taisne, J.-P. *see* Adam, P. 86−50970
Taisne, J.P. *see* Adam, P. 88−68871
Tait, A. DASH and the PCM-3402 [digital audio tape recorder] 87−77043
Tait, A.J. *see* Penman, J. 86−33309, 86−45742
Tait, A.J. *see* Smith, J.R. 88−18352
Tait, B.I. Key features of the Sizewell B type 87−78248
Tait, B.L. *see* Bishop, G.J. 86−15605
Tait, B.L. *see* Dyer, P.E. 87−29324
Tait, E.M. Designers' notes−DC motor speed variator 85−21650
Tait, G.B. Computer-aided design of coupled microstrip lines 85−11497
Tait, G.B., Krowne, C.M. Efficient transferred electron device simulation method for microwave and millimeter wave CAD applications 88−1007
Tait, G.B., Krowne, C.M. Determination of transport parameters for InP device simulations in n^+nn^+ structures 88−13304
Tait, G.B., Krowne, C.M. Large-signal characterization of unipolar III-V semiconductor diodes at microwave and millimeter-wave frequencies 88−25459
Tait, J.J. *see* Tremewan, R.N. 88−54494
Tait, L.C., Andersson, B., Lundin, L. Design of the 50 kV overhead contact system for the British Columbia Railway Tumbler Ridge branch line 85−27739
Tait, N.R.S. *see* Aitken, T.W. 86−38638, 86−38665
Tait, P.D.F. *see* Ffrench, T.E. 85−28719
Tait, R. *see* Bieman, L.H. 88−53870
Tait, W.H. A software method of optimising a radiograph digitising system 88−68381
Tait, W.S. The development and application of eddy current testers for inspecting steel mill rolls 88−22477
Taivassalo, V. *see* Gordon, M.M. 86−25002, 86−60504
Taivassalo, V. *see* Marti, F. 86−25003
Taiwo, A. *see* Olaniyan, O.O. 87−28270
Taiwu Zhang *see* Zhang Taiwu
Taixiu Zhu *see* Zhu Taixiu
Taixuan Yan *see* Yan Taixuan
Tajaddodi, F.Y. *see* Hashemi, N. 87−71960
Tajaddodi, F.Y. *see* Love, D.J. 87−79002
Tajagopalan, R.G. Viscous flow field analysis of a vertical axis wind turbine 87−42750
Tajbakhsh, S. *see* Ouchi, K. 88−16888
Tajchman, G.N. *see* Rossen, M.L. 88−66347
Tajika, J. *see* Sekita, H. 88−75744
Tajima, E. *see* Togashi, S. 85−20676, 86−5416, 86−18038
Tajima, F. *see* Abukawa, T. 87−9576
Tajima, F. *see* Endo, T. 85−48940
Tajima, F. *see* Shiraishi, K. 86−28935
Tajima, H., Araki, M., Bessho, Y., Mizuno, M., Tanabe, K. A distributed architecture car audio system 87−49410
Tajima, H., Suzuki, M., Hamazaki, Y., Sanechika, N., Okada, Y., Tamura, K. A high-speed optical bus and its design 88−41608
Tajima, H. *see* Amano, S. 88−45396
Tajima, H. *see* Hasegawa, H. 87−57300
Tajima, H. *see* Ninomiya, T. 86−66160, 87−22570, 88−5766, 88−55423
Tajima, H. *see* Oba, Y. 88−74192
Tajima, I. *see* Nishino, A. 86−1401
Tajima, J. Color masking matrix optimization in terms of uniform color scales 86−64347
Tajima, J., Imamura, K. Flexible-channel-assigned high-capacity mobile communication systems 87−27704
Tajima, J., Kobayashi, K. Digital signal processing syllabic compander 85−14076
Tajima, J., Kobayashi, K. Digital signal processing syllabic compander 86−69573
Tajima, J., Mitsuishi, T., Nojima, T. Small-capacity radio base station for NTT's nationwide mobile telephone system 86−69626
Tajima, J., Murata, M., Aiba, H., Takaoka, H., Komai, J. Color enhancement algorithm for remotely sensed false color image, using uniform color scale 88−46321
Tajima, J. *see* Imamura, K. 87−28410, 87−48948
Tajima, K. Self amplitude modulation in PSK coherent optical transmission systems 86−43853
Tajima, K. Compensation of soliton broadening in nonlinear optical fibers with loss 87−26006
Tajima, K. The '-1' dial for current transformer test sets 88−29508
Tajima, K. Bandwidth of a single-mode optical fiber in PSK coherent optical transmission systems 88−35501
Tajima, K., Hsu, H. Large signal analysis of phase variations and bistability in degenerate four-wave mixing 85−35881
Tajima, K., Iiguchi, S. Analysis of electromagnetic wave scattered from cylinders buried in the ground 86−29346
Tajima, K., Iiguchi, S.-I. Analysis of electromagnetic wave scattered from cylinders buried in the ground 87−75347
Tajima, K., Komura, M., Sato, Y. Connected word recognition by overlap and split of reference patterns and its performance evaluation tests 87−19544
Tajima, K., Moribe, T., Noda, I. A private substation by spot network distribution system for ANA Hotel, Tokyo 87−43166
Tajima, K., Ohashi, M., Sasaki, Y. Polarisation-maintaining optical fibres with Al_2O_3 stress-applying parts 88−51445
Tajima, K., Tanaka, A., Komura, M. Overlap and split of reference patterns for connected word recognition 86−48793
Tajima, K., Washio, K. Generalized view of Gaussian pulse-transmission characteristics in single-mode optical fibres 86−2763
Tajima, K. *see* Aoki, Y. 87−68612, 88−34112, 88−51455
Tajima, K. *see* Saito, S. 85−19063
Tajima, K. *see* Sasaki, Y. 87−32937, 87−38746, 87−56134, 88−53250
Tajima, K. *see* Shindo, S. 85−30863, 86−10653
Tajima, K. *see* Yamada, T. 87−34383
Tajima, M., Suzuki, H. Viterbi decoding algorithm using likelihood distribution 87−33626
Tajima, M. *see* Ikawa, E. 86−63202
Tajima, M. *see* Ohtaki, R. 85−40434
Tajima, M. *see* Sato, T. 88−1354
Tajima, M. *see* Suzuki, H. 88−46980
Tajima, M. *see* Wakatsuki, M. 87−25041
Tajima, N., Nino, N., Yamada, N. High-precision automatic measuring system for hermetic motors 88−23863
Tajima, S. Functions of electronic message communication services and applications 88−9055
Tajima, S., Matsumoto, H., Hirano, M. Central processing subsystem for DIPS VLSI processor 85−842
Tajima, S. *see* Alton, G.D. 87−50111
Tajima, S. *see* Fujii, Y. 85−19822
Tajima, S. *see* Hikita, M. 85−23987, 86−2453
Tajima, S. *see* Horiuchi, K. 86−33226
Tajima, S. *see* Mori, T. 86−13006
Tajima, S. *see* Taguchi, T. 87−2739
Tajima, S. *see* Tanaka, Y. 87−68770
Tajima, T. Laser accelerator for ultra-high energies 85−26632
Tajima, T. 300-million kVA: the history of Mitsubishi shell form power transformers 85−27471
Tajima, T. High energy laser plasma accelerators 86−24930
Tajima, T., Cavenago, M. Crystal X-ray accelerator 88−16594
Tajima, T., Horton, W., Witte, K., Singer, S. Pump depletion and laser staging for beat-wave accelerator 86−31845
Tajima, T., Ohkubo, K. Investigation on corrected excitation and emission spectra by Shimadzu spectrofluorophotometer RF-540 85−64075
Tajima, T. *see* Felber, F.S. 85−4193
Tajima, T. *see* Horton, W. 86−5619
Tajima, T. *see* Hosokai, H. 86−18151
Tajima, T. *see* Sudou, R. 88−65149
Tajima, T. *see* Tatsuta, T. 86−51008
Tajima, T. *see* Tomimori, A. 86−23560
Tajima, T. *see* Zaidman, E. 86−31846
Tajima, Y., Titus, W., Mozzi, R., Morris, A. Broadband GaAs FET 2×1 switches 85−55166
Tajima, Y. *see* Fujieda, H. 85−47273
Tajima, Y. *see* Hanafusa, H. 86−9462
Tajima, Y. *see* Isomura, M. 88−12785
Tajima, Y. *see* Iwakura, H. 88−6994
Tajima, Y. *see* Mohri, M. 86−45645
Tajima, Y. *see* Seki, S. 88−53963
Tajima, Y. *see* Titus, W. 87−32099
Tajimi, H. Recent tendency of the practice of soil-structure interaction design analysis in Japan and its theoretical background 85−4755
Tajiri, A. *see* Ando, K. 86−58826
Tajiri, F. *see* Wada, M. 85−29830
Tajiri, H., Saito, D., Oguro, Y., Daikuzono, N., Joffe, S.N. Experimental therapies of human pancreatic carcinoma transplanted to nude mice: a study on photodynamic therapy and local interstitial hyperthermia using low power Nd:YAG laser 88−10418

Tajiri, H. *see* Daikuzono, N. 88−30038
Tajiri, K., Sakamoto, Y., Aoki, Y. Multi-frequency holography in near region using range curvature correction [X-band radar] 87−56249
Tajiri, K. *see* Aoki, Y. 87−28689
Tajiri, K. *see* Sakamoto, Y. 87−54448, 88−35586, 88−68614
Tajti, L. *see* Kazi, K. 88−56981
Tajuddin, A.A. *see* MacCuaig, N. 86−32263
Tak, R.van der *see* van der Tak, R.
Tak Chow Yuk *see* Yuk Tak Chow
Tak H. Ning The effect of contacts on advanced bipolar device characteristics 85−23757
Tak Lee Yong *see* Yong Tak Lee
Tak Lim Chae *see* Chae Tak Lim
Tak Tsang, Newcombe, C. The mystery of handheld DMMs 85−14838
Tak-Goa Tsuei *see* Benincasa, D.S. 88−13788
Tak-Kwong Ng, Johnsson, S.L. Generation of layouts from MOS circuit schematics: a graph theoretic approach 86−21880
Tak-po Li *see* Nesin, R. 85−17582
Taka, K. *see* Shibata, F. 87−64587
Taka, M. High quality speech coding in the telecommunication area 87−35012
Taka, M., Irie, K., Suzuki, J., Tada, Y. Low-bit-rate speech codecs and wideband speech codecs 88−21818
Taka, M., Irie, K., Tada, Y. Low-bit-rate speech codecs and wideband speech codecs 88−41449
Taka, M., Maitre, X. CCITT standardizing activities on speech coding 87−19513
Taka, M., Maruta, R., Le Guyader, A. Synchronous tandem algorithm for 32 kbit/s ADPCM 85−41843
Taka, M., Maruta, R., Le Guyader, A. Synchronous tandem algorithm for 32-kbit/s ADPCM 86−29694
Taka, M., Maruta, R., Unagami, S. DSP implementations of sophisticated speech codecs 88−41445
Taka, M., Mermelstein, P., Combescure, P., Westall, F. Overview of the 64 kbit/s (7 kHz) audio coding standard 87−39708
Taka, M., Shimada, S., Aoyama, T. Multimedia multipoint teleconference system using the 7 kHz audio coding standard at 64 kbit/s 88−41438
Taka, M., Suzuki, J., Simada, S. Audio-bridging technique for teleconferencing system using 64 kbit/s (7 kHz) audio coding 88−21808
Taka, M. *see* Aoyama, T. 87−27830
Taka, M. *see* Kuroda, H. 85−31224, 86−11275
Taka, M. *see* Shimada, S. 88−21804, 88−41441
Taka, M. *see* Suzuki, J. 85−51567, 86−64177, 87−7678
Taka, M. *see* Tada, Y. 87−19521, 87−33665
Taka, M. *see* Tomita, Y. 87−20295
Taka-hashi, Y. Presentation layer [OSI] 85−63336
Takaba, H. *see* Kawabata, K. 86−4778
Takaba, S. Mobile radio communication in the highly information-equipped societies 86−69653
Takaba, S. *see* Sakai, S. 88−53186
Takabatake, F. *see* Matsumoto, J. 85−42081
Takabatake, K. Measurement data transmission system utilizing facsimile network 86−37382
Takabatake, M. *see* Hamamoto, O. 86−40066
Takabatake, M. *see* Ohwada, J. 88−19980
Takabatake, M. *see* Yoshitake, M. 88−5834
Takabatake, T. *see* Kitamura, A. 87−28334
Takabayashi, H. *see* Nakata, T. 86−40027
Takabayashi, T., Shibuya, S. Development of polarization-maintaining fibers 86−2690
Takabayashi, T., Shibuya, S., Shimoishizaka, M., Orimo, K. Fabrication of polarization-maintaining fibers utilizing the VAD process 86−9540
Takabayashi, T. *see* Kubota, H. 87−8678, 87−54122
Takabayashi, T. *see* Takahashi, H. 85−35488, 86−58781
Takabe, H. Stability requirement for ignition and high gain implosion [pulsed power] 88−62494
Takabe, H. *see* Mima, K. 88−62491
Takabe, H. *see* Mukai, S. 87−7345
Takabe, H. *see* Murakami, M. 88−62492
Takabe, M., Itabe, T., Aruga, T. Optical tracking of the Experimental Geodetic Satellite (EGS) 88−47231
Takabe, T. *see* Fujii, Y. 86−38086
Takabe, Y. *see* Mukai, S. 85−41378, 85−56612, 85−62598
Takabuchi, Y. *see* Tokunaga, M. 88−21851
Takach, D.S., Boggavarapu, R.L. Distribution transformer no-load losses 85−32550
Takachio, N., Iwashita, K. Compensation of fibre chromatic dispersion in optical heterodyne detection 88−22074
Takachio, N. *see* Iwashita, K. 87−40885, 87−75092, 88−15470, 88−60134
Takacs, D., Winnerl, J., Reczek, W. Static and transient latch-up hardness in n-well CMOS with on-chip substrate bias generator 86−47852
Takacs, D. *see* Jacobs, E.P. 85−55972
Takacs, D. *see* Schwabe, U. 85−7101, 85−50743
Takacs, F. *see* Friedrich, J. 88−36872
Takacs, G. Power economy and public illumination 85−5516
Takacs, G. Reversible operation current-limiting passive element 88−32478
Takacs, G.A. *see* Vukanovic, V. 88−39215
Takacs, L., Reiff, W.M. Some applications of a new, simple very high-field (0-12 Tesla) superconducting magnet-cryostat based on a niobium-titanium mini-solenoid 88−39840
Takacs, M. *see* Krishnakumar, B. 88−64858
Takacs, M.A. *see* Anderson, G. 85−1457
Takacs, P. *see* Palmer, R.B. 86−5694
Takacs, P. *see* Williams, G.P. 88−25050
Takacs, P.Z. Metrology of reflection optics for synchrotron radiation 86−60468
Takacs, P.Z., Colbert, J. Evaluation techniques for X-ray mirrors and systems using visible light 86−60467
Takacs, P.Z., Melendez, J., Colbert, J. Synchrotron radiation damage observations in normal incidence copper mirrors 86−60464
Takacs, P.Z. *see* Church, E.L. 87−19929
Takacs, S. Influence of geometrical parameters on coupling losses of superconducting cables 85−21215
Takacs, S. Properties of superfine superconducting filaments embedded in normal matrix 86−47976
Takacs, S. The fourth moment equation for the waves propagating in a random medium with extended irregularities 87−75391
Takacs, S. Hysteresis losses of fine filamentary superconductors including field dependent critical current density 88−71964
Takacs, S. *see* Cesnak, L. 88−51397
Takada, A. Network and VAN service in distribution business world 88−34915
Takada, A., Nakamura, T. Large screen LCD display 86−31503
Takada, A., Sugie, T., Saruwatari, M. Picosecond optical pulse compression from gain-switched 1.3 μm distributed-feedback laser diode through highly dispersive single-mode fibre 86−3144
Takada, A., Sugie, T., Saruwatan, M. Transform-limited 5.6 ps optical pulse generation at 12 GHz repetition rate from gain-switched distributed feedback laser diode by employing pulse compression technique 87−18960
Takada, A., Sugie, T., Saruwatari, M. High-speed picosecond optical pulse compression from gain-switched 1.3-μm distributed feedback-laser diode (DFB-LD) through highly dispersive single-mode fiber 88−20715
Takada, A. *see* Chujo, T. 85−42105, 86−43615
Takada, A. *see* Fukuda, M. 88−3650
Takada, A. *see* Kawata, M. 85−8689
Takada, A. *see* Matsukawa, H. 86−31507
Takada, A. *see* Morioka, T. 87−49033
Takada, A. *see* Sugie, T. 87−61128
Takada, A. *see* Yamamoto, T. 87−8032
Takada, H., Furukawa, K., Tomimasu, T. Development of compact synchrotron radiation ring for X-ray lithography 88−13236
Takada, H., Hayashi, S., Yamabayashi, N., Kuhara, Y. Miniaturized 300 Mb/s optical transmitter/receiver modules using 1.3 μm LED and PIN-photodiode 87−20543
Takada, H., Kohri, I. Aerodynamic derivatives on vehicle stability passing through crosswind 87−70859
Takada, H., Miyamoto, S., Mitsui, T., Tomimasu, T. Application of fibre-optic magnetic-field sensor to kicker magnet 88−45082
Takada, H., Nishie, M., Sugawa, T., Fukuda, A., Awai, H., Fukuoka, T., Hayashi, S., Matsushita, T. Fiber optic data link for high speed local area network 87−49112
Takada, H. *see* Fukuoka, T. 88−22109
Takada, H. *see* Hisano, T. 85−12491
Takada, H. *see* Kawakami, H. 86−51692
Takada, H. *see* Suyama, N. 87−36133, 88−37595
Takada, H. *see* Suzuki, T. 86−43850, 87−2814
Takada, H. *see* Tanaka, G. 87−46545
Takada, H. *see* Tomimasu, T. 88−61002
Takada, H. *see* Yamamoto, Y. 87−38095
Takada, J. Drift mobility of steady-state photocarriers in *a*-Si:H 87−74915
Takada, J., Fritzsche, H. Drift mobility of doped *a*-Si:H at high temperatures 87−74036
Takada, J., Fritzsche, H. Changes of drift mobility in *a*-Si:H with light exposure and doping 88−45285
Takada, J., Yamaguchi, M., Fukada, N., Nishimura, K., Tawada, Y. Thermal degradation of a-Si:H solar cells by dopant diffusion 87−64821
Takada, J., Yamaguchi, M., Fukada, N., Nishimura, K., Yamagishi, H., Hiroe, H., Tawada, Y. Development of new stable a-Si:H thin film devices 87−43461
Takada, J. *see* Fukada, N. 86−33667
Takada, J. *see* Tawada, Y. 86−40075, 87−16032, 87−30990, 87−72416
Takada, J. *see* Tsuge, K. 87−9796
Takada, J. *see* Yamagishi, H. 87−78904, 88−17973
Takada, J. *see* Yamaguchi, M. 86−27905, 87−6383
Takada, K. Calculation of Rayleigh backscattering noise in fiber-optic gyroscopes 85−50930
Takada, K. Meanings and concepts of optical measurement applications for instrumentation system 87−41311
Takada, K., Chida, K., Noda, J. Precise method for angular alignment of birefringent fibers based on an interferometric technique with a broadband source 87−68025
Takada, K., Chida, K., Noda, J., Nakajima, S. Trench depth measurement system for VLSI DRAM's capacitor cells using optical fiber and Michelson interferometer 87−67341
Takada, K., Hayakawa, K., Hishii, T., Suda, M., Yano, A., Kondo, Y. Semiconductor type pressure transducer 88−53657
Takada, K., Noda, J. Broadband laser diode emitting at 1.28 μm wavelength 86−9827
Takada, K., Noda, J., Okamoto, K. Measurement of spatial distribution of mode coupling in birefringent polarization-maintaining fiber with new detection scheme 87−18668
Takada, K., Okamoto, K., Noda, J. Polarization mode coupling with a broadband source in birefringent polarization-maintaining fibers 85−46152
Takada, K., Okamoto, K., Noda, J. New fiber-optic depolarizer 86−42281
Takada, K., Okamoto, K., Sasaki, Y., Noda, J. Ultimate limit of polarization cross talk in birefringent polarization-maintaining fibers 87−12135
Takada, K., Tsurumi, S., Nakajima, S., Noda, J. Method for measuring the trench depth of a very-large-scale-integration dynamic random-access memory capacitor based on a Michelson interferometer 87−29294
Takada, K., Yokohama, I., Chida, K., Noda, J. New measurement system for fault location in optical waveguide devices based on an interferometric technique 87−53950
Takada, K. *see* Inoue, H. 86−22726 to 22727
Takada, K. *see* Ishitani, A. 87−58929
Takada, K. *see* Iwai, R. 88−23988
Takada, K. *see* Matsumoto, K. 86−53880, 87−53752
Takada, K. *see* Nagata, M. 87−29700, 87−29708
Takada, K. *see* Nigata, M. 85−38003
Takada, K. *see* Takagi, K. 88−57923
Takada, K. *see* Takamatsu, K. 86−47947
Takada, K.-I. *see* Arakawa, T. 88−60945
Takada, M. RISC architecture for high-performance VLSI processor 86−1100
Takada, M. Fiber PLZT optical switch: uses low power, reduces insertion loss 88−3996
Takada, M., Takasago, H., Takehara, M., Sugiura, H., Goto, M. High-density packaging technology 85−39558
Takada, M., Takeshima, T., Sakamoto, M., Shimizu, T., Abiko, H., Katoh, T., Kikuchi, M., Takahashi, S., Sato, Y., Inoue, Y. A 4-Mbit DRAM with half-internal-voltage bit-line precharge 87−10853
Takada, M., Takeshima, T., Sakamoto, M., Shimizu, T., Abiko, H., Katoh, T., Kikuchi, M., Takahashi, S., Sato, Y., Inoue, Y. A 4 Mb DRAM with half internal-voltage bitline precharge 87−17094
Takada, M. *see* Endo, A. 88−19864
Takada, M. *see* Kurosawa, S. 85−40900
Takada, M. *see* Takasago, H. 86−62979, 88−25739
Takada, M. *see* Takeshima, T. 88−767, 88−6853, 88−32198
Takada, M. *see* Yoshida, M. 86−41124
Takada, N. *see* Fukuda, S. 88−30891
Takada, N. *see* Kobayashi, S. 88−4672
Takada, N. *see* Nishiwaki, A. 88−72123
Takada, N. *see* Suzuki, S. 87−5068
Takada, N. *see* Urai, H. 85−24205
Takada, N. *see* Yoshioka, N. 88−50562
Takada, O., Terada, M., Hiyama, K. Fiberoptic local area Σ NETWORK 87−20487
Takada, S. Gas engine (turbine) waste heat recovery and its efficient utilization 87−78525
Takada, S. A recent Josephson digital technology 88−13722
Takada, S. *see* Akoh, H. 88−13749
Takada, S. *see* Aoyagi, M. 85−24231, 88−20308
Takada, S. *see* Kosaka, S. 85−54824
Takada, S. *see* Kurosawa, I. 85−45059, 88−13732
Takada, S. *see* Nakagawa, H. 86−36095, 87−24131, 87−66028, 88−6749
Takada, S. *see* Nakanishi, M. 88−16454
Takada, S. *see* Niemeyer, J. 86−58714
Takada, S. *see* Sakai, S. 88−13748
Takada, S. *see* Sakamoto, Y. 88−13740
Takada, S. *see* Sasaki, T. 86−38525
Takada, T. Status and prospects for gate array business 85−6293
Takada, T. Computerization in the banking business and standardization of communication protocols 85−25521
Takada, T. VTRs for broadcast use 86−24152
Takada, T. Space charge formation in dielectrics 87−25704

Takada, T. LIM Liner Series and typical applications 88−11457
Takada, T., Kato, N., Ida, M. An 11-GHz GaAs frequency divider using source-coupled FET logic 86−41039
Takada, T., Maeno, T., Kushibe, H. An electric stress-pulse technique for the measurement of charges in a plastic plate irradiated by an electron beam 88−4613
Takada, T., Nozawa, K., Ida, M., Asai, K. A giga-bit-rate GaAs multi-functional LSI with half-micron gate buried p-layer SAINT FETs 87−31979
Takada, T., Nozawa, K., Ida, M., Kazuyoshi, A. GaAs universal multiplexer/demultiplexer using LSCFL 86−69512
Takada, T., Saito, S., Kato, N., Idda, M. 1 GHz 5 mA 128/129 GaAs prescaler IC 85−61345
Takada, T., Shimazu, Y., Yamasaki, K., Togashi, M., Hoshikawa, K., Idda, M. A 2 Gb/s throughput GaAs digital time switch LSI using LSCFL 86−27229
Takada, T., Takashima, M., Ando, A., Sakai, T. Measurement of electric charges at the interface between two dielectric layers (PP-Si oil) by using an electro-acoustic transducer technique 86−70200
Takada, T., Togashi, M., Kato, N., Idda, M. A GaAs HSCFL 4 GHz divider with 60/70 ps transition time 85−40052
Takada, T., Togashi, M., Sasaki, T. Facilities for facsimile broadcasting 88−3463
Takada, T. *see* Cooke, C.M. 88−49922
Takada, T. *see* Deguchi, T. 88−39676
Takada, T. *see* Futami, T. 88−26620
Takada, T. *see* Goto, H. 86−41939
Takada, T. *see* Ikawa, Y. 86−47803
Takada, T. *see* Ino, M. 86−67180, 87−24129
Takada, T. *see* Ishitani, A. 88−24710, 88−43910
Takada, T. *see* Karasawa, S. 88−20343, 88−51491
Takada, T. *see* Kawamura, E. 88−13217, 88−13277
Takada, T. *see* Kushibe, H. 88−1815
Takada, T. *see* Maeno, T. 88−4572, 88−29568, 88−53809, 88−74578
Takada, T. *see* Muranaka, S. 88−6513
Takada, T. *see* Nakamura, M. 85−19398
Takada, T. *see* Nozawa, K. 88−70885
Takada, T. *see* Ohhata, M. 87−59330, 88−25099
Takada, T. *see* Osafune, K. 88−19041
Takada, T. *see* Saigo, T. 86−8307, 86−20434
Takada, T. *see* Saito, S. 87−625
Takada, T. *see* Shimazu, Y. 86−41184
Takada, T. *see* Tago, H. 85−33857
Takada, T. *see* Takashima, M. 88−68021
Takada, T. *see* Togashi, M. 86−53832
Takada, T. *see* Zahn, M. 85−4061
Takada, Y. Present status of proton beam line control at the Particle Radiation Medical Science Center, University of Tsukuba 88−42575
Takada, Y., Abe, I. Multiple pencil beams for proton computed tomography 88−23046
Takada, Y., Nakano, N., Kuroda, H. Second harmonic emission from a picosecond laser-produced plasma 88−40348
Takada, Y., Saito, H., Fujioka, T. Eigenmode of an annular stable resonator 88−34065
Takada, Y., Saito, H., Fujioka, T. New type of solid-state laser for several kilowatts 88−40187
Takada, Y. *see* Abe, K. 88−16629
Takada, Y. *see* Asano, Y. 87−29494
Takada, Y. *see* Fujita, Y. 87−24008
Takada, Y. *see* Futamata, M. 88−69671, 88−75909
Takada, Y. *see* Higuchi, S. 86−19451, 86−33596
Takada, Y. *see* Ikari, M. 87−63520
Takada, Y. *see* Maeda, K. 85−18897
Takada, Y. *see* Nakamura, M. 88−46755
Takada, Y. *see* Okugawa, M. 88−20262
Takada, Y. *see* Takemura, T. 86−47315 to 47316, 86−53074, 87−45307
Takado, H., Morisaki, T. Monolithic crystal filters 88−38607
Takado, H., Morisaki, T. Timing tank ceramic filter 88−38608
Takado, N., Asakawa, K., Arimoto, H., Morita, T., Sugata, S., Miyauchi, E., Hashimoto, H. Chemically-enhanced GaAs maskless etching using a novel focused ion beam etching system with a chlorine molecular and radical beam 88−39234
Takado, N., Asakawa, K., Yuasa, T., Sugata, S., Miyauchi, E., Hashimoto, H., Ishii, M. Chemically enhanced focused ion beam etching of deep grooves and laser-mirror facets in GaAs under Cl_2 gas irradiation using a fine nozzle 87−61145
Takado, N. *see* Kondo, M. 86−42359
Takado, N. *see* Sugimoto, M. 88−20682
Takadoh, N. *see* Asakawa, K. 88−19816
Takadze, I.G. Effects of structural inhomogeneities on density measurement by gamma-ray scattering 85−10862
Takaesu, F. New subscriber optical fiber cable technology development 87−40899
Takaesu, F. *see* Ishihara, H. 87−8289
Takaesu, F. *see* Tanaka, K. 88−25601
Takafuji, A., Futagami, N., Nakao, O., Kawamura, T., Satoh, K. CAD applications for a parametric design of a microwave oven 86−71142
Takafuji, Y., Funada, F., Matsuura, M., Wada, T. X-Y matrix (204×248 dot) liquid crystal display with Te-TFT array 85−46220
Takafuji, Y. *see* Funada, F. 87−3694
Takafuji, Y. *see* Ishii, Y. 86−31247
Takagaki, J. *see* Ogasawara, S. 88−24067
Takagaki, N. *see* Masutani, M. 87−33022
Takagaki, T., Aso, A., Mabuchi, Y., Yoshizawa, H., Kato, H., Nishiguchi, N., Fukuda, E. CMOS standard cell 86−34715
Takagaki, T., Kataoka, H., Furusawa, K., Abe, K., Kamei, T., Sano, M. Micro-structure of γ-Fe_2O_3 film with Ar-O_2H_2O process 88−51224
Takagaki, T., Yoshizawa, H., Mabuchi, Y., Fukuda, E., Nishiguchi, N., Okamoto, T., Aso, A., Koyata, K., Kawanishi, H. A new standard cell approach combined with gate array design system 86−656
Takagaki, Y. *see* Ishibashi, K. 88−19724
Takagaki, Y. *see* Sawaki, N. 87−17767
Takaghi, T. *see* Fujita, H. 85−50884, 85−62259
Takaghi, T. *see* Iwasa, Y. 85−50883
Takagi, A., Mori, Y., Ikegami, K., Fukumoto, S. KEK multicusp negative hydrogen ion source 86−32121
Takagi, A., Yoshida, N., Fukai, I. Unified analysis of sound field involving the driving system in time domain 86−2516
Takagi, A., Yoshida, N., Fukai, I. Unified analysis of sound field involving the driving system in time domain 86−68144
Takagi, A. *see* Alton, G.D. 88−61056
Takagi, A. *see* Fukumoto, S. 86−24909, 87−41748, 88−53999
Takagi, A. *see* Hiramatsu, S. 85−48156, 87−3843
Takagi, A. *see* Itoh, H. 85−57622, 86−23286
Takagi, A. *see* Itoh, Y. 87−2493
Takagi, A. *see* Katagiri, K. 86−52438
Takagi, A. *see* Kobayashi, S. 88−51655
Takagi, A. *see* Mori, Y. 85−15140, 86−32120, 86−70302, 87−14716, 87−77507, 88−4779, 88−54371
Takagi, A. *see* Satoh, T. 85−37446
Takagi, A. *see* Shimomura, A. 87−12420
Takagi, A. *see* Tsunetsugu, H. 86−28390
Takagi, H. Analysis of a finite-capacity M/G/1 queue with a resume level 86−308
Takagi, H. Mean message waiting times in symmetric multi-queue systems with cyclic service 86−16622
Takagi, H. Mean message waiting times in symmetric multi-queue systems with cyclic service 86−23198
Takagi, H. Mean message waiting time in symmetric polling system 86−30224
Takagi, H. A feasibility study on establishment of a new nationwide telecommunications network in connection with deregulation or public telecommunication in Japan 86−54740
Takagi, H. Analysis of polling systems 87−16
Takagi, H. Outline of electrification plan of JNR lines in Shikoku 87−36218
Takagi, H. Analysis and applications of a multi-queue cyclic service system with feedback 87−40364
Takagi, H. Foreword to 'Queues with ordered servers that work at different rates: an exact analysis of a model solved approximately by others' by R.B. Cooper 87−72897
Takagi, H. Exact analysis of round-robin scheduling of services 88−18554
Takagi, H., Fujita, K., Yamamoto, M., Kobayashi, T., Ishii, A., Hashimoto, S., Suzuki, M., Abe, T., Katsura, Y., Momose, K., Bando, H. APEX/NEAX 2400 Series Digital EPBX 85−36842
Takagi, H., Kleinrock, L. Throughput analysis for persistent CSMA systems 85−62938
Takagi, H., Kleinrock, L. Mean packet queueing delay in a buffered two-user CSMA/CD system 86−10600
Takagi, H., Kleinrock, L. Output processes in contention packet broadcasting systems 86−23189
Takagi, H., Kleinrock, L. Throughput-delay characteristics of some slotted-ALOHA multihop packet radio networks 86−23190
Takagi, H., Kleinrock, L. Approximate output processes in hidden-user packet radio systems 86−69211
Takagi, H., Murata, M. Queueing analysis of nonpreemptive reservation priority discipline 86−64669
Takagi, H., Murata, M. Output processes of slotted persistent CSMA and CSMA/CD systems 88−28359
Takagi, H., Schibuya, N., Ito, K. Noise estimation system for board-level electrical circuit—-calculation of capacitance coefficient of multiconductor system by CALCAP 85−10939
Takagi, H., Schibuya, N., Ito, K. Noise estimation system for board-level electrical circuit—-calculation of capacitance coefficient of multiconductor system by CALCAP 86−66910
Takagi, H., Schibuya, N., To, K. On the capacitance and inductance of the multi-planer printed circuit board 86−1478
Takagi, H., Shirafuji, K., Shiomi, S., Kurazono, S. Waveguide-type adjustable band-pass filter utilizing a dielectric resonator 88−7034
Takagi, H. *see* Asada, H. 86−58932
Takagi, H. *see* Fujita, K. 85−52148
Takagi, H. *see* Fujiwara, K. 88−46794
Takagi, H. *see* Hagio, M. 85−50572
Takagi, H. *see* Hosono, K. 86−58667
Takagi, H. *see* Itakura, K. 88−42065
Takagi, H. *see* Kawamura, M. 85−1752
Takagi, H. *see* Kitazawa, K. 88−20267
Takagi, H. *see* Kobayashi, K. 87−46368
Takagi, H. *see* Miyazaki, S. 88−46567
Takagi, H. *see* Murata, M. 87−40454, 87−62684
Takagi, H. *see* Otsuki, T. 86−68600, 88−50668
Takagi, H. *see* Schibuya, N. 85−61534, 86−14644, 87−47241, 87−66677, 88−1118, 88−32564
Takagi, H. *see* Tanaka, T. 87−60656
Takagi, H. *see* Toda, J. 86−58687, 86−68168
Takagi, H. *see* Udea, D. 86−58481
Takagi, H. *see* Ueda, D. 85−23779, 85−40776, 86−35919, 86−53630, 87−25311, 87−25332, 87−45957, 87−46014, 88−1632, 88−13377
Takagi, H. *see* Ueda, T. 85−32643
Takagi, H. *see* Ureno, T. 87−71717
Takagi, H. *see* Yamamoto, T. 86−36021
Takagi, I. *see* Kitamura, K. 86−51216
Takagi, J. VLSI process technology 87−67566
Takagi, J., Yanaguira, H., Kobayashi, H., Tomita, N. A new optical slack fiber accommodation block for 800-fiber fusion splices 86−69785
Takagi, J. *see* Hosokawa, H. 88−67838
Takagi, J. *see* Inoue, T. 85−23777
Takagi, J. *see* Tomita, N. 86−11096, 87−7135
Takagi, J. *see* Yanaguira, H. 86−69784
Takagi, K. Fundamentals of ultrasonic spectroscopy 87−15103
Takagi, K., Kokubo, K. Expression of loss probability equalized by trunk reservation for mixtures of several bandwidth traffic 87−76224
Takagi, K., Miura, K. Preparation of some s-d shell nuclide targets for the (p,n) and (d,n) reactions 87−50105
Takagi, K., Mizunami, T., Masuda, S. $1/f$ noise measurement in semicontinuous metal films 88−25571
Takagi, K., Mizunami, T., Suzuki, J., Masuda, S. Noise in metal contacts, granular resistors and thin film resistors 86−14562
Takagi, K., Mizunami, T., Suzuki, J., Masuda, S. 1/f noise in metal contacts and granular resistors 87−1032
Takagi, K., Nishimukai, T., Iwasaki, K., Kawasaki, I., Inayoshi, H. Outline of GMICRO/200 and memory management mechanism 88−70858
Takagi, K., Ogaki, H., Igarashi, S. Damping characteristics of linear pulse motor with secondary conductors 86−19318
Takagi, K., Shimomiya, E. Quality assurance management for microwave radio 88−49428
Takagi, K., Takada, K. Observation of magnetization of magnetic tape and barium ferrite powder by a scanning electron microscope using magnetic colloid 88−57923
Takagi, K. *see* Choi, P.-K. 85−38370
Takagi, K. *see* Hanabusa, T. 85−55261
Takagi, K. *see* Imai, M. 85−63664
Takagi, K. *see* Isoya, A. 85−34784
Takagi, K. *see* Kawabe, U. 87−60866
Takagi, K. *see* Kikuchi, R. 86−5743
Takagi, K. *see* Kobayashi, T. 86−13765, 87−10488
Takagi, K. *see* Komatsu, K. 87−53367
Takagi, K. *see* Kushida, K. 86−40723
Takagi, K. *see* Matsuzawa, K. 85−16157
Takagi, K. *see* Mizunami, T. 86−42501, 87−46817, 88−65263
Takagi, K. *see* Nakane, H. 88−7825, 88−20315
Takagi, K. *see* Nishikawa, S. 87−34756
Takagi, K. *see* Ohba, K. 86−70247
Takagi, K. *see* Tonegawa, A. 85−37872, 87−56984
Takagi, K. *see* Uchiyama, T. 87−56986
Takagi, K. *see* Yabe, E. 85−37870, 86−5744, 87−56978
Takagi, K. *see* Yamanaka, Y. 87−76261
Takagi, M. New media and databases 85−47040
Takagi, M. Image sensing technology 88−29446
Takagi, M., Iwata, A., Kondo, Y., Morita, Y. Initial results of the satellite 'Ohzora' observation of stratospheric aerosol and ozone 88−61647
Takagi, M., Kawanaka, A. Applications (II)−applications to the other fields [computer-aided tomography] 88−10317
Takagi, M., Miura, K. DDY8030/8040 color display terminal 87−14127
Takagi, M., Sakaue, K. Basic techniques in digital image processing 88−41040
Takagi, M. *see* Aizu, M. 87−69327
Takagi, M. *see* Hasegawa, S. 85−36359, 87−33755
Takagi, M. *see* Kawakami, T. 87−49949, 88−68031
Takagi, M. *see* Kawamura, S. 85−49843, 86−9312

Takagi, M. *see* Kawanaka, A. 85−51764, 87−14496, 88−58158
Takagi, M. *see* Kondo, Y. 85−4452
Takagi, M. *see* Maryama, T. 88−15783
Takagi, M. *see* Mitsuoka, K. 85−62186
Takagi, M. *see* Murai, S. 88−16943
Takagi, M. *see* Nakayama, H. 87−77875
Takagi, M. *see* Narishige, S. 85−24138
Takagi, M. *see* Sasaki, N. 85−18191, 85−49886
Takagi, M. *see* Suzuki, T. 85−1089 to 1090
Takagi, M. *see* Tanabe, M. 88−51309
Takagi, N., Ono, H., Yamamoto, K. World's highest power all-solid-state 50 kW AM radio transmitter 85−58296
Takagi, N., Yajima, S. Online error-detectable high-speed multiplier with a redundant binary adder tree 86−62572
Takagi, N., Yajima, S. An on-line error-detectable array divider with a redundant binary representation and a residue code 88−72774
Takagi, N., Yasuura, H., Yajima, S. High-speed VLSI multiplication algorithm with a redundant binary addition tree 86−2261
Takagi, N. *see* Harata, Y. 85−33965, 87−37166
Takagi, N. *see* Hirata, A. 86−13450
Takagi, N. *see* Ito, S. 86−34713
Takagi, N. *see* Iwata, A. 87−29752
Takagi, N. *see* Kuninobu, S. 87−60683
Takagi, N. *see* Takeuti, T. 86−15922
Takagi, N. *see* Thompson, C.D. 86−15214
Takagi, O. *see* Ise, B. 88−56282
Takagi, O. *see* Niizeki, Y. 86−45629, 87−49663
Takagi, O. *see* Nizeki, Y. 87−49664
Takagi, R., Yoshino, R. Custom VLSI test system 86−47736
Takagi, R. *see* Nitta, S. 88−456, 88−24766
Takagi, R. *see* Niwata, K. 85−1428
Takagi, R. *see* Watanabe, Y. 85−31564, 87−1025, 88−7102
Takagi, S. Rule based synthesis verification and compensation of data paths 85−28505
Takagi, S. ALU logic synthesis using templates 86−948
Takagi, S. ALU control code assignment 86−34727
Takagi, S. Control circuit synthesis system 86−46648
Takagi, S. ALU logic synthesis using templates 86−57799
Takagi, S. ALU logic synthesis using templates 86−67167
Takagi, S. A hot-wire anemometer compensated for ambient temperature variations 87−14615
Takagi, S. Control circuit synthesis system 87−44781
Takagi, S. Recent studies on VLSI systems, functional and logic CAD 88−6604
Takagi, S. Logic design expert system based on structured design 88−12290
Takagi, S., Anzai, T., Yanagisawa, T. A balanced integrator improved by an NIC and its application to filters 88−38621
Takagi, S., Deguchi, F. Maintenance parameters for ISDN 88−46726
Takagi, S., Fujii, N. A synthesis of active RC elliptic bandpass filters using identical biquad sections 85−11405
Takagi, S., Fujii, N. Simulation of impedance-scaled LCR filters with voltage followers 85−23008
Takagi, S., Fujii, N. A realization of high frequency fourth-order active *RC* bandpass filters using voltage followers 86−14362
Takagi, S., Fujii, N. A realization of high-frequency active RC bandpass filters using voltage followers 86−41228
Takagi, S., Fujii, N. High-frequency active *RC* simulation of impedance-scaled *LC* filters using voltage followers 86−62695
Takagi, S., Fujii, N. Simulation of impedance-scaled LCR filters with voltage followers 87−848
Takagi, S., Fujii, N. A synthesis of *LCR* filters with all pole transfer functions suitable for high-frequency active *RC* simulations 87−5941
Takagi, S., Fujii, N. A realization of high-frequency active RC bandpass filters using voltage followers 87−73526
Takagi, S., Fujii, N. Third-order high-frequency active *RC* filters using voltage followers 88−70906
Takagi, S., Fujii, N., Yanagisawa, T. Highly-linear canonical MOSFET-capacitor filters 88−70907
Takagi, S., Kanda, S., Azukizawa, T., Yokoyama, T. Dust free wafer transportation system for semiconductor plant—an application of new Maglev technology 87−64908
Takagi, S., Nakabayashi, K., Ishikawa, Y. A placement method based on logic circuit structure information 87−37193
Takagi, S., Nakabayashi, K., Ishikawa, Y. A placement method based on logic circuit structure information 88−12294
Takagi, S., Ohgane, Y., Fujii, N. Modified nodal voltage simulation and its application to active RC filters 88−38622
Takagi, S., Sugano, T. InP metal-insulator-semiconductor field-effect transistors using vacuum evaporated films 87−60484
Takagi, S., Sugano, T. Effective mobility of electronics in surface layer of semi-insulating and *p*-type InP substrates 88−1363
Takagi, S., Sugano, T. InP metal-insulator-semiconductor field-effect transistors using vacuum-evaporated films 88−44754
Takagi, S., Yoshihiro, M., Matsumoto, Y. Instrument for magnetic susceptibility measurement at low temperatures. I. Design and production 86−24472
Takagi, S., Yoshihiro, M., Matsumoto, Y. Instrument for magnetic susceptibility measurement at low temperature. II. Fundamental capability and some examples of measurement 86−24473
Takagi, S. *see* Agui, T. 88−8825
Takagi, S. *see* Fujii, N. 86−1261
Takagi, S. *see* Hagiwara, H. 88−32313
Takagi, S. *see* Hariwara, H. 88−879
Takagi, S. *see* Nakamura, K. 85−17378
Takagi, S. *see* Nakaoka, A. 85−38846
Takagi, S. *see* Nishio, K. 88−12506
Takagi, S. *see* Oda, S. 86−27926, 86−35346
Takagi, S. *see* Takahashi, Y. 88−57667
Takagi, S. *see* Yamabe, C. 87−4346
Takagi, T. Electromagnetic noise, mechanisms of the generation and properties 85−7667
Takagi, T. Role of ions in ion engineering: new approach to studying the ion-assisted technique 85−10789
Takagi, T. Film formation techniques using an ion beam and their prospects 85−22534
Takagi, T. Development of new materials by ionized-cluster technique 85−33509
Takagi, T. Variation of arc duration of electric contacts due to controllable atmospheric condition 85−53779
Takagi, T. Ionized cluster beam technique 85−60979
Takagi, T. Development of the ionized-cluster beam technique 86−7849
Takagi, T. Enhancement of gamma-ray tolerance in forward-biased AlGaAs and GaInAsP light-emitting diodes 86−36356
Takagi, T. Electromagnetic compatibility (EMC) in high technological society and health care 86−50650
Takagi, T. Ionized cluster beam technique and its applications for deposition and epitaxy 87−36808
Takagi, T. Electromechanical parts with electric contacts in a microelectronics age and their future 87−37616
Takagi, T. Electromagnetic noise in electric contacts 88−12663
Takagi, T., Kuwabara, H. Contributions of pitch, formant frequency and bandwidth to the perception of voice-personality 87−19531
Takagi, T., Miki, K., Sano, H. A new approach to electron beam analysis using a domain decomposition and overlapping method in a three-dimensional boundary-fitted coordinate system 87−73950
Takagi, T., Noda, J. Gamma-ray irradiation effects in light-emitting diodes and photodiodes for fiber optics 86−36354
Takagi, T., Okamura, T., Sato, J. Hydraulic performance of a Francis-turbine for sediment-laden flow 88−75506
Takagi, T., Seino, K., Iida, A., Kobiki, M., Mitsui, Y., Takeda, F. A 1 watt 28 GHz band amplifier using clustered FETs 86−8488
Takagi, T., Seino, K., Ikeda, Y., Ishihara, O., Takeda, F. A 1.5 watt 28 GHz band FET amplifier 85−17853
Takagi, T., Takaoka, H., Kuriyama, Y., Matsubara, K. Ionized-cluster beam epitaxy of CdTe and its application to CdTe/PbTe multilayer structure 86−449
Takagi, T. *see* Echigo, H. 85−62806, 86−70185
Takagi, T. *see* Fukushima, K. 85−18263
Takagi, T. *see* Handa, N. 85−63821
Takagi, T. *see* Hosono, K. 85−16994
Takagi, T. *see* Inokawa, H. 85−12224
Takagi, T. *see* Inoue, H. 85−64270, 86−33561
Takagi, T. *see* Ishida, H. 88−1065
Takagi, T. *see* Ishii, A. 86−43657, 86−43665
Takagi, T. *see* Ishikawa, J. 85−15142, 85−15146, 85−20802, 87−318, 87−41809, 87−56977, 87−56982
Takagi, T. *see* Jin, H.-S. 87−52103
Takagi, T. *see* Kishi, T. 85−15148
Takagi, T. *see* Kobiki, M. 86−27626
Takagi, T. *see* Koga, S. 87−66634
Takagi, T. *see* Kohata, M. 86−66665, 87−75735, 88−46080
Takagi, T. *see* Kohataz, M. 86−48820
Takagi, T. *see* Kotani, H. 87−49245
Takagi, T. *see* Kubota, K. 87−27242
Takagi, T. *see* Mameno, K. 85−16953
Takagi, T. *see* Matsubara, K. 85−21849
Takagi, T. *see* Miki, K. 87−16543
Takagi, T. *see* Nakamae, K. 87−11323
Takagi, T. *see* Nakamura, T. 86−44678
Takagi, T. *see* Ohtaguro, Y. 85−18947
Takagi, T. *see* Ose, Y. 88−50601
Takagi, T. *see* Sato, K. 86−67556, 87−52936, 87−63506, 87−70402, 88−36235
Takagi, T. *see* Sato, T. 86−67555
Takagi, T. *see* Seino, K. 87−59866
Takagi, T. *see* Shizuya, H. 87−33623, 88−52352
Takagi, T. *see* Sone, H. 87−59938, 88−6953, 88−24089, 88−25610, 88−32517, 88−50459
Takagi, T. *see* Takaoka, H. 85−16995, 85−45436
Takagi, T. *see* Taniguchi, M. 88−19485, 88−40421, 88−50460
Takagi, T. *see* Uchimura, K. 86−3569, 86−15968, 87−59283
Takagi, T. *see* Usui, H. 85−10806
Takagi, T. *see* Wang, J. 88−60306
Takagi, T. *see* Yamada, I. 85−10683, 85−33487, 85−34875, 85−44725, 85−54511, 86−489, 86−47422, 87−52176, 87−52194, 87−67167
Takagi, T. *see* Yamamoto, T. 87−36069
Takagi, T. *see* Yanagi, H. 87−46426
Takagi, Y. Development of large power transmission technology with superhigh-tension cables with indirect trough cooling 86−32771
Takagi, Y., Hata, S. High speed precise 3-D vision sensor using slit-light method 88−4496
Takagi, Y., Kojima, Y., Yoshida, M., Awane, H. A laser-applied three-dimensional profile measuring system 86−60343
Takagi, Y., Sugiura, O., Takahashi, T., Naruke, Y., Matsumura, M. InSb MOS structures fabricated by a novel thermal oxidation method 85−6755
Takagi, Y., Sumitani, M., Nakashima, N., Yoshihara, K. Efficient generation of picosecond coherent tunable radiation between 190 and 212 nm by sum-frequency mixing from Raman and optical parametric radiations 85−41462
Takagi, Y. *see* Kadota, H. 87−59606
Takagi, Y. *see* Kimura, M. 87−70421
Takagi, Y. *see* Okada, T. 87−8570
Takagi, Y. *see* Taniguchi, M. 87−70427
Takagishi, K. *see* Uehara, K. 88−31019, 88−65488
Takagishi, S., Mori, H., Kimura, K., Kamon, K., Ishii, M. Epitaxial growth of $Al_xGa_{1-x}As$ by low-pressure MOCVD 86−66817
Takagishi, S. *see* Horiguchi, S. 86−52496, 88−24735
Takagishi, S. *see* Kamon, K. 86−7792, 86−34331
Takagishi, S. *see* Kimura, K. 87−10446
Takagishi, S. *see* Mori, H. 85−16938, 85−22472
Takahahi, R. *see* Takahashi, Y. 85−56141
Takahama, K., Aoe, H., Hanafusa, H., Kawahara, K., Morimoto, Y. Low temperature epitaxy for three dimensional ICs 85−394
Takahama, M. *see* Nishimura, T. 86−65052
Takahama, M. *see* Terada, Y. 88−53412
Takahama, T., Isomura, M., Tsuda, S., Tarui, H., Hishikawa, Y., Nakamura, N., Nakashima, Y., Matsuoka, T., Nishiwaki, H., Ohnishi, M., Nakano, S., Kuwano, Y. A new analytical method for amorphous silicon solar cells 87−22741
Takahama, T., Okumura, M., Miura, S. Semiconductor pressure sensor 88−74332
Takahama, T. *see* Haku, H. 88−24792
Takahama, T. *see* Kondoh, T. 87−68309
Takahama, T. *see* Kuwano, Y. 87−78906, 88−31008
Takahama, T. *see* Nakano, S. 86−35368, 87−23740, 88−17972, 88−37490
Takahama, T. *see* Ohnishi, M. 86−45700
Takahama, T. *see* Tarui, H. 87−30978
Takahama, T. *see* Tsuda, S. 86−33664, 87−9845, 87−31573, 87−31578 to 31579
Takahara, A., Nanya, T. An approach to higher level design verification 87−37355
Takahara, A. *see* Oshima, G. 87−8233
Takahara, A. *see* Tamagawa, S. 88−60096
Takahara, H., Koshijima, T., Iida, H. Fundamental studies on laser radiation therapy: dispersion of a laser beam passing through optical fibres 86−38807
Takahara, H. *see* Kawakami, H. 86−51692
Takahara, H. *see* Kuroda, Y. 87−30879
Takahara, H. *see* Masuzawa, S. 87−69520
Takahara, H. *see* Nakahara, K. 86−51538
Takahara, H. *see* Nakajima, M. 86−12480
Takahara, M. Large-scale centralized supervisory control system 85−26981
Takahara, M., Naitoh, H., Hirota, O., Koyano, H. A new evaluation method for modal noise in multimode optical fiber systems 88−39892
Takahara, M., Shang, C. Effects of retransmission algorithms on carrier-sense multiple-access (collision detection) in LAN 87−13405
Takahara, M. *see* Fukuda, Y. 87−53745
Takahara, M. *see* Hirota, O. 87−40938, 88−15499, 88−60195
Takahara, M. *see* Koyano, H. 87−39818
Takahara, M. *see* Ohishi, T. 86−30834, 87−49023
Takahara, M. *see* Ohki, M. 86−26747
Takahara, M. *see* Ohta, S. 85−63696, 87−13692
Takahara, M. *see* Takei, N. 87−76368
Takahara, N. *see* Nishi, S. 85−37030
Takahara, N. *see* Okamura, H. 85−42414
Takahara, S. *see* Kyuwa, N. 88−21915
Takahara, T. *see* Takahashi, H. 85−16176

Takahara, Y. *see* Okamato, T. 87—76617
Takahara, Z. *see* Hayashi, H. 88—43916
Takahashi, A., Ichimura, E., Sugimoto, H., Katoh, T. The OKTAVIAN neutron TOF and irradiation facility 87—21395
Takahashi, A., Katayama, H., Inui, T., Ohta, K., Yamaoka, H. High quality magneto-optical disk 87—38881
Takahashi, A., Komatsu, Y., Yoshimizu, M., Takanashi, M., Tomita, Y., Matsumoto, Y., Niki, H., Isoda, M. J-FET input operational amplifier ICs—new series 86—57678
Takahashi, A., Maeda, M., Miyazoe, Y. Frequency up-conversion of excimer laser radiation using anti-Stokes stimulated Raman scattering 88—27282
Takahashi, A., Maeda, M., Noda, Y. Short pulse generation and compression in XeCl lasers 85—7368
Takahashi, A., Matsui, K., Suzuki, H. A study of the effects of various factors on characteristics of the PM steeping motor 86—26084
Takahashi, A., Matsumoto, O., Maeda, M., Miyazoe, Y. Tunable VUV generation by anti-Stokes stimulated Raman conversion of XeCl laser radiation 87—68608
Takahashi, A., Mieda, M., Murakami, Y., Ohta, K., Yamaoka, H. Influence of birefringence on the signal quality of magnetooptic disks using polycarbonate substrates 88—65386
Takahashi, A., Sumi, M., Maeda, M. A simple tunable short-pulse XeCl laser with high spectral brightness 86—3046
Takahashi, A., Takashima, N., Yoshida, K. Transition from metallic to gaseous phase for Ag break arc in low air pressure 88—24090
Takahashi, A. *see* Deguchi, T. 85—12670
Takahashi, A. *see* Fujisawa, K. 88—23215
Takahashi, A. *see* Hattori, H. 85—14490
Takahashi, A. *see* Katayama, H. 88—65389
Takahashi, A. *see* Kinoshita, K. 87—57039
Takahashi, A. *see* Kobayashi, F. 86—62636
Takahashi, A. *see* Matsuzawa, T. 86—25084
Takahashi, A. *see* Murakami, Y. 88—33793
Takahashi, A. *see* Ohta, K. 85—41223, 88—33789
Takahashi, A. *see* Sone, K. 87—73285
Takahashi, A. *see* Sugimoto, O. 88—21653
Takahashi, A. *see* Takeichi, H. 87—28319, 87—40560
Takahashi, A. *see* Tamamoto, H. 86—8150
Takahashi, A. *see* Tsumura, T. 85—3515
Takahashi, A. *see* Ukai, J.-I. 87—73482
Takahashi, A. *see* Yoshida, T. 88—9701
Takahashi, C., Inamatsu, T., Kitano, H. Construction of a humidity generator by divided flow method 88—67767
Takahashi, C., Nishimura, H., Kiuchi, M., Matsuo, S. High throughout ECR ion stream etching technology for VLSI MOS gate 88—71439
Takahashi, C. *see* Ono, T. 85—421, 85—22546, 86—41713, 86—53552
Takahashi, C. *see* Satoh, H. 88—50059
Takahashi, E. *see* Kurita, A. 86—66132
Takahashi, E. *see* Taguchi, S. 87—28865
Takahashi, E. *see* Watanabe, M. 86—39889
Takahashi, F. Color hard copier 'CHC-100' 87—36282
Takahashi, F., Yoshino, T., Koike, K., Kondo, T., Kunimori, H., Takahashi, S. Results of basic linear analysis based on the processing and analysis system [of the K-3 VLBI systems 86—49760
Takahashi, F. *see* Hama, S. 88—4658
Takahashi, F. *see* Kamiya, M. 87—14874
Takahashi, F. *see* Kaneko, A. 86—30926
Takahashi, F. *see* Kondo, T. 86—69870
Takahashi, F. *see* Michiguchi, Y. 87—42211
Takahashi, F. *see* Ohta, T. 85—36874
Takahashi, G. *see* Kanoi, M. 86—39255
Takahashi, H. File transfer, access and management 85—63339
Takahashi, H., Akimaru, H. A formula for mean queue length of $GI_1GI_2/G_1G_2/1$ preemptive-resume priority queues 86—26701
Takahashi, H., Akimaru, H. A diffusion model for queues in randomly varying environment 86—40614
Takahashi, H., Akimaru, H. Diffusion approximation of first passage time and its application in queueing systems 87—27692
Takahashi, H., Akimaru, H. A formula for mean queue length of $GI_1GI_2/GI_1GI_2/1$ preemptive-resume priority queues 87—48258
Takahashi, H., Aoki, K., Fujiwara, T., Ito, N., Tanaka, R. An earth-station system using the CS-2 operational communication satellite in a pilot program 86—30710
Takahashi, H., Chang, J., Nakamura, K., Sugimoto, I., Takabayashi, T., Oyobe, A., Fujii, Y. Efficient single-pass Raman generation in a GeO_2 optical fiber and its application to measurement of chromatic dispersion 86—58781
Takahashi, H., Hashimoto, K., Yoshimoto, S., Choh, T. Summary on computer network experiments in the CS-2 pilot program 87—48994
Takahashi, H., Irvine, A.G. Reliability design of FETEX-150 and field performance 88—3747
Takahashi, H., Itoh, A., Hayashi, N., Inoue, F., Kawanishi, K. Design and operation of stretcher, swap and replicate gate in current access bubble memory device 88—51367
Takahashi, H., Komori, K., Uchibori, K., Matsuo, A. 256 Kbit CMOS EPROM 'HN27C256' 86—41094
Takahashi, H., Masuda, C., Ibaraki, A., Miyaji, K. An application for optical measurement using a rotating linearly polarized light source 86—24806
Takahashi, H., Masuda, C., Ibaraki, A., Miyaji, K. An application for optical measurements using a rotating linearly polarized light source 87—14576
Takahashi, H., Masuda, C., Koide, T., Miyaji, K. A rotating linearly polarized light source and its applications for optical measurements 86—42394
Takahashi, H., Oyobe, A., Kosuge, M., Setaka, R. Characteristics of fluorine-doped silica glass 88—65122
Takahashi, H., Saruwatari, T., Imae, M., Suzuki, M., Nakashima, H., Kishino, F., Matsumoto, M. Japan's CS (Sakura) communications satellite experiments. VI D. Communications experiments: New applications to satellite communications 86—64906
Takahashi, H., Sato, S., Goto, G., Nakamura, T., Kikuchi, H., Shirato, T. A 240K transistor CMOS array with flexible allocation of memory and channels 86—8182
Takahashi, H., Sato, S., Goto, G., Nakamura, T., Kikuchi, H., Shirato, T. A 240K transistor CMOS array with flexible allocation of memory and channels 86—20435
Takahashi, H., Sengoku, M. Computer interface 85—36749
Takahashi, H., Shioiri, T., Matsumoto, K. Effect of dielectric materials on surface breakdown on vacuum and analysis by electron trajectory simulation 86—9324
Takahashi, H., Sugimoto, I., Takabayashi, T., Yoshida, S. Optical transmission loss of liquid-core silica fibers in the infrared region 85—35488
Takahashi, H., Takahara, T. How microprocessors are used in motor control circuits 85—16176
Takahashi, H. *see* Akimaru, H. 85—30618, 86—43111
Takahashi, H. *see* Akimura, H. 87—2723
Takahashi, H. *see* Aoki, Y. 86—58624
Takahashi, H. *see* Araki, S. 88—4176
Takahashi, H. *see* Fujieda, H. 85—47273
Takahashi, H. *see* Fukui, M. 86—16154
Takahashi, H. *see* Furuhata, T. 87—16829
Takahashi, H. *see* Goto, G. 87—1745
Takahashi, H. *see* Hara, T. 86—28154
Takahashi, H. *see* Hasegawa, H. 88—19752, 88—19771
Takahashi, H. *see* Hoshiai, T. 87—51924
Takahashi, H. *see* Ichinokura, O. 87—22523, 88—12205, 88—63500
Takahashi, H. *see* Ikeda, S. 85—58345
Takahashi, H. *see* Itaya, H. 88—67707
Takahashi, H. *see* Ito, A. 85—25531, 86—43795
Takahashi, H. *see* Kajiki, Y. 88—46278
Takahashi, H. *see* Kato, S. 87—40397
Takahashi, H. *see* Katoh, S. 85—47893
Takahashi, H. *see* Kimura, G. 85—60207
Takahashi, H. *see* Kimura, M. 85—2385, 85—35525
Takahashi, H. *see* Kohno, T. 86—23273
Takahashi, H. *see* Machiya, T. 88—18490
Takahashi, H. *see* Matsumoto, K. 85—25532
Takahashi, H. *see* Matsuo, R. 85—28543
Takahashi, H. *see* Matsushita, K. 87—8046, 87—8114
Takahashi, H. *see* Matsushita, T. 88—35561
Takahashi, H. *see* Minato, D. 86—43420, 86—43553
Takahashi, H. *see* Miyahara, K. 88—59679
Takahashi, H. *see* Morita, S. 88—74391
Takahashi, H. *see* Nakajima, H. 88—43018
Takahashi, H. *see* Nakamura, K. 88—65656
Takahashi, H. *see* Nishikawa, S. 85—63832, 86—4880, 87—13982, 88—35723, 88—47337
Takahashi, H. *see* Oshiro, M. 87—60836
Takahashi, H. *see* Otsu, Y. 86—37814
Takahashi, H. *see* Powell, J.R. 85—64444
Takahashi, H. *see* Saga, Y. 88—53410
Takahashi, H. *see* Saji, K. 86—55698
Takahashi, H. *see* Sato, S. 86—67178, 87—687
Takahashi, H. *see* Shikata, S. 88—13150
Takahashi, H. *see* Shimizu, E. 88—8778
Takahashi, H. *see* Shiraki, K. 86—4139
Takahashi, H. *see* Sukegawa, T. 85—1367
Takahashi, H. *see* Suzuki, H. 88—46980
Takahashi, H. *see* Tamaru, O. 88—21551
Takahashi, H. *see* Tanimoto, M. 87—48625
Takahashi, H. *see* Tomita, F. 88—73235
Takahashi, H. *see* Toyonori, Y. 87—77321
Takahashi, H. *see* Tsukada, T. 85—18256
Takahashi, H. *see* Tsuneizumi, T. 85—19564, 86—30097
Takahashi, H. *see* Uematsu, T. 88—13671
Takahashi, H. *see* Umeda, N. 86—29036
Takahashi, H. *see* Urata, K. 87—36239
Takahashi, H. *see* Yamaoka, T. 88—13268
Takahashi, H. *see* Yoshizaki, K. 86—8252
Takahashi, I. Analysis of instantaneous current and power using space switching functions 88—75738
Takahashi, I., Asakawa, S. Ultra-wide speed control of an induction motor covered 10^6 range 88—30725
Takahashi, I., Mochikawa, H. A new control of PWM inverter waveform for minimum loss operation of an induction motor drive 85—27702
Takahashi, I., Mochikawa, H. Optimum waveforms of an inverter for decreasing acoustic noise of an induction motor 86—39801
Takahashi, I., Mochikawa, H. Optimum PWM waveforms of an inverter for decreasing acoustic noise of an induction motor 87—15737
Takahashi, I., Momoi, S., Takase, H., Kosone, H. Design for administration and diagnosis in STOC-201 [facsimile] 85—3076
Takahashi, I., Nishitoba, M. Universal power distortion compensator using secondary excitation of a rotating machine 88—18098
Takahashi, I., Noguchi, T. A new quick response and high efficiency control strategy of an induction motor 86—39795
Takahashi, I., Noguchi, T. Quick torque control of an induction motor by means of instantaneous slip frequency control 87—9537
Takahashi, I., Noguchi, T. A new quick-response and high-efficiency control strategy of an induction motor 87—15736
Takahashi, I., Nunokawa, M. Prediction control for a cycloconverter of a power distortion compensation system 88—30899
Takahashi, I., Ohmori, Y. High performance direct torque control of an induction motor 88—30719
Takahashi, I., Satoh, M., Tokuyama, S. Four-parameter transient recovery voltage circuits appropriate for testing of extra high voltage circuit breakers 88—49081
Takahashi, I., Yamane, M. Multi-parallel asymmetrical cycloconverter having improved power factor and waveforms 86—45585
Takahashi, I., Yamane, M. Multiparallel asymmetrical cycloconverter having improved power factor and waveforms 87—30772
Takahashi, I., Yamashita, N., Takakura, H. LM8800 series 8-bit single-chip microcomputers 85—61308
Takahashi, I. *see* Goto, M. 87—50799
Takahashi, I. *see* Hayashi, N. 85—36662
Takahashi, I. *see* Kashiwagi, H. 88—12335
Takahashi, I. *see* Komine, I. 87—36275
Takahashi, I. *see* Nakano, H. 88—75758
Takahashi, J., Hattori, S., Kimura, T., Iwata, A. A ring array processor architecture for highly parallel dynamic time warping 87—12947
Takahashi, J., Itoh, K., Ogawa, S. Longitudinal recording on a rigid disk using Ba-ferrite powder 87—25805
Takahashi, J., Kimura, T., Hamaguchi, S., Omiya, N. A flexible linear array oriented VLSI processor for continuous speech recognition 87—60574
Takahashi, J., Tabe, M. UV irradiation effects on chemical vapor deposition of SiO_2 85—39789
Takahashi, J. *see* Makino, T. 87—32335
Takahashi, J. *see* Tonuma, T. 85—15139
Takahashi, J. *see* Yamanishi, Y. 86—58062
Takahashi, J.I. *see* Nakagawa, T. 85—17955
Takahashi, K. Estimation methodology of simultaneous reception number for satellite communication systems of random transmission for EPIRB experiments 85—36984
Takahashi, K. Brighter output lights the way for broad new uses for LEDs 85—41291
Takahashi, K. Estimation methodology of simultaneous réception number for satellite communication systems of random transmission for EPIRB experiments 85—47476
Takahashi, K. Continuous and sampled data feedback type precision current amplifier for test watt and watthour meters 85—65001
Takahashi, K. New molecular beam epitaxy 86—444
Takahashi, K. Theoretical limitation of fading reduction by space or frequency diversity 86—29378
Takahashi, K. The watt standard at PTB 86—38190
Takahashi, K. Future epitaxial growth process: Photo-MOMBE 86—52487
Takahashi, K. Tailor made sensing materials by MBE/MOCVD technology 86—55748
Takahashi, K. Theoretical limitation of fading reduction by space or frequency diversity 86—68780
Takahashi, K. New media and semiconductor sensors 86—70037
Takahashi, K. Sensing technology. IV. Ultra-miniaturization of sensors 86—70113
Takahashi, K. A high-efficiency voltage and current generating system for testing watt and watthour meters 87—4806
Takahashi, K. Trends in predictive and preventive maintenance technologies for Power apparatus 87—10109
Takahashi, K. Some considerations regarding the performance of high-pressure vapor discharge lamps 87—36238

Takahashi, K. Mathematical relation between Rayleigh fading and DB-normal fading and its application to fading reduction 87–47177

Takahashi, K. Recent progress in amorphous Si solar cells in Japan 88–11391

Takahashi, K. Sensor materials for the future: intelligent materials 88–29343

Takahashi, K. A tomography of seismo-radio wave source regions for predicting earthquakes, eruptions and tsunami 88–45690

Takahashi, K., Amanuma, H., Adachi, Y. A fast thinning method by reduction 88–34820

Takahashi, K., Amanuma, H., Takefushi, H. A fast thinning method by the vector peripheral crossing number 87–2660

Takahashi, K., Hayakawa, T., Suyama, T., Kondo, M., Yamamoto, S. Energy-band structure of (AlAs)(GaAs) superlattice for visible laser diode 87–7381

Takahashi, K., Honda, S., Kusuda, T. Magnetization properties of CoCr sputtered films on polyimide substrates 88–44957

Takahashi, K., Honda, S., Kusuda, T. Magnetic properties and flux reversal in Co-Cr films sputtered on low temperature substrates 88–64892

Takahashi, K., Hoshihara, N., Yasuda, H., Furuya, S., Hasegawa, T., Waki, E. Sealed car battery 'CAREC Act' 87–36101

Takahashi, K., Ihara, K., Muraoka, S., Yohda, H., Sawai, E., Kaminaka, N. A high performance video head with Co based alloy laminated films 88–51295

Takahashi, K., Maeda, T., Katano, F., Furutsuka, T., Higashisaka, A. A CML GaAs 4Kb SRAM 86–14224

Takahashi, K., Masuda, Y., Inuki, H. Analysis of an acoustic wave front in the atmosphere to profile the temperature and wind with a radio acoustic sounding system 88–4098

Takahashi, K., Masuda, Y., Inuki, H., Sato, T., Tsuda, T., Fukao, S., Kato, S. Analysis of an acoustic wavefront in the atmosphere to profile the temperature and wind 87–56261

Takahashi, K., Matsumoto, Y., Kobatake, H. Studies on noisy word recognition 85–30229

Takahashi, K., Matsuyama, N. High accuracy miniature quartz resonator 86–21929

Takahashi, K., Nakamura, O. Seino backbone network 87–8117

Takahashi, K., Ohta, M. Edge detection and restoration of images corrupted by noise 85–13628

Takahashi, K., Ohta, M. Edge detection and smoothing of dithered images 85–63117

Takahashi, K., Ohta, M. Data compression coding of gray-scale images using bit planes 86–16548

Takahashi, K., Sakamoto, T. Cascade-connected echo canceller 85–2593

Takahashi, K., Sakamoto, T. Cascade-connected echo canceller 86–69488

Takahashi, K., Shiba, T., Yoshida, K., Namizaki, H. Improvements in the sensitivity of InGaAs/InP photodiodes of optical-fiber communication 86–54043

Takahashi, K., Shoji, S., Matsuo, T. A multimicroelectrode fabricated by silicon dry etching 87–14904

Takahashi, K., Shoji, S., Matsuo, T. A multimicroelectrode fabricated by silicon dry etching 87–63775

Takahashi, K., Takatori, S., Yamada, H., Ishibashi, N. Recent information of instrumentation technology—measurement of electricity and electric energy 88–17220

Takahashi, K., Tasaka, S. Contrast enhancement for the ordered dither method 87–39967

Takahashi, K., Ueda, T. Network performance specifications for the INS 85–57623

Takahashi, K., Ueda, T. Quality of service and network performance specifications for the INS 86–23287

Takahashi, K., Watanabe, K. Video-transmission quality specifications procedure for INS 88–47289

Takahashi, K., Yamada, H., Nagai, H., Suga, S., Kohara, H. Single board chip cache bubble memory development 85–18594

Takahashi, K., Yamaguchi, S., Katoh, K., Ishihara, H., Kitazume, S. 32/6 GHz mixer and IF amplifier [satellite links] 86–23804

Takahashi, K., Yamamoto, Y., Wataya, H. Error performance evaluation procedure of digital networks 88–46452

Takahashi, K., Yoshida, N., Yamauchi, K. Silver halide fiber for transmitting a CO_2 laser beam 88–58126

Takahashi, K., Yoshida, N., Yokota, M. Optical fibers for transmitting high-power CO_2 laser beam 85–35511

Takahashi, K. *see* Ando, H. 85–60986, 86–52475, 87–66902, 88–417

Takahashi, K. *see* Arai, M. 86–23611

Takahashi, K. *see* Arakawa, N. 85–8074

Takahashi, K. *see* Choi, S.-Y. 86–55681

Takahashi, K. *see* Fujiwara, N. 88–22970

Takahashi, K. *see* Furutsuka, T. 85–49842

Takahashi, K. *see* Hashizume, M. 88–70675

Takahashi, K. *see* Hayakawa, T. 86–20040, 86–63809, 87–279, 87–7334, 87–54335, 88–2217, 88–20677, 88–27137, 88–33988, 88–40246, 88–58553, 88–72321

Takahashi, K. *see* Hayashi, T. 88–54694

Takahashi, K. *see* Higashi, K. 86–51766, 87–5676, 88–17071

Takahashi, K. *see* Hirata, M. 87–59597, 88–51003

Takahashi, K. *see* Hirayama, H. 87–17023

Takahashi, K. *see* Hirose, S. 88–75770

Takahashi, K. *see* Hitomo, F. 88–6044

Takahashi, K. *see* Iida, H. 86–50521

Takahashi, K. *see* Ikeguchi, S. 86–3822

Takahashi, K. *see* Imaizumi, N. 88–57987

Takahashi, K. *see* Kanno, I. 86–18305

Takahashi, K. *see* Katagiri, H. 86–67740, 87–24856

Takahashi, K. *see* Kawano, N. 86–69871

Takahashi, K. *see* Kazunori, T. 87–55653

Takahashi, K. *see* Kenne, J. 86–7008

Takahashi, K. *see* Kim, W.Y. 87–64816, 88–37435

Takahashi, K. *see* Kimura, R. 85–48637, 88–7351

Takahashi, K. *see* Kobayashi, M. 85–51060 to 51061, 87–5423, 87–24852, 87–36731

Takahashi, K. *see* Konagai, M. 86–7053, 86–51919, 87–9851, 87–16648, 87–78908, 88–32855

Takahashi, K. *see* Kudou, Y. 85–44755

Takahashi, K. *see* Kurisu, M. 85–21512

Takahashi, K. *see* Maeda, H. 86–43344

Takahashi, K. *see* Mase, T. 87–15992

Takahashi, K. *see* Matsumoto, I. 86–62556

Takahashi, K. *see* Matsumoto, K. 86–53880

Takahashi, K. *see* Mibuchi, Y. 86–50930

Takahashi, K. *see* Miki, T. 86–37327, 87–7973

Takahashi, K. *see* Mino, N. 85–51038, 85–60958, 86–40738

Takahashi, K. *see* Mitsumata, T. 86–26260

Takahashi, K. *see* Miyachi, T. 88–36356

Takahashi, K. *see* Miyahara, J. 86–60570

Takahashi, K. *see* Murakami, H. 86–37328

Takahashi, K. *see* Nagai, H. 86–36079

Takahashi, K. *see* Namizaki, H. 87–13718

Takahashi, K. *see* Nguyen Chanh Khe 85–24376

Takahashi, K. *see* Nishida, S. 86–35309, 86–62215

Takahashi, K. *see* Odagiri, Y. 88–41664

Takahashi, K. *see* Ogawa, T. 87–73924

Takahashi, K. *see* Ohba, S. 86–5037

Takahashi, K. *see* Ohba, Y. 85–32137

Takahashi, K. *see* Ohshida, N. 86–24314

Takahashi, K. *see* Okimatsu, T. 88–41478

Takahashi, K. *see* Okuno, K. 87–40912

Takahashi, K. *see* Osawa, A. 88–20043

Takahashi, K. *see* Ozue, T. 88–26667

Takahashi, K. *see* Sadaoka, Y. 88–42046

Takahashi, K. *see* Saito, Y. 88–52042

Takahashi, K. *see* Sakaguchi, H. 85–64181

Takahashi, K. *see* Sakai, T. 88–42211

Takahashi, K. *see* Sato, N. 86–7333, 88–3446

Takahashi, K. *see* Sato, Y. 87–7848, 88–34741

Takahashi, K. *see* Sharaf, A.M. 88–5328

Takahashi, K. *see* Shiomi, T. 86–4594

Takahashi, K. *see* Shiratori, N. 87–48293, 87–69715, 88–73564

Takahashi, K. *see* Sichanugrist, P. 85–21808, 86–45672

Takahashi, K. *see* Susaki, W. 85–8427

Takahashi, K. *see* Suwada, T. 88–10249

Takahashi, K. *see* Suyama, T. 88–34018, 88–51825

Takahashi, K. *see* Suzuki, S. 86–21781, 86–47641

Takahashi, K. *see* Taike, A. 87–65510

Takahashi, K. *see* Takahashi, M. 86–4220

Takahashi, K. *see* Takei, H. 86–13041

Takahashi, K. *see* Tanaka, H. 88–16320

Takahashi, K. *see* Tanaka, T. 85–10098, 85–53931

Takahashi, K. *see* Tanino, H. 88–56238

Takahashi, K. *see* Tasaka, S. 86–23203

Takahashi, K. *see* Tasaki, H. 88–37386

Takahashi, K. *see* Toda, K. 87–54154

Takahashi, K. *see* Tokumitsu, E. 86–20050, 87–256, 87–276, 87–5414

Takahashi, K. *see* Tokushima, A. 88–23198

Takahashi, K. *see* Uda, Y. 88–4067, 88–41665

Takahashi, K. *see* Ueda, M. 85–43637

Takahashi, K. *see* Uehara, G. 85–24238

Takahashi, K. *see* Umeda, H. 86–27113, 87–59863, 87–66565, 88–44348

Takahashi, K. *see* Unno, T. 88–8847

Takahashi, K. *see* Yamada, A. 85–23457, 86–26897, 87–31546

Takahashi, K. *see* Yamada, H. 86–28715, 88–6902, 88–64767

Takahashi, K. *see* Yamaguchi, Y. 87–25831

Takahashi, K. *see* Yamamoto, Y. 86–37241

Takahashi, K. *see* Yamanaka, S. 87–30979, 87–72398

Takahashi, K. *see* Yamasaki, H. 86–5291

Takahashi, K. *see* Yohda, H. 85–56116

Takahashi, K. *see* Yoshida, H. 87–32715

Takahashi, K. *see* Yoshida, K. 86–25101

Takahashi, K. *see* Yoshida, S. 88–37546

Takahashi, M. Fujitsu electronic components and related technology 86–26597

Takahashi, M. Creativity in basic research—an examples of the development of Fe-Nd-B permanent magnet 88–7787

Takahashi, M., Asari, N., Aihara, S. A negative feedback amplifier in microwave frequencies 85–49761

Takahashi, M., Bussaka, H., Miyawaki, M., Higashida, Y. Stereoscopic technique in digital subtraction angiography 86–32283

Takahashi, M., Fujimori, S., Murakami, M. Power train test system for 4WD cars 86–61792

Takahashi, M., Hamada, T., Okada, M., Terada, M. High-speed optical fiber loop network system for distributed computer control 87–20489

Takahashi, M., Hamada, T., Yasumoto, S. A loop transmission procedure adequate for distributed computer control system 85–52082

Takahashi, M., Hosokawa, H., Takeda, Y., Takigawa, K. Development of 1 MW centralized PV power plant 86–6634

Takahashi, M., Hosokawa, H., Takeda, Y., Takigawa, K. Development of 1-MW photovoltaic power system for centralized array location (No.2) 87–9440

Takahashi, M., Itoh, H., Ueda, K., Yamamoto, R. A 9.5 GHz commercially available 1/4 GaAs dynamic prescaler with suppressed noise performance 88–63950

Takahashi, M., Itoh, Y. Technical computing service for electric operations and OA 86–66412

Takahashi, M., Kato, Y. On the optimization of HF operation of a fluorescent lamp 85–27764

Takahashi, M., Kato, Y., Uchikoshi, S., Nomura, S., Yamamoto, M., Miyakogawa, T. Development of automated analytical system for input solution samples by the isotope dilution method. System design and component test 87–70406

Takahashi, M., Kuribayashi, T., Asami, K., Enokida, T., Hamada, H., Miura, T. Broadband active sound control system for air-conditioning duct noise 88–23196

Takahashi, M., Miki, S., Wakamatsu, S., Matsumoto, J. Construction, research and development of PV power generation system for centralized array location (1 MW) 88–17470

Takahashi, M., Mizokawa, S. Evaluation of baseband transmission code in coaxial cables 86–43706

Takahashi, M., Murakoshi, Y., Terasaki, M., Sano, T., Matsuno, K. Impulsive forming of metal blanks by electromagnetic force 87–43697

Takahashi, M., Narita, T., Suwabe, S., Tanaka, T., Wakiyama, T. Magnetic properties of Fe-Al-Si sputtered films 87–60786

Takahashi, M., Niihara, T., Ohta, N. Study on recorded domain characteristics of magneto-optical TbFeCo disks 88–71935

Takahashi, M., Nozawa, T. Photoconductive characteristics stabilization of hydrogenated amorphous silicon films 87–26177

Takahashi, M., Nozawa, T. Photoconductive characteristics and stabilization of hydrogenated amorphous silicon films 88–13999

Takahashi, M., Ohta, N., Takayama, S., Sugita, Y., Yoshihiro, M., Shigematsu, K. Submicron domain observation and write-read characteristics of magneto-optical TbFeCo discs 87–25823

Takahashi, M., Ohya, T., Matsui, S. OA equipment applied to an animation making system 88–29120

Takahashi, M., Okada, M., Terada, M. Optical fiber loop network system for distributed process control 85–20190

Takahashi, M., Pollak, V. Remote sensing using upper-line-shift diode and IR radar 85–26774

Takahashi, M., Pollak, V. Near infra-red telemetry system [for biomedical research] 85–64567

Takahashi, M., Sato, T., Narita, T., Goto, R., Wakiyama, T. Magnetic properties of Fe-Si-Al sputtered films 88–64897

Takahashi, M., Shimatsu, T., Shimada, Y., Wakiyama, T. Effect of local anisotropy fluctuation on the permeability of multilayered Co-Zr-Mo-Ni amorphous films 88–64895

Takahashi, M., Sukeda, H., Ojima, M., Ohta, N. Numerical simulation of recorded domain shapes on a rotating magneto-optical disk 88–64936

Takahashi, M., Suwabe, S., Narita, T., Wakiyama, T. Magnetic properties of Fe-Si-Al sputtered films 88–39794

Takahashi, M., Tabe, M., Sakakibara, Y. *I-V* characteristics of oxygen-doped Si epitaxial film (OXSEF)/Si heterojunctions 88–1419

Takahashi, M., Tai, S., Kyuma, K., Hamanaka, K. Fiber-optic passive ring-resonator gyroscope using an external-cavity laser diode 88–47543

Takahashi, M., Tai, S., Kyuma, K., Hamanaka, K. Effect of reflections on the drift characteristics of a fiber-optic passive ring-resonator gyro 88–53710

Takahashi, M., Tai, S., Kyuma, K., Hamanaka, K. Effect of reflections on the drift characteristic of a fiber-optic passive ring-resonator gyro 88–67869

Takahashi, M., Takahashi, K., Ogasa, H., Ito, A., Tanabe, M., Kaji, N., Yoshida, S., Hata, Y., Uchida, T., Hatanaka, T. Compact high-speed thermal facsimile transceiver NEFAX-17 86−4220
Takahashi, M., Takeuchi, T., Yoshino, T., Miwa, M., Ogawa, K., Kobayashi, S., Aihara, Y., Hara, A., Suzuki, T., Yamakoshi, K. Opto coupled MOS FET relay PF series 88−50470
Takahashi, M., Tanaka, M., Teramoto, R. 33 kV 4000 (FA)/3000 (NA) kVA cast resin transformer, disassemble delivery and on-site assembly 87−72211
Takahashi, M., Tomitani, T., Arai, H., Wakiyama, T. Magnetocrystalline anisotropy in Fe($5\sim6$ wt%)-Si($3\sim4$ wt%)-Al alloy single crystals 88−33518
Takahashi, M., Uosaki, K., Kita, H. Electrochemical deposition, optical properties, and photoelectrochemical behavior of CdTe films 85−12702
Takahashi, M., Uosaki, K., Kita, H., Yamaguchi, S. Resistivity, carrier concentration, and carrier mobility of electrochemically deposited CdTe films 87−1190
Takahashi, M., Watanabe, M., Takahashi, N., Tanaka, K. Analysis of electromagnetic force exerted on the helical armature winding of superconducting generator 86−39663
Takahashi, M., Watanabe, M., Takahashi, N., Tanaka, K. Analysis of three-dimensional asynchronous field and rotor damper characteristics of superconducting generator 87−30481
Takahashi, M., Yamaguchi, T., Hashimoto, H., Konishi, T., Sato, H. Non-brazed helix TWT attained 3 kW output at C-band and 600 W at Ku-band 87−45527
Takahashi, M. *see* Araki, K. 85−36098
Takahashi, M. *see* Aruga, T. 85−25856
Takahashi, M. *see* Ashida, S. 88−53221
Takahashi, M. *see* Chaki, E. 85−4423
Takahashi, M. *see* Fukasawa, A. 87−19514
Takahashi, M. *see* Hamada, T. 88−46606
Takahashi, M. *see* Hirayama, K. 86−66424
Takahashi, M. *see* Hirosawa, H. 86−44755
Takahashi, M. *see* Iwama, K. 88−6017
Takahashi, M. *see* Kageyama, T. 88−50597
Takahashi, M. *see* Kakehi, M. 86−61564
Takahashi, M. *see* Kamiya, M. 87−14874
Takahashi, M. *see* Kasahara, J. 86−25377
Takahashi, M. *see* Kato, Y. 86−13159
Takahashi, M. *see* Kawabuchi, K. 86−9140
Takahashi, M. *see* Kawai, M. 86−21695, 86−65121
Takahashi, M. *see* Kikuchi, M. 87−71426
Takahashi, M. *see* Kishimoto, M. 86−18225
Takahashi, M. *see* Konishi, T. 88−39006
Takahashi, M. *see* Kurihara, K. 85−4859
Takahashi, M. *see* Maki, N. 88−55320, 88−69327
Takahashi, M. *see* Matsui, Y. 85−39773
Takahashi, M. *see* Mochizuki, J. 86−47205, 87−41469
Takahashi, M. *see* Morikiyo, G. 87−42369
Takahashi, M. *see* Murakoshi, Y. 86−36680
Takahashi, M. *see* Nakagome, H. 88−65050
Takahashi, M. *see* Ogawa, R. 88−15756
Takahashi, M. *see* Ohmori, T. 87−41721
Takahashi, M. *see* Oikado, T. 87−66840
Takahashi, M. *see* Okamine, S. 88−64943
Takahashi, M. *see* Saino, T. 85−14574
Takahashi, M. *see* Saito, H. 88−51197
Takahashi, M. *see* Sano, T. 87−43696
Takahashi, M. *see* Sasaki, M. 87−235
Takahashi, M. *see* Seko, S. 86−58482
Takahashi, M. *see* Shimono, T. 86−47733
Takahashi, M. *see* Suguro, K. 86−7752
Takahashi, M. *see* Sukeda, H. 88−45243
Takahashi, M. *see* Suwabe, S. 87−60785
Takahashi, M. *see* Tabe, M. 87−23670, 88−24733
Takahashi, M. *see* Tai, S. 88−4447
Takahashi, M. *see* Takeda, Y. 85−21516
Takahashi, M. *see* Tokuda, N. 86−24991
Takahashi, M. *see* Tsujino, J. 86−18627
Takahashi, M. *see* Uosaki, K. 87−30947
Takahashi, M. *see* Yoneoka, S. 85−45972, 88−51327
Takahashi, M. *see* Yoshimi, M. 85−50769, 86−41978, 87−17878, 88−1471, 88−26500
Takahashi, M. *see* Yoshiyasu, H. 86−40024, 87−9689
Takahashi, M.A., Fraser, N.M., Hipel, K.W. A procedure for analyzing hypergames 85−277
Takahashi, N. Compact superconducting SR ring for X-ray lithography 87−56950
Takahashi, N. Digital still HDTV disc system 88−41870
Takahashi, N. Compact SR light source for X-ray lithography 88−64449
Takahashi, N. Measurement of cascade showers in lead with thermoluminescent sheets 88−68238
Takahashi, N., Inomata, K., Takebe, T. A new recursive structure for very high-Q digital and SC-CTD filters 85−28650
Takahashi, N., Kawauchi, K., Yamada, N., Nakashima, M., Sakaida, Y. A microcomputer with an EEPROM for use in TVs 88−56678
Takahashi, N., Morinaga, N., Namekawa, T. Effects of random multiplication gain of a photodetector on signal-to-noise ratios and error rates of noise-like optical signal 85−47986
Takahashi, N., Morinaga, N., Namekawa, T. Effects of random multiplication gain of photodetectors on signal-to-noise ratios and error rates of noise-like optical signal 86−70139
Takahashi, N., Nakata, T., Fujiwara, K. Optimum design method for magnetizers and its application 87−1900
Takahashi, N., Rault, J., Goldman, A., Goldman, M. Surface modification of polyethylene films by the neutral activated species of a corona discharge 87−25637
Takahashi, N., Sasaki, T. Output irradiance of a unidirectional ring gas laser: optimization of a system 87−75173
Takahashi, N., Sato, H., Gamo, H. Optical pulse propagation in a heavily saturated laser amplifier: laser parameter analysis 86−36551
Takahashi, N. *see* Abukawa, T. 87−9576
Takahashi, N. *see* Fujisaki, H. 87−27288
Takahashi, N. *see* Imaeda, K. 86−25126
Takahashi, N. *see* Ito, M. 88−69365
Takahashi, N. *see* Kamikubota, N. 86−50444
Takahashi, N. *see* Kato, T. 88−71907
Takahashi, N. *see* Kobayashi, A. 86−51686
Takahashi, N. *see* Kumada, M. 88−65745
Takahashi, N. *see* Kume, A. 87−71540
Takahashi, N. *see* Kuwano, H. 86−52070
Takahashi, N. *see* Kyuzaki, T. 85−8315
Takahashi, N. *see* Makata, T. 86−36049
Takahashi, N. *see* Nakata, T. 86−42139, 86−42802, 87−18547, 87−21211, 87−25856, 87−30592, 88−1856, 88−17689, 88−51831, 88−52094, 88−52101, 88−52115, 88−55281
Takahashi, N. *see* Nozawa, T. 88−71892
Takahashi, N. *see* Ogura, H. 86−68736
Takahashi, N. *see* Okamoto, M. 87−2601
Takahashi, N. *see* Okubo, K. 85−39276
Takahashi, N. *see* Ono, S. 86−66758
Takahashi, N. *see* Sasamoto, H. 87−9574
Takahashi, N. *see* Sawai, M. 85−3072
Takahashi, N. *see* Sugano, K. 85−62854
Takahashi, N. *see* Takahashi, M. 86−39663, 87−30481
Takahashi, N. *see* Takebe, H. 85−20374
Takahashi, N. *see* Takehara, J. 88−62411
Takahashi, N. *see* Toyoda, N. 87−17884
Takahashi, N. *see* Uda, Y. 88−41665
Takahashi, N. *see* Wada, T. 88−10185
Takahashi, N.S., Asada, H., Miyahara, M., Kurita, S., Kuriyama, H. High-speed light valve using an amorphous silicon photosensor and ferroelectric liquid crystals 88−7993
Takahashi, N.S., Fukushima, A., Sasaki, T., Ishikawa, J., Ninomiya, K., Narui, H., Kurita, S. Fabrication methods for InGaAsP/GaAs visible laser structure with AlGaAs burying layers grown by liquid-phase epitaxy 86−34320
Takahashi, N.S. *see* Ishikawa, J. 88−65682
Takahashi, N.S. *see* Ito, T. 87−46891
Takahashi, N.S. *see* Narui, H. 87−43439
Takahashi, O. Data link layer [OSI] 85−63330
Takahashi, O., Suzuki, Y., Yatsuboshi, R. Local area network 87−20227
Takahashi, O., Touge, T. Optical wireless network for office communication 86−55309
Takahashi, O. *see* Akiba, T. 85−42290
Takahashi, O. *see* Fujiwara, C. 85−42031
Takahashi, O. *see* Kato, T. 85−56249
Takahashi, O. *see* Kawano, S. 88−59725
Takahashi, O. *see* Shimamoto, S. 85−1893
Takahashi, P. *see* Shimamoto, S. 85−1927
Takahashi, P.K., Neill, D.R. Hawaii's integrated renewable energy research and development program 88−17245
Takahashi, P.K. *see* Neill, D.R. 88−23824, 88−24175
Takahashi, R., Kusabayashi, S., Yokoyama, M. Guiding concept for developing better charge transporting organic materials 87−17741
Takahashi, R., Yoshimura, T., Goto, S. A VLSI architecture evaluation system 87−36916
Takahashi, R. *see* Ando, T. 85−41089
Takahashi, R. *see* Ihara, A. 86−54643
Takahashi, R. *see* Jinguji, M. 87−76043
Takahashi, R. *see* Kato, T. 85−56249
Takahashi, R. *see* Liang, Y.C. 88−26833
Takahashi, R. *see* Shimamoto, S. 85−1893, 85−1927
Takahashi, R. *see* Takahashi, Y. 85−35366
Takahashi, R. *see* Yoshida, K. 86−53926
Takahashi, S. Another proof of Huang's theorem on stability of multi-dimensional recursive digital filters 85−23043
Takahashi, S. Piezoelectric ceramic actuator and its applications 86−35951
Takahashi, S. Multilayer piezoelectric ceramic actuators and their applications 86−53863
Takahashi, S. Longitudinal mode multilayer piezoceramic actuators 87−1816
Takahashi, S. Inverter room air-conditioner 87−5098
Takahashi, S. Development of the Large-scale electric power storage system 87−57956
Takahashi, S. Piezoelectric actuators and their applications 88−13633
Takahashi, S. Optical devices for $2\sim5$ μm wavelength 88−13811
Takahashi, S. Electric vacuum cleaner CL-X300PT 88−18230
Takahashi, S. Optical properties of fluoride glasses 88−20323
Takahashi, S., Hiramatsu, T. Overview of rechargeable battery testing in Japan 86−66262
Takahashi, S., Iida, H. Application of Walsh functions to an FM stereo demodulator 86−846
Takahashi, S., Itoh, M., Akiyama, M., Kaminishi, K. Low resistive CVD W film as refractory gate metal for GaAs MESFET 86−2215
Takahashi, S., Kameda, H., Yamamoto, T. Data detection from deteriorated eye patterns 86−11300
Takahashi, S., Kawashima, N., Mori, H., Nakanishi, M., Kitani, S., Okitsu, M. Application of electronically controlled expansion valve for inverter-driven room air conditioner 86−71133
Takahashi, S., Kikuchi, T. A simulation of an optical fibre hydrophone array 86−56277
Takahashi, S., Kikuchi, T. Effect of fibre length in an interference type optical fibre hydrophone 87−29976
Takahashi, S., Kikuchi, T., Hasegawa, A., Fukumoto, M. A single fiber hydrophone of interference type using polarization-maintaining fiber 88−16964
Takahashi, S., Kikuchi, T., Kishi, A. A single fiber hydrophone of non-interference type using polarization-maintaining fiber 86−18621
Takahashi, S., Kikuchi, T., Okura, K. An optical fiber hydrophone using polarization-maintaining fiber 85−21033
Takahashi, S., Koura, N., Nakajima, R. Development of cell performance of the Al/FeS_2 secondary cell using $AlCl_3$-1-butylpyridinium chloride electrolyte 87−9709
Takahashi, S., Koura, N., Nakajima, R. Characteristics of the $AlCl_3$-1-butylpyridinium chloride electrolyte for the Al/FeS_2 secondary cell 87−9710
Takahashi, S., Koura, N., Yoneda, N. Studies on ionic species in molten $AlCl_3$-NaCl-KCl electrolytes for Al/FeS_2 secondary cells 85−10083
Takahashi, S., Koyanagi, F., Matsubara, T., Tominaga, T. Measurement of resistivity and coloration of a-WO_3 films 86−58270
Takahashi, S., Nakada, T., Kamimura, K., Zama, H., Hattori, T., Kunioka, A. Preparation of a thin silicon nitride layer by photo-CVD and its application to InP MISFET's 88−12058
Takahashi, S., Nakanishi, T. An experiment on Fabry-Perot type optical fiber Hydrophone 87−77206
Takahashi, S., Nonaka, T. 1 GHz RF module and GaAs MMIC technology 88−25511
Takahashi, S., Noro, M., Fujii, T., Kato, M. Digital protective relaying equipment 85−38554
Takahashi, S., Oyamada, M., Urasawa, S., Mutoh, M., Kurihara, A., Shibasaki, Y. The trouble and warning display of the cooling system 87−14791
Takahashi, S., Tanaka, M. The DPCM technique applied to NIPCM for more efficient and higher quality digital transmission 86−22890
Takahashi, S., Tanaka, M., Kameda, H., Kanzaki, H. Differential companding PCM (DC-PCM) by removed bit accumulation 85−19350
Takahashi, S., Tanaka, M., Kameda, H., Kanzaki, H. Differential companding PCM (DC-PCM) by removed bit accumulation 86−69708
Takahashi, S., Umeda, K., Kita, E., Tasaki, A. Magnetic properties of Fe-Co nitride thin films 88−51231
Takahashi, S., Yamada, K. Fast floating point digital signal processor 85−63019
Takahashi, S., Yano, T., Fukui, I., Sato, E. Multilayer piezoelectric ceramic actuator with varying thickness layers 86−47931
Takahashi, S., Yano, T., Hori, S., Sato, E. Pulse mode operation for piezoelectric ceramic actuator 88−33471
Takahashi, S. *see* Ando, T. 88−64002
Takahashi, S. *see* Baba, Y. 85−36251
Takahashi, S. *see* Enomoto, Y. 85−35439
Takahashi, S. *see* Futamata, M. 88−17871, 88−69671, 88−74547, 88−75909
Takahashi, S. *see* Goto, K. 88−45258
Takahashi, S. *see* Hasegawa, A. 87−15095
Takahashi, S. *see* Hattori, H. 87−7071
Takahashi, S. *see* Hattori, T. 85−1992
Takahashi, S. *see* Hayakawa, T. 87−5400
Takahashi, S. *see* Hayashi, K. 85−32718
Takahashi, S. *see* Hayashi, T. 85−54897
Takahashi, S. *see* Higuchi, K. 88−33530
Takahashi, S. *see* Higuchi, S. 86−19451, 86−33596
Takahashi, S. *see* Hirai, R. 88−32356
Takahashi, S. *see* Hisanaga, K. 85−17637
Takahashi, S. *see* Honmou, H. 86−48117
Takahashi, S. *see* Ichikawa, Y. 86−67364
Takahashi, S. *see* Ikehara, M. 85−40181, 87−5976, 87−45110, 88−32327, 88−32354, 88−38632, 88−50273
Takahashi, S. *see* Imamura, A. 86−43660
Takahashi, S. *see* Inada, T. 86−57421

Takahashi, S. *see* Inomata, H. 86−53679, 87−11799
Takahashi, S. *see* Inoue, T. 85−18523, 85−45928, 87−841, 87−25739, 87−35518, 88−10623, 88−10626, 88−13647, 88−23202, 88−57872
Takahashi, S. *see* Ishikawa, J. 87−23644
Takahashi, S. *see* Ishizu, A. 88−16321, 88−42212
Takahashi, S. *see* Kaku, I. 88−61984
Takahashi, S. *see* Kanamori, T. 85−12537, 85−29583, 86−22062
Takahashi, S. *see* Kawakami, A. 85−36878
Takahashi, S. *see* Kawasaki, K. 88−26480
Takahashi, S. *see* Kikuchi, T. 85−7257
Takahashi, S. *see* Kimura, M. 86−65164
Takahashi, S. *see* Kimura, O. 87−53433
Takahashi, S. *see* Kimura, T. 88−67843
Takahashi, S. *see* Kita, T. 88−15227
Takahashi, S. *see* Kobayashi, T. 86−36002
Takahashi, S. *see* Koguchi, N. 87−46885
Takahashi, S. *see* Koyama, F. 86−3122
Takahashi, S. *see* Kubo, M. 85−7018
Takahashi, S. *see* Kurihara, A. 87−14641
Takahashi, S. *see* Matsuda, T. 85−6432, 86−67304
Takahashi, S. *see* Matsunaga, N. 85−55600
Takahashi, S. *see* Mitachi, S. 85−12533, 85−12552, 86−22137
Takahashi, S. *see* Miyama, T. 88−57873
Takahashi, S. *see* Miyasaka, Y. 85−18520, 87−1862, 88−51149
Takahashi, S. *see* Mizuta, H. 88−13423
Takahashi, S. *see* Nakamura, M. 85−14268
Takahashi, S. *see* Nakamura, O. 86−66296
Takahashi, S. *see* Nakamura, T. 86−9109
Takahashi, S. *see* Nakayama, Y. 86−34375
Takahashi, S. *see* Noguchi, Y. 88−55208
Takahashi, S. *see* Nose, T. 86−26379
Takahashi, S. *see* Ochi, A. 86−47932
Takahashi, S. *see* Ohishi, Y. 85−12569, 85−35475, 86−2665, 86−36125, 87−7087, 88−33604
Takahashi, S. *see* Okazaki, S. 85−65422, 86−71038, 87−4865, 87−43353
Takahashi, S. *see* Sakaguchi, S. 86−63651, 88−13826, 88−26780
Takahashi, S. *see* Sakurai, K. 88−16948
Takahashi, S. *see* Sekiguchi, T. 87−66427, 88−19278
Takahashi, S. *see* Shimamoto, S. 88−65098
Takahashi, S. *see* Sung-Chu Hsueh 86−27485, 87−45066
Takahashi, S. *see* Tagawa, K. 86−28601
Takahashi, S. *see* Taguchi, S. 87−28865
Takahashi, S. *see* Takada, M. 87−10853, 87−17094
Takahashi, S. *see* Takahashi, F. 86−49760
Takahashi, S. *see* Takasu, S. 88−70307
Takahashi, S. *see* Tamae, T. 88−29753
Takahashi, S. *see* Tanoue, T. 88−71506
Takahashi, S. *see* Umemoto, Y. 86−47602
Takahashi, S. *see* Umezaki, E. 85−30322
Takahashi, S. *see* Usagawa, T. 88−39403
Takahashi, S. *see* Yabe, H. 88−11896
Takahashi, S. *see* Yamamoto, F. 85−40870, 86−633, 87−36886
Takahashi, S. *see* Yamaoto, F. 85−45827
Takahashi, S. *see* Yanokura, E. 88−20010
Takahashi, S. *see* Yasutsune, S. 86−19634
Takahashi, S. *see* Yoshioka, S. 87−59485, 88−6845
Takahashi, T. Advanced video information services with interactive cable TV 85−3721
Takahashi, T. Fine ceramics 85−6017
Takahashi, T. Improvements in board tester technology maintain accuracy in high-density checks 85−6577
Takahashi, T. Development aspects of half pitch (0.025 inch conductor spacing) IDC connectors 85−11680
Takahashi, T. Toward the implementation of INS in Expo '85 85−13732
Takahashi, T. Aspects of new electrical media 85−47028
Takahashi, T. The concept of inertial navigation system 85−48379
Takahashi, T. Improved planar magnetron sputtering system and its application for deposition of AlN films 86−7843
Takahashi, T. Functions required of an incircuit board tester and its applications 86−20920
Takahashi, T. Countermeasures against damage by heavy snowfall in Yonago district (JNR) 86−51966
Takahashi, T. Current INS Model System operation 86−59470
Takahashi, T. Operating experience of INS model system 86−64485
Takahashi, T. Report on the INS experiment 87−2716
Takahashi, T. ISDN field trial update from Tokyo 87−20068
Takahashi, T. Time-slot sequence integrity for (N×64) kb/s connection 87−28326
Takahashi, T. Electric cars of private railway companies 87−31045
Takahashi, T. Sub-nanosecond 5000-gate ECL gate array features mixed I/O 87−31815
Takahashi, T. Improved planar magnetron sputtering system and its application for deposition of AlN films 87−52172
Takahashi, T. Isolation displacement connectors (IDC) for strip (ribbon) cables. Aspects of their design, construction and applications 88−1074
Takahashi, T. The solid electrolytes for fuel cells 88−17917
Takahashi, T. Time-slot sequence integrity for (N×64) kb/s connection 88−52988
Takahashi, T., Fujimura, S., Toyota, H. Adaptive classification of multi-spectral images using local uniformity 85−41980
Takahashi, T., Hasegawa, S. Development and future trend of linear DC motor 86−51652
Takahashi, T., Hasegawa, S., Moriyama, T. Development of industrial large linear motor 86−51651
Takahashi, T., Horioka, K., Yoneda, H., Kasuya, K. A new pulsed cryogenic proton source cooled by liquid helium 85−26671
Takahashi, T., Hyuga, S., Yamada, S., Watanabe, K., Fujita, R., Shimodoi, T., Kurihara, K. PC-FAX total system 86−49212
Takahashi, T., Kakizaki, K., Sasaki, N., Sakuma, J. 10-kW CO_2 laser for material processing 87−39005
Takahashi, T., Kawakami, T., Iwabuchi, T., Nakajima, H., Fukunaga, T. Stress analysis and reliability of post full VPI insulation system for large rotating machinery 86−63496
Takahashi, T., Kojima, S., Yamashiro, O., Eguchi, K., Fukuda, H. An MOS digital network model on a modified Thevenin equivalent for logic simulation 85−690
Takahashi, T., Kurita, K. Computation of eddy currents induced in a conducting sheet under moving magnets 88−52119
Takahashi, T., Matsumoto, K., Murakami, K., Hayashi, Y. Formation of ohmic contacts on silicon, using a scanning pulsed laser (application to SnO_2/n-Si solar cells) 86−28019
Takahashi, T., Miyaji, M., Aida, M. Emission build-up characteristics of unipolarly excited EL cells 86−48291
Takahashi, T., Miyata, T., Yoshida, J. A few remarks on DC discharge and sputtering characteristics of poles exposing type of planar magnetron sputtering system 85−437
Takahashi, T., Miyata, T., Yoshida, J. Planar magnetron sputtering system for ferromagnetic targets. Using co-sputtering technique 85−28250
Takahashi, T., Miyata, T., Yoshida, J. A few remarks on DC discharge and sputtering characteristics of poles exposing type of planar magnetron sputtering system 85−39791
Takahashi, T., Murakami, K., Komiya, Y., Koyanagi, T., Hoh, K., Tarui, Y. Thermal analysis and experimental evaluation of melting threshold energy of silicon thin film structure in pulsed laser annealing 86−27889
Takahashi, T., Naito, S., Masuda, I. Handprinted Chinese character recognition using stroke extraction method referral to a priori knowledge 85−36332
Takahashi, T., Nakashiba, H., Yorikane, M., Yamada, K., Azuma, H., Kozawa, Y. 5000-gate high speed ECL gate array 86−34714
Takahashi, T., Ohtsuka, H., Takehana, H., Niwa, T. Study on improvements to the dielectric breakdown strength of extruded dielectric cables 85−59732
Takahashi, T., Okimi, K. A report from Mitaka−INS Model System experiment site 86−59461
Takahashi, T., Otsuka, M., Kawashima, T. Optical fiber composite overhead ground wire (OPGW) 85−42409
Takahashi, T., Sugiura, O., Watanabe, I., Matsumura, M. SiO_2/native-oxide double-gate InSb MOSFETs 85−45687
Takahashi, T., Tanaka, S. Speech recognition and synthesis systems anticipate use of phone as computer terminal 85−57298
Takahashi, T., Taniguchi, Y., Umetani, K., Yokouchi, H., Hashimoto, M., Kano, T. Cis-trans photoisomerization of perinaphthothioindigo for use as a photo-imaging sensor using fluorescence under He-Ne laser excitation 85−37473
Takahashi, T., Terasaki, R., Kondo, Y., Hayashi, Y. Measurement system for high resistivity samples using van der Pauw method 86−31580
Takahashi, T., Toyama, N., Murakami, H., Koriyama, H. Effect of heat treatment of a Pt-Si Schottky diode 87−18061
Takahashi, T., Uesugi, N., Nango, Y., Tozuka, H., Yoshikawa, T. Audio response module 88−41207
Takahashi, T., Yamaguchi, I. Telex terminal using a multitask OS-loaded personal computer 88−9051
Takahashi, T., Yamashita, T., Tokai, T., Fujiyama, H. Spectroscopic studies of magnetized SiH_4 plasma for plasma CVD process 88−12065
Takahashi, T., Yamashita, Y., Okazaki, T., Nagasawa, T., Abe, S. A nursing aid robot with two human-like arms 86−56169
Takahashi, T., Yoshizawa, N., Hoshino, K., Shihara, K. Lateral pressure characteristic of submarine optical fiber cable 85−31063
Takahashi, T., Yoshizawa, N., Ishihara, K. Study on a cut and hold grapnel for submarine cable 87−28350
Takahashi, T., Yoshizawa, N., Ishihara, K. A cut-and-hold grapnel for submarine cable 88−53249
Takahashi, T. *see* Abe, M. 86−37286
Takahashi, T. *see* Abe, S. 87−67706
Takahashi, T. *see* Arita, Y. 86−26089
Takahashi, T. *see* Chikada, Y. 87−28718, 88−9692
Takahashi, T. *see* Chinone, N. 86−3155
Takahashi, T. *see* Eguchi, K. 85−45021
Takahashi, T. *see* Endoh, T. 87−57366
Takahashi, T. *see* Fujimoto, J. 87−14763, 87−63627
Takahashi, T. *see* Fujimura, S. 85−57528
Takahashi, T. *see* Fujita, Y. 88−13643
Takahashi, T. *see* Fujiyama, H. 87−5461
Takahashi, T. *see* Habara, K. 87−27780
Takahashi, T. *see* Hasegawa, F. 87−23733, 88−1545
Takahashi, T. *see* Hasegawa, O. 85−20340
Takahashi, T. *see* Hashiba, A. 85−18001
Takahashi, T. *see* Hata, T. 86−40783 to 40784, 87−52175, 87−67704
Takahashi, T. *see* Higashino, Y. 88−26722
Takahashi, T. *see* Hosogai, T. 87−22452
Takahashi, T. *see* Inada, T. 85−45534
Takahashi, T. *see* Ishiguro, M. 87−28721
Takahashi, T. *see* Ishii, K. 87−64795
Takahashi, T. *see* Itoh, R. 86−50319
Takahashi, T. *see* Iwata, K. 88−224
Takahashi, T. *see* Iwata, R. 88−4891
Takahashi, T. *see* Kageyama, T. 86−25117
Takahashi, T. *see* Kajikawa, T. 87−66181
Takahashi, T. *see* Kamae, T. 87−21432
Takahashi, T. *see* Kanai, H. 86−7857
Takahashi, T. *see* Kaneko, I. 85−64360
Takahashi, T. *see* Kaneko, S. 86−31239, 86−68385
Takahashi, T. *see* Kasuya, K. 86−21908, 87−21383
Takahashi, T. *see* Katoh, K. 87−21942
Takahashi, T. *see* Kobayashi, S. 85−16119
Takahashi, T. *see* Kobayashi, T. 88−33264
Takahashi, T. *see* Kondo, Y. 87−1511, 87−45973
Takahashi, T. *see* Koyashiki, T. 88−12202
Takahashi, T. *see* Lazar, A.A. 86−16985, 86−23459
Takahashi, T. *see* Maemura, K. 86−46775
Takahashi, T. *see* Matsumoto, J. 85−42081
Takahashi, T. *see* Miyashita, K. 86−5286, 86−44305, 88−17665, 88−53624
Takahashi, T. *see* Morikawa, T. 86−51976
Takahashi, T. *see* Murakami, H. 87−18062
Takahashi, T. *see* Nakagawa, F. 86−30709
Takahashi, T. *see* Nakano, M. 85−57857
Takahashi, T. *see* Nishikawa, H. 86−32850
Takahashi, T. *see* Noto, N. 86−57424
Takahashi, T. *see* Oda, T. 88−14363, 88−55174
Takahashi, T. *see* Ogawa, Y. 86−54505
Takahashi, T. *see* Okada, T. 86−23596
Takahashi, T. *see* Okuda, T. 88−51266
Takahashi, T. *see* Ota, C. 87−1889
Takahashi, T. *see* Patir, A. 86−23460, 86−55313
Takahashi, T. *see* Saga, M. 85−49328
Takahashi, T. *see* Sakata, I. 86−53321
Takahashi, T. *see* Saruwatari, T. 86−30718
Takahashi, T. *see* Seki, S. 88−53963
Takahashi, T. *see* Shingu, H. 85−34235, 86−27676
Takahashi, T. *see* Shiomi, Y. 87−8394
Takahashi, T. *see* Sinohara, S. 88−44955
Takahashi, T. *see* Sugishima, N. 88−51779
Takahashi, T. *see* Suzuki, M. 87−37335
Takahashi, T. *see* Suzuki, S. 86−44562
Takahashi, T. *see* Takagi, Y. 85−6755
Takahashi, T. *see* Takahashi, Y. 88−57667
Takahashi, T. *see* Takajo, H. 88−52531
Takahashi, T. *see* Tanaka, T. 88−41101
Takahashi, T. *see* Tanase, S. 86−401
Takahashi, T. *see* Tanji, A. 85−5567
Takahashi, T. *see* Toyama, N. 85−34914
Takahashi, T. *see* Triplett, B.B. 88−19790
Takahashi, T. *see* Tsuchiya, S. 86−30719
Takahashi, T. *see* Uehara, G. 88−13764
Takahashi, T. *see* Yahata, K. 85−19711
Takahashi, T. *see* Yamamoto, Y. 85−45465, 86−20021
Takahashi, T. *see* Yamane, M. 88−43951
Takahashi, T. *see* Yamashita, Y. 86−58637
Takahashi, T. *see* Yoshizawa, N. 87−3174, 88−21902
Takahashi, W. *see* Nakamura, M. 87−48840
Takahashi, W. *see* Watanabe, T. 87−69343
Takahashi, Y. Evaluation of commercial E-beam resists in Japan 85−61816
Takahashi, Y. Diffusion approximation for the single server system with Batch arrivals of multi-class calls 86−52339
Takahashi, Y. Diagnostic methods for gas-insulated substations 87−36062

Takahashi, Y. Queueing analysis methods for mixed loss and delay systems: exact and diffusion approximation results 88—34866
Takahashi, Y., Ando, T., Hiyama, T., Tsuji, H., Tada, E., Nishi, M., Yoshida, K., Okuno, K., Koizumi, K., Nakajima, H., Kato, T., Kawanao, K., Oshikiri, M., Hattori, Y., Takahahi, R., Kamiya, S., Ohgane, Y., Shimamoto, S. Development of 12 T-10 kA Al-stabilized Nb_3Sn conductor for TMC-II 85—56141
Takahashi, Y., Chiba, M. Polarity-sensing methods for field mills without phase-sensitive detection 87—14404
Takahashi, Y., Fujiwara, S., Hasegawa, T. Analysis for satellite communication system with transmission error 86—30740
Takahashi, Y., Fukui, T., Oda, O. Evaluation of the damaged layers formed during the wafer processing of InP wafers 87—53408
Takahashi, Y., Hirayama, Y. A new climatic test laboratory and its applications 86—7506
Takahashi, Y., Inoue, K., Ishii, K. Rapid address generation for partial parallel image processor with microprocessors 85—41989
Takahashi, Y., Katayama, T. Multi-server system with batch arrivals of queueing and non-queueing customers 86—23396
Takahashi, Y., Katayama, T. Traffic analysis for a combined loss and delay system 86—59445
Takahashi, Y., Katayama, T. Traffic analysis of loss-delay combined model with batch arrivals 87—19986
Takahashi, Y., Kawabe, M., Bamba, E. A numerical analysis of pull-in range of phase-locked loop with an interfering signal 88—38425
Takahashi, Y., Kawabe, M., Chiba, S. A numerical analysis of lock range of phase-locked loop and an interfering signal 85—17221
Takahashi, Y., Kawabe, M., Chiba, S. Numerical analysis of lock range of a phase-locked loop with an interfering signal 86—67104
Takahashi, Y., Kimura, G. Mean-delay approximation for a single server priority queue with general low-priority arrival process 87—23457
Takahashi, Y., Kobayashi, S. Electrostatic discharges on charged insulating materials: several modes of separating discharges 86—68037
Takahashi, Y., Koike, K., Yoshino, T., Manabe, S. An analysis of the baseline determination between Japan and US stations by using the VLBI data in the system-level experiments 86—4784
Takahashi, Y., Miura, S., Shimada, M., Sato, K., Tamura, T. Marine radio-telephone integrated operation system in the Koyama international telecommunication center 88—28548
Takahashi, Y., Nakai, M., Hasegawa, T. A packet radio communication system for mobile terminals 85—42319
Takahashi, Y., Nikawa, Y., Katsumata, T., Mori, S., Nakagawa, M., Kikuchi, M. Direct contact applicator with convergent effect of EM field for microwave hyperthermia 86—12021
Takahashi, Y., Nitta, A., Kitamura, T., Kuwabara, K. Improvement of remaining life evaluation in SAFER - First report: Introduction to creep analysis and damage evaluation functions 85—9752
Takahashi, Y., Nomura, T., Kohda, S., Kawada, T. A new overhead projection system using a defectless 640×400 pixel active-matrix LCD together with an input pad 88—16310
Takahashi, Y., Nomura, T., Kohda, S., Kawada, T., Arikawa, T. A new overhead projection system using a 640×400 pixel active-matrix LCD together with an input PAD 88—58247
Takahashi, Y., Ohsaki, M., Kishimoto, S., Kakimori, N., Morimoto, T. Visual inspection system of printed circuit boards 88—50528
Takahashi, Y., Okuno, K., Tsuji, H., Hattori, Y., Ando, T., Hiyama, T., Nishi, M., Tada, E., Yoshida, K., Koizumi, K., Nakajima, H., Kato, T., Oshikiri, M., Kawano, K., Kamiya, S., Ohgane, Y., Shimamoto, S. Design and verification tests for 30-kA poloidal unit pancake 86—42191
Takahashi, Y., Sakaguchi, K., Okunaka, J. INS protocols fundamental concepts 85—57615
Takahashi, Y., Sakaguchi, K., Okunaka, J. Fundamental INS protocol concepts 86—23282
Takahashi, Y., Sakai, S., Umeno, M. Selective MOCVD growth of GaAlAs on partly masked substrates and its application to optoelectronic devices 85—10697
Takahashi, Y., Sekine, S. A VLSI architecture for pipeline FFT processor 87—37356
Takahashi, Y., Sumida, H., Kobayashi, S. Occurrence and modes of approaching discharges and separating discharges—characteristic features of electrostatic discharges 88—51062
Takahashi, Y., Tada, E., Okuno, K., Tsuji, H., Ando, T., Hiyama, T., Koizumi, K., Nishi, M., Nakajima, H., Yoshida, K., Kato, T., Kawano, K., Oshikiri, M., Hattori, Y., Takahashi, R., Kamiya, S., Shimamoto, S. Experimental results of JF-15 forced-cooled superconducting test loop 85—35366
Takahashi, Y., Takahashi, T., Shitara, T., Iwase, Y., Jeong, Y.-H., Takagi, S., Arai, F., Sugano, T. InP and $In_{0.53}Ga_{0.47}As$ metal-insulator-semiconductor field effect transistors with PAs_xN_y as the gate insulator 88—57667
Takahashi, Y., Tsuji, H., Okuno, K., Ando, T., Hiyama, T., Nishi, M., Tada, E., Yoshida, K., Koizumi, K., Nakajima, H., Kato, T., Oshikiri, M., Kawano, K., Ohgane, Y., Kamiya, S., Mukai, H., Shimamoto, S. Experimental results of the 30-kA 70-cm-bore Poloidal Unit Pancake 87—67954
Takahashi, Y., Usunaga, Y. Ultra fast recovery diode 86—58446
Takahashi, Y., Yamashita, K., Takasaki, Y., Maeda, M. Integrated optical repeaters using long wavelength LED/LD for high-speed computer networks 85—47539
Takahashi, Y. *see* Abe, Y. 85—49126, 86—45097, 87—35741
Takahashi, Y. *see* Aizawa, Y. 87—18800
Takahashi, Y. *see* Ando, T. 85—1925, 85—41089, 85—56142, 86—42201, 87—12090, 87—46410, 88—39818, 88—65086
Takahashi, Y. *see* Aoki, Y. 88—4110
Takahashi, Y. *see* Araki, K. 88—20302
Takahashi, Y. *see* Burnett, T.H. 87—8866
Takahashi, Y. *see* Endo, T. 85—3071
Takahashi, Y. *see* Fujinaga, K. 88—24727
Takahashi, Y. *see* Fukuchi, H. 86—37846
Takahashi, Y. *see* Goto, K. 87—33834, 87—62411
Takahashi, Y. *see* Hashimoto, O. 87—38236, 88—71538
Takahashi, Y. *see* Ieki, K. 88—22922
Takahashi, Y. *see* Iguchi, Y. 85—37690
Takahashi, Y. *see* Inami, D. 88—59757
Takahashi, Y. *see* Ishii, H. 86—7826, 88—56232
Takahashi, Y. *see* Izumi, T. 88—38082
Takahashi, Y. *see* Kametani, H. 85—26716, 85—52963
Takahashi, Y. *see* Kamimoti, M. 85—60436
Takahashi, Y. *see* Kato, T. 85—56249
Takahashi, Y. *see* Katoh, N. 86—44013
Takahashi, Y. *see* Kawada, T. 87—17158
Takahashi, Y. *see* Kimura, G. 87—13382, 87—55745, 88—21635, 88—46333
Takahashi, Y. *see* Kobayashi, K. 87—46368
Takahashi, Y. *see* Koizumi, K. 88—65105
Takahashi, Y. *see* Kondo, T. 86—69870
Takahashi, Y. *see* Kumeda, M. 87—31577
Takahashi, Y. *see* Kuribayashi, S. 88—21388, 88—46332
Takahashi, Y. *see* Kwanao, Y. 85—26281
Takahashi, Y. *see* Lubell, M.S. 88—65028
Takahashi, Y. *see* Machihara, F. 86—59447, 87—19988
Takahashi, Y. *see* Maley, L.E. 86—5578
Takahashi, Y. *see* Matsui, T. 88—45826
Takahashi, Y. *see* Matsumoto, K. 87—37421
Takahashi, Y. *see* Matsumoto, Y. 88—9163, 88—46347, 88—73407
Takahashi, Y. *see* Miyachi, I. 86—51707
Takahashi, Y. *see* Naito, Y. 85—31979
Takahashi, Y. *see* Naitoh, Y. 87—2740
Takahashi, Y. *see* Nakayama, K. 87—17282
Takahashi, Y. *see* Nikawa, Y. 86—5877, 86—5985, 86—18375
Takahashi, Y. *see* Niki, N. 85—9173, 85—19532, 85—26766, 85—41991, 86—44651, 86—70404, 87—27634
Takahashi, Y. *see* Nishi, M. 86—58724, 87—67958
Takahashi, Y. *see* Oguchi, K. 88—57549
Takahashi, Y. *see* Ohmura, H. 85—13452, 86—69198
Takahashi, Y. *see* Ohta, H. 88—20279
Takahashi, Y. *see* Ohtsuki, K. 85—19858
Takahashi, Y. *see* Okuno, K. 88—65029
Takahashi, Y. *see* Oshima, K. 87—40909
Takahashi, Y. *see* Otsu, Y. 86—37847, 87—2298
Takahashi, Y. *see* Ozawa, A. 86—164
Takahashi, Y. *see* Phelan, P.E. 88—68966
Takahashi, Y. *see* Saito, N. 86—25420
Takahashi, Y. *see* Sakamoto, Y. 85—58215, 87—3225
Takahashi, Y. *see* Shen, S.S. 88—65106
Takahashi, Y. *see* Shibuya, Y. 86—6467
Takahashi, Y. *see* Shimamoto, S. 85—1893, 85—1927, 85—41077, 87—12091, 88—13775
Takahashi, Y. *see* Shimoseko, S. 86—37850
Takahashi, Y. *see* Shitara, T. 88—60433
Takahashi, Y. *see* Soga, T. 85—10694
Takahashi, Y. *see* Suzuki, E. 87—55652
Takahashi, Y. *see* Tada, E. 87—67979
Takahashi, Y. *see* Takasaki, Y. 85—20240, 85—20242
Takahashi, Y. *see* Takine, T. 87—13383, 88—14867, 88—73395
Takahashi, Y. *see* Tomoda, Y. 86—18558
Takahashi, Y. *see* Toyoda, T. 86—2186
Takahashi, Y. *see* Tsuji, H. 86—58725, 88—65066
Takahashi, Y. *see* Tsuji, T. 88—54628
Takahashi, Y. *see* Umeno, M. 87—301
Takahashi, Y. *see* Usubuchi, T. 85—51988
Takahashi, Y. *see* Vamano, V. 85—55985
Takahashi, Y. *see* Wakayama, H. 87—34262, 88—8993
Takahashi, Y. *see* Yamane, Y. 87—24942, 87—45678
Takahashi, Y. *see* Yamano, Y. 85—1772, 86—47883
Takahashi, Y. *see* Yamashita, K. 85—62458
Takahashi, Y. *see* Yazawa, A. 87—31939
Takahashi, Y. *see* Yoshimura, N. 87—25700
Takahashi, Y. *see* Yue, W. 86—43732
Takahasi, H., Ishibashi, M., Nagao, M. FETEX-5300 packet switching system 85—36539
Takahasi, S. *see* Kashiwagi, N. 85—59744
Takahasi, S. *see* Niu, K. 85—15118
Takahasi, S. *see* Ohta, M. 87—15098
Takahasi, Y. *see* Hijikata, K. 87—4970
Takahasi, Y. *see* Tada, E. 87—38714
Takahata, F. An optimum traffic loading to intersatellite links 87—56048
Takahata, F., Ichiyoshi, O., Yano, K. PSK group modem and its performance 87—39600
Takahata, F., Yasunaga, M., Hirata, Y., Ohsawa, T., Namiki, J. A PSK group problem for satellite communications 87—56047
Takahata, F. *see* Hirata, Y. 88—3929
Takahata, F. *see* Murakami, K. 88—46979
Takahata, F. *see* Muratani, T. 86—64448
Takahata, F. *see* Nohara, M. 87—28473, 88—46986
Takahata, F. *see* Takeuchi, Y. 88—67323
Takahata, K., Nishijima, S., Okada, T., Nakagawa, S., Yoshiwa, M. Superconducting high gradient magnetic separator 88—66010
Takahata, K. *see* Kojima, T. 85—21032
Takahata, K. *see* Matsuura, Y. 88—60946
Takahata, K. *see* Nishijima, S. 87—67814, 87—67931, 88—45019 to 45020
Takahata, K. *see* Okada, T. 88—66101
Takahata, K. *see* Yamashita, T. 88—65052
Takahata, M. *see* Ohta, H. 88—20279
Takahata, T. *see* Fujita, Y. 87—76976
Takahata, T. *see* Mochida, Y. 85—15936
Takahata, Y. *see* Ichimaru, K. 85—59180
Takahei, K. *see* Fukuda, M. 85—23694
Takahei, K. *see* Uwai, K. 87—66916, 88—1356, 88—18754
Takahei, K. *see* Whitney, P.S. 88—58376
Takahira, A., Matsumoto, Y., Mukai, T., Suzuki, T., Yasusaka, Y. The development of communications satellite-3 (CS-3) 88—10463
Takahira, Y. *see* Sato, Y. 87—42668
Takahshi, R. *see* Luton, J.N. 85—56230
Takai, C. *see* Tanimoto, S. 87—31766
Takai, H. Multi-media/multi function terminal 'Model IT-210' for middle managers 85—51866
Takai, H. Telewriting terminals—'sketchphone' and 'sketchboard' 86—4218
Takai, H. On Telewriting communication systems 86—16847
Takai, H., Itoh, T. Porous silicon layers and its oxide for the silicon-on-insulator structure 86—62223
Takai, H. *see* Itoh, T. 86—28278
Takai, H. *see* Mikami, T. 86—10712
Takai, H. *see* Minami, K. 87—68001
Takai, H. *see* Okamoto, I. 87—79092
Takai, H. *see* Saburi, A. 86—4579, 87—8232
Takai, H. *see* Saeki, K. 86—35069
Takai, H. *see* Yoshida, S. 86—30568
Takai, K., Kimura, F., Sata, T. Object recognition based on geometric model for robot vision 87—58655
Takai, K., Tamura, J., Ishimoto, K., Takeda, H., Inoue, M. Development of digital multiplex converter for interworking hierarchy (2-6-45-140 Mbit/s) 88—28583
Takai, M. Measuring instrument technology for CD players 87—49395
Takai, M., Gamo, K., Namba, S. Laser induced etching of III-V compound semiconductors 87—38142
Takai, M., Kodama, Y., Tanigawa, T., Kobayashi, K., Gamo, K., Namba, S. Gallium arsenide layers grown by MBE on germanium islands on insulator 87—17821
Takai, M., Nakai, H., Nakashima, S., Minamisono, T., Gamo, K., Namba, S. Residual local strain in gallium arsenide induced by laser pyrolytic etching in CCl_4 atmosphere 86—21404
Takai, M., Nakai, H., Tsuchimoto, J., Gamo, K., Namba, S. Local temperature rise during laser induced etching of gallium arsenide in $SiCl_4$ atmosphere 86—21403
Takai, M., Tanigawa, T., Gamo, K., Namba, S. Single crystalline germanium island on silicon dioxide by zone melting 85—10672
Takai, M., Tanigawa, T., Gamo, K., Namba, S. Single crystal germanium island formation on insulator by zone melting 86—8747
Takai, M., Tokuda, J., Nakai, H., Gamo, K., Namba, S. Laser-assisted local etching of gallium arsenide 85—50451
Takai, M., Tsuchimoto, J., Nakai, H., Gamo, K., Namba, S. Maskless dry etching of gallium arsenide with a submicron line-width by laser pyrolysis in CCl_4 gas atmosphere 85—23684
Takai, M., Tsuchimoto, J., Tokuda, J., Nakai, H., Gamo, K., Namba, S. Laser-induced thermochemical maskless-etching of III-V compound semiconductors in chloride gas atmosphere 88—44544
Takai, M. *see* Fujita, S. 86—36970

Takai, M. *see* Gamo, K. 85—1532
Takai, M. *see* Ichikawa, Y. 88—2163
Takai, M. *see* Kimmitt, M.F. 86—11594
Takai, M. *see* Kinomura, A. 88—68173
Takai, M. *see* Kobayashi, S. 88—19131
Takai, M. *see* Matsuda, T. 86—58403, 87—32427
Takai, M. *see* Nakamura, T. 88—35993
Takai, M. *see* Niu, H. 87—41512
Takai, M. *see* Shikama, T. 85—18175, 85—23511, 85—29046
Takai, M. *see* Tokuda, J. 86—53559, 87—32424, 87—53413
Takai, M. *see* Watanabe, S. 87—25115
Takai, N. 10625 kVA skin-stress type synchronous generator 87—64566
Takai, N. NS4600 series new type synchronous generator 87—64567
Takai, O. Microwave ion plating technique 85—10797
Takai, O. A two-color electrochromic system using InN thin films 85—62405
Takai, O. A new electrochromic system using tin-nitride thin films 88—40000
Takai, O., Fukuyama, M. RF plasma anodization technique using hollow cathode 85—12214
Takai, S. *see* Okada, M. 88—70342
Takai, T., Kimoto, M., Igarashi, H., Yasuda, S., Nishiguchi, Y., Iwase, N., Matsushima, O., Kariya, K., Takayama, S. CMOS 8-bit single chip microcomputer μPD78312/78310 86—34856
Takai, T., Sato, N., Watanabe, S., Kikuchi, S., Hagi, M., Nagashima, I., Kondou, M. Launch base support activity of Marine Observation Satellite-1 'MOMO-1' 88—53224
Takai, T. *see* Pearson, E. 85—39692
Takai, T. *see* Shimamura, T. 88—54750
Takai, T. *see* Shirako, G. 85—62850
Takai, Y., Mori, T., Hayase, Y., Mizutani, T., Ieda, M. Electrical conduction of poly-p-xylylene thin films on Si 85—50304
Takai, Y., Oya, G., Sawada, Y. Microcomputer aided measurement system for Josephson devices 85—52646
Takai, Y. *see* Ieda, M. 88—64867
Takai, Y. *see* Inoue, M. 87—18814, 88—72216
Takai, Y. *see* Okano, K. 86—1733
Takaichi, K. *see* Oda, T. 88—55174
Takaichi, R. *see* Kon, K. 87—76457
Takaichi, T. Chemistry of electronics gases 86—35524
Takaiwa, Y. *see* Hayashide, Y. 85—26687
Takajo, H., Takahashi, T. Least squares phase estimation from the phase difference 88—52531
Takakado, Y. E-type AC servo 88—37250
Takaki, I., Shichi, K., Oshima, A., Sasaki, S. Sewage treatment plant construction under 'sinking method'—construction of Atami City's No.2 Water Purification Control Center 85—10300
Takaki, K.A. *see* Quinn, P.W. 86—44654
Takaki, M. *see* Miura, N. 87—50902
Takaki, N., Inoue, K., Hataji, A. Human sleep EEG wave pattern analysis by damped sinusoidal model 86—38794
Takaki, N. *see* Ohta, M. 88—34713
Takaki, R. *see* Sano, O. 85—37788
Takaki, T. EEG enhancement during electrosurgery using an optical fibre 88—68450
Takaki, T., Sugano, H., Tobata, H., Muteki, T. Fibre-optic ECG monitoring instrument for use in the operating room 87—63803
Takaki, T. *see* Yoshida, K. 88—31125
Takaki, Y. *see* Itaya, H. 88—67707
Takaki, Y. *see* Nishinokubi, H. 87—57381
Takaku, K. Application of space rotating vectors represented for induction motor 87—15755
Takaku, K., Yamamoto, M. Generating torque analysis and measurement by space rotating current vector during self-controlled synchronous motor starting 87—22265
Takaku, S. *see* Naganawa, H. 86—49216
Takakubo, K. *see* Kameya, O. 88—8476
Takakura, H. *see* Hamakawa, Y. 86—13088, 87—4964, 87—22777, 88—17990
Takakura, H. *see* Kita, Y. 87—4636
Takakura, H. *see* Murozono, M. 87—58324
Takakura, H. *see* Mushiga, M. 85—39144
Takakura, H. *see* Takahashi, I. 85—61308
Takakura, H. *see* Uchimura, K. 87—59939
Takakura, K. Computer-controlled studio cameras ensure high-quality pictures 86—55439
Takakura, K. Computerizing the professional-use camera 87—70243
Takakura, K. Examining three-CCD broadcast cameras 88—53431
Takakura, K. *see* Kosugi, Y. 87—41931, 88—36502
Takakura, K. *see* Kuzuta, N. 88—28888
Takakura, M., Hayasaki, H., Iwasaki, K., Noguchi, Y., Takemura, H., Yamane, Y., Kako, N. Compact image processing system 'ART PROCESSOR' 86—10489
Takakura, M. *see* Asakawa, Y. 86—19647
Takakura, M. *see* Hatayama, K. 87—37209
Takakura, M. *see* Hayashi, T. 88—686
Takakura, M. *see* Kako, N. 88—14805
Takakura, M. *see* Yamane, Y. 87—69337
Takakura, N. *see* Gamo, K. 85—33508
Takakura, S. *see* Adachi, R. 86—52074
Takakura, T. Present state of international telex service and its perspectives 87—62551
Takakura, Y. *see* Kozono, I. 87—37338
Takakusa, S., Takatsuka, T., Takehara, M. An isotropic projection screen with high gain and uniform brightness 86—31231
Takakuwa, H., Kato, Y., Watanabe, S., Mori, Y. Low-noise HEMT fabricated by MOCVD 85—29215
Takakuwa, H., Tanaka, K., Mori, Y., Arai, M., Kato, Y., Watanabe, S. A low-noise microwave HEMT using MOCVD 86—53636
Takakuwa, H., Tanaka, K., Togashi, K., Ohke, H., Kanazawa, M., Kato, Y. Low noise microwave HIFET using MOCVD 86—67892
Takakuwa, H. *see* Tanaka, K. 86—41317, 87—32526, 88—33267
Takakuwa, H. *see* Togashi, K. 87—52839
Takakuwa, K. *see* Kusumoto, Y. 87—58998
Takakuwa, Y. Countermeasures against damage by snow/ice on switches in European countries 86—51968
Takakuwa, Y. Developments in illumination of the station house 88—37741
Takala, J. A study of EMI endurance of two polling-type local area networks used in real-time automation applications in a simulated electrical environment 88—73553
Takala, T. *see* Skytta, J. 87—67425
Takalkar, S.M., Patel, C.D. Quantification of effects on economy and safety due to variation in principal design factors of towers and supports 85—15649
Takama, N. *see* Watanabe, N. 85—48746
Takama, T. *see* Kihara, M. 86—8340, 86—64488, 87—7875
Takama, T. *see* Ohno, H. 86—20055
Takamadate, C. *see* Hotta, K. 86—44457
Takamasu, H. *see* Okada, K. 87—31817
Takamasu, K., Kato, J., Ozono, S. Instrumentation system including high-speed A/D converter connected to personal computer 86—49920
Takamasu, K. *see* Wakabayashi, H. 87—14531
Takamasu, K. *see* Xue, J. 85—4112
Takamasu, T., Komiyama, S., Hiyamizu, S., Sasa, S. Effect of finite electric field on the quantum Hall effect 86—53412
Takamatsu, A., Shibata, M., Sakai, H., Yoshimi, T. Plasma-activated deposition and properties of phosphosilicate glass film 85—453
Takamatsu, F. *see* Kojima, K. 86—49213
Takamatsu, F. *see* Yoshimoto, R. 87—55657
Takamatsu, H., Saegusa, Y., Konishi, S. Computer simulation of stripe domain stretching 87—32838
Takamatsu, H. *see* Hirai, K. 87—6131
Takamatsu, H. *see* Shirasaki, M. 85—2100
Takamatsu, H. *see* Suzuki, T. 87—25866
Takamatsu, K., Kobayashi, N., Tsujimura, T., Matsumoto, K., Takada, K., Ichimura, H. Ceramic films of $Pb_{4.95}Ba_{0.05}Ge_3O_{11}$ by printing technique and their pyroelectric characteristics 86—47947
Takamatsu, K. *see* Ikeno, M. 85—3913
Takamatsu, K. *see* Matsumoto, K. 86—53880
Takamatsu, M. *see* Matsue, J. 86—39545
Takamatsu, M. *see* Okada, H. 88—75175
Takamatsu, M. *see* Terada, F. 86—39558
Takamatsu, R. *see* Koike, M. 86—34798
Takamatsu, S. *see* Nishimura, M. 85—41578
Takamatsu, T., Hashimoto, I. Possibilities of personal computer in process instrumentation 86—31152
Takamatsu, T. *see* Akiyama, H. 85—12788
Takamatsu, T. *see* Nakaiwa, M. 87—30352
Takamatsu, T. *see* Nishio, M. 86—26452
Takamatsu, T. *see* Sato, R. 86—53871
Takamatsu, Y., Kinoshita, K. An efficient test generation method by 10-V algorithm 86—62561
Takamatsu, Y., Kinoshita, K. CONT: a concurrent test generation algorithm 87—66141
Takamatsu, Y., Kinoshita, K. Test generation algorithm with concurrency 88—15950
Takamatsu, Y. *see* Haruo, H. 88—10126
Takamatsu, Y. *see* Watanabe, H. 85—33778
Takami, H. *see* Matsushita, K. 86—43664
Takami, H. *see* Nonaka, S. 86—19245, 86—45384, 87—16081
Takami, H. *see* Saito, M. 88—29420
Takami, I. *see* Inoue, K. 85—33222
Takami, K., Takenaka, T. Architectural and functional aspects of a multi-media packet switched network 87—76143
Takami, K. *see* Nagasawa, M. 86—16625, 86—64657
Takami, K. *see* Okajima, K. 85—48238
Takami, K. *see* Senda, M. 86—18306
Takami, K. *see* Takenaka, T. 88—21395
Takami, M. Wavelength division multiplexing system transmits five wavelengths by integrated optic technology 87—8305
Takami, M. *see* Fukuoka, Y. 85—18818
Takami, N., Koura, N. The effects of additives on the positive electrode and its cycle characteristics for an Al/FeS_2 molten salt secondary cell 86—45640
Takami, N., Koura, N. Studies on kinetics of the positive electrode reaction for the Al/FeS_2 secondary cell with molten salt electrolytes by the AC-impedance method 87—9711
Takami, N., Koura, N. Studies on the positive electrode for an Al/FeS_2 secondary cell with a basic $AlCl_3$-NaCl melt — cell performance and positive electrode reaction 87—9712
Takami, N., Koura, N. Improvement of the positive electrode for the Al/FeS_2 secondary cell with a basic $AlCl_3$-NaCl melt 88—49111
Takami, N. *see* Koura, N. 85—60388
Takami, N. *see* Ohki, K. 86—13239
Takami, S., Miyai, K., Ii, I., Asahara, T., Oshima, M., Ueyama, K. Trials of optical surge waveform measurement equipment 86—11634
Takami, S. *see* Kawakami, H. 86—51692
Takami, S. *see* Nakahara, K. 86—51538
Takami, S. *see* Nakajima, M. 86—12480
Takami, Y., Hashimoto, T., Shiraishi, F., Voss, K. Quantitative analysis of alpha activities in thick sources using Si detectors 86—50361
Takami, Y., Shiraishi, F., Kurihara, H., Kawaguchi, K., Michikawa, T., Kudo, K., Kinoshita, T. A fast neutron spectrometer made of a single wafer $dE-E$ Si detector 87—41894
Takami, Y. *see* Ohuchi, N. 85—35363
Takami, Y. *see* Shimizu, T. 86—50393
Takami, Y. *see* Shiraishi, F. 85—15174, 85—43309, 88—61482
Takamine, T. *see* Nishina, N. 87—49858
Takamine, Y., Miyamoto, S., Nagashima, S., Miyoshi, M., Kawabe, S. Clock event suppression algorithm of VELVET and its application to S-820 development 88—70726
Takamine, Y. *see* Shimizu, T. 86—58563
Takamisawa, K. *see* Kimoto, M. 88—19189
Takamiya, S. *see* Hattori, R. 88—27176
Takamiya, S. *see* Hayashi, K. 87—73797
Takamiya, S. *see* Hirata, K. 86—12636
Takamiya, S. *see* Ikeda, Y. 86—70762
Takamiya, S. *see* Kadota, Y. 85—12864
Takamiya, S. *see* Kadowaki, Y. 87—73776
Takamiya, S. *see* Sonoda, T. 88—43883
Takamiya, S. *see* Susaki, W. 85—8427
Takamiya, S. *see* Yagi, T. 87—47035
Takamiya, S. *see* Yamashita, K. 87—47037
Takamizawa, H., Utsumi, K., Suzuki, M. Multilayer ceramic substrate with UV curable dielectric paste for multi-chip package 86—53209
Takamizawa, H., Utsumi, K., Suzuki, M. Multilayer ceramic substrate with UV curable dielectric paste for multichip package 87—43990
Takamizawa, H. *see* Kurokawa, T. 86—189
Takamizawa, H. *see* Kurokawa, Y. 86—13502, 86—62267, 87—67056, 88—57224
Takamizawa, H. *see* Shimada, Y. 85—16799, 87—72841, 88—38945
Takamizawa, H. *see* Utsumi, K. 85—50634, 86—66862, 87—24651, 87—67658, 88—24808
Takamizawa, K. *see* Kitajima, F. 86—58560
Takamizawa, K. *see* Nakazawa, T. 87—36121
Takamizawa, K. *see* Okuno, Y. 87—31822
Takamizawa, T. *see* Abiko, S. 87—17137
Takamori, A., Miyauchi, E., Arimoto, H., Bamba, Y., Hashimoto, H. GaAs growth using an MBE system connected with a 100 kV UHV maskless ion implanter 85—377
Takamori, A., Miyauchi, E., Arimoto, H., Bamba, Y., Morita, T., Hashimoto, H. Growth-interrupted interfaces in multilayer MBE growth of gallium arsenide 85—60968
Takamori, A., Miyauchi, E., Arimoto, H., Morita, T., Bamba, Y., Hashimoto, H. Optical properties of pattern-doped GaAs/AlGaAs grown by an MBE system equipped with a focused ion beam implanter 86—53436
Takamori, A., Sugata, S., Asakawa, K., Miyauchi, E., Hashimoto, H. Cleaning of MBE GaAs substrates by hydrogen radical beam irradiation 87—38137
Takamori, A. *see* Arimoto, H. 85—29118, 87—25089
Takamori, A. *see* Bamba, Y. 85—29116, 87—11536
Takamori, A. *see* Hashimoto, H. 87—38079
Takamori, A. *see* Miyauchi, E. 85—34778, 86—35550
Takamori, A. *see* Morita, T. 87—1394, 87—38078, 87—53359, 87—74009
Takamori, H. The ubiquitous toggle switches 87—1038
Takamori, K., Naito, M., Hanamura, I., Matsumura, K. Development of new heating, ventilating and air conditioning system for operation floor in a reactor building 88—43500
Takamori, K. *see* Nakashiba, H. 87—31818
Takamori, K. *see* Yamada, K. 88—19054
Takamori, N., Asai, M., Shibata, A., Nishida, K., Suzuki, A., Kaneko, K., Misawa, T., Shimokawa, R., Hayashi, Y., Shigeta, J., Ikeda, S. Development of high efficiency polycrystalline silicon solar cells using solar grade cast wafers 87—43438
Takamori, N. *see* Shibata, A. 86—56946, 87—9734
Takamori, S. *see* Ishiyama, A. 87—71094, 88—68355
Takamori, S. *see* Morimoto, A. 86—27937

Takamori, T., Fukunaga, T., Kobayashi, J., Ishida, K., Nakashima, H. Electrical and optical properties of Si doped GaAs grown by molecular beam epitaxy on (311) substrates 87−65505
Takamori, T. *see* Arimoto, H. 88−44639
Takamori, T. *see* Brillouet, F. 87−74077
Takamori, T. *see* Chang, I.F. 85−29707
Takamori, T. *see* Ishida, K. 87−7373, 87−12490, 87−53246, 87−75125
Takamori, T. *see* Ishikawa, J. 85−15142
Takamori, T. *see* Kimura, I. 88−68645
Takamori, T. *see* Kobayashi, J. 87−11616
Takamori, T. *see* Matsui, K. 87−45763
Takamori, T. *see* Morita, T. 87−74009
Takamoto, H., Kato, S. Echo canceler for data modem 87−62747
Takamoto, K. Optimization of system parameters for throughput in a variable rectangular electron beam exposure system 87−67048
Takamoto, K., Matsuda, T., Omata, F., Okubo, T. Stitching accuracy in a variable-shaped electron-beam exposure system 87−74162
Takamoto, K., Okubo, T., Matsuda, T. Distortion correction and overlay accuracies achieved by the registration method using two-stage standard mark system 86−53739
Takamoto, K. *see* Nishimata, T. 87−34977
Takamoto, K. *see* Okubo, T. 86−53512
Takamoto, M. *see* Terao, Y. 87−50005, 87−70877
Takamoto, M. *see* Utsumi, H. 88−4694
Takamoto, Y. *see* Sasada, I. 88−53630, 88−53886
Takamuku, S. *see* Takeda, S. 86−24914
Takamura, H. *see* Itoh, R. 88−30700
Takamura, M., Ikehara, S. High-density packaging of main storage 86−8219
Takamura, M. *see* Hakamada, T. 86−39758
Takamura, M. *see* Kato, Y. 86−13159
Takamura, M. *see* Yahagi, T. 88−46269
Takamura, S., Kato, T. Mechanical properties of organic insulators for superconducting magnets after low temperature irradiation 85−33521
Takamura, S. *see* Arai, K. 85−25680, 86−4145
Takamura, S. *see* Nakato, K. 85−35362
Takamura, T., Sasano, Y. Ratio of aerosol backscatter to extinction coefficients as determined from angular scattering measurements for use in atmospheric lidar applications 88−4119
Takamura, T. *see* Fujii, E. 87−67007
Takamura, T. *see* Iwano, H. 88−2223, 88−20676
Takamura, T. *see* Kozono, T. 86−17848, 87−56520
Takamura, T. *see* Senda, K. 87−29139, 87−56541, 88−16182
Takamura, T. *see* Susa, M. 86−17972, 87−336
Takamura, T. *see* Terakawa, S. 86−5046
Takamura, Y. Analysis of a Cockcroft-Walton circuit by a newly developed graphical method 87−45125
Takana, H., Arakawa, K. Calculation of voltage drop of DC feeder circuit using a pocket computer. I 86−65666
Takanabe, N. *see* Terada, Y. 86−31157
Takanaka, K., Kobayashi, T., Yamashita, T. RF-induced steps in the *V-I* characteristics of a superconducting closed loop formed form 2*N*-Josephson junctions 85−12515
Takanaka, M., Hattori, Y., Noda, A., Tanabe, T., Tsujikawa, H. Design study of the third order resonance extraction system at TARN II 86−24998
Takanaka, M. *see* Katayama, T. 85−31643
Takanaka, M. *see* Masui, R. 87−63539
Takanaka, M. *see* Nakanishi, T. 87−41660
Takanaka, M. *see* Noda, A. 85−15117
Takanaka, M. *see* Sato, K. 86−31985
Takanaka, M. *see* Tanabe, T. 86−24990
Takanaka, M. *see* Tokuda, N. 86−24991
Takanaka, M. *see* Ueda, N. 85−15097
Takanaka, M. *see* Watanabe, S. 88−74660
Takanami, I. *see* Okano, H. 85−2765
Takanami, S. *see* Arai, R. 85−24149
Takanami, S. *see* Kato, T. 86−68170, 87−38658, 87−60819
Takanami, S. *see* Mitsuya, Y. 88−57961
Takanami, T. Automatic play-back system for unattended seismological observation by direct recording method 88−36660
Takanami, T. *see* Kitagawa, G. 85−53145
Takanashi, A. *see* Hosaka, S. 87−68230
Takanashi, H. *see* Fujisaki, M. 87−34615
Takanashi, H. *see* Ikeda, T. 85−63488
Takanashi, H. *see* Kawashima, M. 85−47508
Takanashi, H. *see* Kuwagaki, H. 88−53804
Takanashi, H. *see* Minami, T. 86−23458
Takanashi, H. *see* Touge, T. 85−42621
Takanashi, M. *see* Kashiwagi, H. 86−3806
Takanashi, M. *see* Sone, K. 86−1156, 87−73285
Takanashi, M. *see* Takahashi, A. 86−57678
Takanashi, N. A DSP based numerical calculation engine for manipulator control 88−12422
Takanashi, N. A DSP based numerical calculation engine for manipulator control 88−22514
Takanashi, T. *see* Kitauchi, H. 85−5538
Takanashi, T. *see* Tanaka, H. 85−15930
Takanashi, Y., Asai, H., Ando, S., Sugiura, H., Honda, T., Susa, N. Microwave performance of GaAs PBT's fabricated from MO-CVD wafers 86−35090
Takanashi, Y., Kobayashi, N. AlGaAs/GaAs 2-DEG FET's fabricated from MO-CVD wafers 85−34982
Takanashi, Y. *see* Fukano, H. 88−56919
Takanashi, Y. *see* Hirano, M. 85−12301
Takanashi, Y. *see* Imai, Y. 86−5974
Takanishi, T. *see* Ijima, K. 85−21231
Takano, A. Burst bits correction 85−51543
Takano, A. *see* Miura, G. 88−37208
Takano, C., Taira, K., Kawai, H. Improving collector-current uniformity in emitter-graded AlGaAs/GaAs heterojunction bipolar transistors 88−39385
Takano, C., Taira, K., Kawai, H., Arai, M. Effect of compositionally grading on DC characteristics of AlGaAs heterojunction bipolar transistor 87−60430
Takano, C., Taira, K., Kawai, H., Arai, M. Effect of compositionally grading on DC characteristics of AlGaAs heterojunction bipolar transistors 88−50807
Takano, C. *see* Taira, K. 87−18083, 88−13322
Takano, E. *see* Fukai, M. 86−11175
Takano, H. A method for calculating the motor constants by measuring air-gap flux density distribution and for calculating the characteristics of shaded pole motor 86−26038
Takano, H., Hanai, S., Hoshi, A., Miura, S., Nakagawa, Y. Design, fabrication and test operation results of polyhelix coil for the Tohoku hybrid magnet 86−48019
Takano, H., Kamijo, T. Evaluation of dielectric film/GaAs interfaces by Raman spectroscopy 86−14961
Takano, H., Yamashita, J., Kawamura, S., Yamazaki, T., Shigyo, N., Sato, M. Monopulse SSR system [radar] 88−41741
Takano, H., Yoshikawa, K. Calculation of voltage drop in DC feeder circuit using a pocket computer. II 86−65667
Takano, H. *see* Akie, H. 88−5466
Takano, H. *see* Hanai, S. 85−2498
Takano, H. *see* Kamaya, M. 87−31898
Takano, H. *see* Kimura, H. 88−63551
Takano, H. *see* Miyazaki, Y. 85−57520
Takano, H. *see* Muto, Y. 87−53926
Takano, H. *see* Nakagawa, Y. 87−54498
Takano, H. *see* Nakamura, T. 86−50530, 87−3968
Takano, H. *see* Nakano, M. 88−5463
Takano, H. *see* Shirai, S. 85−40408
Takano, H. *see* Takatani, S. 88−54534, 88−54638
Takano, H. *see* Takatini, S. 88−36433
Takano, H. *see* Tsubota, T. 88−33894
Takano, H. *see* Ushikubo, T. 86−22115
Takano, I., Takemoto, M., Isobe, S. Adhesion of titanium nitride thin films on PBI produced by large current ion implantation machine 87−1814
Takano, I. *see* Fujita, S. 88−67417
Takano, I. *see* Ito, D. 86−53931
Takano, I. *see* Iwakami, T. 86−11114
Takano, I. *see* Maeda, H. 85−41092, 88−65075
Takano, I. *see* Minemura, K. 87−40910, 88−4017
Takano, I. *see* Murase, S. 85−62217
Takano, I. *see* Shikada, M. 86−49695, 88−22087
Takano, I. *see* Shimizu, H. 88−47122
Takano, I. *see* Watanabe, K. 87−53928
Takano, K., Machimura, T., Kawano, N., Ikeda, H. Substation facilities for the Tsugaru-Kaikyo Line 88−76017
Takano, K., Nakamura, N., Yoshida, T., Ono, Y. Development of traffic-data processing programs for use in telex transmission services 85−42181
Takano, K., Tominaka, S., Kawabe, K., Okamoto, N., Tomita, M., Tabayashi, S. Power control system for the Tsugaru-Kaikyo Line 88−76018
Takano, K. *see* Hashitani, H. 88−69845
Takano, K. *see* Hirakawa, K. 88−21988
Takano, K. *see* Ito, S. 86−60011, 87−33429
Takano, K. *see* Kusaka, Y. 85−15960, 86−26319
Takano, K. *see* Miyazaki, T. 88−45043
Takano, K. *see* Ohta, Y. 87−62339
Takano, M., Hirano, M., Shindo, R., Doi, T. Analysis of SHE critical experiments by neutronic design codes for experimental very high temperature reactor 85−53450
Takano, M., Ive, J.G.S. Recent advances in Betacam technology 87−13987
Takano, M., Sawa, K. Thermohydraulic performance of new type of fuel block for high temperature gas-cooled reactors 86−51277
Takano, M., Segawa, I. The extended Sony Betacam family 85−3709
Takano, M. *see* Ando, M. 86−50007
Takano, M. *see* Arai, T. 85−44477
Takano, M. *see* Noda, H. 88−41843
Takano, M. *see* Oba, Y. 88−9786
Takano, M. *see* Ohshima, S. 87−15056
Takano, M. *see* Oigawa, K. 88−50856
Takano, M. *see* Sasaki, K. 86−12216, 88−61699
Takano, M. *see* Taguchi, T. 87−60398
Takano, N. Semi-empirical efficiency calculation of Ge-semiconductor detector 88−10257
Takano, N. *see* Kuwahara, N. 87−37217
Takano, N. *see* Yabe, S. 85−6296
Takano, N. *see* Yana, K. 88−54568
Takano, O. *see* Ito, N. 85−52428
Takano, O. *see* Kohno, I. 85−52430, 87−3235
Takano, O. *see* Matsuda, H. 86−36035, 87−46322, 88−44961
Takano, S., Makino, H., Noda, M., Tanino, N., Nishitani, K. A GaAs 4K-bit static RAM 87−10877
Takano, S., Makino, H., Tanino, N., Noda, M., Nishitani, K., Kayano, S. A 16K GaAs SRAM 87−59497
Takano, S., Makino, H., Tanino, N., Noda, M., Nishitani, K., Kayano, S. A GaAs 16 K SRAM with a single 1-V supply 88−6827
Takano, S., Tanino, N., Yoshihara, T., Mitsui, Y., Nishitani, K. A GaAs 1-bit static RAM with a shallow recessed-gate structure FET 85−49860
Takano, S. *see* Hanada, H. 87−50544
Takano, S. *see* Henmi, N. 88−45455
Takano, S. *see* Irisawa, J. 85−11019
Takano, S. *see* Kakuta, A. 86−2912, 86−42406
Takano, S. *see* Kitamura, M. 88−65663, 88−65684
Takano, S. *see* Manome, K. 88−47144
Takano, S. *see* Nogawa, S. 88−31849
Takano, S. *see* Ono, Y. 87−26227
Takano, S. *see* Shikada, M. 88−51810
Takano, S. *see* Tanino, N. 87−31908
Takano, S. *see* Yamada, H. 88−27145
Takano, S. *see* Yoshikawa, H. 85−41180
Takano, T., Tozawa, Y., Shima, T., Katoh, T., Komizo, H., Yatsuka, H. Novel GaAs FET phase detector operable to Ka-band [phase-locked oscillator application] 85−17859
Takano, T., Ui, M. A study on reflector error of large deployable antennas and its effects on radiation characteristics 88−72646
Takano, T. *see* Akiba, R. 88−17430
Takano, T. *see* Hirosawa, H. 86−44755
Takano, T. *see* Kaneko, Y. 88−9461
Takano, T. *see* Kawabata, K. 86−4778
Takano, T. *see* Levy, G.S. 87−28712
Takano, T. *see* Meazawa, S. 88−16305
Takano, T. *see* Nakamura, T. 88−35419
Takano, T. *see* Nomura, T. 87−28548
Takano, T. *see* Oishi, Y. 88−73846
Takano, T. *see* Sato, N. 86−7333
Takano, T. *see* Shigaki, M. 88−38722
Takano, T. *see* Shima, T. 85−28720
Takano, Y., Hirata, K., Senda, M., Kitao, M., Yamada, S. The effect of impurity-doping on AC conductivity of amorphous As_2Se_3 86−27943
Takano, Y., Ishiba, T., Matsunaga, N., Hashimoto, N. Measurements of compositional change in semi-insulating GaAs single crystals by precise lattice parameter measurements 85−40439
Takano, Y., Kitao, M., Yamada, S. The effect of Cu additive on AC conductivity in a-As_2Se_3 85−40457
Takano, Y., Kitao, M., Yamada, S. The AC conductivity of glassy As_2Se_3 doped with Mn 87−53206
Takano, Y., Kitao, M., Yamada, S. The effect of Mn on AC conductivity in glassy As_2Se_3 88−1401
Takano, Y., Mukai, S., Yajima, H., Mitsuhashi, Y., Kutsuwada, N. Research and development of a semiconductor laser monolithically integrated with an optical waveguide 87−12502
Takano, Y. *see* Fujisaki, Y. 86−21138
Takano, Y. *see* Imaeda, K. 86−25126
Takano, Y. *see* Isomae, S. 85−1282
Takano, Y. *see* Kitao, M. 86−27890
Takano, Y. *see* Kuroda, E. 85−10663
Takano, Y. *see* Ohgo, M. 87−60525
Takanohashi, M. *see* Niitsuma, H. 87−78534
Takanohashi, N. *see* Sukegawa, O. 88−53801
Takanohashi, T., Komiya, S., Yamazaki, S., Kishi, Y., Umebu, I. Admittance study of a single electron trap in the LPE InP/InGaAsP heterostructure diode 85−23510
Takanohashi, T., Osaka, F., Komiya, S., Yamazaki, S., Nakajima, K. EBIC observation on the InP/InGaAs/InP heterostructure photodiode 86−53405
Takanohashi, T., Tanahashi, T., Sugawara, M., Kamite, K., Nakajima, K. Frequency characteristics of the Mn-doped InP *p-n* junction 88−44571
Takanohashi, T. *see* Nakai, K. 88−64253
Takanohashi, T. *see* Tanahashi, T. 87−10468
Takao, H. *see* Nakamura, K. 86−3411
Takao, H. *see* Namariyama, Y. 85−62492
Takao, H. *see* Suzuki, K. 87−17728
Takao, K. A wideband sidelobe canceller for an earth station antenna 88−40760
Takao, K., Ishizaki, T. Constraints of the output-power-minimization adaptive array for a broadband signal 85−46650
Takao, K., Ishizaki, T. Constraints of the output-power-minimization adaptive array for a broadbanded desired signal [antennas] 87−2375
Takao, K., Kikuma, N. Tamed adaptive antenna array 86−64117

Takao, K., Kikuma, N. On the concept of tamed adaptive array 86−64137
Takao, K., Kikuma, N. An adaptive array with power minimization under a correlation constraint 88−2824
Takao, K., Kikuma, N. An adaptive array utilizing an adaptive spatial averaging technique for multipath environments 88−40724
Takao, K., Kikuma, N., Yano, T. Toeplitzization of correlation matrix in multipath environment 87−27061
Takao, K. *see* Kikuma, N. 85−57164, 85−62849, 86−64139, 87−33499, 87−61526, 88−2826
Takao, K. *see* Yano, T. 85−47605
Takao, M. Phase change optical disc 87−38717
Takao, M. *see* Akahira, N. 88−65155
Takao, M. *see* Taguchi, T. 87−2737
Takao, M. *see* Yamada, N. 87−38724, 88−45046
Takao, N. *see* Shugyo, S. 87−74437
Takao, N. *see* Sugimoto, Y. 87−74438
Takao, S. *see* Ooka, H. 87−44802
Takao, T. Brake system for electric locomotive and diesel car 88−11460
Takao, T. *see* Shimoda, H. 88−48860
Takao, T. *see* Tsukamoto, O. 88−45033, 88−65051
Takao, Y. *see* Onimura, K. 86−5995
Takao Miura *see* Ryo Uehara 87−65168
Takao Shimizu *see* Ryo Uehara 87−65168
Takaoka, A., Ura, K. Analysis of space-charge-limited LaB$_6$ electron gun 87−32194
Takaoka, A. *see* Ura, K. 87−37853
Takaoka, H., Kuriyama, Y., Matsubara, K., Takagi, T. Optical properties of CdTe-PbTe multilayer heteroepitaxial structures prepared by ICB technique 85−45436
Takaoka, H., Matsubara, K., Takagi, T. Film growth and physical properties of CdTe by ionized-cluster beam technique 85−16995
Takaoka, H. *see* Fukuda, H. 86−45174
Takaoka, H. *see* Hosono, K. 85−16994
Takaoka, H. *see* Kuwano, H. 86−9032
Takaoka, H. *see* Mameno, K. 85−16953
Takaoka, H. *see* Matsubara, K. 85−21849
Takaoka, H. *see* Murano, K. 87−31947
Takaoka, H. *see* Tajima, J. 88−46321
Takaoka, H. *see* Takagi, T. 86−449
Takaoka, K. *see* Inose, T. 88−52814
Takaoka, K. *see* Sunada, K. 87−49270, 88−15762
Takaoka, K. *see* Toyonori, Y. 88−22691
Takaoka, M. *see* Shikama, T. 88−36843
Takaoka, N. *see* Imamura, M. 85−20859
Takaoka, N. *see* Tanaka, T. 86−6940
Takaoka, N. *see* Yamada, Y. 85−60358
Takaoka, S., Hamaguchi, T., Shimomura, S., Murase, K. Investigation of roles of amphoteric impurity in Pb$_{1-x}$Sn$_x$Te 86−53371
Takaoka, S., Nihei, F., Murase, K., Ishida, A., Fujiyasu, H. An indication of quantum Hall effect in PbTe-Pb$_{1-x}$Sn$_x$Te superlattice 87−1242
Takaoka, S., Ura, K. Measurement of Boersch effect in pulsed field emission gun and cross-over points 87−6317
Takaoka, S. *see* Asano, H. 87−30878
Takaoka, S. *see* Murase, K. 86−53370
Takaoka, T. *see* Doi, K. 88−40018
Takaoka, T. *see* Fukuda, M. 86−22945
Takaoka, T. *see* Gu Qian Ping 88−24646
Takaoka, T. *see* Moffat, A. 86−19942
Takaoka, T. *see* Mohamed, O.I. 88−9969
Takaoka, T. *see* Perez, F. 87−73033
Takaoka, Y., Matsumoto, R. Asymptotic analyses on the diffusion of charged particles in magnetized plasmas (in a weak magnetic field) 85−40380
Takara, H. *see* Itoh, H. 86−54194, 87−26538, 87−54424, 88−51925
Takara, N. *see* Yamada, K. 88−39048
Takara, T., Fukumine, A., Hachimine, G. Normalization of coarticulation in vowel sequences using generalized linear associative mapping 86−48823
Takara, T., Hachimine, G. An analysis of glottal explosive of Ryukyuan dialect 87−7698
Takara, T., Taira, M., Imai, S. Ryukyuan speech synthesis 86−16171
Takara, T., Yamagawa, H. A study of the logarithmic frequency scale in speaker-independent speech recognition 88−72785
Takarada, N. *see* Sakuraba, J. 85−48970
Takaragi, K., Sasaki, R., Shingai, S. A probability bound estimation method in Markov reliability analysis 86−240
Takaragi, K., Sasaki, R., Shingai, S. A method of rapid Markov reliability calculation 86−241
Takaragi, K., Shiraishi, T., Sasaki, R. A practical and fair protocol for signing contracts 87−54943
Takaragi, K. *see* Ujita, H. 86−51276
Takasago, H., Takada, M., Adachi, K., Endo, A., Yamada, K., Makita, T., Gofuku, E., Onishi, Y. Advanced copper/polyimide hybrid technology 86−62979
Takasago, H., Takada, M., Adachi, K., Endo, A., Yamada, K., Makita, T., Gofuku, E., Onishi, Y. Advanced copper/polyimide hybrid technology 88−25739
Takasago, H. *see* Endo, A. 88−19864
Takasago, H. *see* Ishizu, A. 88−16321, 88−42212
Takasago, H. *see* Sakamoto, H. 88−42215
Takasago, H. *see* Takada, M. 85−39558
Takasago, H. *see* Tobita, T. 86−53239, 88−4440
Takasaki, E., Igarashi, Z., Kato, T., Kubota, C., Takenaka, T., Machida, S., Shintomi, T., Fukumoto, S. The operation of the 40 MeV proton linac 87−14639
Takasaki, E. *see* Fukumoto, S. 86−24909, 87−41748, 88−53999
Takasaki, E. *see* Igarashi, Z. 87−14644
Takasaki, E. *see* Kato, T. 85−15098, 87−14688
Takasaki, E. *see* Kihara, M. 88−36305
Takasaki, E. *see* Mori, Y. 85−15140
Takasaki, E. *see* Yamakawa, T. 86−60450
Takasaki, E. *see* Nakahara, K. *(editor)* 87−10045
Takasaki, F. Experimental results from TRISTAN 88−61150
Takasaki, F., Ogawa, K., Tobimatsu, K. Performance of a photomultiplier tube with transmissive dynodes in a high magnetic field 85−31704
Takasaki, F., Saito, H., Fukui, T., Matsushita, T., Suzuki, T. Development of multianode photomultiplier tube 88−1334
Takasaki, F., Saito, H., Shimizu, T., Kondo, S., Shinji, O. Development of plastic scintillation fiber 88−22916
Takasaki, F., Tobimatsu, K., Chiba, M. Performance of a BGO counter 85−15177
Takasaki, F. *see* Ogawa, K. 85−31698, 85−64466, 86−11847, 86−15912, 86−32179
Takasaki, F. *see* Saito, H. 88−68236
Takasaki, F. *see* Saitoh, H. 87−14723
Takasaki, F. *see* Sumiyoshi, T. 88−74661
Takasaki, F. *see* Uebayashi, T. 88−29903
Takasaki, H., Ibrahim, M.D. Hybrid moire topography 85−37806
Takasaki, K. *see* Fujioka, H. 88−39410
Takasaki, K. *see* Wakuta, Y. 87−29811
Takasaki, M., Hayashi, T., Sekine, Y. State space equation model for AC/DC transmission system 86−39094
Takasaki, M., Hayashi, T., Sekine, Y. Subsynchronous instability phenomena of HVDC transmission system 86−39108
Takasaki, M., Kurokawa, S., Kobayashi, M., Taino, M., Suzuki, Y., Ishii, H., Kato, Y., Fujitani, T., Nagashima, Y., Omori, T., Sugimoto, S., Yamaguchi, Y., Iwahori, J., Yoshida, H., Takeutchi, F., Chiba, M., Koike, M. The low-energy antiproton beam K4 at the KEK 12 GeV proton synchrotron 86−31869
Takasaki, M. *see* Green, D. 87−50151
Takasaki, M. *see* Hayashi, T. 86−12395
Takasaki, M. *see* Kashima, S. 87−35651
Takasaki, M. *see* Kobayshi, M. 86−44561
Takasaki, M. *see* Ohsugi, T. 88−29851
Takasaki, M. *see* Sharaf, A.M. 88−5328
Takasaki, M. *see* Shimano, T. 88−47957
Takasaki, M. *see* Yamamoto, A. 87−63601
Takasaki, M. *see* Yano, K. 87−57706
Takasaki, N. *see* Kubo, K. 85−20032
Takasaki, S. Testability consideration based on a test pattern length estimation 87−66055
Takasaki, S., Funatsu, S. Testability measure analysis in digital networks 85−22824
Takasaki, S., Funatsu, S. On an optimal logic partitioning/test points setting based on testability measures in large digital circuits 85−28499
Takasaki, S., Nomizu, N., Sasaki, T., Ishikura, H., Koike, N. HAL II: a mixed level hardware logic simulation system 88−7659
Takasaki, S., Sasaki, T., Nomizu, N., Ishikura, H., Koike, N. HAL II: A mixed level hardware logic simulation system 87−5843
Takasaki, S., Sasaki, T., Nomizu, N., Koike, N., Ohmori, K. Block-level hardware logic simulation machine 87−24065
Takasaki, T., Ema, Y., Hayashi, T. Preparations and electric characteristics of p-Si/n-CdS heterojunctions 85−55548
Takasaki, T., Ema, Y., Hayashi, T. Preparations and electrical characteristics of p-Si/n-CdS heterojunctions [solar cells] 87−58315
Takasaki, T. *see* Ishiwata, H. 86−50185
Takasaki, T. *see* Ueoka, M. 88−53796
Takasaki, Y. Fiber-optic broadband distribution strategies toward the year 2000 87−34608
Takasaki, Y., Takahashi, Y., Tanaka, T.P. New optical fiber systems for future broadband distribution networks 85−20240
Takasaki, Y., Yamashita, K., Takahashi, Y., Nakano, Y. Instantaneous in-service fault location scheme for digital transmission systems 85−20242
Takasaki, Y. *see* Imoto, K. 87−46572
Takasaki, Y. *see* Ishioka, S. 87−17658
Takasaki, Y. *see* Kusano, C. 86−41492
Takasaki, Y. *see* Ota, K. 85−20189
Takasaki, Y. *see* Takahashi, Y. 85−47539
Takasaki, Y. *see* Tanioka, K. 87−74928
Takasaki, Y. *see* Tsuji, K. 88−19632
Takasaki, Y. *see* Tsushima, H. 87−76805, 88−45856
Takasaki, Y. *see* Ueda, R. 87−18528
Takasaki, Y. *see* Yamashita, K. 85−44895, 85−62458, 86−43845, 86−47773, 86−48301, 87−20498
Takasashi, H., Sugimoto, I. A germanium-oxide glass optical fiber prepared by a VAD method 85−12570
Takasawa, M. *see* Kodama, K. 85−18981
Takasawa, R. *see* Yamamoto, M. 87−11533
Takasawa, Y., Miyoshi, K. Automatic playing of pianos and electric musical instruments 86−17716
Takase, A., Ogawa, K., Yasuda, Y., Esaki, M., Morino, Y. The model ML-TS100 telecom station 88−9306
Takase, A. *see* Endoh, N. 86−18622, 87−71449
Takase, F., Kuramitsu, M. Physical considerations on multimode oscillations using the probability density 85−17197
Takase, F., Kuramitsu, M. Physical considerations on multimode oscillations using the probability density 87−538
Takase, F. *see* Kuramitsu, M. 85−6210, 85−11091, 85−17191, 86−8040, 86−14044, 86−57715, 87−44646
Takase, H. *see* Takahashi, I. 85−3076
Takase, J. A method for overload handling in synchronized multiplex system 86−10236
Takase, J. A method for overload handling in synchronized multiplex system 87−2679
Takase, J. A method for overload handling in synchronized multiplex system 87−7876
Takase, K., Iida, H., Komazawa, M., Saito, H., Kobayashi, I. Semiconductor glass transport robot system 88−13079
Takase, K. *see* Kondo, M. 88−12786
Takase, K. *see* Maruyama, S. 87−57819 to 57820
Takase, M. *see* Koshino, M. 87−1830, 87−12015
Takase, S. *see* Abo, T. 87−43608
Takase, S. *see* Kashiwagi, S. 87−38258, 88−1026
Takase, S. *see* Suga, M. 86−45780
Takase, T., Nagasawa, M., Ito, C. Synthesis of impedance transformable filter by simulated nonuniform transmission line with distortionless property 86−14337
Takase, T., Nagasawa, M., Ito, C. Synthesis of impedance transformable filter by artificial nonuniform transmission line with distortionless property 87−45013
Takase, T., Oishi, S., Io, H., Yamamura, K. Simplicial fixed points algorithms for finding several solutions of nonlinear circuits 85−10946
Takase, T. *see* Itoh, Y. 88−53469
Takase, T. *see* Sumi, Y. 85−543, 86−66977
Takase, Y. *see* Imai, M. 87−3578
Takashi, H. *see* Higuchi, S. 88−41873
Takashi, I., Mochikawa, H. A new control of PWM inverter waveform for minimum loss operation of an induction motor drive 85−53875
Takashi, K., Yoshida, N., Yamauchi, K. Silver halide infrared fiber 87−46549
Takashi, T. *see* Masanori, O. 87−59653
Takashi Yano *see* Ichiro Tonai 88−58362
Takashige, T. Outline of track circuit 86−40246
Takashige, T., Ichikawa, K., Sakurai, I. Outline of signal test equipment in technical research laboratory 86−31181
Takashige, T., Ozawa, Y. Noninsulated track circuit at switch section 86−66451
Takashima, H. Digital subscriber transmission system on metallic cable−time compression multiplex transmission system for 88 kb/s digital communication 85−19981
Takashima, H., Kusahara, K., Nakayama, H., Asatani, K. High-speed digital-leased circuit service in Japan 86−16754
Takashima, H., Yagi, T., Ohora, T., Yamamoto, T. Digital subscriber loop multiplex transmission system to provide digital one-link services 85−57899
Takashima, H. *see* Nakai, H. 85−35522
Takashima, H. *see* Tsutsui, T. 87−8106
Takashima, I.K. *see* Kita, A. 86−40069
Takashima, J. Development trends of microcomputer LSI 87−37336
Takashima, K., Inari, T. Solid state pickup element 86−36338
Takashima, K., Kanada, H., Inari, T. A high-speed process-data subsystem: The optical sensing system 87−77237
Takashima, K., Nishigaki, K. SH type all film high voltage power capacitor 86−67538
Takashima, K., Sugiyama, M., Inari, T., Ueki, K., Nishiki, K. A laser distance sensor 87−12645
Takashima, K. *see* Kita, A. 87−43368
Takashima, K. *see* Koukitu, A. 85−375
Takashima, K. *see* Mitsuhashi, K. 86−41897
Takashima, K. *see* Miwa, H. 87−14975
Takashima, K. *see* Nishida, T. 85−42017, 86−43370, 86−69435
Takashima, K. *see* Uezumi, Y. 88−4056
Takashima, M. Thawing of foods by microwave heating. II 85−60576

Takashima, M., Ikeuchi, A., Kojima, S., Tanaka, T., Saitou, T., Sakata, J. A circuit comparison system with rule-based functional isomorphism checking 88−70446
Takashima, M., Kamimura, T., Kadota, T., Matsubara, S., Araki, T. High performance 'Newcosvicon' [colour camera tubes] 85−40403
Takashima, M., Matsubara, S., Ichibakase, T., Kamimura, T., Araki, T. Development of 11 mm type single color camera tube 87−34789
Takashima, M., Soda, K., Takada, T. Measurement of electric charges at the interface between two dielectric layers using an electro-acoustic transducer technique 88−68021
Takashima, M. *see* Amendolia, S.R. 85−37901, 85−43179, 86−5779, 87−21426 to 21428
Takashima, M. *see* Benetta, M. 85−43239
Takashima, M. *see* Fujii, K. 86−36426
Takashima, M. *see* Kamimura, T. 85−42741
Takashima, M. *see* Konoplyannikov, A. 85−42924
Takashima, M. *see* Takada, T. 86−70200
Takashima, M. *see* Tanabe, T. 88−45086
Takashima, M. *see* Wakui, G. 85−4120
Takashima, N. *see* Harashima, F. 86−51791, 87−43203
Takashima, N. *see* Takahashi, A. 88−24090
Takashima, R. *see* Ikeno, M. 85−3913
Takashima, S. Current trends in metallic conductor cable technology 87−76501
Takashima, S. Promising developments in optical fiber cable technology 88−22098
Takashima, S. *see* Fujioka, H. 88−1335
Takashima, S. *see* Kato, Y. 88−22138
Takashima, S. *see* Nakamae, K. 87−11323
Takashima, T., Hanaoka, R., Ishibashi, R., Ohtsubo, A. *I-V* characteristics and liquid motion in needle to plane configuration in transformer oil and liquid nitrogen 88−33450
Takashima, T., Ohtsubo, A., Ishibashi, R., Kawamura, S., Hanaoka, R. Calculation of grounding resistance of a combination electrode 86−70726
Takashima, T. *see* Baba, H. 88−55492
Takashima, T. *see* Ezura, E. 88−54062
Takashima, T. *see* Hanaoka, R. 88−11272, 88−33452
Takashima, T. *see* Ohtsubo, A. 86−45028
Takashima, Y., Arai, T. Current status of advanced boiling water reactor (ABWR) 85−43817
Takashima, Y., Maruno, F., Yamazaki, K., Shimada, J., Shashiki, M., Matsumoto, M. Remote control system for electronic switchboard 88−41479
Takashima, Y., Yoshimori, S., Tsujiai, H., Takeda, H. A method of discriminant processing of EEG signals with the aid of a microcomputer 88−61365
Takashima, Y. *see* Matsumoto, T. 86−43185, 87−54944
Takashima, Y. *see* Ogawa, R. 86−54719
Takashima, Y. *see* Okuda, Y. 88−13248
Takashima, Y. *see* Usubuchi, T. 85−51988
Takashina, H. *see* Takeko, S. 87−63142
Takashina, M. *see* Kamiya, T. 86−2822
Takasina, T. *see* Shiratori, K. 86−58064
Takasu, K. *see* Suzuki, K. 85−30651
Takasu, M. *see* Yamada, S. 88−3733
Takasu, S. Si wafer for VLSI 85−23919
Takasu, S. Wafer design 86−9240
Takasu, S., Homma, K., Toji, E., Kashima, K., Ohwa, M., Takahashi, S. Neutron transmuted magnetic Czochralski grown silicon wafer for power device 88−70307
Takasu, S. *see* Kubo, K. 85−20032
Takasu, S. *see* Mikata, Y. 87−6599
Takasu, Y., Todokoro, Y. Fabrication of submicrometre resist patterns using an edge-defined technique 85−12076
Takasu, Y., Todokoro, Y. Two layer resist systems for hybrid e-beam/deep-UV lithography 85−50353
Takasu, Y. *see* Miyazaki, T. 88−45043
Takasu, Y. *see* Todokoro, Y. 86−8947
Takasugi, A., Ohtsuki, Y., Kamo, A., Uesugi, M. A data-transfer architecture for fast multi-bit serial access mode DRAM 86−34815
Takasugi, A., Ohtsuki, Y., Uesugi, M. A 64K×4b nibble mode DRAM using time-multiplexed data-bus with 'master/slave data-transfer architecture' 86−20554
Takasugi, A. *see* Otsuki, Y. 87−5887
Takasugi, H., Kawabe, M., Bando, Y. Initial growth and dislocation accommodation of GaAs on Si(100) by molecular beam epitaxy 87−52143
Takasugi, H., Ueda, T., Kawabe, M., Bando, Y. Initial stage of molecular beam epitaxial growth of GaAs on (100) Si 87−23674
Takasugi, H. *see* Kawabe, M. 87−36753
Takasugi, H. *see* Limura, Y. 87−37889
Takasugi, M. *see* Yamamoto, J. 88−42193
Takasugi, T. Review of CCIR Volumes IX (fixed service using radio-relay systems) and IV/IX (frequency sharing and coordination between systems in the fixed-satellite service and radio-relay systems) 88−15319
Takasugi, T. *see* Masuko, H. 86−6134
Takasugi, Y. *see* Umezawa, T. 86−61743
Takasuka, S. *see* Hatano, H. 87−25563
Takasuna, T. *see* Kurosawa, Y. 86−33552
Takata, H., Uchino, E., Hori, S. A formal linearization via partial differential equation solved by the Hermite expansion 87−16536
Takata, H. *see* Komori, S. 88−32243
Takata, H. *see* Korenaga, S. 88−62177
Takata, H. *see* Uchino, E. 87−75765
Takata, I., Nishiumi, H., Iwamoto, H., Yuu, Y. A basic analysis of high voltage operation of high power transistors and diodes 86−41764
Takata, K., Morita, M., Matsuda, Y., Matsui, K. Cycling characteristics of secondary Li electrode in LiBF$_4$/mixed ether electrolytes 85−39179
Takata, K., Watanabe, Y., Kakeno, H. Analysis of heart rate variability using autoregressive model and treadmill exercise ECG test 85−26772
Takata, K., Watanabe, Y., Yokoyama, K. Quantification of the heart-beat rhythm using characteristic equation of autoregressive model of *R-R* intervals in ECG 88−61366
Takata, K. *see* Fukushima, Y. 85−64418, 86−31986
Takata, K. *see* Higo, T. 86−31987, 88−61047
Takata, K. *see* Hosaka, S. 88−71321
Takata, K. *see* Matsuda, Y. 85−16211, 86−33597
Takata, K. *see* Matsumoto, H. 88−54060
Takata, K. *see* Miyao, M. 86−18227
Takata, K. *see* Mizuno, H. 88−61050
Takata, K. *see* Takeda, S. 86−5696
Takata, K. *see* Watanabe, Y. 85−31855
Takata, K. *see* Yamazaki, Y. 88−54088
Takata, M., Ogawa, T., Kobayashi, F., Ikeda, S., Matumoto, H. Development of optical combustion timing sensor for a diesel engine 87−72548
Takata, M. *see* Kobayashi, K. 85−1430, 87−25212
Takata, M. *see* Yamashita, T. 88−7826, 88−20309
Takata, N., Fukuda, A. Saturation characteristics and gas flow effects on currents of tissue-equivalent and Mg ionisation chambers 86−38704
Takata, N., Hirosaki, Y., Myojin, S., Nishina, H., Tomita, Y. MELRAP-T, a program for upgrading the reliability and availability of thermal-power plants 85−4896
Takata, N., Matsuda, S. Development of new solar cells and their satellite applications 86−66351
Takata, N., Matsuda, S., Gomi, J., Toriyama, K., Goto, M., Hokuyo, S. Energy dependence of proton irradiation damage in GaAs solar cells and effects of combined radiation on them 87−78954
Takata, N., Sakihara, K. Effects of scattered X-rays and fluorescences on exposure measured with a free-air ionisation chamber 85−38257
Takata, N. *see* Kawashima, T. 86−64939
Takata, N. *see* Miyahara, T. 86−33575
Takata, N. *see* Morooka, K. 87−15935
Takata, S. The geneses of thermometers 86−55875
Takata, S., Minami, T., Miyata, T., Nanto, H. Growth of hexagonal ZnS thin films by MOCVD using CS$_2$ gas as a sulfur source 88−31768
Takata, S., Minami, T., Miyata, T., Nanto, H. High-quality zinc sulfide thin films grown by MOCVD using carbon disulfide as a sulfur source 88−38240
Takata, S., Minami, T., Nanto, H. The stability of aluminium-doped ZnO transparent electrodes fabricated by sputtering 86−41542
Takata, S., Minami, T., Nanto, H. Electro- and photoluminescence from sintered ceramic-plate of ZnO:Zn phosphor 88−40059
Takata, S. *see* Irisa, T. 85−43975, 86−6762, 86−56783
Takata, S. *see* Minami, T. 85−54516, 86−20090, 87−10497, 87−38938, 88−43937, 88−58371
Takata, S. *see* Nanto, H. 88−57336
Takata, S. *see* Nishio, M. 85−20288
Takata, S. *see* Senoda, T. 85−27530
Takata, S. *see* Ueda, R. 85−9997, 87−43523
Takata, T., Misaki, H., Takeuchi, H., Fukutomi, T., Sato, K. 5 V single-power operated EAROM 86−52839
Takata, T. *see* Fujiwara, T. 87−12905
Takata, T. *see* Kasami, T. 87−54981
Takata, T. *see* Lin, S. 87−39665, 88−45941
Takata, Y., Nakajima, Y. New technology in 1987 VCRs 87−49348
Takata, Y. *see* Funaki, K. 87−46406
Takata, Y. *see* Kawasaki, T. 87−41265
Takata, Y. *see* Yamaguchi, S. 85−38105
Takatani, S. Artificial heart and its control 88−10436
Takatani, S., Matsuoka, N., Shigeta, J., Hashimoto, N., Nakashima, H. Thermal stability of WSi$_x$/GaAs interface 87−24922
Takatani, S., Noda, H., Kohno, H., Takano, H., Akutsu, T. Optical sensor of Hb content of O$_2$ saturation: design, in vitro and in vivo evaluation 88−54534
Takatani, S., Takano, H., Taenaka, Y., Noda, H., Umezu, M., Kinshita, M., Akutsu, T. Development of a motor-driven total artificial heart (TAH) 88−54638
Takatani, S., Uchida, Y., Yokotsuka, T., Nakashima, H. GaAs MESFETs with a thermally stable LaB$_6$ self-aligned gate 88−26351
Takatani, S., Uchida, Y., Yokotsuka, T., Nakashima, H. GaAs MESFETs with a LaB$_6$ self-aligned gate 88−33248
Takatani, S. *see* Matsui, K. 86−58382
Takatani, S. *see* Uchida, Y. 87−38183
Takatini, S., Noda, H., Takano, H., Akutsu, T. A miniature hybrid reflection type optical sensor for measurement of hemoglobin content and oxygen saturation of whole blood 88−36433
Takato, H. *see* Horiguchi, F. 88−38525
Takato, H. *see* Natayama, A. 87−32564
Takato, H. *see* Oowaki, Y. 88−6740
Takato, H. *see* Tsuda, K. 88−7749
Takato, K. *see* Hashimoto, S. 87−31299
Takato, M. *see* Saikawa, K. 85−26976
Takato, N., Inoue, K., Jinguji, K., Yasu, M., Toba, H., Kawachi, M. Guided-wave multi/demultiplexer for optical FDM transmission 88−67409
Takato, N., Jinguji, K., Yasu, M., Toba, H., Kawachi, M. Silica-based single-mode waveguides on silicon and their application to guided-wave optical interferometers 88−72095
Takato, N., Yasu, M., Kawachi, M. Low-loss high-silica single-mode channel waveguides 86−36149
Takato, N. *see* Fitchew, K.D. 88−2039
Takato, N. *see* Inoue, K. 88−35503
Takato, N. *see* Oda, K. 88−35473, 88−73924
Takato, N. *see* Tate, A. 86−7823, 86−28806
Takato, N. *see* Toba, H. 87−70037, 88−22073, 88−47137
Takatoo, M., Abe, S., Bando, T., Hirasawa, K., Goto, M., Kato, T., Kanke, T. Floating vector processor for power system simulation 86−32625
Takatori, H., Kokubo, M., Shinotsuka, T., Kameyama, T., Suzuki, T., Kokumai, M. Architecture for fully integrated echo canceller LSI based on digital signal processing 88−2603
Takatori, H., Suzuki, T., Fujii, F., Ogawa, M. A CMOS line equalizer for a digital subscriber loop 85−30759
Takatori, H., Suzuki, T., Ogawa, M., Fujii, F. Low-power line equalizer for digital subscriber loop [for ISDN] 85−42106
Takatori, H. *see* Matsubara, O. 88−46773
Takatori, S. *see* Endoh, N. 88−17218
Takatori, S. *see* Sakamaki, T. 87−14093
Takatori, S. *see* Takahashi, K. 88−17220
Takatsu, A. *see* Ohsawa, S. 86−42218, 87−25908
Takatsu, H. *see* Ando, T. 86−42798
Takatsu, I., Moriizumi, T.A. Solid state biosensors using thin-film electrodes 87−71085
Takatsu, K., Itoh, S., Utsunomiya, T. A 3-bit DPCM coding system using adaptive prediction and adaptive quantization 85−25183
Takatsu, K. *see* Ishihara, H. 88−1599
Takatsu, M. *see* Okabe, Y. 86−15428
Takatsu, M. *see* Sugano, T. 85−56221
Takatsu, Y. *see* Fukuda, T. 87−10969
Takatsu, Y. *see* Mukai, M. 88−13570
Takatsuji, M. *see* Tsuruoka, H. 87−21205
Takatsuka, H. *see* Umemoto, E. 88−21474
Takatsuka, K. *see* Hama, H. 87−51405
Takatsuka, K. *see* Jogo, Y. 88−62522
Takatsuka, S. *see* Hatano, H. 87−31807
Takatsuka, T. *see* Takakusa, S. 86−31231
Takatsuka, T. *see* Yamagishi, Y. 86−23646
Takatsukasa, N. *see* Hoshino, Y. 87−3136, 87−28457
Takatsukasa, N. *see* Saburi, A. 86−4579
Takatsukasa, N. *see* Suzuki, K. 87−8235
Takatsuki, H. *see* Toko, T. 85−32510
Takatsuki, T. Value added networks 87−40121
Takatsuki, T., Shinohara, T. Development of a distributed computer network system NOMURA-CUSTOM 85−25541
Takatsunji, M. Entropy 85−25004
Takauchi, T. *see* Muto, S. 87−61108, 88−65608
Takawashi, T., Ozaki, Y., Oizumi, T., Sakai, Y. Characteristics and application engineering of NC die-sinking EDMs 88−11529
Takawashi, T., Ozaki, Y., Sakai, Y. Characteristics and application engineering of NC die-sinking EDMs 88−18255
Takawashi, T. *see* Kobayashi, K. 85−27869
Takawira, F., Ingram, D.G.W. Significance of phase distortion in digital transmission systems 86−23265
Takawira, F., Milstein, L.B. Narrowband interference rejection in PN spread spectrum communication systems using decision feedback filters 87−40685
Takawira, F., Milstein, L.B. Error propagation in decision feedback interference rejection DS spread spectrum systems 88−21941
Takaya, K. *see* Hasegawa, J. 86−50532
Takaya, M. The multilayer chip inductor features innovative design 87−45328
Takayama, H. *see* Abe, F. 87−77578
Takayama, H. *see* Aso, A. 88−19056

Takayama, H. *see* Kitano, T. 85—60357
Takayama, H. *see* Taguchi, T. 87—2737, 87—2739
Takayama, H. *see* Tanabe, T. 85—59813
Takayama, H. *see* Ueda, T. 85—32643
Takayama, J., Burgess, S.P. Enhancement to one inch VTRs 87—13986
Takayama, J. *see* Furuya, N. 86—49344
Takayama, J. *see* Ohuchi, M. 87—700, 88—6754
Takayama, K. Remote control system of power facilities for Tsugaru Strait line 87—5003
Takayama, K., Abe, I. Optical fiber cables 87—18623
Takayama, K., Hiramatsu, S. Ion-channel guiding in a steady-state free-electron laser 88—26997
Takayama, K. *see* Kabe, A. 88—54058
Takayama, K. *see* Kumagai, N. 88—68160
Takayama, K. *see* Mohri, K. 88—53625
Takayama, K. *see* Sonoda, T. 87—18532
Takayama, K. *see* Suzuki, Y. 87—43214
Takayama, K. *see* Takeshiro, S. 87—56983
Takayama, K. *see* Tanaka, A. 86—61918
Takayama, K. *see* Tonegawa, A. 85—15149, 85—37872, 87—56984
Takayama, K. *see* Ueda, R. 88—55353
Takayama, K. *see* Ueda, Y. 88—48508
Takayama, K. *see* Yabe, E. 85—15151, 85—37870, 86—5744, 87—56978
Takayama, K. *see* Yokota, Y. 86—61700
Takayama, M. *see* Arita, T. 87—34474
Takayama, M. *see* Yano, K. 85—51869
Takayama, M. *see* Yusa, A. 86—50112, 86—65125
Takayama, R., Tomita, Y., Iijima, K., Ueda, I. Preparation and characteristics of pyroelectric infrared sensors made of *c*-axis oriented La-modified $PbTiO_3$ thin films 87—35084
Takayama, R., Tomita, Y., Iijima, K., Ueda, I. Pyroelectric linear array infrared sensors made of *c*-axis-oriented La-modified $PbTiO_3$ thin films 88—67789
Takayama, R. *see* Iijima, K. 86—62224
Takayama, S., Kariya, K. Why consider transition measurement of amplitude probability density distribution (APDD) 86—57236
Takayama, S., Kirino, F., Suzuki, Y., Okamine, S., Ohta, N. Magneto-optical recording media of Gd based amorphous alloy systems with high Kerr rotation 88—58259
Takayama, S., Nihara, T., Kaneko, K., Sugita, Y. Influence of sputtering Ar pressure on characteristics of Tb-Co amorphous thin films 86—63534
Takayama, S., Niihara, T., Kaneko, K., Sugita, Y. Magnetic and magneto-properties of TbFeCo amorphous films 87—74496
Takayama, S., Niihara, T., Kaneko, K.., Sugita, Y., Ojima, M. Magnetic and magneto-optical properties of Tb-Fe-Co amorphous films 87—60782
Takayama, S. *see* Akashi, M. 88—19187
Takayama, S. *see* Ishitani, T. 85—9030
Takayama, S. *see* Kirino, F. 88—51601
Takayama, S. *see* Niihara, T. 85—7133, 86—63528
Takayama, S. *see* Obata, S. 88—60495 to 60496
Takayama, S. *see* Ojima, M. 85—51008, 86—36271, 86—68350
Takayama, S. *see* Saito, T. 87—28976
Takayama, S. *see* Suda, Y. 88—29390, 88—42159
Takayama, S. *see* Suzuki, K. 85—26217, 85—31380
Takayama, S. *see* Suzuki, Y. 88—51160
Takayama, S. *see* Takahashi, M. 87—25823
Takayama, S. *see* Takai, T. 86—34856
Takayama, T. Resonance injection method for the compact superconducting SR-Ring 87—56994
Takayama, T. *see* Kitagaki, T. 88—27124
Takayama, T. *see* Noro, T. 86—70362
Takayama, T. *see* Yamamoto, N. 85—16945
Takayama, V. *see* Aoyagi, J. 86—38952
Takayama, Y. Microwave GaAs ICs 86—1367
Takayama, Y., Fuji, S., Tanabe, T., Kawauchi, K., Yoshida, T., Yamashita, K. A 1ns 20K CMOS gate array series with configurable 15 ns 12K memory 86—8186
Takayama, Y., Kuki, T., Shigemoto, N., Kamei, J., Owai, T., Imai, I., Kato, S., Shimizu, M. High capacity radio paging system 88—21986
Takayama, Y. *see* Hagiwara, S. 86—1938
Takayama, Y. *see* Kohzu, H. 85—29125
Takayama, Y. *see* Kuzuhara, M. 85—12163
Takayama, Y. *see* Ohzeki, M. 87—31812
Takayanagi, F., Iijima, K., Iida, M., Kimura, N. Fuse installed chip solid tantalum capacitors 88—50436
Takayanagi, F. *see* Imanishi, M. 87—73813
Takayanagi, F. *see* Mochizuki, K. 86—58080
Takayanagi, H., Kawakami, T. Superconducting proximity effect in the native inversion layer on InAs 86—28065
Takayanagi, H., Kawakami, T. Planar-type InAs-coupled three-terminal superconducting devices 86—48009
Takayanagi, H. *see* Kawakami, T. 85—24228, 88—33572
Takayanagi, K. The commencement of television broadcasting in Japan 87—28744
Takayanagi, K. 7×7 reconstructed structure of Si(111) surface—UHV microscope study 88—1343
Takayanagi, K. *see* Shimizu, N. 86—28212
Takayanagi, M. Design of a sliding pressure OTEC plant 86—33208
Takayanagi, S. *see* Suzuki, T. 85—37294
Takayanagi, T. *see* Nishio, M. 85—20288
Takayanagi, T. *see* Taya, A. 86—33829
Takayashiki, T. *see* Ono, T. 86—47488
Takayashiki, T. *see* Uehara, H. 86—17155
Takayasu, G. *see* Mills, J. 86—52289
Takayasu, I. *see* Makita, Y. 85—45533
Takayasu, I. *see* Yamaguchi, E. 87—73066
Takayasu, M., Kelland, D.R. Dynamic magnetic separation by a magnetic susceptibility distribution 85—24775
Takayasu, M., Kelland, D.R. Selective continuous magnetic separation of two-component particulate suspensions 87—26653
Takayasu, M., Maxwell, E., Kelland, D.R. Continuous selective HGMs in the repulsive force mode 85—24776
Takayasu, M. *see* Steeves, M.M. 88—65067
Takazane, J., Fukada, N., Nasuno, T., Ohsawa, M. Capital zone power control system. I 86—56986
Takazane, J., Ohsawa, M., Nasuno, T., Fukada, N. Control system for metropolitan loop electric power system. II. [railway power system] 86—65620
Takazawa, H., Kajikawa, T. Characteristics of spiral double-fin tubes with drainage gutters 87—22175
Takazawa, H., Kajikawa, T., Toyofuku, T., Kuno, H., Hamaoka, M. Characteristics of spiral drainage tubes with drainage gutters 87—22176
Takazawa, H., Murata, A., Kajikawa, T. Steady-state characteristics and sensitivity analysis of closed cycle OTEC power system 87—22169
Takazawa, H. *see* Haneishi, M. 85—30115, 85—41767
Takazawa, H. *see* Kajikawa, T. 87—22170, 87—22174, 87—22180
Takazawa, H. *see* Miyata, Y. 88—21489
Takazawa, H. *see* Murata, A. 87—22171 to 22172
Takazawa, K. High-precision clock oscillators for modern microprocessor timing 85—6389
Takazawa, K. The importance of clock oscillators in timing stability for microprocessors 85—24042
Takazawa, K., Honda, S. Analysis of crystal oscillator circuits using TTL gate 85—62141
Takazawa, M. *see* Takeuchi, M. 85—54285
Takazawa, O., Fukuda, Y., Nirasawa, T., Okamura, H. Multichannel color TV 20J650 85—52501
Takazawa, S. High density mounting demanded of automatic soldering systems 86—58139
Takazawa, S. Optimal automatic soldering machine for high-density mounting 87—6226
Takazawa, S. Dual wave soldering system meets diversifying needs 87—43977
Takazawa, S. New flow soldering and reflow soldering devices 87—66717
Takazawa, S. Recent innovations in automatic soldering technology 88—37962
Take, H., Funada, F., Matsuura, M. Liquid crystal display 86—44364
Take, H. *see* Funada, F. 87—3694
Take, H. *see* Ishii, Y. 86—31247
Take, K. *see* Aoki, T. 86—66844
Take, T., Akuto, K. Positive pole corrosion in lead-acid batteries 86—71048
Take, T. *see* Matsushima, T. 87—72230, 88—30833
Takebayashi, C. *see* Ohdomari, I. 85—12127
Takebayashi, M. *see* Sekigami, K. 88—17817
Takebayashi, T., Murano, K., Yamamoti, K., Mori, H., Andoh, Y., Miyazaki, T. A 32 kbps ADPCM with improvement in coding characteristics for 9600 bps modem signal 87—28241
Takebayashi, T. *see* Asharif, M.R. 87—19821
Takebayashi, T. *see* Chujo, T. 88—46710
Takebayashi, W. *see* Sugawa, T. 87—48626
Takebayashi, Y. A consideration of learning in speech recognition from the viewpoint of AI class-description learning 88—34621
Takebayashi, Y., Shinoda, H., Asada, H., Nitta, T., Hirai, S., Watanabe, S. Telephone speech recognition using a hybrid method 85—36229
Takebayashi, Y. *see* Matsu'ura, H. 88—66378
Takebayashi, Y. *see* Tsuboi, H. 87—27306
Takebe, H., Takahashi, N., Sakaida, Y., Hori, T., Nakao, Y. A CMOS 4-bit microcomputer for voltage synthesizers [TV and VTR applications] 85—20374
Takebe, H., Wada, T., Kase, M., Kambara, T., Kamitsubo, H. Control system of the RIKEN ring cyclotron 88—42356
Takebe, K. *see* Isobe, K. 88—40133, 88—51737
Takebe, M. *see* Sasaki, S. 87—50146
Takebe, T. Switched-capacitor variable attenuation equalizers 86—62720
Takebe, T., Hayashihara, M., Kato, K. Switched-capacitor variable delay equalizer complex circuit structure 86—67346
Takebe, T., Higashide, H., Nishikawa, K. Design of FIR lowpass matched filter pairs with zero intersymbol interference and quasi equiripple stopband attenuation 85—965
Takebe, T., Higashide, H., Nishikawa, K. Approximation of FIR transmitter and receiver lowpass filters for data transmission with zero intersymbol interference 86—1306
Takebe, T., Imura, Y., Yamamoto, T. Recursive expression of phase and delay of IIR lattice digital all-pass network 86—14386
Takebe, T., Kunieda, H. An overview on analysis and design of switched-capacitor circuit 86—695
Takebe, T., Matsumoto, T. Design of IIR Nyquist filter pairs with equiripple stopband attenuation 86—67378
Takebe, T., Matsumoto, T. Optimum design of stop-band equiripple FIR Nyquist filters 87—37470
Takebe, T., Matsumoto, T. Design of IIR Nyquist filter pairs with equi-ripple stopband attenuation 88—12515
Takebe, T., Murai, S., Tada, K., Akai, S. Characterization of In-mixed dislocation-free GaAs crystals for IC application 86—53358
Takebe, T., Shimazu, M., Kawasaki, A., Kotani, T., Nakai, R., Kikuchi, K., Murai, S., Tada, K., Akai, S., Suzuki, T. Characterization of SI GaAs substrate uniformity for IC application 85—55971
Takebe, T., Shimazu, M., Kawasaki, A., Kotani, T., Nakai, R., Kikuchi, K., Murai, S., Tada, K., Akai, S., Suzuki, T. Effects of dislocations on characteristics of FETs fabricated on undoped LEC SI GaAs substrates 86—9171
Takebe, T., Tsuji, T. A method for designing IIR quadrature mirror filters 88—56807
Takebe, T. *see* Chaisawadi, A. 88—56808
Takebe, T. *see* Imiya, A. 88—28057
Takebe, T. *see* Kato, K. 85—17669, 85—55026, 88—56805
Takebe, T. *see* Miura, Y. 88—50985
Takebe, T. *see* Nakai, R. 85—33401
Takebe, T. *see* Nishikawa, K. 85—17642
Takebe, T. *see* Sasaki, S. 85—59767
Takebe, T. *see* Takahashi, N. 85—28650
Takebe, T. *see* Tomiyama, S. 88—19254
Takechi, M. *see* Ban, Y. 87—36751
Takechi, M. *see* Kan, H. 87—14862
Takechi, M. *see* Kawashima, M. 87—59362
Takechi, M. *see* Kukimoto, H. 87—10407
Takechi, M. *see* Tanaka, H. 88—1688
Takechi, M. *see* Yamagishi, M. 86—46723
Takeda, A. *see* Ito, Y. 88—71056
Takeda, E. Hot-carrier effects in submicrometre MOS VLSIs 85—1746
Takeda, E. Hot-carrier and wear-out phenomena in submicron VLSI's 86—41972
Takeda, E., Hisamoto, D., Toyabe, T. A new soft-error phenomenon in VLSIs: the alpha-particle-induced source/drain penetration (ALPEN) effect 88—57778
Takeda, E., Jones, G.A.C., Ahmed, H. Constraints on the application of 0.5-μm MOSFET's to ULSI systems 85—40902
Takeda, E., Ohji, Y., Kume, H. High field effects in MOSFETs 86—47596
Takeda, E., Shimizu, A., Kume, H., Itoh, K. A role of source n^- region in LDD MOSFETs 86—63303
Takeda, E., Takeuchi, K., Yamasaki, E., Toyabe, T., Ohshima, K., Itoh, K. Effective funneling length in Alpha-particle induced soft errors [submicron devices] 87—25490
Takeda, E., Takeuchi, K., Yamasaki, E., Toyabe, T., Ohshima, K., Itoh, K. The scaling law of alpha-particle induced soft errors for VLSI's 87—46128
Takeda, E., Tekeuchi, K., Toyabe, T., Ohshima, K., Itoh, K. Key factors in reducing soft errors in mega-bit DRAMs—funneling and scalability 88—757
Takeda, E. *see* Hamada, A. 87—74297, 88—7604
Takeda, E. *see* Hisamoto, D. 88—19978
Takeda, E. *see* Igura, Y. 88—7609, 88—19976
Takeda, E. *see* Izawa, R. 88—1656, 88—39643
Takeda, E. *see* Takeuchi, K. 88—6871
Takeda, F., Sakamoto, K., Kobayashi, K. A model for monocomponent development process using edge enhancement effects of floating electrodes [electrophotography] 86—42787
Takeda, F., Sakamoto, K., Kobayashi, K. Field enhancement effect development using floating electrodes 87—9970
Takeda, F., Sakamoto, K., Kobayashi, K. Model for a mono-component development process using edge enhancement effects of floating electrodes [electrophotography] 88—55756
Takeda, F., Shiosaki, T., Kawabata, A. High velocity and high coupling surface acoustic waves using ZnO films on ceramic substrates with high acoustic velocity 86—15301
Takeda, F. *see* Asao, H. 85—61467, 87—7026, 87—45223
Takeda, F. *see* Coffman, T. 87—59488
Takeda, F. *see* Ishida, O. 86—67474, 87—27095
Takeda, F. *see* Isota, Y. 87—73522
Takeda, F. *see* Matsunaga, M. 87—59868

Takeda, F. *see* Sakai, E. 88-61085
Takeda, F. *see* Sakamoto, K. 86-42789
Takeda, F. *see* Shiosaki, T. 87-6975
Takeda, F. *see* Sunahara, Y. 86-68725
Takeda, F. *see* Takagi, T. 85-17853, 86-8488
Takeda, H. Quantized field formulation of the free electron laser in the Heisenberg picture 87-2205
Takeda, H. Thermal shock test equipment: is air truly versatile? 88-143
Takeda, H. Transient analysis of a coupled accelerator and decelerator system 88-54211
Takeda, H., Furuya, R., Satake, Y. Testing and evaluation of INS Model System broadband communications system 86-59476
Takeda, H., Furuya, R., Satake, Y., Suzuki, M. Broadband communication system test results and evaluation of INS Model System 86-16667
Takeda, H., Hata, S. On the micro-computerized topographic display system of the amplitude and the frequency distributions of EEG 86-70421
Takeda, H., Hata, S. Auditory feedback system of electroencephalogram 88-16753
Takeda, H., Kirihara, Y., Tokikuni, K. INS Model System field experience 88-15209
Takeda, H., Kirihara, Y., Tokikuni, K.,.Wataya, H. INS Model System field experience 87-76042
Takeda, H., McVey, B.D., Goldstein, J.C. Theoretical study of a high-extraction efficiency undulator for a free electron laser oscillator 87-75190
Takeda, H., Nakamura, K., Tsuru, M. ASIC technologies 88-71764
Takeda, H., Niu, K. Numerical analysis for effects of irradiation nonuniformities on target implosion 88-62484
Takeda, H., Tabata, K., Hananoi, T. Matching of distorted central symmetry image—an application to seal impressions collation 86-69166
Takeda, H., Tokikuni, K., Furuya, R. Broadband telecommunications services in the INS model system 87-40158
Takeda, H. *see* Colton, E.P. 85-20768
Takeda, H. *see* Feldman, D.W. 87-75136, 88-2285, 88-45487
Takeda, H. *see* Kanoh, K. 88-31428
Takeda, H. *see* Niu, K. 88-62483
Takeda, H. *see* Ohno, K. 86-895
Takeda, H. *see* Segall, S.B. 85-56706
Takeda, H. *see* Takai, K. 88-28583
Takeda, H. *see* Takashima, Y. 88-61365
Takeda, H. *see* Wang, T.-S.F. 88-47890
Takeda, H. *see* Zhang, X.-D. 87-75798
Takeda, I. *see* Murata, T. 88-43200, 88-69371
Takeda, I. *see* Tamura, J. 86-12792 to 12793, 86-61499, 87-72112, 88-37195 to 37196, 88-69321
Takeda, J., Nishio, M., Sengoku, M., Shiomi, Y. 3270 SNA/SDLC Emulation Module (EM 3270) 85-36560
Takeda, J. *see* Kojiro, T. 85-42595, 85-53454
Takeda, J. *see* Nosaka, E. 85-40384
Takeda, J. *see* Nozaki, T. 86-43690, 86-64456
Takeda, K. Transport layer [OSI] 85-63332
Takeda, K., Funaya, T., Masui, J. Remote maintenance experience with the dissolvers in the Tokai reprocessing plant 86-19801
Takeda, K., Ishino, F., Ito, Y., Kasai, R., Nakashima, T. A single chip 80b floating point processor 86-14295
Takeda, K., Ishino, F., Ito, Y., Nakashima, T. A single-chip 80-bit floating point processor 86-20596
Takeda, K., Kubota, Y., Sasaki, J. Deterioration estimation of thermo-shrinkable tube by blowtorch heating 85-61499
Takeda, K., Kubota, Y., Sasaki, J., Yanagihara, M. Air-tightness improvement for cable splice case using glass mat reinforced polypropylene 87-11094
Takeda, K., Matsumoto, N., Taguchi, A., Taki, H., Ohta, E., Sakata, M. Hole mobility of GaAs, GaP, and $GaAs_{1-x}P_x$ mixed-compound semiconductors 85-55467
Takeda, K., Ueda, F., Yamaguchi, T. Effect of localized stress on power loss in (110) [001] Si-Fe with low thickness 86-58662
Takeda, K., Yamaguchi, T. Magnetic properties in thinned grain oriented Si-Fe sheet 88-57912
Takeda, K. *see* Hayashi, E. 87-8622
Takeda, K. *see* Izumo, T. 86-7299
Takeda, K. *see* Kawakami, T. 86-49215, 87-8474
Takeda, K. *see* Kobayashi, H. 87-8257, 87-34593
Takeda, K. *see* Kubota, Y. 87-40872, 87-62987, 88-19452, 88-73943
Takeda, K. *see* Masuda, S. 88-7736
Takeda, K. *see* Mitarai, G. 85-17170
Takeda, K. *see* Oguma, Y. 87-63408, 88-60816
Takeda, K. *see* Sasaki, J. 85-23176
Takeda, K. *see* Shima, T. 86-11017
Takeda, K. *see* Tomaru, S. 87-54400
Takeda, K. *see* Ueda, F. 87-3725
Takeda, K. *see* Yamaguchi, T. 85-35290, 88-1855
Takeda, K. *see* Yamakawa, K. 87-40789
Takeda, K. *see* Yamamoto, S. 88-31222
Takeda, M. CMOS clock oscillators grow in applications 86-41189
Takeda, M. Optical interconnections: an overview 88-8084
Takeda, M. Recent trends of multifunctional telephones 88-9303
Takeda, M., Hashimoto, M., Sato, K. A new displacement sensor using pseudoelastic titanium-nickel alloy wire 87-77213
Takeda, M., Ikeda, K., Taramoto, A., Kurolwa, T., Soejima, T., Omori, S. A harmonic-current compensator with an active filter 88-11515
Takeda, M., Ikeda, K., Tominaga, Y. Harmonic current compensation with active filter 88-30900
Takeda, M., Kanatani, Y., Kishishita, H., Uede, H. Reducing the distance between EL display and CRT 86-55789
Takeda, M., Ogo, S., Tamura, T., Kamiura, H., Noda, H., Yamashita, I., Kawaguchi, T., Ando, D., Kuroda, H. 12.5-inch LCD addressed by a-Si TFTs employing redundancy technology 87-56764
Takeda, M., Ogo, S., Tamura, T., Kamiura, H., Noda, H., Yamashita, I., Kawaguchi, T., Ando, D., Kuropa, S. 12.5-inch active matrix type color LCD using redundancy structure 88-16292
Takeda, M., Qing-Shin Ru Computer-based highly sensitive electron-wave interferometry 86-3325
Takeda, M., Sashida, N. Static VAR compensators and their applications 85-49019
Takeda, M., Sugihara, Y., Makitani, H. Precision digital manometer, Model 2661 87-29189
Takeda, M., Tung, Z. Subfringe holographic interferometry by computer-based spatial-carrier fringe-pattern analysis 85-51292
Takeda, M., Yoshida, Y., Tsukamoto, T., Hayashi, S., Yamashita, K. Voltage regulation characteristics of 24-pulse rectifier for JT-60 toroidal field power supply system 87-22545
Takeda, M. *see* Ikeda, K. 87-9678
Takeda, M. *see* Masuda, H. 88-31845
Takeda, M. *see* Matsukawa, T. 87-9675
Takeda, M. *see* Matsuoka, S. 85-36840
Takeda, M. *see* Miura, N. 85-55187
Takeda, M. *see* Nakajima, M. 85-19534, 86-68987
Takeda, M. *see* Ogawara, T. 86-57891
Takeda, M. *see* Onishi, T. 85-56251, 86-52746
Takeda, M. *see* Sone, K. 86-1156
Takeda, M. *see* Tateishi, H. 87-67913
Takeda, M. *see* Tsuya, H. 86-21116
Takeda, M. *see* Wada, T. 85-12154, 85-45553, 86-15019, 87-60307
Takeda, M. *see* Yasuda, K. 85-34475, 85-41272, 85-56439
Takeda, N. *see* Ando, K. 85-29581, 85-45965, 86-9486 to 9487
Takeda, O., Sugimoto, A., Adachi, S., Yao, H., Kinoshita, I. Recent chassis dynamometers for vehicle testing 85-31598
Takeda, O. *see* Hayakawa, K. 87-14671
Takeda, R. *see* Maruyama, H. 85-15759
Takeda, R. *see* Saito, Y. 88-32751
Takeda, S. Magnetic circuits of lumped-element circulator with thin-type structure 85-28697
Takeda, S. Magnetic circuits of lumped-element circulator with thin-type structure 87-972
Takeda, S. Present and future outlook of surface mounting devices 88-37973
Takeda, S., Akiyama, A., Katoh, T., Kudo, K. Man-machine interface of TRISTAN 86-24877
Takeda, S., Fukushima, Y., Kamei, T., Matsumoto, H., Mizuno, H., Noguchi, S., Sato, I., Shidara, T., Shintake, T., Takata, K., Kuroda, H., Nakano, N., Nishimura, H., Soda, K., Mutou, M., Yoshioka, M., Miyao, M., Kato, Y., Kanabe, T. LASERTRON for a linear collider in TeV region 86-5696
Takeda, S., Hori, T., Tsumori, K., Kimura, N., Yamamoto, T., Sawai, T., Ohkuma, J., Okada, T. Real time bunch shape measurements in the Osaka single bunch electron linac 88-54176
Takeda, S., Kawashima, M. Temperature-stabilization of a lumped-element circulator in the VHF region 85-61441
Takeda, S., Kawashima, M. Temperature-stabilization of lumped-element circulator in VHF region 87-974
Takeda, S., Kudo, K., Katoh, T., Akiyama, A. Safety and interlock system for TRISTAN 88-53993
Takeda, S., Tsumori, K., Kimura, N., Yamamoto, T., Hori, T., Sawai, T., Ohkuma, J., Takamuku, S., Okada, T., Hayashi, K., Kawanishi, M. High-current single bunch electron linear accelerator 86-24914
Takeda, S. *see* Fukushima, Y. 85-64418, 86-31986
Takeda, S. *see* Hayashi, E. 87-41566
Takeda, S. *see* Homma, A. 87-14690
Takeda, S. *see* Hori, T. 87-14687
Takeda, S. *see* Ichikawa, A. 86-16224
Takeda, S. *see* Kakihara, T. 86-55390
Takeda, S. *see* Kaneto, K. 86-1814
Takeda, S. *see* Katoh, T. 88.-52912
Takeda, S. *see* Kinoshita, Y. 88-51357
Takeda, S. *see* Kitahara, Y. 88-21141
Takeda, S. *see* Komai, K. 87-78020
Takeda, S. *see* Koumoto, K. 88-25914
Takeda, S. *see* Kurokawa, S. 86-60404
Takeda, S. *see* Maeda, H. 86-62395
Takeda, S. *see* Maruyama, K. 86-71146
Takeda, S. *see* Matsumoto, H. 88-54060
Takeda, S. *see* Miyao, M. 86-18227
Takeda, S. *see* Nagao, K. 86-2421
Takeda, S. *see* Nakamura, Y. 86-66732
Takeda, S. *see* Ohura, Y. 86-65635
Takeda, S. *see* Saito, T. 87-37359
Takeda, S. *see* Sakai, Y. 86-24479
Takeda, S. *see* Sato, Y. 87-9167, 87-9697, 88-69517
Takeda, S. *see* Shinohara, K. 87-14676
Takeda, S. *see* Tsuji, K. 86-57343
Takeda, S. *see* Usukura, T. 85-52062
Takeda, S. *see* Yamamoto, Y. 87-14672
Takeda, S. *see* Yoshino, K. 86-66866, 87-53940
Takeda, T. Advanced remote centralized supervision system for power supply equipment 86-33508
Takeda, T. Electrical field pattern on the common vertex of multiple dielectric media 88-33411
Takeda, T., Akatsuka, T., Matsuda, M., Sugishita, Y., Akisada, M. Cardiac wall motion obtained by digital subtraction angiography (DSA) without contrast material 88-23058
Takeda, T., Haeiwa, T., Kita, E., Tasaki, A. Low temperature characteristics of GaAs FET (3SK97, 3SK121) for UHF SQUID 88-33257
Takeda, T., Kurosu, T., Lida, M., Yao, T. Growth of ZnS/ZnTe and ZnSe/ZnTe superlattices by molecular beam epitaxy and atomic layer epitaxy 87-5422
Takeda, T., Saito, M. Evaluation of sector alternation methods for optical disks 88-58062
Takeda, T., Saito, M., Itao, K. System design of optical micro-disk subsystem 88-65135
Takeda, T., Sakamoto, K. A distributed power architecture for the digital switching system in NTT 87-30826
Takeda, T., Tagami, K., Watanabe, T. Bit shift characteristics on perpendicular recording using single-layer Co-Cr media and ring heads 87-46374
Takeda, T., Tagami, K., Watanabe, T. Overwrite temperature dependence for magnetic recording 88-71931
Takeda, T., Tazawa, S., Yoshii, A. Precise ion-implantation analysis including channeling effects 87-1384
Takeda, T., Tokoh, A. Low-stress polyimide resin for IC 88-63394
Takeda, T., Yoshii, A. Two dimensional modeling based on Boltzmann transport equation for ion implantation 85-23655
Takeda, T., Yoshii, A. Axial channeling model for a two-dimensional Boltzmann transport equation method for ion implantation analysis 85-55661
Takeda, T., Yoshii, A. Two-dimensional modelling based on Boltzmann transport equation for ion implantation 87-53351
Takeda, T. *see* Akatsuka, T. 85-38120
Takeda, T. *see* Arai, Y. 87-26343
Takeda, T. *see* Hara, T. 87-1446
Takeda, T. *see* Kamide, H. 86-18996
Takeda, T. *see* Komura, S. 88-48034
Takeda, T. *see* Kuwabara, T. 86-34265, 87-65427
Takeda, T. *see* Nakano, M. 88-5463
Takeda, T. *see* Nakano, S. 87-16155
Takeda, T. *see* Ohtaka, M. 88-72416
Takeda, T. *see* Saito, M. 88-58061
Takeda, T. *see* Saitoh, M. 88-45067
Takeda, T. *see* Takehara, H. 88-22142
Takeda, T. *see* Tazawa, S. 87-45984
Takeda, T. *see* Yamanaka, C. 87-26325
Takeda, T. *see* Yamazaki, H. 85-44294
Takeda, T. *see* Yao, T. 86-57436
Takeda, Y. Thermofluid behaviour of the lead bismuth eutectic target for the spallation neutron source at SIN 85-59139
Takeda, Y. Thermofluid dynamics in liquid targets 86-5773
Takeda, Y. Velocity profile measurement by ultrasound Doppler shift method 87-21280
Takeda, Y. Measurement of velocity profile of mercury flow by ultrasound Doppler shift method 88-30204
Takeda, Y. Photovoltaic power generating system in the power distribution system 88-69228
Takeda, Y., Fujita, S., Sasaki, A. Growth and properties of constant composition bulk GaAsP ternary alloys 86-410
Takeda, Y., Gerber, C. The development work at the liquid lead-bismuth target for SINQ 86-56009
Takeda, Y., Hirasa, T. Technological trends of motor variable-speed control system development 88-69658
Takeda, Y., Hirasa, T. Current phase control methods for permanent magnet synchronous motors considering saliency 88-75595

Takeda, Y., Ichimura, M., Sasaki, A. Predicted extremely high mobilities of two-dimensional electrons in AlGaSb/GaSb and AlInAsSb/InAs single heterostructures 85—61740
Takeda, Y., Iizuka, N., Daido, Y., Takenaka, S., Nakamura, H. Performance of 256 QAM modem for digital radio system 86—55194
Takeda, Y., Kanno, R., Noda, M., Yamamoto, O. Lithium organic electrolyte cells using the copper Chevrel phase as a cathode 85—39185
Takeda, Y., Kanno, R., Tsuji, Y., Yamamoto, O. Rechargeable lithium/chromium oxide cells 85—16212
Takeda, Y., Kondo, M., Okano, N., Sasaki, A. Evaluation of magnesium and manganese as the *P*-type dopant for InP/InGaAs heterojunction transistors 86—28300
Takeda, Y., Nishikawa, S., Hirasa, T. Commutatorless motor of armature-field perpendicular type utilizing d-axis damper current 85—16032
Takeda, Y., Nishikawa, S., Hirasa, T. Commutatorless motor of armature-field perpendicular type 85—21581
Takeda, Y., Noda, S., Nakashima, K., Sasaki, A. Surface treatment of GaSb substrate and extremely low temperature LPE growth of AlGaSb 85—22485
Takeda, Y., Noda, S., Sasaki, A. Is the intrinsic conductivity of AlGaSb grown at low temperatures *n* or *p* type? 85—1294
Takeda, Y., Noda, S., Sasaki, A. Growth temperature dependence of intrinsic and extrinsic acceptor concentrated in (Ga,Al)Sb evaluated by *C-V* characteristics of metal-insulator-semiconductor structures 85—28960
Takeda, Y., Sasaki, A. Re-assessment of electron mobility and conduction-band deformation potential in indium phosphide 85—34506
Takeda, Y., Sasaki, A. Calculated electron mobility of two-dimensional electrons in AlInAs/InGaAs and InP/InGaAs single heterostructures 86—14898
Takeda, Y., Sato, C. Switched capacitor filter block with two clock frequencies 88—12505
Takeda, Y., Takahashi, M., Kumano, M., Yuya, S., Yukawa, M., Sakata, S. A 1000 kW-class central photovoltaic-power system 85—21516
Takeda, Y., Takigawa, K., Hashimoto, E., Hayashi, T. Utility interface problems of distributed PV system 86—6617
Takeda, Y., Takigawa, K., Kobayashi, H. Field experiment of small PV systems cooperated with utility grid 87—9441
Takeda, Y., Takigawa, S., Kasu, M., Sasaki, A. Characteristics of electron traps and hole traps at InGaAs/InP heterointerfaces 86—53437
Takeda, Y., Takigawa, S., Sasaki, A. Electrical and optical properties of Ag/p-InP/p-InGaAs Schottky photodiodes 85—18807
Takeda, Y., Takigawa, S., Sasaki, A. 1 μm band Ag/p-InP/p-InGaAs Schottky photodiode 86—36340
Takeda, Y., Tsuji, M., Hirase, T. Improvement of output characteristics of thyristor motor by direct-axis compensating winding 86—33372
Takeda, Y., Uda, I., Tada, S. Heat-resistant, cross-linked polyvinyl chloride insulated wire 85—55210
Takeda, Y., Yagisawa, T., Suyama, T., Yamamoto, M. Application of magnetic wedges to large motors 85—27376
Takeda, Y., Yamamoto, O. Electrodeposition of amorphous silicon 85—33470
Takeda, Y., Yamashita, M., Hirasa, T., Fuchi, K. Thyristor motor with incremental RE for position sensor 86—51663
Takeda, Y., Yoshida, Y. Promotion of basic R&D in the field of telecommunications 88—8932
Takeda, Y., Yoshine, H., Koga, Y., Maeda, M. Trends in optoelectronics 85—20188
Takeda, Y., Zhu, Y., Sasaki, A. Properties of DX-center-like traps in AlGaSb 88—64260
Takeda, Y. *see* Atchison, F. 85—64446, 86—55998
Takeda, Y. *see* Daido, Y. 85—42438, 86—68962
Takeda, Y. *see* Fujita, S. 88—63326
Takeda, Y. *see* Kaneko, Y. 88—9461
Takeda, Y. *see* Kanno, R. 86—45647, 87—78891
Takeda, Y. *see* Nakamura, Y. 86—4008
Takeda, Y. *see* Nishiura, M. 88—74519
Takeda, Y. *see* Sasaki, A. 86—29020, 88—51697
Takeda, Y. *see* Shinomiya, H. 87—43833, 88—57483
Takeda, Y. *see* Takahashi, M. 86—6634, 87—9440
Takeda, Y. *see* Takenaka, S. 85—14120
Takeda, Y. *see* Takigawa, K. 86—39638, 88—37100
Takeda, Y. *see* Taniguchi, K. 87—64581
Takeda, Y. *see* Yamamoto, M. 86—33337
Takeda, Y. *see* Yamamoto, O. 87—30932
Takeda, Y. *see* Zhu, Y. 88—19745
Takedayashi, Y. A sample of cogeneration system in a hotel 87—71923
Takefuji, Y. Five dollar 300 baud modem 86—64805
Takefuji, Y., Brunson, D. VLSI spanning tree generators 85—40839
Takefuji, Y., Hewitt, I. VLSI Eulerian circuit generator 87—10616
Takefuji, Y., Hollis, P., Foo, Y.P., Cho, Y.B. Error correcting system based on neural circuits 88—59034
Takefuji, Y., Jannarone, R., Cho, Y.B., Chen, T. Multinomial conjunctoid statistical learning machines 88—64776
Takefuji, Y. *see* Cho, Y.B. 88—49945
Takefushi, H. *see* Takahashi, K. 87—2660
Takegahara, H., Ohtsuka, T., Kimura, I. Effect of applied magnetic fields on a solid-propellant pulsed plasma thruster 85—31928
Takegahara, T., Tanabe, H., Suganami, H. Sound transmission for HDTV using baseband multiplexing into MUSE video signal 88—29075
Takegahara, T. *see* Hoshino, Y. 87—20772
Takegaki, H. *see* Kitamura, S. 85—30935
Takegawa, K. *see* Nagata, H. 88—28627
Takegawa, K. *see* Yamamoto, K. 86—30702
Takegawa, T. *see* Ohtani, N. 88—13996
Takegawa, T. *see* Tateiba, M. 86—69809
Takegoshi, E., Hirasawa, Y., Imura, S., Houri, N. Measurement of thermal conductivity of insulation materials at low temperature by transient hot wire method 88—10159
Takegoshi, Y. *see* Umeda, H. 87—75839
Takehama, K., Kitamura, M., Yoshino, M. Multi system color television receiver for overseas 85—58319
Takehana, H. *see* Hahm, Y.H. 88—68947
Takehana, H. *see* Katoh, K. 87—21942
Takehana, H. *see* Katsuta, G. 87—21939
Takehana, H. *see* Ono, M. 87—21938
Takehana, H. *see* Shimamura, Y. 87—78140
Takehana, H. *see* Takahashi, T. 85—59732
Takehana, Y. *see* Mizuno, F. 85—61806
Takehara, D. *see* Gamo, K. 85—33508, 87—23718
Takehara, H., Ishihata, Y., Saito, K., Niikura, K., Horima, H., Kurosawa, A., Takeda, T., Ohmori, T. Withstanding high-voltage characteristics of non-metallic self-supporting optical cable 88—22142
Takehara, J., Kitagawa, M., Nakata, T., Takahashi, N. Finite element analysis of inrush currents in three-phase transformers 88—62411
Takehara, M. *see* Sato, T. 85—12940
Takehara, M. *see* Takada, M. 85—39558
Takehara, M. *see* Takakusa, S. 86—31231
Takehara, N., Kotera, H. Color reproduction methods for hard-copy printer 86—23103
Takehara, T. *see* Tanabe, T. 85—59813
Takehara, Z., Kanamura, K., Hanawa, H. Anion behaviour in a polyacetylene cathode for a secondary lithium battery 87—78880
Takehava, Y., Toda, H. Application of high-voltage cutout (box/cylinder type) 87—64856
Takehira, N., Tanaka, A. Analysis of a perpendicular-type eddy-current speed meter 88—36240
Takehira, N., Tanaka, A., Asada, T. Analysis of electromagnetic force exerted on the eddy current sensor and the conductor under measurement 86—60218
Takehira, N., Tanaka, A., Kondo, H. Low frequency shielding of moving sheet conductor 87—68796
Takehira, N. *see* Tanaka, A. 87—29304
Takehisa, K., Kikuchi, T., Uchiyama, T. Lasing operation of chemical oxygen-iodine laser without water-vapor trap 88—51727
Takehisa, K., Shimizu, N., Uchiyama, T. Singlet oxygen generator using a porous pipe 87—33083
Takei, D. Videotex information system and credit system connecting with MARS-301 of JNR 86—30329
Takei, F. Evaluation method for engineering activity through comparison with competition—four years' experience [engineering management] 85—44456
Takei, F. Engineering quality improvement through TQC activity 86—61957
Takei, G., Naito, M., Kawai, Y., Kusaki, T., Yamamoto, K. Trend of FA and FMS for assembly operation in OKI 87—65174
Takei, H., Tanaka, T., Kim, W.Y., Konagai, M., Takahashi, K. High-energy conversion efficiency amorphous silicon solar cells by photochemical vapor deposition 86—13041
Takei, H. *see* Iye, Y. 88—45001
Takei, H. *see* Konagai, M. 87—9851
Takei, H. *see* Mase, T. 87—15992
Takei, H. *see* Nishi, M. 87—67958
Takei, K. RAMSA at the Olympics [audio equipment] 85—63896
Takei, K., Nagai, K., Igarashi, M. Superconducting NbH thin films prepared by ion beam methods 85—12514
Takei, K., Nakamura, K., Maeda, Y. Superconducting beryllium thin films prepared by ion-beam sputtering 85—49597
Takei, K. *see* Ando, M. 87—52802
Takei, K. *see* Igarashi, M. 85—46058
Takei, K. *see* Maeda, Y. 87—67825
Takei, K. *see* Okamoto, M. 87—60844
Takei, K. *see* Tada, J. 87—18492
Takei, M. An alternative projection model of future nuclear capacity 86—12575
Takei, N., Takahara, M. Considerations for reliability of optical hybrid loop LAN 87—76368
takei, N. *see* Oishi, K. 88—65073
Takei, S. *see* Fujise, M. 87—7133
Takei, T. Soldering techniques for manufacturing surface mount devices 88—71228
Takei, T., Ito, S., Miyake, Y., Kasahara, K., Kinjo, M. Optical-fiber components and their application to communications 85—8428
Takei, T., Ogata, S. Solder pastes and screen mask design influencing the screenability in surface mount production 88—32658
Takei, T. *see* Hori, Y. 87—13959
Takei, T. *see* Kominami, M. 86—64104, 87—47290
Takei, T. *see* Kuriyama, K. 88—21484
Takei, T. *see* Ogata, S. 88—57129
Takei, T. *see* Sekikawa, K. 85—8430
Takei, W.J. *see* Ballingall, J.M. 85—60954
Takei, W.J. *see* Farrow, R.F.C. 85—44703
Takei, W.J. *see* Sinharoy, S. 85—44707
Takei, W.J. *see* Wood, S. 85—33405
Takei, Y., Maruyama, M., Shoji, T., Yono, H. DIPS 1625 communication control processor development 86—59448
Takei, Y. *see* Kishi, G. 87—572, 87—10744
Takei, Y. *see* Sakai, Y. 85—841
Takei, Y. *see* Watanabe, S. 87—28086
Takeiba, M., Kamezawa, Y. Analysis of turbulent medium effects on holographic imaging 88—72453
Takeichi, H., Saito, S., Kamaigaki, Y. Enhancement of FETEX-150 digital switching system 87—69834
Takeichi, H., Takahashi, A., Kamigaki, Y. Enhancement of FETEX-150 digital switching system 87—40560
Takeichi, H., Urushihara, T., Fujiyama, Y., Takahashi, A. Enhancement of digital switching system 87—28319
Takeichi, H. *see* Fujiyama, Y. 85—52242
Takeichi, K. New mobile communication system 86—4555
Takeichi, K. Evaluation of CRT color using semantic differential method 88—16350
Takeichi, K., Hisatomi, R. Compact and high speed assembly robot 'A4010S' 88—6065
Takeichi, M. An alternative scheme for evaluating combinator expressions 85—33292
Takeichi, M. *see* Ooki, H. 88—49227
Takeichi, T. Electronic and telecommunication industries 85—143
Takeichi, T. Safety on laser applications 86—22570
Takeichi, Y. Launch and space environments relating to satellite designs 87—29855
Takeiri, T. *see* Sahira, K. 85—21987
Takeiri, Y. *see* Ishikawa, J. 85—15146, 87—318
Takeishi, K. *see* Moriguchi, F. 86—17152
Takeishi, M., Matsui, T. Model SC82 personal conductivity meter 88—74556
Takeishi, T. Characteristics of vacuo-thermojunctions at ultra-low frequency 85—37581
Takeishi, T. *see* Harikrishna, B.A. 86—24452
Takeishi, Y. *see* Suemoto, Y. 88—29422
Takekawa, K. *see* Murata, M. 88—19141
Takekawa, T. Recent insulation system for high-voltage rotating machine 88—11185
Takeko, S., Kitamura, M., Ota, E., Sakamoto, H., Sanpei, T., Sato, T. All solid state 1 kW UHF-TV broadcasting equipment 85—52466
Takeko, S., Sakamoto, H., Matsukawa, Y., Kitamura, M., Ito, A., Sato, T., Takashina, H. All solid state 3 kW UHF-TV broadcasting equipment 87—63142
Takekoshi, E., Sugiyama, Y., Ikezoe, H., Tomita, Y., Shikazono, N., Sawada, M., Nagano, K., Tachikawa, T. A large hybrid focal-plane detector to be used with a magnetic spectrograph for heavy-ion research 85—59179
Takekoshi, G. *see* Kishimoto, S. 88—22931
Takekoshi, H. *see* Isozumi, Y. 87—35360
Takekoshi, H. *see* Iwashita, Y. 87—41671
Takekoshi, H. *see* Kishimoto, S. 86—70327, 88—16626
Takekoshi, H. *see* Okamoto, H. 87—14643, 88—16569
Takekoshi, H. *see* Sawamura, M. 85—64385, 87—41753
Takekoshi, M., Nakaaki, M., Kato, Y., Ono, H. Digital storagescope DS-6121A/6121 88—10059
Takekoshi, R. *see* Miyata, Y. 88—21489
Takekoshi, Y. *see* Yamada, M. 87—37420
Takekuchi, Y. *see* Shuto, Y. 87—38839
Takel, G.N.J., Robinson, J.E., De Bellet, J.J. Recent advances in process control by computer simulation of cooling and thermal stress generation in cable insulation [polymers] 87—8142
Takemae, T., Kosugi, Y., Saito, H., Ikebe, J. New method of tetrapolar circuit in combination with eddy current for impedance measurement of biological substances 88—16680
Takemae, T., Matsuyama, K. An electronic circuit model of nerve axon for signal transmission 86—18271
Takemae, T. *see* Nakazawa, M. 86—21938

Takemae, Y., Ema, T., Nakano, M., Baba, F., Yabu, T., Miyasaka, K., Shirai, K. A 1-Mb DRAM with 3-dimensional stacked capacitor cells 86−8264
Takemasa, T. Abscissae and weights for the Gauss-Hermite quadrature formula 88−31667
Takemi, H. *see* Hasai, H. 87−77475
Takemi, H. *see* Ichikawa, T. 87−29829
Takemoto, A., Sakakitara, Y., Nakajima, Y., Fujiwara, M., Kakimoto, S., Namizaki, H., Susaki, W. 1.3 μm InGaAsP/InP distributed-feedback *P*-substrate partially inverted buried-heterostructure laser diode 87−54312
Takemoto, A. *see* Kakimoto, S. 88−34012
Takemoto, A. *see* Kubo, H. 86−70666, 87−54592
Takemoto, A. *see* Sakakibara, Y. 88−45451
Takemoto, H., Kadowaki, T. Shimadzu angiographic system PANGIOMAX-S 87−8924
Takemoto, H. *see* Morimoto, M. 85−38104
Takemoto, H. *see* Nakanishi, T. 87−3458
Takemoto, I. MOS imager 87−70417
Takemoto, I. *see* Ando, H. 86−5045
Takemoto, I. *see* Koike, N. 86−5044
Takemoto, I. *see* Nakai, M. 86−2384, 88−29443
Takemoto, I. *see* Nishizawa, S. 87−70454
Takemoto, I. *see* Ohba, S. 86−5037
Takemoto, K., Kobayashi, Y., Ichihashi, Y. Submarine optical cable transmission system design and performance 85−25871
Takemoto, K., Kobayashi, Y., Ichihashi, Y. Design and performance of submarine optical cable transmission system 86−49612
Takemoto, K., Nakajima, S., Hisaki, T. System architecture for fiber optic broadband distribution systems 87−34541
Takemoto, K., Nakajima, S., Hisaki, T. System architecture for fiber optic broadband distribution system 87−49099
Takemoto, K., Okada, K., Yamagata, J. Fiber optic subscriber loops for broadband interactive distribution system 86−43865
Takemoto, K. *see* Kishimoto, R. 86−49831
Takemoto, K. *see* Kishino, F. 88−46741
Takemoto, K. *see* Miura, Y. 88−50985, 88−56257
Takemoto, K. *see* Sumida, M. 88−51483
Takemoto, K. *see* Yamagata, J. 86−17085, 86−55307, 87−62941
Takemoto, M., Miyamoto, T. Modulation and demodulation techniques using multiple-level QAM 87−62746
Takemoto, M. *see* Isobe, S. 85−5376, 87−72135
Takemoto, M. *see* Mohamad, K. 87−4813
Takemoto, M. *see* Takano, I. 87−1814
Takemoto, T. *see* Hirobe, T. 86−8658
Takemoto, T. *see* Inoue, M. 85−28591
Takemoto, T. *see* Kubota, M. 87−46230
Takemoto, T. *see* Mori, T. 87−17163
Takemoto, T. *see* Morimoto, H. 87−16009
Takemoto, T. *see* Nomura, N. 85−50676, 87−60232, 88−64762
Takemoto, T. *see* Odanaka, S. 85−23968, 87−53693
Takemoto, T. *see* Toda, K. 88−53803
Takemoto, T. *see* Yamashita, K. 87−25486
Takemoto, T. *see* Yamshita, K. 88−39649
Takemoto, Y., Watanabe, N., Higashino, I. Microprocessor-based apparatus for measuring characteristics of shape memory alloys 87−65597
Takemura, H., Kamiya, T., Ohi, S., Sugiyama, M., Tashiro, T., Nakamae, M. Submicron epitaxial layer and RTA technology for extremely high speed bipolar transistors 87−53494
Takemura, H., Kitajima, H., Shimono, T., Ogawa, Y. The optimum design of a previous-sample predictor for a noisy transmission channel 85−2763
Takemura, H., Ohi, S., Sugiyama, M., Tashiro, T., Nakamae, M. BSA technology for sub-100 nm deep base bipolar transistors 88−39674
Takemura, H. *see* Hassel Shearer, M. 86−35485
Takemura, H. *see* Katagiri, M. 85−47937
Takemura, H. *see* Shearer, M.H. 86−8932
Takemura, H. *see* Takakura, M. 86−10489
Takemura, H. *see* Tashiro, T. 85−54853
Takemura, K., Toyokawa, F. A novel and high throughput extrinsic gettering technique of Si wafer using excimer laser irradiation 88−44626
Takemura, K. *see* Fukuzaki, K. 86−10734
Takemura, K. *see* Ryo, G. 86−38390
Takemura, K. *see* Tsutsumi, S. 85−46959
Takemura, K. *see* Yasumoto, T. 85−13844
Takemura, S. Digitizing the broadcast studio 87−70330
Takemura, S. *see* Fukuoka, K. 87−31838
Takemura, T., Kobayashi, M., Okutani, M. Influence of base materials on the characteristics of zinc electroplates and the whisker formations 87−10474
Takemura, T., Kobayashi, M., Takada, Y., Sato, K. Effects of contents of Bi_2O_3 and Sb_2O_3 on lattice parameters of phases of ZnO varistor ceramics 86−47315
Takemura, T., Kobayashi, M., Takada, Y., Sato, K. High-temperature X-ray diffraction measurements of ZnO varistor ceramics 86−47316
Takemura, T., Kobayashi, M., Takada, Y., Sato, K. Effects of bismuth sesquioxide on the characteristics of ZnO varistors 86−53074
Takemura, T., Kobayashi, M., Takada, Y., Sato, K. Effects of antimony oxide on the characteristics of ZnO varistors 87−45307
Takemura, T. *see* Horiuchi, T. 85−59204
Takemura, T. *see* Yamamoto, Y. 88−38664
Takemura, T. *see* Yamashita, T. 88−13893
Takemura, Y. Video cameras 85−37282
Takemura, Y. Subminiature CCD color camera has a huge market demand 87−3300
Takemura, Y. Consumer image electronics - video cameras 87−34788
Takemura, Y., Kimura, M., Amano, M. Ultracompact CCD color television camera 87−41213
Takemura, Y., Kimura, M., Ooi, K., Mukaigawa, H., Nakamura, T., Tanuma, C., Sanda, K., Amano, M. CCD micro-miniature color camera 87−56359
Takemura, Y., Ooi, K., Kimura, M., Sanda, K., Kuboto, A., Amano, M. New field integration frequency interleaving color television pickup system for single-chip CCD camera 86−4843
Takemura, Y. *see* Kotaki, H. 85−37292
Takemura, Y. *see* Okazaki, T. 85−15299
Takemura, Y. *see* Tanuma, C. 88−29082
Takenaga, K. *see* Hirata, A. 86−13450
Takenaga, M., Mikoda, M. Optical memories 86−2655
Takenaga, M. *see* Ohta, T. 87−38718
Takenaga, M. *see* Sadashige, K. 85−37316
Takenaga, M. *see* Yamada, N. 87−38724
Takenaka, E. X-ray instrumentation−X-ray CT and digital radiography 87−63746
Takenaka, E. *see* Homma, K. 85−43387
Takenaka, E.-I., Onai, Y. Survey of the present state and utilization of apparatus related to radiotherapy in Japan 85−43428
Takenaka, H., Satoh, K. Pulse pump Nd:YAG laser SL122, 124, 126 series 87−68423
Takenaka, H., Yamane, T. High output power Nd:YAG laser oscillator 86−58903
Takenaka, H. *see* Michikami, O. 85−56183
Takenaka, H. *see* Shinohara, S. 88−9592
Takenaka, H. *see* Todokoro, Y. 88−13214, 88−39341
Takenaka, H. *see* Watanabe, S. 88−51778
Takenaka, I., Sawai, M., Hotta, K., Miyake, M. Integrated support system for ESS software production 87−69811
Takenaka, K. *see* Hayashi, T. 86−12395
Takenaka, K. *see* Nakai, R. 85−33401
Takenaka, M. *see* Fuzita, H. 86−70704
Takenaka, N., Kimura, D., Nishizawa, K., Sakiyama, K. Reactive ion etching of an Al-Si/TiW multilayer 87−60351
Takenaka, N. *see* Ohshima, M. 85−62570, 87−75123
Takenaka, S., Takeda, Y., Sakane, T., Nakamura, H., Toyonaga, N. A new 4 GHz 90 Mbps digital radio system using 64-QAM modulation 85−14120
Takenaka, S. *see* Aoki, K. 85−20042
Takenaka, S. *see* Aono, Y. 86−22728
Takenaka, S. *see* Daido, Y. 85−42438, 87−40718, 87−48894, 87−76551
Takenaka, S. *see* Fukuda, E. 88−3842
Takenaka, S. *see* Nakamura, H. 86−10977, 88−35378
Takenaka, S. *see* Oka, H. 88−29434
Takenaka, S. *see* Suzuki, Y. 87−20379
Takenaka, S. *see* Takeda, Y. 86−55194
Takenaka, T. Buffer management schemes for a heterogeneous packet switching system 85−36473
Takenaka, T. Analysis of a non-preemptive $\Sigma M_i/G/1(\Sigma N_i)$ system 88−21394
Takenaka, T., Akaike, T., Takami, K. Characteristics and approximation methods of a non-preemptive $\Sigma M_i/G/1(\Sigma N_i)$ system 88−21395
Takenaka, T., Kiyonaga, C. Compact disc graphic playback system 85−58426
Takenaka, T., Kobayashi, F., Netsu, T., Imada, H. Reliability of flip-chip interconnections 85−33253
Takenaka, T., Ogata, T., Araki, T., Watanabe, K. UK teletext 85−13845
Takenaka, T., Sakata, K. Piezoelectric properties of grain-oriented bismuth layer-structured ferroelectric ceramics 87−53797
Takenaka, T., Sakata, K., Toda, K. Surface acoustic wave characteristics of grain-oriented bismuth layer-structured ferroelectric ceramics 85−18527
Takenaka, T., Sakata, K., Toda, K. Piezoelectric properties of bismuth layer-structured ferroelectric, $Na_{0.5}Bi_{4.5}Ti_4O_{15}$ ceramic 86−53847
Takenaka, T., Soma, Y., Sakata, K. $PbZrO_3$-based piezoelectric ceramics containing $Pb(Zn_{1/3}Nb_{2/3})O_3$ 87−1805
Takenaka, T., Sunaga, H., Oh-kubo, M., Noguchi, K. Reliability evaluation of packet switching systems which share stand-by equipment 86−69541
Takenaka, T., Yokota, M., Fukumitsu, O. Scattering of a three-dimensional Gaussian beam by parallel circular cylinders 87−47151
Takenaka, T. *see* Fukumoto, S. 86−24909, 87−41748, 88−53999
Takenaka, T. *see* Igarashi, Z. 87−14644
Takenaka, T. *see* Kato, T. 85−15098, 87−14688
Takenaka, T. *see* Kuribayashi, S. 86−64641, 87−13420
Takenaka, T. *see* Noto, N. 86−57424
Takenaka, T. *see* Ono, M. 87−21938
Takenaka, T. *see* Takami, K. 87−76143
Takenaka, T. *see* Takasaki, E. 87−14639
Takenaka, T. *see* Toda, K. 85−1821
Takenaka, T. *see* Yokota, M. 86−29347, 86−42818, 86−68614, 87−54529, 87−75348
Takenaka, Y., Akaike, T. Traffic characteristics of multi-media packet switching system with sources generating packets in bursts 87−55387
Takenaki, S. *see* Nakamura, H. 88−73747
Takene, Y. *see* Ito, K. 85−9230
Takeno, A. *see* Wada, T. 86−47459
Takeno, H. *see* Chihara, K. 86−50561
Takeno, M. *see* Fujioka, K. 87−41965
Takeno, Y., Goto, K. Amorphous Tb-Fe magnetic thin films prepared by flash evaporation 88−33497
Takenobu, K. *see* Hiroyuki, T. 88−5618
Takenomata, S. *see* Ito, K. 87−41224
Takenomata, S. *see* Shimodaira, M. 87−48384
Takenoshita, H. A study of silicon transistor-tip by electron-acoustic microscopy 85−12250
Takenoshita, H. Liquid phase epitaxial growth and electrical characterization of $CuInSe_2$ 86−57453
Takenoshita, H. Electron-acoustic microscopic study on dislocation lines in the base region of npn Si-Tr 87−11747
Takenoshita, H. Study of npn Si transistor-chips by electron-acoustic microscopy 88−7581
Takenoshita, H., Managaki, M., Mizuno, K. Observation of dislocation lines in a transistor by electron-acoustic microscopy 86−15137
Takenoshita, H. *see* Sawai, K. 88−16984
Takenoshita, S. *see* Kuma, T. 88−41894
Takenoshita, Y., Kogaku, T., Okamoto, S. Solar-terrestrial disturbances of June-September 1982. IV. Ionospheric disturbances. IX. Variations in HF wave fieldstrength for short paths in Japan 86−3528
Takenoshita, Y., Kogaku, T., Okamoto, S. Solar-terrestrial disturbances of June-September 1982. IV. Ionospheric disturbances. IX. Variations in HF wave field strength for short paths in Japan 86−59045
Takenouchi, H., Hiyama, K. Memophone: a text mail system using telephone switching networks 85−13814
Takenouchi, H. *see* Ozawa, Y. 85−51994
Takenouchi, M. *see* Ozawa, T. 86−17820, 86−36347, 87−20945
Takenouchi, N. *see* Horiguchi, F. 88−38525
Takenouchi, N. *see* Nitayama, A. 88−39443
Takenouchi, N. *see* Oowaki, Y. 88−6740
Takenouchi, N. *see* Tsuda, K. 88−7749
Takenouchi, O. *see* Nguyen Chanh Khe 85−24377
Takenouchi, O. *see* Ohaku, K. 87−18804
Takenouchi, T. *see* Goto, T. 86−4133
Takenouchi, T. *see* Kazumoto, Y. 87−76975
Takenoue, N., Koga, Y. Switch level logic simulation for MOS circuits by network computer 86−41964
Takenoue, N. *see* Koga, Y. 87−44785
Takenouti, H. *see* Keddam, M. 85−5360
Takenove, N., Koga, Y. A circuit description language and compiler for parallel MOS logic simulation 87−36885
Takeo, H. *see* Saito, T. 86−49022, 87−19919, 87−27414, 87−33804, 87−75856
Takeo, H. *see* Saitoh, T. 86−10492, 86−69119
Takeo, K., Yoshimoto, K.-i. High efficiency gas turbine proves versatile 86−33176
Takeo, M., Funaki, K., Sato, S., Yamafuji, K., Iwakuma, M., Hiramatsu, M., Matsumoto, K., Hamada, M. A 17 Tesla superconducting magnet with multifilamentary superconductors 87−67929
Takeo, M. *see* Chikaba, J. 86−48067, 87−67970
Takeo, M. *see* Funaki, K. 85−29486, 86−48033, 87−46406, 87−67964
Takeo, M. *see* Irie, F. 85−41047
Takeo, M. *see* Okada, H. 88−75175
Takeo, T., Hattori, H. An optical fiber thermosensor using GaP 85−58682
Takeo, T. *see* Hattori, H. 88−42142
Takeo, Y. *see* Kawanishi, Y. 88−67641
Takeo, Y. *see* Otsuka, K. 87−51874, 88−24563
Takeo, Y. *see* Uda, T. 87−66801
Takeo Kato *see* Kato Takeo
Takeoka, N. *see* Tanabe, T. 85−53930
Takeoka, S. *see* Shibata, A. 86−56946
Takeoka, T., Yamanishi, M., Kan, Y., Suemune, I. A 140 ps optical pulse generation by field-induced gain switching in a photo-excited quantum well laser 87−39115
Takeoka, T. *see* Suemune, I. 86−42578, 87−7365
Takeoka, Y., Iida, A., Nagatani, H. A new single layer bubble mode optical memory using ICO-N film (In-CH_4-O_2-N_2 reactive sputtered film) 88−45235

Takeoka, Y. *see* Matsumoto, S. 87—4296
Takesa, T. *see* Matsumoto, T. 88—53500
Takesada, H., Marushita, Y., Katagishi, T. A new driving technique for flicker free LC-TV with full scanning lines 87—34747
Takesada, H. *see* Katagishi, T. 87—3294
Takesada, H. *see* Yamano, M. 85—14421, 85—37231, 85—37257, 86—44360
Takeshige, Y. *see* Shimasaki, N. 85—13747
Takeshige, Y. *see* Terashima, T. 85—52058
Takeshige, Y. *see* Usukura, T. 86—54909
Takeshima, A. *see* Tsuchiya, Y. 85—61654, 86—5073
Takeshima, M. Theoretical study of long-wavelength laser operation in $Ga_{1-x}Al_xAs_ySb_{1-y}$ 85—7454
Takeshima, M. Auger recombination in a quasi-one-dimensional-structure semiconductor 85—29013
Takeshima, M. Theory of transverse multimode generation in a laser with a loss guiding structure 86—9851
Takeshima, M. Effect of Auger recombination on laser operation in $Ga_{1-x}Al_xAs$ 86—15716
Takeshima, M. Bent-band theory of conductivity in heavily doped semiconductors at low temperatures 87—66881
Takeshima, M. *see* Kume, M. 88—8222
Takeshima, T., Takada, M., Shimizu, T., Katoh, T., Sakamoto, M. Voltage limiters suitable to DRAMs with substrate-plate electrode memory cells 88—767
Takeshima, T., Takada, M., Shimizu, T., Katoh, T., Sakamoto, M. Voltage limiters for DRAMs with substrate-plate-electrode memory cells 88—32198
Takeshima, T., Yoshida, M., Takada, M. An analysis of sense signal for a DRAM with dummy reversal method 88—6853
Takeshima, T. *see* Sugo, Y. 87—17088
Takeshima, T. *see* Suzuki, S. 85—22875
Takeshima, T. *see* Takada, M. 87—10853, 87—17094
Takeshima, T. *see* Terada, K. 87—24191, 87—59454
Takeshima, T. *see* Yoshida, M. 86—41124
Takeshina, T. *see* Tanabe, T. 85—59813
Takeshiro, S., Takayama, K., Hatori, T., Watanabe, T. Numerical simulation for the discharge mechanism of a TP-D plasma source 87—56983
Takeshiro, S. *see* Yabe, E. 85—15151, 85—37870
Takeshita, G. *see* Ejiri, K. 88—36459
Takeshita, H. *see* Murashima, S. 88—40802
Takeshita, H. *see* Sato, Y. 88—39858
Takeshita, H. *see* Seo, T. 85—57871
Takeshita, I. *see* Fujisawa, T. 85—59006, 85—64356, 86—32009
Takeshita, K. *see* Kawakami, K. 87—67760
Takeshita, K. *see* Umemoto, M. 88—29118
Takeshita, M., Ikeda, T., Suzuki, R., Takeuchi, T., Kodama, N. Operating bias field adjustment of bubble propagation tracks on ion-implanted permalloy hybrid type magnetic bubble memory devices 86—68180
Takeshita, M., Komori, H. Development of conduction tester for earthing switch 86—70725
Takeshita, M., Sato, Y., Matsumoto, H., Nakano, R. Fabrication of the apparatus for the measurement of excitation spectra 87—46846
Takeshita, M. *see* Hiroshima, M. 87—25873
Takeshita, M. *see* Kodama, N. 88—51365
Takeshita, M. *see* Miyamoto, T. 88—9720
Takeshita, M. *see* Suzuki, R. 85—46019
Takeshita, M. *see* Toyooka, T. 88—58003
Takeshita, N. *see* Fujita, T. 86—42389, 87—46632
Takeshita, S. Electric power industry 85—4558
Takeshita, S. *see* Kannari, S. 88—20065
Takeshita, S. *see* Kitayoshi, H. 86—50121
Takeshita, S. *see* Satoh, T. 85—37446
Takeshita, S. *see* Serizawa, Y. 88—15314
Takeshita, T., Kameda, K., Ohashi, H., Matsui, N. Digital signal processor based high speed current control of brushless motor 87—72075
Takeshita, T., Kimura, F., Miyake, Y. On the estimation error of Mahalanobis distance 87—58862
Takeshita, T. *see* Hashimoto, K. 85—20551
Takeshita, T. *see* Kinoshita, K. 87—11309
Takeshita, T. *see* Matsui, N. 85—5166
Takeshita, T. *see* Morimoto, K. 87—53897, 88—51194
Takeshita, T. *see* Morozumi, S. 85—47862, 86—5056
Takeshita, T. *see* Nozawa, S. 88—18375
Takeshita, T. *see* Oka, H. 88—29434
Takeshita, T. *see* Yoshihara, S. 86—39535
Takesita, M., Miyamoto, T., Hirose, M., Yamagata, H., Nishio, M. 28-inch picture-in picture digital color television receiver model DT-2680A 87—34754
Taket, N.D., Fiddy, M.A. Single pass distortion correction using phase conjugation 85—51283
Taket, N.D., Fiddy, M.A. Theory of distortion correction by phase conjugation for strongly scattering media 88—2367
Taket, N.D., Hall, T.J., Burge, R.E. SAR imaging of volume scatterers 88—42633
Taketa, K. *see* Yasuda, I. 86—58689
Taketa, Y. *see* Abe, O. 88—44383
Taketa, Y. *see* Inokuma, T. 86—41359, 86—53216, 87—45301, 88—12623
Taketa Maeda, A. Effective technical presentations to management 85—39450
Taketani, A. *see* Abe, K. 88—16629
Taketani, A. *see* Chiba, Y. 88—54412
Taketani, A. *see* Ohsugi, T. 88—29851, 88—61125
Taketani, J. *see* Ali, S. 88—6881
Taketani, T., Kikuchi, K., Yabe, A. Augmentation of forced convection heat transfer by the effect of direct current high voltage electric field 88—44921
Taketoh, K. *see* Miyazaki, M. 86—40185
Taketomi, K. Wide-range measurement of complex dielectric constants of liquid materials in the microwave region by using a sweep oscillator 85—31574
Taketomi, K. *see* Umeno, M. 88—9636
Taketomi, Y. *see* Tanabe, T. 85—59813
Taketomo, M. *see* Hayamizu, K. 87—4808
Taketoshi, K., Tanioka, K., Kawamura, T. Studies on ionization coefficients of targets in an amorphous selenium APD for pick-up tubes by new type least squares 88—14033
Taketoshi, K. *see* Ando, F. 88—29442
Taketoshi, K. *see* Tanioka, K. 87—74928
Takeuchi, A. Concentration of micro-electronics based technology in Japan 86—7509
Takeuchi, A. Betacam SP: compatible but not conventional 87—70284
Takeuchi, A. *see* Ejiri, K. 88—36459
Takeuchi, A. *see* Ichimura, Y. 86—56864
Takeuchi, A. *see* Imai, T. 87—74085
Takeuchi, A. *see* Ishida, A. 86—52481
Takeuchi, A. *see* Ito, Y. 86—43586
Takeuchi, A. *see* Tsuruho, S. 86—30523
Takeuchi, A. *see* Yamada, S. 87—30519, 88—55350
Takeuchi, E., Hirakawa, I., Nanba, H., Kanemoto, S. Development and operating experience of a BWR plant surveillance and diagnosis system using noise analysis 87—71890
Takeuchi, E. *see* Ishihara, O. 87—48391
Takeuchi, E. *see* McWright, G. 88—33766, 88—51547, 88—58190
Takeuchi, E.S., Piliero, P. Lithium/silver vanadium oxide batteries with various silver to vanadium ratios 88—5823
Takeuchi, E.S., Zelinsky, M.A., Keister, P. High rate capability of lithium/silver vanadium oxide cells 88—17833
Takeuchi, E.S. *see* Bergman, G.M. 87—78863
Takeuchi, G. *see* Yamashita, K. 85—24143
Takeuchi, H. Ultrasonic probe for medical use 86—38772
Takeuchi, H., Ii, H., Koyanagi, K., Yasuda, S., Yoshikawa, M. Development of digital multiplexing method for stationary digital audio tape recording system 86—44066
Takeuchi, H., Jyomura, S., Nakaya, C. New piezoelectric materials for ultrasonic transducers 86—53842
Takeuchi, H., Jyomura, S., Nakaya, C. Highly anisotropic piezoelectric ceramics and their application in ultrasonic probes 87—1806
Takeuchi, H., Nagata, K., Kawaguchi, H., Oe, K. GaAs/AlGaAs directional coupler switch with submillimetre device length 87—12246
Takeuchi, H., Nakay, C., Katakura, K. Medical ultrasonic probe using PZT/polymer composite 86—6169
Takeuchi, H., Nakaya, C. PZT/polymer composites for medical ultrasonic probes 86—68069
Takeuchi, H., Nishida, N., Yasumoto, T., Suga, N., Satoh, M., Nagasu, M., Tatsuki, K. Japanese teletext receiver 86—43510
Takeuchi, H., Shinohara, M., Oe, K. An In-doped dislocation-free GaAs layer grown by MBE on In-doped GaAs substrate 86—52476
Takeuchi, H., Taira, R.K., Huang, H.K., Lo, S.C.B., Mankovich, N.J. Preliminary experience with a laser scanner and printer system for radiological imaging 86—32272
Takeuchi, H., Toraichi, K., Kamada, M., Mori, R. Spline filter—a time varying digital filter and its application 87—24366
Takeuchi, H., Yasaka, H., Yoshikuni, Y., Oe, K. Single mode GaAs/AlGaAs miniature optical waveguide with low transmission loss coefficient 87—60943
Takeuchi, H. *see* Fukaya, T. 87—32868, 87—60807
Takeuchi, H. *see* Fukazawa, T. 87—60808
Takeuchi, H. *see* Hashimoto, C. 87—23729
Takeuchi, H. *see* Ishii, K. 87—1343
Takeuchi, H. *see* Iwasaki, J. 88—19130
Takeuchi, H. *see* Kamijo, E. 85—54532
Takeuchi, H. *see* Kushida, K. 85—55605, 86—40723, 87—60712
Takeuchi, H. *see* Nakaya, C. 87—3953
Takeuchi, H. *see* Oe, K. 87—36754
Takeuchi, H. *see* Shinomura, R. 85—21028
Takeuchi, H. *see* Suzuki, K. 87—66922
Takeuchi, H. *see* Takata, T. 86—52839
Takeuchi, H. *see* Tobita, K. 87—50135
Takeuchi, J. *see* Kume, H. 85—40411
Takeuchi, J. *see* Yoshimatsu, K. 88—41010
Takeuchi, K. On public address speaker systems 85—8651
Takeuchi, K., Shimohigashi, K., Takeda, E., Yamasaki, E., Toyabe, T., Itoh, K. Experimental characterization of α-induced charge collection mechanism for megabit DRAM cells 88—6871
Takeuchi, K. *see* Amano, Y. 87—8457
Takeuchi, K. *see* Fukuoka, K. 88—13757
Takeuchi, K. *see* Hongo, I. 86—64638
Takeuchi, K. *see* Iizuka, M. 86—16502
Takeuchi, K. *see* Inoue, A. 87—74601, 88—20316
Takeuchi, K. *see* Kohno, T. 86—23273, 87—36264
Takeuchi, K. *see* Miyake, M. 88—28725
Takeuchi, K. *see* Morii, Y. 85—52524
Takeuchi, K. *see* Nakaya, F. 87—39321
Takeuchi, K. *see* Ohnishi, H. 88—42219
Takeuchi, K. *see* Sato, R. 85—38512
Takeuchi, K. *see* Shibata, K. 86—50099, 88—29329
Takeuchi, K. *see* Takeda, E. 87—25490, 87—46128
Takeuchi, K. *see* Yamada, H. 88—8428, 88—52172, 88—60928
Takeuchi, K. *see* Yokoo, T. 87—70648
Takeuchi, K. *see* Yoshida, K. 88—45500
Takeuchi, M. Photoconductivity and mechanochemical effects in semiconductor powders 85—29688
Takeuchi, M. The estimation of spectral densities and orders of random time series by the AIC method—by the consideration of simulations 88—3062
Takeuchi, M. The accuracies of several algorithms for parameter estimations in autoregressive processes—by the simulation of spectral densities 88—34712
Takeuchi, M., Betsudan, S. Design of a communication equipment under weather conditions 86—37257
Takeuchi, M., Hiratsuka, I., Shiota, Y., Kitayama, Y., Yamamoto, S. Echo canceller developments 85—41644
Takeuchi, M., Igarashi, I. Sensing technology—reliability aspects of automotive sensors 87—35049
Takeuchi, M., Itoh, Y. Centrality functions defined by minimum cuts in a network 86—52597
Takeuchi, M., Itoh, Y. Centrality functions defined by minimum cuts in a network 88—8888
Takeuchi, M., Kishimoto, W., Kishi, G. On the synthesis of a flow network with a given centrality on each vertex 88—38084
Takeuchi, M., Kurosaki, Y. Transient leakage of electric current from a hot wire used for measuring thermal conductivities of electrolytic solutions 87—52906
Takeuchi, M., Meguro, T., Yamanouchi, K. UHF-range positive/negative reflection type SAW resonators on $LiNbO_3$ using new fabrication technique 88—13641
Takeuchi, M., Morishima, N. Centrality functions defined by minimum vertex cuts separating two vertices in a network 87—59050
Takeuchi, M., Nemoto, M., Kaneko, F., Nagasaka, H. Photoconductive properties of ZnO powders prepared by chemical process 85—56404
Takeuchi, M., Sakai, H. Errors of spectral estimators in ARMA processes 87—200
Takeuchi, M., Sugimoto, M., Ishimaru, Y. The MC0734SP CMOS 8-bit microcontroller 87—10908
Takeuchi, M., Takazawa, M. On displacement of c-center of a graph by addition of an edge incident to a c-central vertex 85—54285
Takeuchi, M., Yamanouchi, K. Surface acoustic wave resonators in layered substrates with large electromechanical coupling coefficient 85—7129
Takeuchi, M., Yamanouchi, K. New types of SAW reflector and resonator consisting of reflecting elements with alternative (positive and negative) reflection coefficients 86—15324
Takeuchi, M., Yamanouchi, K. Analysis of surface acoustic wave reflectors on piezoelectric layered substrates and its application to resonators 86—15331
Takeuchi, M., Yamanouchi, K. New types of SAW reflectors and resonators consisting of reflecting elements with positive and negative reflection coefficients 86—63520
Takeuchi, M., Yamanouchi, K. Self-suppression effects of spurious transverse modes in SAW reflectors and resonators with a positive and negative reflectivity 87—1849
Takeuchi, M., Yamanouchi, K. Analysis of surface-acoustic-wave reflectors on piezoelectric layered substrates and its application to resonators 87—53849
Takeuchi, M., Yanagida, K., Nagasaka, H., Tanabe, T., Mase, H. A compact ion source using a hollow cathode discharge and its application to thin film formation 87—23724
Takeuchi, M. *see* Fujimoto, A. 85—12845, 86—9855, 87—52139
Takeuchi, M. *see* Hamamoto, N. 86—11028

Takeuchi, M. *see* Hirano, M. 87−43618, 88−53146
Takeuchi, M. *see* Inagaki, N. 88−8623
Takeuchi, M. *see* Kozu, T. 86−37843, 86−37945, 88−15576
Takeuchi, M. *see* Matsuda, H. 85−45669, 86−45543
Takeuchi, M. *see* Morito, M. 87−17133
Takeuchi, M. *see* Motegi, R. 88−60991
Takeuchi, M. *see* Nakaura, Y. 88−72203
Takeuchi, M. *see* Oh-ishi, H. 86−2875, 87−70726
Takeuchi, M. *see* Ojima, M. 87−60107
Takeuchi, M. *see* Togawa, A. 86−16670, 86−59479
Takeuchi, M. *see* Yamamoto, M. 86−37842, 86−37845
Takeuchi, M. *see* Yamanouchi, K. 86−2504, 86−2550
Takeuchi, M. *see* Yoshimura, M. 85−38110
Takeuchi, N. Current techniques of laser radars 85−14373
Takeuchi, N., Baba, H., Sakurai, K., Ueno, K. Diode-laser pseudo-random-modulation CW lidar 88−41754
Takeuchi, N., Baba, H., Sakurai, K., Ueno, T. Diode-laser random-modulation CW lidar 86−32585
Takeuchi, N., Nagashima, M., Tsuruga, S. Low costs, high productivity claim for automatic welding 85−16496
Takeuchi, N., Watanabe, S., Mizobuchi, A., Ishida, O. A wide band, 172-way suspended stripline beam forming network for frequency scanning array 88−2890
Takeuchi, N. *see* Deguchi, K. 85−1615, 85−40576, 86−1866
Takeuchi, N. *see* Fukao, S. 85−58213
Takeuchi, N. *see* Genka, T. 88−54430
Takeuchi, N. *see* Hayasaka, T. 86−28392
Takeuchi, N. *see* Hirano, M. 87−46670
Takeuchi, N. *see* Iki, M. 88−7408
Takeuchi, N. *see* Ishida, O. 86−67474
Takeuchi, N. *see* Kurobori, T. 86−63787, 88−40185
Takeuchi, N. *see* Shimizu, H. 85−31100, 86−65523
Takeuchi, N. *see* Ueno, T. 88−74045
Takeuchi, N. *see* Yana, K. 88−42245
Takeuchi, O. *see* Matsushima, Y. 88−15446
Takeuchi, R., Tsumura, M., Tadauchi, M., Shio, H. Color image scanner with an RGB linear image sensor 88−72207
Takeuchi, R. *see* Tsumura, M. 85−890, 87−60587, 88−50932
Takeuchi, S. Development of a superconducting post-accelerator 87−21359
Takeuchi, S., Aoki, K., Yamada, K. Instrument for measuring the amplitude distribution of high voltage noise 85−64188
Takeuchi, S., Endo, S., Irie, T. Semiconducting properties of CuIn$_5$S$_8$ single crystals. II. Near infrared absorption 85−55498
Takeuchi, S., Harada, K. A resonant-type amorphous ribbon magnetometer driven by an operational amplifier 85−26304
Takeuchi, S., Kanazawa, S. Service lives of long-life carbon stripper foils in the first three years operation of the JAERI tandem accelerator 86−70287
Takeuchi, S., Miyake, M., Morimoto, I. Digital microwave radio for rural communications 86−49461
Takeuchi, S., Moriizumi, K., Saitoh, K., Yoshioka, N., Kato, T. Electron-beam inspection technology for X-ray masks 88−39295
Takeuchi, S., Nagai, T. Low power photomultiplier base circuit 85−43287
Takeuchi, S., Nagai, T., Hasegawa, K., Hosono, Y. High performance random pulser based on photon counting 86−46619
Takeuchi, S., Narita, H., Kobayashi, T., Hamasaki, K., Yoshikawa, S., Yamashita, T. Constant-voltage steps in the the *V-I* curve of a J-J loop 86−28748
Takeuchi, S., Okumura, T. Sensitive null detector for precise measurements of integral linearity 85−43286
Takeuchi, S., Okumura, T., Yamashita, M. Periodic precision pulser with a Gaussian noise generator 86−46620
Takeuchi, S., Sakai, K., Matsumoto, M., Sugihara, R. A TE-mode accelerator 87−56928
Takeuchi, S., Shepard, K.W. A sensitive beam-bunch phase detector 85−20778
Takeuchi, S. *see* Harada, K. 85−26496
Takeuchi, S. *see* Hasegawa, K. 86−50362
Takeuchi, S. *see* Hasegawa, S. 86−2962
Takeuchi, S. *see* Hosono, Y. 86−50436
Takeuchi, S. *see* Intoh, K. 87−69051
Takeuchi, S. *see* Kashiwaki, T. 85−6790
Takeuchi, S. *see* Kato, T. 87−11918
Takeuchi, S. *see* Motegi, R. 88−60991
Takeuchi, S. *see* Nagai, S. 87−41888
Takeuchi, S. *see* Naitoh, T. 86−52728
Takeuchi, S. *see* Okayasu, T. 87−41887
Takeuchi, S. *see* Ozawa, J. 87−30873
Takeuchi, S. *see* Saitoh, K. 86−53740
Takeuchi, S. *see* Shepard, K.W. 85−59027
Takeuchi, S. *see* Sukegawa, T. 86−28983, 88−1357
Takeuchi, S. *see* Tominaga, H. 85−52567, 86−69956
Takeuchi, S. *see* Tsuburaya, H. 85−8314
Takeuchi, S. *see* Yoshioka, N. 88−64444
Takeuchi, T. Ocean acoustic tomography 87−29949
Takeuchi, T. Oxygen sensors 88−47495
Takeuchi, T., Arai, K., Tsuya, N. Amorphous materials 86−15337
Takeuchi, T., Ha, D., Ikegami, F., Yoshida, S. Picture impairments due to multipath propagation in mobile TV reception 86−4831
Takeuchi, T., Iijima, Y., Inoue, K., Tachikawa, K. Improvements in high-field superconducting performance of V$_3$Ga by a two-stage reaction process 86−68194
Takeuchi, T., Iijima, Y., Inoue, K., Tachikawa, K., Noguchi, T., Kodera, M. Improved V$_3$Ga for generating magnetic fields over 18 T 87−46404
Takeuchi, T., Ikegami, F., Yoshida, S. Transmission bandwidth improvement by directive antenna in urban mobile radio communication 86−69667
Takeuchi, T., Ikegami, F., Yoshida, S. Experimental study on four-branch antenna pattern diversity reception and urban mobile radio 86−69695
Takeuchi, T., Ikegami, F., Yoshida, S. Ghost flutter measurement using stable time standard in mobile TV reception 87−41188
Takeuchi, T., Ikegami, F., Yoshida, S., Kikuma, N. Comparison of multipath delay characteristics with BER performance of high speed digital mobile transmission 88−72559
Takeuchi, T., Kodama, N., Toyooka, T., Suzuki, R., Sugita, Y. Start/stop operation in ion-implanted magnetic bubble propagation tracks 86−68181
Takeuchi, T., Ohta, N., Sugita, Y. Origin of effective anisotropy field change induced by ion implantation in magnetic garnet films 85−24086
Takeuchi, T., Suzuki, H., Akashi, F., Yamaguchi, T. A strategy of evolution for the broadband ISDN 88−46722
Takeuchi, T., Suzuki, H., Hayano, S., Niwa, H., Yamaguchi, T. An experimental synchronous composite packet switching system 87−13520
Takeuchi, T., Tanaka, H., Kuroda, I., Koyama, H., Nukiyama, T. A 32-bit floating point signal processor 87−37383
Takeuchi, T., Yamaguchi, T. A new switching system architecture for ISDN environment−synchronous composite packet switching 85−19987
Takeuchi, T., Yamaguchi, T. Synchronous composite packet switching for ISDN switching system architecture 85−52246
Takeuchi, T., Yamaguchi, T., Niwa, H., Suzuki, H., Hayano, S. Synchronous composite packet switching−a switching architecture for broadband ISDN 88−15296
Takeuchi, T., Yoshimura, Y., Narisada, K. Brightness and its objective measurement 88−4663
Takeuchi, T. *see* Ando, T. 85−46567
Takeuchi, T. *see* Arai, T. 85−3793, 85−37365
Takeuchi, T. *see* Ariyavisitakul, S. 86−69674, 87−48937, 87−68939, 88−21058, 88−35352
Takeuchi, T. *see* Bessho, K. 86−39717
Takeuchi, T. *see* Ha, D. 87−70181
Takeuchi, T. *see* Ha, D.-ho. 87−34744
Takeuchi, T. *see* Ikegami, F. 85−7638, 87−8206, 88−34417
Takeuchi, T. *see* Kegami, F. 85−47442
Takeuchi, T. *see* Kodama, N. 85−24206
Takeuchi, T. *see* Kumakura, H. 86−28727
Takeuchi, T. *see* Kuroda, I. 87−59575
Takeuchi, T. *see* Maebara, K. 85−42398
Takeuchi, T. *see* Nagao, T. 88−16080
Takeuchi, T. *see* Niwa, H. 87−34314
Takeuchi, T. *see* Niwa, K. 85−20329
Takeuchi, T. *see* Otake, S. 86−52027
Takeuchi, T. *see* Saji, K. 86−55698
Takeuchi, T. *see* Satoh, T. 86−68182
Takeuchi, T. *see* Shibahara, K. 88−44778
Takeuchi, T. *see* Shuto, Y. 86−63639
Takeuchi, T. *see* Sugita, Y. 86−68178
Takeuchi, T. *see* Suzuki, H. 87−27848, 88−46359
Takeuchi, T. *see* Suzuki, R. 85−46019
Takeuchi, T. *see* Tachikawa, K. 88−39849
Takeuchi, T. *see* Takahashi, M. 88−50470
Takeuchi, T. *see* Takeshita, M. 86−68180
Takeuchi, T. *see* Togano, K. 87−38682
Takeuchi, T. *see* Tsugai, M. 88−16085
Takeuchi, T. *see* Yoshida, S. 86−54425, 86−69696, 87−27208, 88−28701, 88−46938
Takeuchi, Y., Katoh, Y., Uchida, Y., Milne, W.I., Matsumara, M. Ultra-thin film a-Si:H transistors 86−41826
Takeuchi, Y., Oketani, T., Nakamura, T., Ninomiya, T. Development of high speed TV camera and recording system 85−47671
Takeuchi, Y., Sakamoto, M. Automatic measurement system of 3-dimensional coordinate measuring machine on the basis of image processing−in case of workpieces composed of the combination with rectangular prisms 88−53859
Takeuchi, Y., Sakamoto, M., Asao, T., Imura, K. On the reconstruction of NC lathe to DNC by means of personal computer. III. Automatic measurement of machining error and its evaluation 88−4291
Takeuchi, Y., Takahata, F. A method for estimating unavailability in digital satellite links 88−67323
Takeuchi, Y., Uchida, Y., Matsumura, M. Theory of charge transfer in amorphous-silicon charge-coupled devices 86−2183
Takeuchi, Y., Yamamoto, F., Shuto, Y. High-strength tight-jacketed optical fiber with thermotropic liquid crystal polymer 86−2804
Takeuchi, Y. *see* Baba, H. 88−55492
Takeuchi, Y. *see* Fujii, T. 85−23142
Takeuchi, Y. *see* Fujiwara, K. 88−1901
Takeuchi, Y. *see* Funakoshi, H. 86−54683
Takeuchi, Y. *see* Horiuchi, M. 88−63063
Takeuchi, Y. *see* Ieiri, M. 87−3912
Takeuchi, Y. *see* Ikezaki, Y. 88−11523
Takeuchi, Y. *see* Imanishi, N. 88−10248
Takeuchi, Y. *see* Isagawa, S. 88−57264
Takeuchi, Y. *see* Ishitaini, H. 86−26378
Takeuchi, Y. *see* Katoh, Y. 86−53661, 87−23742
Takeuchi, Y. *see* Kawaguchi, K. 87−27950
Takeuchi, Y. *see* Makita, Y. 87−10370
Takeuchi, Y. *see* Matsumura, M. 88−26350
Takeuchi, Y. *see* Nakao, T. 88−45238
Takeuchi, Y. *see* Nohara, M. 87−28473, 88−46986
Takeuchi, Y. *see* Noro, T. 86−70362
Takeuchi, Y. *see* Saito, T. 85−51836
Takeuchi, Y. *see* Sasaki, Y. 88−33475
Takeuchi, Y. *see* Shuto, Y. 86−68285, 88−13795, 88−67380
Takeuchi, Y. *see* Tanaka, K. 85−24157
Takeuchi, Y. *see* Tokuyama, M. 88−51329
Takeuchi, Y. *see* Yoshida, A. 87−52907
Takeuchi, Y. *see* Yoshikawa, K. 87−58391
Takeuchl, M. *see* Morosawa, K. 85−1431
Takeukchi, K., Damjanovic, D., Gururaja, T.R., Jang, S.J., Cross, L.E. Electromechanical properties of calcium modified lead titanate ceramics 87−53794
Takeutchi, F. *see* Kobayashi, M. 86−44560
Takeutchi, F. *see* Kobayshi, M. 86−44561
Takeutchi, F. *see* Takasaki, M. 86−31869
Takeuti, M. *see* Kameya, O. 88−8476
Takeuti, T., Nakano, M., Kawasaki, Z.-I., Takagi, N. Electromagnetic fields on the ground due to lightning strokes triggered with rockets and a tall chimney 86−15922
Takeuti, Y. *see* Imai, S. 85−56203 to 56204, 87−60861, 88−13741
Takewa, H. *see* Obata, S. 88−60495
Takeya, H. *see* Iye, Y. 88−45001
Takeya, H. *see* Nomura, T. 88−54071
Takeya, H. *see* Odawara, G. 87−45379
Takeya, K., Yasui, H. Performance of the integrated gas and steam cycle (IGSC) for reheat gas turbines 88−75435
Takeya, M. Pay services 85−47693
Takeya, M. NEC's C&C approach to continuing engineering education−its system rationale, concept and effectiveness 87−23170
Takeya, N., Matsuda, K., Wafanabe, B., Eiju, T. Surface roughness measurement by holographic interferometry using two refractive indices 86−60390
Takeya, S., Maeda, A. New correlation factor for high-precision open-site attenuation calculation. II 86−3652
Takeya, S., Maeda, A. Note on EMI measurement at open-field test site 86−29492
Takeya, S., Maeda, A. Note on EMI measurement at open field test site−on the shortened dipole antenna 87−26851
Takeya, S., Maeda, A. Note on EMI measurement at open field test site. IV. Adjustment range of receiving antenna height 88−14418
Takeya, S. *see* Maeda, A. 86−29351, 87−29239, 88−14417
Takeyama, A., Tazaki, K., Minami, T. High-speed multi-media LAN 87−62631
Takeyama, H., Iijima, N., Noguchi, S., Kagami, Y. Study on cutting mechanism of composite material GFRP 88−12093
Takeyama, K. *see* Krebs, G.F. 88−54190
Takeyama, K. *see* Nojiri, Y. 86−70284, 87−3837
Takeyama, S., Narita, S. New techniques for growing high-homogeneous quaternary Hg$_{1-x-y}$Cd$_x$Mn$_y$Te single crystals 86−13732
Takeyama, S. *see* Goto, T. 88−40477
Takeyama, S. *see* Miura, N. 86−36671
Takeyama, S. *see* Nakao, K. 86−22636
Takeyama, S. *see* Ozawa, P.J. 86−62953
Takeyama, S. *see* Yamada, N. 87−6394
Takeyama, T. *see* Sato, Y. 85−62197
Takeyasu, M., Sakai, S., Soga, T., Umeno, M. MOCVD growth of GaAs$_{1-x}$P$_x$ (x=0-1) and fabrication of a GaAs$_{0.6}$P$_{0.4}$ LED on a Si substrate 87−12326
Takeyasu, M., Soga, T., Sakai, S., Umeno, M. MOCVD growth of GaAs$_{0.6}$P$_{0.4}$ on Si substrate 86−52521
Takeyasu, M. *see* Sakai, S. 86−9857, 86−36459, 86−54164, 87−44394

Takeyasu, M. *see* Soga, T. 85−6005, 85−50239, 86−52495
Takeyasu, Y. *see* Hirosawa, H. 86−40925
Takezawa, T. *see* Shirai, K. 86−41157, 88−13523
Takezawa, T. *see* Uchiyama, H. 85−15309
Takezawa, Y. *see* Koike, Y. 88−26836
Takezoe, H. *see* Tsuchiya, T. 86−36264
Takhtamyshev, G.G. *see* Aref'ev, V.A. 88−68264
Takhteev, M.V. *see* Avduevskii, V.S. 87−26457
Taki, G.S., Mukhopadhyay, N.K., Bose, D.K., Bhandari, R.K. Ion source gas flow system of VEC [variable energy cyclotron] 87−70978
Taki, G.S. *see* Bose, D.K. 87−70846
Taki, H., Oshiden, K., Ohta, E., Sakata, M., Yamada, S., Fukui, T., Miura, N. Longitudinal magnetophonon resonance in n-type InP in Ohmic and hot electron region 86−8785
Taki, H. *see* Adachi, T. 88−15867
Taki, H. *see* Maeda, Y. 85−18076
Taki, H. *see* Matsuura, K. 87−24083
Taki, H. *see* Takeda, K. 85−55467
Taki, H. *see* Ueno, T. 88−60507
Taki, K., Matsuda, R., Mizutani, S. Readout characteristics in double storage layer magneto-optical disk memories 87−26102
Taki, K., Miyazaki, Y. Nonreciprocal properties of waveguide-type mono-sectional optical isolators using Bi:YIG thin-films 88−40016
Taki, K. *see* Miyazaki, Y. 88−65446
Taki, M. Melnikov's method for nonperiodic perturbations and the bifurcations in a Josephson junction 87−38697
Taki, M. *see* Fuse, T. 86−5878
Taki, T. A new technique for determination of the material parameters and the internal dimensions of a junction field-effect transistor 86−67880
Taki, T. Simple cylindrical magic angle spinner for NMR studies in electromagnets 88−45649
Taki, T. A practical simulation model for use in the analysis and design of junction field-effect transistor circuits 88−50897
Taki, T. *see* Doi, M. 87−77056
Taki, T. *see* Hitomi, A. 87−14034
Taki, Y. *see* Hangai, S. 87−7746, 87−54064, 88−26758
Taki, Y. *see* Ikezawa, S. 88−10107
Takiar, H.P. TAB technology—a review 87−1127
Takiar, H.P., Belani, J. Stresses in TAB bonded packages 88−12866
Takiar, H.P., Shanker, B.J. Thermal characteristics of TAB packages 88−43708
Takigawa, H., Yoshikawa, M., Ito, M., Maruyama, K. Misfit dislocations in HgCdTe-CdTe heterojunctions 86−14923
Takigawa, H. *see* Yoshikawa, M. 85−34490, 86−46325
Takigawa, K., Kobayashi, H., Takeda, Y. Utility interface problems and solutions for dispersed small scale PV systems 88−37100
Takigawa, K., Nakatani, K., Muraoka, K., Ohfuchi, K., Okamoto, K. Roadside radio system for broadcasting on expressway 86−4538
Takigawa, K., Takeda, Y., Sawada, J., Mori, S., Akiyama, K., Ikeda, S., Horigome, T. Development of 200 kW PV power system using dispersed PV units 86−39638
Takigawa, K. *see* Takahashi, M. 86−6634, 87−9440
Takigawa, K. *see* Takeda, Y. 86−6617, 87−9441
Takigawa, M. *see* Harata, Y. 85−33965, 87−37166
Takigawa, M. *see* Kushida, T. 87−38233, 88−43278
Takigawa, M. *see* Nakamura, Y. 86−41775, 86−63300, 87−25259
Takigawa, M. *see* Sugiyama, S. 87−49730
Takigawa, M. *see* Tadano, H. 88−64540, 88−75788
Takigawa, M. *see* Teshima, S. 88−70737
Takigawa, M. *see* Uesugi, T. 87−5453
Takigawa, S., Kume, M., Hamada, K., Tateoka, K., Naitoh, H., Yoshikawa, N., Yamamoto, A., Shimizu, H., Itoh, K. Continuous room-temperature operation of a 759-nm GaAlAs distributed feedback laser 88−14178
Takigawa, S. *see* Takeda, Y. 85−18807, 86−36340, 86−53437
Takigawa, T. Bias exposure method developed to form quarter-micron VLSI patterns 86−21660
Takigawa, T. Electron beam lithography 88−33090
Takigawa, T., Matsumoto, Y. Electron-beam technology for VLSI 86−9241
Takigawa, T., Shimazaki, K., Kusui, N. Recent progress on submicron electron beam lithography 87−11916
Takigawa, T. *see* Abe, T. 88−33096, 88−57530
Takigawa, T. *see* Goto, M. 85−34704
Takigawa, T. *see* Hattori, K. 88−19899
Takigawa, T. *see* Horiike, Y. 87−67512, 88−39342
Takigawa, T. *see* Komano, H. 88−64661
Takigawa, T. *see* Nagano, S. 86−33114
Takigawa, T. *see* Nakasuji, M. 85−46532
Takigawa, T. *see* Nishimura, E. 86−35496
Takigawa, T. *see* Tamamushi, S. 88−39308
Takigawa, T. *see* Yoshikawa, R. 87−38377
Takiguchi, H., Kudo, H., Kaneiwa, S., Sakane, C., Hijikata, T. 720-80 nm AlGaAs/GaAs DFB lasers with InGaAsP waveguiding layers 88−40244
Takiguchi, H., Matsui, S., Hayashi, H., Yamamoto, O., Yano, S., Hijikata, T. Noise reduction in injection lasers by superposition of the low frequency pulse 85−24570
Takiguchi, H. *see* Kaneiwa, S. 85−29806, 85−46403
Takiguchi, H. *see* Matsui, S. 85−12838, 85−24569
Takiguchi, K., Aoshima, K. Process control functions in a xerographic copier 85−29996
Takiguchi, K., Kimura, K., Idenoshita, N., Ozawa, Y. Data processing system for automatic component insertion machines 87−73903
Takiguchi, K. *see* Suzuki, Y. 85−10794, 86−13801
Takiguchi, M. *see* Ikeda, M. 85−2299
Takiguchi, M. *see* Saito, N. 88−54811
Takiguchi, S., Sakai, K., Watanabe, N., Yamasaki, M. Plant automation and CRT display system for nuclear power plants 88−42995
Takiguchi, T. *see* Nishikawa, S. 88−35723
Takiguchi, T. *see* Ogawa, M. 86−43536
Takiguchi, T. *see* Yoshino, K. 86−66866
Takiguchi, Y., Aoshima, S., Tsuchiya, Y. Femtosecond laser flashed frame imaging utilizing a femtosecond streak camera 87−56528
Takiguchi, Y., Aoshima, S., Tsuchiya, Y., Hiruma, T. Laser pulse tomography using a streak camera 88−8389
Takiguchi, Y., Kinoshita, K., Inuzuka, E., Tsuchiya, Y. Femtosecond streak camera 87−11308
Takiguchi, Y., Kinoshita, K., Suyama, M., Inagaki, Y., Tsuchiya, Y. Investigation of the limiting factor of dynamic-range in femtosecond streak tube 87−53132
Takiguchi, Y. *see* Kinoshita, K. 87−57039
Takiguchi, Y. *see* Nishikata, Y. 88−65385
Takiguchi, Y. *see* Toyoshima, R. 87−5840
Takiguchi, Y. *see* Ueda, M. 88−40307
Takiguchi, Y. *see* Urakami, T. 87−53131
Takiguchi, Y. *see* Yilmaz, H. 87−14579
Takihana, M. *see* Sakuma, S. 87−36067
Takii, K. *see* Miyatake, S. 86−5043, 86−49979, 87−34970
Takikawa, H. *see* Yoshida, Y. 88−62799
Takikawa, K., Hishiyama, K., Watanabe, Y., Kobayashi, K. Geometric page creation terminal 85−13840
Takikawa, K. *see* Balka, L. 88−47985
Takikawa, K. *see* Fukui, Y. 88−10275, 88−47986
Takikawa, K. *see* Kobayashi, Y. 85−13839, 85−47180
Takikawa, M. Electrical properties of interface-traps in selectively doped AlGaAs/GaAs heterostructures 88−25941
Takikawa, M., Joshin, K., Hirachi, Y., Shibatomi, A. Effect of surface state and DX center on low frequency transconductance of high-electron-mobility-transistor 86−53688
Takikawa, M., Oohori, T., Kasai, K., Komeno, J., Shibatomi, A. Direct observation of interface traps in OMVPE-grown selectively doped AlGaAs/GaAs heterostructure using modified DLTS 87−11818
Takikawa, M. *see* Kasai, K. 86−57470
Takikawa, M. *see* Kodama, K. 86−35399
Takikawa, M. *see* Tanaka, H. 88−1688
Takikawa, O., Hiraki, H., Harata, M., Saito, T. A new $BaRuO_3$ thin film resistor for high speed thermal printing 86−62954
Takikawa, O. *see* Suzuki, K. 85−26217, 85−31380
Takikawa, T. *see* Igarashi, T. 88−57761
Takikawa, Y. *see* Yana, K. 88−42245
Takimoto, H., Sano, Y. The architecture of an advanced ring network for distributed computer system 86−10812
Takimoto, H. *see* Hori, A. 87−34280
Takimoto, H. *see* Ihara, S. 85−37604
Takimoto, H. *see* Okubo, K. 85−39276
Takimoto, K. *see* Nakamura, M. 88−47755
Takimoto, T. *see* Namiki, Y. 87−47526, 88−38485
Takimoto, Y., Kitazume, S., Komiyama, N. Satellite switching center with switching diagnostics for SS-TDMA system 87−40820
Takimoto, Y. *see* Betaharon, K. 87−76431
Takimoto, Y. *see* Kitazume, S. 85−20140
Takimoto, Y. *see* Maeda, F. 88−48781
Takine, T., Takahashi, Y., Hasegawa, T. Performance analysis of a polling system with single buffers and its application to interconnected networks 87−13383
Takine, T., Takahashi, Y., Hasegawa, T. An analysis for interdeparture process of a polling system with single message buffer at each station 88−14867
Takine, T., Takahashi, Y., Hasegawa, T. An approximate analysis of a buffered CSMA/CD 88−73395
Takine, T. *see* Matsumoto, Y. 88−9163
Takino, H., Tsuruoka, M., Hayakawa, K. Magnetic properties of amorphous Co-Hf-Pd and -Pt alloys for thin film heads 88−57952
Takino, H., Tsuruoka, M., Hayakawa, K. Magnetic properties of amorphous Co-Zr-Pd and Co-Hf-Pd films 88−64898
Takino, K. *see* Miyazaki, S. 86−25173
Takino, Y. *see* Kawakami, H. 86−40001
Takino, Y. *see* Kimura, R. 85−48637
Takioka, T. *see* Kyuma, K. 85−7259
Takioka, T. *see* Yoshinaga, K. 87−77238
Takishima, S. *see* Kawai, K. 86−12540
Takishima, S. *see* Matsumoto, S. 87−4296
Takishima, T. *see* Saito, T. 88−16707
Takita, A. *see* Sugano, A. 87−42641
Takita, K., Ipposhi, T., Masuda, K. Magnetophonon resonance recombination of hot carriers with emission of two TA-phonons in LPE HgTe 85−18084
Takita, K., Ipposhi, T., Masuda, K. Magnetophonon resonance trapping of electron with emission of multi-phonon and magneto-Auger-recombination oscillation in n-$Hg_{1-x}Cd_xTe$ 87−45598
Takita, K., Ipposhi, T., Masuda, K. Nonradiative carrier recombination processes of n-$Hg_{1-x}Cd_xTe$ as determined by magnetic quantum oscillations 87−60084
Takita, K., Ipposhi, T., Suzuki, A., Masuda, K. Auger recombination oscillation of magnetoresistance in $Hg_{1-x}Cd_xTe$ under heated electron and hole conditions 86−8793
Takita, K., Suzuki, A., Masuda, K. Anomalous temperature dependence of magnetophonon resonance peak positions of n-$Hg_{1-x}Cd_xTe$ 86−47305
Takita, K., Uchino, T., Ipposhi, T., Masuda, K. LPE crystal growth and magnetophonon resonance recombination of $Hg_{1-x}Mn_xTe$ 86−8821
Takita, K. *see* Murakami, K. 85−1269
Takiue, M., Fujii, H., Ishikawa, H. PPO-ethanol system as wavelength shifter for the Cherenkov counting technique using a liquid scintillation counter 85−26694
Takiue, M., Natake, T., Fujii, H., Ishikawa, H. Modification of a dual-label analysis data processing system for chemiluminescence corrections in liquid scintillation counting 86−60578
Takiue, M. *see* Fujii, H. 87−35328, 88−29883
Takiya, N. *see* Arai, M. 87−77441
Takiya, S. *see* Suzuki, C.K. 87−32763
Takiyama, K. *see* Shigesawa, H. 85−19197, 86−8436, 86−10170, 86−64087, 87−6056
Takiyama, R. The geometrization of the discriminal process model and psychophysical functions 86−3736
Takiyama, R. *see* Ono, N. 88−41100
Takiyama, T. *see* Shimizu, Y. 85−31912
Takiyama, Y. *see* Kobayashi, M. 88−54048
Takiyasu, Y. *see* yamashita, K. 87−20498
Takizawa, K. Electro-optic cutoff modulator using a Ti-indiffused $LiNbO_3$ channel waveguide with asymmetric strip electrodes 87−26085
Takizawa, K., Okada, M. Time-division optical power divider using electrooptic light modulators 86−23891
Takizawa, K., Okada, M. Time-division optical power divider using electrooptic light switches 86−43829
Takizawa, K., Okada, M., Aida, T. Polarization-independent and optical-damage-insensitive $LiNbO_3$ interferometric waveguide modulator 88−51562
Takizawa, K. *see* Moriwaki, K. 87−37122
Takizawa, K. *see* Okada, M. 86−54008
Takizawa, K. *see* Toyoshima, R. 87−5840
Takizawa, M. Design of highly reliable broadcast communication protocol 88−21409
Takizawa, M., Izawa, Y., Kimura, J., Fukinuki, T. A consideration on hardware architecture for 64 kb/s TV codec 88−45935
Takizawa, M. *see* Arai, T. 87−41998, 88−20336, 88−58097
Takizawa, M. *see* Ariizumi, S. 87−17069
Takizawa, M. *see* Fukinuki, T. 87−2600
Takizawa, M. *see* Mayanagi, M. 88−61537
Takizawa, M. *see* Saito, M. 85−56276, 86−42269, 88−29420, 88−33643
Takizawa, M. *see* Terada, T. 85−34090
Takizawa, M. *see* Yamada, M. 87−20492
Takizawa, O. *see* Wakui, G. 85−4120
Takizawa, R., Nakanishi, T., Ohsawa, A. Degradation of metal-oxide-semiconductor devices caused by iron impurities on the silicon wafer surface 88−25998
Takizawa, R. *see* Ohsawa, A. 85−1272
Takizawa, T. On the method of accuracy indication for quartz watches and clocks 86−24792
Takizawa, T. *see* Ando, T. 86−42798
Takizawa, T. *see* Hamada, Y. 85−2508
Takizawa, Y., Sato, S., Fukasawa, A. A new speaker-independent voice recognition scheme for voice dialling 87−69076
Takizawa, Y. *see* Fukasawa, A. 86−69495
Takizawa, Y. *see* Kotaki, H. 85−37292
Takizawa, Y. *see* Matsunaga, N. 85−54955
Takizawa, Y. *see* Noguchi, O. 88−3864
Takizawa, Y. *see* Sato, S. 88−73848
Takizawa, Y. *see* Tomizawa, T. 85−21338
Takizawa, Y. *see* Yamaguchi, K. 85−56435
Takizuka, T. *see* Kaburaki, H. 85−53451
Takizuka, T. *see* Matsuo, K. 85−14187, 86−69197

Takkahashi, S. *see* Ogisu, K. 86−26922
Takken, E.H. *see* Longmire, M.S. 88−45262
Takla, A.K., Haque, V.A. A single-chip 300 baud FSK modem 85−30771
Takla, N., Hecker, M. A monolithic 64 bit floating-point coprocessor 85−831
Tako, T. *see* Kishino, K. 85−12846
Tako, T. *see* Nakamura, T. 85−56504
Tako, T. *see* Okazaki, H. 85−12885
Takoshima, T. *see* Tanaka, A. 88−39874, 88−39922
Takou, M., Hori, K., Nakaya, S. Quality assurance for automatic transmission control units 85−5465
Taktakishvili, M.I. *see* Barkhudarov, E.M. 86−15806
Takubo, Y., Horibe, Y., Yamanishi, N., Okinaka, H. Electric and optical properties of PLZT ceramic shutter array 86−48215
Takuho, H., Masayuki, K. Compressor technology and applications 88−62553
Takum, R.A. Project Victoria solves an 'information age' dilemma 87−48457
Takuma, H. Present status of X-ray laser studies 88−14122
Takuma, H. *see* Hakuta, K. 87−14611
Takuma, H. *see* Ueda, K. 88−8129
Takuma, K. *see* Chiba, A. 85−4647
Takuma, T. Discharge characteristics of gaseous dielectrics 87−25662
Takuma, T. Semicustom IC entering into new market stage 88−57742
Takuma, T., Kawamoto, T. Field intensification near various points of contact with a zero contact angle between a solid dielectric and an electrode 85−9525
Takuma, T., Kawamoto, T. A very stable calculation method for ion flow field of HVDC transmission lines 87−35657
Takuma, T., Kawamoto, T., Sunaga, Y. Analysis of calibration arrangements for AC field strength meters 85−37695
Takuma, T., Kawamoto, T., Yasui, M., Murooka, M., Katoh, J. Analysis of effect of shield wires on electrostatic induction by AC transmission lines 86−6327
Takuma, T. *see* Watanabe, T. 86−68685
Takuma, Y. Development of fiber-optic polarizers for long-wave bands 88−53275
Takuma, Y., Kajioka, H., Yamada, K. High performance polarizers and sensing coils with elliptical jacket type single polarization fibers 88−65270
Takumi, I., Hata, M. A pole-controlled acoustic echo canceller by means of parallel connected independent second order IIR ADFs 88−45726
Takumi, I., Hata, M. Improvement of convergence characteristics of a pole-controlled IIR echo canceller 88−45727
Takumi, I. *see* Hayahara, E. 85−61372
Takumi, K. *see* Hatta, H. 85−51870, 85−52060
Takumi, K. *see* Masuyama, I. 86−18991
Takumi, K. *see* Murai, M. 85−52059
Takumi, T. *see* Hayahara, E. 87−850
Takura, T., Onuki, T., Ameniya, T., Higuchi, Y. Hybrid field and circuit analysis and its application to the control of the permanent-magnet stepping motor 88−49013
Takura, T., Onuki, T., Yamada, K., Amemiya, T. Magnetic equivalent circuit representation of stepping motor using boundary element method 87−22442
Takusagawa, J. *see* Ishii, H. 88−22444, 88−35883
Takusagawa, T. *see* Hongo, Y. 86−4003
Takushi, E., Kakihana, Y., Maekara, S. Construction of one megawatt TE-Blumlein type nitrogen laser 85−18834
Takushi, E., Kakihana, Y., Teruya, K. Observation of air laser at low pressure 85−62481
Takushima, A. *see* Tanaka, S. 88−55734
Takushima, T. *see* Terazaki, N. 85−26025
Takuwa, M., Saitoh, H., Sano, K. The SM573−a 4 bit microcomputer with an on-chip high speed A-D converter 85−22928
Takwale, M.G. *see* Arole, V.M. 88−75946
Takwale, M.G. *see* Kolhe, S. 86−35328, 87−31551, 87−45596, 87−52156
Tal, J. Designing digital motion control systems [motor control] 85−10075
Tal, J. Digital control of DC motors 85−16051
Tal, J. The Galil chip set−building blocks for motion control 86−51645
Tal, J. Effective modeling of DC motors and amplifiers 87−30613
Tal, J. Stepping-servo controller for DC motors 87−30669
Tal, J. Circuit boards simplify the route to motion control 88−56591
Tal, J. Phase-locked servo systems produce wide speed range and high resolution 88−75575
Tal, J., Andrews, R. Computer-aided servo design system design by the PC 88−75882
Tal, J., Antognini, L. Damping a two-phase step motor with velocity coils 87−30691
Tal, J., Baron, W. The stepping servo−low cost alternative to step motors 85−48969
Tal, J., Baron, W. Controller chips for DC servo applications 88−5707
Tal, J., Baron, W. Trajectory interpolation in servo design 88−75674
Tal, J. *see* Chitayat, A. 88−75645
Tal Shlomo Pri *see* Shlomo Pri Tal
Talaat, H., Moret, R. A microprocessor-controlled micromachine system for power system stability investigations 87−30663
Talaat, H. *see* Rashid, K. 86−50813, 87−35593
Talaat, Kh. *see* Taufik Mokhsen, A. 87−71544
Talaat, M.E. Space-based closed loop magnetoplasmadynamic (MPD) power generator duct operating in conjunction with jet compressor 88−42602
Talab, R. *see* Bailey, G.D. 87−56394
Talabac, S.J., Walters, D.H. Implementation of gateways for high performance fiber optic networking 88−35156
Taladay, A.C., Hoskins, W.W., Humes, J.L. Coal gasification combined cycle as an alternate source of power generation 86−61342
Talaga, J. New method of XTKMX cable section insulation testing 87−40628
Talaga, R. *see* Chang, C.Y. 88−29902
Talahmeh, S., Singh, H. Two-dimensional state-space model for bilateral linear image processing 88−52520
Talaki, K.A., Schlax, T.R. Reconfigurable automobile instrument cluster 85−16372
Talakin, K.N., Tsveibak, I.Ya., Sokolov, I.A., Yakimchuk, D.Yu. Preparation of $PbTe_{1-x}S_x$ layers by liquid phase epitaxy 87−58925
Talakvadze, G.M. *see* Popovidi-Zaridze, R.S. 85−2544
Talakvadze, G.M. *see* Zaridze, R.S. 87−75327
Talalakin, G.N. *see* Aidaraliev, M. 88−27167, 88−27174
Talalakin, G.N. *see* Andrushko, A.I. 86−67674, 87−54186
Talalakin, G.N. *see* Matveev, B.A. 85−34749, 87−36701
Talalakin, G.N. *see* Zotova, N.V. 87−75111
Talaluev, A.V. *see* Stechenko, V.I. 87−45181
Talamanov, S.A. *see* Tverskoi, Yu.S. 85−15868
Talamas, L. *see* Gerez, V. 88−36870
Talamas, L. *see* Valdivia, R. 86−56465
Talanchuk, P.M. *see* Moroz, A.S. 86−27881
Talanin, I.E., Sorokin, L.M., Sheikhet, E.G. Production of thin silicon crystals for transmission electron microscopy 85−29159
Talankin, L.P. *see* Lugach, L.I. 86−33036
Talanov, A.O. *see* Goldenberg, L.M. 85−7890
Talanov, V.I. Synthesis of antennas in multimode waveguides 86−36825
Talanova, V.D. *see* Zherebtsov, V.A. 86−7175
Talapatra, S. *see* Karim, M. 85−63084
Talapatra, S. *see* Karim, M.A. 85−63126
Talarico, T.L. *see* Grune, G.L. 86−49433
Talas, P., Toom, P.O., Franklin, D.E., Palylyk, R.A. Application of an on-line air gap monitor for hydroelectric generator protection and problem diagnosis 88−30603
Talas, S. *see* Evans, B.J. 88−61064
Talasek, R.T., Ohlson, M.J., Syllaios, A.J. Kinetics and mechanism of HgCdTe oxidation by AC impedance 85−34840
Talasek, R.T., Syllaios, A.J. MOS capacitors on cadmium telluride 85−45469
Talavera, J.A. Digital control of a strip mill 86−33875
Talaysum, A.T., Hassan, M.Z., Goldhar, J.D. Uncertainty reduction through flexible manufacturing 87−58611
Talbert, C.M., Jones, T.B., Dietz, P.W. The electrospouted bed 85−19098
Talbert, S.H. Slow, frictionless ring forming: further exact solutions for a wide class of ductile materials 87−5111
Talbert, W.L., Jr., Bunker, M.E. Possibilities for studying short-lived nuclei produced at LAMPF 86−55910
Talbert, W.L., Jr., Bunker, M.E., Starner, J.W. Optimization of a He-jet activity transport system to use at LAMPF 87−71053
Talbert, W.L., Jr., Wollnik, H., Geisse, C. Ion-optical design for an on-line mass separator at LAMPF 87−70988
Talbot, B. Gate arrays versus standard cells and silicon foundries 87−5824
Talbot, B. De facto wafer scale integration or do it yourself VLSI 87−6824
Talbot, C.G. *see* Harari, S.L. 88−31462
Talbot, D.B., Cheney, J.F. A five-band companded technique for converting telephone quality to broadcast quality using two voice-grade phone lines 87−20664
Talbot, G.R. *see* Work, G.S. 86−8249
Talbot, J. Battery state indicator 85−21775
Talbot, J.R.W. The relationship between electricity boards and private generators 86−50927
Talbot, J.W. The effect of ESD on LED III-V materials 87−53194
Talbot, K.H., Murdoch, B.J. Overview of Pickering NGS Units 1 and 2 retube outage 88−75290
Talbot, K.H., Wieckowski, J.T. Equipment preservation for a 4-year outage of Pickering NGS Units 1 and 2 88−75292
Talbot, K.H. *see* Austin, D.G. 88−75293
Talbot, K.H. *see* Morison, W.G. 88−37004
Talbot, M. Speech recognition: is it working? 86−43190
Talbot, M. Adapting to the speaker in automatic speech recognition 88−59094
Talbot, P. Switch mode supply technology makes progress 85−44088
Talbot, P. *see* Leblanc, R. 88−67482
Talbot, P.D., Peterson, R.L., Graham, D.R. Real-time simulator for helicopter rotor wind-tunnel operations 86−50696
Talbot, R.D. Ultrasonic system measures distance, position and thickness 87−35525
Talbot, S. *see* van der Linden, P. 85−35071
Talbot, S.H. *see* Zimmerman, D.L. 86−59876
Talbot, T.L., Schuette, W.H., Tipton, H.W., Thibault, L.E., Brown, F.L., Jr., Winslow, R.M. Noninvasive detection of the anaerobic threshold during computer-controlled exercise testing 86−18283
Talbot, T.L. *see* Walker, E.C. 88−29939
Talbott, C.M., Jr. Plotting positions for maintenance planning 86−130
Talbott, R.R. Network survivability analysis 88−34869
Talbott, R.R. Feed forward rings 88−35168
Tale, A. *see* Bratslavets, P. 88−2131, 88−4660, 88−8060
Taleb, B., Miller, A.J., Deans, N.D. Design of a hardware reliability simulator for complex systems 87−10222
Taleb-Ibrahimi, A. *see* Maigne, P. 86−21256
Taleb-Ibrahimi, A. *see* Schaffler, F. 88−13016
Talebian, A. *see* Catherine, Y. 88−43934
Talele, L.T. *see* Agarwal, M.K. 87−30976
Talen-van der Mheen, H.J. *see* Leys, M.R. 85−10712
Taler, E.I. Remote control of a power-network region using the TM-120-1M remote-control equipment 88−5258
Taler, J. Warming-up of boilers by steam−a source of oil or gas economy during boiler start-up 86−19061
Talflon, J.T. *see* Haigh, D.G. 88−19261
Talhouet, H.de *see* de Talhouet, H.
Talieh, H. *see* Lommasson, T.C. 88−37569
Talieh, H. *see* Thornton, J.A. 88−56302
Taliercio, M. *see* Brofferio, S. 87−28780
Talis, A.A. *see* Fefelov, V.I. 85−15881
Talisa, S.H. Application of Davidenko's method to the solution of dispersion relations in lossy waveguiding systems 86−10144
Talisa, S.H., Adam, J.D., O'Keeffe, T.W. A novel MSW programmable Barker coder/decoder 87−7033
Talisa, S.H., Emtage, P.R., Daniel, M.R., Adam, J.D. Passband ripple observed in MSFVW delay lines 87−25863
Talisa, S.H. *see* Adam, J.D. 88−33544, 88−71956
Talkan, E.A., Bahnas, Y.Z., Hassan, A.M. Nonidealness in switched capacitor circuits 85−17675
Talke, F.E. *see* Benson, R.C. 88−51319
Talke, F.E. *see* Bogy, D.B. 86−28647, 86−53899
Talke, F.E. *see* Bouchard, G. 85−56104, 87−25830, 88−51333
Talke, F.E. *see* Miu, D.K. 85−24158
Talkhan, E. *see* Eighonemy, M. 87−19493
Talkhan, E. *see* Elghonemy, M. 86−29822
Talkhan, E.A. New capabilities of the CMOS inverter 88−56581
Talkhan, E.A., Eweda, E.I., Soleit, S. A proposal for reducing error propagation in adaptive recursive equalizer 85−7908
Talkington, A.L. *see* Schrottke, G. 85−6620
Talkington, C.M. Use of design-of-experiments to establish component tolerances for a phase-locked loop pull-in range 85−22722
Talkington, C.M. *see* Brinson, A.N., Jr. 85−3898
Tal'ko-Grintsevich, P.P. *see* Bedyushkin, G.A. 88−4593
Tal'ko-Grintsevich, P.P. *see* Vedyushkin, G.A. 87−8719
Tall, M. *see* Piech, Z. 85−9929
Tallant, D.R. *see* Campbell, A.N. 88−44562
Tallant, D.R. *see* Gee, J.M. 85−49579
Tallaron, L. *see* Bertails, J.C. 87−20318
Tallbacka, T. *see* Ohman, O. 88−30848
Tallec, P.Le *see* Le Tallec, P.
Tallentire, D., Hammond, P.H. SERC control and instrumentation initiatives 87−43802
Tallents, G.J. Recombination and photo-pumping mechanisms for producing gain on hydrogen-like Balmer alpha lines 87−12380
Tallents, G.J. *see* Pert, G.J. 85−7357
Tallerchik, B.A., Olsesk, A.O. Integrated semiconductor sensors 86−70120
Tallerchik, B.A. *see* Andreev, Yu.V. 87−32271
Tallerchik, B.A. *see* Egorova, T.N. 87−1386
Tallerchik, B.A. *see* Leikina, B.B. 85−34207
Tallerico, P.J., Coulon, J.-P. Computer simulation of the lasertron with a ring model 88−54338
Tallerico, P.J., Keffeler, D.R. A racetrack microtron RF system 86−31997
Tallerico, P.J., Lynch, M.T. The Los Alamos free-electron laser (FEL) RF system 86−31998
Tallerico, P.J. *see* Carlsten, B.E. 86−31988

Tallerico, P.J. *see* Lynch, M.T. 86-3200, 86-31790
Tallerico, P.J. *see* Penner, S. 86-24905
Tallet, A. *see* Le Berre, M. 85-51252, 86-22491
Tallet, A. *see* Valley, J.F. 87-39238
Tallet, A. *see* Zondy, J.J. 88-72412
Tallet, P. *see* Griffin, D.R. 85-48258
Talleu, P. *see* Bussy, B. 87-15442
Talleu, P. *see* Marceau, J. 86-33012
Talley, B., Skomp, G., Bones, D. Graphic interface for electronic design verification 86-46025
Talley, D. Modern telephone switching systems 86-37653
Talley, D.A. *see* Grisby, L.L. 87-15019
Talley, W.T. *see* Sawyer, D. 88-74522
Tallini, B. *see* Berger, C. 88-22937
Tallis, A.A. A cost effective design approach to magnetics in a 350 watt, 500 kHz 2 transistor forward off-line SMPS 88-75800
Tallis, C. Spectrum Morse 86-54815
Tallis, C. A combined Morse and RTTY decoder for the ZX spectrum 87-69585
Tallis, R. *see* Campbell, J.A. 85-26785
Tallon, B. *see* Cavalier, A. 85-167
Tallon, R.W., Ackermann, M.R., Kemp, W.T., Owen, M.H., Saunders, D.P. A comparison of ionizing radiation damage in MOSFETs from cobalt-60 gamma rays, 0.5 to 22 MeV protons and 1 to 7 MeV electrons 86-35703
Tallon, R.W., Kemp, W.T., Ackermann, M.R., Own, M.H., Hoffland, A.H. Radiation damage in MOS transistors as a function of the angle between an applied electric field and various incident radiations (protons, electrons, and Co-60 gamma rays) 88-26284
Tallosy, J. *see* Resch, P. 85-21399
Talluto, B. Visagraph eye-movement recording system 87-71087
Tally, C. Closing the loops between plant design and operator—an automatic logging system 86-51394
Tally, C.W. Ensuring the design life of an NSSS 85-4769
Tally, C.W. Ensuring the design life of a nuclear steam supply system 85-48699
Tally, C.W., Brownell, R.B. Automating engineering services in the nuclear industry 85-21373
Tally, C.W., Killian, D.E., Moore, K.E. Oconee: is life extension in the cards for plants of this vintage? 86-51220
Tally, R., Pedersen, G. Perceptions and acceptance of a local area network and electronic mail 87-48485
Talmadge, R.D., Banaszak, D.L. Digital data acquisition system for modal testing 86-32430
Talmadge, R.N. *see* Chang, H.Y. 85-751
Talmadge, R.N. *see* Foster, J.C. 85-33565
Talman, A.J.J. *see* van der Laan, G. 87-72958
Talman, J.R. *see* Darcie, T.E. 88-15447, 88-15453, 88-47052, 88-53256
Talman, J.R. *see* Kasper, B.L. 86-4640, 86-43814, 87-49060, 88-35502
Talman, J.R. *see* Korotky, S.K. 88-22089
Talman, J.R. *see* Taylor, A.J. 86-22186, 86-36332, 87-7226
Talman, R. Multiparticle phenomena and Landau damping 87-50068
Talman, R. Resonances in accelerators 87-50069
Talman, R. Some considerations regarding very high (and very unequal) tune damping rings 87-70957
Talman, R. Field trimming of SSC dipoles 88-4751
Talman, R. Using coil spacer wedges as current-carrying field-trimming elements 88-4752
Talman, R. *see* Hinkins, R. 88-10221
Talman, R. *see* Peggs, S. 88-4741
Talman, R. *see* Schachinger, L. 87-77482
Talman, R.M. *see* Green, M.A. 88-68138
Talman, R.M. *see* Sakazaki, L.E. 86-24973
Talmi, M. Programmable signal processors 87-41445
Talmi, M., Schade, K. A programmable floating point signal processor for telecommunications 87-37348
Talmi, Y. Guidelines for the selection of Raman multichannel detectors 88-47530
Talmon, J.L. A multiclass nonparametric partitioning algorithm 86-43337
Talmon, J.L., Kors, J.A., van Bemmel, J.H. Algorithms for the detection of events in electrocardiograms 86-50566
Talmon, J.L., Kors, J.A., van Bemmel, J.H. Adaptive Gaussian filtering in routine ECG/VCG analysis 86-67371
Talmon, J.L., van Bemmel, J.H. Template waveform recognition revisited—results for the CSE database 85-9211
Talmon, J.L. *see* Kors, J.A. 86-38785
Talmon, J.L. *see* van Bemmel, J.H. 86-25235
Talmon, J.L. *see* van Haelst, A.C.T.A. 85-9196, 86-18333
Talmud, I. *see* Ducourant, T. 86-34912
Talmud, I. *see* Mitonneau, A. 85-55975
Talnagi, J.W., Miller, D.W. An experimental demonstration of nuclear instrumentation surveillance in power reactors 86-51271
Talnagi, J.W. *see* Miller, D.W. 85-59952
Talneau, A., Rondi, D., Krakowski, M., Biondeau, R. Very low threshold operation of 1.52 μm GaInAsP/InP DFB buried ridge structure laser diodes entirely grown by MOCVD 88-51799
Tal'nov, V.B. *see* Blagoveshchenskii, A.B. 87-21762
Talnykin, E.A. Printed circuit board design system based on the 'Elektronika' family of computers 85-1135
Talnykin, E.A. RED graphics editor in a printed circuit board design system 85-28783
Talnykin, E.A. Structure of a local database and organization of geometric transformations in a real-time synthesizing visualization system 88-27999
Talnykin, E.A. *see* Kovalev, A.M. 85-1134
Talochkin, V.P. *see* Alberini, C. 86-65387
Talochkin, V.P. *see* Badino, G. 85-48177
Talonina, L.N. *see* Bychkov, S.I. 85-51607
Talov, V.V. *see* Berezhnykh, E.A. 86-33481, 86-45514
Talover'ya, V.L. *see* Alferov, S.E. 87-4410
Talover'ya, V.L. *see* Sklyarov, V.F. 87-71702
Talover'ya, V.L. *see* Udod, E.I. 87-87
Talpa, I., Rosypal, F., Kulhanek, L. A control system for a material test facility in nuclear power industry 88-47400
Talpalar, G.M. *see* Karpenko, L.V. 86-26198
Talpe, J., Stolovitzky, G., Bekeris, V. Cryogenic thermometry and level detection with common diodes 88-16052
Talpe, P. *see* Phelan, R. 88-22523
Talreja, R., Govada, A., Henneke, E.G., II Quantitative assessment of damage growth in graphite epoxy laminates by acousto-ultrasonic measurements 85-17033
Taltavull, J. *see* Barbero, J. 86-64955
Talton, D. *see* Goldwasser, S.M. 87-14885, 87-77647
Talton, D.A., Goldwasser, S.M., Reynolds, R.A., Walsh, E.S. Volume rendering algorithms for the presentation of 3D medical data 87-57065
Talton, D.A. *see* Goldwasser, S.M. 86-25199
Talty, J.T. *see* Haag, W.M. 87-72725
Talty, R. *see* Stout, G. 87-37349
Talty, T.F. Development of operating heat rate functions for cyclically loaded coal-fired power plants without in-plant computer systems 86-45204
Talukdar, S., Cardozo, E. Collaborating systems of programs for power system operations 88-23376
Talukdar, S.N., Cardozo, E., Leao, L.A.V. Toast: the power system operator's assistant 86-70573
Talukdar, S.N., Cardozo, E., Perry, T. The operator's assistance—an intelligent, expandable program for power system trouble analysis 86-51118
Talukdar, S.N., Cardozo, E., Perry, T. The operator's assistant—an intelligent, expandable program for power system trouble analysis 87-4214
Talukdar, S.N. *see* Cardozo, E. 87-4302, 88-10907
Talukdar, S.N. *see* Christie, R.D. 88-10768
Talukdar, S.N. *see* Joobbani, R. 86-46483
Talukder, N.K.D. *see* Srivastava, V.K. 86-7865
Talvacchio, J., Braginski, A.I. Lattice-matched oxide barriers for NbN tunnel junctions 88-13768
Talvacchio, J., Braginski, A.I., Janocko, M.A., Bending, S.J. Tunneling and interface structure of oxidized metal barriers on A15 superconductors 85-56182
Talvacchio, J. *see* Blaugher, R.D. 87-67850
Tal'viste, E.K., Tal'viste, I.V.O. Determination of the residual resistance of light-emitting diode structures 85-35654
Tal'viste, I.V.O. *see* Tal'viste, E.K. 85-35654
Talvo, M. Set top box and interface problems 88-74117
Talwar, A.K. Ka-band FET oscillator 85-55142
Talwar, A.K., Poole, W.E., Jr., Steinkolk, R.B. Design a DRO for airborne applications 88-50381
Tal'ya, I.I. *see* Epifanov, A.P. 88-49233
Tal'yanskii, E.B. *see* Pustyl'nik, O.D. 86-8790
Tal'yanskii, V.I. *see* Govorkov, S.A. 87-45660
Talyrond, R.T.H. Tomorrow's roundness measurement today 87-63523
Talyshchinskii, R.I., Davydov, V.F., Aliev, F.M., Rogozinskaya, T.S. Mechanical characteristic of an asynchronous motor with no-waste stator magnetic circuit 87-58079
Talysheva, I.I. *see* Mazel', R.E. 86-19096, 87-57712
Talyshinskii, I.T., Bannikova, L.V., Vaganov, M.A., Zamyatnin, D.V., Komarova, G.V. The three-dimensional magnetic field of an asynchronous motor with contactless suspended multilayer spherical rotor 87-64575
Talyshinskii, I.T., Zamyatnin, D.V. A method for calculating the electromagnetic parameters of an induction motor having no ferromagnetic cores 86-12807
Talyshinskii, R.I., Aliev, F.M., Rogozinskaya, T.S. Investigation of losses in two-zone shield of motors with no-waste magnetic circuits 87-58075
Talyshinskii, R.I., Stepanyan, E.A., Aliev, F.M., Rogozinskaya, T.S. Electromagnetic design of motors with corrugated tooth zone 88-37166
Talyshinsku, I.T., Bannikova, L.V., Zamyatnin, D.V., Komarova, G.V. Resistances and reactances of an induction motor with a suspended ball rotor 87-64572
Talyuko, V.V. *see* Boyarinov, G.I. 88-48912
Talyuko, V.V. *see* Mamedov, F.A. 85-5098, 86-12814
Talyzin, N.N. *see* Nikolayev, V.T. 87-48854
Talyzin, V.M. *see* Bogomolov, A.M. 86-6505, 86-56554
Talyzin, V.N. *see* Nikolayev, V.T. 88-21991
Talyzin, V.N. *see* Zorin, V.V. 87-75659
Tam, A. Network building blocks balance power amp parameters 85-17161
Tam, A. Microstrip low pass filter design 87-59698
Tam, A. Principles of microstrip design 88-56838
Tam, A., Zapka, W. Excitation of directed surface acoustic pulses by an optical phased array 85-32041
Tam, A. *see* Balanson, R. 85-24743
Tam, A.C., Bhushan, B. Reduction of friction between a tape and a smooth surface by acoustic excitation 87-32870
Tam, A.C. *see* Chen, S.E. 87-77473
Tam, A.C. *see* Imaino, W. 85-24742
Tam, A.C. *see* Leung, W.P. 85-21035
Tam, A.C. *see* Sontag, H. 87-23768
Tam, A.K. Microstripline high power amplifier design 86-41345
Tam, A.K. X-band GaAs FET power-amplifier design 87-73340
Tam, A.K., Altman, M. A 180-MHz synthesizer from a $10 CMOS chip 86-57708
Tam, D. *see* Abramowitz, H. 87-73274
Tam, D. *see* Clemente, S. 88-17752
Tam, D. *see* Flowers, D.L. 85-23741
Tam, D. *see* Harm, C.E. 87-65846
Tam, D. *see* Kinzer, D. 88-49052
Tam, D.C., Ebner, T.J., Knox, C.K. Conditional cross-interval correlation analyses with applications to simultaneously recorded cerebellar Purkinje neurons 88-42549
Tam, G. *see* Paulson, W.M. 86-2024
Tam, G. *see* Tehrani, S. 88-50884
Tam, J. *see* Srini, V.P. 87-66259
Tam, J.V. *see* Srini, V.P. 88-25280
Tam, K., Lasseter, R. Dynamic performance of the static var control system employing the alternative twelve pulse arrangement 85-9508
Tam, K., Lasseter, R. Implementation of the hybrid inverter for HVDC/weak AC system interconnection 87-30782
Tam, K. *see* Gaw, H. 86-8251
Tam, K.-S. Application of AI techniques to the design of static power converters 88-30917
Tam, K.-S., Fahel, E. Future role of packaged cogeneration systems 88-69156
Tam, K.-S., Lasseter, R.H. A hybrid converter for HVDC applications 88-17727
Tam, K.C. Two-dimensional inverse Born approximation in ultrasonic flaw characterization 86-62302
Tam, K.C., Alani, A.H., Cohen, E. NMR frequency to magnetic field converter circuit with digital readout 87-59811
Tam, K.C. *see* Gilmore, R.S. 87-29971
Tam, K.H. *see* Chik, K.P. 86-27936
Tam, K.K. *see* Murphy, B.J. 86-27275
Tam, K.S., Long, W.F., Lasseter, R.H. Interconnecting a weak AC system to an HVDC link with a hybrid inverter 88-48463
Tam, K.S., Rahman, S. System performance improvement provided by a power conditioning subsystem for central station photovoltaic-fuel cell power plant 88-49122
Tam, K.S. *see* Rahman, S. 88-49121
Tam, N.H. *see* Hung, N.D. 88-33962
Tam, N.N., Coyne, R.D., Neureuther, A.R., Slayman, C.W. Characterization of electron-beam exposed optical resist 88-39317
Tam, N.T., Hung, N.D., Chi, N.H., Thanh, N.H. Nanosecond dye laser for the simultaneous generation of two wavelengths with various bandwidths and independent tuning 85-18883
Tam, R.M., Wang, J.C. Network transport services 87-27852
Tam, R.M.K. *see* Adairous, S.E. 88-9033
Tam, R.M.K. *see* Birkwood, P.A. 88-52713
Tam, S., Ko, P.K., Hu, C. Lucky-electron model of channel hot-electron injection in MOSFETs 85-1598
Tam, S., Sachdev, S., Chi, M., Verma, G., Ziller, J., Tsau, G., Lai, S., Dham, V. A high density CMOS 1-Y electrically erasable non-volative (flash) memory technology 88-70780
Tam, S. *see* Byrne, P.F. 85-18231
Tam, S. *see* Ko, P.K. 85-50563
Tam, S. *see* Lai, S.K. 85-49882
Tam, S. *see* Tong-Chern Ong 86-9142
Tam, S.C. *see* Hu, C. 85-40735
Tam, S.T., Wong, K.C. Implications in the implementation of the 15th edition of the IEE Wiring Regulations 85-5728
Tam, T., Bloom, S.C. The colour white 88-47641

Tam, T.T. *see* Sochor, V. 85−12944
Tam, T.T. *see* Sohor, V. 85−18652
Tam, W., Faubert, D. Displaced phase centre antenna clutter suppression in space-based radar applications 88−15550
Tam, W. *see* Faubert, D. 88−4104
Tam, Y.H., Ching, P.C. Sequential adaptation of recursive digital filters in cascade form 87−911
Tam, Y.H., Ching, P.C., Chan, Y.T. Adaptive recursive filters in cascade form 87−55069
Tam, Y.H. *see* Ching, P.C. 86−59743
Tam Hon Wah *see* Hon Wah Tam
Tam Hon-Wah *see* Hon-Wah Tam
Tam Nguyen Tkhan' *see* Nguyen Tkhan' Tam
Tam Tran Thanh *see* Tran Thanh Tam
Tam-Anh Chu On the models for designing VLSI asynchronous digital systems 86−62540
Tamada, H., Kaneko, M., Okamoto, T. TM-TE optical-mode conversion induced by a transversely propagating magnetostatic wave in a $(BiLu)_3Fe_5O_{12}$ film 88−72171
Tamada, H. *see* Kaneko, M. 86−53888, 88−51596
Tamada, H. *see* Yamaguchi, K. 88−50988
Tamada, K. *see* Ohtake, H. 87−40713
Tamada, S. *see* Doke, T. 85−43166
Tamada, T. *see* Tamai, M. 86−37495
Tamada, U. *see* Tanaka, H. 85−59631
Tamadaev, A.M. *see* Isenov, E.M. 86−6596
Tamae, H., Fukuda, Y., Ashizaki, Y., Suzuki, Y., Yamashita, S. Rotary servo actuator 88−24113
Tamae, H. *see* Ashizaki, Y. 85−39036
Tamae, T., Sugawara, M., Yoshida, K., Konno, O., Sasanuma, T., Muto, M., Shibazaki, Y., Tanaka, T., Hirooka, M., Yamada, K., Terasawa, T., Urasawa, S., Ichinohe, T., Takahashi, S., Miyase, H., Kawazoe, Y., Yamamoto, S., Torizuka, Y. SSTR−the 150 MeV pulse stretcher of Tohoku University 88−29753
Tamagami, M., Kobayashi, M., Sanpei, T., Shimada, T., Minamibayashi, S., Uchida, Y., Iwakabe, F., Yokoyama, H., Fujita, K., Kakizaki, J., Ono, H., Watanabe, K. New type high-speed thermal facsimile transceiver NEFAX-22/27 86−4221
Tamagawa, K., Hayashi, T., Komiya, S. Photoionization assisted photo-CVD of silicon nitride film by microwave-excited deuterium lamp 87−10495
Tamagawa, K., Hayashi, T., Komiya, S. Photo-CVD of dielectric films by a microwave-excited VUV lamp 88−38257
Tamagawa, K. *see* Gonohe, N. 87−65517
Tamagawa, S., Fukuda, S., Takahara, A., Saga, R., Yoshihara, M., Yamamoto, O., Momose, M., Taniguchi, T., Sato, K. VSAT system. III. VSAT terminal equipment 88−60096
Tamagawa, S. *see* Kurokawa, K. 87−47318
Tamagawa, S. *see* Price, R. 86−69733
Tamagawa, S. *see* Sato, I. 85−13358, 85−45227, 86−48711
Tamagawa, T. *see* Okawa, M. 85−60365, 87−72333
Tamagawa, T. *see* Yanabu, S. 85−32646, 86−12958, 86−33570, 87−30874 to 30875, 87−43312, 88−30951
Tamagni, C. The performance of the invertor-fed synchronous motor during starting 87−30514
Tamagno, S. *see* Meliga, M. 87−5444
Tamahashi, K., Ohno, T., Onuma, S., Chigasaki, M. Investigation of passivation films for a-Si:H photoreceptors. II. Surface modification of a-SiC:H films by CF_4 plasma treatment 88−26055
Tamahashi, K., Wakagi, M., Yamanaka, T., Murakawa, M., Onuma, S., Chigasaki, M. High rate deposition of a-Si:H films by RF planar magnetron sputtering method. I. Effect of magnetic field 87−5446
Tamahashi, K., Wakagi, M., Yamanaka, T., Murakawa, M., Onuma, S., Chigasaki, M. High rate deposition of a-Si:H films by RF planar magnetron sputtering method. II. Properties of high rate deposited films 87−16662
Tamahashi, K. *see* Wakagi, M. 86−27929
Tamai, H., Tagami, K. Numerical analyses of recording characteristics in single pole heads 88−26671
Tamai, H., Tagami, K. Perpendicular magnetic anisotropy on sputtered FeTi films 88−51201
Tamai, H., Yamada, K., Watanabe, T., Maruyama, T., Motomura, Y., Aoyama, M., Tagami, K. Magnetic domains in single-pole magnetic film heads and recording characteristics 86−63559
Tamai, H. *see* Okada, F. 88−51354
Tamai, K. *see* Kondoh, F. 87−34545
Tamai, M., Uno, T., Tokuda, A., Tamada, T., Hirano, Y., Mori, N., Torimura, H. A system for collection and distribution of weather information for the Japan Weather Association 86−37495
Tamai, M. *see* Okamoto, M. 85−36391
Tamai, M. *see* Yasuhara, T. 86−2837
Tamai, N. *see* Yamazaki, I. 86−35276
Tamai, S., Sugimoto, H., Yano, M. Speed sensorless vector control of induction motor with model reference adaptive system 88−30723
Tamai, S. *see* Kataoka, T. 86−70891
Tamai, S. *see* Murata, M. 86−13211
Tamai, S. *see* Okazaki, M. 85−7122
Tamai, S. *see* Sugimoto, H. 86−6770, 86−39800, 87−9540, 87−51204
Tamai, T. Current dependence of contact resistance 85−45271
Tamai, T. Conductance properties of current constriction of electrical contracts at low temperature 86−8543
Tamai, T. Evaluation of true contact area at very low temperature 87−1027
Tamai, T. Effect of the shape of contact surface on the contact resistance property of contaminated surface 88−50458
Tamai, T., Kominami, M. Ellipsometric analysis for growth of contaminant films on contact surface 87−59941
Tamain, B. *see* Bizard, G. 86−44554
Tamain, J.C. *see* Alard, J.P. 88−10243
Tamaki, A. An application of correlation transform to multi-class pattern recognition 85−2896
Tamaki, A. A method of pattern-reconstruction from the feature extracted by correlation transform 85−25146
Tamaki, E. *see* Harumoto, Y. 86−6838
Tamaki, E. *see* Kabayama, Y. 86−39899
Tamaki, H. *see* Yoneyama, T. 86−67456, 87−6006
Tamaki, K., Ohishi, K., Ohnishi, K., Miyachi, K. Microprocessor-based robust control of a DC servo motor 87−30631
Tamaki, K., Ohishi, K., Ohnishi, K., Miyachi, K. Two-degrees-of-freedom control of DC servo motor by means of passive adaptive control 87−43057
Tamaki, K., Ohnishi, K., Miyachi, K. Microprocessor-based robust control of DC servomotor by means of passive adaptive control 86−51670
Tamaki, K. *see* Mizutani, S. 87−74336
Tamaki, K. *see* Ohishi, K. 87−43533
Tamaki, M. *see* Hayakawa, Y. 87−65457
Tamaki, M. *see* Kumagawa, M. 87−36687
Tamaki, M. *see* Matsumoto, G. 87−20754
Tamaki, M. *see* Oda, M. 85−36732, 85−36734
Tamaki, M. *see* Sasakawa, Y. 88−33791
Tamaki, M. *see* Sugano, M. 87−34114
Tamaki, N. Studies on an adaptive line equalizer for subscriber loops 88−46842
Tamaki, N. Studies on subscriber line equalizer using decision feedback equalizing circuit 88−67157
Tamaki, N., Komiya, R. Studies on timing extraction circuit of a ping-pong transmission system 87−69755
Tamaki, N., Sugimoto, S., Mano, F. A line terminating circuit using the DSP technique 88−46772
Tamaki, N. *see* Hayashi, N. 85−43341
Tamaki, N. *see* Ishikawa, M. 85−3327, 85−25689, 85−47068
Tamaki, N. *see* Kimura, T. 85−19911
Tamaki, N. *see* Komiya, R. 87−8147, 87−13490, 88−35335
Tamaki, N. *see* Senda, M. 86−18306
Tamaki, N. *see* Yoshida, K. 86−17082
Tamaki, S. *see* Nakajima, Y. 86−24019, 86−37135, 87−41249
Tamaki, T., Tsushima, K. Crystal growth of highly Bi-substituted magnetic garnets for magneto-optic devices 86−7726
Tamaki, T., Tsushima, K. Crystal growth of a highly Bi-substituted gadolinium iron garnet and its application to an optical isolator 86−28924
Tamaki, T., Tsushima, K. Crystal growth of a Bi-substituted magnetic garnet and its application to a 0.8 μm optical isolator 87−34577
Tamaki, T., Tsushima, K., Kaneda, H. Magneto-optical properties of $(GdBi)_3\ (FeAl)_5O_{12}$ bulk single crystals and their application to a 1.3 μm optical isolator 88−26899
Tamaki, T., Umezaki, E., Yamagata, M., Inoue, S. Calculations of correction angles of 3-dimensional vertebral rotations based on bi-plane X-ray photogrammetry 85−53030
Tamaki, T. *see* Kubota, M. 87−46230
Tamaki, T. *see* Tsushima, K. 86−49596
Tamaki, T. *see* Umezaki, E. 85−30322
Tamaki, Y., Isomae, S., Sagara, K., Kure, T., Kawamura, M. Evaluation of dislocation generation in U-groove isolation 88−50720
Tamaki, Y., Koyama, K., Furukawa, H., Yokosuka, H., Watanabe, O. Field-installable plastic multifiber connector 87−7140
Tamaki, Y., Murai, F., Kawamoto, Y., Uehara, K., Hayasaka, A., Anzai, A. A fine emitter transistor fabricated by electron-beam lithography for high-speed bipolar LSI's 87−1715
Tamaki, Y., Murai, F., Sagara, K., Anzai, A. A 100 nm emitter transistor fabricated with direct EB writing for high-speed bipolar LSIs 88−7584
Tamaki, Y., Shiba, T., Ikeda, K., Nakamura, T., Natsuaki, N., Ohyu, S., Hayashida, T. New self-aligned bipolar device process technology for sub-50ps ECL circuits 88−13561
Tamaki, Y. *see* Homma, N. 88−6867
Tamaki, Y. *see* Sagara, K. 88−26215
Tamaki, Y. *see* Shiba, T. 88−71756
Tamakohri, K. *see* Noguchi, H. 85−3965
Tamama, T. Air traffic and applications of radar 88−15577
Tamama, T., Kuji, N. Auto-calibrated potential map drawing equipment and its application to characterization of plasma-coupled devices 86−41754
Tamama, T., Kuji, N. Automated fault diagnostic EB tester and its application to a 40K-gate VLSI circuit 86−46761
Tamama, T., Kuji, N. Integrating an electron-beam system into VLSI fault diagnosis 87−6792
Tamama, T., Murase, K., Mizushima, Y. Voltage-controlled negative resistance in a submicron vertical JFET 85−18359
Tamama, T. *see* Kuji, N. 86−15207, 86−53727, 87−37235
Tamama, T. *see* Sakaue, M. 86−9281
Tamama, T. *see* Sudo, T. 88−13559
Tamamoto, H., Narita, Y., Takahashi, A. Random testing for sequential circuits by using stationary distribution of states 86−8150
Tamamoto, H., Sakusabe, H., Narita, Y. A built-in testing scheme for IC memories by considering address decoder and cell array separately 87−24183
Tamamoto, H., Sakusabe, H., Narita, Y. A built-in testing scheme for IC memories by considering address decoder and cell array separately 88−25212
Tamamoto, H. *see* Miura, Y. 87−24182, 87−66187, 88−19145
Tamamura, H. *see* Shimamoto, S. 88−65098
Tamamura, J. *see* Matsushita, Y. 88−42213
Tamamura, J. *see* Sunata, T. 86−28365, 86−31543, 87−3668 to 3669
Tamamura, J. *see* Ugai, Y. 85−20672, 86−18037
Tamamura, K., Ogawa, J., Akimoto, K., Mori, Y., Kojima, C. Carbon incorporation in metalorganic chemical vapor deposition (Al,Ga)As films grown on (100), (311)*A*, and (311)*B* oriented GaAs substrates 87−53345
Tamamura, K., Ohhata, T., Kawai, H., Kojima, C. Magnesium doping of (Al,Ga)As in metalorganic chemical vapor deposition 86−53527
Tamamura, K. *see* Akimoto, K. 88−32847
Tamamura, K. *see* Hirata, S. 87−7350, 87−54322, 87−68433
Tamamura, K. *see* Ogawa, J. 88−20512
Tamamura, K. *see* Ohata, T. 87−12482
Tamamura, R. *see* Matsuda, S. 88−5898
Tamamura, T. Video DAC/ADC dynamic testing 87−31966
Tamamura, T., Sukegawa, K. Ultimate resolution of resists 85−18194
Tamamura, T. *see* Hikita, M. 85−33524
Tamamura, T. *see* Hiwada, K. 88−22451
Tamamura, T. *see* Imamura, S. 85−18196
Tamamura, T. *see* Kakuchi, M. 86−41631, 87−11505
Tamamura, T. *see* Morita, M. 85−12085, 85−18195
Tamamura, T. *see* Sugita, A. 85−34755, 87−67053
Tamamura, Y., Kawakubo, S., Ogura, K., Mase, K. Information editing techniques for advanced videotex services 86−23412
Tamamura, Y., Ogura, K., Wakana, T., Ikezawa, H. Advanced videotex system using a 64 kb/s digital network 86−23410
Tamamura, Y., Ogura, K., Yonezawa, S. Picture and audio information retrieval service using 64 kb/s digital network 85−42216
Tamamura, Y. *see* Ogura, K. 86−23411
Tamamushi, S., Wada, H., Ogawa, Y., Sasaki, I., Nakasuji, M., Kusakabe, H., Yoshikawa, R., Takigawa, T. The electron-beam column for a high-dose and high-voltage electron-beam exposure system EX-7 88−39308
Tamamushi, S. *see* Hattori, K. 88−19899
Tamamushi, S. *see* Sakai, H. 86−47963
Tamamushi, S. *see* Yoshikawa, R. 87−38377
Tamamushi, T., Akiyama, T., Nishizawa, J. Current-voltage characteristics and noise performance of a static induction transistor for video frequency 88−71611
Tamamushi, T. *see* Jun-ichi Nishizawa 85−51044
Tamamushi, T. *see* Muraoka, K. 87−22911
Tamamushi, T. *see* Nishizawa, J. 85−23758, 85−40717 to 40718, 85−41279, 85−51058, 86−2952, 86−9118 to 9119, 86−12922, 86−47556, 86−47665, 87−33052, 87−38232, 87−43237, 87−79215, 88−30825, 88−64541, 88−69524, 88−71544, 88−71595, 88−75843 to 75844
Tamamushi, T. *see* Nishizawa, J.-I. 85−24399
Tamamushi, T. *see* Nishizawa, J.I. 86−41773
Tamamushi, T. *see* Tatsuta, M. 88−75784
Tamano, J., Ichikawa, M., Morita, S., Hattori, S. Dry etching of plasma polymerized multi-layer resist 85−34863
Tamano, J., Kato, T., Hattori, S. Coating of multi-layer resist by rotated after grow reactor 85−34738
Tamano, J., Kato, T., Morita, S., Hattori, S. Characteristic of multiple and cyclic layer EB resist 86−14989

Tamano, N. *see* Noguchi, T. 87−73342
Tamanovich, V.V. *see* Bakhir, L.P. 86−36419, 88−65576
Tamanyan, A.G. *see* Avundzhyan, A.T. 88−68265
Tamanyan, G.Yu. *see* Basov, N.G. 85−18872, 87−33093
Tamanyan, G.Yu. *see* Danilychev, V.A. 87−68355
Tamaoki, T. *see* Inada, K. 87−62632
Tamargo, M. *see* Schumacher, H. 88−45305
Tamargo, M.C., de Miguel, J.L., Hwang, D.M., Farrell, H.H. Structural characterization of GaAs/ZnSe interfaces 88−49829
Tamargo, M.C., de Miguel, J.L., Nahory, R.E., Skromme, B.J. Growth of ZnSe on GaAs epitaxial layers in a dual chamber molecular beam epitaxy system 88−418
Tamargo, M.C., Hull, R., Greene, L.H., Hayes, J.R., Cho, A.Y. Growth of a novel InAs-GaAs strained layer superlattice on InP 85−33411
Tamargo, M.C., Nahory, R.E., Voisin, P., Voos, M., Hull, R., Cho, A.Y. Growth and characterization of an InAs-GaAs superlattice alloy 86−52468
Tamargo, M.C., Reynolds, C.L., Jr., Kunkel, R.I. Thermal effects on LPE layer thickness 85−49556
Tamargo, M.C. *see* Clausen, E.M. 88−71406
Tamargo, M.C. *see* Dobisz, E.A. 87−25077
Tamargo, M.C. *see* Duffield, T. 88−19703
Tamargo, M.C. *see* Hwang, D.M. 88−38181
Tamargo, M.C. *see* Kapon, E. 87−31498, 88−56305
Tamargo, M.C. *see* Tabatabaie, N. 87−45670, 87−60164
Tamari, F. On linear codes which attain the Solomon-Stiffler bound 85−7797
Tamari, J., Nakashima, Y., Kobayashi, Y., Sugimoto, T. Inverter driven multi-split-type air conditioner 86−57045
Tamari, K., Ohkoshi, M., Honda, S., Kusuda, T. Property control of perpendicular magnetized Co-CoO sputtered film by sputtering condition 86−9388
Tamari, K., Yamashita, A., Kusuda, T. Magnetic properties and structure on bias modulated Co-CoO multi-layer sputtered films 88−71880
Tamari, K. *see* Higuchi, H. 88−22099
Tamari, K. *see* Ohkoshi, M. 85−18540, 85−45951, 86−9389
Tamari, K. *see* Yamashita, K. 87−12492, 87−47037
Tamari, N., Degani, J., Shtrikman, H., Ballman, A.A. Characteristics of tin and cadmium doping in liquid-phase epitaxial grown InGaAsP 85−23638
Tamaribuchi, K., Nagashima, H. A Zig-Zag Reflection Interferometric Light Switch for a multimode fiber optical communication 85−31028
Tamaribuchi, K., Nakaba, J., Nagashima, H. Optical fiber image transmission using a zig-zag reflection interferometric light modulator 85−3441
Tamaribuchi, K. *see* Saito, S. 85−62997
Tamaru, K. The trend of 16-bit microprocessors 85−28576
Tamaru, K. Symbolic layout design method 85−39857
Tamaru, K., Onodera, H. System design of a special purpose computer for LSI design rule checking 86−67935
Tamaru, K., Onodera, H. System design of a special-purpose computer for LSI design rule checking 87−59100
Tamaru, K., Yamada, Y. LSI layout pattern operation method using a microcomputer 86−41902
Tamaru, K. *see* Onodera, H. 86−62702, 87−24282, 88−847, 88−12448, 88−32282
Tamaru, O., Gambe, E., Takahashi, H. Optimal design of trunk groups with mixed two-way and one-way trunks 88−21551
Tamaru, S., Nakahira, Y., Matsuoka, S. Optical unit for plain paper copier—integrated exposure-eraser module 88−6073
Tamaru, S. *see* Sakamoto, S. 88−6034
Tamaru, S. *see* Yamamoto, K. 88−5801
Tamas, F. *see* Bognar, A. 87−38594
Tamas, G. *see* Argan, P. 85−26553
Tamas, M., Orlay, I. Computerized process control in electricity supply—technical and economic experiences 88−48493
Tamas, M.J. Interfacing the Dinamap 845 blood pressure monitor to a microcomputer 86−32224
Tamas, M.J. *see* Davis, G.C. 87−14965
Tamasevicius, A. *see* Bumeliene, S. 86−41518
Tamasevicius, A. *see* Pozela, J. 88−39072
Tamashiro, R., Hoagland, C. Telecomputing a chain story 87−55702
Tamashiro, R.N. *see* McDermott, M.A. 86−63001
Tamashita, T., Hosokawa, K. 'Effective' magnetic flux of NbN nanobridges in a DC-SQUID 87−38690
Tamashyavichyus, A.V. Hot photoelectrons in indium arsenide 86−53334
Tamashyavichyus, A.V. *see* Pikshris, R.A. 88−38415
Tamaskar, D.G. *see* Joshi, S.S. 86−18640
Tamassia, R. On embedding a graph in the grid with the minimum number of bends 87−67356
Tamassia, R., Tollis, I.G. Efficient embedding of planar graphs in linear time 87−65361
Tamassia, R., Tollis, I.G. On improving channel routability by lateral shifting of the shores 88−49967
Tamassia, R. *see* Codenotti, B. 87−67354
Tamatani, M. Display phosphors—recent trends of CRT phosphors 86−5383
Tamati, T. *see* Yokota, M. 88−27856
Tamati, T. *see* Yoshitake, H. 85−20552
Tamato, Y. *see* Miyake, Y. 85−57429
Tamatsukuri, T. Trends in hydroelectric generating equipment technology 88−75501
Tamaura, Y. *see* Abe, M. 88−50364, 88−51263, 88−57922
Tamaura, Y. *see* Goto, Y. 87−58950
Tamayama, S., Hama, H., Igarashi, Y., Nakamura, T., Saito, E. Multi split-type packaged air conditioners 85−5529
Tamayo Fajardo, M.H. *see* Psenicka, B. 85−17059
Tamazaki, T. *see* Yoshioka, N. 86−8938
Tamazov, A.I. *see* Emelyanov, N.P. 86−51027, 87−15225
Tamazov, A.I. *see* Yemel'Yanov, N.P. 88−10855
Tamazov, A.I. *see* Zitser, M.M. 86−65700
Tamazov, S.T. *see* Adzhiev, A.Kh. 88−45633
Tamba, A. *see* Ishiwara, H. 86−441, 86−40725
Tamba, M. *see* Niu, K. 85−15118
Tamba, N. *see* Ikeda, T. 87−60526
Tamba, N. *see* Watanabe, A. 86−47746
Tambiev, Yu.A. *see* Goldobin, I.S. 85−35787, 86−36496
Tambiev, Yu.A. *see* Kocherov, D.A. 88−51901
Tambiev, Yu.A. *see* Vasil'ev, M.G. 86−9862
Tambo, T., Ishikawa, O., Yagita, H., Inoue, K., Onuma, T. Low-noise GaAs MESFET by dummy-gate self-alignment technology for MMIC 88−19402
Tambo, T. *see* Tamura, A. 85−54782
Tamboli, V.B. High performance variable speed drive 88−43434
Tamborini, M. *see* Bonesini, M. 88−23001, 88−29823
Tambosso, T. Optical fibre sensors for measuring temperature 88−22820
Tambosso, T. *see* Donati, S. 88−7906
Tambourakis, H. *see* Kouvaras, N. 87−59728
Tamburello, C. *see* Bernardi, P. 85−48341
Tamburello, M. *see* Bocchieri, F. 88−4052
Tamburini, C. *see* Delandtsheer, A. 87−10265
Tamburini Bernardini, S. *see* Cortini, G. 85−43
Tamburino, D.E. *see* Park, Y.K. 86−30786
Tamburino, L.A. Generalized interest operators 86−10551
Tamburino, L.A. *see* Grosky, W.I. 87−62359, 88−4666
Tamburrini, M., Goldberg, L., Weller, J.F. Optically induced modulation in FM sideband injection-locked laser diodes 88−2235
Tamburrini, M., Parent, M., Goldberg, L., Stillwell, D. Optical feed for a phased array microwave antenna 87−54731
Tamburrini, M., Piazzolla, S., Spano, P. Reduction of the frequency chirping in semiconductor lasers using injection-locking 88−65734
Tamburrini, M., Spano, P., Piazzolla, S. Frequency noise in injection-locked single-mode semiconductor lasers 86−48416
Tamburrini, M. *see* Piazzolla, S. 87−26403, 88−41668
Tamburrini, M. *see* Spano, P. 86−9864, 86−42556
Tamby, J.P., John, V.I. Harmonic propagation in power lines due to converter loads and nonlinear resistors 87−21931
Tamechika, Y., Kano, T. The study for the advanced use of Captain—videotex information service in corporation 88−28331
Tameda, M. *see* Honda, M. 87−17085
Tameda, M. *see* Kobayashi, Y. 86−14220, 86−20534
Tameda, M. *see* Komuro, T. 86−34812
Tameda, M. *see* Shirato, H. 87−37291
Tamegai, T. *see* Iye, Y. 88−45001
Tamegai, T. *see* Murakami, T. 86−44647
Tamegaya, H. A computer graphics application for broadcasting 88−41039
Tamegaya, H., Kunishige, S. Computer graphics in TV broadcasting 87−3274
Tameishi, H. Search for fishing ground by use of satellite images 85−64762
Tameishi, H. Present conditions of seawater temperature observation and fish-finding by satellite 86−38968
Tamendarov, M.F. *see* Mukashev, B.N. 87−6579
Tamene, W.J. *see* Aloia, A. 88−69218
Tamenori, H. *see* Yoshiyagawa, M. 86−34407
Tamentsev, S.G. *see* Lebedev, A.V. 88−17631
Tamer, A. *see* Brucher, L. 88−68510
Tamesada, T. Basic analysis of regenerative transition of astable multivibrator 86−46689
Tamesada, T. High-speed multiplication using a minimum redundant P-ary representation 88−38483
Tamesada, T. High-speed division using a minimum redundant *P*-ary representation 88−70676
Tamesada, T., Ichimiya, M. Improvement of output-voltage-waveform of TTL-NAND astable multivibrator 85−899
Tamesada, T., Ichimiya, M. Starting-circuits for astable multivibrators and their availability 85−49835
Tamesada, T. *see* Hashizume, M. 88−70675
Tamhankar, S.G. Planning in India on continuing engineering education 87−23162
Tamhankar, S.P. *see* Pawar, S.H. 85−39202, 87−9704
Tamidov, R.A. *see* Aliev, E.V. 86−33190
Tamimi, A.Aziz El *see* Aziz El Tamimi, A.
Tamir, A. A finite algorithm for the continuous *p*-center location problem on a graph 85−33293
Tamir, A. *see* Bein, W.W. 85−28117
Tamir, A. *see* Berman, O. 88−24650
Tamir, A. *see* Chandrasekaran, R. 85−5935, 85−10585
Tamir, D.E. *see* Cohen, A. 88−66400
Tamir, I., Rappaport, Y. Generalized satellite link model and its application to the transmission plan 87−56058
Tamir, M. *see* Azar, Z. 85−62791
Tamir, M. *see* Last, I. 86−43809
Tamir, S., Zahavi, J. Laser-induced gold deposition on a silicon substrate 86−21452
Tamir, S. *see* Zahavi, J. 86−46357
Tamir, S. *see* Zahavi, K. 87−23701
Tamir, T. Non-specular phenomena in beam fields reflected by stratified media 87−75412
Tamir, T., Kou, F.Y. Varieties of leaky waves and their excitation along multilayered structures 86−42263
Tamir, T., Kou, F.Y. Classification of leaky waves supported by multilayered structures 87−75377
Tamir, Y., Sequin, C.H. Reducing common mode failures in duplicate modules 85−33845
Tamitani, I., Harasaki, H., Endo, Y., Nishitani, T., Yamashina, M., Enomoto, T., Iijima, Y. A real-time video signal processor suitable for motion picture coding applications 88−44219
Tamitani, I. *see* Enomoto, T. 87−59594
Tamitani, I. *see* Harasaki, H. 87−63150, 88−53587
Tamitani, I. *see* Nishitani, T. 87−20710
Tamitani, I. *see* Yamashina, M. 87−62392, 88−19178, 88−63705
Tamjidi, M.R., Kremer, R.E. Composition gradients in Bridgman-grown $Hg_{1-x}Mn_xTe$ 86−34286
Tamjidi, M.R. *see* Kremer, R.E. 86−62204
Tamkivi, P. Generalized characteristics of the Γ-shaped power-smoothing filter 88−50007
Tamkivi, R.P. *see* Kukk, P.L. 87−26337
Tamlyn, R. *see* Scheuerlein, R.E. 85−45053
Tamm, D.L., Shipitsyn, A.A. The nonidentical nature of amplitude detectors and the effectiveness of envelope feedback 86−37000
Tamm, D.L., Shipitsyn, A.A. Parasitic phase modulation in tuned single-sideband tube amplifiers 87−59188
Tamm, D.L., Shipitsyn, A.A. Wideband phase modulator 87−65944
Tamm, H. *see* Kumar, R.K. 85−9619
Tamm, H. *see* Schedele, H. 87−6187
Tamm, H. *see* Schedule, H. 88−1067
Tamm, Yu.A., Fritsler, P.G. A method of combating pulse noise and short-term breaks in data transmission 86−37248
Tammar, K. *see* Desell, A.L. 85−4590
Tammaro, G. A versatile TWT grid modulator 85−54753
Tammaru, I. *see* Amboss, K. 85−52425
Tammaru, T. Memory addressing arrangement 86−20550
Tamme, E. *see* Miidla, P. 88−51722
Tamme, E.E. *see* Miidla, P.Kh. 87−46760
Tammela, D., von Bagh, H., Honkanen, S., Leppihalme, M. Coaxial, double waveguide single-mode fiber coupler 88−33689
Tammela, S., Honkanen, S., Tervonen, A., Leppihalme, M. An integrated optical waveguide refractometer 87−74847
Tammela, S., Kiiveri, P., Poyhonen, P. Modal field transforming quartz single-mode fibre 88−45073
Tammela, S. *see* Honkanen, S. 86−9583
Tammela, S. *see* Kiiveri, P. 87−12214
Tammenmaa, M., Koskinen, T., Hiltunen, L., Ninisto, L., Leskela, M. Zinc chalcogenide thin films grown by the atomic layer epitaxy technique using zinc acetate as source material 85−54477
Tammenmaa, M. *see* Leskela, M. 87−46673
Tammenmaa, M. *see* Oikkonen, M. 88−31812
Tammeorg, P. *see* Kippasto, A. 88−51724
Tammer, K. *see* Schulze, R. 88−18613
Tammer, R. *see* Issel, W. 87−581
Tammi, P., Koskinen, M. Influence of a substation scheme on transmission system reliability 88−10834
Tammik, A.-A. *see* Kuznetsov, A.S. 88−10232
Tammilehto, E. *see* Hytonen, K. 85−32165
Tamminen, E. Linear programming model of electric power production 87−15134

Tamminen, E. Linear programming approach for the construction of energy and resource flow models 87−58823
Tamminen, M. Encoding pixel trees 85−19497
Tamminen, M., Luk, W.K., Sipala, P., Woo, L.S., Wong, C.K. Constructing maximal slicings from geometry 86−57516
Tamminen, M. *see* Luk, W.K. 87−74357
Tamminen, M. *see* Samet, H. 85−41959, 87−2634, 88−66630
Tamogami, M., Miura, T., Ito, A., Hata, Y., Hatanaka, T., Matsumoto, Y., Kobayashi, M., Ochi, H., Yamada, K., Kamiya, Y., Iwamoto, M., Kitamura, Y. Thermal popular type facsimile transceiver NEFAX-12 86−49209
Tamogami, M., Miura, T., Ito, A., Yoshida, S., Hata, Y., Hatanaka, T., Kobayashi, M., Kamiya, Y., Ueda, F., Horiguchi, M., Nishimura, H., Iwata, E. Thermal popular type multi-function facsimile transceiver NEFAX-18 86−49210
Tamolkin, V.V. *see* Lapin, V.G. 85−24831
Tamolyunas, I.I. *see* Amulyavichyus, A.P. 87−50193
Tamor, M.A., Holloway, H., Ager, R.M., Gierczak, C.A., Carter, R.O. Bismuth-doped tin telluride 87−31510
Tamosiuniene, M.I. *see* Dienys, V.I. 87−11728
Tamoto, Y. *see* Kinoshita, H. 85−25152
Tamotsu Mitsuyasu *see* Kazuo Abe 88−21579
Tamoyan, G.S., Nuka, I.F. Analysis of electromagnetic field and losses in the magnetic circuit of the stator of end-face machines with toroidal polyphase windings 88−17494
Tampakis, D., Dokopoulos, P. Analysis of field and losses in a three phase gas cable with thick walls. II. Calculation of losses and results 85−32168
Tampakis, D., Dokopoulos, P., Ekonomou, K. Analysis of forces in metal clad generator buses 87−15682
Tampakis, D. *see* Demoulias, C. 85−48587
Tampakis, D. *see* Dokopoulos, P. 85−9505, 85−27074, 86−18817
Tampi, K.R., Chetlur, S.S. Segmentation of handwritten characters 87−55357
Tamulaitis, G. *see* Kaciulus, S. 85−40453
Tamulevich, T.W. Ceramic capillary connectors 85−18656
Tamulevich, T.W. The significance of glass transition temperature on epoxy resins for fiber optic applications 88−1957
Tamulevichus, S.I., Pranyavichus, L.I. Electrical conductivity of a-Si films deposited under ion irradiation 87−45624
Tamuluis, A.V. *see* Kazys, R.-J.J. 88−61706
Tamura, A., Inoue, K., Onuma, T. Enhancement in activation efficiency for a SiF$_3$-implanted GaAs layer by a new annealing method 88−71384
Tamura, A., Inoue, K., Onuma, T., Sato, M. SiF$_x$ and SF$_x$ molecular ion implantations into GaAs 88−12934
Tamura, A., Onuma, T. Experimental correlation between EPD and electrical properties in undoped LEC As-grown semi-insulating GaAs crystals 85−50209
Tamura, A., Sakashita, T., Uenoyama, T., Nishii, K., Tambo, T., Nagano, K., Onuma, T. High-speed GaAs SCFL divider 85−54782
Tamura, A., Uenoyama, T., Inoue, K., Onuma, T. A novel rapid thermal annealing for GaAs digital ICs 87−60662
Tamura, A., Uenoyama, T., Nishii, K., Inoue, K., Onuma, T. New rapid thermal annealing for GaAs digital integrated circuits 87−67339
Tamura, A. *see* Fukuda, K. 88−24643
Tamura, A. *see* Nagano, K. 86−57746
Tamura, A. *see* Onuma, T. 86−15282
Tamura, A. *see* Sakashita, T. 86−1713
Tamura, A. *see* Tacano, M. 88−71517
Tamura, E., Kazuma, S., Kotobuki, Y., Kikuta, H. Layer 1 characteristics in ISDN user/network interfaces 88−9263
Tamura, E. *see* Shinoda, K. 87−14129, 87−14206
Tamura, E. *see* Thorpe, L. 87−70260, 88−60439
Tamura, F. *see* Ochiai, O. 86−41188, 87−31747, 88−57854
Tamura, F. *see* Ono, M. 85−64331
Tamura, H. Image processing and analysis: an overview 86−23100
Tamura, H., Abe, H., Uchida, H., Sakamoto, A., Ohtsuki, H., Matsui, H., Ino, M. Characterization of CVD WSi$_2$-polycide 88−71447
Tamura, H., Fujimaki, N., Hasuo, S. Experimental superconducting-base transistor 86−48010
Tamura, H., Fujimaki, N., Hasuo, S. Analysis of superconducting-base transistor characteristics 86−68202
Tamura, H., Hasuo, S. Effects of nonequilibrium quasiparticles on characteristics of Nb/AlO$_x$/Nb/*n*-InSb triodes 87−74597
Tamura, H., Hasuo, S. Analysis of a field-effect transistor with a channel made of ultrafine metal particles 88−1660
Tamura, H., Hasuo, S., Yamaoka, T. Current injection effects in a Nb/AlO$_x$-Al/Nb/*n*-InSb triode 86−22044
Tamura, H., Hikita, S. An interactive algorithm for identifying multiattribute measurable value functions based on finite-order independence of structural difference 86−19996
Tamura, H., Ishitoya, K., Hashidate, Y., Miyagawa, J., Horioka, K., Kasuya, K. Photoionization of alkaline metals applied for pulsed ion beam researches 87−14713
Tamura, H., Kurazuno, S. Analysis of groove guide for short-millimeter waves 88−40645
Tamura, H., Kurihara, H. GaAs and GaAlAs reactive ion etching in BCl$_3$-Cl$_2$ mixture 85−12172
Tamura, H., Nojima, Y., Yanagi, K., Murata, T., Yamato, S., Ohara, K., Tatekabe, K. Intelligent color CRT graphic display terminal 85−52663
Tamura, H., Tamura, K., Murata, T., Kojima, A., Tomita, M. 3D super graphic processor 88−41048
Tamura, H., Yoshida, A., Muto, S., Hasuo, S. Schottky barrier height of Al/n-In$_{0.53}$Ga$_{0.47}$Ga$_{0.47}$As and Nb/n-In$_{0.53}$Ga$_{0.47}$As diodes 87−37974
Tamura, H. *see* Aida, T. 86−31690, 87−56867
Tamura, H. *see* Ebata, M. 86−59979, 87−56320
Tamura, H. *see* Fujimaki, N. 88−47506
Tamura, H. *see* Hanyu, I. 85−52833
Tamura, H. *see* Hoko, H. 87−32914
Tamura, H. *see* Horio, H. 85−26749
Tamura, H. *see* Hosaka, S. 87−53331
Tamura, H. *see* Imamura, T. 86−42165
Tamura, H. *see* Ishitani, T. 85−9030, 85−37885
Tamura, H. *see* Iwata, A. 86−69924
Tamura, H. *see* Makikawa, M. 85−28026
Tamura, H. *see* Matsuoka, N. 87−3845
Tamura, H. *see* Monjo, Y. 86−38055
Tamura, H. *see* Morizuka, K. 85−45659
Tamura, H. *see* Nagata, T. 85−57487
Tamura, H. *see* Nishikawa, T. 87−77442
Tamura, H. *see* Ogawa, K. 88−13245, 88−44711
Tamura, H. *see* Okutani, T. 85−15144
Tamura, H. *see* Saito, T. 85−59089, 86−32006
Tamura, H. *see* Saitoh, M. 87−45718
Tamura, H. *see* Sugano, T. 85−56221
Tamura, H. *see* Umemura, K. 87−25082
Tamura, H. *see* Ushijima, K. 85−32394
Tamura, H. *see* Wakino, K. 86−35942, 87−66489
Tamura, H. *see* Yokoya, N. 85−38125
Tamura, H. *see* Yoshida, A. 87−1920, 88−26715
Tamura, J., Fukuda, N., Hasegawa, J., Fujiwara, H. Analysis of an AC excited synchronous machine−transient state 85−5064
Tamura, J., Hasegawa, J., Fujiwara, H. Analysis of an AC excited synchronous machine analysis of the V-characteristics 85−48946
Tamura, J., Koumura, Y., Koaizawa, H., Hara, R. Determination of refractive index profile of VAD soot [optical fibre fabrication] 88−63380
Tamura, J., Murata, T., Takeda, I., Hasegawa, J. A new theory of steady-state stability analysis of synchronous machines 87−72112
Tamura, J., Murata, T., Takeda, I., Hasegawa, J., Fujiwara, H. Analysis of the unsymmetrical sudden short-circuit of an AC excited synchronous machine. I. Line-to-line short-circuit 86−12792
Tamura, J., Murata, T., Takeda, I., Hasegawa, J., Fujiwara, H. Analysis of the unsymmetrical sudden short-circuit of an AC excited synchronous machine. II. One line-to-ground fault 86−12793
Tamura, J., Murata, T., Takeda, I., Hasegawa, J., Fujiwara, H. Analysis of the steady state stable region of an induction machine type of an AC excited synchronous machine 86−61499
Tamura, J., Murata, T., Takeda, I., Hasegawa, J., Fujiwara, H. New approach to the steady state stability analysis of synchronous machines 88−69321
Tamura, J., Takeda, I. Analysis of inherent steady state stability of synchronous machines by the eigenvalues method. I. Damper-less salient-pole-type synchronous machines 88−37195
Tamura, J., Takeda, I. Analysis of inherent steady state stability of synchronous machines by the eigenvalues method. II. Salient-pole-type synchronous machines with damper windings 88−37196
Tamura, J. *see* Iino, A. 88−26784
Tamura, J. *see* Lino, A. 88−33632
Tamura, J. *see* Maruyama, T. 85−42774
Tamura, J. *see* Matsumoto, J. 88−28481
Tamura, J. *see* Muratani, T. 86−64448
Tamura, J. *see* Ogai, M. 88−45142 to 45143
Tamura, J. *see* Ohta, T. 85−36874
Tamura, J. *see* Ota, S. 88−8989
Tamura, J. *see* Takai, K. 88−28583
Tamura, K., Ichikawa, K., Kotaki, K., Amano, Y. Adaptive control DC servo motor system with Coulomb friction −position control 85−27450
Tamura, K., Kakegawa, M., Nakagawa, K., Taniguchi, Y. Computed radiography system using an imaging plate as an X-ray sensor, TCR-201 87−21552
Tamura, K. *see* Furuhashi, T. 86−34857
Tamura, K. *see* Fuse, G. 88−64391
Tamura, K. *see* Hashiguchi, S. 86−25240, 88−36483
Tamura, K. *see* Konno, N. 87−51541
Tamura, K. *see* Makino, H. 86−32366
Tamura, K. *see* Meisner, J.S. 87−8949
Tamura, K. *see* Miyashita, K. 86−44305
Tamura, K. *see* Mori, S. 88−48762
Tamura, K. *see* Oga, E. 87−51538
Tamura, K. *see* Okada, M. 85−37998
Tamura, K. *see* Sato, T. 85−27472
Tamura, K. *see* Sugimoto, H. 86−33593
Tamura, K. *see* Tajima, H. 88−41608
Tamura, K. *see* Tamura, H. 88−41048
Tamura, K. *see* Wakamatsu, K. 87−66632
Tamura, M. Recent technology of home VTR 86−24156
Tamura, M. Maskless ion implantation into silicon 86−35552
Tamura, M. Vacuum fluorescent display gains large capacity and multicolors 86−55790
Tamura, M., Horiuchi, M. Annihilation effect of high concentration oxygen atoms on secondary defects in As$^+$-implanted Si 88−19802
Tamura, M., Kato, T., Harakawa, K., Hagi, K. Compact 60-channel ADPCM transcoder 88−9307
Tamura, M., Miyao, M. Laser recrystallized SOI and its application to device fabrication 86−8901
Tamura, M., Natsuaki, N. Secondary defects in 2 MeV phosphorus implanted silicon 86−63171
Tamura, M., Natsuaki, N., Aoki, S. Epitaxial transformation of ion-implanted polycrystalline Si films on (100) Si substrates by rapid thermal annealing 85−33423
Tamura, M., Natsuaki, N., Wada, Y., Mitani, E. Depth distribution of secondary defects in 2-MeV boron-implanted silicon 86−53526
Tamura, M., Natsuaki, N., Wada, Y., Mitani, E. MeV-energy B$^+$, P$^+$ and As$^+$ ion implantation into Si 87−25091
Tamura, M., Natsuaki, N., Wada, Y., Mitani, E. MeV-energy B$^+$, P$^+$ and As$^+$ ion implantation into Si 87−60284
Tamura, M., Shukuri, S., Ichikawa, M., Wada, Y., Ishitani, T. Focused boron ion beam implantation into silicon 85−45540
Tamura, M., Shukuri, S., Madokoro, Y. Two-dimensional distributions of secondary defects in focused ion beam implantation into Si 88−57436
Tamura, M., Shukuri, S., Moniwa, M., Default, M. Focused ion beam gallium implantation into silicon 86−35539
Tamura, M., Tokuyama, T., Yamamoto, H., Ishiwara, H., Furukawa, S. Characterization of solid-phase epitaxially-grown silicon films on SiO$_2$ 85−16929
Tamura, M. *see* Amano, N. 87−43319
Tamura, M. *see* Asada, H. 86−58932
Tamura, M. *see* Fujisaki, K. 87−43593
Tamura, M. *see* Hibino, Y. 86−6282
Tamura, M. *see* Masada, E. 86−61655, 87−5045, 87−15792, 88−13366, 88−64549, 88−71541, 88−75115
Tamura, M. *see* Matsushima, T. 87−18885
Tamura, M. *see* Okada, T. 86−23596
Tamura, M. *see* Saiki, K. 87−8006
Tamura, M. *see* Shukuri, S. 85−1586, 85−35007, 87−24203, 87−59452, 87−74151, 88−19798
Tamura, M. *see* Suzumori, S. 86−44039
Tamura, M. *see* Tokuyama, T. 86−7810
Tamura, M. *see* Ueda, D. 86−35919
Tamura, M. *see* Uematsu, T. 88−49835
Tamura, M. *see* Warabisako, T. 88−7657
Tamura, M. *see* Yamamoto, H. 85−33462, 86−7813
Tamura, N. *see* Abe, K. 88−16629
Tamura, N. *see* Azukizawa, T. 87−5062
Tamura, N. *see* Emoto, F. 86−21311
Tamura, N. *see* Hemmi, Y. 87−63624
Tamura, N. *see* Ikeno, M. 85−3913
Tamura, N. *see* Kusama, Y. 87−45333
Tamura, N. *see* Morishita, M. 87−5061
Tamura, N. *see* Samoto, N. 85−55353
Tamura, N. *see* Sato, H. 86−31778, 87−3816
Tamura, N. *see* Ueda, S. 86−62229
Tamura, O. *see* Nara, K. 86−50061
Tamura, R. *see* Matsubara, K. 86−60326
Tamura, S., Iwamoto, S., Tamura, Y. Optimal dispatching of reactive power in power system planning and operation 85−48508
Tamura, S., Kawai, H. Sign language interpreting system 87−29793
Tamura, S., Nakano, S., Matsumoto, M., Shimazu, T., Fujiwara, M., Matsuyama, T., Hanrath, P. Three-dimensional reconstruction of echocardiograms based on orthogonal sections 85−43376
Tamura, S., Nakano, S., Okazaki, K. Optical code-multiplex transmission by gold sequences 85−42005
Tamura, S., Waibel, A. Noise reduction using connectionist models 88−72826
Tamura, S., Yata, K., Matsumoto, M., Matsuyama, T., Shimazu, T., Inoue, M. Plan-based boundary extraction and 3-D reconstruction for orthogonal 2-D echocardiography 87−50281

Tamura, S., Yokota, K., Katayama, S. Growth of ZnSe films on GaAs, quartz and glass substrates by an ion beam deposition technique 85—39804
Tamura, S., Yokota, K., Katayama, S. Growth of single crystalline GaAs thin films by an ion beam deposition technique 86—66839
Tamura, S., Yokoyama, M. High-efficiency picture transfer method for the personal computer network 88—46556
Tamura, S. *see* Kawai, H. 85—31813, 86—50528
Tamura, S. *see* Okazaki, K. 85—19297
Tamura, S. *see* Sato, Y. 88—19255
Tamura, S. *see* Suzuki, Y. 88—9486
Tamura, S. *see* Wakasugi, M. 88—9702
Tamura, S. *see* Yi Guang Lu 88—36438
Tamura, S. *see* Yokota, K. 85—29115, 85—61001, 86—66815, 87—38049
Tamura, T., Higashikubo, K. Survey for optimum design of piping support system of nuclear power plant 85—38623
Tamura, T., Kondo, F., Itoga, T. Architecture and evaluation of a switching program using service call-through processes 86—55111
Tamura, T., Nemoto, T., Nakajima, K., Togawa, T. Portable device for monitoring oxygen uptake 86—38744
Tamura, T., Togawa, T., Murata, M. A bed temperature monitoring system for assessing body movement during sleep 88—61394
Tamura, T. *see* Aoi, H. 87—25820
Tamura, T. *see* Arimura, M. 87—17087
Tamura, T. *see* Hasebe, N. 88—10096
Tamura, T. *see* Iino, A. 86—42336
Tamura, T. *see* Ise, B. 88—56282
Tamura, T. *see* Ishiwa, M. 85—32209
Tamura, T. *see* Iwata, H. 87—3308
Tamura, T. *see* Komada, H. 88—43517
Tamura, T. *see* Komori, S. 88—6813, 88—32243
Tamura, T. *see* Kondo, F. 85—30836
Tamura, T. *see* Kugiya, F. 86—28668
Tamura, T. *see* Matsuda, S. 86—28934
Tamura, T. *see* Meisner, J.S. 87—8949
Tamura, T. *see* Murano, H. 86—40556
Tamura, T. *see* Obata, S. 88—60495
Tamura, T. *see* Okuwaki, T. 86—28653
Tamura, T. *see* Takahashi, Y. 88—28548
Tamura, T. *see* Takeda, M. 87—56764, 88—16292
Tamura, Y. Cooperative experiment on a new traceability system of the radiation pyrometer 86—55733
Tamura, Y. High-frequency inverter for high-speed induction motor FRENIC 5000H 86—61600
Tamura, Y. An approach to scanning system for sensor array—ultrasound sensor array scanner using maximal-length sequence 87—70620
Tamura, Y. Extending lifetime of contact type thermometers 88—16076
Tamura, Y., Abe, H., Endo, K., Akatsuka, T. Ultrasound holographic imaging system using high speed scanning with pulses modulated by Walsh functions 88—54812
Tamura, Y., Akatsuka, T. A digital beam-former using uncorrelated ultrasound pulses 88—30205
Tamura, Y., Hamaguchi, C. Microwave absorption transient spectroscopy for investigation of deep levels in semiconductors 87—24794
Tamura, Y., Kanata, Y. A construction method of electronic model for generating scotopic human ERG 85—4341
Tamura, Y., Maeda, H., Shikii, S., Yokoyama, B. Single mode fiber WDM in the 1.2/1.3 micron wavelength region 86—43869
Tamura, Y., Maru, T., Hirasawa, N., Okuno, H., Komoda, M., Hotsumi, M., Matsumoto, H., Kimura, K. Hand-held portable equipment for cellular mobile telephone 88—21981
Tamura, Y., Ohwaki, J., Kozawaguchi, H., Tsujiyama, B. Bright blue electroluminescence in $SrS:CeCl_3$ thin-films 86—36325
Tamura, Y., Shikii, S., Maeda, H., Nishimura, E., Kawahara, M. Fiber Raman amplifier module with semiconductor laser pump source 88--45394
Tamura, Y., Sonobe, Y., Kikugawa, T., Umesaki, K. High sensitivity optical spectrum analyzer 85—26237
Tamura, Y., Sonobe, Y., Kikugawa, T., Umesaki, K. Optical spectrum analyzer 86—31278
Tamura, Y., Tachibana, T., Ogawa, M., Hishikari, I. The stability of Nicrosil-Nisil thermocouple at high temperature 87—8603
Tamura, Y., Tadakuma, S. Analysis of characteristics of claw-pole commutatorless motor using equivalent magnetic circuit 86—33329
Tamura, Y., Ueki, T., Okada, Y., Koyama, A., Honjou, M. Instrumentation technology using optical methods in the steel industry 87—77419
Tamura, Y., Yamasaki, H. Velocity vector imaging using acoustical holography 86—6194
Tamura, Y., Yamasaki, H. Theoretical analysis of velocity estimation for ultrasound Doppler velocimetry using sensor array 86—24786
Tamura, Y., Yamasaki, H. A digital signal processing approach to data handling for ultrasound beam-forming 87—29974
Tamura, Y., Yamasaki, H. Holographic Doppler velocimetry using LPM pulses and linear array 88—10140
Tamura, Y., Yorina, N. Possibility of auto & hetero-parametric resonances in power systems and their relationship with long-term dynamics 88—23332
Tamura, Y., Yorino, N. On quantitative analysis of nonlinear long-term phenomena in power systems from parametric resonance viewpoint 87—77955
Tamura, Y. *see* Endo, E. 87—57718, 88—75255
Tamura, Y. *see* Flatabo, N. 88—54839
Tamura, Y. *see* Ikegami, H. 88—9698
Tamura, Y. *see* Kaneko, S. 86—31239, 86—68385
Tamura, Y. *see* Katoh, K. 86—29006
Tamura, Y. *see* Kikuchi, M. 86—59718
Tamura, Y. *see* Kondo, M. 85—42793
Tamura, Y. *see* Mitsuhashi, W. 87—76875
Tamura, Y. *see* Mori, H. 86—61017, 87—9056, 87—71759
Tamura, Y. *see* Ohwaki, J. 87—68295, 88—20511
Tamura, Y. *see* Patir, A. 86—23460, 86—55313
Tamura, Y. *see* Sakamoto, Y. 86—5606
Tamura, Y. *see* Seo, I. 86—53849
Tamura, Y. *see* Sokabe, N. 88--8102
Tamura, Y. *see* Tadakuma, S. 85—32594, 86—39956, 87—73577
Tamura, Y. *see* Tamura, S. 85—48508
Tamura, Y. *see* Taniguchi, A. 88—15981
Tamura, Y. *see* Tsujiyama, B. 87—3687
Tamura, Y. *see* Yorino, N. 86—61001
Tamura, Z. *see* Nogita, S. 86—13238
Tamure, I. Recent progress of ferrous materials 86—13828
Tamworth, M.E. Simplified text communication 86—69344
Tan, A.L. *see* Gleizer, H. 88—71860
Tan, B.C. *see* Yee, E.H. 85—2253
Tan, B.S., Turner, L.F. A study of vector quantisation applied to two-tone facsimile signals 86—16590
Tan, B.S., Turner, L.F. Sequential block interleave coding of two-tone facsimile data 88—34561
Tan, B.T., Tjhung, T.T., Teo, C.H., Leong, P.Y. Series representations for Rice's *Ie* function 85—19310
Tan, B.T. *see* Ingram, D.G.W. 86—10227
Tan, B.T. *see* Tjhung, T.T. 88—28726
Tan, B.T.G., Tay, L.P. 12-bit digital audio time delay using the 6809 87—17278
Tan, B.T.G. *see* Oh, K.H. 88—4600
Tan, C.-J. *see* Unger, S.H. 87—10948
Tan, C.-W. *see* Chiang, H.-D. 86—56308
Tan, C.C. Detection of rolling-element bearings vibration signatures using the ANC technique 86—50224
Tan, C.C. *see* Houghton, D.C. 88—43893
Tan, C.C. *see* Smith, A.R. 86—16242
Tan, C.H. *see* Lau, S.L. 87—50552
Tan, C.P. *see* Raghunathan, S. 85—53599
Tan, C.S.B., Totton, K. A fast signature simulation tool for BIST applications 87—18304
Tan, C.T., Tjhung, T.T. A long wavelength WDM system for high order PCM junction network 88—46479
Tan, D. *see* Baker, C. 88—25276
Tan, D. *see* Weste, N. 88—25275
Tan, D.G.H., Qu, J.X., Bates, R.H.T. Image reconstruction from projections. VIII. Effects of finite resolution and sampling of individual projections 86—43331
Tan, D.G.H. *see* Bates, R.H.T. 87—33762
Tan, D.G.H. *see* Gardenier, P.H. 86—22766
Tan, E., Dunstan, M. All present and correct [storage] 88—29170
Tan, E. *see* Gee-Swee Poo 88—72777
Tan, E. *see* Young, J. 88—20249
Tan, E.-G. *see* Lim, S.-C. 88—57818
Tan, E.C. Generation of simple limit cycles in digital circuits 86—41014
Tan, E.S.P. *see* Dransfield, P. 88—49101
Tan, F., Vogt, W.G., Mickle, M.H. Relaxing the detectability condition for the algebraic Riccati equation 88—336
Tan, G. An algorithm for avoiding zero pivots in the modified nodal approach 86—46429
Tan, G., Feng, G., Lu, P., Huang, X., Lin, J., Zhao, Q. The principle and technique for large or small displacement measurement by using the method of random coincidence in the turbulent atmosphere 86—50750
Tan, G., Lu, P., Feng, G., Lin, J., Zhao, Q., Huang, X. The elimination-compensation-utilization technique of the turbulence effects of the collimated laser beam in the atmospheric propagation—the distribution and compensation of the spot dance 86—48479
Tan, G., Zilz, L. TBA and TNA—the TN office and network architecture 86—59497
Tan, H., Modarress, D. Algebraic reconstruction technique code for tomographic interferometry 85—51717
Tan, H., Trolinger, J.D., Modarress, D. An automated holographic interferometry data reduction system 87—54443
Tan, H. *see* Trolinger, J.D. 88—20796
Tan, H. *see* Wu, C. 85—37685
Tan, H. *see* Wyatt, J.L., Jr. 85—17124
Tan, H.-N., Wyatt, J.L., Jr. Thermodynamics of electrical noise in a class of nonlinear *RLC* networks 85—54623
Tan, H.-N. *see* Wyatt, J.L., Jr. 85—533
Tan, H.H., Tsai, K. Packet output processes of CSMA and CSMA/CD protocols 88—46351
Tan, H.H., Wang, H. Performance of multiple parallel slotted ALOHA channels 87—62417
Tan, H.H. *see* Liu, G.L. 85—47546
Tan, H.H. *see* Lui, G.L. 86—43110, 87—40895, 87—75686
Tan, H.H. *see* Vilnrotter, V.A. 87—39607
Tan, H.L., Delp, E.J., Gelfand, S.B. Edge detection by cost minimization 88—34830
Tan, H.S., Ng, S.C., Yan, K.Y. A comparative study on the production of ohmic contacts on Si by pulsed laser irradiation and by furnace heating 86—53455
Tan, H.S., Ong, C.K. Calculations on multi-pulse, laser-induced diffusion and evaporation loss of arsenic and boron in silicon 86—28176
Tan, H.S. *see* Ong, C.K. 86—54192
Tan, H.S. *see* Tang, S.H. 87—41641
Tan, H.S. *see* Woon, H.S. 88—60861
Tan, J., Kyriakopoulos, N. Implementation of a tracking Kalman filter on a digital signal processor 88—32343
Tan, J. *see* Gabrielse, G. 88—65096
Tan, J.K. *see* Nathan, G.K. 86—19186
Tan, K. *see* Gustafson, G. 88—72237
Tan, K. *see* Kleks, J. 88—20162
Tan, K. *see* Melloch, M.R. 86—53402
Tan, K.-P., Tan, T.-S. Discretionary channel routing using score function 88—49955
Tan, K.H. *see* Cheng, P.C. 86—60686
Tan, K.H. *see* Lau, W.M. 87—67092
Tan, K.H. *see* Shinozaki, D.M. 87—17885
Tan, K.J., Tjhung, T.T. Error performance analysis for narrowband duobinary FM with discriminator detection and soft decision decoding 87—39593
Tan, K.L., Chung, H.-K., Chen, C.H. Improvement in threshold-voltage uniformity in submicrometer GaAs MESFET's using an implanted p layer 87—74303
Tan, K.L., Chung, H.K., Chen, C.H., Cirillo, N.C., Jr. Submicrometer self-aligned gate GaAs E/D MESFETs with VLSI compatible threshold voltage uniformity 88—33408
Tan, K.L., Chung, H.K., Grung, B.L., Shin, S.M. A submicron self-aligned gate GaAs MESFET technology for low power subnanosecond static RAM fabrication 88—20166
Tan, K.L., Chung, H.K., Lee, G.Y., Baier, S.M., Skogen, J.D., Shin, S.M. The mechanism of subthreshold leakage current in self-aligned gate GaAs MESFETs 87—11786
Tan, K.L., Lundstron, M.S., Melloch, M.R. Effect of impurity trapping on the capacitance-voltage characteristics of *n*-GaAs/*N*-AlGaAs heterojunctions 86—35383
Tan, K.L. *see* Akinwande, A.I. 88—57675
Tan, K.L. *see* Chung, H.K. 87—31847
Tan, K.L. *see* Grung, B.L. 87—31906
Tan, K.L. *see* Vold, P.J. 87—73574
Tan, K.O. *see* Beaulieu, A.J. 87—41029
Tan, K.P., Tan, T.S. Score function channel router 87—67506
Tan, K.S., Bose, D. Rapidly solidified solder foil for die attachment application 86—46088
Tan, K.S. *see* Tang, C.M. 85—58518
Tan, K.X., Steinbigler, H. Combined application of the finite element method and the charge simulation method for the calculation of the 3D electric fields in high voltage engineering 86—42724
Tan, L.S. *see* Leong, M.S. 86—27831, 88—57378
Tan, M., Flory, C. Fast computation of SAW diffraction by asymptotic techniques 87—32813
Tan, M., Su, C.Y., Anklam, W.J. 7× electrical pulse compression on an inhomogeneous nonlinear transmission line 88—32059
Tan, M. *see* Flory, C. 87—32814, 88—71872
Tan, M.A., Acar, C. All-pole biquadratic filter realization with the minimum ripple due to parameter variations 85—6425
Tan, M.A., Acar, C., Ghausi, M.S. Design of switched-capacitor filters using non-ideal op amps 87—31995
Tan, M.A., Schaumann, R. Generation of transconductance-grounded-capacitor filters by signal-flow-graph methods for VLSI implementation 87—73530
Tan, M.A., Schaumann, R. Design of a general biquadratic filter section with only transconductances and grounded capacitors 88—56749
Tan, M.Q. *see* Perrenoud, A. 85—55373
Tan, M.R.T., Flory, C.A. Minimization of diffraction effects in SAW devices using a wide aperture 87—60739
Tan, M.R.T., Ransom, H.L., Jr., Cutler, C.C., Chodorow, M. Oblique, off-specular, linear, and nonlinear observations with a scanning micron wavelength acoustic microscope 85—53229
Tan, M.R.T. *see* Flory, C.A. 87—60738
Tan, O.T., Richards, G.G. Decoupled boundary layer model of induction machines 86—61513

Tan, O.T. *see* Baghzouz, Y. 85–37658, 85–64844, 86–65668, 86–70562, 87–35627, 87–42293
Tan, O.T. *see* Richards, G.G. 87–9555, 87–15180, 87–57484
Tan, P. *see* Burgess, D. 85–5776
Tan, P.L. *see* Teoh, S.H. 88–49892
Tan, R., Berry, M., Garver, R. High-power, short-pulse forming circuits 87–73378
Tan, R. *see* Murtuza, M. 86–61951
Tan, R. *see* Watts, M. 88–57559
Tan, R.B. *see* Van Leeuwen, J. 87–76321
Tan, R.J., Ward, A.L., Garver, R.V., Brisker, H. PIN diode limiter spike leakage, recovery time, and damage 88–71048
Tan, R.V., Ausschnitt, C.P. SMART SET — an integrated approach to stepper set-up and calibration 87–11517
Tan, S., Juvin, D. A new method for a fast and accurate recognition of 2D overlapping parts 88–34811
Tan, S., Vandewalle, J. Generalized invariant polynomials and the generalized companion form 87–36558
Tan, S., Vandewalle, J. Separation of 2-D nonsingular MIMO digital filters into a cascade of 1-D filters 88–63800
Tan, S.B., Totton, K., Baker, K., Varma, P., Porter, R. A fast signature simulation tool for built-in self-testing circuits 87–65695
Tan, S.I., Lane, R., Dove, D.B. Infrared imaging study of printhead temperatures occurring during resistive ribbon thermal transfer printing 87–14597
Tan, S.I., Lane, R., Dove, D.B. Infrared imaging study of print head temperatures occurring during resistive ribbon thermal transfer printing 87–28963
Tan, S.L., Chang, K.W., Hu, S.J., Fu, K.K.S. Failure analysis of die-attachment on static random access memory (SRAM) semiconductor devices 87–38370
Tan, S.L., Jackson, R.N. Flexible coding and decoding for extended television 85–3588
Tan, S.L., Jackson, R.N. Flexible coding and decoding for extended television 86–17545
Tan, S.L. *see* Chang, K.W. 88–6839
Tan, S.L. *see* Greebe, C.A.A.J. 85–20353, 85–37206, 85–37227
Tan, S.M. An analysis of the properties of CLEAN and Smoothness Stabilized CLEAN—-some warnings 86–59968
Tan, S.Y., Loh, N.K., Das, M. A practical method for secure transmission of digital images 88–46292
Tan, S.Y. *see* Das, M. 87–62296
Tan, T., Constantinides, A.G. Multi-slice image texture edge detection by local vector mapping 88–66744
Tan, T. *see* Barnard, D.T. 86–54455
Tan, T. *see* Mori, S. 88–48762
Tan, T.-S. *see* Tan, K.-P. 88–49955
Tan, T.S., Jungerman, R.L., Elliott, S.S. Calibration of optical receivers and modulators using an optical heterodyne technique 88–72305
Tan, T.S., Kotzebue, K., Braun, D.M., Centanni, J., McQuate, D. A low-distortion K-band GaAs power FET 88–56922
Tan, T.S. *see* Kotzebue, K. 87–77390
Tan, T.S. *see* Poo, G.S. 88–3503
Tan, T.S. *see* Tan, K.P. 87–67506
Tan, T.Y., Gosele, U. Point defects and diffusion processes in silicon 85–23428
Tan, T.Y., Yang, K.H., Schneider, C.P. Observation of a doping-dependent orientation effect of the depletion of silicon self-interstitials during oxidation 85–34853
Tan, T.Y. *see* Braunig, D. 86–21107
Tan, T.Y. *see* Gosele, U. 86–28115
Tan, T.Y. *see* Yang, K.H. 86–28122
Tan, W. *see* Lu, W. 87–39167
Tan, Y. Trends of LAN development in factory automation: ETHERNET 87–2886
Tan, Y. *see* Chen, S.C. 87–29781
Tan, Z.C.H. *see* Bandy, S.G. 88–25455, 88–25479
Tan, Z.C.H. *see* Zubeck, I.V. 88–64467
Tan Ai Ling *see* Ai Ling Tan
Tan Changhua, Xu Mingzhen Determination of minority carrier bulk generation lifetime and surface generation velocity by MOS constant charge method 85–18173
Tan Changhua, Xu Mingzhen Determination of minority carrier bulk generation lifetime and surface generation velocity by CCWT method 85–34650
Tan Changhua, Xu Mingzhen Determination of minority carrier bulk generation lifetime and surface generation velocity by the CCWT method 86–21268
Tan Changhua *see* Xu Mingzhen 85–18171, 86–53466, 87–24952
Tan Changhua *see* Changhua Tan
Tan Dongqiang A modular development unit for MCS-48 single chip microcomputer 88–25254
Tan Fei *see* Ruan Shengyang 85–55520
Tan Fu Lei, Guang Kai Jeng The Pd-Zn system for ohmic contacts to *p*-type GaP 88–19851
Tan Fu Lei *see* Chung-Len Lee 87–74410
Tan Fu Lei *see* Jau Hwang Ho 87–70806, 88–74611
Tan Gen-lin An algorithm for avoiding zero pivots in modified nodal approach 86–62331
Tan Gen-lin, Shen Yang, Lu Bing-ren A novel optimization algorithm 87–36608
Tan Gen-lin, Wu Yun-jian, Yang Lin The self-adaptive mesh refinement technique for the finite element analysis of semiconductor devices 88–26184
Tan Gen-lin *see* Wu Ying-jian 88–39350
Tan Haoren *see* Feng Xiqi 85–62637
Tan Hong *see* Hong Tan
Tan Jiang The utmost simple form of signal flow graph for microwave mixer 86–67485
Tan Jingyi Dongjiang: a 500 MW hydro plant for Hunan province 88–75507
Tan Jinrong, Jing Chunyang, Zhang Guiyan, Lin Fucheng An efficient narrow linewidth waveguide dye laser pumped by CuCl laser 88–40164
Tan Kaisheng The sandwich CsI photocathodes for photon detecting in the 0.1-10 keV region 88–19637
Tan Kin *see* Kin Tan
Tan Oon Tian *see* Oon Tian Tan
Tan Qingsheng *see* Jin Yuming 85–26684
Tan Shiaokiu *see* Sun Xuanren 87–74339
Tan Shici *see* Ma Yurong 88–72283
Tan Sor Khem *see* Sor Khem Tan
Tan Tuan Anh Nguyen *see* Nguyen Tan Tuan Anh
Tan Weihan *see* Cheng Ruihua 85–29904
Tan Weihan *see* Ding Liming 85–62642
Tan Weihan *see* Weihan Tan
Tan Weisi Optical soliton propagation in ideal monomode fiber 88–39866
Tan Xiao-gao *see* Nin Yu-quan 87–15771
Tan Xingli *see* Zhao Yuxing 88–72251
Tan Xinquah *see* Cai Danyu 86–17829
Tan Xinquan, Huang Zhiliang A compact pyroelectric vidicon camera with stable picture using orbiting optical element 86–67637
Tan Yushan *see* Yushan Tan
Tan Zhong *see* Tian Xin 88–61228
Tan Zhong-an *see* Zhong-an Tan
Tan Zi-xun *see* Huang Xin-yu 87–9001
Tan Ziaonan Design, simulation and analysis of RSESS network 87–48275
Tan Zu-De, Wang Shu-Yuan, Shi Zi-Guang The application of a logarithmic video amplifier in TV systems 88–569
Tan Zuowu, Yun Jianling Theory and application of harmonic permeance compensation of single phase permanent-magnet stepping motor 87–51273
Tan-Atichat, J. Spreadsheets: a new nontraditional engineering tool 88–18363
Tan-Hua Yu, Kong, W.M., Lester, L.F., Smith, P.M., Duh, K.H.G., Hwang, J.C.M. Multi-step rapid thermal annealing of Si-implanted GaAs for microwave discrete devices and monolithic integrated circuits fabrication 87–11593
Tan-hua Yu, Sujane Wang Co-implantation of Si and Be in GaAs by rapid thermal annealing 88–44647
Tan-no, N., Inaba, H. Atmosphere-searching laser radar 87–56271
Tana, D., Weste, N. Virtual grid symbolic layout 1987 88–19210
Tana, T.E. *see* Baudrand, H. 85–18042
Tanaak, H. *see* Gozen, T. 85–35521
Tanaami, T. *see* Suzuki, K. 87–20899
Tanabe, A., Shirai, H., Hanna, J., Oda, S., Shimizu, I. Preparation and properties of a-Si:H(F)/a-SiGe$_x$:H(F) stacked multilayers 87–61014
Tanabe, A. *see* Fujita, S. 88–24732
Tanabe, A. *see* Matsukawa, Y. 88–42660
Tanabe, A. *see* Oda, S. 86–40771, 87–24887
Tanabe, A. *see* Shibata, N. 86–66856, 87–32264
Tanabe, A. *see* Shirai, H. 86–67730, 87–26151
Tanabe, E., Bayer, M., Ireton, S.D., Kalkanis, G. An X-band coaxial standing-wave linear accelerator structure 87–41696
Tanabe, E., Bayer, M., Trail, M. A small diameter standing wave linear accelerator structure 86–31803
Tanabe, E., Hamm, R.W. Compact multi-energy electron linear accelerators 85–59062
Tanabe, E., McEuen, A.H., Caslow, S., Norris, C.S., Samulski, T.V., Fessenden, P. Microstrip spiral antenna for local hyperthermia 85–19260
Tanabe, E., Wang, J.W., Loew, G.A. Voltage breakdown at X-band and C-band frequencies 87–14650
Tanabe, E., Wang, J.W., Loew, G.A. Voltage breakdown at X-band and C-band frequencies 87–41697
Tanabe, E. *see* McEuen, A.H. 86–32025
Tanabe, E. *see* Nishiura, M. 88–74519
Tanabe, E. *see* Ota, S. 88–22159
Tanabe, E. *see* Wilsey, T.R. 87–42007
Tanabe, F. *see* Maruyama, H. 87–16146
Tanabe, H. High quality sound program coding—-broadcast quality sound program coding 87–34717
Tanabe, H., Kita, S., Kobayashi, T. AC Josephson effect in point-contact (Y,Er)BaCuO ceramics and films 88–26721
Tanabe, H., Kitada, M. Effects of vacuum pressure on coercivity and magnetoresistivity of thin Permalloy films during deposition 86–21949
Tanabe, H., Shibata, I., Nihei, K., Moyaki, K. High accuracy die bonding technology for LED array 86–14768
Tanabe, H., Wakuri, T. A method of measuring distortion noise in digital audio equipment 85–4103
Tanabe, H. *see* Kita, S. 88–29468
Tanabe, H. *see* Kitada, M. 86–2605
Tanabe, H. *see* Shinohara, K. 85–2745
Tanabe, H. *see* Takegahara, T. 88–29075
Tanabe, H. *see* Togashi, S. 85–20676, 86–5416, 86–18038
Tanabe, I. *see* Tomita, M. 86–4956
Tanabe, J. *see* Abbott, S. 88–54281
Tanabe, J. *see* Alessi, J.G. 88–47789
Tanabe, J. *see* Feinberg, B. 88–51350
Tanabe, J. *see* Furuya, N. 86–30451, 86–49344
Tanabe, J. *see* Gough, R.A. 87–35273
Tanabe, J. *see* Halbach, K. 86–25041
Tanabe, J. *see* Haseroth, H. 87–41680
Tanabe, J. *see* Milburn, J. 86–25042
Tanabe, J. *see* Renner, T.R. 86–25037
Tanabe, J. *see* Wolf, B.H. 87–70941
Tanabe, J.T. *see* Alonso, J.R. 88–54003
Tanabe, J.T. *see* Milburn, J.E. 88–61233
Tanabe, K. Visual information communication control and conversion equipment for visual information response and communication processing system 88–15002
Tanabe, K., Asano, H., Michikami, O. Ellipsometric study of Nb-Al-AlO_x layered structure for all-refractory Josephson junctions 86–36094
Tanabe, K., Hayashi, T., Koga, T., Kitada, Y., Nakamura, M., Uno, T., Matsue, K. 4-bit single chip microcomputer μPD75206/75208 87–37339
Tanabe, K., Hayashi, Y., Koga, T., Hikichi, H., Tojo, A., Koga, A., Yura, M., Ishii, Y. 4-bit single chip microcomputer μPD75104, 75106, 75P108 86–34855
Tanabe, K., Michikami, O. Self-epitaxial deposition of high-T_c Nb_3Al thin films 85–18599
Tanabe, K., Michikami, O. Nb-based A15 compound Josephson tunnel junctions fabricated using a CF_4 cleaning process: fabrication conditions and barrier properties 86–15422
Tanabe, K. *see* Asano, H. 85–41049, 86–42170
Tanabe, K. *see* Endo, T. 85–3071
Tanabe, K. *see* Fukushima, M. 88–23524
Tanabe, K. *see* Katase, A. 86–56049
Tanabe, K. *see* Katoh, Y. 88–1906, 88–13765
Tanabe, K. *see* Michikami, O. 85–56183
Tanabe, K. *see* Nakagawa, T. 88–41266
Tanabe, K. *see* Tajima, H. 87–49410
Tanabe, K. *see* Yamamoto, Y. 88–11711
Tanabe, M., Kawakami, K., Saitoh, M., Takagi, M. Permeability dependence of thin film head reproducing performance 88–51309
Tanabe, M. *see* Hoshi, A. 87–58206
Tanabe, M. *see* Inabe, Y. 85–47371, 86–53613, 87–59136
Tanabe, M. *see* Kimura, T. 85–3282
Tanabe, M. *see* Mimaki, T. 85–19296
Tanabe, M. *see* Nagasawa, K. 85–24297
Tanabe, M. *see* Nakano, H. 87–47361. 88–52292
Tanabe, M. *see* Nakata, H. 88–28863, 88–28871
Tanabe, M. *see* Nishihara, M. 86–11570
Tanabe, M. *see* Sato, H. 86–13634
Tanabe, M. *see* Shimada, S. 85–26320
Tanabe, M. *see* Shimada, T. 87–55655
Tanabe, M. *see* Takahashi, M. 86–4220
Tanabe, N., Ueno, Y., Ono, F., Semasa, T., Imanaka, Y. How to build a mixed mode terminal—basic concepts and an example [telematic terminal] 87–40155
Tanabe, N. *see* Imanaka, Y. 85–41998
Tanabe, N. *see* Nakata, T. 88–26444
Tanabe, S. Fukushima, southern door to Michinoku (northern part of Japan) [electric maintenance railway depot] 87–31042
Tanabe, S. Execution management of Sendai city subway (Tram Rail) 88–31102
Tanabe, S., Iwasaki, S. Recording and reproducing process of a perpendicular magnetic head 85–45994
Tanabe, S., Iwasaki, S. Reproducing process of a perpendicular magnetic recording 86–53898
Tanabe, S., Iwasaki, S. Reproducing process of perpendicular magnetic recording 87–67743
Tanabe, S., Maejima, Y., Furuya, T., Tokita, Y., Suzuki, T., Shirasu, H. Data flow programming for switching system with von Neumann machine 86–49390
Tanabe, S., Sonehara, K. Diagnosis Program for XE-10 System 86–4431
Tanabe, S. *see* Fukuda, H. 87–57459
Tanabe, S. *see* Hirao, T. 86–39312
Tanabe, S. *see* Nishikawa, H. 86–32850
Tanabe, S. *see* Sakata, T. 88–26672
Tanabe, S. *see* Satoh, S. 86–4426
Tanabe, S. *see* Shirasu, H. 87–76461

Tanabe, S. *see* Terazawa, T. 87–46371
Tanabe, T. Control of cooking operation of microwave oven using absolute humidity sensor 86–71141
Tanabe, T., Fujikawa, K., Yasuda, T., Takeoka, N., Tanaka, M. Automatic food recognition microwave oven R-7500 85–53930
Tanabe, T., Harumoto, Y., Hayashida, H., Horii, Y., Tsuda, Y., Kusumoto, S., Nakaya, S., Kuwabara, M., Inoue, H., Takehara, T., Nakashima, I., Takayama, H., Taketomi, Y., Takeshina, T. Development of direct connection-type circuit breaker arresters. II. Results of long-term field tests 85–59813
Tanabe, T., Ibuki, K., Sakuma, S. Computer aided study of current zero behaviour of SF$_6$ arcs 86–26227
Tanabe, T., Ibuki, K., Sakuma, S., Yonezawa, T. Simulation of the SF$_6$ arc behavior by a cylindrical arc model 86–28543
Tanabe, T., Kuroda, Y., Yoshida, Y., Kuwabara, M., Kusomoto, N., Nakatani, S., Fujimor, T., Kamijou, Y., Okuda, T. Development of capacity-expansible transformers 87–4767
Tanabe, T., Kuroda, Y., Yoshida, Y., Yamada, Y., Abe, Y., Hanayama, Y. Development of gas-insulated shunt reactor 87–30736
Tanabe, T., Kuroda, Y., Yoshida, Y., Yamada, Y., Kabayama, Y. Development of large-capacity evaporation-cooled gas-insulated transformers for high voltage 87–30737
Tanabe, T., Nishimura, K., Hosokawa, S. Readback signal for magnetoresistive heads having asymmetric shields 86–15401
Tanabe, T., Nishimura, K., Hosokawa, S. Multitrack magnetoresistive head design technique for high density tape recording 87–25799
Tanabe, T., Sikiguchi, M., Sato, K., Kodaira, M., Noda, A., Tanaka, J., Tsujikawa, H., Honma, T., Takanaka, M., Hirao, Y. Electron cooling device for TARN II 86–24990
Tanabe, T., Sugai, I., Yasue, M. Study of a microparticle internal target for a cooler ring 87–63616
Tanabe, T., Ushiorogawa, A., Takashima, M. Highly accurate measuring equipment for the optical connector ferrule 88–45086
Tanabe, T. *see* Gambe, H. 88–44217
Tanabe, T. *see* Hama, H. 87–51405
Tanabe, T. *see* Kaneko, A. 87–34971
Tanabe, T. *see* Kuramoto, S. 87–61079
Tanabe, T. *see* Miyachi, I. 86–51106
Tanabe, T. *see* Nishimura, K. 86–68169
Tanabe, T. *see* Ohno, H. 86–51007
Tanabe, T. *see* Ohsumi, H. 87–3838
Tanabe, T. *see* Ono, H. 88–55009
Tanabe, T. *see* Takanaka, M. 86–24998
Tanabe, T. *see* Takayama, Y. 86–8186
Tanabe, T. *see* Takeuchi, M. 87–23724
Tanabe, T. *see* Yashiro, T. 87–38838
Tanabe, Y., Hirota, S. Method for measurement of anisotropic electrical conductivities of insulating film 86–44383
Tanabe, Y., Kobayashi, Y., Yamamoto, Y., Sakai, T. Device structure and electrical characteristics of SST-CMOS 88–20136
Tanabe, Y. *see* Ohnishi, R. 86–38057
Tanabe, Y. *see* Washizu, M. 87–47251
Tanada, S. *see* Senda, M. 86–18306
Tanada, Y. General solution for orthogonal periodic real-number sequences [spread spectrum systems] 85–57959
Tanada, Y. Sets of cyclically orthogonal multilevel sequences derived from monomial phases 86–43720
Tanada, Y. General solution for orthogonal periodic real-number sequences 87–3039
Tanada, Y. Cyclically orthogonal sequences with low multiplicity of values derived from quadratic residues 87–8160
Tanada, Y. Synthesis of cyclically orthogonal multilevel sequences with compound-number length 87–19730
Tanada, Y. Sets of cyclically orthogonal multilevel sequences derived from monomial phase 87–75693
Tanada, Y. Cyclically orthogonal sequences with low multiplicity of values derived from quadratic residues 88–35338
Tanago, Y. *see* Tanaka, M. 86–62189
Tanahashi, G. *see* Teshima, M. 86–60579
Tanahashi, I. *see* Nishino, A. 86–1401
Tanahashi, I. *see* Yoshida, A. 87–52907
Tanahashi, K., Abe, H., Niihori, Y., Kohno, A. CCD area sensor 86–5067
Tanahashi, K. *see* Miwada, K. 86–38285, 87–34975
Tanahashi, M., Kojima, S., Koshita, Y., Tofuku, K., Yamaguchi, M., Arai, R. Graphic FIP module 87–70431
Tanahashi, M. *see* Horiike, S. 85–55198
Tanahashi, M. *see* Koshita, Y. 86–36327
Tanahashi, T., Kondo, M., Takanohashi, T., Kotaki, Y., Isozumi, S., Nakajima, K. High controllability of carrier concentration of p$^-$-LPE InP by Mn doping 87–10468
Tanahashi, T. *see* Ikeda, S. 85–47634
Tanahashi, T. *see* Isozumi, S. 88–38182
Tanahashi, T. *see* Kamite, K. 86–42530
Tanahashi, T. *see* Kihara, K. 87–75086
Tanahashi, T. *see* Komiya, S. 86–2941
Tanahashi, T. *see* Kondo, M. 87–23681, 88–70331
Tanahashi, T. *see* Kusunoki, T. 88–65686
Tanahashi, T. *see* Murano, H. 86–41892
Tanahashi, T. *see* Nakajima, K. 86–7772
Tanahashi, T. *see* Nomura, M. 88–43455
Tanahashi, T. *see* Soda, H. 85–12853
Tanahashi, T. *see* Takanohashi, T. 88–44571
Tanahashi, T. *see* Ushijima, I. 85–22506
Tanahashi, T. *see* Wakao, K. 85–35756
Tanahi, E.T.El *see* El Tanahi, E.T.
Tanaka, A. VAN technology and related business trends 87–48553
Tanaka, A. Cellular phone tester has global application 87–49473
Tanaka, A. Silicon-containing resists 88–1488
Tanaka, A., Imamura, S. E-beam sensitization of negative resists by chloromethylation 86–1920
Tanaka, A., Kameyama, M., Kazama, S., Watanabe, O. A rotation method for raster image using skew transformation 87–2629
Tanaka, A., Kamiya, S. A speech processing based on syllable identification by using phonological patterns 87–19592
Tanaka, A., Masa, Y., Seto, S., Kawasaki, T. High quality CdTe growth by gradient freeze method 87–65481
Tanaka, A., Morita, M., Kogure, O. Silicone-based negative resist (SNR) for two-layer resist system 85–18385
Tanaka, A., Morita, M., Onose, K. New photoresist for high resolution two-layer resist systems 85–34701
Tanaka, A., Sawada, H., Takoshima, T., Wakatsuki, N. New plastic optical fiber using polycarbonate core and fluorescence-doped fiber for high temperature use 88–39874
Tanaka, A., Sawada, H., Takoshima, T., Wakatsuki, N. New plastic optical fiber with polycarbonate core and fluorescence-doped fiber for high temperature use 88–39922
Tanaka, A., Sawada, H., Wakatsuki, N. New plastic optical fiber using polycarbonate core 88–26765
Tanaka, A., Sawada, H., Wakatsuki, N. Plastic optical fiber for high temperature use 88–39875
Tanaka, A., Takayama, K. Vibration analysis for pneumatic vibration isolation table using the large scale vibration testing equipment 86–61918
Tanaka, A., Takehira, N. Eddy current speed meter using galvanomagnetic devices 87–29304
Tanaka, A. *see* Abe, I. 88–15102
Tanaka, A. *see* Barsony, I. 87–41371
Tanaka, A. *see* Chinen, K. 87–68178, 88–15498
Tanaka, A. *see* Hasegawa, S. 85–18806, 85–46266, 86–2962
Tanaka, A. *see* Imanaka, Y. 88–71248
Tanaka, A. *see* Itoh, S. 86–68925
Tanaka, A. *see* Iwanaga, H. 88–1533
Tanaka, A. *see* Kadota, Y. 86–1726
Tanaka, A. *see* Kawasaki, H. 86–67886
Tanaka, A. *see* Matsumoto, K. 88–20643
Tanaka, A. *see* Morita, M. 85–12085, 86–35520
Tanaka, A. *see* Murakata, M. 87–36901
Tanaka, A. *see* Nishiyama, K. 88–19055
Tanaka, A. *see* Ohshima, H. 85–54440, 86–52482
Tanaka, A. *see* Okuyama, T. 88–15832
Tanaka, A. *see* Sukegawa, T. 85–1367, 85–34843, 86–385, 86–26820, 86–28983, 86–46302, 87–65458, 88–1357, 88–72213
Tanaka, A. *see* Tajima, K. 86–48793
Tanaka, A. *see* Takehira, N. 86–60218, 87–68796, 88–36240
Tanaka, A. *see* Tokuda, H. 87–60493
Tanaka, A. *see* Umemoto, T. 86–19032
Tanaka, A. *see* Uno, Y. 85–13826
Tanaka, A. *see* Yoshida, H. 87–32715
Tanaka, B.H., Yuan, R.L. Anti-jam performance of fast frequency hopped MFSK with coding against worst-case multitone jamming 88–27742
Tanaka, C. A study on an optimum cable length in a long optical transmission line 87–13740
Tanaka, C., Mihara, K., Uesugi, N., Konno, S. Design and characteristics of an optical fiber cable for emergency use 87–34547
Tanaka, C. *see* Iwashita, K. 86–63612
Tanaka, C. *see* Kuwahara, H. 86–67970
Tanaka, C. *see* Kuwaki, N. 86–15467, 87–68083, 87–68136, 87–68161
Tanaka, C. *see* Mihara, K. 86–55306, 87–13738, 88–15443
Tanaka, C. *see* Ohashi, M. 87–18608, 87–18636, 87–74667, 88–13894
Tanaka, C. *see* Uesugi, N. 87–56120, 88–47112
Tanaka, C. *see* Watanabe, R. 85–3236
Tanaka, C. *see* Yoshizawa, N. 87–54066
Tanaka, E. A computing algorithm for the tree metric based on the structure preserving mapping 85–54287
Tanaka, E. A two-dimensional context-dependent similarity measure 86–23168
Tanaka, E. Recent progress on single photon and positron emission tomography from detectors to algorithms 87–50252
Tanaka, E. A string correction method based on the context-dependent similarity 88–72885
Tanaka, E., Hasegawa, J. Load-frequency control using integral compensation and state feedback 85–4544
Tanaka, E., Kohashiguchi, T., Shimamura, K. High speed string correction for OCR 87–48111
Tanaka, E., Kojima, Y. Hierarchical correction strategy for garbled phoneme sequences in a large vocabulary 87–47619
Tanaka, E., Kojima, Y. A high speed string correction method using a hierarchical file 88–14614
Tanaka, E., Nohara, N., Tomitani, T., Yamamoto, M., Murayama, H. Stationary positron emission tomography and its image reconstruction 87–29721
Tanaka, E., Toyama, T., Kawai, S. High speed error correction of phoneme sequences 86–69019
Tanaka, E. *see* Dong Jiang Li 88–17043
Tanaka, E. *see* Endo, M. 87–77656
Tanaka, E. *see* Hasegawa, J. 87–78012
Tanaka, E. *see* Konishi, H. 86–11365
Tanaka, E. *see* Nohara, N. 85–43365, 87–50259
Tanaka, E. *see* Okuda, I. 88–4100
Tanaka, E. *see* Ota, Y. 88–61914
Tanaka, E. *see* Senda, M. 86–18306
Tanaka, E. *see* Tomitani, T. 85–43366
Tanaka, F., Imamura, N., Ogawa, T., Itoh, A. Co ferrite films by evaporation technique in O$_2$ plasma 88–31834
Tanaka, F., Nagao, Y., Imamura, N. Dynamic read/write characteristics of magneto-optical TbFeCo and DyFeCo disks 85–29441
Tanaka, F., Nagao, Y., Imamura, N. Structures and dynamic characteristics of magneto-optical disk 86–63554
Tanaka, F., Tanaka, S., Imamura, N. Magneto-optical recording characteristics of TbFeCo media by magnetic field modulation method 87–46384
Tanaka, F., Tanaka, S., Suzuki, S. The overwriting characteristics of magneto-optical disk by magnetic field modulation method 88–58268
Tanaka, F., Tani, Y., Suzuki, S., Nakagawa, S. Analog video recording on magneto-optical disk 88–47331
Tanaka, F. *see* Imamura, N. 86–28918, 87–1890
Tanaka, F. *see* Nagao, Y. 86–63555
Tanaka, F. *see* Ota, C. 87–1889
Tanaka, F. *see* Tanaka, S. 88–2072
Tanaka, G., Watanabe, M., Yano, K. Characteristics of pure silica core single-mode fiber 88–33619
Tanaka, G., Yokota, H., Kanamori, H., Ishiguro, Y., Suetsugu, Y., Takada, H., Ito, S., Tanaka, S., Asano, Y., Kyoto, M., Watanabe, M., Yano, K. Characteristics of pure silica core single mode optical fiber 87–46545
Tanaka, G. *see* Chigusa, Y. 85–35523
Tanaka, G. *see* Kanamori, H. 87–7127, 88–65213
Tanaka, G. *see* Sato, H. 86–38705
Tanaka, G. *see* Shigematsu, M. 88–45141
Tanaka, G. *see* Tomimasu, T. 88–30055
Tanaka, G. *see* Urano, A. 88–45144
Tanaka, G. *see* Watanabe, M. 86–2820, 86–42312
Tanaka, G. *see* Yokota, H. 86–36232
Tanaka, H. Introduction to service and protocol of higher layers [OSI] 85–63334
Tanaka, H. Prospectives [network standards] 85–63344
Tanaka, H. Present conditions of Maglev test in JNR 86–51991
Tanaka, H. Data structure of Huffman codes and its application to efficient encoding and decoding 87–39645
Tanaka, H. 30000 kW-5250 RPM very large and high-speed motor drive system for gas compressors 87–51692
Tanaka, H. Distributed processing architecture 88–3529
Tanaka, H. Maglev approaches toward practical use 88–5949
Tanaka, H. Low frequency spectrum elimination influence on reproduced waveform for MFM-ZM coding method 88–7800
Tanaka, H. Introduction to information networks 88–9194
Tanaka, H., Aikawa, I., Ajioka, T. Behavior of Na$^+$ ions in p$^+$ polysilicon gates 88–64355
Tanaka, H., Anami, S., Saito, Y., Matuda, N., Shidara, T., Fukuda, S., Hanaki, H., Honma, H., Nakao, K., Tanaka, J. High power characteristic measurements of resonant ring 87–14679
Tanaka, H., Ando, M. VL-VL minimax universal coding 85–41856
Tanaka, H., Ando, M., Leon-Garcia, A. A unique ranking of multilevel sequences and its application to source coding 86–3768

Tanaka, H., Asano, M., Masuda, N., Masaki, A., Hayashi, T., Fukui, M., Kotera, N., Hashimoto, N. GaAs E/D BFL logic circuit technology for ECL compatible 1.6K gate array 86−46740
Tanaka, H., Fan, L.T., Lai, F.S., Toguchi, K. Fault-tree analysis by fuzzy probability 85−5832
Tanaka, H., Fujii, T., Tada, N., Ueyama, N. A new method for measuring local humidity with optical fibers 86−65305
Tanaka, H., Ishihara, T. Electro-hydraulic digital control of cone-roller toroidal traction drive automatic power transmission 85−27732
Tanaka, H., Itoh, H., O'Hori, T., Takikawa, M., Kasai, K., Takechi, M., Suzuki, M., Komeno, J. Multi-wafer growth of HEMT LSI quality AlGaAs/GaAs heterostructures by MOCVD 88−1688
Tanaka, H., Kawamura, Y., Asahi, H. Room-temperature operation of MBE-grown InGaP/InGaAlP MQW visible laser diodes 86−54143
Tanaka, H., Kawamura, Y., Nojima, S., Wakita, K., Asahi, H. InGaP/InGaAlP double-heterostructure and multiquantum-well laser diodes grown by molecular-beam epitaxy 87−33185
Tanaka, H., Koda, T. Encoding of binary sources modeled by the Gilbert burst-noise channel 87−61587
Tanaka, H., Koike, T., Doi, H. Identification of frequency control system in the power system and its applications to long-term dynamic characteristic simulation 86−50867
Tanaka, H., Koike, T., Tamada, U., Matsumura, K., Mizushima, I. Research concerning the functional analysis of a long term power system dynamics analysis program (LOTDYS) 85−59631
Tanaka, H., Korenaga, Y., Fukuda, T., Kondo, F. ISDN switching system software architecture 88−9358
Tanaka, H., Kuga, T. 2000 kW-8000 RPM very high-speed induction motor drive system 86−40221
Tanaka, H., Masui, T., Ohsumi, A., Fukushima, M. Telecontrol system VJ-501 87−48516
Tanaka, H., Momohara, T., Kaneku, S. Group parity check system for important information 87−7651
Tanaka, H., Motte, S., Hoshino, M., Takahashi, K., Ohta, M., Sakai, T., Yamazaki, T. A 14-in.-diagonal active-matrix-addressed color LCD using a-Si:H V^2-TFTs 88−16320
Tanaka, H., Mushiage, M. Development of semiconductor lasers by a production-type MBE 86−63832
Tanaka, H., Mushiage, M., Ichihara, J. Development of optical devices by MBE 85−29851
Tanaka, H., Mushiage, M., Ishida, Y., Fukada, H. Single-longitudinal-mode selfaligned (AlGa)As double-heterostructure lasers fabricated by molecular beam epitaxy 85−35741
Tanaka, H., Nishigaito, H., Yamada, Y., Doi, H., Asano, M., Oonishi, K., Ogihara, Y. Research concerning the functional analysis of a general-purpose transient phenomena analysis program (EMTP) [power system transients] 85−59630
Tanaka, H., Nishigaito, H., Yamada, Y., Doi, H., Iso, O. Development of the dynamic characteristic stability analysis method (DENKEN X method). II 86−50866
Tanaka, H., Noda, H., Hikita, S., Kai, S., Hirakawa, K. An application of time sequence matrix to speaker identification 85−46734
Tanaka, H., Otsuka, K. Optimal control system for generator applied with multivariable control theory 86−33292
Tanaka, H., Otsuta, K., Tsujiuchi, N. Techniques for reducing vibration and noise 88−62794
Tanaka, H., Sakai, T., Shimbo, M., Arai, S., Yamazaki, T. A thin-film transistor with a very thin a-Si:H layer and its application for an LC panel 87−25264
Tanaka, H., Shigekawa, H., Fujita, S., Yukawa, H., Nishi, T., Hyodo, S. Effect of glass/coating interface on the strength of optical fibers 86−9490
Tanaka, H., Takanashi, T. New developments improve the performance of pumped storage hydro schemes 85−15930
Tanaka, H., Taniguchi, S., Namiki, M., Kuroiwa, A. 4200 kW-4900 r.p.m. very large and high speed motor drive system for the LNG compressors in West Australia 88−49317
Tanaka, H., Tsuzura, A., Yanagi, T. Fluctuating temperature measurement by fine thermocouple in premixed turbulent flames 86−18166
Tanaka, H., Yamada, Y. Research concerning fast turbine valve control systems. III 86−12652
Tanaka, H., Yamada, Y. Studies on high-speed valve control of turbine. IV 86−51464
Tanaka, H., Yamada, Y., Neri, K. Development of a generator control system based on magnetic flux detection. I 85−60139
Tanaka, H., Yamashita, H., Masuda, N., Matsunaga, N., Miyazaki, M., Yanazawa, H., Masaki, A., Hashimoto, N. A 4K GaAs SRAM with 1 ns access time 87−59496
Tanaka, H. *see* Asaumi, S. 87−32362, 88−71469
Tanaka, H. *see* Calderon, A. 87−71143
Tanaka, H. *see* Fujimoto, Y. 86−39901
Tanaka, H. *see* Fujishiro, T. 86−50769
Tanaka, H. *see* Fujita, M. 85−35115, 87−619
Tanaka, H. *see* Fujiwara, R. 86−39017
Tanaka, H. *see* Fukuda, N. 87−16697
Tanaka, H. *see* Furuyama, T. 88−63683
Tanaka, H. *see* Goto, F. 87−46366
Tanaka, H. *see* Gozen, T. 86−58748
Tanaka, H. *see* Haga, I. 88−60094
Tanaka, H. *see* Handa, S. 85−13627, 86−69117, 87−27251, 87−33621, 88−21092, 88−52592
Tanaka, H. *see* Haraguti, E. 87−30526
Tanaka, H. *see* Hayashi, T. 85−33928, 85−54897, 86−34806, 88−6836
Tanaka, H. *see* Hirabayashi, H. 86−29431
Tanaka, H. *see* Hongu, T. 86−16541
Tanaka, H. *see* Ibaraki, H. 85−2848
Tanaka, H. *see* Imamura, K. 86−59887, 88−36371
Tanaka, H. *see* Ise, M. 85−13903
Tanaka, H. *see* Ishida, Y. 86−42569
Tanaka, H. *see* Ishiguro, M. 87−28721
Tanaka, H. *see* Ishikawa, H. 87−10387
Tanaka, H. *see* Ito, N. 87−48381
Tanaka, H. *see* Kawakami, Y. 87−17157
Tanaka, H. *see* Keneko, T. 86−59888
Tanaka, H. *see* Kohara, H. 88−13281
Tanaka, H. *see* Kohno, I. 85−52430, 87−3235
Tanaka, H. *see* Koike, M. 86−30539
Tanaka, H. *see* Kotani, M. 86−30309
Tanaka, H. *see* Kotera, N. 86−35910
Tanaka, H. *see* Kuriyama, T. 86−30471
Tanaka, H. *see* Kuroda, I. 86−67249
Tanaka, H. *see* Kuzushita, H. 88−26793, 88−26828
Tanaka, H. *see* Kyotani, Y. 87−5049
Tanaka, H. *see* Makita, Y. 87−10370
Tanaka, H. *see* Manabe, T. 85−51426
Tanaka, H. *see* Maruyama, T. 88−57958
Tanaka, H. *see* Masaki, A. 85−35132
Tanaka, H. *see* Matsuda, A. 85−422
Tanaka, H. *see* Matsumoto, K. 87−37422
Tanaka, H. *see* Matsumura, H. 86−34374
Tanaka, H. *see* Matsunaga, N. 88−20167
Tanaka, H. *see* Mawatari, K. 86−64655
Tanaka, H. *see* Mohri, M. 86−45645
Tanaka, H. *see* Mori, M. 88−6463
Tanaka, H. *see* Nagura, S. 88−61913
Tanaka, H. *see* Nakamura, H. 88−32086
Tanaka, H. *see* Nakatsuka, Y. 87−18514, 87−25825
Tanaka, H. *see* Nguyen Chanh Khe 85−24377
Tanaka, H. *see* Nishikawa, T. 87−77442
Tanaka, H. *see* Nishimura, K. 88−75745
Tanaka, H. *see* Nishitani, H. 87−29745
Tanaka, H. *see* Nishitani, T. 87−17141
Tanaka, H. *see* Nojima, S. 86−53336
Tanaka, H. *see* Nomizu, N. 85−45030
Tanaka, H. *see* Ohro, M. 87−76597
Tanaka, H. *see* Ohsawa, T. 87−59510, 88−6822
Tanaka, H. *see* Ohsugi, T. 88−29851
Tanaka, H. *see* Ohtake, H. 87−40713
Tanaka, H. *see* Ohtsuka, K. 86−66029, 87−71479
Tanaka, H. *see* Okabe, J. 86−6767
Tanaka, H. *see* Ono, M. 85−52431, 86−12171, 88−10512
Tanaka, H. *see* Sagisaka, Y. 87−4691
Tanaka, H. *see* Saito, Y. 87−6997, 87−14677
Tanaka, H. *see* Saitoh, S. 86−63949
Tanaka, H. *see* Sakaguchi, T. 88−54923
Tanaka, H. *see* Sakai, T. 88−42211
Tanaka, H. *see* Sato, G. 86−36826
Tanaka, H. *see* Sato, I. 87−41704
Tanaka, H. *see* Shimohigashi, K. 87−59484
Tanaka, H. *see* Suzuki, M. 88−7954, 88−65375, 88−72137
Tanaka, H. *see* Suzuki, T. 87−74718, 88−13847
Tanaka, H. *see* Tai, H. 87−54031, 88−68071
Tanaka, H. *see* Takeuchi, T. 87−37383
Tanaka, H. *see* Tanaka, Y. 86−25060
Tanaka, H. *see* Ueda, K. 86−52879
Tanaka, H. *see* Utsumi, A. 85−35425
Tanaka, H. *see* Wakairo, S. 87−48373
Tanaka, H. *see* Watada, J. 86−62022
Tanaka, H. *see* Watanabe, H. 86−52877
Tanaka, H. *see* Yamada, K. 88−64896
Tanaka, H. *see* Yamanaka, M.D. 85−38348, 87−71327
Tanaka, H. *see* Yoshida, M. 88−26792
Tanaka, H.T., Ballard, D.H., Tsuji, S., Curtiss, M. Parallel polyhedral shape recognition 86−4041
Tanaka, I., Tanaka, K., Ishikawa, K. C and C teleconference system 87−8468
Tanaka, I. *see* Hoshida, M. 87−59487
Tanaka, I. *see* Lee, Y.T. 88−20679
Tanaka, I. *see* Ogusu, K. 87−17332
Tanaka, I. *see* Schattenburg, M.L. 88−26138
Tanaka, I. *see* Shibuya, S. 85−51948
Tanaka, I. *see* Yoshimo, S. 86−49371
Tanaka, J. Advanced technology recently developed at KEK for future linear colliders 87−35303
Tanaka, J. Wire bonder trends and technology 87−45473
Tanaka, J., Damon, D., Suh, K. Aging characteristics of polyethylene/ionomer blends 87−25713
Tanaka, J., Tanaka, M., Aoki, Y. Recent traction power-supply systems 88−5955
Tanaka, J., Yuzurihara, I. High power, high frequency, switch mode rectifier 85−54680
Tanaka, J. *see* Asai, K. 87−49494
Tanaka, J. *see* Asami, A. 87−41781
Tanaka, J. *see* De Kang Liu 87−14694
Tanaka, J. *see* De-Kang Liu 87−41702
Tanaka, J. *see* Enomoto, A. 87−14670
Tanaka, J. *see* Fukuda, S. 87−41818, 87−45514
Tanaka, J. *see* Hanaki, H. 87−41779
Tanaka, J. *see* Hijikigawa, M. 86−55679
Tanaka, J. *see* Isagawa, S. 88−57264
Tanaka, J. *see* Kawamura, K. 85−32189
Tanaka, J. *see* Kudo, K. 88−30405
Tanaka, J. *see* Matuda, N. 88−32706
Tanaka, J. *see* Mishima, O. 88−7357
Tanaka, J. *see* Miyatake, H. 87−71051
Tanaka, J. *see* Morita, K. 87−70968
Tanaka, J. *see* Nakao, K. 87−14678
Tanaka, J. *see* Ogawa, Y. 87−14717
Tanaka, J. *see* Ohsawa, S. 86−42218, 87−14686, 87−25908, 87−35284
Tanaka, J. *see* Saito, Y. 86−14809, 87−14677, 88−32718
Tanaka, J. *see* Sasaki, T. 86−5646
Tanaka, J. *see* Sato, I. 87−41704, 87−41782
Tanaka, J. *see* Sawai, T. 88−60186
Tanaka, J. *see* Schaible, M. 88−26604
Tanaka, J. *see* Suh, K.S. 88−51084, 88−64851
Tanaka, J. *see* Suzuki, A. 86−61726
Tanaka, J. *see* Tanabe, T. 86−24990
Tanaka, J. *see* Tanaka, H. 87−14679
Tanaka, J. *see* Tsukioka, M. 86−68381
Tanaka, J. *see* Yamamoto, T. 88−36111
Tanaka, J. *see* Yonezawa, H. 87−14680
Tanaka, J.A. *see* Kawamura, K. 88−68933
Tanaka, J.C. *see* Furman, R.E. 88−30005
Tanaka, K. Extended definition of cumulants and its application to ladder-type networks 85−905
Tanaka, K. Basic studies on automatic phoneme recognition system 85−19383
Tanaka, K. An opto-electronic measurement system for vessel motion in waves 86−18110
Tanaka, K. Digital storage oscilloscopes with intelligent functions and high-speed sampling rate 86−31475
Tanaka, K. Temperature control for ultra-precision machining 86−55877
Tanaka, K. Pseudo-phoneme extraction by unequal rates of sampling and matrix quantization 86−59228
Tanaka, K. Some extensions of a method for determining standard values of phonemes−multistage sample reduction method and successive learning method 86−59229
Tanaka, K. Feature analysis for stop consonant discrimination using local peak parameters and Haar expansion coefficients of spectrum envelope 86−59236
Tanaka, K. A general relation of scattered waves by a rotating object 86−63967
Tanaka, K. Improved 100 Mb/s digital radio-relay system in 11 GHz band 87−55982
Tanaka, K. Local FA systems used automatic insert and set up machines 87−66759
Tanaka, K. Review on solar thermal utilization technology in space 87−77788
Tanaka, K. Thin film electroluminescence devices 88−33889
Tanaka, K. Board-to-board connectors increasingly used for consumer products 88−38830
Tanaka, K. Adaptive maintenance and learning from failures in a complex system 88−55926
Tanaka, K., Arai, H., Kohda, S. Characteristics of offset-structure polycrystalline-silicon thin-film transistors 88−26255
Tanaka, K., Fukuma, M. Design methodology for deep submicron CMOS 88−39699
Tanaka, K., Hata, N., Matsuda, A. Plasma spectroscopies and film deposition 86−501
Tanaka, K., Hayamizu, S., Ohta, K. A demiphoneme network representation of speech and automatic labeling techniques for speech database construction 87−19459
Tanaka, K., Hayamizu, S., Ohta, K. Automatic labeling of known speech using a demiphoneme network representation and a parameter series segmentation technique 87−61613
Tanaka, K., Hayamizu, S., Ohta, K. Semiautomatic labeling for constructing a phoneme data base system 88−59064
Tanaka, K., Hayamizu, S., Ohta, K. Automatic labeling of known speech samples using a rule-based network representation and segmentation technique 88−59070
Tanaka, K., Hayamizu, S., Ohta, K. Phonetic label (APSEG) sequence search system and acoustic-phonetic variation clustering based on a network representation 88−59077
Tanaka, K., Haymizu, S., Ohta, K. Demiphonemic representation of speech and semiautomatic labeling system 86−59250
Tanaka, K., Hoshino, M., Wakao, K., Komeno, J., Ishikawa, H., Yamakoshi, S., Imai, H. Semi-insulator-embedded InGaAsP/InP flat-surface buried heterostructure laser 86−15686

Tanaka, K., Imai, Y., Odajima, A. Photo-optical devices by amorphous As-S waveguides 85−50920
Tanaka, K., Iwasaki, S. Purification of $^{127}I_2$ and evaluation of the life of $^{127}I_2$ absorption cell 86−68592
Tanaka, K., Kadoya, K., Oku, T. High-speed miniature coaxial flat cable 87−45330
Tanaka, K., Kawakami, Y. A MESFET model for the design of GaAs digital integrated circuits 87−60487
Tanaka, K., Kawakami, Y. 4:1 Multiplexer and 1:4 demultiplexer 88−28586
Tanaka, K., Kawakami, Y. A MESFET model for the design of GaAs digital integrated circuits 88−63580
Tanaka, K., Kobayashi, M., Negoro, Y., Kasanami, T. Fabrication of electroluminescent ZnS:TbF_x films by RF sputtering from a ceramic target 88−72229
Tanaka, K., Kobayashi, S. Package 1000 series motion teleconference system 88−4218
Tanaka, K., Kojima, M. New boundary integral equation for CAD of waveguide circuit 88−56854
Tanaka, K., Kojima, M. Volume integral equations for analysis of dielectric branching waveguides 88−66142
Tanaka, K., Matsuda, A. Deposition kinetics and structural control of highly photosensitive a-Si:Ge:H alloys 87−23737
Tanaka, K., Mikami, A., Ogura, T., Taniguchi, K., Yoshida, M., Nakajima, S. Aging characteristics in CaS: Eu red-emitting thin film electroluminescent devices 87−68299
Tanaka, K., Nakai, K., Aoki, O., Sugawara, M., Wakao, K., Yamakoshi, S. Fe-doped semi-insulating InP grown by chloride vapor-phase epitaxy 87−52119
Tanaka, K., Nakamura, H., Kawakami, Y., Akiyama, M., Ishida, T., Kaminishi, K. Super-buffer FET logic (SBFL): a logic gate suitable to GaAs LSIs 85−40051
Tanaka, K., Nakamura, H., Kawakami, Y., Akiyama, M., Ishida, T., Kaminishi, K. Super-buffer FET logic (SBFL) for GaAs gate arrays 86−2203
Tanaka, K., Nakano, A., Yoshida, S., Nishimura, T., Yanase, M., Hara, T., Tonaru, S., Nabeshima, H., Kitamura, A., Nabeshima, Y., Gocho, Y., Taguchi, T., Chiba, K., Mochizuki, M., Nakazawa, T., Ando, I., Hata, F. Studies of large-capacity ultra-high-speed information transmission system 86−50864
Tanaka, K., Ogawa, M., Togashi, K., Takakuwa, H., Ohke, H., Kanazawa, M., Kato, Y., Watanabe, S. Low-noise HEMT using MOCVD 87−32526
Tanaka, K., Ogawa, R., Kabashima, A., Arai, M., Tomizuka, K., Nomura, Y. Single chip multisystem AM stereo decoder IC 87−13823
Tanaka, K., Ohta, N. Effects of tilt and offset of signal field on heterodyne efficiency 87−41504
Tanaka, K., Otsuda, S., Okada, M. Size transformation methods of dot matrix kanji patterns using font characteristics 86−54557
Tanaka, K., Ozaki, M., Inoue, T., Furukawa, T. Application of generalized product code for stationary-head type professional digital audio recorder 86−69979
Tanaka, K., Saga, N. Maximum heterodyne efficiency of optical heterodyne detection in the presence of background radiation 85−13533
Tanaka, K., Sakurai, T., Ito, N., Kurosawa, T., Morinaga, A., Iwasaki, S. System for light velocity measurement at NRLM 86−5540
Tanaka, K., Saratani, T., Honda, T. Fujitsu Integrated Visual Information System: FIVIS 87−2564
Tanaka, K., Shinohara, H., Nishino, H., Kashihara, H., Nishikawa, K., Hisada, Y., Itoh, Y. Pulse compression test results of the SAR transmitter and receiver 87−63050
Tanaka, K., Suzuki, H., Togashi, K., Takakuwa, H., Tsurumaru, S., Kato, Y. Low-noise HEMT by MOCVD for satellite reception 88−33267
Tanaka, K., Tago, T., Yoshino, Y., Kobayashi, S., Tsuneyoshi, S. CAD/CAM system in motor production development 88−18439
Tanaka, K., Takaesu, F., Kozono, F. Analysis of and countermeasures to peculiar phenomena of halogen-free flame-retardant cables in cable tunnels: growth of mold and deposition of metal carbonate 88−25601
Tanaka, K., Takakuwa, H., Nakamura, F., Mori, Y., Kato, Y. Low-noise microwave HIFET fabricated using photolithography and MOCVD 86−41317
Tanaka, K., Takeuchi, Y., Terashima, S., Odaka, T., Saitoh, Y. Measurements of transient motion of magnetic disk slider 85−24157
Tanaka, K., Tanaka, Y., Fujimura, O. Simpler effect equipment for complex images 85−3930
Tanaka, K., Taniguchi, R., Hiroi, M. Automation technique of power distribution line in integrated automatic control system 87−71555
Tanaka, K., Tsutsumi, M., Kumagai, N. Millimeter wave dielectric waveguide isolator 88−25409
Tanaka, K., Wakino, K. Transparent ferroelectric ceramics 86−35943
Tanaka, K., Yamaguchi, M., Seto, H., Murata, M., Wakino, K. Analyses of PLZT electrooptic shutter and shutter array 85−35544
Tanaka, K. *see* Arai, H. 88−57389
Tanaka, K. *see* Ariyavisitakul, S. 87−68939
Tanaka, K. *see* Awaya, T. 87−59492
Tanaka, K. *see* Fujita, S. 86−36970
Tanaka, K. *see* Fukai, M. 86−11175, 87−63048
Tanaka, K. *see* Fukushima, T. 87−5882
Tanaka, K. *see* Furukawa, T. 85−25022, 88−45059
Tanaka, K. *see* Goto, E. 86−41895
Tanaka, K. *see* Hassel Shearer, M. 86−35485
Tanaka, K. *see* Hayamizu, S. 86−29760, 88−45994, 88−59066, 88−59071, 88−59078, 88−66385
Tanaka, K. *see* Hayashi, S. 85−11952
Tanaka, K. *see* Honma, I. 87−33028
Tanaka, K. *see* Horikoshi, J. 87−26768
Tanaka, K. *see* Hoshiai, F. 86−62914, 87−66702
Tanaka, K. *see* Hoshino, M. 86−34303
Tanaka, K. *see* Imai, Y. 85−35880
Tanaka, K. *see* Ishikawa, J. 86−36366
Tanaka, K. *see* Ishiwatari, N. 87−48526
Tanaka, K. *see* Ito, O. 88−45060
Tanaka, K. *see* Kadoya, K. 88−19448
Tanaka, K. *see* Kashihara, H. 86−12156
Tanaka, K. *see* Kawakami, Y. 85−54859, 88−28876
Tanaka, K. *see* Kawakubo, Y. 88−51318
Tanaka, K. *see* Kiuchi, A. 88−15767
Tanaka, K. *see* Koizumi, S. 88−53222
Tanaka, K. *see* Komuro, S. 85−1275
Tanaka, K. *see* Koyano, I. 86−60629
Tanaka, K. *see* Kurisu, M. 85−21512
Tanaka, K. *see* Kuriyama, T. 86−30471
Tanaka, K. *see* Kusui, N. 88−13220
Tanaka, K. *see* Lai, H.-C. 87−65316
Tanaka, K. *see* Masuda, T. 87−42120, 88−18089
Tanaka, K. *see* Matsuda, A. 85−422 to 423, 86−34383, 87−10483, 87−23709, 88−24770
Tanaka, K. *see* Matsuda, K. 85−10793
Tanaka, K. *see* Matsumoto, A. 87−20245
Tanaka, K. *see* Matsuo, H. 88−75753
Tanaka, K. *see* Matsushima, T. 88−65568
Tanaka, K. *see* Matsuura, H. 85−61887
Tanaka, K. *see* Matsuzaki, T. 86−52875
Tanaka, K. *see* Mibuchi, Y. 86−50930
Tanaka, K. *see* Mikami, A. 87−61048
Tanaka, K. *see* Miura, M. 86−35979, 87−6998
Tanaka, K. *see* Miyazaki, M. 86−40185
Tanaka, K. *see* Mori, S. 86−49262 to 49263
Tanaka, K. *see* Mukai, M. 88−13570
Tanaka, K. *see* Nakamura, H. 86−8190, 87−32727
Tanaka, K. *see* Nakayama, H. 86−23689
Tanaka, K. *see* Nara, K. 85−48533
Tanaka, K. *see* Ogawa, M. 88−51427
Tanaka, K. *see* Ogawa, Y. 87−76534
Tanaka, K. *see* Ogura, T. 86−44365, 86−58836
Tanaka, K. *see* Oikawa, M. 87−26073
Tanaka, K. *see* Okai, H. 87−40066
Tanaka, K. *see* Okajima, Y. 86−14217
Tanaka, K. *see* Okamoto, E. 88−45940
Tanaka, K. *see* Okumura, T. 88−70765
Tanaka, K. *see* Okushi, H. 86−28026
Tanaka, K. *see* Ooi, T. 86−69641
Tanaka, K. *see* Saga, N. 85−18765, 85−30272
Tanaka, K. *see* Shearer, M.H. 86−8932
Tanaka, K. *see* Shibuya, S. 85−51948
Tanaka, K. *see* Sueyasu, Y. 85−57634
Tanaka, K. *see* Sugo, Y. 87−17088
Tanaka, K. *see* Takahashi, M. 86−39663, 87−30481
Tanaka, K. *see* Takakuwa, H. 86−53636, 86−67892
Tanaka, K. *see* Tanaka, I. 87−8468
Tanaka, K. *see* Taniguchi, K. 85−26417, 86−2976, 86−50171
Tanaka, K. *see* Tsukamoto, K. 87−42731, 87−64485
Tanaka, K. *see* Tsutsumi, M. 86−28709, 87−25784, 87−67794, 88−50310
Tanaka, K. *see* Ushijima, K. 85−32394
Tanaka, K. *see* Usuba, S. 87−26719
Tanaka, K. *see* Utsumi, Y. 88−52812
Tanaka, K. *see* Viswanathan, B. 85−23572
Tanaka, K. *see* Yamada, I. 88−34686
Tanaka, K. *see* Yamada, K. 88−65154
Tanaka, K. *see* Yamada, M. 87−25801
Tanaka, K. *see* Yamada, Y. 88−48108, 88−54500
Tanaka, K. *see* Yamakoshi, S. 88−65721
Tanaka, K. *see* Yasuda, T. 87−63382
Tanaka, K. *see* Yoshida, M. 87−3688
Tanaka, K. *see* Yoshikawa, A. 85−16930, 86−7836
Tanaka, K.A. *see* Yabe, T. 88−62497
Tanaka, K.H. Present status and future project of KEK-PS 86−38654
Tanaka, K.H. *see* Ohsugi, T. 88−29851
Tanaka, K.O., Zhou Huan, Xu Xinsheng Parallel realization of digital filter using distributed arithmetic 86−52971
Tanaka, M. Programmable curve tracer extends semiconductor measurements 87−8510
Tanaka, M. Environmental control technology for precision measurement in the nanometer range 87−29291
Tanaka, M. Sensing technology. [VI]. High-sensitivity sensing technology in the length measurement 87−29292
Tanaka, M. Air conditioning system for cultivation of edible fungi 87−43718
Tanaka, M. New type general purpose inverter 87−52367
Tanaka, M. JNR 207 direct-current tramcar 88−11436
Tanaka, M. An investigation on the scattering wave intensity by automobile body as multipath source in mobile communications 88−28727
Tanaka, M. Introduction to boundary element methods (BEM). III 88−49770
Tanaka, M. High frequency noise power spectrum, impedance and transmission loss of power line in Japan on intrabuilding power line communications 88−59638
Tanaka, M. Incident angle and frequency dependence of the electric field intensity in an automobile body 88−60050
Tanaka, M., Arima, T., Sugiura, T., Imagawa, M. Trend of paging system 88−21982
Tanaka, M., Asai, M. Relaxation-based algorithm by variable virtual capacitors for analysis of large stiff nonlinear networks 87−65747
Tanaka, M., Iso, A., Yoshikawa, T., Iguichi, M., Wakana, H., Kosaka, K. Japan's CS (Sakura) communications satellite experiments. IV. Characteristics of CS on-board communication equipment and the satellite link 86−64901
Tanaka, M., Kasugai, T., Kojima, J., Fukushima, H., Seki, K., Kitakawa, M. Development of narrow band MCA system 88−60044
Tanaka, M., Kumamoto, M., Kawasaki, Y. Development of high energy density heat source: electron beam gun 88−12874
Tanaka, M., Miyazaki, Y. An investigation of radio wave intensity distribution in an automobile body 87−33362
Tanaka, M., Morita, T., Ono, K., Nakazawa, Y. Narrow bandpass filter using double mode SAW resonators 85−22976
Tanaka, M., Morita, T., Ono, K., Nakazawa, Y. Narrow bandpass filter using double-mode SAW resonators on quartz 85−61366
Tanaka, M., Morita, T., Ono, K., Nakazawa, Y. High frequency low loss filter using longitudinal double mode SAW resonators 87−32817
Tanaka, M., Murooka, Y., Hidaka, K. Nanosecond surface discharge study using computer simulation method 88−51050
Tanaka, M., Nakamura, M., Okamoto, T., Kumazawa, H. 30/20 GHz and 6/4 GHz and transponder development for communications satellite CS-3 87−28512
Tanaka, M., Nakano, Y., Yoshida, Y., Taoda, M. Animated image display using AC plasma display panel 85−37682
Tanaka, M., Ninomiya, K., Nakamura, N., Tsuda, S., Nakano, S., Ohnishi, M., Kuwano, Y. High-rate deposition of a-Si:H film with a separated plasma triode method 88−31851
Tanaka, M., Ogino, T., Miki, T., Fujii, M. Advanced operator decision aids for nuclear power plants 88−48672
Tanaka, M., Ohmi, F., Watada, A. Preparation of TbFeCo films by two source magnetron sputtering 86−63530
Tanaka, M., Okada, M., Kobatake, H. Detection of vehicles by image processing 87−77032
Tanaka, M., Okamoto, T., Nakamura, M., Horikawa, K. A design of the 30/20 GHz band transponder for the CS-3 communications satellite 87−28487
Tanaka, M., Sakaki, H. Atomistic models of interface structures of GaAs-$Al_xGa_{1-x}As$ (x=0.2-1) quantum wells grown by interrupted and uninterrupted MBE 87−36717
Tanaka, M., Sakaki, H., Yoshino, J. Atomic-scale structures of top and bottom heterointerfaces in GaAs-$Al_xGa_{1-x}As$ (x=0.2-1) quantum wells prepared by molecular beam epitaxy with growth interruption 86−34334
Tanaka, M., Sakaki, H., Yoshino, J. One atomic layer GaAs-AlAs heterointerface fluctuations and their suppression by insertion of smoothing period in molecular beam epitaxy 86−53407
Tanaka, M., Sakaki, H., Yoshino, J., Furuta, T. Photoluminescence and absorption linewidth of extremely flat GaAs-AlAs quantum wells prepared by molecular beam epitaxy including interrupted deposition for atomic layer smoothing 87−1273
Tanaka, M., Someya, R. The noise characteristics and transmission characteristics of data transmission using power line 87−28352
Tanaka, M., Tokita, T. Influence of H_2 partial pressure on sputtered TbFeCo films 87−67695
Tanaka, M., Wakamatsu, T., Kobayashi, H. Influence of substrate heating on properties of Tb-Fe films prepared by vacuum evaporation 88−33496
Tanaka, M., Watanabe, O., Inada, K. The development of bidirectional-wavelength-multiplexing integrated module 85−31020

Tanaka, M., Yagi, S., Tabata, N. High frequency silent discharge and its application to CW CO_2 laser excitation 86−36427
Tanaka, M., Yamashita, S., Tanago, Y., Wakabayashi, H. On the characteristics of explicit Runge-Kutta methods with five and six stages 86−62189
Tanaka, M., Yuzurihara, H., Tokita, T. Magnetic properties of compositionally modulated Tb/FeCo films 88−51163
Tanaka, M. *see* Arakawa, Y. 88−8176
Tanaka, M. *see* Asai, H. 85−26995, 85−39862, 86−57297, 86−66899, 86−66928, 87−166, 88−341
Tanaka, M. *see* Asai, M. 87−36948
Tanaka, M. *see* Azuma, K. 88−37468
Tanaka, M. *see* Brown, K.A. 88−54049
Tanaka, M. *see* Chigusa, Y. 85−40141
Tanaka, M. *see* Endo, M. 85−63870
Tanaka, M. *see* Fukuda, H. 86−45174
Tanaka, M. *see* Hara, H. 86−44172
Tanaka, M. *see* Harada, K. 87−513
Tanaka, M. *see* Haruki, M. 87−53224, 88−7325
Tanaka, M. *see* Hishii, M. 86−58875
Tanaka, M. *see* Hori, M. 85−42236, 86−59890, 87−76354
Tanaka, M. *see* Ishiwara, H. 87−10374, 87−23677
Tanaka, M. *see* Itoh, R. 87−41842
Tanaka, M. *see* Kageyama, S. 85−51685
Tanaka, M. *see* Kamae, T. 87−21432
Tanaka, M. *see* Kashima, S. 87−35651
Tanaka, M. *see* Kosuge, T. 87−72734
Tanaka, M. *see* Machizawa, A. 86−54555, 87−47485
Tanaka, M. *see* Mizutani, H. 87−65773
Tanaka, M. *see* Morita, T. 86−28586
Tanaka, M. *see* Murakami, K. 86−53229
Tanaka, M. *see* Murase, S. 85−62217
Tanaka, M. *see* Nagai, A. 86−31460
Tanaka, M. *see* Nakajima, T. 87−29928
Tanaka, M. *see* Narahara, A. 86−25703
Tanaka, M. *see* Nishihara, T. 87−8084
Tanaka, M. *see* Ohira, T. 88−12601
Tanaka, M. *see* Ohmori, S. 87−34511
Tanaka, M. *see* Ohnishi, M. 86−45700, 88−31852
Tanaka, M. *see* Ohno, K. 86−58348, 88−38429
Tanaka, M. *see* Ohtsuki, S. 88−30202
Tanaka, M. *see* Okamoto, Y. 86−39313
Tanaka, M. *see* Okumura, K. 88−30231
Tanaka, M. *see* Sakaki, H. 85−60969
Tanaka, M. *see* Sano, Y. 87−18802
Tanaka, M. *see* Sato, N. 88−28940
Tanaka, M. *see* Shimizu, Y. 85−35271, 86−9373, 86−15322, 87−6980, 87−53848
Tanaka, M. *see* Shirahashi, A. 88−68216
Tanaka, M. *see* Soetanto, K. 87−29757
Tanaka, M. *see* Sugo, Y. 87−17088
Tanaka, M. *see* Suzuki, R. 86−49518
Tanaka, M. *see* Tabata, N. 85−56549
Tanaka, M. *see* Takahashi, M. 87−72211
Tanaka, M. *see* Takahashi, S. 85−19350, 86−22890, 86−69708
Tanaka, M. *see* Tanabe, T. 85−53930
Tanaka, M. *see* Tanaka, J. 88−5955
Tanaka, M. *see* Teshirogi, T. 86−68919, 87−27086
Tanaka, M. *see* Tokita, T. 88−44964
Tanaka, M. *see* Tsuya, N. 87−32855
Tanaka, M. *see* Uehara, K. 88−31019, 88−65488
Tanaka, M. *see* Wakui, F. 86−14165, 88−38482
Tanaka, M. *see* Watanabe, T. 87−52189, 87−73140, 88−63367
Tanaka, M. *see* Yamada, W. 86−16145
Tanaka, M. *see* Yamamoto, H. 85−28255, 85−46034 to 46035, 86−55259, 87−44374, 87−53908, 88−42229
Tanaka, M. *see* Yanagihara, Y. 85−63116
Tanaka, M. *see* Yasui, K. 88−34064
Tanaka, M. *see* Yoshida, Y. 86−40315
Tanaka, M. *see* Yudasaka, M. 86−20094
Tanaka, M.H. *see* Kubono, S. 87−3915
Tanaka, N. Vibration problem in Super-Phenix-1 86−39414
Tanaka, N. 4-limbed tube single capped compact fluorescent lamp 88−6004
Tanaka, N., Ikeda, H., Ueno, T., Mukawa, A., Watanabe, S., Okamoto, K., Hosoi, S., Tsunekawa, S. Automated cytologic screening system (CYBEST model 4): an integrated image cytometry system [optical microscopy] 87−77620
Tanaka, N., Imanishi, M., Hama, H. An air-to-water heat-pump unit with a new refrigerant controller 85−5533
Tanaka, N., Kokonoi, T. Fabrication of chromium photomasks by dry etching process 85−23951
Tanaka, N. *see* Burleson, G.R. 86−60503
Tanaka, N. *see* Enami, K. 85−52714
Tanaka, N. *see* Ina, T. 87−10364
Tanaka, N. *see* Karino, M. 88−62757
Tanaka, N. *see* Katagiri, M. 85−47937
Tanaka, N. *see* Kubota, S. 87−64084
Tanaka, N. *see* Kumata, K. 86−52514
Tanaka, N. *see* Morris, C.L. 85−59225
Tanaka, N. *see* Nakano, S. 87−16155
Tanaka, N. *see* Nozaki, I. 87−61085
Tanaka, N. *see* Ohno, T. 88−55143
Tanaka, N. *see* Saito, N. 85−10764, 86−27891, 86−35352, 87−6386
Tanaka, N. *see* Shinoda, K. 87−9203
Tanaka, N. *see* Yamashita, S. 86−42378
Tanaka, N. *see* Yamazaki, H. 85−44294
Tanaka, O. *see* Hirosaki, B. 86−23590
Tanaka, O. *see* Kubota, T. 85−33200
Tanaka, O. *see* Myono, T. 85−61999
Tanaka, O. *see* Yoshinari, Y. 86−56610
Tanaka, R. 30/20-GHz domestic satellite communication system in the public communication network of Japan: design and operation 85−14184
Tanaka, R. Prospect of satellite communications for public communication networks 85−36985
Tanaka, R. Satellite communications in domestic public network 86−55252
Tanaka, R. Mobile radio communications in Japan 86−69636
Tanaka, R. Explosion-proof guideline and its roles in the explosion-proof instrumentation 88−31424
Tanaka, R., Ichihara, K., Yasuda, N., Taira, K. Experimental studies for film structure of TbCo magnetooptical disk 88−51598
Tanaka, R., Ichikawa, Y., Dobashi, H. The CS-2 satellite and its communication system 85−25809
Tanaka, R., Ichimura, M., Ogata, T. A new capacity testing method for lead-acid batteries 86−31141
Tanaka, R., Morihiro, Y. An effective application of satellite for public telecommunication network 86−23813
Tanaka, R., Morihiro, Y. Effects of common alternative routing system by satellite circuit 88−14870
Tanaka, R. *see* Abe, K. 88−16629
Tanaka, R. *see* Ichimura, M. 86−51885
Tanaka, R. *see* Kuwahara, M. 85−2970
Tanaka, R. *see* Sunaga, H. 88−42590
Tanaka, R. *see* Takahashi, H. 86−30710
Tanaka, S. Applications of microcomputers in golf broadcasting 85−37196
Tanaka, S. The solid state proportional counter of an organic insulator 85−52967
Tanaka, S. Telewriting equipment for deaf and dumb, 'Silverphone Hitsudan' and 'facsimile signal display equipment' 86−12016
Tanaka, S. Fiber coating structure and buckling due to contraction 86−15497
Tanaka, S. Digital storage oscilloscope geared to higher sampling speed and resolution 86−70161
Tanaka, S. Measurement of disk errors by CD decoder 87−49418
Tanaka, S. Technical trends in digital storage oscilloscopes 88−67936
Tanaka, S., Deguchi, H., Mikami, Y., Shiiki, M., Kobayashi, H. Red and blue electroluminescence in alkaline-earth sulfide thin-film devices 87−3685
Tanaka, S., Furukawa, A., Baba, T., Ohta, K., Madihian, M., Honjo, K. Self-aligned AlInAs/GaInAs HBTs for digital IC applications 88−64745
Tanaka, S., Harima, Y., Hirayama, H., Ban, S., Nakamura, T., Kosako, T., Uwamino, Y., Hashikura, H., Kanai, Y., Kawai, M., Tanaka, S., Sakamoto, Y. Annotated bibliography and discussion of gamma-ray buildup factors 88−36335
Tanaka, S., Hiramatsu, K., Habu, Y., Akasaki, I. Effect of lattice mismatch between epitaxial layer and substrate on immiscibility of InGaAsP/GaAs LPE layers 88−31793
Tanaka, S., Hiramatsu, K., Habu, Y., Sawaki, N., Akasaki, I. The initial stage of LPE growth of InGaAsP on GaAs in the region of immiscibility 87−31522
Tanaka, S., Honjo, M. Long-term reliability of transmission loss in optical fiber cables 88−33640
Tanaka, S., Ichinose, Y. Advanced loudspeaker telephone set−model 800-SP 86−4372
Tanaka, S., Imamura, N. The improvement of magneto-optical recording medium by alloying various elements 85−46226
Tanaka, S., Inada, K., Fukuda, O., Yamauchi, R., Shiota, T. Development of anti-thermal and high strength hermetically coated optical fiber 87−18621
Tanaka, S., Inoue, K. Ceramics for mechanical and structural applications 85−6016
Tanaka, S., Ishizaka, M. MELNET R32: a local area network 85−13912
Tanaka, S., Ito, M., Suetsugu, Y., Matsuda, Y. Temperature dependence of intrinsic transmission loss for high silica fiber 88−45148
Tanaka, S., Iwakami, T., Noguchi, T., Oshima, G. Transmission link facilities for ISDN 87−48387
Tanaka, S., Iwamura, J., Ohno, J., Maeguchi, K. A subnanosecond 8K-gate CMOS/SOS gate array 85−17301
Tanaka, S., Iwamura, J., Ohno, J., Maeguchi, K., Tango, H., Doi, K. A subnanosecond 8K-gate CMOS/SOS gate array 85−22799
Tanaka, S., Kameo, Y., Tsuneishi, K. Long-term reliability of layer-type tight structure cable 87−7131
Tanaka, S., Kitahara, H., Ikeda, H., Sue, K., Kawasaki, K., Nishikawa, A., Itagaki, S., Hotta, S., Miyata, Y., Yokoyama, K., Adachi, K., Nagata, S., Hatada, K., Fujimoto, H., Kitayama, Y. 3-inch full-color liquid crystal TV using a-Si TFT 87−56347
Tanaka, S., Kitayama, Y. Measurement accuracy of chromatic dispersion by the modulation phase technique [optical fiber measurements] 85−35456
Tanaka, S., Kuno, M., Yamamoto, A., Watanabe, A., Kobayashi, H., Mizuta, M., Kukimoto, H., Saito, H. Picosecond luminescence spectroscopy of electron-hole plasma in GaAs/AlAs quantum well structure 85−34581
Tanaka, S., Madihian, M., Toyoshima, H., Hayama, N., Honjo, K. Novel process for emitter-base-collector self-aligned heterojunction bipolar transistor using a pattern-inversion method 87−53511
Tanaka, S., Matsumoto, T., Chua, L.O. Bifurcation scenario in a driven *R-L*-diode circuit 88−544
Tanaka, S., Mikami, Y., Deguchi, H., Kobayashi, H. White light emitting thin-film electroluminescent devices with SrS:Ce, Cl/ZnS:Mn double phosphor layers 86−42444
Tanaka, S., Mikami, Y., Nishiura, J., Ohshio, S., Yoshiyama, H., Kobayashi, H. A full-color thin-film electroluminescent device with two stacked substrates and color filters 88−16333
Tanaka, S., Miura, K., Tadakuma, S. Circulating current control for delta-connected cycloconverters via decoupling control 88−43426
Tanaka, S., Momiyama, F., Terasawa, M., Innami, S. Electronically controlled mechanical automatic transmission for heavy duty trucks and buses 87−51597
Tanaka, S., Nakada, K., Okita, T., Kobayashi, Y. Anomaly diagnosis of sensors for linear discrete dynamical system based on analytical redundancy 86−17956
Tanaka, S., Ohshio, S., Nishiura, J., Kawakami, H., Yoshiyama, H., Kobayashi, H. Bright white-light electroluminescence in SrS:Pr,K thin films 88−65475
Tanaka, S., Ono, T. Reduced thermal coefficient of transmission delay time in optical fiber 86−9552
Tanaka, S., Saito, S., Atsumi, S., Yoshikawa, K. A self-consistent pseudo-two-dimensional model for hot-electron current in MOSTs 86−63298
Tanaka, S., Shanker, V., Shiiki, M., Deguchi, H., Kobayashi, H. Multi-color electroluminescence in alkaline-earth-sulfide thin-film devices 86−31526
Tanaka, S., Shanker, V., Shiiki, M., Deguchi, H., Kobayashi, H. Multicolor electroluminescence in alkaline-earth sulfide thin-film devices 87−1110
Tanaka, S., Shiota, T., Yamauchi, R., Inada, K. Loss increase characteristics of various kinds of hermetically coated fibers at high temperature 86−9564
Tanaka, S., Sudo, M., Maenaka, K., Ishida, M., Nakamura, T., Usui, S., Yasuda, Y., Yoshida, A. Integrated voltage-frequency converter for telemetering system 86−54836
Tanaka, S., Suzuki, S. Buckling of tight buffered fiber caused by axial compression 86−42329
Tanaka, S., Takushima, A., Shinobu, Y. Fan system of a room air conditioner with a thin depth 88−55734
Tanaka, S., Tanaka, F., Imamura, N. Improvement of lifetimes of magneto-optical disks by alloying various elements 88−2072
Tanaka, S., Yamamoto, S., Yamakoshi, K., Kamiya, A. A compact centrifugal blood pump for extracorporeal circulation: design and performance 88−16789
Tanaka, S., Yoshikawa, K., Saito, S. 1M bit CMOS EPROM 86−20551
Tanaka, S., Yoshiyama, H., Mikami, Y., Nishiura, J., Ohshio, S., Deguchi, H., Kobayashi, H. Inherent memory effect in a SrS:Ce,K blue-emitting electroluminescent thin-film device 87−33062
Tanaka, S. *see* Abe, M. 85−868
Tanaka, S. *see* Atsumi, S. 85−35179, 87−59489
Tanaka, S. *see* Fujiki, F. 87−38729
Tanaka, S. *see* Haga, I. 88−60098
Tanaka, S. *see* Hashikura, H. 88−30057
Tanaka, S. *see* Hiramatsu, K. 85−60966, 86−438
Tanaka, S. *see* Hotta, T. 87−59476, 88−50933
Tanaka, S. *see* Imamura, M. 85−20859
Tanaka, S. *see* Imamura, N. 86−28918, 87−1890
Tanaka, S. *see* Inada, K. 87−62632
Tanaka, S. *see* Ishibashi, H. 88−45241, 88−65134
Tanaka, S. *see* Ishiguro, F. 87−4259
Tanaka, S. *see* Ishizaka, M. 87−40382
Tanaka, S. *see* Ishizuka, H. 88−21770
Tanaka, S. *see* Itozaki, H. 88−20265
Tanaka, S. *see* Iwahara, H. 85−16227, 87−4874

Tanaka, S. *see* Kai, T. 87−48942
Tanaka, S. *see* Kakii, T. 86−49658
Tanaka, S. *see* Kakuta, T. 88−26831
Tanaka, S. *see* Kanamori, G. 85−63183
Tanaka, S. *see* Kanamori, H. 87−7127, 88−65213
Tanaka, S. *see* Kawayachi, N. 87−7692
Tanaka, S. *see* Kitagaki, T. 88−27124
Tanaka, S. *see* Kitayama, Y. 85−18726, 86−68242, 87−46527
Tanaka, S. *see* Kitazawa, K. 88−20267
Tanaka, S. *see* Kobayashi, H. 85−41252, 85−41254, 86−9696, 87−33064, 88−40060
Tanaka, S. *see* Kusuda, Y. 86−27230, 88−13301
Tanaka, S. *see* Kutaragi, K. 88−20244, 88−29121
Tanaka, S. *see* Machida, K. 88−12852
Tanaka, S. *see* Madihian, M. 88−19105
Tanaka, S. *see* Maeda, T. 87−71584
Tanaka, S. *see* Maruta, R. 85−58083, 87−8234
Tanaka, S. *see* Masuoka, F. 85−49881, 86−8253, 87−66169
Tanaka, S. *see* Morimoto, M. 85−38104
Tanaka, S. *see* Myogadani, T. 86−36238, 87−46530
Tanaka, S. *see* Nakamura, T. 86−44678
Tanaka, S. *see* Nirasawa, N. 86−43855, 87−49111
Tanaka, S. *see* Nishimura, A. 88−65223
Tanaka, S. *see* Nishimura, M. 85−58919
Tanaka, S. *see* Nishioka, H. 85−58447
Tanaka, S. *see* Nogi, S. 86−41335
Tanaka, S. *see* Nolen, J.A., Jr. 88−74731
Tanaka, S. *see* Oga, E. 87−51538
Tanaka, S. *see* Ohtsuka, N. 88−6823, 88−6882
Tanaka, S. *see* Okumura, Y. 88−4773
Tanaka, S. *see* Oyama, Y. 87−57025
Tanaka, S. *see* Saito, S. 86−8257
Tanaka, S. *see* Sasaoka, E. 88−65252
Tanaka, S. *see* Shanker, V. 85−7314
Tanaka, S. *see* Shigematsu, M. 88−45141
Tanaka, S. *see* Sugimoto, H. 87−71522 to 71523
Tanaka, S. *see* Sumi, M. 88−70836
Tanaka, S. *see* Tadakuma, S. 85−32594
Tanaka, S. *see* Taguchi, S. 87−28865
Tanaka, S. *see* Takahashi, T. 85−57298
Tanaka, S. *see* Tanaka, F. 87−46384, 88−58268
Tanaka, S. *see* Tanaka, G. 87−46545
Tanaka, S. *see* Tanaka, S. 88−36335
Tanaka, S. *see* Taya, K. 88−46826
Tanaka, S. *see* Tsuda, M. 86−38276
Tanaka, S. *see* Tsujimura, K. 85−20077
Tanaka, S. *see* Tsumura, T. 86−11714
Tanaka, S. *see* Uchida, H. 85−27628
Tanaka, S. *see* Uehara, M. 87−2563
Tanaka, S. *see* Urano, A. 88−45144
Tanaka, S. *see* Wake, Y. 86−17065
Tanaka, S. *see* Watanabe, A. 86−22470
Tanaka, S. *see* Watanabe, M. 86−2820
Tanaka, S. *see* Watanabe, Y. 88−74112
Tanaka, S. *see* Yamamoto, K. 86−68774
Tanaka, S. *see* Yamazaki, Y. 86−4684
Tanaka, S. *see* Yano, K. 85−51869
Tanaka, S. *see* Yasunaga, S. 87−48732
Tanaka, S. *see* Yoshimura, M. 85−38110, 87−8691
Tanaka, S. *see* Yoshiyama, H. 88−31838
Tanaka, S. *see* Zeller, A.F. 88−68157
Tanaka, S.C., Fattahi, M. ISI deconvolutional technique used in restoration of image pixel interference 87−55293
Tanaka, S.C., Tseng, H.-F., Nguyen, B.-T., Alexander, S. A wide aperture 2048 element astronomical-chemical-nuclear particle detection array 88−48005
Tanaka, S.'i. *see* Kiuchi, A. 85−14418
Tanaka, T. New model of dry type single disc electromagnetic clutches & brakes 'SELC&B' series 86−19552
Tanaka, T. Representation and analysis of circuit structures by logic programming 86−34654
Tanaka, T. General relations among voltages and currents in nonlinear elements. I 86−47106
Tanaka, T. Structure analysis of electronic circuits using definite clause grammars 86−52622
Tanaka, T. Reflections on the study of piezoelectric ceramics: focusing on the development of electro-mechanical filters 87−12018
Tanaka, T. Internal partial discharge and material degradation 87−25632
Tanaka, T. Characteristics of composite insulation: Liquid-impregnated insulation 87−25705
Tanaka, T. New model of electromagnetic clutch and brake drive units with three phase induction motor 87−64887
Tanaka, T. Approach to process analysis by FTIR 87−70366
Tanaka, T. New photosensors and optical recording materials 88−13778
Tanaka, T. Recent trends of optical recording materials 88−13779
Tanaka, T. Outline of the development of the advanced pressurized water reactor (APWR) 88−30520
Tanaka, T., Aikawa, M. Ridge-shaped narrow wall directional coupler−tight coupling and high power handling capability 88−38700
Tanaka, T., Akao, M., Aoe, H. Personal-computer-applied CAD/CAM system for laser processing 86−29271
Tanaka, T., Arai, H., Nakamura, O., Minami, T. Mixed mode communication of document images by word−unit processing 87−76269
Tanaka, T., Deguchi, K., Hirose, M. Initial stage of laser-induced selective chemical vapor deposition of silicon 88−24795
Tanaka, T., Hirohashi, R. Photoconduction of metal phthalocyanines. II. Photoelectric properties of IIIb metal phthalocyanines 87−46645
Tanaka, T., Hirohashi, R. Photoconduction of metal phthalocyanine. III. Rectification properties of gallium phthalocyanine 88−26936
Tanaka, T., Homma, M. Temperature dependence of the effective permeability of heat treated Sendust alloys 86−2578
Tanaka, T., Hoshino, Y. A high quality color printing technology by electrophotography 87−19149
Tanaka, T., Hoshino, Y. A high-quality color printing technology by electrophotography 88−14338
Tanaka, T., Iwata, Z., Imajo, N., Okubo, H. State of arts of oil-impregnated insulation in Japan 86−68105
Tanaka, T., Kanayama, E., Katahira, T., Saito, I., Kawazoe, K., Masuya, H. Effect of a Ti interlayer in evaporated Co-Cr/Fe-Ni double-layer film 88−26680
Tanaka, T., Kato, H. Newly developed 30/20 GHz band SS-TDMA transponder 86−64927
Tanaka, T., Kato, S., Takaoka, N., Suga, S., Ishihara, K., Kudo, N., Tsurruta, K. The vacuum fuse with axial magnetic field for general purpose applications 86−6940
Tanaka, T., Kato, Y., Matsuda, H., Nishikawa, M., Nanasawa, Y. Advanced technology for NC die-sinking EDMs 88−11528
Tanaka, T., Kimura, H., Mori, S., Koyama, A., Yasunaga, T., Ito, S. The type 82 TV transposer 85−58343
Tanaka, T., Kita, A. 1Mb DRAM with ×1b/×4b organization 87−59458
Tanaka, T., Kobayashi, S. Entry of data and command for an LCD by direct touch: an integrated LCD panel 87−3697
Tanaka, T., Kobayashi, T. Data path synthesis from FORTRAN description 88−56399
Tanaka, T., Kokubu, A. Observation of magnetic fields in the scanning electron microscope 86−60327
Tanaka, T., Kokubu, A. Horizontal incidence observation of magnetic field by scanning electron microscope 87−70768
Tanaka, T., Kokubu, A. Horizontal incidence observation of magnetic fields in the scanning electron microscope 88−29597
Tanaka, T., Kumamoto, H., Inoue, K. Evaluating the system reliability by a general coverage Monte Carlo method 87−72886
Tanaka, T., Kurosawa, I., Kokubu, A. Multiple row-folded programmable logic array and its easy-to-alter implementation 86−20413
Tanaka, T., Maeda, S., Yonei, H., Hirai, T., Kuroda, S. An electronic still camera system 87−13960
Tanaka, T., Matsumura, H. Demagnified projection printing by a new X-ray lithographic system using no thin-film pattern masks 85−50368
Tanaka, T., Matsumura, M., Nishiyama, E., Hirata, I. Molten carbonate fuel cell development and system analysis 87−43404
Tanaka, T., Morita, N., Kumagai, N. Effective cutoff frequency of the LP_{11} mode in uniformly curved step-index optical fibers 87−38836
Tanaka, T., Morita, N., Kumagai, N. Effective cutoff frequency of LP_{11} mode in uniformly curved step-index optical fibers 88−13797
Tanaka, T., Naito, S., Takahashi, T., Masuda, I. Recovery of 3 D shape based on generalized symmetry 88−41101
Tanaka, T., Nakamura, E., Katahira, T., Masuya, H. Evaporated Fe-Ni films for a back layer of perpendicular magnetic recording media. I. The origin of high coercivity 87−18483
Tanaka, T., Nakamura, S. Extraction of feature parameters for spoken word recognition 86−29769
Tanaka, T., Ngasaki, T., Takahashi, K. Thawing of frozen dressed tuna by microwave heating 85−53931
Tanaka, T., Ninomiya, T., Harada, K. Design of a nondissipative turn-off snubber in a forward converter 88−70538
Tanaka, T., Ogata, K., Hasegawa, H. Small sized color plotter 88−4527
Tanaka, T., Okamoto, T. Microcomputer application to in-situ diagnosis of XLPE cables in service 86−70679
Tanaka, T., Otani, S., Ishizawa, Y. Preparation of single crystals of YB_{66} 86−7741
Tanaka, T., Otsuki, T., Takagi, H., Kano, G. A design consideration for elevating noise immunity of GaAs digital ICs/LSIs with normally-on MESFETs 87−60656
Tanaka, T., Ouchi, K., Iwasaki, S. Film growth and magnetization reversal mechanism of Co-Cr films 87−18479
Tanaka, T., Ouchi, K., Iwasaki, S. Magnetization reversal mechanism of Co-Cr perpendicular magnetic recording media 87−53886
Tanaka, T., Sakurai, T. Electromagnetic susceptibility test of automotive electronic devices 85−62823
Tanaka, T., Tsuda, I., Sawata, S., Tani, T. Research on solar total energy system 87−51099
Tanaka, T., Tsuda, I., Tani, T. Development of solar total energy system in Japan 86−65990
Tanaka, T., Tsunoda, K., Aikawa, M. Slot-coupled directional couplers on a doublesided substrate MIC and their applications 88−56875
Tanaka, T., Tsunoda, K., Aikawa, M. New slot-coupled directional couplers between double-sided substrate microstrip lines, and their applications 88−70991
Tanaka, T., Uchiyama, H., Kurata, J. Proposal of the frequency modulator type flow meter by the measuring method of bypath flow rate 88−36282
Tanaka, T., Woo Yeol Kim, Konagai, M., Takahashi, K. Amorphous silicon solar cells fabricated by photochemical vapor deposition 85−10098
Tanaka, T., Yamada, N., Yasojima, Y. Characteristics of streaming electrification in pressboard pipe and the influence of an external electric field 86−15302
Tanaka, T., Yasuda, Y., Ohayashi, M. A new MOS-gate bipolar transistor for power switches 87−32487
Tanaka, T., Yasumoto, K. Cherenkov radiation from a relativistic electron beam propagating through a circular waveguide 87−37825
Tanaka, T., Yasumoto, K. Radiation by a relativistic sheet electron beam propagating over a sinusoidal grating 87−61336
Tanaka, T., Yasumoto, K. Analysis of dispersion characteristic in a corrugated circular waveguide 87−61420
Tanaka, T., Yasumoto, K. Cerenkov radiation from a relativistic electron beam propagating through a circular waveguide 88−25831
Tanaka, T., Yasumoto, K. Radiative leakage by a relativistic sheet electron beam propagating over a sinusoidal grating 88−71281
Tanaka, T., Yokota, H., Fuse, M., Kubo, K. Optical transmission equipment for 12-channel DPCM video signals 88−28861
Tanaka, T. *see* Akiyama, I. 87−20972, 88−29439
Tanaka, T. *see* Anbo, S. 85−39561, 87−40354, 87−65159, 88−21488
Tanaka, T. *see* Arai, H. 87−75726
Tanaka, T. *see* Araki, K. 85−47455
Tanaka, T. *see* Arima, T. 85−52245, 86−43754
Tanaka, T. *see* Asada, H. 86−58932
Tanaka, T. *see* Bekki, K. 88−55015
Tanaka, T. *see* Egawa, I. 85−28853
Tanaka, T. *see* Fujimaki, S. 85−27811, 87−5099
Tanaka, T. *see* Fujinaka, M. 88−2126
Tanaka, T. *see* Fujino, M. 85−46009
Tanaka, T. *see* Fujioka, H. 85−39819
Tanaka, T. *see* Fukuda, H. 87−38014
Tanaka, T. *see* Furuyama, T. 87−10852, 87−17095
Tanaka, T. *see* Gotoh, H. 85−9503
Tanaka, T. *see* Hara, S. 88−63969
Tanaka, T. *see* Harada, K. 85−61096
Tanaka, T. *see* Hayakawa, K. 87−14671
Tanaka, T. *see* Hayashida, T. 88−1583
Tanaka, T. *see* Hirose, M. 88−1547
Tanaka, T. *see* Hisajima, K. 88−59941
Tanaka, T. *see* Ichimura, Y. 86−56864
Tanaka, T. *see* Ieda, M. 87−25694
Tanaka, T. *see* Imai, M. 87−54344
Tanaka, T. *see* Ina, T. 87−10364
Tanaka, T. *see* Inoue, H. 87−77022
Tanaka, T. *see* Ishichi, H. 86−46855
Tanaka, T. *see* Ishikawa, M. 86−56952
Tanaka, T. *see* Ishikawa, T. 88−75060
Tanaka, T. *see* Ishiuchi, H. 85−50731, 87−753
Tanaka, T. *see* Kaneda, S. 87−36738
Tanaka, T. *see* Kato, H. 87−34476, 87−48989
Tanaka, T. *see* Katsui, A. 86−34281
Tanaka, T. *see* Kayama, S. 87−43684
Tanaka, T. *see* Kihara, M. 86−24938
Tanaka, T. *see* Kitamura, A. 85−47357
Tanaka, T. *see* Kokubu, A. 88−58267
Tanaka, T. *see* Konagai, M. 86−51919
Tanaka, T. *see* Kumagi, M. 87−30496
Tanaka, T. *see* Kumamoto, H. 87−58717
Tanaka, T. *see* Kurata, J. 85−64295, 86−70246
Tanaka, T. *see* Kurosawa, S. 85−29110, 87−53352
Tanaka, T. *see* Kusaka, Y. 85−15960
Tanaka, T. *see* Kuwahara, H. 86−67970
Tanaka, T. *see* Maeda, S. 86−69946
Tanaka, T. *see* Manabe, K. 88−45053
Tanaka, T. *see* Matoba, H. 86−11403
Tanaka, T. *see* Matsumura, H. 87−45737
Tanaka, T. *see* Miyahara, M. 86−31002
Tanaka, T. *see* Mori, M. 87−34477, 87−48990, 88−33161
Tanaka, T. *see* Morikawa, Y. 86−65300
Tanaka, T. *see* Morikura, S. 88−41334
Tanaka, T. *see* Morita, M. 87−6574

Tanaka, T. *see* Morita, N. 85−50971, 86−15500, 86−68286, 87−53961, 87−53967
Tanaka, T. *see* Muranaga, K. 86−37849, 86−38863
Tanaka, T. *see* Muroi, H. 86−53115
Tanaka, T. *see* Nakamura, E. 87−16667
Tanaka, T. *see* Nakamura, M. 88−3389
Tanaka, T. *see* Nakaura, Y. 88−72203
Tanaka, T. *see* Nakaya, F. 87−39321
Tanaka, T. *see* Nakayama, T. 87−50874
Tanaka, T. *see* Ninomiya, T. 86−12924, 88−55457
Tanaka, T. *see* Obata, S. 88−60496
Tanaka, T. *see* Ogata, S. 87−71678
Tanaka, T. *see* Ogawa, K. 88−68951
Tanaka, T. *see* Ohashi, S. 87−60938
Tanaka, T. *see* Ohira, T. 86−8458, 86−27617
Tanaka, T. *see* Ohsawa, T. 87−59510, 88−6822
Tanaka, T. *see* Okada, M. 85−56084
Tanaka, T. *see* Okada, S. 86−12919, 87−30783
Tanaka, T. *see* Okamoto, T. 85−35211, 85−56032, 86−44972, 87−34926
Tanaka, T. *see* Omodani, M. 85−19107, 87−9969, 88−8425
Tanaka, T. *see* Otsuki, T. 86−68600
Tanaka, T. *see* Sakamoto, K. 86−29270
Tanaka, T. *see* Sakata, Y. 87−49110
Tanaka, T. *see* Sasaki, F. 88−53435
Tanaka, T. *see* Sasano, A. 85−47861
Tanaka, T. *see* Sato, Y. 88−39858
Tanaka, T. *see* Sawata, S. 87−78912, 88−24164, 88−74612
Tanaka, T. *see* Shibata, K. 86−50099, 88−29329
Tanaka, T. *see* Shimoda, H. 88−48860
Tanaka, T. *see* Sugimoto, S. 85−56089
Tanaka, T. *see* Suwabe, S. 87−60785
Tanaka, T. *see* Suzuki, K. 88−68978
Tanaka, T. *see* Taguchi, S. 87−78883
Tanaka, T. *see* Takahashi, M. 87−60786
Tanaka, T. *see* Takashima, M. 88−70446
Tanaka, T. *see* Takei, H. 86−13041
Tanaka, T. *see* Tamae, T. 88−29753
Tanaka, T. *see* Tani, T. 86−25956, 86−56664
Tanaka, T. *see* Teranishi, N. 86−70048
Tanaka, T. *see* Tojo, N. 88−41264
Tanaka, T. *see* Tsukahara, S. 86−42118
Tanaka, T. *see* Uchiyama, H. 87−56884
Tanaka, T. *see* Ueda, K. 87−8785
Tanaka, T. *see* Watanabe, T. 85−6968, 88−1463
Tanaka, T. *see* Yamada, H. 85−24229, 85−61213, 86−14163, 87−52506
Tanaka, T. *see* Yamada, T. 87−7132
Tanaka, T. *see* Yamashita, S. 88−14181
Tanaka, T. *see* Yasumoto, K. 88−27437
Tanaka, T. *see* Yokoo, T. 87−70648
Tanaka, T. *see* Yokoyama, Y. 85−29442, 88−44966
Tanaka, T, et al New model of electromagnetic clutch and brake drive unit with variable speed drive 87−43514
Tanaka, T.P. *see* Hirao, M. 86−9879
Tanaka, T.P. *see* Imai, M. 88−40310
Tanaka, T.P. *see* Matsueda, H. 85−2331, 85−20192, 86−54060
Tanaka, T.P. *see* Nakano, H. 86−63734
Tanaka, T.P. *see* Takasaki, Y. 85−20240
Tanaka, W. *see* Ahne, H. 86−20893
Tanaka, W. *see* Hasgawa, H. 88−21869
Tanaka, W. *see* Kawakami, H. 86−31224
Tanaka, W. *see* Shibata, K. 88−46598
Tanaka, W.H. Considerations in utilizing IR signatures 87−13784
Tanaka, W.H. *see* Ramani, N. 87−30723
Tanaka, Y. Nuclear issues in the Asia-Pacific Region: socio-political factors 85−59880
Tanaka, Y. NEC LSIs for telecommunications systems 86−4138
Tanaka, Y. 3-D digital picture effect equipment DPE-X 88−53459
Tanaka, Y. Macroscopic application−superconducting magnets and low-loss power cable 88−58044
Tanaka, Y., Abe, T. Quantitative analysis of print quality features 88−28036
Tanaka, Y., Akagi, H., Kawai, T., Ohmuro, T. Field verification of adaptive sidelobe canceller [radar applications] 85−47604
Tanaka, Y., Akiyama, M., Wallstrom, B. A design method for cost minimization of highly reliable communication networks 88−59380
Tanaka, Y., Fan Rui-xue, Akiyama, M. A design method of highly reliable communication network by the use of matrix calculation 87−69537
Tanaka, Y., Fan Rui-xue, Akiyama, M. A design method of highly reliable communication network by the use of matrix calculation 88−52312
Tanaka, Y., Fukushima, M., Ibaraki, T. A globally convergent SQP method for semi-infinite nonlinear optimization 88−70238
Tanaka, Y., Honma, T. Quasi-static boundary element analysis of a TEM cell with conducting loads 88−45628
Tanaka, Y., Honma, T., Kaji, I. Mixed boundary element solutions using both of constant and linear elements for a steady-state convective diffusion problem in three dimensions 85−7571
Tanaka, Y., Honma, T., Kaji, I. A three-dimensional analysis for symmetrical TEM cells by the mixed boundary element method based on both constant and linear elements 85−13172
Tanaka, Y., Honma, T., Kaji, I. 0-1 order mixed boundary element solution in three dimensions 86−376
Tanaka, Y., Honma, T., Kaji, I. A Three-dimensional analysis of a TEM cell model by a mixed boundary element method 86−3607
Tanaka, Y., Honma, T., Kaji, I. A boundary-element analysis of TEM cells in three dimensions 87−26886
Tanaka, Y., Ikeda, M., Tanaka, H. Superconducting wire with small filaments of SSC magnets 86−25060
Tanaka, Y., Ito, H., Sonoda, T., Nishikawa, R. Inclining columnar structure in Co-Cr films prepared by roll magnetron sputtering 88−43926
Tanaka, Y., Lagoutte, D., Hayakawa, M., Lefeuvre, F., Tajima, S. Spectral broadening of VLF transmitter signals and sideband structure observed on Aureol 3 satellite at middle latitudes 87−68770
Tanaka, Y., Matsumoto, K., Yamamoto, M., Tsukamoto, O., Ishigohka, T. Effect of composite structure on AC loss of superconducting wire 87−67968
Tanaka, Y., Matsumoto, K., Yamamoto, M., Tsukamoto, O., Ishigohka, T. Characteristics of epoxy-impregnated AC superconducting coils 88−51403
Tanaka, Y., Nagaoka, Y., Ueda, M. Lens and optics for optical disk system 88−45256
Tanaka, Y., Ohmura, T., Okada, K., Ohtsuka, Y., Kurita, T., Goshi, S., Ninomiya, Y., Nishizawa, T. HDTV-PAL standards converter 86−49824
Tanaka, Y., Ohmura, T., Okada, K., Ohtsuka, Y., Kurita, T., Goshi, S., Ninomiya, Y., Nishizawa, T. HDTV-PAL standards converter using motion compensation technique and its converted picture quality 88−9764
Tanaka, Y., Ohmura, T., Okada, K., Ohtsuka, Y., Kurita, T., Goshi, S., Ninomiya, Y., Nishizawa, T. Hi-Vision−PAL standards converter [HDTV] 88−22293
Tanaka, Y., Saito, Y., Suganomata, S. Characteristics of NbN/Pb(In) Josephson junction prepared by Ar$^+$ ion irradiation 87−12075
Tanaka, Y., Sasaki, T., Honma, T., Kaji, I. A boundary element approach to field analysis of junction-gate field effect transistors 86−41840
Tanaka, Y., Sezaki, K., Akiyama, M. Cascade configuration of multiconnection switching networks 87−40281
Tanaka, Y., Sezaki, K., Akiyama, M. Three-stage switching networks for N:1 multiconnection 87−48286
Tanaka, Y., Shimizu, S., Akiyama, M. LINCOMPEX scrambler 87−75759
Tanaka, Y., Sugiyama, T., Fujimura, O. 3-dimensional digital picture effect equipment, the DPE-X 88−15844
Tanaka, Y., Tsukada, M. Microscopic theory of the proximity effect in the superconducting transistor 88−20282
Tanaka, Y., Tsukada, M. Theory of the superconducting transistor 88−26712
Tanaka, Y., Tsukada, M. Superconducting proximity effect 88−51395
Tanaka, Y., Uchida, T., Akiyama, M. Contents and delivery certification service using cryptography in electronic mail 87−48493
Tanaka, Y., Unagami, S., Kinoshita, T., Kaku, T., Arai, Y. A 19.2 kb/s high-speed voiceband data modem based on eight-dimensional trellis coding 88−46784
Tanaka, Y., Yamada, K., Sano, T. YBCO superconducting coils operated at nitrogen temperature 88−51405
Tanaka, Y., Yoshida, H., Mori, T., Horikawa, T., Akiyama, H., Watanabe, T., Asai, H., Nagamine, H. Single chip cache subsystem μPD43608 88−19133
Tanaka, Y. *see* Akiyama, M. 85−30745, 85−36765, 85−52377, 86−16608, 86−68972, 86−68991, 86−69220, 87−2796, 87−13514, 87−48780
Tanaka, Y. *see* Arima, N. 85−39145
Tanaka, Y. *see* Asai, S. 87−25590
Tanaka, Y. *see* Asano, T. 85−62213, 87−67811
Tanaka, Y. *see* Endo, C. 86−10874, 87−8091
Tanaka, Y. *see* Ezaki, S. 87−49307
Tanaka, Y. *see* Hamabe, K. 87−4552
Tanaka, Y. *see* Hayakawa, M. 85−62784
Tanaka, Y. *see* Hirama, K. 87−32805
Tanaka, Y. *see* Hirayama, H. 87−17023
Tanaka, Y. *see* Honma, T. 86−3606, 86−16008, 86−42681, 88−52039
Tanaka, Y. *see* Ishikawa, M. 88−59948
Tanaka, Y. *see* Kano, H. 87−37945
Tanaka, Y. *see* Kashiwabara, S. 85−31977
Tanaka, Y. *see* Kawaguchi, T. 86−41828
Tanaka, Y. *see* Kobayshi, T. 88−70705
Tanaka, Y. *see* Kubo, K. 85−20032
Tanaka, Y. *see* Kubota, K. 85−63844
Tanaka, Y. *see* Mizusawa, J. 86−37341
Tanaka, Y. *see* Nishino, M. 88−20910
Tanaka, Y. *see* Ohkame, M. 85−38940
Tanaka, Y. *see* Ohmura, T. 87−13931
Tanaka, Y. *see* Ohta, K. 85−2561
Tanaka, Y. *see* Oishi, K. 88−65073
Tanaka, Y. *see* Okada, T. 86−11238, 86−69856
Tanaka, Y. *see* Okunaka, J. 85−3040
Tanaka, Y. *see* Oono, H. 87−4846
Tanaka, Y. *see* Saito, S. 88−16839
Tanaka, Y. *see* Sakai, Y. 88−21549
Tanaka, Y. *see* Sasano, A. 85−47861
Tanaka, Y. *see* Sawada, K. 88−70700
Tanaka, Y. *see* Sawaki, N. 87−17767, 88−32893
Tanaka, Y. *see* Seguel, J. 85−30503
Tanaka, Y. *see* Senda, T. 85−10837
Tanaka, Y. *see* Sharma, R.G. 85−50855
Tanaka, Y. *see* Shibata, K. 85−38108
Tanaka, Y. *see* Shimizu, K. 88−42225
Tanaka, Y. *see* Sunohara, M. 88−22371
Tanaka, Y. *see* Suzuki, T. 88−27013
Tanaka, Y. *see* Tachikawa, K. 85−56237
Tanaka, Y. *see* Tanaka, K. 85−3930
Tanaka, Y. *see* Toki, M. 88−59958
Tanaka, Y. *see* Tsukamoto, O. 87−67994
Tanaka, Y. *see* Umemura, T. 87−36089
Tanaka, Y. *see* Utsumi, A. 88−68375
Tanaka, Y. *see* Yamada, J. 88−60494
Tanaka, Y. *see* Yamakawa, Y. 86−61768
Tanaka, Y. *see* Yamamoto, M. 87−67928
Tanaka, Z. LAN and ISDN involvement in OSI 87−48272
Tanaka, Z. Computers and communication devices equipped with OSI 87−48609
Tanaka, Z. Future-generation ISDN plan aiming at ultimate communication system 88−41420
Tanaka, Z. Changing system designing for ASIC 88−64676
Tanaka, Z. *see* Yokota, H. 88−63633
Tanakawa, K. *see* Yoshida, T. 88−56683
Tanake, K. *see* Sameshima, R. 87−72837
Tanala, E. *see* Hasegawa, J. 87−78010
Tanana, A.M. *see* Senyagin, Yu.V. 86−33057
Tananaeva, O.I. *see* Aytikeeva, T.D. 86−58278
Tananaeva, O.I. *see* Golovanova, N.S. 86−28132
Tanarro, I., Campos, J. A hardwired digital phase-sensitive detector applied to spectroscopy 86−31298
Tanasawa, K. *see* Fujimori, S. 87−77430
Tanase, D. *see* Comsa, A. 88−61872
Tanase, M.E. Current sensor of magneto-optical transformer. Computation of errors due to the influence of conductors in three-phase power transmission systems 87−51291
Tanase, S., Takahashi, T. Programmed temperature controller using 'MEMORIODE' for solution crystal growth 86−401
Tanasescu, E., Petrescu, S., Danescu, A., Tanasescu, I., Malancioiu, O., Brateanu, V., Banescu, R. Rotation study of a 20 m^2 heliostat system: automatic position control and energy calculation 86−70834
Tanasescu, F.T., Cramariuc, R., Jipa, S., Ilie, S., Cazac, C., Ilie, D., Marin, G., Setnescu, R., Setnescu, T., Mihalcea, I. Unconventional technologies based on accelerated electron irradiation. I. Applications 85−60602
Tanasescu, F.T., Cramariuc, R., Jipa, S., Ilie, S., Ilie, D., Cazac, C., Marin, G., Setnescu, R., Setnescu, T., Mihalcea, I. Unconventional accelerated electron irradiation technologies. II. Electron accelerators and economic considerations 87−56925
Tanasescu, F.T., Moraru, D., Bizim, O., Stoian, M., Macoveanu, D., Toma, E., Popescu, C. Solar thermal power station with cylindrical parabolic collectors meant to produce hot air and hot water for drying processes and other technological utilizations 85−32390
Tanasescu, F.T., Popescu, C.I. Photovoltaic applications in Romania 86−45299
Tanasescu, F.T., Popescu, C.I., Galatchi, G., Olar, L. Hydrogen generation with hybrid solar-wind electric power supply 88−23820
Tanasescu, I. *see* Tanasescu, E. 86−70834
Tanasienko, S.F. *see* Abugov, Yu.O. 85−39372
Tanasoiu, C., Nicolae, I., Nicolau, P., Niculescu, H., Mihalache, C. A new type of thermostat of high stability using a magnetic temperature transducer 85−20596
Tanatar, A.I., Durnev, V.I., Uzhelovskii, V.A. Classifying asynchronous motor dynamic braking systems 86−26057
Tanatar, A.I., Iog, V.I., Begal'skii, A.Ya. The asynchronous machine in the braking mode at maximum speed 88−49323
Tanatar, A.I., Uzhelovskii, V.A. Loads in a drilling string during raising and lowering operations 86−19548
Tanatsugu, N., Yamashita, M., Mori, K. A conceptual design of a solar-ray supply system in the space station 86−6049
Tanazawa, K. *see* Gondo, M. 86−17379
Tanbakuchi, H. An advanced microwave spectrum analyser 87−77166
Tanbakuchi, H. A broadband, tracking YIG-tuned mixer for a state-of-the-art spectrum analyzer 88−35896
Tanbara, M., Hosoe, T., Miura, A. FICS-2 software system and signaling interface 85−36658

Tanbara, M., Saito, R., Kaiho, H., Hirata, Y. Testing environment for facsimile communications system 87–55648

Tanbara, M. *see* Saitoh, R. 88–9086

Tanbara, M. *see* Shimamura, K. 85–3074

Tanbo, T. *see* Pak, K. 85–39723

Tanbun-Ek, T., Broberg, B., Nilsson, S. Lasing characteristics of VPE transported buried heterostructure lasers with passive external cavity under high speed direct modulation 88–65824

Tanbun-ek, T. *see* Broberg, B. 87–12506, 87–54321, 88–45448

Tanbun-Ek, T. *see* Goobar, E. 88–58528

Tanbun-Ek, T. *see* Nilsson, S. 88–20634

Tanchoco, J.M.A. *see* Davis, R.P. 86–46037

Tancredi, J. *see* DeHope, W. 85–50156

Tancredi, J. *see* Ferguson, P. 85–23333

Tancredi, J.J. *see* Schmitt, M.J. 86–53294

Tancrell, R.H., Wilson, D.T., Ricketts, D. Properties of PVDF polymer for sonar 87–1808

Tancrell, R.H. *see* Xu, Q.C. 88–56360

Tancula, M. Dynamical temperature distributions in resistors induced by electrical pulses 85–1072

Tanczer, T. *see* Bodolai-Jakus, E. 88–15595

Tanda, S. *see* Nire, T. 88–16335

Tandaric, T., Andrassy, M., Svaic, S. The application of thermography to temperature field measurements of rotating machines 86–56775

Tandaric, T. *see* Fumic, D. 86–61529

Tandeske, D. Noise in piezoresistive semiconductor pressure sensors 87–63354

Tandeske, D. *see* Morton, G. 88–12671

Tandoev, A.G. *see* Kuz'min, V.A. 86–41770

Tandon, A.K., Murthy, S.S., Jha, C.S. New method of computing steady state response of capacitor self-excited induction generator 86–61517

Tandon, A.K., Murthy, S.S., Singh, B.P. Experimental studies on a novel braking system for induction motors 85–21622

Tandon, A.K. *see* Murthy, S.S. 86–33406

Tandon, G.L., Venkataraman, C. Some of the problems encountered in the transmission and distribution of power in Neyveli Lignite Corporation 85–15564

Tandon, J. *see* So, F.C.T. 88–7365

Tandon, J. *see* Yuzuki, L. 86–5055

Tandon, J.K. Cable pressurisation—some experiences and observations [India] 86–17172

Tandon, J.L., Douglas, K.D. Stable silicon solar cells with high temperature survivability 87–43453

Tandon, J.L., Douglas, K.D., Vendura, G., Kolawa, E., So, F.C.T., Nicolet, M.-A. Metallization systems for stable ohmic contacts to GaAs 87–6622

Tandon, J.L., Yeh, Y.C.M. Large-scale growth of GaAs epitaxial layers by metal organic chemical vapor deposition 85–44730

Tandon, J.L. *see* Baglin, J.E.E. 85–45462

Tandon, J.L. *see* Hamdi, A.H. 85–29005

Tandon, J.L. *see* Kattelus, H.P. 86–28039, 87–1309

Tandon, J.L. *see* Kolawa, E. 88–7517

Tandon, J.L. *see* Liew, B.-K. 87–53281

Tandon, J.L. *see* Yeh, Y.C.M. 85–65449

Tandon, M.K. Robert's recursive frequency filter: a reexamination [weather forecasting] 87–69164

Tandon, R.K. *see* Prasad, M. 85–15507

Tandon, S.C. *see* Minnich, S.H. 85–13045

Tandon, S.K. *see* Bhattacharyya, A.K. 85–3486, 85–7611, 85–20250

Tandon, S.N. *see* Bhattacharya, B. 88–61361

Tandon, S.N. *see* Singh, S. 86–64282

Tandon, V.C. *see* Daeubler, N.K. 86–25894

Tandoyev, A.G. *see* Kuz'min, V.A. 88–13368

Taneda, H. *see* Yao, T. 87–36750

Tanei, F. *see* Saito, M. 85–56276

Taneja, H.C. On measures of relative 'useful' information 85–57187

Taneja, H.C. On the mean and the variance of estimates of Kullback information and relative 'useful' information measures 86–3714

Taneja, I.J. Generalized useful entropies and probability of error 85–30151

Taneja, I.J. Error bounds and generalized f-entropies 85–30152

Taneja, I.J. *see* Capocelli, R. 87–54810

Taneja, I.J. *see* Capocelli, R.M. 85–46875, 86–49027, 86–64152, 87–27181, 88–45809

Taneja Inder Jeet *see* Inder Jeet Taneja

Tanem, T. Transmission aspects and dimensioning of medium and high capacity digital radio link systems 86–4488

Tanemura, K., Araki, H. Applications of heat sensors 85–31482

Tanemura, S. *see* Fujii, A. 85–32720

Tanenbaum, A.S., van Renesse, R. Research issues in distributed operating systems 87–13425

Taner, E. Managing networks [IBM networking and the communications processor] 88–35073

Taner, M.Turhan *see* Turhan Taner, M.

Taneya, M., Matsumoto, M., Kawanishi, H., Matsui, S., Yano, S., Hijikata, T. Phased-array with the 'YY' shaped symmetrically branching waveguide (SBW) 86–63824

Taneya, M., Matsumoto, M., Matsui, S., Yano, S., Hijikata, T. Stable quasi 0° phase mode operation in a laser array diode nearly aligned with a phase shifter 87–61132

Taneya, M., Matsumoto, S., Matsui, S., Yano, S., Hijikata, T. 0° phase mode operation in phased-array laser diode with symmetrically branching waveguide 86–3123

Taneya, M. *see* Matsui, S. 85–12838, 85–24569

Taneya, M. *see* Matsumoto, M. 86–9848, 86–9868, 87–54299

Tang, A. *see* Park, H.K. 87–18095

Tang, A.S., Ventsanopoulos, A.N. Distributed arithmetic two-dimensional digital filters for real-time image processing 87–24360

Tang, A.Y., Johnston, R., Meza, P.J. A dual buried layer technology for the fabrication of high voltage npn devices compatible with a 1.5 micron epitaxial bipolar process 86–47548

Tang, A.Y.-C. *see* Johnston, R.E. 87–60590

Tang, B., Munich, S. Benchmarking steers logic simulation selection 86–57544

Tang, C., Sprangle, P.A. Three-dimensional numerical simulations of FEL's by the transverse mode spectral method 86–3208

Tang, C. *see* Wang, D. 88–25902

Tang, C.-M., Sprangle, P. Resonance between betatron and synchrotron oscillations in a free electron laser: a 3-D numerical study 85–56683

Tang, C.-M., Sprangle, P., Penner, S., Kincaid, B.M., Freeman, R.R. Proposal for FEL experiments driven by the National Bureau of Standards' CW microtron 87–2171

Tang, C.-M., Sprangle, P., Penner, S., Maruyama, X.K. Analysis of free electron laser performance utilizing the National Bureau of Standards' CW microtron 88–45482

Tang, C.-M. *see* Maruyama, X.K. 87–75109

Tang, C.H. *see* Bust, H.H. 87–5507

Tang, C.H. *see* Chou, N.J. 85–23675

Tang, C.H. *see* Husta, H.H. 86–67815

Tang, C.K. *see* El-Kady, M.A. 86–56370, 87–4217

Tang, C.K. *see* Fouad, A.A. 87–42344

Tang, C.L. Femtosecond lasers and ultrafast processes in semiconductors 87–46912

Tang, C.L., Schremer, A., Fujita, T. Bistability in two-mode semiconductor lasers via gain saturation 88–14169

Tang, C.L., Wise, F.W., Rosker, M.J. Intraband relaxation dynamics of photo-excited carriers in GaAs and related compounds 87–26182

Tang, C.L. *see* Bailey, D.W. 88–32804

Tang, C.L. *see* Cheng, L.K. 88–65829

Tang, C.L. *see* Edelstein, D.C. 88–65827

Tang, C.L. *see* Erskine, D.J. 85–18128

Tang, C.L. *see* Fujita, T. 87–61153, 87–68545, 88–14175

Tang, C.L. *see* Grande, W.J. 88–13974, 88–26867

Tang, C.L. *see* Haas, D. 86–42571, 87–26544

Tang, C.L. *see* Rosker, M.J. 85–46457, 86–22511, 87–24823

Tang, C.L. *see* Schremer, A. 88–33991

Tang, C.L. *see* Taylor, A.J. 85–40442

Tang, C.L. *see* Wise, F.W. 87–73995, 88–27098

Tang, C.M., Lee, M.K., Low, K.W., Tan, K.S. Precision capacitance monitoring with a microprocessor system 85–58518

Tang, C.M., Riyopoulos, S., Sprangle, P., Levush, B. Operation of the induced resonance electron cyclotron maser at higher harmonics 87–74948

Tang, C.M., Sprangle, P. High gain XUV and X-ray free electron lasers 85–2175

Tang, C.M., Sprangle, P. Simulation of 3-D radiation pulses in FEL amplifiers driven by ultrahigh current RF linacs 88–40256

Tang, C.M. *see* Hafizi, R. 88–72345

Tang, C.M. *see* Marable, W.P. 87–75156, 88–40259

Tang, C.M. *see* Pasour, J.A. 85–56694

Tang, C.M. *see* Riyopoulas, S. 88–65755

Tang, C.M. *see* Riyopoulos, S. 87–68314, 87–75158, 88–27199, 88–27209, 88–45332, 88–45488

Tang, C.M. *see* Sprangle, P. 85–51205, 85–56681, 87–2188, 87–12337, 87–18875, 87–75210, 88–2311, 88–40255, 88–45478

Tang, C.S. *see* Sun, W. 86–58896

Tang, C.W. Two-layer organic photovoltaic cell 86–36328

Tang, C.W., VanSlyke, S.A. Organic electroluminescent diodes 88–2133

Tang, D., Anzenberger, M., Markovitz, P., Wallace, M. A gateway between MHS (X.400) and SMTP 88–46644

Tang, D. *see* Luk, W.K. 87–74357

Tang, D. *see* Schmiesing, J. 88–64775

Tang, D. *see* Yang, J. 86–8778

Tang, D.D., Burger, R.E. Design considerations of dense bipolar PLA's 87–52524

Tang, D.D., Chen, T.-C., Chuang, C.-T., Li, G.P., Stork, J.M.C., Ketchen, M.B., Hackbarth, E., Ning, T.H. Design considerations of high-performance narrow-emitter bipolar transistors 87–38205

Tang, D.D., Chuang, C.-T. A circuit concept for reducing soft error in high-speed memory cells 88–32204

Tang, D.D., Chuang, C.T. A circuit concept for reducing soft-error in high-speed memory cells 88–762

Tang, D.D., Fang, F.F., Scheuermann, M., Chen, T.C. Time-of-flight measurements of minority-carrier transport in p-silicon 87–24748

Tang, D.D., Fang, F.F., Scheuermann, M., Chen, T.C., Sai-Halasz, G. Minority carrier transport in silicon 87–45569

Tang, D.D., Li, G.-P., Chuang, C.-T., Danner, D.A., Ketchen, M.B., Mauer, J.L., Smyth, M.J., Manny, M.P., Cressler, J.D., Ginsberg, B.J., Petrillo, E.J., Ning, T.H., Hu, C.-C., Park, H.S. 73 ps Si bipolar ECL circuits 87–17028

Tang, D.D., Li, G.P., Chuang, C.T., Ning, T.H. On the impurity profiles of down scaled bipolar transistors 87–53492

Tang, D.D., Ning, T.H. Advances in bipolar IC technology 86–2358

Tang, D.D. *see* Arienzo, M. 85–29197

Tang, D.D. *see* Bennett, R.S. 85–23883

Tang, D.D. *see* Chen, T.C. 88–13346

Tang, D.D. *see* Chuang, C.T. 87–31902, 88–70782

Tang, D.D. *see* Chuang, G. 87–10861

Tang, D.D. *see* Li, G.P. 87–74407

Tang, D.D. *see* Lu, P.-F. 88–1638

Tang, D.D. *see* Ning, T.H. 87–25539

Tang, D.D.-L. *see* Chen, T.-C. 88–64525

Tang, D.D.-L. *see* Chuang, C.T. 85–7060, 86–21499, 87–60421

Tang, D.D.-L. *see* Li, G.P. 87–67218, 88–26491

Tang, D.D.-L. Switch-on transient of shallow-profile bipolar transistors 86–21516

Tang, D.S.A., Aitchison, C.S. Practical performance of a microwave distributed MESFET mixer 85–28713

Tang, D.T. Exhaustive logic testing and self testing 85–17356

Tang, D.T. Concurrent generation of single copies of exhaustive patterns 85–40006

Tang, D.T., Chen, C.-L. Logic test pattern generation using linear codes 85–11188

Tang, D.T., Chen, C.L. Iterative exhaustive pattern generation for logic testing 85–11128

Tang, D.T. *see* Barzilai, Z. 85–22812

Tang, D.T. *see* Lee, J.-F. 87–38479, 88–1720

Tang, D.T. *see* Luk, W.K. 87–6840

Tang, D.T. *see* Woo, L.S. 87–6815

Tang, F., Henningsen, J.O. A 500 MHz tunable CO_2 waveguide laser for optical pumping 87–12362

Tang, F., Henningsen, J.O. Conditions for single-line and single-mode tuning of a CO_2 waveguide laser 88–8094

Tang, F., Olafsson, A., Henningsen, J.O. A study of the methanol laser with a 500 MHz tunable CO_2 pump laser 88–72246

Tang, F. *see* Altkorn, R. 88–58124

Tang, F.C., Lubell, M.S., Rubin, K., Vasilakis, A., Eminyan, M., Slevin, J. Operating experience with a GaAs photoemission electron source 87–29432

Tang, G.C. *see* Alfano, R.R. 88–8366

Tang, G.C. *see* Ho, P.P. 88–2379

Tang, G.Y., Lien, B. IBM PC-based multimedium workstation for joint medical diagnosis 88–36547

Tang, G.Y., Lien, B. Region filling with the use of the discrete Green theorem 88–46153

Tang, G.Y., Lien, B.K. A multiple microprocessor system for general DSP operation 87–61988

Tang, G.Y. *see* Lien, B.K. 88–8732

Tang, H.-W., Du, Y.-T., Sun, X.-A. Investigation of self-quenching streamer discharge 85–15246

Tang, H.T. *see* Dunham, R.S. 85–65120

Tang, H.T. *see* Jaquay, K.R. 88–48646

Tang, I. Solving equations by means of time functions 86–13697

Tang, J. *see* Hsu, C.P. 86–21778, 87–686, 87–60594

Tang, J.-S. *see* Tzeng, A.Y.-C. 88–14443

Tang, J.F. *see* Lee, R.L. 88–48545

Tang, J.H.K. *see* Lee, J.H.P. 85–65117

Tang, J.Y. *see* Chao, H.H. 87–778, 87–10904, 87–44793, 87–60641

Tang, J.Y.-F. Two-dimensional simulation of MODFET and GaAs gate heterojunction FETs 86–9144

Tang, J.Y.-F., Freeouf, J.L. Nonuniform surface potentials and their observation by surface sensitive techniques 85–1392

Tang, J.Y.-F., Laux, S.E. MONTE: a program to simulate the heterojunction devices in two dimensions 87–23838

Tang, J.Y.-F. *see* Kleinsasser, A.W. 85–55515, 86–2114

Tang, J.Y.F., Tiwari, S. GaAs gate field-effect transistor fabrication [for complementary circuitry] 85–45873

Tang, J.Y.F. *see* Ong, S. 87–17152

Tang, J.Y.F. *see* Shih, F.W. 87–24256

Tang, K., Rohrs, C.E. The use of large adaptation gains to remove the SPR condition from recursive adaptive algorithms 87–61930

Tang, K. *see* Khater, F. 87–42951

Tang, K. *see* Khater, F.M.H. 87−51203
Tang, K.-M.W. *see* Niznik, C.A. 86−17033
Tang, K.H. *see* Tso, S.K. 86−6908, 87−15916
Tang, K.Y. *see* Cromwell, E. 87−68386
Tang, K.Y. *see* Oldenettel, J.R. 88−8135
Tang, L. *see* Lin, A.Z. 86−13084, 88−58035
Tang, L.G. *see* Bachman, M. 85−26527
Tang, M., Wang, S. Simulation studies of bifurcation and chaos in semiconductor lasers 86−48384
Tang, M. *see* Martins-Camelo, L. 86−43009
Tang, M. *see* Phipps, M. 85−40667
Tang, M.G. *see* Peng, S.T. 88−7934
Tang, M.S.H. *see* Lee, P.C.Y. 87−32799, 88−20203, 88−20209, 88−51069
Tang, N. *see* Mertens, A. 85−40517
Tang, O.S.A., Aitchison, C.S. A microwave distributed MESFET mixer 85−11576
Tang, O.S.A., Aitchison, C.S. A practical study of distributed mixing 85−45247
Tang, O.S.A., Aitchison, C.S. A practical microwave travelling-wave MESFET gate mixer 86−8517
Tang, O.S.A., Aitchison, C.S. A very wide-band microwave MESFET mixer using the distributed mixing principle 86−27591
Tang, O.S.A., Watson, N. A high power high interport isolation microwave upconverter for multioctave applications 87−45202
Tang, O.S.A., Watson, N.R. Design and performance of rugged high performance broadband diode mixers for airborne applications 88−25562
Tang, P.P. Submicron e-beam lithography utilizing a positive novolac-based resist 88−64458
Tang, P.P. *see* Fok, S.S.M. 86−1915
Tang, P.S. Application of a multistage digital decimating filter in digital waveform recording 86−50146
Tang, P.S. Multistage digital signal processing for switchable rate transient waveform capture 86−70090
Tang, P.S. Adaptive multistage decimating filter for data compression 87−52762
Tang, P.S. Data compression with perfect reconstruction for high precision digital waveform recording 87−69194
Tang, P.S. Data compression with perfect reconstruction for high precision digital waveform recording 88−14700
Tang, P.S., Capewell, M.S., Richardson, C.J., Fitch, J.S. Applications of a multichannel digital waveform recorder with mixed and switchable sampling rate 88−15998
Tang, P.S., Shawyer, M.W., Capewell, M.C., McCabe, G. Applications of a multichannel digital waveform recorder with mixed and switching sampling rate 87−70514
Tang, P.S. *see* Havell, M.A. 88−53569
Tang, P.S. *see* Zobel, R.N. 86−62757
Tang, Q., Jian, S., Lin, Y. A new structural silica multiple-image fiber with 30000 picture elements 88−65248
Tang, R., Brown, R. Cost reduction techniques for phased arrays 87−33549
Tang, R., Li, G., Sun, C. The application of the finite element method to the design of REPM synchronous generators 86−45381
Tang, R. *see* Elkins, P. 87−1787
Tang, R. *see* Lee, K.M. 85−13406
Tang, R. *see* Moon, W. 86−6140, 86−54497
Tang, R.-B. Fuzzy enhancement in image processing 85−36460
Tang, Renyuan, Miao, Lijie, Wang, Quanfeng, Fan, Minwu, Guo, Deling The computations of 3D magnetostatics of REPM synchronous generators using GTFM and two scalar potentials 86−45376
Tang, R.S. *see* Hsu, H.J. 85−39711
Tang, S.H., Tan, H.S. Accurate measurement of the transmission coefficient of constricted pipes 87−41641
Tang, S.M., Hsu, H.H., Simmons, J.E., Kapustinsky, J., Peng, J.C. Energy resolutions of a position-sensitive NaI detector by Monte Carlo simulations 87−29506
Tang, S.M., Kump, P., Yap, C.T., Bilal, M.G. An XRF method for the determination of the efficiency of Si(Li) detectors in an extended-source geometry by using thick specimens 86−25125
Tang, S.M. *see* Alvi, N.S. 88−19776
Tang, S.V., Gilchrest, B.A., Bourgelais, D.B.C. Response of pigmented human cutaneous lesions to millisecond argon laser irradiation 88−16767
Tang, T. Extension of the Scharfetter-Gummel algorithm to the energy balance equation 85−18268
Tang, T., Gunn, M.W. Noise considerations in active monopoles 87−26998
Tang, T., Gunn, M.W. Terminal voltage of a receiving antenna above a conducting plane 88−8602
Tang, T., Wei, C.-C., Haken, R., Holloway, T., Wan, C.-F., Douglas, M. VLSI local interconnect level using titanium nitride 86−47860
Tang, T., Wei, C.C., Haken, R., Kawasaki, H., Chapman, R. The dielectric-capped self-aligned titanium disilicide process 88−64780
Tang, T. *see* Adams, J.G. 87−74242
Tang, T. *see* Haken, R. 86−47826
Tang, T. *see* Hwang, C. 87−38207
Tang, T. *see* Hwang, K. 86−63255
Tang, T. *see* Julien, F. 88−51494
Tang, T. *see* Swanson, P.D. 88−45193
Tang, T. *see* Tsumura, T. 88−47223
Tang, T.-W. *see* Adams, J. 87−6655
Tang, T.-W. *see* Hwang, C.-G. 86−63268
Tang, T.-W. *see* Hwang, C.G. 85−34939
Tang, T.-W. *see* Hwang, K. 85−50472
Tang, T.-W. *see* Nguyen, P.T. 85−40675
Tang, T.-W. *see* Park, Y.-J. 85−18299
Tang, T.-W. *see* Pu, H.-H. 87−60422
Tang, T.-W. *see* Son, I. 88−39361
Tang, T.B. *see* Swallowe, G.M. 86−4874
Tang, T.E., Wei, C.-C., Haken, R.A., Holloway, T.C., Hite, L.R., Blake, T.G.W. Titanium nitride local interconnect technology for VLSI 87−38160
Tang, T.E. *see* Chapman, R.A. 88−39696
Tang, T.S., Styblinski, M.A. Yield gradient estimation for non-differentiable density functions using convolution techniques and their application to yield optimization 86−66939
Tang, T.T., Sheng, C.Y. Design of an electrostatic optical system for ion beam lithography 87−39310
Tang, T.T. *see* Sparrow, T.G. 85−11871
Tang, V.W. ISDN: new vistas in information processing 87−2783
Tang, V.W. ISDN: new vistas in information processing 87−40230
Tang, W., Zhang, H. Investigation of polymer surface charge traps with *C-V* technique 86−67771
Tang, W. *see* Lau, W.M. 86−9129
Tang, W.-C., Chaudhuri, S.K. A true elliptic-function filter using triple-mode degenerate cavities 85−11395
Tang, W.C. An 8-pole quasi-elliptic function filter realized in 3 dielectric resonator cavities 87−6052
Tang, W.C., Lao, P.D., Madhukar, A., Cho, N.M. Combined Rayleigh and Raman scattering study of $Al_xGa_{1-x}As$ grown via molecular beam epitaxy under reflection high-energy electron diffraction determined growth conditions 88−24701
Tang, W.C., Lowe, K.S., Abdel-Motaleb, I., Young, L. Backgating in ion-implanted GaAs MESFET 86−21595
Tang, W.C., Sferrazza, J., Beggs, B., Siu, D. Dielectric resonator output multiplexer for C-band satellite applications 86−11040
Tang, W.C. *see* Madhukar, A. 87−37941
Tang, W.C. *see* Voillot, F. 87−23632
Tang, W.C. *see* Young, L. 86−58232
Tang, W.L. *see* Zhang, H.K. 85−40554
Tang, W.V. ISDN−new vistas in information processing 87−20041
Tang, X., van Welzenis, R.G., van Setten, F.M., Bosch, A.J. Oxidation of the InSb surface at room temperature 87−25128
Tang, X. *see* van Sark, W.G.J.H.M. 88−70311
Tang, Y. Noise autocorrelation in high density recording on metal film disks 87−25816
Tang, Y. *see* Geddes, E. 87−63185
Tang, Y. *see* Kremer, R.E. 88−32792
Tang, Y. *see* Turanli, H.M. 87−78124
Tang, Y.-S. Frequency-domain analysis of Volterra systems with continuous spectrum signal and noise 85−17118
Tang, Y.J., Zaky, S.G. A survey of ring networks: topology and protocols 86−17044
Tang, Y.J., Zaky, S.G. A unified queueing model for performance evaluation of local ring networks 86−55018
Tang, Y.K. *see* Dunham, R.S. 85−65120
Tang, Y.K. *see* Hardy, G.S. 88−48644
Tang, Y.K. *see* Olson, D.E. 88−48647
Tang, Y.M., Borrie, J.A. Missile guidance based on Kalman filter estimation of target maneuver 85−25083
Tang, Y.Q. *see* Shi, Z.L. 88−46862
Tang, Z., Mohler, R.R., Kolodziej, W.J. On a simple adaptive tracking filter 85−8453
Tang, Z. *see* Chao, Q.P. 87−73399
Tang, Z. *see* Mohler, R.R. 87−61924
Tang, Z.P., Gupta, Y.M., Bellamy, P.M. Impact response of the shorted quartz gauge to 40 kbar 88−74600
Tang Baomin Digital transmission of television-accompanying sound signals 86−37978
Tang Baoxing, Song Guoxing Recognition of Chinese character structures 85−36316
Tang Cha-Mei *see* Cha-Mei Tang
Tang Chengfu *see* Jiang Chengqi 85−48326, 86−22077
Tang Chenghuan *see* Chenghuan Tang
Tang Ching-fa *see* Chen Yu-Ming 85−62422
Tang Chuanjin *see* Zhu Yanbin 88−65612
Tang Chuanshun, Sun Wei Experimental investigation of cavity configurations for CVL pumped dye lasers 88−72349
Tang Chunming *see* Yu Deming 86−70022
Tang Cunchen *see* Cunchen Tang
Tang Difang, Guo Yun, Fang Jun, Li Yuling, Zhu Bingou Analysis and design of DG and DP correction circuitry in broadcast-TV optical fiber transmission system 85−63836
Tang Ding-yuan *see* He Guang-sheng 86−22479
Tang Ding-Yuan *see* Lin He 88−35999
Tang Dingyuan *see* Huang He 88−71355
Tang Dingyuan *see* Lin He 88−39096
Tang Dingyuan *see* Yu Zhiyi 88−42091
Tang Dinyuan *see* Fang Xiaoming 88−39060
Tang E-sheng *see* Li Jian-ping 88−68200
Tang Fu-kun *see* Lu Chang-guo 87−70999, 88−4842
Tang Guahong *see* Tong Qinyi 85−35157
Tang Guangping, Liu Mingdeng, Quan Baofu, Zhao Muyu Silicon epitaxy of the $SiCl_4$-SiH_4-H_2 system 87−16584
Tang Guangping, Liu Mingdeng, Quan Baofu, Zhao Muyu Silicon epitaxy of the $SiCl_4$-SiH_4-H_2 system 88−397
Tang Gui-de *see* Han Bao-Shan 86−28628, 86−35981
Tang Guishen, Qiu Peixia, Lin Weiping, Chen Youming, Zhen Xiangdong An actively mode-locked laser−prelasing mode-locked laser 87−74952
Tang Guishen *see* Chen Youming 88−65611
Tang Guisheng, Qiu Peixia Frequency-selection and mode-locking of Nd:YAG laser 85−46358
Tang Hong *see* Pan Zhonghan 88−72402
Tang Hou-shun *see* Dai Dao-xuan 86−8796
Tang Hsiao-Wei *see* You Tie-Jian 87−14764
Tang Hua *see* Shi Bin-xing 87−38970
Tang Jian *see* Yang Tianziang 86−55247
Tang Jian-kang *see* Hu Guan-chu 87−44220
Tang Jiatian *see* Xie Baixing 86−35439
Tang Jing-Qing *see* Jing-Qing Tang
Tang Jingxian *see* Wang Baoyi 87−77662
Tang Jinrong, Zhang Yanping, Lin Fucheng Application of high repetition rate tunable dye laser in spectroscopy 88−40424
Tang Jinshong *see* Li Zingjiao 87−73807
Tang Junjie *see* Zhang Kebang 85−60873
Tang Junxiong, Tian Yunpeng, Zheng Lemin Improving frequency stability of dye laser with a fast PZT frequency transducer 88−65601
Tang Kaijun, Xiang Jingcheng, Huang Shunji A new multiplier-free structure for DFT based on delta modulation 88−29297
Tang Kwei *see* Kwei Tang
Tang Lin, Xu Ronghui, Guo Qidi Measurement of the accelerator current by the calorimeter 88−36322
Tang Ming *see* Ming Tang
Tang Ming-chuan, Wan Di-hui Investigation of the thermo-electric effect in metal cutting 85−27861
Tang Ming-duan Stability of methods of trapezoidal rule with local extrapolation 88−11939
Tang Naixun *see* Lin Xilei 85−59195
Tang Naixun *see* Lui Chengan 85−43311
Tang Nengming *see* Li Chaoan 86−39044
Tang Pushan *see* Sha Lu 85−18369
Tang Pushan *see* Zhang Qinhai 86−14114
Tang Pushan *see* Zhao Wenqing 85−17257
Tang Pushan *see* Zhou Dian 85−18367, 86−53697
Tang Qian *see* Wang Yin-jun 88−7786
Tang Renyuan, Geng Lianfa, Chen Yicheng The application of Nd-Fe-B to electrical machines and its comparison with some other permanent magnets 86−26071
Tang Renyuan, Gu Hong, Geng Lianfa The calculation of transient field and parameters of REPM synchronous generator 86−45377
Tang Renyuan, Miao Lijie, Guo Daling The computation of 3D magnetostatic field of REPM synchronous generators with graph-theoretic field model 87−51178
Tang Renyuan, Tao Ruimin, Fan Mingwu The integral-equation/the differential-equation approach for 3D magnetostatic solution in REPM synchronous generators 87−22305
Tang Renyuan *see* Li Ge 87−22303
Tang Rey-Bin *see* Rey-Bin Tang
Tang Ruming *see* Zhao Xueshu 86−68405
Tang Sah, C. *see* Ching-Hsiang Hsu, C. 88−57395
Tang Sah, C. *see* Lindholm, F.A. 88−33127
Tang Shouwen Some algorithms in graphics and image processing 88−41094
Tang Sing-Ye *see* Sing-Ye Tang
Tang Su, Peng Yi, Zhang You-zheng Generalized Allan variance and modified Allan variance 87−59221
Tang Sulan *see* Du Xiaocheng 88−20711
Tang Tao System software of a μP-based telecontrol equipment for master station 85−38399
Tang Tao *see* Wang Yuanlin 88−54880
Tang Ting-Ao *see* Ting-Ao Tang
Tang Ting-Wei *see* Ting-Wei Tang
Tang Tingao, Araujo, C. A new analytical model of high concentration arsenic and boron redistribution during ion implantation annealing course 87−38064
Tang Tongyi, Sun Shuqin On the definition of reactive power under nonsinusoidal voltage and current 87−15632
Tang Tung-Wei *see* Tung-Wei Tang
Tang Wai Cheung *see* Wai Cheung Tang
Tang Wei *see* Cai Xuansan 86−27516, 87−64704
Tang Weiguo *see* Liu Dahe 88−34162

Tang Xianzhong, Zheng Yuxia, Lin Yafeng, Yu Wenyan Statical aberration in disk amplifiers and its effect on divergence of laser beams 88−27251
Tang Xiao-wei *see* Chen Cang 87−70997
Tang Xiao-wei *see* Chen Chang 87−70996
Tang Xiaojun On designing frequency blocking filter for PLC system 88−56735
Tang Xing-Ye Design of an electromagnet biased by permanent magnets in series for YIG tuned devices 87−60826
Tang Xing-Ye *see* Xing-Ye Tang
Tang Xingli, Tao Yongxiang, Zhang Zhaoyang, Zhao Fukang, Li Fengying, Chen Lifei, Jin Tingzhen Investigation on the characteristics of the flash-lamp pumped planar waveguide dye laser 86−3096
Tang Xingli *see* Zhao Meicun 88−58480
Tang Xingli *see* Zhao Yuxing 88−72260
Tang Xinli *see* Zhao Yuxing 88−65551
Tang Xiujin, Yuan Jingxia Digital filtering in parameter identification of structures 85−57372
Tang Yaw-Shing *see* Yaw-Shing Tang
Tang Yijan, Zaky, S.G. A classification for local ring networks 87−8011
Tang Yonglian, Zhang Huanying The 3COM Ethernet local area network principle and implementation 87−2903
Tang Yuanfen *see* Feng Xiqi 85−62637
Tang Yue-li *see* Li Jian-ping 88−47974
Tang Yuhai *see* Wang Xuan 85−30240
Tang Yunqiu *see* Xie Dexin 88−55405
Tang Yunxin *see* Zhong Lichen 87−54305
Tang Ze-He *see* Wang Zhi-Hong 88−1789
Tang Zhao-Kui The overseas development trends in videotex 86−23426
Tang Zheng, Li Zhi jian A new MOS current-mode multiple-valued logic circuit 88−57796
Tang Zhi-ping, Chen Heng State space analyses of transient performances of synchronous generators and their control systems 85−27390
Tang Zhonghua *see* Qiu Junlin 88−65553
Tang Zikang *see* Lu Pinzhen 85−49711
Tang-Go Chen *see* Ding Wang 88−45560
Tanga, R.R. The lead/acid battery industry in Indonesia 87−58282
Tange, K. *see* Hongo, T. 87−43569
Tangelder, G.J. *see* Slaaf, D.W. 86−70380
Tangen, H. *see* Coenen, R. 85−10302
Tangen, K.O. *see* Birch, P.K. 85−60262
Tangena, A.G., Hurkx, G.A.M. Calculations of mechanical stresses in electrical contact situations 85−50070
Tangermann, W.P. Test report: amateur radio transceiver Yaesu FT-757 GX a mighty midget! 85−3379
Tangermann, W.P. Test report: curves and pictures. C 64 as storage oscilloscopes and digitizer 85−26372
Tangermann, W.P. Radio test equipment Motorola R 2001/2: picture screen instead of pointer 85−30865
Tangermann, W.P. Measuring techniques: smaller, faster, cheaper 85−31293
Tangermann, W.P. Private radio from South Tirol 85−36920
Tangermann, W.P. Test report Yaesu FRG-8800: an open ear for everything 85−52271
Tangermann, W.P. Test report Sony ICF-4900: nine wavebands for travel 85−52488
Tangermann, W.P. Antenna techniques: the flat ones are coming 85−57154
Tangermann, W.P. Agonizing choice: which digital multimeter for me? 85−58743
Tangermann, W.P. Interference-free car radio−the way to untroubled enjoyment 86−11234
Tanglao, R. *see* Murtagh, A.J. 86−55125
Tangming Chen *see* Chen Tangming
Tangney, S., Sedlmeier, W., Banerjee, J. Alarm management in cement plant automation 87−58638
Tango, G.J. *see* Davey, K. 88−40544
Tango, G.J. *see* Kuperman, W.A. 85−64753
Tango, H. *see* Furuyama, T. 87−17095
Tango, H. *see* Hamasaki, T. 86−47442, 87−25048, 87−73063
Tango, H. *see* Kambayashi, S. 87−32234
Tango, H. *see* Kamohara, I. 88−19977
Tango, H. *see* Sato, T. 85−50776
Tango, H. *see* Shigyo, N. 88−39476, 88−64563
Tango, H. *see* Suguro, K. 86−7752, 87−32450, 87−67042
Tango, H. *see* Tanaka, S. 85−22799
Tango, H. *see* Tsunashima, Y. 86−41985
Tango, H. *see* Yamada, K. 86−46854
Tango, H. *see* Yoshii, T. 85−55964, 86−26860, 87−1362
Tango, H. *see* Yoshimi, M. 86−41978, 88−39477
Tangonan, G.L. Variable-grating-mode liquid crystals for fibre-optic applications 85−56374
Tangonan, G.L., Jones, V., Pikulski, J., Jackson, D., Persechini, J., Thornebooth, G. 8×8 optoelectronic crossbar switch 88−35479
Tangonan, G.L. *see* Pedinoff, M.E. 87−34579
Tangribergenov, T.B., Pak, O.D., Morgenshtern, L.S., Zharkovskii, D.Ya. Devices for complete functional-group control [power station computer control] 87−15401
Tanguay, A.R. Materials requirements for optical processing and computing devices 85−46896
Tanguay, A.R., Jr. Materials requirements for optical processing and computing devices 85−36368
Tanguay, A.R., Jr. *see* Johnson, R.V. 88−45565
Tanguay, A.R., Jr. *see* Marrakchi, A. 85−12983, 85−35921
Tanguay, A.R., Jr. *see* Psaltis, D. 85−12982
Tanguay, A.R., Jr. *see* Seery, D.A. 88−16431
Tanguy, B. *see* Kayer, P. 87−14307
Tanguy, C. The effects of carrier concentration dependent diffusion coefficient on the lateral profile of injected carriers in stripe geometry lasers 85−29811
Tanguy, C. *see* Couepel, C. 87−55673
Tanguy, J., Lemaire, J.P. Signalling adapters 85−2956
Tanguy, J., Roux, C. Detector width artifact correction in computer assisted tomography 87−29753
Tanguy, J. *see* Carise, J.P. 86−64421
Tanguy, P. Safety and nuclear power plant standardization: the French experience 86−39318
Tanguy, P. First lessons from Chernobyl in Western Europe and France 87−22068
Tanguy, P. Safety experience on EDF's PWRs 87−71812
Tanguy, P. The dismantling of nuclear power plants which are not in use 88−17274
Tanguy, P. The safety of nuclear power plants: progress report of the working group convened by the Uranium Institute 88−75355
Tanguy, R. *see* Bonnerot, G. 88−46480
Tanguy, R. *see* de Couesnongle, M. 88−46880
Tanguy, R. *see* Levy, M. 88−8956
Tani, C. *see* Hirai, Y. 87−41571, 87−70456
Tani, C. *see* Naemura, S. 88−40009
Tani, C. *see* Saito, T. 86−31257
Tani, C. *see* Ueno, T. 85−43041
Tani, H., Maebara, K., Akashi, F., Shimizu, H. High-speed multimedia communication system on a wideband LAN 88−46597
Tani, H. *see* Hama, H. 85−5531, 85−49198
Tani, H. *see* Kawaguchi, H. 87−61238
Tani, H. *see* Ooki, H. 88−49227
Tani, J., Crandall, D., Corcoran, J., Hornak, T. Parallel interface ICs for 120 Mb/s fiber optic links 87−63007
Tani, J. *see* Yanagi, H. 87−46426
Tani, K. Introduction to service and protocol of lower layers [OSI] 85−63328
Tani, K., Tsukiyama, S., Shirakawa, I. An algorithm to enumerate all rectangular dual graphs 88−39638
Tani, K. *see* Mori, K. 86−27903
Tani, K. *see* Tsukiyama, S. 88−7714
Tani, M. *see* Fukuzaki, K. 86−10734
Tani, M. *see* Ogino, T. 88−62046
Tani, M. *see* Okamoto, Y. 86−39313
Tani, M. *see* Tasaka, S. 86−23203
Tani, M. *see* Watanabe, S. 88−51778
Tani, M. *see* Yasumoto, T. 85−13844
Tani, N., Yamada, T., Ishikawa, M., Ota, Y., Nakamura, K., Itoh, A. Surface protective film for CoNiCr/Cr sputter hard disks 88−13680
Tani, N. *see* Ishikawa, M. 87−25824
Tani, N. *see* Ota, Y. 85−18567
Tani, N. *see* Yamada, T. 86−28671, 88−443
Tani, S., Nakagiri, S., Higashino, T., Tsukui, K. Stochastic finite element analysis of thermal deformation of CFRP antenna 88−58937
Tani, S. *see* Okumura, K. 87−71730, 88−17178, 88−30392
Tani, T. A study on design of solar thermal electric power systems 85−48901
Tani, T. Optimum design of photovoltaic power system 88−43095
Tani, T., Ikeda, N., Tanaka, T. Consideration and proposal on heat transmission technology in solar thermal utilization system 86−56664
Tani, T., Itoh, S., Hirabayashi, S. A new AC dielectric breakdown test method of stator coils for high-voltage rotating machinery 86−21919
Tani, T., Otosaki, K., Isoma, S., Matsuda, S., Hirabayashi, S. Study on the voltage endurance and prediction of the dielectric breakdown of high-voltage rotating machine insulations 86−45324
Tani, T., Shimegi, H., Miwa, H., Yabe, H. On the behavior of magnetic tape in self-acting foil bearings 87−13973
Tani, T., Tanaka, T., Sawata, S. Study on design of a solar total energy system with auxiliary heater 86−25956
Tani, T. *see* Hashizume, T. 86−68048
Tani, T. *see* Hayashi, M. 85−56000
Tani, T. *see* Itoh, S. 85−32432
Tani, T. *see* Itoh, U. 87−60879, 88−33581
Tani, T. *see* Kamimoti, M. 85−60436
Tani, T. *see* Kimura, K. 85−5051
Tani, T. *see* Kurokawa, K. 86−56665
Tani, T. *see* Muratomi, Y. 88−51320
Tani, T. *see* Sawata, S. 87−78912, 88−24164, 88−74612
Tani, T. *see* Shiga, S. 86−510
Tani, T. *see* Tanaka, T. 86−65990, 87−51099
Tani, T. *see* Yamagami, K. 86−56666
Tani, Y., Hatamura, Y., Nagao, T. A study on the dynamometer using the structure of parallel beams for grinding. III. Effect of size change on the static characteristics of one-component dynamometer 85−4119
Tani, Y. *see* Kaneaki, T. 88−56715
Tani, Y. *see* Semba, T. 86−52584
Tani, Y. *see* Tanaka, F. 88−47331
Tani, Z. *see* Ebina, K. 88−2080
Taniai, K. Power carrier control of lighting facilities at Sangawa station 86−66470
Taniai, M., Iyama, O. Three-phase 500 kVA parallel redundant uninterruptible power supply system 88−43289
Taniai, T. *see* Nishikawa, S. 87−49349
Taniai, T. *see* Sunada, K. 88−53408
Tanida, H. *see* Sawamura, T. 86−25327, 86−60397
Tanida, J., Fukui, M., Ichioka, Y. Programming of optical array logic. II. Numerical data processing based on pattern logic 88−65410
Tanida, J., Ichioka, Y. Optical-logic-array processor using shadowgrams. II. Optical parallel digital image processing 85−63101
Tanida, J., Ichioka, Y. Optical-logic-array processor using shadowgrams. III. Parallel neighborhood operations and an architecture of an optical digital-computing system 85−63102
Tanida, J., Ichioka, Y. Optical parallel array logic system. II. A new system architecture without memory elements 87−13054
Tanida, J., Ichioka, Y. Programming of optical array logic. I. Image data processing 88−65409
Tanida, L. *see* MacDoran, P.F. 85−25948
Tanida, T. *see* Ge, Q.W. 88−31652
Tanida, T. *see* Gomi, M. 85−44780
Tanida, T. *see* Suzuki, S. 85−21899
Tanida, T. *see* Tateno, H. 87−28566
Tanido, F., Asami, T. Current conditions and future perspective of speech recognition technology 86−64220
Tanido, F. *see* Matsumoto, J. 85−42081
Tanie, K., Hata, K., Nishida, K. Home control center using TV set 87−49269
Tanie, K., Yokoi, K., Kaneko, M., Fukuda, T. A position sensor based torque control method for a DC motor with reduction gears 88−75631
Tanie, K. *see* Park, M. 88−29412
Tanie, K. *see* Tachi, S. 85−64610
Tanie, T. Facsimile application in the enterprise information communication network 88−28302
Tanielian, M., Blackstone, S. Titanium disilicide formation by sputtering of titanium on heated silicon substrate 85−409
Tanielian, M., Blackstone, S. Physical properties of sputter-deposited titanium silicide as a function of substrate temperature 85−60989
Tanielian, M., Blackstone, S., Lajos, R. A new technique of forming thin free standing single-crystal films 85−40636
Tanielian, M., Lajos, R., Blackstone, S., Pramanik, D. Silicide-silicon interface degradation during titanium silicide/polysilicon oxidation 85−61761
Tanielian, M., Pramanik, D., Blackstone, S. Controlling the titanium silicide penetration into the polysilicon during oxidation of $TiSi_2$/polysilicon structures 85−45586
Tanielian, M. *see* Wei, C.S. 87−11715
Tanifuji, T. Modal noise arising from slightly nonuniform quantum efficiency of a detector 86−17973
Tanifuji, T., Matsuura, M., Yamamoto, Y. 42 km analogue video signal transmission in single-mode fibres using 1.3 μm edge-emitting LEDs 86−30781
Tanifuji, T., Yamamoto, Y. Optical fiber shock sensor 86−31414
Tanifuji, T. *see* Ito, F. 87−60967
Tanifuji, T. *see* Kato, Y. 85−7243
Tanifuji, T. *see* Matsumoto, M. 87−8262
Tanifuji, T. *see* Matsuura, M. 86−63830, 86−69781
Tanifuji, T. *see* Nakamoto, H. 87−60942
Tanigaki, K. Characteristics of diazonaphthoquinone-4- and -5-sulfonate derivatives as sensitizers for electron-beam positive resists 88−39292
Tanigaki, K., Suzuki, M., Ohnishi, Y. Application of polymer-bisazide composite system negative resists to electron beam lithography 86−28093
Tanigaki, K., Suzuki, M., Ohnishi, Y. Chloromethylstyrene-based blend resists 86−58354
Tanigaki, K. *see* Gokan, H. 85−50648
Tanigaki, K. *see* Iida, Y. 86−35516
Tanigaki, K. *see* Ishitani, A. 87−58929, 88−43910
Tanigaki, S. Insulation characteristics under low-pressure gas [HV switchgear] 87−32756
Tanigaki, Y., Moribe, S., Itagaki, T. The effects of annealing ambients on dielectric strength of gate oxides with tungsten polycide gate 88−71441
Tanigawa, H., Akiyama, I. Rejection characteristics in a video-signal processor using CCD comb filters 85−40171
Tanigawa, H., Hayashi, Y., Kanemaki, N., Nakane, K. Multipoint communication control for multimedia teleconferencing 88−28535

Tanigawa, H., Hayashi, Y., Matsumoto, M. Multipoint communication control for document-oriented teleconferencing 88−59857
Tanigawa, H., Ishihara, T., Hirata, M., Suzuki, K. MOS integrated silicon pressure sensor 85−58664
Tanigawa, H., Nakane, K., Sakai, Y., Matsumoto, M. Multipoint communication control for audio-graphics teleconferencing 87−55543
Tanigawa, H., Oda, E. CCD image sensors 87−70416
Tanigawa, H. *see* Higichu, K. 87−71441
Tanigawa, H. *see* Hirata, M. 86−55690, 88−7478, 88−29347
Tanigawa, H. *see* Ishihara, T. 86−68002, 87−49671
Tanigawa, H. *see* Kotera, H. 88−46739
Tanigawa, H. *see* Matsumoto, M. 88−28532
Tanigawa, H. *see* Nishiguchi, Y. 88−19129
Tanigawa, H. *see* Ohmura, H. 86−23391, 86−59552
Tanigawa, H. *see* Suzuki, K. 86−50091, 87−63361
Tanigawa, S., Hara, Y., Lavernia, E.J., Chin, T.S., O'Handley, R.C., Grant, N.J. Fe-Nd-B permanent magnets made by liquid dynamic compaction 87−23746
Tanigawa, S., Suzuki, R., Iwase, Y. The 128 BGO detector 2D-angular correlation apparatus at University of Tsukuba 87−21460
Tanigawa, S. *see* Meguro, N. 86−22003
Tanigawa, S. *see* Tokunaga, M. 86−28606
Tanigawa, T., Miyamoto, Y., Koutou, K., Toriumi, Y. The development of a low capacitance type high-voltage resistive cable 85−39277
Tanigawa, T., Shiga, S., Hoshino, M., Nakamura, T. A experimental comparison on SCC susceptibility of commercial copper alloys under ammonia atmosphere 86−513
Tanigawa, T. *see* Higuchi, K. 86−34849
Tanigawa, T. *see* Takai, M. 85−10672, 86−8747, 87−17821
Tanigawa, Y. *see* Matsumoto, F. 86−49208
Taniguchi, A. Developing fiber optic measurement for long distance and high resolution [time-domain reflectometry] 85−42592
Taniguchi, A., Ito, Y., Tsukamoto, T., Araki, Y. Automatic laser diode test system 86−31136
Taniguchi, A., Kitagawa, K., Shibata, T., Yamazaki, Y., Kumasaka, A. Recent optical time domain reflectometers [for optical cable testing] 86−30750
Taniguchi, A., Tamura, Y., Sonobe, Y., Ishigaki, S., Nishimori, T., Watanabe, M. Optical spectrum analyzers MS9001A/A1, MS9003A/B 88−15981
Taniguchi, A., Tsukamoto, T., Tanimoto, T., Miyao, H. Chrmatic dispersion characteristics measuring equipment 86−31458
Taniguchi, A., Tsukamoto, T., Tanimoto, T., Miyao, H. Portable chromatic dispersion measuring set MF9301A 88−13790
Taniguchi, A. *see* Kan, J. 87−66548
Taniguchi, A. *see* Kobayashi, T. 86−34571
Taniguchi, A. *see* Ohtsuka, T. 88−22092
Taniguchi, A. *see* Yamaguchi, K. 88−4201, 88−47313
Taniguchi, H., Saito, H. Discharge-pumped gold-vapor laser operating in a low-temperature range using chloroauric acid as a lasant 86−22294
Taniguchi, H., Suzuki, T., Zeze, M. A distributed operating system based on networking the file management mechanism 86−64682
Taniguchi, H. *see* Feng Junkai 87−22136
Taniguchi, H. *see* Kano, T. 87−61087
Taniguchi, H. *see* Komatsu, T. 88−6830
Taniguchi, H. *see* Kudo, K. 86−33128
Taniguchi, H. *see* Kuramoto, N. 86−62268
Taniguchi, H. *see* Nogami, G. 85−61797
Taniguchi, H. *see* Ohta, I. 88−50320
Taniguchi, H. *see* Saito, H. 85−41348, 85−51101, 85−62478, 86−3031, 86−22279, 86−22303, 86−22324
Taniguchi, H. *see* Suzuki, T. 87−2814
Taniguchi, I. *see* Miyake, M. 86−58401
Taniguchi, J. Stringing structure and current collection. XV 86−56989
Taniguchi, J., Kakuno, T., Matsuda, C., Watabe, S., Okamura, S. Packet-switched networks 87−40381
Taniguchi, K. Three dimensional ICs and an application to high speed image processor 86−2333
Taniguchi, K. Competition of technologies-VLSI shifts in the application of MOS and bipolar 87−38495
Taniguchi, K. MOS and bipolar [IC technologies] 87−53604
Taniguchi, K., Antoniadis, D.A. Lateral extent of oxidation-enhanced diffusion of phosphorus in ⟨100⟩ silicon 85−50377
Taniguchi, K., Irie, H. Trapezoidal modulating signal for three-phase PWM inverter 86−70976
Taniguchi, K., Irie, H., Kaku, S. Real time operation of three-phase PWM inverter 86−45583
Taniguchi, K., Kaku, S., Irie, H. A three-phase sinusoidal PWM inverter 86−45584
Taniguchi, K., Kaneyoshi, A. The procedure for binarization of urinary sediment images—-threshold selection method based on the difference of the interclass variance 85−4301
Taniguchi, K., Kaneyoshi, A. The classification procedure for urinary sediments 85−41982
Taniguchi, K., Kobayashi, T., Sakai, T., Kishikawa, N., Yoshioka, H. A method of measuring cell images using flow technique 87−63317
Taniguchi, K., Maekawa, N. Improvement of pull-off device at the air section/air joint 88−11432
Taniguchi, K., Mori, H. Applications of a power chopper to the thyristor Scherbius [induction motor control] 86−61512
Taniguchi, K., Ohishi, K., Ogino, Y. PAM-PWM inverter using power MOSFETs for AC motor drives 88−43425
Taniguchi, K., Takeda, Y., Hirasa, T. High-performance slip-power recovery induction motor 87−64581
Taniguchi, K., Tanaka, K., Ogura, T., Kahihara, Y., Nakajima, S., Inoguichi, T. EL device with stable memory effect 86−50171
Taniguchi, K., Tanaka, K., Ogura, T., Kakihara, Y., Nakajima, S., Inoguchi, T. Memory effect and its stability in thin film EL device 85−26417
Taniguchi, K., Tanaka, K., Ogura, T., Kakihara, Y., Nakajima, S., Inoguchi, T. EL device with stable memory effect 86−2976
Taniguchi, K., Ueda, S. New Japanese text communication service−Teletex in Japan 85−13810
Taniguchi, K., Ueno, F., Inoue, T., Sakamoto, N. Design of CMOS quaternary threshold logic circuits using multiple ion implants 88−71775
Taniguchi, K., Yoshida, K., Ohkawa, S., Kitazaki, T., Ono, K., Hiramoto, J., Matsumoto, Y., Hirano, K., Sunago, K., Yotsuya, K., Kanda, M. The development of the tissue spectrum analyzer, TS-200 86−56084
Taniguchi, K. *see* Collard, D. 87−6529
Taniguchi, K. *see* Fujimoto, Y. 85−58478
Taniguchi, K. *see* Hamaguchi, C. 85−55848
Taniguchi, K. *see* Hasegawa, A. 88−32745
Taniguchi, K. *see* Higashino, T. 86−43591, 88−21386, 88−52910
Taniguchi, K. *see* Inoue, T. 85−12052
Taniguchi, K. *see* Irie, H. 86−39825
Taniguchi, K. *see* Kato, K. 85−34973, 85−50594, 86−28331, 88−13072
Taniguchi, K. *see* Katsukura, T. 88−42536
Taniguchi, K. *see* Komori, H. 88−60919
Taniguchi, K. *see* Lasserre, J. 88−71329
Taniguchi, K. *see* Matsuo, K. 85−21969
Taniguchi, K. *see* Mikami, A. 87−61048, 88−40090
Taniguchi, K. *see* Mori, N. 88−25939
Taniguchi, K. *see* Nishi, Y. 85−40919
Taniguchi, K. *see* Ogura, T. 86−44365, 86−58836
Taniguchi, K. *see* Ohishi, K. 88−43421, 88−75652
Taniguchi, K. *see* Onga, S. 86−28406, 86−41919, 87−25313, 87−53585, 87−53616, 88−20126
Taniguchi, K. *see* Sakai, T. 87−27599
Taniguchi, K. *see* Shigyo, N. 86−67883
Taniguchi, K. *see* Shirahata, M. 88−1457
Taniguchi, K. *see* Suguro, K. 86−7752
Taniguchi, K. *see* Tanaka, K. 87−68299
Taniguchi, K. *see* Tanimoto, H. 88−50649
Taniguchi, K. *see* Terashima, K. 85−61786
Taniguchi, K. *see* Toriumi, A. 86−41849, 86−47595, 86−53670, 87−53565, 87−60468
Taniguchi, K. *see* Tsunashima, Y. 86−41985
Taniguchi, K. *see* Tsuno, K. 87−50216
Taniguchi, K. *see* Ueno, F. 85−17333, 85−49834, 86−34475, 86−67171, 87−52564
Taniguchi, K. *see* Yamabe, K. 85−34660
Taniguchi, K. *see* Yamada, K. 88−68328
Taniguchi, K. *see* Yamashita, Y. 88−72786
Taniguchi, K. *see* Yoshida, M. 87−3688
Taniguchi, K. *see* Yoshimi, M. 86−41978, 87−17878, 88−1471
Taniguchi, M. Ultrahigh speed photomicrography and dynamic aspects of muscle contraction and related phenomena 86−60702
Taniguchi, M., Funatsu, R. Straightness measurement system with error correction 87−77397
Taniguchi, M., Inoue, T., Mano, K. The frequency spectrum of electrical sliding contact noise and its waveform model 86−41377
Taniguchi, M., Iwashimizu, Y. Ultrasonic study on the change in elastic anisotropy with plastic compressive deformation 87−57464
Taniguchi, M., Oki, M., Takagi, T. An application of holographic pattern measuring method for the thermal distortion of printed circuit board (PCB) due to current flow 88−19485
Taniguchi, M., Oki, M., Takagi, T. An application of the holographic pattern measuring system to vibration analysis 88−40421
Taniguchi, M., Oki, M., Takagi, T. An experiment on a relationship between contact voltage and thermal deformation of contact spring 88−50460
Taniguchi, M., Takagi, Y., Kubo, M. 0.7-inch low power consumption viewfinder tube 87−70427
Taniguchi, M., Wakihara, M., Uchida, T., Hirakawa, K., Nii, J. Sulfur gas sensor using a calcium fluoride solid electrolyte 88−35932
Taniguchi, M. *see* Arisawa, M. 85−3073
Taniguchi, M. *see* Endo, T. 87−55667
Taniguchi, M. *see* Hayami, S. 87−5796
Taniguchi, M. *see* Ikoma, T. 85−55465
Taniguchi, M. *see* Kamogashira, Y. 86−4366
Taniguchi, M. *see* Makimoto, M. 85−34645
Taniguchi, M. *see* Miyahara, Y. 85−26685
Taniguchi, M. *see* Nagata, S. 88−41661
Taniguchi, M. *see* Okubo, T. 85−43869
Taniguchi, M. *see* Sugimoto, M. 88−35044
Taniguchi, M. *see* Wakamatsu, H. 87−51434
Taniguchi, M. *see* Wakihara, M. 87−78879
Taniguchi, M. *see* Wei Guang-Pu 87−8609
Taniguchi, M. *see* Yoshihara, S. 86−39535
Taniguchi, N. Research on, and development of energy beam processing of materials in Japan 85−56896
Taniguchi, N. *see* Kitch, K. 88−63275
Taniguchi, N. *see* Matsumoto, K. 87−12604
Taniguchi, R., Fukuda, K., Kawabata, K., Yamashita, K. Microprocessor-based linac main oscillator and beam stabilization using the phase-locked trigger 87−14792
Taniguchi, R., Kawaguchi, E. On the relation of binary image complexity to gray-scaled image thresholding 87−39966
Taniguchi, R., Kawaguchi, E. Knowledge-based image analysis of Landsat data: how to extract and how to describe water information 87−50571
Taniguchi, R., Watanabe, N., Kawaguchi, E. Extraction and description of water information from LANDSAT MSS data 86−18582
Taniguchi, R. *see* Kawguchi, E. 87−48222
Taniguchi, R. *see* Tanaka, K. 87−71555
Taniguchi, S. Analysis of overhead wire displacement and stress by finite element method 87−36222
Taniguchi, S. *see* Ishikawa, T. 88−75060
Taniguchi, S. *see* Matsuda, Y. 85−15715
Taniguchi, S. *see* Mimura, Y. 86−40353
Taniguchi, S. *see* Nagata, S. 87−35051, 87−35067
Taniguchi, S. *see* Tanaka, H. 88−49317
Taniguchi, T. RD&D for improving reliability of Japanese nuclear power plants 86−121
Taniguchi, T. The advancement of LWR technology in Japan 86−39445
Taniguchi, T., Iseda, K., Unagami, S., Mochida, Y., Tominaga, S. 16 kbit/s ADPCM-MQ speech codec 87−69754
Taniguchi, T., Iseda, K., Unagami, S., Tominaga, S. A high-efficiency speech coding algorithm based on ADPCM with multi-quantizer 87−27267
Taniguchi, T., Kamikura, K., Itoh, S., Utsunomiya, T. Variable-length-code-selective reversible predictive coding for multi-level images 87−69342
Taniguchi, T., Murakami, T., Sasaki, O., Ohska, T.K. A new FASTBUS cable segment driver hybrid 87−37761
Taniguchi, T., Unagami, S., Iseda, K., Mochida, Y., Tominaga, S. A 16 kbps ADPCM with multi-quantizer (ADPCM-MQ) codec and its implementation by digital signal processor 87−62720
Taniguchi, T., Unagami, S., Iseda, K., Tominaga, S. ADPCM with a multiquantizer for speech coding 88−40862
Taniguchi, T., Unagami, S., Tominaga, S. ADPCM-MQ highly efficiency speech codec 87−48731
Taniguchi, T. *see* Akazaki, M. 85−20773
Taniguchi, T. *see* Iseda, K. 88−46761
Taniguchi, T. *see* Itoh, S. 88−41099
Taniguchi, T. *see* Kaizu, H. 86−32653, 86−32679, 87−51179
Taniguchi, T. *see* Kawamura, K. 85−9545, 87−45365
Taniguchi, T. *see* Kobayashi, H. 88−61145
Taniguchi, T. *see* Kuninobu, S. 87−60683
Taniguchi, T. *see* Kurashige, H. 88−61192
Taniguchi, T. *see* Miyagi, M. 87−68017
Taniguchi, T. *see* Naito, M. 86−42722
Taniguchi, T. *see* Ochiai, O. 88−57854
Taniguchi, T. *see* Ohska, T.K. 86−50422
Taniguchi, T. *see* Okubo, H. 88−41507
Taniguchi, T. *see* Sasaki, O. 88−56713
Taniguchi, T. *see* Sumi, T. 87−59508
Taniguchi, T. *see* Suzuki, Y. 86−49823
Taniguchi, T. *see* Tamagawa, S. 88−60096
Taniguchi, T. *see* Tomita, Y. 87−20295
Taniguchi, T. *see* Yamashita, K. 85−38975, 86−61036
Taniguchi, T. *see* Yoneda, K. 88−6869
Taniguchi, Y., Hirano, M., Arai, A. The application of numerical methods to vehicle antennas 86−68863
Taniguchi, Y., Nakayama, A., Nishida, H. Development of garnet films for 4 Mbit Permalloy bubble devices 86−36075
Taniguchi, Y., Yoshihara, T., Tsukada, T. Copper/titanium dioxide thick film and application for through-hole 88−64129
Taniguchi, Y. *see* Koike, N. 86−5044
Taniguchi, Y. *see* Murty, Y.V. 88−38266
Taniguchi, Y. *see* Ota, T. 86−24791

Taniguchi, Y. *see* Takahashi, T. 85—37473
Taniguchi, Y. *see* Tamura, K. 87—21552
Taniguchi, Y. *see* Yoda, H. 88—33297
Taniguruma, R. *see* Yamaguchi, S. 85—38105
Tanihara, Y. Bi-CMOS: combination circuit offers economy and power 88—56589
Tanihara, Y. *see* Kobayashi, Y. 87—59613
Tanihata, I. *see* Krebs, G.F. 88—54190
Tanihata, R. *see* Kobara, K. 86—43666
Tanihata, R. *see* Murata, Y. 86—64825
Tanii, K., Tachikawa, M., Kajita, M., Shimizu, T. Sinusoidal self-modulation in the output of CO_2 laser with an intracavity saturable absorber 88—27257
Tanii, K. *see* Saiga, N. 85—21027
Tanii, K. *see* Tachikawa, M. 86—29210, 87—54229, 88—51852, 88—51937, 88—65805
Tanii, Y., Nakano, K., Oshima, T. LSI system for 8 mm video 85—37322
Tanii, Y. *see* Mizoguchi, S. 88—74167
Taniji, Y. *see* Nagai, K. 87—70245
Taniji, Y. *see* Nakajima, H. 87—41204
Tanik, Y. Uncorrelatedness of the gradient vectors in LMS predictors 86—29961
Tanik, Y., Yucel, M.D. A new voiced/unvoiced decision algorithm 86—29814
Tanikawa, A., Mukai, H. New Lagrangian function for nonconvex primal-dual decomposition 87—65369
Tanikawa, A., Okabayashi, H. Properties of direct-silicided WSi_2 films 88—19857
Tanikawa, K., Ishikawa, N., Matsushita, T. Tests on the third and fourth generators of Atsumi thermal Power Station to lower their minimum output 87—35785
Tanikawa, K., Ito, Y., Tsunoda, R., Kanno, T. A two-dimensional HgCdTe IR CCD with increased cell capacity 87—49552
Tanikawa, K., Ueda, Y. High sensitive infrared imagers 87—28958
Tanikawa, K. *see* Kajihara, N. 88—57347
Tanikawa, K. *see* Miyamoto, Y. 87—14344
Tanikawa, K. *see* Tsunoda, R. 88—29436
Tanikawa, K. *see* Yamamoto, T. 86—8777
Tanikawa, S. *see* Hayama, O. 86—52231
Tanikawa, Y. *see* Matsuzaki, T. 86—52875
Tanike, H. CAPTAIN system—Videotex in Japan 85—30660
Tanikoshi, S. *see* Fujii, Y. 86—42304
Tanimori, T. *see* Kageyama, T. 86—25117
Tanimoto, A. Excimer laser lithography at present and next step 88—39286
Tanimoto, A., Imamura, K. Reticle contamination monitor for a wafer stepper 85—12323
Tanimoto, H., Hayashibara, M., Kato, T. A low-voltage analog signal processor LSI for mobile radiotelephone systems 87—62862
Tanimoto, H., Yasuda, N., Taniguchi, K., Hamaguchi, C. Monte Carlo study of hot electron transport in quantum wells 88—50649
Tanimoto, H. *see* Hamaguchi, C. 87—24891
Tanimoto, H. *see* Izumo, T. 86—7299
Tanimoto, H. *see* Lasserre, J. 88—71329
Tanimoto, H. *see* Miyatsuji, K. 87—24876
Tanimoto, J., Hirano, T., Okada, M., Kamuro, S., Mochizuki, D. CMOS Z8-SM 803 86—27363
Tanimoto, K. *see* Kitahara, T. 86—19034
Tanimoto, K. *see* Sato, H. 85—31466
Tanimoto, M., Chiba, N., Kageyama, M. An experimental system of one-dimensional TAT bandwidth compression for television signals 88—22304
Tanimoto, M., Chiba, N., Yasui, H., Murakami, M. TAT (time-axis transform) bandwidth compression system for high-definition television 86—31006
Tanimoto, M., Chiba, N., Yasui, H., Murakami, M. A new bandwidth compression system of picture signals—the TAT 86—54559
Tanimoto, M., Chiba, N., Yasui, H., Murakami, M. TAT (time-axis transform) bandwidth compression system of picture signals 88—41024
Tanimoto, M., Hara, S., Kajita, Y., Kashu, F., Ikeuchi, M., Hagihara, S., Tsuzuki, S. High speed fibre optic backbone LAN 88—21659
Tanimoto, M., Hara, S., Kawano, T., Kajita, Y., Kashu, F., Ikeuchi, M. 128 Mbps optical LAN 88—35172
Tanimoto, M., Imai, H., Kondoh, I., Takahashi, H., Toyooka, A., Wada, Y., Tsuno, K., Matsuoka, S. Development of a high speed fiber optic LAN to connect heterogeneous computers in the Department of Information Engineering at Kyoto University 87—48625
Tanimoto, M., Kageyama, M., Ohta, T., Shibata, K., Ryu, F. The TAT system for high quality image compression 88—46284
Tanimoto, M., Kashu, F., Hara, S., Kajita, Y., Ikeuchi, M., Hagihara, S., Kitajima, K., Tsuzuki, S., Sugimoto, K. High speed fiber optic backbone LAN system 88—59680
Tanimoto, M., Miyake, Y. Edge-effect-free restoration of motion-produced blur in pictures 88—14818
Tanimoto, M., Mori, T. A hybrid scheme of subsampled DPCM and interpolative DPCM for the HDTV coding 87—76987
Tanimoto, M., Sumiyoshi, H., Komai, M. Synchronous spread-spectrum multiplex communication system using a modified M-sequence 85—36903
Tanimoto, M., Ueno, I., Koyama, K., Matsumoto, Y. Comparative study of various models of energetic ion generation from plasma focus 85—26675
Tanimoto, M., Yaoita, A., Okuda, I., Ouadano, Y., Matsumoto, Y., Kasai, T. Prospect of efficient high-power-density operation of KrF*-excimer for fusion driver: characteristics in Kr-rich gas mixtures 86—36401
Tanimoto, M., Yaoita, A., Okuda, I., Owadano, Y. Efficient high power-density operation regime of KrF*-laser amplifiers for fusion driver 85—51102
Tanimoto, M. *see* Hashimoto, N. 87—48624
Tanimoto, M. *see* Matsushima, I. 87—50202
Tanimoto, M. *see* Osano, M. 87—19165
Tanimoto, M. *see* Owadano, Y. 87—61276, 88—40118
Tanimoto, S., Nemoto, M., Toyoda, H., Yoshitake, K., Takai, C. A double-balanced modulator in CMOS technology 87—31766
Tanimoto, S. *see* Sameshima, R. 87—72837
Tanimoto, S.L. Image processing with hierarchical cellular logic 87—73427
Tanimoto, S.L. Architectural issues for intermediate-level vision 87—75903
Tanimoto, S.L., Crettez, J.-P., Simon, J.-C. Alternative hierarchies for cellular logic 85—30399
Tanimoto, S.L. *see* Blanford, R.P. 87—48230
Tanimoto, T. *see* Iida, K. 87—54163
Tanimoto, T. *see* Kawana, K. 88—48355
Tanimoto, T. *see* Taniguchi, A. 86—31458, 88—13790
Tanimoto, Y., Fujii, M., Mizuguchi, H. X-ray nondestructive inspection using digital image processing 87—148
Tanimoto, Y., Matsuura, S., Fujii, M., Maniwa, T. X-ray CT scanner for heavy and valuable components 87—77114
Tanimoto, Y. *see* Hayashi, N. 85—19693
Tanimura, K., Itoh, N., Arima, K., Imaike, H., Heikkinen, D.W. Capacitance dilatometer for in situ measurement of radiation-induced dimensional changes of solids 87—70805
Tanimura, N. *see* Kawamoto, H. 85—22874
Tanimura, N. *see* Matsumoto, S. 87—62139
Tanimura, N. *see* Nakagawa, I. 87—59478
Tanimura, N. *see* Oishi, K. 86—34811
Tanimura, N. *see* Sato, K. 87—37276
Tanimura, N. *see* Shinoda, T. 87—24209
Tanimura, N. *see* Yamaguchi, Y. 85—17412
Tanimura, N. *see* Yamamoto, S. 86—20532, 86—41093
Tanimura, S. *see* Fujita, T. 87—67605
Tanimura, S. *see* Yano, K. 88—7523
Tanimura, T. *see* Kamijo, E. 85—54532
Tanimura, Y., Toyoda, K. Noncontact measuring instrument of microshapes with laser interferometer 85—35947
Tanimura, Y. *see* Hatsuzawa, T. 87—24730
Tanimura, Y. *see* Toyoda, K. 87—25413
Tanin, L.V. *see* Markhvida, I.V. 88—72450
Taninaka, I. *see* Hamabe, K. 87—4552
Tanino, H., Hoh, K., Hirata, M., Atoda, N., Ichimura, S. Proposals and experiments on large area exposure in synchrotron radiation lithography 85—34707
Tanino, H., Takahashi, K., Yao, T. Selective coordination epitaxy of metal complexes 88—56238
Tanino, H. *see* Watanabe, M. 85—7206
Tanino, J. *see* Yoshikawa, H. 88—11449
Tanino, N., Takano, S., Noda, M., Makino, H., Sumitani, K., Nakano, H., Nishitani, K., Kayano, S. A 2.5 ns/200 mW GaAs 4kb SRAM 87—31908
Tanino, N. *see* Maemura, K. 88—19113
Tanino, N. *see* Shimura, T. 87—25591
Tanino, N. *see* Tada, K. 85—35393
Tanino, N. *see* Takano, S. 85—49860, 87—10877, 87—59497, 88—6827
Tanino, T. *see* Yasukawa, S. 86—33788
Tanioka, F. *see* Oyama, T. 87—63783
Tanioka, K., Yamazaki, J., Shidara, K., Taketoshi, K., Kawamura, T., Ishioka, S., Takasaki, Y. An avalanche-mode amorphous selenium photoconductive layer for use as a camera tube target 87—74928
Tanioka, K. *see* Kurashige, M. 88—64217
Tanioka, K. *see* Shidara, K. 86—21070
Tanioka, K. *see* Taketoshi, K. 88—14033
Tanioka, K. *see* Tsuji, K. 88—19632
Tanioka, S., Nakano, M., Katayama, N., Tejima, A., Yamaoka, A., Yamada, M., Saito, T. Development of remote control welding system of large structures 87—31093
Tanioka, S. *see* Tanji, A. 85—5567
Tanioka, S.-I., Nakano, M., Tejima, A., Yamada, M., Saito, T., Saito, Y., Abe, R. Development of fully automatic pipe welding system 86—33880
Tanioka, T. *see* Otsuka, A. 87—3690
Tanir, O. *see* Hayes, J.F. 86—43572
Tanis, K.J. *see* Bunch, J.B. 86—18804
Tanis, M., Gerdin, G. Microwave emission from the dense plasma focus 85—22704
Tanis, W.J. *see* Singh, H.P. 88—19112
Tanisako, S. *see* Koga, S. 87—66634
Tanisawa, S., Hirose, H. Temperature compensated Doppler flowmeter for small diameter pipe 87—14617
Tanisawa, Y. *see* Aoyama, T. 88—39968
Tanisawa, Y. *see* Kondo, M. 88—1971
Tanishige, A. *see* Nishina, N. 87—49858
Tanishiro, Y. *see* Shimizu, N. 86—28212
Tanishita, K. *see* Kikkawa, S. 87—50245
Tanitsu, M. *see* Yamada, M. 87—37420
Taniuchi, K. Velocity profile of low Re number flow upstream of a sudden enlargement circular pipe 88—53938
Taniuchi, T., Yamamoto, K. Second harmonic generation with semiconductor laser diode 88—40347
Taniuchi, T., Yamamoto, K. Second harmonic generation in proton exchanged guides 88—58684
Taniuchi, T., Yamamoto, K. Second harmonic generation with GaAs laser diode in proton-exchanged $LiNbO_3$ waveguides 88—65871
Taniuchi, T. *see* Tohmon, G. 88—65709
Taniyama, K. *see* Watanabe, A. 85—52664
Taniyama, Y. *see* Saito, M. 88—38784
Tanizaki, N. *see* Iso, K. 88—42362
Tanizawa, H., Imai, M., Ohtsuka, Y. Polarization characteristics of a twist-etched, single-mode optical fiber coupler 86—28875
Tanizawa, H. *see* Ikeda, S. 87—70242
Tanizawa, H. *see* Imai, M. 87—3578
Tanizawa, I. International electronic message communication service 88—9057
Tanizawa, K., Minaguchi, D., Honaga, Y. Application of gas insulated transmission line in Japan 86—51021
Tanizawa, K. *see* Koizumi, T. 88—10465
Tanizawa, S. *see* Hotta, K. 87—2274
Tanizawa, S. *see* Ukai, J.-I. 87—73482
Tanizuka, N. A consideration of discharge phenomena generated in E cross B devices 86—27774
Tanizuka, N. A consideration of energetics on the discharge of E cross B type devices 87—24663
Tanizuka, N. A consideration of discharge phenomena generated in E cross B devices 87—53111
Tanizuka, N. A macroscopic study of discharges in a crossed-electromagnetic field system 87—66808
Tanizuka, N. Energy theory on discharges on E×B type devices 88—44515
Tanizuka, N. A phenomenological consideration on E×B discharges 88—45642
Tanji, A., Tanioka, S., Sato, A., Takahashi, T. Application of electron beam welding to nuclear power plant components. I. A study of its application to austenitic stainless steel 85—5567
Tanji, J. *see* Kinoshita, M. 88—48751
Tan'ji, J. *see* Omori, T. 86—12577
Tanji, K. *see* Yoshiyama, K. 87—8573
Tanji, M., Imanaka, R., Okino, Y., Tsuji, S., Masuda, W. Video and audio disk file system 85—52548
Tanji, M. *see* Miyazawa, I. 86—34451
Tanji, S., Matsuzawa, S., Wakatsuki, N., Soejima, S. A magnetic head of Mn-Zn ferrite single crystal produced by solid-solid reaction 86—36004
Tanju, M. *see* Jain, P. 88—68599
Tank, D., Brugel, M., Firth, S., Hertzfeldt, R., Lawrie, M., Reitz, W. Fast testing with the Turbo 88—39547
Tank, D.W., Hopfield, J.J. Simple 'neural' optimization networks: an A/D converter, signal decision circuit, and a linear programming circuit 86—52981
Tank, D.W., Hopfield, J.J. Collective computation in neuronlike circuits 88—25347
Tank-Nielsen, C. The role of telecommunication technology in future economic development 87—33890
Tanka, K. *see* Matsuda, A. 86—13797
Tankersley, L.L. *see* Cooper, D. 88—65769
Tankersley, L.L. *see* Dlabal, M.L. 85—12945
Tankersley, L.L. *see* Duncan, M.D. 88—72391
Tankersly, L.L. *see* Dlabal, M.L. 85—7517
Tankevich, E.N. *see* Stognii, B.S. 88—17683
Tankle, M.R. Network automates insurance services 86—59658
Tankov, I.I. *see* Kornyukhin, V.I. 88—14484
Tankovski, N.S. *see* Voloshinov, V.B. 85—7655
Tanksalvala, D. *see* Forsyth, M. 88—6896
Tanksalvala, D. *see* Yetter, J. 87—59601
Tanksalvala, D.F. *see* Mangelsdorf, S.T. 88—12276
Tanmatsu, K. *see* Nozoe, T. 85—37234
Tann, J.C.L. *see* Das, K. 88—18681
Tanna, R. General-purpose board is designer's first step into DSP 85—6333
Tanna, R. *see* Burk, G. 86—27333
Tannahill, A.A. *see* Aylett, B.J. 86—26902
Tannaka, Y. *see* Kuramochi, N. 88—22727
Tannakone, K., Fernando, C.A.N., Kariapper, M.S., Dewasurendra, M. Stabilization of a dye-sensitized photocathode by deposition of platinum 87—17856
Tannas, L.E., Jr. Electroluminescence catches the public eye 87—29207

Tanne, L. Remote Equipment Monitor 88−22472
Tanneau, G. Surface eddy currents in 'TRIFOU' when the skin depth is thin 88−52125
Tannehill, J.C. *see* Prabhu, D.K. 87−4069
Tannenbaum, M.J. *see* Alburger, D.E. 87−29500, 87−73974
Tannenbaum, M.J. *see* Bleser, E.J. 85−48153
Tannenbaum, P.M. The calorimetry of color displays: 1950 to the present 86−70026
Tannenberger, H. *see* Gobet, J. 88−31822
Tannenwald, P.E. *see* Brown, E.R. 87−29133
Tannenwald, P.E. *see* Fetterman, H.R. 85−13362
Tannenwald, P.E. *see* Sollner, T.C.L.G. 85−23496
Tannenwald, P.E. *see* Taylor, J.A. 86−4781
Tanner, A. *see* Swift, C.T. 87−57436
Tanner, B.K. *see* Hill, M.J. 86−14922
Tanner, B.K. *see* Kilner, M. 85−24054
Tanner, B.K. *see* Paige, D.M. 85−24165
Tanner, C.E., Masterson, B.P., Wieman, C.E. Atomic beam collimation using a laser diode with a self-locking power-buildup cavity 88−51978
Tanner, C.S. Payload vibroacoustics for Shuttle peculiar environments 86−60864
Tanner, D. *see* Drewniak, J. 87−27043, 88−2849
Tanner, D. *see* Lampe, R. 85−19194, 86−67457
Tanner, D. *see* Mitchell, K.W. 87−9793
Tanner, D. *see* Morel, D.L. 87−9786
Tanner, D.B. *see* Cho, S.-I. 88−29332
Tanner, D.P., Lewis, S.C., Miller, S.C. Transparent solar modules 87−9810
Tanner, D.P., Vasquez, S., Willett, D. Thickness dependent i-layer stability of thin film silicon:hydrogen solar cells: a comprehensive study 87−9846
Tanner, D.P. *see* Gay, C.F. 86−7025
Tanner, D.P. *see* Mitchell, K. 88−31025
Tanner, D.P. *see* Willett, D.R. 87−30991
Tanner, D.R., Atmore, D.C. Beamforming for high-speed scanning sonars using digital techniques 87−56284
Tanner, D.R., Smith, H.K., Mayes, P.E. Frequencies of resonance of slot radiators backed by very thin cavities 88−2753
Tanner, H.C. Loop RAS enhancement to sustain operation in local information-processing networks 85−19816
Tanner, J.S. *see* Hsu, F.K. 88−36448
Tanner, K.E. The in vivo measurement of fracture movement [using movement transducer] 86−32290
Tanner, K.E. *see* Evans, M. 86−32235
Tanner, N.W. *see* Kernel, G. 86−44601
Tanner, N.W. *see* Zavrtanik, D. 85−20814
Tanner, P. On-site paging 85−63552
Tanner, R. *see* Hammerli, B. 88−69383
Tanner, R.M. Algebraic construction of large Euclidean distance combined coding/modulation systems 87−54920
Tannhaeuser, A. ISDN subscriber access−advanced communication using ambitious technology 86−30209
Tannhauser, A. *see* Berner, W. 85−47048
Tanni, Y. *see* Ikeda, S. 88−41857
Tanniere, D. Integration of complex peripheral macrocells in ASICs 88−57713
Tannler, C. *see* Brandt, F.C.J. 88−36996
Tanno, K. Trends in power semiconductor switching devices 87−32455
Tanno, K., Iwakuma, Y., Nakamura, T. Optimum capacity-flow assignment problems with respect to fairness in loop networks 86−23504
Tanno, K., Nakamura, T., Sato, R. An analysis of the receiving behavior of a window flow control mechanism in packet switching networks 85−19572
Tanno, K. *see* Inuzuka, T. 86−23401
Tanno, K. *see* Ishitani, A. 86−53824
Tanno, K. *see* Iwakuma, Y. 85−57566, 86−69206
Tanno, K. *see* Kumagai, M. 87−78878
Tanno, K. *see* Tadauchi, M. 85−30654, 87−48508
Tanno, M., Mizuguchi, S. Single wafer dry etcher for VLSI production 86−53748
Tanno, M. *see* Inoue, J. 88−19154
Tanno, M. *see* Ishikawa, T. 88−15738
Tanno, N., Inaba, H. Generation of phase conjugate wave and its application to optical communication 86−4653
Tanno, N. *see* Saito, N. 86−25420
Tanno, N. *see* Shimizu, H. 86−65523
Tanno, Y., Isozaki, S. Analysis of the parametric magnetic sensor 88−42066
Tanno, Y., Kumagai, T. Ammeter with the magnetic sensor using parametric oscillation 87−3638
Tanno, Y., Watanabe, M., Isozaki, S. Realizations of simulation inductors using mutators with differentiators 86−27458
Tanno, Y., Watanabe, M., Isozaki, S. Realizations of simulation inductors using mutators with differentiators 87−52714
Tanno, Y., Yamakoshi, T. Fundamental experiments with magnetic sensor using parametric oscillation 88−60709
Tannock, J.D.T. *see* Maull, R.S. 88−38016
Tannock, J.D.T. *see* Wort, R.G. 88−38011
Tannous, C. *see* Brebner, J.L. 86−6995
Tannous, C. *see* Okoniewski, A.M. 88−50637
Tannous, C.G. *see* Kemp, M. 88−71495
Tanoguchi, A. *see* Nakashiba, H. 87−31818
Tanos, E. *see* Neveri, I. 88−62509
Tanoshima, K., Araki, T., Tsukada, M. Vibration analysis of piezoelectric actuators 86−2572
Tanoshima, K. *see* Araki, T. 86−18036, 86−31246
Tanoue, H. Contamination control in electron device fabrication 87−25415
Tanoue, H. *see* Kanayama, T. 85−34757
Tanoue, H. *see* Komuro, M. 85−18253
Tanoue, H. *see* Korenaga, S. 88−62177
Tanoue, H. *see* Makita, Y. 85−45533
Tanoue, M. *see* Yoshikawa, K. 87−58391
Tanoue, T. Magnetic resonance imaging 88−4904
Tanoue, T., Mizuta, H., Takahashi, S. A triple-well resonant tunneling diode for multiple-valued logic application 88−71506
Tanoue, Y. *see* Hoshi, A. 87−58206
Tanoue, Y. *see* Jinzenji, T. 86−41361
Tanpo, T. *see* Nagano, K. 86−57746
Tanrisever, O. *see* Koymen, H. 88−42558
Tans, P.P. *see* Welch, J.J. 85−20862
Tansal, S. *see* Cil, C.Z. 86−2162
Tansey, R.J., Holly, S. Development of an interferometric encoder for high resolution angular measurements 88−60915
Tansey, R.J. *see* Swain, D.M. 87−12602
Tansho, K. *see* Ishitani, T. 87−66293
Tansho, K. *see* Kasai, R. 85−35176
Tansho, K. *see* Yoshimura, H. 85−676
Tansil, T.B. Checking the mail [electronic voice mail] 85−19714
Tanskanen, P. *see* Kaila, K. 88−30167
Tanski, F. *see* Zecca, M. 86−16852
Tanski, W.J. The influence of a chrome film bonding layer on SAW resonator performance 87−6984
Tanski, W.J., Merritt, S.W., Sacks, R.N., Cullen, D.E., Branciforte, E.J., Carroll, R.D., Eschrich, T.C. Heterojunction acoustic charge transport devices on GaAs 88−26634
Tanski, W.J., Merritt, S.W., Sacks, R.N., Cullen, D.E., Carroll, R.D., Branciforte, E.J., Eschrich, T.C. A novel acoustic charge transport device utilizing GaAs/(Al,Ga)As heterojunctions (HACT) 88−39789
Tanski, W.J., St. Cyr, R.A., Vulcan, A., Gloeckl, C. The results of a two-year space-qualification study on a 500 MHz SAW resonator filter 86−2545
Tansley, T.L., Foley, C.P. Electron mobility in indium nitride 85−18072
Tansley, T.L., Foley, C.P. Polycrystalline indium nitride films 86−506
Tansley, T.L., Neely, D.F. Adsorption, desorption and conductivity of sputtered zinc oxide thin films 85−23453
Tansley, T.L., Neely, D.F., Foley, C.P. Conduction mechanism in sputtered polycrystalline zinc oxide thin films 85−6715
Tanso, S. *see* Kita, A. 88−17910
Tant, M.R., Henderson, J.B., Boyer, C.T. Measurement and modelling of the thermochemical expansion of polymer composites 85−33520
Tantaratana, S. Minimum *p*-error design of nonuniformly spaced linear array 85−13377
Tantaratana, S. Comparison of the SPRT and the sequential linear detector in autoregressive noise 86−16296
Tantaratana, S., Poor, H.V. Asymptotic relative efficiencies of multistage tests 86−16079
Tantaratana, S. *see* Lee, Y.-H. 88−66553
Tantareanu, C., Voicu, G. Review of specific issues of wind farms connected to the grid 87−64488
Tantareanu, C. *see* Voicu, G. 87−64487, 87−64489
Tantary, N.A. *see* Shah, N.A. 87−59711, 88−599, 88−872
Tantawi, A.N. *see* Goyal, A. 87−58735
Tantawi, A.N. *see* Nelson, R. 88−63152
Tantawy, M.A. *see* Farghal, S.A. 87−64478 to 64479
Tantillo, G. *see* Perissinotto, B. 85−16361
Tantin, P. *see* Duchateau, F. 85−26972
Tantin, P. *see* Meyrueix, P. 86−65792
Tanton, D. *see* Fleming, P.D. 85−32407
Tanton, D.M., Cohen, R.R., Probert, S.D. Improving the effectiveness of a domestic central-heating boiler by the use of heat storage 87−64968
Tanton, G.A., Walker, C.G., Grisham, J.A., Razi, S. A nondestructive technique for preprocessing semiconductor material 85−34700
Tanton, G.A. *see* Razi, S. 87−46604
Tanton, N.E. Electronic generation of text for television 85−47677
Tanton, N.E. Electronic generation of text for television 85−58285
Tanton, N.E. HDTV sources for the evaluation of studio and transmission standards 87−13855
Tanton, N.E. *see* Clarke, C.K.P. 85−47680
Tanton, N.E. *see* Drewery, J.O. 85−47662
Tantraporn, W., Glover, G.H. Extension of the C-V doping profile technique to study the movements of alloyed junction and substrate out-diffusion, the separation of junctions, and device area trimming 88−39098
Tantraporn, W., McConnell, M.D. GaAs Schottky diode's lateral surface potential distribution 88−57598
Tantraporn, W., Temple, V.A.K. Multiple-zone single-mask junction termination extension−a high-yield near-ideal breakdown voltage technology 88−13098
Tantraporn, W. *see* Chang, H. 87−46015
Tantraporn, W. *see* Chang, H.R. 88−26261
Tantraporn, W. *see* Korman, C.S. 88−75803
Tantraporn, W. *see* Temple, V.A.K. 87−6427, 87−45916
Tantsura, V.V. *see* Antonenko, A.I. 87−30576
Tanttu, M., Karppinen, J. An electric network simulator for computer-aided learning 87−35605
Tanttu, M., Pohjolainen, O. The development of local automation in electricity substations 85−44113
Tantzen, D. *see* Meiners, G. 87−16205
Tanuda, T. *see* Gomi, M. 86−7833
Tanuma, C., Endo, Y., Harada, N. SYNCHRO VISION CCD−high-resolution image reproduction for a CCD imager using swinging operation 86−11279
Tanuma, C., Kondou, Y., Itsumi, K., Takemura, Y., Kimura, M., Fukuoka, Y., Amano, M. Subminiature CCD colour television camera 88−29082
Tanuma, C., Yokoyama, K., Harada, N., Yoshida, O. A high resolution CCD imager module with swing operation 87−14198
Tanuma, C., Yoshida, S., Yamashita, Y. Piezoelectric materials for low hysteresis actuators 88−33432
Tanuma, C. *see* Endo, Y. 88−29441
Tanuma, C. *see* Harada, N. 86−17980
Tanuma, C. *see* Itsumi, K. 88−33472
Tanuma, C. *see* Takemura, Y. 87−56359
Tanuma, M. *see* Ito, T. 85−55648, 87−53324
Tanuma, M. *see* Matsuzawa, T. 86−2258, 86−8924
Tanuma, S. *see* Itoh, K. 86−8737
Tanuma, S. *see* Oguro, I. 88−39359
Tanuma, T., Kume, M., Matsuura, K., Abe, Y. Dependence of magnetic properties of metal evaporated tape on O_2 gas flow rate 88−13681
Tanuma, T., Yamanaka, M., Matsuura, K., Abe, Y. The effect of deposition rate on the properties of vacuum evaporated Co-Ni films 88−31846
Tanura, S. *see* Yanagihara, Y. 85−63116
Tanwar, L.S., Kunzmann, H. An electro-optical sensor for microdisplacement measurement and control 85−3962
Tanwar, L.S., Wasan, V.P., Kunzmann, H. A new dilatometer based on an electro-optical measurement technique 87−29064
Tanwar, L.S. *see* Gupta, B.N. 85−37386, 88−7976
Tanyel, M. *see* Onaral, B. 87−65121, 88−18389
Tanyi, M. *see* Bokor, J. 88−17096
Tanyi, M. *see* Lengyl, G. 86−32698
Tanz, W., Lambert, W.C. Applications of morphimetrics to cell sorter technology: studies of cell viability and DNA repair 88−48085
Tanzawa, A. *see* Obara, H. 88−51364
Tanzawa, K. *see* Furukawa, K. 87−25043
Tanzawa, K. *see* Shimbo, M. 85−40633, 87−37990, 88−26061
Tanzer, D., Hansch, C., Bertoldi, R., Richter, H., Lingel, S., Mohr, H., Godau, J. Some application-orientated properties of stress-reduced silicon wafers 86−14990
Tanzer, H. *see* Basiulis, A. 87−44008
Tanzer, M. The D 600 D GS site intercom system in use with the Stuttgart luggage handling office 88−41531
Tao, B.P., Abut, H., Mehran, F. LSI architecture for VQ systolic array systems 87−37374
Tao, B.P.M. *see* Abut, H. 87−61686
Tao, D., Hartmann, C.R.P., Lala, P.K. An efficient class of unidirectional error detecting/correcting codes 87−54999
Tao, D.L., Hartmann, C.R.P., Lala, P.K. An efficient class of unidirectional error detecting/correcting codes 88−66290
Tao, D.L., Lala, P.K., Hartmann, C.R.P. A concurrent testing strategy for PLAs 87−31837
Tao, D.L., Lala, P.K., Hartmann, C.R.P. Three-level totally self-checking for 1-out-of-*n* code 87−66147
Tao, D.L., Lala, P.K., Hartmann, C.R.P. A MOS implementation of totally self-checking checker for the 1-out-of-3 code 88−56582
Tao, D.S. Local area networks for libraries−cast and recast 87−62623
Tao, G. *see* Ioannou, P. 87−31625
Tao, G. *see* Narasimhamurthi, N. 86−56313
Tao, H., Morrison, I.F. The measurement of power system frequency using a microprocessor 87−30280
Tao, J. *see* Martinez, R. 87−55764
Tao, J.W., Baudrand, H. Rigorous analysis of triple-ridge waveguides 88−58910

Tao, K.M., Weinhaus, F.M. Adaptive noise cancelling applied to image restoration 86−10527
Tao, M., Bui Ai, Dorlanne, O., Loubiere, A. Different 'single grain junctions' within a ZnO varistor 87−32584
Tao, M., Dorlanne, O., Gaucher, P., Perrier, R.L. Ageing and degradation of flat disc low voltage ZnO varistors 88−38777
Tao, S. *see* Tarducci, D. 88−60211
Tao, T. Characterization of ZnSe grown by molecular-beam epitaxy 86−7778
Tao, T. *see* Matsumoto, K. 85−40778
Tao, Y. *see* Fijiwara, K. 85−42217
Tao, Y.F. *see* Hadjipanayis, G.C. 86−15358, 86−21962, 87−25857
Tao Chun Kan, Chen Nian Jiang Structural information of the volume hologram from Mie scattering 87−68647
Tao Chunkuang The amount of information for the rainbow-holography systems 85−56853
Tao Du-chun A practical approach to leakage correction of frequency and amplitude in FFT power spectrum 85−51596
Tao Duchun A syntactic approach to automated spectral peak recognition 86−36989
Tao Gu *see* Gu Tao
Tao I-wei *see* I-wei Tao
Tao Jiang *see* Jiang Tao
Tao Jin *see* Xing-shu Xie 86−60691
Tao Jing-Wei *see* Jing-Wei Tao
Tao Ke-yi *see* Ke-yi Tao
Tao Li SYSIM: a simulation tool for systolic processors 87−44897
Tao Li, Smith, K.F. Exploiting equilateral-triangular architectures for VLSI systolic implementation 88−25253
Tao Lu *see* Lu Tao
Tao Pham Dinh *see* Pham Dinh Tao
Tao Qin *see* Qin Tao
Tao Quintian *see* Wei Rongjue 87−21798
Tao Ruimin *see* Tang Renyuan 87−22305
Tao Shi-Guang *see* Li Xin 88−22990
Tao Tang *see* Tang Tao
Tao Xiaonong *see* Chen Liqun 88−61810
Tao Xiaonong *see* Ye Shixun 88−30273, 88−61806
Tao Xing-shi *see* Gu Cheng-lin 87−22369
Tao Xingshi, Xiao Jingming The low frequency oscillation in the high stepping process of step motors 87−51274
Tao Xizhi *see* Xu Jiazhen 88−20858
Tao Xuezhong *see* Zhang Jialin 85−1202
Tao Yao Sing *see* Yeoh, F.S.C. 88−9187
Tao Yongxiang *see* Tang Xingli 86−3096
Tao You-Huo *see* Zhang Pei-Kun 88−4548, 88−22698
Tao Zhang *see* Zhang Tao
Tao Zhang Lin *see* Zhang Lin Tao
Tao Zhaomin Photoemissions of Pd-Ag-O-Cs and Sb-Na-K-Cs photocathodes under the illumination of clear star radiation 87−45487
Tao Zhu-ji *see* Jiang Ding-yu 87−22347
Tao Zucong *see* Cheng Nianan 86−28706
Tao Zuo *see* Zuo Tao
Taoda, K., Fukao, M., Shimizu, M. Laser micro gauge 87−49948
Taoda, K. *see* Herose, H. 85−38429
Taoda, K. *see* Kobayashi, Y. 86−26157
Taoda, K. *see* Mori, S. 86−26158
Taoda, M. *see* Tanaka, M. 85−37682
Taoda, Y. *see* Nagatomo, T. 86−28159
Taoka, H., Abe, S. Fast transient stability analysis suited for an array processor [power systems] 85−48520
Taoka, H., Abe, S. Fast solution method of simultaneous linear equations for pipeline operation and its application to power system analysis 86−38996
Taoka, H., Abe, S. Fast solution method of sparse network equations with an array processor 86−56409
Taoka, H., Abe, S. Fast solution method of sparse network equations with an array processor [power system analysis] 87−30007
Taoka, H., Ikeda, D., Nishikawa, N. Safety parameter display system in nuclear power plant 88−43001
Taoka, H. *see* Shimada, R. 85−53767
Taosheng Yang *see* Yang Taosheng
Taouk, M. *see* Green, M.A. 86−66319, 87−4895, 87−15971, 87−15985, 88−31028
Taouk, M. *see* Halmann, M. 87−22753
Taoyun Wang, Harrington, R.F., Mautz, J.R. The equivalent circuit of a via 88−49943
Taper, C.W. Distributed electronic mail: practical implementation experiences 86−64596
Tapfer, L., Stolz, W., Ploog, K. Structural characterization of $Ga_{0.47}In_{0.53}As/Al_{0.48}In_{0.52}As$ superlattices grown by molecular beam epitaxy 87−24882
Tapfer, L. *see* Contreras, G. 86−8739
Tapfer, L. *see* de Miguel, J.L. 86−9665
Tapia, M. *see* Nordlander, E. 85−20693
Tapia, M.A. *see* Guima, T.A. 87−52557
Tapia, M.A. *see* Tucker, J.H. 85−28456
Tapiero, C.S., Hsu, L.-F. Randomized quality control of a 2-station machining process with blocking 87−23378
Tapiero, C.S., Lie-Fern Hsu Quality control of the *M/M/*1 queue 87−31315
Tapiero, C.S., Ritchken, P.H. Note on the (*N*, *T*) replacement rule 86−13558
Tapiero, M., Tarabichi, S., Gies, J.G., Noguet, C., Zielinger, J.P., Joucla, M., Loison, J.L., Robino, M., Herion, J. Preparation and characterization of Zn_4Sb_3 86−402
Tapiero, M. *see* Serpi, A. 86−36304
Tapjan, T. *see* Paz, E. 87−70072
Tapley, B.D., Lundberg, J.B., Born, G.H. The SEASAT altimeter wet tropospheric range correction revisited 85−19123
Tapley, B.D., Schutz, B.E., Abusali, P.A.M., Balakrishnan, S.N., Ho, C.S. A new method for enhancement of data separability and data classification in multisensor-multitarget tracking problems 86−4711
Taponecco, L. *see* Carrara, G. 86−33399, 87−22395, 87−43023, 88−62664
Tapp, S.D. *see* Halliburton, L.E. 86−42027
Tapp, T. *see* Taylor, T. 87−15137
Tappan, J.H., Wright, M.E., Sistler, F.E. Error sources in a digital image analysis system 88−14756
Tappan, P.W. A graphic method for choosing and aiming loudspeakers for reinforcement 86−49881
Tappeiner, H. Progressive UPS-technology 86−61616
Tappeiner, H. *see* Berndt, D. 87−22552
Tappenden, J. Industrial BASIC micros encourage acquisition 85−17450
Tapper, R.J. *see* Bailey, R. 85−15164
Tapper, R.J. *see* Gooch, T.K. 86−25139
Tapper, R.J. *see* Tkaczyk, S.M. 88−54432, 88−68283
Tappern, G.J. *see* Bateman, J.E. 85−4286
Tappert, C.C. *see* Kurtzberg, J.M. 85−46927
Tapping, J. *see* Jones, T.P. 88−47704
Tapping, R.L., Sawicka, B.D. Computer-assisted tomography for the nondestructive evaluation of hydrogen-induced cracking in steel 88−38289
Tapping, R.L. *see* Sawicka, B.D. 87−36849
Tappmeyer, D., Rosocha, H. What you want (as you like it) [costume made ICs] 86−47791
Tapster, P.R., Rarity, J.G., Satchell, J.S. Generation of sub-Poissonian light by high-efficiency light-emitting diodes 87−74932
Tapster, P.R., Rarity, J.G., Satchell, J.S. Use of parametric down-conversion to generate sub-Poissonian light 88−45550
Tapster, P.R. *see* Claxton, P.A. 87−44323
Tapster, P.R. *see* Rarity, J.G. 88−14268
Tapucu, A. *see* Morris, D. 88−16116
Tapucu, A. *see* Teyssedou, A. 88−53665
Taqqu, D. Phase space compression of muon beams 86−60500
Taqqu, D. *see* Morenzoni, E. 88−22972
Taqui Khan, M.M. *see* Bhardwaj, R.C. 85−5352, 85−32671
Taqvi, S.G.H., Iqbal, M., Rizvi, S.D.H. Design of microprocessor based private automatic branch exchange. II. Software design 85−47323
Taqvi, S.G.H., Khan, M.A.R., Jaffery, P.R., Baqar, S.H. Universal PROM programmer for programmable read only memories 85−45043
Taqvi, S.G.H., Siddiqui, M.Z. Digitally remote controlled and programmable DC power supply 87−72249
Taqvi, S.G.H., Zaidi, S.K.A. Digital thermometer and temperature controller 86−65292
Tar, D. Two new flame detectors 85−43001
Tar, J. *see* Abraham, T.O. 85−12813, 85−35681
Tar, Z.J. *see* Jenkins, C.H. 85−36621
Tar Su Hsu *see* Hsu Tar Su
Taraba, O., Valenta, J. Estimation applied in technical diagnostics with statistical ultrasonic measurement 85−38374
Tarabarov, A.B. A bordering algorithm for forming a matrix of cofactors 87−52289
Tarabarov, S.B. Analysis of electronic circuits using the matrix of algebraic complements 85−17057
Tarabarov, S.B. A set-topology technique for analysis of electronic circuits 87−10548
Tarabarov, S.B. Numerical differentiation when solving computer-aided design problems 87−44225
Tarabarov, S.B. *see* Trokhimenko, Ya.K. 87−65623, 87−73222
Tarabasov, Yu.M. *see* Ivenskii, G.V. 87−43205
Tarabella, L. The Primula Machine [music composition and synthesis system] 87−63192
Tarabichi, S. *see* Tapiero, M. 86−402
Taraborkin, L.A. *see* Dudko, D.A. 87−43687
Taraborkin, L.A. *see* Pokhodnya, I.K. 85−16474, 85−60597
Tarabrin, Yu.K. Stabilizing the phase-frequency characteristics of regenerative parametric amplifiers 88−38395
Tarabuev, S.T. Comparative analysis of two methods of calculation of detection characteristics of interperiod processing systems with noncoherent accumulation and normalization 87−61864
Tarabuev, S.T. *see* Koshevoi, V.M. 86−23044
Tarabukin, A.B. *see* Radautsan, S.I. 85−16239
Taradaj, V.I. *see* Butz, U. 88−23589
Taradajko, N. The beneficial application of prognosis methods for the quality improvement of planning the development ratio of work productivity and average wages in Kombinats 86−46000
Taradanov, A.L. *see* Aushev, V.E. 87−3863
Taraeva, T.G., Mikhailov, Yu.I. Experience in application of palladium-free activation to a negative method of production of PCBs 86−35211
Tarafdar, G. *see* Sen, A.K. 87−47196
Tarafdar, P. *see* Sen, A.K. 87−47196
Tarafdar, P.K. *see* Sen, A.K. 86−63999
Tarakanov, A.A. *see* Kontorovich, A.M. 87−9075
Tarakanov, M.Yu. *see* Belkin, N.V. 88−70512
Tarakanov, N.M. *see* Ageev, A.I. 88−47779
Tarakanov, N.M. *see* Andreyev, N.I. 85−26650
Tarakanov, N.M. *see* Balbekov, V.I. 85−26562
Tarakanov, S.S. *see* Demin, Yu.I. 85−5068
Tarakanov, V.M. *see* Khutoretskii, G.M. 87−4664
Tarakanov, V.P. *see* Yatsenko, A.A. 85−5183, 87−51349
Tarakhno, V.V. *see* Borodayev, V.A. 87−66503
Taralli, C., Almeida, G.R., Hattori, R.S., Sanches, M.A.B. Topological mapping of disruptive discharges in extruded dielectrics. I. Mapping of the discharge path 88−30390
Taralli, C. *see* Hattori, R.S. 88−26624
Tarallo, J.A., Zysman, G.I. A digital narrow-band cellular system 87−69967
Tarallo, J.A., Zysman, G.I. Modulation techniques for digital cellular systems 88−73826
Taramoto, A. *see* Takeda, M. 88−11515
Taran, A.V. *see* Andrianov, V.V. 85−41081
Taran, J.-P. *see* Pealat, M. 85−35849
Taran, M.D. *see* Dem'yanov, A.V. 86−29055
Taran, O.E. *see* Grishin, A.D. 87−42672
Taran, O.E. *see* Mishkin, N.A. 86−33252
Taran, O.E. *see* Storozhuk, Ya.P. 86−61368
Taran, V.A. A regulated arrangement (system) of AC and DC voltage 88−37257
Taran, V.I., Pod'yachiy, Yu.I., Smirnov, A.N., Gershteyn, L.Ya. Ionospheric disturbances after a surface explosion as analyzed by incoherent scattering 87−39381
Taran, V.N., Khutortsev, V.V. Spline-collocation method as used for synthesizing a combined signal detection and estimation system 86−3878
Taran, V.N. *see* Bulychev, Yu.G. 88−74030
Taran, V.N. *see* Khutortsev, V.V. 88−27958
Taran, Yu.V. Multilayer cylindrical magnetic screens [for particle beam experiments] 86−29430
Taranenko, A.A. *see* Lapkin, L.Ya. 88−59578
Taranenko, L.V. *see* Brodin, M.S. 88−58500
Taranenko, N.I. *see* Dmitruk, N.L. 87−60216
Taranenko, S.T. *see* Podkopaev, K.P. 87−35239
Taranenko, V.B. *see* Akul'shin, A.M. 86−36495
Taranenko, V.B. *see* Bazhenov, V.Yu. 85−29868, 86−36609, 87−26057, 87−46492, 88−34047
Taranenko, V.B. *see* Soskin, M.S. 85−56884
Taranenko, V.B. *see* Vasnetsov, M.V. 86−3338, 87−75258
Taranenko, V.G. Error ion compensating phase fluctuations of a wave field using adaptive reflectors with solid and composite surface 85−53180
Taranenko, V.G. *see* Golikov, A.P. 87−75257
Taranenko, V.G. *see* Kislov, V.I. 88−44337
Taranenko, V.P. *see* Diyachenko, S.M. 85−23136
Taranenko, V.P. *see* Kotserzhinskii, B.A. 87−16923, 88−63913
Taranenko, V.P. *see* Zaritskaya, E.A. 87−45245
Taranenko, Yu.K. *see* Bushlanov, V.P. 87−63364
Taranenko, Yu.N., Chmyrev, V.M. Interaction between whistler waves and ion-cyclotron waves in magnetospheric plasma 87−33446
Taranets, G.M., Tonakanov, B.A., Yefimov, N.S. A method of designing DC operational amplifier stages 86−27101
Taranik, J.V. *see* Borengasser, M.X. 88−67478, 88−74019
Tarankov, G.A. *see* Ageev, A.G. 87−71792
Tarankova, N.D. *see* Grinchenko, S.T. 85−2725, 86−37042, 88−2914, 88−66262, 88−72716
Taranov, S.G., Borshcheva, N.O., Vasilyev, E.P., Karasinsky, O.L., Tulchinsky, D.Yu. Use of spline-interpolators in recorders with time scale conversion 88−53753
Taranov, S.G., Karasinskii, O.L., Efremov, V.E. A study of methodic measurement errors associated with quantization of signals in an analogue-digital spectrum analyser of the compensation type 85−58642
Taranov, S.G., Karasinskii, O.L., Tulchinskii, D.Yu. Errors in discretised signals restoration by hybrid digital-analog interpolators 87−55062
Taranov, S.G. *see* Andrievskii, V.E. 86−12525
Taranov, V.V. *see* Kravchenko, V.I. 86−9806, 87−75181, 88−34098
Tarantino, A. *see* Rotondale, N. 85−16037
Taranto, G. *see* Barbarossa, S. 88−4105
Taranto, R.E. Epistemological foundations of the information theory 86−29660
Tarantola, A. A strategy for nonlinear elastic inversion of seismic reflection data 87−21766
Tarantola, A. *see* Ikelle, L.T. 86−64250

Tarantov, Yu.A., Gromov, A.I., Drozd, V.E., Romanychev, A.I., Bogdanova, L.P. Properties of germanium-insulator structures prepared by molecular deposition of titanium and chromium oxides onto a germanium surface in the electrolyte-insulator-semiconductor system 85—29068
Tarantov, Yu.A. *see* Bratov, A.V. 87—3587
Tarantov, Yu.A. *see* Kostikov, Yu.P. 85—29148
Tarantov, Yu.A. *see* Lyashenko, A.V. 85—12041
Taranu, V. *see* Pocata, A. 85—38498
Taranukhin, V.D. Feasibility of shortening picosecond infrared radiation pulses in semiconductors 86—36552
Taranukhin, V.D. *see* Akhmanov, S.A. 87—33101
Taranukhin, V.D. *see* Korenchenko, A.E. 88—14086
Taranukhin, V.D. *see* Platonenko, V.T. 85—51107, 86—68609, 87—68341, 87—68583
Tarapov, S.I. *see* Vertii, A.A. 86—3625
Tarapova, E.I. *see* Sukharevskii, I.V. 87—19283
Taras, E. Private telephone exchanges, type Pentaconta 5B and 7E. Continuation 85—36866
Taras, E. Pentaconta 18E private automatic exchanges. I 86—4438
Taras, E. Pentaconta 18E exchanges 86—23619
Taras, E. Private telephone exchanges type Pentaconta 18E 86—59732
Taras, E. Private telephone exchanges type Pentaconta 18E 86—59733
Taras, E. Private branch exchange type Pentaconta 18E 87—13519
Taras, E. Pentaconta 18E telephone exchanges 87—40578
Taras, E. Pentaconta 18E exchanges 87—40579
Taras, E. Pentaconta 18E telephone exchanges 87—40580
Taras, E. Telephone exchange 18E. II 87—55913
Taras, E. 18E Pentaconta exchanges 87—69832
Taras, E. Pentaconta 18E telephone exchanges 88—9353
Taras, E. Subscriber switchboards Pentaconta 18E 88—9354
Taras, E. Pentaconta 18 E exchanges. VI 88—15286
Taras, E. Pentaconta 18E exchanges 88—15289
Taras, E. Pentaconta 18E telephone exchanges 88—35319
Taras, E. Pentaconta 18E telephone exchanges 88—41484
Taras, E. Pentaconta 18E telephone exchanges 88—53100
Taras, E. Pentaconta 18E telephone exchanges 88—53101
Taras, E. Subscriber switchboard Pentaconta 18E 88—59929
Taras, E. Pentaconta 18A exchanges 88—67191
Taras, E. PENTACONTA 18E exchanges 88—67192
Taras, E. *see* Koper, A. 85—36867, 85—57878
Taras, P. *see* Andrews, H.R. 85—20871
Taras, P. *see* Martin, J.-P. 88—56716
Tarascon, J.M. Mo_6Se_6: A new solid-state electrode for secondary lithium batteries 86—13018
Tarascon, J.M., Orlando, T.P., Neal, M.J. Rechargeable lithium batteries based on the ternary Chevrel phase $AgMo_6S_8$ as the cathode 88—55584
Tarascon, J.M. *see* Hertel, G.B. 87—67836
Tarascon, R.G., Frackoviak, J., Reichmanis, E., Thompson, L.F. Chemical factors affecting NPR performance 88—13247
Tarascon, R.G., Shugard, A., Reichmanis, E. Synthesis and lithographic characterization of a novel organosilicon novolac resin 87—11878
Tarascon, R.G., Shugard, A., Reichmanis, E. Reactive ion etching and lithographic characterization of a new organosilicon resist 87—67130
Tarascon, R.G. *see* Frackoviak, J. 88—13255
Tarascon, R.G. *see* Hartney, M.A. 85—34722
Taraseiskey, H. Custom power hybrids 86—20993
Tarasenko, A.A. *see* Bondar, V.M. 86—21092
Tarasenko, A.I. *see* Kurilo, I.A. 85—38957, 88—23991
Tarasenko, A.S. *see* Boldyshev, V.F. 88—54012
Tarasenko, A.S. *see* Bulyak, E.V. 86—5676
Tarasenko, L.G. Experiments in the field of 3D television 86—17626
Tarasenko, L.G. Automatic focusing in motion picture and video cameras 86—68361
Tarasenko, N.V. *see* Batishche, S.A. 86—3315
Tarasenko, O.A. *see* Pentegov, I.V. 85—41648
Tarasenko, O.A. *see* Pis'mennyi, A.S. 87—16195
Tarasenko, S.V. *see* Lekhin, S.N. 87—3446
Tarasenko, V.F., Panchenko, A.N., Mel'chenko, S.V., Belokrinitskii, N.S., Antonenko, M.P., Stupak, Yu.I., Voloshina, G.A., Tkachuk, O.A. High-power compact XeCl laser pumped by a self-sustained discharge 88—58443
Tarasenko, V.F. *see* Bunkin, F.V. 85—56506, 86—3036, 86—36388, 86—63755, 87—2080
Tarasenko, V.F. *see* Bunkon, F.V. 87—74971
Tarasenko, V.F. *see* Derzhiev, V.I. 87—26310, 87—68358, 88—65578
Tarasenko, V.F. *see* Grigoryan, Yu.I. 87—33103
Tarasenko, V.F. *see* Koval', N.N. 87—12400
Tarasenko, V.F. *see* Kozyrev, A.V. 85—7386
Tarasenko, V.F. *see* Kumpyak, E.V. 88—25618, 88—34187
Tarasenko, V.F. *see* Lomaev, M.I. 86—9738, 87—74991, 88—14101
Tarasenko, V.F. *see* Mel'chenko, S.V. 85—24479, 86—15640, 87—26318, 87—26521
Tarasenko, V.F. *see* Samsonova, L.G. 86—36322
Tarasenko, V.F. *see* Skakun, V.S. 88—51748
Tarasenko, V.F. *see* Vintizenko, L.G. 87—54221
Tarasenko, V.F. *see* Zaroslov, D.Yu. 85—35695
Tarasenko, V.L. *see* Veremeenko, S.V. 85—6050
Tarasenko, V.P. *see* Pavelets, S.Yu. 87—22733, 87—30977
Tarasenko, V.V. *see* Antipenko, B.M. 86—68456
Tarasenko, V.V. *see* Ogrin, Yu.F. 85—56128
Tarasenko-Zelenaya, L.I. *see* Sin'kov, M.V. 85—7924
Tarasenkov, V.A. *see* Batrak, I.K. 85—1220
Tarasenkov, V.A. *see* Grigor'ev, Yu.V. 88—64171
Tarasevich, A.P. *see* Boichenko, V.L. 85—2416
Tarasevich, A.P. *see* Lunchev, V.A. 85—56797
Tarasevich, A.P. *see* Magnitskii, S.A. 86—29240
Tarasewicz, S.W. A simple GaAs MESFET model for circuit simulation reflecting the dependence on device geometry and process 88—71622
Tarasewicz, S.W., Salama, C.A.T. Analytical modeling of a depletion MOSFET operating in the accumulation-punchthrough modes 86—58490
Tarasewicz, S.W., Salama, C.A.T. Simulation of the accumulation-punchthrough mode in depletion MOSFETs 87—6736
Tarasewicz, S.W., Smith, D.A. Analytical modeling of p-well resistors for CAD 86—21876
Tarasewicz, S.W. *see* Smith, D.A. 88—33372
Tarashchuk, Yu.Ye. *see* Drobzhev, V.I. 87—39378
Tarashchuk, Yu.Ye. *see* Kiselev, V.F. 87—39376
Tarasiewicz, E., Dableh, J.H., Findlay, R.D. Accurate computation of axisymmetric vector potential fields with the finite element method 88—2444
Tarasiewicz, E., El-Kady, M.A., Anders, G.J. Generalized coefficients of external thermal resistance for ampacity evaluation of underground multiple cable systems 87—35644
Tarasiewicz, E., Findlay, R.D., Dableh, J.H. The variational treatment of the diffusion equation for vector field problems 88—2445
Tarasiewicz, E., Kuffel, E., Grzybowski, S. Calculation of temperature distributions within cable trench backfill and the surrounding soil 85—59737
Taraskin, S.N. Quasiequilibrium transport of carriers in glassy semiconductors 86—27892
Taraskin, S.N. Dispersive transport in distorted semiconductors with self-localized electron pairs 87—53147
Taraskin, S.N. *see* Klinger, M.I. 85—34526
Taraskin, S.N. *see* Klinger, M.N. 86—22224
Tarasov, A.A. *see* Groznov, M.A. 88—72166
Tarasov, A.A. *see* Kornev, A.F. 85—2392
Tarasov, A.A. *see* Lyubimov, V.V. 87—68589
Tarasov, A.I., Okolotin, V.S., Rumyantsev, D.E. Minimum-loss mode of two-circuit coaxial-cable transmission lines 87—21927
Tarasov, A.I., Savchuk, T.E., Kurochkin, A.N., Rumyantsev, D.E. Testing of 110 kV cable with polyethylene insulation 88—30375
Tarasov, A.I. *see* Aksenov, Yu.P. 85—62126, 87—9686, 87—43187
Tarasov, A.V. *see* Lavrovskaya, O.I. 87—68609
Tarasov, E.N. *see* Deryagin, A.V. 85—24080
Tarasov, E.P. *see* Koroleva, O.B. 85—26128
Tarasov, E.P. *see* Potapova, V.M. 87—50595
Tarasov, E.V. *see* Korolkov, V.L. 87—72320
Tarasov, E.V. *see* Kosykh, V.P. 85—2866
Tarasov, I.S. A generalization of an algebraic interpolation polynomial to the case of many variables 85—54350
Tarasov, I.S., Garbuzov, D.Z., Evtikhiev, V.P., Ovchinnikov, A.V., Sokolova, Z.N., Chudinov, A.V. Characteristic features of the temperature dependences of the threshold of separate-confinement InGaAsP/InP double-heterostructure lasers ($\lambda = 1.3\ \mu$) with thin active regions 86—22381
Tarasov, I.S. *see* Alferov, Zh.I. 85—56664, 85—62561, 86—58941, 87—2123, 87—18977, 88—14202, 88—27173
Tarasov, I.S. *see* Evtikhiev, V.P. 86—22380
Tarasov, I.S. *see* Garbuzov, D.Z. 87—39124, 88—27172, 88—65716
Tarasov, I.S. *see* Gorelenok, A.T. 85—11995, 85—23534, 85—34594, 85—46411, 86—54148
Tarasov, L.A. *see* Veremeenko, S.V. 85—6050
Tarasov, M.A. *see* Belitsky, V.Y. 87—67853
Tarasov, M.A. *see* Vystavkin, A.N. 85—1882, 88—44096
Tarasov, M.D. *see* Aleksandrovich, K.V. 87—26409
Tarasov, M.D. *see* Belkin, N.V. 88—70512
Tarasov, M.D. *see* Suchkov, V.P. 88—68186
Tarasov, M.M., Shmat'ko, A.A. Optimization of resonant distributed-interaction O-type oscillators 86—21047
Tarasov, M.M., Shmat'ko, A.A. Optimisation of a microwave oscillator with long O-type interaction 86—41480
Tarasov, M.M., Tret'yakov, O.A., Shestopalov, V.P., Shmat'ko, A.A. Pontryagin maximum principle in problems of optimization of diffraction electronics devices 86—21015
Tarasov, M.M., Tret'yakov, O.A., Shestopalov, V.P., Shmat'ko, A.A. Optimization of diffraction electronic devices 87—73958
Tarasov, N.A. *see* Polovnikov, V.A. 87—3546
Tarasov, N.F. *see* Venikov, N.I. 87—14697
Tarasov, R.P. Eigenwaves of helical optical waveguides with quadratic refractive index 86—15485
Tarasov, V.A. *see* Mironov, Yu.M. 85—60550
Tarasov, V.B. *see* Aslanyan, A.M. 86—3685, 88—35627
Tarasov, V.F. *see* Kirsanov, V.A. 85—48128
Tarasov, V.F. *see* Taborov, V.F. 86—14022
Tarasov, V.I. *see* Anzin, V.B. 86—7290
Tarasov, V.I. *see* Gurevich, V.L. 88—54863
Tarasov, V.M., Brygin, S.I. A phase-locked loop with an acoustoelectronic convolver 87—44688
Tarasov, V.M., Tomchakov, V.K. Multiple-sampling analog-to-digital converter for the waveform analysis of solitary signals 85—26276
Tarasov, V.M. *see* Anan'in, P.S. 86—50385
Tarasov, V.M. *see* Kalinin, B.N. 86—50297
Tarasov, V.N. Damping rotor oscillations in a hysteresis motor having parametric pulse control of the magnetisation 87—72114
Tarasov, V.N. *see* Kruglikov, V.K. 87—16464
Tarasov, V.P. *see* Lavrov, G.N. 85—21269
Tarasov, V.V. *see* Gleibman, E.M. 85—65048
Tarasov, V.V. *see* Sapel'nikov, V.M. 86—67090
Tarasov, Yu.A., Vydolob, G.M. Planning and designing fractional-rational code-phase convertors with multiple-loop feedback 85—6477
Tarasov, Yu.N. *see* Ivanova, V.M. 85—23367
Tarasova, N.F. *see* Kim En Dar 86—59092
Tarasova, N.V. *see* Bagdasarov, Kh.S. 88—72304
Tarasova, T.F., Khayutin, S.G., Pankratova, L.A., Plakushchaya, A.F., Tyuvin, Yu.D., Buchnev, A.P. Prolonged operation of chromel-alumel and chromel-copel calibration thermocouples 86—44268
Tarasova, T.N. *see* Aronov, M.A. 85—59385 to 59386
Tarasova, V.P. Optimum strategies for reconstructing characteristic functions 87—65373
Tarassenko, L., Pidcock, M.K., Murphy, D.F., Rolfe, P. The development of impedance imaging techniques for use in the newborn at risk of intra-ventricular haemorrhage 86—32244
Tarassenko, L., Stange, U. Review of optical sensors for biomedical applications 86—56116
Tarassenko, L. *see* Murphy, D. 87—50323
Tarassenko, L. *see* Stange, U. 88—42500
Tarasyuk, G.P. *see* Pokhmurskii, V.I. 85—17022
Tarasyuk, P.K. *see* Kuzhekov, S.L. 88—17519
Taraszkiewicz, J. *see* Subbarao, S. 88—48291
Taraszow, O. *see* Iwainsky, A. 86—49057
Taratin, V.A. *see* Kaganovich, E.L. 87—42362
Taratorin, A.M. On the regularization of iteration algorithms for signal reconstruction 88—8769
Taratorin, A.M. Recovery Algorithms for signals with constraints 88—72956
Taratorin, A.M. *see* Matlashov, A.N. 87—50205
Taratuta, I., Kulakov, V., Vikulin, A. The Ekibastuz-Centre power transmission line 88—48574
Taratuta, I.P. *see* Bortnik, I.M. 85—65316
Taratuta, I.P. *see* Kulakov, V.P. 86—51779
Taratuta, I.P. *see* Kuzemin, A.I. 87—74276
Taratynov, V.S. *see* Sergeenko, V.S. 86—1154
Tarazi, M.Nabih El *see* Nabih El Tarazi, M.
Tarazi, M.N.El *see* El Tarazi, M.N.
Tarazi, N.N.El *see* El Tarazi, N.N.
Tarba, A.G. *see* Gronskii, V.I. 87—3359
Tarbeev, Yu.V. Contemporary status of problems in force measurements 86—18139
Tarbeev, Yu.V., Bubnova, N.O., Gerasimov, N.P., Klimenko, E.Yu., Novikov, S.I., Chalenko, N.S. Utilization of superconductivity in force measurements 86—18140
Tarbeev, Yu.V., Chelpanov, I.B., Sirava, T.N. Metrological certification of algorithms for measurement-data processing 86—44106
Tarbeev, Yu.V., Krasnov, K.A., Gerasimov, N.P., Tuninskii, V.S. Fundamental physical constants and reproduction of units of physical quantities 85—47793
Tarbeev, Yu.V., Mostepanenko, V.M., Eides, M.I. Fundamental physical constants and standards 87—56456
Tarbeev, Yu.V., Starobogatov, R.O., Trunov, N.N. Limiting structural constraint sources in refining Avogadro's number 88—74238
Tarbeev, Yu.V. *see* Gubanova, L.N. 85—20705
Tarbeev, Yu.V. *see* Korobov, V.K. 85—47785
Tarbes, J. *see* Frouin, J. 88—42456
Tarbeyev, Yu.V. The work done at the Mendeleyev Research Institute of Metrology (VNIIM) to improve the values of the fundamental constants 85—63937
Tarbeyev, Yu.V., Kravchenko, S.A., Koltik, E.D. Metrological studies in the field of phase-angle measurement 88—22398
Tarbox, E.J. *see* Varnham, M.P. 86—2781, 86—9539
Tarby, S., Roux, A., Bouygues, A., Montel, M. CAD for nuclear plants: applications in EDF-REAL 88—62098

Tarby, S.K. *see* Notis, M.R. 87−23749
Tarczynski, W. *see* Bolanowski, B. 86−18891, 86−19577, 88−43335
Tarczyski, W. *see* Bolanowski, B. 85−60482
Tardella, A., Chazalviel, J.-N. In situ chemical information at the semiconductor/electrolyte interface from infrared vibrational spectroscopy 85−61792
Tardella, A. *see* Gillman, G. 88−39058
Tardella, A. *see* Harrang, J.P. 87−38299
Tardella, A. *see* Razeghi, M. 87−11400, 87−32286
Tardella, A. *see* Vinter, B. 87−24864, 87−32506
Tardelli, J.D., Walter, C.M. A speech waveform analysis and reconstruction process based on non-Euclidean error minimization and matrix array processing techniques 87−19565
Tardelli, J.D. *see* La Follette, P.A. 87−61774
Tardieu, M. *see* Craveur, J. 87−76163
Tardif, E.C. *see* Caverly, R.H. 88−18386
Tardivo, G. *see* Latreche, S. 87−53548
Tardo, J.J. Standardizing cryptographic services at OSI higher layers 85−57628
Tardos, E. *see* Cook, W. 86−46221
Tardos, E. *see* Frank, A. 85−23908, 86−20001
Tardos, G.I., Snaddon, R.W.L., Dietz, P.W. Electrical charge measurements on fine airborne particles 85−26472
Tardos, G.I., Snaddon, R.W.L., Schwabe, R.J., Walsh, K.A., Salasoo, L., Nelson, J.K. A study of pulsed energized particle collection in a bench-scale cylindrical electrostatic precipitator 88−2495
Tardos, G.I. *see* Kao, J.-N. 87−61339
Tardos Solano, J.Domingo *see* Domingo Tardos Solano, J.
Tarducci, D. Rain interference between earth-to-space and terrestrial links 86−64002
Tarducci, D. Rain electromagnetic scattering by random distributions of particles 88−52204
Tarducci, D., Tao, S. A simplified approach to bistatic radar reflectivity computations 88−60211
Tarducci, D. *see* Dellagiacoma, G. 87−54552
Tarducci, D. *see* Mauri, M. 86−55238, 87−7527, 87−62869
Tardy, A., Jurczyszyn, M. Multipoint fibre optic refractive index sensors 87−26033
Tardy, A. *see* Soulage, G. 88−53899
Tardy, G. *see* Cavalier, A. 85−167
Tardy, H.L. Flux concentrators in integrating sphere experiments: potential for increased detector signal 86−17964
Tardy, J. Optical inspection template with local magnification features 86−8632
Tardy, J. *see* Diggs, S.L. 85−60754
Tardy, J. *see* Meaudre, R. 86−28150, 87−12297
Tardy, L. Data processing and telecommunications: a marriage of convenience? 86−30155
Tardy, M.-P. *see* Clerc, G. 88−64179
Tardy, M.P. *see* Clerc, G. 87−66820
Tareev, B.M., Mesenzhnik, Ya.Z., Prut, L.Ya. The physical properties of polymers loaded by thermobarometric pressure 87−25702
Tareev, B.M. *see* Shaforostov, V.Ya. 85−32583
Tarek Ismail, A.W. *see* Sanchez-Sinencio, E. 85−913
Tarelli, G. *see* Longaretti, A. 88−32701
Tarem. S. *see* Brandenburg, G. 88−47984
Tarenenko, V.G. Statistical model of an adaptive reflector 86−29679
Tarenko, A.P. *see* Glebov, I.A. 86−39691
Tarey, R.D., Raju, T.A. A method for the deposition of transparent conducting thin films of tin oxide 86−13809
Targett, D.J. *see* Frazer, E.L. 85−41633
Targonskaya, V.S. *see* Kovalenko, I.E. 87−66626
Tarhay, L. *see* Pernisz, U.C. 87−65566, 88−37473
Tarhio, J., Ukkonen, E. A greedy approximation algorithm for constructing shortest common superstrings 88−66511
Tari, M. *see* Ito, H. 88−69279
Tari, M. *see* Kumagai, M. 88−55288
Tari, M. *see* Nagano, S. 87−30495
Taricco, G. *see* Biglieri, E. 88−21042
Taricco, G. *see* D'Aria, G. 87−3106, 87−8185, 87−39597, 87−62844
Tarielashvili, G.T. *see* Andrushko, L.M. 88−2010
Tariki, M. *see* Hikishima, N. 88−53462
Tariki, M. *see* Okuyama, T. 88−15832
Tarini, F. *see* Borgonovo, F. 85−63325
Tarini, F. *see* Coltelli, P. 88−9210
Tarini, F. *see* Rizzo, L. 88−9199
Tarish, H. *see* Joma, H. 88−5211
Tarjan, P.P., Bernstein, A.D. An engineering overview of cardiac pacing 85−4359
Tarjan, P.P. *see* Sasmor, L. 88−5016
Tarjan, P.P. *see* Smith, E.D. 88−5017
Tarjan, R.E. *see* Bentley, J.L. 86−43210
Tarjan, R.E. *see* Chung, F.R.K. 86−19932
Tarjan, R.E. *see* Gilbert, J.R. 87−36604
Tarkan, O. *see* Fabland, P. 86−12462
Tarkhanov, K.I. *see* Sudakov, E.N. 86−19651
Tarkhanov, O.V., Nikulin, A.V. Automated system for monitoring and controlling vibrations 86−11548
Tarkhin, D.V. *see* Kozhukh, M.L. 88−1339
Tarkhin, D.V. *see* Verbitskaya, E.M. 86−15580
Tarko, L.O. *see* Brailovskii, V.V. 85−8820
Tarkov, V.A., Tishchenko, Yu.N., Trubetskoi, A.V., Shipov, P.M. Acousto-optical modulator with opposed acoustic beams in a single-axis optically active crystal 85−2103
Tarkov, V.A. *see* Vanyushev, B.V. 85−2370, 86−36276
Tarkovsky, E. *see* Galaktionov, Yu. 87−8841
Tarlamazyan, V.G. *see* Lorikyan, M.P. 86−5806
Tarle, G., Ahlen, S.P., Liss, T.M. A search for GUT monopoles with a single thick scintillator at sea level 85−31739
Tarle, G. *see* Bower, C.R. 87−14732
Tarle, G. *see* Calicchio, M. 88−29811
Tarle, G. *see* Price, P.B. 85−37949
Tarle, G. *see* Salamon, M.H. 85−37948
Tarle, G. *see* Shi-Lun Guo 85−64482
Tarle, G.E. *see* Boryu, Yu.I. 85−16090, 86−33456, 88−30758
Tarle, G.E. *see* Mikhailovsky, Y.A. 86−51717
Tarle, J.C. *see* Konoplyannikov, A. 85−42924
Tarli, R. *see* Dinelli, G. 87−68727, 88−14356
Tarli, R. *see* Michelizzi, C. 87−64423
Tarlo, D.G. *see* Borodovskii, P.A. 85−61684
Tarlykov, V.A. Effects of mode composition on the error in a diffraction method of measuring small linear dimensions 87−56844
Tarn, J.C.L. *see* El-Masry, N. 88−39079
Tarnai, G. Safety verification for train traffic control communications 87−10103
Tarnai, J., Howard, E.G. Needs assessment for continuing engineering education in a high technology region 87−31204
Tarnanen, H. Upper bounds for constant weight and Lee codes slightly outside the Plotkin range 87−39620
Tarnaud, P. Speech processing: the CROUZET research and development programme 86−70479
Tarnaud, P. Applications of voice I/O in future cockpit design 87−57285
Tarnawecky, M.Z. *see* Arabi, S. 86−6874, 86−12396, 86−65676, 88−23436, 88−23994
Tarnawski, Z., van der Meulen, H.P., Franse, J.J.M., Kadowaki, K., Veenhuizen, P.A., Klaasse, J.C.P. New possibility of magnetic ripple shielding for specific heat measurements in hybrid magnets 88−64982
Tarnay, D.S. Hydrogen production at hydro-power plants 86−51496
Tarnay, K. A few problems of training designers in microelectronics 85−27985
Tarnay, K., Elfsten, B., Masszi, F., Tove, P.A. Parameter sensitivity analysis for computer modelling of metal-semiconductor junctions 86−67752
Tarnay, K. *see* Ecsedi Toth, P. 88−8903
Tarnay, K. *see* Koenig, H. 88−3589
Tarnay, K. *see* Paasch, G. 87−6730
Tarnay, K. *see* Sdaa, A.K. 88−59383
Tarnay, K. *see* Csaba, L. *(editor)* 86−61843
Tarneja, K.S., Campbell, R.B., Alexander, P. Investigation of liquid dopants for the production of high efficiency solar cells from dendritic web silicon 85−16236
Tarnekar, M.G., Zadgaonkar, A.S. Determination of dielectric impulse characteristics by acoustical emission power measurement 86−62298
Tarng, J.H., Yang, C.C. Effects of propagation on the operation of a synthetic aperture sonar 88−9663
Tarng, S.S., Chang, I.C. High frequency acoustooptic modulation in single-mode fiber 86−68358
Tarng, S.S., Chang, I.C., Chinn, S. Fiber-optic modulators 88−39903
Tarng, S.S. *see* Gibbs, H.M. 85−41481
Tarnhuvud, T., Reichert, K. Accuracy problems of force and torque calculation in FE-systems 88−51991
Tarnizhevskii, M.V., Mikhailov, V.I. Modelling of daily load schedules for communal and domestic users by a method of orthogonal expansions 85−64863
Tarnoczi, T.I., Richter, P. Multiple wavelength differential absorption lidar evaluation 85−14372
Tarnopol'skii, Yu.V. *see* Kovalev, A.M. 85−3876
Tarnopol'skiy, I.L. *see* Dvorskiy, E.E. 86−30283
Tarnopol'skiy, I.L. *see* Martsenitsen, S.I. 86−37346
Tarnopol'skiy, V.L., Muratova, R.I. Evaluation of TF channels on the basis of distortions in TT channels 88−3447
Tarnopolsky, G. *see* Brug, J.A. 88−64949
Tarnopolsky, V.I. *see* Abergel, A. 88−10028
Tarnopolsky, V.I. *see* Sagdeev, R.Z. 87−49573
Tarnoruder, I.Ya. *see* Kremnev, R.S. 86−30313
Tarnovan, I. *see* Munteanu, R. 87−21991, 88−48925
Tarnovska, M. *see* Frohlich, K. 85−16969
Tarnovski, G. *see* Bratslavets, P. 88−2131
Tarnovsky, G. *see* Bratslavets, P. 88−8060
Tarnow, V. The lower limit of detectable sound pressures 87−63176
Tarnowska, E. *see* Jaworska, D. 88−64389
Tarnowski, M. Build the broadband Bow Tie [antenna] 86−3669
Tarnowski, Z. Resonance vibrations in electric measuring instruments 85−8685
Tarnowski, Z. Calculation of settling time of overdamped analog instruments 85−58491
Tarnowski, Z. Calculation, design and production process of oil dampers used in analog measuring instruments 85−58492
Tarnowski, Z. Phase trajectories of electrical analogue measuring instruments 87−41535
Tarny, S.S. *see* Lu, R. 87−49630
Tarof, L., Fox, K. Reactive ion etching (RIE) of gratings in InP for distributed feedback (DFB) lasers using an intermediate-dielectric layer 88−14214
Taroni, A. *see* Alberigi Quaranta, A. 85−43477
Taroni, A. *see* Aprilesi, G.C. 86−6187
Taroni, A. *see* Giannelli, L. 87−4199
Taroni, A. *see* Marioli, D. 88−42692, 88−48398
Taropin, V.I. *see* Turchinskiy, V.M. 85−34427
Tarora, K. *see* Suto, Y. 87−29749
Tarouco, L.M.R. User friendly interface for messaging systems 85−25358
Tarouco, L.M.R., Beuren, C.J., Viccari, R.M., Wilkens, M.J. A distributed messaging system with a user-friendly interface 86−69452
Taroyan, S.E. *see* Karapetyan, M.M. 86−39231
Taroyan, S.P. *see* Avakyan, R.O. 86−44571
Tarpin, F. *see* Mouly, J.C. 85−55001, 87−65751
Tarplee, M.C. *see* Mastroianni, M.J. 86−28097
Tarpy, R.M., Murcek, R.J. An electronic device for detecting activity in caged rodents 85−26744
Tarquin, A.J., Craver, W.L., Jr., Schroder, D.C. Technologically enhanced instructional television [engineering education] 85−33042
Tarr, J.A.B. *see* Wieselthier, J.E. 87−55406, 88−21402, 88−73393
Tarr, N.G. A polysilicon emitter solar cell 86−33653
Tarr, N.G. Improving the accuracy of the charge-sheet model for the long-channel metal-oxide semiconductor field-effect transistor 88−33196
Tarr, N.G., Chan, C.H., Berndt, L.P. A fast-turnaround depletion-load NMOS process for student project fabrication 87−32735
Tarr, N.G. *see* Keyes, E.P. 87−60417
Tarr, N.G. *see* Maritan, C.M. 88−70348
Tarr, N.G. *see* Rowlandson, M.B. 85−50490
Tarr, N.G. *see* Szeto, N. 88−50804
Tarr, N.G. *see* Waechter, D. 88−32747
Tarr, N.G. *see* Winterton, S.S. 86−44388
Tarr, N.Garry *see* Garry Tarr, N.
Tarrant, D.R. Teletext for the world 87−13328
Tarrant, D.R. Data link using page-format teletext transmission 87−13351
Tarrant, K.L. Power management systems 87−21884
Tarrant, M.R., Kelly, L.E., Walkley, J. Project management guidelines to instructional interactive videodisc production 88−41867
Tarrant, P.J. IEEE 802.3 fiber optic inter-repeater link 88−47066
Tarrant, R. *see* Gass, W. 87−29021
Tarres, F., Fernandez-Rubio, J. An adaptive array for coherent interference suppression 88−46137
Tarres, F. *see* Fernandez Rubio, J. 86−30688
Tarres, F. *see* Fernandez-Rubio, J. 88−46136
Tarrh, J.M. *see* Brown, D. 88−68107
Tarrh, J.M. *see* Pillsbury, R.D., Jr 86−48048
Tarrh, J.M. *see* Thome, R.J. 85−1941, 86−48049
Tarricone, L., Frigeri, C., Gombia, E., Zanotti, L. Hole diffusion length investigation by photon and electron excitation of GaAs Schottky barriers 87−1286
Tarricone, L., Grilli, E., Guzzi, M., Zanotti, L. Optical absorption and recombination processes in CdGaInS$_4$ layered crystals 86−27966
Tarricone, L., Zanotti, L. Photoconductivity and photomemory in Zn$_x$Cd$_{1-x}$In$_2$S$_4$ layered crystals 85−2124
Tarricone, L., Zanotti, L., Filipowicz, J. Investigation of photoconductivity sensitising centres in CdGaInS$_4$ layered crystals 87−54167
Tarricone, L. *see* Grilli, E. 85−18116
Tarricone, L. *see* Paracchini, C. 87−17747
Tarricone, L. *see* Razzetti, C. 85−16917
Tarriere, C., Chaput, D., Petit-Poilvert, C. Research to prevent the driver from falling asleep behind the wheel 88−69876
Tarro, R.M., Warden, J.T., Corelli, J.C., Moore, J.A., Steckl, A.J., Kumar, S. Electron spin resonance studies of irradiated polymethylmethacrylate (PMMA) 86−1978
Tarroja, M.F.H., Abraham, N.B., Bandy, D.K., Narducci, L.M. Periodic and chaotic output pulsations in a single-mode inhomogeneously broadened laser 87−7410
Tarroja, M.F.H. *see* Gioggia, R.S. 88−51889
Tarroni, F. *see* Nucci, C.A. 85−55204
Tarry, E. *see* Fried-Oken, M. 86−25268
Tarry, H.A. Infrared electroluminescence from Cd$_x$Hg$_{1-x}$Te diodes 86−42448
Tarry, H.A. *see* Humphreys, R.G. 88−36070
Tarsi, M. Nowhere zero flow and circuit covering in regular matroids 86−19919

Tarsi, M. Semi-duality and the cycle double cover conjecture 87−16489
Tarsi, M. *see* Linial, N. 86−334, 88−70214
Tarsis, A.D. *see* Dutchak, V.V. 86−70237
Tarso Medeiros, P.de *see* de Tarso Medeiros, P.
Tarso-Mederos, P.de *see* de Tarso-Mederos, P.
Tarsoly, A. *see* Bacsanyi, C. 86−12892
Tarsoly, A. *see* Horstmann, D. 88−69392
Tart, F.D., Harvey, J.E. Alignment theory and practice for diffraction grating rhombs 85−18764
Tarta, M. *see* Pop, M. 88−36964
Tartaglia, M. *see* Belforte, P. 86−42687, 87−26646
Tartaglia, M. *see* Chiampi, M. 86−36669, 87−47115
Tartaglia, P. *see* de Pasquale, F. 86−58899
Tartaglione, V. *see* Coletti, A. 85−49034
Tartakovskii, A.G. Sequential estimation of intensity of renewal processes 86−22863
Tartakovskii, A.G. Optimal estimation of scale parameters 87−36585
Tartakovskii, A.G. Optimal detection of changing properties of random sequences. I. Nonsequential detection 88−31617
Tartakovskii, A.G. Optimal detection of random-length signals 88−52459
Tartakovskii, A.M., Makvetsov, E.N. Computer-aided formation of the construction rigidity matrix for vibration-proof radio equipment 87−40654
Tartakovskii, A.M., Makvetsov, E.N. Analyzing vibration overloads and strength margin in the design of radioelectronic apparatus 88−53127
Tartakovskii, D.F. *see* Zhukova, O.V. 85−14979
Tartakovskii, G.P. Multiple-alternative adaptive pattern recognition with parameter estimation, when non-single-valued decisions are allowed 85−51733
Tartakovskii, I.I. Temperature hysteresis of frequency in quartz resonators 88−33467
Tartakovskii, L.M. *see* Balakireva, S.D. 88−74228
Tartakovskii, V.M., Vasil'ev, G.A. Neutron-activation analysis for measurement of concentration profiles in ion etching 87−74211
Tartakovskii, V.M. *see* Malyshev, E.E. 87−6309
Tartakovskiy, A.M. Analysis of the thermal operating conditions of plate-type radio-apparatus constructions 85−8309
Tartakovskiy, A.M. Computer analysis of the resonance characteristics of plate-type radio electronic instrument designs 86−34054
Tartakovskiy, L.B. *see* Kolodnikov, V.I. 85−36129
Tartakovskiy, L.S. Exact computational formulas for the field strength of a dipole located above a uniform ground plane of finite conductivity 86−36838
Tartakovskiy, L.S. Link crosstalk calculation based on harmonic analysis of group delay frequency response 86−37750
Tartar, J. *see* Makarenko, D. 86−46653
Tartar, J. *see* Mazumder, P. 86−20674
Tartar, L. On an equivalence lemma used in numerical analysis 88−49730
Tartara, G. *see* Baccetti, B. 87−34377, 87−48862
Tartara, G. *see* Bellini, S. 85−19316, 85−62954, 86−64942, 87−34405, 87−39577, 88−3948
Tartavel, G. *see* Destefanis, G.L. 87−3486
Tarter, R.S. Apples manufacturing approach to flexibility [PWB assembly] 88−71238
Tarter, T.S. *see* Khan, M.M. 87−73944, 88−64747
Tartier, S. *see* Pargamin, L. 86−51081
Tartini, R. *see* Schmid, J.J. 88−4976
Tarucha, S., Iwamura, H., Saku, T., Okamoto, H. Waveguide-type optical modulator of GaAs quantum well double heterostructures using electric field effect on exciton absorption 85−62404
Tarucha, S., Okamoto, H. Monolithic integration of a laser diode and an optical waveguide modulator having a GaAs/AlGaAs quantum well double heterostructure 86−28887
Tarucha, S., Okamoto, H. Voltage-controlled optical bistability associated with two-dimensional exciton in GaAs-AlGaAs multiple quantum well lasers 87−2111
Tarucha, S., Ploog, K. Electric field effects on excitons in $Al_xGa_{1-x}As$ quantum wells and their applications to optoelectronic devices 88−33760
Tarucha, S., Ploog, K. Sequential resonant tunnelling characteristics of AlAs/GaAs multiple quantum well structures 88−64311
Tarucha, S. *see* Hirayama, Y. 86−1786
Tarucha, S. *see* Masumoto, Y. 86−47351
Tarui, H., Matsuyama, T., Tsuda, S., Hishikawa, Y., Takahama, T., Nakayama, S., Nakamura, N., Fukatsu, T., Nakano, S., Ohnishi, M., Kuwano, Y. Superlattice structure a-Si films prepared by photo-CVD method and their application to a-Si solar cells 87−30978
Tarui, H. *see* Haku, H. 88−24792
Tarui, H. *see* Kuwano, Y. 88−31008
Tarui, H. *see* Nakano, S. 86−35368, 87−23740, 88−17972, 88−37490
Tarui, H. *see* Ohnishi, M. 86−45700
Tarui, H. *see* Takahama, T. 87−22741
Tarui, H. *see* Tsuda, S. 87−9845, 87−31573, 87−31578 to 31579, 88−49150
Tarui, Y. The early period of IC technology in Japan 85−35093
Tarui, Y. Lithography systems for VLSI 85−55869
Tarui, Y. Development of next generation semiconductor devices and fabrication technology 88−39571
Tarui, Y., Aota, K., Kamisako, K., Suzuki, S., Hiramoto, T. Photo-CVD of a-Si films using unified reactor with lamp 85−44791
Tarui, Y., Aota, K., Sugiura, T., Saitoh, T. Photochemical vapor deposition of amorphous silicon using mercury photosensitization of disilane 85−49606
Tarui, Y., Hidaka, J., Aota, K. Low-temperature growth of silicon dioxide film by photo-chemical vapor deposition 85−22518
Tarui, Y., Matsui, M., Oka, S., Yamagishi, K., Kuroiwa, K. Tantalum oxide films by photoprocessing 88−39576
Tarui, Y., Oka, S., Matsui, M., Yamagishi, K., Kuroiwa, K. Photo-CVD of tantalum oxide films and their characteristics 88−18755
Tarui, Y. *see* Aota, K. 86−504
Tarui, Y. *see* Kamisako, K. 85−16967
Tarui, Y. *see* Matsui, M. 88−49872
Tarui, Y. *see* Ohashi, H. 87−60482, 88−33199
Tarui, Y. *see* Suzuki, K. 87−5456, 87−17728, 87−66922
Tarui, Y. *see* Tabuchi, T. 87−36805
Tarui, Y. *see* Takahashi, T. 86−27889
Tarui, Y. *see* Yamagishi, K. 86−52522
Tarukawa, K. *see* Nagashima, Y. 85−31385
Tarulli, P. *see* Nannicini, M. 87−34410
Tarulli, P. *see* Schiavoni, R. 88−14962
Tarumi, N. *see* Mineta, S. 87−59018
Tarumi, Y., Wake, H. Current evaluations of NNSS position fixes and an experimental method to improve their accuracies 86−30895
Tarumi, Y., Wake, H., Yang Zan Accuracies of position fixes obtained by NNSS at a fixed station. IV. The tendency and comparison of position accuracies by each satellite 85−58253
Tarumyan, S.A. *see* Avak'yants, G.M. 85−61728
Tarusawa, Y., Ogawa, H., Hirota, T. A new constant-resistance ASK modulator using double-sided MIC 87−73687
Tarusawa, Y., Ogawa, H., Ohwada, K. 26 GHz band 'Planar MMIC' hybrid circuit 86−67495
Tarusawa, Y. *see* Hirota, T. 86−67513, 87−52835
Tarutani, Y., Nishino, T., Hatano, Y., Kawabe, U. 5.6 ps DCL gates fabricated by high-J_c NbN-oxide-PbIn Josephson junctions 85−45012
Tarutani, Y. *see* Harada, Y. 87−31843
Tarutani, Y. *see* Hatano, Y. 87−66022, 88−12446
Tarutani, Y. *see* Hirano, M. 86−42176, 87−52507
Tarutani, Y. *see* Nakane, H. 88−13703
Tarutani, Y. *see* Nishino, T. 85−29491, 85−56216, 87−70649
Tarutani, Y. *see* Yano, S. 87−66034
Taruttis, A.H. Residual resistance is key to testing passive components 85−6556
Taruttis, A.H. Inexpensive temperature scanner for microprocessors 86−44255
Tarvin, J. Software speeds microwave receiver quieting tests [ATE] 85−63987
Tarwater, R.W. *see* Gartside, C.H., III 85−20233, 85−47540
Taryanik, N.V., Laptienko, A.Ya., Kurochkin, V.I., Lutsenko, V.P. Measurement of maximum resolution of a superconducting magnetic system of an NMR radiospectrometer at 200 MHz 88−29600
Taryanik, N.V. *see* Laptienko, A.Ya. 87−66823
Taryshkin, A.G. Measurement and correction of interchannel phase-frequency response of a magnetograph 85−48013
Tarzynski, W. *see* Bolanowski, B. 86−18890
Tas, I., Latombe, C. Multiple detection using the eigenvalues of the spectral matrix 87−13038
Tas, I. *see* Latombe, C. 88−8782
Tasak, D.E., Zedzierski, Z., Zielinska-Lipiec, A., Czerwinski, F. Structure and properties of electroslag welds following heat treatment 88−55986
Tasaka, K. *see* Itoya, S. 88−5465
Tasaka, K. *see* Kumamaru, H. 87−4523, 87−57823
Tasaka, K. *see* Osakabe, M. 86−25821
Tasaka, K. *see* Suzuki, M. 85−65101
Tasaka, S. Multiple-access protocols for satellite packet communication networks: a performance comparison 85−14181
Tasaka, S. Dynamic behavior of a CSMA-CD system with a finite population of buffered users 86−54583
Tasaka, S. Performance analyais of multiple access protocols 87−2929
Tasaka, S. Algorithms in LAN and satellite communications 87−27683
Tasaka, S. The effect of acknowledgement traffic on the performance of 1-persistent CSMA/CD systems 87−40042
Tasaka, S. An analysis of priority acknowledgement schemes for 1-persistent CSMA-CD systems 88−3300
Tasaka, S. Performance analysis of a CSMA/CD system with link level flow control 88−46609
Tasaka, S., Fukaya, K. Analysis of acknowledgment schemes in the ALOHA-reservation satellite packet communication network 87−76687
Tasaka, S., Ishibashi, Y. A reservation protocol for satellite packet communication—a performance analysis and stability considerations 85−3403
Tasaka, S., Ishibashi, Y. Performance analysis of the fair BRAM protocol 86−23207
Tasaka, S., Ishida, K. Performance analysis of the SRUC protocol with a go-back-*N* ARQ scheme for satellite broadcast channels 85−42013
Tasaka, S., Ishida, K. The SRUC protocol for satellite packet communication—a performance analysis 87−7885
Tasaka, S., Ishikawa, H. Performance analysis of a buffered CSMA/CD system 86−54588
Tasaka, S., Ishikawa, H. Performance analysis of a buffered CSMA/CD system 88−8889
Tasaka, S., Sato, Y., Tateyama, N., Sugimoto, H., Fumuro, F., Hoshino, K. A new detection method for the primary cosmic heavy nuclei by the plastic track detector CR-39 85−59207
Tasaka, S., Tani, M., Takahashi, K. Analysis of acknowledgment traffic in CSMA-CD systems 86−23203
Tasaka, S. *see* Aoki, S. 87−14768
Tasaka, S. *see* Fukuda, A. 85−3409
Tasaka, S. *see* Isikawa, H. 87−33838
Tasaka, S. *see* Miyata, S. 88−14007
Tasaka, S. *see* Takahashi, K. 87−39967
Tasaka, S. *see* Unno, T. 88−8847
Tasaka, Y. *see* Ando, A. 86−12717
Tasaka, Y. *see* Furudera, M. 86−45219
Tasaki, A. Magnetic characteristics of ultrafine particles 85−50839
Tasaki, A. Vacuum process techniques for magnetic recording media 88−64952
Tasaki, A. *see* Kume, M. 88−51232
Tasaki, A. *see* Takahashi, S. 88−51231
Tasaki, A. *see* Takeda, T. 88−33257
Tasaki, A. *see* Umeda, K. 85−22517, 88−13664
Tasaki, H., Kim, W.Y., Hallerdt, M., Konagai, M., Takahashi, K. Computer simulation model of the effects of interface states on high-performance amorphous silicon solar cells 88−37386
Tasaki, H. *see* Kim, W.Y. 87−64816, 88−37435
Tasaki, H. *see* Konagai, M. 87−78908
Tasaki, H. *see* Nishida, S. 86−35309
Tasaki, M. Toshiba increased safety squirrel-cage induction motors certified by Australian Standard 85−39002
Tasaki, T. *see* Uchida, A. 88−46568
Tasao, C.Y.H. Polarization parameters of plane waves in hybrid birefringent optical fibers 87−68109
Tasca, D.M., Swant, D.H. The application of saturable magnetics in the EMP protection of high power, RF transmitters 88−29039
Tasche, M. *see* Drauschke, G. 88−56121
Taschek, W.G. *see* Tyler, R.W. 86−33644
Taschioglou, K.P. Test to eliminate test 87−23322
Taschioglou, K.P. Applying test data to eliminate testing 88−55969
Taschler, D.R., Herman, P.E., Yext, W.F. Furnace atmosphere effects on copper thick-film conductors fired in an infrared furnace 88−1220
Taschner, G., Preiser, K., Muller, W. Integrated PCM-circuits U1001C and U1011C. I 87−826
Taschner, G., Preiser, K., Muller, W. Integrated PCM circuits types U1001C and U1011C 87−10952
Tascini, G. Movement analysis of digital 3D images derived from serial section images 85−31828
Tascini, G. Knowledge based system for decision making in medical images understanding 86−30050
Tascini, G. Understanding images using knowledge based approach 87−55278
Tascone, R. *see* Campo, R. 85−7686
Tascone, R. *see* Contu, S. 87−2371, 87−47382
Tascone, R. *see* Daniele, V. 86−29551
Tascone, R. *see* Graglia, R.D. 86−20778
Tascone, R. *see* Mantica, P.G. 86−63963
Tascone, R. *see* Orta, R. 85−24918, 86−10176, 87−2340, 87−33507, 87−54510, 87−75561, 88−27469, 88−34499, 88−40651, 88−44333
Tasdemiroglu, E. Biomass energy potential in Turkey 87−50912
Tasdemiroglu, E. Wind energy assessment in Turkey 87−50913
Tasdemiroglu, E. Geothermal energy potential and utilization in Turkey 88−62010
Tasdemiroglu, E. Hydroelectric power potential and its use in Turkey 88−75500
Tase, S. *see* Kobayashi, T. 86−65717
Tase, S. *see* Nakamura, E. 86−6372
Tasev, D.K. *see* Dmitriev, A.L. 88−41707
Tasev, D.K. *see* Kurdyukov, V.A. 88−58197

Tasevski, M. Dependence of open circuit voltage and first diode factor on crystal orientation with SIS solar cells 86−33682
Tasevski, M., Gracin, D. Optical, electrical and structural characteristics of amorphous undoped Si thin film 88−5884
Tasevski, M., Jeric, S., Pohl, M. Characterisation of $Hg_{1-x}Cd_xTe$ IR detectors 88−29403
Tashchilin, L.N. *see* Atamasov, V.D. 85−44202
Tashchilov, V.S. *see* Raimond, E.D. 85−5577
Tashchyan, M.Z., Mutafyan, S.A. Integrator for precision coulometric analyzers with controlled potentials 88−42018
Tashika, Y. *see* Suzuki, S. 85−36889
Tashima, H., Yoshikawa, M., Kayano, H. Improvement of speckle noise in reconstructed image of computer generated hologram by using spherical wave phase plate 88−58730
Tashima, K. *see* Ito, F. 86−26606
Tashima, S. *see* Wakabayashi, J. 86−18942, 88−48678
Tashiro, H., Midorikawa, K., Aoki, Y., Nagasaka, K., Toyoda, K., Namba, S. Observation of the second Stokes wave in a para-hydrogen Raman laser 85−29925
Tashiro, H., Uemura, S., Toyoda, K., Namba, S. Numerical analysis on the Raman conversion of CO_2 laser pulses in a multiple pass cell 85−2404
Tashiro, H. *see* Aoki, Y. 86−36380
Tashiro, H. *see* Fujino, S. 85−4662
Tashiro, H. *see* Koizumi, T. 85−20621
Tashiro, H. *see* Kubomura, H. 88−72461
Tashiro, H. *see* Meguro, T. 86−46345
Tashiro, H. *see* Midorikawa, K. 85−7370, 86−9724, 86−15604, 86−54074
Tashiro, H. *see* Nomura, T. 88−72431
Tashiro, H. *see* Yoshikawa, K. 87−35192, 88−4653
Tashiro, J. Lower Kizilirmak project in Turkey [hydroelectric power and irrigation] 87−72030
Tashiro, J. *see* Nakajima, J. 86−63925
Tashiro, K. *see* Saito, K. 85−31017
Tashiro, M. *see* Baba, N. 87−76486
Tashiro, N. *see* Namba, I. 85−34431
Tashiro, N. *see* Yamamoto, K. 87−53113
Tashiro, O. *see* Umehara, H. 85−14485
Tashiro, S. Analysis of the low cost high performance diagnostic system-BID 85−20477
Tashiro, S., Okada, F. Dynamic measurement of temperature dependence of complex permittivities at microwave frequencies 85−52846
Tashiro, S., Okada, F. Dynamic measurement of temperature dependence of complex permittivities at microwave frequency 87−14482
Tashiro, S. *see* Okamoto, N. 88−45190
Tashiro, T. Yamaguchi TDMA facilities to be operated in the INTELSAT TDMA/DSI system 87−3135
Tashiro, T., Hirabayashi, T., Shibata, T., Sakurai, K., Yamamoto, Y. Test results of TDMA/DSI traffic office facilities at Yamaguchi satellite communication station 87−34491
Tashiro, T., Takemura, H., Kamiya, T., Tokuyoshi, F., Ohi, S., Shiraki, H., Nakamae, M., Nakamura, T. An 80 ps ECL circuit with high current density transistor 85−54853
Tashiro, T., Yamada, K., Yamaguchi, M., Ishimaru, Y. The M50754-XXXSP CMOS 8-bit single-chip microcomputer [VCR control application] 86−34848
Tashiro, T. *see* Arimura, M. 87−17087
Tashiro, T. *see* Minato, Y. 87−31900
Tashiro, T. *see* Takemura, H. 87−53494, 88−39674
Tashiro, T. *see* Ueno, S. 88−61416
Tashiro, Y., Kasahara, K., Hamao, N., Sugimoto, M., Yanase, T. High speed response in optoelectronic gated thyristor 87−68287
Tashiro, Y., Satoshi, T. The D-TN LCD for higher definition and contrast 88−16282
Tashiro, Y., Tsukamoto, K., Watahiki, T., Miyata, T. A method of implementing adaptive A/D converter 88−70865
Tashiro, Y. *see* Kanazawa, K. 88−18795
Tashiro, Y. *see* Niwa, M. 85−14247, 85−50948
Tashiro, Y. *see* Onabe, K. 87−6447
Tashiro, Y. *see* Yoshida, S. 87−14557
Tashkhodzhaeya, S. *see* Mirzabaev, M.M. 86−8831
Tashkinov, G.D. *see* Kobzev, Yu.V. 86−11553
Tashkun, S.A., Fomenko, G.P., Shlapakovskii, A.S. Interaction of a high-current relativistic electron beam with the higher modes of a dielectric waveguide 88−58799
Tashkun, S.A. *see* Kartin, V.I. 85−55392
Tashlykov, I.S. *see* Carter, G. 85−12122
Tashman, S. A system for 3-dimensional lower extremity joint rotation measurement 88−4937
Tashmetov, M.Yu. *see* Gulyamov, M.G. 87−21503
Tashmirsaev, M.A. *see* Umarov, B.V. 86−53320
Tashpulatov, R.T. *see* Alimov, T.A. 85−15238
Tashpulatov, Z.T. *see* Abdullaev, S.S. 87−12139
Tasi, N.S. *see* Brat, T. 88−24789
Tasi, Y.-T. *see* Wu, C.-Y. 86−36337
Tasic, I. *see* Subotic, K.M. 85−64375
Tasic, J., Blaznik, P., Kandus, G. Symbol timing recovery technique for MQAM signal modulation 88−45869
Tasic, J., Grlj, M., Ozimek, I. Adaptive equalization principles in digital communication systems 88−66467
Tasic, J. *see* Sabo, R. 88−14970
Tasic, R. *see* Novkovic, D. 87−41824
Tasick, G.J. *see* Crouse, R.F. 87−64544
Tasinga, I. *see* Addis, G. 86−9123
Tasinga, I. *see* Damsky, B.L. 88−24042
Tasinga, I.K., Melvold, D.J., Hakansson, G., Lalander, M. Design and field testing of a water-cooled thyristor valve installed in a mercury-arc valve group 86−9124
Tasinga, I.K. *see* Wu, C.T. 86−12912
Task, H.L., Pinkus, A.R. Contrast sensitivity and target recognition performance: a lack of correlation 88−16319
Taska, P.D. *see* Clement, G.F. 85−19966
Taska, P.D. *see* Sabalaskey, L.J.B. 86−37655
Taskar, N.R., Bhat, I.B., Borrego, J.M., Ghandhi, S.K. OMVPE growth of CeTe on InSb substrates 86−57444
Taskar, N.R., Bhat, I.B., Ghandhi, S.K. MOVPE growth and characteristics of CdTe on InSb substrates 87−10423
Taskar, N.R., Natarajan, V., Bhat, I.B., Ghandhi, S.K. Extrinsic doped n- and p-type CdTe layers grown by organometallic vapor phase epitaxy 88−31764
Taskar, N.R. *see* Bhat, I.B. 86−28012, 86−66829, 88−38152
Taskar, N.R. *see* Bhimnathwala, H.G. 88−37596
Taskar, N.R. *see* Ghandhi, S.K. 86−7756, 86−40739, 87−16583, 87−44369
Taskar, N.R. *see* Lee, W.I. 88−32815
Tasker, A. ESD discharge waveform measurement−the first step in human ESD simulation 86−29297
Tasker, A. ESD waveform measurement: the first step in human ESD simulation 87−47078
Tasker, A. *see* Richman, P. 86−15838
Tasker, C.G. *see* Sinclair, R.N. 86−5846
Tasker, D.G. *see* Lemar, E.R. 87−21065
Tasker, J.L., Graham, R.S. Effects of magnetic flux on rolling element bearings [machine bearings] 86−33321
Tasker, P.J. *see* Camnitz, L.H. 85−50579, 86−2212, 86−63340
Tasker, P.J. *see* Chen, M. 87−32509, 87−60448
Tasker, P.J. *see* Chen, M.Y. 88−38763
Tasker, P.J. *see* Chen, Y.K. 87−60504, 88−25474, 88−38752, 88−38761
Tasker, P.J. *see* Foisy, M.C. 87−46029, 88−63900
Tasker, P.J. *see* Greenwald, Z. 87−6437
Tasker, P.J. *see* Lepore, A.N. 88−13432, 88−38711
Tasker, P.J. *see* Najjar, F.E. 87−60412, 88−39420
Tasker, P.J. *see* Nguyen, L.D. 87−53535, 88−26341, 88−39532, 88−71608
Tasker, P.J. *see* Palmateer, L.F. 87−24441
Tasker, P.J. *see* Tiberio, R.C. 88−39514
Tasker, P.J. *see* Wang, G.W. 88−56966
Tasker, R. The development of an Ethernet local area network for scientific data acquisition 86−64709
Tasker, R. *see* Ball, E. 88−59603
Tasker, R. *see* Kummer, P. 87−48566
Tasker, R. *see* Linge, N. 88−28358
Tasker, S., Wiens, D. Automating hybrid design 88−57192
Tasker, S., Wines, L. The relationship between design rules and routability 88−12738
Tasker, S. *see* LaBonte, M. 88−44436
Tasker, S.C. *see* Bekefi, G. 87−2152
Tasker, S.C. *see* Wiens, D.A. 88−57218
Taskinen, P., Farnstrom, S.-O. The TN-S system: elimination of disturbances, monitoring and localization of fault currents 88−30837
Taskinen, P. *see* Arje, J. 87−70966
Taskinen, P. *see* Aysto, J. 87−71057
Taskinen, V. *see* Viitanen, J. 85−38210
Taslakov, M.A. *see* Stanchev, I.Kh. 87−59813
Tasm, G. *see* Nair, V.K. 87−1531
Tasmaribuchi, K., Saito, S. A new analysis method for acoustic signals composed of cosine waves 88−73080
Tasnadi, L. *see* Balogh, B. 87−48776
Tass, O.A., Stuzhin, Yu.V., Myakas, V.I., Shapalas, Yu.K., Prantskunas, A.M., Zhyaunis, A.P., Reklaitis, I.Yu. Testing of the TGMP-114 boiler with improved turbulent burners 86−25858
Tassan, S. Evaluation of the potential of the Thematic Mapper for marine applications 88−16927
Tassan, S. *see* Ferrari, G.M. 86−12199
Tassan-Got, L. *see* Festa, E. 85−37547
Tassano, P.L. *see* Erikson, E.D. 85−59128
Tassavoir, S. *see* Shiono, T. 88−30385
Tassel, K.E.Van *see* Van Tassel, K.E.
Tasseli, J. *see* Rey, G. 86−15253
Tassell, C. Solutions for data communications 86−16892
Tassell, C. Optoelectronic display technologies−furious beginnings give way to steady developments 86−44357
Tassell, C. The bright future for plasma displays 86−44362
Tassell, C. Developments in plasma display technology 87−35144
Tassell, C., Castro, C. Practical aspects of fibre optic theory 85−35454
Tasselli, J., Cazarre, A., Bailbe, J.P., Marty, A., Rey, G. Theoretical study of the performances of the ECL inverter with GaAlAs/GaAs heterojunction bipolar transistors 88−56597
Tasselli, J., Marty, A., Bailbe, J.P., Rey, G. Verification of the charge-control model for GaAlAs/GaAs heterojunction bipolar transistors 87−1494
Tasselli, J. *see* Bailbe, J.P. 85−50500
Tasselli, J. *see* Cazarre, A. 86−15568
Tassev, V. *see* Gospodinov, M. 88−64824
Tassey, G. The role of the National Bureau of Standards in supporting industrial innovation 87−63
Tassicker, O.J. Determination of the complex dielectric constant, electric field and conductivity at the boundary of ionised gas 85−20697
Tassicker, O.J. *see* Marsland, C.R. 86−61384
Tassin, S., Giard, M. Inspecting hot wire by Foucault currents in Unimetal's high-speed line at Longwy 87−72624
Tassitino, J.R. *see* Dreifus, D.L. 88−64619
Tassoni, C. A single-phase variable-speed electric drive supplied by a D-modulation PWM inverter 88−62665
Tassoni, C. *see* Beghelli, S. 87−22827, 87−42982, 87−58083
Tassoni, C. *see* Ciampolini, F. 87−42921
Tassoni, C. *see* Filippetti, F. 88−55336
Tassoni, C. *see* Franceschini, G. 88−17567
Tassoni, C. *see* Gelpi, G. 87−15613
Tassoni, C. *see* Martelli, M. 85−32484, 86−45414, 86−70895, 87−22279
Tassoni, C. *see* Pirani, S. 88−17568
Tassou, S.A. Energy conservation and resource utilisation in waste-water treatment plants 88−62836
Tassou, S.A., Marquand, C.J., Wilson, D.R. Energy and economic comparisons of domestic heat pumps and conventional heating systems in the British climate 87−9952
Tassy, A., Miclet, L. Speaker-independent French digit recognition using word-based vector quantization and hidden Markov models 87−27313
Tassy, A. *see* Lecomte, I. 88−67274
Tasto, M. Terminals for broad-band office communications 86−64442
Taszarek, B.J. *see* Attaar, M. 87−59040
Tat, D.Pham *see* Pham Tat, D.
Tat Chiu Luk, Deller, J.R., Jr. A nonclassical WRLS algorithm 86−64228
Tat Lai Weng *see* Lai Weng Tat
Tat Tsui Hung *see* Hung Tat Tsui
Tat Wan *see* Pitt, C.W. 87−74675
Tata Rao Power development in India−future challenges 86−61069
Tatah, K., Garmire, E. Two-frequency competition in external cavity semiconductor lasers 88−65763
Tatakis, E. An analytical solution for predicting switching performances of a forward converter with insulation transformer 87−16886
Tatakis, E. A SPICE2 high-frequency transformer model for DC-DC converters 88−69575
Tatakis, E. *see* Koulischer, J. 87−44580, 88−55301
Tatakis, E. *see* Velaerts, B. 88−75618
Tatam, R.P., Akhavan Leilabady, P., Jones, J.D.C., Jackson, D.A. Polarisation state control using fibre optic techniques 87−26035
Tatam, R.P., Berwick, M., Akhavan Leilabady, P., Jones, J.D.C., Jackson, D.A. Applications of Faraday rotation using monomode optical fibre 88−13888
Tatam, R.P., Berwick, M., Jones, J.D.C., Jackson, D.A. Faraday effect magnetometry utilizing high Verdet constant glass 88−9931
Tatam, R.P., Berwick, M., Jones, J.D.C., Jackson, D.A. Optoelectronic processing for Faraday effect magnetometry: applications for remote measurement 88−67782
Tatam, R.P., Hill, D.C., Jones, J.D.C., Jackson, D.A. All-fiber-optic polarization state azimuth control: application to Faraday rotation 88−72022
Tatam, R.P., Jones, J.D.C., Jackson, D.A. Optoelectronic processing schemes for the measurement of circular birefringence 87−46504
Tatam, R.P., Pannell, C.N., Jones, J.D.C., Jackson, D.A. Full polarization state control utilizing linearly birefringent monomode optical fiber 87−68102
Tatam, R.P., Pannell, C.N., Jones, J.D.C., Jackson, D.A. Optical fibre polarisation state controller 88−33684
Tatam, R.P. *see* Jones, J.D.C. 87−38820
Tatam, R.P. *see* Pannell, C.N. 87−74892, 88−13887, 88−22794, 88−33683
Tatangsurja, H., Steenaart, W. A comparison of stored-product and wave digital filters: coefficient accuracy and roundoff noise 86−1309
Tatangsurja, H., Steenaart, W. Bit sliced stored product digital filters 88−38643
Tatar, D. *see* Tutunaru, M. 87−75216
Tatara, I. *see* Fukutsuka, T. 85−50860

Tatara, R.A. Modelling thermal resistance of power modules having solder voids with finite elements 88−11751
Tatara, S. *see* Hakata, H. 87−78999
Tatara, S. *see* Hosoda, H. 87−43528, 88−69740
Tatarchenko, V.A. *see* Abrosimov, N.V. 87−44293
Tatarchenko, V.A. *see* Borodin, V.A. 87−237
Tatarchenko, V.A. *see* Brantov, S.K. 87−5393, 87−16652, 87−44289
Tatarchenko, V.A. *see* Red'kin, B.S. 87−46257
Tatarchuk, B.J. *see* Askew, R.F. 87−26654
Tatarchuk, Yu.S. *see* Kozlov, B.G. 86−14435
Tatarenko, N.A., Terekhov, A.V., Grossman, L.Z. Welding and soldering pieces using electrolysis-water generator 85−16781
Tatarenko, S. *see* Delage, S. 87−32395
Tatarenko, S. *see* Magnea, N. 87−36732
Tatarenkov, V.M. *see* Clairon, A. 88−47656
Tatarenkov, V.M. *see* Domnin, Y.S. 86−38588
Tatarenkov, V.M. *see* Domnin, Yu.S. 87−34898, 88−20551
Tatarenkov, V.M. *see* Felder, R. 88−47655
Tatarenkov, V.M. *see* Pushkin, S.B. 86−24653
Tatarewicz, J.N. *see* Smith, R.W. 85−64038
Tatari, M.S. Selection and parametrization of texture analysis methods for the automation of industrial visual inspection tasks 88−59288
Tataria, H., Dehaan, A., Jones, K. Elective replacement indicator for implantable lithium cells 85−39183
Tatarinov, A.M., Dzenis, V.V., Yanson, Kh.A. Role of the thickness of compact bone tissue in the study of tubular bones with exponential ultrasound concentrators 86−38768
Tatarinov, V.S. Sign of photocarriers and scheme of electron transitions in natural diamond 86−58225
Tatarinov, Yu.S. *see* Varshavskii, V.I. 88−59421
Tatarintsev, A.G. Choosing protection against single-phase faults in 0.4 kV networks 86−45498
Tatarintsev, A.G., Grokhovskii, A.A. On the need for thermal-stability tests on cables at voltages up to 1 kV on high-power stations 87−42471
Tatarintsev, V.M. *see* Buzynin, A.N. 88−11948
Tatarkiewicz, J. Computer test of perception 86−44113
Tatarkiewicz, J. *see* Anastassakis, E. 87−32386
Tatarnikopv, D.V. *see* Filippov, V.S. 87−33536
Tatarnikov, V.S. *see* Artemenko, S.N. 87−35127
Tatarnikov, V.T. Design of radio signal optimal processing system, allowing for component deviations from ideal 85−14105
Tatarnikova, G.V., Shalfeyev, V.D. Study of the statistical dynamics of phase sync systems 87−69178
Tatarnikova, G.V., Shalfeyev, V.D. Statistical characteristics of phase-lock loop systems with an integrating filter 88−6707
Tatarnov, S.G. *see* Sablin, A.D. 88−75535
Tatarskii, V. Modern concepts of waves and turbulence 87−75362
Tatarskii, V.I. Some new aspects in the problem of waves and turbulence 88−20876
Tatarskii, V.I. *see* Gurvich, A.S. 88−27501
Tatarskiy, B.G. *see* Velichkin, A.I. 85−8306
Tatarskiy, V.I. *see* Kon, A.I. 88−20906
Tatarynowicz, A. Calcium silicate as microwave dielectric 85−54531
Tatashev, A.G. Calculation of the distribution of the waiting time in a multiple-channel queueing system with fixed priorities 85−39612
Tatashev, A.G. *see* Akbulatova, S.V. 88−28146
Tatata, S. *see* Sonoda, T. 86−31366
Tatchell, G.M. Agricultural viewdata services in Britain and the role of Rothamsted as an information provider 88−15029
Tatcher, M. *see* Faerman, S. 86−44530
Tatchyn, R. Variational theory of insertion devices 87−26641
Tatchyn, R., Csonka, P. Modelling and characterisation of a micropole undulator with a 726 μm period 87−50079
Tatchyn, R., Csonka, P. Micropole undulators in synchrotron radiation technology: design and construction of a submillimeter period prototype with a 3 kilogauss peak field at SSRL 88−22887
Tatchyn, R., Csonka, P., Kilic, H., Watanabe, H., Fuller, A., Beck, M., Toor, A., Underwood, J., Catura, R. Focusing of undulator light at SPEAR with a lacquer-coated mirror to power densities of 10^9 Watts/cm^2 88−22889
Tatchyn, R., Csonka, P., Toor, A. Micropole undulators in accelerator and storage ring technology 88−54308
Tatchyn, R., Csonka, P.L. Attainment of submillimeter periods and a 0.3-T peak field in a novel micropole undulator device 87−33382
Tatchyn, R., Csonka, P.L., Kallne, E., Toor, A., Gillespie, C., Lindau, I., Fuller, A. Surface heating in a lacquer-coated mirror irradiated with undulator light 87−26119
Tatchyn, R., Lindau, I. Off-axis radial properties of undulator light 88−20856
Tatchyn, R., Toor, A., Kilic, H., Hares, J., Kilkenney, J., Csonka, P., Watanabe, H., Fuller, A. On-axis streak camera measurements of undulator light on Beam Line V at SSRL 88−22886
Tatchyn, R. *see* Redaelli, R. 87−11539
Tatchyn, R. *see* Tirsell, K.G. 87−29408
Tate, A., Jinguji, K., Yamada, T., Takato, N. Theoretical and experimental investigations on the deposition rate and processes of parallel incident laser-induced CVD 86−7823
Tate, A., Jinguji, K., Yamada, T., Takato, N. Photodeposition of GeO_2-SiO_2 glass and application to planar optical waveguides 86−28806
Tate, A., Ohmori, Y., Kobayashi, M. MOVPE growth of AlGaAs on preferentially dry etched substrates 88−56227
Tate, A. *see* Arishima, K. 85−42996
Tate, A. *see* Ohmori, Y. 88−1993
Tate, C.N., Goodyear, C.C. Performance of an adaptive lattice filter for linear prediction 85−46737
Tate, E.A. Surface-mounted components 85−40312
Tate, E.A. Raleigh Multi-wire [technology, process and organization] 86−197
Tate, J. Multilayer hole processing 85−61564
Tate, J. Recycling vs. treatment and disposal of metallic waste: a comparison 86−62936
Tate, J., Cabrera, B., Felch, S.B. Novel noise thermometer for measuring the local critical temperature of a superconducting ring 85−48135
Tate, J. *see* Carera, B. 87−14064
Tate, K. *see* Kawasaki, R. 88−21826
Tate, L. Managed data networks or private corporate networks: the options 86−54785
Tate, L.M. VANs on the move 86−69306
Tate, L.M. Electronic data interchange−an overview 87−76404
Tate, L.R. Sparse canonical signed digit FIR filter 87−59788
Tate, M. *see* Kedem, G. 87−777
Tate, P. The contentious technology [videotex] 85−36675
Tate, P. Making the network connection 85−36723
Tate, P. *see* Purton, P. 87−27760
Tate, P.Miller *see* Miller Tate, P.
Tate, R. *see* Kiyohashi, K. 86−5161
Tate, T. *see* Green, M. 88−2026
Tate, T.J. *see* Green, M. 87−53976
Tatebayashi, K., Yamane, D., Nagata, A., Oguma, H., Ochi, H. Digital filter development system 86−41243
Tatebayashi, K. *see* Yamane, D. 86−14421
Tatebe, W. *see* Maeda, K. 87−71395
Tateda, M., Furukawa, S., Miyokawa, H. Low-loss large-scale $1\times N$ optical switch 88−22124
Tateda, M. *see* Azuma, Y. 88−33607
Tateda, M. *see* Shibata, N. 88−65199, 88−65328
Tateda, M. *see* Tsubokawa, M. 88−72149
Tateda, M. *see* Yamashita, K. 88−20339
Tateda, M. *see* Yamishita, K. 88−72029
Tategam, T. DDC vector control transistor inverter 87−36036
Tategami, T. Transistor inverter 85−32576
Tategami, T. Vector-control transistor inverter and its applications 85−32577
Tategami, T. AC servo motor induction type 87−35969
Tateiba, M. A simulation of the pulse train in satellite altimeters and its applications 85−47588
Tateiba, M. Analysis of antenna gain reduction due to inhomogeneous fluctuation of random media 85−62787
Tateiba, M. Some useful expressions for spatial coherence functions propagated through random media 86−3491
Tateiba, M. An analytic approach to wave problem in periodically to randomly distributed scatterers 86−68712
Tateiba, M. A new approach to the problem of wave scattering by many particles 87−75399
Tateiba, M. A new approach to the problem of wave scattering by many particles 88−20877
Tateiba, M., Takegawa, T. The first and second order statistics of beam wave pulses backscattered from aperiodic surfaces with application to satellite altimetry 86−69809
Tateiba, M., Yokoi, T. Analysis of antenna gain reduction due to ionospheric and atmospheric turbulence 86−68866
Tateiba, M., Yokoi, T. On the validity of scalar analysis of microwave propagation through an ionospheric turbulence 87−75447
Tateishi, F. *see* Ikedo, M. 87−18629
Tateishi, F. *see* Ishiwatari, H. 87−8938
Tateishi, H., Komuro, K., Nomura, H., Onishi, T. Development of MJ-class pulsed superconducting magnets stabilized by high purity aluminum 87−67909
Tateishi, H., Komuro, K., Nomura, H., Onishi, T., Takeda, M., Matsuura, T. Operating characteristics of an energy transfer system between superconducting magnets with the chopper circuit 87−67913
Tateishi, H., Onishi, T., Komuro, K., Koyama, K. Development of partially-stabilized pulsed superconducting magnets 87−67908
Tateishi, H., Sugawara, M., Andou, T., Kondou, I., Naitou, H., Suguro, M. Variable frequency oscillator for floppy disk: μPD71065G and μPD71066CT 87−37048
Tateishi, H., Sugawara, M., Tomotsune, K., Hayashi, T., Niitsu, S. TV synchronous generator with analogue CMOS technique 87−34771
Tateishi, H. *see* Higashiyama, N. 85−37349
Tateishi, H. *see* Higuchi, K. 86−34849
Tateishi, H. *see* Nomura, H. 87−67912
Tateishi, H. *see* Onishi, T. 85−56251, 85−62269, 86−52746, 87−67910
Tateishi, H. *see* Sugawara, M. 87−34750
Tateishi, J. *see* Kotani, N. 87−67358
Tateishi, K. Light emitting diode array 85−35650
Tateishi, K. *see* Akiba, T. 87−75146
Tateishi, K. *see* Chiu, C.P. 85−39398
Tateishi, S. *see* Nakano, H. 86−27243
Tateishi, T. *see* Onodera, H. 87−24282, 88−847, 88−12448, 88−32282
Tateishi, Y. *see* Matsumoto, K. 88−20040
Tateiwa, K. *see* Fuse, G. 88−19166, 88−39725, 88−64391
Tatekabe, K. *see* Tamura, H. 85−52663
Tatekawa, K. *see* Konishi, T. 85−31802
Tatekura, K., Niro, Y. Reliability of new semiconductor devices for long-distance optical submarine-cable systems 88−47046
Tatekura, K., Nishikawa, H., Fujise, M., Wakabayashi, H. High accurate automatic measurement equipment for chromatic dispersion making use of the phase-shift technique with LDs [single mode fibres] 85−29633
Tatekura, K. *see* Wakabayashi, H. 85−37034
Tatekura, K.-I., Yamamoto, H., Wakabayashi, H., Niiro, Y. Reliability of the OS-280M optical submarine repeater 87−13704
Tatematsu, K. *see* Ishii, K. 86−4427
Tatematsu, K. *see* Nakatani, N. 87−13234
Tatematsu, M. *see* Watanabe, S. 85−1048
Tatemichi, A. *see* Nishimura, A. 87−73213
Tateno, A. Application of AC speed control equipment to small size spindle driving 86−12817
Tateno, A., Igarashi, M., Ashikaga, T., Masakatsu Nomura Microprocessor-applied voltage source type AC speed control equipment, THYFREC-VT83U 86−12775
Tateno, A. *see* Uwabu, T. 86−12776, 88−24297
Tateno, F. *see* Ando, S. 85−41517
Tateno, H. High speed transfer system with linear motor for printed circuit board unit 87−35954
Tateno, H., Inose, S., Endo, A. AF track circuits 86−40249
Tateno, H., Mochizuki, M., Tanida, T. Factory automation system for fiber-optic communication systems plant 87−28566
Tateno, H., Ono, T., Iwashita, Y., Kawano, K., Noikura, T. Ion beam excited acoustic image and specific element image of teeth 87−15109
Tateno, H., Ono, T., Nagata, J., Fukai, A. The improvement and application of ion-beam excited acoustic microscopy 88−16985
Tateno, Y. *see* Matumoto, T. 88−16709
Tateoka, K. *see* Takigawa, S. 88−14178
Tatevosyan, A.S., Andreeva, E.G. Numerical calculation of magnetic field of electromagnetic motor 86−25998
Tatevosyan, A.S. *see* Kovalev, Yu.Z. 88−5920
Tatevosyan, V.V. *see* Mkrtchyan, S.O. 88−38775
Tateyama, N. *see* Tasaka, S. 85−59207
Tatezaki, J. *see* Funabashi, T. 85−22965
Tatham, C.R.D. Using cable as a network−technical implications 86−24130
Tatham, C.R.D. Policy issues facing government keynote address 86−49076
Tatham, R.H. Multidimensional filtering of seismic data 85−15411
Tatjana, K. Integrated modelling and analysis of shaft-like parts at a CAD-system 88−43147
Tatje, J., Biehl, G. LOG/iC a common approach for PLD and ASIC 87−37266
Tatje, J., Sutter, K. Universal logic compiler makes possible the development of all types of ASICs 87−25390
Tatje, J. *see* Ditzinger, A. 88−50070
Tatkin, L.Z. *see* Aleksandrov, G.N. 87−3386
Tatko, B.N. *see* Voevodin, A.A. 85−7014
Tatliev, A.F. *see* Apollonskii, S.M. 85−65205
Tatnall, A.R.L. *see* Foster, P.R. 88−27645
Tatom, R.A. Project Victoria−the 7-in-1 solution 86−23353
Tatomir, P.J. *see* Hendrick, L.W. 86−8348
Tatone, O.S., Meindl, P., Taylor, G.F. Steam generator tube performance: experience with water-cooled nuclear power reactors during 1983 and 1984 88−43004
Tatone, O.S., Pathania, R.S. Update on world-wide steam generator experience [nuclear power stations] 85−32286
Tator, C.H. *see* Piper, I. 87−77604
Tatro, R.E., Kozman, T.A. Design and fabrication of the MFTF-B magnet system 86−42186
Tatsenko, V.G., Lipkin, I.A. Linear estimate of the frequency of a frequency-shift keyed signal with a random and fluctuating center frequency 88−40960

Tatsenko, V.G., Volkov, A.Ye. A comparison of the effectiveness of linear filtering in single-channel and two-channel data-transmission systems 86−29680
Tatsenko, V.G. *see* Korovkin, V.V. 88−9150
Tatsenko, V.V. *see* Kuznetsov, Yu.N. 86−8526
Tatsenko, V.V. *see* Levental', V.F. 88−63545
Tatsis, G.P. *see* Svenson, R.H. 88−16780
Tatsuguchi, K., Itonaga, M., Miyatake, H., Goto, H. Erasable compact optical disc system 87−8486
Tatsui, N. *see* Hibino, M. 87−8047
Tatsukawa, I. *see* Satonaka, S. 88−18815
Tatsukawa, S., Sekine, M., Musha, T. False-alarm probability of conventional and logarithmic CFAR receivers 85−20255
Tatsukawa, S., Sekine, M., Musha, T. Simulation in radar clutter suppression 86−11166
Tatsukawa, S. *see* Sato, M. 88−45232, 88−58261
Tatsukawa, T. *see* Fukui, K. 85−18109
Tatsuki, K., Murano, K., Kawamura, T., Kato, H., Yano, S., Nishigaki, S. Dielectric properties of $PbO-ZrO_2-REO_x$ ceramics at microwave frequencies 88−26556
Tatsuki, K. *see* Takeuchi, H. 86−43510
Tatsuki, M., Kato, S., Okabe, M., Yakushiji, H., Kuramitsu, Y. An ECL 5000-gate gate array with 190-ps gate delay 86−47772
Tatsuki, M., Kato, S., Okabe, M., Yakushiji, H., Terai, M., Noda, T. A 280ps/gate ECL 5000-gate array 86−973
Tatsuki, M. *see* Kato, S. 87−641, 87−73391
Tatsuki, M. *see* Mori, H. 88−56677
Tatsuki, M. *see* Nishimura, T. 87−10806, 87−17025
Tatsuki, M. *see* Okabe, M. 87−59421
Tatsumi, E., Izumi, M., Fukunaga, K., Kasai, T. Binocular stereograph based on structures of edgelines 87−62220
Tatsumi, H. *see* Yanai, Y. 85−5093
Tatsumi, K., Matsushita, T., Ito, S. A multi-functional reflection type grating lens for the CD optical head 88−45257
Tatsumi, K., Nakaguchi, T., Ito, S. Wide field angle bi-aspherical waveguide lens in $LiNbO_3$ fabricated by proton-exchange 88−45177
Tatsumi, M., Hayashi, I., Hayashi, T., Uchino, K. Electrostrictive characteristics of PMN ceramics as raw materials of micro-displacement actuators 87−11992
Tatsumi, M. *see* Fujiwara, K. 87−73286
Tatsumi, M. *see* Ihara, S. 85−37604
Tatsumi, M. *see* Tada, K. 86−52428, 88−49791
Tatsumi, M. *see* Yoshida, K. 85−58892
Tatsumi, R. Photomask repair 86−53508
Tatsumi, R. Recent trends of YAG/excimer laser machining 87−26583
Tatsumi, S., Sakai, T. A VLSI-oriented interconnection network having self-similarity 85−30729
Tatsumi, S., Sakai, T. A VLSI-oriented interconnection network having self-similarity 86−67988
Tatsumi, S. *see* Ueda, N. 87−8802, 87−41770, 87−50016
Tatsumi, T., Aizaki, N. Boron heavy doping and simultaneous doping with boron and oxygen for Si molecular beam epitaxy 87−25248
Tatsumi, T., Aizaki, N., Tsuya, H. Advanced techniques to decrease defect density in molecular beam epitaxial silicon films 85−39727
Tatsumi, T., Hirayama, H., Aizaki, N. Boron heavy doping for Si molecular beam epitaxy using a HBO_2 source 87−45755
Tatsumi, T., Hirayama, H., Aizaki, N. $Si/Ge_{0.3}Si_{0.7}Si$ heterojunction bipolar transistor made with Si molecular beam epitaxy 88−39379
Tatsumi, T. *see* Aizaki, N. 85−49574
Tatsumi, T. *see* Ando, M. 87−51540
Tatsumi, T. *see* Hirayama, H. 88−18716, 88−24698, 88−44633, 88−49792, 88−63285
Tatsumi, T. *see* Ishimaru, K. 88−49878
Tatsumi, T. *see* Nakatsu, Y. 87−17407
Tatsumi, T. *see* Yamada, K. 88−64976
Tatsumi, Y., Honda, H., Ikegami, K., Naito, S. Influence of growth conditions on amorphous germanium films prepared by vacuum-evaporation 87−65552
Tatsumi, Y., Ohsaki, H., Kurahashi, Y., Iijima, M., Kurumi, K., Miura, K., Ino, T. Densimetry of amorphous silicon films by using a quartz oscillator 87−8751
Tatsumi, Y. *see* Ohsaki, H. 88−1536
Tatsumi Toru *see* Toru Tatsumi
Tatsumichi, T. *see* Kumagawa, K. 87−56756
Tatsumichi, T. *see* Manabe, K. 87−49366
Tatsumoto, H. *see* Hattori, T. 88−24830
Tatsuno, H. Impedance design of subscriber line interface circuit for a digital local switch 86−69494
Tatsuno, H. *see* Tsuboi, T. 86−30100
Tatsuno, K. Development of an optical fiber droplet sizer 86−2838
Tatsuno, K. Improvements on the optical fiber particle sizer 88−36016
Tatsuo Itoh *see* Sang Won Yun 85−1003
Tatsuo Itoh *see* Yoshiro Fukuoka 85−1036
Tatsuo Ohtsuki *see* Kei Suzuki 88−31943
Tatsuoka, M. *see* Nishina, M. 87−9959
Tatsuta, F. *see* Izeki, N. 85−29361, 86−70212
Tatsuta, H., Shimizu, K., Sano, M., Kosako, S., Oshima, N., Fujita, S. High-efficiency dot matrix liquid crystal displays 87−56757
Tatsuta, H., Yamagami, T., Uemura, T., Fujita, S., Ota, I., Shimizu, K. High duty cycle dot matrix liquid crystal displays 85−14914
Tatsuta, H. *see* Shimizu, K. 85−58773
Tatsuta, M., Yamanaka, E., Wada, H., Tamamushi, T., Nishizawa, J.-I. 1 MHz, 1 kW series resonant converter for ultrasonic transducer using the high frequency power SITs 88−75784
Tatsuta, M. *see* Nishizawa, J. 88−71595
Tatsuta, M. *see* Ogiwara, H. 86−39976
Tatsuta, S. *see* Hiyamizu, S. 86−8868
Tatsuta, T., Nagashima, T., Suzuki, K., Kuwabara, H., Aihara, M., Fujiwara, Y., Sakaguchi, Y., Tajima, T. Field test of recycle system of heat from underground cables in tunnel 86−51008
Tatsuuma, K., Sugimoto, M., Ajiki, T. The new concept of thin oxide breakdown mechanism 88−71373
Tatsuwaki, M. *see* Hotta, K. 86−44457
Tatsuyama, C. *see* Asai, M. 86−7768
Tatsuyama, C. *see* Kataoka, Y. 88−31750
Tatsuyama, C. *see* Sakai, E. 88−61085
Tatsuzawa, K. *see* Eguchi, T. 86−17650
Tatsuzawa, T., Madokoro, S., Hagiwara, S. Si nodule formation in Al-Si metallization 86−15089
Tatsuzawa, Y. A review of INS 87−2736
Tattelman, P., Grantham, D.D. A review of models for estimating 1 min rainfall rates for microwave attenuation calculations 85−36013
Tatter, A. Satellite TV in Europe 88−28779
Tattersall, G.D., Linford, P.W., Linggard, R. Neural arrays for speech recognition 88−59063
Tattje, H.E.P. *see* Heideman, G.H.L.M. 87−33615, 87−68923
Tatu, D. *see* Banica, E. 88−47608
Tatum, J. Bond-free fixture tests beam leads nondestructively 88−63934
Tatum, J., Garver, R., Hayes, S., Berry, M. Impact of impedance mismatch errors on wideband transmission loss measurements of receivers 88−15327
Tatum, J., Hinton, K. Tunnel diodes complement high-performance detectors 85−61465
Tatum, J. *see* Garver, R. 87−77358
Tatum, W.F. ATRs−a Texas Instruments perspective 88−22222
Tat'yanenko, N.P. *see* Bondarenko, V.S. 85−1420
Tat'yanin, Yu.S., Gaponov, A.N., Bikkard, V.A. Subscriber translator equipment 87−76413
Tau, S. *see* Fazzini, N. 86−38637, 88−47759
Tau Chen *see* Ramamoorthy, P.A. 86−16395
Taub, D.M. Sampled-data servos−a new analysis. II 85−36253
Taub, D.M. Sampled-data servos−a new analysis. III 85−36254
Taub, F.E. *see* Rutherford, H.G. 87−69329
Taub, H. *see* Berliner, R. 85−15202
Taub, J. Microwave and millimeter-wave technology aids EW System design 85−13156
Taub, J. Applications of magnetostatic wave technology to EW systems−an assessment 86−23954
Taube, D.W., Theis, S.W. Correlation of microwave sensor returns with soil moisture 85−64722
Taube, E.von *see* von Taube, E.
Taube, J.C., Pillutla, R., Mills, J. Criteria for an adaptive fractional inspired oxygen controller 88−68459
Taube, M. *see* Leisten, O. 88−64547
Taube, T. *see* Zollner, D.H. 85−44328
Taube Eugene von *see* Eugene von Taube
Taubenblatt, M.A., Helms, C.R. Characterization of native contamination layers at refractory metal/silicon interfaces and effects on electrical and metallurgical properties 87−6474
Tauber, A., Leupold, H.A., Rothwarf, F. Application of rare earth permanent magnets to electron beam devices 86−21054
Tauber, A. *see* Leupold, H.A. 85−24183
Tauber, A. *see* Potenziani, E., II 85−56085
Tauber, A. *see* Strnat, R.M.W. 87−67783
Tauber, G. pH glass electrodes for high temperature and high pH applications 85−26208
Tauber, M.J. *see* Van der Veer, G.C. 88−59620
Tauber, R. *see* Apetz, U. 85−4003
Tauber, R. *see* Fenk, J. 87−20690
Tauber, R. *see* Kriedt, H. 88−15759
Tauber, R. *see* Meindl, X. 87−13908
Tauber, R.N. *see* Prussin, S. 85−23429, 85−23637
Tauber, W., Oswald, H. The effectiveness of signal screening 88−44401
Tauber, W. *see* Oswald, H. 88−44400
Taubert, D. *see* Deppe, H. 87−34937
Taubert, G. *see* Schwede, R. 85−15906
Taubert, J., Trenkner, H. The realisation of the network description language NBS'79 with minicomputer technique 86−27005
Taubert, J. *see* Fugert, E. 88−32166
Taubert, U. Utilizing the co-products of electricity generation in coal power plants 85−32351
Taubert, U. Geeste storage reservoir−water supply for large power plants on small rivers 87−78322
Taubes, I.R. Operating conditions of relay protection during melting of ice on 110 kV transmission lines 88−55033
Taubes, I.R. *see* Belyaev, V.A. 87−64335
Taubes, V.Ya. *see* Alievskii, B.L. 87−58078
Taubin, A.R. *see* Varshavskii, V.I. 85−33142
Taubin, F.A. Parallel filtering of signals in a channel with interference 88−40901
Taubin, F.A. *see* Trofimov, A.N. 87−39653
Taubin, T.A. Bounds of error probability with decision-feedback equalization 87−75672
Taubitz, G. Miniature circuit boards for modern microelectronics 85−11704
Taubitz, G. Copper materials for light-current technology 85−33513
Taubitz, G. Selection and modification of relays 86−1431
Taubitz, G. Plastic-coated metal parts for electrical and electronic components. II 86−1433
Taubitz, G. Use of copper materials for electrical contacts, contact springs and clamp-cut connectors 86−27663
Taubitz, G. Plug contact−energy and signal transmission systems elements 87−32138
Taubitz, G. Contacts as function carriers 87−52929
Taubitz, G. Choice and modification of relays. I. General principles 87−52953
Taubitz, G. Research and development on electrical contacts 87−59934
Taubitz, G. Are riveted contacts better? [than welded contacts] 88−1062
Taubitz, G. Users exercise great influence [push-on connectors: functions, types and techniques] 88−12687
Taubitz, G. Printed circuits for surface mounting−not yet fully developed 88−25630
Taubitz, G. Electrical contacts, contact materials, and methods of manufacture. Good contacts are worth gold 88−32516
Taubitz, G. Relays−connecting link between logic and last 88−32523
Taubitz, G. Optimisation of contact joints: the prerequisite of a good contact 88−64019
Taubitz, G. In focus: switches. Overview of types−applications−test methods 88−71150
Taubitz, G. Intelligent transducers 88−74330
Taubitz, G. *see* Weik, G. 86−14590
Taubkin, I.I. *see* Kerner, B.S. 87−32291
Taubman, Ye.I., Bodyul, O.I. Criteria for evaluating the effect of industrial heat engineering systems on the environment 86−12648
Taubmann, G., Jones, H., Davies, P.B. New CW optically pumped FIR laser lines 87−18878
Taubmann, P. *see* Keller, C. 85−63849
Tauc, J. *see* Merk, E. 85−24374
Tauc, J. *see* Stoddart, H.A. 85−24373
Tauc, J. *see* Thomsen, C. 86−42408
Tauc, J. *see* Vardeny, Z. 88−1403
Tauchi, T. *see* Imanishi, A. 88−61124
Tauchi, T. *see* Kawabata, S. 88−61140
Tauchi, T. *see* Kuroda, S. 87−50134
Tauchi, Y. *see* Ikeda, H. 86−14602
Taufik Mokhsen, A., Rizk, A., Talaat, Kh. Integrated control of complex electric power systems 87−71544
Taufiq, J.A. Evaluating the step response of traction VSI drive 88−69763
Taufiq, J.A. Step response prediction for traction VSI drive with emphasis on signalling compatibility 88−76030
Taufiq, J.A., Chance, R.J., Goodman, C.J. On-line implementation of optimised PWM schemes for traction inverter drives 87−79110
Taufiq, J.A., Goodman, C.J. Fast time domain modeling of inverter fed induction motor drive systems 87−16110
Taufiq, J.A., Goodman, C.J., Mellitt, B. Railway signalling compatibility of inverter fed induction motor drives for rapid transit 86−40241
Taufiq, J.A., Mellitt, B., Goodman, C.J. Novel algorithm for generating near optimal PWM waveforms for AC traction drives 86−40242
Taufiq, J.A. *see* Ahmed, M.M. 86−61769
Taufiq, J.A. *see* Durie, A.F. 87−79123
Taufiq, J.A. *see* Garcia-Cerrada, A. 88−69376
Taumberger, H. *see* Fischer, H. 85−48874
Taumer, F. *see* Bremer, J. 88−58867
Taunton, J.C. *see* Atkinson, R.M. 87−22875
Tauora, J., Campos, C. Line inverter with stepped waveform 85−49717
Taur, Y., Chang, W.H., Dennard, R.H. Characterization and modeling of a latchup-free 1-μm CMOS technology 85−50740
Taur, Y., Davari, B., Moy, D., Sun, J.Y.-C., Ting, C.Y. Study of contact and shallow junction characteristics in submicron CMOS with self-aligned titanium silicide 88−26502
Taur, Y., Hu, G.J., Dennard, R.H., Terman, L.M., Ting, C.-Y., Petrillo, K.E. A self-aligned 1-μm-channel CMOS technology with retrograde n-well and thin epitaxy 85−35168

Taur, Y., Sun, J.Y.-C., Moy, D., Wang, L.K., Davvari, B., Klepner, S.P., Ting, C.-Y. Source-drain contact resistance in CMOS with self-aligned $TiSi_2$ 87—46194
Taur, Y. *see* Davari, B. 88—7615, 88—71795
Taur, Y. *see* Dori, L. 88—7607
Taur, Y. *see* Lai, F.S. 86—47854
Taur, Y. *see* Lin, B. 86—2443
Taur, Y. *see* Oh, C.S. 88—64781
Taur, Y. *see* Sun, J.Y. 87—32692, 87—46216
Taur, Y. *see* Wang, L.K. 87—25580
Taur, Y. *see* Wong, C.Y. 88—71429
Taura, K., Tomohiro, R. Automatic tuning car radio based on the radio data system 88—15752
Taura, K., Tomohiro, R. An automatic-tuning car radio based on the radio data system 88—15760
Taura, K. *see* Fukae, T. 85—31179
Tauras, V., Vaskevicius, A., Repsas, K. Magnetoresistive electromotive force in n-type germanium and silicon in strong electrical microwave fields 87—53162
Tauras, V.K. *see* Prikhod'ko, A.V. 87—17685
Taurbaev, J.I., Aitmambetov, R.M., Swanbaev, E.A., Manakov, S.M., Suleimenov, M.D. Photosensitive a-Si:H devices fabricated by DC magnetron reactive sputtering 87—46689
Taurbaev, T.I., Koshumbekov, Kh.J., Mukanov, Kh.K., Mukashev, F.A. Electrophysical properties of amorphous silicon films prepared by CVD method 87—45612
Taurbaev, T.I. *see* Bordina, N.M. 86—22235
Taurbaev, T.I. *see* Korotkov, V.P. 86—50103
Taurbaev, T.M. *see* Svanbaev, E.A. 88—38236
Taureg, H. *see* Arnault, C. 87—14216
Taureg, H. *see* Burkhardt, H. 88—47997
Tauriainen, A. Navigation satellite measurements 85—3392
Tauroginskiy, B.I. *see* Danilevskiy, L.N. 86—16016
Tauroginskiy, B.I. *see* Domanov, Yu.A. 86—48696
Taurus, V.K., Repshas, K.K. The Hall effect and magnetoresistive electromotive force in semiconductors in the microwave range 88—39038
Tausch, H.J., Collaros, G.J. Interaction of residential photovoltaic systems with utility power waveforms 86—6652
Tausch, H.J., Wemhoner, R., Pease, R.L., Schwank, J.R., Maier, R.J. A programmable test system for transient annealing characterization of irradiated MOSFETs 88—26292
Tauscheck, E. Small mirror antenna for 20 GHz radio link networks 87—61489
Tauschek, E. *see* Schuegraf, E. 86—48684
Tauschel, M. *see* Diederichs, W. 87—57618, 88—17135
Tauscher, H.N. Calibration of noise power-transfer standards, measurement uncertainties and long-term stability 85—14967
Tauscher, L. *see* Adiels, L. 86—44602
Tauschitz, J., Fischer, H., Kucera, E. Electrostatic filters for the Voitsberg 3 thermal power station 85—7595
Tauschitz, J., Wolfmayer, J. The feed pumps in the Voitsberg 3 thermal power station 85—9716
Tauschitz, J. *see* Schrofelbauer, H. 86—70822, 88—48785
Tauson, R.A. OS/NE interface requirements conformance testing 87—40420
Taussig, R.T. *see* Brandell, B. 85—53116
Tauth, T. A compact ion source in an inhomogeneous magnetic field: the miratron 87—50110
Tautz, A. Waste heat utilisation on the Lower Rhine 85—15821
Taux, G. *see* Dopheide, D. 86—11775, 88—4650
Tavakkoli, S. *see* Fuller, C.R. 87—27422
Tavakoli Darkani, M., Bhattacharyya, B.B. Canonic RC-active oscillations using differential amplifiers 87—65922
Tavakolian, H., Hollingsworth, R.E. Indium tin oxide/Si and $CdS/CuInSe_2$ solar cells: characterization and modeling 86—66335
Tavakolian, H., Sites, J.R. Capacitance determination of interfacial states in $CuInSe_2$ solar cells 87—9815
Tavana, D., Milani, E. Advantages of programmable logic 85—33774
Tavana, D. *see* Rajpal, S. 85—22899
Tavana, D.M., Coli, V.J. System advantages of programmable logic 85—11134
Tavana, D.M., Coli, V.J. System advantages of programmable logic 85—17318
Tavangarian, D. Flag-oriented ALU for content-addressable data 86—67163
Tavangarian, D., Bechtold, M., Waldschmidt, K. Experiences with a practical course on circuit design using standard cells 86—57123
Tavangarian, D. *see* Roll, G. 86—67223
Tavangarian, D. *see* Strugala, M. 87—65679
Tavangarian, D. *see* Waldschmidt, K. 87—37295
Tavano, F., Maiocchi, G. Power arc behaviour of insulator strings and fittings for UHV overhead lines 88—55044
Tavano, F. *see* Flocchini, G. 86—61152
Tavantzis, J. *see* Wei-Ming Ni 85—10577
Tavares, A.D. *see* Brito Cruz, C.H. 85—7364
Tavares, A.Dias *see* Dias Tavares, A.
Tavares, A.Dias, Jr. *see* Dias Tavares, A., Jr.
Tavares, A.Dioas, Jr. *see* Dioas Tavares, A., Jr.
Tavares, C. *see* Almeida, R. 87—57375
Tavares, H.M.F. *see* Araujo, E.O. 85—25631
Tavares, L.V., Vieira, V., Barcia, P. A decision support system (DSS) for power generation 86—56515
Tavares, S.E. *see* Cheung, P. 86—4328
Tavares, S.E. *see* Kostiuk, A.R. 87—67527, 88—38354
Tavares, S.E. *see* Lai, S.W. 88—41378
Tavares, S.E. *see* Orton, G. 86—67295
Tavares, S.E. *see* Orton, G.A. 88—39707, 88—40835
Tavares, S.E. *see* Scott, P.A. 86—41185, 88—50103
Tavares, S.E. *see* Serbin, B.M. 88—38493
Tavazzi, V. *see* Maranesi, P.G. 88—75720
Tavel, M.A., Hearn, E.W. An interactive computer simulation of heating and cooling a row of silicon wafers 88—57408
Tavel, M.A. *see* Fleisher, H. 86—27277
Tavendale, A.J., Williams, A.A., Alexiev, D., Pearton, S.J. Electrical transport studies of the hydrogen-related compensating donor in B-doped silicon diodes 87—11734
Tavendale, A.J., Williams, A.A., Pearton, S.J. Hydrogen injection and neutralization of boron acceptors in silicon boiled in water 86—35283
Tavendale, A.J. *see* Corbett, J.W. 88—57295
Tavendale, A.J. *see* Pearton, S.J. 87—17933
Tavendale, R. *see* Nissen, J.C.D. 86—49171
Tavener, J. Theory and practise of resistance thermometers 88—4352
Tavener, J., Wenegard, H. Best measuring results with platinum thermometers 87—70555
Tavener, S.J., Withy, S.J., Harris, E.A. Response characteristics of a mass spectrometer 85—9168
Tavera, L. *see* Balcazar, M. 87—29634
Tavergnier, J.P. *see* Dubots, P. 85—56145
Tavergnier, J.P. *see* Fevrier, A. 87—43178
Tavergnier, T.P. *see* Fevrier, A. 88—69459
Taverner, J. Thermocouples [buyer's guide] 87—49659
Taverner, T.M. *see* Vendura, G.J., Jr. 86—13083
Tavernier, C. Reduction of background noise in Hi-Fi equipment 86—24216
Tavernier, G. Transfer of engineering technology 86—39440
Tavernier, S. *see* Barth, M. 85—15245
Tavernier, S. *see* Daubie, E. 87—21467
Tavernier, S. *see* de Clerq, C. 86—32194
Tavernier, S. *see* Fernandez, C. 85—4216
Tavernier, S. *see* Mine, P. 88—61296
Tavernier, S.P.K. Holographic image recording in visual particle detectors 85—9094
Taverniere, P. *see* Bletry, J. 85—10226
Tavildar, A.S., Gupta, H.M., Gupta, S.N. Binary detection in presence of film grain noise and intersymbol interference 85—51754
Tavildar, A.S., Gupta, H.M., Gupta, S.N. Maximum a posteriori estimation in presence of film grain noise 85—51756
Tavildar, A.S., Gupta, S.N., Gupta, H.M. Detection of binary images recorded on films with grain clustering 85—13542
Tavildar, A.S., Gupta, S.N., Gupta, H.M. Detection of binary images in film grain noise 85—36329
Tavis, M.T. *see* Garmire, E.M. 85—12868
Tavis, M.T. *see* Shimabukuro, F.I. 85—26902
Tavis, M.T. *see* Yura, H.T. 85—46572
Tavitian, V. *see* King, K.K. 88—38251
Tavlykaev, R.F. *see* Buritskii, K.S. 85—41167
Tavlykaev, R.F. *see* Zolotov, E.M. 88—26885, 88—72150
Tavner, P.J. Monitoring large motors 87—15775
Tavner, P.J., Gaydon, B.G., Ward, D.M. Monitoring generators and large motors 86—45343
Tavner, P.J., Hargis, C., Armin, K.K. An electrical technique for monitoring induction motor cages 88—11231
Tavner, P.J. *see* Malik, A.K. 86—33358
Tavormina, J. Instrumentation radars fulfil role in RCS measurement 85—42646
Tavoulareas, S. *see* Drenker, S. 86—61337
Tavrin, V.Yu. *see* Kalikhman, S.A. 86—24935
Tavrin, Yu.A. *see* Verkin, B.I. 88—58029
Tavsanoglu, V. New multiple-loop feedback structure: the comrade form and its relation to existing topologies 86—1240
Tavsanoglu, V. Explicit evaluation of K and W matrices for second-order digital filters 87—928
Tavsanoglu, V. The necessary and sufficient conditions for minimum roundoff noise in second-order state-space digital filters and their optimal synthesis 87—59739
Tavsanoglu, V., Thiele, L. Optimal design of state-space digital filters by simultaneous minimization of sensitivity and roundoff noise 85—6441
Tavsanoglu, V. *see* Thiele, L. 85—10909
Tavylkaev, R.F. *see* Zolotov, E.M. 87—68113
Tavzes, R. *see* Jenko, M. 86—20885
Tawada, Y. Flexible amorphous Si solar cells 88—62593
Tawada, Y., Takada, J., Fukada, N., Yamaguchi, M., Yamagishi, H., Kondo, M., Hosokawa, Y., Tsuge, K., Nakayama, T., Hatano, I. A new stable a-SiC/a-SiH heterojunction solar cell 87—16032
Tawada, Y., Takada, J., Fukada, N., Yamaguchi, M., Yamagishi, H., Nishimura, K., Kondo, M., Hosokawa, Y., Tsuge, K., Nakayama, T., Hatano, I. Stability of an amorphous SiC/Si tandem solar cell with blocking barriers 86—40075
Tawada, Y., Takada, J., Yamagishi, H., Yamaguchi, M., Tsuge, K. Development of flexible a-SiC/a-Si heterojunction solar cells and stable a-SiC/a-Si tandem cells with blocking barriers 87—72416
Tawada, Y., Takada, J., Yamaguchi, M., Yamagishi, H., Hosokawa, Y., Hiroe, A., Kondo, M., Asaoka, K., Fukada, N., Tsuge, K. Stability of amorphous silicon solar cells—new tandem a-SiC/a-Si solar cell 87—30990
Tawada, Y. *see* Fukada, N. 86—33667
Tawada, Y. *see* Hamakawa, Y. 86—45698
Tawada, Y. *see* Hiroe, A. 88—37548
Tawada, Y. *see* Kondo, M. 88—37477
Tawada, Y. *see* Takada, J. 87—43461, 87—64821
Tawada, Y. *see* Tsuge, K. 87—9796
Tawada, Y. *see* Yamagishi, H. 87—78904, 88—17973, 88—31013
Tawada, Y. *see* Yamaguchi, M. 86—27905, 87—6383, 88—33860
Tawara, H. *see* Ogura, K. 88—48027
Tawara, K. *see* Abukawa, T. 87—9576
Tawara, K. *see* Nakajima, S. 85—30834
Tawara, K. *see* Nishihara, E. 88—36551
Tawara, T. *see* Kano, Y. 86—25181
Tawara, Y., Ohashi, K., Iwasaki, S., Kobayashi, N. A new method of the parallel field-pressing for orienting ferromagnetic powder 86—21956
Tawara, Y. *see* Fidler, J. 88—64886
Tawara, Y. *see* Ohashi, K. 88—64894
Tawaragi, N. *see* Doke, T. 85—59174
Tawassoli, M. Contact life of slipring-motor contactors in hoisting duty 85—32443
Tawata, M., Morita, S., Hattori, S. Plane crystalline films of stearic acid and ω-heptadecenoic acid as electron-beam resist 87—67041
Tawata, T. *see* Hayashi, T. 86—32259
Tawel, N. *see* Brush, R.J.H. 86—17308
Tawfig, M.E. *see* Ghobrial, S.L. 87—28390
Tawfik, A., Abd El-Ati, M.I. Capacitor materials with low sintering temperature and good dielectric properties 86—20864
Tawfik, A., Abd El-Ati, M.I., Abou Sekkina, M.M. Further investigations on the photoelectric and dielectric properties of Hg-Te-CdTe solid solution thin films for solar cells 85—56402
Tawfik, A., Abd El-Ati, M.I., Abou Sekkina, M.M. Further investigation on the photoelectric and dielectric properties of Hg-Te-CdTe solid solution thin film for solar cells 86—28532
Tawfik, A., Abou Sekkina, M.M., Abd El-Ati, M.I. Further studies on the semiconductivity and pyroelectricity of poled and Cd-doped mercury telluride thin films for electronics and engineering 85—55459
Tawfik, A., Abou Sekkina, M.M., Abd El-Ati, M.I. Further studies on semiconductivity and pyroelectricity of poled and Cd-doped mercury telluride thin film for electronics and engineering 86—28533
Tawfik, H., Gupta, S.C. Performance evaluation of NPCSMA protocol with Nakagami fading channel and correlated packet transmission 87—48310
Tawfik, H., Gupta, S.C. Optimal packet size for NPCSMA scheme in mobile fading channels 87—55450
Tawfik, H., Gupta, S.C. Performance evaluation of diversity receivers in random access protocols 87—62826
Tawfik, M. *see* Assael, J. 86—34988, 86—40819, 88—6973
Tawfik, M.A.H. Some optimum-control algorithms for power systems 86—70589
Tawfik, M.S., Mazare, G., Senn, P. On the relationship between LDI and bilinear switched-capacitor ladder filters 86—57942
Tawfik, M.S., Mazare, G., Senn, P. A 1-MHz cutoff frequency CMOS elliptic low-pass switched-capacitor ladder filter 87—24324
Tawfik, M.S., Senn, P. A 3.6-MHz cutoff frequency CMOS elliptic low-pass switched-capacitor ladder filter for video communication 87—52720
Tawfik, M.S. *see* Assael, J. 88—32312
Tawfik, V.Y. Automatic test scheme for a class of non-linear servosystems using transient response data 86—4969
Tawfiq, H. *see* Teodorczyk, A. 88—53941
Tawil, M.A.El *see* El Tawil, M.A.
Tawil, R.A. *see* Velbeck, K. 85—43192
Tawney, G.L. MPP toroids—losses from 1 kHz to 200 kHz 85—13060
Tawzer, S. *see* Kerns, Q. 86—31979
Tawzer, S. *see* Martin, P. 88—47832
Tawzer, S.R. *see* Ducar, R.J. 88—61007
Tax, K., Habart, J. Basic problems of accurate positioning systems in the technology of microelectronic components 86—8930
Tax, K. *see* Kubecek, V. 88—71380
Taxen, L. CAD for transmission systems 87—33870
Taxen, L. *see* Kjellstrom, G. 88—6979

Taxt, T. *see* Holbaek-Hanssen, E. 87−48071
Taxy, O. *see* Algalarrondo, D. 85−51919
Taxy, O. *see* Kafka, G. 87−34010
Tay, A.O. *see* Paul, H. 87−64980
Tay, H., Swift, G.W. Magnetic field behavior of a deeply saturated soft-iron core with a concentrated winding 87−30727
Tay, H.C., Swift, G.W. On the problem of transformer overheating due to geomagnetically induced currents 85−32552
Tay, L.P. *see* Tan, B.T.G. 87−17278
Tay, S.C., Kerk, S.L., Hu, S.J. Study on the different procedures for debleeding of plastic Dip 88−24565
Tay, S.P., Ellul, J.P., King, M.I.H. Applications of high-pressure technology to ULSI fabrication 87−25528
Tay, S.P., Ellul, J.P., White, J.J., King, M.I.H. Thin gate and poly oxides by high pressure silicon oxidation 87−74202
Tay, S.P., Kalnitsky, A., Ellul, J.P. Nitride, nitrided oxide and oxidized nitride for thin dielectrics 87−67127
Tay, S.P. *see* Ellul, J.P. 87−25148
Tay, S.P. *see* Naem, A.A. 86−63128
Tay, T.M. *see* Ling, C.H. 87−1342
Tay Sing Pin *see* Sing Pin Tay
Taya, A., Narita, K., Akiyama, J., Nira, H. Eu^{2+} activated halophosphate phosphor and its application to three-band type fluorescent lamp 85−56428
Taya, A., Nira, H., Takayanagi, T., Miyazaki, N. Fluorescent lamp with a UV-absorption film coated outside the glass tube 86−33829
Taya, H., Noda, K., Kimura, T., Seki, Y. Displacement sensors and displacement signal coding circuits using twisted and bent dual core fiber 85−58697
Taya, H., Noda, K.-i., Kimura, T., Seki, Y. Displacement sensors and displacement signal coding circuits using twisted and bend dual-core fiber 87−53962
Taya, H. *see* Inada, K. 87−8288
Taya, H. *see* Noda, K. 85−62340
Taya, K., Tanaka, S., Kamada, T., Lee, K. Employment of matrix management for switching software reuse 88−46826
Taya, M. *see* Mesuda, E. 87−14078
Taya, T., Kusaba, K. Development of a subscriber line interface circuit 88−59874
Tayal, S.S. *see* Chopra, K.N. 87−7194
Tayal, V.P. *see* Singh, D.B. 88−38270
Tayama, I. The Model HA-1000 home security system: bringing sophistication and reliability to home security 85−53957
Tayama, M. *see* Ikeda, Y. 86−40243
Tayama, M. *see* Yoshikawa, N. 87−74579
Tayama, N., Sun, W., Otawara, I. The design theory of 2-dimensional memory systems for image processing 88−3204
Tayama, N., Sun, W., Otawara, I. The design theory of 3-dimensional memory system for image processing 88−73233
Tayama, N. *see* Okabe, N. 87−33807
Tayama, N. *see* Wei-dong Sun 86−37154
Tayeb Idris Eisa, E. Wind and solar energies in Sudan 85−9806
Tayefeh-Emamverdi, M. Problems connected with restricting current in fast operating switches and methods of solving them 85−10029
Tayler, D., Finch, P., Vincent, R. Linear phase filtering−A new approach to distortion-free electrocardiograms 87−21597
Tayler, D. *see* Finch, P. 87−71135
Taylor, A. How expert systems can support network diagnostics, management and control 88−66877
Taylor, A., Ryan, E.A. Current research using the ANL high voltage electron microscope tandem accelerator facility 85−55421
Taylor, A. *see* Hobson, L. 86−40415
Taylor, A. *see* Judge, A. 88−48350
Taylor, A.D. A horizontal loop antenna 85−24949
Taylor, A.D. SNSN moderator performance 86−56016
Taylor, A.D. *see* Boland, B.C. 86−56065
Taylor, A.D. *see* Carlile, C.J. 86−5863, 86−56064
Taylor, A.D. *see* Paoli, M.P. 86−56066
Taylor, A.D. *see* Seeger, P.A. 86−5844
Taylor, A.F. *see* Dickinson, F.S. 85−4852, 85−15745
Taylor, A.G., Thurstans, R.E., Oxley, D.P. The effect of composition and sheet resistance on the strain sensitivity of Cr-SiO cermet films 85−3958
Taylor, A.H., Cerro, J.A., Jackson, L.R. Analytical study of reusable flight-weight cryogenic propellant tank designs 87−4099
Taylor, A.J., Erskine, D.J., Tang, C.L. Ultrafast relaxation dynamics of photoexcited carriers in GaAs and related compounds 85−40442
Taylor, A.J., Gibson, R.B., Roberts, J.P. Picosecond gain dynamics in KrF amplifiers 88−40117
Taylor, A.J., Tucker, R.S., Wiesenfeld, J.M., Burrus, C.A., Eisenstein, G., Talman, J.R., Pei, S.S. Direct electro-optic sampling of a GaAs integrated circuit using a gain-switched InGaAsP injection laser 87−7226
Taylor, A.J., Wiesenfeld, J.M., Eisenstein, G., Tucker, R.S. Timing jitter in mode-locked and gain-switched InGaAsP injection lasers 87−7335
Taylor, A.J., Wiesenfeld, J.M., Eisenstein, G., Tucker, R.S., Talman, J.R., Koren, U. Electro-optic sampling of fast electrical signals using an InGaAsP injection laser 86−22186
Taylor, A.J., Wiesenfeld, J.M., Tucker, R.S., Eisenstein, G., Talman, J.R., Koren, U. Measurement of a very high-speed InGaAs photodiode using electro-optic sampling 86−36332
Taylor, A.J. *see* Erskine, D.J. 85−18128
Taylor, A.J. *see* Milonni, P.W. 88−72379
Taylor, A.J. *see* Trugman, S.A. 86−47271
Taylor, A.J. *see* Tucker, R.S. 86−68394
Taylor, A.J. *see* Wiesenfeld, J.M. 87−46232, 87−53692, 88−40446
Taylor, A.O. Design proposals for a digital domestic satellite system in Africa (Afrosat) 85−8369
Taylor, A.O. Appropriate telecommunication technology for rural Africa 88−60108
Taylor, A.R. *see* Youngman, M.D. 87−63258
Taylor, A.S. Characterization of cable TV networks as the transmission media for data 85−47684
Taylor, A.S., Mackintosh, B.H., Eriss, L., Wald, F.V. Long nonagons−an approach to high productivity silicon sheet using the EFG method 87−44291
Taylor, A.W. *see* Spolsky, A.I. 87−70022
Taylor, B. Improving power output from dual-in-line MOSFET packages 85−10522
Taylor, B. A single HEXFET, current-fed, universal SMPS [switched mode power supply] 85−49718
Taylor, B. Interactive custom design 86−35813
Taylor, B. DC-to-DC converter 86−46554
Taylor, B. New MOSFET power modules operate up to 500 V, 28 A 86−46557
Taylor, B. High frequency, high power, offline switching converters 87−22556
Taylor, B. X.25 networking 88−8885
Taylor, B. Multiple-spark ignition 88−44032
Taylor, B., Crompton, C.S., Smith, M., Redmile, G.J., Moss, D.J., Reeve, J.M. A hierarchical system for district and central control of power transmission and distribution 86−70647
Taylor, B., Goldberg, D. Secure networking in the Sun environment 87−2938
Taylor, B., Lee, J. Shocks to the system [electrostatic discharge] 85−22212
Taylor, B. *see* Crawford, B. 88−31856
Taylor, B. *see* Diez, E. 85−13143
Taylor, B. *see* Dykes, D.M. 86−31976, 88−61072
Taylor, B. *see* Hopkinson, G.R. 87−14204, 88−4459
Taylor, B. *see* Pelly, B. 87−51340
Taylor, B. *see* Szabados, M. 88−48370
Taylor, B.E. The power MOSFET in today's applications 85−33668
Taylor, B.E. A power MOSFET module for large currents 86−58475
Taylor, B.E. Power semiconductors for arc welding 87−22938
Taylor, B.E. The single HEXFET fly-forward converter−a novel topology for intrinsically simple switching supplies 87−51364
Taylor, B.E. The high power MOSFET comes of age−introducing HEXPAK 87−52380
Taylor, B.E., Craig, W.A. Thick film palladium silver conductors: a processing and performance study 88−1202
Taylor, B.E., Joslin, S.T. Dielectric/conductor interactions and their effect on performance 88−50550
Taylor, B.E. *see* Allington, T.R. 85−34401
Taylor, B.E. *see* Perkins, R.P. 86−32912
Taylor, B.E. *see* Sheppard, D.I. 85−16125
Taylor, B.G. Computer centre power engineering for the tropics 87−22918
Taylor, B.G. Instrumentation applications of the Macintosh family 87−63256
Taylor, B.G. *see* Peacock, A. 85−43196
Taylor, B.J., McHale, F.A. An OTEC slope-mounted cold water pipe experiment 85−32399
Taylor, B.J. *see* Vadus, J.R. 85−53610
Taylor, B.K., Casasent, D.P. Twos-complement data processing for improved encoded matrix-vector processors 86−43282
Taylor, B.K., Casasent, D.P. Error-source effects in a high-accuracy optical finite-element processor 86−43284
Taylor, B.K. *see* Casasent, D. 85−46885, 87−13094
Taylor, B.N. Impact of quantized Hall resistance on SI electrical units and fundamental constants 85−37403
Taylor, B.N. Electrical units, fundamental constants, and the 1983 least squares adjustment 85−58487
Taylor, B.N. New results from previously reported NBS fundamental constant determinations 85−63936
Taylor, B.N. Electrical measurements, fundamental constants, and the 1984 least-squares adjustment 86−24680
Taylor, B.N. Possible changes in the US legal units of voltage and resistance 87−28891
Taylor, B.N. History of the present value of *2e/h* commonly used for defining national units of voltage and possible changes in national units of voltage and resistance 88−15889
Taylor, B.N. *see* Jaeger, K.B. 88−15892
Taylor, B.N., Phillips, W.D. *(editor)* Precision Measurement and Fundamental Constants II. Proceedings of the Second International Conference (NBS-SP-617) 86−56
Taylor, B.R. Automatic inspection in electronics manufacturing 87−44019
Taylor, B.R. Views of the future 88−4639
Taylor, B.W., House, H.G. Design and implementation of project analysis system at Gulf Research and Development Company 86−13405
Taylor, C. Will radio transmitters now replace instrument cabling? 86−30314
Taylor, C. SSC magnet technology 88−68132
Taylor, C., Caspi, S., Helm, M., Mirk, K., Peters, C., Wandesforde, A. A high gradient quadrupole magnet for the SSC 88−54037
Taylor, C., Gilbert, W., Hassenzahl, W., Meuser, R., Peters, C., Rechen, J., Scanlan, R. A 40 mm bore Nb-Ti model dipole magnet 85−59030
Taylor, C., Scanlan, R., Peters, C., Wolgast, R., Gilbert, W., Hassenzahl, W., Meuser, R., Rechen, J. A Nb$_3$Sn dipole magnet reacted after winding 85−59029
Taylor, C., Splinter, P., Weed, A., Grant, J., Holden, S. 200 mm end station for ion beam implanters 87−53366
Taylor, C. *see* Caspi, S. 87−74619
Taylor, C. *see* Dahl, P. 86−44521
Taylor, C. *see* Douglas-Hamilton, D.H. 85−34780
Taylor, C. *see* Driver, I. 87−35436
Taylor, C. *see* Feng, X. 88−23415
Taylor, C. *see* Gilbert, W. 85−64388
Taylor, C. *see* Hassenzahl, W.V. 85−26565
Taylor, C. *see* Larbalestier, D.C. 85−56148
Taylor, C. *see* Matiullah 88−561
Taylor, C. *see* Needs, M.J. 86−9055, 87−6604
Taylor, C. *see* Peters, C. 86−25064, 88−68137
Taylor, C. *see* Strait, J. 87−74617, 88−54294, 88−68133
Taylor, C. *see* Waddell, J.B. 88−57497
Taylor, C.D., Elkhouri, G.N., Wade, T.E. Parasitic capacitance calculations for VLSI multilevel interconnection systems 85−40860
Taylor, C.D., Elkhouri, G.N., Wade, T.E. On the parasitic capacitances of multilevel parallel metallization lines 86−21436
Taylor, C.D., Elkhouri, G.N., Wade, T.E. On the parasitic capacitances of multilevel skewed metallization lines 86−28233
Taylor, C.D., Harper, E., Harrison, C.W., Jr, Davis, W.A. On bounding the excitation of a terminated wire behind an aperture in a shield 86−48647
Taylor, C.D., Wade, T.E., Nicholas, D.P. On pole and residue extraction in the frequency domain 87−69319
Taylor, C.D., Younan, N., Giles, S., Harper, E. On a pulse data preprocessing technique to recover parameters of damped sinusoids in noise 88−27886
Taylor, C.D., Younan, N., Harper, E., Harrison, M.G. On extending a transient measurement record 88−72910
Taylor, C.E. Recent advances in the technology of superconducting accelerator magnets 86−31851
Taylor, C.E., Meuser, R.B. A preliminary study of magnet design for an SSC 85−26564
Taylor, C.E. *see* Green, M.I. 88−68152 to 68153
Taylor, C.E. *see* Sirkis, J.S. 88−67812
Taylor, C.G. *see* Macleod, I.D. 88−72967
Taylor, C.J., Dixon, R.N., Gregory, P.J., Graham, J. An architecture for integrating symbolic and numerical image processing 87−75904
Taylor, C.J. *see* Marrian, C.R.K. 87−67074
Taylor, C.J. *see* Woods, P.W. 87−39925
Taylor, C.R., Overton, B.J., Aloisio, C.J., Fox, A., Zupko, H.M. Thermal and dynamic mechanical characterization of surface mount structural components 87−52974
Taylor, C.R. *see* Aloisio, C.J. 85−29569
Taylor, C.S. Stochastic cooling hardware 85−37854
Taylor, C.S. *see* Carron, G. 88−53998
Taylor, C.W., Mittelstadt, W.A., Glavitsch, H., Hardy, J.E., Hurley, J.D., Lee, T.N., Stranne, G. Single-pole switching for stability and reliability 86−56295
Taylor, C.W. *see* Gonzalez, A.J. 85−21564, 86 33304
Taylor, C.W. *see* Haner, J.M. 86−51139
Taylor, C.W. *see* Kundur, P. 88−54911
Taylor, D. Programmable performance logic: a semicustom alternative 86−8161
Taylor, D. Self-testing solution 86−53710

Taylor, D. The postman always rings twice: electronic mail in a highly distributed environment 88—52793
Taylor, D., Dutton, R.W., Dhargalkar, P.H. Performance of a multiple atomizer dry flue gas desulfurization system at United Power Association's Stanton Station 86—61382
Taylor, D., Edison, S., Maitra, S. 200-bit/s modem chip puts board level power onto any processor bus 86—30479
Taylor, D., Genusov, A., Friedlander, R. DSPs finally find floating point 88—25243
Taylor, D., Saikkonen, S. Factory splicing of optical waveguide fiber 85—35399
Taylor, D. *see* Bullingham, J.M. 88—24494
Taylor, D. *see* Eidson, S. 86—64804
Taylor, D. *see* Garner, R. 86—52262
Taylor, D. *see* Minor, S.D. 87—14895
Taylor, D. *see* Moffett, D.R. 88—38922
Taylor, D. *see* Randolph, C. 88—74488
Taylor, D. *see* Rioux, M. 88—27359
Taylor, D. *see* Wolejsza, C.J. 87—70001
Taylor, D.C. Electron tunnelling and hopping condition in n-type GaAs/(AlGa) As/GaAs and GaAs semiconductor stuctures 87—74086
Taylor, D.C., Guimaraes, P.S.S., Snell, B.R., Eaves, L., Sheard, F.W., Toombs, G.A., Portal, J.C., Dmowski, L., Singer, K.E., Hill, G., Pate, M.A. GaAs/(AlGa)As tunnelling devices: hydrostatic pressure investigation and model for the $J(V)$ characteristics 87—6636
Taylor, D.C., Guimaraes, P.S.S., Snell, B.R., Eaves, L., Sheard, F.W., Toombs, G.A., Singer, K. Oscillatory structure in the reverse bias J(V) plots of n^+GaAs/(AlGa)As/n^-GaAs/n^+GaAs structures 86—21214
Taylor, D.C. *see* Barker, J.R. 86—1696, 86—21215
Taylor, D.C. *see* Eaves, L. 85—55541, 86—1781, 86—58310
Taylor, D.C. *see* Guimaraes, P.S.S. 85—55529
Taylor, D.E. Requirements for a system level power supply for industrial computers 87—64724
Taylor, D.E. *see* Kantor, W.M. 88—31580
Taylor, D.F. On the mechanism of aluminum corrosion in metallized film AC capacitors 85—1085
Taylor, D.G. A review of the application of tomography for NDT and medical applications 86—34429
Taylor, D.G., Bushell, M.C. The spatial mapping of translational diffusion coefficients by the NMR imaging technique 85—38092
Taylor, D.G., Childs, J., Mudd, M.S.J., Saul, P.H., Ward, P.J., Wood, I.C. A 565/680 Mb/s coder/decoder for fibre optic links 85—63714
Taylor, D.G., Ilic-Spong, M., Peresada, S. Nonlinear composite control of switched reluctance motors 87—30531
Taylor, D.G., Kuo, B.C. A velocity prediction algorithm for systems with discretized positional feedback 87—30681
Taylor, D.G., Kuo, B.C. Optimization of average torque in hybrid permanent-magnet step motors using closed-loop control 87—30693
Taylor, D.G., Mudd, M.S.J., Saul, P.H. A low power multiplexer/demultiplexer for 2.4 Gb/s fibre optic systems 87—40968
Taylor, D.G. *see* Cooke, M.P. 88—70704
Taylor, D.G. *see* Ilic'-Spong, M. 87—51169
Taylor, D.G. *see* Parker, D.E. 88—70112
Taylor, D.G. *see* Wood, I.C. 85—36783, 85—36814, 86—11141, 86—37917
Taylor, D.H., Saikkonen, S.L. Factory splicing of optical waveguide fiber 85—58131
Taylor, D.H. *see* Hevey, L.M. 85—7219
Taylor, D.H. *see* Nevins, R.C. 85—41181
Taylor, D.J., Baity, F.W., Bryan, W.E., Hoffman, D.J., McIlwain, R.L., Ray, J.M. ORNL compact loop antenna design for TFTR and TORE SUPRA 88—66173
Taylor, D.J., Thompson, P.B., Ryan, T.L., Queen, C.C., Halstead, E.L., Murphy, J.L., Wood, R.J. Quality assurance aspects of the major procurements for the Large Coil Test Facility 85—1916
Taylor, D.J. *see* Barnes, W.L. 88—65284
Taylor, D.J.E. *see* Al-Nashash, H.A.M. 88—42552
Taylor, D.M. Assessing static protection materials 86—55810
Taylor, D.M. Single commands for complex DSP functions 88—25230
Taylor, D.M. Squirrel cage induction motor cycloconvertor drive at Wearmouth Colliery 'A' pit friction winder. I. Development of drive system for winder application 88—37795
Taylor, D.M., Elias, J. A versatile charge decay meter for assessing antistatic materials 88—27403
Taylor, D.M., Macdonald, A.G., Solway, A.E. AC admittance and electrochemical studies of thin insulating films on metal electrodes immersed in electrolyte solutions 88—29586
Taylor, D.M., Mehdi, Q.H. Excitons or space-charge-perturbed fields in irradiated SiO_2? 86—8892
Taylor, D.M., Owen, D.R., Elias, J. An instrument for measuring static dissipation from materials 87—33365
Taylor, D.M., Retter, R. A novel VLSI digital signal processor architecture for high-speed vector and transform operations 87—59570
Taylor, D.M., Tong, D.W. Density of states at the interface between semi-insulating polycrystalline and single crystal silicon 85—1373
Taylor, D.M., Tong, D.W., VanDell, W.R. Surface potential profiling of HV devices using scanning Auger microscopy 85—34941
Taylor, D.M., Waldo, S. The signal processor that understands high-level language instructions. The high-efficiency DSP with optimised architecture 88—32234
Taylor, D.M. *see* Apfel, R.J. 85—30774
Taylor, D.M. *see* Charrault, J.-C. 88—36963
Taylor, D.P., Grossman, M. The effect of FEC on packet error performance in a VSAT network 87—40814
Taylor, D.P., Hartmann, P.R. Telecommunications by microwave digital radio 87—3058
Taylor, D.P. *see* Dubey, V.K. 87—19669
Taylor, D.P. *see* Liu, G.F. 86—1418
Taylor, D.P. *see* Niezgoda, G.H. 85—14122, 87—26792
Taylor, D.P. *see* Pottie, G.J. 87—47513, 88—45957
Taylor, D.P. *see* Premji, A. 87—39767
Taylor, D.P. *see* Premji, A.-N. 88—8660
Taylor, D.P. *see* Shafi, M. 85—36919, 87—33442
Taylor, D.P. *see* Weaver, C.F. 85—42466
Taylor, D.R. Power-supply efficiency can be measured by one instrument, not many 86—50127
Taylor, D.R. *see* Parlett, B.N. 85—39670
Taylor, D.R.D., Goodall, R.M., Oates, C.D.M. Theoretical and practical considerations in the design of the suspension system for Birmingham Maglev 85—44276
Taylor, D.R.S., Jones, D.P. A microcomputer pupillometer using dual linear self-scanning photodiode arrays for drug studies in biomedicine 88—10308
Taylor, E. *see* Kidd, R. 86—56257
Taylor, E.C., Snell, D.J. Artificial intelligence in command and control 88—54822
Taylor, E.E., III, Fontz, D.L. Keeping power plant software up-to-date 88—5500
Taylor, E.J., Waterhouse, R., Gelb, A. Application of fuel cells to chlorine-caustic technology 87—43709
Taylor, E.J. *see* Ham, D.O. 88—48296
Taylor, E.W. Acoustic design of outside broadcast vehicles 85—42711
Taylor, E.W. The use of discharge lamps in film lighting 86—7287
Taylor, E.W. An experiment for studying monolithic integrated optics performance in the space environment 87—12229
Taylor, E.W. Overview of Air Force radiation effects programs in fibre optics 88—20347
Taylor, E.W. Integrated optic response to nuclear irradiations 88—51546
Taylor, E.W. An optical waveguide diffraction grating sensor 88—58192
Taylor, E.W. Geminate recombination behavior of a X-ray irradiated single-mode $LiNbO_3$:Ti waveguide operating at 1300 nm 88—65318
Taylor, E.W., Wilson, V.R., Sanchez, A.D., Coughenour, M., Chapman, S. A comparison of integrated and fiber optic responses in the presence of nuclear fields 88—65358
Taylor, E.W. *see* Friebele, E.J. 88—33635
Taylor, E.W. *see* Suppan, T.E. 87—12499
Taylor, F. OSI standards: what's in it for the user? 88—59436
Taylor, F. *see* Ramnarayan, R. 87—908
Taylor, F. *see* Sousa, M. 86—67160, 88—63274
Taylor, F. *see* Stouraitis, T. 88—32342
Taylor, F.E. Open Systems Interconnection (OSI)—principles and origins 86—64479
Taylor, F.F. *see* Cochrane, J.I. 85—25310
Taylor, F.J. A hybrid floating-point logarithmic number system processor 85—22935
Taylor, F.J. A sparse RNS system 85—63045
Taylor, F.J. A more efficient residue arithmetic implementation of the FET 86—2334
Taylor, F.J. A single modulus complex ALU for signal processing 86—23021
Taylor, F.J. An analysis of the distributed arithmetic digital filter 87—10981
Taylor, F.J. On the complex residue arithmetic system (CRNS) 87—16485
Taylor, F.J. A 20-bit VLSI arithmetic unit for digital signal processing in the logarithmic number system 87—44937
Taylor, F.J. A reconfigurable binary/RNS/LNS architecture for DSP 87—59566
Taylor, F.J. An ultra high-performance DSP vector processor 88—63721
Taylor, F.J., Dirr, W., Jr. A new residue to decimal converter 85—45137
Taylor, F.J., Gill, R., Joseph, J., Radke, J. A 20 bit logarithmic number system processor 88—32247
Taylor, F.J. *see* Chester, D. 85—19376
Taylor, F.J. *see* Dirr, W., Jr. 86—926
Taylor, F.J. *see* Frey, M.L. 85—61377
Taylor, F.J. *see* Griffin, M.F. 87—62061
Taylor, F.J. *see* Papadourakis, G.M. 87—59755
Taylor, F.J. *see* Ramnarayan, R. 85—45155, 86—52802
Taylor, F.J. *see* Skavantzos, A. 87—62071
Taylor, F.J. *see* Stouraitis, T. 86—14284, 88—56665, 88—63803
Taylor, F.J. *see* Wilbur, J. 87—38886, 87—61984, 88—72834
Taylor, G., Freeland, M., Hunninghaus, R., Stocker, H., Bonfiglioli, S. Engine ignition and carburettor electronic control 86—45796
Taylor, G. *see* Bechtle, D. 87—73777
Taylor, G. *see* Elkind, B. 88—12444
Taylor, G. *see* Eron, M. 87—73681, 88—19409
Taylor, G. *see* McDonald, J.F. 86—58627
Taylor, G. *see* Shorney, F.L. 86—19081
Taylor, G. *see* Upadhyayula, L.C. 87—73787
Taylor, G.C., Camisa, R.L. Prospects for power from GaAs FETs at millimeter-wave frequencies 87—45271
Taylor, G.C., Eron, M., Bechtle, D.W., Liu, S.-G., Camisa, R.L. High-efficiency 35-GHz GaAs MESFETs 87—59847
Taylor, G.C. *see* Camisa, R.L. 85—40247
Taylor, G.E. *see* Bell, I.M. 87—66091
Taylor, G.E. *see* Black, S.A. 87—67193
Taylor, G.E. *see* Fleming, A.R. 87—17047
Taylor, G.E. *see* Lee, V.D. 87—12084
Taylor, G.E. *see* Wilkinson, A.J. 87—4585
Taylor, G.F., Donlan, B.J., McDonald, J.F., Bergendhal, A.S., Steinvorth, R.H. The wafer transmission module—wafer scale integration packaging 86—2321
Taylor, G.F., Steinvorth, R.H., McDonald, J.F. An architecture for a wafer scale integration video rate two dimensional fast Fourier transform processor 85—37540
Taylor, G.F. *see* Bergendahl, A.S. 86—21756, 86—28449
Taylor, G.F. *see* Donlan, B.J. 85—62033, 86—35245
Taylor, G.F. *see* McDonald, J.F. 86—47705
Taylor, G.F. *see* Steinvorth, R.H. 86—47724
Taylor, G.F. *see* Tatone, O.S. 88—43004
Taylor, G.J. Power quality measurements on a 24 m windmill 87—51119
Taylor, G.J. Power quality measurements on a 24 m windmill 87—57980
Taylor, G.J. *see* Hassan, U. 88—48837
Taylor, G.J. *see* Milborrow, D.J. 85—48922, 87—51117, 87—57978
Taylor, G.N. Guidelines for publication of high-resolution resist parameters. Review paper 86—47443
Taylor, G.N. *see* Stillwagon, L.E. 88—13263, 88—26148
Taylor, G.N. *see* Wolf, T.M. 87—38394
Taylor, G.R. Circuit card holder and cage 85—11788
Taylor, G.S. ELXSI 6400 arithmetic processor 85—17511
Taylor, G.S., Ousterhout, J.K. Magic's incremental design-rule checker 85—1677
Taylor, G.S. *see* Bose, B.K. 87—60684
Taylor, G.S. *see* Ousterhout, J.K. 85—1751, 85—33579
Taylor, G.W. Velocity-saturated characteristics of short-channel MOSFETs 85—12279
Taylor, G.W., Bayruns, R.J. A comparison of Si MOSFET and GaAs MESFET enhancement/depletion logic performance 86—8131
Taylor, G.W., Lebby, M.S., Chang, T.Y., Gnall, R.N., Sauer, N., Tell, B., Simmons, J.G. Very high-transconductance heterojunction field-effect transistor (HFET) 87—25274
Taylor, G.W., Lebby, M.S., Chang, T.Y., Gnall, R.N., Sauer, N., Tell, B., Tennant, D.M., Simmons, J.G. A new heterostructure FET 87—46231
Taylor, G.W., Lebby, M.S., Izabelle, A., Tell, B., Brown-Goebeler, K., Chang, T.-Y., Simmons, J.G. Demonstration of a p-channel GaAs/AlGaAs BICFET 88—33159
Taylor, G.W., Mand, R.S., Cho, A.Y., Simmons, J.G. Experimental realization on an *n*-channel double heterostructure optoelectronic switch 86—54035
Taylor, G.W., Mand, R.S., Simmons, J.G., Cho, A.Y. Optically induced switching in a *p*-channel double heterostructure optoelectronic switch 87—26190
Taylor, G.W., Mand, R.S., Simmons, J.G., Cho, A.Y. Ledistor—a three-terminal double heterostructure optoelectronic switch 87—33063
Taylor, G.W., Simmons, J.G. The bipolar inversion channel field-effect transistor (BICFET)—a new field-effect solid-state device: theory and structures 86—21577
Taylor, G.W., Simmons, J.G. Small-signal model and high-frequency performance of the BICFET 86—21578
Taylor, G.W., Simmons, J.G. Heterojunction field-effect transistor (HFET) 86—63280
Taylor, G.W., Simmons, J.G. Figure of merit for integrated bipolar transistors 87—1495
Taylor, G.W., Simmons, J.G. High-speed integrated heterojunction field-effect transistor photodetector: A gated photodetector 87—56689

Taylor, G.W., Simmons, J.G., Cho, A.Y., Mand, R.S. A new double heterostructure optoelectronic switching device using molecular beam epitaxy 86−28995
Taylor, G.W., Simmons, J.G., Mand, R.S., Cho, A.Y. Double heterostructure optoelectronic switching devices using molecular beam epitaxy 86−48302
Taylor, G.W., Simmons, J.G., Mand, R.S., Cho, A.Y. Dynamic switch logic−a new concept for digital optical logic using DOES devices 86−48307
Taylor, G.W., Simmons, J.G., Mand, R.S., Cho, A.Y. Electrical switching speed of the double-heterostructure optoelectronic switch 87−54203
Taylor, G.W. *see* Bolt, M.J.B. 88−7603
Taylor, G.W. *see* Crawford, D.L. 88−40098
Taylor, G.W. *see* Lebby, M.S. 88−57614
Taylor, G.W. *see* Rhoderick, E.H. 85−34626
Taylor, G.W. *see* Simmonds, J.G. 88−65499
Taylor, G.W. *see* Simmons, J.G. 86−34703, 86−35465, 87−11769, 87−32554, 87−45929, 87−54204, 88−33233
Taylor, H. Developments in AC potential-drop crack sizing 85−28270
Taylor, H. High power consumer replaceable lithium manganese dioxide batteries 87−15950
Taylor, H. *see* Bulmer, C.H. 88−7938
Taylor, H. *see* Chin, D. 88−60418
Taylor, H. *see* Gagliardi, R. 88−27734
Taylor, H. *see* Golomb, S.W. 85−3488
Taylor, H.A., Jr., Cloutier, P.A. Telemetry interference incorrectly interpreted as evidence for lightning and present-day volcanism at Venus 88−67694
Taylor, H.B. *see* Haley, M.J. 85−15385
Taylor, H.D. *see* Booth, R.B. 86−70873
Taylor, H.F. Extended precision in video-bandwidth analog-to-digital converters using optical techniques 85−2091
Taylor, H.F. Bending effects in optical fibers 85−12571
Taylor, H.F. Polarization independent guided-wave optical modulators and switches 86−28808
Taylor, H.F. Polarization independent guided-wave optical modulators and switches 86−42373
Taylor, H.F. Radar and EW applications of multigigahertz optical components and systems 87−49165
Taylor, H.F. Acoustooptic modulators for single-mode fibers 87−68229
Taylor, H.F. Acoustooptic phase and frequency shifters for single mode fibres 88−7871
Taylor, H.F. Application of guided-wave optics in signal processing and sensing 88−20431
Taylor, H.F. Application of guided-wave optics in signal processing 88−28071
Taylor, H.F. *see* Chan, A.K. 88−45504
Taylor, H.F. *see* Chang, K. 88−25514
Taylor, H.F. *see* Choi, Y.A. 88−63542
Taylor, H.F. *see* Czaplak, D. 86−48167
Taylor, H.F. *see* Czaplak, D.S. 86−28820
Taylor, H.F. *see* Dandridge, A. 87−12484, 87−61049
Taylor, H.F. *see* Eknoyan, O. 86−28785, 87−68027
Taylor, H.F. *see* Goldberg, L. 85−2312, 85−24555, 85−61439, 86−42562, 86−48426
Taylor, H.F. *see* Lee, C.-E. 87−53977
Taylor, H.F. *see* Lee, C.E. 88−36010, 88−67826
Taylor, H.F. *see* Yurek, A.M. 86−42451, 86−48428, 88−2134
Taylor, H.G. *see* Goldberg, L. 85−12861
Taylor, H.L., Staples, L.A., Todd, R.E., Harshbarger, T.L. The Illinois Microcomputer Aviation Computer (ILLIMAC) simulator 85−9276
Taylor, H.L. *see* Davis, T., Jr. 88−5066
Taylor, H.L. *see* Kaiser, R.H. 86−70449
Taylor, H.R. Teaching experiments with the dual ramp voltmeter 87−10063
Taylor, H.R., Payne, P.A. MSc course in measurement science at Manchester 87−10062
Taylor, H.R. *see* Poole, C.R. 85−11480
Taylor, H.S. *see* Morcos, A. 88−48652
Taylor, I. Optic fibres and local networks 87−28612
Taylor, I. *see* Sugawa, T. 85−47500
Taylor, J. The Foula electricity scheme 88−43111
Taylor, J. Calculation of directional wave spectrum 88−48372
Taylor, J. More muscle for 50 megs. A simple and cheap solution for upping the output from a 50 MHz exciter to 75 watts 88−60000
Taylor, J., Mavor, J. Exact design of stray-insensitive switched-capacitor LDI ladder filters from unit element prototypes 86−62685
Taylor, J. *see* Barnes, M. 86−25652
Taylor, J. *see* Basilesco, J. 86−51509
Taylor, J. *see* Floyd, P. 88−9674
Taylor, J. *see* Giles, M. 88−41052
Taylor, J. *see* Lofaro, R. 88−75334
Taylor, J. *see* Subudhi, M. 86−51322, 88−75333
Taylor, J. *see* Westall, I. 86−55283
Taylor, J.A. Halogen free, low smoke, fire retardant compounds for telecommunication cables 87−5536
Taylor, J.A., Tannenwald, P.E., Erickson, N.R., Dionne, G.F., Fitzgerald, J.F. Submillimeter-wave heterodyne spectroscopy with a compact solid state radiometer 86−4781
Taylor, J.A. *see* Artingstall, S. 88−28624
Taylor, J.A. *see* Rana, V.V.S. 87−59003
Taylor, J.B. *see* Fouchard, D. 88−17873
Taylor, J.C. Basic thick film processing [for hybrids] 85−23293
Taylor, J.C. Flow measurement by self-averaging Pitot-tubes 87−70878
Taylor, J.C. *see* Belward, A.S. 87−57430
Taylor, J.C. *see* Gross, F.A., III 88−15048
Taylor, J.D. *see* Baker, R.G. 85−22809
Taylor, J.D. *see* Eberhard, P.H. 86−48030
Taylor, J.D. *see* Wilson, J.R. 85−4476
Taylor, J.E. Signal strength reporting revisited 88−10089
Taylor, J.E. *see* Dey, P. 85−47401
Taylor, J.E. *see* Schoonover, R.M. 86−65281
Taylor, J.E. *see* Spedding, S.T. 88−28908
Taylor, J.H., Sharp, R.H. Testing the C-MAC equipment developed for direct broadcasting by satellite experiments 85−63631
Taylor, J.H. *see* Fullwood, R.R. 88−23693
Taylor, J.H. *see* Hall, R.E. 88−48712
Taylor, J.H. *see* Higgins, J.C. 87−57836
Taylor, J.H. *see* Karimian, S. 87−78378
Taylor, J.H. *see* Subudhi, M. 88−23628
Taylor, J.J. The impact of computers on the nuclear utility industry 86−32962
Taylor, J.J. Computer applications for operations and control of nuclear power stations in the United States 88−48740
Taylor, J.J., Pate, Z.T., Burstein, S. The American experience (United States) [nuclear power stations] 85−15772
Taylor, J.J. *see* Burstein, S. 85−43717
Taylor, J.J. *see* Overbey, J.T. 87−39672
Taylor, J.J. *see* Stahlkopf, K.E. 87−71898
Taylor, J.K. Handbook for SRM users 86−40374
Taylor, J.L. Attribute pallette store for a display 85−42896
Taylor, J.L. *see* Casey, N.F. 86−13854
Taylor, J.L. *see* Granville, R.K. 85−44806, 86−62290
Taylor, J.M., Laracy, J.W. Accelerated training for engineering graduates in power station operations 87−36382
Taylor, J.M., Murch, G.M. The effective use of color in visual displays: text and graphics applications 86−70023
Taylor, J.R. Passive mode locking of DCM and rhodamine 101 flashlamp-pumped dye laser systems 86−36408
Taylor, J.R. Reliability of electronic telecommunications equipment 86−69258
Taylor, J.R. An approach to the design and construction of inductive elements for suppression filters 87−26874
Taylor, J.R., Beaton, K.A. Some aspects of the effect of disturbing loads on power systems 86−44909
Taylor, J.R. *see* Ainslie, B.J. 88−20352
Taylor, J.R. *see* Cohen, M.G. 85−62549
Taylor, J.R. *see* da Silva, V.L. 88−51780
Taylor, J.R. *see* Dawson, M.D. 85−24636
Taylor, J.R. *see* Eagles, R.T. 86−24383
Taylor, J.R. *see* French, P.M.W. 86−29089, 86−48364, 86−48367, 86−53990, 86−68503, 87−2091, 87−2094, 87−7280, 87−18927, 87−26513, 87−33122, 87−54258, 87−75037, 88−20596, 88−58625, 88−58639
Taylor, J.R. *see* Gomes, A.S.L. 85−56599, 85−56815, 86−3108, 86−9784, 86−24802, 86−36411, 86−48361, 86−53988, 87−2228, 87−12321, 87−18595, 87−54406, 88−14278, 88−33650, 88−39918, 88−45093, 88−72046
Taylor, J.R. *see* Gouveia-Neto, A. 88−45081
Taylor, J.R. *see* Gouveia-Neto, A.S. 87−39250, 87−54271, 87−68048, 87−74679, 88−2351, 88−13832, 88−14238, 88−20747, 88−33648, 88−40333, 88−45495
Taylor, J.R. *see* Hagopian, M.B. 85−52326
Taylor, J.R. *see* Langford, N. 86−48365
Taylor, J.R. *see* Lockett, S.J. 86−60764
Taylor, J.R. *see* Osterberg, U. 86−48502
Taylor, J.R. *see* Sibbett, W. 85−61652
Taylor, J.R. *see* Smith, K. 86−9901, 86−48362
Taylor, J.R. *see* Stoltz, B. 86−28821
Taylor, J.S.G., Newstead, D.A. A compact electron-beam metal vapour source with integral cooling and shutter 88−12047
Taylor, J.T., Haigh, D.G. Stray-free first-order circuit for correction of sample-and-hold amplitude distortion in switched-capacitor filters 87−37441
Taylor, J.T., Lind, L.F., Haigh, D.G. An improved iterative technique for polynomial factorisation employing a quasi-newton approach 88−52500
Taylor, J.T., Mavor, J. Exact design of highpass switched-capacitor filters of the LDI type 85−920
Taylor, J.T., Mavor, J. Exact design of stray-insensitive switched-capacitor lowpass and highpass ladder filters from unit element prototypes 86−57945
Taylor, J.T. *see* Betts, A.K. 88−12492, 88−12510, 88−32310, 88−50255
Taylor, J.T. *see* Davies, O.J. 88−24495
Taylor, J.T. *see* Haigh, D.G. 87−66367, 87−73515, 88−12176
Taylor, J.T. *see* Houselander, P.K. 88−50049, 88−50284
Taylor, J.T. *see* Sharma, S.D. 88−63782
Taylor, J.W. Dynamic simulators−going beyond with today's technology 85−9273
Taylor, J.W. *see* Cerrina, F. 85−34706, 86−5710, 88−48046
Taylor, J.W. *see* Mancini, D.C. 88−39333
Taylor, J.W. *see* Negri, R.E. 87−21349
Taylor, J.W. *see* Thompson, P.M. 85−64507
Taylor, J.W., Jr., Blinchikoff, H.J. The quadriphase code−a radar pulse compression signal with unique characteristics 88−15541
Taylor, J.W., Jr., Blinchikoff, H.J. Quadriphase code−a radar pulse compression signal with unique characteristics 88−53320
Taylor, J.W., Jr., Brunins, G. Design of a new airport surveillance radar (ASR-9) 85−47575
Taylor, K. Multilayer polyimide solves SM problems 85−11717
Taylor, K. Manufacture of a multilayer polyimide PCB containing integral copper/Invar composite planes for thermal expansion control 85−40318
Taylor, K. Surface mount technology for high reliability telecoms applications 86−35179
Taylor, K. Advanced vehicle inspection system (AVIS) 87−77004
Taylor, K. Telephone talk [mobile phones] 88−60027
Taylor, K. *see* Linderman, R.W. 87−59590, 88−50175
Taylor, K. *see* Seddon, T.R. 87−49833
Taylor, K.C. *see* Singh, R. 85−23918, 86−21761
Taylor, K.D. An automated clinical gait analysis laboratory 85−48219
Taylor, K.H. *see* Frederick, P.R. 85−48255
Taylor, K.N.R. *see* Goldsmid, H.J. 88−22547
Taylor, K.W. *see* Rowlands, J.A. 85−9139
Taylor, L. Meeting standards for flat cable connectors 86−47136
Taylor, L.D., Caimi, F.M. Current source has programmable TC 87−65801
Taylor, L.F. *see* Filanovsky, I.M. 88−6686, 88−44077
Taylor, L.L. System engineering and total system life cost 85−28029
Taylor, L.L., Kane, M.J., Bass, S.J. Modulation-doped multiquantum wells in $InP/In_{0.53}Ga_{0.47}As$ grown by atmospheric pressure metalorganic chemical vapor deposition 87−66937
Taylor, L.L. *see* Anderson, D.A. 87−11393
Taylor, L.L. *see* Fisher, M.A. 88−12978, 88−64313
Taylor, L.L. *see* Guy, D.R.P. 87−68192, 88−7989
Taylor, L.L. *see* Higgs, A.W. 88−32841
Taylor, L.L. *see* Kane, M.J. 86−8848, 86−53428, 86−67722, 87−17769
Taylor, L.S. Penetrating electromagnetic wave applicators 85−13069
Taylor, L.S. Asymptotic series solution of the paraxial equation in layered media 86−22594
Taylor, L.S., Reed, W.P., Rossini, M., Jr., Swarthout, J.D., Gershon, R. Development and tests of the microwave coagulating scalpel 87−77674
Taylor, L.S. *see* Lindstrom, E.R. *(editor)* 88−43577
Taylor, L.Y. *see* Cotton, H.E., Jr. 85−60067
Taylor, M. The susceptibility of components to ESD 85−12343
Taylor, M. How to obtain better TV reception. VI. [Log periodic dipole antenna] 85−13368
Taylor, M. Switched mode power conversion at up to 10 kW 86−19360
Taylor, M. Choosing the right UPS 87−72233
Taylor, M., Jackson, D.A. High precision non-contacting optical level gauge 87−46509
Taylor, M. *see* Jones, D. 86−22972
Taylor, M. *see* MacGregor, D. 86−20456
Taylor, M. *see* Schuur, J. 87−60079
Taylor, M.A. Consider how TTL outputs work during power-downs 87−24013
Taylor, M.A., Flowers, D.L., Cosway, R. Effect of polysilicon gate pattern/doping sequence on gate oxide degradation 88−26038
Taylor, M.A. *see* McLaughlin, K.L. 86−9093
Taylor, M.F. How a moderator product is developed and implemented 87−31189
Taylor, M.G. *see* Teague, M.J. 85−48257
Taylor, M.J., Corbett, W.A., Coughlan, J.R., Shields, R. An integrated patient record system using a local area network 88−3604
Taylor, M.J., Lile, D.L., Nedoluha, A.K. High mobility insulated gate transistors on InP 85−1589
Taylor, M.J. *see* Barlow, S.J. 87−49734
Taylor, M.J. *see* Zeisse, C.R. 87−18184
Taylor, M.M. Layered protocols in voice interaction with computers 87−69082

Taylor, M.R. Isolated word recognition based on distinctive feature extraction and dynamic time warping 86—48834
Taylor, M.R. *see* Davis, J.R. 86—53616
Taylor, M.R. *see* Halliwell, M.A.G. 85—55424
Taylor, M.R. *see* Kilner, J.A. 85—45519
Taylor, M.R. *see* Tuppen, C.G. 86—28158
Taylor, M.R.S. *see* Clark, D.F. 86—28901
Taylor, M.W., Thomas, P.J., Markham, R.J. GEMDRIVE-MICRO—a microprocessor-based digital drive controller for the 1990s 88—11414
Taylor, M.W. *see* Martini, R. 87—60550
Taylor, M.W. *see* Smith, W.L. 86—2012, 86—28503, 87—60303, 88—7447
Taylor, N. Sporadic-E on 144 MHz 17 June 1984 85—24826
Taylor, N., Emmas, J. AudioFile: a random-access digital audio storage and editing system 87—70324
Taylor, N.A. *see* Simpson, I.C. 85—33117
Taylor, N.K. Digital audio in broadcasting—the opportunities and challenges 85—3573
Taylor, N.K. Digital audio in broadcasting—the opportunities and challenges 85—3614
Taylor, N.K. Alternative digital frequency discriminator 85—11106
Taylor, N.K. Sampling-rate conversion 85—47648
Taylor, N.P. *see* Constantine, G. 87—3877
Taylor, P. Choosing optical fiber technology [for communication route] 85—25899
Taylor, P. *see* Armstrong, J. 87—16334
Taylor, P. *see* Bedard, B. 88—63939
Taylor, P. *see* Ibrahim, H. 87—55548
Taylor, P.A. Silane: manufacture and applications 87—74168
Taylor, P.A. Purification techniques and analytical methods for gaseous and metallic impurities in high-purity silane 88—50690
Taylor, P.C. *see* Cherng, M.J. 87—16601
Taylor, P.C. *see* Gal, M. 85—61734
Taylor, P.C. *see* Ranganathan, R. 88—19719, 88—69695
Taylor, P.C. *see* Ullal, H.S. 86—7054
Taylor, P.C. *see* Yuan, J.S. 85—61717
Taylor, P.D. Future trends in GTO thyristors 85—45670
Taylor, P.D. A comparison of GTO thyristor device designs 85—61913
Taylor, P.D., FIndlay, W.J., Denyer, R.T. High-voltage high-current GTO thyristors 86—15147
Taylor, P.D. *see* Bassett, R.J. 85—34952, 88—69532
Taylor, P.D. *see* Crees, D.E. 85—23760
Taylor, P.D. *see* Findlay, W.J. 88—26245
Taylor, P.D. *see* Harding, O.L. 86—9121
Taylor, P.K., Wynn-Williams, G.M. A modified mirror projection visual evoked potential stimulator for presenting patterns in different orientations 87—3988
Taylor, P.N. *see* Ewins, D.J. 88—42577
Taylor, P.N. *see* Swain, I.D. 87—50393
Taylor, P.W. *see* Bennell, P.R. 88—55727
Taylor, R. Signal processing with occam and the transputer 85—834
Taylor, R. Recording and replaying timecode 86—48755
Taylor, R. KiloStream networking and management 86—54671
Taylor, R. Survey of transputer applications 86—57880
Taylor, R. Similarity reconstruction of trees 87—5334
Taylor, R. Quick communications [modem survey] 88—15253
Taylor, R. A reliable alternative to surface mount lead design 88—38934
Taylor, R. Cards give PC the message [fax board survey] 88—41268
Taylor, R. Common connections [MAP/TOP survey] 88—73622
Taylor, R., Hoy, G.R. Mossbauer effect experiments applicable to GRASERS 88—58514
Taylor, R., Johnson, M. A 1 Mb CMOS DRAM with a divided bitline matrix architecture 86—8260
Taylor, R., Pittman, P., McGuirk, J., Carlisle, S., Megerle, R., Spencer, R., Anderson, M. Photovoltaic generation—recent technology advancements [panel discussion] 86—19165
Taylor, R. *see* Balcombe, R. 88—11080
Taylor, R. *see* Dille, T. 86—52937
Taylor, R. *see* Melvin, J.D. 88—36549
Taylor, R. *see* Zhaohong Fang 88—22822
Taylor, R.A. *see* Ryan, J.F. 85—18157, 86—53430
Taylor, R.A.S. Computer analysis of wirebond pull test data 85—45342
Taylor, R.A.S. Computer analysis of wire bond pull test data 85—61610
Taylor, R.B. Management techniques that keep outages on schedule 87—78301
Taylor, R.B. *see* Dzwonczyk, R. 88—36489
Taylor, R.C. Multi-modality imaging expert, and biomechanical systems used in cranial facial pain 88—74823
Taylor, R.C., Scott, B.A., Lin, S.-T., LeGoues, F., Tsang, J.C. Chemical vapor deposition of silicon films using hexachlorodisilane 88—38248
Taylor, R.C. *see* Bolin, F.P. 88—8357
Taylor, R.C. *see* Engelstad, B.L. 88—74825
Taylor, R.C.J. *see* Powell, M. 85—49985
Taylor, R.D. Automatic optical inspection of thin film circuits 88—57168
Taylor, R.D., Wheeler, P.A., Harris, R.W. Color image digitization for real-time video processing 88—74136
Taylor, R.D. *see* Kim, B.C.Y. 88—1240
Taylor, R.E. *see* Sen, S. 88—31712
Taylor, R.G. Limitations of manual NDT systems and the 'no eyes' concept 85—16821
Taylor, R.G. The use of electric and magnetic fields for voltage detection, polarity indication and cable identification 85—31473
Taylor, R.G. Test equipment for the installation engineer 86—26559
Taylor, R.G. Portable instrumentation to implement the 15th Edition IEE regulations — the manufacturer and user 87—15398
Taylor, R.G., Stephens, C.E. Microcircuit failure analysis 85—39577
Taylor, R.G., Woodhouse, J. Junction degradation and dielectric shorting: two mechanisms for ESD recovery 87—47095
Taylor, R.G. *see* Hutchins, D.A. 87—71435
Taylor, R.H. *see* Chester, M.S. 85—34413
Taylor, R.H. *see* Hodgson, R.T. 85—35472
Taylor, R.I., Abram, R.A., Burt, M.G., Smith, C. Auger recombination in a quantum-well-heterostructure laser 86—15715
Taylor, R.J. The availability of offshore alternative energy systems 85—15920
Taylor, R.J. The digital domain—past, present and future 85—31209
Taylor, R.L. The impact of organizational change on the technological gatekeeper role 86—40432
Taylor, R.L., Goela, J.S. Specification of infrared optical materials for laser applications 87—39178
Taylor, R.L. *see* Goela, J.S. 88—395
Taylor, R.L. *see* Jacobs, M.E. 87—22549
Taylor, R.L. *see* Jitendra S. Goela 87—31541
Taylor, R.L. *see* Melvin, J.D. 88—35118
Taylor, R.L. *see* Papa, R.J. 87—12692
Taylor, R.L. *see* Pickering, M.A. 87—18716, 87—41997
Taylor, R.M. Colour design in aviation cartography 86—32446
Taylor, R.M. Aircraft attitude awareness from visual displays 88—48270
Taylor, R.M., Webb, D.J., Jones, J.D.C., Jackson, D.A. Extended-range fiber polarimetric strain sensor 87—74741
Taylor, R.M. *see* Fenton, D.A. 85—16516, 86—7350
Taylor, R.M. *see* Fulop, G.F. 86—26869
Taylor, R.M. *see* Webb, D.J. 88—53902
Taylor, R.O., Sen, P.K. Undergraduate education in power engineering: an educational challenge 87—31218
Taylor, R.P., Eaves, L., Main, P.C., Whittington, G.P., Thoms, S., Beaumont, S.P., Wilkinson, C.D.W. Aperiodic quantum magnetoresistance oscillations in submicron n^+GaAs wires 87—66919
Taylor, R.P. *see* Leadbeater, M.L. 88—64264
Taylor, R.S. Preionization and discharge stability study of long optical pulse duration UV-preionized XeCl lasers 87—2058
Taylor, R.S., Leopold, K.E. Picosecond jitter, laser triggered rail-gap switches 85—5321
Taylor, R.S., Leopold, K.E. Magnetically induced pulser laser excitation 85—29741
Taylor, R.S., Leopold, K.E. Microsecond duration optical pulses from a UV-preionized XeCl laser 85—56482
Taylor, R.S., Leopold, K.E., Brimacombe, R.K., Mihailov, S. Dependence of the damage and transmission properties of fused silica fibers on the excimer laser wavelength 88—72010
Taylor, R.S., Leopold, K.E., Mihailov, S., Brimacombe, R.K. Damage measurements of fused silica fibres using long optical pulse XeCl lasers 87—75217
Taylor, R.S., Singleton, D.L., Paraskevopoulos, G. Effect of optical pulse duration on the XeCl laser ablation of polymers and biological tissue 87—61216
Taylor, R.S. *see* Singleton, D.L. 88—8361
Taylor, R.T., Johnson, M.G. A 1-Mbit CMOS dynamic RAM with a divided bitline matrix architecture 86—20528
Taylor, R.V. *see* Yue, J.T. 86—15088
Taylor, R.W. System and module rating: advertised versus actual capability photovoltaic systems 87—30447
Taylor, R.W. Advanced flight decks and cockpits for the year 2000 and beyond 87—42118
Taylor, R.W., Cummings, J.E., Swanson, R.M. High efficiency photovoltaic device development: an example of the R&D process 86—61749
Taylor, R.W., Ferraro, V.D., Huber, W.J. Field experience with 40 kW fuel cell power plants at military bases 88—17486
Taylor, R.W., Reeves, A.P. Three-dimensional image transforms in moment space 88—28134
Taylor, R.W., Reeves, A.P. Classification quality assessment for a generalized model-based object identification system 88—34814
Taylor, R.W. *see* Capone, B.R. 87—20936
Taylor, R.W. *see* Cochrun, B.L. 85—58586
Taylor, R.W. *see* Reeves, A.P. 86—4037
Taylor, R.W. *see* Shepherd, F.D. 87—14177
Taylor, R.W. *(editor)* Proceedings of the IEEE First International Conference on Office Automation (Cat. No. 84CH2109-7) 85—54033
Taylor, S. Verifying IC layouts 85—12328
Taylor, S. Gearing up for GaAs 85—18379
Taylor, S. Symbolic layout [IC design] 85—23849
Taylor, S. Single-chip microcomputers ease prototype development 86—34860
Taylor, S. Single chip microcomputers using FORTH 86—62607
Taylor, S., Barlow, K.J., Eccleston, W., Kiermasz, A. Comparison of RF and microwave oxidation systems for the growth of thin oxides at low temperatures 87—38112
Taylor, S., Eccleston, W., Watkinson, P. Advances in electrical properties of plasma-grown oxides of silicon 87—67095
Taylor, S. *see* Ali, S.M.G. 85—39147
Taylor, S. *see* Beresford, R. 85—23847
Taylor, S. *see* Beveridge, G.J. 86—49147
Taylor, S. *see* Hilsenrath, E. 87—15058
Taylor, S. *see* Mahoney, J.F. 85—28267
Taylor, S. *see* Wholey, J. 87—37575, 87—52846
Taylor, S.A. High-speed digital networking comes of age 88—8999
Taylor, S.A. Voice/data integration: where should it occur? 88—15211
Taylor, S.A. Comparison shopping [T1 multiplexers] 88—15268
Taylor, S.A. Should you use low-bit-rate voice? 88—21544
Taylor, S.A. Falling prices expand T1 options 88—41494
Taylor, S.A., Painter, R.S. Intercampus network chucks point-to-point arrangement 85—36825
Taylor, S.C. *see* Johnson, J.A. 87—73196
Taylor, S.E. On time delays in lead salt semiconductor diode lasers 86—29126
Taylor, S.G. *see* Seward, S.M. 85—54123
Taylor, S.L., Beresford, R., Sabety, T. Layout design—lessons from the Jedi designer 86—20212
Taylor, S.L., Srinivas, N.C.E., Tsiu, J.M., Noronha, L., Kane, J., Wu, K. Automating an IC design methodology 88—26437
Taylor, S.L. *see* Mehmood, Z. 88—24930
Taylor, S.S. A 100 ps GaAs pin driver suitable for high-speed test systems 88—20163
Taylor, S.S. *see* Miller, B. 85—18446
Taylor, T., Reynolds, P.W. Spatial response of source-collimator-detector systems for industrial applications of computed tomography 85—44825
Taylor, T., Tapp, T., Wall, J., Lubkeman, D. Applications of knowledge-based expert systems to power engineering 87—15137
Taylor, T., Wall, J., Lubkeman, M.D. Knowledge-based expert systems for power engineering problems 87—78058
Taylor, T. *see* Allan, C.J. 85—49671
Taylor, T. *see* Brown, G. 88—47962
Taylor, T. *see* Head, J.G. 88—68964
Taylor, T. *see* Hutton, A. 85—26537
Taylor, T.D. A description of IBM's Learning System/1 88—29123
Taylor, T.F. *see* Vogler, L. 85—64995
Taylor, T.J. Problems with lead/acid batteries in automotive electrical systems 88—55688
Taylor, T.J.S. On the small time behavior of the nonlinear estimation problem for finite bandwidth signals 88—52453
Taylor, T.K. *see* Wei-Kom Chu 86—65455
Taylor, T.L. *see* Boesch, H.E., Jr. 85—23161
Taylor, T.L. *see* Tsuzaka, H. 88—44466
Taylor, T.M. Technological aspects of the LEP low-beta insertions 86—25058
Taylor, T.M., Tortschanoff, T., Walckiers, L. Performance and final optimization of the LEP dipole wiggler magnet 86—44527
Taylor, T.M. *see* Lebrun, P. 88—68167
Taylor, T.S. MMW permittivity measurements at elevated temperatures 86—18095
Taylor, T.S., Dumin, D.J., Williamson, P.A. Wear out of thin silicon dioxide layers due to trap generation associated with tunneling currents 87—18164
Taylor, T.T. *see* Doctor, S.S. 86—582
Taylor, W. *see* Lutz, M. 87—26615
Taylor, W. *see* Reynolds, D.D. 85—15032
Taylor, W. *see* Walker, A.C. 88—8012
Taylor, W.A. *see* Goldman, L. 85—38196
Taylor, W.A. *see* Sayani, M.P. 88—55505
Taylor, W.B., Grant, K. Inexpensive four-channel time-division multiplexer 85—26829
Taylor, W.B. *see* Grant, J.B. 85—43381
Taylor, W.B. *see* Martell, E. 86—50638
Taylor, W.H. Lens design considerations for a new type optical scanner 87—26129
Taylor, W.L. *see* Grady, W.M. 85—59827
Taylor-Brown, J. Single instrument test of multi-output PSU 87—14097
Taylor-Robinson, G. *see* Read, M. 86—64875
Taylour, C. *see* Hudson, A. 86—8646
Taylour, C.H. *see* Barrett, J. 88—70144
Tayrani, R., Bartle, D.C., Barrett, N.J. GaAs surface orientated microwave p-i-n diodes 85—55167

Tayrani, R., Bartle, D.C., Barrett, N.J. GaAs surface oriented microwave PIN diodes 86−1380
Tayrani, R., Sobhy, M.I. Microwave PIN diodes for GaAs IC 85−40235
Tayrani, R. *see* Bandla, S. 88−63976, 88−71047
Tayrani, R. *see* Bartle, D.C. 86−2218
Tayrani, R. *see* Goldwasser, R. 88−63955
Tayursky, V.A. *see* Blinov, A.E. 86−18202
Tayursky, V.A. *see* Bondar, A.E. 85−26599
Tazaki, K. *see* Takeyama, A. 87−62631
Tazaki, K. *see* Yatsuboshi, R. 85−19852
Tazaki, S. A proposal on a generalized method for constructing the fixed-length adaptive block recording code 85−25024
Tazaki, S., Hamada, A., Osawa, H., Yamada, Y. A recording code for high packing density 88−45964
Tazaki, S., Kaji, T., Osawa, H. An analysis of DC free property on run-length limited code 86−36949
Tazaki, S., Ohsumi, Y., Osawa, H., Yamada, Y. On performance improvement of variable length code 86−22923
Tazaki, S., Osawa, H. Trends on coding systems for high density recording 86−54442
Tazaki, S., Yamada, Y. Vector quantization 85−13487
Tazaki, S. *see* Fukunaga, T. 87−7652
Tazaki, S. *see* Osawa, H. 85−14498, 86−69938, 86−69941, 87−27202, 87−61588, 88−45962
Tazaki, S. *see* Yamada, Y. 85−57267, 87−7650, 87−33712
Tazankos, G. *see* Carroll, A. 86−32046
Tazartes, D.A., Mark, J.G. Integration of GPS receivers into existing inertial navigation systems 88−74073
Tazawa, S., Kubota, K., Wada, K. LSI fabrication process evaluation system utilizing simulators 85−23969
Tazawa, S., Takeda, T., Yokoyama, K., Tomizawa, M., Yoshii, A. Application of two-dimensional process/device simulation for evaluating MOSFET fabrication processes 87−45984
Tazawa, S. *see* Takeda, T. 87−1384
Tazawa, S. *see* Wada, K. 85−40924
Tazawa, S. *see* Yoshizawa, M. 85−45546
Tazhiev, E.I. *see* Sakharov, A.M. 86−6570
Tazima, T., Sato, M., Yonezu, H. Compression of a cylindrical thin target by intense ion beams generated in the 'Point Pinch Diode' 87−8811
Tazima, T. *see* Sato, M. 86−50998
Tazlavanu, M. *see* Sachelarie, D. 86−26801
Tazlov, Ya.Ya. *see* Mel'bard, S.N. 85−53967
Tazoe, N. *see* Koshiji, K. 87−47346
Tazoh, Y., Aoki, K., Yoshikiyo, H. A new driver circuit for chip-to-chip signal transmission in Josephson packaging 86−62538
Tazoh, Y., Aoki, K., Yoshikiyo, H. Magnetically coupled noise induced by a power current in Josephson computer chip-to-card connections 87−11252
Tazoh, Y., Aoki, K., Yoshkiyo, H. A receiver circuit for Josephson computer chip-to-chip logic signal transmissions 85−49821
Tazoh, Y. *see* Aoki, K. 86−27228
Tazoh, Y. *see* Ohhata, M. 87−5678, 87−10670, 87−66288
Tazon, A., Mediavilla, A. Harmonic optimization of microwave FET amplifiers 88−1003
Tazon, A., Mediavilla, A., Vegas, A. Mathematical development for harmonic optimization in non-linear microwave active devices 88−56979
Tazon, A., Mediavilla, A., Vegas, A., Casanueva, A. Closed-form harmonic formulation for two-port microwave active devices 88−44354
Tazon, A., Mediavilla, A., Vegas, A., Casanueva, A. Analysis and multiharmonic optimization of MESFET transistor amplifiers 88−56906
Tazon, A. *see* Mediavilla, A. 88−7043, 88−38709, 88−50408, 88−56905
Tazov, G.V., Lebedev, A.I., Letnikov, B.A., Bogdanov, V.I. Developing computer-aided design systems for low-power electric machines 88−23981
Tazov, G.V. *see* Bogdanov, V.I. 85−32540, 85−39090, 85−44059
Tazuke, K. *see* Setsune, K. 86−2512
Tazuke, S. Photomemory materials: present state and future prospect in Japan 88−45035
Tazuke, S. Organic photomemory materials 88−51430
Tazuke, Y., Miyadai, T. Magnetic field effect on AuFe vs Chromel Thermocouples 87−14312
Tazume, F., Amano, K., Nakatani, T. DC automatic voltage regulator of reducing harmonics in input AC line currents 86−26156
Tazzari, S. The European Synchrotron Radiation Facility 86−32137
Tazzari, S. Design study for the Trieste Synchrotron Light Source 88−47952
Tazzari, S. *see* Biagini, M. 85−56711
Tazzari, S. *see* Biagini, M.E. 86−24989
Tazzari, S. *see* Bizzarri, U. 85−59064
Tazzioli, F. *see* Biagini, M. 85−56711
Tazzioli, F. *see* Boni, R. 86−31981
Tazzioli, F. *see* Fernandes, P. 87−41786
Tcha, D., Maruyama, K. On the selection of primary paths for a communication network 86−3715
Tcha Dong-wan *see* Dong-wan Tcha
Tchaban, V.I., Biliy, L.A. Mathematical modelling of periodic regimes of electric machines 86−33295
Tchach Kyun Hyon *see* Kyun Hyon Tchach
Tchah, K.H. *see* Lee, S.B. 88−20005
Tchai Zuei Dao *see* Dao Tchai Zuei
Tchan Chan Dyk *see* Chan Dyk Tchan
Tchang Hee Hong *see* Dong Hyuk Shin 86−42567
Tchang Hee Hong *see* Tae Kyung Yoo 87−46886
Tchang-Hee Hong *see* Dong Il Kim 88−6963
Tcheng, P., Schott, T.D. A five component electro-optical positioning system 87−71235
Tcheng, P. *see* Roberts, P.W. 87−71234
Tcheou, F. *see* Guillot, M. 85−24102
Tcheou, F. *see* Lahoubi, M. 85−24101
Tchibana, I. *see* Sueyasu, Y. 85−57634
Tchikov, N. *see* Adamchuk, Yu.V. 85−52985
Tchipulis, V.P. *see* Sharshunov, S.G. 88−44200
Tchizawa, K. *see* Ichiraku, S. 86−692
Tchornogotsky, V.M. *see* Mikhailovsky, Y.A. 86−51717
Tchoukaleyski, E. *see* Filkov, E. 86−38062
Tchudakov, V. *see* Galaktionov, Yu. 87−8841
Tchuente, M. Computation on binary tree-networks 86−62021
Tchuente, M. *see* Melkemi, L. 87−44758
Tchuente, M. *see* Robert, Y. 86−7897, 86−41151
Tchurkste, I. *see* Kirson, J. 85−29856
Te, H.V. *see* Buchanan, G.F. 88−9124
Te Chen *see* Chen Te
Te Kaat, E.H., Belz, J. Defect structure at buried silicon nitride layers 86−35562
Te Kolste, R.D., Guest, C.C. Optical competitive neural network with optical feedback 88−58320
te Riele, H.J.J. Computation of all the amicable pairs below 10^{10} 86−66720
te Riele, H.J.J. *see* van der Houwen, P.J. 86−26787
Te Riele, W.A.M. *see* Svoboda, J. 87−54505
te Stroete, H.J.G. Recommendations for financial/economic uniformity within the electricity sector 87−77968
Te Sun Han, Costa, M.H.M. Broadcast channels with arbitrarily correlated sources 88−27705
te Velde, T.S., Zegers-van Duynhoven, A.T.A. The electroscopic fluid display 86−48231
Te Velde, T.S., Zegers-Van Duynhoven, T.A. The electroscopic fluid display 86−5405
Te-min Hsu An instrument for characterizing dielectric materials at microwave frequencies 85−58844
Te-Son Kuo *see* Fu-Chaw Yu 88−38371
Te-Sun Han Recent results on data compression theory. I 85−7816
Tea-Gone Park *see* Chang-Yub Park 88−33585
Teacher, V. Packet switched data networks 86−10677
Teacher, V. Packet switching data networks 88−73466
Teagle, D.A. *see* Bones, R.J. 88−24122
Teague, C.C. Multifrequency HF radar observations of currents and current shears 86−65536
Teague, C.C. *see* Horowitz, P. 87−13807
Teague, E.C., Young, R.D., Scire, F., Gilsinn, D. Para-flex stage for microtopographic mapping 88−29643
Teague, E.C. *see* Gilsinn, D. 87−49927
Teague, G. Monolithics bridge the hybrid gap [op amps] 85−22662
Teague, K.A. *see* Malakooti, M.V. 87−62252
Teague, M.J., Willson, K., Battye, C.K., Taylor, M.G., Griffin, D.R., Campbell, S., Roberts, V.C. A combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen. I. Technical aspects 85−48257
Teague, M.J. *see* Griffin, D.R. 85−48258
Teague, M.R. Image improvement using the transport equation of optical phase 85−57441
Teague, M.R., Yu, S.S. Numerical simulation of secondary electron orbits near an electron beam propagating in a low pressure gas 86−32070
Teague, M.R. *see* Fawley, W.M. 87−41668
Teague, R. *see* Clune, L. 85−31088
Teaho Park *see* Seounghwan Park 87−46591
Teal, D.L.E. Cordless geo-data link [for dam earthworks] 87−8248
Teal, H.V. Qualification problems affect PTFE microwave-circuit-board development 88−44345
Teal, V., Ha, C., Chowaniec, A. BPSG as interlevel dielectric for double-level metal process 86−28243
Teal, V., Vaidya, S., Fraser, D.B. Effect of a contact and protective seal on aluminum electromigration 86−41719
Teal, W.T. An old telco learns a new trick [remote access testing] 87−76218
Tealby, J.M., Cudd, P.A., Benson, F.A. Coupling between braided coaxial cables 87−13552
Tealby, J.M., Cudd, P.A., Benson, F.A. Coupling between jacketed braided coaxial cables 88−19440
Tealby, J.M. *see* Marincic, A. 87−17302
Teale, D.C. CRT install and secure stations for the generic monitor line 86−34026
Teale, L. *see* Blight, S.R. 88−53820
Teaney, D.T. Fabre-Wheatstone electroglottograph—a precision R-F plethysmograph 88−42560
Teare, M. *see* Schlafer, J. 88−15480
Teare, M.J., Ulbricht, L.W. A performance comparison of two p-i-n FET receiver circuit architectures 86−30801
Teare, M.J. *see* Ulbricht, L.W. 86−4632, 86−49677, 88−15471, 88−47076
Teasdale, W.E. *see* Tu, K. 87−40865
Teasley, S.P. Flight test results of an integrated GPS and strapdown inertial system 87−41088
Teasley, S.P. Yuma flight-test validation of an integrated GPS/inertial navigation system 87−76900
Teat, W.H., Marten, B.L., Blazej, D.C., Oboodi, R. Properties of a new selective ceramic-coated metal substrate 88−1207
Teat, W.H. *see* Bergstrom, J.S. 88−53930
Teat, W.H. *see* Perdieu, L.H. 88−1034
Tebb, D. Power supplies for induction heating 88−11493
Tebb, D. An induction heating power supply using high voltage MOSFETS 88−18223
Tebb, D. Control circuits of power MOS adapted for HF applications 88−26250
Tebb, D.W., Hobson, L. Suppression of drain source ringing in 100 kHz MOSFET induction heating power supply 86−26119
Tebb, D.W., Hobson, L. Computer simulation of an induction heating power supply using power MOSFETs 87−36960
Tebb, D.W., Hobson, L. Design of matching circuitry for 100 kHz MOSFET induction heating power supply 87−58460
Tebb, D.W., Hobson, L. Computer simulation of a high frequency transistorized induction heating power supply 88−6659
Tebb, D.W. *see* Hobson, L. 85−60313, 86−19379, 86−26147, 86−26418, 86−34521
Tebbe, D.L. Adaptive power allocation in a nonlinear satellite repeater 85−30980
Tebbe, U. *see* Sauer, G. 85−15310
Tebble, N.J., Judge, D.F., Morrison, I.C. A frequency domain adaptive processor 85−52451
Tebbut, M. Which battery for standby power? 87−15223
Tebeanu, T., Cacoveanu, R. Carrier generation for microwave digital radios in the 11 GHz band 88−53153
Tebeanu, T. *see* Dascalu, D. 88−53151
Tebes, J. *see* Herrmann, H. 86−49416
Tebo, A. *see* Mack, R. 87−20506
Tebo, A.R. Display and pattern recognition technologies approach human vision functions 87−63267
Tebo, A.R. Acousto-optic devices perform many tasks 88−26902
Teboulle, M. *see* Ben-Tal, A. 87−12878, 88−34521, 88−72714, 88−72960
Teby, L. Electric traction vehicles of the Hungarian State Railways (MAV) 87−72498
Tecchio, L. Electron cooling for $\bar{p}$-p machines at intermediate energies 87−41799
Tecchio, L. *see* Bardin, G. 87−77536
Tecchio, L. *see* Biagini, M.E. 86−24989
Tecchio, L. *see* Bizzarri, U. 85−59064
Tecchio, L. *see* Calabrese, R. 88−22872
Teck Ooi Boon *see* Boon Teck Ooi
Tedaldi, O. *see* Desharte, Y. 86−37859
Tedd, D.C., Malins, J.N. A test programme language for a low-cost combinational ATE 86−44149
Tedd, J.F. *see* Cloughley, C.K. 85−48818
Tedder, R.M. Limitations of the magamp regulator and an improved magamp choke design procedure 88−52176
Tedenac, J.C. *see* Abdel-Maksoud, S. 85−45411
Tedenac, J.C. *see* Marin, R.M. 85−40473, 85−55508
Tedeschi, S. *see* Lotfalian, M. 86−18750
Tedesco, A.S. *see* Meadow, C.T. 86−13271
Tedesco, J.M., Fairchild, R.C. Design and fabrication of aspheric holographic optical elements using computer-generated holograms 86−9998
Tedesco, L.S. Service bay diagnostic system 87−51585
Tedford, D.J. *see* Frame, R.I. 86−42016
Tedjini, H. *see* Wendel, P.L. 86−11506
Tedjini, S., Daoud, N., Rauly, D., Pic, E. Analysis of MMICs with finite strip thickness and conductivity 88−63888
Tedjini, S., Pic, E. New analysis of semiconductor isolators: the modified spectral domain analysis 85−23126
Tedjini, S., Rauly, D., Pic, E. On the optical transmission of millimeter waves 88−26864
Tedjini, S., Rauly, D., Saguet, P. Generalized spectral domain technique for integrated planar circuits 87−73798
Tedjini, S., Saguet, P. Inductive and capacitive discontinuities in fin-line technology 88−38676
Tedjini, S. *see* Rauly, D. 88−20447
Tedjini, S. *see* Saguet, P. 85−51465, 88−25429

Tedner, B.T., Jacobson, H.S., Linnarsson, D., Lins, L.E. Impedance fluid volume monitoring during intravenous infusion in healthy subjects 86—38732
Tedrick, T. *see* Berger, R. 87—69031
Tedros, G. The development of the Pan African Telecommunication (PANAFTEL) network: 1960-1983 85—8038
Tedros, G. African telecommunications after PANAFTEL 88—14949
Tedrow, P.K., Ilderem, V., Reif, R. Titanium silicide films deposited by low pressure chemical vapor deposition 86—26907
Tedrow, P.M., Meservey, R. Tunneling studies of VN thin films 85—46032
Tedrow, P.M. *see* Chang, L.L. 86—47367
Tedrow, P.M. *see* Zatet, M.C. 86—21289
Teeboom, F.S. *see* Katz, J.S. 86—30399
Teede, N.F. *see* Kuhn, D.J. 86—61439, 87—42733, 87—43186
Teeffelen, H.van *see* van Teeffelen, H.
Teegarden, D.A. *see* Khalily, E. 85—45629
Teel, M.R. *see* Turnbull, R.A. 88—62924
Teel, T.A., Wayne, D.A. A standard cell approach to analog IC design utilizing subthreshold building blocks 86—2332
Teeling, T.A. *see* Bakkum, E.A. 85—4218
Teepe, G.H., Engl, W.L. A bipolar correlator with redundancy 88—19179
Teer, D.G. Development in reactive ion plating 85—10796
Teesdale, R.R. Service integration in cable-TV networks 85—58369
Teesdale, W.J. *see* Campbell, J.L. 85—43315
Teeters, D., Kelley, M. Machine vision inspection ups product reliability, decreases costs 88—56043
Teets, J.W. A new enforcement era: individual liability under environmental statutes 88—70081
Teets, R.W. *see* Gardner, H.J. 85—39965
Teetz, I. *see* Issel, W. 87—581
Teffo, J.L. *see* Blanquet, G. 88—58733
Tegaev, R.I. *see* Dedkov, G.V. 86—60591
Tegai, A.A. *see* Komarov, Yu.A. 86—38604
Tegart, R.D. *see* Bradley, D.J. 85—17403
Tegeler, E. A compact plane crystal spectrometer for the energy range between 500 eV and 5000 eV 86—60673
Tegeler, E., Ulm, G. Determination of the beam energy of an electron storage ring by using calibrated energy dispersive Si(Li)-detectors 88—47818
Tegeler, E. *see* Barth, J. 88—22597
Tegeler, E. *see* Muller, P. 86—60569
Tegeler, E. *see* Riehle, F. 88—22882 to 22883, 88—22978
Tegeler, M.C., Jr. Checking line carriers ensures reliable relaying [power line carrier system] 87—57693
Tegen, A. Digital storage oscilloscopes: help for transient problems 86—5366
Tegen, A. Make full use of your digital scope 88—60787
Tegen, A., Wright, J. The digital oscilloscope alternative 85—58732
Tegethoff, H. *see* Becker, R. 86—51425
Tegethoff, W. Parameter studies—local and regional supply concepts for low temperature heat—prepared by Fichtner/Prognos and the Association Consortium (VDEW/BGW/AGFW) 85—59980
Tegethoff, W. Social psychological aspects of the development of information and communication 88—31262
Teghem, J., Jr., Kunsch, P.L. Application of multi-objective stochastic linear programming to power systems planning 85—48556
Teghem, J., Jr. *see* Kunsch, P.L. 87—78257
Teglas, S. *see* Erdos, T. 87—72504
Tegler, P. *see* Schwarz, J. 85—50031
Tegmousse, H. *see* Raisin, C. 86—41565, 88—31802
Tegopoulos, J.A., Kriezis, E.E. Eddy currents in linear conducting media 85—60687
Tegopoulos, J.A. *see* Ioannides, M.G. 87—22375, 87—58086, 88—69737
Tegopoulos, J.A. *see* Ioannidou, M.G. 87—43547, 87—64591
Tegopoulos, J.A. *see* Yannopoulos, P.P. 88—52132
Tegopoulos, J.A. *see* Yannopoulos-Lascaratos, P.P. 87—33380 to 33381
Tegude, F.-J. *see* Schilling, M. 87—10443
Tegude, F.J., Heime, K. Investigation of deep levels at interfaces by means of FET structures and optical excitation 86—9177
Tegude, F.J. *see* Bach, H.G. 88—73976
Tegude, F.J. *see* Speier, P. 88—14197
Tegude, F.J. *see* Wunstel, K. 88—20659
Tegze, M., Vlach, M. On the matrix permutation problem 87—10230
Teh, C.-H., Chin, R.T. On image analysis by the methods of moments 88—66627
Teh, C.-H., Chin, R.T. A scale-independent dominant point detection algorithm 88—73313
Teh, C.-H., Chin, R.T. On image analysis by the methods of moments 88—73350
Teh, C.K. *see* Rastogi, A.C. 86—8760
Teh, C.N. *see* Liew, A.C. 85—21092
Teh, G.P.L. Investigations into interactive videodiscs for instruction 87—77023
Teh, H.C. PC data capture adapter for a photon correlator 88—15926
Teh, K.A. Data transmission over Cellnet 88—28698
Teh, K.M., Shapira, D., Burks, B.L., Varner, R.L., Blankenship, J.L., Ludwig, E.J., Fauber, R.E., Maguire, C.F. Some properties of slow plastic scintillators 87—35355
Teh Cho-Huak *see* Cho-Huak Teh
Teh-Hsuang Lee, Tredwell, T.J., Burkey, B.C., Kelly, T.M., Khosla, R.P., Losee, D.L., Nielsen, R.L., McColgin, W.C. A 360000-pixel charge-coupled color-image sensor for imaging photographic negative 86—5041
Tehan, J.E. *see* Newman, E.H. 85—41694
Teherani, T.H. *see* Barna, G.G. 85—16222
Tehon, S.W., Clark, R.F., Mayer, C. A high-Q mechanical resonator for remote mechanical excitation 87—71411
Tehon, S.W., Pruski, E., Fitelson, M.M. Divided electrode testing of piezoelectric polymers 86—2474
Tehon, S.W., Roberts, C.R. An ultrasonic machine tool datum 86—70553
Tehori, A. Using a TEM cell for EMP simulation 86—3591
Tehori, A. *see* Goldstein, C. 88—14420
Tehrani, S., Bosman, G., Hench, L.L., Van Vliet, C.M. Observation of single carrier space-charge-limited flow in nitrogen-doped α-silicon carbide. III. Computer calculations 87—11380
Tehrani, S., Bosman, G., van Vliet, C.M., Hench, L.L. Space-charge-limited voltage noise in the presence of traps in SiC 86—63065
Tehrani, S., Hench, L.L., Van Vliet, C.M., Bosman, G. Observation of single-carrier space-charge-limited flow in nitrogen-doped α-silicon carbide. II. Electrical noise 85—61708
Tehrani, S., Kim, J.S., Hench, L.L., Van Vliet, C.M., Bosman, G. Observation of single-carrier space-charge-limited flow in nitrogen-doped α-silicon carbide. I. *I-V* characteristics and impedance 85—61707
Tehrani, S., LeFree, M.T., Sitomer, J., Bourdillon, P.D.V. High-speed digital radiographic pincushion distortion correction using an array processor 88—10344
Tehrani, S., Nair, V., Weitzel, C.E., Tam, G. The effects of parasitic capacitance on the noise figure of MESFETs 88—50884
Tei, T. *see* Yamazaki, T. 86—24894
Teich, G., Langer, K.D., Ehlers, H. Wideband subscriber station for high-rate optical lines 86—24060
Teich, G. *see* Walf, G. 86—49133
Teich, J.S. Radiometric measurements in the field instruments and processes 87—14186
Teich, M.C. Laser heterodyning 86—15823
Teich, M.C., Matsuo, K., Saleh, B.E.A. Time and frequency response of the conventional avalanche photodiode 87—7218
Teich, M.C., Matsuo, K., Saleh, B.E.A. Countering distributions and error probabilities for optical receivers incorporating superlattice avalanche photodiodes 87—8296
Teich, M.C., Matsuo, K., Saleh, B.E.A. Excess noise factors for conventional and superlattice avalanche photodiodes and photomultiplier tubes 87—8631
Teich, M.C. *see* Brennan, K.F. 88—72215
Teich, M.C. *see* Matsuo, K. 86—28997
Teich, M.C. *see* Saleh, B.E.A. 87—62976
Teich, W. Modular function tester for electrical printed circuit modules 87—11133
Teichen, J. Thermoelectric nondestructive testing. I 87—73207
Teichen, J. Thermoelectric nondestructive testing. II 87—73208
Teichert, K.M. *see* Benvenuti, A.C. 85—15254
Teichert, K.M. *see* Deiters, K. 88—68308
Teichholz, L.E. *see* Farr, J. 88—10386
Teichmann, G. *see* Langenhagen, H. 88—47425
Teichmann, H.O. *see* Huber, G. 88—40176 to 40177
Teichmann, H.T. The role of international standards for power plants 86—6459
Teichmann, H.T. Insulating materials and insulation systems for electrical machines—international standardization 86—33319
Teichmann, H.T. International standardization of power convertors for electric rolling stock and adjustable speed drive systems 87—22862
Teichmann, H.T. International standardization in the power transformer field 87—36005
Teichmann, H.T. International standardization of magnetic materials for rotating electrical machines 88—48885
Teichmann, H.T., Hahn, C.W. International standardization in the field of electrical relays 85—64967
Teichmann, J. Disturbance problems in the interconnection of E355D with E315D 86—10123
Teichmann, J., Claude, Y., Mattar, F.P. On the perturbative theory of the onset of the self-focusing in the purely absorptive CW optical beam propagation 85—46466
Teichmann, J. *see* Babuel-Peyrissac, J.P. 86—36583
Teichmann, J. *see* Hartung, D. 86—67243
Teichmann, M. *see* Arndt, P. 88—53968, 88—53976
Teichmann, P. Data communication by an ISDN 88—35235
Teichmann, T. Joint probabilities of partially coupled events [failure statistics] 86—34094
Teichmann, T., Levine, M.M., Samanta, P.K., Kato, W.Y. Statistical cluster analysis and diagnosis of nuclear system level performance 85—48729
Teichmann, T. *see* Samanta, P.K. 85—48730
Teichmann, W. Telecommunication receivers for the BK distribution network. I. [broadband communication] 85—25246
Teichmann, W. Radio receivers for BK-distribution networks. II [broadband communications] 85—31172
Teichmann, W., Ghalyoun, M. Examination of behaviour of steam turbine/synchronous generator system using a digital model 87—15696
Teichner, D. Digital PAL-codec with improved luminance chrominance separation 85—52481
Teichner, D. Quality improvement by adaptive inter-/intraframe processing in PAL TV receivers 86—11237
Teichner, D. Quality improvement by adaptive inter-intraframe processing in PAL home receivers 86—49799
Teichner, D. Adaptive filter techniques for separation of luminance and chrominance in PAL TV signals 87—13913
Teichner, D. Three-dimensional pre- and post-filtering for PAL TV signals 88—41027
Teichner, D. Three-dimensional pre- and post-filtering for PAL TV signals. I 88—66497
Teichner, D. Three-dimensional pre- and post-filtering for PAL TV signals. II 88—67573
Teichner, D. *see* Hentschel, C. 86—55408, 86—55435, 86—60030
Teichner, D. *see* Schonfelder, H. 86—49777
Teichtahl, H., Wright, P.L., Kirsner, R.L.G. Measurement of in vitro ciliary beat frequency: a television-video modification of the transmitted light technique 86—38762
Teig, S., Smith, R.L., Seaton, J. Timing-driven layout of cell-based ICs 86—57748
Teigelkotter, J. *see* Bayerer, R. 88—6652, 88—13408, 88—49188
Teigen, B.C. *see* Gabrielli, F. 86—32902
Teiger, J. *see* Detoeuf, J.-F. 88—29857
Teigland, J. *see* Jensen, O. 87—11061
Teii, S. *see* Chang, S.H. 85—35686, 86—9741
Teii, S. *see* Matsumura, S. 86—471
Teijido, J.M. *see* Buczek, H. 88—65904
Teikari, P., Tobyas, V. Consequences of transducer inductance for seismograph calibration 87—21774
Teil, S. *see* Matsumura, S. 87—10500
Teillet, P. *see* Cliche, G. 85—48465
Teillet, P.M. Image correction for radiometric effects in remote sensing 87—29911
Teillet, P.M. *see* Staenz, K. 87—63992
Teisberg, E.O. Investment cost recovery and incentives for power plant construction 88—42920
Teisher, J. Improved workstation/tester interface is the key to the quality of test-program generation 87—34952
Teisseire, B. *see* Geschwind, H. 85—9225
Teissier, D., Godfroid, H. Automated platform for the testing of three-phase AC machines 85—26209
Teisson, C. *see* Coeffe, Y. 85—27178
Teitel, E.I. *see* Ermakov, A.E. 88—64884
Teitelbaum, G.P., Bradley, W.G., Jr., Klein, B.D. MR imaging artifacts, ferromagnetism, and magnetic torque of intravascular filters, stents, and coils 88—54516
Teitelbaum, L. *see* Tincknell, M.L. 88—23003
Teitler, S., Rajagopal, A.K., Ngai, K.L. Maximum entropy and reliability distributions 87—23400
Teitler, S. *see* Rajagopal, A.K. 87—43964
Teitsworth, S.W., Westervelt, R.M. Chaos and broadband noise in extrinsic photoconductors 85—18788
Teitsworth, S.W., Westervelt, R.M. Deterministic noise in extrinsic photoconductors 86—63716
Teitsworth, S.W., Westervelt, R.M. Nonlinear dynamics in extrinsic Ge photoconductors 88—14015
Teitsworth, S.W. *see* Westervelt, R.M. 85—51027, 87—26173, 87—54170
Teixeira, F. *see* Warrilow, P. 87—56095
Teixeira, I.M.C., Lanca, M.J.A. A general macromodelling procedure for sequential and combinational circuits 85—6301
Teixeira, J.P., Almeida, C.F.B., Gracio, J.A., Bicudo, P.A., Oliveira, A.L., Rua, N. Bottom-up testing methodology for VLSI 88—74275
Teixeira, J.P.C. Design considerations of linear-compatible I^2L/MTL devices 85—6302
Teixeira, J.P.C. *see* Lanca, M.J.A. 86—15110
Teixeira, J.P.C. *see* Pederneira, L.F. 88—1797
Teixeira, P.L.Borges *see* Borges Teixeira, P.L.
Teja, E. LCD-driver/controller ICs offer versatility in configuration and function 85—64193

Teja, E. Sophisticated controller ICs adapt motors to robotics and computer-peripheral applications 86−12993
Teja, E.R. Computer-aided engineering workstations 85−506
Teja, E.R. DES algorithm still dominates data-encryption-device market 85−36181
Teja, E.R. Light work for high-speed links [optical fiber] 88−9560
Teja, E.R. *see* Bostwick, S. 88−41306
Tejada, J. *see* Martinez, B. 86−15394, 88−51212
Tejada, J. *see* Pernet, M. 85−24075
Tejada, J. *see* Sanchez-Reyes, A.F. 87−77562
Tejayadi, O., Hajj, I.N. Dynamic partitioning method for piecewise-linear MOS digital circuits 88−24899
Tejeda, A., Conner, G. Innovative video RAM testing 87−37299
Tejeda, A. *see* Connor, G. 87−37270
Tejedor, C., Brey, L. Electronic structure of Si-Ge strained superlattices 88−32870
Tejedor, C., Calleja, J.M., Meseguer, F., Mendez, E.E., Chang, C.-A., Esaki, L. Raman resonance on E_1 edges in superlattices 86−8859
Tejedor, C., Hernandez-Cabrera, A. Electric field dependence of the resonant Raman scattering in GaAs-Ga$_{1-x}$Al$_x$As quantum wells 86−58304
Tejedor, C. *see* Brey, L. 87−66945
Tejedor, C. *see* Flores, F. 87−24815
Tejedor, M., Fernandez, A., Hernando, B. Measurement of saturation magnetization of thin magnetic films using a magnetic balance 86−65260
Tejedor, M., Fernandez, A., Hernando, B. Determination of magnetic parameters in magnetic thin films by torque measurement 88−68011
Tejedor, M., Fernandez, A., Hernando, B., Carrizo, J. Very simple torque magnetometer for measuring magnetic thin films 86−17954
Tejedor, M., Garcia, J., Hernando, B. Magnetoelastic torque magnetometer using the inverse Wiedemann effect 85−3963
Tejedor, M., Garcia, J.A., Hernando, B. Improvement of a magnetoelastic torque magnetometer 85−37732
Tejedor, M., Hernando, B. Effects of the radial magnetic field on the DC magnetizing effect in the toroidal core 85−35321
Tejedor, P., Olson, J.M. Silicon purification by the Van Arkel-De Boer technique using a Cu$_3$Si:Si composite alloy source 88−56292
Tejerina, F. *see* Ibanez, J.A. 87−29354
Tejerina, J.L. The Spanish TV satellite project 85−20150
Tejerina, J.L. *see* Chamorro, L. 88−34932
Tejerina Garcia, J.L. Project for Spanish satellite TV system 85−36990
Tejerina Garcia, J.L. High definition television 87−8380
Tejero, A.Comeron *see* Comeron Tejero, A.
Tejero, F.Saez *see* Saez Tejero, F.
Tejero, P., Gomez Molinero, V. Experiences found modelling CFRP antenna reflectors using MSC/NASTRAN 87−12832
Tejessey, W. *see* Amendolia, S.R. 85−43179
Tejessi, W. *see* Benetta, M. 85−43239
Tejessy, W. *see* Amendolia, S.R. 85−37901, 86−5779, 87−21426 to 21428
Tejika, Y., Komatsu, F., Masaki, T., Yoshida, N., Fukai, I. Three-dimensional analysis of a microwave heating furnace system 87−72597
Tejika, Y., Komatsu, F., Masaki, T., Yoshida, N., Fukai, I. Three-dimensional analysis of microwave heating system with square-type furnace 88−18218
Tejika, Y., Yoshida, N., Fukai, I. Three-dimensional treatment of optical fiber by Bergeron's method 87−1968
Tejima, A. *see* Tanioka, S. 87−31093
Tejima, A. *see* Tanioka, S.-I. 86−33880
Tejima, M., Ishii, H., Shintake, T., Kishiro, J., Ogata, A., Ieiri, T., Mizumachi, Y. Refinement procedures of beam position measurement in the TRISTAN accumulation ring 86−31777
Tejima, M. *see* Ieiri, T. 88−54161
Tejima, M. *see* Kamada, S. 86−24878
Tejima, M. *see* Oide, K. 86−32140
Tejima, M. *see* Shintake, T. 87−29400
Tejima, S. *see* Fujii, A. 87−28529, 87−40816, 88−60095
Tejima, T., Masuzawa, H., Igarashi, M., Sasaki, T., Saida, S., Miki, C. Development of the VHF/UHF band field strength meter calibration system 88−36171
Tejima, T. *see* Arikawa, J. 85−47899
Tejwani, M.J., Reimenschneider, P. Monte Carlo simulation of recoil range distributions in multilayer GaAs targets 87−60290
Tejwani, P., Moore, T. A fully automated digital AC/DC transfer standard 87−14417
Tejwani, P., Moore, T. A fully automated digital AC/DC transfer standard 88−16378
Tejwani, Y.J. A cylindrical multivalued logic transform 87−13103
Tejwani, Y.J. A logical basis in the layered computer vision systems model 87−13126
Tejwani, Y.J. Sequential and parallel implementation of the cylindrical multivalued transform 87−44278
Tejwani, Y.J., Jones, R.A. Determination of critical points on planar shapes using an adaptive line of sight method 85−30382
Tek Kim Wha *see* Wha Tek Kim
Tek-Che Chu, Marra, L.J., Stix, R.K. Mechanical architecture of a 147 kilometer repeaterless fiber optic undersea cable system 86−49663
Tekalp, A.M., Kaufman, H. Statistical identification of two-dimensional symmetric, noncausal, finite-extent impulse responses with applications in image-blur identification 87−39982
Tekalp, A.M., Kaufman, H. On statistical identification of a class of linear space-invariant image blurs using non-minimum-phase ARMA models 88−73186
Tekalp, A.M., Kaufman, H., Woods, J.W. Fast recursive estimation of the parameters of a space-varying autoregressive image model 85−46935
Tekalp, A.M., Kaufman, H., Woods, J.W. Identification of image and blur parameters for the restoration of noncausal blurs 86−10523
Tekalp, A.M., Kaufman, H., Woods, J.W. Identification of image and blur parameters for the restoration of noncausal blurs 87−7817
Tekalp, A.M., Kaufman, H., Woods, J.W. Decision-directed segmentation for the restoration of images degraded by a class of space-variant blurs 88−66710
Tekalp, A.M., Trussell, H.J. Comparative study of some recent statistical and set-theoretic methods for image restoration 88−66712
Tekalp, A.M. *see* Chen, C. 87−62283
Tekalp, A.M. *see* Kaufman, H. 88−46293
Tekalp, A.M. *see* Sezan, M.I. 87−62032, 88−41058, 88−46297, 88−73269
Tekalp, A.M. *see* Woods, J.W. 86−10529
Tekamine, Y. *see* Shimizu, T. 87−36914
Tekavec, T. *see* Pirih, A. 85−34202
Tekawa, M. *see* Nyman, M. 86−31924
Tekel, L. On identification of locations for small hydroelectric power stations 86−12722
Tekelenburg, J. *see* Van Bommel, W.J.M. 86−57024
Tekeshita, M. *see* Sugita, Y. 86−68178
Tekeuchi, K. *see* Takeda, E. 88−757
Tekielak, M. *see* Maziewski, A. 87−74889
Tekippe, V.J. Insertion loss and isolation of fused wavelength division multiplexers/demultiplexers 88−45098
Tekippe, V.J., Lawson, C.M., Kopera, P.M., Hsu, T.Y. Monomode wavelength division multiplexer/demultiplexer 87−13730
Tekippe, V.J., Willson, W.R. Single-mode directional couplers 85−56328
Tekippe, V.J. *see* Hsu, T.Y. 85−24293
Tekippe, V.J. *see* Kopera, P.M. 85−7213
Tekippe, V.J. *see* Lawson, C.M. 85−8405
Tekippe, V.J. *see* Meyer, R.E. 85−2020
Tekippe, V.J. *see* Moore, D.R. 88−13858
TeKolste, R. *see* Guest, C.C. 88−20460
Tekshev, V.B. Two-stage microwave regenerative amplifiers with reduced nonlinear distortions 86−14027
Tekshev, V.B. Computer design of multidiode microwave regenerative amplifiers 86−20848
Tekshev, V.B. Noise characteristics of transistor feedback amplifiers 87−44634
Tekshev, V.B. Linear power of multistage microwave devices 87−59838
Tekshev, V.B., Shigabtdinov, R.A. Design of wideband two-impedance reflex-type microwave circuits 87−45265
Tekshev, V.B. *see* Pligin, S.G. 88−71014
Teksheva, L.M. *see* Skobareva, Z.A. 85−16392
Tekster, G.N. *see* Bobkov, Yu.V. 87−4458
Tekus, J., Hruz, B., Hvizdak, J., Kratochvilova, B., Strba, S. Identification of block shape for automatic centering before block peeling machine [using CCD sensors] 88−36084
Tekushin, V.I. *see* Kobzarenko, L.N. 86−33135
Tel, G. Assertional verification of a timer based protocol 88−73420
Tel, G. Directed network protocols 88−73665
Telander, S.H. Load current carrying capabilities of metal-clad switchgear 87−64762
Telander, S.H., Wilhelm, M.R., Stump, K.B. Surge limiters for vacuum circuit breaker switchgear 86−70727
Telander, S.H., Wilhelm, M.R., Stump, K.B. Surge limiters for vacuum circuit breaker switchgear 87−36064
Telang, S.M. *see* Chaughule, R.S. 85−33721
Telang, V. *see* Herro, M.A. 88−34583
Telang, V.P. *see* Mills, J.D. 88−46486
Telba, A.A. *see* Khan, A.A. 87−29228
Telbany, M.M.M.El *see* El Telbany, M.M.M.
Telbisz, F. *see* Arato, A. 86−64710
Telbizov, P. *see* Grozeva, M. 87−26270
Telbizov, P. *see* Sabotinov, N. 85−18833, 87−2081
Telecka, M. A simulation model of a local computer network of the segmented ring type 87−40328
Telecky, J. *see* Nigrin, O. 87−57516
Telegin, A.A. *see* Borisov, V.I. 87−17712
Telegin, A.A. *see* Ivanov, Yu.I. 88−74971
Telegin, A.P., Stadnik, I.P. Calculating stable state of cylindrical magnetic domain near application 86−21947
Telegin, A.P. *see* Stadnik, I.P. 86−22596
Telegin, G.I. Narrow-band amplifier with a synchronous filter for the frequency range 50 Hz to 6 MHz 86−31329
Telegin, G.I. *see* Barazov, E.N. 85−24315
Telegin, G.I. *see* Bazarov, Ye.N. 85−7278
Telegin, G.I. *see* Ivanov, V.V. 86−2767
Telegin, G.I. *see* Kukhta, A.V. 86−2768
Telegin, G.I. *see* Polukhin, A.T. 85−2032 to 2033, 85−24316, 86−36212
Telegin, G.I. *see* Sosnin, V.P. 85−50965
Telegin, G.N. *see* Kragel'skii, I.V. 88−22446
Telegin, L.I. *see* Saltiel, S.M. 86−54188
Telegin, L.S., Chirkin, A.S. Reversal and reconstruction of the profile of ultrashort light pulses 85−51260
Telegin, L.S. *see* Akhmanov, S.A. 86−3313
Telegin, L.S. *see* Akmanov, A.G. 88−14272
Telegin, L.S. *see* Al'tshuler, G.B. 86−22454
Telegin, L.S. *see* Razumikhina, T.B. 85−41503
Telegin, Y.N. *see* Boldyshev, V.F. 88−54012
Telenkin, Yu.G. *see* Volkin, L.I. 88−50288
Telenkov, V.I. *see* Bichenkov, E.I. 88−49058, 88−55635
Telepski, J. *see* Sepold, G. 87−46957
Teles, A.P. *see* Acquadro, J.C. 86−31872
Teleshev, Yu.V. *see* Sarapulov, F.N. 86−45394
Teleshevskii, V.I. Laser heterodyne method of shift measurement using acousto-optic interaction 86−11698
Telesnin, R.V. *see* Kolotov, O.S. 87−18775
Telesnin, R.V. *see* Kudel'kin, N.N. 85−45969
Telezhnikov, A.V., Bazarov, V.G., Lukashuk, L.I., Mishchanchuk, N.S. Automated analysis of the vestibular nystagmus 86−18341
Telezhnikov, Yu.F. *see* Bolonov, O.A. 85−43640
Telezhnikov, Yu.F. *see* Zhbanov, A.I. 87−71689
Telezhnyi, B.G. Criteria for evaluating the amplitude-frequency response of two-signal selectivity of a radio receiver channel 86−17586
Telezhnyi, B.G. Synthesis of functions approximating the nonlinearity of radio receiving sections 87−20389
Telezhnyi, B.G. The probability of unforeseen interference in radio communications equipment 88−9396
Telezhnyy, B.G. Spectral estimates for unintentional electromagnetic interference due to nonlinear transformation of transmitter emissions 86−29435
Telezhnyy, B.G. Estimation of failure rate parameters in radio reception with unintentional interference 86−30973
Telfah *see* Thomas, T. 86−52078
Telfer, B. *see* Casasent, D. 87−39950
Telfer, D. *see* Gillies, A.C. 88−52563
Telfer, D.J. A Gaussian ring filter for edge detection 86−49040
Telford, J.W. *see* Sugamura, Y. 88−16908
Telford, R.C. Videotaping homework solutions, lab instructions, and demonstrations 85−8599
Telichko, L.Ya., Meshcheryakov, V.N. Adjusting an electric drive to reduce crane warping 86−45737
Telichko, L.Ya., Shchedrinov, A.V., Meshcheryakov, V.N. The dynamics of an electromechanical system of a travel mechanism in an overhead crane 85−5610
Telichko, L.Ya., Shchedrinov, A.V., Meshcheryakov, V.N. Load limiting in metal structures of bridge cranes by speed synchronisation of drive motors 86−56974
Telkes, B. *see* Erdelyi, J. 86−19826
Telkes, B. *see* Gorgenyi, A. 87−57176
Tell', A.V. *see* Vakhabov Abdul'gani, A.V. 88−75422
Tell, B., Brown-Goebeler, K.F., Bridges, T.J., Burkhardt, E.G. Resistance and mobility changes in InGaAs produced by light ion bombardment 86−67677
Tell, B., Brown-Goebeler, K.F., Cheng, C.L. Rapid thermal annealing of elevated-temperature silicon implants in InP 88−32987
Tell, B., Johnson, B.C., Zyskind, J.L., Brown, J.M., Sulhoff, J.W., Brown-Goebeler, K.F., Miller, B.I., Koren, U. Disordering of InGaAs-InP quantum wells by Si implantation 88−44634
Tell, B., Koren, U., Miller, B.I. Metalorganic vapor-phase-epitaxial growth of Fe-doped In$_{0.53}$Ga$_{0.47}$As 87−31512
Tell, B., Liao, A.S.H., Brown-Goebeler, K.F., Bridges, T.J., Burkhardt, G., Chang, T.Y., Bergano, N.S. Monolithic integration of a planar embedded InGaAs p-i-n detector with InP depletion-mode FET's 86−22266
Tell, B. *see* Cheng, C.-L. 87−6711, 88−73921
Tell, B. *see* Cheng, C.L. 88−33904
Tell, B. *see* Cheng, J. 86−1855 to 1856
Tell, B. *see* Chu-Liang Cheng 86−15151
Tell, B. *see* Dentai, A.G. 87−10377
Tell, B. *see* Desurvive, E. 88−40101
Tell, B. *see* Dobisz, E.A. 87−25077, 88−12993
Tell, B. *see* Downey, P.M. 85−11926
Tell, B. *see* Feuer, M.D. 87−32518, 87−73698
Tell, B. *see* Johnson, B.C. 88−29383
Tell, B. *see* Lebby, M.S. 88−57614
Tell, B. *see* Penna, T. 85−23640
Tell, B. *see* Schwarz, S.A. 86−1989
Tell, B. *see* Shah, J. 85−55657

Tell, B. *see* Silberberg, Y. 85−41452, 87−26543
Tell, B. *see* Taylor, G.W. 87−25274, 87−46231, 88−33159
Tell, B. *see* Tsang, W.T. 87−25078
Tell, B. *see* Zemel, A. 85−1564
Tell, R. *see* Alping, A. 85−14264, 87−19108
Tell, R. *see* Eng, S.T. 86−4654
Tell, R. *see* Larsson, A. 86−11591
Tella, R. *see* Liebes, S. 88−71236
Tellado, A. *see* Chas, P.L. 87−34413
Tellado, A. *see* Latorre, M.A. 88−3827
Telle, H.H. Chemical lasers—a tool or a toy? 85−12761
Telle, H.H. *see* Grey Morgan, C. 88−8142
Telle, H.R. Tunable CW laser oscillation of NdP_5O_{14} at 1.3 μm 85−12829
Telle, H.R. Injection locking of a 1.3 μm laser diode to an $LiNdP_4O_{12}$ laser yields narrow linewidth emission 86−29137
Telle, H.R. Tunable CW laser oscillation of stoichiometric ND-Materials 87−61126
Telle, H.R. *see* Klingenberg, H.H. 85−56789, 86−22536
Telle, H.R. *see* Klische, W. 85−18903
Telle, H.R. *see* Otsuka, K. 87−75061
Telle, H.R. *see* Weiss, C.O. 85−29751, 86−58880
Telle, J.M., Wenzel, R.G. High-efficiency first-Stokes generation from XeF-pumped CH_4 87−12572
Telle, J.M. *see* Wenzel, R.G. 87−12571
Tellechea, J.A.F. *see* Emaldi, L.M. 85−30676
Tellefsen, F.R. *see* Plosila, W.H. 86−7441
Teller, A. *see* Ashley, G.K. 88−62004
Telley, M.E., Riley, D.E., Windle, W.E. Environmental challenges and operating costs of truck electronics 85−65587
Tellez, J.Rodriguez *see* Rodriguez Tellez, J.
Tellez-Giron, R., Ergang, K., Hunger, A. A combined testing approach for instruction-set-based data processing devices 87−52629
Tellier, C.R. Etch figures and etch rates in AT, BT, X and Y cut quartz plates 85−62150
Tellier, C.R. Thin metal film sensors 86−17914
Tellier, C.R. Effect of crystal orientation on the surface texture of chemically etched quartz plates, the case of cuts close to the AT cut 86−42032
Tellier, C.R., Vialle, N., Vaterkowski, J.L. Experimental study and numerical simulation of quartz crystal etched figures 87−32789
Tellier, J., Bell, D. Single-chip, 2-port RAM controller saves board space 86−27192
Tellier, J. *see* Bell, D. 87−37268
Tellier, J.M. *see* Coursant, R.H. 87−53800, 87−53819, 88−35971
Tellier, J.M. *see* Mequio, C. 88−44916
Tellier, N., Zilliox, C. Steam generator tube rupture: studies to improve plant procedure 85−38765
Tellier, R., Gallet, G. French distribution systems: basic features and practices 87−30047
Telliez, I. *see* Rumelhard, C. 88−63882
Tellini, A. *see* Azerboni, B. 85−39088
Tellini, A. *see* Azzerboni, B. 85−16245, 86−71106, 88−55366
Telljohann, M.A. *see* Lewin, J.M. 85−28646
Tello, R.J. *see* Brown, G.A. 88−54546
Tel'nikov, E.Ya. *see* Rud', B.M. 87−36821
Telnov, V.I. *see* Aulchenko, V.M. 87−21406
Telnov, V.I. *see* Blinov, A.E. 85−26540, 86−18202
Telot, Kh. *see* Molchanov, A.A. 87−44716
Tel'pukhovskaya, L.I., Nilova, G.M Analysis of a distributed coupled system 87−45509
Tel'pukhovskaya, O.N. Influence of interchannel connections in a receiver amplifier circuit on the accuracy of a monopulse radio direction finder 88−28997
Tel'pukhovskii, N.A., Khrustalev, Yu.P., Kurysheva, L.N., Filippov, M.I. Current state and future developments in automation of time and frequency reproduction standards 87−29231
Tel'pukhovskiy, E.D. *see* Fortes, V.B. 87−61385
Tel'pukhovskiy, E.D. *see* Ponomarev, G.A. 86−42716
Tel'pukhovskiy, Ye.D. *see* Ponomarev, G.A. 85−57064
Telschow, D. *see* Kriesel, W. 86−46881
Telschow, G. *see* McGill, S. 88−7123
Telschow, G. *see* Matzke, W.-E. 88−31933
Telschow, K.L. *see* Biswas, A. 86−6153
Telser, E., Zerobin, F. Low temperature measurement in practice 87−14589
Teluk, T. Cleaning of live medium voltage electrical power equipment 88−5731
Teluk, T. *see* Sikorski, J. 87−4400
Temcamani, F. *see* de Jaeger, J.C. 88−57683
Temchenko, V.S. *see* Grinev, A.Yu. 85−36131, 86−37119
Temerinac, M., Bragas, P., Markovic, A. Hardware topics of an MF-AM traffic information broadcasting service 86−65041
Temerinac, M., Kemenci, Z. Application of Hartley's transformation in signal processing 87−75838
Temerinac, M. *see* Kemenci, Z. 88−34943
Temerinac, M. *see* Kisacanin, M. 87−76550
Temerov, A.A. *see* Gorislavets, Yu.M. 85−44319
Temerov, A.A. *see* Timofeev, V.N. 87−22910
Temerov, G.L. *see* Gordeev, V.I. 86−25517
Temerson, J.M. *see* Brillouet, M. 87−67522
Temes, A.A. *see* Sedel'nikov, E.S. 86−38929
Temes, G.C. High-accuracy pipeline A/D converter configuration 85−54946
Temes, G.C. Simple formula for estimation of minimum clock-feedthrough error voltage 87−5953
Temes, G.C. The compensation of amplifier offset and finite-gain effects in switched-capacitor circuits 87−66332
Temes, G.C., Ki, W.H. Fast CMOS current amplifier and buffer stage 87−52392
Temes, G.C. *see* Babanezhad, J.N. 85−28396, 86−35869, 86−63464, 86−67443
Temes, G.C. *see* Haug, K. 85−17678, 86−14341
Temes, G.C. *see* Hsu, Teng-Hsien 86−1233
Temes, G.C. *see* Kunsagi, L. 88−32311
Temes, G.C. *see* Larson, L.E. 86−34589, 87−5684, 87−16888, 87−59722, 87−66343, 87−66349, 88−20154, 88−63750
Temes, G.C. *see* Martin, K. 87−37022
Temes, G.C. *see* Orchard, H.J. 85−17061, 85−45140
Temes, G.C. *see* Robert, J. 86−1221, 86−67284, 87−44966
Temes, G.C. *see* Shum, D.K. 85−11345
Temes, G.C. *see* Shyu, J. 86−63463
Temes, G.C. *see* Shyu, J.-B. 85−29333
Temes, G.C. *see* Wang, F.-J. 88−63768, 88−70873
Temes, G.C. *see* Watanabe, K. 85−929, 85−17649, 85−20690, 85−34043
Temesi, A., Ferenczy, P., Sarvary, P. Telesoftware—the simple way 88−67534
Temesi, T., Papay, Z. Intelligent telemetering of subscriber lines in digital communication systems 87−2966
Temesvari, G. *see* Moray, G. 88−64077
Temi, H. *see* Kobayashi, M. 87−33000
Temime, J.-P. A 64 kbit/s digital frame for multimedia services 87−8103
Temime, J.-P. *see* Remy, J. 88−59834
Temime, J.P. *see* Chiariglione, L. 85−20387
Temime, J.P. *see* Dietrich, M. 87−40507
Temin, T.R. These new-wave chips are a GaAs 85−29272
Temine, J.-P. Videoconferencing in Europe and France 85−20389
Temine, J.P. *see* Nagra, A. 85−14500
Teming, Z. *see* Williams, E.R. 87−14066
Teminova, J. *see* Nohavica, D. 86−52498, 88−6450
Temirbulatov, R.A. *see* Gol'dshtein, I.M. 87−35920, 87−57551
Temirbulatov, R.A. *see* Vakhabov Abdul'gani, A.V. 88−75422
Temirev, A.P. *see* Mikhailov, V.V. 88−55395
Temirova, A.V. An experimental investigation of the directional patterns of the north sector of the RATAN-600 radio telescope 85−42687
Temirova, A.V. An experimental study of the directional patterns of the RATAN-600 south sector with periscopic reflector 86−43925
Temirova, A.V. *see* Soboleva, N.S. 86−37962
Temiryazev, A.G. *see* Andreyev, A.S. 87−12044
Temkin, A.Ya. On hot atom non-equilibrium processes in laser chemistry and chemical lasers 87−2063
Temkin, A.Ya. *see* Bar, I. 88−58463
Temkin, D., Carlsson, U., Dakermanji, G. Development of a multiple output resonant converter for space applications 88−54719
Temkin, H., Antreasyan, A., Olsson, N.A., Pearsall, T.P., Bean, J.C. $Ge_{0.6}Si_{0.4}$ rib waveguide avalanche photodetectors for 1.3 μm operation 87−8627
Temkin, H., Bean, J.C., Antreasyan, A., Leibenguth, R. Ge_xSi_{1-x} strained-layer heterostructure bipolar transistors 88−39377
Temkin, H., Bean, J.C., Pearsall, T.P., Olsson, N.A., Lang, D.V. High photoconductive gain in Ge_xSi_{1-x}/Si strained-layer superlattice detectors operating at $\lambda = 1.3$ μm 86−70136
Temkin, H., Dolan, G.J., Logan, R.A. Optically pumped InGaAsP/InP distributed feedback lasers 85−2335
Temkin, H., Dolan, G.J., Logan, R.A., Kazarinov, R.F., Olsson, N.A., Henry, C.H. Ridge waveguide distributed feedback lasers with electron beam defined gratings 85−24541
Temkin, H., Dolan, G.J., Wilt, D.P., Logan, R.A., Lahtinen, J.A. V-groove distributed feedback laser for 1.3-1.55 μm operation 87−12455
Temkin, H., Doland, G.J., Olsson, N.A., Henry, C.H., Logan, R.A., Kazarinov, R.F., Johnson, L.F. 1.55-μm InGaAsP ridge waveguide distributed feedback laser 85−18917
Temkin, H., Frahm, R.E., Olsson, N.A., Burrus, C.A., McCoy, R.J. Very high speed operation of planar InGaAs/InP photodiode detectors 87−12314
Temkin, H., Gershoni, D., Panish, M.B. InGaAsP/InP quantum well modulators grown by gas source molecular beam epitaxy 87−60898
Temkin, H., Harriott, L.R., Panish, M.B. Ultrathin semiconductor layer masks for high vacuum focused Ga ion beam lithography 88−50761
Temkin, H., Logan, R.A., Olsson, N.A., Henry, C.H., Dolan, G.J., Kazarinov, R.F., Johnson, L.F. InGaAsP ridge waveguide distributed feedback lasers operating near 1.55 μm 86−63821
Temkin, H., Logan, R.A., van der Ziel, J.P., Reynolds, C.L., Jr., Tharaldsen, S.M. Index-guided arrays of Schottky barrier confined lasers 85−29807
Temkin, H., Olsson, N.A., Abeles, J.H., Logan, R.A., Panish, M.B. Reflection noise in index-guided InGaAsP lasers 86−42552
Temkin, H., Panish, M.B. GaInAs(P)InP quantum well structures grown by gas-source molecular beam epitaxy 86−54033
Temkin, H., Panish, M.B., Chu, S.N.G. InGaAs/InP superlattice avalanche photodetectors grown by gas source molecular beam epitaxy 87−8628
Temkin, H., Panish, M.B., Logan, R.A. Photocurrent response of GaInAs/InP multiple quantum well detectors grown by gas source molecular beam epitaxy 86−8827
Temkin, H., Panish, M.B., Logan, R.A., Abeles, J.H. Hybrid growth of InGaAsP double-channel planar buried heterostructure lasers 85−41380
Temkin, H., Panish, M.B., Logan, R.A., van der Ziel, J.P. $\lambda \approx 1.5$ μm InGaAsP ridge lasers grown by gas source molecular beam epitaxy 85−2285
Temkin, H., Panish, M.B., Petroff, P.M., Hamm, R.A., Vandenberg, J.M., Sumski, S. GaInAs(P)/InP quantum well structures grown by gas source molecular beam epitaxy 86−2937
Temkin, H., Pearsall, T.P., Bean, J.C., Logan, R.A., Luryi, S. Ge_xSi_{1-x} strained-layer superlattice waveguide photodetectors operating near 1.3 μm 86−50094
Temkin, H., Pearsall, T.P., Bean, J.C., Olsson, N.A. 1.3-μm operation of Ge_xSi_{1-x}/Si strained-layer superlattice avalanche photodetectors 86−48289
Temkin, H. *see* Abernathy, C.R. 88−11950
Temkin, H. *see* Antreasyan, A. 86−63721, 87−1504, 87−6868, 87−46233, 88−1646, 88−38756
Temkin, H. *see* Benton, J.L. 85−1290
Temkin, H. *see* Chu, S.N.G. 87−61156
Temkin, H. *see* Cox, H.M. 86−52503
Temkin, H. *see* Dupuis, R.P. 85−18929
Temkin, H. *see* Dutt, B.V. 85−56610
Temkin, H. *see* Harriott, L.R. 88−64453
Temkin, H. *see* Hayes, J.R. 85−1570
Temkin, H. *see* Koszi, L.A. 87−38949, 88−27133, 88−34001
Temkin, H. *see* Lahtinen, J.A. 87−61158
Temkin, H. *see* Lang, D.V. 87−6403
Temkin, H. *see* Logan, R.A. 85−22460, 86−66819, 88−11966
Temkin, H. *see* Luryi, S. 86−44310
Temkin, H. *see* Mil'shtein, S.K. 86−41464
Temkin, H. *see* Nakahara, S. 85−1540
Temkin, H. *see* Nordland, W.A. 85−54474
Temkin, H. *see* Nottenburg, R.N. 87−11737, 87−18092, 87−45904, 87−53483, 87−60433
Temkin, H. *see* Olsson, N.A. 85−41395, 85−51179, 85−62326
Temkin, H. *see* Panish, M.B. 85−44699, 86−68389, 87−23668
Temkin, H. *see* Pearsall, T.P. 86−54040, 88−53690
Temkin, H. *see* Reynolds, C.L., Jr. 85−7452
Temkin, H. *see* Shimer, J.A. 85−29845
Temkin, H. *see* Srinivasa, R. 87−58918
Temkin, H. *see* Tai, K. 87−61225
Temkin, H. *see* Tu, C.W. 87−7191, 87−36740
Temkin, H. *see* van der Ziel, J.P. 85−12862, 85−12865
Temkin, H. *see* Vandenberg, J.M. 87−17756
Temkin, L.A., Temkina, V.S. Design of cooling devices by the method of boundary integral equations 87−16390
Temkin, R.J. High frequency gyrotrons 87−24711
Temkin, R.J. Recent advances in gyrotrons and free electron lasers 87−73966
Temkin, R.J., Cohn, D.R., Danly, B.G., Kreischer, K.E., Woskoboinikow, P. High power millimeter and submillimeter wave lasers and gyrotrons 86−36416
Temkin, R.J. *see* Byerly, J.L. 85−55376
Temkin, R.J. *see* Danly, B.G. 85−35706, 85−40396, 86−21020, 86−35268, 87−33218, 88−8358, 88−51714
Temkin, R.J. *see* Evangelides, S.G., Jr. 88−27080, 88−33925
Temkin, R.J. *see* Kreischer, K.E. 85−55364 to 55365, 86−21018, 86−21044, 86−47240, 87−53117, 87−73963, 88−25795, 88−38996
Temkin, R.J. *see* Pendergast, K.D. 88−27003, 88−65535
Temkin, R.J. *see* Saito, H. 86−21022, 87−24684, 87−24691
Temkin, R.J. *see* Spira, S. 88−12888
Temkin, R.J. *see* Spira, S.E. 88−25805, 88−60254

Temkin, R.J. *see* Tran, T.M. 86–47230, 87–24709
Temkin, R.J. *see* Wang, C.-Y. 88–64181
Temkin, R.J. *see* Wang, C.Y. 88–25791
Temkin, R.J. *(editor)* Conference Digest. Tenth International Conference on Infrared and Millimeter Waves (Cat. No.85CH2204-6) 86–52120
Temkin, R.J. *(editor)* Conference Digest. Twelfth International Conference on Infrared and Millimeter Waves (Cat. No.87CH2490-1) 88–24354
Temkina, V.S. *see* Temkin, L.A. 87–16390
Temma, T. Processors for image processing 85–26257
Temma, T., Iwashita, M., Matsumoto, K., Kurokawa, H., Nukiyama, T. Data flow processor chip for image processing 86–8282
Temma, T. *see* Fukuda, S. 88–37144
Temma, T. *see* Gekka, Y. 85–54483
Temma, T. *see* Iwashita, M. 85–6369, 87–19939, 87–25472
Temma, T. *see* Kami, H. 88–21299
Temma, T. *see* Kashihara, H. 87–28686
Temme, D. *see* Hwang, Y.C. 85–1044
Temme, G. *see* Hassler, D. 88–59334
Temme, K. CHARM–a knowledge-based system for VLSI chip-architectures: a system's perspective 87–67404
Temme, N.M. A convolution integral equation solved by Laplace transformations 85–54424
Temme, N.M. Uniform asymptotic expansions of integrals 87–5373
Temmen, M.G. *see* Kathman, A.D. 88–65899
Temmler, D., Frankenfeld, H., Barth, R., Hunger, B., Ehwald, K.-E. Electrical measurements on lateral range, depth and dose dependence and annealing effects of electron-beam lithography induced radiation damage after aluminium metallization 88–33111
Temmler, D., Raschke, T., Rockoff, A. Co-sputtered silicides for highly integrated solid state switching circuits 85–39814
Temmler, D. *see* Kaufmann, C. 86–28238
Temmyo, J., Hasumi, Y., Kozen, A. MOVPE grown GaAlAs/GaAs DH devices operating as laser diodes and bipolar transistors for optoelectronic integration 88–33902
Temmyo, J., Yoshikiyo, H. Characteristic impedance design considerations for a high-speed superconducting packaging system 85–44512
Temmyo, J. *see* Hasumi, Y. 87–33071
Temmyo, J. *see* Okayasu, M. 88–20633
Temnikov, P. *see* Georgiev, P. 88–4823
Temnov, E.A. Automatic tester for control of mounting and of components on printed circuit boards of type M3003 86–35185
Temnov, V.M. *see* Veselov, G.I. 86–10156, 87–33485
Temnov, V.N. Optimum measurement of state vector of deterministic object 87–31438
Temnykh, A.B. *see* Avdienko, A.A. 85–26586
Temnykh, A.B. *see* Derbenev, Ya.S. 85–26619
Temofonte, T. *see* Kim, T.W. 88–12984
Temofonte, T. *see* Zheng, Y.-D. 87–11392, 87–37946
Tempaku, J. *see* Murakami, J. 85–37475
Tempel, A., Schumann, B. AgGaSe$_2$ on {100} and {110} GaAs–special features of epitaxial growth 86–46322
Tempel, A., Schumann, B. Epitaxy and geometry 88–64305
Tempel, A., Schumann, B., Kuhn, G. RHEED measurements of AgGaSe$_2$ thin films flash evaporated onto {111} A-GaAs 86–20033
Tempel, A. *see* Mitaray, S. 86–40750
Tempel, A. *see* Schumann, B. 86–20063, 86–57452
Tempel, G., Koch, F., Zeindl, H.P., Eisele, I. Electronic states and transport properties of an n-type δ-function doping layer in p-type Si 88–32755
Tempel, G. *see* Zeindl, H.P. 87–53347
Tempel, H.-J. Protection against electromagnetic disturbances [housings] 86–19853
Tempelaar, H. *see* Lambeth, P.J. 88–23542
Tempelaar, H.G., Koreman, C.G.A. High-voltage measurements using digital techniques 85–59829
Tempelaar, H.G. *see* Koevoets, R.C.A.M. 85–39160
Tempest, A.C. Advertising–a viable source of revenue for electronic publishing? 87–62579
Tempfli, K. *see* Huurneman, G. 85–26882
Tempier, V. *see* Auvergne, D. 86–47812, 87–25614
Tempier, V. *see* Ezzedine, T. 88–50185
Temple, B.Smith *see* Smith Temple, B.
Temple, J.A.G. Predicted ultrasonic responses for pulse-echo inspections 86–46398
Temple, J.A.G. *see* Silk, M.G. 88–31278
Temple, L.E., Jr. The Superconducting Super Collider from a Department of Energy staff point of view 87–77476
Temple, N. Faxing the front page [laser fax and digital links] 87–27946
Temple, P.A., Seitel, S.C., Cate, D.L. CO$_2$ laser polishing of fused silica: recent progress 85–7563
Temple, S. Pan-European cellular standards lead the way 88–15369
Temple, S. Trends in telecommunications standardization at the European level 88–67083
Temple, V.A.K. MOS controlled thyristors (MCTs) 85–50513
Temple, V.A.K. Turn-on reliability breakthrough in light triggered thyristors 85–51056
Temple, V.A.K. MOS-controlled thyristors–a new class of power devices 87–6689
Temple, V.A.K. Power device evolution and the MOS-controlled thyristor 88–33193
Temple, V.A.K. Search for the perfect switch 88–71156
Temple, V.A.K. Power device evolution 88–71598
Temple, V.A.K. Search for the perfect switch 88–71599
Temple, V.A.K., Tantraporn, W. Junction termination extension for the near-ideal breakdown voltage in p-n junctions 87–6427
Temple, V.A.K., Tantraporn, W. Effect temperature and load on MCT turn-off capability 87–45916
Temple, V.A.K. *see* Chang, H. 87–46015
Temple, V.A.K. *see* Chang, H.R. 88–26261, 88–33011
Temple, V.A.K. *see* Hsueh-Rong Chang 86–26849
Temple, V.A.K. *see* Korman, C.S. 87–11816, 87–31715
Temple, V.A.K. *see* Mehtra, H. 86–9120
Temple, V.A.K. *see* Tantraporn, W. 88–13098
Templeton, A.W. *see* Cox, G.G. 87–21701
Templeton, A.W. *see* Dwyer, S.J., III 86–25339, 87–35412
Templeton, D.J., Palmer, M.B. Infrared evaluation of an underground steam distribution system 88–5532
Templeton, D.S. *see* Leffen, D.J. 88–38435
Templeton, G.A. Radio interference–its impact on future power line designs 87–42467
Templeton, J.B. *see* Douglas, D.H. 86–6837
Templeton, J.B. *see* Girgis, R.S. 85–9965, 87–51302
Templeton, J.B. *see* Poyser, T.D. 85–32551
Templeton, J.G.C. *see* Liu, L. 88–31595
Templeton, J.G.C. *see* Yang, T. 88–18558
Templeton, M.K., Szmanda, C.R., Zampini, A. On the dissolution kinetics of positive photoresists: the secondary structure model 88–13257
Templeton, M.K. *see* Daniels, B.K. 87–11894
Templeton, T.L., Arrott, A.S. Magnetostatics of rods and bars of ideally soft ferromagnetic materials 88–58783
Templin, T.T. Stereo TV decoder 87–56372
Templin, T.T. Stereo TV decoder. II 87–76981
Templin, T.T. Audio/video switcher 88–35717
Tempo, R. *see* Belforte, G. 86–69132
Temudo de Castro, J. Information technologies in automation 86–66596
Ten, K.A. *see* Zubkov, P.I. 88–43306
Ten, V.V. *see* Gerasimov, B.I. 87–34931
ten Berge, E.F.A. A quick and easy crimp splice for installation of multi- and single mode fibre networks 88–33696
ten Berge, E.F.A. *see* van Alst, G. 87–68038
Ten Bouwhuijs, M.J. *see* Kneynsberg, H.P. 85–61485
ten Brink, W., Kuhn, S., Eversheim, P.D., von Konig, J., Hinterberger, F. A computer controlled analysis of a polarized ion source 86–60516
Ten Grotenhuis, R.L. *see* Moore, T.N. 87–63411
ten Haken, B. *see* Roovers, A.J.M. 88–68009
ten Haken, B. *see* ten Kate, H.H.J. 87–42486, 88–48584, 88–68104
ten Have, M. Formal coding for optimal speech synthesis 85–36235
Ten Have, M. Speech synthesis—the complete approach with the PCF8200 87–12937
ten Have, M., den Ouden, J. A new CMOS formant speech synthesizer for high quality speech 86–1187
ten Hertog, A. *see* ter Haar Romeny, B.M. 87–14956
Ten Kate Nuclear radiation detectors 88–68202
ten Kate, H.H.J., Boschman, H., Knoopers, H.G., van de Klundert, L.J.M. Normal zone propagation in a wet-wound thick solenoid 86–48029
ten Kate, H.H.J., Boschman, H., van de Klundert, L.J.M. Longitudinal propagation velocity of the normal zone in superconducting wires 87–67963
ten Kate, H.H.J., Boschman, J., ten Haken, B., van de Klundert, L.J.M. A test facility for high-current superconducting cables up to 25 kA at 7 tesla 87–42486
ten Kate, H.H.J., Nederpelt, W., van de Klundert, L.J.M. Direct current sensing in closed superconducting circuits 85–47965
ten Kate, H.H.J., Pijper, H., Nijhuis, A., van de Klundert, L.J.M. Maximum current and quench sensitivity test of a 40 kA multistrand NbTi/CuNi conductor 86–47989
ten Kate, H.H.J., Roovers, A.J.M., van de Klundert, L.J.M. Critical current and stability effects between 0 and 6 tesla in mono and multifilamentary NbTi conductors having a CuNi matrix 85–62224
ten Kate, H.H.J., Uyttewaal, W., ten Haken, B., van de Klundert, L.J.M. The Twente high-current conductor test facility, first results on critical current and propagation in two cables 88–48584
ten Kate, H.H.J., van de Lundert, L.J.M. Feasibility aspects of superconducting rectifiers 85–53768
ten Kate, H.H.J., Wipf, S.L., ten Haken, B., van de Klundert, L.J.M. Development of a superconducting protection switch for the HERA P-ring: design study and demonstration models 88–68104
ten Kate, H.H.J. *see* Knoopers, H.G. 86–47977
ten Kate, H.H.J. *see* Mulder, G.B.J. 86–27669, 86–53911, 87–67991, 88–49068, 88–65110
ten Kate, H.H.J. *see* Roovers, A.J.M. 88–68009
ten Kate, H.H.J. *see* Sikkenga, J. 85–62267, 86–27065, 86–48069
ten Kate, H.H.J. *see* van Overbeeke, F. 87–77347
ten Kate, J.H., van der Meer, P.M. An electro-ocular switch for communication of the speechless 85–31866
ten Kate, J.H., Verbeek, D.G.F., Hogervorst, R., Donker Duyvis, J. Discrete eye-position recording for alternative communication 86–11989
Ten Kate, P.U. *see* Van Dantzig, R. 88–23000
Ten Kate, W.R.T. The influence of the strip width on the performance of a strip detector 87–29481
Ten Kate, W.R.T., van der Klauw, C.L.M. Experimental results on an integrated strip detector with CCD readout 85–31687
Ten Kate, W.R.T. *see* van Wijnen, P.J. 87–24763
ten Kate, W.R.Th. Detectors for nuclear radiation 87–29521
Ten Kate, W.R.Th., Van Der Klauw, C.L.M. Strip detector–CCD coupling by means of a bipolar transistor 85–9105
ten Pas, H. Connection shield technology–protection against the most powerful EMP 87–11120
Ten-Hove, R. Manufacturing Automation Protocol and distributed process control systems 88–21723
Ten-Hwang Lai, Sprague, A. On the K-feasible matching problem for graphs with a partial ordering on vertices 85–10607
Ten-Hwang Lai, Sprague, A. On the complexity of a family of generalized matching problems 86–13641
Ten-Hwang Lai, Sprague, A. Routability of a convex grid 86–52598
Ten-Hwang Lai *see* Gurari, E.M. 85–13928
Tena, L.Arco *see* Arco Tena, L.
Tenaud, P. *see* Gavigan, J.P. 88–13668
Tenaud, P. *see* Givord, D. 86–15354, 86–15366
Tenbunen, H., Krusius, J.P. Modeling and characterization of the dielectric isolation process based on oxidized porous silicon 85–23713
Tench, D. *see* Haak, R. 85–23603
Tench, M.D.R. *see* Binley, J.D. 87–24484
Tench, M.D.R. *see* Claridge, P.A. 88–15618
Tench, M.D.R. *see* Hedges, D. 87–24483
Tench, O. *see* Cramer, S.P. 88–42425
Tench, O. *see* Hazlett, T. 86–50346
Tench, R.E., Delavaux, J.P., Tzeng, L.D., Smith, R.W., Buhl, L.L., Alferness, R.C. Performance evaluation of waveguide phase modulators for coherent systems at 1.3 and 1.5 μm 87–56158
Tench, R.E. *see* Delavaux, J.-M.P. 88–67426
Tench, R.E. *see* Jopson, R.M. 88–15458
Tench, R.E. *see* Park, Y.-K. 88–73927
Tenchini, R. *see* Albrizio, R. 88–74766
Tenchini, R. *see* Amendolia, S.R. 85–9069, 85–15169 to 15170
Tenchini, R. *see* Bagliesi, G. 88–48025
Tenchov, C., Nedelchev, N. On the electron beam formation in an evaporation source with magnetic bream deflection 88–29743
Tenchov, Chr. On the magnetic induction distribution in an electron-beam source 87–61328
Tenckhoff, E., Rosler, U. Materials for light water reactors: requirements and practical performance 86–39400
Tenckhoff, J. Functional aspects and introduction of non-voice-terminals to the ISDN 87–33958
Tenckhoff, J. Establishment of conformance test services in Europe 88–21604
Tencone, B. *see* Bressani, T. 88–61113
Tenconi, S. *see* Barberis, L. 85–61891
Tenconi, S. *see* Bohrer, W. 85–33671
Tenconi, S. *see* Fuochi, P. 86–53574
Tenconi, S. *see* Marchesoni, M. 88–75742
Tenconi, S. *see* Passerine, B. 85–29205
Tenconi, S. *see* Passerini, B. 85–61912
Tenconi, S.M., Zambelli, M., Malesani, L., Tenti, P. The reverse blocking GTO as a very fast turn-off thyristor 87–38234
Tenconi, S.M. *see* Fasce, F. 87–11763
Tendick, C. Understanding freespace propagation 88–14387
Tendick, C.B. Data modulation/demodulation circuits using passive RF components 86–20379

Tendick, P. *see* Matloff, N. 88−67119

Tendolkar, N.N. Analysis of timing failures due to random AC defects in VLSI modules 86−21790

Tendolkar, N.N., Hartmann, C.R.P. Generalization of Chase algorithms for soft decision decoding of binary linear codes 85−19330

Tendulkar, G.A. *see* O'Kelly, P.A. 87−15541

Tendyck, H., Minamino, H., Matsubara, S., Akiyama, S. Navigation system with the Advanced Graphic Display Controller 88−69891

Tendyck, H., Minamuno, H., Matsubara, S., Akiyama, S. A new 16 bit microcomputer for automotive engine control system 88−69881

Tendyck, H. *see* Birchel, R. 86−52656

Tendyck, H. *see* Meyer, N. 86−53793, 87−44886

Tendys, J. Use of a light emitting diode as a current sensor for electrostatic double probes 87−35057

Tenebaum, J. *see* Erlandson, R.F. 85−48315

Tenedorio, A.O. *see* Tenedorio, J.G. 86−20845

Tenedorio, J. Techniques further the design and realization of MMICs 86−47073

Tenedorio, J.G. MMICs reshape EW system design 87−37560

Tenedorio, J.G., Mathur, G., Schappacher, J., Porro, S. Low-current MMIC amplifier for military EW modules 88−63935

Tenedorio, J.G., Tenedorio, A.O. GaAs MMIC system and subsystem applications require special design considerations 86−20845

Teneketges, N.A. *see* Bartlett, C.J. 87−73932

Teneketges, N.A. *see* Colbry, B.W. 88−25619

Teneketzis, D., Varaiya, P. Consensus in distributed estimation with inconsistent beliefs 85−49435

Teneketzis, D., Yu-Chi Ho The decentralized Wald problem 87−47696

Teneketzis, D. *see* Beutler, F.J. 88−43764

Teneketzis, D. *see* Hedge, M.V. 88−35368

Teneketzis, D. *see* Washburn, R.B. 86−54518

Tenenbaum, B.W. Bulk power market experiments 86−32688

Tenenbaum, J.M. *see* Pan, J.Y.-C. 87−38060

Tenenbaum, J.M. *see* Yung-Choa Pan, J. 87−53318

Tenenbaum, Ya.P., Kremer, E.N., Merport, E.I., Turkot, A.I., Khodos, G.M., Vakulenko, Yu.A., Matrosov, V.N., Milyaev, G.V. Power system fault containment automatic control based on a two computer complex using the 'Elektronika-60' microcomputer 87−15168

Tenenbaum, Ya.P. *see* Ornov, V.G. 86−25648

Tenenbaum, Yu.Z., Sobolev, Yu.V. An instrument for measuring the diameters of small holes 85−48091

Tenenbaum, Yu.Z. *see* Gorokhov, L.Ya. 87−3574

Tenengolts, G. Nonbinary codes, correcting single deletion or insertion 85−19334

Tenerz, L., Hok, B. Micromachining of three-dimensional silicon structures using photoelectrochemical etching 86−15039

Tenerz, L., Hok, B. Silicon microcavities fabricated with a new technique 86−53705

Tenerz, L., Hok, B. Silicon cavity structures fabricated with a new technique 87−11577

Tenerz, L., Hok, B., Norelius, F. Silicon micromachining applied to fiber-optic pressure sensors 87−14318

Tenescu, E. *see* Schoolar, R. 87−46692

Tenetko, N.I., Cheremisov, I.Ya. On a numerical technique of calculating electric and magnetic fields 88−14327

Tenforde, T.S., Gaffey, C.T., Raybourn, M.S. Influence of stationary magnetic fields on ionic conduction processes in biological systems 86−18384

Teng, C.-S. *see* Liou, T.-I. 88−64554

Teng, C.C. *see* Garito, A.F. 87−12587

Teng, C.W., Hunter, W.R., Haken, R.A. Isolation technology for very large scale integration 87−18293

Teng, C.W., Pollack, G., Hunter, W.R. Optimization of sidewall masked isolation process 85−35163

Teng, C.W., Slawinski, C., Hunger, W.R. Defect generation in trench isolation 85−50666

Teng, E., Ballard, N. Anisotropy induced signal waveform modulation of DC magnetron sputtered thin film disks 87−18473

Teng, J.F., Fidler, J.K., Adby, P.R. Approximation of maximally flat passband filter using non-minimum phase function 87−45009

Teng, K.-W. *see* Fu, K.-Y. 87−38271

Teng, K.F. A mathematical model of impulse jet mechanism 88−44500

Teng, K.F., Azadpour, M.A., Yang, H.Y. Rapid prototyping of multichip packages using computer-controlled, ink jet direct-write 88−64147

Teng, K.F., Vest, R.W. Development and application of ink jet printing for thick film hybrids 87−73921

Teng, K.F., Vest, R.W. Ink jet assisted metallization for low cost flat plate solar cells 88−37587

Teng, K.F., Vest, R.W. A microprocessor-controlled ink jet printing system for electronic circuits 88−71255

Teng, K.S. *see* Hong, C.S. 86−6622, 87−9792

Teng, K.W., Li, S.S. Theoretical calculations of Debye length built-in potential and depletion layer width versus dopant density in a heavily doped *p-n* junction diode 85−45643

Teng, K.W., Li, S.S. The effects of heavy doping on *I-V* characteristics of GaAs JFET and MESFET devices 87−1544

Teng, K.W. *see* Nguyen, B.Y. 88−50686

Teng, L. *see* Cole, F. 88−61425

Teng, L.C. The Argonne National Laboratory 6-7 GeV synchrotron X-ray source 88−10230

Teng, P., Nishioka, N.S., Anderson, R.R., Deutsch, T.F. Acoustic studies of the role of immersion in plasma-mediated laser ablation 88−8369

Teng, P., Nishioka, N.S., Anderson, R.R., Deutsch, T.F. Mechanisms of laser-induced stone ablation 88−16762

Teng, P. *see* Prince, M.R. 88−8362

Teng, S.J.J. Indium phosphide devices on gallium arsenide substrates 86−53743

Teng, S.J.J., Ballingall, J.M., Rosenbaum, F.J. Vapor phase epitaxial growth and characterization of InP on GaAs 86−46319

Teng, S.J.J., Goldwasser, R.E. Millimeter-wave Gunn oscillator in series operation 87−59846

Teng, T., Sun, L.-F. Research on groundwater radon as a fluid phase precursor to earthquakes 87−21789

Teng, X.K. *see* Wang, J.R. 86−47979

Teng, Y.-L. *see* Frisch, D.C. 86−53172

Teng, Y.Y. *see* Derov, J. 88−8055

Teng, Y.Y. *see* Torosian, K.M. 87−60399

Teng Fu-sheng A general method for sensitivity calculation in safety analysis of power systems 86−39049

Teng Fusheng, Liu Jiangbo Computer-aided design of restoration plan used in power system 86−65652

Teng Hsu Sheng *see* Sheng Teng Hsu

Teng Ker-Wen *see* Ker-Wen Teng

Teng Lee Aperture considerations 85−26572

Teng Lye Lim *see* Lim Teng Lye

Teng Qin Measurements of spectral loss for infrared fibers 85−62288

Teng Renjie *see* Feng Yuankun 87−35443

Teng Ta-liang *see* Ta-liang Teng

Teng Wen-shan A novel technique for speech spectral analysis and display 86−48784

Teng Xingkang *see* Xu Peifei 85−41085

Teng Xinkang *see* Zhang Tingxuan 85−46054

Teng Xuyan *see* Liu Jiyuan 86−18522

Teng Yu-Ling *see* Yu-Ling Teng

Teng Yueli *see* Yan Fuju 88−65603

Teng Yueli *see* Yan Fujun 87−54260, 88−2185

Teng-Pin Lin *see* Ja-Ling Wu 86−4282

Teng-Pin Lin *see* Yer-An Liang 86−20191

Teng-Sheng Moh *see* Ferng-Ching Lin 86−21750

Tenga, R.F., Faccenda, J.F., Rhoads, D.G. Use of a genetic algorithm for economic optimization of a manufacturing system 88−70137

Tengblad, O., Beimer, K.-H., Nyman, G. Influence of neutron scattering in the walls of a ^{3}He spectrometer 87−71042

Tengblad, O. *see* Beimer, K.-H. 86−50376, 87−71064

Tengdin, J.T. Field tests show AMRAC IV plc communication is promising 85−65006

Tengdin, J.T. Distribution line carrier communications−an historical perspective 87−48839

Tenge, B., Buchanan, B.R., Honigs, D.E. Calibration in the fiber optic region of the near-infrared 87−74665

Tenge, B., Grunke, A.Q., Honigs, D.E. Fiber optic 'chemfuse' sensors 88−16123

Tengfeldt, O. Measuring optical fibres. II. Reflections give the fibres fingerprint 85−14262

Tengfeldt, O. Control of fibre optics. I. Two methods of measuring attenuation 85−14971

Tengge Ma *see* Ma Tengge

Tengler, W. *see* Holzlwimmer, H. 87−34847, 88−3211

Tengler, W. *see* Strobach, P. 88−66734

Tengner, O. Information technology and engineering education in Sweden 85−16636

Tenieshvili, Z.T. *see* Grigor'ev, I.N. 86−57723

TenKate, B. *see* Virgin, L. 87−3473

Tenkhoff, P. International communications: the changing environment 85−46996

Tenma, T. *see* Iwashita, M. 86−43315

Tenma, T. *see* Kurihara, K. 87−25459

Tenmyo, J. *see* Kozen, A. 86−34321

Tennakone, K. Semiconducting and photocatalytic properties of mercuric thiocyanate 85−40478

Tennakone, K., Dewasurendra, M., Hewaparakkrama, K.P. The exciton mediated photocurrent generation in a p-CuCNS photocathode sensitized with Rhodamine B 88−2103

Tennakone, K., Fernando, C.A.N., Dewasurendra, M., Kariapper, M.S. A stable dye-sensitised photoelectrochemical cell 87−4854

Tennakone, K., Fernando, C.A.N., Dewasurendra, M., Kariapper, M.S. The characteristics of A p-CuCNS photocathode sensitized with Acridine Orange 87−22688

Tennakone, K., Fernando, C.A.N., Dewasurendra, M., Kariappert, M.S. Dye-sensitized cuprous iodide photocathode 87−53316

Tennakone, K., Fernando, C.A.N., Kariapper, M.S., Dewasurendre, M. Stabilisation of photoelectrochemical cells based on p type semiconductors by platinum deposition 86−61742

Tennakone, K., Hewaparakkrama, K.P., Dewasurendra, M., Jayatissa, A.H., Weerasena, L.K. Dye-sensitised solid-state photovoltaic cells 88−40081

Tennakone, K., Jayatissa, A.H. Enhanced quantum efficiency of a dye-sensitised-heterojunction photoelectrical cell 87−58265

Tennakone, K., Jayatissa, A.H., Weerasena, L.K. A wet solar cell with a p-Cu_xS/n-CdS junction photocathode 87−64823

Tennakone, K., Karunamuni, J., Dewasurendra, M. The photostability of a dye adsorbed semiconductor electrode in a solution of another fluorescent dye 86−58347

Tennant, A. Protective components in EMC 87−47236

Tennant, A., Conway, J., Anderson, A.P. A non-contacting scanned hyperthermia system for the treatment of superficial tumours 88−54618

Tennant, A. *see* Hall, W.J. 87−54719

Tennant, A.F. Power spectra, with application to EXOSAT data 87−55101

Tennant, A.R. Capacitors for use in EMC applications 87−26873

Tennant, D. *see* Hubbard, W. 87−25365

Tennant, D. *see* Jolly, R. 86−8255

Tennant, D.C. Performance of a cooled sapphire and beryllium assembly for filtering of thermal neutrons 88−36397

Tennant, D.L. *see* Jolly, R.D. 86−20539

Tennant, D.M., Dayem, A.H., Howard, R.E., Westerwick, E.H. Range of boron ions in polymers: a SIMS study 85−29120

Tennant, D.M., Doran, G.E., Howard, R.E., Denker, J.S. Electron scattering distribution in InP at 50 kV 88−39328

Tennant, D.M. *see* Graf, H.P. 87−25542

Tennant, D.M. *see* Howard, R.E. 86−9138, 87−59455

Tennant, D.M. *see* Jackel, L.D. 86−47626

Tennant, D.M. *see* Lum, R.M. 88−43933

Tennant, D.M. *see* Mankiewich, P.M. 86−35451

Tennant, D.M. *see* Schwartz, D.B. 87−52773

Tennant, D.M. *see* Skocpol, W.J. 86−53665, 86−63323, 88−13401

Tennant, D.M. *see* Taylor, G.W. 87−46231

Tennant, D.M. *see* Whalen, M.S. 87−18611, 87−39158

Tennant, D.R., Rees, R.G. A prototype passive sampler for trace metals in submicron particles 85−48493

Tennant, D.V., Buttler, F.C. Modernization of a power plant data acquisition system 86−12672

Tennant, R.A. Accelerator vibration issues 86−31999

Tennant, R.A. *see* Michelotti, R.A. 86−31992

Tennant, W.E. *see* Bajaj, J. 85−34565, 88−64340

Tennant, W.E. *see* Bubulac, L.O. 86−67795, 87−53231, 87−66896, 88−13103

Tennant, W.E. *see* Edwall, D.D. 85−39784

Tennant, W.E. *see* Gertner, E.R. 85−41260, 86−11596

Tennant, W.E. *see* Raccah, P.M. 88−13105

Tennant, W.E. *see* Reidel, R.A. 85−26326

Tennant, W.E. *see* Shin, S.H. 85−49551, 88−45309

Tenne, R., Levy-Clement, C., Sawatzky, G. Surface analyses of the $CdSe_{0.65}Te_{0.35}$/aqueous polysulfide interface in relation to its photoelectrochemical properties 87−24984

Tenne, R., Mahalu, D., Klein, E., Giriat, W. Photoelectrochemical properties of the dilute magnetic semiconductor $Cd_{0.95}Mn_{0.05}Se$ 88−24117

Tenne, R., Marcu, V. Evidence for nonuniform flow of charge carriers through semiconductor junctions 85−18129

Tenne, R., Marcu, V., Prior, Y. Photoelectrochemical etching of compound semiconductors: wavelength dependence 85−55693

Tenne, R., Mariette, H., Levy-Clement, C., Jager-Waldau, R. Photoluminescence of CdSe: evidence for selective etching of donor states 87−66908

Tenne, R., Mariette, H., Levy-Clement, C., Jager-Waldau, R. Control of impurity concentration on CdSe surfaces 88−33040

Tenne, R., Mirovsky, Y., Sawatzky, G., Giriat, W. Ternary chalcogenide-based photoelectrochemical cells. VII. Analysis of the chemical processes occurring at the $CdIn_2Se_4$ surface during photoelectrochemical operation 86−6967

Tenne, R., Shatkay, M. Photoelectrochemical etching of ZnS: further evidence for non-uniform flow of charge carriers in Schottky barriers 85−12170

Tenne, R., Theys, B., Rioux, J., Levy-Clement, C. Improved performance of InSe-based photoelectrochemical cells by means of a selective (photo)electrochemical etching 85−23695

Tenne, R., Wold, A. Passivation of recombination centers in n-WSe_2 yields high efficiency (>14%) photoelectrochemical cell 86−12999

Tenne, R. *see* Flaisher, H. 85−16187

Tenne, R. *see* Garuthara, R. 85−55730

Tenne, R. *see* Levy-Clement, C. 86−26807
Tenne, R. *see* Licht, S. 85−39193, 86−40108, 87−51466
Tenne, R. *see* Marcu, V. 86−67679, 87−60319
Tenne, R. *see* Mirovsky, Y. 85−60380
Tenne, R. *see* Yellin, N. 85−45393
Tenne, U. *see* Andresen, E.C. 88−69801
Tennenhouse, D.L., Leslie, I.M., Needham, R.M., Burren, J.W., Adams, C.J., Cooper, C.S. Exploiting wideband ISDN: the Unison exchange 87−55576
Tennenhouse, D.L., Leslie, I.M., Needham, R.M., Burren, J.W., Adams, C.J., Cooper, C.S. Exploiting wideband ISDN: the unison exchange 88−67203
Tennenhouse, D.L. *see* Lesli, I.M. 86−43576
Tennenhouse, M., Williams, H.C. A note on class-number one in certain real quadratic and pure cubic fields 86−34167
Tenner, A.R. *see* Hofstader, R.A. 87−23176
Tennes, B. *see* Siyami, S. 87−70390
Tenney, A.S. How do you know how hot it really is? 87−63557
Tenney, A.S. Applying modern techniques to traditional sensors 88−4357
Tenney, A.S., III Industrial radiation thermometry 87−41625
Tenney, C.R. *see* DiBianca, F.A. 87−14868
Tenney, D.R. *see* Dixon, S.C. 86−50663
Tenney, F. *see* Hill, K.W. 85−52983
Tenney, R.R., Delaney, J.R. A distributed aeroacoustic tracking algorithm 85−8454
Tenney, R.R. *see* Delaney, J.R. 86−4758
Tenny, R. A mystery! [interfacing voltage to frequency convertors to the Commodore 64] 85−17765
Tennyson, J.L. *see* Gerasimov, A.L. 87−50064
Tennyson, R.C. *see* Measures, R.M. 88−67874
Tennyson, S.A. *see* Gessel, G.R. 87−51761
Tenopir, C., Jackson, M.M. Telecommunication and publishing in the South Pacific 85−3391
Tenorio, M.F. Using neural networks to improve cochlear implant speech perception 88−36515
Tenschert, W. *see* Narayan, V. 86−50953
Tensin, V.S., Chaplin, A.F. Synthesis of an array of ring impedance slots on a cone 86−43054
Tensin, V.S., Shunin, O.A., Kuznetsov, A.P. Radiation patterns of a circular antenna array of cross-oriented slots on a finite metal cone 87−39504
Tenten, W.J., Shepherd, P.R. Novel chopper OTA with dynamic bias control and current controlled cascoded output 88−56480
Tenti, P. Feed-forward control of multilevel PWM converters 85−27531
Tenti, P., Malesani, L. Dual chopper three-phase rectifier 85−27489
Tenti, P. *see* Benfatto, I. 87−15897, 87−22605
Tenti, P. *see* Bottari, S. 86−12926
Tenti, P. *see* Malesani, L. 85−10016, 86−61667, 87−22574, 87−43200, 88−30904, 88−75833
Tenti, P. *see* Melesani, L. 86−45578
Tenti, P. *see* Tenconi, S.M. 87−38234
Tentindo, S. *see* Bal, F. 85−9098
Tentindo, S. *see* Forino, A. 85−37976
Tentner, A.M., Dunn, F.E., Kalimullah, Miles, K.J. Simulating unprotected accidents for advanced liquid metal reactors using the SAS4A accident analysis code 88−75393
Tentori, D., Celaya, M. Hologram interferometer for film deposits evaluation 88−40402
Tentori, D. *see* Celaya, M. 88−40399
Tenwick, M.J., Davies, H.A. The magnetic and mechanical properties of rapidly quenched iron-silicon alloys 87−46323
Teo, C.H. *see* Tan, B.T. 85−19310
Teo, C.Y., Phneah, P.K., Loh, J.K. Generalised microcomputer applications for supervisory control and energy management 87−4306
Teo, E.H., Georganas, N.D. Design and validation of a transport protocol for local area networks 86−54872
Teo, E.H., Mui, P., Georganas, N.D. Design of integrated data/voice stations for a CSMA/CD LAN 87−20181
Teo, E.H., Mui, P., Georganas, N.D. LAN protocols for digital voice/data integration 87−28157
Teo, K.H., Englefield, C.G., Goud, P.A. Error mechanisms in a four-level pulse width modulated optical fibre system 88−22064
Teo, K.H. *see* Landheer, D. 88−39149
Teo, K.H. *see* Schmidt-Weinmar, H.G. 88−32839
Teo, K.L. *see* Ang, B.W. 87−64109
Teo, K.L. *see* Lock, K.S. 87−64607
Teo, K.L. *see* Moore, J.B. 87−13034
Teo, K.L. *see* Williamson, D. 88−70911
Teo, S.K. *see* Tjhung, T.T. 85−56296
Teo, T.J., Reid, J.M. Spatial/frequency diversity in inverse scattering 87−3962
Teo, T.T. *see* Liew, A.C. 85−21092
Teo, W.K. *see* Ko, C.C. 88−29427
Teo Cheng Yu CAD for electrical installation in buildings 87−50797
Teodorczyk, A., Karim, G.A., Tawfiq, H. Critical mass flow gas meters−the role of errors due to the presence of a restriction downstream 88−53941
Teodorescu, C. Research concerning reliability determination of pulse working electric circuits 88−56531
Teodorescu, D. Bus systems and measurement peripherals. I 86−17764
Teodorescu, D. The development of electronic control of electric motors 86−19236
Teodorescu, D. Memory elements for modern control systems 86−20521
Teodorescu, D. Bus systems and peripheral interfaces for measurement applications. II 86−31167
Teodorescu, D. Real-time processing of test data by means of bit slice microprocessors 86−32579
Teodorescu, D. Reliability of ICs 87−31356
Teodorescu, D. Self-testing and error-correcting systems 87−36459
Teodorescu, D. Reliability of ICs. II 87−36533
Teodorescu, D. Self-diagnosing and error-correcting systems. II 87−56492
Teodorescu, D. Self testing and fault correcting (digital) systems 87−56493
Teodorescu, D. 16 bit D/A convertor increases output from positioning system 88−12450
Teodorescu, D. Small drives with intelligent controls 88−37636
Teodorescu, D. Small drives with intelligent controls 88−49172
Teodorescu, D. Automatic test systems and modern test strategies. I 88−53545
Teodorescu, D. Operational amplifier optimises DC motor drive 88−75965
Teodorescu, H.N. Broadcasting with AI techniques 87−13837
Teodorescu, H.N., Buchholtzer, L., Chelaru, M., Teodorescu, L. A laryngeal prosthesis based on perilaryngeal reflexes 88−74881
Teodorescu, H.N., Burlui, V., Leca, P.D. Gnathosonic analyser 88−74817
Teodorescu, H.N., Lozneanu, S., Sofron, E., Bucholtzer, L., Stoica, A. Physiological measurements and devices in digital sound 87−77474
Teodorescu, L. *see* Ghia, V. 88−55107
Teodorescu, L. *see* Teodorescu, H.N. 88−74881
Teodorescu, V. *see* Moraru, D. 85−53608
Teodoridis, V., Sphicopoulos, T., Gardiol, F. The reflection in open-ended rectangular waveguides: Application to non-destructive measurement of lossy materials 86−5490
Teodoridis, V., Sphicopoulos, T., Gardiol, F.E. The reflection from an open-ended rectangular waveguide terminated by a layered dielectric medium 85−46605
Teodoridis, V. *see* Sphicopoulos, T. 85−56986, 86−55813
Teodoriu, R. *see* Rezlescu, N. 85−41013
Teodoroiu, V. *see* Goliciu, D. 87−57858
Teodorou, K. *see* Gutierrez Monreal, F.J. 85−14752
Teodorov, S.K. *see* Tupkalo, V.N. 87−29013
Teoh, S.H., Lim, S.P., Lai, S., Glain, M., Tan, P.L. State of application of composite materials in manufacturing 88−49892
Teoh, W. *see* Pooley, J. 88−36639
Teokharov, A.N. One method of solving rough surface wave diffraction problems 85−13076
Teokharov, A.N. Reduction of the problem of diffraction at a rough interface to that of volume scattering 86−63953
Teorey, T.J. *see* Chiarawongse, J. 88−3618, 88−66997
Teowee, G. *see* Silverman, L.A. 87−25628
Tepe, R. Analysis of fluid light valve control layers for high-definition television large picture projection 85−41210
Tepe, R. Theoretical analysis of an electrically addressed viscoelastic spatial light modulator 87−74857
Tepe, R., Gerhard-Multhaupt, R., Brinker, W. Viscoelastic control layers for solid-state light valves 88−7978
Tepe, R. *see* Ehrke, H.-J. 86−4815
Tepe, R. *see* Gerhard-Multhaupt, R. 87−70259
Tepel, R.C. *see* Hill, L.J. 85−65038
Teper, M.R. Earthing of transmission lines 87−15267
Teper, M.R. The influence of electrical energy losses in determining the optimum diameter of transmission lines 87−35633
Tepichin, E. *see* Ojeda-Castaneda, J. 87−2006
Tepikian, S., Lee, S.Y., Courant, E.D. On multiple spin resonances for the polarized proton 87−3822
Tepikian, S. *see* Lee, S.Y. 86−31934
Tepikian, S. *see* Lee, Y.Y. 88−54006
Tepikian, S. *see* Parsa, Z. 88−29763, 88−53988
Teplick, J.G. *see* Haskin, M.E. 86−32268
Teplick, R. *see* Gordon, V.L. 88−29947
Teplick, S.K. *see* Haskin, M.E. 86−32268
Teplik, J. *see* Alvarez, A.R. 86−47699, 88−12353, 88−33295
Teplinskii, V.M. Device for determination of constant of superconducting solenoids by nuclear induction 87−77382
Teplitskii, A.L. *see* Balaban-Irmenin, Yu.V. 85−4783
Teplitskii, B.E. *see* Zbarskii, L.A. 85−21633
Teplitskii, E.Sh. *see* Dzhibladze, M.I. 85−2265
Teplitskii, F.N., Spivak, V.M., Glushchenko, A.F., Chuglazov, G.N. Meter for measurement of volume and bulk density of materials 86−18186
Teplitskii, M.G. Investigating the efficiency of the KhTZ K-1000-60/1500 turbine plant and the 1000 MW generating unit at the Southern Ukraine nuclear power station 87−78285
Teplitskii, M.G. *see* Buzlukov, V.A. 88−43040
Teplitskii, M.G. *see* Chaban, O.I. 85−48706
Teplitskii, M.G. *see* Dmitriev, V.E. 85−4938
Teplitskii, M.G. *see* Palagin, A.A. 88−55203
Teplitskii, V.A. *see* Kryukova, I.V. 88−27107
Teplitskii, V.B. *see* Glibitskii, M.M. 87−32878
Teplov, P.V. *see* Balaban-Irmenin, Yu.V. 85−4783
Teplukha, V.N. RF frequency divider with variable division and off-duty factors 88−32296
Teplyakov, D.I., Aparisi, R.R. Investigation of the characteristics of solar power station heliostats of an experimental range: immobile-heliostat method 85−43896
Teplyakov, D.I., Aparisi, R.R. The SES-5 array: testing the precision of the heliostat reflector surfaces 86−12741
Teplyakov, D.I., Aparisi, R.R. Distinguishing features of heliostat tests on the SES-5 test array [solar electric power station] 86−51522
Teplyakov, D.I., Aparisi, R.R. The SES-5 experimental solar electric station in light of the USSR's energy program 86−65987
Teplyakov, D.I., Aparisi, R.R., Goncharenko, V.M. Tower-type solar electric power stations: composite solutions 86−19163
Teplyakov, D.I., Aparisi, R.R., Goncharenko, V.M. Experimental SES-5: technical start-ups of the concentrating system 87−42716
Teplyakov, D.I., Aparisi, R.R., Goncharenko, V.M. Peculiarities of steam and power generation with partial loadings of SES-5 88−23794
Teplyakov, D.I., Aparisi, R.R., Maznikin, N.S. The SES-5 proving ground: development of a fixed-heliostat method 87−51091
Teplyakov, D.I. *see* Aparisi, R.R. 85−48890, 86−19162
Teplyakov, D.I. *see* Muratova, T.M. 88−62261
Teplyakov, I.M. Ionospheric distortions of digital signals with wideband modulation 86−29385
Teplyakov, I.M. Signal and background at the output of a laser receiver 86−49602
Teplyakov, V.A. *see* Ado, Y.M. 86−31902
Teplyashin, L.L. *see* Smirnov, A.Ya. 88−58484
Teplyukh, Z.N. *see* Pistun, E.P. 85−9003, 86−44243
Tepore, A. *see* Di Giulio, H. 87−45623
Tepore, A. *see* Di Giulio, M. 85−34623, 86−8877, 88−14004, 88−58049
Tepore, A. *see* Micocci, G. 85−12703, 85−34542, 85−61706
Teppe, W. *see* Bruschke, P. 86−16856
Tepper, D.E. *see* MacGregor, T.H. 88−43825
Tepper, M. *see* Schneider, H.-J. 87−28180
Tepper, P. *see* Reif, J. 88−20755
Tepper, R.S., Nootbaar, K., Huang, M.P., Yuen, R. A 600 MHz 5000 gate ECL/TTL gate array 87−59372
Tepper, S. *see* Nutter, M. 86−56027
Tepperwien, R. Local radio stations 'Radio Basilisk' and 'Radio ExtraBE' 85−37156
Teppner, U., Neubert, D. Simulations of physiological and technical influence on the ECG 85−59298
Teppner, U. *see* McManus, C.D. 85−28163
Teppo, J., Valkonen, V.-P. Digital switching system DX200 for rural telecommunications networks 88−3761
Teppo, P. What is really happening in telecommunications? 87−55523
Teptin, A.L. On the sign of Green's function for a boundary-value problem 85−54400
Tepus, M. *see* Semedrea, M. 85−15806
ter Avest, D. *see* Mulder, G.B.J. 88−65110
ter Brake, H.J.M., de la Court, P., Lenferink, A.T.M., Ulfman, J.A., Flokstra, J. SQUID-based rock magnetometer with open-ended horizontal room-temperature access 87−74574
ter Brake, H.J.M., Fleuren, F.H., Ulfman, J.A., Flokstra, J. Elimination of flux-transformer crosstalk in multichannel SQUID magnetometers 87−21021
ter Brake, H.J.M., Flokstra, J. Cryogenic magnetometer research at Twente University of Technology 85−7173
ter Brake, H.J.M., Hogenkamp, J.E.M., Ulfman, J.A., Flokstra, J. Low evaporation hybrid cryogenic system for superconducting devices 85−35355
ter Brake, H.J.M., Ulfman, J.A., Flokstra, J. SQUID-magnetometer with open-ended horizontal room-temperature access 85−14765
ter Brake, H.J.M. *see* Kuper, F.G. 85−47968
ter Haar, B.A. *see* Adams, A.C. 88−71635, 88−71719
ter Haar Romeny, B. *see* Pizer, S.M. 87−77671
ter Haar Romeny, B.M., Meijwaard, J., ten Hertog, A., de Graaf, C.N., van Rijk, P.P., de Valk, J.P.J. Radiological information flow between departments and out-clinics in the Utrecht University Hospital in The Netherlands 87−14956

ter Haar Romeny, B.M., Raymakers, J., van Waes, P.F.G.M., Helder, J.C., de Graaf, C.N., van Rijk, P.P., Schuttenbeld, H., Zuiderveld, K.J., Tiemann, J., Scharnberg, B. The Dutch PACS project: philosophy, design of a digital reading room and first observations in the Utrecht University Hospital in the Netherlands 88–36563
ter Haar Romeny, B.M. *see* Schuttenbeld, H.H.W. 88–36573
ter Haseborg, J.L., Kruse, K.-D., Weitze, F., Singer, H., Bruns, H.-D., Garbe, H. Simulation of pulse coupling into power supply wiring of buildings 88–2620
Ter Haseborg, J.L., Trinks, H. Problems concerning EMP- and lightning-protection of high frequency transmission lines 85–2613
ter Haseborg, J.L., Trinks, H. Expansion of LEMP induced current on multicore signal and control lines 86–54315
ter Haseborg, J.L., Trinks, H., Sturm, R. Coupling and propagation of transient currents on multiconductor transmission lines 86–15941
ter Hennepe, J. *see* Schellekens, H. 87–43315
Ter Horst, E.W., Blok, K., Alsema, E.A., Turkenburg, W.C. Optimization of hybrid autonomous energy systems 88–17958
ter Horst, G., de Graauw, Th., Panhuyzen, R.A., Schaeffer, H., Helmerhorst, Th.J. Experiments with Josephson junction mixers 87–16950
Ter Horst, G. *see* Panhuzen, R.A. 87–74588
ter Kuile, W.M. *see* van Antwerpen, G. 87–49644
ter Maten, E.J.W. Splitting methods for fourth order parabolic partial differential equations 87–23571
ter Maten, E.J.W., Sleijpen, G.L.G. A convergence analysis of hopscotch methods for fourth order parabolic equations 86–62180
Ter-Akopian, G.M. *see* Chepigin, V.I. 87–14740
Ter-Akopian, G.M. *see* Sokol, E.A. 86–50381, 86–70322, 87–14741
Ter-Asaturov, G.P. Basic routes toward development of home health-aid devices 86–65449
Ter-Davtian, L.V. Continuing engineering education in France 87–23188
Ter-Gazaryan, A.G. *see* Zhebit, V.A. 88–11404
Ter-Gazaryan, G.N., Bidzhamov, Ya.G. Losses in pole flanges of large waterwheel generators 88–43069
Ter-Gazaryan, G.N., Khuberyan, K.M., Shcherbakov, G.I., Dediashvili, G.A., Minkin, L.I. Calculating the thermal and mechanical stability of damper windings in large hydroelectric generators 87–9473
Ter-Gazaryan, G.N. *see* Ovchinnikov, I.E. 88–30240
Ter-Grigoryan, V.Yu. *see* Kazaryan, A.A. 88–74363
Ter-Khachaturov, A.A. *see* Alieva, D.G. 86–8337
Ter-Martirocyan, M.G. *see* Davtyan, G.V. 87–63216
Ter-Martirosyan, L.T. *see* Gubler, M.I. 87–52909
Ter-Martirosyan, L.T. *see* Kalyuzhnaya, L.V. 87–46275
Ter-Martirosyan, L.T. *see* Vendik, O.G. 88–57853
Ter-Martirosyan, Z.A. *see* Bykovskii, Yu.A. 85–15124
Ter-Mikaelyan, Yu.A. *see* Davydov, V.F. 86–45338
Ter-Pogosyan, M.A. *see* Ivanyuk, A.M. 86–29116, 86–68504, 88–34129
Terabayashi, N., Horiba, S. TeV e^+e^- linear collider R and D. I. High power test of high gradient accelerating cavity 87–14654
Terabayashi, N. *see* Matsumoto, H. 88–54060
Terabayashi, N. *see* Sato, I. 87–41704
Terabayashi, T., Horio, K. Study on electron beam machining–forced removal of molten part in workpiece by backing material 88–11524
Terada, A., Ishii, O., Ohta, S. Wear-resistance and signal-to-noise ratio in γ-Fe_2O_3 thin film disks 86–35998
Terada, A. *see* Ishii, O. 87–60812
Terada, A. *see* Kimachi, Y. 88–57937
Terada, A. *see* Nakamura, Y. 87–62550
Terada, A. *see* Ohta, S. 85–41034, 85–46011, 87–7016, 88–1865
Terada, A. *see* Ohtani, Y. 86–21992, 87–53882, 88–51226
Terada, A. *see* Sato, I. 87–60802, 88–39807
Terada, F., Nakazato, T., Kurita, H., Matsue, J., Sekiya, H., Takamatsu, M. Development of the 30 kW class small size Stirling engine 86–39558
Terada, H. A review on 16-bit-microprocessors [recent trends] 86–20618
Terada, H. An insight into communications processing 87–40118
Terada, H. An insight into coming communication networks 87–69506
Terada, H. Effect of PbO substitution on some properties of anisotropic Ca-La system ferrite magnets 88–1863
Terada, H., Koda, F., Otsuka, K. Development of highly-loaded coal-water mixture preparation technology 86–13240
Terada, H., Nishikawa, H., Asada, K., Matsumoto, S., Miyata, S., Komori, S., Shima, K. VLSI design of a one-chip data-driven processor: Q-v1 88–32258
Terada, H., Nishikawa, H., Asada, K., Okamoto, T., Miyata, S., Asano, H., Tokura, T., Shimizu, M., Hara, S., Komori, S., Shima, K. Design philosophy of a data-driven processor: Q-p 88–44199
Terada, H., Saruta, T., Suzuki, K., Wakayama, N., Aoyama, I. Development of monitoring system for gaseous fission products in the primary coolant helium in HTGRs 86–51265
Terada, H. *see* Komori, S. 88–6813, 88–32243
Terada, H. *see* Uchikawa, N. 88–17815
Terada, K., Kurosawa, S. A capacitance-coupling memory cell operating with a single power supply 88–50141
Terada, K., Kurosawa, S., Takeshima, T. A new soft-error immune DRAM cell using stacked CMOS structure 87–24191
Terada, K., Kurosawa, S., Takeshima, T. A new soft-error-immune DRAM cell using a stacked CMOS structure 87–59454
Terada, K., Masuya, S., Sugimoto, K., Yasu, M., Teraguchi, M., Sasabe, K. Cooking refrigerator SJ30R7 88–6052
Terada, K., Ogawa, H., Hamagishi, G., Kishimoto, S. Development of 3″ color CRT, 'San Flat' 87–49568
Terada, K. *see* Ishijima, T. 85–50766
Terada, K. *see* Kubota, T. 88–38530
Terada, K. *see* Kurosawa, S. 85–40900
Terada, K. *see* Okamoto, I. 87–79092
Terada, K. *see* Okita, Y. 85–31174
Terada, K. *see* Uchimura, K. 87–59939
Terada, M. Endoscope 88–4906
Terada, M., Muto, J. Concentration dependent laser threshold of rhodamine 6G in methanol solution 86–68484
Terada, M. *see* Kashio, J. 88–41317
Terada, M. *see* Takada, O. 87–20487
Terada, M. *see* Takahashi, M. 85–20190, 87–20489
Terada, N. 6312 kbit/s synchronous multiplexer with cross-connect function 87–2986
Terada, N., Hoshi, Y., Naoe, M., Yamanaka, S. Synthesis of iron-nitride films by means of ion beam deposition 85–24071
Terada, N., Hoshi, Y., Naoe, M., Yamanaka, S. Preparation of high T_c Nb-(Ge,Si) thin films at low substrate temperature 85–46028
Terada, N., Naoe, M. Josephson tunneling junctions with high T_c Nb_3(Ge,Si) lower electrode 85–56227
Terada, N., Satoh, K., Yamazaki, F. Compact mobile antennas for mobile satellite communications 87–70014
Terada, N. *see* Hori, T. 87–27053, 87–47407, 88–58965
Terada, N. *see* Hoshi, Y. 85–46033
Terada, N. *see* Inoue, Y. 88–46596
Terada, N. *see* Nakajima, S. 88–35430
Terada, N. *see* Naoe, M. 86–35971
Terada, N. *see* Sakai, T. 88–35432, 88–46999
Terada, N. *see* Tsuchiya, H. 88–11740
Terada, S. Countermeasures against ice coating on trolley wires in Chiba district 86–51972
Terada, S. *see* Tsuchiya, K. 87–70936, 88–45016
Terada, T., Ikawa, Y., Kameyama, A., Kawakyu, K., Sasaki, T., Kitaura, Y., Ishida, K., Nishihiori, K., Toyoda, N. A 64 K GaAs gate array 87–59419
Terada, T., Ikawa, Y., Kameyama, A., Kawakyu, K., Sasaki, T., Kitaura, Y., Ishida, K., Nishihori, K., Toyoda, N. A 6 K-gate GaAs gate array with a new large-noise-margin SLCF circuit 88–6739
Terada, T., Takizawa, M., Hamada, N. A family of lattice digital filters which are generated by a parameter 85–34090
Terada, T. *see* Furuhata, T. 86–69940
Terada, T. *see* Hara, T. 88–13126
Terada, T. *see* Hinode, K. 87–1688, 87–37971
Terada, T. *see* Homma, Y. 87–65573
Terada, T. *see* Ikawa, Y. 85–22802
Terada, T. *see* Iwata, S. 85–1533
Terada, T. *see* Kameyama, A. 87–24130, 88–19250
Terada, T. *see* Mizoguchi, T. 85–54898
Terada, T. *see* Saito, N. 86–63061
Terada, T. *see* Shimizu, S. 85–22801
Terada, T. *see* Taguchi, T. 88–32793
Terada, T. *see* Toyida, N. 86–20440
Terada, T. *see* Toyoda, N. 86–8191
Terada, Y. High speed, broadband communications and OSI 88–21750
Terada, Y., Kobayalshi, K., Nakayama, T., Arima, H., Yoshihara, T. A new architecture of NVRAM 88–6880
Terada, Y., Kobayashi, K., Nakayama, T., Arima, H., Yoshihara, T. A new architecture for the NVRAM–an EEPROM backed-up dynamic RAM 88–32203
Terada, Y., Monden, M., Maekawa, K., Konishi, I., Nakabayashi, M., Funakoshi, W., Miyachi, N., Harada, H. Automatic ultrasonic examination for partial penetration welds of corner joints of large-scaled bridges 88–6560
Terada, Y., Moriki, H., Takahama, M., Chuman, Y. Tuner unit for BS receiver 88–53412
Terada, Y., Takanabe, N. Multiwave system moisture meter being put to practical use for online measurement of cokes and the like 86–31157
Terada, Y., Tokiwa, Y., Kawaguchi, K. N-type tuner 88–53413
Terada, Y. *see* Ishida, T. 86–5378
Terada, Y. *see* Kamamori, H. 85–14945
Terada, Y. *see* Kanagawa, S. 87–23360
Terada, Y. *see* Yamamoto, K. 85–43213
Terada, Y. *see* Yamamoto, Y. 87–8104
Terada, Y. *see* Yamanaka, N. 86–17162
Teragaki, T., Kobayashi, H. A new rotary speed converter 88–51374
Teragami, T. Total production control in the steel industry 87–31087
Teragawa, M. *see* Goda, K. 85–14416
Teraguchi, M. *see* Terada, K. 88–6052
Teraguchi, N. *see* Taike, A. 87–65510
Terai, H., Hayase, M., Kozawa, T. A routing procedure for mixed array of custom macros and standard cells 86–20221
Terai, H., Kobayashi, Y., Nakamoto, S. Boiling point detector for surface cooking unit [microcomputer based system] 85–8705
Terai, H., Kozawa, T., Sakataya, Y., Yuyama, K. Automatic layout design method for full custom VLSI 86–40839
Terai, H. *see* Kobayashi, Y. 85–27831
Terai, H. *see* Kosawa, T. 86–15206
Terai, H. *see* Kozawa, T. 85–758, 85–17239
Terai, H. *see* Mogaki, M. 88–24895
Terai, H. *see* Ogawa, Y. 87–5841, 88–70454
Terai, K. *see* Obata, S. 88–60484
Terai, K. *see* Yasuoka, K. 88–20572
Terai, M. A method of improving the terminal assignment in the channel routing for gate arrays 86–924
Terai, M., Ajioka, Y., Noda, T., Ozaki, M., Umeki, T., Sato, K. Symbolic layout system: application results and functional improvements 87–59084
Terai, M., Noda, T., Sato, K., Yahara, T. A routing program applicable to various chip structures of gate arrays 85–22598
Terai, M., Sato, K. A method of dividing trunks in the channel routing problem 86–29688
Terai, M. *see* Arakawa, T. 87–17026
Terai, M. *see* Kuramitsu, Y. 87–44750
Terai, M. *see* Sato, K. 86–62567
Terai, M. *see* Tatsuki, M. 86–973
Terai, S. *see* Hatta, H. 85–51870
Terai, S. *see* Horii, N. 87–28096
Terai, S. *see* Sengoku, M. 85–36642
Terai, S. *see* Usukura, T. 85–13934
Terai, T. *see* Suzuki, S. 88–65314
Teraji, N. *see* Kanai, M. 85–32261
Terajima, H. *see* Hanaki, S. 87–35013, 87–62169, 87–69286, 88–8823
Terakado, M. *see* Kimura, H. 88–63551
Terakado, R. Exact wave resistance of coaxial regular polygonal conductors 85–34231
Terakado, R., Sakakibara, T. Analysis of two-dimensional anisotropic regions by affine and conformal mappings 87–68699
Terakado, R. *see* Shibata, H. 85–46597, 86–5477
Terakado, T., Fujita, S., Suzuki, A. High sensitivity 1.3 wavelength region receiver OEIC with self-aligned junction FET 88–65516
Terakado, T., Tsukamoto, K., Watahiki, T., Miyata, T. Constitution of high accuracy floating-point A/D converter 85–61330
Terakado, T. *see* Iga, K. 85–35789
Terakado, T. *see* Kasahara, K. 86–42461, 88–65530
Terakado, T. *see* Shimamoto, S. 88–65098
Terakado, T. *see* Suzuki, A. 87–76745, 88–47168
Terakado, T. *see* Suzuki, S. 86–49425
Terakado, T. *see* Tomita, A. 86–42630
Terakado, Y., Tsukamoto, K., Watahike, T., Miyata, T. A quantized charge-balancing floating analog-to-digital converter 85–871
Terakawa, H. *see* Kumesawa, T. 86–4846
Terakawa, H. *see* Shinoda, K. 88–9742
Terakawa, S., Kozono, T., Matsuda, Y., Senda, K., Yamada, T., Murozono, I., Hiroshima, Y., Horii, K., Takamura, T., Kunii, T., Mizuno, H. A CPD image sensor with buried-channel priming couplers 86–5046
Terakawa, S. *see* Kozono, T. 86–17848
Terakawa, S. *see* Morita, Y. 88–20149
Terakawa, S. *see* Senda, K. 85–20496, 85–31398
Terakawa, S. *see* Sumi, T. 87–66179
Terakawa, S. *see* Susa, M. 85–47856, 86–17972
Ter'Akopian, G.M. *see* Ivanov, M.P. 85–37910
Teramachi, Y., Miyazaki, T., Ohtsu, M. Instabilities in laser diodes by optical feedback modulation and mode-hopping 87–75116
Teramachi, Y. *see* Noguchi, Y. 85–35262
Teramachi, Y. *see* Ohtsu, M. 85–24542, 86–42563, 87–33197, 88–65689
Teramatsu, H. *see* Sunada, K. 86–24061, 86–65048, 87–34768, 87–49276, 88–9721, 88–15762
Teramine, T. *see* Naito, H. 88–33846

Teramoto, A., Shigenobu, M., Ijichi, T., Seki, K., Nakatani, T. A power source for UVSOR magnets in use at IMS 85−21720
Teramoto, I., Sugino, T. Laser diode and light emitting diode for optical writing 85−39396
Teramoto, I. *see* Aoki, T. 86−11484
Teramoto, I. *see* Hagio, M. 85−50572
Teramoto, I. *see* Hamada, K. 85−62579, 87−26244, 87−26401, 87−33208
Teramoto, I. *see* Hirose, M. 86−68554
Teramoto, I. *see* Kanazawa, K. 86−8473, 86−27594
Teramoto, I. *see* Katsu, S. 87−23961
Teramoto, I. *see* Koike, S. 85−2161
Teramoto, I. *see* Kume, M. 85−24528, 85−62593, 87−68480
Teramoto, I. *see* Ohta, I. 86−53782, 87−32721
Teramoto, I. *see* Otsuki, T. 88−50668
Teramoto, I. *see* Shibutani, T. 87−68464
Teramoto, I. *see* Shimizu, H. 86−36513
Teramoto, I. *see* Sugino, T. 87−46905
Teramoto, I. *see* Ueda, D. 86−35919, 88−1632
Teramoto, I. *see* Wada, M. 85−62585
Teramoto, I. *see* Yoshikawa, A. 87−68458
Teramoto, K. *see* Shimizu, Y. 85−8280
Teramoto, K. *see* Teshigawara, Y. 88−60097
Teramoto, M., Sudo, S. Sensitivity of biquad filter using an *RC* twin-T network and an operational amplifier 86−57937
Teramoto, M., Sudo, S., Nagae, A., Sakaue, T. An active biquad RC filter using differential output and input operational amplifier 85−17656
Teramoto, M. *see* Matsuo, K. 86−67331
Teramoto, M. *see* Nakabayashi, S. 86−64454
Teramoto, N. Selection and application of explosion-proof device for explosion-proof instrumentation−thermometer 88−31426
Teramoto, R. *see* Takahashi, M. 87−72211
Teramoto, S. *see* Kageyama, M. 86−57025
Teramoto, T. *see* Saito, M. 86−58719
Teramoto, Y. *see* Abe, K. 88−16629
Teramoto, Y. *see* Ogawa, K. 86−32179
Teramura, K. International telegraph automation system (TAS-II) 86−64585
Teramura, K., Kasahara, M., Namekawa, T. A new error control system on paired error channels 87−27199
Teramura, M. *see* Matsumoto, G. 85−10848
Teramura, S. *see* Matsumoto, Y. 87−71966
Teramura, T. *see* Saito, Y. 85−62522
Teranishi, K. *see* Kadokura, S. 88−57941, 88−64935
Teranishi, N., Harada, H., Tanaka, T., Arai, K. A high resolution linear IRCCD image sensor with 1024 pixels 86−70048
Teranishi, N., Ishihara, Y. Smear reduction in the interline CCD image sensor 87−56524
Teranishi, N., Kohno, A., Ishihara, Y., Oda, E., Arai, K. An interline CCD image sensor with reduced image lag 85−20495
Teranishi, N., Mutoh, N. Partition noise in CCD signal detection 86−47618
Teranishi, N., Mutoh, N. Partition noise in CCD signal detection 87−25284
Teranishi, N. *see* Kohno, A. 85−52786
Teranishi, N. *see* Shimura, M. 87−70247
Teranishi, T., Horiguchi, S., Ooshima, T. Multimedia visual information editing techniques 88−52791
Teranishi, T., Kaneko, T., Ooshima, T., Ogawa, K. Information editing terminal for digital videotex 87−55669
Teranishi, T., Ohshima, T., Horiguchi, S. An editing method of text and photographics for videotex 86−54852
Teranishi, T., Yanari, T., Honda, M., Inoue, T. Dielectric strength of transformer insulation against oscillatory impulse voltages 85−32546
Teranishi, T. *see* Oshima, T. 87−34082, 88−21587
Teranishi, T. *see* Yoshida, H. 88−26608
Terano, M. *see* Fujioka, N. 88−36862
Terano, T. Development of preventive maintenance support system for plant based on knowledge processing technique 86−32980
Terano, T., Shinohara, Y., Matsui, S., Nakamura, H., Isoda, H., Matsuura, S. Handling of uncertain information in expert systems 87−42371
Terano, T. *see* Minagawa, K. 85−47874
Terao, A., Van de Wiele, F. Purposes of three-dimensional circuits 88−13472
Terao, H., Sunakawa, H. Effects of oxygen and water vapour introduction during MOCVD growth of GaAlAs 85−10692
Terao, H. *see* Mori, K. 87−23688, 88−24700
Terao, H. *see* Ogura, A. 88−63346
Terao, H. *see* Okamoto, A. 85−39755, 86−34327
Terao, H. *see* Yoshida, M. 85−44733, 86−66822
Terao, K., Goto, S., Miyazaki, K. FATEC 3520 rainfall and water-level data disposal terminal equipment 85−32000
Terao, K., Inaba, S., Ito, K. Behavior of toner flow and metering in the mono-component development 88−27454
Terao, K. *see* Teshigawara, T. 86−42792, 88−55753
Terao, K. *see* Yogi, T. 88−13569
Terao, M., Nishida, T., Miyauchi, Y., Horigome, S., Kaku, T., Ohta, N. In-Se based phase change reversible optical recording film 87−38727
Terao, M., Nishida, T., Miyauchi, Y., Nakao, T., Kaku, T., Horigome, S., Ojima, M., Tsunoda, Y., Sugita, Y. Sn-Te-Se phase change recording film for optical disks 85−50895
Terao, M. *see* Nishida, T. 88−45047
Terao, M. *see* Ojima, M. 88−65153
Terao, M. *see* Yasuoka, H. 88−45054
Terao, Y., Takamoto, M., Fukami, T. Dual frequency ultrasonic flowmeter 87−70877
Terao, Y., Takamoto, M., Kememoto, K., Asada, H., Ohuchi, H. Characteristics of a ring vortex shedding velocimeter 87−50005
Terao, Y. *see* Utsumi, H. 88−4694
Teraoka, M. *see* Fukushima, M. 86−33316, 87−9495, 88−30635
Teraoka, M. *see* Masuko, M. 86−37256
Teraoka, M. *see* Matsumoto, F. 86−49208
Teraoka, T. *see* Ishizaki, Y. 87−48380
Teraoka, T. *see* Itoh, H. 86−4224
Teraoka, T. *see* Kikuchi, Y. 86−49211
Teraoka, T. *see* Kikumoto, Y. 87−55659
Teraoka, T. *see* Utagawa, H. 86−32838
Terasaka, K. *see* Hattori, T. 88−55532
Terasaka, K. *see* Ogawa, S. 86−51804
Terasaka, K. *see* Yoshida, T. 87−30721
Terasaka, T. *see* Hayashi, M. 88−50965
Terasaka, T. *see* Ise, M. 85−13903, 87−34020
Terasaki, A. *see* Okai, H. 86−54641
Terasaki, H. *see* Arai, M. 86−43613
Terasaki, H. *see* Iwakiri, E. 86−56985
Terasaki, K. *see* Nishimura, H. 87−30239
Terasaki, M. *see* Sano, T. 87−43696
Terasaki, M. *see* Shimizu, Y. 85−10088
Terasaki, M. *see* Takahashi, M. 87−43697
Terasaki, R. *see* Takahashi, T. 86−31580
Terasawa, H. *see* Fujimoto, S. 87−46259
Terasawa, M. *see* Fukuya, K. 87−32747
Terasawa, M. *see* Hamano, Y. 87−23355
Terasawa, M. *see* Tanaka, S. 87−51597
Terasawa, M. *see* Yatsuda, Y. 85−35170
Terasawa, T. *see* Komatsu, K. 87−53378
Terasawa, T. *see* Kuniyoshi, S. 87−74161
Terasawa, T. *see* Tamae, T. 88−29753
Terasawa, Y., Mimura, A., Miyata, K. A 2.5-kV static induction thyristor having new gate and shorted p-emitter structures 86−28302
Terasawa, Y. *see* Imai, M. 88−51456
Terashi, T. *see* Sugimoto, M. 87−28008
Terashige, T. *see* Suemune, I. 85−18912
Terashima, H. *see* Hanaka, S. 87−33753
Terashima, K., Fujita, Y., Nomura, S., Kisigami, H. A fully integrated analog front end LSI for 9600/4800 bps modems 88−73750
Terashima, K., Hamaguchi, C., Taniguchi, K. Monte Carlo simulation of two-dimensional hot electrons in n-type Si inversion layers 85−61786
Terashima, K., Nishio, J., Washizuka, S., Watanabe, M. Magnetic field effect on residual impurity concentrations for LEC GaAs crystal growth 87−73046
Terashima, K., Washizuka, S., Nishio, J., Okada, A., Yasuami, S., Watanabe, M. Non-stoichiometry effect on crystal properties of undoped LEC GaAs 86−52435
Terashima, K. *see* Emori, H. 86−404
Terashima, K. *see* Hamaguchi, C. 85−55848
Terashima, K. *see* Inatomi, Y. 88−25204
Terashima, K. *see* Nakajima, M. 85−28203
Terashima, K. *see* Nishio, J. 88−11959
Terashima, K. *see* Obokata, T. 85−1297
Terashima, K. *see* Ogata, S. 87−71678
Terashima, K. *see* Sato, T. 85−55679, 86−396
Terashima, M., Nomura, M., Ashikaga, T., Nakamura, T., Ohnishi, K. Fully digital controlled decoupled control system in induction motor drive 86−6772
Terashima, M. *see* Ashikaga, T. 88−23924
Terashima, M. *see* Hamabe, K. 87−4552
Terashima, M. *see* Matsuzaki, T. 86−14745
Terashima, M. *see* Nomura, M. 87−72150
Terashima, M. *see* Ohnishi, K. 85−44218
Terashima, M. *see* Sorimachi, H. 86−14563
Terashima, S. *see* Satoh, H. 88−45246
Terashima, S. *see* Tanaka, K. 85−24157
Terashima, T. Switching transistor for TV horizontal deflection 86−28294
Terashima, T., Kiyomura, A. Trial of SCS crystal growth method in a magnetic field 85−33388
Terashima, T., Kobayashi, T., Saburi, A., Honma, Y., Nakabayashi, S., Hidaka, Y., Seo, T., Kiuchi, K., Asakura, J. The information network system (INS) for the Japanese telecommunications network 87−48388
Terashima, T., Takeshige, Y., Yamamoto, M. Overview of business communications networks 85−52058
Terashima, T. *see* Fujino, K. 86−64453, 88−28251
Terashima, Y. *see* Ichihara, K. 86−42156
Terashima, Y. *see* Ogita, M. 87−46199
Terashima, Y. *see* Shiragaki, K. 85−14869
Terashima, Y. *see* Yasuda, N. 86−42382
Terashita, N., Sasaki, K., Ogino, T. Fast-running simulation code for a PWR plant steam generator 86−6551
Terashita, T. *see* Nakajima, K. 85−57931
Terashita, T. *see* Okayasu, K. 85−57932, 88−14973
Terashita, T. *see* Sugiyama, Y. 88−15353
Terasono, M., Morita, T. Facsimile 88−15015
Terauchi, H., Kumano, M., Yukawa, M., Nakai, Y. A photovoltaic tunnel-illumination system 88−43487
Terauchi, H., Yamaguchi, A., Yamabayashi, N., Nishizawa, H., Kuhara, Y., Kuroda, M., Iguchi, S. InGaAs/InP PIN photodiode 86−54044
Terauchi, H. *see* Kamigaki, K. 87−10367
Terauchi, H. *see* Kuhara, Y. 86−42440
Terauchi, H. *see* Sano, N. 85−1361
Terauchi, M. *see* Nagashima, Y. 88−41044
Terauchi, N. *see* Fujiwara, S. 87−5055
Teravaninthorn, U., Miyahara, Y., Moriizumi, T. The suitability of Ta_2O_5 as a solid state ion-sensitive membrane 88−29330
Terayama, K. *see* Ishimoto, S. 85−61283
Terayama, K. *see* Kobayashi, S. 88−19131
Terayama, K. *see* Nagami, A. 86−34795
Terazaki, A. Standardization of Kanji-teletex 85−8073
Terazaki, N., Futatsuishi, S. Diamond Vision: the second generation 86−11656
Terazaki, N., Haraguchi, S., Watanabe, T., Takushima, T. The second-generation Diamond Vision System 85−26025
Terazaki, N. *see* Iwata, S. 87−14139
Terazawa, T., Kobayashi, T., Tanabe, S. Magnetic saturation in perpendicular recording 87−46371
Terazono, K. *see* Okada, H. 88−75175
Terazono, S. *see* Ishihara, T. 88−37502
Terbeck, W. *see* Goehlich, A. 87−50171
Terborgh, J.van *see* van Terborgh, J.
Terborgh, R.van *see* van Terborgh, R.
Terdik, G. Generalized Hermite polynomials and estimation of kernels for discrete *I/O* Wiener models 88−49608
Tereb, I.A. *see* Matyna, V.A. 88−32066
Terebilin, A.V. *see* Popov, V.N. 87−41822
Terebilov, A.V. *see* Yermolayev, M.V. 88−40488
Terek, V., Jugovic, R., Bojanic, B. An analysis of seismic influences on the dynamic strength of AGU-420 current transformers 88−11268
Terekawa, S. *see* Kozono, T. 87−56520
Terekhanov, V.M. *see* Volkov, I.F. 86−33835
Terekhin, A.N. *see* Iopa, N.I. 87−21047
Terekhin, A.V. *see* Kozin, G.I. 86−58879
Terekhin, S.N. *see* Ostrovskaya, B.I. 86−12690
Terekhov, A.S. *see* Alebastrov, V.A. 85−24806
Terekhov, A.S. *see* Al'perovich, V.L. 86−9661
Terekhov, A.S. *see* Bagduev, R.I. 87−53136
Terekhov, A.V. *see* Tatarenko, N.A. 85−16781
Terekhov, A.Yu. *see* Bykovskii, Yu.A. 87−68167
Terekhov, S.A. *see* Egoshin, A.V. 87−47922
Terekhov, S.S. *see* Abramov, A.G. 85−4429
Terekhov, V.A., Golikova, O.A., Domashevskaya, E.P., Trostyanskii, S.N., Mezdrogina, M.M., Sorokina, K.L. Density of states and photoconductivity of amorphous silicon 85−34525
Terekhov, V.A., Trostyanskii, S.N., Domashevskaya, E.P., Golikova, O.A., Mezdrogina, M.M., Sorokina, K.L., Kazanin, M.M. Density of states and photoconductivity of hydrogenated amorphous silicon 87−26172
Terekhov, V.A. *see* Maikov, K.A. 86−49450
Terekhov, V.D. *see* Gorshkov, B.G. 86−22450
Terekhov, V.G. *see* Staroverov, B.A. 85−49140
Terekhov, V.I. *see* Gres', V.N. 86−50271
Terekhov, V.M., Panov, E.N. Selection of parameters of a DC servo drive with digital control 87−9886
Terekhov, V.S. *see* Filimonov, S.S. 87−35656
Terekhova, O.I. *see* Agadganian, E.K. 86−24098
Terekhova, V.A. *see* Pligin, S.G. 88−71014
Terekhovich, A.B. *see* Zelenkevich, V.M. 85−36140
Terenetskaya, I.P. *see* Kravchenko, V.I. 86−22341, 87−2214
Terenin, M.I. *see* Kovalev, I.I. 88−61780
Terens, L. *see* Kobi, H. 87−43490
Terens, L. *see* Stemmler, H. 86−12408, 86−25491
Terent'ev, A.A., Il'in, E.M., Baiburin, V.B. A multiperiod numeric model of a crossed-field amplifier 87−66825
Terent'ev, A.A., Il'in, E.M., Baiburin, V.B. Numerical modeling of multiwave processes in magnetron amplifiers 88−64212
Terent'ev, A.A., Ruzhentsev, I.V. Analysing polyharmonic mode in cylindrical magnetron 87−17616
Terent'ev, A.I. *see* Agrinskaya, N.V. 85−7311
Terent'ev, A.T., Gol'dgammer, K.A. A method of eliminating the relaxation error of an NMR flowmeter 87−35009
Terent'ev, A.T. *see* Gol'dgammer, K.A. 87−35008
Terent'ev, G.D. Raising the reliability of roof covering when rebuilding a power station 88−36904
Terent'ev, G.I. *see* Kholodnyi, L.P. 85−45499
Terent'ev, I.K. Investigation and improvement of the last stages of high-capacity steam turbines 85−4934
Terent'ev, I.K. *see* Ogloblin, B.G. 87−4528
Terent'ev, I.P. *see* Avduevskii, V.S. 86−56960

Terent'ev, I.V. A study of the efficiency of compensation systems in communication channels for FM signals 87–61861
Terent'ev, I.V. Determination of actual efficiency of noise-compensation system in communication channels when receiving frequency-modulated signals 88–27719
Terent'ev, O.N. *see* Barabash, V.I. 87–90
Terent'ev, S.N., Glukhov, A.B., Konstantinova, L.V. Optimal algorithm for interrogation in information-measuring systems with time sharing in channels 86–16331
Terent'ev, S.N. *see* Polulyakh, K.S. 88–59129
Terent'ev, V.P. *see* Grishakov, S.V. 87–10538
Terent'ev, V.V., Khachaturov, S.L., Pal'chik, K.B., Oprishko, A.A., Mkrtichan, A.A., Zaitsev, V.I., Shneidman, M.I., Blokhina, T.K., Mikhailova, N.S., S'edin, V.G. A microprocessor system for controlling a technological process of selenium treatment of electro-photographic cylinders 88–44826
Terent'ev, Ya.V. *see* Ganichev, S.D. 86–5321, 86–50105
Terent'ev, Yu.I. *see* Brailovskaya, R.V. 88–14237
Terent'ev, Yu.I. *see* Gondra, A.D. 88–14152, 88–58501
Terentev, Yu.P. *see* Berlin, N.S. 87–4365
Terent'ev, Yu.P. *see* Vinogradov, G.V. 86–19665
Terent'eva, L.M. *see* Ukhlinov, G.A. 86–27956
Terent'yev, A.A., Il'in, Ye.M., Bayburin, V.B. Analysis and modeling of the multifrequency regime in M-type distributed-cathode amplifiers 86–27794
Terent'yev, B.P., Nikol'skiy, S.G., Nikolayev, A.Yu., Trifonov, Ya.A. Magnetic attachments for automatic control in telegraph sets 87–48481
Terentyev, S.S. *see* Sarayev, S.M. 85–32869
Terenyi, L. Remote data processing network of the Institute for Electrical Power Research 85–42239
Terenzi, F. The computer audio research laboratory at the center for music experiment and related research 88–74211
Terenzi, R. *see* Neubauer, F.M. 87–77379
Terepin, S. *see* Manildi, A.B. 87–59583
Tereping, A.A. A telephone hybrid 85–63393
Teres, L.Teres i *see* Teres i Teres, L.
Teres i Teres, L. The silicon compiler: an efficient tool for VLSI design 87–11853
Tereschchenko, L.L. *see* Vendik, O.G. 86–22040
Tereshchenko, A.A. *see* Braginskii, A.P. 85–6049
Tereshchenko, A.F. A practical method of calculating the energy characteristics of autodynes 88–38987
Tereshchenko, A.F. A comparative analysis of the operation of autodyne and heterodyne devices in short-range radar systems 88–72645
Tereshchenko, A.F., Dekin, G.N. Optimization of the operating mode of Gunn diode autodynes 85–6537
Tereshchenko, A.F. *see* Dubinin, V.S. 87–47735, 87–63505
Tereshchenko, A.G. *see* Dem'yanenko, P.A. 87–68138, 88–3985
Tereshchenko, A.G. *see* Nazarov, V.D. 86–40898, 87–18678
Tereshchenko, A.I., Pis'mennyi, G.V., Melikhov, P.S. Use of oriented-graph method to calculate parameters of lamellar media at microwave levels 87–39363
Tereshchenko, A.I. *see* Pashchenko, Zh.F. 85–28691, 88–20987
Tereshchenko, A.I. *see* Pis'mennyi, G.V. 87–978
Tereshchenko, A.I. *see* Sukhoivanov, I.A. 85–61418
Tereshchenko, B.I. *see* Dmitrievskii, E.S. 88–49746
Tereshchenko, E.D., Romanov, V.I., Khudukon, B.Z., Chernyakov, S.M. Phase fluctuations of a wave caused by ionospheric inhomogeneities 85–2553
Tereshchenko, G.V. *see* Savin, S.N. 86–61783
Tereshchenko, M.A. *see* Virchenko, M.A. 85–15738
Tereshchenko, N.A. *see* Lomakin, V.L. 86–45491, 88–6682
Tereshchenko, N.F., Klimenko, Yu.V. Measurement and recording of rapid processes in power plants with the aid of a microcomputer 87–22121
Tereshchenko, N.F. *see* Sorochinskii, V.V. 86–67094
Tereshchenko, T.B. *see* Golovan, E.V. 85–20581
Tereshchenko, V.I., Sharovol'skii, A.N., Sidorenko, K.A., Troshin, V.A., Saprykin, Yu.I. Special features of CO_2 arc spot welding with a consumable electrode 85–16476
Tereshchuk, V.S. Designing distribution of electrical power in independent systems 86–6338
Tereshenko, V.I. *see* Volkov, A.A. 85–47983
Tereshin, M.A. Choice of transformation for the optimization of circuit parameters in the frequency region 85–17058
Tereshin, M.A. Optimization in the frequency region with a reduction of the circuit to an equivalent multiport 87–59058
Tereshin, M.A. *see* Lysenko, A.I. 88–50038
Tereshin, N.A. *see* Katasonov, P.V. 88–55409
Tereshin, O.N., Dvurechenskiy, V.D., Fedotov, A.Yu. A single-wire traveling-wave antenna with reactive loads 86–29556
Tereshin, O.N., Dvurechenskiy, V.D., Fedotov, A.Yu., Yuvko, A.N., Babovnikov, V.I. A dipole antenna array with a ladder-type supply line 87–47386
Tereshin, O.N., Dvurechenskiy, V.D., Mishin, V.I., Kuskov, A.S. Boundary conditions for impedance structures formed by reactively loaded tape-line sections 88–38790
Tereshin, S.A. *see* Baru, V.G. 86–35714
Tereshin, S.A. *see* Malakhov, B.A. 86–41615
Tereshin, V.D. *see* Bazarov, B.A. 86–19477
Tereshin, V.N. *see* Namitokov, K.K. 87–22660, 88–30947
Tereshkevich, L.B. *see* Vinoslavskii, V.N. 86–12429
Tereshkin, D.S. *see* Goncharuk, Yu.L. 86–13118
Tereshkin, Yu.M. *see* Panasyuk, V.S. 85–9017
Tereshkin, Yu.M. *see* Sanochkin, V.V. 86–44488
Tereshkov, V.P. *see* Grigor'evskii, V.I. 85–56018
Teresiak, Z. *see* Kupfer, J. 87–36433
Teresiak, Z. *see* Masny, J. 86–7475, 86–12490
Terezhin, V.I. On optimisation of instrument making periods 86–34006
Terezov, Yu.M. A system of automatic control of frequency and power for the north-western unified electric power system 'Yulika' 87–30085
Terhaj, D. *see* Pavlicevic, M. 86–70861
Terhardt, E. Derivation rule of Laplace-transformation and the problem of initial conditions 86–37040
Terhardt, E. Derivation rule of Laplace transformation: initial value dispensability 86–57303
Teriaeva, E.I. *see* Agurok, A.B. 87–2005
Terichev, V.F. Integrated optical components for the medium IR band 85–18745
Terichev, V.F. *see* Anikin, V.I. 85–56362
Teriete, J. Means of recognition. The design and operation of a picture processing system 87–13061
Teriete, J. Image processing and pattern recognition in the service of quality assurance 88–11784
Terkemani, A. Telecommunication quality in Africa—maintenance and environment 88–66831
Terlaky, T. On l_p programming 85–60865
Terlaky, T. A convergent criss-cross method 86–19966
Terlaky, T. A finite crisscross method for oriented matroids 87–44173
Terlau, W. *see* Cleff, B. 85–37817
Terlecki, J. *see* Matuszewski, T. 85–56041
Terletskii, A.V. *see* Denbnobetskii, S.V. 87–53128
Terletskii, B.Yu. *see* Gudoshnikov, S.A. 87–31754
Terletzki, H., Boden, A., Wulf, F., Fahrner, W.R. Laterally inhomogeneous charge build-up in CMOS inverters during ionizing irradiation 85–23964
Terlingen, W. Nibble mode—a trend with dynamic RAMs. High data speed with inbuilt multiplexer 85–45044
Terlizzi, T., Gunnell, R. A macroscopic view of microelectronics manufacturing 85–28879
Terman, C. *see* Weste, N. 88–25275
Terman, C.J. Timing simulation for large digital MOS circuits 86–34656
Terman, C.J. *see* Arnold, J.M. 86–27268
Terman, L. *see* Lu, N. 86–46859
Terman, L.M. CMOS twin-tub ROX structure with self-aligned field implants 85–1742
Terman, L.M. Double poly RAM cell with HiC implants self-aligned to polysilicon storage plate 85–40913
Terman, L.M. *see* Chao, H.H. 85–22888
Terman, L.M. *see* Lu, N.C. 87–10855
Terman, L.M. *see* Lu, N.C.C. 85–29337
Terman, L.M. *see* Schuster, S.E. 86–20556
Terman, L.M. *see* Taur, Y. 85–35168
Terman, M.Yu. *see* Zakharchenya, B.P. 86–1853
Termatzidis, K. *see* Kern, R. 88–18058
Termeer, H. *see* Pelgrom, M. 87–28870
Termeer, H.A.H. *see* Pelgrom, M.J.M. 87–53717
Termote, A., Van Goethem, J., Bauwens, J. ISDN field trial in the Belgian network 85–19661
Termote, D.R., Bauwens, J. Data feature implementation and ISDN-trial in the Belgian network 85–51905
Termuehlen, H. Gas and coal-fired combined cycle plants 87–64440
Termuehlen, H., Schleithoff, K. Advancements in nuclear steam turbine design to prevent corrosion 88–62076
Termuehlen, H. *see* Kindermann, W. 86–33162
Termuehlen, H. *see* Schuecktanz, G. 86–33107
Ternan, J.G. Reply to "Comments on 'Equivalence of the Lorentz and Ampere force laws in magnetostatics' " [J. Appl. Phys. 57, 1743 (1985)] 86–10064
Terner, E. Coordinate measuring technique 85–8956
Terney, W.B., Dechand, C.O., Jonsson, A. Depletion laws for self-powered rhodium detectors 85–4227
Terney, W.B. *see* Dechand, C.O. 87–57041
Ternov, I.M. Radiative polarization of electrons and positrons in storage rings 87–50078
Ternovskii, I.M. *see* Adkhamov, A.N. 88–65579
Terpe, B. *see* Richter, J. 87–69680
Terpilovskii, A.I. Reproducibility of photomultiplier anode current with pulse control and illumination 88–32731
Terpilovskii, A.I. *see* Kasparov, K.N. 85–8982
Terplan, K. Performance impacts of network architectures 85–25503
Terplan, K. Communication networks management 87–72675
Terplan, K. Expert systems for network management: expectations and reality 88–59709
Terpstra, J.E. Airborne data bases—a quiet revolution 88–60303
Terpstra, M. *(editor)* Materials for semiconductor devices. A study of patents and patent applications 87–31127
Terpstra, M. *see* Sigmond, J. *(editor)* 88–69981
Terpstra, R.A. *see* Beckers, G.J.J. 88–64996
Terpugov, N.V. Stage noise and its combination in various transistor circuit configurations 86–27103
Terpugov, V.S. *see* Babukova, M.V. 86–29114
Terpugov, V.S. *see* Berenberg, V.A. 85–56592, 87–12442
Terra, A.D. *see* Kolodina, E.N. 86–10594
Terradas Busquets, J. *see* Fuste, A.E. 88–32463
Terragni, F. *see* Beghelli, S. 87–42982
Terrail, Y.Du *see* Du Terrail, Y.
Terral, D. *see* Couprie, M. 88–7679
Terral, D. *see* Gonzalez-Rubio, R. 85–20560
Terranova, X. *see* Gindre, M. 88–68668
Terras, A. Non-Euclidean harmonic analysis, the central limit theorem, and long transmission lines with random inhomogeneities 85–33267
Terras, R. Detection of phase in modulated optical signals subject to ideal Rayleigh fading 87–20625
Terrat, J.P. *see* Goldman, A. 88–10161
Terray, E. *see* Cabrera, R. 88–48343
Terray, E.A. *see* Brumley, B.H. 88–48342
Terreault, G. *see* Garceau, R. 87–70633
Terreault, R.C. ISDN user needs—Bell Canada's perspective 85–13767
Terrell, M.P. *see* Logendran, R. 87–40288
Terrell, P.M. *see* Edwards, D.J. 85–14221
Terrell, T., Hall, G. Image processing—the low cost approach 86–3977
Terrell, T.J. Microprocessor-based signal filters 87–45097
Terrell, T.J., Simpson, R.J. Two-dimensional FIR filter for digital image processing 86–35011
Terrell, T.J. *see* Hall, G. 87–8578, 88–66613
Terrell, T.J. *see* Shark, L.-K. 85–47456, 88–28760
Terrell, T.J. *see* Shark, L.K. 88–15399
Terrell, T.J. *see* Simpson, R.J. 85–20532, 86–30695
Terreni, P., Gentili, R. Closed-loop electronic fuel injection for spark-ignited engines 86–71114
Terreni, P. *see* Corsini, G. 86–27387
Terreni, P. *see* Pellegrini, B. 86–67065, 87–44444, 88–16368
Terreni, P. *see* Picchi, G. 85–45115
Terreni, P. *see* Poletti, M. 88–6628
Terreni, S. *see* Gallinaro, G. 86–31422
Terreni, S. *see* Levrero, F. 86–44537
Terrenoire, M., Tounissoux, D., Zighed, A. An interactive non arborescent segmentation method 88–45820
Terrenoire, M. *see* Arnaud, G.M. 87–48219
Terret, C., Levrel, J.R., Mahdjoubi, K. Susceptance computation of a meander-line polarizer layer 85–2532
Terret, C., Mahdjoubi, K., Ekomie, J. A shaped-beam dielectric antenna 86–42921
Terret, C. *see* Arora, R.K. 86–43077
Terret, C. *see* Assailly, S. 88–20999
Terret, C. *see* Bhatnagar, P.S. 86–62807, 86–64093, 87–47376, 88–66205
Terret, C. *see* Boguais, M. 86–42916, 88–40751
Terret, C. *see* Dusseux, T. 86–52999, 88–34460
Terret, C. *see* Hurtaud, Y. 88–52224
Terret, C. *see* Jeddari, L. 86–3679
Terret, C. *see* Mahdjoubi, K. 85–51495, 86–14462, 86–42917, 86–54348, 87–26916, 88–34457
Terret, C. *see* Roudot, B. 86–16010, 86–48661, 87–75604, 88–40706
Terrevoli, G. An optimal algorithm for IFF interrogation of radar systems 86–49734
Terrien, M. Far-field amplitude estimation of general electromagnetic radiators from close-field measurements 86–29564
Terrien, M. The close-field probe: a powerful EMI troubleshooting tool 86–31398
Terrien, M. Generation of electromagnetic fields that have a variable impedance for the testing of a magnetic field sensor 87–29103
Terrien, M. The adjacent field measuring probe 87–77350
Terrien, M. EMI troubleshooting techniques utilizing a broadband magnetic field sensor 88–2619
Terrien, M. Mathematical models used for the estimation of radiated electric field amplitudes from close-field measurements 88–14428

Terrien, Y. *see* Alard, J.P. 88−10243
Terrien, Y. *see* Vorobyov, A.A. 88−68244
Terrier, C. *see* Caillon, C. 85−62105, 86−8363, 86−8368, 86−46966
Terrier, C. *see* Fensch, T. 85−23050
Terriez, A. *see* Gresillon, A. 86−64819
Terrill, K.W., Byrne, P.F., Hu, C., Cheung, N.W. Complementary metal-oxide-silicon field-effect transistors fabricated in 4-MeV boron-implanted silicon 85−12271
Terrill, K.W., Byrne, P.F., Zappe, H.P., Cheung, N.W., Hu, C. A new method for preventing CMOS latch-up 85−50742
Terrill, K.W., Hu, C. Substrate resistance calculation for latchup modeling 85−1739
Terrill, K.W., Hu, C., Ko, P.K. An analytical model for the channel electric field in MOSFETs with graded-drain structures 85−12288
Terrill, K.W. *see* Hu, C. 85−40735
Terrill, K.W. *see* Vasudev, P.K. 88−64778
Terrill, K.W. *see* Zappe, H.P. 86−47855
Terrill, W.R., Haley, V.F. Thermoelectric converter for SP-100 space reactor power system 87−42166
Terrio, V.J., Perodi, J. Satellite-TV descrambler 87−8401
Terris, B.D., Jaffe, A.B. Role of particle size in polymer tribocharging 88−34222
Terrisse, J.P., Drouin, G., Levesque, C. Computer-aided design for above-knee prosthesis made in composite 88−48243
Terry, C. Smart 2400-bps modems use error-reduction and -correction schemes for data integrity 86−10871
Terry, C. Development tools and VLSI chips help you design to military standards 86−58506
Terry, C. Availability of cryptographic ICs augurs the increasing use of data encryption 87−39621
Terry, C. Add-in facsimile boards enable users of PCs to transfer CAE graphics in real time 87−40305
Terry, C. An integrated test environment for structural and signal analysis 87−58663
Terry, C. Smart cards yield high memory capacities for mass-storage and data-security uses 88−743
Terry, C. Refinements in CRT design boost resolution of color video monitors 88−10071
Terry, C.I. *see* Ross, J.F. 86−65174
Terry, D.B., Swinehart, D.C. Managing stored voice in the Etherphone system 88−21565
Terry, D.B., Swinehart, D.C. Managing stored voice in the Etherphone system 88−35004
Terry, D.B. *see* Zellweger, P.T. 88−41256
Terry, D.R., Jagger, J.W., Pavlovsky, D., Foster, D., Gallivan, T. Power system for the TEXT diagnostic neutral beam source 88−69519
Terry, F.L. *see* Brown, R.B. 88−42072
Terry, F.L. *see* Schmidt, M.A. 85−40747
Terry, F.L., Jr., Wyatt, P.W., Naiman, M.L., Mathur, B.P., Kirk, C.T., Senturia, S.D. High-field electron capture and emission in nitrided oxides 85−34663
Terry, J. *see* Buckley, F. 87−17153
Terry, J.B. A multi-media network architecture for ISDN and beyond 88−59842
Terry, J.L., Manning, H.L., Marmar, E.S. Absolute sensitivity calibration from 20 Å to 430 Å of a grazing incidence spectrometer with a multi-element spectral detector 87−14813
Terry, J.L. *see* Uo, K. 85−32808
Terry, J.M., Furht, B., Milutinovic, V. Comments, with reply on 'Microprocessor memory management architectures' 88−12387
Terry, J.W. *see* Tracy, J.G. 85−59161
Terry, L. *see* Sutor, J.L. 87−46123
Terry, L.A., Periera, M.V.F., Araripe Neto, T.A., Silva, L.F.C.A., Sales, P.R.H. Coordinating the energy generation of the Brazilian national hydrothermal electrical generating system 86−45232
Terry, L.A. *see* Gorenstin, B.G. 87−78009, 88−68789
Terry, M., Hiller, S., Laver, J., Duncan, G. The AUDLAB interactive speech analysis system 86−48884
Terry, M. *see* Rohwer, R. 88−72794
Terry, M.B. *see* Ireland, J.R. 85−18488
Terry, M.J. *see* Fieret, J. 88−2435
Terry, M.R. Interconnection subassembly for test instrument with selectable testing modules 86−8651
Terry, R.A. *see* Moazed, A.R. 85−2497
Terry, R.E. *see* Brandenburg, J.E. 88−43336
Terry, R.L. *see* Humphries, S., Jr. 88−72500
Terry, S.C. Silicon microstructure sensors 88−29375
Terry, W.E., Jr. Standards−why both? [oceanographic current measurement] 87−9029
Terry, W.M. Solid-state replacement for electromechanical voltage regulators 85−28345
Terryn, H. *see* Hubin, A. 87−16003
Tersalvi, A. *see* Ferraris, G.P. 88−7220, 88−50412
Tershak, A.T. *see* Knoop, D.E. 88−49301
Tersigni, A. *see* Fazzini, N. 86−38637, 88−47759
Tersigni, A. *see* Gonzalez, M. 88−54376
Terskov, V.A. *see* Zeltin'sh, B.F. 87−27673
Tersoff, J. Recent models of Schottky barrier formation 86−1804
Tersoff, J. Schottky barriers and semiconductor band structures 86−14937
Tersoff, J. Unified view of Schottky barrier formation 86−47406
Tersoff, J. Failure of the common anion rule for lattice-matched heterojunctions 87−1260
Tersoff, J. *see* Finstad, T.G. 86−41598
Tersoff, J. *see* Harrison, W.A. 87−1261
Tersoly, A. *see* Nagy, I. 88−61926
Tersztyanszky, T. Minimization of the losses of the long-lasting electric energy limitation 87−57524
Tersztyanszky, T. Improved transient load limitation of the consumers 88−61827
Tersztyanszky, T., Slosar, G., Palfi, L. Application of audio-frequency control for the limitation of the electric load 87−57525
Tersztyanszky, T., Szabo, L., Faludi, A. Application of the dynamic simulation for the investigation of system disintegrations 88−5236
Terterashvili, A.V. *see* Kremnev, R.S. 86−30313
Tertin, H. Sound for video recorders: gentle wind grows into a gale−automatic modulation control is outwitted 86−11293
Tertisco, A., Tertisco, M. CAD for contact line 88−57027
Tertisco, M., Atodiroaiei, M., Stamate, A., Irimescu, D. Real-time management systems of some transport, sorting and depositing processes [textiles] 85−5585
Tertisco, M., Popescu, D. Optimization process with Hammerstein models 85−302
Tertisco, M. *see* Tertisco, A. 88−57027
Tertychnyi, A.I. *see* Volynskii, M.B. 87−24010
Tertyshnik, A.D. *see* Verevkin, Yu.K. 88−72290
Tertyshnik, E.G. *see* Baranov, V.G. 85−20829
Terui, F. *see* Murotsu, Y. 87−77706
Terui, G., Kohno, T., Fukino, Y., Ohbayashi, K. Circuit to use a photon correlator as a fast analog correlator 87−5996
Terui, H., Himeno, A., Yamada, Y., Kobayashi, M. Single-mode guided-wave optical gate matrix switch 88−47130
Terui, H., Kobayashi, M. 8×8 optical waveguide switch using liquid crystal 85−51006
Terui, H., Yamada, Y., Kawachi, M., Kobayashi, M. Hybrid integration of a laser diode and high-silica multimode optical channel waveguide on silicon 85−56355
Terui, H. *see* Himeno, A. 86−9464, 88−33722, 88−33759, 88−33821, 88−67385
Terui, H. *see* Kobayashi, M. 86−9531, 86−49699
Terui, H. *see* Yamada, M. 87−74941
Terui, T. *see* Akiyama, S. 86−2051
Terui, Y. *see* Akiyama, S. 86−41979
Terui, Y. *see* Kusunoki, I. 88−5719
Terui, Y. *see* Ogawa, S. 87−45831, 87−66994
Terui, Y. *see* Yamazaki, K. 87−44847
Terui, Y. *see* Yasui, J. 88−19858
Terukina, A. Study on ultrashort optical pulse generation from semiconductor lasers 88−8219
Terukina, A. *see* Zhang, N. 88−45530
Terukov, E.I., Gusev, V.A. Photoinduced effect in the contact region of a flat lightguide with a film of amorphous hydrated silicon 88−70957
Terukov, E.I. *see* Abdurakhmanov, K.P. 88−62589
Terukov, E.I. *see* Abusev, V.M. 88−33775
Terukov, E.I. *see* Andreev, A.A. 86−7011
Terukov, E.I. *see* Gusev, V.A. 86−38388
Terukov, E.I. *see* Khodzhaev, K.Kh. 86−21358
Terukov, E.I. *see* Konkov, O.I. 88−24774
Terukov, E.I. *see* Svanbaev, E.A. 88−38236
Terukov, J. *see* Pierz, K. 86−27920
Terunuma, N. *see* Chiba, Y. 88−54412
Terunuma, T. *see* Yamamoto, K. 88−4629
Terunuma, Y. *see* Hattori, H. 87−60895
Terunuma, Y. *see* Kanamori, T. 85−12537, 85−29583
Terunuma, Y. *see* Mitachi, S. 85−12533
Terunuma, Y. *see* Sakaguchi, S. 86−63651, 88−473, 88−26781
Terusalimov, M.E., Brzhezitskii, V.A., Protsenko, A.R., Zakharenko, V.V. Equalising the electric field intensity distribution in the working space of insulating constructions with the aid of electrodes 88−72472
Terusalimov, M.E. *see* Brzhezitskii, V.A. 88−56813
Teruya, A.T. Increasing sensitivity of a deflection measurement system 87−39268
Teruya, K. A performance evaluation method of a slotted loop network 87−48631
Teruya, K. *see* Takushi, E. 85−62481
Teruya, S. *see* Ishizuka, H. 88−21770
Teruya, S. *see* Kubo, K. 85−20032
Teruyoshi Mitsuoka *see* Toki, M. 85−35267
Tervo, R., Poussart, D. Sequential/parallel instruction set extensions for image processing 87−69383
Tervola, K., Koivukangas, J., Alasaarela, E., Ylitalo, J. Imaging of the ultrasonic velocity and reflection properties of objects by a C-scan method 86−12209
Tervola, K., Steiger, D., O'Brien, W.D., Jr. Velocity and attenuation coefficient measurement techniques using the interferometric mode of a 100 MHz scanning laser acoustic microscope 86−5895
Tervola, K.M.U., Foster, S.G., O'Brien, W.D., Jr. Attenuation coefficient measurement technique at 100 MHz with the scanning laser acoustic microscope 85−53214
Tervola, K.M.U., O'Brien, W.D., Jr. Spatial frequency domain technique: an approach for analyzing the scanning laser acoustic microscope interferogram images 86−6148
Tervola, K.M.U. *see* Embree, P.M. 85−53223
Tervonen, A., Honkanen, S., Leppihalme, M. Control of ion-exchanged waveguide profiles with Ag thin-film sources 87−74691
Tervonen, A., Honkanen, S., Leppihalme, M. Ion-exchange processes in glass for fabrication of waveguide couplers 88−58202
Tervonen, A. *see* Honkanen, S. 87−35047, 87−68179, 88−13927, 88−33719
Tervonen, A. *see* Tammela, S. 87−74847
Terwilliger, G.E., Brower, A.S., Baheti, R.S., Smith, R.E., Quentin, G.H. Advanced control aspects of the IGCC concept 85−9758
Terwilliger, J., Jr. *see* Tien-Chien Chang 88−7167
Terwilliger, J.P., Jr. *see* Chang, T.-C. 87−45449
Terwilliger, K.M. Polarized proton beams at the AGS 88−54187
Terwilliger, K.M. *see* Ratner, L.G. 86−31891
Terwilliger, P. Homemade defroster shutoff 85−23056
Terwilliger, P. Distance-regular graphs with girth 3 or 4. I 86−19915
Terwilliger, P. A class of distance-regular graphs that are *Q*-polynomial 86−46192
Terwilliger, P. *P* and *Q* polynomial schemes with $q=-1$ 87−23490
Terwilliger, P. Balanced sets and *Q*-polynomial association schemes 88−56133
Terwilliger, P., Deza, M. The classification of finite connected hypermetric spaces 87−72930
Teryaev, B.G. Procedure for investigating noise-resistance of quasi-coherent FM-signal demodulators taking into account operation of synchronisers and inter-symbol distortions in linear channels 87−68935
Teryaev, B.G. The signal-to-noise ratios at the outputs of various types of equipment for synchronising quasicoherent FM-signal demodulators with intercharacter noise in the channel 88−21061
Teryaev, B.G. Representing the signal at the output of a frequency-limited linear channel 88−21199
Teryaev, B.G. Noise immunity of type FM-4 quasicoherent signal demodulators with allowance for the operation of the synchroniser and intersymbol interference in the channels 88−72725
Teryaev, V.E. *see* Ivanov, V.Ya. 87−32057
Teryaev, V.V. *see* Kharitonov, V.V. 86−3251
Teryayev, B.G. A study of the properties of signals with triangular phase variations 87−47459
Terzaghi, G. *see* Mari, C.M. 88−74377
Terzani, C. Frequency bands for use with relative propagation characteristics 86−59993
Terzer, R. *see* Pigler, F. 86−15933, 88−8518
Terzian, P.A. *see* Sun, H.J. 87−59880
Terzian, Y. *see* Colgan, S.W.J. 86−69866
Terziev, A. *see* Petkov, A. 87−40403
Terziev, S.N. *see* Donchev, D.S. 87−39535
Terzoli, M. *see* Gentile, G. 85−23836
Terzopoulos, D. Co-occurrence analysis of speech waveforms 85−46721
Terzopoulos, D. Image analysis using multigrid relaxation methods 86−48971
Terzopoulos, D. Regularization of inverse visual problems involving discontinuities 86−69126
Terzopoulos, D. On matching deformable models to images 87−69370
Terzopoulos, D. Matching deformable models to images: direct and iterative solutions 87−69371
Terzopoulos, D. The computation of visible-surface representations 88−66622
Terzopoulos, D., Witkin, A., Kass, M. Symmetry-seeking models for 3D object reconstruction 87−62335
Terzopoulos, D., Witkin, A., Kass, M. Stereo matching as constrained optimization using scale continuation methods 88−46200
Terzopoulos, D. *see* Kass, M. 88−66638
Terzuoli, A.J. *see* Caldecott, R. 88−67470
Terzuoli, A.J. *see* Fath, J.L. 88−2450, 88−4080
Terzuoli, A.J. *see* Havens, D.A. 85−13433
Terzuoli, A.J. *see* Macias, U.J. 87−34651
Terzuoli, A.J. *see* Strauss, J.L. 88−2451
Terzuoli, A.J. *see* Ulmer, J.M. 87−15957
Terzuoli, A.J., Jr. *see* Collins, B.F., II 88−40746
Terzuoli, A.J., Jr. *see* Gearing, G.M. 86−20681, 86−33611
Terzyan, A.A. Automated system of solving field problems in electrical machines 86−6676
Terzyan, A.A. A computer system for solving electric machine field problems 86−25984
Terzyan, A.A., Ivlev, A.D., Merkulov, I.V., Rymsha, V.V. Selecting the design of a linear DC inductor motor 88−17651
Terzyan, A.A., Rymsha, V.V. Optimum design of linear induction DC motors 88−55378
Terzyan, T.N. *see* Arakelyan, M.K. 86−32767

Tesar, J., Novotny, V. Use of the extinguishing properties of sulphur hexafluoride for HV switching apparatus 86−71002
Tesar, M. The convertor stations of Austrian State Railways 87−79053
Tesarek, K. Review on equipment at the ORF 88−9751
Tesarik, F. *see* Meninger, M. 85−47391
Tesch, K. Shielding against high energy neutrons from electron accelerators—a review 88−54681
Tesch, L. *see* Korn, G. 85−51294
Tesch, R. *see* Jolly, R. 86−8255
Tesch, R. *see* Jolly, R.D. 86−20539
Teschan, P.E. *see* Palusinski, O.A. 86−61943, 87−37683, 88−182
Tesche, B. *see* Melsheimer, J. 86−52513
Tesche, C. *see* Kajola, M. 88−16706
Tesche, C. *see* Knuutila, J. 87−60854, 88−23065
Tesche, C.D. Variable inductance pick-up coil for detection of flux trapped in a loop 85−1868
Tesche, C.D. Measurement scheme for the macroscopic quantum coherence experiment 88−13709
Tesche, C.D., Brown, K.H., Callegari, A.C., Chen, M.M., Greiner, J.H., Jones, H.C., Ketchen, M.B., Kim, K.K., Kleinsasser, A.W., Notarys, H.A., Proto, G., Wang, R.H., Yogi, T. Well coupled DC SQUID with extremely low 1/f noise 85−46070
Tesche, C.D., Brown, K.H.., Callegari, A.C., Chen, M.M., Griener, J.H., Jones, H.C., Ketchen, M.B., Kim, K.K., Kleinsasser, A.W., Notarys, H.A., Proto, G., Wang, R.H., Yogi, T. Practical DC SQUIDS with extremely low 1/f noise 85−56217
Tesche, C.D. *see* Ahonen, A.I. 87−50225
Tesche, C.D. *see* Chi, C.C. 85−6318, 85−29496, 85−31729, 85−46078
Tesche, F.M. Introduction to concepts of electromagnetic topology as applied to EMP interaction with systems 87−12745
Tesche, F.M. EMP interaction with aircraft and missiles: a description of available coupling, penetration, and propagation analysis tools 87−12752
Tesche, F.M. An overview of high altitude EMP effects on power systems 88−8528
Tesche, F.M., Barnes, P.R. Extrapolation of measured power system response data to high-altitude EMP excitation 88−75234
Tesche, F.M., Liu, T.K. Application of multiconductor transmission line network analysis to internal interaction problems 87−7556
Tesche, F.M. *see* Blanchard, J.P. 88−8532
Tesche, F.M. *see* Ianovici, M. 86−3576
Tesche, F.M. *see* Legro, J.R. 86−65592
Tesche , F.M. *see* Blanchard, J.P. 88−72581
Teschendorff, V. *see* Frisch, W. 87−30325
Tescher, A.G., Saghri, J.A. Image quality considerations in transform coding 86−23157
Tescher, A.G., Saghri, J.A. Adaptive transform coding and image quality 87−2588
Tescher, A.G., Saghri, J.A. Advances in transform image coding 87−69290
Tescher, A.G., Saghri, J.A. Advances in transform image coding 87−75887
Tescher, A.G. *see* Saghri, J.A. 85−13617, 85−36439, 86−43163, 86−49004, 87−19899, 87−39948, 88−28062
Teschler, L. Workstations for electronic CAD 85−10934
Teschler, L. Programming logic with PCs 85−11206
Teschler, L. Fresh from the research lab: new advances in sensor technology 85−31465
Teschler, L. Cutting printed circuit costs with PCs 85−33590
Teschler, L. Power supplies gain improvements from IC technology 85−54651
Teschler, L. Muscling out analog technology [digital oscilloscopes] 85−58750
Teschler, L. Power OP amps get a boost from integration 85−61125
Teschler, L. Single-chip computers are now fast and powerful 86−1104
Teschler, L. Fresh look at PCB routing 86−58117
Teschler, L. The picture clears for digital TV 87−13890
Teschler, L. Lessons learned in board-level computing 87−24295
Teschler, L. ASICs shed their exotic label 87−38407
Teschler, L. New lease on life for analog scopes 87−49811
Teschler, L. Factory networks reach adolescence 87−55722
Teschler, L. What's new in consumer electronics 88−6333
Teschler, L. Why digital oscilloscopes are essential tools 88−47622
Teschler, L. *see* Nobbe, T.A. 85−3741
Teschler, L.E. The push into silicon for pressure sensing 85−42971
Teschner, W. *see* Schonfeld, H. 88−59660
Tesfatsion, L. *see* Kalaba, R. 87−73013
Teshabaev, A.T. *see* Akramov, Kh.T. 86−14894, 86−21181
Teshi-Gawara, Y., Shimizu, Y., Doi, K. Technology for wide area network 88−3530
Teshiba, T. *see* Doi, K. 88−43504
Teshigawara, T., Tachibana, H., Terao, K. Simulation of toner depositing process in xerographic image studies [electrophotography] 86−42792
Teshigawara, T., Tachibana, H., Terao, K. Simulation of toner depositing process in Xerographic image studies 88−55753
Teshigawara, Y. Basic reference model for open systems interconnection 85−63327
Teshigawara, Y., Namba, H., Kashiwagi, K., Teramoto, K., Otsukas, A., Nakamura, T. VSAT system. IV. Satellite network control processor 88−60097
Teshigawara, Y. *see* Fujii, A. 87−40816, 88−28800, 88−60095
Teshigawara, Y. *see* Haga, I. 88−60094
Teshigawara, Y. *see* Shimizu, Y. 85−8280
Teshima, K. *see* Aoki, S. 88−75483
Teshima, K. *see* Arai, M. 88−75484
Teshima, K. *see* Hariki, A. 87−27886
Teshima, K. *see* Ito, K. 85−8429
Teshima, K. *see* Kitayama, T. 87−3191
Teshima, K. *see* Segami, K. 88−22101
Teshima, M., Ohoka, H., Matsubara, Y., Hara, T., Hatano, Y., Hayashida, N., He, C.X., Honda, M., Ishikawa, F., Kamata, K., Kifune, T., Mori, M., Nagano, M., Nishijima, K., Ohno, Y., Tanahashi, G. Expanded array for giant air shower observations at Akeno 86−60579
Teshima, M. *see* Miyoshi, K. 88−62545
Teshima, N. *see* Yamasaki, J. 87−18542, 87−25765
Teshima, O. *see* Fukami, T. 87−58986, 88−31830
Teshima, S., Chujo, N., Sano, N., Nagase, H., Takigawa, M. Accelerated fault simulation by propagating disjoint fault-sets 88−70737
Teshima, T., Nagata, S., Urushihara, T. Electronic switching system processor 86−59723
Teshima, T., Uchida, T., Yasui, S., Ariga, K., Aizawa, M. Development and volume-production of guest-host double-layered type large-area color liquid-crystal displays 87−77337
Teshima, T. *see* Kobori, Y. 86−17652
Teshima, Y. *see* Sakaguchi, H. 86−38095
Teshirogi, S., Kawada, H. Gate array LSI automatic test system for FACOM M-series computers 85−28438
Teshirogi, T., Chujo, W. A multiple-access link in an inter-satellite data relay system using an on-board multibeam antenna 86−30724
Teshirogi, T., Chujo, W., Akaishi, A., Hirose, H. Multibeam array antenna for data relay satellite 87−27054
Teshirogi, T., Chujo, W., Komuro, H., Akaishi, A., Hirose, H. Development of 19-multibeam array antenna for data relay satellite 86−68933
Teshirogi, T., Tanaka, M., Chujo, W. Wideband circularly polarized array antenna with sequential rotations and phase shift of elements 86−68919
Teshirogi, T., Tanaka, M., Ohmori, S. Airborne phased array antenna for mobile satellite communications 87−27086
Teshirogi, T., Yamamoto, K. An S-band multibeam-array antenna for intersatellite data-relay systems 87−56063
Teshirogi, T. *see* Chujo, W. 88−2712, 88−72677
Teshke, G. *see* Bridges, K. 85−57695
Tesic, M.M., Chen, V.C., Lauro, K.L. Digital chest image compression through coding by synthesis 85−9134
Tesic, M.M. *see* Barnes, G.T. 85−53032, 86−11959
Tesic, M.M. *see* Sanders, J.N. 85−9137, 86−38767
Tesic, M.M. *see* Sones, R.A. 85−43373
Tesink, K. Network services and internetworking 86−16753
Tesink, K., Mooij, J.M. Telecommunication and addressing requirements 85−13748
Tesis, A.M., Shempelev, A.G., Rastorgueva, N.A., Okunev, L.P., Mironova, N.I. System of deaeration of chemically-desalinated water in the condensers of combined heat-and-power supply turbines 87−64389
Teska, M.A. *see* Snook, M.L. 85−14607
Teske, D.E. *see* Link, P.J. 86−40340
Teske, K. Metal welding by laser beam 86−36629
Teske, K. *see* Oppermann, H. 86−378
Teskey, D.J. *see* Arkani-Hamed, J. 86−25378
Tesla, D.D. A method of channel occupancy monitoring in adaptive HF systems 85−30912
Tesla, D.D. A method of real-time channel evaluation in adaptive HF systems 88−46902
Teslenko, G.I. *see* Malyutenko, V.K. 85−41237, 88−7280, 88−8044
Teslenko, L.V. Pulse generator using a K155LN1 integrated circuit 85−22712
Teslenko, L.V. Stable square-wave generator 86−14053
Teslenko, S.P. *see* Petukhov, A.P. 87−1569
Teslenko, V.A. *see* Nagaets, N.V. 88−67702
Teslenko, V.V. *see* Zelinskii, A.Yu. 88−68185
Tesler, M. Obstacles in the study of the history of telecommunications in the Argentinian Republic 85−63158
Teslya, I.A. *see* Nemirovskiy, A.S. 87−66057
Tesnjak, S., Marusic, A. Simulation model of a hydraulic system in hydroelectric power plant 85−38894
Tesoro, G.C. *see* de Hodgins, O.C. 87−24659
Tessarotto, L.A.B., Acquadro, J.C., Stier, M., Gomes, P.R.S., Sala, O. The development of a source of negative ions by cesium sputtering (SNICS) at the University of Sao Paulo 85−15128
Tessendorf, R.I. Application of arresters and surge protective devices to DC drives 86−71083
Tesseraud, M., Regnier, P. Status report on the PWR 900, 1300 and 1400 MW construction programme 87−50943
Tesseron, J.M., Bornard, P., Cotto, G. Use of digital techniques for protection and control functions in French EHV substations 85−65398
Tesseron, J.M., Corsi, S., Ashmole, P.H. Discussion of voltage control schemes by CEGB, ENEL, and EDF 88−48516
Tesseron, J.M. *see* Paul, J.P. 87−30024, 87−57549
Tessier, J. *see* Hassan, S.Z. 85−40059
Tessier, J. *see* Tucholka, P. 87−57322
Tessier, M. *see* Krishnan, R. 86−15346
Tessier, T.G. *see* Willson, C.G. 86−41645
Tessier, Y., Klemberg-Sapieha, J.E., Poulin-Dandurand, S., Wertheimer, M.R. Silicon nitride from microwave plasma. Fabrication and characterization 87−16692
Tessier, Y., Klemberg-Sapieha, J.E., Poulin-Dandurand, S., Wertheimer, M.R., Gujrathi, S. Silicon nitride from microwave plasma: fabrication and characterization 88−31824
Tessiereau, J.P. *see* Huard, S.J. 88−16176
Tessler, L.R., Alvarez, F. Temperature and light intensity dependence of photoconductivity in off-stoichiometric hydrogenated amorphous silicon nitride 86−63708
Tessler, L.R. *see* Chambouleyron, I.E. 86−2933
Tessmer, R. *see* Bischoff, W. 87−58353
Tessmer, T. *see* Vogel, J. 86−19541
Test, H. Trends in semiconductor packaging, a merchant house view 88−63065
Test, H., Woodson, L., Hutchins, C. Key issues of surface mounted ICs 85−45327
Testa, A. *see* De Martinis, U. 86−70653
Testa, A. *see* Gagliardi, F. 86−12421
Testa, A. *see* Montefusco, A. 88−24505
Testa, J. *see* Srini, V.P. 87−66259
Testa, L. *see* Lorenzelli, F. 88−22053
Testard, O. *see* Coron, N. 85−37975, 88−36402
Testard, O. *see* Sabrie, J.L. 87−38706
Testard, O. *see* Stroke, H.H. 86−50372
Testard, O.A. *see* Rimbert, J.N. 87−3895
Testardi, L.R. *see* Norton, S.J. 85−10847
Testemale, C. *see* Dubois, D. 87−13161
Tester, J. *see* Murphy, H. 86−19142
Testera, G. *see* Beverini, N. 88−68181, 88−68183
Testi, G. *see* Neeser, G. 88−68903
Testi, G. *see* Rinaldi, M. 85−48550
Testini, E. *see* Bezechi, S. 88−60971
Testone, A.Q. Ionization controls static in clean rooms 85−22222
Testone, A.Q. Effects of air ionization 86−63922
Testone, A.Q. Static electricity 87−68704
Testov, V.G. *see* Golub, V.V. 85−18841
Testova, N. *see* Hartmann, H. 87−73075
Testova, N.A. *see* Kokovin, G.A. 86−20035
Testova, N.A. *see* Morgenstern, T. 87−38065
Testova, N.A. *see* Strel'chenko, S.S. 86−20038
Testud, G. *see* Counan, C. 87−15614
Testud, G. *see* Michard, J. 85−26943
Testud, J. *see* Chong, M. 87−71353
Testud, J. *see* Scialom, G. 87−77858
Tesu, I. *see* Pastravanu, O. 88−19926
Teszner, J.L. *see* Destefanis, G.L. 87−3486
Teta, S.R. Using a synchronous high-speed sensor system to diagnose microprocessor boards 85−42869
Tetakawa, S. *see* Sumi, T. 87−59508
Tetchner, G., Jones, D.L. Packaged units produce total energy in creamery [small cogeneration modules] 85−27262
Tete, J.P. *see* Bornard, P. 88−17147
Tetel'baum, B.I. *see* Abramov, A.G. 85−4429
Tetel'baum, D.I. *see* Denisova, N.A. 85−34452
Tetel'baum, D.I. *see* Drazhan, A.V. 85−28953
Tetel'baum, D.I. *see* Vasin, A.S. 85−55660
Tetel'baum, I.S. *see* Kudinov, A.V. 88−21029
Tetel'baum, S.D. *see* Dyablo, V.V. 85−38881
Tetelbaum, V. *see* Ionescu, S. 86−56536, 87−9060, 88−42929
Tetenbaum, D., Avery, S.K., Bowhill, S.A. Simulation studies of tidal analysis using meteor echo returns 87−20600
Tetenbaum, D. *see* Wang, S.T. 88−41743
Tetenbaum, S., Consigny, R. Transmission and reflection properties of *K*-band switches at low and high powers 87−52819
Teter, J. *see* Badziak, J. 85−51126, 86−42486
Teterev, A.V. *see* Slepyan, G.Ya. 86−29524
Teterev, N.V. *see* Golikova, S.N. 86−15676

Teterin, A.R. The noise immunity and potential cost of a data transmission line with a repeater 86—37688
Teterin, V.P. *see* Posse, A.V. 88—18911
Teterin, V.V., Pavlova, V.A. Analysis of two-dimensional information using integral invariants 85—46946
Teterina, E.I. *see* Krasovskii, A.E. 88—59125
Teteris, J.A. *see* Manika, I.P. 88—70398
Teterkin, V.V. *see* Gutsulyak, V.G. 85—40479
Teterkin, V.V. *see* Sizov, F.F. 88—25968
Teterko, A.Ya. *see* Zybov, V.N. 85—52715
Tetervov, A.P. Nonlinear theory of longitudinal oscillations of current plasma in a semiconductor with superlattice 85—23394
Tetervov, A.P. Streaming in a semiconductor with a superlattice 85—29017
Tetervov, A.P. Nonlinear theory of plasma oscillations in a semiconductor with superlattice 86—1778
Tetewsky, A. *see* Allinger, D. 88—3820
Tetewsky, A.K. Accelerate your PC's arithmetic with an array processor 86—14237
Teti, F.A. *see* Allam, E.M. 88—75179
Teti, J.J., Jr. *see* Roeder, R.S. 88—22560
Teti, R. Acoustic emission testing of glass fiber reinforced plastic components 87—73184
Teti, R. *see* Sergi, V. 85—56927
Tetivko, O.Ya. *see* Aleksandrov, V.F. 88—46840
Tetivko, O.Ya. *see* Dolinov, S.N. 86—17725
Tetlow, T.G. Reliability Centered Maintenance—a tutorial 87—5195
Tetnev, G.S. *see* Men'shov, E.N. 86—14088
Tetnev, G.S. *see* Nikolayenko, V.A. 86—30034
Tetream, M.F. *see* Guesnier, M.G. 87—57747
Tetreau, F., Colling, J.-M. The boiler control system [N4 reactor] 87—64264
Tetreau, F. *see* Aschenbrenner, J.F. 88—17313
Tetreault, M., Martzloff, F.D. Characterization of disturbing transient waveforms on computer data communication lines 86—17175
Tetreault, R.D. *see* Walker, D.H. 87—35804
Tetrick, R.S. System-level metastability considerations 88—6784
Tetrick, R.S. *see* Beaston, J. 86—52772
Tetschner, W. PC-based voice processing software tools 88—52382
Tetsu, S. *see* Ishii, T. 85—30862
Tetsuka, T., Okajima, S., Kawahata, K., Fujita, J. Application of a Schottky barrier diode mixer to a 118.8 μm laser interferometer 86—11597
Tetsuo Yamaguchi *see* Naomichi Suzuki 85—28850
Tetsutani, N., Hoshino, Y. New photoreceptor charging method by rubbing with magnetic conductive particles 88—2094
Tetsutani, N., Hoshino, Y. Photoreceptor charging mechanism by conductive particle rubbing and application to a novel electrophotographic printing technology 88—65973
Tetsutani, N., Ochi, H. Bilevel rendition method for documents including gray scale and bilevel image 85—2903
Tetsutani, N., Ochi, H. Bilevel rendition method for documents including gray-scale and bilevel image 86—69116
Tetsutani, N. *see* Ochi, H. 85—30652, 86—10713, 87—39889
Tetta, C.M. Engineers managing engineers 87—43853
Tettemer, G.L. *see* Lou, L.F. 88—64617
Tettlebach, G.J. *see* Tracy, D.E. 85—32769
Tettoni, M. *see* Davoine, J. 88—43234
Tetu, M., Brousseau, R., Cyr, N., Michaud, A., Tremblay, P., Villeneuve, B. Experimental results on a frequency standard based on a rubidium 87 maser 86—38500
Tetu, M. *see* Cerez, P. 85—58815
Tetu, M. *see* Tremblay, P. 85—54717, 85—58810, 86—20358, 86—34611
Tetu, M. *see* Villeneuve, B. 85—17809, 85—23116, 87—76758, 88—58526
Tetu, P. *see* Haseroth, H. 87—41680
Tetu, P. *see* Wolf, B.H. 87—70941
Tetzlaff, K.-D. High performance microprocessor chip-set comprising sequencer, integer and floating point processors 88—63696
Tetzlaff, W. *see* Braunlich, P.F. 87—57254
Tetzner, K. Btx and videotext: not only propaganda 85—13841
Tetzner, K. New colour tube screens: square-cornered, flat- and expensive 85—28913
Tetzner, K. Videotex on worldwide scale 85—36678
Tetzner, K. Philips Video Works III in Vienna: shortening the working cycle, improving the quality 85—54119
Tetzner, K. Direct reception from satellites: the snags are in the details 85—58311
Tetzner, K. Spare parts procurement by Btx: faster and more rational 86—30325
Tetzner, K. Direct satellite reception in the USA 86—30699
Tetzner, K. Multichannel tone from the television receiver. The technique is OK, but too few transmissions 87—13870
Tetzner, K. Reflections on telecommunications 87—20050
Tetzner, K. Entertainment electronics in Japan: firmly in saddle at home 87—63160
Tetzner, K. Experts on the theme: antenna industry before the start of the TV-Sat 87—70175
Tetzner, K. The ways towards better television pictures. When will the new standards come? 87—70196
Tetzner, K. The huge French success: Teletel-Minitel [viewdata] 87—76280
Tetzner, K., Radke, G.L. Satellite television: D2-Mac and the consequences. Europe at the threshold of a new TV era 86—11209
Teubel, G. Arc welding robots and their practical applications 85—22020
Teubner, H. *see* Harth, R. 86—19090
Teucher, F., Kartschall, K. Studies of ice loading on overhead electric power cables in West Germany and practical applications 88—68971
Teuchert, V.E., Haas, K.A., Scherer, W., Singh, J. Computer simulation of the initiation of the Chernobyl accident 87—35743
Teufelberger, A. *see* Krafft, N. 85—15804
Teufelberger, V. Calculated wave windings 85—32426
Teufelberger, V. The minimisation of disadvantageous influences of damper windings [salient pole machines] 87—9488
Teule, F., Slippens, C., Gourlay, J. IRAS revisited to demonstrate in-flight reconfiguration 86—56224
Teule, F. *see* Karsten, L. 85—31886
Teuling, D.J.A., Valkestin, L. I^2C bus-controlled sync and deflection processor 85—37262
Teumin, I.I. *see* Gordon, G.I. 85—18712
Teunas, J. *see* Chu, A. 87—59886
Teunas, J.A. *see* Perkins, T.O., III. 86—11195
Teunissen, B. *see* Kuijt, G. 88—58155
Teunissen, B.A.M. *see* Kuyt, G. 88—65204
Teunissen, P. *see* Krzesinski, A. 86—7602
Teunissen, P.J.G. *see* Salzmann, M.A. 88—10593
Teupe, E. *see* Hubricht, G. 85—31701
Teupser, C., Unterreitmeier, E., Kracke, D., Schmidt, M., Schuhmann, M., Wenk, R. The triaxial seismograph systems TSJ-1 and TSJ-2 and their seismological application 86—65502
Teusch, M. The application of binary quantizing digital matched filters for spread-spectrum signals as SNR-estimators 86—29959
Teush, L.V. *see* Romanov, V.L. 87—35039
Teushchekov, V.D. *see* Isakova, A.I. 88—48320
Teutsch, C. *see* Mak, S. 86—21869
Tevan, G. Calculation of the electromagnetic field of overhead transmission line with earth return grounded at its end 87—73831
Tevan, G., Petri, K. Calculation of the voltage on earth impedance caused by lightning impulse current 88—69045
Tevan, G. *see* Deri, A. 86—36767
Tevan, G. *see* Szabo, L. 86—57527
Tevanian, A. *see* Accetta, M. 87—2941
Tevanian, G. *see* Carillon, A. 88—2175
Teves, D. *see* Ashkenazy, J. 85—41702
Teves, H. *see* Ye, R.H. 86—5434
Tevryukov, A.A. *see* Leyman, V.G. 88—8423
Tevs, N.R. *see* Ashkinadze, B.M. 85—28942, 85—61667
Tevzadze, T.N. *see* Rebarbar, Ya.M. 87—35250
Tew, A.I. The Oxford Optical Pointer: a direction-sensing device with proportional electrical output 88—23124
Tew, A.J. Design of reliable integrated circuits for optical submarine systems 85—35156
Tew, A.J. Integrated circuits for submarine communication systems, their design and development 86—69748
Tew, A.J. Integrated circuit for submarine communication systems, their design and development 87—62981
Tew, A.J. *see* Petterson, O. 86—69749
Tew, K.R. *see* Salmon, R.G. 85—64951
Tew, M. *see* Payne, E. 85—44449
Tew, M.D., El-Khoury, G. Mixed expansion functions for moment method analysis of wire structures attached to long wires 86—42822
Tewari, C.R. *see* Prakash, V. 85—24062
Tewari, D. Power-flow program solves network system problems 85—59673
Tewari, M. *see* Kar, S. 87—37989, 88—7395
Tewari, P. Electrical power generation from absolute vacuum 88—74937
Tewari, R., Kumar, A., Thyagarajan, K. An accurate analysis of directional couplers typical of electron beam writing techniques 86—48131
Tewari, R., Pal, B.P. Mode excitation by lenses in single-mode optical fibers having graded index profiles 85—41113
Tewari, R., Petermann, K. Mode field characteristics of dispersion shifted segmented core fibres 88—45153
Tewari, R., Thyagarajan, K. Analysis of tunable single-mode fiber directional couplers using simple and accurate relations 86—48099
Tewari, R., Thyagarajan, K., Ghatak, A.K. Novel method for characterisation of single-mode fibres and prediction of crossover wavelength and bandpass in nonidentical fibre directional couplers 86—63613
Tewari, R. *see* Pal, B.P. 87—74694
Tewari, R. *see* Sarkar, S. 85—35487
Tewari, R. *see* Sharma, E.K. 85—1991
Tewari, R. *see* Thyagarajan, K. 85—41141
Tewari, R.K., Kumar, K., Bahuguna, V.C. Experimental studies on the rain attenuation characteristics of centimetre waves 87—47176
Tewari, R.K., Swarup, S., Roy, M.N. An empirical result for the height gain in forest medium [antenna heights] 85—19230
Tewari, R.K., Swarup, S., Roy, M.N. Estimation of electrical constants of forest slab by inverse method 86—68757
Tewari, R.K., Swarup, S., Roy, M.N. Evaluation of relative permittivity and conductivity of forest slab from experimentally measured data on lateral wave attenuation constant 87—12710
Tewari, R.K., Swarup, S., Roy, M.N. Radiowave propagation through rain forests of India 87—26784
Tewari, R.K. *see* Kumar, U. 86—54295
Tewari, R.K. *see* Kumar, V. 85—13112
Tewari, R.K. *see* Roy, M.N. 88—2584
Tewari, S.S., Sahay, B., Prasad, T. Model reduction technique applied to a nuclear reactor turbine system 88—5433
Tewarson, A. Fire hazard analysis of dielectric materials—a new approach 87—23288
Tewarson, R.P. *see* Dao-qi Chen 85—22382
Tewarson, R.P. *see* Koshy, M. 85—44644
Tewary, V.K. *see* Jain, S.C. 86—53594
Tewary, V.K. *see* Nadan, M.K. 85—55526
Tewell, J.R., Ewing, E.S., Florence, D.E. Re-entry module for a Shuttle-derived vehicle launch system 86—56225
Tewell, K.H. *see* Lawson, C.T. 85—1844
Tewfick, H. *see* Halim, M.A. 85—7705
Tewfik, A.H., Levy, B.C., Willsky, A.S. Kalman estimation for a class of rational isotropic random fields 86—54515
Tewfik, A.H., Levy, B.C., Willsky, A.S. A new parallel smoothing algorithm 87—55195
Tewfik, A.H., Levy, B.C., Willsky, A.S. An eigenstructure approach for the retrieval of cylindrical harmonics 87—75832
Tewfik, A.H., Levy, B.C., Willsky, A.S. An efficient maximum entropy technique for 2-D isotropic random fields 88—52431
Tewfik, A.H., Levy, B.C., Willsky, A.S. An efficient maximum entropy technique for 2-D isotropic random fields 88—72974
Tewksbury, S.K. Attojoule MOSFET logic devices using low voltage swings and low temperature 85—45003
Tewksbury, S.K., Biazzo, M.R., Lindstrom, T.L. Strong carrier freezeout above 77K in tellurium-doped buried-channel MOS transistors 85—23783
Tewksbury, S.K., Hatamian, M., Franzon, P., Hornak, L.A., Siller, C.A., Jr., Lawrence, V.B. FIR digital filters for high sample rate applications 87—66375
Tewksbury, S.K., Hornak, L.A. Communication network issues and high-density interconnects in large-scale distributed computing systems 88—52856
Tewksbury, S.K., Lindstrom, T.L., Hornak, L.A., Biazzo, M.R., Bosworth, R.H. Chip alignment templates for multichip module assembly 87—53081
Tewksbury, S.K. *see* Hatamian, M. 88—26370
Tewksbury, S.K. *see* Hornak, L.A. 87—61052, 88—2144, 88—66126
Texier, A. Teletel: its uses 86—30339
Texier, A. Telematic services to the general public in France 86—49220
Texier, A.G. TELETEL, the beginning of the commercial service 85—19759
Texier, A.G. Teletel after two years of commercial service 85—25423
Texier, C., Kouadri, B. Model of the formation of a dry band on an NaCl-polluted insulation 86—61164
Texier, P.-Y. Evolution and future prospects of common transportation regarding new communication techniques 88—15354
Texier-Hervo, C. *see* Sharko, R. 86—45719
Teyssedou, A., Tapucu, A., Lortie, M. Impedance probe to measure local void fraction profiles 88—53665
Teyssedou, A. *see* Morris, D. 88—16116
Teyssier, E.M. Two-port to three-port S-parameter conversion 88—6616
Teyssier, J.L., Decossas, J.L., Vareille, J.C. Radial dimensions of ion latent tracks in polymers 87—29559
Teyssier, J.L. *see* Decossas, J.L. 87—21689
Teyssier, J.L. *see* Makovicka, L. 86—56053
Teyssier, J.L. *see* Vareille, J.C. 87—21694
Teyssier, L., Gerber, R. A wideband, high-power O-type carcinotron operating near 94 GHz 88—39008
Teyssier, L. *see* Garin, P. 88—25796, 88—38997
Teyssier, L. *see* Goy, P. 85—14969
Teyssier, L. *see* Guidee, Ph. 87—17336
Teyssler, J. Possibilities of increasing efficiency in the power engineering field 88—55162
Tez, E.S. An overview of microprocessor applications in power electronics and electrical drives 85—6169
Tez, E.S. A fast and efficient method of power control in high-frequency inverters 85—54677
Tez, E.S. Tap-changing control of series inverters 85—65353

Tez, E.S. Microprocessor-based controller for tap-changing transformers 85–65358
Tez, E.S. MOTOCONIC: new AC motor control IC provides complete solution with high performance 87–15685
Tez, E.S. A new AC motor control IC employing a new digital PWM technique 87–58029
Tez, E.S. MOTOCONIC chip-set: complete control system for digital PWM inverter drives 88–55667
Tez, E.S. MOTOCONIC chip set: high performance intelligent controller for industrial variable speed AC drives 88–69771
Tez, E.S., Akhrib, D. A microprocessor-based implementation of regular sampled PWM switching strategy 86–66384
Tez, E.S., Said, W.M. A microcomputer-controlled reversible and regenerative DC drive system 86–7201
Teza, J., Jack, K., Stanley, C. Octal DAC chip's interface meets processor bus directly 87–798
Tezcan, I., Feher, K. Performance evaluation of differential MSK (DMSK) systems in an ACI and AWGN environment 86–68963
Tezikov, P.F. *see* Guseva, G.I. 85–51370
Tezikov, P.F. *see* Zav'yalov, M.A. 85–11837
Tezlevan, V.E. *see* Radautsan, S.I. 85–45412
Tezuka, A., Onuma, T. GaAs logic IC enables development of ultrahigh-speed optical communication systems 86–69773
Tezuka, A. *see* Hasegawa, K. 87–32726, 88–41654
Tezuka, A. *see* Inoue, K. 88–13435
Tezuka, A. *see* Nagano, K. 86–57746
Tezuka, A. *see* Nishii, K. 88–56273
Tezuka, A. *see* Utsumi, K. 87–49025, 88–28860, 88–47154
Tezuka, I. *see* Nishida, T. 86–15091
Tezuka, K. The Memory Hi Corder performs faster and more simply in field use 87–21130
Tezuka, K. *see* Kakuhara, Y. 87–324
Tezuka, K. *see* Komatsu, K. 88–39897
Tezuka, K. *see* Miyazaki, M. 86–40185
Tezuka, M., Murakami, M., Fujimoto, K., Misawa, Y., Tsukagoshi, Y. Videotex systems 87–40319
Tezuka, M. *see* Murakami, M. 86–37396
Tezuka, M. *see* Yamazaki, H. 88–3556
Tezuka, S. On optimal GFSR pseudorandom number generators 88–49697
Tezuka, S. *see* Fujita, T. 85–4879
Tezuka, T. *see* Matsuda, K. 86–40310
Tezuka, T. *see* Nishikawa, Y. 88–23411
Tezuka, Y. *see* Akiyoshi, I. 85–42015
Tezuka, Y. *see* Du, R. 87–33840, 87–40023, 88–34863, 88–46343
Tezuka, Y. *see* Fujii, S. 88–59381
Tezuka, Y. *see* Hayashida, Y. 87–19992, 88–21387, 88–52627, 88–52645
Tezuka, Y. *see* Inoue, T. 85–42062
Tezuka, Y. *see* Kitajima, T. 88–38385
Tezuka, Y. *see* Rongping Du 86–16623
Tezuka, Y. *see* Sato, K. 86–54905
Tezuka, Y. *see* Suzuki, H. 85–46981, 86–69216
Tezuka, Y. *see* Yamamoto, M. 87–33847, 88–21389, 88–46331
Tezuka, Y. *see* Zhang, D. 86–4315
Thabit, S.S., Stark, J. Wind variability effects on the reliability and economics of electricity generated for industrial applications 85–5027
Thabit, S.S., Stark, J. Private wind powered electricity generators for industry in the UK 85–27363
Thabit, S.S., Stark, J. Decentralized energy supply: suitability for the UK's industrial sectors 85–60603
Thabti, A. *see* Barriere, A.S. 88–50737
Thach Phan Thien *see* Phan Thien Thach
Thacher, E.F. Heat loss and thermoelectric generator design 86–26320
Thackara, J. *see* Lipscomb, G.F. 88–7838
Thackara, J. *see* Lytel, R. 88–51567
Thackara, J.I., Lipscomb, G.F., Stiller, M.A., Ticknor, A.J., Lytel, R. Poled electro-optic waveguide formation in thin-film organic media 88–39989
Thackara, J.I. *see* Armitage, D. 87–12268, 87–60982, 87–68218, 88–7995, 88–51586, 88–58251
Thacker, B., Rinaldi, R., Reader, C. Multiwindow displays of text, graphics and images 87–70461
Thacker, B., Sharma, R.P. Local area networks in the factories of the future—current state of affairs 86–64746
Thacker, B.R. *see* Nozik, A.J. 85–50342, 87–26155
Thacker, J.A. *see* Tzannes, N.S. 87–19408
Thacker, J.R. *see* Hung, J.C. 87–70821
Thacker, K.H. A case study on home banking: what's in it for the banks? 85–25459
Thacker, K.H. Waiting for the main event [videotex home banking] 85–36674
Thacker, N. *see* Apsimon, R.J. 86–50392
Thacker, N.A. *see* Apsimon, R.J. 87–41836
Thackeray, M.M., De Picciotto, L.A., De Kock, A., Johnson, P.J., Nicholas, V.A., Adendorff, K.T. Spinel electrodes for lithium batteries—a review 87–78859
Thackray, M. The promise of the luminescent solar concentrator 87–46668
Thackray, P.C. *see* Meiksin, Z.H. 85–60649
Thadani, N.J., Findlay, J.A., Katz, M.N., Mackay, B.D., Frances, D.M., Chan, C.T. An integrated, hierarchical forecasting, scheduling, monitoring and dispatching system for a large hydro-thermal power system 87–71591
Thai, P., Chang, S.C., Yang, M.C. A 35 ns 128K fusible bipolar PROM 87–17070
Thai, V.T. *see* Kurianski, J.M. 86–17616
Thai, V.T. *see* Vu, T.B. 85–13403
Thai Chan Min *see* Chan Min Thai
Thai Pham Phung *see* Pham Phung Thai
Thaim Fook Cheong *see* Cheong Thaim Fook
Thaine, F. On Fermat's last theorem and the arithmetic of $\mathbf{Z}[\zeta_p+\zeta_p^{-1}]$ 88–70228
Thajchayapong, P., Buabthong, N. Transitional multiple-real-pole/multiple-critical-pole transfer functions for lowpass *RC*-active filter design 88–50245
Thajchayapong, P., Buabthong, N., Vannakrajrojn, S. An alternative design for a multiple-real-pole/multiple-critical-pole all-pole equiripple *RC* active low-pass filter 87–857
Thajchayapong, P., Kimpan, C., Rungsunseri, Y. Multiple critical pole maximally flat RC active filter with sharp cutoff 87–10967
Thajchayapong, P., Punkasirikul, C. A maximally flat design of *RC*-active low-pass filters with sharp cutoff by cascading third-order blocks 86–62690
Thajchayapong, P., Rungsunseri, Y. Design of MURROMAF filters with preassigned pairs of transmission zeros at finite prescribed frequencies 86–20697
Thakar, A., Sucar, H., Gelsinger, P. Intel's test quality system 88–20068
Thakar, H.C. Select insulators to prevent flashover from contamination 87–78170
Thaker, D.M. *see* Burton, N.J. 88–1245
Thaker, G.H., Cain, J.B. Interactions between routing and flow control algorithms 86–43359
Thakkar, B.S. *see* White, D.H. 87–36502
Thakoor, A. *see* Daud, T. 88–50540
Thakoor, A.P., Lamb, J.L., Moopenn, A., Khanna, S.K. Binary synaptic connections based on memory switching in a-Si:H for artificial neural networks 88–44732
Thakoor, A.P., Lamb, J.L., Moopenn, A., Lambe, J. Binary synaptic connections based on memory switching in a-Si:H 87–25366
Thakoor, A.P., Moopenn, A., Lambe, J., Khanna, S.K. Electronic hardware implementations of neural networks 88–19121
Thakoor, A.P. *see* Lamb, J.L. 88–7518
Thakoor, A.P. *see* Moopenn, A. 88–32260
Thakoor, A.P. *see* Thakoor, S. 86–62255, 87–67899
Thakoor, A.P. *see* Williams, R.M. 87–9875
Thakoor, S., Leduc, H.G., Stern, J.A., Thakoor, A.P., Khanna, S.K. Insulator interface effects in sputter-deposited NbN/MgO/NbN (superconductor-insulator-superconductor) tunnel junctions 87–67899
Thakoor, S., LeDuc, H.G., Thakoor, A.P., Lambe, J., Khanna, S.K. Room temperature deposition of superconducting NbN for superconductor-insulator-superconductor junctions 86–62255
Thakoor, S., Strayer, D.M., Dick, G.J., Mercereau, J.E. A lead-on-sapphire superconducting cavity of superior quality 86–27552
Thakoor, S. *see* Khanna, S.K. 88–13769
Thakoor, S. *see* LeDuc, H.G. 87–67866
Thakor, N. *see* Weinrib, J. 85–43408, 85–53063
Thakor, N.V. From Holter monitors to automatic defibrillators: developments in ambulatory arrhythmia monitoring 85–31845
Thakor, N.V. Improved SNR in evoked response by adaptive filtering 86–50598
Thakor, N.V., Moreau, D. Design and analysis of quantised coefficient digital filters: application to biomedical signal processing with microprocessors 87–35423
Thakor, N.V., Webster, J.G. Electrode studies for the long-term ambulatory ECG 85–31852
Thakor, N.V., Webster, J.G., Tompkins, W.J. Estimation of QRS complex power spectra for design of a QRS filter 85–15319
Thakor, N.V. *see* Bankman, I.N. 87–57165
Thakor, N.V. *see* Becker, J.C. 86–56193
Thakor, N.V. *see* Chen, S. 87–3945, 87–57150, 88–4970
Thakor, N.V. *see* Didier, M. 85–43413
Thakor, N.V. *see* Ho Soo Lee 88–10354
Thakor, N.V. *see* Kothiyal, K.P. 88–74876
Thakor, N.V. *see* Lee, H.S. 85–42914
Thakor, N.V. *see* Quin-lan Cheng 87–50363, 88–10355
Thakor, N.V. *see* Shoupu, C. 86–50560
Thakor, N.V. *see* Vaz, C.A. 87–3998
Thakor, N.V. *see* Zhu, Y.-S. 88–4972, 88–54576
Thakor, N.V. *see* Zhu Yi-Sheng 87–50371
Thakur, A.K.S. Thermal gain of multilayer stacks 85–27670
Thakur, B.N. *see* Maitra, S.N. 88–55025
Thakur, D.K., Jasuga, K.L., Sood, S.C., Khanna, V.K., Swami, N.K., Khokle, W.S. Design and development of monolithic power Darlington transistor 87–38222
Thakur, D.K., Jasuja, K.L., Khanna, V.K., Sood, S.C., Swami, N.K., Khokle, W.S., Satyamurthy, H.B., Salkalachen, S., Sriniwas, K.S. Design consideration and development of fast switching thyristor 87–38237
Thakur, D.K., Khanna, V.K., Kumar, A., Swami, N.K., Mahajan, S.K., Sood, S.C., Jasuja, K.L., Khokle, W.S. Characterization and transient analysis of monolithic power Darlington transistor for AC drives using CAD as a tool 88–31075
Thakur, L.S. Successive approximation in separable programming: an improved procedure for convex separable programs 86–52366
Thakur, M.K. *see* Seymour, R.J. 87–12581
Thakur, N.K. *see* Rao, K.N.N. 85–39657
Thakur, R.K. *see* Banerjee, S.N. 86–8132
Thakur, R.S., Manwani, M.A. Design features of guide apparatus for Francis turbines 87–72036
Thakur, S.N. *see* Lal, C. 86–48323
Thakur, S.N. *see* Rai, V.N. 88–20716
Thal, H.L., Jr. Asymptotic expansion for spherical mode phase with application to near-field measurements 86–54340
Thal, H.L., Jr., Manges, J.B. Theory and practice for a spherical-scan near-field antenna range 88–72662
Thalacker, B.A. *see* Kilmer, F.G. 86–18452
Thalen-van der Mheen, H.J. *see* 't Hooft, G.W. 85–45444
Thaler, B.J. *see* Hang, K.W. 88–64130
Thaler, E. Torques of the salient-pole synchronous machine at asynchronous operation 87–42909
Thaler, H. *see* Balshem, H. 88–1016
Thaler, H.-J. *see* Otremba, K. 88–28684
Thaler, H.J. *see* Otremba, K. 88–46886
Thaler, J. *see* Bernstein, D. 85–15253
Thaler, J. *see* Roehrig, J. 85–15175
Thaler, J.J. *see* Becker, J.J. 85–48186
Thaler, M. Parallel digital signal processing 85–7872
Thalhamer, H. *see* Beyrich, H. 86–23727
Thall, R. Several new AXE services to be introduced during 1987 87–28305
Thaller, F.X. Adaptable multiple access in satellite networks with varying traffic intensity 85–25198
Thaller, L.H. A flooded-starved design for nickel-cadmium cells 87–22699
Thaller, L.H. Principles for system level electrochemistry 87–58273
Thaller, L.H., Manzo, M.A., Gonzalez-Sanabria, O.D. Design principles for nickel-hydrogen cells and batteries 86–33615
Thallmayer, G. *see* Baldauf, F. 86–12258
Thalmann, R. The development of high specific speed pump-turbines: the pump-turbines for the R.B. Russell Dam (USA) 87–72039
Thalmann, R., Dandliker, R. High resolution video-processing for holographic interferometry applied to contouring and measuring deformations 85–51312
Thalmann, R., Dandliker, R. Holographic contouring using electronic phase measurement 86–24770
Thalmann, R., Dandliker, R. Automated evaluation of 3-D displacement and strain by quasi-heterodyne holographic interferometry 87–19086
Thalmann, R., Dandliker, R. Strain measurement by heterodyne holographic interferometry 87–54428
Thalmann, R., Dandliker, R. Dimensional profiling by electronic phase measurement 88–22787
Thalmann, R. *see* Dandliker, R. 86–3359, 88–2418, 88–8327
Thalmeier, K. *see* Seger, H. 85–53253
Tham, K., Willioner, R., Wimp, D. Functional design verification by multi-level simulation 85–753
Tham, Y.K. A burst assignment algorithm for satellite-switched/frequency-hopping TDMA systems with uplink/downlink capability constraints 86–59394
Tham, Y.K., Hume, J.N.P. An analysis of high and low priority data traffic using busy periods and slack periods 85–41826
Thamarus, M.F. *see* Sufczinski, F.W. 86–61103
Thamelt, G. *see* Buchholz, B. 86–19331
Thamhain, H.J. Phases approaches to engineering project management 86–7470
Thamhain, H.J. Skill requirements for engineering managers 87–43884
Thamhain, H.J. Effective technical project reviews: challenges in communication 88–31443
Thamhain, H.J., Wilemon, D.L. Building high performing engineering project teams 88–137
Thamm, G. *see* Alefeld, B. 86–5737
Thamm, G. *see* Buttgereit, H. 86–5774
Thamm, G. *see* Stechemesser, H. 86–5764, 86–56006, 86–56008
Thamm, W., Staude, E. Reverse osmosis of wash waters from simultaneous SO_2/NO_x wet removal technique of flue gas 87–78418
Thampapillai, D.J. Trade-offs for conflicting social objectives in the extraction of finite energy resources 85–60586
Thampapillai, D.J. The value of natural environments in the extraction of finite energy resources: a method of valuation 88–69963

Thampapillai, D.J., Hanf, C.H. Transport energy from agriculture in the European Community: some conceptual considerations for economic analysis 88–36914
Thampi, N.S., Nair, K.G.M., Panchapakesan, S., Dhandapani, R., Baskaran, V., Magudapathy, P. Accelerator development for the particle irradiation facility at IGCAR, Kalpakkam 88–74655
Than Chan Minh *see* Chan Minh Than
Than Nguyen Hong *see* Nguyen Hong Than
Thanailaikis, A. *see* Tsalides, P. 87–67388
Thanailakis, A., Antonopoulos, J.G., Girginoudi, D., Abarian, P., Vachtsevanos, G., Kalaitzakis, K., Gribas, E. Technology of thin-layer-silicon solar cells and applications to power systems 86–26314
Thanailakis, A. *see* Card, H.C. 87–25408
Thanailakis, A. *see* Shufflebotham, P.K. 87–1210, 88–1393
Thanailakis, A. *see* Tsalides, P. 85–39212
Thanailakis, A. *see* Tsalides, Ph. 87–30445
Thanaseelan, S. Quality of coal and its effect on cost of generation 87–71550
Thanassoulas, K. *see* Dimitriadis, K. 88–8724
Thanawala, H.L. Static compensators = fast VAr control 85–38488
Thanawala, H.L. Static VAr compensators for transmission systems 86–39091
Thanawala, H.L. *see* Crawshaw, A.M. 86–12324
Thanawala, H.L. *see* Dabbs, M.J. 86–12390
Thanawala, H.L. *see* Ekstrom, A. 85–39089
Thanawala, H.L. *see* Pedersen, J. 88–68124
Thanawastien, S., Nelson, V.P. Diagnosis of multiple faults in shuffle/exchange networks 85–36489
Thanawastien, S. *see* Blass, D. 86–54986
Thanawastien, S. *see* Lo, J.-C. 88–70741
Thanawastien, S. *see* Sy, R. 87–55439
Thanawastien, S. *see* Waramahaputi, J. 88–52925, 88–52974
Thanawastien, S. *see* Wong, K.C. 87–55559
Thandasseri, M. Expert systems application for TXE4A exchanges 87–2996
Thang, L.Q. *see* Hung, N.D. 87–7405
Thang Giang Vu *see* Giang Vu Thang
Thang Le, K. *see* Saluja, K.K. 85–28522
Thang Nguyen Quang *see* Nguyen Quang Thang
Thang Pham *see* Kai Chang 86–8438, 86–27587
Thang Wei-Ying *see* Wei-Ying Thang
Thangaraj, D. *see* Kumar, V.A. 87–75306
Thangaraj, R. *see* Agnihotri, O.P. 88–37616
Thangaraj, R. *see* Raja Ram, P. 85–60438, 87–4878
Thangaraj, R. *see* Saxena, A.K. 85–11975, 86–21170, 87–298
Thanh, L.C. Negative corona in a multiple interacting point-to-plane gap in air 85–40978
Thanh, L.Do *see* Do Thanh, L.
Thanh, N.H. *see* Tam, N.T. 85–18883
Thanh, P.Le *see* Le Thanh, P.
Thanh, T.D. *see* Abdushukurov, D.A. 85–59187
Thanh, T.D. *see* Anisimov, Yu.S. 87–29693
Thanh, T.D. *see* Iwase, N. 86–517, 86–14736
Thanh Liem Nguyen *see* Hefner, C. 86–27412
Thanh Nghi Nguyen *see* Nguyen Thanh Nghi
Thanh Tam Tran *see* Tran Thanh Tam
Thanh Truong *see* Shey-Ping Sheu, L. 85–58577
Thanh-Nam Le Flicker reduction performance of static VAR compensators with arc furnaces 88–37757
Thanhauser, G. *see* Steiner, E. 85–58155
Thanisch, E. *see* Ottmar, H. 85–60554
Thanisch, P., McNally, B.V., Robin, A. Linear time algorithm for finding a picture's connected components 85–51698
Thaniyavarn, S. Wavelength independent, optical damage immune Z-propagation LiNbO$_3$ waveguide polarization converter 86–9458
Thaniyavarn, S. Wavelength-independent, optical-damage-immune LiNbO$_2$ TE-TM mode converter 86–28891
Thaniyavarn, S. Modified 1×2 directional coupler waveguide modulator 87–1947
Thaniyavarn, S. Cross-talk characteristics of $\Delta\beta$ phase reversal directional coupler switches 87–12238
Thaniyavarn, S. A modified 1×2 directional coupler modulator with low drive voltage 87–46543
Thaniyavarn, S. Self-biased 1×2 modified directional coupler modulator 88–26875
Thaniyavarn, S. Modulation diagrams of coupled-waveguide interferometers and directional couplers 88–51528
Thaniyavarn, S., Dougherty, W. Generation of a single-lobe radiation pattern from a phased-array laser using a near-contact variable phase-shift zone plate 87–26490
Thaniyavarn, S., Findakly, T., Booher, D., Moen, J. Domain inversion effects in Ti-LiNbO$_3$ integrated optical devices 85–50981
Thaniyavarn, S., Findakly, T., Booher, D., Moen, J. Domain inversion effects in Ti-LiNbO$_3$ integrated optical devices 87–33005
Thanoon, W.A. *see* Vishvakarma, B.R. 88–2808
Thanos, I. *see* Kokkinowrachos, K. 88–48816
Thanvi, K.P. *see* Pande, P.C. 88–69712
Thapar, B., Goyal, S.L. Scale model studies of grounding grids in nonuniform soils 88–23574
Thapar, B., Madan, S.K. Current for design of grounding systems 85–9548
Thapar, B., Palm, G.A. Grounding of wood-pole transmission lines 88–23536
Thapar, B. *see* Garga, K.K. 85–32099
Thapar, B. *see* Seedher, H.R. 88–23550
Thapar, H.K. Real-time application of trellis coding to high-speed voiceband data transmission 85–13715
Thapar, H.K., Leon, B.J. Transform-domain and time-domain characterization of nonlinear systems with Volterra series 85–6130
Thapar, H.K., Patel, A.M. A class of partial response systems for increasing storage density in magnetic recording 88–52437
Thapar, H.K., Wei, L.F. On the real-time performance of trellis coding for high-speed voice band modems 85–13493
Thapar, N. IEE backs a UK standard for encryption 85–7806
Thapar, O.D. *see* Bhatele, R.P. 86–18702, 88–5315
Thaper, C.L. *see* Dasannacharya, B.A. 86–5864
Thapliyal, A.K. *see* Rampal, V.V. 87–46293
Thara, T. *see* Uratsuka, S. 86–63998
Tharaldsen, S.M. *see* Reynolds, C.L. 87–18955
Tharaldsen, S.M. *see* Temkin, H. 85–29807
Tharby, R. Protection of telecommunications lines and equipment against overvoltages and overcurrents 86–4457
Thareja, A.K., Buzen, J.P., Agrawal, S.C. BEST/1-SNA: a software tool for modelling and analysis of IBM SNA networks 86–30238
Thareja, A.K., Tripathi, S.K. Buffer sharing in dynamic load environment 85–7978
Thareja, A.K. *see* Agrawal, S. 85–13671
Thareja, R.K., Khare, A. Pulsed metal-vapor recombination laser 87–26313
Thareja, R.K. *see* Khare, A. 87–54254, 88–27037 to 27038, 88–40291
Tharek, A.R., Kanso, A., McGeehan, J.P. Initial propagation measurements for 60 GHz mobile radio 86–36727
Tharek, A.R., McGeehan, J.P. Indoor propagation and bit error rate measurements at 60 GHz using phase-locked oscillators 88–72560
Tharp, D.L. A low cost 100 MHz to 2.5 GHz amplifier 87–73347
Tharp, J. Pharmacists nationwide order drugs by computer 86–59659
Tharp, S. AC-line monitor prints waveform graphs of voltage disturbances 85–27135
Tharp, S.J. Power line monitoring 85–9465
Tharp, S.J. New performance standard for power line monitors established 86–12518
Tharraketta, S. *see* Hofmann, A. 87–3815
Tharwat-El-Mohandes, M. *see* Abdel-Salam, M. 86–2456
Thas, J.A. The classification of all (x,y)-transitive generalized quadrangles 86–66704
Thas, J.A. *see* De Soete, M. 88–43781
Thatcher, R. *see* Feinberg, B. 88–54142, 88–61017
Thatte, S.M. *see* Sridhar, T. 87–70491
Thattey, S.S. *see* Bhadani, P.K. 85–33657
Thaulow, C., Berge, T. Acoustic emission monitoring of corrosion fatigue crack growth in offshore steel 85–17013
Thaulow, C. *see* Melve, B. 87–73180
Thaut, K.W. *see* Herbert, G.A. 87–63942
Thaw, C., Minet, R., Zemany, J., Zweben, C. Metal matrix composites for microwave packaging components 88–11755
Thaw, C., Minet, R., Zemany, J., Zweben, C. Metal matrix composite microwave packaging components 88–24576
Thaxter, J.B. *see* Kroger, H. 85–62251
Thayamballi, P. Performance improvement of bubble memories using Bi-substituted bubble films 88–71959
Thayamballi, P., Courtoy, M., Kelly, J. Signal control in thin-film magnetoresistive bubble detectors 86–42155
Thayer, A.L. Novel surfactant/cosolvent additives to NMP improves semiconductor lift-off steps 85–1535
Thayer, D. *see* Ogle, J.W. 88–10032
Thayer, D.R. Integrated optics interferometric modulators 88–58222
Thayer, E. *see* Rudnicky, A.I. 88–72805
Thayer, G.R. An assessment of dynamic energy conversion systems for terrestrial radioisotope heat sources 86–33182
Thayer, G.R., Abbey, D.S., Hardie, R.W., Perez Enriquez, R., Grijalva Uria, E. Nuclear capacity expansion in Mexico: system effects of reactor size and cost 85–4772
Thayer, G.R., Sims, J.R., Henke, M.D., Harris, D.B., Dudziak, D.J., Phillips, N.R. Cost reduction possibilities for a heavy-ion accelerator for inertial confinement fusion 88–68119
Thayer, M. *see* Kai, F.Y.T. 85–34870
Thayer, R.B. *see* Thorburn, B.A. 86–2005
Thayer, R.B., III XP series high current ion implantation systems for up to 200 mm wafer processing 87–53369
Thayse, A. *see* Snyers, D. 86–69008, 87–66081, 88–40873
The, H.Ta *see* Ta The, H.
The Khe-Sing *see* Khe-Sing The
The-Anh Vuong Design of a blockwise adaptive DPCM-coder for the M-spectral coefficients from image data 85–7805
Theaker, M.E. Measuring tape speed 86–50226
Thebault, C. *see* Henry, M. 85–47387
Thebault, C. *see* Kamdem, J. 88–56598
Thebault, C. *see* Ramy, J.P. 85–11557
Thebault, D. *see* Fouad Hanna, V. 85–6491
Thebault, D. *see* Hanna, V.F. 85–17777, 85–24902
Thebault, D. *see* Lombard, D. 85–20143
Thebault, D. *see* Oppetit, A. 87–76647
Thebault, D. *see* Rancy, F. 85–20139
Thebault, R. *see* Tremel, J.Y. 86–30234
Theda, F. Survey of longwave oscillations on an aerial cable model in a wind tunnel 86–12459
Theden, U., Green, M., Kurianski, J., Storey, J., Shanahan, S. Development of silicon infrared charge coupled detector arrays 86–11480
Theden, U. *see* Kurianski, J.M. 88–16211
Thedja, W.Widana *see* Widana Thedja, W.
Thedrez, B., Frey, R. Intracavity four-wave mixing and optical logic functions 88–8017
Thedrez, B., Frey, R. Interpretation of relaxation oscillations of semiconductor lasers in terms of the dynamic Stark effect 88–27059
Thedrez, B., Nakajima, H., Frey, R. Optical logic functions using nearly degenerate four-wave mixing in laser diodes 87–46983
Thedrez, B. *see* Frey, R. 88–51857
Theede, W. Measurement transducers for critical requirements 85–4139
Theeten, J.B., Gourrier, S., Friedel, P., Taillepied, M., Arnoult, D., Benarroche, D. Plasma passivation scheme for III-V compound semiconductor surfaces 86–28227
Theeten, J.B. *see* Autier, P. 88–19828
Theeten, J.B. *see* Erman, M. 85–12125, 85–18147, 87–6587, 88–32848
Theeten, J.B. *see* Gourrier, S. 85–6853
Theeten, J.B. *see* Vodjdani, N. 85–46163, 86–2842
Theeuwen, J.F.M. Interactive design and fault location tool for electronic circuits 86–40874
Theeuwen, J.F.M., van Paassen, P.T.H.M. Automatic generation of Boolean expressions in NMOS technology 86–34476
Theeuwen, J.F.M. *see* Berkelaar, M.R.C.M. 88–6766
Theeuwen, J.F.M. *see* Dielen, M. 87–60661
Theeuwen, J.F.M. *see* Oerlemans, C.A.M. 87–44789
Theeuwen, J.F.M. *see* van Engelshoven, R.J. 87–31654
Theeuws, R., Van Der Linden, B., Vermeir, W. Implementation of ISDN in the OMNI 87–76153
Thefaine, V.J. *see* Hailpern, B. 85–52048
Theil, E., Jacobson, V., Paxson, V. The impact of new computer technology on accelerator control 88–54101
Theil, E. *see* Lee, M. 88–54129
Theil, E. *see* Paxson, V. 88–54110
Theil, G. A program for the assessment of the supply reliability of an electricity network 86–32717
Theil, G. Estimating the reliability of a regional electrical energy system 86–61134
Theil, G. Orthogonal transformation for power system state estimation with complex solution matrices 87–9054
Theil, G. Problems of the extension of data [distribution systems] 88–23449
Theil, G., Kaluza, H.-P., Preuer, G. Investigation of multiple dependent outages on the Austrian high-voltage system 87–21967
Theil, G. *see* Fischow, A.G. 85–21078
Theil, T.N. PREPP O&VE remote handling system 86–25805
Theilacker, J. *see* Rode, C.H. 86–31850
Theilacker, J. *see* Strait, J. 87–74617
Theilacker, J.C. *see* Niemann, R.C. 87–70928
Theile, A. *see* Erben, I. 86–66561
Theile, G. Criteria for judging headphones taking into account different uses 86–44051
Theile, G. On the standardization of the frequency response of high-quality studio headphones 87–28867
Theile, G., Stoll, G., Link, M. Bit reduction: masking effects–audibility threshold-matched partband encoding of high-quality sound signals 87–68958
Theile, G. *see* Plenge, G. 86–44053, 87–3276, 87–28737
Theile, G. *see* Schroter, J. 86–55474
Theile, J., Kosinski, R.A., Engemann, J. Numerical computations of vertical Bloch lines motion in the presence of a periodic in-plane magnetic field 87–25791
Theile, J. *see* Ronan, G. 88–51363
Theilen-Willige, B. *see* Sieber, A. 85–64721
Theiler, T. *see* Wessel, R. 87–46746
Theilhaber, K. *see* Sand, F. 85–30103
Theilig, E. *see* Greeley, R. 88–67466
Theilmann, B. *see* Clauss, M. 86–10742
Theimer, J., Maby, E.W., Lieb, S., MacCrone, R.K. Self-aligned contacts in silicon by nitrogen implantation 87–38298
Theimer, J. *see* Lieb, S. 87–32420
Theimer, M.M. *see* Lantz, K.A. 85–8140

Thein-tun, U. Phonetic cue trading, categorical perception and the order of speech processing 88−21135
Theiner, W. *see* Goebbels, K. 85−33542
Theiretzbacher, H. Manufacturing and installation quality control for the steam generator of the Voitsberg 3 thermal power station 85−9741
Theis, D., Wengert, R. Cathodoluminescent properties of evaporated ZnS:Mn films in the 2-6 kV acceleration voltage range 86−22229
Theis, D. *see* McDonnell, D.G. 85−52812
Theis, D. *see* Stoisiek, M. 87−18120, 88−13365, 88−39431
Theis, H. *see* Dietrich, D. 85−46977
Theis, J. *see* Dammel, R. 88−26164
Theis, J. *see* Meier, J. 88−1975
Theis, K.R. *see* Strangas, E.G. 86−39782
Theis, P.F. Limits to caller tolerance when inventorying incoming calls 85−8262
Theis, R., Ocylok, G. PRIMUS−computer processor control for identification, monitoring and supervision [radio stations] 86−43951
Theis, S.W., Blanchard, A.J. The effect of measurement error and confusion from vegetation on passive microwave estimates of soil moisture 87−57402
Theis, S.W., Blanchard, B.J., Blanchard, A.J. Utilization of active microwave roughness measurements to improve passive microwave soil moisture estimates over bare soils 85−64723
Theis, S.W. *see* Taube, D.W. 85−64722
Theis, T.N., Parker, B.D. Charge trapping in n-$\mathrm{Al_xGa_{1-x}As}$ 'insulators' and related device instabilities 88−12973
Theis, T.N., Parker, B.D., Solomon, P.M., Wright, S.L. Hot-electron capture to DX centers in $\mathrm{Al_xGa_{1-x}As}$ at low Al mole fractions ($x<0.2$) 87−25265
Theis, T.N., Wright, S.L. Origin of 'residual' persistent photoconductivity in selectively doped $\mathrm{GaAs/Al_xGa_{1-x}As}$ heterojunctions 86−53376
Theis, T.N. *see* Batey, J. 85−45422
Theis, T.N. *see* Kirtley, J.R. 87−17762
Theis, T.N. *see* Mooney, P.M. 86−2228
Theis, W.m. *see* Look, D.C. 87−11346, 87−37892
Theisen, A.F. *see* Hemphill, W.R. 85−38327
Theisen, C.J., Jr., Salvador, A., Hoffman, W.J. Development of a system engineering workstation 88−30133
Theisen, L., Lee, Y.C. Operating telephone company MAN trials: data collection and analysis 88−52978
Theisinger, P.C. *see* Praver, G.A. 87−42050
Theiss, J. *see* Ethridge, E.C. 85−17903
Theissen Energy saving lamps in social services 86−26403
Theissen, M., Grenz, R. Bildschirmtext Mailbox for closed group of users 86−16864
Theissen, W. Energy saving lamps in welfare institutions 85−21947
Thek, Gy., Bojtor, I. Application of an automated system for evaluating the records of individual monitoring external radiation exposures 86−44718
Thelander, H.A. *see* Lester, L.N. 85−34283
Thelen, A. Nonpolarizing edge filters. II 85−7296
Thelen, A. Applications, devices and markets for optical coatings 87−68246
Thelen, A. *see* Herrmann, R. 88−8026
Thelen, F. *see* Breidenbach, H. 88−55205
Thelen, F. *see* Heitmuller, W. 88−30562
Thelen, F. *see* von Lojewski, D. 88−37041
Thelen, J.D. *see* Carollo, J.J. 85−38231
Thelen, K.H. *see* Rang, E.R. 87−42073
Thelen, R. *see* Kummermehr, R. 86−12475
Thelen, R.F. *see* Driga, M.D. 87−26669
Thelen, R.F. *see* Spann, M.L. 87−26713
Themaat, H.M.ver Loren van *see* ver Loren van Themaat, H.M.
Themelis, G. *see* Samouilidis, J.-E. 85−9571
Thenaisie, A. *see* Girardeau-Montaut, J.-P. 86−9721
Thenard, C. *see* Gougeon, P. 88−10124
Thenoz, Y. *see* Carquet, M. 88−71615
Theobald, G., Bigler, E., Gagnepain, J.J. Stress-compensated cuts for surface acoustic waves 87−60766
Theobald, G., Hauden, D. Theoretical analysis of dynamic thermal effects in SAW devices 85−62179
Theobald, G., Hauden, D., Gagnepain, J.J. Propagation of elastic waves in a perturbed environment. II. Applications of oscillators and sensors 86−9371
Theobald, G. *see* Bigler, E. 87−53853
Theobald, G. *see* Giordano, V. 88−47657
Theobald, G. *see* Valentin, J.P. 85−62157, 86−2494
Theobald, J.P. *see* Baum, W. 88−61089
Theobald, J.P. *see* Grimm, P. 88−22928
Theobald, M. *see* Biermann, W.-D. 87−54739
Theobald, M. *see* Chu, A. 87−59886
Theobald, R.C. A measurement system for attenuation and pulse dispersion on installed optical fibres 86−53994
Theocharis, J., Petridis, V. A microprocessor inverter controller for PWM or PPM schemes 86−6905
Theocharis, J., Petridis, V. Analysis of two new PPM inverter schemes 87−43280
Theocharis, J., Petridis, V. A novel PPM scheme (the 3-L CS-E-PPM) with application to inverter drives 87−64848
Theocharis, J., Petridis, V. Analysis of the 3-L DF-PPM inverter drive scheme 88−18908
Theocharous, E. Differential absorption displacement transducer 85−31463
Theocharous, E. Displacement and temperature multimeasurement transducer 85−62366
Theocharous, E. Distributed sensors based on differential absorption 86−48193
Theocharous, E. Differential absorption sensors: the elimination of LED temperatures and ageing effects 88−36047
Theodorakis, P.C. *see* Stassinopoulos, G.I. 86−30125
Theodore, S., Bliss, J. DCEL display based teletext terminal 86−5104
Theodorescu, R. *see* Benzing, H. 87−31430
Theodorescu, R. *see* Carmichael, J.-P. 88−43767
Theodoridis, S., Kalouptsidis, N. A fast algorithm for block LS design of FIR filters with linear phase and optimum lag 87−66377
Theodoridis, S., Kalouptsidis, N., Bakirtzis, D. Highly parallel algorithms for LS FIR smoothing and MEM spectral analysis 88−72998
Theodoridis, S., Kalouptsidis, N., Proakis, J. LS FIR smoothers and application to interference rejection in PN spread spectrum systems 87−62102
Theodoridis, S. *see* Kalouptsidis, N. 87−47673, 88−14669, 88−56778
Theodoridis, S.A., Goutis, C.E. Systolic processor for AR spectral estimation based on QR decomposition 87−19838
Theodoropoulos, P. *see* Sentman, L.H. 87−61197
Theodorou, D.E., Symeonidis, C.I. Persistent photoconductivity in semiconductors with defect clusters 88−65469
Theodorou, K. *see* Gutierrez, F.J. 88−22841
Theodorou, N. *see* Tzafestas, S. 88−19275
Theodorov, N.J. *see* Kanellakis, A.G. 88−882
Theodosiou, G. *see* Aronson, S. 88−61122
Theodosiou, G. *see* Gutay, L.J. 88−68314
Theodosopoulos, M. *see* Zbasnik, H.J. 87−71948
Theodossiou, G.G., Lee, M.J., Nelson, J.K. Influence of enforced liquid motion on breakdown properties 85−40967
Theodossiou, L. The Luxor SX9 chassis 85−8560
Theofanous, N.G., Tsitomeneas, S.T., Alexakis, G.E., Arapoyianni, A.T. Improved high-voltage push-pull amplifier using DMOS power FETs 87−37021
Theofanous, N.G. *see* Papaioannou, G.J. 88−29394
Theofanous, T.G. *see* Najafi, B. 85−43842
Theoleyre, S., Nicolas, M. Self-healing capacitors: life time and failure phenomenons 88−63988
Theoleyre, S. *see* Sgarzi, P. 88−63518
Theophanis, G. *see* Hasson, V. 88−28968
Theophanous, N., Tsitomeneas, S., Alexakis, G., Arapoyianni, A. A high-voltage electrooptic drive amplifier using a power MOSFET pair 88−56479
Theophanous, N., Tsitomeneas, S., Alexakis, G., Arapoyianni, A., Papaioannou, G. A high-voltage electro-optic driver with DMOS power FETs and optocoupling isolation 88−70563
Theophanous, N. *see* Arapoyanni, A. 86−11611
Theophanous, N. *see* Tsitomeneas, S. 88−51988
Theophilidis, G. *see* Hatzopoulos, A. 85−15332
Theophilus, G.D. *see* Neilson, J.B. 88−44913
Theopold, F.A., Gerdau, E., Hollatz, R., Riege, H., Ruffer, R., Van Staa, R. Development of a digital free-programmable function generator for high precision double motion Mossbauer-drives 86−50415
Theopold, K.H. *see* Byrne, E.K. 88−71308
Theorin, C., VanDeusen, H. Differential TDR testing techniques 88−38841
Thepaut, B. *see* Charbonnel, P. 87−60816
Thepaut, L. *see* Boissier, A. 87−20540
Therani, A.Hosseini *see* Hosseini Therani, A.
Therapos, C.P. Bilinear transformation and minimal order 85−495
Therapos, C.P. Low-order modelling via constrained least squares minimisation 88−43990
Therapos, C.P., Diamessis, J.E. Approximate Pade approximants with applications to rational approximation and linear-order reduction 85−22293
Therez, F., Alcubilla, R., Chikouche, A. AlGaAs-GaAs solar cell development: electrical analysis and prospects for space application 87−30958
Therez, F., Alcubilla, R., Gazaleh, Y. GaAlAs-GaAs heterostructure solar cells−extension to a multijunction with bulk graded band-gap/p-n junction 87−4917
Therez, F., Belaroussi, M.T., Fallahi, M. Design and realization of GaAs FET integrated with a heterojunction photodiode 88−20521
Therez, F., Belaroussi, M.T., Fallahi, M., Kendil, D. Design and realization of a GaAs FET integrated with a heterojunction photodiode 88−51711
Therez, F., Fallahi, M., Leguerre, R., Esteve, D., Kendil, D. Field-effect transistors for efficient integrated optoelectronic sensors 88−74411
Therez, F. *see* Alcubilla, R. 86−33686, 88−18043
Therez, F. *see* Belaroussi, M.T. 87−32557
Therez, F. *see* Chikouche, A. 85−65457
Therez, F. *see* Gazaleh, Y. 85−16234
Therez, F. *see* Mayet, L. 86−40128
Theriault, J.A. *see* Trenholm, B.A. 88−41759
Theriault, J.P. *see* Higley, S.E. 88−42145
Theriault, J.P. *see* Michal, R.J. 88−16132, 88−40028, 88−45124
Theriault, J.P. *see* Udd, E. 88−47547
Theriault, K.B. Incoherent multibeam Doppler current profiler performance. I. Estimate variance 86−44802
Theriault, K.B. Incoherent multibeam Doppler current profiler performance. II. Spatial response 86−44803
Theriault, R. *see* Abraham, T. 88−7499
Therib, T.M. *see* Sa'id, W.K. 87−29111
Theriot, D. The collider detector (CDF) at Fermilab−an overview 85−31721
Theriot, D. The collider detector at Fermilab-CDF−a progress report 86−11802
Theriot, D., Gilchriese, M.G.D., Kondo, K., Odian, A., Schwitters, R.F. 4π detectors 88−4828
Theriot, D. *see* Blair, R. 85−15110
Theriot, D. *see* Grimson, J. 85−26713
Theriot, E.J. *see* Borum, J.C. 86−10898
Thern, R. *see* Ratner, L.G. 86−31891
Thern, R.E. Space-charge distortion in the Brookhaven ionization profile monitor 88−54141
Theron, D., Lasagna, F., Buhlmann, H.J., Ilegems, M. Measurement and 1D-simulation of high electron mobility transistors 88−71607
Theron, J.C. Tactical antennas and their application in the military environment 85−46645
Theron, J.C., Ogonowski, P. Control and instrumentation of Escom's Matimba power plant 88−60538
Theron, R. *see* Leemann, C. 87−25885
Theron, R. *see* Lerch, P. 87−74578
Theron, S.B.K. *see* Krimmel, E.F. 85−34740
Therrien, C.W. A systolic array processor for target detection in images 85−2907
Therrien, C.W. Multichannel filtering methods for color image segmentation 86−4051
Therrien, C.W. Linear prediction for 2-D vector random fields 87−7858
Therrien, C.W., El-Shaer, H. Methods for multichannel 2-D spectrum analysis: description and comparison 87−62109
Therrien, C.W., El-Shaer, H. Multichannel 2-D autoregressive spectrum estimation 88−3100
Therrien, C.W., El-Shaer, H.T. Maximum likelihood multichannel multidimensional spectrum estimation 88−27949
Therrien, C.W., Quatieri, T.F., Dudgeon, D.E. Statistical model-based algorithms for image analysis 86−64356
Therrien, C.W. *see* Diamesis, J.E. 87−59770
Therrien, C.W. *see* Diamessis, J.E. 88−3253
Therrien, C.W. *see* El-Shaer, H.T. 88−73254
Therrien, C.W. *see* Rozwod, W.J. 88−66524
Therrien, C.W. *see* Shefi, A. 87−63075
Therrien, E., Albright, J. Recorders/dataloggers. A mature market fueled by new technology 88−47609
Therrien, P. *see* Shalev, S. 87−57222
Thery, J. *see* Lefebvre, D. 88−45385
Thery, J. *see* Schearer, L.D. 86−58902
Thery, J. *see* Vivien, D. 86−68511
Thery, J.-P. *see* Degauque, P. 87−15032
Theunissen, A.M.L. *see* van Ommen, A.H. 88−71387
Theunissen, J. *see* Matterne, L. 88−25165
Theunissen, M.J.J., List, F.J. Analysis of the soft reverse characteristics of n^+p drain diodes [C-MOS p-well] 85−50706
Theunissen, P. Intruder alarm 86−8398
Theunissen, P. Audio sweep generator 86−24553
Theunissen, P. Oven-compensated oscillator 86−28571
Theunissen, P. Infra-red light switch 86−33821
Theuretzbacher, N. HCDM: A hierarchical design method for CHILL based systems 87−13521
Theus, G.J. Primary side stress corrosion cracking and remedial measures 87−22082
Theus, G.J., Daniel, P.L. Corrosion in steam generating systems 85−21311
Theuwissen, A. *see* van der Spiegel, J. 85−14638
Theuwissen, A.J.P., Declerck, G.J. Optical and electrical properties of reactively DC magnetron-sputtered $\mathrm{In_2O_3}$:Sn films 85−23455
Theuwissen, A.J.P., Weijtens, C.H.L. The accordion imager, a new solid-state image sensor 87−28964
Theuwissen, A.J.P., Weijtens, C.H.L., Esser, L.J.M., Cox, J.N.G., Duyvelaar, H.T.A.R., Keur, W.C. The accordion imager: an ultra high density frame transfer CCD 85−52680
Theuwissen, A.J.P. *see* Collet, M.G. 87−20920
Thevenaz, J. Permutation representations arising from simplicial complexes 87−65354
Thevenaz, L., de Coulon, V., von der Weid, J.-P. Polarization-mode interferometry in birefringent single-mode fibers 87−68132

Thevenaz, L., Pellaux, J.-P. Modulation frequency-shift technique for dispersion measurements in optical fibres using LEDs 87–74680
Thevenaz, L., Pellaux, J.-P., Von der Weid, J.-P. All-fiber interferometer for chromatic dispersion measurements 88–36013
Thevenaz, L., Pellaux, J.-P., Von Der Weid, J.-P. Birefringence characterization of fibres without polarizer 88–45151
Thevenaz, L. *see* Von Der Weid, J.P. 87–32938
Thevenin, J. *see* Chenebault, P. 88–75894
Thevenin, J.-C. *see* Ansorge, R.E. 88–29842
Thevenin, J.C., Allemand, L.R., Calvet, J., Cavan, J.C., Chiron, B., Gauthier, F. Scintillating and fluorescent plastic optical fibers for sensors applications 85–62356
Thevenin, J.C. *see* Allemand, L.R. 85–9049
Thevenin, J.C. *see* Blumenfeld, H. 86–50390, 87–63658
Thevenin, J.C. *see* Burmeister, H. 85–9051
Thevenin, J.C. *see* Fessler, H. 85–31697
Thevenin, P. *see* Grob, J.J. 88–33015
Thevenod-Fosse, P. *see* Abazi, Z. 87–773, 88–827
Thevenod-Fosse, P. *see* Deneux, H. 85–45813
Thevenon, A. *see* Touzet, B. 88–47546
Thevenot, A. *see* Bensimhon, A. 86–21021
Thevenot, J. Liquid crystal flat screens in automobiles 85–14919
Thew, M.T. *see* Merry, S.L. 85–14965
Thewalt, M.L.W., Steele, A.G. Photoluminescence studies of ultrahigh-purity epitaxial silicon 87–23617
Thewalt, M.L.W. *see* McMullan, W.G. 87–77148
Thewalt, M.L.W. *see* Steiner, T. 85–60949
Thewissen, D.H.M.W., Tinnemans, A.H.A., van der Zouwen-Assink, E.A., Mackor, A. Photoelectrochemical properties of α- and β-ZnP_2 electrodes and powders 85–16190
Thexton, A.S. *see* Reistetter, E.J. 88–57183
Thexton, D.R. *see* Kauzlarich, J.J. 87–21012
Theye, M.-L., Gheorghiu, A., Rappeneau, T., Udron, D. Electrical conductivity of non-hydrogenated amorphous tetracoordinated semiconductors 87–66927
Theye, M.-L. *see* Gheorghiu, A. 85–28253
Theymann, W. From the Magnox to the HTR 500 [high-temperature reactors] 86–39412
Theymann, W. *see* Ivens, G. 87–42570
Theys, A., Dijkstra, E., Piguet, C. Discrete transforms on a chip: design and VLSI implementation 88–39705
Theys, A. *see* Piguet, C. 87–74435
Theys, B. *see* Tenne, R. 85–23695
Theys, B. *see* Triboulet, R. 87–31484
Theytaz, P., Germond, A., Antille, N. Simulation on a personal computer of the weekly operation of a hydroelectric complex 86–65946
Thi, M.Pham *see* Pham Thi, M.
Thi Bich Hoa Pham *see* Pham Thi Bich Hoa
Thi Ngu Tran *see* Tran Thi Ngu
Thi Qui Hai Nguyen *see* Nguyen Thi Qui Hai
Thiagarajan, K. *see* Malghan, V.R. 85–15961
Thiagarajan, P.S. Some behavioural aspects of net theory 88–70237
Thiagarajan, P.S. *see* Genrich, H.J. 85–10606
Thiagarajan, V. *see* Jie Zhang 88–23912
Thiak, P.C. *see* Gunasingham, H. 85–3861
Thian, C.Ng., Majors, A.W., Meany, T.F. In vivo MR spectroscopy of human subjects with a 1.4-T whole-body MR imager 86–50536
Thian Pau Lee *see* Lee Thian Pau
Thiaville, A. *see* Arnaud, L. 87–25783
Thiaville, A. *see* Boileau, F. 88–64971
Thibadeau, R. The state of the art in printed wiring board inspection 85–28803
Thibadeau, R. Report on the CMU-Westinghouse printed wiring board inspection device: PWBIS II 87–73863
Thibadeau, R., Gabrick, J. Intelligent visual inspection machines 87–17529
Thibadeau, R.H. Automated visual inspection as skilled perception 86–14697
Thibado, G. Corrosion potential: a new problem for ESD sensitive product manufacturers 85–49326
Thibault, C. *see* Coc, A. 85–64509
Thibault, D.L. *see* Novotny, M. 86–53277
Thibault, J. *see* Girault, R. 88–46787
Thibault, J.-P., Laborde, R. Modelling of a liquid-metal+gas two-phase flow submitted to a transverse magnetic field 87–30997
Thibault, L.E. *see* Talbot, T.L. 86–18283
Thibault, R.B. *see* Shaw, M.T. 88–60286
Thibault, W.E., Haugan, T.C., Wolf, S.P. Coast Guard C^3 87–76086
Thibault, X. *see* Churoux, P. 88–60172
Thibault, X. *see* Comte, D. 88–8018
Thibeault, C., Savaria, Y., Lagarde, C., Repeta, M., Rocque, P. IMAGE2M, a VLSI implementation of a multi-processor chip for morphological image processing 88–38578
Thibeault, J. *see* Lambert, P.I. 85–5592
Thibeault, P.R. *see* Koucky, R.W. 87–42671
Thibierge, H. *see* Mircea, A. 87–259
Thibierge, H. *see* Rao, E.V.K. 85–40482
Thibodeau, P. *see* Blanc, J. 87–59171
Thibodeau, P.A. Computerizing the wave soldering process 85–40325
Thibodeau, P.A. A systematic approach to machine soldering quality improvement 86–58171
Thibodeau, P.E. Radiation hardened MOSFETs enhance survivability of military systems 88–33198
Thibodeau, P.E. *see* Blanchard, R. 86–7986
Thibodeau, P.E. *see* Blanchard, R.A. 87–18167
Thibodeaux, R.J. *see* Clemans, D.W. 87–43218
Thibodeaux, T.B. *see* Smith, L.D. 86–18846
Thibon, J. *see* Beglin, P. 88–21447
Thibon, J.Y. *see* Duchamp, G. 88–63218
Thickbroom, G.W., Davies, H.D., Carroll, W.M., Mastaglia, F.L. Averaging, spatio-temporal mapping and dipole modelling of focal epileptic spikes 87–14894
Thickett, E. Managing a multi-device network 86–64534
Thide, B. *see* Djuth, F.T. 88–8465
Thide, B. *see* Hedberg, A. 86–30853
Thide, B. *see* Lundborg, B. 85–62780, 86–59058
Thide, B. *see* Stubbe, P. 85–4442
Thie, J.A. *see* Hashemian, H.M. 88–48735
Thiebault, A. *see* Badoz-Lambling, J. 88–49109
Thiebaut, C. *see* Bellon, P. 88–31731
Thiebaut, J.-M., Akyel, C., Roussy, G., Bosisio, R.G. Dehydration and dielectric permittivity measurements of a porous, inorganic material (13X zeolite) heated with microwave power 88–60877
Thiebaut, J.-M. *see* Roussy, G. 85–37729, 85–39392, 86–63476, 87–41588, 88–62830
Thiebaut, J.M. *see* Roussy, G. 87–29254
Thiebaut, J.P. *see* Milani, H. 86–37369
Thiebeaux, A., Courtois, D., Delahaigue, A., Merienne, E. Microcomputer-controlled YIG sweeper for a laser heterodyne spectrometer 85–14825
Thiebeaux, C. *see* Delahaigue, A. 88–45593
Thieberger, P., Barton, D.S., Benjamin, J., Chasman, C., Foelsche, H., Wegner, H.E. Tandem injected relativistic heavy ion facility at Brookhaven, present and future 88–53979
Thieberger, P., Wegner, H.E., Alonso, J., Gould, H., Munger, C., Anholt, R., Meyerhof, W.E. Fully stripped heavy ion yield vs. energy for Xe and Au ions 86–32116
Thieberger, P. *see* Jones, K.W. 87–56990
Thieberger, P. *see* Reece, R.K. 88–54303
Thieberger, P. *see* Zoutendyk, J.A. 86–35849
Thiede, F. *see* Anke, E. 85–5270, 87–22637
Thiedke, S. *see* Macleish, K.J. 87–8112, 88–46389
Thiefain, P. *see* Halbot, M. 85–18199
Thieffry, J.-B., Hacquet, J.-M. Contemporary operator position with automated ticketing and enhanced man-machine interface 87–28312
Thiel, A. *see* Schroeder, H.J. 86–28703
Thiel, B. *see* Heilig, H. 86–45845
Thiel, D.V. Frequency independent phase shifter for digital waveforms 86–933
Thiel, D.V., Stewart, A.J. The input impedance of electrically short horizontal wire antennas close to the air/Earth interface 88–34422
Thiel, E., Zander, C., Drexhage, K.H. Continuous wave dye laser pumped by a HeNe laser 87–18928
Thiel, E., Zander, C., Drexhage, K.H. Incoherently pumped continuous wave dye laser 87–54266
Thiel, F.A. *see* Menezes, S. 85–12066
Thiel, F.A. *see* Parsey, J.M., Jr. 86–13725, 88–11958
Thiel, F.A. *see* Schwartz, G.P. 85–12173, 86–41706
Thiel, J., Davy, P., Jacquet, G., Dubreuil, B. Fast continuous Fourier transforms 87–61910
Thiel, J., Krsek, J., Vocetka, J. The ES 7140 electrostatic line printer 85–30002
Thiel, K. *see* Schmatloch, W. 87–35839
Thiel, K.-H. *see* Hartl, P. 87–56303
Thiel, K.P., Trumpp, H.J., Zellmer, K.H. Polyimide nitride isolation 85–40819
Thiel, L. *see* Lam, C.W.H. 86–68982
Thiel, M. ASIC—customised solutions from 1.5 V 88–6603
Thiel, M. *see* de Mare, G. 85–31361
Thiel, M.A.F. Polarization measurements in radioastronomy: determination of the polarization-reflection-matrix 85–58265
Thiel, P.A. *see* Polta, J.A. 87–59802
Thiel, R. *see* Schar, B. 85–3024
Thiel, R.C. *see* Buschow, K.H.J. 85–56093
Thiel, T.G. *see* Maeshima, K. 87–29464
Thiel, U. An analysis of operating disciplines in token LANs 87–55729
Thiel, W. Videotex and the statutory employment accident insurance 87–27975
Thiel, W., Hildenbrand, K. A hierarchically structured operation and monitoring system for C and I in power plants 87–15543
Thiel, W. *see* Bruss, R. 86–60523
Thiel, W. *see* Jensen, S. 86–25880, 86–45154
Thielan, M.J. *see* Walters, W.L. 87–51584
Thiele, A.A. *see* Asselin, P. 87–26625
Thiele, A.N. Sound levels 86–17681
Thiele, A.N. Three-level tone test signal for setting audio levels 86–24192
Thiele, A.N. *see* Davis, D. 87–28868
Thiele, A.N. *see* Lieng, S. 86–17544
Thiele, A.W. *see* Schoenwald, J.S. 87–63410, 88–16154
Thiele, B. *see* Lehmann, A. 88–38044
Thiele, F. Customised power supply units even for small numbers 86–52650
Thiele, G. *see* Moller, D.P.F. 86–12034
Thiele, G. *see* Neeser, G. 88–68903
Thiele, G.A. *see* Kaye, M. 86–22648
Thiele, G.A. *see* Li Shi-zhi 86–69806
Thiele, G.A. *see* Murthy, P.K. 87–2287, 87–12689
Thiele, G.A. *see* Penno, R. 88–2529
Thiele, G.A. *see* Shi-Zhi Li 85–25925
Thiele, G.H.K. *see* Lips, H.P. 88–17103
Thiele, H. Tape recorders in the Reichs-Rundfunk-Gesellschaft German National Broadcasting Company and their early history 88–9832
Thiele, K.E. *see* Halberg, L.I. 88–10314
Thiele, L. Generalized Gramian matrices and their applications in digital filters 85–46840
Thiele, L. An analytic approach to curve fitting 86–26756
Thiele, L. An algorithm for rational causal approximation 86–40660
Thiele, L. On the sensitivity of linear state-space systems 86–52634
Thiele, L. Balanced model reduction in time- and frequency-domain 86–62370
Thiele, L. On the optimization of regular wavefront arrays 88–70680
Thiele, L., Tavsanoglu, V. A unifying approach to the design of sensitivity optimal second-order state-space sections 85–10909
Thiele, L. *see* Schwiegelshohn, U. 87–16778, 87–59343, 87–66043
Thiele, L. *see* Tavsanoglu, V. 85–6441
Thiele, M., Hofmann, H. Practical application of a CAD workstation 86–628
Thiele, S., Andresen, E.C. Variable-speed synchronous motor with integrated exciter system 85–48948
Thiele, T., Vukasovic, L. Type testing of thyristor modules for Durnrohr HVDC back to back link in Austria 86–51777
Thielemann, W., Rheinlander, B. Photoacoustic and currentacoustic effects in optoelectronic devices 86–9689
Thielemann, W. *see* Grummt, G. 88–58378
Thielemann, W. *see* Haefner, H. 87–38944
Thielemann, W. *see* Rheinlander, B. 87–46715
Thielen, H., Busse, W. Radiation characteristics of the beam modes in asymmetric reflector systems with circular polarisation 87–54662
Thielen, H., Hombach, V., Schindler, G. Reflector antennas with bent struts 86–43014
Thielke, H.G. *see* Pontius, B.E. 85–63591
Thielker, S., Shao, G., Hanna, W. The architecture and VHSIC implementation of a digital fin actuator controller for advanced missiles 87–73436
Thielker, S. *see* Shao, G. 88–64726
Thiell, G., Adolf, A., Andre, M., Fleurot, N., Friart, D., Juraszek, D., Schirmann, D. The PHEBUS experimental facility operating at 250 ps and 0.53 μm 88–34182
Thielsch, R. The production of interference layer systems by molecular beam epitaxy 88–65455
Thiemann, H., Bogus, K. Anomalous current collection and arcing of solar-cell modules in a simulated high-density low-Earth-orbit plasma 86–61736
Thiemann, H., Dharma Rao, P.V. Anomalies observed in plasma-module-interaction experiments [solar arrays] 88–5887
Thiemann, M.A. Computer-integrated testing ties the last CIM puzzle pieces 87–34923
Thiemann, N. *see* Mitterer, G. 88–58289
Thieme, A. *see* Dumke, H. 88–34973
Thieme, C.L.H., Pourrahimi, S., Schwartz, B.B., Foner, S. Nb-Al powder metallurgy processed multifilamentary wire 86–28726
Thieme, C.L.H. *see* Foner, S. 85–46045
Thieme, C.L.H. *see* Pourrahima, S. 87–67822
Thieme, C.L.H. *see* Pourrahimi, S. 86–28728, 86–63578
Thieme, H. *see* Maslosz, S. 86–52905
Thieme, H. *see* Thierfelder, G. 87–52641, 87–59551
Thieme, P.J. IF booster amplifier for old USW receivers 85–22683
Thieme, R., Lewin, G. The mechanical behaviour of PVC-S under fluctuating load 87–44413
Thieme, R., Weiss, E. The basis for the dimensioning of mechanical parts made of plastic material subject to infrequent and low-frequency changes of stress 85–33130
Thieme, W. Digital image processing for optical measurement and inspection 88–65888
Thieme, W. *see* Breuckmann, B. 85–56855, 87–19084
Thiemer, H. *see* Bobbio, G. 86–6807
Thiemer, R. *see* Lammel, J. 86–67091
Thien, J.L. *see* Eddy, J.K. 88–9356
Thien, P. *see* Chen, K.W. 87–21320
Thien, U. *see* Gurtler, J. 88–73401
Thien Thach Phan *see* Phan Thien Thach

Thien Vo-Dai Implementing priorities in multiaccess protocols for optical fiber-based local area networks 87−20189
Thieneman, M. *see* Knoop, D.E. 88−49301
Thienen, H.van *see* van Thienen, H.
Thienen, W.van *see* van Thienen, W.
Thiennot, J. Transmission system using a fibre optic submarine cable 85−14284
Thiennot, J., Franco, P., Trezeguet, J. Optical undersea systems in France−today and tomorrow 85−63648
Thiennot, J., Franco, P., Trezeguet, J.-P. Transmission on monomode fibres: submarine systems 86−11083
Thiennot, J. *see* Franco, P. 85−37016
Thiennot, J. *see* Trezeguet, J.-P. 85−37025
Thiennot, J. *see* Wilbrod, J.H. 86−11124
Thienot, A. Information technologies. III. Standardisation of French know-how, an export trump card 87−62653
Thienpont, H. *see* Fang, Z.-H. 85−29872
Thienpont, H. *see* Jager, D. 88−51918
Thienpont, H. *see* van de Velde, K. 88−72109
Thierbach, M.E. *see* Diodato, P.W. 86−20597
Thierbach, M.E. *see* Jacobs, H.S. 87−44924
Thierbach, M.E. *see* Komal, A. 86−14296
Thierberger, P. *see* Zoutendyk, J.A. 87−31883
Thiere, H. Construction and performance of the 11 m Cassegrain antenna for the 20/30 GHz ground station of the German communications satellite system 87−54668
Thiereauf, G. *see* Gorrissen, I. 86−45000
Thierens, H. *see* Seuntjens, J. 87−71003
Thierer, G. Speech recognition on an LPC basis with signal and microprocessors 87−2474
Thierfelder, G., Apel, S., Klein, W., Korner, H.H., Krause, G., Uhlmann, B., Schafer, T., Thieme, H., Feske, M., Prohl, M. 4-bit-singlechip-microcomputer U8047P with RAM-extension U8246P. II 87−52641
Thierfelder, G., Apel, S., Klein, W., Korner, H.H., Krause, G., Uhlmann, B., Schafer, T., Thieme, H., Feske, M., Prohl, M. 4-bit one-chip microcomputer U 8047P with RAM-expansion U8246P. I 87−59551
Thierfelder, H.E., Rampel, G., Schmerbach, J. Nickel cadmium cell age sensitivity study [spacecraft batteries] 85−48402
Thierfelder, J. New results from non-smooth/mathematical optimisation 87−52009
Thierjung, J. *see* Berger, C. 88−22937
Thierrin, G. *see* Guo, Y.Q. 88−40792
Thierry, E. *see* Rix, H. 88−48170
Thierry, F. *see* Betoule, D. 88−60131
Thierry, P.De Chateau *see* De Chateau Thierry, P.
Thiery, Y. *see* Chehab, R. 87−41777
Thies, B. *see* Knorr, W. 85−39056
Thies, W. Possibilities of electronic music notation 86−55506
Thies, W. Suggestions for a physical-acoustic notation of electronic music 88−53503
Thiesen, E. *see* Cox, R. 86−70494
Thiessen, H. *see* Neuffer, D. 88−68180
Thiessen, H.A. LAMPF II 85−26517
Thiessen, H.A. A reference design for LAMPF II 85−26617
Thiessen, H.A. A review of KAON Factory proposals 86−31757
Thiessen, H.A. LAMPF II 1986: matching the machine to the new physics 87−21299
Thiessen, H.A. An advanced hadron facility: a combined kaon factory and cold-neutron source 88−36307
Thiessen, H.A. Possible applications of superconducting RF at LAMPF 88−42337
Thiessen, H.A. An advanced hadron facility: a combined kaon factory and cold-neutron source 88−47924
Thiessen, H.A. *see* Carlini, R.D. 85−26643
Thiessen, H.A. *see* Karady, G. 88−55487, 88−55489
Thiessen, H.A. *see* Karady, G. 88−42351
Thiessen, H.A. *see* Walling, L. 88−36333, 88−54212
Thiessen, K.-P. *see* Pinkowski, A. 87−1433
Thievent, B. A new signal analyser 86−55583
Thijs, P.J.A., Kuindersma, P.I., Dijksterhuis, W., Dongen, T.V., Tiemeyer, L., Binsma, J.J.M., Hofstad, G.L., Nijman, W. DCPBH-laser diodes with an MOVPE grown separate confinement (SC)-multiple quantum well (MQW) active region, emitting at $\lambda=1.5$ μm 88−45469
Thijs, P.J.A., Lagemaat, J.M., Woltjer, R. High mobility two-dimensional electron gas in $InP/Ga_{0.47}In_{0.53}As$ heterojunctions grown by low-pressure organometallic vapour phase epitaxy 88−32840
Thijs, P.J.A., Nijman, W., Metselaar, R. LPE of InP and InGaAsP on InP substrates: a verification of the diffusion limited growth model 86−57438
Thijs, P.J.A. *see* Metselaar, R. 85−45351
Thijs, W. *see* Cooke, R. 88−29197
Thijssen, J.K.F. *see* Huizing, A. 86−38583
Thijssen, J.M., Oosterveld, B.J. Speckle and texture in echography: artifact or information? 87−71104
Thijssen, J.M., Verhoef, W.A., Cloostermans, M.J. Optimization of ultrasonic transducers 85−21037
Thijssen, J.M. *see* Kooijman, A.C. 86−32310
Thijssen, J.M. *see* Lancee, C.T. 86−5925
Thilakam, R.Krishna *see* Krishna Thilakam, R.
Thileig, G. Linearization of the characteristic curve of a thermostat sensor with Pt-100-measuring resistor 87−56643
Thill, C. *see* Gedeon, G. 86−66453
Thilliez, J.-M. *see* Brierre, J. 88−41615
Thilman, D., Scheere, R., Nitzsche, M. Fast four-channel analog input module for the K 1520 88−70822
Thim, H., Neugebauer, T., Chabicovsky, R., Palmetshofer, L., Lubke, K. The 'charged insulated gate field effect transistor' (CIGFET), a new normally-off logic with depletion mode FETs 86−15181
Thim, H. *see* Scheiber, H. 88−56967
Thimmesch, D. An SCR inverter with an integral battery charger for electric vehicles 86−7258
Thimons, E. *see* Torbin, R.N. 86−45883
Thimsen, J. *see* Shier, J. 88−50987
Thingbo, D. *see* Berg, A. 87−12152
Thio, C.V. *see* Atchison, J.T. 86−12332
Thio, C.V. *see* Gavrilovic, A. 88−68821
Thio, T., Kastner, M.A. Transient photoconductivity in glassy $CdGe_xAs_2$ 86−28959
Thio, Y.C., Frost, L.S. Non-ideal plasma behavior of railgun arcs 87−26714
Thio, Y.C., Tidman, D.A. High velocity electrothermal mass launchers 88−40525
Thione, L. *see* Bossi, A. 86−70729
Thione, L. *see* Bucciani, R. 85−65431
Thione, L. *see* Buccianti, R. 85−65512
Thione, L. *see* Cortina, R. 86−18856, 86−50977
Thiong-Ly, J.A. A family of binary self dual codes 85−57266
Thiong-Ly, J.A. Automorphisms of two families of extended non-binary cyclic Goppa codes 87−68984
Thiong-Ly, J.A. *see* Poli, A. 85−57264, 86−43155
Thioulouse, P. ZnS blue emission probing for the study of AC thin film electroluminescent structures 86−9672
Thioulouse, P., Gonzalez, C., Solomon, I. Thin-film photoconductor-electroluminescent memory device with a high brightness and a wide and stable hysteresis 87−56747
Thioulouse, P., Solomon, I. Monolithic AC EL−photoconductor thin film structure with extrinsic memory by optical coupling 86−38460
Thioulouse, P., Solomon, I. Monolithic thin-film photoconductor−AC EL structure with extrinsic memory by optical coupling 87−3658
Thioulouse, P., Tueta, R., Izrael, A., Duruy, N. The effect of post-deposition annealing upon the electro-optical characteristics and the microstructure of ZnS:Mn AC thin film electroluminescent devices 86−2942
Thioulouse, P., Tueta, R., Izrael, A., Duruy, N. The effect of post-deposition annealing upon the electro-optical characteristics and the microstructure of ZnS:Mn ACTFEL devices 86−50170
Thipperudrappa, M. *see* Juyal, D.P. 88−40129
Third, S.M. *see* Abel, E. 85−27726
Thirion, X. *see* Sambuc, R. 88−74891
Thirkettle, F.W. A near real-time data system for satellite passive microwave ice maps 87−4150
Thirlwell, J. *see* Thompson, P.T. 88−9513
Thirumalai, A. *see* Koppelman, D.M. 87−38476
Thirumalai, K. *see* Gupta, R.P. 88−11154
Thirumaleshwar, M. *see* Bapna, S.C. 86−58717
Thirup, G. Theory of perturbed negative conductance oscillators 86−46607
Thiruvengadam, S. *see* Indulkar, C.S. 85−59740, 86−1193
Thirwell, J. *see* Blake, R.G. 86−17283
Thiry, H. Qualitative comparison of two types of development on two holographic materials 85−62684
Thiry, J.M. *see* Buyse, H. 86−12784, 86−66177
Thiry, J.M. *see* Detemmerman, B. 85−32473
Thiry, J.M. *see* Van Hulse, J. 87−42889
Thisayakorn, K. *see* Vibulsresth, S. 88−8866
Thisse, J.-F. *see* Hansen, P. 87−23498
Thitimajshima, P. *see* Surakampontorn, W. 88−38615
Thivent, M. *see* Brouzet, E. 86−31914
Thjung, T.T. *see* Ko, C.C. 88−47363
Tho, L.-N. *see* Shayan, Y.R. 88−67275
Tho Le-Ngoc Power and bandwidth efficient ISI and jitter free (IJF) signals 85−62805
Tho Le-Ngoc New protocol for multipoint radio systems 86−37756
Tho Le-Ngoc *see* Faruque, S.M. 88−38595
Tho Le-Ngoc *see* Passi, S.K. 87−34001
Tho Le-Ngoc *see* Shayan, Y.R. 87−75706, 88−38426, 88−58987
Tho Mak Stoe *see* Stoe Tho Mak
Tho Vu, Kang Lee, Peczalski, A., Lee, G., Somal, H., Bette, W. Multiple-input and -output OR/AND circuits for VLSI GaAs ICs 87−59341
Thobe, D.J. *see* McMillan, J.D. 85−42041
Thobel, J. *see* Zimmermann, J. 88−25892
Thobel, J.L. *see* Fauquembergue, R. 88−33263, 88−57700
Thoday, R.D.C. A new VHF panel aerial for FM broadcasting 85−42713
Thoday, R.D.C. Reflectometer unit for a 500 kW HF balanced screened feeder 85−47676
Thoday, R.D.C. *see* Beeke, K.L. 88−40753
Thoday, R.D.C. *see* Millard, G.H. 85−42715
Thode, H.C., Jr., Kydes, A.S., Finch, S.J. Model of the use of coal, gas, and oil 85−65023
Thode, H.W., Azbill, D.C. Typical applications of induction generators and control system considerations 85−27416
Thode, H.W., Azbill, D.C. Typical applications of induction generators and control system considerations 85−27422
Thode, L. *see* Bromborsky, A. 88−50584
Thode, L. *see* Clark, M.C. 87−17628
Thode, L.E., Kwan, T.J.T., DeVolder, B.G. Virtual cathode microwave generation using inhomogeneous magnetic field and wave guide wall configuration 85−23327
Thode, L.E., Snell, C.M. Radiation mechanism in virtual cathode tubes 87−17634
Thode, L.E. *see* Bromborsky, A. 88−25819
Thode, L.E. *see* Davis, H.A. 86−14810
Thode, L.E. *see* DeVolder, B.G. 85−23326
Thode, L.E. *see* Freeman, B.L. 88−43316
Thode, L.E. *see* Kwan, T.J.T. 85−640, 85−23346
Thode, L.E. *see* Lemons, D.S. 86−63737
Thode, L.E. *see* Peratt, A.L. 85−1018, 85−23325, 86−21033
Thoe, R.S. A high intensity line source for X-ray spectrometer calibration 87−14809
Thoen, B.K. Practical aspects of digital sinewave generation using a second-order difference equation 85−44928
t'Hoen, P.J. Design of ultrasonographic linear arrays 85−15273
Thoenes, H.W. Perspectives of risks and necessary precautions in power plant engineering 86−51174
Thoennessen, M. *see* Sen, S. 88−29910
Thoet, W.A. *see* Baker, D.J. 88−35350
Thogersen, M., O'Hara, E., Weber, R. A versatile resource sharing network 85−3200
Thogersen, M., Schuh, C.F. The separate networks syndrome is no longer frightening 85−19625
Thoits, P.O. *see* Dyer, R.T. 86−32751, 86−70885, 87−42831
Thole, B.T. *see* Van Der Laan, G. 88−29933
Thole, C.-A., Trottenberg, U. A short note on standard parallel multigrid algorithms for 3D problems 88−63242
Tholen, A.H.L. *see* Nicia, A.J.A. 88−28878
Tholen, D.W. *see* Hermann, G.A. 85−31801
Tholl, H.D. *see* Stojanoff, C.G. 88−51959
Tholl, R.B. *see* Angeloni, J.A. 88−81
Thollot, P. *see* Nguyen, V. 86−66154, 87−43246
Thollot, P. *see* Shekhawat, S.S. 86−12944
Thollot, P. *see* Vietson Nguyen 86−7996, 86−34535
Thollot, P.A. *see* Upadhyay, A.K. 86−34537
Tholome, R. Electrostatic spraying of coating products 86−20098
Tholomier, M. *see* Pitaval, M. 85−12112
Thom, A., Golding, P. The development of instrumentation for solar ponds 88−22478
Thom, J.K. *see* Croke, D. 87−21727, 87−50488
Thom, J.M., Ojha, S.M., Jennings, S.R. Anisotropic etching of TiW barrier layers 87−67140
Thom, J.M. *see* Ojha, S.M. 88−64425
Thoma, D. *see* Bonbrake, T.B. 87−3603, 87−18462
Thoma, E.P. Soft error rate reduction in bucket sense amplifiers 85−33689
Thoma, E.P. *see* Fitzgerald, B.F. 85−1743, 85−11252, 85−28532, 85−28540
Thoma, E.P. *see* Parent, R.M. 87−59482
Thoma, H. *see* Schwanda, G. 86−32382
Thoma, H. *see* Stoehr, H.G. 87−21663
Thoma, H. *see* Stohr, H. 86−32350
Thoma, H.-J. *see* Buchner, A. 87−63314
Thoma, H.-J. *see* Langenhagen, H. 88−47425
Thoma, J., Beer, M. Switching time limits of paralleled MOSFET devices obtained by modeling the dynamic input behavior 88−13407
Thoma, J., Pavuza, F. Power MOSFET simulation−a model to predict the behavior of a single cell as well as a hybrid power module 88−64489
Thoma, J., Pavuza, F. Power MOSFET simulation−a model to predict the behaviour of a single cell as well as a hybrid power module 88−71586
Thoma, J., Pichler, H. MOSFET−parallel circuits 86−40885
Thoma, J., Pichler, H., Franz, A. Comparison of dynamic limits of paralleling bipolar and power-MOS transistors 85−33669
Thoma, J. *see* Pavuza, F. 87−70540
Thoma, J.L., Bittel, R.H. Adaptive priority oriented token bus 88−21687
Thoma, M. Quality assurance and reliability of electroplating processes 85−16492

Thoma, M.J., Baumann, W.T., Westgate, C.R. A method to predict harmonic distortion in small-geometry MOS analog integrated circuits 87−38534
Thoma, M.J., Cochran, W.T., Harrus, A.S., Hey, H.P.W., Hills, G.W., Lawrence, C.W., Yeh, J.L. A 1.0 μm CMOS two level metal technology incorporating plasma enhanced TEOS 87−67601
Thoma, M.J., Westgate, C.R. A new AC measurement technique to accurately determine MOSFET constants 85−1597
Thoma, M.J. *see* Hills, G.W. 88−71807
Thoma, M.J. *see* Leung, C.W. 88−64773
Thoma, N.G. *see* Bustamante, C.M. 85−11354
Thoma, N.G. *see* Davis, J.W. 85−6358
Thoma, N.G. *see* Griffin, W.R. 85−7091
Thoma, R., Kabitzsch, K. Sensors based on acoustic surface waves 86−11562
Thoma, R. *see* Bierling, M. 87−19914
Thoma, R. *see* Girod, B. 87−33782
Thoma, R. *see* Kress, D. 87−39803, 87−55103 to 55104, 87−69166, 88−369
Thoma, R. *see* Schneegast, B. 87−10993
Thoma, R. *see* Schroter, E. 87−3537
Thoma, W., Pospischil, R. Subscriber access to the broadband ISDN with a universal user-network interface 87−27839
Thoma, W., Pospischil, R. Subscriber loop in the broadband ISDN 87−76167
Thoma, W. *see* Pospischil, R. 87−28324
Thomae, R.W., Siebenlist, F., van Amersfoort, P.W., Granneman, E.H.A. Multichannel acceleration of intense, low-energy ion beams 88−36315
Thomae, R.W., Siebenlist, F., van Amersfoort, P.W., Granneman, E.H.A., Klein, H., Schempp, A., Weis, T. A study of the electromagnetic properties of a resonator for the multichannel acceleration of light ions 87−8786
Thomae, R.W., Siebenlist, F., van Amersfoort, P.W., Schonewille, F.G., Granneman, E.H.A., Klein, H., Schempp, A., Weis, T. Low β ion acceleration with the FOM MEQALAC-system 86−25022
Thomae, R.W., Siebenlist, F., van Amersfoort, P.W., Schonewille, F.G., Granneman, E.H.A., Klein, H., Schempp, A., Weis, T. Low energy beam transport in a periodic focusing quadrupole channel 86−32051
Thomae, R.W., Siebenlist, F., van Amersfoort, P.W., Schonewille, F.G., Granneman, E.H.A., Klein, H., Schempp, A., Weis, T. The FOM-MEQALAC experiment 86−60396
Thomae, R.W. *see* Ivanov, S.T. 88−22873
Thomae, R.W. *see* Siebenlist, F. 87−50024 to 50025
Thomae, R.W. *see* van Amersfoort, P.W. 87−8809, 87−41675, 87−41734
Thomae, R.W. *see* Weis, T. 87−50028
Thomaier, D. Speed control of a missile with throttleable ducted rocket propulsion 88−54834
Thomalla, H. Concept for linking personal computers by way of an open local microcomputer network 85−30737
Thomalla, H. Modular front-end computers for an open star-connected local microcomputer network 85−52065
Thoman, D.C. *see* Hall, C.R., Jr. 87−42075
Thoman, E.B., Pugsley, M. Stability of sleep states in infants monitored in the home 87−57078
Thomann, G.C. The use of spreadsheets for electric utility related energy analysis applications 87−42365
Thomann, G.C. Wood H-frame transmission line design on a personal computer: using mainframe programs on a PC 88−61951
Thomann, G.C., Barfield, M.J. The time variation of wind speeds and windfarm power output in Kansas 88−48827
Thomann, G.C., Egbert, R.I., Smith, C.C. The increasing use of harmonic generating devices by energy consumers 86−59108
Thomann, H. *see* Heywang, W. 85−18509
Thomann, J. Optimum combination of word-rates up to 1 MHz. [ADC] 85−865
Thomann, J. 12 bit data acquisition system breaks the 1-MHz barrier 88−4316
Thomann, K. *see* Brandt, F.C.J. 87−57800
Thomanschefsky, U. *see* Jacobson, L. 85−46904
Thomas, A. Insulation displacement—the modern termination technique 86−58104
Thomas, A., Coudreuse, J.P., Servel, M. Asynchronous time-division techniques: an experimental packet network integrating videocommunication 85−47107
Thomas, A., Kluge, A.T.G., Suptitz, P., Polasko, K.J., Tsai, C.C., Cagan, M.R., Pease, R.F.W. Comment on 'Silver diffusion in $Ag_2Se/GeSe_2$ inorganic resist system' [by K.J. Polasko et al., with reply] 88−13203
Thomas, A. *see* Beck, F. 85−26532
Thomas, A. *see* Curry, J. 85−6861
Thomas, A.G., Pearson, D.L. Ageing of piezoelectric barium titanate 87−46260
Thomas, A.G. *see* Derham, C.J. 85−38636
Thomas, A.H. Automating field service for quality and profit . . . and how to choose the right software system 88−60601
Thomas, A.J. *see* Farquhar, D. 86−56425
Thomas, A.L. Synthetic image generation 85−19507
Thomas, B. Communications networks help databanks 85−13704
Thomas, B. Unscheduled outages in French PWR plants: causes and remedies 85−27193
Thomas, B. Surface-mount technology comes of age 86−53134
Thomas, B. Microcomputer module outperforms single chip devices 87−24218
Thomas, B., Silber, D., Berg, H., Tscharn, M. Progress in GTOs for industrial line inverter applications 86−45545
Thomas, B. *see* Berg, H. 85−23763
Thomas, B. *see* Brown, R.D.H. 86−50056
Thomas, B. *see* De Vita, E. 86−47974
Thomas, B. *see* Silber, D. 86−47561
Thomas, B.G. *see* Hall, D.C. 85−15539
Thomas, B.H., Martin, W.N. Pyramid structures in dynamic scenes 85−36434
Thomas, B.MacA. A review of the early developments of circular-aperture hybrid-mode corrugated horns 86−68876
Thomas, B.MacA., James, G.L. Electromagnetic design of antennas for earth stations and radio telescopes 87−2358
Thomas, B.MacA., James, G.L., Greene, K.J. Design of wide-band corrugated conical horns for Cassegrain antennas 86−64082
Thomas, B.MacA., James, G.L., Greene, K.J., Parsons, B.E., Yabsley, D.E., Humphries, P.W., Cudmore, R.A.M., Lee, S.M.C. Upgrade of the OTC(A) Moree 1 Earth station antenna 86−4593
Thomas, B.MacA. *see* Bird, T.S. 86−54351
Thomas, B.MacA. *see* Greene, K.J. 85−24995
Thomas, B.W.J. *see* Carey, R. 86−15336, 86−15343, 86−15350, 86−15530
Thomas, C. Connecting your micro to the telephone network 85−3011
Thomas, C. VANs—a pot-pourri of added value 85−36565
Thomas, C. World developments in cellular mobile telephony 85−36934
Thomas, C. Choosing a key telephone system 85−57673
Thomas, C. Phone workstations—a new species 86−17067
Thomas, C. World developments in cellular mobile telephony 86−49472
Thomas, C. VANS in Europe: dynamic development and growth 87−48339
Thomas, C. Evaluation of a technique for usability assessment in interactive systems 87−48551
Thomas, C., Milan, S. Input devices for tasks using interactive video 87−56417
Thomas, C. *see* Jarman, M. 86−54780
Thomas, C.-P. Bit-slice microcomputer technique 88−56690
Thomas, C.B., Sands, D., Brunson, K. Electrical characteristics of $Al/ZnS/p\text{-}p^+$ Si diodes 87−68294
Thomas, C.B. *see* Brunson, K.M. 87−24959, 87−60191
Thomas, C.B. *see* Evans, M. 86−1848
Thomas, C.B. *see* Reehal, H.S. 86−42445
Thomas, C.B. *see* Sands, D. 87−45712, 87−73115, 88−57394, 88−65474
Thomas, C.D., Marr, D., Freeman, R.A., Jenkins, P.D. The jointing of submarine optical fibre cable 85−25879
Thomas, C.D. *see* Ng, K.C. 85−4036
Thomas, C.E. Electronic power conditioner 86−66191
Thomas, C.E. 60 Hz electronic power conditioner regulates voltage, attenuates transients and harmonics 87−59153
Thomas, C.E. *see* Hartman, R.A. 86−39647
Thomas, C.P. *see* Evans, D. 87−50796
Thomas, C.P. *see* Gibbons, P.M. 86−49413
Thomas, C.P. *see* Parton, K.C. 88−17134
Thomas, C.R. Easily interpreted standard transformed score scales [educational grading] 85−33025
Thomas, C.R. Assigning and grading student computer projects in machine elements 88−5628
Thomas, C.W., Huebner, W.P., Leigh, R.J. A low-pass notch filter for bioelectric signals 88−68411
Thomas, C.W. *see* Huebner, W.P. 88−61362
Thomas, C.W. *see* Liebman, J. 86−11996
Thomas, C.W. *see* Robertson, D.E. 85−27159, 88−75399
Thomas, D. 10-MHz analog multiplier carrier output amp, breaks bandwidth barrier 86−27501
Thomas, D. RTL simulation makes a comeback for complex VLSI 86−52607
Thomas, D. ODETTE: organisation for data exchange by tele transmission in Europe 86−64542
Thomas, D. A multiband shuttle support and telemetry antenna 86−70519
Thomas, D. How to handle acceptance testing of waste-to-energy plants 88−17356
Thomas, D., Checketts, D.G., Edwards, J.A., Bagwell, D.J., Mehler, M.J. A theoretical model and experimental measurements of short range VHF/UHF propagation 87−54559
Thomas, D., Sethi, I.K., Salari, V. Motion filtering for target extraction and tracking in infrared images 88−66669
Thomas, D. *see* Bettahar, N. 85−50225
Thomas, D. *see* Davis, R. 85−11293
Thomas, D. *see* Wolak, E. 88−64495
Thomas, D.A. *see* Barry, B.M. 88−22203
Thomas, D.A. *see* Swartz, W.P. 87−1773
Thomas, D.B. Links between universities and industry 87−23240
Thomas, D.C., Wong, S.S. A planar multi-level tungsten interconnect technology 87−45834
Thomas, D.C. *see* Heiblum, M. 86−14863, 86−15115, 87−6678
Thomas, D.E. Automatic data path synthesis [VLSI design] 87−60570
Thomas, D.E., Hutchins, R.L., Wiggins, C.M., III, Nickel, F.S. Time-domain calculation of radiated fields 88−2453
Thomas, D.E. *see* Blackburn, R.L. 86−20487, 88−71705
Thomas, D.E. *see* Coffey, E.L., III 86−42869
Thomas, D.E. *see* Kowalski, T.J. 86−20205
Thomas, D.E. *see* Rajan, J.V. 86−21774
Thomas, D.E. *see* Walker, R.A. 86−20216, 88−26432
Thomas, D.E. *see* Wiggins, C.M. 88−17803
Thomas, D.G. Optical communications 85−20187
Thomas, D.G. Extending the boundaries of lightwave technology 87−62926
Thomas, D.H., Hayman, E.E. Raster scan radar displays 88−15665
Thomas, D.K. *see* Buchal, C. 87−74849
Thomas, D.L. *see* Bekaert, R. 85−51916
Thomas, D.M., Hayes, M.H., III A novel data-adaptive power spectrum estimation technique 87−62038
Thomas, D.M. *see* West, W.P. 87−2247
Thomas, D.R. *see* Aldridge, A.W. 87−59382
Thomas, D.R. *see* Balasubramanyam, K. 85−50757
Thomas, D.R. *see* Franklin, H.N. 86−61306
Thomas, D.R. *see* Solomon, J.S. 87−11439
Thomas, D.W. *see* Davis, G.M. 88−44665
Thomas, D.W. *see* Gyurcsik, R.S. 88−25100
Thomas, D.W. *see* Hadhoud, M. 86−23088
Thomas, D.W. *see* Hadhoud, M.M. 87−55263, 88−59210
Thomas, D.W.P. *see* Christopoulos, C. 88−23480
Thomas, E. Computationally simple adaptive tracking filters based on weighted averages 86−16490
Thomas, E. A spatial distribution of light intensities as a monitor of refractive index 88−22818
Thomas, E. *see* Brown, R.D.H. 86−50056
Thomas, E.C. *see* Jones, T.B. 86−59078
Thomas, E.C. *see* Schlegel, K. 87−29933
Thomas, E.C. *see* Waldock, J.A. 85−13139
Thomas, E.C. *see* Warrington, E.M. 87−47209
Thomas, E.L. Utility reliability management program: experience with design, development, and operation 85−9607
Thomas, E.L. *see* Hall, D.J. 85−28822
Thomas, E.P. *see* Liu, H.-S. 87−13529
Thomas, E.S. Line design factors for severe coastal environments 87−78167
Thomas, E.W., Fu, C.C., Gordon, K.C. Automated structural steel design for power plant structures 87−71767
Thomas, F., Debrie, F., Gloanec, M., Martin, P., Ruggeri, S., Uro, J.M. 1 GHz GaAs ADC building blocks 88−70871
Thomas, F.V., Brown, R.E. Experience in using workstations 85−45300
Thomas, G. ARCnet simplifies factory floor communications 88−15075
Thomas, G. Service provider/retailer—meeting the user's needs [cellular radio] 88−67264
Thomas, G. Application of multiuser coding to random access protocols 88−73396
Thomas, G., Dussaussois, C., Buret, F., Auriol, P. Deconvolution without system model or a new blind deconvolution 86−10423
Thomas, G., Lim, K.M. Recent developments in microprocessor control of variable-speed inverter-fed AC motors 86−6699
Thomas, G., Troussel, G., Vialettes, F. High-voltage technology offers new solutions for interface integrated circuits 87−31699
Thomas, G. *see* Delgrange, L. 85−14929
Thomas, G. *see* Favier, Ch. 85−37459
Thomas, G. *see* Gagel, K. 85−26949
Thomas, G. *see* Ho, H.-M. 88−71925
Thomas, G. *see* Hooper, A. 87−20904
Thomas, G. *see* Lee, G. 85−65532
Thomas, G. *see* Lin, I.-N. 86−63544
Thomas, G. *see* McAdoo, J. 86−31801
Thomas, G. *see* Mishra, R.K. 86−42096
Thomas, G. *see* Ramesh, R. 87−67724
Thomas, G.A. An improved zone plate test signal generator 87−13941
Thomas, G.A. HDTV bandwidth reduction by adaptive subsampling and motion-compensation DATV techniques 87−63146
Thomas, G.A. *see* Capizzi, M. 88−19718
Thomas, G.E. A non-linear theory for gyro-devices 85−55367

Thomas, G.E., Bollen, W.M., Goplen, B., Kaup, D.J., Johnston, G.L. Theory and simulation of a crossed-field microwave device 85—23330
Thomas, G.E., Bollen, W.M., Kaup, D.J., Goplen, B., Ludeking, L. A new interpretation of the time evolution of the RF electric field in a crossed-field device 86—47234
Thomas, G.E., Rehm, K.-E., Klimczak, G.W. Evaluation of target purity using various vacuum systems 85—59136
Thomas, G.E. *see* Doggett, W.O. 87—17622, 88—25827
Thomas, G.E. *see* Kaup, D.J. 88—32719, 88—64202, 88—71275
Thomas, G.E. *see* Ludeking, L.D. 88—38992
Thomas, G.E. *see* Overett, T. 88—50592
Thomas, G.E. *see* Parker, J.K. 87—17621
Thomas, G.E. *see* Shpock, S. 85—23331
Thomas, G.E. *see* Smith, R.S., III 87—17341
Thomas, G.E. *see* Smsith, R.S., III 86—41474
Thomas, G.E. *see* Spierings, G.A.C.M. 85—18635
Thomas, G.E. *see* Treado, T.A. 88—57255
Thomas, G.H., Spingarn, J.R. Ultrasonic determination of diffusion-bond strength 85—17037
Thomas, G.H. *see* Dailey, M.R. 85—3285
Thomas, G.M. Board level computing via LAN provides automatic testing 88—22419
Thomas, G.M., Aburdene, M.F. Simulation of time division multiple access systems using SLAM 85—25210
Thomas, G.M., Aburdene, M.F. Simulation of a five node computer network 85—25211
Thomas, G.O. *see* Doss, H.S. 85—53575
Thomas, G.R. *see* Dowsett, M.G. 88—64375
Thomas, G.R. *see* Duncan, W.J. 85—35419
Thomas, G.R. *see* Oehlberg, R.N. 86—25832
Thomas, G.R. *see* Sharon, A. 88—75391
Thomas, H. Decision analysis and strategic management of research and development: a comparison between applications in electronics and ethical pharmaceuticals 85—33070
Thomas, H. Teledialog equipment (TEDE): a possibility for fast telephonic public questioning for radio establishments 86—10908
Thomas, H. n-n isotype heterojunction transmission characteristics 87—37923
Thomas, H., Sigueira, G.L., Cole, R.S. MM-waves show merit for mobile cellular radio 87—56005
Thomas, H. *see* Bao-Ting Lerner 88—66665
Thomas, H. *see* Blight, S.R. 86—21544, 87—6717, 88—56914
Thomas, H. *see* Morgan, D.V. 88—1681
Thomas, H. *see* Sisolefsky, B. 85—60749
Thomas, H.-J. *see* Rossiger, V. 87—44422
Thomas, H.-M., Wittig, G. Application of a signal reconstruction method to evaluate pulsed eddy-current signals 86—572
Thomas, H.-M. *see* Wittig, G. 85—44813, 87—5549, 87—73201
Thomas, H.B. Business systems: their design, application and benefits 86—37429
Thomas, H.B. Videotex in the corporate environment 87—40315
Thomas, H.B. Marketing videotex: problems and solutions 87—62587
Thomas, H.E. EDIFACT: standardised electronic business traffic extending over several companies 88—9070
Thomas, H.J., Fudge, D.L., Morris, G. Gunn source integrated with microstrip patch 85—61463
Thomas, H.J. *see* Cole, R.S. 88—28728
Thomas, I.L., Benning, V.M., Ching, N.P. Classification of remotely sensed images 87—51721
Thomas, I.L., Minnett, P.J. An introductory review of the measurement of ocean surface wind vectors with a satellite radar scatterometer 86—50741
Thomas, I.M. Single-layer TiO_2 and multilayer TiO_2-SiO_2 optical coatings prepared from colloidal suspensions 88—13991
Thomas, I.M. *see* Musket, R.G. 88—26924
Thomas, I.P. Fabrication and initial characterisation of a range of n-channel lightly doped drain (LDD) devices 87—32576
Thomas, J. ATMOS—real-time simulation of man/machine-interaction in air traffic management (ATMOS—air traffic management and operations simulator) 87—15023
Thomas, J. Get used to it: voice mail is here to stay 88—46501
Thomas, J. Identifying and exploiting opportunities for expert systems in telecommunications 88—59461
Thomas, J. DSP56000, a high performance DSP architecture 88—63730
Thomas, J., Douglas, M., Watanabe, R., Henrikson, H.E., Iqbal, M.Z., Mitchell, L.W., O'Callaghan, B.M.G., Wong, H.T., Melvin, J.D. Real time data acquisition for a time projection chamber using a high speed DEC-RT11 to Unix UDP-TCP/IP interface 88—16627
Thomas, J., Iqbal, M.Z., Henrikson, H., Mitchell, L.W., O'Callaghan, B., Wong, H., Boehm, F. A time projection chamber for observing double beta decay in ^{136}Xe 88—36381
Thomas, J., Naidu, M.S. Non-uniform field breakdown in SF_6, N_2 and air at elevated temperatures 88—51065
Thomas, J. *see* Amendolia, S.R. 87—21426 to 21428
Thomas, J. *see* Bates, J. 87—59578
Thomas, J. *see* Binnie, D.M. 85—31693
Thomas, J. *see* Duruy, N. 85—14918
Thomas, J. *see* Iqbal, M.Z. 87—77541
Thomas, J. *see* Karshmer, A.I. 88—60449
Thomas, J. *see* Lohmann, A.W. 88—65407
Thomas, J. *see* McCormick, S. 86—52403
Thomas, J. *see* Willett, P. 87—47867
Thomas, J.-F. *see* Barber, G. 87—29555
Thomas, J.-M. *see* Roberts, J.E. 88—18619
Thomas, J.A. Gaussian multiple access channel capacity can at most be doubled by feedback 87—55396
Thomas, J.A. Feedback can at most double Gaussian multiple access channel capacity 88—27711
Thomas, J.A., Yegnanarayana, B., Karinthi, R., Venkateswar, V. Processing of noisy speech using group delay functions 86—16199
Thomas, J.B. *see* Browning, D.W. 86—64163
Thomas, J.B. *see* Crow, R.B. 85—38312
Thomas, J.B. *see* Martinez, A.B. 85—30259, 86—52929
Thomas, J.B. *see* Moustakides, G.V. 86—48922, 87—39768
Thomas, J.B. *see* Thornton, C.L. 85—43459
Thomas, J.B. *see* Warren, D. 86—64161, 87—47863
Thomas, J.B. *see* Willett, P.K. 86—64165, 87—69106
Thomas, J.C. WALRUS: a development system for speech synthesis 85—37382
Thomas, J.C. Interruptions handler [office equipment] 85—47764
Thomas, J.C. Phonology-based algorithm for the suppression of noise-bursts in speech 85—51560
Thomas, J.C. *see* Cohen, P.S. 85—30222
Thomas, J.D.R. Immobilized enzyme electrodes for glucose analysis 86—56098
Thomas, J.E. UG splice modules simplify downtown rework 87—15336
Thomas, J.E. *see* Soohoo, K.L. 86—3022
Thomas, J.G. Computer generation of templates for evaluating the amplitude and latency parameters of two superimposed constituent components of early somatosensory evoked responses 86—50576
Thomas, J.G. Computer implemented digital filtering, scaling and addition for analysing the structure of early somatosensory evoked responses 86—50577
Thomas, J.H. A response to the 'last mile' challenge [telecommunications bypass] 86—54806
Thomas, J.H., III, Bryson, C.E., III, Pampalone, T.R. X-ray photoelectron spectroscopy surface charge buildup used to study residue in deep features on integrated circuits 88—64667
Thomas, J.H., III, Hammer, L.H. An X-ray photoelectron spectroscopy study of sulfur hexafluoride etchant residue on silicon and silicon dioxide 88—26073
Thomas, J.H., III, Kaganowicz, G. X-ray photoelectron spectroscopy analysis of silicon oxide deposited by a nitrous oxide/silane glow discharge 86—26909
Thomas, J.H., III, Kaganowicz, G., Robinson, J.W. X-ray photoelectron spectroscopy analysis of changes in InP and InGaAs surfaces exposed to various plasma environments 88—57476
Thomas, J.H., III, McGinn, J.T., Hammer, L.H. Analysis of ion-induced surface damage on silicon etched in a CF_4 plasma 86—9012
Thomas, J.H., III *see* Faith, T.J. 87—60329
Thomas, J.H., III *see* Hoffman, D.M. 86—63192
Thomas, J.J., Parker, S.R. An implementation of a fast recursive digital filter using single-modulus residue arithmetic 85—17699
Thomas, J.J., Parker, S.R. Implementing exact calculations in hardware 87—59306
Thomas, J.K., Kaupp, V.H., Waite, W.P., MacDonald, H.C. Computer-derived height from SIR-B stereo radar images 87—63927
Thomas, J.K., Kaupp, V.H., Waite, W.P., MacDonald, H.C. Considerations for optimum radar stereo 88—9631
Thomas, J.K. *see* Lyon, W.F. 87—57295
Thomas, J.L. *see* Wheelwright, L. 86—44410
Thomas, J.Le *see* Le Thomas, J.
Thomas, J.O., Perry, J.R. Inverse problems in synthetic aperture radar (SAR) imaging of the ocean 85—47565
Thomas, J.O. *see* Bagg, M. 85—26907
Thomas, J.O. *see* Farrington, G.C. 86—22345
Thomas, J.P. *see* Davenas, J. 86—40798
Thomas, J.P. *see* Warner, R.E. 87—64418
Thomas, J.R. *see* Beuscher, H.J. 85—14060, 85—52150
Thomas, J.S. The South West Regional Network Operations Centre [computer networking] 86—23536
Thomas, J.S. User needs in distributed open systems management 88—15184
Thomas, J.S. *see* Huff, C.H. 88—63121
Thomas, J.W. *see* Covert, P.R. 86—31639
Thomas, K. Demand paged virtual memory with the Z8003 85—17499
Thomas, K. An integrated communications network in investments industry, and the political aspects of telecommunications 85—47042
Thomas, K. Plant information network 86—45135
Thomas, K. Europe's capacitor market 87—59913
Thomas, K. The road to public communication [ISDN] 88—21772
Thomas, K. ISDN introduction strategy at the German Post Office 88—73697
Thomas, K., Borg, B. The virtual memory management unit 85—54869
Thomas, K., Borg, N.B. Microprocessors and virtual memory. I 85—45074
Thomas, K., Hinchliffe, S., Hobson, L. Class E switching-mode power amplifier for high-frequency electric process heating applications 87—23945
Thomas, K. *see* Andrews, J.R. 88—74534
Thomas, K. *see* Hinchliffe, S. 87—72588
Thomas, K.B. Inservice inspection and reliability 87—9285
Thomas, K.L. *see* Halford, C.E. 85—64160
Thomas, L., Hing, A., Hughes, E., Beckerson, J., Wilson, K. GaAs MMIC broadband SPDT PIN switch 87—11033
Thomas, L. *see* Hing, L.A. 85—45647
Thomas, L.B., Harris, R.E., Krueger, C.L. The mercury vapour pumping effect for ^3He, ^4He, H_2, D_2, Ne, Ar, Kr, Xe, N_2, O_2, CO_2, CH_4, C_2H_4 and C_2H_6: its precise measurement and convenient application in McLeod gauge metrology 85—31626
Thomas, L.C. Multilayer printed circuit board characterization by thermal analysis 85—34361
Thomas, L.C. A survey of maintenance and replacement models for maintainability and reliability of multi-item systems 87—10219
Thomas, L.C. Examination of thermal analysis for PWB, electronic base materials testing. I 87—17473
Thomas, L.C. Examination of thermal analysis for PWB, electronic base materials testing. II 87—43945
Thomas, L.D. Digital missing-pulse detector 85—880
Thomas, L.F. *see* Harri-Augstein, S. 85—4401
Thomas, L.J., Jr. *see* Mead, C.N. 85—53069
Thomas, L.K. Experiences with fiber optics in a mill environment 88—73958
Thomas, L.S. *see* Snedeker, D.F. 86—12598
Thomas, M. Integrating PABXs and virtual private networks 88—67185
Thomas, M. A computer-aided measurement system for the objective evaluation of adhesive characteristics of motor-cycle tyres in steady circular 88—67681
Thomas, M. Dynamic characteristics of tracking converters 88—70866
Thomas, M., Patonay, G., Warner, I. Novel instrument for measurement of multidimensional fluorescence detected circular dichroism 86—65285
Thomas, M., Stansfield, R.F.D., Berneron, M., Filhol, A., Greenwood, G., Jacobe, J., Feltin, D., Mason, S.A. D19A & B: design and construction of a 4-circle neutron diffractometer with two-dimensional PSDs 85—15228
Thomas, M. *see* Filhol, A. 85—15229
Thomas, M. *see* Keane, J. 86—31970
Thomas, M. *see* Knights, M.G. 87—46844
Thomas, M. *see* Koyama, L. 86—28439
Thomas, M. *see* Maly, W. 88—64738
Thomas, M. *see* Stansfield, R.F.D. 85—15231
Thomas, M. *see* Yates, G.J. 87—53135
Thomas, M.A. The implementation and benefits of statistical process control 87—44026
Thomas, M.B. *see* Pell, C. 86—11178, 86—59949
Thomas, M.C. *see* Wang, C.L. 88—54428
Thomas, M.D., Knights, M.G., Chicklis, E.P. High gain Nd:YLF amplifier 87—46840
Thomas, M.D. *see* Knights, M.G. 88—65688
Thomas, M.D. *see* Mayes, P.E. 88—2787
Thomas, M.E. Infrared and millimeter wavelength absorption by atmospheric water vapor 88—40541
Thomas, M.E., Hartnett, M.P., McKay, J.E., Kapoor, A.K., Chinn, J.D. The potential of using refractory metals and barrier layers to generate high temperature interconnects 88—71465
Thomas, M.E. *see* Beyers, R. 85—23718
Thomas, M.E. *see* Kapoor, A.K. 86—63237, 88—64502
Thomas, M.E. *see* Maly, W. 88—33339
Thomas, M.E. *see* Tropf, W.J. 88—42615
Thomas, M.G., Fuentes, M.K., Lashway, C., Black, B.D. Reliability of photovoltaic systems: a field report 87—9433
Thomas, M.G., Jones, G.J. Grid-connected PV systems: how and where they fit 86—6627
Thomas, M.G., Royal, G.C. The future for residential photovoltaic systems 85—53620
Thomas, M.G., Stevens, J.W., Jones, G.J., Anderson, P.M. The effect of photovoltaic systems on utility operations 86—6650
Thomas, M.G. *see* Jones, G.J. 88—30623

Thomas, M.G. *see* Post, H.N. 87−9435
Thomas, M.H. Possible applications in the light of the NEN 1010 3rd publication: modern safety methods for low voltage installations. I 85−43643
Thomas, M.H. Modern safety devices for low-voltage installations. II 85−48607
Thomas, M.H. *see* Gilson, R.D. 88−30082
Thomas, M.H.B. *see* Corr, D.G. 88−41763
Thomas, M.J. *see* Balachandra, T.C. 88−19573
Thomas, M.K. *see* Goldberg, B.B. 86−53414
Thomas, M.U. *see* Pullen, K.W. 87−5189
Thomas, N. *see* Colclough, M.S. 87−53918, 88−20312
Thomas, N. *see* Gough, C.E. 88−26723
Thomas, N.J. GaAs/Langmuir-Blodgett film MIS devices 87−32476
Thomas, N.J., Petty, M.C., Roberts, G.G., Hall, H.Y. GaAs/LB film MISS switching device 85−1591
Thomas, N.J., Roberts, G.G., Petty, M.C. Switching characteristics for GaAs/LB film MISS devices 87−24972
Thomas, N.J. *see* Roberts, G.G. 86−58435
Thomas, N.L. Optical thin film monitoring using optical fibers 88−9996
Thomas, N.L., Hirschfeld, T.B. Optical fiber chemical sensing networks 88−35860
Thomas, N.S. Echo cancellers help meet network needs 85−63236
Thomas, O., Senateur, J.P., Madar, R., Laborde, O., Rosencher, E. Molybdenum disilicide: crystal growth, thermal expansion and resistivity 85−54436
Thomas, O. *see* Torres, J. 88−13189, 88−33080
Thomas, P. Applications of flexible circuits 85−34262
Thomas, P. The design and implementation of a CCITT V.32 modem on a general purpose digital signal processing microprocessor 88−799
Thomas, P., Asthana, R.G.S. The sensitivity of the Kalman window filter image restoration algorithm 85−36435
Thomas, P., Haykin, S. Stochastic modelling of radar returns 86−65015
Thomas, P., Riva, R. The EF 6805CT microprocessor 85−28563
Thomas, P. *see* Djamdji, F. 88−25904
Thomas, P. *see* Fenz, P. 85−50216
Thomas, P. *see* Frazier, M. 86−65704
Thomas, P. *see* Gaudreau, M.P.J. 87−75338
Thomas, P. *see* Muller, H. 85−6683
Thomas, P. *see* Schumacher, R. 87−45982
Thomas, P. *see* Sheridan, D.J. 86−60714
Thomas, P. *see* Van Damme, M. 88−37282
Thomas, P. *see* von Holleuffer-Kypke, R. 86−12592, 86−32958
Thomas, P.A., Flachet, J.C. Effect of hydrogenation on the conductivity of UHV-deposited amorphous silicon 85−23467
Thomas, P.A., Fox, J., Surace, G. VLSI chip set for FFT implementations 86−20636
Thomas, P.A. *see* Fox, J. 86−34872, 87−37164
Thomas, P.D., Brown, R.A. Rate limits in silicon sheet growth: the connections between vertical and horizontal methods 87−44283
Thomas, P.D., Ettouney, H.M., Brown, R.A. A thermal-capillary mechanism for a growth rate limit in edge-defined film-red growth of silicon sheets 87−10355
Thomas, P.D. *see* Derby, J.J. 88−43854
Thomas, P.F. Trends of drive developments for the American cement industry market 86−19553
Thomas, P.G., Yasin, M.M. Enhanced management domain for low-cost local area networks 86−37514
Thomas, P.G., Yasin, M.M. Optimum node location in a register-insertion ring network 87−48634
Thomas, P.G., Yasin, M.M. Optimum ring formation in a dynamically reconfigurable insertion ring network 87−76369
Thomas, P.G. *see* Wood, H.S. 87−50794
Thomas, P.J., Edwards, W.J., Cook, N. Maximum demand control for a coal handling plant 86−45893
Thomas, P.J. *see* Butterfield, M.H. 87−57797
Thomas, P.J. *see* Taylor, M.W. 88−11414
Thomas, P.P. *see* Hayes, N.M. 88−19161
Thomas, P.R., Brown, A.D. Efficient design rule checking using a scanline algorithm [IC layout design] 87−38353
Thomas, P.R. *see* Brown, A.D. 86−34440, 87−23864
Thomas, R. Switching a programmable lightswitch 86−1432
Thomas, R. Netware's voice of unity [Novell Netware] 87−2909
Thomas, R., Drury, R. Team communication in complex projects 87−43880
Thomas, R., Drury, R. Team communication in complex projects 88−31384
Thomas, R., Mouly, M., Gilbert, H. Performance evaluation of the channel organization of the European digital mobile communication system 88−73816
Thomas, R. *see* Awcock, G.J. 87−47889
Thomas, R. *see* Berry, M. 88−15744
Thomas, R. *see* Congalton, R. 88−10575
Thomas, R. *see* Fayolle, G. 86−54602
Thomas, R. *see* Forsdick, H. 85−25353
Thomas, R. *see* Robinson, N.J. 87−69283
Thomas, R. *see* Shi, A.J. 86−33227
Thomas, R. *see* Sieper, P. 86−70996
Thomas, R.A. Operational characteristics of a 1000 MVA superconducting power transmission system 85−64923
Thomas, R.A. *see* Forsyth, E.B. 86−39171, 87−9180
Thomas, R.A. *see* Lee, Y.Y. 88−54006
Thomas, R.A. *see* Simmons, R.B.V. 85−43721
Thomas, R.C. Czochralski silicon [historical perspective] 85−10658
Thomas, R.C. Noncontaminating gas distribution systems 86−9225
Thomas, R.C. Piping the clean room 87−36466
Thomas, R.C. *see* Oliver, T.W. 86−25797
Thomas, R.D. Integrated project management control techniques and software development 88−37928
Thomas, R.E. Life prediction for cable insulation material based on Weibull accelerated testing without failures 85−38510
Thomas, R.E. Diffusion and desorption of barium and oxygen on tungsten dispenser cathode surfaces 86−14791
Thomas, R.E. Stress-induced deformation of aluminum metallization in plastic molded semiconductor devices 86−15078
Thomas, R.E., Carroll, D.R. The baseband processor in future satellite communication systems 85−25833
Thomas, R.E., Gibson, J.W. Work function variation versus alloy concentration for dispenser cathodes 88−1312
Thomas, R.E., Norman, C.E., Varma, S., Schwartz, G., Absi, E.M. Semi-automatic, volume production of silicon solar cells 88−37380
Thomas, R.E. *see* Day, R.A. 86−37584
Thomas, R.E. *see* Gibson, J.W. 86−14790
Thomas, R.E. *see* Metcalf, R.J. 86−15260
Thomas, R.E. *see* Norman, C.E. 86−386, 86−13086
Thomas, R.E. *see* Schvan, P. 86−1671
Thomas, R.E. *see* Stember, L.H. 85−59738
Thomas, R.E. *see* Thompson, P. 87−72844
Thomas, R.E.G. *see* McHugh, J.O. 86−56036
Thomas, R.H., Forsdick, H.C., Crowley, T.R., Schaaf, R.W., Tomlinson, R.S., Travers, V.M., Robertson, G.G. Diamond: a multimedia message system built on a distributed architecture 86−30285
Thomas, R.H., Stevenson, G.R. Radiation protection around high energy accelerators 85−26811
Thomas, R.H. *see* McCaslin, J.B. 87−63597
Thomas, R.H. *see* Schantz, R.E. 86−64783
Thomas, R.I. A six-metre transverter 85−30927
Thomas, R.J. Static and dynamic voltage instabilities 88−23471
Thomas, R.J. Research opportunities focused on electric power systems 88−42805
Thomas, R.J. Opportunities for research on electric power systems problems 88−61792
Thomas, R.J., Phadke, A.G., Pottle, C. Operational characteristics of a large wind-farm utility system with a controllable AC/DC/AC interface 88−54915
Thomas, R.J., Thorp, J.S. Towards a direct test for large scale electric power system instabilities 86−56311
Thomas, R.J., Thorp, J.S., Linke, S., Pottle, C., Strohman, C.R. The Cornell University Kettering Energy Systems Laboratory 86−82
Thomas, R.J., Tiranuchit, A. Posturing of a multimachine power system by set point manoeuvring 87−4222
Thomas, R.J., Tiranuchit, A. Voltage instabilities in electric power networks 87−15264
Thomas, R.J., Tiranuchit, A. Dynamic voltage instability 88−42802
Thomas, R.J., Wang, X. The control of large wind-farm-induced voltage fluctuations 87−51123
Thomas, R.J. *see* Chow, M.-Y. 88−69335
Thomas, R.J. *see* Garcia-Rubio, M. 85−53278
Thomas, R.J. *see* MacMinn, S.R. 85−21595, 86−51610, 87−4689
Thomas, R.J. *see* Purucker, S.L. 86−12273
Thomas, R.J. *see* Tiranuchit, A. 88−10771, 88−54907
Thomas, R.L. *see* Favro, L.D. 86−6157, 87−71408
Thomas, R.M. The trimmable three-terminal resistor. A true 'trimpot' element for laser trimmed circuits 85−34392
Thomas, R.M., Haack, G.R. Estimation of Earth electrical properties using CW and FMCW ground wave propagation at HF 88−20902
Thomas, R.M., Roberts, P.M., Carson, C.T. Control of phased transmission from a high frequency array 85−46646
Thomas, R.M. *see* Lees, M.L. 88−47220
Thomas, R.N. Bulk GaAs materials review [crystal growth] 87−31493
Thomas, R.N. *see* Barrett, D.L. 85−39694
Thomas, R.N. *see* Clarke, R.C. 88−19839
Thomas, R.N. *see* Hobgood, H.M. 86−406, 88−11960
Thomas, R.N. *see* McGuigan, S. 87−10354
Thomas, R.R. The telecom web 85−19623
Thomas, R.R. The marvel of electronic mail 85−25343
Thomas, R.R. Cellular radio: moving messages 85−25764
Thomas, R.R. Intelligent installation 85−36552
Thomas, R.R. *see* Smith, M.S. 87−47373
Thomas, R.W., Calabrese, D.W. The identification and elimination of human contamination in the manufacture of ICs 86−15246
Thomas, R.W. *see* Jones, J.G. 85−53152
Thomas, S. Netbios for ISO networks 88−15064
Thomas, S. A dynamic naming protocol for ISO networks 88−28351
Thomas, S. Real-time simulation of the Space Station mobile service center 88−68537
Thomas, S., Berg, H.M. Micro-corrosion of Al-Cu bonding pads 86−15092
Thomas, S., Berg, H.M. Micro-corrosion of Al-Cu bonding pads 88−1559
Thomas, S., Strautman, F. SYNCNET−an implementation of open systems interconnection 87−27698
Thomas, S. *see* Bhanu, B. 86−10582
Thomas, S. *see* Hjipieris, G. 88−60896
Thomas, S. *see* Lyon, D.L. 87−28528
Thomas, S. *see* Whitfield, J. 86−63291
Thomas, S. *see* Wilson, S.R. 88−32765
Thomas, S.A. *see* McDonald, J.D. 86−25586
Thomas, S.D. *see* Kronick, J.C. 85−33120
Thomas, S.I.T. Cloud imagery from polar orbiting satellites 87−48999
Thomas, S.J., Bruce, G. Skin dose near compensating filters in radiotherapy 88−68468
Thomas, S.J. *see* Bigio, I.J. 87−12554
Thomas, S.J.P. *see* Murgatroyd, P.N. 85−64133
Thomas, S.N.B. *see* Hirschfeld, T.B. 87−71098
Thomas, S.R., Ackerman, J.L., Kereiakes, J.G. Practical aspects involved in the design and set up of a 0.15 T, 6-coil resistive magnet, whole body NMR imaging facility 85−26828
Thomas, S.R. *see* Monjes, J.A. 85−7562
Thomas, S.R. *see* Samaratunga, R.C. 88−61286
Thomas, S.W., Griffith, R.L., McDonald, W.R. Improvements in avalanche-transistor sweep circuitry for electrooptic streak cameras 85−61656
Thomas, S.W., Griffith, R.L., McDonald, W.R. Improvements in avalanche-transistor sweep circuitry for electro-optic streak cameras 86−49985
Thomas, S.W. *see* Wang, C.L. 85−52995, 85−61653
Thomas, T. Why speech recognisers make mistakes [voice processing] 88−2998
Thomas, T. The reality behind the theory of four-terminal LRC measurements 88−16237
Thomas, T. Device testers. Ensure MLCC reliability with constant-current flash testing 88−44389
Thomas, T., Fallside, F. A new articulatory model for speech production 86−16231
Thomas, T., Telfah Manufacturing techniques for the pipe-work components of nuclear power plants, with regard to tolerances and the German and international specifications 86−52078
Thomas, T.C., Carlson, R.C., Plummer, J.L. A new ball game in industrial electric rates 87−9109
Thomas, T.J., Winski, R. Speech recognizer assessment in the laboratory, not in the field 87−58665
Thomas, V.A., Durvasula, S. Passive vibration isolation system for Bhaskara spacecraft instrumentation packages 86−65479
Thomas, V.A., Sheshagiri, K.S.V., Prathap, V.R., Pattabhiraman, K. Assembly, integration and test of APPLE spacecraft 85−26837
Thomas, W. *see* Pan, P.V. 87−22054
Thomas, W. *see* Sirazi, S. 85−37304
Thomas, W.A. *see* Alber, H.J. 86−11140
Thomas, W.B., II. Matched glass-to-metal seal improvements by controlled atmosphere metal oxidation 87−130
Thomas, W.D. *see* Crawley, H.B. 86−50431, 87−44968
Thomas, W.G. Upgrading transmission lines for 100° centigrade operation 86−25615
Thomas, W.L. *see* Scheuerer, R. 86−69935
Thomas, W.P. *see* Whitehead, A.M. 87−50517, 88−36085, 88−61534
THomas, W.V., Connolly, C. Applications of colour processing in optical inspection 87−49549
Thomas, W.V. *see* Robertson, D.E. 85−27159
Thomas, X. *see* Balossier, G. 85−40414
Thomas, Y. Main design features of the French part [2000 MW France-UK HVDC link] 86−18721
Thomas Cathey, W. *see* Cormack, R. 88−56049
Thomas-Phillips, L. Exploring the various technologies being used for videoconferencing 86−49861
Thomasian, A., Bay, P. Analytic solution of an integrated performance model of a computer communication network with window flow control 85−8150
Thomasian, A., Bay, P. Performance analysis of window flow control for multiple virtual routes 85−8210

Thomasian, A., Bay, P. Analysis of queueing network models with population size constraints and delayed blocked customers 85−13672
Thomasian, A., Bay, P. Analysis of an integrated queueing model of a computer communication network 85−25551
Thomasian, A., Bay, P.F. Integrated performance models for distributed processing in computer communication networks 86−23471
Thomasian, A. *see* Bay, P. 86−17034
Thomason, L.W. Temperature retrieval by maximum entropy estimation 88−5166
Thomason, L.W. *see* d'Entremont, R.P. 88−5167
Thomason, M.G., Granum, E. Sequential inference of Markov networks by dynamic programming for structural pattern recognition 87−39927
Thomason, M.G., Granum, E., Blake, R.E. Experiments in dynamic programming inference of Markov networks with strings representing speech data 86−69018
Thomason, M.G. *see* Moret, B.M.E. 85−49381
Thomason, V.A. *see* Roden, J.A. 85−63024
Thomassen, C. Interval representations of planar graphs 86−34151
Thomassen, C. Counterexamples to Adam's conjecture on arc reversals in directed graphs 87−23495
Thomassen, C. *see* Fraisse, P. 87−72904
Thomassen, C. *see* Seymour, P. 87−23488
Thomassen, K.I. Progress and directions in magnetic fusion energy 85−43718
Thomasset, F. *see* Duff, I.S. 87−65412
Thomasson, P. MERLIN 87−13810
Thomazeau, I., Etchepare, J., Grillon, G., Migus, A. Electronic nonlinear optical susceptibilities of silicate glasses 85−46476
Thomazeau, I. *see* Etchepare, J. 85−41459, 87−26546
Thomborson, C.D., Deneen, L.L., Shute, G.M. Computing a rectilinear Steiner minimal tree in $n^0(\sqrt{^n})$ time 87−72944
Thome, C. New forms for telecommunications testing: how telecomms equipment testing 88−41161
Thome, F.V., Luker, S.M. Radiation damage annealing effects at elevated temperatures in bipolar transistors for severe space environments 88−5075
Thome, G.P. *see* Lee, T.W. 85−55861
Thome, R. Education in business economics is closer to practical experience by use of information processing 88−3493
Thome, R.J., Pillsbury, R.D., Jr., Bobrov, E.S., Williams, J.E.C., Vieira, R., Feng, J., Mann, W.R. Design and R&D for the liquid nitrogen cooled poloidal field coil system for the Compact Ignition Tokamak (CIT) 88−64001
Thome, R.J., Pillsbury, R.D., Langton, W.G., Jr., Mann, W.R. Magnetic to kinetic energy conversion following structural failure 86−28767
Thome, R.J., Pillsbury, R.D., Jr, Tarrh, J.M., Mann, W.R. Field derivative contours of effectiveness for filamentary current loops 86−48049
Thome, R.J., Tarrh, J.M., Pillsbury, R.D., Jr., Mann, W.R., Langton, W.G. Protection of toroidal field coils using multiple circuits 85−1941
Thome, R.J. *see* Ellis, J.F. 85−56240
Thome, R.J. *see* Pillsbury, R.D., Jr 86−48048, 88−65092
Thome, R.J. *see* Schultz, J.H. 85−56241
Thomee, V. *see* Crouzeix, M. 87−52034
Thomee, V. *see* Yi-Yong Nie 86−13694
Thomel, W. *see* Rossiger, V. 87−44422
Thomes, D.W. *see* Migliorato, P. 88−64590
Thomes, G. *see* Bezuk, S.J. 88−39265
Thomesse, J.P., Delcuvellerie, J.L. Functional and operative architectures in flexible manufacturing systems [communication network] 87−28155
Thomesse, J.P., Dumaine, J.Y., Brach, J.L. An industrial instrumentation local are network 87−28152
Thomet, H.R., Schulthess, F. PTT's collection of historical objects on telecommunications 86−16638
Thomi, W. *see* Leroy, D. 88−65070
Thomin, G., Bruneel, C., Gazalet, M.G., Bridoux, E., Picault, J.P. Acoustooptic deflectors at Brewster incidence 86−68354
Thomin, G. *see* Gazalet, M.G. 85−56385
Thomine, J.-B. *see* Koezuka, T. 88−73289
Thomka-Gazdik, J.G. International cooperatives—users of private leased lines 85−30526
Thomlinson, J. Viper: the 'formal methods' processor 88−38551
Thomlinson, J., Adams, L., Harboe-Sorensen, R. The SEU and total-dose response of the Inmos transputer 88−25248
Thomlinson, W., Chapman, D., Gmur, N., Lazarz, N. The superconducting wiggler beamport at the National Synchrotron Light source 88−48050
Thomlinson, W. *see* Brauer, E. 88−47820
Thomlinson, W. *see* Chapman, D. 88−47819
Thomlinson, W. *see* Thompson, A.C. 88−48121
Thomlinson, W.C. *see* Jones, K.W. 87−56990
Thommesen, C. Error-correcting capabilities of concatenated codes with MDS outer codes on memoryless channels with maximum-likelihood decoding 88−27762
Thommesen, C. *see* Andersen, J.B. 87−3086
Thomopoulos, S.A., Bougoulias, D. Decentralized control in random access broadcast channels with unknown arrival rates 86−16102
Thomopoulos, S.C.A. Minimum error entropy estimation and entropic prediction filtering: an optimal predictive coding scheme 86−16078
Thomopoulos, S.C.A. Decentralized estimation and control in random communication networks: stability andperformance analysis 86−16767
Thomopoulos, S.C.A. A certainty equivalence nonlinear separation control rule for random access channels: delay analysis 86−54595
Thomopoulos, S.C.A. A simple decentralized control for a variety of multiple access networks 87−55411
Thomopoulos, S.C.A. Estimation with information theoretic criteria: an interpretation 88−8653
Thomopoulos, S.C.A. A simple and versatile decentralized control for slotted ALOHA, reservation ALOHA, and local area networks 88−59361
Thomopoulos, S.C.A., Bougoulias, D.K., Zhang, L. Optimal and suboptimal distributed decision fusion 88−72943
Thomopoulos, S.C.A., Clay, J. Distributed control for ALOHAnets and LANs 87−55435
Thomopoulos, S.C.A., Lei Zhang Networking in distributed decision fusion 88−49635
Thomopoulos, S.C.A., Okello, N.N. Distributed detection with consulting sensors and communication cost 88−75025
Thomopoulos, S.C.A., Sunder, R. Delay analysis of the controlled ALOHA: exact analysis and bounds 87−62412
Thomopoulos, S.C.A., Viswanathan, R., Bougoulias, D.C. Optimal decision fusion in multiple sensor systems 88−14693
Thomopoulos, S.C.A., Viswanathan, R., Bougoulias, D.P. Optimal decision fusion in multiple sensor systems 87−41501
Thomopoulos, S.C.A., Viswanathan, R., Bougoulias, D.P. Globally optimal computable distributed decision fusion 88−46117
Thomopoulos, S.C.A., Zhang Lei Flow control in ISDN with limited buffering and discouragement 88−41432
Thomopoulos, S.C.A. *see* Aalo, V. 88−46093
Thomopoulos, S.C.A. *see* Viswanathan, R. 88−34724, 88−46118
Thompoulos, S.C.A. A stable control scheme for random access communication channels 86−48731
Thompson, A. Evolution of an automated eddy current inspection system 85−10855
Thompson, A. Larsen HT antenna review 88−40672
Thompson, A. Maxcom automatic antenna matchers 88−40756
Thompson, A., O'Sullivan, D., Domingo, C. The ionisation dependence of the registration temperature effect in solid state nuclear track detectors 87−29594
Thompson, A., Yelland, J.V. A sixty-way S-band radial waveguide combiner 85−14370
Thompson, A. *see* Chan, W.S. 86−53068
Thompson, A. *see* Domingo, C. 87−29595
Thompson, A. *see* O'Sullivan, D. 86−50413, 87−29596
Thompson, A. *see* Whittaker, T.J.T. 85−15922
Thompson, A.A., Jr. New driving forces in the electric energy marketplace−to a 'death spiral' or vigorous competition? [electricity supply industry] 85−26957
Thompson, A.C., Hofstadter, R., Otis, J.N., Zeman, H.D., Kernoff, R.S., Rubenstein, E., Giacomini, J.C., Gordon, H.J., Brown, G.S., Thomlinson, W. Transvenous coronary angiography using synchrotron radiation 88−48121
Thompson, A.C., Peppard, L.E., Penstone, S.R. A scan/set standard design frame for custom integrated circuit prototyping 87−32667
Thompson, A.C., Underwood, J.H., Wu, Y., Giauque, R.D., Jones, K.W., Rivers, M.L. Elemental measurements with an X-ray microprobe of biological and geological samples with femtogram sensitivity 88−48061
Thompson, A.C., Wu, Y., Underwood, J.H., Barbee, T.W., Jr. Focussing of synchrotron radiation X-ray beams using synthetic multilayer mirrors 87−50086
Thompson, A.C. *see* Edwards, W.R. 87−29415
Thompson, A.C. *see* Hughes, E.B. 86−60694
Thompson, A.C. *see* Nakamura, M. 88−61250
Thompson, A.C. *see* Underwood, J.H. 88−48057
Thompson, A.C. *see* Walton, J.T. 86−50511
Thompson, A.C. *see* Zeman, H.D. 86−11946, 86−50506, 86−60760
Thompson, A.H. *see* Katz, A.J. 87−42214
Thompson, A.J. *see* Dowling, D.J. 88−24692
Thompson, A.S. *see* Bene, P. 88−56532
Thompson, A.S. *see* Bonesini, M. 88−23001, 88−29823, 88−61141
Thompson, A.V. MICRO-CAP: an analog circuit design system for personal computers 85−517
Thompson, A.V. CAE tools for personal computers 85−17088
Thompson, A.W. *see* Brammer, R.C. 88−74784
Thompson, A.W. *see* Helliwell, J.R. 86−60678
Thompson, B. Stable reference IC simplifies the design of analog systems 88−24956
Thompson, B. *see* Hood, M. 87−24078
Thompson, B. *see* Moyer, B. 87−24237
Thompson, B. *see* Nissan-Cohen, Y. 88−7535
Thompson, B. *see* Wang, Y. 88−36568
Thompson, B.A. Quality assurance can be managed effectively as a distributed function 88−31518
Thompson, B.A. *see* Miniscalco, W.J. 87−18606, 88−1924, 88−27106
Thompson, B.C. *see* Perry, J.R. 86−44653
Thompson, B.D. *see* Borg, E.J. 87−14173
Thompson, B.E., Sawin, H.H. Polysilicon etching in SF_6 RF discharges. Characteristics and diagnostic measurements 87−11643
Thompson, B.E. *see* Mocella, M.T. 87−18013
Thompson, B.G., Brenton, B.C., Staab, E.V., Perry, J.R., Parrish, D., Johnston, R.E., Creasy, J.L. PACS: part of an integrated communications system 86−32411
Thompson, B.G. *see* Creasy, J.L. 88−36566
Thompson, B.G. *see* Hemminger, B.M. 87−21708, 88−36565
Thompson, B.G. *see* Parrish, D.M. 87−29836
Thompson, B.G. *see* Perry, J.R. 85−31817
Thompson, B.G. *see* Rogers, D.C. 87−14955
Thompson, B.G. *see* Yen Wang 88−54686
Thompson, B.H. *see* Banda, B.M. 86−61341
Thompson, B.H. *see* Kehlhofer, R. 88−5537
Thompson, B.H. *see* Plumley, D.R. 87−4571
Thompson, B.J. Data acquisition software for PC-based testing 88−35873
Thompson, B.J. Microwave signal generator update 88−36092
Thompson, B.J. Power monitoring instrumentation update 88−36817
Thompson, B.J. PC-based test instrument disk and file compatibility: no guarantees 88−41978
Thompson, B.J. Keeping noise out of PC-based test systems 88−67678
Thompson, B.J. Oscilloscopes under $2000: users benefit from competition and technology 88−67945
Thompson, B.J. Voltage, current and resistance calibrators 88−74516
Thompson, B.J. Glitches, sags and showering arcs: generating AC power disturbances 88−75229
Thompson, B.J., Malyak, P.H. Accuracy of measurement in coherent imaging of particulates in a three-dimensional sample 87−19068
Thompson, B.J. *see* Malyak, P.H. 85−15033, 87−19067
Thompson, B.J. *see* Masi, C.G. 88−68000
Thompson, C. *see* Gergen, J. 87−24350
Thompson, C. *see* Wei, B.W.Y. 87−5818
Thompson, C.D. Area-time complexity for VLSI 85−7056
Thompson, C.D. VLSI design with multiple active layers 86−7880
Thompson, C.D. The DSP56200, a single-chip digital adaptive filter 87−59794
Thompson, C.D., Gergen, J.P. A high-performance VLSI FIR/Echo Canceller chip 87−52770
Thompson, C.D., Yasuura, H. On the area-time optimal design of *l*-selectors 87−5338
Thompson, C.D., Yasuura, H., Takagi, N. Hardware algorithms for sorting−the VLSI complexity of sorting 86−15214
Thompson, C.D. *see* Bauer, R.L. 88−26544
Thompson, C.D. *see* Borth, D.E. 88−50997
Thompson, C.D. *see* Duris, P. 86−14145, 86−28370, 87−67313
Thompson, C.D. *see* Karp, R.M. 87−44453
Thompson, C.D. *see* Ng, A.P. 87−5616
Thompson, C.D. *see* Ng, A.P.-C. 87−59291
Thompson, C.D. *see* Raghunathan, A. 87−5572
Thompson, C.H. *see* Konnerth, K.L. 85−7930
Thompson, C.J. The effect of collimation on scatter fraction in multi-slice PET 88−61252
Thompson, C.J., Dagher, A., Meyer, E., Evans, A.C. Imaging performance of a dynamic positron emission tomograph: Positome IIIp 87−29720
Thompson, C.J., Meyer, E. The effect of live time in components of a positron tomograph on image quantification 87−50256
Thompson, C.J., Roney, J.M., Lecomte, R., Schmitt, D., Lupton, L.R. Dependence of the coincidence aperture function of narrow BGO crystals on crystal shape and light encoding schemes 86−60762
Thompson, C.J. *see* Lupton, L.R. 85−20893
Thompson, C.J. *see* Qian Yong-geng 87−45546
Thompson, C.J. *see* Roney, J.M. 85−15192
Thompson, C.M. *see* Ivey, L.E. 85−64777
Thompson, C.P. *see* Kightley, J.R. 88−358
Thompson, C.V. Solid phase processes for semiconductor-on-insulator 86−13771
Thompson, C.V., Cho, J. A new electromigration testing technique for rapid statistical evaluation of interconnect technology 87−18035
Thompson, C.V., Maiorino, C.D. Very large grained aluminum alloy thin films for interconnects 87−32449
Thompson, C.V. *see* Atwater, H.A. 87−6551

Thompson, C.V. *see* Ro, J.S. 88−57543
Thompson, C.V. *see* Smith, H.I. 85−12044
Thompson, C.V. *see* Wong, C.C. 85−10762
Thompson, C.V. *see* Yonehara, T. 85−367, 85−44748
Thompson, C.W. *see* Shimer, J.A. 85−29845
Thompson, D. Latching current limit for switchmode supply 85−44885
Thompson, D. The ICL in-house CIM and MAP programme 87−28174
Thompson, D. PC pursuit. Cheap communications 87−34127
Thompson, D., Stroebel, T. Designing electronics for automated inspection 88−63070
Thompson, D. *see* Howe, A. 85−43327
Thompson, D. *see* Muray, A. 87−11566
Thompson, D.A. Transient unbalanced magnetic pull in induction motors 87−43000
Thompson, D.A., Bocko, P.L., Gannon, J.R. New source compounds for fabrication of doped optical waveguide fibers 85−35424
Thompson, D.A., Drasdo, N. An improved method for using the DTL fibre in electroretinography 87−71144
Thompson, D.A. *see* Hecht, J.K. 87−11569, 88−1490
Thompson, D.A. *see* Ibrahim, A.M. 85−40470
Thompson, D.A. *see* Kostic, S. 87−38097
Thompson, D.A. *see* Meikle, S.G. 87−60096
Thompson, D.A. *see* Sarhangi, A. 88−65123
Thompson, D.A. *see* Scranton, R.A. 85−45979
Thompson, D.A. *see* Zhao Jie 88−57373
Thompson, D.A. *see* Nagel, S.R. *(editor)* 87−72706
Thompson, D.B. Multiprocessor software development for an unmanned research vehicle 88−68524
Thompson, D.C.H. *see* Refsum, A. 88−43081
Thompson, D.F., Auld, B.A. Trapping and temperature compensation of leaky surface waves on lithium niobate and lithium tantalate using shallow gratings 87−6977
Thompson, D.F., Auld, B.A. Surface transverse wave propagation under metal strip gratings 87−60775
Thompson, D.F. *see* Auld, B.A. 86−2548, 87−60768, 88−54813
Thompson, D.G., Lien, S.Y., Hemler, P.F. Computer modelling approach to analyze HCC solder joints 85−33191
Thompson, D.H., Baylor, L.R., Patek, D.R., Fletcher, W.M. Use of advanced programmable controllers in LCTF 85−4234
Thompson, D.H. *see* Lue, J.W. 88−45031
Thompson, D.J., Paley, R.M. Operating experience with loose-parts monitoring at Susquehanna Steam Electric Station 85−4837
Thompson, D.L. *see* Anderson, R.E. 86−53253
Thompson, D.M. A management standard for local area networks 86−49313
Thompson, D.M. LAN management standards−architectures and protocols 86−55005
Thompson, D.M.M., Stuntebeck, S.v., Dellinger, M., David, A.J. Quality by Design: a quality manual for the AT&T R&D community 88−213
Thompson, D.O., Hsu, D.K. Technique for generation of unipolar ultrasonic pulses 88−75001
Thompson, D.O., Wormley, S.J. Absolute magnitude of front surface reflections in ultrasonic measurements 85−6085
Thompson, D.O., Wormley, S.J., Hsu, D.K. Apparatus and technique for reconstruction of flaws using model-based elastic wave inverse ultrasonic scattering 87−23796
Thompson, D.O. *see* Palanisamy, R. 85−10878
Thompson, D.O. *see* Rehbein, D.K. 85−17038, 86−13873
Thompson, D.O. *see* Thompson, R.B. 85−6064, 86−26950
Thompson, D.O. *see* Wormley, S.J. 85−6081
Thompson, D.O., Chimenti, D.E. *(editor)* Review of Progress in Quantitative Nondestructive Evaluation. Vol.3. Proceedings of the Tenth Annual Review 85−5649
Thompson, D.R. Intensity modulations in synthetic aperture radar images of ocean surface currents and the wave/current interaction process 86−32576
Thompson, D.R., Gasparovic, R.F. Intensity modulation in SAR images of internal waves 86−44812
Thompson, D.R. *see* Apel, J.R. 86−32574
Thompson, D.S., Leon, F.A., Duvall, S.G. An efficient SAMPLE/Monte Carlo methodology for developing robust photolithography processes 88−19875
Thompson, D.S., Nasr, A.M.H. An equivalent circuit for coils with magnetically nonlinear cores 85−32568
Thompson, D.S., Nasr, A.M.H. Methods for the determination of the response of nonlinear circuits to forced excitations 87−31680
Thompson, D.S., Wilson, M.R. Thermal analysis of a multicore cable 88−23507
Thompson, D.W., Mundy, J.L. Three-dimensional model matching from an unconstrained viewpoint 87−62303
Thompson, E. *see* Goede, A.P.H. 88−45650 to 45651
Thompson, E.J. *see* Dawson, J.F. 86−32452
Thompson, F.G. Safety in electrical installations−from design to the client 87−51814
Thompson, F.L. *see* Sheffer, A.D., Jr. 87−14182
Thompson, G., Askari, A.R. Air leak detection through ball plug valves by vibration monitoring 86−52236
Thompson, G. *see* Corden, M.J. 85−64462
Thompson, G. *see* Cramer, O.W. 87−49444
Thompson, G.B. Information economic aspects of new services 87−48434
Thompson, G.C., Niederjohn, R.J., Rutchik, W.L. The use of flat panel plasma displays for general-purpose computer console input/output 87−29210
Thompson, G.E. *see* Alwash, S.H. 87−44420
Thompson, G.H.B. Compensation of line-broadening factor in twin-stripe semiconductor lasers and improved modulation potential 86−54139
Thompson, G.H.B. Analysis of optical directional couplers that include gain or loss and their application to semiconductor slab dielectric guides 87−18644
Thompson, G.H.B., Whiteaway, J.E.A. Analysis of the stability of the highest-order supermode in semiconductor laser arrays 87−46867
Thompson, G.H.B. *see* Dawe, P.J.G. 85−18822, 86−42463, 86−54057
Thompson, G.H.B. *see* Spear, D.A.H. 85−41280
Thompson, G.H.B. *see* Whiteaway, J.E.A. 86−15709
Thompson, G.L. Development of a high resolution raster graphic display memory 85−17434
Thompson, G.L., Singhal, S. A successful algorithm for the undirected Hamiltonian path problem 85−28120
Thompson, G.L. *see* Singhal, S. 86−64618
Thompson, G.O. Comparison of several methods of implementing a fiber optic IEEE 802.3 Ethernet 88−47070
Thompson, G.R. Ion beam technology innovation 85−12204
Thompson, G.R.G. A modular approach to multifunction radar design for naval application 88−15616
Thompson, G.T. *see* Armour, I.A. 88−8343
Thompson, G.T. *see* Ball, G.J. 88−8337
Thompson, G.V., III *see* Archer, J.G. 86−44139
Thompson, H.P. Increasing data communications control through system simulation 87−62473
Thompson, H.R. *see* Edighoffer, J.A. 88−51830
Thompson, H.S., Laver, J.D. The Alvey speech demonstrator−architecture, methodology and progress to date 88−66433
Thompson, I.M.G. International standards on equipment for the measurement of dose equivalent from photon, beta and neutron radiations 86−18401
Thompson, J. Case studies spotlight failures 87−36528
Thompson, J. International Radio Inc.'s 2/1 kHz SSB and 400 Hz CW filters 88−25303
Thompson, J., Mackett, P., Jenkin, G.T., Nguyen Duy, T., Gori, P. The growth of CdHgTe by metalorganic chemical vapour deposition for optical communication devices 88−31792
Thompson, J., Mackett, P., Smith, L.M., Cole-Hamilton, D.J., Shenai-Khatkhate, D.V. The growth of CdHgTe by MOCVD at reduced temperatures 88−31765
Thompson, J., Rogers, T., Galey, R.A. The use of marginal voltage analysis as a screening tool for increased integrated circuit reliability 86−13563
Thompson, J., Woodhouse, K.T., Dineen, C. Epitaxial growth of II-VI compounds on sapphire substrates 87−10420
Thompson, J. *see* Arnold, P. 85−29395
Thompson, J. *see* Batley, R. 86−25127
Thompson, J. *see* Charles, S.J. 88−7638
Thompson, J. *see* Hyliands, M.J. 86−67687
Thompson, J. *see* Jenkin, G.T. 87−36810
Thompson, J. *see* Raccah, P.M. 86−66853
Thompson, J. *see* Smith, L.M. 88−60174
Thompson, J. *see* Warren, T. 85−5304
Thompson, J.A., Mee, P.B. A statistically designed investigation of substrate effects on CoCr thin films for perpendicular magnetic recording 85−18548
Thompson, J.A., Remba, R.D. Use of diffusion barriers for improved reliability GaAs FETs 88−26349
Thompson, J.A., Stevenson, D.A. Comparison of the effects of oxygen on cobalt and cobalt-chromium thin films 86−28595
Thompson, J.A. *see* Crescenzi, E.J., Jr. 87−73775
Thompson, J.A. *see* Darbyshire, A.G. 85−53175
Thompson, J.A. *see* Engels, E., Jr. 87−29488
Thompson, J.A. *see* Gough, M.P. 88−10500
Thompson, J.A. *see* Lobkowicz, F. 85−43185
Thompson, J.A.J., Apea, F. Installations in petrol stations [electrical safety] 88−55917
Thompson, J.C. *see* Gonen, T. 85−27051, 86−12339
Thompson, J.D. *see* Mitchell, J.L. 88−10564
Thompson, J.E. *see* Arnold, P.A. 87−38624, 88−39763
Thompson, J.E. *see* Baker, M.C. 88−58819
Thompson, J.E. *see* Chang, D.D. 86−47877, 88−1819
Thompson, J.E. *see* Chung, D. 85−35221
Thompson, J.E. *see* Grzybowski, S. 85−35258, 85−38516, 88−26606
Thompson, J.E. *see* Hobman, D.L. 85−9613
Thompson, J.E. *see* Lewis, J. 85−23989
Thompson, J.E. *see* McDonald, C.L. 85−27129
Thompson, J.E. *see* Warran, F.T., Jr. 87−17578
Thompson, J.E. *see* Warren, F.T., Jr. 85−27128
Thompson, J.E., Luessen, L.H. *(editor)* Fast Electrical and Optical Measurements. Proceedings of the NATO Advanced Study Institute on Fast Electrical and Optical Diagnostic Principles and Techniques 86−57084
Thompson, J.F. A survey of dynamically-adaptive grids in the numerical solution of partial differential equations 85−33366
Thompson, J.F. Dynamically-adaptive grids in the numerical solution of partial differential equations 85−49526
Thompson, J.F. A general three-dimensional elliptic grid generation system on a composite block structure 88−11929
Thompson, J.G. *see* Shrader, J.E. 87−26709
Thompson, J.L. Role of IMO in defining future radionavigation system requirements for international shipping 88−60316
Thompson, J.P. Advances in VLSI/ULSI plasma etching process technology 88−1556
Thompson, J.R. Engineer to manager−the challenging transition 87−23037
Thompson, J.R., Gordon, J.S., Mathieson, E. Cathode charge distributions in multiwire chambers. III. Distribution in anode wire direction 85−37929
Thompson, J.S., Tierny, T.J. Terminal access to ISDN-like services on PBXs 87−40204
Thompson, J.S. *see* Alton, G.D. 86−38684
Thompson, J.W. *see* Field, A.R. 88−65208
Thompson, K., Phinney, N. Timing system control software in the SLC 86−31786
Thompson, K. *see* Abrams, G.S. 88−54244
Thompson, K. *see* Foss, M.H. 85−26654
Thompson, K. *see* Jobe, R.K. 86−31782
Thompson, K. *see* Sage, J.P. 87−25543
Thompson, K. *see* Seeman, J.T. 88−54272
Thompson, K. *see* Spencer, N. 86−31787
Thompson, K.A., Jobe, R.K., Johnson, R., Phinney, N. Feedback systems in the SLC 88−54168
Thompson, K.A. *see* Jobe, R.K. 88−54157
Thompson, K.A. *see* Sheppard, J.C. 88−54097
Thompson, K.C. *see* Hoopman, T.L. 88−64157
Thompson, K.G. Trolley locomotives−the day after 87−9980
Thompson, K.M. *see* Colton, E.P. 85−20768
Thompson, K.M. *see* Praeg, W.F. 88−54287
Thompson, K.R. Professional environment for knowledge workers: the employer's responsibilities 87−51806
Thompson, K.R. Professional environment for knowledge workers: employers' responsibilities 88−37801
Thompson, L. Wideband distribution problems in cable 86−69934
Thompson, L., Lutz, D. Providing back-up to broadband LANs 87−76309
Thompson, L. *see* Apsimon, R.J. 85−43246, 86−65356
Thompson, L. *see* Gross, C.A. 86−6309
Thompson, L.B. *see* Berthold, J.W., III 85−24284
Thompson, L.B. *see* Oehlberg, R.N. 86−25832
Thompson, L.F. *see* Apsimon, R.J. 86−25138, 86−50392, 87−41836
Thompson, L.F. *see* Novembre, A.E. 88−44720
Thompson, L.F. *see* Reichmanis, E. 88−1502
Thompson, L.F. *see* Tarascon, R.G. 88−13247
Thompson, L.L. *see* Jensen, A.S. 88−48409
Thompson, L.R. Multilink−a low cost data transport system 85−8178
Thompson, L.R., Fathipour, M., Boyer, P.K., Wilmsen, C.W., Collins, G.J. Laser enhanced low temperature oxidation of InP 87−17981
Thompson, L.R. *see* Demiryont, H. 87−17847
Thompson, L.R. *see* Emery, K. 85−413, 85−418
Thompson, L.R. *see* Emery, K.A. 85−49605
Thompson, M. Compute magnitude, phase, and group delay 87−52695
Thompson, M., Brusso, P. Locating signal line defects with thermal image analysis 88−44431
Thompson, M., Dhaliwal, G.K., Arthur, C.L., Calabrese, G.S. The potential of the bulk acoustic wave device as a liquid-phase immunosensor 87−50587
Thompson, M. *see* Chiang, A. 87−21151
Thompson, M. *see* Ito, H. 86−50111
Thompson, M. *see* Madan, A. *(editor)* 88−43591
Thompson, M.A., Werner, M.W., Egan, R.R., Coan, P.D., Robl, P.E. Free running time to digital converter with 1 nanosecond resolution 88−61184
Thompson, M.A. *see* Byrum, K. 88−48020
Thompson, M.A. *see* Erwin, A.R. 85−59176
Thompson, M.A. *see* Horne, W.E. 86−7129
Thompson, M.A. *see* Northrup, S.D. 85−21687
Thompson, M.C., Mauldin, G.H. Operation of the 300-kw capacitor test facility 85−175

Thompson, M.C., Mauldin, G.H. Test techniques for model development of repetitive service energy storage capacitors 85—44139
Thompson, M.C. *see* Mauldin, G.H. 85—5348
Thompson, M.G. *see* Kulkarni, A.K. 87—60177, 87—60180
Thompson, M.H. In-orbit testing and performance of the AUSSAT spacecraft communications payload 87—3144
Thompson, M.H. *see* Tsui, J.B.Y. 87—34356
Thompson, M.J. Thin film transistors for large area electronics 85—18319
Thompson, M.J. The materials issues and applications of amorphous silicon thin film transistors 87—25355
Thompson, M.J., Tuan, H.C. Amorphous silicon electronic devices and their applications 88—13422
Thompson, M.J. *see* Chuang, T.C. 88—26296
Thompson, M.J. *see* Fu, C.Y. 86—15049
Thompson, M.J. *see* Gorman, G.J. 87—30020
Thompson, M.J. *see* Jackson, W.B. 86—53454
Thompson, M.J. *see* Marshall, J.M. 86—68383, 88—39084
Thompson, M.J. *see* Street, R.A. 85—6753, 85—18136, 85—24379
Thompson, M.J. *see* Tsai, C.C. 85—433, 85—50223, 86—27985, 87—44388
Thompson, M.J. *see* Weisfeld, R.L. 88—44774
Thompson, M.J. *see* Adler, D. *(editor)* 86—33937
Thompson, M.J. *see* Lam, H.W. *(editor)* 85—49273
Thompson, M.K., Noble, P.W. Moulded circuit boards—an interconnect system for feature telephones 87—8090
Thompson, M.O. *see* Galvin, G.J. 86—26856
Thompson, M.O. *see* Peercy, P.S. 85—61831, 86—28109
Thompson, M.V. *see* Ramirez, D.J. 87—40717
Thompson, M.W., Halverson, D.R. Aspects of robust signal detection from a differential geometric viewpoint 87—47864
Thompson, M.W., Halverson, D.R. A differential geometric approach toward robust signal detection in nonstationary and/or dependent noise 88—34725
Thompson, M.W. *see* Schnitzer, M.S. 87—61869
Thompson, N.C. Designing systems with advanced CMOS standard cells 85—39980
Thompson, N.F. *see* Russell, G.J. 86—390
Thompson, O.E., Goldberg, M.D., Dazlich, D.A. Pattern recognition in the satellite temperature retrieval problem 85—59475
Thompson, P. Cooler spectrum [power supply] 85—6161
Thompson, P. Audio to logic interface 85—6468
Thompson, P. Satellite communications organisations 85—8376
Thompson, P. Ringing tone monitor 85—13988
Thompson, P. Testing video flash converters 85—22950
Thompson, P. Functional trimming 85—23287
Thompson, P. Wide range high current supply 85—33655
Thompson, P. Software switch for page mode scheme 85—49829
Thompson, P. Schools get the message [learning packages] 86—74
Thompson, P. Adding phase shift to the 8038 86—20362
Thompson, P. Teaching through videoconferencing 87—20746
Thompson, P., Cullmann, E., Vach, W., Muller, K.H. A synchrotron compatible production oriented X-ray stepper 88—26141
Thompson, P., Dietrich, H., Anand, Y., Higgins, V., Hillson, J. Fully implanted GaAs millimetre-wave mixer diode using high energy implantation 87—66522
Thompson, P., Thomas, R.E. Accelerated test performance of organic-coated aluminium-metallized corrosion devices 87—72844
Thompson, P. *see* Adrian, F.J. 88—12055
Thompson, P. *see* Dahl, P. 86—25050, 86—44521, 87—74618, 88—68131
Thompson, P. *see* Herrera, J. 88—54285
Thompson, P. *see* Kahn, S. 86—25054
Thompson, P. *see* Morgan, D.V. 88—1681
Thompson, P. *see* Patterson, G. 85—11750
Thompson, P. *see* Rosati, V. 85—56057
Thompson, P. *see* Skaritka, J. 88—54039
Thompson, P. *see* Strait, J. 87—74617, 88—54294, 88—68133
Thompson, P. *see* Wanderer, P. 88—29730, 88—54283, 88—68136
Thompson, P.A., Cottingham, J., Dahl, P., Fernow, R., Garber, M., Ghosh, A., Goodzeit, C., Greene, A., Hahn, H., Herrera, J., Kahn, S., Kelly, E., Morgan, G., Plate, S., Prodell, A., Sampson, W., Schneider, W., Shutt, R., Wanderer, P., Willen, E. Superconducting magnet system for RHIC 86—25056
Thompson, P.A., Cottingham, J., Dahl, P., Fernow, R., Garber, M., Ghosh, A., Goodzeit, C., Greene, A., Hahn, H., Herrera, J., Kahn, S., Kelly, E., Morgan, G., Plate, S., Prodell, A., Sampson, W., Schneider, W., Shutt, R., Wanderer, P., Willen, E. Status of magnet system for RHIC 87—21342
Thompson, P.A., Cottingham, J., Dahl, P., Garber, M., Ghosh, A., Goodzeit, C., Greene, A., Hahn, H., Herrera, J., Kahn, S., Kelly, E., Morgan, G., Plate, S., Prodell, A., Sampson, W., Schnieder, W., Shutt, R., Willen, E. Single layer quadrupole design for SSC 88—54288
Thompson, P.A. *see* Bleser, E.J. 85—48153
Thompson, P.A. *see* Cottingham, J.G. 85—59040
Thompson, P.A. *see* Gupta, R.C. 88—51411
Thompson, P.B. *see* Cole, M.J. 85—2509
Thompson, P.B. *see* Taylor, D.J. 85—1916
Thompson, P.C. Engineering technology transfer for the Vandellos II project 86—39358
Thompson, P.C. Engineering technology transfer for the Vandellos II project 87—50952
Thompson, P.D., Cook, L.F. Tunnel lighting—an alternative approach. Churchill Way Tunnel, Basingstoke 88—43476
Thompson, P.D. *see* Sommerville, J.D. 88—62063
Thompson, P.E., Binari, S.C., Dietrich, H.B., Henry, R.L. Device isolation by oxygen implantation in *n*-type indium phosphide 85—18227
Thompson, P.E., Dietrich, H.B. Activation and characterization of MeV n-type implants in GaAs 87—60103
Thompson, P.E., Dietrich, H.B. MeV S implantation into GaAs 88—57430
Thompson, P.E., Dietrich, H.B., Ingram, D.C. MeV Si implantation in GaAs 85—34787
Thompson, P.E., Dietrich, H.B., Spencer, M., Ingram, D.C. MeV implantation of n-type dopants into GaAs 86—2004
Thompson, P.E., Wilson, R.G., Ingram, D.C., Pronko, P.P. Atomic profiles of high energy (MeV) Si implanted into GaAs 88—44552
Thompson, P.E. *see* Anderson, G.W. 88—25025, 88—65460
Thompson, P.E. *see* Binari, S.C. 85—23131
Thompson, P.E. *see* Krowne, C.M. 87—45273, 87—52834
Thompson, P.E. *see* Papanicolaou, N.A. 87—38074
Thompson, P.E. *see* Rao, M.V. 87—60267, 88—64382
Thompson, P.E. *see* Wilson, R.G. 88—57493
Thompson, P.F. Tomorrow is TODAY in DS3 networking 87—55539
Thompson, P.H. Recent developments in analogue test equipment 86—24350
Thompson, P.H. *see* Dalton, G.W. 87—31234
Thompson, P.J. The new framework for national vocational qualifications 88—11644
Thompson, P.J., Manry, M.T. An efficient, noise tolerant, linear extrapolator 88—66583
Thompson, P.M., Taylor, J.W., Negri, R.E. Retarding-field differential-output energy prefilter for high-performance secondary ion mass spectrometry 85—64507
Thompson, P.M. *see* Hamstad, M.A. 88—18792
Thompson, P.T. Propagation and interference considerations relating to satellite communications systems 85—8387
Thompson, P.T. Cross polarisation cancellation and its use to improve the accuracy of propagation measurements 86—22695
Thompson, P.T. Global INTELSAT Business Service 86—49531
Thompson, P.T. Intelsat's future satellites 88—22005
Thompson, P.T. Spectrum and orbit resource management for the fixed satellite service 88—67305
Thompson, P.T. Satellite communications organisations 88—73873
Thompson, P.T. Propagation and interference considerations relating to satellite communications systems 88—73876
Thompson, P.T., Buchsbaum, L.M. INTELSAT earth-station standards—a new look to an old theme 86—37827
Thompson, P.T., Smith, B.B. Interference and regulatory aspects of microterminal networks 87—28538
Thompson, P.T., Thirlwell, J. The British Telecom Olympus propagation experiments 88—9513
Thompson, P.T. *see* Hart, M.J.S. 85—58075
Thompson, P.T. *see* Lewis, J.R. 85—14227
Thompson, R. Ptarmigan mobile access—freedom of movement for the British Army 86—30683
Thompson, R. The NS32332 computing cluster 87—59631
Thompson, R. Space Station: designing the future 87—77710
Thompson, R., Uberoi, A. 32-bit processor simplifies system design 87—24221
Thompson, R. *see* Crooks, G. 86—56737
Thompson, R. *see* Gilbert, B. 87—31945
Thompson, R.A. Emerging terminals and the ISDN 85—13768
Thompson, R.A. Traffic capabilities of two rearrangeably nonblocking photonic switching modules 86—30753
Thompson, R.A. Dual drive problems: kilns and mills 87—65012
Thompson, R.A. A photonic circuit for extracting and uniforming TDM channels 87—76810
Thompson, R.A., Giordano, P.P. An experimental photonic time-slot interchanger using optical fibers as reentrant delay-line memories 87—34572
Thompson, R.B. Future outlook for automated NDE 87—56517
Thompson, R.B., Gray, T.A. Application of diffraction corrections to the absolute measurement of scattering amplitudes [in ultrasonic flaw detection] 85—6084
Thompson, R.B., Thompson, D.O. Ultrasonics in nondestructive evaluation 86—26950
Thompson, R.B., Thompson, D.O., Burte, H.M., Chimenti, D.E. Use of field-flaw interaction theories to quantify and improve inspection reliability 85—6064
Thompson, R.B. *see* Clark, A.V., Jr. 88—56352
Thompson, R.B. *see* Gray, T.A. 85—6067, 85—6076
Thompson, R.B. *see* Palanisamy, R. 85—10878
Thompson, R.C. *see* Gill, P. 87—33244
Thompson, R.C. *see* Li, T. 87—12532
Thompson, R.D. *see* Cheng, I.C. 85—34632
Thompson, R.D. *see* Eizenberg, M. 85—61760
Thompson, R.D. *see* Psaras, P.A. 85—61750
Thompson, R.E. *see* Gould, G. 85—31074
Thompson, R.G., Shealy, D.L., Tohver, H.T. Compatibility studies in metal-cordierite systems for electronic packaging 87—73161
Thompson, R.G., Shyu, J., Poret, J.C., Buckhalt, C., Shealy, D.L., Tohver, H.T. A study of porous cordierite as a potential candidate for VLSI dielectric substrates 88—64681
Thompson, R.G. *see* Shealy, D.L. 88—64140
Thompson, R.H. Modelling a multiprocessor designed for telecommunication systems control 85—19949
Thompson, R.H., Neal, G.F., Shuster, M.D. Magnetometer bias determination and spin-axis attitude estimation for the AMPTE mission 85—4408
Thompson, R.L., Makram, E.B., Girgis, A.A. A laboratory experiment for transformer modeling in the presence of harmonic distortion 88—55418
Thompson, R.L. *see* Gilbert, B.K. 87—17103
Thompson, R.L. *see* Peczalski, A. 87—31849, 88—51039
Thompson, R.R. Low pass passive filters as EMP protection devices 85—36061
Thompson, R.R. Protection systems for high speed radiated pulses 86—61197
Thompson, R.R. RFI filters 87—26872
Thompson, R.R., Flexmore, M. Low leakage current filters improve equipment protection 85—54994
Thompson, R.R. *see* Foster, J.R. 88—19260
Thompson, R.S. The true cost of ATE ownership 85—31328
Thompson, R.T. *see* Drain, K.F. 88—18503
Thompson, R.T. *see* Ping-Po Gong 87—14632
Thompson, S. Evaluating CAD systems: the benchmark 85—40308
Thompson, S. Rootfinding and interpolation with Runge-Kutta-Sarafyan methods 86—26765
Thompson, S. Current injection test—new technology for old? [relay testing] 86—39223
Thompson, S. Multimeters—servicing digital equipment 86—55762
Thompson, S. The effect of partial pivoting in sparse ordinary differential equation solvers 87—16542
Thompson, S. Stability of some continuously imbedded Runge-Kutta methods of Sarafyan 87—65420
Thompson, S. Developments of Megger products 87—70705
Thompson, S. Grounds for concern [testing earth systems] 88—5389
Thompson, S. The multi level DC power supply 88—62467
Thompson, S. Insulation and continuity: choosing testers for the 1990s 88—67637
Thompson, S. The role of unusual occurrence reports in incident analysis in the photovoltaic industry 88—70079
Thompson, S., Tuttle, P.G. Event detection in continuous simulation 85—54362
Thompson, S. *see* Flaherty, E. 87—74169
Thompson, S. *see* Gaske, P. 86—4582
Thompson, S. *see* Jones, M. 88—1001
Thompson, S. *see* McCluskey, E.G. 88—24512
Thompson, S.A. Modernization of a major electrochemical production facility 87—36280
Thompson, S.B., Rodrigue, G.P. The application of planar anisotropy to millimeter-wave ferrite phase shifters 86—20794
Thompson, S.B. *see* Harrison, G.R. 87—73651
Thompson, S.B.N. A system for rapidly converting quadriceps contraction to a digital signal for use in microcomputer-oriented muscle therapy and stroke patient assessment schedules 87—50381
Thompson, S.B.N. A microcomputer-based assessment battery, data file handling and data retrieval system for the forward planning of treatment for adult stroke patients 87—71140
Thompson, S.D., Pavio, A.M. A monolithic double balanced single sideband modulator 87—73786
Thompson, S.D. *see* deGrandpre, M. 88—64459
Thompson, S.D. *see* Pavio, A.M. 85—17851
Thompson, S.P. *see* Bartoli, C. 85—20995
Thompson, S.P. *see* Drummond, I.W. 85—50375, 85—50680

Thompson, S.W. Electrical connectors—automated inspection of alignment using machine vision 85−34261
Thompson, T. Fast math [Motorola 68882 math coprocessor] 88−12386
Thompson, T. The Intel 80387 vs. the Weitek 1167 88−25223
Thompson, T. *see* Foy, C.A., Jr. 88−60265
Thompson, T. *see* Wonson, C. 87−60301
Thompson, T., Jr. Enhancing ATE via temperature-stress techniques 86−17744
Thompson, T.A. Energy management and education at the University of Cincinnati 87−51
Thompson, T.D. *see* Rigby, N.E. 88−57600
Thompson, T.F., Wojcik, R.M. MELD: an implementation of a meta-level architecture for process diagnosis 85−39548
Thompson, T.H. *see* Pamm, L.R. 85−8043
Thompson, T.J. *see* Iwanczyk, J.S. 87−37024
Thompson, T.N., Jr. Liquid burn-in takes the heat from high power devices 86−21464
Thompson, T.N., Jr. Solving TAB device burn-in problems 88−7215
Thompson, T.W. *see* Evans, D.L. 86−44765
Thompson, V. Educational applications of videotex 86−59573
Thompson, V.O.S. The maintenance function at the Bruce Heavy Water Plant (BHWP) of Ontario Hydro 88−75379
Thompson, V.O.S., Mercer, W.P., Mackimmie, G.W. The predictive maintenance program on rotating equipment at the Bruce Heavy Water Plant 88−75384
Thompson, W., Bowe, T., Morlock, S., Moskowitz, A., Plourde, G., Spaulding, G., Scialdone, C., Tsiang, E. FIB microfabrication software design considerations 87−11532
Thompson, W. *see* Earnshaw, J.C. 85−48248
Thompson, W. *see* Hassel Shearer, M. 88−64469
Thompson, W., Jr. *see* Van Crombrugge, M. 85−32042
Thompson, W.A. *see* Hefner, C. 88−711
Thompson, W.A., Jr. Some reliability models for safety assessment [nuclear reactor] 85−38739
Thompson, W.A., Jr. BiCMOS bus interface reduces system power needs 87−60616
Thompson, W.A., Jr. One micron Epic Advanced CMOS Logic 87−66069
Thompson, W.B., Mutch, K.M., Berzins, V.A. Analyzing object motion based on optical flow 85−36411
Thompson, W.B., Mutch, K.M., Berzins, V.A. Dynamic occlusion analysis in optical flow fields 85−57470
Thompson, W.B., Utlaut, M., Honjo, I. New concepts in focused ion beam systems 85−12091
Thompson, W.B. *see* Horswill, I.D. 88−73325
Thompson, W.B. *see* Isaman, D.L. 87−46171
Thompson, W.B. *see* Kaufmann, H.C. 87−11530
Thompson, W.B. *see* Kearney, J.K. 87−47901
Thompson, W.B. *see* Madarasz, R.L. 86−23124
Thompson, W.B. *see* Mutch, K.M. 85−41954
Thompson, W.E. *see* Alafodimos, C. 86−59302
Thompson, W.E. *see* Myler, H.R. 86−16551, 86−49719
Thompson, W.G., Jr., Nakamura, S. Measuring cost of quality in the development process 88−214
Thompson, W.I. *see* Herman, J.R. 87−28362
Thompson, W.I., III, Herman, J.R. VHF radio noise measurements near a roadway carrying 10000 vehicles per hour 86−15898
Thompson, W.I., III *see* Sinnott, R.D. 86−30597
Thompson, W.J., Agarwal, K.K. Vector method of characterizing nonlinearity in microwave power devices 86−8450
Thompson, W.J. *see* Agarwal, K.K. 86−8455, 86−55769
Thompson, W.M. *see* Divona, C.J. 85−21948
Thompson, W.U. *see* De Marco, J.L. 85−23256
Thoms, E., Danielsson, A. Computerised brake usage statistics—an important aid for brake development 85−14621
Thoms, S., Beaumont, S.P., Wilkinson, C.D.W., Frost, J., Stanley, C.R. Ultrasmall device fabrication using dry etching of GaAs 87−25117
Thoms, S., McIntyre, I., Beaumont, S.P., Al-Mudares, M., Cheung, R. Fabrication of quantum wires in GaAs/AlGaAs heterolayers 88−39102
Thoms, S. *see* Cheung, R. 87−74194
Thoms, S. *see* Doughty, G.F. 87−38154, 88−7504
Thoms, S. *see* Leadbeater, M.L. 88−64264
Thoms, S. *see* Mair, G.L.R. 87−8810
Thoms, S. *see* Taylor, R.P. 87−66919
Thoms, S. *see* Watkins, R.E.J. 87−14708, 87−45806
Thomsen, C., Stoddart, H., Zhou, T., Tauc, J., Vardeny, Z. Photocarrier dynamics in compensated hydrogenated amorphous silicon 86−42408
Thomsen, C.E., Norregaard-Christensen, K., Rosenfalck, A. Monitoring of anesthetic level by EEG 88−61367
Thomsen, C.E. *see* Rosenfalck, A. 87−57162
Thomsen, C.E. *see* Simonsen, E. 88−61373
Thomsen, D. R-DAT—a digital recording system for professional use? 87−70322
Thomsen, F. *see* Bergenstoff, T. 86−17498
Thomsen, G. Disk controller supports both rigid and floppy drives 85−6398
Thomsen, G. High performance intelligent disk controllers 85−17591
Thomsen, G. Disk controller supports both rigid and floppy drives 85−40151
Thomsen, G. Ease system requirements with an intelligent multiple disk controller 86−41162
Thomsen, G., Milani, E. An intelligent controller 85−40149
Thomsen, G. *see* Magill, J. 86−1168
Thomsen, I. Denmark—a European information society in 20 years? 88−52676
Thomsen, K. *see* Bock, H. 87−78330
Thomsen, K. *see* Hammer, J. 87−68683
Thomsen, L. Improved RMS averaging with true exponential response using the B&K level recorder type 2317 85−37514
Thomsen, M. Product life cycles and the application of VLSI technology 86−21751
Thomsen, M., Ghasisas, S.V., Madhukar, A. Examination of the nature of lattice matched III-V semiconductor interfaces using computer simulated molecular beam epitaxial growth. I. AC/BC interfaces 87−73068
Thomsen, M., Madhukar, A. Computer simulations of the role of group V molecular reactions at steps during molecular beam epitaxial growth of III-V semiconductors 87−52124
Thomsen, M., Madhukar, A. Examination of the nature of lattice matched III-V semiconductor interfaces using computer simulated molecular beam epitaxial growth. II. $A_xB_{1-x}C$/BC interfaces 87−73069
Thomsen, M. *see* Ghaisas, S.V. 88−419
Thomsen, M. *see* Madhukar, A. 87−37941
Thomsen, M. *see* Ogale, S.B. 88−6444
Thomsen, M. *see* Voillot, F. 87−23632
Thomsen, P. *see* Hertz, H.M. 87−77349, 88−10016
Thomsen, P.G. *see* Enright, W.H. 87−44229
Thomsen, P.G. *see* Norsett, S.P. 85−22423, 86−46230, 87−10331
Thomsen, S., Morris, J.R., Neblett, C.R., Mueller, J. Tissue welding using a low energy microsurgical CO_2 laser 88−16757
Thomson, A.R. Modifying receiving-type variable capacitors for use in transmitting applications 85−55201
Thomson, B.W. *see* Lee, E.S. 88−73589
Thomson, B.W. *see* Lewis, D.M. 88−51014
Thomson, D. Helping data managers find their voice [PBX selection] 85−47317
Thomson, D. Monopulse design for tactical tracking radar 86−4723
Thomson, D., Helms, C.R. Studies of the etching of Si, SiO_2 and Mo by carbon fluorine compounds using real time Auger spectroscopy 85−61861
Thomson, D., Helms, C.R. Studies of the etching of Si, SiO_2 and Mo by carbon fluorine compounds using real time Auger spectroscopy 86−35603
Thomson, D. *see* Newman, N. 85−45458
Thomson, D.J. Likelihood-ratio tests for narrowband structure 87−55180
Thomson, D.J., Helms, C.R. Mechanisms for fluorocarbon reactive ion beam etching of SiO_2 by simultaneous Auger electron spectroscopy measurements 85−45568
Thomson, D.J. *see* Maranda, B.H. 87−69237
Thomson, D.J. *see* Mejia, S.R. 86−34369
Thomson, D.J. *see* Stahle, C.M. 87−17985
Thomson, D.L. A multivariate voicing decision rule adapts to noise, distortion, and spectral shaping 87−61646
Thomson, D.L. Parametric models of the magnitude/phase spectrum for harmonic speech coding 88−66423
Thomson, D.L., Prezas, D.P. Selective modeling of the LPC residual during unvoiced frames: white noise or pulse excitation 87−27344
Thomson, D.L. *see* Bronson, E.C. 87−61778
Thomson, D.L. *see* Prezas, D.P. 87−19454
Thomson, E.M., Medelius, P.J., Uman, M.A. A remote sensor for the three components of transient electric fields 88−74239
Thomson, F.J. Design of multispectral scanners using computer simulation 86−31214
Thomson, G., Walker, I. Human performance in Ontario Hydro nuclear stations 88−11010
Thomson, G.H., Perry, G.E. Cosmos satellites at 82.3° 88−74956
Thomson, I.P. Driving electroluminescent panels 86−24599
Thomson, J. *see* Nash, P. 88−35005
Thomson, J.E. Precision of the phase shift method for measuring chromatic dispersion in single mode optical fibers 87−46526
Thomson, J.F. Full scale seismic qualification of equipment for the United Kingdom AGR programme 87−9688
Thomson, J.L. Degrees of automation in ultrasonic NDT for the energy industries 87−57466
Thomson, J.L., Farley, J.M. Ultrasonic examination of austenitic welds: theoretical and practical considerations 85−37460
Thomson, J.L., Fogarty, J.P. The design of pressurized water reactor steam generators with reference to the requirements for non-destructive examination 87−35756
Thomson, K.P.B. *see* Rochon, G. 87−49182
Thomson, L. Computer controlled neurosurgery treats 'hidden' tumours 85−20937
Thomson, L. A robot assists in brain surgery 85−26787
Thomson, M. Hazardous gas conversion efficiency using dynamic flame combustion 88−32975
Thomson, M.G.R., Liu, R., Collier, R.J., Carroll, H.T., Doherty, E.T., Murray, R.G. The EBES4 electron-beam column 87−38373
Thomson, M.G.R. *see* Alles, D.S. 87−38372, 88−57565
Thomson, M.G.R. *see* Kostelak, R.L. 88−39332
Thomson, M.J., Tuan, H.C. Amorphous Si electronic devices and their applications 87−46001
Thomson, N.R. Reflection of VLF radio waves from distant mountain ranges 85−36020
Thomson, N.R. *see* Strangeways, H.J. 86−64007
Thomson, P.J. *see* Moore, M.I. 88−42658
Thomson, R. The assessment of error performance of digital transmission systems 86−54690
Thomson, R. New techniques for assessing ISDN errors 86−69263
Thomson, R. Assessing the error behaviour of digital transmission systems 87−13239
Thomson, R., Reid, J.R.C. A high performance CMOS cell library for digital signal processing 87−6895
Thomson, R. *see* Walker, H. 85−2955
Thomson, R.D., Huckett, E.P., Hillery, P.J. Design & Application of jitter measuring instrumentation 86−31135
Thomson, S.J., Threadgill, E.D. Microcomputer control for soil moisture-based scheduling center pivot irrigation systems 87−70895
Thomson, S.L. *see* Walker, R.P. 88−47969
Thomson, T. *see* Darwish, M. 88−63794
Thomson, T. *see* Koch, W. 86−6755
Thomson, W.R. *see* Brouwers, J.J.H. 86−66634, 87−23424
Thomson, W.T., Stewart, I.D. Online current monitoring for fault diagnosis in inverter fed induction motors 88−69379
Thomson, W.T. *see* Cameron, J.R. 86−33405, 86−45415, 88−17624
Thomson, W.T. *see* Leith, D. 88−11197, 88−37229
Thomson, W.T. *see* Leonard, R.A. 86−66063, 88−17587
Thomspon, W., Jr. *see* Semple, A.E. 87−38620
Thon, T. *see* Boettcher, H. 85−15168
Thon, U. *see* Deynet, R. 88−31124, 88−69829
Thone, E., Kallenbach, U. Comparison of risks with different power supply options 88−69120
Thonemann, H.G., Kolonko, M., Severloh, H. VENUS—an advanced VLSI design environment for custom integrated circuits with macro cells, standard cells and gate arrays 87−59394
Thoner, M. *see* Turowski, P. 86−48041
Thonet, C. *see* Van Der Voort, E. 85−32266 to 32267
Thong, J.T.L., Garth, S.C.J., Breton, B.C., Nixon, W.C. Ultra high speed electron beam testing system 88−18450
Thong, J.T.L., Garth, S.C.J., Nixon, W.C., Broers, A.N. Ultrahigh speed electron beam pulsing systems for electron beam testing 88−39033
Thong, J.T.L. *see* Breton, B.C. 87−31318, 88−13503
Thong, T. Digital transforms for analog system modelling 85−17725
Thong Nguyen Chi *see* Nguyen Chi Thong
Thong Tran *see* Tran Thong
Thoni, H.-R. *see* Straub, G. 86−66365
Thonke, K. *see* Korber, W. 88−50632
Thonke, M. *see* Grundig, C.-G. 88−11741
Thonn, D. *see* Gonzalez, A.J. 85−21564, 86−33304
Thonnes, K. *see* Gerard, J. 87−15483
T'Hooft, G. Formal description techniques: communication tools for data communication specialists. Formal specification and implementation of a file transfer protocol 88−66968
'tHooft, G.W., Colak, S. Influence of the donor depth on the determination of the band discontinuity of isotype heterojunctions by the capacitance-voltage technique 86−58291
Thoolen, F.J.M. *see* Widmer, J. 87−36176
Thoone, M.L.G. CARIN, a car information and navigation system 88−31165
Thoone, M.L.G., Breukers, R.M.A.M. CARIN, a new dimension in car control 85−3529
Thor, A.J. On angles and angular quantities 87−14537
Thor, A.J. On angles and angular quantities 88−22781
Thora, W., Tollner, U. Programmable synthesizer/function generator with IEEE/IEC bus interface 87−31738
Thoraval, R. Derivation de protocoles d'exclusion mutuelle equitables (Derivation of starvation-free mutual exclusion protocols) 87−48636
Thorbjornsen, A.R. A method for the statistical simulation of GaAs MESFETs 86−2202

Thorbjornsen, A.R. Testing for the distance effect on the correlation coefficients between parameters of a GaAs MESFET array 86−21877
Thorbjornsen, A.R., Hew, C.F. VLSI system design using a Macintosh personal computer 87−67496
Thorbjornsen, A.R., Kuo, W.P. Adding a Monte Carlo analysis capability to SPICE 86−58625
Thorbjornsen, A.R., Wittenmyer, D.A. A partial VLSI design rule checking program for the Macintosh personal computer 87−60614
Thorbjornsen, A.R. *see* Huang, C.I. 85−40910
Thorbjornsen, A.R. *see* Smith, E.D. 87−58591
Thorborg, K. Staircase PWM—An uncomplicated and efficient modulation technique for AC motor drives 87−22824
Thorborg, K. Power electronics 88−37826
Thorborg, K., Alvsten, B., Skuncke, O. Without condensers no power electronics 85−1081
Thorborg, K. *see* Alvsten, B. 85−11603
Thorborg, K. *see* Nystrom, A. 88−69770
Thorburn, B.A., Thayer, R.B. High current implantation systems for CMOS 86−2005
Thordarson, S. *see* Dube, C.M. 88−42125
Thoreau, D. Adaptive prediction DPCM coding 88−8691
Thorel, P., David, R., Pulou, J., Rainard, J.L. Design for random testability 88−25266
Thorel, P., Marti, C., Crøset, B. Position-sensitive detectors and monolayer structural studies 85−15223
Thoren, B. *see* Scherer, H.N. 86−50889
Thoren, C. Procurement of data processing equipment 85−42320
Thoren, C. *see* Hagar, M.J. 87−51766
Thoren, F. *see* Sattler, P.K. 87−42997
Thoren, G.R. Advanced applications and solid-state power sources for millimeter-wave systems 85−40245
Thoren, G.R. Advanced applications and solid-state power sources for millimeter-wave systems 86−35098
Thoren, G.R., Frickey, D.A., Virostko, M.J. W-band transmitters 87−40639
Thoren, P. *see* Rangelow, I.W. 86−21417, 87−25122
Thorin, H. Operating principles of the France-United Kingdom link. [2000 MW HVDC link] 86−18720
Thorington, C. *see* DeHope, W. 85−50156
Thorington, C. *see* Ferguson, P. 85−23333
Thorington, C.B. Particle simulation of electron beams with self-consistent magnetic fields [electron gun design] 87−24666
Thorington, L. *see* Fontana, R.P. 87−79191
Thorington, L. *see* Goldstein, I.S. 87−16154
Thorkildsen, R. *see* Ackenhusen, J.G. 87−41411
Thorkildson, R.J. *see* Vick, G.L. 86−18432
Thorley, G.A., McArdle, R. The use of space technology in federally funded land processes research in the United States 87−57445
Thorley, J. *see* Wood, H. 86−7358
Thorley, P.J. *see* Kellie, J.D. 86−18262
Thorn, C.E. *see* Becchetti, F.D. 85−4214
Thorn, G. Fax facts 85−19732
Thorn, G. *see* Benes, E. 86−42065
Thorn, J.S. *see* Percival, T.M.P. 88−7816
Thorn, R. *see* Aitken, T.W. 86−38638
Thorn, R. *see* Dykesteen, E. 85−52732
Thorn, R.S. The future of the United States steel industry 86−7435
Thorn, W., Mallinger, A. Papal Visit Press Center 88−46499
Thornber, G. Spreadsheet software fills in cavity specs 86−53021
Thornber, K.K. An analytical treatment of the compact range 85−48042
Thornber, K.K. *see* Cooper, J.A., Jr. 85−23132, 86−8503, 87−45716
Thornberry, R.J., Jr. *see* Billhardt, R.A. 87−28317
Thornborough, T. Validity of fire tests questioned [safety] 85−16719
Thornborough, T. Iran's electrical industries 85−16758
Thornborough, T. Iran's power strategy 85−27141
Thornborough, T. Solar energy research at the crossroads 85−27638
Thornborrow, R.I. *see* Boulter, R.A. 85−51925
Thornburg, B. *see* Frank, R. 87−46145, 87−73288
Thorndahl, L. *see* Asseo, E. 85−26681
Thorndahl, L. *see* Autin, B. 88−16580, 88−54070, 88−54297
Thorndahl, L. *see* Carron, G. 85−52932, 88−12593, 88−53998
Thorndike, E.H. *see* Harada, H. 88−29855
Thorne, C.R. *see* Barnett, J.S. 87−20432
Thorne, D., Brajovic, R., Brodsky, S.F.J. Milton Hydro's system performance improvements by applying computer-aided tools 88−5251
Thorne, D.K. *see* Adibi, M.M. 86−51167, 86−61199
Thorne, G.C. *see* Nokes, L.D.M. 88−54466
Thorne, M.P. *see* Clarke, A.T. 88−74212
Thorne, P. Data transmission on the move [cellular radio] 85−8322
Thorne, P. Flexible circuits [PC design and manufacture] 85−28789
Thorne, P. Surface mount technology—the impact begins 85−28790
Thorne, P. The cellular start-up 86−4494
Thorne, P. Camera 1, VTR 2, action! 86−4862
Thorne, P. Memory chips, and gallium arsenide 86−14180
Thorne, P. Digital multimeters: now they measure more than the basics 87−41536
Thorne, P. Error checking communications 87−55678
Thorne, P. Mr Ohm's two-lead passive component 88−71139
Thorne, P.D. The acoustic measurement of gravel transport 87−57410
Thorne, P.D. A broad-band acoustic source for underwater laboratory applications 88−5218
Thorne, P.J. Connector connections 85−28762
Thorne, R.B. *see* Twiselton, S.G. 85−33119
Thorne, S.N. *see* Rosenthal, A.J. 85−52738
Thorne, V.P. Hyperthermia—the RF treatment of cancer 87−29789
Thornebooth, G. *see* Tangonan, G.L. 88−35479
Thornett, C.E.E., Langner, M.C. BBC-microcomputer-based limb-movement measuring system 86−38763
Thornett, C.E.E., Langner, M.C., Billington, G.D. Portable modular transducer system for the measurement of stabilizing forces in TLS-HKA orthoses 86−60712
Thornevik, C. *see* Kallback, B. 87−6897
Thornewell, K. *see* Cahoon, E.C. 87−751
Thorngate, J.H., Griffith, R.V. Neutron spectrometers for radiation monitoring at Lawrence Livermore National Laboratory 85−26803
Thorngen, E., Engstrom, O. An apparatus for the determination of ion drift in MIS structures 85−15016
Thorngren, E. *see* Raulin, J.Y. 87−38242
Thorngren, E. *see* Razeghi, M. 87−73149
Thornhill, D.H., Lind, E.J., Conklin, R.E., Caswell, D.W. Emulation of unavailable microcircuits—a solution to the sunset technology problem 86−70496
Thornhill, J.W. *see* Apruzese, J.P. 88−58454
Thornhill, L.D. *see* Batteh, J.H. 88−40514
Thorning, G.P. Private wide-area packet switching networks 85−57801
Thorning, G.P. Data transmission standards and interfaces 86−10676
Thorning, G.P. Data transmission standards and interfaces 88−73465
Thornley, B. *see* Sinclair, M.W. 87−21286
Thornley, D.J. Enclosures for EMP protection 86−59091
Thornley, D.W.M. *see* Atkins, A.D. 87−79135
Thornton, B.S. Comments on 'Use of ferrites for absorption of electromagnetic waves' 87−26737
Thornton, B.S., Todter, C., Botten, L., Caden, M. Moire fringe methods in aerofoil sail shape measurement for the 'Kookaburra' 12-metre yachts 88−14747
Thornton, C.L., Young, L.E., Wu, S.C., Thomas, J.B. GPS-based certification for the microwave landing system 85−43459
Thornton, C.L. *see* Melbourne, W.G. 87−41091
Thornton, D. CMOS touch switch for infrared TV sound control 85−25995
Thornton, D. Microwave test applications: time domain measurements on a vector network analyzer 88−74568
Thornton, D.D. *see* Carlstrom, J.E. 85−61452
Thornton, D.D. *see* Urry, W.L. 86−11197
Thornton, D.K. *see* Benton, S.A. 87−68662
Thornton, E.A., Dechaumphai, P., Pandey, A.K. Finite-element thermal-structural analyses of a cable-stiffened orbiting antenna 87−50474
Thornton, G. Transducer techniques are getting there 88−16049
Thornton, G., Mathews, P. Quartz crystals vs synth chips [radio equipment application] 86−55146
Thornton, G. *see* Claus, R. 88−16639
Thornton, J. The application of the partition noise theory 88−29836
Thornton, J. The inter-electrode capacitance of wedge and strip position sensing elements 88−54415
Thornton, J., Hemment, P.L.F., Wilson, I.H. Amorphisation of silicon by bombardment with group IV ions 87−38085
Thornton, J., Webb, R.P., Hemment, P.L.F., Wilson, I.H., di Marco, M., Mayer, A., Peaker, A., Hamilton, B., Guimares, S., Paus, K.C., Booker, G.R., Albu-Yaron, A., Hill, C., Boys, D., Dowsett, M.G., Clark, E.A., Parker, E.H.C. Understanding and improving the preamorphisation of silicon for VLSI 88−57494
Thornton, J.A. Recent advances in sputter deposition 87−16683
Thornton, J.A. The microstructure of sputter-deposited coatings 87−23713
Thornton, J.A. Fundamental processes in sputtering of relevance to the fabrication of thin film solar cells 87−65563
Thornton, J.A., Cornog, D.G., Hall, R.B., Shea, S.P., Meakin, J.D. An investigation of reactive sputtering for depositing copper indium diselenide films for photovoltaic applications 86−7850
Thornton, J.A., Lamb, J.L. Substrate rates for planar and cylindrical-post magnetron sputtering sources 85−16985
Thornton, J.A., Lommasson, T.C. Magnetron reactive sputtering of copper-indium-selenide 86−57482
Thornton, J.A., Lommasson, T.C., Cornog, D.G. In-line sputtering system for depositing $CuInSe_2$/CdS heterojunctions 87−31581
Thornton, J.A., Lommasson, T.C., Talieh, H., Tseng, B.-H. Reactive sputtered $CuInSe_2$ 88−56302
Thornton, J.A. *see* Lommasson, T.C. 87−60125, 88−37569
Thornton, J.A. *see* Pinarbasi, M. 88−25912
Thornton, J.H.S. *see* Young, S.J. 88−72798
Thornton, K. *see* Culshaw, B. 87−56685, 88−16147
Thornton, K.E.B., Uttamchandani, D., Culshaw, B. Temperature dependence of resonant frequency in optically excited diaphragms 87−14270
Thornton, K.E.B., Uttamchandani, D., Culshaw, B. Novel optically excited resonant pressure sensor 88−53606
Thornton, K.E.B., Uttamchandani, D., Culshaw, B. Optically excited micromechanical resonator pressure sensor 88−67876
Thornton, K.E.B. *see* Uttamchandani, D. 87−35033, 88−16058
Thornton, K.P., Makram, E.B. Study of power system harmonics in an unbalanced system using the three-phase bus impedance matrix 88−54873
Thornton, M. The future of cable TV 88−53445
Thornton, M.J. Experiences to date with Windsor Television 87−28816
Thornton, M.J. *see* Belk, H.J. 85−14363
Thornton, P. Hardware is designed better if more than one chip's in [microprocessor networking devices] 87−8021
Thornton, R. Cypher [video character generator] 86−44007
Thornton, R. Development of a switched reluctance drive for a fork lift truck 87−22871
Thornton, R., Naples, J. Hybrid electromechanical relays 87−37629
Thornton, R.D. Instrumentation networks with distributed control 85−26212
Thornton, R.D., Bartolli, A. Instrumentation distribution networks 85−8696
Thornton, R.K. *see* Laasanen, A.T. 85−52986
Thornton, R.L., Burnham, R.D., Holonyak, N., Jr., Epler, J.E., Paoli, T.L. Impurity induced disordering of heterojunction interfaces: phenomenology and laser device applications 88−12991
Thornton, R.L., Burnham, R.D., Paoli, T.L., Holonyak, N., Jr., Deppe, D.G. Low threshold planar buried heterostructure lasers fabricated by impurity-induced disordering 86−22367
Thornton, R.L., Burnham, R.D., Paoli, T.L., Holonyak, N., Jr., Deppe, D.G. Highly efficient multiple emitter index guided array lasers fabricated by silicon impurity induced disordering 86−29128
Thornton, R.L., Burnham, R.D., Paoli, T.L., Holonyak, N., Jr., Deppe, D.G. Highly efficient, long lived AlGaAs lasers fabricated by silicon impurity induced disordering 86−68519
Thornton, R.L., Burnham, R.D., Paoli, T.L., Holonyak, N., Jr., Deppe, D.G. Opto-electronic device structures fabricated by impurity induced disordering 87−10435
Thornton, R.L., Burnham, R.D., Streifer, W. High reflectivity GaAs-AlGaAs mirrors fabricated by metalorganic chemical vapor deposition 85−18766
Thornton, R.L., Epler, J.E., Paoli, T.L. Monolithic integration of a transparent dielectric waveguide into an active laser cavity by impurity-induced disordering 88−20425
Thornton, R.L., Mosby, W.J., Paoli, T.L. Monolithic waveguide coupled cavity lasers and modulators fabricated by impurity induced disordering 88−72138
Thornton, R.L., Welch, D.F., Burnham, R.D., Paoli, T.L., Cross, P.S. High power (2.1 W) 10-stripe AlGaAs laser arrays with Si disordered facet windows 87−26382
Thornton, R.L. *see* Burnham, R.D. 86−42522, 87−24869, 87−67088
Thornton, R.L. *see* Deppe, D.G. 86−22395, 87−2110, 87−7340, 87−33150, 87−39082
Thornton, R.L. *see* Epler, J.E. 85−35778, 85−56604, 86−9828, 87−24817, 87−61141, 87−61149, 88−2219
Thornton, R.L. *see* Gavrilovic, P. 85−41382
Thornton, R.L. *see* Harnagel, G.L. 85−24544
Thornton, R.L. *see* Hsieh, K.C. 86−48385
Thornton, R.L. *see* Jackson, G.S. 86−48389
Thornton, R.L. *see* Johson, N.M. 86−35599
Thornton, R.L. *see* Kaliski, R.W. 85−56423, 87−12459
Thornton, R.L. *see* Meehan, K. 85−24539, 85−51177
Thornton, R.L. *see* Paoli, T.L. 85−62456
Thornton, R.L. *see* Streifer, W. 85−46394
Thornton, R.L. *see* Welch, D.F. 87−54310
Thornton, R.L. *see* Yaeli, J. 85−56729
Thornton, S.D. *see* Lowry, R.T. 87−63977
Thornton, S.T. *see* Shapira, D. 85−59148

Thornton, S.W., Henning, M.L., Langston, R.J. Experimental performance of an optical hydrophone with downlead sensitivity 86−2785
Thornton, T.J., Pepper, M., Ahmed, H., Andrews, D., Davies, G.J. Electron transport across depleted region of a fine-gate GaAs:AlGaAs heterojunction FET 86−35675
Thornton, T.J., Pepper, M., Ahmed, H., Andrews, D., Davies, G.J. One-dimensional conduction in the 2D electron gas of a GaAs-AlGaAs heterojunction 86−41582
Thornton, T.J. *see* Newson, D.J. 88−25947
Thornton-Lawrence, J. Using the PW FET DIP oscillator 86−14039
Thorogood, T. Optimising automatic insertion 86−41433
Thorp, J., Schulz, D., Ilic-Spong, M. Reactive power-voltage problem: conditions for the existence of solution and localized disturbance propagation 86−61035
Thorp, J. *see* Shi, A.J. 86−33227
Thorp, J.S., Ilic-Spong, M., Schulz, D. Existence and uniqueness of a solution to the reactive power problem for an electric power network 85−27010
Thorp, J.S., Ilic-Spong, M., Varghese, M. Optimal secondary voltage-VAr control using pilot point information structure 85−53246
Thorp, J.S., Ilic-Spong, M., Varghese, M. An optimal secondary voltage-VAR control technique 86−50806
Thorp, J.S., Phadke, A.G., Horowitz, S.H., Begovic, M.M. Some applications of phasor measurements to adaptive protection 88−10909
Thorp, J.S., Phadke, A.G., Karimi, K.J. Real time voltage-phasor measurements for static state estimation 86−18898
Thorp, J.S. *see* Chiang, H.-D. 88−42754, 88−48454
Thorp, J.S. *see* Evans, D. 87−56808
Thorp, J.S. *see* Ilic-Spong, M. 86−13128, 86−50964, 87−31037, 87−42833
Thorp, J.S. *see* Phadke, A.G. 86−50836, 86−56371, 86−70737
Thorp, J.S. *see* Thomas, R.J. 86−82, 86−56311
Thorp, J.S. *see* Van Landingham, H.F. 86−6725
Thorp, J.S. *see* Varghese, N. 88−75103
Thorp, J.S. *see* Williams, C.D.H. 86−70202
Thorp, L.D. *see* Cerniglia, T.J. 85−44529
Thorp, S.C. *see* Allan, D.A. 85−45456
Thorp, S.C. *see* Merrett, R.P. 86−41086
Thorp, T.L. CAD and design methodologies [of VLSI] 87−67367
Thorp, T.L., Peeling, N.E. The role of HDLs in the digital design process 88−32085
Thorp, T.L. *see* Morison, J.D. 87−65732
Thorpe, A. A computer model for the evaluation of plant and system operating regimes 87−64216
Thorpe, A.J.S., Mandeville, P. Mass spectrometry during molecular-beam epitaxy: an alternative to reflection high-energy electron diffraction 88−49824
Thorpe, A.J.Spring *see* Spring Thorpe, A.J.
Thorpe, C.W. *see* Bates, R.H.T. 88−27849
Thorpe, C.W. *see* Brieseman, N.P. 88−21121
Thorpe, D. *see* Anderson, M.W. 86−12743
Thorpe, D.G.L. *see* Cartwright, P. 87−43997
Thorpe, J.B., McLane, P.J. A hybrid phase/data Viterbi demodulator for encoded CPFSK modulation 85−57208
Thorpe, J.R. Designing a communications receiver 87−49250
Thorpe, Jr., T.P., Fahrenbruch, A.L., Bube, R.H. Electrical and optical characterization of grain boundaries in polycrystalline cadmium telluride 87−24780
Thorpe, L., Tamura, E. A new 510-element CCD camcorder for ENG 87−70260
Thorpe, L., Tamura, E., Iwasaki, T. New advances in CCD imaging 88−60439
Thorpe, L., Yasukouchi, Y., Ogino, K. New high-performance portable camera 88−74130
Thorpe, L.J. Sony technology yields practical system for super-slow-motion video reproduction 85−47719
Thorpe, L.J., Nakamura, T., Ninomiya, K. Super Motion system [TV] 86−4854
Thorpe, O.W. *see* Potts, P.J. 85−15258
Thorpe, S.A. On the determination of *Kv* in the near-surface ocean from acoustic measurements of bubbles 85−15432
Thorpe, S.A. Measurements with an automatically recording inverted echo sounder; ARIES and the bubble clouds 87−4147
Thorpe, T.E. A power-assisted arm balancer 87−14908
Thorpe, T.E. The work of a UK rehabilitation engineering organisation 88−74890
Thorpe, T.F. Fast CELP coder using Givens bidiagonalisation 88−52365
Thorpe, T.F., Kingsbury, N.G. Monotonic descent algorithm to choose pulse locations in the excitation sequence of a multipulse speech coder 86−3797
Thorpe, W. Millimeterwave frequency extension radar warning receiver 88−28951
Thorselius, K. *see* Bakowski, M. 87−11762
Thorsell, L. Mini DC/DC supplies simplify redundancy in parallel systems 88−50003
Thorsell, L. Miniaturized on-card DC/DC converters in highly reliable parallel redundant power distribution systems 88−62469
Thorsell, L. *see* Reveman, S. 85−33631, 85−49723
Thorsen, L.M. *see* Moritz, P.S. 86−2428, 86−47810
Thorsen, O. Deltamobile—a tactical, digital communication system 85−25777
Thorsheim, H.I. Teleconferencing-from-the-college-classroom: space development, global problems and educational motivation 87−69578
Thorslund, D. *see* Purdy, T. 86−69453
Thorson, G.M. *see* Rover, D.T. 87−4947
Thorson, I.M. Neutron facility possibilities with the TRIUMF Kaon Factory 86−55999
Thorson, I.M., Burgerjon, J.J., Blaby, R.E., Hodges, T.A. TRIUMF thermal neutron facility 86−5751
Thorson, I.M. *see* Craddock, M.K. 86−31908
Thorson, J.M. *see* Anders, R. 86−51865
Thorson, J.R., Claerbout, J.F. Velocity-stack and slant-stack stochastic inversion 86−32512
Thorsson, H.T. *see* Geselowitz, D.B. 85−20926
Thorsteinsen, K. *see* Skogsrud, H. 87−31253
Thorton-Lawrence, J. A syrup can dummy load 87−40661
Thorud, G. *see* Trosby, F. 87−8204
Thorvaldsson, B. *see* Constantine, B. 87−43589
Thorvaldsson, T., Nyffeler, F.M. Rigorous derivation of the MASON equivalent circuit parameters from coupled mode theory SAW devices] 87−60753
Thorwarth, H. *see* Carroll, A. 86−32046
Thory, N. Simulation possibilities of transient disturbing voltages within the nanosecond region adapted to safeguarding the EMC [pulse generators] 86−62490
Thory, N. Modern network analysis programs for securing EMC 88−34358
Thoss, W. *see* Muller, H. 85−21754
Thote, F. 20 years of service—the Vianden pump reservoir facility 85−15931
Thottuvelil, V.J., Wilson, T.G., Owen, H.A., Jr. High-frequency core-loss characteristics of biased $Fe_{79}B_{16}Si_5$ amorphous metallic-alloy tapewound cores 85−24177
Thottuvelil, V.J., Wilson, T.G., Owen, H.A., Jr. High-frequency measurement techniques for magnetic cores 86−9415
Thouet, H. Computer controlled method for an effective control of the multispeaker comparison in single terminal devices in local switching centres 86−17108
Thouless, D. Quantized Hall effect in two-dimensional periodic potentials 85−6761
Thouless, D.J. Field distribution in a quantum Hall device 86−15114
Thouless, D.J. *see* Qian Niu 86−41612
Thourot, F. MILSATCOM deliberate planning 87−76677
Thouroude, D., Durand, A. Variations of emittance of a beam in a solenoidal field 88−47823
Thouvenin, A. *see* Alleau, T. 85−53849
Thouvenin, M. Experimenting on a psychrometer 86−31737
Thouvenin, M. Using a LAN according OSI model for industrial applications 88−28396
Thouvenin, M., Louis, P., Gatinois, B. For an easier operator duty: missing conditions analysis ACM 1600 87−36436
Thouvenin, P., Henry, D., Pelletier, A. New helix tapers boost space TWT efficiency to 55%, broadband 88−39012
Thouw, T.J. *see* Bialy, J. 85−64412
Thouy, M. *see* Buiguez, F. 85−6780
Thow Hing, L.A.Ng *see* Ng Thow Hing, L.A.
Thrall, W.J. Organization of an international radionavigation chain 88−60341
Thrane, E.V. Media effects on systems in the high latitude region 86−59064
Thrane, E.V. Propagation. I. State of the art of modelling and prediction in HF propagation 87−12723
Thrane, E.V. Propagation. II. Problems in HF propagation 87−12724
Thrane, N. The Hilbert transform 85−37513
Thrash, R.W. Design considerations for a state of the art data recording system 87−14215
Thrasher, R., Sepehrnoori, K. On equidistributing principles in moving finite element methods 87−10336
Threadgill, E.D. *see* Thomson, S.J. 87−70895
Threatt, W., Accomando, N. Image and array processors: a marriage made on VME 88−9925
Threewit, B. Programmable pulse generator for time control in digital systems 87−10730
Threewit, B. *see* Pope, K. 86−14178, 86−46790, 86−47789
Threewitt, B. On-chip register aids testing and simplifies design 85−17471
Threewitt, B. Backing register in RAM chip 85−61302
Threlkeld, R.M. Teleconferencing in higher education 86−17670
Throckmorton, D.A. *see* Myrick, D.L. 87−14169
Throckmorton, J.L. *see* Dozier, C.M. 86−35700, 87−32537
Throm, E.D. *see* Barrett, R.J. 86−25757
Thron, J. *see* Dawson, J. 86−50424
Thron, J.L. *see* Ambats, I. 85−43251
Thron, W.J. *see* Jones, W.B. 85−54335, 87−2556
Throngnumchai, K., Asada, K., Sugano, T. Modeling of 0.1-μm MOSFET on SOI structure using Monte Carlo simulation technique 86−63315
Throop, A.L. Recent results of ELF experiments at 2 mm wavelength 88−40260
Throop, A.L. *see* Hopkins, D.B. 88−47835
Throop, A.L. *see* Monjes, J.A. 85−7562
Throop, M.J., Hamburg, D.R. Dynamic control of engine NO_x emissions: characterization and improvement of the transient response of an exhaust gas recirculation system 86−6145
Thrope, G.B., Letechipia, J. A proportional joystick controller for high level quadriplegics 86−25289
Thrope, G.B., Peckman, P.H., Crago, P.E. A computer-controlled multichannel stimulation system for laboratory use in functional neuromuscular stimulation 85−53094
Thrope, G.B. *see* Buckett, J.R. 86−56167, 87−14926, 88−61466, 88−68478
Thrope, G.B. *see* Menger, V.L. 87−21679
Thrope, G.B. *see* Peckham, P.H. 88−61460
Throssell, W.R. Partition noise statistics for multimode lasers 86−48419
Throssell, W.R., Plumb, R.G. Modulation-induced wavelength shifts in the output of distributed feedback lasers 87−39137
Throssell, W.R. *see* Anslow, P.J. 85−37040
Thrower, K.R. Evolution of circuit design for AM broadcast receivers: 1900-35 87−13883
Thrower, K.R. Mobile radio possibilities IERE Presidential Address 87−69917
Thrower, K.T. Mobile radio possibilities 87−34437
Thrower, R. Need reflector? Use an island 88−21955
Thrower, R.D. Private line gear—new market for telcos 86−4097
Thrower, R.D. The changing pace of microwave [radio] 88−41532
Thrower, W.F. *see* Ma, Y.E. 85−17844
Thrush, C.M. *see* Partin, D.L. 86−46338, 86−68538, 87−26421, 87−65498
Thrush, E.J., Cureton, C.G., Trigg, J.M., Stagg, J.P., Butler, B.R. Reactor design and operating procedures for INP based MOCVD 88−11974
Thrush, E.J., Wale-Evans, G., Whiteaway, J.E.A., Lamb, B.L., Wight, D.R., Chew, N.G., Cullis, A.G., Griffiths, R.J.M. Evidence for transient composition variations at $GaAs/Ga_{1-x}Al_xAs$ heterostructure interfaces prepared by metal-organic chemical vapour deposition 85−22488
Thrush, E.J., Whiteaway, J.E.A., Wale-Evans, G., Wight, D.R., Cullis, A.G. Compositional transients in MOCVD grown III-V heterostructures 85−10710
Thrush, E.J. *see* Allsopp, D. 85−11929
Thrush, E.J. *see* Boud, J.M. 88−57318
Thrush, E.J. *see* Butler, B.R. 88−56219
Thrush, E.J. *see* Garrett, B. 87−26432
Thrush, E.J. *see* Glew, R.W. 87−12481, 88−65713
Thrush, E.J. *see* Greene, P.D. 86−7788
Thrush, E.J. *see* Nicholas, D.J. 88−49883
Thrush, L.L. *see* Myers, G.L. 88−28615
Thrush, T. *see* Archer, D. 87−59604
Thual, M., Regreny, O., Haussonne, J.M., Guyader, J., Verdier, P., Laurent, Y., Jarrige, J., Mexmain, J., Michelet, J.P., Le Bodo, H. Synthesis and sintering of aluminium nitride 88−31864
Thuan, N.K. The acid test'—batteries for telecommunications 86−71047
Thuan, N.K. Integrated building services 88−30258
Thuan, N.K. *see* Lee, G. 87−30820
Thuan, N.K. *see* Lee, G.C. 88−62455
Thuau, G., Saucier, G. Binary decision tree in silicon 86−34640
Thuau, G., Saucier, G. Complex MOS gates compiler 87−59358
Thuau, G., Saucier, G. Optimized layout of MOS cells 88−25074
Thuau, G. *see* Saucier, G. 86−21882, 88−26545
Thubert, D., Kopp, L. Measurement accuracy and resolving power of high resolution passive methods 87−56276
Thubert, D. *see* Kopp, L. 87−27410, 87−69190
Thuc, H.Nguyen *see* Nguyen Thuc, H.
Thuesen, A. *see* Kjems, J.K. 86−5813
Thuillier, D. *see* Parraud, R. 86−56445
Thuillier, F.M., Jullien, H. Curing epoxy resin with continuous or pulsed microwaves 88−62774
Thuillier, J.C. IR material characterization 87−32317
Thukaram, D., Parthasarathy, K., Khincha, H.P., Ramakrishna Iyengar, B.S. Steady state power flow analysis incorporating load and generation regulation characteristics 85−4610
Thukaram, D., Parthasarathy, K., Ramakrishna Iyengar, B.S. Optimum evaluation of reactive power requirements in power distribution systems 86−25472
Thukaram, D., Ramakrishna Iyengar, B.S., Parthasarathy, K. An algorithm for optimum control of static VAr compensators to meet

phase-wise unbalanced reactive power demands 87−30163
Thukaram, D. *see* Gopala Rao, A.S. 86−56728
Thukral, K. *see* Hossain, J. 88−48842
Thulasiram, R.K., Ruddy, K.P.J., Reddy, N.M. Theoretical study of the optimum performance of a two-phase flow CO$_2$ gasdynamic laser 87−61074
Thulasiraman, K. Similarity of graphs and enumeration of dissimilar n^{th} order symmetric sign patterns 85−28116
Thulasiraman, K. On description and realization of resistance n-port networks 85−33610
Thulasiraman, K., Comeau, M.A. Maximum markings in marked graphs: an algorithm and interpretations based on the network simplex method 86−57344
Thulasiraman, K., Comeau, M.A. Structure of the reachability problem for (0,1)-capacitated marked graphs 87−44132
Thulasiraman, K., Comeau, M.A. Structure of the submarking reachability problem and network programming 87−65359
Thulasiraman, K., Comeau, M.A. Maximum-weight markings in marked graphs: algorithms and interpretations based on the simplex method 88−24633
Thulasiraman, K., Jayakumar, R., Swamy, M.N.S. Spanning tree enumeration: an efficient algorithm and its complexity analysis 86−62059
Thulasiraman, K., Jayakumar, R., Swamy, M.N.S. On maximal planarization of nonplanar graphs 87−184
Thulasiraman, K. *see* Bose, N.K. 85−44836
Thulasiraman, K. *see* Jayakumar, R. 85−5913, 88−38067
Thulasiraman, K. *see* Lakshmanan, K.B. 88−73666
Thulasiraman, K. *see* Natesan, J. 85−16834
Thulke, W., Zach, A. High-temperature CW operation of planar buried-ridge structure lasers at $\lambda=1.5\ \mu$m 88−65679
Thulke, W., Zach, A., Heise, G., Baumann, G.G., Wolf, H.-D., Westermeier, H. Low threshold planar buried ridge structure lasers for long wavelength optical communication systems 88−65738
Thulke, W., Zach, A., Wolf, H.-D. Planar buried-ridge structure (PBRS) lasers with emission wavelengths of 1.3 μm and 1.55 μm for optical communication systems 88−27183
Thull, R., Hubmann, M., Weikl, A., Steininger, H. Basic investigation on RF-aided balloon dilation 88−54595
Thullen, P. *see* Parsons, W.M. 87−22621
Thum, E. *see* Fursich, H. 87−22312
Thum, E. *see* Lutz, K. 87−64517
Thum, F. Mobile emission spectrometer for metal analysis 87−56896
Thumer, M. *see* Graichen, H. 88−57047
Thumhart, L.L. *see* Joynson, R.E. 87−36839
Thumm, G.H. *see* Kruger, K.H. 86−70650
Thumm, M. High-power millimetre-wave mode converters in overmoded circular waveguides using periodic wall perturbations 85−55386
Thumm, M. Computer-aided analysis and design of corrugated TE$_{11}$ to HE$_{11}$ mode converters in highly overmoded waveguides 86−1339
Thumm, M. High power mode conversion for linearly polarized HE$_{11}$ hybrid mode output 87−24705
Thumm, M., Erckmann, V., Janzen, G., Kasparek, W., Muller, G., Schuller, P.G., Wilhelm, R. Generation of the Gaussian-like HE$_{11}$ mode from gyrotron TE$_{0n}$ mode mixtures at 70 GHz 85−55387
Thumm, M., Erckmann, V., Kasparek, W., Kumric, H., Muller, G.A., Schuller, P.G., Wilhelm, R. Components for transmission of very high power mm-waves (200 kW at 28, 70 and 140 GHz) in overmoded circular waveguides 87−17330
Thumm, M., Erckmann, V., Kasparek, W., Kumric, H., Muller, G.A., Schuller, P.G., Wilhelm, R. Very high power MM-wave components in oversized waveguides 87−24425
Thumm, M., Kumric, H. High-power TE$_{11}$ and TM$_{11}$ circular polarizers in oversized waveguide at 70 GHz 88−25422
Thumm, M., Kumric, H., Stickel, H. TE$_{03}$ to TE$_{01}$ mode convertors for use with a 150 GHz gyrotron 87−45499
Thumm, M. *see* Barkley, H.J. 88−19595
Thumm, M. *see* Kumric, H. 87−17310, 88−19331
Thumm, M. *see* Wilhelm, R. 87−37821
Thummel, D. Test oriented circuit design 85−22217
Thummel, D. Test-friendly circuit design 85−22574
Thummler, J. *see* Herklotz, G. 85−63955, 86−4943
Thummler, K. Digital pack voltmeter for DC and AC voltages 86−65217
Thummler, K. AC/DC peak voltmeter MU11 88−16259
Thummler, K. *see* Hauschild, W. 85−10449
Thummler, U. *see* Forster, J. 87−5258
Thun, R. *see* Anassontzis, E. 86−32202
Thun, R.E. On residue number system decoding 87−12896
Thune, U. *see* Eriksson, G. 87−34310, 88−9342
Thunes, J. *see* Skibinski, G. 86−45023
Thunes, J.D., Heinen, J.A., Ambegaonkar, P.M. A framework for scaling arbitrary fixed point digital filter structures 87−7779
Thunes, J.D. *see* Skibinski, G.L. 87−4456
Thungren, T. *see* Yngvesson, K.S. 86−22808
Thunker, R. *see* Nitsche, W. 87−71074
Thuong, N.Van *see* Van Thuong, N.
Thuraisingham, B. *see* Gonia, P. 88−35544
Thuraisingham, M.B. *see* Hwang, K.W. 88−15173
Thurber, J.A. An empirical analysis of nuclear power plant organization and its effect on safety performance 86−51305
Thurber, K., Jr. Software buying tips for amateurs 86−17192
Thurber, K.J., Schmidt, N.E., Nolley, E.S. LAN requirements for air traffic control 88−36644
Thurber, K.T. Antennas: a look at 'Annie' [software package] 85−44840
Thurber, K.T. A look at the shack from both ends of the coax 86−22793
Thurber, K.T. IBM Utilities III, the crew at 22 and antenna mail 88−59966
Thurber, K.T., Jr. Antennas: summer sum-up 85−2701
Thurber, K.T., Jr. Antennas: reader recap 85−13281
Thurber, K.T., Jr. Antennas: product peek. II 85−30086
Thurber, K.T., Jr. Antennas product peek. III 85−36086
Thurber, K.T., Jr. Antennas: product peek. IV 85−41700
Thurber, K.T., Jr. Antennas & accessories: from the notebook. III 85−57121
Thurber, K.T., Jr. Antennas and accessories: from the notebook. IV 85−62900
Thurber, K.T., Jr. Antennas and accessories: from the notebook. V 86−10187
Thurber, K.T., Jr. Antennas and accessories: muf and stuff revisited 86−29579
Thurber, K.T., Jr. Antennas & Accessories: spotlight on software 86−36799
Thurber, K.T., Jr. Antennas and accessories: reliable communications range 86−54347
Thurber, K.T., Jr. Antennas and accessories: hamshack computers II 87−7894
Thurber, K.T., Jr. Hamshack computers. II 87−20376
Thurber, K.T., Jr. Antennas and accessories−antennas: this and that 87−39530
Thurber, K.T., Jr. Antennas and accessories: more on the G5RV [antenna] 87−68854
Thurber, K.T., Jr. Antennas and accessories: more on software 87−75573
Thurber, K.T., Jr. Antennas & accessories: more on software. III 88−8573
Thurber, K.T., Jr. General-purpose software [antennas and accessories] 88−27603
Thurber, K.T., Jr. A look at the shack from both ends of the coax−more general-purpose software [antennas and accessories] 88−27690
Thurber, K.T., Jr. Antennas and accessories: modem protection and more 88−28568
Thurber, K.T., Jr. The MFJ-931 artificial ground 88−41523
Thurber, K.T., Jr. More utilities for the IBM-PC [antennas and accessories] 88−53119
Thurber, K.T., Jr. Antennas and accessories. Antenna potpourri 88−72653
Thurber, L.J. *see* Erikson, C.A., Jr. 85−56061
Thurber, R.E. *see* Castella, F.R. 86−23960
Thurber, R.E. *see* Prengaman, R.J. 85−3493
Thurgate, T., Chan, N. An impact ionization model for two-dimensional device simulation 85−40738
Thuries, E., Van Doan, P., Dayet, J., Joyeux-Bouillon, B. Synthetic testing method for generator circuit breakers 86−39993
Thuries, E. *see* Boggs, S.A. 86−51846
Thuring, L. Systematic fault tree construction and documentation [nuclear safety] 85−48759
Thuring, L. *see* Ericsson, G. 85−27174
Thurl, W., Liesenkotter, B. Satellite receiving station for TV programme distribution 85−42521
Thurlbeck, A. *see* Broomfield, G.H. 86−5281
Thurlbeck, A. *see* Green, M.R. 85−48786
Thurlings, L.F.G. Basic properties of AC noise 85−35307
Thurlow, B. Teletext 88−15031
Thurlow, B.J. Simple pattern generator 85−42752
Thurlow, J., Seldon, D. X-rays without film 86−32250
Thurlow, M. Susceptibility characterization of microprocessor and LSI technology 88−66104
Thurlow, M.H. Susceptibility characteristics of microprocessors and LSI technologies 86−48625
Thurlow, M.H. Interference effects with the in-car entertainment system 88−52250
Thurlow, P.E. Computer simulation of focal plane array performance using coupled ray trace and carrier diffusion models 86−31217
Thurlow, P.E. Evaluation of crosstalk in focal plane arrays using charge carrier diffusion modeling 88−40078
Thurlow, R.C. An improved remote control and monitoring system 85−42198
Thurmair, G. Semantic processing in speech understanding 88−72897
Thurmair, G., Brockhoff, G., Dreckschmidt, G., Niedermair, G. The comprehension of spoken language in the SPICOS project 87−2485
Thurman, S.W. *see* White, R.L. 87−34671
Thurmann, H. Automated lignite operation at the heat-generating station of Jena-Sud 85−4913
Thurmond, B. Horn layout simplified 88−29155
Thurmond, B. Cluster suitability predictions simplified 88−60479
Thurmond, C.D. The chemical mass of holes in semiconductors 85−45375
Thurmond, G.D. *see* Gee, C.M. 85−12646, 85−56284, 87−8325, 87−49083, 87−49123, 88−67373, 88−73867
Thurmond, G.D. *see* Newberg, I.L. 88−73956
Thurn, G., Gast, T. Measurement of surface roughness by light scattering method 85−64294
Thurn, V.W. Skills training requires planning 85−60685
Thurnherr, E. Security equipment: a radical change of the market 85−104
Thurnhofer, K. Dynamometer drives using rectified-fed three phase induction motors 88−62660
Thuroczy, G., Szabo, L.D., Ballay, L., Bodo, M., Almassy, G., Kenderessy, M., Szasz, E., Bakos, S. Biological effects of electromagnetic fields. I. An irradiation and measuring system for the study of biological effects of microwaves 88−5020
Thuroczy, G. *see* Szabo, L.D. 87−77694
Thurow, D. *see* Kurz, G. 86−813
Thurow, L.C. Can we afford the new medical technologies? 88−68443
Thursby, G. *see* Stewart, G. 88−13885
Thursfield, C.D. Nonvocal communication 87−50390
Thurstans, R.E. *see* Taylor, A.G. 85−3958
Thurston, R.N. Liquid crystal bistable displays 86−68339
Thurston, R.N., Kapon, E. Spatial resolution requirements in the fabrication of branching optical waveguides 88−45173
Thurston, R.N., Kapon, E., Silberberg, Y. Analysis of mode separation in multichannel branching waveguides 88−1978
Thurston, R.N., Kapon, E., Silberberg, Y. Mode separation and switching in multichannel branching optical waveguides 88−51515
Thurston, R.N. *see* Heritage, J.P. 85−56282
Thurston, R.N. *see* Kapon, E. 87−53958
Thurston, T.H. Specifying electronic autocollimators 87−68204
Thurstone, F.L. *see* Galloway, R.L. 88−34753
Thurumaki, T. *see* Iida, H. 88−9305
Thuruthumaly, T. *see* Gabrykewicz, T. 88−1255
Thurzo, I., Bartos, J., Pincik, E. On the structure of the GaAs−plasma oxide interface 87−67009
Thurzo, I., Dubecky, F. On the role of the back contact in DLTS experiments with Schottky diodes 85−55766
Thurzo, I., Pincik, E. Some peculiar features of small-signal charge DLTS response of GaAs MOS capacitors 85−23590
Thurzo, I. *see* Pincik, E. 85−34836, 88−50677
Thus, A.W. *see* Ruiter, J.P. 85−9529
Thuselt, F., Unger, K. High carrier densities and gap shrinkage in p-i-n-type structures 85−1378
Thust, H. Properties of thick-film circuit elements in the VHF and UHF bands 85−1196
Thust, H. The UHF properties of thick film materials 87−53072
Thust, H. Thick-film printed conductors−properties when used in printed components 87−66779
Thust, H. *see* Fitt, J. 87−52821
Thust, H. *see* Kaufhold, B. 88−35505
Thust, P.H. Electrical/electronic engineering offers good prospects to university/high school graduates in 1985/86 86−76
Thutupalli, G.K.M., Sridhara Murthy, K.R. Thermal control of spaceborne systems using fibre optic wave guides−a novel approach 85−48368
Thutupalli, G.K.M. *see* Ramaseshan, K. 88−2083
Thuy Ta An evaluation of etching in NF$_3$ and NF$_3$/argon plasma 86−2396
Thvedt, T.A., Willoughby, C.T., Salcido, M.M., Dereniak, E.L. Computer model of focal plane array 88−47567
Thwaites, C.J. Some metallurgical studies related to the surface mounting of electronic components 85−17966
Thwaites, T. *see* Engels, E., Jr. 87−29488
Thyagarajan, K., Bourbin, Y., Enard, A., Vatoux, S., Papuchon, M. Experimental demonstration of TM mode-attenuation resonance in planar metal-clad optical waveguides 85−46205
Thyagarajan, K., Diggavi, S., Ghatak, A.K. Analytical investigations of leaky and absorbing planar structures [integrated optic polarizers] 87−68190

Thyagarajan, K., Diggavi, S., Ghatak, A.K. Design and analysis of a novel polarisation splitting directional coupler 88−65295
Thyagarajan, K., Enard, A., Kayoun, P., Papillon, D., Papuchon, M. Measurement of guided mode cut off wavelengths in Ti:LiNbO$_3$ channel waveguides 86−9600
Thyagarajan, K., Kaul, A.N., Hosain, S.I. Attenuation characteristics of single-mode metal-clad graded-index waveguides with a dielectric buffer: a simple and accurate numerical method 86−63673
Thyagarajan, K., Pal, B.P., Kumar, A. Characterization of optical fibres for telecommunication and sensors. II. Single mode fibres 88−72019
Thyagarajan, K., Ramadas, M.R., Shenoy, M.R. Beat-length measurement of birefringent optical fibers 88−13835
Thyagarajan, K., Sarkar, S.N., Pal, B.P. Equivalent step index (ESI) model for elliptic core fibers 88−1936
Thyagarajan, K., Shenoy, M.R., Ghatak, A.K. Accurate numerical method for the calculation of bending loss in optical waveguides using a matrix approach 87−38793
Thyagarajan, K., Shenoy, M.R., Ramadas, M.R. Prism coupling technique: a method for measurement of propagation constant and beat length in single-mode fibres 86−63617
Thyagarajan, K., Tewari, R. Accurate analysis of single-mode graded-index fiber directional couplers 85−41141
Thyagarajan, K. *see* Bourbin, Y. 87−60915
Thyagarajan, K. *see* Ghatak, A.K. 87−60914
Thyagarajan, K. *see* Kaul, A.N. 86−15490, 86−42265, 86−63611, 88−20349
Thyagarajan, K. *see* Kumar, A. 85−7694, 87−32980, 87−46472
Thyagarajan, K. *see* Pal, B.P. 87−74694, 88−51450
Thyagarajan, K. *see* Papuchon, M. 85−2044
Thyagarajan, K. *see* Sarkar, S.N. 87−12132
Thyagarajan, K. *see* Shenoyu, M.R. 88−72034
Thyagarajan, K. *see* Tewari, R. 86−48099, 86−48131, 86−63613
Thyagarajan, K.S., Bhatt, S. Linear block prediction of images for encoding applications 88−8856
Thyagarajan, K.S., Bhatt, S. Linear block prediction with source classification for image encoding applications 88−73271
Thyagarajan, K.S., Bohlmann, H. Image coding based on segmentation using region growing 87−62265
Thyagarajan, K.S., Gadjali, H., Bhatt, S. Encoding of subband images using adaptive vector DPCM 88−59289
Thyagarajan, K.S., Parthasarathy, S., Abut, H. A matrix quantizer incorporating the human visual model 86−10507
Thyagarajan, K.S., Viswanathan, M. Matrix quantization of homomorphically processed images 87−39978
Thyagarajan, K.S., Viswanathan, M. Low bit-rate image coding techniques 87−62264
Thyagarajan, K.S. *see* Bheda, H. 86−10506
Thyagarajan, T.R. *see* Sankaranarayanan, V. 88−68742
Thye-Lai Tung, Antoniadis, D.A. A boundary integral equation approach to oxidation modeling 86−21384
Thye-Lai Tung, Connor, J., Antoniadis, D.A. A viscoelastic BEM for modeling oxidation 88−1526
Thye-Lai Tung, Connor, J., Antoniadis, D.A. A viscoelastic BEM for modeling oxidation 88−7513
Thygesen, J.E. The introduction of ISDN−a challenge 87−33947
Thylen, C. *see* Edvall, G. 85−20587
Thylen, L. High speed, wide bandwidth digital switching and communications utilizing guided wave optics 87−20577
Thylen, L. Extreme speed with lithium niobate 87−76799
Thylen, L. Wavelength and noise filtering characteristics of coupled active and passive waveguides 88−20482
Thylen, L. Optical switching using guided wave devices 88−22117
Thylen, L. Devices for photonic switching 88−45222
Thylen, L. Integrated optics in LiNbO$_3$: recent developments in devices for telecommunications 88−72140
Thylen, L., Djupsjobacka, A. Bandpass response traveling-wave modulator with a transit time difference compensation scheme 85−41209
Thylen, L., Djupsjobacka, A., Janson, M., Doldissen, W. Integrated-optic device for high-speed databuses 85−46294
Thylen, L., Djupsjobacka, A., Lagerstrom, B., Svensson, P. High speed LiNbO$_3$ integrated optics modulators and switches 85−50992
Thylen, L., Finlayson, N., Seaton, C.T., Stegeman, G.I. All-optical guided-wave Mach-Zehnder switching device 88−8280
Thylen, L., Granestrand, P. Integrated optic electrooptic device electrode analysis: the influence of buffer layers 86−42355
Thylen, L., Sjoberg, P., Lindqvist, G.E. Electro-optical serrodyne frequency translator for $\lambda=1.3$ μm 85−35546
Thylen, L., Wright, E.M., Stegeman, G.I. Numerical analysis of nonlinear coherent couplers exhibiting saturable index changes 88−33733
Thylen, L., Wright, E.M., Stegeman, G.I., Seaton, C.T., Moloney, J.V. Beam-propagation method analysis of a nonlinear directional coupler 87−18674
Thylen, L. *see* Andersson, P.-O. 85−29558
Thylen, L. *see* Andersson, P.O. 86−9584
Thylen, L. *see* Blumenthal, D.J. 88−13930
Thylen, L. *see* Doldissen, W. 86−9613
Thylen, L. *see* Finlayson, N. 88−45201
Thylen, L. *see* Granestrand, P. 86−63685, 87−74871, 88−72154
Thylen, L. *see* Hermansson, B. 85−12965
Thylen, L. *see* Mattsson, O. 86−49572
Thylen, L. *see* Neyer, A. 85−62319
Thylen, L. *see* Setterlind, C.J. 86−58793
Thylen, L. *see* Stegeman, G.I. 88−58228
Thylen, L. *see* Weber, J.-P. 88−45179
Thyregod, P. *see* Vibholm, S. 86−47906, 88−71834
Thyrsted, T. *see* Conradsen, K. 85−64726
Thyselius, K. Data move of all time−from Farsta to Haninge [moving computers] 88−59682
Thysell, P.A. *see* Kikuchi, D.T. 88−42177
Thyssen, H. *see* Eulenberg, Hp. 86−65310
Ti Chen *see* Chen Ti
Ti Deng Wei *see* Deng Wei Ti
Ti Ju *see* Ju Ti
Ti Tien, H. *see* Jackowska, K. 88−62595
Ti Tien, H. *see* Ke Xiao 88−49146
Ti Tien, H. *see* Kutnik, J. 88−68423
Ti Tien, H. *see* Tripathy, A.K. 88−11349
Ti Zhaoxu A summary of computer control for thermal power plants 86−25847
Ti-Hua Wu *see* Wu Ti-Hua
Ti-rong Chen *see* Chen Ti-rong
Ti-xing Li *see* Li Ti-xing
Tia-Min Pang *see* Dixon, A.J. 88−37944
Tiago Filho, G.L. *see* Moreira Santos, A.H. 88−62236
Tiahrt, C.A. *see* Poore, A.B. 88−11891
Tiainen, S. Testing a complicated automatic mobile telephone system (NMT) 85−63565
Tian, F., Wu, Y.-Z., Ye, P.-D. Analysis of polarization fluctuation in single-mode optical fibers with continuous random coupling 88−13816
Tian, F. *see* Wu, Y. 88−45371
Tian, J.F., Jiang, D.S., Zeng, B.R., Lin Huang, Kong, G.L., Lin, L.Y. Photon energy dependence of SW effect in α-Si:H films 86−27948
Tian, Q., Barbero, M., Zu-Han Gu, Lee, S.H. Image classification by the Foley-Sammon transform 86−64352
Tian, Q., Huhns, M.N. A fast iterative hill-climbing algorithm for subpixel registration 85−30367
Tian, Q. *see* Ambs, P. 87−27560
Tian, R., Fink, M. Dispersion and resolution of a Moellenstedt energy analyzer 87−56970
Tian, R. *see* Ih, C.S. 88−53281
Tian, X., Glaize, C. Feeding optimisation of reluctance machines with magnetic coupling between phases 88−30686
Tian, X. *see* Forest, F. 88−62430
Tian, X.Z. *see* Shi, Z.L. 88−46862
Tian, Z. *see* Chang, W. 87−77651
Tian Bao-Tong Development of cryosurgical instruments and their applications in China 85−48323
Tian Bao-Ying *see* Pei Guo-Xi 87−14659
Tian Cheng Fan Approach to peripheral controllers of Z8090Z−UPC and its applications 85−61307
Tian Da-zhun *see* Wang Dian-ru 86−1621
Tian Daozheng Status of laser applications to medicine in Shandong Province 85−64622
Tian Enrui, Wu Jie, Pi Mingjia Heat-scan infrared NDT application to the inspection for adhesion of propellant of rocket motor to envelope 86−567
Tian Feng, Wu, Y.-Z., Ye, P.-D. Improved coupled-mode theory for anisotropic waveguide modulators 88−45178
Tian Feng *see* Pan Linzhang 86−55816
Tian Feng *see* Wu Yi-zun 88−35463
Tian Feng *see* Wu Yizun 87−28557
Tian Gu *see* Gu Tian
Tian Hongjiang *see* Qian Baojun 88−22473
Tian Hua *see* Hua Tian
Tian Huiliang *see* Wang Wei 85−35737, 86−54134
Tian Huiliang *see* Zheng Yuhong 88−58324
Tian Jiaqi *see* Gu Jiahui 88−10238
Tian Jiaqi *see* Xiao Genlai 86−11804
Tian Laisheng The Ai-M16 plotting server 88−21645
Tian Lan *see* Lan Tian
Tian Liguang, Song Changlie, Xu Gengwu, Lin Junxiu Calculation and analysis of the small-signal gain of the CO-laser 86−42484
Tian Liling *see* Li Zhijian 85−45463
Tian Mao *see* Mao Tian
Tian Mengxia *see* Wang Ruikai 86−56044
Tian Mu Modeling equilibrium heterojunction with a Shockley-like model 87−66955
Tian Qi *see* Qi Tian
Tian Qiu-sheng *see* Cai Xuan-san 85−5145
Tian Sen, Xu Tian-shang Dynamic accumulating leak detection 85−181
Tian Shuqing *see* Zheng Jiaqi 88−68608
Tian Suqi Therapy of children's enteritis with He-Ne laser irradiation 85−59336
Tian Tan Oon *see* Oon Tian Tan
Tian Wang Xin *see* Xin Tian Wang
Tian Weifeng, Jin Zhihua, Lu Kai Experimental studies of ESG-controlled passive damping 88−52146
Tian Xiao-Wen A quasi-linear analysis of phase locked loops 86−62493
Tian Xiaolin A method of detecting tumour edges in X-radiographics 85−4263
Tian Xin, Tan Zhong Analysis and decision of heart sounds via ARMA models 88−61228
Tian Xiuqing *see* Zheng Jiaqi 88−68608
tian Xu Jin *see* Xu Jin tian
Tian Ying TP801 type computer controlled wiring machine 86−66593
Tian Yunpeng *see* Tang Junxiong 88−65601
Tian Zengju *see* Dai Daoxuan 85−1388
Tian Zhiwei, Shi Yongqiang Image subtraction by phase grating 85−57461
Tian-duo Li *see* Li Tian-duo
Tian-Duo Sun *see* Sun Tian-Duo
Tian-ge Zhuang *see* Zhi-ni Zhang 88−48154
Tian-Hu Yu *see* Mitra, S.K. 86−35013
Tian-Jin Wang, Yong-Lian Fan, Jin-Fang Wang, Bing-Wen Liang Comparison on magnetic properties and microwave loss of single crystals BiCaInVIG and YGaIG 88−51255
Tian-Lin Dong New approach to analysing conductor-dielectric periodic structures 88−8563
Tian-shang Xu *see* Xu Tian-shang
Tian-shou Chen *see* Chen Tian-shou
Tian-shu Jiao *see* Jiao Tian-shu
Tian-Tsair Su, Yan-Kuin Su, Chun-Yen Chang Fabrication of 1.3 μm InGaAsP/InP double heterojunction lasers grown by liquid phase epitaxy 88−40215
Tian-Wei Xiao *see* Xiao Tian-Wei
Tian-wen Luo *see* Luo Tian-wen
Tian-xi Huang *see* Huang Tian-xi
Tian-xiao He *see* He Tian-xiao
Tian-xu Zhang *see* Zhang Tian-xu
Tian-you Chai *see* Chai Tian-you
Tianbao Zhang, Dinzhen Yin, Shuying Wang, Chun Cao, Jiachang Liang Improvement positron annihilation lifetime spectrometer by using the fast decay component in BaF$_2$ luminescence 88−40091
Tiancheng Zhu *see* Zhu Tiancheng
Tiandao Sun *see* Sun Tiandao
Tiandong Xu *see* Xu Tiandong
Tianduo Sun *see* Sun Tianduo
Tianen Chai *see* Chai Tianen
Tiangji Wang *see* Wang Tiangji
Tiangliang Zeng *see* Zeng Tiangliang
Tianhu Lei, Dorny, C.N. Array calibration in a correlated signal environment 87−39517
Tianji Wang *see* Wang Tianji
Tianjie Cao *see* Cao Tianjie
Tianjuan Wang *see* Wang Tianjuan
Tianke Li *see* Li Tianke
Tianlong Yang *see* Yang Tianlong
Tianning Xu *see* Xu Tianning
Tiano, A. *see* Nicolas, P. 88−22055
Tianpi Zheng *see* Zheng Tianpi
Tianqing He *see* He Tianqing
Tianqiu Liu *see* Liu Tianqiu
Tianquan Fan *see* Fan Tianquan
Tianren Yao *see* Yao Tianren
Tianren Zhao *see* Jiaqi Yu 86−22227
Tiansheng, C. *see* Makki, R.Z. 87−24119
Tianwen Zhang, Zhongrong Li An octant structure for three-dimensional objects 87−12916
Tianxi Wang *see* Wang Tianxi
Tianxing Chen *see* Chen Tianxing
Tianxu Zhang *see* Zhang Tianxu
Tianziang Yang *see* Yang Tianziang
Tiao, J. *see* Field, K. 87−62717, 88−72869
Tiao-Yuan Huang *see* Koyanagi, M. 87−32562
Tiaosheng Tong *see* Tong Tiaosheng
Tiba, M. *see* Magureanu, R. 86−66114, 87−64548
Tibaldi, M. *see* Giannini, F. 88−966
Tibballs, J.E. *see* Stansfield, R.F.D. 85−15231
Tibbenham, M.I., Scourfield, M.W.J., Wakerley, P.A. An improved television system for auroral cinematography at Sanae, Antarctica 85−15422
Tibberts, N. *see* Vassell, G.S. 87−57597
Tibbetts, M. The BBC Domesday Project 88−29137
Tibbetts, R. *see* Bobroff, N. 86−35511
Tibbetts, S.J. *see* Jenekhe, S.A. 88−26043
Tibbitts, S., Gabel, B., Broughton, D., Roberts, S. A high performance bipolar ECL standard cell library for optimal design of high speed bipolar LSI 88−13563
Tibbitts, S. *see* Menon, S. 88−12351
Tibbitts, S. *see* Snyder, W. 88−70696
Tibbitts, S.A. *see* Benning, C.S. 85−46760
Tiberghien, A. *see* Psillos, D. 88−55877
Tiberghien, J., Ramanan, V.V. Optimised card manufacture thanks to statistical quality control 85−55281

Tiberghien, J. *see* Rijks, E. 87−77095
Tiberghien, J. *see* Van Der Jeugt, G. 88−73603
Tiberio, C.A., Banci, G., Raganella, L., Franconi, C. A new annular applicator for hyperthermia of deep seated tumors 88−68469
Tiberio, C.A. *see* Franconi, C. 86−60809
Tiberio, C.A. *see* Raganella, L. 88−61428
Tiberio, R., Kouyoumjian, R.G. Calculation of the high-frequency diffraction by two nearby edges illuminated at grazing incidence 85−19178
Tiberio, R., Manara, G., Pelosi, G. A hybrid technique for calculating the field of wire antennas near an interface 85−13343
Tiberio, R., Manara, G., Pelosi, G. A hybrid technique for analyzing wire antennas in the presence of a plane interface 85−62880
Tiberio, R., Manara, G., Pelosi, G., Kouyoumjian, R.G. High-frequency diffraction by a double wedge 86−42829
Tiberio, R., Pelosi, G., Manara, G. A uniform GTD formulation for the diffraction at a wedge with two face impedances 85−13092
Tiberio, R., Pelosi, G., Manara, G. A uniform GTD formulation for the diffraction by a wedge with impedance faces 85−62746
Tiberio, R., Pelosi, G., Manara, G., Pathak, P.H. A UTD diffraction coefficient for a wedge with impedance faces illuminated by a line source 88−2542
Tiberio, R. *see* Biffi Gentili, G. 88−44330
Tiberio, R. *see* Manara, G. 87−28664, 87−54512
Tiberio, R. *see* Michaeli, A. 86−36684
Tiberio, R. *see* Pelosi, G. 87−28666
Tiberio, R.C., Wolf, E.D., Anderson, S.F., Schaff, W.J., Tasker, P.J., Eastman, L.F. Fabrication and characterization of ultrashort gate length GaAs field-effect transistors 88−39514
Tiberio, R.C. *see* Buhay, H. 86−63151
Tiberio, R.C. *see* Byrne, D.M. 85−35578
Tiberio, R.C. *see* Chao, P.C. 88−1686, 88−38750
Tiberio, R.C. *see* Shah, N.J. 85−29322, 86−53819
Tibilov, V.K. *see* Malinov, V.A. 87−26205
Tibor, R. Office automation and data processing 87−62669
Tibrewala, R.K. Feasibility and economics of alternatives to local loop 86−10663
Tibury, T.L. *see* Homola, A.M. 87−25806
Ticar, I. Analytic model for charge neutralized self-focusing beam of charged particles 85−13048
Tice, C. *see* Bonomi, M. 88−771
Tice, G.A. *see* Zbasnik, G. 86−61386
Tice, J.B., Anderson, J.G., Breuer, G.D. New transmission concepts for long distance energy transfer for oil or gas displacement 86−32712
Tice, J.B. *see* Miske, S.A. 86−50892
Tice, R.M. Connecting to the Defense Data Network using the DCA's network access component 87−40443
Tice, S., Repic, R.A., Zelon, J.L. The space vehicle configuration development system (SVCDS)—a tool for preliminary space vehicle design, analysis, and simulation 85−48375
Tice, W. Getting beyond the myths about customer perception of local measured service 85−51850
Ticha, H., Andrs, V., Tichy, L., Triska, A. Electrical properties of glassy $Ge_{20}S_{80}$ 85−55477
Ticha, H., Tichy, L., Rysava, N., Triska, A. Some physical properties of the glassy $(GeS_2)_x(Sb_2S_3)_{1-x}$ system 86−1736
Ticha, H. *see* Nagels, P. 86−27944
Ticha, H. *see* Tichy, L. 85−23469
Tichatschke, R. *see* Kirsten, H. 86−7659
Tichavsky, P. Estimating the angles of arrival of multiple plane waves: the statistical performance of the MUSIC and the minimum norm algorithms 88−72940
Tichey, R.J. Applying MATE standards to a digital pin electronics module 85−31338
Tichit, B., Desmons, G., Szuldyner, C., Fauquet, J.N. A compact camera—VTR system for electronic news gathering 87−34816
Tichit, B. *see* Desmons, G. 87−11307
Tichit, B. *see* Lacoste, J.-P. 88−41856
Tichler, J.W., Van Elst, H.C., Meunier, Y., Bocquet, P., Andreasi Bassi, M., Mandorini, V. Estimation of the residual service lifetime of structures by periodic non-destructive inspection of the structural material, in particular under creep conditions 86−52585
Tichmenew, B.N., Kutschumow, W.A. The path to the electric locomotives with synchronous motors in the Soviet Union 85−53885
Tichon, J., Baudel, B., Toulotte, J.M. Object oriented language aided design for disabled persons: Project Cachalot 88−68496
Tichon, J. *see* Toulotte, J.M. 87−71159
Tichonov, V.F. *see* Preston, R.A. 86−55400
Tichy, J. Active systems for sound attenuation in ducts 88−74179
Tichy, L., Ticha, H., Triska, A., Nagels, P. In the *n*-type conductivity in some Bi-doped chalcogenide glasses controlled by percolation? 85−23469
Tichy, L. *see* Nagels, P. 86−27944
Tichy, L. *see* Ticha, H. 85−55477, 86−1736
Tichy, R., Odehnal, M., Petricek, V., Safrata, S., Pollert, E., Kamarad, J., Hejtmanek, J., Smrckova, O., Sykorova, D. SQUID behavior at liquid nitrogen temperature in high-T_c superconductors of the type Y-Ba-Cu-O 88−20272
Tichy, R.F. *see* Larcher, G. 88−14580
Tichy, T. Automatic compensation of zero-adjustment error in a voltmeter with D/A converter 88−60784
Tichy, T. *see* Julstrom, S. 85−3795
Tichy, V. Voltage tests of high voltage power cables 86−32769
Tichy, V. *see* Hurych, A. 85−16482
Tichy-Racs, A. *see* Szendrenyi, B.B. 88−60899
Tichy-Racz, A. *see* Lalinsky, T. 85−34622
Ticianelli, E.A. *see* Gonzalez, E.R. 88−43375
Ticianelli, E.A. *see* Oliveira, J.C.T. 87−43401
Ticianelli, E.A. *see* Srinivasan, S. 88−49124
Ticino, B. *see* Nozza, G. 85−28025
Tickle, A., Crough, R., Curtis, H., Dees, W., Dean, R., Flomenhoft, M., Hassan, S., Newhard, W., Smith, R., Singh, R. A design automation system for wafer scale integration 85−45027
Tickle, A.C., Gastineau, J.M. Subchip synthesis and layout with MOSMAN II 88−7742
Tickle, R.S. *see* Westfall, G.D. 85−64469
Tickner, A. *see* Wegener, M. 87−75635
Tickner, A.T. *see* Kemp, W.M. 88−33624
Ticknor, A.J., Barrett, H.H. Optical feedback for iterative processing 88−58301
Ticknor, A.J., Easton, R.L., Barrett, H.H. Two-dimensional Radon-Fourier transformer 85−36375
Ticknor, A.J. *see* Easton, R.L., Jr. 85−25177, 86−16497
Ticknor, A.J. *see* Thackara, J.I. 88−39989
Ticknor, S. Magnetic core calculations—a BASIC program 87−7021
Tickoo, A.K. *see* Koul, R. 86−19308
Tidblom, S.-E. *see* Backstrom, R. 85−63197
Tidecks, R. Properties of weak link with tunable strength in a quasi-one-dimensional superconductor 85−7172
Tidecks, R. *see* Werner, T. 86−28732
Tideman, B. On the real needs of security in application-areas of videotex 86−37440
Tideman, N.A. *see* Pashkov, V.S. 88−53692
Tidemand-Petersson, P. *see* Larsen, A.N. 86−63156
Tiden, E., Arnborg, S. Unification problems with one-sided distributivity 87−52297
Tidey, D.K. Use high-speed CMOS to drive power MOSFETs 88−39437
Tidhar, C. Exploring teletext for instruction and education: the Israeli experience 87−43832
Tidman, D.A., Goldstein, S.A., Windsor, N.K. A rail gun plasma armature model 87−26715
Tidman, D.A. *see* Burton, R.L. 87−26661
Tidman, D.A. *see* Thio, Y.C. 88−40525
Tidman, D.A. *see* Wang, S.Y. 88−40513
Tidman, D.A. *see* Witherspoon, F.D. 88−40512
Tidwell, D. *see* Hillmer, T.P. 86−12599
Tidy, D. Measurement of resistivity relevant to the electrostatic precipitation of pulverized fuel ash (PFA) 86−56629
Tidy, P. Inverters—the state of the art [emergency lighting] 85−10216
Tie-chang Yan *see* Yan Tie-chang
Tie-Jian You *see* You Tie-Jian
Tie-Jun Shan *see* Bruchstein, A.M. 86−29844
Tie-Nian Chen *see* Chen Tie-Nian
Tie-Sheng Kang *see* Kang Tie-Sheng
Tie-sun Feng *see* Feng Tie-sun
Tie-Yu Zhang *see* Zhang Tie-Yu
Tiebe, J. *see* Brosch, P.F. 86−19271
Tiebel, R. *see* Germey, K. 85−29933
Tiecke, H. Performance of a hadron test calorimeter for the ZEUS experiment 88−22955
Tiecke, H. *see* Bernardi, E. 88−22917
Tiecke, H.G. *see* Bailey, R. 85−15164
Tiedemann, C., Gohl, I., Bekelaer, K., Seibt, D. Btx-aided communication between the BMW AG and the BMW-Trading Organizations. I. Analysis of the Btx-application potentials and initial realizations 85−52009
Tiedemann, R.K. *see* Sablatash, M. 87−34083, 88−9097
Tiedge, J. *see* Kahle, W. 88−38043
Tiedge, J. *see* Lehmann, A. 88−38044
Tiedge, W. Systems with serial stochastic coding 86−54506
Tiedge, W., Kramer, R., Zepter, R. Digital TV without flicker 88−60405
Tiedge, W. *see* Bernet, H. 87−39805
Tieding, N. *see* Dengchou, L. 86−34903
Tiedje, J.M. *see* Morrissey, D.J. 85−59262
Tiedje, T., Abeles, B., Brooks, B.G. Photoluminescence in amorphous silicon/amorphous silicon nitride double heterostructures 85−18797
Tiedje, T., Roxlo, C.B., Abeles, B., Wronski, C.R. Interface states in amorphous silicon/amorphous silicon nitride superlattice structures 85−45477
Tiedje, T., Wronski, C.R., Persans, P., Abeles, B. Recent experimental results on a-Si:H/a-Ge:H superlattice structures 86−27988
Tiedje, T. *see* Abeles, B. 85−55545, 86−63082
Tiedje, T. *see* Deckman, H.W. 87−66965
Tiedje, T. *see* Roxlo, C.B. 85−18138
Tiedje, T. *see* Wronski, C.R. 87−12290, 87−18830, 88−45282
Tiee, J.J., Quick, C.R., Loge, G.W., Jr., Wampler, F.B. Two-photon pumped CO *B-A* laser 88−27040
Tiefel, T.H., Jin, S. Processing for thin strip Fe-Cr-Co magnet alloys 86−28612
Tiefel, T.H. *see* Jin, S. 85−52727, 87−60840, 87−60845
Tiefenback, M. *see* Bailey, V. 88−54020
Tiefenback, M. *see* Bailey, V.L., Jr. 88−54089
Tiefenback, M.G. Experimental measurement of emittance growth in mismatched space-charge-dominated beams 88−47871
Tiefenback, M.G., Keefe, D. Measurements of stability limits for a space-charge-dominated ion beam in a long AG transport channel 86−25013
Tiefenback, M.G. *see* Celata, C.M. 86−25012, 88−54213
Tiefenbock, H. Computer-controlled TV measurement system for NOS Hilversum 85−26030
Tiefenbock, H. MFA/MTA modules—indispensable for video and audio engineering 87−41205
Tiefenthaler, C. Digital transversal filters 85−6438
Tiefenthaler, C. Digital correlation. II 85−31414
Tiefenthaler, C. Digital adaptive filters 85−45160
Tiefenthaler, C. Adjusted flash converters 86−1146
Tiefenthaler, C. Pipeline technique in digital and analogue signal processing 86−16287
Tiefenthaler, C. Using pipelining in signal processing 86−20718
Tiefenthaler, C. Block and folding codes for error correction 86−22896
Tiefenthaler, C. Error control coding increases system reliability. I 86−29734
Tiefenthaler, C. Error control coding increases system reliability. II 86−29735
Tiefenthaler, C. Less noise through oversampling [A/D convertors] 87−44962
Tiefenthaler, C. Digital modulation using the Hilbert transform 87−47465
Tiefenthaler, C. Oversampling to increase S/N ratio of ACDCs 87−52672
Tiefenthaler, C. Fast division, fixed or floating point 88−6730
Tiefenthaler, C. Fast digital division 88−12299
Tiefenthaler, C. Linear phase shift with signal processor 88−12532
Tiefenthaler, C. Coordinate transformation in image processing 88−28009
Tiefenthaler, C. The Conjurer—transformation from polar to cartesian co-ordinates [image processing] 88−56651
Tiefenthaler, C. Interpolation element for image processing and synthesis 88−66614
Tiefenthaler, C. Image manipulation by coordinate transformation application of the image resampling sequencer 88−67723
Tiefenthaler, C. From a single source—compact 12-bit A/D converter 88−70863
Tiefenthaler, C. *see* Horvath, G. 87−25550
Tiefenthaler, C. *see* Williams, F. 87−33646
Tiefenthaler, G. Digital single-sideband modulation with Hilbert-transformation 87−47467
Tiefenthaler, K., Lukosz, W. Integrated optical humidity and gas sensors 85−62370
Tiefenthaler, K., Lukosz, W. Grating couplers as integrated optical humidity and gas sensors 86−2853
Tiefenthaler, P. High output quartet: four approximations to an ideal operational amplifier 86−57671
Tiefenthaler, P. The ring of Columbus. Single loudspeaker transmits 35 Hz to 20 kHz 87−70302
Tieglaar, H. *see* Esquivel, J. 87−44853
Tieje Cui *see* Cui Tieje
Tieji Cui *see* Cui Tieji
Tiejian Yang *see* Yang Tiejian
Tiejian Zou *see* Zou Tiejian
Tiejun Wu *see* Wu Tiejun
Tiejun Xia *see* Xia Tiejun
Tiekun Chen, Shu-Park Chan The application of truth tables and zero-paths in the minimization of single pair switching networks 86−697
Tielemans, L. On the ball formation process of non-precious metal wires: Cu and Al1%Si 87−37767
Tielemans, L. Copper ball-wedge bonding and its problems 88−50559
Tielemans, P., Drop, P., Lorenz, R. Spectral properties of metal halide lamps with rare earth-iodide or Sc-iodide and sodium iodide 86−13161
Tielens, A. Reliable one-chip system development [in CMOS] 88−7737
Tielert, R., Werner, C., Beinvogl, W. Scaling of complex logic circuits from 2 μm to 1.5 μm design rules 85−6299
Tielert, R. *see* Mattausch, H.-J. 88−32294
Tielert, R. *see* Risch, L. 88−56629
Tielert, R. *see* Zehner, B. 87−5968, 87−17269
Tieliu Shen *see* Shen Tieliu

Tieman, D.G., Murphey, R.K., Schmidt, J.T., Tieman, S.B. A computer-assisted video technique for preparing high resolution pictures and stereograms from thick specimens 87—14855
Tieman, S.B. *see* Tieman, D.G. 87—14855
Tiemann, H.-H. *see* Konig, U. 85—40448
Tiemann, J., Kamm, K.-F. Digital imaging, archive and handling 87—14888
Tiemann, J. *see* Heu, R. 87—21706
Tiemann, J. *see* Lucas, R. 87—36651
Tiemann, J. *see* ter Haar Romeny, B.M. 88—36563
Tiemann, J.J., Vogelsong, T.L. Charge domain integrated circuits for signal processing 85—23976
Tiemann, J.J. *see* Vogelsong, T.L. 85—18484, 85—45866
Tiemann, W. Spectroscopic temperature measurements for SF_6 double-nozzle arcs 86—40006
Tiemeijer, J.C. *see* Gross, U. 88—25859
Tiemeyer, L. *see* Thijs, P.J.A. 88—45469
Tiemroth, E. *see* Angelotti, J.I. 85—3865
Tien, A.Y. *see* Reistetter, E.J. 88—57183
Tien, B. *see* Alvarez, A.R. 85—50667, 86—47699
Tien, B.N. Technical decision factors in evaluation of commercial cell-based layout system 88—13542
Tien, B.N., Ting, B.S., Cheam, J., Chow, K., Evans, S.C. GALA—an automatic layout system for high density CMOS gate arrays 85—756
Tien, B.N. *see* Hsu, C.P. 86—21778, 86—21853
Tien, G. *see* Saadate, S. 88—17668
Tien, H.T. *see* Jackowska, K. 88—49141
Tien, H.T. *see* Mureramanzi, S. 86—51875
Tien, H.Ti *see* Ti Tien, H.
Tien, J. *see* Pietrogrande, P. 86—71051
Tien, J.K. *see* Choe, K.S. 88—38126
Tien, J.K. *see* Stefani, J.A. 88—38125
Tien, P.K. *see* Eisenstein, G. 85—2281
Tien, P.K. *see* Koren, U. 85—2343, 85—35629, 85—46393
Tien, T. *see* Towner, J.M. 87—1451
Tien N'Guyen Duc *see* N'Guyen Duc Tien
Tien Qian *see* Zhang Shu-lian 87—4104
Tien Ta-Ke *see* Ta-Ke Tien
Tien Tran Minh *see* Tran Minh Tien
Tien Tsai Yang, Blauer, J.A., Turner, C.E., Jr., Copeland, D.A. Multiline model for the e-beam pumped XeF(B-X) laser 85—62477
Tien Tsai Yang, Blauer, J.A., Turner, C.E., Jr., Merry, G.A. XeF ground state kinetics analysis 87—61068
Tien Tsai Yang *see* Burde, D.H. 87—61069
Tien-Chien Chang, Terwilliger, J., Jr. PWA Planner—a rule based system for printed wiring assemblies process planning 88—7167
Tien-Hsin Chao, Hua-Kuang Liu Real-time optical multiple-object recognition and tracking demonstration: a friendly 'challenge' to the digital field 87—70300
Tien-Hsin Chao, Hua-Kuang Liu Achromatic optical correlator for white light pattern recognition 88—46204
Tien-Hsin Chao, Hua-Kuang Liu Optical pseudocolor image enhancement with real-time large screen display 88—60840
Tien-Pei Lee *see* Brain, M. 86—30799
Tien-Shou Wu *see* Shen-Li Fu 85—29702, 85—61690
Tien-yu Hao The design and research of double differential pyrometer with fiber optic coupling 85—58920
Tiene, D. Japanese educational television: an intriguing case study 86—17658
Tiene, D. Using video to facilitate educational change 86—60065
Tienkamp, E. *see* Van Roessel, F.J. 88—22294
Tiensyrja, K., Ahola, J. The self-organising control system of tractive units. II 86—7248
Tiensyrja, K. *see* Juntunen, T. 88—71658
Tienxin Chen *see* Chen Tienxin
Tieping Li *see* Li Tieping
Tieqin Zhang *see* Zhang Tieqin
Tier, C. *see* Knessl, C. 87—19981, 87—58777, 87—65300 to 65301, 88—14856, 88—18561
Tierce, P. US transducers: an optimisation for CAD 88—16966
Tiernan, T., Entine, G., Stump, D.A., Prough, D.S. Portable real time analysis system for regional cerebral blood flow 88—61266
Tiernan, T., Sherwood, G., Entine, G., Hazlett, T., Waer, P., Hardy, J.G. Sensitive CdTe nuclear probe for intra-operative tumor scanning 88—36501
Tiernan, T.R. Communicating battle force readiness 86—55217
Tierney, E. *see* Batey, J. 87—16668, 87—38114
Tierney, E. *see* DiMaria, D.J. 87—1318
Tierney, E. *see* Stasiak, J. 88—33215
Tierney, J. *see* Schecter, H. 86—29802
Tierney, K. *see* Roy, O.Z. 86—18362
Tierney, R.A. Modeling complex systems 88—44840
Tierney, V. *see* Franey, J.P. 85—6022
Tierney, V. *see* Law, H.H. 87—60004
Tierney, W.S. *see* Livingston, P.M. 85—56890
Tierny, T.J. *see* Thompson, J.S. 87—40204
Tiersma, H.J. Remarks on codes from Hermitian curves 87—75712
Tiersma, H.J. *see* Blokhuis, A. 88—47196
Tiersten, H.F. An analysis of nonlinear resonance in electrode contoured AT- and SC-cut quartz crystal resonators 85—62154
Tiersten, H.F., Shick, D.V. On a continuous representation of the mode shape in acoustic surface wave resonators 87—32820
Tiersten, H.F., Shick, D.V. An analysis of the normal acceleration sensitivity of ST-cut quartz surface wave resonators rigidly supported along the edges 88—20233
Tiersten, H.F., Sinha, B.K. Temperature induced frequency changes in surface wave resonators resulting from the electrode films of interdigital transducers 87—1850
Tiersten, H.F., Song, J.T., Shick, D.V. A variational analysis of the reflection of surface waves by arrays of reflecting grooves 87—60742
Tiersten, H.F., Stevens, D.S. The evaluation of the coefficient of nonlinear resonance for SC-cut quartz resonators 86—42036
Tiersten, H.F., Stevens, D.S. An analysis of nonlinear resonance in contoured-quartz crystal resonators 87—18459
Tiersten, H.F., Stevens, D.S., Weglein, R.D. Acceleration sensitivity of surface acoustic wave resonators 86—35956
Tiersten, H.F. *see* Dulmet, B. 87—67662
Tiersten, H.F. *see* Schick, D.V. 87—32821
Tiersten, H.F. *see* Shick, D.V. 86—12222, 87—12008, 87—67663, 88—13630, 88—51120
Tiersten, H.F. *see* Smythe, R.C. 88—20213, 88—57852
Tiersten, H.F. *see* Stevens, D.S. 85—62159, 86—42052, 87—1857
Tieshan Liu *see* Liu Tieshan
Tiesheng Kang *see* Kang Tiesheng
Tiesinga, G. *see* Reulen, J.P.H. 86—38745
Tiesong Zhao *see* Zhao Tiesong
Tiesun Feng *see* Feng Tiesun
Tieszen, S.R. *see* Fisk, J.W. 85—9620
Tietavainen, A. On the covering radius of long binary BCH codes 87—27163
Tietavainen, A. On the covering radius of long binary BCH codes 87—54906
Tietge, H.-U. *see* Lorenz, L. 88—17746
Tietgen, K.-H. Tunable integrated optical ringresonator 85—2071
Tietgen, K.-H. Crosstalk in integrated optical directional couplers with asymmetrical feeding waveguides 86—2813
Tietjen, D. *see* Hoffman, B. 86—27323
Tietjen, D. *see* Melear, C. 87—786
Tietjen, D. *see* Vegesna, R. 87—37376
Tietjen, K., Shaw, W., Block, C. The impact of telephone networks on rural and educational development: experiences of the AID Rural Satellite Program 88—28278
Tietjen, R. Flat screen contrast 86—31505
Tietz, D.W. *see* Kaplan, M.M. 87—62510, 87—76601
Tietz, H.-D., Hartel, M. Equipment for the measurement of intrinsic stresses in cylindrical samples 85—64300
Tietz, U.-J. *see* Mikolajczak, B. 87—67903
Tietz, W. Message handling, teletex: what is it? 85—47146
Tietz, W. The telebox service—'electronic post box' for messages 86—4203
Tietz, W. Worldwide standardisation for message handling systems 86—16834
Tietz, W. Electronic messaging 88—46412
Tietz, W. *see* Schmitt, B. 88—28209
Tietze, C. The electrical equipment of the Class 480 electric trainset prototype for the West Berlin S-Bahn system 88—11464
Tietze, E.-G. Requirements on monitors for network command centres [distribution networks] 85—53319
Tietze, E.-G. The significance of network components in central network control 87—42442
Tietze, E.-G., Weber, R. Proposals for issuing disturbance reports in central control stations 87—42421
Tietze, S.E. Office System 5800—the new tool for office productivity 86—49143
Tietze, S.E. Drawing up bids as an integral work process 87—48396
Tietze, S.E. Office automation with the EMS 601 communication system 87—76094
Tietze, T., Witt, W. Computer aided measuring methods for the heating up of asynchronous machines by using the two frequency method 85—38983
Tietze, T. *see* Bischof, H. 87—42911
Tietze, T. *see* Lorenzen, H.W. 85—21616, 87—42995
Tietze, Th. The dynamic behaviour of an asynchronous machine by using the two-frequency-method—comparison of analytical and numerical calculations with measured results 85—27408
Tietze, U. Microcomputer-controlled charging and monitoring of batteries 86—61722
Tietzsch, M. *see* Perinic, D. 86—25700
Tiexia Huang *see* Huang Tiexia
Tiezheng Liu *see* Liu Tiezheng
Tiffany, W.B. Drilling, marking and other applications for industrial Nd:YAG lasers 86—22580
Tiffon, J. *see* Olivier, P. 86—3505, 87—47208
Tiganina, T.A. *see* Shapiro, D.A. 85—40989
Tigeev, S.V. *see* Gokhberg, Zh.L. 87—71928
Tigelaar, H. *see* Esquivel, A. 88—38542
Tigelaar, H.L. *see* Esquivel, A.L. 87—37282, 88—6874, 88—70768
Tigelis, I., Capsalis, C.N., Uzunoglu, N.K. Computation of the dielectric rod waveguide radiation modes 88—8552
Tigelis, I. *see* Uzunoglu, N.K. 88—13828
Tigelis, I.G. *see* Capsalis, C.N. 88—72039
Tigerman, B. Economy of redundancy in telecommunication systems 86—4104
Tigerman, B. Reliability of transmission equipment 86—43634
Tigerman, D. *see* Ekstrom, B. 88—9341
Tiggemann, F. *see* Schmaus, K. 88—28602
Tigges, K.-D. Operating experience with an atmospheric static fluidized bed combustion unit 87—71939
Tiggesbaeumker, P. *see* Kupper, D. 86—19672
Tighe, S.J. *see* Sen, S. 88—31712
Tight, T. Laser-robotics—the present position in industry 86—61823
Tight, T. Review of laser-robotics—challenges remaining to fully develop the technology 87—7473
Tigin, L.V. *see* Buga, N.N. 87—28731
Tiginyanu, I.M. *see* Georgobiani, A.N. 85—29695, 85—55521, 86—22207
Tiginyanu, I.M. *see* Radautsan, S.I. 85—16918
Tigler, M., Canescu, S. The dynamic working conditions of the electric drives of DC machines 85—44214
Tigler, M. *see* Canescu, S. 87—58104, 88—23927
Tigler, M. *see* Raduti, C. 87—64568, 87—72113
Tigner, J. *see* Morrison, P. 85—24865
Tigner, M. Toward a big machine 85—26531
Tigner, M. The SSC Reference Designs Study 85—31663
Tigner, M. Where is the SSC today? 86—31751
Tigner, M. The Superconducting Super Collider: research, development, and conceptual design status 88—4716
Tigner, M. *see* Bensiek, W. 87—41695
Tigner, M. *see* Kneisel, P. 85—59038
Tigner, M. *see* Palmer, F. 85—55112
Tigrov, V.M. *see* Bryukhovetskii, A.S. 86—10087
Tiguntsev, S.G. *see* Visyashchev, A.N. 85—6108
Tigwell, N. Managing energy by computer 85—32080
Tihanyi, A. *see* Bauman, F. 88—56816
Tihanyi, J. Protection of power MOSFETs from transient overvoltages 85—35000
Tihanyi, J. Developments in power semiconductor devices 87—74266
Tihanyi, J. Smart SIPMOS technology 88—25616
Tihanyi, J. *see* Einzinger, J. 87—22880
Tihanyi, J. *see* Glogolja, M. 87—38553
Tihanyi, P., Wagner, D.K., Roza, A.J., Vollmer, H.J., Harding, C.M., Davis, R.J., Wolf, E.D. High-power AlGaAs/GaAs single quantum well lasers with chemically assisted ion beam etched mirrors 87—61142
Tihanyi, P., Wagner, D.K., Roza, A.J., Vollmer, H.J., Harding, C.M., Davis, R.J., Wolf, E.D. High power AlGaAs/GaAs single quantum well lasers with chemically assisted ion beam etched mirrors 88—14215
Tihanyi, P., Wagner, D.K., Vollmer, H.J., Roza, A.J., Harding, C.M., Davis, R.J., Wolf, E.D. High-power etched-facet lasers 87—68452
Tihanyi, P. *see* Zhu, L.D. 87—54301
Tihanyi, P.L. *see* Wagner, D.K. 88—34031, 88—72317
Tihanyi, P.L. *see* Waters, R.G. 88—8179
Tiikkainen, J. *see* Adam, A. 88—42629
Tiippana, E. *see* Ahola, J. 85—27719
Tiirik, A. *see* Aints, M. 85—56492
Tiirik, A. *see* Treshchalov, A. 85—56491
Tiit, V. *see* Kuznetsov, A.S. 88—10232
Tiitinen, M. District heating activities in Finland in 1985 87—57868
Tiitinen, M. *see* Rinttila, E. 88—48666
Tijburg, R.P., Dinghs, G.L., van Dongen, T. Criteria for the selection and treatment of contact metals to p-type III-V compounds 86—53463
Tijburg, R.P. *see* Kelly, J.J. 88—64421
Tijdeman, R. Approximation of real matrices by integral matrices 86—66713
Tijdens, F.O. *see* Kooijman, C.J. 87—48055
Tijero, J., Perez, S. Sensors for continuous control networks 88—16045
Tijhaar, R.H.G. *see* Habraken, F.H.P.M. 86—26886, 88—1531
Tijhuis, A.G. Toward a stable marching-on-in-time method for two-dimensional transient electromagnetic scattering problems 85—7620
Tijhuis, A.G. Angularly propagating waves in a radially inhomogeneous, lossy dielectric cylinder and their connection with the natural modes 86—63944
Tijhuis, A.G. Physical interpretation, validity and convergence of the SEM representation for a radially inhomogeneous, lossy dielectric cylinder 87—74450

Tijhuis, A.G., van der Worm, C. Iterative approach to the frequency-domain solution of the inverse-scattering problem for an inhomogeneous lossless dielectric slab 85−2524
Tijhuis, A.G. *see* Blok, H. 85−51415
Tijhuis, A.G. *see* Kuester, E.F. 85−36003
Tijms, H.C. *see* van Dijk, N.M. 87−40053
Tijms, H.C. *see* Boxma, O.J. *(editor)* 87−31141
Tijsseling, G. Training simulator for power supply systems. III. Structure of a generator simulator 86−52178
Tijsseling, G. The design of a training simulator 86−56350
Tijsseling, G. Voltage control and frequency power control. V. Training simulator for electricity power supply systems 86−70591
Tikal, D., Henningsgard, R., Stover, D. Advanced guide-plate fixturing [PCB testing] 88−25687
Tikehar, R.V. *see* Sekhar, S.R. 87−69738
Tikes, J. *see* Kuntzmann, J.C. 86−47246
Tikhanovich, S.A. *see* Konev, V.A. 86−57502, 87−73168
Tikhanskii, M.V. *see* Antonova, E.A. 87−1911
Tikhii, V.G. *see* Akhmetshin, A.M. 85−470
Tikhmenev, B.N., Filippov, L.K., Borodulin, B.M. The electric equipment industry: rail transportation 88−76014
Tikhmenev, B.N., Kapustin, L.D. Electric motive power with thyristor control and regenerative braking 86−61795
Tikhmeneva, N.A. TV program post-production system progress 88−9761
Tikhodeev, N.N. Protection of the public and employees against the influence of 1150 kV overhead transmission lines 88−23528
Tikhodeev, N.N. Uncoupling failure of insulator strings due to flashover 88−68991
Tikhodeev, N.N. *see* Artem'ev, A.S. 87−35662
Tikhodeev, N.N. *see* Bogomol'nyi, P.Ya. 88−75199
Tikhodeev, N.N. *see* D'Yakov, A.F.D. 87−4340
Tikhodeev, N.N. *see* Glebov, I.A. 85−21162, 87−22217
Tikhodeev, N.N. *see* Iossel, Yu.Ya. 87−9162, 87−21926
Tikhodeev, N.N. *see* Lyskov, Yu.I. 87−4412
Tikhodeev, N.N. *see* Rudakova, V.M. 87−64158
Tikhodeyev, N.N. *see* Kurnosov, A.I. 86−12473
Tikhomirnov, S.I., Kitaev, A.E., Minkovich, V.P., Cheskidova, E.A. Method of removing protective sheaths from optical fibres 85−50953
Tikhomirnov, S.I. *see* Stukan, V.A. 85−47956
Tikhomirov, A.A. *see* Vorsin, N.N. 88−74370
Tikhomirov, A.G., Tikhomirova, N.K. Flow-estimator bias in digital analysis of Doppler anemometer signals 85−4161
Tikhomirov, A.N. *see* Aksenova, L.D. 85−58351
Tikhomirov, A.N. *see* Vetokhin, S.S. 85−26341
Tikhomirov, B.B. *see* Zhukov, A.V. 88−17297
Tikhomirov, E.L., Yakovlev, V.A. A digital drive for NC machine tools 85−10133
Tikhomirov, I.N. *see* Aref'ev, A.V. 87−29514
Tikhomirov, N.A. *see* Kolobkov, V.V. 86−6060
Tikhomirov, N.P. *see* Pogodin, V.I. 87−35175
Tikhomirov, O.Yu. *see* Andreev, A.V. 86−48378
Tikhomirov, S.I. *see* Ageev, V.P. 87−2085
Tikhomirov, S.N. Structural features of a multiple-node broadcasting transmission medium 87−48558
Tikhomirov, S.N., Finkel'shtein, E.Ya. Transmitter stabilization in local-area networks employing optical media 86−11052
Tikhomirov, S.V., Khleskova, T.N. Measuring the dispersion characteristics of fiber light-guides 87−63540
Tikhomirov, S.V. *see* Gorokhov, E.Yu. 88−9550
Tikhomirov, S.V. *see* Kotyuk, A.F. 85−56761
Tikhomirov, S.V. *see* Nikolaev, N.V. 88−1981
Tikhomirov, S.V. *see* Surodin, M.P. 85−63651, 86−22100, 86−30795
Tikhomirov, V.A., Troitskii, I.N., Ustinov, N.D. Influence of the quantum nature of recording of holograms on the precision of tomographic analysis of transparent objects 86−63881
Tikhomirov, V.A. *see* Troitskiy, I.N. 88−41092
Tikhomirov, V.A. *see* Zaitsev, A.I. 88−55658
Tikhomirov, V.I. *see* Ignatov, A.V. 86−70108
Tikhomirov, V.I. *see* Lazarev, L.P. 86−38556
Tikhomirov, V.I. *see* Loshakov, L.N. 86−65297
Tikhomirov, V.N. *see* Mirovitskaya, S.D. 86−52570
Tikhomirov, Yu.V., Trunov, O.K. The resistance of sheet metals to lightning thermal action 88−10899
Tikhomirova, E.M. *see* Dmitruk, A.V. 87−40655, 88−24882
Tikhomirova, E.M. *see* Frolkin, V.T. 87−53607
Tikhomirova, E.M. *see* Moshnyaga, V.G. 87−31777
Tikhomirova, G.P. *see* Sinyakin, A.F. 85−43603
Tikhomirova, L.A. *see* Romanov, A.D. 87−5225
Tikhomirova, L.B. *see* Gurov, Yu.V. 86−36288
Tikhomirova, M.P. *see* Butyrin, P.A. 88−23426
Tikhomirova, N.K. *see* Tikhomirov, A.G. 85−4161
Tikhomirova, O.A. *see* Azimov, S.A. 86−14841
Tikhomirova, V.A., Fedosova, G.B., Vondrachek, V.K. Temperature characteristics of germanium matrix photovoltaic cells based on an isotype junction 87−54188
Tikhomirova, V.A. *see* Strebkov, S.S. 86−19478
Tikhonchuk, P.P. *see* Gapchenko, M.N. 85−5581
Tikhonenko, O.M. Distribution of total message flow in single-server queueing system with group arrival 86−57305
Tikhonenko, O.M. The problem of determination of the summarized messages volume in queueing systems and its applications 87−75982
Tikhonenko, O.M. *see* Apanasovich, V.V. 85−42003
Tikhonenkoz, V.A. *see* Tikhonov, A.I. 86−50067
Tikhonov, A.A. Designing stabilisation systems for optical-mechanical scanning with hysteresis motor 86−51658
Tikhonov, A.A. *see* Barabanov, I.R. 86−5836
Tikhonov, A.A. *see* Ermolaev, V.A. 85−43645
Tikhonov, A.A. *see* Kadomskaya, K.P. 85−38558
Tikhonov, A.I., Tikhonenkoz, V.A. Classification of resilient elements of transducers of mechanical variables 86−50067
Tikhonov, A.I. *see* Loseva, E.I. 85−39324
Tikhonov, A.N., Arsenin, V.Ya., Pavlov, V.I., Pergament, A.Kh., Chernyak, V.M. Thermooptic distortions and large-scale self-focusing in active elements of high-power laser systems 85−35731
Tikhonov, A.N., Fedichkin, G.M., Yurchenko, S.E., Suslin, L.A., Smirnov, I.S., Shlenov, Yu.V. The effectiveness of ion implantation of iron garnet films 86−36081
Tikhonov, A.N. *see* Agayan, G.M. 85−5924
Tikhonov, A.N. *see* Rybalko, V.V. 88−44529
Tikhonov, A.V. *see* Beloshabskii, V.V. 85−65468, 86−26026
Tikhonov, B.A. *see* Abakumov, B.V. 86−63761, 86−68452
Tikhonov, B.N. *see* Oganyan, L.N. 88−34939
Tikhonov, D.D. *see* Bdulenko, A.P. 86−67618
Tikhonov, D.D. *see* Moseev, V.V. 85−6677
Tikhonov, E.A. *see* Bezrodnyi, V.I. 85−46354, 87−18940, 87−54374, 88−2191
Tikhonov, E.A. *see* Bondar, M.V. 85−7399, 86−9779, 86−48357, 88−8153, 88−40346
Tikhonov, E.A. *see* Gyulnazarov, E.S. 88−34172
Tikhonov, E.A. *see* Ilchishin, I.P. 88−33968
Tikhonov, E.A. *see* Prokhorenko, V.I. 87−33120, 87−75207, 88−27100
Tikhonov, E.A. *see* Vashchuk, V.I. 87−68409
Tikhonov, E.A. *see* Vovk, L.V. 86−29030
Tikhonov, F.V. *see* Bobrovskii, V.V. 88−36124
Tikhonov, O.S. *see* Rabinovich, G.V. 85−8364
Tikhonov, S.V. *see* Ishanin, G.G. 88−16633
Tikhonov, V.A. *see* Golyas, Yu.E. 87−49919
Tikhonov, V.A. *see* Repnikov, A.V. 88−16832
Tikhonov, V.F. *see* Dolbezhev, G.G. 87−47180
Tikhonov, V.I. Optimum information-signal filtering theory developments in the USSR 86−16342
Tikhonov, V.I. First arrival time of a random process at a boundary 86−36880
Tikhonov, V.I., Kharisov, V.N. Combined synchronization in radio-engineering systems 86−37723
Tikhonov, V.I. *see* Golachev, S.M. 86−41435
Tikhonov, V.I. *see* Ivanov, V.I. 87−47773
Tikhonov, V.P. Time token access method for fiber optic local-area networks 87−48555
Tikhonov, V.V. *see* Krasnokutskii, R.N. 87−77363
Tikhonov, V.V. *see* Kuz'min, Yu.I. 86−18523
Tikhonov, V.V. *see* Zil'berman, P.Ye. 86−42149, 88−71902
Tikhonov, Yu.A. *see* Anashin, V.V. 88−29871
Tikhonov, Yu.A. *see* Blinov, A.E. 85−26540, 86−18202
Tikhonov, Yu.A. *see* Bondar, A.E. 85−26599
Tikhonova, A.A. *see* Semiletov, S.A. 87−73061
Tikhonova, I.E., Bachin, V.A., Syropaeva, E.S., Varyanitsa, V.Yu. Diffusion welding of electrical steel lamination assemblies 88−37155
Tikhonova, L.S. Analysing the sensitivity of standard nonlinearity measurement methods to dynamic distortions 85−63929
Tikhonova, N.P. *see* Aleksandrov, L.N. 86−20057
Tikhonova, N.P. *see* Ivanyuk, A.M. 86−68504
Tikhonova, N.S. *see* Myakinin, V.A. 86−9921
Tikhonova, N.S. *see* Vorob'ev, V.V. 88−2347
Tikhonravov, A.V. Optimality conditions in radiophysical synthesis problems 86−20802
Tikhonravov, A.V. Band properties of the spectral characteristics of laminar media 86−22763
Tikhonravov, A.V. *see* Kovenskiy, S.Yu. 88−63865
Tikhontsov, A.M. Comprehensive mechanisation and automation of auxiliary processes 88−18413
Tikhotskii, A.S. *see* Bashilov, V.A. 85−21824
Tikhotskii, A.S. *see* Kazakevich, O.Ya. 85−5392
Tikhotskii, A.S. *see* Zalkind, V.I. 85−21825
Tikhotsky, A.S. *see* Hernberg, R. 85−21839
Tikhotsky, A.S. *see* Nousiainen, K. 86−35930
Tikhov, Yu.I. *see* Sinel'nikov, Yu.M. 88−25497
Tikhova, L.F. *see* Berzin, V.A. 85−65680
Tikhovskii, V.Yu., Neshmonin, P.V. An algorithm and program for automatically designing two-way waveguide-slot lines 88−19320
Tikhovskii, V.Yu. *see* Neshmonin, P.V. 88−19343
Tikkanen, M.W. *see* Starbuck, B. 87−60247
Tikkanen, T. *see* Juntunen, T. 88−71658
Tikku, V.K. *see* Mitra, S. 88−55028
Tikodri-Togboa, S.S. *see* Nazarenko, A.A. 87−44274
Tikodri-Togboa, S.S. *see* Sverdlik, M.B. 87−61892
Tikodri-Togboa, S.S. *see* Sverdlik, M.V. 87−23586
Tikoian, P. *see* Cellupica, R. 87−8318
Tiku, M.L. *see* Balakrishnan, N. 88−56115
Tiku, P., Ramamurthy, V. Tin oxide antireflection coating for polycrystalline silicon solar cell 87−72420
Tiku, P. *see* Prasad, S.D. 88−25723
Tiku, S.K. Threshold voltage adjustable process for self-aligned gate GaAs JFET 86−15155
Tiku, S.K., Delaney, J.B., Gabriel, N.S., Yuan, H.T. Rapid thermal-pulsed diffusion of Zn into GaAs 86−21380
Tiku, S.K., Duncan, W.M. Self-compensation in rapid thermal annealed silicon-implanted gallium arsenide 86−15026
Tiku, S.K. *see* Kim, B. 85−34934
Tikunov, A.V. *see* Alferov, Zh.I. 85−12877, 86−15714, 86−22408, 86−58940, 87−7379, 87−61154, 88−27147, 88−27169
Tikunov, A.V. *see* Garbuzov, D.Z. 85−56640, 88−14203
Tikvic, W.L., Fuith, A. Humidity control for crystal growth devices 86−57423
Tilanus, C.C. *see* Hasman, A. 85−15290
Tilborg, H.C.A.van *see* van Tilborg, H.C.A.
Tilborg, P.J.van *see* van Tilborg, P.J.
Tilbrook, D. *see* Howie, F.H. 87−24571
Tilburg, J.Van *see* Van Tilburg, J.
Tilburgs, P.K. *see* Schaap, T. 85−42270, 87−55744
Tilbury, M. Cable ties for all seasons 85−38538
Tilden, M., Ramirez, B. The IBM PC handles ATE applications 85−31315
Tilden, M. *see* Ramirez, B. 85−33140
Tilden, R. *see* Yoshida, R. 86−50327
Tiley, G.L. Effect of mine hoist drives on the electrical power supply system 87−77929
Tiley, J. New ATE performance standard 86−38244
Tilford, C.R. The speed of sound in a mercury ultrasonic interferometer manometer 88−22554
Tilford, C.R. *see* Hyland, R.W. 85−64122
Tilgenkamp, N.V., De Haan, S.W.H., Huisman, H. A novel series-resonant converter topology 87−58192
Tilia, B. *see* Bartiromo, R. 87−56969
Tilichenko, M.P. A multidigit broadband microwave phase shifter 88−25395
Tilikidis, A., Grindborg, J.E., Lindblom, E. A variance based dose equivalent meter device 85−26824
Tilio, M. *see* Cancellieri, G. 86−15480
Til'k, V.T. *see* Kalinin, E.V. 87−6993
Til'k, V.T. *see* Pershin, V.V. 85−44596
Tilky, P., Doma, A. The operation of the water make-up system of nuclear power plant at Paks 86−39301
Till, C. Looking to the future with the Integral Fast Reactor 85−38726
Till, C.E., Chang, Y.I. The Integral Fast Reactor concept 87−71902
Till, D.H. Satellites, new media, editorial and data flow control 86−4602
Till, H.R. *see* Crowley, J.M. 88−34221
Till, J. In-circuit emulator for 80386 sports real-time capabilities 88−32226
Till, J. Standard protocols bridge LAN islands as networks go global 88−59630
Till, J. Inside the 'black box'—a look at power-supply design 88−63489
Till, J.A. Node controllers use SCSI to link computers to LANs 88−66982
Till, J.R. *see* Secker, P.E. 86−66497
Till, P.J. The value of water heating control [for peak load reduction] 87−64091
Till, R.D. Evaluation of radionavigation systems 85−37145
Till, S. *see* Coopmans, F. 88−1550
Till, S.J., Brown, A.G., Deshmukh, V.G.I. Reactive ion etching of polyimide for multi-level resist and contact hole applications 86−21415
Till, S.J. *see* Beale, M.I.J. 86−21320
Till, S.J. *see* Brown, A.G. 86−21830, 88−57577 to 57578
Till, S.J. *see* Willis, H. 88−26160
Till, S.M. *see* Lee, H.S. 86−5123
Till, S.W.van *see* van Till, S.W.
Till, W. *see* Visintini, G. 88−51128
Tillack, B., Banisch, R., Richter, H.H. Origin of defects and their influence on electrical properties of thick SOI films 88−44606
Tillack, B., Banisch, R., Richter, H.H. Generation and characterization of thick silicon-on-insulator films 88−56283
Tillack, B., Mock, P., Banisch, R., Reinboth, R., Richter, H.H., Voelskow, M., Matthai, J., Wieser, E. Thick monocrystalline silicon on oxidized silicon wafers produced by a zone melting process using a scanning halogen lamp 86−47475

Tillack, B., Reinboth, R., Banisch, R., Richter, H.H. Seeding recrystallization of thick polycrystalline silicon on insulating layer (SOI) using CO_2-laser irradiation 87−31553
Tillack, B., Reinboth, R., Mock, P., Bugiel, E., Winkler, R. Recrystallization of thin polycrystalline films using CO_2-laser beam irradiation 86−41657
Tillack, B. *see* Mock, P. 88−70328
Tillack, M.S., Kazimi, M.S., Lidsky, L.M. Measurement of small strains in a noisy environment 86−5547
Tillander, M. *see* Storrs, R. 86−37280
Tillas, G. Easier calculation of power in switchgear 88−17771
Tillbrook, J.W. Micro text transfer [by teletex] 85−47303
Tillemans, J. *see* Bulteel, P.A. 85−8393
Tiller, H.-J. Plasma etching of aluminium 85−1541
Tiller, H.-J. *see* Kley, E.-B. 85−35338
Tiller, S.E. International Ultraviolet Explorer (IUE) spacecraft battery performance update 88−16851
Tiller, W.A. *see* Barnett, A.M. 86−13074
Tiller, W.A. *see* Bulla, D.A.P. 88−13101
Tiller, W.A. *see* Falster, R.J. 85−23613
Tiller, W.A. *see* Hahn, S. 87−31473
Tiller, W.A. *see* Landsberger, L.M. 86−67798
Tiller, W.A. *see* Lie, L.N. 85−1512
Tiller, W.A. *see* McNeely, J.B. 85−39764
Tiller, W.A. *see* Modlin, D.N. 85−1522, 85−55714, 85−61856
Tiller, W.A. *see* Pearson, E. 85−39692
Tiller, W.A. *see* Seajin Oh 87−18014
Tiller, W.A. *see* Young, E.M. 87−25104
Tillery, B.C. *see* Miller, S.L. 87−50417
Tillery, B.C. *see* Wilson, G.J. 87−50416
Tilles, E. *see* Castellano, T. 86−32032
Tilles, E. *see* Dugan, G. 86−32033 to 32034
Tilles, E. *see* Krafczyk, G. 86−31855
Tilley, A.R., Wedlake, R.J. Zebra−the sodium/metal chloride ceramic battery 88−11361
Tilley, D.C. *see* Wadden, J.T. 87−30408
Tilley, D.G. Amplitude distributions for Seasat SAR and Skylab data with statistics for classification and correlation 85−64688
Tilley, D.G. Use of speckle for determining the response characteristics of Doppler imaging radars 86−65548
Tilley, D.G. The use of speckle for determining the response characteristics of Doppler imaging radars 87−28679
Tilley, D.G. SIR-B ocean-wave enhancement with fast Fourier transform techniques 87−71390
Tilley, D.G. Approximating SIR-B response characteristics and estimating wave height and wavelength for ocean imagery 88−10586
Tilley, D.G. *see* Apel, J.R. 86−32574
Tilley, D.G. *see* Gerling, T.W. 85−64765
Tilley, D.G. *see* Gonzalez, F.I. 87−71391
Tilley, D.R. *see* Wagenaar, D.J. 85−37978
Tilley, P. *see* Kheir, N.A. 85−63739
Tilley, P.A., Kelly, W.C., Kheir, N.A., Carter, J.R. On performance assessment of tracking filters 87−13781
Tilley, R.W. *see* Gargan, R.A. 88−42608
Tilli, M. *see* Partanen, J. 88−44625
Tilli, M. *see* Tuomi, T. 87−17701
Tilli, M.V. *see* Anttila, O.J. 87−10365
Tilli, S. *see* Matsubara, M.M. 87−48446
Tilli, T., Schummers, R., Narozny, P., Emeis, N., Beneking, H., Klapper, H. Impurity gettering and dislocation reduction by GaAs(In) and InP(As) strained layer epitaxy and related device effects 87−65535
Tillier, J. *see* Clement, J. 88−22483
Tillier, M.L. *see* Ettinger, G.M. 86−20453
Tilliette, Z.P. Advances in defining a closed Brayton conversion system for future ARIANE 5 space nuclear power applications 87−50530
Tilliette, Z.P., Cacheux, J. Extended Brayton cycle, radiator investigation for future Ariane 5 space nuclear power applications 87−42172
Tilling, S.E. Humidifiers 85−20947
Tillinger, R.A. Plastic-clad tapes extend cable life 86−55141
Tillisch, J. *see* Cho, P.S. 88−36537
Tillman, F.A. *see* Hwang, C.L. 85−49391
Tillman, F.A. *see* Lee, W. 86−229
Tillman, F.A. *see* Lie, C.H. 85−39592
Tillman, F.A. *see* McCahon, C.S. 85−5841
Tillman, R.C. The electrical protection of telecommunications equipment 87−13197
Tillman, R.C., Croft, D.C. Electrical protection of telecomms equipment 87−34274
Tillman, S.J. *see* Silverio, V.J. 85−63448
Tillman, W. *see* Husbands, C.R. 86−30839
Tillmann, E. *see* Fryberger, D. 87−14299
Tillmann, E. *see* Seeman, J. 87−41773
Tillmann, E.F. *see* Dean, N.R. 88−54047
Tillmann, U. *see* Lim, Y. 87−19424
Tillmanns, W. Radiopaging equipment with digital information 87−28364
Tillmans, W. Intercom systems do not seek to compete with the telephone 86−64570
Tilloles, P. *see* Mellier, Y. 86−38256
Tillotson, B. *see* Maryniak, G.E. 88−61515
Tillotson, J.H. *see* Burde, D.H. 87−61069
Tillotson, J.H. *see* Harris, D.G. 88−8099
Tillotson, J.H. *see* Yang, T.T. 88−27010
Tillotson, M. *see* Fife, A.A. 87−5063
Tillwicks, T. *see* Burgel, K. 87−64103, 88−23267
Tillwicks, T. *see* Mareske, A. 86−32699
Tillwicks, T. *see* von Gersdorff, B. 87−42374
Tilly, D.M. *see* Clark, G.A. 86−66879
Tilly, J.F., Preston, H.F. Digital fiber optics take to the sea 86−59914
Tilly, K. Signal processing problems in the measurement of complex mechanical systems 87−75824
Tilly, T.F., Preston, H.f. Digital undersea cables: progress and applications 85−47545
Til'man, B.A. *see* Kasimzade, M.S. 85−20600, 87−49706
Tilman, B.A. *see* Kopytov, Yu.V. 88−10746
Tilmans, H.A.C. *see* Guckel, H. 88−50612
Tilmans, H.A.C. *see* Smits, J.G. 86−55652
Tilotta, D.C., Hammaker, R.M., Fateley, W.G. A visible near-infrared Hadamard transform spectrometer based on a liquid crystal spatial light modulator array: a new approach in spectrometry 87−74877
Tilquin, A. *see* Badier, J. 86−70290
Tilsley, D.A. *see* Jones, M.H. 85−3617
Tilsley, G.J. Focal plane architectures and their applicability to advanced imaging seeker systems 85−47847
Tilsley, G.J. *see* Blake, A.K. 87−49771
Tilsley, G.M., Axon, F.J. Comparison of dry film and liquid photo-imageable solder masks for surface-mount assemblies 88−1121
Tilsley, G.M., Roos, L. New high-resolution dry film photoresist 87−6236
Tilson, J.P., Blitz, J. Analysis of the behaviour of multi-coiled eddy-current probes 86−525
Tiltmann, M. Thermodynamic consequences of leakages in a double containment during severe accidents 86−32985
Tilton, D.E., Chow, L.C. Fluid loss from a puncture of a space radiator 88−74913
Tilton, H.B. Large-CRT holoform display 86−31261
Tilton, H.B. Nineteen-inch parallactiscope 88−74528
Tilton, J.C. Multiresolution spatially constrained clustering of remotely sensed data on the massively parallel processor 85−38333
Tilton, J.C. Multiresolution spatially constrained clustering of remotely sensed data on the Massively Parallel Processor 86−12147
Tilton, J.C., Strong, J.P. Analyzing remotely sensed data on the Massively Parallel Processor 86−12148
Tilton, M.L. *see* Latham, W.P. 87−61188
Tilton, R. *see* Ballato, A. 86−42055
Tilton, R.S. *see* Ballato, A. 85−62163
Tilun Cao *see* Cao Tilun
Tim, T., Chung, D.D.L. The effects of germanium concentration on the compound formation and morphology of gold-based contacts to gallium arsenide 86−53453
Timan, B.L., Fesenko, V.M., Gulevich, G.M. High-frequency conductivity of a dielectric diode with cylindrical electrodes in the case of double injection in the drift-velocity saturation regime 86−2110
Timan, H. Thin-film photoconductors 85−45347
Timans, P.J., McMahon, E.A., Ahmed, H. Time resolved reflectivity measurements applied to rapid isothermal annealing of ion implanted silicon 86−35307
Timar, P.L. Points of view for the choice of slot number combination of asynchronous motors built into drives with frequency convertors 86−51623
Timar, P.L. Transient vibrations switch on during asynchronous motor 87−15731
Timar, P.L. Transient vibrations occurring when switching-on induction motors 87−22388
Timar, P.L. Special vibration and noise problems of drives with variable-speed asynchronous motors 87−31012
Timar, P.L., Geszti, P. Measurement of environmental vibrations 86−70220
Timar, P.L., Gorcs, J. Digital computer aided investigation of transients occurring upon switching over a three-phase induction motor 87−43045
Timar, P.L. *see* Gorcs, J. 87−43032
Timar Peregrin, L., Gorcs, G. Computer examination of transients occurring during the switchover of three-phase asynchronous motor 85−43967
Timar Peregrin, L., Gorcs, G. Experimental investigation of the three-phase asynchronous motor in the case of rapid reconnection 85−53696
Timar Peregrin, L. *see* Kosa, J. 85−44072
Timar Peregrin, L. *see* Kurutz, I. 86−25989
Timari, I. Possibilities of the application of gas turbine power plants and combined power plants in the Hungarian power plant system 87−15503
Timashev, S.V. *see* Atamasov, V.D. 85−44202
Timashev, V.V. *see* Anisimkin, V.I. 87−12031, 87−38640
Timashev, V.V. *see* Kotelyanskii, I.M. 85−56075
Timashov, A.V. *see* Kositsyn, V.E. 88−14247
Timashov, A.V. *see* Tabarin, V.A. 87−12057
Timashov, V.A. *see* Zinchenko, N.S. 87−32196
Timashova, L.N. *see* Verenikina, N.M. 88−14778
Timashova, L.V. *see* Emelyanov, N.P. 86−51027
Timasov, V.A. Equivalent transformations of differential-bridge circuits 86−13944
Timberlake, A.B. *see* Bourdelaise, R.A. 88−187
Timbie, P.T., Wilkinson, D.T. Low-noise interferometer for microwave radiometry 88−60700
Timchenko, A.I. Scattering of electromagnetic radiation in an inhomogeneous ice layer with rough surfaces 87−19172
Timchenko, A.I., Sinitsyn, Yu.A., Efimov, V.B. Simulation of radio wave scattering by ice coatings 86−36710
Timchenko, A.I.T. *see* Alipov, N.V. 85−28601
Timchenko, A.P., Machugovskii, V.S. The 'fragment' interactive subsystem for computer-aided circuit design 88−49961
Timchenko, A.P. *see* Petrenko, A.I. 86−7918, 87−52261
Timchenko, A.V. *see* Diambekov, S.S. 85−32345
Timchenko, A.V. *see* Pogribnoi, V.A. 87−52744
Timchenko, B.A. *see* Chebotayev, V.P. 85−20440
Timchenko, B.A. *see* Gol'dort, V.G. 86−36397
Timchenko, B.A. *see* Gol'drot, V.G. 86−60359
Timchenko, B.S., Mikhailovskii, Yu.A. Standardization of load capacity of oil-filled power transformers 85−44048
Timchenko, I.N. *see* Dakhno, A.N. 86−21128
Timchenko, I.N. *see* Kasiyan, V.A. 85−6710, 87−1198
Timchenko, N.I. *see* Kiselev, V.F. 87−39376
Timchenko, N.P. *see* Fedorov, V.I. 86−24485
Timchenko, V.F. Probability analysis of power-system demand regimes 87−64075
Timchenko, V.F., Melamed, A.M., Skripko, O.A. Prediction of power consumption requirements during irregular days 87−78032
Timchik, Yu.F. *see* Solop, N.A. 87−49235
Time, I.V. *see* Yerokhin, A.N. 87−47782
Timic, Z., Pavicic, N., Dzubur, I. Problem of rehabilitation of old transmission lines 88−75169
Timing Shen *see* Shen Timing
Timishchenko, V.M. *see* Bashin, G.M. 87−61896
Timkin, L.S. *see* Evseev, A.R. 88−16118
Timko, A.G. *see* Atwood, D.K. 88−64457
Timko, J.W. AT&T systems architecture 88−21745
Timko, J.W. *see* Day, J.F. 87−76150
Timko, M. *see* Fitch, J. 85−15180
Timko, N.J., Jr. Air-jet impingement keeps computer cool 87−65198
Timlin, H.A. *see* Boyd, J.T. 85−41201, 85−46126
Timlin, H.A. *see* Wu, R.W. 85−29533, 86−15516
Timm, A.R., Pattrick, K.W., Middleton, N.T. The development of a radio remote control and automation system for an experimental gold mining machine 85−42471
Timm, K., Grigat, R.-R. Computer-aided monitoring of arc furnace melting 87−43676
Timm, K. *see* Ahlers, H. 88−18235, 88−24268
Timm, K. *see* Beckmann, H.-J. 85−10248
Timm, K. *see* Ehle, J. 86−26421
Timm, K.J. *see* Harm, C.E. 87−65846
Timm, K.R., Kim, Y. 16-bit microcomputer-based signal processing system 85−43412
Timm, R.E., Zinneman, T.E., Haumann, J.R., Flaugher, H.A., Reigle, D.L. Physical protection system using activated barriers 85−130
Timm, R.E. *see* Rudolph, R.R. 86−139
Timm, U.E. Problems of the international transportation of nuclear fuel 85−54091
Timm, V. Microcontroller for processing controls 88−50167
Timm, W., Volske, J. Predictive spectrum calculations 85−19456
Timman, K.-P. Improving HF data 88−14577
Timmel, H., Jugel, U. Microcomputer controlled linear positioning drive with elementary pitches below 10 μm 88−69730
Timmel, H. *see* Budig, P.-K. 86−19301, 87−22439
Timmerman, H. Future structure of the telecommunication network of the IJsselmij [energy undertaking] 87−62960
Timmerman, L.J.M. *see* Bakkum, E.A. 85−4218
Timmerman, M. VMEbus based didactic flight simulator 88−36601
Timmerman, P.J. Performance evaluation of nickel-cadmium cell separator material 86−33613
Timmerman, P.J., Bondeson, D.W. Voltage-temperature charge verification testing of 34 ampere hour nickel-cadmium cells 87−22703
Timmermann, A. *see* Beigang, R. 85−45358
Timmermann, A. *see* Hilbig, R. 85−7510, 87−7443
Timmermann, D. *see* Rothermel, A. 87−37185
Timmermann, D. *see* Schmidt, G. 87−44931
Timmermann, U. *see* Spieb, K. 86−37510
Timmermans, J. *see* Battiston, R. 85−59224
Timmermans, J. *see* Hartjes, F. 87−41860
Timmers, P.H.A. *see* van der Bijl, L.T. 87−76361

Timmert, H.-P. *see* Abbe, M. 85—32414
Timmes, F.X., Dodt, D.T., Maluf, N. Circuit simulation of power MOSFETs 87—38328
Timmes, R. *see* van der Horst, L. 88—34439
Timmins, B., Herzog, M. Evolution of data loggers: from passive data collection to independent processing system 85—20524
Timmins, P.A., Morgan, J. Epoxy 'trickle' impregnation with solventless resin vs. dip and bake in solvent varnish—a comparative study of: Quality, material costs, energy costs, pollution control & labor costs 86—66045
Timmons, M. *see* Bedair, S.M. 85—11988
Timmons, M.L., Chiang, P.K. Progress with germanium intercell ohmic connections for AlGaAs-GaAs monolithic cascade solar cells 88—31039
Timmons, M.L., Chiang, P.K., Hattangady, S.V. An alternative Mg precursor for p-type doping of OMVPE grown material 87—10392
Timmons, M.L., Lamorte, M.F., Chiang, P.K., Hutchby, J.A., de Lyon, T. A single-junction, point-contact, back-surface GaAs concentrator solar cell 88—31034
Timmons, M.L. *see* Chiang, P.K. 87—9760, 88—5868
Timmons, M.L. *see* de Lyon, T.J. 87—60134, 88—64275
Timmons, M.L. *see* Hutchby, J.A. 87—4892
Timmons, R. Laser imaging of printed wiring boards 87—11162
Timms, A.C. *see* Colbran, W.V. 86—2344
Timms, J. *see* Adams, M.R. 85—64467
Timms, K. *see* Graham, R.G. 87—14495
Timms, S. ISDN CPE—the way ahead 88—67106
Timms, W.E. 'Nuclear magnetic resonance (NMR) imaging systems and the possible influences of the magnetic environmental field conditions on pacemaker performance 85—38246
Timnat, Y.M. *see* Albagli, D. 86—38614
Timnat, Y.M. *see* Weizman, M. 86—3260
Timofeev, A.A. *see* Vodovozov, V.M. 87—9888
Timofeev, A.E. *see* Artemyev, A.N. 88—10229
Timofeev, A.N. Special features of energy calculations for opto-electronic equipments with optical equisignal zone 86—68368
Timofeev, A.N. *see* Andruschuk, V.V. 85—47902
Timofeev, A.N. *see* D'yachenko, V.A. 85—61514, 88—74598
Timofeev, A.N. *see* Nuzhin, A.V. 86—2953
Timofeev, A.O. A functional model of a technical device 85—28286
Timofeev, A.S. *see* Rinkevichyus, B.S. 85—19065
Timofeev, B.B., Petrenko, V.A. Fibre-optic distributed communication networks for process control systems 85—47229
Timofeev, B.S. *see* Bychkov, B.N. 85—63839, 87—34723, 87—70255
Timofeev, E.K., Ivantsov, V.A., Vazhinskii, N.M. Investigation of seismic transducers 85—37580
Timofeev, E.P. *see* Arkhanov, S.N. 85—7701
Timofeev, F.N. *see* Alferov, Zh.I. 85—41249, 87—33202
Timofeev, F.N. *see* Alferov, Z.I. 87—68478
Timofeev, F.N. *see* Gurevich, S.A. 85—18950, 86—1373, 86—29165 to 29166, 87—33198, 87—74747
Timofeev, G.S. *see* Zeltin'sh, B.F. 87—27673
Timofeev, S.A., Lotin, V.V. A procedure for implementation of nonrecursive digital filters 87—24343
Timofeev, T.T. *see* Apolonskii, A.A. 86—54088, 87—12387
Timofeev, T.T. *see* Badalyan, A.M. 87—33096
Timofeev, T.T. *see* Goldina, N.D. 87—68563
Timofeev, V.A. *see* Gurevich, Yu.E. 86—50774
Timofeev, V.B. *see* Gavrilov, M.G. 85—12029, 86—47427
Timofeev, V.B. *see* Kukushkin, I.V. 85—61782, 87—67024, 87—74137, 88—32950
Timofeev, V.F. *see* Lebedev, A.N. 87—9165
Timofeev, V.G. *see* Anishchenko, N.G. 85—52942
Timofeev, V.G. *see* Golovatyuk, V.M. 85—52982
Timofeev, V.I. Theory of the interaction of waves in two-mode ring lasers with a controlled phase anisotropy 87—26464
Timofeev, V.I. *see* Moskalyuk, V.A. 87—53451
Timofeev, V.N. Calculation of the characteristics of the random error component of the signal drift compensation system of opto-electronic devices 87—18797
Timofeev, V.N. Implementation of the standard signal method in the presence of correlation of the error components of measuring systems 88—35762
Timofeev, V.N., Temerov, A.A., Gorislavets, Yu.M., Boyakov, S.A. Electromagnetic field of induction channel furnace 87—22910
Timofeev, V.P. Maximum currents in magnetron devices with purely secondary-emission cathodes 87—37824
Timofeev, V.P., Goncharov, V.I., Evdokimov, V.B. Developing automated microwave measuring systems 87—66557
Timofeev, V.P. *see* Botsman, V.I. 85—31582
Timofeev, V.P. *see* Kiyashko, V.A. 85—19020, 85—46489
Timofeev, V.V. *see* Aslanyan, A.M. 88—35627
Timofeev, V.V. *see* Matveenko, L.I. 86—30929
Timofeev, V.V. *see* Sukhorukov, A.P. 87—26520, 87—33445
Timofeev, Yu.A. Utilization of an electrical discharge to activate the process of vacuum deposition of films 88—34177
Timofeev, Yu.A. Apparatus for vacuum laser deposition of films 88—38242
Timofeev, Yu.I. *see* Frolov, K.V. 87—64534
Timofeev, Yu.I. *see* Kovarskii, L.G. 87—89
Timofeev, Yu.V. *see* Abashev, Yu.G. 87—29230
Timofeeva, K.M. *see* Isenov, E.M. 86—6596
Timofeeva, T.D. *see* Filatov, V.N. 87—3642
Timofeeva, V.P. *see* Nasedkin, L.P. 86—39784
Timofeyev, A.L. *see* Bakirov, N.K. 85—57381
Timofeyev, A.O. *see* Lipinskiy, G.V. 85—8866
Timofeyev, V.M. *see* Kharchenko, K.P. 87—61506
Timofeyev, V.V. *see* Bernoskuni, Yu.V. 86—36744
Timofeyev, V.V. *see* Payanskiy, Yu.M. 87—49228
Timofeyeva, A.A., Kozlovskaya, I.A., Khlopkova, Z.K. An antenna with a remote exciter for the 3.4-13.25 GHz band 86—36817
Timohov, V.M. *see* Kononov, V.N. 85—37920
Timokhin, E.S. *see* Filipchuk, E.V. 85—21387
Timokhin, V.V. *see* Blavdzevitch, Yu.G. 86—39715
Timonin, A.S. *see* Kharitonov, V.V. 85—7484
Timonin, P.V. *see* Turyanitsa, I.I. 87—26054
Timonin, P.V. *see* Zaporozhets, V.M. 88—26801
Timonin, V.K. *see* Kukhtikov, V.A. 87—4385
Timonin, V.K. *see* Mirzoev, A.G. 88—54995
Timonin, V.M. *see* Pokhmurskii, V.I. 85—17022
Timonina, N.A. *see* Kulikov, O.L. 88—20697
Timor-Tritsch, I.E. *see* Florentin, I. 85—31784
Timoshchenko, N.E. *see* Razikov, A.Kh. 85—11836
Timoshchuk, V.S. *see* Fedosov, A.V. 85—11907
Timoshchuk, V.S. *see* Semenyuk, A.K. 86—67659
Timoshechkin, M.I. *see* Zabolotnaya, N.V. 85—50830
Timoshechkin, M.I. *see* Zorya, V.I. 85—35300
Timoshenko, A.L., Tolstov, Yu.G. Impact of a chopped voltage pulse on a high-voltage thyristor rectifier 85—60285
Timoshenko, A.L. *see* Grinshtein, B.I. 87—61338
Timoshenko, A.N. *see* Lozovskii, V.P. 88—56000
Timoshenko, D.A., Bokser, O.Ya. An accessory for the dynamometer to evaluate and record the muscular endurance index 87—50214
Timoshenko, D.P. *see* Sannikova, T.A. 88—17506
Timoshenko, J.A. *see* Koch, R.E. 86—18885
Timoshenko, J.A. *see* Shih, C.H. 86—12507
Timoshenko, N.I., Zhidkikh, V.F., Tishin, S.G., Pechenkin, S.P. Choice of optimal parameters for the intermediate loop of a specialised nuclear heat and power station 88—5442
Timoshenko, S.I. Evaluation of the logarithm of the likelihood ratio, averaged over unknown parameters 87—61889
Timoshenko, S.I. *see* Trukhin, M.P. 85—8451
Timoshenko, V.G. *see* Kolpakov, F.F. 88—47487
Timoshenko, V.I. *see* Grinberg, I.E. 85—3522
Timoshenko, V.N., Kokodii, N.G., Efimov, V.F., Krisyuk, V.Ya. Gradient calorimeter for measuring the energy parameters of optical radiation 87—70829
Timoshenkov, Yu.A. *see* Zakharov, A.V. 87—36830, 88—4620
Timoshevskij, G.F. *see* Azhippo, V.A. 87—41714
Timoshin, A.A. *see* Zuev, V.S. 85—2258
Timoshin, I.Ya. *see* Belkin, V.S. 87—70771
Timoshinin, A.A. *see* Antipov, V.N. 88—37162
Timoshnikov, Yu.A. *see* Mokerov, V.G. 87—6361
Timossi, C., Magyary, S. Error monitoring for the SHILAC third injector control system 86—60419
Timossi, C. *see* Feinberg, B. 88—54142, 88—61017
Timothy, J.G. Electronic readout systems for microchannel plates 85—43211
Timothy, J.G. Performance characteristics of multi-anode microchannel array detector systems 85—55414
Timothy, J.G. Multianode microchannel array detector systems: performance characteristics 86—24367
Timothy, J.G. Imaging at soft X-ray wavelengths with high-gain microchannel plate detector systems 87—28966
Timotin, A. Transformation of the field energy and momentum under a change of inertial frame in Maxwell-Hertz electrodynamics 86—29309
Timotin, A. Energy and momentum theorems of the macroscopic electromagnetic field in nonlinear or time-variant media 87—12664
Timotin, A. The total transient response of electric lines with losses 88—27540
Timotin, A., Zaharescu, C. A variational method for the analytical study of the electric field in static induction transistors 88—50893
Timovskii, A.K. *see* Lugin, A.I. 86—46442
Timp, G., Chang, A.M., Cunningham, J.E., Chang, T.Y., Mankiewich, P., Behringer, R., Howard, R.E. Observation of the Aharanov-Bohm effect for $\omega_c\tau>1$ 87—60154
Timp, G., Chang, A.M., Mankiewich, P., Behringer, R., Cunningham, J.E.; Chang, T.Y., Howard, R.E. Quantum transport in an electron-wave guide 87—66952
Timp, G., Fowler, A.B. Magnetoresistance in a two-dimensional impurity band 86—41613
Timp, G., Fowler, A.B., Hartstein, A. The temperature and electric field dependence of hopping conduction in a two dimensional impurity band 86—47428
Timp, G. *see* Change, A.M. 88—39108
Timp, G. *see* Cunningham, J. 88—57353
Timp, G. *see* Mankiewich, P.M. 88—39103
Timp, G.L. *see* Fowler, A.B. 86—63132
Timp, G.L. *see* Schubert, E.F. 88—1677
Timpane, E.F. *see* Bright, J.P. 85—40326
Timperley, J.E., Bristor, A.F. Machine stator iron evaluation through the use of resonant circuits 87—9492
Timpmann, K. *see* Aaviksoo, J. 85—56563
Timpson, P. *see* Smith, D.F. 86—30844
Timrot, D.L., Serednitskaya, M.A., Chkhikvadze, T.D. Device for measuring sonic velocity in liquids 85—37807
Tims, A.C., Carson, D.L., Benthien, G.W. Piezoelectric ceramic reproducibility (for 33 mode transducer applications) 87—53814
Timsit, R.S. Electrical instabilities in stationary contacts. II. Al/plated-brass junctions 88—12665
Timsit, R.S. Electrical instabilities in stationary contacts: Al/plated-brass junctions 88—38817
Timsit, R.S. *see* Fairlie, M. 87—49928
Timsit, R.S. *see* Fairlie, M.J. 88—36224
Timsit, R.S. *see* Humphreys, C.J. 87—6522
Timson, P. *see* King, J.P. 87—54003
Timurdzhi, V.G. *see* Savelov, N.S. 88—24034
Timus, C., Medianu, R., Georgescu, C. Modelling of reflectance characteristic for laser mirrors in visible range 86—29207
Tin, C.C., Weichman, F.L. Effects of internal potential barriers on the photocurrent decay in semiconductors 85—7304
Tin-rong Mu *see* Mu Tin-rong
Tin-yee Ngai, Yum, T.S. Resequencing of messages in communication networks 86—17040
Tina, R.F.De *see* De Tina, R.F.
Tinapp, J., Hansen, O.M. The combined cycle power plant of EBR Leiden—advanced technology behind old walls 88—23765
Tinapp, J. *see* Klepper, H. 86—56623
Tinarelli, G. *see* Brusasca, G. 87—29962
Tinauer, J. *see* Schatzer, O. 85—9714
Tinawi, R. *see* McClure, G. 87—57657
Tinaztepe, C. CADDIF data interchange format and a methodology to link simulation and test 88—22453
Tinchev, S.S. Possible mechanism contributing to $1/f$ noise in SQUIDs 85—41063
Tinchev, S.S. Time-dependent behavior of a hysteresis-free Squid 85—41066
Tinchev, S.S. RF measurements with non-hysteretic SQUID 88—16403
Tinchev, S.S., Sosnizkij, V.N. Noise in relaxation oscillation DC SQUID 86—42162
Tinchev, S.S. *see* Spasov, A.Y. 85—48045
Tincknell, M. *see* Salamon, M.H. 85—37948
Tincknell, M.L., Chase, S.I., Dinh, T., Harris, J.W., Teitelbaum, L. Fast megapixel charge-coupled-device image acquisition and analysis system for high energy nuclear physics 88—23003
Tincknell, M.L. *see* Shi-Lun Guo 85—64482, 87—29591
Tindall, C.E. Design and economic assessment of slow-speed, direct-drive generators for small-scale alternative energy systems 88—48889
Tindall, C.E., Brankin, S. Loss-at-source computation for alternator thermal modelling 88—43177
Tindall, C.E., Brankin, S. Loss-at-source thermal modelling in salient pole alternators using 3-dimensional finite difference techniques 88—55311
Tindall, C.E., Brankin, S. Finite element approach to iron and stray loss-at-source computation in salient pole alternators 88—55314
Tindall, C.E., Graham, J.A. Use of electromagnets for suspension and position control of power-station air preheater seals 87—35779
Tindall, C.E. *see* McIllwaine, S.A. 86—39036
Tindall, D.A. *see* Steinitz, M.O. 86—31653
Tindall, P.B. Remote operation of hydroelectric plants at Wisconsin electric 86—33200
Tindall, P.B., Olkowski, J.C., Jr., Rice, W.D. Keeping the plant running—long term maintenance at Wisconsin Electric 87—72046
Tindall, P.B. *see* Mukherjee, D.K. 87—71952
Tindall, S., Strupat, A. Interface helps controller boost graphics performance 87—73467
Tindall, W. *see* Lowry, M. 88—51571
Tindall, W. *see* McWright, G. 88—33766, 88—51547
Tindall, W. *see* Roeske, F. 88—7986
Tindall, W.E. *see* Roeske, F. 88—33750
Tindell, R. *see* Bauer, D. 85—46671
Ting, A., Sprangle, P., Esarey, E. Controlling the plasma phase velocity for high energy acceleration in the PBWA 88—29738

Ting, A. *see* Arnoldussen, T.C. 85-24064
Ting, A. *see* Hafizi, B. 88-2310, 88-27200, 88-27208, 88-45483
Ting, A. *see* Hafizi, R. 88-72345
Ting, A. *see* Sprangle, P. 87-75210, 88-2311, 88-40255, 88-45478
Ting, A.C., Sprangle, P.A. Effects of radiation damping on beam quality in the inverse free-electron laser accelerator 88-16573
Ting, B. *see* Maturi, S. 87-38487
Ting, B.S. *see* Tien, B.N. 85-756
Ting, C. *see* Iyer, S. 85-23636
Ting, C. *see* Tzeng, J.C. 87-53728
Ting, C.-Y. *see* Ahn, K.Y. 87-5494
Ting, C.-Y. *see* Iyer, S.S. 85-6872, 85-7087
Ting, C.-Y. *see* Taur, Y. 85-35168, 87-46194
Ting, C.H., Baerg, W., Lin, H.Y., Siu, B., Hwa, T., Sturm, J.C., Gibbons, J.F. A seeded channel approach to silicon-on-insulator technology 87-17880
Ting, C.H., Liauw, K.L. Improved DUV multi-layer resist process 85-40795
Ting, C.H., Lin, H.Y., Pai, P.L., Oldham, W.G. Planarization process using spin-on-glass 87-67147
Ting, C.H., Stivers, A., Chiu, G. Applications of thin film interconnection technology for VLSI multichip packaging 88-50565
Ting, C.H., Yeh, S., Liauw, K.L. Sloped vias in polyimides by RIE 86-2287
Ting, C.H., Yeh, S., Liauw, K.W. Sloped via in polyimide by reactive ion etching 85-40645
Ting, C.H. *see* Baerg, W. 86-28327
Ting, C.H. *see* Pai, P. 87-67135
Ting, C.H. *see* Pai, P.L. 88-71458
Ting, C.S., Liu, M., Xing, D.Y. Balance equation approach to hot electron transport in many-valley semiconductors: comparing with the Monte Carlo results for n-type Si 88-32760
Ting, C.S. *see* Hu, P. 88-32907
Ting, C.S. *see* Lei, X.L. 86-1780, 86-47347, 88-19665
Ting, C.S. *see* Xing, D.Y. 87-53166
Ting, C.Y. TiN as a high temperature diffusion barrier for arsenic and boron 85-18229
Ting, C.Y. Silicide for contacts and interconnects 85-50662
Ting, C.Y., d'Heurle, F.M., Iyer, S.S., Fryer, P.M. High temperature process limitation on $TiSi_2$ 87-32443
Ting, C.Y., Iyer, S.S. The use of $TiSi_2$ for self aligned silicide (salicide) technology 86-28526
Ting, C.Y., Wittmer, M., Iyer, S.S., Brodsky, S.B. Interaction between Ti and SiO_2 85-23595
Ting, C.Y. *see* Acosta, R.E. 85-40825
Ting, C.Y. *see* Davari, B. 88-7615, 88-71795
Ting, C.Y. *see* d'Heurle, F.M. 87-11711
Ting, C.Y. *see* Iyer, S. 85-12429
Ting, C.Y. *see* Krusin-Elbaum, L. 87-32440
Ting, C.Y. *see* Kwok, T. 86-28443
Ting, C.Y. *see* Taur, Y. 88-26502
Ting, D.Z.-Y., Yia-Chung Chang Electronic and optical properties of strained-layer superlattices made of semiconductor alloys 87-1248
Ting, J., Amidei, D., Campbell, M., Nakagawa, B., Redlinger, G., Sanders, H., Sleeper, S. Precision differential voltage probe for transient recorder 86-50189
Ting, J. *see* Amidei, D. 86-50416, 88-54400
Ting, J. *see* Amidel, D. 88-29913
Ting, J. *see* Sanders, H. 86-50430
Ting, L.H. *see* Lam, F.K. 88-52802
Ting, P.-y., Tseng, C.-y., Lee, L.-s. New speech recognition approaches based upon finite state vector quantization with structural constraints 88-66379
Ting, R.N. *see* Bahraman, A. 88-22655
Ting, R.Y. Evaluation of new piezoelectric composite materials for hydrophone applications 86-47898
Ting, R.Y. *see* Blue, J.E. 88-48393
Ting, R.Y. *see* Henriquez, T.A. 86-56278
Ting, R.Y. *see* Rittenmyer, K.M. 86-60995
Ting, R.Y. *see* Stack, G.M. 87-53811
Ting, S.C.C. *see* Anderhub, H. 87-21420, 88-22984, 88-29843
Ting, S.C.C. *see* Galaktionov, Yu. 87-8841
Ting Chiu *see* Chiu Ting
Ting Chung-Yu *see* Chung-Yu Ting
Ting Kaung Lea *see* Yanzeng Zhao 88-67487
Ting Liang *see* Liang Ting
Ting Lin *see* Lin Ting
Ting Rui Fan *see* Prucnal, P.R. 86-37887
Ting Wu *see* Yaer Ji 88-64169
Ting Yine-Ping *see* Yine-Ping Ting
Ting Zhang *see* Zhang Ting
Ting-Ao Tang *see* Bing-Zong Li 88-26097
Ting-Chao Hou, Li, V.O.K. Routing strategies of multihop packet radio networks with a more realistic packet reception probability 86-17218
Ting-Chao Hou, Li, V.O.K. Performance analysis of multihop packet radio networks with capture 86-23682
Ting-Chao Hou, Li, V.O.K. Transmission range control in multihop packet radio networks 86-30085
Ting-Chung Poon Method of two-dimensional bipolar incoherent image processing by acousto-optic two-pupil synthesis 85-46230
Ting-Chung Poon *see* Indebetouw, G. 85-19491, 86-69145
Ting-Ho Dan Lee, Hu, S., Madulid, N. Stability studies of iron particle 88-51220
Ting-huai Chen *see* Chen Ting-huai
Ting-Ih Hsu, Swift, G., Goel, J., Berenz, J., Nakano, K. A 44 GHz HEMT amplifier 86-67487
Ting-Ih Hsu *see* Berenz, J. 86-8456
Ting-Pien Fang *see* Molnar, C.E. 86-8092
Ting-wei Tang Physics and modeling of hot-carriers in silicon submicrometer devices 87-25197
Ting-Wei Tang *see* Young June Park 85-35024
Ting-xin Lu, Li Zhang The analysis to the power system with both thyristor converter and capacitor banks by digital computer simulation 88-68756
Ting-xing Huang *see* Huang Ting-xing
Ting-xiong Zhan *see* Zhan Ting-xiong
Ting-yang Zhou *see* Zhou Ting-yang
Ting-yao Kou *see* Kou Ting-yao
Tinga, W.R. Design principles for microwave heating and sintering 87-43660
Tinga, W.R. *see* Mansour, N.A. 88-986 to 987
Tinga, W.R. *see* Turner, R.F.B. 85-36073, 85-39347
Tingao Tang *see* Tang Tingao
Tingay, E. Critical precision 85-61473
Tingay, E.S. Reed relays tested for reliable ATE performance 86-8555
Tingay, E.S. Design and test advantages keep reed relays ahead 86-14599
Tingay, T. Designing reed relays for data acquisition 85-20520
Tingay, T. RTD simulation eases calibration 87-49660
Tinge, J.T., Mencke, K., Bosgra, L., Drinkenburg, A.A.H. Ultrasonic gas analyser for high resolution determination of binary-gas composition 87-49992
Tingerthal, W.C. *see* Sobieski, J.F. 85-29998
Tingjian Wang *see* Wang Tingjian
Tingjie Zhang *see* Zhang Tingjie
Tingley, C. SMT in-circuit fixturing from a user's perspective 88-32631
Tingley, E.M. US multichannel television sound technical standards 85-3607
Tingliang Wang *see* Wang Tingliang
Tingqing Zhang *see* Zhang Tingqing
Tingstedt, L. *see* Elovsson, S. 86-59408
Tingting Zhi *see* Zhi Tingting
Tingxuan Zhang *see* Zhang Tingxuan
Tingye Li Lightwave telecommunication 87-28567
Tingye Li Advances in lightwave systems research 87-62927
Tingye Li Progress in lightwave systems 88-9598
Tingzhen Jin *see* Jin Tingzhen
Tinham, B. Underwater telemetry features fibre optics 85-4633
Tinham, B. Telemetry technology tackles plant problems 85-64044
Tinham, B. Logging energy demand promotes efficiency 86-25658
Tinham, B. Test and measurement sees flexible automation 86-70004
Tinham, B. Remote monitoring system promises possibilities for parameters 87-3503
Tinham, B. Acquiring data in crash conditions 87-3510
Tinham, B. Fibre optics form novel transducers 87-3549
Tinham, B. Micros and sensors make smart transmitters 87-3793
Tinham, B. Turning transducer triggers technique to tackle transformed torque! 87-29308
Tinham, B. Fast acquisition system aids PWR valve testing 87-49591
Tinham, B. Just how accurate is your acquisition system? [analogue to digital converters] 87-49648
Tinham, B. Developing MAP for the process industries 87-62609
Tinham, B. The frightening facts about accelerometers 87-77192
Tinham, B. Plastics processing pushes pressure 87-77193
Tinham, B. Enhancing the power of process weighing 88-10144
Tinham, B. Turning telemetry to process control 88-15963
Tinham, B. Accelerometer problems revisited 88-15983
Tinham, B. Signal conditioning is getting in shape 88-16005
Tinham, B. Pyrometry advances expand applications 88-16051
Tinham, B. Is flow technology still in its infancy? 88-29697
Tinham, B. Enclosures evolve to exclude environment 88-43704
Tinham, B. Supercomputers tuned to test super engines 88-48264
Tinham, B. Analysing options for desulphurisation 88-48755
Tinham, B. Transmitters take the high ground [temperature transmission] 88-60608
Tinham, B. Measuring the pace of temperature 88-60932
Tinham, B. Front ending data acquisition 88-74286
Tinhofer, G. Graph isomorphism and theorems of Birkhoff type 86-46175
Tinhofer, G., Schreck, H. Computing the characteristic polynomial of a tree 86-7667
Tinic, S. *see* Berger, E. 88-55139
Tinin, M.V. *see* Abdullaev, S.S. 88-920
Tinin, M.V. *see* Grozov, V.P. 87-75444
Tinker, D. *see* Namjoo, M. 88-44228
Tinker, J.S. Suspended substrate stripline filters for ESM applications 87-45216
Tinker, R. A practical specification and description technique [telecommunications application] 86-10621
Tinker, R., Howcroft, A., Lewis, R., Ichikawa, H., Itoh, M., Shibasaki, M. A system design environment 86-49170
Tinkey, L.G. *see* Hsieh, H.-C. 87-59398, 88-70688
Tinkham, M. *see* Akoh, H. 86-36100
Tinkham, M. *see* Danchi, W.C. 85-1875, 85-56177
Tinkham, M. *see* Hu, Q. 85-56190
Tinkham, M. *see* Hu Jong Lee 88-13705
Tinkham, M. *see* Iansiti, M. 87-60859
Tinkler, J., Fritz, E. Design of a 5:1 wind-tunnel contraction 87-42068
Tinkler, J. *see* Opalko, L.M. 86-14530, 86-41336
Tinkler, R.H. *see* Paik, C. 88-53699
Tinkley, J. LEKTOR encryption system 88-28544
Tinley, R.J. Direct broadcasting satellite configurations 88-73893
Tinlow, T. *see* Bergman, H. 87-34036
Tinnemans, A.H.A. *see* Thewissen, D.H.M.W. 85-16190
Tinney, J.L. Decontaminate PCB vault transformers [polychlorinated biphenyls] 86-45467
Tinney, L.R., Ezra, C.E., Christensen, E.J. Preparation and use of aircraft and satellite image maps for emergency response and environment applications 88-61669
Tinney, W.F., Brandwajn, V., Chan, S.M. Sparse vector methods 85-38387
Tinney, W.F., Bright, J.M. Adaptive reductions for power flow equivalents 87-57489
Tinney, W.F., Bright, J.M., Demaree, K.D., Hughes, B.A. Some deficiencies in optimal power flow 88-10775
Tinney, W.F. *see* Brandwajn, V. 85-59802
Tinney, W.F. *see* Sun, D.I. 85-15466
Tino, C.J. *see* Kern, W. 86-490
Tinschmann, A. *see* Frank, K. 88-69634
Tinslay, J. SAA makes LV cable selection easier 85-10399
Tinsley, D. *see* Bedeschi, F. 88-48021
Tinsley, D. *see* Trbojevic, D. 86-32050
Tinsley, J. *see* Brost, G. 86-24774
Tinsley, M., Dewis, D. Decommissioning–the industrial lessons being learned from Windscale AGR 85-48778
Tinson, J.S. Intruder detection and surveillance installation practice 85-60723
Tintareanu, L. *see* Savulian, R. 85-53607
Tinturier, B. *see* Graf, J.J. 86-39319
Tinyakov, V.L., Khvesyuk, V.I. A piezoelectric transducer for measuring the distortion in the quartz envelopes of pulsed light sources 85-49195
Tio, R. *see* Cox, H. 88-38579
Tio, T.G. Single-button code lock 85-11457
Tiong, K.K., Kuo, S.P., Miller, P.E. Experiments for an eighth harmonic cusptron tube 88-25817
Tiong, K.K., Kuo, S.P., Namkung, W. Optimization of the design of cusptron microwave oscillators 88-25829
Tiong, K.K. *see* Kuo, S.C. 88-25828
Tiong, K.K. *see* Kuo, S.P. 88-25816, 88-64214
Tiong, S. *see* Ohishi, M. 88-31777
Tiphene, D., Lacombe, F., Rouan, D. Performance measurements on a 32×32 InSb-CID detector array for astronomical observations 88-74486
Tiphene, D. *see* Epstein, G. 88-74484
Tiphene, D. *see* Lacombe, F. 88-4494
Tiphene, D. *see* Rouan, D. 87-20964
Tipikin, A.P. Principle of hardware correction of synchronisation failures and errors in external memories 87-12911
Tipney-Hicks, A.D. Diesel powered generating sets in modular design 86-61331
Tipney-Hicks, A.D., Attwood, R. Hybrid schemes for remote power systems 85-65192
Tiponut, V. An extension of the expression of the aliasing error bound 87-47765
Tippe, W. Antenna requirements, physical foundations and design options for DBS domestic reception 86-59148
Tippe, W. Ground station antenna arrays, an alternative to parabolic antennas for DBS reception 88-53230
Tippe, W. Flat plate array antennas, an alternative to parabolic dishes for fixed and mobile DBS-reception? 88-58975
Tippe, W. *see* Potschkat, G. 88-66172
Tipper, A. *see* Jervis, B.W. 85-64260

Tipper, D., Sundareshan, M.K. A hierarchical scheme for flow control by adaptive buffer management in large communication networks 88−21432
Tipper, D., Sundareshan, M.K. Adaptive policies for optimal buffer management in dynamic load environments 88−59700
Tipper, D.W. *see* Panchmatia, D. 88−52983
Tipper, D.W. *see* Strickland, R.N. 87−20591
Tippet, J.C. *see* Val Lil, E. 85−37739
Tippets, F.E., Davies, S.M., Salerno, L.N., Snyder, C.R. PRISM: a passively safe, economic, and testable advanced power reactor 87−71903
Tippets, F.E. *see* Berglund, R.C. 87−64324
Tippetts, A. *see* Fehr, G. 86−2409, 86−19859
Tipping, D. *see* Hesmondhalgh, D.E. 85−65283, 86−12858, 87−22435, 87−35917, 87−51268, 88−11248, 88−62402
Tipple, B. *see* Fraser, J. 87−8125
Tipple, R.W. *see* Methiwalla, A.E. 85−42177
Tippmann, H., Spiess, L., Linss, M., Hummel, W., Knedlik, Ch., Nitzsche, K. Triotron sputtering equipment for the production of mixed Ta/Si layers 87−18043
Tippmann, H. *see* Nitzsche, K. 85−10788
Tippmann, M. *see* Beyer, U. 85−43585
Tips, J. A 48 V/100 A rectifier using the switched-mode series-resonance principle 87−30809
Tipton, H.W. *see* Talbot, T.L. 86−18283
Tipton, L. *see* Brown, C.C. 87−21634
Tipton, L.L. *see* Rosswurm, M.A. 86−38870
Tipton, M., Marriott, V., Fuller, G. Practical i-line lithography 87−11542
Tipton, M., Marriott, V., Fuller, G. Practical I-line lithography 87−32381
Tipton, T.E. Current regulatory, legislative, and judicial activities affecting emergency planning 88−62086
Tiquet, A. Integrated circuits for the integrated service digital network 86−59742
Tir, L.L., Gubchenko, A.P., Prostyakov, A.A., Brutskus, Yu.K. Increasing the technical and economic indexes of induction furnaces with a cold crucible 85−65651
Tirado, J. Selecting ICs for a radiation environment 88−71634
Tirado, J.F., Hermida, R., Bautista, A., Ruiz, J. Software support for power plant training simulators 86−18917
Tirado, J.F., Ruiz, J., Mellado, M., Bautista, A., Labanda, E., Llorente, J. Power plant simulator DIYAC: general overview 85−65019
Tirado, J.S. Rad-tolerant ICs are available off the shelf 85−29320
Tirado, J.S. *see* Ansell, G.P. 87−6889
Tiranuchit, A., Ewerbring, L.M., Duryea, R.A., Thomas, R.J., Luk, F.T. Towards a computationally feasible online voltage instability index 88−10771
Tiranuchit, A., Thomas, R.J. A posturing strategy against voltage instabilities in electric power systems 88−54907
Tiranuchit, A. *see* Thomas, R.J. 87−4222, 87−15264, 88−42802
Tirawantanawit, S., Hoshi, M., Lansard, P.-D., Stefanik, M.J. National network digitalization planning in a developing country—a CCITT GAS9 case study 88−46440
Tiren, I. *see* Hellstrom, B. 87−78344
Tiren, J., Magnusson, U., Bohlin, K., Tove, P.-A. A position sensitive LSI detector for low energy (ESCA) electrons 87−14761
Tiren, J. *see* Bohlin, K.E. 87−6898, 87−38516, 87−60638
Tiren, J. *see* Tove, P.A. 88−26546
Tiribell, P. Trends and progress in network operations in Europe 88−73476
Tiribelli, P., Fantauzzi, G. A territorially integrated operation and maintenance center for electronic and electromechanical public telephone exchanges 85−52219
Tiribelli, P. *see* Artom, A. 86−37600, 86−54738
Tiribelli, P. *see* Saracco, R. 87−76119, 87−76191
Tiribilli, B. *see* Francini, F. 87−77418, 88−10134
Tiribilli, B. *see* Molesini, G. 86−15799, 87−70642
Tiribilli, B. *see* Quercioli, F. 88−47679
Tirinato, J., Woods, W., Tsach, U., Geselowitz, D.B., Hsu, H.-K. Regurgitation in an EVAD: performance effect and modeling 88−10441
Tirinato, J. *see* Tsach, U. 87−50422
Tirini, S. *see* Dominici, G. 88−74271
Tirler, R. *see* Benvenuti, A.C. 85−15254
Tirlov, A.S. *see* Deryabin, I.P. 87−7508
Tirmizi, S.I.A., Twizell, E.H. A fourth order multiderivative method for linear second order boundary value problems 87−44234
Tirmizi, S.I.A. *see* Twizell, E.H. 87−44240
Tirolo, G. *see* Barbiani, A. 86−59886
Tirong Chen *see* Chen Tirong
Tironi, E., Ubezio, G. DC-AD transistor converter 86−61595
Tironi, E., Zaninelli, D., Ubezio, G. Compensation of the reactive power by means of a current-controlled transistor inverter 88−68757
Tironi, E. *see* Campanari, E. 86−45822
Tironi, E. *see* Di Gerlando, A. 87−43592, 87−51143
Tirro, S. Network-oriented or user-oriented? [satellite ground stations] 87−34499
Tirro, S. Developments in satellite communication systems 88−3944
Tirro, S., Vernucci, A. Some considerations about the possible evolution of the space segment concept in future space communication systems 87−34519
Tirro, S. *see* Arenaccio, S. 86−17346
Tirro, S. *see* Castelli, E. 86−59996
Tirro, S. *see* Fedi, F. 87−62871
Tirro, S. *see* Perrone, A. 86−24179
Tirsch, E. Approach of overhead line conductors within the stress field 86−18837
Tirsch, E. Arrangement of conductors in overhead high voltage transmission lines, with special reference to reliability 88−68972
Tirsell, K.G., Brown, T.C., Ebert, P., Dickinson, W.C., Lent, E.M., Hoyer, E., Halbach, K., Marks, S., Plate, D., Shuman, D., Tatchyn, R. Development of a NdFe-steel hybrid wiggler for SSRL 87−29408
Tirsell, K.G. *see* Hoyer, E. 88−54457
Tirtaatmadja, E., Harsant, D.M., Scott, C.J., Palmer, R.A., Keck, B.W. An experimental digital switching system 86−55101
Tirtaatmadja, E., Harsant, D.M., Scott, C.J., Palmer, R.A., Keck, B.W. An experimental digital switching system 87−76482
Tirtaatmadja, E., van Woerkom, J. The design of a 64 kbit/s digital cross connect switch 87−69850
Tirtaatmadja, E. *see* Scott, C.J. 86−14323
Tirtoprodjo, S., Werter, M.J. On the generation of a complete catalogue of higher-order Hurwitz filter-functions 86−1204
Tirtowidjojo, M., Pollard, R. Equilibrium gas phase species for MOCVD of $Al_xGa_{1-x}As$ 87−10405
Tirumalai, P., Butler, J.T. On the realization of multiple-valued logic functions using CCD PLAs 85−17328
Tirupati, D. *see* Bitran, G.R. 87−60600, 88−70108
Tisato, F., Zicari, R. Mechanisms for dynamic configuration of a locally distributed system 86−37559
Tisato, G. *see* Delmonte, R. 87−19624
Tischenko, A.V. *see* Golubenko, G.A. 86−63666
Tischenko, D.A. *see* Komolov, V.P. 86−20356
Tischenko, V.A. *see* Mikhalev, L.A. 86−44413
Tischer, E. *see* Linge, S. 86−12985
Tischer, F.-C. Optical transmission system for long-distance 88−73991
Tischer, F.-C. *see* Buttner, M. 86−64997
Tischer, F.-C. *see* Kleinmann, H. 87−20563
Tischer, F.-C. *see* Knotz, H. 85−52357
Tischer, F.J. Groove guide and H-guide: supplementary information 85−989
Tischer, F.J. Millimeter-wave system designs implemented using 'domino' concept 85−55096
Tischer, F.J. Domino-type millimeter-wave systems 86−1346
Tischer, F.J. Loss and mode characteristics of oversized waveguides and resonators 88−25367
Tischer, F.J. Oversized waveguides and resonators for millimeter waves 88−38663
Tischer, F.J. *see* Agarwal, K.K. 86−35062
Tischer, F.J. Oversize structures solve waveguiding problems 88−44322
Tischer, K. Influencing light waveguide paths in power plants 85−52328
Tischer, K. *see* Engelage, D. 86−63624
Tischer, K. *see* Spangenberg, P. 85−8403
Tischer, P. *see* Heuberger, A. 85−7035
Tischer, P. *see* Muller, K.-H. 86−35503
Tischer, P. *see* Schneider-Gmelch, B. 86−2055, 86−2075
Tischer, P.E., Gupta, G.K. An evaluation of some new cyclic linear multistep formulas for stiff ODEs 87−218
Tischer, S.D. *see* Hupf, H.B. 85−59263
Tischer, Z. Abrasion resistant alloy on the basis of Ni-Fe-V for magnetic head cores 85−18572
Tischer, Z. Sendus alloy ribbon for magnetic heads 86−21991
Tischer, Z. Coercive force of magnetic materials—the decisive parameter of their utilization 86−53881
Tischer, Z. *see* Bouz, Z. 85−41033
Tischer, Z. *see* Filipensky, J. 85−24782
Tischler, F. *see* Bange, G. 87−9922
Tischler, J. *see* Froller, I. 87−68731
Tischler, M. *see* Bedair, S.M. 85−11988
Tischler, M. *see* Fair, R.B. 85−1740
Tischler, M.A., Anderson, N.G., Bedair, S.M. Ultrathin InAs/GaAs single quantum well structures grown by atomic layer epitaxy 87−10371
Tischler, M.A., Anderson, N.G., Bedair, S.M. Atomic layer epitaxy of III-V materials and quantum-well structures 87−65534
Tischler, M.A., Anderson, N.G., Kolbas, R.M., Bedair, S.M. Stimulated emission from ultrathin InAs/GaAs quantum well heterostructures grown by atomic layer epitaxy 87−46855
Tischler, M.A., Anderson, N.G., Kolbas, R.M., Bedair, S.M. InAs/GaAs quantum well lasers grown by atomic layer epitaxy 88−2280
Tischler, M.A., Bedair, S.M. Self-limiting mechanism in the atomic layer epitaxy of GaAs 86−57437
Tischler, M.A., Bedair, S.M. Improved uniformity of epitaxial indium-based compounds by atomic layer epitaxy 86−66808
Tischler, M.A., Bedair, S.M. Growth and characterization of compound semiconductors by atomic layer epitaxy 87−10397
Tischler, M.A., Katsuyama, T., El-Masry, N.A., Bedair, S.M. Defect reduction in GaAs epitaxial layers using a GaAsP-InGaAs strained-layer superlattice 85−22467
Tischler, M.A. *see* Ade, R.W. 88−65205
Tischler, M.A. *see* Bedair, S.M. 85−54443, 86−26871, 86−34358
Tischler, M.A. *see* Katsuyama, T. 87−12333, 87−73058, 88−5875
Tischler, M.A. *see* McDermott, B.T. 88−11972
Tischler, O. Resistor technology assessed at microwave frequencies 85−40230
Tischler, R. *see* Bomsdorf, H. 85−9165
Tischler, R. *see* Harding, G. 86−60761
Tischler, R. *see* Roschmann, P. 87−14886
Tischmeyer, M., Wernstedt, J., Hummel, I., Schilling, K. Diagnostic relevance of the microcomputer controlled pulse synchronous bioimpedance measurements in diagnosis of periphery blood stream disturbances 86−44666
Tischmeyer, M. *see* Ortmann, B. 86−44676
Tischmeyer, M.T. *see* Klier, M. 86−44671
Tise, B. A compact high resolution piezoresistive digital tactile sensor 88−67905
Tisenko, W.N. *see* Vlassov, K.P. 86−56967
Tishby, N. Information theoretic factorization of speaker and language in hidden Markov models, with application to speaker recognition 88−66354
Tishcheninov, I.A., Mironov, A.S., Kapelovich, D.B. Temperature state and economic characteristics of a 200 MW unit when operating as hot spinning reserve [steam turbines] 86−39563
Tishchenko, A.V. *see* Avrutskii, I.A. 87−25982
Tishchenko, A.V. *see* Bazakutsa, P.V. 85−24638
Tishchenko, A.V. *see* Dianov, E.M. 88−20430
Tishchenko, A.V. *see* Golubenko, G.A. 87−1965
Tishchenko, A.V. *see* Sychugov, V.A. 85−35537
Tishchenko, D.A. *see* Komolov, V.P. 86−20357, 86−27160
Tishchenko, G.A. A need for the improvement of lighting and irradiating equipment specifications for livestock houses 85−5599
Tishchenko, L.M. *see* Dao Tkhai Zieu 88−53910
Tishchenko, M.P. *see* Larik, V.Ye. 86−36862
Tishchenko, O.A., Kochetkov, V.P., Semenov, O.S. Application of carbon-graphite collectors in direct current tachometer generators 88−69406
Tishchenko, O.F., Baranov, V.N., Shevtsov, Yu.A. Problems of improving metrological quality control of instrumentation 88−15878
Tishchenko, R.P. *see* Grigor'yants, V.V. 85−2262
Tishchenko, R.P. *see* Minkovich, V.P. 85−35502
Tishchenko, V.A. Special considerations when using whip aerials for field-strength measurements 85−48038
Tishchenko, V.A., Tokatly, V.I. Measurement of field strength and calibration of antennas at low frequencies 87−35162
Tishchenko, V.A. *see* Buzinov, V.S. 87−35160
Tishchenko, V.N., Kovalev, V.N. Determination of the parameters of an asynchronous electric drive with pulse control 87−58363
Tishchenko, V.N., Obrazumov, V.P. Modelling of an induction drive for load-lifting mechanisms under conditions of dynamic braking with self-excitation 87−36192
Tishchenko, V.N., Obrazumov, V.P. Investigation of an asynchronous electric drive for the lifting mechanism of a crane operating in dynamic-braking mode with self-excitation 87−58366
Tishchenko, V.N. *see* Ponomarenko, A.G. 86−9753
Tishchenko, Yu.G. *see* Kolesnikov, V.N. 86−22702
Tishchenko, Yu.N., Trubetskoi, A.V. Acousto-optical elements for deflecting radiation from a semiconductor laser 85−2104
Tishchenko, Yu.N. *see* Tarkov, V.A. 85−2103
Tishechkin, A.A. *see* Sol'yanik, V.Kh. 87−78730
Tishenin, Yu.V. *see* Zupnik, A.E. 86−41367
Tishenko, A.V. *see* Avrutskii, I.A. 87−74711
Tishin, K.P. *see* Krasheninnikov, V.V. 85−48853
Tishin, P.I. *see* Marinenko, V.A. 88−27883
Tishin, S.G. *see* Timoshenko, N.I. 88−5442
Tishin, V.G. *see* Ado, Y.M. 86−31902
Tishin, V.G. *see* Bruk, V.L. 86−5185, 87−70946
Tishkovskaya, L.V. *see* Vasil'ev, V.V. 87−25981
Tishler, A. A model of industrial demand for electricity under time-of-use pricing and three labor shifts 85−15516
Tishler, A. *see* Levin, N. 85−43568
Tishyadhigama, S. Efficient algorithms for computing the state transition matrix in closed-form 86−57299
Tisi, F.de *see* de Tisi, F.
Tislenko, V.I., Martyshevskiy, Yu.V. The maximum error in tracking a luminous object by a television tracking system 87−63025

Tislenko, V.N. *see* Martyshevskii, Yu.V. 87–56412
Tislenko, V.V. *see* Afonin, V.V. 87–21912
Tislenko, V.V. *see* Budzko, I.A. 85–65675
Tisma, M. *see* Subotic, K.M. 85–64375
Tismenetsky, M. A direct method for solving linear systems 88–337
Tison, J.K., Cohen, M.G. Lasers in mask repair 87–38426
Tisone, G.C., Rjce, J.K., Dreike, P.L. Generation of a lithium plasma for large area ion diodes 87–21377
Tisone, G.C. *see* Dreike, P.L. 86–32143, 87–21376
Tisone, G.C. *see* Gerber, R.A. 86–32102
Tisone, G.C. *see* Johnson, A.W. 85–50445
Tisone, G.C. *see* Muller, C.H., III 88–51782
Tisserand, C. *see* Cossie, A. 87–51561
Tisserant, S. *see* Berger, C. 88–22937
Tissier, A. *see* Pauleau, Y. 87–11702
Tissot, A. *see* Auberton-Herve, A.J. 88–64779
Tissot, J.L. *see* Destefanis, G.L. 87–3486
Tissot, M. *see* Desvignes, F. 87–21723
Tissot, M. *see* Doittau, F.-X. 86–18048
Tissot, M. *see* Farrayre, A. 86–31243
Tissot, R. *see* Greene, N. 88–59538
Tistarelli, M. *see* Sandini, G. 86–59367
Tistarelli, M. *see* Vernon, D. 88–59307
Tistol, N.K. *see* Ryaben'skii, V.M. 87–43206
Tisunov, Yu.A. *see* Karev, A.P. 85–10187
Titaev, A.A. *see* Bochkar', E.P. 88–33883
Titarchuk, V.A. *see* Apanasevich, P.A. 87–33287
Titarenko, A.M. *see* Presnyakov, I.N. 85–63053
Titarenko, G.V. *see* Korablev, E.M. 87–26112
Titchener, L. Meeting stringent demands [miniature DIL relays] 85–61500
Titchener, M.R. Construction and properties of the augmented and binary-depletion codes 85–41852
Titchener, M.R. Character-error bound for the T-code synchronisation process 87–47500
Titchener, M.R. Synchronization and encryption over noisy channels 87–47542
Titchener, M.R., Hunter, J.J. Synchronisation process for the variable-length T-codes 86–29718
Titchener, P.F. *see* Widrow, B. 87–69142
Titchmarsh, J.G. *see* Vyas, M.K.R. 86–42307
Titcomb, S.L. *see* Foty, D.P. 87–32530
Titcomb, S.L. *see* Zvanut, M.E. 85–39807
Tite, J. Automation: a step-by-step approach toward competitiveness 88–31456
Titel, W., Jurgeit, R., Munte, H.-J., Rausch, B., Morawski, D. Fabrications methods for optical integrated CCD's–sensors with low dark current 87–63286
Titer, J. *see* Perat, V. 87–68816
Titheridge, J.E. Ionogram analysis: least squares fitting of a Chapman-layer peak 85–41610
Titheridge, J.E. Numerical errors in the real-height analysis of ionograms at high latitudes 88–5160
Titizer, K. *see* Wong, S. 88–71783
Titkin, V.M. *see* Novik, G.Kh. 87–65814
Titkin, V.M. *see* Polikarpova, R.G. 87–44543
Titko, A.I. Non-stationary electromagnetic fields in large turbogenerators 85–60109
Titko, A.I. Electromagnetic screening by multilayer structures 86–64019
Titko, A.I. *see* Schastlivyi, G.G. 86–39709
Titkov, A.N., Iiuridze, G.N., Mironov, I.F., Cheban, V.A. Interband Auger recombination involving a spin-orbit split-off valence band in *p*-type GaSb crystals 86–58246
Titkov, A.N. *see* Lagunova, T.S. 85–50200
Titkov, E.I. *see* Bryukhnevich, G.I. 86–8699
Titkov, E.P. *see* Gritsenko, I.P. 86–61108
Titkov, V.V. *see* Adam'yan, Yu.E. 87–9163
Titkov, V.V. *see* Bocharov, Yu.N. 88–40498
Titkov, V.V. *see* Grigor'ev, A.V. 85–61475
Title, M.A., Walpita, L.M., Wei-Xi Chen, Lee, S.H., Chang, W.S.C. Reactive ion beam etching of PLZT electrooptic substrates with repeated self-aligned masking 86–53998
Title, M.A. *see* Esener, S.C. 87–12256, 87–60976, 88–7980
Title, M.A. *see* Lee, S.H. 86–42370, 87–12261
Titlebaum, E.L. *see* Bellegarda, J.R. 88–53370
Titli, A. *see* Calvet, J.L. 85–26997
Titli, M. *see* Bianco, S. 86–28884, 86–53944, 87–68042
Titli, M. *see* Esposto, F. 87–40889
Titmas, S. *see* Toone, J.W. 88–3374
Titmuss, G. *see* Higgins, M. 85–31104, 85–35562
Titmuss, W. A multifunction test instrument 85–31500
Titomir, L.I., Ruttkay-Nedecky, I. Chronotopocardiography: a new method for presentation of orthogonal electrocardiograms and vectorcardiograms 87–63779
Titov, A. Studies to improve the accuracy of laser frequency standards 87–14447
Titov, A., Malyshev, Yu., Rastorguev, Yu. Second-order Doppler shift in lasers stabilized by saturated absorption 88–51739
Titov, A.A. A method of improving class-*A* transistor amplifier output power 86–40932
Titov, A.A. Calculation of the upper limit of the linear dynamic range for multioctave transistor power amplifiers 87–59204
Titov, A.A. Approximation of the operating behavior of the limiting frequency and static current gain of a bipolar transistor 88–7580
Titov, A.A. *see* Kokovin, G.A. 86–20035
Titov, A.A. *see* Mladenov, G.M. 86–40326
Titov, A.A. *see* Morgenstern, T. 87–38065
Titov, A.D. *see* Rudnitskii, A.S. 85–46613, 87–33487
Titov, A.D. *see* Rudnitskiy, A.S. 87–47270
Titov, A.N. *see* Malyshev, Yu.M. 85–24660
Titov, A.V. Calculation of the characteristics of one type of digital filter 85–55049
Titov, A.V. A method of converting a signal spectrum from a Walsh function basis into a discrete trigonometric function basis 86–16310
Titov, A.V. The use of a Walsh basis to solve the problem of orthogonal-signal recognition 86–54502
Titov, A.V. The use of Walsh filters for filtering polynomial signals 86–69080
Titov, A.V. The use of Walsh functions to calculate the characteristics of digital FIR-filters 87–55084
Titov, A.V. Comparative evaluation of some methods for making digital filters 88–63808
Titov, A.V. *see* Zhesterev, A.Ye. 88–66503
Titov, L.A. *see* Nepomnyashchii, V.A. 87–22166
Titov, M.A., Bondarenko, N.N. Fast realization of nonrecursive digital filters where there is a limitation of the signal delay 85–11436
Titov, M.A., Shpenov, M.N., Savin, V.V. Fast linear convolution algorithm based on a rectangular transformation 87–27392
Titov, M.N. Dependence on voltage of the intensity of partial discharges in capacitor insulation 86–33576
Titov, P.A. *see* Zhukov, A.V. 88–17297
Titov, S.A. *see* Sorokin, V.A. 86–40958
Titov, S.L. Reversing-count pulse former for microprocessor systems 86–41054
Titov, S.L. Displacement converter with improved resolution 87–63339
Titov, S.L., Kozlyuk, P.v., Malinochka, V.P. Fault detector for digital-filter memory units 87–24352
Titov, S.P. *see* Enyakin, Yu.P. 86–33038
Titov, S.P. *see* Gorbanenko, A.D. 86–39509
Titov, V.A. *see* Ageev, A.I. 88–47779
Titov, V.A. *see* Balbekov, V.I. 85–26562
Titov, V.A. *see* Beketov, G.V. 88–44684
Titov, V.A. *see* Boldyshev, V.F. 88–54012
Titov, V.A. *see* Burtsev, V.A. 87–43487
Titov, V.E. *see* Korotkevich, G.P. 86–61709
Titov, V.F. *see* Ageev, A.G. 87–71792
Titov, V.F. *see* Margulova, T.Kh. 85–65049, 86–65881
Titov, V.G. *see* Fialkov, A.S. 85–44013
Titov, V.G. *see* Khvatov, S.V. 86–7178, 86–26333, 87–43500
Titov, V.L. *see* Levin, N.N. 87–22315
Titov, V.M. *see* Shvetsov, G.A. 88–40503 to 40504
Titov, V.S., Yakushenkov, Yu.G. Procedure for complex evaluation of photoelectric autocollimators 85–29715
Titov, V.S. *see* Bukreev, V.G. 88–67757
Titov, V.S. *see* Kolodin, V.A. 87–29070
Titov, V.S. *see* Mel'nik, B.B. 85–56398
Titov, V.V. *see* Ivashchenko, A.V. 87–68212
Titov, V.V. *see* Pavlovskii, E.G. 87–19729
Titov, Yu.M. Model of standardised colour space of three-zone sensor in image processing system 88–73194
Titov, Yu.M. *see* Ignatieva, A.V. 86–59986
Titov, Yu.M. *see* Ivanov, N.A. 85–41436
Titov, Yu.M. *see* Ovechko, V. 86–18114
Titov, Yu.M. *see* Zhemerov, B.N. 86–17622
Titova, E.E., Irzhichek, F., Lychkina, I.V., Raspopov, O.M., Trakhtengerts, V.Yu., Triska, P., Yurov, V.E. Spectral broadening of signals from VLF transmitters in the upper ionosphere 86–22670
Titova, E.E. *see* Trakhtengerts, V.Yu. 86–63983
Titova, E.Ya. *see* Fomina, V.I. 86–39507
Titova, E.Ya. *see* Fomina, V.N. 86–33051
Titova, L.I. *see* Fishkin, E.E. 87–78539
Titova, L.I. *see* Kostelyanets, V.S. 87–78538
Titova, N.P. *see* Kishkurno, A.A. 86–24582
Tits, A. *see* Visvanathan, V. 85–16775
Tits, A.L., Ma, Z. Interaction, specification refinement, and tradeoff exploration in optimization-based design of engineering systems 87–16354
Tits, A.L., Nye, W.T., Sangiovanni-Vincentelli, A.L. Enhanced methods of feasible directions for engineering design problems 87–16352
Tits, A.L. *see* Nye, W. 88–49956
Titscher, G. *see* Felber, W. 85–16071
Tittel, F.K., Marowsky, G., Nighan, W.L., Zhu, Y., Sauerbrey, R.A., Wilson, W.L., Jr. Injection-controlled tuning of an electron-beam-excited XeF($C \to A$) laser 87–12363
Tittel, F.K., Wilson, W.L., Nishida, N., Zhu, Y., Nighan, W.L., Nachshon, Y. Optimization of broadband electrically excited excimer lasers 85–12771
Tittel, F.K. *see* Guo Zhenhua 85–18838
Tittel, F.K. *see* Kubodera, S. 88–51435
Tittel, F.K. *see* Marowsky, G. 85–56478, 86–9725
Tittel, F.K. *see* Nachshon, Y. 85–12764
Tittel, F.K. *see* Nighan, W.L. 85–7348, 87–38979, 88–8136
Tittel, F.K. *see* Nishida, N. 88–51719
Tittel, F.K. *see* Sartori, M.P. 88–8364
Tittel, F.K. *see* Sauerbrey, R. 85–51094, 87–61204
Tittel, F.K. *see* Sauerbrey, R.A. 86–42472
Tittel, F.K. *see* Stephens, J.W. 87–7315
Tittel, F.K. *see* Stiegler, H. 87–68395
Tittel, F.K. *see* Wilson, W.L., Jr. 85–41317
Tittel, F.K. *see* Zhenhua, G. 85–12774
Tittel, F.K. *see* Zhu, Y. 87–7251, 88–14074
Tittelbach-Helmrich, K. *see* Kirscht, F.-G. 88–44629
Tittensor, P.J. *see* Beeby, I.P. 87–54753
Titterington, D.M., Rossi, C. Another look at a Bayesian direct deconvolution method 86–3889
Titterington, D.M. *see* Kay, J.W. 87–2649
Titterington, D.M. *see* Macleod, J.E.S. 88–8821
Tittle, C.W., Burger, C., Mathis, G., Veneruso, A.F. Gearhart pulsed neutron logging: the thermal decay log (TDL) 85–59449
Tittmann, B.R., Ahlberg, L.A., Fertig, K.W. Ultrasonic microstructural noise parameters in a powder metal alloy 85–6068
Tittmann, B.R., Hosten, B., Abdel-Gawad, M. Ultrasonic attenuation in carbon-carbon composites and the determination of porosity 87–71473
Tittmann, B.R. *see* Addison, R.C., Jr. 88–54784
Tittmann, B.R. *see* Ahlberg, L. 85–6078
Tittmann, B.R. *see* Cohen-Tenoudji, F. 85–6083
Tittmann, B.R. *see* Graham, J.L. 87–71469
Tittmann, B.R. *see* Hosten, B. 87–71475
Tittmann, B.R. *see* Norris, A.N. 85–6077
Tittmann, B.R. *see* Varadan, V.V. 88–31892
Tittmann, E. *see* Scheffler, K. 85–4751
Titus, A.C. Photomask defects: causes and solutions 85–23606
Titus, C. *see* Cox, S.A. 86–30232
Titus, H.A. *see* Fahmy, A.M. 87–69553, 88–9656
Titus, J. MIL-STD-1553 bus finds use in diverse military systems 85–40147
Titus, J. Enhanced 1-chip μCs 86–27324
Titus, J. Versatile add-in boards acquire and process video images and graphics in real time 86–67289
Titus, J. DSP ICs 87–10890
Titus, J. Industrial buses 87–44985
Titus, J. MAC chips 87–59293
Titus, J. High-functional LSI chips of high-speed operations for multiplier-accumulator and pipeline structure 88–25108
Titus, J.A. Free-form filter design 85–22992
Titus, J.L., Platteter, D.G. Wafer mapping of total dose failure thresholds in a bipolar recessed field oxide technology 88–26497
Titus, J.W. *see* Cross, D.C. 87–3226
Titus, L. *see* Johannsen, K.G. 87–14501
Titus, S., Kelly, P. Defect density reduction in a Class 100 fab utilizing the standard mechanical interface 88–19783
Titus, W., Tajima, Y., Pucel, R.A., Morris, A. Distributed monolithic image rejection mixer 87–32099
Titus, W. *see* Tajima, Y. 85–55166
Tityukov, Yu.G. A study of varactor up-converter output power as a function of load and source impedance 87–45220
Tityukov, Yu.G. Investigation of microwave varactor up-converters at the second harmonic of the pumping frequency 88–25498
Tityukov, Yu.G., Yakovenko, V.A. Design of matching circuits for parallel–type broadband diode frequency converters 87–59809
Tityukov, Yu.G., Yakovenko, V.A. Calculations of diode operation in a high-power upconverter 87–72246
Titze, I.R., Horii, Y., Scherer, R.C. Some technical considerations in voice perturbation measurements 87–56438
Titze, O. *see* Alrutz-Ziemssen, K. 87–41706
Titzler, P.A., Bennett, K.L., Kelley, R.S., Stringer, J.L. BRET fuel assembly dismantling machine 85–22048
Titzler, P.A., Moffett, S.D., Lerch, R.E. Hot Cell Verification Facility update 86–19803
Tiu, S.S.H. *see* Beus, H.L. 87–69305
Tiucra, R. *see* Weinrich, G. 88–69733
Tiulescu, S., Nedelcut, D., Oanta, Gh. Saturable reactors usage in fine adjusting of current in aluminium smelting plants 88–62809
Tiun-Ji Wan *see* Wan Tiun-Ji
Tiunchik, V.M. *see* Kirko, I.M. 88–23897
Tiunchik, V.M. *see* Mann, E.G. 86–51927
Tiunov, A.V. *see* Alimov, A.S. 88–22867
Tiunov, A.V. *see* Grishin, V.K. 87–50083
Tiunov, V.M. *see* Korolev, A.V. 86–23164
Tiuri, M. Microwave sensor applications in industry 88–16101
Tiuri, M. Microwave sensor applications in industry 88–53597
Tiusanen, M. *see* Kujansuu, R. 86–62050
Tiusanen, T.P. *see* Jaarinen, J.P. 85–53227
Tiutiunnikov, S.I. *see* Dolbilov, V.G. 87–41683

Tivanov, G.G. Analysis of the mathematical models used in thermal quality control of composite materials 88–49903

Tivattanasuk, E.S. *see* Rhodes, M.L. 87–57257

Tivitian, V., Kiely, C.J., Geohegan, D.B., Eden, J.G. Epitaxial growth of Ge films on GaAs (285-415 °C) by laser photochemical vapor deposition 88–49795

Tiwald, T.E., Soukup, R.J., Moss, E.P., Rankin, S.D. Automated circuit analysis as applied to MIS (MIM) structures 87–10611

Tiwald, T.E., Soukup, R.J., Moss, E.P., Rankin, S.D. Automated circuit analysis as applied to MIS (MIM) structures 88–1458

Tiwald, T.E. *see* Soukup, R.J. 88–64356

Tiwari, A. *see* Braisted, P. 87–41053

Tiwari, A.K. Banach-space valued distributional signals and pseudo signals 87–2518

Tiwari, A.K., Bhat, B., Singh, R.P. Generalized coupled dielectric waveguide and its variants for millimeter wave applications 86–68815

Tiwari, A.K., Bhatt, B. Effect of metallic side walls on field distribution of generalized, single and coupled dielectric wave guide 88–7007

Tiwari, A.K., Goyal, R.K. Banach space valued distributional signals and their generalized Laplace transform 87–75819

Tiwari, A.K., Rastogi, A.K., Bhat, B. Shielded suspended dielectric guide 86–64041

Tiwari, A.K., Singh, R.P. An efficient image guide mode launcher 86–62815

Tiwari, A.K., Singh, R.P. Measurement of quality factor of the coupled nonradiative dielectric guide 88–7006

Tiwari, A.N., Pandya, D.K., Chopra, K.L. Electrical and optical properties of single-phase $CuInS_2$ films prepared using spray pyrolysis 86–21167

Tiwari, A.N., Pandya, D.K., Chopra, K.L. Analysis of the photovoltaic properties of sprayed $CuInS_2/SnO_x$:F solar cells 87–30974

Tiwari, A.N., Pandya, D.K., Chopra, K.L. Fabrication and analysis of all-sprayed $CuInS_2/ZnO$ solar cells 88–31016

Tiwari, A.N. *see* Chopra, K.L. 87–72451

Tiwari, A.N. *see* Kumar, S. 87–1230

Tiwari, B.R. Critical angle effect on MUF separation between *o*- and *x*-radiowave propagation at oblique incidence on the ionosphere 88–20901

Tiwari, B.R. Critical angle effect on o- and x-appearance-time separation for short waves at oblique incidence 88–40557

Tiwari, D.C., Hartnagel, H.L. Coupled transmission line analysis for harmonic generation in travelling-wave MESFETs 85–55150

Tiwari, D.C., Hartnagel, H.L. Nonlinear coupled transmission line analysis for second harmonic generation in traveling-wave GaAs MESFET's 86–41324

Tiwari, D.C. *see* Fricke, K. 87–45231

Tiwari, D.S. Power development in Madhya Pradesh—retrospect and prospect 88–5519

Tiwari, D.S. The power system of Madhya Pradesh Electricity Board 88–48440

Tiwari, G. *see* Chavda, F.R. 88–44658

Tiwari, G.N., Sharma, S.B., Gupta, S.P. Transient performance of a horizontal floating gas holder type biogas plant 88–75952

Tiwari, K.N., Das, D.K., Goel, P.K. Forecasting of wind energy—a case study 88–10952

Tiwari, L.M. *see* Singh, S.P. 86–13057

Tiwari, P. Lower bounds on communication complexity in distributed computer networks 85–36494

Tiwari, P. Lower bounds on communication complexity in distributed computer networks 88–67005

Tiwari, P.K., Ibrahim, M., Calla, O.P.N. Implementation and testing of FFT hardware through microprocessor 87–75822

Tiwari, P.S. Maximizing communication channel utilization in digital speech interpolation systems 86–59720

Tiwari, R.K. *see* Chopra, Y.C. 85–8186

Tiwari, R.N., Dharmar, S., Rao, J.R. Priority structure in fuzzy goal programming 86–62073

Tiwari, R.N. *see* Prasad, M. 87–71978

Tiwari, S. Short gate-length field-effect transistors in gallium arsenide 85–6937

Tiwari, S. Improving output conductance of short channel GaAs field-effect transistors 85–6938

Tiwari, S. High speed logic implementation of the heterostructure bipolar transistor 85–44986

Tiwari, S. Circuit performance of GaAlAs/GaAs heterostructure bipolar junction transistors 86–35856

Tiwari, S. Performance of heterostructure FETs in LSI 86–53820

Tiwari, S. Circuit performance of heterostructure FETs 86–63473

Tiwari, S. GaAlAs/GaAs heterostructure bipolar transistors: experiment and theory 87–46174

Tiwari, S. A new effect at high currents in heterostructure bipolar transistors 88–39386

Tiwari, S., De Luca, J.C., Deline, V.R. Rapid thermal annealing of Zn^{64} and Mg^{24} implants in GaAs 86–2028

Tiwari, S., Frank, D.J. Barrier ad recombination effects in the base-emitter junction of heterostructure bipolar transistors 88–39376

Tiwari, S., Ginzberg, A., Akhtar, S., Wright, S.L., Marks, R.F., Kwark, Y.H., Kiehl, R. Heterostructure devices using self-aligned p-type diffused ohmic contacts 88–71345

Tiwari, S., Hintzman, J., Callegari, A. Rapid thermal diffusion and ohmic contacts using zinc in GaAs and GaAlAs 88–25956

Tiwari, S., Hintzman, J., Callegari, A., Wright, S. Refractory p-ohmic-contact to GaAs and $Ga_xAl_{1-x}As$ ($x\sim0.3$) based on diffusion of Zn in a rapid thermal furnace 88–33168

Tiwari, S., Price, W.H. Platinum intermetallic resistors for GaAs-based circuits 85–45743

Tiwari, S., Wright, S.L. Symmetric-gain, zero-offset, self-aligned, and refractory-contact double HBT's 87–74259

Tiwari, S., Wright, S.L., Kleinsasser, A.W. Transport and related properties of (Ga, Al)As/GaAs double heterostructure bipolar junction transistors 87–38208

Tiwari, S. *see* DiBiaso, L.S. 86–16811

Tiwari, S. *see* Hung, M.Y. 85–45639

Tiwari, S. *see* Iyer, S.S. 88–39416

Tiwari, S. *see* Kiehl, R.A. 88–57677

Tiwari, S. *see* Murakami, M. 88–7363

Tiwari, S. *see* Nathan, M.I. 88–7340, 88–32774

Tiwari, S. *see* Patton, G.L. 88–39387

Tiwari, S. *see* Tang, J.Y.F. 85–45873

Tiwari, S. *see* Wright, S.L. 87–24822, 87–74069

Tiwari, S.C. Effect of magnetic field on $n^+ nn^+$ GaAs ballistic diode 85–34917

Tiwari, S.C. Emission of HF radiation in $n^+n(x)n^+$ GaAs devices under crossed electric and magnetic fields 86–53381

Tiwari, S.C. Non-equilibrium transport in submicron GaAs devices 87–25190

Tiwari, S.C., Chhalotra, G.P. Digital simulation of complicated sequential unbalances of three phase power systems using 45°, 165° and 285° frame components 87–57496

Tiwari, S.C., Chhalotra, G.P. Sequential fault transients analysis and simulation using a new power transformation 87–78099

Tiwari, S.C., Holway, L.H., Chu, S.L. Comments on 'Theory and measurement of back bias voltage in IMPATT diodes' [and reply] 85–23127

Tiwari, S.C. *see* Chhalotra, G.P. 86–25483

Tiwari, S.C. *see* Van Zeghbroeck, B.J. 86–2103

Tiwari, S.N., Singh, L.P. Six-phase (multiphase) power systems: transient stability analysis 86–18673

Tiwari, S.N. *see* Binsaroor, A.S. 88–68860

Tiwari, S.N. *see* Kuhlman, J.M. 87–17587

Tiwary, H.V. Ferroelectric polymer for thermodielectric energy conversion 86–56955

Tiwary, U., Basu, B.N. Noniterative method for the synthesis of convergent Pierce electron guns 87–53102

Tiwary, U., Basu, B.N. Noniterative synthesis of convergent Pierce electron guns by the conformal mapping of electrode shapes using logarithmic transformation 88–64166

Tix, U. Installing electrical alarm systems and security lighting 86–13421

Tix, U. The current supply of building and assembly sites 88–6079

Tixador, P. *see* Brunet, Y. 87–15703, 87–22254, 87–42852, 87–64647, 88–69284

Tixier, M. *see* Duchene, J. 87–50936

Tizabi, Dj., Fischer, A.G. Simplified TFT matrix fabrication 86–27752

Tizaka, H. *see* Kuita, T. 87–4415

Tiziani, A., Matteazzi, P., Zambon, A., Molinari, A. Heat treatment effects of laser welding on austenitic stainless steel 88–45587

Tiziani, A. *see* Crepaz, G. 86–52053

Tiziani, H. *see* Seitz, G. 87–35187

Tiziani, H.J. Application of interferometry and holography for precision measurements 85–51309

Tiziani, H.J. Computer aided laser measurement techniques 87–75293

Tiziani, H.J., Holler, F. New light valve based on photoinduced space charge fields in BSO-crystals 88–2065

Tiziani, H.J. *see* Dorband, B. 86–3321

Tiziani, H.J. *see* Hege, G.E. 87–77421

Tiziani, H.J. *see* Holler, F. 86–48218

Tiziani, H.J. *see* Leonhardt, K. 87–77422

Tiziani, R. *see* Cognetti, C. 87–36510, 88–198, 88–25735

Tiziani, R. *see* Hopkins, T. 88–49543

Tizzard, D.W. Low-cost voltage-controlled amplifier 86–46591

Tizzi, S. *see* Marchetti, M. 87–12853, 88–2888

Tjaden, D.L.A. *see* Bachmann, P.K. 86–36242

Tjahjadi, T., Steenaart, W. Adaptive filter realization with a minimum number of multipliers 85–17734

Tjahjadi, T., Steenaart, W.J. Adaptive filter realization with a minimum number of multipliers 85–34075

Tjahjadi, T. *see* Mahdavieh, Y. 86–16578

Tjalkens, T.J. Source coding algorithms 88–66314

Tjalkens, T.J., Willems, F.M.J. Variable to fixed-length codes for Markov sources 87–47512

Tjalkens, T.J., Willems, F.M.J. Redundancy and complexity aspects for arithmetic codes 87–54963

Tjalkens, T.J., Willems, F.M.J. Universal variable-to-fixed length source coding for binary memoryless sources 87–75728

Tjalkens, Tj.J., Willems, F.M.J. Arithmetic coding 85–57282

Tjapkin, D., Milanovic, V., Ikonic, Z. Periodic semiconductor superlattices—some electrical, transport and optical properties 85–40488

Tjapkin, D. *see* Milanovic, V. 86–35410

Tjapkin, D.A., Tosic, T.I., Jevtic, M.M. Mobility of holes in *p*-type silicon determined by the self-consistent method 85–6696

Tjarnstrom, R. The propagate altered signals only algorithm for event driven simulation of CMOS circuits 87–1798

Tjelle, P.A. *see* Dunbar, W.G. 88–18498

Tjellstrom, A., Albrektsson, T., Lodstrom, C.-G., Rosenhall, U. Intraosseous transducers for hearing by bone conduction. Peroperative measurements 85–43433

Tjellstrom, A. *see* Hakansson, B. 87–21514

Tjelta, T., Olsen, R.L., Martin, L. An investigation of terrain related variables for predicting the multipath fade depth distribution on terrestrial microwave links 88–34319

Tjelta, T. *see* Martin, L. 86–68769, 88–34333

Tjelta, T. *see* Olsen, R.L. 86–69592, 88–34320

Tjerbinos, V. Troubleshooting a broadband mixer in 10 quick steps 88–614

Tjho, J.K. *see* Callaghan, T.G. 86–29872

Tjhung, T.T., Ko, C.C., Yeo, P.S., Leong, S.C. Optimum bandpass filter design for timing extraction in digital repeaters 88–27972

Tjhung, T.T., Lim, T.K., Mendis, F.V.C., Heng, S.G. Multichannel frequency modulated TV transmission on analogue optical fibre link 85–42720

Tjhung, T.T., Lye, K.M., Koh, K.A., Tan, B.T. On discriminator-detected binary FSK in a fading environment 88–28726

Tjhung, T.T., Mendis, F.V.C., Selvan, B. Use of superluminescent diodes in PFM optical video transmission 86–4638

Tjhung, T.T., Selvan, B., Haldar, M.K., Mendis, F.V.C. Single-mode 1.3 μm optical fibre link for analogue multichannel television 86–49838

Tjhung, T.T., Teo, S.K., Mendis, F.V.C., Selvan, B. Refractometry through optical frequency-domain reflectometry 85–56296

Tjhung, T.T., Yeo, K.K., Wittke, P.H. Effects of pulse shaping and soft decisions on the performance of digital FM with discriminator detection 87–12885

Tjhung, T.T. *see* Chan, P. 87–39570

Tjhung, T.T. *see* Ghatak, A.K. 85–56324, 86–22133

Tjhung, T.T. *see* Haldar, M.K. 86–54062

Tjhung, T.T. *see* Kam, P.Y. 87–39821

Tjhung, T.T. *see* Ko, C.C. 88–27809, 88–29427

Tjhung, T.T. *see* Lye, K.M. 87–33633, 88–28563

Tjhung, T.T. *see* Mendis, F.V.C. 86–17628, 88–41631

Tjhung, T.T. *see* Tan, B.T. 85–19310

Tjhung, T.T. *see* Tan, C.T. 88–46479

Tjhung, T.T. *see* Tan, K.J. 87–39593

Tjhung, T.T. *see* Yeo, K.K. 85–41847

Tjiang, S.W.K. *see* Horowitz, M. 87–59603

Tjoa, G.L., den Boef, R. A remote-controlled calibration device for displacement transducers 87–49691

Tjoelker, R. *see* Gabrielse, G. 88–61031

Tjokronegoro, H.R. *see* M'Sirdi, N.K. 88–73090

Tjukanov, E. Tunnel diode oscillators in capacitive measurements at low temperatures 85–43073

Tjung, T.T., Ng, C.S., Yeo, K.K., Wittke, P.H. Error performance analysis for narrow-band duobinary FM with discriminator detection 85–46662

Tjutjungiev, N. *see* Andreeva, A. 88–50155

Tkach, A. CAD system helps link imaginary vision and reality 86–24009

Tkach, J. *see* Eddy, R. 87–60281

Tkach, J. *see* Marty, M. 86–15064

Tkach, N.G. *see* Abramov, B.M. 86–65367

Tkach, N.G. *see* Radkevich, I.A. 86–60623

Tkach, R.W., Chraplyvy, A.R. Regimes of feedback effects in 1.5-μm distributed feedback lasers 87–18971

Tkach, R.W., Chraplyvy, A.R. Phase noise and linewidth in an InGaAsP DFB laser 87–18973

Tkach, R.W., Chraplyvy, A.R., Derosier, R.M. Spontaneous Brillouin scattering for single-mode optical-fibre characterisation 87–7083

Tkach, R.W., Chraplyvy, A.R., Derosier, R.M., Shang, H.T. Optical demodulation and amplification of FSK signals using AlGaAs lasers 88–35476

Tkach, R.W. *see* Chraplyvy, A.R. 86–22375, 86–42247, 86–63822, 87–8269

Tkach, R.W. *see* Chung, Y.C. 88–58532

Tkach, R.W. *see* Darcie, T.E. 88–15457

Tkach, R.W. *see* Gosnell, T.R. 85–35722

Tkach, R.W. *see* Kwa, P. 86–9842

Tkach, R.W. *see* Lucero, A.J. 88–40201

Tkach, V.I. *see* Pan'ko, S.P. 85–58821

Tkach, Yu.Ya. *see* Gulyaev, Yu.V. 85–55322

Tkach, Yu.Ya. *see* Sukhanov, A.A. 85—29223
Tkachenko, A.A., Lubenskii, V.E., Balk, E.A., Bulgakova, N.P. Production of high-value resistors based on Cermet K-30S for special application subassemblies 88—32482
Tkachenko, A.A. *see* Fak, I.I. 87—16730
Tkachenko, A.E. *see* Likhtzinder, B.Ya. 88—38452
Tkachenko, A.N. *see* Deinega, V.P. 85—47901
Tkachenko, A.N. *see* Likhttsinder, B.Ya. 88—50497
Tkachenko, A.P. *see* Grinstein, M.L. 85—26042
Tkachenko, A.S. *see* Lysenko, V.S. 87—74134
Tkachenko, A.Yu., Ivanov, Yu.L. Current in *p*-InSb which is even in the electric field 85—1311
Tkachenko, B.V., Mel'nikov, A.O., Ridler, V.K., Lazutin, L.L., Dubakov, A.K., Gorokhov, N.A., Pertsovskiy, R.A., Patenchikov, A.A., Sazanov, V.A. The effect of variations in the electric field and the intrusion of charged particles on the characteristics of SW-radio signals on an auroral radio path 87—26762
Tkachenko, E.V. *see* Viktorov, E.A. 88—20807
Tkachenko, G.I. *see* Ershov, Yu.K. 86—22633, 88—34238
Tkachenko, I.G. *see* Krivonos, V.P. 85—5559
Tkachenko, K.I. *see* Gusev, O.A. 86—44492
Tkachenko, L.A. *see* Bovsunovskii, A.Yu. 88—71030
Tkachenko, L.A. *see* Zaritskaya, E.A. 87—45245
Tkachenko, L.P. Standardization in gas lasers for metrological purposes 87—7261
Tkachenko, L.P. *see* Privalov, V.E. 88—14281
Tkachenko, M.D. *see* Kapinos, V.M. 86—31635
Tkachenko, N.N. Grain boundaries and a mechanism of the current flow path in polycrystalline silicon-based phototransformers 87—45665
Tkachenko, N.N., Perova, V.I., Fal'kevich, E.S., Berezenko, L.E., Kagan, M.B., Kholev, B.A. Photoconversion in a p-n junction based on polycrystalline silicon 87—61035
Tkachenko, N.N., Perova, V.I., Nazarenko, V.N., Pecheritsa, A.I., Shvartsman, L.Ya. Ohmic contacts to polycrystalline silicon photodiodes 85—50278
Tkachenko, N.N. *see* Berezenko, L.E. 87—58321
Tkachenko, N.N. *see* Zinchenko, E.A. 85—51030
Tkachenko, O.V. *see* Nikolaenko, V.M. 85—17114
Tkachenko, S.A. *see* Kiselev, S.B. 85—58709
Tkachenko, S.L. *see* Boldyrevskii, P.B. 87—52111
Tkachenko, T.L. *see* Kudryavtsev, A.A. 86—15634
Tkachenko, V.A. *see* Gorodkov, V.E. 85—10859
Tkachenko, V.A. *see* Rakhimov, V.F. 86—555
Tkachenko, V.G. *see* Parasochkin, V.A. 87—52025
Tkachenko, V.I. *see* Bondarenko, M.B. 85—57047, 88—72505
Tkachenko, V.I. *see* Kirilenko, A.A. 86—22758, 86—29527, 88—66154
Tkachenko, Vl.I. *see* Bondarenko, M.B. 88—72505
Tkachenko, Yu.P. *see* Mosyagin, V.V. 86—57681
Tkachev, A.N. *see* Kolesnikov, E.V. 85—7139
Tkachev, G.N. *see* Drobzhev, V.I. 87—39378
Tkachev, K.I. *see* Negodenko, O.N. 86—34981
Tkachev, L.G. *see* Krumshtein, Z.V. 85—26724
Tkachev, V.D., Holzer, G., Chelyadinskii, A.R. Damage profiles in ion implanted silicon 85—1493
Tkachuk, A.A. *see* Dudnik, B.S. 87—34897
Tkachuk, A.Ya., Korbut, V.P., Dovgalyuk, V.B., Dubrovskii, B.I. Improving the system of heat exchange in the machine halls of nuclear power stations equipped with VVER-1000 reactors 87—42576
Tkachuk, B.V. *see* Andrushko, L.M. 85—41105
Tkachuk, B.V. *see* Kalyuzhnaya, L.V. 87—46275
Tkachuk, I.P. *see* Gavrilyuk, V.I. 88—29930
Tkachuk, O.A. *see* Tarasenko, V.F. 88—58443
Tkachuk, P.N. *see* Chepelev, V.V. 85—1302
Tkachuk, P.V. Unit for physical modeling of problems of surface-well electrometry 88—61604
Tkachuk, R. *see* Abegg, R. 85—37899
Tkachuk, R.Z. *see* Ereik, D.M. 87—53226
Tkachuk, R.Z. *see* Freik, D.M. 87—63487, 88—1624
Tkachuk, V.F. *see* Shats, Yu.Ya. 88—14989
Tkachuk, V.I. *see* Osidach, Yu.V. 86—12859
Tkachuk, V.P. Calculation of the elements of a quasi-optical line forming a specified radiation pattern 86—22841
Tkachuk, V.P. Frequency-phase scanning of a quasioptical focusing system 88—2512
Tkachuk, V.P. *see* Andriychuk, M.I. 87—75580
Tkachuk, V.P. *see* Voytovich, N.N. 85—35996
Tkachuk, Yu.N. *see* Baev, S.G. 85—2451
Tkaczyk, S., Swiatek, J., Kwiatkowska, A. Polybutadiens as materials for X-ray lithography 88—44717
Tkaczyk, S.M., Blissett, J.A., Hart, J.C., Hasell, D.K., Parham, A.G., Payne, B.T., Roberts, J.H.C., Saxon, D.H., Foster, B., Gilmore, R.S., Malos, J., Tapper, R.J., Wilkinson, N. Performance of a prototype drift chamber with 100 MHz FADC readout 88—54432
Tkaczyk, S.M., Blissett, J.A., Hart, J.C., Hasell, D.K., Parham, A.G., Payne, B.T., Roberts, J.H.C., Saxon, D.H., Foster, B., Gilmore, R.S., Malos, J., Tapper, R.J., Wilkinson, N. Performance of a prototype drift chamber with 100 MHz FADC readout 88—68283
Tkatchenko, A. *see* Zyngier, H. 86—25104
Tkatchenko, M. *see* Barthes, M. 86—50274
Tkatchenko, S., Koval, V. The optimization of temperature regime in radioelectronic devices when solving placement problems 87—436
Tkhabisimov, D.K. Computer-aided search for references in Earth surface imagery by means of spectral analysis 85—59437
Tkhai Zieu Dao *see* Dao Tkhai Zieu
Tkhan', C.D. *see* Anisimov, Yu.S. 87—63670
Tkhan Chan Dyk *see* Chan Dyk Tkhan
Tkhan' Tam Nguyen *see* Nguyen Tkhan' Tam
Tkhe Vin Fam *see* Fam Tkhe Vin
Tkhek-de Im *see* Im Tkhek-de
Tkhi Ngok Zung Chan' *see* Chan' Tkhi Ngok Zung
Tkhorik, J.A. *see* Brailovskii, E.J. 86—47513
Tkhorik, Yu.A. Homogeneity investigation of $Ge_{1-x}Si_x$ epitaxial heterolayers on GaAs substrates 87—31503
Tkhorik, Yu.A. *see* Garyagdyev, G. 88—26959
Tkhorik, Yu.A. *see* Gorbach, T.Ja. 88—7471
Tkhorik, Yu.A. *see* Gorbachuk, N.T. 85—14780, 85—23418
Tkhorik, Yu.A. *see* Grusha, S.A. 85—23620
Tkhorik, Yu.A. *see* Konakova, R.V. 88—7564
Tkhorik, Yu.A. *see* Mitin, V.F. 86—35300
Tkhorik, Yu.A. *see* Zimenko, V.I. 86—14926
Tkhostov, M.Kh.-M., Sotnikov-Yuzhik, Yu.M., Dostanko, A.P., Prudnikov, N.A. Energy characteristics of a high-temperature IR radiator 85—27761
Tkihonravov, A.V. *see* Gerasimov, V.A. 88—958
t'Klooster, C.G.M.van *see* van t'Klooster, C.G.M.
Tlachala, V. *see* Korolev, V.S. 88—4346
Tlachala, V. *see* Man'yakov, P.K. 87—70826
Tlaczala, M. *see* Bugajski, M. 88—33863
Tlaczala, M. *see* Kozlowski, J. 88—11965
Tlaczala, M. *see* Paneck, M. 88—6451
Tlaczala, M. *see* Panek, M. 86—20034, 86—52457, 87—16609, 87—52149, 87—53395, 87—73107
Tlaczala, M. *see* Ratuszek, M. 88—425, 88—6455
Tlaczala, W. *see* Domanski, A. 87—77243
Tlaga, M. *see* Dabrowska, J. 85—43660
Tlaga, M. *see* Sas-Bojarski, M. 85—43659
Tleubaev, A.S. New automated apparatus for measuring the thermophysical properties of liquids by the method of periodic heating 88—74615
Tleubaev, A.S. *see* Filippov, L.P. 87—3786
Tleuzhanov, A.B. *see* Basov, N.G. 86—58887
Tleuzhanov, A.B. *see* Batyrbekov, G.A. 88—20549, 88—27076
Tlyauberdin, A.I. *see* Bakhtizin, R.Z. 86—5678, 86—67624
To, C.W.S. Distribution of the first-passage time of mast antenna structures to non-stationary random excitation 86—64096
To, K. *see* Takagi, H. 86—1478
To Chan Dong *see* Dong To Chan
To Kuda, A. *see* Tokuda, K. 88—38633
To-Hoon Kim Material processing by laser 85—13014
To-hui Ho *see* Ho To-hui
To-Yat Cheung *see* Xiaoling Qiu 86—64729
Toacse, G., Romanca, M., Pana, G. Step transductor for PM hybrid stepping motor 86—66108
Toader, D., Hristea, V. Calculation of single-phase short-circuit current through very high forward resistance in medium voltage installations with null resistor treatment 86—65763
Toader, G. Method, algorithm and program for determining by automatic computation the cable bundles in a thermal power plant 87—30350
Toader, G. Method, algorithm and program for the determination of the cable bundles in a thermal power plant by automatic computation 87—50981
Toader, I., Bere, I. Calculation of earthing installations connection impedance within medium voltage 110 kV transformer substations during a monophasic short-circuit 87—72188
Toal, F. *see* Kenny, G.N.C. 85—64615
Toan, T.Le *see* Le Toan, T.
Toaxen, E. *see* Popescu, E. 88—62675
Toaxen, V. *see* Puscasu, S. 87—58143
Toba, B., Inoue, K., Nosu, K. 450 Mbps 13 km optical frequency-division-multiplexing transmission with 11 GHz channel spacing 87—20559
Toba, E., Yo, Y. Temperature sensor using a single-mode polarization-maintaining optical fibre 88—10019
Toba, F., Hara, H., Sekiguchi, S., Iizuka, K. Fabrication of a single-mode fiber coupler and its application 87—1970
Toba, H., Inoue, K., Nosu, K. 450 Mbit/s optical frequency-division-multiplexing transmission with an 11 Ghz channel spacing 85—58095
Toba, H., Inoue, K., Nosu, K. A conceptional design on optical frequency-division-multiplexing distribution systems with optical tunable filters 87—28577
Toba, H., Inoue, K., Nosu, K., Motosugi, G. A multi-channel laser diode frequency stabilizer for narrowly spaced optical frequency-division-multiplexing transmission 88—67366
Toba, H., Nosu, K. High-speed modulation characteristics of a GaSb/AlGaSb multiquantum-well laser diode 87—39089
Toba, H., Oda, K., Nosu, K., Takato, N., Miyazawa, H. 5 GHz-spaced, eight-channel optical FDM transmission experiment using guided-wave tunable demultiplexer 88—22073
Toba, H., Oda, K., Takato, N., Nosu, K. 5 GHz-spaced, eight-channel, guided-wave tunable multi/demultiplexer for optical FDM transmission systems 87—70037
Toba, H., Oda, K., Takato, N., Nosu, K. 5 GHz spaced 8 channel optical FDM transmission experiment 88—47137
Toba, H. *see* Fitchew, K.D. 88—2039
Toba, H. *see* Inoue, K. 85—42576, 88—35503
Toba, H. *see* Kinoshiro, H. 86—29273
Toba, H. *see* Kishimoto, R. 85—2036, 87—2004
Toba, H. *see* Nosu, K. 88—9553
Toba, H. *see* Oda, K. 88—35473, 88—73924
Toba, H. *see* Onisawa, Y. 86—42217
Toba, H. *see* Sato, M. 85—51010, 86—63553, 88—2071, 88—45232, 88—58261
Toba, H. *see* Takato, N. 88—67409, 88—72095
Toba, P. *see* Coghias, H. 88—62677
Toba, S. *see* Oyama, J. 88—75597
Toba, S. *see* Yamaguchi, J. 88—69308
Toba, Y. *see* Matsui, K. 86—14365, 86—34966
Toba, Y. *see* Tsukada, T. 86—14314
Toba, Y., Mitsuyasu, H. *(editor)* Ocean Surface: Wave Breaking, Turbulent Mixing and Radio Probing. Proceedings of the Symposium 86—56259
Tobagi, F. Modeling and performance analysis of multihop packet radio networks 87—34449
Tobagi, F. *see* Brazio, J.M. 85—13680
Tobagi, F. *see* Kanakia, H. 87—28167
Tobagi, F.A. Integrating voice and data on Expressnet 88—35237
Tobagi, F.A., Binder, R., Leiner, B. Packet radio and satellite networks 85—14096
Tobagi, F.A., Shur, D.H. Performance evaluation of channel access schemes in multihop packet radio networks with regular structure by simulation 87—28360
Tobagi, F.A. *see* Birk, Y. 86—30592, 86—55176, 87—20554, 88—59702
Tobagi, F.A. *see* Brazio, J.M. 86—17216
Tobagi, F.A. *see* Fine, M. 85—19812, 87—7883
Tobagi, F.A. *see* Gonsalves, T.A. 88—46549, 88—59667
Tobagi, F.A. *see* Leiner, B.M. 87—34442
Tobagi, F.A. *see* Marhic, M.E. 86—23483, 88—35153
Tobagi, F.A. *see* Nassehi, M.M. 86—23464, 88—3636
Tobagi, F.A. *see* Pang, J.W.M. 88—52938
Tobak, M., Chapman, G.T., Unal, A. Modeling aerodynamic discontinuities and onset of chaos in flight dynamical systems 88—10473
Tobari, S. Electrtical equipment of sewage treatment plant in Nichinan City 86—19689
Tobarias, J. A bidirectional slot antenna in microstrip 86—16040
Tobarias, J. Behaviour of an MSA at resonance and antiresonance [microstrip slot antenna] 87—47345
Tobata, H. *see* Hara, M. 87—46253
Tobata, H. *see* Takaki, T. 87—63803
Tobazeon, R., Philippe, D. Prebreakdown currents and optical events in insulating liquids subjected to a voltage step in point-plane geometry 85—55997
Tobazeon, R. *see* Beroual, A. 87—18367, 88—33419, 88—74577
Tobazeon, R. *see* Brosseau, C. 88—26611
Tobazeon, R. *see* Chniba, S. 85—29358, 86—68050
Tobazeon, R. *see* Hilaire, M. 88—33438
Tobazeon, R. *see* Lesaint, O. 85—55994, 87—25652, 88—44929
Tobazeon, R. *see* Mandelcorn, L. 86—51718
Tobazeon, R. *see* Saad, A. 85—50789, 87—18387
Tobe, Y. *see* Masada, E. 88—64549
Toben, M.P. *see* Martin, J.L. 88—63034
Toben, M.P. *see* Nobel, F.I. 87—1050
Tobenfeld, E. A general-purpose sequencer for MIDI synthesizers 85—37375
Tober, G., Meier, T., Steinberg, C. Corrosion and non-destructive testing in aviation technology 88—63423
Tobergte, W. *see* Kammeyer, K. 87—34346
Tobergte, W. *see* Kammeyer, K.-D. 86—43101
Tobergte, W. *see* Schwarze, R. 87—34116
Tobes, M.C., Schonfeld, S.M., Mezrich, R.S., Amorosa, J.K., Needell, G.S., Safer, J.N. Teleradiology operations within a PACS environment 88—36574
Tobey, A.C. X-ray lithography—a progress report 85—62044
Tobey, J.D. Reducing test program development time for memory devices 86—46839
Tobias, A.G. *see* Alekseev, A.A. 87—11088
Tobias, A.M. *see* Bache, J. 87—72798
Tobias, C.A. *see* Olson, J.E. 86—11983

Tobias, C.W. *see* Verbrugge, M.W. 88–31821

Tobias, F. *see* Skopal, I. 88–49909

Tobias, I. *see* Luque, A. 88–62594

Tobias, J. *see* Schmitt, D.G. 87–21644

Tobias, J.B. *see* Jarabak, A.J. 85–1897

Tobias, J.C., Gonzalez Sardi, B.N. Overvoltages produced by the disconnection of compensating inductors in HV networks: theory and field measurements 88–75166

Tobias, J.C. *see* Campbell, L.C. 86–33573, 86–66215

Tobias, J.Carlos *see* Carlos Tobias, J.

Tobias, J.R. System in silicon: concept or reality? 85–22586

Tobias, J.R. *see* Paul, J.E. 85–22599

Tobias, L., Scoggins, J.L. Time-based air traffic management using expert systems 87–4101

Tobias, L. *see* Erzberger, H. 87–57314

Tobias, M.L. *see* Schock, W. 88–62112

Tobias, R. Philosophies of mass lamination 86–8618

Tobias, R.J. *see* Anderson, R.E. 86–53253

Tobias, R.J. *see* McHugh, D.E. 86–65098

Tobias, R.L. AT&T two years later—the fight for fair competition 86–30136

Tobias Azpitarte, E. *see* Diaz de la Iglesia, R. 88–20394, 88–26778, 88–41682, 88–67399

Tobiasson, W. A method for conducting airborne infrared roof moisture surveys 88–68093

Tobimatsu, H. *see* Fukahori, T. 87–21396

Tobimatsu, K. *see* Abe, K. 88–16629

Tobimatsu, K. *see* Saitoh, H. 87–14723

Tobimatsu, K. *see* Takasaki, F. 85–15177, 85–31704

Tobin, D.M., Maybeck, P.S. Substantial enhancements to a multiple model adaptive estimator from target image tracking 88–46121

Tobin, H., Leung, V., Angel, C. A high data rate recorder with long record time 88–47439

Tobin, J. *see* Haberichter, W. 88–68239

Tobin, J.R. *see* Canali, C. 85--29545

Tobin, J.R. *see* Singh, J. 86–5154

Tobin, M., Djoleto, B.D. Computer-aided video differential planimetry 85–38116

Tobin, M.S. A review of optically pumped NMMW lasers 85–29775

Tobin, M.S., Daley, T.W. Heterodyne frequency measurements of COF_2, CD_3F, $^{13}CD_3F$, and C_2H_5I lasers 87–18887

Tobin, M.S. *see* Sattler, J.P. 85–7366, 86–36391

Tobin, M.S. *see* Simpson, T.B. 88–64293

Tobin, M.S. *see* Zebda, Y. 88–20500

Tobin, P.J. *see* Lee, C.-O. 87–11965

Tobin, P.J. *see* Nguyen, B.Y. 88–50686

Tobin, P.J. *see* Parrillo, L.C. 87–46217

Tobin, P.J. *see* Pintchovski, F. 85–1487

Tobin, P.J. *see* Sun, S.W. 88–39274

Tobin, R.C. *see* Anders, A.K. 87–7254

Tobin, S.P., Bajgar, C., Vernon, S.M., Geoffroy, L.M., Keavney, C.J., Sanfacon, M.M., Haven, V.E., Spitzer, M.B., Emery, K.A. A 23.7% efficient one-sun GaAs solar cell 88–37601

Tobin, S.P., Spitzer, M.B., Bajgar, C., Geoffroy, L., Keavney, C.J. Advanced metallization for highly efficient solar cells 88–31033

Tobin, S.P., Vernon, S.M., Bajgar, C., Geoffroy, L.M., Keavney, C.J., Sanfacon, M.M., Haven, V.E. Device processing and analysis of high efficiency GaAs cells 88–62610

Tobin, S.P., Vernon, S.M., Bajgar, C., Haven, V.E., Jr., Davis, S.E. MOCVD growth of AlGaAs and GaAs on Ge substrates for high efficiency tandem cell applications 87–4912

Tobin, S.P., Vernon, S.M., Bajgar, C., Haven, V.E., Geoffroy, L.M., Lillington, D.R. High-efficiency GaAs/Ge monolithic tandem solar cells 88–55627

Tobin, S.P., Vernon, S.M., Haven, V.E., Jr., Bajgar, C., Sanfacon, M.M., Pearton, S.J. Factors controlling the efficiency of GaAs-on-Si solar cells 88–31041

Tobin, S.P. *see* Ahrenkiel, R.K. 88–64233

Tobin, S.P. *see* Bunker, S.N. 87–60184, 88–44605

Tobin, S.P. *see* Carpenter, M.S. 88–64396

Tobin, S.P. *see* DeMoulin, P.D. 88–75938

Tobin, S.P. *see* Dube, C.E. 88–37606

Tobin, S.P. *see* Klausmeier-Brown, M.E. 88–64277, 88–71508

Tobin, S.P. *see* Spitzer, M.B. 86–7059, 86–7140

Tobin, S.P. *see* Vernon, S.M. 86–7064, 87–10431, 88–31040

Tobin, V.M. *see* Oseroff, S.B. 88–51218, 88–71933

Tobin, W.H. *see* Eriksson, L.O. 88–26238

Tobin, W.H. *see* Somos, I.L. 86–35667, 86–47558, 88–26243, 88–57632

Tobinaga, Y., Hayashi, N., Araki, H., Nakayama, S., Kudoh, H. Anisotropy of low-energy ion etching via electron cyclotron resonance plasma 88–44671

Tobio, R., Kallmeyer, C., Castello, J. Digital subtraction coronary angiography (DSCA) with intra-arterial contrast injection 86–50488

Tobioka, T. *see* Watanabe, N. 85–48746

Tobis, J.M. *see* Kitamura, K. 87–50296

Tobis, M. *see* Falconer, D.D. 85–47411

Tobis, M. *see* Riordon, J.S. 85–57569

Tobisch, J., Kleinstuck, K. Quantitative anisotropy characterization of electric sheet metals by using an anisometer 86–24709

Tobisch, J., Sprungk, R., Kleinstuck, K., Jurisch, F., Grossmann, E., Ermisch, J. A new anisometer of the induction principle adapted to quickly characterizing electric sheet metals 86–24710

Tobisch, J. *see* Jackel, K.-H. 86–22590

Tobise, M. *see* Sukegawa, T. 86–19648

Tobishima, S., Arakawa, M., Hirai, T., Yamaki, J. Ethylene carbonate/ether solvents for electrolytes in lithium secondary batteries 87–72381

Tobishima, S., Okada, T. Effects of quinoneimine dyes on lithium cycling efficiency for $LiClO_4$-propylene carbonate 86–19457

Tobishima, S., Yamaki, J., Okada, T. Propylene carbonate/ether mixed solvent electrolytes for lithium secondary batteries 86–13012

Tobishima, S.-I., Yamaki, J.-I., Yamaji, A. Electrochemical reactivity of aromatic compounds for use in Li cells 85–16217

Tobishima Shin-ichi *see* Shin-ichi Tobishima

Tobita, K., Takeuchi, H., Kimura, H., Kusama, Y., Nemoto, M. Absolute detection efficiency of a microchannel-plate detector for ions and neutrals 87–50135

Tobita, M. *see* Fujii, S. 88–43884

Tobita, M. *see* Ichinose, I. 87–29984

Tobita, M. *see* Ichinose, Y. 85–3226, 86–53875

Tobita, M. *see* Noda, M. 86–39259

Tobita, M. *see* Oikawa, H. 88–46731, 88–46736

Tobita, S. *see* Sakaguchi, H. 86–38095

Tobita, T., Hatabe, E., Endo, T., Takasago, H., Onishi, Y. Advanced thick-film techniques applied to a new thermal printing head 86–53239

Tobita, T., Kato, M., Hayama, M., Onishi, Y. Contact-type linear image sensors 87–41505

Tobita, T., Makita, T., Niki, K., Hayama, M., Katoh, M., Takasago, H., Onishi, Y. Advanced contact linear image sensor using amorphous Si photodiodes 88–4440

Tobita, T. *see* Hayama, M. 87–77130

Tobita, T. *see* Yamamoto, Y. 86–31370

Tobler, R.L. *see* Reed, R.P. 87–44398

Toblin, A. *see* Bartram, B.W. 85–48728

Toboc, P. *see* Fireteanu, V. 87–54494, 87–61331

Tobochnik, N., Bramlet, R., Sischy, B. Dosimetry of an endocavitory treatment system 87–57248

Tobola, A. *see* Kropacz, W.S. 85–6415, 88–24950

Tobola, A. *see* Mikolajuk, K. 87–844, 87–43182

Tobola, A. *see* Sikora, J. 86–29289

Tobolev, A.K. *see* Kinber, B.E. 85–41743

Tobolev, A.K. *see* Klassen, V.I. 87–61500

Tobolka, G., Faber, W., Albrecht, G., Pilz, D. High volume TV-IF filter design, fabrication, and applications 86–2517

Tobolov, A.A. *see* Larionov, V.N. 85–50170

Tobolov, A.A. *see* Leibov, M.Ya. 85–6222

Tobyas, V. *see* Teikari, P. 87–21774

Toca, J.M.Perez *see* Perez Toca, J.M.

Toccaceli, L. *see* Caporaso, R. 87–13689

Toccafondi, G. *see* Cavicchia, V. 85–48756, 86–39327

Tocci, A.J. A procedure to produce flat III-V substrate material for optoelectronic devices 86–47476

Tocci, M. *see* Pistoia, G. 85–49068, 85–53811

Tocci, R.J., Laskowski, L.P. Microprocessors and microcomputers. Hardware and software. Third edition 87–51722

Toch, P.L., Godrick, J., Shaw, B.A. Failure mechanism and process control requirements in the production of copper multilayer interconnect boards 86–62969

Tochanskaya, L.B. *see* Savel'eva, L.N. 87–53824

Tochihara, I. *see* Nishizawa, T. 87–46278

Tochiki, Y., Betsui, K., Komenou, K. Effect of plasma exposure on magnetic properties of ion-implanted bubble garnet film with suppression of growth-induced anisotropy 87–60792

Tochiki, Y. *see* Miyashita, T. 86–68183

Tochilin, V.V. *see* Buryak, S.F. 87–57499

Tochilin, V.V. *see* Kulish, A.K. 88–44276

Tochilin, V.V. *see* Yatsenko, A.A. 87–43161, 88–24004, 88–30302, 88–50232

Tochilkin, A.I. *see* Dolgov, A.A. 86–24573

Tochilkin, V.A., Usanov, Yu.Ya. Effects of the aperture angles and aberrations of focusing systems on the effectiveness of laser welding 86–63885

Tochilkin Sibtechenergo, V.N. *see* Lugach, L.I. 86–33036

Tochinai, K. *see* Miyanaga, Y. 88–46077

Tochitani, Y. High-voltage AC power supply with variable frequency output from 0.5 to 10 Hz 85–32602

Tochitani, Y. Inexpensive method for measuring shutter intervals of a motor driven camera 86–5549

Tochitskii, S.Ya. *see* Bertel', I.M. 88–33959

Tochitskii, S.Ya. *see* Petrukhov, V.O. 88–51755

Tochitskii, S.Ya. *see* Petukhov, V.O. 87–74981, 88–51747

Tochitsky, E.I. *see* Obukhov, V.Ye. 86–58420

Tochitsky, S.Y. *see* Churakov, V.V. 87–54218

Tochitsky, S.Ya. *see* Churakov, V.V. 88–65567

Tochitskyy, E.I., Surganov, V.F., Gorokh, G.G. Experimental study of thin-film aluminum inductors 88–32511

Tochizawa, Y. *see* Kuita, T. 87–4415

Tochko, J.S. *see* Williams, A.J., III 88–10559

Tocho, J.O. *see* Scaffardi, L. 85–24439

Tocho, J.O. *see* Schinca, D. 86–29034, 86–36412, 87–26276

Tocho, J.O. *see* Villagran, M. 87–54226

Tochon-Danguy, H. *see* Frey, P. 88–61292

Tochon-Danguy, H.J. *see* Townsend, D. 88–48111

Tocicki, M. A numerical analysis of magnetic field distribution in DC permanent magnet motors 85–21649

Tocicki, M. *see* Ceglinski, W. 88–23961

Tocigl, B. New tariff system for electrical energy sale 85–59576

Tockij, A. *see* Krepelka, J. 87–47934

Tockman, B. *see* Shapland, J.E. 87–50423

Tocnaye, J.-L.de Bougrenet de la *see* de Bougrenet de la Tocnaye, J.-L.

Tocnaye, J.L.de Bougrenet de la *see* de Bougrenet de la Tocnaye, J.L.

Tocnaye, J.L.de Bougrenet de la *see* de Bougrenet de la Tocnaye, J.L.

Tocquet, B. *see* Decarpigny, J.N. 86–9367

Tocquet, B. *see* Hamonic, B. 87–60777

Tocqueville, J. *see* Arnold, R. 87–29443, 88–68234

Toda, A. Traffic control strategies for a duplex circuit-group 85–19698

Toda, A. Traffic control strategies for a both-way circuit-group 86–69201

Toda, A., Hayashi, Z. Traffic evaluation and design assistant system (TEDAS) numerical analysis sub-system (TEDAS-N) 87–34304

Toda, A., Hayashi, Z. Traffic evaluation and design assistant system (TEDAS). Numerical analysis subsystem (TEDAS-N) 88–8992

Toda, A., Imai, M. Selection method for both-way circuit groups between multi-unit offices 85–51533

Toda, A., Imai, M. Selection method for both-way circuit groups between multiunit offices 87–12867

Toda, A. *see* Ikeda, M. 87–54291, 88–14176, 88–45427

Toda, A. *see* Inamori, H. 85–30583, 87–2724

Toda, A. *see* Kumagai, O. 88–65710

Toda, A. *see* Nakano, K. 87–75083

Toda, A. *see* Yata, M. 88–56225

Toda, G. *see* Kobayashi, F. 86–62636

Toda, H. Integrated supervisory control system development test for the distribution lines 87–57616

Toda, H. Development test of locator for 2-wire 3-phase high-voltage distribution line 88–18150

Toda, H., Haruna, M., Nishihara, H. Integrated-optic device for a fibre laser Doppler velocimeter 87–7171

Toda, H., Haruna, M., Nishihara, H. Optical integrated circuit for a fiber laser Doppler velocimeter 87–68089

Toda, H., Haruna, M., Nishihara, H. Optical integration of a fiber laser Doppler velocimeter 88–20433

Toda, H. *see* Haruna, M. 88–14310

Toda, H. *see* Nishihara, H. 88–65355

Toda, H. *see* Ogawa, S. 87–38712

Toda, H. *see* Ono, H. 86–40686, 88–6419

Toda, H. *see* Saji, Y. 86–48623

Toda, H. *see* Takehava, Y. 87–64856

Toda, I. Data communications systems development 87–13373

Toda, I. *see* Mawatari, K. 86–64655

Toda, J., Yamamoto, T., Takagi, H., Iwama, H., Kobayashi, K. Write and read characteristics in combination with a single pole type thin film head and a double layer rigid disk for perpendicular magnetic recording 86–58687

Toda, J., Yamamoto, T., Takagi, H., Iwama, H., Kobayashi, K. A thin film head for perpendicular magnetic recording 86–68168

Toda, J. *see* Kobayashi, K. 87–46368

Toda, J. *see* Yamamoto, T. 86–36021

Toda, K. Experience in making a packet oriented binary router chip 85–6390

Toda, K., Ibuki, K. Analysis of performance of leaky Lamb wave transducer operating at liquid-solid interface 87–64002

Toda, K., Katakura, K. Influence of film thickness on the performance of leaky surface acoustic wave transducers of ZnO on fused quartz 86–28582

Toda, K., Matsuda, K., Kamada, O., Ishizuka, S. 1.3 μm LD module with optical isolator using YIG crystal by the floating zone method 87–54326

Toda, K., Mizutani, K. A frequency modulator using a Lamb wave delay line oscillator 85–18529

Toda, K., Mizutani, K. Substrate thickness dependence of *SH* wave propagation characteristics in rotated Y-cut *X*-propagation $LiNbO_3$ 86–32605

Toda, K., Mizutani, K. SH wave device for HF-band frequency modulator and demodulator 87−38641
Toda, K., Mizutani, K. A Lamb wave device for quadrature-PSK modulation and demodulation 88−13652
Toda, K., Mizutani, K. SH wave device for HF-band frequency modulator and demodulator 88−26635
Toda, K., Mizutani, K. Propagation characteristics of plate waves in a *Z*-cut *X*-propagation $LiTaO_3$ thin plate 88−71875
Toda, K., Morita, S. Photoconductive behavior of $Au/Pb_2CrO_5/SnO_2$ devices 87−53292
Toda, K., Morita, S., Takahashi, K. Crystal-orientation dependence of photoconductivity in Pb_2CrO_5 thin film 87−54154
Toda, K., Ohkubo, H. A phase shift keying communication system using SAW devices 86−16113
Toda, K., Shibuya, T. Transmission characteristics (in case of eccentric circle) of parallel-two-wire-transmission-line covered with three layer media 86−42877
Toda, K., Shibuya, T. Transmission characteristics (in the case of a variable eccentric circle process) of parallel-two-wire transmission-line covered with three layers media 88−14456
Toda, K., Takenaka, T., Sakata, K. A bismuth layer-structured ferroelectric ceramic bulk-wave oscillator 85−1821
Toda, K., Urabe, H. Leaky surface acoustic wave device for analog external modulation of optical space transmission 88−51606
Toda, K., Urabe, H. Equivalent circuit analysis of performance of acousto-optic deflector using liquid-loaded interdigital transducer 88−72180
Toda, K., Watabe, K. Optical beam frequency modulation by using surface-acoustic-wave delay line oscillator 86−42391
Toda, K., Watabe, K. Optical modulation using mode conversion from surface acoustic wave to bulk wave 86−48233
Toda, K., Watanabe, N., Takemoto, T., Nakamura, T. Consideration of the alignment technique for LCDs 88−53803
Toda, K., Yano, H. Surface-acoustic-wave frequency-to-voltage converter 86−2510
Toda, K., Yano, H. Narrowband multi-channel surface acoustic wave filter 86−28583
Toda, K., Yoshida, S. Pb_2CrO_5 photovoltaic device for the detecting light-beam position 88−29377
Toda, K., Yoshida, S. Photovoltaic mechanism of Pb_2CrO_5 ceramic disk with pair of planar electrodes 88−51660
Toda, K. *see* Ishihara, T. 87−68744
Toda, K. *see* Kamada, O. 87−49682
Toda, K. *see* Matsuda, K. 87−40875
Toda, K. *see* Mizutani, K. 85−56077, 87−1826, 87−38639, 88−13645, 88−32056, 88−46754
Toda, K. *see* Morita, S. 86−28981
Toda, K. *see* Sakata, Y. 86−55183
Toda, K. *see* Takenaka, T. 85−18527, 86−53847
Toda, K. *see* Urabe, H. 85−29663, 87−12276, 88−13967, 88−33493
Toda, K. *see* Yoshida, S. 88−20507 to 20508
Toda, M. The type PFC packaged air conditioner for use in clean rooms 85−5530
Toda, M. The development of NENE, a speaking machine: a cognitive science approach toward the understanding of human information processing 86−69005
Toda, M. Material selection for double heterojunction lasers−a higher bandgap does not necessarily mean lower refractive index 87−46880
Toda, M. *see* Katsuki, K. 88−60807
Toda, M. *see* Koiwa, I. 86−63542
Toda, M. *see* Matsumoto, S. 88−53992
Toda, M. *see* Osaka, T. 87−18484, 87−32857, 87−60783
Toda, N., Usui, S. Parametric estimation of bispectrum and a measure of non-Gaussianness 88−40975
Toda, N.F. *see* Schlee, F.H. 88−67501
Toda, T., Shigematsu, K., Yoshhiro, M., Ojima, M. Analysis of signal to noise ratio in magneto optical disk using a polarization simulator 88−45244
Toda, T., Shigematsu, K., Yoshihiro, M., Ojima, M., Tsunoda, Y. Analysis of signal to noise ratio in magneto-optical disk using a polarization simulator 87−54137
Toda, T. *see* Hirose, H. 86−61560
Toda, T. *see* Yoneda, K. 85−22461
Toda, Y., Machida, K., Murakami, H., Hirata, M., Kudo, I. A long duration test of an ion engine 85−31916
Toda, Y. *see* Kokubun, K. 85−1812, 86−24828, 87−74476
Toda, Y. *see* Kudo, I. 85−31907, 85−31919
Toda, Y. *see* Machida, K. 85−31905, 85−31908
Toda, Y. *see* Miyazaki, K. 85−29776
Toda, Y. *see* Suzukawa, I. 85−15103
Toda, Y. *see* Tomizawa, T. 85−21338
Todak, T. *see* Enokizono, M. 88−51166
Todaka, T. *see* Enokizono, M. 87−23584, 87−61313, 88−13662, 88−39791, 88−44952, 88−55351, 88−72514
Todaka, T. *see* Harada, S. 87−15783, 88−16441
Todaka, T. *see* Kanamori, M. 85−21937
Todaka, T. *see* Kanehara, K. 85−5097
Todaka, T. *see* Kodama, K. 85−60521
Todaka, T. *see* Segawa, Y. 88−75525
Todaka, Y. *see* Aizawa, I. 86−11303
Todaka, Y. *see* Kinugasa, T. 88−15782
Todd, A.G. *see* Ball, R.K. 87−60366
Todd, A.G. *see* Barrett, N.J. 85−18212, 86−21343
Todd, A.M.M. *see* Paulson, C.C. 87−7061
Todd, C.C. A compatible digital audio format for broadcast and cable television 88−15737
Todd, C.C., Gundry, K.J. A digital audio system for DBS, cable and terrestrial broadcasting 85−3619
Todd, C.J. Fibre development and the network 88−9524
Todd, C.J. *see* Payne, D.B. 85−29608
Todd, D. High defect resolution capability from a computer-controlled fluorescent penetrant processing and viewing system 88−22475
Todd, D.M. Satisfying base load demand with combined cycle 88−69171
Todd, D.M., Chase, D.L. People's republic takes to combined cycle 87−4564
Todd, D.M. *see* Love, D.J.G. 86−5790
Todd, D.N. Software engineering for drive systems 87−72484
Todd, D.N. Software engineering for drive systems 88−31085
Todd, H., Cowley, S.W.H., Etemadi, A., Bromage, B.J.I., Lockwood, M., Willis, D.M., Luhr, H. Flow in the high latitude ionosphere: measurements at 15 s resolution made using the EISCAT 'Polar' experiment 88−53351
Todd, H. *see* Lockwood, M. 88−53353
Todd, H.S. A descriptive pattern recognition system applied to pictorial patterns where the discriminating information is carried in the object shape 88−73333
Todd, I.W. The regulatory approach to the assessment of containment structures in the United Kingdom, with reference to the proposed Sizewell B project 88−48727
Todd, J., Merlin, R., Clarke, R., Mohanty, K.M., Axe, J.D. Synchrotron X-ray study of a Fibonacci superlattice 87−1264
Todd, J. *see* Clarke, R. 87−36715
Todd, J.R. The role of fiber optics on commercial aircraft 88−35547
Todd, J.R. The role of fiber optics on commercial aircraft 88−42619
Todd, J.R. *see* Hanley, T.E. 88−63023
Todd, L. Tools for network design 85−30560
Todd, L.T., Jr., Sherr, S. Projection display devices 87−70440
Todd, L.T., Jr. *see* Maszara, W.P. 85−62277
Todd, M.J. Linear and quadratic programming in oriented matroids 86−13662
Todd, M.J. Exploiting special structure in Karmarkar's linear programming algorithm 88−49721
Todd, M.L. *see* Hirschman, C.B. 85−51878
Todd, M.S. Touch screen displays−technology and applications. A look at the human factors elements involved in user interface design, and their application to touch panel based interfaces 86−31506
Todd, P. The impact of computer communication on banking systems technology 86−37563
Todd, P.C., Lutz, R.W. A practical parallel loaded resonant power supply 86−66196
Todd, P.C. *see* Lutz, R.W. 87−31713
Todd, R. *see* Green, D. 86−14549
Todd, R.E. *see* Taylor, H.L. 85−9276
Todd, R.W. Controls for small wind/PV/battery systems 87−22191
Todd, R.W. Controls for small wind/solar/battery systems 88−5621
Todd, S., Langdon, G.G., Jr., Rissanen, J. Parameter reduction and context selection for compression of gray-scale images 85−46925
Todd, S.A., Sapeluk, A.T. Simple real-time signal processing laboratory experiment 88−35898
Todd, S.J.P. *see* Langdon, G.G., Jr. 85−13592
Todd, T.D. An instantaneous bandwidth reconfigurable access control protocol 86−17041
Todd, T.D. Model for throughput in multichannel CSMA/CD systems 86−30075
Todd, T.D. Throughput in slotted multichannel CSMA/CD systems 86−54608
Todd, T.D. Improved performance in metropolitan area networks using an intelligent switch-filtering technique (SWIFT) 87−27851
Todd, T.D. An access control protocol using instantaneous bandwidth reconfiguration 87−48568
Todd, T.D. The design of local access centres in a metropolitan area network using SWIFT 87−55437
Todd, T.D. A traffic scheduling technique for metropolitan area gateways 88−21624
Todd, T.D., Lingwa Li Branch-switching in unidirectional channel systems using the IEEE 802.4 token-passing bus access method 88−66974
Todd, T.D., Mark, J.W. Capacity allocation in multiple access networks 86−23191
Todd, T.D. *see* Liang, L. 88−3594
Todd, T.D. *see* Mohanty, B.P. 88−9119, 88−52922
Todd Alexander, P., Bello, D.C. The single key process variable in SMT solder joint reliability 88−32662
Todd-Pokropek, A. Image processing and display [in medical imaging] 85−4319
Todd-Pokropek, A. Medical imaging 87−77605
Todell, L.G. *see* Pettersson, K.G. 85−27560
Todero, M. *see* Alessandria, F. 87−70949
Todescato, P. *see* Micheletti, G. 88−12307
Todini, R. A centralized maintenance system for telecommunication 87−34045
Todini, R. *see* Strandberg, K. 85−51933
Todo, S. *see* Li, R. 87−32847
Todo, T., Matsuda, R. Multifunctional facsimile transceiver NEFAX-703 86−4222
Todo, T. *see* Kikumoto, Y. 87−55658
Todokoro, A. *see* Fukuhara, J. 87−70405
Todokoro, H., Fukuhara, S., Komoda, T. Electron-beam LSI tester 86−9242
Todokoro, H., Yoneda, S., Seitou, S., Hosoki, S. Electron beam tester with 10 ps time resolution 87−32636
Todokoro, H., Yoneda, S., Yamaguchi, K., Fukuhara, S., Komoda, T. Stroboscopic testing of LSIs with low voltage scanning electron microscope 86−41885
Todokoro, H. *see* Ishitani, T. 85−34873
Todokoro, H. *see* Nambu, H. 87−37298, 88−12362
Todokoro, H. *see* Yamaguchi, K. 85−49899
Todokoro, Y., Kajiya, A., Watanabe, H. Conductive two-layer resist system for electron-beam lithography 88−39316
Todokoro, Y., Takasu, Y., Ohkuma, T. Multilayer resist systems for optical and e-beam lithography 86−8947
Todokoro, Y., Watanabe, H., Takenaka, H., Kishimoto, M., Kajiya, A. E-beam direct wafer writing process using water-soluble conductive layer (WSCL) 88−39341
Todokoro, Y., Watanabe, H., Takenaka, H., Yamashita, H. A hybrid e-beam/deep-UV lithography for GaAs FET's 88−13214
Todokoro, Y., Yamashita, H., Yaegashi, Y. Sub-100 nm pattern fabrication in e-beam lithography 87−11917
Todokoro, Y. *see* Takasu, Y. 85−12076, 85−50353
Todokoro, Y. *see* Watanabe, H. 88−19898, 88−71481
Todokoro, Y. *see* Yamashita, H. 85−55619, 86−2269
Todome, A. *see* Yamaoka, I. 85−25586
Todoran, G., Todoran, M. Circuit analysis through a cubical spline method 88−499
Todoran, M. *see* Todoran, G. 88−499
Todorcevic, S. A chain decomposition theorem 88−43785
Todoriki, M., Yuge, T., Ushiyama, C. Automatic car identification system using microwave and its applications to railway transportation 85−52855
Todoriki, T. *see* Nagasawa, K. 87−18649
Todoroki, S. Influence of local heating on current-optical output power characteristics in $Ga_{1-x}Al_xAs$ lasers 86−63816
Todoroki, S., Ohbu, I., Kashiwada, Y. Thickness control of $Ga_{1-x}Al_xAs$ layers grown by liquid phase epitaxy at low growth temperature 88−11990
Todoroki, S., Ohbu, I., Sekine, Y., Kashiwada, Y. Compositional variation related to the growth process in GaAlAs epitaxial layers 88−56229
Todoroki, S., Sawai, M., Aiki, K. Temperature distribution along the striped active region in high-power GaAlAs visible lasers 85−62599
Todoroki, S. *see* Ohbu, I. 88−45439
Todoroki, T. *see* Otani, S. 88−41594
Todorov, A. *see* Popivanov, D. 86−60788
Todorov, B.N. *see* Angelov, I.M. 88−56954
Todorov, E.I. *see* Gorkunov, B.M. 86−57500
Todorov, G.C. *see* Grigorieva, V.N. 85−7361
Todorov, G.Ts. *see* Angelov, A.K. 86−11068
Todorov, G.Tz. *see* Alipieva, E.A. 86−36375
Todorov, I., Rashkov, S., Mircheva, V. Preparation of bright tin surfaces of improved solderability, using a sulphate electrolyte 85−54140
Todorov, N. *see* Vichev, B. 88−68080
Todorov, P. *see* Benvenuti, A.C. 85−15254
Todorov, P.M. Relation between the 'engaged' signal, subscribers' traffic and efficiency in an exchange 88−41227
Todorov, R.R. *see* Dodov, N.I. 88−50343
Todorov, S.S., Fossum, E.R. Oxidation of silicon by a low-energy ion beam: experiment and model 88−26052
Todorov, S.S., Fossum, E.R. Room temperature growth of silicon dioxide using a low energy ion beam 88−33067
Todorov, S.S., Fossum, E.R. Growth mechanism of thin oxide films under low-energy oxygen-ion bombardment 88−39219
Todorov, S.S., Shillinger, S.L., Fossum, E.R. Low-energy ion beam oxidation of silicon 87−1409
Todorov, S.S., Yu, C.F., Fossum, E.R. Direct formation of dielectric thin films on silicon by low energy ion beam bombardment 87−45805

Todorov, T., Markovski, P., Tomova, N., Dragostinova, V., Stoyanova, K. Photopolymers—holographic investigations, mechanism of recording and applications 85—12996
Todorov, T., Nikolova, L., Stoyanova, K., Tomova, N. Polarization holography. III. Some applications of polarization holographic recording 85—35899
Todorov, T., Nikolova, L., Tomova, N. Polarization holography. I. A new high-efficiency organic material with reversible photoinduced birefringence 85—19042
Todorov, T., Nikolova, L., Tomova, N. Polarization holography. II. Polarization holographic gratings in photoanisotropic materials with and without intrinsic birefringence 85—19047
Todorov, T. *see* Markovski, P. 87—75263
Todorov, T. *see* Sharlandjiev, P. 86—36600
Todorov, T.D. *see* Vlakhova, R.T. 87—47166
Todorova, M.F. *see* Nestorov, G.T. 86—63979
Todorovic, A. Bases of the EBU standard on magnetic recording of digital component video signals 86—31030
Todorovic, A. Post processability requirements for television production recording 88—47343
Todorovic, P.S., Jones, G.R. Laser Doppler measurements of globular concentrations and flow perturbations in a model gas blast interrupter 86—26216
Todorovic, Z. Identification of low energy ions in a Makrofol plastic track detector 87—77576
Todorovic, Z., Antanasijevic, R. Identification of low energy ions ($6 \leqslant Z \leqslant 10$) in a plastic track detector CR-39 85—37921
Todorovic, Z. *see* Benderac, R. 87—21477
Todorovic, Z. *see* Perelygin, V.P. 87—29590
Todorovski, N. *see* Pavlov, V. 87—22238
Todos, P.I. *see* Tokarev, B.F. 86—12833, 87—15779, 88—23950
Todosienko, N.M. *see* Ryzhanovskii, A.S. 85—11109
Todovitsyn, V.A. *see* Arkhipov, V.I. 86—47272
Todres, Yu.V. Fundamental problems of fire prevention at electricity-generating stations 86—18903
Todres, Z.V. *see* Levin, M.B. 87—26336
Todter, C. *see* Thornton, B.S. 88—14747
Todua, N.N. *see* Apitseryan, E.S. 86—54859
Todua, P.A. *see* Bogdankevich, O.V. 85—41255, 86—5324, 86—15496
Todua, P.A. *see* Darznek, S.A. 85—35848
Todua, P.A. *see* Georgobiani, A.N. 88—50680
Toebes, J. *see* Tummers, J.F. 87—78429
Toeman, N. Public videotex networks: convergence at last? 87—28010
Toepker, T.P., Kelley, J.J. Environmental effects on a pressure-activated switch 85—11648
Toeppen, D.E. 1-GHz digitizing oscilloscope uses thick-film hybrid technology 86—60276
Toepperwein, C.L. *see* Phillips, G.N. 86—25280
Toersen, H. Mechanical diagnostic measurements 86—6694
Toes, G. A new public message switching system for the Dutch PTT 86—23367
Toet, A. *see* Werkhoven, P. 87—48173
Toet, D. *see* Arnold, R. 87—29443, 88—68234
Toeus, F. *see* Bernstein, D. 85—15253
Toevs, J.W., Kruse, P.J., Freeman, B.L. A fast, simple dB/dt probe 88—47507
Toevs, J.W. *see* Freeman, B.L. 88—43316
Toevs, J.W. *see* Peratt, A.L. 85—23325
Toews, H.E. *see* Alam, M. 87—27734
Tofalvi, G. Telecommunication research and development trends in Hungary 87—76007
Tofalvi, G. Telecommunication research and development trends in Hungary 88—59416
Tofalvi, Gy. *see* Vanyai, P. 88—60008
Tofanelli, A. *see* Barcia, E. 88—41405, 88—46717
Tofanelli, A. *see* Brosio, A. 86—4361, 86—30475, 87—7909, 87—12964, 87—34232
Tofanelli, A. *see* Camiciottoli, R. 87—34322
Tofanelli, A. *see* Camicoittoli, R. 86—64501
Tofanelli, A. *see* Gandini, M. 85—25682, 85—42104
Tofani, A. *see* Burlamacchi, P. 88—51743
Tofani, S., Agnesod, G. The assessment of unwanted radiation around diathermy RF capacitive applicators 85—9229
Tofani, S., Agnesod, G. Dosimetry of occupational exposure to RF radiation: measurements and methods 87—57247
Tofani, S., Anglesio, L., Agnesod, G., Ossola, P. Electromagnetic standard fields: generation and accuracy levels from 100 kHz to 990 MHz 86—65461
Tofani, S., Ossola, P., Agnesod, G. Analysis of environmental pollution by radiofrequency radiation from teleradiocommunication devices 85—42067
Toffol, A.De *see* De Toffol, A.
Toffoli, T. Information transport obeying the continuity equation 88—40763
Tofield, B.C. Future prospects for all-solid-state batteries 86—66311
Tofield, B.C., Williams, D.E. Moisture measurement using a composite ionic conductor 85—8835
Tofield, B.C. *see* McAleer, J.F. 86—44244
Tofield, B.C. *see* Moseley, P.T. 88—44561
Tofield, B.C. *see* Moseley, P.T. *(editor)* 88—55808
Tofield, P.C. *see* Miasik, J.J. 88—9974
Toft, F. *see* Luvison, A. 87—48574, 88—21743, 88—28424
Toft, F. *see* Rey, J.C. 87—48613
Toft, P., Djernes, M. An electronic timer for closed circuit anaesthesia 88—61221
Toft, V. Cooperation between terminal manufacturers and teleadministrations 86—37276
Tofuku, K. *see* Nagai, H. 88—53793
Tofuku, K. *see* Tanahashi, M. 87—70431
Tofuku, K. *see* Tsujikawa, K. 88—53794
Tofukuji, N. Air traffic control systems capacity estimation and analysis and evaluation methods 87—57306
Tofukuji, N., Muto, T. Research and development for next generation air traffic control system—new surveillance and communication system 'SSR Mode S' and related technology 85—26874
Tog, M.M. *see* Tseng, C.-J. 88—64705
Toga, K., Amano, N., Noda, K.-I. Microscopic computer tomography measurement of nonaxisymmetrically distributed optical fiber refractive index 88—33627
Togai, M., Chiu, S. A fuzzy logic chip and a fuzzy inference accelerator for real-time approximate reasoning 87—52664
Togai, M., Watanabe, H. A VLSI implementation of fuzzy inference engine: toward an expert system on a chip 86—41167
Togai, M., Watanabe, H. A VLSI implementation of a fuzzy-inference engine: toward an expert system on a chip 86—47676
Togai, M., Watanabe, H. Expert system on a chip: an engine for real-time approximate reasoning 87—5788
Togai, M., Watanabe, H. A fuzzy inference engine on a VLSI chip 87—10927
Togami, Y., Okamoto, K., Sato, R., Saito, N. Distribution of axes of easy magnetization of RE-TM films: bias voltage dependence 86—63527
Togami, Y. *see* Okamoto, K. 87—74498
Togami, Y. *see* Saito, N. 86—63532, 87—74497
Togami, Y. *see* Sato, R. 86—63533
Togano, K. Linearization of oxide superconductors 88—18763
Togano, K., Kumakura, H., Takeuchi, T., Tachikawa, K., Muto, Y. High-field superconducting properties of Nb_3Al prepared by continuous rapid quenching techniques 87—38682
Togano, K., Kumakura, H., Yoshida, Y., Tachikawa, K. Fabrication of superconducting composite tapes by a newly developed liquid quenching technique 85—62226
Togano, K. *see* Kumakura, H. 86—28727, 86—36087, 86—63579, 87—53909, 88—45003
Togano, K. *see* Tachikawa, K. 88—39849
Togano, K. *see* Yamada, Y. 87—7040
Togano, Y. *see* Kanoh, K. 86—69714
Togashi, A., Kohno, A., Hamada, S., Uehira, K., Kamata, T., Abe, H. CCD area image sensor μPD3520D 87—34974
Togashi, A. *see* Miwada, K. 86—38285
Togashi, K., Takakuwa, H., Kato, Y. Reliability of low noise microwave HEMTs made by MOCVD 87—52839
Togashi, K., Umemura, H., Inoue, H., Matsuoka, F., Iijima, H. The new MICLOSS high-SEER refrigeration cycle and examples of its application 85—5534
Togashi, K. *see* Gonoi, K. 87—624
Togashi, K. *see* Takakuwa, H. 86—67892
Togashi, K. *see* Tanaka, K. 87—32526, 88—33267
Togashi, K. *see* Wada, M. 86—34739
Togashi, M., Ino, M., Ida, M., Hirayama, M. Design and evaluation of GaAs 16 Kbit static RAMs 87—59465
Togashi, M., Takada, T., Kato, N., Shimazu, Y., Idda, M. A GaAs 16-channel digital time switch LSI using 0.5 μm gate buried p-layer SAINT FETs 86—53832
Togashi, M. *see* Hirayama, M. 86—27297
Togashi, M. *see* Ino, M. 85—779
Togashi, M. *see* Ogawara, S. 87—39877
Togashi, M. *see* Sato, S. 87—7998
Togashi, M. *see* Suzuki, M. 86—63307
Togashi, M. *see* Takada, T. 85—40052, 86—27229, 88—3463
Togashi, M. *see* Yukami, N. 88—59555
Togashi, N. *see* Tsumita, Y. 88—22123
Togashi, S., Sekiguchi, K., Tanabe, H., Yamamoto, E., Sorimachi, K., Tajima, E., Watanabe, H., Shimizu, H. A LCTV display controlled by a-Si diode rings 85—20676
Togashi, S., Sekiguchi, K., Tanabe, H., Yamamoto, E., Sorimachi, K., Tajima, E., Watanabe, H., Shimizu, H. A 210×228 matrix LCD controlled by double stage diode rings 86—5416
Togashi, S., Sekiguchi, K., Tanabe, H., Yamamoto, E., Sorimachi, K., Tajima, E., Watanabe, H., Shimizu, H. An LC-TV display controlled by a-Si diode rings 86—18038
Togashi, S. *see* Yamamitsu, C. 86—38085
Togasi, A. *see* Miwada, K. 87—34975
Togatov, D.V. *see* Konstantinov, A.V. 87—56502
Togatov, V.V. *see* Grigor'yev, B.I. 85—1569, 85—6904, 85—55543, 88—13333
Togatov, V.V. *see* Gurevich, M.K. 88—55435
Togatov, V.V. *see* Kyverik, K.Kh. 87—16865
Togatov, V.V. *see* Rabkin, P.B. 85—55748
Togatov, V.V. *see* Rudskiy, V.A. 88—71525
Togawa, A. INS Model System 85—25289
Togawa, A. The INS Model System 85—42057
Togawa, A., Takeuchi, M., Sawakuri, T. Overall operation results for the INS Model System 86—59479
Togawa, A., Takeuchi, M., Sawakuri, T., Numata, M. Synthetic operation results of INS Model System 86—16670
Togawa, A. *see* Inoue, N. 86—4128
Togawa, F., Hakaridani, M., Iwahashi, H., Ueda, T. Voice-activated word processor with automatic learning for dynamic optimization of syllable-templates 87—19549
Togawa, F. *see* Hakaridani, M. 85—46719
Togawa, H. *see* Ieiri, M. 87—3912
Togawa, H. *see* Noro, T. 86—70362
Togawa, K. How ceramic and piezoelectric devices are used to improve office telephones 85—13987
Togawa, K. *see* Fujishima, S. 88—18985
Togawa, K. *see* Nishimoto, K. 86—9339, 86—57917
Togawa, M., Kotera, H., Unemoto, K., Arikawa, T. Experimental teleconferencing terminal on 64 kb/s digital communication systems 86—11323
Togawa, M., Sugimoto, T., Miyake, K. New video projection tubes 87—32210
Togawa, M. *see* Metsugi, Y. 86—21063
Togawa, S. Preservation of food and storage temperature control 86—71148
Togawa, T. Pacemaker electrode 85—15351
Togawa, T., Aiba, T., Kobayashi, M., Hayashi, K. Testing facilities of the digital data exchange network testing system 87—69809
Togawa, T., Nishiwaki, M., Yoshida, K. Network testing system for digital data networks 87—48572
Togawa, T., Ohta, N., Arita, T., Uchiyama, T. Improved D50 multi-purpose line concentrator 86—37589
Togawa, T. *see* Nemoto, T. 88—74793
Togawa, T. *see* Shimazu, H. 85—26778
Togawa, T. *see* Tamura, T. 86—38744, 88—61394
Togawa, Y., Matsumoto, T., Arai, H. The T_F-equivalence class approach to analog fault diagnosis problems 87—10546
Toge, N. *see* Ashford, V. 86—50391, 87—41835
Toge, N. *see* Fischer, G.E. 88—47840
Toge, N. *see* Hallewell, G. 88—68213
Toge, N. *see* Johnson, R. 88—68277
Toge, N. *see* Spencer, E. 88—61189
Toge, N. *see* Va'Vra, J. 88—61103
Toggweiler, P. Comparison between solar thermal and photovoltaic electricity generation at the Almeria solar power station 86—45252
Toggweiler, P. SWICEL: Swiss electric cabriolet [electric vehicles] 87—4997
Toggweiler, P., Minder, R. PHALK 500: project proposal for a photovoltaic 500 kW power station in Switzerland 87—57961
Toggweiler, P. *see* Ammeter, U. 85—48894
Toggweiler, P. *see* Barbisch, C. 87—58311
Toggweiler, P. *see* Schillinger, D. 87—4996
Toggweiler, R. *see* Girard, L. 86—10927
Toghrai, C. *see* Pau, L.F. 85—20461
Togino, K. Off highway vehicle automation—electronic bulldozer control 85—65582
Togliatti, G., Moriondo, A. Analysis of the Metric Camera B&W images over Italy 85—64706
Tognetti, D. *see* Reniero, E. 86—60018
Togni, J. *see* Galizia, R. 85—32250
Tognolatti, D. *see* Mongiardo, M. 88—4925
Tognolatti, P. *see* Bardati, F. 87—8926, 88—36469
Tognolatti, P. *see* Schiavon, G. 88—52265, 88—58926, 88—72637
Tognoni, A. *see* Stocchino, G. 87—36956
Togo, T. *see* Uetani, Y. 85—39169
Togo, Y. Steam generator operating experience in Japan 85—38753
Togo, Y. Safety analysis and operating procedures during steam generator tube rupture 85—38766
Togo, Y., Mori, N. Preventing tube degradation in Japan [nuclear steam generators] 85—38628
Togoh, H., Kamata, K., Nakanishi, K. A total view of the 'Dial 110' emergency call receiving system in Japan and studies for more effective police activities 85—3023
Togoshi, T., Niwaya, H., Ichijoh, K., Arino, Y., Yamamoto, S., Doumori, N., Nakamura, Y. The transmission equipment of a private digital network 87—48393
Toguchi, A. *see* Maida, Y. 87—44837
Toguchi, K. *see* Tanaka, H. 85—5832
Toh, K., Meyer, R.G., Soo, D.C., Chin, G.M., Voshchenkov, A.M. A matched impedance NMOS amplifier 87—59212
Toh, K. *see* Mastromarco, V. 88—44714
Toh, K.-y., Ko, P.-K., Meyer, R.G. An engineering model for short-channel MOS devices 88—64560
Toh, K.-Y., Meyer, R.G., Soo, D.C., Chin, G.M., Voshchenkov, A.M. Wide-band, low-noise, matched-impedance amplifiers in submicrometer MOS technology 88—18935

Toh, K.K.H., Neureuther, A.R. Identifying and monitoring effects of lens aberrations in projection printing 88−1593
Toh, S.C., Viswanathan, T.L. SPICE circuit extractor (SCE) program for semicustom analog IC design 86−53695
Tohama, T. *see* Matsunaga, K. 88−5954
Tohara, H. Trends of HDTV 85−58317
Tohara, M. *see* Naito, H. 85−4033
Tohda, T., Fujita, Y., Matsuoka, T., Abe, A. New efficient phosphor material ZnS:Sm,P for red electroluminescent devices 86−36350
Tohda, T. *see* Abe, A. 86−31238
Tohda, T. *see* Fujita, Y. 85−43048
Tohda, T. *see* Kuwata, K. 87−56770
Tohda, T. *see* Matsuoka, T. 87−3671, 87−56769, 88−51685, 88−71313
Tohei, T. *see* Tachikawa, M. 88−65805
Toher, T. *see* Love, R.D. 87−62613
Tohge, N., Kanda, K., Minami, T. Electrical and photovoltaic properties of amorphous chalcogenide thin-film *p-n* junctions 88−71323
Tohge, N., Matsuo, H., Minami, T. Electrical properties of n-type semiconducting chalcogenide glasses in the system Pb-Ge-Se 88−25899
Tohge, T. Experiences on mobile radio network 88−41560
Tohi, A. *see* Yoshida, M. 87−60292
Tohill, J.C. *see* Peet, N.J. 87−64227
Tohjima, E., Sato, T. Sounding system for detection of defects in pipe-like object using nonlinear effect of ultrasonics 86−70552
Tohjima, E., Sato, T. Examples of observation of flow fields by gas flow velocity distribution measuring system which uses nonlinear effect of ultrasonic waves 87−77466
Tohjima, E. *see* Sato, T. 87−21278, 87−21281, 87−70841
Tohkai, Y. *see* Sahashi, M. 88−51216, 88−71883
Tohkaichi, T. *see* Murano, H. 86−40556
Tohkura, Y. A weighted cepstral distance measure for speech recognition 87−19509
Tohkura, Y. A weighted cepstral distance measure for speech recognition 88−8705
Tohkura, Y. Speech perception and automatic speech recognition 88−14617
Tohkura, Y. *see* Akagi, M. 88−66367
Tohkura, Y. *see* Kirikae, I. 86−69004
Tohkura, Y. *see* Kitahara, Y. 88−21141
Tohkura, Y. *see* Sagisaka, Y. 85−2781
Tohma, H. *see* Okazaki, M. 86−42044
Tohma, K., Honda, K., Nanbu, T., Noda, K., Sugita, R., Sakamoto, Y. Magnetic properties of Permalloy film for composite perpendicular recording medium 86−36020
Tohma, K. *see* Furuhama, Y. 85−24824
Tohma, K. *see* Honda, K. 87−18481
Tohma, K. *see* Nambu, T. 87−18482
Tohma, K. *see* Sugita, R. 86−36018, 87−18516
Tohma, Y. Coding techniques in fault-tolerant, self-checking and fail-safe circuits 86−67183
Tohma, Y. *see* Varma, P. 87−59366, 88−50106
Tohma, Y. *see* Yoneda, T. 87−2684
Tohmiya, Y. *see* Murakami, K. 85−1269
Tohmon, G., Yamamoto, K., Taniuchi, T. Blue light source using guided-wave frequency doubler with a diode laser 88−65709
Tohmon, R. *see* Nagasawa, K. 87−38772
Tohmon, R. *see* Yokomachi, Y. 88−26786
Tohmori, S. *see* Hagio, M. 85−40753
Tohmori, Y., Jiang, X., Arai, S., Koyama, F., Suematsu, Y. Novel structure GaInAsP/InP 1.5-1.6 μm bundle integrated-guide (BIG) distributed Bragg reflector laser 85−62602
Tohmori, Y., Komori, K., Arai, S., Koentjoro, S., Suematsu, Y. GaInAsP/InP 1.5 μm bundle-integrated-guide distributed Bragg reflector (BIG-DBR) laser 86−36509
Tohmori, Y., Komori, K., Arai, S., Suematsu, Y. Low-threshold-current CW operation of 1.5 μm GaInAsP/InP bundle-integrated-guide distributed-Bragg-reflector (BIG-DBR) lasers 85−62553
Tohmori, Y., Komori, K., Arai, S., Suematsu, Y. 1.5-1.6 μm GaInAsP/InP bundle-integrated-guide (BIG) distributed-Bragg-reflector (DBR) lasers 87−61174
Tohmori, Y., Komori, K., Arai, S., Suematsu, Y., Oohashi, H. Wavelength tunable 1.5 μm GaInAsP/InP bundle-integrated-guide distributed Bragg reflector (BIG-DBR) lasers 86−29168
Tohmori, Y., Oishi, M. 1.55 μm butt-jointed distributed Bragg reflector lasers grown entirely by low-pressure MOVPE 88−51816
Tohmori, Y., OOhashi, H., Kato, T., Arai, S., Komori, K., Suematsu, Y. Wavelength stabilisation of 1.5 μm GaInAsP/InP bundle-integrated-guide distributed-Bragg-reflector (BIG-DBR) lasers integrated with wavelength tuning region 86−29136
Tohmori, Y. *see* Broberg, B. 86−9875
Tohmori, Y. *see* Fukui, H. 86−54146
Tohmori, Y. *see* Komori, K. 86−29167
Tohmori, Y. *see* Miyamoto, Y. 86−26850
Tohmori, Y. *see* Posadas, L. 86−68556
Tohmori, Y. *see* Posadas, L.S. 87−68468
Tohmri, Y. *see* Itaya, Y. 87−68472
Tohno, S., Katsui, A. X-ray topographic study of twinning in InP crystals grown by the liquid encapsulated Czochralski technique 86−40702
Tohno, S., Katsui, A. Single crystal growth and characterization of isoelectronically-doped InP 87−16567
Tohno, S. *see* Katsui, A. 86−34281, 87−23601
Tohno, S. *see* Shinoyama, S. 86−52436
Toho, M. *see* Higashikawa, M. 87−64948
Tohver, H.T. *see* Shealy, D.L. 88−64140
Tohver, H.T. *see* Thompson, R.G. 87−73161, 88−64681
Tohver, H.T. *see* Tsang, K.L. 85−12440
Tohya, H. *see* Noji, H. 88−75785
Tohya, T. *see* Ueda, R. 87−42964
Tohyama, D. *see* Yoshida, M. 86−47613
Tohyama, H. *see* Kawasaki, R. 86−49341
Tohyama, H. *see* Momma, K. 86−64583
Tohyama, H. *see* Oguchi, T. 88−20042
Tohyama, I. *see* Baba, H. 88−55492
Tohyama, M. *see* Kaneda, Y. 85−46716
Tohyama, M. *see* Masuda, W. 87−61088
Tohyama, M. *see* Suzuki, A. 87−35247, 87−70321
Tohyama, O., Ito, A., Shintani, T., Ito, H., Inaba, H. High-speed equi-rate reactive ion etching of GaAs and AlGaAs by using Cl_2-H_2 88−64420
Tohyama, S. *see* Inada, T. 87−10473
Tohyama, T. New traffic system of Seibu railway, Yamaguchi line 86−66422
Tohyama, T., Ogawa, T. Information network in system control 86−4288
Tohyama, T., Yukawa, T., Akazawa, S., Hosono, T., Tominaga, K., Ohkoshi, A. A new 5.3 V″ high-brightness beam-index display 86−8706
Toi, H. *see* Itoh, K. 88−15824
Toi, K. *see* Hamada, Y. 85−2508
Toia, M.J. *see* Hagn, G.H. 88−40710
Toida, K. *see* Yokomori, K. 86−60117
Toida, S. A decomposition of a graph into dense subgraphs 85−54275
Toida, T. *see* Abe, M. 86−41021
Toide, E., Kanabe, T., Arinaga, S., Nakatsuka, M., Kato, Y., Yamanaka, C. Direct interferometric measurement of static and nonlinear wavefront distortions of a high power glass laser beam 85−24629
Toide, E. *see* Shikama, S. 87−46634
Toigo, V. Electrical grounding, shielding and isolation for RFX experiment 88−58892
Toijer, D. Data communication: MAP solves the industry's contact problem 86−16944
Toijer, D. Select the right magnetic transducer 86−24482
Toijer, D. The thermal imaging camera on a photographic journey through the sewers 87−41370
Toijer, D. Improving vibration measurement: reading a HOLOGRAM with a personal computer 88−53945
Toikka, M. The use of radars to measure the distribution of ice and frazil in rivers 88−10581
Toint, Ph.L. Global convergence of a class of trust-region methods for nonconvex minimization in Hilbert space 88−49743
Toint, Ph.L. *see* Goldfarb, D. 85−5945
Toint, P.L. Numerical solution of large sets of algebraic nonlinear equations 86−34230
Toint, P.L. Global convergence of the partitioned BEGS algorithm for convex partially separable optimization 87−16519
Toint, P.L. On large scale nonlinear least squares calculations 87−58852
Toint, P.L. *see* Conn, A.R. 88−49716
Toint, P.L. *see* Golub, G.H. 86−65037
Toint, P.L. *see* Manneback, P.E. 85−47612
Toisch, D. *see* Evans, J. 88−63688
Toit, A.G.du *see* du Toit, A.G.
Toit, C.F.du *see* du Toit, C.F.
Toit, L.J.Du *see* Du Toit, L.J.
Toit, L.P.du *see* du Toit, L.P.
Toit, R.du *see* du Toit, R.
Toit, T.C.du *see* du Toit, T.C.
Toit, Z.B.du *see* du Toit, Z.B.
Toivanen, R.O. *see* Somerkoski, J.V.A. 85−56147
Toivola, A., Jarvinen, P. Finnish NPPs' discharge retention systems and monitoring 85−59945
Toivola, E. Analog and digital radio relay networks of the Finnish State Railways 85−20033
Toivola, K. The outlook for mobile telecommunications from the viewpoint of the authorities. The potentialities and their limitations 85−47118
Toji, E. *see* Ohwa, M. 87−16577
Toji, E. *see* Takasu, S. 88−70307
Tojo, A. Large-scale project 'interoperable database system'−toward realization of open distributed information systems 88−52827
Tojo, A. *see* Tanabe, K. 86−34855
Tojo, A. *see* Tsukamoto, M. 88−41321
Tojo, E. *see* Arai, S. 85−9020 to 9021, 88−47847
Tojo, K. *see* Kikuchi, K. 88−17807
Tojo, M., Matsuda, K., Kubo, M., Sibata, J. OEIC photoreceiver using InP system with a 5 V source voltage supply 88−65527
Tojo, M. *see* Matsuda, K. 88−40073
Tojo, N., Kobayashi, H., Hamaguchi, K., Iwai, H., Tanaka, T., Kida, R., Kashikara, M., Ohmori, T. Multimedia international communication system for intercompany communication 88−41264
Tojo, N. *see* Amano, M. 86−30295
Tojo, R. *see* Mira, J. 86−29939
Tojo, T. Scintillation efficiency of a NaI(Tl) crystal for low energy electrons 86−18240
Tojo, T., Maejima, H., Hida, N., Murata, M. Structure and performance of newly developed compound lever type 360 kN force standard machine 86−11738
Tojo, T., Sugihara, K. High precision positioning turntable for submicron lithography systems 86−15247
Tojo, T., Sugihara, K. Piezoelectricdriven turntable with high positioning accuracy 86−34010
Tojo, T., Sugihara, K. Piezoelectric-driven turntable with high positioning accuracy. I. Operation principle and basic performance 88−1841
Tojo, T. *see* Hida, N. 86−11740
Tojo, T. *see* Hirata, K. 86−12636
Tojo, T. *see* Tabata, M. 88−7534
Tojyo, E., Arai, S., Fujino, T., Fukushima, T., Tokuda, N. A multi-module cavity structure of split coaxial RFQ 87−41684
Tojyo, E., Hattori, T., Arai, S., Fujino, T., Fukushima, T. A compact 2.86 GHz ECR ion source 87−14715
Tojyo, E. *see* Arai, S. 86−25023, 87−8803, 87−14674
Tojyo, E. *see* Sato, K. 86−31985
Tojyo, E. *see* Sekiguchi, M. 88−74719
Tojyo, E. *see* Yamada, S. 85−15114
Toka, K., Motoyama, H., Hashizu, M., Seike, T. Compact ATE radio communication analyzer 87−14077
Tokahashi, K., Shiratom, N., Noguchi, S. A design and implementation of electronic mail system integrating both images and texts in a computer network 85−51979
Tokai, M. *see* Suzuki, Y. 88−31850
Tokai, T. *see* Takahashi, T. 88−12065
Tokairin, N. *see* Nishizuka, N. 86−14579
Tokaji, I., Barnes, C.W. Roundoff error statistics for a continuous range of multiplier coefficients 87−33692
Tokaji, I., Barnes, C.W. Minimum unit noise gain in non-minimal state-space realizations of digital filters 88−56780
Tokalin, O.A. *see* Kovalenko, V.F. 86−14891
Tokanaga, K. *see* Yamagata, K. 86−13164
Tokanami, M. *see* Kosugi, K. 88−28869
Tokar', I.I. *see* Bertinov, A.I. 88−49224
Tokar', I.I. *see* Mizyurin, S.R. 86−7253
Tokar, I.Ya., Krioni, A.D., Al'tshuler, I.B., Fainshtein, M.B., Urasov, P.G. Design of thrust bearings for large rolling-mill motors of high and maximum capacity 85−44332
Tokar', I.Ya., Polishchuk, S.M. On calculation of the coefficient of flow through the value of a system or controlling condensate level 87−64390
Tokar, J.V. *see* Briley, B.E. 88−67180
Tokar, R.L., McVey, B.D., Goldstein, J.C. Sideband suppression in free electron lasers using a grating rhomb 88−65743
Tokar', V.G., Rubinshtein, L.I., Nikitin, M.A. Depolarization of short-wave radio waves in the ionosphere in the quasiisotropic approximation 88−2563
Tokarbaev, T.T. *see* Ageev, Yu.I. 85−14742
Tokarchuk, D.N. *see* Plotnikov, A.F. 87−6488
Tokarenko, A.V. *see* Gorobets, N.N. 87−39449
Tokarev, A.B., Zhirnova, N.B., Laryukhin, B.V. A method for choosing the parameters of power-supply system energy sources 88−24032
Tokarev, A.D. *see* Konstantinov, V.I. 85−6212
Tokarev, A.G., Martynovich, E.F., Zilov, S.A. Tunable laser radiation, nonlinear absorption, and 'anti-Stokes' luminescence of color centers in α-Al_2O_3 88−72296
Tokarev, A.G. *see* Martynovich, E.F. 85−41369, 86−58910
Tokarev, A.S. *see* Bogdanov, V.V. 87−70213
Tokarev, A.S. *see* Borodovskiy, P.A. 87−32084
Tokarev, B.F., Lubsanov, A.A. Heat transfer in interpole channel of DC machine filled with liquid dielectric 85−44012
Tokarev, B.F., Todos, P.I., Lubsanov, A.A. The temperature field in the active area of the armature of a liquid-filled DC motor 86−12833
Tokarev, B.F., Todos, P.I., Lubsanov, A.A. A technique for determining the heat exchange characteristics in submersible DC motors 87−15779
Tokarev, B.F., Todos, P.I., Lubsanov, A.A. The temperature field of stators of submerged DC motors 88−23950
Tokarev, E.V. *see* Gonoradskaya, L.B. 87−56627
Tokarev, S.B. *see* Ivanov, V.I. 86−12836
Tokarev, S.B. *see* Kiselev, V.I. 88−30239
Tokarev, S.B. *see* Morozkin, V.P. 85−65270
Tokarev, V.F. *see* P'yankov, V.A. 88−18781
Tokarev, V.I. *see* Starking, G.N. 88−4214
Tokarev, V.V. *see* Shorin, V.P. 88−37064
Tokarev, Yu.E. *see* Luk'yanenko, E.A. 86−5655
Tokarev, Yu.E. *see* Zakirov, B.S. 88−6555
Tokarev, Yu.V. *see* Boiko, G.N. 86−36730

Tokareva, A.N. *see* Dorofeev, S.N. 86−9785, 86−9787
Tokareva, A.N. *see* Zhil'tsov, V.I. 86−54106
Tokareva, I.P., Kolomnikov, Yu.D. Measuring the wavelength of a laser using the 0.63-μm transition 87−2225
Tokareva, I.P., Kolomnikov, Yu.D. Output characteristics and resonance parameters of He-Ne/^{127}I$_2$ laser 88−2168
Tokarevskii, V.V. *see* Kolesnik, L.I. 86−21359
Tokarevskii, V.V. *see* Kolin, N.G. 86−28131
Tokarevskil, V.V. *see* Galdar, G.P. 87−17907
Tokarski, J., Wiechula, P. Metrological problems of programmable automatic testing of asynchronous motors 85−43979
Tokarskii, A., Kukainis, O., Yostson, Yu. The compensation of electromagnetic field of the two-circuit controlled plane 500 kV AC transmission line 86−18820
Tokarskii, P.L. The scattering matrix of an antenna array with Joule losses in the radiators 85−62923
Tokarskii, P.L. *see* Luchaninov, A.I. 85−13381
Tokarskiy, P.L. Mutual coupling in a system of radiators with Joule losses 88−27673
Tokarz, J. Cellular radio telephones: old idea with new concept 85−14131
Tokarzewski, J. Stability of periodically switched linear systems and the switching frequency 87−44522
Tokarzewski, J. Stability of linear systems with periodically varying structure 87−73245
Tokashiki, N., Afuso, C. Micropower multistable circuit using Lambda diodes 86−27245
Tokatly, V.I. *see* Tishchenko, V.A. 87−35162
Tokay, F. *see* Krishnamurthy, A.K. 87−12957
Toke, G., Nadasy, G. The use of serraphil functions in the performance calculation of asynchronous machines 85−60193
Token, C. At a glance: RCL meter with automatic graphic and numeric display 85−20645
Toker, G.R. *see* Karlov, N.V. 87−33108
Tokes, J. Short-circuit protection of SF$_6$ gas insulated switching equipment 85−44116
Tokes, J. Short-circuit protection of synchronous generators with semiconductor excitation 88−5662
Tokes, J. Short-circuit protection and automation of medium voltage networks with uniform neutral point management 88−23466
Tokes, S.B. *see* Podmaniczky, A. 85−56917
Tokhairin, T. *see* Ozue, T. 88−26667
Tokheim, R.E. Analysis of electrical noise from shock loading a steel flatpack soil stress gage 87−21070
Tokhmakhyan, M.G. Optimisation of transient processes in current amplifiers with an inductive load 85−49759
Tokhmakhyan, M.G. *see* Varel'dzhyan, A.V. 85−14739
Tokhov, S.V., Karpovich, I.A., Martynov, V.V., Funina, G.V. Field effect in an n-GaAs metal-anodic oxide-film junction 87−24957
Toki, K. *see* Hayama, N. 86−68164
Toki, K. *see* Nakada, M. 88−45038
Toki, K. *see* Okada, M. 86−68353, 87−60992, 88−58269
Toki, K. *see* Yumoto, S. 88−58257
Toki, M., Hattori, S. CMOS overtone crystal oscillator circuit 87−60716
Toki, M., Tanaka, Y., Yamamoto, H. Detection method of surface wave direction in cable systems 88−59958
Toki, M., Tsuzuki, Y., Mitsuoka, T. Measuring method of active impedance of crystal oscillator circuits 87−52426
Toki, M., Yasuo Tsuzuki, Teruyoshi Mitsuoka Measuring method of active impedance of crystal oscillator circuits 85−35267
Toki, W. *see* Bernstein, D. 85−15253
Toki, Y., Sakano, K. Universal test set for low resistance meter 86−50137
Tokiguchi, K., Itoh, H., Saitoh, T. Silicon solar cell fabricated by ion implantation 86−13060
Tokiguchi, K., Itoh, H., Sakudo, N., Koike, H., Saitoh, T. Non-mass-analyzed ion implantation using microwave ion source 85−61843
Tokiguchi, K., Sakudo, N., Koike, H. Beam extraction experiments from microwave ion sources 87−3881
Tokiguchi, K. *see* Sakudo, N. 85−15145, 88−10234
Tokikuni, K. *see* Arimura, T. 86−16668, 86−54737, 86−59477
Tokikuni, K. *see* Kishino, F. 88−46741
Tokikuni, K. *see* Takeda, H. 87−40158, 87−76042, 88−15209
Tokimoto, T. *see* Kimura, M. 88−60986
Tokinaga, S. On the management of time-series data by feature description based upon generative grammar−by fitting ARMA model to EEG signals 85−20922
Tokinaga, S. Realization method of approximate wave-digital filter *D*-section based on lumped-distributed network 85−34089
Tokinaga, S. A traffic control method by adaptive reservation scheme using subchannel on bus-type local networks for integrated voice and data 85−57897
Tokinaga, S. Realization method of approximate wave-digital filter D-section based on lumped/distributed network 86−67366
Tokinaga, S. A traffic control method by adaptive reservation scheme using subchannel on bus-type local networks for integrated voice and data 86−69400
Tokinaga, S. Management of time-series data by feature description based upon generative grammar, fitting ARMA model to EEG signals 86−70418
Tokinaga, S. Automatic EEG classification based on syntactical pattern recognition method−feature extraction by adaptive ARMA model fitting 87−21572
Tokinaga, S. Analysis of demand-assignment schemes with adaptive reservation on bus-type LANs for integrated communications 88−59687
Tokinaga, S., Yoshimura, S. On the realization of wave-digital filter containing approximate D-sections reduced from lumped/distributed network 86−57985
Tokinaga, S., Yoshimura, S. Identification of transient wave in time-series data by adaptive ARMA model fitting and its application to rule-based recognition 86−65448
Tokioka, H. Modems for private branch circuit and three applications 87−69773
Tokioka, H. The advanced local modem and its applications 88−28573
Tokita, K., Nakane, K., Sone, T., Kida, K., Murai, R. A prestressed mask for a color picture tube 86−47256
Tokita, M. *see* Kusui, N. 88−13220
Tokita, M. *see* Nakatani, N. 86−18188, 86−31720, 87−21283
Tokita, T., Tanaka, M. Co-ferrite films by thermal decomposition method 88−44964
Tokita, T. *see* Inoue, S. 85−52220
Tokita, T. *see* Nakamura, M. 87−27889
Tokita, T. *see* Tanaka, M. 87−67695, 88−51163
Tokita, Y. *see* Fuke, A. 86−68471, 87−33091, 88−8145, 88−14079, 88−51732, 88−72279
Tokita, Y. *see* Tanabe, S. 86−49390
Tokito, S. *see* Adachi, C. 88−51686
Tokito, S. *see* Kaino, T. 87−75232
Tokiwa, H., Mimura, Y. Ultralow-loss fluoride-glass single-mode fiber design 87−7142
Tokiwa, H., Mimura, Y., Nakai, T., Shinbori, O. Fabrication of long single-mode and multimode fluoride glass fibres by the double-crucible technique 86−15462
Tokiwa, H., Mimura, Y., Shinbori, O., Nakai, T. Scattering characteristics in reheated fluorozirconate glasses 85−62279
Tokiwa, H., Mimura, Y., Shinbori, O., Nakai, T. A core-clad composition for crystallization-free fluoride fibers 85−62313
Tokiwa, H. *see* Nakai, T. 85−56299, 85−62278, 86−22061, 86−28775
Tokiwa, K., Kasahara, M. Nonzero-element distribution of nonbinary linear codes 88−72760
Tokiwa, K. *see* Matsuda, H. 85−36200
Tokiwa, K. *see* Matsumi, C. 87−54878
Tokiwa, K. *see* Nakamori, Y. 86−11736
Tokiwa, K. *see* Sakakibara, K. 88−8695
Tokiwa, Y. *see* Terada, Y. 88−53413
Tokizaki, H. *see* Itani, K. 86−40312
Tokizaki, S. *see* Shitara, T. 88−4151, 88−60433
Tokizaki, T. *see* Watanabe, A. 88−10148
Tokizawa, I., Tokunaga, M., Maeda, Y. An advanced multimedia TDM system for closed networks 88−41429
Tokizawa, I., Ueda, H., Tsuji, H. A synchronous DS4 multiplexer with cross-connect function 87−34264
Tokizawa, I., Ueda, H., Tsuji, H., Sumida, M. Large capacity non-blocking digital cross-connect system using high speed optical links 87−40534
Tokizawa, I. *see* Aoyama, T. 88−21850
Tokizawa, I. *see* Asatani, K. 85−30551, 85−47008
Tokizawa, I. *see* Daumer, W.R. 85−41840
Tokizawa, I. *see* Inoue, Y. 88−46596
Tokizawa, I. *see* Maeda, Y. 88−9289
Tokizawa, I. *see* Makino, M. 88−46449
Tokizawa, I. *see* Suzuki, J. 86−64177
Tokizawa, I. *see* Ueda, H. 86−37240, 86−55088
Tokko, Y. *see* Kawakami, H. 86−51692
Tokko, Y. *see* Nakajima, M. 86−12480, 86−51817
Tokmak, E.V. *see* Zhezhelenko, I.V. 86−5199
Tokmakov, I.L. *see* Koldanov, A.P. 86−29677
Tokmakov, V.A., Vlasov, V.I. Development of the SM-3 seismometer and its possibilities 86−44773
Tokmakov, V.G. *see* Vasyukov, V.V. 85−25015
Tokmakova, E.I. *see* Abgaryan, V.V. 86−25321
Tokmoldin, S.Zh. *see* Mukashev, B.N. 85−40600, 86−63172, 87−6579
Tokmulin, I.M. *see* Agrikov, Yu.M. 88−57468
Toko, K. *see* Hayashi, K. 86−18353
Toko, T., Fujiwara, K., Hashimoto, O., Nakata, R., Takatsuki, H. Insulation diagnosis of large DC motors for hot-rolling mills 85−32510
Tokoh, A. *see* Takeda, T. 88−63394
Tokoh, K. *see* Yamafuji, K. 87−29066
Tokokawa, T., Hinohara, K., Nagai, A. Study on the design of ultraminiature reed switches 88−12670
Tokolov, V.S. *see* Averochkin, V.A. 87−19210, 88−27925, 88−72947
Tokolov, V.S. *see* Baranov, P.E. 87−19679, 87−55085
Tokoro, A. From '85 Electric Installation Show: power supply facilities 86−56824
Tokoro, M. *see* Saito, T. 88−21677, 88−59688
Tokoro, S. *see* Okumara, K. 87−2324
Tokoro, S. *see* Okumura, K. 85−41669
Tokoro, T., Shimizu, H., Nagao, M., Kosaki, M. High field dielectric properties of polyethylene films 87−6943
Tokoro, T. *see* Kasaki, M. 85−32190
Tokorotani, Y. *see* Unehara, S. 88−23930
Tokos, F. *see* Goodman, W. 85−39554
Tokoyoda, T. *see* Kondoh, F. 87−34545, 87−49103
Tokranov, P.N. *see* Kuvaldin, A.B. 87−7494
Tokranov, P.N. *see* Zhigalko, E.K. 87−58163
Toksez, M.N. *see* Kolesnikov, Yu.A. 86−29925
Toksoz, M.N. *see* Matarese, J.R. 88−10536
Toktosunov, R.T. *see* Maripov, A.M. 87−19912 to 19913
Tokubuchi, N. *see* Uchinami, S. 88−51315
Tokuda, A. *see* Tamai, M. 86−37495
Tokuda, H., Kamo, H., Sasaki, F., Higashiura, M. 15 GHz-band power InP MISFETs 87−59872
Tokuda, H., Tanaka, A., Kawasaki, H., Inami, I., Higashiura, M., Hori, S., Kamei, K. Growth parameter dependence of 2DEG mobility in selectively doped n-AlGaAs/GaAs grown by MO-CVD 87−60493
Tokuda, H. *see* Asami, T. 87−20232
Tokuda, H. *see* Kawasaki, H. 86−67886
Tokuda, H. *see* Tokuda, T. 85−25344
Tokuda, J., Takai, M., Gamo, K., Namba, S. Laser-induced etching of gallium arsenide and carbon deposition in CCl$_4$ gas atmosphere 86−53559
Tokuda, J., Takai, M., Gamo, K., Namba, S. Stoichiometric change in gallium arsenide after laser-induced thermochemical etching 87−53413
Tokuda, J., Takai, M., Nakai, H., Gamo, K., Namba, S. Laser-induced etching of gallium arsenide in a CCl$_4$ atmosphere: control of carbon deposition 87−32424
Tokuda, J. *see* Hidaka, T. 85−5151
Tokuda, J. *see* Takai, M. 85−50451, 88−44544
Tokuda, K., Akabane, M., Matsui, T., Sawataishi, T. Signal processing ICs for LCD color TV 86−4820
Tokuda, K., Kawabe, M., Sato, T. Data transmission performance in a narrow band system [cellular radio] 87−69971
Tokuda, K., Kobayashi, T., Imai, S. Cepstral analysis with non-uniform spectral weighting for spectral envelope extraction 87−75756
Tokuda, K., Kobayashi, T., Imai, S. Recursion formula for calculation of mel generalized cepstrum coefficients 88−40870
Tokuda, K., Kobayashi, T., To Kuda, A., Imai, S. Simultaneous approximation of magnitude and phase for digital filters by decomposition of maximum and minimum phase components 88−38633
Tokuda, K., Mashimo, M., Nishizima, K., Suzuki, T., Kobayashi, T., Ishida, M., Iwasaki, K., Kitamura, M., Mouri, Y., Kuwazima, T. Signal processing ICs for VCR 87−77017
Tokuda, K., Yoshioka, T., Ikeda, M., Kagawa, S., Shinohara, K., Satoh, T., Yamamoto, M., Sawataishi, T., Hirayama, M. Single-chip signal processing IC for PAL system color TV 87−76946
Tokuda, K. *see* Fukasawa, A. 87−3083
Tokuda, K. *see* Fukaya, H. 86−60031
Tokuda, K. *see* Nishiki, Y. 86−51876
Tokuda, K.L., Adler, D., Reif, R. Preparation and properties of hydrogenated amorphous silicon produced by plasma-enhanced chemical vapor decomposition of silane 88−56312
Tokuda, M. *see* Horiguchi, T. 85−12621, 85−18727, 85−41140, 88−58156
Tokuda, M. *see* Koyamada, Y. 85−2035, 86−68241
Tokuda, M. *see* Kuribayashi, M. 86−8563, 87−39423, 87−48832
Tokuda, M. *see* Matsumoto, M. 87−8262
Tokuda, M. *see* Mizuishi, K. 88−63053
Tokuda, M. *see* Nakazawa, M. 85−12696
Tokuda, M. *see* Shibata, N. 85−56349
Tokuda, M. *see* Shiosaki, T. 86−2566
Tokuda, M. *see* Uesugi, N. 86−9563
Tokuda, N. RFQ work at INS 86−60395
Tokuda, N., Yonehar, H., Noda, A., Watanabe, S., Yoshizawa, M., Takahashi, M., Takanaka, M., Chida, K., Mizobuchi, A., Nakanishi, T., Katayama, T. Stochastic momentum cooling of a low energy beam at TARN 86−24991
Tokuda, N. *see* Arai, S. 86−25023, 87−8803, 87−14674, 88−47847
Tokuda, N. *see* Arakawa, H. 86−49112, 87−8098

Tokuda, N. *see* Katayama, T. 87–35277, 87–56967
Tokuda, N. *see* Nakanishi, T. 87–41660
Tokuda, N. *see* Noda, A. 85–15117
Tokuda, N. *see* Tojyo, E. 87–41684
Tokuda, N. *see* Ueda, N. 85–15097, 86–24908
Tokuda, N. *see* Watanabe, S. 88–74660
Tokuda, S. *see* Ogawa, Y. 86–4818
Tokuda, T., Tokuda, H. A method of realizing an electronic mail facility for computer scientists in Japan 85–25344
Tokuda, T. *see* Asami, T. 87–20232
Tokuda, T. *see* Korematsu, J. 85–33969
Tokuda, Y., Abe, Y., Matsui, T., Tsukada, N., Nakayama, T. Dual-wavelength emission from a twin-stripe single quantum well laser 88–14231
Tokuda, Y., Abe, Y., Matsui, T., Tsukada, N., Nakayama, T. Dual-wavelength twin-stripe laser using single quantum well structure 88–20681
Tokuda, Y., Fujiwara, K., Nakayama, T. Separate confinement heterostructure (SCH) laser diodes with all-binary AlAs/GaAs short-period-superlattice optical confinement layers 86–54156
Tokuda, Y., Fujiwara, K., Tsukada, N., Kojima, K., Hamanaka, K., Nakayama, T. Carrier-temperature and wavelength-switching in GaAs single-quantum-well laser diode 87–26408
Tokuda, Y., Kozaki, T., Usami, A. Electrical characteristics of GaAs$_{0.6}$P$_{0.4}$ p$^+$n diodes fabricated by Zn implantation and rapid thermal annealing 86–35642
Tokuda, Y., Matsui, T., Fujiwara, K., Tsukada, N., Nakayama, T. Lasing wavelength of an asymmetric double quantum well laser diode 87–68441
Tokuda, Y., Ohta, Y.N., Fujiwara, K., Nakayama, T. Application of AlAs GaAs superlattices to step-index and graded-index waveguide separate-confinement heterostructure laser diodes 87–12480
Tokuda, Y., Tsukada, N., Fujiwara, K., Hamanaka, K., Nakayama, T. Widely separate wavelength switching of single quantum well laser diode by injection-current control 87–26383
Tokuda, Y., Usami, A. Deep-level transient spectroscopy studies of minority carrier traps in neutron-irradiated silicon 85–40426
Tokuda, Y., Usami, A., Shiraki, H., Wada, T. Electron traps in GaAs$_{0.6}$P$_{0.4}$ p^+n diodes fabricated by Zn implantation and rapid thermal annealing 87–66903
Tokuda, Y., Yamane, H., Usami, A. Effects of CF$_4$ plasma etching of SiO$_2$ on the properties of MOS structures formed on the remaining SiO$_2$ films 85–18249
Tokuda, Y. *see* Fujiwara, K. 86–58300, 87–12305, 88–2272
Tokuda, Y. *see* Kitagawa, A. 87–32368
Tokuda, Y. *see* Tsuzuki, Y. 87–45610
Tokuda, Y. *see* Usami, A. 86–58380, 87–18081, 87–32475
Tokuda, Y. *see* Yasuda, Y. 86–34704
Tokuda, Y. *see* Zaima, S. 85–40049
Tokue, T. *see* Ishiuchi, H. 87–74319
Tokue, T. *see* Nakajima, M. 86–2389
Tokuhara, K. *see* Hirosawa, S. 87–25860
Tokuhara, K. *see* Yamamoto, H. 88–51173
Tokuhara, M. *see* Ohsawa, Y. 87–34770
Tokuhara, S. *see* Onisawa, Y. 86–42217
Tokuhara, S. *see* Sato, M. 85–51010, 86–63553
Tokuhiro, O. *see* Hanna, J. 88–24754
Tokujda, Y. *see* Fujiwara, K. 86–40722
Tokumaru, H., Nomura, T. A new type of magneto-optic readout head 86–68348
Tokumaru, H., Nomura, T. Reproduction of recorded signals on a floppy disk with a magneto-optical readout head 87–1894
Tokumaru, H., Nomura, T. Reproduction of recorded signals on a flexible disk with a magneto-optical readout head 87–53888
Tokumaru, H., Nomura, T. Effect of high permeability film in magneto-optical readout head 88–33792
Tokumaru, H., Nomura, T. Effect of high permeability film in magneto-optic readout head 88–33796
Tokumaru, H., Nomura, T. A magneto-optic readout head using a high permeability flux carrier 88–51293
Tokumaru, H. *see* Iiguni, Y. 85–63041, 86–29848, 86–64297, 87–23560, 88–46078, 88–59132
Tokumaru, H. *see* Ishida, Y. 86–290, 86–49906, 86–52318, 86–57240, 86–66633, 87–69146, 88–38025
Tokumaru, H. *see* Nakamori, S. 88–59332
Tokumaru, H. *see* Nomura, T. 85–24174, 85–41224, 86–47965, 86–68349, 87–54132
Tokumaru, H. *see* Sakai, H. 86–7615, 86–37104
Tokumaru, K. *see* Nagao, M. 86–45627
Tokumaru, M., Watanabe, Y., Kuroda, H., Morinaga, H. Car rear-view TV system with CCD camera 88–74142
Tokumaru, S. Radiation mechanism of perfectly conducting antennas—an interpretation using Nukiyama's vector 85–19213
Tokumaru, S., Fukui, S. Microstrip antennas having posts for circular polarization 85–36100
Tokumaru, S. *see* Ki-Chai Kim 88–12549
Tokumaru, S. *see* Kim, C. 88–52293
Tokumaru, S. *see* Kim, K. 86–68821
Tokumaru, S. *see* Kim, K.C. 87–52796, 88–21005, 88–34383
Tokumaru, S. *see* Nikawa, Y. 86–64132
Tokumaru, S. *see* Okubo, S. 85–19267, 85–30082, 85–30116, 85–36099, 86–68912
Tokumaru, T. *see* Hasegawa, N. 86–58081
Tokumaru, T. *see* Kawamura, M. 85–17891
Tokumaru, T. *see* Mitui, M. 88–50439
Tokumaru, T. *see* Mori, N. 87–45324
Tokumaru, T. *see* Suzuki, J. 87–45323
Tokumaru, Y., Moriwaki, S. The application of a high-speed microcontroller to a digital radar display 86–37934
Tokumaru, Y. *see* Hisano, S. 88–22155
Tokumaru, Y. *see* Ishioka, T. 86–8062
Tokumaru, Y. *see* Ogura, M. 86–9495
Tokumaru, Y. *see* Sato, M. 85–36881
Tokumasu, K. *see* Matsumoto, T. 87–854
Tokumasu, N. *see* Nishimoto, Y. 88–20103
Tokumasu, S., Murakawa, H., Myojin, T. Geometry optimization of electrode by boundary element method 85–62719
Tokumasu, T. *see* Isaka, S. 86–19346
Tokumatsu, H. *see* Doi, M. 87–77056
Tokumitsu, E., Katoh, T., Kimura, R., Konagai, M., Takahashi, K. Preparation of GaAs and Ga$_{1-x}$Al$_x$As multi-layer structures by metalorganic molecular beam epitaxy 87–5414
Tokumitsu, E., Katoh, T., Sung, C.P., Sandhu, A., Kimura, R., Konagai, M., Takahashi, K. Superlattice structures grown by metalorganic MBE 87–276
Tokumitsu, E., Kudou, Y., Konagai, M., Takahashi, K. Metalorganic molecular-beam epitaxial growth and characterization of GaAs using trimethyl and triethyl-gallium sources 86–20050
Tokumitsu, E., Takahashi, K. Ultra-thin semiconductor films 87–256
Tokumitsu, E. *see* Kudou, Y. 85–44755
Tokumitsu, J. *see* Ishimoto, S. 85–61283
Tokumitsu, M. *see* Miyahara, K. 87–67868
Tokumitsu, M. *see* Ohhata, M. 87–5678, 87–10670, 87–66288
Tokumitsu, M. *see* Onodera, K. 88–71610
Tokumitsu, T. *see* Hara, S. 88–63969
Tokumitsu, T. *see* Ohira, T. 87–59887
Tokumitsu, Y. *see* Komizo, H. 86–53055
Tokumitsu, Y. *see* Saito, T. 85–1043
Tokumoto, H. *see* Komura, M. 88–26079
Tokumoto, H. *see* Okayama, S. 86–47929, 88–57528
Tokumoto, M., Oyanagi, H., Ishiguro, T., Shirakawa, H., Nemoto, H., Matsushita, T., Kuroda, H. Electrical and magnetic properties of bromine and iodine doped polyacetylene related with local structure of dopants 85–11971
Tokumoto, S., Izawa, M., Sakanaka, S., Kobayakawa, H. Construction of a higher-order-mode coupler and its performance 88–4740
Tokumoto, S. *see* Izawa, M. 88–16598
Tokumou, T. *see* Toyonori, Y. 87–77321
Tokumura, M. *see* Mizokawa, Y. 86–47424, 87–67003
Tokunaga, A., Tsubota, M., Yonezu, K., Ando, K. Effect of anisotropic graphite on discharge performance of positive plates in pasted-type lead-acid batteries 87–58277
Tokunaga, E. Selective cut of over-run image 85–8081
Tokunaga, E. *see* Fujisawa, H. 85–2884
Tokunaga, H., Deguchi, F. New approach in network operations systems for INS 86–64527
Tokunaga, H., Kawano, H. Traffic congestion control based on call density control 88–52625
Tokunaga, H., Kawano, H., Nakajima, S. Traffic congestion control system 88–28149
Tokunaga, H., Kawano, H., Nakajima, S. Traffic congestion control system 88–46477
Tokunaga, H. *see* Oda, S. 85–44798, 86–26898
Tokunaga, H. *see* Omae, Y. 85–31327
Tokunaga, K. *see* Haneda, H. 86–50804
Tokunaga, K. *see* Kashiwabara, Y. 87–35826
Tokunaga, K. *see* Kishimoto, T. 86–49135
Tokunaga, K. *see* Nakagawa, K. 88–19192
Tokunaga, M., Harada, H. Magnetic properties of Pr(Fe-B-Si)$_z$ permanent magnets 86–22013
Tokunaga, M., Harada, H., Trout, S.R. Effect of Nb additions on the irreversible losses of Nd-Fe-B type magnets 88–51187
Tokunaga, M., Kogure, H., Endoh, M., Harada, H. Improvement of thermal stability of Nd-Dy-Fe-Co-B sintered magnets by additions of Al, Nb and Ga 88–51188
Tokunaga, M., Maeda, Y., Takabuchi, Y., Ibaraki, O. An advanced multimedia TDM multiplexer 88–21851
Tokunaga, M., Meguro, N., Endoh, M., Tanigawa, S., Harada, H. Some heat treatment experiments for Nd-Fe-B alloys 86–28606
Tokunaga, M. *see* Aoyama, T. 88–21850
Tokunaga, M. *see* Endoh, M. 88–51189
Tokunaga, M. *see* Fukushima, Y. 88–60508
Tokunaga, M. *see* Grossinger, R. 88–51177
Tokunaga, M. *see* Kayashima, T. 86–30990
Tokunaga, M. *see* Maeda, Y. 88–9289
Tokunaga, M. *see* Meguro, N. 86–22003
Tokunaga, M. *see* Tokizawa, I. 88–41429
Tokunaga, N. *see* Yamato, I. 88–75775
Tokunaga, O. *see* Clements, J.S. 85–7591
Tokunaga, R., Komuro, M., Matsumoto, T., Chua, L.O. 'Lorentz attractor' from an electrical circuit with uncoupled piecewise-linear resistor 87–65777
Tokunaga, R. *see* Matsumoto, T. 87–44513
Tokunaga, T., Harada, M., Honda, S., Ohkoshi, M., Kusuda, T. Stability of magnetic and magneto-optical properties of TbCo sputtered films 87–60803
Tokunaga, T., Honda, S., Ohkoshi, M., Kusuda, T. Thermomagnetic recording characteristics and magneto-optical properties of amorphous TbCo films 86–42379
Tokunaga, T. *see* Harada, M. 86–63531
Tokunaga, T. *see* Nakai, H. 85–35522
Tokunaga, T. *see* Uozumi, O. 88–3914
Tokunaga, Y., Katsuda, H., Aiba, S., Ishiguro, M. Acoustic domain for characteristics control of amorphous semiconductor 87–11374
Tokunaga, Y. *see* Matsui, H. 88–21836
Tokunaga, Y. *see* Matsuo, N. 88–21552, 88–46336, 88–46354
Tokunaga, Y. *see* Ohya, J. 85–3086
Tokunaga, Y. *see* Shimohara, K. 87–34039, 88–59871
Tokuno, A., Futada, A., Kobori, K., Hayashi, Y., Ishida, T., Yasuda, S. CCD video camera system with RGB color filter 87–8427
Tokuno, F. *see* Ishido, M. 88–7591
Tokuno, Y. *see* Uramoto, T. 88–69872
Tokunoh, F., Hagino, H., Miyajima, T. Electrical characteristics of high voltage high current gate turn-off thyristor 85–61910
Tokunou, H. *see* Negishi, T. 85–64187, 87–3644
Tokunov, Yu.M. *see* Asinovskii, E.I. 88–25853
Tokuono, S. *see* Hase, H. 88–33513
Tokura, K., Kataoka, Y., Nakatani, H., Miyabe, H. Hot-standby management in the DIPS Computer Complex System 88–9116
Tokura, K. *see* Fukada, S. 88–31109
Tokura, K. *see* Inoue, T. 88–31110
Tokura, K. *see* Ito, Y. 86–43586
Tokura, K. *see* Koyama, Y. 86–66429
Tokura, K. *see* Shibata, I. 87–17572
Tokura, K. *see* Yoshikawa, H. 85–32325
Tokura, N., Hagihara, K., Wada, K. VLSI models and area-time complexity 86–15210
Tokura, N., Kimura, Y., Oikawa, Y. Large-scale local area optical fiber system: OPALnet-II 85–57771
Tokura, N., Oguchi, K., Kanada, T. A broadband subscriber network using optical star couplers 88–46771
Tokura, N., Oguchi, K., Kimura, Y., Oikawa, Y. 100 Mb/s optical fiber loop network for on-premises use 85–42280
Tokura, N., Oikawa, Y., Kimura, Y. High-reliability 100-Mbit/s optical accessing loop network system: OPALnet-II 85–63658
Tokura, N. *see* Hagihara, K. 86–69720
Tokura, N. *see* Hakamada, Y. 85–57772, 86–30775, 87–13733
Tokura, N. *see* Konoe, M. 88–49708
Tokura, N. *see* Manabe, Y. 86–14164, 87–5579, 87–18327
Tokura, N. *see* Masuzawa, T. 85–54286, 86–30386, 87–44125
Tokura, N. *see* Minowa, J. 85–57770, 85–63654
Tokura, N. *see* Oguchi, K. 88–73985
Tokura, N. *see* Wada, K. 85–55918, 86–9229, 86–66924, 86–67168
Tokura, T. *see* Kawai, K. 87–69749
Tokura, T. *see* Terada, H. 88–44199
Tokura, Y., Tsubaki, K. Conductivity oscillation due to quantum interference in a proposed washboard transistor 88–13414
Tokuriki, S. *see* Date, H. 86–10238
Tokushige, K., Sugiura, A., Oguchi, T., Kawana, T., Komiya, N., Ohuchi, T., Tsuzuku, A. Estimation and measurement of power flux-density of TV and FM broadcast radiation in nearby area of a broadcasting tower. I 85–31164
Tokushige, K. *see* Amemiya, Y. 88–20953
Tokushige, K. *see* Ishimoto, S. 86–14212
Tokushige, K. *see* Kobayashi, S. 88–19131
Tokushige, K. *see* Nagami, A. 86–34795
Tokushige, K. *see* Nakane, M. 88–25205 to 25206
Tokushige, K. *see* Oku, K. 87–30735
Tokushige, K. *see* Ozawa, T. 88–19132
Tokushige, K. *see* Watanabe, H. 87–37293
Tokushima, A., Harao, N., Takahashi, K., Sugano, N., Inaba, R. Ultrasonic motor 88–23198
Tokushima, A. *see* Inaba, R. 88–61671
Tokushima, T. *see* Arai, K.I. 88–51182
Tokushima, T. *see* Kraan, W.H. 88–57968
Tokushima, T. *see* Shiraki, M. 86–28676, 86–36023

Tokushima, T. *see* Tsuya, N. 86−35975, 87−32855, 87−46346, 88−51285, 88−57967
Tokushima, T. *see* Tsuya, T. 88−44981
Tokushuku, K. *see* Ichimaru, K. 85−59180
Tokushuku, N. *see* Ishigaki, M. 87−38726
Tokuta, A.O. A fast method for surface fitting from sampled data 87−52048
Tokuta, H. *see* Nakagawa, K. 86−55737
Tokutaka, H. *see* Fujimura, K. 88−31848
Tokutaka, H. *see* Kajio, K. 88−31847
Tokutake, M., Kikuchi, K., Kato, Y. Unification of CT-1 abbreviated dial file [telex] 87−62554
Tokutake, T. *see* Ando, T. 88−64002
Tokutomi, Y., Iwanaga, K., Onishi, H. A high-resolution CRT for medical use 86−38769
Tokutomi, Y. *see* Sakamoto, H. 88−42215
Tokuume, T. *see* Mizuno, M. 86−34853
Tokuyama, K. *see* Fukasawa, A. 87−3083
Tokuyama, M., Yamaguchi, Y., Takeuchi, Y., Shimizu, I. Reducing flying height degradation due to track access acceleration acting on a magnetic head slider 88−51329
Tokuyama, M. *see* Kawakubo, Y. 88−51318
Tokuyama, S., Arimatsu, K., Yoshioka, Y., Kato, Y., Hirata, K. Development and interrupting tests on 250 kV 8KA HVDC circuit breaker 86−6937
Tokuyama, S., Hirasawa, K., Yoshioka, Y., Kato, Y. Simulations of interruption of circuit breaker in HVDC system with two parallel transmission lines 87−71672
Tokuyama, S. *see* Arimatsu, K. 86−39991
Tokuyama, S. *see* Takahashi, I. 88−49081
Tokuyama, T. Trends in ion implantation in silicon VLSI technology 87−38084
Tokuyama, T., Tamura, M., Natsuaki, N., Ohkura, M., Ichikawa, M., Miyao, M. Growth mechanisms and defects in Si layers grown on SiO_2 by bridging (lateral seeded) epitaxy 86−7810
Tokuyama, T. *see* Kimura, S. 85−61855, 86−41791
Tokuyama, T. *see* Miyake, K. 85−12207
Tokuyama, T. *see* Miyao, M. 85−44747, 86−8748, 86−13770
Tokuyama, T. *see* Moniwa, M. 85−54445
Tokuyama, T. *see* Ohkura, M. 85−44745, 85−54453, 86−46858
Tokuyama, T. *see* Tamura, M. 85−16929
Tokuyama, T. *see* Warabisako, T. 86−47485, 88−7657
Tokuyama, T. *see* Yamamoto, H. 85−33462, 86−7813
Tokuyoshi, F. *see* Tashiro, T. 85−54853
Tokyo, N. *see* Honda, T. 88−67819
Tol, J.J.G.M.Van Der *see* Van Der Tol, J.J.G.M.
Tol, S.J.M. Steady state analysis of an adaptive echo canceller and decision feedback equalizer that operate on correlated data streams 87−48835
Tol, S.J.M., Wouda, C.J. Implementation of the U-interface 87−34009
Tol, S.J.M., Wouda, K.J. Realisation of an ISDN transmission field trial in the Dutch local telephone network 86−43443
Tol, S.J.M. *see* Wouda, K.J. 85−13771
Tola, M., Bo, H. Model equation characteristics of high-frequency fluorescent lamps 87−16151
Tolan, D.J. *see* Halbach, R.E. 87−50307
Tolan, G.D. *see* Solomon, J.C. 86−50603
Toland, B. *see* Choung, Y.H. 88−2739
Toland, R. *see* Emerson, F.A. 88−23689
Tolar, J.H., II Integrating IC design into a system environment 85−18419
Tolasz, J. Soviet homojunction transistor of the KT 119 series 86−2133
Tolba, J.A. *see* Kotschy, A. 88−42333
Tolbanov, O.P., Khludkov, S.S. Current-voltage characteristics of gallium arsenide π-ν-n structures doped with Fe and Cr and subjected to strong electric fields 87−53237
Tolbanov, O.P., Khludkov, S.S., Chaldysheva, N.V. Influence of growth dislocations on electrical characteristics of S-type avalanche gallium arsenide diodes 85−40693
Tolbanov, O.P. *see* Kludkov, S.S. 87−25208
Tolbert, M.A., Huestis, D.L., Rossi, M.J. Chemiluminescence from laser-heated solid gaseous tetramethyldioxetane 88−58466
Tolbert, R. *see* Humphreys, R.L. 85−4766
Tolbert, R.E.L., Arnett, J.C. Design, installation and performance of Arco solar photovoltaic power plants 86−6642
Tolbert, R.E.L. *see* Arnett, J.C. 85−53624
Tolcher, D.J. Videotex−its continuing evolution and development 85−3113
Tolcher, D.J. *see* Pope, N.H. 86−37579
Tolchin, S. *see* Barta, W. 88−28431
Tolchin, S.G., Kahn, S.A., Bergan, E.S., Gafke, G.P. A distributed hospital information system 85−25546
Tolchin, S.G. *see* Bergan, E.S. 86−55022
Tolchin, S.G. *see* Kuzmak, P.M. 87−40385, 88−28435
Tolchinski, E.N., Dunskil, V.D., Gachkova, L.V. Determination of infiltration of air into the combustion chambers of boiler installations 88−30533
Toldaev, V.A., Krymin, L.G. An approximate analysis of the electrical characteristics of plane-parallel DC current density field in a nonhomogeneous isotropic conductor 87−61312
Toldalagi, P.M. CMOS word-slice architecture speed signal processing 85−45888
Toldalagi, P.M. Very fast sequencing and data addressing made easy with new CMOS VLSI components 86−14279
Toldi, G., Veress, T., Balla, G., Lakatos, P. Real-time operational system TERNES for switching application 88−9344
Toldy, J. *see* Banki, Z. 88−42078
Tole, P.B., Patro, Y.G.K. Measurement of near carrier noise in PPM focussed L-band klystron 85−61633
Toledo, C.R. *see* Guzman, A.L. 88−69167
Tolenaar, P.H.W., Dullo, B. A comparison between three phase and DC servo-drives 87−30640
Tolendino, L.F. *see* Vahle, M.O. 86−4284
Tolentino, T.B. *see* Hayes, H.I. 86−7272
Toler, D.F., Yorio, R.N. Operational mode monitoring of gas turbines in an offshore gas-gathering application 85−22042
Tolescu, S. *see* Manolea, G. 87−51492
Tolgskaya, A.P., Doinikov, A.S. In-house checking and the reproducibility of measurements with photoelectric colorimeters 86−55860
Tolgskaya, A.P. *see* Doinikov, A.S. 86−38187
Tolhuizen, L. Discrete coding for the BMC, based on Schalkwijk's strategy 85−57286
Tolhuizen, L.M.G.M. On the Blokh-Zyablov construction [codes] 87−75729
Tolhuizen, L.M.G.M. New binary linear block codes 88−27768
Tolhuizen, L.M.G.M., Van Gils, W.J. A large automorphism group decreases the number of computations in the construction of an optimal encoder/decoder pair for linear block code 88−66298
Tolimieri, R., Winograd, S. Computing the ambiguity surface 86−23017
Tolimieri, R. *see* Auslander, L. 88−34658
Tolin, P. Maintaining the three-dimensional illusion 88−74521
Tolk, A. Information related addressing in studio processes 85−20308
Tolk, A. PROKS processor-controlled switching system 85−63833
Tolk, A. Reflections concerning the state of art in sound broadcasting reception 87−34761
Tolk, A. Crossbar system PROKS for less complex cases of application 88−59915
Tolk, K.M. *see* Cook, D.L. 87−43208
Tolkachev, A.F. *see* Gerzon, V.M. 85−60002
Tolkachev, A.IK. *see* Petrovichev, V.A. 86−51799
Tolkachev, V.A. *see* Alekseev, N.N. 86−36437
Tolkachev, V.S. *see* Derzhiev, V.I. 87−68358
Tolkachev, V.S. *see* Efremov, A.M. 87−60060
Tolkachev, V.S. *see* Koval', N.N. 87−12400
Tolkacheva, E.S. *see* Berlin, N.S. 87−4365
Tolkachyov, V.S. *see* Koval, N.N. 86−8674
Tolkien, P. *see* Landgren, G. 87−10394
Tolkoff, J. High def in Paris 88−9767
Tolksdorf, D., Bojarski, J., Hennemann, C. Use of microcomputer MC-80 for light waveguide measuring technology 86−63661
Tolksdorf, D. *see* Boness, R. 86−63663
Tolksdorf, D. *see* Pohl, V. 87−25993
Tolksdorf, W., Bartels, I., Dammann, H., Pross, E. Growth of buried garnet channel waveguides by liquid phase epitaxy 87−73078
Tolksdorf, W., Dammann, H., Pross, E., Strocka, B., Tolle, H.J., Willich, P. Growth of yttrium iron garnet multi-layers by liquid phase epitaxy for single mode magneto-optic waveguides 87−60912
Tolksdorf, W. *see* Dammann, H. 86−42310, 87−26100, 87−54133
Tolksdorf, W. *see* Hansen, P. 85−24214
Tolksdorf, W. *see* Lemke, M. 85−29477
Tolksdorf, W. *see* Pross, E. 86−9586, 88−45200, 88−65344
Tolkunov, V.P., Smirnov, V.V. Approximate techniques for calculating a two-dimensional temperature distribution of two touching bodies 85−53667
Tolkunov, V.P., Svilo, E.V., Odnorob, V.M. Influence of disruption of riser-commutator contact on the operation of a DC machine 85−65271
Tolkunov, V.P., Svilo, E.V., Odnorob, V.M. Operating peculiarities of a DC machine operating with disruption of electrical contact in armature winding 86−12837
Tolkynov, V.P., Bel'dyagina, G.F., Shevchenko, V.V. Theoretical and experimental investigation of switching peculiarities of DC machines with multilap windings 85−32507
Tolkynov, V.P., Shevchenko, V.V., Bel'dyagina, G.F. A technique for improving the switching of DC machines with unsymmetric multiphase windings 85−5115
Toll, P.A., Jr. *see* Bigelow, E.D. 85−14304
Tolland, H.G., Walker, J.F. The economic analysis of wave energy 85−15921
Tolle, E. New austenitic stainless steel and nickel alloys for IGSCC immunity of BWR internals 86−39422
Tolle, E.F. Management team building: yes but 87−43878
Tolle, E.F. Management team building: yes but! 88−31383
Tolle, F.Di *see* Di Tolle, F.
Tolle, H. Robot arms with complex sensors 87−56859
Tolle, H.J. *see* Heitmann, H. 86−15335
Tolle, H.J. *see* Hietmann, H. 87−67698
Tolle, H.J. *see* Tolksdorf, W. 87−60912
Tollefsen, T., Nehorai, A. Adaptive calibration of randomly perturbed sensor arrays 88−73111
Tollefson, M.V., Bloomer, R.H., Jr. More accurate time from the Heathkit Most Accurate Clock 86−62658
Tollefson, S. *see* Bland, T.J. 87−42176
Tollens, E.F. *see* Swinnen, J.F. 88−69089
Toller, D.F. Laser drilling of aeroengine components 85−51332
Tolleshaug, N. Planning of in-house communication networks 85−51890
Tollestrup, A.V. Status of the FNAL Tevatron program 85−31659
Tollestrup, A.V. Status report on CDF 88−36376
Tollestrup, A.V. *see* Palmer, R. 85−37845
Tollet, H., Bielen, P., Creemers, C., Van Hove, H., Neyens, A., Maex, K., De Keersmaecker, R.F. ISS study of dopant redistribution in $TiSi_2$ layers during silicidation by rapid thermal processing 87−11624
Tolley, B. *see* Watson, I.A. 85−21328
Tolley, D.L. The basis for load management terms in England and Wales 87−50703
Tolley, D.L. Industrial electricity tariffs 88−23364
Tollik, D. *see* Pietkiewicz, A. 85−65368, 86−12932, 86−57688, 87−30818, 88−5767, 88−24994, 88−69579, 88−75755
Tollik, D. *see* Pietkiwicz, A. 87−17293
Tollin, L.A. *see* Jost, B.S. 88−53302
Tollis, I.G. *see* Krishnamurthy, B. 87−24105
Tollis, I.G. *see* Tamassia, R. 87−65361, 88−49967
Tolliver, D. Aerosol particle monitoring in VLSI clean room design 87−36465
Tolliver, D.L. Changing factors of process chemicals 85−55914
Tolliver, D.L. Insights into contamination control for VLSI processing 86−21752
Tolliver, D.T. The history of plasma processing 86−9041
Tollkamp-Schierjott, C. The influence of different SEM parameters on CD measurement results 88−18521
Tollkamp-Schierjott, C., Windsor-Martin, J. The SEM as inspection and testing tool in the IC industry 87−32619
Tollmien, G. A standard for loudness limits of loudspeaker systems 85−3786
Tollmien, G. 8 mm video at Photokina 1984 85−31194
Tollmien, G. Standard for volume limitation in loudspeaker operation 85−37340
Tollmien, G. Video conference installations 86−24174
Tollmien, G. The kitting out of a television studio 87−28776
Tollmien, G. Digital TV production in the 'Studio Numerique' 88−22282
Tollmien, G. *see* Lehr, F.-W. 86−11785
Tollner, K. Cute tools: intelligence by memory chips 88−56631
Tollner, U. Classic FG (function generator)−modern concept 87−63426
Tollner, U. *see* Thora, W. 87−31738
Tolloczko, T. Monitor exchange in TV centre 85−3689
Tolls, E. Copper electrolyte for producing printed boards 88−12781
Tolmach, I.M. Liquid-metal MHD machines for power and industry 88−31049
Tolmach, I.M. *see* Anishev, E.Yu. 87−78960
Tolmach, I.M. *see* Dronnik, L.M. 85−9910
Tolmach, I.M. *see* Dvorchik, S.E. 85−60213, 85−60449
Tolmach, I.M. *see* Siplivyi, B.N. 86−7161
Tolmachev, A.I. *see* Akimov, I.A. 88−33856
Tolmachev, A.I. *see* Anufriev, A.V. 88−46179, 88−73200
Tolmachev, A.I. *see* Bondar, M.V. 85−7399
Tolmachev, A.I. *see* Demchuk, M.I. 85−56581, 86−29208
Tolmachev, A.I. *see* Ustinov, N.D. 86−48997, 87−75871
Tolmachev, A.L. Queuing networks with regenerating trajectories 87−33831
Tolmachev, A.V. *see* Kuz'min, A.M. 86−40505
Tolmachev, S.T. A mathematical model of hysteresis for ferromagnetic materials 85−7136
Tolmachev, S.T. A numerical model of vector hysteresis 85−62188
Tolmachev, V.I., Tsygankov, P.Ya., Sklyarenko, L.A., Gerasimova, Z.D., Kozhemyakin, K.G., Vasil'yev, A.M., Shuvalov, V.V., Mikhaylov, A.A. Transistor temperature-dependent circuit of a temperature-compensated quartz oscillator, and evaluation of the influence of its main parameters on the frequency time stability 86−21932

Tolmachev, Yu.A. *see* Piotrovskii, Yu.A. 85−41301

Tolmacheva, A.V. *see* Belikovich, V.V. 86−36708, 87−26771

Tolmacheva, V.G. *see* Bystritskii, V.M. 88−68111

Tolman, C.H. *see* Nelson, G.L. 86−36066

Tolman, E.L., Kuan, P., Broughton, J.M. TMI-2 accident scenario development 88−75401

Tolmie, A.I. XYDAR liquid crystal polymers: the thermoplastic solution for innovative connector designs 88−38278

Tolmie, B.R. Nuclear effects on communications systems 87−39413

Tolmunen, T.J., Raisanen, A.V. An efficient Schottky-varactor frequency multiplier at millimeter waves. I. Doubler 88−25493

Tolmunen, T.J., Raisanen, A.V. An efficient Schottky-varactor frequency multiplier at millimeter waves. II. Tripler 88−25494

Tolmunen, T.J., Raisanen, A.V., Lehto, A.O. Efficiency versus embedding impedance of millimeter wave Schottky-varactor multipliers 87−17377

Tolmunen, T.J. *see* Raisanen, A.V. 88−25530

Tolnai, G. *see* Hetzmann, A. 87−50959

Tolochko, B.P. *see* Mesentsev, N.A. 86−60675

Tolochko, O.I. *see* Kotsegub, P.Kh. 88−49183

Tolokonnikov, S.M. *see* Skribanov, E.V. 88−16481

Tolokonnikov, V.A. *see* Dovgaleva, N.A. 87−54171

Tolomasov, V.A. *see* Babushkina, T.S. 85−10727

Tolomasov, V.A. *see* Kechiev, M.M. 86−8829

Tolomasov, V.A. *see* Zeveke, T.A. 86−420

Tolomelli, M. *see* Plassa, M. 86−11746

Tolonics, J. Computer-aided modelling of technological processes in microelectronics 85−34829

Tolonics, J., Streiter, R. Process modelling and computation of doping profiles in the high concentration range 88−33021

Tolonics, J. *see* Gessner, T. 86−28161, 88−32933

Tolopa, A.M. *see* Akerman, D.R. 87−70993

Tolopa, A.M. *see* Bistritsky, V.M. 86−11824

Toloza, G.D. *see* Ramia, M.E. 88−60438

Toloza, G.D. *see* Ramie, M.E. 88−56491

Tolpadi, A. *see* Srivastava, P.C. 85−55765

Tolpaev, V.A., Shakhnabatova, L.B., Krymin, L.G. On the approximation of fine-grain media by anisotropic media in electrical engineering calculations 86−36640

Tolpaev, V.A. *see* Bakhvalov, Yu.A. 88−17690

Tolparev, R.G., Borisov, E.V. Estimation of the noise parameters in optical-signal detectors 85−7939

Tolparev, R.G., Borisov, E.V. Noise immunity of optical signal reception with minimization of the mean risk 86−30035

Tolparev, R.G., Borisov, E.V. Dependence of false-alarm probability on type of noise distribution 87−19695

Tolparev, R.G., Borisov, E.V. Improving noise immunity of shortwave signal reception with fading 87−41187

Tolparev, R.G., Borisov, E.V. The noise immunity of character optical signal detectors 87−62213

Tolparev, R.G., Borisov, E.V. The comparative noise immunity of character and optimum detectors 87−63391

Tolparev, R.G., Borisov, E.V. A modified nonparametric Wilcoxson detector 88−40963

Tolparev, R.G., Krasnov, A.L., Borisov, E.V. Noise immunity of radio systems with a logic interference detector 86−16308

Tolparov, Yu.N. *see* Bagraev, N.T. 86−1719

Tolpegov, A.V. *see* Korostylev, A.N. 88−40615

Tolpegov, A.V. *see* Savchenko, I.S. 86−62500

Tolpekin, I.G. *see* Kovalenko, P.P. 87−50192

Tolpekin, V.E. *see* Amosov, G.G. 86−18369

Tolsdorf, F. Signal processors make music 86−17713

Tolstik, A.L. *see* Ivanova, N.A. 86−54216

Tolstik, A.L. *see* Kabanov, V.V. 85−7528

Tolstikhin, O.I. *see* Vinogradov, A.V. 87−53938, 88−20705

Tolstikhin, V.I. Feasibility of formation of an *S*-type current-voltage characteristic of a selectively doped semiconductor due to a spatial redistribution of carriers 86−1774

Tolstikhin, V.I. Conductivity of a degenerate electron gas in selectively doped heterostructures 86−35392

Tolstikhin, V.I. Effect of nonuniformity of carrier heating in an inversion layer of an MOS transistor on carrier emission into the dielectric 86−41831

Tolstikhin, V.I. Transverse transport in multilayer heterostructures under carrier-heating conditions 87−53239

Tolstikhin, V.I. *see* Angelova, L.A. 87−6514

Tolstikhin, V.I. *see* Kokin, A.A. 85−11944, 86−14932

Tolstikhin, V.I. *see* Maiorov, S.A. 87−11724

Tolstikhin, V.L. Carrier heating in surface barrier structures 87−60198

Tolstikhina, A.L. *see* Olevskii, S.S. 85−28245

Tolstikov, A.V. *see* Grigor'ev, M.A. 86−35959, 86−42074

Tolstoi, A.I., Petrov, G.V., Batura, V.G., Bosyi, V.I. Submicron Schottky-gate field-effect transistors−a new elemental use for microwave integrated microcircuits 86−41339

Tolstoi, A.I. *see* Petrov, G.V. 87−67271

Tolstoi, M.N. *see* Buchenkov, V.A. 88−20611

Tolstoi, M.N. *see* Lunter, S.G. 85−2264

Tolstoi, V.P., Bogdanova, L.P., Yurchenko, V.V., Akynova, M.T. Reflection-absorption spectroscopy in determining thickness and optical-constant dispersion in ultrathin films 85−43101

Tolstoi, V.P., Krylov, V.N. Infrared reflection-absorption spectroscopic study of superthin dielectric layers in metal-dielectric-semiconductor structures 85−1417

Tolstoj, A.E. *see* Boldyshev, V.F. 88−54012

Tolstonog, V.Ya *see* Umanskii, S.I. 88−48496

Tolstopyatov, E.M. Measuring the frequency dependences of the dielectric constants and losses of submicron films 85−48065

Tolstopyatov, E.M. Computational method of determining dielectric-loss tangent for thin films 88−74558

Tolstoshev, A.V. *see* Volosov, V.D. 86−15771

Tolstoukhov, A.S. *see* Belenikin, V.V. 85−21727

Tolstousov, S.V. Switching processes and relaxation phenomena in structures consisting of a thin ferroelectric film and a silicon substrate 86−8835

Tolstov, O.Yu. *see* Gliner, M.I. 87−14213

Tolstov, V.F. *see* Baranov, V.Yu. 85−18873

Tolstov, Ye.F., Shapovalov, A.V. Resolving power of a radar system with synthesized-aperture antenna for a random observation angle 85−37109

Tolstov, Ye.F. *see* Itskhoki, Ya.S. 86−23983

Tolstov, Yu.G. *see* Grinshtein, B.I. 86−45511

Tolstov, Yu.G. *see* Iskhakov, A.S. 87−64697

Tolstov, Yu.G. *see* Kochkin, V.I. 85−55087, 86−6885

Tolstov, Yu.G. *see* Timoshenko, A.L. 85−60285

Tolstoy, A., Rosenberg, T.J. A quasi three-dimensional propagation model for subionospherically propagating VLF radio waves 85−57034

Tolstoy, A., Rosenberg, T.J., Inan, U.S., Carpenter, D.L. Model predictions of subionospheric VLF signal perturbations resulting from localized, electron precipitation-induced ionization enhancement regions 87−26775

Tolstoy, A., Rosenberg, T.J., Kellogg, R.B. An application of invariant imbedding of VLF radio wave propagation 85−62776

Tolstoy, A.I. *see* Petrov, G.V. 85−6535

Tolstyakov, A.V. *see* Karpov, Yu.G. 86−23176

Tolstykh, V.A. *see* Braslavskii, V.Ya. 86−56830

Tolstykh, V.P. *see* Komarov, F.F. 87−32390

Tolusso, G. *see* Treves, S.R. 85−47359

Tolutis, R.A. *see* Mazheika, R. 87−7201

Tolutis, R.B., Ebersonas, T.S. Propagation of electromagnetic magnetoplasma Gaussian beams in semiconductor structures 87−32359

Tolutis, R.B. *see* Pozhera, R.Yu. 87−21202

Tolvanen, J. *see* Saukkonen, A. 88−14294

Tolvgard, A. *see* Becker, G. 88−50518

Tom, C.H., Miller, L.D. A comparison of Landsat point and rectangular field training sets for land-use classification 85−59519

Tom, D. *see* Finkel, M.W. 87−41521

Tom, D. *see* Kalshoven, J.E., Jr. 87−70651

Tom, D. *see* Tower, J.R. 86−5058

Tom, H.W.K., Stolen, R.H., Aumiller, G.D., Pleibel, W. Preparation of long-coherence-length second-harmonic-generating optical fibers by using mode-locked pulses 88−58671

Tom, H.W.K. *see* Stolen, R.H. 87−75245

Tom, J. *see* Gaertner, T.J.M. 85−29394

Tom, J. *see* Stoop, T. 86−21002, 86−25625

Tom, S. *see* Hornung, R. 87−59381

Tom, V.T. Adaptive filter techniques for digital image enhancement 86−23145

Tom, V.T. A synergistic approach for multispectral image restoration using reference imagery 87−57435

Tom, V.T., Carlotto, M.J. Adaptive least-squares technique for multi-band image enhancement 86−16550

Tom, V.T., Carlotto, M.J., Scholten, D.K. A spatial resolution improvement of TM thermal band data 85−38357

Tom, V.T. *see* Carlotto, M.J. 85−30314

Tom, V.T. *see* Ferrante, R.D. 87−48733

Toma, E. Notes for packet exchange network applications 87−69475

Toma, E. *see* Tanasescu, F.T. 85−32390

Toma, I. *see* Mocanu, C.I. 85−37827

Toma, L. Error reduction in assessing the sine curve frequencies by increasing the sampling step and by using apriori information 88−56171

Toma, L., Jurca, T. System of signal spectral analysis, with computer processing 87−56575

Toma, S.Z. Rare earth intensifying screens−an overview of an advancement in radiography 85−35620

Toma, V. *see* Manolescu, A. 87−10639

Tomabechi, N., Kameyama, M., Higuchi, T. Design of LSI-oriented digital signal processing system based on pulse-train residue arithmetic circuits 86−8293

Tomabechi, N., Kameyama, M., Higuchi, T. Design of LSI-oriented digital signal processing system based on pulse-train residue arithmetic circuits 86−67991

Tomabechi, N. *see* Moon Soo Kim 88−19283

Tomabechi, Y., Matsumura, K. Reflection and transmission characteristics of step discontinuity in rectangular dielectric waveguide 86−68822

Tomabechi, Y., Matsumura, K. An analysis of reflection and transmission characteristics of step discontinuity in rectangular dielectric waveguides 87−61437

Tomabechi, Y., Matsumura, K. Reflection and transmission characteristics of rectangular dielectric waveguide junction with transverse displacement 88−38699

Tomabechi, Y., Matsumura, K. Analysis of reflection and transmission characteristics of step discontinuity in rectangular dielectric waveguides 88−40619

Tomabechi, Y. *see* Matsumura, K. 86−3630, 86−68259, 86−68810, 88−20991, 88−72621

Tomabechi, Y. *see* Ohke, T. 88−52269

Tomabechi, Y. *see* Suzuki, Y. 88−8556

Tomaciello, R. *see* Conte, G. 86−35357, 88−17988

Tomada, T. *see* Hirano, M. 87−43618

Tomago, A., Shinohara, K., Nouchi, N., Kunieda, T., Murai, M., Yoshida, H. Metal-evaporated video tape 86−36041

Tomago, A., Suzuki, T., Kunieda, T. Effects of the surface configuration of magnetic layers on durability against mechanical stress 86−35999

Tomago, A. *see* Kunieda, T. 85−56109

Tomago, A. *see* Nouchi, N. 87−18504

Tomago, A. *see* Shinohara, K. 85−24131

Tomahek, P. Measurement of time and spectral changes of attenuation in optical fibres as a result of OH ions diffusion 86−9494

Tomaine, J.J. Predicting reliability of LSI printed circuit carriers 86−34067

Tomaine, J.J. Predicting reliability of LSI printed circuit carriers 86−47148

Tomaiuolo, F. Tests for vitriolic re-etching by raster electron microscope [multilayer PWB fabrication] 88−12780

Tomaiuolo, F. Etchback/desmearing overview 88−64105

Tomaizic, S. *see* Leonardis, S. 86−30613

Tomajova, N. *see* Menova, A. 87−25106

Tomak, M. *see* Sernelius, B.E. 85−23808

Tomaki, Y. *see* Nakamura, T. 87−32681

Tomaki, Y. *see* Sagara, K. 87−38125

Tomala, M. *see* Malolepszy, J. 88−35526

Tomala, Z. *see* Marzec, A. 87−36496

Toman, G.J., Carfagno, S.P. Condition monitoring of electrical cables located inside containment 86−51323

Toman, T. *see* Horvath, I. 85−1935

Tomanek, P. Optical sensors based on fibre optics 86−50060

Tomanek, P. Optical sensors 88−7877

Tomanek, P. Modal and mode distributed noise in an optical communication system 88−28845

Tomann, E. *see* Beck, S. 85−40702

Tomantschger, K., McClusky, F., Oporto, L., Reid, A., Kordesch, K. Development of low cost alkaline fuel cells 87−22721

Tomantschger, K., Srinivasan, S., Findlay, R.D., Joanes, I., McClusky, F., Oporto, L., Reid, A., Kordesch, K. Development of a 500 watt bipolar alkaline fuel cell 86−33642

Tomar, J. *see* Barthakur, N. 88−60935

Tomar, M.S., Garcia, F.J. Photovoltaic characteristics of CdS/CdTe screen printed heterojunction 86−7149

Tomar, R.S., Bhartia, P. Effects of manufacturing tolerances on the electrical performance of suspended and inverted microstrip lines 86−8415

Tomar, R.S., Bhartia, P. Suspended and inverted microstrip design 86−53006

Tomar, R.S., Bhartia, P. New accurate design data for a suspended microstrip line 87−968

Tomar, R.S., Bhartia, P. A new accurate method of synthesising suspended and inverted microstrip lines 87−26913

Tomar, R.S., Bhartia, P. New quasi-static models for the computer-aided design of suspended and inverted microstrip lines 87−47255

Tomar, R.S., Bhartia, P. Modelling the dispersion in a suspended microstripline 87−75509

Tomar, R.S., Bhartia, P. Dispersion data for open suspended microstrip on alumina and gallium arsenide substrates 88−38662

Tomar, R.S., Bhartia, P. New dispersion models for open suspended substrate microstrips 88−70963

Tomar, R.S. *see* Das Gupta, C. 85−17796, 86−65250

Tomar, V.S. *see* Gupta, A.K. 85−41054, 87−21185, 87−56780, 88−39815

Tomar, V.S. *see* Lahiri, S.K. 85−56220

Tomar, V.S. *see* Natarajan, N.S. 87−14415, 88−16374

Tomarelli, F. Regularity theorems and optimal error estimates for linear parabolic Cauchy problems 85−22431

Tomaru, K. *see* Oshima, A. 88−21589

Tomaru, S., Kubodera, K., Zembutsu, S., Takeda, K., Hasegawa, M. Optical third-harmonic generation from polydiacetylene thin films deposited by vacuum evaporation 87−54400
Tomaru, S. *see* Kaino, T. 87−75232
Tomaru, S. *see* Tomita, J. 88−30489
Tomas, D.G. *see* Saez, N.P. 87−69067
Tomas, I., Vertesy, G., Balasko, M. Stability of domain patterns and domains wall coercivity 85−7144
Tomas, J.G., Luis, J.G.S., Mestras, J.P. A formal specification approach to local area networks scenarios in the context of OSI reference model 88−9219
Tomas, J.G., Pavon, J., Pereda, O. OSI service specification: SAP and CEP modelling 87−76320
Tomas, J.G. *see* Mestras, J.P. 88−52904
Tomas, J.G. *see* Prieto, A.R. 88−14578
Tomas, M.S., Lenac, Z. Coupled surface polariton with guided wave polariton modes in asymmetric metal clad dielectric waveguides 86−2759
Tomas, O., Sauvezon, R. IEEE-488 bus as an interface for the control of a stepping motor 87−64626
Tomas Balibrea, L.M. *see* Merono, J.M. 85−44948
Tomasch, A. *see* Bower, C.R. 87−14732
Tomaschewski, H. *see* Ney, H. 85−46733
Tomaschke, H.E., Rice, R.R. Integrated optical wavefront sensor 87−12241
Tomaschke, H.E. *see* Bryan, D.A. 85−35878
Tomase, J.P., Dworsky, L.N. Analysis and design of coupled mode at rectangular resonators 85−62155
Tomasek, J. Velocity and position feedback in brushless DC servo systems 86−51669
Tomasek, J. Basic performance specifications and ratings for sine-wave brushless servo systems 87−30614
Tomasek, J. Integrated resolver-based position and velocity feedback modules 87−30672
Tomasek, K. Reliability of services performed with complex equipment 87−51894
Tomaselli, A. *see* Benetti, P. 88−68243
Tomaselli, J. *see* Scalabrin, A. 86−15619
Tomasetta, L. *see* Firstenberg, A. 85−30873
Tomasetta, L.R. Commercializing GaAs LSI 86−53769
Tomasetta, L.R. Processing advances push GaAs ICs to higher VLSI levels 88−51036
Tomash, Z.P. *see* Sklyarov, V.F. 86−61370
Tomash, Z.P. *see* Solov'eva, T.D. 86−45202
Tomashevich, E.V. *see* Varnek, V.A. 87−29681 to 29682
Tomashevich, S.V. *see* Bessonova, L.A. 88−27692
Tomashevich, S.V. *see* Leshchev, B.V. 88−44395
Tomashevich, S.V. *see* London, S.E. 87−44544
Tomashevich, S.V. *see* London, S.Ye. 85−6194, 86−29902, 86−39904, 87−52732
Tomashevich, V.P. *see* Kozyuchenok, S.S. 85−46340
Tomashevich, Yu.V. *see* Mesnyankin, E.P. 86−29120
Tomashevskaya, L.F. *see* Bredikhin, S.V. 85−3916
Tomashevskii, Yu.F. *see* Balakhnin, A.E. 88−2345
Tomashevskii, Yu.F. *see* Bukovskii, B.L. 86−22469
Tomashot, S. *see* Kalter, H.L. 86−8263
Tomashot, S.W. *see* Kalter, H.L. 86−20531
Tomashov, V.N. *see* Bashkin, A.S. 88−27049 to 27050
Tomashov, V.N. *see* Vagin, N.P. 85−24490
Tomashuk, A.L. *see* Belov, A.V. 88−20365
Tomasi, C., Franks, L.E., Hill, F.S., Jr. A constraint on the zeros of ternary polynomials 87−44192
Tomasi, C. *see* Bonatti, M. 87−40581
Tomasi, F.de *see* de Tomasi, F.
Tomasi, G. Fiber optics for military service 87−26014
Tomasi, G.P. Consider all the angles when selecting FO cable 88−9589
Tomasi, J. *see* van de Meulebroeke, F. 87−15698
Tomasi, W., Alisouskas, V.F. Telecommunications: voice/data with fiber optic applications 88−37884
Tomasi, W. *see* Alisouskas, V.F. 86−24
Tomasic, B. Circular array of coaxially-fed monopole elements in a parallel plate waveguide−theory 86−64075
Tomasic, B. Analysis of a coaxially-fed circular microstrip disk antenna 88−2768
Tomasic, B., Hessel, A. Linear phased array of coaxially-fed monopole elements in a parallel plate waveguide−experiment 86−43071
Tomasic, B., Hessel, A. Electric and magnetic current sources in the parallel plate waveguide 88−27553
Tomasic, B., Hessel, A. Linear array of coaxially fed monopole elements in a parallel plate waveguide. I. Theory 88−66212
Tomasic, B., Hessel, A. Linear array of coaxially fed monopole elements in a parallel-plate waveguide. II. Experiment 88−66213
Tomasic, B. *see* Herper, J.C. 85−13407, 85−41688 to 41689
Tomasik, J. Characteristics of the main sources of errors of surface texture analysers 87−77408
Tomasini, E.P. Some aspects of measurement accuracy in discharge coefficient evaluation in straight-through labyrinth seals by laser Doppler velocimeter 85−37769
Tomasini, F. *see* Baglin, C. 85−26605
Tomasini, F. *see* Knispel, G. 88−35894
Tomasini, G. *see* Baland, J.F. 88−48000
Tomasini, G. *see* Forino, A. 85−37976
Tomasovitch, V., Delattre, J. Packet access point: ISDN access to X25 networks 87−76168
Tomasovitch, V., Delattre, J., Robert, D. ISDN access to X.25 networks 88−9284
Tomasso, A.Di *see* Di Tomasso, A.
Tomasson, O., Jonsson, T. Landssimi Islands 80 years. Telecommunications in Iceland 1906-1986 88−3381
Tomaszewicz, L. *see* Gajda, J. 87−58605
Tomaszewicz, W. *see* Jachym, B. 88−44796
Tomaszewski, J.B. *see* Juniewicz, S. 86−33204
Tomaszewski, Z., Troster, G. Design considerations on monolithic distributed RC filters 87−66361
Tomaszewski, Z., Troster, G., Einspenner, J., Sieber, P. Programmable switched-capacitor filter for application specific uses 87−37453
Tomaszewski, Z. *see* Troster, G. 86−67940, 87−37411
Tomaszewski, Z.P. *see* Roszkiewicz, J.S. 85−17181
Tomat, R. *see* Mengoli, G. 86−13014
Tomati, L. Antifading passive repeaters 87−20400
Tomatsu, T. *see* Sy, K.K. 88−3528
Tomawski, L. Resonant bridges with negative resistances, capacitances and inductances of higher orders 88−32307
Tomawski, L. A resonant bridge with frequency-dependent negative resistance 88−60859
Tomawski, L., Turzanski, J. Measurements and properties of supercapacitances 86−60314
Tomaz Valadas, R.J.M. *see* de Oliveira Duarte, A.M. 88−9604
Tomazic, G. The zinc/bromine battery 87−43360
Tomazic, G. Work on the development of the zinc-bromine battery 87−78869
Tomazic, S., Leonardis, S. A short method of spectral analysis for binary CPM 86−29950
Tomazic, S., Umek, A. A system for two wire full duplex data transmission 88−3701
Tombak, M.A. Photon-induced electron detachment by laser radiation in a streamer chamber as a means of localizing tracks 88−4847
Tombari, E. *see* Martinelli, M. 85−64244, 86−5487, 86−55821
Tombasov, E.A., Cherepanov, V.Ya., Kalinin, A.N. Research and development on means of metrological certification for heat-flux sensors 88−29675
Tomberlin, J. *see* Novotny, D.R. 85−14604
Tombesi, A. *see* Prudenziati, M. 86−35127
Tombeur, D. *see* Deconinck, F. 87−29840
Tombling, C. *see* Hayes, R.C. 85−18447, 86−41082
Tombling, C. *see* Topham, P.J. 86−47784, 87−32683
Tombor, A. *see* Benko, B. 88−54942
Tombor, A. *see* Csurgai, S. 87−22644
Tombor, A. *see* Petri, K. 88−23548
Tombras, G.S., Karybakas, C.A. Delayed encoding delta-modulation system with optimum performance 86−3772
Tombre, K. Finding and coding graphics in a composite document 87−75940
Tombrello, T. *see* Wilson, R. 86−6479
Tombs, D. Interactive videodisk systems 86−49853
Tombs, G.A. *see* Eaves, L. 86−58310
Tombs, P.N. *see* Green, C.R. 88−15584, 88−32466
Tombs, P.N. *see* Suffolk, J.R. 88−32469
Tomchakov, V.K. *see* Anan'in, P.S. 86−50385
Tomchakov, V.K. *see* Kalinin, B.N. 86−50297
Tomchakov, V.K. *see* Tarasov, V.M. 85−26276
Tomchinski, A.M. *see* Frolov, I.A. 88−6460
Tomchinskii, A.M. *see* Frolov, I.A. 86−426
Tomchinskii, A.M. *see* Prolov, I.A. 86−35546
Tomchuk, A.A. *see* Astvatsatur'yan, E.R. 85−48095
Tomchuk, P.M. *see* Dykman, I.M. 85−29698
Tomcik, J. Accuracy and speed of electrostatic field computations 86−3426
Tomcik, J. Influence of a divergent electrostatic field on flash-over in oil 86−35924
Tomcik, J., Sebelik, C. Influence of climatic conditions on stressing of steel-aluminium cables 88−68945
Tomcik, J., Zalis, K. Behaviour of HY insulation by DC stressing 86−33275
Tomcik, J. *see* Veverka, A. 85−43911
Tomczak, J. Problems of television transmission in an underwater environment 88−53399
Tomczak, J.J. Generalized wiring rules for CMOS circuits 88−64066
Tomczyk, A. *see* Misiak, K. 88−11044
Tomczyk, J. The application of the acoustical signal control (SCA) in urban-industrial agglomeration 85−43587
Tome, A.E., Jr., Pillar, C.S. Logic tree applications to power plant problems 87−9233
Tome, A.M. *see* Guedes de Oliveira, P. 88−23075
Tome, D.M. *see* Weise, D.A. 86−22638
Tomebe, K. *see* Eguchi, M. 88−21650
Tomek, I., Siu-Ming Ng Combining hardware simulation with hardware 88−70479
Tomek, J. *see* Chmel, J. 86−63360, 88−12327, 88−19062
Tomek, K. Optimised series of thyristors and diodes from CKD, Prague according to CMEA standards 87−31693
Tomek, R.E. Modified module can 85−193
Tomek, S. *see* Bezur, W. 86−24324
Tomellini, M. *see* Stizza, S. 85−50222
Tomer, G.S., Schlegel, G.L., Gaal, P.S. High-sensitivity dilatometer for quality-control use 88−68055
Tomes, D.N. *see* Peters, D.W. 88−64448
Tomes, D.W. *see* Hungerford, G.A. 87−11548
Tomes, I. Local area networks and their perspectives in the CSSR 86−23488
Tomes, I. Local data networks 88−28400
Tomes, M. *see* Brzobohaty, J. 85−29317
Tomes, M. *see* Hykel, P. 87−5650
Tomes, V. *see* Matal, O. 87−42605, 87−50963
Tomescu, F.M.G., Constantinescu, L. Block-function expansion analysis of time-varying electrical quantities 85−9440
Tomescu, F.M.G., Constantinescu, L. Solutions of optimization problems for the electric power performance of an electric system 87−50624
Tomescu, F.M.G., Constantinescu, L. An alternative method for the optimization of the electric power performance of an electric system 87−77944
Tomescu, F.M.G., Constantinescu, L. Discrete methods for the optimization of the electric power performance of an electric system 88−30254
Tomescu, F.M.G. *see* Constantinescu, L. 86−26692
Tomescu, I. Hypertrees and Bonferroni inequalities 87−5331
Tometich, L. *see* Trautman, E. 88−16494
Tomiak, M. Utilization of the 110 kV medium voltage transformer heat losses 88−11264
Tomic, B. *see* Mikulicic, V. 85−38716
Tomic, Z. Transmission plan in a mixed analog/digital network 88−21546
Tomic, Z.C. Transmission plans for mixed analogue digital networks 88−46420
Tomich, D.H., Mescher, J.A., Grant, J.T. Surface composition and barium evaporation rate of 'pedigreed' impregnated tungsten dispenser cathodes during accelerated life testing 87−37794
Tomich, D.H., Mescher, J.A., Wittberg, T.N., Grant, J.T. Relative work function, surface composition and topography of 'pedigreed' impregnated tungsten dispenser cathodes 86−14792
Tomich, D.J. *see* Quincy, E.A. 86−10510
Tomida, S. *see* Hirai, Y. 88−7536
Tomida, Y., Sakuma, S., Hiramatsu, T. Teletext receiver 86−69374
Tomidokoro, S. *see* Asai, J. 85−5568
Tomidokoro, S. *see* Yada. T. 85−16479
Tomidokoro, Y. *see* Kikuchi, H. 86−57980
Tomie, T. Picosecond pulse generation by self-phase modulation in an actively mode-locked and Q-switched phosphate glass laser 86−3112
Tomie, T., Kasai, T., Yano, M. Actively mode-locked and Q-switched glass oscillator 85−18893
Tomie, T., Koyama, K., Atoda, N., Komeiji, S., Matsumoto, Y., Yaoita, A., Matsushima, I., Yano, M. X-ray lithography using a KrF laser-produced plasma 88−50770
Tomie, T., Sugiyama, I., Ouchi, I. Magnetic anisotropy of Mo-Permalloy films deposited on moving PET webs by Facing Target Sputtering method 88−57903
Tomie, T. *see* Chenais-Popovics, C. 88−14118
Tomie, T. *see* Key, M.H. 87−12373
Tomie, T. *see* Koyama, K. 88−1479
Tomie, T. *see* Lewis, C.L.S. 88−33919
Tomie, T. *see* Willi, O. 88−2174
Tomihisa, A. *see* Ebata, M. 86−59979
Tomihisa, A. *see* Tsuboi, T. 87−61690
Tomii, H. *see* Matsumoto, S. 86−68340
Tomii, K. *see* Kaneko, A. 87−34971
Tomii, K. *see* Nishizawa, J. 88−64541
Tomii, Y. *see* Sano, Y. 87−18802
Tomik, J. *see* Stanc, S. 85−20577
Tomikawa, K., Itagaki, Y., Kimura, T. 4 to 12 GHz band traveling-wave tubes for digital radio transmitters 85−34434
Tomikawa, N. *see* Fujita, T. 86−42389
Tomikawa, T., Matsumoto, K. An attribute classification of images by Laplacian operation 87−48007
Tomikawa, T., Matsumoto, K. An attribute classification of images using Laplacian histogram 87−75867

Tomikawa, T., Matsuo, K., Matsumoto, K. A method of tone reproduction based on electrostatic ink jet using dielectric-ink 85−2890
Tomikawa, Y., Iwase, Y., Arita, K., Yamada, H. Nondestructive inspection of a wooden pole using ultrasonic computed tomography 86−62297
Tomikawa, Y., Kondo, T., Ogasawara, T., Sugawara, S., Konno, M. Fundamental considerations of excitation of a flexural progressive wave and its application 88−13650
Tomikawa, Y., Konno, M., Gounji, T., Kasai, Y. 200 kHz PCM timing tank electromechanical filter 85−911
Tomikawa, Y., Masamura, K., Sugawara, S., Konno, M. Fundamental consideration of piezoelectric ceramic multi-morph actuators 86−53864
Tomikawa, Y., Masamura, K., Sugawara, S., Konno, M. Fundamental consideration of piezoelectric ceramic multi-morph actuators 86−68134
Tomikawa, Y., Ogasawara, T., Konno, M., Gounji, T. 320 kHz timing tank mechanical filter for digital subscriber transmission system 86−47930
Tomikawa, Y., Okazaki, M. Characteristics of a quartz crystal tuning fork with shortened arm length for high-frequencies 86−15309
Tomikawa, Y., Yamada, H., Onoe, M. Wide band ultrasonic transducer using tapered piezoelectric ceramics for non-destructive inspection 85−21029
Tomikawa, Y. *see* Hirama, K. 87−3975
Tomikawa, Y. *see* Konno, M. 86−53866
Tomikawa, Y. *see* Okazaki, M. 86−42044
Tomilin, M.G. *see* Gerasimenko, N.I. 86−28914
Tomilin, M.G. *see* Gruzdeva, N.I. 85−2098
Tomilin, M.G. *see* Korzhenevskii, V.A. 85−18759
Tomilin, N.F. *see* Byr'ka, V.F. 85−54012
Tomilov, G.A. *see* Bashta, Yu.N. 87−40929
Tomimasu, T. Proposals for test operation of electron linacs on a space station and radiation processing of the eruption cloud materials using electron beams from linacs 86−5658
Tomimasu, T. Development of small SOR systems and application to semiconductor manufacturing 87−1371
Tomimasu, T. An electron injector for small scaled storage ring 87−14652
Tomimasu, T. Development of small scaled storage rings for VLSI lithography and associated problems to be solved 87−35254
Tomimasu, T. An electron undulating ring dedicated to VLSI lithography 87−53619
Tomimasu, T. New radiation sources using high energy electrons 88−36341
Tomimasu, T., Mikado, T., Yamazaki, T., Kimura, M., Chiwaki, M., Sugawara, F., Tanaka, G., Hayashi, K., Tsujimura, T. Radiation shielding of the ETL electron linac and storage ring 88−30055
Tomimasu, T., Noguchi, T., Sugiyama, S., Yamazaki, T., Mikado, T. An electron undulating ring for VLSI lithography 86−32138
Tomimasu, T., Sugiyama, S., Furukawa, K., Takada, H., Tsutsui, Y. Development of a compact SR system [synchrotron radiation] 88−61002
Tomimasu, T., Yamazaki, T., Mikado, T., Sugiyama, S., Chiwaki, M., Nakamura, T., Noguchi, T. Decay rate plot of stored beam current and Touschek limit of current-lifetime product 87−21347
Tomimasu, T. *see* Kimura, M. 88−31216
Tomimasu, T. *see* Mikado, T. 87−14714
Tomimasu, T. *see* Takada, H. 88−13236, 88−45082
Tomimasu, T. *see* Yamazaki, T. 86−32139
Tomimatsu, N. *see* Yamamoto, S. 87−20916
Tomimitsu, Y., Hirao, E., Miura, S., Yamaguchi, S. Error correcting code LSIs for optical disk system 88−19243
Tomimitsu, Y. *see* Hirosaki, B. 85−34086
Tomimitsu, Y. *see* Ukai, H. 85−36974
Tomimori, A., Kita, T., Fujita, K., Iijima, Y., Soga, Y., Inagaki, M., Kataoka, K. Terminal equipment 85−36792
Tomimori, A., Watanabe, Y., Fukuda, N., Hirano, K., Itoh, H., Tajima, T. New design telephone set 86−23560
Tomimori, A. *see* Fujita, K. 86−43689
Tomimori, K., Yoshikubo, N., Nakagami, T. High-speed optical fiber communications 87−20484
Tomimuro, H., Jyunonji, H. Novel reliability test method for ribbon interconnections between MIC substrates 86−62847
Tomimuro, H., Morita, A. Reliability study on microwave integrated circuits for the 20 G-D 2 transmission system 85−1033
Tomimuro, H., Morita, A. Reliability study on microwave integrated circuits for the 20G-D2 transmission systems 85−25741
Tomimuro, H. *see* Kawano, K. 85−17817
Tomimuro, H. *see* Kurosawa, H. 86−1598, 86−14750
Tomimuro, H. *see* Ogata, T. 86−11060, 86−30823
Tomin, V.I. *see* Kuznetsov, A.N. 88−16662
Tominaga, A. *see* Sugisaka, M. 87−55153
Tominaga, F., Iwanaga, M., Kawata, Y. A 150 kVA three-phase triport UPS 85−64877
Tominaga, F. *see* Harada, K. 86−61618, 87−30829, 88−30257
Tominaga, H. Activities and trends to reregulation of telecommunication business in Japan 85−30529
Tominaga, H. Meteorological information reporting system 86−37259
Tominaga, H. Security information networks in local government 86−37260
Tominaga, H. Electronic mail 88−15006
Tominaga, H. Vision on new wide area networks 88−41198
Tominaga, H., Arakawa, H., Yamazaki, M. Comparison of coding schemes for telewriting systems 87−47529
Tominaga, H., Bavarian, B. An adaptive navigation algorithm for mobile robots 88−3246
Tominaga, H., Kamae, T., Kurematsu, A. Telewriting system in communications 85−25296
Tominaga, H., Ohmori, H., Fujiwara, Y. Miniaturized crystal components 88−1838
Tominaga, H., Ono, M., Fujiwara, Y. Devices using high-coupling piezoelectric crystals 88−64870
Tominaga, H., Takeuchi, S., Kondo, H. Inter-frame tri-level differential coding technique for narrow band transmission in video conference system 85−52567
Tominaga, H., Takeuchi, S., Kondo, H. Inter-frame tri-level differential coding technique on narrow band transmission for video conference system 86−69956
Tominaga, H., Yabusaki, M., Arakawa, H. Electronic tablet 'Billiard Scanner' by laser beam scanner 85−52875
Tominaga, H., Yabusaki, M., Onda, R. A new coding technique 'elastic window encoding' for electronic mail 85−51980
Tominaga, H. *see* Sato, M. 88−59326
Tominaga, J., Shibayama, K. SAW MSK matched filter and its application 86−28587
Tominaga, J., Shibayama, K. SAW MSK matched filter and its application 87−53850
Tominaga, J., Tsutsumi, S., Saito, N., Kitahara, Y., Ikeda, T., Ogata, Y. Lower-wattage compact super HPS lamp 'HICA LIGHT' 88−6019
Tominaga, J. *see* Nagaoka, H. 88−20121
Tominaga, K., Kume, M., Yuasa, T., Tada, O. High-energy oxygen atoms in ZnO film preparation by reactive sputtering of Zn 86−46370
Tominaga, K., Kuroda, K., Tada, O. Radiation effect due to energetic oxygen atoms on conductive Al-doped ZnO films 88−64248
Tominaga, K., Yamakita, J., Rokushima, K. Optics of periodic liquid crystals 88−2067
Tominaga, K., Yuasa, T., Kume, M., Tada, O. Influence of energetic oxygen bombardment on conductive ZnO films 86−1711
Tominaga, K., Yuasa, T., Kuroda, K., Tada, O. Energetic oxygen atoms in RF sputtering of ZnO 88−24800
Tominaga, K. *see* Rokushima, K. 88−20872
Tominaga, K. *see* Tohyama, T. 86−8706
Tominaga, M., Akiyama, J., Mori, L. A photoelectric method for discriminating the degree of oxidation of Dumet wire: consideration of the reasonable spectral sensitivity by principal component analysis 85−55209
Tominaga, M., Fchida, T. Color reproduction properties of lamps with a high efficiency for color television 86−17609
Tominaga, M. *see* Nakamura, Y. 85−26336
Tominaga, M. *see* Toyooka, S. 86−54228
Tominaga, S. Radiation detectors and generation of the response functions 85−48181
Tominaga, S. Expansion of color images by means of three attributes of color perception 85−52526
Tominaga, S. A generalized condition for designing a measuring system for color images and its application 87−28972
Tominaga, S. Expansion of color images using three perceptual attributes 87−62188
Tominaga, S. A generalized condition for designing a measuring system of color images and its application 88−29669
Tominaga, S. Development concepts of fiber-optic field instrumentation bus 88−74253
Tominaga, S., Saito, A., Onodera, S. High quality system VHS VCR VC-N31 series 87−34832
Tominaga, S. *see* Berneryd, S. 86−6825
Tominaga, S. *see* Hikishima, N. 86−65071
Tominaga, S. *see* Morii, K. 85−32593
Tominaga, S. *see* Taniguchi, T. 87−27267, 87−48731, 87−62720, 87−69754, 88−40862
Tominaga, T. *see* Burnett, T.H. 87−8866
Tominaga, T. *see* Kawamura, T. 87−63164
Tominaga, T. *see* Kirino, T. 86−38072
Tominaga, T. *see* Sawa, S. 88−33753
Tominaga, T. *see* Takahashi, S. 86−58270
Tominaga, Y., Kosa, Y. Features of high-performance CMOS and its applications 85−23949
Tominaga, Y. *see* Takeda, M. 88−30900
Tominaka, S. *see* Takano, K. 88−76018
Tominaka, T. *see* Huson, F.R. 86−31828
Tominitsu, Y. *see* Ukai, H. 85−37209
Tomioka, H. Submicron optical lithography utilizing a negative deep UV resist MRS 86−2081
Tomioka, H. *see* Matsuzawa, T. 85−1445
Tomioka, H. *see* Minakawa, M. 87−4169
Tomioka, H. *see* Naraoka, K. 85−35094
Tomioka, S. *see* Isomura, S. 87−58990
Tomioka, T. *see* Otani, H. 85−55326
Tomioka, T. *see* Sasaki, K. 88−34116
Tomisawa, O., Yoshida, T., Matsuo, M., Shimizu, T., Enomoto, T. Design considerations of the GMICRO/100 88−70857
Tomisawa, O. *see* Hinata, J. 87−59607
Tomisawa, O. *see* Komori, S. 88−6813, 88−32243
Tomisawa, O. *see* Korematsu, J. 85−33969
Tomislav, D., Goce, A., Dokic, B.L. Comments on 'Influence of series and parallel transistors on DC characteristics of CMOS logic circuits' 85−61220
Tomita, A., Cohen, L.G. Leaky-mode loss of the second propagating mode in single-mode fibres with index well profiles 85−50903
Tomita, A., Cohen, L.G. Effective cutoff and modal noise in single-mode fiber systems 86−9547
Tomita, A., Lemaire, P.J. Hydrogen-induced loss increases in germanium-doped single-mode optical fibres: long-term predictions 85−18685
Tomita, A., Lemaire, P.J. Observation of a short wavelength loss edge caused by hydrogen in optical fibers 86−9567
Tomita, A., Suzuki, A. Carrier-induced lasing wavelength shift for quantum well laser diodes 87−68505
Tomita, A., Suzuki, A. Optical feedback effect on bistable laser diodes 87−68619
Tomita, A., Tai, K. Femto-second fiber pulse compression at 1.319 μm 88−58677
Tomita, A., Terakado, T., Suzuki, A. Turn-off characteristics of bistable laser diode 86−42630
Tomita, A. *see* Akino, K. 86−49383
Tomita, A. *see* Cheung, N.K. 85−20181
Tomita, A. *see* Ciemiecki Nelson, K. 86−22104
Tomita, A. *see* Inoue, M. 86−30186
Tomita, A. *see* Lemaire, P.J. 86−9561
Tomita, A. *see* Ohnishi, H. 85−42071
Tomita, A. *see* Tai, K. 86−36132, 86−48078, 86−68230
Tomita, A. *see* Yajima, T. 86−23635
Tomita, C. *see* Shimoda, T. 86−22005
Tomita, E., Asai, Y., Umemura, A. Digital telecommunication terminals 88−59861
Tomita, E., Fujii, T. Efficient algorithms for finding a maximum clique and their experimental evaluation 85−49456
Tomita, E. *see* Shindo, M. 88−49707
Tomita, F., Shirai, Y. Recent studies on three dimensional computer vision 85−36361
Tomita, F., Takahashi, H. Matching boundary-representations of stereo images 88−73235
Tomita, F. *see* Nomura, S. 88−4497
Tomita, H., Kojima, S., Usui, S. Slant-scanning and interstice-bridging applied to ZMR to improve the quality of recrystallized Si films on quartz 87−17899
Tomita, H., Usui, S. Slant-scanning and interstice-bridging methods used to produce highly uniform ZMR Si films on quartz wafers 86−62236
Tomita, H. *see* Fukunaga, T. 87−12083
Tomita, H. *see* Ichikawa, M. 86−44757
Tomita, H. *see* Ikeda, B. 87−67984
Tomita, H. *see* Kawashima, H. 88−13631
Tomita, H. *see* Nomura, T. 86−23837
Tomita, H. *see* Sameshima, T. 88−12023
Tomita, H. *see* Tado, S. 87−1926
Tomita, H. *see* Yokoyama, K. 86−44756
Tomita, H. *see* Yoneda, H. 88−62498
Tomita, J., Tomaru, S. Improvement of QA/QC activities in the construction of nuclear power plants 88−30489
Tomita, K. *see* Iida, H. 88−9305
Tomita, K. *see* Isobe, S. 85−31381
Tomita, K. *see* Kawashima, Y. 86−23802
Tomita, K. *see* Minamino, Y. 86−7038
Tomita, K. *see* Shao, C.-L. 85−37625
Tomita, M. An efficient word lattice parsing algorithm for continuous speech recognition 87−19579
Tomita, M. Analysis for the splice loss between multimode fibers by wave optics−in the case of multiple misalignment 87−68164
Tomita, M., Tanabe, I., Uchida, S., Hidaka, M., Kiwaki, H. Development of an instrumental system displaying electric charge distribution 86−4956
Tomita, M. *see* Gamo, K. 87−23718
Tomita, M. *see* Higashi, Y. 85−31109
Tomita, M. *see* Nakagawa, S. 87−19612
Tomita, M. *see* Nakatsuka, H. 85−12959
Tomita, M. *see* Odawara, G. 85−683, 87−5603, 88−64719
Tomita, M. *see* Takano, K. 88−76018
Tomita, M. *see* Tamura, H. 88−41048
Tomita, N., Arai, T., Ohmura, M. Line characteristic test set for digital subscriber loops 85−19914

Tomita, N., Arai, T., Ohmura, M. Line characteristic test sets for digital subscriber loops 85−47070
Tomita, N., Kawaguchi, T., Ohmura, M. Crosstalk characteristics for symmetrical star quad cable with unbalanced terminations 85−36603
Tomita, N., Kawaguchi, T., Ohmura, M. Crosstalk characteristics in subscriber loops with unbalanced terminations 85−42325
Tomita, N., Kobayashi, H., Matsumoto, M. A jointing technique for high-density optical cables with multiple fibers 86−55317
Tomita, N., Kobayashi, H., Shimizu, M., Takagi, J. A new high-density fiber organizer for optical-fiber cable joints 87−7135
Tomita, N., Ohmura, M. Study on estimation method of multiple crosstalk loss for balanced cable 86−17184
Tomita, N., Ohmura, M. Design of multiple crosstalk measurement apparatus and crosstalk loss characteristics of subscriber lines 87−69762
Tomita, N., Ohmura, M. Low frequency crosstalk loss characteristics of balanced cables 88−21890
Tomita, N., Takagi, J., Kobayashi, H., Samura, M. Study on optical fiber splice accommodation structure for optical cable joint 86−11096
Tomita, N. *see* Hirai, K. 87−6131
Tomita, N. *see* Shimizu, M. 86−55305, 88−41703
Tomita, N. *see* Shino, T. 86−21575
Tomita, N. *see* Takagi, J. 86−69785
Tomita, N. *see* Yanagawa, S. 86−8490
Tomita, N. *see* Yanaguira, H. 86−69784
Tomita, O. *see* Koshida, N. 85−6617, 85−29073, 87−32372
Tomita, S., Kawase, M., Shinohara, H., Fuchigami, T. Suppression of galloping oscillation for a self-supporting optical fiber cable 88−35496
Tomita, S., Kosuge, Y., Nagayama, K. Reservation-based communication control system 86−10932
Tomita, S., Kosuge, Y., Nagayama, K., Ishikawa, K. A reservation-based communication control system 85−30550
Tomita, S., Nishikawa, S., Iwata, S., Nozawa, T., Misawa, Y., Imai, K. The GT-D2 digital videotex terminal 86−49222
Tomita, S., Sawada, T., Ujihara, K. Phase conjugation of planar guided waves 88−34117
Tomita, S., Shinohara, H., Fuchigami, T., Kawase, M. Pulling force estimation and a design of optical cord for aerial multiple pipe 87−7157
Tomita, S., Shinohara, H., Kawase, M. Size dependence of wind force coefficient in self-supporting optical fiber cable 87−20572
Tomita, S., Shinohara, H., Kawase, M. Suppression of galloping oscillation due to wind for a self-supporting cable 88−9591
Tomita, S. *see* Hata, T. 87−39969, 88−46280
Tomita, S. *see* Hoshiko, T. 88−9184
Tomita, S. *see* Nishikawa, S. 86−54854
Tomita, S. *see* Ohnishi, R. 86−38057
Tomita, S. *see* Okada, T. 85−19505, 85−41974, 87−2560
Tomita, S. *see* Onishi, R. 88−73197
Tomita, S. *see* Shinohara, H. 87−70104
Tomita, T. VAN service selection points−business type VAN C&C−VAN 88−8962
Tomita, T., Kinosada, T., Yamashita, T., Shiota, M., Sakurai, T. A new non-contact method to measure temperature of the surface of semiconductor wafers 87−29335
Tomita, T., Okamoto, T., Hirai, R., Kurokawa, T. Development of an electromagnetic flowmeter on noise reduction 87−21059
Tomita, T. *see* Inoue, T. 85−23777
Tomita, T. *see* Kobayashi, T. 88−33264
Tomita, T. *see* Naitoh, Y. 87−2740
Tomita, T. *see* Tsuji, M. 88−1158
Tomita, T. *see* Yamashita, T. 87−65506
Tomita, Y., Ikeda, K. A realization of a multiport gyrator using second-generation current conveyor 85−933
Tomita, Y., Ikeda, K. A variable active bandpass filter using *L-R* mutator 85−11417
Tomita, Y., Kyuma, K., Yahalom, R., Yariv, A. Demonstration of amplitude-distortion correction by modal dispersal and phase conjugation 88−20745
Tomita, Y., Nakamura, M., Niwa, K. Infrared light charge injector as a tool for the study of silicon detectors 88−68242
Tomita, Y., Unagami, S., Kajiwara, M., Matsumura, T. An implementation of the 64 kbps audio codec based on CCITT recommendation G.722 88−46738
Tomita, Y., Unagami, S., Taniguchi, T., Tada, Y., Taka, M. Digital signal processing in a 16 kbps APC-AB codec by fixed point digital signal processor (FDSP-3) 87−20295
Tomita, Y., Yahalom, R., Yariv, A. Fidelity of polarization and spatial information recovery using a fiber-coupled phase-conjugate mirror 88−20744
Tomita, Y. *see* Hatanaka, Y. 87−28960
Tomita, Y. *see* Igari, Y. 88−70586
Tomita, Y. *see* Iijima, K. 86−62224
Tomita, Y. *see* Ikeda, K. 85−6433, 85−11418, 85−34057 to 34058, 85−55028, 86−14363, 86−20717, 87−858, 87−23958, 87−23983, 87−52713, 87−59700, 88−32047, 88−50250
Tomita, Y. *see* Kikumoto, Y. 87−55656, 87−55658
Tomita, Y. *see* Musha, T. 85−52396
Tomita, Y. *see* Nakamura, M. 88−61142
Tomita, Y. *see* Nonogaki, S. 86−1647, 86−63005
Tomita, Y. *see* Sekine, M. 85−46824, 85−63735
Tomita, Y. *see* Sorimachi, Y. 85−34376
Tomita, Y. *see* Takahashi, A. 86−57678
Tomita, Y. *see* Takata, N. 85−4896
Tomita, Y. *see* Takayama, R. 87−35084, 88−67789
Tomita, Y. *see* Takekoshi, E. 85−59179
Tomita, Y. *see* Tsuzuki, T. 87−52451, 88−34242
Tomita, Y. *see* Yamafuji, K. 87−74554
Tomitaka, K. *see* Sano, Y. 88−9319
Tomitani, T. An edge detection algorithm for attenuation correction in emission CT 87−50251
Tomitani, T., Nohara, N., Murayama, H., Yamamoto, M., Tanaka, E. Development of a high resolution positron CT for animal studies 85−43366
Tomitani, T. *see* Nohara, N. 85−43365
Tomitani, T. *see* Takahashi, M. 88−33518
Tomitani, T. *see* Tanaka, E. 87−29721
Tomite, T. *see* Abukawa, T. 87−9576
Tomiyama, C., Kuramata, A., Yamazaki, S., Nakajima, K. Deposition of InP particles on Si$_3$N$_4$ and SiO$_2$ films by low pressure MOCVD 87−73131
Tomiyama, I. *see* Noda, H. 88−41843
Tomiyama, K. Estimation of partitioned set of parameters 87−19816
Tomiyama, K., Cranos, R.L., Tomlinson, D.L. Atmospheric extinction models in 8-12 (μm) 88−2581
Tomiyama, K. *see* Hasegawa, T. 88−62804
Tomiyama, S., Aiyama, Y. The superconducting generator development program in Japan 88−55287
Tomiyama, S., Takebe, T. Approximation of bandpass attenuation characteristics using Fourier series 88−19254
Tomiyama, S. *see* Chuang, T.C. 88−26296
Tomiyama, S. *see* Ito, H. 86−50111, 88−45310
Tomiyama, S. *see* Nishino, I. 87−72851
Tomiyama, S. *see* Ozawa, T. 86−17820, 86−36347
Tomiyama, T. *see* Imaeda, K. 86−25126
Tomiyama, Y. Simple game, voting representation and ordinal power equivalence 87−65323
Tomiyasu, H., Fukakusa, M., Sato, K., Kanai, K. High density magnetic recording head slider for small rigid disk 88−51328
Tomiyasu, H., Sato, K., Kanai, K. Characteristics of metal magnetic thin film in MIG head and head performance 88−64932
Tomiyasu, K. Relationship between differential scattering coefficient (σ°) and bidirectional reflectance distribution function (BRDF) 88−5127
Tomiyasu, R., Kitagawa, T., Itoh, M. Chaotic solutions in the Duffing-Mathieu's equation 88−70497
Tomiyasu, R. *see* Fujiyama, H. 87−5461
Tomiyasu, R. *see* Itoh, M. 88−10063, 88−18979, 88−38373, 88−56420
Tomiyasu, R. *see* Kitagawa, T. 87−59124
Tomizawa, F., Tsuchita, K., Sugiyama, S. Trackless scanner for ultrasonic testing of straight and bent pipes 86−25458
Tomizawa, H., Izui, Y., Harashima, H. An access scheme for buffered tree-structured two-way CATV systems 87−70267
Tomizawa, H. *see* Hamada, T. 88−46606
Tomizawa, I. Phase fluctuation measurement with HF-band VLBI system and its application to observation of Jupiter's decametric emissions 86−30930
Tomizawa, I. *see* Yoshino, T. 86−15867, 86−69738, 86−69860, 88−5165
Tomizawa, K., Awano, Y., Hashizume, N. Monte Carlo simulator of AlGaAs/GaAs heterojunction bipolar transistors 85−6902
Tomizawa, K., Awano, Y., Hashizume, N., Kawashima, M. Simulation of near ballistic electron transport in a submicron GaAs diode with Al$_x$Ga$_{1-x}$As/GaAs heterojunction cathode 85−23735
Tomizawa, K., Hashizume, N. Ensemble Monte Carlo simulation of AlGaAs/GaAs heterostructure MIS-like FET 88−19986
Tomizawa, K., Hashizume, N. Ensemble Monte Carlo simulation of an AlGaAs/GaAs heterostructure MIS-like FET 88−63899
Tomizawa, K., Sassa, K., Shimanuki, Y., Nishizawa, J. Growth of low dislocation density GaAs by As pressure-controlled Czochralski method 85−10661
Tomizawa, K., Sassa, K., Shimanuki, Y., Nishizawa, J. Growth of low dislocation density GaAs by As pressure controlled Czochralski method 88−49790
Tomizawa, K. *see* Awano, Y. 86−2137
Tomizawa, K. *see* Polonovski, J.-P. 86−27997
Tomizawa, M., Yokoyama, K., Yoshii, A. Hot-electron velocity characteristics at AlGaAs/GaAs heterostructures 85−11982
Tomizawa, M., Yokoyama, K., Yoshii, A. Semiconductor device simulations for high-speed devices 88−19906
Tomizawa, M., Yokoyama, K., Yoshii, A. Nonstationary carrier dynamics in quarter-micron Si MOSFETs 88−33208
Tomizawa, M., Yoshii, A., Yokoyama, K. Modeling for an AlGaAs/GaAs heterostructure device using Monte Carlo simulation 85−55827
Tomizawa, M. *see* Aoki, T. 86−53815
Tomizawa, M. *see* Tazawa, S. 87−45984
Tomizawa, M. *see* Yokoyama, K. 85−1574, 85−23819, 86−21472, 86−21818, 87−24877
Tomizawa, M. *see* Yoshi, A. 87−74236
Tomizawa, M. *see* Yoshii, A. 86−26998, 87−67191
Tomizawa, T., Fukumoto, A., Neda, T., Toda, Y., Takizawa, Y. Enhanced operational safety of BWRs by advanced computer technology and human engineering 85−21338
Tomizawa, T. *see* Kakegawa, K. 88−12089
Tomizono, T. *see* Isshiki, M. 86−13726
Tomizuka, K. *see* Ogawa, R. 88−15756
Tomizuka, K. *see* Tanaka, K. 87−13823
Tomizuka, Y. *see* Shinozaki, K. 85−27608
Tomkeiwicz, M. *see* Cahen, D. 87−16025
Tomkiewicz, M. In situ characterization of semiconductor-liquid junctions: surface optimization of n-CuInSe$_2$ 86−41625
Tomkiewicz, M. *see* Cahen, D. 85−21805, 86−66346
Tomkiewicz, M. *see* Garuthara, R. 85−55730, 86−7002
Tomkiewicz, M. *see* Glembocki, O.J. 85−34856
Tomkiewicz, M. *see* Shen, W. 86−61741
Tomkins, G. *see* Baker, R.L. 88−57812
Tomkins, G. *see* Rosser, P. 86−28407
Tomkins, G.J. *see* Rosser, P.J. 86−21344, 86−28239
Tomkins, J.H. Future power supplies for the London Underground 88−5978
Tomkins, J.W. *see* Brothers, J.S. 85−35085, 85−35188
Tomkins, T.J. *see* Gough, N.A.J. 86−25172
Tomkinson, J. *see* Bailey, I. 86−56030
Tomkinson, J. *see* Penfold, J. 86−56063
Tomkmenin, V.V. *see* Vertogradov, L.S. 85−20846
Tomko, F.G. *see* Jost, R.J. 88−14441
Tomko, L. *see* Jacobus, C. 87−70143
Tomlin, D.H. The origins and development of army radar up to 1945 85−58226
Tomlin, W.T. *see* Bulos, F. 88−54364
Tomlinson, D.L. *see* Tomiyama, K. 88−2581
Tomlinson, E.J. *see* Blamire, M.G. 88−26725
Tomlinson, G.H. Absolute-type shaft encoder using shift register sequences 87−44732
Tomlinson, G.H. Amplitude distributions of smoothed inverse-repeat binary sequences 88−34672
Tomlinson, G.H., Ball, E. Elimination of errors in absolute position encoders using *m*-sequences 88−12449
Tomlinson, G.R. A microcomputer-based modal analysis system 86−4999
Tomlinson, G.R. *see* Youngman, M.D. 87−63258
Tomlinson, J.J., Olszewski, M., Geist, G.A. A comparative analysis of cool storage systems based on ice and clathrates 85−53943
Tomlinson, J.N., Morley, L.A. Conductive-rubber shielded low-voltage cables−an update 86−32760
Tomlinson, J.N., Morley, L.A. Conductive-rubber shielded low-voltage cables−an update 87−42478
Tomlinson, M., Bramwell, J.R. Real time digital signal processing in satellite modems 86−69727
Tomlinson, M., Ward, C., Rendle, M. Digital pseudo-analogue satellite TV transmission system 86−59977
Tomlinson, M. *see* Allan, R.D. 88−53078
Tomlinson, M. *see* Casewell, I.E. 88−53214
Tomlinson, M.J. *see* Beet, S.W. 88−66351
Tomlinson, P.G. Bistatic hybrid air/ground-based radar simulation 88−15602
Tomlinson, P.G. *see* Bruckheim, A.J. 88−9642
Tomlinson, P.M. *see* Buley, P. 87−13631
Tomlinson, R. Play it again, Beeb 85−20430
Tomlinson, R.D. Fabrication of CuInSe$_2$ single crystals using melt-growth techniques 86−57427
Tomlinson, R.D. Crystal growth of Cu-III-VI$_2$ compounds from the melt 87−58912
Tomlinson, R.D. *see* Abdul-Hussein, N.A.K. 85−45405
Tomlinson, R.D. *see* Neumann, H. 85−55493
Tomlinson, R.D. *see* Samaan, A.N.Y. 86−57483, 87−314
Tomlinson, R.S. *see* Thomas, R.H. 86−30285
Tomlinson, S. A design philosophy for gate arrays 85−44999
Tomlinson, S.J. State of the art VLSI board testing 86−17799
Tomlinson, W.J. Analyses of bit-oriented optical memories using photochromic media 85−12530

Tomlinson, W.J. Future optical components for fiber systems 85−47535
Tomlinson, W.J. Optical components for lightwave systems 88−9597
Tomlinson, W.J., Brackett, C.A. Telecommunications applications of integrated optics and optoelectronics 88−22105
Tomlinson, W.J., Knox, W.H. Limits of fiber-grating optical pulse compression 87−74699
Tomlinson, W.J., Stolen, R.H., Johnson, A.M. Optical wave breaking of pulses in nonlinear optical fibers 86−2762
Tomlinson, W.J. *see* Heritage, J.P. 85−56282
Tomljanovich, M. CAD/CAM in the electronic manufacturing industry 87−36868
Tomljenovic, J. *see* Munger, U. 85−3621
Tomljenovic, V. Investigation of the transient state in electrodynamic braking of DC machines 86−70930
Tomm, J.W., Herrmann, K., Barthel, C., Barthel, U. On the dispersion of the refractive index in active layers of lead-salt injection lasers 85−24581
Tomm, J.W., Sumpf, B., Herrmann, K., Szczerbakow, A. Some aspects of the technology of lead salt diode lasers used in gas monitoring systems 88−2231
Tomm, J.W. *see* Hermann, K. 85−35771
Tomm, Y. *see* Moravec, F. 87−44282
Tommasi, F. *see* Chiariglione, L. 87−34225, 88−3158, 88−60411
Tommasi, F. *see* Corgnier, L. 87−47983
Tommasi, M. *see* Alaria, G.B. 87−76634, 87−76692, 88−22006
Tommasino, L. Recent trends in radioprotection dosimetry: promising solutions for personal neutron dosimetry 87−42030
Tommasino, L. Future developments in etched track detectors for neutron dosimetry 88−23139
Tommasino, L., Cherouati, D.E., Raponi, F. Improvements in the spark-replica counter and the breakdown counter 87−14774
Tommasino, L. *see* Espinosa, G. 87−14765
Tommasino, L. *see* Harrison, K.G. 85−26808
Tommasino, L. *see* Zapparoli, G. 87−29635
Tommazzolli, F. Design and protection of cable installations. [CAD] 86−12435
Tommazzolli, F., Vezzani, P. Electrical appliances with nominal voltage 400-1000 V 88−69247
Tommazzolli, F. *see* Bossi, A. 85−39054
Tommazzolli, F. *see* Caccia, M. 86−25570, 88−17143
Tommazzolli, F. *see* Masoero Regis, M. 87−50810
Tommazzolli, F. *see* Mastromauro, F. 86−19417, 86−40319
Tommazzolli, G.F. *see* Caccia, M. 85−60620
Tommazzolli, G.F. *see* Cataliotti, V. 86−70716
Tommazzolli, G.F. *see* Granelli, G.P. 88−36837
Tommazzolli, G.F. *see* Montefusco, A. 88−24505
Tommerdahl, M., Baker, R., Whitsel, B., Juliano, S. A method for reconstructing patterns of somatosensory cerebral cortical activity 86−50575
Tomnikov, A.P. *see* Pavlov, Yu.S. 86−70360
Tomo, K., Hidaka, H., Nakatsuji, T. Visible and thermal infrared radiometer for Marine Observation Satellite-1 87−42247
Tomoda, E. *see* Igarashi, K. 86−25455
Tomoda, K. Introduction of giant-screen display by CRT projection system 86−24086
Tomoda, K., Kurokawa, Y., Ara, K., Saito, T., Kumada, J., Kanazawa, M. Automatic convergence alignment system for 400-inch rear projection HDTV 87−34772
Tomoda, K., Kurokawa, Y., Ara, K., Saito, T., Shimizu, S. Automatic convergence alignment system for video projectors in parallel operation 86−24089
Tomoda, K., Kurokawa, Y., Hirano, T., Yoneno, K., Kaneko, K., Miyakoshi, K., Sunagawa, S. Giant-screen multi-video-projection system in Expo '85 86−24087
Tomoda, K., Kurokawa, Y., Yoneno, K., Kaneko, K. 400-inch video projector and control system 86−24088
Tomoda, K., Kurokawa, Y., Yoneno, K., Kaneko, K., Ara, K., Saito, T., Furukawa, T., Otomo, E., Onozato, Y., Sato, Y., Morishita, M., Yokoyama, K., Shimizu, S., Fujimura, R., Kobayashi, R. 400-inch video projector for HDTV display 85−58563
Tomoda, T. Development of neutron detector for reactor nucleus instrumentation 86−39413
Tomoda, T., Fukakusa, S. 200°C boron-10 lined proportional counters 85−48174
Tomoda, T., Fukakusa, S., Yamashita, S., Akita, K. Development of long-life BF_3 counters 85−4226
Tomoda, T., Fukakusa, S., Yamashita, S., Akita, K. Development of long-life BF_3 counters 85−48173
Tomoda, T. *see* Hirano, M. 88−53146
Tomoda, T. *see* Sumitani, H. 88−75008
Tomoda, W. *see* Ishikawa, K. 85−33392
Tomoda, Y., Emura, T., Kubo, A., Takahashi, Y. Self-surfacing ocean bottom gravity meter 86−18558
Tomoda, Y. *see* Fujimoto, H. 85−64700
Tomoda, Y. *see* Naito, Y. 85−31979
Tomoda, Y. *see* Nakano, I. 85−53150, 87−42223
Tomoda, Y. *see* Watanabe, S. 86−2583
Tomohiro, R. *see* Taura, K. 88−15752, 88−15760
Tomokage, H., Miyamoto, T. Microcomputer-based deep level transient spectroscopy (DLTS) system 85−55426
Tomokage, H., Miyamoto, T. Fabrication of MOS IC for the purpose of educating seminarists 85−55948
Tomokage, H., Miyamoto, T., Morooka, M., Yoshida, M. A simple method to determine λ from isothermal capacitance measurements 86−67749
Tomokage, H. *see* Nakashima, H. 85−11879
Tomokiyo, A. *see* Hashimoto, T. 88−51214
Tomokiyo, A. *see* Kuzuhara, T. 87−32836
Tomokiyo, A. *see* Sahashi, M. 88−51216, 88−71883
Tomokiyo, A. *see* Yayama, H. 88−11369, 88−51215
Tomokiyo, K., Fukuda, K., Okumura, H. Compact metal halide lamps with excellent color rendering properties 88−6018
Tomokuni, Y. *see* Nagai, Y. 87−30808, 88−30996
Tomomatsu, K. *see* Koyama, F. 88−33994
Tomomura, Y., Kitagawa, M., Suzuki, A., Nakajima, S. Homoepitaxial growth of ZnS by MBE 88−49841
Tomomura, Y. *see* Kitagawa, M. 88−18670
Tomomura, Y. *see* Kitgawa, M. 87−65474
Tomonaga, G. *see* Hiramatsu, O. 85−59277
Tomonaga, G. *see* Kajiya, F. 85−38068, 85−53036
Tomono, A. *see* Hayakawa, F. 87−34237
Tomono, A. *see* Kaihara, M. 88−21834
Tomono, H. *see* Nakabasami, T. 85−4640
Tomonto, C.V. Shock testing of high density electronic packaging 88−57226
Tomori, S. *see* Tsukada, H. 86−58063
Tomosugi, T. *see* Enomoto, T. 86−21724
Tomotsune, K. *see* Sugawara, M. 87−34750
Tomotsune, K. *see* Tateishi, H. 87−34771
Tomov, A.V. *see* Voitenko, I.G. 88−13935
Tomov, I. *see* Christov, I. 86−3286
Tomov, I.V., Fedosejevs, R., McKen, D.C.D. Stimulated Brillouin scattering of KrF laser radiation in dichlorodifluoromethane 85−29911
Tomov, I.V. *see* Chaltakov, I.V. 85−56744, 87−26283, 88−20559, 88−40135, 88−51742
Tomov, I.V. *see* Christov, C.G. 85−24635, 85−56502
Tomov, I.V. *see* Christov, I.P. 85−51265
Tomov, I.V. *see* Fedosejevs, R. 85−2399
Tomov, L. *see* Bourev, D. 85−65106
Tomova, N. *see* Sainov, S. 88−34143
Tomova, N. *see* Todorov, T. 85−12996, 85−19042, 85−19047, 85−35899
Tomovich, C. MOSIS−a gateway to silicon 88−64788
Tomozawa, A., Mine, Y., Koike, S., Koguchi, S., Noguchi, T. General view of the ISDN user access system 87−48382
Tomozawa, A., Nakamoto, M. Intelligent teleconference system 85−26097
Tomozawa, H., Uchida, Y., Matsushita, H. An overall design strategy for household appliances 88−62798
Tomozei, D. *see* Dan, I. 88−69734
Tompa, G.S. *see* Seidl, M. 87−77500
Tompa, M., Woll, H. Random self-reducibility and zero knowledge interactive proofs of possession of information 88−14601
Tompa, M., Woll, H. How to share a secret with cheaters 88−40833
Tompa, M. *see* Coppersmith, D. 88−11876
Tompkins, A.R. *see* Angelovich, E.P. 85−14610
Tompkins, B.E. *see* Campbell, G.M. 85−45770
Tompkins, C.J. *see* Stanek, E.K. 87−36364
Tompkins, D.H. Affine approximate of isoparametric elements 86−26758
Tompkins, G.R. Selecting a test data management system to best meet your needs 88−55970
Tompkins, H.G. Surface and thin film analysis of microelectronics materials 88−57756
Tompkins, H.G. *see* Nguyen, B.Y. 88−50686
Tompkins, J. *see* Strait, J. 88−54294, 88−68133
Tompkins, J.A. Design evolution and performance criteria of radioluminescent lighting 85−53916
Tompkins, J.A. *see* Haff, K.W. 85−53915
Tompkins, R.E. *see* Neumann, T.W. 86−26006
Tompkins, R.E. *see* Turnbull, F.G. 86−45568, 88−24038
Tompkins, W.J. Patient worn, intelligent arrhythmia systems 86−50571
Tompkins, W.J. Digital filter design using interactive graphics on the Macintosh 86−52963
Tompkins, W.J. *see* Ahlstrom, M.L. 86−5942
Tompkins, W.J. *see* Cumming, W.T. 85−43419
Tompkins, W.J. *see* Frisken-Gibson, S.F. 88−23123
Tompkins, W.J. *see* Ge, J.-G. 87−29769
Tompkins, W.J. *see* Hamilton, P.S. 86−56151, 87−29771
Tompkins, W.J. *see* Kaczmarek, K. 85−64634
Tompkins, W.J. *see* Kaczmarek, K.A. 85−38238
Tompkins, W.J. *see* Kim, Y. 85−15340
Tompkins, W.J. *see* Maalej, N. 88−68346, 88−68387
Tompkins, W.J. *see* Pan, J. 85−48281
Tompkins, W.J. *see* Potvin, A.R. 86−32216
Tompkins, W.J. *see* Qu, M. 87−21562, 88−61381
Tompkins, W.J. *see* Reining, W.N. 88−54575
Tompkins, W.J. *see* Sahakian, A.V. 85−38164, 85−53056
Tompkins, W.J. *see* Shi, Y. 86−56132
Tompkins, W.J. *see* Thakor, N.V. 85−15319
Tompkins, W.J. *see* Woo, H.-W. 86−14369
Tompkins, W.J. *see* Xue, Q. 88−61389
Tompkins, W.J. *see* Yorkey, T.J. 86−56145, 87−50373, 88−16737
Tompkins, W.J. *see* Zhang, Y. 86−56148, 87−21563
Tomplait, C. Memory management boosts efficiency of powerful micros 85−54906
Tomppo, E. An application of a segmentation method to the forest stand delineation and estimation of stand variates from satellite images 87−75927
Tompsett, M.F. *see* Daubert, S.J. 88−71784
Tompsett, P.A. *see* Madden, V.J. 87−15469
Toms, C. Practical prescaler modules [TV] 85−3693
Toms, J. *see* Mazurkiewicz, J. 88−75987
Toms, J.E. The behaviour of moist insulator pollution films under electric stress 86−70712
Toms, J.E. Dielectric screens for extruded high voltage cables−a short quantitative analysis 87−15302
Toms, K.W. *see* Whitcomb, B.M. 88−10011
Toms, W.E., Jr., Berlekamp, E.R., Shifman, J. An application of Reed-Solomon codes to a satellite TDMA system 87−40830
Tomsia, G. *see* Glowacki, A. 87−35939
Tomsia, M. *see* Sobecki, J. 85−35303
Tomsia, M.J. *see* Przyluski, J.S. 85−24132
Tomsic, D. Quality of economic characteristics of the electric power industry as a unified technical and technological system 86−65629
Tomsic, D. Basic concepts in setting tariff rates 87−64055
Tomsic, G. *see* Slivnik, T. 86−46229
Tomsic, M. *see* Mrdakovic, D. 86−30383
Tomson, A. *see* John, K. 88−25692
Tomson, T. The input current spectrum of a controlled rectifier group 85−27513
Tomson, T. Harmonic components in the output voltage spectrum of a rectifier system with common device groups 86−7969
Tomson, T. Idealized rectifier system with common thyristors 87−9674
Tomson, T. Determination of the inductance of dividing reactors in a power supply system with a main-circuit distribution network 87−15835
Tomson, T. The idealized rectifier system with arbitrarily controlled common thyristors 88−13360
Tomson, T.I. Protection of rectifiers with group transformers 88−54846
Tomsovic, K., Liu, C., Ackerman, P., Pope, S. An expert system as a dispatchers' aid for the isolation of line section faults 87−71539
Tomsovic, K. *see* Chen-Ching Liu 85−48554, 86−50797
Tomsovic, K. *see* Liu, C.-C. 87−4265
Tomsu, P., Kneidinger, M., Wolfgang, H. ITT 5200 BCS digital integrated voice and data communication system 86−30532
Tomura, H. *see* Kimura, K. 87−35354
Tomura, K. *see* Miyauchi, S. 88−9099
Tomura, M., Maeda, T., Horisaka, R., Shiraishi, S. Gateway switching system for communications processing 87−55894
Tomura, M. *see* Hattori, K. 85−25262
Tomura, S. *see* Hosoya, M. 86−42786, 88−55754
Tomuro, J. *see* Nakamura, Y. 86−12549
Tomzig, E. *see* Kutt, W. 85−29113
Ton, D.T. Power analysis and approach of reducing electric power cost in an industrial plant 86−70734
Ton, N. *see* Biu, L. 87−5729
Ton, N. *see* Bui, L.Q. 85−17880
Ton, T. *see* Krumshtein, Z.V. 85−26724
Ton, T.-N. *see* Shih, Y.-C. 88−70985
Ton, T.N., Shih, Y.C., Bui, L.Q. 18-30 GHz broadband bandpass harmonic reject filter 87−73637
Ton, T.N. *see* Bui, L.Q. 87−66491
Ton Do Van *see* Do Van Ton
Ton Tran-Cong Eddy current solutions applicable to the problem of nondestructive inspection of flat and cylindrical surface layer 86−13874
Ton-That, Q.A., Frate, J., Maure, D. Heat transfer and pressure drop of spiral heating resistances in forced convection 88−62766
Tonai Ichiro *see* Ichiro Tonai
Tonakanov, B.A. *see* Taranets, G.M. 86−27101
Tonakanov, O.S. *see* Zhukov, A.N. 88−74997
Tonami, S., Dobashi, T., Yashiro, Z., Shino, T. Small and medium capacity packet switching system 88−35283
Tonami, S., Fujita, K., Sunaga, H. System design for a medium-capacity packet switching system 88−46415
Tonami, S. *see* Aoki, M. 87−20263

Tonami, S. *see* Ishino, F. 86–64637, 87–33937
Tonami, S. *see* Yashiro, Z. 86–30394
Tonami, Y., Nishino, T., Hamakawa, Y., Sakamoto, T., Fujita, S. Interface stress at OMVPE-grown ZnS_xSe_{1-x}/GaAs:Cr heterostructure 88–49836
Tonami, Y. *see* Fujiwara, Y. 86–67787
Tonaru, S. *see* Tanaka, K. 86–50864
Tonazzi, J.C.Lopez *see* Lopez Tonazzi, J.C.
Tonazzini, A. *see* Azzarelli, L. 85–53151
Tonazzini, A. *see* Bedini, L. 88–23070
Tonazzini, A. *see* Bramanti, M. 86–60768
Tonazzini, A. *see* Leahy, R. 88–3113
Tonchev, D. *see* Sainov, S.H. 87–61247
Tonchev, S., Savatinova, I. Optical multimode X-switch in Ti-diffused $LiNbO_3$ 86–2862
Tonchev, S. *see* Mashev, L. 86–2844
Tonchev, S. *see* Savatinova, I. 85–24338, 88–38592, 88–65325
Tonchev, V.D. Hadamard matrices of order 28 with automorphisms of order 7 86–34135
Tonchev, V.D. Quasi-symmetric 2-(31,7,7) designs and a revision of Hamada's conjecture 86–68981
Tonchev, V.D. A characterization of designs related to dodecads in the Witt system S(5,8,24) 87–23483
Tonchev, V.D. *see* Pless, V. 87–54902
Tonchev, V.D. *see* Pless, V.S. 88–27767
Toncheva, L.T. *see* Atanassova, E.D. 86–58243
Tondasch, W. The combination of relay and IC 85–28757
Tondi Resta, J.L. Measurement of monomode optical fibres 87–76797
Tondi Resta, J.L. *see* Ares, R. 88–15486, 88–22114, 88–26803, 88–47090
Tondi Resta, Y.L. *see* Ares, R. 88–60181
Tondinelli, G.F. *see* Salmi, M. 85–65686
Tondos, M., Widlok, H. Microcomputer-based control system for the heating process line 88–69936
Tondos, M. *see* Senderski, A. 88–69812
Tone, F. *see* Yono, H. 87–69644
Tone, K., Nakayama, T., Iechi, H., Ohtsu, K., Kukimoto, H. Selectively doped n-GaInP/GaAs heterostructures grown by MOCVD 86–63084
Tone, K. *see* Kojima, M. 86–62077
Tone, M. *see* Yano, T. 87–21799, 87–50590
Tone, S., Shimada, M., Horiuchi, T., Kasamatsu, Y., Nakajima, H., Shimamoto, S. The development of a nitrogen-strengthened high-manganese austenitic stainless steel for a large superconducting magnet 85–33514
Tone, T. *see* Minato, A. 86–42760
Tone, V. *see* Voinigescu, S. 88–50329
Tone, Y., Hashiguchi, M. Microprocessor-based water turbine governor 87–30425
Tone, Y., Nakamura, H., Yokota, Y. Microprocessor-based fault-tolerant nuclear turbine governor 86–51211
Tonegawa, A., Shimoyama, T., Yabe, E., Takayama, K., Takagi, K., Fukui, R., Kikuchi, R., Okamoto, K., Komiya, S. Plasma compression type hollow cathode ion source 87–56984
Tonegawa, A., Yabe, E., Satoh, D., Sunako, K., Takayama, K., Takagi, K., Fukui, R., Okamoto, K., Komiya, S. Simple hollow cathode ion source 85–37872
Tonegawa, A., Yabe, E., Sunako, K., Takayama, K. Ion source with a grid electrode for continuous energy control 85–15149
Tonegawa, A. *see* Yabe, E. 86–5744, 87–56978
Tonegawa, H. The Auto Clean water quality monitoring system 85–16530
Tonegawa, K. A scheduling system for high technology products 88–70094
Tonegawa, T. *see* Itoh, S. 88–14021, 88–26966
Tonelli, G. *see* Amendolia, S.R. 85–9069, 85–15169 to 15170
Tonelli, G. *see* Apollinari, G. 87–21436, 87–29489
Tonelli, G. *see* Bedeschi, F. 86–50310
Tonelli, G. *see* Bertolucci, S. 88–47987
Tonelli, G. *see* Bottigli, U. 86–25203
Tonelli, G. *see* Holl, P. 87–63655
Tonelli, M. *see* Baldacchini, G. 85–35723
Tonelli, M. *see* Meucci, M. 86–58907
Tonelli, S. *see* Gandini, S. 88–54581
Tonelli, W.C. *see* Harbater, S. 88–61752
Toner, M., Luke, D. A CMOS switched capacitor instrumentation amplifier 88–38404
Toner, W.T. *see* Barr, J.R.M. 88–45362
Toner, W.T. *see* Dangor, A.E. 86–5614
Toneva, A., Dimova, D., Ivanova, P., Popkirov, I. Diffusion of boron into silicon using a solid state source 85–6810
Toneva, A. *see* Ivanova, Z.G. 86–41708
Toneva, A. *see* Koynov, S. 87–44382
Toneva, A. *see* Vasilev, V. 87–29436
Toney, M.J. Logistics testing 88–68700
Tonfack, N. *see* Laieb, N. 88–46237
Tong, B. *see* Rosenbaum, M. 88–46850
Tong, B. *see* Wang, J. 88–52106
Tong, B.Y. *see* Chen, Z.M. 85–18097, 86–8809
Tong, B.Y. *see* Chick, K.P. 87–38911
Tong, B.Y. *see* Chik, K.P. 86–27936
Tong, B.Y. *see* Gecim, H.S. 85–61764
Tong, B.Y. *see* John, P.K. 86–1859, 88–32918
Tong, B.Y. *see* Rastogi, A.C. 87–17989
Tong, B.Y. *see* Yao, J. 87–5474
Tong, B.Y. *see* Zhang, P.X. 88–25873
Tong, C. A framework for circuit design 85–514
Tong, C. Revolutionary architectures lend increased capability within high density EPLDs 87–59352
Tong, C. Revolutionary architectures lend increased capability within high density EPLDs 87–59436
Tong, C., Kang, T.W., Lee, Y.H., Leem, J.Y., Hong, C.Y. GaAs heterostructure grown by MBE 88–6468
Tong, C. *see* Cheng, H.D. 87–69351, 88–41088
Tong, C. *see* Lei, X. 87–69214
Tong, C.C. *see* Tzeng, Y. 88–31797
Tong, C.W., Rogers, S.K., Mills, J.P., Kabrisky, M.K. Multisensor data fusion of laser radar and forward looking infrared (FLIR) for target segmentation and enhancement 88–28964
Tong, D. *see* Dwersteg, B. 88–51414
Tong, D. *see* Kelso, D.R. 87–55532
Tong, D.W., Benjamin, J.L., Van Dell, W.R. Interface effects of SIPOS passivation 86–63180
Tong, D.W. *see* Taylor, D.M. 85–1373, 85–34941
Tong, F., Osgood, R.M., Sanchez, A., Daneu, V. Electron-beam-pumped two-dimensional semiconductor laser array with tilted mirror resonator 88–45403
Tong, F. *see* Daneu, V. 87–2112
Tong, F. *see* Macfarlane, R.M. 88–45378
Tong, G.-Q., Qian, Z.-T., Xu, X.-Y., Liu, L.-X. A new device for the audio-frequency power measurement of wide-band 87–14435
Tong, G.-Q., Xu, X.-Y. A new actively inductive shunt with high accuracy and wide frequency band 87–14323
Tong, G.-Q. *see* Liu, L.-X. 87–14476
Tong, G.L. Audio modulation section for an RF signal generator 86–65209
Tong, H. Citibank Global Telecommunications Network (GTN) 85–47271
Tong, H.C., Ferrier, R., Chang, P., Tzeng, J., Parker, K.L. The micromagnetics of thin-film disk recording tracks 85–24164
Tong, H.C. *see* Arnoldussen, T.C. 87–25818
Tong, H.M., Arjavalingam, G., Haynes, R.D., Hyer, G.N., Ritsko, J.J. High-temperature thin film Pt-Ir thermocouple with fast time response 87–56881
Tong, J. *see* Kavanagh, K.L. 86–14890
Tong, K.Y. Study of saturation conduction in short-channel MOS transistors by numerical simulation 85–55822
Tong, K.Y. Punchthrough limits in MOS devices 87–67281
Tong, K.Y. The threshold voltage of short-channel BC-MOSFET in the enhancement mode 88–13397
Tong, L.S. Technical note: two important issues in reactor assessment 88–42939
Tong, M. *see* Clemen, R. 87–638, 87–25598
Tong, M. *see* Dreibelbis, J. 85–49889
Tong, M.-D. *see* Chen, W.-K. 85–54587
Tong, M.D., Chen, W.K. Hybrid analysis of a large-scale network by node-tearing 86–66930
Tong, M.H. Self-timing fast sense amplifier 85–28400
Tong, M.M. *see* Dussault, J. 85–1755, 85–22781
Tong, P. *see* Berlekamp, E.R. 87–39670
Tong, P. *see* Namjoo, M. 88–44228
Tong, P.P., Fernandez, N.G., Gladstone, J.M., Cristal, E.G. New millimeter wave noise sources with high reliability 87–73746
Tong, P.P., Rutledge, D.B., Neikirk, D.P., Young, P.E., Peebles, W.A., Luhmann, N.C., Jr. Polarization-sensitive imaging arrays 85–20508
Tong, P.P. *see* Compton, R.C. 87–61456
Tong, P.R., Moorehead, J.M. Noise measurements at MM-wave frequencies 88–68016
Tong, P.S., Falletta, C.E. Silver palladium conductors with excellent leach resistance and solderability but containing less than 1% palladium 88–50547
Tong, Q., Huang, J. A fully compatible gas flow sensor 87–56667
Tong, Q.-Y. *see* Liao, G.-N. 88–50201
Tong, Q.-Y. *see* Xu, X.-L. 88–50688
Tong, R., McNally, P. Effect of resist patterning on gate oxide integrity in source/drain implant 85–34796
Tong, R., Smith, D. A 12-channel contiguous band multiplexer for satellite application 85–17808
Tong, R.S.K. *see* Mansour, R.R. 88–72635
Tong, W. *see* Ji, Y. 88–2403
Tong, W.F., Lee, C.M.Y., Luk, C.P., Lam, F., Tse, R.S. Microcomputer-assisted surface area determination 87–49915
Tong, Y. *see* Yizun, W. 87–38976
Tong, Y.C. *see* Millar, J.B. 85–15352, 86–48867
Tong Baoying *see* Ma Zuguang 86–29188
Tong Chang *see* Chang Tong
Tong Choi Chang *see* Chang Tong Choi
Tong Datie, Zou Tiejian, Lin Hu PAL design and PAL design language 85–22782
Tong Fei-Ming *see* Fei-Ming Tong
Tong Feiming, Chen Boliang, Zhang Ming Investigation of HgCdTe photodiodes by electron-beam induced voltage technique 85–45633
Tong Feiming *see* Huang He 88–71355
Tong Feiming *see* Yang Xiuzhen 88–40051
Tong Jianzhong *see* Liu Zhaoxu 87–71492
Tong Jingcheng *see* Jingcheng Tong
Tong Jungeng *see* Yang Qiangsheng 85–35245
Tong Lee, S., Tzuen-Luh Huang, Van Den Hove, L., Nichols, D.N. Aluminum-titanium multilayer interconnect with titanium diffusion barrier 88–44707
Tong Lieu Choun *see* Choun Tong Lieu
Tong Lin-su, Wu Chang-jin The influence of misalignment of electron lenses on image-quality 86–67644
Tong Lin-su, Wu Chang-jin The influence of misalignment of electron lenses on image quality 87–11274
Tong Liu *see* Liu Tong
Tong Lu *see* Soderstrom, R.L. 88–34056
Tong Luyuan *see* Huang Mei 87–78047
Tong Luyuan *see* Wang Zhonghong 87–78848
Tong Mao-da *see* Mao-da Tong
Tong Qin-yi, Huang Jin-biao CMOS integrated silicon flow sensor 87–63568
Tong Qin-Yi, Huang Jin-Biao A novel CMOS flow sensor with constant chip temperature (CCT) operation 87–70604
Tong Qin-Yi *see* Li Hui 88–12916
Tong Qinyi, Tang Guahong, Chen Deying, Zhuang Qingde An investigation and application of Si-gate LOCOS CMOS design rules 85–35157
Tong Qinyi *see* Huang Jinbiao 88–9963
Tong Qinyi *see* Wu Wei 88–7753
Tong San Cho *see* Chang Dae Kim 86–7007
Tong Soo Park *see* Kun-ho Kim 87–36799
Tong Tiaosheng A study on the minimum-energy consumption control considering armature inductance and the algorithm for singular solution [DC motors] 88–62373
Tong Van Sach On the capacity of discrete memoryless channels for linear codes 88–14568
Tong Wang *see* Wang Tong
Tong Yu *see* Yu Tong
Tong Zhijun *see* Zhijun Tong
Tong-cheng Fang *see* Fang Tong-cheng
Tong-Chern Ong, Tam, S., Ping-Keung Ko, Cheming Hu Width dependence of substrate and gate currents in MOSFETs 86–9142
Tong-Chun Yang *see* Calatroni, J. 87–60888
Tong-he Zhang *see* Zhang Tong-he
Tong-Ing Ho *see* Jiahn-Ann Chen 86–28198
Tong-jun Zhang *see* Zhang Tong-jun
Tong-Miin Liou, Cheng-Hsin Liu Turbulence measurements in a 90° square duct using laser-Doppler velocimetry 86–55891
Tong-min Li *see* Li Tong-min
Tong-shuo Bai *see* Bai Tong-shuo
Tong-Sun Yoo *see* Young-Ill Kang 87–16617
Tong-you Yang *see* Yang Tong-you
Tong-zhou Xiong *see* Xiong Tong-zhou
Tongcun Jiang *see* Jiang Tongcun
Tonge, G. Signal processing for higher-definition television 85–37226
Tonge, G., Buckley, J., Long, T.J. HDTV 1986–the year of decision in perspective 87–13844
Tonge, G.J. Prospects of higher quality pictures via direct broadcast satellites 85–20167
Tonge, G.J. Time-sampled motion portrayal 87–8433
Tonge, G.J. Image processing for higher definition television 88–28024
Tonge, G.J. Wide aspect ratio MAC 88–29032
Tonge, G.J. *see* Long, T.J. 85–3590
Tonge, G.J. *see* Windram, M.D. 88–53395
Tonge, J.D. Test-related design aspects of semicustom digital integrated circuits 85–54835
Tonge, J.D. Some practical aspects of digital IC testing and design for testability 86–21802
Tonge, J.D. The critical role of testing and testability in application specific IC design 87–115
Tonge, J.D. Test-related design aspects of semicustom digital integrated circuits 87–10832
Tongeren, H.M.van *see* van Tongeren, H.M.
Tongfa Jin *see* Jin Tongfa
Tonghe Zhang *see* Zhang Tonghe
Tongheng Wang *see* Wang Tongheng
Tongheng Zhou *see* Zhou Tongheng
Tonghioiu, M. *see* Dinca, M. 88–17252
Tonghua Yang *see* Yang Tonghua
Tongli Wei *see* Wei Tongli
Tongnin Li *see* Li Tongnin
Tongo, A.C., Grantham, J.O. The telecommunications revolution and higher education 85–36602
Tongshuo Bai *see* Bai Tongshuo
Tongson, L. *see* Bhat, S. 85–54504
Tongson, L. *see* Golden, L.B. 88–70036
Tonguu, E. *see* Nisimori, T. 86–12289
Tongxing Lu *see* Lu Tongxing
Tongyi Tang *see* Tang Tongyi
Tongyu Liu *see* Liu Tongyu
Tongyuan Ge *see* Ge Tongyuan

Toni, M. Electronics in safety and prevention systems 85−28024
Tonielli, A., Vasta, A. Digital control of static power AC/DC convertors 88−30933
Tonielli, A. *see* Faldella, E. 88−23860
Tonietti, A. *see* Cavallero, E. 86−4071, 87−13269, 88−52603
Tonietti, A. *see* Mocci, U. 85−19605
Tonin, G. *see* Petrecca, G. 87−30795, 87−64767
Tonio Fruhauf, M. Logic testing equipment with GPIB bus 85−26175
Tonioli, F. *see* Corbelli, L. 86−68122
Toniolo, S.B. A contactor with short circuit rupturing capacity 86−66210
Toniolo, S.B. Progress in the standardisation and testing of LV apparatus 87−72324
Toniolo, S.B. *see* Cantarella, G. 87−15386
Tonisch, F. *see* Anderhub, H. 87−21420
Tonisch, F. *see* Boettcher, H. 85−15168
Tonkal, V.E., Afonin, A.A., Bilozor, R.R. Direct electric drive with linear and rotating electric motors 88−49213
Tonkal, V.E., Blavdzevitch, Yu.G., Derzski, V.G. Systems modelling of the electric power objects 86−32643
Tonkal', V.E., Blavdzevich, Yu.G., Raptsun, N.V. Synthesis of a nonlinear parametric model of a turbogenerator for state analysis of power systems 88−69289
Tonkal', V.E., Lipkovskii, K.A., Golubev, V.V., Biruk, B.d., Chuprina, L.V. Improving the efficiency of pulse converters of variable voltage 86−744
Tonkal, V.E., Novoseltsev, A.V. Electromagnetic compatibility (EMC) of power converters as a problem of parametric optimization 85−62814
Tonkal, V.E., Novoseltsev, A.V. Electromagnetic compatibility (EMC) of power converters as a problem of parametric optimization 86−39972
Tonkal, V.E., Novoseltsev, A.V. State variables sensitivity to predetermined influences in power line converters 87−30831
Tonkal', V.E., Novosel'tsev, A.V., Denisyuk, S.P. Reduction of models in the optimum design of semiconductor converters 87−22536
Tonkal', V.E., Novosel'tsev, A.V., Denisyuk, S.P., Zagurskii, V.G., Rudenko, A.B. Algorithm and software for the computerized optimization of inverters 88−12214
Tonkal, V.E., Zhuikov, V.Ya., Denisyuk, C.P., Yatsenko, Yu.A. Determining the sign of reactive power on the basis of exchange processes 88−75051
Tonkal', V.E., Zhuikov, V.Ya., Denisyuk, S.P. Application of the concept of energy for the analysis of energetic phenomena in systems with inverters 87−78087
Tonkin, R., Mace, O. Australia OSCAR V an Australian amateur radio satellite 87−76714
Tonkonogov, Yu.M., Trivozhenko, G.V. Investigation of some algorithms for searching for a moving signal in a multichannel system 88−27957
Tonkoshkur, A.S. *see* Avdeenko, B.K. 87−45575
Tonkoshkur, A.S. *see* Makarov, V.O. 87−38003
Tonkovic, Z. Transmission network in SR Croatia in the period from 1990 to 2000 85−59651
Tonkovic, Z. Permissible current loading of conductors 86−18840
Tonkovic, Z. Analysis and choice of the best switching state for TS 380/220/110 kV Melina 87−43158
Tonkovic, Z. Blackout in the western part of the Yugoslav electric power system 87−77972
Tonks, P. TRADANET−the benefits of electronic ordering and invoicing 86−23388
Tonks, P.J. TRADANET−a new way of working 86−54783
Tonn, A. *see* Mauermann, A. 86−65940
Tonn, B. The Bonneville Power Administration conservation/load/resource modeling process 87−57534
Tonn, F. *see* Berger, G. 86−40937
Tonn, F. *see* Buttner, J. 87−78760
Tonn, J. Semiconductor developments that will affect power sources design 86−20302
Tonn, J.L. Semiconductors now integrate the basic functions of motion control 88−1759
Tonnac, A.de *see* de Tonnac, A.
Tonnby, I. Adaptable man-machine dialogues−-beyond menus and touch screens 86−49400
Tonneau, D., Auvert, G., Pauleau, Y. Silicon deposition by photolytic or pyrolytic dissociation of silane under IR laser irradiation and characterization of films 87−5480
Tonneau, D., Auvert, G., Pauleau, Y. CO_2-laser-induced chemical vapour deposition of polycrystalline silicon from silane 88−18743
Tonnemacher, J. The acceptance of videoconferences in internal conversations of the German Post Office 88−67142
Tonnemacher, J. *see* Otto, P. 86−24177
Tonner, P.D. *see* Allan, C.J. 85−49671
Tonnerieux, F., Glaize, C., Berlioux, R. Research and development of urban commercial electric vehicles 88−69869
Tonnerieux, F., Madery, C., Liska, J.L. Nickel-iron battery thermal behaviour during operation 87−58274
Tonnerre, J.-C. *see* Brion, D. 85−50133
Tonnerre, J.C. Application of the electronic microanalyser to the measurement of the thickness of thin films 85−26481
Tonnerre, J.C. *see* Shroff, A.M. 87−45493, 88−38975, 88−38978
Tonnes Pedersen, O. The use of recorders in medicine 85−64529
Tonnies, K.D. *see* Lemke, H.U. 88−36538
Tonniges, W. A new type series of poppet servovalves and piston servo drives for instrumentation [heat and electricity generators] 86−25675
Tonnissen, A. Measuring nets for environmental protection 87−71399
Tonnquist, B. Spread out the power supply, it is simpler and cheaper [power supplies to electronic equipment] 85−16110
Tonnquist, B. Divided power supply units 86−52649
Tonnquist, B. System characteristics with hybrid power modules as embedded power supplies 86−57642
Tonnquist, B. Design an optimized power supply by using standard DC/DC converters 87−15906
Tonnquist, B. Current limit module for power distribution in transient sensitive systems 87−30175
Tonnquist, G. Description of colours in video displays 87−14387
Tonoike, M. Current status and future view of development for odour sensors 88−61217
Tonolli, A., Potenza, L.Z. Minimization of rounding errors algebraically by use of coding theory 86−10262
Tonomura, A. New method for observing microscopic magnetic fields using electron holography 86−55817
Tonomura, A. Microscopic magnetic fields observed with electron holography 87−18489
Tonomura, A. Applications of electron holography 87−75267
Tonomura, A. *see* Honda, Y. 87−67725
Tonomura, A. *see* Yatagai, T. 88−40379
Tonomura, A. *see* Yatagai, Y 87−26555
Tonomura, A. *see* Yoshida, K. 88−44974
Tonomura, K. *see* Odaka, M. 86−34816
Tonomura, K. *see* Ogiue, K. 86−41095, 87−10863, 87−17082
Tonomura, T. *see* Kera, Y. 85−39189
Tonomura, Y. *see* Hagihara, Y. 85−49097
Tonomura, Y. *see* Shimoda, M. 86−23393
Tonon, G., Bibet, Ph., David, C., Moulin, D., Rey, G. High power transmission in LH wave couplers 85−28701
Tonon, G. *see* Magne, R. 87−66835
Tonon, R., Lionetto, P., Diaz Hernando, J.A., Vargas, G. Evaluation of the harmonic distortion in electrical distribution networks 88−17146
Tonon, R. *see* Castellazzi, G. 85−59688
Tonon, T. *see* Delahoy, A.E. 86−34395, 88−5841
Tononi, R., Valeri, A., Zaffiro, C. Regulatory requirements and implications of probabilistic safety studies for the Italian NPPs 85−48737
Tonosaki, M. *see* Murano, K. 86−54022
Tonouchi, M., Hashimoto, K., Sakaguchi, Y., Kita, S., Kobayashi, T. Niobium heteroepitaxy onto III-V compound semiconductors 88−13698
Tonouchi, M., Hashimoto, K., Sakaguchi, Y., Kita, S., Kobayashi, T. Nb/compound semiconductor heterostructures epitaxially grown by interrupted electron beam deposition 88−18704
Tonouchi, M., Sakaguchi, Y., Kobayashi, T. Epitaxial growth of NbN on an ultrathin MgO/semiconductor system 87−73067
Tonouchi, M., Sakai, H., Kobayashi, T. Superconductor-base hot-electron transistor I. Theory and design 86−58713
Tonouchi, M., Sakai, H., Kobayashi, T., Fujisawa, K. A novel hot-electron transistor employing superconductor base 87−68000
Tonouchi, M. *see* Kobayashi, T. 85−56207, 86−42169, 86−53599, 87−37992
Tonouchi, M. *see* Sakai, H. 86−63589
Tonpin Zon *see* Zon Tonpin
Tonshoff, H.K., Grabner, T. Piezo-dressing−a dressing system for CBN grinding wheels 88−57861
Tontchev, D. *see* Sainov, S. 88−33782
Tonuma, T., Ebato, T., Maruyama, T., Sagiya, H., Tsutsumi, M., Motomura, K., Asuke, M., Saito, K., Imai, K., Mikuni, M., Yamagiwa, H., Hamada, Y. CCD color video camera TC-110 85−58350
Tonuma, T., Kase, M., Kumagi, H., Kambara, T., Shibata, H., Takahashi, J., Kohno, I., Ozkok, S., Be, S.H., Urakawa, J., Matsuo, T. Production of high-charged ions induced by heavy-ion impact 85−15139
Tonuma, T. *see* Kase, M. 85−58993
Tonuma, T. *see* Odera, M. 85−15096, 85−20775, 85−64358
Tonutti, M. *see* Anderhub, H. 87−21420, 88−22984, 88−29843
Tonutti, M. *see* Bosseler, K. 88−4852
Tonutti, M. *see* Commichau, V. 85−43175, 86−5784
Tonutti, M. *see* Deutschmann, M. 87−21423
Tonutti, M. *see* Saxon, D.H. 88−42416
Tonwar, S.C. *see* Mincer, A.I. 85−43160, 85−64477
Tonye, E., Baudrand, H., Amalric, J.-L., Ratsaratany, R. Calculation of multimodes S-parameters of planar junctions 85−49673
Tonyshev, V.F. *see* Gamm, B.Z. 86−17920, 86−33272, 87−4681, 87−42769
Too, C.O., Parker, M.R., Gerber, R., Fletcher, D. Optimisation of matrix design in high gradient magnetic separation 86−22635
Tooey, M.J. Getting CoSy with a conferencing system−the UMAB health sciences library's role in educating users 88−59850
Toof, M.R. *see* Rickey, D.M. 85−62017
Tooher, M.J. *see* Gubbels, W.C.H. 88−6833
Toohey, W.J. Saving energy in commercial buildings 85−21850
Toohig, T. *see* Harrison, M. 88−10194
Toohig, T.E. *see* Carrigan, R.A. 88−4753
Toohig, T.E. *see* Johnson, D.E. 88−47783
Tooke, A.O. Hot-pressed polycrystalline yttrium iron garnet for microwave loss investigations 85−58859
Tooke, A.O., Standley, K.J., Storey, B.E., Naziripour, G.A. Hot-pressed polycrystalline yttrium iron garnet for microwave loss investigations 85−29434
Tooke, A.O. *see* Standley, K.J. 85−29433, 86−47955
Tooke, R.W., Mort, N. A multivariable strategy for the control of naval diesel generators 88−11113
Tooker, G.L. Semiconductor technology−the pervasiveness continues [automobile electronics] 85−60506
Tooker, J.F. *see* Kohli, J.C. 85−5206
Tooker, J.F. *see* Nerem, A. 85−5207
Tool, G. *see* Calvo, O. 88−51412, 88−55488
Tool, G. *see* Strait, J. 87−74617
Toola, A. Reliability analysis of the control system of a conventional power plant 88−48783
Toole, F.E. Subjective measurements of loudspeaker sound quality and listener performance 85−31235
Toole, F.E. Loudspeaker measurements and their relationship to listener preferences. I 86−49877
Toole, F.E. Loudspeaker measurements and their relationship to listener preferences. II 86−55486
Toole, F.E., Olive, S.E. The modification of timbre by resonances: perception and measurement 88−41918
Tooley, F.A.P. Fan-out considerations of digital optical circuits 87−46963
Tooley, F.A.P., Firth, W.J., Walker, A.C., MacKenzie, H.A., Reid, J.J.E., Smith, S.D. Measurement of the bandwidth of an optical transphasor 86−22484
Tooley, F.A.P., Walker, A.C., Smith, S.D. Switching of optically bistable devices by incoherent illumination 85−46482
Tooley, F.A.P., Walker, A.C., Smith, S.D. The external switching of intrinsic optically bistable devices by incoherent illumination 86−22481
Tooley, F.A.P., Wherrett, B.S., Craft, N.C., Taghizadeh, M.R., Snowdon, J.F., Smith, S.D. All-optical digital circuits 88−72187
Tooley, F.A.P. *see* Al Attar, H.A. 86−58965
Tooley, F.A.P. *see* Al-Attar, H.A. 87−33308
Tooley, F.A.P. *see* Hagan, D.J. 85−56785
Tooley, F.A.P. *see* Hutchings, D.C. 87−54372
Tooley, F.A.P. *see* MacGillivray, W.R. 85−62659
Tooley, F.A.P. *see* Smith, S.D. 85−56836, 85−56843, 86−3300, 86−54199, 87−33300, 87−39221, 88−8291
Tooley, F.A.P. *see* Taghizadeh, M.R. 87−33307
Tooley, F.A.P. *see* Walker, A.C. 85−41482, 88−8012
Tooley, F.A.P. *see* Wherrett, B.S. 85−24649, 88−65417, 88−65428
Tooley, M. Automatic calibration control 86−38213
Tooley, M. Private digital networks 86−43416
Tooley, M., Whitefield, D. Modular audio power system 85−37359
Tooley, M., Whitfield, D. Sequential logic techniques. I 85−17294
Tooley, M., Whitfield, D. Sequential logic techniques. II 85−22820
Tooley, M., Whitfield, D. Sequential logic techniques. III 85−22821
Tooley, M., Whitfield, D. Nickel cadmium batteries. II. NiCad charger 85−27511
Tooley, M., Whitfield, D. Nickel cadmium batteries. I 85−27617
Tooley, M., Whitfield, D. Sequential logic techniques. IV 85−33802
Tooley, M., Whitfield, D. Sequential logic techniques. VI 85−33803
Tooley, M., Whitfield, D. Modular audio power system. I 85−39941
Tooley, M., Whitfield, D. Sequential logic techniques. V 85−40023
Tooley, M., Whitfield, D. Sequential logic techniques. VII 85−45001
Tooley, M., Whitfield, D. Modular audio power system. III 85−47758
Tooley, M., Whitfield, D. Modems 85−63427

Tooley, M., Whitfield, D. Introduction to micro systems. I 86−14274
Tooley, M., Whitfield, D. Introduction to micro systems. II 86−20614
Tooley, M., Whitfield, D. Introduction to micro systems. III 86−20615
Tooley, M., Whitfield, D. Modems 86−30482
Tooley, M., Whitfield, D. Modems 86−37628
Tooley, M., Whitfield, D. Introduction to micro systems. VI 86−46883
Tooley, M.A., Grant, L.J., Davies, A.R. A microprocessor based instrument for the spectral analysis of the EEG in anaesthesia 85−26769
Tooley, M.A. *see* Cochrane, T. 88−4959
Toom, P.O. *see* Talas, P. 88−30603
Toombs, G. *see* Eaves, L. 88−32876
Toombs, G.A., Alves, E.S., Eaves, L., Foster, T.J., Henini, M., Hughes, O.H., Leadbeater, M.L., Payling, C.A., Sheard, F.W., Claxton, P.A., Hill, G., Pate, M.A., Portal, J.C. Magnetic field studies of resonant tunnelling double barrier structures 88−64314
Toombs, G.A. *see* Chan, K.S. 88−39114
Toombs, G.A. *see* Eaves, L. 86−1781, 87−66974
Toombs, G.A. *see* Guimaraes, P.S.S. 85−55529
Toombs, G.A. *see* Leadbeater, M.L. 88−39113
Toombs, G.A. *see* Sheard, F.W. 88−25948
Toombs, G.A. *see* Taylor, D.C. 86−21214, 87−6636
Toombs, H.D., Phail, F.H. Trends in VLSI and its affect on powertrain electronics 87−51589
Toomer, M. *see* Hamner, C. 88−28368
Toomer, R. Low power microprocessor based measurement system for determining the integrity of coatings on buried pipelines 85−37469
Toomey, M., Bole, M. Adaptive serial modems equal performance gains 86−30484
Toomla, O.K. *see* Kuz'min, V.L. 86−21530
Tooms, M. Professional operational requirements for encryption services 86−37998
Tooms, M. Experience of EUTELSAT transponders for the distribution of television signals to cable, SMATV and individual subscribers 86−38003
Toomsawasdi, S. *see* Long, S.A. 85−10876
Toomsoo, G.K. *see* Kyuts, R.V. 86−15103
Toon, G. *see* Lightfoot, J.A. 88−74768
Toon, N. Self-aligned BiCMOS process optimises speed and power 87−46089
Toon, N. Graphics resolutions approach 2000×2000 87−52535
Toone, J.W., Titmas, S. Introduction to JTIDS [Joint Tactical Information Distribution System] 88−3374
Toops, J. Centrex to the rescue! 87−76107
Toor, A. *see* Matthews, D. 85−7350
Toor, A. *see* Tatchyn, R. 87−26119, 88−22886, 88−22889, 88−54308
Toor, I. *see* Chao, Y.-K. 87−60361
Toor, P.M. *see* McKinnis, C.J. 86−51386
Tootell, R.B.H. *see* Switkes, E. 86−50525
Tooth, A.G., Colombini, E., McLaren, P.J., Yates, R.K. Fiber in the local exchange network: a planning overview 86−17084
Toothacker, W. *see* Engels, E., Jr. 87−29488
Tootil, P. Quality control is the key to reliability 86−19400
Tootill, P. Portman modem 85−3257
Tootill, P. Networks [smart terminal software] 85−19832
Tootill, P. Up, up and away! [bulletin boards and commercial networks] 85−30718
Tootill, P. Short-circuit levels and the 15th Edition 85−53317
Tootill, P. Intelligent modems 87−2982
Tootill, P. Choices in comms [terminal programs] 88−52901
Tootill, P. RCD update 88−69064
Top, J.L. *see* Agricola, J.N.M. 86−29330
Top, Z. *see* Shuchman, R. 86−6137
Topa, L.C., Schalkoff, R.J. A production system for image motion analysis 87−13167
Topa, V. *see* Munteanu, R. 88−48925
Topada, V.G. Physical modelling of the operating characteristics of large asynchronous turbogenerators 88−23932
Topada, V.G. Simulating saturation of a massive rotor in asynchronous machines 88−48937
Topalian, A. The documentation of corporate approaches to design management to share experience and improve performance 87−23247
Topalis, F.V. Simulation of a high voltage measuring system 88−74544
Topalis, F.V. *see* Bourkas, P.D. 88−75700
Topalis, F.V. *see* Burkas, P.D. 88−43255
Topalov, A.V. *see* Ivanchenko, G.E. 87−70477
Topalovic, B. Transatlantic transmission using TAT-8 optical fibres 86−17392
Topaz, J.M. Infrared warning system development−from PWS to SPIRTAS 88−47524
Topchiev, N.P. *see* Benenson, A.I. 87−63667
Topchii, V.D. *see* Sivkovich, A.Yu. 88−5705
Topchishvili, A.L. *see* Babadzhanov, L.S. 88−53856
Topel'berg, V.V. *see* Iskhakov, A.S. 87−64697
Topf, C. Multi-mode test strategies: dynamics is asked for 87−49461
Topfer, L. Electro-technical design and equipment for the Duisberg power station 87−64370
Topham, D. PCB cost considerations 87−73860
Topham, D. Advanced Equipment Practice [electronic system interconnection] 88−43711
Topham, D.R., Perkin, R.G. On the transient behavior of conductivity sensors 87−71369
Topham, D.R., Perkin, R.G. CTD sensor characteristics and their matching for salinity calculations 88−74980
Topham, P.J. Annealing behaviour of magnesium-implanted InP 86−2023
Topham, P.J., Hayes, R.C., Goodridge, J.H., Tombling, C., Benn, D. Heterojunction bipolar digital ICs using MOCVD material 87−32683
Topham, P.J., Hayes, R.C., Tombling, C., Benn, D., Eddison, C., Goodridge, I.H., Joyce, T.B., Goodfellow, R.C. Heterojunction bipolar transistors in high speed digital integrated circuits 86−47784
Topham, P.J., Holden, A.J., Hayes, R.C., Parton, J.G., Hiams, N.A., Hollis, B.A., Scott, S.C., Goodridge, I.H. Microwave heterojunction bipolar transistors 88−44378
Topham, P.J. *see* Hayes, R.C. 85−18447, 86−41082
Topi, M. *see* Menegotti, U. 85−13581
Topic, J. Analysis of electric power losses in transmission network of Yugoslavia 86−65661
Topic, J. An analysis of electric power losses in the distribution network of Yugoslavia 87−50748
Topic, J., Pesut, D., Bilcar, N. Necessity for TS 400/110 kV Zerjavinec construction due to greater reliability of electric power supply for Zagreb city 86−39096
Topic, J. *see* Pesut, D. 88−68732
Topic, N. Rotating electric machines with low vibration level 85−21569
Topich, J.A. Long-term retention of SNOS non-volatile memory devices 85−18337
Topich, J.A., Pryor, R.W. Comments, with reply, on 'Isotope effects in MNOS transistors' by R.W. Pryor 85−55832
Topil'skii, V.B. *see* Domrachev, V.G. 87−29287
Topirceanu, I. *see* Nemes, M. 85−27035
Topkar, V.A. *see* Mullick, S.K. 88−40970
Topkis, D.M. Adjacency on polymatroids 85−285
Topkis, D.M. A *k*-shortest path algorithm for adaptive routing in communications networks 87−27708
Topkis, D.M. A *k* shortest path algorithm for adaptive routing in communications networks 88−66793
Topkov, A.N. *see* Ryabykh, V.N. 85−24486
Topley, G. *see* Clifton, P. 88−17210
Toplis, B., Pasupathy, S. Tracking improvements in fast RLS algorithms using a variable forgetting factor 88−34647
Topliss, J.P. The essential use of computers for design and drawing in railway electrification 87−43590
Topliss, J.P. *see* Willetts, T.A. 87−79118
Topmiller, D.A., Cathey, J.J., Yang, C.H. A microprocessor-based controller for oscillatory mode drive of a tubular brushless DC motor 86−39828
Topmiller, D.A. *see* Cathey, J.J. 86−44703
Topola, K. *see* Olesik, J. 85−1211
Topolcic, C., Kaiser, J. The SATNET monitoring system 86−30732
Topol'nitskii, V.N. *see* Kobzarev, G.Yu. 88−68017
Topolski, T.A. *see* Moore, C.D. 88−54309
Topol'skii, V.F. *see* Zamkov, V.N. 85−53964
Topol'skiy, N.G. Some aspects of multilevel hierarchical decomposition of hypergraphic models for radio and computer structures 86−26735
Topol'skiy, N.G., Eidel'nant, V.M., Krivoruchko, V.F. The use of estimates of the complexity of components in radio electronic systems in computer-aided design 86−30564
Topol'skiy, N.G., Eydel'nant, V.M., Krivoruchko, V.P. A method of classifying electronic-equipment components into groups for statistical simulation 85−60750
Topolyuk, Yu.P. *see* Andriychuk, M.I. 87−75580
Topor, A.V. *see* Bondar', V.A. 85−6225
Toporkov, D.K. *see* Evstigneev, A.V. 85−59140
Toporkov, V.P. *see* Toporkov, V.V. 88−23918
Toporkov, V.V., Toporkov, V.P. Electromagnetic torque of two-rotor electric machines 88−23918
Toporkova, T.P. *see* Dolgikh, V.E. 86−44615
Toporov, V.I. *see* Abgaryan, A.A. 87−68562
Toporov, V.I. *see* Volkov, V.K. 87−75187
Topp, G.C., Yanuka, M., Zebchuk, W.D., Zegelin, S. Determination of electrical conductivity using time domain reflectometry: soil and water experiments in coaxial lines 88−74962
Topp, G.C. *see* Yanuka, M. 88−74961
Toppanto, J. Evaluation of the first postal trial of the TERTA BK 2700-channel coaxial line system 86−43705
Toppen, R. Boundless trust−the audit of data communication networks 85−8183
Toppeta, D. *see* Pinciroli, F. 86−50594
Toppeto, A.A. Application and evaluation of EMI power line filters 88−17163
Toppila, J., Rylander, L. Why Scandinavian boiling water reactors perform so well 86−32992
Topriwaki, J. *see* Yasuda, T. 85−38126
Topsoe, F. EUROMATH−the integrated database and communications system for European mathematicians 88−14912
Toptygin, D.D. *see* Baev, V.M. 87−26584, 87−61107
Toptygin, I.N., Fleishman, G.D., Kleiner, D.V. Theory of synchrotron radiation in the presence of random magnetic and electric fields 88−34241
Toptygin, V.V. *see* Basov, G.F. 86−46621
Toptygin, V.V. *see* Kumpyak, E.V. 88−25618
Topunova, M.K., Vasil'eva, N.A., Kursakova, A.M., Paramonova, T.N., Sharova, L.V. Unique features of holograms recorded on a layer of hardened bichromated gelatin, developed by buffer solutions 88−34150
Topuz, E. Ray methods for tapered dielectric antennas 88−27599
Topuz, E., Felsen, L.B. High frequency pulse propagation in a tapered dielectric waveguide 87−75550
Torab, H., Sonntag, R.E. Performance of an integrated heat pump gas-fired water heater system 85−53947
Torabi, A., Brennan, K.F., Summers, C.J. Growth and application superlattices and quantum wells 88−50656
Torabi, A. *see* Brennan, K.F. 88−32912
Torabi, A. *see* Summers, C.J. 87−31540, 88−25310, 88−32864
Torabzadeh, J. *see* Fleischner, R.A. 88−18481
Toraeng, G. *see* Ahlbom, G. 85−59703
Toraichi, K., Kamada, M., Itahashi, S., Mori, R. A series of window functions obtained by convolution integrals of rectangle window with itself 87−52753
Toraichi, K., Kamada, M., Mori, R. A note on periodic spline sampling basis 85−10637
Toraichi, K., Kamada, M., Mori, R. Sampling theorem in the signal space spanned by spline functions of degree 2 86−22872
Toraichi, K., Kamada, M., Mori, R. A new series of digital filter windows: B-spline windows 87−19803
Toraichi, K., Kamada, M., Mori, R. Properties of interpolation by periodic spline functions of degree 2 87−52044
Toraichi, K., Katagishi, K., Mori, R. A fast B-spline transform and its applications 87−19762
Toraichi, K., Sai Yang, Kamada, M., Mori, R. Two-dimensional spline interpolation for image reconstruction 88−59252
Toraichi, K., Sekita, I., Mori, R. Computational complexity by sampling rates for spline interpolation 85−10635
Toraichi, K., Sekita, I., Mori, R. A fast approximation algorithm by periodic spline functions 86−57384
Toraichi, K., Sekita, I., Mori, R. An algorithm of signal approximation by hybrid spline 87−61937
Toraichi, K., Sekita, I., Mori, R. On effects of various conditions on computational complexity of spline interpolation 88−18634
Toraichi, K., Sekita, I., Mori, R. Algorithm by hybrid splines 88−63211
Toraichi, K. *see* Kamada, M. 87−19950, 88−49756
Toraichi, K. *see* Katagishi, K. 87−29756
Toraichi, K. *see* Sekita, I. 88−14794
Toraichi, K. *see* Takeuchi, H. 87−24366
Toral, D. *see* Aguirre, E. 85−27311
Toramyan, O.S. *see* Lysenko, A.P. 85−13054
Torao, A. *see* Mikuriya, T. 87−41312
Toraskar, J. *see* Levitt, H. 88−54650
Toratani, H., Meissner, H.E. Phosphate laser glass of absorption loss of 10^{-4} cm^{-1} 88−26742
Toratani, H. *see* Meissner, H.E. 88−2199
Torazawa, K., Minechika, S., Murata, S., Ishii, Y. Erasable digital audio disc system 86−44067
Torazawa, K., Murata, S., Minechika, S. Erasable digital audio disc system 85−63899
Torazawa, K., Sumi, S., Murata, S., Minechika, S., Ishii, Y. Erasable digital audio disk system 87−28877
Torazawa, K., Sumi, S., Murata, S., Minechika, S., Ishii, Y. Real-time recording and erasure of information by optical head with laser diode array in magneto-optical disk 88−65390
Torazzina, A. *see* Botti, E. 88−15755
Torba, A.G. *see* Grigor'ev, E.T. 85−63922
Torbati, K. *see* Rigaud, D. 85−12311, 86−58487
Torbati, K. *see* Sodini, D. 87−1553
Torbenkov, G.M., Reznik, L.F. Problems and methods of measuring frequency and phase of transients in power systems 85−65002
Torbenkov, G.M., Reznik, L.F. Power system transient frequency and phase problems and measuring methods 86−39252
Torbenkov, G.M. *see* Reznik, L.F. 87−78089
Torbicz, W., Sobczynska, D., Olszyna, A., Fortunato, G., D'Amico, A. A stable Pd-BN-Si$_3$N$_4$-SiO$_2$-Si FET for hydrogen detection 85−26314
Torbicz, W. *see* Olszyna, A. 87−53537
Torbicz, W. *see* Sobczynska, D. 85−37557
Torbin, I.D. *see* Kompalova, L.A. 85−45908
Torbin, R.N., Thimons, E. Power from mine cooling water 86−45883

Torborg, J.G. High performance display controller operates from single 5 V power supply 85−49966
Torchinskaya, T.V. Elementary degradation mechanisms of heteroconverters of Cu_2S-CdS type 86−19479
Torchinskaya, T.V., Baidokha, L.N. Nature of the drains for excess atoms in polycrystalline CdS films doped with copper and chlorine 86−36299
Torchinskaya, T.V., Brailovskii, E.Yu., Semenova, G.N., Matveeva, L.A., Mirzazhanov, M.A., Berdinskikh, T.G., Puzin, I.B., Arias, N. Excess currents and structure defects in $In_xGa_{1-x}As$:Si light-emitting diodes 85−24416
Torchinskaya, T.V., Mirzazhanov, M.A., Marchenko, A.I. Aging of solar elements of the type $Cu_{2-x}S$-CdS 86−26283
Torchinskaya, T.V., Mirzazhanov, M.A., Marchenko, A.I. The nature of degradation of ceramic solar cells of the $Cu_{2-x}S$-CdS type 86−51903
Torchinskaya, T.V., Mirzazhanov, M.A., Marchenko, A.I., Sheremetova, G.I., Sheinkman, M.K. Reversible degradation in $Cu_{2-x}S-CdS$ heterojunction cells 86−13059
Torchinskaya, T.V., Sememova, G.N., Berdinskikh, T.G. Small-dose effect and degradation resistance of $In_xGa_{1-x}As$:Si light-emitting diodes 86−58845
Torchinskaya, T.V., Semenova, G.N., Berdinskikh, T.G., Brailovskii, E.Yu. Radiation-induced variations in the spectral characteristics of $In_xGa_{1-x}As$:Si light-emitting diodes 87−54198
Torchinskaya, T.V., Sheinkman, M.K. Relationship between the degradation kinetics of GaP:N, Zn-O light-emitting diodes and the intensity of the red emission band 88−72232
Torchinskaya, T.V., Shmatov, A.A., Strochkov, V.I., Sheinkman, M.K. Transformation of deep centers during degradation of GaP:N/GaP:Zn,O light-emitting diodes 87−12308
Torchinskaya, T.V. *see* Zdebskii, A.P. 87−12329
Torchio, S. *see* Pizzini, S. 88−32752
Torchun, N.M. *see* Zav'yalova, L.V. 87−65486
Torczon, V. *see* Dennis, J.E., Jr. 88−49723
Tordon, M.J. *see* Blanks, H.S. 87−44072
Tore, G.di *see* di Tore, G.
Torelli, F. *see* Brucoli, M. 85−21121, 85−27401, 86−6233, 86−6254, 86−18707, 86−38997, 86−50929, 87−64104, 87−71611
Torelli, G., Caironi, G., Salomone, G. Developing a CMOS single-chip stereo decoder and audio processor for dual-channel TV 85−3645
Torelli, G., Caironi, G., Salomone, G. Integrated circuits for stereo audio reproduction in TV receivers 86−24049
Torelli, G., Nicollini, G. Analysis of resistor nonlinearities in very-low harmonic distortion active filters in MOS ICs 85−34040
Torelli, G. *see* Beverini, N. 87−41820, 88−68181, 88−68183
Torelli, G. *see* Devecchi, D. 86−658
Torelli, G. *see* Maloberti, F. 86−14347
Toreson, J.F. An in-house CD-ROM application for the electronics manufacturing industry 86−46080
Torgano, A. *see* Comparin, G. 86−37212
Torgashev, V.A. *see* Barilov, A.A. 85−30488
Torgerson, E. *see* Cacharelis, P. 86−20526
Torgerson, J.S. *see* Smith, M.B. 88−73500
Torgerson, P.D. *see* Fier, D.F. 87−17151
Torgeson, W.L. Resnick emitter speech prosthesis 86−12037
Torgovkin, M.Yu. *see* Balakshii, V.I. 85−12684
Torgovkin, M.Yu. *see* Balakshiy, V.I. 88−72177
Torguet, R. *see* Gazalet, M.G. 85−56385, 88−42689
Torguet, R. *see* Nongaillard, B. 86−50761
Torguet, R. *see* Rouvaen, J.M. 86−15531
Torick, E.L. FMX−an update 87−49240
Torick, E.L., Keller, T.B. Improving the signal-to-noise ratio and coverage of FM stereophonic broadcasts 86−24023
Torigoe, I. Mass flowmeter utilizing small pulsation 87−77469
Torii, A. *see* Nakamura, T. 87−21387
Torii, C. *see* Nishio, M. 85−20288
Torii, K. *see* Yoshizawa, H. 86−34911
Torii, M. *see* Kamada, A. 86−28704
Torii, M. *see* Kato, N. 86−33499
Torii, N., Yatsobosi, R. The trend of voice scrambler in radio systems 88−67224
Torii, N. *see* Aoki, S. 87−14768
Torii, S. *see* Kadono, S. 85−22796
Torii, S. *see* Kuboki, S. 86−8184, 86−20436
Torii, T. The fast algorithm for discrete Fourier transform 88−368
Torii, T., Azuma, S., Matsuzaki, Y. Multi-display system 87−43616
Torii, T., Azuma, S., Matsuzaki, Y. Multidisplay system [automobile displays] 88−53775
Torii, T., Yamamoto, Y. Shop floor control in computer-integrated manufacturing for large-scale integrated wafer fabrication systems 88−13514
Torii, T. *see* Kageyama, M. 86−57025
Torii, T. *see* KuHara, H. 85−49508, 85−60894
Torii, T. *see* Mitsuhashi, G. 86−2275
Torii, T. *see* Miyamoto, H. 86−12033
Torii, T. *see* Sakurai, T. 87−54478, 88−65950
Torii, Y., Shimada, M., Watanabe, I. Very high current ECR ion source for an oxygen ion implanter 87−56975
Torii, Y., Yamada, H. Field-emission liquid aluminum ion source 85−15143
Torii, Y. *see* Iki, M. 88−7408
Torii, Y. *see* Kato, K. 87−2332
Torii, Y. *see* Nakazawa, K. 88−71566
Torii, Y. *see* Yamada, H. 86−65325, 87−31499, 88−399, 88−63307
Torikachvili, M.S., Rossel, C., McElfresh, M.W., Maple, M.B., Guertin, R.P., Meisner, G.P. Low temperature specific heat and magnetoresistance of the ferromagnetic semiconductor UFe_4P_{12} 86−27959
Torikachvili, M.S. *see* Sun, K.J. 87−1908
Torikai, K., Naganuma, Y., Miura, I. Products of digital technology for dynamometer-applied systems 86−60119
Torikai, R., Sugimoto, Y., Taguchi, K., Makita, K., Ishihara, H., Minemura, K., Iwakami, T., Kobayashi, K. Low noise and high speed InP/InGaAsP/InGaAs avalanche photodiodes with planar structure grown by vapor phase epitaxy 86−9690
Torikai, T., Ogawa, M. Initial oxidation stage of $Al_xGa_{1-x}As$ and (Al, Ga)$_{0.5}$In$_{0.5}$P surfaces studied by photoemission spectroscopy 85−34871
Torikai, T. *see* Sugimoto, Y. 86−42442
Torikai, T. *see* Suzuki, A. 87−76745, 88−47168
Torikai, T. *see* Taguchi, K. 86−27867, 86−48267
Torikoshi, M. *see* Sugitate, T. 86−70366
Torimaru, M., Uratani, M., Higashino, H., Hondou, N., Nakamura, T. Sharp applies variable gate width to design a sub-nanosecond bulk CMOS gate array 85−54769
Torimaru, T. *see* Suzuki, K. 86−24844
Torimaru, Y. *see* Hayashi, M. 88−50965
Torimaru, Y. *see* Murakami, Y. 88−63684
Torimaru, Y. *see* Uemura, S. 85−14899, 85−43051
Torimaru, Y. *see* Yoshimura, M. 85−14480
Torimura, H. *see* Tamai, M. 86−37495
Torino, A. *see* Plassa, M. 86−11746
Toritsyn, O.S. *see* Fedotov, S.N. 87−63686
Toriu, J. *see* Ozeki, T. 86−36009
Toriu, T., Goto, T., Yoshida, M. An investigation of adaptable vision system for factory automation 86−11514
Toriu, T., Iwase, H., Yoshida, M. An expert system for image processing 87−47891
Toriu, T., Iwase, H., Yoshida, M. An expert system for image processing 88−3146
Toriu, T. *see* Gotoh, T. 85−36442
Toriu, T. *see* Iwase, H. 87−2648
Toriumi, A., Iwase, M. Lower submicrometer MOSFETs fabricated by direct EB lithography 88−19983
Toriumi, A., Iwase, M. Substrate hole current generation due to electron tunneling in metal-oxide-semiconductor system 88−19984
Toriumi, A., Iwase, M., Wada, T., Taniguchi, K. Reliability in submicron MOSFETs stressed at 77 K 87−53565
Toriumi, A., Iwase, M., Yoshimi, M. On the performance limit for Si MOSFET's: experimental study 88−64567
Toriumi, A., Yoshimi, M., Iwase, M., Akiyama, Y., Taniguchi, K. A study of photon emission from n-channel MOSFET's 87−60468
Toriumi, A., Yoshimi, M., Iwase, M., Taniguchi, K. Experimental determination of hot-carrier energy distribution and minority carrier generation mechanism due to hot-carrier effects [MOSFETs] 86−47595
Toriumi, A., Yoshimi, M., Iwase, M., Taniguchi, K., Hamaguchi, C. Experimental determination of finite inversion layer thickness in thin gate oxide MOSFETS 86−53670
Toriumi, A., Yoshimi, M., Taniguchi, K. A study of gate current and reliability in ultra-thin gate oxide MOSFETs 86−41849
Toriumi, M., Shiraishi, H., Ueno, T., Hayashi, N., Nonogaki, S., Sato, F., Kadota, K. Alkali-developable silicon containing positive photoresist (ASTRO) for a two-layer resist system: preparation and processing 87−53613
Toriumi, Y. In-line in-circuit testers boost product reliability 87−52997
Toriumi, Y. *see* Inoue, A. 86−70691
Toriumi, Y. *see* Itoh, A. 88−51249
Toriumi, Y. *see* Kondo, M. 85−55211, 86−56435
Toriumi, Y. *see* Nakamura, T. 85−59745
Toriumi, Y. *see* Tanigawa, T. 85−39277
Toriwaki, J. Picture processing. I 85−36363
Toriwaki, J. Picture Processing. II 85−51702
Toriwaki, J. Recent research problems in pattern recognition 86−3871
Toriwaki, J. Picture processing. IV 86−3973
Toriwaki, J. Algorithms in image processing 87−27576
Toriwaki, J., Yashima, Y., Yokoi, S. Adjacency graphs on a digitized figure set and their applications to texture analysis 85−36454
Toriwaki, J., Yokoi, S. Basics of algorithms for processing three-dimensional digitized pictures 85−51766
Toriwaki, J. *see* Hasegawa, J. 87−19917, 88−21331, 88−54520
Toriwaki, J. *see* Kawase, Y. 85−51769
Toriwaki, J. *see* Matsumoto, T. 85−19535
Toriwaki, J. *see* Nakayama, T. 85−41981
Toriwaki, J. *see* Okabe, N. 87−33807, 88−59325
Toriwaki, J. *see* Suzuki, H. 85−41984, 87−27648
Toriwaki, J. *see* Yasuda, T. 88−23067
Toriwaki, J.-I. Picture processing. III 85−51703
Toriwaki, J.-I., Kurono, T., Tsuchiya, Y. Industrial and medical applications 85−36360
Toriwaki, J.-I. *see* Yokoi, S. 87−57196
Toriwaki Jun-ichiro *see* Jun-ichiro Toriwaki
Toriyama, H., Ohe, J., Kondo, H., Yotsuya, H. Development of printed-on glass TV antenna system for car 87−75578
Toriyama, K., Nishikawa, T. Radiation analysis of satellite systems 87−14968
Toriyama, K. *see* Kitagawa, K. 85−24344
Toriyama, K. *see* Takata, N. 87−78954
Torizuka, K. *see* Hayashi, N. 85−43341
Torizuka, K. *see* Hirose, Y. 87−8919
Torizuka, K. *see* Komori, M. 88−36557
Torizuka, K. *see* Okajima, K. 85−48238
Torizuka, K. *see* Senda, M. 86−18306
Torizuka, K. *see* Yamashita, M. 86−68486, 88−27220, 88−27266
Torizuka, Y. Accelerator structure and scaling of BBU 87−14649
Torizuka, Y. *see* Tamae, T. 88−29753
Torkar, K.M. *see* Watermann, J. 88−48261
Torkelson, M. Aspects on implementing a digital mobile telephone on a signal processing chip 88−25283
Torkelson, M. *see* Ekelund, B. 87−66284
Torkkola, K. Automatic alignment of speech with phonetic transcriptions in real time 88−72838
Torkkola, K., Riittinen, H. A microprocessor-based word recognition system for large vocabularies 87−19464
Torkkola, K., Riittinen, H., Kohonen, T. Microprocessor-based word recognizer for a large vocabulary 87−49645
Torkler, M. Public address systems for passenger coaches 88−41905
Torku, K.E., Kiesling, D.A. Noise problems in testing VLSI hardware 86−26598
Torku, K.E., Monzel, J.A., Radke, C.E. Performance assurance of memories embedded in VLSI chips 87−24197
Torkzadeh, F. *see* Bauer, C.S. 87−14969
Torlin, M.A. *see* Zaletin, V.M. 88−54390, 88−74737
Torma, L., Stancic, M. Application of the pressure measurement for level and pressure control, signaling and protection in an oil filled measuring transformer 88−69456
Tormala, V.-P. *see* Salo, J.-P. 88−75268
Tormos, J.R. *see* Ackenhusen, J.G. 87−40262
Tornatore, A.S. The AVSCOM fight safety part program 87−43928
Tornell, B. *see* Johansson, L. 88−25608
Torner, A., Gafvert, U. Measurement of the electric field in transformer oil using Kerr technique with optical and electrical modulation 86−70183
Torner, L. *see* Canal, F. 88−40015
Torng, E.K. *see* Luk, F.T. 88−25113
Torng, H.C., Lim, Y.S. On communication switching in tactical and field environments 87−40617
Torng, H.C. *see* Daddis, G.E., Jr. 88−53037
Torng, H.C. *see* Petruschka, O. 87−49635
Torng, H.C. *see* Smith, S.P. 86−46878
Tornier, H. Largest tyre-fuelled power plant 88−55178
Tornow, J. *see* Lauer, G. 85−42432
Tornow, J.D. *see* Jubin, J. 87−33832
Tornow, J.D. *see* Shacham, N. 86−16630
Tornow, R.P. *see* Bostanjoglo, O. 88−7276
Tornow, W., Arnold, W., Herdtweck, J., Mertens, G. Measurement of the response of the deuterated scintillators NE 232 and NE 230 to protons and deuterons 86−44553
Tornow, W. *see* Bostanjoglo, O. 86−2057, 86−20073, 87−45896, 88−7276
Tornow, W. *see* Mack, G. 85−59227
Tornqvist, R. Properties and performance of TFEL structures 86−9694
Tornqvist, R. *see* Hyvarinen, J. 88−31790
Toro, D.de *see* de Toro, D.
Toro, E., Deleuil, R. Application of a rigorous modal theory to electromagnetic diffraction from a biperiodic rough surface 85−46548
Toro, J.del *see* del Toro, J.
Torok, B. Further investigation of initial surge voltage distribution in laminated transformer coils 86−39878
Torok, E.J., Krawczak, J.A., Nelson, G.L., Fritz, B.S., Harvey, W.A., Hewitt, F.G. Intersatellite and fiber-optic communication with stripe domains 87−40957
Torok, E.J. *see* Freeberg, D.M. 86−69790
Torok, E.J. *see* Nelson, G.L. 88−53227
Torok, I. *see* Giurgiu, V. 88−62504
Torok, J.R. *see* Chalkin, S. 86−40515

Torok, J.S., Walter, W.W. The integration of a high performance CAD system into an engineering curriculum 88−24476
Torok, V., Loreth, K. A simplified inverter-fed synchronous motor drive for low and medium-power applications 87−22840
Torok, W. 115 kV underground cable installed in California desert 88−75182
Toromanov, G.D. *see* Spasov, A.I. 88−35367
Toronen, T. *see* Korhonen, J. 88−30620
Torop, V.M. *see* Kashtalyan, Yu.A. 86−46417
Toropainen, A., Vainikainen, P., Nyfors, E. Microwave humidity sensor for difficult environmental conditions 88−29355
Toropainen, A.P. *see* Vainikainen, P.V. 87−8588
Toropin, A.N. *see* Bolotov, V.N. 85−20815
Toropin, S.I. *see* Snegov, V.S. 88−74506
Toropkin, G.N. *see* Andreeva, R.I. 86−3274
Toropkin, G.N. *see* Kalagin, A.P. 85−24516
Toropkin, G.N. *see* Kuratev, I.I. 86−9809, 86−54122
Toropkin, G.N. *see* Zakharkin, B.I. 87−46847
Toropkin, G.N. *see* Zharikov, E.V. 86−9794
Toropov, A.E., Shbardnaya, A.M., Ulanov, A.G., Shubladze, A.M. Application of the complex AKESR-2 for control of parallel-working power-generating sets 87−71553
Toropov, A.I. *see* Sokolov, L.V. 87−36765
Toropov, S.E. *see* Bobrovnikova, I.A. 87−31504
Toroptsev, E.L. *see* Gruzdev, I.A. 86−44877, 86−50817, 86−56299
Torosian, K.M., Karakashian, A.S., Teng, Y.Y. Surface plasma-enhanced internal photoemission in gallium arsenide Schottky diodes 87−60399
Torossian *see* Bessette 85−46111
Torosyan, A.S. *see* Karapetyan, M.M. 87−66576
Torosyan, G.A. *see* Badalyan, A.A. 86−63793, 88−58495
Torosyan, G.A. *see* Sapondzhyan, S.O. 86−9948
Torpachev, P.A. *see* Voropai, E.S. 85−20741
Torpey, P.A. Using pixel overlap to obtain more gray levels in halftone reproductions 88−52523
Torphammar, P. Security issues in the introduction of optical fiber data links and LANs in the Swedish defence 88−35541
Torpov, S.E. *see* Bobrovnikova, I.A. 86−13746
Torquati, M.R. *see* Angelini, F. 87−41834, 88−61301
Torquati, M.R. *see* Ballazzini, R. 85−4209
Torquati, M.R. *see* Belazzini, R. 85−43206
Torquati, M.R. *see* Bellazzini, R. 85−31796, 85−43205, 86−44577, 86−50335, 86−60581, 87−3899, 87−21433
Torr, D.G., Kolen, P. An experiment to measure relative variations in the one-way velocity of light 85−64298
Torr, D.G. *see* Torr, M.R. 86−70019
Torr, M.R. Persistence of phosphor glow in microchannel plate image intensifiers 85−34436
Torr, M.R., Torr, D.G., Baum, R., Spielmaker, R. Intensified-CCD focal plane detector for space applications: a second generation 86−70019
Torralba, A., Gomez, A., Franquelo, L.G. Parallel solution of power system analysis problems 88−5244
Torralba, A. *see* Franquelo, L.G. 88−48564
Torralba, M., Adeva, P. Composite metal materials 87−44408
Torralba, M. *see* de la Torre, A. 86−6982
Torralba, N., Navarro, J.J. A one dimensional systolic array for solving arbitrarily large least mean square problems 88−71739
Torralba, N. *see* Nunez, F.J. 88−6806
Torrance, R. *see* Lamoureux, P. 87−59592
Torrance, R.R., Sadler, S.P., Lamoureux, J.P., Lamarche, J., Frank, D.J., Leveille, F. The design of a fully integrated graphics system 88−50176
Torrance, R.R., Viswanathan, T.R., Hanson, J.V. CMOS voltage to current transducers 86−20702
Torre, A. *see* Ciocci, F. 87−68541, 87−75149, 88−58576
Torre, A. *see* Dattoli, G. 85−51206, 85−56688, 86−29173, 87−54356, 88−58575, 88−58580 to 58581
Torre, A. *see* Solimeno, S. 85−56724
Torre, A.de la *see* de la Torre, A.
Torre, B.de la *see* de la Torre, B.
Torre, E.D. Fine particle micromagnetics 86−28592
Torre, E.D., Kadar, G. Numerical techniques applied to magnetic recording 88−44983
Torre, E.Dalla *see* Dalla Torre, E.
Torre, E.Della *see* Della Torre, E.
Torre, E.M.Farias de la *see* Farias de la Torre, E.M.
Torre, I.Rodriguez de la *see* Rodriguez de la Torre, I.
Torre, J.C.de la *see* de la Torre, J.C.
Torre, O.de la *see* de la Torre, O.
Torre, P. *see* Bressi, G. 87−29467
Torre, V., Poggio, T.A. On edge detection 86−48973
Torre, V. *see* Fiumicelli, A. 87−62207
Torre, V. *see* Odone, B. 87−62210
Torre, V.de la *see* de la Torre, V.
Torre, W.V., Bushner, R.E. A unique method of evaluation of system damping in simulations of large power systems 87−42299
Torre Liebana, M.A.de la *see* de la Torre Liebana, M.A.
Torre Liebana, M.de la *see* de la Torre Liebana, M.
Torre-Colautti, S.Dalla *see* Dalla Torre-Colautti, S.
Torrealday, J.R. *see* Sanzberro, M. 87−57971
Torrecillas, S.Ros *see* Ros Torrecillas, S.
Torrence, G.W. *see* Vogel, W.J. 87−54556
Torreno, M.L. *see* Welch, M.T. 87−67545
Torrens, A.B. On angles and angular quantities 86−31649
Torrent, M.C. *see* San Miguel, M. 88−65800
Torres, A. Parity checker/generator 85−11202
Torres, A. A grid dip meter 85−14874
Torres, A. *see* Hilsenrath, E. 87−15058
Torres, A. *see* Mariano Aceves, M. 87−52735
Torres, A.L. *see* Barnes, R.A. 86−6104
Torres, C., Valero, P. International telecommunications: a challenge for imagination and international co-operation 88−14883
Torres, C.M.Sotomayor *see* Sotomayor Torres, C.M.
Torres, C.R. Prediction of lightning performance of zinc oxide arresters on distributed lines 86−6437
Torres, E. *see* Metzger, R.M. 87−53578, 87−60212
Torres, E.F. *see* Deo, S.G. 88−18649
Torres, F. Multiple algorithm for optimum control of an adaptive antenna by means of microcomputer 87−2381
Torres, F., Berges, L., Martinez, A. The measurement of dimensions 85−15024
Torres, F. *see* Viciana, J. 87−15217
Torres, F.E., Whitaker, S. Numerical analysis of the temperature distribution in a liquid-cooled rotating X-ray anode 85−4280
Torres, F.J. Application of digital holographic interferometry to pressure measurements of symmetric, supercritical, and circulation control airfoils in transonic flow fields 87−56905
Torres, G. *see* Maenchen, J. 87−17599
Torres, G. *see* Sharif-Askary, J. 88−10788
Torres, J., Thomas, O., Jourdain, D., Madar, R., Perio, A., Senateur, J.P. Phosphorus redistribution in a WSi_2/poly-Si gate structure during furnace annealing 88−13189
Torres, J., Thomas, O., Jourdain, D., Madar, R., Perio, A., Senateur, J.P. Phosphorus redistribution in a WSi_2/polycrystalline-silicon gate structure during furnace annealing 88−33080
Torres, J. *see* Bomchil, G. 86−63214
Torres, J. *see* Goltz, G. 85−55573
Torres, J. *see* Luis Sanz, J. 85−14444
Torres, J. *see* Martin, C. 88−34414
Torres, J. *see* Wright, P. 88−9508
Torres, J.A., Calleja, A.W., Aceves, M.M., Falcony, C. Deposition and properties of silicon-rich silicon dioxide films using CO_2 or N_2O as oxidant compound 88−458
Torres, J.A.Y. Conceptual model for the development of science and technology in Mexico 88−49431
Torres, M. *see* Pastor, G. 86−55529
Torres, M.I., Iparraguirre, P. Recognition algorithm for Spanish vowels based on the position of 'centres of gravity' of formants 88−46008
Torres, P.A. *see* Perman, M.M. 87−76207
Torres, R. 82786 graphics coprocessor 88−56657
Torres, R., Shankman, R. Coprocessor revs up graphics performance. I 88−12420
Torres D., G. *see* Mendoza-Alvarez, J.G. 87−18825
Torres-Cisneros, G.E. *see* Sanchez-Mondragon, J.J. 87−33274
Torres-Garcia, J. *see* Sanz-Gonzalez, J.L. 87−56212
Torres-Urgell, L., Kirlin, R.L. A new adaptive method for image compression using Karhunen-Loeve transform 87−62292
Torres-Urgell, L. *see* Sallent-Ribes, S. 88−73256
Torretta, D. *see* Caccia, M. 87−35341
Torretta, D. *see* Igiuni, A. 85−15171
Torrey, D.A., Kirtley, J.L., Jr. Electrical surface breakdown of thin-film ZnO varistors 87−18187
Torrey, D.A., Kirtley, J.L., Jr. Electric field grading using thin film nonohmic zinc oxide 88−23325
Torri, A. A consistent probabilistic methodology for the Seabrook Station containment event tree analysis 85−43748
Torri, A., Peek, R. Containment failure pressure analysis for the Seabrook Station probabilistic safety assessment 85−43747
Torri, G. *see* Odorico, A. 88−18284
Torriano, D. *see* Giadrossi, G. 87−30551, 87−58045
Torriano, D. *see* Policastro, M. 87−72147
Torrieri, D. The performance of five different metrics against pulsed jamming 86−43109
Torrieri, D. Information-bit, information-symbol, and decoded-symbol error rates for linear block codes 88−52343
Torrieri, D., Bakhru, K. An anticipative adaptive array for frequency-hopping communications 88−21034
Torrieri, D.J., Bakhru, K. Frequency compensation in an adaptive antenna system for frequency-hopping communications 88−14471
Torrieri, D.J. *see* Bakhru, K. 85−2689
Torrion, P., Lederer, P., Bouttes, J.-P. Advances in multi-type, multi time-scale, multi-reservoir management problems 85−32103
Torrisi, A. *see* Burrafato, G. 85−34509, 86−47313
Torrisi, A. *see* Pignataro, S. 86−520, 86−34031
Torrisi, G. *see* Vita, P. 88−34515 to 34516
Torrisi, L. Misura di fattori di sputtering di film sottili utilizzando un fascio di protoni di 100 keV (Measurement of thin film sputtering parameters using a 100 keV proton beam) 86−31658
Torrison, L.L. *see* Coleman, P.D. 86−25035
Torrison, L.L. *see* Hasti, D.E. 87−21310
Torroba, R., Rabal, H.J., Garavaglia, M.J. One-step rainbow holography using a spherical mirror 87−7446
Torroba, R.D., Arizaga, R. Real time pseudocolour encoding of depth using white light processing 88−52524
Torroba, R.D. *see* Rodriguez, N. 86−58976
Torroglosa, V., Nebrera, F., Calderon, A. Computerized project management as a technology transfer tool 86−39359
Torronen, K., Wallin, K., Valo, M., Rintamaa, R., Aaltonen, P., Ahlstrand, R. Reactor pressure vessel radiation damage monitoring by improved surveillance programmes 88−48716
Torruellas, W. *see* Franks, R.B. 87−26034, 87−46503
Torry, J.N. An EA1 course using a circuit theory example 88−24497
Torry, J.N. Group delay and amplitude trade-off for equi-ripple group delay and gain-magnitude band pass filters 88−52501
Torry, J.N. *see* Jones, J.W.E. 87−12765
Torseng, S. *see* Belanger, J. 86−51780
Torsher, L.C., deBruin, H., Fuller, P.J., Woolever, C.A. A system for collection and analysis of home recorded uterine activity 85−38006
Torshina, V.E. *see* Ryavtsev, V.G. 87−14100
Torstensen, F. C-type modulation for direct satellite broadcasting systems 85−20163
Torstensen, F. Broadcasting standards 86−49782
Torstensen, F. C-MAC puts forward its case 87−13635
Torstensson, B. *see* Budai, P. 87−58495
Torstensson, P.A. *see* Norrman, S. 85−61602
Tortajada, J. *see* Raso, M.A. 87−44186
Tortelier, P. Accurate ladder synthesis algorithm 85−34029
Tortelier, P. Characteristic admittance of non-linear resistive distributed networks 87−23879
Tortelier, P., Arsene-Henry, P. Analytical expression for the high-current I/V characteristic of a distributed diode 85−6886
Tortelier, P. *see* Bic, J.-C. 87−55513
Tortello, E. *see* Bugna, G. 87−22262, 88−17563
Torti, A. *see* Carroll, E. 87−45911
Torti, R. *see* Vanherzeele, H. 85−18887, 85−18967
Tortia, G. *see* Casale, P. 86−4116
Tortia, G. *see* Casale, R. 86−16755, 86−54682
Tortoishell, G. Safety of fibre optic systems in flammable atmospheres 86−36200
Tortoishell, G. Earthing and bonding—the potential for equalisation 87−10105
Tortoli, P., Andre, F. Chirp Fourier transform based on a single SAW filter 87−6963
Tortoli, P., Andreuccetti, F., Manes, G., Atzeni, C. An ultrasonic Doppler flowmeter for medical application 86−25191
Tortoli, P., Andreuccetti, F., Manes, G., Atzeni, C. A range-Doppler flowmeter for imaging of blood velocity profiles in arteries 87−3978
Tortoli, P., Avitabile, G., Vitali, A. Increased resolution Fourier transformation based on an iterative algorithm 85−5930
Tortoli, P., Manes, G.F., Atzeni, C., Boscaleri, A. A hybrid chirp-z spectrum analyser for range-Doppler processing 85−47909
Tortora, C. *see* Grossoni, M. 86−61332
Tortora, L. *see* Alekseev, G.D. 88−61138
Tortora, L. *see* Dorenbosch, J. 87−29472
Tortora, R. *see* Gerla, G. 86−7622
Tortoreli, M., Russell, P.E., Baltas, P., Morris, J.A. Harmonic distortion propagation in distribution systems with utility interactive photovoltaic systems 88−17129
Tortoreli, M. *see* Baltas, P. 86−65991, 87−4930, 88−17450
Tortoreli, M. *see* Rogers, G.B. 87−4641
Tortorella, M.J. *see* Gundaker, B.F. 88−31510
Tortorici Macaluso, A. *see* Carmignani, M. 87−31630
Tortschanoff, T. Survey of numerical methods in field calculations 85−24702
Tortschanoff, T. Grading of the current density in coils of superconducting dipole magnets 86−44518
Tortschanoff, T. *see* Lebrun, P. 88−68167
Tortschanoff, T. *see* Taylor, T.M. 86−44527
Toru Tatsumi *see* Naoaki Aizaki 87−6540

Torvela, H. Feasibility of using oscillatory catalytic oxidation phenomenon for selective carbon monoxide sensing 88—16549
Torvela, H., Jaakola, T., Uusimaki, A., Leppavuori, S. Processing characteristics of tin and tungsten oxides relevant to production of gas sensors 86—40797
Torvela, H., Romppainen, P., Leppavuori, S. Experiments on the use of semiconducting thick film SnO_2 sensor to detect carbon monoxide levels in combustion gases and plant environments 87—14321
Torvela, H., Romppainen, P., Leppavuori, S. Detection of CO levels in combustion gases by thick-film SnO_2 sensor 88—47711
Torvela, H. *see* Matthan, J. 87—52223
Torvela, H. *see* Romppainen, P. 86—50071
Torzo, G., Sconza, A., Storti, R. A low-cost digital teslameter 87—41593
Torzo, G. *see* Borghesani, A.F. 86—65382, 87—8817
Torzo, G. *see* Bruschi, L. 85—37789, 87—8765, 88—9930, 88—22730
Torzyn, N.T. From Maxwell to Marconi: The genesis and birth of radio 85—19587
Tosa, M. *see* Matsumoto, H. 86—14228
Tosaka, N., Miyake, S. Numerical solutions for nonlinear two-point boundary value problems by the integral equation method 85—54420
Tosaka, S., Hirooka, S., Nishimura, N., Hoshi, K., Yamaoka, N. Properties of a low temperature fired multilayer ceramic substrate 85—34406
Tosaka, S., Hirooka, S., Nishimura, N., Hoshi, K., Yamaoka, N. Low temperature fired multilayer ceramic substrate 86—14747
Tosaka, S. *see* Nariai, Y. 86—10814
Tosaka, S. *see* Yamazaki, I. 87—2885
Tosaki, Y. *see* Nagata, Y. 88—57957
Tosalli, A. *see* Giorcelli, S. 87—69545, 87—76036
Tosato, F. Electric cathodic protection for complex underground structures 87—15259
Tosato, G.C. *see* Amato, U. 87—64228
Tosato, R. *see* Rosa, L. 85—48883
Tosca, S. *see* Esposto, F. 87—40889
Toscani, G., Faugeras, O.D. Structure from motion using discrete feature points 88—21354
Toscani, G., Faugeras, O.D. Structure from motion using the reconstruction and reprojection technique 88—28128
Toscani, G. *see* Faugeras, O.D. 87—2617, 88—3079
Toscani, L., Schuepp, U. Process control system and power electronics systems for a new 400 t/day cement works 86—26457
Toscani, L., Schuepp, U., Botha, P. The process control system and special electronic power systems for the new 4000 TPD production line of ULCO Cement Plant, South Africa 86—19674
Toscani, L., Sollami, R., Ragghianti, P., Sferlazzo, R. Model of the standing wave: band analysis and interference figures of clinical electroencephalograms 88—30000
Toscani, L. *see* Sferlazzo, R. 88—29998
Toscani, L. *see* Sollami, R. 88—29999, 88—30001
Toscano, E.H. *see* Castillo, R. 87—44434
Toscano, G. *see* Borghese, F. 88—52199
Toscano, J.C. *see* Elshabini-Riad, A. 87—73922, 88—50554
Toscano, V. *see* Tripathi, S. 87—68400
Toscano, W.M. *see* Lee, K.P. 85—53685
Tosch, R. *see* Fritzsche, K. 87—19107
Tosch, S. *see* Berghaus, T. 87—11319
Tosco, F. Increasing the value/cost ratio for the introduction of broadband services 86—16663
Tosco, F. Increasing the value/cost ratio for the introduction of broadband services 86—49686
Tosco, F. Broadband distribution networks 87—20290
Tosco, F., Moncalvo, A., De Bortoli, M. Value/cost considerations for broadband services on optical fibres 87—34610
Tosco, F. *see* Artom, A. 87—34538, 88—4058, 88—67029
Tosco, F. *see* Costa, B. 87—56108, 88—28834
Tosco, F. *see* De Bortoli, M. 87—62937
Tosco, F. *see* Fausone, A. 86—64439, 87—48349
Tosco, F. *see* Ghergia, V. 88—40099, 88—45327
Tose, D. Test strategy freedom—independence defended 88—32626
Tosello, F. *see* Balestra, F. 85—37946, 87—63677
Tosello, F. *see* Bussa, M.P. 87—21415
Tosh, R. *see* Engels, E., Jr. 87—29488
Toshikiyo, A. *see* Sugino, N. 88—38351
Toshima, H. *see* Motoki, T. 87—4618
Toshima, H. *see* Nishizawa, H. 88—75502
Toshima, M., Sugai, M., Suzuki, M. Model experiments on regenerative brake system of Shinkansen EMU cars 86—33787
Toshima, M. *see* Aburaya, K. 86—33786
Toshima, M. *see* Odajima, M. 85—33644
Toshima, S. *see* Itaya, K. 85—12064
Toshima, S. *see* Nizeki, Y. 87—49664
Toshima, T. *see* Nishimura, C. 88—51198
Toshima, T. *see* Tago, A. 86—9380
Toshima, T. *see* Uenishi, Y. 88—51880
Toshinaga, Y., Sudo, S., Akegamiyama, Y. Telex signalling simulator 85—63251
Toshinai, K. For high-speed applications, reed relays are still best 85—34249
Toshioka, K. *see* Nishimura, M. 87—61723
Toshioka, K. *see* Sugawara, K. 86—16179
Toshiyasu, M. *see* Ishida, R. 87—1157
Toshizawa, H. *see* Hata, K. 88—16250
Tosi, M., Baldi, L., Caprara, P., Bergonzoni, C. Hot carriers and gate current in CMOS devices 87—32579
Tosi, M. *see* Arri, E. 88—60587
Tosi, M. *see* Fanni, A. 86—12420
Tosi, M. *see* Locci, N. 85—65178, 86—12839, 87—22765, 88—5613, 88—60855, 88—75792
Tosi, M. *see* March, N. *(editor)* 85—39465
Tosi, M.P. *see* Butcher, P.N. *(editor)* 87—31125
Tosi, O. Voice identification legal application 86—3833
Tosic, D.V. *see* Hribsek, M. 88—50231
Tosic, T.I. *see* Tjapkin, D.A. 85—6696
Tosolini, M. *see* Petrecca, G. 85—51460
Tosoni, N.S. *see* Amato, P. 88—29019
Tosser, A. *see* Itty, C. 85—9164
Tosser, A.-J. *see* Khalid-Naciri, A. 86—34706
Tosser, A.J., Pichard, C.R., Zantout, H., Mboko, H. Large plates of amorphous magnetic materials deposited from heterogeneous oxidoreduction 87—53877
Tosser, A.J. *see* Guendouz, L. 85—57088, 86—36769
Tosser, A.J. *see* Khalid-Naciri, A. 86—929 to 930, 86—20447
Tosser, A.J. *see* Nadi, M. 88—61403
Tosser, A.J. *see* Remy, J.-L. 88—29087
Tossman, B.E., Weller, H.W. Subcontract management in a technically dynamic environment: Spacecraft mission operations 87—43901
Tossman, B.E. *see* Jones, S.C. 88—10507
Tossou, K. *see* Bui-Hai, N. 87—68878
Tosswill, C.H. Microchannel plates in low-light-level high-speed imaging systems 85—3882
Toste, P. Crystal oscillator design and analysis using personal computers 87—16820
Tosti, A. *see* Nannicini, M. 87—34410
Tosunyan, G.A. *see* Kovalenko, Yu.A. 86—63920
Tota-Ramisz, E., Drejak, M., Piotrkowska, T. Problems of thick-film RC active filters realization 85—925
Totani, S. Electronic optimum ride control handling, height & suspension 85—65581
Totaro, L. Office automation and modern ideas concerning work in offices 85—242
Totaro, L. The protection of isolating and safety transformers 85—17906
Totaro, L. Intelligent washing machines 85—53958
Totev, T.L. Optimization of the reactor parameters in terms of reliability 88—5481
Toth, A. Secure EPROMS—a microcontroller offering of proprietary software projection 85—11264
Toth, A. Secure EPROMS—a microcontroller offering of proprietary software protection 85—17496
Toth, A., McGregor, A., Higgins, B. Introduction of wide-band communications in the telecommunications network 85—47007
Toth, A. *see* Kalman, P. 87—68199, 87—70640, 88—26886
Toth, A.G. Hierarchical evolution of high definition television 88—47307
Toth, A.G., Tsinberg, M. Hierarchical evolution of high definition television 88—29070
Toth, A.G., Tsinberg, M., Rhodes, C.W. NTSC compatible high definition television emission system 88—41828
Toth, A.G., Tsinberg, M., Rhodes, C.W. Hierarchical NTSC compatible HDTV system architecture—a North American perspective 88—67570
Toth, A.L. Investigation of plasma effect on EBIC dislocation contrast in Si 86—58245
Toth, A.L. *see* Lendvay, E. 86—7791, 87—32306
Toth, B. On-board computer system being developed by MAV to reduce traction energy consumption 88—76023
Toth, B.D. *see* Edmonds, E.W. 86—11957, 87—14875, 88—23059
Toth, B.D. *see* Hynes, D.M. 87—14873
Toth, Cs. *see* Farkas, Gy. 86—15792
Toth, D. Teletext in Hungarian practice 85—36691
Toth, E. Practical computing method of first and second derivatives of Erlang-formula with respect to circuit number 85—13439
Toth, E. Computation of second derivatives of Erlang B and Wilkinson formulas and its application on planning of junction networks 86—43349
Toth, E. *see* Kurutz, I. 86—25989
Toth, F. High performance CMOS DSP building block allows low power system optimization 85—45892
Toth, F., Martinez, M., Waldo, S. Multipliers: CMOS reduces power consumption 85—55946
Toth, F.L. *see* Miller, M.J. 86—2363
Toth, G. *see* Deri, A. 87—42758
Toth, G. *see* Friedrich, J. 88—36872
Toth, G. *see* Vadacca, V. 86—39386
Toth, G. *see* Zakarias, L. 85—47425
Toth, I., Szabados, L. IAEA-assisted research work in the field of operational safety for Hungary's first nuclear power plant 85—21409
Toth, I. *see* Eszto, P. 87—48774
Toth, I. *see* Ezsol, G. 87—57843
Toth, I. *see* Mizsei, T. 85—43597
Toth, I. *see* Sagdeev, R.Z. 87—49573
Toth, I. *see* Szabados, L. 87—57844
Toth, J. *see* Kover, L. 87—74115
Toth, J. *see* Mod, G. 85—59441
Toth, J.E. *see* Shacklette, L.W. 85—65423
Toth, J.J., III., Velazquez, D.J. Benefits of an automated data acquisition system applied to online harmonic measurements [power supply harmonics] 86—38219
Toth, J.J., III, Velazquez, D.J. Benefits of an automated online harmonic measurement system 87—15179
Toth, J.J., III *see* Velazquez, D.J. 86—5024
Toth, K., Dobrowiecki, T. Ultrasound rail flaw testing equipment 86—25463
Toth, K. *see* Rajki, I. 86—13104
Toth, K.G. *see* G. Toth, K.
Toth, L. Analysis of SC filters 85—10953
Toth, L., Gazso, J. The effects of sample capacitance and light intensity on the time-of-flight signal in a-Si:H 87—46653
Toth, L., Simonyi, E. Analysis of multiphase switched-capacitor filters 85—23022
Toth, L., Simonyi, E. Explicit formulas for analyzing general switched-capacitor networks 86—62419
Toth, L., Simonyi, E. Explicit formulas for analyzing general switched-capacitor networks 88—25316
Toth, L., Simonyi, E. General noise analysis of ideal and lossy switched-capacitor networks 88—56425
Toth, L., Vitalyos, A., Kalvach, G., Simonyi, E. Noise analysis of ideal and lossy SC networks 87—499
Toth, L. *see* Gazso, J. 87—17794, 87—45615
Toth, L. *see* Jareb, O. 88—57772
Toth, M. *see* Plotnik, I. 87—25002
Toth, M.S. *see* Anderson, W.L. 87—71463
Toth, P. Manufacturing switch-panel at EMG 87—30877
Toth, P. *see* Camerini, P.M. 87—16474
Toth, P. *see* Martello, S. 85—60864
Toth, P.Ecsedi *see* Ecsedi Toth, P.
Toth, T., Benedek, A., Gyenes, I., Kovacs, V., Nemcsics, E., Valy, L. Integrated microwave radio for rural communications 88—60005
Toth, T., Valy, L. Wideband low distortion microwave PLL power amplifiers for analog and digital communications 87—532
Toth, T. *see* Berceli, T. 88—35348, 88—60006
Toth, T. *see* Gyenes, I. 88—50387
Toth, T. *see* Karsa, B. 87—42497
Toth, T. *see* Laczko, M. 88—61954
Toth, T. *see* Valy, L. 86—38406
Toth, V.J. Telecommunications legislation—the time is almost ripe but let's do it right 87—27735
Toth, V.J. Don't sacrifice network quality for 800 Service competition 88—59475
Toth, W.D. *see* McKee, J.L.J. 88—1303
Toth, W.J. *see* Bodenheimer, R.E., Jr. 87—20821
Toth, W.L. *see* Anschel, M. 85—26921
Toth, Z., Batai, Z. Description of the neutron flux control system at VVER-440 type reactor unit 87—64298
Toth, Z. *see* Babes, V. 86—31393
Toth-Pal, Z. *see* Kallback, B. 87—6897
Toth-Szilagyi, M. *see* Somogyi, G. 87—29574, 87—29640
Totia, H. *see* Mihalache, D. 85—7537, 85—23087, 85—41681
Totik, V. *see* Mate, A. 86—62092
Totland, B. *see* Bjordal, A. 87—71082
Totogawa, M. *see* Aoyama, T. 87—50143
Totoki, T. *see* Nakamura, M. 87—34230
Totolo, C. *see* Radulescu, M. 86—25862
Totskii, A.V. *see* Gorbunenko, B.F. 85—2440
Totskii, S.I. *see* Berezinets, N.I. 88—30733
Totsuka, N. *see* Kondo, K. 85—30815
Totsuka, N. *see* Ueda, J. 86—14912
Totsuka, S. *see* Maruyama, K. 87—63512
Totsuka, Y. *see* Hara, T. 85—15243
Totsuka, Y. *see* Ji Yoon Yoo 87—15796
Totta, P.A. *see* Chang, C.-A. 87—1366
Totta, P.A. *see* Chin-An Chang 86—53452, 87—11709
Totta, P.A. *see* Ramakrishna, V. 87—67523
Totta, P.A. *see* Srikrishnan, K.V. 86—58496
Totten, D.S., Sabaski, R.E. Analysis and verification of design concepts for a 7000-hp ring gear driven mill. II 85—10291
Totten, F.M. Practical design considerations for high frequency avionic flyback power supplies 87—78809
Totterdell, D.H.J. Electron injection effects in polymer dielectrics 86—58329
Totterdell, D.H.J., Jain, S.C., Leake, J.W. Reverse bias voltage decay and measurement of the dark current in semiconductor radiation detectors 87—50172
Totterdell, D.H.J., Leake, J.W., Jain, S.C. High-injection open-circuit voltage decay in pn-junction diodes with lightly doped bases 87—6654

Totterdell, D.H.J. *see* Blamires, N.G. 87−32535
Totterdell, D.H.J. *see* Findlay, D.J.S. 88−39047
Totti, G. *see* Freen, R. 86−49391
Totton, K., Shaw, S. Self-test: the solution to the VLSI test problem? 88−64655
Totton, K. *see* Miles, J.R. 88−38508
Totton, K. *see* Tan, C.S.B. 87−18304
Totton, K. *see* Tan, S.B. 87−65695
Totton, K.A. *see* Burgess, N. 88−20139
Totton, K.A.E. Review of built-in test methodologies for gate arrays 85−33151
Totton, K.A.E. Review of built-in test methodologies for gate arrays 85−33799
Totton, K.A.E. *see* Briers, A.J. 87−18303, 87−24108
Tottori, K. *see* Fujii, M. 85−56970
Totty, P. Facsimile: the hottest office machine to date 88−28304
Totzauer, G. Coupling of the throughputs in closed queueing networks 88−49631
Totzauer, G. *see* Hiess, H.-U. 86−7597
Totzek, U. Frequency-dependent SNR for time-base distortions in magnetic recording 86−2591
Totzek, U. Spectrum and coherence analysis for time-base distorted signals in magnetic recording 87−55224
Totzek, U., Preis, D. How to measure and interpret coherence loss in magnetic recording 88−22376
Totzek, U., Preis, D., Bohme, J.F. A spectral model for time-base distortions in magnetic recording 87−67740
Tou, C.P. Code division multiplexing for optical fiber communications 87−69430
Tou, C.P. A promising direction for future development of optical fiber communications 88−47174
Tou, C.P., MacLeod, W.H. Effects of narrowband interference on direct sequence systems 85−62822
Tou, J.T. Knowledge-based pattern understanding 87−48188
Tou, J.T., Kuo-Chin Fan Geo-graphic code representation of 3D objects from their pictorial drawings 88−66667
Tou, J.T., Li, W.H., Fan, K.C., Huang, C.L. Knowledge-based approach for the verification of CAD database generated by an automatic schematic capture system 87−65731
Tou, J.T. *see* Adjouadi, M. 86−4031
Tou, J.T. *see* Huang, C.L. 87−13128, 88−41066
Tou, J.T. *see* Ritter, G.X. 85−13489
Tou, J.T. *(editor)* Advances in information systems science. Vol.9 86−33915
Tou, S. The Yagi-Uda type arrays antenna composed of delta loops 85−51504
Tou, S., Tsukiji, T. Yagi-Uda array antenna composed of twin-delta loops 85−51507
Tou, S., Tsukiji, T. The current distribution and the radiation pattern of a Yagi-Uda type array antenna composed of twin delta loops 85−57153
Tou, S., Tsukiji, T. Yagi-Uda array antenna composed of twin-delta loops 87−12833
Tou, S. *see* Kumon, Y. 85−57136
Tou, S. *see* Tsukiji, T. 85−24964, 87−2362
Tou, S.K.W., Liu, C.Y., Ng, K.L. The effects of an air pocket on the performance of a twin-wire resistance probe manometer 88−60958
Tou, S.K.W., Wong, K.K. Design of a digital filter for random wave simulation 87−73546
Touan, M. CEPT recommendations 85−36509
Touati, M. *see* Annabi, M. 88−24400
Toubektsis, S.N., Polychroniadis, E.K., Economou, N.A. Single crystal growth of α-HgI_2 from the melt through the intermediary growth of the α'-HgI_2 phase 86−26810
Toubektsis, S.N., Polychroniadis, E.K., Economou, N.A. A new technique for growing single HgI_2 crystals 87−23605
Toubhans, I., Fabbro, R., Faral, B., Chaker, M., Pepin, H. X-ray lithography with laser-plasma sources 88−26139
Toubhans, I. *see* Chaker, M. 88−23016, 88−33095, 88−50772, 88−64447
Toubhans, I. *see* Pepin, H. 87−38371
Touboul, A., Rigaud, D. High speed GaAs BCCDs: 2-D numerical simulation to help the technological choices 87−25615
Touboul, A. *see* Carquet, M. 88−71615
Touboul, A. *see* Rigaud, D. 85−12311, 86−58487
Touboul, A. *see* Sodini, D. 85−29208, 85−50547, 87−1553
Touboul, M.C. *see* Anguilar-Benitez, M. 87−71031
Touch, J. *see* Birman, K.P. 88−54573
Touchard, F. *see* Coc, A. 85−64509
Touchard, G., Benyamina, M., Borzeix, J., Romat, H. Static electrification by laminar flows through rough pipes 88−27422
Touchard, G., Il Idrissi, A., Borzeix, J. Streaming current generated on a cylindrical electrode 85−50795
Touche, M.C.D.La *see* La Touche, M.C.D.
Touchton, G.L., Szema, L.C., Cutrone, M.B., Cellamare, R., Vonkleinsmid, W. Design of a catalytic combustor for heavy duty gas turbines 85−4964
Touchton, G.L. *see* Armor, A.F. 87−64410
Touchton, G.L. *see* Wozney, G.P. 87−9372, 87−64417
Touchton, R.A., Gunter, A.D., Subramanyan, N. Automated reasoning with dynamic event trees: a real-time, knowledge-based decision aide 88−62044
Touchy, U. *see* Krugel, K.H. 85−2592
Toudic, Y., Coquille, R., Gauneau, M., Grandpierre, G., Lambert, B. Recent results in semi-insulating indium phosphide crystal growth 88−56210
Toudic, Y., Coquille, R., Gauneau, M., Grandpierre, G., Le Marechal, L., Lambert, B. Growth of double doped semi-insulating indium phosphide single crystals 87−65465
Toudic, Y. *see* Coquille, R. 87−65463
Toudic, Y. *see* Detaint, J. 87−32792, 87−58913
Toudic, Y. *see* Gauneau, M. 86−67792
Toudic, Y. *see* Haji, L. 87−44299
Toueg, S. *see* Koo, R. 88−46554
Toueg, S. *see* Perry, K.J. 86−49278
Toueg, S. *see* Rauchle, T. 85−63135
Touffut, X. A rational approach to the maintenance of industrial installations 86−126
Touge, M. *see* Hasegawa, Y. 87−16199
Touge, T., Nakagami, T., Miyauchi, A., Chikama, T., Goto, M., Takanashi, H. System evaluation of optical devices in the 1.5 μm wavelength region for high-bit-rate trunk line applications 85−42621
Touge, T. *see* Horimatsu, T. 85−37056, 86−64988
Touge, T. *see* Iwama, T. 88−72235
Touge, T. *see* Masuda, S. 87−12173
Touge, T. *see* Miyauchi, A. 88−65733
Touge, T. *see* Nishimoto, H. 87−40950, 88−53270
Touge, T. *see* Ogawa, T. 85−25903, 87−28560
Touge, T. *see* Okiyama, T. 88−47172
Touge, T. *see* Shirasaki, M. 88−47031
Touge, T. *see* Takahashi, O. 86−55309
Touge, T. *see* Yamaguchi, K. 88−50988
Touge, T. *see* Yano, M. 87−18968
Tough, J.G., Leyshon, P.R. SPHINX−a program to fit the spherical and exponential models to experimental semivariograms 85−39620
Tough, M. Battery design suits PV systems 87−43346
Tough, R.J.A. *see* Baker, C.J. 88−60233
Tough, R.J.A. *see* Jakeman, E. 88−15560
Tough, R.J.A. *see* Oliver, C.J. 86−43886
Tough, R.J.A. *see* Ward, K.D. 88−21161
Toughe Zhang *see* Zhang Toughe
Touhara, H., Fujimoto, H., Watanabe, N., Tressaud, A. Discharge reaction mechanism in graphite fluoride-lithium batteries 85−10082
Touhara, H., Kadano, K., Watanabe, N., Braconnier, J.-J. Electrochemical characteristics of fluorinated activated carbon fibers-lithium cells 87−58270
Touil, M. *see* Allamando, E. 88−56974
Touillet, D. Message handling systems and telematic terminals 85−3115
Touillet, D. ATLAS 400: a public message service complying with X.400 87−20145
Touillet, D., Ducourant, M., Clement, G. An application for the DPX400 message handling system: the Atlas 400 service from Transpac 88−46400
Toukhy, M., Tadros, S., Guglielmo, C. High temperature positive photoresist for use on reflective topography and sputter applications 86−1892
Toukhy, M. *see* Jeffries, A.T. 86−1916
Toukhy, M.A. An aqueous developable deep UV/electron beam negative resist 86−1898
Toukhy, M.A. Development induction mechanism in novolak based resist systems for submicron optical lithography 88−13271
Toulemonde, M., Heddache, R., Nielsen, F., Siffert, P. Direct measurement of the maximum depth phase change of crystal silicon under pulsed laser irradiation 85−1279
Toulemonde, M., Muller, J.C., Stuck, R. Transfer of a metal from a transparent film to the surface of silicon to produce p-n junction solar cells 86−66354
Toulemonde, M., Stoquert, J.P., Siffert, P. Hydrogen in a-Si deposited by pyrolytic decomposition of SiH_4 86−46383
Toulemonde, M., Unamuno, S., Heddache, R., Lampert, M.O., Hage-Ali, M., Siffert, P. Time-resolved reflectivity and melting depth measurements using pulsed ruby laser on silicon 85−18192
Toulemonde, M. *see* Ababou, Y. 86−41525
Toulemonde, M. *see* Al Dallal, S. 85−11959
Toulemonde, M. *see* Bruyere, J.C. 86−47332
Toulemonde, M. *see* Drevillon, B. 85−54499
Toulotte, J.-M. *see* Manesse, G. 88−75853
Toulotte, J.M., Tichon, J. Development of a communication system for handicapped persons: generation of systems 87−71159
Toulotte, J.M. *see* Tichon, J. 88−68496
Toulouse, B. *see* Triboulet, R. 87−31477
Toulouse, G. *see* Souillard, B. 85−61661
Toulouse, J. A modified version of the phase sensitive technique for measurements of absolute sound velocity in solids 88−53954
Toulouse, J., Nowick, A.S. Dielectric loss in Li- and Na-swept α-quartz and the effect of irradiation 85−23984
Toulouse, P. *see* Coatrieux, J.L. 86−56134
Toulouzan, J.N.Le *see* Le Toulouzan, J.N.
Toulson, C. *see* O'Shaughnessy, D. 86−3808
Toumayan, P.P. *see* Nawab, S.H. 88−3105
Toumazou, C. Recent developments in current-conveyors 87−5964
Toumazou, C. High gain operational amplifiers for GaAs switched-capacitor filter applications 87−45061
Toumazou, C. A novel current-mode operational amplifier 88−12238
Toumazou, C. Analogue design techniques for high speed GaAs operational amplifiers 88−12239
Toumazou, C., Haigh, D.G. Design of a high-gain, single-stage operational amplifier for GaAs switched-capacitor filters 87−59187
Toumazou, C., Haigh, D.G. Level-shifting differential to single-ended convertor circuits for GaAs MESFET implementation 87−73336
Toumazou, C., Lidgey, F.J. Novel bipolar differential input/output current-controlled current source 85−28389
Toumazou, C., Lidgey, F.J. Floating-impedance convertors using current conveyors 85−54997
Toumazou, C., Lidgey, F.J. Universal active filter using current conveyors 86−52939
Toumazou, C., Lidgey, F.J. Wide-band precision rectification 87−23908
Toumazou, C., Lidgey, J. Fast current-mode precision rectifier 88−12183
Toumazou, C. *see* Haigh, D.G. 88−50253
Toumazou, C. *see* Lidgey, F.J. 85−33684
Toumi, B., Dhifaoui, R., Van Cutsem, T., Ribbens-Pavella, M. Fast transient stability assessment revisited [power systems] 86−56369
Toumi, B., Dhifaoui, R., Van Cutsem, T., Ribbens-Pavella, M. Fast transient stability assessment revisited [power systems] 86−61002
Toumi, B. *see* Van Cutsem, Th. 87−71501
Toumodge, S.S. Why stereo? 88−47648
Tounissoux, D. *see* Arnaud, G.M. 87−48219
Tounissoux, D. *see* Terrenoire, M. 88−45820
Toups, C.E., Yamada, D.K. Thermal/structural analysis of diamond supported helices [TWT] 86−63002
Toups, M.F. *see* Van Der Ziel, A. 87−6660
Tour, N.Dupre La *see* Dupre La Tour, N.
Tourbah, A., Foret, J.Y., Brie, C., Le Baron, J.P. SIRENA: a CAD system for simulation of binary data transmission systems 85−13735
Tourbot, R. *see* Debray, P. 88−64263
Touret, J.M. *see* Vieillart, J. 88−29113
Tourillon, G. *see* Dartyge, E. 86−60668
Tourillon, G. *see* Fontaine, A. 87−29487
Tourillon, G. *see* Glenis, S. 85−35602
Tournade, A.M. *see* Bruneau, D. 86−15761
Tourneix, J. *see* Bernede, M. 85−15198
Tournesac, B. *see* Claesen, R. 85−49029
Tournesac, B. *see* van der Geer, C.A.J. 87−78068
Tournesac, B. *see* van Ingen, A.M. 85−48793
Tourneur, G.Le *see* Le Tourneur, G.
Tourneur, J. *see* Clair, D. 87−26992, 88−34404
Tournier, B. *see* Camarcat, N. 85−4190
Tournier, E. *see* Allemand, R. 85−4316
Tournier, G., Laborde, K. Rehabilitation of askarel transformers 88−5745
Tournier, R. The future of electrodeposited alloys 88−6490
Tournier-Lasserve, C. *see* Gagalowicz, A. 87−48122 to 48123
Tournilhac, F. *see* Simon, J. 87−60119
Touron, P. *see* Dousset, L. 88−44302
Tourreil, C.de *see* de Tourreil, C.
Tourret, J. *see* Bocqueho, P. 86−31022
Toursel, B. *see* Goncalves, G. 88−38559, 88−50203
Tourtellott, T. Productivity management systems provide data to improve manufacturing 87−24586
Tourtier, P.J., Scharg, L.L., Scharf, L.L. Maximum likelihood identification of correlation matrices for estimation of power spectra at arbitrary resolutions 87−62088
Tourtier, P.J. *see* Scharf, L.L. 88−3130
Touryan, K.J. *see* Mitchell, K.W. 86−40094
Touryan, K.J. *see* Strickland, J.H. 88−17487
Tousek, J. *see* Touskova, J. 87−26202
Toushinsky, A., Evjenko, V. The offset printing method of inner layers−one of the improved methods for PCB manufacturing technology 86−35195
Touskova, J., Kindl, D., Tousek, J. Schottky photocells on electrodeposited CdTe layers 87−26202
Touskova, J. *see* Kindl, D. 88−44740
Touskova, J. *see* Valvoda, V. 87−6375
Touslee, R. *see* Lehr, R.L. 88−23365
Toussaint, A.L., McFall, M.E. Spacecraft application of expert systems 86−56229
Toussaint, G.T. An optimal algorithm for computing the minimum vertex distance between two crossing convex polygons 85−28135
Toussaint, G.T. Shortest path solves edge-to-edge visibility in a polygon 87−2590

Toussaint, G.T. An optimal algorithm for computing the relative convex hull of a set of points in a polygon 87−48046
Toussaint, H.-N. *see* Knoblauch, G. 85−46158
Toussaint, M. *see* Bitzer, K.L. 86−64894
Toussaint, M. *see* Hofmann, H. 85−30950
Toussaint, P. The experimental wind-powered generating station of the NV SEP 86−12754
Toussaint, P. Experimental windfarm: organisation, objectives, research programme 87−78564
Toussaint, R., Markham, D., Doyle, W. Static characteristics of soft-adjacent-layer self-biased magnetoresistive heads 87−25797
Toussaint, R. *see* Jeffers, F. 86−36011
Toussaint, R. *see* Paulson, D.N. 87−77633
Toutah, H. Study of electronic states located at the Si-SiO_2 interface and within the oxide volume of VLSI MOS capacitors using capacitance and conductance measurements 85−23965
Toutain, E. *see* Ferrieux, J.-P. 86−45552, 86−51768, 87−30774
Toutain, E. *see* Ferrieux, J.P. 86−61650
Toutain, E. *see* Hoang Le-Huy 88−69615
Toutain, S. *see* Breton, S. 88−60880
Toutain, S. *see* Charlot, J.-J. 87−11782
Toutain, S. *see* Mametsa, H.J. 86−53014, 88−56878
Toutain, S. *see* Palacios, J. 88−50304
Toutain, S. *see* Pribetich, P. 85−19261
Toutan, O., de Luca, O. Auto-adaptivity in microwave links 86−38303
Toutan, O. *see* Beddok, J.M. 85−42455
Toutan, O. *see* Henriot, M.-C. 88−66179
Toutenburg, H. *see* Fitze, P. 85−48828
Touyarot, P. First results from life operation of the Biarritz broadband multiservice network 88−8941
Touyarot, P. First results from life operation of the Biarritz broadband multiservice network 88−28902
Touyarot, P., Marc, B., De Panafieu, A. Biarritz optical multiservice subscriber network: experience in the making 86−30765
Touyarot, P., Marc, B., de Panafieu, A. First lessons from the Biarritz trial network 87−20548
Touyarot, P., Veyres, C. The use of optical fibres in videocommunication networks 87−8327
Touzain, Ph., Yazami, R., Maire, J. Lithium-graphitic oxide cells. II. High specific surface area graphitic oxide as cathode material for lithium batteries 85−39184
Touzel, J., Foucaran, A., Chen, V., Duchemin, S., Bougnot, J., Savelli, M. Fabrication and characterization of sprayed $CuInSe_2$ thin layers 86−34354
Touzet, B., Thevenon, A., Flamand, J., Lerner, J.M. Matching an optical fibre to a diode array holographic flat field spectrograph 88−47546
Touzet, R.E. Old nuclear power plants: common problems and regulatory strategy for their treatment 88−48702
Touzi, R., Lopes, A., Bousquet, P. A statistical and geometrical edge detector for SAR image segmentation 88−9630
Touzi, R. *see* Lopes, A. 87−63990
Tovar, A.A. *see* MacFarlane, D.L. 88−51896
Tovar, M.Serrano *see* Serrano Tovar, M.
Tovarnitskii, M.V. *see* Kaminskii, V.M. 86−27954
Tovbin, M.N. The HBST trinicon in colour ENG cameras 85−23366
Tove, P.-A. *see* Tiren, J. 87−14761
Tove, P.A. Formation and characterization of metal-semiconductor junctions 87−17792
Tove, P.A., Bohlin, K. Complementary MESFETs in silicon technology 87−11808
Tove, P.A., Bohlin, K., Masszi, F., Norde, H., Nylander, J., Tiren, J., Magnusson, U. Complementary Si MESFET concept using silicon-on-sapphire technology 88−26546
Tove, P.A. *see* Asplund, L. 85−9112
Tove, P.A. *see* Bleichner, H. 87−3716
Tove, P.A. *see* Bohlin, K. 85−61940
Tove, P.A. *see* Bohlin, K.E. 87−38516, 87−60638
Tove, P.A. *see* de Sousa Pires, J. 85−34624
Tove, P.A. *see* Elfsten, B. 85−55769
Tove, P.A. *see* Masszi, F. 86−47516, 87−6465, 87−6747 to 6748
Tove, P.A. *see* Norde, H. 87−11732
Tove, P.A. *see* Tarnay, K. 86−67752
Tovelli, G. *see* Caironi, G. 86−11386
Tovey, A.S. The short proposal (process and product) 88−63125
Tovey, C. *see* Fathi, Y. 86−46223
Tovey, C. *see* Rodl, V. 87−65348
Tovey, C.A., Weiss, G., Wilson, J.R. Minimum spillage sequencing 88−46964
Tovey, J. Hybrid solutions [uninterruptible power supply] 87−78753
Tovey, S.N. *see* Darling, T.W. 85−4117
Tovmachenko, N.N. *see* Sidorik, E.P. 86−60757
Tovmasyan, A.B. *see* Regel', V.R. 88−12975
Tovmasyan, G.G., Amizyan, E.R., Gulyan, A.G. Simple Gunn oscillators 86−67491
Tovmasyan, S.K. *see* Vinogradov, S.V. 88−34099
Tovstik, Yu.V., Filonenko, V.A., Evdokimova, V.G., Golubchikov, V.V. Industrial testing of type AZO-6 leakage protection apparatus for coal mines 88−49325
Tovstik, Yu.V. *see* Kolosyuk, V.P. 87−36056
Tovstochatko, V.M. Development and perfection of magnetic-field dust precipitation as a means to avoid dust emission 85−7604
Tovstyuk, K.D. *see* Brodovoi, A.V. 85−6722, 85−23491
Tovstyuk, K.D. *see* Dragomeretsky, V.V. 87−17919
Tovstyuk, K.D. *see* Manasson, V.A. 88−13065, 88−33881
Tovstyuk, K.D. *see* Ryukhtin, V.V. 85−51045
Tow, D.M. *see* Mocenigo, J.M. 85−3007
Tow, J. *see* Boddie, J.R. 87−17143, 87−37305, 87−52655, 88−778, 88−73017
Tow, J. *see* Hayes, W.P. 86−20598
Tow, J. *see* Kershaw, R.N. 86−8306
Tow C. Chong, Fonstad, C.G. Growth of high quality GaAs layers directly on Si substrate by molecular-beam epitaxy 87−73102
Towaij, M. *see* Birks, G. 86−37576
Towaij, S. *see* Hafez, H.M. 87−69980
Towart, L.K. *see* Acosta, R.E. 85−12379
Towbridge, J.H. *see* Aubrey, D.G. 85−32021
Towe, B.C. Passive biotelemetry by frequency keying 87−14820
Towe, B.C. Vibration of polarographic oxygen electrodes by piezoelectric elements: a method of reducing flow artifacts 88−10302
Towe, E. The harnessing of Africa's hydropower using developments in electrotechnology 85−9791
Towe, E., Fonstad, C.G., Jr. Mixed-mode phase-locked quantum well laser arrays 87−46907
Towe, N.J. Quality or productivity? 87−65233
Tower, J.R., Cope, A.D., Pellon, L.E., McCarthy, B.M., Strong, R.T., Kinnard, K.F., Moldovan, A.G., Lavine, P.A., Elabd, H., Hoffman, D.M., Kramer, W.M., Longsderff, R.W., Kennerly, R.E., Calvin, W.M. Performance of 4×5120 element visible and 2×2560 element shortwave infrared multispectral focal planes 87−20935
Tower, J.R., Cope, A.D., Pellon, L.E., McCarthy, B.M., Strong, R.T., Kinnard, K.F., Moldovan, A.G., Levine, P.A., Elabd, H., Hoffman, D.M., Kramer, W.M., Longsderff, R.W. Design and performance of 4×5120-element visible and 2×2560-element shortwave infrared multispectral focal planes 86−70047
Tower, J.R., Pellon, L.E., McCarthy, B.M., Elabd, H., Moldovan, A.G., Kosonocky, W.F., Kalshoven, J.E., Jr., Tom, D. Shortwave infrared 512×2 line sensor for Earth resources applications 86−5058
Tower, J.R., Warren, F.B., Pellon, L.E., Strong, R.T., Elabd, H., Cope, A.D., Hoffman, D.M., Kramer, W.M., Longsderff, R.W. Multispectral linear array visible and shortwave infrared sensors 86−12151
Tower, J.R. *see* Goldfarb, S. 86−55562
Tower, M.M., Farris, L.K., Haight, C.H. Electromagnetic launched projectile compatibility 87−26716
Tower, M.M. *see* Haight, C.H. 87−26677
Tower, M.M. *see* Jackson, G.L. 87−26684
Tower, S., Ehlerding, G. Laser technology for industry 85−35949
Tower, S.N. *see* Currey, C.F. 85−43684
Towers, E.L. *see* Fontaine, R.K. 87−76085
Towers, E.W. Beyond MSAs: bringing cellular service to rural America 86−37782
Towers, M.S., McCowen, A. New one- and two-dimensional algorithms for the transient simulation of semiconductor devices 88−71499
Towers, M.S. *see* McCowen, A. 87−6640
Towers, P.J., Pajayakrit, A., Holt, A.G.J. Cascadable NMOS VLSI circuit for implementing a fast convolver using the Fermat number transform 87−37329
Towers, S.J. *see* Foeth, H. 87−29474
Towers, T. Standards the key to reliable starters [motor control] 88−11164
Towey, D.P., Sinel, N.M. An electric utility explores the use of modern communications technologies 85−21101
Towfiq, F., Barnes, C.W., Pisa, E.J. Tissue classification based on autoregressive models for ultrasound pulse echo data 85−15277
Towhidnejad, M. *see* Patz, B.W. 88−15177
Towill, D.R. Automatic testing of control systems−past, present, and future 87−41334
Towill, D.R. *see* Cheema, P.S. 88−71243
Towill, D.R. *see* Sutton, R. 88−36726
Towle, L.C. A review of the CENELEC intrinsically safe system standard EN50 039 86−7483
Towle, L.C. A review of education and training facilities for electrical equipment in hazardous areas 87−10066
Towlen, S. *see* Laczko, F. 87−5917
Towler, F.J. *see* Fifield, J.A. 85−6314
Towler, F.J. *see* Masenas, C.J. 85−33645
Towler, G.O. Milestones in television pick-up performance 87−24722
Towler, G.O. Noise sources in TV camera tubes 87−32215
Towler, G.O. *see* Stemp, G.C. 86−11222
Towler, W.R. *see* Luther, G.G. 85−63943
Towles, T.L. *see* Scally, D.R. 85−32031
Towlson, W.A. *see* Patrick, T.J. 87−35956
Town, D.M. Network management−recent advances and future trends 88−52992
Town, G., Ching, N., Braun, M., Rosenfeld, D. Design and construction of 'SUMRIS'−the Sydney University magnetic resonance imaging system 88−23048
Town, G., Neng Ching, Braun, M., Rosenfeld, D. Design and construction of 'SUMRIS'−the Sydney University Magnetic Resonance Imaging System 88−16687
Town, G.G. *see* Stratton, R.C. 88−48690
Town, R. Evolution of ISDN in the current telco environment 87−40246
Towne, C.A., Sheppard, D.J. Oil mist lubrication for electric motors−where it stands today 86−39713
Towne, C.A., Sheppard, D.J. Oil mist lubrication for electric motors−where it stands today 87−30500
Towne, C.A., Sheppard, D.J. Oil mist lubrication for electric motors−where it stands today 87−51160
Towne, J.B. *see* Halbach, R.E. 87−50307
Townend, R. Resolution of secondary liquid-liquid mixtures 88−65954
Towner, D.K. *see* Campbell, D.K. 86−42387
Towner, J.M. Electromigration testing of thin films at the wafer level 85−12378
Towner, J.M. Electromigration-induced short circuit failure 86−15081
Towner, J.M. Influence of conductor linewidth on short-circuit failure 87−53422
Towner, J.M. The importance of the short-circuit failure mode in aluminum electromigration 88−26099
Towner, J.M., Dirks, A.G., Tien, T. Electromigration in titanium doped aluminum alloys 87−1451
Towner, J.M. *see* Broadbent, E.K. 87−60373
Towner, J.M. *see* Ellwanger, R.C. 87−60376, 88−70360
Towner, J.M. *see* Sadana, D.K. 87−1453
Townes, S.A., Barnwell, T.P., III, Rose, R.C. 4800 B/S speech compression techniques for mobile satellite systems 87−39716
Townes, S.A., Divsalar, D. Near-toll quality digital speech transmission in the mobile satellite service 87−34508
Towns, C. History of project OSCAR 88−46955
Townsend, A.A.R. Digital line-of-sight radio links: a handbook 88−55815
Townsend, B. *see* Ellis, J. 87−55623
Townsend, B.S. Distribution: the years of change [power transmission and distribution] 85−21169
Townsend, C. Stenner Canyon Project owes much to Lester Pelton [hydroelectric power station] 86−56656
Townsend, C. *see* Holtzman, J.C. 86−30111
Townsend, C.L., Varnum, J.M. Fundamentals of engineering review 87−23102
Townsend, C.L. *see* Day, A.L. 88−18358
Townsend, C.W. Municipal water powers small hydro in California 86−12729
Townsend, D., Frey, P., Jeavons, A., Reich, G., Tochon-Danguy, H.J., Donath, A., Christin, A., Schaller, G. High density avalanche chamber (HIDAC) positron camera 88−48111
Townsend, D. *see* Clack, R. 85−9169
Townsend, D. *see* Frey, P. 88−61292
Townsend, D. *see* Huotari, R. 88−43818
Townsend, D. *see* Montgomery, P. 87−65135
Townsend, D.H. Broadband HF system design for Naval ships 85−30944
Townsend, D.W. PET with the HIDAC camera? 88−61303
Townsend, F.E. The enhancement of computer classifications by logical smoothing 86−44770
Townsend, G.C. Techniques for designing module generation tools 87−46153
Townsend, H.D. Future trends in engineering: a computer-aided environment 86−39444
Townsend, J. The spiked computer case−tracing who done it 86−6856
Townsend, J. *see* Daniels, R.G. 85−7075
Townsend, J.E., Poole, S.B., Payne, D.N. Solution-doping technique for fabrication of rare-earth-doped optical fibres 87−38749
Townsend, J.E. *see* Farries, M.C. 87−7095, 88−51773
Townsend, J.E. *see* Fermann, M.E. 87−54074, 88−72295
Townsend, J.E. *see* Hanna, D.C. 88−65285
Townsend, J.E. *see* Jauncey, I.M. 88−27105
Townsend, J.K., Shanmugan, K.S., Frost, V.S. Optimal frequency domain textural edge detection filter 85−57455
Townsend, J.K. *see* Elrefaie, A.F. 88−34930
Townsend, J.K. *see* Frost, V.S. 86−10541
Townsend, J.K. *see* Shanmugan, K.S. 86−55314
Townsend, J.R. *see* Choyke, W.J. 85−18239
Townsend, K. Videotex today 85−25388
Townsend, K. Computers in telecommunications−an overview 85−25470
Townsend, K. Videotex . . . an investigation of the market 86−59560
Townsend, K. Lock up your LANs [security] 88−3499
Townsend, L. Targeting bypass technologies [telecommunications] 88−9398
Townsend, M. Custom microcontroller cell reduces required logic in μP systems 86−41132

Townsend, M. System design answers for controller-based ASICs 87—588
Townsend, M. Cleaning up MPU based designs with standard cells 87—780
Townsend, M.A., Gibson, J.E., Knausenberger, G. Industry-State-University Research Collaboration: the West German Fraunhofer Gesellschaft Model 88—31389
Townsend, N. New applications for data PBXs 88—41471
Townsend, P.D. Ion implantation—an introduction 86—47452
Townsend, P.D. Optical waveguides formed by ion implantation in Al_2O_3 and $CaCO_3$ 86—48180
Townsend, P.D. *see* Chandler, P.J. 87—12199, 88—7946, 88—65290
Townsend, P.D. *see* Faik, A.B. 87—12101
Townsend, P.D. *see* Glavas, E. 87—25950, 88—58196
Townsend, P.D. *see* Pitt, C.W. 86—48181
Townsend, P.D. *see* Zhang, L. 88—72083
Townsend, P.H., Vander Plas, H.A. Control of hillocks in Al-2%Cu double-level metal interconnect 86—28442
Townsend, R.L. *see* Gibb, K.R. 87—44925
Townsend, S. *see* Sentman, L.H. 86—3083, 86—9722
Townsend, S.W. *see* Sentman, L.H. 86—15734
Townsend, W.F. The Ocean Topography Experiment (TOPEX): Some questions answered 86—50755
Townshend, B., White, R.L. Reduction of electrical interaction in auditory prostheses 88—16787
Townshend, B. *see* Knapp, R.B. 88—72858
Townshend, J.R.G., Goff, T.E., Tucker, C.J. Multitemporal dimensionality of images of normalized difference vegetation index at continental scales 86—25454
Townshend, P.H., Fulks, R.T., Vander Plas, H.A., Ho, J. Stresses in gate level interconnects of WSi_2 and $TaSi_2$ 87—25176
Townsley, M.W. *see* Gellings, C.W. 85—59540
Towrie, M. *see* Drysdale, S.L.T. 87—29450
Towrie, M. *see* Ledingham, K.W.D. 85—4217, 86—25123
Towsley, D. An analysis of a point-to-multipoint channel using a go-back-*N* error control protocol 85—36476
Towsley, D. Approximate models of multiple bus multiprocessor systems 86—43361
Towsley, D., Mithal, S. A selective repeat ARQ protocol for a point to multipoint channel 87—55444
Towsley, D., Vales, P.O. Announced arrival random access protocols 87—48264
Towsley, D., Wolf, J.K. On adaptive tree polling algorithms 85—19819
Towsley, D. *see* Baccelli, F. 88—6354
Towsley, D. *see* Bhargava, A. 88—52937, 88—73583
Towsley, D. *see* Cassandras, C.G. 88—59391
Towsley, D. *see* Kim, B.G. 86—49049
Towsley, D. *see* Kurose, J.F. 88—46346
Towsley, D. *see* Lee, K.J. 87—62512
Towsley, D. *see* Panwar, S.S. 85—51521, 87—55399, 88—34877
Towsley, D. *see* Rosberg, Z. 86—19894
Towsley, D. *see* Shacham, N. 88—59460
Towsley, D.F. *see* Dan, A. 88—34879
Toy, E.J. *see* Moon Jung Chung 87—67572
Toy, L.C. 5ESS switching system large-scale real time program retrofit methodology 88—28606
Toy, M. Block digital filter structures based on continued and block partial fraction expansions 86—46993
Toy, M., Chirlian, P.M. Low multiplier coefficient sensitivity block digital filters 85—11428
Toy, N. *see* Savory, E. 85—3839, 85—6453
Toy, R., Pearlman, W.A. Backward adaptation for transform trellis coding of speech 87—61777
Toy, T.T. *see* Epperly, C.E. 85—8939
Toy, W.N. Dual versus triplication reliability estimations 88—43738
Toya, H., Hayashi, T., Shinozaki, Y., Murai, Y. Statistical analysis of breakdown property between electrode and shield in high voltage vacuum interrupters 86—19420
Toya, H., Hayashi, T., Shinozaki, Y., Murai, Y. Statistical property of breakdown between electrode and shield in high-voltage vacuum interrupter 86—21913
Toya, H., Uchida, Y., Hayashi, T., Murai, Y. Anode discharge mode and cathodic plasma state in high-current vacuum arcs 87—24660
Toya, M. MII format VTR for broadcast and production use incorporates S-VHS 88—53460
Toyabe, T., Ikenaga, S., Aoki, M., Masuda, H., Itok, K. Memory cell capacitance simulation in three dimensions 88—70779
Toyabe, T., Masuda, H., Aoki, Y., Shukuri, H., Hagiwara, T. Three-dimensional device simulator CADDETH with highly convergent matrix solution algorithms 86—21475
Toyabe, T., Masuda, H., Kaneko, Y., Sasano, A., Fukushima, H., Tsukada, T. A two-dimensional numerical model of amorphous silicon thin-film transistors 87—46012
Toyabe, T. *see* Aoki, Y. 85—7086, 85—35194, 87—53323
Toyabe, T. *see* Hamada, A. 88—7604
Toyabe, T. *see* Hisamoto, D. 88—19978
Toyabe, T. *see* Inohira, S. 86—21648
Toyabe, T. *see* Kato, M. 85—23744
Toyabe, T. *see* Masuda, H. 85—18276, 86—46843
Toyabe, T. *see* Nanba, M. 88—64520
Toyabe, T. *see* Ohkura, Y. 87—60457
Toyabe, T. *see* Takeda, E. 87—25490, 87—46128, 88—757, 88—57778
Toyabe, T. *see* Takeuchi, K. 88—6871
Toyabe, T. *see* van der Biesen, J.J.H. 88—71521
Toyada, N. *see* Hirose, M. 87—60486
Toyada, N. *see* Uchitomi, N. 85—40782
Toyama, G.K. *see* Rawson, E.G. 87—34586
Toyama, H. *see* Ejiri, K. 88—36459
Toyama, M. Stability of 1/f frequency fluctuations and Q-value 86—20348
Toyama, M., Harajiri, T., Maeda, T., Kuroda, Y., Tsunoda, Y., Suzuki, M., Yamazaki, T. A large-area diode-matrix LCD using SiN_x layer 88—16323
Toyama, M., Itoh, H., Moriya, T. Tungsten photochemical vapor deposition mechanism in WF_6+H_2 system. I. Adspecies excitation model 86—57476
Toyama, M., Itoh, H., Moriya, T. Tungsten photochemical vapor deposition mechanism in WF_6+H_2 system. II. Gas-molecule adspecies collision model 86—57477
Toyama, M. *see* Itoh, H. 87—23730
Toyama, M. *see* Kitano, I. 87—18585
Toyama, M. *see* McLaughlin, P.O. 87—46633
Toyama, M. *see* Matsuda, A. 86—13797
Toyama, M. *see* Nishi, H. 87—18783, 87—26123
Toyama, M. *see* Suzuki, M. 88—42207
Toyama, N. Circularly polarized shaped-beam antenna using cross-shaped horns 85—30096
Toyama, N. Capacitance decrease due to stress in a Cu-doped, *n*-type Si Schottky diode 85—40683
Toyama, N., Shogen, K. Circularly polarized shaped-beam antenna for broadcasting satellites 85—30100
Toyama, N., Takahashi, T., Murakami, H., Koriyama, H. Variation of the effective Richardson constant of Pt-Si Schottky diode due to annealing treatment 85—34914
Toyama, N. *see* Murakami, H. 87—18062
Toyama, N. *see* Takahashi, T. 87—18061
Toyama, S. *see* Yamagami, T. 86—12000
Toyama, T., Hioki, T., Morita, Y., Yanase, S., Asano, T. Optical video disc for Hi-vision 87—49355
Toyama, T., Koda, K., Ando, N., Nakajima, M., Komatsu, M. A high-speed, high-density 512K-bit EPROM 87—10878
Toyama, T., Morita, Y., Hioki, T., Ohta, O., Ishii, Y., Ninomiya, Y., Ohtsuka, Y., Izumi, Y., Goushi, S. Optical videodisc for high-definition television by the MUSE 86—38097
Toyama, T. *see* Hioki, T. 88—41871
Toyama, T. *see* Hiramatsu, S. 85—48156, 87—3843
Toyama, T. *see* Iwata, T. 86—44552
Toyama, T. *see* Kruangam, D. 88—26990, 88—45311, 88—65504
Toyama, T. *see* Ohmori, C. 87—57027
Toyama, T. *see* Sato, H. 86—31778, 87—3816, 88—47831
Toyama, T. *see* Shibaya, H. 86—38050
Toyama, T. *see* Tanaka, E. 86—69019
Toyama, T. *see* Yamada, J. 86—21936, 88—33491, 88—51122
Toyama, T. *see* Yamada, T. 87—67675
Toyama, Y. *see* Shiratori, T. 88—74520
Toyarot, P., Guillarme, P. First results from life operation of the Biarritz broadband multiservice network 87—76808
Toye, T.H. Today's technology . . . today. The use of the microprocessor in Development Troop, School of Signals 87—34355
Toyer, J. *see* Begg, M.C. 88—34236
Toyida, N., Uchitomi, N., Kitaura, Y., Mochizuki, M., Kanazawa, K., Terada, T., Ikawa, Y., Hojo, A. A 2K-gate GaAs gate array with a WN gate self-alignment FET process 86—20440
Toyo-oka, A. Recent trends of fiber optic transmission technology in Japan 87—70027
Toyoda, A., Nakashima, Y., Fukushima, A., Hara, M. New split heat pumps with smart air flow 87—51645
Toyoda, A. *see* Shimura, M. 85—27635
Toyoda, E. *see* Watanabe, H. 86—52877
Toyoda, H., Nishikawa, S., Kitamura, Y., Onishi, M., Harada, H. New automatic focusing system for video cameras 87—13914
Toyoda, H., Sugai, H., Kato, K., Yoshida, A., Okuda, T. Hydrogenated amorphous silicon formation by flux control and hydrogen effects on the growth mechanism 86—57467
Toyoda, H., Sugai, H., Yoshida, A., Okuda, T. Key active species in hydrogenated amorphous silicon deposition process in a toroidal DC discharge 86—26905
Toyoda, H. *see* Endo, A. 85—61561
Toyoda, H. *see* Fujitsu, S. 87—52213, 88—57703
Toyoda, H. *see* Hara, T. 88—33777
Toyoda, H. *see* Sugai, H. 85—44769
Toyoda, H. *see* Tanimoto, S. 87—31766
Toyoda, I., Matsuhara, M., Kumagai, N. Analysis of the electromagnetic fields at the facet of optical fibers and of dielectric rod antennas 86—68280
Toyoda, I., Matsuhara, M., Kumagai, N. Analysis of the electromagnetic fields at the facets of optical fibers and dielectric rod antennas 87—54630
Toyoda, J. Specific duties and economic evaluation of energy storage systems in electric power systems 85—64798
Toyoda, J. Zone-tune-up estimation of apparent impedance for digital distance protection 86—39201
Toyoda, J., Kohno, M. Coordinative planning of energy storage system in optimal generation mix 87—30112
Toyoda, J., Murano, K. $SrTiO_3$ base BL capacitors prepared by vapor phase diffusion 88—32493
Toyoda, J., Saitoh, H., Kobayashi, Y. On-line security monitoring by detecting of specified modes through power flow observation 87—71681
Toyoda, J. *see* Hori, M. 88—59104
Toyoda, J. *see* Ippongi, M. 88—27859
Toyoda, J.-I. *see* Saito, H. 87—50745
Toyoda, K. Application of statistical method to self-calibration of angle with two autocollimators 85—4109
Toyoda, K. Level measuring for high viscosity liquid and its practice 86—31381
Toyoda, K., Fujimori, K., Suzuki, Y. Window pattern router [PCB routing] 86—1479
Toyoda, K., Satow, T., Iwamoto, M., Momota, H., Sato, K., Yamada, S., Ogasawara, T., Kubota, Y., Makiura, T., Yasukochi, K., Koyama, K., Onishi, T., Tsukamoto, O., Yoda, K. Performance test of a superconducting pulse coil at a pulsing rate of 200 T/s 85—41090
Toyoda, K., Taguchi, T. Photochemical deposition of silicon and SiC thin films using ArF excimer laser 88—24805
Toyoda, K., Tanimura, Y. Nanometer technology for measurement of microshapes 87—25413
Toyoda, K. *see* Aoki, Y. 86—36380
Toyoda, K. *see* Awaya, T. 87—59492
Toyoda, K. *see* Bong-Jin Lee 88—9801
Toyoda, K. *see* Hatsuzawa, T. 87—24730
Toyoda, K. *see* Ichikawa, T. 86—192
Toyoda, K. *see* Imanishi, N. 88—10248
Toyoda, K. *see* Ishikawa, K. 85—33392
Toyoda, K. *see* Jinzhong Yu 85—1510
Toyoda, K. *see* Kawai, M. 86—15851
Toyoda, K. *see* Kawamura, Y. 87—2149, 87—75144, 88—8235
Toyoda, K. *see* Kobashi, Y. 87—77229
Toyoda, K. *see* Matsui, S. 87—1369, 88—13202
Toyoda, K. *see* Midorikawa, K. 86—15604
Toyoda, K. *see* Momota, H. 85—46104
Toyoda, K. *see* Nakamura, K. 86—27871, 87—38077
Toyoda, K. *see* Noguchi, E. 86—1040
Toyoda, K. *see* Ochiai, Y. 85—40617, 86—35588, 86—67817, 87—38400
Toyoda, K. *see* Ohmura, Y. 88—13175
Toyoda, K. *see* Okajima, Y. 86—14217
Toyoda, K. *see* Satow, T. 85—62270
Toyoda, K. *see* Shiokawa, T. 86—5746, 86—21405, 87—74164, 88—57539, 88—64443
Toyoda, K. *see* Sugioka, K. 88—32770, 88—57433
Toyoda, K. *see* Taguchi, T. 87—5443
Toyoda, K. *see* Tanimura, Y. 85—35947
Toyoda, K. *see* Tashiro, H. 85—2404, 85—29925
Toyoda, K. *see* Watanabe, T. 88—69676
Toyoda, K. *see* Yu, J.Z. 85—10725
Toyoda, M., Murata, M., Wakai, Y. Development of TV-WATCH 86—38016
Toyoda, M. *see* Hashimoto, K. 87—12275
Toyoda, M. *see* Ishido, M. 87—49675
Toyoda, M. *see* Shimizu, S. 85—22801
Toyoda, M. *see* Yamamoto, M. 86—70524
Toyoda, N. Precision control system for air conditioning in the semiconductor industry 86—8950
Toyoda, N., Aota, Y. Development of an automatic etch pit density inspection system 85—58534
Toyoda, N., Aota, Y., Takahashi, N. Development of an automatic etch pit density inspection system 87—17884
Toyoda, N., Uchitomi, N., Kitaura, Y., Mochizuki, M., Kanazawa, K., Terada, T., Ikawa, Y., Hojo, A. A 42 ps 2K-gate GaAs gate array 86—8191
Toyoda, N. *see* Hara, T. 88—13126
Toyoda, N. *see* Hirose, M. 88—33243, 88—57687, 88—64598
Toyoda, N. *see* Ikawa, Y. 85—22802, 87—59328
Toyoda, N. *see* Kameyama, A. 87—24130, 88—19250
Toyoda, N. *see* Mikami, H. 88—19787, 88—64618
Toyoda, N. *see* Mizoguchi, T. 85—54898
Toyoda, N. *see* Terada, T. 87—59419, 88—6739
Toyoda, N. *see* Uchitomi, N. 87—25163, 88—25880, 88—50873
Toyoda, N. *see* Woodhead, J. 87—38280
Toyoda, S. Variable coupling directional coupler using varactor diodes 85—28698

Toyoda, S. Waveguide type power combining amplifiers 85–61468
Toyoda, S. Multiple-diode transmission type amplifier using IMPATT diodes 86–1377
Toyoda, S. Multiple-diode reflection type amplifiers using IMPATT diode 86–14514
Toyoda, S. Waveguide type power combining amplifiers 86–67464
Toyoda, S. Multiple-diode reflection-type amplifiers using IMPATT-diodes 87–45224
Toyoda, S., Iwasaki, H. Field verification of the calculation to predict television ghost images generated by overhead power transmission lines 86–4830
Toyoda, S. *see* Matsumi, Y. 87–25109
Toyoda, S. *see* Minakuchi, D. 87–71692
Toyoda, T., Gudmundsson, V., Takahashi, Y. A microscopic theory of the quantized Hall effects 86–2186
Toyoda, T., Suga, K., Okazaki, H. The effect of temperature on the main photoluminescence peak energies and half-widths in $Al_{0.28}Ga_{0.72}As$ 86–42417
Toyoda, T. *see* Kaneko, A. 87–27733
Toyoda, Y., Inoue, K., Okuyama, M., Hamakawa, Y. Preparation of SiO_2 film by photo-induced chemical vapor deposition using a deuterium lamp and its annealing effect 87–58975
Toyoda, Y. *see* Amano, H. 86–34304
Toyoda, Y. *see* Ohshima, M. 85–62570, 86–58937, 87–75123
Toyofuku, F. *see* Akisada, A. 86–60693
Toyofuku, T. *see* Furuhashi, T. 86–34857
Toyofuku, T. *see* Matsumoto, K. 86–34858
Toyofuku, T. *see* Takazawa, H. 87–22176
Toyoguchi, Y., Yamaura, J., Matsui, T., Koshiba, N., Shigematsu, T., Ikehata, T. Secondary lithium batteries 87–36106
Toyoguchi, Y. *see* Iijima, T. 86–33592
Toyoguchi, Y. *see* Iimjima, T. 87–15954
Toyokawa, F. *see* Kasama, K. 86–35873, 87–32343
Toyokawa, F. *see* Takemura, K. 88–44626
Toyokura, K. *see* Komoike, M. 86–70402
Toyokura, N. *see* Honda, K. 85–34646, 87–74122, 88–32959
Toyokura, N. *see* Wada, K. 88–71717
Toyoma, H. *see* Masamura, H. 88–53485
Toyomoto, H., Yamashita, M., Harima, H., Ando, R., Wake, S. A low-power, high-speed, high-density 128 Kbit CMOS EPROM 86–34790
Toyonaga, K., Yanai, A., Higashitsutsumi, Y., Ogishi, T., Akiyama, T. Communication control LSI-(LC8910) series 86–35803
Toyonaga, N. *see* Takenaka, S. 85–14120
Toyonaga, R. *see* Murakami, H. 85–14926, 85–26002
Toyonaga, T. *see* Yamada, J. 86–31413
Toyonaka, T. Multi system air conditions 87–58472
Toyonori, Y., Unozawa, N., Chuujou, K., Takaoka, K. The AR 3200 multichannel analyzing recorder 88–22691
Toyonori, Y., Yuhara, H., Takahashi, H., Tokumou, T. High-speed scanning hybrid recorder HR 2500 87–77321
Toyooka, A. *see* Hashimoto, N. 87–48624
Toyooka, A. *see* Tanimoto, M. 87–48625
Toyooka, K., Nagatomo, Y. Redundant circuitry technique in large-capacity memory 86–46804
Toyooka, S., Murakami, T., Ohashi, K. Precise measurement of linear displacement by spatial phase detection 87–35191
Toyooka, S., Tominaga, M., Iwaasa, Y. Automatic processing of holographic interference fringes by spatial phase detection 86–54228
Toyooka, T. Ion-implanted magnetic bubble memory devices 88–64973
Toyooka, T., Sato, T., Takeshita, M., Kodama, N., Suzuki, R. 64 Mb bubble memory chip architecture 88–58003
Toyooka, T. *see* Hiroshima, M. 87–25873
Toyooka, T. *see* Kodama, N. 88–51365
Toyooka, T. *see* Sato, T. 88–58002
Toyooka, T. *see* Takeuchi, T. 86–68181
Toyooka, T. *see* Yoshizawa, S. 85–35328
Toyoshima, H., Ando, Y., Okamoto, A., Itoh, T. New resonant tunneling diode with a deep quantum-well 87–11731
Toyoshima, H., Ando, Y., Okamoto, A., Itoh, T. Novel resonant tunneling diodes with an $In_xGa_{1-x}As$ strained layer deep quantum-well 87–60409
Toyoshima, H., Okamoto, A., Nakamura, Y., Ohata, K. Highly uniform growth of modulation-doped N-AlInAs/GaInAs heterostructures by MBE 88–49860
Toyoshima, H. *see* Fujita, S. 85–29053, 85–50438
Toyoshima, H. *see* Hida, H. 86–53637, 86–62826, 87–18130, 87–46228, 88–20153
Toyoshima, H. *see* Hilda, H. 87–59849
Toyoshima, H. *see* Madihian, M. 87–45277, 87–60419
Toyoshima, H. *see* Nguyen, L.D. 87–53535
Toyoshima, H. *see* Ogihara, T. 87–65713
Toyoshima, H. *see* Okamoto, A. 87–53245, 87–60503
Toyoshima, H. *see* Suzuki, Y. 86–52783
Toyoshima, H. *see* Tanaka, S. 87–53511
Toyoshima, H. *see* Ueno, K. 86–47601
Toyoshima, I. *see* Viswanathan, B. 85–23572
Toyoshima, K. Time and position resolution of a coaxial germanium detector by the least-squares fitting of the waveform 88–10242
Toyoshima, K. *see* Asakura, H. 88–16657
Toyoshima, K. *see* Kobayashi, S. 87–50198
Toyoshima, M. *see* Aida, K. 88–33905
Toyoshima, M. *see* Hayashi, Y. 87–56119
Toyoshima, M. *see* Kojima, Y. 85–3718
Toyoshima, M. *see* Komori, H. 88–60919
Toyoshima, R., Takiguchi, Y., Matsumoto, K., Hongou, H., Hashimoto, M., Kamikawai, R., Takizawa, K. An effective delay analysis system for a large scale computer design 87–5840
Toyoshima, S. *see* Nishidawa, S. 86–4147
Toyoshima, S. *see* Yamakawa, Y. 86–61767
Toyoshima, T. *see* Fukuoka, M. 87–41917
Toyoshima, Y., Kumata, K., Itoh, U., Arai, K., Matsuda, A., Washida, N., Inoue, G., Katsuumi, K. Ar ($^3P_2$) induced chemical vapor deposition of hydrogenated amorphous silicon 85–33478
Toyoshima, Y., Kumata, K., Itoh, U., Matsuda, A. Hydrogenated amorphous silicon prepared by ArF and F_2 excimer laser-induced photochemical vapor deposition 88–18720
Toyoshima, Y., Matsuoka, F., Hayashida, H., Iwai, H., Kanzaki, K. A study on gate oxide thickness dependence of hot carrier induced degradation for n-MOSFETs 88–71593
Toyoshima, Y., Nihira, H., Wada, M., Kanzaki, K. Mechanism of hot electron induced degradation in LDD NMOS-FET 85–50593
Toyoshima, Y., Nihira, N., Kanzaki, K. Profiled lightly doped drain (PLDD) structure for high reliability NMOS-FETs 86–41987
Toyoshima, Y. *see* Kumata, K. 86–52514
Toyoshima, Y. *see* Mizui, K. 85–2957
Toyota, E., Hamano, T. Recent gapped-core shunt reactors 86–70959
Toyota, H. Thinking about temperature measurement 86–55870
Toyota, H. *see* Fujimura, S. 85–57528
Toyota, H. *see* Hanaizumi, H. 85–57526
Toyota, H. *see* Inamura, M. 85–53147, 86–32583
Toyota, H. *see* Komuro, H. 86–55461
Toyota, H. *see* Ohmura, H. 87–62793
Toyota, H. *see* Takahashi, T. 85–41980
Toyota, I. *see* Ono, T. 86–59527
Toyota, M. *see* Yamauchi, A. 87–49853
Toyota, N. *see* Inoue, T. 85–33389
Toyota, N. *see* Noto, K. 87–52706
Toyota, T. *see* Matsubara, T. 87–47062
Toyota, Y. *see* Uchida, M. 87–71971
Tozaki, K. *see* Kojima, A. 86–55905
Tozawa, H., Yabusaki, K., Noda, A., Ito, T. Development of a portable microprocessor controlled spectral radiance meter 88–43480
Tozawa, H. *see* Morikawa, T. 86–51976
Tozawa, N. *see* Ashida, H. 88–1015
Tozawa, N. *see* Masuoka, F. 87–66169
Tozawa, N. *see* Yoneyama, T. 85–4094
Tozawa, Y. *see* Shima, T. 85–28720
Tozawa, Y. *see* Takano, T. 85–17859
Tozawa, Y. *see* Yamashita, A. 88–45951
Tozer, B.A. Holographic interferometry 86–29262
Tozer, B.A., Glanville, R., Gordon, A.L., Little, M.J., Webster, J.M., Wright, D.G. Holography applied to inspection and measurement in an industrial environment 86–3347
Tozer, B.A., Glanville, R., Gordon, A.L., Little, M.J., Webster, J.M., Wright, D.G. Holography applied to inspection and mensuration in an industrial environmental 86–3385
Tozer, B.A., Glanville, R., Gordon, A.L., Little, M.J., Webster, J.M., Wright, D.G. Nuclear inspection by holography 86–61273
Tozer, B.A. *see* Armour, I.A. 88–8343
Tozer, B.A. *see* Bergquist, B. 87–19070
Tozer, B.A. *see* Glanville, R. 87–68648
Tozer, B.A. *see* Gordon, A.L. 86–68640
Tozer, R.C. *see* Hobson, G.S. 88–29649
Tozer, R.C. *see* Rees, J. 87–41610
Tozer, S.W., King, H.E., Jr. Electrical-transport measurements on fragile single crystals to 7.5 GPa in the diamond anvil cell 85–31569
Tozer, T.C. Opportunities and constraints of on-board processing–an introduction 85–14223
Tozer, T.C. Future trends in military satellite communications 86--43806
Tozer, T.C. Military satellite communications 88–73883
Tozer, T.C., Masterman, P.H. UK Skynet 4 communications satellites 85–25847
Tozer, T.C. *see* Haworth, D.P. 87–40860
Tozoni, O.V. On creating an information base for CAD and analysis of electrical devices 88–75534
Tozoni, O.V., Kostenko, T.Ya. Application of parameters of polyphase current conductors for finding load and short circuit currents 87–42462
Tozoni, O.V., Nikolaeva, N.S. Computer simulation of electrodynamic suspension device 85–10178
Tozoni, O.V., Novogrenko, N.M., Primin, M.A. Analysis and optimisation of a suspension system with permanent magnets 85–39263
Tozoni, O.V. *see* Mamedshakhov, M.E. 86–19300, 87–12688, 87–22411, 87–30622, 88–23970
Tozu, K. Digital control unit for motor drives, 'SELDIC' 85–32479
Tozuka, H. A multi-channel-sound television receiver for the US: opening a new era in audio-visual entertainment 85–58316
Tozuka, H. *see* Kawakami, T. 87–8474
Tozuka, H. *see* Takahashi, T. 88–41207
Tozuka, H. *see* Wada, R. 87–34769, 87–76944
Tozuka, Y. An estimation of available number of transmitting stations in HF broadcasting 85–51523
Tozuka, Y. An estimation of the number of available transmitting stations for HF broadcasting 87–63123
Tozun, O. Clock division by odd numbers 85–11364
Tozun, O., Perry, R.E. Designing ASICs for high reliability 88–44838
Tozune, A. Analysis of characteristics of a synchronous inductor motor 85–48943
Tozune, A., Sakamoto, M., Matsunami, M. Settling time in PM stepping motor–comparison of isotropic and polar unisotropic magnet rotor 86–66111
Tozza, G., Turconi, G. Quality and reliability of teleinformatics equipment 86–37278
Tozzi, A. *see* Bramanti, M. 85–37736
Traas, C.R. Smooth approximation of data on the sphere with splines 87–44188
Traas, C.R. *see* van Groningen, W.D.H. 86–11423
Traast, F.S. Conversion of Maasvlakte power station to coal firing 87–15550
Traber, H. *see* Isler, W. 85–20476
Trabert, S.G., Erickson, R.W. Steady state analysis of the duty cycle controlled series resonant converter 87–78794
Trabjerg, J. *see* Jensen, M. 87–23165
Trabka, E.A. *see* Burkey, B.C. 85–51054
Trabka, E.A. *see* Hawkins, G.A. 86–11456, 87–1335
Trabka, E.A. *see* Nichols, D.N. 88–42167
Trabocchi, C. *see* Hseuh, H.C. 88–54055
Tracewell, L. Design of EMI shielded electronic enclosures 85–46595
Tracey, M.A. *see* Gibbins, C.J. 88–8472
Tracey, M.L. *see* Schumacher, R.W. 88–39029
Tracey, P.M. New safety products incorporating fibre optic sensors introduce better safety standards in manufacturing plant 87–21062
Tracey, T.R., Scott, O.L., Goodman, B. Economical high temperature sensible heat storage using molten nitrate salt 87–36171
Trach, I.V. *see* Buslov, L.I. 88–54939
Trachsel, R. Switching and transmission techniques 85–19686
Trachsel, R. Data multiplexer MXA-H 85–30783
Trachsel, R. Aims, objectives and concepts [telecommunications] 85–51847
Trachsel, R., Bachofner, P., Butikofer, J.-F. Integrated Telecommunication System (IFS): the status of the new project 85–14073
Tracht, A.E. Adding IEEE 488 control to personal computers 86–24288
Trachtenberg, E.A. Construction of group transforms subject to several performance criteria 86 29666
Trachtenberg, E.A. Designing standard computer components using spectral techniques 88–25174
Trachtenberg, E.A., Varma, D. A design automation tool for fast, efficient decomposition of logical functions 88–25133
Trachtenberg, I. *see* Chen, Y.L. 88–26368
Trachtenberg, I. *see* Luttmer, J.D. 85–60431 to 60432
Trachtenberg, I. *see* Venkatesan, S.P. 88–26067
Trachtenberg, L.A. *see* Karpovsky, M.G. 86–59280
Trachtman, A. *see* Kalet, I. 86–29708, 87–12887
Trachtman, E.J. *see* Perl, J.M. 87–40536
Trachuk, V.S. *see* Grigor'ev, I.F. 88–10147
Traci, S. *see* Boella, G. 86–50371
Track, E. *see* Ruggiero, S.T. 85–62233, 86–62440
Track, E.K., Prober, D.E. Telegraph noise spectroscopy of submicron Ta/PbBi junctions 88–20288
Track, E.K., Worsham, A., Cui, G.-J., Prober, D.E. Noise properties of submicron Ta/PbBi tunnel junctions 88–39833
Track, E.K. *see* Cui, G.-J. 87–66528
Tracy, B.M. *see* Shukla, R.K. 87–24926
Tracy, B.M. *see* Strausser, Y.E. 88–1571
Tracy, C.E. *see* Benson, D.K. 87–26087
Tracy, C.J. Plasma processing in semiconductor manufacturing 87–18002
Tracy, D.E., Tettlebach, G.J., McNatt, T.R. OTEC-1 cold water pipe recovery–engineering of lift and towing systems 85–32769
Tracy, D.S., Khan, K.A. MRPP tests in L_1-norm 87–72980
Tracy, J. *see* Yeh, P. 86–42634

Tracy, J.G., Terry, J.W. Availability of enriched isotopic materials used for accelerator targets—-present and future 85−59161
Tracy, J.M. *see* Chang, K.I. 88−37428
Tracy, J.M. *see* Godfrey, L.A. 88−37421
Tracy, K. *see* Smith, M.J.T. 88−45955
Tracy, M. *see* Blewer, R.S. 87−60382
Tracy, M.E. The influence of deposition variables on LPCVD tungsten films deposited by the WF$_6$/Si reduction reaction 87−5491
Tracy, M.E. *see* Blewer, R.S. 87−5501, 87−60372
Tracy, M.J. Forth as a language for digital signal processing 88−53588
Tracy, M.K. *see* Johnson, S.A. 86−12228
Tracy, M.L., Schumacher, R.W. Crossatron switch development at Hughes electron dynamics division (HEDD) 88−39027
Tracy, R.W. NMR image reconstruction 85−48249
Tracy, S. REEPS: simulating residential response 85−15529
Tracy, S. Thermal analysis of soils [underground cables] 85−21201
Tracy, S. New transformers: nontoxic, nonflammable 85−21668
Tracy, S. Factory-molded cable joints 85−64935
Tracy, S. Testing load management strategies 86−6232
Tracy, S. UPM: modeling at the corporate level 86−18748
Tracy, T.G. Choose 115-kV cable for low total losses 88−75178
Tracz, W.J., Boesch, B. JAM—just another microsequencer 86−41166
Traczewski, R. *see* Hoke, W.E. 85−18067, 85−60951
Trader, K. PV-pilot plants in Europe—status of operation 87−42720
Traeder, G. Reliability of electrical equipment; long-term evaluation of breakdown and fault statistics 87−50617
Traeder, G., Wannow, K. Recording and evaluation of the VDEW Fault and Damage Statistics with the aid of EDP 85−4537
Traeger, G., Kuphal, E., Zschauer, K.-H. Diffusion-limited LPE growth of mixed crystals: application to In$_{1-x}$Ga$_x$As on InP 88−38156
Traeger, R.K., Lysne, P.C. High temperature electronics application in well logging 88−61618
Trafford, B. *see* Rau, H. 85−29585
Trafimov, I.E. *see* Andronov, A.A. 88−14165
Traganitis, A. SCR preregulator fits any power supply 85−17131
Traganitis, A. *see* Papastavridis, S. 86−29835
Traganitis, A.P. A simple linear interpolating filter 86−1239
Trager, B.J. *see* Ko, C.D. 85−32229
Trager, C., Heddle, D.W.O., Kay, S.M., Miller, R.B. Multi-element electrostatic lenses 88−25860
Trager, C. *see* Ledingham, K.W.D. 85−4217
Trager, F. *see* Karner, C. 86−25109
Trager, J.S. Telemarketing traffic and its impact on system design 85−42065
Trager, L. *see* Rao, S.T. 85−44819
Trager, W.H. Series resonant AC motor drive amplifier operates from 30 kHz to 300 kHz, provides 95% efficiency 87−31019
Trager, W.H. High frequency series-resonant switching amplifier for AC motor drive 87−31737
Tragner, P. Some ways for increasing the precision of measurement in the low-temperature range with hybrid pyroelectric detectors 88−22819
Tragner, P. *see* Walther, L. 87−8626
Trah, H.-P., Alonso, M.I., Konuma, M., Bauser, E., Cerva, H., Strunk, H.P. Liquid phase epitaxy of Si$_{1-x}$Ge$_x$ ($0<x\lesssim1$) on partially masked Si-substrates 88−38212
Trahan, R.E. *see* Turanli, H.M. 87−78124
Trahan, R.E., Jr. *see* Grosz, F.B., Jr. 87−28207
Trahanias, P. *see* Skordalakis, E. 87−50354
Trahey, G.E., Allison, J.W., Hubbard, S.M., von Ramm, O.T. Measurement of local speckle pattern displacement to track blood flow in two dimensions 88−61329
Trahey, G.E., Allison, J.W., Smith, S.W., von Ramm, O.T. A quantitative approach to speckle reduction via frequency compounding 87−42282
Trahey, G.E., Allison, J.W., Smith, S.W., von Ramm, O.T. Speckle pattern changes with varying acoustic frequency: experimental measurement and implications for frequency compounding 87−71106
Trahey, G.E., Smith, S.W., Carroll, B.A., von Ramm, O.T. Speckle SNR vs. lateral resolution in ultrasound imaging: what's the tradeoff? 87−71105
Trahiotis, C. *see* Schiano, J.L. 87−41897
Traianov, B. *see* Penkov, G. 85−52584
Traid, R.Vargas *see* Vargas Traid, R.
Traiforos, S.A., Rider, R.L. Operating and maintenance strategies for nuclear plant life extension 87−78289
Traigle, W.J. Assembly technology: present and future 88−70121
Trail, D.K., Kelley, R.W. Technical breakthrough drives second generation automated inspection systems 88−38898
Trail, M. *see* Tanabe, E. 86−31803
Train, D., Chamberland, A., Dupont, D., Castonguay, J. Decontamination of IREQ's high voltage laboratory following a PCB fire 87−31262
Train, D. *see* Vaillancourt, G.H. 85−44044
Train, D.A., Carlton, A.E.D. Error handling and other implementation details of cut-through switching 87−69736
Train, D.A. *see* Ibbett, R.N. 85−63288
Train, K., Herriges, J., Windle, R. Statistically adjusted engineering (SAE) models of end-use load curves 86−12352
Train, K.E. The economic value of energy-saving investments by commercial and industrial firms 88−5424
Train, M.H. Advanced instrumentation of the Oldsmobile Aerotech 88−18193
Trainin, S.B. Electronic-mail protocol for users of open systems 85−25339
Trainin, S.B., Levkin, A.V. Comparison of two types of ring local-area networks 85−25465
Trainin, S.B. *see* Karnitis, E.K. 87−20175
Trainin, S.B. *see* Yajubaitis, E.A. 87−28026
Trainor, D. *see* Litzenberger, L. 87−68387
Trainor, D.W., Smith, M.J., Duzy, C., Nicholson, W., Appel, C., Roberts, T., Russell, J., Fulghum, S., Korff, D. Xenon fluoride laser beam combining using stimulated Raman scattering techniques 88−27065
Trainor, D.W. *see* Fulghum, S.F. 87−12567
Trainor, M. *see* Hitchman, M.L. 88−43920
Trainor, P.G.S., Popplewell, N., Shah, A.H., Wong, C.K. Estimation of fundamental dynamic characteristics of transmission towers 85−43636
Trainor, P.G.S. *see* Mathur, R.K. 87−71721
Trainor, R.J. *see* Veeser, L.R. 85−3975
Trainor, T.A., Douglas, J.G., Badt, D., Christiensen, C., Herron, A., Leach, D., Olsen, J., Osborne, J.L., Zeps, V. Colliding-beams polarized ion source 87−3876
Trainor, T.A. *see* Amsbaugh, J.F. 86−55924
Trainor, T.A. *see* Gabrielse, G. 88−61031
Trainor, T.A. *see* Storm, D.W. 86−24920
Traistaru, V. *see* Brezeanu, G. 88−39256
Traister, J.E. Handbook of electric motors: Use and repair 85−22158
Traizet, M. Evolution of the SPOT system after 1990: SPOT-3 and 4 86−65573
Traizet, M. *see* Courtois, M. 87−29908
Trajkovic, L., Willson, A.N., Jr Circuit parameters and the occurrence of negative differential resistance 86−66983
Trajkovic, L., Wilson, A.N., Jr. A two-transistor circuit having no resistors cannot model an SCR 87−65780
Trakalo, M., Webb, P.P., Poirier, P., McIntyre, R.J. Avalanche photodiode thirty-two-element linear array with minimal dead space 88−4426
Trakhovsky, E., Ben-Shalom, A. New features of the ground level raindrop size distribution in the 10 μm size range 88−48324
Trakhtenberg, E.M. *see* Anashin, V.V. 86−58721
Trakhtenberg, E.M. *see* Gluskin, E.S. 86−60661
Trakhtenberg, R.M., Faleev, M.V. A study of the dynamic characteristics of astatic electric drive systems having discrete control 85−60459
Trakhtengerts, V.Yu., Titova, E.E. The interaction of monochromatic VLF-waves with a turbulent ionosphere 86−63983
Trakhtengerts, V.Yu. *see* Belyaev, P.P. 88−34299
Trakhtengerts, V.Yu. *see* Demekhov, A.G. 87−68786
Trakhtengerts, V.Yu. *see* Titova, E.E. 86−22670
Trakowski, W., Schofer, B., Dreute, J., Sonntag, S., Brechtmann, C., Beer, J., Drechsel, H., Heinrich, W. An automatic measuring system for particle tracks in plastic detectors 85−4204
Trakowski, W. *see* Dreute, J. 87−14771
Tralhao, L.M., Craveirinha, J., Nordeste, P., Climaco, J. Traffic analysis and simulation of a digital switching centre with T-T architecture 88−3760
Tralli, D.M., Dixon, T.H., Stephens, S.A. Effect of wet tropospheric path delays on estimation of geodetic baselines in the Gulf of California using the Global Positioning System 88−58858
Tram, H.N., Wall, D.L. Optimal conductor selection in planning radial distribution systems 88−54957
Tram, H.N. *see* Palayanon, V. 87−42406
Tram, H.N. *see* Willis, H.L. 85−27012, 86−32630, 87−78040, 87−78728, 88−23327, 88−23456
Tramacere, A. *see* Patella, D. 87−71268
Trambarulo, R., Schneider, M.V., Gans, M.J. Gigabit QPSK modulator 87−75702
Trambarulo, R., Schneider, M.V., Gans, M.J. High-speed QPSK modulator and demodulator with subharmonic pumping 88−70607
Trambauer, K. Analysis of steam generator tube rupture transients with single failure 86−61286
Trambauer, K. Analysis of steam generator U-tube rupture transients 87−30329
Trambauer, K. *see* Kotthoff, K. 85−38767
Trambert, M.A. *see* Mankovich, N.J. 85−4273
Trammel, P.S. Application of tungsten silicide interconnect 86−28527
Trammell, G.T. *see* Baldwin, G.C. 87−12436
Trammell, G.T. *see* Hutton, J.T. 87−7298, 88−14134
Trammell, L. A simple radial power flow program 86−18773
Tramnitz, C. Dynamic miniature headphones, type DMK 85 88−22361
Tramontana, J.C. *see* Biegelsen, D.K. 88−49797
Tramontana, J.C. *see* Ponce, F.A. 87−58941
Trampe, A. CRC error detection methods 88−2948
Trampnau, U. *see* Lange, M. 88−15670, 88−36610
Tramte, P. *see* Strmcnik, S. 88−17601
Tran, A. Block-effect reduction in transform coding 87−47986
Tran, A., Huang, T.T., Yang, C.N. Block differential pulse code modulation (DPCM) coding 87−47523
Tran, A., Liu, K., Tzou, K., Vogel, E.B. An efficient pyramid image coding system 87−62263
Tran, A., Soukup, J., Mowchenko, J. A macro-cell placement program 88−38358
Tran, A., Yang, C.Y., Gao, M., Kim, N., Cooley, R.F. Low-temperature electrical characteristics of the Au/Si interface 87−53279
Tran, A. *see* Kou-Hu Tzou 88−59290
Tran, B. *see* Shah, A.H. 87−10854, 87−17093
Tran, B.N. *see* Barnes, C.W. 85−57350
Tran, C. *see* Dube, L. 88−5591
Tran, D., Bennett, D. Output filter design for high frequency switch mode power supplies 87−31986
Tran, D. *see* Bonner, R.F. 88−23100
Tran, D. *see* Botez, D. 87−46864
Tran, D. *see* Rezek, E.A. 87−75127
Tran, D.C. Advances in mid-infrared fibers 86−48176
Tran, D.C. Preparation and properties of infrared transmitting heavy metal fluoride glass optical fibers 86−68299
Tran, D.C., Levin, K.H. Zirconium fluoride fiber requirements for mid-infrared laser surgery applications 88−23103
Tran, D.C., Levin, K.H., Burk, M.J., Fisher, C.F., Brower, D. Preparation and properties of high optical quality IR transmitting glasses and fibers based on metal fluorides 87−18706
Tran, D.C., Levin, K.H., Ginther, R.J., Sigel, G.H., Bruce, A.J. Light scattering in heavy-metal fluoride glasses in infra-red spectral region 86−28771
Tran, D.C., Levin, K.H., Mossadegh, R., Koontz, S. IR fiber temperature sensing system 88−60751
Tran, D.C., Sigel, G.H., Jr. Heavy metal fluoride glasses and fibers: a review 85−12532
Tran, D.C., Sigel, G.H., Jr. Infrared glass optical fiber technology: a brief review 85−62396
Tran, D.C. *see* Burk, M.J. 85−35375
Tran, D.C. *see* Eknoyan, O. 86−48160, 86−58758
Tran, D.C. *see* Esterowitz, L. 87−21655
Tran, D.C. *see* Lu, G. 86−53949
Tran, D.C. *see* Sigel, G.H., Jr. 85−18658
Tran, D.C. *see* Strom, U. 85−18630
Tran, D.K., Sybille, G. Contribution to digital computer study of long duration transient phenomena in EHV transmission lines by multivelocity travelling wave method 85−15622
Tran, D.T. Bandwidth broadening in RF-structures 86−32021
Tran, D.T. *see* Bres, M. 87−45520
Tran, D.T. *see* Faillon, G. 87−41750
Tran, F.B.P. *see* Chang, J.-S. 85−53449
Tran, H. *see* Jezek, P. 85−11073
Tran, H. *see* Manitius, A. 87−58880
Tran, H.V. *see* Havemann, R.H. 88−39652
Tran, L.T., Faucher, J. Design of an adaptive controller applied to microcomputer based servo DC motor control system 88−75677
Tran, L.T., Lee, J.W., Shichijo, H., Yuan, H.-T. GaAs/AlGaAs heterojunction emitter-down bipolar transistors fabricated on GaAs-on-Si substrate 87−38201
Tran, L.T., Matyi, R.J., Shichijo, H., Yuan, H.T., Lee, J.W. GaAs/AlGaAs heterojunction emitter-down bipolar circuits fabricated on GaAs-on-Si substrates 88−33368
Tran, L.T. *see* Lee, J.W. 87−73103, 88−31805
Tran, L.T. *see* Plumton, D.L. 88−44651
Tran, L.T. *see* Shichijo, H. 88−39656
Tran, L.T. *see* Wan, C.F. 88−20007
Tran, L.T. *see* Yuan, H.-T. 87−17024
Tran, L.V. A 32 Kbit high speed on-chip DRAM for digital signal processor 86−1063
Tran, L.V., Ashton, R.A., Jones, B.R., Lawrence, C.W., McGillis, D.A. Device characterization of a 1.0 μm CMOS technology for logic and custom VLSI applications 86−68003
Tran, L.V. *see* Hayes, W.P. 86−20598
Tran, L.V. *see* Kershaw, R.N. 86−8306
Tran, L.V. *see* Lee, K. 86−47842
Tran, L.V. *see* Persky, G. 85−1709
Tran, M.O. *see* Egerszegi, L. 87−11288
Tran, M.Q. Gyrotron, a novel high-power microwave source 88−19591

Tran, M.Q. High power gyrotrons as microwave sources for particle accelerators 88−22904

Tran, M.Q., Bondeson, A., Perrenoud, A., Alberti, S., Isaak, B., Muggli, P. Multimode simulation of the frequency spectrum of a quasi-optical gyrotron 87−24700

Tran, M.Q. *see* Agosti, G. 88−64210

Tran, M.Q. *see* Egerszegi, L. 87−11283

Tran, M.Q. *see* Mathews, H. 87−45521

Tran, M.Q. *see* Mathews, H.-G. 88−25812

Tran, M.Q. *see* Perrenoud, A. 86−47228, 87−24421

Tran, M.Q. *see* Rieder, C. 85−11838

Tran, M.Q. *see* Spoorenberg, C.J.G. 86−42196

Tran, M.T., Sawan, M.E. On the discrete Riccati matrix equation 85−33261

Tran, M.T. *see* Bay, A. 88−74749

Tran, N.C. *see* Aumann, C.E. 86−28459

Tran, N.C. *see* Karulkar, P.C. 85−50417

Tran, N.H., Gallagher, T.F., Watjen, J.P., Janik, G.R., Carlisle, C.B. High efficiency resonant cavity microwave optical modulator 86−22185

Tran, N.H. *see* McClelland, T. 88−22410

Tran, N.T., Epstein, K.A., Grimmer, D.P., Vernstrom, G.D. Effect of low level doping of boron and phosphorus on the properties of amorphous silicon films 88−44555

Tran, N.T., Jeffrey, F.R. Effects of carbon profiles at the p/i interface in amorphous silicon solar cells 87−43442

Tran, N.T., Jeffrey, F.R., Olsen, D.J. Effects of carbon grading at the p/i interface on the open circuit voltage of p-i-n and n-i-p amorphous silicon solar cells 88−49155

Tran, N.T., Olsen, D.J., Patel, R.I., Epstein, K.A. Glow discharge produced amorphous SiC:H thin films 87−23739

Tran, N.T. *see* Epstein, K.A. 86−68372

Tran, N.T. *see* Patel, R.I. 87−5470, 87−16701

Tran, N.T. *see* Roberts, S.S. 86−31587

Tran, N.T. *see* Shing, Y.H. 86−8997

Tran, P. *see* Schaefer, G. 85−5327

Tran, Q. *see* Amitai, Z. 88−6775, 88−6859

Tran, Q.N. *see* Gutt, H.-J. 85−39011, 85−39020, 87−43065

Tran, S.Q. *see* Johnson, C.B. 87−71220

Tran, T., Kuo, A., Yasha, C., Criado, R., Siddique, M., Hsu, D.D., Renjen, S. A 1.0-micron CMOS 32-bit IEEE format floating point chip set for digital signal processing 86−2424

Tran, T., Tran, T. Connect PROM as a ring counter 86−52741

Tran, T. *see* Fletcher, S. 86−71041

Tran, T. *see* Gill, M. 86−35903

Tran, T. *see* Menon, S. 88−12351

Tran, T. *see* Ramamoorthy, P.A. 87−19925, 87−33816, 87−41215

Tran, T. *see* Tran, T. 86−52741

Tran, T.D., Mathews, V.J., Rushforth, C.K. A baseband residual vector quantization algorithm for bauded signals 88−46096

Tran, T.D., Mathews, V.J., Rushforth, C.K. A new carrier frequency estimator for modem signals 88−73004

Tran, T.D. *see* Mathews, V.J. 87−62260, 88−3244

Tran, T.K. *see* Haus, J.W. 88−65832

Tran, T.M., Danly, B.G., Kreischer, K.E., Schutkeker, J.B., Temkin, R.J. Optimization of gyroklystron efficiency 86−47230

Tran, T.M., Danly, B.G., Wurtele, J.S. Free-electron lasers with electromagnetic standing wave wigglers 88−2294

Tran, T.M., Kreischer, K.E., Temkin, R.J. Self-consistent theory of a harmonic gyroklystron with a minimum Q cavity 87−24709

Tran, T.M. *see* Agosti, G. 88−64210

Tran, T.M. *see* Danly, B.G. 87−33218

Tran, T.M. *see* Kreischer, K.E. 86−21044, 86−47240

Tran, T.M. *see* Mathews, H.-G. 88−25812

Tran, T.M. *see* Pendergast, K.D. 88−27003

Tran, T.M. *see* Perrenoud, A. 85−55373

Tran, T.M. *see* Rieder, C. 85−11838

Tran, T.M. *see* Saito, H. 87−24684, 87−24691

Tran, T.S. Further analysis of disturbance performance on bulk electricity systems 88−42768

Tran, T.T. *see* Bosc, P.H. 88−62299

Tran, V.N., Stuchly, S.S. Dielectric properties of beef, beef liver, chicken and Salmon at frequencies from 100 to 2500 MHz 87−51633

Tran, V.N., Stuchly, S.S., Kraszewski, A. Dielectric properties of selected vegetables and fruits 0.1-10.0 GHz 85−39401

Tran Chot Effect of vacuum annealing on electrical characteristics of Ni-Si Schottky diodes 85−23557

Tran Duc Chinh *see* Stade, D. 87−64154

Tran Hai Huynh *see* Nguyen An 87−65545

Tran Huu Vinh, Djega-Mariadassou, G., Lagrange, A. Preparation by controlled coprecipitation of powders for ZnO varistors 88−32487

Tran Huy Nguyen *see* Desmedt, J.E. 87−50332

Tran Minh Duc *see* Hsu, C. 88−19686

Tran Minh Quang *see* Minh Quang Tran

Tran Minh Tien, Jansen, U. Remarks on the method of diffusion approximation and some further heuristic formulas 85−270

Tran Ngoc, T., Labrie, J.-P. Boiling heat transfer process in the design of high power linac structures 87−41667

Tran Ngoc, T., Labrie, J.-P. Heat transfer and thermal stress analysis of RF structures operated in boiling regime 88−54345

Tran Ngoc, T., Labrie, J.-P., Baset, S. Three-dimensional finite element heat transfer and thermal stress analysis of RF structures 87−56961

Tran Ngoc, T. *see* Hutcheon, R.M. 86−31965, 88−54334

Tran Ngoc, T. *see* McMichael, G.E. 85−58966, 88−54361

Tran Nguyen Binh Thyristor firing control with a Z80 microprocessor 86−9115

Tran Nguyen Binh *see* Bausz, I. 86−13105

Tran Quat *see* Quat Tran

Tran Quoc Chien Duality in vector optimization. III. Vector partially quasiconcave programming and vector fractional programming 85−22342

Tran Quoc Chien Duality and optimality conditions in abstract concave maximization 85−54299

Tran Song *see* Song Tran

Tran Thanh Tam *see* Chabot, E. 86−51584

Tran Thi Ngu *see* Nguyen Van Khai 87−44357

Tran Thong Frequency domain analysis of two-pass rotation algorithm 86−16569

Tran Van Bon Finite element analysis of primal and dual variational formulations of semi-coercive elliptic problems with nonhomogeneous obstacles on the boundary 88−49710

Tran Van Muoi, Antreasyan, A. Comment on 'Dark noise of $Ga_{0.47}In_{0.53}As$ photoconductive detectors' [with reply] 86−42425

Tran Van Trung Non-embeddable quasi-residual designs with $k<1/2v$ 87−10264

Tran-Ba-Chu, Bouvier, A.J., Bouvier, A., Broyer, M. Efficient intracavity second harmonic generation (ISHG) using the optimal pump laser focusing method 85−35867

Tran-Ba-Chu, Broyer, M. Intracavity single resonance optical parametric oscillator (ISRO) 85−7527

Tran-Ba-Chu, Broyer, M. Intracavity CW difference frequency generation by mixing three photons and using Gaussian laser beams 85−35866

Tran-Ba-Chu, Fischer, R., Bouvier, A.J. CW-intracavity difference frequency generation (IDFG) by non-collinear mixing of three waves in two laser resonators 86−22519

Tran-Cong Ton *see* Ton Tran-Cong

Tran-Duc Hoang *see* Hoang Tran-Duc

Tran-Gia, P. A class of renewal interrupted Poisson processes and applications to queueing systems 88−59382

Tran-Gia, P., Ahmadi, H. Analysis of a discrete-time $G^{[X]}/D/1$-S queueing system with applications in packet-switching systems 88−52649

Tran-Gia, P., Rathgeb, E. Performance analysis of semidynamic scheduling strategies in discrete-time domain 87−62419

Tran-Gia, P., van Hoorn, M.H. Dependency of service time on waiting time in switching systems—a queueing analysis with aspects of overload control 86−49050

Tran-Gia, P. *see* Daniel, W. 86−49406

Tran-Gia, P. *see* Lemppenau, W. 87−76469

Tran-Gia, P. *see* Raith, T. 87−48298

Tran-Gia Phuoc *see* Phuoc Tran-Gia

Tran-Gia Phuoc *see* Phuoc Tran-Gian

Tran-Nguyen, D. An eight-stage log amplifier. A review of log techniques and the design of a successive-detection system 87−20602

Tran-Nguyen Diep *see* Diep Tran-Nguyen

Tran-Quoc Hai *see* Hai Tran-Quoc

Tranchant, A., Messina, R. A comparative electrochemical study of MoO_3, V_2O_5 and MoV_2O_8 as rechargeable cathodes in lithium cells 88−75906

Tranchart, J.C., Latorre, B., Foucher, C., Le Gouge, Y. LPE growth of $Hg_{1-x}Cd_xTe$ on $Cd_{1-y}Zn_yTe$ substrates 86−7787

Trancoso, I.M., Almeida, L.B., Rodrigues, J.S., Marques, J.S., Tribolet, J.M. Harmonic coding—state of the art and future trends 88−66313

Trancoso, I.M., Almeida, L.B., Tribolet, J.M. Pole-zero multipulse speech representation using harmonic modelling in the frequency domain 86−16195

Trancoso, I.M., Almeida, L.B., Tribolet, J.M. A study on the relationships between stochastic and harmonic coding 87−27265

Trancoso, I.M., Atal, B.S. Efficient procedures for finding the optimum innovation in stochastic coders 87−19616

Trancoso, I.M., Rodrigues, J.S., Almeida, L.B., Marques, J.S., Serralheiro, A., Santos, D., Tribolet, J.M. Quantization issues in harmonic coders [speech coding] 88−66424

Trandem, O. Implementation of a modem for digital phase modulation using Viterbi decoding 87−40535

Trandem, O. *see* Maseng, T. 87−56012

Tranduc, H., Rossel, P., Gharbi, M., Sanchez, J.L., Charitat, G. The MOS transistor-thyristor (T^2 MOS) 85−61937

Tranduc, H., Rossel, P., Sanchez, J.L. First and second breakdown limitations in MOS transistors 85−12308

Tranduc, H., Rossel, P., Sanchez, J.L. Safe operating area of the MOS'T: second breakdown limitations 85−40768

Tranduc, H. *see* Sanchez, J.L. 85−23795, 86−15169

Tranesjo, J., Almqvist, L.O., Areskog, N.-H., Jonson, B., Niklason, L., Pahlm, O., Sornmo, L. A versatile system for exercise ECG analysis 87−21579

Tranesjo, J. *see* Jonson, B. 85−59304

Tranesjo, J. *see* Soderberg, R. 87−21591

Tranfield, D.R., Smith, J.S. Training for smooth revolutions: a methodology for technical change 88−11670

Traniello, F. *see* Delmas, A. 87−58190

Tranjan, F.M., Sandok, P.L., Vadhar, B., Said, M. Portable microprocessor-based cardiac monitor with RAM for QRS complex storage 87−57157

Trankle, G. *see* Bambach, W. 86−11112

Trankle, G. *see* Scholz, F. 86−46309, 87−11403

Trankler, H.-R. Measurement techniques and signal processing. [analogue measurement and signal conversion] 85−47907

Trankler, H.-R. Measurement techniques and signal processing 85−58765

Trankler, H.-R. Measurement technique and signal processing. Continuation 85−64089

Trankler, H.-R. Measurement techniques and signal processing. II 87−56659

Trankler, H.-R. Measurement techniques and signal processing. IV. Sensors for measured quantities 87−77259

Trankler, H.-R. Measurement techniques and signal processing. Receivers of measured quantities (sensors) 88−29352

Trankler, H.-R. Measurement technology and conversion of measurement signals 88−53672

Trankler, H.-R. *see* Schneider, F. 86−38368

Trankler, H.R. Measurement technique and processing of measurement signals. II. Analogue methods 85−3938

Trankler, H.R. Measurement technique and processing of measurement signals (continuation) 85−31284

Trankler, H.R. *see* Bauer, G. 85−37611

Trankner, R. The CCITT Recommendation X400 for message-handling systems as market standard 88−73506

Tran'kov, S.N., Yakovlev, V.V. Probability-to-code converter 88−911

Trannois, B. Improvement of lightning-arresters energy capability 86−3600

Trannoy, B. *see* Anvari, H.A. 86−33353, 87−15715

Trannoy, B. *see* Faucher, J. 85−27689

Trannoy, B. *see* Lajoie-Mazenc, M. 87−43132

Tranquada, J.M. *see* Heald, S.M. 86−60642

Tranquilla, J. *see* Lachapelle, G. 88−9681

Tranquilla, J.M., Best, S.R. Phase center considerations for the monopole antenna 86−64057

Tranquilla, J.M., Best, S.R. On the use of multiple antenna arrays and corner reflector assemblies in radio positioning applications 87−3253

Tranquilla, J.M., Best, S.R. Antenna phase centre movement in UHF radio positioning systems 87−41046

Tranquilla, J.M., Best, S.R. Approach to a suitable directional antenna for UHF radio positioning applications 87−76876

Tranquilla, J.M., Cobb, L.H., Balmain, K.G. An improved model for the anisotropic trapezoidal antenna 87−26915

Tranquilla, J.M., Colpitts, B.G. Groundplane shaping techniques for use with satellite positioning systems 87−63084

Tranquilla, J.M., Colpitts, B.G., McFarlane, L.E. Application of diffraction techniques in propagation path loss modelling 87−75422

Tranquille, G. *see* Allen, D. 88−54188

Tranter, C. *see* Barnacle, M.J., Jr. 85−33076

Tranter, J. *see* Pichler, M. 88−48888

Tranter, W.H., Davis, J.T. Simulation of tracking loops using microcomputers 87−65953

Tranter, W.H., Fast, S. Phase-lock loop performance in high interference environments 86−850

Tranter, W.H., Ryan, C.R. Simulation of communication systems using personal computers 88−34929

Tranter, W.H. *see* Koch, D.B. 86−17463

Tranter, W.H. *see* Morgan, J.D. 86−52170

Trantina, G. The new design engineer 87−72782

Trantor, K.M. Application of power system stabilisers on the Anglo-Scottish interconnection. Installation of power system stabilisers and the evaluation of settings 88−48481

Tranvouez, J.P., Daniou, J.L. Current and voltage protection components in future telecommunication equipment 88−41450

Traon, A.Le *see* Le Traon, A.

Traon, J.-Y.Le *see* Le Traon, J.-Y.

Traon, J.Y.Le *see* Le Traon, J.Y.

Traore, A. *see* Kopylov, I.P. 87−9544

Traore, C. *see* Diarra, M. 86−45294

Trapeznikov, N.L. Long-period seismometric channel with low sensitivity 87−63914

Trapeznikova, N.B. *see* Alekseeva, I.A. 85−48476

Trapezon, V.A. *see* Kotserzhinskii, B.A. 88−63858

Trapon, G. *see* Knosp, R. 86−24690

Trapp, E.A. *see* Kadinskii, L.A. 85−10122

Trapp, G.E. *see* Anderson, W.N., Jr. 85−331, 86−298, 86−685

Trapp, M. *see* Richter, C.-E. 85−12123

Trapp, N. Optimization of internal lightning protection by means of optoelectrical devices 85−27096

Trapp, S., Fuchs, H., Gleiter, H. Generation of high sensitivity strain gauges by means of tunnelling in discontinuous metallic films 86−50077

Trapp, T.J. *see* Buden, D. 86−38891

Trapp, W., Jacobi, H.J. New lighting concept for thoroughfares and pedestrian zones 87−72578

Trapp, W., Schafer, H. Energy saving in street lighting installations: reduction of power per lamp 85−5505

Trapp, W., Schafer, H. Energy saving in street lighting 85−21946

Trappmann, H. *see* Axe, M. 86−49399

Trappmann, H. *see* Bittermann, H. 85−63451

Trasatti, L. *see* Bilei, G.M. 85−31711

Trasatti, L. *see* Ciaffoni, O. 85−37499, 85−43280, 87−62972

Trashkeev, S.I. *see* Gromov, A.N. 88−27228, 88−40285

Trask, D.W. *see* Davidson, J.M. 85−59427

Trask, J. *see* Kim, Q. 87−22754

Trask, S. Datel sound sampler. Hardware and software for Sinclair Spectrum 85−52602

Trask, S. Korg MR 16 MIDI percussion voice generator 85−52609

Trask, S. Sequential MultiTrak programmable polysynth with sequencer 85−52610

Trask, S. Joreth Music Composer System MIDI software and hardware for Commodore 64 85−52614

Trask, S. Oberheim Matrix 12: programmable 12-voice multi-timbral polysynth 85−58453

Trask, S. XRI Micon system controller: MIDI software for Spectrum micro 85−58455

Trask, S. Casio CZ5000 programmable phase distortion polysynth with sequencer 85−58456

Trask, S. Microsound Digital Music System: MIDI sampling hardware and software for Commodore 64 85−58459

Trask, S. Sequential TOM programmable digital drum machine 85−63907

Trask, S. Microskill AS32 all-digital programmable polysynth 85−63908

Trask, S. Hinton MIDIC 85−63912

Trask, S. 21 today [Yamaha DX21 FM polysynthesizer] 86−4889

Trask, S. The polyphonic sequencer 86−4890

Trask, S. The shortest route [Roland's MIDI accessory] 86−4891

Trask, S. False economies? [Yamaha RX21] 86−11378

Trask, S. Cheap! but not so nasty [Casio sequencer] 86−11381

Trask, S. The fifth dimension [polysynthesizer] 86−17705

Trask, S. System exclusive [music sequencer package] 86−17708

Trask, S. Black box secrets [audio equipment] 86−24236

Trask, S. 2B or not 2B [electronic music software package] 86−24244

Trask, S. Birth of a studio [CTS Studio 4] 86−38144

Trask, S. RAP attack [MIDI software] 86−38166

Trask, S. 100 things to do with FM [audio synthesizer] 86−44068

Trask, S. The numbers game [MIDI] 86−44070

Trask, S. Professional conduct [MIDI sequencing package] 86−44072

Trask, S. Software tracking [AtariST music package] 87−3347

Trask, S. Wersi MK1 polyphonic synthesiser 87−41288

Trask, S. Iconix MIDI sequencer for Atari ST 88−4248

Trask, S., Goodyer, T. Here in black and white . . . [polysynthesizer] 86−24243

Trask, S., Vosburgh, M. Paradise found [recording studios] 86−24238

Trask, S. *see* White, P. 86−11377

Traskanov, D.M., Ivanov, A.F. Nondirectional antennas with several independent inputs 87−47427

Traskow, A., Kaufhold, B. Subscriber-synchronised code multiplex system for speech transmission in local networks 86−59717

Traspedini, L. *see* Battiston, R. 85−59224

Traspedini, L. *see* Gracco, V. 87−29458

Tratnik, M.V., Sipe, J.E. Stokes vectors and polarization lasers 86−9715

Tratnik, M.V., Sipe, J.E. Polarization eigenstates of a Zeeman laser 86−68578

Tratnik, M.V. *see* Puccioni, G.P. 87−38969

Tratt, D. *see* Poole, M.W. 85−56702

Tratt, D.M., Kar, A.K., Harrison, R.G. Spectral control of gain-switched lasers by injection-seeding: application to TEA CO_2 systems 87−18912

Tratt, D.M., Kar, A.K., Harrison, R.G., Heckenberg, N.R. Operational characteristics of injection-locked TEA CO_2 lasers 87−68392

Tratt, D.M. *see* Gillespie, W.A. 87−2165

Tratt, D.M. *see* Grant, W.B. 87−71291

Tratt, D.M. *see* Jaroszynski, D.A. 88−2339

Tratt, D.M. *see* Jaroszyunski, D.A. 87−77159

Tratt, D.M. *see* Kar, A.K. 85−29752, 85−51092

Tratt, D.M. *see* Pidgeon, C.R. 86−3223, 87−75209

Tratting, W. Future Series 32000 evolution 87−5901

Trattnig, W. NS 32000 family: tailored for higher languages 86−1098

Trattnig, W. Microprocessor architecture without narrow limitations: further development of the 32000 series 87−24228

Traub, A., Alper, R. Laser-infrared technology for inspecting SMD solder joint quality 88−19534

Traub, A.C. Overview of laser/thermal system used to detect faulty solder joints 86−7536

Traub, A.C. Parts inspection by laser beam heat injection 88−37998

Traub, A.C., Evans, J. Thermal monitoring of drill bits during laminate drilling 87−24570

Traub, A.C. *see* Alper, R.I. 87−16414

Traub, A.C. *see* Edmunds, B. 87−17543

Traub, A.C. *see* Hamilton, T. 87−53048

Traub, A.C. *see* Vanzetti, R. 86−68654

Traub, A.I. *see* Earnshaw, J.C. 85−48248

Traub, J.F., Lee, D. Optimal integration for functions of bounded variation 86−26761

Traub, L. Optical thin film technology—an insight for users 88−33841

Traube, E.S., Bagdasaryan, S.S., Bezhok, V.R., Kosolapov, A.L. Combination frequency-parametric regulation system with squirrel-cage motors 87−58073

Traube, E.S., Rutberg, L.N., Korinev, B.L., Shavelkin, A.A. A control algorithm for the thyristors of a starting-regulating device based on a reversing commutator and a squirrel-cage motor 87−58071

Traube, L.V. *see* Lachashvili, R.A. 86−67640

Trauboth, H. What can information technology do for environmental protection? 88−16933

Traulsen, D. *see* Riess, W. 88−74637

Traunmuller, H., Lacerda, F. Perceptual relativity in identification of two-formant vowels 88−2989

Traush, J.D. *see* Waldron, M.B. 86−50595

Trauske, J. A plotter as a microcomputer peripheral 88−16258

Traut, F.A., Van Schalkwyk, J.J.D. Vector quantization, an introduction 87−33729

Traut, G.R. User queries cue substrate efforts 87−6204

Traut, G.R. Modify test fixtures to determine PTFE dielectric constant 88−60879

Traut, R.T. *see* Eklund, H.W. 85−4642

Trautman, E., Moll, S., Tometich, L. Accuracy of electron-optical measurements of critical dimensions 88−16494

Trautman, E.D. *see* Newbower, R.S. 86−44627

Trautman, P. *see* Kaminska, E. 88−44585

Trautmann, C. *see* Santel, D. 88−74887

Trautmann, N. *see* Brugger, M. 85−37865

Trautmann, N. *see* Hildebrand, N. 88−4806

Trautmann, W. *see* Kreutz, P. 87−77552

Trautmann, W. *see* Schneider, U. 88−68306

Trautner, L.J., Bankley, A.V. A systems engineering approach for assessing radwaste capabilities at Surry and North Anna power stations 88−42997

Trautner, R. Moment multipliers for power series 85−22295

Trautnitz, W. *see* Frank, H. 86−52099

Trautnitz, W. *see* Rudnik, S. 86−49931, 86−52304

Trautvetter, H.P. *see* Gorres, J. 86−25111

Trautvetter, H.P. *see* Wustenbecker, S. 87−41735, 88−61014

Trautwein, F. *see* Jager, H. 85−20471

Trautwein, W. *see* Benez, H. 87−48407

Trauwaert, E. L_1 in fuzzy clustering 87−72912

Travade, F. How to stop shrimps and fish getting into cooling water intakes? 85−38820

Travale, D. *see* Gawron, V.J. 86−70484

Travassos, R.H. Application of systolic array technology to recursive filtering 85−46816

Travassos-Romano, J.M. Poles and zeros of digital linear prediction filters 87−13037

Travassos-Romano, J.M., Bellanger, M. Zeros and poles of linear prediction digital filters 87−47808

Travassos-Romano, J.M., Bellanger, M. Fast least squares algorithm for second order adaptive cascade filter 88−21260

Travassos-Romano, J.M., Bellanger, M. Fast least squares adaptive notch filtering 88−72927

Travassos-Romano, J.M., Bellanger, M. Fast least squares adaptive notch filtering 88−72993

Travers, D. Tutorial on precision signal handling and converter-microprocessor interface techniques 85−32965

Travers, D. *see* Jung, W. 86−20761

Travers, P. Time-varying smoothing for proportional navigation 86−4739

Travers, R. *see* Farrell, F. 88−17140

Travers, V. *see* Forsdick, H. 85−25353

Travers, V.M. *see* Thomas, R.H. 86−30285

Travers Waltrip, T. ISDN and the large corporation 88−46688

Traversini, R. *see* Barbuscia, G. 88−26396

Traverso, G. *see* Piuri, V. 88−39609

Traverso, G. *see* Sandini, G. 85−9185

Travieso, R. Technique for making flat cables 85−28746

Travis, A.J.B. Laser beam diagnostic equipment for on-line use with multikilowatt CO_2 lasers 85−62520

Travis, A.J.B. High power CO_2 laser beam monitor and instrumentation for laser processing system operators 88−20731

Travis, A.R. *see* Eustice, A.L. 86−62977

Travis, A.R. *see* Needes, C.R.S. 86−53236

Travis, A.R. *see* Sawhill, H.T. 88−6531

Travis, A.R.L., Carroll, J.E. Possible fused fibre in-phase/quadrature measuring multiport 86−2685

Travis, A.R.L. *see* Epworth, R.E. 88−20381

Travis, B. Standard-cell core microprocessors evolve slowly but promise bright future 85−6349

Travis, B. CMOS 12-bit successive-approximation ADC achieves 100 microsec conversion time 85−6382

Travis, B. Analog-input and -output plug-in boards mate IBM PC and clones to real world 85−11349

Travis, B. Mixed-process, CMOS-driven power ICs come slowly but inexorably to market 85−23946

Travis, B. High-resolution D/A and A/D converters advance in crucial specifications 85−28585

Travis, B. Thick- and thin-film hybrid circuits combine custom, semicustom techniques 85−40377

Travis, B. Operational amplifiers 85−49757

Travis, B. Application-specific video D/A converters ease interface of CRTs to pixel memory 85−54940

Travis, B. Pots and trimmers deliver precision in harsh environments 85−55184

Travis, B. Successive-approximation A/D converter has serial output, automatic short cycle 85−61320

Travis, B. Monolithic triple-8 video D/A converter uses CMOS processing, operates at 50 MHz 85−61321

Travis, B. Modular analog-input and output units provide high speed and resolution 85−64047

Travis, B. Monolithic switch-mode solenoid driver improves printer speed and dissipation 86−705

Travis, B. Power MOSFETs 86−2364

Travis, B. Monolithic and hybrid video amplifiers suit diverse high-frequency applications 86−24139

Travis, B. Diodes and rectifiers 86−28259

Travis, B. Gallium arsenide monolithic linear ICs gain in affordability and availability 86−41857

Travis, B. Machine-vision hardware and software provide speed and computational power 86−52911

Travis, B. High-voltage circuits use mixed processes, fulfil diverse roles 86−57610

Travis, B. Phase-locked loops and frequency dividers handle higher-speed circuit functions 86−67103

Travis, B. Low-cost PCs and software analyze analog circuits 87−10564

Travis, B. Heat-removal devices hold semiconductors within operating ranges [hardware and interconnect device product report] 87−23337

Travis, B. Monolithic operational amplifiers 87−23938

Travis, B. Capacitors 87−37594

Travis, C.H. *see* Jones, M.C. 88−53519

Travis, D.N. *see* Rutt, H.N. 85−18846

Travis, J., Ganjei, J. Injection-molded thermoplastic boards 87−6262

Travis, J., Quinn, K., Ganjei, J. Injection molded thermoplastic printed circuit boards 88−19493

Travis, J. *see* Quinn, K. 87−17479

Travis, J.E. Thermoplastic composites for electrostatic dissipation 85−451

Travis, J.E. Thermoplastic composites for electrostatic dissipation and EMI attenuation 85−10830

Travis, J.E., Burns, R.J. Conductive thermoplastic composites for ESD control 85−45909

Travis, N.J. *see* Green, M.I. 88−68153

Travis, S.L. *see* MacQueen, H.R. 86−58173

Travis, W.H. *see* Becker, G.C. 85−6359

Travkin, V.I. *see* Alekseev, G.D. 88−61138

Travkin, V.I. *see* Khazins, D.M. 88−29830

Travkina, S.F. *see* Gruzinenko, V.B. 86−15315

Travkina, S.F. *see* Kochetkov, Yu.A. 86−42021

Travkov, I.V. *see* Gadiyak, G.V. 87−6491, 87−67002, 88−7383

Travkov, I.V. *see* Gritsenko, V.A. 88−7382

Trawinski, R.G. *see* Kossowski, R. 87−69596

Traxler, A., Schweitzer, G. Measurement of the force characteristics of a contactless electromagnetic rotor bearing 85−39159

Traxlmayr, U.E. Untersuchungen zur Diffusion von Chrom in Galliumarsenid mit der Sekundarionen-Massenspektrometrie (Redistribution of chromium in gallium-arsenide investigated by secondary ion mass spectrometry) 85−50400
Traynar, P. Use of hardware accelerators for logic simulation in CAE/CAD 87−598
Traynar, P. Auto place and route in full custom IC design 88−7660
Trayner, B.T. Introduction to the noninertial quality rate gyroscope and its applications 86−2693
Traynor, K. Marketing high technology services and products [the cost of ideas] 86−7457
Traynor, K. *see* Traynor, S.C. 86−7458
Traynor, L. *see* Emrich, R.J. 88−2056
Traynor, L. *see* Gambogi, W. 87−60882
Traynor, O.P., Malone, J.R. Design rule checking and VLSI 88−20033
Traynor, R. *see* Ho, C.Y. 86−20800
Traynor, S.C. Training for the future 86−13348
Traynor, S.C., Traynor, K. The cost of ideas [marketing high technology services and products] 86−7458
Traynor, T.H. Dual image detectors provide high resolution in video display 86−38042
Traynor, T.H. A high resolution monochrome CCD television camera 86−69931
Trbojevic, D., Crawford, C., Childress, S., Tinsley, D. Improvement of the high voltage properties of the Fermilab electrostatic septa 86−32050
Trbojevic, S., Boinovic, V. Importance of non-conventional power sources power demand of Yugoslavia 85−4716
Trbovich, N. *see* Mehrabanzad, S. 88−9174
Trcka, D.E. *see* Sanderson, D.P. 87−77516
Trcka, J.S. *see* Vick, G.L. 86−18432
Treacy, M.M.J. *see* Gibson, J.M. 85−34554
Treacy, R.H. *see* Godfrey, N.R. 87−43511
Treacy, T. Connecting with SMT [surface mount technology] 86−1578
Treadau, F. *see* Liu, S.S. 85−63142
Treadaway, M.J. *see* Coakley, P.G. 86−35184
Treado, M.J. *see* Kissick, W.A. 87−20427
Treado, T.A., Doggett, W.O., Thomas, G.E., Smith, R.S., III, Jackson-Ford, J., Jenkins, D.J. Operating modes of relativistic rising-sun and A6 magnetrons 88−57255
Treado, T.A. *see* Doggett, W.O. 87−17622, 88−25827
Treanor, C.E. Solar-pumped CO laser 87−75020
Treanor, M., Laghari, J.R., Hyder, A.K. Repetitive phenomena in dielectrics 88−1820
Treanor, M., Laghari, J.R., Sarjeant, W.J. Repetitive phenomena in dielectrics 86−68049
Treanor, M. *see* Bilodeau, T. 87−16373
Treanor, M. *see* Hillman, D. 85−5331
Treanor, M. *see* Kraus, R. 88−64828, 88−74560
Treanor, M. *see* Laghari, J.R. 87−25691 to 25692
Trease, L.L. *see* Fuka, M.A. 88−54143
Treat, D.W. *see* Epler, J.E. 88−51690
Trebels, W. *see* Carbery, A. 87−36630
Trebes, J. *see* Ceglio, N.M. 88−2324
Trebes, J. *see* Kania, D.R. 88−51682
Trebes, J. *see* Krishnan, M. 85−7359
Trebes, J. *see* MacGowan, B.J. 88−2177
Trebes, J. *see* Matthews, D. 87−12339, 87−46756
Trebes, J. *see* Matthews, D.L. 87−12369
Trebes, J.E. *see* Ceglio, N.M. 88−27226
Trebes, J.E. *see* Eder, D.C. 88−27042
Trebes, J.E. *see* Matthews, D.L. 85−24467
Trebes, J.E. *see* Rosen, M.D. 88−14119
Trebes, J.E. *see* Wood, O.R., II 88−2178
Trebich, V.D. *see* Benevolenskiy, D.M. 87−17614
Trebilco, W., Lew, W. Technical aspects of premium telephone introduction 85−3246
Trebino, O. *see* Ancona, M. 86−46216
Trebino, R. *see* Farrow, R.L. 87−31063
Trebino, R. *see* Fauchet, P.M. 87−7316
Trebino, R. *see* Byer, R.L. *(editor)* 87−36338
Treble, F.C. International standards development for terrestrial photovoltaics 86−7072
Treble, F.C. Lessons from the acceptance tests on the CEC photovoltaic pilot plants 86−19166
Treble, F.C. The CEG photovoltaic pilot projects 86−45273
Treble, F.C. Progress in international photovoltaic standards 88−17440
Treble, F.C. The calibration of primary terrestrial flat-plate reference devices—a proposed international standard 88−17445
Treble, F.C. *see* Palz, W. *(editor)* 86−33926
Trecarichi, G. *see* Cammarata, S. 87−34884
Trecat, J. *see* Bouquegneau, C. 87−9210
Trecat, J. *see* Lerondeau, A. 87−22854
Trecat, J. *see* Ligot, P. 86−12313
Trechcinski, J. Telephone network development problems 85−19701
Trechcinski, J. Digital systems introduction: examples in existing telecommunication networks 88−67108
Trechcinski, J. *see* Kaminski, F. 88−59800
Tredeau, A. *see* Carlson, D. 87−15853
Tredennick, H.L. *see* Trempel, C.A. 87−44918
Tredennick, N. The impact of VLSI on microprogramming 87−37381
Tredennick, N. *see* Hadsell, R.W. 87−37377
Treder, A.J. Autonomous navigation—when will we have it? 88−15702
Treder, C. *see* Gilbert, B. 87−31945
Tredgold, R.H., El-Badawy, Z.I. Increase of Schottky barrier height at GaAs surfaces by carboxylic acid monolayers and multilayers 85−18811
Tredgold, R.H., El-Badawy, Z.I. GaAs Schottky diodes incorporating Langmuir-Blodgett layers of pre-formed polymers 86−22245
Tredgold, R.H., Winter, C.S., El-Badawy, Z.I. Multiple monolayer adsorption—a new technique for the production of noncentrosymmetric films 85−49585
Tredgold, R.H., Young, M.C.J., Hodge, P., Hoorfar, A. Gas sensors made from Langmuir-Blodgett films of porphyrins 85−47944
Tredgold, R.H., Young, M.C.J., Jones, R., Hodge, P., Kolinsky, P., Jones, R.J. Optical second harmonic generation from Langmuir-Blodgett multilayers containing preformed polymers 88−34108
Tredicce, J. *see* Arecchi, F.T. 86−48468
Tredicce, J.R., Abraham, N.B., Puccioni, G.P., Arecchi, F.T. On chaos in lasers with modulated parameters: a comparative analysis 85−62648
Tredicce, J.R., Arecchi, F.T., Lippi, G.L., Puccioni, G.P. Instabilities in lasers with an injected signal 85−24432
Tredicce, J.R., Arecchi, F.T., Puccioni, G.P., Poggi, A., Gadomski, W. Dynamic behavior and onset of low-dimensional chaos in a modulated homogeneously broadened single-mode laser: experiments and theory 87−2084
Tredicce, J.R., Lippi, G.L., Arecchi, F.T., Abraham, N.B. Stable oscillations in a bistable, bidirectional CO_2 ring laser 85−41431
Tredicce, J.R., Narducci, L.M., Abraham, N.B., Bandy, D.K., Lugiato, L.A. Experimental evidence of mode competition leading to optical bistability in homogeneously broadened lasers 86−29191
Tredicce, J.R., Sadiky, H., Narducci, L.M., Bandy, D.K. Instabilities in laser systems at low pumping levels 87−74956
Tredicce, J.R. *see* Arecchi, F.T. 85−24458
Tredicce, J.R. *see* Lippi, G.L. 85−35832, 87−46780, 87−75009
Tredicce, J.R. *see* Lugiato, L.A. 86−29195, 87−12523, 87−33242, 88−2322, 88−58607
Tredicce, J.R. *see* Narducci, L.M. 86−3006
Tredicce, J.R. *see* Ru, P. 87−75178
Tredicce, J.R. *see* Scharpf, W. 87−74998
Tredinnic, I.R. Cracking the network planning nut 86−16720
Tredinnick, I.R. Where two worlds meet [voice and data integration] 85−57609
Tredinnick, I.R. Struggling with network technologies. II 86−16721
Tredinnick, I.R. Integration is available today. III 86−16722
Tredt, H. Fibre cables in the Norwegian telecommunications system 88−15490
Tredwell, S. *see* Copper, D. 87−14843
Tredwell, T.J. High-density solid-state image sensors 86−55560
Tredwell, T.J. Large scale integrated circuits for electronic imaging 88−44858
Tredwell, T.J., Khosla, R.P. Solid-state image sensors: the 'Chips that see' come of age 87−28953
Tredwell, T.J. *see* Burkey, B.C. 85−51054
Tredwell, T.J. *see* Chang, W.C. 88−29463
Tredwell, T.J. *see* Lee, T.H. 85−42911
Tredwell, T.J. *see* Nichols, D.N. 88−42167
Tredwell, T.J. *see* Stevens, E.C. 87−63285
Tredwell, T.J. *see* Teh-Hsuang Lee 86−5041
Tredwell, T.J. *see* Viswanathan, C.R. 85−40756
Tree, R.J. *see* Coe, D.J. 85−45735
Treece, J.C. *see* Nyenhuis, J.A. 88−49906
Treece, R.K. *see* Fleetwood, D.M. 87−32698
Treece, R.K. *see* Giddings, A.E. 86−35884
Treece, R.K. *see* Laguna, C.A. 87−46110
Treek, G.van *see* van Treek, G.
Treese, G. *see* Dawson, B. 86−30029
Treese, G. *see* Dawson, B.M. 85−30327
Treetz, J., Hansel, G. Tester 3000 computer controlled automatic test equipment 88−47424
Trefethen, L.N. Analysis and design of polygonal resistors by conformal mapping 85−11596
Trefethen, L.N. Stability of finite-difference models containing two boundaries or interfaces 86−26778
Trefethen, L.N. Square blocks and equioscillation in the Pade, Walsh, and CF tables 86−34222
Trefethen, L.N. Analysis and design of polygonal resistors by conformal mapping 86−35129
Trefethen, L.N. On l^p-instability and oscillation at discontinuities in finite difference schemes 86−40687
Trefethen, L.N., Williams, R.J. Conformal mapping solution of Laplace's equation on a polygon with oblique derivative boundary conditions 86−19993
Trefethen, L.N. *see* Leveque, R.J. 85−22388, 88−70263
Treffer, G. Printer carriage drive with TCA 955 integrated speed control 85−10150
Treffers, S. *see* Kare, J.T. 88−74493
Trefilov, E.E. *see* Apollonov, V.V. 88−57242
Trefilov, V.A. *see* Shulakov, N.V. 85−60169, 86−39729
Trefler, E., Romich, B., Russell, N. Modular technology for the severely physically disabled. The 'Lainey' system 86−25269
Trefler, M. *see* Ergener, D. 88−48143
Trefny, F. *see* Horton, J.S. 86−56363, 87−4269
Trefny, F.J., Gross, D.P., Wollenberg, B.F. Integration of an operations information system into an energy management and control system 88−55099
Trefny, F.J., Gross, D.P., Wollenberg, B.F., O'Hehir, J.D. Integration of an operations information system into an energy management and control system 88−10773
Trefny, J. *see* Madsen, J. 88−16545, 88−47703
Trefny, J. *see* Yarar, B. 87−59016
Trefonas, P., III, Daniels, B.K. New principle for image enhancement in single layer positive photoresists 88−13264
Trefonas, P., III, Daniels, B.K., Fischer, R.L., Jr. Photoresist design for submicron optical lithography: application of polyphotolysis 88−1497
Trefonas, P., III, Woodbrey, J.C., Szmanda, C.R. Polyphotolysis process to enhance positive photoresist results 87−74171
Trefonas, P., III *see* Daniels, B.K. 87−11894
Tregelles, P.G. *see* Lester, M.F. 85−22197
Tregidga, A. Signal processing gate array macrofunctions yield customizable standard products 85−45890
Tregidga, A. *see* Grant, D. 86−21609
Tregilgas, J., Beck, J., Gnade, B. Type conversion of (Hg,Cd)Te induced by the redistribution of residual acceptor impurities 85−34489
Tregilgas, J.H. *see* Castro, C.A. 88−31756
Tregilgas, J.H. *see* Chen, M.C. 87−37888
Treglio, J.R. *see* Kohli, J.C. 85−5206
Tregoat, D. CVD techniques for synthesis of fluoride glass optical fibers 88−58141
Tregoat, D. *see* Lucas, J. 85−18626
Tregub, D.P. *see* Borodulin, V.I. 87−33211 to 33212
Tregubov, V.A. *see* Mastyaev, N.Z. 87−47116
Tregubova, A.S. *see* Mokhov, E.N. 88−38176
Tregubova, E.S. *see* Goryachev, O.V. 86−26062
Tregubova, L.K. *see* Bezrodnyi, L.K. 87−29290
Treguer, L. *see* Goret, P. 88−68252
Treguier, J.-P. Telecommunications equipment: a better protection level by zinc oxide varistors used with other components 87−21988
Treguier, J.P., Bohin, J., Jeudy, Barre, Noguier Si protection components for surface mounting 88−37989
Treguier, J.P. *see* Belin, M. 88−32519
Treguier, J.P. *see* Frey, F. 88−32531
Treguier, J.P. *see* Noel, S. 88−32518
Tregunno, D. *see* Brooks, G.L. 86−6539
Tregybov, V.A. *see* Mastyev, N.Z. 87−7510
Trehan, P.N. *see* Mehta, D. 86−50378
Trehel, M. *see* Naimi, M. 88−8915
Trehern, J.F., Jack, M.A., Laver, J. Speech processing with a Boltzmann machine 87--19499
Treherne, D.M. *see* Jardine, S.I. 85−48489
Treherne, J. *see* Plantier, A. 87−70984
Treheux, M. From telephony to multiservices network 87−33984
Treheux, M. *see* Remy, J. 88−8952
Treheux, M.E. IEC standardisation in the fibre optics field 85−8426
Trehin, F. *see* Kleinmann, B. 85−46459
Trehin, F. *see* Verkerk, P. 86−63774
Trehu, A. A note on the effect of bottom currents on an ocean bottom seismometer 86−12129
Treiber, J., Kitney, R.I. Influence of dropouts on flow velocity measurements with an LDV frequency tracking system 88−22793
Treiber, J. *see* Hartmann, I. 87−21890
Treichel, M. *see* Bruckner, W. 88−61126
Treichel, S. *see* Marotz, J. 87−7455
Treichel, S. *see* Rupp, R.A. 88−20735
Treichler, J., Larimore, M.G. CMA-based techniques for adaptive interference rejection 87−39852
Treichler, J.R., Larimor, M.G. New processing techniques based on the constant modulus adaptive algorithm 85−46790
Treichler, J.R., Larimore, M.G. The tone capture properties of CMA-based interference suppressors 86−10351
Treichler, J.R., Larimore, M.G. Convergence rates for the constant modulus algorithm with sinusoidal inputs 86−14397
Treichler, J.R. *see* Larimore, M.G. 86−3602, 86−14398, 87−19783, 87−62104
Treichler, J.R. *see* Wood, S.L. 88−66266, 88−73002
Treiger, A.S., Machkhel'yants, Z.A., Varvarin, G.I. On the heating of transmission line conductors in hot climates 87−4408
Treillard, P. *see* Robert, P. 87−76606
Treille, D. *see* Barber, G. 87−29555
Treimanis, E. *see* Krogeris, A. 87−50623, 88−5325
Treimanis, E.P. *see* Krogeris, A.F. 87−9665, 87−78062
Treis, B. Scanning and Btx in the trade research 85−8095

Treis, P.P. *see* Beiner, E.T. 85−25464
Treis, P.P. *see* Yakubaitis, E.A. 86−10590
Treitel, S. *see* Scales, J.A. 87−47666
TReitinger, L. *see* Schaber, H. 85−55789
Treitinger, L. *see* Weger, P. 87−37488
Treitley, H.L. Making measurements with ICs 86−55627
Treivish, Yu.M. *see* Virnik, Ya.Z. 88−27222
Trela, W.J., Bartlett, R.J., Michaud, F.D., Alkire, R. An X-ray beam line for the energy range 5-20 keV 88−48051
Trela, W.J. *see* Bartlett, R.J. 87−14817, 88−47821
Treleaven, D., Wadsworth, D. FSK receiver uses direct conversion 87−8158
Treleaven, R. *see* Bruder, T. 87−34271, 87−48662
Treleven, K. *see* Baughn, J.W. 85−4966
Treleven, K. *see* Hindley, P.D. 85−48552
Treleven, R. *see* Van Zummeren, M. 88−5214
Trelle, R. *see* Pearson, J.B. 88−54352
Trelle, R. *see* Zach, M. 86−32044
Trelles, R. *see* Lorenzo Matilla, S. 87−52356
Treloar, B. *see* Bellamy, C. 85−57758
Tremaglio, D. Curbing micro power problems 87−72258
Tremain, T. The government standard adaptive predictive coding algorithm: APC-04 85−57315
Tremain, T.E., Collura, J.S. A comparison of five 16 kbps voice coding algorithms 88−73733
Tremain, T.E. *see* Campbell, J.P., Jr. 87−19475
Trembach, M.I. *see* Flos, S.L. 85−15882
Tremblay, A.-M.S. *see* Clerc, J.P. 85−494
Tremblay, A.-M.S. *see* Fourcade, B. 88−543
Tremblay, A.-M.S. *see* Rammal, R. 87−31676
Tremblay, A.-S. Electrical properties of fractal networks (and why) 87−65631
Tremblay, G., LeBlanc, A.R. Near-optimal signal preprocessor for positive cardiac arrhythmia identification 85−38154
Tremblay, G., Meyrueix, P. Optical reading of voltages on printed circuit boards 88−38863
Tremblay, G. *see* Bonneau, G. 87−63777
Tremblay, G. *see* Savard, P. 86−44677, 87−57206
Tremblay, M., Lang, T. VLSI implementation of a shift-register file 87−59600
Tremblay, M.D. *see* Fromme, J.L. 85−37047
Tremblay, P., Cyr, N., Tetu, M. Evaluation of the performance of passive rubidium frequency standards using cavity operated in mode TE$_{011}$, TE$_{111}$ and TE$_{101}$ 85−58810
Tremblay, P., Tetu, M. Characterization of frequency stability: effect of RF filtering 85−54717
Tremblay, P., Tetu, M. Characterization of frequency stability: effect of RF filtering 86−20358
Tremblay, P., Tetu, M. Frequency stability characterization from filtered signal of a precision oscillator 86−34611
Tremblay, P. *see* Tetu, M. 86−38500
Tremblay, P. *see* Villeneuve, B. 85−17809, 85−23116
Tremblay, P.A., Grover, M.S., Fong, C.C. Measuring reliability performance and benefits of power system control aids 88−10799
Tremblay, P.F., Tulett, M.V. Maintenance forecasting model (MFM): a rigorous approach to assessing plant needs [CANDU maintenance] 88−75376
Tremblay, P.F. *see* Dunlop, J.C. 88−75294
Tremblay, R. *see* Jakubczyk, Z. 87−74743, 88−20403, 88−72119
Tremblay, R. *see* Jerominek, H. 85−12643, 85−29916, 85−41228, 85−50952, 86−22122, 86−36127, 87−32989, 87−74753, 88−33720, 88−33735, 88−51939
Tremblay, R. *see* Patela, S. 86−42353, 87−2231
Tremblay, R.J., Carter, G.C., Lytle, D.W. A practical approach to the estimation of amplitude and time delay parameters of a composite signal in non-white Gaussian noise 87−61410
Tremblay, R.J., Carter, G.C., Lytle, D.W. A practical approach to the estimation of amplitude and time-delay parameters of a composite signal 87−69124
Trembly, A.C. Getting more from your key resources 85−22210
Trembly, B.S. The effects of driving frequency and antenna length on power deposition within a microwave antenna array used for hyperthermia 85−38203
Trembly, B.S., Wilson, A.H., Sullivan, M.J., Stein, A.D., Wong, T.Z., Strohbehn, J.W. Control of the SAR pattern within an interstitial microwave array through variation of antenna driving phase 86−60746
Trembly, B.S. *see* Granoff, N.R. 86−44701
Trembly, B.S. *see* Jones, K.M. 87−4033
Trembly, B.S. *see* Stein, A.D. 86−44700
Trembly, B.S. *see* Wilson, A.H. 87−4032
Trembly, B.S. *see* Wong, T.Z. 86−60745
Trembour, F.W., Friedman, I., Jurceka, F.J., Smith, F.L. A simple device for integrating temperature, relative humidity or salinity over time 87−71339
Tremel, J.Y., Thebault, R. Digital transmission network centralised monitoring and supervising related to CCITT Recommendations G 821 86−30234
Tremelat, P. *see* Lefebvre, J.J. 85−36426
Tremeur, H. *see* Le Mouel, B. 85−63484
Tremewan, P. Data via PABXs 85−14049
Tremewan, R.N., Peters, T.M., Bones, P., Tait, J.J. A low resolution CT scanner in radiotherapy planning 88−54494
Tremintin, B. *see* Gandemer, S. 88−33342, 88−64740
Tremintin, B. *see* Mingam, H. 88−73450
Tremintin, B.C. *see* Gandemer, S. 88−26385
Tremmel, D. *see* Coulon, A. 87−4593
Tremoureux, Y. *see* Goldman, A. 88−10161
Trempat, Y. *see* Calhes, G. 87−29964
Trempel, C.A. A self-test scheme for embedded memories using the coupling fault model 88−6875
Trempel, C.A., Hadsell, R.W., Tsai, M., Tredennick, H.L., Chao, H.H. Special function unit for the Micro/370 microprocessor 87−44918
Trempel, C.A. *see* Chao, H.H. 87−10904, 87−60641
Trempel, C.A. *see* Ong, S. 87−17152
Trempel, C.A. *see* Shih, F.W. 87−24256
Trench, W.C. *see* Boyd, D.W. 86−61571
Trench, W.C. *see* Komai, R.Y. 87−63852
Trenchard, S.E. *see* Winslow, T.S. 86−7079
Trencher, E.A. *see* Whitlock, J.A., Jr. 88−61475
Trencina, J. Intelligent test stands for multifunctional use 86−60138
Trenda, P. *see* Jelinek, M. 88−33923
Trendel, R. *see* Meresse, J. 85−52211
Trendler, R.C. Operational experience with the Fermilab 150 GeV injection kicker 86−32035
Trenev, V.N. *see* Irikov, V.A. 86−39080
Trenholm, B.A., Theriault, J.A. Resolution of azimuthal and vertical arrival angles at a rotatable horizontal line array 88−41759
Trenholm, P.A. Establishing guidelines for fiber-optic LANs 86−37870
Trenholme, J.B. *see* Gelinas, R.J. 87−26353
Trenholme, J.B. *see* Summers, M.A. 87−46828
Trenholme, W.M., Csider, L.J., Ford, J.D. *(editor)* Instrumentation in the Mining and Metallurgy Industries. Vol. 10. Proceedings of the 11th Annual Mining and Metallurgy Industries Sympoium and Exhibit 85−32
Tren'kin, V.B. *see* Grebennikov, V.N. 87−15433
Trenkler, H. New impressions from the American electricity economy 85−15469
Trenkler, H. Comments, from predominantly technical-economic viewpoints' on the demands for a greater decentralisation of plants for the generation of power and heat 86−19057
Trenkler, H. New effects on the development of heat and power economics 86−50874
Trenkler, H. Japanese electrical economy 88−5269
Trenkler, Y., McBride, L.E. Characterization of metals as EMC shields 86−59107
Trenkler, Y., McBride, L.E. Characterization of metals as EMC shields 88−20926
Trenkner, H. Dialogue-oriented simulation program for event-controlled logic simulation 85−61236
Trenkner, H. *see* Taubert, J. 86−27005
Trenne, M.U. Mismanaging technology 88−69907
Trenne, M.U., McQuillan, C.M. Truck recorders−present and future 85−60514
Trent, B. Toward a general-purpose optical oscilloscope 88−47620
Trent, C. *see* Pellechi, M. 88−75300
Trent, D.R. Meeting customer expectations of transmission quality 86−4153
Trent, J.E. An approach to supplier quality improvement 87−143
Trent, P.T. *see* Catanesi, M.G. 87−29686
Trent, P.T. *see* De Vincenzi, M. 86−65331
Trento, G. *see* Bolognani, S. 88−76005
Trepalin, A.I., Gluskin, Ya.A., Gamygin, K.A. Ways of conserving silver and tungsten in the production of switchgear 87−64738
Trepalin, A.M. Dually-recurrent and almost dually-recurrent electromagnetic waves in Friedman-Lobachevskii space 85−46557
Trepat-Marti, J., Goure, J.P. Thermal effect on the refracted near-field optical fiber profiling technique 87−46528
Trepera, R. *see* Cuchy, Z. 88−71863
Trepsat, C. Prophylactic laser therapy in retinal detachment 88−48221
Treptow, K. *see* Barsotti, E. 88−54403
Treptow, R. Noise−a close look at practice 88−8490
Treptow, T. *see* Daetz, M. 88−60955
Treq, R.J. *see* Khatibzadeh, M.A. 88−38766
Treranishi, N., Kohno, A., Ishihara, Y. Design consideration of p-well structure for solid-state image sensors 86−5042
Treschau, R. Office communication with Sperrylink−qualification test from the user's point of view 87−40103
Treschchalov, A. *see* Kippasto, A. 88−51724
Trescher, H. 'Tamed' electric motors 86−71082
Trescher, H. Energy savings through speed-controlled, three-phase AC drives 87−4976
Trescher, H. Efficient energy utilization by using 3-phase AC drives 87−16074
Trescott, M. Instrumentation-ATE configurations. Computer-in-an-instrument architecture offers advantages for ATE 88−35796
Treseler, M. User-definable switch/scanner optimizes signal routing 87−77090
Treshchalov, A., Laan, M., Peet, V., Tiirik, A., Aints, M., Korge, H., Roos, H., Susi, J., Haljaste, A., Tsarenko, S., Sorkina, R. Spectral and temporal characteristics of discharge emission in a XeCl excimer laser 85−56491
Treshchalov, A. *see* Isaev, A. 88−51726
Treshchalov, A. *see* Miidla, P. 88−51722
Treshchalov, A. *see* Peet, V. 88−51723, 88−51725
Treshchalov, A.B., Peet, V. Spatial-time dynamics of the discharge pumping and lasing in a XeCl excimer laser 88−40126
Treshchalov, A.B. *see* Berik, E.B. 86−63773
Treshchalov, A.B. *see* Miidla, P.Kh. 87−46760
Treshchalov, A.B. *see* Peet, V.E. 86−48340
Treshchev, I.I., Klimova, N.S. Electromagnetic transients in emergency regimes of an alternating-current transmission 86−66073
Treshchev, I.I., Kopylov, A.I., Prokhorov, V.A. Investigating alternating-current regimes on the basis of typical-regime data 88−55323
Treshchev, V.M. *see* Komov, A.N. 87−19261
Treshchin, V.A. *see* Artemyev, A.N. 88−10229
Treshler, J.R. *see* Iavarone, D.M. 87−64381
Treskov, T.A. *see* Smolkov, G.Ya. 86−37967
Tresl, J. Reaction of linear gravimetric measuring systems to disturbances of equilibrium state 85−59462
Tresl, J. Rheological modelling of measuring systems of quartz gravity meters 86−12143
Tresner, J. *see* Jelinek, J. 87−64842
Tresp, V., Gerogiannis, D., Gindi, G.R., Gmitro, A.F. CT videography 87−3983
Tress, G. *see* Shi-Lun Guo 86−50400
Tressaud, A. *see* Touhara, H. 85−10082
Tressens, S., Clergeot, H., Ouamri, A., Bouvet, M. More on optimality of EVD methods for bearing estimation 88−74083
Tressens, S. *see* Clergeot, H. 86−10437
Tressens, S. *see* Ouamri, A. 87−55228
Tressler, R.E., Boeglin, H.J., Monkowski, J., Stach, J., De Munda, G., Volk, C. Present status of arsenic planar diffusion sources 85−12140
Tressler, R.E., Nemetz, J.A., Monkowski, J.R. Thermochemical considerations in the thermal nitridation of silicon 85−1528
Tressler, R.E. *see* Costello, J.A. 85−1519
Tressler, R.E. *see* Flemish, J.R. 88−57475
Tressler, R.E. *see* Foster, B.D. 85−12088
Tressler, R.E. *see* Koba, R. 88−33042
Tressler, R.E. *see* Monkowski, J.R. 85−55447
Tresso, E. *see* Demichelis, F. 85−60441, 86−27895, 86−35342, 86−35356, 86−53323, 87−24808, 87−30949, 87−53212
Tresso, E. *see* Mpawenayo, P. 87−37911
Tresso, E. *see* Rava, P. 88−7319
Trested, W.C. *see* Bates, C.P. 88−3836
Trestman-Matts, A. *see* Horvath, J.L. 86−52276
Trestman-Matts, A. *see* Hultmark, E. 87−44002
Tretevich, R.I. *see* Grinchenko, N.G. 87−64989
Tretevich, R.K. *see* Grinchenko, N.G. 87−58100
Trethewie, J.V., Carter, W.G. Calibration of a satellite communications system monitor 85−14632
Trethewie, J.V., Yuceozsoy, M. Performance of a communications system monitor [for AUSSAT] 86−30736
Trethewie, J.V., Yuceozsoy, M. Performance of a communications system monitor 87−69999
Tretiak, O., Guo Yao Yu Curve-fitting method for the measurement of the resolution of digital image input devices 87−34980
Tretiak, O., Pastor, L. Velocity estimation from image sequences with second order differential operators 85−30368
Tretiak, O.J., Chu, C.L. Microcomputer image processing system for autoradiography 85−43385
Tretiak, O.J. *see* Pedersen, P.C. 86−10455
Tretout, H., Marin, J.-Y. Transient thermal technique for infrared nondestructive testing of composite materials 87−16762
Tretow, U. *see* Mielenz, E. 88−23499
Tretta, F. Monitoring low levels of defects in semiconductor production 86−13441
Tretter, L. *see* De la Moneda, F.H. 85−17638
Tretter, S.A. Estimating the frequency of a noisy sinusoid by linear regression 86−29865
Tretter, S.A. Tracking the frequency translation of a sum of orthogonal sinusoids 86−49711
Tretter, S.A. *see* Deng, W.Q. 86−64266
Trettin, T. *see* Shultze, K. 86−27304
Tret'yachenko, K.G. *see* Prokhorov, V.G. 87−32904
Tret'yak, L.M. *see* Etkind, L.L. 88−69451
Tretyak, N.G. *see* Bondarev, A.A. 86−40324
Tretyak, N.G. *see* Paton, B.E. 85−16473
Tretyak, O. *see* Kobka, V.G. 85−28944
Tretyak, O.V. *see* Borisov, F.I. 85−23535, 86−1673
Tretyak, O.V. *see* Strikha, V.I. 88−4580
Tretyak, V.I. *see* Demchyuk, M.I. 85−12833

Tretyak, V.T., Kozlov, Yu.V. Features of the realization of algorithms of the operation of programmable devices for compensation of reactive power 88−61800
Tret'yakov, A.A. *see* Karmanov, V.G. 86−57361
Tret'yakov, B.G. *see* Vainshtein, R.A. 86−51121
Tret'yakov, G.A. *see* Berkovich, E.I. 86−45510
Tret'yakov, O.A. The modal basis method 88−2664
Tret'yakov, O.A. *see* Bogomolov, N.M. 88−6559
Tret'yakov, O.A. *see* Bulgakov, S.A. 88−19617
Tret'yakov, O.A. *see* Danilevich, S.B. 86−42717
Tret'yakov, O.A. *see* Tarasov, M.M. 86−21015, 87−73958
Tretyakov, O.A. *see* Vavriv, D.M. 85−23322, 85−23355, 85−50148 to 50149, 85−55122, 87−24706, 87−66827
Tret'yakov, O.A. *see* Yegorova, N.P. 85−7627
Tret'yakov, O.A. *see* Zhuk, N.P. 86−29288, 87−33411, 87−38832
Tret'yakov, S.A. Linear inductance of a strip antenna for surface magnetostatic waves 87−39463
Tretyakov, S.A. *see* Kontorovich, M.I. 87−66472, 88−926, 88−38673
Tret'yakov, S.A. *see* Rozov, V.A. 85−19115
Tret'yakov, S.A. *see* Veselkov, M.I. 87−59819
Tret'yakov, V.M. *see* Grigor'yants, A.G. 85−44352
Tret'yakov, V.P. *see* Astaf'ev, S.V. 85−3836
Tret'yakova, Ch.A. Light attenuators for plastic scintillation detectors 87−77566
Tretyakova, M.I. *see* Forino, A. 85−37976
Tretyakova, S.P., Shirkova, V.V., Khitrova, N.B., Borcea, C. Polyvinylidenfluoride (PVF) as a charged particle detector 87−29569
Tretyakova, S.P. *see* Sagaidak, R.N. 87−14782
Tret'yankov *see* Vavriv, D.M. 86−14014
Treuer, R., Agarwal, V.K. Repairing a redundant PLA 88−38492
Treuer, R., Agarwal, V.K., Fujiwara, H. A new built-in self-test design for PLAs with high fault coverage and low overhead 87−37174
Treuer, R., Fujiwara, H., Agarwal, V.K. Implementing a built-in self-test PLA design 85−49815
Treuer, R., Fujiwara, H., Agarwal, V.K. A low overhead, high coverage, built-in self-test PLA design 86−1011
Treuer, R., Fujiwara, H., Agarwal, V.K. An implementation of a new built-in, self-test PLA design 86−62568
Treuhaft, R.N., Lanyi, G.E. The effect of the dynamic wet troposphere on radio interferometric measurements 87−56309
Treuhaft, R.N., Lanyi, G.E. Modelling atmospheric water vapor fluctuations for radio interferometry 88−45692
Treumann, R. *see* Hausler, B. 85−53168
Treurniet, W.C., Hearty, P.J., Planas, M.A. Viewers' responses to delays in simulated teletext reception 86−16853
Treurniet, W.C. *see* Planas, M.A. 88−46518
Treusch, H.-G., Herziger, G. Metal precision drilling with lasers 87−47052
Treusch, H.-G., Holtgen, B., Knoff, M. Drilling by pulsed Nd:YAG lasers 86−36621
Treusch, H.-G. *see* Kreutz, E.W. 88−40428, 88−55976
Treusch, H.G., Poprawe, R., Herziger, G. Machining materials with a laser beam. VIII. Laser beam boring 88−14313
Treusch, H.G. *see* Loosen, P. 86−10030
Treutler, C. *see* Heinig, K.-H. 86−28172
Treutwein, G. RISC chips: fewer commands−more efficiency 86−27355
Treves, D. *see* Ashkenazy, J. 85−26463, 86−29614, 86−43032, 87−27081, 88−40723
Treves, D. *see* Levine, E. 86−29589, 87−8723, 88−27657
Treves, D. *see* Perlmutter, P. 85−13262, 85−41703
Treves, S.R., Tolusso, G., Gimpelson, L.A. System 12 circuit and packet switching in an ISDN environment 85−47359
Treves, S.R., Upp, D.C. System 12: technique for wideband ISDN applications 85−25653
Treves, S.R. *see* Casali, F. 85−8060, 86−65078, 87−40090, 88−28458
Treves, S.R. *see* Gimpelson, L.A. 85−25666
Treves, S.R. *see* Polese, P.A. 86−54675
Trevese, D. *see* Fusco, L. 86−10477, 86−59319
Trevett, J.W. *see* Deane, G.C. 87−49183
Trevillyan, L., Joyner, W., Berman, L. Global flow analysis in automatic logic design 86−27223
Trevillyan, L. *see* Berman, L. 88−44162
Trevillyan, L. *see* Brand, D. 87−16992
Trevillyan, L. *see* Darringer, J.A. 85−28431
Trevillyan, L.H. *see* Joyner, W.H., Jr. 87−6829
Trevino, C., Brown, D.P. Models for analysis of unbalanced power systems using SPICE 86−61086
Trevisan, G. *see* Cauzillo, B.A. 88−68992
Trevisan, U. *see* Anguilar-Benitez, M. 87−71031
Trevitt, A.C.F. An infrared hygrometer with online temperature compensation 86−32531
Trevitt, G. Satcomms aims at aircraft 86−49505
Trew, A. Amstrad: the case and the issues behind illegal home taping 86−26542
Trew, R.J. Equivalent circuits for high frequency transistors 88−38765
Trew, R.J., Hearn, C.P., Bradshaw, E.S. Microstrip termination effects on dielectric resonator filters 86−8425
Trew, R.J., Khatibzadeh, M.A., Masnari, N.A. Deep-level and profile effects upon low-noise ion-implanted GaAs MESFETs 85−40751
Trew, R.J., Steer, M.B. Millimetre-wave performance of state-of-the-art MESFET, MODFET and PBT transistors 87−32068
Trew, R.J., Sultan, R., Hauser, J.R., Littlejohn, M.A. Ensemble Monte Carlo studies of high field spikes and planar doped barrier devices 85−34946
Trew, R.J. *see* Khatibzadeh, M.A. 87−73715, 88−32433
Trew, R.J. *see* Mock, P.M. 88−38772
Trew, R.J. *see* Neece, R.T. 86−62843
Trew, R.J. *see* Riddle, A.N. 85−17856, 86−8481, 86−62486, 87−6092, 87−73742
Trew, R.J. *see* Steer, M.B. 87−17350, 87−66568
Trew, R.J. *see* Steiner, K. 87−60149
Trew, R.J. *see* Stoneking, D.E. 88−71124
Trew, R.J. *see* Woolard, D.L. 88−33128
Trew, R.J. *see* Yan, J.B. 88−71055
Trewern, B. The fall and rise of high frequency 85−63540
Trewhitt, J. Southwestern Bell Corp.: are better times ahead? 87−27878
Trewhitt, J. Central-office LANs: BOC's plans for interim ISDNs 87−28054
Trewitt, G. *see* Partridge, C. 88−52881
Treytl, P. Digital sound service for TV-SAT, the German direct broadcasting satellite 85−20165
Treyz, G.V., Beach, R., Osgood, R.M., Jr. Rapid direct writing of high-aspect-ratio trenches in silicon 87−38107
Treyz, G.V., Beach, R., Osgood, R.M., Jr. Direct-writing of high-aspect-ratio trenches in silicon 88−33070
Treyz, G.V., Beach, R., Osgood, R.M., Jr. Rapid direct writing of high-aspect ratio trenches in silicon: process physics 88−39212
Treyz, G.V., Osgood, R.M., Jr. Electrical properties of devices fabricated on laser-etched silicon 88−50716
Trezeguet, J. *see* Thiennot, J. 85−63648
Trezeguet, J.-P., Ollion, P., Franco, P., Thiennot, J. The submarine optical cable of the Submarcom S 280 system 85−37025
Trezeguet, J.-P. *see* Carratt, M. 88−41613
Trezeguet, J.-P. *see* Franco, P. 85−37016
Trezeguet, J.-P. *see* Thiennot, J. 86−11083
Trezeguet, J.P. *see* Wilbrod, J.H. 86−11124
Trezek, G.J. *see* Clerx, M. 88−11510
Trezenka, W.F. Reliability and the customer 87−36553
Trezesowski, Z. *see* Ostapowicz, J. 85−46437
Trezzi, M. Active biquadratic switched-capacitor functional block 87−52733
Trezzi, M. *see* Dostal, T. 85−11413
Trezzi, M. *see* Hargroves, R.A. 87−64957
Trezzi, M. *see* Moos, P. 87−883
Trhlik, J., Huncik, K., Borovska, A., Racek, E. The use of the SMEP computer for the PCB design 88−57076
Tri, L.D. *see* Barral, G. 86−19439
Tri Hien Ho *see* Ho Tri Hien
Tria, P.di *see* di Tria, P.
Triantafyllou, M., Wild, A. Parameter assessment for service life studies of semiconductor components 87−10216
Triantafyllou, M. *see* Wild, A. 88−39257
Triantis, F. *see* Alner, G.J. 88−10288
Tribble, G.L., III *see* Weinberg, R.J. 86−11987
Tribble, R.E. *see* Gagliardi, C.A. 87−3841, 87−29397
Triberis, G.P. *see* Meimaris, D. 87−53208
Tribet, D. *see* Brierre, J. 88−41615
Tribillon, G. *see* Manderscheid, T. 88−45353
Tribillon, G. *see* Pieralli, C. 88−34791
Tribillon, J.-L. General review on recording materials used in holography 87−12603
Tribolet, J.M. *see* Almeida, L.B. 85−19393
Tribolet, J.M. *see* Ortigueira, M.D. 85−19465, 85−46856
Tribolet, J.M. *see* Trancoso, I.M. 86−16195, 87−27265, 88−66313, 88−66424
Tribolet, J.M.S. *see* Joaquim Serralheiro, A. 87−69071
Tribolet, P., Radisson, P. Status of SOFRADIR IR-CCD detectors 88−74479
Tribolet, P. *see* Lagnier, R. 85−47837
Tribollet, B. *see* Deslouis, C. 88−60863
Tribonniere, J.P.de la *see* de la Tribonniere, J.P.
Triboulet, M. An interactive local distribution network using fiber optic technologies 85−31022
Triboulet, M. A subscriber distribution system for fiber optic videocommunication network 87−20549
Triboulet, R. (Hg,Zn)Te: a new material for IR detection 88−32782
Triboulet, R., Hguyen Duy, T., Durand, A. THM, a breakthrough in $Hg_{1-x}Cd_xTe$ bulk metallurgy 85−33385
Triboulet, R., Lasbley, A., Toulouse, B., Granger, R. Growth and characterization of bulk HgZnTe crystals 87−31477
Triboulet, R., Le Floch, T., Saulnier, J. First (Hg,Zn)Te infrared detectors 87−35094
Triboulet, R., Legros, R., Heurtel, A., Sieber, B., Didier, G., Imhoff, D. Properties of CdTe crystals grown by THM using Cd as the solvent 86−7732
Triboulet, R., Levy-Clement. C., Theys, B., Chevy, A. Growth of InSe single crystals by the travelling heater method 87−31484
Triboulet, R., Neu, G. Growth in one operation of the (Cd,Hg)Te alloys of all compositions to study the alloy disorder 86−7734
Triboulet, R. *see* Ameurlaine, J. 88−74410
Triboulet, R. *see* Granger, R. 88−32789
Triboulet, R. *see* Janik, E. 86−7785
Triboulet, R. *see* Levy-Clement, C. 86−26807
Triboulet, R. *see* Licht, S. 85−39193, 86−40108
Triboulet, R. *see* Lusson, A. 88−11991, 88−56249
Triboulet, R. *see* Nguyen Van Huong, C. 87−32256
Triboulet, R. *see* Pastor, K. 87−45587
Triboulet, R. *see* Uzan, C. 85−6701
Tribula, D. *see* Frear, D. 87−65180
Tribus, M. What must be done to regain America's competitive position in international commerce? 85−10389
Tribus, M. Quality management as a part of engineering education 85−33049
Tributsch, H. *see* Chatzitheodorou, G. 87−26169
Tributsch, H. *see* Ennaoui, A. 85−21816, 85−65442, 87−17857
Tributsch, H. *see* Kunst, M. 88−6517
Tributsch, H. *see* Lewerenz, H.J. 85−44678
Tributsch, H. *see* Messer, B. 87−17855
Tributsch, H. *see* Piazza, S. 87−60215
Tributsch, H. *see* Werner, A. 86−2927
Trichter, F. *see* Segal, Y. 88−38294
Trick, F.E. *see* James, R.E. 86−47910, 87−22458
Trick, G. Flue gas purification. Markets and development trends 88−42914
Trick, L.R. *see* Long, W.F. 87−57211
Trick, T.H. *see* Yu, T.K. 87−38560
Trick, T.N. *see* Chia, W.K. 85−17244
Trick, T.N. *see* Cioffi, K.R. 87−25351
Trick, T.N. *see* Hocevar, D.E. 85−496, 86−21823
Trick, T.N. *see* Lai, F. 87−67597, 88−24893, 88−26531
Trick, T.N. *see* Mokari-Bolhassan, M.E. 86−41940
Trick, T.N. *see* Rao, V.B. 85−33864, 86−58557, 87−25558
Trick, T.N. *see* Shun-Lin Su 87−65716
Trick, T.N. *see* Smart, D.W. 88−26543
Trick, T.N. *see* Su, L. 87−36938
Trick, T.N. *see* Yeh, D.C. 86−62576
Trick, T.N. *see* Yu, T.-K. 88−13596
Trick, T.N. *see* Yuan, C.P. 85−45821
Trick, U., Ebenig, H., Rupprecht, W. Combined analog/digital echo cancellation taking nonlinearities into account 88−40597
Trick, U., Rupprecht, W. Influence of the line code on echo cancellation in full-duplex baseband data transmission 87−76070
Trick, U., Rupprecht, W. Effect of different error values on echo compensation in full duplex baseband data transmission 88−46462
Trick, U., Seiter, C., Rupprecht, W. Optimization of the transmitter pulse shape of a baseband data transmission system taking echo cancellation into account 88−9302
Trick, U. *see* Borys, A. 86−69483, 87−55843
Tricker, K. The 'Orbital stereo and effects' stereo reproduction system 87−8480
Trickey, G. *see* Hall, C. 88−25236
Trickey, H. Flamel: A high level hardware compiler 87−38363
Trickey, H.W. *see* Karlin, A.R. 88−6723
Trickle, W. Dynamic probing−an essential tool for failure analysis of VLSI chips 85−55930
Trickle, W. *see* Pikna, P. 85−54904
Trickle, W.M. *see* Nowak, E.J. 88−6866
Tricoles, G. Computer generated holograms: an historical review 88−8309
Tricoles, G., Rope, E.L., Hayward, R.A. Diagnostic measurements and analysis of wave mechanisms in radomes 85−62934
Tricoles, G. *see* Moore, K. 88−4144
Tricoles, G. *see* Rope, E.L. 87−33568
Tricoli, C. *see* Federico, A. 88−48681
Tricomi, G. *see* Faro, A. 86−55008
Tricomi, V.I. *see* Bressani, T. 88−61113
Tricot, C. *see* Dubuc, B. 88−41079
Tricot, M. *see* Barra, J.R. 87−23815
Tridgell, R.H. Experience with the CCIR Radio-Paging Code No.1 87−40761
Tridgell, R.H., Denman, D. Experience of CCIR Radiopaging Code No 1 (POCSAG) for message display paging 85−57274
Tridgell, R.H. *see* Cockram, P. 86−37786, 86−69687, 87−56002
Tridgell, R.H. *see* Somerville, A.N. 88−28733
Triebel, *see* Ose, E. 87−12410
Triebel, H. Characterizations of Besov-Hardy-Sobolev spaces: a unified approach 88−43813
Triebel, J. *see* George, E. 86−23715
Triebel, R. *see* Germey, B.K. 85−56780

Triebel, W., Ose, E. Comparison between electrical discharge and optical parameters of a transverse flow CW CO_2-laser 88—45366
Triebel, W. *see* Bergmann, J. 86—36378
Triebwasser, S. VLSI in high end systems 85—6250
Triendl, E. *see* Henderson, T.C. 86—44767
Trier, P.E., Gummett, P., Richards, J., Wallard, A. The effect of the defence sector on the UK electronics industry 88—61718
Trierscheid, R.P. *see* Nussler, K.E. 86—64757
Trietley, H.L. All about thermistors. II 85—45255
Trietley, H.L. All about thermistors 85—45256
Trietley, H.L. All about thermistors. III 85—55190
Trietley, H.L. All about A-to-D converters 87—73507
Trietly, H.L. Build this temperature measuring add-on for your DMM 86—5567
Trieu, B., Raychaudhuri, S., Tsikis, E.K., Lonngren, K.E. Radiation of ion acoustic waves from finite sources 86—22701
Trifa, V. *see* Crivii, M. 86—70947, 87—43128
Trifa, V. *see* Iancu, V. 86—61532
Trifa, V. *see* Kelemen, A. 87—22430, 87—35965
Trifel', A.E. *see* Promashkov, V.A. 87—21502
Trifilo, B. *see* Maly, W. 88—13532
Trifoglio, M. *see* Frontera, F. 85—48172
Trifonon, A.P., Sharapov, S.I. Estimation of the location of a point target in the Fresnel zone of a receiver antenna 85—7717
Trifonov, A. *see* Falomkin, I.V. 85—52981
Trifonov, A.I. A study of the transmission characteristics and transient attenuation of coupled slowing systems 87—45503
Trifonov, A.I., Starkov, V.V. Effect of an additional signal on backward-wave starting current for weak signal interaction 85—40399
Trifonov, A.I. *see* Ivanov, I.Ts. 86—13992
Trifonov, A.I. *see* Michailov, M.N. 85—52990
Trifonov, A.P., Buteiko, V.K. The efficiency of an algorithm of simultaneous signal detection and estimation of its power parameter 87—39779
Trifonov, A.P., Buteiko, V.K. Reception of a signal with unknown amplitude and duration on a background of white noise 87—47707
Trifonov, A.P., Buteyko, V.K. Estimation of the frequency of a phase-shift keyed signal having an unknown law of formation 85—62956
Trifonov, A.P., Enina, E.P. Bayes estimate of the location of a random-signal source 86—16304
Trifonov, A.P., Enina, E.P. Analysis of threshold effects when estimating optical signal arrival time 87—47919
Trifonov, A.P., Galun, S.A., Parfenov, V.I. Evaluation of length of random Gaussian signal 85—20542
Trifonov, A.P., Kostina, Z.A., Radchenko, T.A. A statistical model of reflections from the E_s layer 85—57021
Trifonov, A.P., Lukin, A.N. An estimate of the parameters of a composite target obtained by space-time signal processing 88—3034
Trifonov, A.P., Lukin, A.N. Estimation of the parameters of a complicated solvable target in space-time signal processing 88—8766
Trifonov, A.P., Manelis, V.B. The maximum accuracy in estimating the coordinates of a complex discrete random-signal source 87—55088
Trifonov, A.P., Manelis, V.B. Estimation of the coordinates of an irregular object from its image 87—63022
Trifonov, A.P., Manelis, V.B. Effectiveness of two algorithms for estimating the coordinates of a complex discrete random-signal source 88—27917
Trifonov, A.P., Manelis, V.B., Nechaev, E.P. The requirements imposed on the synchronization accuracy when using pulse-time modulation of signals with a nonsinusoidal carrier 86—22880
Trifonov, A.P., Nechaev, E.P. Combined evaluation of magnitude and width of spectrum of random-signal power 88—21171
Trifonov, A.P., Nevezhin, Yu.V. The characteristics of a Bayes estimate with several hypotheses on an observed process 88—8652
Trifonov, A.P., Parfenov, V.I. Evaluating duration of random Gaussian signal of unknown power 86—70077
Trifonov, A.P., Radchenko, Yu.S. Estimation of the parameters in multichannel signal reception 87—19675
Trifonov, A.P., Senatorov, A.K. Noise immunity in pulsed signal reception with a nonsinusoidal carrier 86—37056
Trifonov, A.P., Vetrov, S.V. Detection efficiency analysis of pulses of gravitation radiation 88—14485
Trifonov, A.P., Yenina, Ye.P. Threshold characteristics of a random-signal frequency estimate 85—36280
Trifonov, A.P., Yenina, Ye.P. The accuracy of approximation of Bayes estimates in the presence of noninformative parameters 85—51616
Trifonov, A.P., Zakharov, A.V. Quasi-optimum estimation of random pulse access time 86—59284
Trifonov, A.P., Zakharov, A.V. Reception of signals with unknown delay in the presence of modulating noise 87—39780
Trifonov, A.P. *see* Manelis, V.B. 88—28000
Trifonov, A.P. *see* Nechaev, E.P. 88—28001
Trifonov, A.S., Ageev, A.N., Rutkin, O.G., Kravchenko, V.B., Filimonova, L.M. Achieving efficient mode conversion in magnetooptical waveguides 85—41178
Trifonov, A.T. *see* Lipinskiy, G.V. 85—8866
Trifonov, A.V. *see* Filimonov, S.S. 87—35656
Trifonov, E.D. *see* Varnavskii, O.P. 85—35730, 87—75048
Trifonov, E.F. *see* Smyagin, Yu.A. 85—17549
Trifonov, G.N., Sergienko, Yu.M., Khrizolitov, A.A. Testing machines and instruments 86—44089
Trifonov, G.P., Plotnikov, G.A. System of automatic processing of atmospheric radiosonde data by US [Unified Systems] computers 86—18574
Trifonov, I.I., Mansurov, S.N. Approximation of the characteristics of a correction circuit for an amplifier with finite gain 87—23954
Trifonov, I.I., Salivon, V.N. Maximally flat approximation of the attenuation characteristics of filters constructed using coupled lines 85—7883
Trifonov, I.I., Salivon, V.N. Calculation of the wave admittances of elements of coupled-line filters 88—38602
Trifonov, I.I., Shelepenko, Yu.V. Approximation of the frequency characteristics of recursive digital filters with linear phase 87—45093
Trifonov, I.P. *see* Nikolov, N.A. 88—58398
Trifonov, V.I. *see* Martyakhin, V.A. 85—61703
Trifonov, V.P. *see* Kalantarov, M.A. 87—66854
Trifonov, V.P. *see* Marshakov, V.K. 85—51610
Trifonov, V.V., Gorbachev, A.N. Root-mean-square pulse-amplitude-to-number converter 86—20770
Trifonov, V.Z. *see* Aleksandrov, G.N. 87—71704
Trifonov, V.Z. *see* Alexandrov, G.N. 86—51056
Trifonov, V.Z. *see* Solov'ev, E.P. 86—39190
Trifonov, Ya.A. *see* Terent'yev, B.P. 87—48481
Trifonova, E.P., Hitova, L. Physicochemical analysis of InAs gas phase epitaxy in the InAs-$AsCl_3$-H_2 system. II. InAs transport and epitaxial growth kinetics 87—36774
Trifonova, E.P., Hitova, L. Efficiencies of InAs transport and epitaxial growth by chemical vapour deposition in the system InAs-$AsCl_3$-H_2 88—70327
Trifonova, E.P. *see* Hitova, L. 85—18244, 87—36773
Trifonova, E.P. *see* Yakimova, R.T. 85—18108
Triftshauser, W. *see* Schodlbauer, D. 87—21351
Trifunac, M. *see* Amini, A. 85—42963
Trifunac, M.D. *see* Amini, A. 87—75834
Trifunovic, G.L. *see* Miljkovic, M.R. 87—60718
Trifunovic, V. *see* Jokanovic, B. 88—56977
Trifunovic, V. *see* Nesic, A. 85—13414
Trigari, S. *see* Russo, V. 85—4345, 85—47526, 85—59345, 86—11132, 86—38774, 86—69793
Trigeassou, J.C. *see* Bernard, J. 86—65432
Triger, L. The universal electrical meter 88—60818
Trigg, A.D. *see* Harris, P.G. 87—67037
Trigg, A.D. *see* Patel, J. 85—29096
Trigg, A.D. *see* Richards, B.P. 86—14888
Trigg, D.F., Nandi, A. The Automatic Magnetic Observatory System AMOS III 85—38320
Trigg, J.M. *see* Thrush, E.J. 88—11974
Trigg, R.J. The work of the CISPR on interference characteristics of information technology equipment 87—26836
Triggiani, G. *see* Albrizio, R. 88—74766
Triggiani, G. *see* Amendolia, S.R. 85—9069, 85—15169 to 15170
Triggiani, G. *see* Baldini, R. 87—8865
Triggiani, G. *see* Forti, F. 87—41873
Triggiani, G. *see* Holl, P. 87—63655
Trigiante, D., Sivasundaram, S. A new algorithm for unstable three term recurrence relations 87—58827
Trigiante, D. *see* Pasquini, L. 85—39663
Trigo, R.Garganta *see* Garganta Trigo, R.
Trigorlyi, S.V. *see* Bryukhanov, O.N. 86—56433
Trigub, P.Yu. *see* Galushchak, V.S. 87—78224
Trigubo, A. *see* Bianchetti, M. 85—60947
Trigubov, Yu.V. *see* Gorchakov, E.V. 85—20845
Trigubovich, B.V., Domorod, N.E. Theory of electromagnetically excited ultrasound in ferromagnetic materials near the Curie point 85—49630
Trigunayat, G.C. *see* Nigli, S. 87—23610
Trihenea, C. Independent and standard Pelton type turbines used in micro-hydropower plants and at the Mirsa hydropower development 87—30418
Trijanto, V. *see* Katz, R.H. 87—36445
Trikopoulos, M. *see* Rodhe, P.M. 85—35444
Trilesnik, I.I. Automation of spectral instruments 86—11429
Trilhe, J. State of the art of wafer scale integration 87—67352
Trilhe, J. A European program on wafer scale integration 88—25281
Trilhe, J., Saucier, G. WSI—the challenge of the future 87—67407
Trilhe, J. *see* Saucier, G. *(editor)* 87—31150, 88—18330
Trilling, G. *see* Alexander, J. 87—21419
Trilling, U. 'Intelligent' transducers 87—56609
Trillo, S., Wabnitz, S. Nonlinear nonreciprocity in a coherent mismatched directional coupler 87—7074
Trillo, S., Wabnitz, S. Optical multistability and phase conjugation fidelity in a high-birefringence optical fiber 87—75227
Trillo, S., Wabnitz, S. Intermittent spatial chaos in the polarization of counterpropagating beams in a birefringent optical fiber 88—13842
Trillo, S., Wabnitz, S. Coupling instability and power-induced switching with two-core dual-polarizations fiber nonlinear couplers 88—33654
Trillo, S., Wabnitz, S. Modulational polarization instability in birefringent fibers 88—72040
Trillo, S., Wabnitz, S., Crosignani, B., Di Porto, P. Nonlinear degenerate four-wave mixing in a birefringent optical fiber: phase conjugation and spatial instabilities 88—20760
Trillo, S., Wabnitz, S., Stegeman, G.I. Nonlinear codirectional guided wave mode conversion in grating structures 88—72092
Trillo, S., Wabnitz, S., Stolen, R.H., Assanto, G., Seaton, C.T., Stegeman, G.I. Experimental observation of polarization instability in a birefringent optical fiber 87—18596
Trillo, S., Wabnitz, S., Wright, E.M., Stegeman, G.I. Soliton switching in fiber nonlinear directional couplers 88—72041
Trillo, S. *see* Caglioti, E. 87—68026, 88—2021, 88—20748, 88—33807, 88—39898
Trillo, S. *see* Crosignani, B. 86—68296
Trillo, S. *see* Daino, B. 88—51516
Trillo, S. *see* Finlayson, N. 88—45201
Trillo, S. *see* Mecozzi, A. 87—38787, 88—20742, 88—45555
Trillo, S. *see* Stegeman, G.I. 87—74727, 88—45554, 88—58228
Trim, R.M. Development and progress in civil and other radars 85—58239
Trim-Berger, S. *see* Rowson, G. 88—56389
Trimberger, S. VTIcompose—a powerful graphical chip assembly tool 85—1713
Trimberger, S. VTI compose—a powerful graphical chip assembly tool 85—45819
Trimberger, S. Automated performance optimization of custom integrated circuits 86—35806
Trimberger, S. Design automation standards at a silicon foundry 86—61909
Trimberger, S., Paroli, F. A microprocessor datapath synthesized with a translator from schematics to silicon 86—52886
Trimberger, S., Rowson, J. Automatic layout in an open design system 86—2299
Trimberger, S., Rowson, J. CAD for building chips 87—52272
Trimberger, S. *see* Rowsen, J. 88—12396
Trimberger, S. *see* Rowson, J. 87—37233, 87—59070, 88—25232
Trimberger, S.M. Introduction to CAD for VLSI 88—11576
Trimble, C.R. *see* Parkinson, B.W. 87—41050
Trimble, D. Build a 1-chip, 300-MHz gateable oscillator 85—39948
Trimble, J., Kampschoer, C. CRT-dependent artifacts in contrast-sensitivity measurements 86—55544
Trimble, J.L. *see* Elster, S.M. 85—64611
Trimble, K.A. *see* Cuttica, J.J. 87—64792
Trimble, L. *see* Lewis, L.F. 88—48823
Trimble, L.E., Celler, G.K., Schimmel, D.G., Lu, C.Y., Nakahara, S., Fauchet, P.M. The nature of residual stress, defects, and device characteristics for thick single-crystalline Si films on oxidized Si wafers 88—57293
Trimble, L.E. *see* Celler, G.K. 85—12113, 85—33444, 85—50595, 88—44596
Trimble, L.E. *see* Ng, K.K. 85—12316
Trimble, L.E. *see* Wilson, L.O. 86—63145
Trimble, L.E. *see* Wolfe, R. 85—41222, 86—28923
Trimble, M.K. Regulatory considerations for digital private networks in the UK 88—66870
Trimble, S. *see* Pietsch, A. 86—32471
Trimble, S.W. *see* Pietsch, A. 86—38901
Trimm, H.H., Jennings, B.R., Parslow, K. A fibre-optic sensor for flocculation detection by electric field light scattering 86—22152
Trimmel, H., Mahlein, H.F., Reichelt, A., Stummer, B. 4-channel WDM transmission of 2×565 Mb/s plus 2×140 Mb/s on a single mode fiber 86—11115
Trimmel, T. *see* Hofbauer, F. 85—53733
Trimmer, W.S.N., Gabriel, K.J. Design considerations for a practical electrostatic micro-motor 87—51261
Trimmer, W.S.N. *see* Mehregany, M. 88—19822, 88—50943
Trimmier, J.R. *see* Scholl, M.S. 86—58828
Trimoshchuk, E.Z. *see* Lakhotskii, T.V. 86—13158
Trimpi, M.L. *see* Carpenter, D.L. 85—19126
Trinchero, C. *see* Roffinella, D. 88—21627, 88—59746
Trinchero, G. *see* Aglietta, M. 86—65378
Trinchero, G. *see* Alberini, C. 86—65387
Trinchuk, B.F. *see* Alekseev, V.A. 85—56582, 86—9788, 88—40166
Trinchuk, B.F. *see* Dorofeev, S.N. 86—9787

Trinchuk, B.F. *see* Golikova, S.N. 86−15676
Trinchuk, B.F. *see* Zhil'tsov, V.I. 86−54106
Trindade, E.M., Allum, C.J. Characteristics in steady and pulsed current GMAW 85−10279
Trinder, J.C. *see* Wise, P.J. 88−30152
Trinder, J.R. DAC frequency response improvement 85−11350
Trinder, J.R. Selectable crystal oscillator uses one chip 85−41006
Triner, D.A. Confidence limits for fleet equipment reliability 87−10217
Trines, D. *see* Binnie, D.M. 85−31693
Tringali, D. *see* Fank, B. 87−37569
Tringali, D. *see* Fank, F.B. 85−11578
Tringali, D. *see* Frank, F.B. 85−50037
Tringela, J. *see* Kripsky, A. 87−30553
Trinh, E. *see* Rhim, W. 87−47110
Trinh, E.H. Compact acoustic levitation device for studies in fluid dynamics and material science in the laboratory and microgravity 86−18619
Trinh, E.H. *see* Rhim, W.-K. 88−20863
Trinh, N.G., Melancon, C., Vincent, C. Insulation performance of 15 and 25-kV cables and accessories under capacitor switching transients voltages 87−30213
Trinh, N.G., Melancon, C., Vincent, C., Le Hong, H., Larose, G. Effect of capacitor-switching surges on insulation aging and incipient-fault breakdown of distribution cables and accessories 87−71693
Trinh, N.G., Mitchel, G., Vincent, C. Influence of an insulating spacer on the *V-t* characteristics of a coaxial gas-insulated cable. I. Study on a reduced-scale coaxial conductor 88−54999
Trinh, N.G., Mitchel, G.R., Vincent, C. Influence of an insulating spacer on the V-T characteristics of coaxial conductors with compressed-SF_6 insulation 85−26436
Trinh, N.G., Vincent, C., Mitchel, G. Influence of an insulating spacer on the *V-t* characteristics of a coaxial gas-insulated cable. II. Tests on EHV buses 88−55000
Trinh, N.G. *see* Krishnayya, P.C.S. 87−35609
Trinh, N.G. *see* Melancon, C. 85−32185
Trinh, T.N., Benko, E., Wong, W.S. Ka-band microstrip integrated circuit FMCW transceiver 87−6151
Trinh, T.N., Benko, E., Wong, W.S. Here today: Ka-band munition transceivers 87−11041
Trinh, T.N., Wong, W.S., Li, D., Kessler, J.R. Ion implanted W-band monolithic balanced mixers for broadband applications 87−59891
Trinh, T.N. *see* Pao, C.K. 88−19380
Trinh Van, C. Transmitter for digital radio link 86−30628
Trinh-Van, C. *see* Lods, J. 87−34733
Trinidad, F., Alonso-Lopez, J., Nebot, M. Electrochemical behaviour of polypyrrole films as secondary battery electrodes in $LiClO_4$-propylene carbonate 87−51437
Trinite, M. *see* Ozkul, C. 87−19069, 87−19091, 87−26566
Trinker, B.D. *see* Duzhikh, F.P. 86−61359
Trinkewitz, Z., Kraupner, M., Jance, J. Technology for the 25 MW controlled electric drives 87−64843
Trinks, H. *see* Ter Haseborg, J.L. 85−2613, 86−15941, 86−54315
Trinks, U. New cyclotron concepts 85−59021
Trinks, U., Assmannb, W., Dietl, L., Hinderer, G., Korner, H.J., Platzer, A., Rehm, B., Rieger, K., Riess, C., Savoy, R., Wandinger, M., Wiedemann, W. The superconducting separated orbit cyclotron Tritron 86−31952
Trinks, U., Assmann, W., Hinderer, G. The Tritron: a superconducting separated-orbit cyclotron 86−32087
Trinks, U., Hinderer, G. TRITRON, a superconducting separated-orbit cyclotron 85−52918
Trinks, U., Hinderer, G. Protection of large superconducting coils with high current density by cross quenching 86−48063
Trinks, U. *see* Assmann, W. 86−44520
Trinks, U. *see* Dietl, L. 86−31858
Trinks, U. *see* Hinderer, G. 86−32088
Trinks, U. *see* Kugler, K.-J. 85−31673
Trinks, W. On improving approximate results of Buchberger's algorithm by Newton's method 85−33345
Trinks, W. On improving approximate results of Buchberger's algorithm by Newton's method 86−62138
Trinogga, L.A. *see* Guo, K.Z. 88−32378
Trinoskey, P.A., Murphy, G.W., Wells, L.A. Limerick Generating Station compliance with regulatory requirements governing the classification of low-level radioactive waste 88−36974
Trio, J.M. *see* Weyland, P. 85−37492
Triolo, G. *see* Brosio, A. 85−8392, 85−20220
Triolo, G. *see* Mele, N. 86−49670
Triolo, R.J., Moskowitz, G.D. Comments on 'Upper extremity limb function discrimination using EMG signal analysis' and the relationship between parallel-filtering and hypothesis-testing limb function classifiers 85−48283
Triolo, R.J., Moskowitz, G.D. A multichannel time series myoprocessor for robust classification of limb function and estimation of muscle force 86−56131
Triolo, R.J., Moskowitz, G.D. Experimental demonstration of a multichannel time series myoprocessor for the control of an A/K prosthesis 87−57238
Triolo, R.J., Nash, D.H., Moskowitz, G.D. Application of Box-Jenkins criteria to the identification of time series models of lower extremity EMG for the control of prostheses 85−43444
Tripalin, A.S., Shikhman, V.M. A series of piezoelectric transducers for receiving acoustic emission signals 85−59524
Tripalin, A.S. *see* Builo, S.I. 87−73176
Tripathi, A., Ghonami, A., Schmitz, T. Object management in the NEXUS distributed operating system 87−48705
Tripathi, A., Tripathi, A.K., Srivastava, A.P. Electrical conduction in copper-phthalocyanine with special reference to electrode material 85−18112
Tripathi, A.K. *see* Pillai, P.K.C. 86−2918, 86−3456, 86−68387
Tripathi, A.K. *see* Tripathi, A. 85−18112
Tripathi, A.N. *see* Chaudhury, S.B. 87−58103
Tripathi, C.B. *see* Rai, B.S. 87−34947
Tripathi, C.M. *see* Bemalkhedkar, M.M. 85−31772
Tripathi, D. *see* Srivastava, P.C. 85−55765
Tripathi, H.C. *see* Saxena, R.B. 87−58844
Tripathi, K.C. *see* Karnal, A. 87−44673
Tripathi, K.C. *see* Prakash, V. 86−34528
Tripathi, K.N. *see* Jagadish, C. 88−50634
Tripathi, K.N. *see* Srivastava, G.P. 86−63049
Tripathi, N.K., Leesang, A.G. Single-pass state estimation technique for the internal and external network solutions [power system analysis] 88−48457
Tripathi, N.K., Martinez, C.A., Nirenberg, S.A. Reactive switching simulation in security analysis at Florida Power and Light System Control Center 86−32632
Tripathi, N.K. *see* Geisler, K.I. 85−64897
Tripathi, P.C. *see* Murthy, C.R. 88−5647
Tripathi, R.B. *see* Das, B.K. 88−51269
Tripathi, R.K. *see* Maheshwari, R.C. 85−2136, 85−7315, 85−46257
Tripathi, S., Wintgens, V., Valat, P., Toscano, V., Kossanyi, J., Bos, F. Laser effect of a series of variously substituted pyrylium and thiopyrylium salts 87−68400
Tripathi, S.K., Finkel, D., Gelenbe, E. Load sharing in distributed systems with failures 88−73552
Tripathi, S.K., Huang, Y., Jajodia, S. Local area networks: software and related issues 87−69663
Tripathi, S.K. *see* Agre, J.R. 85−33270
Tripathi, S.K. *see* Clausner, T.C. 86−31058
Tripathi, S.K. *see* Thareja, A.K. 85−7978
Tripathi, S.P. Rural electrification and related distribution system in Madhya Pradesh 88−5345
Tripathi, V.K. Excitation of electromagnetic waves by an axial electron beam in a slow wave structure 85−6657
Tripathi, V.K. A dispersion model for coupled microstrips 86−42884
Tripathi, V.K., Bucolo, R.J. A simple network analog approach for the quasi-static characteristics of general lossy, anisotropic, layered structures 86−10165
Tripathi, V.K., Bucolo, R.J. A simple network analog approach for the quasi-static characteristics of general lossy, anisotropic, layered structures 86−27549
Tripathi, V.K., Bucolo, R.J. Analysis and modelling of multilevel parallel and crossing interconnection lines 87−38364
Tripathi, V.K., Hill, A. Equivalent circuit modeling of losses and dispersion in single and coupled lines for microwave and millimeter-wave integrated circuits 88−32436
Tripathi, V.K., Rettig, J.B. A SPICE model for multiple coupled microstrips and other transmission lines 86−14479
Tripathi, V.K., Rettig, J.B. A SPICE model for multiple coupled microstrips and other transmission lines 86−26997
Tripathi, V.K. *see* Bucolo, R.J. 86−28454, 87−1697
Tripathi, V.K. *see* Jain, V.K. 86−42905, 86−59014
Tripathi, V.K. *see* Laxmi, V.N. 88−58857
Tripathi, V.K. *see* Lee, H. 85−19201
Tripathi, V.K. *see* Maheshwari, K.P. 88−34060
Tripathi, V.K. *see* Niclas, K.B. 85−1002
Tripathi, V.K. *see* Sultan, M.A. 86−42959, 86−43036
Tripathy, A.K., Ti Tien, H. Dual electrolyte-semiconductor contact CdSe electrochemical photocell 88−11349
Tripathy, A.K. *see* Kapoor, S.C. 85−15634
Tripathy, K.N. *see* Kapoor, S.K. 88−71995
Tripathy, S.C. Energy conservation in an HVDC-AC power system 88−48424
Tripathy, S.C., Chauhan, D.S., Durga Prasad, G. State estimation algorithm for ill-conditioned power systems by Newtons's method 87−50619
Tripathy, S.C., Ram, B., Balasubramanian, R., Biswal, A.K. Online economic dispatch of real power in electrical energy systems 88−23357
Tripathy, S.C. *see* Baburam, A. 85−27102
Tripathy, S.C. *see* Bandopadhyay, S. 88−68741
Tripathy, S.C. *see* Hanmandlu, M. 87−35561
Tripathy, S.C. *see* Malik, O.P. 85−43531
Tripathy, S.C. *see* Ram, B. 88−5322
Tripathy, S.K. *see* Carter, G.M. 86−3304
Tripathy, S.K. *see* Metzger, R.M. 87−60212
Tripathy, S.K. *see* Seymour, R.J. 87−12581
Tripet, M. PCM transmission system for railway networks 86−49118
Triplett, B.B., Takahashi, T., Yokogawa, K., Sugano, T. Electron spin resonance study of a new positively charged defect in device oxides damaged by soft X-rays 88−19790
Triplett, B.L. DC linear motors 87−51247
Triplett, B.L. Linear motors combine muscle with a fine touch 87−72161
Triplett, J.A. *see* Huck, F.O. 87−62206
Tripodi, M. *see* Martinino, F. 88−46956
Tripodi, R. *see* Meinzer, R.A. 86−3065
Tripoli, G.A., Turchi, P.J., Conte, D., Seiler, S.W. Design and operation of a 0.4 MJ current multiplier inductive store with multiple exploding foil switching 87−22794
Tripon, M. *see* Clement, J. 88−22483
Tripp, D.S. *see* Aggarwal, R.K. 88−23572
Tripp, G.E.W. A ring traffic monitor 88−73600
Tripp, G.R. *see* Cheng, J.C. 85−34783
Tripp, I., Jr. Wire drawing compounds for the copper magnet wire industry 86−62883
Tripp, J. *see* Fung, K.-Y. 88−24676
Tripp, J.H., Garte, S.M. Gas density of disassemblable electronic connectors made of common metal 85−11659
Tripp, L.D., Albery, W.B. Development of an oxygen mask integrated arterial oxygen saturation (SaO_2) monitoring system for pilot protection in advanced fighter aircraft 88−68572
Tripp, R.D. *see* Alston-Garnjost, M. 88−74747
Tripp, T., Hall, B. Good design methods quiet high-speed CMOS noise problems 88−7730
Tripp, V.K. A new approach to the analysis of random errors in aperture antennas 85−7712
Tripp, V.K. Image theory for complex sources 85−13305
Tripp, V.K. Correlated element failure in arrays 86−42946
Tripp, V.K. *see* Wang, J.J.H. 85−14349
Trippe, A. *see* Longden, L. 86−1595
Trippe, A.P. *see* Buckman, T.W. 87−26865
Trippe, A.P. *see* Longden, L.L. 87−39415
Trippe, M., Bosman, G., van der Ziel, A. High frequency noise in Schottky barrier diodes 86−63243
Trippe, M., Bosman, G., van der Ziel, A. Transit-time effects in the noise of Schottky-barrier diodes 87−18068
Trippe, T.G. *see* Clark, A.R. 88−10245, 88−68287
Trippe, W.L. A survey of engineers' ideas about public speaking 87−36398
Trippel, G. *see* Arnoldussen, T.C. 85−24064
Trippett, J.W. Regional collaboration and development in remote sensing 87−4123
Trippler *see* Sichardt 88−12162
Trippler, R. *see* Otto, P. 88−26400
Tripputi, I. *see* Nobile, M. 85−21394
Tripsis, N. *see* Schuur, J. 87−60079
Triquigneaux, P. *see* Lesne, J.-L. 87−19077
Triscari, T., Jr. *see* Leifer, R. 87−58609
Triscari, T., Jr. *see* Sullo, P. 85−44460
Trischan, K.K. *see* Wiegand, P.M. 86−15185
Trischitta, P.R., Sannuti, P. The jitter tolerance of fiber optic regenerators 88−22080
Trischitta, P.R., Sannuti, P. The accumulation of pattern-dependent jitter for a chain of fiber optic regenerators 88−60149
Trischitta, P.R., Sannuti, P., Chamzas, C. A circulating loop experimental technique to simulate the jitter accumulation of a chain of fiber-optic regenerators 88−35492
Trischitta, P.R. *see* Runge, P.K. 85−37014, 86−17409, 86−30838
Trischler, E. An integrated design for testability and automatic test pattern generation system: an overview 85−1682
Trischler, E. ATWIG, an automatic test pattern generator with inherent guidance 85−33818
Trischler, E. Guided inconsistent path sensitization: a heuristic approach to automatic test generation [VLSI circuits] 86−2292
Trischler, E. Guided inconsistent path sensitization: method and experimental results 86−46743
Trischler, E. A methodology for statistical evaluation of estimated and real testability measures 87−34946
Trischler, E., Schulz, M. Applications of testability analysis to ATG: methods and experimental results 86−62564
Trischler, E. *see* Schulz, M.H. 88−25123, 88−32136
Trisciuoglio, D. Synthesis plan. An applicable software for dimensioning low voltage electrical equipment 87−35864
Trisciuoglio, G. *see* Arpaia, M. 85−37725
Trishechkin, A.M. *see* Khanaev, V.A. 87−21891
Trishenkov, M.A., Khakuashev, P.Ye. Lag properties of silicon PIN photodiodes 85−35637
Trishenkov, M.A. *see* Vinetskiy, Yu.R. 86−67984

Trishin, V.V. *see* Gavrilyuk, V.I. 88−29930
Triska, A., Vanecek, M., Stika, O., Stuchlik, J., Kosarev, A., Kocka, J. Photoconductivity detected S-W related defect levels in a-Si:H 85−24365
Triska, A. *see* Nagels, P. 86−27944
Triska, A. *see* Ticha, H. 85−55477, 86−1736
Triska, A. *see* Tichy, L. 85−23469
Triska, A. *see* Vanecek, M. 86−27897, 87−46652, 88−14017
Triska, P. *see* Titova, E.E. 86−22670
Trisko, E.M., Wayland, R.E. Acid rain control and public utility regulation 85−26960
Trisno, Y., Wobschall, D. Optically powered fiber optic echo transmitter 88−36065
Trisno, Y.S., Wobschall, D. Optimization of an optically pulsed photocell array as a sensor power source 88−60744
Trissel, D. *see* Mothersole, D. 87−24239
Trissl, K.-H. ESbus, a remote control standard for studio equipment 88−41845
Tristam, M. *see* Bamber, J.C. 88−42540
Tristram, A. Trends in power distribution systems 87−50762
Tritani, T., Satonaka, H., Kinouchi, Y., Ushita, T. Quick-response phase-shifter using digital phase-locked loops 86−67435
Tritt, T.M., Gillespie, D.J., Kamm, G.N., Ehrlich, A.C. Response of piezoelectric bimorphs as a function of temperature 87−53835
Tritton, J.A. Interactive Home Systems (IHS)−an overview 88−67069
Trivedi, A. *see* Patel, G. 88−35128
Trivedi, A.J. *see* Vyas, A.D. 85−64761
Trivedi, A.K. Communications standards and their significance in end-user networks 88−21714
Trivedi, A.K. *see* Backes, J.L. 85−1171
Trivedi, B.J., Kho, S., Boyles, S.M., Bradlee, J. Networking standards 86−54760
Trivedi, H.P. A computational theory of stereo vision 86−10586
Trivedi, H.P. Estimation of stereo and motion parameters using a variational principle 87−62166
Trivedi, H.P. Can multiple views make up for lack of camera registration? 88−28031
Trivedi, H.P. Determination of stereo/motion parameters from two perspective views: the case of coincident meridional planes 88−28138
Trivedi, K. *see* Dugan, J.B. 86−7634
Trivedi, K.S., Geist, R.M. Decomposition in reliability analysis of fault-tolerant systems 85−5835
Trivedi, K.S., Haring, G. Load distribution in a star configured system with error-prone channels 85−30706
Trivedi, K.S. *see* Baccelli, F. 86−19895
Trivedi, K.S. *see* Dugan, J.B. 86−26738
Trivedi, K.S. *see* Goyal, A. 87−58735
Trivedi, K.S. *see* McGough, J. 85−61180
Trivedi, K.S. *see* Marie, R.A. 88−285
Trivedi, K.S. *see* Sahner, R.A. 87−58733
Trivedi, M., Green, R.C. A digital sonar-signal processor 87−56278
Trivedi, M. *see* Harlow, C.A. 85−30421
Trivedi, M.M., Chen, C., Harlow, C.A. Detecting objects in high resolution images 87−69374
Trivedi, M.M., Harlo, C.A. Analysis of high resolution aerial images 87−7870
Trivedi, M.M., Harlow, C.A. Identification of unique objects in high resolution aerial images 85−57494
Trivedi, M.M., Harlow, C.A., Cress, D.H., Chen, C. Detection of objects in high resolution multispectral aerial images 86−6147
Trivedi, M.M., Shi-Chun Zhou, Farley, M.L. Correcting atmospheric effects in multispectral images 88−23194
Trivedi, M.M. *see* Cannon, R.L. 86−56246
Trivedi, M.M. *see* Harlow, C.A. 86−43325, 87−27600
Trivedi, M.M. *see* Lipari, C.A. 88−66671
Trivedi, P. *see* Ahmed, K.U. 88−57672
Trivedi, P.L., Sharma, G.P., Purohit, R.K. Gate burnout in MESFET devices 86−41819
Trivedi, P.L. *see* Gulati, R. 85−35636
Trivedi, S.B., Wiedemeier, H. Modified Bridgman growth and etching of $Cd_{0.96}Zn_{0.04}Te$ crystals 88−24693
Trivedi, S.S., Gur, R.C. Computer graphics for neuropsychological data 88−48084
Trivedi, S.S., Lih-Shyang Chen, Herman, G.T., Udupa, J.K., Margasahayam, P. Measurements on 3-D displays in the clinical environment 88−48094
Trivedi, S.S., Reichek, N., Weinberg, P., Venugopal, R., Herman, G.T., Aurigemma, G.P., Chin, A.J., Clark, B.J., Joseph, P., Kressel, H.Y., Kundel, H., Mohammed, A. Cardiac applications of 3-D display and analysis 87−57066
Trivedi, S.S. *see* Chen, L.-S. 85−53026
Trivedi, S.S. *see* Fan, R.T. 88−36449
Trivedi, S.S. *see* Lih-Shyang Chen 86−5917
Trivedi, Y. *see* Rose, C.W. 86−20220
Trivella, M.G. *see* Dario, P. 85−15263
Trivero, P., Cappa, C. Sea wave spectra by electromagnetic techniques 88−16931
Trivero, P. *see* Bonino, G. 85−43478, 85−48478, 86−6095
Trivero, P. *see* Fiscella, B. 85−59498 to 59499, 88−16930
Trivi, M., Rabal, H.J., Bolognini, N., Sicre, E.E., Garavaglia, M.J. Three-dimensional display through speckle stereograms 87−14385
Trivi, M., Sicre, E.E., Rabal, H.J., Garavaglia, M. Three-dimensional display through a speckle pattern recording: information content and storage requirements 87−77325
Trivi, M., Sicre, E.E., Rabal, H.J., Garavaglia, M. Optical dynamical processing: an approach using birefringent pupils 88−46183
Trivi, M. *see* Rabal, H.J. 86−48506
Trivich, D. *see* Iwanowski, R.J. 85−32703, 85−32712, 86−63108
Trivozhenko, G.V. *see* Tonkonogov, Yu.M. 88−27957
Trizna, D.B. Open ocean radar sea scatter measurements 86−17496
Trizna, D.B. A model for Doppler peak spectral shift for low grazing angle sea scatter 86−32553
Trizna, D.B., Porter, D.L. A technique for estimating RMS waveheight and dominant wave period using a coherent shipboard radar 85−32011
Trkhtengerts, E.A. *see* Barzenko, V.I. 87−51918
Trkulja, M. *see* Car, S. 85−22045
Trkulja, M. *see* Jajtic, Z. 88−18283
Trlep, M., Hribernik, B. Investigation of magnetic circuit of DC motor by finite element method 87−30621
Trlep, M. *see* Hribernik, B. 87−43035
Trmac, J. Bandwidth and sampling frequency in digital storage oscilloscopes 88−36128
Trnka, J. *see* Moos, P. 88−56764
Trnka, J. *see* Vaclavik, P. 86−9979
Trnka, J.T. Practical limits of IC testers 87−16370
Trnka, J.T. *see* Siljenberg, D.W. 85−11048
Trnka, R. A speaker-independent speech recognition system for telephone network applications 85−25325
Trnovcova, V., Pazurova, T., Sramkova, T. Optimizing of multicomponent seleno-telluride glasses for optical fibers applied to power transmission at 10.6 μm 87−54005
Trnovtseva, V. *see* Radautsan, S.I. 85−45412
Troath, D., Farr, P. AUSSAT−the wide area networking solution 87−56097
Trobec, R., Korenini, J., Gyergyek, L. A regular WSI-node architecture 87−74370
Trobojevic, D. *see* Ishimaru, H. 88−74657
Troccaz, M. *see* Eyraud, L. 88−57836
Troccaz, M. *see* Eyraud, P. 87−53796
Troccaz, M. *see* Gonnard, P. 87−53842, 88−39760
Troch, F.De *see* De Troch, F.
Trochta, Z. *see* Plavka, J. 88−1898
Trocino, M.R., Kuan-Yu Fu, Ker-Wen Teng Stress-bias dependence of hot-carrier-induced degradation in MOSFETs 88−39463
Trockel, R. *see* Kreutz, P. 87−77552
Troczynski, J. ASTERIX P-tester for the E-10 switching system 88−15951
Trodahl, H.J. Vibrational studies of the short range order in a-Ge_xSe_{1-x} films 85−11954
Trodahl, H.J. *see* Williams, G.V.M. 88−64339
Troeder, C. *see* Laschet, A. 85−21864
Troedsson, C.G., Gramlich, E.F., Gustin, R.F., McGranaghan, M.F. Magnification of switching surges as a result of capacitor switching on a 34.5 kV distribution system 86−25584
Troeger, G.L. *see* Notthoff, J.K. 88−19164
Troeller, G. High-speed image processing of 1 Mbyte pictures 87−49636
Troesch, B.A. On Shapiro's cyclic inequality for $N=13$ 86−7685
Trofileyev, A.A. *see* Savkov, N.N. 86−34982
Trofim, V.G. *see* Andreev, V.M. 87−72402, 88−69703
Trofim, V.G. *see* Brynzar', V.I. 85−39207
Trofimchenko, S.I. *see* Dvoinishnikov, V.A. 85−48644
Trofimenko, A.M. *see* Grigor'ev, I.F. 88−10147
Trofimenko, A.P. *see* Muzychenko, A.D. 85−10009
Trofimenko, G.L. *see* Maksimenko, A.N. 86−6066
Trofimenko, I.T. *see* Gasanov, S.I. 86−27159
Trofimenko, I.T. *see* Gorshkov, A.S. 86−22742, 87−75487, 88−50039
Trofimenko, I.T. *see* Pilipyuk, O.I. 85−26275
Trofimenko, I.T. *see* Zhmurov, S.E. 88−42104
Trofimenko, V.G. *see* Savin, M.M. 85−39265
Trofimenko, V.I. *see* Gorlovskii, V.B. 88−8063
Trofimenko, V.I. *see* Skomorokh, V.G. 87−23721
Trofimenko, V.V. *see* Basov, N.G. 87−68350
Trofimenko, V.V. *see* Drozhbin, Yu.A. 85−56770, 88−40318
Trofimenko, V.V. *see* Vadkovskaya, T.N. 88−65811
Trofimenkoff, F.N., Haslett, J.W., Nordquist, A.E. VFC with pulsewidth-to-period ratio proportional to input voltage 87−11011
Trofimenkoff, F.N. *see* Johnston, R.H. 87−71274
Trofimenkoff, F.N. *see* Mahana, P.N. 86−65151
Trofimenkoff, F.N. *see* Wong, R.K. 87−34954, 88−38654
Trofimov, A.M. *see* Khutoretskii, G.M. 87−4664, 87−9463, 87−42777
Trofimov, A.N., Taubin, F.A. A bound on decoding error probability in a noisy multiple-access channel 87−39653
Trofimov, A.N. *see* Kochkarev, V.S. 85−37595
Trofimov, A.S. *see* Rumyantsev, R.I. 88−72668
Trofimov, A.T. Estimation of the interfering parameters for adaptive signal processing based on the use of a poly-Gaussian model of interference 88−27955
Trofimov, A.T., Lasunskiy, A.V. The construction of binary sequences based on the eigenvectors of Walsh matrices 87−54875
Trofimov, A.T. *see* Afonenko, G.P. 87−19686
Trofimov, B.A. *see* Ivanov, V.A. 85−38621
Trofimov, G.G., Kats, A.M. Resonance phenomena in a zero-sequence circuit under ground fault conditions in 6-10 kV networks with nonlinear loads 88−75151
Trofimov, G.G., Mazover, V.V. Using the partial-relaxation method for calculating the level of harmonics 86−6348
Trofimov, G.G., Mazover, V.V. Application of the theory of multidimensional matrices to calculation of higher harmonics 87−71490
Trofimov, G.G., Sysoev, V.V. Choosing a cable cross section for nonsinusoidal currents 85−53335
Trofimov, G.G., Viner, I.M. Analysis of the optimum voltage for power filter capacitors 87−43328
Trofimov, G.G. *see* Absadykova, G.A. 88−75054
Trofimov, G.S., Stepanov, S.I. Electrical development of a hologram in a $Bi_{12}SiO_{20}$ crystal 85−41525
Trofimov, G.S., Stepanov, S.I. Time-dependent holographic currents in photorefractive crystals 87−39247
Trofimov, G.S., Stepanov, S.I., Petrov, M.P., Krasin'kova, M.V. Time-varying photo-EMF associated with spatially nonuniform surface excitation of GaAs:Cr 88−14012
Trofimov, G.S. *see* Stepanov, S.I. 86−10023
Trofimov, I.E. *see* Andronov, A.A. 88−8163
Trofimov, I.E. *see* Mityagin, Yu.A. 87−68430, 88−51785
Trofimov, I.F. *see* Uglov, Yu.F. 85−22012
Trofimov, O.A. *see* Losevskaya, S.G. 85−5995
Trofimov, S.B. Optimising weight coefficients in recognition algorithms with representative sets 87−75902
Trofimov, V.A. Nonlinear distortion of hypertubular light beams 86−36563
Trofimov, V.A. Adaptive wavefront control of an optical beam using the reflected signal 88−28034
Trofimov, V.A. *see* Aleshkevich, V.A. 88−45553
Trofimov, V.A. *see* Karamzin, Yu.N. 85−12974, 88−20921
Trofimov, V.A. *see* Kozhevnikova, I.N. 85−62658
Trofimov, V.A. *see* Sukhorukov, A.P. 85−56795, 86−29234, 87−26520, 87−33445
Trofimov, V.K. Encoding of Poisson streams with unknown or inaccurately known parameters 88−72753
Trofimov, V.N. *see* Drobin, V.M. 88−42023
Trofimov, V.P. Selection of a calibration signal for an impact-spectrum analyzer 88−35881
Trofimov, V.P., Ivanov, Yu.V. Measuring the dynamic characteristics of a shock-excited spectrum analyzer 88−29283
Trofimov, V.P. *see* Ivanov, Yu.V. 86−44419
Trofimov, V.P. *see* Kuptsov, E.I. 85−11566, 85−23140
Trofimov, Yu.A. Analysis of the shielding effectiveness of multilayer ferromagnetic screens 88−66102
Trofimov, Yu.A. *see* Afanas'ev, A.P. 85−9834
Trofimova, V.V. *see* Al'tman, A.B. 86−41375
Trofimovich, A.G. *see* Boreisho, A.S. 88−33927
Trofimuk, N.I. *see* Sokolovskii, G.G. 86−45739, 88−24185
Trofimuk, N.L. *see* Pashko, A.I. 85−9969, 85−44062
Trofimyuk, L.A. *see* Rodionov, E.M. 87−63215
Troger, H.-J., Hausskneckt, M. State-of-the-art in gas-detector technologies, using semiconductor gas sensors 87−41630
Troger, H.-J. *see* Altmann, W. 85−8789
Trogus, W. *see* Hofmann, H. 85−30950
Troiani, C. *see* Lee, J. 85−33698, 85−49022
Troina, E. *see* Bianco, B. 86−11945
Troinikov, V.A. *see* Antonov, N.N. 85−64335
Troise, G. *see* Ambrosone, G. 85−48904, 85−60414, 86−45684, 87−43449
Troitskaya, G.A. *see* Braginskii, R.P. 85−40274
Troitskaya, M.Ya. Mathematical model of picture unsteadiness perception by visual analyzer 86−69163
Troitskii, A.I. On the angle of displacement in the main phase between forward and reverse currents for an imbalanced load 87−42451
Troitskii, A.M. *see* Bashilov, V.A. 87−74611
Troitskii, B.B. *see* Abramov, A.A. 88−65195
Troitskii, B.S. Measuring the noise factor of devices containing nonlinear stages 85−20720
Troitskii, E.V. *see* Kushnir, A.F. 86−6074

Troitskii, I.N. Tomography of statistically uniform random fields 88−14754
Troitskii, I.N. Comparison of the probabilities for the recognition of tomographic images and their transforms on Radon space 88−14755
Troitskii, I.N. *see* Safronov, A.N. 87−19023
Troitskii, I.N. *see* Tikhomirov, V.A. 86−63881
Troitskii, R.V. *see* Pugachev, V.F. 87−41988
Troitskii, V.A., Zagrebel'nyl, V.I., Sinitsa, N.N. The present situation regarding the nondestructive inspection of coatings and trends in its development (review) 87−52226
Troitskii, V.F. *see* Varshava, S.S. 88−16092
Troitskii, V.O. *see* Elaev, V.F. 87−12542
Troitskii, V.O. *see* Polunin, Yu.P. 88−58663
Troitskii, V.S., Gustov, A.V., Gorbachev, V.P., Siz'mina, L.K., Plechkov, V.M., Aranzhereev, E.A., Dobrynina, T.N., Oladyshkina, A.I., Odintsov, E.A. A method for measuring human body temperature by means of a decimetric radiothermometer 86−18315
Troitskii, Yu.V. Operating range of dielectric mirrors for lasers 86−68593
Troitskii, Yu.V. Spectral characteristics of laser mirrors 87−12537
Troitskii, Yu.V., Khanov, V.A. Causes of scatter of the emission frequency of gas lasers stabilized using the Lamb dip 87−33097
Troitskii, Yu.V., Stroev, K.N. Effects of dynamic characteristics of a DAS channel on accuracy in measuring transient-response settling time 88−4266
Troitskii, Yu.V. *see* Bel'tyugov, V.N. 85−41433, 87−12526, 87−26462
Troitskii, Yu.V. *see* Gutin, M.A. 85−62635, 88−27055
Troitskii, Yu.V. *see* Matizen, Yu.E. 87−26491, 88−20483, 88−65810
Troitskii, Yu.V. *see* Sukhanov, I.I. 86−63857, 87−74963
Troitskii, Yu.V. *see* Yakushkin, S.V. 88−58642
Troitskiy, A.V. *see* Rassadovskiy, V.A. 86−50108
Troitskiy, B.S. Derivation of the transfer constant of an amplitude detector, based on a generalized amplitude characteristic 85−30869
Troitskiy, B.S. The effect of the frequency detector on the noise factor of FM radio receivers 86−16115
Troitskiy, B.S. The noise factor of trunk line radio receivers with a wide dynamic range 86−30623
Troitskiy, B.V. *see* Alebastrov, V.A. 87−39377
Troitskiy, I.N., Tikhomirov, V.A., Shebalin, A.G. Analysis of the effect of the quantum structure of an information-bearing signal on the quality of images reconstructed from projections 88−41092
Troitskiy, I.N., Ustinov, N.D., Umanskiy, M.S. Statistical properties of quantum noise accompanying image reconstruction from projections 88−41091
Troitskiy, V.N. Investigation of decimeter wave propagation at high geographic latitudes 86−29373
Troitskiy, V.N. Backward scattering of USW by the slopes of mountain peaks and ridges 88−34295
Troitskiy, V.N. *see* Vlakhova, R.T. 87−47166
Troitsky, A.M., Yushkov, D.D. Determining the parameters of the electrodeless discharge [discharge lamps] 85−39296
Troitsky, V.V. *see* Polyakov, A.F. 88−47470
Troitzkii, R.W. *see* Gaikovich, K.P. 88−5185
Troja, S.O. *see* Burrafato, G. 85−34509, 86−47313
Trojak, T. *see* Cutts, D. 87−14217
Trojan, G.M. Optimal transformations for scalar sequences 86−34216
Trojanowski, J. Commissioning of the 750 kV USSR-PPR transmission system 87−64115
Trojanowski, J. Effectiveness of the utilization of the diversity of load curves in interconnected power systems 88−30318
Trojanowski, J., Grzeszak, W. Power lines development problems in Poland 85−32200
Trojanowski, J. *see* Leciejewicz, A. 87−22899
Trojanowski, S. Lowering the noise level of field-effect transistors being cooled in liquid nitrogen 85−34986
Trojnar, K., Madge, H. Determination of the radial current distribution in magnet coils on the basis of axial magnet induction measurements 86−48546
Trojnar, K. *see* Katrukhin, Yu.K. 86−42799
Trojovsky, V. *see* Hlavac, J. 86−45330
Trojtler, H.K. *see* Freier, K. 88−53589
Trok, M. *see* Ammentorp, W. 87−55594
Trokhan, A.M. *see* Lukin, G.P. 87−3370
Trokhan, A.M. *see* Nekrasov, V.N. 87−15038
Trokhimenko, Ya.K. The art of programming programmable microcalculators. IX. Mathematical programming 85−60867
Trokhimenko, Ya.K. New prospects [computer-aided design in electronics] 87−52284
Trokhimenko, Ya.K., Lovkii, V.K., Yastrebov, N.I., Greben'kov, N.V. A system for the computer-aided design of analog electronic circuits 87−44466
Trokhimenko, Ya.K., Rybin, A.I., Plavneva, E.G. Parametric analysis of the stability of electronic circuits on the basis of the generalized Nyquist criterion with utilization of the mutual-derivative method 88−38328
Trokhimenko, Ya.K., Tarabarov, S.B. An index transformation algorithm for symbolic analysis of analog electronic circuits 87−65623
Trokhimenko, Ya.K., Tarabarov, S.B. An algorithm for the symbolic-numerical analysis of electronic circuits 87−73222
Trokhimovskii, Yu.G. *see* Gershenzon, V.E. 87−33424
Trokhta, Z. *see* Gavrilov, O.G. 85−44060
Trolier, S., Gelst, C., Safari, A., Newnham, R.E., Xu, Q.C. Etched piezoelectric structures 87−53818
Trolier, S., Xu, Q.C., Newnham, R.E. Preparation of chemically etched piezoelectric resonators for density meters and viscometers 87−74477
Trolier, S.E. *see* Carlson, W.B. 87−53844
Trolinger, J.D. Automated data reduction in holographic interferometry 86−3360
Trolinger, J.D. Particle and flow field holography—a critical survey 86−11772
Trolinger, J.D. Outlook for holography strong as applications achieve success 87−12600
Trolinger, J.D. The holography of phase objects 88−51970
Trolinger, J.D., Craig, J.E., Hess, C.F., Tan, H. On-line particle and flow holography 88−20796
Trolinger, J.D. *see* Arunkumar, K.A. 87−12422, 87−52971
Trolinger, J.D. *see* Hess, C.F. 85−51307, 86−3384
Trolinger, J.D. *see* Tan, H. 87−54443
Trolinger, J.D. *see* Umstatter, H.L. 86−3383, 87−54444, 88−2397
Troll, M. *see* Ingwall, R.T. 88−27330
Trolldenier, K. *see* Gotschy, H. 88−53305
Troller, G., Ehrke, H.-J., Sinnig, T. Are CRT projectors HDTV compatible? 86−8700
Troller, G. *see* Ehrke, H.-J. 86−4815
Trollope, B.J. *see* Roy, O.Z. 87−4019
Troltzsch, J., Schettler, N. Electrical and physical properties of thin chalcogenide glass layers, and their use as a switching element 86−27675
Tromba, G. *see* Amendolia, S.R. 85−37901
Tromberg, B.J. *see* Vo-dinh, T. 87−77624
Trombetta, G.O., Fiuliodori, L.M. An impulse counter with automatic range selection 87−41869
Trombetta, L.P., Zeto, R.J., Feigl, F.J. Analysis of the feedback voltage during constant current avalanche hole injection experiments 87−74121
Trombetta, L.P., Zeto, R.J., Feigl, F.J., Zvanut, M.E. Electrical properties of silicon dioxide films fabricated at 700°C. III. High pressure thermal oxidation 86−21393
Trombetti, T. *see* Azzoni, P. 88−62052
Trombka, J.A. Solvent solutions [PCB cleaning] 86−41419
Trombka, J.A., Archer, W.L., Plewa, R.C. Improved solvent strippers for fine line PWBs 86−41449
Trombka, J.A. *see* Cabelka, T.D. 87−11235
Trombka, J.I. *see* Crannell, C.J. 85−4238
Trombley, H.W., Robinson, A.L., Hayes, J.P. Multiplexed test structures for IC process evaluation 88−18459
Trombly, J.E., Hudson, D.L., King, D.V. Automated visual inspection of keyboards 85−16818
Tromborg, B., Olesen, H., Xing Pan, Saito, S. Transmission line description of optical feedback and injection locking for Fabry-Perot and DFB lasers 88−20648
Tromborg, B., Osmundsen, J.H., Olesen, H. Stability analysis for a semiconductor laser in an external cavity 85−2329
Tromborg, B. *see* Bodtker, E. 86−60366
Tromborg, B. *see* Lassen, H.E. 85−24654
Tromborg, B. *see* Mark, J. 86−9917 to 9918, 86−48429
Tromborg, B. *see* Mork, J. 87−46462, 88−40211
Tromborg, B. *see* Olesen, H. 86−68528
Tromborg, B. *see* Pan, X. 88−45499
Tromborg, B. *see* Wang, J.W. 88−65727
Tromeur, A. *see* Leboutet, A. 85−3448
Trommelen, Th. *see* Bisschops, Th. 85−12202
Trommelmans, J., Janssens, J.-P., Maelfait, F., Berghmans, J. Electric field heat transfer augmentation during condensation of nonconducting fluids on a horizontal surface 85−41549
Trommer, G. Synthesis of monomode fibre profiles by solving a modified eigenvalue problem 85−46133
Trommer, G. Synthesis of monomode fibre profiles by solving an almost linear system of algebraic equations 85−62293
Trommer, G. Suppression of HE_{21}-, E_{01}-, H_{01}-modes in fibres with a well guided HE_{11}-mode at generalized frequency parameters of $V>2.4$ 85−62334
Trommer, G. A universal method for the synthesis of monomode fibres 86−9502
Trommer, G. Vector equivalence method for the calculation of the propagation constant of arbitrarily-shaped dielectric waveguides 87−12777
Trommer, G. Tolerance requirements for the drawing ratio of single-mode fibres with arbitrary refractive-index profile 87−28558
Trommer, G. A circular-harmonic expansion method for the analysis of dielectric waveguides with graded-index profiles of arbitrary cross-section 87−54637
Trommer, H. *see* Wandtke, K.-D. 87−33436
Trommer, I. *see* Adler, T. 88−73604
Trommer, R. Design and fabrication of InGaAs/InP avalanche photodiodes for the 1 to 1.6 μm wavelength region 85−2146
Trommer, R. Monolithic InGaAs photodiode array illuminated through an integrated waveguide 85−41294
Trommer, R. Photodetectors for optical fiber communication in the 1−1.6 μm wavelength range 87−28596
Trommer, R., Bauer, J., Hoffmann, L., Huber, H., Kunkel, W., Meier, G., Schafer, H. Planar small-area InGaAs/InP photodiodes for wavelengths of 1.3 μm and 1.55 μm 86−36341
Trommer, R., Hoffmann, L. Time-response of InGaAs/InP avalanche photodiodes 86−2967
Trommer, R., Hoffmann, L. Large-hole diffusion length and lifetime in InGaAs/InP double-heterostructure photodiodes 86−42424
Trommer, R. *see* Haussler, W. 88−50711
Trommer, R.H. *see* Mayborg, C.C. 85−23191
Trommer, W. Power supply, protective and earthing measures of telephone installations with microelectronic assemblies and instruments 88−34356
Tromp, C. Standardisation of synthetic medium-voltage cable in the Netherlands 87−9172
Tromp, C. 20 kV for GEB-Rotterdam [Municipal Electricity Board] 87−50767
Tromp, H., Schippers, A., Alessandroni, V. I^2C: better performances, lower costs [digital multimeter] 85−8873
Tromp, H. *see* Vanhooren, R. 85−17611
Tromp, H.H.M. Measurement single switching and I/O controlled by IEEE 488 85−64017
Tromp, L.D., Rudko, M. Rusty bolt EMC specification based on nonlinear system identification 86−29475
Tromp, R.M. *see* Oehrlein, G.S. 85−61854, 87−11690
Tromp, R.M. *see* Rubloff, G.W. 86−58318
Tromp, R.M. *see* Gibson, J.M. *(editor)* 87−10055
Trompette, J. *see* Blanc, F. 86−17567
Trompler, S. Electromagnetic shielding by housings of metallised plastic 85−7664
Tromson Carli, A., Gibart, P., Druilhe, R., Monteil, Y., Bouix, J., El Jani, B. Metal organics vapour phase epitaxy of GaAs: Raman studies of complexes formation 85−60973
Tromson-Carli, A. *see* Lusson, A. 88−56249
Tron', A.M. *see* Vinogradov, K.A. 88−36327
Tron, A.R. *see* Jackson, D.V. 85−59861
Tron, T. Sensitivity analysis of switched capacitor networks 87−45049
Tron, T. Sensitivity and group delay analysis of switched capacitor networks 88−49998
Tron Le *see* Le Tron
Tronc, D. Electron linac optimisation for short RF and beam pulse lengths 86−25032
Tronc, D., Bourat, C., Georges, J.P., Setty, A., Spataro, B. Design of a high intensity electron buncher 87−41778
Tronc, D., Perraudin, C., Georges, J.P., Setty, A. Electron injector designs for CERN-LEP, Rijksuniversiteit-Gent and self-focusing linacs 86−24917
Tronc, D., Salome, J.M., Bockhoff, K.H. A new pulse compression system for intense relativistic electron beams 85−31670
Tronc, D. *see* Fernandes, P. 87−41786
Tronc, D. *see* Setty, A. 86−50554
Tronca, G. *see* Candeo, S. 88−4051
Troncon, C. *see* Anguilar-Benitez, M. 87−71031
Tronconi, A., Billi, M. Disabled persons communication means development 87−50404
Tronconi, A. *see* Boscaleri, A. 88−48247
Tronconi, A. *see* Castellini, G. 87−21627, 87−50405
Tronconi, A. *see* Emiliani, P.L. 85−41874
Tronconi, A. *see* Graziani, P. 85−51581
Tronconi, A.L. *see* Morais, P.C. 85−37733
Trondle, H. Fault detection on optical cables 86−11069
Trondle, H. Backscatter measurement methods for error location in optical cables 86−59898
Trondle, K., Huber, J. A survey of system theory and their application to time-varying channels 86−36876
Trondle, K. *see* Irber, A. 85−30170
Trondle, K. *see* Peters, U. 85−30129
Trondle, M. Introducing a CAQ system for electric machine concerns 88−70152
Trone, D.L. Data annotation techniques for film and electro-optic sensors 85−3881
Tronel, J.C. *see* Climent, J.P. 87−9182
Trong, S.D. *see* Baitinger, U.G. 86−28513
Trong Muu Le *see* Le Trong Muu
Trong Quat Pham *see* Pham Trong Quat
Trong Wu A non-parametric sequential procedure for two-state system availability 87−5303
Tronin, B.A. *see* Maslov, V.V. 85−40992
Tronin, Yu.V. The lost δ-function! 87−55141

Tront, J.G. Predicting URF upset of MOSFET digital ICs 85–50696
Tront, J.G. Simulation of RFI in digital MOSFET input/output stages 85–62832
Tront, J.G. Comparison of the RFI susceptibility of several typical IC pin drivers/receivers 86–15947
Tront, J.G., McKeeman, J.C. Layout of a multiplexed electrode VLSI circuit for monitoring evoked responses in cerebral cortex 87–63794
Tront, J.G. *see* Claus, R.O. 85–60695
Tront, J.G. *see* Harimoto, S. 86–53776
Tront, J.G. *see* Iacoponi, M. 85–62034
Tront, J.G. *see* Kim, K. 87–53678, 88–63651, 88–70623
Tront, J.G. *see* Li, K.W. 85–17465
Tront, J.G. *see* McKeeman, J.C. 87–29784
Tront, R.J., Cavers, J.K., Ito, M.R. Performance of Kalman decision-feedback equalization in HF radio modems 87–33719
Trontelj, J., Trontelj, L., Kunc, V., Stiglic, M., Shenton, G., Robinson, M., Warren, G., Jungo, C. Generalized smart sensor array electronics 87–59657
Trontelj, J., Trontelj, L., Ozbolt, S., Pletersek, T., Kunc, V. 1.2 micron, high speed, high density CMOS analog library 88–64770
Trontelj, J., Trontelj, L., Pletersek, T., Shenton, G. Microelectronic IC design tools for individual system engineers 87–46067
Trontelj, J., Trontelj, L., Pletersek, T., Shenton, G., Robinson, M., Floyd, K., Jungo, C. Expert system for automatic mixed analog-digital layout compilation 87–59110
Trontelj, J. *see* Hercog, D. 87–53660
Trontelj, J. *see* Ozbolt, S. 87–46185
Trontelj, J. *see* Pletersek, T. 86–47802
Trontelj, J. *see* Shenton, G. 87–1672, 87–67591
Trontelj, J. *see* Starasinic, S. 87–46066
Trontelj, J. *see* Trontelj, L. 88–24952, 88–39690
Trontelj, L., Trontelj, J., Raic, D., Sobocan, B. Microelectronic tools for the individual system engineer 88–39690
Trontelj, L., Trontelj, J., Slivnik, T., Jr., Sosic, R., Strle, D., Lucas, D. Analog silicon compiler for switched capacitor circuits 88–24952
Trontelj, L. *see* Hercog, D. 87–53660
Trontelj, L. *see* Kostevc, D. 86–31119, 88–968
Trontelj, L. *see* Ozbolt, S. 87–46185
Trontelj, L. *see* Pletersek, T. 86–2436, 86–47802
Trontelj, L. *see* Shenton, G. 87–1672, 87–67591
Trontelj, L. *see* Starasinic, S. 87–46066
Trontelj, L. *see* Trontelj, J. 87–46067, 87–59110, 87–59657, 88–64770
Trontelj, M., Kolar, D., Krasevec, V. Properties of ZnO ceramics containing TiO_2 86–40794
Trontelj, M., Kolar, D., Krasevec, V. Influence of chemical composition on the barrier height in ZnO varistors 87–44405
Trontelj, M. *see* Drazic, G. 86–60843
Trontelj, T. *see* Pletersek, T. 86–2436
Troop, W.C. *see* Brady, R.L. 85–3292
Troop, W.C. *see* Kimberly, D.W. 85–3291, 85–3293
Troost, A.J. Normalisation comes on course [CCITT and communication standards] 85–63423
Troost, G.K., Kemper, C.A.L., Verbruggen, T.W., van der Wijngaart, R.F., Lindhout, J.P.F. Channel design for closed cycle MHD 85–21534
Troost, K.Z. *see* Denisse, C.M.M. 87–10485
Trop, H.S. *see* Abys, J.A. 85–23274
Tropartz, S. *see* Stojanoff, C.G. 88–51960
Tropchenko, A.Yu. *see* Ochin, E.F. 85–62679
Tropea, C. *see* Bruun, H.H. 85–42969
Tropf, W.J., Thomas, M.E., Harris, T.J., Lutz, S.A. Performance of optical sensors in hypersonic flight 88–42615
Tropin, K.A. Development of electric heating by Yugoslavian industry and in the world 85–5518
Tropin, K.A. Industrial power supply by high voltage lines installed to an industrial area 85–38504
Tropin, K.A. High voltage processes impact on human body 88–16793
Tropin, V.A. *see* Aksyutin, V.A. 86–45411
Tropin, V.V. *see* Yatsenko, A.A. 85–16122
Tropkin, E.N. *see* Birman, A.Ya. 87–26465
Tropkin, G.N. *see* Nasel'skii, S.P. 85–24525
Tropp, E.A. *see* Konnikov, S.G. 85–28999
Tropp, E.A. *see* Polovko, Yu.A. 85–10123, 87–78962
Troppenz, R. *see* Holl, D. 88–36836
Tropper, A.C. *see* Alcock, I.P. 86–22348, 86–29097, 86–63829, 87–18947, 87–54274, 88–8170
Tropper, A.C. *see* Hanna, D.C. 88–65285
Tropper, C. Priorities and performance in packet-switching networks 86–54633
Tropper, C. Priorities and performance in packet-switching networks 87–48567
Tropper, C. *see* Evequoz, C. 87–62519, 88–59352
Tropper, C. *see* Glazer, D.W. 88–3398
Troquet, J. *see* Rousseaux, P. 86–50461
Trosby, F. A new dispatch system for Norwegian users 85–58032
Trosby, F., Thorud, G. Mobildata: structure of system, services, facilities 87–8204
Troschin, A.L. *see* Glinchuk, K.D. 85–34470
Troshchieva, V.N. *see* Bondarenko, A.V. 88–65764
Troshchinskii, V.T. *see* Korshunov, F.P. 85–55799
Troshenkova, I.A. *see* Bagdasaryan, D.S. 87–70948
Troshev, T. *see* Falomkin, I.V. 85–52981
Troshev, T.M. *see* Michailov, M.N. 85–52990
Troshin, A.L. *see* Glinchuk, K.D. 85–50359, 88–25872
Troshin, B.I. *see* Korukhov, V.V. 88–8107
Troshin, B.I. *see* Lebedev, V.V. 86–3294
Troshin, V.A. *see* Arkhipienko, V.V. 88–49324
Troshin, V.A. *see* Tereshchenko, V.I. 85–16476
Troshin, V.V. *see* Skorospenshkin, A.I. 85–53713
Troshina, E.V. *see* Nikitin, M.S. 88–13063
Troshina, G.S., Averina, A.P., Pozhidaev, E.D. Mechanism of etching materials with beams of chemically active ions 87–1404
Troshkin, V.A., Bernatskii, D.P., Loginov, M.V. Device for automatic recording of variation of electron work function 88–74580
Troshkin, V.A. *see* Zhuravin, L.G. 86–37387, 86–69992, 87–62575
Troshkin, Yu.N. *see* Sedel'nikov, E.S. 86–38929
Troshkov, S.I. *see* Andreev, V.M. 85–60421
Troshkov, S.I. *see* Konstantinov, O.V. 86–27972, 87–30939
Troshkov, S.I. *see* Mezrin, O.A. 88–57371
Trosino, J.M. *see* Daubert, S.J. 88–71784
Troskot, N.P. *see* Abramovich, R.D. 86–25978, 86–33271
Trost, D. *see* Shemwell, D.M. 88–2318
Trost, L.E. *see* Kukhtikov, V.A. 87–4385
Trost, L.E. *see* Mirzoev, A.G. 88–54995
Trost, R. *see* Brandt, F.C.J. 87–57800
Trostel, J.M. *see* Currie, N.C. 88–61615
Trostel, J.M. *see* Greneker, E.F. 88–15635
Trostel, J.M. *see* Scheer, J.A. 88–60227
Trostel, J.M. *see* Williamson, F.R. 86–17497
Trostell, B. *see* Olsson, N. 85–31760, 86–50446
Troster, D. *see* Adiels, L. 86–44602
Troster, G. Simultaneous evaluation of MOS-model parameters on minicomputers 86–26986
Troster, G., Fichtel, J., Hosticka, B., Sieber, P., Tomaszewski, Z., Zimmer, G. Potentials of the BICMOS technology for high-performance VLSI 86–67940
Troster, G., Herbst, D. Error cancellation technique for capacitor arrays in A/D and D/A converters 88–56712
Troster, G., Herbst, D., Schoppe, K., Sieber, P., Tomaszewski, Z. Pipeline cascade A/D converter with analogue and digital error correction for the ISDN interface 87–37411
Troster, G., Langheinrichm, W. Monolithic continuous-time analogue filters in NMOS technology 85–17670
Troster, G., Langheinrich, W. Continuous-time filters in NMOS technology 86–41206
Troster, G., Langheinrich, W. Modeling and design of distributed RC networks in MOS technology with respect to yield 87–859
Troster, G., Lengheinrich, W. An optimal design of active distributed RC networks for the MOS technology 86–63466
Troster, G. *see* Tomaszewski, Z. 87–37453, 87–66361
Trostyanskii, S.N. *see* Terekhov, V.A. 85–34525, 87–26172
Trosztel, I. *see* Ezsol, G. 87–57843
Trosztel, I. *see* Szabados, L. 87–57844
Trotch, P.M. *see* Davis, M.H. 88–810
Trotel, J. *see* de Chambost, E. 86–35488
Trotsenko, A.A. Using digital models for simulating processes in relay protection 88–30415
Trotsenko, A.A. *see* Gofman, R.A. 86–6408
Trotsenko, A.A. *see* Polyakov, V.E. 86–6401, 88–5387, 88–48607
Trotsenko, A.A. *see* Sinyutin, P.A. 88–30766
Trotsenko, A.V. *see* Brunshtein, Yu.G. 88–42045
Trotsenko, A.V. *see* Brushtein, Yu.G. 85–47952
Trotsenko, V.I., Karnaukhov, I.M., Lukhanin, A.A., Chechetenko, V.F. Resistance-to-voltage convertor for low-temperature carbon thermometers 88–35904
Trotsenko, V.P. Stabilization of optical interference schemes for measuring small acoustic signals 86–31741
Trotsenko, V.P. *see* Arkhipov, V.I. 85–21041
Trotsenko, V.P. *see* Bondarenko, A.N. 85–48089
Trotsenko, V.P. *see* Lugovoi, V.A. 87–63388
Trotsishin, I.V. *see* Goroshkova, T.V. 88–4579
Trotsishin, I.V. *see* Pokhilyuk, A.P. 88–16031
Trott, A. Learning principles for technology based training 88–74154
Trott, G. *see* Saxena, R. 87–10434
Trott, G.W., Brenton, A.G., Beynon, J.H. Obtaining a voltage from IEEE-488 bus-equipped instruments [computerised instrumentation] 85–14591
Trott, J. *see* Konig, D. 87–72340
Trott, W.M. *see* Benson, D.A. 87–74337
Trotta, A. *see* Andria, G. 88–17628
Trotta, A. *see* Savino, M. 88–69602
Trotta, J. *see* MacAloney, B. 87–2858
Trotta, J.G. *see* Morley, R.E., Jr. 86–43218
Trotte, M. *see* Brillouet, F. 85–2320
Trotte, M. *see* Rose, B. 85–46396
Trottenberg, U. *see* Thole, C.-A. 88–63242
Trotter, G.J., Adams, W.M. New MAP networks can accommodate existing plant systems 87–28052
Trotter, G.J. *see* Adams, W.M. 88–15074
Trotter, G.R. *see* Pitt, C.W. 85–35486
Trotter, J. *see* Delgado-Frias, J. 88–63741
Trotter, J.A. *see* Delgado-Frias, J.G. 88–33347
Trotter, J.D. *see* Jones, C.W. 87–53680
Trotter, W.T., Jr. *see* Golumbic, M.C. 85–5906
Trotti, P.L. *(editor)* Photonics buyers' guide to products and manufacturers. Optical industry and systems purchasing directory 1987. Book 1. 33rd edition 88–25
Trottier, G. An investigation of steep descent guidance for terminally-guided sub-munitions 88–54832
Trottier, R. *see* Isberg, R.A. 86–4536
Trottler, K. *see* Brehm, H. 87–55033, 87–55035
Trotz, J. *see* Hoger, E.-K. 85–21925
Trouche, G. *see* Fischer, J.-C. 87–42226
Troudet, T., Hawkins, R.J. Monte Carlo simulation of the propagation properties of single-mode dielectric waveguide structures 88–33709
Trouel, K. The German research network DFN 86–49272
Trought, B., Willey, P. Conflict and cooperation: a revised model 87–23246
Trought, M. Wide area communications network 88–73467
Trought, M., Drage, K. An introduction to PABXs 86–64836
Trought, M. *see* Ozdamar, M. 88–67127
Trought, M.T. Wide area network 86–10680
Trought, M.T. The ISPBX and its use of digital services 86–37681
Troughton, D.J., Lumb, A.P., Belton, R.C., Gallagher, I.D., Bexon, M.D., Moor, S.R., Stegman, S.C.J. System X: the processor utility 85–30797
Troughton, D.J. *see* Ozdamar, M. 87–55922
Troughton, R.H. Gyrators in band-pass filter design 88–12493
Trouilloud, P., Miltat, J. Walls and lines in thick ferrimagnetic epilayers with canted magnetization 85–24077
Trouilloud, P.L. *see* Grimes, C.A. 88–53828
Trouilloud, P.L. *see* Herman, D.A., Jr. 88–64948
Troullier, N. *see* Chang, S. 87–38148
Troullinos, G. Energy-based clock synchronization of polyphase digital modem receivers 87–37079
Troullinos, G., Bradley, J. Split-band modem implementation using the TMS32010 digital signal processor 87–2983
Troullinos, G., Dorsey, J., Griffin, C., Wong, H., Myers, J. Estimating order reduction for large power systems 87–57503
Troullinos, G., Dorsey, J., Wong, H., Myers, J. Reducing the order of very large power system models 88–54852
Troullinos, G., Dorsey, J.F. Application of balanced realizations to power system equivalents 85–43536
Troullinos, G., Dorsey, J.F., Wong, H., Myers, J., Goodwin, S. Estimating order reduction for dynamic equivalents [power systems] 86–32631
Troullinos, G. *see* Lovrich, A. 88–67166
Troung, T. *see* Madan, H. 87–55449
Troup, G.J. *see* Hoare, R. 86–63856
Troup, R.L. *see* Dawless, R.K. 88–49786
Trousdell, R.B. *see* Dos Remedios, C.A. 87–35977
Trouse, D.R. *see* Brownlie, J.D. 85–25611
Trousil, J., Sandera, M., Koten, J., Prasil, A., Kokta, L. A method of extension of thermoluminescent phosphate glass measurability towards the kGy range of doses 85–64646
Troussel, G. BiMOS integrated control of two unipolar stepping motors 87–58119
Troussel, G. Controlling two homopolar stepper motors with a single integrated circuit 87–72162
Troussel, G. *see* Payet-Burin, P. 88–7645, 88–43222
Troussel, G. *see* Thomas, G. 87–31699
Trout, R.E. *see* Ayres, R.L. 86–24883
Trout, R.E. *see* Martin, E.R. 86–60408
Trout, R.R. A market-based method for relicensing federal hydroelectric sites 85–21507
Trout, S.R. Use of Helmholtz coils for magnetic measurements 88–74563
Trout, S.R. *see* Martin, D.L. 86–22004
Trout, S.R. *see* Tokunaga, M. 88–51187
Troutbeck, R.J. *see* Dods, J.S. 85–14637

Troutman, R.C. T1 circuits—in-service monitoring and out-of-service testing 86−69298
Troutman, R.R. Recent developments in CMOS latchup 85−50735
Troutman, R.R. Latchup in CMOS technologies 87−60640
Troutman, R.R., Hargrove, M.J. Transmission line modeling of substrate resistances and CMOS latchup 86−63446
Troutman, W.W., Diodato, P.W., Goksel, A.K., Tsay, M.S., Krambeck, R.H. Design of a standard floating point chip 86−34871
Troutman, W.W. *see* Diodato, P.W. 85−62115
Troutman, W.W. *see* Goksel, A.K. 87−25367
Troutt, M.D. A stability concept for matrix game optimal strategies and its application to linear programming sensitivity analysis 87−16521
Troutt, R. *see* Nemiroff, M. 88−26062
Trouvat, M. RENAN project: tests ISDN implementation in France 86−4110
Trouvat, M. RENAN—an experimental ISDN project in France 86−59465
Trouvat, M. The RENAN project: opening up ISDN in France 88−28479
Trouvat, M., Pays, G. Opening and developing ISDN in France 86−64484
Trouvat, M., Pennanec'h, J.-C. France rolls out national ISDN 88−46681
Trouve, P. Convergence of nonconforming finite element methods for linear thin shell problems 88−49732
Trouve, P. Nonconforming approximations of general thin shells problems by Morley's type finite element 88−70258
Trouve, P. *see* Bernadou, M. 88−70283
Trouville, B. *see* Denayrolles, Y. 88−53905
Trovato, M. *see* Brucoli, M. 85−21121, 86−6233, 86−18707, 86−38997, 87−71611, 88−36779
Trow, J.R. Mass spectrometer utilizing permanent magnets 86−15406
Trow, J.R., Moses, K.G. Characteristics of an RF plasma neutralizer 88−10196
Trowbridge, C.W. Introduction to three dimensional eddy current problems 85−24732
Trowbridge, C.W. Status of electromagnetic field computation 86−48532
Trowbridge, C.W. *see* Emson, C.R.I. 86−42755, 88−52099
Trowbridge, C.W. *see* Ripley, C.P. 88−8398
Trowbridge, C.W. Electromagnetic computing: the way ahead? 88−51997
Trowbridge, J.H. *see* Aubrey, D.G. 86−6130
Trowell, E.H. The KW Ten-Tec 'Corsair' transceiver, a description and use 86−10986
Trowell, E.H. The KW Ten-Tec Models 227 and 228 aerial tuning units 86−37731
Trowell, E.H. KW Ten-Tec Century 22 transceiver: a description and use 86−37778
Trowell, E.H. KW Ten-Tec 'Corsair II' transceiver, a description and use 86−59772
Trowell, E.H. KW Ten-Tec Argosy II transceiver—a description and use 86−69581
Trowell, E.H. Improving the Heathkit HD-1410 electronic keyer 87−34054
Trowell, E.H. The KW Ten-Tec 'Titan' linear amplifier 87−34455
Trowell, E.H. KW Ten-Tec Model 4229 high-power aerial tuning unit kit 87−47430
Trower, P. *see* Calicchio, M. 88−29811
Trower, W.P. Ionization detector for Cabrera's monopole experiments 85−31749
Trowitzsch, C. Microprocessor application in motor vehicles 87−24269
Trox, R. *see* Frantzen, V. 88−52790
Troxel, D.E. *see* Hofmann, W.D. 87−2827
Troxel, D.E. *see* Schreiber, W.F. 85−41957
Troxel, T., Brown, G., Cerino, J., Wiedemann, H. Measurement of electron beam profile and position using pinhole optics on SPEAR beam line II-3 88−47817
Troxel, T. *see* Brown, G. 88−47962
Troxell, J.R. MOSFET fabrication using ion beam nitridation 86−15164
Troxell, J.R., Bleil, C.E. Hydrogen removal from plasma deposited amorphous silicon films 85−39815
Troxell, J.R., Harrington, M.I., Erskine, J.C., Dumbaugh, W.H., Fehlner, F.P., Miller, R.A. Polysilicon thin-film transistors on a novel 800° glass substrate 87−1567
Troxell, J.R., Harrington, M.I., Erskine, J.C., Jr., Dumbaugh, W.H., Fehlner, F.P., Miller, R.A. Polycrystalline silicon thin-film transistors on a novel 800°C glass substrate 87−18126
Troxell, J.R., Harrington, M.I., Miller, R.A. Laser-recrystallized silicon thin-film transistors on expansion-matched 800°C glass 88−19994
Troxell, J.R., Moss, D.E. Device processing aspects of ion beam nitridation 85−12134
Troxell, J.R. *see* Bleil, C.E. 86−15071, 87−16574
Troxell, W.C. *see* Kisenwether, E.C. 87−24301
Troxler, R. Accident prevention measures. Safety switching arrangements and safety circuits 85−39509
Troxler, R. Accident prevention measures. II. Safety switchgear equipment and safety circuits 85−60347
Troy, C.T. Lasers close in on pollution 85−21021
Troy, C.T. SDI sets its sights on large detector arrays 87−29131
Troy, C.T. Fiber optics: on medicine's cutting edge 87−47032
Troy, C.T. The APS and SDI: orders of magnitude apart 88−17002
Troy, E.F. Security for dial-up lines 87−20256
Troy, F. Testing at-speed keeps boards moving in production 86−21633
Troya, J.M., Ortega, M., Vaquero, A. A branch and bound algorithm for distributed systems 86−26748
Troya, J.M. *see* Fernandez, C. 86−16151, 88−14987
Troyan, A.M. *see* Nepomnyashchii, V.A. 87−22166
Troyan, L.A. Effect of the number of increased-conductivity channels on the characteristics of formed MIM systems 86−47432
Troyan, L.A. *see* Vorob'ev, G.A. 87−6313
Troyan, L.A. *see* Vorob'yev, G.A. 88−19582
Troyan, O.E. *see* Gruzdev, V.A. 86−27783
Troyan, P.Ye. *see* Vorob'yev, G.A. 86−47589, 88−19582
Troyan, Yu.G., Sizov, F.F., Lakeenkov, V.M. Photoelectric properties of high-resistivity PbTe:Ga single crystals 87−38898
Troyan, Yu.G., Sizov, F.F., Lakeenkov, V.M. Relaxation times of nonequilibrium current carriers and current instabilities in high-resistant PbTe:Ga single crystals 87−45637
Troyan, Yu.G. *see* Sizov, F.F. 88−25968
Troyanov, E.F. *see* Ado, Y.M. 86−31902
Troyanov, M.F. *see* Bagdasarov, Yu.E. 86−65862
Troyanov, M.F. *see* Kochetkov, L.A. 86−65859
Troyanova, T.A. *see* Lozinskii, N.S. 87−52886
Troyanovskii, A.D. *see* Resin, A.A. 88−48274
Troyanovskii, A.M., Edel'man, V.S., Khaikin, M.S. Scanning tunneling microscopy of a multilayer semiconductor structure 88−72326
Troyanovskii, B.M. Selection of the type of steam distribution of saturated-steam turbines [of nuclear power stations] 85−4778
Troyanovskii, B.M. High-capacity district-heating steam turbine plants abroad [outside the USSR] 85−38859
Troyanovskii, I.V. *see* Druzhinin, S.I. 88−51768
Troychak, J.A. Broadband synthesis of low sidelobe antenna patterns 88−2693
Troychak, J.A. *see* Johnson, D.L. 88−2751
Troyen, D.L.R.Van *see* Van Troyen, D.L.R.
Troyk, P.R., Anderson, J., Markovac, V. The role of surface contamination in the corrosion of silicone encapsulated thin-film devices 88−18507
Troyk, P.R., Jaeger, R.J., Haklin, M., Poyezdala, J., Bajzek, T. Design and implementation of an implantable goniometer 86−44629
Troyk, P.R., Poyezdala, J. A 4-channel implantable neuromuscular stimulator for functional electrical stimulation 88−48236
Troyk, P.R., Poyezdala, J. A bipolar cuff electrode for lower extremity functional electrical stimulation 88−61459
Troyk, P.R. *see* Anderson, J.E. 88−37983
Troyk, P.R. *see* Conroy, D.K. 88−55512
Troyk, P.R. *see* Pierce, G.F. 85−574
Troym Lereim, A. Will in-house data services be handled by PABX or by wideband networks? 85−51891
Troynoy, G.L. Influence of bandwidth and noise of a video transceiver channel on the resolving power of a radiometer television system 86−31011
Troynoy, G.L. Effect of sampling and quantization of a video signal on the resolution of a radiometer television system 86−37073
Troynoy, G.L. Determination of the resolving power of radiometer TV systems 86−38066
Troyon, M. Electron guns. Review and recent developments 85−18010
Troyon, M. Pulsed field emission electron or ion gun with energy filter 88−25772
Troyon, M. Energy spread of different electron beams. II. Field emission electron beams 88−64168
Troyon, M., Zinzindohue, P. Energy spread of different electron beams. I. Thermionic electron beams 88−50570
Trpovski, Z. *see* Strezoski, V. 86−12262
Trstensky, D. Effective methods of increasing reliability of communication networks 87−20061
Trstensky, D., Bowron, P. An alternative index for the reliability of telecommunication networks 85−42070
Trtica, M., Babarogic, Z. Experimental study of CW carbon monoxide flame chemical laser of the $CS_2/O_2/CO_2$ type 85−46303
Trtica, M., Vujkovic Cvijin, P., Mendas, I. Short delay time UV preionized TEA CO_2 laser operating with binary CO_2/H_2 and CO_2/He gas mixtures 85−12797
Trtica, M.S., Ribnikar, S.V. A complete parametric study of a TEA CO_2 laser of the CO_2/H_2 type 88−58629
Truax, B. Real-time granular synthesis with a digital signal processor 88−67611
Truax, B.E. Programmable interferometry 88−4301
Truax, D.E. *see* Bayless, R.S. 88−49025
Trubacheev, G.M. *see* Veshovskii, S.P. 87−39724
Trubachev, A.M. Effect of flux losses in MC-generator 88−43300
Trubachev, A.M. *see* Bichenkov, E.I. 88−40472, 88−49058, 88−55635
Trubachev, A.M. *see* Gilev, S.D. 85−10117
Trubachev, S.G., Vasil'ev, A.V., Zaitsev, V.I., Borisova, L.N. Prospective materials for making printed circuit boards 87−6251
Trubachev, S.G. *see* Yudov, M.F. 88−30646
Trubayev, S.I. *see* Novozhilov, V.I. 86−25413
Trube, J., Huber, H.-L., Lochel, B., Windbracke, W. Application of lead electroplating of X-ray absorber patterning 88−26134
Trubekhin, Ye.R. *see* Berger, M.N. 86−35065
Trubekhin, Ye.R. *see* Kapilevich, B.Yu. 85−1012
Trubert, R., LeGouguec, R. The CSN and ITS digital concentrators—a new generation of subscriber digital access unit for the ALCATEL E10 87−69763
Trubert, R. *see* Jacob, J.B. 85−52157
Trubetskoi, A.V. *see* Abil'siitov, G.A. 86−38805
Trubetskoi, A.V. *see* Tarkov, V.A. 85−2103
Trubetskoi, A.V. *see* Tishchenko, Yu.N. 85−2104
Trubetskov, D.I. *see* Bulgakova, L.V. 86−47245
Trubin, A.A. *see* Il'chenko, M.E. 85−62183
Trubin, A.M., Khanberg, V.A. Absolute displacement meter for low gas-flow rates 88−74635
Trubin, V.A. Dynamic decomposition method for linear programming problems with generalized upper bounds 87−52087
Trubin, V.A., Gndoyan, A.K. A class of problems in the design of wiring connections 85−61495
Trubitsyn, A.V. *see* Motuzko, F.Ya. 86−40875
Trubitsyn, L.M. Transmitting analogue signal using overlapping pulses 87−47516
Trubitsyn, N.M. *see* Makeev, S.N. 86−70343, 87−17660, 88−32730
Trubitt, D., Podell, A. Desktop CAD offers alternatives to the microwave design engineer 85−10937
Trubkin, N.I. *see* Lobachev, A.G. 87−30336
Trubkin, Yu.A. "Absolute" calibration of the scale of output amplitudes of photomultipliers 87−1159
Trubnikov, M.L. *see* Baginskii, B.A. 88−49045
Trubnikov, V.P. *see* Dobrunova, V.M. 87−71932
Trubnikov, V.P. *see* Gaifullin, A.Sh. 87−4529
Trubnikov, Yu.V. *see* Biryuk, N.D. 88−63547
Truc, P. The Motorola 6801 monochip 85−33929
Truc, P. The integrated logic analyser: MD 68SC49B by Mitel 85−49917
Truc, P. The NEC graphics controller µPD 7220 85−49918
Truc, P. The Intel iAPX 286 85−49919
Truc, P. Colour graphics with the Thomson Efcis EF 9369 85−49920
Truc, P. The NEC signal processor µPD 7720 85−49921
Truc, P. The Motorola MC 146818 real time clock 85−49922
Truc, P. 8/16 bit processor µPD 70108 by NEC 87−17118
Truche, R. *see* Chenevas-Paule, A. 86−5432, 86−50165
Truche, R. *see* Leroux, T. 86−20433
Truchetet, F. *see* Lamalle, B. 85−48078
Truchly, J. The reliability of the operation of the power system in case of crucial upsetting of power equilibrium 87−57473
Truckenbrodt, H., Weiss, M., Darr, C.-P. Computerised sensors for roughness evaluation of smooth surfaces of optical components 87−3397
Truckenbrodt, H. *see* Darr, C.-P. 87−149
Truckenmuller, T.W. *see* Fahnrich, K.-P. 85−13779
Trucker, D.C. *see* Kallis, J.M. 86−13062
Trudeau, F.G. *see* Gajda, J.J. 85−40790
Trudeau, M. *see* Day, D.J. 88−57636
Trudonoshin, V.A. *see* Norenkov, I.P. 87−52290, 88−63458
True, B.B., Hansen, R.J., Hjelm, H.J., Mandolfo, L.A. A modular shadow-gridded high power switch tube 88−38982
True, J.A. *see* Lynnworth, L.C. 87−70879
True, N.F., Barry, R.A. Contemporary estimating [power industry] 86−57086
True, R. The design of gridded Pierce guns for accelerators 86−21005
True, R. Tunnel emittance growth in PPM focussed TWTs 86−47250
True, R. Emittance and the design of beam formation, transport, and collection systems in periodically focused TWTs 87−37830
True, R. Control of emittance growth in PPM focussed TWTs 87−45536
True, R.S. Management of electronic maintenance in cars 85−5470
Trueb, L.F. Solar cells: present status and prospects of photovoltaic systems 87−72392
Trueba, A. *see* Perez, J. 88−916
Trueba, A. *see* Rodriguez, I. 88−60015
Trueblood, J.W. Theory and measurement of anti-aliased line performance 88−16318

Trueblood, R.C. Electrostatic precipitation—art or science? 86—60988
Truel, J.L. Videotext prospects at the international level 87—13336
Truelove, A.H. *see* Dowsett, J. 86—42081
Trueman, C.W. Modelling a standard broadcast directional array with the numerical electromagnetics code 88—40727
Trueman, C.W., Kubina, S.J. Initial assessment of reradiation from power lines 86—29426
Trueman, C.W., Kubina, S.J. Radiation patterns of the HF/WISP dipole on the space shuttle orbiter 86—42966
Trueman, C.W., Kubina, S.J. Detuning power lines by isolating towers for the suppression of resonances 87—19322
Trueman, C.W., Kubina, S.J. Power lines: broadcasting's problem child 88—58841
Trueman, C.W., Kubina, S.J., Baltassis, C. Ground loss effects in power line reradiation at standard broadcast frequencies 88—41796
Trueman, C.W., Kubina, S.J., Madge, R.C., Jones, D.E. Comparison of computed RF current flow on a power line with full scale measurements 85—14084
Truemner, M.E. *see* Dableh, J.H. 85—59735
Truemner, R. *see* Kort, H. 87—35971
Truemper, K. A decomposition theory for matroids. II. Minimal violation matroids 86—19916
Truemper, K. A decomposition theory for matroids. III. Decomposition conditions 87—16487
Truemper, K. *see* Tseng, F.T. 87—16483
Truesdale, C.M., Nolan, D.A. Core/clad mode coupling in a new multiple-index waveguide structure 88—65340
Truesdale, J.B. *see* McRoy, S.A. 85—30756
Truett, J. *see* David, Y. 85—59239
Truett, W.L. *see* Szappanos, J. 87—7063
Truetzschler, K. *see* Boettcher, H. 85—15168
Trufanov, A.S. *see* Andreev, E.P. 86—44319
Trufanov, A.S. *see* Biryukov, A.N. 87—63241
Trufanov, B.D. *see* Denisov, D.S. 87—66500
Trufanov, P.V. *see* Lomash, A.V. 87—77132
Trufanov, V.V., Khanaev, V.A. Selection of relational structure for generating capacities of electric power grid according to equipment types with formalised consideration of initial information ambiguity 86—6292
Trufanov, V.V. *see* Khanaev, V.A. 87—21891
Truffin, E. *see* Acevedo, J. 85—57865
Trug, W. Digital transmission systems in Indonesia for bit rates from 2 to 140 Mbit/s 86—43427
Trugman, S.A., Taylor, A.J. Analytic solution of the Boltzmann equation with applications to electron transport in homogeneous semiconductors 86—47271
Trujillo, C. *see* Amado, J.B. 86—38827
Trujillo, E., Habereder, H.L. Multi-application signal processing architectures 85—9308
Trukan, M.K. *see* Garbuzov, D.Z. 85—62459, 88—65716
Trukhachev, A.A. The effectiveness of discrete-time processing of observations 88—3046
Trukhachev, B.S. *see* Stuchevnikov, V.M. 86—11550
Trukhachev, V.V. *see* Kalinin, V.V. 88—56524
Trukhanov, A.I. *see* Pokrovskii, F.G. 86—38988
Trukhanova, L.P., Pozhidayev, V.N. The possibility of forecasting the attenuation of millimeter and optical waves in snowfall along horizontal routes 88—21952
Trukhin, M.P., Timoshenko, S.I. Analysis and optimization of the parameters of a digital detector of group targets for multilevel quantization 85—8451
Trukhin, N.A. *see* Burkov, I.A. 86—34572
Trukhin, N.A. *see* Zavrazhnov, Yu.V. 87—62821
Trukhnii, A.D., Kochetov, A.A. Predicting low-cycle service life of rotors of steam turbines with irregular loading 88—5556
Trukhnii, A.D. *see* Korzh, D.D. 85—4933
Trukhov, D.B. *see* Azimov, B.S. 88—27539
Trukhov, V.S. *see* Gaziev, U.Kh. 86—19516, 86—51523
Trullemans, C. Silicon compilation: an application oriented VLSI system development aid 86—40818
Trullemans, C. *see* Anckaert, A.M. 85—62107
Trullemans, C. *see* Bouterfa, Y. 86—2422, 86—29957
Trullemans, C. *see* Dumont, A. 88—75529
Truly, R.H. National space transportation system: return to flight 87—29864
Truman, A.K., Smith, R.W., Schmidt, R.V. Active star configured fiber optic CSMA/CD LANs 88—47064
Truman, A.K. *see* Rawson, E.G. 87—34586
Truman, J.K., Holloway, P.H. Characterization of molybdenum disilicide/gallium arsenide Schottky barrier contacts at elevated temperatures 85—55764
Truman, R. Integration of robots in automatic component insertion [PCB assembly] 88—50530
Truman, R. The design, assembly and test of printed wiring assemblies in a CIM environment 88—50532
Trumble, D. *see* Gaumond, R.P. 87—4041
Trumble, T.M. Expert systems for on-array power management 87—42158
Trumble, T.M., Betz, F. Evaluation of a gallium arsenide solar panel on the LIPS II satellite 86—6050
Trumble, T.M., Wise, J.F., Gjermundsen, E. Autonomy requirements for satellite power systems 85—48415
Trumble, T.M. *see* Minahan, J.A. 86—7024
Trumble, T.M. *see* Negley, G.H. 88—31042
Trumble, T.M. *see* Smith, M.B. 88—37451
Trumbley, K.J. *see* Bird, J.S. 87—70139
Trumbull, R.H. Standardize hole size to minimize drilling costs 85—1156
Trummer, M.R. A note on the ART of relaxation 85—22383
Trummer, M.R. *see* Berrut, J.-P. 87—52080
Trummer, M.R. *see* Kerzman, N. 86—19985
Trump, B.C. Through continuous integration, v-f converter raises accuracy of cumulative measurements 86—47030
Trump, B.C. Extend dynamic range of a V/F converter 87—59807
Trump, C.G. Canada in space—its implications for science and society 87—50477
Trump, C.G. Canada in space 88—68511
Trump, C.L. Estimating absolute current velocities by merging shipboard Doppler current profiler data with LORAN-C data 87—9024
Trump, C.L., Okawa, B.S., Hill, R.H. The characterization of a midocean front with a Doppler shear profiler and a thermistor chain 87—71375
Trumper, M. *see* Stephan, G. 85—7380
Trumpess, C.J. *see* Alexander, M.J. 87—45208
Trumpf, K. *see* Bourdier, R. 88—72963
Trumpie, L.W. Modems in a cave [echo cancellation] 85—63422
Trumpis, B. *see* Gardner, S.H. 87—40824
Trumpler, P.R. Conserve energy with gas turbines 86—12711
Trumpler, P.R. A cost-effective indirect coal-fired gas turbine power and water-from-air cycle 86—45214
Trumpold, H. Production measuring technology for quality assurance 86—57204
Trumpp, H. *see* Dreves, R.F. 85—1508
Trumpp, H. *see* Lajza, J.J., Jr. 85—45584
Trumpp, H.J. Process for structuring a submicron mask 85—29100
Trumpp, H.J. *see* Greschner, J. 85—6839, 85—12358
Trumpp, H.J. *see* Stolz, H.J. 85—1525
Trumpp, H.J. *see* Thiel, K.P. 85—40819
Trumpy, E. Gosgen: a nuclear power station with an excellent performance record 86—25724
Trundle, C. *see* Brettle, J. 88—51518
Trundle, C. *see* Cush, R. 87—46965
Trundle, C. *see* Glenn, R. 88—20408
Trundle, C. *see* Goodwin, M.J. 88—2020, 88—33729, 88—58204
Trundle, E. The B&K 467 CRT tester/reactivator 85—3665
Trundle, E. The Unaohm EP730AFM panoramic monitor 85—3698
Trundle, E. VCR servo systems. I 85—3748
Trundle, E. The Betamax video system. IV 85—3749
Trundle, E. The Betamax video system. V 85—3751
Trundle, E. Video recording on tape 85—3755
Trundle, E. Test report: AVO 2001 digital multimeter 85—4035
Trundle, E. Test report: Altai DM6013 capacitance meter 85—8899
Trundle, E. A look at monitors. I 85—37251
Trundle, E. A look at monitors. II 85—37253
Trundle, E. VCR servo systems. II 85—37319
Trundle, E. Dealing with teletext interference 85—52502
Trundle, E. Design of the FS-type tube 85—55415
Trundle, E. Servicing the B&O 20AX chassis 85—63816
Trundle, E. The development of colour tubes. I. [TV] 86—58215
Trundle, E. The development of colour tubes. II [TV] 86—58216
Trundle, E. The development of colour tubes. IV. Behind the colour screen 87—6349
Trundle, E. The 8 mm video system. I 87—41259
Trundle, E. The 8 mm video system. II 87—63169
Trundle, E. Test report: Thurlby/RS bench power supply 87—63451
Trundle, E. The 8 mm video system. III 87—70288
Trundle, E. The 8 mm video system. IV 87—70289
Trundle, E. The 8 mm video system. V 87—70290
Trundle, E. Fuses and protective devices 88—15804
Trundle, E. TV and VCR standards conversions 88—29050
Trundle, E. Test report: Ondra remote control handset 88—29051
Trundle, E. Fast-shutter video cameras 88—36075
Trundle, E. Storing TV pictures in chips. I 88—53474
Trundle, E. Ten years of VHS video 88—60470
Trundle, E. Storing TV pictures in chips. II. Digital video effects 88—63679
Trundle, E. Servicing with a variac—and bulbs [TV] 88—69468
Trundle, E. *see* Amos, S.W. 86—11247, 86—14054, 86—20364
Trunev, V.V. *see* Dyatchenko, A.A. 88—12896
Trung, B.Le *see* Le Trung, B.
Trung Dung, P., Laznicka, M. Origin and formation mechanism of macroscopic defects in GaAs films grown by molecular beam epitaxy 87—5418
Trung Dung, P., Laznicka, M., Pajasova, L. Relationship of properties of MBE grown GaAs layers with growth conditions 86—63031
Trung Dung Pham *see* Pham Trung Dung
Trung Duy Nguyen CMOS technology for telecommunications 85—45879
Trung Nguyen A cost effective, modular chip set for ISDN basic access with multiplexing capability 87—34003
Trung Ta Do *see* Do Trung Ta
Trung Tran Van *see* Tran Van Trung
Trung-Dung, P., Laznicka, M. Production of nonalloyed ohmic contacts to GaAs by molecular beam epitaxy 86—62217
Trunin, E.S., Zhasanov, R.A. Diagnostics of the vibratory condition of power transformers in power station conditions 87—72174
Trunin, V.B. *see* Babichev, A.P. 87—63400
Trunk, G.V. Range resolution of targets 85—25918
Trunk, G.V., Wilson, J.D. Association of DF bearing measurements with radar tracks 88—15508
Trunk, G.V., Wilson, J.D. Correlation of DF bearing measurements with radar tracks 88—15710
Trunk, G.V. *see* Cantrell, B.H. 86—17455
Trunk, J., Monteiro, R. High-density optical cable for public communications 88—47061
Trunk, J., Monteiro, R. Typical fiber optic local area network in steel mills 88—47069
Trunkan, M.K. *see* Garbuzov, D.Z. 87—39124
Trunov, A.A. *see* Konavolv, S.F. 87—63308
Trunov, A.A. *see* Konovalov, S.F. 86—24759
Trunov, N.N. *see* Al'tshuler, E.L. 87—70750
Trunov, N.N. *see* Starinskii, V.N. 87—70816
Trunov, N.N. *see* Tarbeev, Yu.V. 88—74238
Trunov, O.K., Gaponov, I.M., Lupciko, A.V., Sysoev, V.S. A method of studying aircraft lightning protection on models 86—18407
Trunov, O.K. *see* Tikhomirov, Yu.V. 88—10899
Trunov, V.G. *see* Polyakov, V.G. 85—51734
Trunov, V.I. *see* Alimpiev, A.I. 87—12437
Trunov, V.I. *see* Kolyago, S.S. 86—48379
Trunov, V.I. *see* Lisitsyn, V.N. 88—8160
Trunov, V.I. *see* Pestryakov, E.V. 88—14153
Trunov, V.M. *see* Gitel'man, L.D. 87—4501
Trunov, V.V. *see* Shivris, O.N. 85—42680
Truong, H. *see* Berg, G.J. 87—58057
Truong, H. *see* Lin, T. 87—59375
Truong, H.L. *see* Koenig, W. 85—47226
Truong, J. *see* Cheng, V.S. 87—7782
Truong, K. *see* Brand, C. 87—21430
Truong, N.L. *see* Truong, T.V. 87—69989
Truong, Q.T. *see* Palkuti, L.J. 85—62143
Truong, T. *see* Ephremides, A. 88—52663
Truong, T.K., Hsu, I.S., Reed, I.S., Deutsch, L.J., Satorium, E., Shao, H.M. A comparison of the VLSI architecture for time and transform domain decoding of Reed-Solomon codes 88—27820
Truong, T.K., Pei, D.Y., Reed, I.S., Chu, Y.F., Hsu, I.S. An FPT algorithm with a modularized structure for computing 2-D cyclic convolutions 88—72928
Truong, T.K., Reed, I.S. An extended version of the tomographic transform convolution for the wavefront curvature 88—28920
Truong, T.K., Reed, I.S., Hsu, I.-S., Shyu, H.-C., Shao, H.M. A pipeline design of a fast prime factor DFT on a finite field 88—34567
Truong, T.K., Reed, I.S., Yeh, C.-S., Chang, J.J., Shao, H.M. A parallel VLSI architecture for a digital filter using a number-theoretic transform 85—45185
Truong, T.K. *see* Chang, J.J. 86—14324
Truong, T.K. *see* Hsu, I.-S. 85—13477
Truong, T.K. *see* Hsu, I.S. 87—69046, 87—69048, 88—32143, 88—64790
Truong, T.K. *see* Jaw John Chang 86—27422
Truong, T.K. *see* Kwoh, Y.S. 85—43384, 85—59271
Truong, T.K. *see* Reed, I.S. 85—6303, 85—36186, 86—1186, 87—2429
Truong, T.K. *see* Shao, H.M. 85—49915, 86—16149, 86—50616, 87—27207
Truong, T.K. *see* Shyu, H.C. 87—66025, 87—72995
Truong, T.K. *see* Wang, C.C. 85—55897
Truong, T.K. *see* Wang Ke 86—16126
Truong, T.V. TDMA in mobile radio network: an assessment of certain approaches 85—42491
Truong, T.V., Truong, N.L. TDMA in mobile radio networks: the centralized time-slot allocation problem 87—69989
Truong Hong Linh *see* Hong Linh Truong
Truong Thanh *see* Thanh Truong
Truong Vo-Van *see* Vo-Van Truong

Truong-Van, B. Spectrum analysis with recursive least squares estimates on amplified G-harmonics 88−21249
Trupp, R.D. *see* Putnins, Z.A. 86−17723
Trus, B.L. *see* Unser, M. 87−33798
Trus, W. *see* Arabasz, K. 88−75498
Trusca, V., Bobos, A. Testing device for phase control electric contacts 85−40278
Trusca, V., Popescu, D., Paruschi, V.D. A new type of continuous current LDE contactor for arc extinguishing 87−64734
Trusca, V. *see* Simulescu, D. 87−51393
Truscello, V.C., Davis, H.S. Nuclear-electric power in space 85−26867
Truscott, P.R. *see* Dyer, C.S. 88−29931
Truscott, T. *see* Jones, B.K. 88−7577
Truscott, W.S., Fleischer, S., Singer, K.E. Wide band antireflection coatings for semiconductors grown by MBE 85−44722
Truscott, W.S., Wen, Y.F., Lee, M.E. MBE growth of BaF_2/(Ga,In)(As,Sb) structures 87−36741
Truscott, W.S. *see* Dervos, C. 85−45453
Trush, O.I. *see* Soprunyuk, P.M. 86−19905
Trushell, J.B. *see* Barclay, T.W. 85−4047
Trushevskii, S.N. *see* Smirnov, V.I. 88−62258
Trushin, A.A., Kryazhev, N.I., Kukushkin, P.V. Automation of technological installation for molecular-beam epitaxy 88−49838
Trushin, S.A. *see* Andreev, Yu.M. 88−58662
Trushin, S.A. *see* Gradova, S.N. 85−23354
Trushin, S.A. *see* Ivanenko, M.M. 86−9768
Trushin, S.A. *see* Petukhov, V.O. 85−56509, 87−2074, 87−26300, 88−51747
Trushin, S.A. *see* Solodkhin, A.S. 88−40151
Trushin, S.A. *see* Solodukhin, A.S. 87−2078, 87−7246, 87−26308
Trushin, S.N. Solution of one problem of optimal partition of the vertex set of a hypergraph 87−5587
Trushin, V.N., Aleksandrov, I.P., Borets, V.I. The influence of the effectiveness of withdrawing air from the outlet water boxes of condensers on operational efficiency of K-500-65/3000 turbines 86−56546
Trushin, V.N., Aleksandrov, I.P., Borets, V.I. How the effectiveness of the ejection of the steam-air mixture from the drainage chamber of the condensers affects the operating economics of turbines on the Chernobyl nuclear power station 86−61223
Trushkin, N.S., Dubrovskiy, I.A. The dynamic error of a first-order differentiator 85−6474
Truskalo, W. Resonant degaussing for TV and high definition color monitors 87−20674
Truskanov, D.M. *see* Braude, B.V. 88−4158
Truskova, L.I. *see* Kuznetsov, A.V. 87−25710
Trusler, J.P.M. *see* Ewing, M.B. 86−44431
Trusler, J.P.M. *see* Moldover, M.R. 88−29201
Trusler, S.M. *see* Mork, B.A. 88−41571
Trusov, A.K., Trusov, K.K. Flashlamp-pumped submicrosecond dye laser 85−56571
Trusov, A.K., Trusov, K.K. Pulse duration and angular distribution of submicrosecond radiation from a flashlamp-pumped dye laser 88−51905
Trusov, B.A. *see* Mel'nikov, V.I. 87−42569
Trusov, B.P. *see* Armand, N.A. 86−37388
Trusov, K.K. *see* Trusov, A.K. 85−56571, 88−51905
Trusov, N.B. Calculation of losses in plastic deformation of superconducting windings 87−1923
Trusov, N.B., Broitman, I.M., Pleshchunov, N.N., Samoilov, S.F. Experimental investigation into the degradation of model superconducting windings 87−1924
Trusov, N.B. *see* Kalashnikov, R.V. 86−10117
Trusov, S.V. *see* Gorchakov, O.E. 85−9083
Trusov, S.V. *see* Karpukhin, V.V. 87−3790
Trusov, V.A. *see* Poluyanov, M.I. 86−44959, 88−17123
Trusov, V.P., Chumakov, B.N. Investigation of the properties of an unstable resonator with a dihedral corner reflector in a gasdynamic laser 87−33234
Trusov, V.P. *see* Dimakov, S.A. 87−68361
Trusov, V.P. *see* Vasil'ev, V.A. 88−55219
Trusov, Yu.S. *see* Koltun, V.M. 86−18345, 86−50583
Truspekova, G.Kh. *see* Gruzdev, I.A. 85−32061, 87−4559
Truss, K.J. *see* Hosaluk, L.J. 87−15445
Truss, W.F., Wain, D. The planned replacement of distribution assets 87−50795
Trussart, M., Attar, A. Optical fibres and their application to teledistribution 88−4199
Trussell, H.J., Civanlar, M.R. Optimal initial conditions and pulse values for multipurpose speech coding 86−16196
Trussell, H.J., Civanlar, M.R. The Landweber iteration and projection onto convex sets 86−29857
Trussell, H.J., Civanlar, M.R. Obtaining feasible solutions in image restoration 86−30022
Trussell, H.J., Civanlar, M.R. Restoration and reconstruction using fuzzy set theory 87−2645
Trussell, H.J., Civanlar, M.R. Consistency of the minimum mean square error estimate [signal restoration] 87−61995
Trussell, H.J., Combettes, P.L. Considerations for the restoration of stochastic degradations 87−62284
Trussell, H.J., Orun-Ozturk, H., Civanlar, M.R. Error bounds for iterative reprojection methods in computerized tomography 87−63760
Trussell, H.J., Rodriquez, F., Rajala, S.A. Coding of time-varying imagery using image restoration techniques 86−16546
Trussell, H.J., Vora, P.L. Bounds on restoration quality using a priori information 88−66585
Trussell, H.J., Wang, J.D. Cancellation of harmonic noise in distribution line communications 86−32757
Trussell, H.J., Wang, J.D. The effect of hard limiters on signal detection in harmonic noise using adaptive noise cancellation [carrier-transmission on power lines] 86−37696
Trussell, H.J. *see* Civanlar, M.R. 86−10427, 87−7726, 87−10277, 87−29751
Trussell, H.J. *see* Combettes, P.L. 88−73048
Trussell, H.J. *see* Orun-Ozturk, H. 88−29967
Trussell, H.J. *see* Tekalp, A.M. 88−66712
Trussell, H.J. *see* Vines, R.M. 85−20718, 85−43589
Trussell, H.J. *see* Wang, J.-D. 87−19753, 88−66488
Trussler, J.W.A. *see* Wight, D.R. 85−18756, 86−54011
Trussler, M.W. *see* Foxton, M.G. 88−60206
Trussler, M.W. *see* Robbins, C.H. 85−63721
Trusty, P. *see* King, C. 86−4578
Trusty, P.A., King, C.A., Roach, P.W. Generation of burst time plans for the INTELSAT TDMA system 87−20435
Trusunov, A.T. *see* Mukhibov, N. 88−20548
Truta, C. *see* Ghita, I. 86−1666
Trutaev, V.I., Yakovlev, B.N., Ruzankov, V.N., Ivanov, N.V. On the economic simulation of switched operating conditions in electric stations and power plants 88−61822
Truter, J.N.J. *see* Burdzik, G.F. 85−59011
Trutna, W.R., Jr., Chen, M. An improved alignment system for wafer steppers [NMOS process] 85−7068
Trutna, W.R., Jr., Donald, D.K., Nazarathy, M. Unidirectional diode-laser pumped Nd:YAG ring laser with a small magnetic field 87−39048
Trutna, W.R., Jr. *see* Donald, D.K. 87−2029
Trutna, W.R., Jr. *see* Newton, S.A. 86−58743
Trutna, W.R., Jr. *see* Zorabedian, P. 88−20714
Trutnevis, V.V. *see* Stumbras, A.Yu.A. 86−65633
Trutschel, U., Langbein, U., Lederer, F., Ponath, H.-E. Optical bistability in three-wave-mixing processes with guided waves 86−22514
Trutschel, U. *see* Langbein, U. 85−35856
Trutschel, U. *see* Ponath, H.-E. 88−33736
Trutt, F.C., Kohler, J.L. A non-iterative approach to mine power-system analysis 85−27000
Trutt, F.C., Morley, L.A. Mine power system analysis 86−45886
Trutt, F.C. *see* Ding, F. 88−69349
Trutt, F.C. *see* Kohler, J.L. 86−6286, 87−29994
Trutt, F.C. *see* Morley, L.A. 85−43594, 86−45020
Trutt, F.C. *see* Novak, T. 85−27108
Trutt, F.C. *see* Peretti, C.D. 87−65027
Trutt, F.C. *see* Yenchek, M.R. 87−78199
Trutt, F.C. *see* Zaghlool, M.F. 88−55228
Trutz, S. *see* Koltai, M. 87−6523
Truve, S., Richards, W. From Waltz to Winston (via the connection table) 87−62343
Truxal, D.A. *see* Carlson, N.W. 88−40192
Truzzi, S. *see* Barra, S. 86−49411
Truzzi, S. *see* Camici, A. 88−41475, 88−46825
Trwoga, P.F. *see* El Fatatry, A. 88−65281
Trwoga, P.F. *see* Shipley, S.P. 88−65279
Trybula, S. Identification theory of electric power systems 87−30082
Trybula, W.J., Ingalls, R.G. Simulation of hybrid automation 86−53259
Trybula, W.J. *see* Boehlert, B.G. 85−16698
Trybus, A. *see* Popczyk, J. 88−48553, 88−75076
Tryggo, B. Radionavigation at sea around Sweden−now and in the future 88−60322
Trykozko, R., Bacewicz, R., Filipowicz, J. Photoelectrical properties of $CuInSe_2$ thin films 85−18790
Trykozko, R., Bacewicz, R., Filipowicz, J. Photoelectrical properties of $CuInSe_2$ thin films 86−58823
Trynkiewicz, J. A proposition of a power network protection system 86−18871
Trynosky, S.W. *see* Kummer, D.A. 85−882, 85−3896 to 3897, 85−3903
Tryon, D.G. *see* Duncan, C.I. 87−72536
Trystram, D. *see* Comon, P. 87−69191, 88−14718
Trystram, D. *see* Cosnard, M. 86−66774
Trytten, P.S. Physical design of large, high density, ECL printed circuit boards 88−12749
Trzaska, H. *see* Cichon, H. 86−15965, 88−8509
Trzaska, W. *see* Julin, R. 88−61197
Trzaska, Z. The conception of the second order state variable method and its application to identifications of initial conditions in dynamic systems with multidegree of freedom 86−52604
Trzaska, Z. The second-order state-space technique for circuits design 87−861
Trzaska, Z. Effective macroscopic description for electromagnetic field diffusion in heterogeneous material with periodic structure 87−75312
Trzaska, Z. An efficient algorithm for partial fraction expansion of the linear matrix pencil inverse 88−6595
Trzaska, Z.W. The inverse problem to matrix polynomial factorisation and its application to circuit design 86−673
Trzaskowska, M. *see* Sonta, S. 87−57236
Trzcinski, A., Burzynski, S., Rusek, K.M., Turkiewicz, I.M. Low background telescope system for the study of (n,α) reactions on light nuclei 87−50176
Trzeba, E., Hofmann, H. The importance of Rayleigh waves for microelectronics, 100 years after their discovery 86−58653
Trzeba, E. *see* Awramow, I.D. 88−26641
Trzebunia-Siwicka, W. High definition television and problems connected with transmission 87−28766
Trzeciak, W.S. *see* Green, M.A. 88−47748
Trzeciakowski, W. *see* Suski, T. 85−18049
Trzesowski, Z. Waveguide lasers 86−36530
Trzesowski, Z. *see* Kopica, M. 85−14810
Trzyna, M., Apeldoorn, H., Frequin, V., Inghels, J., Schmidt, H. Processing of IF television signals in a multistandard environment 87−13872
Trzynadlowki, A.M., Legowski, S., Kirlin, R.L. Random pulse width modulation technique for voltage-controlled power inverters 88−30906
Trzynadlowski, A. Energy optimization of electrical drive systems with controlled angular velocity 86−40205
Trzynadlowski, A.M. On the current-oriented analysis of PWM power converter circuits 86−57647
Trzynadlowski, A.M. Computer aided preliminary design of electric drives in the key-parameters space 87−58350
Trzynadlowski, A.M. Advanced PWM techniques for static power converters 87−78802
Trzynadlowski, A.M. Comparative study of three-phase power inverter topographies 88−37298
Trzynadlowski, A.M. Energy optimization of a certain class of incremental motion DC drives 88−37643
Trzynadlowski, A.M. Non-sinusoidal modulating functions for three-phase inverters 88−75757
Trzynadlowski, A.M. *see* Legowski, S. 87−43232, 88−43320, 88−55464
Trzynadlowski, A.M. *see* Rashidi, N.H. 88−44052
Tsabourakis, N., Ristic, M., Besant, C.B. Development of a profile gauging sensor 88−47675
Tsach, U., Desmarais, D.A., Adamson, E.J. The performance of level control systems that utilize a displacer and a DP cell: analysis and comparison [power plants and process industry] 86−25903
Tsach, U., Geselowitz, D.B., Tirinato, J., Sinha, A., Hsu, H.K. A suboptimal controller for the Penn State EVAD: theory and implementation 87−50422
Tsach, U., Hsu, H.K., Geselowitz, D.B. Minimizing the power consumption of the electric ventricular assist device through the design of an optimal controller 87−4042
Tsach, U. *see* Hanson, K.L. 86−56196
Tsach, U. *see* Kern, S.E. 86−56197
Tsach, U. *see* Tirinato, J. 88−10441
Tsaclas, J. *see* Warner, A.W., Jr. 86−42038
Tsacoyeanes, J.G. Phase locking and stability properties for two coupled semiconductor lasers 88−72320
Tsagareishvili, O.P. *see* Bogdanov, F.G. 86−15862, 87−19177
Tsagareli, N.I. *see* Didebulidze, I.K. 88−12210
Tsagareyshvili, O.P. *see* Bogdanov, F.G. 87−12704
Tsagolov, A.N. *see* Balebanov, V.M. 88−74473
Tsagolov, A.N. *see* Smirnov, B.N. 88−12895
Tsai, C., Kurz, L. Viterbi decoding for impulsive interference satellite channels 85−7859
Tsai, C., Massoudi, H., Durney, C.H., Iskander, M.F. A procedure for calculating fields inside arbitrarily shaped, inhomogeneous dielectric bodies using linear basis functions with the moment method 87−19122
Tsai, C. *see* Sodini, C. 87−73455
Tsai, C.-R., Gligor, V.D., Chandersekaran, C.S. A formal method for the identification of covert storage channels in source code 87−61554
Tsai, C.-T. *see* Hagman, M.J. 87−68688
Tsai, C.C., Knights, J.C., Chang, G., Wacker, B. Film formation mechanisms in the plasma deposition of hydrogenated amorphous silicon 86−46362
Tsai, C.C., Knights, J.C., Thompson, M.J. 'Clean' a-Si:H prepared in a UHV system 85−433
Tsai, C.C., Shaw, J.G., Wacker, B., Knights, J.C. Film growth mechanisms of amorphous silicon in diode and triode glow discharge systems 88−56308
Tsai, C.C., Street, R.A., Ponce, F.A., Anderson, G.B. Properties of the interface between amorphous silicon and nitride 87−17775

Tsai, C.C., Stutzmann, M., Jackson, W.B. The Staebler-Wronski effect in undoped a-Si:H: its intrinsic nature and the influence of impurities 85—24364
Tsai, C.C., Thompson, M.J., Hauptman, S. Material issues in amorphous silicon technology 87—44388
Tsai, C.C., Thompson, M.J., Street, R.A., Stutzmann, M., Ponce, F. Interface effects in amorphous silicon/nitride multilayers 86—27985
Tsai, C.C., Thompson, M.J., Tuan, H.C. Impurities in bulk a-Si:H, silicon nitride, and at the a-Si:H/silicon nitride interface 85—50223
Tsai, C.C. *see* Combs, S.K. 85—64427
Tsai, C.C. *see* Dagenhart, W.K. 88—4778
Tsai, C.C. *see* Iqbal, A. 87—53198
Tsai, C.C. *see* Jackson, W.B. 86—27896, 88—1349
Tsai, C.C. *see* Kakalios, J. 87—18831
Tsai, C.C. *see* Menon, M.M. 86—11828, 87—17606
Tsai, C.C. *see* Polasko, K.J. 86—35521
Tsai, C.C. *see* Raridon, R.J. 85—37878
Tsai, C.C. *see* Shaw, J.G. 88—63360
Tsai, C.C. *see* Street, R.A. 86—58325, 87—17776
Tsai, C.C. *see* Stutzmann, M. 85—18774, 86—35369, 86—48257
Tsai, C.C. *see* Thomas, A. 88—13203
Tsai, C.J. Use of autoconvolution to suppress first-order, long-period multiples 86—18510
Tsai, C.L., Hou, C.A. Theoretical analysis of weld pool behavior in the pulsed current GTAW process 88—55747
Tsai, C.S. Integrated acousto-optic device modules for communication, signal processing, and computing 87—18752
Tsai, C.S. Integrated acoustooptic device modules for communications, signal processing, and computer 88—13965
Tsai, C.S. Integrated-optical device modules in $LiNbO_3$ for computing and signal processing 88—65350
Tsai, C.S., Lee, C.C. Nondestructive imaging and characterizations of electronic materials and devices using scanning acoustic microscopy 88—36694
Tsai, C.S., Li, Q. Wideband optical frequency shifting using acoustooptic Bragg diffraction in a $LiNbO_3$ spherical waveguide 86—36287
Tsai, C.S., Young, D., Adkins, L., Lee, C.C., Glass, H. Planar guided-wave magnetooptic diffraction by magnetostatic surface waves in YIG/GGG waveguides 85—2101
Tsai, C.S., Young, D., Chen, W., Adkins, L., Lee, C.C., Glass, H. Noncollinear coplanar magnetooptic interaction of guided optical wave and magnetostatic surface waves in yttrium iron garnet-gadolinium gallium garnet waveguides 86—9634
Tsai, C.S., Zang, D.Y., Le, P. Acousto-optic Bragg diffraction in a $LiNbO_3$ channel-planar composite waveguide with application to optical computing 86—2883
Tsai, C.S., Zang, D.Y., Le, P. An integrated acoustooptic Bragg modulator in $LiNbO_3$ channel-planar composite waveguides 86—36286
Tsai, C.S. *see* Chen, R. 86—68321, 88—20438
Tsai, C.S. *see* Le, P. 88—51541, 88—51558
Tsai, C.S. *see* Lee, C.C. 85—53213, 86—6192
Tsai, C.S. *see* Li, Q. 85—2111, 85—41226, 86—2895
Tsai, C.S. *see* Lii, C.J. 86—68308, 87—68237
Tsai, C.S. *see* Wang, J.K. 85—53212
Tsai, C.S. *see* Xin Cheng 88—72159
Tsai, C.S. *see* Young, D. 86—2608, 88—40014
Tsai, C.S. *see* Zang, D.Y. 85—41194, 86—63682
Tsai, C.T., Durney, C.H., Christensen, D.A. Calculated power absorption patterns for hyperthermia applicators consisting of electric dipole arrays 85—4380
Tsai, D., Chang, J.-F. Simulation study of an adaptive reservation multiple access technique for data transmissions 85—30509
Tsai, D., Chang, J.-F. Performance study of an adaptive reservation multiple access technique for data transmissions 86—69213
Tsai, D., Chang, J.-F. A contention-based TDMA technique for mobile data communications 86—69679
Tsai, D., Chang, J. Contention-based multiple access technique for data transmission systems with arbitrary number of users 87—62518
Tsai, D., Chang, J.-F. A contention-based TDMA technique for data transmissions through satellite 88—15406
Tsai, D., Chang, J.-F. A hybrid contention-based TDMA technique for data transmissions 88—34856
Tsai, D., Chang, J.F. A hybrid contention-based TDMA technique for data transmissions 87—40416
Tsai, D., Jin-Fu Chang Performance study of an adaptive reservation multiple access technique for data transmission 86—17037
Tsai, D.T. *see* Wang, L. 86—33069
Tsai, D.T. *see* Wong, T.Y. 88—10835
Tsai, F., Materu, P., Lee, F.C. Constant-frequency, clamped-mode resonant converters 87—78795
Tsai, F.-S., Chin, Y., Lee, F.C. State-plane analysis of clamped-mode parallel-resonant converter 88—24991
Tsai, F.-S., Lee, F.C. Constant-frequency phase-controlled resonant power processor 87—43236
Tsai, F.-S., Oruganti, R., Lee, F.C. A novel control for bidirectional power flow of a parallel resonant converter 88—11298
Tsai, F.S., Oruganti, R., Lee, F.C. A novel control for bidirectional power flow of a parallel resonant converter 86—45566
Tsai, F.Y., Tzeng, G.T., Lin, S.F., Peng, H.K. Technology of installation and repair of submarine cables 88—28628
Tsai, H.-H., Chen, S.-M., Chen, H.-B., Wu, C.-Y. An evaluation of FUROX isolation technology for VLSI/nMOSFET fabrication 88—39714
Tsai, H.-H., Chen, S.-M., Wu, C.-Y. A new fully recessed-oxide (FUROX) field isolation technology for scaled VLSI circuit fabrication 86—35868
Tsai, H.-H., Wu, L.C., Wu, C.-Y., Hu, C. The effects of thermal nitridation conditions on the reliability of thin nitrided oxide films 87—38528
Tsai, H.-H., Yu, C.-L., Wu, C.-Y. A bird's beak reduction technique for LOCOS in VLSI fabrication 86—35760
Tsai, H.-K., Lee, S.-C. The amorphous SiC/Si two and three-color detector with high rejection ratio 88—42107
Tsai, H.-K., Lee, S.-C., Lin, W.-L. An amorphous SiC/Si two-color detector 87—77273
Tsai, H.-L. *see* Reed, M.A. 86—67712
Tsai, H.H., Chen, S.M., Wu, C.Y., Tseng, F.-C. A new field isolation process for scaled VLSI circuits fabrication 86—21850
Tsai, H.H., Wang, D.W., Wu, C.Y. Growth kinetics of silicon thermal oxidation in pure dry O_2 ambient in the initial regime 86—21426
Tsai, H.L. *see* Lee, J.W. 87—73103
Tsai, H.L. *see* Matyi, R.J. 88—49811
Tsai, H.L. *see* Rao, K.V. 87—44844
Tsai, H.L. *see* Shen, B.W. 87—1457
Tsai, H.S. Primary coolant feed and bleed operating regions for the Midland Plant 85—38736
Tsai, H.S., Regner, R.G. Simulation analysis of demand assigned multiple access (DAMA) algorithms used in satellite communications systems 88—35457
Tsai, J. *see* Chhi-Chong Wu 88—1362
Tsai, J. *see* Sone, J. 86—8197, 86—20442
Tsai, J.-S. *see* Sone, J. 87—24091
Tsai, J.C. Stabilizing laser frequencies for metrology applications 88—33920
Tsai, J.P., Mirmira, B.K., Narayanaswami, G., Fang, K.Y. An expert system approach to implement and verify synchronous sequential circuits 87—65680
Tsai, J.S., Wada, Y. A superconducting filter-type powering device (SFPD) for the Josephson computer system 87—67869
Tsai, J.S.H., Shieh, L.S., Yates, R.E. Fast and stable algorithms for computing the principal *n*th root of a complex matrix and the matrix sector function 88—63224
Tsai, K. *see* Tan, H.H. 88—46351
Tsai, K.H. *see* Chen, Z. 87—19894
Tsai, M. *see* Trempel, C.A. 87—44918
Tsai, M.-J., Wu, C.H. A new device for high brightness AlGaAs red LED 86—2991
Tsai, M.-K. *see* Wu, C.-Y. 87—37169
Tsai, M.-Y. *see* Ong, S. 87—17152, 87—44926
Tsai, M.J. *see* Kaliski, R.W. 85—35652
Tsai, M.T. *see* Chang, C.F. 87—18577
Tsai, M.T. *see* Yuan, J.S. 87—250
Tsai, M.Y. *see* Chao, H.H. 85—40004, 87—10904, 87—60641
Tsai, N.-S. *see* Lu, C.-Y. 88—26386, 88—71765
Tsai, N.S. *see* Leung, C.W. 88—64773
Tsai, N.S. *see* Lu, C.Y. 86—53546, 86—58399, 86—63021, 87—46181, 87—74383
Tsai, N.S. *see* Rana, V.V.S. 87—59003
Tsai, P. *see* Cahoon, E.C. 87—751
Tsai, R. *see* Amano, J. 87—6610
Tsai, R. *see* Nauka, K. 87—25224
Tsai, R.Y. An efficient and accurate camera calibration technique for 3D machine vision 87—3305
Tsai, R.Y. A versatile camera calibration technique for high-accuracy 3D machine vision metrology using off-the-shelf TV cameras and lenses 88—9992
Tsai, R.Y., Lenz, R. Review of the two-stage camera calibration technique plus some new implementation tips and some new techniques for center and scale calibration 87—70474
Tsai, R.Y. *see* Lenz, R.K. 87—62302
Tsai, S.J., Lodaya, M.D. Airborne image analysis using an optical pyramid 86—4064
Tsai, S.J. *see* Ozguner, F. 86—11457
Tsai, T.C. *see* Williams, R.S. 87—11443
Tsai, T.S. *see* Lualdi, P.L. 86—25878
Tsai, W. *see* Ramamoorthy, C.V. 86—55007
Tsai, W.-C. *see* Galatianos, G.A. 85—8225
Tsai, W.-H. *see* Chen, L.-H. 88—41036
Tsai, W.-T. *see* Ramamoorthy, C.V. 86—64789
Tsai, W.C. *see* Dao, T. 85—17850
Tsai, W.K., Parlos, A.G. Minimizing the effects of unknown-but-bounded disturbance in power plants 88—43045
Tsai, W.K., Tsitsiklis, J.N., Bertsekas, D.P. Some issues in distributed asynchronous routing in virtual circuit data networks 87—55414
Tsai, W.K. *see* Gulachenski, E.M. 85—59838
Tsai, W.K. *see* Huang, G. 88—48448
Tsai, W.T. *see* Deriche, M. 88—52902
Tsai, W.T. *see* Hwang, K.W. 88—15173
Tsai, W.T. *see* Ramamoorthy, C.V. 87—20200, 87—20205
Tsai, W.T. *see* Ramamorthy, C.V. 87—33850
Tsai, Y. Inter-office transmission network planning with the Network Planning System (NPS) 87—40170
Tsai, Y.-C., Kumar, V.K.P. On mapping algorithms to linear and fault tolerant systolic arrays 87—37245
Tsai, Y.-D., Campbell, M. A report on the design and construction of Sumbox: a level 1 trigger for CDF at Fermilab 86—50435
Tsai, Y.-K. *see* Wu, F.F. 88—54848
Tsai, Y.D. *see* Amidei, D. 86—50416, 88—54400
Tsai, Y.D. *see* Amidel, D. 88—29913
Tsai, Y.D. *see* Barsotti, E. 88—54403
Tsai, Y.J. *see* Bi-Shiou Chiou 88—71140
Tsai, Y.L., Huang, C.L., Wei, C.C. Improvement of nonlinearity in a ZnO varistor by Al_2O_3 doping 86—9181
Tsai, Y.S. *see* Hung, B.N. 86—56092, 87—50364, 88—48167
Tsai, Z. *see* Rubin, I. 87—55762
Tsai, Z.-H. *see* Rubin, I. 88—9401, 88—21477
Tsai Bin-Ming *see* Bin-Ming Tsai
Tsai Chen S. *see* Chen S. Tsai
Tsai Chu *see* Forino, A. 85—37976
Tsai Chuen-horng *see* Chuen-horng Tsai
Tsai Duei *see* Duei Tsai
Tsai Hsiao-chu *see* Hsiao-chu Tsai
Tsai Hsiung-Kuang *see* Hsiung-Kuang Tsai
Tsai Maw-Tsuen *see* Maw-Tsuen Tsai
Tsai Ming-Fa *see* Ming-Fa Tsai
Tsai Tu-Chih *see* Tu-Chih Tsai
Tsai Wen-Hsiang *see* Wen-Hsiang Tsai
Tsai Yang Tien *see* Tien Tsai Yang
Tsai-Chia Chou *see* Ken-ichi Kanatani 88—8876
Tsai-Hong Hong, Shneier, M.O. Incrementally constructing a spatial representation using a moving camera 86—4048
Tsaiyun Hong Phillips, Rosenfeld, A. A simplified method of detecting structure in Glass patterns 87—2596
Tsakalidis, A. *see* Spirakis, P. 86—66726
Tsakanov, V.M. *see* Karabekov, I.P. 85—26594
Tsakanov, V.M. *see* Laziev, E.M. 87—41793
Tsaknakis, H., Papantoni-Kazakos, P. Outlier resistant filtering and smoothing 87—55178
Tsal, R., Poulter, R., LaRosa, J., Hathaitham, K. The use of dynamic programming for engineering network optimization 87—58824
Tsal, V.V. *see* Ryabinin, Yu.A. 85—4027
Tsalach, T. *see* Bornstein, A. 88—45260
Tsalamengas, J.L., Uzunoglu, N.K. Radiation from a dipole in the proximity of a general anisotropic grounded layer 85—36105
Tsalamengas, J.L., Uzunoglu, N.K., Alexopoulos, N.G. Propagation characteristics of a microstrip line printed on a general anisotropic substrate 86—10141
Tsalamengas, J.L. *see* Fikioris, J.G. 85—11494, 87—58890, 87—75524, 88—40634
Tsalenchuk, A.Ya. *see* Regel', V.R. 88—12975
Tsalf, A.L. Theory of arc resistance of solid dielectrics 85—62123
Tsalides, P., Thanailakis, A. Direct computation of the array optimum tilt angle in constant-tilt photovoltaic systems 85—39212
Tsalides, P., Thanailaikis, A., Card, H.C., Pries, W. Two-dimensional cellular automata as VLSI function blocks and their computer applications 87—67388
Tsalides, Ph., Thanailakis, A. Loss-of-load probability and related parameters in optimum computer-aided design of stand-alone photovoltaic systems 87—30445
Tsalimov, G.F. *see* Martsafei, V.V. 87—47339, 87—61483
Tsalimov, G.F. *see* Martsafey, V.V. 86—29605
Tsaliovich, A. Evaluation of RF anechoic room absorbers in 30-1000 MHz range 87—28869
Tsaliovich, A. Anechoic room vs open area test site: a case for EMC study 88—8536
Tsaliovich, A. Statistical EMC: a new dimension electromagnetic compatibility of digital electronic systems 88—14968
Tsaliyev, T.A., Cherenkov, V.S. Excitation of an isolated groove and the equivalent surface impedance of ribbed structures 86—68837
Tsals, I. *see* Campbell, P. 85—24700
Tsalyuk, M.V. *see* Mel'tser, A.K. 85—4431
Tsamakis, D., Rocofyllou, E., Papatriantafillou, C., Ghibaudo, G., Kamarinos, G. High-temperature behaviour of heavily doped SOS films 87—37872
Tsamarias, S. *see* Batley, R. 86—25127
Tsamis, G. Process monitoring system in the Umm Al Nar steam power plant 87—57905
Tsan Ung Chan *see* Liatard, E. 88—47982

Tsan-Bin Sun *see* Si-Chen Lee 87−17760
Tsanakas, D. Dynamic stress in high-voltage structures by short-circuit of short duration 85−15662
Tsanakas, D. Dynamic stress in high-voltage structures by short-circuits of short duration 88−55573
Tsanakas, D. *see* Balouktsis, A. 87−4445, 87−78916
Tsanakas, D. *see* Safigianni, A. 86−71011, 88−13627
Tsanakas, P.D., Alexandridis, N.A. An efficient scheme for exchanging structure pictures in distributed image processing systems 87−48226
Tsanakas, P.D. *see* Alexandridis, N.A. 86−16522, 86−37161, 86−37163, 87−27662
Tsandoulas, G.N. Frequency tradeoffs in space based radar 87−41023
Tsandoulas, G.N. Space-based radar 87−70138
Tsanev, T.I. *see* Voinov, S.V. 87−61450
Tsanev, V.I., Apostolov, K.V., Krustev, T.B., Simeonov, R.I., Kovacheva, N.P., Lanzov, I.A. Laser radar application in studying the aerosol space distribution 87−42230
Tsang, C., Beardsley, I.A. A theoretical study of MR sensors in vertical recording 86−42125
Tsang, C., Chie, C., Ratliff, J.E. FDMA system design and analysis for space station 87−34525
Tsang, C., Kasiraj, P., Krounbi, M. Magnetics of nonlaminated, bilaminated, and multilaminated Permalloy stripes 88−71891
Tsang, C.-S., Lindsey, W.C. Bit synchronization in the presence of asymmetric channel noise 86−54498
Tsang, C.P., Cardell-Oliver, R.M. The MODUS multi-microcomputer network 88−21700
Tsang, C.S., Ratliff, J. Simulation system architecture design for generic communications link 87−40220
Tsang, D., Ross, K.W. Structural properties of optimal policies in an ISDN circuit-switched access port 88−67116
Tsang, D. *see* Abrams, G.S. 88−54244
Tsang, D. *see* Seeman, J.T. 88−47834, 88−54272
Tsang, D.-F. *see* Choi, Y.M. 88−38660
Tsang, D.H. *see* El-Hawary, M.E. 87−4261, 87−9057
Tsang, D.Z., Liau, Z.L. Sinusoidal and digital high-speed modulation of *p*-type substrate mass-transported diode lasers 87−46888
Tsang, D.Z., Liau, Z.L. Small-signal modulation of p-substrate mass-transported GaInAsP/InP lasers 88−8207
Tsang, D.Z., Liau, Z.L. 16 GHz analog and 16 Gbit/s digital modulation of p-type substrate mass-transported diode lasers 88−20674
Tsang, D.Z., Smythe, D.L., Chu, A., Lambert, J.J. A technology for optical interconnections based on multichip integration 87−26234
Tsang, D.Z., Smythe, D.L., Chu, A., Lambert, J.J. A technology for optical interconnections based on multichip integration 88−2147
Tsang, D.Z., Walpole, J.N., Groves, S.H., Liau, Z.L. 14 GHz operation of Q-switched diode lasers 86−36498
Tsang, D.Z. *see* Kuznetsov, M. 88−2337
Tsang, D.Z. *see* Liau, Z.L. 85−2345, 87−75122, 88−34013
Tsang, D.Z. *see* Yap, D. 88−51791
Tsang, E.K. *see* Palmer, J.D. 88−3960
Tsang, F. *see* Hortensius, P. 87−14839
Tsang, F. *see* Kustom, R.L. 88−55452
Tsang, F. *see* Miller, M.R. 87−8680
Tsang, F. *see* Pierini, P. 88−17888
Tsang, F. *see* Wang, J. 88−31058, 88−75962
Tsang, J.C. *see* Fuller, R.T. 87−60668
Tsang, J.C. *see* Kash, J.A. 87−24792, 87−45603
Tsang, J.C. *see* Oehrlein, G.S. 85−61854, 87−11690
Tsang, J.C. *see* Richards, W.R. 88−71781
Tsang, J.C. *see* Taylor, R.C. 88−38248
Tsang, J.C. *see* Wang, W.I. 86−53341
Tsang, K.L., Chen, Y., Tohver, H.T. Physical parameters associated with the dielectric breakdown of MgO crystals at high temperatures 85−12440
Tsang, K.L. *see* Callcott, T.A. 87−21511
Tsang, K.S. *see* Choi, Y.M. 85−45212
Tsang, K.T., Hafizi, B. Magnetic drift induced ion-cyclotron maser instability 87−54210
Tsang, K.T. *see* Davidson, R.C. 88−69714
Tsang, L., Chuang, S.-L. Improved coupled-mode theory for reciprocal anisotropic waveguides 88−33727
Tsang, L., Chuang, S.L. Coupled GaAs multiple-quantum-well channel waveguides including quadratic electrooptic effect 88−72087
Tsang, L. *see* Habashy, T.M. 85−51484
Tsang, M.B. *see* Gong, W.G. 88−47998
Tsang, P.S. Display/control integrality and time-sharing performance 87−29214
Tsang, P.S., Hart, S.G., Vidulich, M.A. The effects of display-control I/O, compatibility, and integrality on dual-task performance and subjective workload 87−69080
Tsang, S., Kallaur, M.D., Jackson, W. A multileaving remote job entry network 87−28150
Tsang, S., Kallaur, M.D., Kirk, B.C. METSIS: satellite broadcast of weather information 87−28493
Tsang, S., O'Connell, S., Gregson, J.S., Attfield, B.W., Routledge, R. Results of the meteorburst communications trial in the Canadian Arctic 85−41611
Tsang, S.H.L., Malcolm, D.J. A simple data acquisition system for microcomputers 86−62650
Tsang, W.-T., Campbell, J.C., Qua, G.J. InP/InGaAsP/InGaAs avalanche photodiodes grown by chemical beam epitaxy 87−61038
Tsang, W.-T. *see* Campbell, J.C. 87−38924
Tsang, W.-T. *see* Wood, T.H. 87−54106
Tsang, W.L. *see* Michelson, A.M. 86−29749
Tsang, W.M. *see* Lam, F.K. 88−61701
Tsang, W.T. Heterostructure semiconductor lasers prepared by molecular beam epitaxy 85−7445
Tsang, W.T. Chemical beam epitaxy of InP and GaAs 85−16928
Tsang, W.T. Semiconductor lasers and photodetectors by molecular beam epitaxy 85−29859
Tsang, W.T. Selective area growth of GaAs and $In_{0.53}Ga_{0.47}As$ epilayer structures by chemical beam epitaxy using silicon shadow masks: a demonstration of the beam nature 85−39719
Tsang, W.T. Molecular beam epitaxy for semiconductor lasers operating at 0.61-20 μm 85−41387
Tsang, W.T. Elimination of oval defects in epilayers by using chemical beam epitaxy 85−44690
Tsang, W.T. Growth of InP, GaAs, and $In_{0.53}Ga_{0.47}As$ by chemical beam epitaxy 85−44700
Tsang, W.T. Chemical beam epitaxy of InGaAs 86−422
Tsang, W.T. Very low current threshold $GaAs/Al_{0.5}Ga_{0.5}As$ double-heterostructure lasers grown by chemical beam epitaxy 86−36464
Tsang, W.T. A bird's eye assessment of the Japanese optoelectronics semiconductor lasers, LEDs, and integrated optics 86−58812
Tsang, W.T. The growth of GaAs AlGaAs, InP and InGaAs by chemical beam epitaxy using group III and V alkyls 87−260
Tsang, W.T. Chemical beam epitaxial growth of very low threshold $Ga_{0.47}In_{0.53}As/InP$ double-heterostructure and multiquantum well lasers 87−12448
Tsang, W.T. Chemical beam epitaxy of III-V semiconductors 87−23678
Tsang, W.T. GaInAsP/InP double heterostructure lasers emitting at 1.5 μm grown by chemical beam epitaxy 87−33140
Tsang, W.T. Chemical beam epitaxy of $Ga_{0.47}In_{0.53}As/InP$ quantum wells and heterostructure devices 87−44320
Tsang, W.T. $Ga_{0.47}In_{0.53}As/InP$ double-heterostructure and multiquantum well lasers grown by chemical beam epitaxy 87−68484
Tsang, W.T. Chemical beam epitaxy of II-V semiconductor heterostructures 88−31798
Tsang, W.T., Bowers, J.E., Burkhardt, E.G., Ditzenberger, J.A., Wilt, D.P., Dutta, N.K., Napholtz, S.G., Shen, T.M., Twu, Y., Logan, R.A. 1.5-μm GaInAsP planar buried heterostructure lasers grown using chemical-beam-epitaxial base structures 88−34029
Tsang, W.T., Campbell, J.C. InGaAs/InP p-i-n photodiodes grown by chemical beam epitaxy 86−58829
Tsang, W.T., Chang, A.M., Ditzenberger, J.A., Tabatabaie, N. Two-dimensional electron gas in a $Ga_{0.47}In_{0.53}As/InP$ heterojunction grown by chemical beam epitaxy 87−6406
Tsang, W.T., Chiu, T.H., Chu, S.N.G., Ditzenberger, J.A. $GaSb_{0.5}As_{0.5}/Al_{0.35}Ga_{0.65}Sb_{0.48}As_{0.52}$ superlattice lattice matched to InP prepared by molecular beam epitaxy 85−34555
Tsang, W.T., Chiu, T.H., Cunningham, J.E., Robertson, A. Observations on intensity oscillations in reflection high-energy electron diffraction during chemical beam epitaxy 87−52153
Tsang, W.T., Chiu, T.H., Kisker, D.W., Ditzenberger, J.A. Molecular beam epitaxial growth of $In_{1-x}Ga_xAs_{1-y}Sb_y$ lattice matched to GaSb 85−22466
Tsang, W.T., Dayem, A.H., Chiu, T.H., Cunningham, J.E., Schubert, E.F., Ditzenberger, J.A., Shah, J., Zyskind, J.L., Tabatabaie, N. Chemical beam epitaxial growth of extremely high quality InGaAs on InP 86−66807
Tsang, W.T., Logan, R.A. A new high-power, narrow-beam transverse-mode stabilized semiconductor laser at 1.5 μm: the heteroepitaxial ridge-overgrown laser 85−18914
Tsang, W.T., Logan, R.A. Observation of enhances single longitudinal mode operation in 1.5-μm GaInAsP erbium-doped semiconductor injection lasers 87−26386
Tsang, W.T., Logan, R.A., Olsson, N.A., Johnson, L.F., Henry, C.H. Heteroepitaxial ridge-overgrown distributed feedback laser at 1.5 μm 85−24531
Tsang, W.T., Miller, R.C. Very high quality single and multiple GaAs quantum wells grown by chemical beam epitaxy 86−52443
Tsang, W.T., Miller, R.C. GaAs/AlGaAs quantum wells and double-heterostructure lasers grown by chemical beam epitaxy 87−10393
Tsang, W.T., Olsson, N.A., Logan, R.A., Henry, C.H., Johnson, L.F., Bowers, J.E., Long, J. The heteroepitaxial ridge-overgrown distributed feedback laser 85−62565
Tsang, W.T., Schubert, E.F., Chiu, T.H., Cunningham, J.E., Burkhardt, E.G., Ditzenberger, J.A., Agyekum, E. Growth of high-quality $Ga_xIn_{1-x}As_yP_{1-y}$ by chemical beam epitaxy 88−394
Tsang, W.T., Schubert, E.F., Chu, S.N.G., Tai, K.C., Sauer, R., Chiu, T.H., Cunningham, J.E., Ditzenberger, J.A. Chemical beam epitaxial growth of very high quality $Ga_{0.47}In_{0.53}As/InP$ quantum wells and superlattices: photoluminescence and photoluminescence excitation spectroscopies 87−65529
Tsang, W.T., Tell, B., Ditzenberger, J.A., Dayem, A.H. Doping studies using thermal beams in chemical-beam epitaxy 87−25078
Tsang, W.T. *see* Antreasyan, A. 86−68392, 87−6692
Tsang, W.T. *see* Bowers, J.E. 85−24554
Tsang, W.T. *see* Campbell, J.C. 88−14026, 88−33874, 88−40083, 88−45298
Tsang, W.T. *see* Cerdeira, F. 85−55539
Tsang, W.T. *see* Chiu, T.H. 85−33407, 86−46343, 86−62219, 87−12450, 87−36743, 87−75100, 88−400, 88−1416, 88−56233
Tsang, W.T. *see* Coleman, J.J. 85−56641
Tsang, W.T. *see* Cunningham, J. 88−57353
Tsang, W.T. *see* Cunningham, J.E. 87−23645, 87−58915, 87−73098
Tsang, W.T. *see* Dutta, N.K. 85−7424
Tsang, W.T. *see* Goldman, V.J. 87−60141
Tsang, W.T. *see* Koch, T.L. 85−56606, 87−2119, 87−32929, 88−4429, 88−8022, 88−58534
Tsang, W.T. *see* Lang, D.V. 88−19684
Tsang, W.T. *see* Olsson, N.A. 85−51179
Tsang, W.T. *see* Schubert, E.F. 86−67742, 87−25267, 88−1677, 88−7328, 88−39441
Tsang, W.T. *see* Tai, K. 87−61225, 87−68436, 88−64281
Tsang, W.T. *see* van der Ziel, J.P. 86−15688, 86−36461, 87−26407
Tsang, W.T. *see* Vuong, T.H.H. 87−24825, 87−45645, 88−39095
Tsang, W.Y. *see* Ansorge, R.E. 88−29842
Tsang, Y.L. *see* Aboelfotoh, M.O. 85−1539
Tsang, Y.L. *see* Lange, R.C. 85−7007
Tsang Chi-Cheung *see* Chi-Cheung Tsang
Tsang Chit-Sang *see* Chit-Sang Tsang
Tsang Dah Wen *see* Dah Wen Tsang
Tsang Kim Fung *see* Kim Fung Tsang
Tsang King-Long *see* King-Long Tsang
Tsang Leung *see* Leung Tsang
Tsang Tak *see* Tak Tsang
Tsang Wai-Ming *see* Wai-Ming Tsang
Tsang Ya-iu *see* Ya-iu Tsang
Tsangarakis, N., Gruber, J.J., Nunes, J. Nondestructive evaluation of fatigue damage in alumina fiber reinforced aluminum 85−54550
Tsankov, M. Operation and design considerations for a type of stripline circulator 86−14456
Tsankov, M.A. Design considerations for K_u-band stripline circulators 87−24411
Tsankov, M.A. Design of a 4 GHz low-temperature stripline circulator 88−950
Tsankov, M.A. Resonance loss in microwave ferrite circulators 88−50395
Tsankov, M.A. Accurate design of partial-height ferrite resonators for waveguide circulators 88−56891
Tsankov, M.A., Ganchev, S.I., Vichev, B.I. A simplified technique for measuring the effective resonance linewidth and the permittivity of microwave ferrites 85−58863
Tsann-Rou Lin *see* Chang, W.H. 88−36481
Tsann-Shyong Liu, Bor-Shenn Jeng, Gan-How Chang, Rong-Hauh Ju Image coding for Chinese character patterns 88−41061
Tsantas, N. *see* Vassiliou, P.-C.G. 85−16858
Tsao, A.C.H. *see* Luh, H.H.S. 86−36805, 86−43012
Tsao, C., Gray, R.M. Matrix quantizer design for LPC speech using the generalized Lloyd algorithm 85−57290
Tsao, C., Gray, R.M. Shape-gain matrix quantizers for LPC speech 87−19419
Tsao, C., Hwang, Y., Han, C.C. A wideband circularly polarized feed array design for multibeam antenna system 85−13386
Tsao, C. *see* Hwang, Y. 86−43044
Tsao, C.D. *see* Acampora, A.S. 85−19790
Tsao, C.H., Schennum, G.H., Hwang, Y.-M. A frequency-selective surface design for high-power, dual-band ground terminal antenna applications 87−33551
Tsao, C.H. *see* Letaw, J.R. 86−35850
Tsao, C.H. *see* Silberberg, R. 85−18396
Tsao, C.K.H. EHF satellite communication terminals 86−23789
Tsao, C.P. *see* Windelmann, A.E. 86−11446

Tsao, C.Y.H., Luksun Li, Payne, D.N. Propagation characteristics of guided waves in stratified metallic optical waveguides 88−45171
Tsao, D., Chen, C.-F. A fast-timing simulator for digital MOS circuits 87−23835
Tsao, D., Chin-Fu Chen A 'fast timing' simulation for digital MOS circuits 86−28519
Tsao, J. Phased array beamforming by the Parseval's Theorem 87−19291
Tsao, J., Steinberg, B.D. Reduction of sidelobe artifacts and speckle in microwave imagery 86−64077
Tsao, J., Steinberg, B.D. Speckle reduction in microwave imaging by the CLEAN technique 87−28635
Tsao, J., Steinberg, B.D. Reduction of sidelobe and speckle artifacts in microwave imaging: the CLEAN technique 88−67446
Tsao, J. *see* Jain, S.C. 87−72448
Tsao, J. *see* Youngblood, R. 85−43781
Tsao, J.-W. *see* Konishi, T. 87−63747
Tsao, J.Y. Generation of 1.6 ns ruby laser pulses by passive Q-switching 87−12443
Tsao, J.Y., Brennan, T.M., Hammons, B.E. Reflection mass spectrometry of As incorporation during GaAs molecular beam epitaxy 88−63294
Tsao, J.Y., Ehrlich, D.J. Laser-controlled wet chemical etching for corrective trimming of thin films. Application to aluminum 87−11649
Tsao, J.Y. *see* Brueck, S.R.J. 85−50453
Tsao, J.Y. *see* Ehrlich, D.J. 85−29074, 85−51348, 85−55630
Tsao, J.Y. *see* Peercy, P.S. 85−61831
Tsao, J.Y. *see* Randall, J.N. 85−35047
Tsao, J.Y. *see* Silversmith, D.J. 85−50783
Tsao, J.Y. *see* Tsao, S.S. 87−1441
Tsao, K.Y., Busta, H.H. Low pressure chemical vapor deposition of tungsten on polycrystalline and single-crystal silicon via the silicon reduction 85−22529
Tsao, K.Y., Busta, H.H. LPCVD of tungsten on polycrystalline and single crystal silicon via the silicon reduction 87−5504
Tsao, K.Y., Waggener, H.A. A compact CMOS process for VLSI fabrication 86−68004
Tsao, K.Y. *see* Chang, S.L. 86−21758
Tsao, K.Y. *see* Meneshian, M.A. 86−21759
Tsao, K.Y. *see* Mianowski, R.J. 87−5488
Tsao, M.C., Grills, R.H., Simpson, R.P. Ultrasonic imaging analysis of component integrity 85−6092
Tsao, M.T., Wang, L., Jin, R., Sprague, R.W., Gigioli, G., Kulcke, H.-M., Li, Y.D., Chou, H.M., Gibbs, H.M., Peyghambarian, N. Symbolic substitution using ZnS interference filters 87−39220
Tsao, M.T. *see* Sprague, R.W. 88−8288
Tsao, M.T. *see* Wang, L. 88−33816
Tsao, P. *see* Chan, T. 87−59475
Tsao, P. *see* Walker, R. 86−2419
Tsao, S.H. A 25-bit reference resistive voltage divider 87−14423
Tsao, S.H. A 25-bit reference resistive voltage divider 88−16375
Tsao, S.H., Liu, G. A microprocessor-based 6 1/2-digit voltage divider 86−60145
Tsao, S.J. *see* Varadan, V.V. 88−31892
Tsao, S.S. Porous silicon techniques for SOI structures 88−13124
Tsao, S.S., Blewer, R.S. LPCVD tungsten deposition on porous silicon for formation of buried conductors 87−18044
Tsao, S.S., Blewer, R.S., Tsao, J.Y. Tungsten deposition on porous silicon for formation of buried conductors in single crystal silicon 87−1441
Tsao, S.S., Myers, D.R., Celler, G.K. Gate coupling and floating-body effects in thin-film SOI MOSFETs 88−33200
Tsao, S.S. *see* Blewer, R.S. 87−60382
Tsao, S.S. *see* Miller, W.M. 87−32346
Tsao, S.S. *see* Myers, D.R. 88−44603
Tsao, T. *see* Kanal, L. 88−34819
Tsao, Y.-Y. *see* Sun, H.H. 85−3954
Tsao, Y.D. *see* Hung, R.J. 88−60243
Tsao, Y.H. Spectral modal and time-varying covariance functions for the nonstationary processes 85−19448
Tsao, Y.Y. *see* Moussavi, M. 88−16683
Tsao, Y.Y. *see* Onaral, B. 85−37609, 88−48097
Tsao Chieh *see* Chieh Tsao
Tsao Hen-Wai *see* Hen-Wai Tsao
Tsao Kang-bai, Dou Wen-bin, Xue Liang-jin Study of compact resonance cavity for hydrogen maser 85−56458
Tsao Nai-Kuan *see* Nai-Kuan Tsao
Tsao Ta-Peng *see* Ta-Peng Tsao
Tsao-Wu, N., Harrison, S. The emerging international VANS market 86−54775
Tsapenko, E.F. Calculating short-circuit currents in mining power-supply systems 85−59671
Tsapenko, E.F., Babichev, Yu.E. Calculating the insulation parameters relative to the earth of 6-10 kV networks with insulated neutrals by means of a programmable electronic calculator 86−6346
Tsapenko, E.F., Bondarev, I.A. Device for protection from single-phase earth faults in 6-10 kV networks with insulated neutral 87−21987
Tsapenko, E.F., Chan An 'Kiet Calculating phase resistances of network relative to Earth due to presence of five-pin transformers for monitoring insulation 86−18782
Tsapenko, E.F., Chuchelov, D.N. Finding the ground fault current in ungrounded neutral networks from the readings of insulation control voltmeters 87−30248
Tsapenko, E.F., Kudryavtsev, A.S. Determining parameters of individual phase transmissions in open air networks of 6-10 kV [overhead lines] 85−59763
Tsapenko, M.P. *see* Bolychevtsev, A.D. 86−7542, 86−13516, 86−24252, 88−29189
Tsaplin, A.I., Grachev, V.G. Simulating electromagnetic stirring in a liquid casting core 88−34260
Tsappi, P. The incorporation of electroheat in a programme of undergraduate laboratory work−an example 88−62781
Tsappi, P., Langman, R.D. A comparison of methods for predicting eddy-current losses in solid steel 88−58796
Tsaprilov, A.S. *see* Manenkov, A.A. 85−7507, 85−12938
Tsarapkin, D.P., Molchanov, S.N. Effect of thermal inertia on the noise properties of a microwave oscillator 87−44666
Tsarapkin, D.P. *see* Ivanov, E.N. 88−63860
Tsarapkin, D.P. *see* Karachev, A.A. 86−47077
Tsarapkin, D.P. *see* Stroganova, E.P. 87−52434
Tsareff, C., Cesear, T.M., Iodice, E. An expert system approach to parameterized module synthesis 88−38340
Tsareff, C. *see* Cesear, T. 87−65728
Tsaregorodtsev, A.M. *see* Bugge, F. 87−36697
Tsaregorodtsev, M.A. *see* Gos'kov, P.I. 87−70466
Tsaregradskii, V.B. *see* Dvoryaninov, E.N. 86−68599
Tsaregradskii, V.B. *see* Kocharovskaya, O.A. 86−9716, 86−54179
Tsaregradskii, V.B. *see* Vasil'ev, M.G. 86−9859
Tsarenko, A.I., Nonikashvili, A.D., Yastremskii, I.Yu. An industrial laser unit source of preionization pulses with good dynamic response 88−58613
Tsarenko, A.I. *see* Aizenshtein, A.G. 87−9652, 87−9656
Tsarenko, A.I. *see* Bulatov, O.G. 85−44092, 87−9653, 88−58611
Tsarenko, S. *see* Treshchalov, A. 85−56491
Tsarenko, V.T., Korsunov, A.R., Badalishev, Sh.Kh. Digital regulator for automatic radio equipment 86−17201
Tsarenko, V.T. *see* Malyshenko, L.E. 87−73609, 88−19342
Tsarenkov, B.V. *see* Aitieva, G.T. 86−20060, 87−23667
Tsarenkov, B.V. *see* Anikin, M.M. 88−57343
Tsarenkov, B.V. *see* Atadzhikov, K. 85−45417
Tsarenkov, B.V. *see* Baranov, A.N. 85−61730, 88−7333
Tsarenkov, B.V. *see* Bessolov, V.N. 86−13745
Tsarenkov, B.V. *see* Evstropov, V.V. 85−34590
Tsarenkov, B.V. *see* Gol'dberg, Yu.A. 87−24917
Tsarenkov, G.V. *see* Volkov, A.S. 86−1773
Tsarev, A.I. *see* Sokolov, I.B. 87−9406
Tsarev, A.N., Gofman, E.Ya. Analysis of realization of standards requirements for maintainability in the designs of thermal power stations 87−57856
Tsarev, A.V. *see* Gurevich, S.A. 87−74747
Tsarev, A.V. *see* Il'ich, A.A. 86−53970
Tsarev, A.V. *see* Ilyich, A.A. 86−22153
Tsarev, A.V. *see* Kikarin, S.M. 85−50934
Tsarev, A.V. *see* Kikkarin, S.M. 88−45186
Tsarev, A.V. *see* Petrov, D.V. 88−65322
Tsarev, K.K. *see* Navolokin, S.N. 85−54545
Tsarev, M.V. *see* Gloriozov, E.L. 88−26190
Tsarev, V.A. *see* Gogitidze, N.Z. 86−65365
Tsarev, V.A. *see* Khavroshkin, O.B. 86−56058
Tsarev, V.A. *see* Saleev, V.A. 86−11846
Tsarev, V.A. *see* Zorov, N.P. 88−61040
Tsarev, V.M. *see* Bardakovskii, S.V. 85−56518
Tsarev, V.N. *see* Kovarskii, L.G. 87−89
Tsareva, N.P. *see* Nikiforova, V.N. 86−39117
Tsareva, V.A. *see* Vorob'ev, A.M. 87−10719
Tsarevskii-Dyakin, S.N. *see* Denisov, E.E. 85−4842
Tsarfin, V.Y. *see* Chernenko, A.S. 86−8683
Tsarik, Yu.I. *see* Bondarenko, I.K. 87−3523
Tsar'kov, V.A. *see* Krestinin, V.V. 85−7383, 87−12401
Tsar'kov, V.A. *see* Logvinov, V.I. 85−35694
Tsar'kov, V.A. *see* Lotosh, Ya.M. 85−20445
Tsar'kov, V.A. *see* Mazan'ko, I.P. 88−20582
Tsar'kov, V.A. *see* Udal'tsov, B.V. 88−2181
Tsaruk, V.A. *see* Udod, E.I. 87−36483
Tsaryuk, O.V. *see* Snopko, V.N. 86−36420
Tsatsaronis, G., Winhold, M. Exergoeconomic analysis and evaluation of energy-conversion plants. I. A new general methodology 85−60024
Tsatsaronis, G., Winhold, M. Exergoeconomic analysis and evaluation of energy-conversion plants. II. Analysis of a coal-fired steam power plant 85−60025
Tsatsulin, M.I. *see* Blinov, N.A. 86−29067
Tsatumi, M. *see* Matsumoto, M. 88−20963
Tsaturyan, A.I. Theory of gravitational discharge of free-flowing materials in electric fields 86−15830
Tsau, G. *see* Tam, S. 88−70780
Tsau, G.-H., Sher, A., Madou, M., Wilson, J.A., Cotton, V.A., Jones, C.E. State characterization of the $Hg_{1-x}Cd_xTe$/Photox SiO_2 interface 86−67760
Tsau, G.H., Sher, A., Madou, M., Wilson, J.A., Cotton, V.A., Jones, C.E. Low-frequency admittance measurements on the HgCdTe/Photox SiO_2 interface 86−35448
Tsaur, B., Chen, C.K. Submicrometer CMOS devices in zone-melting-recrystallized SOI films 87−1742
Tsaur, B., Sferrino, Y.J., Choi, H.K., Chen, C.K., Mountain, R.W., Schott, J.T., Shedd, W.M., LaPierre, D.C., Blanchard, R. Radiation-hardened JFET devices and CMOS circuits fabricated in SOI films 87−32702
Tsaur, B.-Y. Zone-melting recrystallization of Si films on SiO_2 86−8969
Tsaur, B.-Y. SOI technologies: device applications and future prospects 86−15283
Tsaur, B.-Y. Assessment of silicon-on-insulator technologies for VLSI 87−18261
Tsaur, B.-Y. Zone-melting-recrystallization silicon-on-insulator technology 87−74144
Tsaur, B.-Y., Anderson, C.H., Jr. Metal-oxide-semiconductor field-effect transistors fabricated using self-aligned silicide technology 85−61918
Tsaur, B.-Y., Chen, C.K., Anderson, C.H., Jr., Kwong, D.L. Selective tungsten silicide formation by ion-beam mixing and rapid thermal annealing 85−33493
Tsaur, B.-Y., Choi, H.K. Radiation-hardened silicon-on-insulator complementary junction field-effect transistors 86−53632
Tsaur, B.-Y., Choi, H.K., Chen, C.K., Chen, C.L., Mountain, R.W., Fan, J.C.C. Merged CMOS/bipolar technologies and microwave MESFETs utilizing zone-melting-recrystallized SOI films 85−50668
Tsaur, B.-Y., Fan, J.C.C., Turner, G.W., King, B.D., McClelland, R.W., Metze, G.M. GaAs/Ge/Si solar cells 86−7065
Tsaur, B.-Y., Metze, G.M. Molecular beam epitaxy of GaAs and AlGaAs on Si 85−364
Tsaur, B.-Y., Mountain, R.W., Chen, C.K., Fan, J.C.C. Merged CMOS/bipolar technologies utilizing zone-melting-recrystallized SOI films 85−12361
Tsaur, B.-Y., Weeks, M.M., Pellegrini, P.W. Pt-Ir silicide Schottky-barrier IR detectors 88−35994
Tsaur, B.-Y. *see* Chen, C.K. 86−20074, 86−52506
Tsaur, B.-Y. *see* Choi, H.K. 86−47801, 86−47871, 87−7229, 87−38267, 87−46733, 88−2145, 88−39740, 88−45399
Tsaur, B.-Y. *see* Fan, J.C.C. 85−12047
Tsaur, B.-Y. *see* Metze, G.M. 85−18448
Tsaur, B.-Y. *see* Turner, G.W. 86−48286, 87−46706, 88−988, 88−14057
Tsaur, B.-Y. *see* Windhorn, T.H. 85−2280
Tsaur, B.-Y. *see* Fan, J.C.C. *(editor)* 88−37844
Tsaur, B.-Y. *see* Sedgwick, T.O. *(editor)* 87−5148
Tsaur, B.Y. *see* Kwong, D.L. 85−12116
Tsaur, B.Y. *see* Kwor, R. 85−55629
Tsaur, J., Molloy, M.K. A simulation analysis of X.3 PAD design 86−54603
Tsaur, J.M. *see* Romanowski, A. 86−33660
Tsay, C. *see* Tsoi, H. 87−60677
Tsay, C.Y. *see* Yung, H.T. 86−57898
Tsay, F.D. *see* Carter, B.J. 85−53805
Tsay, F.D. *see* Kim, S.S. 85−49065
Tsay, J.L. *see* Khan, N.A. 88−46392, 88−66847
Tsay, M. *see* Diodato, P.W. 86−20597
Tsay, M.S. *see* Hayes, N.M. 88−19161
Tsay, M.S. *see* Troutman, W.W. 86−34871
Tsay, S.-C. *see* Jou, I.-C. 88−25267
Tsay, Y.D. *see* Sanders, H. 86−50430
Tsay, Y.T. *see* Shieh, L.S. 87−405
Tscha, Y., Choi, Y. A new approach to generate test sequences from protocol specifications written in ESTELLE 88−46600
Tschabuschnig, H. Bulb generators 85−32373
Tschalaer, Ch. *see* Atchison, F. 85−64446
Tschalar, C. Developments at SIN 85−26526
Tschalar, C. Multiple achromatic extraction system 86−70289
Tschalar, C. *see* Conte, M. 88−42353
Tschammer, V., Klessmann, H., Wawer, W. A concept for an adaptive channel access control for real-time LANs 88−41362
Tschang Son Kim *see* Kim Tschang Son
Tschannen, G., Berger, H. Electrical and electromagnetic interference protection in the ALBIS-ECS 10000 system 88−59790
Tschappu, F. Analysis of fault influences and measurement inaccuracies when defining the metering characteristics of stationary electricity meters of the highest precision category 85−48630
Tschappu, F. Considerations on the definition and measurement of apparent power S with the presence of harmonics in the network 86−13121

Tschappu, F. Analysis of the error influences and the measuring uncertainties when determining the measuring properties of solid-state electricity meters of the highest class accuracy 88−10923
Tscharn, M. *see* Campello, M.N. 88−26234
Tscharn, M. *see* Keuter, W. 86−45503
Tscharn, M. *see* Thomas, B. 86−45545
Tscharner, R., Rao, K.H.S., Schwarz, R., Shah, A.V. Evaluation of photovoltaic panels with IR thermography 85−53823
Tscharun, M. *see* Keuter, W. 88−7573
Tschelaer, C. *see* Atchison, F. 86−55998
Tschendel, O. *see* Schomberg, H. 85−15279, 87−21556
Tscheng Fu-Siu *see* Fu-Siu Tscheng
Tscherne, J. *see* Feinstein, J. 88−10769, 88−68784
Tschernenko, P.A. *see* Hoffmann, J. 87−21819
Tschernev, R., Wer, O. Customized hybrid circuits 85−23283
Tscheschner, C. *see* Gehlhaar, H. 86−70080
Tscheschner, W. On the development of a new generation of natural-language-based acoustic technical communication facilities 88−14648
Tschetter, K.D. *see* Reid, W.S. 86−17466
Tscheuschner, C. *see* Bossmann, G.-E. 86−31667
Tschichholz, M. Message handling system: requirements to the user agent 86−69549
Tschichholz, M. *see* Magedanz, T. 88−59519
Tschiedel, H. The earthing of metallic cable sheathing against impulsive electromagnetic influences 88−34357
Tschiegg, C.E. *see* Fick, S.E. 85−38369
Tschimpke, L. The necessity of multiplexing: 'free adapter wiring' or in-circuit function test? II 88−11707
Tschimpke, L. Free adapter interconnection or in-circuit function test? 1 88−20023
Tschirch, R.P. *see* Jeffreys, D.C. 87−31866
Tschirhart, R.S. *see* Akerlof, C.W. 87−77550
Tschischik, A.A. *see* Bernstein, W. 88−62197
Tschistjakow, O.Dimitrijewitsch *see* Dimitrijewitsch Tschistjakow, O.
Tschol, W., Boksberger, H.U. Latest developments in the high-power transmitter sector 87−76936
Tschol, W. *see* Gautshi, M. 86−24039
Tschopel, R. *see* Sommer, S. 86−16961
Tschu, K.K. *see* Zhang, D.Y. 87−68789
Tschudi, C. *see* Hausler, M. 87−58178
Tschudi, T. Optical image processing in microtechnics 87−77180
Tschudi, T. *see* Balzer, W. 87−54124
Tschudi, T. *see* Goltz, J. 86−9988, 88−8318, 88−58709
Tschudi, T. *see* Herden, A. 87−55290
Tschudi, T. *see* Olschimke, J. 87−25430, 88−26169
Tschudi, T. *see* Scheuer, V. 87−23720
Tschulena, G. Intelligence and smallness are needed [sensors] 88−47472
Tschulena, G. Sensors for process control 88−71381
Tschulena, G. *see* Boiarski, A. 87−29091
Tschulena, G.R. Sensors and their applications 86−50046
Tschulik, A. *see* Beuttenmuller, R. 86−56035, 87−21437
Tschulik, A. *see* Beuttenmuller, R.H. 87−29554
Tschurlovits, M., Seymann, E., Slanetz, H. A computer based personal data recording system for occupationally exposed persons 86−44719
Tsdaka, A. Resistance between row and column terminals in a uniform resistor matrix 85−55186
Tse, C. *see* Carruthers, J.R. 85−61826
Tse, C.T., Tso, S.K. Approach to the study of small-perturbation stability of multimachine systems 88−75099
Tse, C.T., Tso, S.K. Design optimisation of power system stabilisers based on model and eigenvalue-sensitivity analyses 88−75100
Tse, E., Chong, C.Y. Distributed production networks 85−9454
Tse, E. *see* Mori, S. 86−49713
Tse, E.K., Chan, F. Implementation of an experimental message handling system using the CCITT X.400 Series recommendations 86−43484
Tse, E.K., Najjar, M., Kawaguchi, K., Yamamoto, Y. Interconnection of two message handling systems based on CCITT X.400 series recommendations 88−21847
Tse, F. *see* Morton, S.G. 86−27219
Tse, K.A., O'Connor, R.M., Fatseas, N. DS1 facility performance: optical fiber as a long haul technology 88−4030
Tse, K.A., Smith, D.E. Transmission performance monitoring of the AT&T FT series G lightguide system 87−34613
Tse, K.M. *see* Ching, P.C. 88−20914
Tse, P.H.S. *see* Gough, D.A. 86−70379
Tse, P.K., Gammel, J.C., Schimmel, D.G., Becker, W.H., Ballantyne, J.P., Riley, T.J. Failure analysis and failure mechanisms of high voltage (530 V) gated diode crosspoint arrays 87−3016
Tse, R.S. *see* Tong, W.F. 87−49915
Tse, Y. *see* Hui, A. 88−70701
Tse Chin Mo *see* Yang, M.C.K. 86−34122
Tse Iorchuang *see* Liu Sheng 86−39258
Tse Sou-mee *see* Sou-mee Tse
Tse Tung, Kalisher, M.H., Stevens, A.P., Herning, P.E. Liquid-phase epitaxy of $Hg_{1-x}Cd_xTe$ from Hg solution. A route to infrared detector structures 88−428
Tse-Men Koon *see* Ozsu, M.T. 88−34871
Tse-Sheng Chen *see* Huey-Yeong Chu 86−25665
Tse-Yun Feng, Wei Young Fault diagnosis for a class of rearrangeable networks 86−59387
Tsechanski, A. *see* Ofek, R. 86−44539, 88−54370
Tsedilina, E.E. *see* Gurevich, A.V. 87−33425
Tsedilina, E.E. *see* Manyenkova, N.I. 86−63981
Tseitlin, L.A. On calculating the inductances of thin-layer windings 88−50447
Tseitlin, L.A., Shchukin, A.V. A spherical electromagnetic screen in an alternating magnetic field of arbitrary shape 86−10116
Tseitlin, L.A. *see* Iossel, Yu.Ya. 87−26609
Tseitlin, L.A. *see* Ivliev, E.A. 87−16772
Tseitlin, L.A. *see* Lossel, Yu.Ya. 87−26635
Tseitlin, L.A. *see* Severin, V.M. 86−56711, 86−61476
Tseitlin, N.M. Modern aperture synthesis radio astronomy systems (review) 85−8506
Tseitlin, N.M., Miller, M.E., Pelyushenko, S.A. Absolute measurements of brightness temperature of distributed cosmic radio radiation in the meter-wavelength range 87−70168
Tseitlin, N.M. *see* Beagon, V.S. 85−8508
Tseitlin, R.A. *see* Kramarov, N.L. 85−59997
Tseitlin, S.I. Seismometric instruments with concentrated and distributed parameters of the measuring mechanism 86−44783
Tseitlin, V.G. *see* Surnina, T.A. 87−34889
Tseitlin, V.G. *see* Zemel'man, M.A. 87−65166
Tseitlin, Ya.M. Structural-functional model of measurements of geometric quantities 86−11701
Tseitlin, Ya.M. Stability of distribution laws of results under normal measurement conditions 87−3360
Tseitlin, Ya.M. Extended normal conditions for measurements of the first and second kinds 88−29193
Tseitlin, Ya.M. *see* Brzhezinskii, V.M. 86−11428
Tseitlin, Ya.M. *see* Konev, V.A. 86−18113
Tseitlin, Ya.M. *see* Sergeeva, A.I. 87−3754
Tsekh, A.R., Danilov, V.I., Drozdov, M.V., Petukhov, Yu.I. Neutral water-chemistry treatment with dosing of hydrogen peroxide in an AMB-200 power generating unit 87−9302
Tsekhomskaya, T.S. *see* Altshuler, G.B. 88−33967
Tsekhomskii, V.A. *see* Babukova, M.V. 88−1976
Tselebrovskii, Yu.V. *see* Kats, E.L. 87−42532
Tselebrovsky, J.V. *see* Gridneva, T.T. 88−55570
Tselebrovsky, J.V. *see* Kovaljov, B.I. 88−55075
Tselebrovsky, Yu.V. *see* Demin, Vu.V. 86−51154
Tselentis, G.-A. *see* Dimitriadis, K. 88−8724
Tselepis, E., Fortin, E. Preparation and photovoltaic properties of anodically grown Ag_2O films 86−26868
Tselikov, I.V. CAMAC-compatible differential pulse discriminator-counter 88−61193
Tselikovskaya, A.I. *see* Zuev, V.A. 86−52211
Tselinko, A.M. *see* Danileiko, M.V. 86−29053, 86−36415, 86−68448, 87−38988
Tsel'mer, F.I. *see* Bederov, V.M. 86−26350
Tselykovskii, A.F. *see* Vol'skaya, S.P. 86−29064, 86−36382
Tsema, M.I. *see* Vakul'skii, A.A. 86−24714
Tsen, C.T., Kuwahara, S., Elliot, K., Salmon, L., Cappon, A., Korpinen, E.V., Walton, E.R., Ross, S.J., Kleinhans, W., Kezer, R. A manufacturable low-power 16K-bit GaAs SRAM 88−19163
Tsen, C.T. *see* Kezer, R.C. 88−19106
Tsen, C.T. *see* Mathur, B.P. 88−71780
Tsen, K.T., Morkoc, H. The observation of the expansion of electron-hole plasma in GaAs-$Al_xGa_{1-x}As$ multiple quantum well structures 87−74090
Tsendin, K.D. *see* Baranovskii, S.D. 87−37906
Tseng, A.A. A thermal study of a Gunn diode in microstrip circuits 88−63884
Tseng, B.-D., Petersen, H.E., Bednar, R.A. Time jitter effect on spectrum estimation 87−7747
Tseng, B.-H. *see* Thornton, J.A. 88−56302
Tseng, C., Siewiorek, D.P. Automated synthesis of data paths in digital systems 86−62356
Tseng, C.-H., Lu, F.-C. On anomalies in convergence behavior of LMS echo canceller 87−39828
Tseng, C.-J., Siewiorek, D.P. Emerald: a bus style designer 85−1687
Tseng, C.-J., Wei, R.-S., Rothweiler, S.G., Tog, M.M., Bose, A.K. Bridge: a behavioral synthesis system for VLSI 88−64705
Tseng, C.-J. *see* Wei, R.-S. 88−25147
Tseng, C.-P.J., Hodges, D.A., Messerschmitt, D.G. Timing recovery in digital subscriber loops using baud-rate sampling 87−13488
Tseng, C.-y. *see* Ting, P.-y. 88−66379
Tseng, C.Y. *see* Ming, O.-Y. 87−27297
Tseng, E.S. *see* Basol, B.M. 86−51893, 87−16045
Tseng, E.S. *see* Kapur, V.K. 87−9860, 87−58956, 87−72434
Tseng, F.-C. *see* Tsai, H.H. 86−21850
Tseng, F.-I., Sarkar, T.K. Experimental determination of resonant frequencies by transient scattering from conducting spheres and cylinders 85−4068
Tseng, F.-T., Lee, L.-S. An *A*, *B*-polar approach for multimode polarization analysis in satellite communications 85−7746
Tseng, F.I., Sarkar, T.K. Deconvolution of the impulse response of a conducting sphere by the conjugate gradient method 87−47140
Tseng, F.I. *see* Sarkar, T.K. 86−10424, 86−16483, 86−24431
Tseng, F.T., Lee, L.-S. A differential technique for detections of circularly polarized satellite signal parameters 85−14166
Tseng, F.T., Truemper, K. A decomposition of the matroids with the max-flow min-cut property 87−16483
Tseng, G., Sood, A.K. Image sequence analysis 88−34821
Tseng, G. *see* Sood, A.K. 87−43586
Tseng, H., Fischer, T.R. Transform and hybrid transform/DPCM coding of images using pyramid vector quantization 87−33746
Tseng, H., Wu, C. A new oxidation-resistant self-aligned $TiSi_2$ process 87−18034
Tseng, H.-F. *see* Hudson, L.R. 87−41384
Tseng, H.-F. *see* Tanaka, S.C. 88−48005
Tseng, H.-F. *see* Wang, W.-L. 88−16195
Tseng, H.-P., Sabin, M.J., Lee, E.A. Fuzzy vector quantization applied to hidden Markov modeling 87−61672
Tseng, H.C. *see* Hu, S.C. 88−50691
Tseng, H.H., Wu, C.Y. A simple interfacial-layer model for the nonideal *I-V* and *C-V* characteristics of the Schottky-barrier diode 87−45873
Tseng, J.H.W. Teaching well: a guide for undergraduate teaching−particularly for new engineering and technology faculty 87−36360
Tseng, L.M. *see* Shyi, C.N. 86−53779
Tseng, P., Bertsekas, D.P. Relaxation methods for problems with strictly convex separable costs and linear constraints 87−72968
Tseng, P.S. *see* Annaratone, M. 88−16730
Tseng, R.T. *see* Ho, J.M. 88−43217
Tseng, S. *see* Foster, R.F. 87−59001
Tseng, S.-M., Chen, C.-L. Optical fiber Fabry-Perot sensors 88−29418
Tseng, S.-M., Chen, C.-L. Optical fiber Fabry-Perot temperature sensors 88−67849
Tseng, T.-C. *see* Chung, C. 88−61663
Tseng, T.M. *see* Djordjevic, W. 87−32380
Tseng, T.T., Jester, W.A., Baratta, A.J., McMaster, I.B., Miller, D.W. The development and testing of a prototype on-line radioiodine monitor for nuclear power stations 86−32979
Tseng, W., Prokes, S., Wilkins, B., Fatemi, M., Christou, A. Etch pit patterns of misfit dislocations in AlGaAs/GaAs heterostructures 88−50727
Tseng, W. *see* Christou, A. 86−15179
Tseng, W.F., Hevey, R.H., Corazzi, R.J., Christou, A., Davis, G.E. Effects of various implant species and post-anneal treatments on Si N-channel MOSFETs 86−41820
Tseng, W.F., Lessoff, H., Gorman, R. Morphology of defects in GaAs revealed by eutectic etch 86−28202
Tseng, W.F., Wilkins, B.R. Direct observations of n-MOSFET channel lengths 87−67279
Tseng, W.F., Wilkins, B.R., McCarthy, D. Lateral extension of dislocations in NMOS IC 87−18353
Tseng, W.F. *see* Anderson, W.T. 87−32544
Tseng, W.F. *see* Bottka, N. 85−6815
Tseng, W.F. *see* Christou, A. 85−39745
Tseng, W.F. *see* Dietrich, H.B. 85−18207
Tseng, W.F. *see* Lau, S.S. 86−21242
Tseng, W.F. *see* Pai, C.S. 85−34888
Tseng, Y.G. *see* Chiu, M.S. 85−28252, 85−35693
Tseng Ben-Dau *see* Ben-Dau Tseng
Tseng Cheng-Min *see* Cheng-Min Tseng
Tseng Chih-Yuan *see* Chih-Yuan Tseng
Tseng Chiu-Yu *see* Chiu-Yu Tseng
Tseng Fang-Churng *see* Fang-Churng Tseng
Tseng Gwo-Tarng *see* Gwo-Tarng Tseng
Tseng Hsin-Fu *see* Hsin-Fu Tseng
Tseng Hsun-Hua *see* Hsun-Hua Tseng
Tseng Sen-Bin *see* Sen-Bin Tseng
Tseng Shiao-Min *see* Shiao-Min Tseng
Tseng Tzu-Cheng *see* Tzu-Cheng Tseng
Tsenina, I.S. *see* Apollonov, V.V. 85−51103
Tsenov, R. *see* Antyukhov, V.A. 86−60637
Tsenov, R. *see* Budagov, Yu.A. 85−59184
Tsenov, R.V. *see* Bitsadze, G.S. 87−3891, 87−50166, 88−61155
Tsenov, R.V. *see* Hlinka, V. 87−8837
Tsenter, B.I., Khotyaintsev, A.G., Milyutin, N.N. Engineering problems in producing a high-power battery based on nickel-hydrogen cells 86−51881
Tsenter, B.I., Lyzlov, N.Yu. Sealed lead-hydrogen storage batteries 88−75899
Tsepelev, V.E. *see* Averin, A.P. 85−51108
Tserazov, A.L. *see* Georgiadi, V.Kh. 87−78584
Tserelov, R.A. *see* Gelashvili, N.V. 88−35806
Tserg, H.Q., Kim, B. 110 GHz GaAs FET oscillator 85−28714
Tsering, H.Q. *see* Kim, B. 85−23796

Tserng, H.-Q. *see* Kolodzey, J. 88−39531
Tserng, H.D. *see* Kim, B. 87−59857
Tserng, H.Q., Kim, B. A 115 GHz monolithic GaAs FET oscillator 86−35111
Tserng, H.Q., Kim, B. Q-band GaAs MESFET oscillator with 30% efficiency 88−19358
Tserng, H.Q., Macksey, H.M., Jones, M. High pulsed power S-band GaAs FET amplifier module 85−6530
Tserng, H.Q., Saunier, P. 10−13 GHz monolithic GaAs travelling-wave divider/combiner 86−1361
Tserng, H.Q. *see* Bayraktaroglu, B. 88−12608, 88−39418
Tserng, H.Q. *see* Camilleri, N. 88−63972
Tserng, H.Q. *see* Kim, B. 85−11562, 85−34934, 86−27627, 86−41321, 86−62839, 87−17349, 87−32087, 87−73677, 88−32427, 88−38743, 88−50359
Tserng, H.Q. *see* Macksey, H.M. 86−27625
Tserng, H.Q. *see* Saunier, P. 86−27623
Tserng, H.Q. *see* Wisseman, W.R. 88−9643
Tserruya, I. *see* Ben-Zvi, I. 86−32090
Tserruya, I. *see* Breskin, A. 88−68214
Tserruya, I. *see* Fischer, P. 88−68294
Tserruya, I. *see* Stokstad, R.G. 86−44578
Tsetlin, V.V. *see* Koltun, M.M. 86−51899
Tseung, A. Battery advance for cordless communication 88−43368
Tseung, A. The prospect of a photovoltaic battery system 88−62574
Tseung, A.C.C., Antonian, J.A., Goodson, A.R. Energy conservation in the chlor-alkali industry 86−40333
Tseung, A.C.C. *see* Bevan, H.L. 87−13630
Tseung, A.C.C. *see* Botejue Nadesan, J.C. 86−19440
Tseung, A.C.C. *see* Munshi, M.Z.A. 86−13015 to 13016, 87−4868, 88−55609
Tsevetkov, V.A. *see* Geller, R.L. 86−33267
Tsevukh, I.V. *see* Baranov, P.E. 87−61866
Tseytlin, M.B. *see* Belyayevskiy, B.A. 85−35811
Tseytlin, M.B. *see* Gayduk, V.I. 86−21046
Tseytlin, M.B. *see* Solov'yev, A.N. 86−21045
Tsfasman, G.M. *see* Kulakov, V.P. 86−51779
Tsfasman, M.A. *see* Barg, A.M. 88−2958
Tsfasman, M.A. *see* Katsman, G.L. 88−72750
Tsfasman, M.A. *see* Litsyn, S.N. 87−12904
Tsfasman, M.A. *see* Vleduts, S.G. 85−19345
Tsgoev, R.S. *see* Doroguntsev, V.G. 87−71543
Tsgoev, R.S. *see* Sarkisyan, V.V. 88−10694
Tsgoev, R.S. *see* Zelenokhat, N.I. 86−12898
Tshabalala, M.A. *see* Harley, R.G. 86−12822
Tshikawa, T. *see* Kushibiki, J. 88−10650
Tshirulnic, A.A. *see* Lisov, O.I. 87−651
Tshudy, D.R. *see* Savoye, E.D. 85−58570
Tsiamitros, A. *see* Schroder, E.F. 86−43609, 86−64796
Tsiang, E. *see* Thompson, W. 87−11532
Tsiang, S.H. Testing of a packet data transport network 85−19853
Tsibizov, N.K. *see* Al'khovskiy, E.A. 87−19263, 88−72613
Tsiboukis, T.D. Estimation of electromagnetic field parameters by dual energy methods 85−35950
Tsiboukis, T.D. Estimation of the characteristic impedance of a transmission line by variational methods 85−41662
Tsiboukis, T.D. *see* Papayannakis, A.G. 88−27374
Tsichritzis, D. *see* Martin, P. 86−49192
Tsidelko, V.D. *see* Gritsaev, V.K. 88−29187
Tsidelko, V.D. *see* Nagaets, N.V. 88−67702
Tsidilkovski, I.M., Harus, G.I., Shelushinina, N.G. Impurity states and electron transport in gapless semiconductors 85−50197
Tsidil'kovskii, I.M., Arapov, Yu.G., Davydov, A.B., Zvereva, M.L. Magnetic-field-induced metal-insulator transition in $n=Hg_{0.8}Cd_{0.2}Te$ 87−24788
Tsidil'kovskii, I.M., Matveev, G.A., Lonchakov, A.T. Negative temperature coefficient of the resistivity of n-type Ge near a metal-insulator transition 86−67657
Tsidil'kovskii, I.M., Shchennikov, V.V., Gluzman, N.G. Influence of ultrahigh pressures on the electrical properties of mercury oxide 86−21127
Tsidil'kovskii, I.M. *see* Gluzman, N.G. 86−58252
Tsidil'kovskii, I.M. *see* Matveev, G.A. 87−60069
Tsien, D.-S. Structured design with module generators 87−37199
Tsien Peihsin, Lin Huiwang, Lu Yongfeng, Li Dongmei CW Ar^+-laser annealing characteristics of high-dose As^+- and Sb^+-implanted silicon 86−15020
Tsien Peihsin, Ma Tengge, Shan Jing, Zhao Yinpeng, Chen Bixian, Lin Huiwang Three-dimensional CMOS IC's technology and characteristics 87−18313
Tsien Peihsin *see* Hou Dongyan 86−9130
Tsien Peihsin *see* Xu Li 85−45377
Tsiganov, S.G. *see* Vainberg, E.I. 88−35817
Tsigler, I.N. *see* Sevast'yanov, B.K. 85−35729, 86−54115
Tsigler, Yu.N. A method for calculating synthetic axial holograms 88−45561
Tsigoev, R.S. *see* Sarkisyan, V.V. 87−4778
Tsigoulis, N. *see* Kenny, M. 87−34079
Tsikh, A.K. *see* Safonov, K.V. 85−54217
Tsikhotska, E.Yu., Sak, Ya.A. Development of measurement instruments for illumination engineering 85−44295
Tsikin, B.G. Superluminal sources in electron streams 85−56960
Tsikin, B.G. *see* Dolotov, L.E. 87−26494
Tsikin, I.A. *see* Gassanov, L.G. 87−19683
Tsikin, I.A. *see* Makarov, S.B. 87−45099
Tsikis, E.K. *see* Trieu, B. 86−22701
Tsiknakis, E. *see* Fell, R. 87−56909
Tsikos, C.J. *see* Rosenfeld, J.P. 87−49560
Tsilis, M. *see* Avaritsiotis, J.N. 86−45272, 88−17434
Tsil'ker, B.Ya. *see* Resin, A.A. 88−48274
Tsim, M.T. *see* Kwan, H.K. 87−59777
Tsimbal, F.A. Application of variable resonator circuit for wide-band control of signal phase 86−67476
Tsimberova, I.S. *see* Eliseev, P.G. 87−26199
Tsimerman, A.B., Pechorskaya, I.M., Zekser, M.G., Maisotsenko, V.S., Kulikov, I.A., Pashaev, K.G. A new type of home air conditioner 86−66501
Tsimerskaya, N.V. *see* Aleksandrov, G.N. 87−71704
Tsimerskaya, N.V. *see* Bogatenkov, I.M. 87−30272
Tsimring, M.Sh. *see* Karashtin, A.N. 87−19202
Tsimring, Sh.E. *see* Fix, A.Sh. 85−55362
Tsimring, Sh.E. *see* Pavel'ev, V.G. 87−73959
Tsimring, Sh.E. *see* Zapevalov, V.E. 86−1630
Tsimring, Sh.Ye. *see* Pavel'yev, V.G. 88−72615
Tsimring, Sh.Ye. *see* Vashkovskiy, A.V. 88−2490
Tsinberg, M. ENTSC two-channel compatible HDTV system 88−15779
Tsinberg, M., Fisch, E. A system for artifact free NTSC encoding and decoding 87−13873
Tsinberg, M. *see* Toth, A.G. 88−29070, 88−41828, 88−67570
Tsing-Yee Tu, Yung-Lung Ma Chinese speech understanding with the context free programmed grammar 87−33668
Tsingotjidis, P., Kositpaiboon, R., Georganas, N.D. Radiological image transfers over local area networks 88−48256
Tsintsadze, I.Sh. *see* Mindeli, G.V. 87−5212
Tsiok, O.B. *see* Khvostantsev, L.G. 85−23410
Tsiotras, G.D. Design and performance of a traffic management system for an intelligent network 88−52747
Tsioulos, G. *see* Sentman, L.H. 86−3083, 86−9722, 86−15734, 87−61197
Tsipenyuk, Yu.M. *see* Alekseev, N.I. 86−70298
Tsipis, N.L. *see* Biryukov, V.N. 87−74310
Tsipouras, D., Flowers, D.C., Gross, L.A., Kline, C.R., Jr., McCreight, F.A. ECM technique generation: dual coherent source and offboard expendable techniques 85−14362
Tsiptsyura, R.D. Basic principles for designing static training simulators 86−57119
Tsiptsyura, R.D. A composite system of education and training for operators of power units of steam and nuclear power stations 86−61222
Tsiptsyura, R.D. *see* Nurzhanov, B.G. 88−17336
Tsiptsyura, R.D. *see* Prokopenko, A.G. 85−27987
Tsiptsyura, R.D. *see* Sklyarov, V.F. 85−27290, 85−39462
Tsirel', V.S. *see* Andreev, V.Ya. 85−4427
Tsirel', Ya.A. Allowance for the value of land in the selection of a variant of the path of a power transmission line 87−71665
Tsirel', Ya.A. On the expediency of the use of three-transformer substations 88−69446
Tsirel', Ya.A. *see* Barabash, V.I. 87−90
Tsirel'man, N.M. Determining the average volume temperature of a body of complex shape 87−35223
Tsirelson, D.A., Sedov, V.I., Kalynyuk, V.A., Melikhov, I.B. An analog-digital converter for data transmission equipment 85−8248
Tsirfa, A.I. *see* Petrenko, A.I. 88−31910
Tsirkin, M.E. *see* Danilevich, Ya.B. 87−58003
Tsirkin, M.Z., Rebonen, T.A., Rusakova, S.M. Influence of the incombustible OMTI oil on properties of polymer materials for turbogenerators 88−11172
Tsirlin, A.M. *see* Linetskii, S.B. 87−22917
Tsirlin, B. The realization of semimodular circuits 85−33741
Tsirlin, B.E. *see* Kulevskaya, E.F. 85−44022
Tsirlin, B.S. A survey of equivalent problems of realizing circuits in the AND-NOT basis that are speed-independent 87−66056
Tsirlin, D.V. *see* Krotov, A.V. 86−29683
Tsirlin, O.V., Yushkin, A.A. A high-precision optical level gauge 86−38338
Tsirlin, O.V., Yushkin, A.A. Calibrating electrical sorption hygrometers 88−16904
Tsirlin, V.M. *see* Frolov, O.P. 86−29555
Tsirlin, V.S. Minimal basis for realization of sequential circuits 86−34724
Tsirlin, Yu.A. *see* Pomerantsev, V.V. 85−31719, 88−54388
Tsirlin, Yu.A. *see* Usikov, Yu.I. 85−9086
Tsirlin, Yu.A. *see* Vershinina, S.P. 87−8855
Tsironis, C. Highly stable dielectric resonator FET oscillators 85−40238
Tsironis, C., Graffeuil, J., Henze, F., Hadjoub, Z. Low frequency noise in GaAs MESFETs 86−2227
Tsironis, C. *see* El-Kamali, W. 87−11038
Tsironis, C. *see* Meierer, R. 85−11115
Tsirou, M. *see* Bernardi, E. 88−22917
Tsirul'nik, P.A. *see* Isyanova, E.D. 86−15671
Tsirul'nik, P.A. *see* Vasil'ev, S.G. 85−18909
Tsirul'nikov, L.M., Gorbunova, L.A., Levin, M.M., Venger, V.A., Belyaev, P.P., Rogov, V.P. Techniques of suppressing toxic combustion products in the burning of fuel oil and its mixture with gas [boiler emissions] 86−65907
Tsirul'Nikov, L.M., Nurmukhamedov, M.N., Minenkov, Yu.E., Kirillov, V.G., Chernyshev, V.V. The effectiveness of some of the means of reducing emissions of nitrogen oxides when burning natural gas in the boilers of 300 MW power-generating units 87−64400
Tsirul'nikova, G.P. *see* Bubis, E.A. 87−4414
Tsirul'nikova, L.M. *see* Kirko, G.E. 86−3467
Tsisarenko, A.N. *see* Ovsyanik, V.P. 87−50412
Tsiskaridze, K.Sh. *see* Tushishvili, M.A. 85−24355
Tsitlik, J.E. *see* Halperin, H.R. 88−10399
Tsitlik, J.E. *see* Romlein, J. 88−10405
Tsitomeneas, S., Arapoyanni, A., Theophanous, N., Papaioannou, G. An I/F converter for GaAs defect location using laser probing 88−51988
Tsitomeneas, S. *see* Theophanous, N. 88−56479, 88−70563
Tsitomeneas, S.T. *see* Theofanous, N.G. 87−37021
Tsitovich, I.I. *see* Stepanov, S.N. 85−36616, 88−28157
Tsitovits, A.J. *see* Infield, D.G. 85−15911
Tsitsiklis, J.N. On threshold rules in decentralized detection 87−55188
Tsitsiklis, J.N. Analysis of a multiaccess control scheme [slotted ALOHA model] 88−8893
Tsitsiklis, J.N., Bertsekas, D.P. Distributed asynchronous optimal routing in data networks 85−57653
Tsitsiklis, J.N., Bertsekas, D.P. Distributed asynchronous optimal routing in data networks 86−49277
Tsitsiklis, J.N., Bertsekas, D.P., Athans, M. Distributed asynchronous deterministic and stochastic gradient optimization algorithms 85−317
Tsitsiklis, J.N., Bertsekas, D.P., Athans, M. Distributed asynchronous deterministic and stochastic gradient optimization algorithms 87−194
Tsitsiklis, J.N., Luo, Z. Communication complexity of convex optimization 87−54830
Tsitsiklis, J.N. *see* Levy, B.C. 86−16074
Tsitsiklis, J.N. *see* Tsai, W.K. 87−55414
Tsitsikyan, G.N. Forces acting on a contour carrying current near a strip of finite width 87−2276
Tsitsikyan, G.N. Mutual inductances and interaction forces of coaxial loops, solenoids, and coils 87−19150
Tsitsikyan, G.N., Merkur'ev, V.G. Finding the instantaneous force between a cable and a neighbouring structure by the frequency method 86−27657
Tsitsikyan, G.N., Merkur'ev, V.G., Musina, N.Yu. Calculating the voltages induced into single-conductor lines of independent power systems 87−4401
Tsitsikyan, G.N., Shpitsberg, V.E., Lapovok, A.Ya. Calculating the electromagnetic forces acting on conductors in shields 87−35629
Tsitsikyan, G.N. *see* Merkurev, V.G. 85−60346
Tsitsimis, J. *see* Saucier, G. 85−33875
Tsitsovits, A.J. A statistical method for optimising wind power contribution in a diesel supplied network 86−12713
Tsitver, I.I. *see* Volgina, L.A. 85−8285
Tsiulyanu, D.I., Kolomeyko, E.P., Stamov, V.N. Photoelectric phenomena in isotope vitreous As_2S_3-silicon single-crystal heterojunctions 88−2097
Tsiulyanu, D.I. *see* Andriesh, A.M. 86−27974
Tsividis, Y. Monolithic filters 87−17204
Tsividis, Y. MOS analog IC design−new ideas, trends, and obstacles 87−25601
Tsividis, Y., Banu, M., Khoury, J. Suitability of MOS circuits for integrated high performance active filters 85−17671
Tsividis, Y., Banu, M., Khoury, J. Continuous-time MOSFET-C filters in VLSI 86−34972
Tsividis, Y., Banu, M., Khoury, J. Active *RC* filters in VLSI: their implementation and advantages 86−57939
Tsividis, Y., Bingxue Shi Cancellation of distortion of any order in integrated active RC filters 85−28628
Tsividis, Y., Czarnul, Z., Fang, S.C. MOS transconductors and integrators with high linearity 86−34959
Tsividis, Y., Satyanarayana, S. Analogue circuits for variable-synapse electronic neutral networks 88−12530
Tsividis, Y. *see* Bagheri, M. 85−50586, 86−21579
Tsividis, Y. *see* Banu, M. 85−931, 85−17673, 86−14367, 86−34968
Tsividis, Y. *see* Czarnul, Z. 86−52941, 86−67349, 87−5952

Tsividis, Y. *see* Fang, S.-C. 85−6134
Tsividis, Y. *see* Khoury, J. 86−62717
Tsividis, Y. *see* San-Chin Fang 86−20706
Tsividis, Y. *see* Shi, B. 86−62686
Tsividis, Y. *see* Vallancourt, D. 87−59696, 87−66348
Tsividis, Y.P. Analog MOS integrated circuits—certain new ideas, trends, and obstacles 87−53712
Tsividis, Y.P. Minimal transistor-only micropower integrated VHF active filter 87−66323
Tsividis, Y.P., Anastassiou, D. Switched-capacitor neural networks 87−73529
Tsividis, Y.P. *see* Czarnul, Z. 88−25312
Tsividis, Y.P. *see* Khoury, J.M. 87−73533
Tsividis, Y.P. *see* Vallancourt, D. 88−20113, 88−70937
Tsivilev, A.P. *see* Matveenko, L.I. 86−30929
Tsivlin, V.I. Asymptotic expressions for the variance of the phase-difference estimate for a random process with dependent observations 86−19891
Tsjui, M. *see* Shigesawa, H. 88−72623
Tskhai, V.N. *see* Batrak, I.K. 85−1220
Tskhakaya, V.K. *see* Gorodetskii, D.A. 85−28897
Tskhakaya, V.K. *see* Gun'ko, V.M. 85−32719
Tskhay, A.B. *see* Londer, Ya.I. 86−22621
Tskhay, A.B. *see* Ul'yanov, K.N. 88−38958
Tskhay, V.N. *see* Zav'yalov, M.A. 85−11837
Tskhaya, V.N. *see* Guseva, G.I. 85−51370
Tskhayan, L.A., Kulentsov, V.A. The adjustment of BD.K11.01 and BD.511.04 push-pull magnetic amplifiers 88−58820
Tskhirashvili, D.G., Berishvili, Z.D., Khechinashvili, E.P., Keshelava, V.G., Maisuradze, Sh.A., Chimakadze, G.V. Experience in the operation of water-cooling systems for the stator windings of generators at the Irkutsk hydroelectric power station 86−39675
Tskhovrebov, A.M. *see* Artemenko, S.N. 87−66505
Tskhvirashvilin, D.G., Kalabegashvili, N.G., Zhdanov, Yu.N., Zlobina, R.D. Cleaning the water-cooling system of the stator windings of turbogenerators 86−33268
Tsk'nov, G. *see* Tabakov, S.E. 86−20261
Tslaf, A. *see* Slonim, M. 85−21766
Tslaf, A.L. Thermal recovery of an arc track 86−42001
Tslaf, A.L. *see* Gerber, E.L. 85−59784
Tslaf, A.L. *see* Kaplan, M.N. 85−29354, 85−53785
Tslaf, A.L. *see* Slonim, M.A. 86−33680, 88−31015
Tso, K., Chang, L.C. Recent research on graph theory and its engineering applications in China 86−338
Tso, L. *see* Hawley, F. 88−71462
Tso, M.K.S. *see* Krawaczynski, J.S. 87−56910
Tso, S.K., Ho, P.T. Control of TCR compensator with voltage regulation and symmetrisation capability 86−6280
Tso, S.K., Rashid, M.H. Simulation of a fast-acting reactive current compensator 88−43261
Tso, S.K., Tang, K.H. Dual-microprocessor firing and current-crossover control of triac cycloconverter 86−6908
Tso, S.K., Tang, K.H. Closed-loop operation of a microprocessor-controlled cycloconverter 87−15916
Tso, S.K. *see* Tse, C.T. 88−75099 to 75100
Tso Yee Fan, Huang, C.E., Hu, B.Q., Eckardt, R.C., Fan, Y.X., Byer, R., Feigelson, R.S. Second harmonic generation and accurate index of refraction measurements in flux-grown $KTiOPO_4$ 87−61224
Tso-Ping Ma *see* Fedynyshyn, T.H. 87−38118, 88−13128
Tsogoeva, S.A. *see* Bondar, M.V. 86−48357
Tsogoeva, S.A. *see* Rodchenkova, V.V. 87−18925
Tsohsiu Ho *see* Ho Tsohsiu
Tsoi, A.C. A simple load management guideline 86−44906
Tsoi, A.C., Kobe, M.U. Removal of seasonal effects in an electricity load time-series 87−42415
Tsoi, A.C., Nicholls, N.J. Simulation of a packet switching network 86−37205
Tsoi, A.C., Patel, D.K. A speech entry data logger 86−59254
Tsoi, A.C. *see* Anderson, B.D.O. 85−10569
Tsoi, A.C. *see* Bitmead, R.R. 87−19652
Tsoi, B.G. *see* Gorlov, A.N. 86−18017
Tsoi, G.M. *see* Dmitrenko, I.M. 85−29493, 85−35339, 85−50876, 88−13717
Tsoi, G.M. *see* Shnyrkov, V.I. 88−58028
Tsoi, G.M. *see* Verkin, B.I. 88−26704
Tsoi, H., Tsay, C., Rupp, A., Choy, B. A multichannel 300 V level translator chip 87−60677
Tsoi, H.Y. *see* Ellul, J.P. 85−58581
Tsoi, H.Y. *see* Sciammas, M. 88−44763
Tsoi, P.V., Akhmedov, F.D., Khodzhiev, A.A. An experimental solar device with natural circulation for investigating thermotechnical characteristics under conditions of high-mountain areas 86−60368
Tsoi, S.K. *see* Padgett, W.J. 87−23404
Tsoi, V.N. A generalized model of a multi-rotor electromechanical energy converter 85−60278
Tsoi, V.N. A multirotor electrohydrodynamic machine 87−64528
Tsoi, V.N. Electromechanical energy conversion in multi-wound multi-rotor synchronous machines 88−43161
Tsoi Hak-Yam *see* Hak-Yam Tsoi
Tsoi-ching Yip *see* King, P. 88−15594
Tsokotun, P.V. *see* Asaturyan, A.Sh. 88−55399
Tsol Su Ra *see* Ra Tsol Su
Tsolakis, A.G. *see* Silverman, B.G. 86−13557
Tsolakis, A.I., Besieris, I.M., Kohler, W.E. Two-frequency radiative transfer equation for scalar waves in a random distribution of discrete scatterers with pair correlations 86−3493
Tsolas, N., Tabatabai, A. On error performance modeling of digital transmission facilities 87−39564
Tsolas, N.A., Arapostathis, A., Varaiya, P.P. A structure preserving energy function for power system transient stability analysis 86−6236
Tsomuk, S.R. *see* Gurvich, A.K. 85−6052
Tsonev, L., Savatinova, I. Investigation of refractive-index profiles of ion-exchanged planar waveguides in glass 88−65312
Tsong, I.S.T. *see* Monkowski, J.R. 85−1530
Tsong, T.T. *see* Liu, H.F. 85−20870
Tsong Lin Jyi *see* Jyi Tsong Lin
Tsong-Ho Wu *see* Kim-Joan Chen 86−23515
Tsong-Liang Huang, Shi-Hae Liu, Wei-Tzen Yang The new VSS method of PF control system based on fast estimator with optimal AGC plus deadbeat-controller [power system control] 87−71542
Tsong-Lun Chu, Won Hyo Yoon, Fitzpatrick, R.G. An analysis of loss of off-site power with a PWR at shutdown 88−23690
Tsoni, E. *see* Caulfield, H.J. 87−7805
Tsonis, A.A. *see* Lovejoy, S. 87−63960
Tsonis, G., Ayerides, G., Bergeles, G. Experimental and numerical simulation of the wind field over the Kythnos wind park 88−69239
Tsorbatzoglou, K.M., Palmer, R.B.J. A detector for counting β particles with minimal response to bremsstrahlung 87−57020
Tsory, E. *see* Kohn, G. 87−75295
Tsots, I.A. *see* Drobyshev, I.I. 88−957
Tsots, I.A. *see* Meshchanov, V.P. 85−57076
Tsotsos, J.K. A 'complexity level' analysis of immediate vision 88−66637
Tsotsos, J.K. *see* Gershon, R. 87−62326
Tsotsos, J.K. *see* Jenkin, M.R.M. 88−52557
Tsotsos, J.K. *see* Levy-Mandel, A.D. 86−56102
Tsou, D. *see* Kao, W. 87−38450
Tsou, H.E., Nix, W.C., Weir, E.M., Smith, J.J., Kushner, M.L. A microprogrammable versatile processor (MVP) for digital signal and data processing 85−6374
Tsou, J.-W. *see* Alexandro, F.J. 85−49408
Tsou, J.W. *see* Bossi, J.A. 87−4072
Tsou, L.Y. Ion beam-assisted etching of aluminium with chlorine 86−9026
Tsou, L.Y. High pressure reactive ion etching of P-doped polysilicon with HCl 87−17958
Tsou Shi-chang *see* Liu Xiang-huai 87−60056
Tsou Shichang *see* Shichang Tsou
Tsou Shih-chang *see* Lin Cheng-lu 87−53392
Tsou Shihchang *see* Li Xiqiang 87−17720
Tsou Shihchang *see* Lin Chenglu 88−19653
Tsoucalas, J., Kumar, K. Supervisory alarm system for the Australian digital data network 86−37300
Tsoukala, V. *see* Schroeder, J. 85−1950, 85−18629, 86−2653
Tsoukalas, D. *see* Bouro, L. 87−56798
Tsoukalas, I.A. *see* Vafiadis, E. 87−37499, 88−27581
Tsoukrovski, U.V. *see* Atanasov, R.D. 88−66463
Tsourdalakis, J. PCB Pin insertion 87−17540
Tsrnoshiya, P., Baiich, B. Estimation of the voltage distribution factor in power supplies to drives with thyristor converters 85−65475
Tsu, D.V., Lucovsky, G. Silicon nitride and silicon diimide grown by remote plasma enhanced chemical vapor deposition 86−62252
Tsu, D.V., Lucovsky, G. The growth of silicon oxide films by remote plasma enhanced CVD 88−43944
Tsu, D.V. *see* Kim, S.S. 88−63364
Tsu, D.V. *see* Lucovsky, G. 87−5481, 87−16694, 87−44380, 88−31842
Tsu, D.V. *see* Parsons, G.N. 88−24771, 88−71298
Tsu, D.V. *see* Richard, P.D. 85−54509, 86−26888
Tsu, K. *see* Okubo, Y. 88−10494
Tsu, R. Theory of quantum well structures of amorphous materials 86−8846
Tsu, R. Crystallization, doping, orientation and grain-size of microcrystalline silicon and germanium 86−27855
Tsu, R. Mean free path and size quantization in amorphous superlattices 87−11416
Tsu, R., Gonzalez-Hernandez, J., Chao, S.S., Martin, D. Dependence of grain size on the substrate temperature of Si and Ge films prepared by evaporation under ultrahigh vacuum 86−34362
Tsu, R., Martin, D., Gonzalez-Hernandez, J., Ovshinsky, S.R. Passivation of dangling bonds in amorphous Si and Ge by gas adsorption 87−38147
Tsu, R. *see* Azarbayejani, G.H. 85−55439
Tsu, R. *see* Chao, S.S. 85−44770
Tsu, R. *see* Kurtz, S.R. 87−7198
Tsu, R. *see* Mahan, A.H. 87−33029, 87−68257, 88−58345
Tsu, R. *see* Menna, P. 88−33859
Tsu, R. *see* Tsuo, S. 88−32762
Tsu, R. *see* Woodyard, J.R. 85−40459
Tsu, R. *see* Xi, J.P. 87−68258
Tsu-Chiang Yen *see* Jow-Tsong Shy 87−18905, 87−54249
Tsu-Ren Yao *see* Yao Tsu-Ren
Tsubaki, H. *see* Fujimura, S. 85−57528, 86−50725
Tsubaki, H. *see* Hanaizumi, H. 85−57526
Tsubaki, H. *see* Morita, M. 88−14821
Tsubaki, K. Consumer replaceable lithium batteries with confirmed reliability and safety 87−36097
Tsubaki, K. Characteristics of carbon-lithium rechargeable batteries 87−36115
Tsubaki, K., Fukui, T., Saito, H. High field electron transport in *n*-InP/GaInAs two-dimensional electron gas 85−40483
Tsubaki, K., Kobayashi, N., Ando, S., Sugimura, A. Magnetoresistance of n-AlGaAs/GaAs two-dimensional electron gas thin wire 86−53408
Tsubaki, K., Nakura, H., Yokozawa, M. ASO improvement of power transistors by floating emitter structure 87−53478
Tsubaki, K., Sakaki, H., Yoshino, J., Sekiguchi, Y. Spatially modulated photoconductivity at *N*-AlGaAs/GaAs heterojunctions and formation of persistent charge patterns with submicron dimensions 85−2119
Tsubaki, K., Sugimura, A., Kumabe, K. Warm electron system in the *n*-AlGaAs/GaAs two-dimensional electron gas 85−40435
Tsubaki, K., Sugimura, A., Kumabe, K. Electron mobility limits of two-dimensional electron gas in N-AlGaAs/GaAs at low temperature 85−50242
Tsubaki, K. *see* Hirano, M. 88−26334
Tsubaki, K. *see* Kobayashi, N. 85−11977
Tsubaki, K. *see* Oe, K. 86−53390, 87−6744
Tsubaki, K. *see* Tokura, Y. 88−13414
Tsubaki, M. *see* Sakamoto, Y. 88−51238
Tsubaki, T. *see* Amano, N. 87−43319
Tsubakihara, M. *see* Okabayashi, M. 88−57014
Tsubakihara, Y. *see* Iwase, S. 88−9069
Tsubakihara, Y. *see* Tsukamoto, A. 87−62553
Tsubakimoto, H. *see* Ishida, A. 88−10319
Tsubakimoto, H. *see* Miyazaki, S. 86−25173
Tsubata, I. *see* Nishino, I. 85−55188
Tsubata, I. *see* Sorimachi, Y. 85−32244, 85−34376, 88−5404, 88−25724, 88−26690
Tsubata, K. The TV production techniques of the Los Angeles Olympic Games 85−36977
Tsubin, V. *see* Erlich, V. 85−58848
Tsubin, V. *see* Kippasto, A. 88−51724
Tsubin, V. *see* Shmerlin, Ya. 85−56751
Tsuboi, A., Homma, K., Komura, F. A SAR image restoration using time variant inverse filter 88−22189
Tsuboi, A., Iijima, T., Kimura, H. Accuracy of three look correlation in measuring SAR image shift between two looks 86−30884
Tsuboi, A., Maeda, A., Komura, F. Accelerating skew coordinate transformation for high resolution SAR image formation 87−28661
Tsuboi, A. *see* Homma, K. 86−64361
Tsuboi, A. *see* Maeda, A. 87−27638, 87−77891
Tsuboi, A. *see* Yaguchi, T. 86−51108
Tsuboi, H., Misaki, T. Optimization of electrode shape by surface charge method 85−4661
Tsuboi, H., Misaki, T. The optimum design of electrode and insulator contours by nonlinear programming using the surface charge simulation method 88−52055
Tsuboi, H., Misaki, T. Three-dimensional analysis of eddy current distributions by the boundary element method using vector variables 88−52129
Tsuboi, H., Takebayashi, Y., Matsu'ura, H., Nitta, T., Hirai, S. Speaker-adaptive connected syllable recognition based on the multiple similarity method 87−27306
Tsuboi, H., Ukita, T. Research trends in speech recognition and understanding 88−45977
Tsuboi, H. *see* Matsu'ura, H. 88−66378
Tsuboi, H. *see* Misaki, T. 86−42754, 86−59013, 88−52114
Tsuboi, H. *see* Miyata, M. 85−21842
Tsuboi, I. *see* Sano, I. 86−32586
Tsuboi, J., Haizuka, T., Suguta, S. Reuse technologies for switching software 88−46824
Tsuboi, K. Computer music and musical information processing 88−53504
Tsuboi, K., Akiyama, Y., Ikeda, S. Abnormal starting torque characteristics of a capacitor motor 85−48958
Tsuboi, K., Kawase, H., Sakamoto, M. Master cutter for optical disks 85−56904
Tsuboi, K., Matsuura, H. Effects of higher harmonic exciting voltage on synchronous machine running at asynchronous speed 87−30516

Tsuboi, K. *see* Okazaki, N. 85−22864
Tsuboi, M. Contact voltage emerging in fretting contacts 87−1026
Tsuboi, M., Inatani, J., Kasuga, T., Kawabe, R., Sakamoto, A., Iwashita, H., Miyazawa, K. A 40 GHz band SIS receiver using Nb/Al-AlOx/Nb array junctions 87−45237
Tsuboi, M., Inatani, J., Kasuga, T., Kodaira, S. A wide-band tuning method for a 35-50 GHz SIS receiver 88−15719
Tsuboi, M., Maruyama, T. Contact voltage emerging in fretting contacts mating dissimilar metals 87−59940
Tsuboi, M. *see* Hirabayashi, H. 86−69872
Tsuboi, M. *see* Inatani, J. 88−13744
Tsuboi, M. *see* Kasuga, T. 87−66530, 88−15717
Tsuboi, M. *see* Kodaira, S. 88−13745
Tsuboi, N., Kobayashi, S., Kimura, K., Kaneko, F. Growth of $CuAl_xGa_{1-x}S_2$ crystals by iodine transport method and cathodoluminescence 88−43857
Tsuboi, N. *see* Minemura, H. 88−51431
Tsuboi, T., Asatani, K., Miki, T. Fiber-optic HDTV transmission technology 85−37283
Tsuboi, T., Kobayashi, Y., Shobu, M. Audio analyzer for ultra-low distortion measurement 88−4335
Tsuboi, T., Nakamura, K. Control system for traction drives 87−51536
Tsuboi, T., Obara, H., Asatani, K. Fiber optic high-definition television on transmission system 86−11274
Tsuboi, T., Obara, H., Asatani, K. Design and characteristics of high-definition television transmission system 86−31026
Tsuboi, T., Ohara, H., Sakurai, N., Asatani, K. Fiber optic high-definition television transmission system 85−31192
Tsuboi, T., Tatsuno, H., Asatani, K. A new one-way cross-connect system in high-speed and broadband networks 86−30100
Tsuboi, T., Tomihisa, A., Sugamura, N. Japanese linguistic processing for continuous speech recognition 87−61690
Tsuboi, T., Ueda, H., Mori, T. Broadband transmission terminal equipment 85−30552
Tsuboi, T. *see* Asatani, K. 85−47008, 86−10651, 86−37239
Tsuboi, T. *see* Hanabusa, M. 88−38254
Tsuboi, T. *see* Iwamoto, S. 88−19186
Tsuboi, T. *see* Kasai, H. 85−3280
Tsuboi, T. *see* Kishimoto, R. 85−57657
Tsuboi, T. *see* Mizukami, T. 86−4507
Tsuboi, T. *see* Obara, H. 86−55827
Tsuboi, T. *see* Sugamura, N. 87−19550
Tsuboi, T. *see* Ueda, H. 86−37240
Tsuboi, T. *see* Yamamoto, Y. 85−42114
Tsuboi, Y. Current topics in automotive electronics 88−18188
Tsuboi, Y., Emoto, N., Kitahara, K., Sakai, Y., Yasuho, T. Car-audio visual communication system 88−74174
Tsuboi, Y. *see* Fukae, T. 85−31179
Tsuboka, E. *see* Kabasawa, S. 87−19610
Tsubokawa, M., Higashi, T., Negishi, Y. Mode couplings due to external forces distributed along a polarization-maintaining fiber: an evaluation 88−26750
Tsubokawa, M., Higashi, T., Seikai, S. Fiber optic sensor for measuring external forces distributed along a fiber 87−56633
Tsubokawa, M., Seikai, S., Nakashima, T., Shibata, N. Suppression of stimulated Brillouin scattering in a single-mode fibre by an acousto-optic modulator 86−42250
Tsubokawa, M., Shibata, N., Abe, T., Higashi, T., Seikai, S. Polarisation characteristics of a side-tunnel fibre 87−18607
Tsubokawa, M., Shibata, N., Higashi, T., Seikai, S. Longitudinal coherence properties of light waves propagating through a birefringent fiber 87−54027
Tsubokawa, M., Shibata, N., Higashi, T., Seikai, S. Loss of longitudinal coherence as a result of the birefringence effect 88−1988
Tsubokawa, M., Shibata, N., Ohashi, M., Seikai, S. Length dependence of LP_{11} mode loss in the quasi-single-mode operating region 86−48134
Tsubokawa, M., Shibata, N., Seikai, S. Evaluation of polarization mode coupling coefficient from measurement of polarization mode dispersion 86−2735
Tsubokawa, M., Shibata, N., Seikai, S., Higashi, T. Chromatic dispersion measurement of a single-mode fibre by improved optical heterodyne interferometry 85−62296
Tsubokawa, M., Tateda, M., Shibata, N., Kawachi, M. Nondestructive evaluation of coupling constants in single-mode optical channel waveguides 88−72149
Tsubokawa, M. *see* Higashi, T. 87−20570, 87−54063, 87−56184, 88−22121
Tsubokawa, M. *see* Horiguchi, T. 88−51485
Tsubokawa, M. *see* Ohtsuka, Y. 85−12593
Tsubokawa, M. *see* Sasaki, Y. 88−53250
Tsubokawa, M. *see* Shibata, N. 85−20737, 85−29596, 86−9470, 86−9478, 87−18646, 87−46485, 88−65328
Tsubokawa, T. *see* Hanada, H. 87−50544
Tsubokura, F. *see* Hirano, Y. 86−34712
Tsubokura, F. *see* Ito, S. 86−34713
Tsubokura, F. *see* Okada, K. 87−31817
Tsubokura, H. *see* Nakagiri, A. 88−44946
Tsubokura, M. *see* Matsumura, N. 88−31775
Tsubol, Y. *see* Sato, H. 85−31466
Tsubomura, H. *see* Matsumura, M. 86−26245, 87−22757, 87−36127
Tsubomura, H. *see* Nakato, Y. 85−49061, 86−41595, 86−61740, 87−38005, 88−75889
Tsubomura, H. *see* Sakai, Y. 88−11383, 88−37403, 88−75940, 88−75943
Tsubomura, H. *see* Ueda, K. 88−24116
Tsubomura, H. *see* Yamamoto, N. 85−8829
Tsubone, C. *see* Ishizuka, O. 85−17261
Tsubone, K., Osumi, T., Ishizaki, T., Shinohara, M., Suzuki, M., Matsumi, K., Akahane, K. A smart BiCMOS driver for 400 DPI thermal printing heads 88−64709
Tsubone, N. *see* Kira, H. 86−54900
Tsubono, K., Ohashi, M., Hirakawa, H. Parametric transducer for gravitational radiation detector 86−50062
Tsubono, K. *see* Nagashima, Y. 88−27607
Tsubono, K. *see* Ohashi, M. 87−6080
Tsubota, K. *see* Nagagawa, K. 88−13949
Tsubota, K. *see* Nakamura, S. 87−37590, 88−12624
Tsubota, M. *see* Asai, K. 86−19459
Tsubota, M. *see* Tokunaga, A. 87−58277
Tsubota, S. *see* Daicho, Y. 85−39068
Tsubota, S.K. *see* Johannsen, D.L. 87−46105, 87−67452
Tsubota, T., Kashima, Y., Takano, H., Hirose, Y. InGaAsP/InP long wavelength high efficiency edge emitting LED for single mode fiber optic communication 88−33894
Tsubota, T., Tsuda, N., Yamada, M. Advanced high speed CMOS standard logic ICs μPD74AC series 88−19058
Tsubota, T. *see* Morigami, T. 87−31823
Tsubouchi, D., Itakura, A., Miyoshi, S. Operating and control system of the tandem mirror GAMMA 10 88−43160
Tsubouchi, K., Akutsu, Y., Mikoshiba, N. Observation of nonradiative microdefects in GaAs wafers with a new photo-thermal-radiation microscope 88−19789
Tsubouchi, K., Mikoshiba, N. Zero-temperature-coefficient SAW devices on AlN epitaxial films 86−9350
Tsubouchi, K., Murakami, S. Improvement of VTR picture quality [tape head system] 85−26079
Tsubouchi, K. *see* Mikoshiba, N. 86−587, 86−66888, 88−49931
Tsubouchi, K. *see* Minagawa, S. 86−2560, 86−9353
Tsubouchi, K. *see* Nakamura, H. 86−20141
Tsubouchi, K. *see* Sato, K. 87−5425
Tsubouchi, N. *see* Denda, M. 88−47570
Tsubouchi, N. *see* Hine, S. 85−52679
Tsubouchi, N. *see* Hirayama, M. 85−7110
Tsubouchi, N. *see* Hirose, S. 86−44190
Tsubouchi, N. *see* Iwade, S. 88−53739
Tsubouchi, N. *see* Kimata, M. 86−11282, 86−17970, 86−28359, 86−49983, 87−41383, 87−53509, 87−63284, 88−22636
Tsubouchi, N. *see* Yamawaki, M. 87−41376
Tsubouchi, N. *see* Yutani, N. 88−42168
Tsuboya, H. *see* Mizutani, M. 85−25615
Tsuboya, I. *see* Katagiri, K. 86−52438
Tsuboya, I. *see* Oda, O. 85−39716, 86−63709
Tsuboya, I. *see* Onozuka, A. 87−7199, 87−61030
Tsuboyama, T. *see* Abe, K. 88−16629
Tsuboyama, T. *see* Ishikawa, K. 88−61055
Tsuboyama, T. *see* Kishida, T. 87−35344
Tsuboyama, T. *see* Kuze, M. 87−77533
Tsubuku, S. *see* Miyazaki, N. 85−3273
Tsuburaya, H., Kawasaki, H., Tsukahara, K., Kitamura, Y. Communications System for Offshore Complex 85−57635
Tsuburaya, H., Takeuchi, S., Nakazato, K., Morimoto, I., Akagi, T., Nakanishi, K. Application of solar photovoltaic power supply systems (solar power systems) to microwave radio repeater stations 85−8314
Tsubusaki, K. *see* Onuki, M. 88−26954
Tsuchida, A., Hanato, S., Kawatsu, M., Kusakabe, M. Basic studies of extended application of direct water-cooling system for cables 86−51009
Tsuchida, A., Hanato, S., Kawatsu, M., Kusakabe, M. Studies on development of 154 kV CV cable connection box (polyethylene extrude-molding system) 86−51072
Tsuchida, A., Itohara, Y., Kawazu, M., Kubo, M. Studies on improvement of shielded metal layer for 77 kV CV cable 86−51071
Tsuchida, A. *see* Kadooka, T. 85−42607
Tsuchida, A. *see* Kamio, Y. 85−33122
Tsuchida, A. *see* Kawatsu, M. 86−12440
Tsuchida, A. *see* Sugata, T. 87−4429
Tsuchida, E. *see* Sato, H. 85−35433
Tsuchida, H. Comment on 'Intrinsic lineshape and FM response of modulated semiconductor lasers' [by E. Eichen et al., with their reply] 86−22376
Tsuchida, H. Tripping of receiving-end breaker by shortcircuit failure (by crows) of feeder system in Akita SS 87−5006
Tsuchida, H., Mitsuhashi, Y. Frequency stabilisation of a modulated semiconductor laser 88−2237
Tsuchida, H., Mitsuhashi, Y. Novel ring interferometer for frequency stabilization of semiconductor lasers 88−27235
Tsuchida, H., Mitsuhashi, Y., Ishihara, S. Demodulation scheme for polarimetric optical fibre sensors using derivative technique 88−67809
Tsuchida, H., Mitsuhashi, Y., Sugimura, M. Wideband frequency scanning of a stabilised semiconductor laser 86−48397
Tsuchida, H., Ozaki, S., Mitsuhashi, Y. Spectral analysis of semiconductor lasers 86−15693
Tsuchida, H. *see* Hashida, Y. 87−13273
Tsuchida, H. *see* Honda, Y. 85−25685
Tsuchida, H. *see* Konishi, T. 88−39006
Tsuchida, H. *see* Nakajima, S. 87−13271
Tsuchida, H. *see* Ohyama, M. 88−59489
Tsuchida, H. *see* Oikado, T. 87−66841
Tsuchida, K. *see* Ohsawa, T. 87−59510, 88−6822
Tsuchida, K. *see* Uehara, Y. 85−18852, 86−9764
Tsuchida, M. From '85 Electric Installation Show; control units 86−57021
Tsuchida, M. *see* Mizumoto, T. 85−35296
Tsuchida, M. *see* Monta, K. 85−21337
Tsuchida, N., Yamada, Y., Ueda, M. Hardware for image rotation by twice skew transformations 87−47896
Tsuchida, T. *see* Ueno, T. 88−15298
Tsuchida, Y., Fujiwara, T. Practical application of data acquisition unit in operations of plant trial run 86−65138
Tsuchida, Y., Ohtani, T., Nakanishi, Y., Shoji, M. New electric fan with brushless DC motor 86−71139
Tsuchida, Y., Shimizu, K., Kuriki, S., Matsumoto, G., Ohota, S. 4-channel biotelemetry system by direct light transmission 88−16710
Tsuchida, Y. *see* Fujioka, K. 87−41965
Tsuchida, Y. *see* Shimizu, K. 86−6004
Tsuchida, Y. *see* Tachigami, S. 85−18735, 86−2689
Tsuchidate, H. *see* Ito, D. 86−53931
Tsuchihashi, H., Murata, K., Fujisawa, A., Arai, J., Igarashi, K. System analysis and application concerning with single phase spot network (SNW) [distribution networks] 86−18802
Tsuchihashi, H. *see* Nakamura, M. 87−34230
Tsuchihashi, K. *see* Ishida, M. 86−7614
Tsuchihashi, K. *see* Miki, R. 87−21394
Tsuchihashi, K. *see* Umeki, T. 86−46880
Tsuchihashi, M. *see* Hirasawa, E. 85−60244
Tsuchihashi, M. *see* Kinji, Y. 85−27473
Tsuchihashi, Y. *see* Mitani, N. 85−52681, 85−57522
Tsuchikawa, H. *see* Inoue, M. 88−71467
Tsuchikawa, H. *see* Kyung-ho Park 87−60375
Tsuchimoto, I. *see* Minemoto, T. 85−7935
Tsuchimoto, J. *see* Takai, M. 85−23684, 86−21403, 88−44544
Tsuchimoto, M., Honma, T. An analysis of axisymmetric resonant cavities by using the hybrid boundary element method 88−52270
Tsuchimoto, M. *see* Doi, H. 86−8719
Tsuchimoto, S., Kataoka, S., Nojima, H., Kita, R., Nagata, M., Shintaku, H. Novel magnetic sensor using Y-Ba-Cu-O ceramic superconductor: super magneto-resistor 88−42075
Tsuchimoto, S. *see* Muramatsu, T. 85−58443, 86−58661
Tsuchimoto, S. *see* Nojima, H. 88−51380
Tsuchita, K. *see* Senoh, M. 88−23658
Tsuchita, K. *see* Tomizawa, F. 86−25458
Tsuchitani, S., Sugawara, T., Kinjo, N., Ohara, S. Humidity sensor using ionic copolymer 86−55676
Tsuchitani, S. *see* Sugawara, T. 86−44295
Tsuchitani, T. *see* Hara, K. 85−5570
Tsuchiva, N. *see* Kawanishi, H. 85−56642
Tsuchiya, F., Okuma, S., Iwata, K. Parallel running of GTO PWM inverters 85−49010
Tsuchiya, H., Fukami, T. Multilayered piezoelectric transformer 86−2492
Tsuchiya, H., Fukami, T. Design principles for multilayer piezoelectric transformers 86−67541
Tsuchiya, H., Kishimoto, T. INS network services 85−57616
Tsuchiya, H., Terada, N. The robot soldering system 88−11740
Tsuchiya, H. *see* Kamata, N. 87−68265
Tsuchiya, H. *see* Kamo, Y. 85−45998
Tsuchiya, H. *see* Kurosawa, T. 87−2656
Tsuchiya, H. *see* Nakano, H. 88−5758
Tsuchiya, H. *see* Nakazato, K. 85−13631
Tsuchiya, H. *see* Suenaga, N. 88−57126
Tsuchiya, I., Sasa, T., Kodama, H. Omega-Phone IV EX-616 86−59726
Tsuchiya, J. Phase Indicator of specified frequency component included in distorted electric signals 85−58751
Tsuchiya, J., Shioya, M. A PWM AC voltage regulator with phase control 87−52352
Tsuchiya, J. *see* Watanabe, Y. 88−58263

Tsuchiya, K., Arai, K., Igarashi, T. Marine Observation Satellite 88–36659
Tsuchiya, K., Kashiwase, T. Control of large space structures (LSS) 88–36591
Tsuchiya, K., Maeda, K., Arai, K., Nakamura, H., Ishida, C. Method of noise reduction in passive remote sensing 85–48467
Tsuchiya, K., Suenaga, M. Stability of superconducting Nb_3Sn multifilamentary wires 85–56139
Tsuchiya, K., Terada, S., Maki, A., Omori, T., Ishimoto, S., Hirabayashi, H., Olsen, S.L., Asano, K., Kurita, I., Hashimoto, H., Aihara, K., Saito, R., Suzuki, T. A 3 Tesla superconducting solenoid for the AMY particle detector at TRISTAN 87–70936
Tsuchiya, K., Terada, S., Omori, T., Maki, A., Doi, Y., Haruyama, T., Mito, T., Asano, K. Testing of a 3 tesla superconducting magnet for the AMY detector at TRISTAN 88–45016
Tsuchiya, K. *see* Hashimoto, K. 87–48993
Tsuchiya, K. *see* Higuichi, N. 85–46039
Tsuchiya, K. *see* Kashiwase, T. 87–54760
Tsuchiya, K. *see* Moller, D.P.F. 85–31881
Tsuchiya, K. *see* Morimoto, S. 87–8894
Tsuchiya, K. *see* Ondoh, T. 88–35445
Tsuchiya, K. *see* Oowaki, Y. 87–59414, 88–6740
Tsuchiya, K. *see* Otsu, Y. 87–48996
Tsuchiya, K. *see* Shimano, T. 88–47957
Tsuchiya, K. *see* Shintomi, T. 86–25062, 86–44519
Tsuchiya, K. *see* Suenaga, M. 85–29484
Tsuchiya, K. *see* Tsuda, K. 88–7749
Tsuchiya, K. *see* Yamamoto, A. 87–63601
Tsuchiya, K. *see* Yan, L. 88–26729
Tsuchiya, K. *see* Yoshimi, M. 88–26500
Tsuchiya, M. A method for measuring the group-delay characteristics of television transmission systems 86–37395
Tsuchiya, M. Electronic instrumentation control system 'new YEWSERIES80' 87–28913
Tsuchiya, M., Ohura, R. Automatic adjusting and testing system for car stereo tuners and application of industrial robots 86–4980
Tsuchiya, M., Sakaki, H. Precise control of resonant tunneling current in AlAs/GaAs/AlAs double barrier diodes with atomically-controlled barrier widths 86–41742
Tsuchiya, M., Sakaki, H. Room temperature operation of high-performance AlAs/GaAs/AlAs resonant tunnelling diodes with atomically controlled barrier width 86–47528
Tsuchiya, M., Sakaki, H. Dependence of resonant tunneling current on well widths in AlAs/GaAs/AlAs double barrier diode structures 86–63232
Tsuchiya, M., Sakaki, H. Resonant tunneling effect in double barrier heterostructure diodes 87–6440
Tsuchiya, M., Sakaki, H., Yoshino, J. Room temperature observation of differential negative resistance in an AlAs/GaAs/AlAs resonant tunneling diode 85–61741
Tsuchiya, M., Shannon, D.C. Simulation of distributed processing networks 86–49245
Tsuchiya, M. *see* Emoto, Y. 86–61948
Tsuchiya, M. *see* Horikoshi, T. 87–7850, 88–16727, 88–61322
Tsuchiya, M. *see* Kaneko, T. 88–6066
Tsuchiya, M. *see* Kasahara, H. 86–43482
Tsuchiya, M. *see* Kawai, K. 86–12540
Tsuchiya, M. *see* Kurokawa, Y. 85–32867
Tsuchiya, M. *see* Matsunaga, N. 85–54955
Tsuchiya, M. *see* Ohmori, T. 87–41721
Tsuchiya, M. *see* Tada, K. 85–2039
Tsuchiya, N., Nakazawa, K., Kajiki, M., Gokan, T., Barada, M. A control and management system for the C&C satellite office 86–64606
Tsuchiya, N. *see* Fujino, K. 86–64453
Tsuchiya, N. *see* Matsumura, K. 88–72621
Tsuchiya, P.F. Team-of-gateways: design and implementation 88–28413
Tsuchiya, P.F. An architecture for network-layer routing in OSI 88–66962
Tsuchiya, S., Hamamoto, N., Iguchi, M., Takahashi, T., Cho, T. A long term in-orbit performance of mission equipment of the CS satellite 86–30719
Tsuchiya, S., Igarashi, M., Fukuchi, H., Oouchi, C., Oda, T., Shiro, I., Nishimuta, K., Ishizawa, K. Measurement of sky noise temperature at 12 GHz by simple receive only systems 86–37848
Tsuchiya, S., Sato, T., Koyama, K., Ikeda, S., Wada, Y. Application of piezoelectric film of vinylidene fluoride-trifluoroethylene copolymer to a highly sensitive miniature hydrophone 88–16962
Tsuchiya, S. *see* Fukuchi, H. 85–41603
Tsuchiya, S. *see* Hosoya, Y. 86–64902
Tsuchiya, S. *see* Ogawa, K. 88–22611
Tsuchiya, S. *see* Ohashi, H. 85–25819
Tsuchiya, S. *see* Suzuki, R. 86–11027
Tsuchiya, S. *see* Yamashita, K. 88–13493
Tsuchiya, T. On two methods for approximating minimal surfaces in parametric form 86–52379
Tsuchiya, T. Mechanism of hot-electron-induced MOSFETs degradation 88–7612
Tsuchiya, T. Trapped-electron and generated interface-trap effects in hot-electron-induced MOSFET degradation 88–26260
Tsuchiya, T. Application of meteorological satellite data in weather forecasting 88–67304
Tsuchiya, T., Frey, J. Relationship between hot-electrons/holes and degradation of p-and n-channel MOSFETs 85–23797
Tsuchiya, T., Kobayashi, T., Nakajima, S. Hot-carrier-injected oxide region and hot-electron trapping as the main cause in Si NMOSFET degradation 87–38291
Tsuchiya, T., Nakajima, S. Emission mechanism and bias-dependent emission efficiency of photons induced by drain avalanche in Si MOSFETs 85–34968
Tsuchiya, T., Sugiura, N., Yamada, H. Video selecting and data switching equipment for fiber optic broadband distribution system 87–49102
Tsuchiya, T., Sugiura, N., Yamada, H., Hakamada, Y. Video selection and data switching equipment for fiber-optic broadband distribution system 87–34544
Tsuchiya, T., Takezoe, H., Fukuda, A. Importance of controlling material constants to realize bistable uniform states in surface stabilized ferroelectric liquid crystal cells 86–36264
Tsuchiya, T., Wang, J., Egami, T. Multi-input and multi-output control of AC generator driven by windmill or turbine 86–12797
Tsuchiya, T. *see* Aiki, M. 85–58108, 86–11109, 86–43847
Tsuchiya, T. *see* Akabane, H. 86–3160
Tsuchiya, T. *see* Aoi, H. 87–25820
Tsuchiya, T. *see* Egami, T. 85–27439, 85–60212, 86–6791, 86–26065, 86–70926, 87–51230, 87–58102, 87–58377
Tsuchiya, T. *see* Iri, M. 86–57388
Tsuchiya, T. *see* Jiaqing Wang 86–39810
Tsuchiya, T. *see* Kawakubo, T. 86–63833
Tsuchiya, T. *see* Kobayashi, N. 86–34808, 86–52833
Tsuchiya, T. *see* Mochizuki, K. 85–48116
Tsuchiya, T. *see* Murata, T. 88–43200, 88–69371
Tsuchiya, T. *see* Nagatani, M. 87–20687, 87–20712
Tsuchiya, T. *see* Sawaya, K. 88–8595
Tsuchiya, T. *see* Shigemitsu, F. 88–13250
Tsuchiya, T. *see* Sudoh, K. 87–51231
Tsuchiya, T. *see* Ueda, M. 88–40307
Tsuchiya, T. *see* Wang, J. 86–61699, 88–17521
Tsuchiya, T. *see* Yamamoto, H. 85–31716
Tsuchiya, Y. Four-valued logic using two lines and its applications 86–27231
Tsuchiya, Y. Countermeasures against damage by heavy snowfall in Nagano district (JNR) 86–51963
Tsuchiya, Y. Training and research on photovoltaic at HNCT 87–64483
Tsuchiya, Y. Imaging technology in ultralow light level and ultrafast optical phenomena 88–9983
Tsuchiya, Y., Kinoshita, K., Koishi, M., Takeshima, A., Inagaki, Y. A new picosecond synchroscan photometer 86–5073
Tsuchiya, Y., Koishi, M., Kinoshita, K. Sampling optical oscilloscope 88–47627
Tsuchiya, Y., Koishi, M., Miwa, M., Kurisaki, T., Watanabe, M., Kinoshita, K. Two-dimensional sweeps expanding capability and application of streak cameras 87–54387
Tsuchiya, Y., Suzuki, H., Koishi, M., Kinoshita, K., Nakamura, T. Infrared sensitive universal streak camera for use in 1.0 to 1.6 μm wavelength region 87–14152
Tsuchiya, Y., Takeshima, A., Inuzuka, E., Suzuki, K., Koishi, M., Kinoshita, K. Universal streak camera 85–61654
Tsuchiya, Y. *see* Inuzuka, E. 87–20928
Tsuchiya, Y. *see* Isobe, S. 85–31381
Tsuchiya, Y. *see* Kinoshita, K. 87–57039
Tsuchiya, Y. *see* Komatsu, N. 88–9380
Tsuchiya, Y. *see* Kurono, T. 87–19901, 87–34843
Tsuchiya, Y. *see* Takiguchi, Y. 87–11308, 87–53132, 87–56528, 88–8389
Tsuchiya, Y. *see* Toriwaki, J.-I. 85–36360
Tsuchiya, Y. *see* Urakami, T. 87–53131
Tsuchiya, Y. *see* Yilmaz, H. 87–14579
Tsuchiyama, M., Gotoh, T. The CCTV system of Innoshima bridge 85–8587
Tsuchiyama, R. *see* Moniwa, M. 85–54445
Tsuda, A. *see* Ohno, J. 88–22767
Tsuda, E. *see* Bamba, T. 85–14816
Tsuda, H. *see* Egashira, N. 88–42226
Tsuda, H. *see* Klick, D. 87–75040
Tsuda, H. *see* Okino, T. 85–47121
Tsuda, H. *see* Watanabe, R. 88–63382
Tsuda, I. *see* Sawata, S. 88–24164, 88–74612
Tsuda, I. *see* Tanaka, T. 86–65990, 87–51099
Tsuda, K., Akagi, J., Yoshida, J. AlGaAs/GaAs heterojunction bipolar transistors for microwave power amplifier application 88–19417
Tsuda, K., Takato, H., Takenouchi, N., Tsuchiya, K., Oowaki, Y., Numata, K., Nitayama, A. 0.5 μm CMOS technology for 5.6 nsec high speed 16×16 bit multiplier 88–7749
Tsuda, K. *see* Fujita, H. 86–41935
Tsuda, K. *see* Horiguchi, F. 88–38525
Tsuda, K. *see* Kumagawa, K. 87–56756
Tsuda, K. *see* Miura, T. 85–36365
Tsuda, K. *see* Morizuka, K. 85–45659, 86–35654, 87–25247
Tsuda, K. *see* Mukae, K. 88–75217
Tsuda, K. *see* Oowaki, Y. 87–59414, 88–6740
Tsuda, K. *see* Oyama, Y. 87–57025
Tsuda, K. *see* Sakai, Y. 87–8577
Tsuda, K. *see* Zohta, Y. 86–53586
Tsuda, K.S. *see* Albrecht, C.A. 88–3644
Tsuda, M. Photo- and radiation-sensitive materials in microlithography 88–7415
Tsuda, M. Calculation of equivalent impedance for induction furnace having conductive crucible 88–18221
Tsuda, M., Kimura, Y. Reduction of background luminance generated in the output screen of X-ray image intensifier tubes 85–42885
Tsuda, M., Kimura, Y. Background generation at input screens of X-ray image intensifiers 86–5066
Tsuda, M., Kimura, Y. Noise reduction in real time X-ray images 86–69955
Tsuda, M., Kimura, Y., Tanaka, S. Luminance distribution of X-ray image intensifiers 86–38276
Tsuda, M., Nakamura, Y., Oikawa, S., Yokota, A., Nakane, H. A negative deep UV resist 85–61591
Tsuda, M., Oikawa, S., Yabuta, M., Yakota, M., Nakane, H., Yamashita, K., Gamo, K., Nambe, S. PMIPK-azide dry-developable resist in electron beam lithography 85–40802
Tsuda, M., Oikawa, S., Yabuta, M., Yokota, A., Nakane, H., Atoda, N., Hoh, K. Dry developed negative resist in synchrotron radiation lithography 86–35506
Tsuda, M., Oikawa, S., Yabuta, M., Yokota, A., Nakane, H., Atoda, N., Hoh, K., Gamo, K., Namba, S. Dry developable resist in E-beam and SR lithography 87–18227
Tsuda, M., Yabuta, M., Oikawa, S., Yokota, A., Nakane, H. Maskless graph etching of organic solid film by oxygen plasma and its mechanism–dry development in semiconductor microfabrication process 85–12211
Tsuda, M., Yabuta, M., Yamashita, K., Oikawa, S., Yokota, A., Nakane, H., Gamo, K., Namba, S. Dry development and fine pattern fabrication: PMIPK-azide dry-developable resist in electron beam lithography 85–55640
Tsuda, M., Yabuta, M., Yamashita, K., Oikawa, S., Yokota, A., Nakane, H., Gamo, K., Namba, S. Dry development in E-beam lithography 86–1963
Tsuda, M. *see* Kimura, I. 86–29377, 86–68758
Tsuda, N. Submicron positioning technology by piezoelectric devices 87–46276
Tsuda, N. Piezoelectric devices and micrometric positioning 87–70554
Tsuda, N., Satoh, T., Kawada, T. A pipeline sorting chip 87–59620
Tsuda, N. *see* Katoh, T. 86–5511
Tsuda, N. *see* Kawada, T. 87–17158
Tsuda, N. *see* Ohba, K. 86–70247
Tsuda, N. *see* Tsubota, T. 88–19058
Tsuda, N. *see* Yamada, M. 87–37419
Tsuda, S., Haku, H., Tarui, H., Matsuyama, T., Sayama, K., Nakashima, Y., Nakano, S., Ohnishi, M., Kuwano, Y. High-quality a-Si-based alloys: a-SiGe films fabricated in a super chamber and superlattice structure a-Si films prepared by a photo-CVD method 88–49150
Tsuda, S., Nakamura, N., Nishikuni, M., Watanabe, K., Takahama, T., Hishikawa, Y., Ohnishi, M., Kishi, Y., Nakano, S., Kuwano, Y. Prevention of the light induced effect of a-Si:H films and solar cells 86–33664
Tsuda, S., Shimizu, K., Matsumoto, G. Data compression of ECG by optimal orthogonal transform technique 86–38792
Tsuda, S., Takahama, T., Isomura, M., Tarui, H., Nakashima, Y., Hishikawa, Y., Nakamura, N., Matsuoka, T., Nishiwaki, H., Nakano, S., Ohnishi, M., Kuwano, Y. Preparation and properties of high-quality a-Si films with a super chamber (separated ultra-high vacuum reaction chamber) 87–31579
Tsuda, S., Takahama, T., Tarui, H., Watanabe, K., Nakamura, N., Shibuya, H., Nakano, S., Ohnishi, M., Kishi, Y., Kuwano, Y. Improvements in the conversion efficiency of a-Si solar cells 87–9845
Tsuda, S., Tarui, H., Haku, H., Dohjo, H., Watanabe, K., Hishikawa, Y., Nakamura, N., Nakashima, Y., Takahama, T., Nishiwaki, H., Fukatsu, T., Nakayama, S., Ohnishi, M., Nakano, S., Kuwano, Y. Preparation and properties of a-SiGe:H:F films grown by a glow discharge decomposition 87–31573
Tsuda, S., Tarui, H., Matsuyama, T., Takahama, T., Nakayama, S., Hishikawa, Y., Nakamura, N., Fukatsu, T., Ohnishi, M., Nakano, S., Kawano, Y. Superlattice structure a-Si films fabricated by the photo-CVD method and their application to solar cells 87–31578
Tsuda, S. *see* Haku, H. 88–24792
Tsuda, S. *see* Kaiya, H. 87–36104
Tsuda, S. *see* Kuwana, Y. 87–43441
Tsuda, S. *see* Kuwano, Y. 86–466, 86–1929, 87–78906, 88–5851, 88–31008

Tsuda, S. *see* Nakamura, N. 85−23460
Tsuda, S. *see* Nakano, S. 86−35368, 87−23740, 87−36130, 88−17972, 88−37490
Tsuda, S. *see* Ohnishi, M. 85−61005, 86−14881, 86−45700, 88−31852
Tsuda, S. *see* Sakamaki, H. 88−35033
Tsuda, S. *see* Takahama, T. 87−22741
Tsuda, S. *see* Tanaka, M. 88−31851
Tsuda, S. *see* Tarui, H. 87−30978
Tsuda, T. An integrated service digital network needs high-integration devices to grow 85−57633
Tsuda, T. Video memory−from the standpoint of bandwidth compression 87−76972
Tsuda, T., Andoh, Y. Humidity sensor utilizing platinum thin film temperature sensor 88−53671
Tsuda, T., Hayakawa, M. New inner lead bonder for multistation tape automated bonding 86−1604
Tsuda, T., Hiraoka, M. Efficient video bandwidth compression 87−20748
Tsuda, T., Hirose, K., Kato, S., Sulzer, M.P. Some findings on correlation between the stratospheric echo power and the wind shear observed by the Arecibo UHF radar 86−22683
Tsuda, T., Mochida, Y. A practical study on the architecture of VLSI DSP 87−27468
Tsuda, T., Sato, T., Hirose, K., Fukao, S., Kato, S. MU radar observations of the aspect sensitivity of backscattered VHF echo power in the troposphere and lower stratosphere 87−19192
Tsuda, T., Yamamoto, M., Sato, T., Kato, S., Fukao, S. Comparison observations between the MU radar and the Kyoto meteor radar 86−23977
Tsuda, T. *see* Fukao, S. 85−58213, 86−23968 to 23969, 88−41745 to 41746, 88−54736, 88−74028
Tsuda, T. *see* Fukuda, M. 86−23574, 88−3650, 88−46718, 88−50996
Tsuda, T. *see* Gambe, H. 85−46754
Tsuda, T. *see* Itoh, T. 87−34802
Tsuda, T. *see* Izumi, S. 87−21452
Tsuda, T. *see* Kato, S. 85−26899, 86−69819, 87−29932
Tsuda, T. *see* Maki, S. 87−17147
Tsuda, T. *see* Matsuda, K. 85−13632, 85−52566, 86−55471, 87−34229, 88−46271
Tsuda, T. *see* May, P.T. 88−41747
Tsuda, T. *see* Mochida, Y. 85−46753, 88−16019
Tsuda, T. *see* Murano, K. 85−25603, 88−46433
Tsuda, T. *see* Ohta, K. 86−55055
Tsuda, T. *see* Okazaki, T. 88−47308
Tsuda, T. *see* Sato, T. 86−25426
Tsuda, T. *see* Sugioka, R. 85−63178, 86−4419
Tsuda, T. *see* Takahashi, K. 87−56261
Tsuda, Y. Studies on shift blocking 88−18167
Tsuda, Y. *see* Harumoto, Y. 87−71747
Tsuda, Y. *see* Kaneko, S. 87−77914
Tsuda, Y. *see* Tanabe, T. 85−59813
Tsuda, Y. *see* Ueha, S. 86−50760
Tsuda, Y. *see* Yoshikawa, S. 85−59788
Tsudik, G. Implications of fragmentation and dynamic routing for internet datagram authentication 88−59346
Tsudik, G. *see* Estrin, D. 87−62704
Tsue, N. *see* Sasaki, H. 88−21672
Tsuei, C.C. *see* Chaudhari, P. 88−39813
Tsuei, C.C. *see* Chi, C.C. 85−29496, 85−31729, 85−46078
Tsuei, C.C. *see* Dueholm, B. 85−46081
Tsuei Tak-Goa *see* Tak-Goa Tsuei
Tsuen Yuang Bing *see* Bing Tsuen Yuang
Tsuga, K. *see* Hermansky, H. 87−27272
Tsugai, M., Bessho, M., Takeuchi, T. A semiconductor accelerometer for automotive controls 88−16085
Tsugane, S. *see* Iijima, Y. 87−8418
Tsugane, S. *see* Koga, T. 86−17060, 87−28245
Tsugane, T. *see* Kubota, S. 87−64084
Tsugawa, I. *see* Goto, Y. 88−13787
Tsugawa, I. *see* Utsumi, K. 88−65156
Tsugawa, J. Introduction to CD system technology. I 86−11344
Tsugawa, J. Introduction to CD system technology. II. Compact disks, and how they're read 86−24199
Tsugawa, J. Introduction to CD system technology. IV. Player and pickup servo 86−24200
Tsugawa, J. Introduction to CD system technology. III. Compact disks and semiconductor laser 86−24220
Tsugawa, J. Introduction to CD system technology. V. Circuit configuration of CD players 86−31071
Tsugawa, J. Introduction to CD system technology. VI. Circuit configuration of CD players 86−49872
Tsugba, A.R. *see* Il'inskaya, L.S. 85−47955
Tsuge, A. *see* Anzai, K. 86−13503
Tsuge, A. *see* Iwase, N. 87−74401
Tsuge, H. Characteristics of Nb-based tunnel junctions fabricated by selective trilayer ion-beam etching process 88−26709
Tsuge, H. *see* Hidaka, M. 88−39834
Tsuge, H. *see* Nagasawa, S. 88−71975
Tsuge, K., Kuwamura, S., Kondo, M., Nishimura, K., Yamaguchi, M., Hosokawa, Y., Yamagishi, H., Takada, J., Nakayama, T., Fukada, N., Tawada, Y. Fabrication and characteristics of a-Si:H solar cell module 87−9796
Tsuge, K. *see* Kondo, M. 88−37477
Tsuge, K. *see* Mizuno, Y. 85−29351, 85−45913
Tsuge, K. *see* Tawada, Y. 86−40075, 87−16032, 87−30990, 87−72416
Tsuge, K. *see* Yamagishi, H. 87−78904, 88−17973, 88−31013
Tsuge, K. *see* Yamaguchi, M. 88−33860
Tsuge, M., Fujita, A., Sonoda, S., Yamashita, R., Kubota, J., Sato, C. Development of inspection robots for spherical gas storage tanks 88−5224
Tsuge, M., Yano, J., Shichi, E., Kawashima, K., Matsumoto, S. Treatment of cold rolling coolant for steel by HGMS 88−52169
Tsuge, M. *see* Ohsawa, S. 87−25908
Tsuge, S. *see* Wada, Y. 88−44171
Tsuguliev, A.I. Optoelectronic electric field intensity indicator 87−3560
Tsugunyan, R.V. *see* Sterman, L.S. 87−50671
Tsui, B.M.W., Gullberg, G.T., Edgerton, E.R., Gilland, D.R., Perry, J.R., McCartney, W.H. Design and clinical utility of a fan beam collimator for SPECT imaging of the head 86−70398
Tsui, B.M.W. *see* Chang, W. 87−77651
Tsui, C.Y. *see* Ayres, V.M. 88−4122
Tsui, D. *see* Razeghi, M. 88−12972
Tsui, D.C. Fractional quantum effect in transport along the GaAs-Al$_x$Ga$_{1-x}$As interface 85−1364
Tsui, D.C. Quantum Hall effect: fractional quantization 86−47363
Tsui, D.C., Stormer, H.L. The fractional quantum Hall effect 87−6420
Tsui, D.C. *see* Bishop, D.J. 87−32358
Tsui, D.C. *see* Boebinger, G.S. 86−8856
Tsui, D.C. *see* Chang, A.M. 85−1376, 86−1793
Tsui, D.C. *see* Choi, K.K. 86−8862, 87−32279
Tsui, D.C. *see* Chou, M.J. 85−62431, 86−14916, 88−20493
Tsui, D.C. *see* Frei, M. 87−37925
Tsui, D.C. *see* Goldman, V.J. 87−60141, 88−32865, 88−39116
Tsui, D.C. *see* Gossard, A.C. 85−64240
Tsui, D.C. *see* Lin, B.J.F. 85−1355, 87−6445
Tsui, D.C. *see* Lu, P.-F. 85−34621
Tsui, D.C. *see* Pong-Fei Lu 85−6754
Tsui, D.C. *see* Prasad, S. 88−51661
Tsui, D.C. *see* Vuong, T.H.H. 87−24825, 87−45645, 88−39095
Tsui, D.C. *see* Wei, H.P. 85−2120, 85−23494, 86−14908, 86−28000, 86−53418
Tsui, D.C. *see* Zheng, H.Z. 86−8861, 86−53413, 87−11803
Tsui, E.T., Ibaraki, R.Y., Rios, C. Surface-acoustic-wave multipath combiner development for satellite communication receivers 85−30985
Tsui, F. Self-sufficient random-pattern tests 85−44957
Tsui, F.F. Minimum-overhead design for in-system testability of LSI/VLSI circuits 85−17355
Tsui, F.F. Self-sufficient random-pattern test (SSRPT) 86−17800
Tsui, F.F. The cost and speed barriers in LSI/VLSI testing−can they be overcome by testability design? 86−47741
Tsui, F.F. Design for testability in LSI/VLSI systems 87−67507
Tsui, J. False alarm measurements on receivers 85−14101
Tsui, J.B.Y. An approximation equation for EW receiver sensitivity 87−8355
Tsui, J.B.Y., Brumfield, W.T. EW receivers using acousto-optic and ultrasonic components 86−2893
Tsui, J.B.Y., Hadorn, P.S., Davis, R.L. Advanced electronic warfare receiver forecast 88−30218
Tsui, J.B.Y., Thompson, M.H., McCormick, W. Theoretical limit on instantaneous dynamic range of EW receivers 87−34356
Tsui, J.B.Y. *see* Allen, K.J. 85−63988
Tsui, J.B.Y. *see* Hoffmann, J.F. 85−13148
Tsui, K., Rosenfeld, D. A PC-based medical imaging workstation 88−36546
Tsui, R. *see* Johnson, E. 85−10717
Tsui, R.K., Curless, J.A., Kramer, G.D., Peffley, M.S., Rode, D.L. Effects of substrate misorientation on the properties of (Al,Ga)As grown by molecular beam epitaxy 86−7767
Tsui, R.K., Curless, J.A., Kramer, G.D., Peffley, M.S., Wicks, G.W. Properties of Al$_x$Ga$_{1-x}$As ($x_{Al}\simeq0.3$) grown by molecular-beam epitaxy on misoriented substrates 86−40733
Tsui, R.K., Kramer, G.D., Curless, J.A., Peffley, M.S. Al$_{0.3}$Ga$_{0.7}$As/GaAs single quantum well structures grown by molecular beam epitaxy on misoriented substrates 86−46313
Tsui, R.K., Kramer, G.D., Curless, J.A., Peffley, M.S. Substrate misorientation effects on (Al,Ga)As and (Al,Ga)As/GaAs structures grown by molecular beam epitaxy 88−1374
Tsui, R.K. *see* Kramer, G.D. 87−65531
Tsui, R.K. *see* Nair, V.K. 87−1531
Tsui, R.Y. Variable track space channel routing 87−36897
Tsui, R.Y. A power bus channel router 88−71683
Tsui, S. The technology behind the DMS SuperNode 88−9006
Tsui, S.K. *see* Wen, C.Y. 85−42010
Tsui, T.S. *see* Chu, Y.P. 86−49173
Tsui, W.L. *see* Chan, Y.W. 87−68536, 88−20687
Tsui, W.L. *see* Kwan, S.H. 85−17000
Tsui, Y.T. On wake-induced vibration of a conductor in the wake of another via a 3-D finite element method 86−51042
Tsui Hung Tat *see* Hung Tat Tsui
Tsui Hung-Tat *see* Hung-Tat Tsui
Tsui Kai Y. *see* Kai Y. Tsui
Tsui Kwok-Leung *see* Kwok-Leung Tsui
Tsuiki, H. *see* Aratoh, S. 85−49698
Tsuiki, M. *see* Iwamoto, T. 85−27229
Tsuiki, T. *see* Kondo, K. 86−54830
Tsuji, A. *see* Nakajima, A. 87−4646
Tsuji, A. *see* Shimojo, T. 86−50853
Tsuji, H., Hamaguchi, M. Inverters used in refrigerated warehouses 88−6051
Tsuji, H., Nishi, M., Yoshida, K., Tada, E., Kawano, K., Koizumi, K., Yamamura, H., Oshikiri, M., Takahashi, Y., Ando, T., Shimamoto, S. Thermal design and verification tests of the Nb-Ti demo poloidal coils (DPC-U1, U2) 88−65066
Tsuji, H., Shimamoto, S., Ulbricht, A., Komarek, P., Katheder, H., Wuchner, F., Zahn, G. Experimental results of domestic testing of the pool-boiling cooled Japanese and the forced-flow cooled Euratom LCT coils 86−2643
Tsuji, H., Shimamoto, S., Ulbright, A., Komarek, P., Wuchner, F. Comparison of experimental results in the domestic tests of the Japanese and Euratom-LCT-coils 86−28754
Tsuji, H., Yoshida, K., Ando, T., Takahashi, Y., Nishi, M., Tada, E., Okuno, K., Koizumi, K., Nakajima, H., Kato, T., Ohgane, Y., Yaguchi, E., Shimamoto, S. Design selections for the fabrication of the demonstration poloidal coil 86−58725
Tsuji, H. *see* Adachi, R. 86−52074
Tsuji, H. *see* Ando, T. 85−1925, 85−41089, 87−12090, 88−65086
Tsuji, H. *see* Furukawa, S. 87−2721
Tsuji, H. *see* Ishikawa, J. 87−56977, 87−56982
Tsuji, H. *see* Kato, T. 85−56249
Tsuji, H. *see* Koizumi, K. 88−65105
Tsuji, H. *see* Lubell, M.S. 88−65028
Tsuji, H. *see* Okuno, K. 87−67972, 88−65029
Tsuji, H. *see* Phelan, P.E. 88−68966
Tsuji, H. *see* Shibutani, Y. 88−63405
Tsuji, H. *see* Shimamoto, S. 85−1893, 85−1927, 85−41077, 87−12091, 88−13775, 88−65098
Tsuji, H. *see* Shirakawa, K. 88−19981
Tsuji, H. *see* Tada, E. 87−67979
Tsuji, H. *see* Takahashi, Y. 85−35366, 85−56141, 86−42191, 87−67954
Tsuji, H. *see* Tokizawa, I. 87−34264, 87−40534
Tsuji, H. *see* Yoshida, K. 88−65087
Tsuji, I. Standardizing electronic components for the world market. VI. Capacitor standardization. (i). Paper and plastic film capacitor standardization 87−45319
Tsuji, J., Kagawa, S., Hirano, M., Uezumi, Y. A field demonstration of a high-speed process-data subsystem 87−76355
Tsuji, J., Yamamoto, O. Recently developed optical dataway for high speed DDC system in steel and iron plant 86−54911
Tsuji, K. High-speed thermal printing technology 87−40307
Tsuji, K. Construction of an energy demand distribution model−link with a regional socio-economic simulation model 88−69095
Tsuji, K., Iwasaki, H. The working test of Automatic Radar Plotting Aids. I 85−58203
Tsuji, K., Kumagai, S., Kodama, S. On the liveness of extended marked graphs 87−31422
Tsuji, K., Kumagai, S., Kodama, S., Takeda, S. On the liveness of extended marked graphs 86−57343
Tsuji, K., Kumagai, S., Kodama, S., Yamada, T. Modelling and verification of sequential control systems by Petri nets 86−66731
Tsuji, K., Nagayama, H. TV image printer 86−17613
Tsuji, K., Nishiura, T., Ryugo, T., Yura, T. A meteorological data-processing system 86−32745
Tsuji, K., Pyong Sik Pak, Suzuki, Y. An energy demand model based on large scale cross regional data 88−23413
Tsuji, K., Sasago, M., Kugimiya, K. Submicrometer optical lithography using a double-layer resist by a single development technology 85−18393
Tsuji, K., Takasaki, Y., Harai, T., Yamazaki, J., Tanioka, K. Avalanche multiplication in amorphous selenium 88−19632
Tsuji, K. *see* Hamanaka, H. 85−6808, 86−58387
Tsuji, K. *see* Hirai, Y. 87−60222
Tsuji, K. *see* Hori, T. 88−64402
Tsuji, K. *see* Ise, T. 85−38451, 86−40178, 87−72460
Tsuji, K. *see* Kajitani, Y. 87−1752, 88−13452
Tsuji, K. *see* Kogawa, T. 88−6064

Tsuji, K. *see* Mitani, Y. 86—44899, 87—30084, 87—71480, 87—71735, 88—54886
Tsuji, K. *see* Mitsui, T. 86—65171
Tsuji, K. *see* Suzuki, Y. 86—18765
Tsuji, M., Ogawa, Y. Load follow-up control of a pressurized water reactor power plant by using an approximate noninteractive control 87—4515
Tsuji, M., Ogawa, Y. Suboptimal control of a pressurized water reactor power plant using an approximate model-following method 88—36935
Tsuji, M., Shigesawa, H. Analytical and experimental considerations on the complex resonant frequency of open dielectric resonators 86—1349
Tsuji, M., Shigesawa, H. Mutual interference between the guided-wave and the leaky-wave regions and its effects on the performance of dielectric grating filters 87—6032
Tsuji, M., Shigesawa, H. An accurate analysis of discontinuities in dielectric rectangular waveguide and its application to grating filters 87—75516
Tsuji, M., Shigesawa, H. On the electromagnetic wave scattering from planar dielectric periodic gratings with finite extent 88—2539
Tsuji, M., Shigesawa, H. Challenge to 3-D discontinuous dielectric waveguide circuit analysis 88—72632
Tsuji, M., Shigesawa, H., Oliner, A.A. Microwave network design approach to dielectric periodic leaky-wave antennas 87—27021
Tsuji, M., Tomita, T., Suzuki, K. Development of the FIC mounting machine with vision system 88—1158
Tsuji, M., Yamada, E., Izumi, K., Oyama, J. Modeling of current source inverter-fed induction motor under vector control 86—6769
Tsuji, M., Yamada, E., Izumi, K., Oyama, J. Transient characteristics of CSI-IM vector control system for special operating conditions [inverter fed induction motor] 86—39803
Tsuji, M., Yamada, E., Izumi, K., Oyama, J. Rotor flux linkage control of CSI-IM vector control system 87—22379
Tsuji, M., Yamada, E., Izumi, K., Oyama, J. Stability analysis of a current source inverter-fed induction motor under vector control 87—43020
Tsuji, M., Yamada, E., Izumi, K., Oyama, J. A sampled-data model of CSI-IM vector control system using a microcomputer 88—17615
Tsuji, M. *see* Araya, T. 85—49224
Tsuji, M. *see* Izumi, K. 86—6796
Tsuji, M. *see* Lampariello, P. 87—75512
Tsuji, M. *see* Matsuda, S. 87—78955
Tsuji, M. *see* Oyama, J. 87—51185
Tsuji, M. *see* Shigesawa, H. 85—19197, 86—8436, 86—10170, 86—42892, 86—47048, 86—64087, 87—6007, 87—6056
Tsuji, M. *see* Sugimoto, A. 85—58346 to 58347
Tsuji, M. *see* Sumida, M. 87—28578
Tsuji, M. *see* Takeda, Y. 86—33372
Tsuji, M. *see* Yamada, E. 85—48956, 87—22371
Tsuji, M. *see* Yokoo, T. 87—70648
Tsuji, S. Solid-state image sensors for robots add flexibility to factory automation 85—37485
Tsuji, S. The forefront of medical technology 88—68329
Tsuji, S., Iri, E. Poly-GaAs thin film deposited on silica substrate by RF sputtering and its light transmissional characteristics 87—23716
Tsuji, S., Matsumura, H., Ohuchi, H. 1.5 μm DFB laser diodes and InGaAs/InP photodetectors 87—18963
Tsuji, S., Mizuishi, K., Hirao, M., Nakamura, M. Reliable long wavelength semiconductor lasers for optical fiber communications 85—18952
Tsuji, S., Nakamura, K., Nishihara, H., Yokota, T., Ogiso, N., Sato, H. Optical pickup of compact disk player 85—58427
Tsuji, S., Ohishi, A., Nakamura, H., Hirao, M., Chinone, N., Matsumura, H. DFB constricted mesa buried heterostructure lasers 86—36510
Tsuji, S., Ohishi, A., Nakamura, M., Chinone, N., Matsumura, N. Low threshold operation of 1.5-μm DFB laser diodes 87—68514
Tsuji, S., Yachida, M., Guo, H.-L. WIRESIGHT: robot vision for determining three-dimensional geometry of flexible wires from shadow information 85—33171
Tsuji, S. *see* Aoki, N. 85—52874, 86—69161
Tsuji, S. *see* Asada, M. 87—48212
Tsuji, S. *see* Chao, J. 88—14397
Tsuji, S. *see* Edwards, A.W. 87—14756
Tsuji, S. *see* Gang, Xu. 87—28860
Tsuji, S. *see* Guo, H.-L. 85—26482, 85—52873
Tsuji, S. *see* Heng-Li Guo 86—66606
Tsuji, S. *see* Inoue, H. 88—14177
Tsuji, S. *see* Ishida, K. 86—42358
Tsuji, S. *see* Iwai, S. 85—41983
Tsuji, S. *see* Lee, T.P. 87—33161
Tsuji, S. *see* Ogino, T. 86—39314
Tsuji, S. *see* Oh, W.G. 88—52595
Tsuji, S. *see* Okai, M. 87—46856, 88—34004
Tsuji, S. *see* Tanaka, H.T. 86—4041
Tsuji, S. *see* Tanji, M. 85—52548
Tsuji, S. *see* Vodhanel, R.s. 87—56155
Tsuji, S. *see* Weon Geun Oh 87—75925
Tsuji, S. *see* Xu, G. 87—47904, 87—62389
Tsuji, S. *see* Yagi, Y. 86—69170
Tsuji, T. The Higashi Niigata combined cycle plant 86—33079
Tsuji, T. Measurement of squirrel cage rotor current by twin stator induction motors 87—22358
Tsuji, T., Doki, T. On a regenerative braking of induction motors by microcomputer control drive system 87—43019
Tsuji, T., Hatata, M. Advanced power-system control and protection systems 88—5284
Tsuji, T., Ito, K., Nagamachi, M. A limb-function discrimination method using EMG signals for the control of multifunctional powered prostheses 87—42015
Tsuji, T., Ito, K., Nagamachi, M. A limb-function discrimination method using EMG signals for the control of multifunctional powered prostheses 88—42579
Tsuji, T., Ito, K., Nagamachi, M., Takahashi, Y., Matsumoto, Y. Dynamic characteristics of man-machine control system with EMG manipulation and electrocutaneous stimulation feedback 88—54628
Tsuji, T., Nakata, Y., Shibuya, N., Maruyama, T., Yoshida, H. A solar photovoltaic system for a multi-family building 85—27351
Tsuji, T., Naruse, Y., Schirouzu, S. Infrared and X-ray imaging technology 88—10029
Tsuji, T., Shirakawa, T., Kozaki, R. Hybrid integrated circuits for computer 88—1232
Tsuji, T., Watanabe, S., Ikeda, K., Maeda, A. Computer-aided engineering for power-system planning 85—53287
Tsuji, T. *see* Fujiki, T. 87—50875
Tsuji, T. *see* Fukai, M. 87—63048
Tsuji, T. *see* Ito, K. 85—9230
Tsuji, T. *see* Kobe, T. 87—16018
Tsuji, T. *see* Komoto, T. 88—35442
Tsuji, T. *see* Kuzuhara, M. 86—1724
Tsuji, T. *see* Mukae, H. 87—50659
Tsuji, T. *see* Muraoka, T. 86—18157
Tsuji, T. *see* Shiramizu, T. 87—35088
Tsuji, T. *see* Shirouzu, S. 87—70445
Tsuji, T. *see* Sugiura, T. 85—34176
Tsuji, T. *see* Susumago, I. 86—52172, 87—15212
Tsuji, T. *see* Takebe, T. 88—56807
Tsuji, T. *see* Ueda, R. 87—42945
Tsuji, T. *see* Yoshino, T. 86—23805
Tsuji, Y., Asai, K. Character image segmentation 85—30308
Tsuji, Y., Asai, K. Character image segmentation, based upon minimum variance criterion 86—3978
Tsuji, Y., Asai, K. Adaptive character segmentation method based on minimum variance criterion 86—10495
Tsuji, Y., Kikuchi, H., Yamada, T., Watanabe, T., Miyanishi, Y. The development and performance of the Mitsubishi superconductive magnetic-resonance imaging system 87—14861
Tsuji, Y. *see* Furukane, U. 88—51754
Tsuji, Y. *see* Hanazono, M. 87—67759
Tsuji, Y. *see* Miura, T. 85—36365
Tsuji, Y. *see* Morikawa, Y. 86—65300
Tsuji, Y. *see* Ohura, M. 87—67763
Tsuji, Y. *see* Onodera, T. 88—12892
Tsuji, Y. *see* Takeda, Y. 85—16212
Tsuji, Y. *see* Yamada, K. 86—4570
Tsuji-Moto, S. *see* Ishimura, N. 85—41987
Tsujiai, H. *see* Takashima, Y. 88—61365
Tsujide, T. *see* Komuro, T. 86—34812
Tsujihara, S., Kataoka, T., Sasaki, M., Kawashima, M., Nakajima, Y., Ohmae, H. 50-inch rear-projection display for Hi-Vision 87—70201
Tsujii, H., Ohnaka, K., Sasai, Y., Shibata, J. Monolithic integration of InGaAsP/InP HBT's with a 1.3 μm laser diode for lightwave telecommunication 88—14060
Tsujii, H., Ohnaka, K., Shibata, J. InP LD with PD fabricated by Br$_2$-reactive-ion-etching technique 88—65715
Tsujii, H. *see* Kamada, T. 85—43429
Tsujii, H. *see* Ohnaka, K. 88—65526
Tsujii, H. *see* Onuma, T. 86—15282
Tsujii, K. *see* Ihara, S. 85—37604
Tsujii, K. *see* Kawashima, M. 85—52347
Tsujii, S. On standardization of personal computer communication protocols 85—52051
Tsujii, S. Development of digital signal processing and algorithms over finite field 88—40973
Tsujii, S., Itoh, T., Fujicka, A., Kurosawa, K., Matsumoto, T. Public-key cryptosystem based on the difficulty of solving a system of nonlinear equations 87—54855
Tsujii, S., Itoh, T., Kurosawa, K. ID-based cryptosystem using discrete logarithm problem 88—14582
Tsujii, S., Kurosawa, K., Itoh, T., Fujioka, A., Matsumoto, T. A public-key cryptosystem based on the difficulty of solving a system of non-linear equations 87—54942
Tsujii, S. *see* Chao, J. 88—45724, 88—45728, 88—66894
Tsujii, S. *see* Edanami, T. 85—57389
Tsujii, S. *see* Itoh, T. 85—30198, 86—68971, 88—27804, 88—40781
Tsujii, S. *see* Kurosawa, K. 85—41650, 85—42284, 86—27489, 86—29441, 86—42868, 86—69082, 87—7891, 87—27448, 87—27721, 87—48743, 88—52604
Tsujii, S. *see* Perez, H. 88—44287
Tsujikado, K. *see* Mashiko, Y. 87—56766
Tsujikado, K. *see* Miyoshi, M. 87—56767
Tsujikawa, H. *see* Mizobuchi, A. 85—15104
Tsujikawa, H. *see* Takanaka, M. 86—24998
Tsujikawa, H. *see* Tanabe, T. 86—24990
Tsujikawa, H. *see* Yoshida, K. 86—25101
Tsujikawa, K., Yamamoto, J., Nagai, H., Murayama, Y., Suehiro, J., Tofuku, K., Uchimura, T., Satonaka, M. Chip in glass fluorescent indicator panel 88—53794
Tsujikawa, K. *see* Nagai, H. 87—70432
Tsujikawa, K. *see* Shibaya, H. 86—38050
Tsujikawa, Y., Sawada, T. Off-design point characteristics of the precooled gas turbine cycle with liquefied hydrogen as fuel 85—21498
Tsujikawa, Y., Tsukamoto, Y. Optimization of hydrogen fueled gas turbine-steam turbine combined cycle 88—37067
Tsujimara, S. *see* Hinamoto, T. 86—62739
Tsujimichi, S., Ohkami, T., Shimazu, Y. A next-generation 32-bit VLSI signal processor 87—17142
Tsujimoto, A. *see* Ishimoto, S. 85—61283
Tsujimoto, H. *see* Koyama, H. 88—33520
Tsujimoto, H. *see* Oshiro, O. 87—66603, 88—50446
Tsujimoto, I. ME-technology-applied crossing centralized supervisory control system 88—31148
Tsujimoto, J., Miyamoto, J., Matsukawa, N., Shinada, K., Morita, S., Nozawa, H., Iizuka, T. A 5 V only 256K CMOS EEPROM using barrier height lowering technique 86—34819
Tsujimoto, J. *see* Matsui, M. 88—6832
Tsujimoto, J. *see* Matsukawa, N. 86—41131
Tsujimoto, J. *see* Miyamoto, J. 87—5881
Tsujimoto, J. *see* Ohtani, T. 87—59505
Tsujimoto, K. Subjective evaluation of audio equipment 87—56423
Tsujimoto, K., Akiyama, T., Shimokura, N., Azumi, K., Karatani, N., Yukino, T. Study of a lightning arrester for a 77 kV power transmission line 86—12511
Tsujimoto, K., Tachi, S., Ninomiya, K., Suzuki, K., Okudaira, S., Nishimatsu, S. A new side wall protection technique in microwave plasma etching using a chopping method 87—32434
Tsujimoto, K. *see* Hiroo, I. 86—51043
Tsujimoto, K. *see* Morishita, S. 86—51048
Tsujimoto, K. *see* Ohgushi, K. 88—29076, 88—60497
Tsujimoto, K. *see* Tachi, S. 88—33026
Tsujimoto, K. *see* Yukihira, K. 86—22708
Tsujimoto, S. *see* Ishimura, N. 86—49024, 87—34666
Tsujimura, H. *see* Makino, T. 88—60738
Tsujimura, K. Detachable mobile radio unit for automobile telephone system 86—30669
Tsujimura, K., Eto, T., Tanaka, S. Diverse automobile telephone services—hands-free telephone and coin telephone 85—20077
Tsujimura, K. *see* Kikuchi, T. 86—4550
Tsujimura, T., Yabuta, T. Three-dimensional shape recognition using ultrasonic distance sensor 87—57448
Tsujimura, T., Yabuta, T., Morimitsu, T. Three-dimensional shape recognition method using ultrasonics for manipulator control system 87—50603
Tsujimura, T. *see* Takamatsu, K. 86—47947
Tsujimura, T. *see* Tomimasu, T. 88—30055
Tsujinaka, H. *see* Fukushima, S. 85—53018
Tsujino, F. *see* Oda, O. 88—11964
Tsujino, J. Studies on ultrasonic plastic welding with two longitudinal vibration systems 86—6190
Tsujino, J. Studies on ultrasonic plastic welding with two longitudinal vibration systems 86—18628
Tsujino, J. Ultrasonic wire bonding using a complex vibration welding tip 88—56007
Tsujino, J., Kenmotsu, K., Fujita, H., Ishikawa, S. Ultrasonic plastic welding with welding tip pair 87—15105
Tsujino, J., Kuroda, M., Horikoshi, M., Sugimoto, H. Ultrasonic wire bonding with a complex vibration welding tip 88—16987
Tsujino, J., Ueoka, T. Studies on the ultrasonic butt welding of metal plates 85—16778
Tsujino, J., Ueoka, T. Studies on ultrasonic butt welding 86—6189
Tsujino, J., Ueoka, T. Studies on ultrasonic butt welding of different metal plates 88—16981
Tsujino, J., Ueoka, T., Kenmotsu, K. Recent advance in ultrasonic welding of metal and plastics 87—4195
Tsujino, J., Ueoka, T., Suzuki, H., Horikoshi, T. Characteristics of metal weldment joined by ultrasonic butt welding 87—15107
Tsujino, J., Ueoka, T., Umemori, N., Fujisawa, H., Sugiyama, A. Ultrasonic butt welding of metal materials 88—10652
Tsujino, J., Ueoka, T., Yabuzaki, M., Suzuki, H., Horikoshi, T., Nagura, M., Kobayashi, M. Some recent applications of high power ultrasonics using multiple transducers and vibration systems 87—71468

Tsujino, J., Ueoka, T., Yanagihara, T., Takahashi, M., Goto, N., Masuda, Y. Studies on ultrasonic welding of ring shape weldment with two vibration systems 86—18627
Tsujino, J., Yabuzaki, M., Ueoka, T. Studies on ultrasonic vibration press of powder by longitudinal vibration punches and various vibration mode dies 88—16982
Tsujino, K., Sakurai, T., Nomura, Y., Chigusa, S., Mizoguchi, R., Kakusho, O. A continuous speech recognition system with a powerful environment for the knowledge-base construction: SPREX II 88—52393
Tsujino, K. *see* Kutaragi, K. 88—20244, 88—29121
Tsujino, K. *see* Mizoguchi, R. 87—19561
Tsujioka, K. *see* Hiramatsu, O. 85—59277
Tsujioka, K. *see* Kajiya, F. 85—38068, 85—53036, 87—77643, 88—54495
Tsujioka, N. *see* Vaughan, D.J. 88—1127
Tsujioka, T. *see* Kume, M. 88—51232
Tsujioku, K. *see* Furukawa, N. 86—71036
Tsujisawa, T., Murayama, H., Inada, H. Modern control theory application in high track density FDD 87—67766
Tsujita, M. *see* Arakawa, T. 86—15183
Tsujita, M. *see* Nakatani, K. 87—46646
Tsujita, S. The parameters and design of large-memory size mask ROM 88—25208
Tsujita, S., Shimakawa, K., Mitsui, K. 4-Mbit mask ROM MN234001 86—52838
Tsujita, T. *see* Sawano, H. 88—28916
Tsujita, T. *see* Suzuki, H. 87—8328
Tsujiuchi, J. Holography in Japan 86—10017
Tsujiuchi, J. Multiplex holograms and their applications in medicine 88—42528
Tsujiuchi, J., Honda, T., Suzuki, M., Saito, T., Iwata, F. Synthesis of multiplex holograms and their application to medical objects 86—5920
Tsujiuchi, J., Saito, T. Thermoplastic holograms in optical metrology and image processing 85—56876
Tsujiuchi, J. *see* Badique, E. 87—27637, 87—33759, 88—10340
Tsujiuchi, J. *see* Honda, T. 86—11710, 88—67967
Tsujiuchi, J. *see* Hong, R.T. 88—34781
Tsujiuchi, J. *see* Kikuchi, S. 87—47933
Tsujiuchi, J. *see* Ohyama, N. 86—5894, 86—5896, 87—19868, 87—35401, 87—39913, 87—49503
Tsujiuchi, J. *see* Wihardjo, E. 85—56848
Tsujiuchi, J. *see* Yachida, M. 87—27636
Tsujiuchi, J. *see* Yu, D.Y. 88—40416
Tsujiuchi, N. *see* Tanaka, H. 88—62794
Tsujiue, M. Maintenance of direct suspension wire for electric tramway 86—66417
Tsujiura, T. *see* Funabashi, H. 85—65280
Tsujiyama, B., Tamura, Y., Ohwaki, J., Kozawaguchi, H. Bright-blue electroluminescence and hysteresis behavior in $SrS:CeCl_3$ thin films 87—3687
Tsujiyama, B. *see* Hirabayashi, K. 85—41256, 87—68296, 88—2129, 88—51684
Tsujiyama, B. *see* Ohwaki, J. 85—43042, 87—68295, 87—68298, 87—70713, 88—22710
Tsujiyama, B. *see* Seki, S. 85—23586, 85—34666, 85—45727, 87—73981, 87—74300, 87—74302, 88—50843
Tsujiyama, B. *see* Shibata, T. 88—12059
Tsujiyama, B. *see* Tamura, Y. 86—36325
Tsujiyama, B. *see* Unagami, T. 85—12738
Tsujiyama, B. *see* Yamauchi, N. 88—16332
Tsukada, E., Kawakami, Y., Miyake, S., Ogawa, S. On-board antenna pointing mechanism for multi-beam satellite communications systems 88—40758
Tsukada, E., Kuroda, H., Miyake, S. On-board antenna pointing mechanism for multi-beam communication satellite 88—14551
Tsukada, E., Kuroda, H., Miyake, S. On-board antenna pointing mechanism for multi-beam communications satellite 88—40699
Tsukada, E. *see* Kawakami, Y. 87—34475, 87—48988
Tsukada, E. *see* Kono, M. 85—32068, 85—32108
Tsukada, H., Hagio, M., Kazumura, M., Tomori, S., Ogata, S., Matsubara, H., Muramatsu, K. SHF low-noise GaAs FET 86—58063
Tsukada, H., Suzuki, K., Sato, I., Miura, R. Ultra-large size austenitic stainless steel forgings for a fast breeder reactor: development, manufacturing and properties achieved 87—72623
Tsukada, H. *see* Nieuwland, H.C.D. 85—39355
Tsukada, H. *see* Onodera, S. 85—39357
Tsukada, K., Maruizumi, T. ISFET incorporated in a differential amplifier 87—63404
Tsukada, K., Maruizumi, T., Miyagi, H. A multiple-ISFET integrated with CMOS interface circuits 88—47504
Tsukada, K., Maruizumi, T., Miyagi, H. ISFET incorporated in a differential amplifier 88—53605
Tsukada, K., Miyakawa, Y. Voltage detector [switchgear protection] 85—48636
Tsukada, K., Yasugi, T., Nakamura, K., Nomura, H., Fukushima, K., Hayashida, F. Optical communication systems for power company 87—40908
Tsukada, K. *see* Enomoto, R. 88—61123, 88—68217
Tsukada, K. *see* Ikeda, H. 88—8973, 88—15205
Tsukada, K. *see* Miyahara, Y. 88—47479
Tsukada, K. *see* Nishitani, T. 85—63663
Tsukada, K. *see* Onoda, K. 87—40387
Tsukada, M. *see* Kaneko, S. 86—31239, 86—68385
Tsukada, M. *see* Mizuno, M. 85—37992
Tsukada, M. *see* Ohtsuka, Y. 88—33638
Tsukada, M. *see* Shoji, T. 88—9309
Tsukada, M. *see* Tanaka, Y. 88—20282, 88—26712, 88—51395
Tsukada, M. *see* Tanoshima, K. 86—2572
Tsukada, N. *see* Ohkawa, N. 88—20290
Tsukada, N. *see* Tokuda, Y. 87—26383, 87—26408, 87—68441, 88—14231, 88—20681
Tsukada, S. *see* Noguchi, A. 86—28073
Tsukada, T. Amorphous silicon linear image sensors 86—5103
Tsukada, T. Photosensors 86—5315
Tsukada, T., Horiguchi, S., Misawa, M., Sato, N. The super-small CCD color TV camera 88—15794
Tsukada, T., Kanada, T. An analysis of characteristics of noncontact electrostatic capacitance gap sensor for cylindrical form measurements 85—42954
Tsukada, T., Nakatani, Y., Imaizumi, E., Toba, Y., Ueda, S. CMOS 8b 25 MHz flash ADC 86—14314
Tsukada, T., Seki, K., Yamamoto, H., Sasano, A. Semitransparent silicide electrode formed on the surface of a-Si:H 85—50287
Tsukada, T., Takahashi, H., Ukai, K. Anisotropic etching of poly-silicon film using CCl_2F_2/N_2 85—18256
Tsukada, T., Ukai, K. Dry etching devices and etching characteristics—reactive ion etching equipment and etching characteristics 86—35581
Tsukada, T. *see* Kanada, T. 86—24765, 87—63511
Tsukada, T. *see* Kaneko, Y. 87—25337
Tsukada, T. *see* Kume, H. 88—38540
Tsukada, T. *see* Kuwata, K. 87—56770
Tsukada, T. *see* Sasano, A. 85—47861, 88—26301
Tsukada, T. *see* Seki, K. 87—14134
Tsukada, T. *see* Suzuki, K. 86—28364
Tsukada, T. *see* Taniguchi, Y. 88—64129
Tsukada, T. *see* Toyabe, T. 87—46012
Tsukada, T. *see* Yanagi, K. 86—70227
Tsukagoshi, S. *see* Ando, H. 87—66251
Tsukagoshi, S. *see* Nomura, S. 87—40529
Tsukagoshi, T. Application of by-product ferrite 87—53905
Tsukagoshi, T., Miura, T., Yamauchi, F. Ferrite sensor 88—53634
Tsukagoshi, Y. *see* Tezuka, M. 87—40319
Tsukahara, K. *see* Tsuburaya, H. 85—57635
Tsukahara, M., Fukai, S., Ishikawa, H. Compensation technique for the clock feedthrough effect on switched-resistor circuits 87—17228
Tsukahara, M. *see* Fukai, S. 86—1244, 86—67319, 87—24319
Tsukahara, S., Yokoyama, Y., Tanaka, T., Kokuba, A. Transmission electron microscopy of amorphous Tb-Fe films after thermomagnetic recording. II 86—42118
Tsukahara, S. *see* Yokoyama, Y. 85—29442
Tsukahara, T., Ishikawa, M. CMOS comparator suitable for mixed analog-digital LSIs 88—51019
Tsukahara, T. *see* Ishikawa, M. 87—17283
Tsukahara, T. *see* Nakamura, K. 86—61596
Tsukahara, T. *see* Sano, E. 88—64789
Tsukahara, Y., Nakaso, N., Kushibiki, J., Chubachi, N. An instrument for layer thickness measurement using pseudo-Sezawa waves 87—70812
Tsukahara, Y., Nakaso, N., Ohira, K., Saito, M., Kushibiki, J., Chubachi, N. Layer thickness measurement of various materials using pseudo-Sezawa waves 88—10657
Tsukahara, Y. *see* Yoshikawa, H. 88—11449
Tsukakoshi, N. *see* Miura, T. 85—36365
Tsukakoshi, O. *see* Katagawa, T. 87—56979
Tsukakoshi, O. *see* Komagata, K. 85—12150
Tsukakoshi, O. *see* Komatsu, K. 87—53367
Tsukakoshi, O. *see* Miyamura, M. 85—18257
Tsukakoshi, O. *see* Shimizu, S. 85—10735, 85—33421, 85—39740, 85—60974, 86—20049
Tsukakoshi, O. *see* Uchiyama, T. 87—56986
Tsukakoshi, T., Mochizuki, E., Hirai, T., Yoshikawa, K. The processing of digital seismograms using the auto regressive model 86—32526
Tsukakoshi, T. *see* Nakagawa, A. 85—40775, 88—70541
Tsukakoshi, T. *see* Ohashi, H. 87—46215
Tsukakoshi, T. *see* Ohura, J. 88—2118
Tsukakoshi, T. *see* Shimizu, S. 86—52490
Tsukame, M. *see* Odagiri, Y. 88—41664
Tsukamoto, A., Tsubakihara, Y., Yoshida, T. Development of packet-telex network connecting equipment 87—62553
Tsukamoto, A. *see* Abe, K. 88—16629
Tsukamoto, A. *see* Chiba, Y. 88—54412
Tsukamoto, A. *see* Uebayashi, T. 88—29903
Tsukamoto, E. *see* Kohno, T. 86—23273
Tsukamoto, H. *see* Miyake, M. 86—58401
Tsukamoto, J., Hayashida, H. 12 GHz experimental station—high-definition TV experiment in TSUKUBA 86—30994
Tsukamoto, K. Optical inspection system for mask pattern 86—218
Tsukamoto, K., Miyauchi, M., Kaku, S. Switching-mode transformer 87—66336
Tsukamoto, K., Nagatomo, M., Okumura, Y., Ogawa, T., Matsuda, Y., Osaki, S., Matsukawa, T. Peripheral capacitor cell with full recessed isolation for Megabit DRAM 87—31903
Tsukamoto, K., Nochi, H., Watahiki, T., Miyata, T. A differential analog-to-digital converter 87—805
Tsukamoto, K., Okamoto, T., Shimizu, M., Matsukawa, T., Harada, H. Self-aligned titanium silicidation by lamp annealing 85—34890
Tsukamoto, K., Okamoto, T., Shimizu, M., Matsukawa, T., Nakata, H. Self-aligned titanium silicidation of submicron MOS devices by rapid lamp annealing 85—50463
Tsukamoto, K., Shimizu, M., Inuishi, M., Matsuda, Y., Oda, H., Morita, H., Nakajima, M., Kobayashi, K., Mashiko, Y., Akasaka, Y. Double stacked capacitor with self-aligned poly source/drain transistor (DSP) cell for megabit DRAM 88—38526
Tsukamoto, K., Suzuki, N., Watahiki, T., Miyata, T. Floating-point A/D converter using arbitrary-valued-capacitor array 85—870
Tsukamoto, K., Tanaka, K. Photovoltaic power system interconnected with utility 87—64485
Tsukamoto, K., Ushijima, K., Tanaka, K. Evaluation of residential photovoltaic power system with and without storage batteries 87—42731
Tsukamoto, K., Watahiki, T., Miyata, T. A floating-point A/D converter using switched-capacitor array 85—61336
Tsukamoto, K., Watahiki, T., Miyata, T. A floating-point A/D converter using switched-capacitor array 87—52666
Tsukamoto, K., Yamada, M. Fuel cell power and instrumentation systems 87—64791
Tsukamoto, K. *see* Ajika, N. 88—19844
Tsukamoto, K. *see* Andou, M. 87—806
Tsukamoto, K. *see* Asakura, M. 88—19148
Tsukamoto, K. *see* Fukuhara, Y. 86—6883
Tsukamoto, K. *see* Ichige, K. 85—61331, 87—804
Tsukamoto, K. *see* Itoh, Y. 87—66273
Tsukamoto, K. *see* Kato, T. 86—41664
Tsukamoto, K. *see* Kumanoya, M. 86—8259, 86—34792
Tsukamoto, K. *see* Matsuda, Y. 88—19169
Tsukamoto, K. *see* Matsukawa, T. 85—54892
Tsukamoto, K. *see* Morimoto, H. 87—17869, 87—38015
Tsukamoto, K. *see* Nakayama, N. 88—3466
Tsukamoto, K. *see* Okamoto, T. 85—50272, 86—21346, 87—25167, 88—33079
Tsukamoto, K. *see* Sasaki, K. 87—59129
Tsukamoto, K. *see* Sekiguchi, T. 85—28672, 87—52774
Tsukamoto, K. *see* Sharma, S.K. 88—50221
Tsukamoto, K. *see* Shimizu, M. 88—71588
Tsukamoto, K. *see* Tashiro, Y. 88—70865
Tsukamoto, K. *see* Terakado, T. 85—61330
Tsukamoto, K. *see* Terakado, Y. 85—871
Tsukamoto, M. Market and development trends of flow meters 87—35006
Tsukamoto, M. The current status and trends of MAP 87—48604
Tsukamoto, M. The anatomy of local area networks 88—3531
Tsukamoto, M. Development concepts of intelligent sensors 'Brain Series' 88—74345
Tsukamoto, M., Tojo, A. Computer networks 88—41321
Tsukamoto, M. *see* Babaguchi, M. 87—48146
Tsukamoto, M. *see* Ikuta, K. 88—68353
Tsukamoto, M. *see* Nunome, K. 86—18105
Tsukamoto, N. *see* Itami, M. 87—45063
Tsukamoto, N. *see* Kobayashi, N. 88—45943
Tsukamoto, N. *see* Koya, M. 87—28443
Tsukamoto, N. *see* Shimizu, K. 86—29758
Tsukamoto, O., Ishigohka, T., Yamamoto, M., Tanaka, Y., Kobayashi, H. Characteristics of epoxy-impregnated AC superconducting winding 87—67994
Tsukamoto, O., Iwasa, Y. Epoxy cracking in the epoxy-impregnated superconducting winding: nonuniform dissipation of stress energy in a wire-epoxy matrix model 85—62258
Tsukamoto, O., Kawai, K., Kokubun, Y. Quench detection of superconducting magnet by dual-core optical fiber 87—67967
Tsukamoto, O., Kawai, K., Kokubun, Y., Takao, T. Quench detection of superconducting magnet by dual-core optical fibre 88—45033
Tsukamoto, O., Takao, T., Honjoh, S. Estimating the size of disturbances due to conductor motion in superconducting windings 88—65051
Tsukamoto, O., Yasuda, K., Chen, J.Z. A new magnetic levitation system with AC magnets 88—69833
Tsukamoto, O. *see* Fujita, H. 85—62259
Tsukamoto, O. *see* Ishigohka, T. 85—1942
Tsukamoto, O. *see* Iwasa, Y. 85—50883

Tsukamoto, O. *see* Momota, H. 85−46104
Tsukamoto, O. *see* Satow, T. 85−62270
Tsukamoto, O. *see* Tanaka, Y. 87−67968, 88−51403
Tsukamoto, O. *see* Toyoda, K. 85−41090
Tsukamoto, O. *see* Yamamoto, M. 87−67928
Tsukamoto, S., Fujiwara, O., Katoh, K., Azakami, T. Occurrence frequencies of microarcs caused by carbon sliding-contacts 88−50462
Tsukamoto, S., Mitsui, N., Kuroda, Y., Ito, M. The latest substation equipment and emergency-generator set for buildings 87−15262
Tsukamoto, S. *see* Igarashi, H. 86−10956
Tsukamoto, S. *see* Kumakura, H. 86−63579, 87−53909
Tsukamoto, T., Shimazu, K., Matsuura, T. Analysis of and programs for linear active networks containing switches 87−23818
Tsukamoto, T., Yamaguchi, T., Mori, K. An automatic sealing equipment for watthour meters 86−5356
Tsukamoto, T. *see* Imori, M. 87−35365
Tsukamoto, T. *see* Kobayashi, M. 85−58803
Tsukamoto, T. *see* Shirahashi, A. 88−68216
Tsukamoto, T. *see* Tado, S. 87−1926
Tsukamoto, T. *see* Takeda, M. 87−22545
Tsukamoto, T. *see* Taniguchi, A. 86−31136, 86−31458, 88−13790
Tsukamoto, T.F. *see* Fujii, K. 85−4231, 85−43187
Tsukamoto, T.F. *see* Fujimoto, J. 87−14763, 87−63627
Tsukamoto, T.Y. *see* Fujii, K. 85−4231, 85−43187
Tsukamoto, T.Y. *see* Fujimoto, J. 87−14763, 87−63627
Tsukamoto, Y. *see* Akagi, H. 88−50238
Tsukamoto, Y. *see* Nakazato, K. 85−13631
Tsukamoto, Y. *see* Tsujikawa, Y. 88−37067
Tsukamoto, Y. *see* Yumoto, S. 88−58257
Tsukane, N. *see* Sato, M. 85−51010, 86−63553, 88−2071, 88−45232, 88−58261
Tsukanov, A.A. *see* Venatovsky, I.V. 86−5082
Tsukanov, V.V. *see* Sokolov, M.M. 87−9651
Tsukanova, G. *see* Sagdeev, R.Z. 87−49573
Tsukao, T. *see* Hasegawa, S. 86−34385
Tsukata, K. *see* Ohta, T. 85−36874
Tsukatani, M. Professional PCM audio tape recorder 86−24211
Tsukatani, M., Matsumoto, M. Audio equipment 87−34877
Tsukatani, M. *see* Maekawa, S. 87−34878
Tsukawaki, K. *see* Kawamura, M. 85−17891
Tsukawaki, K. *see* Mori, N. 87−45324
Tsukawaki, K. *see* Suzuki, J. 87−45323
Tsukerman, B.M., Abul'khanov, A.R., Finkel'shtein, I.E. Automatic extraction of sinusoidal RR-intervals from ECG-signals 86−18343
Tsukerman, E.V. *see* Miller, B.M. 86−36610
Tsukerman, I.A. *see* Boriskina, L.P. 88−11173
Tsukerman, I.A. *see* Khutoretskii, G.M. 85−65203, 87−35885, 88−55272
Tsukerman, I.A. *see* Kizimovich, Yu.P. 88−20831
Tsukerman, I.A. *see* Rakitskii, Yu.V. 87−33358
Tsukerman, V.L. *see* Mel'gui, M.A. 88−6544
Tsukerman, V.L. *see* Zatsepin, N.N. 88−74327
Tsukernik, L.V. *see* Sovalov, S.A. 86−50796
Tsukidate, A. *see* Ogino, Y. 87−41337
Tsukidate, M. A study on vowel recognition based on multiple regression model 88−8709
Tsukide, O., Okayama, T., Nomura, S. On the pulse voltage characteristics of Ti-TiO_2-Au thin film device 86−14972
Tsukii, T., Houng, S.G. Resistors condense wide-band multiport signal splitters 88−56870
Tsukiji, H. *see* Itoh, H. 87−63681
Tsukiji, M. *see* Kasama, K. 87−32343, 88−25992
Tsukiji, M. *see* Kimura, K. 85−5051, 86−25973
Tsukiji, T. Report of characteristics test on electro-magnetic wave anechoic chamber 85−57056
Tsukiji, T., Kumon, Y. The crossed twin-delta-loop-antennas with different peripheral lengths 86−68905
Tsukiji, T., Kumon, Y., Tou, S., Okubo, M. Twin delta loop antenna and its application to antenna with plane reflector 85−24964
Tsukiji, T., Kumon, Y., Tou, S., Okubo, M. Twin delta loop antenna and its application to antenna with plane reflector 87−2362
Tsukiji, T., Matsumoto, T., Matsumoto, T. The characteristics of impulse surface discharge at the non-uniform field in compressed air 87−25677
Tsukiji, T., Yamasaki, M. Bridged double triangular loop antenna 85−13335
Tsukiji, T., Yamasaki, M. Moment method analysis of receiving antennas 85−57103
Tsukiji, T. *see* Kumon, Y. 85−51497, 85−57136
Tsukiji, T. *see* Tou, S. 85−51507, 85−57153, 87−12833
Tsukiji, T. *see* Yamasaki, M. 85−57137
Tsukiji, Y. *see* Nishio, M. 85−20288, 86−69875, 88−60347
Tsukioka, H., Sugawara, K., Mori, E., Yamaguchi, H. New apparatus for detecting transformer faults 86−51685
Tsukioka, H. *see* Higaki, M. 86−28563
Tsukioka, H. *see* Ieda, M. 88−55412
Tsukioka, M., Nagata, E., Ehara, S., Tanaka, J. On optical absorption in semiconducting $KTa_{0.87}Nb_{0.13}O_3$ 86−68381
Tsukishima, T. *see* Ke-Xun Sun 87−33089
Tsukiyama, I. *see* Egawa, S. 88−48214
Tsukiyama, K. Generation and application of tunable VUV laser light 87−61058
Tsukiyama, M. A method of plant data summarization based on cause-consequence relation disturbance model [nuclear power plant safety] 85−48677
Tsukiyama, M. *see* Yamazaki, T. 86−49160
Tsukiyama, N. *see* Aoki, S. 88−75632
Tsukiyama, S., Fukui, M., Shirakawa, I. A heuristic algorithm for a pin assignment problem of gate array LSI's 85−17243
Tsukiyama, S., Koike, K., Shirakawa, I. An algorithm to eliminate all complex triangles in a maximal planar graph for use in VLSI floor-plan 86−67949
Tsukiyama, S., Shirakawa, I. Optimal layout for VLSI 86−66921
Tsukiyama, S., Tani, K., Shirakawa, I. An algorithm generating all rectangular duals for VLSI floor-plan 88−7714
Tsukiyama, S. *see* Harada, I. 85−28494, 86−67148
Tsukiyama, S. *see* Kawakami, Y. 88−50968
Tsukiyama, S. *see* Kimoto, T. 85−33575
Tsukiyama, S. *see* Nakamura, M. 88−9331
Tsukiyama, S. *see* Shinoda, S. 87−188, 88−18588
Tsukiyama, S. *see* Tani, K. 88−39638
Tsukiyama, T. Dimmer memory systems [stage lighting] 86−33848
Tsukiyama, T. Stage lighting control equipment 88−31185
Tsukiyama, T., Huang, T.S. Motion stereo for navigation of autonomous vehicles in man-made environments 87−48075
Tsukiyama, T., Suwa, M., Shirai, Y. Constructing an image processing system with an interconnection network 86−10499
Tsukizaki, Y. *see* Hayashi, N. 85−24211
Tsukizi, H. *see* Muta, I. 88−48922
Tsukizoe, A., Kozaula, T. VLSI layout verification CAD and its algorithms 85−40827
Tsukizoe, A., Kozawa, T., Ishii, T., Sakemi, J. An intersection calculation algorithm for VLSI mask pattern data 85−45823
Tsukizoe, A., Kozawa, T., Sakemi, J., Miura, C., Ishii, T. A concurrent pattern operation algorithm for VLSI mask data 87−60554
Tsukizoe, A., Sakemi, J., Kozawa, T. Geometrical analysis of mask pattern for VLSI and application of the technique 85−23895
Tsukizoe, A., Sakemi, J., Kozawa, T. A nearby vector searching algorithm for VLSI design rule checking 85−62032
Tsukkerman, I.I. Information problems of digital television 86−38024
Tsukkerman, I.I. *see* Goryacheva, G.S. 88−53548
Tsukkerman, I.I. *see* Yepanechnikov, V.Yu. 88−22299
Tsukkerman, S.T. Structure of optical controlling beam 87−49587
Tsukmoto, M. Fundamentals of LANs 88−9134
Tsukuda, A. *see* Hagimura, K. 87−45342
Tsukuda, S. Electrified railway facilities−electrified facilities of National Railways 86−33765
Tsukuda, S. JNR's power plants and its own power supply system 86−61789
Tsukuda, S. Railway electrification facilities—JNR electrification facilities 87−31043
Tsukuda, S. Relation between feeder line voltage and energy saving effect on the lines where DC EMUs with regenerative braking are operated 87−36220
Tsukuda, S. LED-applied indicators at JNR stations 87−77331
Tsukuda, S. Development and status quo of the centralized substation control system in the JR group 88−5951
Tsukuda, S. Electrified railway facilities 88−31103
Tsukude, M., Akamatsu, S., Hirose, M., Ueda, M., Osaka, Y. Amorphous silicon static induction transistor 86−41825
Tsukude, M., Akamatsu, S., Miyazaki, S., Hirose, M. Amorphous silicon superlattice thin film transistors 87−38307
Tsukude, M., Hata, S., Kohda, Y., Miyazaki, S., Hirose, M. Amorphous silicon superlattice thin film transistors 88−26298
Tsukude, M. *see* Morita, M. 85−50436, 85−61844
Tsukui, K. *see* Tani, S. 88−58937
Tsukui, K. *see* Yata, M. 88−56225
Tsukui, R. *see* Ohura, Y. 87−30049
Tsukui, R. *see* Sato, M. 85−64939
Tsukui, T., Murakami, K. Characteristics of an improved parametric linear motor 88−17652
Tsukui, T. *see* Simoni, L. 85−5038
Tsukumo, J., Asai, K. Nonlinear matching method for handprinted character recognition 85−51707
Tsukumo, J., Asai, K. Experiments for reading Japanese pocket books 87−69289
Tsukumoto, O., Kobayashi, H., Akita, S. Stability of epoxy-impregnated AC superconducting winding 88−65114
Tsukune, H. Determining 3-D motion and structure from time-varying images 85−46948
Tsukune, H., Aggarwal, J.K. Analyzing orthographic projection of multiple 3-D velocity vector fields in optical flow 86−4042
Tsukushi, M. *see* Nakagawa, Y. 86−26223
Tsulaya, M.I., Gabeliya, M.S., Dzhamaspishvili, S.I. Accuracy of neutron-beam polarization measurement by shim method 88−16601
Tsumagari, K. *see* Ohishi, H. 88−5637
Tsumagari, T., Murakami, J., Ohiwa, H., Noda, T. Analysis of mechanical aberrations in the electrostatic deflector 88−8426
Tsumagari, T., Ohiwa, H., Noda, T. Design of a low-aberration lens for focused ion beams 88−57283
Tsumaki, K. *see* Honjo, I. 86−65321
Tsumaki, N., Inoue, H., Kobayashi, S., Muramatsu, K., Sakamoto, Y. Micro particle analyzer 88−7722
Tsumanuma, T., Chigira, S., Sanada, K., Fukuda, O. Radiation resistance of fluorine doped silica core fibers 86−48174
Tsumanuma, T., Chigira, S., Sanada, K., Fukuda, O., Inada, K. Picture image transmission-system by fiberscope 87−18620
Tsumita, N., Shiroishi, Y., Suzuki, H., Ohno, T., Uesaka, Y. Perpendicular and longitudinal magnetic properties and crystallographic orientation of Co-Cr film 87−67708
Tsumita, N. *see* Okuwaki, T. 86−28653
Tsumita, N. *see* Shiroishi, Y. 85−45993, 86−58692
Tsumita, N. *see* Suzuki, H. 88−51222
Tsumita, N. *see* Uesaka, Y. 85−45981, 86−36025
Tsumita, Y., Togashi, N., Katsuyama, Y. Design and characteristics of 1000-fiber fully-connectorized optical cable 88−22123
Tsumoda, Y. *see* Shigematsu, K. 87−38878
Tsumori, K., Suemine, S. A high performance avalanche pulse generator 87−14685
Tsumori, K. *see* Homma, A. 87−14690
Tsumori, K. *see* Hori, T. 87−14687
Tsumori, K. *see* Shinohara, K. 87−14676
Tsumori, K. *see* Takeda, S. 86−24914, 88−54176
Tsumori, K. *see* Yamamoto, Y. 87−14672
Tsumura, A., Koezuka, H., Ando, T. Macromolecular electronic device: field-effect transistor with a polythiophene thin film 87−11766
Tsumura, A., Koezuka, H., Ando, T. Polythiophene field-effect transistor: its characteristics and operation mechanism 88−57660
Tsumura, A. *see* Koezuka, H. 87−53553, 88−12100
Tsumura, M., Takeuchi, R., Shimizu, I. A Bi-CMOS thermal head intelligent driver with density controllers for fulltone rendition printers 87−60587
Tsumura, M., Takeuchi, R., Shimizu, I. A BiCMOS thermal head intelligent driver with density controllers for full-tone rendition printers 88−50932
Tsumura, M., Takeuchi, R., Yotsutani, M., Hoya, K. A 64 bit Bi-CMOS sink driver for thermal head [print head] 85−890
Tsumura, M. *see* Takeuchi, R. 88−72207
Tsumura, T., Fujiwara, N., Hashimoto, M. A new method of position and heading measurement of ground vehicle by use of laser and corner cubes 85−3516
Tsumura, T., Fujiwara, N., Hashimoto, M., Tang, T. A new method of vehicle position measurement by use of laser beam tracking 88−47223
Tsumura, T., Hashimoto, M. Positioning and guidance of ground vehicle by use of laser and corner cube 86−59002
Tsumura, T., Hashimoto, M., Fujiwara, N., Komatsu, N., Suzuki, M. Laser tracking system for corner cube to realize active position measurement of three-dimensional vehicle 87−77399
Tsumura, T., Hashimoto, M., Fujiwara, N., Tanaka, S. A method of position and heading measurements for a vehicle travelling in two-dimensional space using laser and corner cubes 86−11714
Tsumura, T., Hashimoto, M., Kamei, S., Takahashi, A. Vehicle-to-vehicle communication system by use of laser/optical beam 85−3515
Tsumura, T. *see* Mochizuki, T. 88−55451
Tsumuraya, M. *see* Manabe, S. 85−31888
Tsun, T.-O. *see* Harth, W. 87−7224
Tsun, T.O. *see* Ho, H.H. 85−719
Tsun Wu Tai *see* Tai Tsun Wu
Tsunaga, M., Kato, S. Present state of directly solderable copper PTF 88−50558
Tsunaga, M., Sannohe, K. Directly solderable copper pastes for polymer thick film HIC 88−7232
Tsunakawa, H., Yokoyama, N. Conventional data-acquisition and telemetry system using an intelligent data logger 87−77851

Tsunashima, E. Surface mount resin combining both to bonding semiconductor and soldering the other components on surface mountable versions 86—62945
Tsunashima, E. Stabilization of PTF resistors for surface mount 87—73805
Tsunashima, E. Surface reflow soldering technique in Japan: one shot process for double sided components 88—1183
Tsunashima, E., Hirakawa, T., Nishimura, K., Okuno, A. A new organic hybrid circuit based on an aramid/epoxy laminate 88—64148
Tsunashima, E. *see* Yamada, T. 85—3079, 85—3083
Tsunashima, K. *see* Itoga, M. 88—15823, 88—41872
Tsunashima, K. *see* Ohigashi, N. 85—2186
Tsunashima, S. *see* Aratani, K. 85—45960, 86—42377, 88—1850
Tsunashima, S. *see* Yoshino, S. 88—33499
Tsunashima, T. *see* Kurita, S. 86—38275
Tsunashima, Y., Wada, T., Yamada, K., Moriya, T., Nakamura, M., Dang, R., Taniguchi, K., Kashiwagi, M., Tango, H. Metal-coated lightly-doped drain (MLD) MOSFETs for sub-micron VLSIs 86—41985
Tsunashima, Y. *see* Yamada, K. 86—46854
Tsunawaki, Y., Amir, A., Gallardo, J.C., Elias, L.R. Optical and electron beam requirements for an optical undulator FEL 88—51833
Tsunawaki, Y. *see* Ichikawa, Y. 85—52768, 86—29082, 88—2163, 88—2335
Tsunehiro, Y. *see* Murai, Y. 86—39760
Tsunehiro, Y. *see* Ohyama, K. 86—61506
Tsuneishi, K. *see* Ito, S. 87—7117, 88—65211
Tsuneishi, K. *see* Tanaka, S. 87—7131
Tsuneizumi, T., Akimaru, H., Takahashi, H. Individual call losses for multi-dimension traffic 85—19564
Tsuneizumi, T., Akimaru, H., Takahashi, H. An approximate formula for individual call losses in $GI+M/M/S$-loss models 86—30097
Tsunekane, M. *see* Usami, A. 87—4961, 87—9818
Tsunekawa, H., Kanemaki, N., Furusawa, A., Hotta, M., Kuroiwa, A., Nishida, M., Mori, N., Watanabe, Y., Morise, K., Iizuka, A., Daikuzono, N., Joffe, S.N. Studies on endoscopic local hyperthermia using Nd-YAG laser 88—10422
Tsunekawa, H. *see* Daikuzono, N. 88—30038
Tsunekawa, K. *see* Taga, T. 86—68861, 87—8188, 87—27035, 87—48946, 87—68865
Tsunekawa, S., Shimotsuji, S. Automatic drawing-reader—TOSGRAPH 85—49701
Tsunekawa, S. *see* Homma, Y. 85—60988
Tsunekawa, S. *see* Kameyama, T. 87—25792
Tsunekawa, S. *see* Kidode, M. 87—75865
Tsunekawa, S. *see* Kondo, T. 88—685
Tsunekawa, S. *see* Okazaki, A. 86—34740, 88—50073
Tsunekawa, S. *see* Tachiuchi, T. 88—16275
Tsunekawa, S. *see* Tanaka, N. 87—77620
Tsunekawa, S. *see* Watanabe, M. 87—75931
Tsunekawa, Y., Seki, K., Shida, J. Suboptimal synthesis of second-order digital filters with minimum number of multiplications 88—12525
Tsunekawa, Y. *see* Iwano, H. 88—2223, 88—20676
Tsunekawa, Y. *see* Mukai, S. 85—41378, 85—56612, 85—62598
Tsunematsu, M. *see* Minato, O. 87—59503
Tsunemi, H., Mizukata, K., Hiramatsu, M. Characteristics of optical CCD as an X-ray image sensor 88—53720
Tsunemi, H. *see* Miyamoto, S. 85—37980, 88—29837
Tsunemine, Y. *see* Arakawa, T. 88—60945
Tsunemoto, H. *see* Matumoto, T. 88—16709
Tsunenari, K. Process monitoring technique for VLSI fabrication 87—6798
Tsuneoka, M. Hardware and software of digital fluorography 85—26759
Tsuneoka, M. *see* Kamiya, M. 87—14874
Tsuneoka, M. *see* Matsukawa, M. 87—72285
Tsuneoka, M. *see* Matsukawa, T. 87—9675, 87—22544
Tsuneoka, M. *see* Nakayama, J. 86—68735
Tsuneoka, O. *see* Kato, T. 85—4838
Tsuneoka, O. *see* Tsunoda, T. 85—59954
Tsuneoka, S. *see* Nakamori, Y. 86—11736
Tsunetsugu, H., Takagi, A., Moriya, K. Multilayer interconnections using polyimide dielectrics and aluminum conductors 86—28390
Tsunetsugu, H. *see* Nishiki, S. 87—8187
Tsuneyama, H. *see* Hatano, Y. 88—440
Tsuneyasu, I. *see* Izawa, Y. 86—35933
Tsuneyasu, I. *see* Shimazaki, T. 86—35923
Tsuneyasu, I. *see* Yamaguchi, E. 85—55348
Tsuneyoshi, M. *see* Zaima, S. 87—24756
Tsuneyoshi, S. *see* Tanaka, K. 88—18439
Tsung, C.C. *see* Devine, K.J. 86—40426
Tsung Su-jen, Wang Yung-liang, Chang Yu-li Model CXG-1 magnetic suspension spinning rotor vacuum gauge 85—64327
Tsung-Yuan Hsu *see* Shin-Tson Wu 88—26895
Tsung-Yuan Yang, Ping-Pei Ho, Katz, A., Alfano, R.R., Ferrante, R.A. Femtosecond laser pulse compression using volume phase transmission holograms 85—56781
Tsuno, K., Taniguchi, K., Yoshida, K., Ohkawa, S., Fujiwara, K., Ono, K., Hiramoto, J., Yamanouchi, S., Nishimura, A., Matsuda, Y., Nishikawa, M., Yotsuya, K., Sogawa, I., Kashiwagi, T., Awazu, K. The endoscopic catheter system 87—50216
Tsuno, K. *see* Tanimoto, M. 87—48625
Tsunoda, H. *see* Iso, A. 87—14990
Tsunoda, J., Chimoto, H., Sugi, N., Sato, K. Speaker-independent isolated word recognition LSI set 87—55026
Tsunoda, J. *see* Yamaguchi, A. 87—62138
Tsunoda, K. *see* Nishikawa, T. 87—73616
Tsunoda, K. *see* Sugie, N. 85—64633
Tsunoda, K. *see* Tanaka, T. 88—56875, 88—70991
Tsunoda, M., Itoh, T., Ishikawa, S., Iwabuchi, M. Navigation systems for passenger cars 87—51600
Tsunoda, M., Nishiyama, S., Yanagida, M., Kakusho, O. Pitch synchronous analysis of speech by weighted linear prediction 87—55024
Tsunoda, R., Kanno, T., Ito, Y., Ishizaki, H., Tanikawa, K. A 64×64-element HgCdTe IRCCD for 3-5 μm band 88—29436
Tsunoda, R. *see* Fukuoka, Y. 85—18818
Tsunoda, R. *see* Kimata, M. 87—41383
Tsunoda, R. *see* Matsumoto, K. 87—10402
Tsunoda, R. *see* Shirouzu, S. 87—70445
Tsunoda, R. *see* Tanikawa, K. 87—49552
Tsunoda, R.T., Haggstrom, I., Pellinen-Wannberg, A., Steen, A., Wannberg, G. Direct evidence of plasma density structuring in the auroral F region ionosphere 85—63763
Tsunoda, R.T. *see* Kelly, J.D. 86—60944
Tsunoda, S., Koezuka, H., Kurata, T., Yanaura, S., Ando, T. Electrical properties of MOS and MIS diodes using an electrochemically prepared poly(*N*-methylpyrrole) 88—71619
Tsunoda, S., Mutuda, S. Fiber-optic communication network (IO-Net) for distributed computing system 85—19884
Tsunoda, S. *see* Hagino, S. 86—23561
Tsunoda, S. *see* Koezuka, H. 88—12100
Tsunoda, S. *see* Kurata, T. 86—41596
Tsunoda, S. *see* Saito, Y. 88—59569
Tsunoda, S.I., Malmberg, J.H. Arbitrary waveform generator for turbulence experiments 87—8642
Tsunoda, S.I., Malmberg, J.J. Wave enhancement due to a static electric field 85—6658
Tsunoda, T., Kato, T., Hirata, K., Sekido, Y., Sendai, K., Segawa, K., Yamatoku, S., Morioka, T., Sano, K., Tsuneoka, O. Studies on the loose parts evaluation technique 85—59954
Tsunoda, T. *see* Kato, T. 85—4838
Tsunoda, T. *see* Matsumoto, Y. 87—71966
Tsunoda, Y. Effect of heating rate on film roughening in As-doped oxide 85—45571
Tsunoda, Y., Goto, N. Nonuniformly spaced slot array antenna with low sidelobe pattern 87—7618
Tsunoda, Y., Goto, N. Sidelobe suppression of planar array antennas by the multistage decision method 88—14523
Tsunoda, Y. *see* Arai, K. 85—43626, 87—50803
Tsunoda, Y. *see* Fujioka, N. 88—30345, 88—36862
Tsunoda, Y. *see* Matsuda, H. 86—45543, 86—67855
Tsunoda, Y. *see* Nakamura, S. 87—61269
Tsunoda, Y. *see* Ohgaki, S. 85—1767, 85—23996, 86—68041
Tsunoda, Y. *see* Ojima, M. 85—51008, 86—36271, 86—68350
Tsunoda, Y. *see* Saito, A. 87—53943
Tsunoda, Y. *see* Terao, M. 85—50895
Tsunoda, Y. *see* Toda, T. 87—54137
Tsunoda, Y. *see* Toyama, M. 88—16323
Tsunogae, T. *see* Yamasaki, S. 85—39968, 85—39971, 87—556
Tsunogae, T. *see* Yoshida, T. 85—49949, 87—52665
Tsunoi, H. *see* Kaneko, S. 86—31239, 86—68385
Tsunoi, H. *see* Ueno, K. 88—38487
Tsunokuni, K.; Nojiri, K., Kuboshima, S., Hirobe, K. The effect of charge build-up on gate oxide breakdown during dry etching 88—19842
Tsunosda, K. *see* Nishikawa, T. 88—25381
Tsunotani, M. *see* Inokuchi, K. 88—20165
Tsunotani, M. *see* Kawakami, Y. 85—54859
Tsunotani, M. *see* Nakamura, H. 85—40784, 86—8190
Tsunozaki, Y. *see* Honda, A. 88—22505
Tsuo, S., Weil, R., Asher, S., Nelson, A., Xu, Y., Tsu, R. Deposition and etching of a-Si:H,F using silane and xenon difluoride 88—32762
Tsuo, S. *see* Kurtz, S.R. 87—7198
Tsuo, S. *see* Luft, W. 88—56286
Tsuo, S. *see* Sabisky, E. 86—7036
Tsuo, Y.S., Matson, R.J. Electron channeling and EBIC studies of polycrystalline silicon sheets 86—7132
Tsuo, Y.S., Milstein, J.B. Hydrogen passivation of silicon sheet solar cells 85—16228
Tsuo, Y.S., Milstein, J.B. Recent results on hydrogen passivation of silicon sheet solar cells 85—60429
Tsuo, Y.S., Milstein, J.B. Reply to 'Comment on 'Recent results on hydrogen passivation of silicon sheet solar cells'' [J. Appl.Phys. 57, 5523 (1985)] 86—45667
Tsuo, Y.S., Smith, E.B., Deb, S.K. Ion beam hydrogenation of amorphous silicon 88—12956
Tsuo, Y.S., Smith, E.B., Deng, X.J., Xu, Y., Deb, S.K. Ion-beam hydrogenation of amorphous silicon 88—69694
Tsuo, Y.S., Xi, J.P., McMahon, T.J. Light soaking behavior of a-Si:H p-i-n solar cells 87—78911
Tsuo, Y.S. *see* Langford, A.A. 88—37471
Tsuo, Y.S. *see* Milstein, J.B. 86—7040, 86—7134
Tsuo, Y.S. *see* Xi, J.P. 87—9753
Tsuo, Y.S. *see* Yacobi, B.G. 85—11893
Tsuo, Y.S. *see* Ye, Y.-G.J. 88—45279
Tsup, A.R. *see* Artemyev, A.N. 88—10229
Tsupko-Sitnikov, V.M. *see* Abdumalikov, A.A. 86—5853
Tsupko-Sitnikov, V.M. *see* Gromov, K.Ya. 88—36312
Tsurgan, L.S. *see* Kuznetsov, G.M. 86—26806
Tsurikov, G.G. *see* Yampolsky, V.G. 87—75565
Tsurikov, V.M. Probability of the occurrence of rank clusters in a digital computer of rank statistics 87—47746
Tsurin, O.F., Sinekop, Yu.S., Bonat, E.E. Computerized calculation of the process of thermal oxidation of the surface of silicon 88—39205
Tsurin, O.F. *see* Sinekop, Yu.S. 88—50717
Tsurkan, A.E. *see* Medvetskii, S.P. 87—24868
Tsurkan, A.E. *see* Radautsan, S.I. 85—1379
Tsurkan, G.I. *see* Andronik, I.Ya. 85—28998
Tsurkan, G.I. *see* Shmelev, G.M. 85—18120
Tsurkan, N.V. *see* Ermolaev, V.A. 85—43645
Tsurpal, S.V. *see* Sokolov, V.V. 88—69444
Tsurruta, K. *see* Tanaka, T. 86—6940
Tsuru, M. *see* Takeda, H. 88—71764
Tsuru, T. *see* Ikeno, M. 85—3913
Tsuru, T. *see* Kumagai, N. *(editor)* 88—70021
Tsuruda, F. *see* Hidai, T. 87—41357
Tsuruda, H., Nozaki, Y., Miyake, W. The Shinkansen EMU train Series 100 87—51537
Tsuruda, H. *see* Anan, S. 86—23647
Tsuruda, K. *see* Hirao, K. 86—12137
Tsurufuji, S. *see* Miyatake, M. 87—13491
Tsuruga, S. *see* Takeuchi, N. 85—16496
Tsuruga, Y. *see* Matsuoka, T. 86—4365
Tsuruhara, T. *see* Kozono, S. 85—20073
Tsuruho, S., Haihara, M., Kurata, M. Development of the DIPS Operating System 86—4146
Tsuruho, S., Matsunaga, T., Nishikawa, S., Ohashi, K. Software design concepts for DIPS computer complex system 88—9114
Tsuruho, S., Murata, N., Kurata, M., Takeuchi, A. DIPS integrated multi-service processing system 86—30523
Tsuruho, S., Nishikawa, S., Ohashi, K. Software configuration for computer complex with optical loop 88—21666
Tsuruho, S. *see* Ito, Y. 86—43586
Tsurumaki, M. Multichannel analog data processing system 88—35899
Tsurumaki, S., Ikeuchi, S., Kameo, K. Versatile supervisory systems for telecommunications networks 86—43409
Tsurumaki, S. *see* Heier, C. 86—55322
Tsurumaru, H., Inanaga, H. Approaches to machine dictionary construction 88—27846
Tsurumaru, S. *see* Tanaka, K. 88—33267
Tsurumi, H. *see* Sumi, Y. 86—40674, 86—62400, 87—52318
Tsurumi, I. *see* Matsuura, K. 87—24083
Tsurumi, K. *see* Sakamura, K. 88—52861, 88—73671
Tsurumi, S. *see* Fujiwara, K. 88—1901
Tsurumi, S. *see* Takada, K. 87—29294
Tsurumi, T., Ikawa, H., Ishimori, M., Urabe, K., Udagawa, S. Experimental assembling of gas cells using beta/beta″-alumina type $NH_4{}^+$-gallates electrolytes 86—71035
Tsurumoto, K. Characteristic test of static power transmission on the face-type permanent magnet torque coupling 88—16510
Tsurumoto, K. The characteristic test of dynamic power transmission on a face-type permanent magnet torque coupling 88—16511
Tsurumoto, K., Kikuchi, S. A new magnetic gear using permanent magnet 88—62550
Tsurumoto, K. *see* Aramaki, J. 85—44339
Tsuruno, Y. *see* Ogiyama, A. 86—10762
Tsuruoka, H., Takatsuji, M. Application of impedance tomography to the measurement of quality of fruit 87—21205
Tsuruoka, H., Yoshie, K. Estimation of absolute spectral sensitivity of a silicon photodiode 86—28996
Tsuruoka, M. *see* Murakami, S. 88—13054
Tsuruoka, M. *see* Takino, H. 88—57952, 88—64898
Tsuruoka, S. *see* Kimura, F. 85—30420, 87—48094
Tsuruoka, T. *see* Kuroki, K. 88—57167
Tsuruoka, T. *see* Nakamori, T. 88—19557, 88—24804
Tsuruoka, Y. *see* Ozawa, T. 88—19132
Tsurushima, T. Electronic devices and microfabrication technology 86—2266

Tsurushima, T. Research & development of three-dimensional integrated circuits 86−2387
Tsurushima, T. *see* Itoh, J. 86−15188
Tsurushima, T. *see* Kanayama, T. 85−34757
Tsuruta, F. *see* Ueno, F. 86−14002, 86−20297, 86−62442
Tsuruta, I. *see* Fujino, Y. 85−36876
Tsuruta, K. Change in work function of vacuum-gap electrode by residual gas adsorption 86−62987
Tsuruta, K. Impulse electrical breakdown fields of short vacuum gaps 87−45480
Tsuruta, M. *see* Onga, M. 85−3683
Tsuruta, S., Honjo, T. Home media bus: an integrated network for home information systems 85−36600
Tsuruta, S., Makita, M., Kaneko, S. Operation techniques for TV broadcasting 88−9700
Tsuruta, S., Matsumura, H., Inaishi, M., Imazu, H., Sugisaki, A.M. Basic research on an expert system for navigating at sea−collision avoidance expert system 88−28999
Tsuruta, S., Mitsuhashi, K., Ichikawa, S., Noguchi, K. Color pixel arrangement evaluation for LC-TV 86−31256
Tsuruta, S., Mitsuhashi, K., Mera, M., Niwa, K. Intelligent communication terminal for integrating voice, data and video signals 87−33974
Tsuruta, S., Miyamoto, S. Proposal and estimation of efficient, reliable and simple broadcast protocol for a large amount of data transmission 87−28131
Tsuruta, S., Ohya, A. Program and general characteristics of presentation [teletext] 86−69365
Tsuruta, S., Yoshida, E. Specifications of control data (tentative) [facsimile] 88−3461
Tsuruta, S. *see* Hanada, H. 87−50544
Tsuruta, S. *see* Mera, M. 88−46434
Tsuruta, S. *see* Ohyama, T. 86−18697
Tsuruta, S. *see* Saito, T. 86−31257
Tsuruta, S. *see* Yamagami, H. 87−34093
Tsuruta, T., Juto, N. Neutron dosimetry with boron-doped CR-39 plastic 85−26721
Tsuruta, T., Negishi, H., Idota, K., Hirayama, N., Matsuki, M., Ohshima, M., Hase, N. 1.3 μm internal-reflection-interference semiconductor laser 88−40222
Tsuruta, T., Ochiai, M., Saito, S. Fuel fragmentation and mechanical energy conversion ratio at rapid deposition of high energy in LWR fuels 86−18995
Tsuruta, T. *see* Ando, A. 86−12717
Tsuruta, T. *see* Furudera, M. 86−45219
Tsurutani, S. *see* Kanemitsuya, K. 87−78179
Tsuruya, H. *see* Yamada, S. 88−64772
Tsuruya, M. *see* Endou, O. 85−39029
Tsusaka, Y., Ishidera, H., Itoh, Y. MURS-300 MK II: a remote inspection system for underwater facilities of hydraulic power plants 87−3505
Tsusaki, D.A. *see* Musselman, T.P. 88−41411
Tsushi, A. *see* Kondo, M. 85−60965
Tsushi, A. *see* Shirakata, S. 85−49565
Tsushima, H., Suematsu, Y. Large-signal analysis of dynamic wavelength shift and carrier-density-variation in directly modulated dynamic-single-mode lasers 85−12886
Tsushima, H., Takasaki, Y., Maeda, M. Improvement of polarization diversity method for heterodyne/coherent optical transmission systems 87−76805
Tsushima, H., Takasaki, Y., Maeda, M. Polarization problems in coherent optical communication systems 88−45856
Tsushima, K. Magneto-optics: Its past and present 87−18773
Tsushima, K. Overview of magneto-optic isolator materials and devices 88−72169
Tsushima, K., Koshizuka, N. Research activities on magneto-optical devices in Japan 88−51594
Tsushima, K., Okatsu, H., Inaoka, S., Satou, T. Symbolic power series solution of nonlinear differential equation by iteration method 88−362
Tsushima, K., Tamaki, T. Optical information processing devices. II. Optical isolator 86−49596
Tsushima, K. *see* Tamaki, T. 86−7726, 86−28924, 87−34577, 88−26899
Tsushima, T., Matsuo, Y., Hirota, A. Video recording with new signal processing 86−11298
Tsushima, T. *see* Nakao, K. 85−56099
Tsushima, Y. Manufacturing relay interlocking machine by directly controlled works 86−66449
Tsutaki, K., Yuasa, Y., Morizumi, Y. Numerical analysis and design for high-performance helix traveling-wave tubes 86−8695
Tsutaki, K. *see* Kageyama, T. 88−50597
Tsutaki, K. *see* Konishi, T. 88−39006
Tsutaki, K. *see* Morishita, Y. 86−62999
Tsutaki, K. *see* Oikado, T. 87−66840 to 66841
Tsutiya, Y. *see* Yamada, F. 85−39069
Tsutsui, E., Fukuda, H., Nojima, S., Hashimoto, M., Hasbe, T. Evaluation of the maximum packet delay of a high speed packet switch 88−46361
Tsutsui, E. *see* Nojima, S. 87−34187, 88−15294
Tsutsui, G. *see* Kubota, Y. 85−3244
Tsutsui, H. *see* Yamada, K. 88−68328
Tsutsui, K. Switched mode rectifier 86−57623
Tsutsui, K., Asano, T., Ishiwara, H., Furukawa, S. GaAS MESFETs fabricated in SOI layers on crystalline $Ca_xSr_{1-x}F_2$ insulator films 87−46227
Tsutsui, K., Asano, T., Ishiwara, H., Furukawa, S. Study on generation mechanism of antiphase disorder in heteroepitaxial GaAs on $Ca_xSr_{1-x}F_2(100)$ films 88−57398
Tsutsui, K., Ishiwara, H., Asano, T., Furukawa, S. Epitaxial relations in $Ca_xSr_{1-x}F_2$ films grown on GaAs {111} and Ge(111) substrates 85−54438
Tsutsui, K., Ishiwara, H., Furukawa, S. Lattice matching at elevated substrate temperature for growth of GaAs films with good electrical properties on $Ca_xSr_{1-x}F_2$/GaAs (100) structures 86−34310
Tsutsui, K., Ishiwara, H., Furukawa, S. Antiphase disorder in epitaxial GaAs films grown on $Ca_xSr_{1-x}F_2$ (100) with higher crystallographic symmetry 87−23625
Tsutsui, K., Lee, H.C., Ishiwara, H., Asano, T., Furukawa, S. Formation of SOI-GaAs on (Ca,Sr) F_2GaAs structures 86−52492
Tsutsui, K., Nakazawa, T., Asano, T., Ishiwara, H., Furukawa, S. MESFETs on a GaAs-on-insulator structure 87−53524
Tsutsui, K., Nakazawa, T., Ishiwara, H., Furukawa, S. Formation of MESFETs in GaAs/$Ca_xSr_{1-x}F_2$/GaAs SOI structure 87−25592
Tsutsui, K., Sakuda, K. Analysis of a phase mismatched three waveguide coupler with an optical amplifier 88−26848
Tsutsui, K., Sasaki, A. Thermal fuse type SF and type SM 87−32142
Tsutsui, K., Tadokoro, T., Nakazato, K. Large electric current thermal fuse of fusible alloy type 86−20897
Tsutsui, K. *see* Asano, T. 86−34333, 87−23690
Tsutsui, K. *see* Furukawa, S. 87−11441
Tsutsui, K. *see* Ishiwara, H. 85−16932
Tsutsui, K. *see* Sakamoto, K. 86−61185
Tsutsui, K. *see* Yamamoto, M. 85−27466
Tsutsui, K. *see* Yoneda, S. 85−42406
Tsutsui, M., Ogawa, T., Kamide, Y., Kroehl, H.W., Hausman, B.A. A method of estimating horizontal vectors of ionospheric electric field deduced from HF Doppler data 88−54740
Tsutsui, N. *see* Oyama, J. 88−16726
Tsutsui, O. *see* Murayama, H. 88−10462
Tsutsui, T., Abe, S., Kobayashi, Y. Data acquisition system for earthquake survey by using personal computer system 87−29909
Tsutsui, T., Kubota, Y., Oyama, T., Takashima, H., Itoh, R. Techniques and equipment for digital multiplexing 87−8106
Tsutsui, T., Yamamoto, S. Optical fibre sensor 88−42118
Tsutsui, T. *see* Adachi, C. 88−51686
Tsutsui, T. *see* Kaino, T. 87−75232
Tsutsui, T. *see* Ogawa, K. 88−22611
Tsutsui, T. *see* Shimpo, S. 85−50633
Tsutsui, Y. *see* Tomimasu, T. 88−61002
Tsutsumi, H. *see* Okamoto, T. 87−77666
Tsutsumi, K., Fijii, Y., Hashima, K., Kurokawa, H., Sugahara, H. Influence of sputtering conditions on perpendicular magnetic anisotropy in GdTbCo amorphous films 87−67696
Tsutsumi, K., Fukuichi, T., Yabushita, K., Umesaki, M., Sugahara, H. Structures and properties of double-layer perpendicular rigid disks 87−18480
Tsutsumi, K., Fukuichi, T., Yabushita, K., Umesaki, M., Sugahara, H. Fabrication and properties of double layer perpendicular rigid disks 87−60806
Tsutsumi, K., Hirai, H., Yuba, Y. Characteristics of swelling of sodium-potassium ion-exchanged glass waveguides 87−18610
Tsutsumi, K., Hirai, H., Yuba, Y. Relation between the ordinary and extraordinary index profiles of ion-exchanged glass waveguides 88−51507
Tsutsumi, K., Imada, Y., Hirai, H., Yuba, Y. Analysis of single-mode optical Y-junction by the bounded step and bend approximation 88−45183
Tsutsumi, K., Kohara, M., Sinoya, Y., Tada, T., Sakashita, K., Shibata, H., Nakata, H. Composite type pin grid array package 86−63429
Tsutsumi, K., Mizushima, T., Hirai, H., Yuba, Y. Diffused-ion concentration profiles of ion-exchanged glass optical-waveguides 88−72131
Tsutsumi, K. *see* Kohara, M. 86−14632
Tsutsumi, K. *see* Komori, M. 85−29443
Tsutsumi, K. *see* Matsunaga, K. 88−5954
Tsutsumi, K. *see* Yuba, Y. 87−35202, 88−59324
Tsutsumi, M. Microwave oscillator using magnetostatic surface wave delay lines 87−12058
Tsutsumi, M. Magnetically tuned microwave oscillator using the YIG film and its applications 87−67793
Tsutsumi, M. A study on magnetostatic wave resonators using the YIG film 88−7804
Tsutsumi, M., Masumoto, T., Kumagai, N. The Gunn effect oscillator tuned by the YIG film resonator 85−23143
Tsutsumi, M., Sakurai, T., Kumagai, N. Magnetostatic wave delay lines using the nonuniformly magnetized YIG film 85−18586
Tsutsumi, M., Soma, M. The biological telemetry utilizing ARGOS system 86−32285
Tsutsumi, M., Tanaka, K., Kumagai, N. On the loss reduction of the magnetostatic forward volume wave delay line using YIG film 86−28709
Tsutsumi, M., Tanaka, K., Kumagai, N. Group delay characteristics of magnetostatic forward volume waves in a nonuniformly magnetized YIG film 87−25784
Tsutsumi, M., Tanaka, K., Kumagai, N. Loss reduction of the magnetostatic forward volume wave delay line using the YIG film 87−67794
Tsutsumi, M., Tanaka, K., Kumagai, N. Dielectric slab waveguide isolator in the millimeter wave frequency 88−50310
Tsutsumi, M. *see* Erkin, S. 88−40628
Tsutsumi, M. *see* Hamada, Y. 87−49351
Tsutsumi, M. *see* Kimura, S. 88−20618
Tsutsumi, M. *see* Maheri, H. 86−47039
Tsutsumi, M. *see* Matsumoto, M. 85−50023, 86−48635, 86−54328, 86−62818, 87−39435, 87−52789, 88−63910
Tsutsumi, M. *see* Morita, T. 85−10049, 86−33574
Tsutsumi, M. *see* Shimasaki, H. 88−40646
Tsutsumi, M. *see* Tanaka, K. 88−25409
Tsutsumi, M. *see* Tonuma, T. 85−58350
Tsutsumi, M. *see* Utsumi, Y. 85−50851
Tsutsumi, M. *see* Yamagishi, Y. 88−28949
Tsutsumi, S., Ichihashi, Y., Sumida, M., Kano, H. LD redundancy system using polarization components for a submarine optical transmission system 85−37043
Tsutsumi, S., Kitazawa, I., Kimoto, H., Kawata, O. Operation trial of 400 Mbit/s submarine optical transmission system 85−31030
Tsutsumi, S., Okamura, H., Miyajima, Y., Ohnishi, M. 1.5 μm submarine transmission system sea trial 87−20480
Tsutsumi, S., Takemura, K., Motoyama, J., Iwakawa, M. Sensing technique to identify and locate surface defects on highway 85−46959
Tsutsumi, S. *see* Aiki, M. 86−11109
Tsutsumi, S. *see* Amemiya, M. 86−15723
Tsutsumi, S. *see* Fukuhara, T. 87−71164
Tsutsumi, S. *see* Homma, M. 85−56124
Tsutsumi, S. *see* Ito, T. 86−11058, 86−30821
Tsutsumi, S. *see* Nakagawa, Y. 87−56939
Tsutsumi, S. *see* Ryo, G. 86−38390
Tsutsumi, S. *see* Suehiro, Y. 88−70628
Tsutsumi, S. *see* Tominaga, J. 88−6019
Tsutsumi, T. *see* Hara, M. 85−21230, 86−65731
Tsutsumi, T. *see* Ieiri, M. 87−3912
Tsutsumi, T. *see* Mano, S. 85−36122
Tsutsumi, T. *see* Noro, T. 86−70362
Tsutsumi, T. *see* Ohno, K. 86−55454
Tsutsumi, T. *see* Okawa, M. 87−72332
Tsutsumi, Y., Kasahara, A., Hisada, Y., Itoh, Y. Study on solid surface, deployable antenna reflector 87−12852
Tsutsumi, Y. *see* Akimoto, A. 88−13270
Tsutsumi, Y. *see* Higaki, M. 86−28563
Tsutsumi, Y. *see* Morita, Y. 87−63447
Tsutsumi, Y. *see* Nagashima, M. 87−43405
Tsutsumi, Y. *see* Sakata, T. 86−41933
Tsutumi, S. *see* Kubosawa, H. 87−59361
Tsutumi, T. *see* Kotani, H. 88−39694
Tsuya, H., Kanamori, M., Takeda, M., Yasuda, K. Infrared optical measurement of interstitial oxygen content in heavily doped silicon crystals 86−21116
Tsuya, H. *see* Aizaki, N. 85−49574
Tsuya, H. *see* Egami, K. 85−39772
Tsuya, H. *see* Hokari, Y. 85−34967
Tsuya, H. *see* Ishitani, A. 85−44729, 86−53824
Tsuya, H. *see* Kanamori, M. 85−50190
Tsuya, H. *see* Tatsumi, T. 85−39727
Tsuya, N., Saito, Y., Nakamura, H., Hayano, S., Furugohri, A., Ohta, K., Wakui, Y., Tokushima, T. A perpendicular magnetic recording medium by alumite 86−35975
Tsuya, N., Tokushima, T., Shiraki, M., Umehara, Y., Saito, Y., Nakamura, H., Harada, Y. Perpendicular magnetic flexible disc by anodic oxidation 88−57967
Tsuya, N., Tokushima, T., Shiraki, M., Wakui, Y., Saito, Y., Nakamura, H., Hayano, S., Furugori, A., Tanaka, M. Alumite disc using anodic oxidation 87−32855
Tsuya, N., Tokushima, T., Shirakai, M., Wakui, Y., Saito, Y., Nakamura, H., Katsumata, Y. Magnetic alumite disc for perpendicular recording 87−46346
Tsuya, N., Tokushima, T., Shiraki, M., Wakui, Y., Uemhara, Y., Saito, Y., Nakamura, H., Katsumata, Y., Iwasaki, S., Nakamura, Y. Magnetic discs using anodic oxidized aluminium substrates 88−51285
Tsuya, N. *see* Alsbach, W. 86−39949
Tsuya, N. *see* Kuwajima, S. 88−74941
Tsuya, N. *see* Murakami, A. 88−64968
Tsuya, N. *see* Ninomiya, T. 87−22579, 87−52369, 87−73310, 88−18926
Tsuya, N. *see* Saito, Y. 85−49007, 86−42686, 87−26623
Tsuya, N. *see* Shiraki, M. 86−28676, 86−36023

Tsuya, N. *see* Takeuchi, T. 86−15337
Tsuya, T., Nakamura, H., Furugori, A., Katsumata, Y., Saito, Y., Tokushima, T., Shiraki, M., Umehara, Y. Alumite disk using anodic oxidation 88−44981
Tsuya, Y. *see* Yamanaka, K. 85−53219, 88−56358
Tsuya Hideki *see* Hideki Tsuya
Tsuyoshi, T. *see* Yonezawa, S. 85−52547
Tsuyuki, S. *see* Kishimoto, R. 87−49332
Tsuyuki, S. *see* Sato, K. 85−3238
Tsuyuzaki, H., Shimazu, N., Fujinami, M. High speed flat guide ceramic stage for electron beam lithography system 86−35510
Tsuyuzaki, H. *see* Ido, S. 85−40575
Tsuyuzaki, H. *see* Shimazu, N. 87−32614, 88−7403, 88−39289
Tsuzaka, H., Taylor, T.L. The big picture of drilling small holes 88−44466
Tsuzikawa, K. *see* Sugimoto, M. 87−34740
Tsuzuki, A. Color LCTV with a passive panel 86−30971
Tsuzuki, A. *see* Watanabe, H. 86−31514
Tsuzuki, K., Naito, T., Sengoku, M. Packet Switching Module (PSM) 85−36559
Tsuzuki, K. *see* Kitamura, A. 87−76490
Tsuzuki, K. *see* Noguchi, A. 88−21855
Tsuzuki, K. *see* Nozaki, T. 86−43690
Tsuzuki, K. *see* Sengoku, M. 85−36642
Tsuzuki, K. *see* Yoshida, Y. 88−46719
Tsuzuki, M. *see* Kugimya, T. 86−5971
Tsuzuki, M. *see* Utsumi, K. 87−67658
Tsuzuki, N., Ichikawa, M., Kurita, K., Watanabe, K., Inayoshi, K. The selective CVD tungsten for bipolar multilevel interconnection 87−60374
Tsuzuki, N. *see* Fukuda, M. 88−27158
Tsuzuki, N. *see* Iwashita, K. 87−75092
Tsuzuki, N. *see* Shinohara, M. 85−35326
Tsuzuki, N. *see* Yoshimoto, S. 87−74534
Tsuzuki, S. *see* Sawa, S. 87−1967
Tsuzuki, S. *see* Tanimoto, M. 88−21659, 88−59680
Tsuzuki, S. *see* Tsuzuki, T. 86−18651
Tsuzuki, T., Hasegawa, M., Narihara, K., Tomita, Y., Kubo, S., Kobata, T., Mohri, A. System for long pulse REB generation 87−52451
Tsuzuki, T., Hasegawa, M., Narihara, K., Tomita, Y., Kubo, S., Kobata, T., Mohri, A. A system for long-pulse REB generation 88−34242
Tsuzuki, T., Tsuzuki, S. A study on minimization of transmission loss in electric power system 86−18651
Tsuzuki, T. *see* Iwasaki, K. 85−42082
Tsuzuki, Y., Tokuda, Y., Ishihara, S., Usami, A. Thickness dependence of resistivity for a-Si:H estimated from admittance measurements for Schottky diodes 87−45610
Tsuzuki, Y., Yamaoka, M., Kawamoto, K. Self-thermal protecting power MOSFETs 87−67300
Tsuzuki, Y. *see* Adachi, T. 86−2498, 86−40949, 87−52277
Tsuzuki, Y. *see* Hirose, Y. 86−2793, 87−54068
Tsuzuki, Y. *see* Ichikawa, S. 87−76513
Tsuzuki, Y. *see* Toki, M. 87−52426
Tsuzuki Yasuo *see* Yasuo Tsuzuki
Tsuzuku, A. Measurement of phase variation of television ghost wave 88−29080
Tsuzuku, A. *see* Tokushige, K. 85−31164
Tsuzura, A. *see* Tanaka, H. 86−18166
Tsvang, L.D. *see* Muminov, R.A. 86−44544, 88−29794
Tsvang, L.R., Zubkovskii, S.L., Kader, B.A., Kallistratova, M.A., Foken, T., Gertsmann, V., Przadka, A., Pretel, Ya., Zeleny, Ya., Keder, J. International Turbulence Comparison Experiment (ITCE-81) 85−43475
Tsvang, S.L. *see* Kushnir, A.F. 86−6074
Tsveiba, G.G. *see* Metelitsa, L.M. 86−11680
Tsveibak, I.Ya. *see* Talakin, K.N. 87−58925
Tsvelik, A.M. *see* Kusmartsev, F.V. 86−35411
Tsverikmazashvili, Z.S. *see* Zaridze, R.S. 87−75327
Tsvetkov, A.I. *see* Kuprevich, V.V. 86−50161
Tsvetkov, A.I. *see* Samoilov, F.V. 88−47351
Tsvetkov, A.M. *see* Nezhentsev, Yu.N. 88−43062
Tsvetkov, A.V. *see* Sutotskii, G.P. 88−17405
Tsvetkov, E.G. *see* Alimpiev, A.I. 87−12437
Tsvetkov, E.I. Problems in developing systematic equipment for electrical measurements 85−14568
Tsvetkov, E.I. Metrological supervision of means for processor measurements 86−34862
Tsvetkov, E.I. Simulation used in metrological support 86−55527
Tsvetkov, E.I. Error characteristics of intelligent measuring instruments 87−3403
Tsvetkov, E.I. Levels of intelligence of processor measurement facilities 88−53529
Tsvetkov, E.I., Lubochkin, M.M. Automation of metrological analysis of processor measurements by a simulation modelling method 88−29237
Tsvetkov, E.I. *see* Ivanov, S.L. 86−17772
Tsvetkov, E.V. Analysis of optimum operating conditions for power systems allowing for network losses 85−59551
Tsvetkov, G.Ts. Turbulence amplifier-based counting circuits 86−27238
Tsvetkov, N.A. *see* Men'shov, B.G. 87−15186
Tsvetkov, S.S. *see* Gordiyenko, V.N. 87−62394
Tsvetkov, V.A. Low-spatial-order magnetic forces in multipole electric machines 86−51551
Tsvetkov, V.A. *see* Geller, R.L. 85−5056, 88−37159
Tsvetkov, V.A. *see* Gol'denberg, S.I. 86−25981
Tsvetkov, V.A. *see* Kislitskii, B.V. 87−9470, 87−9485
Tsvetkov, V.A. *see* Pikulskii, V.A. 85−60110, 85−60114, 86−33263, 86−61459
Tsvetkov, V.D. *see* Shishatskaya, L.P. 86−40271
Tsvetkov, V.F. Providing reliable and efficient communications sessions with controlled breaking and reestablishment of connections by means of an intelligent terminal 87−20013
Tsvetkov, V.F. *see* Alekseenko, M.V. 86−1757
Tsvetkov, V.F. *see* Dmitriev, V.A. 88−70323
Tsvetkov, V.F. *see* Levin, V.I. 85−24391
Tsvetkov, V.F. *see* Nurmagomedov, Sh.A. 87−58943, 87−65487
Tsvetkov, V.I. *see* Didenko, A.N. 85−11850
Tsvetkov, V.I. *see* Vintizenko, I.I. 87−24731, 88−19618
Tsvetkov, V.I. *see* Zherlitsyn, A.G. 86−58209
Tsvetkov, V.N. *see* Gronskii, V.I. 87−3359
Tsvetkov, Yu.N., Sulin, A.B. Evaluation of the accuracy of calculating thermoelectric refrigerating machines from averaged heat-carrier temperatures 87−22785
Tsvetkov, Yu.V. *see* Baryshev, S.A. 88−34123
Tsvetkov, Yu.V. *see* Goldobin, I.S. 85−12745
Tsvetkov, Yu.V. *see* Kuratev, I.I. 88−27112
Tsvetkovskaya, S.M. *see* Gvozdev, V.I. 87−45183
Tsvetkovskaya, S.M. *see* Lerer, A.M. 85−11499, 86−47041
Tsvetov, M.A. *see* Vasil'ev, K.K. 87−47723
Tsvetyanskii, V.L., Mandel', A.M. Computation of paths for rays in nonuniformly heated solids 86−57497
Tsvetyanskii, V.L., Shleiman, Yu.G., Masurenko, I.P. Mechanized ultrasonic inspection of heated metal structures with automatic measurement and recording of defect characteristics 86−52552
Tsvigun, A.V. *see* Bleykhman, V.S. 87−55635
Tsvilev, G.I. *see* Korol'kov, V.I. 85−34593, 85−55523
Tsvilev, G.I. *see* Zadiranov, Yu.M. 88−26242
Tsvirko, L.V. *see* Stel'makh, V.F. 87−65945
Tsvirko, Yu.A., Chaika, V.E. On the biharmonical mode of GaAs and InP Gunn diodes near the upper frequency limit 85−29183
Tsvirko, Yu.A. *see* Ivanov, V.N. 87−73707
Tsvitsinski, V.J. *see* Bulyarski, S.V. 85−34862
Tsvitsinskii, V.I. *see* Bulyarskii, S.V. 86−58258
Tsvitsinsky, V.I. *see* Korotchenkov, G.S. 86−2045
Tsvyk, A.I. Electron-wave theory of diffraction radiation 86−36659
Tsvyk, A.I. Electron-wave mechanism for transforming a diffracted electromagnetic wave into a radiation 87−39359
Tsvyk, A.I., Shestopalov, V.P. Experimental investigation of nonlinear and nonstationary processes in pulsed diffracted radiation oscillators 87−32201
Tsvyk, A.I. *see* Maksimov, P.P. 87−16924
Tsvyk, A.I. *see* Nesterenko, A.V. 85−62611
Tsvyk, A.I. *see* Vertii, A.A. 86−59033, 86−63919, 88−942
Tsvyk, A.I. *see* Vertiy, A.A. 87−24434
Tsvyk, L.I. *see* Vertii, A.A. 86−59033, 86−63919
Tsvyk, R.Sh. *see* Banakh, V.A. 88−34336
Tswei-Ying Wang *see* Soo-Chang Pei 87−55229
Tswyk, R.Sh. *see* Belen'kii, M.S. 85−46574
Tsybakov, A.B. Robust reconstruction of functions by the local-approximation method 87−31448
Tsybakov, A.B. Transmission accuracy of a continuous signal with binary quantization 88−2960
Tsybakov, A.B. *see* Nemirovskii, A.S. 85−51612, 86−68951
Tsybakov, B.S. Survey of USSR contributions to random multiple-access communications 85−51824
Tsybakov, B.S., Bakirov, V.L. Stability of asynchronous ALOHA system 85−19560
Tsybakov, B.S., Bakirov, V.L. Packet transmission in radio networks 86−23668
Tsybakov, B.S., Bakirov, V.L., Zhukov, A.V., Kalashnikov, I.D., Martynov, A.I., Sokolov, S.E. A multiaccess stack algorithm for an asynchronous system 88−3294
Tsybakov, B.S., Fedortsov, S.P. Local-area network with random-multiplier-access stack algorithm 87−34130
Tsybakov, B.S., Fedortsov, S.P. Packet transmission using a blocked unmodified random multiple access stack-algorithm 87−40020
Tsybakov, B.S., Fedortsov, S.P. Characteristics of a RMA stack algorithm and its use in a local network 88−73403
Tsybakov, B.S., Likhanov, N.B. Random multiple access system with impatient packets 86−4082
Tsybakov, B.S., Likhanov, N.B. Some new random multiple-access algorithms 86−37192
Tsybakov, B.S., Likhanov, N.B. An improved upper boundary on capacity of the random multiple-access channel 87−54798
Tsybakov, B.S., Likhanov, N.B. Upper bound on the capacity of a random multiple-access systems 88−52619
Tsybakov, B.S. *see* Vvedenskaya, N.D. 85−51833
Tsybakova, O.Yu. *see* Zechikhin, B.S. 88−69331
Tsybatov, V.A. *see* Vittikh, V.A. 85−33614
Tsybeskov, L.V. *see* Vakarov, B.S. 85−40469
Tsybikov, A.E. *see* Dagurov, P.N. 85−24832, 86−59139
Tsybin, A.S., Shikanov, A.E. Neutron generation in small sealed accelerating tubes 86−60529
Tsybin, A.S. *see* Gusarov, V.N. 86−2458
Tsybin, A.S. *see* Kozlovskii, K.I. 88−25851
Tsybrovskii, G.G. On reducing voltage surges in transformers and electric motors during switching of currents by vacuum contactors 88−30337
Tsybulenko, N.I. Analysis of metrological characteristics of specialized digital meter for laser-energy measurement means 86−42613
Tsybulenko, N.I. *see* Zagorskiy, Ya.T. 87−45856, 87−45895
Tsybulevskii, F.I. Expressions for the magnetising forces of three-phase fractional-number windings with maximum distribution 85−17898
Tsybulevskii, F.I. Additional moments in symmetrical short-circuited induction motors allowing for double-sided grooving 85−38986
Tsybulevskii, F.I. Problem of calculating inductance of the asynchronous motor windings due to field in the air gap 86−19272
Tsybulevskii, F.I. *see* Kolomeitsev, S.F. 85−53708, 86−6747
Tsybul'nik, A.N. *see* Peretyagin, I.V. 86−60159, 86−60212
Tsybul'skaya, S.I. *see* Bobchenok, Yu.L. 87−17963
Tsybul'skii, V.S. *see* Soprunyuk, P.M. 86−19905
Tsydypov, B.D. *see* Zimin, A.M. 87−17595
Tsydypov, D.Z. *see* Chimitdorzhiyev, N.B. 88−14389
Tsygan, S.N. *see* Vasil'ev, S.V. 86−26375, 87−7060
Tsyganash, V.E. Output envelope of narrow-band modulated filter 87−45004
Tsygankov, L.M. Calculating the natural capacity of controlled transmission lines 85−43598
Tsygankov, M.M. *see* Andronov, O.I. 87−71020
Tsygankov, M.M. *see* Brovchenko, V.G. 86−60616
Tsygankov, M.P. *see* Zhukov, Yu.P. 86−11541
Tsygankov, P.Ya. *see* Tolmachev, V.I. 86−21932
Tsygankov, S.G. *see* Vasil'ev, S.S. 87−2516
Tsygankov, V.A. *see* Dolina, L.V. 85−26039
Tsygankov, V.A. *see* Evseeva, N.V. 86−61822
Tsygankov, V.M., Verigo, A.R., Pashchenko, A.V. Using a regression model to estimate the energy losses in the feeder networks of a power system 87−35539
Tsygankov, V.V. *see* Pokhitailo, V.N. 86−39673
Tsyganov, E.N. *see* Bulgakov, N.K. 87−63700
Tsyganov, E.N. *see* Filatova, N.A. 86−32196, 88−10285
Tsyganov, E.N. *see* Golovatyuk, V.M. 85−52982
Tsyganov, E.N. *see* Vodop'yanov, A.S. 85−26707
Tsyganov, V.M. *see* Begushin, G.K. 87−63916, 87−63918
Tsyganov, V.M. *see* Borisevich, E.S. 86−44793
Tsyganov, Yu.S. *see* Kuznetsov, A.N. 88−16662
Tsyganova, N.I. *see* Radin, V.I. 86−45408
Tsygulev, N.I. *see* Podgornyi, E.V. 88−30407
Tsykalo, N.D. *see* Balan, P.K. 88−22337
Tsykalo, N.D. *see* Gozbenko, V.P. 85−26043
Tsykanov, V.A., Grachev, A.F., Klochkov, E.P., Kuprienko, V.A. Facility for the irradiation of fuel elements in the SM-2 and MIR reactors with variable operating regimes 86−18973
Tsykanovskaya, M.I., Del', G.V., Karinskii, O.M. On the practical merit of using powder magnetic cores for chokes in voltage stabilisers 85−35320
Tsykunov, N.V. *see* Bychkov, N.G. 85−466
Tsym, A.Yu. *see* Deart, I.D. 86−15987
Tsymbal, A.M. *see* Bondarenko, V.N. 88−20907
Tsymbal, A.P. *see* Zhitnyuk, V.S. 87−46397
Tsymbal, V.I. *see* Gololobov, V.P. 85−11606
Tsymbal, V.I. *see* Omel'yanenko, M.Yu. 87−45179
Tsymbal, V.N. *see* Kalmykov, A.I. 85−64698, 87−35491
Tsymbal, V.N. *see* Velichko, S.A. 88−72546
Tsymbal, V.P. *see* Babich, A.A. 88−41234
Tsymbalenko, V.L. Use of digital integrator as a low-pass filter 87−52748
Tsymbalenko, V.L. *see* Borisov, M.V. 86−17888
Tsymbalist, E.I. *see* Roitman, M.S. 88−29284
Tsypin, B.V. *see* Gaevskii, Yu.S. 88−9957
Tsypin, S.G. *see* Barzali, F.D. 86−6504
Tsypin, S.G. *see* Kamyshan, A.N. 85−43708, 86−18972
Tsypkin, Ya.Z. Optimal recursive spectral estimation methods: a survey and new results 86−59266
Tsypkin, Ya.Z. Optimality in problems and optimization algorithms under indeterminacy 86−62068
Tsypkin, Ya.Z. *see* Aved'yan, E.D. 88−27969
Tsyplakov, V.V. *see* Khavroshkin, O.B. 86−56058

Tsyplenkov, I. *see* Kaciulus, S. 85−40453
Tsyplenkov, I.N. *see* Emel'yanenkov, D.G. 86−35430
Tsyplenkov, I.N. *see* Krinitskii, S.L. 85−45459
Tsyplyaev, S.A. *see* Glebov, L.B. 88−20419
Tsyplyakov, A.P. *see* Shikanov, A.E. 85−19086
Tsyplyatev, G.A. *see* Belevtseva, L.K. 85−48877
Tsyrkin, V.N. *see* Klimov, I.Z. 85−36170
Tsyrkunov, Yu.A. *see* Vlasenko, N.A. 86−15562
Tsyrlin, A.L. *see* Gorshkov, A.I. 85−9829
Tsyrlin, I.A. *see* Sheminov, V.G. 86−39818
Tsyrlin, L.E. Dynamics of the depletion region in a semiconductor containing an ionized impurity 85−11998
Tsyrul'nikov, A.N. *see* Petrovskii, A.A. 87−47698, 88−60551
Tsysov, V.A. *see* Vavilov, V.A. 85−34002
Tsytovich, L.I., Kozhevnikov, V.A., Sokolov, A.V. Scanning operational amplifier with automatic data-channel allocation 87−59202
Tsytovich, V.N. *see* Isakov, S.B. 88−2590
Tsytovich, V.N. *see* Krivitskii, V.S. 87−68738
Tsytovich, V.N. *see* Vladimorov, S.V. 86−29307
Tsytsanu, V.I. *see* Aktsipetrov, O.A. 87−70800
Tsyurupa, O.V. *see* Kovalev, B.A. 87−2025
Tsyutsyura, D.I., Virt, I.S. Influence of deformation of $Cd_xHg_{1-x}Te$ crystals on their annealing properties 88−1360
Tsyutsyura, D.I. *see* Birt, I.S. 87−60169
Tsyutsyura, D.I. *see* Matyushkin, V.P. 85−24387
Tsyutsyura, D.I. *see* Virt, I.S. 87−54176
Tsyvakin, V.G. Maintenance of hydroelectric generators with the use of computer calculations 85−60054
Tsyvin, A.A. *see* Parfenov, M.M. 86−11556
Tszyan, Yu.N. Superconducting conductivity modulator for wide helium-temperature range [small DC signal measurement] 86−44233
Tu, C.W., Ajuria, S.A., Temkin, H. Broadband and high-reflectivity mirror using $(Al,Ga)As/(Ca,Sr)F_2$ multilayer structures grown by molecular beam epitaxy 87−7191
Tu, C.W., Ajuria, S.A., Temkin, H. Molecular-beam epitaxial growth of $(Al,Ga)As/(Ca,Sr)F_2$ multilayer structures as a broad-band high-reflectivity mirror 87−36740
Tu, C.W., Beggy, J.C., Baiocchi, F.A., Abys, S.M., Pearton, S.J., Hsieh, S.J., Kopf, R.F., Caruso, R., Jordan, A.S. Lattice-matched $GaAs/Ca_{0.45}Sr_{0.55}F_2/Ge(100)$ heterostructures grown by molecular beam epitaxy 88−39174
Tu, C.W., Chevalliers, J., Hendel, R.H., Dingle, R., Sciortino, P.F., Jr., Brennan, T.M. Elimination of low-temperature drain *I-V* collapse of selectively doped (Al,Ga)As/GaAs heterostructure transistors by a modulation-doped superlattice donor layer 85−45682
Tu, C.W., Donnelly, V.M., Beggy, J.C., Baiocchi, F.A., McCrary, V.R., Harris, T.D., Lamont, M.G. Laser-modified molecular beam epitaxial growth of (Al)GaAs on GaAs and $(Ca,Sr)F_2/GaAs$ substrates 88−38132
Tu, C.W., Jones, K.A. Effects of varying the input and downstream HCl and PH_3 pressures and the H_2 flow rate on the hydride growth on InP 85−39752
Tu, C.W., Jones, W.L., Kopf, R.F., Urbanek, L.D., Pei, S.-S. Properties of selectively doped heterostructure transistors incorporating a superlattice donor layer 87−6712
Tu, C.W., Miller, R.C., Wilson, B.A., Petroff, P.M., Harris, T.D., Kopf, R.F., Sputz, S.K., Lamont, M.G. Properties of (Al,Ga)As/GaAs heterostructures grown by molecular beam epitaxy with growth interruption 87−36718
Tu, C.W., Miller, R.C., Wison, B.A., Petroff, P.M., Harris, T.D., Kopf, R.F., Sputz, S.K., Lamont, M.G. Molecular-beam epitaxial growth of (Al,Ga)As/GaAs heterostructure with interruption at interfaces 87−73088
Tu, C.W., Wang, S.J., Phillips, J.M., Gibson, J.M., Stall, R.A., Wunder, R.J. Structural and electrical properties of lattice-matched $Ca_{0.44}Sr_{0.56}F_2/GaAs$ structures grown by molecular beam epitaxy 86−53472
Tu, C.W. *see* Abeles, J.H. 85−50569, 86−58468
Tu, C.W. *see* Chen, C.Y. 85−35659
Tu, C.W. *see* Chevallier, J. 86−58386
Tu, C.W. *see* Chiu, T.H. 88−56233
Tu, C.W. *see* Dautremont-Smith, W.C. 87−11347
Tu, C.W. *see* Dawson, P. 86−35388
Tu, C.W. *see* Dingle, R. 87−45996
Tu, C.W. *see* Ezis, A. 87−74323
Tu, C.W. *see* Hendel, R.H. 85−6289
Tu, C.W. *see* Hendel, R.L. 85−55974
Tu, C.W. *see* Jones, K.A. 85−39754
Tu, C.W. *see* Mostefaoui, R. 88−71409
Tu, C.W. *see* Nabity, J.C. 87−45572
Tu, C.W. *see* Pearton, S.J. 87−60105
Tu, C.W. *see* Pei, S.S. 85−54860
Tu, C.W. *see* Polland, H.-J. 86−21212
Tu, C.W. *see* Schlier, A.R. 86−35918
Tu, C.W. *see* Schultheis, L. 86−14906
Tu, C.W. *see* Shah, N.J. 85−29322, 86−53819
Tu, C.W. *see* Song, J.J. 87−24853, 88−19716
Tu, C.W. *see* Wilson, B.A. 87−1253
Tu, D.-M. *see* Liu, D. 86−68034
Tu, D.-W. *see* Moshier, W.C. 88−50751
Tu, D.M. *see* Kao, K.C. 85−18499
Tu, D.M. *see* Liu, D. 85−41001
Tu, G., Verbeek, G., Rommelaere, J., Oosterlinck, A. A hybrid coding scheme for still images: adaptive vector quantization with correction information in DCT domain 88−59291
Tu, G., Verbeek, G., Rommerlaere, J., Ossterlinck, A. Adaptive coding in transform domain using vector quantization and scalar correction 88−27813
Tu, J.C. *see* Jolicoeur, G. 85−9232
Tu, K., Johnson, J.H., Teasdale, W.E., Cravey, D.N., Kuo, Y.S., Harton, P.L., Loh, Y.C. Space Shuttle communications and tracking system 87−40865
Tu, K. *see* Loh, Y.C. 87−40869
Tu, K.N. Silicide contact and gate in microelectronic devices 86−2085
Tu, K.N. Interdiffusion in thin films 86−28103
Tu, K.N. Contact for shallow junctions 86−63110
Tu, K.N. *see* Aboelfotoh, M.O. 87−1301
Tu, K.N. *see* Babcock, S.E. 86−35429
Tu, K.N. *see* Bisi, O. 85−12010, 85−50284
Tu, K.N. *see* Cheng, I.C. 85−34632
Tu, K.N. *see* Cros, A. 85−40632, 87−17949
Tu, K.N. *see* Cros, A.M. 85−6837
Tu, K.N. *see* Eizenberg, M. 85−6855, 85−29189, 85−61760
Tu, K.N. *see* Herd, S.R. 86−28041
Tu, K.N. *see* Kovac, Z. 85−23254
Tu, K.N. *see* Ohdomari, I. 85−12127
Tu, K.N. *see* Okumura, T. 85−55552, 87−53275
Tu, K.N. *see* Psaras, P.A. 85−61750, 86−28038
Tu, K.N. *see* Wittmer, M. 87−66988
Tu, P. *see* Hock, S. 88−23823
Tu, P.J. *see* Briley, B.E. 87−20755
Tu, S. Two dimensional adaptive equalizer for voiceband data transmission 87−5978
Tu, S., Phillips, P.G., Ugarte, C.A. Two dimensional adaptive equalizers for voiceband data transmission 86−64810
Tu, S.-C. *see* Leung, W.H. 88−59711
Tu, S.L. *see* Kai-feng Huang 87−17815
Tu, S.M. The lead/acid battery industry in Taiwan 87−58286
Tu, T., Ma, Y. Normalization for Chinese speech signal with 10th-order logical frame 87−47625
Tu, T., Ma, Y. Speech understanding with the Chinese phonemic approach 87−47629
Tu, T.-Y., Ma, C., Ma, Y.-L. Image recognition by the Kolmogorov complexity program 88−28083
Tu, T.-Y., Ma, Y.-L. The preliminary design for high speed ground levitation vehicle−single side short secondary−computer aided calculation for the optimal impedance and active force 87−72525
Tu, T.-Y., Ma, Y.-L. Chinese speech recognition with primitive approach 88−27862
Tu, T.-Y. *see* Ma, Y.-L. 88−76027
Tu, W. *see* McNeal, D.R. 87−14923
Tu, W.W. *see* Meadows, P.M. 88−48235
Tu Chin-Wang *see* Chin-Wang Tu
Tu Jian-nan *see* Wang Chang-biao 86−68412
Tu Jiannan *see* Wang Changbiao 88−27579
Tu Jun-ru *see* Bao Zue-song 87−10340
Tu King-Ning *see* King-Ning Tu
Tu Kwei *see* Kwei Tu
Tu Li Long *see* Li Long Tu
Tu Mingde An example for realizing optimal load distribution in a hydroelectric station [power station computer control] 85−9769
Tu Renyong, Huang Renlong, Lu Jibo Testing and design computation of Wells turbine for wave power generation 88−5592
Tu Sanyi, Lu Dehon, Li Xiajuan Reformation of the 23 kV underground cable network in Shanghai 88−23468
Tu Shigu, Chen Xinzhi, Fen Ji Design and experimental results of a semiconductor laser diode thermostat 85−12910
Tu Shigu, Wang Zhongzhi, Liao Shiqiang, Fu Ensheng, Sun Shundi, Shi Peisheng A simple servo-loop for power stabilization of FIR lasers 85−18983
Tu Shigu, Zhao Jiaming, Zhou Shanyu, Wang Yuzhu New developments in laser frequency stabilization technique. Researches for optical frequency standards 88−20730
Tu Shigu, Zhao Jiaming, Zhou Shanyu, Wang Yuzhu New developments in laser frequency stabilization techniques. II. Techniques for frequency stabilization of CW lasers 88−27007
Tu Shizhen Reliability improvement of high bit rate microwave systems 86−17207
Tu Tsing-Yee *see* Tsing-Yee Tu
Tu Wu Chin *see* Chin Tu Wu
Tu Xiangchu A multi-valued logic circuit using CCD 87−5750
Tu Xiaolin *see* Zhou Xiaogang 88−36400
Tu Xuan, M. *see* Chatelain, J. 87−22268
Tu Yan *see* Xie Jin-lay 87−15084
Tu Yaoyuan Theoretical and experimental studies on the geometric 'unsharpness' for radiographic inspection of annular objects 88−18529
Tu Yu-shan Design of annular cathode gun used for electron beam melting and evaporation deposition 86−34390
Tu Yu-shan *see* Liu Xiang-huai 87−60056
Tu Yuan-Kuang *see* Yuan-Kuang Tu
Tu Yuang-Kung *see* Yuang-Kung Tu
Tu Zhang Qi *see* Qi Tu Zhang
Tu Zhuguo, Lewis, E.E. Component dependency models in Markov Monte Carlo simulation 86−251
Tu Zhuguo *see* Lewis, E.E. 87−10218
Tu-Chih Tsai, Anastassiou, D. Recursive multidirectional image filters 88−40936
Tu-Chih Tsai, Anastassiou, D. Nonlinear recursive filters and applications to image processing 88−66699
Tu-Dan-Wei *see* Liu Ben-lin 88−15900
Tu-hsing Chen *see* Chen Tu-hsing
Tua, L. The first moving fluid combustion bed steam generators installed in France 88−5554
Tuaev, A.N. *see* Gutner, A.B. 86−18508
Tuan, H. *see* Hack, M. 88−44772
Tuan, H. *see* Ito, H. 86−50111
Tuan, H. *see* Martin, R.A. 88−39472
Tuan, H.C. Amorphous silicon thin film transistor and its applications to large-area electronics 85−50599
Tuan, H.C. Novel a-Si:H thin film high voltage transistor 87−25358
Tuan, H.C. Applications of amorphous silicon thin film transistors to linear arrays 88−1606
Tuan, H.C. *see* Chuang, T.C. 88−26296
Tuan, H.C. *see* Thompson, M.J. 88−13422
Tuan, H.C. *see* Thomson, M.J. 87−46001
Tuan, H.C. *see* Tsai, C.C. 85−50223
Tuan, H.C. *see* Weisfeld, R.L. 88−44774
Tuan, H.S., Parekh, J.P. Theory of magnetostatic-wave delay-line based oscillators 85−50850
Tuan, H.S., Parekh, J.P. Q-factor for an MSW delay-line based oscillator 86−22031
Tuan, H.S., Parekh, J.P. MSFVW diffraction loss 88−51254
Tuan, H.S. *see* Cheng, T. 86−2610
Tuan, H.S. *see* Cheng, T.S. 87−60831, 87−74531
Tuan, H.S. *see* Parekh, J.P. 85−24200, 86−21971, 86−22032, 88−51358
Tuan, H.S. *see* Wey, A.C.T. 87−60830
Tuan, H.S. *see* Wey, C.T. 87−67737, 88−7958
Tuan, P.D. Maximum likelihood estimation of the autoregressive model by relaxation on the reflection coefficients 88−72922
Tuan, T.C. *see* Welsh, T. 86−37208
Tuan Anh Nguyen Tan *see* Nguyen Tan Tuan Anh
Tuan Cao Minh, Perkowski, M. Logic/register-transfer simulator with visualization 87−59440
Tuan Duong Anh *see* Duong Anh Tuan
Tuan Hang-Sheng *see* Hang-Sheng Tuan
Tuan Kim *see* Kim Tuan
Tuan Tai-Ching *see* Tai-Ching Tuan
Tuan-sun Lu *see* Lu Tuan-sun
Tuansun Lu *see* Lu Tuansun
Tuba, I.S., Body, P. Award and honour systems and the Hall of Fame for Engineering, Science and Technology 86−7445
Tubach, J. *see* Martelli, T. 87−61665
Tubach, J.-P., Boe, L.J. Quantitative knowledge on word structure, from a phonetic corpus, with application to large vocabularies recognition systems 87−19443
Tubach, J.P. *see* Boulianne, G. 87−47618
Tubaro, S. *see* Marcozzi, E. 88−28060
Tubbenhauer, G. *see* Dalglish, R.L. 85−26737
Tubbritt, J.A. A home-constructed telescopic mast 85−41707
Tubbs, D.L. *see* Sheppard, M.G. 88−43302
Tubbs, E.F. *see* Kuiper, T.B.H. 86−4785
Tubbs, G. VLSI standard part manufacturer as a full-service vendor 87−60563
Tubbs, G. *see* Senthinathan, R. 88−64765
Tubbs, J.D. A note on parametric image enhancement 88−14790
Tubbs, R. On the measure of algebraic independence of certain values of elliptic functions 86−46200
Tubbs, R. Algebraic groups and small transcendence degree I 87−36594
Tubiana, M. Environment and health 88−23621
Tubis, C.J. *see* Blanchard, R.A. 85−61114
Tubis, Ya.B. *see* Petrov, V.M. 85−43989, 86−45336
Tuboltsev, Yu.V. *see* Abrosimov, N.K. 86−25155
Tubol'tsev, Yu.V. *see* Gorokhov, I.S. 85−20867
Tubota, K. *see* Kobayashi, H. 86−58074, 87−66583
Tubota, K. *see* Nakamura, S. 87−24493
Tuca, M. *see* Miron, D. 88−19590
Tucci, P.A. *see* Yeung, P. 87−59416
Tucci, S., Sauer, C.H. The tree MVA algorithm 86−307
Tucci, V. *see* Apicella, A. 85−32213, 88−38276
Tucci, V. *see* Bozzo, R. 88−64856
Tucci, V. *see* Egiziano, L. 85−40999, 86−7859, 86−9338, 86−39199, 86−68092, 86−70711, 87−25724, 87−50838, 88−51075
Tucciarone, A. *see* Balestrino, G. 86−28633
Tuccillo, R. *see* Rocco, V. 86−24845, 88−68089
Tucek, L., Vesely, S., Durda, Z. Steam turbines and boilers of Prvni brnenska strojirna Concern Corporation 87−22139
Tuceryan, M., Jain, A.K., Lee, Y. Texture segmentation using Voronoi polygons 88−73299

Tuchin, R.D. Power conditions of measurements using transformer bridges for parameters of nonlinear inductances 88—60868
Tuchin, V.A., Zakharov, V.I., Gurov, A.I., Ivanov, V.N., Arkhipova, G.N., Karelina, N.N. Measuring electromagnetic-field distribution in microwave plasma guns 85—43086
Tuchin, V.A. *see* Gurov, A.I. 85—44345
Tuchin, V.V. Technical fluctuations of a gas laser with nonlinear absorption 85—12796
Tuchin, V.V. *see* Akchurin, G.C. 85—35696
Tuchin, V.V. *see* Akchurin, G.G. 86—42488
Tuchin, V.V. *see* Babkina, T.V. 88—33749
Tuchin, V.V. *see* Melnikov, L.A. 88—51895
Tuchin, Yu.M. *see* Shestopalov, V.P. 86—12130
Tuchiya, K. *see* Yamazaki, I. 86—35276
Tuchiya, M. *see* Fukamachi, H. 88—48201
Tuchiyama, T. *see* Ohta, H. 88—29506
Tuchkevich, V.M. *see* Alferov, Zh.I. 86—21534
Tuchkevich, V.M. *see* Boronin, K.D. 86—21532
Tuchkevich, V.M. *see* Burova, T.V. 86—24371
Tuchkevich, V.M. *see* Paritskii, L.G. 86—24370
Tuchkevich, V.M. *see* Volle, V.M. 86—21356
Tuchkevich, V.M. *see* Voronov, I.N. 85—61842
Tuchkova, E.A. *see* Veiko, V.P. 85—12380
Tuchman, I. *see* Reich, S. 85—36179
Tucholka, P., Tessier, J. Interfacing the DIGICO flux-gate spinner magnetometer to an APPLE IIe microcomputer 87—57322
Tucholke, U., Arndt, F., Wriedt, T. Field theory design of square waveguide iris polarizers 86—41294
Tucholke, U. *see* Arndt, F. 85—11513
Tucholke, U. *see* Sipila, M.T.A. 86—22750
Tucholke, U. *see* Wolff, K.-H. 87—47370
Tucholke, W. *see* Arndt, F. 85—45216
Tucholski, G.R., Langkau, J.F. New long life coin cells 87—72373
Tucholski, G.R. *see* Langan, R.A. 86—13007
Tucholsky, H. *see* Curtin, M. 87—31960
Tuci, G. *see* McConnell, J. 87—15288
Tuck, B. Diffusion and type conversion [III-V semiconductors] 86—1723
Tuck, B. What are LANs for? 86—10784
Tuck, B. Electronic mail: the evolution towards standards 86—49200
Tuck, B. ISDN and information services 86—69283
Tuck, B. QUARTET: a collaborative research project in digital information interchange 87—13422
Tuck, B. A physical approach to modelling diffusion in III-V semiconductors 87—32454
Tuck, B. Wide area networks: review and update 88—35240
Tuck, B. 'What do all the letters mean?'—a study of the IT standards-making industry. I. Standards organisations and their interrelations 88—73433
Tuck, B. *see* Dodd, P. 88—46747
Tuck, B. *see* Hearne, M.T. 88—26030, 88—70303
Tuck, B. *see* Henini, M. 86—17761
Tuck, B. *see* Ke, W.K. 85—50210
Tuck, B. *see* Rout, P. 85—3114
Tuck, B. *see* Zonghou Ma 87—20140
Tuck, D.L. Reduce dispatchers' mountain of paperwork [energy accounting] 88—17076
Tuck, G.J. *see* Moore, G.I. 88—67632
Tuck, G.J. *see* Stacey, F.D. 85—63949
Tuck, J. How they packaged the Sun 85—16789
Tuck, J. Repair comes out of the dark ages 85—17963
Tuck, J. The lowdown on laser plotters 85—40316
Tuck, J. Vision relieves strain of hybrid inspection 85—55328
Tuck, J. Blue sky comes down to earth (make that factory) 86—41412
Tuck, J. Liquids make a splash 87—53002
Tuck, J. Low-volume placers stir high-volume interest 87—66725
Tuck, J. What a PAL 88—1134
Tuck, J. More machines in the fast lane 88—32577
Tuck, J., Murray, J. Tool generators bring CAM to the board shop 86—14653
Tuck, J. *see* Ford, D. 87—59993
Tuck, M.B. Dual precipitators rejuvenated; curtain warpage solved 87—26644
Tuck, W., Richardson, T., Rich, M., Prince, I. The teletex experiment on Project UNIVERSE 86—37199
Tuck, W.R. Videotex and database management systems 86—30315
Tucker, A. Coloring perfect (K_4-e)-free graphs 87—44149
Tucker, A. A reduction procedure for coloring perfect K_4-free graphs 87—72934
Tucker, A. *see* Sosdian, C.P. 85—42512
Tucker, A.M. Attenuators 88—44014
Tucker, B.A. *see* Crescenzi, E.J., Jr. 86—8489
Tucker, B.G.S. Electronic control systems for aircraft: fly-by-wire and fly-by-light 86—50707
Tucker, C.E. A multiple-parameter allocation process 86—286
Tucker, C.J. *see* Townshend, J.R.G. 86—25454
Tucker, C.S. *see* Karlin, G. 88—41343
Tucker, D. *see* Collins, J. 85—2446
Tucker, D. *see* Siler, W. 86—5919
Tucker, D. *see* Starks, S. 85—13648
Tucker, D.G. Origins and types of radio receivers 88—73788
Tucker, E. Health and safety. Dipping into soldering queries 88—32630
Tucker, E.D. *see* Robinson, H. 86—56014
Tucker, G.H., Lewis, W.J., Kitlas, K. Electrostatic discharge (ESD) response measurements in a satellite environment 88—54703
Tucker, H.G. *see* Hayes, W.F. 85—44270, 87—5057
Tucker, J. Open system interconnection—present state and strategies for adoption 85—8201
Tucker, J. OSI net interconnect [communication networks] 86—49101
Tucker, J. Naming and addressing issues—OSI Network Addresses 88—14910
Tucker, J. *see* Chen Tirong 87—18059
Tucker, J.B. The role of the network layer [OSI] 88—9237
Tucker, J.D., Miske, S.A., Jr. Mechanical switching cuts SVC costs, losses 86—44935
Tucker, J.E. *see* Lucey, R.F., Jr. 88—54202
Tucker, J.H., Tapia, M.A., Bennett, A.W. Boolean integral calculus for digital systems 85—28456
Tucker, L.W. Model-guided segmentation using quadtrees 85—30396
Tucker, M. Network software rejuvenates LAN market 86—59660
Tucker, M. Reliable, energy efficient, close control environmental systems for telecommunications rooms 88—31219
Tucker, M. *see* Gooderson, I. 85—58499
Tucker, M.J. The imaging of waves by satelliteborne synthetic aperture radar: the effects of sea-surface motion 85—64756
Tucker, M.J. The decorrelation time of microwave radar echoes from the sea surface 85—64757
Tucker, O. Telex and electronic mail—rivals or compatible communication? 87—34048
Tucker, O. *see* Newell, C. 87—27903
Tucker, P.A. *see* Bateman, J.E. 87—77545
Tucker, R. Speeding up test program generation 86—55535
Tucker, R. Efficiency in the testing of circuit boards 87—37715
Tucker, R., Boughtwood, A. VLSI demands advanced in-circuit testing 86—2278
Tucker, R., Evrard, J.-C. A 30 MHz board tester for a better fault coverage 86—19814
Tucker, R., Smith, S. Context-dependent probing cuts performance test time 87—14095
Tucker, R. *see* Kaufman, J. 86—25329
Tucker, R. *see* Stevens, H.H. 86—65833
Tucker, R.C.F. Accurate method for analysis of a packet-speech multiplexer with limited delay 88—45976
Tucker, R.C.F., Flood, J.E. Optimizing the performance of packet-switched speech 85—46985
Tucker, R.C.F., Flood, J.E. Packet-speech multiplexer 88—14854
Tucker, R.C.F. *see* Flood, J.E. 85—63152
Tucker, R.D., Seivert, C.E., Stasz, P. A unique bipolar electrosurgical active electrode with ultrasound 88—68458
Tucker, R.S. High-speed modulation of semiconductor lasers 86—29157
Tucker, R.S. High-speed semiconductor lasers 88—8234
Tucker, R.S. Wide-band semiconductor lasers and optical modulators for communications 88—73947
Tucker, R.S., Bowers, J.E., Burrus, C.A. Microwave direct frequency modulation of cleaved-coupled-cavity InGaAsP channeled substrate lasers 85—2355
Tucker, R.S., Eisenstein, G., Korotky, S.K., Buhl, L.L., Veselka, J.J., Raybon, G., Kasper, B.L., Alferness, R.C. 16 Gbit/s fibre transmission experiment using optical time-division multiplexing 88—15445
Tucker, R.S., Eisenstein, G., Korotky, S.K., Koren, U., Raybon, G., Veselka, J.J., Buhl, L.L., Kasper, B.L., Alferness, R.C. Optical time-division multiplexing and demultiplexing in a multigigabit/second fibre transmission system 87—40876
Tucker, R.S., Eisenstein, G., Korotky, S.K., Raybon, G., Buhl, L.L., Veselka, J.J., Kasper, B.L., Koren, U., Alferness, R.C. Optical time-division multiplexed fiber transmission using Ti:LiNbO$_3$ waveguide switch modulators 88—45206
Tucker, R.S., Kaminow, I.P. High-frequency characteristics of directly modulated InGaAsP ridge waveguide and buried heterostructure lasers 85—7439
Tucker, R.S., Korotky, S.K., Eisenstein, G., Koren, U., Stulz, L.W., Veselka, J.J. 20 GHz active mode-locking of a 1.55 μm InGaAsP laser 85—35749
Tucker, R.S., Taylor, A.J., Burrus, C.A., Eisenstein, G., Wiesenfeld, J.M. Coaxially mounted 67 GHz bandwidth InGaAs PIN photodiode 86—68394
Tucker, R.S., Weisenfeld, J.M., Downey, P.M., Bowers, J.E. Propagation delays and transition times in pulse-modulated semiconductor lasers 86—63795
Tucker, R.S., Wiesenfield, J.M., Downey, P.M., Bowers, J.E. Limitations on switching speed in wideband semiconductor lasers 87—7384
Tucker, R.S., Wiesenfeld, J.M., Gnauck, A.H., Bowers, J.E. 8 Gbit/s return-to-zero modulation of a semiconductor laser by gain-switching 87—18959
Tucker, R.S. *see* Alferness, R.C. 85—7429
Tucker, R.S. *see* Antreasyan, A. 87—73406
Tucker, R.S. *see* Bower, J.E. 87—26206
Tucker, R.S. *see* Bowers, J.E. 85—12893
Tucker, R.S. *see* Burrns, C.A. 85—35627
Tucker, R.S. *see* Chinlon Lin 85—2315
Tucker, R.S. *see* Darcie, T.E. 85—56629
Tucker, R.S. *see* Downey, P.M. 87—46911, 87—68497
Tucker, R.S. *see* Einsenstein, G. 87—26476
Tucker, R.S. *see* Eisenstein, G. 85—2281, 85—2347, 85—29814, 86—42598, 87—54363, 88—3975, 88—47169
Tucker, R.S. *see* Heutmaker, M.S. 88—39732
Tucker, R.S. *see* Koren, U. 87—54108, 88—2052, 88—27143
Tucker, R.S. *see* Korotky, S.K. 87—46560, 87—60970
Tucker, R.S. *see* Lin, C. 85—24537
Tucker, R.S. *see* Liou, K.-Y. 86—48453
Tucker, R.S. *see* Miller, B.I. 88—33898
Tucker, R.S. *see* Taylor, A.J. 86—22186, 86—36332, 87—7226, 87—7335
Tucker, R.S. *see* Wiesenfeld, J.M. 86—42527, 87—46232, 87—53692, 88—8178, 88—40446
Tucker, R.S. *see* Wood, T.H. 85—57207, 87—54106
Tucker, R.W. TPS transportability in the MATE environment 85—31337
Tucker, S. A telecommunications primer 86—30200
Tucker, S.A. Selecting an electronic mail service . . . a quest for the Holy Grail? 86—23381
Tucker, S.A. Electronic mail: selecting a service that works for you 87—20150
Tucker, S.A. Electronic mail connections 87—69591
Tucker, S.G. *see* Brown, A. 85—17282
Tucker, S.P. *see* Spielvogel, L.Q. 87—70151, 88—5197
Tucker, T.J., Hanson, D.L., Cnare, E.C. Experimental investigation of an explosive-driven pulse power system 85—5257
Tucker, T.J. *see* Cowan, M. 87—26664
Tucker, T.J. *see* Turman, B.N. 87—22609
Tucker, T.K., Dick, G.J. Performance of a hydrogen maser with auto-tuning utilizing cavity Q modulation 88—20527
Tucker, T.W. A refined Hurwitz theorem for imbeddings of irredundant Cayley graphs 85—10602
Tucker, W.K., Anderson, R.A., Hasti, D.E., Jones, E.E., Bennett, L.F. Vacuum interface flashover with bipolar electric fields 87—21314
Tucker, W.K., Jones, E.E., Franklin, T.L., Bennett, L.F., Weber, G. Compact, low jitter, triggered spark gap 87—17579
Tucker, W.K., Shope, S.L., Hasti, D.E. Recirculating electron beam linac 88—54023
Tucker, W.K. *see* Anderson, R.A. 86—9317
Tucker, W.K. *see* Frost, C.A. 87—41789
Tucker, W.K. *see* Messham, R.L. 87—10399
Tucker, W.K. *see* Shope, S.L. 87—21355, 88—54191
Tuckerman, C.J. *see* Collins, R.W. 86—21399
Tuckerman, D.B. Laser-patterned interconnect for thin-film hybrid wafer-scale circuits 88—7229
Tuckerman, D.B., Schmitt, R.L. Pulsed laser planarisation of metal films for multilevel interconnects 86—28436
Tuckerman, D.B., Weisberg, A.H. Planarization of gold and aluminum thin films using a pulsed laser 86—41715
Tuckerman, D.B., Weisberg, A.H. Laser planarization 86—47493
Tuckman, M. I-Q vector modulator—the ideal control component? 88—56520
Tuckman, M.S. *see* Vaughn, G.E. 85—4799
Tuckmantel, J. *see* Arnolds-Mayer, G. 86—31857
Tuckmantel, J. *see* Bernard, P. 85—26600
Tuckova, J. Application of continuants in the calculation of the transfer function of the active feedback network 88—56409
Tuckwell, R. On-line information for Underground passengers 85—58553
Tuckwell, R. A challenge to the 32 bit processor market 87—10896
Tuczek, F. *see* Albrecht, R. 87—63693
Tude, E.A.Parada *see* Parada Tude, E.A.
Tudela, R. *see* Medina, M. 87—76129
Tuder, L.A. *see* Sokolovskii, G.G. 88—75967
Tudge, D.T. The global aspects of ISDN 88—28497
Tudge, D.T. *see* Wu, W.W. 88—47001
Tudor, J.R., Ertem, S. Optimal reactive power allocation for power system voltage correction and loss reduction 86—61091
Tudor, J.R. *see* Ertem, S. 88—23269
Tudor, M. *see* Voicu, G. 87—64487, 87—64489
Tudor, M.J., Andres, M.V., Foulds, K.W.H., Naden, J.M. Silicon resonator sensors: interrogation techniques and characteristics 88—74443

Tudor, M.J. *see* Andres, M.V. 87−8589, 87−68036, 87−77198, 88−67845
Tudor, T. *see* Falomkin, I.V. 85−52981
Tudor, V. *see* Stanciu, D. 86−66396
Tudorache, C., Diaconescu, C., Chiriac, M., Ungureanu, G. Track inductors for autostop installations INDUSI-I-60 with laminated core coils 88−62678
Tudoran, I.A. *see* Aronov, M.A. 85−59385 to 59386
Tudoric-Ghemo, J. *see* Ilakovac, K. 86−50380
Tudos, T. Up-to-date charge controllers for electric storage heaters 87−43485
Tudosa, R., Bodea, M., Vais, M., Ilie, M. Testing automatic system of the ROB 305 monolithic regulator. III. Error computing 88−35782
Tudosa, R., Bodea, M.R., Vais, M., Ilie, M. Automatic testing system of the monolithic regulator ROB 305. II. Programming and utilization 88−31981
Tudose, M. New types of REI-DIMO equivalents obtained by independent linearisation of active and reactive nodal powers 86−6266
Tudrej, M., Nimoz, E. Centre break disconnectors for short circuit currents: influences of principle parameters 88−55543
Tudrej, M. *see* Latil, L. 88−69721
Tuduce, R. *see* Cristea, P. 85−33617, 87−494, 87−10976, 88−6590
Tuduce, R. *see* Gristea, P. 86−27030
Tue Huynh Huu *see* Huu Tue Huynh
Tue Nguyen *see* Nguyen Tue
Tuenge, R.T. *see* Barrow, W.A. 87−3684
Tuern, T.M. *see* Gholdston, E.W. 86−2528
Tuet Min' Dao *see* Dao Tuet Min'
Tueta, R. *see* Menn, R. 85−4054
Tueta, R. *see* Thioulouse, P. 86−2942, 86−50170
Tufa Yu *see* Yu Tufa
Tufano, D.R., Gwynne, J.T. Cockpit cursor control: effects of task loading and controller location 87−21734
Tufanov, A.N. *see* Petukhov, V.I. 87−64702
Tufanov, V.A. *see* Aleksandrov, S.O. 88−23274
Tufekci, S. *see* Chen, M.-L. 86−23194
Tuffelli, D. *see* Dang, V.C. 87−47599
Tuffelli, D. *see* Ye, H. 87−61624
Tuffey, P.J., Browning, M., Robison, B. REMIS: the distributed data base solution 88−68678
Tuffias, R.H. *see* Harding, J.T. 87−26679
Tufino, M. *see* Felix-Valdez, J. 87−53182
Tuflin, Yu.A., Dobretsov, A.I. Discrete averaging differentiator 86−44224
Tuflin, Yu.A., Dobretsov, A.I. Sample-and-hold device with long holding time 87−24379
Tufte, O.N. *see* Baek, J. 87−67263
Tufte, O.N. *see* Baek, J.H. 87−6709
Tufte, O.N. *see* Cirillo, N.C., Jr. 86−28325, 86−47614
Tufte, O.N. *see* Daniels, R.R. 87−46223
Tufte, O.N. *see* Liu, S.T. 86−21868
Tufts, B.J., Abrahams, I.L., Santangelo, P.G., Ryba, G.N., Casagrande, L.G., Lewis, N.S. Chemical modification of n-GaAs electrodes with Os^{3+} gives a 15% efficient solar cell 87−51465
Tufts, B.J. *see* Rosenbluth, M.L. 87−6499
Tufts, D.W., Barton, M., Efron, A. Robust, adaptive filtering for data transmission 87−62101
Tufts, D.W., Kot, A.C., Vaccaro, R.J. The threshold analysis of SVD-based algorithms 88−73076
Tufts, D.W., Kumaresan, R. Robust, adaptive, equalization 87−27133
Tufts, D.W., Melissinos, C.D. Simple, effective computation of principal eigenvectors and their eigenvalues and application to high-resolution estimation of frequencies 86−10415
Tufts, D.W., Melissinos, C.D. Simple, effective computation of principal eigenvectors and their eigenvalues and application to high-resolution estimation of frequencies 87−12972
Tufts, D.W., Melissinos, C.D. Threshold extension of SVD-based algorithms 88−73140
Tufts, D.W., Parthasarathy, S., Barton, M. Robust prefiltering for adaptive equalization 88−3065
Tufts, D.W., Sadasiv, G. Arithmetic Fourier transform and adaptive delta modulation: a symbiosis for high speed computation 88−52331
Tufts, D.W. *see* Efron, A. 86−16466, 86−44375
Tufts, D.W. *see* Kirsteins, I.P. 86−10439
Tufts, D.W. *see* Kot, A.C. 87−62028, 88−14676
Tufts, D.W. *see* Melissinos, C.D. 87−55193
Tufts, D.W. *see* Parthasarathy, S. 86−16333, 87−61673, 87−75744
Tufts, D.W. *see* Scharf, L.L. 87−13045, 87−39756
Tufts, D.W. *see* Swaszek, P.F. 86−29875
Tufts, W.F. *see* Abbott, A.F. 85−134, 86−141
Tugarinov, V.N. *see* Gol'denberg, S.I. 86−56732
Tugarinov, V.N. *see* Raskin, M.G. 86−56694
Tugbay, N., Panayirci, E. Energy optimization of band-limited Nyquist signals in the time domain 87−39550
Tugbay, N. *see* Panayirci, E. 85−2845, 88−52418
Tugenberg, M. *see* Fette, B. 88−66394
Tuggle, D.W., Li, J.Z., Swanson, L.W. Point cathodes for use in virtual source electron optics 86−41467
Tuggle, D.W., Swanson, L.W. Emission characteristics of the ZrO/W thermal field electron source 85−34418
Tugnait, J. Constrained signal restoration via iterated extended Kalman filtering 85−7901
Tugnait, J.K. ARMA spectral estimation for noisy signals observed through a linear system 85−46770
Tugnait, J.K. Constrained signal restoration via iterated extended Kalman filtering 85−46785
Tugnait, J.K. Constrained signal restoration via iterated extended Kalman filtering 85−46795
Tugnait, J.K. Continuous-time system identification on compact parameter sets 86−13626
Tugnait, J.K. Recursive parameter estimation for noisy autoregressive signals 86−59275
Tugnait, J.K. Modeling and identification of symmetric noncausal impulse responses 87−12981
Tugnait, J.K. Identification of linear stochastic systems via second-and fourth-order cumulant matching 87−54778
Tugnait, J.K. Fitting noncausal autoregressive signal plus noise models to noisy non-Gaussian linear processes 87−55077
Tugnait, J.K. Fitting noncausal autoregressive signal plus noise models to noisy non-Gaussian linear processes 87−61940
Tugnait, J.K. On selection of maximum cumulant lags for noncausal autoregressive model fitting 88−73066
Tugov, A.I. Further development of tower-type solar power stations 88−43104
Tugov, A.I., Aleksandrov, G.P. Investigation of the steam generator of the first Soviet solar power station 88−5607
Tugov, A.I., Aleksandrov, G.P., Gonoboblev, A.S., Zeitullaev, P.F. Operating modes of the solar steam generator during start-up and mastering of SES-5 88−55241
Tugov, A.I., Fanas'ev, B.P. Analysis of systems of arranging the steam generating plant of solar/fuel-fired power stations 86−19174
Tugov, A.I., Gladilin, V.I. Fundamental features of devices for measuring heat fluxes concentrated by the SES-5 optical system 86−65988
Tugui, T. *see* Sfichi, R. 88−37122
Tugulea, A. Considerations regarding the definition and role of reactive power under deforming conditions 86−32638
Tugulea, A. Some considerations regarding the energetic effect of the nonsymmetrical harmonic operation on three-phase power systems 86−56292
Tugulea, A. Considerations regarding the power factor definition for unbalanced three-phase systems 86−70584
Tugulea, A. The electromagnetic pseudo-power conservation — a generalization of Tellegen's theorem for electromagnetic field quantities (continuous media) 87−10542
Tugulea, A. The power factor in nonsinusoidal operation [power systems] 87−30043
Tugulea, A., Dascalu, D. The image-force effect at a metal-semiconductor contact with an interfacial insulator layer 85−12021
Tugulea, A., Golovanov, C. On waveform distortion effects in electrical power consumption measurement 88−36898
Tugulev, V.N. *see* Kuz'micheva, K.I. 87−4452
Tugusheva, T.Ye. *see* Mnatsakanov, T.T. 86−21238
Tugushi, V.G. *see* Basistov, Yu.A. 88−28929
Tugushi, V.G. *see* Basistov, Yu.G. 88−40902
Tugwel, D. The Asaca ACL-6000C videocart system 87−8454
Tugwell, A., Pegrum, C.M., Donaldson, G.B., Wicks, M. Fabrication and properties of 1 μm^2 edge junctions 87−67851
Tugwell, A. *see* Pegrum, C.M. 85−56218
Tugwell, A.J., Hutson, D., Pegrum, C.M., Donaldson, G.B. Plasma processing of niobium for the production of thin-film superconducting devices 87−67906
Tugwood, J.M. *see* Horn, J.A. 85−48457
Tuhasz, J. *see* Bakos, J. 86−3277
Tuichiev, M. *see* Aronov, D.A. 87−74027
Tuichiev, M. *see* Azimov, S.A. 85−18082
Tuijl, A.J.M.van *see* van Tuijl, A.J.M.
Tuikin, O.R., Ivanov, V.I. Factorial analysis of stability for acoustic-emission parameters 86−62294
Tuinenga, P.W. *see* Maeding, D.G. 85−18489
Tuinman, E., Spoorenberg, C.J.G., van Dam, M.J.M., van de Klundert, L.J.M. A superconducting correction coil system for an NMR magnet 85−41084
Tuinstra, F. *see* van de Leur, R.H.M. 88−38135
Tujimoto, I. *see* Nabeshima, H. 87−26049
Tujsnaider, O.O., Kustra, R. Digital transmission: probabilistic model of error bursts 86−36895
Tukada, N. *see* Koyama, Y. 86−66429
Tukalevskaya, N.I. *see* Luchka, A.Yu. 85−60881
Tukalov, I.O. *see* Akimov, L.V. 87−9893
Tukey, J.W. Configural polysampling 87−43934
Tukh, G.Sh. *see* Lesman, M.Ya. 86−37270
Tukhvatulin, A.Sh. *see* Kenunen, E.O. 88−58200
Tukhvatulin, R.Sh. *see* Butusov, M.M. 87−68060
Tukhvatulin, R.Sh. *see* Ivanov, A.V. 85−62407
Tukhvatulin, V.V. *see* Katulev, A.N. 88−4132
Tukhvatulin, V.V. *see* Rog, A.I. 86−37063
Tukhvatullin, R.A. *see* Rogozin, A.Ya. 86−33831
Tukhvetov, F.T. *see* Akimov, I.S. 86−56558
Tukkel, I.P. *see* Dolbezhkin, V.A. 87−43515
Tuktaev, I.I., Chindyanskin, V.I. Additional characteristics in estimation and analysis of wear characteristics of electric-machine brushes 87−72085
Tuktarov, R.F., Yumaguzin, T.Kh. Controller for Ch6-31 frequency synthesizer 87−29150
Tulach, L. Radiation-induced defects in silicon due to fast neutrons 87−6363
Tulach, L., Frank, H., Pina, B., Janu, M. Gold as residual impurity in silicon devices 86−58239
Tulach, L., Frank, H., Prasil, Z. Radiation defects in silicon due to irradiation by γ-quanta 87−53168
Tulach, L. *see* Frank, H. 85−18265, 86−67832
Tuladhar, K.K. Vibrational sensitivity of high frequency quartz crystals 85−45929
Tuladhar, K.K. High frequency quartz crystal oscillators under vibration 86−35955
Tuladhar, K.K. High frequency quartz crystal oscillators for avionic systems 87−60722
Tuladhar, K.K., Adams, B.J., Fletcher, E.D. Hysteresis effects in quartz crystal resonators 87−60720
Tulaikova, T.V. *see* Belovolov, M.I. 87−68592
Tulaikova, T.V. *see* Miler, M. 85−8435
Tulaikova, T.V. *see* Svakhin, A.S. 86−63655
Tulaikova, T.V. *see* Sychugov, V.A. 85−7273, 85−35537
Tulashvili, E.V. *see* Alferov, Zh.I. 86−22408
Tulashvili, E.V. *see* Garbuzov, D.Z. 85−56640
Tulay, M.P. *see* Craig, W.E. 88−23631
Tul'chinskaya, G.A. Improving the stabilizing properties of automatic voltage regulation in complex power systems 87−42327
Tulchinskii, D.Yu. *see* Taranov, S.G. 87−55062
Tul'chinskii, G.A. Improvement of the stabilising properties of automatic excitation control in composite power systems 86−44864
Tul'chinskii, G.A., Sidorov, A.V., Khomyakov, G.P. Experience of the operation of electrical switchgear in low-temperature conditions 88−43327
Tulchinsky, D.Yu. *see* Taranov, S.G. 88−53753
Tuleberdiev, Zh.T. Boundaries of power engineering of Khirgizstan 87−64046
Tulenko, J.S., Crane, C., Carlton, R.E. An advanced semiautonomous robotic system for hazardous response work at nuclear power stations 88−23657
Tulenko, J.S., Crane, C., Dalton, G.R. Development of a semiautonomous robot system for surveillance/maintenance/emergency response work at nuclear power stations 87−57785
Tulepov, K.M. *see* Maslov, Yu.N. 87−53875
Tulett, M.V. *see* Tremblay, P.F. 88−75376
Tul'ev, A.V. *see* Bazlov, N.V. 88−42197
Tul'ev, A.V. *see* Vyvenko, O.F. 87−73997
Tuley, C.R., Miller, R.B. Westinghouse setpoint methodology for control and protection systems 86−51266
Tuley, R. *see* Lawson, M. 87−77733
Tulin, V.A. *see* Zakosarenko, V.M. 88−65020
Tulinov, A.V. *see* Dvurechenskii, A.V. 85−1492
Tulintseff, A. *see* Chen, C.H. 85−11520
Tulintseff, A.N., Sorbello, R.M. Current and radiation fields of electromagnetically coupled microstrip antenna 88−2786
Tulip, A. Seas no longer divide. I [Bass Strait communications] 88−52768
Tulip, A. Seas no longer divide. II. [Telecommunication links between Australia and Tasmania] 88−59487
Tulip, J. *see* Sinclair, R.L. 85−7371, 85−7381
Tulipe, D.C.La *see* La Tulipe, D.C.
Tulipe, D.C.La, Jr. *see* La Tulipe, D.C., Jr.
Tulipe, D.La *see* La Tulipe, D.
Tulka, J. *see* Kosek, F. 85−34520
Tulke, A. *see* Forster, A. 88−13017
Tull, C.E. *see* Christie, W.B. 87−50138
Tull, M.P. *see* Delatore, J.P. 86−10903
Tulla, A. Floodlights and floodlighting 85−65609
Tullberg, O. *see* Jin, H. 85−54419
Tuller, H.L., Barsoum, M.W. Glass solid electrolytes: past, present and near future−the year 2004 85−62403
Tullett, P.J. Testability−getting the message across to the 'mature' engineer 87−10075
Tullett, P.J. Testability−getting the message across to the 'mature' engineer 87−72721
Tulli, A. *see* D'Ercole, S. 86−17796
Tullis, B. *see* Gunawardena, S. 85−23894
Tullis, T.S. A computer-based tool for evaluating alphanumeric displays 85−3908
Tullis, T.S. A system for evaluating screen formats 87−28981
Tullius, N. Selecting new rectifier features 85−54681
Tullius, N. A proposed standard for the 48-volt power rail 87−30835
Tullman, R. *see* Rocheleau, R.E. 88−37494
Tullman, R.M. *see* Hegedus, S.S. 88−37518
Tulloch, H.M. *see* Evans, J.H. 88−5991
Tulloss, R.E. *see* Pradhan, M.M. 88−24535

Tullsen, D.M. Very large scale integration implementation of an on-line arithmetic unit 87—17017
Tullsen, D.M., Ercegovac, M.D. Design and VLSI implementation of an on-line algorithm 87—52639
Tully, Elliot, Wood Planning to prevent fires in buildings 85—33085
Tully, F.P., Durant, J.L., Jr. Exalite 392E: a new laser dye for efficient CW operation between 373 and 408 nm 88—58476
Tully, G.E. *see* Scott, D.R. 86—31275
Tully, J. High-level protocols on Ethernet 86—64691
Tully, J. Understanding the cyclic redundancy check 87—12914
Tully, J.W. Heterojunction bipolar transistors with ion-implanted bases 86—47532
Tully, J.W., Hant, W., O'Brien, B.B. A fully planar heterojunction bipolar transistor 87—18087
Tully, L.A., Shohet, J.L., Graham, J.A., Kopitzke, R. A statistical analysis of polysilicon etching in a chlorine-argon plasma 88—39231
Tulman, R. *see* Peled, E. 85—16197
Tulodieski, D.B. *see* Levin, H.A. 85—4777
Tulpule, S., Knapp, C.H. Classification of textured surfaces based on reflection data 87—13129
Tulsa, P. *see* Dvorak, F. 87—72493
Tul'skikh, V.E. *see* Lezhnin, G.P. 85—5579
Tults, J. Tuning of nonstandard TV picture carriers 86—69909
Tulubenskii, M.G. *see* Gladkov, E.A. 86—26447
Tulumello, A. The study of reliability in instrumentation 86—31124
Tulupenko, V.N. *see* Vorob'ev, L.E. 86—21091
Tulupov, A.V. *see* Bazylev, V.A. 88—65754
Tulupov, M.V. *see* Chernenko, A.S. 86—8683
Tulupov, V.D. *see* Khomenko, V.I. 86—51988
Tulyakov, A.M. *see* Bushel', A.R. 86—44422
Tuma, G. Ultra compact 20 W and 40 W off-line switchers [switching power supplies] 85—28377
Tuma, I. The problems of simulating electrical power systems within the energy economy 85—32049
Tuma, J. The automated ZKD 201/211-ADT system for testing logic integrated circuit boards 85—33804
Tuma, J. The suppositions for modelling of the fuel and energy system 86—65585
Tuma, J. Perspectives of the research in Czechoslovak power industry and the participation, of the Power Research Institute in its realisation 87—42335
Tuma, M. Nuclear power plants: yes or no? 88—23612
Tuma, M. Influence of the Trbovlje thermal power plant on the Sava River hydro power plants chain 88—62226
Tuma, P. The EPROM simulator 87—66184
Tuma, Z. *see* Broj, K. 85—9088
Tumaev, E.N. *see* Avanesov, A.G. 86—54217
Tumaev, E.V. *see* Avanesov, A.G. 88—51772
Tumaikin, G.M. *see* Avdienko, A.A. 85—26586
Tumaikin, G.M. *see* Belomesthnykh, S.A. 85—15111
Tumaikin, G.M. *see* Blinov, A.E. 85—26540, 86—18202
Tumaikin, G.M. *see* Bondar, A.E. 85—26599
Tumaikin, G.M. *see* Derbenev, Ya.S. 85—26619
Tumajer, F. Controllable systems of partial differential equations 86—57392
Tumakov, V.L. *see* Bozhko, N.I. 86—38711
Tumanov, A.G., Chaban, V.N., Dolgonosov, N.S. Algorithmic system of training operations personnel by the use of local training apparatus 86—39511
Tumanov, I.M., Sevast'yanov, V.A. Noncontacting equipment for load balancing and wattless power compensation in traction substations 88—49094
Tumanov, I.M. *see* Khvatov, S.V. 87—36014
Tumanov, V.I. *see* Meshcherov, B.R. 88—36389
Tumanov, V.S. *see* Dmitriev-Zdorov, V.B. 87—16798
Tumanov, V.S. *see* Flekser, L.A. 85—17115
Tumanova, L.A. *see* Bogdankevich, I.L. 86—3114
Tumanova, L.A. *see* Darznek, S.A. 87—26414
Tumanski, S. A new type of thin film magnetoresistive magnetometer—An analysis of circuit principles 85—26303
Tumanski, S. A magnetometer with a permalloy magnetoresistive sensor 87—14294
Tumanski, S. Metrological properties of flux-gate sensors and magnetometers 87—63398
Tumanski, S., Konopa, J. Technological-constructional conditioning of the miniaturization of Permalloy magnetoresistors 88—12625
Tumanski, S., Stabrowski, M. The optimization and design of magnetoresistive Barber-pole sensors 86—24514
Tumanski, S., Stabrowski, M.H. Numerical calculations of magnetization and demagnetizing factors in thin film anisotropic structures 88—51152
Tumanski, S., Stabrowski, M.M. Optimization of the performance of a thin film Permalloy magnetoresistive sensor 85—26300
Tumanski, S. *see* Kwiatkowski, W. 85—1841, 85—26301, 86—65173
Tumantseva, V.V. *see* Ornov, V.G. 86—39026
Tumanyan, A.R. *see* Avakyan, R.O. 86—44571
Tumasyan, B.A., Karapetyan, V.A. Goods intended to improve living conditions: objects of particular attention [Soviet lighting industry] 86—61925
Tumbakova, M.I. *see* Belyanko, A.E. 86—48073
Tumelty, P.F. *see* Gualtieri, D.M. 85—45966
Tumelty, P.F. *see* Halchin, D.J. 85—50828
Tumey, D. *see* Enerson, M. 85—36681
Tumfart, S. Waveform-independent multimeter measurements 86—18000
Tumfart, S. From multimeter to DMM. Norma: significant pacemaker in multimeter development 87—41545
Tumlir, K. Placing nuclear power stations in service 86—32953
Tummala, M. New adaptive normalised lattice algorithm for recursive filters 88—52413
Tummala, M., Parker, S.R. A new efficient adaptive cascade lattice structure 87—66378
Tummala, M., Parker, S.R. A recursive least squares algorithm for the Gray-Markel lattice 87—69207
Tummala, M., Rao, B.V. A modified LMS algorithm for fast processing—analysis and realization 87—75809
Tummala, M., Rao, B.V. A study of LMS and SER algorithms for FIR filtering 88—3008
Tummala, M. *see* Pardikar, V.P. 87—73559
Tummala, R.L. *see* Jayasuriya, S. 88—48879
Tummala, R.R. Glasses in microelectronics 85—61590
Tummala, R.R. Ceramics in microelectronic packaging 88—49520
Tummala, R.R., Shaw, R.B. Ceramics in microelectronics 87—73153
Tummala, V.M.Rao *see* Rao Tummala, V.M.
Tummers, J.F., Toebes, J. Coal gasification and electricity production 87—78429
Tummillo, A.F. *see* DeLuca, W.H. 85—49183
Tummoscheit, G. Relays as computer interface 85—50080
Tumovskii, K.F. *see* Dorfman, A.A. 85—9001
Tumpa, M. Computing formulas for the complex systems availability determination 86—227
Tumpfel, L. *see* Hoeg, W. 86—43960
Tums, E.O. *see* Gloeckler, G. 85—53162
Tumuluri, R. *see* Viswanathan, R. 88—46118
Tun, S., Adatia, N. Dual shaped offset reflector antenna for contoured beam coverage of Europe 87—26971
Tun, S. *see* Adatia, N. 87—47347, 88—34452
Tun, S. *see* Mehler, M. 86—48644
Tun, S.M., Adatia, N., Davis, I.M., Sidat, M.S., Costello, W.T.D., Crone, G.A.E. Shaped dual offset reflector antenna for contoured beam space-craft application 88—14549
Tun, S.M., Clarricoats, P.J.B. Single offset reflector with a matched-feed array 85—13249
Tun, S.M., Clarricoats, P.J.B., Parini, C.G. Experimental investigation of mutual coupling in a conical horn array 85—7755
Tun, S.M., Philippou, G.Y., Adatia, N. Analysis and design of rotationally symmetric dielectric loaded waveguides and horns 87—47322
Tun, S.M., Philippou, G.Y., Adatia, N.A. Analysis of rotationally symmetric dielectric-loaded waveguides and horns 86—54335
Tun, S.M. *see* Clarricoats, P.J.B. 85—13349, 85—24942
Tun Soe Min *see* Soe Min Tun
Tunaley, J.K.E. *see* Vant, M.R. 87—13763
Tunashima, K. *see* Nishi, Y. 88—27029
Tuncay, R.N., Alan, I., Brown, P.J. The simulation, analysis and filtering of cycloconverters 88—69581
Tuncay, R.N., Chalmers, B.J. Linear induction motors with solid-steel secondary 87—43107
Tuncay, R.N., Yildizli, A. The numerical analysis of linear induction motors taking secondary saturation and end-effects into account 87—15805
Tuncel, E. *see* Faist, J. 87—32928
Tundao Zhang *see* Zhang Tundao
Tundo, E. Fusion-welded flexible connectors—an advanced solution to a common problem 88—32529
Tunell, R. *see* Sarman, I. 88—61402
Tuner, B. GaAs MESFETs 86—9169
Tuner, C.R. An explanation of the voltage limits of a transistor 86—9098
Tunev, D.G. A multilevel code for digital transmission systems 88—27750
Tung, C.-H., Robinson, J.P. On concurrently testable microprogrammed control units 87—37367
Tung, C.-H., Robinson, J.P. A fast algorithm for optimum syndrome space compression 88—32079
Tung, C.Y. *see* Lee, J. 87—25149, 87—74118
Tung, H.H. *see* Lee, M.K. 87—52106, 87—58920, 88—6462
Tung, K.L. *see* Bakken, J.A. 85—31696, 87—35350
Tung, K.L. *see* Burq, J.P. 87—35362
Tung, L.J., Kerns, D.V. An algorithm to generate complete test sets for stuck-at faults in combinational logic circuits 88—19046
Tung, L.J., Kerns, D.V., Mills, M. A new approach of stuck-at fault simulation for synchronous digital systems 87—44804
Tung, N.C. Application of rapid isothermal annealing to shallow p-n junctions via BF$_2$ implants 85—45547
Tung, N.Chan *see* Chan Tung, N.
Tung, P.C.T. Bottlenecks subject to constraints in networks 87—59061
Tung, P.N., Chevrier, J. New type of dynamic frequency divider for microwave systems operation 86—53036
Tung, R.T. Schottky barrier heights of single crystal silicides on Si(111) 85—1393
Tung, R.T., Batstone, J.L. Control of pinholes in epitaxial CoSi$_2$ layers on Si(111) 88—31735
Tung, R.T., Gibson, J.M. Single crystal silicide silicon interfaces: structures and barrier heights 85—55561
Tung, R.T., Gibson, J.M. The formation of thin layers and double heterostructures of epitaxial silicides 87—44354
Tung, R.T., Gibson, J.M., Levi, A.F.J. Growth of strained-layer semiconductor-metal-semiconductor heterostructures 86—52440
Tung, R.T., Hellman, F., Gibson, J.M., Boone, T. Growth of single crystal type A and type B Co$_x$Ni$_{1-x}$Si$_2$ layers on Si(111) 88—38216
Tung, R.T., Levi, A.F.J., Batstone, J.L., Gibson, J.M., Anzlowar, M. Electron transport through epitaxial metal/semiconductor heterostructures 88—19738
Tung, R.T., Levi, A.F.J., Gibson, J.M. Control of a natural permeable CoSi$_2$ base transistor 86—35652
Tung, R.T., Levi, A.F.J., Gibson, J.M. Epitaxial metal-semiconductor structures and their properties 87—24931
Tung, R.T., Levi, A.F.J., Gibson, J.M., Ng, K.K., Chantre, A. Electrical properties of epitaxial silicide-silicon interfaces 87—11453
Tung, R.T., Nakahara, S., Boone, T. Growth of single crystal NiSi$_2$ layers on Si (110) 85—40511
Tung, R.T. *see* Batstone, J.L. 88—1446
Tung, R.T. *see* Gibson, J.M. 85—50302, 86—58324, 87—11463
Tung, R.T. *see* Gurvitch, M. 88—38217
Tung, R.T. *see* Hensel, J.C. 85—55775, 86—53461
Tung, R.T. *see* Werner, J. 88—25969, 88—39145
Tung, S. Speech compression made easy with an ADPCM speech encoder/decoder 85—63390
Tung, S. *see* Reitenbach, R. 88—775
Tung, S. *see* Roesgen, J. 86—34830
Tung, S.H. *see* Dahele, J.S. 87—33526, 88—8609
Tung, T. Infinite-melt vertical liquid-phase epitaxy of HgCdTe from Hg solution: status and prospects 88—31758
Tung, T. *see* Clark, R.H. 88—5581
Tung, T.-L., Connor, J., Antoniadis, D.A. A boundary element method for modeling viscoelastic flow in thermal oxidation 88—33032
Tung, T.P., Clark, R.H., Cole, J.T. Research, development and demonstration experiences on small and low-head hydro by the Canadian government 88—69207
Tung, Y.-W. *see* Moldovan, D.I. 86—20659
Tung, Y.S. *see* Wan, C.F. 88—57427
Tung, Z. *see* Takeda, M. 85—51292
Tung Cheng *see* Rong-Seng Chang 88—20818
Tung Hai Chin Instability of variable frequency induction motor drives fed from voltage source inverters 86—40224
Tung Sang Ng Generalised array pattern synthesis using the projection matrix 85—24925
Tung Sayuri *see* Sayuri Tung
Tung Shou-sheng *see* Zhao Jing-An 87—38870
Tung Symon Chang, Jenq-Sian Chang, Cooke, L., Jin-Sheng Shyr, Walker, W.W., Wu, L.C. High speed CMOS gate arrays for computer applications 86—20480
Tung Thye-Lai *see* Thye-Lai Tung
Tung Tse *see* Tse Tung
Tung-Chiang Deng, Bergen, T.L. Accuracy of position estimation by centroid [picture processing] 88—46219
Tung-Wei Tang, Qian-Ling Zhang, Navon, D.H. Analytical model for predicting threshold voltage in submicrometer-channel MOSFETs 86—9149
Tung-xia Yu *see* Kuo-fan Chin 86—58978
Tung-Yi Chan, Gaw, H., Seligson, D., Pan, L., King, P.L., Pianetta, P. New energy-dependent soft X-ray damage in MOS devices 88—64581
Tungare, S.D. *see* Sathe, S.D. 88—23356
Tungate, G., Becker, K., Blatt, K., Butsch, R., Egelhof, P., Fick, D., Heck, B., Jansch, H., Kramer, D., Leucker, H., Mobius, K.-H., Ott, W., Paul, P., Turkiewicz, I., Weller, A., Steffens, E. Polarization monitors for ^{7}Li and ^{23}Na 87—3839
Tungate, G. *see* Jansch, H. 87—3836, 87—29426
Tungate, G. *see* Kramer, D. 87—3866
Tungler, V., Warning, D., Hamann, O. Realisation of circuits specifically intended for communication engineering by semicustomised techniques of bipolar technology 86—62506
Tungushbayev, A.M., Akhmetov, Zh.K., Shkuropat, V.G., Dribinskiy, Ya.L. Change-over of the Ekran-KR collective reception station to reception by the 'Moscow' system 87—49253

Tunia, H. Power factor of line commutated phase-controlled cycloconverter 87—43180
Tunia, H., Lyzwa, S. Analysis of a voltage inverter commutation circuit supplied from external voltage source 87—43179
Tunia, H. *see* Dzieniakowski, M.A. 86—66179
Tunick, D. Calibrators move to automation to cope with new demands 87—49448
Tunick, D. Waveform generator peaks at 200 MHz 87—49791
Tunick, D. Digital GaAs ICs make their move 87—53592
Tunick, D. 12-bit ADC board refines data acquisition 87—59641
Tunick, D. Linear array ICs break speed and voltage-handling records 87—67325
Tunick, D. Signal-processing technique takes voice coding to extremes 87—69052
Tunick, D. Power-supply regulator ICs are switching into high gear 87—73275
Tunick, D. Rich with logic, memory ICs hone their specialties 87—73442
Tunick, D. Powerful display system revs up image and graphics processing 87—77164
Tunick, D. Snappy look, vivid graphics fire up logic analyzer series 87—77165
Tunick, D. Backup power supplies juice up small systems 88—555
Tunick, D. Design-to-test links foster IC development 88—7640
Tunick, D. General-purpose quad op amp targets low-voltage CMOS designs 88—12224
Tunik, A.T. *see* Gorbenko, L.I. 85—29171
Tunik, Yu.V. *see* Levin, V.A. 85—56514
Tuninetti, G. *see* Farina, F. 88—5097
Tuninskii, V.S. Josephson values of the fine-structure constant 86—24269
Tuninskii, V.S. Adjusting correlated values of fundamental constants 87—56458
Tuninskii, V.S. *see* Tarbeev, Yu.V. 85—47793
Tunis, J.A. Electronic mail: tool of the information age 87—69590
Tuniz, C., Stievano, B.M., Lombardi, M., Spolaore, P., Moschini, G., Ricci, R.A., Kruse, T.H., Herzog, G.F. High-energy mass spectrometry at the XTU tandem accelerator of the Laboratori Nazionali di Legnaro 85—31764
Tunkin, V.G. *see* Boichenko, V.L. 85—2416
Tunkin, V.G. *see* Lunchev, V.A. 85—56797
Tunkin, V.G. *see* Magnitskii, S.A. 86—29240
Tunman, E.O. Planning a broadband LAN 87—48561
Tunner, J.R. Total manufacturing process control—the high road to product control 88—18523
Tunnicliffe, A. *see* Hayes, R. 88—10703
Tunnicliffe, J., Irvine, S.J.C., Dosser, O.D., Mullin, J.B. A new MOVPE technique for the growth of highly uniform CMT 85—10701
Tunnicliffe, J. *see* Irvine, S.J.C. 85—10695
Tunnicliffe, J. *see* Mullin, J.B. 85—10698
Tunnicliffe, M.F. *see* Burdett, N.A. 86—12681
Tunstall, J. Deregulation is politicization [USA telecommunications] 86—49082
Tuntasood, P. *see* Bastani, B. 88—7710
Tuntasood, P. *see* Brassington, M.P. 88—71737
Tuntasood, P. *see* Burton, G. 85—50749
Tuntasood, P. *see* El-Diwany, M.H. 88—50926, 88—71771
Tuntev, R. Correlation between accumulation and losses in queuing and nonqueuing switching systems 88—41142
Tunwall, B. *see* Persson, K.G. 86—32764
Tunxin Fang *see* Fang Tunxin
Tuo Wanlu *see* Zhang Yuwu 87—14262
Tuohig, W.D. *see* Raffety, M.S. 86—14560
Tuohy, J.J. *see* Rebbapragada, R.V. 86—65839
Tuohy, J.M. *see* Hess, C.W. 87—71867
Tuohy, P., Gribben, A., Walton, A.J., Robertson, J.M. Realistic worst-case parameters for circuit simulation 88—515
Tuomi, D. Thermoelectricity. VII. The Seebeck quality factor, Q_s, a semiconductor characterization tool 85—11877
Tuomi, D. Thermoelectricity. VIII. The thermal conductivity quality factor, Q_k, a semiconductor characterization tool 85—11967
Tuomi, T., Hahn, S., Tilli, M., Wong, C.-C.D., Borland, O. Oxygen precipitation studies for n-type and epitaxial silicon substrates during simulated CMOS cycles by synchrotron section topography 87—17701
Tuomi, T. *see* Partanen, J. 88—44625
Tuomi, T. *see* Simoaa, K. 88—4871
Tuominen, J. *see* Alander, J.T. 88—64016
Tuominen, M.W. *see* Burns, A.L. 86—61157
Tuominen, T., Lekkala, J., Malmivuo, J. Digitally controlled RF-SQUID magnetometer [for biomagnetic field detection] 87—41458
Tuominiemi, J. *see* Arnison, G. 85—43272
Tuong Hoang Gia *see* Gia Tuong Hoang
Tuovinen, M., Kortela, U. Modelling of fluidized bed boiler for development of new control strategies 88—75473
Tuozzi, A. *see* Carnebianca, C. 87—13660
Tuozzolo, J. *see* Sanders, R. 88—61068
Tuozzolo, J.E. *see* Hseuh, H.C. 88—54055
Tupa, D. *see* Anderson, L.W. 87—77506
Tupailo, O.R. *see* Kalaida, G.I. 86—66140
Tupchiyenko, A.M. *see* Kyz'yurov, Yu.V. 85—19118
Tupelekin, V.N. *see* Artyushenko, V.G. 87—21652
Tuphorn, H. Sealed maintenance-free lead-acid batteries for standby applications 87—30919
Tuphorn, H. Sealed maintenance free batteries for military applications 88—17902
Tuphorn, H. Sealed maintenance-free lead/acid batteries: properties and application of a new battery generation 88—55602
Tupikov, M.V. *see* Il'inskii, A.S. 87—61439
Tupitsyn, S.P., Korelkin, G.N., Anatol'skii, L.E., Bel'man, V.I. Lowering the ash waste from the Ekibastuz coal in the P-57 boiler in a 500 MW electric power plant 86—25851
Tupkalo, V.N., Malofei, O.P. On control of digital channels using a common parameter 86—43256
Tupkalo, V.N., Rozen, Yu.V. Search for failures in an automated control system with the aid of signatures 88—52455
Tupkalo, V.N., Rozen, Yu.V., Vanzhula, Yu.A. Signature analyser for check and diagnostics of memory devices 85—64072
Tupkalo, V.N., Rozen, Yu.V., Vanzhula, Yu.A., Teodorov, S.K. Signature functional testing of digital devices with special internal interface 87—29013
Tupkalo, V.N. *see* Malofei, O.P. 88—21203
Tupoguz, Yu.A. *see* Karimov, Kh.G. 86—12768, 88—11233
Tupov, V.B., Rikhter, L.A. Reducing the noise levels in smooth bends on the gas lines in a steam power station 88—17381
Tupov, V.B. *see* Rikhter, L.A. 87—15555, 88—17339, 88—62142
Tuppen, C.G., Conen, B.H. Ultra-flat InP substrates produced using a chemo-mechanical polishing technique 87—53404
Tuppen, C.G., Heckingbottom, R., Gill, M., Heslop, C., Davies, G.J. AES and XPS studies of surface films deposited during the plasma etching of silicon dioxide layers 85—40640
Tuppen, C.G., Taylor, M.R., Hemment, P.L.F., Arrowsmith, R.P. The effects of different implantation and annealing temperatures on the structural and chemical properties of high dose oxygen-ion-implanted silicon 86—28158
Tuppen, C.G. *see* Andrews, D.A. 88—38137
Tupper, B.J. *see* Kim, Y. 87—4015
Tupper, G.I.F. *see* Robinson, A.P. 86—30964
Tupper, I. Comparative ownership costs of UHF TV transmitters 5-15 kW peak sync 88—35665
Tupper, I., Heppinstall, R. Klystron efficiency improvements : full time modulation 87—6328
Tupper, R.B., Gallo, F.G., Lowrie, R.R., Sievers, R.K. The compact liquid metal reactor 85—59967
Tupper, W.J., Jr. Clinical significance of and techniques for continuous monitoring of blood pH, pCO_2, pO_2, and O_2 saturation 86—50481
Tupputi, R. *see* Baldini, R. 87—8865
Tupputi, R. *see* Catanesi, M.G. 86—60606
Tuprin, M., Gazard, M., Gombert, J. Single mode propagation of IR laser beams in planar metallic and composite waveguides 88—39972
Tur, A.N. Digital time-interval generator for lasers 88—34081
Tur, C.M. *see* Marechal, B. 86—32164
Tur, I.N. *see* Alekseeva, V.I. 87—26345
Tur, I.N. *see* Druzhinin, S.I. 88—51768
Tur, M., Arie, A. Phase induced intensity noise in concatenated fiber-optic delay lines 88—33631
Tur, M., Arie, A., Shafir, E. Recent studies of laser phase noise in optical systems with time delays 88—14266
Tur, M., Goldstein, E.L., Brackett, C.A. Effect of laser phase noise on a class of bit-rate limiter 88—22076
Tur, M., Goldstein, E.L., Brackett, C.A., Menendez, R.C., Coquin, G. An optical all-fiber bit-rate limiter 88—47153
Tur, M., Kim, B.Y., Brooks, J.L., Shaw, H.J. Accurate loop length determination in fibre-optic sensors and signal processors 86—65163
Tur, M., Moslehi, B., Goodman, J.W. Theory of laser phase noise in recirculating fiber-optic delay lines 85—41138
Tur, M. *see* Aharoni, A. 88—10664
Tur, M. *see* Arie, A. 86—58738, 88—13881
Tur, M. *see* Arthurs, E. 88—20340
Tur, M. *see* Azar, Z. 85—62791
Tur, M. *see* Brooks, J.L. 86—22117, 86—63671, 88—16157
Tur, M. *see* Desurvire, E. 86—63635
Tur, M. *see* Jackson, K.P. 85—35465
Tur, M. *see* Last, I. 88—67334
Tur, M. *see* Shafir, E. 88—20373, 88—33626, 88—58078
Tur, Yu.D. The problem of increasing the efficiency of energy exchange between a modulated electron beam and a high-frequency field 87—17653
Tura, D.D. *see* Zolla, A.E. 87—42146
Turaga, M. Computer assisted training: a valuable alternative to full simulation of power plant automation systems 85—54065
Turaiki, M.H.S.Al *see* Al Turaiki, M.H.S.
Turala, M. *see* Adolphsen, C. 86—50304, 87—29549, 88—68218
Turala, M. *see* Antyukhov, V.A. 86—60637
Turala, M. *see* Bailey, R. 85—15164
Turala, M. *see* Breakstone, A. 87—38541
Turala, M. *see* Dauncey, P. 88—57735
Turala, M. *see* Dulinski, W. 87—21431
Turala, M. *see* Litke, A. 88—29849
Turan, J., Chmurny, J. Phase and polarization optical-fibre sensors 86—48143
Turan, J., Chmurny, J. Mellin transform and its utilisation 86—57301
Turan, J., Chmurny, J. The selection of image features by means of the invariant transform N 88—14760
Turan, J., Petrik, S. Fibre optic sensors of magnetic field and electric current 86—50044
Turan, J., Petrik, S. Measurement of the sensitivity of a microbend fibre optic sensor 87—8591
Turan, J., Petrik, S. Fibre optic sensors of acoustic signals 87—60908
Turan, J., Petrik, S. Distributed fibre optic sensors 88—36015
Turan, J., Petrik, S. An analysis of the effect of the optical fibre cladding on the sensitivity of phase modulated fibre optic sensors 88—72064
Turan, J. *see* Chmurny, J. 85—20891, 85—25148, 85—40120, 86—70128, 87—75858
Turan, O., Azad, R.S., Atamanchuk, T.M. Wall effect on the hot-wire signal without flow 88—16544
Turanli, H.M., Menzies, R.W., Woodford, D.A. Modelling and control of a MVDC transmission system feeding remote loads 86—12402
Turanli, H.M., Trahan, R.E., Mahmoud, A.A., Tang, Y. Analysis of harmonics in an EHV transmission system with three phase representation 87—78124
Turanli, H.M. *see* Gole, A.M. 85—9426
Turarinova, T.N. *see* Gol'denberg, S.I. 86—45413
Turasy, A. The chemical regime of 1035 t/h boilers 85—53529
Turau, M. *see* Schertz, A. 87—34834
Turban, G. *see* Cardinaud, C. 88—64405
Turban, G. *see* Cardinaud, Ch. 88—19825
Turbanisch, G., Ouagadougou, C.C.V.A., Faso, B. Some general aspects of educational programmes in Africa 88—62961
Turbe, G. Belgian frequency-hopping combat net radio 88—41558
Turbe, G. Shipborne EW in France—integrated and complementary 88—42725
Turbe, G. *see* Salvy, R. 88—61532
Turberfield, A.J. Magnetic field-dependent hot carrier relaxation in GaAs quantum wells 88—32901
Turberfield, A.J. *see* Ryan, J.F. 85—18157, 86—53430
Turbes, C.C., Schneider, G.T., Morgan, R.J. Coherence analysis of 100 Hz to 500 Hz electrical activity of the brain 85—48307
Turbin, G.B. *see* Struchkov, A.I. 85—44128
Turbiville, D. *see* Baer, R.H. 85—38852
Turchanovich, L.K. *see* Buzulutskov, A.F. 86—32160, 86—60592, 87—63668, 88—16647, 88—29882, 88—61168
Turchanovskaya, L.N. *see* Dekhtyarenko, P.I. 85—6431
Turchanovskii, I.Yu. *see* Ryzhkov, V.V. 86—21357
Turchanovskii, I.Yu. *see* Ryzhov, V.V. 88—14100
Turchetti, C., Mancini, P., Masetti, G. A CAD-oriented non-quasi-static approach for the transient analysis of MOS ICs 87—6882
Turchetti, C., Masetti, G. Influence of diffusion current on the DC and AC characteristics of the junction field-effect transistor 85—23805
Turchetti, C., Masetti, G. Analysis of the depletion-mode MOSFET including diffusion and drift currents 85—40748
Turchetti, C., Masetti, G. A one-dimensional approach to the analysis of short-channel enhancement-mode MOSFETs 86—2206
Turchetti, C., Masetti, G. A charge-sheet analysis of short-channel enhancement-mode MOSFETs 86—47580
Turchetti, C., Masetti, G., Mancini, P. A CAD-oriented non-quasistatic MOSFET model for transient analysis 87—18163
Turchetti, C., Prioretti, P., Masetti, G., Profumo, E., Vanzi, M. A Mayer-like approach for the transient analysis of digital MOS ICs 87—23832
Turchetti, C. *see* Bagheri, M. 86—2148
Turchetti, C. *see* Mancini, P. 87—38287
Turchetti, C. *see* Prioretti, P. 86—41995
Turchetti, G. *see* Pusterla, M. 86—24988
Turchi, P.J., Bird, G., Boyer, C., Conte, D., Davis, J.F., Seiler, S. Operation of a current-multiplier, inductive store with multiple exploding switching 85—23075
Turchi, P.J., Bird, G., Boyer, C., Conte, D., Davis, J.F., Seiler, S., Baker, W.L., Reinovsky, R.E., Degnan, J.H., Holmes, J., Sand, R.R., Lopez, E. Multimegajoule, multimegampere operation of a plasma flow switch 85—23194
Turchi, P.J., Boyer, C.N., Davis, J.F. Multi-stage plasma propulsion [aerospace propulsion] 85—31929
Turchi, P.J., Caird, R.S., Goforth, J.H. Design of a fast-plate generator driving a plasma flow switch 88—43310

Turchi, P.J. *see* Degnan, J.H. 88−43396
Turchi, P.J. *see* Hyder, A.K., Jr. 85−4421
Turchi, P.J. *see* Price, D.W. 88−43397, 88−75956
Turchi, P.J. *see* Tripoli, G.A. 87−22794
Turchi, P.J., Rose, M.F. *(editor)* Digest of Technical Papers. 5th IEEE Pulsed Power Conference (Cat. No.85CH2121-2) 87−16295
Turchin, L.A. *see* Barilko, Sh.I. 87−57140
Turchin, V.I. Aperture synthesis: basic relations and data processing in aperture synthesis systems (survey) 85−8503
Turchin, V.I. *see* Antonets, M.A. 85−7873
Turchin, V.I. *see* Artemov, V.S. 88−47796
Turchin, V.I. *see* Batalin, V.A. 88−61058
Turchin, V.I. *see* Beagon, V.S. 85−8508
Turchin, V.I. *see* Pasmanik, L.A. 86−64065
Turchin, V.I. *see* Veksler, N.V. 86−3658
Turchinskiy, V.M., Musatov, A.L., Naumov, A.V., Taropin, V.I. Thermionic emission from InGaAsP photocathodes with a negative electron affinity 85−34427
Turcin, V. *see* Miron, D. 88−19590
Turcinhodzic, F. The incremental shaft encoder and its applications 88−53600
Turck, B. TORE SUPRA: a tokamak with superconducting toroidal field coils 88−26732
Turck, B. A step towards controlled fusion reactors: Tore Supra, Tokamak with superconducting magnets 88−51407
Turck, B., Best, K.J., Hoang Gia Ky, Genevey, P., Lebars, J., Philippi, G. Fabrication and test results of the conductor for the toroidal field coils of Tore Supra 87−74635
Turck, B. *see* Ciazynski, D. 86−51029, 88−65085, 88−65095
Turck, B. *see* Riband, P. 87−74636
Turck, H. *see* Krefter, K.-H. 88−17794
Turck, J. The basis of infrared detection 88−47519
Turco, C.Del *see* Del Turco, C.
Turco, E. *see* Galati, G. 87−3224
Turco, E. *see* Lazzari, V. 88−67245
Turco, F., Guillaume, J.C., Massies, J. Thermodynamic analysis of the molecular beam epitaxy of AlInAs alloys 88−38162
Turco, F., Massies, J. Strain-induced in incorporation coefficient variation in the growth of $Al_{1-x}In_xAs$ alloys by molecular beam epitaxy 88−18677
Turco, F., Massies, J., Contour, J.P. Application of the technique of reflection high energy electron diffraction oscillations to the growth of III-V semiconductors by molecular beam epitaxy 87−65522
Turco, F., Massies, J., Guillaume, J.C., Contour, J.P. Thermodynamic analysis of the molecular-beam epitaxy of $Al_{1-x}In_xAs$ on InP and GaAs (001) substrates 88−49826
Turco, F. *see* Massies, J. 87−6593
Turco, F. *see* Mbaye, A.A. 88−63328
Turcoiu, T., Nedelcu, D., Apostolescu, N. Concerning hydrogen injection equipment in a diesel engine cylinder 88−55668
Turconi, G. *see* Federict, F. 87−31361
Turconi, G. *see* Tozza, G. 86−37278
Turcotte, R.L. A preliminary investigation of a recursive asymmetrical adaptive filter for correcting asymmetrical distortions 88−73169
Turcotte, R.L. *see* Bowker, R.E. 88−73891
Turcotte, S.B. *see* Mitchell, J.R. 88−38976
Turcu, E., Davis, G., Gower, M., O'Neill, F., Lawless, M. X-ray lithography using a KrF laser-plasma source at $h\nu \approx 1$ keV 88−26140
Turcu, I., Popescu, C., Mihaileanu, C. Alternatives regarding the assembly concept of photovoltaic solar power plants for the system's energetics 87−64475
Turcu, I. *see* Marin, S. 87−64473
Turcu, I. *see* Popescu, C. 85−53605
Turcu, I.C.E. *see* O'Neill, F. 86−35477, 88−50771, 88−57575
Turcu, R. *see* Candea, R.M. 87−1225
Turczynski, B. *see* Franek, A. 88−68446
Turczynski, K. *see* Kizlik, B. 88−26764
Turczynski, Z. *see* Kizlik, B. 88−26764
Turdyev, M.T., Khudaikulov, Z.R., Ibragimov, N.R. Application of parametric frequency converters in a remote-indication and control system along electric power lines in power distribution networks 85−30204
Ture, I.E., Brinkman, A.W., Russell, G.J., Woods, J. The effects of oxygen in Au-CdSe Schottky diodes 87−53280
Ture, I.E., Claybourn, M., Brinkman, A.W., Woods, J. Defects in cadmium selenide 86−8772
Ture, I.E., Russell, G.J., Woods, J. CdSe-Cu_2Se heterojunction photovoltaic cells 86−36345
Turebekov, U.Sh. *see* Eremin, V.K. 88−4859
Tureeva, O.V. *see* Gololobov, V.P. 85−11606
Tureeva, O.V. *see* Omel'yanenko, M.Yu. 87−11018
Turek, I., Kolnik, S., Brhlik, I., Janacek, F. Investigation of the electrical conductivity distribution by using the electric discharge distribution. I. Characteristics of the method 86−5472
Turek, J. A contribution of the record to speed fluctuations 87−49385
Turek, J. *see* Short, G. 87−59586
Turek, K., Dajko, G. The effect of particle fluence on track diameter and response of electrochemically etched SSNTDs 85−64485
Turek, K. *see* Spurny, F. 85−38265, 87−21693, 87−35334, 87−41849, 88−23132 to 23133
Turek, M. Switchboards for power factor compensation manufactured by the Elektomont Teplice 88−30942
Turek, P. *see* Berg, G. 85−59020
Turek, P. *see* Bojowald, J. 87−29478
Turek, P.A. *see* Udd, E. 87−12162
Tureli, A., Szczupak, J., Gunay, T., Saad, J., Jr., Sollero, R.B., Watanabe, E., de Oliveira, J.C.C. A test system for protection equipment and test methods 85−65008
Turene, F.E. *see* Chang, C.-A. 87−1366
Turene, F.E. *see* Chin-An Chang 86−53452, 87−11709
Turesin, V.M. Implementation of MIL-STD-1541 (USAF) specification 86−3564
Turetskii, A.E., Ivanov, V.F., Smyntyna, V.A., Chemeresyuk, G.G., Shmilevich, A.M. Adsorption sensitive elements based on semiconductor films 85−37792
Turetskii, A.E. *see* Golovanov, V.V. 87−6378
Turetskii, L.I., Keller, V.D., Kozlova, N.A., Kuklin, V.Z., Shavarin, V.N., Korchagin, I.P., Petrochenko, V.P., Subochev, A.K. A system for localising failures of generating units with the RBMK-1000 reactor 85−15781
Turetskii, V.A. *see* Dashevskii, Ya.T. 87−49477
Turetskii, Ya.Sh. *see* Tabachnik, V.P. 88−70378
Turetskiy, S.I. *see* Pelegov, Yu.F. 88−9404
Turff, J. A testing time for OSI 88−73560
Turff, J. MAP−practical aspects and life after ENE 88−73673
Turflinger, T.L. *see* Paulos, J.J. 88−25020
Turgay, M. *see* Kutman, T. 85−65347
Turgel, R.S. A precision phase calibration standard for frequencies up to 50 kHz 86−18065
Turgel, R.S. A precision phase angle calibration standard for frequencies up to 50 kHz 86−24665
Turgel, R.S. Phase angle standards and calibration methods 86−38506
Turgel, R.S. NBS 50 kHz phase angle calibration standard 87−14453
Turgel, R.S. Phase meter calibration at NBS 88−67993
Turgel, R.S., Vecchia, D.F. Precision calibration of phase meters 87−70706
Turgel, R.S., Vecchia, D.F. Precision calibration of phase meters 88−16404
Turgeon, A. Selection of installed capacities for hydroelectric power plants in series 85−9776
Turgeon, A. *see* Desrochers, M. 86−51495
Turgeon, A.B., O'Shea, J. Beneficial effects of positive current feedback control of DC motors 87−78703
Turgeon, G. *see* Gatti, G. 87−6111
Turgiev, E.A. *see* Abdullaev, N.T. 85−11357
Turguet de Beauregard, G. *see* Friebele, E.J. 88−33635
Turhan Taner, M. *see* Koehler, F. 86−32513
Turi, L. *see* Kalman, P. 88−26886
Turi-Kovats, A. *see* Vertesy, M. 88−12588
Turic, L. *see* Alexa, D. 85−49004, 85−65329, 86−61668
Turiel, I., Craig, P., Levine, M., McMahon, J., McCollister, G., Hesterberg, B., Robinson, M. Estimation of energy intensity by end-use for commercial buildings 87−72467
Turiel, J., Grossi, R., Gutierrez, V., Fraile, J.C. Description and control of DC motors used in robotics 88−49016
Turiel, J.P., Calleja, R.G., Diez, V.G. Dynamic modelling of a SCARA robot 88−43353
Turilli, G., Licci, F., Paoluzi, A., Besagni, T. NiTi substituted hexaferrites for magnetic recording 88−71908
Turilli, G., Pareti, L., Paoluzi, A. Simple and direct method to determine the single or polydomain status of the particles in a uniaxial ferromagnetic polycrystal: measure of the coercive and anisotropy fields 88−74566
Turilli, G. *see* Licci, F. 88−51244
Turillo Sampablo, L.E. Centralized alarms for railways 85−47858
Turin, G.L. Commutation signaling−an antimultipath technique 85−2747
Turin, G.L. The effects of multipath and fading on the performance of direct-sequence CDMA systems [digital mobile radio] 85−3371
Turin, W. Union bounds on Viterbi algorithm performance 86−29832
Turin, W. Simulation of error sources in digital channels 88−34533
Turin, W. *see* Distler, R.A. 86−22920
Turinge, A.A. *see* Dvurechenskii, A.V. 85−1492
Turino, J. Functional testing's place in electronics manufacturing [PCB testing] 85−11749
Turino, J. Design of SMA for testability requires new rules 85−23208
Turino, J. ATE costs are swelling as chips shrink 85−23872
Turino, J. A totally universal reset, initialization and nodal observation circuit 85−40848
Turino, J. Testability recognized as an important factor to users and vendors 85−47807
Turino, J. Coming major changes in test 85−62006
Turino, J. A testability method for SMD assemblies 86−1567
Turino, J. Enhancing built-in test on SMT boards surface mount technology 86−8596
Turino, J. Functional testing's place in electronics manufacturing 86−20972
Turino, J. A testability method for SMD assemblies 86−35218
Turino, J. ASIC and VHSIC elements are critical to the testing equation 86−41862
Turino, J. Testability circuit solves SMT board access problems 86−47167
Turino, J. Semiconductor device test equipment 87−53653
Turino, J. Lower cost ATE, closer design/test links are essential to progress in 1987 87−56479
Turino, J. Design for test is a must 88−57074
Turino, J.L. A proposed standard testability bus 88−35794
Turino, J.L. A proposed standard testability bus 88−35832
Turino, J.L. Design for testability. A competitive strategy 88−44808
Turino, J.L. A proposed standard Testability Bus 88−67690
Turino, J.L. *see* Binnendyk, H.F. 87−37246
Turinsky, G. Time discriminator 85−6233
Turinsky, G. Tolerance problems in digital instruments 85−26263
Turinsky, G. The significance of the characteristic wave impedance in the wiring of integrated circuits 85−34234
Turinsky, G. Applications of flip-flop integrated circuits to the generation of pulse signals 85−40025
Turinsky, G. Dynamically effective transformer assembly 85−40269
Turinsky, G. Synchronised sweep circuits 85−49792
Turinsky, G. Pulse circuits with capacitor recharge 85−54979
Turinsky, G. Pulse generators with diode optoelectronic couplers 85−61162
Turinsky, G. Voltage reference sources of smaller powers with LEDs 86−1243
Turinsky, G. Circuit concept of a function generator 86−8054
Turinsky, G. Pulse distortions over long lines 86−10947
Turinsky, G. Digital controlled current source 86−20712
Turinsky, G. Amplitude spectra of TTL-signals 86−29876
Turinsky, G. Pulse width modulation with B 555 D [IC timer] 86−48745
Turinsky, G. Stabilisation of the impulse characteristics of astable multivibrators 86−62499
Turinsky, G. Pulse-transmitting set-up 86−67118
Turinsky, G. The limits for the interconnection of digital ICs 86−67125
Turinsky, G. Pulse-delaying by logic gates 87−959
Turinsky, G. Adjustable pulse delay circuit 87−10745
Turinsky, G. The line driver characteristics of TTL logic gates 87−10821
Turinsky, G. Digital controllable oscillator circuits 87−44660
Turinsky, G. Printed circuit boards connected for high-speed operation 87−66772
Turinsky, G. Extensible pulse discriminator circuit 88−6710
Turinsky, G. Monostable relaxation circuit with extremely low power dissipation 88−18978
Turinsky, G. Gate arrays in BiCMOS technology 88−38480
Turinsky, G. Level-conversion ECL-TTL and vice-versa 88−38481
Turinsky, G. Improved bipolar technology for VLSI 88−44863
Turinsky, G. Quartz-stabilised ECL pulse generators 88−56513
Turinsky, G. High-frequency pulse shaper with ECL-gates 88−56535
Turinsky, G. Power amplification with logic gates 88−70672
Turinsky, P.J., Doster, J.M., Turner, J.A., Zee, S.K. Parallel sparse matrix solution algorithm applications in nuclear engineering 86−13607
Turisini, G. *see* Olzi, E. 86−47992
Turitsyn, S.K. *see* Kuznetsov, E.A. 86−15786
Turjanmaa, V. *see* Heinonen, P. 87−3933
Turk, H., Christie, F.C., Kandel, G.E., Halioua, M. Simulation of waveguide grating lenses in GaAs 87−12237
Turk, H., Froehlich, F.F. Aberration-corrected Fresnel-type grating lenses in birefringent media 88−51552
Turk, P. *see* Bulloch, C. 86−32492
Turk, R. A clinical comparison between behind-the-ear and in-the-ear hearing aids 86−60816
Turk, R. New hearing-aid technology approximating physiological hearing conditions 87−77686
Turk, R. A new hearing aid variant. Preliminary evaluation 88−23119
Turk, R. *see* Stefanovska, A. 88−61406

Turk, S. The third generation microprocessor units. III 88−6883

Turke, H. *see* Hairer, E. 85−22418

Turkedjiev, N.P. Bit-organized VLSI-implementable systolic structure for convolution computation (FIR filter) 88−63809

Turkenburg, W. *see* Alsema, E.A. 87−51448

Turkenburg, W.C. *see* Alsema, E.A. 86−45289, 88−17959

Turkenburg, W.C. *see* Blok, K. 86−45264, 86−45872

Turkenburg, W.C. *see* Bruggink, J.J.C. 86−45308

Turkenburg, W.C. *see* Ter Horst, E.W. 88−17958

Turkentine, R.B. *see* Brinkley, T.A. 86−38639

Turkentine, R.B. *see* Weisser, D.C. 86−55914

Turker, K.S. *see* Miles, T.S. 87−71138

Turkes, P. *see* Stoisiek, M. 88−39431

Turkevich, Yu.G. *see* Bukhbinder, T.L. 86−49629

Turkey, A.A. *see* Abdel-Salam, M. 87−38614

Turkeyeva, B.A. *see* Gerasimov, G.I. 87−39380

Turki, Y.A.Al. *see* Auckland, D.W. 87−64519

Turkiewicz, I. *see* Jansch, H. 87−3836

Turkiewicz, I. *see* Tungate, G. 87−3839

Turkiewicz, I.M. *see* Jansch, H. 87−29426

Turkiewicz, I.M. *see* Trzcinski, A. 87−50176

Turkin, A.A. *see* Andronova, I.A. 85−2368, 88−51602

Turkin, A.I. A recurrence algorithm for reception as a whole for a semiconductor communications channel 87−19397

Turkin, A.I. An iterative decoding algorithm for linear codes in a semicontinuous communications channel 87−61585

Turkin, A.N. Use of a thermodynamic method for determining the internal efficiency of feed pumps [power station pumps] 86−32878

Turkin, A.N., Gavrilova, V.M. Investigating the operation of feed pumps: the scheme of turbogenerator type K-300-240, built by the Leningrad Metal Factory without deaerators 86−33260

Turkin, A.N., Ruzhkovskii, B.G. Recuperative control of feedpumps of thermal power stations 85−15840

Turkin, A.N., Ruzhkovskii, B.G. The causes of wear in the bearings of the hydraulic couplings of feed pumps 87−42765

Turkin, N.G. *see* Kireev, S.E. 87−2216

Turkington, R.R. *see* Harris-Lowe, R.F. 85−8786

Turkiya, N.G., Gotua, T.K. Analysis of a generalised parameter matrix for shunt branches of power networks 87−50747

Turkman, I.R. *see* Neelakantaswamy, P.S. 86−63416, 86−68012, 87−25320

Turkman, R. *see* Fuller, L.F. 87−58639

Turkman, R. *see* Pearson, R.E. 87−58595

Turkman, R. *see* Ramanan, S. 87−60410

Turkman, R.I., Neelakantaswamy, P.S. A novel on-chip ESD protection device using static induction transistor principle 88−50978

Turkman, R.I. *see* Arvas, E. 88−13395

Turkman, R.I. *see* Neelakantaswamy, P.S. 86−67987, 87−53025, 87−53552

Turkman, R.I. *see* Neelakantaswamy, R.S. 88−1710

Turkmani, A.M.D., Parsons, J.D. A wide band, high dynamic range receiving system for measuring the parameters of impulsive noise 86−64853

Turkmani, A.M.D., Parsons, J.D. Prediction of error rate in FSK data communications systems subjected to impulsive noise 88−14572

Turkmani, A.M.D., Parsons, J.D., Lewis, D.G. Radio propagation into buildings at 441, 900 and 1400 MHz 88−27516

Turkmani, A.M.D. *see* Parsons, J.D. 86−10130, 87−13871

Turkner, K. *see* Bandemer, A. 85−64077

Turkner, K. *see* Hoff, D. 86−5443

Turko, B. *see* Kolbe, W.F. 88−60648

Turko, B. *see* Nakamura, M. 88−60150

Turko, B. *see* Yages, G.J. 88−4462

Turko, B.T. Fast readout of CCD images 85−42893

Turko, B.T., Zizka, G., Lo, C.C., Leskovar, B., Cahoon, J.L., Huesman, R.H., Derenzo, S.E., Geyer, A.B., Budinger, T.F. Scintillation photon detection and event selection in high resolution positron emission tomography 87−50254

Turko, B.T. *see* Cahoon, J.L. 86−50517

Turko, B.T. *see* Leskovar, B. 88−60151

Turkot, A.I. *see* Tenenbaum, Ya.P. 87−15168

Turkot, F. *see* Anassontzis, E. 86−32202

Turkot, F. *see* Cox, B. 85−64465

Turkot, F. *see* Gerig, R. 86−31894, 88−47897

Turkot, F. *see* Rameika, R. 85−43186

Turkot, F. *see* Stringfellow, B.C. 87−8813

Turkot, F. *see* Wagoner, D.E. 85−64464

Turkot, V.A. *see* Bortnik, I.M. 85−48994

Turkov, Yu.G. *see* Blistanov, A.A. 87−54409

Turkova, A.I. *see* Kremnev, R.S. 86−30313

Turkova, L.V. Two-dimensional stationary distribution of a semiregenerating process 85−39613

Turkova, M., Macha, I. Investigation of semiinsulating GaAs by the method of thermally stimulated currents 88−64235

Turkova, N.N. *see* Vertikov, V.P. 87−67617

Turkovskii, V.G. *see* Medikovskii, N.A. 87−42441

Turkowski, M. On some method of estimating root-mean-square error 85−33317

Turkowski, M. Application of critical nozzles for measuring gas flow 85−58949

Turkowski, M. *see* Bek, J. 88−53579

Turkowski, W.E. *see* Coit, D.W. 86−26672

Turksen, I.B. Klein groups in fuzzy inference 85−298

Turkulin, K. *see* Zazula, D. 85−15338, 86−18357

Turlais, P. Remote maintenance and monitoring incorporated into primary and secondary radar stations 88−15640

Turley, A.J. Mix-and-match: the ideal way to choose switchgear? 85−21745

Turley, S. Developments in indium-phosphide lasers 85−12849

Turlik, I. *see* Lih-tyng Hwang 88−6274

Turlik, I. *see* Nayak, D. 88−6275, 88−56325

Turlo, J., Ziolkowska-Pawlak, B., Mycielski, W. Trap distribution in low-temperature glassy carbon layers 85−55481

Turlo, Z., Forkert, T., Sieber, W., Wilson, W. Calibration of the instrumental polarization of radio telescopes 85−31134

Turlot, E., Linkwitz, S., Martinis, J.M., Esteve, D., Urbina, C., Devoret, M.H., Grabert, H. Decay of the zero voltage state of a Josephson junction shunted by an adjustable impedance 88−20285

Turlot, J.P. *see* Brand, C. 87−21430

Turm, M. *see* Arie, A. 88−65272

Turmaine, B. Token offering for LAN 86−54888

Turmaine, B. GaAs is set to make a mark: bringing microwave into the solid state era 87−37541

Turmaine, B. Televisions and telephones lead the SMD revolution 87−43851

Turmaine, B. Slim supplies switch at zero 87−44538

Turmaine, B. Cars lead the drive to use smart power 87−46055

Turmaine, B. Commercial use for SOI chips 88−1792

Turmaine, B. Japan packs more into less space 88−57410

Turman, B. *see* Rosado, J.L. 86−59398

Turman, B.N., Martin, T.H., Neau, E.L., Humphreys, D.R., Bloomquist, D.D., Cook, D.L., Goldstein, S.A., Schneider, L.X., McDanial, D.H., Wilson, J.M., Hamil, R.A., Barr, G.W., VanDevender, J.P. PBFA II, a 100 TW pulsed power driver for the inertial confinement fusion program 87−21311

Turman, B.N., Moore, W.B.S., Seamen, J.F., Morgan, F., Penn, J., Humphreys, D.R. Development tests of a 6 MV, multistage gas switch for PBFA II 85−5323

Turman, B.N., Seamen, J.F., Neau, E.L., Humphreys, D.R. Development of the pulse compression section for PBFA-II 85−27524

Turman, B.N., Tucker, T.J. Scaling relations for explosive switching in high power systems 87−22609

Turman, B.N. *see* Cook, D.L. 87−43208

Turman, B.N. *see* Humphreys, D.R. 87−17581

Turman, B.N. *see* Johnson, D.L. 85−4178

Turman, E.G. *see* Newman, L.S. 85−42119

Turmey, K. Evaluation of PCB assembly through simulation 86−58162

Turmon, M. *see* Miller, M.I. 87−44121

Turnage, J.C. Computational needs for nuclear power generation: new possibilities 88−48686

Turnbach, S.E. Advanced integrated circuit technology: challenge to test (and design) 88−20072

Turnbull, A. *see* Johns, M.D. 87−56710

Turnbull, A.A. The application of heat-collector fins to reticulated pyroelectric arrays 87−21095

Turnbull, A.A., Cooke, M.E. High resolution 64-element pyroelectric linear array IR detector 88−29399

Turnbull, D. *see* Hobson, L. 86−26418

Turnbull, D. *see* Nygren, E. 85−54449

Turnbull, D.M., Higby, C.W. Writing quality procedures 85−49366

Turnbull, F.G., Tompkins, R.E. Design of a pulse-width modulated resonant converter for a high output voltage power supply 86−45568

Turnbull, F.G., Tompkins, R.E. Design of a pulsewidth-modulated resonant converter for a high-output voltage power supply 88−24038

Turnbull, F.G. *see* Guess, R.H. 85−53631

Turnbull, F.G. *see* Key, T.S. 87−9431

Turnbull, F.G. *see* Plunkett, A.B. 85−10143

Turnbull, F.S. *see* Fatic, V.M. 88−49067

Turnbull, L. *see* Cox, B. 85−64465

Turnbull, L. *see* Rameika, R. 85−43186

Turnbull, L. *see* Wagoner, D.E. 85−64464

Turnbull, M. A large scale mail service based on privacy 88−59540

Turnbull, R.A., Krishnan, P., Teel, M.R., Collins, N.E. Educational yield estimation subroutines (EYES): corn yield prediction 88−62924

Turnbull, R.B. Blowholes in PCB soldering, their causes and cures 86−27707

Turnbull, R.J. Self acceleration of a charged jet 88−27440

Turnbull, R.M. *see* Bene, P. 88−56532

Turnbull, R.M. *see* Bonesini, M. 88−23001, 88−29823, 88−61141

Turneaure, J.P. *see* Allen, L.H. 85−56162, 87−74559

Turner, A. Selecting the right terminal 86−27682

Turner, A. Communications−the weak link in IBM's chain 86−49304

Turner, A. Standards−the only way forward [networks] 86−54906

Turner, A. Keeping it clean [computer power supplies] 86−61610

Turner, A. Can the memory makers ram home the standardisation truths? 87−5891

Turner, A. Widening the net [radio paging 87−40741

Turner, A. Perfect control [in manufacturing] 87−55690

Turner, A. In sickness and in health? [Electronic Data Interchange for the NHS] 87−62558

Turner, A. X.400 and the single terminal 88−3451

Turner, A. Simple switching at a low cost [matrix boards in banks] 88−21846

Turner, A. ISDN: is it really all trailblazing and confusion? 88−28457

Turner, A. Keeping it clean [power supply] 88−36752

Turner, A. Trekking through the tariffs 88−41226

Turner, A. *see* Cohen, R. 88−35030

Turner, A. *see* Donnelly, B. 88−6716

Turner, A. *see* Guadagna, L. 88−5071

Turner, A. *see* Janssen, A.P. 88−73987

Turner, A.B. A study of wayside energy storage systems (WESS) for railway electrification 85−10130

Turner, A.B., Simpson, R.J., Guillaud, C. Developing a mini-hydro plant in the remote Canadian North 88−48808

Turner, A.B. *see* Furst, G.B. 88−68814

Turner, A.B. *see* Lakhavani, F.J. 85−65624

Turner, A.C. Achieving safety with rail-mounted terminals 87−15343

Turner, A.E., Price, K.M. The potential in non-geosynchronous orbit 88−67313

Turner, A.J. Field programmable devices and their programmers 85−11232

Turner, A.P.F. Biosensors for industrial monitoring and control 88−42498

Turner, B. TI. PSG increases density and ease of design 87−59347

Turner, B. TI PSG increases density and ease of design 87−59437

Turner, B.J. *see* Rogers, D.C. 85−30904

Turner, C. A stable, surefire, VFO for the LF bands 85−22692

Turner, C. The Howes CTX 80 QRP CW transmitter kit 85−30864

Turner, C. System design in the UK [radio systems] 85−36904

Turner, C. CTX80/CVF80 3.5 MHz band low power transmitter and VFO kit 85−57949

Turner, C. A direct-conversion receiver for the LF bands incorporating a crystal-controlled converter for 160 m 86−23675

Turner, C. Understanding selective call decoders 86−30657

Turner, C. Recent advances in fuse technology 87−66653

Turner, C., Matthews, R. Wavesoldering techniques−a re-evaluation 87−66738

Turner, C., Page, C. Improved CW performance for Ten-Tec transceivers 86−69658

Turner, C. *see* Turner, H.W. 87−66671, 87−72348

Turner, C. *see* Wadley, H.N.G. 85−10888

Turner, C.C. Dispensing with screen printing 88−25672

Turner, C.D. *see* Simmons, J.A. 88−10622

Turner, C.E., Jr. *see* Blauer, J.A. 85−18827

Turner, C.E., Jr. *see* Burde, D.H. 87−61069

Turner, C.E., Jr. *see* Tien Tsai Yang 85−62477, 87−61068

Turner, C.E., Jr. *see* Yang, T.T. 88−27010

Turner, C.F. Testing 86−46043

Turner, C.F. Integrated systems 88−48272

Turner, C.G.G. The ideal community repeater 85−63543

Turner, C.L. The Howes HC220 transverter 87−24389

Turner, C.W. *see* Bolorforosh, M.S.S. 88−10644

Turner, C.W. *see* Salahi, M. 85−9391, 86−12223

Turner, C.W. *see* Schwartz, S.E. 86−47067

Turner, D. *see* Drummond, J.R. 87−71333

Turner, D.B., Burns, R.D., Hecht, H. Designing micro-based systems for fail-safe travel 87−43568

Turner, D.B., De Guzman, F.I. San Francisco MUNI trolleybus propulsion tests: the results 87−22850

Turner, D.M. A Monte Carlo method for determining the risk presented by wind turbine blade failures 87−64496

Turner, D.P. *see* Allison, J. 86−35727

Turner, D.P. *see* Benson, F.A. 86−26315

Turner, D.R. The role of sensors in automatic electroplating 87−5116

Turner, D.R. A power supply authority's review of supplier quality assurance 87−42393
Turner, D.R., Mellor, P.H. Electrical machines—insulation life and output ratings 88−64836
Turner, D.R. *see* Jones, G.R. 86−56909
Turner, D.R. *see* Mellor, P.H. 86−33402
Turner, D.W., Plummer, I.R., Porter, H.Q. New imaging bandpass electron energy analyzer 87−1163
Turner, E. Fiber optic maintenance 88−4029
Turner, E., Lemnios, Z., Moghe, S., Podell, A., Korgell, C., Genin, R., Huang, H.-C. Application specific MMIC: a unique and affordable approach to MMIC development 88−63948
Turner, E. *see* Lawton, J.L. 86−51460
Turner, E.B. How pipeline operations could be affected by new data communications standards 86−37543
Turner, E.B. How pipeline operations could be affected by new data communications standards 87−28225
Turner, E.B., LeMone, C.P. Starting pipeline motors under severe power system constraints 87−35907
Turner, E.B., LeMone, C.P. Adjustable speed drive applications in the oil and gas pipeline industry 88−18263
Turner, E.H. *see* Heintschel, J.G. 88−11339
Turner, E.J. *see* Cordes, W.F., III 87−11900
Turner, E.J. *see* Grunwald, J. 86−1908, 86−1914
Turner, E.J. *see* Sawoska, D.A. 87−11899
Turner, F. Interlibrary loan protocol: development and status 88−59585
Turner, F. *see* Brown, G. 88−47962
Turner, F.P.P. *see* Avent, B.L. 88−11278
Turner, G.B., Schwartz, R.J., Gray, J.L. Thin film silicon hydrogen alloy solar cells: performance dependence on design and material parameters 86−40107
Turner, G.B., Schwartz, R.J., Gray, J.L., Park, J.W. A parametric study of thin film $Si_{1-x}Ge_x$:H solar cells 88−37424
Turner, G.B., Schwartz, R.J., Park, J.W., Gray, J.L. Recombination in thin film Si:H p-i-n solar cells 88−31012
Turner, G.B. *see* Morel, D.L. 86−7057
Turner, G.B. *see* Schwartz, R.J. 86−7056, 88−5863, 88−17984, 88−31026
Turner, G.F., Menning, M.D. Test results from the Solar Array Flight Experiment 87−77808
Turner, G.N. *see* Coptcoat, B.W. 86−24349
Turner, G.N. *see* Ibbitson, I.R. 86−44150
Turner, G.W. Detrimental optical properties of germanium intermediate layers in monolithic tandem solar cell structures 85−60440
Turner, G.W., Choi, H.K., Tsaur, B.-Y. Microwave MESFET's fabrication in GaAs layers grown on SOS substrates 88−988
Turner, G.W., Diadiuk, V., Le, H.Q., Choi, H.K., Metze, G.M., Tsaur, B.-Y. High-speed photoconductive detectors fabricated in heteroepitaxial GaAs layers 87−46706
Turner, G.W., Diadiuk, V., Le, H.Q., Choi, H.K., Metze, G.M., Tsaur, B.-Y. High-speed photoconductive detectors fabricated in heteroepitaxial GaAs layers 88−14057
Turner, G.W., Metze, G.M., Diadiuk, V., Tsaur, B.-Y., Le, H.Q. Picosecond photodetectors fabricated in GaAs layers grown on silicon and silicon-on-sapphire substrates 86−48286
Turner, G.W., Proudfoot, D.A. Centrex business network evolution—its impact on Bell Canada 87−76132
Turner, G.W. *see* Chauchard, E.A. 87−46702
Turner, G.W. *see* Choi, H.K. 86−47801, 86−47871, 87−7229, 87−46733, 88−2145, 88−39740
Turner, G.W. *see* Gale, R.P. 86−7156, 86−13068, 87−4931
Turner, G.W. *see* Tsaur, B.-Y. 86−7065
Turner, G.W. *see* Windhorn, T.H. 87−46913
Turner, H. Movin' out on T-1 testing 88−46425
Turner, H.B. Communicating technical information: an end-user perspective 86−40450
Turner, H.B. *see* Freidah, J.T. 87−12159
Turner, H.B. *see* Watanabe, S.F. 86−68298
Turner, H.W., Turner, C., Williams, D.J.A. Breaking capacity of miniature fuses and the testing of a homogeneous series 87−66671
Turner, H.W., Turner, C., Williams, D.J.A. Critical parameters influencing the co-ordination of fuses and switching devices 87−72348
Turner, J. Technologies for MMICs at microwave frequencies 88−25567
Turner, J., Arnold, J. Gallium arsenide MESFETs establish a hold in millimetre wave markets 85−50518
Turner, J., Eyre, J.R., Jerrett, D., McCallum, E. The HERMES system 85−59497
Turner, J. *see* Alber, J.R. 85−15239
Turner, J. *see* Brown, G. 88−47962
Turner, J. *see* Carey, K.W. 86−52501
Turner, J. *see* Eng, K.Y. 88−53026
Turner, J. *see* Gibbons, J.F. 88−12031
Turner, J. *see* Jost, J. 87−53386
Turner, J. *see* Melen, R. 88−66784
Turner, J. *see* Moon-Jung Chung 85−35108
Turner, J.A. Monolithic microwave integrated circuit technologies 88−56948
Turner, J.A. *see* Cahen, D. 85−21805, 86−13078, 86−35475
Turner, J.A. *see* Chen, Y.-W. 86−455
Turner, J.A. *see* Chen, Y.W. 85−56415
Turner, J.A. *see* Doster, J.M. 88−75392
Turner, J.A. *see* Folmer, J.C.W. 85−21776, 85−55495, 85−61794
Turner, J.A. *see* Hodes, G. 85−60978
Turner, J.A. *see* Nozik, A.J. 87−26155
Turner, J.A. *see* Turinsky, P.J. 86−13607
Turner, J.A. *see* Vanner, K.C. 88−7759
Turner, J.D. Development of a rotating-shaft torque sensor for automotive applications 88−74334
Turner, J.D. *see* Batson, J.D. 87−26192
Turner, J.E., Amano, J., Gronet, C.M., Gibbons, J.F. Secondary ion mass spectrometry of hyperabrupt doping transitions fabricated by limited reaction processing 87−53348
Turner, J.E., Hamm, R.N., Hurst, G.S., Wright, H.A. A digital approach to neutron dosimetry and microdosimetry 86−18251
Turner, J.E., Hamm, R.N., Wright, H.A., Hurst, G.S., Chiles, M.M., Greene, R.T. Studies of a digital approach to neutron dosimetry and microdosimetry 88−68256
Turner, J.E., Hendewerk, M., Parmeter, J., Neiman, D., Somorjai, G.A. The characterization of doped iron oxide electrodes for the photodissociation of water. Stability, optical, and electronic properties 85−1429
Turner, J.E. *see* Amano, J. 87−6610
Turner, J.E. *see* Bolch, W.E. 88−5023
Turner, J.E. *see* Carey, K.W. 87−12315
Turner, J.E. *see* Carey, P.G. 88−44582
Turner, J.E. *see* Chen, D.C. 86−47495, 87−6656
Turner, J.E. *see* Kamins, T.I. 87−1290
Turner, J.E. *see* Nauka, K. 87−25224
Turner, J.E. *see* Rutledge, D.L. 87−656, 87−17030
Turner, J.F., Puterbaugh, L.J. Micro-surgery as used in epoxy laminate failure analysis 85−54578
Turner, J.F. *see* Svarney, T.E. 85−33528
Turner, J.H. *see* Murphy, G.A. 85−43732
Turner, J.L. An Ethernet active star implementation 88−35171
Turner, J.M., Parker, M.R., Fletcher, D. Open gradient magnetic separation with linear periodic current arrays 88−66008
Turner, J.M. *see* Marscheider, C.J. 87−8180
Turner, J.R. Thermal management, analysis, and testing 88−7549
Turner, J.S. Design of an integrated services packet network 86−23637
Turner, J.S. Design of a broadcast packet network 86−59400
Turner, J.S. Design of an integrated services packet network 87−13178
Turner, J.S. New directions in communications (or which way to the information age?) 87−20039
Turner, J.S. New directions in communications (or which way to the information age?) 87−20261
Turner, J.S. Almost all *k*-colorable graphs are easy to color 88−31632
Turner, J.S. Design of a broadcast packet switching network 88−59901
Turner, J.S. *see* Bubenik, R.G. 88−3714
Turner, K.C. *see* Kulkarni, S.R. 85−47617
Turner, K.J. An architectural semantics for LOTOS 88−21416
Turner, K.J. *see* Drake, G. 86−50421, 88−54402
Turner, L. *see* Davey, K.R. 87−75323, 88−34239
Turner, L.D. *see* Dizard, W.P. 87−76004
Turner, L.E., Liu, E.S.K., Bruton, L.T. Digital LDI ladder filter design using the bilinear transformation 85−17742
Turner, L.E., Nichols, S.W. The implementation of low sensitivity LDI digital ladder filters using special purpose processors 87−45121
Turner, L.E., Ramesh, B.K. Low sensitivity LDI digital ladder filters with elliptic magnitude response 86−62742
Turner, L.E., Ramesh, B.K. Low sensitivity digital LDI ladder filters with elliptic magnitude response 86−67373
Turner, L.E. *see* Green, B.D.O. 88−56777
Turner, L.E. *see* Nowrouzian, B. 87−66409
Turner, L.E. *see* Ramesh, B.K. 86−67410
Turner, L.F. *see* Al-Mukhtar, A.A.A. 86−37004
Turner, L.F. *see* Belezinis, P. 86−55151, 87−8163
Turner, L.F. *see* Foo, S.W. 85−19402
Turner, L.F. *see* Habbab, I.M.I. 86−48715 to 48716
Turner, L.F. *see* Liu, Y.S. 85−46986
Turner, L.F. *see* Tan, B.S. 86−16590, 88−34561
Turner, L.G. *see* Chrenko, R.M. 86−63167, 87−6545
Turner, L.G. *see* Hunt, B.D. 87−10472, 88−43890
Turner, L.G. *see* Schowalter, L.J. 85−22497, 85−49553
Turner, L.R. Safety concerns for superconducting magnets of upcoming fusion experiments 85−1888
Turner, L.R. Coupling between eddy currents and deflections 85−29991
Turner, L.R., Davey, K., Emson, C.R.I., Miya, K., Nakata, T., Nicolas, A. Problems and workshops for eddy current code comparison 88−52124
Turner, L.R., Gunderson, G.R., Knott, M.J., McGhee, D.G., Praeg, W.G., Wehrle, R.B. Results from the FELIX experiments on electromagnetic effects in hollow cylinders 86−42691
Turner, L.R., Shindler, J. Computer simulation of multiple stability regions in an internally cooled superconducting conductor and of helium replenishment in a bath-cooled conductor 85−56246
Turner, L.R. *see* Hua, T.Q. 86−42768
Turner, L.R. *see* Lari, R.J. 88−54392
Turner, M. Recombination batteries for standby power 85−16208
Turner, M. Design software for personal computers 86−617
Turner, M. *see* Burbank, H.C. 85−28487
Turner, M. *see* May, G.J. 85−65370, 88−30997
Turner, M. *see* Steinke, R. 85−59916
Turner, M.D. Adapting an analog broadcast system to the existing digital hierarchy 88−67591
Turner, M.E., Leet, D.G., Prilik, R.J., McLean, D.J. Testing CMOS VLSI: Tools, concepts, and experimental results 86−47836
Turner, M.E. *see* Burbank, H.C., III 85−40007
Turner, M.J., MacLeod, I.M., Rothberg, A.D. Lumped parameter approximation for the prediction of the dynamic response of the Fleisch pneumotachograph 88−74792
Turner, M.J. *see* Leake, J.W. 88−54422
Turner, M.J.L. *see* Leake, J.W. 85−48228
Turner, M.J.L. *see* Sephton, J.P. 87−63629
Turner, M.J.L. *see* Sims, M.R. 85−31770
Turner, N. Uniform implantation with electrostatic scanning using a target repositioning technique 85−34781
Turner, N. The Convergence ECS-200 series editing system [videotape] 85−63861
Turner, N. Design automation tools aimed at SMD 86−35188
Turner, N. Choosing the right autorouteing technique for your PCB designs 87−37666
Turner, N. Multilevel electronic design environments 87−52983
Turner, N., Purser, K.H., Sieradzki, M. Design considerations of a VLSI compatible production MeV Ion Implantation System 87−53375
Turner, N. *see* Pollock, J. 85−35068
Turner, N.A. *see* Hudgell, R.J. 85−10840
Turner, N.H. *see* Richmond, E.D. 88−7379
Turner, N.L., Current, M., Smith, T.C., Crane, D. Effects of planar channeling using modern ion implantation equipment 85−34821
Turner, N.L., Current, M.I., Smith, T.C., Crane, D., Simonton, R. Avoidance of planar channeling effects in Si (100) 86−2007
Turner, N.L. *see* Current, M.I. 85−34792
Turner, P. Video in education: it's work, it's fun, it's television 85−14501
Turner, P. 'The shape of things to come'. The evolving nuclear debate 85−32305
Turner, P. Backplane systems 88−1084
Turner, P. Design considerations for high speed interconnection systems 88−31506
Turner, P., Black, G. The demands of logic and power on backplanes 88−38827
Turner, P.F. Hyperthermia and inhomogeneous tissue effects using an annular phased array 85−4352
Turner, P.F. Mini-annular phased array for limb hyperthermia 86−60737
Turner, P.F. Interstitial equal-phased arrays for EM hyperthermia 86−60747
Turner, P.F. Interstitial EM applicator/temperature probes 87−63822
Turner, P.F., Schaefermeyer, T. Steerable phased arrays for hyperthermia 88−61436
Turner, P.F. *see* Hagmann, M.J. 86−18372
Turner, P.J. Modifying the AR 2001 85−30937
Turner, P.J. Finite-element simulation of turbine-generator terminal faults and application to machine parameter prediction 87−51148
Turner, P.J. *see* Macdonald, D.C. 85−43921
Turner, P.R. Autonomy, automation, and systems [aerospace industry developments] 87−63869
Turner, P.R. *see* Divita, E.L. 85−48412
Turner, R. A target field approach to optimal coil design 86−68687
Turner, R. Level monitoring and control 87−77295
Turner, R., Bowley, R.M. Passive screening of switched magnetic field gradients 87−14856
Turner, R., Martin, R., Chan, K.K. A low sidelobe linear space-fed lens 88−34444
Turner, R. *see* Chan, K.K. 86−68857
Turner, R. *see* Cramer, O.W. 87−49444
Turner, R. *see* Dressler, E. 87−49443
Turner, R. *see* Harrison, K.G. 86−44723
Turner, R. *see* Matthews, D. 85−7350
Turner, R. *see* Ruffino, G. 87−21271
Turner, R.B. *see* McMichael, G.E. 85−58966
Turner, R.C. Electronic dual-gang potentiometer 86−20753

Turner, R.C. Channel bootstrapping for a FET resistor 86–46555
Turner, R.C. *see* Warlick, M.D. 86–20458
Turner, R.D., Moore, C.J.L., Brodie, D.E. Manual/automated I-V system for analyzing solar cells 85–20473
Turner, R.E., Frost, W. Environmental criteria guidelines for space vehicle and space design 86–50678
Turner, R.E. *see* Nagaraj, K. 87–45037
Turner, R.E. *see* Rosen, M.D. 85–24466
Turner, R.F.B., Harrison, D.J., Baltes, H.P. A CMOS potentiostat for amperometric chemical sensors 87–56622
Turner, R.F.B., Vos, W.A.G., Tinga, W.R., Baltes, H.P. Eigenfrequency distributions in multimode cavities 85–36073
Turner, R.F.B., Voss, W.A.G., Tinga, W.R., Baltes, H.P. On the counting of modes in rectangular cavities 85–39347
Turner, R.H. Water consumption of evaporative cooling systems 87–43661
Turner, R.H., Chen, F. Indirect evaporative cooler system optimization 87–43666
Turner, R.J. Digital control of transmitter power in a cellular mobile telephone 87–3099
Turner, R.L. Earth station engineering 85–8382
Turner, R.L. What to do about pinholes in plated through hole connections 85–40327
Turner, R.L. Broadband fibre optic cable restoration by satellite, implementations and limitations 88–53245
Turner, R.L. Earth-station engineering 88–73880
Turner, R.M. *see* Hung, E.K.L. 85–3492, 85–41768
Turner, R.M. *see* Jull, G.W. 86–55223
Turner, R.R. *see* Rice, R.P., Jr. 87–40445
Turner, S. CDROM—here's the solution, now what's the problem? 86–38100
Turner, S. Shelters for sensitive electronic equipment 86–48604
Turner, S. *see* Robinson, T. 88–35779
Turner, S. *(editor)* CAS CERN Accelerator School: Applied Geodesy for Particle Accelerators (CERN-87-01) 87–41150
Turner, S. *(editor)* CERN Accelerator School. Advanced Accelerator Physics. Proceedings (CERN 87-03) 87–63586
Turner, S. *(editor)* CERN Accelerator School Second General Accelerator Physics Course. Proceedings (CERN 87-10) 88–65
Turner, S. *(editor)* New Developments in Particle Acceleration Techniques. Proceedings. ECFA-CAS/CERN-IN2P3-IRF/CEA-EPS Workshop (CERN 87-11) 88–18326
Turner, S.E. High-speed modems for computer applications 88–67164
Turner, S.G. *see* Bates, R.H.T. 88–27849
Turner, S.P. A parallel processing solution to ESM 88–50210
Turner, S.R. The coding of pictures, sound and graphics on CD-ROM for consumer applications 87–33647
Turner, S.R., Daly, R.C. Polymers in microlithography 88–70057
Turner, S.R. *see* Brust, T.B. 88–13253
Turner, T. Try before you buy advice for design-aid software [lighting] 85–16404
Turner, T. Brighter turnover from better public lighting 85–49301
Turner, T., Chatelet, M., Moore, D.S., Schmidt, S.C. Large-gain amplifier for subpicosecond optical pulses 86–58955
Turner, T., Wendel, K. The influence of stress on aluminum conductor life 86–15090
Turner, T. *see* Root, B.J. 86–15084
Turner, T. *see* Weiler, J. 87–49184
Turner, T.E. *see* Farahani, M.M. 88–26518
Turner, T.L., Hellbaum, R.F. A 3-D pictorial stereo cockpit display 87–8698
Turner, T.W. *see* Worley, A. 87–21695
Turner, W. *see* Endler, H. 87–14241
Turner, W.C. *see* Webb, R.E. 87–5084
Turner, W.D. Energy recovery from mass burning of refuse in waterwalled incinerators 85–59981
Turner, W.J. *see* Jones, H. 85–41094
Turner, W.W. Simulation of the responses of a DC motor driven from an SCR-controlled source 88–75625
Turner Smith, L. *see* Rezac, R.R. 85–33739
Turner-Smith, A.R. A television/computer three-dimensional surface shape measurement system 88–61279
Turney, D.E. *see* Accortt, J.I. 87–71996
Turney, D.L. *see* Stangl, G.A. 87–8286
Turney, J.L., Mudge, T.N., Volz, R.A. Recognizing partially hidden objects 85–46907
Turney, J.L., Mudge, T.N., Volz, R.A. Recognizing partially occluded parts 85–57473
Turney, J.L. *see* Dolezal, R.M. 87–14542
Turney, J.L. *see* Gottschalk, P.G. 87–62310
Turney, J.L. *see* Mudge, T.N. 87–55305
Turney, O. *see* Watson, P.A. 87–76641
Turney, R.S. Telecommunications liberalization in the UK: the British get a choice 88–8937
Turnhout, J.van *see* van Turnhout, J.
Turnov, V.A. *see* Chernyshov, P.N. 88–4817
Turnpenny, A.W.H., Langford, T.E., Aston, R.J. Power stations and fish 85–43665
Turnquist, D. *see* Petr, R.A. 87–17669
Turnquist, E.R. *see* Kenedi, R. 87–69542
Turoff, M., Chinai, S. An Electronic Information Marketplace 85–63291
Turoff, M., Hiltz, S.R. Remote learning: technologies and opportunities 87–23151
Turoff, M., Hiltz, S.R. Computer mediated communications and developing countries 87–76342
Turoff, M. *see* Hiltz, S.R. 85–63162
Turoff, M. *see* Whitescarver, J. 88–59608
Turolla, M. The improvement of cylindrical connectors 86–14611
Turon, P. *see* Brunet, R. 88–34192
Turos, A. *see* Kaminska, E. 86–1798, 86–35431, 88–7361
Turos, A. *see* Piotrowska, A. 86–21258
Turov, V.G., Alishev, Ya.V., Mar'enkov, A.A., Uryadov, V.N., Sinkevich, V.I. Assessment of dispersion distortion in optical cables 86–37875
Turova, V.L. Numerical solution for a class of differential games 85–54260
Turovets, V.L. *see* Bityurin, V.A. 85–39216, 88–55634
Turovskii, B.M. *see* Makeev, Kh.I. 85–49535
Turovskii, B.M. *see* Osvenskii, V.B. 87–1405
Turovskii, R.M. *see* Makeev, Kh.I. 87–238
Turovskii, Yu.E. *see* Gamanykho, V.I. 85–26500
Turovtsev, A.V. *see* Logansen, L.V. 85–50977
Turovtsev, A.V. *see* Malov, V.V. 87–46552
Turowska, K. *see* Kulaszewicz, S. 85–6717, 87–46640
Turowski, J. Localization of stray losses and excessive temperature rises of structural elements by the reluctance network method 85–60250
Turowski, J. Equivalent reluctance network model of the stray field in transformers 86–6849
Turowski, J., Andryszczak, W., Pelikant, A. Application of a multiple mirror images method to the calculation of slot impedances with regard to teeth saturation 85–9895
Turowski, J., Komeza, K., Wiak, S. Experimental determination of power loss distribution in cores and structural elements of transformers 88–37272
Turowski, J., Turowski, M. A network approach to the solution of stray field problems in large transformers 86–39905
Turowski, J. *see* Kazmierski, M. 86–51713
Turowski, J. *see* Komeza, K. 87–35994
Turowski, J. *see* Krawczyk, A. 88–52127
Turowski, J. *see* Savini, A. 87–42824
Turowski, M., Kopec, M. Program for fast stray-field analysis in power transformers with the aid of the method of equivalent reluctance scheme 86–33465
Turowski, M., Kopec, M. Dedicated network program for interactive design of screens and field distribution in electromagnetic devices 87–64672
Turowski, M. *see* Turowski, J. 86–39905
Turowski, P. The stability behaviour of a Cu-stabilized NbTi-multifilamentary conductor under different cooling conditions 85–12509
Turowski, P., Brunner, N., Forster, S. A 12 T NbTi solenoid at 1.8K with a clear bore of 290 mm diameter 86–42197
Turowski, P., Nyilas, A., Thoner, M. An A15 composite conductor for a 15 T insert coil 86–48041
Turowski, P., Schneider, T. 19.3 T with a superconducting magnet 87–67925
Turowski, P., Schneider, T. 19.3 T with a superconducting magnet 88–65043
Turowski, P. *see* Arendt, F. 86–27639
Turowski, P. *see* Flukiger, R. 86–53909
Turowski, R. *see* Edelmann, E. 88–48825
Turowski, Z. Influence of the switch and the circuit parameters on the current chopping during switching off three-phase high-voltage motors 86–19408
Turpak, O.I. *see* Freiman, E.A. 85–65616
Turpeinen, O.M., Abidi, A., Belhaouane, W. Validation of the precipitation index 87–50550
Turpin, A.Youngblood *see* Youngblood Turpin, A.
Turpin, D.C. *see* Fleetwood, D.M. 88–26282
Turpin, D.C. *see* Schwank, J.R. 85–18186, 87–32339, 88–25987
Turpin, D.C. *see* Winokur, P.S. 85–18343, 86–35872, 87–32699, 88–25198
Turpin, M. *see* Gombert, J. 87–7154
Turpin, M.P., Kamath, A.R.R. The development of an equipment availability reporting database and analysis package 86–52097
Turpin, T.M. An overview of acousto optical processing technology 85–29664
Turr, I.N. *see* Samsonova, L.G. 86–36322
Turrell, B.G. *see* LeGros, M. 87–67857, 88–22962
Turrell, D.L., Peters, J. ASIC frees slave board space [VME systems] 88–44257
Turri, E. *see* Pinciroli, F. 86–50593
Turri, R. *see* Bertazzi, A. 87–11983 to 11986
Turri, R. *see* Davies, A.J. 88–20177, 88–20179
Turri, R. *see* Gallimberti, I. 86–28549
Turrini, L. *see* Roccucci, S. 86–12116, 87–71254
Tursich, S.B. *see* Black, V.L. 85–64067
Turska, E. Hybrid suboptimization method of connection length in multiterminal dendritic network at certain limiting conditions 86–16654
Turska, E. *see* Stachowiak, T. 86–30262
Turskaya, T.B. *see* Burgsdorf, V.V. 88–61925
Turski, Z. *see* Daryoush, A. 87–61518
Turski, Z. *see* Daryoush, A.S. 87–17361
Turski, Z. *see* Herczfeld, P.R. 86–14520, 86–43074
Turski, Z. *see* Wahi, P. 87–6149, 87–19328
Turskov, A.A. *see* Kozintsev, M.S. 85–64153
Turskov, A.I. *see* Komlev, V.P. 88–48913
Tursky, W. *see* Hempel, H.-D. 87–64676
Tursunov, A.A. *see* Abduraimov, A. 86–41510
Tursunov, M.N. *see* Zaveryukhin, B.N. 87–60135
Turtelli, R.Sato *see* Sato Turtelli, R.
Turtiainen, H. A switch mode application in welding 87–22939
Turtiainen, H. Flow rate measurement using radioactive tracers and transit time method 87–35246
Turtiainen, H. *see* Leinonen, K. 87–21284
Turtle, A.J. Radio astronomy at the University of Sydney 86–30923
Turtle, J., Nicol, D.A.C., Klewe, R.C. Geothermal energy: hot favourite for the future? 86–39265
Turton, J.D., Bennetts, D.A., Farmer, S.F.G. An introduction to radio ducting 88–72549
Turton, R.A. *see* Hill, W.A. 87–43584, 88–24226
Turtudau, F. *see* Silard, A. 85–6914, 85–34950, 85–50512, 86–2147, 86–21537, 86–28303, 86–41776 to 41777, 86–47555, 87–1500, 87–25262, 87–74279, 88–26235
Turtudau, F. *see* Silard, A.P. 87–6686
Turtudau, F.I. *see* Silard, A.P. 87–67239
Turumi, S. *see* Kitagawa, N. 86–56207
Turunen, E., Collis, P.N., Turunen, T. Incoherent scatter spectral measurements of the summertime high-latitude *D*-region with the EISCAT UHF radar 88–53342
Turunen, I. *see* Vaija, P. 85–44473
Turunen, J., Kajanto, M. Holographic secondaries in telescopes 88–40368
Turunen, R. *see* Ennola, V. 85–49448, 86–26731 to 26732
Turunen, T. GEN-SYSTEM—a new experimental philosophy for EISCAT radars 87–15054
Turunen, T., Nygren, T., Huuskonen, A., Jalonen, L. Incoherent scatter studies of sporadic-*E* using 300 m resolution 88–53341
Turunen, T. *see* Turunen, E. 88–53342
Turusin, G.V. *see* Armand, N.A. 86–37388
Turuta, E.N., Kovalev, V.Sh. One method of increasing the viability of local-area networks 85–25466
Turvey, N.J. *see* Weedy, B.M. 87–15349
Turyanitsa, I.I., Timonin, P.V., Mar'yan, M.I., Yudin, I.I. Photoinduced changes in chalcogenide glasses and formation of nonuniform planar waveguides on their base 87–26054
Tur'yanskii, A.G., Fedoseeva, O.P. Determination of conversion nonlinearity for X-ray detectors 86–50388
Tur'yanskii, A.G., Kon'kov, V.V., Fedoseeva, O.P. Determination of the dynamic nonlinearity of semiconductor and combined detectors for computer-assisted tomography 88–42523
Tur'yanskii, A.G. *see* Kon'kov, V.V. 86–25214
Turyanskii, V.P. Characteristics of waveguide flange joints in the eight-millimeter waveband 88–36194
Turyanskii, V.P., Kashtanova, E.A., Demidov, Yu.I. Tests of waveguide platings 87–24399
Turygin, A.Yu. *see* Borkin, A.G. 86–48493
Turygin, S.Yu. *see* Vystavkin, A.N. 88–44096
Turyn, R.M. *see* Cohn, S.F. 85–16668
Turyna, R. *see* Hruby, J. 88–37017
Turzanski, J. *see* Tomawski, L. 86–60314
Turzeniecka, D., Klemke-Kolowrotkiewicz, D. Alternating current balancing system dual to alternating voltage balancing system 87–14427
Turzik, D. *see* Poljak, S. 86–34126 to 34127
Turzo, I. *see* Shelaev, I.A. 85–26621
Tusa, E.H., Wahlstrom, B.G. Practice to minimize nuclear waste amounts in Loviisa NPS 88–42996
Tusa, J., Hacker, T., Hansmann, D.R., Kaput, T.M., Maxwell, T.P. Fiber optic microsensor for continuous in-vivo measurement of blood gases 88–16718
Tusa, J.K. *see* Gehrich, J.L. 86–44637
Tusaliu, P. Probabilistic model and experimental testing of leader propagation during discharges in long air gaps 87–67616
Tusaliu, P. *see* Curcanu, G. 87–64733
Tusaliu, P. *see* Paduraru, N. 85–43633
Tusaliu, P. *see* Peicov, Al. 87–58641
Tuscan, M.J., Rogers, W.J., Juni, J.E., Clinthorne, N.H. Analysis of gamma camera detector stability and its effect on uniformity correction for SPECT 85–59255
Tuscany, P.A. Software development environment for large switching projects 87–76466
Tusch, J. On frequency sweeping in phase-locked loops 85–658
Tuscher, O. *see* Gammel, F.J. 85–6021

Tuschy, P. The influence of the leader diameter and the peeling depth on the electrical safety of runner fittings in VPE-insulated medium voltage cables 86−25598
Tusev, E.A., Sosnin, F.R. 'Spektr' in the realisation of the composite program for the technical and scientific progress in the Soviet Economic Community 88−31576
Tusge, M. *see* Ohsawa, S. 86−42218
Tushar Gheewala Survey of high speed test techniques 88−39622
Tushaus, U. *see* Schader, M. 88−56167
Tushishvili, M.A., Machaidze, Z.A., Tsiskaridze, K.Sh., Dadeshidze, V.V. Calculation of polymer light filters with specified spectral characteristics for circular polarizers 85−24355
Tusi, A. *see* Frenkel, A. 86−44593
Tusijimoto, H. *see* Oshiro, O. 87−66602
Tusla, P. *see* Roubicek, O. 85−16299, 86−33737
Tuson, A. *see* Solomon, S. 88−59470
Tuson, R. Combatting common-mode transients 87−36954
Tusova, Yu.P. *see* Astrov, Yu.A. 86−5325
Tussey, B.K. *see* Parker, J.K. 88−67485
Tussing, T. Advanced trends in modem integrated circuits 86−49362
Tussing, T. Implementing integrated office communications 87−2760
Tussing, T. Communications in integrated office 87−62465
Tussing, T. Implementing integrated office communications 87−62806
Tussing, T., Bauer, V. RS 232C−a CMOS solution [interfaces] 86−62654
Tustaniwskyj, J.I., Usell, R.J., Jr., Smiley, S.A. Progress towards a cost-effective 100% wire bond quality screen 87−72880
Tustaniwskyj, J.I. *see* Anderman, J.J. 86−63427
Tustin, W. Stress screening faster than burn-in 85−10527
Tustin, W. Can we afford not to screen? [Electronics production testing] 85−44528
Tustin, W. Measuring errors minimization [oscilloscope] 85−48003
Tustin, W. Vibration and shock parameters, which to measure? 85−52865
Tustin, W. Using accelerometers: a tutorial on vibration and shock measurement using accelerometer systems 85−58894
Tustin, W. Tutorial: measure force as well as acceleration 87−8747
Tustin, W. Recipe for reliability: shake and bake 87−31280
Tustin, W. How to calibrate accelerometer systems 87−70815
Tustin, W. Screen in-house or at a commercial test lab? 88−31463
Tustin, W. Don't worry about ESS at 6 G RMS 88−43683
Tustin, W. Criteria for selecting an environmental test lab 88−63010
Tustin, W. Environmental stressing for quality and reliability engineers 88−63015
Tusting, R.F., Caimi, F.M. Inertially aided navigation of undersea vehicles 88−54764
Tusting, R.F. *see* Caimi, F.M. 87−77890, 88−36676
Tustison, R. *see* Schloemann, E. 88−71896
Tustison, R.W. *see* Varitimos, T.E. 87−65569
Tuszynski, A. Curriculum for a rapidly changing technology 86−45971
Tuszynski, A. Memory chip test economics 87−24198
Tuszynski, A. Memory testing 87−52590
Tuszynski, A. The wherewithal of high speed test 88−20073
Tuszynski, A. *see* Jiang, J. 86−67191
Tuszynski, M., Wojtkiewicz, A., Klimkiewicz, W. Staggered pulse repetition frequency MTI filters with complex coefficients 85−47600
Tuszynski, M. *see* Wojtkiewicz, A. 87−944
Tutaev, V.A. *see* Glebov, I.A. 86−19197
Tutas, J. *see* Berger, C. 88−22937
Tutas, J. *see* Braunschweig, W. 88−29874, 88−68282
Tuteja, R.K., Singhal, L.C., Kumar, A. Characterization of α-entropy with preference 88−52319
Tuteja, R.K. *see* Jain, P. 86−43117, 88−2955
Tuteur, F. *see* Kuc, R. 86−16230
Tuteur, F.B. Performance of an adaptive array processor subjected to time-varying interference 85−19485
Tuteur, F.B. Wavelet transformations in signal detection 88−72996
Tuteur, F.B., Rockah, Y. A new method for signal detection and estimation using the eigenstructure of the covariance difference 87−27501
Tuteur, F.B., Rockah, Y., Dahe Chen The covariance difference method in signal detection 88−21236
Tuteur, F.B. *see* Stark, H. 88−37827
Tuthill, D.F. *see* Nutter, R.S. 86−45880
Tuthill, M. *see* Dunne, T. 86−20641, 86−27399, 86−41170
Tutik, V.L. *see* Rogoza, V.V. 86−1179
Tutov, E.A. *see* Kukuev, V.I. 88−71369
Tutov, E.P. *see* Kon'kov, V.V. 86−25214
Tuts, P.M. The CUSB-II BGO calorimeter 88−29865
Tuts, P.M. *see* Adams, M.R. 85−64467
Tuts, P.M. *see* Aronson, S. 88−61122
Tutschke, U. A new photoelectric device for contact-free recording of diameters of short blood vessel segments in vitro 88−74807
Tutt, L.W. *see* Jensen, J.E. 88−63320
Tutt, L.W. *see* Zinck, J.J. 88−38186, 88−43865
Tutt, M. *see* Hiedmann, P. 87−73344
Tutt, T. *see* Kotera, H. 87−70299
Tuttas, C. Calculation of the static characteristics of saturated reactors 85−5144
Tuttas, C. Thyristor controlled saturated reactor (TCSR) for static VAr compensators 85−39095
Tuttas, C. Static characteristics of the thyristor controlled satura reactor (TCSR) 86−19321
Tuttas, C. Control of reactive power compensators with active filters 86−70642
Tuttas, C. Limitation of overvoltages by static compensators with TCR and TCSR 86−70645
Tuttas, C. Application of active LC-filters in electrical power systems 87−57478
Tuttas, C. *see* Franzen, F. 88−70269
Tuttle, A.A. *see* Bedair, S.M. 87−5405
Tuttle, B. *see* Andrews, J.R. 88−74534
Tuttle, B.A. *see* Dosch, R.G. 86−58492
Tuttle, B.A. *see* Drozdyk, L. 85−34201
Tuttle, D. *see* Anerella, M. 86−25049
Tuttle, F.M., Jr. The performance of fiber optic systems in benign and adverse environments 88−47082
Tuttle, G., Kroemer, H. An AlSb/InAs/AlSb quantum well HFT 88−33246
Tuttle, G. *see* Subbanna, S. 88−64380
Tuttle, J. Exploiting networks 85−30738
Tuttle, J., Albin, D., Goral, J., Kennedy, C., Noufi, R. Effects of composition and substrate temperature on the electro-optical properties of thin-film CuInSe$_2$ and CuGaSe$_2$ 88−57338
Tuttle, J.R., Noufi, R., Dhere, R.G. The effect of composition on the optical properties of CuInSe$_2$ thin films 88−32829
Tuttle, J.R. *see* Folmer, J.C.W. 85−21776, 85−61794
Tuttle, M.R. *see* Moses, Y. 87−33853
Tuttle, P.G. *see* Thompson, S. 85−54362
Tuttle, R.K. *see* Stever, S.D. 86−70160
Tuttle, W. Integrated frequency response modelling and measurement system to 1.0 MHz 87−70744
Tuttle, W. Linear CAE requires more than models 88−49964
Tuttle, W.H. Why conditionally stable systems do not oscillate 86−34547
Tutto, P. *see* Balazs, J. 85−37778
Tutto, P. *see* Horvath, Z.J. 88−1436
Tutubalin, V.N., Shatrov, A.D. An adiabatic model for calculating the pulse responses of multimode fiber lightguides 88−39947
Tutunaru, M., Tatar, D., Mihailescu, I.N. Change of the nature of skin absorption during CO$_2$-laser beam irradiation of a metallic target 87−75216
Tutundjian, R. *see* Agrawal, P. 88−7651
Tuturici, M. *see* Ursu, I. 86−45102, 87−71803
Tuuva, T. *see* Anzivino, G. 87−41861, 88−22961
Tuuva, T. *see* Caccia, M. 87−77553
Tuuva, T. *see* Evensen, L. 87−14760, 88−68219
Tuvaev, N.E. *see* Iskanderov, N.A. 86−3292
Tuvyaev, Ye.K. *see* Alimov, V.A. 86−37771
Tuwaki, T. *see* Okada, T. 87−2560
Tuxbury, P.L. *see* Wilson, K.A. 87−25287
TuXuan, M. *see* Chatelain, J. 86−33356, 87−42863
Tuxworth, R. *see* McBain, A. 85−36629
Tuy, H., Van Thuong, N. Minimizing a convex function over the complement of a convex set 85−54310
Tuy Hoang *see* Hoang Tuy
Tuyev, V.P. A combined sound level indicator in the 'Perspectiva' equipment 86−24593
Tuyl, A.B. *see* Heydeman, J. 88−48616
Tuyl, R.L.Van *see* Van Tuyl, R.L.
Tuyle, G.J.Van *see* Van Tuyle, G.J.
Tuyn, J.W.N. On the use of thermoluminescence detectors around high-energy proton accelerators 85−53108
Tuyn, J.W.N. *see* Lakshmanan, A.R. 87−77698
Tuz, A.D. *see* Venger, A.P. 87−34689
Tuz, Yu.M., Strunin, A.G., Shurpach, S.A., Shkarupin, V.V., Kryuchatov, S.D. A characteriograph for investigation of the errors of eddy-current transducers 88−35974
Tuz, Z. Lasers in a modern factory 85−39386
Tuz, Z.L. Industrial lasers and applications 85−24692
Tuza, Z. Critical hypergraphs and intersecting set-pair systems 86−13643
Tuza, Z. *see* Poljak, S. 87−65345
Tuza, ZS. *see* Gyarfas, A. 87−72927, 87−72932
Tuzel, W. *see* Brindza, P. 88−68106
Tuzhilkin, V.N. *see* Slizskii, E.P. 85−21872
Tuzi, H. *see* Hanamura, K. 86−70724
Tuzlukov, V.P. Detection of a deterministic signal in a noise background 88−40964
Tuzov, A.N. *see* Ermakov, S.V. 88−62034
Tuzov, G.I., Gorshkov, V.V., Rubtsov, S.A. Optimal discrete filtering of complex phase-shift signals 86−37083
Tuzov, G.I., Postavnoy, V.I., Kosyakin, S.I. Estimation of the mutual uncertainty function of digital frequency signal systems 85−46674
Tuzov, G.I., Postavnoy, V.U., Kosyakin, S.I. Correlation properties of frequency-hopping systems obtained by partitioning a complete code 88−3045
Tuzov, G.I., Postovnoy, V.I., Kosyakin, S.I. Composition sets of discrete frequency signals 88−72957
Tuzovskii, A.M. *see* Glushkov, E.A. 85−49646, 86−7747
Tuzovskii, A.M. *see* Kovalenko, V.F. 86−13894
Tuzuki, K. *see* Yoshida, Y. 87−32633
Tuzunalp, O. AEON-adaptive time-space array processing 85−58643
Tuzzolino, A.J. Pulsed and steady-state photon source calibration using windowless Si surface-barrier photodiodes 86−44557
Tuzzolino, A.J. Two-dimensional position sensing Si detectors: current and charge pulse characteristics 88−61147
Tvaradze, R.V. *see* Yusufova, V.D. 85−4915
Tvardauskas, H. *see* Kancleris, Z. 86−53343
Tvarozek, J. A construction of a CW-decomposition of s-cubes which are manifolds 87−10271
Tvarozek, V., Novotny, I., Harman, R. Sputtering of thin film sensors of pressure and temperature 86−60230
Tvarozek, V., Novotny, I., Harman, R., Kovac, J. RF reactive sputtering of indium-tin-oxide films 87−16654
Tvarozek, V. *see* Nitzsche, K. 85−10788
Tverdokhleb, M.K. *see* Vinogradov, A.V. 88−3442
Tverdokhleb, N.E. *see* Vanyushev, B.V. 85−2422
Tverdokhleb, V.I. *see* Presnyakov, I.N. 85−2836
Tverdokhlebov, E.D. *see* Nakhan'kov, A.A. 86−57631
Tverdokhlebov, E.D. *see* Zubchenok, V.Ya. 88−31997
Tverdokhlet, V.I. *see* Presnyakov, I.N. 85−30275
Tverdostup, N.I. *see* Sopil'nik, A.V. 88−68615
Tverdyakov, V.V. *see* Avramenko, B.N. 87−4242
Tveritin, N.P. *see* Agrest, R.I. 86−38360
Tverkovkin, B.E. *see* Katanaev, A.O. 87−4527
Tverskoi, Yu.S., Talamanov, S.A. A set of computerised analysis and synthesis programs for regulating steam power plant and a study of the effectiveness of the algorithms used 85−15868
Tver'yanovich, E.V., Krasina, E.A., Zhukov, K.V. Analysis of technical-economic prospects for use of various types of solar-radiation concentrators in photovoltaic power generation 88−55239
Tver'Yanovich, E.V. *see* Alimov, A.K. 87−51454
Tver'yanovich, E.V. *see* Bugulov, M.E. 88−43382
Tveryanovich, Yu.S., Borisova, Z.U. On the doping of chalcogenide glassy semiconductors 87−38076
Tveten, A.B., Kersey, A.D., McGarry, E.C., Dandridge, A. Electronic interferometric sensor simulator/demodulator 88−67852
Tveten, A.B. *see* Dandridge, A. 87−53980, 87−68097
Tveten, A.B. *see* Kersey, A.D. 85−47925, 88−1997, 88−16179, 88−45126, 88−47542, 88−67825
Tveten, A.B. *see* Koo, K.P. 86−65170, 88−26900
Tveten, A.B. *see* Lagakos, N. 88−36030
Tveten, U. Nordic project related to consequence models 85−48727
Tveten, U. *see* Devell, L. 87−22066
Tvirbutas, A., McPherson, C. Application of image processing techniques to marine fisheries 85−32024
Tvkh Rao *see* Bhattacharya, D. 88−32439
Tvoremirová, T.A. *see* Grodnev, I.I. 87−62950
Tvoremirova, T.A. *see* Ivanov, S.I. 86−36155
Twa, G.J. *see* Fletcher, F.L. 88−36062
Twaalfhoven, M.C.J. Direct circuit imaging by laser matures to production status 85−61544
Twachtmann, W. Construction of lightning protection systems 86−70715
Twaddell, W. Linear CMOS ICs 85−7078
Twaddell, W. Demand for features and lower part counts moves LSI chips into telephone sets 85−13991
Twaddell, W. Chip makers try to keep pace as local-area-network options expand 85−36808
Twaddell, W. Multifunction 2-chip modem handles Bell/CCITT protocols 85−36809
Twaddell, W. Modem ICs [special report] 85−36810
Twaddell, W. Higher performance marks floating-point chips 86−52754
Twaddell, W. EEPROMs move into standard cell libraries 86−57814
Twaig, Y. *see* Kisliuk, M. 86−36788
Twardowski, A. *see* Erhardt, W. 88−44550
Twardowski, S. *see* Rydarowska, A. 87−57910
Twardowski, T. *see* Boardman, A.D. 87−33313, 87−54403, 88−34118, 88−58214
Twarowski, K. *see* Lachowicz, H.K. 86−2588
Twearson, D.K. *see* Parent, R.M. 87−59482
Tweddel, A. *see* MacFalane, D. 86−5961
Tweed, D.G. Resonant scanner linearization techniques 85−35542
Tweed, D.G. Linearizing resonant scanners 86−10041

Tweed, E.D., Butler, R.M. The use of PROLOG in power system restoration 86−18674
Tweed, E.D. *see* Arunachalam, S. 88−54948
Tweed, E.D. *see* O'Breatuin, C. 88−23473
Tweedi, A.T. *see* Ismail Abdel-Latif, A. 86−38887
Tweedi, T.C. *see* Brush, G.G. 86−54657
Tweedle, H., Reaume, L. Serial telecommunications: putting the pieces in place 85−57881
Tween, D.G. Resonant scanner linearization techniques [pixel clock generator] 86−20368
Tweig, N.T. *see* Abou El-Ela, A.A. 88−23362
Twele, J. *see* Gasch, R. 88−37134
Twell, T.J. *see* Stentiford, F.W.M. 88−39587
Twerdochlib, M., Repplier, C.C., Morrison, D.R. Using fibre optics to monitor generator end-turns 88−11180
Twerdok, J., Vogel, E., Klein, R. Air-borne surface mount technology using copper-clad invar foil 87−52973
Twerenbold, D. Giaever-type superconducting tunnelling junctions as high-resolution X-ray detectors 86−36092
Twerenbold, D. Nonequilibrium model of the superconducting tunneling junction X-ray detector 87−21440
Twerenbold, D. The maximal area of superconducting tunneling junction X-ray detectors determined by the required signal-to-noise ratio 88−1907
Twerenbold, D., Zehnder, A. Superconducting Sn/Sn-oxide/Sn tunneling junctions as high resolution X-ray detectors 87−35330
Twerski, I.M. Characterization of a solderable gold thick film capable of withstanding multiple firings 88−50552
Twerski, I.M., Richardson, W.W. An investigation of the parameters affecting the wire bonding characteristics of a doped thick film gold 88−1301
Twicken, J.D. A generalized polyphase principle for uniform digital filter banks 88−66590
Twideli, J. Harnessing the mighty power of the wind 87−72067
Twidell, J. A critique of small autonomous wind power systems 88−43110
Twidell, J. Renewables: now and then 88−62021
Twidell, M. Power to the outback [remote-area power generation] 88−62262
Twieg, R.J. *see* Dirk, C.W. 87−7440
Twieg, R.J. *see* Gunter, P. 88−58683
Twieg, R.J. *see* Schlotter, N.E. 85−7526
Twietmeyer, H. *see* Altmann, K. 88−22254
Twiford, M.S. *see* Lu, C.-Y. 88−71765
Twigg, G. Siel DK600 programmable polysynth 85−31254
Twigg, M.E., Chu, S.N.G., Joy, D.C., Maher, D.M., Macrander, A.T., Chin, A.K. Lattice parameter measurement of sub-micron device structures in compound semiconductors via convergent-beam electron diffraction 88−25942
Twigg, M.E. *see* Chu, S.N.G. 88−34026
Twigg, M.E. *see* Hull, R. 87−16582
Twiggs, D. *see* Williams, E.W. 88−7789
Twiggs, D.P. *see* Carey, R. 86−15343
Twiggs, J.G. *see* Hilley, J.R., Jr. 88−42947
Twilhaar, G.D.Nijen *see* Nijen Twilhaar, G.D.
Twilt, F. *see* Jongen, H.T. 86−46224
Twin, P.J. The nuclear structure facility at Daresbury 88−74666
Twin, P.J. *see* Nolan, P.J. 85−43314
Twiney, R.C., Robinson, M.K., Porter, S.G. Improved linear pyroelectric IR detector arrays 88−29401
Twiney, R.C., Whatmore, R.W., Curtis, A.C. Piezoelectric materials exhibiting 3-0 connectivity 86−53850
Twiney, R.C. *see* Munns, A.G. 86−53851
Twinn, J.E. The use of Window (Chaff) to simulate the approach of a convoy of ships towards a coastline 85−57072
Twisdale, T.R., Kirsten, P.W. Prediction and occurrence of pilot-induced oscillations in a flight test aircraft 85−4399
Twiselton, S.G., Thorne, R.B. A modern home security system using existing technology 85−33119
Twisleton, J.R.G. Experimental characterisation of the impatt cap oscillator and the determination of diode parameters 86−53070
Twisleton, J.R.G. Resonance frequencies and behaviour of the IMPATT cap oscillator 88−50358
Twiss, M.K. *see* Southall, D. 88−69892
Twistleton, J.R.G. *see* Duff, J.A. 88−25427
Twizell, E.H. Phase-lag analysis for a family of two-step methods for second order periodic initial value problems 86−57400
Twizell, E.H., Khaliq, A.Q.M. Global extrapolation methods for fourth order parabolic partial differential equations 88−56190
Twizell, E.H., Tirmizi, S.I.A. Multiderivative methods for non-linear second-order boundary value problems 87−44240
Twizell, E.H. *see* Khaliq, A.Q.M. 86−362, 88−6416
Twizell, E.H. *see* Tirmizi, S.I.A. 87−44234
Twombly, D. An overview of barrier terminal strips 88−50537
Twomey, P.W. *see* O'Sullivan, C.T. 87−57028
Twomey, P.W. *see* O'Sullivan, T. 88−16658
Tworek, J.L. *see* Dalcin, J.R. 88−64390
Tworek, J.L. *see* Robinson, K.T. 88−1521
Tworog, J., Ziolkowski, M. Charge-storage diodes BXDP-83 in multivibrator's circuit for frequency band-X 85−1031
Twu, Y., Chen, K.-L., Dienes, A., Wang, S., Whinnery, J.R. High-performance index-guided phase-locked semiconductor laser arrays 85−35757
Twu, Y., Dutta, N.K., Green, C.A., Wynn, J.D. GaInAsP distributed feedback laser array 88−58527
Twu, Y., Wang, S., Whinnery, J.R., Dienes, A. Mode characteristics of phase-locked semiconductor laser arrays at and above threshold 87−68467
Twu, Y. *see* Tai, K. 87−61225
Twu, Y. *see* Tsang, W.T. 88−34029
Twu Yihjye *see* Yihjye Twu
Twu-Wei Chou, Jenn-Ming Yang Performance optimization of woven fabric composites for printed circuit boards 87−24552
Twynam, J.K., Woods, R.C. Current crowding effects in GaAs/AlGaAs heterojunction phototransistors 88−26974
Twynam, J.K., Woods, R.C., Birbeck, J.C.H., Wight, D.R., Heaton, J.C., Pryce, G.R. Effect of current crowding on the performance of a GaAs/AlGaAs heterojunction phototransistor 88−58367
Twynam, J.K. *see* Woods, R.C. 88−51681
Ty, K.M., Venetsanopoulos, A.N. Two-dimensional digital filters with minimum cycle time 86−14413
Ty, K.M., Venetsanopoulos, A.N. A high speed two-dimensional digital filter structure 86−57991
Ty, K.M., Venetsanopoulos, A.N. A fast filter for real-time image processing 87−10984
Ty, K.M., Venetsanopoulos, A.N. Multidimensional filters for high-speed processing 87−59734
Ty, K.M. *see* Venetsanopoulos, A.N. 87−73552
Tyablikov, A.V. *see* Bakhtin, P.A. 86−2633
Tyack, P. An optical telemetry device to identify which dolphin produces a sound 86−11936
Tyagai, V.A., Sterligov, V.A., Snitko, O.V., Senchilo, A.G. Investigation of amplification and propagation of light in lasers based on CdS monocrystals 86−48374
Tyagi, A. Energy complexity and delay comparison of dynamic and static PLA design styles 87−66157
Tyagi, A. Hercules: a power analyzer for MOS VLSI circuits 88−24919
Tyagi, A. *see* Ho, S. 86−46909
Tyagi, A. *see* Snyder, L. 87−38492
Tyagi, B.P., Sen, K. Grain size and temperature dependence of the electrical behaviour of polysilicon 85−11899
Tyagi, B.P., Sen, K. Effective mobility of polycrystalline semiconductors 85−34464
Tyagi, B.P., Sen, K. Electrical properties of polycrystalline silicon in the dark and under illumination 86−1682
Tyagi, B.P. *see* Sen, K. 86−56947
Tyagi, L. *see* Gupta, P.P. 86−13566
Tyagi, M.S. *see* Gupta, A.K. 87−1402
Tyagi, M.S. *see* Ram, G.V. 88−57616
Tyagi, R.K., Rampal, V.V., Bhar, G.C. Millimetre and FIR sources based on optical techniques 86−22289
Tyagi, S., Barsoum, M. Low-field microwave absorption in $Y_1Ba_2Cu_3O_y$—a possible device application 88−51420
Tyagi, T.R. *see* Singh, L. 85−57111
Tyagi, T.R. *see* Vijayakumar, P.N. 88−66072
Tyagulskii, I.P. *see* Lysenko, V.S. 86−21283
Tyalin, Yu.I. *see* Golovin, Yu.I. 85−22566
Tyan, I.S. *see* Mesenzhnik, Ya.Z. 85−64912, 87−4387
Tyan, L.S., Yurkov, E.N., Kozyreva, M.P., Al'shin, B.I. Comparative specification of engineering thermometers for low temperatures 87−21048
Tyan, Y.-S., Pan, K.C., Preuss, D.R., Olin, G.R., Vazan, F. Recent advances in phase-change media [optical storage] 87−53942
Tyan, Y.-S., Perez-Albuerne, E.A. A simple scheme for the minimization of the impact of shorting defects in large-area thin-film integrated arrays 86−7119
Tyan, Y.-S., Preuss, D.R., Vazan, F., Marino, S.J. Laser recording in tellurium suboxide thin films 86−36550
Tyan, Y.-S., Vazan, F., Barge, T.S. Effect of oxygen on thin-film CdS/CdTe solar cells 86−7100
Tyan Yuan-Sheng *see* Yuan-Sheng Tyan
Tyapkin, I.A. *see* Bulgakov, N.K. 87−63700
Tyapkin, I.A. *see* Filatova, N.A. 86−32196, 88−10285
Tyapkin, I.A. *see* Golovatyuk, V.M. 85−52982
Tyapkin, V.A., Lysun, V.N., Bukin, O.A., Stolyarchuk, S.Yu., Pavlov, A.N. Compact power unit for solid-state laser and optical amplifier 87−36990
Tyapkin, V.A. *see* Borodin, V.G. 86−48584
Tyapkin, Yu.K. Optimal linear phase band filtration of seismic recordings 85−59419
Tyapkin, Yu.K., Naiko, G.G. Optimal linear-phase correcting filtration for improving the resolution of seismic records 85−25077
Tyapkov, V.F. *see* Belyanin, V.S. 85−5608
Tyapkov, V.F. *see* Margulova, T.Kh. 85−4779, 85−4782, 86−45069
Tyapukhin, P.V. *see* Zaitsev, V.V. 88−602
Tyashkyavichene, B.D. *see* Adomaitis, I.E.I. 86−24842
Tyazhev, A.I. A frequency-modulated signal shaper for digital phase-lock loops 86−27155
Tyazhev, A.I. Modem design for *F*1, *F*3, *F*6, and *F*9 signals using a digital PLL AFC system 87−55880
Tyburski, J. *see* Bartosewcz, M. 87−39185
Tyce, R., Ferguson, S., Lemmond, P. NECOR Sea Beam data collection and processing development 88−30180
Tyce, R. *see* Miller, J. 88−10587
Tyce, R.C. Sea Beam shipboard data collection and processing enhancement 86−55384
Tyce, R.C. Deep seafloor mapping systems—a review 87−77835
Tychinkin, Yu.A. *see* Gabitov, R.M. 86−38936
Tychinskii, A.V. *see* Danilov, V.V. 88−33528
Tychon, G.G. *see* Davis, W.A. 87−48120
Tyczkowski, J., Kazimierski, P., Kryszewski, M. Dielectric properties of plasma polymerized organosilicon films 87−18361
Tyczkowski, J., Kryszewski, M. Photoinjection into plasma-polymerised thin organosilicon films. II. The structure of energy levels 85−23481
Tyczynski, W. *see* Waszkis, W. 88−2625
Tyda, B. Circuit indicates status of power supply 87−45124
Tydeman, J. Direct broadcast satellite systems in Europe 85−37176
Tye, F.L., Vasanthakumar, A.L.S. Simple but informative experiments on a plain separator for lead-acid batteries 86−6985
Tye, F.L. *see* Jenkins, A.A. 87−30912, 87−43352
Tyebjee, T.T. *see* Statman, M. 85−16670
Tygar, J.D., Ellickson, R. Efficient netlist comparison using hierarchy and randomization 86−21789
Tygar, J.D. *see* Ellickson, R. 85−22844
Tygard, C. Probing for a way to achieve test access 86−47162
Tygard, C.M. Probing design for the future—testing techniques for hybrid integrated circuits and SMD printed circuit board assemblies 86−13458
Tygard, C.M. Probes ease testing of hybrids and SMT assemblies 86−53129
Tyka, A. Problems of applying reflection-type photometric methods for checking the geometric structure of metal surfaces after machining 85−37812
Tykal, M., Melichar, M. The importance of evaluating the surface waviness in the construction and production of precision mechanisms 86−70218
Tykalov, I.O. *see* Akimov, L.V. 86−40202
Tyksinski, R.M. *see* Mendenhall, W.P. 85−39485
Tykva, R. Radiomicroscopy 87−29728
Tyl, L. *see* Wisniewski, B. 88−36118
Tylavsky, D.J. An improved method for the calculation of AC-DC power system fault currents 85−27001
Tylavsky, D.J. The calculation of DC fault currents with contributions from DC machines and rectifiers 85−43646
Tylavsky, D.J. Improvements in fault current calculation techniques for DC systems [mine trolley system safety] 86−13242
Tylavsky, D.J. Impedance of track/trolley haulage systems 86−45890
Tylavsky, D.J. New approximations to deep-underground conductor impedances 87−43730
Tylavsky, D.J. Conductor impedance approximations for deep-underground mines 87−79264
Tylavsky, D.J., Brown, K.A., Ma, T.T. Closed-form solution for underground impedance calculations 87−12771
Tylavsky, D.J., Schaffer, M.D. A new non-diverging power flow formulation 87−43727
Tylavsky, D.J., Schaffer, M.D. A nondiverging power flow using a least-power-type theorem 88−10736
Tylavsky, D.J., Schaffer, M.D. Generalized least-power type theorem in power flow convergence control 88−30262
Tylavsky, D.J., Sohie, G.R.L. Generalization of the matrix inversion lemma 86−66650
Tylavsky, D.J. *see* Moghram, I.S. 87−33468
Tylavsky, D.J. *see* Schaffer, M.O. 88−31258
Tylavsky, D.J. *see* Wait, J.R. 88−45740
Tyle, N. Energy planning using fuzzy decision-making [electric utility] 85−32113
Tyle, N., Joseph, R.D. An incremental power model of a MHD/steam plant 86−33228
Tyle, N. *see* Brown, K.A. 86−65772
Tylee, J.L. Model-based approaches to instrument failure detection 86−49909
Tylee, J.L., McDonagh, M.K., Fields, W.P. Low-order TRIGA reactor model with validation 86−51426

Tylee, J.L., Purviance, J.E. Instrument failure detection in nonlinear systems 85−3826
Tylen, U. *see* Kheddache, S. 87−77628
Tyler, A.C.F. *see* Magill, S.A.N. 87−35478
Tyler, C.W. *see* Norcia, A.M. 86−50570
Tyler, D. Doppler shift on satellites. I 88−73865
Tyler, E.H. *see* Kumar, R. 85−1761
Tyler, G. Data communications−new horizons 85−42068
Tyler, G. Communications and data processing 86−4267
Tyler, G. Electronic mail 86−30287
Tyler, G. International videotex 86−59561
Tyler, G. Racal-Vodafone−championing mobile communications 87−34432
Tyler, G. Why call logging? Because it's healthy for your business 87−40539
Tyler, G. Mercury going upwards and outwards? 87−55455
Tyler, G. Hitting a moving target [mobile communications services review] 88−53170
Tyler, G.C. *see* Burns, M.J. 88−68149
Tyler, G.L. *see* Marouf, E.A. 87−20641
Tyler, J. Speech recognition system using Walsh analysis and dynamic programming 87−7691
Tyler, J.N. *see* Cannon, P.S. 88−47017
Tyler, J.N. *see* Dickson, A.H. 88−47016
Tyler, J.R. Seam seal resistance welding of plated microelectronic packages 88−18501
Tyler, L.B., Davis, M.F., Allen, W.A. A companding system for multichannel TV sound 85−20301
Tyler, L.K. The sequential organisation of spoken word recognition 86−29787
Tyler, P. Traffic and information flow for small businesses 85−19681
Tyler, P. Satellite communications 86−11043
Tyler, P. Satellite communication 87−76699
Tyler, P. ISDN: the user expectations 88−59830
Tyler, P. The Satellite Programme Clearing House 88−74105
Tyler, R. *see* Summerfield, Q. 85−63013
Tyler, R.W., Taschek, W.G., DuBois, T.G. Parametric analysis of three 5 kW neat methanol fuel cell power plant configurations 86−33644
Tylets, N.A. *see* Apanasevich, P.A. 85−18907
Tylets, N.A. *see* Zaporozhchenko, V.A. 87−61122
Tylka, A.J. *see* Chang, C.Y. 88−29902
Tyman, A. Arrangement for measurement of the critical current of superconductive wires in perpendicular magnetic field 88−1915
Tyman, A., Glowacki, B., Rutkowski, J. Arrangement with the vacuum-and-heating chamber to diffusion form a layer of Nb_3Sn in multi-filament superconducting wires 88−1914
Tyman, A. *see* Fleszynski, J. 85−29359
Tymchik, G.S. Operational properties of coherent optical spectrum analyzers when the input transparency is illuminated by radiation containing higher Gaussian-Hermitian modes 88−8831
Tymchik, G.S. *see* Kolobrodov, V.G. 85−26265, 86−50020, 87−29008, 87−70502
Tymchik, G.S. *see* Kolomeets, S.D. 88−13838
Tymchik, G.S. *see* Krasnov, V.N. 86−49803
Tymchik, G.S. *see* Krivoshlykov, A.Yu. 85−31422
Tymchik, G.S. *see* Sakhno, S.P. 88−22495
Tymen, G., Mouden, A. Results of natural radon daughter exposure measurements by using alpha dosemeters in individual houses of western France 87−29652
Tymen, G. *see* Rannou, A. 87−29651
Tymerski, R., Vorperian, V. Generation, classification and analysis of switched-mode DC-to-DC converters by the use of converter cells 87−30812
Tymerski, R.P.E., Daly, K.C. Modelling and analysis of current-programmed AC/DC converters 85−44866
Tyminski, J.K., Powell, R.C. Analysis of the decay dynamics of laser-induced gratings in $LiNbO_3$ 85−35912
Tyml, K., Ellis, C.G. Evaluation of a laser Doppler flowmeter by video microscopy 86−56114
Tymon, W.G., Jr., Lovelace, R.F. A taxonomy of R and D control models and variables affecting their use 86−66572
Tymper, S.I. *see* Gerasimchuk, A.G. 86−29058
Tymper, S.I. *see* Kornilov, S.T. 86−25451, 87−54240
Tynan, A.A. *see* Caldwell, R.L. 88−46744
Tynan, G. *see* Vold, E.L. 88−65107
Tyncherova, E.L. *see* Nasyrov, T.Kh. 86−65670
Tyndall, D.A., Washburn, D.B. The effect of rare earth filtration on patient exposure, dose reduction, and image quality in oral panoramic radiology 87−41929
Tyndall, G.W. *see* Jackson, R.L. 87−63535
Tyndel, M. *see* Anzivino, G. 87−41861, 88−22961
Tyndel, M. *see* Seller, P. 88−61095
Tyndik, V.V. *see* Nikitenko, A.G. 85−51379
Tyner, G., Sr., Costanza, R., Fowler, R.G. The net-energy yield of nuclear power 88−30443
Tyner, J. Underground distribution problems still abound 86−32772
Tyner, J.T. Nationwide survey reports on UG needs 85−27050
Tyner, J.T. Heavyweight know-how builds Intermountain HVDC line 85−59790
Tyner, J.T. Fiber-optic line protected from vandalism 87−62999
Tyner, J.T. Underground distribution survey explores cable practices 88−75167
Tynnaya, N.T. *see* Antonyuk, Ya.P. 86−23054
Tynor, S. *see* Gilmore, J. 87−19897
Tyran, H.L. *see* Papin, B. 88−48679
Tyraskis, P.A., Jensen, O.G. Multichannel linear prediction and maximum-entropy spectral analysis using least squares modeling 85−38325
Tyree, V. *see* Afek, Y. 86−2303
Tyree, V.C. *see* Konstantinides, K. 85−33980, 86−20599
Tyrer, H.W. Instrumentation for analyzing biological cells 85−31780
Tyrer, J. Holograms: a new toolbox of technology 88−58706
Tyrer, J. *see* Bergquist, B.D. 87−49940
Tyrer, J. *see* Kerr, D. 88−34762
Tyrer, J. *see* Montgomery, P.C. 85−49370
Tyrer, J. *see* Raymond, E. 88−8344
Tyrer, J.R. The use of double pulsed holography for on-site vibration analysis 86−10009
Tyrer, J.R. Application of pulsed holography and double pulsed electronic speckle pattern interferometry to large vibrating engineering structures 87−19089
Tyrer, J.R. Critical review of recent developments in electronic speckle pattern interferometry 87−20751
Tyrer, J.R. Application of high repetition pulsed lasers to electronic speckle pattern interferometry (ESPI) 88−20795
Tyrer, J.R. The use of TV Holography (ESPI) for loudspeaker chassis and cabinet modal analysis 88−60480
Tyrer, J.R. *see* Kerr, D. 88−46262
Tyron, D.R. Self-testing with correlated faults 87−5837
Tyrone, C.L. Grand Gulf Nuclear Station Technical Specification Review Program 85−53469
Tyrrell, G. *see* Saunders, A. 87−58991
Tyrrell, J. *see* Allsop, A.C. 85−41810
Tyrroff, H. *see* Jahn, R. 85−6799
Tyrsa, V.E. Improving the accuracy of measurement of periodic time intervals 85−64306
Tyrsa, V.E. Instrumental errors in time interval measurements by difference-period quantization 87−63529
Tyrsa, V.E., Khokhryakov, M.V. Improving the accuracy of time interval measurements by the random coincidence method 88−22807
Tyrskii, S.Ya., Shul'deshov, G.A. Asymptotic accuracy of consistent estimates of the perimeter on black-and-white discretized images 88−52539
Tyrtyshnikov, E.E. *see* Dmitrieva, I.V. 87−26908
Tyruikov, D.A. *see* Basov, N.G. 86−3090
Tyschenko, I.E. *see* Kachurin, G.A. 88−26033
Tyshchenko, I.E. *see* Kachurin, G.A. 88−1345
Tyshchuk, O.L. *see* Gluzshtein, Yu.O. 86−33265
Tyshikevich, R.I., Chernyak, A.A. Decomposition of graphs 86−40628
Tysl, V., Endal, J., Mazanek, M., Hudec, P., Raab, M., Cesky, T., Lebduska, P., Peterka, R. Microwave radiometer for the 11 GHz-band 86−50075
Tysler, M., Kuzmova, J., Kneppo, P., Rosik, V., Kricfalusi, M. Body surface mapping and analysis of human cardiac electric field by the automated system EKKG-80 86−5957
Tyson, A.G. An electrochemical cell for cadmium recovery and recycling 85−32855
Tyson, E. *see* Robinson, K.E. 87−75137
Tyson, E. *see* Slater, J. 87−2164
Tyson, E.L. *see* Adamski, J.L. 86−31806, 86−31819
Tyson, E.T. TVRO antenna pointer program 87−62889
Tyson, J. Meeting without being there [videoconferencing] 87−28855
Tyson, J.A. *see* Cong, H.I. 87−1616
Tyson, P. System DVP [digital video processor] 88−60422
Tyson, P.J., Butters, J.R. X-Calibre [digital effects processor] 86−69910
Tyson, R. *see* El Fatatry, A. 88−41618
Tyson, R.M. *see* Hemphill, W.R. 85−38327
Tyson, S.M. *see* Rios, R. 87−1316
Tyson, T.J., Ogden, D., Gallia, J., Frailey, D. Using the 54/74LS610-13 memory mapping units 88−50144
Tysyachnik, O.N. *see* Vardenburg, A.K. 85−40994
Tyszer, J. *see* Jajszczyk, A. 87−76430
Tyszer, J. *see* Rajski, J. 85−45017, 85−49845, 85−54819, 86−27224
Tytyuk, V.K. *see* Shchuka, Yu.V. 88−11544
Tyu Nguen Ngok *see* Nguen Ngok Tyu
Tyuchkalov, I.V. *see* Selivanov, V.G. 87−16787
Tyukalov, V.G. *see* Sushchuk-Slyusarenko, I.I. 85−27850
Tyukavin, A.A. Analysis of measurement method using circuits for balance the parameters of three-component GCR and RCG two-terminal networks 85−54589
Tyukavin, A.A. Individual measurement of LRC two-terminal networks using balancing circuits 87−24309
Tyukavin, A.A. Convergence of AC bridges for measuring parameters of three-element two-terminal networks 88−60828
Tyukhai, G.G. *see* Popivnenko, V.V. 86−20288
Tyukhanov, Yu.M., Kungs, Ya.A. On the choice of settings for voltage regulators in lighting networks 85−44302
Tyukhanov, Yu.M., Usikhin, V.N. Critical analysis of redundancy in industrial power supply systems 87−43152
Tyukhanov, Yu.M., Usikhin, V.N. Probabilistic appraisal of power swings in arc steel-smelting furnaces 87−43677
Tyukhanov, Yu.M. *see* Venikov, V.A. 87−15122, 88−10815
Tyukhov, I.I. *see* Vasil'yev, A.M. 86−29002
Tyukhtin, A.V. *see* Krasil'nikov, V.N. 86−10088, 86−36731
Tyukov, N.I., Arapov, G.V., Abramov, K.N. Concentration meter with conductivity transducers of the submerged type for monitoring concentration in working solution 86−31703
Tyukov, V.M. *see* Kogan, B.V. 85−22714
Tyulenev, G.F. *see* Kovtun, V.N. 86−55791
Tyulenev, S.B. *see* Baginskii, L.V. 86−70717
Tyuleneva, E.G. *see* Baginskii, L.V. 86−70717
Tyul'kin, V.M. *see* Nagin, A.P. 85−45466
Tyulyukin, V.A. *see* Grechushkin, K.V. 88−13673
Tyulyukin, V.A. *see* Vashkovski', A.V. 87−25865
Tyulyukin, V.A. *see* Vashkovskiy, A.V. 88−1883, 88−64970
Tyumentseva, S.P. *see* Chalenko, N.S. 88−36245
Tyumentseva, S.P. *see* Kiselev, Yu.A. 86−18145
Tyupa, V.I. *see* Avramenko, A.A. 85−49623
Tyupa, V.I. *see* Bondarenko, V.I. 85−48073
Tyupin, A.V. *see* Dyachenko, N.G. 87−47020
Tyurikov, D.A. *see* Basov, N.G. 87−68383, 87−74984
Tyurin, A.M. *see* Bondarenko, S.S. 85−11084
Tyurin, N.E. *see* Vasilev, A.A. 86−38661
Tyurin, S.N. Adjustment of thick-film resistors by application of dielectric layers 86−62957
Tyurin, S.N. *see* Koledov, L.A. 87−1114
Tyurin, S.V. *see* Mukhachev, L.F. 85−22711
Tyurin, V.M., Skotarenko, N.G. Magnetic parameters of industrial alloys 87−6990
Tyurin, V.M. *see* Gridnev, I. 86−35968
Tyurin, V.M. *see* Sbitnev, S.A. 85−41040
Tyurin, V.N. Effect of rolling parameters on the structure and properties of welded joints in a zirconium alloy with 2.5% Nb 88−55996
Tyurin, Yu.G. *see* Fomin, B.I. 87−51137
Tyurin, Yu.G. *see* Khutoretskii, G.M. 88−37157
Tyurin, Yu.G. *see* Kurilovich, L.V. 87−9469
Tyurin, Yu.G. *see* Varshavskii, V.D. 86−56692
Tyurin, Yu.N. *see* Savvushkina, N.Ye. 85−49443
Tyurin, Yu.V. *see* Bagryantsev, V.I. 85−39254
Tyurin, Yu.Yu. *see* Redkokasha, A.A. 85−55083
Tyuryukanov, P.M., Khodachenko, G.V. Method for measuring pulse voltages [plasma diagnostics] 86−18052
Tyushkevich, N.I. *see* Dubilovich, V.M. 88−62259
Tyutchev, M.V. *see* Lavrov, B.P. 87−72567
Tyutikov, A.M. *see* Sen', Yu.V. 85−4136
Tyutikov, A.M. *see* Shilov, A.L. 88−36367
Tyutikov, N.V. *see* Sevast'yanov, V.D. 87−35329
Tyutina, L.B., Barbaritskaya, M.S. Thermal design of dry low-power transformers 86−45508
Tyut'kin, V.A. *see* Bondaletov, V.N. 85−31649, 87−9877
Tyutnev, A.P. *see* Abramov, V.N. 86−35353
Tyutyakin, A.V. *see* Klistorin, I.F. 86−34904
Tyutyannikov, S.I. *see* Dolbilov, G.V. 86−38675
Tyutyulkov, N. *see* Michailov, N. 87−46807
Tyuvin, Yu.D. *see* Tarasova, T.F. 86−44268
Tyves, L.I. Design of a six-component force transducer for an industrial robot 85−64114
Tyvonchuk, P.A. Arc surfacing of components in natural gas with constrained cooling 85−27857
Tyvonchuk, P.A., Patskevich, I.R. Special features of metal transfer in the arc in deposition in a mixture of natural gas and oxygen 88−55985
Tzafestas, S., Skolarikos, M. Parallel Kalman filter bank design for adaptive image restoration 87−48011
Tzafestas, S., Skolarikos, M. On the sensor fault detection of large scale systems using the overlapping decomposition approach 88−36961
Tzafestas, S., Theodorou, N., Kanellakis, A. State-space stability criteria for three-dimensional recursive digital filters 88−19275
Tzafestas, S. *see* Anoussis, J. 86−39505
Tzafestas, S.G. Some results in 2-D and 3-D system theory 85−46845
Tzafestas, S.G., Angelleli, A.-M. Three-dimensional image restoration using ARMA modelling and ML estimation 86−30054
Tzafestas, S.G., Frangakis, G.P. Binary logarithm-based computing systems: application to digital filter implementation 86−35030
Tzafestas, S.G. *see* Botsaris, C.A. 87−31359
Tzafestas, S.G. *see* Frangakis, G.P. 86−18337
Tzafestas, S.G. *see* Stavroulakis, P. 86−36946

Tzafestas, S.G. *(editor)* Digital Techniques in Simulation, Communication and Control. Proceedings of the IMACS European Meeting 86-33939
Tzafestas, S.G. *see* Singh, M.G. *(editor)* 88-31288
Tzamarias, S. *see* Cox, B. 85-64465
Tzamarias, S. *see* Resvanis, L.K. 88-54421
Tzamarias, S. *see* Wagoner, D.E. 85-64464
Tzanakis, N., Wolfskill, J. The Diophantine equation $x^2=4q^{a/2}+4q+1$, with an application to coding theory 87-44155
Tzanakis, N. *see* Stroeker, R.J. 88-56093
Tzanetakis, P. *see* Christou, A. 87-6469
Tzanev, V.I. *see* Nenchev, M.N. 87-61106
Tzanis, A. *see* Beamish, D. 86-32534
Tzannes, M.A., Moussas, Ch., Tzannes, N.S. Multiple spectra estimation by spectral cross-entropy 85-46857
Tzannes, M.A., Politis, D., Tzannes, N.S. A general method of minimum cross-entropy spectral estimation 85-63046
Tzannes, M.A. *see* Katsakos-Mavromichalis, N.A. 86-29674, 86-34112
Tzannes, M.A. *see* Tzannes, N.S. 87-19408
Tzannes, N.S., Bodenschatz, J.S., II Iterative reconstruction of transform-coded images using relative entropy 87-55365
Tzannes, N.S., Jonnard, P.A. Relative entropy reconstruction of moment-coded images 87-19967
Tzannes, N.S., Jonnard, P.A. Maximum entropy reconstruction of moment-coded images 88-21300
Tzannes, N.S., Politaki, S. The use of information theory functionals for data smoothing 87-39796
Tzannes, N.S., Thacker, J.A., Tzannes, M.A. Entropy-preserving block truncation coding 87-19408
Tzannes, N.S. *see* Alaska, Y.A. 88-70260
Tzannes, N.S. *see* Alsaka, Y.A. 88-66517
Tzannes, N.S. *see* Katsakos-Mavromichalis, N.A. 86-29674, 86--34112
Tzannes, N.S. *see* Papademetriou, R.C. 86-37160, 88-21298
Tzannes, N.S. *see* Tzannes, M.A. 85-46857, 85-63046
Tzanos, C.P. A semianalytic method for the solution of the steady-state steam generator equations 88-48654
Tzanos, P. Validation of a model for faster-than-real-time LMFBR core transient analysis 87-57835
Tze-Show Chow *see* Mohler, J.H. 87-14165
Tze-Yun Sung, Tai-Ming Parng, Yu-Hen Hu Doubly pipelined CORDIC array for digital signal processing algorithms 88-8755
Tze-Yun Sung, Tai-Ming Parng, Yu-Hen Hu High performance VLSI CORDIC algorithms, architecture and chip design 88-32250
Tzeng, A.Y.-C., Tang, J.-S. An experimental test of the theory of lightning induced voltages on power line 88-14443
Tzeng, C.-C. *see* Lue, J.T. 87-14459
Tzeng, C.-J. An analysis of a sub-band echo canceller 88-46103
Tzeng, C.-J. *see* Lin, N. 88-35256
Tzeng, C.-P.J., Hodges, D.A., Messerschmitt, D.G. Timing recovery in digital subscriber loops using baudrate sampling 86-23576
Tzeng, C.-P.J. *see* Agazzi, O. 85-57827
Tzeng, C.J. *see* Agazzi, O. 85-42107
Tzeng, C.P.J. A technique that cancels implementation-dependent offset in adaptive filters 88-8791
Tzeng, F.C. *see* Chang, C.Y. 86-1834, 86-21558, 87-1545, 87-6705
Tzeng, F.C. *see* Wang, S.J. 86-67759
Tzeng, G.T. *see* Tsai, F.Y. 88-28628
Tzeng, H.-M., Wall, K.F., Long, M.B., Chang, R.K. Laser emission from individual droplets at wavelengths corresponding to morphology-dependent resonances 85-12826
Tzeng, J. *see* Tong, H.C. 85-24164
Tzeng, J.C., Baerg, W., Ting, C., Siu, B. A novel self-aligned oxygen (SALOX) implanted SOI MOSFET device structure 87-53728
Tzeng, J.C. *see* Baerg, W. 86-28327
Tzeng, J.S., Su, Y.K., Shih, M.T. Oxidation of GaP in an aqueous H_2O_2 solution 86-63189
Tzeng, J.S. *see* Chen, S.C. 87-6726
Tzeng, K.K., Feng, G.L. Further results about the cyclicity of generalized Goppa codes 86-43157
Tzeng, K.K. *see* Feng, G.L. 85-25021, 87-54975, 87-68987
Tzeng, K.M. *see* Feng Gui-liang 87-39541
Tzeng, L.D., Cline, T.W., Saleh, A.A.M. Measurement of excess sensitivity penalty of a four-diode polarisation diversity coherent receiver 88-35482
Tzeng, L.D., Emkey, W.L., Jack, C.A., Burrus, C.A. Polarisation-insensitive coherent receiver using a double balanced optical hybrid system 88-3978
Tzeng, L.D., Frahm, R.E. Wide bandwidth low noise pinFET receiver for high-bit-rate optical preamplifier applications 88-73905
Tzeng, L.D. *see* Delavaux, J.-M.P. 88-35481, 88-67426
Tzeng, L.D. *see* Delavaux, J.M.P. 88-67345
Tzeng, L.D. *see* Olsson, N.A. 88-47039
Tzeng, L.D. *see* Park, Y.K. 88-47030
Tzeng, L.D. *see* Tench, R.E. 87-56158
Tzeng, R. *see* Pollack, S.A. 88-8278
Tzeng, Y., Jeske, W., Tong, C.C., Langford, S. Low pressure OMVPE growth of GaAs using a solid elemental arsenic source and TEG 88-31797
Tzeng, Y., Kunhardt, E.E. New insight into streamer development 85-1209
Tzeng, Y., Lin, T.H. Plasma etching with tetrafluoromethane and nitrous oxide: the role of oxygen in the etching of silicon materials 87-1416
Tzeng, Y., Lin, T.H., Belser, M.A., Roppel, T.A. Microwave plasma etching of photoresist and polyimide in air and oxygen 87-60344
Tzeng, Y., Lin, T.H., Davidson, J.L., Jang, B.Z. The roles of N_2O in CF_4+N_2O plasma etching of silicon and photoresist 86-21433
Tzeng, Y., Lin, T.H., Davidson, J.L., Lan, L.S. Fabrication and high temperature characteristics of diamond electronic devices 87-60082
Tzeng, Y. *see* Jaeger, R.C. 86-19774
Tzeng Chun-Hung *see* Chun-Hung Tzeng
Tzeng Lih-Ren *see* Lih-Ren Tzeng
Tzeng Lue Juh *see* Juh Tzeng Lue
Tzeng Wen-Jer *see* Wen-Jer Tzeng
Tzeng Yong-Chan *see* Yong-Chan Tzeng
Tzhadadze, E.G. *see* Gorin, A.M. 87-8853
Tzi-Dar Chiueh, Goodman, R. A neural network classifier based on coding theory 88-34718
Tziabuk, A.L. *see* Badino, G. 85-48177
Tzikas, A.A., Chrissoulidis, D.P., Kriezis, E.E. Relativistic bistatic scattering by a uniformly moving random rough surface 87-2288
Tziritas, G. Gradient-based optical flow estimation 87-13148
Tziritas, G. Estimation of motion and structure of 3-D objects from a sequence of images 87-62386
Tziritas, G., Hakizimana, G. Discrete realization for receivers detecting signals over random dispersive channels. I. Range-spread channel 86-3887
Tziritas, G., Hakizimana, G. Communications over range-spread random channels: a discrete realization for the receiver 87-2542
Tziritas, G. *see* Andriot, L. 86-3888
Tziritas, G.G. On the distribution of positive-definite Gaussian quadratic forms 88-27912
Tziviskos, G. *see* Newton, D. 88-70551
Tziviskos, G. *see* Newton, D.B. 87-65849
Tzoar, N., Zhang, C. High-frequency conductivity of type-I superlattices 85-55538
Tzong, T.J. *see* Wu, F.H.Y. 86-65973
Tzou, J., Chen, C., Cheung, R. Scaling down for upgrades [CMOS SRAM] 87-60637
Tzou, J., Yao, C., Cheung, R., Chan, H. Process dependence of hot electron injection in MOSFET's 86-21616
Tzou, J. *see* Yao, C. 87-1756, 88-1799, 88-71716
Tzou, J.J., Yao, C.C., Cheung, R., Chan, H. The temperature dependence of threshold voltages in submicrometer CMOS 85-45706
Tzou, J.J., Yao, C.C., Cheung, R., Chan, H. Hot-electron-induced MOSFET degradation at low temperatures 86-2165
Tzou, J.J., Yao, C.C., Cheung, R., Chan, H. Temperature dependence of charge generation and breakdown in SiO_2 87-1315
Tzou, J.J., Yao, C.C., Cheung, R., Chan, H.W.K. Hot-carrier-induced degradation in p-channel LDD MOSFETs 86-41787
Tzou, J.J., Yao, C.C., Cheung, R., Chang, H. Some CMOS device constraints at low temperatures 85-23802
Tzou, J.J. *see* Chan, H. 87-44855
Tzou, J.J. *see* Yao, C.C. 86-41954
Tzou, K. Embedded Max quantization 87-19406
Tzou, K. Multistage image decimation and interpolation filters suitable for VLSI implementation 87-66399
Tzou, K., Elnahas, S.E. Bit-sliced progressive transmission and reconstruction of transformed images 87-19934
Tzou, K. *see* Elnahas, S.E. 87-55321
Tzou, K. *see* Tran, A. 87-62263
Tzou, K.-H. A fast computational approach to the design of block quantization 87-39750
Tzou, K.-H. Progressive image transmission: a review and comparison of techniques 87-69292
Tzou, K.-H., Elnahas, S.E. An optimal progressive transmission and reconstruction scheme for transformed images 87-27660
Tzou, K.-H., Hsing, T.R., Okagaki, T. An image compression system with an HVS model for diagnostic electron microscopy 86-32279
Tzou, K.-H. *see* Einahas, S.E. 87-19928
Tzou, K.-H. *see* Hsing, T.R. 85-41995
Tzou, K.H., Hsing, R., Okagaki, T., Jones, M.H., Clark, B.A., Pan, T. An image compression and enhancement system for diagnostic electron microscopy 85-64582
Tzou, K.H. *see* Okagaki, T. 85-31826, 85-64581
Tzou, Y.Y., Wang, R.W., Wu, T.C. Design and implementation of a multiprocessor-based digital PWM inverter controller 87-72352
Tzou, Y.Y., Wu, H.J. Design and implementation of a multiprocessor-based uninterruptible power supply 88-75774
Tzou, Y.Y., Wu, Y.C. Sinusoidal pulsewidth modulation with multimode control 88-24195
Tzou, Y.Y., Wu, Y.C. Harmonic analysis of PWM inverter modulation strategies 88-43280
Tzou Kou-Hu *see* Kou-Hu Tzou
Tzouh-Liang Sun Preliminary study of alternative tomographic system for radiotherapy planning 87-21549
Tzschach, H. M-Completeness of queueing systems 85-22301
Tzscheutschler, R. *see* Dietrich, M. 86-70213, 87-43959
Tzu Li, Wang, T. A 15 ns programmable array logic device 86-20481
Tzu Lin How *see* How Tzu Lin
Tzu-Cheng Tseng *see* Chien Chung 88-48388
Tzu-chu Lin, Chi-lin Yen Applications of the proximity map to fixed point theorems in Hilbert space 88-43819
Tzu-Hung Chen *see* Shur, M.S. 86-15276
Tzu-Hwa Hsu *see* Utter, B. 86-41830
Tzuang, C.-K., Itoh, T. Finite-element analysis of slow-wave Schottky contact printed lines 87-17365
Tzuang, C.-K., Zhang, Q., Itoh, T. Finite element analysis of slow-wave Schottky printed line 87-6010
Tzuang, C.-K.C., Itoh, T. Pulse transmission in an interconnection line on a semiconductor substrate with a lossy layer 86-28466
Tzuang, C.-K.C., Itoh, T. High-speed pulse transmission along a slow-wave CPW for monolithic microwave integrated circuits 87-66532
Tzuang, C.-K.C., Kuo, J.T., Kao, S.C., Su, S., Chang, K.P. Analyses of picosecond pulse propagation along a coupled slotline on a lossy multilayer integrated circuit substrate 88-27588
Tzuang, C.-K.C., Miller, D., Wang, T.H., Itoh, T., Neikirk, D.P., Williams, P., Downer, M. Picosecond response of an optically controlled millimeter wave phase shifter 87-45293
Tzuen-Luh Huang, Shmit-Tong Formation and oxidation of titanium silicide 88-44706
Tzuen-Luh Huang *see* Tong Lee, S. 88-44707
Tzuk, Y. *see* Bar, I. 88-58463
Tzvi Raz A survey of models for allocating inspection effort in multistage production systems 87-10198
Tzybatov, V.A. *see* Vittikh, V.A. 85-37462

Uakin, Ye.S. *see* Zagorovsky, K.O. 88−60383
Uan Xi, Ding Lu-Fei Performance of PEF in non-Gaussain clutter 85−46826
Uan-Pei Wu *see* Wu Uan-Pei
Uang, C.M. *see* Chang, C.Y. 85−20462
Uang, S. *see* Khan, M. 86−28437
Uba, L., Uba, S. Ion implantation influence on spin arrangements in garnets 86−15378
Uba, S. *see* Uba, L. 86−15378
Uba, T., Omae, K., Ashiya, R., Saita, K. 16:9 aspect ratio 38V-high resolution trinitron CRT for HDTV 88−41832
Uba, T. *see* Amano, Y. 88−12904
Uba, T. *see* Sudo, M. 87−3700
Ubaid, A.A. *see* Al-Nema, M.A. 86−45026
Ubakata, H., Kaneko, T. The present status of optical fiber and optical fiber cable technology 86−58747
Ubaldini, M. *see* Arturi, C.M. 85−21260, 86−61553, 87−22505
Ubaldini, M. *see* Brandolin, A. 88−17704
Ubaldini, M. *see* Farini, A. 88−69867
Ubarno, J.A. *see* Hein, C.E. 87−66205
Ubaudi, F. Turntable strobe 85−63888
Ubaudi, F. MPF-IP Micro-professor development system 86−8269
Ubaudi, F. Special effects for your home movies 86−11289
Ubaudi, F., Simpson, L. Build this electronic multimeter 85−37646
Ubaudi, F. *see* Swain, G. 85−61067, 86−57637
Ubensee, H., Paasch, G., Bundfuss, D., Zollner, J.-P. Electrons in MIS inversion and accumulation layers; exchange and correlation effects within a modified Thomas-Fermi theory 88−71363
Ubensee, H., Paasch, G., Zollner, J.-P. Self-consistent theory of the electronic structure of inversion layers. II. Quantum effects and the electronic properties of MIS structures 86−41614
Ubensee, H., Paasch, G., Zollner, J.-P. The influence of quantum effects on the electronic properties of MIS structures 87−53307
Ubensee, H., Paasch, G., Zollner, J.-P., Handschack, S. Modified Thomas-Fermi approximation for accumulation layers in MIS structures 88−64348
Ubensee, H. *see* Paasch, G. 87−6730
Ubensee, H. *see* Voigt, P. 87−53308
Ubensee, H. *see* Zollner, J.-P. 86−47419, 87−45659
Ubensee, H. *see* Zollner, P. 86−67689
Uber, D. *see* Derenzo, S.E. 87−50253
Uber, D.C. *see* Cahoon, J.L. 86−50517
Uber, D.C. *see* Derenzo, S.E. 88−61259
Uber, D.C. *see* Huesman, R. 88−61273
Uber, G.T. Illumination methods for machine vision 87−51612
Uber, G.T. Uniform illuminators for inspection 88−55711
Uber, J.G. *see* Penney, G.W. 85−41566
Uber, R.E., Kryder, M.H. Prototype magneto-optical disk drive 88−65138
Uberall, H., Gaunaurd, G.C. Relation between the ringing of resonances and surface waves in radar scattering 85−14330
Uberall, H. *see* Howell, W.E. 85−14346, 85−58176
Uberall, H. *see* Merchant, B.L. 87−26736, 88−2521
Uberall, H. *see* Moser, P.J. 85−13073
Uberall, H. *see* Subrahmanyam, J.V. 87−39280
Uberall, H. *see* Yoo, K.B. 85−45923
Uberoi, A. *see* Baron, M. 88−12437
Uberoi, A. *see* Thompson, R. 87−24221
Ubertini, P. Position sensitive multiwire proportional counters for X-ray astronomy 88−61161
Ubertini, P. *see* Baker, R.E. 85−31769
Ubertini, P. *see* Boella, G. 86−50371
Ubezio, G. *see* Tironi, E. 86−61595, 88−68757
Ubhaya, V.A. $O(n)$ algorithms for discrete n-point approximation by quasi-convex functions 85−33339
Ubhi, D.S. A new reliability tool for designers 87−65245
Ubiennykh, B.I. *see* Maltsev, G.I. 87−6322
Ubiennykh, V.I. *see* Perevodchikov, V.I. 88−52144
Ubiiko, A.M. *see* Lik'yantsev, N.M. 85−49056
Ubra, O., Hejzlar, P., Lidicky, B., Skokan, V. Digital model simulation of the secondary circuit of WWER nuclear power plants including the control system 86−56565
Ubra, O., Lidicky, B., Hejzlar, P., Skokan, V. A detailed model of the secondary circuit of a WWER-440 nuclear power station 87−15473
Ubukata, H. *see* Minematsu, M. 87−28341
Ubushiev, E.A. *see* Novikov, B.V. 85−62435
Uccellini, L.W. *see* Chesters, D. 88−36667
Ucci, D.R. *see* Bayri, H.M. 88−8788, 88−21035
Ucci, D.R. *see* Chien-Chung Yeh 86−3640
Ucci, D.R. *see* Hong, Y.J. 86−29637, 87−33513, 87−75619, 88−66214
Ucci, D.R. *see* Oh, T.W. 85−30284
Ucci, D.R. *see* Wang, J.-R. 88−21033
Ucci, D.R. *see* Yeh, C.-C. 85−30121, 88−27658, 88−66215
Ucci, D.R. *see* Yeh, C.C. 88−2823, 88−2827
Ucci, R.M., Romania, J.J., Jr. The technical advantages of IFTE over its predecessors 88−36697
Ucciferro, J.J., Hulshizer, A.J., Gray, G.E. Design and construction aspects of a 1/6 scale LWR reinforced concrete containment model 87−71907
Uccio, U.Scotti Di *see* Scotti Di Uccio, U.
Uceda, J., Aparicio, J.L., Sebastian, J., Moreu, E. Microcomputer based Doppler radar for traffic control 86−4740
Uceda, J., Sebastian, J. Two different types of fully regulated two-output DC-to-DC converters with one switch 87−15911
Uceda, J. *see* Lorenzo, S. 87−23931
Uceda, J. *see* Rico, M. 87−73304
Uceda, J. *see* Ruiz, J.M. 87−30847
Uceda, J. *see* Sebastian, J. 86−7973, 86−58026, 87−22565, 87−52354, 88−5770, 88−70526, 88−70550, 88−75831
Ucer, S.B., Crampin, S., Evans, S., Miller, A., Kafadar, N. The MARNET radiolinked seismometer network spanning the Marmara Sea and the seismicity of Western Turkey 86−6067
Ucheda, J. *see* Sebastian, J. 87−16880
Uchibori, J. *see* Ryu, T. 87−34379
Uchibori, K. *see* Fukuda, M. 87−37277
Uchibori, K. *see* Komori, K. 86−46848
Uchibori, K. *see* Takahashi, H. 86−41094
Uchibori, K. *see* Yamamoto, S. 86−14219
Uchida, A., Miura, H., Watanabe, T., Komatsu, T., Inoue, Y., Ono, Y., Tasaki, T., Kurose, S. Integrated network systems on the ITOS 88−46568
Uchida, A. *see* Homma, N. 87−10862
Uchida, A. *see* Nishioka, Y. 86−47779, 87−74408
Uchida, A. *see* Ogiue, K. 87−44849
Uchida, A. *see* Yamaguchi, K. 87−17083
Uchida, F. *see* Moriyama, S. 88−22622
Uchida, H., Ajioka, T. Electron trap center generation due to hole trapping in SiO_2 under Fowler-Nordheim tunneling stress 87−67000
Uchida, H., Tanaka, S., Iwahara, H. Polarization at Pt electrodes of a fuel cell with a high temperature-type proton conductive solid electrolyte 85−27628
Uchida, H., Yamashita, T., Iida, M., Muramatsu, S. Design of a mosaic BGO detector system for positron CT 86−50497
Uchida, H. *see* Iwahara, H. 85−16227, 87−4874
Uchida, H. *see* Kaneko, S. 87−8521, 87−20944, 88−29445
Uchida, H. *see* Maeda, Y. 88−47671
Uchida, H. *see* Matsumoto, F. 86−49208
Uchida, H. *see* Matsushita, S. 85−62311
Uchida, H. *see* Miyai, Y. 88−33043
Uchida, H. *see* Muto, S. 86−68490, 87−26344, 87−61108, 88−14124, 88−65608
Uchida, H. *see* Ogikami, K. 86−62600
Uchida, H. *see* Ogiue, K. 86−46822
Uchida, H. *see* Sakamoto, M. 85−25376
Uchida, H. *see* Shimizu, K. 88−61269
Uchida, H. *see* Tamura, H. 88−71447
Uchida, H. *see* Yoneda, K. 88−6869
Uchida, I. *see* Itaya, K. 85−12064
Uchida, J. *see* Urata, K. 87−51618
Uchida, K. A consideration on application of Fourier transformation to electromagnetic field boundary-value problem involving finite length 86−22600
Uchida, K. Surface wave scattering by finite periodic notches in a ground plane covered by a dielectric slab 86−68826
Uchida, K. Numerical analysis of surface-wave scattering by finite periodic notches in a ground plane 87−47145
Uchida, K., Kazama, Y., Fujiwara, Y., Shinagawa, J., Higurashi, K., Matsumoto, N. Development of laminated paper insulated 500 kV oil-filled cable 86−65718
Uchida, K., Matsunaga, T., Noda, T. Electromagnetic wave excitation in a two-dimensional impedance tunnel with a T-junction 86−29387
Uchida, K., Matsunaga, T., Noda, T. Electromagnetic wave excitation in a two-dimensional impedance tunnel with a T-junction 87−39343
Uchida, K., Matsunaga, T., Noda, T. Electromagnetic wave excitation in a two-dimensional impedance tunnel with a cross-junction 87−75438
Uchida, K., Matsunaga, T., Yoshidomi, K., Aoki, K. Electromagnetic wave excitation in a two-dimensional tunnel by waveguide modes 85−46614
Uchida, K., Matsunaga, T., Yoshidomi, K., Aoki, K. Microwave simulation of electromagnetic wave propagation in a tunnel 85−62757
Uchida, K., Muto, A., Birukawa, M., Kurahashi, A., Kawabata, H., Shimizu, T. Readout characteristics and coercive force on magneto-optical medium 86−42381
Uchida, K., Noda, T., Matsunaga, T. Numerical analysis of plane wave scattering by an infinite plane grating using weighted Fourier series 86−42819
Uchida, K., Noda, T., Matsunaga, T. Spectral domain analysis of electromagnetic wave scattering by an infinite plane metallic grating 87−47134
Uchida, K., Noda, T., Matsunaga, T. Electromagnetic wave scattering by a plane metallic grating loaded with three dielectric layers 87−54538
Uchida, K., Noda, T., Matsunaga, T. Numerical analysis of surface current distribution on an infinite plane grating 87−75363
Uchida, K., Noda, T., Matsunaga, T. Electromagnetic wave scattering by an infinite plane grating on a dielectric slab 88−2535
Uchida, K., Noda, T., Matsunaga, T. Numerical analysis of surface current distribution on an infinite plane grating 88−20882
Uchida, K., Noda, T., Matsunaga, T. Electromagnetic wave scattering by an infinite patch grating 88−20899
Uchida, K., Noda, T., Matsunaga, T. Electromagnetic wave scattering by an infinite plane metallic grating in case of oblique incidence and arbitrary polarization 88−66025
Uchida, K., Oka, H., Sugitani, T., Hirano, S., Suzuki, T. Development of data logger for evaluation during antilock braking 87−72528
Uchida, K., Yamada, K., Kazama, Y., Itoi, H., Sasaki, T., Oka, Y., Itaka, K., Araki, T., Kawai, K., Hara, T., Yoshimura, F., Sugiyama, N., Satoh, N. Construction of compact 500 kV gas insulated transmission line 87−50804
Uchida, K. *see* Fujii, T. 86−67948
Uchida, K. *see* Ito, A. 85−25531
Uchida, K. *see* Matsumoto, K. 85−25532
Uchida, K. *see* Matsunaga, T. 88−45679
Uchida, K. *see* Murayama, I. 87−64518
Uchida, K. *see* Nagao, K. 86−2421
Uchida, K. *see* Nakamura, E. 86−39144
Uchida, K. *see* Nakamura, M. 88−3590
Uchida, K. *see* Nakanishi, R. 87−36070 to 36071
Uchida, K. *see* Noda, T. 88−45678
Uchida, K. *see* Oda, H. 86−43776
Uchida, K. *see* Shimizu, N. 88−26625
Uchida, K. *see* Uematsu, H. 88−75865
Uchida, K. *see* Yatsuda, Y. 85−17381
Uchida, K. *see* Yoshidomi, K. 85−62788
Uchida, M. Automatic control system of thermal power station 85−27272
Uchida, M. Personal computer network development 88−21637
Uchida, M., Asakawa, K., Matsumoto, S., Kawano, H. An integrated AlGaAs two-beam laser diode-photodiode array fabricated with reactive ion beam etching 88−65525
Uchida, M., Kawano, H., Asakwa, K. Novel AlGaAs laser with high-quality mirror fabricated by reactive ion-beam etching and in-situ passivation using enclosed UHV processing system 88−34019
Uchida, M., Koide, K., Ikuzaki, K. High speed circuit technology for mainframe VLSI 88−730
Uchida, M., Matsumoto, S., Asakawa, K., Kawano, H. Integrated AlGaAs two-beam LD-PD array fabricated by reactive ion beam etching 86−54053
Uchida, M., Nakamura, H., Toyota, Y., Kushihashi, M. Implementation of optimal control at a supercritical variable-pressure thermal power plant 87−71971
Uchida, M. *see* Ajisawa, A. 88−2028
Uchida, M. *see* Asakawa, K. 88−19816
Uchida, M. *see* Harumi, K. 88−49924
Uchida, M. *see* Kawai, K. 86−12540
Uchida, M. *see* Morishita, Y. 86−58212
Uchida, M. *see* Murata, H. 87−50604 to 50605
Uchida, M. *see* Nakamura, H. 86−12666
Uchida, M. *see* Nakamura, M. 88−3590
Uchida, M. *see* Nomura, M. 88−73522
Uchida, M. *see* Sugimoto, M. 88−20682
Uchida, M. *see* Yamaguchi, K. 88−53926
Uchida, M. *see* Yamazaki, H. 88−3556
Uchida, M., *see* Yanadori, M. 86−191
Uchida, M. *see* Yuasa, T. 87−12447, 87−54361, 88−58546
Uchida, N., Enpuku, K., Yoshida, K., Irie, F. Magnetic-flux trapping characteristics of thin-film Pb alloys as electrodes of Josephson junctions 85−7180
Uchida, N., Enpuku, K., Yoshida, K., Irie, F. Flux-trapping characteristics of Pb-alloy superconducting thin films for Josephson tunnel junctions 85−24226
Uchida, N., Nagao, T. A new eigen-analysis method of steady-state stability studies for large power systems: S-matrix method 88−10782
Uchida, N., Sugo, M., Yamamoto, A., Yamaguchi, M. Heteroepitaxy of InP on (100)Si by organometallic vapor phase epitaxy 88−18701
Uchida, N., Uesugi, N. Infrared optical loss increase in silica fibers due to hydrogen 87−7125
Uchida, N., Uesugi, N., Imagaki, N. Optical loss increase of silica optical fiber in the long wavelength region 86−2714
Uchida, N. *see* Kandatsu, K. 87−64745
Uchida, N. *see* Kanoh, K. 86−69714, 88−67004
Uchida, N. *see* Kiraly, R.J. 88−36521
Uchida, N. *see* Koyamada, Y. 85−2035, 86−68241
Uchida, N. *see* Nagao, T. 86−18739
Uchida, N. *see* Uesugi, N. 85−20236, 86−2730
Uchida, N. *see* Yamaguchi, M. 87−36143
Uchida, R. *see* Arakawa, S. 88−17812
Uchida, R. *see* Doi, K. 87−72510

Uchida, S., Miki, M., Masuda, T., Nagao, H., Otoha, K. BWR plants with low shutdown radiation level. Design and construction of plants and current experience with occupational exposure of plants 88—5435
Uchida, S., Mochizuki, T., Namba, K., Kiuchi, M. Development of radio controlled corrosion detector for insulated aerial wire 88—55035
Uchida, S., Remenyi, G., Landwehr, G. Germanium bicrystals in high magnetic fields 87—66894
Uchida, S. *see* Asakura, Y. 88—5464
Uchida, S. *see* Ibe, E. 86—6521
Uchida, S. *see* Kazama, T. 86—61566
Uchida, S. *see* Kikuchi, Y. 87—21554
Uchida, S. *see* Kitazawa, K. 88—20267
Uchida, S. *see* Shirai, K. 87—49577
Uchida, S. *see* Tomita, M. 86—4956
Uchida, T. Technological development of liquid crystal color display devices 85—14903
Uchida, T. Flat displays: recent development and potential applications 86—55787
Uchida, T. Application and device modeling of liquid crystal displays 87—1985
Uchida, T. A quarter century of laser development in Japan 87—54212
Uchida, T. LCDs and the fundamentals of operation 88—53776
Uchida, T., Hashiguchi, T., Kusumoto, S., Ochi, T., Kaji, S. Research of acoustic emission from columnar grained ice 88—12118
Uchida, T., Katagishi, T., Onodera, M., Shibata, Y. Reflective multicolor liquid crystal display 86—38464
Uchida, T., Katagishi, T., Onodera, M., Shibata, Y. Reflective multicolor liquid-crystal display 87—3667
Uchida, T., Katagishi, T., Onodera, M., Shibata, Y. Refractive multicolor liquid crystal display 87—35150
Uchida, T., Kobayashi, I. Expanding optoelectronics for better communication 85—37078
Uchida, T., Miyashita, T. A stereoscopic display using LCDs 87—8697
Uchida, T. *see* Futagami, T. 88—13628
Uchida, T. *see* Goto, K. 88—6425
Uchida, T. *see* Imai, T. 87—74085
Uchida, T. *see* Kitazawa, I. 85—30350
Uchida, T. *see* Koo, J. 86—38886
Uchida, T. *see* Kotani, Y. 88—42216
Uchida, T. *see* Kusumoto, S. 88—18211
Uchida, T. *see* Matsuzawa, K. 85—16156
Uchida, T. *see* Mayanagi, M. 88—61537
Uchida, T. *see* Miyashita, T. 88—16360
Uchida, T. *see* Mori, T. 86—39996
Uchida, T. *see* Nihei, H. 87—21366
Uchida, T. *see* Ota, K. 85—15120
Uchida, T. *see* Seki, H. 85—51005, 85—64205, 87—3679
Uchida, T. *see* Takahashi, M. 86—4220
Uchida, T. *see* Tanaka, Y. 87—48493
Uchida, T. *see* Taniguchi, M. 88—35932
Uchida, T. *see* Teshima, T. 87—77337
Uchida, T. *see* Wakamatsu, H. 87—51434
Uchida, T. *see* Wakihara, M. 87—78879
Uchida, Y. p-i-n & n-i-p basis solar cells 86—7017
Uchida, Y. Vertical-type amorphous-silicon field-effect transistors with small parasitic elements 87—11801
Uchida, Y. Heterostructures in amorphous semiconductor devices 87—24851
Uchida, Y. Light-induced degradation in amorphous silicon solar cells 88—17969
Uchida, Y. The review of the still video camera 88—35685
Uchida, Y., Akao, Y. Super precision step height measurement using twin path laser interferometer 88—36209
Uchida, Y., Furukawa, M., Hane, K., Hattori, S. Automatic alignment technique for X-ray lithography using moire signals in reflection 87—63245
Uchida, Y., Hattori, S., Nomura, T. An automatic mask alignment technique using moire interference 87—38034
Uchida, Y., Ikegami, T., Matsumura, M. Low-temperature thermal-oxidation of amorphous-silicon and its application to amorphous-silicon MOS transistors 86—21599
Uchida, Y., Kobayashi, K.L.I., Nakashima, H. Electrical properties of DX center in $Al_xGa_{1-x}As$ and its bond reconstruction model 86—53356
Uchida, Y., Matsui, K., Sago, M., Hane, K., Morita, S., Hattori, S. Total dry electron-beam vacuum lithography system for a rotary encoder 88—33102
Uchida, Y., Matsumura, M. Vertical-type a-Si:H field-effect transistors 85—50602
Uchida, Y., Matsumura, M. Proposed planar-type amorphous-silicon MOS transistors 86—21596
Uchida, Y., Obata, M., Zhang, H., Matsumura, M. Amorphous silicon MOS transistors fabricated by normal-pressure and low-temperature thermal-oxidation method 86—67881
Uchida, Y., Sakai, H. Light-induced effects in a-Si:H films and solar cells 87—30989
Uchida, Y., Sarai, H., Yamashita, S. Amorphous silicon devices for consumer applications [solar cells] 85—39199
Uchida, Y., Yokotsuka, T., Nakashima, H., Takatani, S. Electrical properties of thermally stable LaB_6/GaAs Schottky diodes 87—38183
Uchida, Y., Yue, J., Kamase, F., Suzuki, T., Hattori, T., Matsumura, M. Low-temperature thermal-oxidation of silicon 87—17959
Uchida, Y., Zhang, H., Matsumura, M. Liquid phase oxidation of silicon and its application to amorphous-silicon MOSFETs 88—1548
Uchida, Y. *see* Hattori, S. 86—14987, 87—24987
Uchida, Y. *see* Hirose, N. 85—34957
Uchida, Y. *see* Ichikawa, Y. 87—31584, 88—5845, 88—24801
Uchida, Y. *see* Ichimura, T. 85—10792, 86—27932, 87—9864
Uchida, Y. *see* Kanuma, A. 87—52636
Uchida, Y. *see* Katoh, Y. 87—23742
Uchida, Y. *see* Maruyama, K. 87—9787
Uchida, Y. *see* Nakashima, H. 85—62580, 88—19742
Uchida, Y. *see* Nishiura, M. 88—74469, 88—74519
Uchida, Y. *see* Nomura, T. 88—39323
Uchida, Y. *see* Ohsawa, M. 86—22215
Uchida, Y. *see* Okada, H. 85—55810, 86—35729, 86—41966, 87—11798, 88—19979, 88—63626
Uchida, Y. *see* Sakai, H. 85—27633, 85—61006, 86—45701, 88—31017, 88—49157
Uchida, Y. *see* Sakuta, Y. 88—57860
Uchida, Y. *see* Takatani, S. 88—26351, 88—33248
Uchida, Y. *see* Takeuchi, Y. 86—2183, 86—41826
Uchida, Y. *see* Tamagami, M. 86—4221
Uchida, Y. *see* Tomozawa, H. 88—62798
Uchida, Y. *see* Toya, H. 87—24660
Uchida, Y. *see* Wakita, T. 86—40102
Uchida, Y. *see* Yokotsuka, T. 87—37969
Uchida, Y. *see* Yoshida, T. 88—37545
Uchida, Y. *see* Yue, J.H. 86—21269
Uchida, Y. *see* Zhang, H. 88—26077
Uchigasaki, G., Arasaki, Y., Hiei, S. Fukushima II-2: improved and standardized nuclear power plant 85—43685
Uchihara, T., Hasegawa, T. Solid-state color camera with single-chip CPD image sensor using field switching line sequential color difference system 85—42740
Uchihara, Y., Higuchi, M., Miyoshi, Y., Rokujo, T., Sakamoto, S. Compact disc reliability 87—49423
Uchihashi, K. *see* Nagase, H. 88—49269
Uchihashi, K. *see* Ohnishi, M. 88—31852
Uchiike, H., Awaji, N., Fukushima, Y., Shinoda, T. Characteristics of crosstalk in color doughnut AC plasma display panels 85—14669
Uchiike, H., Awaji, N., Nakayama, T., Hamada, K., Fukushima, Y. Optimization of electrode structure in surface-discharge AC-plasma display panels 86—31534
Uchiike, H., Nakayama, T., Yamamoto, H., Fukushima, Y. Improved electrode structure and driving method for color surface-discharge AC plasma display panels 87—1162
Uchiike, H., Yamamoto, H., Niwa, A., Ohashi, H., Fukushima, Y. Characterization of surface-discharge AC plasma display panels 88—16312
Uchiike, H. *see* Awaji, N. 87—6353
Uchijima, T., Fukushima, K., Saijo, T. Stability and practical stable operating region of induction generator 88—37206
Uchijima, T., Fukushima, K., Saijo, T. Study on characteristics of electric power and stability of an isolated induction generator system 88—43204
Uchijima, T., Kato, K., Saijo, T. The applicable range of the linearized equation for a VVVF inverter driven induction motor 87—22370
Uchikado, S. CATV 85—37298
Uchikawa, F., Shimamoto, K. Aging effect in humid air on humidity-sensing characteristics of heat-treated silicone composite films 86—31345
Uchikawa, K. *see* Kaiser, P.K. 86—60752
Uchikawa, K. *see* Kobayashi, Y. 85—8674
Uchikawa, N., Terada, H., Arata, T. Scroll compressors for air conditioners 88—17815
Uchikawa, Y. *see* Ikeda, S. 87—67180
Uchikawa, Y. *see* Kotani, M. 88—36418
Uchikawa, Y. *see* Kuno, Y. 86—42706, 88—52011
Uchikawa, Y. *see* Sugiyama, N. 87—37753, 88—57279
Uchiki, H., Arakawa, Y., Sakaki, H., Kobayashi, T. Hot photoluminescence of GaAs-AlGaAs multiple quantum well structures under high excitation by a single shot of 30 ps, 542 nm laser 85—56424
Uchiki, H. *see* Gima, T. 85—2402
Uchiki, N. Time element relay (SCR)—JRS 22108-10A-14BR5C 86—66450
Uchiki, N. Specifications of signalling power source JRS31601-15C-14AR6C 86—66452
Uchiki, N. Traffic Information Display [JRS22621-25B-14AR6C] 87—41580
Uchiki, N. CTC system 88—31138
Uchikoshi, S. *see* Azuma, S. 88—30192
Uchikoshi, S. *see* Takahashi, M. 87—70406
Uchikura, T. *see* Hirasawa, K. 85—13207
Uchimoto, S. *see* Konishi, T. 85—39043
Uchimura, D. *see* Keller, J. 86—35608
Uchimura, K. Divisor generating functions and insertion into a heap 87—72985
Uchimura, K., Aida, T., Takagi, T. Showering arcs in breaking Au, Ag, Pd, and W contacts and radio noise caused by these arcs 86—3569
Uchimura, K., Aida, T., Takagi, T. Electromagnetic radiation caused by silver palladium alloy contact switching 86—15968
Uchimura, K., Aida, T., Takakura, H., Terada, K. Comparison of noise current spectra on silver contact break with those of contact closure 87—59939
Uchimura, K., Hayashi, T., Kimura, T., Iwata, A. VLSI- A to D and D to A converters with multi-stage noise shaping modulators 87—17181
Uchimura, K., Michida, J., Nozu, S., Aida, T. Malfunction of digital circuits due to noise induced by breaking electric contacts 88—63582
Uchimura, K., Michida, J., Nozu, S., Aida, T., Echigo, H., Takagi, T. Influence of induced noise caused by breaking electric contacts on digital circuits 87—59283
Uchimura, K. *see* Aida, T. 86—3534
Uchimura, K. *see* Hayashi, T. 87—16958
Uchimura, K. *see* Inoue, H. 86—22726
Uchimura, K. *see* Kimura, T. 88—46774
Uchimura, K. *see* Kobo, K. 86—54848
Uchimura, K. *see* Matsuya, Y. 87—59661, 88—19217
Uchimura, T. *see* Nagai, H. 88—53793
Uchimura, T. *see* Tsujikawa, K. 88—53794
Uchinami, S., Beppu, F., Ito, S., Tokubuchi, N., Noda, K., Notohara, Y., Kanai, K. Magnetic anisotropies in sputtered thin film disks 88—51315
Uchinashi, K. Power facilities and their maintenance 87—77958
Uchinashi, K. *see* Goto, S. 87—86
Uchino, E., Ohta, M. A new methodological trial on state estimation of linear structure vibration model with noisy power observation mechanism of nonGaussian type 87—16455
Uchino, E., Ohta, M., Takata, H. Design of a general digital filter for state estimation of a sound system under condition of quantised observation 87—75765
Uchino, E. *see* Ohta, M. 85—39626, 87—7736
Uchino, E. *see* Takata, H. 87—16536
Uchino, H., Bannai, T., Suzuki, Y. Damper diode for high definition video display 87—32473
Uchino, K. Electrostrictive actuators: materials and applications 86—47923
Uchino, K. Digital displacement transducer using antiferroelectrics 86—53865
Uchino, K. New aspects for development of devices [piezoelectrics] 87—32759
Uchino, K. Piezoelectric and electrostrictive actuators 87—53841
Uchino, K. Actuator applications of piezoelectric/electrostrictive ceramics 88—5808
Uchino, K., Aizawa, M. Photostrictive actuator using PLZT ceramics 86—47927
Uchino, K., Aizawa, M., Nomura, S. Photostrictive effect in $(Pb,La)(Zr,Ti)O_3$ 86—2466
Uchino, K., Hirose, T., Varaprasad, A.M. Acoustic emission in piezoelectric/electrostrictive actuators 88—33469
Uchino, K., Yoshizaki, M., Kasai, K., Yamamura, H. 'Monomorph' characteristics in lead zirconate based ceramics 87—74461
Uchino, K., Yoshizaki, M., Kasai, K., Yamamura, H., Sakai, N., Asakura, H. 'Monomorph actuators' using semiconductive ferroelectrics 87—67657
Uchino, K., Yoshizaki, M., Nagao, A. Monomorph characteristics of semiconductive piezoceramics 88—33477
Uchino, K. *see* Abe, K. 86—68133
Uchino, K. *see* Inoue, M. 87—46282
Uchino, K. *see* Kurokawa, S. 86—60404
Uchino, K. *see* Nakajima, Y. 85—37570
Uchino, K. *see* Nomura, S. 86—3287
Uchino, K. *see* Okuyama, M. 86—43775, 88—41592
Uchino, K. *see* Sugiyama, S. 87—53843
Uchino, K. *see* Tatsumi, M. 87—11992
Uchino, T., Asanuma, N. On the wavefront aberration and its measurement 86—68370
Uchino, T. *see* Oguro, Y. 85—2153
Uchino, T. *see* Takita, K. 86—8821
Uchino, Y. *see* Sawada, K. 88—70700
Uchino Shou-ichi *see* Shou-ichi Uchino
Uchio, T. *see* Fudo, H. 88—61851
Uchioke, F. *see* Sakata, Y. 87—49110
Uchishiba, H. *see* Ikata, O. 88—51257
Uchishiro, J. *see* Kunii, T. 85—54522
Uchitomi, N., Kitaura, Y., Mizoguchi, T., Ikawa, Y., Toyada, N., Hojo, A. Refractory WN gate self-aligned GaAs MESFET technology and its application to gate array ICs 85—40782
Uchitomi, N., Mikami, H., Toyoda, N., Nii, R. Experimental study on the correlation between thermal-wave signals and dopant profiles for silicon-implanted GaAs 88—25880

Uchitomi, N., Nagaoka, M., Shimada, K., Mizoguchi, T., Toyoda, N. Characterization of reactively sputtered WN_x film as a gate metal for self-alignment GaAs metal-semiconductor field effect transistors 87−25163
Uchitomi, N., Toyoda, N., Nii, R. Threshold-voltage control for GaAs MESFETs using the thermal-wave technique 88−50873
Uchitomi, N. *see* Kamatani, Y. 86−34737, 87−59682
Uchitomi, N. *see* Mikami, H. 88−19787, 88−64618
Uchitomi, N. *see* Toyida, N. 86−20440
Uchitomi, N. *see* Toyoda, N. 86−8191
Uchitomi, N. *see* Woodhead, J. 87−38280
Uchiumi, S. *see* Matsuda, Y. 86−33597
Uchiyam, T. Machine vision for assembly robots 88−41043
Uchiyama, A. Insulated electrode 85−15325
Uchiyama, A. *see* Magatani, K. 86−25256
Uchiyama, A. *see* Naito, Y. 85−31979
Uchiyama, F. *see* Nakane, H. 87−14407, 88−16445
Uchiyama, H., Kazahaya, K., Nakajima, M., Mizomoto, M., Yuta, S. Attenuation correction for infrared rays emission CT 86−38780
Uchiyama, H., Kurata, J., Tanaka, T. Analysis of outer factors to have an influence on the measurement performance of the thermal energy meter and the presentation of its improvement plan 87−56884
Uchiyama, H., Nakajima, M. Infrared ray emission computerised tomography for flame temperature distribution measurement 86−31378
Uchiyama, H., Takezawa, T., Abe, K., Haku, S., Nakajima, M., Yuta, S. Proposal on infrared rays emission CT 85−15309
Uchiyama, H., Yamada, W., Suzuki, M. Differential companding PCM by using optimum differential bit 88−59006
Uchiyama, H. *see* Hiraoka, Y. 88−35684
Uchiyama, H. *see* Honda, N. 88−51239
Uchiyama, H. *see* Kurata, J. 85−64295, 86−70246
Uchiyama, H. *see* Tanaka, T. 88−36282
Uchiyama, K. *see* Hamai, H. 86−30524
Uchiyama, K. *see* Nishimukai, T. 87−37378
Uchiyama, K. *see* Shimada, S. 85−26320
Uchiyama, M., Liu, F., Hakomori, K. Real time estimation of transient flow velocity profiles using a hot film velocimeter 87−21277
Uchiyama, M., Slane, S., Plichta, E., Salomon, M. Solvent effects on rechargeable lithium cells 87−72379
Uchiyama, M., Slane, S., Plichta, E., Salomon, M. Solvent effects on rechargeable lithium cells 88−17897
Uchiyama, M., Yasui, M., Pfeifer, B.W. Successful construction schedule reduction for the Tsuruga No. 2 power station 88−23638
Uchiyama, M. *see* Aso, A. 88−19056
Uchiyama, M. *see* Plichta, E. 87−78888
Uchiyama, N. *see* Mori, S. 88−64159
Uchiyama, N.S. *see* Yamakawa, H. 87−68529
Uchiyama, S. Magneto-optical properties of amorphous magnetic thin films 86−42090
Uchiyama, S., Iga, K. GaInAsP/InP surface emitting injection laser with a ring electrode 85−7444
Uchiyama, S., Iga, K. Two-dimensional array of GaInAsP/InP surface-emitting lasers 85−29813
Uchiyama, S., Iga, K. Temperature dependence of the threshold of GaInAsP/InP surfacc emitting junction lasers 85−51157
Uchiyama, S., Iga, K. Raising operation temperature of GaInAsP/InP surface emitting laser 86−3174
Uchiyama, S., Iga, K. Consideration on threshold current density of GaInAsP/InP surface emitting junction lasers 86−42600
Uchiyama, S., Iga, K. Low threshold GaInAsP/InP surface emitting laser 86−68557
Uchiyama, S., Iga, K. GaInAsP/InP surface emitting laser with flat surface circular buried heterostructure 87−18985
Uchiyama, S., Iga, K., Kokubun, Y. Threshold gain of distributed feedback surface emitting lasers 88−65720
Uchiyama, S., Ohmae, Y., Shimizu, S., Iga, K. GaInAsP/InP surface emitting lasers with current confining structure 86−42591
Uchiyama, S., Setoguchi, T., Nakagawa, K. XE-10 Digital Switching System's software 86−4428
Uchiyama, S. *see* Aratani, K. 85−45960, 86−42377, 88−1850
Uchiyama, S. *see* Hamamoto, M. 85−24215
Uchiyama, S. *see* Iga, K. 87−39122
Uchiyama, S. *see* Kagami, N. 86−68351
Uchiyama, S. *see* Kotaki, Y. 85−35791
Uchiyama, S. *see* Kurinobu, S. 87−2280 to 2281
Uchiyama, S. *see* Nishi, T. 85−22614
Uchiyama, S. *see* Sato, S. 87−60793
Uchiyama, S. *see* Sato, Y. 88−26659
Uchiyama, S. *see* Speidel, S. 88−13690
Uchiyama, S. *see* Yamada, H. 88−60928
Uchiyama, S. *see* Yoshino, S. 88−33499
Uchiyama, T., Mamiya, T. Low-power persistent switch for superconducting magnet 88−20319
Uchiyama, T., Nakamura, K., Shima, S., Koike, S., Ikeda, H. A vector-balance-type impedance detector 86−5290
Uchiyama, T., Takagi, K., Katagawa, T., Mihara, Y., Fukui, R., Tsukakoshi, O., Kikuchi, R., Isoya, A., Komiya, S., Koshikawa, T., Suzuki, T. A 400 keV ion accelerator for surface study 87−56986
Uchiyama, T., Watanabe, K., Ohta, N. Improved D50 circuit switching system 86−30514
Uchiyama, T. *see* Aoki, M. 87−20263
Uchiyama, T. *see* Hanahara, K. 86−59377, 88−56201
Uchiyama, T. *see* Ichikawa, H. 88−15198
Uchiyama, T. *see* Isoya, A. 85−34784
Uchiyama, T. *see* Kikuchi, R. 86−5743
Uchiyama, T. *see* Miyamura, M. 85−18257
Uchiyama, T. *see* Murata, H. 86−3060
Uchiyama, T. *see* Obara, M. 85−51119
Uchiyama, T. *see* Takehisa, K. 87−33083, 88−51727
Uchiyama, T. *see* Togawa, T. 86−37589
Uchiyama, T. *see* Yoshida, S. 87−12354
Uchiyama, T. *see* Yoshimoto, H. 86−58870
Uchiyama, Y. *see* Ishibashi, K. 88−71886
Uchiyama, Y. *see* Suzuki, T. 88−71889
Uchiyama, Y. *see* Watanabe, K. 87−53928
Uchiyama, Y. *see* Zheng, D. 86−56678
Uchiyawa, N. *see* Kamiya, T. 86−2822
Uchrin, G. Beta dosimetry, different solutions 87−50451
Uck Seo Jung *see* Jung Uck Seo
Ucovich, G. *see* De Benedetti, M.T. 86−48782
Uctug, Y., Demirekler, M. Modelling, analysis and control of a wind-turbine driven self-excited induction generator 88−62352
Uczkiewicz, J. Screening system of the rotor of cryoturbo-generator in a low frequency magnetic field 86−33298
Uda, H. *see* Nakano, A. 87−15994
Uda, H. *see* Shimokawa, R. 87−9799
Uda, H. *see* Suyama, N. 87−36133
Uda, I. *see* Suzuki, S. 87−45331
Uda, I. *see* Takeda, Y. 85−55210
Uda, K. *see* Mogami, T. 88−20101
Uda, S., Maeda, S., Hirao, T., Nomura, T. The performance of the damper circuit in large turbine-generator rotors 85−9843
Uda, S. *see* Amagasa, N. 87−15649
Uda, S. *see* Nomura, T. 88−55317
Uda, T., Iba, H. Efficiency estimation for detecting U α particles in solid-state nuclear track detectors 86−5814
Uda, T., Ohtsuka, H., Ozawa, Y. Fundamental study on an electret dosimeter for a surface contamination monitor 86−25335
Uda, T., Saito, T. Picture coding by an adaptive multistage vector quantization 85−30356
Uda, T., Saito, T. Picture coding by an adaptive multistage vector quantization 87−2416
Uda, T., Takeo, Y., Sato, T., Sahara, K., Kuroda, S., Otsuka, K. Development of high reliability die-bonding technology in low temperature process 87−66801
Uda, T. *see* Ohtoshi, T. 87−46890, 87−54343
Uda, T. *see* Yamaguchi, K. 86−58920
Uda, Y., Kashiwagi, K., Takahashi, K., Takahashi, N. New products for NEOLINK series [fibre optic communication] 88−41665
Uda, Y., Shin'e, T., Kanazawa, S., Suzuki, K., Okuno, K. High-speed optical fiber datalink transmitter/receiver using 1.3 μm LED and PIN-PD 86−4663
Uda, Y., Shin'e, T., Takahashi, K. High speed optical fiber datalink transmitter/receiver using 1.3 μm LED and PIN-PD 88−4067
Uda, Y., Suzuki, K., Kashiwagi, K. Integrated optical fiber datalink transmitter/receiver for local area network application 85−13962
Uda, Y., Suzuki, K., Kashiwagi, K. Integrated optical fiber data link transmitter/receiver for local area network application 86−23863
Udagawa, H. *see* Fujisaki, H. 87−27269
Udagawa, K. *see* Shimizu, H. 86−61632
Udagawa, S. *see* Tsurumi, T. 86−71035
Udagawa, Y., Mizoguchi, T. An extended relational database system and it's application to management of logic diagrams 87−32641
Udaka, M., Kawagishi, K., Yano, M., Mori, H. A noiseless sinusoidal PWM inverter employing a BI-MOS module 85−49149
Udaka, M. *see* Kawabata, T. 87−43226
Udaka, M. *see* Kawagishi, K. 86−6903
Udaka, M. *see* Mochizuki, S. 88−6041
Udaka, M. *see* Nakamura, Y. 86−4008
Udal, A. *see* Rang, T. 85−18273
Udal, A.E. *see* Velmre, E.E. 86−21493
Udalov, N.N. *see* Nadtochiy, A.A. 88−40944
Udalov, N.P. *see* Busurin, V.I. 86−9496
Udalov, V.F., Borisova, A.Yu., Nilov, A.F. A force meter for contact pressure in hermetically-sealed magnetically-controlled contacts 86−58092
Udalov, V.F. *see* Kadushkin, V.I. 88−29318
Udalov, Yu.B. *see* Bel'tyugov, V.N. 85−41433, 87−12526, 87−26462
Udal'tsov, B.V., Tsar'kov, V.A. Investigation of reactive oscillations in the discharge of a symmetrical two-anode neon-helium laser 88−2181
Udal'tsov, B.V. *see* Ishchenko, P.I. 85−46445
Udal'tsov, B.V. *see* Mazan'ko, I.P. 88−20582
Udal'tsov, V.S. *see* Ivanovskaya, M.I. 88−61630
Udartsev, A.M., Mashakova, S.M., Desyatkov, A.V. Effects of solution composition on strength of intracavity laser absorption of Eu^{3+} ion 86−22432
Udavchak, D.L. *see* Merritt, P.A. 85−1908
Udaya Ghaskar, G. *see* Sudhakara Rao, S.V.S.P. 85−4496
Udaya Shankar, A. *see* Murphy, S.L. 88−66961
Udayabhanu, V. Electrical power distribution system with switching constraints 87−30144
Udayakumar, K. *see* Panneerselvam, M.A. 86−67537
Udd, E. Fiberoptic vs. ring laser gyros. An assessment of the technology 86−36171
Udd, E., Cahill, R.F. Fiber-optic gyroscope development 85−2046
Udd, E., Cahill, R.F. From conception to the field: fiber optic gyro development at McDonnell Douglas 88−9999
Udd, E., Michal, R.J., Cahill, R.F. Scale factor correction in the phase-nulling optical gyro 85−24294
Udd, E., Michal, R.J., Higley, S.E., Theriault, J.P., LeCong, P., Jolin, D.A., Markus, A.M. Fiber-optic sensor systems for aerospace applications 88−47547
Udd, E., Turek, P.A. Single-mode fiber-optic vibration sensor 87−12162
Udd, E., Wagoner, R.E. The transition of fiber-optic gyro technology into products 87−12157
Udd, E., Watanabe, S.F., Cahill, R.F. Comparison of ring laser and fiber-optic gyro technology 86−68290
Udd, E. *see* Higley, S.E. 88−42145
Udd, E. *see* Michal, R.J. 88−16132, 88−40028, 88−45124
Udd, E. *see* Otaguro, W.S. 87−21721
Uddenfeldt, J. The mobile telephone of the future. Digital technology for Europe 87−28417
Uddenfeldt, J., Persson, B. A narrowband TDMA system for a new generation cellular radio 87−69969
Uddenfeldt, J., Raith, K., Hedberg, B. Digital technologies in cellular radio 88−73835
Uddenfeldt, J. *see* Hammar, C. 86−26985, 87−5641
Uddenfeldt, J. *see* Lindell, F. 88−9428, 88−9450
Uddenfeldt, J. *see* Raith, K. 87−3092
Uddenfeldt, J. *see* Stjernvall, J.-E. 85−19705, 88−46939
Uddin, A. *see* Andersson, T.G. 88−393
Uddin, M.N., Berardi, E., Salada, D.A., Speranza, J.J. A five-axis robotic laser and vision integrated 'on-line' welding system 87−75283
Udding, J.T. A formal model for defining and classifying delay-insensitive circuits and systems 87−10751
Uddstrom, M.J., Wark, D.Q. A classification scheme for satellite temperature retrievals 85−59474
Udea, D., Shimano, A., Nagasaki, H., Takagi, H., Kitamura, K., Kawasaki, H., Yokozawa, M. Ultra-low on-resistance RMOSFET 86−58481
Udefuna, C.C. *see* Fouracre, R.A. 88−64862
Udell, J. *see* Harel, D. 88−25127
Udell, J.G., Jr. Test set generation for pseudo-exhaustive BIST 87−37206
Udell, J.G., Jr., McCluskey, E.J. Efficient circuit segmentation for pseudo-exhaustive test 88−25138
Uden, C.N. *see* Apsimon, R.J. 85−43246, 86−5811, 86−25138, 86−50392, 86−65356
Udikas, M. Pinless−the new method of construction [printed circuit boards] 85−1166
Udikas, M. IVA: reconsider nuclear power decision 85−4745
Udikas, M. High season for power cables 85−53971
Udikas, M. Svenska Varv to abandon wind power 85−60099
Udikas, M. First automatic station closes: the last call for Norra Vasa [automatic telephone station] 85−63228
Udikas, M. PCB manufacturers: thin film has a future 86−8595
Udikas, M. Electrical technology demonstrates the PCB 87−11267
Udikas, M. Micromechanics: more than just a pressure sensor 88−16063
Udikas, M. Avoid a Manhattan in miniature [surface mount technology] 88−57051
Udo, A. *see* Nishikawa, Y. 86−62420
Udo, F. *see* Dorenbosch, J. 87−29472
Udo, F. *see* Hartjes, F. 87−41860
Udo, M., Koyanagi, K. Initial current displacement in transmission line caused by faults in power system 86−44948
Udo, M.K. *see* LaBrec, C.R. 88−50694
Udo, S. *see* Yoshimatsu, K. 88−40849
Udo, Y. *see* Furusawa, T. 86−62265
Udo, Y. *see* Kobayashi, T. 88−53640
Udo, Y. *see* Sahashi, M. 88−53626
Udod, E.I., Korol', V.S., Talover'ya, V.L., Kul'matitskii, O.N. Protective screening clothes for work under a voltage 87−87

Udod, E.I., Molchanov, V.N., Tsaruk, V.A., Krasinskii, V.N., Balakirskaya, V.L., Mozzhukhin, V.B. Tools for use under voltage on 0.38 kV electrical equipment 87—36483
Udod, E.I. *see* Alferov, S.E. 87—4410
Udod, E.I. *see* Bochkovskii, B.B. 85—15636
Udod, E.I. *see* Sklyarov, V.F. 86—32710, 87—71702
Udoev, Yu.P. Interference diagnostics of planar optical waveguides 87—18599
Udoh, S. *see* Fujimura, S. 86—6367
Udovenko, N.P., Bublik, V.D. POSM 110-250 rotary line for impregnation and heat treatment of stator cores 88—30644
Udovenko, V.F. *see* Markus, A.M. 87—59034
Udovichenko, E.T. *see* Issaev, I.I. 87—5253
Udovichenko, N.A., Polikarpov, Yu.I., Makushkin, B.V. Interface for 15VSM-5 and Elektronika D3-28 minicomputers with digital measuring instruments 88—15939
Udovichenko, N.A. *see* Polikarpov, Yu.I. 87—63233
Udovichenko, S.Yu. *see* Gornostayeva, O.V. 86—22624
Udovichenko, S.Yu. *see* Karbushev, N.I. 86—15853
Udovicic, B. *see* Granic, G. 86—18747
Udovitskaya, E.G. *see* Danileiko, M.V. 86—3098
Udovitskaya, E.G. *see* Danileyko, M.V. 86—48363
Udpa, L., Lord, W. Impedance and mesh structure considerations in the finite element analysis of eddy current NDT probe phenomena 86—42761
Udpa, L. *see* You, Z.-Q. 88—52017
Udpa, S. *see* Singh, G.P. 86—66873
Udpa, S.S., Lord, W. A Fourier descriptor classification scheme for differential probe signals 85—6034
Udpa, S.S., Lord, W. A Fourier descriptor model of hysteresis loop phenomena 86—42095
Udpa, S.S., Lord, W., Sun, Yu-shi Numerical modeling of residual magnetic phenomena 86—42735
Udpa, S.S., Sun, Y.S., Lord, W. Alternative demagnetization curve representations for the finite element modeling of residual magnetism 88—52007
Udpa, S.S. *see* Lord, W. 88—49904
Udpikar, V., Raina, J.P. Modified algorithm for block truncation coding of monochrome images 86—3966
Udpikar, V.R., Raina, J.P. BTC image coding using vector quantization 87—39888
Udrea, M.V. *see* Gutu, I. 86—22274, 86—48321
Udren, E.A. *see* Deliyannides, J.S. 85—65401
Udren, E.A. *see* Nilsson, S.L. 85—48992
Udriste, C. *see* Cretu, T. 86—45257
Udron, D. *see* Theye, M.-L. 87—66927
Udrycki, W. CHILL—the programming language for communication systems. I. The language creation and assumptions 85—36567
Udrycki, W. MML—a language for communication with commutation systems 87—27776
Udrycki, W., Wilczynski, W. CHILL—a programming language for commutation systems. III. Statements and data structures 85—47021
Udupa, A.H., Ananthanarayana, R., Poornachandra Rao, B. Family of switching systems for cost effective rural telecommunication services 88—59937
Udupa, A.H., Nagaraja, H.V., Vasumathi, S.J. Digital switching systems 85—3304
Udupa, J.K. Simulation of surgical procedures using computer graphics 88—48199
Udupa, J.K. *see* Burk, L. 87—57119
Udupa, J.K. *see* Chen, L.-S. 85—53026
Udupa, J.K. *see* Chen, L.S. 85—38124
Udupa, J.K. *see* Lih-Shyang Chen 86—5917, 86—25198
Udupa, J.K. *see* Roberts, D. 87—57126
Udupa, J.K. *see* Trivedi, S.S. 88—48094
Ueba, H. *see* Asai, M. 86—7768
Ueba, H. *see* Kataoka, Y. 88—31750
Ueba, Y. *see* Yamaguchi, Y. 87—44390
Uebayashi, S., Amemiya, Y. Power absorption in a block model of man exposed to the near field of a $\lambda/2$ dipole antenna 85—15356
Uebayashi, S., Amemiya, Y. Power deposition in a block model of man exposed to the near field of a $\lambda/2$ dipole antenna 86—68872
Uebayashi, T., Haba, J., Kamitani, T., Kanematsu, N., Nagashima, Y., Osabe, H., Sakamoto, S., Sugimoto, S., Suzuki, Y., Tsukamoto, A., Yamashita, Y., Sumiyoshi, T., Takasaki, F., Homma, Y., Hojyo, Y., Sakae, H. A study of nonflammable gas mixtures for limited streamer tubes in the VENUS detector at TRISTAN 88—29903
Uebayashi, T., Miyake, Y. Pre-service inspection and in-service inspection in Japan 86—6491
Uebayashi, T. *see* Oda, T. 88—14363
Uebbing, R.H., Fukuma, M. Process-based three-dimensional capacitance simulation—TRICEPS 86—46460
Uebbing, R.H. *see* Fukuma, M. 85—50587, 85—50671
Uebe, F. 32-bit RISC microprocessor: the family grows 88—12402
Uebel, H. Track monitoring and automatic block for lines carrying low traffic volumes 87—79143
Uebel, H., Knight, A.C. New German developments in the field of train detection 87—51548
Uebele, P., Kasper, C., Rasch, K.-D. Blanket integrated blocking diodes 88—5899
Uebelhack, W. *see* Bender, D. 86—70777
Uebelhart, H. *see* Muller, N. 86—56398, 88—44042, 88—50133
Ueberhorst, D. The status of generator technology and possibilities for increasing availability 85—38948
Ueberhuber, C.W. *see* Frank, R. 85—10649
Ueberle, F. Location of kidney stones for non-invasive piezoelectric lithotripsy 88—10431
Ueberreiter, B. *see* Dengel, A. 88—52573
Ueberreiter, B. *see* Kuner, P. 87—48087
Uebis, R. *see* Vondenbusch, B. 88—4978
Uebler, J., Reinfelder, H.-E. A speech recognition system for large vocabularies 87—47566
Uechi, H. *see* Kodama, M. 87—61438
Ueda, A., Hirao, T., Hatanaka, H., Morita, M. Experimental results of field windings and concepts of rotor component development of superconducting generator 88—55291
Ueda, A. *see* Hombu, M. 85—27538, 86—12895, 86—45557, 87—51498, 87—58372, 88—30726
Ueda, A. *see* Inaba, H. 85—44006
Ueda, A. *see* Mutoh, N. 86—12827, 88—75619
Ueda, A. *see* Sasaki, T. 88—18189
Ueda, C. *see* Konno, N. 87—51541
Ueda, D., Kitamura, K., Takagi, H., Kano, G. A new injection suppression structure for conductivity modulated power MOSFETs 87—25332
Ueda, D., Kuroda, K., Takagi, H., Kano, G. Optimum design of vertical power MOSFET with thick drain oxide 87—25311
Ueda, D., Shimano, A., Kitamura, I., Takagi, H., Kano, G. A new channel-doping technique for high-voltage depletion-mode power MOSFETs 86—53630
Ueda, D., Shimano, A., Otsuki, T., Kaneko, H., Tamura, M., Takagi, H., Kano, G., Teramoto, I. A GaAs laser-driver operating up to 2 Gbit/s data rate 86—35919
Ueda, D., Takagi, H., Kano, G. A new vertical power MOSFET structure with extremely reduced ON-resistance 85—23779
Ueda, D., Takagi, H., Kano, G. An ultra-low on-resistance power MOSFET fabricated by using a fully self-aligned process 87—45957
Ueda, D., Takagi, H., Kano, G. Deep-trench power MOSFET with an R_{on} area product of 160 mΩ-mm^2 87—46014
Ueda, D., Takagi, H., Kano, G., Kuroda, K. Optimum design of vertical power MOSFET with thick drain oxide 88—13377
Ueda, D., Takagi, H., Kano, G., Teramoto, I. GaAs lateral bipolar transistor with field-separated carriers 88—1632
Ueda, D., Takagi, H., Shimano, A., Kano, G. A new vertical sidewall channel power MOSFET with rectangular grooves 85—40776
Ueda, D. *see* Asada, H. 86—58932
Ueda, D. *see* Itakura, K. 88—42065
Ueda, D. *see* Katsu, S. 88—18952
Ueda, D. *see* Nishiuma, M. 88—18953
Ueda, E. *see* Sugimoto, O. 88—21653
Ueda, F., Takeda, K., Yamaguchi, T. Automatic hysteresis measurement system with high accuracy 87—3725
Ueda, F. *see* Horikiri, K. 88—43467
Ueda, F. *see* Takeda, K. 86—58662
Ueda, F. *see* Tamogami, M. 86—49210
Ueda, F. *see* Yamaguchi, T. 88—1855
Ueda, H. Telecommunications systems 87—27775
Ueda, H., Miyawaki, S., Iida, Y., Morita, M. The basic mechanism and the characteristics of optical detection by discharge Osaka tube 88—32729
Ueda, H., Sakai, E., Kawahara, M., Hara, K. Design concept of intravenous infusion pump model MP-31T 88—16752
Ueda, H., Tokizawa, I. A synchronous DS4 multiplexer with cross-connect function and its impact on the network 86—55088
Ueda, H., Tokizawa, I., Tsuboi, T. Design of multi-junction equipment for high-speed digital circuits 86—37240
Ueda, H. *see* Araki, K. 85—36098, 87—26919
Ueda, H. *see* Araki, T. 86—71143
Ueda, H. *see* Asatani, K. 85—47008, 86—10651
Ueda, H. *see* Itoh, H. 86—4224
Ueda, H. *see* Kajitsuka, S. 86—17150
Ueda, H. *see* Kaneko, K. 87—62135
Ueda, H. *see* Matsumoto, H. 88—52813
Ueda, H. *see* Morimoto, J. 86—13734
Ueda, H. *see* Naemura, S. 88—13951
Ueda, H. *see* Nakaoka, M. 88—69554
Ueda, H. *see* Nishiguchi, N. 86—35830
Ueda, H. *see* Ohta, S. 86—49061, 88—14852
Ueda, H. *see* Sasaki, W. 85—56548
Ueda, H. *see* Tokizawa, I. 87—34264, 87—40534
Ueda, H. *see* Tsuboi, T. 85—30552
Ueda, I., Nagata, S., Asao, T. Reproducibility of exposure measurements using thermoluminescence dosimeter 85—26798
Ueda, I. *see* Iijima, K. 86—55738, 86—62224
Ueda, I. *see* Takayama, R. 87—35084, 88—67789
Ueda, J., Miyoshi, T. Development of two-dimensional general-purpose device simulator, UNISAS 87—6634
Ueda, J., Namba, Y., Sakamoto, K., Miyoshi, T., Ushio, S. A versatile two-dimensional device simulation program and its application to NMOS 85—23820
Ueda, J., Totsuka, N. Breakdown voltage analysis of planar *p-n* junctions taking into account the radius of curvature of the corners in the patterning mask 86—14912
Ueda, J. *see* Baba, S. 87—46022
Ueda, J. *see* Hirata, F. 86—59889
Ueda, J. *see* Namba, Y. 87—6643
Ueda, J. *see* Yoshimasu, T. 87—6733
Ueda, K. CAD for layout design of VLSI and printed-circuit board 85—40016
Ueda, K. A countermeasure of frame-synchronizer video delay 86—17607
Ueda, K. Car line 1500 V boosting effect 87—79028
Ueda, K. The development and use of an instrument system using a microcomputer 88—18374
Ueda, K., Hamasaki, K., Yamada, I., Yamashita, T., Komata, T., Hirukawa, Y. Epitaxial growth of MgO/NbN thin films for Josephson devices 86—42168
Ueda, K., Hill, W.T., III, Ginter, M.L. Short-length large-bore metal vapor cell [for electron storage rings] 86—55937
Ueda, K., Kanazawa, M., Asai, K., Okuda, S., Tanaka, T. A heavy-ion linear accelerator for Tokyo Institute of technology 87—8785
Ueda, K., Kasai, R., Sudo, T. Layout strategy, standardization, and CAD tools 87—52485
Ueda, K., Kitazawa, H., Adachi, T. A highly-automated, top-down layout design system for hierarchical custom VLSIs 86—2435
Ueda, K., Kitazawa, H., Adachi, T., Harada, I. Top-down layout for hierarchical custom design 88—24874
Ueda, K., Kitazawa, H., Harada, I. CHAMP: chip floor plan for hierarchical VSLI layout design 85—23843
Ueda, K., Kiyohara, T., Kano, Y., Matsuzaki, N., Sakao, T., Suzuki, T., Sakakihara, M., Tanaka, H., Sanya, M., Nishijima, O. High-performance digital signal processor 86—52879
Ueda, K., Nakato, Y., Tsubomura, H. Efficient and stable solar to chemical conversion with n^+-p junction crystalline silicon electrodes having textured surfaces 88—24116
Ueda, K., Nishioka, H., Takuma, H. Characteristics of E-beam pumped KrF laser system 88—8129
Ueda, K., Sakao, T., Suzuki, T., Nishijima, O. A high performance digital signal processor VLSI: MN1900 series 87—27467
Ueda, K., Shimizu, F.O. Relaxation oscillation in transient output of pulsed CO_2 laser 85—2201
Ueda, K., Sudo, T. LSI-CAD. II. Layout CAD for LSI 88—63452
Ueda, K. *see* Arai, M. 86—23611
Ueda, K. *see* Emori, F. 88—38741, 88—63936
Ueda, K. *see* Hirayama, H. 87—73414
Ueda, K. *see* Hosono, Y. 87—59423, 88—19107
Ueda, K. *see* Hyuga, T. 86—45463
Ueda, K. *see* Ito, K. 86—60481, 86—62880, 87—78706
Ueda, K. *see* Karatsu, O. 86—15205, 86—58562
Ueda, K. *see* Katsukawa, K. 87—59885
Ueda, K. *see* Kimura, M. 88—6047
Ueda, K. *see* Kitazawa, H. 86—63398
Ueda, K. *see* Kudoh, M. 86—52988
Ueda, K. *see* Kwanao, Y. 85—26281
Ueda, K. *see* Matsuzaki, T. 86—52875
Ueda, K. *see* Miyashita, H. 86—62541
Ueda, K. *see* Nakashima, K. 87—74633
Ueda, K. *see* Nakato, Y. 88—75889
Ueda, K. *see* Noguchi, T. 87—73342
Ueda, K. *see* Ogawa, Y. 87—73376
Ueda, K. *see* Okajima, K. 85—48238
Ueda, K. *see* Onoda, T. 85—49762, 86—782
Ueda, K. *see* Onozawa, A. 87—46051
Ueda, K. *see* Sire, G. 85—611
Ueda, K. *see* Suzuki, R. 88—4905
Ueda, K. *see* Suzuki, T. 87—19641
Ueda, K. *see* Tado, S. 87—1926
Ueda, K. *see* Takahashi, M. 88—63950
Ueda, K. *see* Umehara, M. 87—5100
Ueda, K. *see* Yamagami, K. 88—7050
Ueda, K. *see* Yamamoto, R. 86—57904, 86—67561
Ueda, M. Spectrum of echo scattered by simple object placed at focal plane of ultrasonic transducer 86—12205
Ueda, M., Akita, M. Diffraction correction for backscattering coefficient measurement using echoes scattered by a fine wire 87—71118
Ueda, M., Arakawa, T., Kuramitsu, Y., Okazaki, K., Sugisaki, K. A high-performance CMOS gate array 85—17292
Ueda, M., Chayahara, A., Hamasaki, T., Hirose, M., Osaka, Y. A new mode of plasma deposition in a cylindrical drum type reactor [for a Si:H] 85—44797
Ueda, M., Hirose, M., Osaka, Y. Amorphous silicon static induction transistor 85—40724

Ueda, M., Honda, M., Hosokawa, M., Takahashi, K., Naito, K. Performance of contaminated bushing of UHV transmission systems 85−43637
Ueda, M., Imura, T., Osaka, Y. Microcrystallization in P-doped Si:H films at high deposition rate 87−65553
Ueda, M., Imura, T., Osaka, Y. Effect of substrate temperature on the properties of P-doped a-Si:H films prepared at high deposition rate 88−24773
Ueda, M., Kuwata, M., Nagasawa, N., Urakami, T., Takiguchi, Y., Tsuchiya, T. Picosecond time-resolved photoelectric correlation measurement with a photon-counting streak camera 88−40307
Ueda, M., Sakashita, K., Arakawa, T., Okazaki, K., Asai, S., Kuramitsu, Y. A configurable ROM circuit for use in gate arrays 87−37283
Ueda, M., Sakashita, K., Yonezu, R., Fujimura, T., Arakawa, T., Asai, S., Kuramitsu, Y. A 1.5 μm CMOS gate array with configurable ROM and RAM 86−8183
Ueda, M., Yuta, S. Signal processing techniques in ultrasonics medical diagnosis 86−70385
Ueda, M. *see* Arakawa, T. 87−17026
Ueda, M. *see* Arimoto, M. 86−21902, 87−7488
Ueda, M. *see* Chayahara, A. 85−28240
Ueda, M. *see* Fujimoto, J. 87−14763, 87−63627
Ueda, M. *see* Greenly, J.B. 88−47907
Ueda, M. *see* Iwahori, J. 86−65329
Ueda, M. *see* Kagawa, K. 88−65566
Ueda, M. *see* Kobayshi, M. 86−44561
Ueda, M. *see* Kuramitsu, Y. 86−46646, 87−44750
Ueda, M. *see* Matsuda, F. 86−49025, 88−28079
Ueda, M. *see* Matsumoto, K. 86−34858
Ueda, M. *see* Matsuo, S. 88−49870
Ueda, M. *see* Nakanishi, K. 86−51838
Ueda, M. *see* Sakashita, K. 85−35177
Ueda, M. *see* Sato, M. 88−74595
Ueda, M. *see* Sunohara, M. 88−22371
Ueda, M. *see* Suto, Y. 87−29749
Ueda, M. *see* Tabei, M. 87−69192, 88−14732, 88−70296
Ueda, M. *see* Tanaka, Y. 88−45256
Ueda, M. *see* Tsuchida, N. 87−47896
Ueda, M. *see* Tsukude, M. 86−41825
Ueda, M. *see* Uezato, K. 87−9511
Ueda, M. *see* Watanabe, M. 86−31521
Ueda, M. *see* Yamazaki, K. 87−44847
Ueda, M. *see* Yano, Y. 87−17155
Ueda, N., Mizobuchi, A., Nakanishi, T., Yamada, S., Tokuda, N., Hirao, Y. Construction of the RFQ 'TALL' 86−24908
Ueda, N., Mizobuchi, A., Yamada, S., Arai, S., Fukushima, T., Sawada, K., Hirao, Y. Beam test of the RFQ linac 'TALL' 87−14673
Ueda, N., Mizobuchi, A., Yamada, S., Arai, S., Olivier, M., Nakanishi, T., Fukushima, T., Tatsumi, S., Hirao, Y. Beam test of the RFQ linac TALL 87−41770
Ueda, N., Mizobuchi, A., Yamada, S., Arai, S., Olivier, M., Nakanishi, T., Fukushima, T., Tatsumi, S., Hirao, Y. Beam test of the RFQ linac 'TALL' 87−50016
Ueda, N., Nagura, M., Hoshino, T., Mori, K. Image enhancement method for hand-written line drawings 88−46160
Ueda, N., Nakanishi, T., Arai, S., Fukushima, T., Hattori, T., Tokuda, N., Yamada, S., Takanaka, M., Itano, A., Sakurada, Y., Honma, T., Yamazaki, T., Mizobuchi, A. Performance of the INS RFQ linac 'LITL' 85−15097
Ueda, N., Yamada, S., Olivier, M., Nakanishi, T., Arai, S., Fukushima, T., Tatsumi, S., Mizobuchi, A. First beam test of the RFQ linac 'TALL' 87−8802
Ueda, N. *see* Kawada, E. 88−46161
Ueda, N. *see* Kurosawa, A. 87−30838
Ueda, N. *see* Nakanishi, T. 87−41660
Ueda, N. *see* Okudaira, M. 87−47976
Ueda, N. *see* Sekiguchi, M. 88−74719
Ueda, O., Ishikawa, H., Umebu, I. Transmission electron microscope study of defects in Cd-diffusion n-InP substrates 85−23633
Ueda, O., Nauka, K., Lagowski, J., Gatos, H.C. On the mechanism of intrinsic gettering by butterfly-type defects in silicon 87−17699
Ueda, O. *see* Aoyama, T. 86−52432
Ueda, O. *see* Boucher, C.F., Jr. 87−31507
Ueda, O. *see* Ikeda, M. 86−9846
Ueda, O. *see* Nakai, K. 88−64253
Ueda, R., Sonoda, T., Fujitani, K., Yoshida, Y., Irisa, T. Investigations of induction motor characteristics by means of vector control 86−39797
Ueda, R., Sonoda, T., Koga, K. Investigations of self-excitation conditions in self-excited type induction generator 87−42965
Ueda, R., Sonoda, T., Matsuo, T., Tohya, T. Ripple torque behaviors related to rotor slot structure of induction motor at low frequency range 87−42964
Ueda, R., Sonoda, T., Matsuo, T., Tsuji, T., El-Sherif, M.Z. On sensing of flux and electromagnetic torque in air-gap of induction motor by means of Hall effect in amorphous ribbon 87−42945
Ueda, R., Sonoda, T., Mochizuki, T., Takata, S. Stabilization of bank selection in no-circulating cycloconverter by means of reliable current-zero and current-polarity detection 85−9997
Ueda, R., Sonoda, T., Takasaki, Y. Fundamental analysis for design of a divided open-core type inductor 87−18528
Ueda, R., Sonoda, T., Takata, S. Experimental results and their simplified analysis on instability problems in PWM inverter induction motor drives 87−43523
Ueda, R., Sonoda, T., Takayama, K. On detection of air-gap flux and torque in an induction motor using an amorphous ribbon 88−55353
Ueda, R., Yata, M. Growth kinetics and perfection of thin films produced by molecular beam epitaxy 85−5996
Ueda, R. *see* Irisa, T. 86−6762, 86−56783
Ueda, R. *see* Koga, K. 87−43527
Ueda, R. *see* Senoda, T. 85−27530
Ueda, R. *see* Sonoda, T. 86−5289, 86−31366, 87−18532, 87−29049, 88−51345, 88−53632, 88−57985, 88−67738
Ueda, S., Hayashi, S. Private railway company: Shin-Keisei Dentetsu 88−69840
Ueda, S., Kamohara, H., Ishikawa, Y., Tamura, N., Katoo, S., Shiraki, Y. A high performance molecular beam epitaxy system equipped with the automatic substrate transport mechanism 86−62229
Ueda, S., Okunaka, J., Ujiie, M. Development of a Japanese teletex terminal 86−30296
Ueda, S., Ujiie, M., Hattori, K., Okunaka, J. Outline of Japanese Teletex terminal 85−3039
Ueda, S. *see* Dohya, A. 88−25744
Ueda, S. *see* Hombu, M. 85−27538, 86−12895, 86−45557, 87−51498, 88−30726
Ueda, S. *see* Horikawa, Y. 86−37832
Ueda, S. *see* Hotta, M. 85−49951, 86−46929, 87−59665, 88−19219
Ueda, S. *see* Kasahara, M. 88−32279
Ueda, S. *see* Kobayashi, A. 88−22344
Ueda, S. *see* Kobayashi, M. 87−77477
Ueda, S. *see* Kobayashi, T. 85−52213
Ueda, S. *see* Kon, K. 87−76457
Ueda, S. *see* Kowase, Y. 86−2411
Ueda, S. *see* Kurihara, R. 87−78354
Ueda, S. *see* Maio, K. 86−8329, 86−34898
Ueda, S. *see* Mayumi, S. 86−53745, 87−67148, 88−1565, 88−33082
Ueda, S. *see* Ohta, K. 87−10858, 87−17096
Ueda, S. *see* Ozaki, H. 87−66998
Ueda, S. *see* Saito, Y. 88−59569
Ueda, S. *see* Shikata, M. 86−52836
Ueda, S. *see* Shimoda, H. 85−3038
Ueda, S. *see* Sugawa, T. 87−48626
Ueda, S. *see* Suzuki, Y. 86−54851
Ueda, S. *see* Taniguchi, K. 85−13810
Ueda, S. *see* Tsukada, T. 86−14314
Ueda, S. *see* Watanabe, S. 87−25115
Ueda, S. *see* Watanabe, T. 85−37291, 88−842, 88−32281
Ueda, S. *see* Yoshikawa, M. 85−34490, 86−46325
Ueda, T. A grouping method of toll areas for the purpose of forecasting the traffic volume between toll areas 85−42168
Ueda, T. Development trends of new power devices−GIS (gas insulated switchgear) 87−36048
Ueda, T. Studies on measurement methods of elastic constants of solid materials by line-focus-beam acoustic microscope 88−29717
Ueda, T., Hosokawa, A. Development of infrared radiation pyrometer using optical fiber 87−56696
Ueda, T., Hosokawa, A., Okada, M., Yamamoto, A. Infrared radiation pyrometer using optical fiber−polishing method for incidence face of optical fiber 88−7859
Ueda, T., Hosokawa, A., Yamamoto, A. Measurement of grinding temperature by infrared radiation pyrometer with optical fiber 85−47977
Ueda, T., Ishikawa, H., Suzuki, J., Mizutani, H. Development of multiunit power generation by coal gasification 87−15498
Ueda, T., Kanada, Y., Hayama, S. Conversion processing in Japanese videotex systems 86−16869
Ueda, T., Kobayashi, H., Kobayashi, T., Tabata, Y. Design and simulation of grid pulser for short pulse electron gun 87−14683
Ueda, T., Kobayashi, Y., Kosugi, K., Takagi, H., Takayama, H., Kobayashi, A. Investigation on the reliability of large interrupting capacity SF_6 gas circuit breaker with few breaks 85−32643
Ueda, T., Kohsaka, F., Iino, T., Kazami, K., Nakayama, H. Optical absolute encoder using spatial filter 88−53873
Ueda, T., Kohsaka, F., Iino, T., Yamazaki, D. Temperature sensor using quartz tuning fork resonator 87−35183
Ueda, T., Kohsaka, F., Iino, T., Yamazaki, D. Temperature sensor using quartz tuning fork resonator 88−22578
Ueda, T., Kohsaka, F., Ogita, E. Precision force transducers using mechanical resonators 86−11577
Ueda, T., Kohsaka, F., Ogita, E. Precision force transducers using mechanical resonators 86−60231
Ueda, T., Kohsaka, F., Yamazaki, D., Iino, T. Quartz crystal micromechanical devices 86−55657
Ueda, T., Korechika, M. μPD4701AC decoder/counter for incremental encoders 87−31977
Ueda, T., Nishi, S., Kawarada, Y., Akiyama, M., Kaminishi, K. Effects of substrate offset angle on the growth of GaAs on Si substrate 87−10449
Ueda, T., Ogita, E., Kohsaka, F., Iino, T., Yamazaki, D. Quartz crystal micromechanical devices 87−8621
Ueda, T., Onozawa, S., Kawarada, Y., Akiyama, M., Kaminishi, K. Selective growth of GaAs by reduced pressure MOCVD using TMG and TEG 87−23687
Ueda, T., Sakata, S., Imai, Y. Multimedia document handling on a distributed interoffice mail system 87−55642
Ueda, T., Shimizu, H. Electrical characteristics of submicron poly Si MOSFET 87−25328
Ueda, T. *see* Abe, M. 88−34709
Ueda, T. *see* Abe, T. 85−57690
Ueda, T. *see* Akiyama, M. 87−10425, 87−44348
Ueda, T. *see* Aso, A. 88−19056
Ueda, T. *see* Fujita, T. 87−67605
Ueda, T. *see* Hakaridani, M. 85−46719
Ueda, T. *see* Harada, K. 86−31269
Ueda, T. *see* Haroda, K. 87−41497
Ueda, T. *see* Hayama, S. 87−69594
Ueda, T. *see* Hira, M. 87−12206
Ueda, T. *see* Hyuga, T. 86−45463
Ueda, T. *see* Ikeda, H. 85−16159
Ueda, T. *see* Kato, I. 87−36815, 88−24753
Ueda, T. *see* Kawabe, M. 87−36753, 87−65508
Ueda, T. *see* Kawada, H. 88−24082
Ueda, T. *see* Kimura, T. 88−18700
Ueda, T. *see* Kishi, Y. 85−61091
Ueda, T. *see* Kobayashi, H. 87−12521, 87−14669, 87−29376 to 29377
Ueda, T. *see* Kobayashi, T. 87−14692
Ueda, T. *see* Kushibiki, J. 87−71416, 88−61675
Ueda, T. *see* Matsumura, K. 85−11502, 86−3630, 86−68810
Ueda, T. *see* Matsushima, T. 87−72230, 88−24125
Ueda, T. *see* Mochizuki, T. 85−25403
Ueda, T. *see* Murayama, H. 86−64944
Ueda, T. *see* Nakato, Y. 87−38005
Ueda, T. *see* Okuyama, M. 85−43003, 86−46366
Ueda, T. *see* Sakata, S. 85−36647, 85−42188, 85−63260, 88−53036, 88−59856
Ueda, T. *see* Sakata, T. 86−16910
Ueda, T. *see* Sato, S. 86−30294
Ueda, T. *see* Takahashi, K. 85−57623, 86−23287
Ueda, T. *see* Takasugi, H. 87−23674
Ueda, T. *see* Togawa, F. 87−19549
Ueda, T. *see* Yamada, T. 86−31674
Ueda, T. *see* Yamaguchi, I. 86−60234
Ueda, T. *see* Yano, K. 88−7523
Ueda, Y. Random phenomena resulting from nonlinearity in the system described by Duffing's equations 86−8042
Ueda, Y. Shrinking semiconductor laser for optical disks 88−2264
Ueda, Y., Ishii, N. Detection of auditory evoked potentials in human sleep 86−70420
Ueda, Y., Ishii, N. Separation and recognition of spindles from sleeping EEG by Kalman filter 87−41978
Ueda, Y., Kawasumi, R., Koshiba, T. An evaluation of equivalent capacitance for a flat cable transformer 88−44396
Ueda, Y., Koshiba, T. An evaluation of leakage inductance for a flat cable transformer 86−41370
Ueda, Y., Koshiba, T. An evaluation of leakage inductance for a flat cable transformer with a circular cross sectional core 87−52921
Ueda, Y., Koshiba, T. An evaluation of leakage inductance for a flat cable transformer with a circular cross-sectional core 88−32506
Ueda, Y., Muto, H., Koshiba, T. An evaluation of leakage inductance for toroidal core transformers 85−17905
Ueda, Y., Muto, H., Koshiba, T. An evaluation of leakage inductance for toroidal core transformers 87−52917
Ueda, Y., Ohkura, Y. Energy surfaces of a swing equation 87−35545
Ueda, Y., Ohta, H. Average power spectra of chaotic motions in a system described by nonlinear differential-difference equation 86−57595
Ueda, Y., Ohta, H., Uenosono, C. A microprocessor-based instrument for measurements of stationary component on the rotor of air-gap flux distribution of on-load synchronous generators 86−66058
Ueda, Y., Ohta, H., Uenosono, C. Instrument for real-time measurements of airgap flux distribution of on-load synchronous generators 87−49469

Ueda, Y., Suzuki, H., Ohnishi, K., Harashima, F., Miyachi, K. A new microcomputer based adaptive compensation for rotor resistance variation in quick response induction motor drive 86−6775
Ueda, Y., Takayama, K., Kumagai, Y. An anomalous transient behavior of a synchronous generator operating onto an infinite bus system 88−48508
Ueda, Y., Watanabe, A. Assessment of electronic aids for the hearing impaired which transmit or tactile speech 87−21667
Ueda, Y., Watanabe, A. Visible/tactile vowel information to be transmitted to the hearing impaired 88−5004
Ueda, Y. *see* Fujimoto, F. 88−15110
Ueda, Y. *see* Inoue, Y. 85−48944, 87−42987
Ueda, Y. *see* Kimata, K. 85−27828
Ueda, Y. *see* Koga, K. 88−24694
Ueda, Y. *see* Oba, H. 86−42212, 87−25907
Ueda, Y. *see* Ohnishi, K. 87−4988
Ueda, Y. *see* Ohtsuka, N. 86−9870
Ueda, Y. *see* Tanikawa, K. 87−28958
Ueda, Y. *see* Watanabe, A. 85−48336
Ueda, Y. *see* Yamamura, M. 87−70453
Ueda, Z. *see* Yamamoto, S. 88−6506
Uedaira, S. *see* Hayakawa, M. 86−60328
Uede, H. *see* Fujioka, Y. 88−16296
Uede, H. *see* Takeda, M. 86−55789
Uede, T. *see* Tada, E. 87−38714
Ueding, L. *see* Streckhardt, F. 86−19836
Uegaki, A., Yamato, H., Oki, Y., Miyake, H. A large-current connector 86−35174
Uegaki, J. *see* Law, M. 87−77508
Uegaki, J. *see* Law, W.M. 88−29775
Uegaki, J. *see* Levy, C.D.P. 86−60513, 87−3859
Uegaki, K. Trend of MHS standardization 88−9054
Uegaki, S. *see* Inagaki, M. 85−25316
Ueha, S., Hashimoto, Y., Kuribayashi, M., Mori, E. Ultrasonic power measurement using standing wave ratio 86−18618
Ueha, S., Kuribayashi, M., Tsuda, Y., Mori, E., Hashimoto, Y. An ultrasonic power meter 86−50760
Ueha, S., Mori, E., Hashimoto, Y., Kobayashi, T. Vibration characteristics of a piezoelectric disc resonator with small transversal electromechanical coupling coefficient 85−35280
Ueha, S., Nagashima, H. Longitudinal-torsional composite transducer and its applications 88−33473
Ueha, S., Ukita, A., Kurosawa, M., Mori, E. Ultrasonic actuator using the extensional vibration of cylindrical shell 88−13654
Ueha, S. *see* Hayashi, I. 87−75269
Ueha, S. *see* Iwamatsu, S. 87−15106
Ueha, S. *see* Kaneko, S. 87−77914, 88−16979, 88−16986
Ueha, S. *see* Maehara, N. 88−16951
Uehara, A. *see* Nakamura, M. 87−77630
Uehara, A. *see* Nakatani, N. 86−2897, 86−24446
Uehara, A. *see* Yoshino, Y. 87−68674
Uehara, G., Takahashi, K., Nakanishi, M., Hara, K. Weak link Josephson junction on a microstep 85−24238
Uehara, G., Takahashi, T., Naito, S. DC SQUID using Nb thin-film point contacts 88−13764
Uehara, G. *see* Laber, C. 86−68000
Uehara, G. *see* Nakanishi, M. 86−9435, 86−68206
Uehara, G.T. *see* Ahuja, B.K. 85−30758
Uehara, G.T. *see* Laber, C.A. 87−46190
Uehara, H., Kusuda, H., Monde, M., Nakaoka, T., Sumitomo, H. Shell-and-plate-type heat exchangers for OTEC plants 85−15939
Uehara, H., Nakaoka, T. OTEC plant consisting of plate type heat exchangers 86−39618
Uehara, H., Takayashiki, T., Naito, K. LSI for the D70 Digital Switching system 86−17155
Uehara, H. *see* Nakamura, M. 86−65992
Uehara, I. Outline of Kansai International Airport Project 88−16874
Uehara, K. Alternate intensity modulation of a dual-wavelength He-Ne laser for differential absorption measurements 86−3013
Uehara, K. Trends in TAB technology 88−38953
Uehara, K., Higuchi, H., Iijima, S. Self-aligned bipolar transistors fabricated by selective etching of poly-silicon technology (SEPT) 86−47541
Uehara, K., Higuchi, H., Iijima, S. Self-aligned bipolar transistors fabricated by selective etching of polysilicon technology 87−67034
Uehara, K., Katakura, K. New method of frequency stabilization of semiconductor lasers 88−40219
Uehara, K., Sasada, H., Ukaji, N., Kasuya, T. 100-cm^{-1} scan range single-mode dye laser 85−56576
Uehara, K., Sasaki, Y., Kawaradani, M., Murakami, T., Mito, I. 1.2 μm/1.55 μm DC-PBH laser diode 86−58938
Uehara, K., Takagishi, K., Tanaka, M. The Al/indigo/Au photovoltaic cell 88−31019
Uehara, K., Takagishi, K., Yamano, S., Tanaka, M. Fabrication and optoelectrical properties of polypyrrole-rhodamine B two-layer organic photovoltaic cell 88−65488
Uehara, K., Ukaji, N., Kasuya, T. A wide scan range single-mode dye laser 87−12419
Uehara, K., Watahiki, T., Miyata, T., Taguchi, E. A data converter for analog/fuzzy-logic interface 85−45119
Uehara, K. *see* Goto, K. 88−49031
Uehara, K. *see* Hori, M. 88−59104
Uehara, K. *see* Ippongi, M. 88−27859
Uehara, K. *see* Iwamoto, K. 87−40913
Uehara, K. *see* Kakimori, N. 87−8403
Uehara, K. *see* Kamitake, T. 88−44099
Uehara, K. *see* Katayama, S. 86−4665
Uehara, K. *see* Kimura, H. 85−30117
Uehara, K. *see* Kobayashi, A. 86−51686
Uehara, K. *see* Mito, I. 86−3166
Uehara, K. *see* Miyake, S. 85−55396
Uehara, K. *see* Nagashima, T. 85−1237, 86−41475
Uehara, K. *see* Nakata, T. 87−30592
Uehara, K. *see* Nitta, T. 88−21140, 88−40871
Uehara, K. *see* Okamoto, T. 86−53296
Uehara, K. *see* Tai, H. 88−68071
Uehara, K. *see* Tamaki, Y. 87−1715
Uehara, M., Tanaka, S. NOAA data processing system 87−2563
Uehara, M. *see* Itoh, H. 86−4224
Uehara, M. *see* Kikuchi, Y. 86−49211
Uehara, M. *see* Kikumoto, Y. 87−55659
Uehara, M. *see* Murakami, S. 86−14995
Uehara, M. *see* Odaka, H. 87−16059
Uehara, M. *see* Okitsu, Y. 85−57930
Uehara, S., Fukuda, M., Sudo, H., Kaizu, K. Reliability of LEDs and quaternary photodiodes 88−8071
Uehara, S., Yoshida, J., Wakita, K. Facet coated InGaAsP laser diodes for fiber optic wideband analog modulation 86−42583
Uehara, S. *see* Abe, K. 88−16629
Uehara, S. *see* Fukuda, M. 86−49615, 88−65508
Uehara, S. *see* Hata, S. 88−64627
Uehara, S. *see* Ijiri, H. 87−77593
Uehara, S. *see* Kadota, Y. 85−56622
Uehara, S. *see* Matoba, M. 88−61088
Uehara, S. *see* Ohgaki, H. 88−36355
Uehara, S. *see* Ohsugi, T. 88−61125
Uehara, S. *see* Okayasu, M. 88−20633
Uehara, S. *see* Wakita, K. 86−2858, 87−7179
Uehara, S.I. *see* Mizota, M. 85−43299
Uehara, T. Prolog in CAD 85−44845
Uehara, T. A knowledge based logic design system 86−14099
Uehara, T. Evolution of domestic telecommunications in Japan 86−59505
Uehara, T. Algorithms for logic design 87−24069
Uehara, T., Kawato, N. New design approaches to large scale logic circuits. II. Verification/simulation of logic design 85−737
Uehara, T., Nishizeki, T., Okamoto, E. Secret sharing systems with matroidal schemes 87−19402
Uehara, T., Sakai, T., Mochizuki, T. A wideband and low noise reproduction system for VCR 87−63163
Uehara, T. *see* Hirose, S. 87−37332
Uehara, T. *see* Hosoya, M. 86−42786, 88−55754
Uehara, T. *see* Kawato, N. 87−5753
Uehara, T. *see* Mano, T. 87−38555
Uehara, T. *see* Miyamoto, M. 88−65212
Uehara, T. *see* Murayama, F. 85−40014
Uehara, T. *see* Obara, M. 85−42213
Uehara, T. *see* Ogawa, K. 86−32179
Uehara, T. *see* Wada, A. 88−45140
Uehara, Y., Noguchi, A. Discrete inverse scattering problem in lossy media 86−68728
Uehara, Y., Sasaki, W., Kasai, S., Saito, S., Fujiwara, E., Kato, Y., Yamanaka, C., Yamanaka, M., Tsuchida, K., Fujita, J. Tunable oscillation of a high-power argon excimer laser in the vacuum-ultraviolet spectral region 86−9764
Uehara, Y., Sasaki, W., Saito, S., Fujiwara, E., Kato, Y., Yamanaka, M., Tsuchida, K., Fujita, J. High-power argon excimer laser at 126 nm pumped by an electron beam 85−18852
Uehara, Y. *see* Hongo, K. 86−54281
Uehara, Y. *see* Sasaki, W. 87−12553
Uehara, Y. *see* Shoji, K. 86−26925, 87−65578
Uehara, Y. *see* Suzuki, K. 88−65762
Uehara, Y. *see* Watanabe, H. 87−61370, 88−47665
Uehara, Y. *see* Yamamoto, H. 87−74924
Uehara Ryo *see* Ryo Uehara
Uehari, K., Nishiguchi, H., Iwamoto, K., Kaneko, S., Koizumi, K. Development of the boiler tube wall thickness ultrasonic detector 88−23744
Uehira, I. *see* Ohba, R. 88−16125
Uehira, K., Kato, K., Wada, T. Optimum B$^+$ dose in S/D regions to improve Schottky p-channel MOSFET characteristics 85−1585
Uehira, K. *see* Togashi, A. 87−34974
Uehlein, R.B. *see* Hayashi, T. 86−41543
Uehlinger, J.P. Construction of large transformers in Switzerland 87−58150
Uekawa, Y. *see* Kabasawa, S. 87−19610
Ueki, H., Kodama, Y., Kurisu, M. Thermal energy conversion between hot spring and sea water. II. Flon turbine and system performance 85−21513
Ueki, H. *see* Kurisu, M. 85−21512
Ueki, I. *see* Murano, H. 86−41892
Ueki, K. *see* Kawamoto, K. 86−14527
Ueki, K. *see* Nagamoto, S. 85−25529, 85−39337
Ueki, K. *see* Takashima, K. 87−12645
Ueki, M., Mimura, Y. Ultrasonic treatment applied to high quality lift-off technique 87−15104
Ueki, M. *see* Kamio, Y. 85−33122
Ueki, M. *see* Kuroda, K. 87−31789, 87−32913
Ueki, M. *see* Oda, M. 85−21472
Ueki, T. *see* Sawa, K. 86−1430, 87−58223
Ueki, T. *see* Tai, H. 88−68071
Ueki, T. *see* Tamura, Y. 87−77419
Ueki, T. *see* Wada, Y. 88−15396, 88−38749
Ueki, Y. *see* Matsuda, I. 87−67649
Ueki, Y. *see* Ohtsuka, K. 87−71479
Ueki, Y. *see* Otsuka, K. 86−25971
Ueki, Y. *see* Yamada, C. 86−14078
Uekubo, Y. *see* Sato, K. 88−60251
Uekubo, Y. *see* Usami, T. 87−3233
Uekusa, S. InP laser detectors made by ion implantation 88−53702
Uekusa, S., Oigawa, K., Tacano, M. Preferential etching of InP for submicron fabrication with HCl/H_3PO_4 solution 85−45588
Uekusa, S. *see* Mukai, S. 86−36490
Uekusa, S. *see* Oigawa, K. 87−32309, 88−13387, 88−50856
Uekusa, S. *see* Watanabe, M. 87−26242, 87−54328
Uekusa, S.-I. *see* Tacano, M. 88−71517
Ueltzen, R. Codex view on LAN systems integration 87−48698
Uemastu, S. *see* Yamawaki, M. 87−41376
Uematsu, A. *see* Nakane, F. 87−60934
Uematsu, A. *see* Shimizu, O. 87−60937
Uematsu, H. Long span overhead cable installation methods−safety and work efficiency can be increased 87−40626
Uematsu, H., Uchida, K. Tank type VCB for Ecuador 88−75865
Uematsu, H., Watanabe, R. A study on a self-routing switch network with mutual control 87−69421
Uematsu, H., Watanabe, R. A space division switching network using self-routing switch 87−76433
Uematsu, H., Watanabe, R. Burst cross-connect switch using BENES switching network 88−53099
Uematsu, H., Watanabe, R. Burst cross-connect switch using BANYAN switching network with feedback loop 88−59903
Uematsu, H. *see* Iwamoto, T. 85−27229
Uematsu, H. *see* Kimura, Y. 87−28253
Uematsu, H. *see* Kubo, H. 86−70666, 87−54592
Uematsu, I. *see* Nakano, K. 88−35750
Uematsu, K., Kumazawa, Y., Sano, S., Kiuchi, M., Kurita, B., Shinoda, T., Ishii, N., Susukida, H. Development of optical fiber composite ground wire 85−37083
Uematsu, K., Morimoto, S., Kuriki, K. MPD thruster performance with various propellants 86−25370
Uematsu, K., Nishida, T., Kowada, M. Some applications of semi-regenerative processes to two-unit warm standby system 85−5859
Uematsu, K. *see* Kuriki, K. 85−64675
Uematsu, K. *see* Shimizu, Y. 85−31912
Uematsu, M. Electrical characteristics of focused-Be-implanted GaAs activated by rapid thermal annealing 87−53360
Uematsu, M., Imamura, Y. Gas source molecular beam epitaxy of GaP using PH_3 decomposed by low energy electron impact 87−36748
Uematsu, M., Yanagawa, F. Compositional disordering of focused-Si-implanted GaAs/AlGaAs superlattices by rapid thermal annealing 88−19691
Uematsu, M. *see* Samejima, A. 86−38088
Uematsu, S., Kimata, M., Denda, M. A study of the mechanism of infrared responsivities on PtSi-Si (p-type) Schottky barrier diode 85−6890
Uematsu, S. *see* Endo, A. 85−61561
Uematsu, S. *see* Saiki, H. 85−51041
Uematsu, T., Matsubara, S., Kondo, M., Tamura, M., Saitoh, T. Very-low-temperature silicon epitaxy by plasma-CVD using SiH_4-PH_3-H_2 reactants for bipolar devices 88−49835
Uematsu, T., Takahashi, H., Sugisaki, Y., Shimazu, S., Hashimoto, H. Preparation and properties of $MnFe_2O_4$ by the spray decomposition 88−13671
Uematsu, T. *see* Furusawa, H. 86−39164
Uematsu, T. *see* Morita, K. 87−58325
Uematsu, T. *see* Saitoh, T. 88−37607
Uematsu, T. *see* Sano, M. 86−6365
Uematsu, Y., Okuda, H., Hirayama, Y., Furuyama, H. Dependence of threshold current on wavelength and temperature in 1.3-μm GaInAsP/InP DFB lasers 85−35798
Uematsu, Y. *see* Amagasa, N. 87−15649
Uematsu, Y. *see* Hatakoshi, G. 88−51826

Uematsu, Y. *see* Ishikawa, M. 88–20680
Uematsu, Y. *see* Ito, H. 87–15648
Uematsu, Y. *see* McIlroy, P.W.A. 85–46418, 86–29150
Uematsu, Y. *see* Nakamura, M. 85–14268
Uematsu, Y. *see* Okuda, H. 85–24559
Uematsu, Y. *see* Shiozawa, H. 88–65672
Uematsu, Y. *see* Tachigami, S. 86–2689
Uemhara, Y. *see* Tsuya, N. 88–51285
Uemori, A. *see* Kimura, M. 85–845
Uemori, K. *see* Kamimura, T. 85–55310
Uemoto, A. *see* Furukawa, K. 86–58442, 87–38260, 88–13436, 88–18709
Uemoto, A. *see* Shigeta, M. 87–58959
Uemoto, A. *see* Suzuki, A. 87–1220, 87–25218
Uemoto, T. *see* Kamata, A. 88–31772
Uemoto, T. *see* Kawakyu, Y. 88–18713
Uemoto, Y. *see* Fugita, S. 86–47597
Uemoto, Y. *see* Fujita, S. 88–63326
Uemura, C. *see* Ando, K. 85–28948, 87–4956
Uemura, C. *see* Itoh, Y. 86–40078, 86–51917
Uemura, C. *see* Shibukawa, A. 86–7110
Uemura, C. *see* Sugo, M. 86–26292
Uemura, C. *see* Yamaguchi, M. 85–18071, 85–23442, 85–60430, 87–36143
Uemura, C. *see* Yamamoto, A. 86–13033, 86–26287
Uemura, G. *see* Ohuchi, M. 87–700, 88–6754
Uemura, K. A Housekeeping System 86–23270
Uemura, K. *see* Hirose, Y. 85–38099
Uemura, K. *see* Iida, H. 86–50521
Uemura, K. *see* Inoue, M. 86–10637
Uemura, K. *see* Kanno, I. 86–18305
Uemura, K. *see* Minagawa, Y. 85–25256
Uemura, K. *see* Nakajima, M. 88–52594
Uemura, K. *see* Ogawa, Y. 87–76534
Uemura, K. *see* Ueno, S. 86–781
Uemura, S., Iwade, M., Kiyozumi, K., Nakamura, T. MOS-addressed VFD character display incorporating a static RAM 87–2027
Uemura, S., Iwade, M., Kiyozumi, K., Nakumura, T. MOS-addressed VFD character display incorporating static RAM 86–31254
Uemura, S., Kiyozumi, K., Nakamura, T. MOS-addressed vacuum fluorescent display 87–21158
Uemura, S., Kiyozumi, K., Nakamura, T. Active-matrix addressed vacuum fluorescent display 87–35153
Uemura, S., Kiyozumi, K., Yoshimura, M., Fujii, K., Torimaru, Y., Miyake, R., Nakamura, T. MOS-addressed VFD image display on a chip 85–14899
Uemura, S., Kiyozumi, K., Yoshimura, M., Fujii, K., Torimaru, Y., Miyake, R., Nakamura, T. MOS-addressed VFD image display on a chip 85–43051
Uemura, S. *see* Kamewaka, S. 88–62695
Uemura, S. *see* Naito, T. 87–7013
Uemura, S. *see* Tashiro, H. 85–2404
Uemura, S. *see* Yoshimura, M. 85–14480, 87–8691
Uemura, T., Ohba, N., Wakita, N., Ohnishi, H., Ota, I. Control of alignment for ferroelectric liquid crystal display: alignment of ferroelectric liquid crystal by oblique evaporation method 87–56762
Uemura, T., Ohba, N., Wakita, N., Ohnishi, H., Ota, I. Alignment of chiral smectic-C liquid crystals by oblique evaporation method 88–42220
Uemura, T. *see* Kuzuma, Y. 88–17778
Uemura, T. *see* Matsuoka, K. 85–38010
Uemura, T. *see* Ohnishi, H. 87–56760, 88–42219
Uemura, T. *see* Tatsuta, H. 85–14914
Uemura, T. *see* Wakita, N. 87–56761
Uemura, Y. *see* Furata, A. 86–35523
Uemura, Y. *see* Hanabata, M. 87–11882, 88–13251
Uemura, Y. *see* Mayeda, T. 86–32655
Uen, T.M., Huang, K.F., Chen, M.S., Gou, Y.S. Preparation and characterization of some tin oxide films 88–38243
Uen, T.M. *see* Huang, K.F. 87–45609
Uenaka, H., Makita, A., Miyama, T., Fujii, T., Inoue, M. Propagation of surface magnetoelastic waves in sputtered Fe-Co-B films 86–58670
Ueng, H.-Y. *see* Hsu, T.-M. 86–1728
Ueng, H.Y., Hwang, H.L. On the determination of electrical properties of $CuInX_2$ (X=Se,S) from their defect structures 88–37577
Ueng, H.Y. *see* Hong, C.S. 87–9792
Ueng, H.Y. *see* Hsu, T.M. 86–53338
Ueng, H.Y. *see* Lin, J.L. 87–11595
Uenishi, A. *see* Nakajima, T. 86–36339
Uenishi, K. *see* Sakaguchi, T. 88–54923
Uenishi, M. *see* Fukazawa, T. 87–60808
Uenishi, S. *see* Nakamura, Y. 87–72838
Uenishi, Y., Isomura, Y., Sawada, R., Ukita, H., Toshima, T. Beam converging laser diode by taper ridge waveguide 88–51880
Uenishi, Y. *see* Ukita, H. 88–45050
Uenk, D. *see* Binnenkade, P. 86–18610
Ueno, A., Ishimochi, H., Abumi, T., Suzuki, T. Digital Telopper for converting personal computer signals meeting NTSC Standard 85–14438
Ueno, A., Long, M.L. Traction power system design for lines 15/18 Seattle Metro trolley coach expansion project 87–79078
Ueno, A. *see* Alton, G.D. 88–61056
Ueno, A. *see* Chikamura, T. 85–52686, 86–5047
Ueno, A. *see* Kotera, Y. 85–35618
Ueno, A. *see* Mori, Y. 86–70302, 87–77507, 88–54371
Ueno, A. *see* Oyama, J. 88–16726
Ueno, A. *see* Shimomura, A. 87–12420
Ueno, A. *see* Wakuta, Y. 87–29811
Ueno, E. *see* Nakagawa, F. 86–30709
Ueno, F., Inoue, T., Iida, H., Harano, H. A mesh generation for finite element method 86–46301
Ueno, F., Inoue, T., Iida, H., Oota, I. Analysis of switched capacitor power supplies using finite element method 86–46566
Ueno, F., Inoue, T., Iida, H., Oota, I. Analysis of switched capacitor power supplies using finite element method 87–65806
Ueno, F., Inoue, T., Koga, K., Taniguchi, K. Synthesis method of I^2L multivalued logic circuits using list processing 86–34475
Ueno, F., Inoue, T., Oota, I., Harada, I. Power failure signal generator using an RC integrator 88–38406
Ueno, F., Inoue, T., Oota, I., Harano, H. Realization and analysis of DC-DC converter with zero output current ripple 87–11014
Ueno, F., Inoue, T., Oota, I., Mizoguchi, H. Realization of inrush current suppression circuit using a new zero-cross detector 88–24987
Ueno, F., Inoue, T., Oota, I., Tsuruta, F. Effects of parasitic inductances on properties of switched capacitor power supplies 86–14002
Ueno, F., Inoue, T., Shirai, Y. A maximum and minimum circuit with multiple inputs in current mode 87–59332
Ueno, F., Inoue, T., Shirai, Y., Sasaki, M. Synthesis of fuzzy membership function circuits with multiple inputs and their applications 88–32162
Ueno, F., Inoue, T., Sugitani, K., Inoue, M. Cyclic switched-capacitor A/D converters 87–17179
Ueno, F., Inoue, T., Taniguchi, K., Koga, K. Realization of I^2L multivalued pattern generators and synchronous counters 85–17333
Ueno, F., Inoue, T., Taniguchi, K., Koga, K. New ternary MIN and MAX circuits using CMOS-ICs 85–49834
Ueno, F., Inoue, T., Taniguchi, K., Sakamoto, N. Design method of CMOS quaternary threshold logic circuits realized by multiple ion implants 87–52564
Ueno, F., Inoue, T., Tsuruta, F., Oota, I. Steady-state and dynamic analyses of Cuk converter in continuous and discontinuous conduction modes 86–20297
Ueno, F., Inoue, T., Tsuruta, F., Oota, I. Steady-state and dynamic analyses of Cuk converter in the continuous and the discontinuous conduction mode 86–62442
Ueno, F., Taniguchi, K., Inoue, T., Sakamoto, N. New quaternary MIN, MAX and storage circuits using CMOS-IC's 86–67171
Ueno, F. *see* Inoue, T. 85–55008, 86–1223, 86–1246, 86–41230, 86–57944, 86–67321, 87–642, 87–24321, 87–59709, 88–32322
Ueno, F. *see* Oota, I. 86–62443
Ueno, F. *see* Shira, Y. 87–17012
Ueno, F. *see* Shirai, Y. 87–5937, 88–12293
Ueno, F. *see* Taniguchi, K. 88–71775
Ueno, F. *see* Yamakawa, T. 85–28496, 86–2404, 87–52504
Ueno, H. Bilevel reproduction of halftone images 87–62173
Ueno, H., Hirosawa, H. A filter for reducing speckle of synthetic-aperture radar imagery 87–27614
Ueno, H., Hirosawa, H. A filter for reducing speckle of synthetic-aperture radar imagery 88–53317
Ueno, H., Uenushi, M., Nakahata, M., Nagahata, Y., Akisada, M. Recent circuit breakers, load-break switches, and power fuses for power-distribution systems 88–62523
Ueno, H. *see* Fujita, H. 88–18745
Ueno, H. *see* Honmou, H. 87–7094
Ueno, H. *see* Ishikawa, R. 86–42344
Ueno, H. *see* Kitano, I. 87–18585
Ueno, H. *see* Suguira, T. 87–11494
Ueno, H. *see* Sukegawa, T. 88–1357
Ueno, H. *see* Yamane, S. 85–39041
Ueno, I. Mooka City Water Treatment Center 86–19688
Ueno, I. Scaling law based on plasma focus model for neutron yield 87–29422
Ueno, I. A study on DC-AC interconnection converter using orthogonal-core 88–6663
Ueno, I. *see* Ichinokura, O. 88–12206
Ueno, I. *see* Osano, M. 87–19165
Ueno, I. *see* Tanimoto, M. 85–26675
Ueno, K. Pattern degradation due to satellite antenna deformation in space orbit 86–64084
Ueno, K. Recent trends in CD player line measuring equipment 87–35000
Ueno, K., Furutsuka, T., Toyoshima, H., Kanamori, M., Higashisaka, A. A high transconductance GaAs MESFET with reduced short channel effect characteristics 86–47601
Ueno, K., Goto, H., Sugiyama, E., Tsunoi, H. A sub-40 ps ECL circuit at a switching current of 1.28 mA 88–38487
Ueno, K., Hiramatsu, Y., Hashimoto, M., Numao, T., Taga, S., Oishi, T., Kurihara, R. High definition TV decoder 86–44012
Ueno, K., Kaitsuka, T. 30 GHz band RF sensor for satellite antenna 87–27096
Ueno, K., Mamiya, S., Matsui, M., Aihara, M., Fujiwara, Y., Ebinuma, Y., Nagaoka, A. Detection of the defect in 33 kV XLPE insulated cable termination by partial discharge test 88–55010
Ueno, K., Osiumi, N., Mashiko, T. An underground object imaging system with computerized reconstruction 87–28688
Ueno, K., Osumi, N. Underground pipe detection based on microwave polarization effect [radar applications] 85–52436
Ueno, K., Osumi, N. Underground object imaging using wave signals 87–56525
Ueno, K. *see* Araki, S. 88–4176
Ueno, K. *see* Asai, S. 87–60483
Ueno, K. *see* Igarashi, H. 88–15707, 88–69838
Ueno, K. *see* Itanami, T. 87–27006, 87–33519, 87–47342
Ueno, K. *see* Iwayama, K. 88–71893
Ueno, K. *see* Murase, N. 87–21060
Ueno, K. *see* Oda, T. 86–50211
Ueno, K. *see* Osumi, N. 85–14359, 85–35914, 85–52435, 86–49732, 88–67469
Ueno, K. *see* Suzuki, H. 85–54852
Ueno, K. *see* Suzuki, M. 88–60185
Ueno, K. *see* Suzuki, S. 87–45331
Ueno, K. *see* Takeuchi, N. 88–41754
Ueno, M. Lyapunov stability of adaptive LMS array 85–24976
Ueno, M. An attempt of construction of a new type cell for phosphoric acid fuel cell—hybrid cell 87–64786
Ueno, M., Hama, H., Yamashita, K. Transform of the orthogonal coordinates into the polar ones using DDA—computation of the angle of rotation of an object 86–69165
Ueno, M., Kawabata, K., Morooka, T., Chiba, T. BFN configuration for loss minimization 86–68851
Ueno, M., Lang, R. Conditions for self-sustained pulsation and bistability in semiconductor lasers 86–3158
Ueno, M. *see* Endo, K. 85–2309
Ueno, M. *see* Hotta, T. 87–5742, 87–59327, 88–38547
Ueno, M. *see* Ishioka, T. 86–8062
Ueno, M. *see* Kawabata, D. 87–27085
Ueno, M. *see* Kurita, K. 87–66185
Ueno, M. *see* Morooka, T. 88–2842
Ueno, M. *see* Nido, M. 87–68457
Ueno, M. *see* Nishiura, M. 88–74469
Ueno, M. *see* Shoki, H. 86–68849
Ueno, M. *see* Sugimoto, M. 88–20682
Ueno, M. *see* Yamawaki, M. 87–41376
Ueno, N., Sugita, K. Thickness dependence of etching rate in dry photoetching of organic resists 87–11656
Ueno, N. *see* Chujo, T. 85–42105, 86–43615
Ueno, N. *see* Nakamura, Y. 86–38373
Ueno, N. *see* Suyama, N. 87–36133, 88–37595
Ueno, R., Nakatani, N., Miyoshi, Y., Sasanuma, H., Nakatsu, H. Interface unit [for home bus systems] 87–48377
Ueno, S. 1150 kW Scherbius system for blower 85–32478
Ueno, S. Large submersible induction motor for ladder pump drive 86–19280
Ueno, S. Miniature illuminating switches have bright prospects 87–1039
Ueno, S., Harada, K. Effects of magnetic fields on flames and gas flow 88–52165
Ueno, S., Harada, N., Kamise, S., Koh, M., Harada, K. On the formation of the host spot in hyperthermia by means of locally induced currents 87–4025
Ueno, S., Kajitani, Y. The matroid parity problem and unique solvability of RCG networks 85–22608
Ueno, S., Kajitani, Y. The unique solvability and state variables of an RCG network 86–13947
Ueno, S., Kajitani, Y., Wada, H. Minimum augmentation of a tree to a *k*-edge-connected graph 88–24639
Ueno, S., Kawata, Y. Atmospheric correction of LANDSAT MSS data in atmosphere-ground system 85–59465
Ueno, S., Kawata, Y., Kusaka, T. Optimum classification of Landsat Thematic Mapper data for ecological study 87–2607
Ueno, S., Kusaka, T., Kawata, Y. Bitemporal analysis of Thematic Mapper data for land cover classification 87–57429
Ueno, S., Maki, T., Matsumae, Y., Uemura, K., Shibata, Y., Gotou, Y. Power amplifier module for personal radio 86–781
Ueno, S., Nagasako, I., Watanabe, K., Wakamatsu, S., Ohbata, N., Kabeya, Y. Microwave modules for DBS application 86–4821

Ueno, S., Okasaka, S., Yokoi, T. Real time satellite switch control scheme for high throughput transmission 87−40037
Ueno, S., Tashiro, T., Kamise, S., Harada, K. Localized hyperthermia by means of a paired-coil configuration: calculation of current distributions in cubical model 88−61416
Ueno, S. *see* Hiraide, K. 85−30835
Ueno, S. *see* Kajitani, Y. 85−5909, 86−46206, 86−62055, 87−44161, 87−67489
Ueno, S. *see* Komura, S. 88−48034
Ueno, S. *see* Miyasaka, K. 86−62343
Ueno, S. *see* Mizushina, Y. 88−26181
Ueno, S. *see* Suzuki, S. 86−57007
Ueno, S. *see* Suzuki, Y. 87−73003
Ueno, S. *see* Unehara, S. 88−23930
Ueno, S. *see* Yano, T. 88−61324
Ueno, T., Fukuda, H., Dobashi, T., Sanpei, T. ISDN switching system hardware 88−9357
Ueno, T., Hirai, Y., Tani, C. Three color switching electrochromic display using organic redox-pair dyes 85−43041
Ueno, T., Ohtaki, N., Yamamoto, T., Taki, H., Yoshizaki, I. Stationary type DAT SV-D1100 and portable type DAT SV-MD1 88−60507
Ueno, T., Sampei, T., Kogure, K. Speech path equipment of D60 and D70 digital switching systems 85−47369
Ueno, T., Shiraishi, H., Iwayanagi, T., Nonogaki, S. Resist materials utilizing oxygen plasma resistance of iodine compounds 85−55715
Ueno, T., Takeuchi, N., Baba, H., Sakurai, K. Measurement of response and error of M-sequence pseudorandom modulation CW LIDAR 88−74045
Ueno, T., Tsuchida, T., Kuroda, K. ISDN switching system 88−15298
Ueno, T. *see* Egawa, T. 85−3279, 85−52238
Ueno, T. *see* Hirai, Y. 87−41571
Ueno, T. *see* Ichimaru, Y. 85−20928, 85−59309, 88−10379
Ueno, T. *see* Iwasaki, K. 86−34864, 87−59680
Ueno, T. *see* Kanoh, K. 86−69714
Ueno, T. *see* Kawarada, H. 87−17807
Ueno, T. *see* Kuroda, M. 85−36611
Ueno, T. *see* Nonaka, S. 87−64907
Ueno, T. *see* Saito, T. 86−31257
Ueno, T. *see* Shou-ichi Uchino 88−13241
Ueno, T. *see* Takeuchi, N. 86−32585
Ueno, T. *see* Tanaka, N. 87−77620
Ueno, T. *see* Toriumi, M. 87−53613
Ueno, W. *see* Nishikawa, Y. 88−57936
Ueno, Y. Fine-tuning and performance of crystal oscillators 85−24041
Ueno, Y. Construction of a crush crimp oven cavity 86−71145
Ueno, Y., Kaigawa, H., Ohashi, T., Sugiura, T., Minoura, H. Chemical bath precipitation of CdSe particles for use in a photoelectrochemical cell 88−5819
Ueno, Y., Kaigawa, H., Ohashi, T., Sugiura, T., Minoura, H. Photoelectrochemical characterization of spinel type Cu-In-S thin film electrodes prepared by electrophoretic deposition 88−37352
Ueno, Y., Kaigawa, H., Sugiura, T., Minoura, H. Synthesis of $CuIn_5S_8$ and $CuInS_2$ by means of heterogeneous precipitation from aqueous solution 88−12957
Ueno, Y., Kaigawa, H., Sugiura, T., Minoura, H. Synthesis and photoelectrochemical characterization of $CuIn_{11}S_{17}$ 88−30973
Ueno, Y. *see* Imanaka, Y. 85−41998
Ueno, Y. *see* Minoura, H. 86−7822, 87−36785
Ueno, Y. *see* Sugimoto, S. 87−40904
Ueno, Y. *see* Tanabe, N. 87−40155
Uenohara, H., Iga, K., Koyama, F. Analysis of electron wave reflectivity and leakage current of multi-quantum barrier: MQB 87−66962
Uenohara, H. *see* Iga, K. 87−6409
Uenohara, H. *see* Koyama, F. 87−23689, 87−68516
Uenohara, H. *see* Onda, H. 88−45426
Uenohara, M. Trend and role of microelectronics in 'C&C' era 85−7991
Uenohara, M. VLSI/ULSI in Japan 87−18288
Uenohara, M., Kawamura, N., Okuto, Y. The next generation of integrated circuits—what comes after VLSI? 87−60567
Uenosono, C. *see* Hayashi, M. 85−56000, 85−56044
Uenosono, C. *see* Inoue, Y. 85−48944, 87−42987
Uenosono, C. *see* Kouno, T. 86−6385, 86−68061
Uenosono, C. *see* Matsuki, J. 85−32452
Uenosono, C. *see* Moriyasu, S. 86−33326
Uenosono, C. *see* Otsuka, K. 86−25971
Uenosono, C. *see* Ueda, Y. 86−66058, 87−49469
Uenosono, C. *see* Yamamoto, O. 86−39184
Uenosono, S., Kikkawa, S., Koizumi, M. The discharge of $Al_{1/2}$ $TaSe_4$ cathode for lithium battery 85−60401
Uenoya, T. SM optical fiber splicing technique 85−31050
Uenoya, T. High performance single-mode optical fiber cable covering whole of Japan 86−4658
Uenoya, T., Murakami, Y., Yamanouchi, I. A new field-use single-mode fiber splicer using a direct core observation technique and its application 87−12194
Uenoyama, F., Kawami, M., Ogawa, N., Fujii, S. XE-10 Main Subsystem's program 86−4429
Uenoyama, T., Odanaka, S., Onuma, T. Analysis of narrow channel effect in small-size GaAs MESFET 87−60494
Uenoyama, T. *see* Hasegawa, K. 86−34917, 87−32726
Uenoyama, T. *see* Nagano, K. 86−57746
Uenoyama, T. *see* Onuma, T. 86−15282
Uenoyama, T. *see* Tamura, A. 85−54782, 87−60662, 87−67339
Uenushi, M. *see* Ueno, H. 88−62523
Ueoka, J. *see* Ando, M. 88−19137
Ueoka, M., Okajima, T., Takasaki, T. Large graphic plasma display 88−53796
Ueoka, T. *see* Tsujino, J. 85−16778, 86−6189, 86−18627, 87−4195, 87−15107, 87−71468, 88−10652, 88−16981 to 16982
Uesaka, H., Yoshie, K., Kodama, H. Expanded free dial service system 88−9031
Uesaka, H., Yoshie, K., Kodama, H. Expanded Free Dial Service system 88−66886
Uesaka, H., Yoshie, K., Kodama, H., Yoshimi, M. Software structure for advanced network service 88−9030
Uesaka, H., Yoshie, K., Yoshimi, M. Software structure for the advanced network service 88−66885
Uesaka, H. *see* Shimizu, H. 87−76199
Uesaka, K. *see* Ishihara, K. 87−67222
Uesaka, M., Hoshi, Y. Development of eddy current analysis code INCANET 88−14350
Uesaka, Y., Koizumi, M., Tsumita, N. Noise from underlayer of perpendicular magnetic recording medium 85−45981
Uesaka, Y., Koizumi, M., Tsumita, N., Kitakami, O. Noise from underlayer of perpendicular magnetic recording medium II 86−36025
Uesaka, Y. *see* Futamoto, M. 85−60995
Uesaka, Y. *see* Honda, Y. 86−42098
Uesaka, Y. *see* Kugiya, F. 86−28668
Uesaka, Y. *see* Shiroishi, Y. 85−45993, 86−58692
Uesaka, Y. *see* Tsumita, N. 87−67708
Uesako, H., Muraoka, T., Kawamura, M. Visual characteristics of negative-type seven-segment liquid crystal numerical display devices 85−37686
Ueshiba, T. *see* Hayafune, K. 86−1247
Uesiugi, N. *see* Ohashi, M. 87−18608
Uesugi, B. *see* Kiayama, K. 85−63666
Uesugi, K., Hayashi, T., Matsuo, H. MUSES-A double lunar swingby mission 88−74907
Uesugi, K. *see* Hirabayashi, M. 85−53615
Uesugi, K. *see* Hirao, K. 86−65480
Uesugi, K. *see* Itoh, T. 86−44730
Uesugi, K. *see* Ninomiya, K. 86−44733, 87−29850
Uesugi, K. *see* Yoshioka, S. 88−6845
Uesugi, M., Isaka, N., Matsunaga, H. Petrographic analyzing system of coal with image processing technique 86−4006
Uesugi, M. *see* Takasugi, A. 86−20554, 86−34815
Uesugi, M. *see* Yoshioka, S. 87−59485
Uesugi, N., Horiguchi, T., Nakazawa, M., Murakami, Y. Optical fiber cable measurements in the field 87−8292
Uesugi, N., Ishida, Y., Ohashi, M., Uchida, N. Design and transmission characteristics of single-mode optical cables in the 1.3 μm wavelength region 85−20236
Uesugi, N., Kawata, O., Negishi, Y. Dispersion-shifted optical fiber cable for high-capacity trunk transmission line 88−22112
Uesugi, N., Kawata, O., Ohashi, M., Tanaka, C. Dispersion-shifted single-mode fiber cables 87−56120
Uesugi, N., Kuwabara, T., Ishida, Y., Noguchi, K., Negishi, Y., Uchida, N. Infrared loss increase phenomenon of coated optical fibers at high temperature 86−2730
Uesugi, N., Nango, Y., Ito, H. The line interface modules for data transmission 88−41490
Uesugi, N., Noguchi, K., Hata, N., Shibata, N., Negishi, Y. Visible fluorescence from heat-treated GeO_2-doped silica optical fibre in hydrogen atmosphere 85−18676
Uesugi, N., Tanaka, C., Ohashi, M., Negishi, Y. Dispersion-shifted optical fiber cable for high-capacity trunk transmission line 88−47112
Uesugi, N., Tokuda, M., Noguchi, K., Negishi, Y. Loss increase characteristics due to hydrogen molecule diffused into optical fibers 86−9563
Uesugi, N. *see* Ishida, Y. 85−20217
Uesugi, N. *see* Kitayama, K. 85−1988
Uesugi, N. *see* Kuwaki, N. 86−15467, 87−68083, 87−68136, 87−68161
Uesugi, N. *see* Mihara, K. 86−55306, 87−13738, 88−15443
Uesugi, N. *see* Murakami, Y. 85−35516
Uesugi, N. *see* Nagaoka, R. 88−38946
Uesugi, N. *see* Negishi, Y. 87−34617
Uesugi, N. *see* Noguchi, K. 85−1996, 85−41134, 85−46194, 85−50924, 86−2803, 86−48084, 87−53966, 87−76726, 88−16536
Uesugi, N. *see* Ohashi, M. 87−18636, 87−74667, 88−13891, 88−13894, 88−26771
Uesugi, N. *see* Seikai, S. 87−8297, 87−49068
Uesugi, N. *see* Shibata, N. 85−41129
Uesugi, N. *see* Suzuki, K. 87−18604, 87−18660, 88−33629
Uesugi, N. *see* Takahashi, T. 88−41207
Uesugi, N. *see* Tanaka, C. 87−34547
Uesugi, N. *see* Uchida, N. 86−2714, 87−7125
Uesugi, N. *see* Yoshizawa, N. 87−54066
Uesugi, T., Ihara, H., Matsumura, H. The Staebler-Wronski effect in hydro-fluorinated amorphous silicon prepared using the intermediate species SiF_2 86−2920
Uesugi, T., Ihara, H., Matsumura, H. Properties of hydro-fluorinated amorphous silicon-carbide produced by intermediate species SiF_2 86−13805
Uesugi, T., Sugiyama, S., Takigawa, M. Properties of silicon nitride films by plasma-CVD used SiH_4-N_2 gas system 87−5453
Uesugi, T. *see* Ihara, H. 87−6532
Uesugi, T. *see* Matsumura, H. 85−28241, 85−44795, 85−55664, 86−34380, 86−36311, 86−46381
Uesugi, Y., Matoba, T., Mizuno, K. Beat frequency stabilization between two HCN lasers by phase locked loop 87−68681
Uesugi Naoshi *see* Naoshi Uesugi
Ueta, K. *see* Hirose, H. 88−72261
Uetake, K., Katano, F., Kamiya, M., Misaki, T., Higashisaka, A. Improvement of n^+/n-MOCVD interface and its application to side-wall assisted n^+ self-aligned GaAs MESFET 86−53564
Uetake, K. *see* Hosono, Y. 87−59423, 88−19107
Uetake, K. *see* Onoda, T. 85−49762, 86−782
Uetake, K. *see* Shingu, Z. 88−50743
Uetani, S. *see* Gohda, K. 86−26679
Uetani, Y., Ishikawa, Y., Iwamaru, T. The study on the zinc chloride type manganese dioxide cell. IV. Influence of the manganese dioxide species on discharge reaction 86−6977
Uetani, Y., Sasama, H., Ishikawa, Y., Iwamaru, T. The study on the zinc chloride type manganese dioxide cell. V. Mn^{2+} ion and $ZnO.Mn_2O_3$ formation reactions 86−6978
Uetani, Y., Sasama, H., Iwamaru, T. Studies on a zinc chloride type manganese dioxide cell. VII. The influence of MnO_2 species on the discharge reaction mechanism 86−19442
Uetani, Y., Togo, T., Ishikawa, Y., Ikebata, R. Studies on a zinc-chloride type manganese dioxide cell. II. Effect of NH_4^+ ion on heavy duty continuous discharge 85−39169
Uetani, Y. *see* Iwamaru, T. 87−72367
Uetsuka, H., Ishihara, S., Yajima, H. Thickness uniformity of the porous glass layers fabricated by flame hydrolysis deposition 88−65362
Uetuzi, K., Tada, M., Nakata, J. Investigation of fuel cells installed by customers 86−51892
Uetz, H., Hardock, G. Flexible manufacturing with a laser: problems, machine concepts, system solutions and experiences 86−63887
Uetz, H., Hardock, G., Warnecke, H.-J. Laser-cutting and welding in a flexible manufacturing system 85−51344
Ueunten, R.H. *see* Kwok, M.A. 85−24623
Ueyama, A., Suzuki, H., Asahina, K. Iron-yoke resistive MRI, model MRT-22A 87−77658
Ueyama, H. *see* Hagihara, Y. 85−49097
Ueyama, K. *see* Takami, S. 86−11634
Ueyama, N. *see* Tanaka, H. 86−65305
Ueyama, T. *see* Hakata, H. 86−6715
Ueyama, Y., Kaneko, M., Ohara, K., Kawai, S., Sakai, T. Navigational system with timing control function 85−5473
Ueyanagi, K. *see* Kotera, N. 86−35910
Uezato, K., Miyagi, H., Ueda, M. Transient stability analysis of three-phase reluctance motors 87−9511
Uezumi, Y., Takashima, K., Kasahara, K., Inari, T. Investigation of advanced instrumentation system using fiber optic techniques: (fiber optic network and optical field equipments) 88−4056
Uezumi, Y. *see* Tsuji, J. 87−76355
Ufer, D. Long-term optimal planning of energy resources 86−25681
Uffelen, J.P.Van *see* Van Uffelen, J.P.
Uffelman, D.R. *see* Hausman, C.L. 88−21938
Uffenbeck, J. 8086/8088 family: Design, programming, and interfacing 87−51725
Uffmann, D. *see* Eitz, A.W. 87−22022
Ufimtsev, V.B. *see* Gromov, G.G. 88−1473
Ufimtsev, V.B. *see* Zinov'ev, V.G. 87−52113
Ug Kim Gyu *see* Gyu Ug Kim
Ugai, S., Nitta, K., Akimoto, H. Measurements of raindrop canting angle 86−68739
Ugai, S. *see* Shimada, K. 86−68765
Ugai, Y., Murakami, Y., Tamamura, J., Aoki, S. A 7.23-in.-diagonal color LCD addressed by a-Si TFTs 85−20672
Ugai, Y., Murakami, Y., Tamamura, J., Aoki, S. A 7.23-in.-diagonal colour LCD addressed by a-Si TFTs 86−18037
Ugai, Y. *see* Matsushita, Y. 88−42213
Ugai, Y. *see* Shigeno, Y. 88−16281
Ugai, Y. *see* Sunata, T. 86−28365, 86−31543, 87−3668 to 3669, 88−42214

Ugai, Ya.A. *see* Golikova, O.A. 85−23405
Ugajin, M., Konaka, S., Amemiya, Y. A nanometer-base silicon bipolar transistor using an ultra-shallow gallium diffusion process 88−19944
Ugaki, M. *see* Mineo, K. 87−28231
Ugarov, S.B. *see* Artemov, V.S. 88−47796
Ugarov, S.B. *see* Kapchinskiy, I.M. 87−41647, 87−41676
Ugarte, C. *see* Sanzberro, M. 87−57971
Ugarte, C.A. *see* Tu, S. 86−64810
Ugawa, K. *see* Fuchigami, T. 87−60949
Ugge', A. New complex functions for modern exchanges are provided by well-proven VLSI technologies [ISDNs] 85−19994
Ugge, A. A reliable SLIC kit: the SGS alternative 86−49355
Uglekov, V.Ya. *see* Dyshkant, A.S. 86−70355
Uglesic, I. A program for calculation of transients in the power system using the travelling wave method 85−38546
Uglov, A.A., Kornilov, A.V. Surface erosion in laser machining of semiconductors 87−1406
Uglov, A.A. *see* Rykalin, N.N. 86−19659
Uglov, A.L. *see* Konyukhov, B.A. 86−563
Uglov, O.D. *see* Zinov'ev, A.L. 88−35574
Uglov, Yu.F., Trofimov, I.F., Khodosevich, A.A., Yun, M.P., Bairakovskii, G.M., Evtushenko, A.S. Introduction of modern welding and surfacing methods into the manufacture of equipment for nuclear power stations 85−22012
Uglow, J. *see* Guckel, H. 88−53676
Uglow, J.E. *see* Visser, C.C.G. 88−26142, 88−39337
Uglum, J.R. Spectroscopic measurements of muzzle flash plasma [railguns] 87−26717
Ugodchikov, N.A. *see* Golemshtok, G.M. 85−12142, 85−34805
Ugol, L. *see* Bless, P. 88−7223
Ugolini, A. Use of optical fibres by the RATP for telecommunications 87−34594
Ugol'nikov, V.I., Shalankevich, A.M. Automatic gain-stabilization system for a photomultiplier 86−14823
Ugortsin, A.B. Substitution of suspended porcelain insulators by glass insulators across a special transition at the Volzhskoi hydroelectric station 87−78175
Ugoski, H. *see* Dyka, A. 88−72929
Ugozhaev, V.D. *see* Komarov, K.P. 86−22363, 87−2102
Ugozhayev, V.D. *see* Komarov, K.P. 86−36492
Ugras, N.G. *see* Moller, K.D. 88−60775
Ugrelidze, N.A. *see* Banket, V.L. 87−61584
Ugrinovskii, V.A. *see* Pasmanik, L.A. 86−64065
Ugryumov, E.P. Certain possibilities of constructing two-dimensional digital functional converters of the table-algorithm type 87−17189
Ugryumov, E.P. On construction of table-algorithmic digital generators of time functions on the basis of piecewise-linear approximation 88−70594
Ugryumov, E.P. *see* Ivanov, A.L. 86−14118
Ugryumov, E.P. *see* Semenov, V.A. 87−29173
Ugryumova, N.M. *see* Butusov, M.M. 88−29503
Ugur, H. Voltage-induced anomalies in the coplanar conductance of amorphous semiconductor-insulator multilayers 87−1328
Ugur, H., Fritzsche, H. Electron drift mobility in amorphous semiconductor multilayer superlattices 85−12032
Ugur, H., Fritzsche, H. Anomalous electronic transport effects in a-Si:H/a-SiN$_x$:H multilayers 86−27991
Ugur, S. *see* Raccah, P.M. 85−34498
Ugweje, O. *see* Ramesh, S.K. 87−13724
Ugwu, E.C.J., Milligan, D.K. Optimal layout parameter values for hierarchical layout verification 86−47765
Ugwu, K. *see* Dhillon, B.S. 85−16554
Ugwu, K.I. *see* Dhillon, B.S. 86−10225, 86−13584
Uhara, Y. *see* Ito, S. 86−62286
Uhde, K. Discontinuities in fin-line on semiconductor substrate 87−6011
Uhde, K. Discontinuities in finlines on semiconductor substrate 87−17366
Uhde, K. Optoelectronic millimetre-wave switching using a finline-on-silicon substrate 88−934
Uhde, K., Muller, J. Pulsed operation of an optoelectronic finline switch 88−72226
Uhde, K., Omar, A.S. Analysis of fin-line structures on a double layer insulator semiconductor substrate 87−75535
Uher, J., Arndt, F., Bornemann, J. Dielectric slab matched ferrite gyrator 87−37502
Uher, J., Arndt, F., Bornemann, J. Field theory design of ferrite-loaded waveguide nonreciprocal phase shifters with multisection ferrite or dielectric slab impedance transformers 87−52804
Uher, J., Bornemann, J., Arndt, F. Ferrite tunable metal insert filter 87−59844
Uher, J., Bornemann, J., Arndt, F. Magnetically tunable rectangular waveguide E-plane integrated circuit filters 88−56857
Uher, J., Bornemann, J., Arndt, F. Ferrite tunable millimeter wave printed circuit filters 88−71008
Uher, J.L. *see* Michelotti, R.A. 86−31992
Uher, L. The use of the PMD 85 microcomputer for online measurement of transient, unrepeatable processes 87−49463
Uher, L.T. Real-time measurement and evaluation of running parameters by means of the PMD85 microcomputer 88−23029
Uher, R.A. Opportunities for energy cost reduction on rail transit systems 86−66461
Uher, R.A., Sathi, N., Sathi, A. Traction energy cost reduction of the WMATA Metrorail system 85−10183
Uher, R.A., Sharma, O.N. Rail transit energy cost and the electric utilities' power rate structure 86−66456
Uher, R.A. *see* Eastham, A.R. 85−44246
Uhereczky, L. *see* Bacs, E. 86−20624, 86−49514, 87−34339, 87−48775
Uhereczky, L. *see* Baranyi, A. 87−48773
Uhereczky, L. *see* Hanzo, L. 87−27224, 87−27233, 88−8658
Uhereczky, L. *see* Kantor, L.J. 87−20441
Uhereczky, L. *see* Kantor, L.Ya. 88−9472
Uherek, F. *see* Habovick, P. 86−27862
Uhl, T. *see* Herfort, J. 86−16599
Uhl, T. *see* Nowicki, K. 87−69402
Uhl, T.J. Linear and nonlinear image restoration methods in comparison 87−48025
Uhle, M. Networks of class z$_n$—a contribution to the theory of terminal behaviour of linear distributed networks 87−474
Uhle, N. *see* Cottey, A.A. 87−53306
Uhlemann, K. To the computation of reliability characteristic values of a technical system by Boolean model 85−16823
Uhlemann, K. Dependent failures in redundant technical systems 86−52314
Uhlemann, R. *see* van der Hart, A. 87−35291
Uhlemann, S. *see* Sturm, A. 87−9050
Uhlenbrauck, R. It depends on the wiring 87−6181
Uhlenbrauck, R. It depends on the 'wiring'. II. [power system protection] 87−21972
Uhlenbusch, J. *see* Muller, S. 85−56551, 87−54233
Uhlendorf, V. Ultrasonic resonator length measurements with 10 nm resolution 86−11703
Uhlendorf, V., Richmann, K.-H., Berger, W. Ultrasonic absorption and velocity measurements at mW peak power level in the range 50-500 MHz with variable pathlength cell 85−26512
Uhler, L.J. Automatic linewidth control system 88−13498
Uhlhorn, R.W. Fiber optic architectures and components for high data rate buses for military applications 85−13960
Uhlhorn, R.W. Imaging connector interconnect system for a parallel fiber optic data bus 86−11137
Uhlhorn, R.W. Nonmechanical, passive optical station bypass for physical ring networks 87−40962
Uhlhorn, R.W. Design of a passive star-coupled fiber optic high speed data bus for military aircraft 87−76814
Uhlhorn, R.W. A robust fibre optic active star coupler for the SAE linear token-passing multiplex data bus 88−67071
Uhlhorn, R.W., Burberry, L.M., Stankos, W.C. Optimization of the imaging connector interconnect system 86−69791
Uhlhorn, R.W., Geeslin, A.E., Otten, T.H. Evolution of a 100 Mbps fiber optic serial data bus for aerospace applications 85−9304
Uhlhorn, R.W. *see* MacLean, J.R. 86−70461
Uhlig, D. Measurement of bit error rate when applying the integrated sound transmission method 85−58282
Uhlig, D. On self correction in a variety of special circuit modules 88−1733
Uhlig, E. Rural communication: switching and transmission systems for emerging nations 87−20097
Uhlig, E. In the beginning was the telephone. Switching and transmission systems for developing countries 87−55901
Uhlig, E. *see* Mayr-Stein, H. 86−10923
Uhlig, H.W. The voltage discharge characteristics of manganese dioxides 88−55581
Uhlig, M. The technology of subscriber terminals in ISDN 86−23577
Uhlig, R.E. Digital sound for theaters 88−9814
Uhlig, R.E. *see* Silliman, T.S. 85−58415
Uhlig, R.P. Computer messaging for developing nations 85−42189
Uhlig, R.P. IFIP and computer communication 87−55695
Uhlig, R.P. Technology evolution and ISDN 88−21799
Uhlig, R.P. Message handling system standards and office applications 88−28605
Uhlig, R.P., Balabanian, V., Patterson, K., Penn, D., Purdy, T. Integration of PBX-based office automation services 86−37298
Uhlig, R.P. *(editor)* Computer Message Systems - 85. Proceedings of the IFIP TC 6 International Symposium 86−66543
Uhlik, M. *see* Simic, M. 85−25969
Uhlir, T. *see* Christensen, V. 88−37040
Uhlir, T. *see* Noppenau, H. 86−19091
Uhliv, K. Testing in electronics—an assembled board 85−6608
Uhlmann, B. *see* Thierfelder, G. 87−52641, 87−59551
Uhlmann, D.R. *see* de Hodgins, O.C. 87−24659
Uhlmann, D.R. *see* Silverman, L.A. 87−25628
Uhlmann, D.R. *see* Giess, E.A. *(editor)* 86−13304
Uhlmann, D.R. *see* Jackson, K.A. *(editor)* 87−23022
Uhlmann, E. Limits of applying the multilayer PCBs 85−1130
Uhlmann, G. *see* Platnieks, I. 85−3961
Uhlmann, H. Computer-assisted analysis of chaotic solutions in nonlinear, periodical, separately excited networks by means of the power density spectrum 87−429
Uhlmann, H., Franke, R. Overall analysis of essentially nonlinear non-autonomous networks/second-order systems in the state-plane 86−7920
Uhlmann, H., Franke, R. Computer-aided determination and analysis of periodic solutions in highly nonlinear nonautonomous networks and systems 87−16841
Uhlmann, H., Franke, R. Elementary bifurcations in nonlinear electrical networks 87−59126
Uhlmann, P. Computer analysis of sequential states of switches 85−52134
Uhlmann, W., Schellenberg, J. Measures of intensifying the heat loss dissipation in compact low voltage switching plants 88−24104
Uhm, H. *see* Choe, J.Y. 85−18023
Uhm, H.S., Brandt, H.E. Dispersion relation of the diocotron instability in a high power cylindrical magnetron 88−50583
Uhm, H.S., Davidson, R.C. Influence of electromagnetic effects on stability properties of a high-current betatron accelerator 86−24983
Uhm, H.S., Davidson, R.C. Influence of intense equilibrium self-fields on the cyclotron maser instability in high-current gyrotrons 87−2047
Uhm, H.S., Namkung, W., Choe, J.Y., Ayres, V. Cyclotron-maser theory for a high-power gyrotron 88−25783
Uhm, H.S., Namkung, W., Choe, J.Y., Ayres, V. Cyclotron maser theory for high power gyrotron applications 88−27006
Uhm, H.S., Nguyen, K.T., Namkung, W. Quadrupole betatron accelerator for high current ion beams 86−31840
Uhm, H.S. *see* Ayres, V. 88−27443
Uhm, H.S. *see* Brandt, H.E. 86−21055, 88−57265
Uhm, H.S. *see* Chan, H.W. 87−60046
Uhm, H.S. *see* Choe, J.Y. 88−27589
Uhm, H.S. *see* Choi, E.H. 87−60047
Uhm, H.S. *see* Davidson, R.C. 88−69714
Uhm, H.S. *see* Grebogi, C. 85−51203, 87−50052, 88−47887, 88−50578
Uhm, H.S. *see* Namkung, W. 86−31839, 87−50050, 88−25814, 88−25830, 88−54356, 88−64190
Uhm, H.S. *see* Nguyen, K.T. 86−24995, 88−27203, 88−47888
Uhm, H.S. *see* Schneider, R.F. 88−47874
Uhm, H.S. *see* Smith, J.R. 87−29395, 88−54323
Uhm, K.S., Kump, M.R., McVittie, J.P., Dutton, R.W. Kinetic modeling and measurement of active species distributions during dry etching 87−18008
Uhmeyer, U.A. *see* Farr, W. 85−42936
Uhr, L. Multicomputer parallel arrays, pipelines, and pyramids for pattern perception 85−46951
Uhr, L. Multiple-image and multimodal augmented pyramid computers 87−75910
Uhr, L. *see* Li, Z.-N. 87−62153
Uhr, R. *see* Allkofer, O.C. 86−5847
Uhran, J.J., Henry, E.W. PC instruments in an intermediate electrical engineering laboratory 88−24398
Uhran, J.J., Jr. Performance characteristics for a finite sample multidetector system 88−21287
Uhrberg, R.I.G. *see* Bringans, R.D. 88−43906
Uhrhammer, R.A. *see* Bolt, B.A. 88−61605
Uhrich, I. *see* Judge, A. 88−48350
Uhrig, B.G. *see* Kath, G.S. 87−4046
Uhrig, R.E. Use of probabilistic risk assessment (PRA) in expert systems to advise nuclear plant operators and managers 88−69111
Uhrig, R.E. Nuclear utilities put artificial intelligence to work 88−75271
Uhrig, R.E., Campbell, D.J., Dycus, F.M. Basis for setting technical specifications and limiting conditions of operation 87−30317
Uhrin, B. The measure of covering R^n by lattice translates of a set 88−63175
Uhrin, R., Belt, R.F. Growth of codoped garnet crystals 87−36689
Uhrin, R., Belt, R.F. Growth status of Nd,Cr:GSGG 87−44304
Ui, M. *see* Takano, T. 88−72646
Ui Wenyan *see* Wenyan Ui
Uijen, C.M.J.van *see* van Uijen, C.M.J.
Uijen, G.J.H., Heringa, A., van Dam, R.T. Data reduction of body surface potential maps 85−9217
Uijen, G.J.H., Heringa, A., van Oosterom, A. Data reduction of body surface potential maps by means of orthogonal expansions 85−15320

Uijen, G.J.H., Heringa, A., van Oosterom, A., van Dam, R.T. Infarction detection from QRS body surface potential maps or the standard ECG using several methods for feature extraction 85−53072
Uijen, G.J.H. *see* Herings, A. 86−5963
Uijttewaal, W. *see* Roovers, A.J.M. 88−68009
Uikov, M.N. *see* Afanas'ev, A.A. 87−9527
Uimin, A.A. *see* Donin, V.I. 86−29085
Uimin, M.A. *see* Ermakov, A.E. 88−64884
Uitert, L.G.Van *see* Van Uitert, L.G.
Uitto, J. *see* Abergel, R.P. 87−21656
Uitto, J. *see* Lask, G. 87−21657
Uitto, J. *see* White, R.A. 87−21658, 87−63819, 88−16775
Ujhazy, A.J. *see* Dyson, P.R. 86−12041
Ujhazy, G. Transformer is 100 years old. I 85−39052
Ujhazy, G. Transformer is 100 years old. II 85−39053
Ujhazy, G. Transformer is 100 years old. IV 85−44030
Ujhazy, G. Transformer is 100 years old. III 85−44032
Uji, H. *see* Akiyama, M. 85−30745, 86−68972, 87−13514
Uji, T. Recent wave forecast model 88−41772
Uji, T., Hayashi, J. High-power single-mode optical-fibre coupling to InGaAsP 1.3 μm mesa--structure surface-emitting LEDs 85−46288
Uji, T., Shikada, M., Fujita, S., Hayashi, J., Isoda, Y. 565 Mb/s-5 km and 140 Mb/s-25 km single-mode fiber transmission using 1.3 μm Mesa-structure surface-emitting LEDs 86−49697
Uji, T. *see* Fujita, S. 87−56132
Uji, T. *see* Iwamoto, K. 87−40913
Uji, T. *see* Ohshima, Y. 86−58844
Uji, T. *see* Suzuki, A. 86−29011
Ujihara, E., Sugiura, N., Sugiyama, R. Development of step-out prediction and detection method in power system 86−32832
Ujihara, J. *see* Ohgushi, K. 88−29076, 88−60497
Ujihara, K. On the noise-amplifier model of the laser 85−18825
Ujihara, K. Resonances and mirror confinement in a three-mirror phase-conjugate resonator 86−15776
Ujihara, K. Mean field theory of optical bistability in a phase-conjugate resonator using nearly degenerate four-wave mixing 86−22507
Ujihara, K., Meystre, P. On the finesse of a phase-conjugate Fabry-Perot resonator using nearly-degenerate four-wave mixing 85−29919
Ujihara, K. *see* Kobayashi, S. 87−46750
Ujihara, K. *see* Tomita, S. 88−34117
Ujihashi, T. *see* Kakuno, T. 88−15165
Ujihashi, Y. *see* Kira, H. 86−54900
Ujihira, M. *see* Amemiya, M. 88−23097
Ujihira, Y. *see* Nomura, K. 88−29307
Ujihira, Y. *see* Wakida, S. 88−74356
Ujiie, A. *see* Iwata, R. 88−4891
Ujiie, H. Fundamental study on transient stability and power system configuration 88−10749
Ujiie, H., Fujiwara, T. Secondary sources for the RF noise from automobiles 85−62807
Ujiie, H., Fujiwara, T. An approach to a radiation source model for the ignition noise of automobiles 85−62827
Ujiie, H., Fujiwara, T., Miyashita, T. A consideration on the measurement system of the complex dielectric constant 86−50202
Ujiie, H. *see* Fujiwara, T. 87−47148
Ujiie, H. *see* Hayasaka, T. 88−58931
Ujiie, H. *see* Nagasawa, Y. 88−40601
Ujiie, K. Outline of construction works of hotel 'Metropolitan' 86−65680
Ujiie, K. *see* Shimada, R. 85−5212
Ujiie, M. *see* Nakamura, O. 86−69351
Ujiie, M. *see* Ueda, S. 85−3039, 86−30296
Ujiie, M. *see* Yamashina, M. 85−3041
Ujiie, N., Ikeda, M., Inaba, S. Sum and buffer amplifier for lead-glass barrel calorimeter in the TOPAZ detector 88−68223
Ujiie, N. *see* Enomoto, R. 88−61123, 88−68217
Ujiie, N. *see* Kawabata, S. 88−61140
Ujiie, N. *see* Kuroda, S. 87−50134
Ujimoto, K.V., James, D.A. The adoption of information technology in academic settings 88−53055
Ujimoto, Y. *see* Sasada, I. 88−53886
Ujita, H., Sugisaki, T. Reliability engineering techniques for nuclear power plant system 88−17261
Ujita, H., Takaragi, K., Matsushima, H. Development of phased mission analysis method for large plants 86−51276
Ujita, K. *see* Imataki, M. 85−16155
Ujszaszi, J. *see* Kakas, K. 86−38938
Uk Khan Men *see* Khan Men Uk
Uk Lee Sang *see* Sang Uk Lee
Uk-Yeal Lee, Sang-Tae Kim Bus way technology for high power systems 85−15462
Uk-Youl Huh *see* Keun-Ho Ryoo 87−8077
Ukai, H., Tomimitsu, Y., Hirao, E., Kamikawara, T. Sound PCM decoder LSIs for Japanese DBS 85−36974
Ukai, H., Tominitsu, Y., Hirao, E., Kamikawa, T. Sound PCM decoder LSI's for Japanese DBS 85−37209
Ukai, H. *see* Ohashi, Y. 88−63804
Ukai, J.-I., Tanizawa, S., Hashimoto, T., Takahashi, A., Matsumoto, Y. One-chip LSI for FDD use 87−73482
Ukai, K. *see* Enomoto, R. 88−61123
Ukai, K. *see* Imanishi, A. 88−44135, 88−61124
Ukai, K. *see* Tsukada, T. 85−18256, 86−35581
Ukaji, N. *see* Uehara, K. 85−56576, 87−12419
Ukeiley, R.L. A system test facility for certification of a common family of VLSI devices 86−44146
Ukeiley, R.L. The WE321SB VME-bus single board computer 87−24248
Uken, E.-A. *see* Kuhn, S.H. 87−58427
Ukena, F. *see* Schmitz, G. 88−53608
Ukhalov, V.A. *see* Arzamastsev, D.A. 87−9098
Ukhanov, L.I. Programmable function generator for studying nonlinear two-terminal networks 86−44329
Ukhin, N.A. *see* Koba, B.V. 85−34471 to 34472, 86−14838
Ukhinov, S.A. *see* Dmitriyeva, O.A. 86−40273
Ukhlinov, G.A., Karimov, F.Ch., Markov, F.V., Reznikov, B.L. Thin-film anisotropic radiation sensors 86−31394
Ukhlinov, G.A., Lakhno, I.G. Effect of metal coatings on the thermoelectric properties of lead telluride films 86−27958
Ukhlinov, G.A., Lakhno, I.G., Terent'eva, L.M. Electrophysical properties of thin-film Cu/PbTe structures 86−27956
Ukhlinov, G.A., Zherebov, V.Yu. Optimizing the parameters of thermoelectric converters for measurement systems 85−47910
Ukhlinov, G.A. *see* Lebedev, Yu.P. 85−23402
Ukhod, E.I. *see* Bochkovskii, B.B. 86−32782
Ukigai, M., Morozumi, T., Miida, Y. A new digital variable delay device with hybrid microcircuit technique 88−56727
Ukigai, M. *see* Abe, T. 87−62662
Ukigai, M. *see* Iyoda, M. 87−62663
Ukigai, M. *see* Sugawara, K. 87−62664
Ukigaya, F., Ogawa, T. Program production [TV broadcasting techniques] 85−37188
Ukigaya, F., Shimada, T. Television broadcasting techniques: program productions 87−34709
Ukita, A. *see* Ueha, S. 88−13654
Ukita, H., Isomura, Y., Katagiri, Y. Dynamic readout performance and signal fluctuation suppression method for a micro-optical head 88−51432
Ukita, H., Katagiri, Y. Optical signal detection and a rate equation analysis of a laser diode in a short external cavity 87−61171
Ukita, H., Katagiri, Y., Uenishi, Y. Readout characteristics of micro-optical head operated in Bi-stable mode 88−45050
Ukita, H., Mise, K., Katagiri, Y. Simple measurement of the reflectivity of antireflection-coated laser diode facets 88−65453
Ukita, H. *see* Uenishi, Y. 88−51880
Ukita, H. *see* Yamamoto, M. 87−28825
Ukita, T., Nitta, T., Watanabe, S. Speaker independent connected speech recognition using the statistical word identifier 85−51568
Ukita, T., Nitta, T., Watanabe, S. A speaker independent recognition algorithm for connected words using a word boundary hypothesizer 87−19538
Ukita, T. *see* Tsuboi, H. 88−45977
Ukkonen, E. *see* Tarhio, J. 88−66511
Ukokovic, D. *see* Kostic, P. 88−57006
Ukolov, V.G. Logarithmic converter 88−63829
Ukon, M. *see* Yoshikawa, H. 85−32325
Ukovich, W. *see* Ramponi, G. 87−47813
Ukrainets, N.I., Gorobets, N.N. Resonance scattering of electromagnetic waves striking dielectric washers in a rigid coaxial line 86−22663
Ukrainskii, Yu.D. *see* Savostenko, P.I. 86−55612
Ukrainsky, O. *see* Vijan, M. 88−16324
Ukrainsky, O.V. *see* Jukoniya, V.E. 85−20306
Ukraintsev, V.A. *see* Ashmarin, I.I. 85−35893
Ukraintsev, Yu.S. *see* Belov, A.S. 86−35064
Ukraseev, M.A., Chikurov, N.G., Gaisin, Sh.M., Mikhailovskii, A.I., Yakovlev, V.A. A current transducer 88−5921
Ul Haq, F. Construction of thermionic alkali-ion sources 86−50290
Ula, A.H.M.S. Modelling and performance simulation of a large wind turbine generator 88−55256
Ula, A.H.M.S., Steadman, J.W., Wu, J.M. Design and demonstration of a microcomputer controller for an industrial sized DC motor 88−49182
Ula, A.H.M.S., Stephenson, J.M., Lawrenson, P.J. The effect of design parameters on the dynamic behavior of the superconducting alternators 88−48909
Ula, A.H.M.S., Stephenson, J.M., Lawrenson, P.J. Performance prediction and design modifications of superconducting generators using parameter sensitivity analysis results 88−48910
Ula, A.H.M.S., Wu, J.M., Steadman, J.W. Control of a DC motor with the help of a microprocessor 87−79005
Ula, A.H.M.S. *see* Bhusari, P. 87−78015
Ula, A.N. *see* Nouh, A. 88−59217
Ula, S. *see* Bhusari, P. 86−57134
Ula, S. *see* Hasan, A.R. 86−61125
Ula, S. *see* Rao, M. 86−59012
Ulaby, F. *see* Cimino, J.B. 88−10606
Ulaby, F.T., El-Rayes, M. Microwave dielectric spectrum of vegetation material 87−63996
Ulaby, F.T., El-Rayes, M.A. Microwave dielectric spectrum of vegetation. II. Dual-dispersion model 88−16941
Ulaby, F.T., Haddock, T.F., Austin, R.T. Fluctuation statistics of millimeter-wave scattering from distributed targets 88−61612
Ulaby, F.T., Haddock, T.F., Coluzzi, M.E. Millimeter-wave bistatic radar measurements of sand and gravel 88−5128
Ulaby, F.T., Haddock, T.F., East, J. Millimeter-wave network analyzer-based scatterometer 87−63932
Ulaby, F.T., Haddock, T.F., East, J.R., Whitt, M.W. A millimeterwave network analyzer based scatterometer 88−28938
Ulaby, F.T., Kouyate, F., Brisco, B., Williams, T.H.L. Textural information in SAR images 86−44764
Ulaby, F.T., Van Deventer, T.E., East, J.R., Haddock, T.F., Colluzi, M.E. Millimeter-wave bistatic scattering from ground and vegetation targets 88−61611
Ulaby, F.T. *see* Carver, K.R. 85−59453
Ulaby, F.T. *see* East, J. 88−10526
Ulaby, F.T. *see* El-Rayes, M.A. 88−16940
Ulaby, F.T. *see* Fujita, M. 86−56255
Ulaby, F.T. *see* Hallikainen, M. 85−64249 to 64250
Ulaby, F.T. *see* Hallikainen, M.T. 87−14483, 88−10573
Ulaby, F.T. *see* Pitts, D.E. 88−42634
Ulaby, F.T. *see* Senior, T.B.A. 88−22183
Ulaby, F.T. *see* Whitt, M.W. 88−5143
Ulacia, J.I. *see* Sibbett, K.H. 88−50746
Uladinov, A.B. *see* Machulka, G.A. 86−22587
Ulander, L. *see* Skriver, H. 87−49176
Ulander, L.M.H. Averaging of radar altimeter pulse returns with the interpolation tracker 87−63902
Ulanov, A.E. Nonlinear conversion of a sum of independent narrowband signals and interference 87−19687
Ulanov, A.E. Nonlinear methods of processing weak radio signals on a background of stationary non-Gaussian interference 87−19715
Ulanov, A.G., Shkabardnya, A.M., Shubladze, A.M. Design of control systems for parallel power plants 87−78529
Ulanov, A.G. *see* Toropov, A.E. 87−71553
Ulanov, A.M. *see* Makarov, S.B. 87−29149
Ul'anov, A.V. *see* Kondratenko, M.M. 88−40506
Ulanov, Ye.A. *see* Abramov, V.P. 87−68376, 88−20581
Ulanovskii, M.V. *see* Arbekov, V.I. 85−56766, 88−2342
Ulanovskii, M.V. *see* Konobeev, V.M. 87−61202
Ulasevich, A.F., Fursanov, M.I. The efficiency of estimating power losses in distribution networks by a method of statistical tests 88−75165
Ulasik, O.L. *see* Kravchov, V.A. 87−54709
Ulasik, O.L. *see* Kravtsov, V.A. 87−54706, 87−61499, 88−20836
Ulasyuk, V.N. *see* Degtyareva, V.P. 86−5075
Ulasyuk, V.N. *see* Katsap, V.N. 88−51817
Ulasyuk, V.N. *see* Kulakov, M.P. 85−12830
Ulbert, K. *see* Chudacek, I. 86−66868
Ulbikas, J. *see* Pozela, J. 88−39072
Ulbrich, C.W. A review of the differential reflectivity technique of measuring rainfall 87−15049
Ulbrich, D. *see* Ritter, W. 85−38497
Ulbrich, R. The application of fibre optics to measurements of two-phase gas-liquid flow 87−77249
Ulbrich, W., Noll, T.G. Design of dedicated MOS digital filters for high-speed applications 86−57972
Ulbrich, W., Pfleiderer, H.-J. Design of customized VLSI MOS circuits for digital signal processing 85−6373
Ulbrich, W., Pfleiderer, H.J. Design concepts for VLSI MOS integrated circuits for digital signal processing 85−50704
Ulbrich, W. *see* De Vos, L. 87−27464
Ulbrich, W. *see* Huber, A. 87−17265
Ulbrich, W. *see* Kunemund, R. 86−70089
Ulbrich, W. *see* Noll, T.G. 85−49965
Ulbrich, W. *see* Pandel, J. 85−49993, 86−62662
Ulbrich, W. *see* Stolzle, A. 86−62632
Ulbricht, A. The EURATOM-LCT coil 87−67938
Ulbricht, A. *see* Dittrich, H.-G. 85−1926
Ulbricht, A. *see* Forster, S. 85−46106
Ulbricht, A. *see* Friesinger, G. 88−65031
Ulbricht, A. *see* Herz, W. 85−35365, 85−41097, 85−56233, 87−67974
Ulbricht, A. *see* Lubell, M.S. 88−65028
Ulbricht, A. *see* Maurer, A. 86−53924
Ulbricht, A. *see* Tsuji, H. 86−2643
Ulbricht, A.R. *see* Haubenreich, P.N. 87−67987
Ulbricht, A.R. *see* Lubell, M.S. 88−13773
Ulbricht, A.R. *see* Luton, J.N. 87−74642
Ulbricht, A.R. *see* Shen, S.S. 87−67971, 88−65106
Ulbricht, H. Input keys for electronic devices of high reliability−workability and reliability 85−26371

Ulbricht, H. Rating the reliability of crimped connections 86−67562
Ulbricht, J. *see* Konig, V. 87−3844
Ulbricht, L. *see* Olshansky, R. 85−62457
Ulbricht, L.W., Fye, D.M., Teare, M.J., Lauer, R.B. Low operating current (LOC) LEDs and their applications to subscriber loop networks 88−47076
Ulbricht, L.W., Schlafer, J. A high-frequency laser package for microwave optical communications 87−49090
Ulbricht, L.W., Schlafer, J. Laser and photodetector packages for microwave optical transmission 88−24570
Ulbricht, L.W., Teare, M.J., Fye, D.M., Lauer, R.B. Subscriber loop transmission using low operating current light emitting diodes subjected to temperature extremes 88−15471
Ulbricht, L.W., Teare, M.J., Olshansky, R., Lauer, R.B. Loss-limited transmission at 140 Mbit/s over 30 km of single-model fibre using a 1.3 μm LED 86−4632
Ulbricht, L.W., Teare, M.J., Olshansky, R., Lauer, R.B. 140 Mb/s transmission over 30 km of single-mode fiber using an LED source 86−49677
Ulbricht, L.W. *see* Olshansky, R. 86−42458
Ulbricht, L.W. *see* Teare, M.J. 86−30801
Ulbricht, S. *see* Feudel, T. 88−13112
Ulbright, A. *see* Tsuji, H. 86−28754
Ulc, S., Sharma, S. A thermal absorber for high power density photon beams 86−60496
Ul'chenko, V.I. *see* Malyshkov, Yu.P. 85−6042
Uldry, M. *see* Costantini, F. 85−9038
Uldry, M. *see* Fischer, H.M. 87−21417
Ulehla, J. *see* Pultr, A. 86−7606
Uleinikov, A.Ya. *see* Belov, A.N. 86−25409
Ulema, M. *see* Carmichael, K.E. 87−28164
Ulenaers, M.J.E. *see* Josquin, W.J.M.J. 85−11986
Ulenikov, O.N. *see* Bykov, A.D. 87−68347
Ulerich, N.H. *see* Long, A.H. 88−24816
Ulery, C. *see* Serro, F. 88−22507
Ulery, K. *see* Ferro, F. 88−6923, 88−6930
Ulevatyi, B.E. *see* Voronin, N.I. 86−36137
Ulezko, D.N. *see* Yanushkevich, E.P. 86−5518
Ulfers, H.E. PACKSIM−a personal computer implementation of a packet switched network simulation model 87−40461
Ulfman, J.A. *see* ter Brake, H.J.M. 85−14765, 85−35355, 87−21021, 87−74574
Ulgen, Y. $1/f$ noise in carbon resistors excited by pulse waveforms 85−45250
Ulgut, F. *see* Ermis, M. 87−51128
Uliana, E.A. *see* Choy, L.W. 85−19125
Uliana, E.A. *see* Plant, W.J. 87−57325
Uliana, E.A. *see* Shuhy, J.L. 88−10562
Uliano, K.C., Kennedy, R.S. Simulator sickness: some measurement issues 87−71212
Uliarczyk, A. *see* Dolezal, Z. 87−22842
Ulibarri, A. Vandellos II: a reference plant 86−39356
Ulich, B.L. Overview of acquisition, tracking, and pointing system technologies 88−61593
Ulichney, R.A. Dithering with blue noise 88−34772
Ulicki, B. *see* Lee, V. 87−65988
Ulijasz, T. *see* Ohlhaber, R. 86−43827
Ulijasz, T.R., Ohlhaber, R.L. Field deployable fiber optic cables 88−28911
Ulijasz, T.R. *see* Ohlhaber, R.L. 85−37065
Ulin, V.P. *see* Alferov, Zh.I. 87−23661
Ulinskas, R.V. *see* Zukauskas, A.A. 86−39898
Ulitich, N.V. *see* Astakhov, Yu.N. 87−4281, 87−64142
Ulitko, A.F. Discharge of piezoceramic transducers with allowance for nonlinearity of the spark gap 85−12469
Ulitsky, A. *see* Houston, J.D. 86−65508
Ulivi, G. *see* Bellini, A. 85−27707, 85−32573, 86−6773, 86−7979, 86−45743, 86−66391, 87−22367, 88−17728, 88−69348
Ulivi, G. *see* De Luca, A. 88−43198
Ulivieri, C. Remote sensing of precipitable water by a thermal infrared multichannel approach 85−59469
Ulivieri, C., Cannizzaro, G. Land surface temperature retrievals from satellite measurements 86−25376
Ulivieri, C. *see* Cannizzaro, G. 87−4149
Ullah, I. Field intensity programme for micro computer 85−25695
Ullah, I. Computerisation of spare parts inventory in broadcasting 85−63783
Ullah, K. *see* Amaria, N.D. 88−62069
Ullal, H. *see* Schwartz, R.J. 86−7056
Ullal, H. *see* Zweibel, K. 88−37575
Ullal, H.S., Morel, D.L., Willett, D.R., Kanani, D., Taylor, P.C., Lee, C. Temperature effects and degradation mechanisms of p-i-n thin film Si:H solar cells 86−7054
Ullal, H.S. *see* Chu, T.L. 88−37594
Ullal, H.S. *see* Singh, R. 88−7413, 88−37568
Ullal, J. IC paves way for low cost Starlan 88−59577
Ullal, J.A. *see* Dorai, V.S. 88−17334
Ullaland, O. *see* Berggren, M. 85−9040
Ullaland, O. *see* Cattai, A. 85−43181, 85−43250
Ullate, L.Gomez *see* Gomez Ullate, L.
Ullinskey, G.M. *see* Ehrenfried, A.D. 86−24527
Ullman, A.Z. *see* Price, R.E. 85−27349
Ullman, E.A. *see* Munson, D.C., Jr. 87−28659
Ullman, J.D. *see* Karlin, A.R. 88−6723
Ullman, S. Inspection system requirements 85−34322
Ullman, S. *see* Spoerri, A. 87−62330
Ullman, S. *see* Waxman, A.M. 86−29989
Ullmann, H. Relationship between properties and applications of oxide ionic conductors 87−8595
Ullmann, H. *see* Buhling, D. 87−8594
Ullmann, J.E. Managerial and quality constraints in SDI 87−51795
Ullmann, K. Data communication standards: a user's point of view 87−40259
Ullmann, K. Deutches Forschungsnetz (DFN): strategic issues for the development and the operation of an OSI-network 87−48641
Ullmann, K. *see* Bauerfeld, W.L. 85−36526
Ulloa, G., Decotignie, J.D. Field bus: a real alternative for time critical networks 88−73644
Ulloa, J.A. *see* Houts, R.C. 88−24471, 88−44305
Ullom, K. SMT on circuit boards−barriers to implementation 85−34360
Ullrich, B., Zhang, C., Fronius, H., v. Klitzing, K. Photocurrent spectroscopy in a sawtooth doping superlattice 88−58339
Ullrich, C. *see* Schroeder, P.-M. 88−16749
Ullrich, D., Wittekopf, R. Optical roughness measurement on tooth flanks 88−16499
Ullrich, H., Brackelmann, W., Fritzsche, H., Wieder, A. A 100 ps 9K gate ECL masterslice 86−8188
Ullrich, H. *see* Brackelmann, W. 86−20438
Ullrich, H. *see* Cierjacks, S. 85−64470
Ullrich, J., Schmidt-Bocking, H., Kelbch, C. Determination of very small projectile scattering angles by measuring recoil-ion transverse velocities 88−54446
Ullrich, L. *see* Gallimberti, I. 88−39751
Ullrich, L.B., Pacis, A.F. Development of a survivable tire 88−61723
Ullrich, L.K., Horn, R. Computer aided design of a nondispersive magnetostatic wave delay line with electronic tunability 85−6244
Ullrich, R. Robots and lasers/robots versus lasers; an introduction 87−75282
Ullrich, W. *see* Wangelow, T. 88−70921
Ulm, G. *see* Kirchner, R. 85−37866
Ulm, G. *see* Kuehl, T. 87−71058
Ulm, G. *see* Tegeler, E. 88−47818
Ul'mams, L.Ya. *see* Andrianov, A.N. 85−10120
Ulman, R. *see* Amirhaghi, S. 87−64825
Ulmanis, L. *see* Valdamane, R. 86−66359
Ulmanis, L.Ya. *see* Valdmane, R.A. 85−21828
Ulmanis, U.A. *see* Bartashevich, Z.N. 87−60152
Ulmann, J. *see* Sulc, J. 88−30291
Ulmer, E.A., Jr. High accuracy Faraday rotation measurements 88−67853
Ulmer, H.G. *see* Dutty, W. 87−29457
Ulmer, J.M., Chedister, R.W., Fritts, D.H., Terzuoli, A.J., Jost, R.J., Kitchen, D.R., Bishop, W.S., Leonard, J.F. Study of bipolar nickel-cadmium batteries as pulsed load filters 87−15957
Ulmer, W. *see* Lehmann, U. 87−34411
Ulmi, R. *see* Boegli, U. 86−51749
Ulmi, R. *see* Schmuckli, B. 88−23443
Ulph, J.E. Time is right for this connector 87−45352
Ulpian, A. New tools foı design engineers 87−16779
Ulpian, A. Fear of ASICs? 88−637
Ulrich, A., Hammer, J.W., Biermayer, W. Lasers pumped by ion beams 88−45347
Ulrich, A. *see* Murnick, D.E. 85−62498
Ulrich, B. *see* Ryser, H. 87−13290
Ulrich, B. *see* Zimmer, C. 88−1272
Ulrich, D.R. *see* Brinker, C.J. *(editor)* 87−23017
Ulrich, D.R. *see* Jackson, K.A. *(editor)* 87−23022
Ulrich, E. Concurrent simulation at the switch, gate, and register levels 86−46764
Ulrich, E., Suetsugu, I. Techniques for logic and fault simulation 87−10759
Ulrich, E. *see* Gai, S. 87−37226, 88−12311
Ulrich, E.A. New hybrid power amplifier modules speed RF systems design 87−16907
Ulrich, F. Safety engineering considerations in the connection of functional extra low voltage circuits with safe separation to the protective conductor 85−10423
Ulrich, F. New possibilities by an electrical safety approval based on the dependability of safety-relevant elements 86−19798
Ulrich, F. An ISDN echo compensator for transmission technique and the localization of cable faults 87−40603
Ulrich, F. Subscriber loop testing in ISDN 87−62495
Ulrich, H., Wijnaendts-van-Resandt, R.W., Rensch, C., Ehrensperger, W. Direct writing laser lithography for production of microstructures 88−26120
Ulrich, J. *see* Edelmann, X. 86−32990
Ulrich, L. *see* Handlon, D. 87−14505
Ulrich, M. *see* Panzer, P. 87−21959
Ulrich, M. *see* Prome, M. 85−59017
Ulrich, M. *see* Stoger, H. 85−59800, 86−6363
Ulrich, P. *see* Hsu, A. 85−33604
Ulrich, R. Fibre optic position pickups as basic elements for sensors. I 85−42968
Ulrich, R. Fiber-optic sensors for industrial applications 87−8614
Ulrich, R. Theory of spectral encoding for fiber-optic sensors 88−10022
Ulrich, R. *see* Bosselmann, T. 86−5527
Ulrich, R. *see* Brinkmeyer, E. 86−29135
Ulrich, R. *see* Dabkiewicz, P. 86−68275
Ulrich, R. *see* Heismann, F. 85−2082, 86−9626
Ulrich, R. *see* Niemeier, Th. 87−18667
Ulrich, R. *see* Noda, J. 85−7229
Ulrich, R. *see* Russell, P.St.J. 85−46172
Ulrich, R. *see* Xie, H.M. 86−48136
Ulrich, R. *see* Zurn, M. 87−54285, 88−58084
Ulrich, R. *see* Nolting, H.-P. *(editor)* 86−7384
Ulrich, R.F. *see* Brenner, R.P. 87−50330
Ulrich, R.R. *see* Messick, G.C. 88−26906
Ulrich, T., Gerken, K. Photovoltaic power systems: a user's guide to reliability in sizing and design 87−4629
Ulrichs, C., Immendorfer, M. Acoustic dialling aid. Speech-controlled 'Commander' of SEL−it listens to the spoken word 87−13486
Ulrichson, D.L. International study program for students in engineering 85−32993
Ulrici, W. *see* Pastrnak, J. 88−14011
Ulrickson, M. *see* Medley, S.S. 86−5098
Ulriksen, P., Svensson, C. Geological feature enhancement in SAR imagery 87−49152
Ulriksson, B. Conversion of frequency-domain data to the time domain 86−34276
Ulrych, B. *see* Ibler, Z. 88−30293
Ulrych, B. *see* Mayer, D. 85−17886, 87−66574, 88−6139
Ulrych, T.J., Matsuoka, T. The output of predictive deconvolution 88−14661
Ulrych, T.J. *see* Matsuoka, T. 85−15414, 86−68946, 87−33674
Ulsamer, L. Aerial rotators and their installation 85−13415
Ulsamer, L. Prospects for personal antennas 85−57122
Ulsamer, L. Local networks based on optical links 86−43554
Ulsamer, L. New local and regional radio stations 87−3267
Ulsamer, L. Light effect: optical transmission systems for machine applications 87−34553
Ulset, T. Cordless telephones 85−52112
Ulstrup, L. *see* Boehmer, H. 87−2046
Ultee, J. *see* Hovens, P.J.M. 86−11259
Ultman, J.S., Berman, S., Kirlin, P., Vreslovic, J.M., Baer, C.B., Marks, K.H. Electrically heated simulator for relative evaluation of alternative infant incubator environments 88−68451
Ulug, M.E. A fiber optic contention bus with bounded delays 86−23462
Ulug, M.E. A preemptive contention system for a multimedia LAN 86−30396
Ulug, M.E. Analysis of the preemptive contention LAN 86−49065
Ulug, M.E. A fiber optic contention bus with implicit token passing 87−28619
Ulug, M.E. A real-time AI system for military communications 87−48451
Ulug, M.E. VLSI knowledge representation using predicate logic and cubical algebra 87−53667
Ulug, M.E. Delay analysis for the multi-priority traffic of an explicit token-passing bus 87−55769
Ulug, M.E. A quantitative model-based expert system for LAN development 88−67039
Ulug, M.E., Shapiro, N.R. Simulation of a token passing bus using a static logical ring 86−23530
Ulupinar, F., Medioni, G. Estimation and accurate localization of edges 88−3287
Ulupinar, F., Medioni, G. Refining edges detected by a LoG operator 88−73309
Ulvestad, J.S. *see* Levy, G.S. 87−28712
Ulyakin, Yu.V. *see* Golubev, V.P. 88−57278
Ul'yanov, A.A. *see* Abashev, Yu.G. 87−29230
Ul'yanov, A.A. *see* Belyaev, A.A. 85−48048
Ul'yanov, A.I., Korobeinikova, V.S., Sterkhov, G.V., Sidorov, N.A. Effect of porosity in the reliability of magnetic quality control of the heat treatment of sintered steels 88−38264
Ul'yanov, A.I. *see* Gorkunov, E.S. 87−44436
Ul'yanov, A.M. *see* Asinovskii, E.I. 86−865
Ul'yanov, A.S. *see* Gumirov, R.Z. 86−44265
Ul'yanov, B.V. Method for increasing the contrast in controlled transparencies made from lanthanum-doped lead zirconate-titanate 87−18570
Ul'yanov, G.N. *see* Minichev, B.M. 88−43530
Ul'yanov, K.N., Tskhay, A.B. High-perveance gas-filled spherical electron-optical systems 88−38958
Ul'yanov, K.N. *see* Gordin, V.A. 85−11868
Ul'yanov, K.N. *see* Korneev, V.V. 85−56012
Ul'yanov, K.N. *see* Londer, Ya.I. 86−22621
Ul'yanov, K.S. *see* Ul'yanov, S.N. 87−24316
Ulyanov, K.V. *see* Korneev, V.V. 85−56011
Ul'yanov, S.L. *see* Rusakov, S.G. 87−52296
Ul'yanov, S.N., Ul'yanov, K.S. Building active narrow-band RC-filters based on third-order component units 87−24316
Ul'yanov, V.A. *see* Blistanov, A.A. 85−46448
Ul'yanov, V.I. *see* Averkin, A.V. 85−26274
Ul'yanov, V.I. *see* Grammakov, A.G. 87−65958

Ul'yanov, V.V. *see* Vainer, A.Ya. 85−50356
Ul'yanov, Yu.N. *see* Babkin, S.I. 85−64747, 86−23939, 88−23183
Ulyanov, Yu.N. *see* Derbenev, Ya.S. 85−26619
Ul'Yanova, T.P. *see* Bondarenko, E.G. 86−67522
Ulyashinskii, V.A. *see* Boyarskii, V.M. 88−11120
Ulyatskas, V. *see* Kal'tman, I.I. 87−77893
Ulybin, S.A., Filin, Yu.V., Dudenkov, V.D. Experimental investigation of the emissive power of an enamel coating of AK-512 black and AK-512 white on an aluminium substrate at 80-300 K 87−63471
Um, G.S. *see* Shi, N.K. 87−13017
Umahara, Y. *see* Kraan, W.H. 88−57968
Umakantha, N. Energy transfer in organic scintillators 85−20847
Umakantham, K., Narayana Murty, S., Bhanumathi, A. Dielectric properties of modified PbTiO$_3$ ceramics 87−53801
Uman, M.A. *see* Master, M.J. 85−9516 to 9517, 86−64015
Uman, M.A. *see* Thomson, E.M. 88−74239
Uman, M.A. *see* Vance, E.F. 88−40592
Uman, S.D. *see* Dobrov, V.A. 87−65913
Umana, G.M. *see* Mildrum, H.F. 88−57990
Umans, S. *see* Dandeno, P.L. 86−56735
Umanskaya, L.G., Filippov, A.N. Means of improving operational reliability of thermal power station valves 87−22140
Umanskii, E.S., Shidlovskii, N.S., Stezhko, L.K. Effects of vibration and temperature on the carrying capacity of a magnetic tape reel 88−1875
Umanskii, E.S., Shidlovskii, N.S., Stezhkov, L.L. The carrying capacity of a magnetic tape reel under vibrational loading 88−1874
Umanskii, M.S., Prokhorov, A.N., Lur'e, M.I., Pentegov, I.V., Stemkovskii, E.P. Calculating a magnetic circuit for preventing shunting of the welding current in a machine for resistance welding aluminium alloy rims 86−66516
Umanskii, S.I., Tolstonog, V.Ya Determining economic saving from introduction of electricity consumption norms 88−48496
Umanskii, V.E. *see* Bessolov, V.N. 85−18153
Umanskii, V.E. *see* Konnikov, S.G. 88−71489
Umanskiy, M.S. *see* Troitskiy, I.N. 88−41091
Umar, A. Balancing theory and practice in a course on networks and distributed systems 88−43637
Umarov, A.G. *see* Umarov, G.Ya. 85−43895, 86−12740
Umarov, B.V., Tashmirsaev, M.A. The possibility of creating β-rhombohedral boron-based semiconductor devices 86−53320
Umarov, G.Ya., Fattakhov, A.A., Umarov, A.G., Khatamov, P. Heat losses of various forms of solar-radiation collectors for solar thermal and electrical power stations 85−43895
Umarov, G.Ya., Nesterenko, V.B., Spivak, S.I., Bubnov, V.P., Umarov, A.G. Prospects for the use of chemically reactive working media in solar power 86−12740
Umarov, G.Ya. *see* Alimov, A.K. 86−25959
Umarov, S.Kh. *see* Guseinov, G.D. 86−1753, 86−1756, 86−21182
Umashankar, K., Taflove, A., Rao, S.M. Electromagnetic scattering by arbitrary shaped three-dimensional homogeneous lossy dielectric objects 86−63941
Umashankar, K. *see* Taflove, A. 85−57012
Umashankar, K.R., Taflove, A., Beker, B. Calculation and experimental validation of induced currents are coupled wires in an arbitrary shaped cavity 88−27536
Umashankar, K.R. *see* Kriegsmann, G.A. 87−39345
Umashankar, K.R. *see* Taflove, A. 85−52391, 88−2527, 88−45612
Umayahara, T. *see* Namatame, A. 88−49439
Umbach, C.P., Broers, A.N., Willson, C.G., Koch, R., Laibowitz, R.B. Nanolithography with an acid catalyzed resist 88−39310
Umbach, C.P. *see* Koch, R.H. 87−59010, 87−60847
Umbach, C.P. *see* Laibowitz, R.B. 85−50880
Umbach, F.W. The perception resolution of two dots on a CRT for positive and negative contrast 86−31548
Umbach, F.W. Systematic design of socio-technical systems 87−31273
Umbarger, C.J. *see* Wolf, M.A. 85−48359
Umbarger, C.J. *see* Worth, G.M. 85−48357
Umbaugh, L.D. General techniques for communications protocol validation revisited 87−20265
Umbra, J., Correll, T. Gradual growth helps ease technological growing pains [optical fibre implementation] 87−49116
Umbrasas, A. *see* Danelyus, R. 87−46974
Umbrasas, A. *see* Piskarskas, A. 85−46355, 86−48494, 87−19036
Umeagukwu, C.I., Peters, W.H., III, Dickerson, J.R. Microprocessor-based data-acquisition system 88−22487
Umeagukwu, C.I., Peters, W.H., Dickerson, J.R., Ranson, W.F. Automated ultrasonic measuring system 87−50597
Umebachi, S. *see* Miyano, M. 86−58480
Umebayashi, S. *see* Matsuura, S. 85−43200
Umebu, I. *see* Ikeda, M. 86−9846
Umebu, I. *see* Komiya, S. 85−35610, 86−2941, 86−28976
Umebu, I. *see* Takanohashi, T. 85−23510
Umebu, I. *see* Ueda, O. 85−23633
Umebu, I. *see* Ushijima, I. 85−22506
Umeda, A., Hida, N. Localization and size estimation of cylindrical flaws 85−6087
Umeda, A., Nikoonahad, M., Ash, E.A. A new sub-surface imaging technique using scanning acoustic microscopy 87−369
Umeda, A. *see* Ji Yoon Yoo 87−15796
Umeda, H. Phase regeneration characteristic of a three-mode oscillator with second and third harmonic resonators 86−68964
Umeda, H. Phase regeneration characteristic of a three-mode oscillator with second and third harmonic resonators 88−12242
Umeda, H., Hashimoto, Y., Shiraga, Y. Noise factor and FSK injection-locking of double-mode oscillator with third harmonic resonator 86−27135
Umeda, H., Hayashi, H., Kitagawa, N., Shiraga, Y. Injection locking of a double-mode oscillator with fundamental and third harmonic resonators 86−67072
Umeda, H., Hayashi, H., Kitagawa, N., Siraga, Y. Injection locking of a dual-mode oscillator with fundamental and third harmonic resonators 85−61152
Umeda, H., Kusuda, N., Takahashi, K., Shiraga, Y. A graphical approach to the power gain of the power FET amplifier under large-signal conditions 86−27113
Umeda, H., Nakajima, M. Analysis of an FET amplifier using power-dependent *S*-parameters 88−63892
Umeda, H., Nakano, T., Shiraga, Y. FSK-ASK transfer characteristics of the double-mode oscillator with third harmonic oscillation 87−31760
Umeda, H., Sakuta, J. FM detection and phase noise reduction characteristics of FM receiver using an injection-locked double-mode oscillator 88−21923
Umeda, H., Takahashi, K. AM-to-PM conversion in GaAs FET amplifier 87−66565
Umeda, H., Takahashi, K., Shiraga, Y. Maximum available power gain of microwave-transistor amplifier under the large-signal operation 87−59863
Umeda, H., Takahashi, K., Shiraga, Y. Maximum available power gain of microwave-transistor amplifier under large-signal operation 88−44348
Umeda, H., Takegoshi, Y. Detection of frequency modulated signal in Gaussian noise 87−75839
Umeda, H. *see* Jinguji, M. 87−76043
Umeda, J. *see* Ikegaki, T. 86−7004
Umeda, K., Kawashimo, Y., Nakasone, M., Harada, S., Tasaki, A. Iron-nitride thin films prepared by arc-discharge-type ion-plating 85−22517
Umeda, K., Kita, E., Tasaki, A. Magnetic properties of iron nitride thin films with high corrosion resistance 88−13664
Umeda, K. *see* Igura, Y. 88−19976
Umeda, K. *see* Kumai, W. 87−78143
Umeda, K. *see* Takahashi, S. 88−51231
Umeda, M. Conceptual design of 40 TJ class toroidal superconducting energy storage plant 87−67923
Umeda, M. Calculation of electro-magnetic force on a solenoidal magnet 87−75334
Umeda, M., Hirasawa, T., Watanabe, M. Distortion of the field distribution of a magnet using tape superconductors 87−74609
Umeda, M., Kimura, Y. Frictional motion of conductors of a pancake-type superconducting magnet 88−65026
Umeda, M., Kumura, Y. Conceptual design on toroidal superconducting magnet energy storage. II 87−67924
Umeda, M., Meguro, S. Construction of a multi-font printed Chinese character reader 85−36335
Umeda, M., Watanabe, M., Kimura, Y. Stability design of high current density superconducting magnet using 3 kA class Nb$_3$Sn superconductors 87−67918
Umeda, M., Watanabe, M., Kimura, Y. 40 cm, MJ class superconducting magnet using Nb$_3$Sn superconductors 87−67919
Umeda, M., Watanabe, M., Kimura, Y. A study on conductor motions in a superconducting magnet 87−67920
Umeda, M., Watanabe, M., Kimura, Y. Development of aluminum stabilised 10 kA class cryostable Nb$_3$Sn superconductors 87−67921
Umeda, M., Watanabe, M., Kimura, Y. Large high field test facility at ETL 87−67922
Umeda, M., Watanabe, M., Kimura, Y., Kawashima, M., Nagata, M., Isozima, S. 40 cm bore Nb$_3$Sn superconducting magnet made of 3KA conductor by using liquid-solid diffusion method 85−41093
Umeda, M. *see* Kawamura, K. 87−6223
Umeda, M. *see* Murase, H. 85−36339
Umeda, M. *see* Nagata, M. 85−56244
Umeda, M. *see* Nakagawa, Y. 87−74546
Umeda, M. *see* Shinya, M. 85−36337, 85−57511
Umeda, M. *see* Wakahara, T. 85−14656, 85−36338, 85−37681
Umeda, N. Observation of elliptical motion in the torsion coupler of ultrasonic motor using optical heterodyne interferometer 88−10613
Umeda, N., Ogata, T., Yamaguchi, T. Distance measurement using two-mode Zeeman laser 87−14523
Umeda, N., Takahashi, H. High optical power and infrared multi-wavelength stabilized transverse Zeeman laser 86−29036
Umeda, T. High speed printing head with ferroelectric liquid crystal light shutter array 87−38632
Umeda, T., Cho, Y. High-speed photodetectors using the GaAs MESFET 85−51053
Umeda, T., Cho, Y. Effect of incident light illumination shape on responsivity of GaAs MESFET photodetector 85−52773
Umeda, T., Cho, Y. Narrow gate width GaAs MESFET high-speed photodetector 86−31446
Umeda, T., Cho, Y. High-speed photodetectors using GaAs MESFET 87−56691
Umeda, T., Cho, Y. I-V characteristics of photodetector using the GaAs MESFET 87−68277
Umeda, T., Cho, Y. Examination of picosecond GaAs HEMT photodetector 88−36005
Umeda, T., Cho, Y., Shibatomi, A. Picosecond HEMT photodetector 87−21086
Umeda, T., Hori, Y., Mukoh, A. Print head with ferroelectric liquid crystal light-shutter array 86−28916
Umeda, T., Hori, Y., Mukoh, A. Print head with ferroelectric liquid-crystal light-shutter array 86−68346
Umeda, T., Nagata, T., Mukoh, A., Hori, Y. A multiplexed ferroelectric liquid-crystal light shutter array using an AC field-stabilization method 88−13950
Umeda, T., Nakano, F., Hori, Y., Matsuyama, S., Sasaki, K. A liquid-crystal display panel using polarizers as panel substrates 87−49849
Umeda, T., Ozeki, K. Suppression of howling between microphones and monitoring loudspeakers—an application of the adaptive filter 86−44047
Umeda, T. *see* Cho, Y. 86−68544
Umeda, T. *see* Miura, T. 85−36365
Umeda, T. *see* Morita, Y. 88−51192
Umeda, T. *see* Nishio, M. 85−5583, 86−26452
Umeda, T. *see* Ohke, S. 86−22155
Umeda, T. *see* Ozeki, K. 85−19421, 85−30271
Umeda, Y., Morikura, M., Umehira, M., Kato, S. A frequency-storage-type AFC circuit for burst demodulator 87−23998
Umeda, Y., Saito, T., Enomoto, K., Inoue, T. QPSK bit error rate performance of 30 GHz HPA operating in burst mode 87−66515
Umeda, Y. *see* Fujino, T. 85−13462, 85−19351, 86−68960
Umeda, Y. *see* Irie, K. 86−30711
Umeda, Y. *see* Miyake, M. 85−42345, 86−22922, 87−48756
Umeda, Y. *see* Nakanishi, M. 87−13647
Umeda, Y. *see* Sunada, K. 88−53408
Umegaki, S. Organic nonlinear optical materials 86−3308
Umegaki, S. *see* Morita, R. 88−65853 to 65854
Umehara, H., Tashiro, O., Himejima, K. Rotary drum assembly for HiFi VHS VTRs 85−14485
Umehara, K. *see* Mitobe, S. 85−7669
Umehara, M. New expansion valve controlled by microcomputer and refrigeration cycles 85−27821
Umehara, M., Nashima, Y., Ueda, K. Multi-unit packaged air-conditioners 87−5100
Umehara, M. *see* Oba, H. 86−42212, 87−25907
Umehara, T. Four polarization filter for frequency reuse 86−41312
Umehara, T. Four polarizations filter for frequency reuse 87−73600
Umehara, T., Inomata, H. SIR-B experiments in Japan: status of SIR-B data collection over Japan 88−53363
Umehara, T. *see* Kozu, T. 88−4113
Umehara, T. *see* Okabe, Y. 87−37521
Umehara, Y. *see* Tsuya, N. 88−57967
Umehara, Y. *see* Tsuya, T. 88−44981
Umehira, M., Kato, S. Digital controlled tracking filter for on-board burst demodulator 86−8387
Umehira, M., Kato, S. Low E_b/N_0 offset QPSK burst demodulator using reverse modulation scheme 88−2935
Umehira, M., Kikuchi, H., Konaka, S., Kato, S. High-speed and precise monolithic multiplier with radiation hardness using silicon bipolar SST 86−58003
Umehira, M., Kubota, S., Enomoto, K., Kato, S. Compact LSI- and MIC-implemented burst modem for low Eb/No operation 88−46978
Umehira, M. *see* Ikegami, F. 85−7638
Umehira, M. *see* Kato, S. 87−28513, 87−34259, 87−34470, 87−48984
Umehira, M. *see* Kikuch, K. 86−1357
Umehira, M. *see* Kikuchi, H. 87−73741, 88−25062
Umehira, M. *see* Umeda, Y. 87−23998
Umek, A. *see* Tomazic, S. 88−3701
Umeki, K. *see* Odagiri, Y. 88−41664

Umeki, T., Nakagawa, H., Aikawa, M., Yamada, A., Ono, T. The M31600M2-XXXFP: an original high-performance CMOS 16-bit single-chip microcontroller 88–38563
Umeki, T., Saito, Y., Nakagawa, H., Enomoto, T. A prototype microcontroller design by symbolic layout approach 86–46479
Umeki, T., Tsuchihashi, K. Single-chip microcontrollers 86–46880
Umeki, T. *see* Terai, M. 87–59084
Umeki, Y. *see* Misawa, H. 87–31819
Umemiya, H. *see* Sawase, K. 87–43477
Umemori, N. *see* Tsujino, J. 88–10652
Umemori, T., Matsuoka, K. New guided ground transportation systems driven by DC linear motor 86–66439
Umemoto, E., Hayashi, Y. Remote maintenance and management system for wide area network system 85–30566
Umemoto, E., Ito, M., Muto, Y. Communications control systems for the Advanced Communications Processing Control Package 88–41346
Umemoto, E., Ito, M., Takatsuka, H. Communication control systems for advanced communication processing control package 88–21474
Umemoto, E. *see* Nishidawa, S. 86–4147
Umemoto, K. *see* Yoshida, H. 87–35880
Umemoto, M., Eto, Y., Sawamura, H., Katayama, H. Recording channel electronics for HDTV digital VTR 88–53457
Umemoto, M., Eto, Y., Takeshita, K., Ohwada, N. An experimental 648 Mbit/s HDTV digital VTR 88–29118
Umemoto, M., Mita, S., Eto, Y. High data rate recording for a high definition digital VTR 86–38107
Umemoto, M., Mita, S., Eto, Y. Experiments of digital recording for high definition television signals 87–49347
Umemoto, M. *see* Eto, Y. 86–44036, 87–56403
Umemoto, M. *see* Mita, S. 86–11301
Umemoto, M. *see* Shibaya, H. 86–38050
Umemoto, R. *see* Kinoshita, M. 88–9301
Umemoto, T. Induction heating stress improvement—an IGSCC remedy [BWR maintenance] 85–21354
Umemoto, T., Akanuma, T., Miura, T. Mercury-wetted contact relay 87–66633
Umemoto, T., Hasegawa, T., Hiruta, T., Sakuyama, M., Nitta, T., Umezawa, S. Development of diver's watch with electronic depth meter, 'Citizen Depth Meter' 87–63532
Umemoto, T., Matsushita, A., Tanaka, A. Application of induction heating stress improvement to the joint between the recirculation inlet nozzle and the safe-end weld 86–19032
Umemoto, T. *see* Mayumi, S. 88–1565
Umemoto, T. *see* Murakami, T. 86–44647
Umemoto, T. *see* Nagao, A. 85–8246
Umemoto, Y., Masuda, N., Mitsusada, K. Effects of buried p-layer on alpha-particle immunity of MESFETs fabricated on semi-insulating GaAs substrates 86–63296
Umemoto, Y., Masuda, N., Shigeta, J., Mitsusada, K. Improvement of alpha-particle-induced soft-error immunity in a GaAs SRAM by a buried p-layer 88–38520
Umemoto, Y., Matsunaga, N., Mitsusada, K. Alpha-particle-induced soft-error mechanism in semi-insulating GaAs substrate 88–57825
Umemoto, Y., Takahashi, S., Ono, Y., Hashimoto, N. GaAs FET with a degenerate semiconductor gate 86–47602
Umemoto, Y. *see* Matsunaga, N. 88–20167
Umemura, A. *see* Tomita, E. 88–59861
Umemura, E., Onoda, H., Madokoro, S. High reliable Al-Si alloy/Si contacts by rapid thermal sintering 88–50760
Umemura, F. *see* Kimura, A. 85–55237
Umemura, H., Aoki, K., Sugawara, S. Comfort control by a new variable-capacity room air conditioner 88–6040
Umemura, H. *see* Togashi, K. 85–5534
Umemura, K. Rules on information exchange through computers—USENET 88–15091
Umemura, K., Ishitani, T., Tamura, H. Boron and phosphorus ion emissions from a Cu-P-Pt-B liquid metal ion source 87–25082
Umemura, K. *see* Ishitani, T. 85–9030, 85–31683, 85–37885, 88–16615
Umemura, K. *see* Kawanami, Y. 88–14353
Umemura, K. *see* Shukuri, S. 87–74151
Umemura, M. *see* Fujino, T. 85–49602
Umemura, S., Aoki, T., Morohoshi, S. Contact replacement for wire-spring relays 87–1030
Umemura, S., Cain, C.A., Katakura, K. Acoustic field synthesis by sector-vortex array for tumor treatment 87–71165
Umemura, S., Katakura, K. Theoretical analysis of grating lobe intensity 87–71413
Umemura, S., Yasuda, K.-i., Aoki, T. Contact resistance characteristics of noble metal alloys for connector contacts 88–12699
Umemura, S. *see* Awata, Y. 87–8549
Umemura, S. *see* Cain, C.A. 87–4029, 88–61441
Umemura, S. *see* Ogawa, T. 88–60992
Umemura, S. *see* Yasuda, K. 87–37646
Umemura, S. *see* Yasuda, K.I. 88–19469
Umemura, S.-I., Cain, C.A. Evaluation of a prototype sector-vortex array applicator 88–61678
Umemura, S.-I. *see* Cain, C.A. 86–60743
Umemura, S.-I. *see* Ibbini, M. 88–61677
Umemura, T., Abe, K., Akiyama, K., Couderc, D. Thermal-aging behavior of BO-PP films 88–26607
Umemura, T., Abe, K., Akiyama, K., Tanaka, Y. All-film power capacitor with folded electrode foil 87–36089
Umemura, T., Akiyama, K. Accelerated-life testing of power capacitor dielectric systems 87–72355
Umemura, Y. *see* Okita, Y. 88–64751
Umena, L. *see* Canali, C. 85–55809, 86–41803, 86–53442, 87–38283, 87–45928, 88–7046
Umeno, H. *see* Sakai, S. 87–68502
Umeno, M., Hirose, N., Koike, M., Taketomi, K., Itou, Y., Sugino, T. Development of underground radar 88–9636
Umeno, M., Sakai, S., Takahashi, Y. Ellipsometric analysis of transition region in GaAlAs/GaAs heterostructures grown by MOCVD 87–301
Umeno, M., Soga, T. Heteroepitaxy of III-V compound semiconductors on Si substrates 87–36762
Umeno, M., Soga, T. Crystal growth of GaAs on Si substrate and its application to optical devices 88–8080
Umeno, M. *see* Fujii, S. 86–3164, 86–34326, 86–68550, 87–31532, 88–43884
Umeno, M. *see* Naitoh, M. 88–412
Umeno, M. *see* Sakai, S. 85–46277, 86–9686, 86–9857, 86–36459, 86–54164, 87–5454, 87–16613, 87–33192, 87–44394, 87–68503, 88–446
Umeno, M. *see* Shao, C.-L. 85–37625
Umeno, M. *see* Shima, A. 85–41285
Umeno, M. *see* Shiraishi, H. 87–39118, 87–68519
Umeno, M. *see* Soga, T. 85–6005, 85–10694, 85–50239, 87–10426, 87–16675, 87–44385, 87–52191, 88–38192, 88–49884
Umeno, M. *see* Sugino, T. 87–77373
Umeno, M. *see* Takahashi, Y. 85–10697
Umeno, M. *see* Takeyasu, M. 86–52521, 87–12326
Umeno, M. *see* Xiongwei Hu 88–40218
Umeo, H. A class of SIMD algorithms implemented on systolic VLSI arrays 85–28500
Umeo, H. A two-dimensional generalization of Mukhopadhyay's parallel string matching algorithm 86–3993
Umeo, H. A class of SIMD machines simulated by systolic VLSI arrays 86–21726
Umeo, Y. Collecting solar energy—the principle of the solar cell and its prospects towards 21st century 87–58314
Umeoka, N. *see* Ogishi, K. 88–6003
Umesaki, K., Miyao, H. Optical measuring devices 86–28781
Umesaki, K. *see* Honda, K. 87–53946
Umesaki, K. *see* Kuroda, K. 87–56725
Umesaki, K. *see* Nishida, Y. 87–56711
Umesaki, K. *see* Tamura, Y. 85–26237, 86–31278
Umesaki, M. *see* Suzuki, S. 86–58696
Umesaki, M. *see* Tsutsumi, K. 87–18480, 87–60806
Umesaki, N. Thermal power plants 88–5524
Umesh, G., Gomes, A.L.F. Various methods of assessment of thermal capability of enamelled wire and their inter-relation 88–55304
Umesh, R.M. A technique for cluster formation 88–59259
Umesh Rao, N. The General Motors GF6C electric locomotive 86–71093
Umetani, K. *see* Takahashi, T. 85–37473
Umetani, Y. *see* Yamamoto, F. 86–57568, 87–36886
Umeton, C., Bartolino, R., Cipparrone, G., Simoni, F. Liquid crystal laser tuner 88–27234
Umetsu, I. *see* Asano, K. 88–27415
Umetsu, T., Enomoto, T., Nakashima, H., Aoki, E., Nishimura, Y., Kawasoe, T., Harada, O. Submarine fiber optic transmission system 87–40907
Umeyama, S. Metrics for comparing structural descriptions 87–5327
Umeyama, S. Weighted graph matching algorithms using eigen-decomposition approach 88–11874
Umeyama, S. *see* Hospital, M. 87–62391
Umeyama, T., Fukuyama, M., Agari, M. An audio-signal processing IC system for Hi-Fi VCRs 86–38083
Umeyama, T. *see* Ito, J. 85–17573
Umezaki, E., Tamaki, T., Takahashi, S. Automatic stress analysis from photoelastic fringes due to image processing using a personal computer 85–30322
Umezaki, E. *see* Tamaki, T. 85–53030
Umezaki, H., Koyama, N., Maruyama, Y., Sugita, Y., Suzuki, R. Deep-UV contact lithography using a trilevel resist system for magnetic bubble devices with submicron minimum feature 86–22035
Umezaki, H., Koyama, N., Suzuki, R., Sugita, Y. Fabrication process for ion-implanted and Permalloy hybrid magnetic bubble memory devices 88–71958
Umezaki, H. *see* Kodama, N. 85–24206
Umezaki, H. *see* Koyama, N. 86–68179
Umezaki, H. *see* Kudo, T. 88–13200
Umezaki, H. *see* Okamoto, H. 86–67781
Umezaki, H. *see* Sugita, Y. 86–68178
Umezaki, H. *see* Suzuki, R. 85–46019
Umezaki, T., Itakura, F. Analysis of time fluctuating characteristics of linear predictive coefficients 87–19570
Umezaki, T. *see* Itakura, F. 87–61727
Umezaki, T. *see* Nakagawa, S. 85–63022
Umezawa, S. *see* Umemoto, T. 87–63532
Umezawa, T. Drainage pump operation control by ultrasonic waves 86–65576
Umezawa, T., Matsuyama, K., Sakaguchi, N., Takasugi, Y. Fundamental studies on semiconductor-liquid junction solar cells. II. Electrical properties of the n-Si-electrolyte-Pt system (photoelectric-chemical cell) 86–61743
Umezawa, T. *see* Dobashi, T. 87–59922, 88–44387
Umezawa, T. *see* Noya, A. 85–23166, 86–67603, 87–52901, 88–50752
Umezawa, Y. Ion-selective electrodes 87–77220
Umezawa, Y. *see* Mizutani, M. 85–25615
Umezo, Y. *see* Mori, K. 87–36132
Umezu, J. *see* Nakagiri, K. 88–16400
Umezu, J. *see* Nakgiri, K. 87–14444
Umezu, J. *see* Urabe, S. 86–22618
Umezu, M. *see* Nakamura, T. 86–50530
Umezu, M. *see* Takatani, S. 88–54638
Umezu, N., Nakazato, S., Shirasaka, S., Nonaka, S. Characteristics of double-sided linear induction motor with laterally asymmetric secondary conductor 86–45397
Umezu, T. *see* Nomura, Y. 86–38549
Umezu, Y. *see* Nishitani, H. 87–29745
Umhauer, H. *see* Baumgartner, H. 86–54268
Umida, H., Ohara, M. A digital observer for impact drop compensation 88–49194
Umida, H., Sato, N., Hayashi, Y. Induction generator connected to a utility network through DC-link converters 86–26036
Umida, H., Sato, N., Hayashi, Y. Induction generator running in parallel to utility power network requiring no supply of reactive power 86–26037
Umilin, V.A. *see* Zorin, A.D. 87–71022
Umimoto, H., Odanaka, S., Nakao, I. Simulation of stress-dependent oxide growth at the convex and concave corners of trench structures 88–71436
Umimoto, H. *see* Fuse, G. 86–41981
Umimoto, H. *see* Odanaka, S. 87–38567, 87–67306, 88–50940
Uminaga, M. *see* Kawasaki, I. 88–38567
Umino, H. *see* Dallas, W.J. 88–36552
Umino, H. *see* Ozeki, T. 88–36556
Umino, I. *see* Ashida, H. 88–1015
Umino, M. *see* Maeda, K. 85–18897
Umino, S. *see* Sato, K. 87–5425
Umino, T. *see* Yoshida, K. 88–62694
Umise, K. *see* Nagai, K. 87–70245
Umise, K. *see* Nakajima, H. 87–41204
Umlauf, E. *see* Buhler, M. 88–42415
Umlauf, E. *see* Kraus, H. 86–38693
Umlauft, G. *see* Schanda, E. 87–21778
Umlor, M.T. *see* Marshall, S.A. 88–32393
Ummer, J. *see* Kaukver, A. 85–56750
Umney, J. Programmable gate array designs using the PC 86–52781
Umnov, A.Ya. *see* Ushakov, V.Ya. 85–32235
Umnov, A.Ya. *see* Vazhov, V.F. 88–20194
Umnov, V.P. *see* Aleshin, N.N. 87–49363
Umoto, J. *see* Hara, T. 86–42684
Umoto, J. *see* Hayanose, N. 85–65464
Umoto, J. *see* Inui, Y. 88–31052
Umoto, J. *see* Ishikawa, M. 85–16255, 86–26317, 86–45722, 86–56952, 87–72455
Umpleby, D. *see* Matey, G. 86–53857
Umreiko, D.S. *see* Shkadarevich, A.P. 86–42508
Umrikhin, V.M. *see* Golovin, Yu.I. 85–22566
Umstadter, D. *see* Clayton, C.E. 86–31848
Umstadter, D. *see* Joshi, C. 86–5612
Umstadter, D. *see* Katsouleas, T. 86–5611
Umstatter, H.H. *see* Baconnier, Y. 85–37840
Umstatter, H.H. *see* Battiaz, M. 88–54292
Umstatter, H.H. *see* Harold, M.R. 86–50277
Umstatter, H.L., Craig, J.D., Trolinger, J.D., Lee, G. A dual plate thermoplastic recording device for holographic interferometry 87–54444
Umstatter, H.L., Doty, J.L., Trolinger, J.D. Dual thermoplastic holography recording system 86–3383
Umstatter, H.L., Trolinger, J.D., Smith, M.R. Development of a high-gain, holographic grating projection screen 88–2397
Umulu, E. *see* Fabland, P. 86–12462
Umurzakov, A. *see* Saidov, M.S. 85–29016
Umyskov, A.F. *see* Allat'ev, A.N. 87–39039
Umyskov, A.F. *see* Alpat'ev, A.N. 88–14154
Umyskov, A.F. *see* Danilov, A.A. 88–14149
Umyskov, A.F. *see* Vodop'yanov, K.L. 88–20719
Umyskov, A.F. *see* Zharikov, E.V. 86–9795, 87–12438, 88–27116, 88–58492

Un, C.K., Cho, D.H. KORNET—the first public packet-switched network developed in Korea 88—9179
Un, C.K., Lee, J.R. A 9600 bit/s RELP vocoder with split-band coding 85—19394
Un, C.K. *see* Cho, D.H. 87—33664
Un, C.K. *see* Cho, W.D. 87—44691
Un, C.K. *see* Cho, Y.J. 88—52606, 88—66786
Un, C.K. *see* Cho, Y.Z. 88—41127
Un, C.K. *see* Choi, J.K. 88—21411
Un, C.K. *see* Im, G.H. 85—17688, 87—69864
Un, C.K. *see* Jeong, C.K. 85—42016, 88—52607
Un, C.K. *see* Kay, Y.C. 88—63801
Un, C.K. *see* Kim, H.D. 87—39582
Un, C.K. *see* Kim, J.W. 87—19450
Un, C.K. *see* Kim, S.R. 85—25673, 88—52608
Un, C.K. *see* Kim, Y.K. 85—25711
Un, C.K. *see* Koo, J.M. 88—27861
Un, C.K. *see* Kye, Y.C. 85—55042
Un, C.K. *see* Lee, H.H. 86—54470
Un, C.K. *see* Lee, H.J. 88—52412
Un, C.K. *see* Lee, H.S. 85—57295
Un, C.K. *see* Lee, J.C. 85—23040, 85—25104, 85—57301, 86—35000, 86—69061
Un, C.K. *see* Lee, J.R. 85—42287, 87—33843, 87—62640
Un, C.K. *see* Lee, J.W. 86—14407
Un, C.K. *see* Ryu, S.M. 86—22883, 87—40668
Un, C.K. *see* Shin, B.C. 87—7880
Un, C.K. *see* Yon, C.H. 88—21223
Un, C.K. *see* Youn, W.S. 87—19498
Un Chong Kwan *see* Chong Kwan Un
Un Chul Lee *see* Kook Jong Lee 86—45103
Un Chul Paek *see* Jablonowski, D.P. 87—60900
Un Nam An *see* An Un Nam
Un Nam An *see* Nam An Un
Un-Bae Kim *see* Deok-Chool Lee 86—35936
Un-Ung Lee, Youn-Ho Park The protection method against the operation under unbalanced voltage in 3-phase squirrel-cage induction motor 85—21601
Una, R.O. *see* Bertoldi, R.L. 85—26903
Unagami, S. *see* Amano, F. 88—66393
Unagami, S. *see* Asharif, M.R. 88—46104
Unagami, S. *see* Fujimura, N. 88—41463
Unagami, S. *see* Gambe, H. 88—44217
Unagami, S. *see* Iseda, K. 88—46761
Unagami, S. *see* Ishida, J. 85—42532
Unagami, S. *see* Kakuishi, M. 87—20037
Unagami, S. *see* Kobayashi, N. 87—17264
Unagami, S. *see* Le Tourneur, G. 87—40506
Unagami, S. *see* Taka, M. 88—41445
Unagami, S. *see* Tanaka, Y. 88—46784
Unagami, S. *see* Taniguchi, T. 87—27267, 87—48731, 87—62720, 87—69754, 88—40862
Unagami, S. *see* Tomita, Y. 87—20295, 88—46738
Unagami, T., Kogure, O. High-voltage TFT fabricated in recrystallized polycrystalline silicon 88—39449
Unagami, T., Tsujiyama, B. High-voltage polycrystalline-silicon TFT for addressing electroluminescent devices 85—12738
Unagami, T. *see* Seki, S. 85—12026, 85—23586, 85—34666, 85—45727, 86—28054
Unal, A. *see* Tobak, M. 88—10473
Unal, C. *see* Hsu, Y.Y. 88—75396
Unal, F., Yalabik, N. A sequential speaker independent Turkish word recognition system 85—51592
Unal, H.C. Two simple correlations for the inception of density-wave oscillations in long sodium-heated steam generator tubes 85—53557
Unamuno, S. *see* Fogarassy, E. 87—38145
Unamuno, S. *see* Muller, J.C. 87—15993
Unamuno, S. *see* Toulemonde, M. 85—18192
Unangst, G.J. Tactical data communications networks as implemented in the Army's maneuver control system 87—40444
Unate, T. *see* Sunata, T. 88—42214
Unbehauen, H., Vakilzadeh, I. Automatic amplitude and phase equalization of 'n' sinusoidal signals of the same frequency 88—52449
Unbehauen, H. *see* Hahn, V. 85—59993, 86—66099
Unbehauen, H. *see* Kortmann, M. 88—27878
Unbehauen, H. *see* Stephan, R.M. 88—23952
Unbehauen, R. IIR digital filters with optimum magnitude frequency response 85—28645
Unbehauen, R. IIR digital filters with equiripple stopband transmission 86—8383
Unbehauen, R., Cichocki, A. Contribution to the synthesis of SC networks for linear and non-linear signal-processing 87—10642
Unbehauen, R. *see* Cichocki, A. 85—28631, 86—1227, 86—8346, 86—34979, 86—52328, 86—62688, 87—497, 87—5711, 87—24313, 88—38417, 88—38652, 88—57814
Unbehauen, R. *see* Daka, R. 85—57341, 86—22990, 86—69049
Unbehauen, R. *see* Doss, M.M. 88—56530
Unbehauen, R. *see* Feng, Z. 85—34062, 85—45161, 86—47004
Unbehauen, R. *see* Forster, U. 86—57302
Unbehauen, R. *see* Heckelmann, K. 88—63806
Unbehauen, R. *see* Heinrichmeyer, F. 86—27465
Unbehauen, R. *see* Lehner, D. 87—45064, 87—61848, 88—6986
Unbehauen, R. *see* Mou-Yan, Z. 87—44191, 87—44506, 88—40968
Unbehauen, R. *see* Raghuramireddy, D. 86—20737, 86—23026, 86—54514, 87—921, 87—10987, 87—24330, 87—59737, 87—61878, 87—66384, 88—14651
Unbehauen, R. *see* Reddy, D.R. 85—51640
Unbehauen, R. *see* Rossmanith, H. 88—52454
Unbehauen, R. *see* Schmeisser, G. 87—206
Unbehauen, R. *see* Wupper, A. 87—934
Unbehauen, R. *see* Zou, M.-Y. 87—75660
Unbehauen, R. *see* Zou Mou-Yan 86—52949
Uncovsky, J. Power control of raw material mills in the Prachovice cement works 85—32868
Undalov, Yu.K. *see* Abdurakhimoiv, A.A. 86—47517
Undalov, Yu.K. *see* Lunev, A.V. 87—24867
Undasynov, G.N. *see* Novoselov, Yu.E. 86—66477
Undeland, T., Jenset, F., Steinbakk, A., Rogne, T., Hernes, M. A snubber configuration for both power transistors and GTO PWM inverters 85—10015
Undeland, T.M. *see* Mohan, N. 85—10017
Unden, G. *see* Karlsson, T. 86—15951
Under, H.G. *see* Frantsesson, A.V. 86—42240
Underhill, C. Some asymptotic properties of Pade approximants to e^{-x} 86—66770
Underhill, H.J. Pickering operations fuel performance review 87—57845
Underhill, J. *see* Nguyen, S.V. 85—28832
Underhill, J. *see* Nguyen, V.S. 86—483
Underhill, J.A., Nguyen, V.S., Kerbaugh, M., Sundling, D. Silicon oxynitride as a barrier layer in a 3-layer photoresist system 86—1893
Underhill, J.A., Sundling, D.L., Kerbaugh, M.L. Wafer flatness as a contributor to defocus and to submicron image tolerances in step-and-repeat photolithography 87—38385
Underhill, J.T. *see* Chalmers, S.M. 85—43900
Underhill, M.J. Frequency synthesisers and standards 88—70593
Underhill, M.J., Lewis, P.A. Silent tuning of antennas 85—30089
Underkofler, W.L., Wilcox, J.R. Encapsulated wire joint bond test 85—11772
Underwood, B. Applications of high speed buffer amplifiers 88—6666
Underwood, B. High-speed buffers help solve problems in circuit applications 88—25004
Underwood, B. High speed buffer for several circuit applications 88—56814
Underwood, B. *see* Auger, R. 85—42671
Underwood, B. *see* Gaede, R.K. 87—24121
Underwood, B. *see* Mercer, M.R. 85—39542
Underwood, B. *see* Salick, J. 86—46746, 87—37212
Underwood, B. *see* Smith, S.P. 88—19093
Underwood, C.I., Sweeting, M.N., Gilbert, J.K. The role of *UoSAT* spacecraft in space education 88—9485
Underwood, C.I. *see* Radbone, J.M. 88—10461
Underwood, C.I. *see* Sweeting, M.N. 88—9484
Underwood, D. A simple example of track finding by Fourier transform and possibilities for vector or optical processors 88—10270
Underwood, D. *see* Balka, L. 88—47985
Underwood, D. *see* Hahn, S.R. 88—47990
Underwood, D.C. *see* Garbincius, P.H. 85—26602
Underwood, D.E. *see* Hantos, F.S. 87—78230
Underwood, H.R., Burdette, E.C., Ocheltree, K.B., Magin, R.L. A multi-element ultrasonic hyperthermia applicator with independent element control 87—63813
Underwood, I., Sillitto, R.M., Vass, D.G. An nMOS addressed liquid crystal spatial light modulator 85—29655
Underwood, I., Vass, D.G., Sillitto, R.M. Evaluation of an NMOS VLSI array for an adaptive liquid-crystal spatial light modulator 86—28490
Underwood, I., Willson, P.H., Sillitto, R.M., Vass, D.G. An adaptive Fourier optical processor 88—52565
Underwood, I. *see* Vass, D.G. 88—20454
Underwood, J., Ellerman, G. Bringing digital service to an Indian reservation 86—37338
Underwood, J. *see* Ellerman, G. 85—42334
Underwood, J. *see* Matthews, D. 85—7350
Underwood, J. *see* Tatchyn, R. 88—22889
Underwood, J.H., Thompson, A.C., Wu, Y., Giauque, R.D. X-ray microprobe using multilayer mirrors 88—48057
Underwood, J.H. *see* Boudry, J. 88—48066
Underwood, J.H. *see* Cerrina, F. 88—48058
Underwood, J.H. *see* Thompson, A.C. 87—50086, 88—48061
Underwood, L. The telephone revolution 86—69618
Underwood, M.L. *see* Bankston, C.P. 88—61574
Underwood, S. ISDN or trial 87—33907
Underwood, S. The Finnish line [data communications] 88—14916
Underwood, W.E., Swanson, R.E. Causal representation and explanation of nuclear power plant operation 88—48692
Underwood, W.J. The relationship between age and performance of engineers: a replication and extension 86—45979
Undery, C.E. Debounce circuit without masking delay 85—50010
Undrill, J. Where we stand [power system computer applications] 88—42742
Undrill, J., Clayton, R.E. Distribution line performance with imperfect grounding 87—78168
Undrill, P.E. *see* Evans, N.T.S. 86—32265
Undy, S.R. *see* Kohlhardt, C. 88—11695
Undzenas, A.I., Boiko, I.I. Characteristics of pyryl sensitizers containing amino groups 85—46249
Undzenas, A.J., Perel'man, L.A., Ruskys, D.D., Popov, A.F. Photophysical properties of brominated poly-N-epoxypropylcarbazoles 86—28961
Une, A., Suzuki, M., Okada, I., Saitoh, Y., Yoshihara, H. High throughput and accuracy X-ray stepper with plasma source 88—13213
Une, A. *see* Iki, M. 88—7408
Unehara, S., Morimoto, Y., Ueno, S., Tokorotani, Y., Harada, K. Low audible noise programmable inverter 88—23930
Unemoto, K. *see* Kotera, H. 87—70299, 88—28534
Unemoto, K. *see* Togawa, M. 86—11323
Uneus, L. *see* Edner, H. 85—15442, 88—10595, 88—23192
Unezhev, V.N. *see* Venikov, N.I. 87—14697
Unfried, F. *see* Anderson, J. 88—68532
Ung, M. *see* Sevachko, M.D. 88—68704
Ung, M. *(editor)* Aerospace Simulation II. Proceedings of the Conference 86—45930
Ung, M. *(editor)* Aerospace Simulation III. Proceedings of the SCS Multiconference on Aerospace Simulation III 88—62906
Ung Chan Tsan *see* Tsan Ung Chan
Ung Kim *see* Tae-Soo Kim 87—38985
Ungan, A., Viskanta, R. Three-dimensional numerical simulation of circulation and heat transfer in an electrically boosted glass melting tank 87—16171
Ungar, A., Murrell, H.C. The differential transform and its application to an electrostatic image problem 85—54393
Ungar, D.M. *see* Pendelton, J.M. 87—17154
Ungar, D.M. *see* Pendleton, J.M. 87—10905
Ungar, J., Bar-Chaim, N., Ury, I. High-power GaAlAs window lasers 86—15718
Ungar, J., Bar-Chaim, N., Ury, I. High-power GaAlAs window lasers 86—29141
Ungar, J., Bar-Chaim, N., Ury, I. GaAlAs window laser with high CW output powers 86—42592
Ungar, J., Bar-Chaim, N., Ury, I. High power AlGaAs window lasers 87—46898
Ungar, L.Y. *see* Mazur, A.P. 88—57785
Ungar, R. *see* Saal, C. 86—6321, 87—16085
Unger, A.P. *see* Moiseenko, V.I. 88—68740
Unger, A.P. *see* Venikov, V.A. 86—25670
Unger, B. *see* Hutchinson, N. 86—49244
Unger, B. *see* West, D. 87—40060
Unger, B.A. Early life failures 88—33116
Unger, B.A. The march of the EOS/ESD ducks 88—50976
Unger, B.A., Chemelli, R.C., Hart, D.L. Sheet resistance measurement of buried shielding layers 87—44000
Unger, B.A. *see* Chase, E.W. 87—47097
Unger, C. *see* Schlageter, G. 88—62934
Unger, D. *see* Acllophs, D. 88—73705
Unger, D.K. The evolution of text and image communications 86—4211
Unger, E. Quality assurance—a search for the compromise between perfection, cost and time requirements 87—36458
Unger, E.A., Jantz, D. Query optimization using the concept of restricted topologies 88—41348
Unger, G. *see* Niedrig, H. 86—1961
Unger, H. To the evaluation of maintenance strategies for medium voltage networks from the cost and reliability aspects 85—21186
Unger, H. Generation of nuclear energy 86—61215
Unger, H. Some results of the theory for doubly terminated ladder filters with discrete integrators 87—862
Unger, H., Bernhardt, U. On the influence of non-white voltage noise of an operational amplifier on the noise behaviour of SC integrators 87—37451
Unger, H., Wardenga, W., Weichbrodt, A. The implementation of a charge transfer bandpass filter in ladder configuration 85—49977
Unger, H. *see* Bernhardt, U. 86—15264
Unger, H. *see* Brandenburg, G. 87—22836
Unger, H. *see* Eichler, M. 87—59460
Unger, H. *see* Schneegast, B. 87—10993
Unger, H.-G. Trends in optical communications 85—14293
Unger, H.-G., Zamzow, P.E., Glessner, B., Hoffart, M. Low-loss single-mode fiber with reduced inner cladding 87—53959
Unger, H.-G. *see* Chen, S.P. 88—20426
Unger, H.-G. *see* Hofle, W. 88—58907
Unger, H.-G. *see* Jacob, J. 85—35539, 87—54084
Unger, H.-G. *see* Schieblich, C. 88—50392
Unger, H.-G. *see* Yang, R. 86—2670, 86—28787
Unger, H.G. Propagating beam analysis of diffused-channel triple-waveguide couplers for λ-duplexers 85—46121
Unger, H.G. Single-mode fibres with low dispersion and low loss for LED-signals 87—68139
Unger, J. Software tools for the functional test of bus structured boards 86—17788
Unger, K. *see* Bogatz, A. 85—41293

Unger, K. *see* Thuselt, F. 85—1378
Unger, K.-D., Bauer, H., Muhlenbeck, J., Zollner, D. Plant technology and operating results of the use of water-cooled composite electrodes in the electric arc furnace 85—32853
Unger, K.-D. *see* Bredohoft, R. 87—16193
Unger, L. *see* Ramakrishnan, S. 88—67837
Unger, P., Beneking, H. Anisotropic dry etching of GaAs and silicon using CCl_4 86—21411
Unger, P., Bogli, V., Beneking, H. Application of titanium RIE to the fabrication of nm-scale structures 87—25118
Unger, P. *see* Bauer, R. 88—45176
Unger, R., van Kampen, W.A., Berkhout, A.J., Boiten, R.G., Ziolkowski, A.M., Ritsema, A.R., Schmidt, D.P. New possibilities in controlled-source seismology with a magnetic levitation vibrator 87—42208
Unger, S., Winter, H., Feist, C., Marzok, U., Zedler, L. Program package for processing line flow like images by BVS A6472 using adaptive and anisotropic methods 88—14842
Unger, S. *see* Lerm, A. 85—1187
Unger, S.H. Would helping ethical professionals get professional societies into trouble? 88—18408
Unger, S.H., Tan, C.-J. Clocking schemes for high-speed digital systems 87—10948
Unger, S.S. Motor repair quality assurance 85—16014
Unger, U., Link, G. The LAK argon laser coagulator—a modern tool for special ophthalmic therapy 87—8942
Unger, W. *see* Gessner, T. 86—28161
Unger, Y., El-Boher, A., Lessin, S., Ritz, D.J., Branover, H. Experimental studies of two-phase liquid metal gas flow in vertical pipes 87—36160
Unger, Y. *see* Brnaover, H. 86—33712
Ungerbock, G. Trellis-coded modulation 87—68953
Ungerboeck, G. Trellis-coded modulation with redundant signal sets. I. Introduction 87—39628
Ungerboeck, G. Trellis-coded modulation with redundant signal sets. II. State of the art 87—39629
Ungerboeck, G. Trellis coding with expanded signal sets—an overview 87—54960
Ungerboeck, G., Maiwald, D., Kaeser, H.P., Chevillat, P.R., Beraud, J.P. Architecture of a digital signal processor 85—45082
Ungerboeck, G. *see* Chevillat, P.R. 87—55883, 88—9330
Ungerboeck, G. *see* Wolf, J.K. 87—2427
Ungerer, H. International telecommunications: a European viewpoint 86—54777
Ungerer, H. Communicating with the Siemens PC-D 86—64592
Ungerer, H. Activities in the European Community towards the expansion of broadband communication 87—2710
Ungerer, H. ISDN: towards a dynamic European telecommunications market 87—2765
Ungerer, H. Teletex-communication. UTC-variants for the PC in teletex services 87—27929
Ungerer, H. Towards broadband services in Europe: the TBB and the RACE programme 88—28258
Ungerman, M.N. On methods of automatic compensation of a natural field in devices for terrestrial and marine electroprospecting 85—4428
Ungerman, M.N. On modes of application of amplifiers with operational memory [geophysical equipment] 86—38926
Ungerman, M.N. *see* Zayats, V.M. 86—38927
Ungermann, C.M. Optimizing the medium-range, remotely-piloted-vehicle reconnaissance system 88—48277
Ungermann, C.M. Optimizing the medium-range, remotely-piloted-vehicle reconnaissance system 88—61544
Ungewiss, K. *see* Storch, H. 86—18635
Ungr, J., Vorisek, R. Generator-motors for Los Reyunos pumped storage hydroelectric generating station 86—12735
Ungrad, H. Systems control—an industrial revolution 85—38413
Ungrad, H. Integrated protection and control in high voltage stations 85—65400
Ungrad, H. New control and protection concept for distribution voltage stations 86—56921
Ungrad, H., Schaffer, G., Narayan, V. A modern supervisory control and protection concept for enhancing power system security 85—26930
Ungrad, H. *see* Fettback-Heyden, K.H. 86—25628
Ungrad, H. *see* Koppl, G. 85—10064
Ungrin, J., Chidley, B.G., Brown, J.C., McMichael, G.E., Clements, D.W., Campbell, H.F. Operating experience with a 100% duty factor Alvarez accelerator 86—38676
Ungrin, J., Michel, W.L. Drift-tube linac geometry optimization at 108 and 216 MHz 86—5647
Ungstrup, E. *see* Neubauer, F.M. 87—77379
Ungureanu, B. *see* Ionescu, S. 86—6261, 87—9146
Ungureanu, C., Oprisa, P.D. Some aspects of Anina bituminous shales burning in highly screened furnaces of steam generators 85—38811
Ungureanu, G. *see* Tudorache, C. 88—62678
Ungureanu, M. *see* Cristescu, D. 86—51059
Ungureanu, M. *see* Dragan, G. 88—61927
Ungvarsky, J. *see* Kristiansen, M. 85—48
Ungvichian, V. Design technique to reduce effects of tidal variations on an ILS glide slope system 86—44739
Ungvichian, V. A positive step toward the EMC education 87—23050
Ungvichian, V., Perez-Rodriquez, R. Prediction of electromagnetic radiation of a multilayer board 87—68798
Ungvichian, V., Perez-Rodriguez, R., Roman, J. Problems in setting up an open field test site [EMI study] 88—45733
Ungvichian, V., Roman, J. Measurement uncertainty involved using the LISN [EMI testing] 88—48566
Unholtz, J. The Federal German Post en route to a new radio paging service 86—23713
Unione, A.J., Lim, J.J. A natural methodology for establishing safety goal compliance requirements on a plant specific basis 85—43847
Unione, A.J. *see* Lim, J.J. 85—48803
Unishkov, V.A. *see* Epifanov, M.S. 85—44174, 87—32290
Unishkov, V.A. *see* Evdokimov, V.M. 87—22732
Unishkov, V.A. *see* Zhuchkov, V.M. 87—33050, 87—58317
Univaso, P., Rosso, E. Automatic recognition of spoken digits 87—39701
Unk, J., Brost, O. Possible applications of heat pipes in nuclear engineering 85—32275
Unk, M. Problems of technical requirement specifications for a modern switching system 88—59912
Unkauf, M.G. Digital troposcatter communications systems 86—23659
Unkel, J.J. Screening of LV distribution installations in substations; present situation in the Netherlands 88—49020
Unkrich, M.A. *see* Frohring, B.J. 88—47615
Unkroth, A. *see* Wesch, W. 86—41687
Unland, R. *see* Pack, K. 87—42328
Unlu, H., Morkoc, H. Strained layer InGaAs/AlGaAs quantum wells for ultrahigh frequency MODFETs 88—32448
Unlu, H., Morkoc, H. Modulation-doped FETs and other high speed III-V transistors 88—39517
Unlu, H., Nussbaum, A. Band discontinuities as heterojunction device design parameters 86—53388
Unlu, H. *see* Ji, G. 88—12986
Unlu, H. *see* Morkoc, H. 88—32976
Unlu, H. *see* Unlu, M.S. 88—19679
Unlu, H. *see* Won, T. 88—25931
Unlu, M.S., Munns, G., Chen, J., Won, T., Unlu, H., Morkoc, H., Radhakrishnan, G., Katz, J., Verret, D. Characteristics of annealed *p*/*n* junctions between GaAs and Si(100) 88—19679
Unlu, M.S. *see* Chen, J. 88—39378, 88—39404
Unlu, M.S. *see* Dobbelaere, W. 88—33896, 88—65368
Unlu, M.S. *see* Won, T. 88—25931
Unmack, F. *see* Varga, H. 85—5215
Unnikrishna, P.S., Haber, F., Bar-Ness, Y. A new approach to array geometry for improved spatial spectrum estimation 86—16475
Unnikrishnan, N.V., Singh, R.D. Temperature dependence of Lux-Ampere Characteristics of CdI_2 single crystals 87—2022
Unnikrishnan, R., Mathew, A.V. Instabilities in numerical inversion of Laplace transforms using Taylor series approach 87—44099
Unnikrishnan, R. *see* Mathew, A.V. 88—75816
Unnikrishnan, R. *see* Sandor, R.J. 85—27589
Unno, M. *see* Matsumoto, H. 88—17662
Unno, T., Takahashi, K., Tasaka, S. Effects of error propagation on the performance of coding schemes for still pictures 88—8847
Unno, Y. *see* Abe, K. 88—16629
Unno, Y. *see* Bernstein, D. 85—15253
Unno, Y. *see* Iwai, H. 88—39641
Unno, Y. *see* Moriizumi, T. 88—57888
Unno, Y. *see* Roehrig, J. 85—15175
Unno, Y. *see* Ozaki, S. *(editor)* 85—31655
Uno, F.M., Bender, D.L., Wong, D.C., Wakefield, G.F., Rea, S.N. Rapid cast silicon ribbon 87—9806
Uno, F.M. *see* Kapur, V.K. 86—13077
Uno, H., Aragaki, N. Proposal for simplified WDM transmission configuration 86—59894
Uno, H., Kinoshita, H., Kumagai, S., Shirakawa, I., Kodama, S. A parallel implementation of MOS digital circuit simulation 86—40857
Uno, H., Kumagai, S., Shirakawa, I. A parallel analysis of MOS digital circuit 87—53735
Uno, H. *see* Aragaki, N. 88—46704
Uno, H. *see* Minakuchi, D. 87—71692
Uno, H. *see* Mizutamari, K. 86—39590
Uno, J. Recent trends of television broadcasting engineering 88—9697
Uno, K., Hayashi, K. 6/4 GHz band small capacity satellite communications using demand assignment technique 88—46989
Uno, K., Namiki, A., Zaima, S., Nakamura, T., Ohtake, N. XPS study of the oxidation process of Si(111) via photochemical decomposition of N_2O by an UV excimer laser 88—26088
Uno, K. *see* Hayashi, H. 88—43916
Uno, K. *see* Suga, T. 85—36816
Uno, M., Kato, H., Sugiyama, S. Constant low power supplying circuit for thermistor resistance measurement 86—67525
Uno, M. *see* Fujita, Y. 87—24008
Uno, M. *see* Kato, H. 86—46567
Uno, M. *see* Yoneyama, T. 86—27559
Uno, O. *see* Araki, H. 87—71438
Uno, R., Ozawa, H. Transient photoconduction of β-rhombohedral boron. II 86—53319
Uno, S., Douji, R., Inoue, M., Goto, Y. Automatic evaluation system for CPT picture characteristics 86—5007
Uno, S. *see* Fujii, K. 85—4231, 85—43187
Uno, S. *see* Fujimoto, J. 87—14763, 87—63627
Uno, T., Adachi, S. Electromagnetic inverse scattering method for one-dimensional inhomogeneous layered media 86—68727
Uno, T., Adachi, S. Range distance requirements for antenna measurements 87—56854
Uno, T., Adachi, S. Inverse scattering method for one-dimensional inhomogeneous layered media 88—40535
Uno, T., Adachi, S., Sawaya, K. Three dimensional computational analysis of radomes 87—75653
Uno, T., Adachi, S., Sawaya, K. Three-dimensional computational analysis of radomes 88—21040
Uno, T., Morisaki, M., Ban, Y., Serizawa, H. 1.3 μm wavelength BDC structure DFB semiconductor laser 88—40221
Uno, T., Onuki, K. Frequency trimming of SAW devices by sputter etching 87—12025
Uno, T. *see* Adachi, S. 87—54526
Uno, T. *see* Iwamoto, S. 88—19186
Uno, T. *see* Koguchi, T. 88—6910
Uno, T. *see* Maehashi, Y. 86—34852
Uno, T. *see* Nakagawa, K. 88—19192
Uno, T. *see* Ohnaka, K. 86—2703
Uno, T. *see* Sawaya, K. 88—8595
Uno, T. *see* Suzuki, M. 87—37335
Uno, T. *see* Tamai, M. 86—37495
Uno, T. *see* Tanabe, K. 87—37339
Uno, Y., Tanaka, A., Miwa, H. Engineering studies and implementation of a fast digital newspaper page facsimile system 85—13826
Uno, Y. *see* Hanamura, S. 85—25527
Uno, Y. *see* Kitamura, M. 85—38109
Unozawa, N. Multifunction, wide frequency range digital power meter 87—8659
Unozawa, N. *see* Toyonori, Y. 88—22691
Unrau, U. Mode transition matrices as a means for planning local optical fibre networks 85—42596
Unrau, U. Mode transition matrices as a means for planning local networks with optical fibres 86—4303
Unrau, U. *see* Agarwal, A.K. 85—41123, 87—3195
Unrau, U. *see* Evers, G. 85—41122, 86—64643, 87—34584
Unruh, B.J. Infrared: pro and con 88—22591
Unruh, P.S. Test methods and mandatory specifications 87—10144
Unruh, T.D., Jewell, W.T. Data from the Sun 88—74297
Unruh, T.D. *see* Hoyer, E.A. 87—55051
Unruh, W.P. *see* Baird, W. 86—50364
Unruh, W.P. *see* Erkkila, B.H. 85—48361
Unseld, H. Control engineering of unit 5 of the Huls Company Chemical Works—an alternative to normal power station control engineering 86—45867
Unser, M. On the approximation of the discrete Karhunen-Loeve transform for stationary processes 85—19464
Unser, M. Local linear transforms for texture analysis 85—36451
Unser, M. Sum and difference histograms for texture classification 86—43314
Unser, M. Local linear transforms for texture measurements 86—64359
Unser, M. A family of discrete Fourier transforms with pseudo-cyclic convolution properties 87—58900
Unser, M., Eden, M. Maximum likelihood estimation of liner signal parameters for Poisson processes 88—59147
Unser, M., Eden, M. A multi-resolution feature reduction technique for image segmentation with multiple components 88—73352
Unser, M., Eden, M., Trus, B.L. Unwarping of slightly distorted periodic structures using bidimensional polynomial representations 87—33798
Unser, M., Ellis, J.R., Pun, T., Eden, M. Optimal background estimation in EELS 87—75823
Unser, M., Van Hamme, H., De Muynck, P., Van Denhaute, E., Cornelis, J. Karhunen-Loeve analysis of dynamic sequences of thermographic images for early breast cancer detection 88—74834
Unser, M. *see* Ade, F. 85—30424
Unser, M. *see* Eden, M. 86—59346

Unsold, E. *see* Pauker, F. 86−44548
Unsold, E. *see* Wrobel, W.-G. 87−29807
Unsoy, M. Packet mode interworking−enhancements to X.75 87−48442
Unsoy, M. ISDN packet services evolution 87−76122
Unsoy, M. How packet-mode transmission services will evolve in ISDN 88−73678
Unsoy, M., Juskevicius, E., Baker, D. Packet switching architecture for ISDN 88−59807
Unsoy, M. *see* Bunner, B. 87−20356
Unsoy, M. *see* Chu, M. 87−33968
Unsoy, M. *see* Khawar, A. 87−48433
Unsoy, M. *see* Lap-kin Ip 86−30393
Unsoy, M.S., Ip, L.-K., Jeanes, D. Interworking of telephone and packet switched data networks 86−37526
Unstead, P.B., Blunden, A. Waveform recorder interface 86−62488
Unstead, P.H., Blunden, A. Intelligent real-time clock 86−41181
Unsworth, A. *see* Jones, A.R. 86−25171, 86−32238
Unsworth, C. The Sopho-Net approach to private networking 85−3194
Unsworth, C. Costing a network 85−25240
Unsworth, C. An open approach to networking−open all hours−an open technology to integrated systems 86−17017
Unsworth, C. The changing face of networking 88−9106
Unsworth, C., Gompelman, H. Open networks: a major advance 85−30558
Unsworth, C.F. Updating the control and instrumentation systems on an operational nuclear power station 87−71804
Unsworth, J. *see* Bui, T. 87−57456
Unsworth, J. *see* Chan, H.L.W. 88−57837
Unsworth, J. *see* Smye, S.W. 86−60727
Unsworth, P.J. *see* Lloyd, S. 88−69780
Unte, U. *see* Rausch, D. 86−39399
Unter, T.F. *see* Rabbani, K.S. 87−25146
Unterberger, H. ISDN: the S_0-interface, a universal connection for subscriber-terminals 87−48813
Unterberger, H. *see* Schwab, B. 88−7672
Unterborsch, G., Bach, H.G., Schmitt, F., Schmidt, R., Schlaak, W. Dielectrics for passivation of planar InP/InGaAs diodes 88−13117
Untereker, D.F. *see* Phipps, J.B. 86−45638
Unterlass, W. *see* Knop, W. 85−31066 to 31067
Unterleitner, F. *see* Barnes, S. 85−14318
Unterleitner, F.C. Automated measurement of fiber pigtailed LASER/LED spectral emission 86−70015
Unternahrer, J. *see* Reed, M. 85−51145
Unterrainer, K., Helm, M., Gornik, E., Haller, E.E. A novel high power coherent semiconductor FIR source 88−27131
Unterrainer, K., Helm, M., Gornik, E., Haller, E.E., Leotin, J. Mode structure of the *p*-germanium far-infrared laser with and without external mirrors: single line operation 88−33971
Unterreiner, R. *see* Cathignol, D.J. 88−54505
Unterreitmeier, E., Schmidt, M., Kracke, D. A new portable homogeneous triaxial seismometer: design and performance, test and calibration, direct signal analysis 88−74953
Unterreitmeier, E. *see* Teupser, C. 86−65502
Unterseer, K., Meyer-ter-Vehn, J. On ion beam energy conversion into soft X-rays 85−15105
Unterseher, E. *see* Vobian, J. 86−22131
Unterwalcher, H. Primitive roots in finite fields and residue class rings and their significance in cryptology 88−45884
Unterwald, F.C. *see* Hensel, J.C. 86−53461
Unterweger, H. Modern trends in motor protection 88−69256
Unterweger, M. Ionization chambers in the National Bureau of Standards Radioactivity Group 87−21444
UnterWeger, M.P. *see* Penner, S. 86−24905
Untiet, M.F.W. *see* Muller-Reinke, R. 87−4318
Untila, G.G., Kharitonov, A.L., Rubin, L.B. Temperature dependence of the current-voltage characteristics of a *p*-type Si/polymer/SnO_2 diode 87−11495
Untila, G.G., Rubin, L.B. Fabrication of solar cells based on a contact between a semiconductor and an electrically conducting optically transparent polymer 87−16005
Untila, G.G. *see* Rubin, L.B. 86−26280, 88−37382
Untila, G.G. *see* Senyuk, V.E. 88−49149
Unverdross, R. Digital temperature compensation for quartz crystal oscillators 88−63560
Unverferth, J.E., III *see* Zue, V.W. 87−19463
Unwin, D. *see* O'Grady, K. 87−33403
Unwin, R.T. *see* Calvert, N.M. 88−22077
Unwin, R.T. *see* Sibley, M.J.N. 85−37075, 85−39935
Unwin, S.D., Hayns, M.R. Rational quantitative safety goals 85−43840
Unzicker, A.E. *see* Kowalski , M.P. 86−63008
Uo, K., Iiyoshi, A., Obiki, T., Motojima, O., Kondo, K., Sato, M., Mutoh, T., Zushi, H., Kaneko, H., Besshou, S., Sano, F., Mizuuchi, T., Sudo, S., Sasaki, A., Harris, J.H., Rice, J.E., Terry, J.L., Ohtake, I., Iima, M., Okada, H. Neutral beam injection and RF heating experiments on the currentless plasma in Heliotron E 85−32808
Uo, K., Motojima, O., Horiuchi, T., Monju, Y., Hamada, M. Contact resistance of demountable multi-pin joint for superconducting helical coil 87−74640
Uo, K. *see* Horiuchi, T. 87−67933
Uo, K. *see* Kita, H. 86−28759
Uo, K. *see* Sire, G. 85−611
Uo, M. *see* Ninomiya, K. 86−44733, 87−29849 to 29850
Uomi, K., Chinone, N., Ohtoshi, T., Kajimura, T. High relaxation oscillation frequency (beyond 10 GHz) of GaAlAs multiquantum well lasers 86−3162
Uomi, K., Chinone, N., Ohtoshi, T., Kajimura, T. High relaxation oscillation frequency of GaAlAs multiquantum well lasers twice as much as that of double heterostructure lasers 86−42584
Uomi, K., Chinone, N., Ohtoshi, T., Kajimura, T. High relaxation oscillation frequency (beyond 10 GHz) of GaAlAs multiquantum well lasers 86−54157
Uomi, K., Mishimia, T., Chinone, N. Ultrahigh relaxation oscillation frequency (up to 30 GHz) of highly *p*-doped GaAs/GaAlAs multiple quantum well lasers 87−68435
Uomi, K., Mishima, T., Chinone, N. High speed modulation capability (>30 GHz) of multiquantum well lasers−modulation doped multiquantum well laser 88−45468
Uomi, K., Nakatsuka, S., Ohtoshi, T., Ono, Y., Chinone, N., Kajimura, T. High-power operation of index-guided visible GaAs/GaAlAs multiquantum well lasers 85−7420
Uomi, K., Nakatsuka, S., Ohtoshi, T., Ono, Y., Chinone, N., Kajimura, T. High-power operation of index-guided visible GaAs/GaAlAs multiquantum-well lasers 85−35795
Uomi, K. *see* Ohtoshi, T. 85−29850
Uomi, K. *see* Yoshizawa, M. 88−2270
Uomori, A. *see* Shinmi, A. 87−7471
Uono, M. *see* Hirose, K. 87−3990
Uoochi, Y., Shioya, Y., Maeda, M. Temperature transients of ion-implanted silicon wafers during rapid thermal annealing 88−7288
Uosaki, K. Integer programming approach to optimal smoothing of two-state Markov sequences 87−27426
Uosaki, K., Kita, H. Inversion layer formation an electroluminescence at p-GaAs/persulfate solution interface 85−34692
Uosaki, K., Takahashi, M., Kita, H. Preparation of II-VI compound semiconductor films, their electronic properties and solar cell application 87−30947
Uosaki, K. *see* Fujikawa, K. 87−51422
Uosaki, K. *see* Takahashi, M. 85−12702, 87−1190
Uose, H. A learning control method for resource assignment in communications networks 87−19990
Uose, H. A hierarchical learning control of multiservice circuit-switched system with call restriction mechanism 87−55386
Uose, H. *see* Niitsu, Y. 87−48287
Uose, H. *see* Yokoyama, M. 85−3321, 86−69196
Uota, T. *see* Yasumoto, T. 85−13844
Uota, Y. *see* Kimura, R. 85−48637
Uoya, S. *see* Matsukawa, T. 85−54892
Uoya, S. *see* Miura, K. 87−11896
Uoya, S. *see* Nagatomo, M. 87−44845
Uoya, S. *see* Nishioka, K. 87−45808
Uozato, H., Fukuhara, J., Saishin, M., Nakao, S. Application of laser speckle patterns to visual evoked potentials 85−4312
Uozato, H., Makino, H., Saishin, M., Nakao, S. Measurement of visual axis using a laser beam 85−4306
Uozumi, E., Hoshiko, T., Kimura, Y. Processor-to-processor communication interface unit 87−20246
Uozumi, E. *see* Hoshiko, T. 87−28613
Uozumi, E. *see* Matsunaga, T. 86−49261
Uozumi, E. *see* Oyaizu, I. 86−49264, 86−64683
Uozumi, J., Asakura, T. Reproduction of sound from old disks by the laser diffraction method 88−65918
Uozumi, K., White, R.M., Muller, R.S. IDT-generated ultrasonic Lamb waves in a very thin membrane 87−9045
Uozumi, K., Yamaguchi, T. Film thickness measurement [VLSI testing] 88−10129
Uozumi, K. *see* Hirome, M. 86−16947
Uozumi, N. Clean range flameless cookers: new tools for the cook−safe, easy to use, and cost-effective 86−13191
Uozumi, O., Kosugi, S., Tada, H., Tokunaga, T., Tabayashi, S. C&C (computers and communications) in Singapore earth station 88−3914
Uozumi, T., Momose, M. 1.8 m offset antenna for US local production 88−21023
Uozumi, Y. AGVs applications in the electric/electronics industry and Murata vehicles 87−5220
Uozumi, Y. *see* Ijiri, H. 87−77593
Upadhyay, A. *see* Lee, C.Q. 88−55502
Upadhyay, A.K., Messenger, L.W. Base drive for high power/frequency PWM transistor inverter 86−45555
Upadhyay, A.K., Wold, B., Thollot, P.A. Drive/trigger scheme for paralleling nonmatched semiconductors and increasing their frequency of operation 86−34537
Upadhyay, A.K. *see* Kang, Y. 87−73302
Upadhyay, D.N. *see* Singh, K. 86−46355
Upadhyay, P.N. Scintillation counters used in nuclear physics experiment 85−59170
Upadhyay, P.N. Aging properties of light diodes 86−2983
Upadhyay, P.N., Singh, B. A new technique for separating simultaneously produced scintillation and Cerenkov radiation 85−6243
Upadhyay, P.N., Singh, J.P. Quadrupole triplet employed in beam design 87−8790
Upadhyay, P.Nath *see* Nath Upadhyay, P.
Upadhyay, S.K. *see* Pandey, M. 86−13573, 86−34121, 86−46134, 88−38035
Upadhyay, S.S., Moulton, A. Evaluation of ultrasound scanning in healing femoral fractures 86−32289
Upadhyaya, A.K. Ventilation measurements during testing of a DC machine 88−43218
Upadhyaya, A.K. *see* Satsangi, V.R. 85−55745
Upadhyaya, B.R., Glockler, O., Wolvaardt, F.P. Combined dynamic data analysis and process variable prediction approach for system fault detection 87−61986
Upadhyaya, B.R. *see* Hashemian, H.M. 88−48735
Upadhyaya, B.R. *see* Kerlin, T.W. 88−23685
Upadhyaya, J.S. *see* Liu, C. 87−66117
Upadhyaya, J.S. *see* Saluja, K.K. 86−8174
Upadhyaya, S.J., Demjanenko, M. On the repair of defective field programmable logic arrays to increase yield 88−25142
Upadhyaya, S.J., Saluja, K.K. A new approach to the design of built-in self-testing PLAs for high fault coverage 88−32128
Upadhyaya, S.J. *see* Saluja, K.K. 87−44799
Upadhyayula, L.C. Status of GaAs MESFET comparators for gigabit sampling rate ADCs 85−17560
Upadhyayula, L.C. GaAs MESFET comparators for high speed analog-to-digital conversion 86−8414
Upadhyayula, L.C., Camisa, R.L., Taylor, G., Subbarao, S.N., Liu, S.G. Passive GaAs FET switch models and their application in phase shifters 87−73787
Upadhyayula, L.C., Gardner, P.D., Liu, S.G., Narayan, S.Y. Inversion-mode GaInAs MISFET ring oscillators 86−63441
Upadhyayula, L.Chainulu *see* Chainulu Upadhyayula, L.
Upadhye, Y.S. *see* Narayanan, K. 88−22052
Upadyshev, V.V. *see* Solov'ev, V.I. 88−42309
Upasena, Kh.A. *see* Balakshii, V.I. 85−12684, 85−26224
Upatnieks, J. *see* Cindrich, I. 85−7932
Upchurch, B.T. *see* Brown, K.G. 87−39011
Upchurch, B.T. *see* Sidney, B.D. 88−27073
Upda, L. *see* You, Z.-Q. 88−52078
Updegraff, S.W. Palladium-nickel coating system for high reliability connectors 85−28763
Updegraff, S.W. A new, high reliability coating system for telecommunications applications [electric connectors] 87−17466
Updike, O.L. *see* Bellahsene, B.-E. 88−61404
Upfal, E. *see* Peleg, D. 87−33855, 88−14865
Upham, A.F. Failure analyses and testing yield reliable products 85−60733
Upham, F. *see* Olson, J.E. 86−11983
Upham, H.L. Millimeter-wave detectors extend range of scalar network analyzer 88−38421
Uphaus, J.A., Jr. *see* Griffith, P.W. 85−9341
Uphill, L. Two antennas in the space of one 88−2747
Uplane, M.D., Pawar, S.H. Effect of zinc composition on properties on PEC cells based on sprayed $Cd_{1-x}Zn_xS$ films 85−5350
Uplane, M.D. *see* Warad, A.U. 85−61689
Upp, D.C. *see* Frank, W. 85−25642
Upp, D.C. *see* Treves, S.R. 85−25653
Uppal, A.K., Chaturvedi, S.N., Nath, N. Effect of killer impurities on the phosphorescence of CaS:Cu and CaS:Ce 88−2110
Uppal, G.S. *see* Bhattacharya, C.K. 86−36705, 87−71296
Uppal, G.S. *see* Dunne, J.F. 85−60012
Uppal, J.S., Gupta, P.D., Bhawalker, D.D. Fluorescence emission from Nd:yttrium aluminium garnet laser amplifier 85−24509
Uppal, J.S., Harrison, R.G., Moloney, J.V. Validity of mode splitting analysis in optically pumped molecular lasers having Rabi splitting 88−14105
Uppal, J.S., Monga, J.C. Contribution of stress-dependent variation of refractive index to thermal lensing in Nd:glass laser rods 86−15665
Uppal, J.S., Monga, J.C. Comment on 'thermal transient effects' in silicate and phosphate rods pumped in pseudoelliptic close-coupled cavities' 86−22360
Uppal, J.S., Monga, J.C., Bhawalkar, D.D. A simple technique for the alignment of a ring resonator 85−62630

Uppal, J.S., Monga, J.C., Bhawalkar, D.D. Performance of a general asymmetric unstable Nd:glass ring laser 86–29182
Uppal, J.S., Monga, J.C., Bhawalkar, D.D. Analysis of an unstable confocal ring laser with a thermally induced active medium 86–54169
Uppal, J.S., Monga, J.C., Bhawalkar, D.D. Study of thermal effects in Nd doped phosphate glass laser rods 87–26352
Uppal, J.S., Nathan, T.P.S., Bhawalkar, D.D. Performance characteristics of a Nd: glass laser amplifier from fluorescence emission studies 86–9814
Uppal, J.S. *see* Forysiak, W. 88–65563
Uppal, J.S. *see* Moloney, J.V. 88–27064
Uppal, J.S. *see* Monga, J.C. 85–35812
Uppal, P. *see* Ahearn, J.S. 88–18687, 88–38203
Uppal, P.N., Ahearn, J.S., Musser, D.P. Molecular beam epitaxial growth of GaAs (331) 87–73097
Uppal, P.N., Ahearn, J.S., Musser, D.P. Molecular-beam epitaxial growth of GaAs(331) 88–24706
Uppal, P.N., Kroemer, H. MBE growth of GaAs and GaP on Si(211) 85–39743
Uppal, P.N., Kroemer, H. Molecular beam epitaxial growth of GaAs on Si(211) 86–7766
Uppal, P.N., Kroemer, H. Growth of device-quality GaAs and (Al,Ga)As on (211)-oriented silicon substrates, with thin (0.1 μm) superlattice buffer layers 86–52472
Uppal, S., Bucklew, J.A. Analysis of access protocols for a centralized network 87–40058
Uppal, S., Bucklew, J.A. Analysis of access protocols for an automatic meter reading system 88–28311
Uppal, Y.D. *see* Sadana, Y.L. 85–53594
Upshaw, J.L. Testing of coaxial railguns in high vacuum 87–26718
Upshaw, J.L. *see* Harding, J.T. 87–26679
Upson, V.L., Dinsmore, J.E. Surface navy to benefit from new BIT capabilities 88–41727
Upton, A.R.M. *see* Kamath, M.V. 87–63781, 88–23077
Upton, A.R.M. *see* Madhavan, G. 87–55240
Upton, A.R.M. *see* Madhaven, G. 85–48313
Upton, A.R.M. *see* Milton, J. 88–54562
Upton, D.E. *see* Martin, R.J. 86–56619
Upton, E.M. Computer conferencing–a tool for hospitality professionals 88–53059
Upton, G.J.G. *see* Upton, S.A.J. 87–76658
Upton, L., Simpson, L. Budget 2-way loudspeakers 86–55483
Upton, M.A.G., Jacomb-Hood, A.W., Chao, P.C., Nightingale, S.J., Merrill, J.D. EHF monolithic receive module technology 87–47399
Upton, M.A.G., Smith, P.M., Chao, P.C. HEMT low-noise amplifier for Ka-band 87–73793
Upton, M.A.G. *see* Jacomb-Hood, A.W. 87–32100
Upton, M.A.G. *see* Mishra, U.K. 85–55133
Upton, M.A.G. *see* Nightingale, S.J. 85–13200, 86–8477, 86–14529, 86–20831, 86–27602
Upton, M.D. *see* Oettel, R.E. 87–59371
Upton, R. Hybrids and RF circuits are an ideal match 88–57202
Upton, R. New standards for control gear 88–75879
Upton, R., Strebe, D.L. The digital filter analyzer comes of age 88–47458
Upton, R.A. *see* Carlotto, M.J. 85–30314
Upton, S. *see* Paraboni, A. 86–17287
Upton, S.A.J., Holt, A.R. Calculation of scattering parameters at millimetre wave frequencies 85–41623
Upton, S.A.J., Holt, A.R., Evans, B.G. Long term frequency scaling of attenuation 87–47190
Upton, S.A.J., Holt, A.R., Upton, G.J.G. Some aspects of the analysis of experimental data for short-term frequency scaling 87–76658
Upton, S.A.J. *see* Allnutt, J.E. 86–17304
Upton, S.A.J. *see* Holt, A.R. 85–2521, 86–36728
Ur, H. *see* Davidson, J. 86–28588, 87–60776
Ura, K. A review and prospects on electron beam testing 85–1448
Ura, K. Scaling law of voltage contrast in scanning electron microscope 88–71293
Ura, K., Fujioka, H., Nakamae, K. Reduction of local field effect on voltage contrast 85–11874
Ura, K., Takaoka, A. Trajectory theory of field emission gun 87–37853
Ura, K. *see* Fujioka, H. 85–37526, 85–50173, 87–29027, 88–1335, 88–39578, 88–63011
Ura, K. *see* Kobayashi, T. 85–57829
Ura, K. *see* Nakamae, K. 85–43055, 87–11323
Ura, K. *see* Takaoka, A. 87–32194
Ura, K. *see* Takaoka, S. 87–6317
Ura, M. *see* Okuo, T. 85–21836
Ura, S., Suhara, T., Nishihara, H. Aberration characterizations of a focusing grating coupler in an integrated-optic disk pickup device 88–13928
Ura, S., Suhara, T., Nishihara, H., Koyama, J. Focusing grating for integrated optical-disk pickup device 86–22183
Ura, S., Suhara, T., Nishihara, H., Koyama, J. An integrated-optic disk pickup device 87–54144
Ura, S., Sunagawa, H., Suhara, T., Nishihara, H. Focusing grating couplers for polarization detection 88–72097
Ura, S. *see* Suhara, T. 86–36252
Ura, Y. Design of interior air conditioner 86–71134
Urabe, H. Digital images and their image quality 87–3438
Urabe, H., Toda, K. Multi-channel external modulation using acousto-optic diffraction 88–13967
Urabe, H., Toda, K. Optical deflection using a leaky surface acoustic wave device 88–33493
Urabe, H., Watabe, K., Toda, K. Ultrasonic diffraction grating using an interdigital transducer operating at a liquid-solid interface 85–29663
Urabe, H., Watabe, K., Toda, K. Frequency modulation of optical beam using ultrasonic diffraction grating 87–12276
Urabe, H. *see* Toda, K. 88–51606, 88–72180
Urabe, I. Development of a moderating type higher sensitive rem counter using ^{6}Li glass scintillator 85–59171
Urabe, I. Response of 7.6 cm diameter and 7.6 cm length NaI(Tl) scintillation detector to neutrons 88–36353
Urabe, J. *see* Shiozaki, O. 86–58065
Urabe, K. *see* Fudo, H. 88–61851
Urabe, K. *see* Katagiri, H. 86–67740, 87–24856
Urabe, K. *see* Nishiura, M. 88–74519
Urabe, K. *see* Tsurumi, T. 86–71035
Urabe, S., Numata, T., Inokuchi, S., Sakurai, Y. Sm addition to GdCo and TbFe films for magneto-optical memory 86–42376
Urabe, S., Ohta, Y., Morikawa, T., Saburi, Y. Operation and performance of an hydrogen maser with a new state selector 85–58812
Urabe, S., Saburi, Y., Shibuki, M., Nakagiri, K. Determination of velocity distributions of a cesium beam [frequency standard] 85–43061
Urabe, S., Umezu, J., Ishizu, M. Measurement of the stored ion characteristics by the resonance absorption method 86–22618
Urabe, S. *see* Maruyama, K. 87–37077
Urabe, S. *see* Mori, M. 87–78349
Urabe, S. *see* Nakagiri, K. 85–58814
Urabe, S. *see* Nishiki, S. 87–8187, 87–48945
Urabe, S. *see* Ohhori, K. 86–61730
Urabe, S. *see* Ohta, Y. 85–62468
Urabe, S. *see* Saito, S. 85–17198, 85–28412
Urabe, S. *see* Sasaki, A. 87–8186, 87–34460, 87–48469
Urabe, S. *see* Shimizu, I. 88–73839
Urabe, S. *see* Yamamura, T. 87–57811
Urabe, S. *see* Yuki, S. 87–28412, 87–48950
Urabe, T., Hirata, N. A playback system for long-term analog tape recordings of ocean bottom seismographs 85–59463
Urabe, T., Usui, H., Arai, K., Ohkoshi, A. A semiconductor laser-addressed dye-doped liquid-crystal light valve 85–64209
Urabe, Y. *see* Baba, H. 85–57385
Urabl, E. Protection system for the 110 kV transmission network of the Voitsberg 3 thermal power station 85–9543
Urabl, E. *see* Fischer, H. 85–48874
Uraguchi, H., Ohkami, A., Komori, M. In-circuit test support system 86–40826
Urahama, K. Convergence properties of the numerical solution for weakly nonlinear multimode oscillators 85–61151
Urahama, K. Some methods of numerical integration of implicit ordinary differential equations 86–367
Urahama, K. A multiple time scale method for weakly nonlinear difference equations 86–7717
Urahama, K. A method for numerical integration of ordinary differential equations with discontinuous nonlinearities 86–7718
Urahama, K. An acceleration technique for the waveform relaxation method 86–19888
Urahama, K. A method of stabilizing the relaxation-based circuit simulator by the ϵ-algorithm 86–20161
Urahama, K. Convergent properties of a method of DC analysis using numerical integration 86–20162
Urahama, K. A method of stabilizing the timing simulator 86–20407
Urahama, K. Numerical integration of ordinary differential equations with discontinuous nonlinearities by Runge-Kutta method 86–34263
Urahama, K. Convergence properties of modified relaxation-based circuit simulators 86–34439
Urahama, K. Convergence properties of Leelarasmee's iterative method 86–46292
Urahama, K. Circuit simulation based on the waveform relaxation and the Leelarasmee's iterative method 86–53830
Urahama, K. Monotone convergence of waveform relaxation method 87–5365
Urahama, K. Monotone convergence of Leelarasmee's iterative method [large-scale circuit simulation] 87–5568
Urahama, K. Local convergence of waveform relaxation method 87–23856
Urahama, K. An evaluation of convergence for block relaxation methods 87–31436
Urahama, K. Sufficient conditions for iterated timing analysis to converge locally 87–31650
Urahama, K. Sufficient conditions for a generalized waveform relaxation to converge locally 87–52072
Urahama, K. An extension to Zukowski's method for bounding the responses of linear RC mesh circuits 87–52311
Urahama, K. Qualitative behavior of a class of MOS digital circuits 87–52482
Urahama, K. Monotone sensitivity of a class of MOS digital circuits 87–52483
Urahama, K. Monotone convergence of the sequence of iterated waveforms in the waveform relaxation method [MOS digital circuits] 87–59284
Urahama, K. An isotone property of a class of MOS digital circuits 87–65969
Urahama, K. Sufficient conditions for multirate iterated timing analysis to converge [MOS digital circuit simulation] 88–6720
Urahama, K. Convergence of relaxation-based circuit simulation techniques 88–20143
Urahama, K. Convergence of asynchronous iterated timing analysis 88–24672
Urahama, K. Monotone sensitivity of resistor-transfergate-capacitor ladder network driven by logic gate 88–31960
Urahama, K. Asynchronous waveform relaxation-Newton method 88–38111
Urahama, K. Local convergence of waveform relaxation method 88–38321
Urahama, K. Convergence of the waveform relaxation method using Laplace transforms 88–38331
Urahama, K. Monotonic transient sensitivity of a class of CMOS digital circuits 88–50229
Urahama, K. Monotonic properties for the response of a class of MOS digital circuits 88–56550
Urahama, K. Waveform relaxation method 88–64577
Urahama, K., Kawane, Y. Circuit simulation using event-driven waveform relaxation-Newton method 88–33405
Urahama, R. Monotonic properties for the responses of a class of CMOS circuits 88–20125
Urai, H. Dynamic properties of stripe domain tips measured by a bubble stretcher detector 86–36072
Urai, H. New method for potential well measurements using bubble runout in ion-implanted bubble device 86–42150
Urai, H. A new potential well measurement method using bubble run-out phenomena 87–32884
Urai, H. A bubble generation mechanism for ion-implanted bubble devices 87–32885
Urai, H. Charged wall behavior observed by bubble run-out method 88–13689
Urai, H., Mizuno, K., Asada, S., Takada, N., Yoshioka, N., Gokan, H., Yoshimi, K. 4 Mb on-chip-cache bubble memory chips with 4 μm period ion-implanted propagation patterns 85–24205
Urai, H., Mizuno, K., Kato, Y., Matsutera, H., Gokan, H., Makino, H. Roles of a hard bubble suppression layer in ion-implanted bubble devices 88–51366
Urai, H. *see* Kato, Y. 87–32886
Urai, H. *see* Maruyama, T. 88–57958
Urai, H. *see* Mizuno, K. 86–28716, 87–32887
Urai, H. *see* Yamada, K. 88–64976
Urai, M., Iguchi, K., Shiga, C. X-ray lithography technology 88–50773
Urai, T. *see* Higuchi, M. 88–19138
Urai, T. *see* Ichida, K. 86–34799
Urai, T. *see* Kamaya, M. 87–31898
Urakami, M. *see* Itaya, H. 88–67707
Urakami, T., Takiguchi, Y., Kinoshita, K., Tsuchiya, Y. Characterization of photon-counting streak camera 87–53131
Urakami, T. *see* Ueda, M. 88–40307
Urakawa, J., Hayano, H., Kawamoto, T., Kikuchi, M. Bucket matching system between TRISTAN AR and MR 88–54151
Urakawa, J. *see* Kurokawa, S. 86–60404
Urakawa, J. *see* Tonuma, T. 85–15139
Urakawa, O. *see* Hamabe, K. 87–4552
Urakawa, T., Kawasaki, S., Yukino, S., Yoshitsugu, T., Mitani, S., Yamamoto, M. Polygon mirror scanner motor 88–23987
Urakseev, M.A., Mukaev, R.Yu., Yasoveev, V.Kh. Spectral analysis of transformer-type parametric converters under dynamic conditions 86–56833
Urakseev, M.A., Mukhamet'yanov, M.G., Sharapov, E.I. Temperature error of a controlled current transducer 86–5221
Urakseev, M.A., Mukhamet'yanov, M.G., Sharapov, E.M. Error in transducer with distributed parameters generated by reactive component of magnetic resistance of steel 85–47942
Ural, H. Logic specifications for communication systems 87–20082
Ural, H. Test sequence selection based on static data flow analysis 88–3502

Ural, H., Probert, R.L. Automated testing of protocol specifications and their implementations 85−8144
Ural, H., Probert, R.L. Step-wise validation of communication protocols and services 86−64622
Ural, H., Short, R. An interactive test sequence generator [protocols] 87−20207
Ural, H. *see* Bochmann, G.V. 86−69234
Ural, H. *see* Cleghorn, C. 88−34873
Ural, H. *see* Hornbeek, M. 87−40417
Ural, H. *see* Kanungo, B. 87−34217
Ural'skii, D.V. *see* Bulgakov, N.K. 87−63700
Ural'tsev, I.N. *see* Alferov, Zh.I. 85−61725, 87−6433
Uraltsev, I.N. *see* Weinert, H. 87−32313
Uramoto, J. Volume produced H^-, D^- ion source for proton accelerator and thermo-nuclear fusion research by sheet plasma (I) 86−50298
Uramoto, J. Volume produced H^-, D^- ion source for proton accelerator and thermo-nuclear fusion research using a sheet plasma. II 87−50104
Uramoto, J. Volume produced H^-, D^- ion source for proton accelerators and thermo-nuclear fusion research by sheet plasma 88−4774
Uramoto, S. *see* Sasada, I. 86−44306, 87−21029, 88−53629 to 53630, 88−53637
Uramoto, T., Hashimoto, H., Tokuno, Y., Inomata, T., Nakagawa, C. Development of local area network system for automobiles (VICS-1) 88−69872
Uramoto, T., Nakagawa, C., Inomata, T. Development of LSI for multiplexing/demultiplexing (DN1811) 88−26521
Urankar, L. Vector potential and magnetic field of current-carrying finite elliptic arc segment in analytical form 86−15843
Urankar, L. High accuracy field computation of magnetized bodies 86−42677
Urankar, L. Three dimensional magnetostatic field computation with integral equation method 86−63914
Urankar, L.K. Vector potential and magnetic field of current-carrying finite arc segment in analytical form IV. General three-dimensional current density 85−13046
Urano, A., Ishiguro, Y., Shigematsu, M., Kanamori, H., Yokota, H., Tanaka, S., Kyoto, M., Tanaka, G. Pure silica core dispersion-shifted single-mode fibers 88−45144
Urano, A. *see* Fujiwara, K. 87−46547
Urano, A. *see* Miyake, M. 88−46872
Urano, F. *see* Oonishi, H. 87−35642
Urano, H. *see* Ohnishi, H. 88−48559
Urano, I. *see* Kawada, H. 85−47014
Urano, J. *see* Kurosaki, T. 88−35683
Urano, K., Ase, T., Naito, Y. Recovery of acid from wastewater by electrodialysis 85−49238
Urano, M. *see* Asai, H. 86−66928
Urano, M. *see* Motohara, A. 88−70723
Urano, T., Furukawa, K., Otake, Y., Abe, I., Nakahara, K. Present status of the control system for the KEK 2.5 GeV electron and positron linac 88−42359
Urano, T., Hosono, Y., Hasegawa, K. Generation of triggers doubly synchronized with two independent radio frequencies 87−10749
Urano, T., Nakahara, K. Trigger control system of the PF linac 86−60432
Urano, T. *see* Azuma, O. 87−14682
Urano, T. *see* De Kang Liu 87−14694
Urano, T. *see* De-Kang Liu 87−41702
Urano, T. *see* Hosono, Y. 86−50436
Urano, T. *see* Kanaji, T. 86−5579, 88−68077
Urano, T. *see* Nakahara, K. 86−60417
Urano, T. *see* Sato, I. 87−41704
Urano, Y., Obana, S. Message handling system services 85−63255
Urano, Y., Suzuki, K. Trends of message handling services 85−8008
Urano, Y., Yamada, K., Hatori, Y., Kohana, S., Nakao, Y., Miyasato, T. Experimental system for system conversion in international videotex communication services 86−4243
Urano, Y., Yamada, K., Obana, S., Nakao, K. Architecture & protocols for generalized telematic service and applicability to international videotex interconnection 86−37294
Urano, Y. *see* Kato, S. 87−62646
Urano, Y. *see* Kato, T. 87−48666
Urano, Y. *see* Matsuo, K. 87−8042
Urao, R., Oishi, M., Machii, R., Shibata, T. TiN coating of a Zn-Al eutectic alloy by thermoelectron activation RE ion plating method 87−58972
Uraoka, U. *see* Hattori, K. 86−21247
Urasaki, S., Makino, S. Multibeam antennas 86−59149
Urasaki, S., Makino, S., Katagi, T. Tri-reflector antennas with no cross-polarized component 85−19257
Urasaki, S., Makino, S., Katagi, T. Tri-reflector antennas with no cross-polarized component 86−68873
Urasaki, S., Masuda, M., Katagi, T., Betsudan, S., Mizusawa, M. Design of beam waveguide feeds for multi-frequency bands by lens system analogy 87−49213
Urasaki, S., Yao, M., Mori, T., Kurihara, Y., Kobayashi, T. A direct broadcasting satellite receiving system 85−25812
Urasaki, S. *see* Makino, S. 86−68850, 87−27008, 88−27613
Urasawa, S. *see* Kurihara, A. 87−14641
Urasawa, S. *see* Takahashi, S. 87−14791
Urasawa, S. *see* Tamae, T. 88−29753
Urase, K. *see* Kametani, H. 85−26716, 85−52963
Urase, K. *see* Matoba, M. 88−61088
Urase, K. *see* Ohgaki, H. 86−50395
Urashima, K. *see* Yamazaki, Y. 86−4684
Urasov, P.G. *see* Tokar, I.Ya. 85−44332
Urata, E. Design of a wing-type flowmeter 87−41317
Urata, K., Nishikage, Y., Ozono, T. Triphosphor fluorescent lamp [LIFELOOK-E] (increased light output and good color rendering property) 85−60527
Urata, K., Nishikage, Y., Ozono, T., Takahashi, H. High performance fluorescent lamp 'Azayaka-Kun' for commercial lighting 87−36239
Urata, K., Nishikage, Y., Uchida, J. The high performance fluorescent lamp (LIFELOOK D) 87−51618
Urata, K. *see* Yamazaki, S. 86−7035
Urata, M., Maeda, H. Relation between radial stress and quench current for tightly wound dry solenoids 87−67969
Urata, M. *see* Maeda, H. 88−65075
Urata, T. *see* Segawa, K. 87−70430
Uratani, K. *see* Kato, H. 87−65169
Uratani, M. *see* Torimaru, M. 85−54769
Uratani, Y. *see* Nakazima, T. 85−53412
Uratsuka, M. *see* Imae, M. 86−44439
Uratsuka, S., Ihara, T., Kitamura, K., Manabe, T., Imai, Y., Furuhama, Y. Worst month statistics of rain attenuation at 34.5 and 81.8 GHz 86−29389
Uratsuka, S., Thara, T., Kitamura, K., Manabe, T., Imai, Y., Furuhama, Y. Worst month statistics of rain attenuation at 35 and 82 GHz 86−63998
Uratsuka, S. *see* Ichinose, M. 88−53357
Uratsuka, S. *see* Mineno, H. 88−35584
Urayama, J. One viewpoint of structural change of information industry in the USA 85−51864
Urayama, M. *see* Itoh, Y. 88−53469
Urayama, T. Operating circuit for discharge lamps 87−72564
Uraz, A. *see* Ozturk, N. 85−44833
Uraz, A.A. *see* Serin, T. 88−13064
Urazaev, K.Z. *see* Afonin, L.A. 85−26169
Urazbakhtina, N.G. *see* Roginskaya, L.E. 86−11538
Urazgil'din, I.F. *see* Stepanov, G.V. 85−34656
Urazuka, M., Morikawa, T., Imae, M., Miki, C., Akatsuka, K., Yoshimura, K. International time comparison results using a developed GPS receiver 88−16521
Urazuka, M. *see* Yoshimura, K. 86−38569
Urbach, D., Pratt, H. Application of finite impulse response digital filters to auditory brain-stem evoked potentials 87−14893
Urbach, H.-P. *see* Aulich, H.A. 86−45702, 88−18015, 88−56028
Urbach, W. *see* Gindre, M. 88−68668
Urban, A.R., Spellman, J.A., Jr. Convert URD transformers from live to dead front 85−27476
Urban, G., Reda, I.M. Electrical conductivity of amorphous Ge-Sn thin films 86−41558
Urban, G., Steiger, W., Rudenauer, F.G., Schallauer, R. A thin-film bolometer for particle current measurements 86−31435
Urban, G., Steiger, W., Rudenauer, F.G., Schallauer, R., Reda, I. Thin film bolometer for measurement of neutral particle beam currents 86−5812
Urban, G. *see* Friedrich, J. 88−36872
Urban, G. *see* Gutena, J. 87−71919
Urban, J. Voice and data over cable TV: mapping out the hurdles 86−55450
Urban, J. *see* Bernsteiner, F. 88−69117
Urban, M. Passive one-element track etch dosemeter for simultaneous measurement of radon, thoron and decay products in air 87−29636
Urban, M. Determination of minimum air clearances for live line work on high voltage transmission lines 88−68973
Urban, M. *see* Burgkhardt, B. 87−21692
Urban, M. *see* Hill, P. 87−46677
Urban, M. *see* Piesch, E. 87−29632
Urban, M. *see* Yacobi, B.G. 88−50747
Urban, P. *see* Bender, D. 86−70777
Urban, P. *see* Holzer, R. 85−27248
Urban, P. *see* Stoll, G. 86−44054
Urban, R.T. Allocating the costs of failed or abandoned projects of regulated public utilities 85−16664
Urban, S. *see* Chinery, C.R. 85−27728
Urban, S. *see* Natkaniec, I. 86−5860
Urban, S.J. *see* Bodson, D. 85−51991
Urban, T. *see* Filip, J. 88−44268
Urban, W. *see* Adams, H. 85−46363
Urban, W. *see* Kunz, H.W. 87−57412
Urban, W. *see* Luo, X. 88−20533
Urban, W. *see* Schneider, M. 88−14080
Urbanczyk, A. The measurement of the thickness of diffusion and epitaxial layers in silicon 85−12077
Urbanczyk, M. *see* Kubik, Z. 86−14831
Urbanczyk, S.C. *see* Eady, S.J. 87−61754
Urbanek, J. Alternative ways of using heat from turbines for district heating 86−33066
Urbanek, J. Optimization of heating water output temperature in district heating systems employing nuclear power plants 88−43036
Urbanek, L.D. *see* Ren, F. 88−63606
Urbanek, L.D. *see* Tu, C.W. 87−6712
Urbanek, M. *see* Matal, O. 87−15429, 88−55149
Urbaneta, N. *see* Brewerton, D. 85−14820
Urbanik, A. Control of the telecommunication network structure 87−27804
Urbanik, E. *see* Berik, E. 85−56565
Urbanik, E.A., Welsh, B.M. A hybrid solution to the radiation of a parabolic dish antenna 87−27028
Urbanik, J. Sulphuric acid plants operating on waste gases 85−16500
Urbanke, C. Progress in drive technique 85−32731
Urbanke, C. A digital control system for railway vehicle drives 86−71108
Urbanke, C. Modern control and information electronics on rail vehicles 87−9921
Urbanke, C. Three-phase technology for electric and diesel-electric vehicles and locomotives 87−79107
Urbanke, C. *see* Beck, H.-P. 88−31157
Urbankova, G. *see* Dubovskii, P.E. 87−54238
Urbankova, H. Quartz CO_2 waveguide laser with a separated diffraction grating 87−68546
Urbankova, H., Engst, P., Novak, M. CO_2 waveguide laser−tunable source of infrared radiation 87−18882
Urbanovich, A.I. *see* Abrashin, V.N. 85−56801
Urbanovich, A.I. *see* Afanas'ev, A.A. 85−35871
Urbanovich, A.I. *see* Glushtsov, A.I. 87−73978
Urbanovich, P.P. A model of a defective memory cell distribution on LSI memory chips 87−52580
Urbanovich, V.S. *see* Al'tshuler, G.B. 88−33984
Urbanowicz, C.F., Wright, L.J., Meuter, R.F. Distance education from a non-digital source: some suggestions for digital designers 86−60071
Urbanowicz, C.F. *see* Meuter, R.F. 87−23121
Urbanski, A., Guebels, P., Shen, S., Taeymans, J. In search for better VLSI design method 86−47707
Urbanski, E. *see* Bohm, M. 87−51480, 88−13095
Urbanski, M.K. *see* Rostocki, A.J. 86−65179
Urbanski, W. *see* Hankel, R. 86−69846
Urbanski, W. *see* Neukirchner, E.P. 87−43604
Urbanszki, F. *see* Hannak, L. 88−67024
Urbanus, W.H., Bannenberg, J.G., Doorn, S., Douma, S., Ishikawa, J., Saris, F.W., Koudijs, R., Dubbelman, P. A microwave ion source and injector system for a Van de Graaff accelerator 88−47914
Urbanus, W.H. *see* Koudijs, R. 87−53376
Urbanus, W.H. *see* van Amersfoort, P.W. 88−47793
Urbas, A., Osiowski, J. Quadratic approximation in sensitivity analysis of dominant pole parameters in active *RC* filters with nonideal active elements 86−57938
Urbas, A., Osiowski, J. A method for approximate calculation of parasitic poles parameters in active RC filters with nonideal amplifiers 87−868
Urbassek, H.M. *see* Vicanek, M. 87−31098
Urbazaev, M.N. *see* Lisitsyn, V.M. 85−24504, 85−46356
Urbelis, A. *see* Dudenis, J. 86−41658
Urbelis, A. *see* Reksnys, R. 87−45562
Urbieta, A. Sensitivity study to EOS/ESD of bipolar integrated circuits 87−53690
Urbieta, A., Fenech, A. VLSI components: how to trace the ESD induced failures 87−46097
Urbieta, R. *see* Fernandez del Busto, R. 86−25883
Urbieta, R. *see* Fernandez-del-Busto, R. 85−60016
Urbieta, R.P. *see* Fernandez-de-Busto, R. 86−6581
Urbiha-Feuerbach, M. Comparative methods for determining of radio interference levels 85−38519
Urbina, C. *see* Esteve, D. 87−53916
Urbina, C. *see* Turlot, E. 88−20285
Urbina, C. *see* Wellstood, F.C. 87−60846, 87−67894
Urbina, M. *see* Adam, V. 85−38322
Urciuoli, R. *see* Fasano, V.A. 86−5975
Urcuyo, M.J. *see* Chou, S.M. 85−54684
Urda, M.O. *see* Diaz, C.H. 85−61037
Urdal, H. *see* Goody, J.L.H. 88−17104
Urdiain, S.Sanchez *see* Sanchez Urdiain, S.
Urdin, V.I. *see* Strakhov, S.V. 86−61608
Urdukhanov, R.I. *see* Volodin, A.A. 87−63917
Ure, G. *see* Healy, J. 86−49942, 87−56481
Ure, J. Is there a replacement for telex? 88−9049
Ure, J.W. *see* Cheng, W.H. 87−26377, 87−68439, 88−8208

Ure, K.A., Hanna, D.C., Pointer, D.J. A high power synchronously pumped dye laser operating in the blue and green spectral region 87−12417
Ure, K.A. *see* Hanna, D.C. 86−68477
Urech, D.R. *see* Lakhani, A.A. 85−34642
Urednicek, Z. *see* Szekely, J. 85−498, 87−51351
Uren, M.J., Day, D.J., Kirton, M.J. 1/*f* and random telegraph noise in silicon metal-oxide-semiconductor field-effect transistors 86−15150
Uren, M.J., Kirton, M.J., Collins, S. Anomalous telegraph noise in small-area silicon metal-oxide-semiconductor field-effect transistors 88−50851
Uren, M.J., Kirton, M.J., Day, D.J. Gate dependent random telegraph noise in silicon MOSFETs 86−63329
Uren, M.J. *see* Beale, M.I.J. 85−23397, 86−26930, 86−63186
Uren, M.J. *see* Burr, P.M. 87−70618
Uren, M.J. *see* Kirton, M.J. 86−53464, 88−13372
Uren, S., Walker, M., O'Grady, K., Chantrell, R.W. Magnetic viscosity and switching field distributions in recording media 88−57972
Urenev, V.I. *see* Litvinov, V.V. 86−21096
Ureno, T., Takagi, H., Kawasaki, K., Nakamura, S. Iron losses in cable supports and members of tunnels adjacent to large power transmission cables 87−71717
Ures, M. *see* Simon, M. 86−10800
Uresin, A., Dubois, M. Asynchronous relaxation of nonnumerical data 88−6406
Uretskii, Yu.I. *see* Lavrent'ev, B.V. 87−65604
Uretsky, B.F. *see* Sashin, D. 85−38060
Ur'ev, A.M. *see* Iserlis, Yu.E. 85−62727
Uri, J.Ben *see* Ben Uri, J.
Uri, N.D. Spatial monopoly and the US electrical energy industry 85−53258
Uria, E.Grijalva *see* Grijalva Uria, E.
Uribe, R.D. *see* Zurita, G.R. 88−58336
Uribe, R.M., Chappas, W.J. Improvement of radiochromic film dosimetry precision by an individual dosimeter characterization 85−20974
Urie, A., Coutts, R. Personal telecommunications−the need for multiple air interfaces 88−73817
Urie, A.R. *see* Bullock, F.G. 88−46942
Urie, P. *see* Linebarger, R. 88−46630
Urillo, A.J. *see* Das, P. 87−12013
Urillo, A.J. *see* Litynski, D.M. 87−46296
Urin, B.M. *see* Berdyshev, A.V. 86−54091
Urin, B.M. *see* Dolinina, V.I. 86−29043, 86−36392
Urin, B.M. *see* Kovsh, I.B. 87−39015
Urin, V.N. *see* Kumshaev, S.B. 85−26193
Urino, Y. A study on dispersion-controlled single-mode optical fibers 88−7876
Uriola Sereno, J.J. *see* Davies, A.E. 86−12873
Uriot, P. A logic analyser for 16 bit systems 85−52702
Uriot, P., Machnik, K. Finding the optimum [performance analysis board] 85−64064
Uriot, P., Machnik, K. Market situation for logic analysers−growing in applications 86−5140
Uriot, P., Machnik, K. Two analyser systems in a single housing: simultaneous state and timing analyses 87−49609
Urish, J. *see* Barsotti, E. 88−54403
Urish, J.C. *see* Hayashide, Y. 85−26687
Urisu, T., Kyuragi, H. Synchrotron radiation-excited chemical-vapor deposition and etching 88−12053
Urisu, T., Mizushima, Y. Transient pulse buildup mechanisms in a synchronously-pumped mode-locked dye laser 85−35711
Urisu, T. *see* Kyuragi, H. 87−36794
Urita, K. Semiconductor lasers for optical memory disks: high output and low noise required 88−2259
Uritani, A. *see* Akaishi, K. 87−77451
Uritani, A. *see* Mori, C. 85−37936, 88−54393
Uritskii, V.Ya. Energy spectrum of surface states in the band gap of silicon at the silicon-silicon dioxide interface 85−61774
Uritskii, V.Ya. *see* Katsadze, T.N. 87−45707
Uritskii, V.Ya. *see* Romanov, O.V. 85−34657, 85−40525
Uritskiy, V.Ya. *see* Gurtov, V.A. 88−19753
Uriu, Y. Experiments of totalized stabilizing policy of power system 86−39054
Uriya, S. *see* Hara, T. 88−18988
Uriya, S. *see* Nakayama, K. 85−61376
Urke, B.D. *see* Stevens, E.H. 86−9280
Urkowitz, H. Hansen's method applied to the inversion of the incomplete gamma function, with applications 86−23032
Urkowitz, H. *see* Steben, J.D. 88−15553
Urlacher, J.-M. *see* Richard, J.-L. 88−43473
Urli, N., Persin, M., Popovic, S., Kranjcec, M., Pivac, B. Anomalous properties of *n*-InSe/*p*-Zn Te (thin film) heterojunction 87−74053
Urling, A.M., Wilson, T.G., Owen, H.A., Jr., Cromwell, G.W., Paulakonis, J. Modeling the frequency-domain behavior of magnetic-amplifier-controlled high-frequency switched-mode power supplies 87−44564
Urling, S.A. *see* Hahn, F.W., Jr. 85−7150
Urm, E.E. *see* Dyedoborshch, V.G. 86−16676
Urman, N.S. *see* Mogil'ner, L.Yu. 87−23775
Urman, Yu.M. Dynamical effects due to the rotational motion of a magnetically suspended superconductor 85−46103
Urman, Yu.M. *see* Vorob'ev, A.I. 85−56254
Urmanov, N.A., Khusainov, O. Field quenching of the residual conductivity 86−35393
Urmanov, N.A. *see* Dzhunaidov, S.S. 85−61726
Urmanov, R.N., Mangileva, A.A. Nonlinear characteristics of controlled chokes in a circuit of parametric current sources 85−44040
Urmanova, L.A. *see* Budilov, A.A. 86−44588
Urmetzer, N., Fursicht, U. Autorouting on personal computers with artificial intelligence−the aim is 100 percent routing 88−64071
Urmoneit, W. *see* Buchheister, A. 88−52999
Urmston, S.L. CRT controller chip generates video at 20 MHz 85−34025
Urner, G. Correlation flow measurement−a method of complex fluids 88−60968
Uro, J.M. *see* Duquesnoy, J.Y. 86−2561
Uro, J.M. *see* Thomas, F. 88−70871
Uronen, P. *see* Kuismin, R. 88−3645
Urozhenko, V.V. *see* Belyaev, B.M. 88−53543
Urozhenko, V.V. *see* Kiselev, M.I. 88−35926
Urpinen, H. *see* Leman, P. 86−70612
Urqhart, D. Packaging for Multibus I 88−49522
Urquhart, A. *see* Hiatt, M. 87−60245
Urquhart, J. *see* Moseley, A.J. 88−2115, 88−33870
Urquhart, J.S. Structuring VLSI design: an analysis of the implementation of the ARM−a 32-bit RISC microprocessor 87−791
Urquhart, J.S. *see* Howard, D.W. 87−24261
Urquhart, P. Compound optical-fiber-based resonators 88−58099
Urquhart, P. *see* Barnsley, P. 88−72354
Urquhart, P. *see* Brierley, M. 88−14228
Urquhart, P. *see* Miller, I.D. 87−61114
Urquhart, R. *see* Moore, W. *(editor)* 87−36329
Urquhart, R.B., Arambepola, B. VLSI signal processing: algorithms, architectures and implementations 85−35144
Urquhart, R.B., Wood, D. Systolic matrix and vector multiplication methods for signal processing 85−961
Urquhart, R.B. *see* Wilson, S.T. 87−44948
Urquhart, R.B. *see* Wood, D. 85−36227
Urquhart, W.P., Laybourn, P.J. Effective core area for stimulated Raman scattering in single-mode optical fibres 85−62654
Urquhart, W.P., Laybourn, P.J.R. Stimulated Raman scattering in optical fibers with nonconstant losses: a two-wavelength model 86−58959
Urquhart, W.P., Laybourn, P.J.R. Stimulated Raman scattering in optical fibres: the design of distortion-free transmission 87−7439
Urquijo-Carmona, J.de *see* de Urquijo-Carmona, J.
Urrea, W.R. Modernization of a burner control system in a thermoelectric power plant using logic programmable controllers 87−64348
Urriza, R.A. Wind energy resources and their exploitation 87−9245
Urriza, R.Angell *see* Angell Urriza, R.
Urrows, E. *see* Urrows, H. 85−36680, 88−53463
Urrows, H., Urrows, E. Early Viewtron 85−36680
Urrows, H., Urrows, E. Optical disks compete with videotape and magnetic storage media. II 88−53463
Urrutia, J. *see* Negro, A. 88−73418
Urrutia, J. *see* Santoro, N. 86−46261
Urrutia, J. *see* van Leeuwen, J. 88−40773
Urrutia, J.M. *see* Stenzel, R.L. 87−4127
Urry, N.P. *see* Maddocks, A.J. 86−48626
Urry, W.L., Thornton, D.D., Hudson, J.A. The Hat Creek millimeter-wave hybrid spectrometer for interferometry 86−11197
Urs, B.Raje *see* Raje Urs, B.
Ursaki, V.V. *see* Georgobiani, A.N. 85−29695, 86−22207
Urseitov, O.U. *see* Grach, I.M. 85−35961
Urshev, L. *see* Angelov, I. 86−40928, 87−48982, 88−50299, 88−56952
Urshev, L. *see* Stoeva, A. 88−44891
Urshev, L.K. *see* Angelov, I.M. 88−56954
Urshev, L.K. *see* Stanchev, I.Kh. 87−59813
Ursin, J.R. *see* Berggren, M. 85−9040
Ursin, J.R. *see* Cattai, A. 85−43181, 85−43250
Ursprung, H. The quantitative challenge to the ETH 85−39461
Urstoger, R. *see* Gos, W. 88−5931
Ursu, D.D., Bursuc, I.D. Differential device for the determination of magnetic permeability or electric resistivity inside massive cylindrical samples 85−58851
Ursu, I., Badescu-Singureanu, I., Schachter, L. Some developments in direct nuclear energy conversion: neutron flux dependence of the fission electric cell output parameters 85−60451
Ursu, I., Craciun, V., Alexandrescu, R., Mihailescu, I.N., Morjan, I., Popa, A., Popescu, M. Surface alloying of silicon by laser aluminothermy 87−60355
Ursu, I., Craciun, V., Mihailescu, I.N., Medianu, R., Popa, A., Prokhorov, A.M., Kiyak, S.G., Manenkov, A.A., Mikhailova, G.N. Solid phase doping of silicon with boron by surface scanning with CW CO_2 laser radiation 88−19794
Ursu, I., Dollinger, R., Pop, G., Demco, D.E., Gligor, T.D. The methods for generating tomographic images using transmission, emission and nuclear magnetic resonance techniques. II. Fourier method and iterative methods 88−36464
Ursu, I., Ivascu, M., Cotruta, D., Dumitrescu-Zoita, C., Ludu, A., Mandache, N., Novac, B., Zambreanu, V., Zoita, V. Experiments with a plasma focus device powered by magnetic flux-compression generators 87−43264
Ursu, I., Ivascu, M., Ludu, A., Novac, B., Panaitescu, I., Preotescu, D., Radu, A., Verbuta, N., Zambreanu, V., Zoita, V. Helical magnetic flux compression generators 88−49059
Ursu, I., Pavelescu, M., Tuturici, M. A deterministic approach in the optimization of a nuclear power system from fuel resource point of view 86−45102
Ursu, I., Pavelescu, M., Tuturici, M. Stochastic approach in the optimization of a nuclear power system 87−71803
Ursu, I., Pop, G., Demco, D.E., Dollinger, R., Gligor, T.D. The methods for generating tomographic images using transmission, emission and nuclear magnetic resonance techniques. I. Convolution method 88−36463
Ursu, I., Schachter, L., Badescu-Singureanu, A.I. A potential fission electric cell for space reactors 88−36619
Ursu, I. *see* Craciun, V. 88−39250
Ursu, I. *see* Georgescu, S. 87−33136
Ursu, I. *see* Nistor, S.V. 87−33137
Ursu, I. *see* Zhekov, V.I. 86−63781
Ursu, T. *see* Aron, I. 87−64627
Ursulyak, V.D. *see* Guts, V.V. 88−33892
Urui, K., Okano, M., Mano, H. Integrated voice/data digital EPBX 85−36865
Urui, K. *see* Ikawa, Y. 86−47803
Urunuela, J.M. *see* Glover, J.R., Jr. 87−29768
Urusaki, S. *see* Miura, K. 86−36830
Urushibata, H. *see* Murahashi, T. 85−27629, 86−40072
Urushibata, S. *see* Amemiya, M. 88−23097
Urushidani, H., Hiyama, F. Recent techniques for large-scale nuclear steam turbines and generators 85−43686
Urushidani, H. *see* Matsumura, J. 85−48872
Urushihara, S., Suzuki, K., Kanabe, T., Jituno, T., Nakatsuka, M., Nakai, S. Improvement of the control system and energy measurement system in GEKKO XII glass laser system 88−40190
Urushihara, T. *see* Takeichi, H. 87−28319
Urushihara, T. *see* Teshima, T. 86−59723
Urusov, I.D., Galkin, V.I., Likhoshvai, I.P. An active magnetic suspension in the working field of an electric motor 86−45457
Urusov, V.S. *see* Sorokin, V.L. 86−26955
Urusova, N.A., Feinshtein, S.M. Parametric interaction of waves in a plane plasma waveguide with random density inhomogeneities 87−33483
Urusova, N.A. *see* Dubinina, E.A. 86−3540
Urutskoev, L.I. *see* Bogolyubskii, S.L. 88−49163
Urvantseva, N.L. *see* Butusov, M.M. 85−18714, 86−42290
Urwank, P., Wieser, E., Hassner, A., Kaufmann, Ch., Lippmann, H., Melzer, I. Formation of $MoSi_2$ by light pulse irradiation 86−1819
Urwin, M. *see* Bryer, N.J. 88−42209
Ury, I. Optical communications 86−4659
Ury, I. *see* Anthes, J.P. 87−46703
Ury, I. *see* Bar-Chaim, N. 85−2346
Ury, I. *see* Cronin-Golomb, M. 86−54127
Ury, I. *see* Kwong, N.S.K. 88−20630, 88−65933
Ury, I. *see* Lau, K.Y. 85−2282, 85−2352, 85−18920, 85−42574, 85−46404, 85−56601
Ury, I. *see* Ungar, J. 86−15718, 86−29141, 86−42592, 87−46898
Ury, M.G. *see* Petelin, A.N. 86−8956
Uryadnikov, U.F., Stukalin, A.G. Noise immunity of data transmission by Walsh signals 85−13565
Uryadnikov, V.V. *see* Gecha, V.Ya. 88−55273
Uryadnikov, Yu.F., Gavrilov, M.I. The noise immunity of quasi-optimal reception of Walsh signals 87−19186
Uryadov, V.N. *see* Alishev, Ya.V. 86−37876
Uryadov, V.N. *see* Turov, V.G. 86−37875
Uryaev, I.A. *see* Fominykh, V.I. 88−5025
Uryaev, I.A. *see* Yanovskii, A.P. 85−48175
Urzhumskov, A.M. *see* Ivanov, A.V. 88−37292, 88−37751
Us, A.A., Kosenko, G.G. Estimate of the efficiency of decision taking in problems of signal detection using the sufficient information criterion 86−48933
Us, N.C., Sadowski, R.W., Coburn, J.W. Quartz crystal microbalance simulation of the directionality of Si etching in CF_4 glow discharges 86−35601
Usa, S., Mano, A., Ozawa, S. Pitch extraction of voice by low-pass filter and dynamic threshold 85−7842
Usachev, A.B. *see* Belokopytov, G.V. 86−58655
Usachev, B.F. *see* Volkov, V.K. 87−75187
Usachev, S.S. *see* Allaev, K.R. 87−15181
Usachev, V.A. *see* Porfir'ev, L.F. 87−49751
Usachev, Yu.E. *see* Balakin, V.I. 87−37140

Usachov, V.P. *see* Vamberskii, M.V. 87−45182, 87−45186

Usagawa, T., Araki-Mishima, N. Device analysis of two dimensional electron gas (2DEG) FET 87−60488

Usagawa, T., Goto, S., Mishima, T., Yamane, M., Kobayashi, M., Kawata, M., Takahashi, S. A new two-dimensional electron gas base transistor (2DEG-HBT) 88−39403

Usagawa, T., Mishima Araki, N. Device analysis of two-dimensional electron gas (2DEG)FET 88−64600

Usagawa, T., Okuhira, H. Photo-CVD SiN assisted self-aligned metal contact technology for high-speed GaAs devices. Recess gate structure with high breakdown voltage for GaAs FETs 88−50892

Usagawa, T., Sumi, H., Ebata, M., Okuda, J. A consideration on improvement of speech recognition in noisy environment 88−34613

Usagawa, T. *see* Ebata, M. 86−59979, 87−56320

Usagawa, T. *see* Nishimura, S. 87−27131

Usai, P. *see* Coleman, A. 87−62710

Usai, P. *see* Coleman, A.E. 88−41547, 88−46763, 88−67255

Usai, P. *see* Kriedte, W. 85−30954

Usai, P. *see* Modena, G. 87−40505

Usak, P. The calculation of the NbTi multifilament superconductor recovery current dependence on the matrix purity and the critical temperature 86−63580

Usakov, A.P. *see* Malyshev, V.V. 86−33837

Usaku, S., Matsuo, K. Demand assignment signalling system for multi-service integrated communication system using satellite link 86−37836

Usamai, M. *see* Akiba, S. 87−39099

Usami, A., Ando, M., Tsunekane, M., Yamamoto, K., Wada, T., Inoue, Y. Shallow junction formation for silicon solar cells by light-induced diffusion of phosphorus from a spin-on source 87−4961

Usami, A., Ando, M., Yoshida, N. Halogen lamp annealing of ion-implanted silicon, and its application to solar cells 86−7082

Usami, A., Katayama, M., Tokuda, Y., Wada, T. Electrical characteristics of silicon p$^+$n diodes fabricated by B$^+$ implantation and rapid thermal annealing in the temperature range 700-1000°C 87−18081

Usami, A., Katayama, M., Tokuda, Y., Wada, T. Diode characteristics and residual deep-level defects of p$^+$n abrupt junctions fabricated by rapid thermal annealing of boron implanted silicon 87−32475

Usami, A., Tokuda, Y., Katayama, M., Kaneshima, S., Wada, T. Studies of deep-level defects in flash lamp annealing of ion-implanted silicon 86−58380

Usami, A., Tsunekane, M., Wada, T., Inoue, Y., Shimada, S., Nakazawa, N., Maeda, Y. New junction formation process for polycrystalline silicon solar cells by light induced diffusion from a spin-on source 87−9818

Usami, A. *see* Kitagawa, A. 87−32368

Usami, A. *see* Maekawa, T. 87−24765, 88−32758, 88−64230

Usami, A. *see* Tokuda, Y. 85−18249, 85−40426, 86−35642, 87−66903

Usami, A. *see* Tsuzuki, Y. 87−45610

Usami, H. *see* Mitsui, T. 87−35035

Usami, K., Goto, T., Yamanaka, S. Discharge current control of double cathode sputtering system 85−33498

Usami, K., Ishii, A., Horie, A., Iwamura, J. Design methodology of standard cell layout and PLA 87−59389

Usami, K., Mochizuki, Y., Minagawa, T., Iida, A., Gohshi, Y. X-ray fluorescence analysis of Hg in SiO$_2$ films deposited by Hg-sensitized photo-CVD 87−10494

Usami, K. *see* Ozaki, T. 86−30673

Usami, K. *see* Sangen, M. 88−6013

Usami, K. *see* Suzuki, T. 86−27074

Usami, K. *see* Suzuki, Y. 88−47556

Usami, M., Akiba, S., Utaka, K. Low threshold λ/4-shifted InGaAsP/InP DFB lasers 86−68552

Usami, M., Akiba, S., Utaka, K. Asymmetric λ/4-shifted InGaAsP/InP DFB lasers 87−68470

Usami, M., Akiba, S., Utaka, K., Matsushima, Y. InGaAs-cap-monitor integrated 1.5 μm λ/4-shifted DFB lasers with higher output design 88−45306

Usami, M. *see* Akiba, S. 86−68553, 87−34573, 88−20657, 88−40220, 88−45466

Usami, M. *see* Okubo, K. 87−40388

Usami, N. *see* Nakahara, K. 88−21987

Usami, T., Ohnishi, H., Odagiri, S., Uekubo, Y., Jitsumori, A. Detection of the underground pipes by synthetic aperture techniques 87−3233

Usami, T. *see* Kinugawa, M. 86−47859

Usami, T. *see* Mikata, Y. 86−15066, 87−6599

Usami, T. *see* Sato, K. 88−60251

Usami, T. *see* Shinada, K. 87−1436

Usami, Y. *see* Kan, Y. 87−24881

Usami, Y. *see* Yamanishi, M. 85−56425, 86−9667

Usandizaga, J.R. *see* Ruiz-Moreno, S. 88−27287

Usandizaga, J.R. *see* Rulz-Moreno, S. 87−26509

Usanov, D.A., Orlov, V.E. Microwave attenuator 87−37516

Usanov, D.A., Orlov, V.Ye. Nonmonotonic dependence of electromagnetic wave damping on the injection level in *p-i-n* diode structures placed in a waveguide 88−71512

Usanov, D.A., Pisarev, V.V., Vagarin, A.Yu. Use of autodyne frequency converters based on Gunn diodes for contactless measurements of dielectric parameters at SHF 86−60320

Usanov, D.A., Skripal, A.V. Nonreciprocity in a Gunn diode in crossed stationary electric and magnetic fields 88−25499

Usanov, D.A., Skripal, A.V. The autodyne detection effect in Gunn-diode oscillators and its utilization for monitoring the thickness and dielectric constant of materials 88−71026

Usanov, D.A. *see* Gershtein, G.M. 86−20783, 87−47263

Usanov, D.A. *see* Kabanov, L.N. 86−41276

Usanov, D.A. *see* Litsov, A.A. 85−55154, 87−37496

Usanov, Yu.Ya. *see* Cherepenin, N.D. 88−58622

Usanov, Yu.Ya. *see* Tochilkin, V.A. 86−63885

Usas, W.V. *see* Bozoki, B. 85−48612

Usategui, J.Ma.Angulo *see* Angulo Usategui, J.Ma.

Usatenko, A.N. *see* Gondyul, V.P. 87−11144

Usatyi, A.N. *see* Senokosov, E.A. 85−61683

Usberghi, M.J. *see* Bender, A.D. 85−52363

Uscinski, B.J. Intensity fluctuations due to moving point sources 88−52194

Useinov, A.R. *see* Fedorov, V.R. 88−35869

Useinov, R.G. *see* Barinov, Yu.V. 86−35679

Usell, R.J., Jr. *see* Anderman, J.J. 86−63427

Usell, R.J., Jr. *see* Tustaniwskyj, J.I. 87−72880

Usenko, A.F., Pakhomov, V.A., Osotov, V.N., Kuznotsov, V.I. Efficiency improvement of reservoir oil breakers at low temperatures 86−26196

Usenko, A.F., Zaitsev, A.A. Repair of electrical equipment in large power stations 86−25850

Usenko, A.F. *see* Il'in, V.M. 86−33534

Usenko, L. *see* Stewart, C.M. 86−37457

Usenko, V.I. *see* Karimov, A.S. 85−19097

Usha, S. *see* Srinivasan, R. 87−49898

Ushah, A. *see* Moon, W. 87−57352

Ushakhin, V.A. *see* Bogdankevich, I.L. 86−3114

Ushakhin, V.A. *see* Bogdankevich, O.V. 86−22357 to 22358, 86−22362

Ushakov, A.Yu. *see* Radchuk, N.B. 85−62434

Ushakov, E.I. *see* Sovalov, S.A. 86−50796

Ushakov, G.D., Poleshchuk, L.S. Ultrasonic apparatus for study of elastic-wave velocities in solids 87−77907

Ushakov, I.A. Optimal standby problems and a universal generating function 88−31567

Ushakov, I.A. *see* Kaustov, V.A. 87−48276

Ushakov, I.A. *see* Rudenko, U.N. 86−50851

Ushakov, I.A. *see* Rudenko, Yu.N. 85−64787, 87−21856

Ushakov, I.I. *see* Pozdeev, A.D. 86−45732

Ushakov, I.M. *see* Bulatov, B.G. 86−12424

Ushakov, L.I. *see* Ol'khovikov, B.V. 85−60133

Ushakov, L.I. Thyristor electric drive of the EKG-20 excavating machine 88−43448

Ushakov, L.S. *see* Drozhbin, Yu.A. 88−40318

Ushakov, N.G. A function recovery algorithm 87−55157

Ushakov, N.G. *see* Aristov, V.V. 88−34764

Ushakov, N.M. *see* Zyuryukin, Yu.A. 86−9637

Ushakov, O.A., Shelepin, I.V. A calculation of steady-state electrocoloration parameters of electrochromic systems 86−63689

Ushakov, P.A. *see* Gil'mutdinov, A.Kh. 86−14351, 86−46979

Ushakov, P.A. *see* Kirillov, P.L. 88−17294

Ushakov, P.A. *see* Zhukov, A.V. 88−17297

Ushakov, S.N. *see* Bulanin, V.V. 86−29084

Ushakov, S.S. *see* Borisenko, T.M. 87−4484

Ushakov, V.A. *see* Anashin, V.V. 86−58721

Ushakov, V.A. *see* Borodin, Yu.I. 86−60684

Ushakov, V.A. *see* Dementyev, E.N. 86−60572

Ushakov, V.A. *see* Malik, O.P. 87−72130

Ushakov, V.A. *see* Mesentsev, N.A. 86−60675

Ushakov, V.G. *see* Belokurov, D.V. 87−23458

Ushakov, V.I. High-speed high-voltage pulse generator 88−63513

Ushakov, V.I. *see* Borzhkovskii, V.F. 87−70970

Ushakov, V.I. *see* Gerzon, S.A. 88−68311

Ushakov, V.K. *see* Degtyareva, V.P. 86−5075

Ushakov, V.K. *see* Vorob'ev, N.S. 88−4479

Ushakov, V.M. Features of the acoustic channel of a flaw detector in the inspection of spherical articles by inclined transducers 86−52559

Ushakov, V.M., Shcherbinskii, V.G., Semykin, I.V. Special features of the formation of acoustic fields of inclined transducers in the inspection of articles with spherical surface 86−20129

Ushakov, V.M. *see* Shcherbinskii, V.G. 88−74999

Ushakov, V.M. *see* Vopilkin, A.Kh. 86−52557

Ushakov, V.N. *see* Egorov, Yu.V. 87−46608, 88−51604

Ushakov, V.N. *see* Vasil'yev, V.V. 88−72178

Ushakov, V.Ya., Kurtenkov, G.E., Kazeev, V.G., Bychkov, P.N. The characteristics of bench investigations of contamination of transmission line insulators 86−25619

Ushakov, V.Ya., Vazhov, V.F., Umnov, A.Ya. The conditions for rejecting high-voltage surge apparatus 85−32235

Ushakov, V.Ya. *see* Arbit, L.G. 88−7773

Ushakov, V.Ya. *see* Arestova, V.V. 88−13625

Ushakov, V.Ya. *see* Gefle, O.S. 86−9336

Ushakov, V.Ya. *see* Golitsyn, V.P. 86−47096

Ushakov, V.Ya. *see* Lebedev, S.M. 85−8801

Ushakov, V.Ya. *see* Minakova, N.N. 86−58073

Ushakov, V.Ya. *see* Vazhov, V.F. 88−20194

Ushakov, Yu.A. *see* Glinternik, S.R. 85−5341, 87−9663

Ushakov, Yu.A. *see* Ostrovskii, A.S. 86−56738

Ushakov, Yu.A. *see* Smirnov, V.P. 88−23854

Ushakov, Yu.P. *see* Dronnik, L.M. 85−9910

Ushakova, A.D. *see* Neklepayev, B.N. 88−55076

Ushakova, T.V. *see* Khristauskas, Ch.S. 88−5303

Ushakova, T.V. *see* Perminov, N.I. 85−43612

Ushakovskaya, E.D. *see* Dul'nev, G.N. 85−24360

Ushakow, V.A. *see* Malik, O.P. 86−12798

Ushankov, V.P. *see* Miryuk, Yu.P. 87−70855

Ushatkin, Ye.F. *see* Meriakri, V.V. 87−66499

Usher, A. *see* Nicholas, R.J. 87−11414, 87−74097

Usher, D.M. Thermocouple drift: CEGB experience 86−5259

Usher, D.M. Experience with touch-screens [power station computer control] 86−45047

Usher, D.M., Ilett, C. Touch-screen techniques: performance and application in power station control displays 86−60149

Usher, J. *see* Goldsmith, T.J. 87−22147

Usher, M.J. Sensors and transducers 86−52180

Usherenko, A.A. *see* Antonov, V.V. 88−64343

Usherenko, A.A. *see* Kriulin, A.V. 87−6486

Usherovich, B.L. *see* Man'kin, I.A. 88−19613

Usherovich, E.A. *see* Butlitskiy, I.M. 86−37215

Ushida, A. Recent studies on nonlinear networks 88−6634

Ushida, A., Chua, L.O. Frequency-domain analysis of nonlinear circuits driven by multi-tone signals 85−536

Ushida, A., Chua, L.O., Sugawara, T. A substitution algorithm for solving nonlinear circuits with multi-frequency components 88−6633

Ushida, A., Kume, T. An efficient algorithm for computing steady-state response of nonlinear systems with time-varying frequency inputs 85−542

Ushida, A., Kume, T. An efficient algorithm for computing steady-state response of nonlinear systems with time-varying frequency inputs 86−66976

Ushida, A. *see* Sakamoto, A. 86−63397

Ushida, A. *see* Shimamoto, T. 85−1146, 86−27003, 86−67575, 87−67324

Ushida, F. *see* Nakajima, S. 85−30834

Ushida, K., Kameyama, M., Anzai, S. New projection lenses for optical stepper 87−11541

Ushida, K. *see* Kameyama, M. 87−60540, 88−13288

Ushida, Y. *see* Kano, M. 86−46882

Ushigome, M., Sakata, H., Miyauchi, H., Nitta, H., Ishihama, K. Hybrid ICs for VTR camera 88−53436

Ushigome, M. *see* Sato, A. 86−14740

Ushigome, T. *see* Suzuki, M. 88−60185

Ushijima, I., Tanahashi, T., Nishitani, Y., Umebu, I., Akita, K. Liquid phase epitaxial growth of InGaAsP on grooved substrates 85−22506

Ushijima, K., Tanaka, K., Makino, Y., Tamura, H. Inverter for photovoltaic power system 85−32394

Ushijima, K. *see* Nakakawaji, T. 87−34213

Ushijima, K. *see* Tsukamoto, K. 87−42731

Ushijima, T. *see* Ohmori, K. 85−49489

Ushijima, T. *see* Ohta, T. 88−8852

Ushiki, T. *see* Meazawa, S. 88−16305

Ushikoshi, K., Mizutani, M., Kashimura, T., Kasai, Y. Battery life of quartz watch 86−27424

Ushikoshi, K. *see* Fukamachi, H. 88−48201

Ushikoshi, K.-i. *see* Ikegami, T. 86−24790

Ushikoshi, M. *see* Kozuma, C. 85−5532

Ushiku, Y., Kobayashi, T., Yoshida, A., Itoh, N., Nishiyama, A., Nakata, R. An optimized 1.0 μm CMOS technology for a next generation channelless gate array 87−60669

Ushiku, Y., Kobayashi, T., Yoshida, A., Itoh, N., Nishiyama, A., Nakata, R. An optimized 1.0-μm CMOS technology for next-generation channelless gate arrays 88−51010

Ushiku, Y. *see* Nishiyama, A. 88−71805

Ushiku, Y. *see* Yoshida, A. 88−39466

Ushikubo, S. Ultrasonic level meters 87−63306

Ushikubo, S. Field network of intelligent sensors 88−41316

Ushikubo, T., Furukawa, R., Takano, H., Sakuta, M. A new device converting optical analog signals to light pulse density signals for fiber-optic sensing system 86−22115

Ushio, K. *see* Enomoto, H. 88−56134

Ushio, S. *see* Harada, Y. 87−18215

Ushio, S. *see* Hirashita, N. 86−14968

Ushio, S. *see* Madokoro, S. 85−34891

Ushio, S. *see* Matsui, H. 87−11708

Ushio, S. *see* Namba, Y. 87−6643

Ushio, S. *see* Sakamoto, K. 86−21652

Ushio, S. *see* Sugawara, F. 87—5482
Ushio, S. *see* Ueda, J. 85—23820
Ushio, T. Harmonious evolutional approach to the new era 85—47035
Ushio, T., Tada, Y., Matsumoto, R. Homoclinic bifurcations and chaos in the Duffing-Van der Pol oscillator 88—44080
Ushioda, A. *see* Goto, Y. 88—13787
Ushioda, S. Light emission mechanism for metal/oxide/metal tunnel junctions 86—48296
Ushioda, T. *see* Suda, Y. 86—13802
Ushioda, Y. *see* Yamamoto, H. 88—42229
Ushiorogawa, A. *see* Tanabe, T. 88—45086
Ushiota, H., Mitsuhashi, H. Development of Hitachi oil-free 'Bebicon' new V series 7.5 and 11 kW oil free air compressors 88—17814
Ushiro, T. For capturing events with precision, digital storage oscilloscopes excel 85—26384
Ushiro, Y. *see* Masuda, H. 85—18276
Ushiroda, T. *see* Kitazawa, I. 85—30350
Ushirogawa, A. *see* Morimoto, Y. 85—7217
Ushirogawa, A. *see* Okuno, K. 87—40912
Ushirokawa, A., Horie, T., Harashima, H. Performance improvement of narrow-band partial response CPFSK by coding 87—33622
Ushirokawa, A., Ohnishi, K. Research trends in radiation hardened semiconductor devices 87—11860
Ushirokawa, A., Sato, M., Harashima, H. Simple linear receiver for correlative coded MSk using a multi-threshold decision logic 87—47644
Ushirokawa, A. *see* Baba, S. 88—27745
Ushirokawa, A. *see* Hayashi, T. 88—36625
Ushirokawa, A. *see* Matsutani, T. 88—5897
Ushirokawa, A. *see* Ohnishi, K. 88—13060
Ushirokawa, O. *see* Kitamura, K. 86—51216
Ushirozawa, S. *see* Ariga, H. 88—46796
Ushita, T. *see* Iritani, T. 87—68947, 88—14575
Ushita, T. *see* Tritani, T. 86—67435
Ushitani, S. *see* Mitsui, T. 85—58132
Ushiyama, C. *see* Todoriki, M. 85—52855
Ushiyama, F., Endo, T., Iwamatsu, S. Hybrid alignment: 5:1 stepper with 1:1 scanner 85—62092
Ushiyama, H. *see* Oomura, Y. 88—50426
Ushiyama, Y. *see* Sakamoto, Y. 88—56443
Ushizaka, H., Shimaya, M., Shiono, N. Recovery characteristics of radiation damage in MOS devices 86—67869
Ushizaka, H. *see* Hashimoto, C. 88—39711
Ushizaka, T., Aizu, Y., Asakura, T. Velocity measurements of time varying flow in a microscopic region using a spatial grating filter velocimeter 85—15079
Ushizaka, T., Aizu, Y., Asakura, T. Differential-type optical flowmeter for a microscopic region using a spatial-grating filter 86—5583
Ushizaka, T. *see* Aizu, Y. 85—31627 to 31628, 85—35927
Ushkalov, A.L. *see* Butovskii, G.I. 87—58492
Ushkanov, V.A. *see* Alimov, A.S. 88—22867
Ushomirskii, M.S. *see* Andrianov, V.V. 86—48013
Ushomirskii, M.S. *see* Baev, V.P. 88—20297
Ushurbakiev, A.D. *see* Grekhov, V.P. 85—49144
Usidus, J., Rabiega, R., Lachwiec, E. Zamosc district power supply lines, technical conditions evaluation on the background of catastrophic power line failure in April 1983 85—48562
Usikhin, V.N. *see* Tyukhanov, Yu.M. 87—43152, 87—43677
Usikov, A.S. *see* Kuchinskii, V.I. 87—33199
Usikov, A.Ya. *see* Levin, G.Ya. 86—1627
Usikov, V.D. Determination of the bulk lifetime and diffusion length in the semiconductor used in a metal-insulator-semiconductor structure 86—1833
Usikov, V.D., Romanov, V.P. Nonequilibrium high frequency *C-U* characteristics of MIS structures derived in response to a trapezoidal voltage sweep 87—74129
Usikov, V.D. *see* Romanov, V.P. 86—10057
Usikov, Yu.I., Bydai, Yu.T., Primenko, G.I., Tsirlin, Yu.A., Estulin, I.V. Investigation of the characteristics of thin CsI film scintillation detectors in recording 29-540-keV protons 85—9086
Usikov, Yu.I. *see* Mitrokhin, O.E. 87—8880
Usin, V.A. The accuracy of a phased antenna pattern obtained by a holographic method 87—2380
Usin, V.A., Kirillov, S.V., Shvedova, N.A. Automated measuring gear for antenna pattern measurements 88—72670
Usin, V.A. *see* Kirillov, S.V. 88—43229
Uskali, R. *see* Kinsman, R. 87—18452
Uskokovic, D., Kostic, P., Milosevic, O., Petrovic, V., Ristic, M.M. The study of electrical properties and microstructure of non-ohmic ZnO ceramics 85—33519
Uskokovic, D. *see* Kostic, P. 85—6821
Uskov, A.V. *see* Belenov, E.M. 85—43104, 85—61893, 86—8904, 86—47431, 86—58886, 88—8139
Uskov, A.V. *see* Danileiko, M.V. 85—41067, 85—41466
Uskov, A.V. *see* Ermuratskii, P.V. 85—62135, 87—11080
Uskov, A.V. *see* Kompanets, I.N. 86—41621
Uskov, A.V. *see* Varga, P. 86—35469
Uskov, V.A. *see* Boldyrevskii, P.B. 87—52111
Uskov, V.A. *see* Krasnov, A.A. 87—36700
Uskov, V.I. *see* Mikhnov, S.A. 85—18992, 88—27239
Uskov, V.L. *see* Il'in, V.N. 87—65642, 88—24881
Uskov, V.L. *see* Kogan, V.L. 87—44468
Uskov, V.L. *see* Sonin, M.S. 88—7663
Uslenghi, P.L.E. Asymptotic theory of the spherical Luneburg lens 86—42396
Uslenghi, P.L.E. *see* Alexopoulos, N.G. 85—13320
Uslenghi, P.L.E. *see* Damaskos, N.J. 85—13097, 85—24791
Uslenghi, P.L.E. *see* Graglia, R.D. 85—7610, 85—13104, 87—39352, 87—75364, 88—27375
Uslenghi, P.L.E. *see* Massoudi, H. 88—72522
Uslenghi, P.L.E. *see* Nakatani, A. 87—39453
Uslu, C., Macho, W. Decentralized process computer system for the traffic control centre in Zurich-Letten, Switzerland 85—25234
Usman, Yu.M. *see* Abryutin, A.A. 86—61809
Usmani, R.A. Some new finite difference methods for computing eigenvalues of two-point boundary-value problems 86—13691
Usmani, R.A., Agarwal, R.P. An *A*-stable extended trapezoidal rule for the integration of ordinary differential equations 86—26774
Usmani, R.A. *see* Agarwal, R.P. 86—34206
Usmani, R.A. *see* Sakai, M. 86—62100, 88—63201
Usmani, S.H. *see* Maes, H.E. 85—50538
Usmani, T. *see* Rao, B.L.K. 86—69493
Usmankhodzhaev, N.M. Braking and reversal of single-phase capacitor induction motors using feedback 88—37218
Usmankhodzhaev, N.M., Belokovskii, R.I. Mechanical and angle characteristics of the working shaft containing an inductor and a capacitor in the rotor circuit [induction motors] 86—12816
Usmankhodzhaev, N.M., Belokovskii, R.I. Dynamic braking of one- and two-motor induction drives having an induction rheostat and a capacitor in the rotor circuit [induction motors] 86—56759
Usmankhodzhaev, N.M., Belokovskii, R.I., Usmanov, B.S. Synchronous rotation of induction motors based on the EM working shaft principle 88—48942
Usmankhodzhaev, N.M., Tadzhiev, M.A., Nugmanov, B.K. A drive for smooth control of the hydrazine and phosphate supply to a boiler plant 86—26331
Usmanov, B.S. *see* Usmankhodzhaev, N.M. 88—48942
Usmanov, E.G. *see* Kadyrov, T.M. 87—43204
Usmanov, F.Kh. Increasing the reliability of 6-10 kV overhead lines with ice and wind loading 86—39177
Usmanov, F.Kh., Bairamgulov, Yu.Zh. Icing-up of conductors of overhead power lines serving agricultural industries 86—32780
Usmanov, F.Kh., Lifshits, A.L. Working reliability of overhead transmission lines in icy regions 86—51032
Usmanov, Kh.R. *see* Shakirov, K.Sh. 85—65622, 87—22903
Usmanov, M.U. *see* Madzhidov, N.M. 86—50625
Usmanov, R.A. *see* Kudryavtsev, E.M. 88—5946
Usmanov, T. *see* Arifzhanov, S.B. 86—22462
Usmanov, T. *see* Bareika, B.F. 87—19046
Usmanov, T. *see* Begishev, I.A. 85—19010, 87—33277
Usmanov, T. *see* Drabovich, K.N. 85—56804
Usmanov, T. *see* Ganeev, R.A. 86—54213
Usmanov, T. *see* Ibragimov, E.A. 85—62656
Usmanov, T.B. *see* Akhamanov, S.A. 85—35890
Usmanova, M.M. *see* Mokhov, E.N. 86—34313
Usmanova, Z.M. *see* Malov, V.V. 85—24910
Usmauov, A.A., Adylova, Z.T., Akyamov, F.B. On an approach to estimating the efficiency of the control of a system of communications under multicriterial conditions 88—14567
Usoff, J.M. *see* Liu, C. 85—41771
Usol'tsev, A.A. *see* Bozhkov, V.G. 87—32472
Usol'tsev, A.A. *see* Glazenko, T.A. 85—44229, 87—43499
Usol'tseva, L.M. *see* Devyatov, V.G. 86—14885
Usoro, P.B., Mehra, R.K. Model algorithmic control of a nonlinear three phase electric arc furnace 85—5523
Usoro, P.B., Schick, I.C., Negahdaripour, S. HVAC system fault detection and diagnosis 86—7306
Usoro, P.B., Schick, I.C., Ruane, M.F. Detecting anomalous load data 87—42544
Usoro, P.B. *see* Lebow, W.M. 85—59642
Usoro, P.B. *see* Nadira, R. 87—42404
Usoro, P.B. *see* Schick, I.C. 88—54958
Usoskin, A.I. *see* Skorobogatov, B.S. 85—35726
Usov, N.N. *see* Borovov, G.I. 87—17812
Usov, N.Yu. *see* Gershtein, G.M. 86—20783, 87—47263
Usov, P.A. *see* Bakaev, D.S. 88—58440
Usov, P.A. *see* Gonchukov, S.A. 87—46499
Usov, V.S., Surygin, A.I. Variation of SAW speed and damping in piezofilm-dielectric structure under action of constant transverse electric field 87—46292
Usov, Y.P. *see* Bistritsky, V.M. 86—11824
Usov, Y.P. *see* Isakov, I.F. 86—11825
Usov, Yu.-V. *see* Aulchenko, V.M. 88—16637
Usov, Yu.N. *see* Shirokov, A.A. 86—28051, 86—47414
Usov, Yu.S. *see* Isakov, I.F. 88—32052
Usova, V.A. *see* Drozdov, V.N. 85—40526
Usovskii, D.V. *see* Belov, Yu.A. 85—63926
Uspenskaya, G.L. *see* Kazakevich, O.Ya. 85—5392
Uspenskaya, S.N. *see* Bubis, E.A. 87—4414
Uspenskii, A.A. *see* Skvortsov, V.V. 88—16833
Uspenskii, B.G. *see* Myznikov, V.P. 86—44778
Uspenskii, B.S. *see* Zhdanov, V.S. 88—48803
Uspenskii, G.R. *see* Grishin, S.D. 85—48369
Uspenskii, N.A. *see* Abroyan, M.A. 86—5652
Uspensky, M. *see* Williams, P.J.S. 88—53344
Uspensky, M.V. On the altitudinal profile of auroral radar backscatter 85—63734
Usson, R. *see* Hashem, A.M. 87—22404
Ustarroz, J.C. A cassette system of data storage 85—8232
Ustavich, G.A. *see* Gluzshtein, Yu.O. 86—33265
Ustavnikov, A.A. *see* Proskuryakov, V.M. 87—20158
Ustimenko, N.I. *see* Krasnoshanka, D.M. 85—43998
Ustimenko, N.S. *see* Dobrovol'skii, A.V. 86—9793
Ustimenko, V.A. *see* Zhdan-Pushkin, V.V. 88—6371
Ustinov, A.V. *see* Nevirkovets, I.P. 88—33575
Ustinov, E.A. *see* Goncharov, V.A. 87—29030, 87—29675
Ustinov, E.A. *see* Govorun, V.N. 86—44221
Ustinov, G.N., Shulenin, A.V., Alekseev, V.A. Pulsed I_2 laser pumped by a tunable laser 86—29049
Ustinov, L.M. *see* Savitskii, E.M. 85—12513
Ustinov, N.D., Anufriev, A.V., Vol'pov, A.L., Zimin, Yu.A., Tolmachev, A.I. Active aperture synthesis in observation of objects via distorting media 87—75871
Ustinov, N.D., Anufriev, A.V., Zimin, Yu.A., Vol'pov, A.L. Allowance for the polarization of optical fields in statistical identification of objects on the basis of their images 86—64346
Ustinov, N.D., Avrov, A.I., Glotov, E.P., Koterov, V.N., Krasnovskii, A.G., Prigarin, V.E., Soroka, A.M., Cheburkin, N.V. Thermal self-focusing of laser beams 86—22480
Ustinov, N.D., Matveev, I.N., Anufriev, A.V., Zimin, Yu.A., Volpov, A.L. Holographic formation of images through a distorting medium using the polarization of reflected light 86—68642
Ustinov, N.D., Matveev, I.N., Protopotov, V.V. Optical methods of laser radar field processing 85—52439
Ustinov, N.D., Matveyev, I.N., Anufriyev, A.V., Zimin, Yu.A., Vol'pov, A.L. The problem of adaptation in optical information systems 86—30031
Ustinov, N.D., Volpov, A.L., Zimin, Yu.A. Optimum processing of images of coherently illuminated objects observed through a randomly inhomogeneous medium 88—73202
Ustinov, N.D., Zimin, Yu.A., Protopopov, V.V., Tolmachev, A.I. Determination and adaptive compensation of atmospheric phase distortions 86—48997
Ustinov, N.D. *see* Aleksandrov, A.Yu. 87—2069
Ustinov, N.D. *see* Androsov, A.M. 85—57489 to 57491
Ustinov, N.D. *see* Apollonov, V.V. 85—51103
Ustinov, N.D. *see* Averin, A.P. 85—51108
Ustinov, N.D. *see* Bakut, P.A. 85—46949, 85—51750, 86—16526, 86—37145, 87—27401, 87—69262
Ustinov, N.D. *see* Bykov, A.D. 87—68347
Ustinov, N.D. *see* Galushkin, M.G. 86—3238
Ustinov, N.D. *see* Tikhomirov, V.A. 86—63881
Ustinov, N.D. *see* Troitskiy, I.N. 88—41091
Ustinov, S.M. *see* Gruzdev, I.A. 85—32061, 86—44877, 86—50817, 86—56299, 87—4559, 87—71546, 88—69332
Ustinov, V.A., Shepelev, Yu.V. Keeping quality of video tape recordings on modern tapes 88—71941
Ustinov, V.B., Kovalevskii, M.M., Baruzdin, S.A. Light echo and information processing 87—69148
Ustinov, V.B. *see* Baruzdin, S.A. 85—25117, 86—16305, 86—48930
Ustinov, V.B. *see* Il'ina, E.A. 86—37031
Ustinov, V.M. *see* Alferov, Zh.I. 86—21176, 87—33201
Ustinov, V.V., Channov, V.I. Torque monitoring during pulsed tightening of threaded fasteners 85—6461
Ustinov, Yu.A. *see* Getman, I.P. 86—15314
Ustinovshchikov, Yu.I. *see* Daskovskii, I.M. 88—74362
Ustinovskii, N.N. *see* Baranov, V.V. 85—12793, 86—22318
Ustinovskii, N.N. *see* Basov, N.G. 85—35697, 86—22283, 86—22309, 86—54093, 86—68445 to 68446, 87—26291, 88—33934
Ustunel, A.Suleyman *see* Suleyman Ustunel, A.
Ustuner, K. *see* Koymen, H. 87—14851

Ustyugov, V.I. *see* Galaktionova, N.M. 87—61121
Ustyugov, V.I. *see* Mak, A.A. 87—75068, 88—45392
Ustyugov, V.I. *see* Orlov, O.A. 87—33284
Ustyugov, V.N. *see* Viktorov, E.A. 88—20807
Ustyukov, V.M. *see* Berlin, N.S. 87—4365
Ustyuzanin, A.M. On the problem of matrix parameter identification 87—19366
Usuba, S., Kakudate, Y., Aoki, K., Yoshida, M., Tanaka, K., Fujiwara, S. Development of railgun accelerator at NCLI 87—26719
Usuba, S., Kondo, K., Sawaoka, A. Railgun experiment at Tokyo Institute of Technology 87—26720
Usubichi, T. *see* Ogawa, R. 86—54719
Usubuchi, T., Komatsubara, S., Wakatsuki, K., Kubota, K., Nishida, N. A compact high resolution projector utilizing a laser-diode addressed liquid crystal light valve 87—77143
Usubuchi, T., Takashima, Y., Fujimoto, M., Kawabata, M., Kataoka, K., Takahashi, Y., Sakabe, T. Document image information system for executive management 85—51988
Usubuchi, T. *see* Mizuno, S. 86—29996
Usubuchi, T. *see* Omachi, T. 87—7849
Usuda, K., Yasuami, S. Composition and carbon effects on uniformity for implanted active layers fabricated in undoped LEC GaAs 88—50701
Usuda, K., Yasuami, S., Higashi, Y., Kawata, H., Ando, M. Absolute lattice parameter measurement of GaAs crystals using monochromatic synchrotron radiation 88—19788
Usuda, K. *see* Shigemitsu, F. 88—13250
Usuda, M. *see* Koiwa, I. 87—5434
Usuda, O. *see* Atsumi, K. 86—62986
Usuda, S. *see* Kobayashi, M. 88—54738
Usui, A. Digital epitaxy of III-V compound semiconductors 88—18714
Usui, A. Epitaxial growth of compound semiconductor—chloride atomic layer epitaxy 88—38144
Usui, A., Matsumoto, T., Inai, M., Mito, I., Kobayashi, K., Watanabe, H. Low threshold current operation of vapour-grown 650 nm-band InGaAsP/InGaP DH lasers 85—18928
Usui, A., Matsumoto, T., Inai, M., Mito, I., Kobayashi, K., Watanabe, H. Room temperature CW operation of visible InGaAsP double heterostructure laser at 671 nm grown by hydride VPE 85—41385
Usui, A., Sunakawa, H. GaAs atomic layer epitaxy by hydride VPE 86—40746
Usui, A., Sunakawa, H. Atomic layer epitaxy of GaAs by a dual-growth-chamber method in hydride vapor phase epitaxy 86—52505
Usui, A., Sunakawa, H. Atomic layer epitaxy of III-V compounds by hydride VPE 87—65533
Usui, A., Watanabe, H. Atomic layer epitaxy: a new tool for novel modulated semiconductor structures 88—31799
Usui, A. *see* Kato, Y. 87—75129
Usui, A. *see* Makita, K. 85—33495
Usui, A. *see* Mito, I. 85—46416
Usui, A. *see* Mori, K. 88—24700, 88—64250
Usui, A. *see* Sasaoka, C. 88—49834
Usui, A. *see* Watanabe, H. 87—65526
Usui, H., Yamada, I., Takagi, T. Formation of an organic cluster beam and its application to film formation 85—10806
Usui, H. *see* Kudo, K. 85—21361
Usui, H. *see* Nakamura, S. 86—27075
Usui, H. *see* Urabe, T. 85—64209
Usui, H. *see* Yamada, I. 86—47422
Usui, H., Yamashita, M., Imai, M., Ibaraki, T. On parallel searches of game trees 87—23460
Usui, K., Arai, H., Goto, N. A pill-box shaped vacuum window connected with circular waveguides 87—75497
Usui, K. *see* Kuwata, N. 87—33801
Usui, K. *see* Nguyen, L. 86—44901
Usui, K. *see* Suzuki, G. 87—23854
Usui, M. *see* Hada, H. 86—60155
Usui, M. *see* Ishihara, T. 88—37502
Usui, M. *see* Mohamad, K. 87—4813
Usui, M. *see* Nakamura, G. 86—33665
Usui, S., Sameshima, T., Sekiya, M. XeCl excimer laser-doping of silicon using phosphorus and boron film as a diffusant source 87—32403
Usui, S. *see* Hayafuji, Y. 85—12048, 86—7811, 86—35535
Usui, S. *see* Kawahito, S. 86—27490
Usui, S. *see* Kunugi, Y. 85—53951
Usui, S. *see* Nakamura, T. 86—44678
Usui, S. *see* Sameshima, T. 86—53625, 87—25359, 87—67082, 88—12023, 88—19800
Usui, S. *see* Shirai, N. 86—4655
Usui, S. *see* Sudo, M. 88—36486
Usui, S. *see* Tanaka, S. 86—54836
Usui, S. *see* Toda, N. 88—40975
Usui, S. *see* Tomita, H. 86—62236, 87—17899
Usui, T., Asada, A., Isono, Y. Limiting current type multifunctional sensor: oxygen-humidity sensor 87—70632
Usui, T., Nuri, K., Nakazawa, M., Osanai, H. Output characteristics of a gas-polarographic oxygen sensor using a zirconium electrolyte in the Knudsen diffusion region 88—29328
Usui, T. *see* Fukushima, T. 86—5167
Usui, T. *see* Hirano, Y. 86—34712
Usui, T. *see* Kashiwagi, S. 87—38258, 88—1026
Usui, T. *see* Osanai, H. 88—58014, 88—68090
Usui, Y., Matsuda, H., Tadokoro, Y. High power gate turn-off thyristors 87—38229
Usui, Y. *see* Hakamata, N. 86—53978, 88—58152
Usui, Y. *see* Machihara, F. 86—59447, 87—19988, 87—69580
Usui, Y. *see* Matsuda, H. 85—45669
Usui, Y. *see* Miyazawa, S. 86—5543
Usui, Y. *see* Nakajima, S. 87—28482, 88—60078
Usui, Y. *see* Satoh, M. 87—22554
Usukara, T. *see* Shimasaki, N. 87—48379
Usuki, A., Murase, M., Kurauchi, T. Photovoltaic effect of n-type polyacetylene junctions 87—53265
Usuki, H. *see* Ishizuka, O. 86—14111
Usuki, K. *see* Yasunaga, S. 87—48732
Usukura, T., Inoue, H., Watanabe, Y., Horii, N., Terai, S. Design consideration of NEC's wide area private data communication system 85—13934
Usukura, T., Murakami, M., Watanabe, K., Nakajima, K., Kashima, Y., Takeda, S., Kato, Y., Hayashi, K. MAN and WAN 85—52062
Usukura, T., Takeshige, Y. Token ring type optical LAN 86—54909
Usukura, T. *see* Kitamura, A. 87—48386
Usukura, T. *see* Kohashi, T. 85—63323
Usukura, T. *see* Mitani, K. 85—52097
Usunaga, Y. *see* Takahashi, Y. 86—58446
Usunaga, Y. *see* Yoshida, H. 85—50582
Usuzaka, N., Yamaguchi, H., Watanabe, T. Preparation and magnetic properties of Co-Gd amorphous alloy films by the electroplating method 88—64912
Usvyat, I.I. *see* Bogdankevich, O.V. 85—12882, 88—34042
Usvyatsova, E.P. *see* Skobareva, Z.A. 85—16392
Usyshkin, E.I. *see* Bederov, V.M. 86—26350
Utagawa, A. *see* Hagihara, M. 86—6366
Utagawa, H., Maruyama, T., Fukushima, T., Kinoshita, S., Nomura, Y., Teraoka, T. Supervision of isolation quality in electric power system 86—32838
Utaka, K., Akiba, S., Sakai, K., Matsushima, Y. λ/4-shifted InGaAsP/InP DFB lasers by simultaneous holographic exposure of positive and negative photoresists 85—12851
Utaka, K., Akiba, S., Sakai, K., Matsushima, Y. Longitudinal-mode behaviour of λ/4-shifted InGaAsP/InP DFB lasers 85—41391
Utaka, K., Akiba, S., Sakai, K., Matsushima, Y. λ/4-shifted InGaAsP/InP DFB lasers 86—68534
Utaka, K. *see* Akiba, S. 85—2302, 85—51188, 86—68553, 87—34573, 87—39099, 88—20657, 88—40220
Utaka, K. *see* Chen, T.R. 87—46722, 87—68305
Utaka, K. *see* Matsushima, Y. 88—15446
Utaka, K. *see* Usami, M. 86—68552, 87—68470, 88—45306
Utamchandani, D. *see* Mlodzianowksi, J.J. 87—68105
Utamura, M., Koizumi, M. Development of computer program for analyzing three-dimensional pressure field in pressure suppression system 86—18994
Utamura, M., Koizumi, M., Kanno, Y. Boundary element analysis of three dimensional electric field in SF_6 gas insulated switchgears 87—22646
Utano, R. *see* Chandra, S. 85—56820
Utano, T. *see* Imamura, K. 85—20066
Utano, T. *see* Nakashima, H. 86—59850
Utard, C., Sautereau, J.F., Graffeuil, J. Large signal model of GaAs MESFET, GaAlAs HEMT, silicon bipolar transistor and GaAs/GaAlAs bipolar transistor: examples of use for large signal ultra high frequency applications 88—56994
Utard, M. *see* Huber, L. 85—48054
Ute, H. *see* Kawamura, M. 85—35680
Uteshev, Z.M. *see* Bolotnikov, A.E. 87—63699
Uteshev, Z.M. *see* Dmitrenko, V.V. 87—8884
Uthanna, S. *see* Raghupathi Chetty, G. 88—56216
Uthanna, S. *see* Sreedhara Reddy, P. 88—56277
Uthe, E.E. Airborne CO_2 DIAL measurement of atmospheric tracer gas concentration distributions 86—70525
Uther, J.B. *see* Denniss, A.R. 86—60784
Uthman, E.O. *see* McCowan, T.C. 87—41952
Utick, S. ASTCON—a profile of an advanced electronic mail and information system 87—69607
Utjes, J.C., Sarmiento, G.S., Laura, P.A.A. Nonlinear optimization of the shape function in the finite element method when determining cutoff frequencies of waveguides of arbitrary cross section 88—27567
Utkin, A.I. *see* Semenko, N.G. 87—35125, 87—70742
Utkin, G.M. *see* Dvornikov, A.A. 86—809, 87—16934, 88—63569
Utkin, G.M. *see* Grigor'yants, V.V. 85—14288, 85—62704
Utkin, I.A. *see* Markhvida, I.V. 88—72450
Utkin, M.A. *see* Vasyukov, V.V. 85—25015, 86—23047, 86—48739, 87—19680, 87—31729, 87—47476
Utkin, V.A. *see* Bystritskii, V.M. 86—5725
Utkin, V.F. *see* Paton, B.E. 85—54543
Utkin, V.I., Izosimov, D.B., Kashkanov, V.V. Techniques for pulse modulation of the voltage employing feedback in AC drives 85—65472
Utkin, V.L. Ergometric tests 87—14831
Utkin-Edin, D.P. *see* Ablova, M.S. 88—57420
Utkin-Edin, D.P. *see* Akimchenko, I.P. 86—9662
Utkin-Edin, D.P. *see* Gavrilenko, V.I. 85—28973
Utkin-Edin, D.P. *see* Khodzhaev, K.Kh. 86—21358
Utku, S., Ray, S.K., Wada, B.K. On control of stresses in silicon web growth 86—66795
Utku, S. *see* Ray, S.K. 87—44280
Utlaut, M. *see* Melngailis, J. 86—35790
Utlaut, M. *see* Reuss, R.H. 86—35659
Utlaut, M. *see* Thompson, W.B. 85—12091
Utlaut, M.W. *see* Clark, W.M., 88—57617
Utlaut, M.W. *see* Clark, W.M., Jr. 87—41804
Utlaut, M.W. *see* Lee, J.Y. 88—33391
Utlaut, M.W. *see* Rensch, D.B. 88—26333, 88—33249
Utlaut, M.W. *see* Ward, J.W. 87—39311
Utlaut, M.W. *see* Wu, M.C. 88—65666
Utler, L. Digital integrator of slow processes 87—35119
Utley, A. The digital challenge to cellular networks 86—17240
Utley, A. UK broadcasters ready to tune in to information boom [teletext] 86—30321
Utley, A. A testing time for transmission systems 86—37322
Utley, A. Key to edge over the Orient [protocols] 87—13375
Utley, A. Cellular countdown begins 88—9418
Utne, J. *see* Einschutz, W. 86—56816
Utner, F. *see* Michel, H. 86—8531
Utochkin, G.V. Statistical characteristics of the components of the equivalent circuit of high-frequency bipolar transistors 88—7551
Utpal Das, Yi Chen, Pallab Bhattacharya Nonlinear effects in coplanar GaAs/InGaAs strained-layer superlattice directional couplers 88—13905
Utracki, C. Use consistent methods when comparing boiler efficiencies 87—50999
Utreras, F. *see* Schumaker, L.L. 88—31677
Utreras, F.I. Smoothing noisy data under monotonicity constraints existence, characterization and convergence rates 86—34215
Utreras, F.I. On generalized cross-validation for multivariate smoothing spline functions 87—65399
Utrobin, O.B. *see* Shannikov, D.V. 88—36200
Utsch, B. *see* Mohr, A. 85—16048, 87—77377
Utsugi, K., Gomi, M., Abe, M. Preparation of Bi, Ga-substituted garnet films on glass substrates by RF sputtering 88—31835
Utsugi, K. *see* Gomi, M. 87—38652, 88—31833
Utsugi, M. *see* Bonifield, T. 88—71452
Utsugi, M. *see* Ikeda, Y. 87—76121
Utsugi, Y., Yoshikawa, A., Kitayama, T. An inorganic resist technology and its applications to LSI fabrication processes 86—2272
Utsugi, Y. *see* Saito, K. 88—33094
Utsugi, Y. *see* Yoshikawa, A. 86—2070
Utsui, Y. *see* Kato, H. 88—15871
Utsuki, M., Shimizu, J., Okada, S. XC-1 domestic network control frame 86—64823
Utsumi, A., Hayami, H., Okuno, S., Miura, M., Shintani, T., Ishitobi, M., Tanaka, Y., Onishi, K., Matsutani, T., Furuta, K., Otoi, H. Developments of new ultrathin fiberscopes for medical use 88—68375
Utsumi, A., Hayami, H., Tanaka, H., Imai, H., Goho, Y. Radiation resistance of pure-silica core image guides 85—35425
Utsumi, A. *see* Gozen, T. 85—35521, 86—58748
Utsumi, A. *see* Hayami, H. 86—58750
Utsumi, A. *see* Ishitobi, M. 86—58751
Utsumi, A. *see* Kuroiwa, T. 86—58752
Utsumi, H. An ultrasonic velocimeter for use of calibration of waste-water flowmeter 87—21003
Utsumi, H., Komiya, K. Calibration of wastewater flowmeter using ultrasonic velocimeter in field 85—8994
Utsumi, H., Ota, M., Hiramoto, S., Yamane, Y., Maruyama, T. Electron-beam processing technology 88—11532
Utsumi, H., Takamoto, M., Ishibashi, M., Watanabe, N., Terao, Y. Intercomparison test between NRLM, NEL and DHL using a 250 mm turbine flowmeter assembly in water 88—4694
Utsumi, H. *see* Shinmi, A. 87—7471
Utsumi, H. *see* Uwabu, T. 88—24297
Utsumi, I., Mori, Y. Code optimization technique for general-purpose-DSP compiler 88—73019
Utsumi, K., Goto, Y., Tsugawa, I., Yuasa, T., Koshino, N., Ogawa, S. Erasable phase change optical disk using a SeInSb alloy film for high-density recording 88—65156
Utsumi, K., Ikeda, T., Suga, M., Takamizawa, H. Application of designed-space forming technology 88—24808
Utsumi, K., Shimada, Y. Multilayer ceramic technology 88—64056
Utsumi, K., Shimada, Y., Ikeda, T., Takamizawa, H. Monolithic multicomponents ceramic (MMC) substrate 86—66862

Utsumi, K., Shimada, Y., Ikeda, T., Takamizawa, H., Nagasako, S., Fujii, S., Nanamatsu, S. Monolithic multicomponents ceramic (MMC) substrate 85−50634
Utsumi, K., Shimada, Y., Takamizawa, H. Monolithic multicomponents ceramic (MMC) substrate 87−24651
Utsumi, K., Tezuka, A., Hasegawa, K., Onuma, T., Nishii, K., Fujito, K., Ichida, T. 800 Mb/s 8-channel PCM-TV signal optical transmission system using GaAs MESFET ICs 88−47154
Utsumi, K., Tezuka, A., Nishii, K., Bando, K., Inoue, K., Onuma, T. Gigabit optical transmitter GaAs MESFET IC 87−49025
Utsumi, K., Tsuzuki, M., Suga, M., Takamizawa, H. Drop-on-demand ceramic ink-jet head using designed-space forming technology 87−67658
Utsumi, K., Yamamoto, H., Fujito, K., Ichida, T., Hasegawa, K., Tezuka, A., Bando, K., Nishii, K., Onuma, T. Optical transmission equipment for 800 Mb/sec 8-channel multiplexed PCM-TV signal 88−28860
Utsumi, K. *see* Fujito, K. 86−43871, 88−28867
Utsumi, K. *see* Goto, Y. 88−13787
Utsumi, K. *see* Hasegawa, K. 87−32726, 88−41654
Utsumi, K. *see* Inoue, T. 88−13647
Utsumi, K. *see* Koshino, N. 88−58058
Utsumi, K. *see* Kurokawa, T. 86−189
Utsumi, K. *see* Kurokawa, Y. 86−13502, 86−62267, 87−67056, 88−57224
Utsumi, K. *see* Nakata, H. 88−28863
Utsumi, K. *see* Nunomura, K. 88−16345
Utsumi, K. *see* Ochi, A. 88−65002
Utsumi, K. *see* Osaka, T. 87−11262
Utsumi, K. *see* Sano, Y. 86−34401, 87−3659
Utsumi, K. *see* Shimada, Y. 85−16799, 85−28857
Utsumi, K. *see* Takamizawa, H. 86−53209, 87−43990
Utsumi, K. *see* Yonezawa, M. 87−66592
Utsumi, M. *see* Hanna, J. 87−18803
Utsumi, S. *see* Cave, D. 87−64851
Utsumi, T., Nagashima, A., Kashiwabara, S., Watanabe, T. Analog LSI Test System Model 3520 86−21721
Utsumi, T. *see* Pichetjamroen, V. 87−64709
Utsumi, T. *see* Sekita, M. 87−66850
Utsumi, T. *see* Yoneda, K. 87−70428
Utsumi, Y. Prospects of value added networks in foreign countries and Japan 85−13911
Utsumi, Y. Variational analysis of ridged waveguide modes 85−36068
Utsumi, Y. Variational analysis of ridged waveguide modes 86−20784
Utsumi, Y. Optical communication techniques. IX. Applications of optical fibre transmission for broadcasting system 88−53268
Utsumi, Y., Hata, H. CAPTAIN system 87−40317
Utsumi, Y., Tanaka, K., Ariga, K., Nakamoto, N., Omachi, T., Nemoto, K. C&C advanced videotex terminal [computer & communications] 88−52812
Utsumi, Y., Tsutsumi, M. Recent trends on magnetostatic wave devices 85−50851
Utsumi, Y. *see* Ishiwatari, N. 85−57746, 87−48526, 88−15036
Utsumi, Y. *see* Kikuchi, H. 88−50485
Utsumi, Y. *see* Maeda, M. 87−20568
Utsumi, Y. *see* Matsumoto, H. 88−52813
Utsumi, Y. *see* Oyamada, K. 87−76920
Utsumiya, K., Yoshioka, K., Nishino, H., Shimizu, Y. A local area network for research computing environment−UNIQNET I. System design principles and fundamental facilities 85−52042
Utsumiya, K. *see* Fukuda, A. 87−61536
Utsunomiya, T. Resonant time durations of the trapped cyclotron harmonic waves 87−47200
Utsunomiya, T. Health care and electronics 88−68448
Utsunomiya, T., Nagata, K., Okazaki, K. Prism-type optical deflector using PLZT ceramics 86−48216
Utsunomiya, T., Nagata, K., Okazaki, K. Optical deflector using PLZT ceramics 86−54009
Utsunomiya, T. *see* Aihara, K. 86−32324
Utsunomiya, T. *see* Itoh, S. 87−55310, 88−8848, 88−41099, 88−73231
Utsunomiya, T. *see* Kamikura, K. 87−33802
Utsunomiya, T. *see* Matsuhira, N. 87−39961
Utsunomiya, T. *see* Sakagawa, K. 85−25182
Utsunomiya, T. *see* Takatsu, K. 85−25183
Utsunomiya, T. *see* Taniguchi, T. 87−69342
Utsunomiya, Y. *see* Sano, Y. 87−18802
Utsuro, M., Ebisawa, T., Okumura, K., Shirahama, S., Kawabata, Y. A supermirror turbine for an ultracold neutron source 88−68193
Utsuro, M. *see* Kawabata, Y. 86−44605
Utsuro, M. *see* Yoshiki, H. 87−77518
Utt, E.L. *see* Joseph, J.C. 88−4591
Uttal, B. Japan's latest assault on chipmaking 85−12348
Uttam, D. Measurement of intermodal delay in a dual-mode optical fibre 86−9468
Uttam, D., Bradley, P.D., Culshaw, B. Laser displacement monitor for measurement of large structures 87−33346
Uttam, D., Culshaw, B. Fault location in optical fibres using frequency modulation techniques 85−41188
Uttam, D., Culshaw, B. Semiconductor lasers in advanced interferometric optical-fibre sensors 85−46162
Uttam, D., Culshaw, B. Precision time domain reflectometry in optical fiber systems using a frequency modulated continuous wave ranging technique 86−22111
Uttam, D., Culshaw, B., Ward, J.D., Carter, D. Interferometric optical fibre strain measurement 85−35483
Uttam, D., Giles, I.P. The principles of remote interferometric optical fibre strain measurement 85−4118
Uttam, D. *see* Al-Chalabi, S.A. 85−35478
Uttam, D. *see* Culshaw, B. 87−56685, 88−16147
Uttam, D. *see* Giles, I.P. 85−24269, 86−36209
Uttam, D. *see* Ji, J. 87−7189
Uttam, D. *see* Mlodzianowski, J. 86−48192
Uttamchandani, D., Thornton, K.E.B., Culshaw, B. Optically excited resonant beam pressure sensor 88−16058
Uttamchandani, D., Thornton, K.E.B., Nixon, J., Culshaw, B. Optically excited resonant diaphragm pressure sensor 87−35033
Uttamchandani, D. *see* Mlodzianowski, J. 88−22614
Uttamchandani, D. *see* Thornton, K.E.B. 87−14270, 88−53606, 88−67876
Uttamsingh, R.J. *(editor)* AI Papers, 1988. Proceedings of the Conference on AI and Simulation 88−70033
Uttaro, F.L. *see* Sullivan, J.J. 87−70857
Utter, B., Alston, R.P., Jr., Tzu-Hwa Hsu Defect-free transistors demand attention to detail 86−41830
Utter, J. *see* Bibel, G.D. 88−36514
Utterback, N.G. *see* McMillan, D.E. 86−44619, 86−55896
Utterback, S., Melcher, R. Infrared thermal particle detection physics 86−58535
Utterborn, C. *see* Bjorkman, A. 88−15260
Utteridge, E.J. Radar environment simulator 88−15669
Uttley, D. *see* Wigginton, H. 85−23065
Uttley-Moore, W., Carew-Jones, R., Atkins, R., Williams, P. Reconnaissance systems unmanned aircraft 88−16843
Uttley-Moore, W. *see* Beving, J.E. 85−9309
Uttley-Moore, W.J., Carew-Jones, R., Morgan, T., Williams, P.J., Fulton, R. Evolution of airborne reconnaissance systems 87−4086
Uttley-Moore, W.J., Knowles, S., Perry, H.S. The evolution of airborne stores management systems 85−9320
Utton, D.B. *see* Haseler, L.E. 85−53659
Utts, B. *see* Karwowski, H.J. 86−44564
Utts, B. *see* Tailor, R.C. 86−50330
Utts, B.K. A gamma ray reference pulser which does not interfere with the data spectrum 86−32177
Utz, D. Better solder printing with stencils 86−27713
Utz, R. *see* Holtas, S.L. 88−29954
Utzinger, E. FOLA−the district heat supply project for the Olten-Aarau region 86−32930
Utzt, A. *see* Kortum, W. 85−27731
Uusimaki, A. *see* Jaakola, T. 88−26552
Uusimaki, A. *see* Torvela, H. 86−40797
Uusipaikka, U. *see* Ketola, A. 86−51837
Uuspaa, P. Communication standards and their effect within industrial automation 88−59455
Uvacek, B., Ye, H., Moschytz, G.S. A new strategy for tactile hearing aids: tactile identification of preclassified signals (TIPS) 88−74882
Uvarov, A.A. *see* Pogodin, V.I. 87−35175
Uvarov, A.B. *see* Berlin, N.S. 87−4365
Uvarov, A.T. *see* Katretskii, F.V. 87−29350
Uvarov, A.V. *see* Krayushkin, M.T. 87−70795
Uvarov, F.A. *see* Iogansen, L.V. 86−28841
Uvarov, I.A. *see* Loshakov, L.N. 86−65297
Uvarov, L.A. *see* Sklyarov, V.F. 85−27290
Uvarov, N.Ye. *see* Golovlev, V.A. 87−34799
Uvarov, R.V. *see* Migulin, I.N. 86−46589, 87−64687
Uvarov, V.B. *see* Pozhidaev, V.M. 86−40029
Uvarova, M.P. *see* Adamesku, R.A. 85−49650
Uvarova, N.N. *see* Boiko, B.B. 85−41426
Uvarova, T.V. *see* Antipenko, B.M. 85−24513, 86−9803, 87−18938, 88−8161
Uvbarkh, V.I. Design of broadband input and interstage balancing and transforming networks for transistorized power amplifiers 87−52414
Uveges, S. *see* Sladen, F.M.E. 86−63621
Uverskaya, T.A. *see* Asina, S.S. 86−41735
Uwabata, H. *see* Yasumoto, Y. 88−15780, 88−41836
Uwabu, T. AC speed control equipment for high torque machines, THYFREC-VT83S 86−12774
Uwabu, T., Tateno, A. AC speed control equipment for fiber machines, THYFREC-V400 86−12776
Uwabu, T., Yamada, T., Utsumi, H., Tateno, A. AC speed control equipment for fiber machines THYFREC-V500 88−24297
Uwaerts, D. *see* Barbe, A. 85−47860
Uwai, K., Mikami, O., Susa, N. Effects of growth temperature and $[PH_3]/[In(C_2H_5)_3]$ on purity of epitaxial InP grown by metalorganic chemical vapour deposition 85−28213
Uwai, K., Mikami, O., Susa, N. High purity InP growth by low-pressure metalorganic chemical vapour deposition 85−44751
Uwai, K., Nakagome, H., Takahei, K. Rare-earth ion-doped InP grown by metalorganic chemical vapor deposition 87−66916
Uwai, K., Nakagome, H., Takahei, K. Er-doped InP and GaAs grown by metalorganic chemical vapor deposition 88−1356
Uwai, K., Nakagome, H., Takahei, K. 1.54 μm emission from Er-doped GaAs and InP grown by metalorganic chemical vapor deposition 88−18754
Uwai, K. *see* Whitney, P.S. 88−58376
Uwai, K. *see* Yamauchi, Y. 85−16931
Uwamino, Y., Nakamura, T. Two types of multi-moderator neutron spectrometers: gamma-ray insensitive type and high-efficiency type 86−5840
Uwamino, Y. *see* Nakamura, T. 87−21387
Uwamino, Y. *see* Tanaka, S. 88−36335
Uwano, T., Sorrentino, R., Itoh, T. Characterization of stripline crossing by transverse resonance analysis 87−75514
Uwano, T., Sorrentino, R., Itoh, T. Characterization of strip line crossing by transverse resonance analysis 88−27554
Uwano, T., Sorrentino, R., Itoh, T. Characterization of microstrip-to-slotline transition discontinuities by transverse resonance analysis 88−32403
Uwano, T. *see* Hwang, V.D. 87−73735, 88−25486
Uwano, T. *see* Nam, S. 88−2800, 88−12579, 88−25389
Uwano, T. *see* Ogawa, K. 88−73803
Uwatoko, T., Ijima, T. Interception of waves by sea balloon system 85−38925
Uwatoko, T. *see* Horiba, I. 87−29755
Ux, L.-A., Leonard, D., Green, R.G. A pulsed ultrasound transducer system for two component flow 85−53232
Uy, O.M., Maurer, R.H. Fault tree safety analysis of a large $Li/SOCl_2$ spacecraft battery 88−16849
Uy, O.M. *see* Fristrom, R.M. 87−23780
Uy, O.M. *see* Maurer, R.H. 88−64062
Uya, M., Kaneko, K., Yasui, J. A CMOS floating point multiplier 85−22800
Uya, M. *see* Higashi, Y. 86−52878
Uya, S., Harada, N., Hayashimoto, Y., Endo, Y., Adachi, T., Yoshida, O., Ide, K., Komatsubara, Y. A high resolution CCD image sensor overlaid with an a-Si:H photoconductive layer 85−42910
Uya, S. *see* Endo, Y. 88−29441
Uya, S. *see* Harada, N. 86−5048, 86−17852
Uyama, C. *see* Yanagihara, Y. 88−74829
Uyama, N. *see* Matsumoto, T. 87−7014
Uyar, M.U., Duhbura, A.T. Optimal test sequence generation for protocols: the Chinese postman algorithm applied to Q.931 87−34147
Uyeda, H. Wind measurement by radar 87−56233
Uyeda, H., Zrnic, D.S. Automatic detection of gust fronts 87−71332
Uyematsu, K., Sakaniwa, K. A method of signal approximation using a minimum norm signal 86−59299
Uyematsu, T. A fast algorithm for signal approximation by selecting the weighting function of minimum norm signal 87−27412
Uyematsu, T., Hirota, O., Sakaniwa, K. On classes of novel quantum state for attenuation process 87−62996
Uyematsu, T., Sakaniwa, K. A method for signal approximation using minimum norm signal 86−23077
Uyematsu, T., Sakaniwa, K. A new tap-adjustment algorithm for the fractionally spaced equalizer 86−52989
Uyematsu, T., Sakaniwa, K. A hierarchical classification of signals and corresponding approximation method based on minimum norm criterion 87−27421
Uyematsu, T., Sakaniwa, K. A method for signal approximation using minimum norm signal 87−47652
Uyematsu, T., Sakaniwa, K. On the characterization of minimum norm signal 87−61914
Uyematsu, T., Sakaniwa, K., Kishi, G. A design method for transversal filters with nonuniform tap spacings based on the mean square error criterion 85−54987
Uyematsu, T. *see* Jinushi, H. 88−59028
Uyematsu, T. *see* Kishi, G. 85−2847, 86−69042
Uyematsu, T. *see* Sakaniwa, K. 88−20934, 88−46106
Uyematsu, T. *see* Yamazaki, K. 88−9593
Uyemura, J.P. *see* Darling, R.B. 87−67259
Uyen-Thuy Nguyen HV chopper with series shifting 87−73294
Uyeno, D. *see* Casey, D. 85−59505
Uyeno, T. *see* Nagaoka, H. 87−31976
Uygur, I. Suggestion for bridging the technology gap 86−43519

Uys, P.C. *see* Bradlow, H.S. 86-18282

Uysal, S., Aghvami, A.H. Synthesis and design of wideband symmetrical nonuniform directional couplers for MIC applications 88-70993

Uyttendaele, A.G. Evolution of antenna sidelobe regulation 87-33500

Uyttendaele, A.G. Satellite news gathering: an overview 87-34811

Uyttenhove, J., Demuynck, J. Detector electronics for measurements in heavy overload conditions 87-29680

Uytterhoeven, J.B. *see* Swinnen, J.F. 88-69089

Uyttewaal, W. *see* ten Kate, H.H.J. 88-48584

Uyukin, E.M. *see* Bagdasarov, Kh.S. 85-56767

Uyutov, V.V. *see* Kalinichev, V.M. 86-61366

Uzagare, D.M., Bhandari, G.N., Iyyer, S.B., Phadke, S.D., Karekar, R.N. Thin film CdS electrolyte cells 85-10097

Uzan, C., Legros, R., Marfaing, Y. A comparative study of laser and furnace annealing of P^+ implanted CdTe 86-8985

Uzan, C., Legros, R., Marfaing, Y., Triboulet, R. CW laser induced low-temperature decomposition of CdTe crystals 85-6701

Uzan, C., Marfaing, Y., Legros, R., Kalish, R., Richter, V. Damage study and physical properties of ion implanted $Cd_{0.7}Hg_{0.3}Te$ processed by furnace and rapid thermal annealing 88-33004

Uzars, V. *see* Lauza, G. 87-16124

Uzat, H., Gusdal, I., Derenchuk, V.P., Lancaster, J., Konopasek, F. The implementation of a new RF system for the University of Manitoba cyclotron 86-32023

Uzat, H. *see* Anderson, J. 85-64373

Uzat, H. *see* Gusdal, I. 86-31953

Uzawa, K. *see* Hashimoto, K. 85-48498, 86-15320

Uzawa, K. *see* Yamaguchi, M. 85-18530

Uzbekov, F.K. *see* Pokhoriler, V.L. 87-22206

Uzberg, N.P. A voltage converter with a switching transformer 85-10004

Uzdin, R.I. *see* Voitova, L.N. 88-67914

Uzdy, Z. Human speaker recognition performance of LPC voice processors 85-62992

Uzee, A.J. *see* Grosser, B.K. 87-71718

Uzel, C. *see* Koymen, H. 87-71417

Uzgoren, G. Analysis of the T-junction for waveguides below cutoff 85-11509

Uzgoren, G., Buyukoksoy, A. Diffraction of a high frequency whispering gallery mode by the impedance discontinuity in the cylindrically curved concave surface 88-2545

Uzgoren, G. *see* Buyukaksoy, A. 86-15857, 86-29355, 87-39354, 87-54530, 87-75384, 88-34283, 88-66040

Uzhekin, S.V. *see* Kovalev, A.M. 87-49954

Uzhelovskii, V.A. *see* Tanatar, A.I. 86-19548, 86-26057

Uzhik, V.F. *see* Denisov, D.S. 87-66500

Uzhinov, B.M. *see* Denisov, L.K. 86-48360

Uzhinov, B.M. *see* Druzhinin, S.I. 88-51768

Uzhinov, B.M. *see* Korol'kova, N.V. 85-51106, 87-75031, 88-33969

Uzhinov, B.M. *see* Krashakov, S.A. 85-7395

Uzhinov, B.M. *see* Levin, M.B. 87-18921, 87-68401

Uzhinov, B.M. *see* Reva, M.G. 86-48358

Uzhinov, B.M. *see* Rodchenkova, V.V. 85-2256, 87-18925

Uzhvieva, A. *see* Bulygin, A.R. 87-47008

Uzi Efron *see* Hsu, T.-Y. 88-59233

Uzikova, T.I. *see* Gartsman, K.G. 87-59933

Uzilevskii, V.A. *see* Bataev, V.M. 86-24380

Uzlov, S.V. *see* Dolbilov, G.V. 87-70947

Uzlov, Ye.N., Ivashevskiy, V.G., Sosunov, G.A., Klubakova, O.I. The AVTS-M automatic intraregional telephone communications equipment 86-16785

Uzoh, C., Maldonado, J.R., Angilello, J. Structural defects in B-doped Si substrates for X-ray masks 87-38039

Uzuhara, S. *see* Niimi, Y. 88-14647

Uzuhashi, H. Energy saving air conditioners 85-49210

Uzuhashi, H. *see* Endo, T. 85-48940

Uzuhashi, H. *see* Iizuka, K. 85-27406, 85-53677

Uzumaki, T. *see* Hiraoka, N. 88-38015

Uzun, S., Meystel, A. Computer system for structuring images with no edge detection 88-3220

Uzunoglu, N.K. Propagation of wide bandwidth signals in a tropospheric ducting medium 85-24837

Uzunoglu, N.K. Propagation of wide bandwidth signals in a tropospheric ducting medium 86-29353

Uzunoglu, N.K., Angelikas, E.A. Field distributions in a three-layer prolate spheroidal human body model for a loop antenna irradiation 88-16795

Uzunoglu, N.K., Angelikas, E.A., Cosmidis, P.A. A 432-MHz local hyperthermia system using an indirectly cooled, water-loaded waveguide applicator 87-41990

Uzunoglu, N.K., Capsalis, C.N. Diffraction from an abruptly terminated dielectric slab waveguide in the presence of a cylindrical scatterer 86-48100

Uzunoglu, N.K., Capsalis, C.N., Chronopoulos, C.P. Frequency-dependent analysis of a shielded microstrip step discontinuity using an efficient mode-matching technique 88-58913

Uzunoglu, N.K., Capsalis, C.N., Halios, S.E. Diffraction of guided waves by the end face of a dielectric slab waveguide terminated with a finite conductive strip 87-26898

Uzunoglu, N.K., Capsalis, C.N., Tigelis, I. Scattering from an abruptly terminated single-mode-fiber waveguide 88-13828

Uzunoglu, N.K., Cottis, P.G., Fikioris, J.G. Excitation of electromagnetic waves in a gyroelectric cylinder 85-24795

Uzunoglu, N.K., Fimerelis, C. A waveguide model for the evening type transequatorial VHF propagation: comparison with experiment for the Euro-African sector 88-72540

Uzunoglu, N.K., Kapetanakis, G.A. Analysis of wideband signal propagation in a three layer tropospheric medium 88-34297

Uzunoglu, N.K., Mandis, P.A. Analysis of the coupling of two non-parallel dielectric rod waveguides 87-53997

Uzunoglu, N.K. *see* Alexopoulos, N.G. 85-13320

Uzunoglu, N.K. *see* Capsalis, C.N. 85-57090, 86-64040, 88-20342, 88-39960, 88-72039

Uzunoglu, N.K. *see* Cottis, P.G. 86-48091, 88-42573

Uzunoglu, N.K. *see* Fikioris, J.G. 85-11494

Uzunoglu, N.K. *see* Nakatani, A. 87-39453

Uzunoglu, N.K. *see* Tigelis, I. 88-8552

Uzunoglu, N.K. *see* Tsalamengas, J.L. 85-36105, 86-10141

Uzunoglu, V. Design technique untangles networks 86-27034

Uzunoglu, V. Coherent phase-locked synchronous oscillator 87-5702

Uzunoglu, V. Sixty Mb/s transversal equalizer 87-56056

Uzunoglu, V. Detection of interrupted signals 87-76868

Uzunoglu, V. The regenerative receiver and the synchronous oscillator 88-18977

Uzunoglu, V., White, M.H. Synchronization and tracking with synchronous oscillators 86-29929

Uzunoglu, V., White, M.H. The synchronous oscillator: a synchronization and tracking network 86-34601

Uzunoglu, V., White, M.H. Some important properties of synchronous oscillators 86-40873

Uzunoglu, V., White, M.H. Carrier recovery techniques using synchronous oscillators 87-23988

Uzunoglu, V., White, M.H. Carrier recovery techniques using synchronous oscillators 87-37056

Uzunoglu, V. *see* Flamouropoulos, T. 86-40950

Uzunoglu, V. *see* Gardner, F.M. 88-604

Uzunoglu, V. *see* Mattis, W.E. 87-47487

Uzunov, I.S., Stoyanov, G.K. Study of active low-frequency and high-frequency filters with one operational amplifier and independent regulating of amplification 86-8361

Uzunova, T., Petrova, W., Averyanov, V., Vateva, E., Amov, B. Modification of electronic properties of vitreous As_2Se_3, AsSe and As_3Se_2 after transition metal ion implantation 86-27949

Uzyanbaev, A.Kh. *see* Ivanov, A.V. 88-24033, 88-37292

Uzzle, T. The effect of reinforcement system regeneration on gain and reverberative decay 86-24190

V, R.Varela *see* Varela V, R.
v. Klitzing, K. *see* Ullrich, B. 88−58339
v. Klooster, K. *see* Savini, D. 88−25432
v. Moers, F. *see* Bohm, D. 88−8279
va Os, L. Software in oscilloscopes: a role growing in importance 87−29168
Vaag, L.L. *see* Baryshev, V.I. 85−4426
Vaahedi, E., Barnes, R. Comparison of generating and transmission systems for an offshore array of vertical-axis wind turbines 86−61431
Vaahedi, E., El-Kady, M.A., Libaque-Esaine, J.A., Carvalho, V.F. Load models for large-scale stability studies from end-user consumption 88−23330
Vaahedi, E., Noble, A.D., Macdonald, D.C. Generator on-line state estimation and optimal control: laboratory implementation and prospects for development 87−9490
Vaahedi, E. *see* Price, W.W. 88−54912
Vaahedi, E. *see* Vittal, V. 88−10781, 88−54856
Vaajoensuu, O.-P., Lindroos, R. On the selection of a primary distribution voltage for electrification in the developing countries 86−56356
Vaalburg, W. *see* Paans, A.M.J. 86−50527
Vaalen, M.J.M.Van *see* Van Vaalen, M.J.M.
Vaalen, M.Van *see* Van Vaalen, M.
Vaan, A.J.S.M.de *see* de Vaan, A.J.S.M.
Vaananen, J. *see* Romppainen, P. 86−50071
Vaart, H.van de *see* van de Vaart, H.
Vaatamoinen, H. *see* Marttila, S. 87−34595
Vaaz, I.L., Kinber, B.Ye. Polyfocal systems−method of matched images 88−13990
Vabishchevich, P.N., Pulatov, P.A. A numerical solution method for the Cauchy problem for elliptic equations 85−60928
Vabre, M. *see* Boileau, F. 88−64971
Vabre, M. *see* Villegier, J.C. 85−56181
Vabson, V. *see* Koppel, Kh. 87−52204
Vacca, F. *see* Acciani, G. 87−59048
Vacca, F. *see* Cafaro, G. 85−22573, 86−50805, 86−61980
Vacca, J. Network designers must fulfil specific requirements to provide reliable, cost-effective communications 85−36704
Vacca, T., Resnick, D., Frankel, D., Bach, R., Kreilich, J., Carlson, D. A cryogenically cooled CMOS VLSI supercomputer 87−59333
Vaccani, P. A second generation mobile spectrum monitoring system 86−17279
Vaccani, P. Automatic acquisition of occupancy and enforcement data in the radio frequency spectrum 87−28928
Vaccani, P. A method of obtaining occupancy data for trunking systems in the radio frequency spectrum 88−3883
Vaccarelli, A. *see* Cantoni, A. 87−49130
Vaccarelli, A. *see* D'Andrea, A.N. 85−652
Vaccari, F. *see* Bertoldi, O. 86−50938
Vaccari, R.J. *see* Hoffman, C.L. 86−54707
Vaccarino, C. *see* Chiaretti, G. 88−58562
Vaccaro, F.E. *see* Credelle, T.L. 85−14895
Vaccaro, F.G. *see* Byrnes, M. 88−1235
Vaccaro, F.J., Casson, P. Internal resistance: harbinger of capacity loss in starved electrolyte sealed lead acid batteries 88−30989
Vaccaro, F.R. *see* Barsness, E.J. 86−33103
Vaccaro, F.R. *see* Davis, D.A. 87−64543
Vaccaro, J. *see* Hunadi, R. 86−53286
Vaccaro, J.J., Johnson, B.L., Nowacki, C.L. A systolic discrete Fourier transform using residue number systems over the ring of Gaussian integers 87−17148
Vaccaro, J.J. *see* Doodlesack, G.A. 87−66253
Vaccaro, J.J. *see* Johnson, B.L. 87−55128
Vaccaro, J.R. *see* Riley, W.J. 87−25740
Vaccaro, J.R. *see* Riley, W.J., Jr. 88−18968
Vaccaro, K. *see* Bennett, B.R. 87−23705, 88−18724, 88−25983
Vaccaro, R.J. Modeling of perturbed covariance sequences 86−62016
Vaccaro, R.J., Dickinson, B.W. Finite-data algorithms for obtaining balanced realizations 87−13042
Vaccaro, R.J., Kot, A.C. A perturbation theory for the analysis of SVD-based algorithms 87−62044
Vaccaro, R.J., Li, F. A state-space approach to positive sequences [signal processing] 87−62002
Vaccaro, R.J., Li, F. A state-space approach for obtaining spectral models from nonpositive covariance models 88−40980
Vaccaro, R.J. *see* Kot, A.C. 87−62028, 88−14676
Vaccaro, R.J. *see* Tufts, D.W. 88−73076
Vaccaro, U. *see* Capocelli, R.M. 86−49027
Vaccaro, V. *see* Bugna, G. 88−17563
Vaccaro, V.G. Present status of the theory of electron beam instabilities in storage rings 85−64352
Vaccaro, V.G. *see* Di Massa, G. 87−41800
Vaccaro, V.G. *see* Kheifets, S. 88−20973
Vaccarone, R. Cryogenic stability of hollow S/C cables in a transverse magnetic field gradient 85−12524
Vaccarone, R. *see* Carosio, R. 85−24251
Vaccarone, R. *see* Fabbricatore, P. 88−26736
Vacchi, A. Large-area transition radiation detectors for electron identification in the UA6 experiment at the CERN pp̄ Collider 87−29446
Vacchi, A. *see* Beer, W. 85−64518
Vaccione, J.D., Franke, S.J., Yeh, K.C. A new analysis technique for estimating zonal irregularity drifts and variability in the equatorial F region using spaced receiver scintillation data 88−5162
Vacek, K., Pastuszek, F., Sedlacek, M. Radiation processing applications in the Czechoslovak water treatment technologies 87−42266
Vacek, V. The Undergraduate Research and Professional Activity Programme as a part of the educational process at technical universities in Czechoslovakia 87−31190
Vacelet, M.H. *see* Sorel, M. 85−43110
Vach, K. Some geodetic laser instruments manufactured in the USSR 88−5113
Vach, W. *see* Cullmann, E. 88−13207
Vach, W. *see* Thompson, P. 88−26141
Vacha, L.J.B. *see* Miniscalco, W.J. 88−27106
Vachala, V. Synchronisation of digital networks 86−16698
Vachala, V. Crystal oscillators with unipolar integrated circuits 86−41960
Vachala, V. Frequency multiplication by the CMOS 4046 integrated circuit 88−915
Vachala, V. Clock cycle generators for synchronisation of the Swiss digital network 88−73460
Vachee, P. Optical fiber driver and receiver using a three-level flux mode encoded by a simplified bipolar differential biphase bichannel code 85−20193
Vachee, P., Cholat-Namy, J. Incorporated protective circuit with microcoded switch hook and level adjustment functions 85−47299
Vachek, D. Time analysis of a digital filter by means of simulation using a pocket calculator 87−5974
Vacher, A.A., Grishin, V.G., Shuvaev, L.E., Yukhnevich, A.V. Gas detectors with silicon sensitive elements 85−37791
Vacher, C.L. *see* Claiborne, C. 87−72216
Vacher, J. *see* Allemand, R. 85−4316
Vacher, J. *see* Moszynski, M. 85−20892
Vachette, P. *see* Dubuisson, J.M. 86−60681
Vachkov, P.I., Dyakov, M.G. Optimization of the output characteristics of a frequency converter used for control of asynchronous electric motors 87−22531
Vachkov, P.I., Hristov, G.P., Ivanov, L.P. Problems in developing new current sources for electric arc welding 86−45861
Vachkov, P.I. *see* Ivanov, D.A. 85−53976
Vachkov, P.I. *see* Nikolov, Z.A. 86−40902
Vachkov, P.I. *see* Zlatev, M.P. 86−41368
Vachon, G., Chan, D.A. Build this Atari game recorder. III 85−47767
Vachon, G., Chan, D.A. Build this Atari game recorder. II 85−47768
Vachon, P.W. *see* Freeman, N.G. 88−10535
Vachon, W.A. Key lessons from ongoing wind turbine tests 85−32418
Vachoux, A., Carlin, C.-H. MOSART−a (V)LSI circuit simulator using waveform relaxation 86−57556
Vachoux, A., Carlin, C.H. Implementation of decomposition and scheduling processes for waveform relaxation simulation 87−437
Vachoux, A. *see* Carlin, C.H. 85−18485, 87−31658, 88−26541
Vachss, F., Hesselink, L. Electrogyratory and electrooptic coupling in BSO and BGO 87−12100
Vachss, F., Hesselink, L. Synthesis of a holographic image velocity filter using the nonlinear photorefractive effect 88−65447
Vachtsevanos, G., Kalaitzakis, K. A hybrid photovoltaic simulator for utility interactive studies 87−64813
Vachtsevanos, G., Papamarkos, N., Mertzios, B. On the approximation of the magnitude response of 2-D IIR digital filters using linear programming 86−62748
Vachtsevanos, G., Papamarkos, N., Mertzios, B. Design of two-dimensional IIR digital filters via linear programming 87−33707
Vachtsevanos, G., Papamarkos, N., Mertzios, B. On the approximation of the magnitude response of two-dimensional IIR digital filters using linear programming 87−37461
Vachtsevanos, G. *see* Balouktsis, A. 87−4445, 87−78916
Vachtsevanos, G. *see* Cokkinides, G. 86−6651
Vachtsevanos, G. *see* Davey, K. 87−43496, 87−58081
Vachtsevanos, G. *see* Lee, K.-M. 88−69435
Vachtsevanos, G. *see* Papamarkos, N. 87−10991
Vachtsevanos, G. *see* Thanailakis, A. 86−26314
Vachtsevanos, G.J., Kalaitzakis, K.C. Penetration of wind-electric conversion systems into the utility grid 85−59610
Vachtsevanos, G.J., Kalaitzakis, K.C. Dynamic utility integration of new energy technologies 86−39060
Vachtsevanos, G.J., Kalaitzakis, K.C. A methodology for dynamic utility interactive operation of dispersed storage and generation devices 87−43333
Vachtsevanos, G.J., Kalaitzakis, K.C., Papamarkos, N.E. Design and development of a new electronic sphygmomanometer 86−5882
Vachtsevanos, G.J. *see* Davey, K.R. 88−55646
Vachtsevanos, G.J. *see* Kalaitzakis, K.C. 85−15472, 88−30614
Vachula, G.M. *see* Blanco, M.A. 87−39605
Vacik, J. *see* Male, J. 86−30868
Vaclav, P. Electrical hybrid heaters 87−72602
Vaclav, P. A new concept of domestic drum-type washing machines 88−31221
Vaclavik, L. Fast Fourier analysis and synthesis of real data 87−14248
Vaclavik, L. *see* Kur, J. 88−4630
Vaclavik, M., Strakos, V. Extension of the classical Grove's transistor model 88−19930
Vaclavik, P., Antropius, K., Trnka, J. Improving the quality of the holographic signal in interferograms of the shape of oscillations during the use of retro-reflective coatings 86−9979
Vacquie, S. *see* Gleizes, A. 86−26214
Vacquie, S. *see* Rahal, A.M. 86−28545, 88−57240
Vacquie, S. *see* Razafinimanana, M. 88−57833
Vacroux, A.G. *see* Vecerek, B. 85−2925
Vaculik, E. Measurement of the maximal level of the acoustic pressure 85−52914
Vaculikova, P. Radio interference from thyristor exciters of synchronous hydroalternators 86−48618
Vaculikova, P., Svoboda, J., Vondrak, M. Character and propagation of interference voltages generated by power semiconductor converters and ways of limiting their influence 85−41639
Vad, K., Meszaros, S. Coarse balancing a superconducting gradiometer at room temperature 85−1945
Vad, K., Meszaros, S., Halasz, G. Biomagnetic measurements with a third order gradiometer 87−77612
Vad, K. *see* Meszaros, S. 85−1866, 87−1919
Vadacca, V., Fix, H.J., Toth, G. Experience in the developing Italian nuclear program 86−39386
Vadacca, V. *see* Messore, G.A. 86−39476
Vadacchino, M. *see* D'Ariano, G. 86−62464
Vadacchino, M. *see* Lugiato, L.A. 88−72413
Vadachkoriya, G.V. Development of circuits for parametric current sources using an equivalent voltage source theorem 85−61029
Vadachkoriya, G.V. Development of parametric current sources through application of the equivalent voltage source theorem 86−34961
Vadachkoriya, G.V. Parametric current sources with internal compensation for the reactive power of the load 88−75043
Vadamme, L.K.J. Comments, with reply on 'An exact formula for the effects of resistor geometry on current noise' by D.P. Levinson and A.D. Snider 87−24491
Vadan, I. *see* Darie, S. 85−62736, 87−52428, 88−2499
Vadari, S.V. *see* El-Sharkawi, M.A. 88−30701, 88−68786
Vadas, G. Development of the qualitative characteristics of illuminators applied in the industry, carried out in the EKA factory 85−32779
Vadas, J.E. Interactive videodisc for management training in a classroom environment 88−6166
Vadas, Z. Combined cycle drive at natural gas pipeline compressor stations 85−22040
Vadas, Z., Belcsak, B. Complex improvement in energy efficiency of gas turbine drives 85−32362
Vadasy, F. Remote control system of radio relay chains 88−9408
Vadasz, F. *see* Babits, L. 88−8607
Vadasz, P., Weiner, D. An evaluation method for peak/off-peak price functions in energy storage technologies 87−64768
Vadasz, P., Weiner, D. Correlating compressor and turbine costs with thermodynamic properties for CAES power plants 88−23760
Vadell, M. *see* Lesage, P. 85−38321
Vadenov, A.A., Gladush, G.G., Drobyazko, S.V., Pavlovich, Yu.V., Senatorov, Yu.M. Physical laws governing the processing of metals by pulse-periodic CO_2 laser radiation 87−26492
Vader, D.T., Viskanta, R., Incropera, F.P. Design and testing of a high-temperature emissometer for porous and particulate dielectrics 86−24705
Vader, R.J. Uninterruptible power: take nothing for granted 87−51338
Vaderna, I. *see* Loczy, I. 86−18929
Vadgama, A.P. *see* Price, P.R. 87−22500
Vadgama, P. Enzyme electrodes and their potential for medical exploitation 88−16677
Vadgama, P. *see* Baker, M. 88−36422
Vadgama, S. *see* Gibson, R. 88−15368
Vadgama, S.K. *see* MacNamee, R.J.G. 88−28731
Vadhar, B. *see* Tranjan, F.M. 87−57157
Vadher, V.V. Mathematical modelling of permanent magnet generators 87−35910
Vadher, V.V., Smith, I.R., Fanthome, B.A. Simulation of permanent magnet generator/rectifier combination 86−45444
Vadher, V.V., Smith, I.R., Fanthome, B.A. Electric traction control and simulation for military vehicles 87−22868
Vadher, V.V., Smith, I.R., Fanthome, B.A. Battery management system and state of charge monitor for military vehicles 87−22870

Vadher, V.V., Smith, I.R., Fanthome, B.A. Modelling and simulation of integrated electronic/electrical systems in modern fighting vehicles 87−58375
Vadher, V.V., Smith, I.R., Fanthome, B.A. Finite volume modelling of electrical machines 88−17551
Vadher, V.V., Smith, I.R., Fanthome, B.A. Direct drive for cupola, turret and gun elevation systems for future battle tanks 88−18137
Vadher, V.V., Smith, I.R., Williams, S. Mathematical modeling of a VSCF aircraft generating system 87−35470
Vadher, V.V. *see* Holmes, P.G. 86−33436
Vadher, V.V. *see* Pricetoe, R.N. 87−24271
Vadie, H.H., Lee, S.T. Houston Lighting and Power Company evaluation of compressed air energy storage 85−49123
Vadimsky, R.G. *see* Ong, E. 86−2058
Vadivel, S., Sridhara Rao, G. Steady state analysis of a doubly-fed machine with a variable-frequency voltage/current source inverter in the rotor 87−30513
Vadivel, S. *see* Sridhara Rao, G. 87−30752
Vadkovskaya, T.N., Drozhbin, Yu.A., Lobachev, V.A., Murina, T.M., Prokhorov, A.M., Trofimenko, V.V. Photographic recording of YAG:Er^{3+} laser radiation ($\lambda = 2.94\ \mu m$) by thermal sensitization of the emulsion 88−65811
Vadkovskii, N.N. *see* Medvedev, V.A. 86−57496
Vadnjal, F.E. Transformer substations: service reliability and design: evolution during the past 50 years 87−30734
Vadus, J.R., Taylor, B.J. OTEC cold-water pipe research 85−53610
Vadus, J.R. *see* McLain, C.E. 86−60950
Vaduva, Al. *see* Juncu, M. 88−62644
Vaduva, I. *see* Stefanescu, S. 88−11943
Vaerewyck, E.G. *see* Boenning, R.A. 85−61560
Vaernes, J.E., Olaussen, E.M., Hoset, L.O. Operational planning in Orklavassdraget with EDP 85−60050
Vaessen, P.T.M. Signal analysis with transformer testing 88−69448
Vaessen, P.T.M. *see* Bollen, M.H.J. 88−24012
Vaez Iravani, M. Fibre-optic scanning differential interference contrast optical microscope 86−22086
Vaez Iravani, M. All-fibre SAW sensor with frequency tuning capability 86−38322
Vaezi-Nejad, M. *see* Juhasz, C. 87−24857
Vaezi-Nejad, S.M. Xerographic time of flight experiment for the determination of drift mobility in high resistivity semiconductors 87−32259
Vaezi-Nejad, S.M. Xerographic discharge techniques for the investigation of charge transport in high resistivity materials 87−66920
Vaezi-Nejad, S.M. Novel experimental techniques for the evaluation of electrical properties of microelectronic materials 88−56357
Vaezi-Nejad, S.M. Interpretation of transient photocurrent-time profiles in multilayer semi-insulators 88−65473
Vaezi-Nejad, S.M., Juhasz, C. Drift mobility in a-$Se_{1-x}Te_x$/Se double-layer xerographic photoreceptors 87−54175
Vaezi-Nejad, S.M., Juhasz, C. Electrical properties of amorphous semiconductor selenium and its alloys. I. Monolayers 88−20490
Vaezi-Nejad, S.M., Juhasz, C. Electrical properties of amorphous semiconductor selenium and its alloys. II. Heterojunction multilayers 88−65472
Vafai, M. Future directions in user-defined ICs 85−22839
Vafiadis, E., Diamanti, I., Tsoukalas, I.A., Sahalos, J.N. Post interaction with microwaves in a rectangular waveguide 88−27581
Vafiadis, E., Sahalos, J.N. Fields at the trip of an elliptic cone 85−2461
Vafiadis, E., Sahalos, J.N. Analysis of semi-infinite elliptic conical scatterer 85−56996
Vafiadis, E., Tsoukalas, I.A., Sahalos, J.N. Metallic post coated by a dielectric tube in waveguide, a NB filter design 87−37499
Vafiadis, E. *see* Sahalos, J.N. 86−20792
Vafiadis, E.E. *see* Gotsis, N. 85−48062
Vafina, A.V. *see* Aleksandrov, S.S. 86−50001
Vaflard, D., Keryer, P., Viry, A., Sadarnac, D. Electromagnetic interference: optimum usage of the inverter 88−30788
Vagane, B.E. Calculating electromagnetic field and moment of synchronous motor with printed winding 86−26024
Vaganov, M.A. *see* Talyshinskii, I.T. 87−64575
Vaganov, V.I., Sluchak, I.I. Nonlinearity of a pressure converter containing a mechanical stress concentrator 88−35928
Vaganyan, A.I., Dimaksyan, M.L., Dimaksyan, A.B. Investigation of an $In_{0.8}Ga_{0.2}P$ solid solution in strong electrical fields 87−37885
Vagapov, A.M., Kravets, L.G. Non-optimal detection losses in digital radiometers 88−74428
Vagapov, V.B. A loss function for use in optimizing a set of interconnected radio tracking systems 86−17425
Vagarin, A.Yu. *see* Litsov, A.A. 85−55154
Vagarin, A.Yu. *see* Usanov, D.A. 86−60320
Vagati, A., Villata, F. Field-oriented AC motor control: a particular implementation 86−51590
Vagati, A., Villata, F. AC servo system for position control 87−43134
Vagati, A. *see* Fratta, A. 86−39855, 87−43121, 88−17667, 88−30693, 88−76002
Vagati, A. *see* Piglione, L. 85−39332
Vager, Z. *see* Faibis, A. 86−44567
Vages, E. *see* Pohlmann, T. 88−45216
Vaghar, A., Milutinovic, V. An analysis of algorithms for microprocessor implementation of high-speed data modems 86−17102
Vaghy, T. *see* Cain, R. 86−4398
Vagic, N. Compensation of reactive power in 110/20(10) kV Samobor transmission system 88 −42780
Vagin, A.I. *see* Bessonov, Yu.L. 86−18222
Vagin, E.V. *see* Borisenok, V.A. 86−56073
Vagin, G.Ya., Borisov, B.P. Electromagnetic compatibility of electrotechnical installations and their power supply circuits 86−51774
Vagin, G.Ya., Chechkov, V.A. Calculating short-circuit currents in distribution networks up to 1000 V 86−32749
Vagin, G.Ya., Chechkov, V.A. The wide applications of the parallel operation of workshop transformers 88−11269
Vagin, G.Ya., Loskutov, A.B. Optimisation of loading factors for electrical welders 86−7334
Vagin, G.Ya., Loskutov, A.B. Models of individual loading charts for welding machines 87−43692
Vagin, N.P., Konoshenko, A.F., Kryukov, P.G., Nurligareev, D.Kh., Pazyuk, V.S., Tomashov, V.N., Yuryshev, N.N. Chemical oxygen-iodine laser utilizing low-strength hydrogen peroxide 85−24490
Vagin, N.P., Kryukov, P.G., Nurligareev, D.Kh., Pazyuk, V.S., Yuryshev, N.N. An investigation of the effectiveness of a fused chemical oxygen-iodine laser 88−27074
Vagin, N.P., Kryukov, P.G., Pazyuk, V.S., Yuryshev, N.N. Influence of water vapor on the output energy of a pulsed oxygen-iodine laser 87−12390
Vagin, N.P., Kryukov, P.G., Yuryshev, N.N. Investigation of a bubbling type of chemical singlet oxygen generator [for O_2-I chemical laser] 86−29061
Vagin, N.P. *see* Basov, N.G. 85−41334
Vagin, S.A., Kovtun, A.A. Frequency characteristics of impedance anomalies in the inhomogeneous field 85−56935
Vagin, S.A., Kovtun, A.A. On the possibility of taking into account the inhomogeneous field in magnetotelluric soundings 88−74960
Vagin, V.F. *see* Korovin, N.V. 88−69231
Vagin, V.N., Georgieva, N.Ts., Pospelov, D.A. On segmentation of graphs 85−28127
Vagizov, F.G. *see* Manapov, R.A. 87−63701
Vaglio, R. *see* Barone, A. 85−37903, 85−48184
Vaglio, R. *see* De Stefano, S. 85−62234
Vaglio, R. *see* Paterno, G. 87−1915, 87−67848
Vagner, G.I. *see* Belyaev, L.S. 88−36916
Vagner, I.A. *see* Borodulin, V.I. 87−33211
Vagner, I.D., Bergman, D. RF quantum Hall effect in a superlattice 87−66949
Vagner, J. *see* Varese, C. 86−51157
Vagner, N.A. *see* Borodkin, A.A. 87−18868
Vagner, N.A. *see* Borodulin, V.I. 87−33212
Vagner, S.D. *see* Arsh, A.M. 85−7115
Vagner, V. *see* Prikner, K. 88−66085
Vagnerova, I. *see* Vujtech, J. 88−31373
Vagnini, C.B. *see* Romich, B.A. 85−59325
Vago, F. Tone and ringing equipment BKL 700 86−59698
Vago, Gy. *see* Czermann, M. 85−11947
Vago, I. Graph theory. Application to the calculation of electrical networks 86−19722
Vago, I. Scientific activity in the Heavy Current Group of the Chair for Theoretical Electrical Engineering, Technical University, Budapest 87−26589
Vago, I. Finite element method for the computation of the electromagnetic field of waveguides 88−8553
Vago, I., Bardi, I. Hybrid-mode analysis of inhomogeneously loaded waveguides by finite element method 88−8559
Vagszegi, G. *see* Osanna, P.H. 88−10127
Vagts, H. *see* Doring, R. 88−46682
Vaguine, V. *see* McEuen, A.H. 86−32025
Vaguine, V.A. *see* Christensen, D.A. 88−31169, 88−36066, 88−42138
Vagvolgyi, J. *see* Szabo, P.P. 87−50458
Vaha, P., Voutilainen, D. Dynamics of a closed kinematic chain crane with a suspended load 88−62841
Vahabpour-Roudsari, A. *see* Colegrave, R.K. 86−48499
Vahala, K., Arakawa, Y., Yariv, A. Reduction of the field spectrum linewidth of a multiple quantum well laser in a high magnetic field−spectral properties of quantum dot lasers 87−33147
Vahala, K., Kyuma, K., Yariv, A., Sze-Keung Kwong, Cronin-Golomb, M., Lau, K.Y. Narrow linewidth, single frequency semiconductor laser with a phase conjugate external cavity mirror 87−26381
Vahala, K., Paslaski, J., Yariv, A. Observation of modulation speed enhancement, frequency modulation suppression, and phase noise reduction by detuned loading in a coupled-cavity semiconductor laser 85−46378
Vahala, K., Yariv, A. Detuned loading in coupled cavity semiconductor lasers−Effect on quantum noise and dynamics 85−2292
Vahala, K., Yariv, A. Application of an electric wave-pocket formalism to local-operator equations of motion for semiconductor lasers 85−56663
Vahala, K. *see* Arakawa, Y. 85−7430, 86−15689, 86−36458, 87−2130, 88−34038
Vahala, K. *see* Derry, P.L. 88−65667
Vahala, K. *see* Yariv, A. 85−2351
Vahala, K.J., Zah, C.E. Effect of doping on the optical gain and the spontaneous noise enhancement factor in quantum well amplifiers and lasers studied by simple analytical expressions 88−58519
Vahala, K.J. *see* Lang, R.J. 85−51172
Vahala, K.J. *see* Newkirk, M.A. 88−40196
Vahia, M.N. *see* Biswas, S. 87−29599
Vahid Shahidi, A., Shih, I., Araki, T., Champness, C.H. Structural and electronic properties of $CuInSe_2$ 85−40472
Vahid Shahidi, A., Shih, I., Champness, C.H. Diffusion and annealing effects of crystalline $CuInSe_2$ 86−1984
Vahid Shahidi, A., Shih, I., Champness, C.H. Photoconductivity and extrinsic doping of p-$CuInSe_2$ 86−9663
Vahid Shahidi, A. *see* Shih, I. 85−39709, 86−57428
Vahidsafa, A. *see* Iosupovici, A. 86−27017
Vahl Davis, G.De *see* De Vahl Davis, G.
Vahldieck, R. Accurate hybrid-mode analysis of various fin-line configurations including multilayered dielectrics, finite metallization thickness, and substrate holding grooves 85−13179
Vahldieck, R., Bornemann, J. A modified mode-matching technique and its application to a class of quasi-planar transmission lines 86−10138
Vahldieck, R., de la Filolie, B.V. Computer-aided design of parallel-connected millimeter-wave diplexers/multiplexers 88−70983
Vahldieck, R., Hoefer, W.J.R. Computer-aided design of dielectric resonator filters in waveguide sections below cutoff 86−1344
Vahldieck, R., Hoefer, W.J.R. The influence of metallization thickness and mounting grooves on the characteristics of finlines 86−8417
Vahldieck, R., Hoefer, W.J.R. A new class of optimized finline and E-plane metal insert filters with improved characteristics 86−14473
Vahldieck, R., Hoefer, W.J.R. Finline and metal insert filters with improved passband separation and increased stopband attenuation 86−27543
Vahldieck, R., Hoefer, W.J.R. Effect of the metallisation thickness and mounting grooves on the propagation characteristics and bandwidth of finlines 86−62798
Vahldieck, R., Hoefer, W.J.R. A novel groove guide coupler with partial dielectric loading and printed tuning septum 87−73657
Vahldieck, R., Hoefer, W.J.R. Rigorous analysis of novel dielectric resonator filters with printed tuning septum 88−940
Vahldieck, R., Ruxton, J. A broadband groove guide coupler for millimeter-wave applications 87−73629
Vahldieck, R. *see* Arndt, F. 85−6414, 86−47038
Vahldieck, R. *see* Hoefer, W.J.R. 88−56842
Vahldieck, R. *see* Leitner, M. 87−6126
Vahldieck, R. *see* Ney, M. 87−73654
Vahldieck, R. *see* Nicolai, W. 86−70746
Vahldieck, R. *see* Ruxton, J. 87−66510, 87−73624, 88−32400, 88−71096
Vahldiek, H. ADC improvement through noise 86−14301
Vahle, M.O., Tolendino, L.F. A distributed telecommunications network and supervisory system 86−4284
Vahrenkamp, R.P. *see* Chang, M.F. 85−35158, 86−9246
Vahrenkamp, R.P. *see* Deming, R.N. 85−22803, 85−54857
Vahrenkamp, R.P. *see* Lee, C.P. 86−9172
Vahrenkamp, R.P. *see* Ryan, F.J. 86−35911
Vahrenkamp, R.P. *see* Weber, R.J. 87−32094
Vai, M., Shanblatt, M.A. An improved macrocell placement algorithm using simulated annealing 87−60595
Vai, M. *see* Wey, C. 87−37170
Vai, M.-K., Shanblatt, M.A. Performance-design tradeoff of hierarchical VLSI design entry points 86−58570
Vaia, A.R. *see* Klein, A.W. 85−38781
Vaichikauskas, V.V. *see* Bumyalis, A.-V.I. 86−68607
Vaid, A. *see* Zhou, Y.-T. 88−66619
Vaidhyanathan, R., Noufi, R., Datta, T., Powell, R.C., Deb, S.K. Charge transport studies in $CuInSe_2$ thin films 87−6397
Vaidhyanathan, R. *see* Samaan, A.N.Y. 86−57483
Vaidis, V. *see* Schneiderka, M. 86−25944
Vaidya, A.K. *see* Kapauan, A.A. 87−40207
Vaidya, A.K. *see* Luderer, G.W.R. 87−76140
Vaidya, D.M. Microsystem design with the 8052AH-basic microcontroller 86−8284

Vaidya, H.G., Dravida, S. Performance specifications for customer controlled networks [telecommunications] 86−64526
Vaidya, J. *see* Ashtiani, C.N. 87−30518
Vaidya, J. *see* Ferreira, C. 88−75565
Vaidya, J.G. *see* Arkadan, A.A. 88−48868
Vaidya, J.G. *see* Shah, J. 87−64617
Vaidya, J.G. *see* Shah, M.J. 87−51233
Vaidya, M.D. *see* Nair, S.K. 86−53307
Vaidya, N.C. *see* Bvasu, B.N. 85−55406
Vaidya, N.C. *see* Patnaik, R.R. 85−34426
Vaidya, N.C. *see* Singh, V.N. 85−11853
Vaidya, P.P., Gopalakrishnan, K.R., Pethe, V.A., Anjaneyulu, T. A new method for nuclear ADCs using the vernier approximation technique 85−20853
Vaidya, P.P., Gopalakrishnan, K.R., Pethe, V.A., Anjaneyulu, T. A new method for DAC corrections for application in nuclear ADC 86−8323
Vaidya, P.P., Gopalakrishnan, K.R., Pethe, V.A., Anjaneyulu, T. A new method for high speed nuclear ADCs using commercially available ADCs and DACs 86−14305
Vaidya, P.P., Gopalakrishnan, K.R., Pethe, V.A., Anjaneyulu, T. A new method for reducing DNL in nuclear ADCs using an interpolation technique 87−807
Vaidya, S., Fuls, E.N., Johnston, R.L. NMOS ring oscillators with cobalt-silicided P-diffused shallow junctions formed during the 'poly-plug' contact doping cycle 87−1744
Vaidya, S., Retajczyk, T.F., Knoell, R.V. Effect of dopant implantation on the properties of $TaSi_2$/poly-Si composites 85−50390
Vaidya, S. *see* Brasen, D. 85−23548
Vaidya, S. *see* DeChiaro, L.F. 87−1758
Vaidya, S. *see* Frackoviak, J. 88−13255
Vaidya, S. *see* Kostelak, R.L. 88−39332
Vaidya, S. *see* Kung, E.H. 88−13227
Vaidya, S. *see* Murarka, S.P. 85−22525
Vaidya, S. *see* Teal, V. 86−41719
Vaidyan, M.V. *see* Gajendran, F. 85−5123
Vaidyanatham, P.P., Liu, V. An improved sufficient condition for absence of limit cycles in digital filters 87−45081
Vaidyanathan, H. New anode catalyst for the negative electrode of the nickel-hydrogen battery 87−43347
Vaidyanathan, H. Long-term storage of nickel-hydrogen cells 88−49115
Vaidyanathan, H., Dunlop, J. Capacity maintenance for INTELSAT VI nickel-hydrogen cells 87−43388
Vaidyanathan, K.V., Dunlap, H.L. Rapid thermal annealing of ion implanted GaAs and InP 85−12168
Vaidyanathan, K.V. *see* Crowell, C.R. 88−57599
Vaidyanathan, K.V. *see* Schulman, J.N. 87−26420
Vaidyanathan, K.V. *see* Sook-Il Kwun 85−29122
Vaidyanathan, K.V. *see* Stanchina, W.E. 87−53278
Vaidyanathan, P.P. On maximally-flat linear-phase FIR filters 85−952
Vaidyanathan, P.P. On error-spectrum shaping in state-space digital filters 85−23034
Vaidyanathan, P.P. The doubly terminated lossless digital two-pair in digital filtering 85−34072
Vaidyanathan, P.P. Efficient and multiplierless design of FIR filters with very sharp cutoff via maximally flat building blocks 85−34078
Vaidyanathan, P.P. A general theorem for degree-reduction of a digital BR function 85−45168
Vaidyanathan, P.P. A unified approach to orthogonal digital filters and wave digital filters, based on LBR two-pair extraction 85−55039
Vaidyanathan, P.P. Optimal design of linear phase FIR digital filters with very flat passbands and equiripple stopbands 86−1271
Vaidyanathan, P.P. Low sensitivity digital filters, orthogonal digital filters and the cordic philosophy: a unified framework based on the LBR approach 86−1310
Vaidyanathan, P.P. A new method for designing FIR digital filters with very flat passbands and equiripple stopbands 86−1315
Vaidyanathan, P.P. The discrete-time bounded-real lemma in digital filtering 86−3857
Vaidyanathan, P.P. New design methods for FIR filters with equiripple stopbands and prescribed degrees of passband flatness 86−16363
Vaidyanathan, P.P. On power-complementary FIR filters 86−20739
Vaidyanathan, P.P. Implementation of arbitrary FIR transfer functions as passive cascaded lattice structures 86−67393
Vaidyanathan, P.P. Passive, low-sensitive FIR filter implementations for digital communications applications, based on lossless nonrecursive building blocks 86−67414
Vaidyanathan, P.P. Passive cascaded-lattice structure for low-sensitivity FIR filter design, with applications to filter banks 87−17245
Vaidyanathan, P.P. New cascaded lattice structures for FIR filters having extremely low coefficient sensitivity 87−19766
Vaidyanathan, P.P. A note on general parallel QMF banks 87−32015
Vaidyanathan, P.P. Theory and design of *M*-channel maximally decimated quadrature mirror filters with arbitrary *M*, having the perfect-reconstruction property 87−47659
Vaidyanathan, P.P. Perfect reconstruction QMF banks for two-dimensional applications 87−73555
Vaidyanathan, P.P. Quadrature mirror filter banks, M-band extensions and perfect-reconstruction techniques 87−75778
Vaidyanathan, P.P. On predicting a band-limited signal based on past sample values 88−3033
Vaidyanathan, P.P. Classical network theoretic concepts and modern digital signal processing 88−3095
Vaidyanathan, P.P. Design and implementation of digital FIR filters 88−44296
Vaidyanathan, P.P. Low-noise and low-sensitivity digital filters 88−44299
Vaidyanathan, P.P., Beitma, G. On prefilters for digital FIR filter design 85−45172
Vaidyanathan, P.P., Beitman, G. New prefilters based on Chebyshev polynomials, for FIR digital filter design 86−62740
Vaidyanathan, P.P., Doganata, Z., Nguyen, T.Q. More results on the perfect-reconstruction problem in *M*-band, parallel QMF banks 87−69213
Vaidyanathan, P.P., Hoang, P.-Q. The perfect-reconstruction QMF bank: new architectures, solutions, and optimization strategies 87−62105
Vaidyanathan, P.P., Hoang, P.-Q. Lattice structures for optimal design and robust implementation of two-channel perfect-reconstruction QMF banks 88−25329
Vaidyanathan, P.P., Mitra, S.K. Structurally passive FIR digital filters 85−17694
Vaidyanathan, P.P., Mitra, S.K. Implementation of digital filters based on lossless synthesis of allpass filters 85−17741
Vaidyanathan, P.P., Mitra, S.K. Passivity properties of low-sensitivity digital filter structures 85−34076
Vaidyanathan, P.P., Mitra, S.K. Very low sensitivity FIR filter implementation using 'structural passivity' concept 85−45166
Vaidyanathan, P.P., Mitra, S.K. Passivity properties of low sensitivity digital filter structures 86−1311
Vaidyanathan, P.P., Mitra, S.K. A general family of multivariable digital lattice filters 86−20735
Vaidyanathan, P.P., Mitra, S.K. Discrete version of Richards' theorem and applications to cascaded lattice realization of digital filter transfer matrices and functions 86−35006
Vaidyanathan, P.P., Mitra, S.K. Discrete version of Richards' theorem and application to lattice realization of digital filter transfer matrices and functions 86−62743
Vaidyanathan, P.P., Mitra, S.K. Synthesis of arbitrary digital transfer functions using allpass-based structures derived via LBR two-pair extraction procedure 87−10978
Vaidyanathan, P.P., Mitra, S.K. Polyphase networks, block digital filtering, LPTV systems, and alias-free QMF banks: a unified approach based on pseudocirculants 88−32332
Vaidyanathan, P.P., Mitra, S.K., Neuvo, Y. A new approach to the realization of low-sensitivity IIR digital filters 86−41238
Vaidyanathan, P.P., Nguyen, T.Q. Eigenfilters: a new approach to least squares FIR filter design 86−67394
Vaidyanathan, P.P., Nguyen, T.Q. Eigenfilters: a new approach to least-squares FIR filter design and applications including Nyquist filters 87−32010
Vaidyanathan, P.P., Nguyen, T.Q. A 'trick' for the design of FIR half-band filters 87−45078
Vaidyanathan, P.P., Nguyen, T.Q., Saramaki, T. Improved approach for design of perfect reconstruction FIR QMF banks, with lossless lattice structures 88−66543
Vaidyanathan, P.P., Regalia, P., Mitra, S.K. Design of doubly-complementary IIR digital filters, using a single complex allpass filter 87−27480
Vaidyanathan, P.P., Regalia, P., Mitra, S.K. Design of doubly-complementary IIR digital filters using a single complex allpass filter, and multirate applications 87−45086
Vaidyanathan, P.P., Swaminathan, K. Alias-free, real-coefficient *m*-band QMF banks for arbitrary *m* 88−25333
Vaidyanathan, P.P. *see* Doganata, Z. 88−25337
Vaidyanathan, P.P. *see* Liu, V.C. 87−66406, 88−56791
Vaidyanathan, P.P. *see* Mitra, S.K. 85−55010, 86−8390, 86−62783
Vaidyanathan, P.P. *see* Nguyen, T.Q. 88−52425, 88−66542
Vaidyanathan, P.P. *see* Regalia, P.A. 88−25332, 88−32349
Vaidyanathan, P.P. *see* Swaminathan, K. 86−67395, 87−17249, 87−27479
Vaidyaraman, P.P., Gokhale, D.P., Vaze, V.V., Ketkar, M.A. Experience during field data collection for tidal power project in the Gulf of Kachchh 86−65813
Vaija, P., Jarvelainen, M., Dohnal, M. Failure diagnosis of complex systems by a network of expert bases 87−5293
Vaija, P., Turunen, I., Jarvelainen, M., Dohnal, M. Fuzzy strategy for failure detection and safety control of complex processes 85−44473
Vaikhanskii, S.M. *see* Markov, N.N. 86−11700
Vaikhbrot, E.I. *see* Bolychevtsev, A.D. 88−29189
Vail, D. *see* Iacoponi, M. 86−20490
Vail, J. *see* Gregory, B. 87−15360
Vail, L.M. *see* Flannery, D.L. 87−52537
Vail, L.M. *see* Gustafson, S.C. 88−8843
Vail, L.M. *see* Orfanidis, S.J. 87−19655
Vail, P.J., Burke, E.A. Fundamental limits imposed by gamma dose fluctuations in scaled MOS gate insulators 85−18470
Vail, P.J. *see* Akasaka, Y. 85−12391
Vail, P.J. *see* Buchanan, B.L. 86−58587
Vailati, A., Colombo, M., Curatoli, A. Test and field trials on a CCITT No.7 Signalling System implementation 86−54718
Vaillancourt, G. *see* Cohen, M.G. 85−62549, 87−39052
Vaillancourt, G. *see* Rochon, F. 85−32570, 85−44065
Vaillancourt, G.H., Malewski, R., Train, D. Comparison of three techniques of partial discharge measurements in power transformers 85−44044
Vaillancourt, R. *see* Howland, J.L. 85−54359
Vaillant, D., Wadsworth, A. Preliminary results of some remote sensing campaigns of the French airborne SAR VARAN-S 88−5139
Vaillant, D. *see* Clement, J. 88−22483
Vaillant, F. TELCOM 25, a new generation of hybrid KTS/PABX system for small and medium capacity subscriber installations 86−37643
Vaillant, F., Jousse, D. Recombination at dangling bonds and steady-state photoconductivity in *a*-Si:H 87−6387
Vaillant, F., Jousse, D. The photoconductivity exponent for recombination at dangling bonds in a-Si:H 87−18828
Vaillant, J. *see* Chazallet, F. 88−10038
Vaille, F. *see* Magon, M. 86−11129
Vaille, M., Favre, R., Monteil, Y., Bouix, J., Gibart, P. Metallorganic vapor phase epitaxy reactor for in situ optical investigations 88−24802
Vaillencourt, R.R. Replacing butterfly valve liquid flow control with variable speed AC motor controllers 87−5120
Vaiman, M.Ya. Effect of pooling of power systems on their stability and damping of power swings 88−42770
Vaiman, M.Ya. *see* Venikov, V.A. 87−64072
Vain, Yu.I., Paluoya, R.A. A local data transmission network of a distributed control system 87−28033
Vainberg, E.I. Inspection of objects made of composite materials by the method of computerized X-ray tomography 86−560
Vainberg, E.I., Faingoiz, M.L. Effect of discretization and interpolation of projections on the sensitivity of X-ray computerized tomography. I. Discretization with respect to angle 85−49618
Vainberg, E.I., Faingoiz, M.L. Effect of discretization and interpolation of projections on the sensitivity of X-ray computerized tomography. II. Errors of discretization and interpolation of projections 85−49627
Vainberg, E.I., Faingoiz, M.L. Optimal projection sampling and interpolation in computerized tomography 85−49640
Vainberg, E.I., Faingoiz, M.L. Reducing back-projection time in computerized X-ray tomography 86−553
Vainberg, E.I., Faingoiz, M.L., Kazak, I.A., Tsiganov, S.G. Results of development and application of X-ray computing tomographs for flaw detection 88−35817
Vainberg, E.I., Kalinchev, V.A., Sviridova, Z.I. Comparing the effectiveness of radiography and X-ray computer tomography for controlling low-density ceramics 86−26949
Vainberg, E.I., Kazak, I.A., Faingoiz, M.L. X-ray computerized back projection tomography with filtration by double differentiation. Procedure and information features 86−13861
Vainberg, I.A. *see* Kozlov, B.P. 85−3508
Vainberg, M., El-Kady, M.A., Ford, G.L., Ganton, R.W.D., Germani, M.D., Neudorf, E.G. Probabilistic short-circuit uprating of station strain bus system. II. Probabilistic formulation 87−30722
Vainberg, M., Germani, M.D., El-kady, M., Ganton, R.W.D. Probabilistic uprating of 230 kV strain bus system at substations with high fault currents 88−55554
Vainberg, M. *see* Bridges, J.E. 87−31263
Vainberg, M. *see* Germani, M.D. 86−66125
Vainberg, M. *see* Bridges, J.E. *(editor)* 87−10032
Vainer, A.Ya., Yakimenko, A.N., Limanova, V.F., Dyumaev, K.M., Rubtsov, I.N., Ul'yanov, V.V. Sensitivity of copolymers of methylmethacrylate with methacrylic acid to short-wavelength ultraviolet radiation 85−50356
Vainer, V.V., Ivanov, I.G., Sem, M.F., Khasilev, B.Ya. Efficiency of ionic lasers with energy transfer from a buffer gas 86−54089

Vainikainen, P., Nyfors, E., Fischer, M. Radiowave sensor for measuring the properties of dielectric sheets: application to veneer moisture content and mass per unit area measurement 87−70630
Vainikainen, P. *see* Nyfors, E. 85−14794
Vainikainen, P. *see* Toropainen, A. 88−29355
Vainikainen, P.V., Agarwal, R.P., Nyfors, E.G., Toropainen, A.P. Electromagnetic humidity sensor for industrial applications 87−8588
Vainikainen, P.V., Nyfors, E.G., Fischer, M.T. Radiowave sensor for measuring the properties of dielectric sheets: application to veneer moisture content and mass per unit area measurement 88−16071
Vainio, O., Heinonen, P., Heuvo, Y. Integrated FIR median hybrid filter 87−947
Vainio, O., Heinonen, P., Neuvo, Y. Integrated FIR median hybrid filter 87−5982
Vainio, O., Heinonen, P., Neuvo, Y. Integrated FIR median hybrid filter 88−885
Vainio, O., Neuvo, Y. Logarithmic arithmetic in FIR filters 87−901
Vainio, O., Sundaram, M., Long, S., Neuvo, Y. GaAs FIR median hybrid filter 87−59789
Vainman, B.N., Kuprin, A.P. Pulse magnetic-induction regulator 86−67117
Vaino, O. *see* Neuvo, Y. 87−941
Vainos, N.A., Eason, R.W. Real time edge enhancement by active spatial filtering via five wave mixing in photorefractive BSO 86−69150
Vainos, N.A., Eason, R.W. Strictly real-time image differentiation in photorefractive BSO 88−46178
Vainos, N.A., Khoury, J.A., Eason, R.W. Real-time parallel optical logic in photorefractive bismuth silicon oxide 88−58296
Vainshtein, A.D., Kreinin, A.Ya. Transformations of Poisson streams and their application to communication systems 87−75987
Vainshtein, G.G. The one-pass picture segmentation algorithm 87−48009
Vainshtein, L.A., Zhurav, S.M., Sukov, A.I. Calculation of ohmic losses at the edges of thin metal strips 87−54629
Vainshtein, R.A., Filippov, S.A., Yudin, S.M. Device for eliminating the 'dead zone' of directional protection voltage 88−55086
Vainshtein, R.A., Golovko, S.I., Fal'k, Yu.P. A probability assessment of the selectivity of earth-fault protection in networks with compensated neutrals 87−50858
Vainshtein, R.A., Gurin, S.V. Equipment for testing the measurement elements of relay protection and automatic-control systems based on microprocessors 88−69048
Vainshtein, R.A., Kulaga, Yu.A., Potemkin, V.V. Current transducers for selective monitoring of the state of the insulation in a distribution network [mining and quarry networks] 86−57069
Vainshtein, R.A., Kulaga, Yu.A., Potemkin, V.V., Kobernik, E.D. Device for finding an earth fault in DC operating supplies 88−17216
Vainshtein, R.A., Tret'yakov, B.G. A misalignment meter for capacitive current compensation 86−51121
Vainshtein, R.A. *see* Golovko, S.I. 88−75219
Vainshtein, S.N., Dmitriev, V.A., Levinshtein, M.E., Rendakova, S.V. Current filamentation during breakdown in silicon carbide *p-n* junctions 88−32879
Vainshtein, S.N., Dmitriev, V.A., Syrkin, A.L., Cnelnokov, V.E. Silicon carbide dynistor 88−50829
Vainshtein, S.N., Zhilyaev, Yu.V., Levinshtein, M.E. Comparative study of the turn-on of gallium arsenide and silicon thyristors 87−38230
Vainshtein, S.N., Zhilyaev, Yu.V., Levinshtein, M.E. Propagation of turned-on state in gallium arsenide thyristors 87−60439
Vainshtein, S.N. *see* Astafurov, A.G. 86−2146
Vainshtein, S.N. *see* Belyaeva, O.A. 87−45912
Vainshtein, S.N. *see* Botnaryuk, V.M. 85−40720
Vainshtein, S.N. *see* Dmitriev, V.A. 88−64538
Vainshtein, V.L. Investigating the higher harmonics of earth fault current of a single phase 86−39183
Vainshtein, V.L. *see* Mokhov, V.N. 86−25566
Vainshtein, Yu.A. *see* Krivonos, V.P. 85−5559
Vainshtein, Yu.A. *see* Stognii, B.S. 86−55614
Vainshtein, Yu.A. *see* Stognin, B.S. 85−26271
Vainshtok, I.S. *see* Glukhov, N.A. 85−6061
Vainzof, V.I. *see* Merport, E.I. 86−33262
Vaipan, S.N. *see* Zaitsev, G.F. 88−4071
Vaipolin, A.A. *see* Bodnar, I.V. 85−22451
Vairin, C.M. *see* Schultz, S.K. 88−17020
Vais, M. *see* Tudosa, R. 88−31981, 88−35782
Vaisanen, A. Thick film circuits in power electronics−new materials, new possibilities 88−25729
Vaisanen, E. Rapid digital transfer in the subscriber network 87−20060
Vaisberg, V.A., Makeev, Kh.I., Selitskii, F.I. Features of the thermal and capillary conditions in growing silicon crystals by Stepanov's reverse method in an oxidizing medium 87−16562
Vaisberg, V.A., Makeev, Kh.I., Selitskii, F.I. Effects of thermal conditions during growth on the strength of silicon strips made by Stepanov's reversed method 87−16563
Vaisey, D.J., Gersho, A. Variable block-size image coding 87−62269
Vaisey, J., Gersho, A. Simulated annealing and codebook design 88−66535
Vaisfel'd, D.N., Gorbatyuk, L.S., Grabova, G.B., D'yachenko, P.Z., Morguleva, E.Ya., Savel'ev, S.A. Computerized ECG processing at a sanitarium 88−4958
Vaishampayan, V. *see* Farvardin, N. 87−54889, 88−27773
Vaishampayan, V.V. *see* Varwandkar, S.D. 88−23368
Vaisnys, J.R. *see* Kuc, R. 86−16230
Vaissiere, J. Speech recognition: a tutorial 86−29779
Vaissiere, J. *see* Mercier, G. 88−72899
Vaissiere, J.C. *see* Gasquet, D. 86−63028
Vaissiere, J.C. *see* Nougier, J.P. 85−50473, 86−21487, 86−63224
Vaitekunas, F.K., Kurshyalis, S.K. Synchronous modulation of a solid-state laser by sinusoidal current and light 87−26405
Vaitkevichyus, M.Yu. *see* Kanapenas, R.-M.V. 85−51318
Vaitkus, J., Grigoryev, J., Kazukauskas, V., Osvensky, V., Storasta, J. Microheterogeneities in semi-insulating gallium arsenide: imbalanced transfer phenomena 88−32795
Vaitkus, J. *see* Giedrys, T. 85−34463
Vaitkus, J. *see* Subacius, L. 86−58820
Vaitkus, J.J. *see* Bikbaev, V.B. 88−1442
Vaitkus, R. *see* Weitzel, C.E. 85−1023
Vaitkus, R.L. Wide-band de-embedding with a short, an open, and a through line 86−38304
Vaitkus, Yu.Yu., Subachyus, L.E., Yarashyunas, K.Yu. Transverse ambipolar diffusion of hot charge carriers in gallium arsenide 87−66909
Vaivod, A.S., Khlystov, M.F., Poluektova, A.F. Evaluation of permissible current densities in brush contacts of low power electric machines under starting conditions 87−78709
Vajda, G. The state and expectations of the heavy electrical industry in Hungary [electricity supply industry] 85−15522
Vajda, G. *see* Kapolyi, L. 86−19043
Vajda, I. A coding rule for frequency-hopped multiple-access channels 85−19291
Vajda, I. Minimum χ^2-estimates of multistate communication channel models 85−19292
Vajda, I. Robust estimation in discrete and continuous families by means of a minimum chi-square method 87−5324
Vajda, I. Alphabet-oriented and user-oriented source coding theories 88−2985
Vajda, I., Einarsson, G. Code acquisition for a frequency-hopping system 87−48867
Vajda, I. *see* Dlabola, F. 86−64745
Vajda, I. *see* Einarsson, G. 88−21366
Vajda, I. *see* Sefl, O. 88−21085
Vajda, J. Cableways protected against interference 86−23642
Vajda, J. *see* Hrdy, V. 85−51997
Vajda, P. Terminal Information system for the Ministry of Engineering in SSR 85−63277
Vajgacev, A.A. *see* Berjozkin, V.V. 87−35333
Vajk, I., Vajta, M., Keviczky, L., Haber, R., Hetthessy, J., Kovacs, K. Adaptive load-frequency control of the Hungarian power system 85−38395
Vajta, M. *see* Vajk, I. 85−38395
Vajtersic, M. *see* Lucka, M. 88−14736
Vakarov, B.S., Popov, A.Yu., Stys, L.E., Foigel, M.G., Tsybeskov, L.V. Hopping conductivity in As_2Se_3 films 85−40469
Vakarov, B.S., Starostin, I.A., Stys, L.E. Conductivity relaxation behaviour of CdSe single crystals 88−26958
Vakarov, B.S., Starostin, J.A., Stys, L.E. Photoconductivity fatigue in cadmium selenide single crystals 87−38912
Vakasis, N.T. *see* Kouroupetroglou, G.T. 88−29273
Vakaskar, D.C. *see* Mukundan, T.R. 88−62339
Vakhabov Abdul'gani, A.V., Tell', A.V., Temirbulatov, R.A. Analysis of simplified methods for calculating short-circuit currents in power and heat station auxiliaries 88−75422
Vakhabova, E.M. *see* Gel'mont, B.L. 86−58249
Vakhaniya, V.N. Criteria for measuring accuracy in the presence of random noise 88−53512
Vakhidov, F.A. *see* Basiev, T.T. 86−63782, 88−65655
Vakhitov, M.A., Dobrynin, A.A. Error generated in measuring emission flux given nonuniform irradiance of photodetector 85−58711
Vakhitov, M.A., Emel'yanova, V.I., Shabakov, N.P. Stability of reverse-biased silicon carbide light-emitting diodes 88−51692
Vakhitov, M.A., Lavrukhin, V.P. Method of reducing dark current in photomultiplier 87−24723
Vakhitov, N.G., Isaev, M.P., Kushnir, V.R., Sharif, G.A. Comparative analysis of single-mode laser resonators 88−27221
Vakhitov, Ya.Sh., Gorbunova, Ye.K., Novikova, T.L. Miniature open-type headphones 86−44056
Vakhmyanin, L.P., Matveev, O.A., Sladkova, V.A. Thin amorphous SiC:Si films 86−66842
Vakhnenko, B.A., Deev, V.I., Filippov, A.V. Modeling of cooldown of the spiral elements of circulation systems for cryostats with a gaseous coolant. II. System of disk coils 87−74631
Vakhnenko, B.A. *see* Vasilev, P.G. 86−15435
Vakhnina, V.V. *see* Kulish, A.K. 88−44276
Vakhnina, V.V. *see* Yatsenko, A.A. 88−24004, 88−50232
Vakhrameev, A.I. *see* Weinger, A.M. 85−60147
Vakhrameev, A.L. Some problems of selecting conductors for 380 V on the basis of economic load intervals 87−9164
Vakhromeev, B.A. *see* Bryukhanov, N.S. 86−18257
Vakhrushev, V.P. Estimate of the probabilities of detecting binary pseudorandom sequences when there are errors in the symbols 86−43245
Vakhrushev, V.P. Statistical characteristics of the procedure of simultaneous detection and arrival time evaluation of a complex signal 87−39777
Vakhrushev, V.P., Lipatov, A.A., Pogorelyi, A.N., Chernetskii, V.I. Noise immunity variation of a spin-matched filter exposed to a harmonic interference 87−69151
Vakhrushev, V.V. *see* Chernyshev, V.K. 88−43307
Vakhshoori, D., Shyh Wang Resonant tunnelling diodes with AlAs barrier: Guides for improving room-temperature operation 88−7343
Vakhshoori, D., Shyh Wang Demonstration of an AlGaAs/GaAs integrable optical correlator using surface-emitting second-harmonic generation 88−72134
Vakhshoori, D., Wang, S. Calculation of base-collector efficiency for hot electron devices 86−47533
Vakhshoori, D., Wu, M.C., Wang, S. Surface-emitting second-harmonic generator for waveguide study 88−34104
Vakhshoori, D. *see* Lee, H.P. 85−50240
Vakhshoori, D. *see* Lo, Y.H. 88−38200
Vakhtanova, L.P., Gruz, E.A. Influence of the acceleration of development on the photographic and optical characteristics of holographic photomaterials 85−46505
Vakhterov, A.A., Ilyukhin, A.A., Konev, Yu.B., Lipatov, N.I., Pashinin, P.P., Prokhorov, A.M., Smirnov, V.V., Yurov, V.Yu. Diagnostics of a capillary discharge of a CO_2 waveguide laser by coherent anti-Stokes Raman spectroscopy 86−3049
Vakil, F., Hsiao, M.T., Lazar, A.A. Flow control in integrated local area networks 87−48612
Vakil, F., Lazar, A.A. A separation principle between flow control and estimation in integrated digital networks 86−23323
Vakil, F., Lazar, A.A. Flow control protocols for integrated networks with partially observed voice traffic 87−34028
Vakil, R. *see* Jamwal, K.K.S. 86−22811, 86−59133, 88−34429
Vakil, V., Doshi, R. Two-chip set cleans up controller design for streaming-tape drives 85−807
Vakili, F., Viles, M.R., Reding, J.L., Sherry, N.G. Dynamic thermal line loading monitor 86−56430
Vakilzadeh, I. *see* Unbehauen, H. 88−52449
Vakker, R.A., Moskalenko, D.V. Diode-transistor commutator 87−66447
Vakkilainen, E., Larjola, J., Lindgren, O. Waste heat recovery with ultra high-speed turbomachinery 85−53548
Vakman, D.E. Phase diffusion in an oscillator 87−37052
Vakman, D.Ye. Evolution of the parameters of a pulse propagating with dispersion and attenuation 87−54534
Vakman, D.Ye. On fast fluctuations of the parameters of an oscillation, an averaging method and an analytic signal 88−14716
Vaknine, R., DiPaola, R., Lorenz, W.J. Correspondence analysis in scintigraphy 87−57117
Vaknine, R., Lorenz, W.J. Comparison of digital filtering and the Laplace operator applied to nuclear medicine images 85−38113
Vaknine, R., Lorenz, W.J. Power spectrum applied to medical B-scan images 85−38114
Vaks, E.D., Sokolov, B.M., Sokolova, N.E. Peculiar features of pulsed laser radiation treatment with controlled amplitude time structure 88−65921
Vaksenburg, V.Ya. *see* Adamov, P.G. 88−67788
Vaksenburg, V.Ya. *see* D'yakonov, V.P. 87−59250
Vakser, A.I. Negative absolute hot-electron resistance in metal-insulator-semiconductor structures 85−50314
Vakser, A.I. Dissipative structures in laminar semiconductors 86−67652
Vakser, A.I., Pogrebnyak, V.A., Khalameida, D.D. Electron photothermomagnetic effect in variable-gap $Cd_xHg_{1-x}Te$ semiconductors 86−35311
Vakser, B.D., Khazanov, A.I., Pinskii, G.B., Petrov, V.V. Calculation of permissible insulation resistance of a station winding in high voltage machines 87−35868
Vakser, B.D., Kogan, V.O., Petrov, V.V., Shakhnatov, M.A. Elimination of insulation damage in the facing part of stator windings of large generators 86−61453

Vakser, B.D. *see* Berezhanskii, V.B. 88–43131
Vakser, I.Kh., Glutsyuk, A.M., Sharapov, L.I. Use of radiowave absorption by atmospheric oxygen for compressing nanosecond pulses 87–68769
Vakser, N.M., Kochugova, I.V., Borodulina, L.K., Bobrova, G.I. Properties of micaplast materials with inorganic binders in temperature range up to 900°C 87–6949
Vakul'chuk, G.A. *see* Polonskii, A.E. 88–41935
Vakulenko, A.A. *see* Dyadishchev, B.A. 88–55032
Vakulenko, B.F. Intensification of heat transfer in high-pressure heaters [steam turbine power plants] 86–33140
Vakulenko, S.E. Mechanical design of overhead transmission-line conductors with thermal compensation of sag 85–59762
Vakulenko, S.E. *see* Orlov, N.N. 85–39270
Vakulenko, V.D. A practical method of estimating nonlinear distortion in a radio receiver with the aid of intersection points 88–21206
Vakulenko, V.M., Ivanov, L.P., Ganshin, Yu.A., Karpyshev, I.L., Korneev, V.A. High-power sources with smoothly controllable pulse duration for supply of laser gas-discharge pump lamps 86–45517
Vakulenko, Yu.A. *see* Tenenbaum, Ya.P., 87–15168
Vakulevskaya, L.E. *see* Shvidler, A.B. 88–30760
Vakulko, A.G. *see* Anisimova, N.D. 87–71639
Vakul'skii, A.A., Tsema, M.I. Comparing noise-resistance of investigations into magnetic flux and EMF during pulsed inductive electrical prospecting 86–24714
Val, C. Wafer scale integration (WSI) packaging 87–31302
Val, C. Power chip carrier 87–65810
Val, C.M. Trends in packaging 85–28046
Val, C.M., Bricaud, H.G. A breakthrough in advanced very high-speed integrated circuit (VHSIC) packaging: advantages of the leadless chip carrier over pin grid arrays (PGA) 86–52274
Val, C.M., Pinel, J.M. The use of hardened functions to improve VLSI package behavior in an ionizing and EMP environment 87–46144
Val, C.M. *see* Kersuzan, G. 85–28871
Val, J.J.C.del *see* del Val, J.J.C.
Val Lil, E., Tippet, J.C., Speciale, R.A. Comments on 'A rigorous technique for measuring the scattering matrix of a multiport device with a two-port network analyzer' 85–37739
Vala, M. *see* Pyzalski, R. 86–46154
Valabregue, I. *see* Plateau, G. 88–70257
Valach, R. *see* Jonova, A. 86–2446
Valachovic, F. *see* Lawrence, M.J. 85–28751
Valadas, R.J.M.Tomaz *see* Tomaz Valadas, R.J.M.
Valadier, J.C., Powell, D.R. On CSMA protocols allowing bounded channel access times 85–25547
Valadier, J.C. *see* Powell, D.R. 86–25367
Valainis, E.V. *see* McGill, K.C. 88–74850
Valaitis, R.P. Design and construction of transmission lines in Ecuador. II 85–15540
Valakh, V.V., Danilevich, V.V. High-speed bitwise-balancing voltage-to-code converter with statistical averaging of differential scale nonuniformity 86–67274
Valakh, V.V., Grigor'ev, V.F., Danilevich, V.V. High-speed analog-digital converters for measurement of random-signal shape 88–60656
Valancogne, J., Galivel, C. Maintenance, operation and driving assisting system 87–64897
Valanju, P.M. *see* Booth, W.D. 86–3633
Valantin, R., Balson, D. Computer communications for developing countries 88–52715
Valasek, J. Method for uniform designing and assessing district heating networks 86–33062
Valassiades, O., Pavlidou, E., Economou, N.A. Non-linear transport properties of the PbTe-GeTe system 87–45636
Valassiades, O. *see* Dimitriadis, C.A. 86–41523, 87–29219
Valat, P. *see* Tripathi, S. 87–68400
Valatska, K., Lideikis, T., Shimkene, I., Dedegkaev, T.T., Zhukova, T.B., Moshnikov, V.A. Doping of $Pb_{1-x}Sn_xTe$ solid solutions by liquid-phase epitaxy 86–63160
Valatska, K. *see* Vengalis, B. 85–34546
Valbek, M. *see* Belyaev, L.S. 88–36916
Valbona, C. *see* Brown, J.H.U. 88–42594
Valbonesi, G., Huber, J.F., Laurens, J., Ozdamar, M. The packet interface between ISDN and public packet switched networks 87–69858
Valbonesi, G. *see* Bovo, A. 88–59833
Valbonesi, G. *see* Melindo, F. 87–13530, 87–62453
Valbonesi, G. *see* Moncalvo, A. 87–13535
Valbuena, R. *see* Pearce, P. 86–50275
Valbusa, U. *see* Baglin, C. 85–26605
Valbusa, U. *see* Boragno, C. 85–20620, 87–41622
Valcarcel, M. *see* Carpio, J. 88–5304
Valcereanu, A. *see* Ciobanu, M. 88–36840
Valcereanu, A. *see* Stein, M. 87–50977
Valcereanu, G. *see* Breazu, F. 88–10817
Valcereanu, G. *see* Costin, E. 88–61873
Valcereanu, G. *see* Manolescu, G. 87–50715
Valcher, S. *see* Mengoli, G. 86–13014, 87–64779 to 64780
Valchev, V.D. *see* Baleva, M.I. 85–11935
Valcheva, E.P. *see* Germanova, K.G. 87–32354, 87–53303
Valcheva, E.P. *see* Hardalov, C.M. 85–18185
Val'chuk, V.A. *see* Kovalenko, I.I. 85–16153
Valco, G. *see* Ramsey, K.A. 88–51522
Valco, G.J., Biedenbender, M.D., Johnson, G.A., Kapoor, V.J., Williams, W.D. Encapsulated annealing of InP substrates 87–17980
Valco, G.J., Kapoor, V.J. Role of GaAs surface cleaning in plasma deposition of silicon nitride films for encapsulated annealing 85–55725
Valco, G.J., Kapoor, V.J. Plasma deposited silicon nitride for gallium arsenide encapsulation 87–60228
Valco, G.J. *see* Kapoor, V.J. 85–32706
Valcovic, M. Automatic public mobile radio telephone system 87–69945
Val'd, V.P. *see* Aleksandrov, M.V. 88–40683
Valdamane, R., Lielausis, O., Ulmanis, L. Computation of the nonuniform flow in the channel of a plane inductive pump containing longitudinal partitions 86–66359
Valdar, A.R. KiloStream and MegaStream [digital networks] 86–37316
Valdar, A.R. A telecommunication administration's approach to competition and deregulation 88–52685
Valdats, G., Dreimanis, A., Kirsons, J., Klotynsh, E., Kruminha, R. Temperature dependences of transport coefficients in gallium arsenide overcompensated by copper 86–14861
Valdats, G., Kirsons, J., Kruminsh, V., Klotynsh, E. Increased accuracy express-graduation of thermocouples 85–64125
Valdats, G.A., Klotynsh, E.E. Current distribution in cylindrical semiconductor samples with current contacts on the surface of the cylinder 88–7279
Valden, R. *see* Dov Gal, D.V.M. 85–38195
Val'denberg, Yu.S., Zmaznev, E.M., Zhuk, A.I., Chal'tsev, S.I. Use of simulation for research on reliability of a control computing complex in automated process control 85–21279
Valderrama, E., Ramos, R., Aguilo, J., Deschamps, J.P. Dynamic memory of 1 Kbit 86–46806
Valderrama, E. *see* Aguilo, J. 87–11854
Valderrama, E. *see* Deschamps, J.-P. 87–18238
Valderrama, E. *see* Ferrer, C. 88–51032
Valderrama, E. *see* Oliver, J. 88–50124
Valdes, J. About the measurement and interpretation of low frequency noises 88–16470
Valdes, J. *see* Anuta, P. 85–64716
Valdes, J. *see* Sarantites, D.G. 88–29923
Valdes, J.G. *see* Prime, J.B. 85–27105, 87–30201
Valdes, J.G. *see* Prime, J.B., Jr. 85–15610, 85–48592, 86–51067
Valdes, J.J., Wall, J.G., Chambers, J.P., Eldefrawi, M.E. A receptor-based capacitive biosensor 88–74790
Valdes, J.L. *see* Martinez-Pastor, J. 87–78917
Valdes, J.L. *see* Segura, A. 86–33689, 86–40152, 88–17980
Valdes, J.R. General purpose VHF/UHF antenna 88–8571
Valdez, E. *see* Guillen, S.G. 85–43325
Valdivia, J.L.Garcia *see* Garcia Valdivia, J.L.
Valdivia, R., Perez, H., Loza, J., Martinez, A., Talamas, L. Lightning induced voltage measurements on an experimental Mexican distribution line 86–56465
Val'dman, A.M. *see* Chunchin, V.A. 86–32797
Valdmane, R.A., Valdmanis, Ya.Ya., Ulmanis, L.Ya. Hydrodynamic instability of powerful cylindrical MHD pumps 85–21828
Valdmane, R.A. *see* Andrianov, A.N. 85–10120
Valdmanis, J. *see* Bull, J.A. 87–9012
Valdmanis, J.A. Laser-optics measure subpicosecond speeds of electronic devices 86–48516
Valdmanis, J.A. High-speed optical electronics: the picosecond optical oscilloscope 87–21145
Valdmanis, J.A. High-speed optical electronics: the picosecond optical oscilloscope 87–41564
Valdmanis, J.A. 1 THz-bandwidth prober for high-speed devices and integrated circuits 88–11703
Valdmanis, J.A., Fork, R.L. Design considerations for a femtosecond pulse laser balancing self phase modulation, group velocity dispersion, saturable absorption, and saturable gain 86–42595
Valdmanis, J.A., Fork, R.L., Gordon, J.P. Generation of optical pulses as short as 27 femtoseconds directly from a laser balancing self-phase modulation, group-velocity dispersion, saturable absorption, and saturable gain 85–29874
Valdmanis, J.A., Mourou, G. Subpicosecond electrooptic sampling: principles and applications 86–42365
Valdmanis, J.A., Mourou, G. Electro-optic sampling: testing picosecond electronics. I. Principles and embodiments 86–42665
Valdmanis, J.A., Mourou, G. Electro-optic sampling: testing picosecond electronics. II. Applications 86–63889
Valdmanis, J.A., Nuss, M.C., Smith, P.R., Li, K.D., Pei, S.S. 1 THz bandwidth probing of devices and integrated circuits 88–39653
Valdmanis, J.A., Pei, S.S. A non-contact picosecond prober for integrated circuit testing 87–46134
Valdmanis, J.A. *see* Auston, D.H. 87–26146
Valdmanis, J.A. *see* Keller, U. 88–40301
Valdmanis, J.A. *see* Knox, W.H. 85–56783
Valdmanis, Ya.Ya. *see* Valdmane, R.A. 85–21828
Valdoni, F. *see* Ottl, H. 88–28953
Val'dovskii, A.V. *see* Repnikov, A.V. 88–16832
Valdre, G. *see* Armigliato, A. 87–1449, 87–32441
Valdre, U. *see* Everatt, P.G. 86–1656
Valdre', U. *see* Sparrow, T.G. 85–11871
Valdvogel, K. Electronic light controllers 86–7296
Vale, C.R. Long term stability of SAW decoders 87–60745
Vale, C.R., Weinert, R.W. Ladder filter using temperature stable $LiTaO_3$ resonators in strip form 87–60717
Vale, C.R. *see* Driscoll, M.M. 88–51148
Vale, J.L.M.Do *see* Do Vale, J.L.M.
Vale, W., Fischer, H. The steam generator [Mellach CHP station] 88–23719
Valeanu, V. *see* Bozdog, H. 86–24306
Valedis, B. High speed communication cabling installation considerations and specifications 88–53109
Valeev, G.S., Fomin, N.I., Davydov, V.V., Dulesova, N.V. The 'Higher Qualification Faculty', a new form of school [engineering education] 85–32948
Valeev, R.D. *see* Zagorskii, V.T. 86–7264
Valeev, V.G., Kireev, S.N. Transmission of signal, sinusoidal interference, and noise through a nonlinear converter 88–40908
Valeev, V.G., Yazovskii, A.A. Adaptive nonlinear converters for suppression of non-Gaussian interference 88–40907
Valehrachova, D. *see* Csabay, O. 87–1382
Valehrachova, D. *see* Nagl, V. 88–32938
Valek, A., Bibok, G., Paal, A. Cyclotron laboratory in the Institute of Nuclear Research, Debrecen 85–31652
Valek, F. *see* Mackanuk, R. 87–71707
Valek, M.H. Semicustom alternatives for system design and manufacturing 85–22829
Valenca, M.R. Multiple shooting using interval analysis 85–54391
Valencia, G. *see* Calhoun, G.L. 88–30095
Valencia, M. *see* Calvo, J. 86–27177
Valencic, M. Small hydro plants in the electric power system of Yugoslavia 85–38893
Valencic, V., Deval, P., Krummenacher, F. 8-bit micropower algorithmic A/D convertor 87–73501
Valencic, V. *see* Robert, J. 86–1221, 86–34910, 86–67284, 87–44966
Valenduc, G. *see* Moens, L. 88–66812
Valent, R. *see* Alamon, A. 86–63700
Valent, R. *see* Gratton, R. 87–14301
Valenta, F. CSN 332200 electrical equipment of rotating machines 86–25987
Valenta, J. The use of the theory of multiple servicing for solving communication networks in automated management systems 87–48261
Valenta, J. *see* Taraba, O. 85–38374
Valenta, P., Schneider, E. Optimization of an electromechanical signal filter by means of holographic interferometry 85–54990
Valenta, P. *see* Schneider, E. 85–26493
Valente, A. *see* Berardi, L. 88–61550
Valente, D., Lanoue, R. Custom IC shrinks Ford engine control module power supply 86–40262
Valente, E. *see* Bakken, J.A. 85–31696, 87–35350
Valente, E. *see* Ferrer, M.L. 87–13432
Valente, F. *see* Coletti, A. 85–49034, 87–72284, 88–69513
Valente, F.A. *see* Pinkham, R. 85–28527
Valente, J.B. *see* Kenneally, D.J. 88–8503
Valente, L.C.Guedes *see* Guedes Valente, L.C.
Valente, M., Calloni, E. Perfluoropolyethylene oils for safety in semiconductor fabrication process 86–58372
Valente, V. *see* Calicchio, M. 88–29811
Valente, V. *see* Dorenbosch, J. 87–29472
Valentian, D. *see* Bugeat, J.P. 85–31915, 87–35955
Valentin, A., Nicolas, C., Henry, L., Mantz, A.W. Tunable diode laser control by a stepping Michelson interferometer 87–26376
Valentin, F. *see* Christensen, J.F. 88–49434
Valentin, J.-G. *see* Ernoult, M. 88–23993
Valentin, J.-P. Thermal gradient distributions in trapped energy quartz resonators 85–29418
Valentin, J.-P. Temperature versus pressure dependence of accurate pressure piezoelectric sensors 86–31365
Valentin, J.-P. Videocommunications: a tool for the construction of Europe 88–28541
Valentin, J.-P. *see* Delaite, R. 86–28575
Valentin, J.P., Decailliot, M.D., Besson, R.J. New approach of fast warm up for crystal resonators and oscillators 85–56051

Valentin, J.P., Theobald, G., Gagnepain, J.J. Frequency shifts arising from in-plane temperature gradient distribution in quartz resonators 85−62157
Valentin, J.P., Theobald, G., Gagnepain, J.J. Temperature-induced frequency shifts in quartz resonators 86−2494
Valentin, J.P. *see* Galliou, S. 87−46280
Valentin, M., Marpinard, J.C., Fray, J.M., Capel, A. Some considerations of converter structures 86−12931
Valentin, M. *see* Capel, A. 85−33663, 85−44873, 87−22589, 87−71251
Valentin, M. *see* Jalade, J. 86−39969
Valentin, M. *see* Salut, G. 86−7993
Valentin, R., Metzger, K. Wideband line-of-sight channel measurements and simulation: application to digital radio links 85−25750
Valentin, R., Metzger, K. Analysis of space diversity reception in digital radio systems 86−69588
Valentin, R., Metzger, K. Propagation impairments in high bit-rate digital radio-relay-systems 88−52202
Valentin, R., Metzger, K., Giloi, H.-G., Dombeck, K.-P. Effects of angle diversity on the performance of line-of-sight digital radio systems 88−52216
Valentin, R., Metzger, K., Schneckenburger, R. Performance analysis of diversity and equalization techniques using a selective fading simulator and computer modeling 86−22692
Valentin, R., Schneckenburger, R., Hanke, G. A new fading simulator for the test of digital microwave radio 88−53159
Valentin, R. *see* Giloi, H.-G. 88−34329
Valentin, R. *see* Metzger, K. 86−4471, 86−68781
Valentine, D. *see* Duff, J.A. 88−25427
Valentine, D., Jr. Replacements for arsine and phosphine in MOCVD processing 88−70334
Valentine, D.B. *see* Berman, J. 87−39179
Valentine, G. Which delivery option? [Cable TV] 86−24126
Valentine, G.C. The marketing and commercial aspects of direct broadcasting by satellite 86−11223
Valentine, I. What next after X.400? 88−28287
Valentine, I.R. User agents in small machines [X.400 based electronic mail services] 87−20135
Valentine, I.R. Why X.400? 88−9075
Valentine, I.R. The X.400 interworking experience 88−73520
Valentine, K.H., Kopp, M.K., Allin, G.W., Clay, W.T., Miller, V.C. An ultrahigh-sensitivity threshold neutron detector for plasma diagnostics 85−43204
Valentine, K.H., Kopp, M.K., Guerrant, G.C., Harter, J.A. Recent developments in position-sensitive neutron counting 85−15205
Valentine, K.H., Kopp, M.K., Williams, J.A. Feedback threshold control extends pulse rate measurements into the pileup region 87−41883
Valentine, K.H. *see* Kopp, M.K. 85−43285, 85−48360
Valentine, N. *see* Zimmerman, W.R. 85−38944
Valentine, R. Power MOSFETs speed up CRTs' horizontal sweep 85−55057
Valentine, R., Stewart, J. Automakers shift to processors 85−16349
Valentine, R. *see* Artusi, D. 87−43612
Valentine, R. *see* Artusi, D.A. 86−26383
Valentine, R. *see* Clarke, F.B. 88−25606
Valentine, R.J. Brushless DC motor control 86−6778
Valentine, R.J. *see* Schultz, W. 85−28440, 85−55945
Valentini, A. *see* Augelli, V. 88−18064
Valentini, A. *see* Iacobelli, G. 85−3871
Valentini, A. *see* Mancini, A.M. 85−54519, 86−8844, 86−40786
Valentini, A. *see* Vasanelli, L. 87−74015, 88−17998
Valentini, G., Mercanti, A. Minihydraulics contribution to energy conservation politics 88−55221
Valentini, G. *see* Biondi, L. 88−37772
Valentini, G. *see* Calamia, M. 87−33982
Valentini, R.F. *see* Aebischer, P. 88−54632
Valentini, S. *see* Avanzini, P.G. 86−65895
Valentini, V. *see* Richardson, D.C. 85−53444
Valentino, A.J. *see* Berkstresser, G.W. 88−56231
Valentino, A.J. *see* Brandle, C.D. 88−11954, 88−11956
Valentino, A.J. *see* Fratello, V.J. 88−11955
Valentino, D.J. *see* Fiske, R.A. 88−36543
Valentino, D.J. *see* Mankovich, N.J. 87−50282
Valentino, F. *see* Lim, C.B. 85−43353, 86−50504
Valentino, G. *see* Damosso, E. 88−46927
Valentino, G.B. Development trend for terrestrial mobile radio 86−64884
Valentino, G.J. *see* Dolezal, R.M. 88−68552
Valentino, P.A. Digital beamforming: new technology for tomorrow's radars 85−31086
Valentinuzzi, E. Normalized attenuation characteristics for the evaluation of intrinsic losses in optical guiding structures 85−12616
Valentinuzzi, E. *see* Corzani, T. 86−48144
Valentinuzzi, M.E. The Bioengineering Program of the Universidad Nacional de Tucuman (Argentina, 1974-85) 87−3922
Valentinuzzi, M.E. *see* Herrera, M.C. 86−65405
Valentinuzzi, M.E. *see* Spinelli, J.C. 87−50368
Valentovic, E. Robotics and electronic production 85−10488
Valenty, V.B. *see* Pavelchek, E.K. 86−15002
Valenza, M. *see* Alabedra, R. 86−9692, 86−42419, 86−63724, 88−4445
Valenza, M. *see* Girard, P. 88−39717
Valenza, M. *see* Orsal, B. 86−9684, 87−46695, 88−26978
Valenzano, A. *see* Bruno, G. 87−34101
Valenzano, A. *see* Ciminiera, L. 86−28387, 87−48606, 87−55777, 87−60602, 87−69706, 88−3620, 88−15072, 88−35098, 88−52885, 88−66995
Valenzano, A. *see* Demartini, C. 85−26136
Valenzano, A. *see* Faro, A. 85−19889
Valenzeula, A. *see* Hausler, R. 85−53158
Valenzuela, A. *see* Fernandez, A. 85−19109
Valenzuela, C. *see* Anuta, P. 85−64716
Valenzuela, M.A. *see* Roda, I.M. 88−52774
Valenzuela, R. *see* Gnauck, A.H. 87−40879
Valenzuela, R. *see* Magana, L.F. 87−12041
Valenzuela, R.A. The design of a full duplex 88 kbps echo-cancelling data over voice system for the subscriber loop 85−51940
Valenzuela, R.A. Performance of quadrature amplitude modulation for indoor radio communications 88−15438
Valenzuela, R.A., Cimini, L.J., Wilson, R.W., Reichmann, K.C., Grot, A. Frequency stabilisation of AlGaAs lasers to absorption spectrum of rubidium using Zeeman effect 88−58524
Valenzuela, R.A. *see* Saleh, A.A.M. 87−26793, 87−33421
Valeo, E. *see* Clark, C.W. 86−42485
Valeo, E. *see* Kim, D. 88−58456
Valeo, E. *see* Suckewer, S. 87−12344, 87−12350, 87−12371, 87−61090
Valera, A. *see* Kimmerle, J. 86−7014
Valera, J. *see* Aitchison, J.S. 88−2386
Valera, J.D., Aitchison, J.S., Goodwill, D.J., Walker, A.C., Henning, I.D., Ritchie, S. Modal bistability in a GaAlAs leaky waveguide 88−72118
Valera, J.D., Seaton, C.T., Stegeman, G.I., Shoemaker, R.L., Xu Mai, Liao, C. Demonstration of nonlinear prism coupling 85−18648
Valera, J.D., Svensson, B., Seaton, C.T., Stegeman, G.I. Bistability and switching in thin-film waveguides with liquid-crystal cladding 86−36134
Valera, J.D., Svensson, B., Seaton, C.T., Stegeman, G.I. Power-dependent waveguide phenomena with liquid crystal claddings 86−42308
Valera, J.D., Svensson, B.C., Seaton, C.T., Stegeman, G.I. Bistability and switching in waveguides with a liquid crystal cladding 88−7929
Valera, J.D. *see* Aitchison, J.S. 87−75228
Valera, J.D. *see* Liao, C. 85−35533
Valera, J.D. *see* Seaton, C.T. 85−18649, 85−29932, 86−68325
Valera, J.D. *see* Walker, A.C. 88−58211
Valera, M.S.I., Kvasnik, F. Phase retardation in bleached holographic inverse filters and their use in coherent optical processing 88−8350
Valerahova, D. *see* Schipanski, D. 85−12201
Valerdi, J. Regulatory issues in regional satellite communications: towards a USA-Mexico bilateral agreement 86−49530
Valeri, A. *see* Tononi, R. 85−48737
Valeri, J.C., Sangros, F.M., Tabuenca, M.M. CAD system for photoelastic studies 86−13902
Valeri, S.J. *see* MacIver, B.A. 88−13071
Valerio de Carvalho, J.M.V. *see* de Freitas, V.L.B. 86−30119
Valeriote, E.M. *see* Chang, T.G. 86−6980
Valero, J., Smith, A., Peacock, A. High speed pulse digitization in driftless gas scintillation proportional counters 88−61116
Valero, J. *see* Alard, J.P. 88−10243
Valero, J.L., Prieto, A., Lloris, A., Morales, J., Olivares, G. Automatic procedure for the measurement of surface tensions 86−17816
Valero, L. The fundamentals of eutectic die attach 85−39552
Valero, L. *see* Sharan, A. 88−6280
Valero, M. *see* Fiol, M.A. 87−62642
Valero, M. *see* Navarro, J.J. 87−17049, 87−66204
Valero, P. *see* Torres, C. 88−14883
Valero, S. *see* Lapostolle, P.M. 87−41764
Valero, T. *see* Royer, D. 86−2575
Vales, P.O. *see* Towsley, D. 87−48264
Valesano, W.R. *see* Wheeler, B.C. 85−48296
Valet, I. Multipoint transport protocol for satellite systems 85−25838
Valet, I. *see* Bolus, D. 85−25480
Valet, I. *see* de La Motte, P. 86−43796
Valeton, J.M. *see* van Meeteren, A. 88−52532
Valette, A. *see* Proulx, R. 85−59661
Valette, A. *see* Vuong, G.T. 86−32722
Valette, O. *see* Alard, J.P. 88−10243
Valette, P.Parisot de La *see* Parisot de La Valette, P.
Valette, S. State of the art of integrated optics technology at LETI for achieving passive optical components 88−65351
Valette, S., Gidon, P., Jadot, J.P. New integrated optical multiplexer-demultiplexer realized on silicon substrate 87−76817
Valette, S., Jadot, J.P., Gidon, P., Kevorkian, A. Integrated optics and microelectronics: toward an integration on a single silicon chip 88−58391
Valette, S., Jadot, J.P., Gidon, P., Renard, S. New integrated optics structure on silicon substrate: application to optical communication and optical interconnects 88−58224
Valette, S., Lizet, J., Mottier, P., Jadot, J.P., Gidon, P., Renard, S. Integrated-optical circuits achieved by planar technology on silicon substrates: application to the optical spectrum analyser 85−2064
Valette, S., Mottier, P., Lizet, J., Gidon, P., Jadot, J.P., Villani, D. Integrated optics on silicon substrate: a way to achieve complex optical circuits 87−54093
Valette, S. *see* Gidon, P. 85−41202, 85−62401
Valette, S. *see* Grand, G. 85−2054
Valette, S. *see* Lizet, J. 88−2046
Valette, S. *see* Maystre, D. 85−37011
Valette, S. *see* Mottier, P. 86−36280
Valette, S. *see* Philippe, P. 85−37002
Valeur, B. *see* Mugnier, J. 87−36134
Valevich, A.I. *see* Anishchenko, N.G. 85−52942
Valevich, A.I. *see* Belushkina, A.A. 88−42409
Valevski, G. *see* Georgiev, G. 88−36423
Valeyev, V.G. Optimization of MTS radar systems in the case of non-Gaussian signals from fixed targets 85−14342
Valfells, A. Conceptual design of an MHD motor 85−16184
Valfre, L. *see* Carrea, F. 86−70923
Valfre, L. *see* Colombo, L.B. 85−60596
Valfre, L. *see* Delfino, B. 85−65486
Valfre, L. *see* Gaglioti, E. 86−50959
Valgora, M.E. *see* Forestieri, A.F. 86−32459
Valguarnera, P. *see* Vita, P. 88−34515
Vali, V. Early development of fiber interferometers and fiber gyroscopes 88−9997
Valiaho, H. A unified approach to one-parametric general quadratic programming 86−19952
Valiaho, H. A note on locating eigenvalues 87−10313
Valiant, S. The rise and rise of European data communications 85−57595
Valicek, J. *see* Nagl, V. 88−32938
Valicek, J. *see* Roman, P. 87−37640
Valiente, F.Saenz *see* Saenz Valiente, F.
Valiere, J.C., Allard, J.F., Depollier, C. Measurement of the instant of glottal closure with the Wigner-Ville transformation 88−21157
Valiev, I.V. *see* Matlashov, A.N. 87−50205
Valiev, K.A., Danilov, V.A., Peshekhonov, S.V., Rakov, A.V., Shchuchkin, A.G. Distribution of structural defects in silicon dioxide films irradiated by nitrogen ions 85−29149
Valiev, K.A., Kaminskii, V.E., Kokin, A.A. Limiting values of the fundamental parameters of fast VLSI based on field-effect transistors 88−7601
Valiev, K.A., Makhviladze, T.M., Panteleev, E.G., Sarychev, M.E., Khorev, A.B. Nonstationary theory of photoetching of polymer films in the diffusion regime 88−13205
Valiev, K.A., Makhviladze, T.M., Rakov, A.V. Arrhenius model of maskless ion-beam lithography of inorganic solid-state materials 87−60218
Valiev, K.A., Makhviladze, T.M., Rakov, A.V. Kinetics of the process of nonresistive ion lithography 87−60233
Valiev, K.A., Rakov, A.V., Shchuchkin, A.G. Effect of the mass and energy of bombarding particles on the etching of polymethyl methacrylate films with intermediate-energy ions 85−45602
Valiev, K.A., Velikov, L.V., Dushenkov, S.D., Prokhorov, A.M. Developing of a latent image in polymer films by photoetching in the vacuum ultraviolet 86−21296
Valiev, K.A., Velikov, L.V., Makhmutov, R.Kh., Prokhorov, A.M. High-voltage electron lithography through stencils 86−58363
Valiev, K.A., Velikov, L.V., Makhmutov, R.Kh., Prokhorov, A.M. High-contrast stencil masks for high-voltage electronic lithography 86−67908
Valiev, K.A., Velikov, L.V., Volkov, G.S., Zaroslov, D.Yu. Coherence of XeCl laser radiation 88−20721
Valiev, K.A. *see* Ageev, V.P. 88−33092
Valiev, K.A. *see* Aleksandrov, Yu.M. 87−6801, 88−13843
Valiev, K.A. *see* Bogdanov, A.L. 86−58362, 87−38393, 88−13261
Valiev, K.A. *see* Brogdanov, A.L. 86−47444
Valiev, K.A. *see* Butakova, N.G. 86−15139, 86−41759, 87−53240
Valiev, K.A. *see* Kramarenko, A.S. 86−21684
Valiev, M.M., Kaganov, Z.G. Static fields produced in a ferromagnetic block by an attached magnetising unit 85−56945

Valiev, S.A., Lysenko, V.S., Nazarov, A.N. Thermostimulated processes in implanted metal-dielectric-semiconductor structures with severely disrupted near-surface semiconductor layers 88−57381
Valiev, U.V., Klochkov, A.A., Siroky, P. Piezooptic modulator 88−58325
Valignat, J. *see* Wyon, C. 85−33500
Valigursky, S., Garbinsky, L., Popovic, V., Antal, J. Liquid gamma activity monitor JMG 200 88−16654
Valikov, A.A., Donets, A.M., Fedosov, V.N. Magnetic permeability of inhomogeneous plates 87−18527
Valikov, V.V. Decade scaler with fractional variable division factor 87−8876
Valimaki, I. *see* Murphy, D. 87−57181
Valin, P. *see* Henzi, R. 86−11799
Valina, P., Fousek, P. Analogue optoelectronic modules in a computer network 88−73617
Valiquette, C. *see* St.-Georges, M. 88−48249
Valis, J. *see* Halvarsson, P.G. 86−7202
Valisuo, H. *see* Autti, M. 86−39605
Valisuo, H. *see* Lautala, P. 87−9415, 87−35842
Valisuo, M. *see* Lautala, P. 88−11694, 88−36912
Valitov, V.M., Ermolina, I.V., Zuev, Yu.F., Feld'man, Yu.D. Automatic time-resolved dielectric spectrometer 88−10103
Valjus, J., Sarmanto, R. Practical earthing measurements of large rural and urban substations 86−51153
Valjus, J. *see* Hanninen, K. 88−42873
Valk, B., Call, T.S., Salour, M.M., Kopp, W., Morkoc, H. Optically pumped tunable mode-locked Si-doped GaAs laser 86−68517
Valk, B., Hodel, W., Weber, H.P. Nonlinear transmission of ps-pulses through optical fibres 85−51278
Valk, B., Hodel, W., Weber, H.P. Stimulated Raman spectra generated by ps-pulses in a single-mode fiber 85−56813
Valk, B., Kim, E.M., Salour, M.M. Second harmonic generation in Ge-doped fibers with a mode-locked Kr$^+$ laser 88−2362
Valk, B., Olson, D.J., Salour, M.M. Compact CdSe laser with microminiature cryogenic refrigerator 87−26371
Valk, B., Salour, M.M., Munns, G., Morkoc, H. Optically pumped mode-locked multiple quantum well laser 87−2113
Valk, B., Vilhelmsson, K., Salour, M.M. 3-ps compressed pulses from a mode-locked Kr$^+$ laser 87−38973
Valk, B. *see* Vilhelmsson, K. 87−61190
Valk, D.S. *see* Zafirovic-Vukotic, M. 88−73588
Valk, E.C., Walker, G., Vaneldik, J.F., Routledge, D. A simple method of removing receiver noise from microwave noise measurements 88−29612
Valk, J., MacLean, C., Algra, P.R. Basic principles of nuclear magnetic resonance imaging 86−52112
Valk, J.M., Sjamaar, F.A. Flexible information system 88−53566
Valk, J.P.J.de *see* de Valk, J.P.J.
Valka, J., Siler, M. Drives for modern automatic washing machines 87−64983
Valkeapaa, T. *see* Kyro, E. 87−12550
Valkeapaa, T.A. Six-port reflectometer for 20-1000 MHz 86−24732
Valkenburg, J.A.C. *see* van der Voort, H.T.M. 85−51751
Valkenburg, W.G.J.N. *see* Claassen, W.A.P. 85−440
Valkestin, L. *see* Teuling, D.J.A. 85−37262
Valko, A., Erdelyi, K., Seres, M., Rosanics, G. Parameter testing of MOS testpatterns 86−46041
Valko, I.P. New transistors 86−35680
Valko, J. *see* Adorjan, F. 85−32312, 86−33005
Valko, J. *see* Glockler, O. 87−35764
Valko, J. *see* Por, G. 86−12629, 87−35765
Valko, J. *see* Resch, P. 85−21399
Valkonen, E. *see* Karlsson, T. 88−33842
Valkonen, V.-P. *see* Teppo, J. 88−3761
Val'kov, V.Yu. *see* Bondarenko, V.S. 85−56073
Valkovskaya, M.I. *see* Budyanu, V.A. 86−14911
Valla, A. *see* Robinson, K. 87−18996
Valla, A. *see* Robinson, K.E. 87−2154
Valla, A. *see* Slater, J. 87−2164
Valla, A.S. *see* Robinson, K.E. 87−75137 to 75138
Valla, M.I. *see* Christiansen, C.F. 85−40723, 87−52363, 87−73284, 88−50052
Valla, M.I. *see* Christiansen, G.F. 87−36991
Vallabhan, C.P.G. *see* Pillai, S.M. 86−54046
Vallabhan, C.P.G. *see* Satheeshkumar, M.K. 85−41445, 87−75185
Vallabhan, C.V.Girija *see* Girija Vallabhan, C.V.
Vallance, A.G. *see* Doue, J.C. 86−60780
Vallance, C.H. Head-up displays—an evolving technology for pilots 86−50706
Vallance Jones, A. *see* King, R.A. 88−58066
Vallancourt, D., Tsividis, Y. Analog CMOS filter with full digital programmability 87−59696
Vallancourt, D., Tsividis, Y. Timing-controlled switched analog filters with full digital programmability 87−66348
Vallancourt, D., Tsividis, Y.P. A fully programmable sampled-data analog CMOS filter with transfer-function coefficients determined by timing 88−20113
Vallancourt, D., Tsividis, Y.P. Timing-controlled fully programmable analogue signal processors using switched continuous-time filters 88−70937
Vallania, P. *see* Aglietta, M. 86−65378
Vallania, P. *see* Alberini, C. 86−65387
Vallario, E.J. *see* Selby, J.M. 87−63857
Vallas, G. The control of VLSI structures [design technology and testability for military applications] 86−58590
Vallascas, R. New float flowmeter 87−70874
Vallascas, R. Classification hypothesis for flowmeters and techniques for measuring velocity and mass flowrate 88−47716
Vallauri, U. *see* Parmigiani, B. 88−42882
Valle, A. *see* Jiminez, R. 86−69980
Valle, E.del *see* del Valle, E.
Valle, J. A universal programmable counter 85−11383
Valle, J. The operation of integrated Zener diodes 85−45788
Valle, J. The actual situation of stereophonic TV 85−52472
Valle, J. A transmitter and receiver for infrared signals 86−30829
Valle, J. The technology of rapid copying machines 86−61830
Valle, J.del *see* del Valle, J.
Valle, L.de *see* de Valle, L.
Valle, M. Time base (clock) circuits with MOS devices 86−67100
Valle, S.Della *see* Della Valle, S.
Valle El Cid, J.L.de *see* de Valle El Cid, J.L.
Valle El Cid, J.L.Del *see* Del Valle El Cid, J.L.
Valle Herrero, A.del *see* del Valle Herrero, A.
Valleau, E. Testing programmable logic devices 87−640
Vallee, A. *see* Arlandis, J. 88−21445
Vallee, C. *see* Braunschweig, W. 88−29874, 88−68282
Vallee, F., Hellner, L., Lukasik, J. Laser induced processes and generation of coherent vacuum ultraviolet radiation in molecules 85−35872
Vallee, J., Artigalas, M., Favreau, M. Digital production switchers 86−49835
Vallee, J. *see* Artigalas, M. 87−13937, 87−70232
Vallee, J. *see* Boyer, R. 85−8530
Vallee, J. *see* Grimaldi, J.L. 87−28785
Vallee, R., Delisle, C. Route to chaos in an acousto-optic bistable device 85−35569
Vallee, R., Delisle, C. Mode description of the dynamical evolution of an acousto-optic bistable device 86−22195
Vallee, R., Delisle, C. Poincare analysis of a hybrid bistable device 87−39241
Vallee, R., Delisle, C. Periodic waveforms in a chaotic bistable device 87−74896
Vallee, R., Dubois, P., Cote, M., Delisle, C. Second-order differential-delay equation to describe a hybrid bistable device 87−75248
Vallee, R., Marriott, C., Dubois, P., Delisle, C. Period-doubling and chaos in an nth order nonlinear differential equation 88−72405
Vallee, R. *see* Jackson, T. 88−3789
Vallee, R.E. *see* Chan, C.H. 86−24412, 87−25577
Vallentin, W. 32-meter standard A antennas at the Fuchsstadt ground station with weak side lobes 87−54665
Vallerani, E. *see* Buongiorno, C. 87−77723
Valleregа, J.V. *see* Ricker, G.R. 85−4244
Vallerga, J., Hull, J., Lampton, M. Construction and evaluation of an imaging focussed-mesh electron multiplier for space instrumentation 88−57272
Vallerga, J., Lampton, M. Charge coupled devices vs. microchannel plates in the extreme and far ultraviolet: a comparison based on the latest laboratory measurements 88−67803
Vallerga, J. *see* McGrath, R.D. 88−25866
Vallerga, J. *see* Siegmund, O.H.W. 88−61107
Vallerga, J.V. *see* Dunham, E.W. 86−44183
Vallerga, J.V. *see* Luppino, G.A. 88−4868
Vallerga, J.V. *see* Siegmund, O.H.W. 88−4428, 88−50569, 88−64172
Valles, R.S. *see* Audet, X.L. 87−58565
Valles-Abarca, J.A., Gras-Marti, A. Gas concentration profiles in glow discharges induced by ion bombardment 88−12082
Valles-Abarca, J.A. *see* Moreno-Marin, J.C. 86−35587
Vallese, F. Software design and maintenance problems in SPC systems 85−36848
Vallese, F. Use of fibre-optic and radio-relay links in local digital networks 88−14950
Vallese, F. Fiber optic and radio relay links in local networks 88−59980
Vallet, E. *see* Berthon, A. 85−19108
Vallet, J.L. *see* Hutten, L. 85−26595
Vallet, M., Obradors, X., Pernet, M., Rodriguez, J., Medarde, M. Low temperature synthesis and characterization of γ-Fe$_2$O$_3$ particles 88−57919
Vallet, M. *see* Ardiaca, R. 87−46331
Vallet, M. *see* Pernet, M. 88−57920
Vallet, R., Korezlioglu, H., Khoukhi, A. Application of hidden Markov chain identification algorithms in digital communications in a random-phase channel 88−21054
Vallet, R., Loubaton, P. Pseudo-coherent demodulation of MSK type signals adapted to frequency hopping transmission 86−48749
Vallet, R., Zhu, Y.P., Dornstetter, J.L. Equalisation of a numerical signal over short levels 88−22001
Vallet, R. *see* Korezlioglu, H. 85−46677
Vallett, D.P., Wilson, T.J. A signature analysis techniques for defect characterization of CMOS static RAM single cell fails 85−54903
Valley, G.C., Dunning, G.J. Observation of optical chaos in a phase-conjugate resonator 85−12967
Valley, G.C., Smirl, A.L. Picosecond photorefractive effect for optical data processing 88−65434
Valley, G.C., Smirl, A.L., Klein, M.B., Bohnert, K., Boggess, T.F. Picosecond photorefractive beam coupling in GaAs 87−19040
Valley, G.C. *see* Glass, A.M. 85−35587
Valley, G.C. *see* Klein, M.B. 85−50891, 87−3444
Valley, G.C. *see* White, J.O. 87−46964, 88−20768, 88−72388
Valley, J.F., Gibbs, H.M., Derstine, M.W., Pon, R., Tai, K., LeBerre, M., Ressayre, E., Tallet, A. Transverse optical bistability and instabilities 87−39238
Valley, J.F. *see* Derstine, M.W. 87−39242
Valley, J.F. *see* Khitrova, G. 88−33951, 88−72411
Valley, M., Lombardi, G., Aprahamian, R. Beam combination by stimulated Brillouin scattering 87−12573
Valley, M.M. Nonlinear phase conjugation for wavefront control 87−46981
Valley, R. IC provides optimal lead acid battery charging cycles 86−26114
Valley, R., Anneser, D. A new temperature and airflow sensing technique 86−55718
Valley, R., Mammano, R. Charging the lead-acid battery—a new IC extends battery life while simplifying charging systems 86−26187
Valli, G. *see* Baroni, M. 85−53044
Valli, K. *see* Arje, J. 87−70966
Valli, K. *see* Aysto, J. 87−71057
Valli, M., Fioretti, A., Armenise, M.N. Fabrication of good quality Ti:LiNbO$_3$ planar waveguides by diffusion in dry and wet O$_2$ atmospheres 88−65310
Valliant, H.D., Gagnon, C., Halpenny, J.F. An inherently linear electrostatic feedback method for gravity meters 87−8994
Valliant, H.D., Gagon, C. Modulator offers 12-bit precision 85−54741
Valliant, H.D., Halpenny, J., Cooper, R.V. A microprocessor-based controller and data acquisition system for LaCoste and Romberg air-sea gravity meters 85−64693
Valliant, H.D. *see* Hugill, A.L. 86−65504
Vallier, J.C. *see* Demolliens, O. 86−9430, 86−48015
Vallier, J.C. *see* Ohl, M. 88−26735
Vallier, J.C. *see* Schneider-Muntau, H.J. 88−65044
Vallier, J.C. *see* Wang, J.R. 86−47979
Vallier, L. *see* Burke, R. 88−12074
Vallier, L. *see* Durandet, A. 88−16548
Vallin, D., Chenebault, P. Quantitative investigation of the elemental sulfur distribution in discharged Li/SOCl$_2$ cells 86−66250
Vallin, D., Chenebault, P. A new inorganic additive for voltage delay alleviation in Li/SOCl$_2$ cells 88−17848
Vallin, D. *see* Chenebault, P. 88−75894
Vallin, J.T. *see* Andersson, T.G. 88−393
Vallindras, K.S., Safacas, A.N. Control of a DC-DC inverter via a microprocessor-programming-experimental research 87−43085
Vallmitjana, S., Bosch, S., Juvells, I., Ros, D. New multiple matched filter: design and experimental realization 87−26136
Vallmitjana, S. *see* Bosch, S. 88−8862, 88−52568
Vallmitjana, S. *see* Juvells, I. 85−13607
Vallmitjana, S. *see* Ros, D. 85−19529, 85−41969
Vallot, L. *see* Fingerote, S.I. 88−16841
Valluri, S.R. *see* Ney, M.M. 87−47258, 88−40641
Vallverdu, F. *see* Lagunas, M.A. 87−61928
Vallverdu, F. *see* Masgrau, E. 87−27330
Vallverdu, F. *see* Moreno, A. 86−29811
Valmont, G. *see* Bouchikhi, B. 87−1334, 87−67020
Valmori, G. *see* Aiello, S. 87−20643
Valmot, O.R. LCD for the flat screen of the future 87−49842
Valnicek, B.I. *see* Sagdeev, R.Z. 87−49573
Valo, M. *see* Torronen, K. 88−48716
Valois, A.J., Robinson, G.Y. Deep level transient spectroscopy measurements in Si-doped AlGaAs/GaAs MODFETs 85−40727
Valois, A.J., Robinson, G.Y. Deep levels in AlGaAs/GaAs modulation-doped structures grown by molecular beam epitaxy 86−53400
Valois, A.J. *see* Davidson, J.S. 86−35405
Valois, A.J. *see* Lee, K. 85−6932

Valois, R.De *see* De Valois, R.
Valoppi, L.M. *see* Dornetto, L.D. 87—28927
Valot, C. *see* Amalberti, R. 87—57261
Valot, J. *see* Gaudrel, R. 88—67575
Valouch, V. Dynamic properties of a current supplied induction motor 85—5075
Valouch, V. Synthesis of a digital-microcomputer current-control of an AC motor drive 85—10131
Valouch, V. Methods of control of a drive of an induction machine and a voltage inverter 85—44211
Valouch, V. Adaptation of algorithms of induction motor control to changes of rotor resistance 85—65250
Valouch, V. Numerical simulation of an AC drive with pulse width modulation 86—19531
Valouch, V. Analysis of the properties of a controlled drive of an induction machine without measurement of magnetic fluxes and revolutions 86—61764
Valouch, V. Pulse width modulation of voltage controlled by the time shapes of the quantities of induction motors 87—22324
Valouch, V. New PWM strategy for AC motor drives 87—36182
Valouch, V. Control of high-performance AC-DC PWM voltage converter 88—5755
Valouch, V. Control of a converter with a higher level of compatibility with the supplying network 88—17117
Valouch, V. Modern principles in control of AC motors for dynamically demanding drives 88—31063
Valouch, V. *see* Cerovsky, Z. 87—15729
Valouch, V. *see* Fol, L. 88—43407
Valouch, V. *see* Lettl, J. 86—66071
Valousek, J., Fischer, J. The use of scanning CCD sensors in linear metering 86—18116
Valov, B.M. The normalization of the quality of the electric energy in the USSR 85—4524
Valov, B.M., Lirs, A., Shtade, D. A simple mathematical model for higher harmonics of mains supply feeding six-phase rectifiers in industrial power supply systems 88—48449
Valov, M.I. The use of solar energy to produce low grade heat 85—5014
Valov, M.I. Choosing the volume of a thermal-storage tank in solar-heating systems 86—66368
Valov, M.I., Astashenko, V.A., Zimin, E.N. Determining the solar collector cost for solar heating systems and ways to reduce these costs 86—19514
Valov, V.A. *see* Andronov, A.A. 86—29118, 86—48380
Valqui Vidal, R.V., Becker, P.W. On Lagrange multipliers in work with quality and reliability assurance 87—10193
Valsa, J., Patocka, M., Petru, F. Simple mathematical model of a power switching transistor 88—57610
Valsa, J., Prikryl, H. Principles of a program for dynamic simulation of electric drives with power electronic energy conversion and regulation 87—4819
Valsa, J., Prikryl, H. Mathematical simulation of dynamic processes in a system containing an electric machine 87—15640
Valsala Kumari, C.K. *see* George, J. 86—67701
Valsamakis, E.A. Generator for a custom statistical bipolar transistor model 85—45846
Valsamakis, E.A. Power dissipation calculation of the base spreading and contact resistance of transistors at low currents and low frequencies 86—41755
Valsasina, G.B. Implementation of a land mobile terminal for satellite data communication 87—13667
Valsecchi, G., Robrock, A.A. Reliability and maintainability in a switching network for large exchanges for the LINEA UT 88—52629
Val'shin, A.M., Gordienko, V.M., Danilov, E.O., Kovrigin, A.I. Generation of short pulses of 10 μ radiation 85—56799
Val'shin, A.M., Gordienko, V.M., Krayushkin, S.V., Platonenko, V.T., Popov, V.K. Yttrium aluminate sources of ultrashort radiation pulses with a controlled resonator *Q* factor 87—26361
Val'shin, A.M. *see* Akhmanov, S.A. 85—41335, 87—33101
Val'shin, A.M. *see* Akmanov, A.G. 86—48376, 88—14272
Valsler, R.A. *see* Shah, Y. 86—11940, 87—3941
Valster, A., Andre, J.P., Dupont-Nivet, E., Martin, G.M. High-power AlGaInP three-ridge type laser diode array 88—34007
Valster, A., Meuleman, J.L., Kuindersma, P.I., Dongen, T.V. Improved high-frequency response of InGaAsP double-channel buried-heterostructure lasers 86—22372
Valster, A. *see* Kelly, J.J. 88—39138
Valster, A. *see* Khoe, G.D. 86—42345
Valster, A. *see* Kuindersma, P.I. 85—62597, 86—3175, 87—39129
Valster, F. *see* Gelling, W.G. 86—63453
Valster, V. *see* Lee, T.P. 87—33161
Valstyn, E.P., Packard, E., Kelley, G.V. Optimization of ferrite heads for thin media 87—25813
Valstyn, E.P. *see* Kelley, G.V. 85—24139
Valteris, S., Gulbinas, R., Gulbiniene, I. Automation of image processing. VI. Evaluating statistical parameters of structures 87—7835
Val'teris, S.E., Gul'binene, I.I. Automatic image processing. VII. Reconstruction of three-dimensional structures 88—34760
Valteris, S.E. *see* Bal'kyavichene, V.A. 88—52541
Valtonen, M. The circuit theory laboratory of the Helsinki University of Technology 86—26532
Valtonen, M.E. *see* Veijola, T.V. 88—32409
Valtonen, P. Finns participate in the design of giant BAM loco [electric locomotives] 85—21907
Valtonen, P. Active-*R* simulation of grounded reactances 85—34041
Valtonen, P. Sensitivity optimal active-*R* second order bandpass filters 86—62697
Valtonen, P. On active-R and partially active-R lowpass and bandpass filters 87—45023
Valtonen, P. Synthesis of active-*R* oscillators with additional notes on partially active-*R* applications 88—18962
Valtonen, P. *see* Zhulev, O.N. 87—58399
Valtorta, M. *see* Invernizzi, A. 85—9461
Valtorta, M. *see* Paris, L. 86—50957
Valtri, D.L. Opportunities in the public data network marketplace 85—25283
Valtysheva, I.A. *see* Gorkunov, E.S. 87—36837
Valuev, K.K., Ilarionov, Yu.A., Smorgonskii, V.Ya. Calculation of the group velocity of the dominant mode (the quasi-T mode) in a screened microstrip line 85—11500
Valuev, N.P., Gerchikov, F.L., Kosarev, V.D., Latyshev, V.K., Moish, Yu.V., Yakubovskii-Lipskii, Yu.O. Accuracy in surface profile measurement by X-ray methods 87—56842
Valuev, N.P., Zhikharev, A.N. Shaper with precision time locking 88—36387
Valuiskii, V.N. *see* Samofalov, K.G. 86—44209
Valusis, G. *see* Asmontas, S. 88—39070
Valuyev, A.A. Complex digital filters 87—45100
Valuzhis, K.-A.K. *see* Kirmonas, A.A. 86—60787
Valvano, J.W., Patel, P.A. Self-heated thermistors to measure perfusion 87—57076
Valvano, J.W. *see* Patel, P.A. 88—36425
Valverde, C.M. The tape tracking mechanism on the 'Nordmende' VHS 9460A. II 85—8602
Valverde, C.M. The tape driving mechanism in the 'Nordmende' VHS 9460A. I 85—14496
Valverde, C.M. A description of the circuits in domestic video recorders. I. A review of the principal stages in the VHS 9.460A system 85—47727
Valverde, C.M. A description of domestic video recorder circuits. II. A review of the main stages in the 'NORDMENDE' Spectra-Video-Vision VHS 9.460A 85—52553
Valverde, C.M. A description of the circuits in domestic video recording. III 85—58392
Valverde, C.M. The circuitry of domestic video recorders. IV 85—58395
Valverde, C.M. Circuit description of domestic video recorders. V 85—58397
Valverde, C.M. The circuitry of domestic video recorders. VII 85—63868
Valverde, C.M. The circuitry of domestic video recorders. VI 86—11314
Valverde, C.M. A description of domestic video recorder circuits. VIII 86—24167
Valverde, J. *see* Vazquez, J. 88—62263
Valverde, N. Oxygen sensors based on the electrical conductivity of the solid solutions $(Mg_{1-x}Fe_x)O$ and $(Mg_{1-x}Co_x)O$ 86—24494
Valvi, F.N., Geroyannis, V.S. Explicit presentation of a general class of matrices 88—24617
Valvo, E.J., Shier, D.R., Jamison, R.E. Generating the most probable states of a communication system 87—55479
Valvo, V. *see* Feldman, C.L. 87—21600
Valvoda, V., Touskova, J., Kindl, D. Electrochemical deposition of CdTe layers. Their structure and electrical properties 87—6375
Valy, L., Toth, T. High resolution broadband microwave synthesizer 86—38406
Valy, L. *see* Gyenes, I. 88—50387
Valy, L. *see* Toth, T. 87—532, 88—60005
Valyaev, A.N. *see* Varshavskii, D.S. 86—2445
Valyaev, V.I. *see* Sagdeev, R.Z. 85—31835
Valyavko, V.V., Osipov, V.P. Low-temperature cell for magnetooptic studies with laser excitation 88—72365
Valyi, G., Szabo, I., Schiller, V., Sandor, S., Andrasi, M. Dry etching of $TiSi_2$/poly Si double layer 86—58415
Valyi, I. Strict approximate duality in vector spaces 88—38092
Valyuk, Ch.A. *see* Kireev, R.F. 87—4367
Valyukhov, V.P., Kuptsov, V.D., Surygin, A.I. Calculation of the noise factor of cascaded broadband amplifiers 87—44625
Valyus, N.A. *see* Rybov, V.M. 87—36832
Val'zannikov, M.I. *see* Vasil'ev, Yu.S. 88—30605
vam Rooyen, M. *see* Snyman, J.A. 87—72971
Vamamoto, M., Yamashita, M., Homma, T., Nagata, T., Wake, S. High-speed 1 M-bit CMOS EPROMs 88—19128
Vamamoto, Y., Miyanaga, H., Amazawa, T., Sakai, T. A $MoSi_2$ Schottky diode for bipolar LSIs 85—55758
Vaman, D.R., Chin Tu Wu, Kai Lu 1-persistent dual channel local area network for integrated voice and data application 88—67003
Vaman, D.R., Wu, C.T. A dual-channel local area network (DC-LAN) for integrated voice and data transmission 87—55773
Vaman, D.R. *see* Lacovara, R.C. 88—21145
Vaman, D.R. *see* Wu, C.T. 88—3592
Vamano, V., Kobayashi, S., Takahashi, Y. Reduction of surface charge-induced electric field enhancement and increase in AC surface flashover voltage 85—55985
Vamatake, M. *see* Widlar, R. 86—8031
Vambera, K. Computer systems used in the power supply of the Czechoslovak TV centre in Prague 86—65042
Vamberskii, M.V., Usachov, V.P., Shelukhin, S.A. Nonreciprocal two-channel microwave dividers and adders 87—45182
Vamberskii, M.V., Usachov, V.P., Shelukhin, S.A. Technical design of two-channel non-reciprocal microstrip line splitter-combiners 87—45186
Vamos, G. *see* Balogi, J. 85—21339, 85—27191
Vampouille, M., Barthelemy, A., Colombeau, B., Froehly, C. Observation and applications of frequency modulations in single mode fibers 85—18699
Vampouille, M., Colombeau, B., Froehly, C., Marty, J. Image transmission with very high rate between a picosecond laser and an electronic streak camera 85—36272
Vampouille, M., Marty, J., Froehly, C. Optical frequency intermodulation between two picosecond laser pulses 86—42611
Vampouille, M. *see* Cavailler, C. 86—9932
Van, C.K., Venetsanopoulos, A.N. Three-dimensional FIR filter design by transformation of one-dimensional digital filters 87—24361
Van, C.L., Janeczko, S. Dye laser model with pregaussian pump fluctuations 86—42499
Van, C.Trinh *see* Trinh Van, C.
Van, D.L. Code-compatible sets and a generalisation of the Sardinas-Patterson theorem 85—62976
Van, D.Phan *see* Phan Van, D.
Van, J.C. *see* Lauer, P. 88—16456
Van, K. *see* Deguchi, T. 86—68352
Van, K. *see* Inui, T. 88—33794
Van, M. *see* Mukho, S. 86—61349
van Aalst, R.J. *see* Kreuger, F.H. 88—23514
van Aalst, T. A flexible high-performance colour processor 87—34803
van Adenne, A. Design considerations for a multibeam receiver for millimeter wave astronomy 87—49211
van Agthoven, R. *see* de Raad, J.A. 87—71827
van Aken, I.W., Reijns, G.L., de Valk, J.P.J., Nijhof, J.A.M. Compressed medical images and enhanced fault detection within an ACR-NEMA compatible picture archiving and communications system 88—21087
Van Aken, J. *see* Guttag, K. 86—27349
van Aken, J.A., Schmidt, A.C.G., van der Vet, R.P., Wolters, W.K. A reliability-based method for the exploitation of maintenance opportunities 85—5744
Van Aken, J.R., Peterson, R.R. Color palette chip squeezes 4096 hues out of 4-bit pixels 86—20396
Van Aken, J.R. *see* Guttag, K.M. 86—21741
van Akkeren, J.A., van Slobbe, J.T.M. Inverter with asynchronous machine 85—16093
Van Alen, D., Levorsen, J., Porter, D. Low temperature test aids 85—55336
van Alphen, J.C. EMC, fertility and the pacemaker 86—38811
van Alst, G., ten Berge, E.F.A. Light guide connector on new paths 87—68038
van Alste, J.A., Cruts, H.E.P., Westdijk, J.A. Online analysis and monitoring of electrocardiograms during heavy exercises 86—32333
van Alste, J.A., Luursema, E.D. VIPER: a powerful tool for the real-time calculation of inner products for biomedical signal processing 85—26779
van Alste, J.A., Mulder, A.J. An inner product parallel processor as a tool in signal processing 86—27386
Van Alste, J.A., Schilder, T.S. Removal of baseline wander and power-line interference from the ECG by an efficient FIR filter with a reduced number of taps 86—32316
Van Alste, J.A., Van Eck, W., Herrmann, O.E. ECG baseline wander reduction using linear phase filters 87—14892
van Alste, J.A. *see* Cruts, H.E.P. 87—21606
van Alste, J.A. *see* Willemsen, A.T.M. 87—57201
Van Alsten, J. *see* Luesse, C. 88—53894
Van Alstyne, T.W. *see* Sigmon, B.E. 87—6098
van Altena, H.J. *see* van Rietschoten, P.J. 87—66669
van Amerongen, J., Barends, H.W.M., Buys, P.J., Honderd, G. Modelling and control of a 180-MW power system 85—53284
Van Amerongen, J., Barends, H.W.M., Buys, P.J., Honderd, G. Modeling and control of a 180 MW power system 87—4554
van Amerongen, J., Bernard, C.J., Honderd, G., Luijks, R. Modelling and control of a diffusion furnace [IC production] 88—31203

van Amerongen, J. *see* de Graauw, Th. 87−17337
van Amerongen, R.A.M. Optimal power flow with Newton's method 87−9083
van Amerongen, R.A.M. Optimal power flow solved with sequential reduced quadratic programming 88−48420
van Amerongen, R.A.M. *see* Graven, J.H. 87−21824
Van Amersfoort, P.W., Siebenlist, F., Thomae, R.W. Quadrupole optics for periodic focusing channels 87−41734
van Amersfoort, P.W., Siebenlist, F., Thomae, R.W., Wojke, R., Schonewille, F.G., Ivanov, S.T., Kistemaker, J., Klein, H., Schempp, A., Weis, T. Low-β ion acceleration with a MEQALAC 87−8809
van Amersfoort, P.W., Siebenlist, F., Thomae, R.W., Wojke, R., Schonewille, F.G., Ivanov, S.T., Klein, H., Schempp, A., Weis, T. Low-β ion acceleration with a MEQALAC 87−41675
van Amersfoort, P.W., Wojke, R.G.C., Urbanus, W.H., van Putten, A.E., Steenvoorden, J.J.M., Klein, H., Schempp, A., Weis, T. Status of the FOM-MEQALAC project 88−47793
van Amersfoort, P.W. *see* Geerlings, J.J.C. 87−8836
Van Amersfoort, P.W. *see* Ivanov, S.T. 88−22873
Van Amersfoort, P.W. *see* Siebenlist, F. 87−50024 to 50025
van Amersfoort, P.W. *see* Thomae, R.W. 86−25022, 86−32051, 86−60396, 87−8786, 88−36315
Van Amersfoort, P.W. *see* Weis, T. 87−50028
van Ammel, A. *see* Symons, J. 87−25225
Van Anh Do *see* Do Van Anh
van Antwerp, B. Electroless plating bath control 86−27710
van Antwerpen, G., Verbeek, P.W., Groen, F.C.A. Automatic counting of asbestos fibres 87−55330
van Antwerpen, G., Verbeek, P.W., Groen, F.C.A., ter Kuile, W.M., Drenth, L., Zandveld, P. Automatic recognition of asbestos and other mineral fibres 87−49644
van Ardenne, A. Receiver developments for the James Clerk Maxwell (sub)mm telescope 88−29012
van Ardenne, A., Bregman, J.D., Sondaar, L.H., Knoben, M.H.M. Compact dual-polarised coaxial feed at 327 MHz 85−2703
van Ardenne, A., van der Ree, L.J., Davies, S. Components for a small SIS mixer array at 350 GHz 88−32465
van Ardenne, A., Woestenburg, E.E.M., van der Ree, L.J. 350-GHz phase/frequency locked loop for use with a carcinotron backward wave oscillator 87−13811
Van Ark, W. *see* Matsumoto, T. 88−10543
Van Arsdall, P.J., Holloway, F.W., McGuigan, D.L., Shelton, R.T. Nova laser alignment control system 85−18998
Van Arsdall, P.J., Peeves, R.J. Image processing for automatic alignment in the Nova laser facility 87−39186
Van Arsdel, W.C. *see* Le, H.T. 85−38149
van As, H.R. Dynamic behavior of network access congestion control mechanisms 86−54627
van As, H.R. Transient analysis of Markovian queuing systems and its application to congestion-control modeling 87−13173
van Asbroeck, P., Nihoul, J., Casteels, F., Pelsmaekers, J. Contribution to the quantification of the development potential of high temperature alloys 86−33996
Van Assche, P.H.M. *see* Kaerts, E. 88−48037, 88−61204
Van Assche, W. Some results on the asymptotic distribution of the zeros of orthogonal polynomials 85−54357
Van Assche, W. Asymptotic properties of orthogonal polynomials from their recurrence formula. II 88−43826
Van Assche, W. *see* Geronimo, J.S. 86−62089
van Asselt, E.J. On M-functions and nonlinear relaxation methods 85−54387
van Asselt, E.J. *see* de Zeeuw, P.M. 85−33326
Van Asselt, W. *see* Reece, R.K. 88−54303
van Asselt, W.K., Dermois, O.C., Drentje, A.G., Schreuder, H.W. Axial injection of heavy ion beams from the ECR source at the KVI 85−64407
van Attekum, P. *see* de Werdt, R. 88−38533
van Audenhove, J. *see* Eykens, R. 85−59121
van Audenhove, J. *see* Spirlet, J.C. 85−59119, 85−59122
Van Ausdal, A.W. *see* Nagaki, J.A. 86−30401
Van Baak, D.A. *see* Kromminga, A.J. 88−67733
van Baal, J.B.J. Hardware/software FMEA applied to airplane safety 86−6037
Van Baalen, A. *see* May, D.P. 88−74722
van Baardewijk, J. An experimental all-in-one broadband switch 87−20357
van Baardewijk, J. An experimental all-in-one multiservice broadband switch 87−76473
Van Baardewijk, J. Multiservice hybrid broadband switch 88−21881
van Balkom, H.L.M., Soede, M. Linguistic efficient communication systems; consideration of feedback principles 88−52325
van Ballegooyen, E.C. Adaptive antenna array for communications: a computer simulation 85−7765
van Bavel, C.H.M. *see* Stroosnijder, L. 85−64719
van Bavel, M., Nawaz, A. High performance bit-mapped graphics with the video system controller 86−27370
van Beckum, F.P.H. *see* Hartmann, R.A. 88−39850
van Beckum, F.P.H. *see* Rem, P.C. 86−47985
Van Beek, A.C., Brander, W.D.S. Methods of controlling lighting energy−experiences in Wellington, NZ 87−79201
van Beek, F.M. *see* Straayer, A. 86−47389
van Beek, G. *see* Barth, M. 85−15245
Van Beek, G. *see* Daubie, E. 87−21467
Van Beek, G. *see* de Clerq, C. 86−32194
van Beek, H. *see* Allen, P.E. 85−39487
van Beek, H.W. ASIC design support [at TI] 87−102
van Beek, H.W. ASIC design support 87−5633
van Beek, H.W. ASIC design support 87−60621
Van Beek, L.J.A. *see* Van Craen, M.J.A. 85−34898
van Beek, L.K.H. Polymer chemistry in the electrical industry 86−34406
van Beijnhem, E.D., Hamels, D. Digital measuring methods in the progress of energy techniques. Measuring characteristic parameters of signal waveforms 86−19224
van Bemmel, J.H., Talmon, J.L. Pattern recognition in biological signals 86−25235
van Bemmel, J.H. *see* Kors, J.A. 86−38785
van Bemmel, J.H. *see* Talmon, J.L. 85−9211, 86−50566, 86−67371
Van Bemmel, J.H. *see* Willems, J.L. 86−11975, 88−23074
Van Berg, R. *see* Cutts, D. 87−14217
Van Berg, R. *see* Drake, G. 86−50432
van Bergem, D.R., Pols, L.C.W., Koopmans-van Beinum, F.J. Perceptual normalization of the vowels of a man and a child in various contexts 88−45983
van Berkel, C., Hughes, J.R., Powell, M.J. Dynamic characteristics of amorphous silicon thin film transistors 88−44770
Van Berkel, C., Powell, M.J. The photosensitivity of amorphous silicon thin film transistors 86−42435
van Berkel, C., Powell, M.J. Photo-field effect in amorphous silicon thin-film transistors 86−63320
van Berkel, C., Powell, M.J. Resolution of amorphous silicon thin-film transistor instability mechanisms using ambipolar transistors 88−1676
van Berkel, C. *see* Hepburn, A.R. 86−28344, 86−53663, 88−19995
van Berkel, C. *see* Powell, M.J. 88−7621, 88−26299
van Berkel, J. Modelling an adjustable nozzle for the cross flow turbine 88−43084
van Berkel, L.M. *see* van Willigen, D. 86−62791
Van Berkel, P. Notes by a film-maker [computerised sound and image synthesis] 87−27227
van Berlo, W.H. *see* Landgren, G. 88−64378
van Beurden, J.A.J. *see* Jentink, H.W. 88−16508
van Beusekom, J.G. Risks of energy interruptions 87−30150
van Beveren, M. Developments in land mobile telecommunications 86−37335
van Beynhem, R.H. *see* van der Woerd, A.C. 85−1199
Van Bibber, K. *see* Stokstad, R.G. 86−44578
Van Biesen, L. Fault detection on electric lines with the help of a digital treatment of a reflectogram 85−20003
van Biesen, L., Renneboog, J. Parameter identification using isolated estimators for ill defined systems in case of a minimum a priori knowledge 85−37397
van Biesen, L., Renneboog, J. 'Pecstrum'−a spectral detection algorithm of TDR purposes 86−24738
Van Biesen, L. *see* Bakx, P. 86−60141
Van Biesen, L. *see* Etienne, L. 86−25145
Van Biljon, L., Kuhn, G.J., van Schalkwyk, J.J.D., Oosthuizen, M.J. Low bit rate intraframe encoding of video signals 85−30214
Van Binst, P. Possible solutions for HEP networking in Europe 87−13430
Van Binst, P., Vandenbroucke, R. Experience in using the Belgian and international packet-switching networks 85−42304
Van Binst, P., Vandenbroucke, R. Wide-area networking for high energy physics in Brussels and Antwerp 87−13433
Van Binst, P. *see* Cohen, A. 88−28805
Van Bladel, J. Field singularities at metal-dielectric wedges 85−41546
Van Bladel, J. Field singularities at the tip of a dielectric cone 85−61410
Van Bladel, J. Radio waves and the International Union of Radio Science 87−54568
Van Bladel, J. Hierarchy of terms in a multipole expansion 88−45610
Van Bladel, J. Foucault currents in a conducting sphere moving with constant velocity 88−72496
Van Bladel, J., Desmedt, R. Field singularities at wedges and tips of cones 86−68721
Van Bladel, J.G. Motion of a conducting loop in a magnetic field 88−45640
Van Bladel, J.G. *see* De Smedt, R. 86−68693, 87−68686
Van Blaricum, M.L. *see* Wyss, J.C. 88−9960
van Blitterswijk, W., Smit, M.K. Index profile measurement of asymmetrical elliptical preforms or fibers 87−25956
van Blitterswijk, W. *see* Arnbak, J.C. 87−34349
Van Blois, J. *see* Luchsinger, V.P. 88−54817
Van Bochove, A.C., Jacobs, J.F., Nijnuis, H.T. Improved Raman-fibre pulse delay measurement system 85−35445
van Bochove, A.C. *see* Bekooij, J.P. 88−47149
van Boetzelaer, A.W.Baron *see* Baron van Boetzelaer, A.W.
Van Bogaert, G. *see* Van Den Broeck, H. 86−71053
van Bokhoven, W.M.G. On the synthesis of piecewise linear n-port networks 85−22622
van Bokhoven, W.M.G. A transparent level CMOS simulator 85−29344
Van Bommel, C.H. *see* Severin, P.J. 86−63634
van Bommel, P.J.M., Bonnie, J.H.M., Granneman, E.H.A., Massmann, P., Hopman, H.J. The formation of a negative hydrogen ion beam by surface conversion of a positive ion beam on cesiated tungsten surfaces 86−11827
Van Bommel, W.J.M., Tekelenburg, J. Visibility research for road lighting based on a dynamic situation 86−57024
van Bommel, W.J.M. *see* Caminada, J.F. 85−16413
van Bon, H. A new chemical vapour deposition (CVD) reactor from Deposition Systems Europe (DSE) 85−28237
Van Bon, H. Automation without mains voltage−Victron makes transformers and emergency supplies 86−58086
van Bon, H. Automatic signalling system commissioned in Brabant 88−28266
Van Bon Tran *see* Tran Van Bon
van Braam, W. *see* Dassen, W. 86−18379
Van Braam, W.P.S. *see* Dassen, W.R.M. 88−48151
Van Brederode, F.M. *see* Bell, L.B. 88−68362
Van Bree, R. *see* Parker, D.L. 87−63734
van Brink, D.J. Load and water management in the Bay of Plenty Electric Power Board [25 MW hydroelectric power station] 86−56659
Van Broekhoven, P. *see* Allinger, D. 88−3820
van Bruchem, D.J.J., Roubos, J.B., Schellingerhout, B. Implementation of the connection oriented network service on a LAN 88−41328
van Brug, H. *see* Gerritsen, H.C. 87−29691
Van Brummelen, P. *see* Chang, P.C. 88−61219
Van Brunt, L.B. Pulse-compression radar: ECM and ECCM 85−31089
Van Brunt, M., Hager, J. Snap-Shield termination system 88−38797
Van Brunt, M., Miller, J.S., Sr. Termination transfer impedance Z_{TT} 88−14413
Van Brunt, M. *see* Dixon, D.S. 88−12693
Van Brunt, M.K. Advanced current shunting device for shielded cable and conduit 87−26821
Van Brunt, M.K. *see* Hager, J.J. 87−26826
van Brunt, N.P. Hardware aids in logic simulation 85−17309
Van Brunt, N.P. Semi-custom technology and high performance simulation optimize design trade-offs 86−46717
Van Brunt, N.P. The critical issues of hardware accelerator application 86−66956
Van Brunt, R.J., Herron, J.T., Fenimore, C. Corona-induced decomposition of dielectric gases 88−39756
Van Brunt, R.J., Lazo, T.C., Anderson, W.E. Production rates for discharge generated SOF_2, SO_2F_2, and SO_2 in SF_6 and SF_6/H_2O mixtures 85−24013
Van Brunt, R.J. *see* Siddagangappa, M.C. 87−25675
Van Brunt, V. *see* Wu, J.-Y. 88−63161
van Brussel, H., Belien, H. A high resolution tactile sensor for part recognition 88−36077
Van Bruwaene, K. The evolution of teletext 87−76292
Van Buren, D. Fourier removal of stripe artifacts in IRAS images 88−8810
Van Buren, J.M. *see* Houdek, P.V. 85−59340
Van Buren, K. *see* Izadian, J. 88−71093
Van Buskirk, G.R. Exploiting the broadcast nature of satellites with IEEE protocols 87−69677
van Buskirk, M. *see* Gaw, H. 86−8251
van Buul, J.A.M. Surface mounted assembly of electronic components 85−34291
van Buul, J.A.M., Gnant, R.S. Advances in hybrid chip placement 88−12860
van Buul, J.A.M., Gnant, R.S. Assembly techniques for hybrid-circuit components 88−32695
Van Calster, A. Fabrication processes for the thin film transistor 86−2191
Van Calster, A., De Rycke, I., Vervaet, A., De Baets, J., Vanfleteren, J. A new technology for fast switching circuits on glass 88−1655

Van Calster, A., Vervaet, A., De Rycke, I., De Baets, J., Vanfleteren, J. Polycrystalline CdSe films for thin films transistors 88—32794
Van Calster, A. *see* Allaert, K. 85—61859, 86—58373
van Calster, A. *see* Demolder, S. 86—62854, 88—1285
Van Calster, A. *see* Vanfleteren, J. 85—23798, 86—31544
Van Camp, A.J., Bennett, L.J. The MEDLINE Update on closed-circuit television 88—22316
Van Camp, E. *see* Berkvens, P. 85—26547
Van Camp, E. *see* Ryckbosch, D. 85—64503
Van Campenhout, J. *see* Bonte, L. 86—61577
Van Cao Long *see* Cao Long Van
van Capelle, F.J.L. *see* de Bakker, J.M.T. 85—15335
Van Cleave, G.W. *see* Dobson, D.R. 85—37631
Van Cleynenbreugel, J. *see* De Man, H.J. 86—922
Van Compernolle, D. A computational model of the cochlea used with cochlea prosthesis patients 86—12040
Van Compernolle, D. Increased noise immunity in large vocabulary speech recognition with the aid of spectral subtraction 87—61718
Van Compernolle, D. *see* Averbuch, A. 87—61680
Van Cott, H.P. Task analysis: the method and its many uses [nuclear power stations] 86—45084
Van Cott, H.P. *see* Bauman, M.B. 86—45085, 87—9287, 88—30331
Van Craen, M., Frisson, L., Adams, F.C. SIMS study of the penetration of metallic secondary impurities in screen-printed silicon solar cells 85—44197
van Craen, M. *see* Beyne, E. 85—61604
Van Craen, M.J.A., Adams, F.C., Van Beek, L.J.A., Vanden Berghe, R.A.L. Surface- and microanalysis as a tool for studying the corrosion of aluminium 85—34898
Van Crombrugge, M., Thompson, W., Jr. Optimization of the transmitting characteristics of a Tonpilz-type transducer by proper choice of impedance matching layers 85—32042
Van Cutsem, T. Power system observability and related functions: derivation of appropriate strategies and algorithms 86—6201
Van Cutsem, T., Quintana, V.H. Network parameter estimation using online data with application to transformer tap position estimation 88—23322
Van Cutsem, T., Ribbens-Pavella, M. Structure preserving direct methods for transient stability analysis of power systems 86—56312
Van Cutsem, T. *see* Mili, L. 85—21111, 86—18641, 87—64035
Van Cutsem, T. *see* Quintana, V.H. 88—23995
Van Cutsem, T. *see* Toumi, B. 86—56369, 86—61002
van Cutsem, T. *see* Wehenkel, L. 87—57501
Van Cutsem, Th., Mili, L., Vandeloise, Ph. Design and implementation of an advanced state estimation software 87—71608
Van Cutsem, Th., Toumi, B., Xue, Y., Ribbens-Pavella, M. Direct criteria for structure preserving models of electric power systems 87—71501
Van Cutsem, Th. *see* Mallieu, D. 87—71508
Van Cutsem, Th. *see* Rousseaux, P. 86—12306, 88—23414
Van Cutsem, Th. *see* Xue, Y. 88—36778
van Daal, A.J.W. A digital circuit switch for tactical military applications 85—8271
Van Daal, A.J.W. DELTACS—A military telecommunication system 86—30219
van Daal, A.J.W., Elferink, J., Hoogeveen, J., Swopes, L. ATS-90—a hybrid military telecommunication system 88—21882
van Daal, A.J.W., Swopes, L., Lienard, J.C. MILPACS—a militarized packet switching system 88—21517
Van Daal, H.J. *see* Vijgen, L.J. 88—13062
Van Daele, K. *see* Demolder, S. 88—1285
van Daele, M. *see* Dirksen, R. 87—71148
Van Daele, N. *see* Battaille, J.P. 88—17742
Van Daele, P. *see* Clauwaert, F. 87—60650
Van Daele, P. *see* Demeester, P. 88—43872, 88—56265
Van Daele, P. *see* Stevens, J. 87—74946
van Dalen, A. *see* Oomen, J. 86—11930
Van Dalen, G.J. *see* Chen Chao-qing 85—48179
van Dam, H. Developments in reactor physics 87—71880
van Dam, H. *see* Hoogenboom, J.E. 87—57847
van Dam, M.J.M. *see* Tuinman, E. 85—41084
van Dam, R.T. *see* Herings, A. 86—5963
van Dam, R.T. *see* Uijen, G.J.H. 85—9217, 85—53072
Van Dam, R.T., Van Oosterom, A. *(editor)* Electrocardiographic Body Surface Mapping. Proceedings of the Third International Symposium on Body Surface Mapping 87—23027
Van Damme, C. *see* Sansen, W. 86—50031
Van Damme, M., Thomas, P. The current inverter in asynchronous electrical traction 88—37282
van Damme, P., Verploegen, J. Reliable and integer networks in control system 88—252
van Damme, S., Slemeyer, A., Wendt, K. Microprocessor controlled gas analyzers for industrial applications 88—60950
Van Dantzig, R., Ten Kate, P.U., Kok, E., Kwakkel, E., Peek, H.Z., Steijger, J., Visschers, J.L. Flow data acquisition with fast digitizers 88—23000
van de Berg, J.W. *see* McKenney, J.C. 85—26335
Van De Bogart, W. Information science—networking and telecommunications 86—10669
van de Brink, A.M. *see* Barkhuijsen, H. 87—47843
Van de Capelle, A., Beyne, E., Shiltz, L. Experimental study of the microstrip backfire antenna 85—46643
Van de Capelle, A., Dewachtere, J., Vandenbosch, G. Antenna circular polarization deterioration caused by feeder errors and the crosspolar components of the radiation field 87—19318
Van de Capelle, A., Dewachtere, J., Vandenbosch, G. Tolerance analysis of circularly polarised microstrip antennas 88—34458
Van de Capelle, A. *see* Dewachtere, J. 88—8612
Van de Capelle, A. *see* Nauwelaers, B. 85—41751, 87—75490, 88—8611
Van de Capelle, A. *see* Pues, H. 85—13219
Van de Capelle, A. *see* Van Lil, E. 85—13395, 86—68854
Van de Capelle, A. *see* Vandenbosch, G. 87—47377
Van De Capelle, A.R. Development of an antenna for the reception of direct broadcasting satellites 88—28811
van de Capelle, A.R. *see* Pues, H.F. 85—6505
Van de Capelle, A.R. *see* Van Lil, E.H. 85—7710
Van de Capelle, A.R. *see* Van Troyen, D.L.R. 88—40576
Van de Capelle, J. *see* Vankwikelberge, P. 87—68459
Van de Capelle, J.-P., Fache, N., Vankwikelberge, P., Baets, R., Lagasse, P.E. Analysis of coupled active waveguides: comparison of different modeling techniques 88—20658
Van de Capelle, J.-P. *see* Baets, R. 88—65657
van de Capelle, J.P., Baets, R., Lagasse, P.E. Self-consistent analysis of waveguiding in phase-locked array lasers 86—9880
Van de Capelle, J.P., Baets, R., Lagasse, P.E. Self-consistent multilongitudinal-mode model for cleaved-coupled-cavity semiconductor lasers 86—48396
van de Capelle, J.P., Baets, R., Lagasse, P.E. Multilongitudinal-mode model for cleaved coupled-cavity lasers 87—33226
Van de Capelle, J.P., Baets, R., Lagasse, P.E. Multilongitudinal-mode model for cleaved coupled cavity lasers. II. Numerical results and discussion 87—68547
Van de Capelle, J.P., Vankwikelberge, P., Baets, R. Lateral current spreading in DH-lasers above threshold 86—42544
Van de Capelle, J.P. *see* Baets, R. 85—62591
Van de Capelle, J.P. *see* Verbeek, B.H. 87—7349
van de Enden, A.M.W., Verhoeckx, N.A.M. Digital signal processing: theoretical foundations. II. Discrete systems 86—69035
van de Geijn, J. *see* Glatstein, E. 85—48242
van de Geijn, J. *see* Miller, R.W. 87—57216
van de Goor, A.J., Nanninga, G.J. Speech synthesis system with unlimited vocabulary for the Dutch language 88—72782
Van de Goor, A.J. *see* Peelen, T.A. 88—12372
van de Graaf, J. *see* Chaum, D. 88—40827
van de Griek, J. *see* Kobisch, W. 86—65219
van de Griend, A.A., O'Neill, P.E. Discrimination of soil hydraulic properties by combined thermal infrared and microwave remote sensing 87—57401
van de Grift, R., Rutten, I.W.J.M., van der Veen, M. An 8-bit video ADC incorporating folding and interpolation techniques 88—19220
van de Grift, R. *see* Rutten, I. 87—44979
van de Grift, R.E.J., van der Veen, M. A high-performance 8-bit video A/D converter 87—24284
van de Grift, R.E.J., van der Veen, M. An 8 b 50 MHz video ADC with folding and interpolation techniques 87—59662
Van De Kamp, D. *see* Strauch, R.G. 85—26897
van de Kamp, M.M.J.L. *see* Herben, M.H.A.J. 88—52287
van de Kerkhof, F. *see* Nillesen, T. 85—37261
van de Klundert, J.M. *see* van Overbeeke, F. 86—51728
van de Klundert, L.J.M., Dijkstra, D. On the design of magnets of prescribed field shape 85—41083
van de Klundert, L.J.M., Hartmann, R.A., Knoopers, H.G., Nijhuis, A., Oldenburger, A.A. An experiment on interstrand coupling currents in soldered cables 88—65113
van de Klundert, L.J.M. *see* de Reuver, J.L. 85—56144, 86—53910
van de Klundert, L.J.M. *see* Hartmann, R.A. 87—46412, 88—39850
van de Klundert, L.J.M. *see* Knoopers, H.G. 86—47977
van de Klundert, L.J.M. *see* Mulder, G.B.J. 86—27669, 86—53911, 87—38713, 87—67991, 88—49068, 88—65110
van de Klundert, L.J.M. *see* Rem, P.C. 86—47985
van de Klundert, L.J.M. *see* Roovers, A.J.M. 87—46411, 88—68009
van de Klundert, L.J.M. *see* Sikkenga, J. 86—27065, 86—48069
van de Klundert, L.J.M. *see* Spoorenberg, C.J.G. 85—35367
van de Klundert, L.J.M. *see* ten Kate, H.H.J. 85—47965, 85—62224, 86—47989, 86—48029, 87—42486, 87—67963, 88—48584, 88—68104
van de Klundert, L.J.M. *see* Tuinman, E. 85—41084
van de Klundert, L.J.M. *see* van Overbeeke, F. 85—62225, 86—26092, 87—46427, 87—77347
van de Klundert, L.J.M. *see* Zeyen, C.M.E. 88—68307
van de Klundert, L.J.N. *see* Hartmann, R.A. 87—71700
van de Laar, A.M.F.J. *see* Wolzak, G.G. 87—42481
Van De Laar, F.A.M. *see* Bergmans, J.W.M. 88—27940
van de Lagemaat, D., Bleeker, H. Testing a board with boundary scan 88—21837
van de Lagemaat, D. *see* Bleeker, H. 87—24603
van de Lagemaat, J., Daemen, J.M.A., Niemegeers, I.G. Voice transmission in a priority CSMA/CD LAN: an efficient protocol using hybrid switching 87—20195
van de Leur, R.H.M., Schellingerhout, A.J.G., Mooij, J.E., Tuinstra, F. Mass-spectrometer-controlled fabrication of Si/Ge superlattices 88—38135
van de Liefvoort, A., Lipsky, L. A matrix-algebraic solution to two K_m servers in a loop 86—52338
van de Lundert, L.J.M. *see* ten Kate, H.H.J. 85—53768
van de Lundert, L.M. *see* van Overbeeke, F. 85—49001
Van de Merwe, W.P., Conner, P.W., Sliney, D.H. Optical hazard evaluation of laser energy transmitted through pinholes in eye protective filters 86—18390
van de Meulebroeke, F., Stubbe, M., Vanderheeren, J., de Buck, F., Tomasi, J. Stabilisation of synchronous alternators by means of feedback of active power 87—15698
van de Meulebroeke, F. *see* Schatzmann, G. 86—70816
Van de Plassche, R., Baltus, P. The design of an 8-bit folding analog-to-digital converter 88—50224
van de Poel, R. *see* Hilsum, C. 86—50151
Van de Pol, D. *see* Remmerie, G. 85—62116
Van de Pol, H.D. *see* Van Meerten, J.A. 87—43987, 87—60023
van de Polder, L.J., Parker, D.W., Roos, J. Evolution of television receivers from analog to digital 85—52497
van de Polder, L.J. *see* Esser, L.J.M. 87—14194
van de Polder, L.J. *see* Greebe, C.A.A.J. 85—20353, 85—37227
van de Polder, L.J. *see* Parker, D.W. 85—3673, 86—17573
van de Roer, T.G. Gigabit electronics, what, why and how? 85—54844
van de Sandt, C.H.C., Hofman, W.J. User requirements for Open System Inconnection (OSI) 86—16951
van de Snepscheut, J.L.A. *see* Seitz, C.L. 86—8090
van de Stadt, H. Optimum location of the wobble axis of secondary mirrors in Cassegrain-type telescopes 85—13211
van de Stadt, H. *see* de Graauw, Th. 87—17337
van de Steeg, M.J.H., Peek, H.L., Bakker, J.G.C., Pals, J.A., Dillen, B.G.M.H., Oppers, J.M.A.M. A frame-transfer CCD color imager with vertical antiblooming 86—5040
van de Steeg, M.J.H. *see* Collet, M.G. 87—20920
van de Vaart, H. *see* Hou, J. 88—57887
Van de Velde, J.-C. *see* Leroy, Y. 85—43318, 87—41626
Van De Velde, J.C. *see* Bellarbi, L. 85—15311
Van de Velde, J.C. *see* Bocquet, B. 86—31694, 88—54542, 88—61313
Van De Velde, J.C. *see* Constant, E. 86—41350
Van De Velde, J.C. *see* Leroy, Y. 88—16692
Van De Velde, J.C. *see* Mamouni, A. 86—56118, 87—63765, 88—36468, 88—68392
van de Velde, K., Thienpont, H., van Geen, R. Extending the effective index method for arbitrarily shaped inhomogeneous optical waveguides 88—72109
Van De Ven, A.A.F., Couwenberg, M.J.H. Magnetoelastic stability of a superconducting ring in its own field 87—12079
van de Ven, E.P., Martin, R.S., Berman, M.J. High rate PECVD to reduce hillock growth in aluminum interconnects 87—67169
van de Ven, E.P. *see* Chin, B.L. 88—44679
van de Ven, H.H. *see* Driessen, F.P.G. 88—34193
van de Ven, J., Lourens, A.F., Weyher, J.L., Giling, L.J. Defect-selective etching of GaAs in CrO_3-HCl solutions 87—45780

van de Ven, J., Rutten, G.M.J., Raaijmakers, M.J., Giling, L.J. Gas phase depletion and flow dynamics in horizontal MOCVD reactors 87−10487

van de Ven, J., Schoot, H.G., Gilling, L.J. Influence of growth parameters on the incorporation of residual impurities in GaAs grown by metalorganic chemical vapor deposition 87−1189

van de Ven, J., van den Meerakker, J.E.A.M., Kelly, J.J. The mechanism of GaAs etching in CrO_3-HF solutions. I. Experimental results 86−28199

van de Ven, J., Weyher, J.L., Ikink, H., Giling, L.J. Crystallographic defects in (001) GaAs epitaxial layers grown by MOCVD 87−53183

van de Ven, J. *see* Kelly, J.J. 86−28200

van de Ven, J. *see* Weyher, J.L. 88−18054, 88−38158

Van de Ven, J.C.J. *see* Van Meerten, J.A. 87−43987, 87−60023

van de Venne, J.L.M. *see* van Sprang, H.A. 86−5429

van de Venne, T. Status of APWR development program 86−70787

Van de Voorde, E. *see* Blauwens, G. 85−59407

van de Voorde, N., Hennart, D. High-temperature slagging incineration 87−43721

Van de Voorde, P. *see* Sansen, W. 88−36516

Van de Voorde, P. *see* Verrydt, W. 88−5015

Van de Voorde, P.L.D. *see* Aubert, A.E. 87−50426

Van de Voort, A.T.A.M. *see* Kitzen, W.J.W. 88−35735

van de Vorst, A.C.A. *see* Liu, K.H. 88−28812

Van De Vyver, R. *see* Berkvens, P. 85−26547

Van De Vyver, R. *see* Ryckbosch, D. 85−64503

Van de Walle, C.G., Martin, R.M. Theoretical calculations of semiconductor heterojunction discontinuities 87−1257

Van de Walle, C.G., Martin, R.M. Band offsets at interface between HgTe, CdTe, and InSb 88−19685

van de Walle, G.F.A., Gerritsen, J.W., van Kempen, H., Wyder, P. High-stability scanning tunneling microscope 85−64291

van de Walle, G.F.A., van Kempen, H., Wyder, P., Davidsson, P. Scanning tunneling microscopy on photoconductive semi-insulating GaAs 87−26154

van de Walle, G.F.A. *see* van Kempen, H. 87−11317

van de Water, A.J. *see* Lisser, J. 86−12528

van de Water, C.J. *see* Ykema, Th. 87−15173

Van de Water, J.M. *see* Lee, F.K. 88−10394

van de Waterlaat, A.C.J.G. *see* Hovens, P.J.M. 86−11259

Van De Weghe, H. *see* Van Simaeys, F.C. 86−47805

van de Weghe, R.M. *see* Vytopil, J. 86−37506

Van De Wiele, F. On the flat-band voltage of MOS structures on nonuniformly doped substrates 85−18182

van de Wiele, F. *see* Boumaour, M. 85−10101

van de Wiele, F. *see* Coppee, J.-L. 88−39719

Van de Wiele, F. *see* Flandre, D. 88−57011

Van de Wiele, F. *see* Gloesener, D. 88−26103, 88−71455

van de Wiele, F. *see* Palm, E. 85−50515, 86−21477

Van de Wiele, F. *see* Terao, A. 88−13472

Van de Wiele, F. *see* Verlinden, P. 85−44195, 87−4898, 88−18041, 88−37449

van de Wiele, F. *see* Yernaux, M.I. 85−10109

van de Wijgert, W.M. *see* Kuiper, A.E.T. 85−50456

van de Wouw, T. Understanding high voltage transistor data as an aid to circuit design 85−34944

van de Wouw, T. A 100 kHz SMPS using an emitter driven Darlington transistor 87−51370

van de Wouw, T. Drive considerations on generation III devices 88−12218

van de Wouw, T. Quality control of Philips high voltage transistors 88−13298

van de Wouw, T. Darlingtons for high power systems 88−71531

Van de Wouw, T. Design aids for higher frequency switching using Generation III bipolars 88−71536

van de Wouw, T. *see* Goddard, T. 88−69744

van Deen, J. *see* Sedney, M.I. 86−38800

van Deen, J.K., Sedney, M.I. Lead diagnostics during follow-up 86−38830

van Deen, J.K. *see* Sedney, M.I. 86−38831

Van Degrift, C.T. The use of tunnel diode oscillators as high precision transducers from 0.02K to room temperature 85−42987

Van Degrift, C.T. The helium melting curve and the linkage of fundamental constants, pressure, density, and mass 85−64332

Van Degrift, C.T., Bowers, W.J., Jr. A progress report on the development of a small high precision pressure/temperature sensor for use at low temperatures 85−42988

Van Degrift, C.T. *see* Cage, M.E. 87−14464, 88−16415

Van Delden, A. Microprocessor logic analysers for tabular and waveform display 85−701

van Delft, A., van Gasteren, E.M. The reliability of PRX/A telecommunication software 88−35318

van Delft, D.R.V., van Leeuwen, J.L., Noordhoek, C., Stolle, P. Fatigue testing of a full scale rotor blade of the WPS-30 wind turbine 88−48830

Van Dell, W.R. SEMINET: power circuit analysis including numerical semiconductor device models 86−7906

Van Dell, W.R. Computer aided engineering for integrated power systems 88−17091

Van Dell, W.R., Kyle, W.K. SEMINET: further advances in integrated device/circuit simulation for power electronics 88−70525

Van Dell, W.R. *see* Tong, D.W. 86−63180

Van Dell, W.R. *see* Yilmaz, H. 85−50574, 86−15160, 86−21514, 86−21587, 86−41843, 86−67861, 87−38218

van den Akker, T.J. *see* Koeleman, A.S.M. 85−36278, 85−48295

van den Andel, J. *see* Stockman, A. 88−18817

van den Assem, R., van Elk, W.J. A chosen-plaintext attack on the Microsoft BASIC protection 86−43142

Van Den Audenaerde, G. *see* Van Ginderdeuren, J. 87−17266

Van den Audenaerde, G.R.J. *see* Van Ginderdeuren, J.K.J. 87−17239

Van den Berg, A., Bergveld, P., Reinhoudt, D.N., Sudholter, E.J.R. Sensitivity control of ISFETs by chemical surface modification 86−31405

Van den Berg, A.J. Holography as a practical exercise 88−58728

van den Berg, A.J., Klostermann, L., van der Steen, A.F.W. Holographic interferometry 88−58726

Van den Berg, B. Closed loop inspection of sculptured surfaces in a computer integrated environment 88−70154

van den Berg, B. *see* Stam, H. 87−77600

van den Berg, B.P. Fourier transforms can simplify circuit analysis 87−59067

van den Berg, C. *see* van der Wal, L.F. 87−42258

van den Berg, E. New technologies and the training of operators. A study of content of and instructional strategy for a training program 88−11669

van den Berg, F.L. An Earth station for the EUTELSAT multi-service system 85−47473

van den Berg, H.A.M. A selfconsistent domain theory in ideally soft-magnetic media 85−24076

van den Berg, J.A. *see* Brown, A. 87−11671

Van Den Berg, J.A. *see* Khamsehpour, B. 86−53380

van den Berg, M., Paulsen, A., Berthelot, C., Babeliowsky, T. The feasibility of electromagnetic actinide isotope separation in the European Community 85−59116

van den Berg, M.C. *see* Seevinck, E. 87−24390

van den Berg, M.G.C. Conurbation area networks and teleports: a step towards broadband ISDN 87−2791

van den Berg, M.G.C. The evolution of the Dutch telephone network−steps towards broadband ISDN 87−62540

van den Berg, P.M. Iterative computational techniques in scattering based upon the integrated square error criticism 85−13065

van den Berg, P.M. Iterative schemes based on the minimization of the error in field problems 86−59008

van den Berg, P.M., Ghijsen, W.J. A spectral iterative technique with Gram-Schmidt orthogonalization 88−38105

van den Berg, P.M., Ghijsen, W.J., Venema, A. The electric-field problem of an interdigital transducer in a multilayered structure [SAW device] 85−35276

van den Berg, P.M. *see* de Hoop, A.T. 85−7572

van den Berg, P.M. *see* Ghijsen, W.J. 86−2526, 86−63521, 87−6976, 87−74489

van den Berg, P.M. *see* van Putten, M.H.P.M. 87−8941

van den Berg, R., Mooi, B., Denier van der Gon, J.J., Gielen, C.C.A.M., van der Meulen, J.H.P. Equipment for the quantification of motor performance for clinical purposes 87−57061

van den Berg, R.J.H. The effect of varying voice and noise parameters on the perception of voicing in Dutch two-obstruent sequences 87−19436

van den Berg, W., Bouwer, H.K. Low cost, high speed videography 88−15834

van den Berg, W.H., Homs, M.H., Hoff, A.B.M. Development of an electromagnetic acoustic transducer for inspecting the wall thickness of offshore risers from the inside 88−23205

van den Berge, F.N.J. Hybrid heating elements 88−19565

van den Bergh, H. *see* Braichotte, D. 86−7852, 87−65571, 88−19727

van den Bergh, H. *see* Garrido-Suarez, C. 88−71343

van den Bergh, H.H. *see* Gurol, H. 88−69460

van den Bergh, M. 2-MHz phase synthesizer brings NBS accuracy to engineer's test bench 85−43009

van den Bergh, M. 2 MHz phase synthesiser 87−49774

van den Bergh, M. *see* Dhillon, P. 88−60594

Van den Berghe, H. *see* Wambacq, P. 85−30321, 85−30336

van den Berghe, L.M.O., van Meirhaeghe, R.L., Laflere, W.H., Cardon, F. Defects introduced in InP by mechanical polishing and studied by means of Au- and Al-p-InP Schottky barriers 87−17966

Van Den Biesen, J.J.H. p-n junction capacitances. I. The depletion capacitance 86−8852

Van Den Biesen, J.J.H. p-n junction capacitances. II. The neutral capacitance 86−8853

van den Biesen, J.J.H. A simple regional analysis of transit times in bipolar transistors 86−53603

van den Bogert, W., Belton, D., Molter, M., Soane, D., Biernath, R. Thermal stress in semiconductor encapsulating materials 88−24583

van den Boog, P., Groenendaal, G.C. The HCS 400 communication terminal 85−36689

van den Boom, A. Signal processing, fields and software 88−27935

van den Boom, H. An interactive videotex system for two-way CATV networks 87−27961

van den Born, R. *see* Stok, L. 87−31653

van den Bos, A. Physical model fitting−the choice of criterion of goodness of fit 85−37391

van den Bos, A. Variance and bias of the normalized relay correlation estimator 85−44595

van den Bos, A. A new method for synthesis of low-peak-factor signals 87−33685

van den Bos, A., Eykhoff, P. Model building and parameter estimation as means for intelligent measurement 87−3399

Van den Bosch, A. *see* Cornelis, J. 86−47980, 87−67935

Van den Bosch, A. *see* Maene, N. 86−28764

van den Bosch, M.J. *see* Verhage, A.J.L. 86−51070

van den Bosch, P.P.J. Optimal dynamic dispatch owing to spinning-reserve and power-rate limits 86−33070

van den Bosch, P.P.J. Optimal static dispatch with linear, quadratic and nonlinear functions of the fuel costs 86−33071

van den Bosch, P.P.J. Short-term optimization of large-scale thermal power systems 88−23369

van den Bosch, P.P.J., Geels, D. An accurate navigation system for a laboratory aircraft 85−15376

van den Bosch, P.P.J., Honderd, G. A solution of the unit commitment problem via decomposition and dynamic programming [power systems] 85−59538

Van Den Bosch, P.P.J., Lootsma, F.A. Scheduling of power generation via large-scale nonlinear optimization 88−17068

van den Bosch, P.P.J. *see* Hondered, G. 87−71964

Van den Bossche, A. *see* Sansen, W. 88−36516

van den Bossche, A. *see* Verrydt, W. 88−5015

Van den Bossche, A.H. *see* Aubert, A.E. 87−50426

Van den Bossche, A.P., Melkebeek, J.A. Induction machine SCR voltage reduction: optimized control and dynamic modelling 86−6756

Van den Bossche, J. *see* Sansen, W. 88−36516

van den Bossche, J. *see* Verrydt, W. 88−5015

Van den Bossche, J.L. *see* Aubert, A.E. 87−50426

Van den Bossche, K. *see* Dorikens, M. 87−17180

van den Bossche, M. *see* Sevenhans, D. 88−16181

Van den Bout, D.E. Axe: a language for the simulation of digital hardware [VLSI simulation] 87−37110

Van den Bout, D.E., Miller, T.K., III, Harry, B. Axe: a language for the simulation of digital hardware 88−12287

Van den Bout, D.E. *see* Miller, T.K., III 87−44920

van den Braak, P.A.B.M.Coebergh *see* Coebergh van den Braak, P.A.B.M.

Van Den Brand, J.F.J., Kaan, A.P. A low-mass vacuum exit foil for high energy electrons and hadrons 88−48040

Van den Brande, F. *see* Chalet, A. 87−40595

Van Den Brekel, C.H.J. *see* Robinson, Mc.D. *(editor)* 85−10345

Van Den Brink, A. *see* Meijer, R.J. 87−63628, 88−29828

van den Brink, A. *see* van Engelen, C.P.M. 85−26701

van den Brink, M.A., Wittekoek, S., Linders, H.F.D., van Hout, F.J., George, R.A. Performance of a wafer stepper with automatic intra-die registration correction 88−1586

van den Brink, M.A. *see* van Hout, F.J. 88−20052

Van den Brink, R.F.M. Optical receiver with third-order capacitive current-current feedback 88−67356

van den Brink, T.D.J. *see* Padmos, P. 88−62699

Van den Broeck, H. Electrochemical storage: batteries and fuel cells 86−66316

Van Den Broeck, H., Adriaensen, L., Alfenaar, M., Beekman, A., Blanchart, A., Van Bogaert, G., Vanneste, G. Status of ELENCO's alkaline fuel cell development 86−71053

van den Broek, A.J.M., Legierse, P.E.J. Influence of the hardness of photopolymerizable coatings on the image quality of LaserVision video discs made by the 2P process 85—3742
van den Broek, E.J. *see* Horstman, R.E. 86—47366
van den Broek, H. Visual inspection of invisible electronics—new possibilities of X-ray diagnosis 85—49358
Van Den Broek, J. Power plasma torch: first industrial applications 87—79238
van den Broek, M.H.L.M. Simulation of 3D electron beams 86—3453
van den Broek, M.H.L.M. Aberrations in diverging electron beams caused by an inhomogeneous current density 86—53288
van den Broek, M.H.L.M. Calculation of the radius of the emitting area and the current in triode electron guns 86—67614
van den Broek, M.H.L.M. Experimental emittance diagrams of triode electron guns 86—67615
van den Broek, M.H.L.M. Electron-optical simulation of rotationally symmetric triode electron guns 87—24670
van den Broek, M.H.L.M. *see* van Gorkum, A.A. 86—8684
van den Buys, S., van Keulen, C. Flexible competition by involving man and machine—production automation in Japan and Taiwan 87—43929
van den Dool, F. Synchronization aspects of ATD-IBC networks 87—76180
van den Dool, G.B. Static no-break systems [power supply systems] 87—30147
Van Den Driessche, M., Maige, P. TV power processor IC master slave concept 86—11261
van den Driessche, M., Maige, P., Gallen, S. Power processor with TV 87—10656
van den Eede, L. *see* Vorstermans, J. 87—2583
van den Eijkel, D.A. Measurement of harmonics and unbalance 86—12526
Van den Eijnde, E., Schoukens, J., Reeneboog, J. Parameter estimation in rational Volterra models 87—65774
Van den Eijnde, E., Schoukens, J., Renneboog, J. Describing saturating systems using Volterra theory 87—31735
van den Eijnde, E. *see* Schoukens, J. 88—14727
van den Eijnden, P.M.C.M. Course on field programmable logic 86—8169
van den Eijnden, P.M.C.M. *see* Jochems, J.C. 85—40029
van den Eijnden, W.M.M.M. *see* Kwaaitaal, T. 87—46271
van den Elzen, J.C. *see* Hovens, P.J.M. 86—11259
van den Enden, A.W.M., Verhoeckx, N.A.M. Digital signal processing: theoretical background 86—23057
van den Enden, A.W.M., Verhoeckx, N.A.M. Digital signal processing: theoretical background. III. Discrete filters 87—889
van den Enden, A.W.M., Verhoeckx, N.A.M. Digital signal processing: theoretical basics. IV. Practical aspects of digital systems 87—27368
Van den Hamer, P., Montie, E.A., Meijer, P.B.L. Self-aligning resist techniques for shadow evaporation of a superconducting three-terminal device 86—22047
van den Heijkant, J.A.M. *see* Schaake, R.C.F. 87—46350
van den Heuvel, A.P., Khory, N.F. A rational basis for setting burn-in yield criteria 85—39540
van den Heuvel, A.P., Khory, N.F. A basis for setting burn-in yield criteria 85—60741
van den Heuvel, A.P. *see* Kotzin, M.D. 87—3204
van den Heuvel, F.C. Striations in a gas discharge 88—64821
van den Heuvel, J.C. *see* van Oort, R.C. 87—74196, 88—12084, 88—24779
van den Heuvel, J.C. *see* Wentinck, H.M. 88—12996
van den Heuvel, M.R. Technical possibilities and options in load management 86—70580
van den Heuvel, T.L. An investigation into the consumption of electric boilers 86—66486
van den Heuvel, W.M.C. *see* Berneryd, S. 86—6825
van den Heuvel, W.M.C. *see* Ramakrishnan, S. 86—14620, 87—66663
van den Heuvel, W.M.C. *see* Kalasek, V.K.I. *(editor)* 87—65090
van den Hoek, W.G.M. Characterization of plasma-enhanced chemical vapour deposition of silicon-oxynitride 87—16695
Van den Hoek, W.G.M. The etch mechanism for Al$_2$O$_3$ in fluorine and chlorine based RF dry etch plasmas 87—18006
van den Hoek, W.G.M., de Vries, C.A.M., Heijman, M.G.J. Power loss mechanisms in radio frequency dry etching systems 87—67104
Van den Hoek, W.G.M. *see* Broadbent, E.K. 88—64429
van den Hoek, W.G.M. *see* de Vries, C.A.M. 86—2037
Van den Hoek, W.G.M. *see* van Roosmalen, A.J. 85—62128
van den Honert, C., Stypulkowski, P. Coding of electrical stimuli on the VIIIth nerve 87—63838
Van den hove, L., Wolters, R., Maex, K., De Keersmaecker, R., Declerck, G. A self-aligned cobalt silicide technology using rapid thermal processing 87—24928
Van den Hove, L., Wolters, R., Maex, K., De Keersmaecker, R., Declerck, G. The use of CoSi$_2$ as compared to TiSi$_2$ for a self-aligned silicide technology 88—7522
Van den hove, L., Wolters, R., Maex, K., De Keersmaecker, R., Declerck, G. Comparison of self-aligned silicide technologies based on CoSi$_2$ and TiSi$_2$ 88—25974
Van den Hove, L., Wolters, R., Maex, K., De Keersmaecker, R.F., Declerck, G.J. A self-aligned CoSi$_2$ interconnection and contact technology for VLSI applications 87—45816
van den Hove, L. *see* Affolter, K.B. 87—67152
Van den Hove, L. *see* Declerck, G.J. 86—5308
Van Den Hove, L. *see* Maex, K. 86—63204, 88—71342
Van den hove, L. *see* Saks, N.S. 87—6719
Van Den Hove, L. *see* Tong Lee, S. 88—44707
Van den Hove, L. *see* Wolters, R. 88—71463
van den Hoven van Genderen, R. Effects of the American Chips Protection Act 87—25402
van den Hoven van Genderen, R., de Graaf, F. Protection of semiconductor chip products in America 85—60703
Van den Huevel, W.M.C., Papadias, B.C. Interaction between phases in three-phase reactor switching. II. Ungrounded reactors 87—72172
van den Linden, H.A. *see* Oei, Y.S. 86—52483
van den Meerakker, J.E.A.M. *see* Kelly, J.J. 86—28200, 88—64421
van den Meerakker, J.E.A.M. *see* van de Ven, J. 86—28199
van den Oever, R. VCXOs: a range of ultra-compact voltage-controlled quartz-crystal oscillators 87—65910
van den Plas, R.J.Q. *see* Brabham, D.E. 88—62743
van den Steen, I.L. The applicability of electromagnetic communication in the control of underwater systems used to produce oil and gas 87—55984
Van Den Vlekkert, H.-H., Kloeck, B., Prongue, D., Berthoud, J., Hu, B., De Rooij, N.F., Gilli, E., De Crousaz, P. A pH-ISFET and an integrated pH-pressure sensor with back-side contacts 88—48093
Van Denhaute, E. *see* Unser, M. 88—74834
van der Akker, T.J. *see* Rompelman, O. 86—50564
Van der Auweraer, H., Snoeys, R. FFT implementation alternatives in advanced measurement systems 87—41436
van der Auweraer, H., Vanherck, P., Snoeys, R. A programmable function generator for dynamic analysis testing 87—49778
Van der Auweraer, H. *see* Leuridan, J. 87—55211
Van der Auweraer, H.D., Vanherck, P., Snoeys, R. Design of multiple input/output modal analysis instrumentation 88—22429
van der Bel, M. Light-reflecting and branching switches 87—1040
van der Biesen, J.J.H., Toyabe, T. Comparison of methods to calculate capacitances and cutoff frequencies from DC and AC simulations on bipolar devices 88—71521
Van der Biest, O. *see* Krockel, H. *(editor)* 85—10339
van der Biezen, J. *see* de Graauw, Th. 87—17337
van der Bijl, L.T., Timmers, P.H.A. The application environment of the P9X00 87—76361
van der Bijl, W., van Doorne, C.J., Groen, H.B. Datafoon—an ISDN-orientated personal computer 85—13749
van der Borst, A.J.C. *see* Robertson, J.M. 87—38663
van der Bosch, P.P.J., Honderd, G. Actual spinning reserve improves reliability of power production 86—12539
van der Brink, M.A., Linders, H.F.D., Wittekoek, S. Direct-referencing automatic two-points reticle-to-wafer alignment using a projection column servo system 87—11545
van der Brink, R. *see* Beuwer, W. 88—73648
van der Broeck, H. The effect of pulse width modulation with high switching frequency on the harmonic effects in an induction machine fed from a voltage fed inverter. I. Fundamental considerations and single phase calculations 85—48953
van der Broeck, H. The effect of pulse width modulation with high switching frequency on the harmonic effects in an induction machine fed from a voltage fed inverter. II. Three phase calculations 85—48954
van der Broeck, H. Investigations on the harmonic behaviour of a four quadrant controller with high switching frequency 86—56831
Van der Broeck, H. Test circuit for high-output pulse-inverters 88—24036
van der Broeck, H., Bendien, J.C., Skudelny, H.-C. Test circuits for high power choppers 88—69591
van der Broeck, H., Dmowski, A. Realisation of an alternating-voltage regulator by means of a three-phase voltage fed inverter 88—30794
van der Broeck, H., Skujdelny, H.-C. Analytical calculation on the harmonic effects of a three phase induction machine fed by a two phase voltage fed inverter using pulse width modulation with high switching frequency 87—22342
van der Broeck, H. *see* Bendien, J. 88—62442
Van der Broeck, H. *see* Bendien, J.C. 88—30800
van der Broeck, H. *see* Bendien, J.Ch. 88—69483
van der Broeck, H. *see* Kalker, T. 88—30879
van der Broeck, H.W., Schoeman, J.J. On the steady-state and dynamic characteristics of bipolar transistor power switches in low-loss technology 85—61087
van der Broeck, H.W., Skudelny, H.-C. Analytical analysis of the harmonic effects of a PWM AC drive 88—55652
van der Broeck, H.W., Skudelny, H.-C., Stanke, G. Analysis and realization of a pulse width modulator based on voltage space vectors [for voltage-source invertors] 87—43222
van der Broeck, H.W., Skudelny, H.-C., Stanke, G.V. Analysis and realization of a pulsewidth modulator based on voltage space vectors 88—43279
van der Broeck, H.W. *see* Ferreira, J.A. 88—69535
van der Broeck, H.W. Schoeman Afri, J.J. *see* Afri van der Broeck, H.W. Schoeman, J.J.
van der Broek, H.W. *see* van Wyk, J.D. 85—61102
Van der Cruyssen, P. *see* Cuyt, A. 85—54328
van der Donk, J. Beam propagation method 86—28790
van der Drift, E., Kerkhof, K., Romjin, J., Klapwijk, T.M. Nanometer-scale lithography for Aharonov-Bohm magnetoconductance oscillation studies 87—25014
van der Drift, E., Radelaar, S., Pruymboom, A., Kes, P.H. Fabrication of nanometer-scale devices for studies of flux pinning in superconducting double layers of a-Nb$_3$Ge and NbN 88—26711
van der Drift, E., Radelaar, S., Pruymboom, A., Kes, P.H. Nanometer-scale structure for the study of flux-line lattice shearing in superconducting double layers of *a*-Nb$_3$Ge and NbN 88—39822
van der Drift, E. *see* Pruymboom, A. 88—33567
Van Der Drift, E. *see* Romijn, J. 88—71984
van der Drift, E.W.J.M. *see* Caro, J. 87—25016
van der Eijk, B., Kuhl, W. An X-ray image intensifier with large input format 85—1251
Van Der Eijk, B. *see* Beekmans, A.A.G. 88—23035
van der Enden, A.W.M., Krol, T. A proposal for a wideband digital satellite switch 85—14189
van der Enden, A.W.M. *see* Krol, T. 85—14029
van der Enden, A.W.M., Leenknegt, G.A.L. Design of optimal IIR filters with arbitrary amplitude and phase requirements 87—45112
van der Fluit, Hooghiemstra, C.M.C., Lock, P. Optical video transmission for CATV and CCTV 86—17641
Van der Fluit, K.J.P., Hooghiemstra, C.C.M.C., Lock, P.P. Long distance optical CATV link 85—47700
van der Geer, C.A.J. Data acquisition with a simple cassette recorder 85—64049
van der Geer, C.A.J., Crenn, J.P., Rebuffi, L., Tournesac, B. Microwave technology for ECRH on TFR 87—78068
van der Geer, C.A.J. *see* van Gastel, P. 88—3982
van der Ghinst, P. From local network to multiworkstation 87—13457
van der Gon, J.J.Denier *see* Denier van der Gon, J.J.
Van Der Graaf, H., d'Achard Van Enschut, H. Signal development in wire chambers: the drift velocity of ions in gases 86—25121
Van Der Graaf, H., Wagenaar, J.P. Numerical results of calculations in three dimensions of the induced charge in MWPCs 87—21414
Van Der Graaf, H. *see* Antreasyan, D. 87—21413
van der Graaf, H. *see* Becker, U. 88—22943
van der Gracht, P.K., Donaldson, R.W. Communication using pseudonoise modulation on electric power distribution circuits 86—4462
Van Der Gracht, P.K., Donaldson, R.W. Pseudonoise signalling for power line carrier applications 86—37697
Van Der Graff, R. *see* Van Dongen, L.A.M. 85—65521
van der Griek, J., Nijkrake, J. Remote control for oscilloscope 88—4526
van der Griek, J. *see* Brilman, K. 86—17998
van der Gugten, H. Control and monitoring of a coal preparation and handling plant in Queensland, Australia 87—16229
van der Ha, J. The ground segment's vital role in the Hipparcos scientific mission 87—76637
van der Hagen, T. Digital multimeters 87—49799
van der Hagen, T. The importance of an effective protection system for the digital multimeter 87—70682
van der Hagen, T. Screening techniques in system digital multimeters 88—4522

van der Hart, A., Schmidt, F., Kennepohl, K., Bongardt, K., Uhlemann, R., Kennepohl, C., Zwoll, K. Non-destructive beam monitors for the SNQ-linac 87−35291
van der Heide, H.-J. *see* Stark, E. 86−11505
van der Heide, H.-J. *see* Heumann, E. 88−33970
Van Der Heide, J.A., Kruip, M.J.M., Magendans, P., Van Genderen, W., Kleeven, W., Hagedoorn, H.L. The Eindhoven minicyclotron project ILEC 86−5649
van der Heide, J.A. *see* Berg, G. 85−59020
Van Der Heide, J.A. *see* Van Genderen, W. 87−70942
van der Heiden, G.H., Grandjean, E. Ergonomic studies in computer aided design 85−3906
van der Heijde, G.L. *see* de Vries, F.R. 87−21535
Van Der Heijde, G.L. *see* Kooijman, A.C. 86−32310
van der Heijden, B.J. Dielectric-resonator oscillators−a new microwave signal source 86−1363
van der Heijden, J. DIVAC: a Dutch integrated services glass fibre experimentation system and demonstration set-up 85−20241
van der Heijden, J. DIVAC−an experimental optical-fibre communications network 85−31053
van der Heijden, J. DIVAC−an experimental glass fiber communications network 85−52355
van der Heijden, J.W.J.M. *see* van der Linden, W.P.M. 88−52122
van der Heijden, R.W. *see* de Waele, A.T.A.M. 87−60865
van der Heijden, R.W. *see* de Waele, A.Th.A.M. 88−20317
van der Heijden, R.W. *see* Horstman, R.E. 85−45434
Van Der Helm, P.A., Leeuwenberg, E.L.J. Avoiding explosive search in automatic selection of simplest pattern codes 86−49011
van der Heyden, F. On the discretization error of Fourier descriptors of planar closed curves 87−48018
Van Der Heyden, T. New focus on TDMA in satellite technology 88−3924
van der Hidde, J.T.L. Longitudinal water ingress protected energy cables and telecommunication cables, an advanced solution with waterblocking tapes 88−55021
van der Hoek, L., Kunst, M. Performance characteristics measured in an 18 GHz-280 Mbit/s radio relay experiment 85−20046
van der Hoek, L., Mawira, A., Neessen, J. The impact of propagation effects on the design of high capacity digital microwave links in the 18 GHz frequency band 85−25749
Van Der Hoek, M.J., Werner, W., Van Zuylen, P. Design, construction and test results of a slitless, high-power, high-resolution double crystal X-ray monochromator for synchrotron radiation 86−60460
Van Der Hoek, M.J., Werner, W., Van Zuylen, P., Dobson, B.R., Hasnain, S.S., Worgan, J.S., Luijckx, G. A slitless double crystal monochromator for EXAFS and XANES measurements 86−60658
van der Hoeven, A.J. *see* Cai, H. 87−67417
Van der Hoeven, C.J., Jones, E.G. Short active length CuII laser excited by a spherical hollow cathode discharge 85−24465
van der Hoeven, C.J. *see* Brink, D.J. 85−24501
van der Hoeven, V. *see* Kalter, H.L. 86−8263
van der Hoeven, W.A.G. *see* Gerbrands, J.J. 85−57541
van der Hoeven, W.B. *see* Kalter, H.L. 86−20531
van der Hoeven, W.B. *see* Liew, K.P. 85−44945
van der Hofstad, G.L.A. *see* Kuindersma, P.I. 88−65737
van der Hooft, F.J. External protection against lightning 88−23556
van der Horst, L., Jurgens, K., Timmes, R. Step track unit for antenna control 88−34439
Van Der Horst, R. *see* Milgram, P. 86−5423, 86−60286
van der Houwen, P.J., Sommeijer, B.P. Linear multistep methods with reduced truncation error for periodic initial-value problems 85−10648
van der Houwen, P.J., Sommeijer, B.P., Strehmel, K., Weiner, R. On the numerical integration of second-order initial value problems with a periodic forcing function 87−10333
van der Houwen, P.J., te Riele, H.J.J. Linear multistep methods for Volterra integral and integro-differential equations 86−26787
van der Houwen, P.J. *see* Brunner, H. 87−36370
Van Der Houwen, P.J. *see* Sommeijer, B.P. 86−40680
van der Hulst, V. *see* de Wert, H.P.J.M. 85−46179
van der Jagt, P.C.M. *see* Kordic, S. 86−44286, 86−55695
van der Jeugd, C.A. *see* Schellingerhout, A.J.G. 87−25891
Van Der Jeugt, G., Dirkx, E., Tiberghien, J. Protocol description and simulation in the Occam programming language 88−73603
van der Kam, J.J. A digital 'decimating' filter for analog-to-digital conversion of Hi-Fi audio signals 86−49883
Van Der Kam, J.J. Integrated circuits supervise telephone service−not only 'by speech' 87−62730
van der Kammer, G. *see* Dolezal, R. 86−33157
van der Kamp, W. Instrument configuration of a new generation of transducers 85−58497
van der Klauw, C.L.M. A full adder using junction charge-coupled logic 87−626
van der Klauw, C.L.M. Vertical charge transport and charge-handling capability in junction charge-coupled devices 88−71616
van der Klauw, C.I.M. *see* Ten Kate, W.R.T. 85−31687
Van Der Klauw, C.L.M. *see* Ten Kate, W.R.Th. 85−9105
van der Kleij, B.M., Vermeulen, A.M.T.I., Cornelisse, C. On the radiochemical quality control of $[^{123}I]$sodium iodide for thyroid scanning 88−4890
Van der Klein, C.A.M. *see* Kes, P.H. 87−60842
van der Kloot, R.H. Analog VLSI devices demand a new tester architecture 88−20066
van der Klugt, C.J. New television standards, revolution or evolution? 87−3268
van der Klugt, P.G.M., van Nauta Lemke, H.R. Rudder roll stabilization and ship design: a control point of view 88−36725
van der Klundert, L.J.M. *see* Sikkenga, J. 85−62267
van der Kolk, G.J., Verkerk, M.J., Brankaert, W.A.M.C. Effects of contamination on aluminum films. I. Room temperature deposition 88−56300
van der Kooij, J. *see* Meij, R. 86−65928
van der Laan, C.J. *see* Smit, M.K. 86−58736
Van Der Laan, G., Goedkoop, J.B., Fuggle, J.C., Bruijn, M.P., Verhoeven, J., Van Der Wiel, M.J., Macdowell, A.A., West, J.B., Munro, I.H. Soft X-ray monochromatisation using a multilayer-single crystal combination 87−50199
van der Laan, G., Goedkoop, J.B., MacDowell, A.A. A high resolution soft-X-ray monochromator for synchrotron radiation based on a multilayer/crystal combination 88−23014
Van Der Laan, G., Seelen, L.P. Efficiency and implementation of simplicial zero point algorithms 85−309
van der Laan, G., Talman, A.J.J. Simplicial approximation of solutions to the nonlinear complementarity problem with lower and upper bounds 87−72958
Van Der Laan, G., Thole, B.T. Determination of glitches in soft X-ray monochromator crystals 88−29933
van der Laan, J. *see* Eckardt, R.C. 86−9936
van der Laan, P.C.T. The 'new old' engineer in electric energy technology 88−31329
van der Laan, P.C.T., Jansen, W.J.L., Steennis, E.F. The design of shielded enclosures, especially for high-voltage laboratories 85−51457
van der Laan, P.C.T., van Heesch, E.J.M., van Deursen, A.P.J. Digital measurements in high interference surroundings 88−67639
Van Der Laan, P.C.T., Van Houten, M.A. Design philosophy for grounding 87−12767
Van der Laan, P.C.T., Van Houten, M.A., Van Deursen, A.P.J. Grounding philosophy 88−2635
van der Laan, P.C.T. *see* Lassing, H.S. 86−55628
van der Laan, P.C.T. *see* Niessen, F.H.M. 85−61641
van der Laar, A.M.F.J. *see* Kreuger, F.H. 85−59748
van der Lans, J. *see* Akesson, T. 86−18235
van der Lans, J. *see* Burkhardt, H. 88−47997
van der Lee, M. *see* Huijsing, J.H. 87−24391, 87−56596
Van der Leeden Streamlined digital optics−The new ADO 1000 86−69912
Van Der Leeden, B. Video tape editing. II. ACE Ampex Computerised Editing−the heart of Creative Command Centers 86−11305
van der Leeden, B. The ACE 200 [editing system] 87−77011
van der Leeden, B. The AVA-3 Video Art system 88−15788
van der Leeden, R. ACE−the Ampex Computerised Editing system 86−60020
van der Leeden, R. Ampex AVA-3 video art system 87−8414
van der Leeden, R. Picture manipulation: real-time digital special effects systems 87−28847
Van Der Leun, C. *see* Evers, E.J. 87−63600
van der Leun, C. *see* Vermeer, A. 88−53978
van der Ligt, G.C.J. *see* Kuiper, A.E.T. 85−50456
van der Ligt, J.W.C. *see* Jochem, C.M.G. 85−62297, 86−42333
Van Der Linden, B. *see* Theeuws, R. 87−76153
van der Linden, E.A.R. *see* Heideman, G.H.L.M. 87−33615
van der Linden, J.H.M. *see* Wierenga, P.E. 85−33532, 86−28659
van der Linden, P., Talbot, S. Blueprint for a compiler chip 85−35071
van der Linden, W.A. *see* van der Sluis, L. 86−19424, 87−72329, 87−78819
van der Linden, W.P.M., van der Heijden, J.W.J.M., Polak, S.J., Wachters, A.J.H. The PDE package generator MAMMY 88−52122
van der Loo, W.M.P.C. *see* Domensino, A.H.G. 87−36495
van der Looij, G. *see* Biesterbos, J. 87−11543
van der Looij, G. *see* Biesterbos, J. 87−38424
Van der Loos, H.F.M., Michalowski, S.J., Leifer, L.J. Design of an omnidirectional mobile robot as a manipulation aid for the severely disabled 87−21638
Van der Loos, H.F.M. *see* Leifer, L.J. 87−14916
Van der Loos, H.F.M. *see* Michalowski, S.J. 87−14917
Van der Loos, M. *see* Aldrich, J. 87−14920
Van der Loos, M. *see* Holloway, K. 86−25281
van der Lubbe, J.C.A. *see* Backer, E. 88−58998
van der Lubbe, J.C.A. *see* Boekee, D.E. 88−59046
van der Lugt, D. SOPHO-TEXT switch in communication networks 88−3771
van der Maesen, F. *see* Straayer, A. 86−47389
van der Mast, K.D., Jansen, G.H. Monte Carlo simulation of fast electron beam pattern generators 88−27439
van der Mast, K.D., Jansen, G.H., Barth, J.E. The shower-beam concept 86−21312
van der Mast, K.D., Pijper, F.J., Barth, J.E. A flexible beam shaper [electron beam lithography] 87−25009
van der Mast, K.D. *see* Bohlander, J.H. 88−29748
van der Mast, K.D. *see* Innemee, B.C. 86−1956
van der Mast, K.D. *see* Slingerland, H.N. 87−29396
van der Mast, K.D. *see* Slingerland, H.N.S. 86−5711
Van der Mast, V.C. *see* Awerbuch, L. 85−53586
van der Meer, J.B.H. R&D-based strategies in the semiconductor and drug industries: rationale, organization and actions 88−43656
van der Meer, M. Simple logic analyzer with the U880 home computer 88−60636
Van Der Meer, P. *see* Das, S.R. 88−31737
van der Meer, P.M. *see* ten Kate, J.H. 85−31866
van der Meer, S. Optimum gain and phase for stochastic cooling systems 85−37855
van der Meer, S. Stochastic cooling and the accumulation of antiprotons 86−32098
van der Meer, S. Stochastic cooling 86−70282
van der Meer, S. Bunch separation in a damping ring 87−70958
van der Meer, S. *see* Autin, B. 88−54297
van der Meer, S. *see* Carron, G. 88−53998
van der Meer, S. *see* Johnsen, K. 88−47772
van der Meer, S. *see* Jones, E. 86−31932
van der Meig, D., Rensink, H., Mellis, D. P^{2}CCD−fast oscilloscope input stage 88−53754
van der Meij, C.J.Westerbaan *see* Westerbaan van der Meij, C.J.
van der Meijden, M.A.M.M. *see* Kersten, W.F.J. 86−6417
van der Meijs, N., van Leuken, T.G.R., van der Wolf, P., Widya, I., Dewilde, P. A data management interface to facilitate CAD/IC software exchanges 88−24929
van der Merwe, A.J., Rich, S.E. Surveillance radar siting improvement with respect to screening, multipath and ground clutter degradation 85−47582
van der Merwe, D. *see* Camnitz, L.H. 85−50579
van der Merwe, F.S. *see* Enslin, N.C. 88−11220
van der Merwe, F.S. *see* Hamman, J. 86−33369
van der Merwe, J.P. Phasemeters and their use in the undergraduate physics laboratory 86−7413
van der Merwe, L., van Wyk, J.D. A 15-kVA transistor inverter and induction motor drive for a hybrid-battery driven passenger car 87−16130
van der Merwe, L., van Wyk, J.D. A three-phase inverter with selectively programmed pulse width modulation for an electric vehicle with battery supply 87−79063
Van der Meulen, C.J. *see* Ccoper, D.N. 87−3153
van der Meulen, E.C. *see* De Bruyn, K. 85−57578, 87−2440
van der Meulen, E.C. *see* Dudewicz, E.J. 87−54829
van der Meulen, E.C. *see* Gyorfi, L. 88−59002
Van Der Meulen, E.C. *see* Lesaffre, E. 85−60845
van der Meulen, E.C. *see* Vanroose, P. 88−59001
van der Meulen, E.C. *see* Verboven, B. 87−75681
van der Meulen, E.C. *see* Willems, F.M.J. 85−57180
van der Meulen, G.C.J. *see* Cooper, D.N. 88−35439
van der Meulen, H.P. *see* Meijer, H.A.J. 87−39024
van der Meulen, H.P. *see* Tarnawski, Z. 88−64982
van der Meulen, J.H.P. *see* van den Berg, R. 87−57061
van der Meulen, P.S. INSIST: interactive simulation in Smalltalk 88−18863

van der Moezel, B., Zijsling, T.P. The use of expert systems for preprocessing image data 88−68654
van der Moolen, P. Decoding with memory 87−69039
van der Mooren, A.L. Maintenance and maintenance policy 85−60716
van der Muelen, E.C. *see* de Bruyn, K. 87−55395, 88−27712
van der Neut, C.A. Microstrip comb array design 85−41781
van der Neut, C.A. Beamwidth control in pyramidal horns 85−46633
van der Neut, C.A. Simple rules guide the design of full-wave dipoles 88−45768
van der Neut, C.A. *see* Baker, D.E. 85−36113, 85−41747, 85−46634, 86−10213, 88−34411
Van der Neut, C.A. *see* Nortier, J.R. 88−7037
van der Neyen, H. *see* Picard, P. 86−4553
Van der Ouderaa, E. Minimising signal peaks with the help of acquisition in the time and frequency domain 87−33703
van der Ouderaa, E., Renneboog, J. Some formulas and applications of nonuniform sampling of bandwidth-limited signals 88−72933
Van der Ouderaa, E., Schoukens, J., Renneboog, J. Comments on 'Multitone signals with low crest factor' by S. Boyd 88−8750
Van der Ouderaa, E., Schoukens, J., Renneboog, J. Peak factor minimization using a time-frequency domain swapping algorithm 88−59154
van der Ouderaa, E. *see* Schoukens, J. 88−74304
van der Piepen, H. *see* Kunkel, B. 88−68625
van der Pijll, G.A. Practical measurement of interference radiation 85−48080
van der Pijll, G.A. The automation of EMI measurements 87−26815
van der Pijll, G.A. Analysis and simulation of network perturbations−notions, methods and instruments 87−50886
Van Der Pijll, G.A. Electrostatic discharge and its simulation 88−14339
van der Pijll, G.A. Propagation of millimeter waves with quasi-optical components 88−27470
van der Pijll, G.A. *see* van Elderen, F.M. 86−15903
van der Plas, J. *see* Kooijman, C.J. 87−48055
van der Plas, P. *see* de Werdt, R. 88−38533
Van der Plas, P.A., Snels, W.C.E., Stolmeijer, A., den Blanken, H.J., De Werdt, R. Field isolation process for submicron CMOS 88−7744
Van Der Plicht, J. *see* Beard, K.B. 86−70325
Van Der Plicht, J. *see* Westfall, G.D. 85−64469
van der Pligt, J., Eiser, J.R., Spears, R. Public attitudes to nuclear energy [nuclear power stations] 85−9589
van der Poel, C.J. *see* Gravesteijn, D.J. 88−13782
van der Poel, C.J. *see* Opschoor, J. 88−58571
van der Pol, J.A. *see* Rooth, R.A. 87−46794, 88−2246
van der Pool, K. Miniature brushless DC motor/encoder in incremental motion applications and its control 87−51240
van der Pool, K. Miniature brushless DC motor/encoders improve computer peripherals 88−30739
van der Poorten, A.J. *see* Lehmer, D.H. 86−52391
van der Put, P.J. *see* Groot, P. 86−494
Van der Putte, P. The reaction kinetics of the H_2 reduction of WF_6 in the chemical vapour deposition of tungsten films 88−49874
van der Putte, P., Sadana, D.K., Broadbent, E.K., Morgan, A.E. Growth of selective tungsten films on self-aligned $CoSi_2$ by low pressure chemical vapor deposition 87−23704
Van der Putte, P., Sadana, D.K., Broadbent, E.K., Morgan, A.E. Growth of selective tungsten on self-aligned $CoSi_2$ by low pressure chemical vapor deposition 87−58996
Van der Putte, P. *see* Broadbent, E.K. 87−5486
van der Putten, A.M.T.P. Recent developments with regard to the fuel cell 87−43399
van der Putten, F., Biemond, J., Woods, J.W. A hybrid identification scheme for image and blur parameters 87−48030
van der Putten, F.G. *see* Biemond, J. 86−10524, 87−19960, 88−59209
Van der Pyl, T. *see* Chen, C.H. 87−47852
van der Ree, L.J. *see* van Ardenne, A. 87−13811, 88−32465
van der Riet, B.I. Design of the VHF-UHF range of the CSIR's National Antenna Test Facility at Paardefontein 85−7728
Van Der Riet, B.I. Design of the VHF-UHF range of the CSIR's national antenna test facility at Paardefontein 85−46635
van der Riet, K.P., Austin, B.A. Limitations of the Wheeler method for measuring antenna radiation efficiency due to cavity resonant modes 88−34397
van der Riet, P. The Wyangala hydro project in Australia 88−17420
van der Roer, T.G. *see* Nederveen, K. 88−32898
van der Sanden, P.J.J.M. *see* Maas, L.J.M. 86−54850
van der Schaaf, R.T. The SOPHO S family [digital switches for business communication] 85−57889
van der Schaaf, R.T., Kluizenaar, F.A. Structure of a business communication system 85−51911
van der Schee, E.J., Grashuis, J.L. Running spectrum analysis as an aid in the representation and interpretation of electrogastrographic signals 87−35424
Van der Schee, E.J. *see* Smout, A.J.P.M. 88−30003
van der Schee, R. *see* Mulder, B.J. 85−37588
van der Scheer, D. Transformer substations over 90 years 88−49022
van der Schmitt, H. *see* Eckerlin, G. 88−22999
Van Der Schoot, B., Bergveld, P. An ISFET-based microlitre titrator: integration of a chemical sensor-actuator system 86−31400
van der Schoot, B., Bergveld, P. Coulometric sensors, the application of a sensor-actuator system for long-term stability in chemical sensing 88−35962
van der Schoot, B.H., Bergveld, P. An ISFET based microliter titrator: Integration of a chemical sensor-actuator system 86−55665
van der Schoot, J.B. *see* Zwijnenburg, A. 88−61244
van der Schoot, J.J. *see* Wolters, D.R. 86−1838 to 1840, 87−17832
Van der Siegel, J. *see* Lauks, I. 86−55659
van der Sluis, A., van der Vorst, H.A. The rate of convergence of conjugate gradients 86−52409
van der Sluis, L. A network independent computer program for the computation of electrical transients 87−71645
van der Sluis, L., Kempen, H.W. Developments in high-power testing and measuring techniques 88−69254
van der Sluis, L., van der Linden, W.A. Short circuit testing methods for generator circuits breakers with a parallel resistor 86−19424
van der Sluis, L., van der Linden, W.A. A three phase synthetic test-circuit for metal-enclosed circuit-breakers 87−72329
van der Sluis, L., van der Linden, W.A. A three-phase synthetic test circuit for testing metal-enclosed gas-insulated circuit-breakers 87−78819
van der Sluis, L. *see* Vermij, L. 87−66670
van der Spek, A.M., Magendans, P., Kemper, A.H. Improved cavity alignment system for Spectra Physics 380 D single-mode ring dye lasers 88−51864
Van der Spek, G.A. *see* Janssen, L.H. 85−52386
van der Spek, G.A. *see* van Ommen, A. 86−49702
van der Spek, R. *see* Fenton, D.A. 87−16095
Van Der Spiegel, J. The impact of integrated and intelligent sensor systems on medical equipment and methods 86−25179
van der Spiegel, J., Sevenhans, J., Theuwissen, A., Bosiers, J., Debusschere, I., Declerck, G. Study of different sensor types for high resolution linear CCD-imagers 85−14638
Van der Spiegel, J. *see* Fiorillo, A. 88−61689
van der Spiegel, J. *see* Ogita, M. 85−23710
van der Spiegel, J. *see* Siegal, M. 87−11714
van der Spiegel, J. *see* Wei, C.S. 85−1386, 85−12014, 86−21248, 86−21345, 87−11715
Van der Spiegel, J. *see* Wong, K. 86−55641
van der Staak, H.P.A.M., Andriesse, C.D. Microstructure and nonlinearity of ZnO varistors 88−25573
van der Stappen, G. *see* Degrauwe, M.G.R. 88−20115
van der Star, M. *see* Beenker, F.P.M. 87−32597
van der Steen, A.F.W. *see* van den Berg, A.J. 88−58726
van der Steen, H.G.W. New developments in satellite broadcasting 86−24034
van der Steld, A. *see* Dassen, W. 85−59354
van der Stelt, P.F., Ruttimann, U.E., Webber, R.L. Restoration and enhancement of tomosynthetic images and its applications in dentistry 86−50542
van der Stelt, P.F. *see* Ruttimann, U.E. 88−29993
Van der Stock, P. *see* Schang, G. 88−73862
van der Stok, P. *see* Altaber, J. 85−43141
van der Stokker, P. *see* Pelgrom, M. 87−24260
van der Stokker, P. *see* Pelgrom, M.J.M. 87−52625
van der Tak, R. *see* Woittiez, R.D. 87−41916
Van Der Tol, J.J.G.M., Baken, N.H.G. Correction to effective index method for rectangular dielectric waveguides 88−34373
van der Veeke, A.A. Pyroelectric detectors. Possibilities of application are growing 85−8847
van der Veeke, A.A. Lithography using electron beams 87−1372
van der Veeke, A.A. Electron beam lithography 87−25026
van der Veeke, A.A. Applications and comparisons of different systems. Lithography with electron beams. III 87−67057
van der Veeken, R.W.C. Spectral- and spatial-domain filtering approach to the numerical solution of electromagnetic scattering problems 87−75404
van der Veeken, R.W.C. Spectral- and spatial-domain filtering and sampling approach to the numerical solution of electromagnetic scattering problems 88−20880
van der Veen, H. *see* Spaanenburg, L. 85−44972
van der Veen, J. *see* Gravesteijn, D.J. 85−47720
van der Veen, J.W. *see* Barkhuijsen, H. 87−47843
van der Veen, M. *see* Rutten, I. 87−44979
van der Veen, M. *see* van de Grift, R. 88−19220
van der Veen, M. *see* van de Grift, R.E.J. 87−24284, 87−59662
Van der Veer, G.C., Guest, S., Haselager, P., Innocent, P., McDaid, E., Oestreicher, L., Tauber, M.J., Vos, U., Waern, Y. An interdisciplinary approach to human factors in telematic systems. A review of the problems and possible solutions by a COST-11 ter Working Group 88−59620
van der Veer, G.C. *see* Innocent, P.R. 88−35024
van der Veer, H. *see* Lemstra, W. 86−43696
van der Veer, J.H.C. The measurement of the dynamic characteristics of turbine generators using pseudo random noise signals 88−17540
Van Der Veer, J.H.C. *see* Kleinpenning, T.G.M. 85−5386
van der Veer, J.H.C. *see* Roelofs, G.P.T. 85−53374, 86−51172
Van der Veer, W.R. *see* Light, G.M. 85−17040, 85−17042
van der Vegt, J., Dassel, J. Operating analysis of the AZUA cogeneration power station 88−43064
van der Velde, H. *see* Beuwer, W. 88−73648
Van Der Velde, J.C. *see* Claus, R. 88−16639
Van Der Velde, J.C. *see* Wuest, C.R. 86−1649
van der Velde, W. *see* Kingma, J.H. 88−10388
van der Velden, D. *see* Paes, H.F.M. 86−45309
van der Vet, R.P. *see* van Aken, J.A. 85−5744
Van der Vleuten, P. New shortage of ICs after July 1986 86−13411
van der Vleuten, R. *see* Vinck, H. 88−59043
van der Vliet, Ph.E.P. *see* Vermeer, A. 88−53978
van der Vlist, P. ZODIAC, a Eurocom network 85−8025
van der Voorde, F., Arenson, R., Kundel, H., Miller, W., Epstein, D., Gefter, W., Seshadri, S., Brikman, I., Khalsa, S. Development of a physician-friendly digital image display console. [Fiber optic network] 87−20531
van der Voorde, F. *see* Seshadri, S.B. 88−36564
Van Der Voort, E., Donni, E., Thonet, C., Bois D'Enghien, E., Dechamps, C., Guilmot, J.F. Energy supply modelling package EFOM-12C Mark I. User's guide 85−32266
Van Der Voort, E., Donni, E., Thonet, C., Bois D'Enghien, E., Dechamps, C., Guilmot, J.F. Energy supply modelling package EFOM-12C Mark I. Programmer's guide 85−32267
van der Voort, H.T.M., Brakenhoff, G.J., Valkenburg, J.A.C., Nanninga, N. Design and use of a computer controlled confocal microscope for biological applications 85−51751
Van der Vorst, H.A. An iterative solution method for solving $f(A)\chi=b$, using Krylov subspace information obtained for the symmetric positive definite matrix A 87−58861
van der Vorst, H.A. Large tridiagonal and block tridiagonal linear systems on vector and parallel computers 87−65440
van der Vorst, H.A. Parallel solution of bidiagonal systems coming from discretised PDEs 88−49769
van der Vorst, H.A. *see* van der Sluis, A. 86−52409
van der Waal, P.I. Design methods with binary counters [circuits with programmable logic controllers. VII] 86−34721
van der Waal, P.I. Switching with programmable logic controllers. VIII. Practical examples 86−41055
van der Waal, P.I. Switching with programmable logic controllers. IX. Programming equipment for PLCs 86−41057
van der Waal, R.G., Breeuwer, M., Veldhuis, R.N.J. Subband coding of music signals without loss of quality 87−75849
van der Wal, G.S. *see* Anderson, C.H. 87−14247
van der Wal, L.F. A wave theoretical approach to acoustic current profiling 87−8746
van der Wal, L.F. Acoustic determination of current velocity 87−57461
van der Wal, L.F., Dijkhuizen, A.C., Peels, G.L. Spectral equalisation: a signal processing technique to increase pulse-echo signal bandwidth 86−12230
van der Wal, L.F., Schmidt, D.Ph., Berkhout, A.J. In-situ silt density measurements using a broadband parametric sound source 86−12188
van der Wal, L.F., van den Berg, C. Design and construction of a sonar workstation 87−42258
van der Wal, P. *see* Roeser, H.P. 87−35489, 88−35625
van der Wal, P.B. *see* Densing, R. 87−18874
van der Wal, R. *see* Seevinck, E. 86−35052
Van der Wall, E.E. *(editor)* Noninvasive imaging of cardiac metabolism. Single photon scintigraphy, positron emission tomography and nuclear magnetic resonance 87−58523
van der Walle, J.F. High-speed interface/buffer 86−27500
van der Walle, M.C. The heat pipe. An increasing number of applications 88−6279

van der Walle, M.C. Heat pipe cooling for semiconductors 88−24567
van der Walt, P.W. A procedure for the design of wideband PIN-diode RF switches with a low standing wave ratio 85−45638
van der Walt, P.W. Matching 86−599
Van Der Walt, P.W. Efficient technique for solving nonlinear mixer pumping problem 86−842
Van der Walt, P.W. Short-step-stub Chebyshev impedance transformers 86−67465
van der Walt, P.W. On optimum Chebyshev broad-band impedance-matching networks 87−10957
van der Walt, P.W. A modified harmonic balance technique 88−32058
van der Walt, P.W. A cascade factorisation procedure for the exact synthesis of distributed filters 88−32398
Van der Walt, P.W., Stracca, G.B., Macchiarella, G., Politi, M. Accuracy of equations for coupled slab lines [and reply] 88−20965
van der Weegen, A.W. *see* Dijk, H.E. 88−36772
van der Weegen, A.W. *see* Vriese, A. 85−53390
van der Weg, W.F. *see* Denisse, C.M.M. 87−10485
van der Weg, W.F. *see* Habraken, F.H.P.M. 86−26886, 88−1531
van der Weg, W.F. *see* Maessen, K.M.H. 86−34373
Van Der Weg, W.F. *see* Pruppers, M.J.M. 88−44645
van der Weg, W.F. *see* van Sark, W.G.J.H.M. 88−70311
van der Weg, W.F. *see* Verstegen, B. 85−49595
van der Wel, W., Harmans, C.J.P.M., Mooij, J.E. High-precision measurements of the temperature and current dependence of the quantized Hall resistance 86−53416
van der Wel, W., Harmans, K.J.P.M., Kaarls, R., Mooij, J.E. Application of the quantized Hall effect to a new resistance standard at VSL 85−58833
van der Wel, W., Mooij, J.E., Harmans, C.J.P.M. Cryogenic current comparator with increased resolution 88−53823
van der Werf, A. *see* Spaanenburg, L. 86−21833
van der Werf, J. *see* Biesterbos, J. 87−11543
van der Werf, J. *see* Wittekoek, S. 86−14997
van der Werf, J. *see* Biesterbos, J. 87−38424
van der Werf, S.Y. *see* Schippers, J.M. 86−60584
van der Westhuizen, M. Harmonic-free QRP? [Power measurement with reactance load] 85−63501
van der Wey, A.H. *see* Hulshof, H.J.M. 88−33778
van der Wey, A.H. *see* Rutgers, W.R. 86−12966, 88−67763
van der Wey, A.H. *see* Rutgers, W.R. 87−22670
Van Der Wiel, M.J. *see* Bruijn, M.P. 85−54475
van der Wiel, M.J. *see* Gerritsen, H.C. 87−29691
Van Der Wiel, M.J. *see* Van Der Laan, G. 87−50199
van der Wijk, G.P., Leufkens, P.P. Application of a high-voltage synthetic cable system at EZH [South Holland Electricity Undertaking] 87−50809
van der Wijngaart, R.F. *see* Troost, G.K. 85−21534
Van Der Wildt, G.J. *see* Kooijman, A.C. 86−32310
Van Der Windt, L. *see* Frisch, D.C. 87−73869
van der Woerd, A.C., van Lammeren, J.P.M., Janse, R.J.H., van Beynhem, R.H. Calculation of the resistance value of laser-trimmable planar resistors in an interactive mask-layout design system 85−1199
van der Woert, N. The use of interactive audiovisual media: when can the investment be justified? 88−22339
van der Wolf, P. *see* van der Meijs, N. 88−24929
van der Wolf, P. *see* van Leuken, T.G.R. 86−41924
van der Worm, C. *see* Tijhuis, A.G. 85−2524
van der Wulp, J.A.A. *see* Maas, L.J.M. 86−54850
Van Der Zanden, J. Measurement theory and signal theory. I. Investigations on the foundations 86−4928
Van Der Zanden, J. Measurement theory and signal theory. II. The analysis of digitized signals 86−4929
van der Zant, H.S.J. *see* Mooij, J.E. 87−25892
van der Zee, P. *see* Blanken, P.G. 86−11258
van der Zee, P. *see* Claessen, H.R. 87−32525
Van der Ziel, A. Integral expression for 1/*f* noise in MOSFETs at arbitrary drain bias 86−28352
van der Ziel, A. A generalized expression for diffusion noise and hot electron noise at arbitrary drift velocities 86−41505
van der Ziel, A. Theory of and experiments on quantum 1/f noise [solid state devices] 86−63327
van der Ziel, A. Reconciliation of Klaassen's and Reimbold's theories of 1/*f* noise in MOSFETs 87−1552
Van Der Ziel, A. Interpretation of Schwantes's experimental data on secondary emission 1/*f* noise 87−37807
van der Ziel, A. Unified presentation of 1/*f* noise in electron devices: fundamental 1/*f* noise sources 88−44726
Van der Ziel, A. The experimental verification of Handel's expressions for the Hooge parameter 88−57587
Van Der Ziel, A., Anderson, J.B., Birbas, A.N., Chen, W.C., Peng Fang, Hietala, V.M., Chin Sup Park, Pukite, P.R., Toups, M.F., Xiaolan Wu, Jingming Xu, Young, A.C. Shot noise in solid state diodes 87−6660
van der Ziel, A., Handel, P.H. Quantum partition 1/*f* noise in pentodes 85−18017
van der Ziel, A., Handel, P.H. Quantum 1/f noise phenomena in semiconductor noise 85−50470
Van Der Ziel, A., Handel, P.H. Discussion of a generalized quantum 1/*f* noise process with applications 86−7612
van der Ziel, A., Handel, P.H. 1/*f* noise in n^+-p diodes 86−9079
van der Ziel, A., Handel, P.H. 1/f noise in n^+-p junctions calculated with quantum 1/f theory 86−63091
van der Ziel, A., Handel, P.H., Wu, X.L., Anderson, J.B. Review of the status of quantum 1/*f* noise in n^+-p HgCdTe photodetectors and other devices 86−68400
van der Ziel, A., Handel, P.H., Zhu, X., Duh, K.H. A theory of the Hooge parameters of solid-state devices 85−45693
Van Der Ziel, A., Hsieh, C.J., Handel, P.H., Van Vliet, C.M. Partition 1/*f* noise in pentodes and its quantum interpretation 87−73955
van der Ziel, A., Kleinpenning, T.G.M. High-frequency response of microwave transistors 87−66563
van der Ziel, A., Yu, Y.J., Bosman, G., Van Vliet, C.M. Two simple proofs of Capasso's excess noise factor F_N of an ideal *N*-stage staircase multiplier 87−26197
van der Ziel, A., Zhang, X., Pawlikiewicz, A.H. Location of 1/*f* noise source in BJTs and HBJTs. I. Theory 87−1488
van der Ziel, A. *see* Andrian, J. 86−63242
van der Ziel, A. *see* Black, R.D. 86−47506
van der Ziel, A. *see* Chen, H.B. 85−627, 85−2809
van der Ziel, A. *see* Duh, K.H. 85−34994, 85−45692
Van Der Ziel, A. *see* Fang, P. 88−32709
Van Der Ziel, A. *see* Handel, P.H. 87−1166
Van Der Ziel, A. *see* Kilmer, J. 85−45658
van der Ziel, A. *see* Lee, K. 85−6932
Van Der Ziel, A. *see* Luo, M.-Y. 88−64501
Van Der Ziel, A. *see* Mihaila, M. 85−6906
van der Ziel, A. *see* Pawlikiewicz, A. 86−21550, 86−35720
van der Ziel, A. *see* Pawlikiewicz, A.H. 87−74261, 88−33260, 88−39397
van der Ziel, A. *see* Peng, Q. 88−64575
van der Ziel, A. *see* Reggiani, L. 87−37861
van der Ziel, A. *see* Song, M.H. 88−64238
van der Ziel, A. *see* Trippe, M. 86−63243, 87−18068
van der Ziel, A. *see* Whiteside, C.F. 86−63330
van der Ziel, A. *see* Wu, E.N. 85−34990
van der Ziel, A. *see* Wu, X. 87−74243
van der Ziel, A. *see* Wu, X.L. 86−63245
van der Ziel, A. *see* Zhang, X.N. 86−63262, 86−67849
van der Ziel, A. *see* Zhu, X. 85−40698
van der Ziel, A. *see* Zhu, X.C. 85−6897, 85−50047, 85−50548, 85−50551, 85−55462
van der Ziel, J.P., Chiu, T.H., Tsang, W.T. Optically pumped laser oscillation at 3.82 μm from $InAs_{1-}Sb_x$ grown by molecular beam epitaxy on GaSb 86−15688
van der Ziel, J.P., Chiu, T.H., Tsang, W.T. Optically pumped laser oscillation at 3.9 μm from $Al_{0.5}Ga_{0.5}Sb/InAs_{0.91}Sb_{0.09}/Al_{0.5}Ga_{0.5}Sb$ double heterostructures grown by molecular beam epitaxy on GaSb 86−36461
Van der Ziel, J.P., Chiu, T.H., Tsang, W.T. Room-temperature optically pumped laser oscillation at 2.07 μm from $Ga_{0.85}In_{0.15}As_{0.13}Sb_{0.87}/Al_{0.4}Ga_{0.6}As_{0.035}Sb_{0.966}$ double heterostructures grown by molecular-beam epitaxy on GaSb substrates 87−26407
van der Ziel, J.P., Dupuis, R.D., Bean, J.C. Low threshold, optically pumped, room-temperature laser oscillation at 0.88 μm from AlGaAs/GaAs double heterostructures grown by metalorganic chemical vapor deposition on Ge-coated Si substrates 86−63797
van der Ziel, J.P., Dupuis, R.D., Logan, R.A., Mikulyak, R.M., Pinzone, C.J., Savage, A. Low threshold pulsed and continuous laser oscillation from AlGaAs/GaAs double heterostructures grown by metalorganic chemical vapor deposition on Si substrates 87−39079
van der Ziel, J.P., Dupuis, R.D., Logan, R.A., Pinzone, C.J. Degradation of GaAs lasers grown by metalorganic chemical vapor deposition in Si substrates 87−68437
van der Ziel, J.P., Logan, R.A., Dupuis, R.D. High-power (AlGa)As strip-buried heterostructure lasers 86−22386
van der Ziel, J.P., Logan, R.A., Mikulyak, R.M., Ballman, A.A. Laser oscillation at 3-4 μm from optically pumped $InAs_{1-x-y}Sb_xP_y$ 86−22392
van der Ziel, J.P., Logan, R.A., Nordland, W.A., Kazarinov, R.F. InGaAsP/InP inverted rib waveguide lasers emitting at 1.54 μm 85−35780
van der Ziel, J.P., Malik, R.J., Walker, J.F., Mikulyak, R.M. Optically pumped laser oscillation in the 1.6-1.8 μm region from $Al_{0.4}Ga_{0.6}Sb/GaSb/Al_{0.4}Ga_{0.6}Sb$ double heterostructures grown by molecular beam heteroepitaxy on Si 86−36462
van der Ziel, J.P., Malik, R.J., Walker, J.F., Mikulyak, R.M. Optically pumped laser oscillation in the 1.6-1.8 μm region from strained layer $Al_{0.4}Ga_{0.6}Sb/GaSb/Al_{0.4}Ga_{0.6}Sb$ double heterostructures grown by molecular beam heteroepitaxy on Si substrates 87−7363
van der Ziel, J.P., Mikulyak, R.M., Blount, H.M. Reduction of relaxation resonance and wavelength chirp in antireflection facet coated 1.3-μm Vee-groove InGaAsP lasers 86−36484
Van der Ziel, J.P., Mikulyak, R.M., Logan, R.A. 7.5 km bidirectional single-mode optical-fibre link using dual-mode InGaAsP/InP 1.3 μm laser detectors 85−46395
van der Ziel, J.P., Mikulyak, R.M., Temkin, H., Logan, R.A., Dupuis, R.D. Optical beam characteristics of Schottky barrier confined arrays of phase-coupled multiquantum well GaAs lasers 85−12865
van der Ziel, J.P., Oberg, M.G., Logan, R.A. Single longitudinal mode operation of Er-doped 1.5-μm InGaAsP lasers 87−54296
van der Ziel, J.P., Temkin, H., Logan, R.A., Dupuis, R.D. High-power picosecond pulse generation in GaAs multiquantum well phase-locked laser arrays using pulsed current injection 85−12862
van der Ziel, J.P. *see* Chand, N. 88−63291, 88−65490
van der Ziel, J.P. *see* Chien-Yu Kuo 86−48383
van der Ziel, J.P. *see* Chiu, T.H. 87−12450, 87−75100
van der Ziel, J.P. *see* Dupuis, R.D. 87−33151
van der Ziel, J.P. *see* Malik, R.J. 86−52453, 87−44351
Van Der Ziel, J.P. *see* Mohammed, K. 86−31428
van der Ziel, J.P. *see* Olsson, N.A. 85−41395, 85−62326, 86−43819, 86−54205, 87−33271, 87−56160
van der Ziel, J.P. *see* Temkin, H. 85−2285, 85−29807
van der Zijp, J., Choudry, A., Patrick, S.L. FOLAN based intelligent sensor testbed for propulsion and avionics module (PAM) 88−42620
van der Zouwen-Assink, E.A. *see* Thewissen, D.H.M.W. 85−16190
van der Zwaag, H. The breakdown process in DC circuit breakers 85−49045
van der Zwaag, H. Neutral point quenching in low voltage switches 85−50083
van der Zwaag, H. Graphic determination of transient currents. Transient phenomena in inductive circuits 87−71743
van der Zwaag, H. Fuse cartridges for medium voltage systems 88−25627
van der Zwaag, J.J., Hofs, H.W. The interconnection of computer systems and terminals in a multivendor network 85−19846
van der Zwagg, J.J. *see* Hofs, H.W. 86−37507
Van der Zwan, R. PC automates ship navigation seaworthy computer for 'Seateam' 86−59960
Van Derveer, E.J., Macavero, E. Josephson integrated circuits 85−1865
van Deth, F. *see* Savelli, G. 88−62707
van Deursen, A.P.J. *see* Horstman, R.E. 86−47366
Van Deursen, A.P.J. *see* Van der Laan, P.C.T. 88−2635, 88−67639
van Deursen, J.B.P., Keemink, C.J., Steketee, J. Microprocessor system for control and analysis of thermographic images 86−18310
van Deventer, G.C. Synthetic medium-voltage cable of the year 1986 87−9171
van Deventer, T.E. *see* Hallikainen, M.T. 88−10573
Van Deventer, T.E. *see* Ulaby, F.T. 88−61611
Van Dewoestine, R.V. *see* Morrow, A.J. 86−58786
van Diepenbeek, C.T.W. Frequency management and EMC 88−66109
Van Dierendonck, A.J., Campeau, B., McLean, R. A practical signal generator configuration for testing and qualifying differential GPS systems 87−41111
Van Dierendonck, Al.J. *see* Kalafus, R.M. 87−41054
Van Dijk, A.J.M. *see* Ellwanger, R.C. 87−60380
van Dijk, G.M. *see* Beijers, A.P.A.M. 85−6032
van Dijk, J. *see* Beuttenmuller, R. 86−56035
Van Dijk, J.H. *see* Beavis, D. 88−54155
van Dijk, J.M.F., Wolters, R.A.M. A two-level metallization system with oversized vias and a Ti:W etch barrier 86−28524
Van Dijk, J.M.F. *see* Gubbels, W.C.H. 88−6833
van Dijk, J.M.F. *see* Pfennings, L.C.M.G. 86−8193, 86−20441

van Dijk, L.P.J. *see* Bracke, L.P.M. 87−28290
van Dijk, M.H.H., Brouwer, E. Reactive gas-assisted cutting with pulsed Nd-YAG lasers 87−7481
van Dijk, N.M., Tijms, H.C. Insensitivity in two-node blocking models with applications 87−40053
van Dijken, E. *see* Jansen, W.J.L. 88−67654
Van Dine, J. *see* Delahoy, A.E. 86−34395
Van Dinh Ta *see* Ta Van Dinh
Van Doan, P. *see* Thuries, E. 86−39993
Van Doan Phan *see* Phan Van Doan
van Dommelen, D. New technologies in electrothermy. [Electric heating] 86−66483
Van Dommelen, D.M., Stefens, P.F. Temperature distribution in high frequency heated dielectrics 88−11491
Van Dommelen, R.E. Correction systems for industrial sensors 87−49667
Van Dong, N. *see* Fournier, Y. 85−34522
van Dongen, L.A.M. The variable efficiency of the DC drive technology 88−43443
Van Dongen, L.A.M., Van Der Graff, R., Schot, J.A., Visscher, W.H.M. Load dependent modelling of electric vehicle propulsion systems 85−65521
van Dongen, T. *see* Kuindersma, P.I. 88−65737
van Dongen, T. *see* Tijburg, R.P. 86−53463
Van Dongen, V., Quinton, P. Uniformization of linear recurrence equations: a step toward the automatic synthesis of systolic arrays 88−70465
Van Doninck, W. *see* Daubie, E. 87−21467
Van Doninck, W. *see* de Clerq, C. 86−32194
van Dooren, J.P. Local area networks on optical fiber 85−19893
van Dooren, P. Deadbeat control: a special inverse eigenvalue problem 85−22426
van Dooren, P., Verhaegen, M. Condensed forms for efficient time-invariant Kalman filtering 88−59169
Van Dooren, P. *see* Verhaegen, M.H. 85−36248
van Doorn, A.J. *see* Koenderink, J.J. 86−64321
Van Doorn, E.A. A note on Delbrouck's approximate solution to the heterogeneous blocking problem 85−13729
van Doorn, E.A. On the overflow process from a finite Markovian queue 85−16853
van Doorn, E.A. *see* Blanc, J.P.C. 87−5319
van Doorn, E.A. *see* Sanders, B. 87−75662
Van Doorn, N.J. *see* Franzen, J.M. 87−14825
van Doorn, P., Willemse, P. Implementation of automatic fine alignment on Micralign 1:1 projection printers 85−45829
van Doorn, S. Fiber optic couplers 87−12175
van Doorne, C.J. *see* van der Bijl, W. 85−13749
van Doremalen, J. A mean value analysis of a closed CP-terminal system with preemptive resume priorities and general service time distributions 86−26715
van Doremalen, J., Wessels, J., Wijbrands, R. Approximate analysis of priority queueing networks 87−31386
Van Doren, T.P. *see* Engelken, R.D. 86−26867, 86−62241
Van Dornick, K. Stresses on power station chimneys operating on by-pass [FGD] 88−62153
van Dort, T.J. Safety regulations for high voltage installations. A closer examination of NEN 1041 85−5730
van Dort, T.J. The how, what and where in NEN 1010, 3rd impression. Safety circuits and safety contacts 87−51821
van Dover, R.B., Hong, M., Gyorgy, E.M., Dillon, J.F., Jr., Albiston, S.D. Intrinsic anisotropy of Tb-Fe films prepared by magnetron Co sputtering 85−45958
van Dover, R.B., Jin, S. A simple inductive contactless switch 85−52726
van Dover, R.B. *see* Frankenthal, R.P. 87−74493
van Dover, R.B. *see* Hong, M. 85−45959, 87−16658
van Dover, R.B. *see* Jin, S. 85−52727, 87−60840, 87−60845
van Dover, R.B. *see* Nakahara, S. 86−62256
van Drecht, J. *see* Meijer, G.C.M. 87−29109
van Drecht, J. *see* van Lienden, A.G. 88−18905
van Driel, H.M. *see* Panchhi, P.S. 86−42402
van Driel, H.M. *see* Preston, J.S. 85−12095
Van Driel, H.M. *see* Sipe, J.E. 85−50455
van Driel, N. Development of an airborne facility for advanced avionics research 88−54708
van Driesche, W. *see* Schroeter, H. 86−52740
van Driessche, W. Suggestion for standardizing SSTV and FAX transmissions 85−14386
Van Drunen, G., Sharp, F.L. Eddy current inspection of installed CANDU pressure tubes 85−39837
Van Drunen, G. *see* Hallett, J.B. 85−6038
Van Drunen, G. *see* Nadeau, F. 85−33544
van Duin, C.A., Boersma, J., Sluijter, F.W. TM-modes in a planar optical waveguide with a graded index of the symmetric Epstein type 86−42306
van Duivenbode, J. *see* Klaassens, J.B. 88−75769
Van Duppen, P., Duhamel, P., Vanhorenbeek, J. Timing properties of a 'Lege'-type (low energy germanium) detector 87−35345
Van Duppen, P. *see* Darquennes, D. 88−74733
Van Duppen, P. *see* Deneffe, K. 87−70967
van Dusen, W. *see* Khan, N.A. 88−46392, 88−66847
Van Duyne, R.P., Altkorn, R.I., Haller, K.L. Surface Raman spectroscopy as an in-situ probe of laser microchemical processes 86−41639
Van Duzer, T. Superconductor electronics in the USA 88−13721
van Duzer, T. Superconductor-semiconductor hybrid devices, circuits and systems 88−58026
Van Duzer, T. *see* Bradley, P. 86−27298
Van Duzer, T. *see* Fang, E. 88−12359
Van Duzer, T. *see* Irwin, K.E. 85−56176
Van Duzer, T. *see* Ko, H. 86−27226, 87−66029, 88−65011
Van Duzer, T. *see* Petersen, D.A. 85−54953, 87−67871, 88−58040
Van Duzer, T. *see* Ramo, S. 85−10323
Van Duzer, T. *see* Ruby, R. 87−25210
Van Duzer, T. *see* Wu, X.W. 87−32320, 87−74595
van Dyck, O.B. *see* York, R.L. 88−42405
van Dyck, R.S., Jr., Moore, F.L., Farnham, D.L., Schwinberg, P.B. New measurement of the proton-electron mass ratio 86−4942
Van Dyck, R.S., Jr., Moore, F.L., Farnham, D.L., Schwinberg, P.B. Variable magnetic bottle for precision geonium experiments 86−44536
Van Dyke, D.A. *see* Green, M.I. 88−54300, 88−68153
Van Dyke, D.A. *see* Hoard, R.W. 85−62268
Van Dyke, D.A. *see* Nelson, D.H. 88−64963
Van Dyke, J.A. Working 21CTU [Can RTTY get any simpler?] 86−37344
Van Dyke, J.W. *see* Hill, L.J. 85−65038
Van Dyke, P. *see* Apel, J.R. 86−32574
Van Dyke, P. *see* Relis, Y. 87−46119
Van Dyke, P.D. Physical partitioning of logical functions in VLSI chip design 85−45768
Van Dyke, W.J. *see* Bush, E.D., Jr. 86−32053
Van Dyne, D. *see* Marshall, J. 86−57547
van Eck, F.H.B. Station automation [electrical substations] 87−43293
Van Eck, H.J.Ritsema *see* Ritsema Van Eck, H.J.
van Eck, J.-L. *see* Maggetto, G. 85−65513
Van Eck, J.L. *see* Koulischer, J. 88−32057, 88−55301, 88−64725, 88−70610
van Eck, J.L. *see* Maggetto, G. 86−56844
van Eck, J.T. Optical cable systems 87−62957
Van Eck, P. *see* Lowry, R.T. 87−57443
Van Eck, T. On objective autoregressive model testing 86−37091
van Eck, T.E. *see* Chang, W.S.C. 88−2063, 88−51513
Van Eck, T.E. *see* Walpita, L.M. 85−62651, 87−26545
van Eck, W. Electromagnetic radiation from video display units: an eavesdropping risk? 86−22707
van Eck, W., Neessen, J., Rijsdijk, P. On the characteristics of the electromagnetic field generated by video display units 86−15969
Van Eck, W. *see* Van Alste, J.A. 87−14892
van Eeckhout, G.D. Audio bridging 86−16807
Van Eeckout, G.D. The electronic meeting 88−67137
Van Eeden, H.L. An uncommitted linear array designed for implementation on a gate array workstation 87−6861
Van Eerdewijk, K.E. *see* van Meerbergen, J.L. 87−17156
van Eerdewijk, K.E. *see* van Wijk, F.J. 87−17135
van Eerdewijk, K.J.E. *see* Beenker, F.P.M. 87−32597
van Eerdewijk, K.J.E. *see* Van Wijk, F.J. 87−5912
van Egmond, J. On the basic choice for a LAN-technology independent interface 86−10831
Van Egmond, K. Software unites test program development with circuit design 85−12339
Van Egmond, K. Design and test integration 87−10617
Van Egmond, K., Lindsay, K. Communicating ASIC test needs from design to production 88−1701
Van Egmond, K. *see* Kazmi, S. 86−67964
van Eijck, G.L.P., van Meurs, R.H., van Nieuwland, J.M., Stienstra, A.J., Vries, L.B. Advanced developments in digital in-car entertainment 85−63893
van Eijk, C.W.E., Hollander, R.W., Pijpelink, J., Schotanus, P. Prospects of a new gamma camera for positron emission tomography 85−59269
van Eijk, C.W.E. *see* de Vries, J. 86−5782
van Eijk, C.W.E. *see* Duijn, J.H. 86−50350, 88−61176
Van Eijk, C.W.E. *see* Kernel, G. 86−44601
van Eijk, C.W.E. *see* Okx, W.J.C. 87−29462, 88−29796
van Eijk, C.W.E. *see* Schotanus, P. 87−29727, 87−50129, 88−4798, 88−61295
Van Eijk, P.J.A., Keyser, C.J., Rigterink, B.J., Hasper, H. A fast data acquisition system for PHA and MCS measurements 85−59214
van Eijkelenburg, H. With transitional timing, analyzers boost resolution, open wider windows 85−64056
van Eijkelenburg, H., Machnik, K. Grasp the time. Improved glitch handling simplifies timing analysis 85−15049
van Eijkelenburg, H. *see* Nordgren, R. 87−8568
Van Eijndhoven, J.T.J. Piecewise linear simulator for large scale integrated circuits 85−23903
Van Eijndhoven, J.T.J. Solving the linear complementarity problem in circuit simulation 87−481
van Eijndhoven, J.T.J., Jess, J.A.G. Mixed mode mixed level analysis with PWL systems 85−22623
van Eijndhoven, J.T.J. *see* Camposano, R. 88−25149, 88−25277
van Elderen, F.M. Spectrum analyser for EMI measurements 85−58627
van Elderen, F.M., van der Pijll, G.A. An introduction to EMC-conscious designs 86−15903
van Elderen, F.M. *see* McAllister, P. 86−55805
van Elk, W.J. *see* van den Assem, R. 86−43142
van Ellen, H., Frank, P. A contribution to the calculation of third order intermodulation for the large signal case 86−52637
van Ellen, H., Frank, P. A procedure for calculating the mixer intermodulation in the case of arbitrary magnitudes of the driving signals 87−31757
van Ellen, H., Frank, P. On the saturation properties of intermodulation of balanced diode mixers 88−38420
van Ellen, H., Frank, P. On the saturation properties of intermodulation of double balanced diode mixers 88−56518
Van Elst, H.C. *see* Tichler, J.W. 86−52585
van Engelen, C.P.M., Jelmersma, R., van den Brink, A., Kamermans, R. A detection system for energetic light heavy ions 85−26701
van Engelen, C.P.M. *see* Bakkum, E.A. 85−4218
van Engelen, G. *see* Biesterbos, J. 87−11543
van Engelen, G. *see* Biesterbos, J. 87−38424
van Engelen, G.J.P. *see* Schruwen, C.P.G. 88−57917
van Engelen, T.G. *see* Bongers, P.M.M. 88--69241
van Engelenburg, W.J. Third generation 'motor control centres' 88−37179
van Engelshoven, R.J., Theeuwen, J.F.M. Generating layouts for random logic: cell generation schemes 87−31654
Van Enschut, H.d'Achard *see* d'Achard Van Enschut, H.
van Enschut, J.F.M.d'Achard *see* d'Achard van Enschut, J.F.M.
Van Erk, W., Rietveld, T. The reaction of rare-earth metal iodides with the silica wall in metal halide discharge lamps 87−79194
van Erning, L.J.Th.O. *see* de Valk, J.P.J. 88−36561
van Erum, J.M.P. *see* Voskamp, J.H. 87−13438
van Es, P. Subservient CAD 87−67471
Van Esbroeck, P. *see* Gruszecki, M. 88−28254
Van Esdonk, J. *see* Hasker, J. 86−67613, 87−11279
van Esdonk, J.M.A. *see* Breuls, A.H.E. 88−45165
Van Ess, J.C. *see* Krause, S.J. 87−42145
Van Ess, J.S. *see* Dagarin, B.P. 87−42144
van Essen, D. *see* Kupers, G. 87−64327
van Essen, H. Electronic mail: getting the message across 87−55637
van Essen, J.C. Instrumentation of an automated EMC test facility for spacecraft 86−18420
van Etteger, A.F. *see* Smetsers, R.C.G.M. 87−2128
van Etten, W. Distance determination by means of accurate, periodic time interval measurement 88−60907
van Etten, W., Lambo, W., Simons, P. Loss in multimode fiber connections with a gap 85−35388
Van Etten, W., Maqusi, M. Comments, with reply, on 'Performance of baseband digital data transmission in nonlinear channels with memory' 86−54392
van Etten, W. *see* Bude, F. 87−46436
Van Ewyk, R., O'Connor, I., Mosley, A., Cuddy, A., Hilsum, C., Griffiths, J., Blackburn, C., Jones, F. Fluorescent liquid crystal displays 87−3653
van Ewyk, R.L., O'Connor, I., Mosley, A., Cuddy, A., Hilsum, C., Blackburn, C., Griffiths, J., Jones, F. Anisotropic fluorophors for liquid crystal displays 87−14386
Van Eycken, L., Wambacq, P., Rommelaere, J., Oosterlinck, A. A multiprocessor system for image processing 87−19900
Van Eycken, L. *see* Wambacq, P. 85−30321, 87−17254, 88−14829
Van Eyken, A. *see* Macpherson, J.M. 87−71081
van Eyken, A.P. *see* Williams, P.J.S. 88−53345
Van Fijk, C.W.E. *see* Coops, P. 85−20852
Van Fils, W.J. An error-control coding system for storage of 16 bit words in memory arrays composed of three 9 bit wide units 87−54885
van Gaal-Vandormael, G.T.J. *see* Esser, L.J.M. 87−14194
van Gastel, J., Anthoni, J. Packet switching: proven technology for future data communication 88−21698
van Gastel, J. *see* Anthoni, J. 85−3195
Van Gastel, K. Imaging by *X* band radar of subsurface features: a nonlinear phenomenon 88−23189

van Gastel, P., van der Geer, C.A.J. Analogue optical coupling: weak metering signals are not affected by interference 88−3982
van Gasteren, E.M. *see* van Delft, A. 88−35318
van Geen, R. *see* Jager, D. 88−51918
van Geen, R. *see* van de Velde, K. 88−72109
Van Geert, E. *see* Borremans, P. 86−51586
van Gelder, E.T. European chip factory opened 88−13461
van Gelder, J., Mulder, R.J. Private networking with SOPHO-TBX and SOPHO S systems 86−23634
van Gelder, R. *see* Meijer, G.C.M. 87−29109
van Gelder, T. AM 293 series in CMOS. 32 bit modules follow the trend in integrated circuits (ICs) 86−9284
van Gelder, T. TI expands the ACL series [CMOS ICs] 88−44867
van Gelder, W.J. Regulatable electric drives for current machines. Better process control with less power 88−11424
van Gelder, W.J. Better process control and lower energy use. Controllable electric drives for flow machines 88−18118
van Gemert, M.C.J. *see* Yoon, G. 88−8268
Van Gemert, M.J.C. Lasers in medical science 87−50280
Van Gemert, M.J.C., Welch, A.J. Treatment of port-wine stains: analysis 88−14320
van Gemert, M.J.C. *see* Lahaye, C.T.W. 85−48331, 85−59346
van Gemert, P.H. General rules and a method for introduction of wind energy into the distribution network 88−68918
van Gemst, P., Solheim, R. More secure electricity supply to ocean installations 87−9647
van Genderen, A.J. *see* Dewilde, P.M. 86−28518
van Genderen, R.van den Hoven *see* van den Hoven van Genderen, R.
Van Genderen, W., Van Der Heide, J.A., Brautigam, W. Calculation of cyclotron RF systems 87−70942
van Genderen, W. *see* Dries, W.J.F. 85−15108
Van Genderen, W. *see* Van Der Heide, J.A. 86−5649
Van Gerwen, P.J. *see* Beenker, G.F.M. 86−4281
van Gerwen, P.J. *see* Sommen, P.C.W. 87−68805
van Gestel, J. *see* Geerts, K. 85−59126
Van Gestel, K. Corporate data network for information exchange 87−62456
van Gestel, W.J. The influence of crosstalk on the bit-error-rate in magnetic recording 88−45736
van Gieson, E. *see* Meier, H.P. 88−51813, 88−56267, 88−72313
Van Gieson, F. *see* Kermani, A. 88−39423
van Giessen, J.W., de Graaf, C.N., Viergever, M.A. Application of ART3 to seven pinhole tomography 85−4283
van Giessen, J.W., Viergever, M.A., De Graaf, C.N. Seven-pinhole tomography of the thyroid 86−60731
van Giessen, J.W., Viergever, M.A., van Rijk, P.P., Gerritsen, J.G. Two devices for longitudinal emission tomography of the thyroid 88−48113
van Gigch, J.P. Modeling, metamodeling, and taxonomy of system failures 86−61971
Van Gijn, H.P. *see* Pelgrom, M.J.M. 85−58335
van Gills, W.J., Boly, J.-P. On combined symbol-and-bit error-control [4,2] codes over $\{0,1\}^8$ to be used in the (4,2) concept fault-tolerant computer 88−27779
Van Gils, W.J. Some constructions of optimal binary linear unequal error protection codes 85−36196
van Gils, W.J. Dot codes for product identification 85−57277
van Gils, W.J. An error-control coding system for storage of 16-bit words in memory arrays composed of three 9-bit wide units 87−7660
van Gils, W.J. Two-dimensional dot codes for product identification 88−27761
van Gils, W.J. *see* Boly, J.-P. 87−69038
Van Gils, W.J. *see* Tolhuizen, L.M.G.M. 88−66298
Van Ginderdeuren, J., De Man, H., Catthoor, F., Beckers, S. A design methodology for compact integration of wave digital filters 85−61384
Van Ginderdeuren, J., De Man, H., De Loore, B., Van Den Audenaerde, G. Application specific integrated filters for HiFi digital audio signal processing 87−17266
van Ginderdeuren, J., de Man, H., Delaruelle, A., Vanden Wyngaert, H. A digital audio filter using semi-automated design 87−17268
van Ginderdeuren, J., van Paepegem, L., Lecocq, J., Govaerts, R., Catthoor, F., Vanderbroek, P., Slock, S., de Man, H., Claasen, T.A.C.M. CORDIC-based HiFi digital FM demodulator algorithm for compact VLSI implementation 86−14064
Van Ginderdeuren, J. *see* De Man, H. 85−35203, 86−8308
Van Ginderdeuren, J.K.J., De Man, H.J., De Loore, B.J.S., Vanden Wigngaert, H., Delaruelle, A., Van den Audenaerde, G.R.J. A high-quality digital audio filter set designed by silicon compiler CATHEDRAL-1 87−17239
Van Ginderdeuren, J.K.J. *see* Jain, R. 86−34995
van Ginneken, A. Energy loss and angular characteristics of high energy electromagnetic processes 87−3818
van Ginneken, L.P.P.P. Gridless routing for generalized cell assemblies: report and user manual 88−31938
van Ginneken, L.P.P.P., Jess, J.A.G. Gridless routing of general floor plans 88−26424
van Ginneken, L.P.P.P., Otten, R.H.J.M. Stepwise layout refinement 85−29307
van Ginneken, L.P.P.P., Otten, R.H.J.M. Global wiring for custom layout design 86−57566
van Ginneken, L.P.P.P., Otten, R.H.J.M. An inner loop criterion for simulated annealing 88−63193
van Ginneken, L.P.P.P. *see* Otten, R.H.J.M. 85−39879
van Ginneken, L.P.P.P. *see* van Lieshout, G.J.P. 88−20145
van Glabbeek, H., Baars, N., Schreurs, H., Zwijsen, W. VHF, hyperband, and UHF mixer/oscillator sections of a TV tuner on one IC 88−22288
van Glabbeek, H. *see* Baars, N. 87−34808
Van Goethem, J. *see* Conroy, R.A. 85−19876
Van Goethem, J. *see* Fisher, D.G. 85−57898
Van Goethem, J. *see* Termote, A. 85−19661
van Goethem, L., van Sande, M., de Laet, L., Guislain, H. Copper contamination of high purity germanium (HP-Ge) through Li-diffusion 86−11836
van Gogh, J. *see* Demaray, E. 87−67166
Van Gompel, L. European telecommunications objectives 88−52684
Van Gool, L., Dwaele, P., Oosterlinck, A. Texture analysis anno 1983 85−41946
Van Gool, L., Goossens, M., Oosterlinck, A. Length preserving contour coding with a reduced generalized chain code 87−13101
van Goor, F.A. Increased reliability of passive mode-locking a multi-atmosphere TE CO_2 laser by injection mode-locking 86−36410
van Goor, F.A., Bonnie, R.J.M., Witteman, W.J. The transient evolution of AM mode-locking a TEA CO_2 laser 86−22286
van Goor, F.A., Sobolewski, A. Frequency locking a single-mode TEA CO_2 laser 88−33957
van Goor, F.A. *see* Bonnie, R.J.M. 86−29070, 86−58881
Van Gorkom, G.G.P., Hoeberechts, A.M.E. An efficient silicon cold cathode for high current densities. I. Experimental data and main results 85−18011
van Gorkom, G.G.P., Hoeberechts, A.M.E. Performance of silicon cold cathodes 86−35261
van Gorkom, G.G.P., Hoeberechts, A.M.E. An efficient silicon cold cathode for high current densities. II. Comparison with theory and discussion 87−6318
van Gorkom, G.G.P., Hoeberechts, A.M.E. Silicon cold cathodes 87−32195
van Gorkom, G.G.P., Hoeberechts, A.M.E. Silicon cold cathodes as possible sources in electron lithography systems 88−7411
van Gorkom, G.G.P. *see* Hoeberechts, A.M.E. 86−35260
van Gorkum, A.A. The cup model for the cathode lens in triode electron guns 86−10071
van Gorkum, A.A., Beirens, L.C.M. Experiments on eliminating spherical aberration in electron guns using aspherical mesh lenses 87−11277
van Gorkum, A.A., Nakagawa, K., Shiraki, Y. Controlled atomic layer doping and ALD MOSFET fabrication in Si 88−26303
van Gorkum, A.A., van den Broek, M.H.L.M. Spot reduction in electron guns using a selective prefocusing lens 86−8684
van Gorkum, A.A. *see* Beirens, L.C.M. 85−45364
van Gorkum, A.A. *see* Spanjer, T.G. 88−16326
van Gorsel, J. *see* Bilterijst, J. 87−56726
van Griethuysen, C.M., Paul, J.P. Measurement of posture during functional electrical stimulation 85−38184
Van Griethuysen, V.J. Stirling engines for Air Force applications 85−59396
Van Griethuysen, V.J. *see* Fox, B.R. 86−38871
Van Griethuysen, V.J. *see* Sheffield, J.W. 85−53117
van Groenou, A.B. *see* Sillen, C.W.M.P. 88−57970
van Groningen, W.D.H., Vermeij, G.F., Bosman, D., Traas, C.R. Geometric reconstruction of buried heat sources from a surface thermogram 86−11423
Van Gucht, A., Callens, F. The ACEC integrated gas expansion turbine and high frequency generator 88−37061
Van Gunten, O. *see* Stassinopoulos, E.G. 85−18472
van Gurp, W.A.J., Boudewijns, N., van Keeken, T. Switched capacitor chrominance base-band delay lines for colour decoders 88−15758
Van Haaften, D.H., Mills, J.I. Determination of optimum Curie point as a function of source and sink temperature for magnetic heat pumps [refrigeration] 85−53953
Van Haaften, F.W. *see* Ballard, E.O. 86−32123
Van Haaften, F.W. *see* Rosocha, L.A. 87−19020
Van Haaften, F.W. *see* Wilson, D.C. 87−50017
van Haelst, A.C.T.A., Donker, D.K., Visser, F.C., de Cock, C.C., Hasman, A., Talmon, J.L. A computer program for the analysis of serial electrocardiograms from patients who suffered a myocardial infarction 85−9196
van Haelst, A.C.T.A., Donker, D.K., Visser, F.C., de Cock, C.C., Hasman, A., Talmon, J.L. A computer program for the analysis of serial electrocardiograms from patients who suffered a myocardial infarction 86−18333
Van Haften, D. *see* Delatore, J.P. 86−10903
Van Hagan, T.H. *see* Strohmayer, W.H. 86−32484
van Hal, R.P.M. *see* Bruines, J.J.P. 86−52418, 87−38008
Van Halen, P., Camporese, D.S., Pulfrey, D.L. The emitter-injection efficiency and emitter effective surface-recombination velocity in polysilicon emitter transistors 86−9094
Van Halen, P., Pulfrey, D.L. Accurate, short series approximations to Fermi-Dirac integrals of order −1/2, 1/2, 1, 3/2, 2, 5/2, 3, and 7/2 85−49413
Van Halen, P., Pulfrey, D.L. High-gain bipolar transistors with polysilicon tunnel junction emitter contacts 85−55784
van Hall, P.J., Klaver, T., Wolter, J.H. Remote impurity scattering in heterojunctions 88−32882
van Halsema, D. *see* Hoogeboom, F. 87−57398
Van Hamme, H. *see* Unser, M. 88−74834
Van hamme, L. *see* Alner, G.J. 88−10288
Van Haren, D.L. *see* Swaminathan, V. 85−50207
Van Haren, D.L. *see* Zilko, J.L. 86−7798
Van Harlingen, D.J. *see* Sharifi, F. 88−71982
van Harlingen, D.J. *see* Springer, K.N. 88−7828
Van Harlingen, D.J. *see* Wakai, R.T. 87−1909, 87−46419, 88−45004
van Harmelen, J. *see* Rodgers, A.W. 88−71290
Van Hart, D.C. *see* Marsh, L.L. 85−37809
van Harten, H. *see* Wismeijer, A. 88−67415
van Hateren, J.H. An efficient algorithm for cable theory, applied to blowfly photoreceptor cells and LMCs 87−23886
van Heck, A.A.J.M. Economising a private voice/data network 86−23275
Van Hecke, J. *see* Borremans, P. 86−51586
Van hee, D.H. Preliminary results from the processing of a limited set of GEOSAT radar altimeter data 88−9671
van Heek, K.H. *see* Rost, M. 88−62216
Van Heek, K.H. *see* Schroter, H.J. 85−38688
van Heel, M. Noise-limited three-dimensional reconstructions 86−49007
van Heerden, W.F. *see* Botha, A.H. 85−64399
van Hees, G.L.Strang *see* Strang van Hees, G.L.
van Heesch, E.J.M. *see* van der Laan, P.C.T. 88−67639
van Heeswijk, R. *see* Kuffel, J. 86−18026, 87−29166
van Heeswijk, R.G. *see* Bruyn, P.A. 85−35230
van Heeswijk, R.G. *see* Chakrabarti, A.K. 88−1821
van Heeswijk, R.G. *see* Kuffel, J. 85−29375
van Heeswijk, R.G. *see* Srivastava, K.D. 85−32120
van Helden, J., Boekee, D.E. A 384 kBit/s videoconferencing coding scheme based upon vector quantization 85−57544
van Hemel, N.M. *see* SippensGroenewegen, A. 88−36490
van Hemel, N.M. *see* Swenne, C.A. 85−9207
van Herk, G. *see* Souchkevitch, G.N. 88−54502
van Herk, M. *see* Meertens, H. 85−37938, 88−68379
Van Herwaarden, A.W. The Seebeck effect in silicon ICs 85−42950
van Herwaarden, A.W., Hochstenbach, H.P., Harmans, K.J.P.M. Integrated true RMS converter 86−65168
van Herwaarden, A.W., Sarro, P.M. Thermal sensors based on the Seebeck effect 87−41490
van Herwaarden, A.W., Sarro, P.M. Double-beam integrated thermal vacuum sensor 87−77452
van Herwaarden, A.W., Sarro, P.M. Floating-membrane thermal vacuum sensor 88−60703
van Herwaarden, A.W., Sarro, P.M., Meijer, H.C. Integrated vacuum sensor 86−44285
van Herwaarden, A.W., Sarro, P.M., Meijer, H.C. Integrated vacuum sensor 86−55705
van Herwaarden, A.W. *see* Sarro, P.M. 87−11642
van Heteren, J., Schaap, D.M.A., Peters, H.C. Rijkswaterstaat's interest in HF radar 86−65532
van Heteren, J. *see* Wyatt, L.R. 86−65531
van Heteren, J.G., Henkelman, R.M., Bronskill, M.J. Equivalent circuit for coil-patient interactions in magnetic resonance imaging 87−50272
Van Heteren, J.G., Henkelman, R.M., Bronskill, M.J. Application of an equivalent circuit to signal-to-noise calculations in MRI 87−50273
van Heuningen, R. *see* Reulen, J.P.H. 86−38745
van Heuven, J.H.C. *see* Annegarn, M.J.J.C. 87−76977
van Hijningen, N.C.J. *see* Hasker, J. 86−14778
van Hoang, A. *see* Guenin, J.P. 85−52321
Van Hoang Dinh *see* Dinh Van Hoang

van Hoek, A., van Wijk, F.G.H. Tunable broadband pulsed dye laser 87−46802
Van Hoek, A., Vos, K., Visser, A.J.W.G. Ultrasensitive time-resolved polarized fluorescence spectroscopy as a tool in biology and medicine 88−8367
van Hoek, K. Dynamic model of external networks [power systems] 85−53256
van Hoeven, A.P.F. One and two-dimensional arrays integrated in one circuit. Picture sensors for colour and form recognition 88−16210
Van Hoi Pham *see* Pham Van Hoi
van Holtz, L. *see* Hartl, P. 86−55353
van Hooijdonk, H.H. Measurement and testing with stripline 88−55955
Van Hook, H.J. *see* Schloemann, E. 88−71896
Van Hook, J.P. *see* McMahon, J.F. 85−54003
van Hoorn, J. *see* Lambrecht, D. 86−51579
van Hoorn, M. Hearing aids, small, functional and fashionable. Microelectronics within and behind the ear 87−29813
van Hoorn, M.H. *see* Tran-Gia, P. 86−49050
Van Horebeek, I., Vergauwen, B., Lewi, J. Formal specifications: an industrial case study 88−59935
Van Horn, E.C. Expressing product development information in application terms 86−46482
Van Horn, J. Apparatus including shift register latches which allows performance evaluation 85−22814
Van Horn, J. Accurate, cost-effective performance screening of VLSI circuit designs 87−24103
Van Horn, M., Geiger, R.L. A CMOS OTA for voltage-controlled analog signal processing 86−57692
van Horne, P.R. *see* Desell, A.L. 85−4590
Van Houdt, P. *see* Beyltjens, M. 85−25646
Van House, J. *see* Skalsey, M. 88−47918
Van Housen, R.L. Cogeneration−a profitable way to save energy in the petrochemical industries 85−16501
van Hout, F.J., van den Brink, M.A., Wittekoek, S., Coolsen, J.F. Registration accuracy and critical dimension control for a 5× reduction stepper with magnification control 88−20052
van Hout, F.J. *see* van den Brink, M.A. 88−1586
van Houtem, F. Vacuum fluorescence displays−technology and trends 88−10073
Van Houten, C. *see* Groslambert, J.L. 86−65958
Van Houten, H., Beenakker, C.W.J., Van Wees, B.J., Mooij, J.E. Boundary scattering modified one-dimensional weak localization in submicron GaAs/AlGaAs heterostructures 88−32913
van Houten, H., van Wees, B.J., Heijman, M.G.J., Andre, J.P. Submicron conducting channels defined by shallow mesa etch in GaAs-AlGaAs heterojunctions 87−24824
van Houten, H., Williamson, J.G., Broekaart, M.E.I., Foxon, C.T., Harris, J.J. Magnetoresistance in a GaAs-Al$_x$Ga$_{1-x}$As heterostructure with double subband occupancy 88−39109
van Houten, H., Woerlee, P.H. Quasi-one-dimensional localization interaction and quantum size effects in 100 nm gate Si MOSFETs 88−13402
Van Houten, J., Dimitri, D.S. Laser cuts perfect circles in moving plastic 88−45594
Van Houten, L.P. *see* Amsbaugh, J.F. 86−55924
Van Houten, L.P. *see* Swanson, H.E. 86−55933
Van Houten, M.A. *see* Van Der Laan, P.C.T. 87−12767, 88−2635
van Houtum, H.J.W. *see* Jonkers, A.G.M. 88−26522
Van Houtum, H.J.W. *see* Reader, A.H. 88−39275
Van Houweling, D.E. The information network: its structure and role in higher education 87−76348
van Houwelingen, D. *see* Gartner, G. 87−11278
van Houwelingen, M.C. *see* Staals, A.A. 87−46351
van Houweninge, M. *see* Frenk, J.B.G. 88−11885
Van Hove, H. *see* Tollet, H. 87−11624
Van Hove, J.M., Cohen, P.I. Mass-action control of AlGaAs and GaAs growth in molecular beam epitaxy 86−7755
Van Hove, J.M., Pukite, P.R., Cohen, P.I. The dependence of RHEED oscillations on MBE growth parameters 85−39741
Van Hove, M. *see* De Raedt, W. 88−57694
Van Hove, M. *see* Silverans, R.E. 86−15818
Van Hove, P. Model-based silhouette recognition 88−28101
Van Hove, P. Silhouette-slice theorems 88−28113
Van Hove, P.L., Verly, J.G. A silhouette-slice theorem for opaque 3-D objects 86−16562
Van Hove, P.L. *see* Verly, J.G. 87−19953
van Huffel, P.L. Country fresh dairy: cogeneration in a light industrial application 85−22036
Van Huffel, S., Vandewalle, J. The partial total least squares algorithm 88−38107
Van Huffel, S., Vandewalle, J., Staar, J. The total linear least squares problem: formulation, algorithm and applications 85−22379
van Hulle, F. *see* Curvers, A. 86−56677
van Hulle, F.J.L. The Camperduin wind energy test project: results after a two year trial 86−45307
Van Hulse, J., Detemmerman, B., Buyse, H., Compere, M., Thiry, J.M. A simplified analysis of damper losses and torque ripple of the converter-fed, multiple armature polyphase synchronous machine 87−42889
Van Hulse, J. *see* Detemmerman, B. 85−32473
van Hulst, K., Perenboom, J.A.A.J. Status and developments at the High Field Magnet Laboratory of the University of Nijmegen 88−65074
van Hulst, K. *see* Leupold, M.J. 86−48018
Van Huong, C.Nguyen *see* Nguyen Van Huong, C.
Van Huong Chau Nguyen *see* Chau Nguyen Van Huong
Van Ijzendoorn, L.J. *see* Visser, R.-J. 88−13254, 88−19887
van Ingen, A.M., Mastop, W.J. Transmission of electrical and optical signals 85−24858
van Ingen, A.M., Sterk, A.B., Verhoeven, A.G.A., Tournesac, B., Viniane, C. High-voltage supply and control system for three 60 GHz 200 kW gyrotrons 85−48793
van Ingen, A.M. *see* Verhoeven, A.G.A. 87−15898
van Ingen, C. *see* Barsotti, E. 88−54403
van Ingen Schenau, H.A., Pleijsier, A., Monkel, A. Functional built-in-test in a pipelined image processor 85−37545
Van Iseghem, P., Danneels, J.M., Rahier, M.C., Kruger, A., Szechenyi, K. ISDN components for public and private digital loops 87−40597
Van Itallie, T.B. *see* Presta, E. 88−30012
van Itallie, T.B. *see* Segal, K.R. 86−11978
van Kaick, G. *see* Raeth, U. 85−43342
van Kalleveen, T.H.T. *see* Buckmaster, H.A. 88−22748
van Kampen, H. SOPHO-TEXT, the text server for SOPHO S 85−57895
van Kampen, H. ISDN and office automation 87−33989
van Kampen, H. *see* Escherle, A. 85−36757
van Kampen, H. *see* Jordaan, M.J. 88−67179
van Kampen, T. Parallel architecture in digital signal processing 86−69081
van Kampen, T., Anders, P. Parallel processing and pipelining usher DSP model into the future 86−34833
Van Kampen, T. *see* Anders, P. 87−10892
van Kampen, W.A. *see* Unger, R. 87−42208
van Kann, F.J., Buckingham, M.J., Penny, R.D. A prototype superconducting gravity gradiometer 85−59434
van Kann, F.J. *see* Veitch, P.J. 85−62273
Van Karsen, C., Allemang, R.J. Averaging for improved frequency response functions 85−15037
Van Kasteren, H.W.J. *see* Binnenkade, P. 86−18610
van Kats, P.J., Jager, O.P.E. Reflections of electromagnetic waves by large wind turbines and their impact on UHF broadcast reception 85−2546
van Kats, P.J. *see* Berkhuizen, J.C. 88−55247
van Keeken, T. *see* van Gurp, W.A.J. 88−15758
van Kemenade, J.T.C., Keijser, R.A.J., Bolt, B.F. New possibilities for HPS lamps in indoor lighting 87−64945
van Kemp, R. *see* Miyao, M. 87−25045
van Kempen, C.J. Econometric explorations, a decision support system 87−62482
van Kempen, H., van de Walle, G.F.A. Applications of a high-stability scanning tunneling microscope 87−11317
van Kempen, H. *see* van de Walle, G.F.A. 85−64291, 87−26154
van Kervel, S.J. Laservision ROM systems for digital data and video storage 88−22338
van Kessel, C.G.M., Gee, S.A. The use of fractography in the failure analysis of die cracking 85−54580
van Kessel, C.G.M. *see* Gee, S.A. 87−16402, 88−24562
van Kessel, H.J. A new bipolar reference current source 87−511
Van Kessel, J.M.E.M. *see* Zakaria, M.F. 88−3235
Van Kessel, J.M.H.M. *see* Zakaria, M.F. 88−14792
Van Keuk, G. *see* Fleskes, W. 88−15529
van Keulen, C. *see* van den Buys, S. 87−43929
Van Khai Nguyen *see* Nguyen Van Khai
Van Khoy Fam *see* Fam Van Khoy
van Kirk, T. Fibre solves hospital woes [optical fibre links] 85−3471
van Kleef, R.P.A.R., Myron, H.W., Wyder, P., Parker, M.R. Application of magnetic flocculation in a continuous flow magnetic separator 85−24770
van Kleef, R.P.A.R. *see* Reijers, H.T.J. 86−36679
van Konynenburg, P., Marsland, S., McCoy, J. Solar radiation control using NCAP liquid crystal technology 88−51585
van Kooij, J. Food irradiation makes progress 85−10293
van Kooten, C. *see* Ramondt, J. 86−60789
Van Kooten, R. *see* Bingham, H.H. 88−74761
van Koppen, C.W.J. Solar energy: certain and sure 88−17431
van Koppenhagen, F. Large-consumer tariffs in development 86−50823
van Koppenhagen, F. The importance of load management and its effects on distribution 88−30288
van Kuijk, H.C.G.M. *see* Esser, L.J.M. 87−14194
van Kuijk, H.J. *see* Clarke, F.B. 88−25606
van Kuijk, R.M. *see* Beijers, A.P.A.M. 85−6032
Van Laan, T.J., Gradin, L.P. Equipment reliability and maintainability enhancement through software applications 87−9274
van Laar, G.F.M. Explosive safety of electrical equipment and systems 86−66584
Van Laar, J. *see* Bartz, J.A. 87−64379
van Laar, J. *see* van Zwol, J. 88−13140
van Laarhoven, P.J.M., Aarts, E.H.L., Davio, M. PHIPLA−a new algorithm for logic minimization 86−20498
Van Laarhoven, P.J.M., Kalker, T.A.C.M. On the computation of Lauricella functions of the fourth kind 88−38109
van Laarhoven, P.J.M. *see* Aarts, E.H.L. 86−7661, 86−26739
van Lammeren, J.P.M. *see* van der Woerd, A.C. 85−1199
van Lammeren, M.J.P. Condition dependent maintenance: a practical approximation 88−55924
Van Lancker, L. *see* Daubie, E. 87−21467
Van Lancker, L. *see* de Clerq, C. 86−32194
Van Landingham, H.F., Phadke, A.G., Lindner, D.K., Jayakumar, A., Thorp, J.S. A nonlinear observer applied to state estimation of a synchronous generator 86−6725
Van Landingham, H.F. *see* Cadzow, J.A. 86−25
Van Landuyt, J. *see* Claeys, C. 85−23711, 86−21429
Van Landuyt, J. *see* De Veirman, A. 88−32944, 88−33064
Van Landuyt, J. *see* Vanhellemont, J. 86−58314
Van Landuyt, J. *see* Venhellemont, J. 87−25040
Van Langen, J.R. Project quality . . . needs assurance at every step 85−22266
Van Le Khiem *see* Khiem Van Le
Van Leemput, G. *see* Bhargava, A. 88−52937
van Leerdam, M.G., de Lepper, P.A.P.H. A fibre-optic LAN for data, voice and video transmission 88−41353
van Leerdam, M.G., de Lepper, P.A.P.H. ISLAND: a high speed optical LAN for integrated services 88−73655
van Leeuwen, G.H., Hoeks, A.P.G., Reneman, R.S. Simulation of real-time frequency estimators for pulsed Doppler systems 87−57462
Van Leeuwen, H., Berendsen, E., Langeweg, S. Linguistics as an input for a flexible grapheme-to-phoneme conversion system in Dutch 86−48870
van Leeuwen, J., Santoro, N., Urrutia, J., Zaks, S. Guessing games and distributed computations in synchronous networks 88−40773
Van Leeuwen, J., Tan, R.B. Interval routing 87−76321
van Leeuwen, J. *see* Pluimakers, G.M.J. 86−69386
van Leeuwen, J.L. *see* van Delft, D.R.V. 88−48830
van Leeuwen, K.A.H. *see* Nijnuis, H.T. 85−29610
van Leeuwen, M.G. *see* Seevinck, E. 86−35052
Van Leeuwen, M.G. *see* Wassenaar, R.F. 88−56824
van Leeuwen, P.J., Reiber, J.H.C. Automated detection of left ventricular boundaries from 35 mm contrast cineangiograms 87−48056
van Leeuwen, P.J., Reiber, J.H.C. Left ventricular contour detection with a dynamic search algorithm 88−29979
van Leeuwen, W.H. The influence of ultrasonic probe design and construction on spatial resolution 87−21800
van Leeuwen, W.S. Nuclear uncertainties: energy loans for fission power 85−59938
Van Lerberghe, A. *see* Boulnois, J.L. 85−24614, 86−48346
van Lerberghe, A. *see* Chardonnet, C. 86−55807, 86−58885
Van Leuken, T.G.R., Fokkema, J.T., Liedorp, J. State driven hierarchical design rule verification 86−66932
van Leuken, T.G.R., van der Wolf, P. The ICD design management system 86−41924
van Leuken, T.G.R. *see* van der Meijs, N. 88−24929
van Leuken, T.G.R.M. *see* Annevelink, J. 85−18422
van Leunen, J.A.J. *see* Beekmans, A.A.G. 87−14863
Van Leuven, J., Stevens, D. The wind farm of Zeebrugge: experimental set-up 88−48839
Van Liefferinge, M. *see* Lierneux, M. 87−51557
van Lienden, A.G., Meijer, G.C.M., van Drecht, J. Latch-up in bipolar low-voltage current sources 88−18905
van Liere, J., Brouwers, M.W.P. Repair of the eroded blades of the rotor of a 320 MW turbine by welding 85−43858
van Liere, J., Pastoors, J.T.W., Vogelaar, E.J.A. Failure analysis for improvement of quality 87−72883

van Liere, J. *see* Beijers, A.P.A.M. 85—6032
van Liere, J. *see* Brinkman, J.L. 87—42666
Van Lierop, J.G. *see* Papanikolau, E. 88—43950
van Lierop, M.L.P. A flexible bottom-up approach for layout generation [VLSI] 85—50629
van Lieshout, G.J.P., van Ginneken, L.P.P.P. GM: a gate matrix layout generator 88—20145
Van Lieshout, P., Coleman, C., den Hollander, L. North Wind 100: setting new standards for wind generators 88—48832
van Lieshout, P. *see* Bredesen, B.R. 88—30630
Van Lieshout, P. *see* Godley, W.L. 87—72264
Van Lil, E., Van de Capelle, A. Comparison of models for calculating mutual coupling in microstrip arrays 85—13395
Van Lil, E., Van de Capelle, A. Applications of deterministic error analysis in array antennas 86—68854
Van Lil, E.H., Van de Capelle, A.R. Transmission line model for mutual coupling between microstrip antennas 85—7710
van Lint, J.H., Springer, T.A. Generalized Reed-Solomon codes from algebraic geometry 87—54861
van Lint, J.H., Wilson, R.M. On the minimum distance of cyclic codes 86—48766
Van Lint, J.H., Wilson, R.M. Binary cyclic codes generated by m_1m_7 86—59218
Van Lint, V.A.J. The physics of radiation damage in particle detectors 87—29485
van Lint, V.A.J. *see* Chervenak, J.G. 86—36753
van Lint, V.A.J. *see* Smith, A.J. 85—57059
van Lint, V.A.J. *see* Snowden, D.P. 86—38520, 87—32750
Van Loan, C. A unitary method for the ESPRIT direction-of-arrival estimation algorithm 88—40929
Van Loan, C., Speiser, J. Computation of the CS decomposition with application to signal processing 87—55116
van Loan, C. *see* Cybenko, G. 86—46264
Van Loan, C. *see* Speiser, J.M. 85—30247
Van Loan, P. *see* Hauge, B. 88—57054
Van Loan, P.R. *see* Hauge, B.R. 88—12712
Van Loenen, E.J. *see* Herbots, N. 86—28177
van Loenen, E.J. *see* Rubloff, G.W. 86—58318
Van Loock, W. Aircraft antennas 86—56234
Van Loock, W., De Pourcq, M., De Wagter, C. Application of microwave heating for the production of construction materials 85—39331
Van Loock, W., Samyn, J. X-band device for testing the shielding of composite materials 88—2629
van Loon, A.J. Hydropower: an overview of worldwide development 86—56655
van Loon, M.P.M. *see* Stevens, M.P.J. 85—12384
Van Lyk *see* Eliseev, P.G. 85—29855
Van Lyk Vu *see* Vu Van Lyk
Van Lysel, M.S. *see* Hasegawa, B.H. 85—38039, 86—11956
Van Lysel, M.S. *see* Swanson, D.K. 85—38052
van Maanen, H.R.E. Digital audio system design 85—52575
Van Maanen, H.R.E. Comments on 'On the audibility of midrange phase distortion in audio systems' [and replies] 86—17694
van Maanen, H.R.E. Duplication of the sampling frequency of periodically sampled signals for the calculation of the discrete Wigner distribution 86—23049
van Maanen, J.M.C. Investigation of the basis of electricity consumption by small consumers 87—78209
van Maaren, D.C., Nordholt, E.H. A semi-custom integrated eight-channel infrared telemetry system 86—64607
van Maaren, D.C., Nordholt, E.H. A low-power semicustom integrated eight-channel infrared telemetry system for condition monitoring 88—22479
van Maaren, H.C. Paperless trading—new frontiers in transborder communications 85—19851
Van Malderen, R. System 12: review of the fundamental concepts 85—25637
Van Malderen, R. Distributed control [telephony switching and transmission] 86—49175
Van Malderen, R. Worldwide telecommunication technology transfer 87—62425
Van Malderen, R. Worldwide telecommunications technology transfer 88—41159
Van Maren, R.D. *see* Burns, M.J. 88—65744, 88—68149
van Marle, J. *see* Schellart, N.A.M. 87—14850
van Mastrigt, R. *see* Glerum, J.J. 87—63723
Van Meekeren, R.D. *see* Lund, R.E. 86—62964
van Meel, J., Oldenkamp, H. Field performance monitoring system for water pumping windmills 85—31404
van Meel, J., Smulders, P. Some results of CDWs test fields—are the IEA recommendations sufficient for windmills driving piston pumps? 87—21256
van Meel, J., Smulders, P. Some results from CWD's test fields: are the IEA recommendations sufficient for windmills driving piston pumps? 87—78573
Van Meenen, J. *see* Maun, J.C. 86—51111
van Meer, A.C.P. TMS32010 evaluation module controller 87—24299
van Meerbergen, J. Efficient controller architectures for DSP compilers 88—70846
Van Meerbergen, J. *see* Catthoor, F. 86—67187
Van Meerbergen, J. *see* Claesen, L. 88—70934
van Meerbergen, J. *see* Hellwig, K. 87—44935
van Meerbergen, J. *see* Matterne, L. 88—25165
van Meerbergen, J.L. Developments in integrated digital signal processors, and the PCB 5010 88—46050
van Meerbergen, J.L., Welten, F.P., van Wijk, F.J., Stoter, J., Huisken, J.A., Delaruelle, A., Van Eerdewijk, K.E., Schmid, J., Wittek, J.H. An 8 MIPS CMOS digital signal processor 87—17156
Van Meerbergen, J.L. *see* Catthoor, F. 88—34651
van Meerbergen, J.L. *see* Van Wijk, F.J. 87—5912, 87—17135
van Meerbergen, J.L. *see* Welten, F.P. 85—61315
Van Meerten, J.A., Van de Pol, H.D., Van de Ven, J.C.J. Small scale SMT production. I 87—43987
Van Meerten, J.A., Van De Pol, H.D., Van De Ven, J.C.J. Small scale production in SMT. II. Production possibilities for prototypes and small series 87—60023
van Meeteren, A., Valeton, J.M. Effects of pictorial noise interfering with visual detection 88—52532
Van Meeteren, H.P., Frame, J.G., Fudeh, H.R. Optimal power flow in energy management systems 87—4311
Van Meeteren, H.P., Perry, B.M., Farah, J.L., Kamienny, M.G., Enjamio, J.E., Wynne, W.T. Extensive unit commitment function including fuel allocation and security area constraints 86—50906
Van Meeteren, H.P., Perry, B.M., Farah, J.L., Kemienny, M.G., Enjamio, J.E., Wynne, W.T. Extensive unit commitment function including fuel allocation and security area constraints 87—30061
Van Meirhaeghe, R.L. *see* De Bosscher, W. 87—25215, 88—25976, 88—39370
Van Meirhaeghe, R.L. *see* Hanselaer, P.L. 85—6757, 86—28047, 87—32355
Van Meirhaeghe, R.L. *see* Lootens, D.U. 87—60190
Van Meirhaeghe, R.L. *see* Song, Y.P. 86—67754, 88—13059
van Meirhaeghe, R.L. *see* van den Berghe, L.M.O. 87—17966
van Meirhaeghe, R.L. *see* Vandenbroucke, D.A. 85—40537, 87—60175
Van Merris, X. The organisation Intercom constructs a new production unit for a combined electricity and steam network for the Belgian region of Alost 88—69134
Van Meter, A.M. *see* Lee, K.J. 87—14925
Van Meter, O.E., Jr. *see* Robl, F.W. 86—39278
Van Meter, R.G. *see* Karpovsky, M.G. 85—857
van Meurs, F.A., Huysmans, P., Loois, G., Mol, C.R. Image processing in X-ray ventriculography 88—29982
van Meurs, R.H. *see* van Eijck, G.L.P. 85—63893
van Meygaard, H. The relationship between engineering education and industry in the Netherlands 86—40410
van Middendorp, G. *see* Bose, A.K. 87—51297
van Miegroet, P. A step towards artificial intelligence applied to the analysis of incidents in electrical networks 87—50740
van Miegroet, P. *see* Andersson, B.G. 87—58222
van Miegroet, P. *see* Declercq, J.C. 85—60344
Van Miegroet, P. *see* Maun, J.C. 87—9118
van Mieren Loovenstijn, J.H. Microelectronics in photography. Practical circuits serve as examples 85—7598
van Mieren Loovenstijn, J.H. Fifty years of magnetic recording 85—18558
van Mieren Loovenstijn, J.H. Centigrade temperature sensor 85—52741
van Mieren Loovenstijn, J.H. Capacitor microphones. I 86—17683
van Mieren Loovenstijn, J.H. Capacitor microphones. II. Developments in the last 40 years 86—17684
van Mieren Loovenstijn, J.H. Condensor microphones (3) 86—38129
van Mieren Loovenstijn, J.H. The image intensifier tube 87—1153
van Mieren Loovenstijn, J.H. Research on the thermal behaviour of satellites. The sun simulator of Estec 87—29852
van Mieren Loovestijn, J.H. Thermionic energy conversion 87—58342
Van Mierop, D. System FINEX: the first implementation of a high-speed networking (FDDI) standard 88—21742
Van Mierop, D. System Finex: a first experience with FDDI technology 88—73981
van Milligen, F. *see* Olbright, G.R. 85—18767
Van Mourik, G.J. Heat storage in aquifers 87—64832
van Mourik, J.G.R. *see* Bosman, D. 85—14940
van Munster, R.J. *see* Boekamp, R. 87—17004
van Muoi, T. Single mode fibre recirculating delay line 85—12550
Van Muoi, T. *see* Li, K.K. 87—77280
Van Muoi Tran *see* Tran Van Muoi
Van Name, J.M. *see* Dunlap, J.H. 86—65729
van Nauta Lemke, H.R. *see* van der Klugt, P.G.M. 88—36725
van Nes, F.L. A new character set for teletext with improved legibility 86—30343
Van Nes, F.L. Space, colour and topography on visual display terminals 86—54839
van Nes, F.L. A new teletext character set with enhanced legibility 87—2840
Van Ness, B.J., Null, G.S. ECC memory—a challenge to MicroVAX parity memory. Impossible? Maybe not! 87—19390
Van Ness, J.E. Examples of eigenvalue/vector use in electric power system problems 87—30107
Van Ness, J.E. *see* Mugwanya, D.K. 87—57485
Van Nest, W.D. *see* Caldwell, R.L. 88—46744
van Netten, S.M. Laser interferometer microscope for the measurement of nanometer vibrational displacements of a light-scattering microscopic object 88—45582
Van Nghi, B.Nguyen *see* Nguyen Van Nghi, B.
Van Nguyen, T. Polynomial generator using geometrical patterns [signal processing] 88—331
Van Nho Pham *see* Pham Van Nho
van Nie, A.G. An investigation into the termination resistance of thin film resistors 87—66582
van Nie, A.G. *see* Kersuzan, G. 85—11814
van Niekerk, F.D. Non-linear one-step methods for initial value problems 87—65418
van Niekerk, H.R. Drive system design philosophy for mass minimisation of battery-powered vehicles 86—40240
van Niekerk, M.J. *see* Kritzinger, J.J. 85—59088
Van Niekerk, R. A disc armature motor with electromagnetic field for battery powered road vehicles 85—65528
van Nielen, N.S. The 380 kV station at Maasbract: the international coupling point for the Dutch electricity supply [power system interconnection] 85—21071
van Nielen, N.S. New computer system for the national control centre of SEP [electricity supply centre] 85—38457
van Nielen, N.S. Ring-closing 380 kV interconnecting network: main features of the technical implementation 86—12463
van Nielen, N.S. New energy management system for the Dutch power pool 87—42345
van Nielen, N.S. *see* Machi, S. 88—54954
Van Nieuwenhove, R. *see* Van Oost, G. 88—48572
Van Nieuwenhuizen, G.J. *see* Meijer, R.J. 88—29828, 88—29917
van Nieuwenhuyzen, G.J., de Waal, V.J. Second order gradiometer and DC SQUID integrated on a planar substrate 85—35334
van Nieuwland, J.M. *see* van Eijck, G.L.P. 85—63893
van Nifterick, W. *see* Frietman, E.E.E. 88—2143
Van Nigtevegt, J. EPROM with 'read' security 85—61246
van Nigtevegt, J. Time switch with attractive features 88—25611
van Nigtevegt, J.W. Double-phase rectifier with one op amp 88—18900
van Nigtevegt, J.W. Thermal protection of a final stage 88—32015
van Nigtevegt, J.W. Hotel switch for a house telephone 88—44409
van Nijmweegen, F.C. *see* Voskamp, J.H. 87—13438
Van Noije, W.A.M., Declerck, G.J. Advanced CMOS gate array architecture combining 'gate isolation' and programmable routing channels 85—44967
van Noort, R. *see* Brown, B.H. 87—3921
Van Norman, J.D. *see* Sidney, B.D. 88—27073
Van Norren, D. *see* Kooijman, A.C. 86—32310
Van Note, R. Image processing: a technology whose time has not come 85—47149
van Nunen, G. Made-to-measure ICs. I 87—53629
van Nunen, G. Application oriented components always important ICs to measure. II 87—66048
van Nurden, W. *see* Gilbert, B.K. 85—45097
van Ochten, M. Peak detector offers wide bandwidth 86—8057
Van Oers, W.T.H. *see* Abegg, R. 85—37899
van Oeveren, W.J., Nieveld, G.D. 8TR 636: A new protective switching system 87—28309
Van Olinda, P. *see* Nara, K. 85—48533
van Ommen, A., van der Spek, G.A. Incoherent imaging of radar targets 86—49702
van Ommen, A.H. Diffusion of ion-implanted As in SiO_2 85—12126
van Ommen, A.H., Koek, B.H., Viegers, M.P.A. Ordering of oxide precipitates in oxygen implanted silicon 87—11635
van Ommen, A.H., Ligthart, H.J., Politiek, J., Viegers, M.P.A. High-quality SOI by oxygen implantation into silicon 88—44604
van Ommen, A.H., Maas, H.G.R., Appels, J.A. Bombardment Induced Strengthening of Nitride (BISON) a novel effect in the etch properties of ion implanted LPCVD-Si_3N_4 85—45598
van Ommen, A.H., Ottenheim, J.J.M., Theunissen, A.M.L., Mouwen, A.G. Synthesis of heteroepitaxial $Si/CoSi_2/Si$ structures by Co implantation into Si 88—71387

Van Ommen, A.H., Viegers, M.P.A. Buried oxide formation in Si by high-dose implantation of oxygen 88—12915
van Ommen, A.H., Viegers, M.P.A. Structural study of the formation of buried oxide layer by oxygen implantation 88—33063
van Ommen, A.H., Willemsen, M.F.C., Boudewijn, P.R., Reader, A.H. Bombardment-induced mixing of Mo films on Si 87—11583
van Ommen, A.H., Willemsen, M.F.C., Kuiper, A.E.T., Habraken, F.H.P.M. Etch rate modification of Si_3N_4 layers by ion bombardment and annealing 87—11648
Van Ommen, A.H. *see* Reader, A.H. 88—39275
van Ommen, A.H. *see* Viegers, M.P.A. 87—25050
van Ommeren, J., Zijlstra, F., Serruys, P.W., Reiber, J.H.C. A rapid angiographic technique to measure relative coronary blood flow 87—50220
van Ommeren, J. *see* Kooijman, C.J. 85—31829
van Ommering, G., Koehler, C.W. Bipolar nickel-hydrogen battery system design [space vehicle power generation] 85—48442
van Oorschot, B.P.J. Correction of pyrometric measurements of furnace tube temperature: a viable proposition 86—31447
Van Oort, H. A numerical model for calculating the power output fluctuations from wind farms 88—48838
van Oort, R.C., Geerts, M.J., van den Heuvel, J.C., Metselaar, J.W. Hydrogen plasma etching of amorphous and microcrystalline silicon 87—74196
Van Oort, R.C., Geerts, M.J., Van Den Heuvel, J.C., Payson, J.S. A PDS study of hydrogenated amorphous silicon films deposited by RF glow-discharge from silane-hydrogen mixtures 88—24779
van Oort, R.C., Geerts, M.J., van den Heuvel, J.C., Wentinck, H.M. The effect of silane dilution with hydrogen on the deposition of glow-discharge-deposited silicon films 88—12084
van Oort, R.C. *see* Wentinck, H.M. 88—12996
Van Oost, G., Bhatnagar, V.P., Delvigne, T., Descamps, P., Durodie, F., Koch, R., Messiaen, A.M., Pearson, D.I.C., Vandenplas, P.E., Vanderstraeten, A., Van Nieuwenhove, R., Van Wassenhove, G., Weynants, R.R., Kohlhaas, W., Stickelmann, C., Cosler, A., Giesen, B., Goerg, B., Haltrich, S., Heuttemann, P., Korten, M. The high-power (3-MW) long-pulse (3-s) radiofrequency system for ion cyclotron resonance heating experiments on TEXTOR 88—48572
Van Oost, K. *see* De Mey, G. 87—52877
van Oosterom, A., Alsters, J. Removing the maternal component in the fetal ECG using singular value decomposition 86—5959
van Oosterom, A. *see* Roozen, H. 87—57151
van Oosterom, A. *see* Uijen, G.J.H. 85—15320, 85—53072
Van Oosterom, A. *see* Van Dam, R.T. *(editor)* 87—23027
van Oostrum, K.J. CAD in light optics and electron optics 86—14828
Van Opdorp, C., Leys, M.R. On the factors impairing the compositional transition abruptness in heterojunctions grown by vapour-phase epitaxy 87—73077
Van Opdorp, C. *see* Leys, M.R. 85—10712
van Opstal, L.H. Standardization of electronic charts 88—35612
Van Orden, H.M. *see* Irwin, J.A. 87—63887
van Ormondt, D. *see* Barkhuijsen, H. 86—23083, 87—47843
Van Ornum, J.H. *see* Gibb, K.R. 87—44925
van Os, B.V. Management of a military mobile radio relay network 85—8333
van Os, L. The increasing importance of software in oscilloscope design 86—60280
van Os, L. Front-panel innovations in the PM 3050 series oscilloscopes. I 87—8651
van Osenbruggen, C., de Regt, C. Electrochemical micromachining 85—49225
Van Otten, P. *see* Berkvens, P. 85—26547
Van Otten, P. *see* Ryckbosch, D. 85—64503
van Otterloo, P.J., Janssen, A.J.E.M., Dekker, C.B. Edge-preserving noise reduction in digital video sequences 87—7867
van Otterloo, P.J., Rohra, K., Veldhuis, R.N.J. Motion blur due to field rate conversion of television signals 85—57542
van Otterloo, P.J. *see* Dekker, C.B. 86—54528
Van Otterloo, P.J. *see* Dekking, F.M. 86—64332
van Otterloo, R.W., Andreoli, L.P. The unavailability of a substation 85—39086
van Otterloo, R.W. *see* Badoux, R.A.J. 88—253
van Oudheusden, B.W. Silicon flow sensors 88—74337
van Overbeeke, F., Oldenburger, A.A., Visser, A., van de Klundert, L.J.M. Quench propagation in a superconducting coil with a high-resistivity matrix wire 87—46427
van Overbeeke, F., Oordt, K., van de Klundert, J.M., Oldenburger, A.A. Transient characteristics of a double-coil protection device for superconducting transformers 86—51728
van Overbeeke, F., Oordt, K., van de Klundert, L.J.M. Experimental investigation of the loss characteristics of superconductors for AC power applications 85—62225
van Overbeeke, F., Oordt, K., van de Klundert, L.J.M. Design and operation of a protection system for transformers with superconducting windings 86—26092
van Overbeeke, F., Oordt, K., van de Lundert, L.M. Investigation of a protection system for transformers with superconducting windings 85—49001
van Overbeeke, F., ten Kate, H.H.J., van de Klundert, L.J.M. A superconducting modulator for extremely sensitive voltage measurements across multifilamentary superconducting wires 87—77347
Van Overstraeten, R. Micro-electronics in the future 87—18275
van Overstraeten, R. *see* Anis, W.R. 86—13236
Van Overstraeten, R. *see* Claeys, C. 85—23711, 86—21429
Van Overstraeten, R. *see* De Pauw, P. 88—2105
Van Overstraeten, R. *see* Girisch, R. 86—19501, 86—71067
Van Overstraeten, R. *see* Mertens, R. 86—13079
Van Overstraeten, R. *see* Palz, W. 88—24145
van Overstraeten, R. *see* Rawlings, K.J. 88—33236
Van Overstraeten, R.J., Mertens, R.P. Physics, technology and use of photovoltaics 86—61748
Van Overstraeten, R.J., Mertens, R.P. Heavy doping effects in silicon 88—19658
Van Overstraeten, R.J. *see* Anis, W.R. 85—38936
Van Overstraeten, R.J. *see* Ghannam, M.Y. 85—55585
van Overveld, W.M.C.J. An achievable rate region for the binary multiplying channel using fixed length strategies 87—33618
van Overveld, W.M.C.J. Some constructions of new burst-error-correcting codes 87—39644
van Overveld, W.M.C.J. Fixed- and variable length strategies are equivalent 87—75677
van Overveld, W.M.C.J. Multiple-burst error-correcting cyclic product codes 88—27781
Van Overveld, W.M.C.J. Fixed-length strategies for the binary multiplying channel 88—66251
van Overveld, W.M.C.J., Schmitt, R.J.M. Generalized write-unidirectional memory codes 88—59035
van Paassen, C.A.A. Optimal design of spray steam coolers. I. Influence of spray cooling on the specific heat consumption [steam turbine power stations] 85—32349
van Paassen, C.A.A. Optimal design of steam spray coolers. II. Selection of the optimal atomization method 85—38840
van Paassen, C.A.A. Development of part load efficiency by means of a new parameter: the yield exponent 88—69158
van Paassen, P.T.H.M. *see* Theeuwen, J.F.M. 86—34476
Van Pachterbeke, Y. *see* De Genst, P. 88—37076
Van Pactherbeke, Y., De Genst, P. The new standardized Straflo sets for low head 'mini' and 'micro' power stations 85—4983
Van Paemel, R. *see* Vanden Berghe, R. 87—11109
van Paepegem, L. *see* van Ginderdeuren, J. 86—14064
Van Parys, I. *see* Kohler, R. 85—31759
Van Patten, R.E. Current research on an artificial intelligence-based loss of consciousness monitoring system for advanced fighter aircraft 88—5074
van Patten, R.E. A methodology for the reduction of false alarm rates in artificial intelligence-based loss of consciousness monitoring systems 88—68571
Van Pelt, B., Plevak, J.F. The lixiscope: a portable X-ray fluoroscope 86—26946
Van Pelt, B. *see* Lindsay, J.T. 86—26945
van Pelt, P. *see* Belton, D.J. 85—1724
van Peppen, J.C.L., Klaasen, K.B. Damping of compression and shear piezoelectric accelerometers by electro-mechanical feedback 88—53683
van Peppen, J.C.L. *see* Klaassen, K.B. 85—58647, 86—24631, 87—20833
Van Peski, C. *see* MacDonald, D.B. 85—12073
Van Peski, C.K. Automatic wafer stepper calibration and testing 87—11512
van Peteghem, A.P. *see* Lemaitre, L. 86—32362
Van Peteghem, P., Sansen, W. Clock feedthrough in switched capacitor circuits 87—884
Van Peteghem, P., Sansen, W. Single versus complementary switches: a discussion of clock feedthrough in SC circuits 87—24327
van Peteghem, P., Sansen, W. The reduction of flicker noise with switched capacitor techniques 88—12507
Van Peteghem, P., Steyaert, M., Sansen, W. Distortion measurements in SC circuits using LMS fitting routines 87—45056
Van Peteghem, P. *see* Sansen, W. 86—57940
Van Peteghem, P.M. The enhancement of PSRR in single-ended switched capacitor circuits 87—66340
Van Peteghem, P.M. On the relationship between PSRR and clock feedthrough in SC filters 88—63786
Van Peteghem, P.M., Verbauwhede, I., Sansen, W.M.C. Micropower high-performance SC building block for integrated low-level signal processing 85—61123
Van Peteghem, P.M. *see* Qiuting, H. 88—56500
Van Peteghem, P.M. *see* Sansen, W.M.C. 85—22994
Van Peterghem, P.M., Sansen, W.M.C. Power consumption versus filter topology in SC filters 86—34974
Van Peursem, R.S. Industrial applications of voice input and output 85—20437
Van Peursem, R.S. Justifying the cost of speech recognition in a quality system 88—72864
Van Peursem, R.S. *see* Lerman, L. 88—27825
van Poelje, O.E., Smith, D.J. From customer requirements to switching product [5ESS-PRX] 88—59925
Van Poucke, M., Boone, P., Vercauteren, M. ISIS: integrated shape imaging system (Oxford Metrics Ltd.). A new system for follow-up of scoliosis 88—61308
Van Praag, P.M. Multi-microcomputer multi-mainframe communications system utilizing Ethernet and X.25 protocols 86—23522
van Putten, A.E. *see* van Amersfoort, P.W. 88—47793
van Putten, A.F.P. Measuring the flow of a medium with an integrated silicon double bridge configuration 86—5588
Van Putten, A.F.P. A constant voltage constant current Wheatstone bridge configuration 88—36136
van Putten, A.F.P. An integrated silicon anemometer 88—42085
van Putten, M.H.P.M., van den Berg, P.M. A three-dimensional model for the 'coaxial TEM' deep-body hyperthermia applicator 87—8941
van Puyenbroeck, T. *see* Nys, H. 86—52208
Van Puymbroeck, W. *see* Peeters, F.M. 85—40419
van Raalte, A. CAE for SMD 87—59964
van Ralmdonck, R. *see* Haupt, H. 86—23887
Van Ranst, A. *see* Borremans, P. 86—51586
van Rassel, B. *see* Seth-Smith, N. 85—30996
van Rassell, B. *see* Lucas, K. 88—29073
Van Rees, B. *see* White, P.M. 85—6976
van Rees, J. Measurements of impulse response of a wideband radio channel at 910 MHz from a moving vehicle 86—37761
Van Rees, J. Impact of coherence length on the amplitude variations of the delay power profile in a mobile environment 87—7528
van Rees, J. Measurements of the wide-band radio channel characteristics for rural, residential, and suburban areas 87—48933
Van Rees, J. Cochannel measurements for interface limited small-cell planning 88—9415
van Rees, J. *see* Bruijn, J. 87—26778
van Reeuwijk, M. Application concepts for PROCONTROL P 85—15693
Van Reijen, G. *see* Gilby, E.V. 85—43735
Van Reijen, G. *see* Watson, I.A. 85—21328
Van Remortel, J. From integrated office to ISDN—a new era in the office 85—63188
Van Remortel, J. ISDN, carrier for new existing services in the office and the factory 86—69286
Van Remortel, J. Private ISDN: terminals, terminal adapters and services—a necessary complement of public ISDN 87—34002
Van Remortel, J. Terminals and services in an integrated services digital network (ISDN) environment 87—48403
van Remortel, J. A private integrated services digital network (ISDN) for the interconnection and internetworking of personal computers 87—69551
Van Remortel, J. The Belgian ISDN plans in a European perspective 88—15189
Van Remortel, J. ISDN in a private environment—what do the office and factory users expect? 88—28518
Van Remortel, J. The ISDN concentrator—a flexible product for much more than just ISDN 88—53034
Van Remortel, J. From narrowband to broadband ISDN services 88—73687
van Renesse, R. *see* Tanenbaum, A.S. 87—13425
van Renesse, R.L., Burgmeijer, J.W. Application of pulsed reflection holography to material testing 86—22551
Van Rennes, J. Bidirectional graphic data communications between dissimilar computer systems 88—56404
van Rens, J.H.P. Economic aspects of communications in road transport 87—13626
van Rensburg, A.J. Interfacing a rectilinear scanner with a microcomputer 87—35415
van Rensburg, D.J.J., McNamara, D.A. An interactive pre- and post-processor for the piecewise-sinusoid thin-wire method of moments code 88—2689
van Rensburg, D.J.Janse *see* Janse van Rensburg, D.J.
Van Rensburg, M. *see* Boeije, W.S. 87—4336
van Rensburg, M.Janse *see* Janse van Rensburg, M.
van Rest, D.J. Improving the management of technology in the UK: the Jupiter initiative 88—11686
Van Rheeden, D.R., Jones, R.A. Centroid tracker aim point estimation in the presence of sensor noise and clutter 87—55294

Van Rheeden, D.R., Jones, R.A. Noise effects on centroid tracker aim point estimation 88−53336
van Rheenen, A.D., Bosman, G. Monte Carlo calculations of the diffusion coefficient and the drift velocity of electrons in an AlGaAs-GaAs quantum well device 86−63090
Van Rheenen, A.D., Bosman, G., Van Vliet, C.M. Decomposition of generation-recombination noise spectra in separate Lorentzians 85−50178
Van Rheenen, A.D., Bosman, G., Zijlstra, R.J.J. Low frequency noise measurements as a tool to analyze deep-level impurities in semiconductor devices 87−38171
van Rheenen, A.D. *see* Peng, Q. 88−64575
van Rheenen, A.D. *see* Song, M.H. 88−64238
van Rhyn, P. *see* Bredenkamp, G.L. 85−65351
Van Rhyn, P. *see* Enslin, J.H.R. 88−69565
van Riel, P., Berkhout, A.J. Resolution in seismic trace inversion by parameter estimation 86−18512
van Rienen, U., Weiland, T. Triangular discretization method for the evaluation of RF-fields in cylindrically symmetric cavities 86−42690
van Rienen, U., Weiland, T. Cavity and waveguide design by triangular mesh code URMEL-T 87−41672
van Rienen, U., Weiland, T. Impedance of cavities with beam ports above cut-off 87−41673
van Rienen, U., Weiland, T. Triangular discretization method for the evaluation of RF fields in waveguides and cylindrically symmetric cavities 87−41740
Van Riet, D., Van Schie, L.N.M. OMC's−user experience and evolution 85−52138
van Riet, M.J.M. Uses of SF$_6$ and consequences of this in engineering 88−37328
van Riet, M.J.M. Earthing closed switching installations 88−37329
van Rietschote, H.F. The 5ESS-PRX software development environment 88−59926
van Rietschoten, P.J., van Altena, H.J. Automatic testing of miniature fuses 87−66669
van Rij, J.J., Wohr, P. System 12: analog and digital trunk circuits 85−25641
van Rij, M.L.D. *see* Bouwman, W.H. 85−9688
van Rijk, P.P. *see* ter Haar Romeny, B.M. 87−14956, 88−36563
van Rijk, P.P. *see* van Giessen, J.W. 88−48113
Van Rijk, P.P. *(editor)* Nuclear techniques in diagnostic medicine 87−10017
van Rijn, C.M. *see* Spekhorst, H. 88−54555
van Rijn, L.R.M. *see* Visser, E.G. 86−2594
van Rijnsoever, J.W.M. The fuel cell: activity in this field and possible applications 86−45650
van Rijsbergen, C.P. Wind energy; measurement of five wind turbine plants in North-Brabant 85−32413
van Rijsbergen, C.P. Energy from manure; measurements of two biogas units with self-generation 85−39220
van Rijswick, M.H.J. *see* Kroontje, W. 87−16150
van Rijswijk, W. *see* Reijntjes, P.J. 86−65184
Van Riper, R.V. *see* Grogan, J.R. 88−36635
Van Roekel, L. *see* Knorr, G. 88−8263
van Roermund, A.H.M., Kamp, P.J.M., Coppelmans, P.M.C., Hendrickx, J.H.I., Logie, D.H.B. Switched-capacitor stereo decoders for TV and radio receivers 86−11241
Van Roessel, F.J., Tienkamp, E. The computer as a camera-operation and image-quality manager 88−22294
Van Roey, J., Denturck, B., Lagasse, P.E. Guided wave coupling in integrated-optic gratings: normal incidence 85−2059
van Roggen, A. *see* Meijer, P.H.E. 88−57702
van Rooij, M. *see* Steinbach, C. 86−31770
Van Rooijen, J.J., Lowes, P., Mels, W.A., Henrion, J. Response studies on silicon surface barrier detectors for low energy ion spectrometry in space 85−15163
van Roosmalen, A.J. Electrical characteristics of dry etching reactors 88−13163
van Roosmalen, A.J., Van den Hoek, W.G.M., Kalter, H. Electrical properties of planar RF discharges for dry etching 85−62128
van Roosmalen, A.J. *see* de Vries, C.A.M. 85−6848
van Roosmalen, F. *see* Bhattacharyya, A. 87−6591
Van Rooy, M. *see* Battisti, S. 88−54115
van Rooy, T.L. *see* Meerman, W.C.P.M. 86−13851
Van Rooy, T.L. *see* Papanikolau, E. 88−43950
van Rooyen, E. *see* Hoffman, A.J. 88−51610
van Rosmalen, G. *see* Bouwhuis, G. 87−31128
van Rosmalen, G.E. A floating-lens actuator 88−45058
van Rossem, W.J.C.de Lorme *see* de Lorme van Rossem, W.J.C.
van Rossum, G.A. *see* Huijsing, J.H. 87−24391, 87−56596
Van Rossum, L. Experiments with polarized protons and antiprotons at Fermilab 85−48150
van Rossum, L. *see* Arignon, M. 85−48171, 88−22877
Van Rossum, L. *see* Bystricky, J. 85−52940, 86−5671
van Rossum, L. *see* Chaumette, P. 86−60522, 86−60526
Van Rossum, M. *see* De Raedt, W. 88−57694
van Rossum, N. *see* Rietveld, T. 87−47603
van Rossum, N.J.T.M., Rietveld, A.C.M. A perceptual evaluation of V/U detectors [voiced/unvoiced detectors] 85−7831
Van Roy, M. *see* Smeets, J. 86−40791, 86−51920, 88−17986
Van Ruiten, C.J.M. A new method for the measurement of wheel/rail roughness 88−29639
van Ruyven, L.J. The fibre optic gyroscope 86−53980
Van Ruyven, L.J. *see* Rediker, R.H. 85−24549, 86−48466
van Ruyven, L.J. *see* Sioe Yao Kan 88−20496
Van Ryzin, J. *see* Rodriguez, C.C. 87−27115
Van Sach Tong *see* Tong Van Sach
van Saders, J.G., Syed, V.H. An optical adaptive processor for null steering in phased array antennas 88−26903
van Sande, M. *see* van Goethem, L. 86−11836
Van Sark, W. *see* Sinke, W. 86−51912
van Sark, W.G.J.H.M., Janssen, G.J.H.M., de Croon, M.H.J.M., Tang, X., Giling, L.J., Arnold Bik, W.M., Dunselman, C.P.M., Habraken, F.H.P.M., van der Weg, W.F. Temperature-dependent aluminum incorporation in Al$_x$Ga$_{1-x}$As layers grown by metalorganic vapor phase epitaxy 88−70311
Van Sark, W.G.J.H.M. *see* Polman, A. 87−15995
Van Sark, W.G.J.H.M. *see* Sinke, W. 86−45709
Van Schaik, D. *see* George, P. 88−30600
van Schaik, H., Zeppenfeld, K. Travelling wave deflection for brighter CRT displays 86−31467
van Schaik, H., Zeppenfeld, K., Kobisch, W. 'Sight worthy' oscillograms in the VHF range 86−14814
van Schaik, M.A.W. The influence of vegetation on the moisture content of the soil surrounding buried cables 86−56432
van Schaik, N. Renovation of NV KEMA's high-voltage laboratory 88−69246
van Schaik, N. *see* de Vries, M.N.D. 88−67653
van Schaik, N. *see* Jansen, W.J.L. 88−67654
van Schalkwyk, J.J.D. *see* Goss-Ross, I. 87−33827
Van Schalkwyk, J.J.D. *see* Traut, F.A. 87−33729
van Schalkwyk, J.J.D. *see* Van Biljon, L. 85−30214
van Schel, E. *see* Beaudoin, J.L. 86−52583
van Scheltinga, D. *see* Haenen, H. 85−38166, 85−38170
van Schendel, A.P.C. A marker registration and automatic focusing strategy for high resolution E-beam systems 86−1962
Van Schie, L.N.M. *see* Van Riet, D. 85−52138
van Schijndel, J.H.M., Nouta, R. On the VLSI mask layout rules checking problem using image processing methods 87−46131
van Schilfgaarde, M. *see* Newman, N. 86−35644, 87−11451
van Schilfgaarde, M. *see* Sher, A. 88−25891
Van Schoor, G., Van Wyk, J.D. A study of a system of current fed converters as an active three phase filter 87−78789
Van Schoor, L. *see* De Mey, G. 88−25734
van Schuppen, J.H. An optimal stochastic control approach to overload control for a SPC telephone exchange 85−52226
van Schuppen, J.H. *see* Boel, R.K. 87−34297
Van Sciver, S.W. Fundamental of HE II and its application to superconducting magnet systems 85−1928
van Sciver, S.W. Conductor stability for diurnal SMES 85−49128
Van Sciver, S.W. *see* Canavan, E.R. 88−45026, 88−65048
Van Scoy, R.L. Designing the 'industrial strength' excimer. I 85−56912
Van Scoy, R.L. Designing the 'industrial strength' laser. II 85−56914
Van Scoy, R.L. Designing the 'industrial strength' excimer. III 86−3398
van Setten, F.M. *see* Tang, X. 87−25128
Van Shoor, M.C. *see* Otten, D M. 88−55698
Van Siclen, C.D. *see* Caffrey, A.J. 86−50328
Van Simaeys, F. *see* Dierckx, R. 88−44870
Van Simaeys, F.C., Guebels, P., Rahier, M.C., Van De Weghe, H., Huyskens, E.G. A 150-mW subscriber-line-board controller 86−47805
van Sinderen, M., Dorregeest, E. A critical analysis of the X.400 model of message handling systems 88−66910
van Sinderen, M., Huijs, C., Blaauw, G.A. APL: an effective design language 86−34447
van Sinderen, M., Vissers, C.A. A traffic control method for internetworking: flow control by latency 86−64511
van Sinderen, M. *see* Scollo, G. 87−34206
van Sinttruyen, J.S. *see* de Wild, R. 88−15505
van Sinttruyen, J.S. *see* Ligthart, L.P. 87−13787, 88−54746
van Sliedregt, J.M. *see* Dorbolo, G. 88−16817
van Slijpe, A.R.D. Random walks on the triangular prism and other vertex-transitive graphs 86−62045
van Slobbe, J.T.M. *see* van Akkeren, J.A. 85−16093
Van Slooten, R.W. *see* McRoy, S.A. 85−30756
Van Slyke, R. *see* Bauer, D. 88−24858
Van Slyke, R. *see* Needham, N.J. 88−66822
van Soest, T.L. *see* Spanjer, T.G. 88−16326
van Someren, A. The electronic production office 87−69670
van Someren Greve, S.C. Non-stationary modeling of III-V compound semiconductor materials and devices 85−23730
Van Spandonk, J. A colourful digital oscilloscope with memory 85−52797
van Spijker, J. *see* Abramski, K.M. 85−35671
van Splunter, J.M., Blok, H., Baken, N.H.G., Dane, M.F. Computational analysis of propagation properties of integrated-optical waveguides using a domain integral equation 87−74801
Van Splunter, J.M. *see* Blok, H. 85−1957
van Sprang, H.A., Aartsen, R.G., de Vaan, A.J.S.M. Fast switching in a bistable 270° twist display 86−48223
van Sprang, H.A., Breddels, P.A. Numerical calculations of director patterns in highly twisted nematic configurations with nonzero pretilt angles 87−7182
van Sprang, H.A., van de Venne, J.L.M. Switching times for display application of the cholesteric to nematic phase transition 86−5429
van Sprang, H.A., Vertogen, G. Liquid crystals: the race is on 87−49847
van Sprang, H.A. *see* Breddels, P.A. 86−9630
van Sprang, M. *see* de Waele, A.T.A.M. 87−60865
van Spronsen, C.J. *see* Frietman, E.E.E. 85−26782
van Spyk, R.P. An introductory business course in data communications 88−77
van Spyk, R.P. The emerging business discipline of data communications 88−3538
van Staa, R. *see* Butt, H.-J. 87−29444
Van Staa, R. *see* Theopold, F.A. 86−50415
van Steen, M.R. *see* Groenewegen, L.P.J. 87−35469
van Steenbergen, A. *see* Kincaid, B.M. 85−2173
van Steenbergen, A. *see* Vignola, G. 86−32136
van Steenbergen, R. *see* Bovy, E. 86−70792
van Steenwijk, J.A. *see* Bachmann, P.K. 86−36242
van Steenwijk, J.A. *see* Mols, P.P.G. 88−45459
van Steenwijk, R. Concept of local resolution in the design of lead-off electrode systems 87−14903
van Steenwijk, R. Experimental set-up for long-term intracellular measurements on contracting isolated hearts 87−35425
Van Steenwinkel, R. Measurements of spectral responsivities of cells and modules 88−17966
Van Stijgoren, E. An independent design review for nuclear plant piping systems 85−9612
van Stiphout, M.T. *see* Lodder, A. 86−46476
van Stokkom, H.T.C. Remote sensing applications in water management tasks of Rijkswaterstaat 87−71402
van Straaten, J., Silvera, I.F. Electrical resistance measurements on cryocrystals in a diamond-anvil cell to 70 GPa 87−56803
Van Stryland, E.W., Vanherzeele, H., Woodall, M.A., Soileau, M.J., Smirl, A.L., Guha, S., Boggess, T.F. Two photon absorption, nonlinear refraction, and optical limiting in semiconductors 86−3306
Van Stryland, E.W., Woodall, M.A., Vanherzeele, H., Soileau, M.J. Energy band-gap dependence of two-photon absorption 86−9964
Van Stryland, E.W. *see* Boggess, T.F., Jr. 85−51246
van Stryland, E.W. *see* Guha, S. 85−46477
Van Stryland, E.W. *see* Hagan, D.J. 88−45548
van Stryland, E.W. *see* Mohebi, M. 85−56824
Van Stryland, E.W. *see* Soileau, M.J. 85−7506, 85−62668, 86−29244, 86−48476
Van Sung Nguyen *see* Nguyen Van Sung
Van Swol, R. *see* Battiston, R. 85−59224
van 't Klooster, C.G.M. Radiation properties of a SAR antenna panel determined by planar near field measurements 87−54704
van 't Klooster, K. Radiation characteristics of a SAR antenna panel of ERS-1 determined from planar near-field measurements 88−34413
van 't Klooster, K. *see* Figlia, G. 88−52305
van 't Klooster, P. Infrastructure of metrology in the Netherlands 86−24266
van 't Ooster, J. Performance analysis of the Twentenet 85−63362
Van Tassel, K.E., Simon, W.E. Inertial energy storage for advanced Space Station applications 86−38906
Van Tassel, K.E. *see* Simon, W.E. 85−64674
van Teeffelen, H. Attenuator design in the PM 3050 oscilloscope. II 87−14364
van Terborgh, J., van Terborgh, R. Indoor unit for satellite TV reception. III 87−41182
van Terborgh, R. *see* van Terborgh, J. 87−41182
van Themaat, H.M.ver Loren *see* ver Loren van Themaat, H.M.
van Thienen, H. *see* Manas, J.A. 88−59714
van Thienen, W. Delta-12: a fast way for testing line and trunk boards 87−34269
Van Thuong, N. *see* Tuy, H. 85−54310

van Tilborg, H.C.A. An upper bound for codes for the noisy two-access binary adder channel 86−59213
Van Tilborg, H.C.A., Chang, L.F. Block codes for the 2^n-PSK channel 87−54939
van Tilborg, H.C.A. *see* Abdel-Ghaffar, K.A.S. 87−27172, 87−54994
van Tilborg, H.C.A. *see* Blaum, M. 87−27178
van Tilborg, H.C.A. *see* Busschbach, P.B. 86−3763
van Tilborg, H.C.A. *see* Coebergh van den Braak, P.A.B.M. 85−30181
van Tilborg, P.J. *see* Debets, P.C. 85−21822
Van Tilburg, J., Boekee, D.E. The Pe-security distance as a measure of cryptographic performance 88−45924
Van Tilburg, J. *see* Boekee, D.E. 87−54946
van Tilburg, J. *see* Struik, R. 88−59044
van Till, S.W. *see* Rothblatt, M.A. 86−49527
van t'Klooster, C.G.M. Co- and crosspolar patterns of a COSEC-squared antenna predicted from planar near-field measurements 86−22818
Van Ton Do *see* Do Van Ton
van Tongeren, H.M. *see* Gravesteijn, D.J. 88−13782
van Treek, G. A voltage convertor for wind power installations 88−12191
van Treek, G. *see* Durbecq, X. 88−6650
van Treek, G. *see* Garve, S. 88−69870
Van Troyen, D.L.R., Van de Capelle, A.R. Ionospheric modelling based on oblique chirp-sounders 88−40576
Van Trung Tran *see* Tran Van Trung
van Tuijl, A.J.M. An integrated low-voltage dual headphone amplifier with no external components for mono operation 85−37348
van Tuijl, A.J.M., Seevinck, E. Single-chip 40 watt ultra-low distortion fully protected Hi-Fi audio amplifier 85−37363
van Tuijl, A.J.M. *see* Schouwenaars, H.J. 86−34908
van Turnhout, J. Applications of electrets 86−53835
van Turnhout, J. *see* de Haan, P.H. 86−54266
Van Tuyl, R.L. *see* Derickson, D.J. 88−71125
Van Tuyle, G.J., Guppy, J.G. MINET validation study using steam generator test data [nuclear power plants] 85−59923
Van Uffelen, J.P., Deconche, A. Transmission of high speed serial data on a HF channel 85−25626
Van Uffelen, J.P. *see* Chavand, F. 85−25625
van Uffelen, J.P. *see* Ferrand, A. 88−21962
Van Uffelen, J.P. *see* Fety, L. 88−46140
van Uijen, C.M.J. Reversible optical recording: phase-change media and magneto optics 85−50892
van Uijen, C.M.J., Baggen, C.P.M.J. Performance of a class of channel codes for asymmetric optical recording channels 88−45070
Van Uijen, C.M.J. *see* Gall, A.A.M. 88−60513
Van Uitert, L.G. *see* Chin, A.K. 86−15044
Van Uitert, L.G. *see* Eisenstein, G. 87−12485
Van Uitert, L.G. *see* Gualtieri, G.J. 87−1479
Van Vaalen, M. *see* Lenstra, D. 85−7344
Van Vaalen, M.J.M., Smit, M.K. Fabrication and measurement of low-loss planar optical tapers 88−65300
Van Vechten, D. *see* Soulen, R.J., Jr. 87−60857
Van Vechten, J.A. Kinetic segregation of AlAs-GaAs during ⟨110⟩ MBE 85−54457
Van Vechten, J.A., Wager, J.F. Consequences of anion vacancy nearest-neighbor hopping in III-V compound semiconductors: drift in InP metal-insulator-semiconductor field effect transistors 85−34495
Van Vechten, J.A. *see* Cuomo, J.J. 85−35076, 85−40823, 85−49100
van Vecthen, J.A. Gas discharge luminescence means to detect voids in fiberglass circuit boards 85−45287
Van Veen, B. Improved power minimization based partially adaptive beamformer design 88−73132
Van Veen, B., Roberts, R. A framework for beam forming structures 87−47668
Van Veen, B.D. Eigenstructure based partially adaptive array design 88−66210
Van Veen, B.D., Buckley, K.M. Beamforming: a versatile approach to spatial filtering 88−72913
Van Veen, B.D., Roberts, R. A general framework for analysis of FIR beamforming structures 87−7632
Van Veen, B.D., Roberts, R.A. Analytic design of broadband partially adaptive beamformers 87−62120
Van Veen, B.D., Roberts, R.A. A design technique for partially adaptive beamformers 88−2697
Van Veen, B.D., Roberts, R.A. Partially adaptive beamformer design via output power minimization 88−14516
van Veen, B.D., Rogers, J.C. Measurements of acoustic reflection coefficients using the power cepstrum 86−44478
Van Veen, B.D. *see* Scharf, L.L. 88−14670
Van Veen, C., Black, G. A system-level approach to backplane design 87−6206
van Veen, E.H., Deetman, E. CAI applications at Delft University 85−16651
van Veen, G.N.A., Baller, T., Dieleman, J., de Vries, A.E. Nanosecond ultraviolet laser induced etching of Si and Cu exposed to Cl_2 88−1542
van Veen, G.N.A. *see* Baller, T. 87−11640
Van Veen, G.N.A. *see* Oostra, D.J. 86−41704
Van Veen, N.J.A. XPS on impregnated cathodes: Surface concentrations and thermal stability 88−1313
van Veen, W.M.D. *see* Chiarglione, L. 86−55446
van Veenendaal, Chr. *see* Dignum, M. 87−67469
van Veldhuizan, E.D. Proposal for an automotive multiplex wiring system 86−52016
van Veldhuizen, E.D. The 83C552. A low cost dedicated microcontroller for engine management 87−24270
van Veldhuizen, E.M. Diagnostics during magnetohydrodynamic (MHD) stimulation tests at the Technical University in Eindhoven 87−30993
van Veldhuizen, M. Asymptotic expansions of the global error for the implicit midpoint rule (stiff case) 85−10620
Van Veldhuizen, M. On the numerical approximation of the rotation number 88−24668
van Veldhuizen, M., Fowler, H.A. Subharmonic frequency locking in the resistive Josephson thermometer 85−50874
van Velzen, P.N.T. *see* Ponjee, J.J. 88−64422
Van Verst, S.P. *see* Kemper, K.W. 87−50115
Van Verst, S.P. *see* Sanderson, D.P. 87−77516
van Vessem, J.C. Digital electronics: the revolution continues 86−8077
van Vessem, J.C. From transistor to IC: a long road? 87−6804
Van Vleck, J.H., Purcell, E.M., Goldstein, H. Atmospheric attenuation 88−66092
Van Vlierberghe, S., Rijmenants, J., Heyns, W. Symbolic hierarchical artwork generation system 86−20227
Van Vliet, B.N., West, N.H., Road, J.D. Measurement of signal period on a personal microcomputer and its application to the analysis of cardiac interval and blood pressure 87−77601
Van Vliet, C.M. *see* Andrian, J. 86−63242
Van Vliet, C.M. *see* D'Amico, A. 85−55491, 86−27916
Van Vliet, C.M. *see* Pawlikiewicz, A.H. 88−33260, 88−39397
Van Vliet, C.M. *see* Tehrani, S. 85−61707 to 61708, 86−63065, 87−11380
Van Vliet, C.M. *see* van der Ziel, A. 87−26197, 87−73955
Van Vliet, C.M. *see* Van Rheenen, A.D. 85−50178
van Vliet, C.M. *see* Vasilopoulos, P. 88−64312
Van Vliet, F. *see* Elsherbiny, M.M. 86−45680
van Vliet, L.J., Verwer, B.J.H. A contour processing method for fast binary neighbourhood operations 88−28050
van Vliet, R., Haasnoot, A. Model formation for a TE (total energy) installation 85−21044
Van Vliet, R.J. *see* Franzen, J.M. 87−14825
Van Vlissingen, R.F. A real 8087! [mathematics microprocessor chip] 85−45079
Van Vloten, C.P. *see* Klocek, P. 87−18721
van Vollenhoven, E. *see* Chin, J.G.J. 86−65417
van Vollenhoven, E. *see* Vermarien, H. 85−9127
van Vonderen, A.G.M. Leibstadt nuclear power station in service: lessons from an extensive project 86−12573
van Vonno, N. *see* Stewart, S.H. 87−32606
van Vonno, N.W. Linear devices in combined high-level radiation environments 87−53687
Van Vooren, E.J. Electrical insulation systems—how the pieces fit together 86−9333
Van Vu, T. Efficient implementations of the Chinese remainder theorem for sign detection and residue decoding 85−61349
van Vugt, F.J. A multirate switching network 85−19967
van Vugt, F.J. TDM switching networks for narrow-band channels with different bit rates 86−37654
van Vugt, W. *see* Boelders, W. 87−18321
Van Vuren, D.D., Johnson, D.E.P. Getting started with electronic mail 86−4193
van Vuuren, C.P.J., Wagener, J.B. A microcomputer system for isothermal thermogravimetric analysis 87−63232
van Waes, P.F.G.M. *see* ter Haar Romeny, B.M. 88−36563
van Wakeren, J.H.A., Elshout, A.J., Janssen, L.H.J.M. Measuring the electric field in the atmosphere in connection with investigations on the dispersion of air pollution 85−38342
van Wakeren, J.H.A., Eshout, A.J., Janssen, L.H.J.M. The measurement of the electric fields in the atmosphere to investigate the dispersion of air pollution 85−38339
Van Walle, E., Brijs, B., Deneffe, K., Huyse, M., Severijns, N., Vanneste, L., Vandeplassche, D., Wouters, J., Jongen, Y. Proposal for a new type of ion source: HECRISOL 87−70989
van Walle, E., Brijs, B., Deneffe, K., Huyse, M., Severijns, N., Vanneste, L., Vandeplassche, D., Wouters, J., Jongen, Y. Proposal for a new type of ion source: HECRISOL 88−74735
Van Walle, J., Peeters, F. Centralized operation, maintenance and call charge recording [switching systems] 85−52221
van Walsum, E. Developing the Fundy tidal power resource 88−42926
van Warmerdam, W.L.G., Algazi, V.R. Image edge detection and width estimation with $\nabla^2 G$ filters 88−46214
van Wassenhove, D. *see* Burgelman, M. 86−40158
Van Wassenhove, D. *see* Varvaet, A. 88−49145
Van Wassenhove, D. *see* Vervaet, A. 87−78929
Van Wassenhove, G. *see* Van Oost, G. 88−48572
van Wechel, R.J. *see* Ould, P.C. 87−41083
van Wee, G.J.M. Improved sphere bounds on the covering radius of codes 88−66293
van Weelderen, J.A. *see* Dijk, H.E. 88−36772
Van Weele, B., McClung, E.M. Water flows during dam-power retrofit 85−38891
Van Weele, B. *see* Rummel, G. 85−60059
Van Weersch, J.M.J., Dijk, J., Wijdemans, L.M. An effective method for correcting the loop filter DC drift of a PLL in the out-of-lock state using a phase frequency detector 87−31767
van Weert, M.J.M. Minimization of programmable logic arrays 85−33811
van Wees, A.C.A. *see* Bach, P.W. 85−62222
van Wees, B.J., de Groot, L.E.M., Hagemans, K.L., Kortlandt, J., Mooij, J.E. Fabrication of Josephson junction arrays by e-beam lithography 86−2642
van Wees, B.J. *see* Mooij, J.E. 87−25892
van Wees, B.J. *see* van Houten, H. 87−24824, 88−32913
van Welij, J.S. Calculation of eddy currents in terms of H on hexahedra 86−42756
van Welij, J.S. Basis functions matching tangential components on element edges 87−6646
van Welij, J.S. *see* Chao, P.C. 86−20817
van Welij, J.S. *see* Schilders, W.H.A. 86−42680
van Welzenis, R.G., Vredenbregt, E.J.D. Band bending at the InSb-CdTe interface 86−8867
van Welzenis, R.G. *see* Bosch, A.J. 86−7771
van Welzenis, R.G. *see* Tang, X. 87−25128
van Welzenis, R.G. *see* Warmenbol, P. 85−40449
van Werden, K. *see* Bolsen, M. 86−41650
van Wesenbeeck, M.P.N. *see* Klaassens, J.B. 87−78797, 88−55458
van Wickeren, E. A Baire approach to quantitative resonance principles 87−23552
Van Wie, B.J. *see* Oxford, R.J. 87−57055
van Wijgerden, A.R. High power op amp 85−44903
van Wijk, A.J.M. *see* Alsema, E.A. 86−45289
van Wijk, A.J.M. *see* Blok, K. 86−45264, 86−45872
van Wijk, F. *see* Hellwig, K. 87−44935
van Wijk, F.G.H. *see* van Hoek, A. 87−46802
Van Wijk, F.J., van Meerbergen, J.L., Welten, F.P., Stoter, J., Huisken, J.A., Delaruelle, A., van Eerdewijk, K.J.E., Schmid, J., Wittek, J.H. A 2-μm CMOS 8-MIPS digital processor with parallel processing capability 87−5912
van Wijk, F.J., Welten, F.P., van Meerbergen, J.L., Stoter, J., Huisken, J.A., Delaruelle, A., van Eerdewijk, K.E., Schmid, J., Wittek, J.H. On the IC architecture and design of a 2 μm CMOS 8 MIPS digital signal processor with parallel processing capability: the PCB5010/5011 87−17135
van Wijk, F.J. *see* van Meerbergen, J.L. 87−17156
van Wijnen, P.J., Claessen, H.R., Wolsheimer, E.A. A new straightforward calibration and correction procedure for 'on wafer' high frequency S-parameter measurements (45 MHz-18 GHz) 88−16468
van Wijnen, P.J., Ten Kate, W.R.T. Charge carrier lifetime measurements on high purity silicon 87−24763
van Wijngaarden, H. *see* Galenkamp, H. 85−44818
van Wijngaarden, M.H., Plaisier, J., Bos, A.J.J. A microprocessor controlled thermoluminescence dosemeter reader for routine use and research 85−53110
van Willigen, D., van Berkel, L.M. A new, highly sensitive, low-power, integrated sample-and-hold polarity detector for Loran-C and Omega navigation receivers 86−62791
van Willigen, D. *see* de Bruin, A.C. 88−60334
van Willigen, E., Nouta, R. A VLSI artwork analysis system using dedicated hardware and syntactic pattern recognition 87−38565
van Willigen, E., Nouta, R. A network extractor using syntactic pattern recognition for VLSI layouts 87−46130
van Winkle, K.S. *see* Shattuck, D.M. 87−64384
van Winsum, J.A. *see* Wierenga, P.E. 86−28659
van Woerkom, J. *see* Tirtaatmadja, E. 87−69850
van Woert, R.J. New instruments speed control system design 85−20543
van Wunnik, A.W.M. The total demand for energy in the 2010 residential sector 87−58465
van Wunnik, A.W.M. Energetically further with combined heat and power 87−71916
van Wunnik, A.W.M. *see* Jansen, W.J.L. 88−18104
van Wunnik, A.W.M. *see* Peppink, G. 87−78225
van Wunnik, A.W.M. *see* Ykema, Th. 87−15173

Van Wyck, B. *see* Syrigos, H. 86−4725
Van Wyck, N.E. *see* Hetherington, W.M., III. 85−2419
Van Wyk, C.J. *see* Derman, E. 85−16889
Van Wyk, C.J. *see* Szymanski, T.G. 85−45825, 85−61979
van Wyk, F.J. *see* Welten, F.P. 85−61315
van Wyk, J.D. Electronic control of power flow: present possibilities and some expected trends in applications 88−69522
van Wyk, J.D., Afri van der Broeck, H.W. Schoeman, J.J., van der Broek, H.W., Schoeman, J.J. Characteristics and technology of novel high efficiency compensated Darlington power switches with application to high current bipolar transistor inverters with output transformers 85−61102
van Wyk, J.D., Boshoff, S., Marshall, D.A. Adaptive elimination of aperiodic distortion in power systems 86−44897
van Wyk, J.D., Boshoff, S., Marshall, D.A. Compensation of distortion current in power networks by power electronic converters 87−15236
van Wyk, J.D., Deacon, J.A., Smit, I., Schoeman, J.J. PWM-modulation of GTO-converters with a cyclic resonant snubber: theoretical and experimental limitations 88−69543
van Wyk, J.D., Marshall, D.A., Boshoff, S. Simulation and experimental study of a relatively loaded PWM-converter as a fast source of reactive power 86−45565
Van Wyk, J.D., Marshall, D.A., Boshoff, S. Simulation and experimental study of a reactively loaded PWM converter as a fast source of reactive power 87−30778
Van Wyk, J.D., Skudelny, H.-Ch., Muller-Hellmann, A. Power electronics, control of the electromechanical energy conversion process and some applications 87−10669
van Wyk, J.D., Swanepoel, P.H., Schoeman, J.J. Megahertz direct base drives for high power converters with high voltage bipolar power transistors 88−69523
van Wyk, J.D. *see* Bendien, J.Ch. 85−65349
Van Wyk, J.D. *see* Campbell, C.K. 87−25216
van Wyk, J.D. *see* Deacon, J.A. 88−30886
Van Wyk, J.D. *see* Enslin, J.H.R. 88−69565, 88−74546
van Wyk, J.D. *see* Ferreira, J.A. 85−65352, 88−69545
van Wyk, J.D. *see* Prest, R.B. 87−11753, 87−18115, 87−22582, 88−55456, 88−69857 to 69858
Van Wyk, J.D. *see* Slonim, M.A. 88−37140
Van Wyk, J.D. *see* Steyn, C.G. 86−40907, 86−58100, 86−62893, 86−67012, 87−11115, 87−32027, 87−37005
Van Wyk, J.D. *see* Swanepoel, P.H. 88−30912
van Wyk, J.D. *see* van der Merwe, L. 87−16130, 87−79063
Van Wyk, J.D. *see* Van Schoor, G. 87−78789
van Wyk, J.W.J. *see* Ennis, M. 87−33829
Van Wyk, M.A. *see* Ferreira, H.C. 87−12892, 87−75713
Van Wyk, R.J. A standard framework for product protocols 88−49436
van Zandt, L.L. *see* Honig, J.M. 87−54467
van Zandwijk, N. *see* Zwijnenburg, A. 88−61244
Van Zanten, N. Teletex 85−51981
van Zanten, N. New and old car telephones−what's the difference 85−57691
Van Zanten, N. Lasers light the way 87−62935
Van Zee, J., Kleine, G., White, R.E., Newman, J. Extensions of Newman's numerical technique to pentadiagonal systems of equations 85−28197
Van Zee, J., White, R.E., Grimes, P.G., Bellows, R.J. A simple model of Exxon's Zn/Br$_2$ battery 85−32696
Van Zee, J. *see* White, R.E. 85−32674
Van Zeghbroeck, B. *see* Harder, C.S. 88−41642
Van Zeghbroeck, B.J. Model for a Josephson sampling gate 85−41059
Van Zeghbroeck, B.J. Superconducting current injection transistor with very high critical-current-density edge-junctions 85−56206
Van Zeghbroeck, B.J., Harder, C., Halbout, J.-M., Jackel, H., Meier, H., Patrick, W., Vettiger, P., Wolf, P. 5.2 GHz monolithic GaAs optoelectronic receiver 88−40108
Van Zeghbroeck, B.J., Partick, W., Meier, H., Vettiger, P. Parasitic bipolar effects in submicrometer GaAs MESFETs 87−45935
Van Zeghbroeck, B.J., Patrick, W., Meier, H., Vettiger, P. Submicrometer GaAs MESFET with shallow channel and very high transconductance 87−38270
Van Zeghbroeck, B.J., Patrick, W., Meier, H., Vettiger, P., Wolf, P. High-performance GaAs MESFETs 87−45284
Van Zeghbroeck, B.J., Tiwari, S.C. Comment on 'Effect of magnetic field on n^+nn^+ GaAs ballistic diode' [by S.C. Tiwari, with reply] 86−2103
van Zeghbroeck, B.J. *see* Jaeckel, H. 87−6710, 87−60498
Van Zeghbroeck, B.J. *see* Patrick, W. 88−56270
Van Zeghbroeck, B.J. *see* Wolf, P. 85−56179
van Zeijl, P.T.M. *see* Mol, H.A. 88−63558
Van Zet, D. *see* Orthman, D. 86−53192
Van Zummeren, M., Young, D., Habeger, C., Baum, G., Treleven, R. Automatic determination of ultrasound velocities in planar materials 88−5214
Van Zurk, R. *see* Baudry, A. 87−77586
van Zuylen, P. *see* Bruinsma, A.J.A. 86−2791
Van Zuylen, P. *see* Van Der Hoek, M.J. 86−60460, 86−60658
van Zwieten, J.W.F. Energy management in chemistry 87−43704
van Zwol, J., van Laar, J., Kolfschoten, A.W., Dieleman, J. Effects of Ar$^+$ angle of incidence on the etching of Si with Cl$_2$ and low-energy Ar$^+$ ions 88−13140
van Zyl, J.J., Papas, C.H., Elachi, C. On the optimum polarization of incoherently reflected waves 87−75352
van Zyl, J.J., Zebker, H.A., Elachi, C. Imaging radar polarization signatures: theory and observation 87−70119
van Zyl, J.J. *see* Zebker, H.A. 87−63930
van Zyl, O. *see* Panschar, H. 88−9412
Van-Hise, C.W. *see* Manchanda, L. 88−71816
Van-Khai Nguyen *see* Iizuka, K. 85−8471
Van-Minh Huynh, Miller, W.H. A new optical method of paper roughness measurement for hard-copy devices 88−16505
Vana, N., Aiginger, H., Michev, T. Dosimetric properties of a labormade CaSO$_4$-TL-dosimeter 85−38273
Vana, N., Harmuth, P. Aspects of effect of radiation in workplaces with VDUs 88−10442
Vana, N. *see* Bock, H. 86−42352
Vana, N. *see* Mukherjee, B. 85−38272, 87−63860
Vana Varamban, S. *see* Periaswami, G. 88−60707
Vanacek, M. *see* Brebner, J.L. 86−6995
Vanai, T., Kai, I., Kobayashi, T., Yoshioka, K. Comparison between CVD and sputtered polycide films 87−1708
VanArsdall, M.L. *see* Mayborg, C.C. 85−23191
VanArsdall, P.J. *see* Swift, C.D. 87−39184
Vanarsdall, R. *see* Beard, R.B. 87−63809
Vanasse, G. *see* Murcray, F.H. 87−77862
Vanasse, J.-M. Oxygen formation in electrode electric boilers 86−57035
VanBerg, R. *see* Balka, L. 88−47985
VanBerg, R. *see* Hahn, S.R. 88−47990
Vanbesien, J. Safe encoding and precentering of plug-connectors 88−71246
Vanbesien, O. *see* Lippens, D. 88−32868, 88−57595
VanBiervliet, A. Enabling handicapped nonreaders to independently obtain information: initial development of an inexpensive bar code reader system 85−59324
VanBiervliet, A. An inexpensive bar code reader system for obtaining information from 'print' 86−25278
Vanbremeersch, J. *see* Decoster, D. 86−30782
Vanbremeersch, J. *see* Godts, P. 88−56908
Vanbremeersch, J. *see* Razeghi, M. 86−63733
VanBrocklin, H. *see* Gore, R. 86−58148
VanBrunt, L., Procter, P. Measuring thermal conductivity of plastic encapsulants 87−18241
Vance, D.W. Image distortions in video projection 87−77142
Vance, E.F. Electromagnetic interaction with large systems 87−7544
Vance, E.F., Graf, W. The role of shielding in interference control 88−72583
Vance, E.F., Uman, M.A. Differences between lightning and nuclear electromagnetic pulse interactions 88−40592
Vance, E.F. *see* Graf, W. 88−72582
Vance, E.F. *see* Nanevicz, J.E. 88−60844
Vance, I.A.W. *see* Harrold, S.J. 85−45147, 85−49984, 86−34986
Vance, I.A.W. *see* Masterton, P.A. 85−63570
Vance, J.E. *see* DiBianca, F.A. 87−14868
Vance, J.M., Laudadio, F.J. Experimental measurement of Alford's force in axial flow turbomachinery 85−15989
Vanchagova, V.K. *see* Zorin, A.D. 87−71022
vanCleemput, W.M., Ofek, H. Design automation for digital systems 85−17068
Vancon, B. *see* Kermarrec, C. 85−14208
Vancraeynest, J. *see* Myers, S. 85−37841
Vancura, J. *see* Stojan, M. 86−11999
Vandaele, D. *see* Desmet, S. 87−20292
Vandaele, W. *see* Lienart, P. 88−55572
Vandalec, J.P., Ziogas, P. A novel approach for minimizing high frequency transformer copper losses 87−73829
Vandalen, G.J. *see* Kwong, K. 85−64461
VanDame, W.P. *see* Josenhans, J.G. 87−40261
Vandamme, L.K.J. Comments, with reply, on '1/*f* noise in metal contacts and granular resistors' by K.Takagi, et al 88−1030
Vandamme, L.K.J., de Boer, J.R. 1/f noise in the light output of laser diodes 86−68559
Vandamme, L.K.J., Oosterhoff, S. Annealing of ion-implanted resistors reduces the 1/*f* noise 86−47277
Vandamme, L.K.J., Orsal, B. 1/*f* noise in short n-p^+ diffusion-current-dominated (HgCd)Te avalanche photodiodes 88−40071
Vandamme, L.K.J., Penning de Vries, R.G.M. Correlation between MOST 1/*f* noise and CCD transfer inefficiency 86−9164
Vandamme, L.K.J., Rigaud, D., Peransin, J.-M., Alabedra, R., Dumas, J.-M. Gate current 1/*f* noise in GaAs MESFET's 88−64610
Vandamme, L.K.J. *see* de Boer, J.R. 86−68560
Vandamme, L.K.J. *see* Fronen, R.J. 88−65690
Vandamme, P., Clavier, R., Acx, M. Design and implementation of a LOS microwave channel simulator 87−28386
Vandamme, P., Joindot, M., Acx, O. Asymptotical performance of fractional tap-spacing equalizers 88−21883
Vandamme, P. *see* Bouidene, A. 85−25754
Vandamme, P. *see* Chamberlain, J.K. 87−20403
Vandamme, P. *see* Dupuis, P. 86−69607
Vandamme, P. *see* Hari, H. 87−34365
Vandamme, P. *see* Leclert, A. 85−19121, 85−41614, 85−63513, 86−29369 to 29370
Vandamme, P. *see* Sari, H. 86−64499, 87−40651
Vande Voorde, P. *see* Cham, K.M. 88−1672
Vande Voorde, P. *see* Chen, D.C. 85−50460
Vande Voorde, P. *see* Hui, J. 86−47490
Vande Voorde, P. *see* Lee, K. 88−39648
Vandeberg, R.D. *see* Acharya, K.C. 87−28935
Vandecasteele, C., Strijckmans, K. Targetry for the cyclotron production of short-lived radionuclides for medical use 85−59134
Vandegriff, H.R. *see* Murphy, A.T. 88−536, 88−632
Vandegrift, J. *see* Kubala, F. 88−66401
Vandelac, J.-P., Ziogas, P.D. A DC to DC PWM series resonant converter operated at resonant frequency 88−75721
Vandelac, J.P., Ziogas, P. A DC to DC PWM series resonant converter 87−44585
VanDell, W.R. *see* Taylor, D.M. 85−34941
Vandeloise, Ph. *see* Van Cutsem, Th. 87−71608
Vandeloo, P., Sansen, W. Measuring and fitting of the small signal model of the MOS transistor for high frequency applications 88−57666
Vandeloo, P. *see* Sansen, W. 86−63281
Vandeloo, P.J.V. *see* Sansen, W.M.C. 85−33688
Vandemark, H.G. Companded sideband: the field-proven satellite communication technique 85−42548
Vandemeulebroecke, A. *see* d'Hoe, M. 86−34935
Vanden Berghe, G. *see* Fack, V. 88−11936
Vanden Berghe, R., Vlaeminck, R., Saille, M., Van Paemel, R. AES, SEM and EDX study of diffusion phenomena in Reed switches 87−11109
Vanden Berghe, R. *see* Liehr, M. 86−15100
Vanden Berghe, R.A.L. *see* Van Craen, M.J.A. 85−34898
Vanden Berghen, F.M. Evolution in the diagnostics of data communication systems 88−21814
Vanden Bossche, M., Barel, A. Necessity of simulation tools in parameter identification problems concerning image reconstruction, using microwave frequency domain reflectometry 87−35179
Vanden Bossche, M., Schoukens, J., Renneboog, J. Dynamic testing and diagnostics of A/D converters 87−801
Vanden Bossche, W. Advantages of magnetron ion etching 86−15063
Vanden Bosschelle, P. Vacuum deposition of thin films by electron gun 85−10783
Vanden Bout, P.A., Mundy, L.G., Davis, J.H., Loren, R.B., Butner, H. Calibration of millimeter-wavelength spectral lines−effect of harmonic mixer response 86−4780
Vanden Brink, J.A. The commercial challenges of PACS 85−31832
vanden Enden, A.W.M., Verhoeckx, N.A.M. Digital signal processing: theoretical foundations. I. Discrete signals 86−54490
Vanden Meersch, E., Claesen, L., De Man, H. SLOCOP: a timing verification tool for synchronous CMOS logic 87−25603
Vanden Meersch, E. *see* Benkoski, J. 88−24892
Vanden Meersch, E. *see* Claesen, L. 88−20146
Vanden Meersch, E. *see* De Man, H. 85−45900
Vanden Meersch, E. *see* De Man, H.J. 86−922
Vanden Wigngaert, H. *see* Van Ginderdeuren, J.K.J. 87−17239
Vanden Wyngaert, H. *see* van Ginderdeuren, J. 87−17268
Vandenberg, J.J., Knoerr, K.R. Comparison of surrogate surface techniques for estimation of sulfate dry deposition 85−48491
Vandenberg, J.M., Chu, S.N.G., Hamm, R.A., Panish, M.B., Temkin, H. High-resolution X-ray diffraction and transmission electron microscopy studies of InGaAs/InP superlattices grown by gas-source molecular beam epitaxy 87−17756
Vandenberg, J.M. *see* Temkin, H. 86−2937
Vandenberg, J.W. *see* Koperda, F.R. 85−15028
Vandenberg, N.R. *see* Clark, T.A. 85−59428
Vandenberghe, D., Dick, E. A theoretical and experimental investigation into the straight bladed vertical axis wind turbine with second order harmonic pitch control 87−9448
Vandenberghe, D., Dick, E. Optimum pitch control for vertical axis wind turbines 88−37131

Vandenberghe, D., Dick, E. A free vortex simulation method for the straight bladed vertical axis wind turbine 88−48828
Vandenberghe, D. *see* Dick, E. 87−78575
Vandenberghe, P.R. *see* Kindt, L.M. 88−16354
Vandenborre, A. *see* Pocholle, J.P. 88−8297
Vandenbosch, G., Van de Capelle, A. Analysis of the microstrip backfire antenna 87−47377
Vandenbosch, G. *see* Van de Capelle, A. 87−19318, 88−34458
Vandenbosch, R. *see* Amsbaugh, J.F. 86−55924
Vandenbosch, R. *see* Storm, D.W. 86−24920
Vandenbossche, L., Foster, A. Combined simulation aids design of dynamic comparators: fast and reliable design 88−71642
Vandenbroucke, A. Belgium moves ahead in air traffic control 87−57311
Vandenbroucke, D.A., van Meirhaeghe, R.L., Laflere, W.H., Cardon, F. Characteristics of the RuO$_2$-n-GaAs Schottky barrier 85−40537
Vandenbroucke, D.A., van Meirhaeghe, R.L., Laflere, W.H., Cardon, F. Sputter-induced damage in Al/n-GaAs and Al/p-GaAs Schottky barriers 87−60175
Vandenbroucke, R. *see* Cohen, A. 88−28805
Vandenbroucke, R. *see* Van Binst, P. 85−42304, 87−13433
Vandenbrouke, W.V.A. *see* Slager, C.J. 88−36500
Vandenbulcke, C.J.B. *see* Persoon, E.H.J. 86−49882
VandenBurg, M. Electrical accessories—the next ten years 85−10400
Vandendorpe, L. *see* Adant, J.M. 88−14806, 88−28261
Vandendorpe, L. *see* Delogne, P. 88−9757
Vandenham, M.E. *see* Leffen, D.J. 88−38435
VandenHeede, T.M. Ada from the User's point of view 85−45114
Vandenhoeke, G.E.M. Use of a digital theodolite with infrared radiation 88−60573
Vandenplas, P.E. *see* Lamalle, P.U. 87−39503
Vandenplas, P.E. *see* Van Oost, G. 88−48572
Vandenplas, Y., Lepoudre, R., Sacre-Smits 17 hour continuous esophageal pH monitoring on the computer 86−24822
Vandenput, A., Fuchs, E., Holl, J., White, J., Geysen, W. Run capacitor optimization in single-phase induction motors 87−42958
Vandenput, A. *see* Belmans, R. 85−32499, 86−33388, 86−33411, 86−39804, 87−22359, 87−35933, 87−42919, 87−42963, 87−43537, 88−17562, 88−17622, 88−49202, 88−69810
Vandenput, A. *see* De Doncker, R. 87−42952
Vandenput, A. *see* De Doncker, R.W. 87−22344
Vandenput, A. *see* De Meester, J. 88−24203
Vandenput, A. *see* Doncker, R.De. 86−61666
Vandenput, A. *see* Geysen, W. 86−40526
Vandenput, A. *see* Hameed, A. 85−32469, 87−42854
Vandenput, A. *see* Kovacs, K.P. 88−23825
Vandenput, A.J. *see* Belmans, R.J.M. 88−11222
Vandenput, G. *see* Kaerts, E. 88−48037
Vandenwijngaert, E., Leruse, J. Real-time conversion facility for interworking between telex and teletex services 85−51969
Vandeplassche, D. *see* Van Walle, E. 87−70989, 88−74735
Vander Arend, P. *see* Selvaggi, J.A. 88−45657
Vander Molen, A., Au, R., Fox, R., Glynn, T. A fast intelligent data acquisition system 85−58621
Vander Molen, A. *see* Heltsley, J.H. 88−29907
Vander Plas, H.A. *see* Nemanich, R.J. 85−34618
Vander Plas, H.A. *see* Townsend, P.H. 86−28442
Vander Plas, H.A. *see* Townshend, P.H. 87−25176
Vander Plas, H.A. *see* Yao, W.W. 86−28438
Vander Sande, J.B. *see* Yurek, G.J. 88−33559
Vander Sluis, K.L. *see* Hutchinson, D.P. 87−2248
Vander Sluis, K.L. *see* Ma, C.H. 86−68786
Vander Straeten, C. *see* Becker, G. 85−25643, 85−47361
Vander Velde, C. *see* Daubie, E. 87−21467
Vander Velde, C. *see* de Clerq, C. 86−32194
Vander Vorst, A., Vanhoenacker, D. The calculation of atmospheric microwave fluctuations by a dielectric equivalent 88−3847
Vander Vorst, A. *see* Laloux, A. 85−25816
Vander Vorst, A. *see* Vanhoenacker, D. 85−7652, 85−26465, 85−42556, 88−34316
Vander Wood, T.B. Identification of particulate contaminants in IC manufacture 86−2296
Vander Ziel, G. *see* Lonner, G.R. 88−29364
VanderArend, P. *see* Huson, F.R. 85−26567, 86−31828
Vanderbauwhede, A. Note on a paper by H.S. Qin 88−335
Vanderbeken, J. Multimedia transmission of information—the role of multiservice switching systems 87−13541
Vanderbilt, D. *see* Rasolt, M. 86−63024
Vanderbilt, V. *see* Cimino, J.B. 88−10606
Vanderbilt, V.C., Grant, L., Daughtry, C.S.T. Polarization of light scattered by vegetation 85−59514
Vanderborck, G. *see* Lahalle, D. 88−10618
Vanderborck, G. *see* Planat, M. 85−56066
Vanderborgh, E., Spirio, A., Huff, J.R. Methanol fuel cell systems for transport applications 88−43438
Vanderborgh, N. *see* Huff, J. 86−40073
Vanderborgh, N.E., Goodby, B.E., Springer, T.E. Oxygen exchange reactions during methanol steam performing 88−17927
Vanderborgh, N.E. *see* Rieke, P.C. 87−58307
Vanderborgh, N.E. *see* Springer, T.E. 86−40074
Vanderbroek, P. *see* van Ginderdeuren, J. 86−14064
Vanderburg, V. *see* Kogan, V.I. 88−11006
Vanderburg, W.H. Engineering, technology, and the university 88−31336
Vandergeest, J.H., Recoskie, L.J., Aikin, J.A. Leak locating in Bruce NGS-A steam generators using gas tracer techniques 88−75389
Vandergheynst, A. *see* Draulans, J. 85−38730
Vandergrift, J.D. The accreditation experience [nuclear power plants] 85−53
Vanderhaeghe, G. *see* Bal, F. 85−9098
Vanderhaeghe, G. *see* Forino, A. 85−37976
Vanderhaghen, R., Chaurand, B., Drevillon, B. Electron diffraction analysis of the growth of hydrogenated amorphous silicon thin films 85−61002
Vanderhaghen, R., Chaurand, B., Drevillon, B. Electron diffraction analysis of DC plasma deposited a-Si:H 86−46387
Vanderhayden, E.E. *see* Rozman, H.T. 86−48621
Vanderheeren, J. *see* van de Meulebroeke, F. 87−15698
Vanderheiden, G. *see* Gunderson, J. 86−56170
Vanderheiden, G.C. *see* Lee, C.C. 86−25267
VanderHoeven, W.B. *see* Ellis, W.F. 85−17233
Vanderhoff, J.W. *see* Durbin, D.P. 85−4172
Vanderkooy, J. Comments on 'Design parameters important for the optimization of very-high-fidelity PWM (class D) audio amplifiers 86−17695
Vanderkooy, J. Another approach to time-delay spectrometry 86−69962
Vanderkooy, J., Lipshitz, S.P. Is phase linearization of loudspeaker crossover networks possible by time offset and equalization? 85−20413
Vanderkooy, J., Lipshitz, S.P. Power response of loudspeakers with noncoincident drivers—the influence of crossover design 86−49878
Vanderkooy, J., Lipshitz, S.P. Dither in digital audio 88−29154
Vanderkooy, J. *see* Bauman, P.D. 86−16477
Vanderkooy, J. *see* Lipshitz, S.P. 85−37343, 86−5155, 87−24303
Vanderlinde, W.E., Mills, P.J., Kramer, E.J., Ruoff, A.L. Near surface damage induced in polyimides by ion beam etching 86−9033
Vanderlinde, W.E., Ruoff, A.L. Surface fluorination of polyimide thin films by CF$_4$+O$_2$ reactive ion beam etching 88−39242
VanDerLoos, M. *see* Lees, D. 88−52407
VanderLugt, A. Fresnel transforms and Bragg cell processors 86−16501
VanderLugt, A. Fresnel transforms and optical computing 88−8005
VanderLugt, A. Use of decimated photodetector arrays in spectrum analysis 88−60722
VanderLugt, A., Bardos, A.M. Spatial and temporal spectra of periodic functions for spectrum analysis 85−19489
VanderLugt, A., Moore, G.S., Mathe, S.S. Acoustic spreading in multichannel Bragg cells 85−12681
VanderLugt, A. *see* Anderson, G.W. 88−67784
VanderLugt, A. *see* Bardos, A.M. 86−69100
VanderLugt, A. *see* Beaudet, W.R. 87−46639
Vandermeulen, D., Suetens, P., Gybels, J., Oosterlinck, A. Surface reconstruction from planar cross sections for 3-D integrated representation of medical images 88−29949
Vandermeulen, D. *see* Suetens, P. 88−36541
Vandermeulen, W. *see* Huet, J.-J. 85−65102
Vandermost, P. Extended response sound switch 85−17752
Vanderplaats, N. *see* Park, S.Y. 86−21024
Vanderplaats, N.R. *see* Freund, H.P. 85−55381
VanderPlas, H. *see* Brillson, L.J. 86−63104
Vandersande, J. *see* Chmielewski, A. 86−31700
Vandersande, J. *see* McLane, G. 88−18093
Vanderscheld, A. *see* Cappy, A. 85−45716
Vanderschoot, J., Cailaerts, D., Sansen, W., Vandewalle, J., Vantrappen, G., Janssens, J. Two methods for optimal MECG elimination and FECG detection from skin electrode signals 87−41971
Vanderschoot, J. *see* Vandewalle, J. 86−64291, 87−4010
Vanderschueren, H.W. The general properties and physical applications of a remarkable vectorial group: C, +′ 86−7616
Vanderschueren, J., Corapci, M., Aras, L., Niezette, J., Yianakopoulos, G., Horrion, J., Jerome, R. Conductivity and thermally stimulated processes in halato-telechelic polymers 87−18436
Vanderslice, J.A. *see* Hunt, A.R. 86−4744
Vanderspek, R.K. *see* Ricker, G.R. 85−4244
Vandersteen, A.D. Avionics for the small remotely piloted vehicle 87−42095
Vanderstichel, H. *see* Pocholle, J.P. 88−58687
Vanderstraeten, A. *see* Van Oost, G. 88−48572
Vanderstraeten, H. *see* Janssen, P. 87−61076
Vandervelde, H. The game is small hole drilling. The rules are strict 88−44465
Vandervelde, H. *see* Berlin, A.J. 85−28805, 85−34351
VanderVen, N.S. *see* Mitchell, P.V. 85−45997
Vandervorst, W. *see* Baert, K. 88−18675, 88−37542
Vandervorst, W. *see* Clarysse, T. 88−19678
Vandervorst, W. *see* Symons, J. 88−44748
Vandervorst, W.B., Maes, H.E. Probe penetration in spreading resistance measurements 85−1261
Vanderwalle, J. *see* Chen, J. 88−59185
Vanderwater, D.A. *see* Elliot, A.G. 88−11949
Vanderweg, P., Inculet, I.I. AC power generation with a small self-excited polyphase induction motor 87−43046
Vanderwel, A. *see* Krym, M. 88−3753
Vanderwel, T. *see* Webb, P.P. 88−45304
Vanderwert, T.L. Laser machining in the model shop 85−39385
VanderWert, T.L. Systems considerations for multiaxis CO$_2$ laser material processing 87−7474
VanderWert, T.L. Multiaxis contouring systems for laser cutting and welding 87−39269
Vanderwiele, J.M., Bredeson, J.G. The effect of evenly distributed stations on carrier sense multiple access protocol 88−35193
Vanderwyck, A.H.B. *see* DeWames, R.E. 88−39100
Vanderzant, C.W. *see* Kushwaha, R.K. 86−50599
Vanderzyl, V.J. *see* Burger, A.M. 86−61292
Vandeurzen, U., Leuridan, J., Mergeay, M., Roesems, D. A versatile computer workstation for multiple input/output structural testing and analysis 88−24531
Vandeurzen, U., Leuridan, J., Mergeay, M., Roesems, D. Versatile computer workstation for multiple input/output structural testing and analysis 88−67687
VanDeusen, H. *see* Theorin, C. 88−38841
Vandevelde, A. *see* Danneels, J. 85−25640
Vandevelde, P. *see* Clarke, F.B. 88−25606
VanDevender, J.P. *see* Cook, D.L. 87−43208
Vandevender, J.P. *see* Miller, P.A. 85−16271
VanDevender, J.P. *see* Seaman, J.F. 85−4182
VanDevender, J.P. *see* Turman, B.N. 87−21311
Vandevenne, R. *see* Battaille, J.P. 88−17742
Vandevier, J. *see* Durham, M.O. 85−21213
Vandevyver, M. *see* Barraud, A. 86−63064
Vandevyver, M. *see* Richard, J. 87−66933
Vandewalle, J., Govaerts, R., De Becker, W., Decroos, M., Speybrouck, G. RSA-based implementation of public key cryptographic protection in office systems 87−20088
Vandewalle, J., Jain, R., De Man, H. Efficient and accurate multiparameter analysis of linear digital filters using a multivariable feedback representation 85−17728
Vandewalle, J., Vanderschoot, J., De Moor, B. Source separation by adaptive singular value decomposition 86−64291
Vandewalle, J., Vanderschoot, J., De Moor, B. Filtering of vector signals based on the singular value decomposition 87−4010
Vandewalle, J. *see* Catthoor, F. 86−46488, 86−58621, 86−67187, 86−67432, 87−62769, 88−34651, 88−70920
Vandewalle, J. *see* Chen, J. 88−54567, 88−73742
Vandewalle, J. *see* Claesen, L. 85−17729, 87−36919
Vandewalle, J. *see* De Man, H. 85−35203, 86−8308
Vandewalle, J. *see* De Moor, B. 87−65276
Vandewalle, J. *see* Desmedt, Y. 85−2766, 85−19364
Vandewalle, J. *see* Goossens, G. 87−1710, 88−26423
Vandewalle, J. *see* Jain, R. 85−34077, 86−14411, 86−34995
Vandewalle, J. *see* Tan, S. 87−36558, 88−63800
Vandewalle, J. *see* Van Huffel, S. 85−22379, 88−38107
Vandewalle, J. *see* Vanderschoot, J. 87−41971
Vandewalle, J. *see* Verbauwhede, I. 88−56662
Vandewalle, J. *see* Verhaegen, M.H. 85−36248
Vandewalle, J.P. *see* Desmedt, Y.G. 85−2707
Vandewalle, J.P. *see* Govaerts, R.J.M. 85−13743
Vandeweerd, I. *see* Six, P. 87−24139, 88−20075
Vandewege, J., Peremans, H., Schotte, J. Laser-diode power supply 87−31687
Vandewege, J. *see* Kaczmarksi, P. 87−46461
VanDewoestine, R.V., Morrow, A.J. Developments in optical waveguide fabrication by the outside vapor deposition process 87−7112
Vandewoestine, R.V. *see* Keck, D. 88−45133
VanDewoestine, R.V. *see* Lu, K.E. 88−33644
Vandewyck, A.M.B. *see* Faurie, J.P. 88−64274
Vandiver, V.J. *see* Rico, G. 86−17988
Vandlik, J. *see* Gerencser, A. 87−74532
Vandlik, J. *see* Keszei, B. 87−73053
Vandlik, J. *see* Pardavi-Horvath, M. 85−24090
Vandre, R.H. *see* Blanchard, J.P. 88−72581
Vandrish, G. *see* Bigu, J. 86−32150
Vandroux, M., Benleulmi, Z. Vision system for the inspection of bare printed circuit cards 85−47827

Vandroux, M., Guillet, P. Industrial application of digital image processing: cent per cent sorting of clutch mechanisms 86−13529
Vandycke, M. *see* Brice, H. 87−78463
VanDyke, D.A. *see* Nelson, D.H. 86−50205
Vandyshev, Yu.V. *see* Bakiev, A.M. 85−56806
Vane, D. *see* Donohoe, M.J. 87−63906
Vane, G., Chrisp, M., Enmark, H., Macenka, S., Solomon, J. Airborne Visible/Infrared Imaging Spectrometer (AVIRIS): an advanced tool for Earth remote sensing 86−12150
Vanecek, D.L. *see* Avery, R.T. 86−25025
Vanecek, M. Contemporary development of photovoltaic transformation of solar energy 86−6612
Vanecek, M., Kocka, J., Demo, P., Sipek, E., Triska, A. Steady-state transport under non-equilibrium conditions in undoped and phosphorus doped a-Si:H at very low temperature 87−46652
Vanecek, M., Kocka, J., Nesladek, M., Sipek, E., Stika, O., Triska, A. Spectroscopic investigation of deep states in amorphous silicon−changes with doping and applied stress 88−14017
Vanecek, M., Stuchlik, J., Kocka, J., Triska, A. Determination of the mobility gap in amorphous silicon from a low temperature photoconductivity measurement 86−27897
Vanecek, M. *see* Bardos, L. 88−24769
Vanecek, M. *see* Nesladek, M. 87−45540
Vanecek, M. *see* Triska, A. 85−24365
Vaneen, B.N., Zbarsku, L.A., Serdyuk, L.I. A method of controlled reliability testing of explosion-proof electrical equipment 86−34068
Vaneev, B.N., Gostishchev, V.M. Method of calculating the probability of insulation breakdown in the stator winding of explosion-shielded and mine electric motors 86−39690
Vaneev, V.E. *see* Chernyshev, V.K. 88−43301
Vanek, O. *see* Guldar, A. 86−24515
Vanek, O. *see* Nitzsche, K. 85−10788
Vanek, R. *see* Korpert, K. 88−10176
Vaneldik, J.F. *see* Lo, W.F. 85−8502
Vaneldik, J.F. *see* Valk, E.C. 88−29612
Vaneldik, J.F. *see* Veidt, B.G. 86−4786
Vaneldik, J.F. *see* Walker, G. 88−74088
VanErt, D.L. Flight use of qualification equipment 86−60888
vanEs, P. *see* Spaanenburg, L. 87−1629
Vanetsanopoulos, A.N. *see* Zervakis, M.E. 86−52966
Vanetti, D. *see* Lechi, G.M. 85−64772
Vanfleteren, J., Van Calster, A. A four-vacuum-cycle lift-off process for the polycrystalline CdSe thin-film transistor 85−23798
Vanfleteren, J., Van Calster, A., Pauwels, H.J. Shift registers with polycrystalline CdSe thin film transistors for the addressing of LC displays 86−31544
Vanfleteren, J. *see* Van Calster, A. 88−1655, 88−32794
Vangen, R.F. *see* Fox, E.R. 87−17106, 87−31944
Vango, L.S. Cleanliness in the production of printed circuits 88−57117
Vango, R.D. *see* Tailor, A. 88−5207
Vangsness, C.T. *see* Smith, C.F. 88−16768
Vangsness, T. *see* Johansen, W.E. 88−16769
VanHaaften, F. *see* Hoeberling, R.F. 88−49055
VanHaeren, R., Stone, G.C., Meehan, J., Kurtz, M. Preventing failures in outdoor distribution-class metalclad switchgear 86−19423
Vanhala, J. *see* Joki-Korpela, S. 87−78374
Vanhala, J. *see* Mankamo, T. 85−43754
Vanhatalo, V. *see* Somerkoski, J.V.A. 85−56147
Vanhecke, C. *see* Guillien, M. 85−22665
Vanhee, J. *see* Perrot, G. 86−65902
Vanhellemont, J., Bender, H., Claeys, C. HVEM as diagnostic tool for VLSI processing 88−33356
Vanhellemont, J., Bender, H., Van Landuyt, J., Claeys, C., Declerck, G. Cross-section TEM study of the simultaneous formation of shallow junctions and $TiSi_2$ contracts by rapid thermal annealing 86−58314
Vanhellemont, J. *see* Baert, K. 88−18675
Vanhellemont, J. *see* Claeys, C. 85−23711, 86−21429, 87−38057, 87−67065, 88−32984
Vanhellemont, J. *see* Maex, K. 87−18292
Vanhellemont, J. *see* Symons, J. 88−44748
Vanherck, P. *see* van der Auweraer, H. 87−49778
Vanherck, P. *see* Van der Auweraer, H.D. 88−22429
Vanherzeele, H. Thermal lensing measurement and compensation in a continuous-wave mode-locked Nd:YLF laser 88−51910
Vanherzeele, H., Chuangtian Chen Widely tunable parametric generation in beta barium borate 88−65825
Vanherzeele, H., Diels, J.-C., Torti, R. Tunable passive colliding-pulse mode locking in a linear dye laser 85−18887
Vanherzeele, H., Torti, R., Diels, J.-C. Synchronously pumped dye laser passively mode-locked with an antiresonant ring 85−18967
Vanherzeele, H. *see* Van Stryland, E.W. 86−3306, 86−9964
Vanhoecke, E. A holographic interferometer for the study of transparent media 88−40375
Vanhoecke, E., Burgelman, M., Anaf, L. Reactively sputtered Cu_2S films and Cu_2S-CdS solar cells 86−7107
Vanhoecke, E., Burgelman, M., Anaf, L. Reactive sputtering of large-area Cu_2S/CdS solar cells 87−30975
Vanhoenacker, D. Amplitude scintillation on microwave satellite-earth links 88−53229
Vanhoenacker, D., Vander Vorst, A. Correlation between fluctuation events on a 11.6 GHz Earth-space link and radiometry at 11.4 and 35 GHz, and spectral analysis 85−7652
Vanhoenacker, D., Vander Vorst, A. Experimental evidence of a correlation between scintillation and radiometry at centimeter and millimeter wavelengths 85−26465
Vanhoenacker, D., Vander Vorst, A. Atmospheric fluctuation spectra and radio system implications 85−42556
Vanhoenacker, D., Vander Vorst, A. Influence of refractive index fluctuations on communications systems 88−34316
Vanhoenacker, D. *see* Vander Vorst, A. 88−3847
Vanhoof, J., Rabaey, J., De Man, H. A knowledge-based CAD system for synthesis of multiprocessor digital signal processing chips 88−31942
Vanhoof, J. *see* De Man, H. 88−43994
Vanhoof, J. *see* Jain, R. 86−34995
Vanhoof, J. *see* Rabaey, J. 87−59588
Vanhoof, K., Desmet, S., Rommelaere, J., Oosterlinck, A. Comparison of two interpolative coding methods: DIDT and RBN 88−59024
Vanhoof, K., Desmet, S., Rommerlaere, J., Oosterlinck, A. Non-stationary interpolative coding: segmentation strategies 88−27817
Vanhoof, K., Rommelaere, J., Oosterlinck, A. Interpolative coding based on a model of HVS 88−27801
Vanhooren, Ir.R. Two classes of fault-location methods in analog circuits based upon the minimum-fault heuristic 86−212
Vanhooren, R., Tromp, H. Efficient single-fault location in analog circuits by frequency response measurement 85−17611
Vanhorenbeeck, J. *see* Darquennes, D. 88−74733
Vanhorenbeek, J. *see* Van Duppen, P. 87−35345
VanHorn, J. *see* Prilik, R. 88−74274
Vanhove, J.L., Noeldeke, C. In-orbit demonstration of optical IOL/ISL−the SILEX project 88−67295
Vanhove, J.L., Perbos, J.L., Laurent, B. The SILEX project: in-orbit demonstration of optical IOL/ISL 88−22163
Vanhumbeeck, J. Plating process for the high speed deposition of palladium for contact devices 85−50077
Vani, A., Chhalotra, G.P., Rao, A.C. Study of material indices into green leaves by random electrical and physical measurements 88−64800
Vani, A. *see* Chhalotra, G.P. 87−57665, 88−48153
Vani, N.Vijaya *see* Vijaya Vani, N.
Vanicek, F. *see* Foit, J. 86−15109
Vanicek, J. *see* Cerovsky, Z. 87−9883
Vanicek, V. *see* Benes, R. 88−67182
Vanichkin, P.G. *see* D'yakonov, V.P. 85−8862
Vanidhis, E.D. Partially coherent light speckles for colour image recording and retrieving from black and white transparencies 87−62178
Vanidhis, E.D., Ves, S. Colour image retrieval from coherent light speckles by white-light processing without colour filters 85−36366
Vanier, J., Mungall, A.G., Boulanger, J.-S. The Millman effect in caesium beam atomic frequency standards: further considerations 85−31288
Vanier, J. *see* Audoin, C. 87−29234, 88−22722
Vanier, J. *see* Gingras, D. 86−15594
Vanier, P.E., Kampas, F.J., Corderman, R.R., Rajeswaran, G. A study of hydrogenated amorphous silicon deposited by RF glow discharge in silane-hydrogen mixtures 85−429
Vanier, P.E., Su, F.-C. Improvements in the disilane plasma deposition of hydrogenated amorphous silicon solar cells 87−72440
Vanier, P.E., Tafto, J., Rajeswaran, G., Kampas, F.J. Nucleation and growth of n- and p-type microcrystals in low-temperature glow-discharge deposited silicon films 85−431
Vanier, P.E. *see* Kampas, F.J. 85−1333, 85−44790
Vanier, P.E. *see* Moddel, G. 87−16703
Vanier, P.E. *see* Rajeswaran, G. 85−33507, 86−26915, 86−40167, 87−9843
Vanier, P.E. *see* Su, F.-C. 85−61720, 86−41575, 87−11425, 87−18833
Vaniev, A.G. Unifying the parameters of single-tube small-size color TV cameras 87−20701
Vaniev, A.G. Electronic components for modern hand-held single tube color TV cameras 87−63165
Vaniev, A.G., Dyatlov, V.M. Soviet-made color TV cameras using pick-up tubes with striped filters 88−4186
Vanin, A.F. *see* Mikaelyan, A.L. 88−13784
Vanin, B.V., Levin, F.Ya., Sokolov, V.V., Fudurin, N.P. Imposing the efficiency of traditional methods of control of insulation in transformers 86−26094
Vanin, G.A. Designing interference-resistant measuring apparatus based on the criterion of minimum mean-square error 86−18500
Vanin, G.A. Designing interference-resistant measuring apparatus based on the criterion of maximum signal/noise energy ratio 86−18501
Vanin, G.A. Nonuniform amplitude sampling in analogue-to-digital converter 87−17169
Vanin, V.K. *see* Antonov, V.I. 87−9161
Vanin, V.K. *see* Bachmann, U. 88−61922
Vanin, V.K. *see* Bakhman, U. 87−64205
Vanin, V.K. *see* Bulychev, A.V. 86−18866, 88−17692
Vanina, N.M. Duration of the bit interval in a relative phase-shift keyed marine emergency communications system 88−73868
Vanjaka, M. The planning and the design of loudspeaker systems for sport facilities of Universiade '87 88−41902
Vankar, V.D. *see* Patrinos, A.J. 88−57501
Vankar, V.D. *see* Rastogi, R.S. 87−65560
Vankataratnam, K., Abdul Kadir, M.S. Normalized force-speed curves of eddy current brakes with ferromagnetic loss drums 86−33780
Vanke, V.A., Konnov, A.V. Retarded electromagnetic waves in a spatially twisted two-row comb 87−68739
Vanke, V.A., Lesota, S.K., Rachnikov, A.V. Optimization of the discrete distribution function of the field over the aperture of an SSEPS transmitting antenna 87−39473
Vanke, V.A., Lesota, S.K., Rachnikov, A.V. The design of a microwave beam energy transmission channel 87−68850
Vanke, V.A., Lesota, S.K., Rachnikov, A.V. Optimization of a channel for power transmission by a microwave beam 88−68868
Vanke, V.A., Lesota, S.K., Rachnikov, A.V. The problem of synthesizing the energy-transmission channel of a space-based solar electric power station 88−75522
Vanke, V.A., Lesota, S.K., Savvin, V.L., Maslovskiy, F.N., Novitskiy, V.A., Sambur, I.G. Investigation of matching in rectenna systems 85−13379
Vanke, V.A. *see* Boyakhchyan, G.P. 85−6533, 85−33659, 86−36795
VanKeuren, E. *see* Shaffer, G.H.B. 87−16340
Van'kevich, V.V., Ivanov, M.A., Makarenko, B.I. Study of main and practical limitations of synchronisation accuracy of connected radio links 87−3046
Vanko, J. *see* Baranov, V.A. 87−14796
Vanko, J. *see* Filippov, A.I. 87−14735
Van'ko, V.I. Conductor vibration on overhead power lines 85−15630
Van'ko, V.I. Vibration of conductors on split-phase overhead lines 85−21226
Van'ko, V.I. Features of the frequency of galloping on the conductors of overhead power lines 88−17174
Van'ko, V.I., Vinogradov, A.A., Bekmet'ev, R.M., Shirinskikh, N.V. An experimental investigation of the galloping of the split-phase conductors of an overhead transmission line 87−42500
Van'ko, V.M., Shabalin, V.M., Shramkov, A.Ya. Apparatus with generator-comparator for checking digital voltmeters 86−24583
VanKoughnett, A.L., Kendall, J.W. Canada's space science program 88−36578
Vankova, R. *see* Prokes, J. 88−17688
Vankwikelberge, P., Van de Capelle, J., Baets, R., Verbeek, B.H., Opschoor, J. Local normal mode analysis index-guided AlGaAs lasers with mode filter 87−68459
Vankwikelberge, P. *see* Baets, R. 88−65657
Vankwikelberge, P. *see* Van de Capelle, J.-P. 88−20658
Vankwikelberge, P. *see* Van de Capelle, J.P. 86−42544
Vankwikelberge, P. *see* Verbeek, B.H. 87−7349
VanLaar, J.A. *see* Price, R.E. 85−27349
VanLandingham, E.E. The NASA Space Power Technology Program 87−42126
Vanlerberghe, A. *see* Boulnois, J.L. 85−51125
Vanlieferinge, M. *see* Demeur, J. 88−34596
Vanlint, R.W., Barber, S.J. Recent advances in optical time domain reflectometry 86−36198
Vanlint, S.D. *see* Bland, S.W. 85−18365
Vanmaekelbergh, D., Cardon, F. Calculation of the electrical impedance associated with the surface recombination of free carriers at an illuminated semiconductor/electrolyte interface 86−41626
Vanmaekelbergh, D., Cardon, F. On the impedance associate with electron-hole recombination in the space charge layer of an illuminated semiconductor/electrolyte interface 88−32964
Vanmaekelbergh, D., Gomes, W.P., Cardon, F. A quantitative analysis of photoinduced capacitance peaks in the impedance of the n-GaAs electrode 87−54153
Vanmaele, M., Gompelman, H. SOPHO-NET in Belgian Railways' RESELEC system 86−4304

Vanmarcke, H., Janssens, A. Study of the properties of electrochemically etched α-tracks in a polycarbonate foil used in a radon diffusion chamber 87−29637
VanMarter, J.B. *see* Erickson, D.J. 88−49056
VanMarter, J.B. *see* Freeman, B.L. 88−43298
Vann Bush, P., Snyder, T.R. Laboratory analyses of corona discharges 87−33393
Vann Bush, P. *see* Snyder, T.R. 87−33394
Vannakrajrojn, S. *see* Thajchayapong, P. 87−857
Vannaroni, G. *see* Pallottino, G.V. 86−27092
Vannatter, R.L. New maintainability prediction technique 86−128
Vannay, L. *see* Kuti, C.S. 87−74852
Vannay, L.V. *see* Bakos, J. 86−3277
Vannay, R., Baschlin, W. RANCOS−a modern control system for mobile radio networks 87−13593
Vannelli, A., Rowan, G.S. A constrained clustering approach for partitioning netlists 86−57575
Vanner, K.C., Cockrill, J.R., Turner, J.A. The effects of plasma processing of dielectric layers on gallium arsenide integrated circuits 88−7759
Vanner, K.C., McAllister, B.J. Development of an RIE process for GaAs through-substrate via hole etching 88−19830
Vanner, M.J., Machant, L.D., Aslimy, F.M., Abu-Eid, A.M. Drilled anchor foundation techniques for Riyadh 380 kV overhead line 87−57676
Vanner, M.J. *see* Orawski, G. 87−30220
Vannerberg, N. *see* Svedung, O.A. 87−10524
Vannes, A.B. *see* Manderscheid, T. 88−45353
Vanneste, C., Chi, C.C. Phase-locking and onset of chaos in an RF-driven Josephson junction 88−7821
Vanneste, C., Chi, C.C., Brown, K.H., Callegari, A.C., Chen, M.M., Greiner, H.J., Jones, H.C., Kim, K.K., Kleinasser, A.W., Notarys, H.A., Proto, G., Wang, R.H., Yogi, T. *I-V* characteristics of microwave-driven Josephson junctions in the low-frequency and high-damping regime 85−35354
Vanneste, C., Chi, C.C., Gallagher, W.J., Kleinsasser, A.W., Raider, S.I., Sandstrom, R.L. Shapiro steps on current-voltage curves of DC SQUIDs 88−71979
Vanneste, G. *see* Van Den Broeck, H. 86−71053
Vanneste, L. *see* Van Walle, E. 87−70989, 88−74735
Vanni, P. *see* Burlamacchi, P. 88−51743
Vanni, R. *see* Bini, M. 85−64612, 86−60839
Vanni, R. *see* Checcucci, A. 86−56204
Vanni, U. *see* Brancato, R. 88−8386
Vannicola, V. Application of time transfer for OMEGA transmitters using NAVSTAR GPS 87−70158
Vannicola, V.C., Lis, S. Polarization vector signal processing for radar clutter suppression 85−63744
Vannicola, V.C., Mineo, J.A. Applications of knowledge based systems to surveillance 88−60272
Vannicola, V.C. *see* Lis, S. 87−13783
Vannier, C. *see* Lacour, B. 87−74975
Vannier, M.W. *see* Bresina, S.J. 88−48132
Vannier, M.W. *see* Laschinger, J. 87−57123
Vannikov, A.V., Ivanov, V.F., Kaganovich, E.B., Kostyukevich, E.V., Maksimenko, Yu.N., Yudina, E.M. Photographic characteristics of a photoconductor-photothermochromic structure 85−46250
Vannikov, A.V. *see* Abramov, V.N. 86−35353
Vanninathan, M., Veerappa Gowda, G.D. Approximation of Tricomi problem with Neumann boundary condition 85−313
Vanninen, M. *see* Sharma, A.B. 86−48158, 87−68070
Vannini, C. *see* Battiston, R. 85−59224
Vannini, C. *see* Callegari, G. 86−50323
Vannini, F. *see* Ciampi, N. 85−19903
Vannini, G. *see* Boccaccio, P. 88−29888
Vannini, G. *see* Pengo, R. 85−59129
Vannini, M. *see* Falsini, P. 85−41475
Vannini, M. *see* Pini, R. 86−42618, 88−7847
Vannoy, T.W. *see* Hudson, M.J.B. 88−11024
Vannucchi, G. Basic technologies for microwave digital radio relay systems: a management overview 88−53115
Vannucci, A. *see* Varasi, M. 88−58203
Vannucci, G. *see* Foschini, G.J. 88−40895, 88−41646
Vannucci, G. *see* Park, Y.K. 88−15448
Vannucci, I. *see* Raganella, L. 88−61428
Vannucci, L. *see* Boccaccio, P. 88−29888
Vannucci, L. *see* Pengo, R. 85−59129
Vano, E. *see* Delgado, V. 87−38915
Vano, E. *see* Gonzalez, L. 85−4246
Vanoli, R. *see* Mastrullo, R. 85−15085
VanOsdell, D.W., Furlong, D.A., Hovis, L.S. Pilot plant study of the effect of a surface electric field on fabric filter operation [electrostatic precipitators] 85−41563
Vanoverschelde, A. *see* Cappy, A. 86−2219, 86−21584
Vanoverschelde, A. *see* Versnaeyen, C. 85−45685
VanOyen, M.P. *see* Rizzoni, G. 88−74277
Vanparys, R. Modular decomposition of information structures 87−76197
Vanpelt, H.E. Modification dose assessment program at Duke Power Company 88−42946
Vanpeteghem, P.M., Rice, G.L. New CMOs resistor implementation for linear IC applications 88−33376
Vanrenkamp, R.P. *see* Chang, M.F. 85−49819
Vanrooose, P. *see* de Bruyn, K. 87−55395
Vanroose, P. Techniques for constructing codes for the binary switching channel 87−75680
Vanroose, P., van der Meulen, E.C. Zero-error capacity and quasi-synchronized codes for the binary switching channel 88−59001
Vanroose, P., Verbeke, J. Single inspection with optimal prefix codes and the Huffman procedure 85−57280
Vansant, C.A. *see* Hartmann, O. 86−33198
VanSant, J. *see* Kozman, T. 87−67949
Vansant, J.H. Performance of the magnet cryogenic power lead system for MFTF 85−1936
VanSant, J.H., Zbasnik, J.P. Liquid helium cooling of the MFTF superconducting magnets 87−67978
VanSant, J.H. *see* Wang, S.T. 85−1921
VanSchaack, J.R. *see* Borcherdt, R.D. 86−32501
VanSchalkwijk, W. *see* Leo, A. 87−36111
Vanska, R., Rieppo, R., Piirainen, E. Peak to total ratio considerations for determination of intrinsic FEP efficiencies of scintillation detectors below 1.5 MeV photon energies 85−43271
Vanska, R. *see* Rieppo, R. 85−43270
VanSlyke, S.A. *see* Tang, C.W. 88−2133
Vanson, J. A modular approach to SMPS design 85−39918
Vansteelandt, L. *see* Hautecler, S. 85−64515
Vansteenkiste, G.C. *see* Geril, P. *(editor)* 87−31149
Vanston, J.H., Schumann, P.A., Jr., Bigham, G.T., Crowley, C., Prestwood, D.C.L. Superconductivity: a practical guide for decision makers 88−58021
Vanstone, S.A. *see* Lamken, E.R. 87−31405, 88−56103
Vanstraelen, G. *see* Heijne, E.H.M. 87−29480
Vansurdam, R. *see* Gabriel, D. 88−42953
Vant, M.R., George, P. The Radarsat prototype synthetic-aperture radar signal processor 86−55375
Vant, M.R., George, P. A very fast synthetic-aperture radar signal processor for ERS-1 and Radarsat 87−63937
Vant, M.R., Wu, K.H., Tunaley, J.K.E. The use of simulated synthetic-aperture radar signals of ships in the development of an automatic ship classification system 87−13763
Vant, M.R. *see* Gray, R.B. 87−28681
Vant, M.R. *see* Haslam, G.E. 88−60266
Vant, M.R. *see* Haslem, G.E. 88−15622
Vant, M.R. *see* Rey, M.T. 87−27629
Vant, M.R. *see* Wu, K.H. 85−8479, 85−58168
van't Blik, H.F.J. *see* Hagen, S.H. 88−58520
Van't Hof, D. *see* Moussouris, J. 86−52889
van't Klooster, C.G.M. On satellite antenna testing in Europe 88−58956
Vanthournout, R. Data processing equipments implementation: use of the proper floor covering 87−47083
Vantrappen, G. *see* Chen, J. 88−54567
Vantrappen, G. *see* Vanderschoot, J. 87−41971
Vantrease, J.D. *see* Hanna, W.A. 86−67212
Vanugopal, G., Sreedharan, C.R. A new wind alarm 87−63958
Vanugopal, G. *see* Radhakrishna, Rao, K. 87−37455
Vanurin, V.N. Multispeed electric drive for stationary agricultural machinery 85−65479
Vanuxem, J.P. *see* Bettoni, D. 85−52968
Vanuxem, J.P. *see* Delavallade, G. 87−29461
vanVeenendaal, C.A. *see* Spaanenburg, L. 87−1629
VanVranken, R. *see* Kent, R. 87−15062
VanWagenen, R.A. *see* Andrade, J.D. 85−58662
VanWagoner, P.T.Earl *see* Earl VanWagoner, P.T.
Vanwert, B. Conformal coatings protect printed circuit board reliability 88−12717
Vanwert, B. *see* Eckstein, M.N. 87−59957
Vanyagina, A.A. *see* Mad'yarov, I.R. 88−35807
Vanyai, P., Berceli, T., Meng, J., Rakosi, F., Szabo, Z., Tofalvi, Gy. Some new aspects of the trends in digital microwave communication in Hungary 88−60008
Vanyai, P., Gonczi, K. Some new results of digital baseband signal processing for 140 Mb/s 16 QAM digital radio 88−59983
Vanyan, A.R. *see* Andreyev, A.M. 87−14544
Van'yan, L.L. *see* Berdichevskiy, M.N. 88−48311
Vanyurikhin, A.I. *see* Babak, V.P. 88−72199
Vanyushev, B.V., Orlov, E.M., Tarkov, V.A. Device for adjusting light beam 85−2370
Vanyushev, B.V., Tarkov, V.A., Shipov, P.M. Acoustooptical deflector 86−36276
Vanyushev, B.V., Volkov, A.V., Gibin, I.S., Dumbrovskii, V.A., Dumbrovskii, S.A., Mantush, T.L., Nen, E.F., Pechurkin, V.I., Polivanov, V.A., Potapov, A.N., Tverdokhleb, N.E., Chernyshev, A.I., Chernyshev, L.F. System for storage and reading of digital data in a holographic archive memory system 85−2422
Vanyushev, B.V. *see* Blok, A.A. 85−2421
VanZandt, T.E. A model for gravity wave spectra observed by Doppler sounding systems 86−25444
VanZandt, T.E. *see* Green, J.L. 88−47201
Vanzant, B.W., Wolfe, G.K., Roark, G.L., Jaros, D.W. Electrical isolation of underwater explosion transducers 88−4362
Vanzetti, R., Fikiet, G. New laser soldering has vision 88−37969
Vanzetti, R., Traub, A.C. Laser and fiber-optics technology for temperature process control 86−68654
Vanzetto, S. *see* Plantier, A. 87−70984
Vanzhula, Yu.A. *see* Tupkalo, V.N. 85−64072, 87−29013
Vanzi, M. *see* Canali, C. 85−6952, 86−53828, 87−25275, 87−45928, 88−51015
Vanzi, M. *see* Cerofolini, G.F. 85−40489
Vanzi, M. *see* Fantini, F. 85−45002, 85−55982, 86−35871, 87−46044, 87−67434
Vanzi, M. *see* Frabboni, S. 86−14909
Vanzi, M. *see* Prioretti, P. 86−41995
Vanzi, M. *see* Saporito, A. 85−45630
Vanzi, M. *see* Sardo, A. 85−23383
Vanzi, M. *see* Turchetti, C. 87−23832
Vanzi, M. *see* Yu, Z. 87−25189
Vanzieleghem, E. *see* Denayer, T. 88−57801, 88−70833
Vanzovich, E.P., Saukhatas, A.-S.S. Investigation and development of remote indicating devices with adaptive characteristics 88−5407
Vanzovich, E.P., Saukhatas, A.-S.S. Statistical optimisation of the characteristics of remotely-controlled measuring elements 88−75218
Vanzulli, R.C. *see* Dorfler, U. 88−62104
Vanzulli, R.C. *see* Gonzalez, A.J. 87−57745, 88−62105
Vanzura, E.J. Automated system for electromagnetic field generation and immunity testing 88−53554
VanZyl, J.J. *see* Scholl, M.S. 88−60281
Vapaille, A. *see* Barbottin, G. 87−60203
Vapaille, A. *see* Barret, C. 86−14945
Vapaille, A. *see* de Carvalho, R.P. 87−74183
Vapaille, A. *see* Barbottin, G. *(editor)* 87−58521
Vapirev, E. *see* Kamenov, P. 86−31678
Vaquero, A. *see* Fernandez, C. 86−16151, 88−14987
Vaquero, A. *see* Troya, J.M. 86−26748
Varachi, J.P., Hasz, C.H. Distribution of fiber optic facilities in commercial buildings 88−28913
Varadakumari, G., Muraleedharan, K.A. Viscous torque of disc-type magnetic fluid slip clutches 85−7602
Varadakumari, G., Pillai, K.P.P. Rheological behaviour of iron-silicone fluid mixtures used in magnetic slip clutches 85−7603
Varadan, G.S., Kant, K. Productivity improvisation through appropriate automation: a case study 85−16755
Varadan, V.K., Ma, Y., Varadan, V.V. Coherent electromagnetic wave propagation through randomly distributed and oriented pair-correlated dielectric scatterers 85−24803
Varadan, V.K. *see* Bao, X.Q. 88−60940
Varadan, V.K. *see* Cain, W.N. 87−7570
Varadan, V.K. *see* Lakhtakia, A. 85−62750, 86−59027, 87−39355, 87−39358, 87−54523, 88−21000, 88−40690, 88−58929
Varadan, V.K. *see* Varadan, V.V. 85−62747, 86−68729, 87−68749, 88−31892, 88−52200
Varadan, V.V., Ma, Y., Varadan, V.K. Anisotropic dielectric properties of media containing aligned nonspherical scatterers 85−62747
Varadan, V.V., Tsao, S.J., Varadan, V.K., Tittmann, B.R. Image reconstruction of flaws using ramp response signatures 88−31892
Varadan, V.V., Varadan, V.K. A propagator model for wave propagation in discrete random media 86−68729
Varadan, V.V., Varadan, V.K., Ma, Y. Multiple scattering of waves in random media containing non-spherical scatterers 88−52200
Varadan, V.V., Varadan, V.K., Ma, Y., Steele, W.A. Effects of nonspherical statistics on EM wave propagation in discrete random media 87−68749
Varadan, V.V. *see* Bao, X.Q. 88−60940
Varadan, V.V. *see* Cain, W.N. 87−7570
Varadan, V.V. *see* Lakhtakia, A. 85−62750, 86−59027, 87−39355, 87−39358, 87−54523, 88−21000, 88−40690, 88−58929
Varadan, V.V. *see* Varadan, V.K. 85−24803
Varadan, V.V. *see* Varaden, V.K. 86−42147
Varadarajan, K. *see* Rangarajan, L.M. 86−21061
Varadarajan, M. *see* Khoshnevis, B. 85−22263
Varadarajan, R. Network management: surveillance and control facilities in E-10B system 88−35306
Varadarajan, R. *see* Crocker, W.H. 88−20078
Varadarajan, R. *see* Lakhani, G. 87−67490
Varadarajan, R. *see* Lo, C. 87−65743
Varadarajan, T.S. *see* Padhye, M.R. 85−2254
Varadarangan, K. *see* Narasimhan, M.S. 85−41692, 86−64059
Varaden, V.K., Varadan, V.V., Ma, Y., Hall, W.F. Design of ferrite-impregnated plastics (PVC) as microwave absorbers 86−42147

Varadharajan, V. Cryptosystems based on permutation polynomials 88—27787
Varadharajan, V., Odoni, R. Security of public key distribution in matrix rings 86—22895
Varadharajan, V., Sanders, P.W. Practical secure electronic mail system with public key distribution 85—47135
Varadi, G. *see* Seifritz, W. 86—45176
Varadi, I. *see* Csornai, L. 86—158
Varadi, O. *see* Laczko, B. 85—45341
Varadon, G.S. *see* Mehta, S.C. 85—23862
Varadoxoglou, J.C. *see* Comtesse, L.E. 88—34476
Varady-Szabo, I. *see* Shoshenkov, V.D. 88—60010
Varady-Szabo, M. *see* Berceli, T. 85—20037, 85—47424
Varady-Szabo, M. *see* Kerecsen, I. 85—47427
Varaga, Z. *see* Somogyi, G. 85—38262
Varah, J.M. On fitting exponentials by nonlinear least squares 85—33319
Varah, J.M. A generalization of the Frank matrix 86—62147
Varahamurthy, R.K. Reliability in electrical engineering products 85—26953
Varahamurthy, R.K. Management control of quality and reliability techniques—some important concepts 85—60781
Varahamurthy, R.K. Use of statistical methods in decision making 86—13357
Varahramyan, K. *see* Banke, G.W., Jr. 88—7466
Varahramyan, K. *see* Borucki, L. 85—55888
Varaiya, P., Wu, F.F., Rong-Liang Chen Direct methods for transient stability analysis of power systems: recent results 86—32683
Varaiya, P. *see* Anantharam, V. 86—64383, 88—6355 to 6356
Varaiya, P. *see* Cieslak, R. 88—34847
Varaiya, P. *see* Courcoubetis, C. 85—36148
Varaiya, P. *see* Inan, K. 88—66787, 88—73421
Varaiya, P. *see* Teneketzis, D. 85—49435
Varaiya, P.P. *see* Chen, R.-L. 88—75102
Varaiya, P.P. *see* Chiang, H. 87—42292
Varaiya, P.P. *see* Chiang, H.-D. 86—56308, 88—61793
Varaiya, P.P. *see* Courcoubetis, C. 85—16857
Varaiya, P.P. *see* Lasserre, J.B. 87—52008
Varaiya, P.P. *see* Salam, F.M.A. 85—4553
Varaiya, P.P. *see* Tsolas, N.A. 86—6236
Varak, J. Diagnostics of insulating systems of VHV and EHV power transformers 85—27456
Varakin, L.E. Noise immunity of the reception of PWM and FM spread-spectrum signals 85—8307
Varakin, L.E. Electromagnetic compatibility of users in cellular mobile communication system with spread spectrum and frequency modulation 85—62816
Varakin, L.E. The efficiency of the cellular spread spectrum radiotelephone 86—17274
Varakin, L.E. Digital signal processing 86—37044
Varakin, L.E. Mutual noise immunity of channels with frequency and code division 86—37185
Varakin, L.Ye. Optimization of PCM 86—16141
Varakin, L.Ye. Noise immunity and efficiency of a broadband radiotelephone cellular mobile communications system 86—23705
Varakin, L.Ye. Efficiency of mobile communications with frequency modulation and spread-spectrum signals 87—62854
Varakin, L.Ye., Goncharenko, A.Yu. Adjacent channel interference in a honeycomb mobile communications system 88—9444
Varakin, L.Ye., Sal'nikov, Yu.K. Correlation properties of linear-derivative systems of PM signals 86—22867
Varakin, L.Ye., Sidorova, T.V. Systems of orthogonal phase-shift keyed signals with low first peaks of the correlated function 107 Varkain, 86—22884
Varaksin, A.A., Kisel, V.A., Pasholok, P.A., Fomina, G.T., Chashuk, N.A., Shmidel, N.A. Integrated evaluation of the distortions of the phase-frequency characteristics of communication channels 86—36870
Varaksin, G.A. *see* Dvoryankina, G.G. 86—20039, 86—28133, 87—37887
Varakulsiripunth, R., Shiratori, N., Noguchi, S. A congestion-control policy on the internetwork gateway 86—49247
Varakulsiripunth, R., Shiratori, N., Noguchi, S. Congestion control policy on internetwork gateway 87—48308
Varambally, B.S. *see* Sundara Murthy, H. 88—74912
Varamban, S.Vana *see* Vana Varamban, S.
Varanasi, M.K., Aazhang, B. Parameter estimation for the generalized Gaussian noise model 87—47856
Varanasi, M.R. *see* Dunning, L.A. 85—19363
Varanasi, M.R. *see* Livingston, D.L. 87—51911
Varanasi, N.S., Reedy, H.E. Engineering development for reproducible volume production of cadmium sulfide (CdS) waveplates and their applications in infrared laser systems 87—19017
Varanasi, S.V., Gupta, S.C. Statistical analysis of digital phase-locked loops in fading channels 85—25081
Varanavichyus, A., Grigonis, R., Danelyus, R., Piskarskas, A., Podenas, D. High-power picosecond laser system with a slab neodymium glass amplifier operating at a repetition frequency up to 1 Hz 87—54277
Varandas, C.A.F., Cabral, J.A.C. The dispersion equation for electrostatic waves in a beam-plasma system immersed in an inhomogeneous magnetic field 87—68792
Varangaonkar, V.D., Dakshinamoorthy, P.V., Menon, S.G. Protection of 400 kV systems—some aspects 86—65749
Varanini, M., Taddei, A., Marchesi, C., Chientaroli, M. Design and evaluation of a system for long term automated ECG analysis aimed at low cost microprocessor based implementation 87—21619
Varanini, M. *see* Macerata, A. 87—21599
Varanini, M. *see* Taddei, A. 85—9203, 85—53077
Varaprasad, A.M. *see* Uchino, K. 88—33469
Varaprasad, S.V.L.A. *see* Basu, D. 88—36594
Varashavskiy, V.I., Kishinevskiy, M.A., Marakhovskiy, V.B., Rosenblyum, L.Ya. Functional completeness in the class of semimodular circuits 86—57792
Varasi, M. Integrated optics lenses realized by thin film technology 86—22184
Varasi, M., Annulli, A., Vannucci, A., Reid, S. Dilute melt proton exchange (DMPE) in Y-cut $LiNbO_3$ for the fabrication of monomode optical waveguides (MOWG) 88—58203
Varasi, M., Misiano, C., Mancini, C., Sartori, P. Plasma assisted ion plating deposition of optical thin films 86—15547
Varasinskiene, A.G., Naginevicius, R.V., Jankanskas, V.Yu. Use of ridge regression methods to forecast demand for electrical power 87—21893
Varavin, V.S., Gas'kov, A.M., Dvoretskii, S.A., Złomanov, V.P., Kuznetsov, V.L., Sidorov, Yu.G. Junction layers and photoelectric properties of the heterostructures n-$PbSe_{0.08}Te_{0.92}$-p-$Pb_{0.8}Sn_{0.2}Te$-p-$PbSe_{0.08}Te_{0.92}$ 88—39099
Varazdinec, Z. *see* Curkovic, J. 87—77894, 87—78484
Varbanescu, R. *see* Ionescu, G. 87—3538
Varchenko, N.N. *see* Nemoshkalenko, V.V. 85—28954
Varchmin, U., Pfahlert, V. Measuring system for electrophysiological signals based on a personal computer 85—48276
Varchmin, U. *see* Brosch, P. 86—4957
Varchuk, N.K., Kashchei, V.A., Ped'ko, S.N. Propagation of laser radiation with locked modes in an irregular multimode optical fiber 88—58111
Vardalas, J. *see* Paull, T. 87—55486
Vardaman, E.M. Integrating a load-management computer system into existing computer systems 88—61843
Vardanyan, R.R. The even magnetic photoeffect in a p-n junction 88—32845
Vardanyan, R.R. Transfer of minority charge carriers in a p-n junction under the effects of a magnetic field 88—44569
Vardanyan, V.A. Complexity of activity tests for partial Boolean functions 87—37138
Vardanyan, V.A. Method of synthesis of easily tested circuits 88—32088
Vardanyan, V.R. Fast capacitative pressure transducer for hot gas media 85—20601
Vardaxoglou, J.C., Parker, E.A. Modal analysis of scattering from two-layer frequency-selective surfaces 85—57112
Vardaxoglou, J.C. *see* Parker, E.A. 85—13275, 85—24991, 85—41663, 86—68833
Vardeman, R.D. Electrical inspection and revision programme for oil production facilities 85—16503
Vardeman, R.D. Permitting a large cogeneration project in California 88—17371
Vardeman, S., Cornell, J.A. A partial inventory of statistical literature on quality and productivity through 1985 87—65228
Vardenburg, A.K., Piliposyan, P.M., Tysyachnik, O.N. Comparative characteristics of polymer materials for spray insulation of current-conducting busses 85—40994
Vardeny, Z., Tauc, J. Picosecond photomodulation studies of carrier trapping in a-Si:H 88—1403
Vardeny, Z. *see* Janai, M. 85—18779
Vardeny, Z. *see* Merk, E. 85—24374
Vardeny, Z. *see* Stoddart, H.A. 85—24373
Vardeny, Z. *see* Thomsen, C. 86—42408
Vardi, I. *see* Kentfield, J.A.C. 86—33235
Vardian, G.T. *see* Malczewski, M.L. 86—47689
Vardigans, S.V.G., de Cogan, D. A bipolar pulse tester for semiconductor devices 87—29145
Vardigans, S.V.G., de Cogan, D., Henini, M. A transient thermal failure mode in metal film resistors 88—12626
Vardomskii, E.Yu. *see* Mirov, B.M. 87—49476
Vardosanidze, Z.V. *see* Kakichashvili, Sh.D. 88—72451
Vardy, A., Be'ery, Y. Efficient algorithms for the search of zero-concurring codewords 88—34587
Vard'ya, V.P. *see* Babkina, T.V. 86—28860
Vareille, A. *see* Glastre, G. 88—26170, 88—33165
Vareille, A. *see* Rosencher, E. 86—53600
Vareille, A. *see* Vettese, F. 88—32943
Vareille, J.C., Sadaka, S., Decossas, J.L., Teyssier, J.L. Experimental response of a dosimeter (radiator/CR-39) for neutrons in the energy range 100 keV-3 MeV 87—21694
Vareille, J.C. *see* Decossas, J.L. 87—21689
Vareille, J.C. *see* Sadaka, S. 87—77697
Vareille, J.C. *see* Teyssier, J.L. 87—29559
Varela, A. *see* Cherubini, R. 86—44538, 88—61135
Varela, J. *see* Gago, J.M. 88—4822
Varela, J.R. *see* Bertel, L. 88—40748
Varela, J.Rojas *see* Rojas Varela, J.
Varela, M., Bertran, E., Lousa, A., Esteve, J., Morenza, J.L. Rheotaxial growth of $CuInSe_2$ thin films 87—52135
Varela, M. *see* Bertran, E. 88—24140
Varela, M. *see* Garcia-Cuenca, M.V. 88—75945
Varela, M. *see* Lousa, A. 85—39811
Varela, R. *see* Mira, J. 86—29939
Varela V, R. Engineering education for Colombia through the 21st century 88—24411
Varel'dzhyan, A.V., Tokhmakhyan, M.G. Low-frequency circuit for a radiometer 85—14739
Varell, B. The economic justification of speech communication points 85—47123
Varell, B. Electronic paging 88—46926
Varell, B. More intelligence thanks to chips [intercom systems] 88—53069
Varenne, A. *see* Jesus, S. 87—50352
Varenne, A. *see* Rix, H. 88—48170
Varesano, G. *see* Reggio, U.G. 87—42871
Varese, C., Vagner, J. Remote control of power tests 86—51157
Vareshkin, G.L., Rabinovich, S.G., Filinov, V.N. Designing multichannel DAS with time-scale conversion and storage CRT 87—34995
Vareshkin, G.L., Veshnyakov, G.P., Golovastikov, Yu.A., Rabinovich, S.G. Intensifier-pulse generator for cathode-ray storage tubes 86—58214
Varesio, R. *see* Manfredotti, C. 87—14116
Varetskii, Yu.E., Gapanovich, V.G., Kens, Yu.A. Noise resistance of high-speed pickups for the regulators of static compensators 87—77948
Varetskii, Yu.E., Kens, Yu.A., Gapanovich, V.G. High-speed phase compensation of unbalanced loads with static compensators 87—64712
Varetskii, Yu.E., Segeda, M.S. Characteristics of thyristor-reactor circuits of static thyristor compensators 87—30796
Varetskii, Yu.E. *see* Perkhach, V.S. 87—31079
Varetto, L. *see* Ambrosio, R. 86—4881
Varetto, L. *see* Caporaso, R. 87—13689
Varetto, L. *see* Cucchetti, F. 85—25253
Varetto, L. *see* Cucchietti, F. 85—47097
Varetto, L. *see* Panarotto, G. 86—24181
Varezhkin, A.V., Zel'vinskii, Ya.D., Metlik, I.V., Khrulev, A.A., Fedoseenkov, A.N. Adsorption removal of carbon dioxide from the helium coolant of high-temperature gas-cooled reactors 87—22058
Varfalvy, L., Dallaire, R.D., Maruvada, P.S., Rivest, N. Measurement and statistical analysis of ozone from HVDC and HVAC transmission lines 86—18818
Varfolomeev, A.A., Lachin, Yu.Yu. Acceleration of ultrarelativistic electrons by a laser wave in a wiggler field 88—4738
Varfolomeev, A.A., Pitatelev, M.M. Induced magnetobremsstrahlung of electrons in an undulator field and an axial guide field 87—26450
Varfolomeev, E.P. *see* Kuzhekov, S.L. 87—51177, 88—17519
Varfolomeev, S.P., Karpov, V.G., Kolesnikov, N.V., Pashkevich, A.V., Shelekhin, Yu.D. Flow of the current in polycrystalline films with discontinuities 85—28984
Varfolomeev, S.P., Pashkevich, A.V., Shelekhin, Yu.L. Residual conductivity of polycrystalline PbSe films 85—61705
Varg, R.E. *see* Nolting, E.E. 85—5316
Varga, A. The electrostatic environment of Man 87—29822
Varga, A. Automatic line testing cuts manpower in half 88—3743
Varga, A., Fallside, F. A technique for using multipulse linear predictive speech synthesis in text-to-speech type systems 87—47556
Varga, A., Moore, R., Bridle, J., Ponting, K., Russel, M. Noise compensation algorithms for use with hidden Markov model based speech recognition 88—72808
Varga, A. *see* Bausz, I. 86—13105, 87—43079
Varga, A. *see* Farago, M. 85—37437
Varga, A. *see* Molnar, I. 87—9612
Varga, B.J. *see* Erl, M. 85—38487
Varga, D., Kover, A., Kover, L., Redler, L. A distorted field cylindrical mirror electron spectrometer. I. Calculation of the analyzer 85—64502
Varga, F. *see* Sohor, V. 85—18652
Varga, G. Comparison of magnetotelluric data processing by convolutional filtering and FFT 85—25080
Varga, G. *see* Kesselyak, P. 86—64815
Varga, H., Cowles, G., Unmack, F., Overett, T. The Doublet III AC power systems 85—5215
Varga, H.P.Szente *see* Szente Varga, H.P.
Varga, I. Computation of sensitivities on the basis of a modified nodal analysis 85—527

Varga, I. Sensitivity analysis of linear networks by modified nodal method 86−34485
Varga, I. *see* Csefalvay, K. 86−20228, 87−472
Varga, I. *see* Kapros, T. 87−31590
Varga, I. *see* Kozak, M. 86−65980
Varga, I. *see* Miyajima, H. 87−60869
Varga, J. *see* Adam, A. 88−42629
Varga, J.S. Magnetic and dimensional properties of axial induction motors 86−61515
Varga, L. Investigations of the ampacity of insulated wires 88−23522
Varga, L. *see* Fecko, S. 85−15625, 85−27078
Varga, L. *see* Friedrich, J. 86−50945
Varga, L. *see* Lieu, R. 86−32201
Varga, L. *see* Molnar, J. 86−46078
Varga, L.D., Losic, N.A. Design of a high-performance floating power MOSFET driving circuit 88−39496
Varga, M. A LAN suitable for aerospace applications 87−76384
Varga, M.P. A robust 100 Mps network for avionics applications 86−11138
Varga, M.S. *see* Day, M.A. 87−26487
Varga, P., Vertosi, G., Gyulai, I., Kiss, G., Kroo, N., Szentirmay, Zs., Soboleva, E.M., Sobolev, A.G., Sagitov, S.I., Uskov, A.V. Luminescence spectra of metal-barrier-metal structures 86−35469
Varga, P. *see* Banyasz, I. 88−45559
Varga, R.S. *see* Csordas, G. 88−56199
Varga, R.S. *see* Eiermann, M. 86−34214
Varga, R.S. *see* Niethammer, W. 85−10634
Varga, R.S. *see* Proietti-Orlandi, F. 88−68363
Varga, S. *see* Domjan, A. 86−18285
Varga, S.A., V'yugina, T.S., Krutik, M.I., Lebedev, V.B., Feldman, G.G., Chernyshev, N.V. An electron-optical framing camera 86−5081
Varganov, G.G. Transformerless realization of the immittance matrix of an RLC four-pole by an asymmetrical latticed circuit 87−45022
Vargas, A., Ferreyra, O.E., Rivera, J.F. Effect of equivalent small-scale models of passive networks adjacent to a network used for the analysis of short-circuits [power transmission networks] 86−25559
Vargas, A. *see* Peralta, W.H. 87−9635
Vargas, A. *see* Rivera, J.F. 85−38445
Vargas, A. *see* Strada, T.J. 88−11129
Vargas, G. *see* Tonon, R. 88−17146
Vargas, H. *see* Faria, I.F., Jr. 87−66613
Vargas, H. *see* Mello, S.M.N. 87−64819
Vargas, H. *see* Netzelmann, U. 85−24163
Vargas, H.J. *see* Rachid, A. 88−3515
Vargas, J. *see* Foxvog, D. 87−57129
Vargas, J.E. *see* Li, X. 88−36839
Vargas, L. *see* Moya, O. 86−70616
Vargas, L. *see* Pasternack, B.M. 86−61070
Vargas, P. Putting PS/2 POS in the 5AC312 EPLD 88−44143
Vargas, T.F. *see* Neuman, M.E. 88−73894
Vargas, V.M.P. RETINES: real time network simulator 86−30431
Vargas Patron, R. Circuit for checking quartz crystals 86−8046
Vargas Patron, R. Switch-type DC voltage regulator 88−565
Vargas Traid, R. *see* Rivero Moreno, C. 86−39351
Vargasova, E.V. *see* Nazarenko, A.V. 86−38581
Vargha-Kalmanne, A. *see* Weidner, G. 87−66872
Varghese, A. *see* Sauer, P.W. 86−70605
Varghese, G., Nilsson, A.A., Chou, W. Approximating end-to-end delays on virtual circuits using a sliding window flow control scheme 85−25213
Varghese, G., Perlman, R. Transparent interconnection of incompatible local area networks using bridges 88−59614
Varghese, G. *see* Perlman, R. 88−52874
Varghese, J. *see* Rakhshani, A.E. 87−58952
Varghese, M. *see* Chiang, H.-D. 88−48454
Varghese, M. *see* Thorp, J.S. 85−53246, 86−50806
Varghese, N., Thorp, J.S. An analysis of truncated fractal growths in the stability boundaries of three-node swing equations 88−75103
Vargin, G.P. *see* Savin, A.P. 87−15037
Varhalmi, L. *see* Denes, E. 85−37436, 87−20753
Varhalmi, L. *see* Sagdeev, R.Z. 87−49573
Varhue, W.J., Williamson, T.G. Absolute counting efficiency for solid state nuclear track detectors used in photofission measurements 85−64486
Varian, K.R. Dielectric resonator oscillators at 4, 6, and 11 GHz 87−6094
Varian, K.R. DROs at 4, 6 and 11 GHz 87−11019
Varian, K.R. Long term stability of DROs compared to crystal oscillators 87−73753
Varian, N.S. Bar codes—the key to reliable stock control, automated progress control, and printer colour control 86−16880
Varichenko, L., Rakov, M. Organization of the on-ground data processing for remote sensing purposes using finite rings and fields concept 87−4156
Varichenko, L.V. Number-theoretic transformations in spectral analysis of signals 88−21172
Varichev, Yu.N. *see* Agatov, I.O. 86−45244
Varin, C. *see* Gamand, P. 88−32452
Varin, V.A. *see* Lipkovskii, K.A. 86−745
Varinot, P., Chuquillanqui, S. Method of PLA's implementation: the monoplane PLA 86−34743
Varinot, P. *see* Jerraya, A. 87−5622
Varisco, G. *see* Acerbi, E. 85−58995
Varitimos, T.E., Tustison, R.W. Ion beam sputtering of ZnS thin films 87−65569
Varivodov, V.N., Demkin, A.A. The electrical strength of potted epoxy insulation in a slightly nonuniform electric field 87−11997
Varivodov, V.N., Rakhmatulin, A.V. Study of the effect of technological factors on characteristics of moulded epoxy insulation 87−30232
Varivodov, V.N. *see* Bortnik, I.M. 85−48994, 87−18417
Varivodov, V.N. *see* Bortnmik, I.M. 86−15295
Varjasi, I. *see* Karpati, A. 85−53322
Varju, G. Relation between unbalance and induced interference on telecommunication lines 86−22715
Varju, G. *see* Deri, A. 86−36767
Varju, G. *see* Lorke, H. 85−62732, 85−62851
Varker, C.J., Whitfield, J. Wafer mapping and data graphics for the electrical characterization of semiconductor materials and devices 87−17894
Varker, C.J., Whitfield, J.D., Fejes, P.L. Effects of oxygen precipitation on minority carrier lifetime in silicon crystals 85−1288
Varker, C.J. *see* Chan, S.S. 86−21121
Varker, C.J. *see* Wang, P. 85−355
Varker, C.J. *see* Whitfield, J. 87−11340
Varker, C.J. *see* Whitfield, J.D. 88−39246
Varker, C.J. *see* Wilson, S.R. 85−12104
Varkonyi, T. Preliminary for the Hungarian introduction of the surface-mounting technology 86−20904
Varlamov, M.V., Kireev, V.Yu., Frolov, V.M. Deep plasmochemical etching of silicon through two-layer masks 87−74197
Varlan, M. *see* Steriu, D. 86−11492
Varlas, N. *see* Samouilidis, J.-E. 85−9571
Varlei, V.V. Steady-state stability of electric motors having electromechanical reduction of the rotating frequency [synchronous motors] 86−26019
Varlei, V.V. Performance equations for motors with a deformable rotor 86−51593
Varlei, V.V. Electric motors with electromechanical speed reduction and rectifier supply 87−64557
Varley, A. Is the electric utility industry ready for deregulation? 86−25518
Varley, G.L. *see* Browning, J.L. 87−72276
Varley, J. Europeans strive to reduce fast breeder capital costs 86−12582
Varley, J. Looking to a growing market for subminiature TV systems 86−32991
Varlow, B.R. Electrical prestressing, trapping centres and morphology in polyethylene 86−68036
Varlow, B.R. *see* Arbab, M.N. 88−64859
Varlow, B.R. *see* O'Neill, W.P. 87−21560
Varma, A. *see* Bannur, J. 85−62057
Varma, A. *see* Raghavendra, C.S. 85−36488, 87−75977
Varma, A. *see* Sawchuk, A.A. 87−20584
Varma, D. *see* Trachtenberg, E.A. 88−25133
Varma, G.K. *see* Hall, M.S., Jr. 86−23314
Varma, P., Ambler, A.P., Baker, K. An analysis of the economics of self-test 85−35121
Varma, P., Ambler, A.P., Baker, K. On-chip testing of embedded PLAS [programmable logic arrays] 86−934
Varma, P., Ambler, A.P., Barker, K. On-chip testing of embedded PLAs 86−980
Varma, P., Tohma, Y. Protean—a knowledge based test generator 87−59366
Varma, P., Tohma, Y. A knowledge-based test generator for standard cell and iterative array logic circuits 88−50106
Varma, P. *see* Tan, S.B. 87−65695
Varma, P.K. *see* Cant, G.P. 86−65228
Varma, R. *see* Wang, C.S. 88−14049
Varma, R.K. *see* Padiyar, K.R. 88−5737
Varma, S. Optimal allocation of customers in a two server queue with resequencing 88−52963
Varma, S., Rao, K.V., Kar, S. Electrical characteristics of silicon-tin oxide heterojunctions prepared by chemical vapor deposition 85−11985
Varma, S. *see* Kar, S. 86−14959
Varma, S. *see* Thomas, R.E. 88−37380
Varma, S.K. *see* Moharir, P.S. 85−13473, 85−47561, 85−57373, 87−76828
Varma, S.K. *see* Venkata Rao, K. 86−22996
Varma, V., Chang, L.F. Use of error control coding and antenna diversity to improve performance of subband coding 88−72772
Varma, V., Gupta, S.C. Speech transmission using DPCM coding, partial response continuous phase modulation and diversity 85−62957
Varma, V., Gupta, S.C. Adjacent channel interference in partial response continuous phase modulation systems with MSK-type receivers 86−68966
Varma, V., Gupta, S.C. Performance of partial response CPM in the presence of adjacent channel interference 87−19383
Varma, V., Gupta, S.C. Error performance of partial response CPM in the presence of adjacent channel interference and Gaussian noise 87−27153
Varma, V.K., Gupta, S.C. Performance of partial response CPM in the presence of adjacent channel interference and Gaussian noise 87−12886
Varma, V.K., Gupta, S.C. Partial response continuous phase modulation and DPCM coding for speech transmission in cellular mobile radio systems 87−20420
Varma, V.K., Lin, D., Lin, D.W., Dixon, J.L. Performance of subband and RPE coders in the portable communications environment 88−27822
Varman, P., Doshi, K. A parallel vertex insertion algorithm for minimum spanning trees 86−66727
Varman, P. *see* Doshi, K. 88−6808
Varman, P.J., Ramakrishnan, I.V. A fault-tolerant VLSI matrix multiplier 87−18340
Varman, P.J., Ramakrishnan, I.V., Fussell, D.S. A robust matrix-multiplication array 85−11377
Varman, P.J. *see* Ramakrishnan, I.V. 85−39865
Varman-Vural, F. An efficient and order-recursive algorithm for estimating stationary ARMA models 86−10362
Varmazis, C. *see* Christou, A. 86−35421, 86−57432, 87−17881
Varmazis, K. *see* Christou, A. 86−58440, 87−44316, 87−45923
Varmha, R. *see* Chan, J.Y. 85−28056
Varmha, R. *see* Dunn, R.M. 85−3955
Varmha, R. *see* Pennell, G.F. 85−32437
Varnado, G.B., Mattson, R.J., Watson, I.A. Engineering reduced failure rates 85−49315
Varnado, G.B. *see* Mattson, R.J. 86−51370
Varnai, G. *see* Madas-Dobler, M. 88−49298
Varnaite, A.V. *see* Alishauskas, A.V. 85−49680
Varnavskii, O.P., Golovlev, V.V., Kirkin, A.N., Leontovich, A.M., Malikov, R.F., Mozharovskii, A.M., Trifonov, E.D. Coherent-amplification states in activated crystals 87−75048
Varnavskii, O.P., Golovlev, V.V., Kirkin, A.N., Mozharovskii, A.M. Experimental observation of laser lethargy in the optical region 87−2105
Varnavskii, O.P., Kirkin, A.N., Leontovich, A.M., Malikov, R.F., Mozharovskii, A.M., Trifonov, E.D. Coherent amplification of ultrashort pulses in activated crystals 85−35730
Varnavskii, O.P., Kirkin, A.N., Leontovich, A.M., Mirzoyan, R.G., Mozharovskii, A.M., Solomatin, I.I., Sidoruk, N.V. Optimization of the energy and brightness parameters of solid-state lasers with mode self-locking 86−9796
Varnavskii, O.P. *see* Baev, V.M. 86−48368
Varnavskii, O.P. *see* Sobolev, L.M. 85−2271, 85−2366
Varnavskii, V.V., Zol'nikov, P.P. Induced radioactivity of steel components in industrial flaw inspection with electron accelerators 88−6556
Varnek, V.A., Tomashevich, E.V. Measurement of Mossbauer spectra with high count rate 87−29681
Varnek, V.A., Tomashevich, E.V. Use of an internal standard for measurement of the area of Mossbauer spectra 87−29682
Varner, A.C. *see* Smith, A.W. 88−31240, 88−43507
Varner, J.R. *see* Peng, J.P. 88−71926
Varner, R.L. *see* Teh, K.M. 87−35355
Varnestig, B., Backlin, A., Fahlander, C., Kavka, A.E., Lenke, T., Svensson, L.E. A position sensitive gas detector system for Coulomb excitation experiments 86−65341
Varney, L. An improved Z-Match ASTU 86−16064
Varney, L. HF equipment switching units 87−34451
Varney, L. Versatile switched antenna feed system 88−72712
Varney, M.S. Hadamard versus Fourier transformation 87−27371
Varnham, M.P., Birch, R.D., Payne, D.N. Helical-core circularly-birefringent fibres 86−36235
Varnham, M.P., de Fornel, F., Payne, D.N., Ragdale, C.M., Barlow, A.J., Tarbox, E.J. Comparison between coil and taper fibre-polarisers 86−2781
Varnham, M.P., Payne, D.N., Okamoto, K., Birch, R.D., Tarbox, E.J. Optimisation of the performance of Bow-Tie polarising fibres 86−9539
Varnham, M.P., Poole, S.B., Payne, D.N. Thermal-stress measurements in optical-fibre preforms using preform-profiling techniques 85−12563
Varnham, M.P., Poole, S.B., Payne, D.N. Q new technique for the measurement of axial-stress in optical-fibre preforms 85−29620
Varnham, M.P. *see* Barlow, A.J. 87−12167
Varnham, M.P. *see* Mears, R.J. 86−2777
Varnham, M.P. *see* Payne, F.P. 88−65226
Varnham, M.P. *see* Yataki, M.S. 85−29559 to 29560, 85−41184
Varni, G. *see* Cimbrico, P.L. 86−25993, 86−58718
Varnovitsky, M. Development and comparative analysis of a pulse-width modulation strategy [electronic switching invertor] 85−547
Varnum, J.M. *see* Townsend, C.L. 87−23102

Varofakis, S.J. *see* Antoniou, G.E. 87-61847
Varoli, V. *see* Burgio, C. 86-61672, 87-16885
Varoli, V. *see* Burkhardt, W. 85-33623
Varoli, V. *see* Maranesi, P. 85-11045, 87-503, 87-73305 to 73306, 88-69583, 88-75763
Varoli, V. *see* Maranesi, P.G. 88-75720
Varon, D. *see* Chen-Menaker, A. 86-32330
Varon, M. *see* Lee, K. 88-39648
Varona, F.Bango de *see* Bango de Varona, F.
Varonen, R. *see* Peiponen, K.-E. 86-36599
Varonis, O.J. *see* Palanisamy, R. 88-70395
Varoquaux, E. *see* Avenel, O. 87-41502
Varoquaux, E. *see* Bloyet, D. 86-786
Varoquaux, W. For France, electricity pricing on long term marginal cost appears, more than ever, a necessity 85-43555
Varoquaux, W. *see* Jourdet, J.-L. 85-4560
Varoquaux, W. *see* Zask, J. 86-65641
Varoufakis, S., Venetsanopoulos, A. Two-dimensional recursive digital filters without multipliers 85-46852
Varoufakis, S. *see* Karayiannis, N. 87-918
Varoufakis, S.J. A cellular approach to the hardware realization of IIR and FIR digital filters 88-894
Varoufakis, S.J., Paraskevopoulos, P.N., Antoniou, G.E. On the minimal state-space realizations of all-pole and all-zero 2-D systems 87-45077
Varoufakis, S.J., Venetsanopoulos, A.N. On the evaluation of finite precision coefficient in IIR digital filter design 88-44294
Varoufakis, S.J. *see* Antoniou, G.E. 87-910, 88-70410
Varoufakis, S.J. *see* Karayiannis, N.B. 88-56798
Varoufakis, S.J. *see* Paraskevopoulos, P.N. 88-38324
Varovin, I.A., Nikiforov, S.A., Eperin, A.P., Aniskin, Yu.N., Kritskii, V.G., Khitrov, Yu.A. Formation of deposits on the surface of the fuel elements of RBMK-1000 86-70767
Varpakhovich, A.G. *see* Asimov, M.M. 88-51770
Varpakhovich, G.A. *see* Veselov, G.I. 87-25748
Varpula, T. *see* Ehnholm, G. 85-41096
Varra, D.S. *see* Perman, M.M. 87-76207
Varrall, G.J.H. The marketing of mobiles 88-28747
Varriale, A., Zilembo, N. Supervisory control system for the energy management of a modern industrial complex 85-44357
Varriale, A. *see* Bisciaio, E. 85-43561
Varriale, A. *see* Schiavoni, R. 88-14962
Varrio, J., Asonen, H., Salokatve, A., Pessa, M., Rauhala, E., Keinonen, J. New approach to growth of high-quality GaAs layers on Si substrates 88-11971
Varro, S. *see* Hopf, F.A. 87-26257
Varro, S. *see* Horvath, Z.G. 86-15674
Varsano, S. Product detection simplifies HF receiver 86-30558
Varshava, S.S., Bekesha, S.N., Kurilo, I.V., Pelekh, L.N. Morphology and properties of SnTe and PbTe crystals grown from the gas phase 88-57332
Varshava, S.S., Kytin, G.A., Manenkov, A.A., Mikhailova, G.N., Troitskii, V.F., Shcherbai, K.S. Miniature resistance thermometers based on GaAs filamentary crystals for the range of 0.4-300 K 88-16092
Varshavskii, A.I., Marakhovskii, V.B., Rozenblyum, L.Ya., Yakovlev, A.V. Principle of self-timing and interface models in VLSI systems 86-57900
Varshavskii, D.S. The electrical strength of polypropylene films 88-39765
Varshavskii, D.S., Valyaev, A.N. Internal electric strength of capacitor paper 86-2445
Varshavskii, G.Ya., Kolpenskii, N.S., Solov'eva, V.A., Levin, M.V. Ways of reducing the ventilation noise of large synchronous machines 86-51598
Varshavskii, M.Z. Instrument for measuring the power of an engine on a testbed 85-58801
Varshavskii, V.D., Dombrovskii, V.V., Ivanov, A.V., Kutoretskii, G.M. Modeling of electromagnetic processes in the design of large cryoturbogenerators 87-42780
Varshavskii, V.D., Plotkin, M.B., Tyurin, Yu.G., Khutoretskii, G.M. Investigation of connections of superconducting winding material for the rotor of a large cryoturbogenerator 86-56692
Varshavskii, V.D., Popov, V.V., Sukhanov, V.V., Khutorestskii, G.M. Numerical investigations of eddy currents in structural elements of turbogenerator end zones 87-51152
Varshavskii, V.D. *see* Boriskina, L.P. 88-11173
Varshavskii, V.D. *see* Khutoretskii, G.M. 85-21549, 85-65203, 86-51553, 87-35885, 88-37157, 88-55272
Varshavskii, V.I., Kishinevskii, M.A., Marakhovskii, V.B., Rosenblyum, L.M., Taubin, A.R. Fault detection in autonomous systems 85-33142
Varshavskii, V.I., Marakhovskii, V.B., Rozenblyum, L.Ya., Tatarinov, Yu.S., Yakovlev, A.V. From specification to hardware implementation of physical layer protocol 88-59421
Varshavskii, V.I., Marakhovskii, V.B., Rozenblyum, L.Ya., Yakovlev, A.V. Implementation and analysis of the TRIMOSBUS self-clocking interface 87-18191
Varshavskii, Yu.I. *see* Abgaryan, V.V. 86-25321
Varshavskiy, I.I. *see* Abramov, V.A. 87-39382
Varshavsky, V.D. *see* Fomin, B.I. 87-51137
Varshney, P.K., Jun, H. Oscillator phase instability: modeling and effect on coherent digital communications 86-64481
Varshney, P.K. *see* Barkat, M. 88-15531, 88-46116
Varshney, P.K. *see* Chair, Z. 86-43883, 87-55162, 88-4090, 88-46115
Varshney, P.K. *see* Debany, W.H. 87-5751
Varshney, P.K. *see* Debany, W.H., Jr. 86-61974
Varshney, P.K. *see* Hoballah, I.Y. 87-55163, 87-55189, 87-56217
Varshney, P.K. *see* Varshney, R.K. 87-2506
Varshney, R.K., Kumar, A. Effect of depressed inner cladding on the polarization characteristics of elliptical-core fibers 85-12604
Varshney, R.K., Kumar, A. Birefringence calculations in side-tunnel optical fibers: a rectangular-core waveguide model 86-28846
Varshney, R.K., Kumar, A. A simple and accurate model analysis of strip-loaded optical waveguides with various index profiles 88-45184
Varshney, R.K., Nehme, M.A., Srivastava, R., Ramaswamy, R.V. Guided waves in graded-index planar waveguides with nonlinear cover medium 87-25922
Varshney, R.K., Varshney, P.K. Recursive estimation with uncertain observations in a multisensor environment 87-2506
Varshneya, A.K. *see* Jain, V. 87-70443
Varshneya, A.K. *see* Swiler, D.R. 88-475
Varshneya, D., Berthold, J.W. Fibre optic noncontact temperature probe system [for use in coal combustors] 88-16153
Varshneya, D., Glomb, W.L. Applications of time and wavelength division multiplexing to digital optical code plates [position sensing on aircraft] 88-48276
Varshneya, D., Jeffers, L.A. Fiber optic internal thread probe 86-58779
Varshneya, D., Jeffers, L.A. Luminescence imaging document analyzer 87-34979
Varshneya, D. *see* Berthold, J.W. 88-16155
Varshneya, D. *see* Berthold, J.W., III 87-68085
Varshneya, D. *see* Maida, J.L. 88-42143
Varszegi, Cs. Using ultrasonic flow measurement in drinking water systems 87-70585
Varszegi, S. The feasibility of a dynamic test generation method 87-31776
Varszegi, S. An interactive method for the generation of tests detecting faults in logic networks 88-32138
Vartak, M.N., Gupta, I. Duality theory for fractional programming problems under η-convexity 88-11894
Vartanov, V.S., Zemskov, B.G. Gas-scintillator detection of low-energy electrons 87-8840
Vartanov, V.S., Zemskov, B.G. Gas scintillator for conversion electron detection 88-22913
Vartan'yan, A.G., Kotova, I.P., Sivkov, A.P., Khutoretskii, G.M. Turbogenerator technical diagnostics 88-37158
Vartan'yan, A.G. *see* Khutoretskii, G.M. 87-42777
Vartanyan, A.T. *see* Asanov, A.N. 88-64270
Vartanyan, A.V., Gagiyan, L.A., Avakyan, Yu.V. Layout design of a photoelectric station located in a mountainous area 88-62260
Vartanyan, A.V., Grigoryan, A.L. Kinematic parameters of the orientation of solar units 87-51453
Vartanyan, A.V. *see* Afyan, V.V. 87-58320
Vartanyan, E.S. *see* Anayan, E.S. 85-24670
Vartanyan, G.S. *see* Arakelyan, E.A. 88-12323
Vartapetov, S.K., Polivanov, Yu.N., Savel'ev, A.D., Sergeev, S.N., Smirnov, V.V. Use of a three-mirror resonator of special configuration in a dye laser 86-68584
Vartapetov, S.K. *see* Ageev, V.P. 87-2085, 87-46801, 87-75005
Vartapetov, S.K. *see* Atezhev, V.V. 88-51752
Vartapetyan, G.A. *see* Agaronyan, F.A. 86-60634
Vartazarova, L.S., Ivanilov, Yu.P., Melent'ev, L.A. Certain problems of estimation of the national-economy power engineering efficiency using production functions 86-70576
Vartazarova, L.S. *see* Melent'ev, L.A. 85-65025
Vartsky, D., Goldberg, M., Eisen, Y., Shamai, Y., Dukhan, R., Siffert, P., Koebel, J.M., Regal, R., Gerber, J. Radiation induced polarization in CdTe detectors 88-29803
Vartsky, D., Shamai, Y., Duchan, R., Klopfer, Y., Goldberg, M. Investigation of pulse rise-times in CdTe radiation detectors 86-18252
Vartuli, D. *see* Zunser, B.E. 86-50908, 87-30063
Varty, R.L. A new system for index-matched laser-anemometer measurements 85-13012
Varty, R.L. Fringe method of bubble sizing using a laser Doppler anemometer 87-14616
Varukha, E.N. *see* Lenivkin, V.A. 85-39382, 87-16206
Varvaet, A., Van Wassenhove, D., Burgelman, M., Clemminck, I. Structural analysis of 'dry' Cu_2S-CdS solar cells 88-49145
Varvarin, G.I. *see* Treiger, A.S. 87-4408
Varvaritsa, V.P., Martishchenko, L.G., Popov, V.K., Romanov, M.L., Shlepnev, I.O., Shmatok, V.P. Automated eddy-current installation AVD-01 for detecting flaws in fuel element cans 87-36519
Varvarovsky, F. *see* Matal, O. 87-35729
Varvarskii, V.S., Mikhailov, V.V., Petryaev, E.I. The effectiveness of consumer power regulation 86-32657
Varvarskii, V.S. *see* Dlugosel'skii, V.I. 87-9259
Varvoglis, T.P. Upgrading transatlantic links for investment banks 85-57600
Varwandkar, S.D., Vaishampayan, V.V. Characterization of network interconnectedness in formulation of large scale systems 88-23368
Varwandkar, S.D. *see* Sunthankar, P.G. 86-45315
Vary, A. *see* Hull, D.R. 86-18194
Vary, P. Noise suppression by spectral magnitude estimation-mechanism and theoretical limits 85-57303
Vary, P. VLSI signal processors: architectures and applications 87-67384
Vary, P., Hellwig, K., Hofmann, R., Sluyter, R.J., Galand, C., Rosso, M. Speech codec for the European mobile radio system 88-67273
Vary, P., Hofmann, R. Speech codec for the European mobile radio system 88-35392
Vary, P., Hofmann, R., Hellwig, K., Sluyter, R.J. A regular-pulse excited linear predictive codec 88-67144
Vary, P., Sluyter, R. Speech encoding for mobile telephone systems 86-23731
Vary, P. *see* Armbruster, W. 87-47819
Vary, P. *see* Hellwig, K. 86-67240, 87-37346, 87-44935
Varyanitsa, V.Yu. *see* Tikhonova, I.E. 88-37155
Varyna, V.P., Grigor'ev, E.I. Neutron-activation measurements in intense fields of reactor radiation 87-29438
Varyukhin, V.A., Pokrovskiy, V.L., Sakhno, V.F. The accuracy of the angular coordinate measurements of several sources by means of an antenna array 85-14381
Varyvdin, V.S. *see* Bartashevskii, E.L. 87-19359
Varzaly, L.A., Elashmawi, F. Management of nuclear technology transfer to developing nations 85-4773
Varzaru, V. Experimental results obtained with parabolic dishes type CP 30 86-70833
Varzaru, V. Automatic tracking systems for solar power plant concentrating devices 87-64474
Vas, P., Alakula, M., Brown, J.E., Hallenius, K.E. Field-oriented control of saturated AC machines 88-69375
Vas, P., Brown, J.E. Real-time monitoring of the electromagnetic torque of multi-phase AC machines 86-45355
Vas, P., Brown, J.E. Monitoring the steady-state and transient electromagnetic torque of AC machines 88-17550
Vas, P., Brown, J.E., Hallenius, K.E. Cross-saturation effects in saturated smooth-air-gap machines 87-42980
Vas, P., Brown, J.E., Hallenius, K.E. Small-signal analysis of smooth-air-gap machines using space-vector theory 88-49197
Vas, P., Brown, J.E., Willems, J.L. The effects of MMF space harmonics in three-phase and two-phase machines: a space vector theory approach 87-42806
Vas, P., Deleroi, W., Brown, J.E. Transient analysis of smooth-air-gap machines incorporating the effects of main and leakage flux saturation 87-42807
Vas, P., Finch, J.W., Brown, J.E. Simplified stability analysis of reluctance machines based on space-vector concepts 87-16097
Vas, P., Hallenius, K.E., Brown, J.E. Cross-saturation in smooth-air-gap electrical machines [AC machines] 86-56703
Vas, P., Willems, J.L., Brown, J.E. The application of space-vector theory to the analysis of electrical machines with space harmonics 87-78576
Vas, P. *see* Brown, J.E. 86-26339
Vas, P. *see* Jack, A.G. 87-15679
Vas, P. *see* Racz, I. 86-33806
Vas, P. *(translator)* Matrix and space-phasor theory of electrical machines 87-51786
Vasa, E. Circuit distributors in hollow-wall electrical installations 87-51398
Vasaeline, I.R. Calibrate RF power meters with a thermal converter 86-69995
Vasagam, R.M. APPLE-overview 85-26832
Vasanelli, L. State-of-art in Italy of cadmium telluride detectors 85-52993
Vasanelli, L., Valentini, A., Losacco, A. Preparation of transparent conducting zinc oxide films by reactive sputtering 87-74015
Vasanelli, L., Valentini, A., Quirini, A., Mancini, A.M. ZnO/CdTe solar cells prepared by RF sputtering 88-17998
Vasanelli, L. *see* Cingolani, R. 86-21165
Vasanelli, L. *see* Iacobelli, G. 85-3871

Vasanelli, L. *see* Mancini, A.M. 85—54519, 86—8844, 86—40786, 87—31517, 88—56244
Vasant, N.S. Power development in Punjab 88—48764
Vasanth, B.J. *see* Sule, R.R. 85—65273
Vasanth, K.L. Performance of 12 Ah aerospace nickel-cadmium cells of design variable groups 86—32470
Vasanth, K.L. *see* Ferrando, W.A. 88—17904
Vasantha, B. *see* Gunda, Y. 85—25496
Vasantha, M.K. *see* Desai, B.T. 88—62405, 88—75699
Vasantha, M.K. *see* Mishra, R.N. 85—37501
Vasanthakumar, A.L.S. *see* Tye, F.L. 86—6985
Vasanthavada, N., Baker, R., Kanopoulos, N. A monolithic image edge detection filter 87—59595
Vasanthavada, N., Marinos, P.N. An operationally efficient scheme for exhaustive test-pattern generation using linear codes 86—46752
Vasanthavada, N., Marinos, P.N. Synchronization of fault-tolerant clocks in the presence of malicious failures 88—44260
Vasanthavada, N., Marinos, P.N., Mersten, G.S. Design and performance evaluation of mutually synchronized fault-tolerant clock systems 87—831
Vasanthavada, N., Marinos, P.N., Mersten, G.S. A study of fault-tolerant clock systems in the presence of malicious multiple-module faults 87—44999
Vasanthavada, N. *see* Kanopoulos, N. 87—74433, 88—19018, 88—52513
Vasanthavada, N.S. Group parity prediction scheme for concurrent testing of linear feedback shift registers 85—17262
Vasanthavada, N.S. A note on the computational efficiency of the FIR multistage implementations of fractional sampling rate conversion 85—46796
Vasche, G. *see* Hawley, F. 88—71462
Vascic, V. *see* Drazic, D.M. 88—75887
Vascon, M. *see* Balestra, F. 85—37946
Vasconcellos, A.R. *see* Freire, V.N. 87—24746, 88—32807
Vasconcellos, E. The transfer of technology from R&D to production 88—31400
Vasconcellos, E. *see* Inguscio, M. 85—18847
Vasconcellos, E.C.C., Evenson, K.M. New far infrared laser lines obtained by optically pumping $^{13}CD_3OD$ 86—22290
Vasconcellos, E.C.C., Jennings, D.A., Evenson, K.M. Frequency measurement of the solitary ethyl alcohol laser line 86—42480
Vasconcellos, E.C.C., Wyss, J., Evenson, K.M. Frequency measurements of far infrared $^{12}CH_3OH$ laser lines 87—68579
Vasconcellos, E.C.C. *see* Pereira, D. 86—9733
Vasconcellos, E.C.C. *see* Scalabrin, A. 86—15619
Vasconcellos, R.A., Matos, A.R., Goncalves, L.C., Bosignoli, R., Franca, A.M., Gomes, E., Jr. A nonconventional compact 230 kv line: Live line maintenance, three-phase pollution and corona tests 88—69032
Vasconcelos, A.Viegas de *see* Viegas de Vasconcelos, A.
Vascotto, M. *see* Capodiferro, L. 87—62231
Vascotto, M. *see* De Castro, E. 87—41932, 87—50224
Vaseashta, A., Dalal, V., Greenwald, A., Halverson, W.D. Preparation and properties of amorphous silicon in a rotary plasma isolated reactor 87—5472
Vaseashta, A. *see* Dalal, V. 87—4968
Vaseghi, S.V., Rayner, P.J.W. A new application of adaptive filters for restoration of archived gramophone recordings 88—73096
Vaseghi, S.V., Rayner, P.J.W., Stickles, L. Digital signal processing methods for the removal of scratches and surface noise from gramophone recordings 88—9833
Vasek, T. *see* Ryba, J. 86—60847
Vasel, L. *see* Paik, C. 88—53699
Vaselli, M. *see* Giulietti, D. 86—9943
Vasenin, Yu.L. *see* Gvozdetskii, V.S. 87—1138
Vasenko, S.A. *see* Samuelsen, M.R. 85—24236
Vasenkov, A.A. *see* Bakhtin, P.A. 86—2633
Vasenkov, L.V. Is attenuation a physical quantity? 88—16405
Vasenkov, L.V., Bekkerov, V.P., Kucherenko, S.A. Automatic reference setup for certifying attenuation standards in the 0.1-100-MHz frequency range 87—34933
Vasenszky, F. *see* Ezsol, G. 87—57843
Vaserman, M.A. *see* Baldenkov, G.N. 88—30159
Vaserstein, L.N. Waring's problem for algebras over fields 87—58768
Vaserstein, L.N. Waring's problem for commutative rings 87—58769
Vaserstein, L.N. Every integer is a sum or difference of 28 integral eighth powers 88—38077
Vasetskii, Yu.M. Calculation of ponderomotive forces in isolated plane circuits with a current [electromagnetic induction] 86—10066
Vasetskii, Yu.M. Features of force-free current configurations in spiral external magnetic fields 86—48531
Vasetskii, Yu.M. Electrodynamic forces acting on helical current-carrying conductors 87—37583
Vasetskii, Yu.M. Approximate method of calculating the magnetic field within and in the vicinity of the conductor of a plane circuit 87—75308
Vasetskii, Yu.M., Zamidra, A.I. Calculation of electrodynamic forces in plane circuits with random distribution of current 86—36644
Vasetskii, Yu.M., Zamidra, A.I., Kovbasenko, Yu.P. Decrease of electrodynamic forces in toroidal solenoids with a spiral distribution of current 88—34258
Vasetskii, Yu.N. Power-free cylindrical configurations of currents in corrugated external magnetic fields 86—3442
Vasetsku, Yu.M., Kovbasenko, Yu.P. Analysis of the magnetic field of spatial networks carrying current 87—75322
Vasetsky, Yu.M. Modeling of electrodynamic forces in spatial circuits with current 87—47070
Vashchenko, V.Yu. *see* Buzulutskov, A.F. 86—60592
Vashchuk, V.I., Gorot', K.F., Kozak, G.Yu., Malykhina, N.N., Przhonskaya, O.V., Tikhonov, E.A. Polymer laser media for generating radiation in the near IR-region of the spectrum 87—68409
Vashenko, V.Yu. *see* Buzulutskov, A.F. 86—32160
Vashi, M.N. *see* Agarwal, M.K. 85—23473
Vashichev, B.N., Mel'nikov, A.A., Balashov, V.N. Multicriterion optimization of the electron-optical systems of electron lithography equipment 88—1491
Vashkevich, I.M. *see* Boiko, B.B. 85—41426
Vashkevich, V.A., Kravchenko, S.K., Laktyushina, T.V., Yasko, O.I. On the allowance for the temperature dependence of plasma properties for selection of dimensionless numbers to correlate characteristics of electric arcs 85—6635
Vashkovski', A.V., Grechushkin, K.V., Stal'makhov, A.V., Tyulyukin, V.A. Optical elements for bulk magnetostatic waves 87—25865
Vashkovskii, A.V., Voronenko, A.V., Zubkov, V.I., Kil'dishev, V.N. Narrow-band filtering of a microwave signal 85—12496
Vashkovskii, A.V., Voronenko, A.V., Zubkov, V.I., Kil'dishev, V.N. Propagation of surface magnetostatic waves through a periodic array of parallel metal stripes 85—12499
Vashkovskiy, A.V., Grechushkin, K.V., Stal'makhov, A.V. Space-frequency dependence of the energy flux of a surface magnetostatic wave 87—18545
Vashkovskiy, A.V., Grechushkin, K.V., Stal'makhov, A.V., Tyulyukin, V.A. A focusing surface magnetostatic wave transducer 88—1883
Vashkovskiy, A.V., Grechushkin, K.V., Stal'markhov, A.V., Tyulyukin, V.A. Focusing of volume magnetostatic waves 88—64970
Vashkovskiy, A.V., Shakhnazaryan, D.G. Reflection of a surface magnetostatic wave from a film edge 88—71878
Vashkovskiy, A.V., Soluyanova, Ye.A., Syrovoy, V.A., Tsimring, Sh.Ye. The external problem of synthesis for exact solutions of the equations of an electrostatic beam 88—2490
Vashkovskiy, A.V., Stal'makhov, A.V. Dispersion of magnetostatic waves in a two-layer ferrite-ferrite structure 85—18588
Vashkovskiy, A.V., Stal'makhov, A.V. Internal magnetostatic waves at the boundary of a magnetization discontinuity 86—21973
Vashkovskiy, A.V., Zubkov, V.I., Lebed, B.M., Novikov, G.M. Narrow-band filtering of microwave signals when excitation of magnetostatic waves occurs in yttrium iron garnet films 86—62667
Vashurin, P.N. *see* Bolotnikova, I.N. 87—60977
Vashurin, P.V., Koryakovtsev, V.S., Kotova, S.P., Malov, A.N., Naumov, A.F., Parfenov, A.V. Self-congruent dynamics of image filtration 88—59317
Vashurin, P.V. *see* Vasil'ev, A.A. 85—2441
Vashurina, A.V. *see* Liseev, M.S. 85—21074
Vasi, J. *see* Lal, R. 87—74130
Vasi, J. *see* Parikh, C.D. 87—67292
Vasi, J. *see* Ramesh, K. 88—7377
Vasichev, B.N., Balashov, V.N. Method of calculating image errors in the electron-optical systems of electron-lithography units 86—28088
Vasichev, B.N., Kamunin, A.A. Calculation of the electron-optical system of an electron gun having a planar anode plasma boundary 85—50136
Vasichev, B.N., Kamunin, A.A. Calculation of electron-optical system for an electron gun having opposed beams 85—55354
Vasichev, B.N. *see* Krapukhin, V.V. 85—6674
Vasichev, B.N. *see* Rozenfel'd, L.B. 86—8711
Vasichev, B.N. *see* Rybakov, Yu.L. 85—6638, 85—23310
Vasichev, B.N. *see* Smirnov, Yu.S. 85—6675
Vasil, J.A. *see* Blackham, R.C. 88—4327
Vasil-eva, M.A., Gul'binas, V., Kabelka, V., Masalov, A.V., Syrus, V. 'Instantaneous' light-controlled switch with induced gratings 86—9954
Vasilakis, A. *see* Tang, F.C. 87—29432
Vasilakis, A.D., Gerstmann, J., Celorier, G. Packaged space conditioning and hot water appliance for multi-unit housing 85—21967
Vasilakos, N.P., Magalhaes, F. Microwave drying of polymers 85—60560
Vasilash, G.S. Simultaneous engineering—management's new competitiveness tool 87—72756
Vasilash, G.S. Five spindles are better than two 88—7205
Vasilash, G.S. Quality from start to finish 88—38000
Vasil'chenko, M.P., Girikov, O.G., Golod, E.P. Intensifying the process of cleaning coal in suspension from drainage water 86—39268
Vasil'chenko, O.P. *see* Kukhtin, M.P. 87—68155
Vasil'chenko, V.G., Dronov, V.V., Lapshin, V.G., Rykalin, V.I. Pulse shaper with amplitude-compensated time locking onto mathematical center of gravity 88—29920
Vasil'chenko, V.G., Evdokimov, V.N., Rakhmatov, V.E., Rakhmatova, V.B., Rykalin, V.I. Hodoscope photomultipliers with increased space resolution 86—70342
Vasil'chenko, V.G., Isakov, V.V., Marin, V.N., Postoev, V.B., Ronzhin, A.I., Rykalin, V.I. Load characteristics of scintillation hodoscopes based on hodoscopic photomultipliers 87—8868
Vasil'chenko, V.G., Rykalin, V.I. Hodoscopic photomultipliers and their use in particle detectors (survey) 88—16646
Vasil'chenko, V.G., Volkov, A.A., Evdokimov, V.N., Efimov, A.O., Rakhmatov, V.R., Ronzhin, A.I., Rykalin, V.I. Single-electron characteristics of GFEU-30 hodoscopic photomultipliers 87—37846
Vasil'Chenko, V.G. *see* Abramov, V.V. 85—48191
Vasil'chenko, V.G. *see* Borog, V.V. 88—36368
Vasil'chenko, V.G. *see* Buzulutskov, A.F. 86—32160, 86—60592, 87—63668, 88—16647, 88—29882, 88—61168
Vasil'chenko, V.M. *see* Slizskii, E.P. 85—21872
Vasil'chenko, V.P., Matizen, L.L. Influence of the forming process on the properties of electroluminescent film capacitors 85—2156
Vasil'chenko, V.V. Effects of taper angle of tungsten electrodes and additions of different fluorides on arc stability in the argon TIG welding of copper 87—79241
Vasil'chenko, Yu.A., Ivanova, Z.F., Polubotko, S.S., Gorovykh, V.G., Gorovykh, G.N., Eremina, T.G. Average heat transfer of transformer radiators 87—58157
Vasil'chikov, E.A. *see* Zhelezko, Yu.S. 88—36734
Vasile, E. *see* Grosu, N.D. 85—35638
Vasile, F. Methods for the conservation of 1035 t/h boilers during standstills longer than 15 days 85—53533
Vasile, M.J., Mogab, C.J. Cl_2 chemically assisted sputter-etching of Permalloy 86—28627
Vasile, M.J. *see* Harriott, L.R. 88—57542
Vasile, M.J. *see* Stillwagon, L.E. 88—26148
Vasile, N. Calculation of inductive magnetic field for ceramic magnet synchronous motors using the boundary element method 85—43942
Vasile, N. *see* Magureanu, R. 86—66114, 87—64548
Vasile, P. *see* Adrian, M. 85—60584
Vasile, S., Orfescu, C., Caldararu, F., Nicolaescu, D. Experimental results on Mo and Mo_xSi_y thin films for LSI circuit applications 88—33278
Vasile, S. *see* Iuliu, S. 88—69934
Vasile, S. *see* Nicolaescu, D. 86—9699
Vasilecas, O. *see* Blonskis, V. 87—74079
Vasilenko, A.T. *see* Alenitckiy, Y.G. 86—48051
Vasilenko, A.T. *see* Alenitskij, Y.G. 88—68103
Vasilenko, G.V., Loginov, I.Ya. Commutation of a traction motor with unsteady current processes 86—51987
Vasilenko, G.V., Sutotskii, G.P., Kontorovich, L.Kh., Evtushenko, V.M., Rogal'skaya, I.A. Dependence of turbine operational reliability on quality of the initial condensate 85—38856
Vasilenko, G.V., Sutotskii, G.P., Sekretar', V.E., Martynov, V.B. A thermogravimetric investigation of the behaviour of metal hydroxides in the circuit of supercritical power generating units 85—48844
Vasilenko, G.V. *see* Sutotskii, G.P. 87—57922
Vasilenko, L.S. Use of magnetostriction effect to stabilize laser frequency 88—8246
Vasilenko, L.S., Dychkov, A.S., Dyuba, N.M., Skvortsov, M.N. Device for adjusting a resonator and retuning the frequency of a laser 86—15748
Vasilenko, M.G. *see* Pan, V.M. 85—62266
Vasilenko, N.A. *see* Myl'nikov, V.S. 86—2873, 86—15527
Vasilenko, N.P. *see* Akimov, I.A. 88—33856
Vasilenko, V.F. *see* Yundev, D.N. 88—68048
Vasilenko, Yu.G. *see* Bogomolov, E.N. 88—29634
Vasilescu, C. *see* Dolocan, V. 85—1384
Vasilescu, G.I. Computer-aided noise analysis of linear multiport networks 87—36934
Vasilets, N.V. *see* Bogomolov, E.N. 88—29634
Vasil'ev, A.A., Kompanets, I.N., Parfenov, A.V. Liquid-crystal image converters: characteristics and functional properties 88—13947
Vasilev, A.A., Kompanets, I.N., Parfenov, A.V. Space-time light modulators 88—26881

Vasilev, A.A., Logunov, A.A., Myznikov, K.P., Soloviev, L.D., Tyurin, N.E., Yarba, V.A. IHEP accelerating and storage complex 86–38661
Vasil'ev, A.A., Naumov, A.F., Shmal'gauzen, V.I. Wavefront correction by liquid-crystal devices 87–1983
Vasil'ev, A.A., Vashurin, P.V., Elkhov, V.A., Kompanets, I.N., Parfenov, A.V., Semochkin, P.N. Holographic recording of data using a time-dependent object beam 85–2441
Vasil'ev, A.B., Fedoseev, A.I. The generation spectrum of TEA CO_2 laser with an intraresonator absorber 85–46326
Vasilev, A.B., Kornienko, L.S., Korolenko, P.V. Characteristics of a multipass TEA CO_2 laser 88–51745
Vasil'ev, A.B., Lur'e, A.I., Khisametdinova, S.S. Calculation of thermal wear on transformer-winding insulation 86–56801
Vasil'ev, A.B., Spazhakin, V.A. Distribution of the amplification over the rotational lines in a continuous-action CO_2 laser 87–46799
Vasil'ev, A.D., Manenkov, A.B. Diffraction of a surface wave at the end of a dielectric tube 88–32369
Vasil'ev, A.F., Yashin, V.E. Stimulated Brillouin scattering at high values of the excess of the pump energy above the threshold 88–14274
Vasil'ev, A.L. *see* Belenko, S.E. 87–8869
Vasil'ev, A.L. *see* Regel', V.R. 88–12975
Vasil'ev, A.M., Grigor'eva, G.M., Ermakov, B.V., Zvyagina, K., Selivanenko, N.E., Chernorutskaya, R.I. Volt-ampere characteristics of photovoltaic cells taking into account departure from a weak illumination regime 86–66324
Vasil'ev, A.M., Vasil'ev, K.M. Efficiency of use of photon energy in variable-gap structures 87–22731
Vasil'ev, A.M. *see* Alferov, Zh.I. 85–61725, 87–6433
Vasil'ev, A.N., Minina, G.P. Noise spectrum of a multicircuit oscillator 85–11086
Vasil'ev, A.N., Minina, G.P. Natural power fluctuations of multitank oscillators 87–52435
Vasil'ev, A.N. *see* Arutyunov, E.N. 85–61841, 86–21377
Vasil'ev, A.S. Problems of development of electrical technology [in the USSR] 85–10311
Vasil'ev, A.S., Blinov, Yu.I. Selection of a basis for forming a mathematical model of a heavy-duty power source 87–64710
Vasil'ev, A.S., Blinov, Yu.I. High-frequency supply sources for electrical equipment 87–72237
Vasil'ev, A.S., Blinov, Yu.I. The high-frequency supply sources for electrical process plant 88–62428
Vasil'ev, A.S., Blinov, Yu.I., Kogan, B.V., Sazonov, L.V., Yablonskaya, O.P. Methods for analysis and control of vacuum-tube oscillators for electrothermy applications 88–37752
Vasil'ev, A.S., Blinov, Yu.I., Sazonov, L.V., Yablonskaya, O.P. System of automated investigation of high-frequency power sources for electrical technologies 87–22788
Vasil'ev, A.S., Dzliev, S.V. Solution of optimization problems in the design of static frequency converters 86–45521
Vasil'ev, A.S., Dzliev, S.V., Fedosin, S.A., Blinov, Yu.I. System of automated investigation of power electronic circuits 85–31333
Vasil'ev, A.S., Koshelev, P.A. Transfer functions of inverters in power supply systems under small perturbations 85–65314
Vasil'ev, A.V. A digital video routing switcher 88–74164
Vasil'ev, A.V., Betin, V.N., Aizenshtok, G.I. Electromagnetic bearings with external automatic stabilization 86–61539
Vasil'ev, A.V., Devyatykh, G.G., Dianov, E.M., Ignat'ev, S.V., Plotnichenko, V.G., Shripachev, I.V., Churbanov, M.F., Shipunov, V.A. Time dependence of the optical loss in chalcogenide-glass IR optical fibers 86–36192
Vasil'ev, A.V., Dianov, E.M., Dmitruk, L.N., Plotnichenko, V.G. Two-layer single-crystal fiber waveguides 86–48121
Vasil'ev, A.V., Eremin, V.K. Microcomputer interface for amplitude analyzer 87–49482
Vasil'ev, A.V., Plotnichenko, V.G. Determination of the optical characteristics of infrared fiber-optic waveguides 87–74709
Vasil'ev, A.V., Plotnichenko, V.G., Sysoev, V.K., Masychev, V.I. Choosing a diffraction grating for a tunable CO laser 86–9908
Vasil'ev, A.V., Suvorov, D.V. Optimising the air speed in hotblast systems for variable-output power units 87–4561
Vasil'ev, A.V., Verbitskaya, E.M., Eremin, V.K., Strokan, N.B. Precision determination of charge losses in semiconductor detectors with variable capacitance 86–60602
Vasil'ev, A.V. *see* Bagrov, A.M. 86–36169
Vasil'ev, A.V. *see* Svet, D.Ya. 85–37634
Vasil'ev, A.V. *see* Trubachev, S.G. 87–6251
Vasilev, B. *see* Kostadinov, K. 88–5482
Vasil'ev, B.I., Yastrebkov, A.B. Feasibility of constructing a high-pressure NH_3 laser 85–18868
Vasilev, B.I. *see* Akhrarov, M. 85–12810, 86–22305, 87–2068, 87–26292, 87–26298
Vasil'ev, B.V. Calculation of dimensional effects in thin-film thermoelectric and bolometric infrared radiation receivers 85–58715
Vasil'ev, B.V. Sensitivity and inertia of thermoelectric optical-radiation sensor as function of gas pressure 86–38341
Vasil'ev, B.V. *see* Bobrakov, V.F. 87–21522
Vasil'ev, B.V. *see* Pendurov, O.V. 88–30248
Vasil'ev, D.R. Magnetic induction standards of alternating fields at 20-1000 Hz in the temperature interval from 77 to 300 K 88–29601
Vasil'ev, D.R., Kazantsev, Yu.I., Rypalev, S.V., Yagola, G.K. Measurement means for variable-field induction under cryogenic conditions and their metrological support 87–29262
Vasil'ev, D.R. *see* Yagola, G.K. 86–44400
Vasil'ev, E.A., Povstugar, V.I. Real-time running of auxiliary routines in ROSA-1M spectrum-analyzer computer 87–29014
Vasil'ev, E.N., Efimova, I.G. Electric currents on ideally conducting body of revolution during transient diffraction 85–13077
Vasil'ev, E.N., Malov, V.V., Solodukhov, V.V. Diffraction of a surface wave by a slot in a circular dielectric waveguide 86–41273
Vasil'ev, E.N., Sedel'nikova, Z.V., Seregina, A.R. A conical dielectric antenna 86–16015
Vasil'ev, E.N., Sedel'nikova, Z.V., Seregina, A.R. Diffraction of a plane wave by a dielectric cylinder. Oblique incidence 87–26738
Vasil'ev, F.P. Regularized Steffensen method with approximation of inverse operator 85–60896
Vasil'ev, F.P. The method of residues for solution of unstable minimization problems 88–31660
Vasil'ev, F.P., Solodkaya, M.S., Yachimovich, M.D. Regularized linearization method with errors in the initial data 86–52369
Vasil'ev, G.A., Stambuliev, G., Winter, H., Burian, R., Chebykin, G.A. Unified series of high-voltage induction motors 85–43994
Vasil'ev, G.A. *see* Bondarenko, V.I. 88–65987
Vasil'ev, G.A. *see* Tartakovskii, V.M. 87–74211
Vasil'ev, G.K. *see* Bravyi, B.G. 85–56513
Vasil'ev, G.S., Danilevich, Ya.B. On the principal parameters of electric machines in classification and standardization systems 87–78602
Vasil'ev, G.S., Klaren, A.B. Large AC electrical machine for mineral processing, enrichment and mining 88–43531
Vasil'ev, I.A. *see* Armencha, N.N. 86–2111
Vasil'ev, I.E. Prediction procedure for the half-hourly power maximum in ore-dressing plants 86–7356
Vasil'ev, I.I. *see* Bolvanivich, E.I. 85–8824
Vasil'ev, I.S. Problems and prospects for the development of video cameras 87–28835
Vasil'ev, I.V., Makeyeva, G.S. Propagation of magnetostatic waves in a metallized ferrite structure of a finite size 85–7145
Vasil'ev, K.K. Comment on 'Algorithms for incoherent signal detection on a background of noise with unknown intensity' [with reply] 85–41921
Vasil'ev, K.K., Tsvetov, M.A. The efficiency of signal filtering in the case of multiplicative interference 87–47723
Vasil'ev, K.M., Meerovich, E.A. Transients in composite-type electromagnetic systems 87–5562
Vasil'ev, K.M., Meerovich, E.A. The transients in mixed-type electromagnetic systems 88–6587
Vasil'ev, K.M. *see* Vasil'ev, A.M. 87–22731
Vasil'ev, K.V. *see* Levchenko, V.I. 85–39364
Vasil'ev, L.A., Dudnik, M.Z. Features of design of linear induction motors for two-dimensional manipulation of solid steel sheets 87–9587
Vasil'ev, L.L., Boborova, G.I., Babenko, V.A., Dragun, L.A. Cryogenic porous current leads 87–30217
Vasil'ev, L.L., Bobrova, G.I., Dragun, L.A., Sheleg, V.K., Azarov, S.M. Gas-cooled compound porous current leads for cryogenic cables 86–6375
Vasil'ev, L.L., Grakovich, L.P., Dabagyan, T.N., Khrustalev, D.K., Gevezov, V.T. Parametric analysis of flat solar collectors with heat pipes 85–16275
Vasil'ev, M.G., Deigen, M.I., Kondrat'ev, V.S., Krigel', V.G., Semiletov, S.A., Stankevich, V.Ch. Heteroepitaxy of ZnSe in InP 86–40748
Vasil'ev, M.G., Dolginov, L.M., Drakin, A.E., Eliseev, P.G., Ivanov, A.V., Konyaev, V.P., Sverdlov, B.N., Skripkin, V.A., Shveikin, V.I., Shevchenko, E.G., Shelyakin, A.A., Shepekina, G.V. Three-layer waveguide InGaAsP/InP injection lasers 85–7412
Vasil'ev, M.G., Goldobin, I.S., Kodin, N.V., Kurnyavko, Yu.V., Rachkov, I.A., Solodkov, A.F., Yakubovich, S.D. Analog frequency modulation of radiation emitted by single-mode heterojunction lasers in the spectral range 1.3 μ 87–18975
Vasil'ev, M.G., Goldobin, I.S., Kurnyavko, Yu.V., Tabunov, V.P., Tambiev, Yu.A., Fedorov, Yu.F., Yakubovich, S.D. Optical amplification in an (InGa)AsP heterostructure in the spectral range 1.3 μ 86–9862
Vasil'ev, M.G., Koval'chuk, Yu.V., Kuchinskii, V.I., Myachin, V.E., Portnoi, E.L., Smirnitskii, V.B., Sokolov, I.A. Distributed-feedback InGaAsP/InP injection heterolaser grown by interference laser annealing 86–58942
Vasil'ev, M.G., Rivlin, L.A., Solodkov, A.F., Kharchev, A.V., Tsaregradskii, V.B., Yakubovich, S.D. High-frequency amplitude noise of stripe injection lasers 86–9859
Vasil'ev, M.G., Rodchenkova, L.A., Selin, A.A., Shelyakin, A.A. Peculiarities of local epitaxy of indium phosphide from the liquid phase 86–26825
Vasil'ev, M.G., Selin, A.A., Shelyakin, A.A. Experimental statistical model of the process of liquid-phase epitaxy of InP/InGaAsP/InP heterostructures 86–62218
Vasil'ev, M.G. *see* Avdeeva, V.P. 85–12880
Vasil'ev, M.G. *see* Bazarov, A.E. 86–22261
Vasil'ev, M.G. *see* Novikova, E.M. 85–1301, 85–50408
Vasil'ev, M.K. *see* Bunin, V.S. 85–59896
Vasil'ev, M.K. *see* Zinger, N.M. 87–9260
Vasilev, M.V., Semenov, P.M., Sidorovich, V.G. Disruption of phase conjugation during excitation of stimulated Brillouin scattering by incoherent optical radiation 85–12961
Vasilev, M.V., Sidorovich, V.G. Quality of phase conjugation of a light wave with a plane component selected according to the intensity 86–36575
Vasil'ev, N.A., Lukash, V.S., Murav'ev, V.V., Shalatonin, V.I. The present state and main problems in developing Gunn-diode millimeter-band generators (Survey) 87–16922
Vasil'ev, N.N. *see* Burakov, V.S. 86–22342
Vasilev, P. Some problems of the application of superconducting magnetics in nuclear physics and techniques 88–1913
Vasilev, P.G., Vakhnenko, B.A., Deev, V.I., Zaitsev, L.N., Reshetnikov, G.P., Syreishchikov, A.E., Kharitonov, V.S. Thermal processes and stability of a superconductive dipole magnet with pulse heating of the winding 86–15435
Vasil'ev, P.P., Goldobin, I.S. New method for passive *Q* switching of an injection laser with an ultrashort absorber recovery time 88–20661
Vasil'ev, P.P., Morozov, V.N. Theory of generation of picosecond pulses by an injection laser with an external resonator in the mode-locking regime 85–56651
Vasil'ev, P.P., Morozov, V.N., Pak, G.T., Popov, Yu.M., Sergeev, A.B. Measurement of the frequency shift of a picosecond pulse from a mode-locked injection laser 86–9860
Vasil'ev, P.P., Morozov, V.N., Popov, Y.M., Sergeev, A.B. Subpicosecond pulse generation by a tandem-type AlGaAs DH laser with colliding pulse mode locking 86–42550
Vasil'ev, P.P., Morozov, V.N., Sergeev, A.B. Bandwidth-limited picosecond pulses from an injection GaAlAs DH laser with an external dispersive cavity 85–62625
Vasil'ev, P.P. *see* Bessonov, Yu.L. 85–62604
Vasil'ev, P.S. *see* Baranov, A.M. 86–50447
Vasil'ev, P.Ya. *see* Kuprevich, V.V. 86–50161
Vasil'ev, R.P., Kasharskii, E.G., Novikova, T.N. Charging of an inductive store by an electromechanical converter with flywheel for nonzero initial conditions 87–36170
Vasil'ev, R.T. *see* Alampieva, E.M. 87–21761
Vasil'ev, S.A., Perel'shtein, G.N., Sozinov, Yu.A. Unipolar motors with multidisk rotors immersed in liquid crystal 87–35946
Vasil'ev, S.G., Isyanova, E.D., Lobanov, B.D., Maksimova, N.T., Ovchinnikov, V.M., Provorov, A.M., Tsirul'nik, P.A. Efficient laser using optically stable F_2 centers in LiF crystals 85–18909
Vasil'ev, S.S., Maslov, V.K., Tsygankov, S.G. The fixed-point method in measuring marginal spatial-frequency spectra 87–2516
Vasil'ev, S.S., Zelenkov, A.L. Radiowave inspection of components of different thickness with an uneven surface 85–49619
Vasil'ev, S.V. Certain aspects of the optimisation of magnetrons 86–41481
Vasil'ev, S.V., Kurakin, A.V., Lupkin, I.D., Tsygan, S.N. Experimental investigations into superconducting magnets using model of single-point electrodynamic suspension 86–26375
Vasil'ev, S.V., Kurakin, A.V., Lupkin, I.D., Tsygan, S.N. Study of current fading caused by the action of variable magnetic fields in superconducting magnets operating under 'frozen' flow conditions 87–7060
Vasil'ev, S.V., Lupkin, I.D., Sereda, G.E., Yudakov, Yu.V. An interference-free normal-phase indicator for superconducting magnets 86–53921
Vasil'ev, S.V., Vasyanovich, A.V. The effect of a nonuniform magnetic field on the output parameters of M-type devices taking the possibility of generating harmonics into account 88–19616
Vasilev, S.V. *see* Boronina, L.F. 86–61787
Vasilev, V., Dimova, D., Toneva, A., Sueva, D., Ivanova, P., Boychinova, E. Fabrication procedure for silicon position-sensitive photodetectors 87–29436
Vasilev, V.A. Conversion function of pressure sensors with rod-type elastic element 88–22544

Vasil'ev, V.A., Dryndrozhik, E.I., Trusov, V.P. The utilisation of geothermal heat for power and heat supply 88−55219
Vasil'ev, V.A. *see* Belyanko, A.E. 86−48073
Vasil'ev, V.A. *see* Makhan'kov, V.E. 86−18346
Vasilev, V.B., Krystev, G.I., Nogin, V.N. Class BC amplifiers of Bulgarian manufacture 87−59189
Vasil'ev, V.G. *see* Berger, V.P. 87−65128
Vasil'ev, V.G. *see* Maizel', S.Ya. 87−4366
Vasil'ev, V.I. *see* Aleksandrov, S.N. 85−56665
Vasil'ev, V.M., Degterev, A.P., Koshelev, A.A., Andrianov, A.V. Some computation and design problems of induction transducers for the detection of Barkhausen jumps 87−16741
Vasil'ev, V.N., Bakulin, V.N. High accuracy induction generator for angle-to-phase transducers 85−37593
Vasil'ev, V.N., Sidorin, V.P., Stavitskii, R.V. The emission spectra of therapeutic X-ray sets 86−25301
Vasil'ev, V.N. *see* Blinov, N.N. 86−18316
Vasil'ev, V.N. *see* Marushkin, V.M. 88−11090
Vasil'ev, V.P., Kozlov, V.N., Stroganov, R.P., Yarmiichuk, V.D. Hierarchic management of extraplan loads on power associations 87−9094
Vasil'ev, V.P., Kozlov, V.N., Stroganov, R.P., Yarmiichuk, V.D., Segura, Kh. Formalising problems of optimum control of unplanned power pool loads 86−65625
Vasil'ev, V.P., Kozlov, V.N., Stroganov, R.P., Yarmiichuk, V.D., Segura, K.H. Power interconnection extra-to-plan load optimum control problems formalization 87−64049
Vasil'ev, V.P. *see* Lonskii, E.S. 85−12406
Vasil'ev, V.S. *see* Khutoretskii, G.M. 87−4664
Vasil'ev, V.V. Modelling of variational problems using the shortest-route method 86−66785
Vasil'ev, V.V., Danilyak, S.N. Organisation of welding training equipment 85−10269
Vasilev, V.V., Egorov, V.S., Chekhonin, I.A. Parametric excitation of cooperative effects in intracavity spectroscopy experiments 86−15656
Vasilev, V.V., Egorov, V.S., Chekhonin, I.A. Steady-state waves under spectral condensation in intracavity spectroscopy 87−26339
Vasil'ev, V.V., Kanaev, G.G., Furman, E.G. Linear induction accelerator 86−70269
Vasil'ev, V.V., Vintizenko, I.I., Didenko, A.N., Lukonin, E.I., Sulakshin, A.S., Fomenko, G.P., Furman, E.G. Relativistic magnetron operating with a pulse train 88−32722
Vasil'ev, V.V., Zayavlin, V.R., Letin, V.A., Khotuntsev, Yu.P. Transients in circuits with photovoltaic cells 88−43380
Vasil'ev, V.V., Ziling, K.K., Tishkovskaya, L.V. Use of generalized parameters for the description of dispersion characteristics of channel waveguides 87−25981
Vasil'ev, V.V. *see* Astapov, V.I. 88−37190
Vasil'ev, V.V. *see* Nesterin, V.A. 85−40271
Vasil'ev, V.Ya. *see* Semenov, K.A. 87−59691
Vasil'ev, Yu.B. *see* Andronov, A.A. 86−29118
Vasil'ev, Yu.G. Special features of diffraction of light by two acoustic waves, one of which has a complex frequency composition 85−19458
Vasil'ev, Yu.P., Pashinin, P.P., Serov, R.V., Shklovskii, E.I. Multipass neodymium glass laser amplifier with a stimulated Brillouin scattering mirror 85−41374
Vasil'ev, Yu.P., Razenshtein, P.S., Shklovskii, E.I. Stimulated Brillouin scattering mirror in the form of a multimode optical fiber in a four-pass neodymium phosphate glass laser amplifier 86−36542
Vasil'ev, Yu.S., Kukushkin, V.A., Val'zannikov, M.I. The relative location of the entrance and exit walls of the headwater receiver chamber of a dam-type hydroelectric power station 88−30605
Vasil'ev, Yu.V. *see* Bychkov, Yu.A. 88−38369
Vasil'eva, E.N., Vondrachek, V.K., Litsenko, T.A., Strebkov, D.S. Investigation of a high-voltage photovoltaic cell with controllable spectral sensitivity 87−46680
Vasil'eva, I.B. A graphical-analytical method of constructing magnetic field patterns for permanent magnets 87−33368
Vasil'eva, I.B., Novogrenko, V.E., Pekker, I.I. Preparation of experimental data for computer analysis of distribution of magnetism within a permanent magnet 88−57992
Vasil'eva, I.B., Pekker, I.I. Calculation of magnetisation distribution inside a permanent magnet from the measured external pattern 87−18537
Vasileva, J. *see* Kassabov, J. 88−64349
Vasil'eva, L.A. *see* Bol'shanin, A.A. 88−74471
Vasil'eva, M.A., Gul'binas, V., Kabelka, V., Masalov, A.V., Syrus, V. Dispersion of the phase response of dye solutions exposed to picosecond excitation 85−24663
Vasil'eva, M.A., Vischakas, J., Kabelka, V., Masalov, A.V. Measurement of relaxation times by phase-modulated ultrashort light pulses 85−41474
Vasil'eva, M.A., Vishchakas, Yu., Gul'binas, V., Kabelka, V., Masalov, A.V., Syrus, V. Measurement of the nonlinear refractive index of laser active media doped with Nd^{3+} 86−9801
Vasil'eva, N.A. *see* Topunova, M.K. 88−34150
Vasil'eva, R.V., Dubrovskii, I.S., Ageev, A.G., Karesev, V.B., Sakovich, E.V., Bainyakshin, V.D. The hydrodynamics of submerged perforated screens of steam generators on a nuclear power station 87−4503
Vasil'eva, R.V. *see* Ageev, A.G. 87−71792, 87−78253
Vasilevskaya, Yu.A., Vasilevskii, M.A., Roife, I.M., Engel'ko, V.I., Yakovlev, S.P., Yankin, E.G. Study of a multitip explosive-emission cathode with graphite fiber emitters operating at long pulse lengths 85−28900
Vasilevskii, D.L. *see* Karakis, Yu.N. 88−24128
Vasilevskii, D.L. *see* Sagaidak, O.L. 87−304
Vasilevskii, M.A., Vozdvizhenskii, V.A., Sidorov, V.A., Yankin, E.G. Sealed high-voltage high-current controlled vacuum dischargers 87−78830
Vasilevskii, M.A. *see* Vasilevskaya, Yu.A. 85−28900
Vasilevskii, S.F. Application of a computer for the analysis of output voltage of controlled rectifiers 85−21722
Vasilevskii, S.I. *see* Zez'yulkin, G.G. 86−34498, 86−52666
Vasilevskii, V.K. *see* Gruzdeva, N.I. 87−35379
Vasilevskii, V.P. *see* Adamov, E.O. 88−30510
Vasilevskii, V.P. *see* Emel'yanov, I.Ya. 86−32976
Vasilevsky, Yu.A. *see* Bureev, Yu.A. 87−32875
Vasiliauskas, S. *see* Kibickas, K. 88−1425
Vasiliev, A.A. Recognition of symmetrical patterns in images 85−36436
Vasiliev, A.A. *see* Ageev, A.I. 88−47779
Vasiliev, A.A. *see* Balbekov, V.I. 85−26562
Vasiliev, A.V. *see* Maslennikov, Yu.V. 88−13755
Vasiliev, D.G. *see* Starostenko, Yu.G. 85−27599
Vasiliev, L.M. *see* Ageyev, A.I. 88−45015
Vasiliev, L.M. *see* Andreyev, N I. 85−26650
Vasiliev, P. *see* Batley, R. 86−25127
Vasiliev, S.A. *see* Popov, A.N. 88−37637
Vasiliev, S.N. *see* Ageev, A.I. 88−47779
Vasiliev, S.N. *see* Balbekov, V.I. 85−26562
Vasiliev, V.A. *see* Ageyev, A.I. 85−50890, 88−45015
Vasiliev, V.A. *see* Andreyev, N.I. 85−26650
Vasiliev, V.G., Gridchin, S.I. Determination of the structure for the nonlinear system model with distributed parameters 86−13954
Vasiliev, V.N. *see* Bonderenko, V.I. 87−25901
Vasiliev, V.V., Danilyak, S.N. Problems of organizing feedback signals to the one who learns in welding trainers 86−26526
Vasiliev, V.V., Kuzmuk, V.V., Mayer, G., Fench, S. The Petri-nets-aided modeling of discrete parallel control processes 86−40624
Vasilik, D.G., Erkkila, B.H., Waechter, D.A. A portable neutron spectrometer/dosemeter 85−26802
Vasilishcheva, I.V. *see* Buachidze, E.E. 86−28890
Vasilishin, B.V. *see* Anishchenko, N.G. 85−52942
Vasilishin, B.V. *see* Buldakovsky, V.N. 86−32036
Vasilishin, V.L. *see* Butta, V.I. 87−3324
Vasiliu, D.P. *see* Raischi, C. 88−31512
Vasiliu, M. *see* Mocanu, C.I. 85−37827
Vasiliu, M. *see* Namoianu, C. 85−52929
Vasiliu, V., Apostol, D., Bachmann, P., Ristici, M. The model LG-5 He-Ne laser 85−18857
Vasiliu, V., Blaj, V., Bachmann, P., Iancu, N., Georgescu, S., Ghilac, P., Serban, I. ALGOCS II He-Ne laser alignment equipment 87−7420
Vasiliu, V., Blanaru, C. Straightness measurement using a piezoelectric transducer as a correction element 86−24777
Vasiliu, V., Maris, Z., Ristici, M. The laser wattmeter 633 nm 85−18988
Vasiliu, V. *see* Draganescu, V. 86−3403
Vasiljev, A.A. *see* Alexeev, N.N. 86−31903
Vasiljev, A.V., Dianov, E.M., Dmitruk, L.N., Plotnichenko, V.G. Single-crystal two-layer fibres for visible and infra-red transmission 87−32936
Vasiljevic, D. *see* Aleksic, Z. 87−31750
Vasiljevic, D.M. Short-term frequency stability of relaxation crystal oscillators 85−17193
Vasiljevic, D.M. Nonlinear analysis of a quartz multivibrator with a complementary switch 85−33708
Vasiljevic, D.M. Analysis and design of the relaxation quartz crystal oscillators 85−62167
Vasiljevic, D.M. Optimal realisation of the emitter-coupled quartz multivibrator 87−548
Vasiljevic, D.M. Relaxation quartz oscillators with crystal placed in feedback loop: analysis and design 87−73358
Vasiljevic, D.M. *see* Aleksic, Z.J. 87−29047
Vasiljevic, Lj., Miric, I., Velickovic, D. Theoretical estimate of the fast neutron sensitivities of different cellulose nitrates 85−37965
Vasiljevic, N. *see* Stojakovic, M. 85−32339
Vasil'kiv, Ya.V., Koval'chuk, A.M., Savenko, P.A. Synthesis of nulls in the beam pattern of a linear array 85−13378
Vasilkov, I.V. *see* Balan, P.K. 88−22337
Vasiloff, S.V., Doviak, R.J., Istok, M.T. Weather radar interlaced scanning strategy 87−63957
Vasiloiu, R. *see* Badescu, V. 85−38935
Vasilopoulos, P., Charbonneau, M., van Vliet, C.M. Linear and nonlinear electrical conduction in quasi-two-dimensional quantum wells 88−64312
Vasil'tsov, V.V. *see* Babaev, I.K. 87−68356
Vasil'tsov, V.V. *see* Belen'kii, A.M. 87−26299
Vasil'tsov, Ye.A., Kryukov, V.V. Noise immunity of multiplicative antenna arrays 86−36796
Vasilyak, L.M. *see* Asinovskii, E.I. 88−25853
Vasilyauskas, V., Ivanauskas, F., Stabinis, A. Steady-state parametric amplification of spreading light pulses under conditions of group velocity mismatch 87−2233
Vasilyauskas, V., Piskarskas, A., Sirutkaitis, V., Stabinis, A., Yankauskas, A. New results in the development of high-power tunable subpicosecond solid-state lasers 86−63861
Vasilyauskas, V., Piskarskas, A., Sirutkaitis, V., Stabinis, A., Yankauskas, A. Generation of powerful femtosecond light pulses in media with quadratic nonlinearity 87−75235
Vasilyauskas, V., Stabinis, A. Parametric amplification of spreading optical pulses in media with quadratic nonlinearity 86−29238
Vasilyev, A.A. *see* Artemyev, A.N. 88−10229
Vasil'yev, A.M., Ivanov, V.Ye., Tyukhov, I.I. Noise of a photocell employing the longitudinal photoeffect 86−29002
Vasil'yev, A.M. *see* Tolmachev, V.I. 86−21932
Vasilyev, A.V. Algorithm of frequency assignment to radio stations of land mobile service 88−3885
Vasilyev, B.D., Merkushev, O.M., Sakhno, T.V., Sevostyanov, M.A. Metallized oxide coatings for fluorescent lamp cathodes 86−33840
Vasilyev, E.P. *see* Taranov, S.G. 88−53753
Vasil'yev, I.V. Spectrum of the natural waves of a magnetostatic waveguide with a stepped-inhomogeneous magnetization 85−18589
Vasil'yev, K.K. Bayes discrimination and estimation of random sequences 86−29877
Vasil'yev, M.A. *see* Belostotskaya, K.K. 88−66171
Vasil'yev, M.P. Demodulation of frequency-modulated signals by means of acoustic-optics 85−51537
Vasil'yev, M.P., Vishnevskaya, M.A. Use of holographic filtering in acousto-optical devices 87−12279
Vasil'yev, N.S. A model of a communication network development 87−7933
Vasil'yev, S.V. Hybrid model of magnetron 88−38986
Vasil'yev, V.I., Ovsyannikova, F.P. A method of limiting simplifications in teaching pattern recognition 88−3142
Vasil'yev, V.V., Gurevich, V.E. The influence of destabilizing factors on the signal-to-noise ratio in regenerators with quantized feedback 86−36914
Vasil'yev, V.V., Gurevich, V.E. Effect of incoming pulse fluctuations on the quality of operation of a DTS regenerator 88−46846
Vasil'yev, V.V., Naumov, K.P., Ushakov, V.N. A video-frequency acousto-optical correlator with time integration 88−72178
Vasil'yev, V.Ya. *see* Semenov, K.A. 86−40834
Vasil'yev, V.Ye., Bondarenko, O.V., Larin, Yu.T., Nikolayev, V.G. Results of life tests on optical cables 87−62956
Vasil'yev, Ye.N., Malov, V.V., Solodukhov, V.V. Diffraction of a surface wave at the open end of a circular semiinfinite dielectric waveguide 86−29528
Vasil'yev, Yu.G. Influence of acoustic attenuation on the output signal of an acoustooptical compression filter for an LFM signal 86−27435
Vasil'yev, Yu.G. The space-time response of an acousto-optic filter for compressing an LFM signal 86−29912
Vasil'yev, Yu.G. Space-time response of an acoustooptical system to a complicated radio signal 86−48943
Vasil'yev, Yu.G. Dynamic range of an acoustooptic light modulator 87−46620
Vasil'yev, Yu.G. The influence of attenuation on the operation of acoustooptical signal processing systems for a linear phased antenna array 87−68899
Vasil'yev, Yu.G., Kuptsov, A.D., Ryzhevnin, V.N. Determination of the optical decouplings between the channels of an acousto-optical deflector 88−8006
Vasil'yeva, I.G. *see* Gusev, V.D. 86−29384
Vasil'yeva, N.K. *see* Pavlov, S.V. 85−10003
Vasil'yeva, T.I., Kirilenko, A.A., Rud', L.A. Resonance phenomena in waveguide dielectric inserts with inclined boundaries 87−54640
Vasilyuk, I.F. *see* Muzukin, V.A. 88−64632
Vasilyuk, I.F. *see* Muzykin, V.A. 87−25261
Vasilyuk, M.P. *see* Zinchenko, N.S. 87−32196
Vasin, A.P. *see* Basov, N.G. 87−19035
Vasin, A.S., Okulich, V.I., Panteleev, V.A., Tetel'baum, D.I. Influence of pressure on the rate of recrystallization of an amorphized silicon layer during postimplantation annealing 85−55660

Vasin, L.N., Gruzdeva, M.G., Guzhevskaya, A.V., Kudryavtseva, A.G., Avdeeva, L.A., Shaiovich, S.L. Antireflection coating and protection of the ends of fiber-optic bundles 88−20376

Vasin, L.N., Guzhevskaya, A.V., Sattarov, D.K. Effect of roughness of the faces of fiber-optic plates on the modulation transfer coefficient 86−15491

Vasin, L.N., Ivanov, A.V., Polukhin, V.N. Investigation of the microhardness of monolithic glasses and the fiber-optic elements made from them 85−12539

Vasin, L.N. *see* Guzhevskaya, A.V. 86−50534

Vasin, O.I., Klimov, A.E., Neizvestnyi, I.G., Shumskii, V.N. Molecular beam epitaxy of $Pb_{1-x}Sn_xTe$ films on Ge, Si, GaAs, InSb, and BaF_2 substrates 87−36764

Vasin, V.P. Manifold of singular points on surface of power-system limiting regimes 88−54862

Vasin, V.P., Fedorova, T.D. The L-function method for construction of domains of existence of power-system regimes 87−71489

Vasin, V.P., Klepikova, N.V. Domains of existence for regimes of a system containing asynchronous and synchronous machines 87−9097

Vasin, V.P., Kovach, P. Probabilistic statistical characteristics for the stability of parallel operation of electric power systems 87−50620

Vasin, V.P., Kovach, P., Chupakhin, V.D. Determination of probability-statistical characteristics of proceeding exchange power flows and their application 88−17112

Vasin, V.V., Sidorov, A.F. Some methods of approximate solution of differential and integral equations 85−342

Vasina, P. *see* Sikula, J. 85−1568

Vasinek, V. *see* Pistora, J. 85−24303

Vaske, J.J. *see* Grantham, C.E. 86−23334

Vaskevicius, A. *see* Tauras, V. 87−53162

Vas'ko, A.T., Kovach, S.K., Chornokozha, T.S. Temperature dependence of photoelectrochemical cell power parameters 86−26241

Vas'ko, P.F. *see* Denisenko, G.I. 86−51534, 87−35858, 87−64486

Vasko, T. *see* Lee, T.H. *(editor)* 88−70064

Vas'kov, L.A. *see* Zil'berman, V.A. 86−32818

Vas'kov, O.S. *see* Bumai, Yu.A. 85−34508

Vas'kov, V.A., Gonchukov, S.A., Ermachenko, V.M., Kurbatov, E.V., Protsenko, E.D. Determination of the level width of laser transitions with the help of the double-mode lasing state 87−26326

Vas'kov, V.A., Gonchukov, S.A., Naumov, N.V., Petrovskii, V.N., Shananin, R.A. Measurement of the phase characteristics of photodetectors 88−53814

Vas'kov, V.A., Gonchukov, S.A., Zubov, V.V., Kurbatov, E.V., Protsenko, E.D., Saburova, Z.K. Reduction of noise level of LPM-11 helium-cadmium laser 87−19013

Vas'kov, V.V. *see* Boiko, G.N. 85−24823, 86−42845

Vas'kova, T.V., Iof'ev, B.I. Choice of methods for emergency control of an electricity system 87−4241

Vas'kova, T.V., Iof'ev, B.I., Kolpakova, A.I. Controlled sectioning in large power systems 87−50649

Vas'kova, T.V., Iof'ev, B.I., Kolpakova, A.I. The controlled cross-section in a large power system 88−42767

Vas'kovskii, Yu.M. *see* Apollonov, V.V. 85−51103

Vas'kovskii, Yu.N. Analysis of electromechanical processes in the system−electric generator−inductive-capacitive energy accumulator−pulse electromechanical converter [electric propulsion] 86−7263

Vas'kovskii, Yu.N. Mathematical computer simulation of electrical circuits with semiconductor rectifiers 88−32005

Vaskovskii, Yu.N. Automated synthesis of the parameters of an induction-dynamic motor 88−62370

Vas'kovskii, Yu.N., Nestykailo, L.L. Determination of the parameters of an inductor in the calculation of the operating characteristics of a pulse-type induction-dynamic transducer 86−11568

Vas'kovskii, Yu.N., Petrovskii, V.P., Chudakov, V.A. Mathematical modelling of electromagnetic processes in a technological installation for the magnetic-pulse welding of metals 87−22934

Vas'kovskii, Yu.N., Petukhov, I.S. Mathematical simulation of transient processes in electrical machines with solid ferromagnetic rotor 86−6733

Vas'kovskii, Yu.N. *see* Chemeris, V.T. 85−65378, 86−66163, 88−52156

Vasku, S., Chytil, J. The BAK-4T X-Y plotter as an output peripheral equipment of a microcomputer system [biomedical application] 85−20921

Vaslin, B. *see* Collet, P. 87−76229, 88−9025

Vaslow, D. *see* Smith, J. 85−52676

Vasnetsov, M.V., Peshko, I.I., Soskin, M.S. Stochasticity and regular fluctuations in a *Q*-switched laser 85−56739

Vasnetsov, M.V., Petropavlovskii, A.I. Bistability of coupled resonators 88−27302

Vasnetsov, M.V., Sokolova, I.G., Soskin, M.S., Taranenko, V.B. Holographic sector telescope for grazing diffraction 87−75258

Vasnetsov, M.V., Soskin, M.S., Taranenko, V.B. Grazing diffraction by volume phase gratings 86−3338

Vasnin, G.M. *see* Golikov, E.G. 86−52569

Vasnina, G.P. *see* Shyutte, N.M. 88−12899

Vasquez, A.V., Director, S.W., Sakallah, K.A. PRIMO: a VLSI circuit partitioner for simulation applications 86−63460

Vasquez, B., Goodner, R. Planarized oxide with sacrificial photoresist: etch rate sensitivity to pattern density 87−67138

Vasquez, G. Comments on 'A simple approximation for minimum mean-square error symmetric uniform quantization' by F.-S. Lu and G.L. Wise 86−43168

Vasquez, G. Reduction of background noise by 'delta' modulation 86−48750

Vasquez, M. *see* Nowak, F. 86−49626

Vasquez, M.C. *see* Boicourt, G.P. 87−35293

Vasquez, M.C. *see* Warren, J.L. 86−32000

Vasquez, P., Puglisi, O., Licciardello, A., Arnold, G.W., Patti, A., Pignataro, S. Breakdown voltage and surface composition in a lead borosilicate glass 87−73166

Vasquez, R.P., Kuroda, R.T., Madhukar, A. Observation of quantum confinement effect away from the zone center in a spectroscopic ellipsometry study of the dielectric function of single $Al_{0.3}Ga_{0.7}As/GaAs/Al_{0.03}Ga_{0.7}As$ square quantum wells 87−53242

Vasquez, R.P., Madhukar, A., Grunthaner, F.J., Naiman, M.L. Study of the kinetics and mechanism of the thermal nitridation of SiO_2 85−29131

Vasquez, R.P. *see* Yen, S.P.S. 88−17896

Vasquez, S. *see* Mitchell, K.W. 87−9793

Vasquez, S. *see* Tanner, D.P. 87−9846

Vasquez, W.L. Systems analysis and design practices for improved productivity in communications systems implementation 87−55827

Vasquez-Borquez, J.D. *see* Asher, G.M. 88−69374

Vass, A. *see* Davis, B.W. 88−27082, 88−53265, 88−58422

Vass, A. *see* Mehendale, S.C. 86−48317

Vass, A. *see* Spiers, G.D. 87−54245

Vass, D.B., Dougal, R.C., Weir, K., MacGregor, A.R. Light transmission through twisted nematic liquid crystal cells 87−54131

Vass, D.G., Sillitto, R.M., Underwood, I., McKnight, D.J., Willson, P.H., Ranshaw, M.J. Progress in developing VLSI based spatial light modulators 88−20454

Vass, D.G. *see* Underwood, I. 85−29655, 86−28490, 88−52565

Vassallo, C. Curvature-induced oscillations of the loss of leaky modes in optical fibres: a ray analysis 85−1963

Vassallo, C. Rigorous and approximate calculations of antireflection layer parameters for travelling-wave diode laser amplifiers 85−35760

Vassallo, C. Perturbation of a LP mode of an optical fibre by a quasi-degenerate field: a simple formula 85−50951

Vassallo, C. Scalar-field theory and 2-D ray theory for bent single-mode weakly guiding optical fibers 85−56323

Vassallo, C. Scattering coefficients of antireflection layers for semiconductor amplifiers 86−22459

Vassallo, C. Curvature effects on leaky modes in weakly guiding optical fibres 86−36175

Vassallo, C. Rigorous theory for modes of optical fibres with cladding limited by a plane 87−1949

Vassallo, C. Increase of the minor field component in stress-induced birefringent fibers due to nonuniformity of stress 87−32962

Vassallo, C. Condensed formula for coupling coefficients between parallel dielectric waveguides 87−39430

Vassallo, C. Polarisation-independent antireflection coatings for semiconductor optical amplifiers 88−20481

Vassallo, C. Antireflection coatings for optical semiconductor amplifiers: justification of a heuristic analysis 88−22071

Vassallo, C. About coupled-mode theories for dielectric waveguides 88−33726

Vassallo, C. Pseudo-modes and optical waveguides 88−51493

Vassallo, C. Rigorous theory for propagation in optical fibres with a plane-limited cladding 88−65232

Vassallo, C. *see* Francois, P.L. 86−28800

Vassallo, C. *see* Simon, J.C. 85−41412, 86−48431, 88−65730

Vassal'lo, J. *see* Barbero, J. 87−12831

Vassal'lo, J. *see* Pascual, C.M. 85−55125

Vassallo, V.R., Pappalardo, J.A., Shea, J.J., Peura, R.A., Beatty, G.E., Whelan, M.F. Automated cardiac mapping system 88−10397

Vassanelli, C., Marangoni, D., Castello, C., Scazzina, L., Zardini, P. Pocket tape recorder for long-term ECG and symptoms recording 85−59306

Vasseghi, N., Law, H. A sub 8 ns TTL programmable array logic device 88−12354

Vassell, G.S., Tibberts, N. Power system planning under uncertainty 87−57597

Vassell, G.S. *see* Scherer, H.N., Jr. 86−6305

Vassell, M.O. The synthesis of magnetic coils: curve fitting winding patterns 85−17900

Vassell, M.O. The synthesis of magnetic coils: equivalent yoke configurations 85−17901

Vassell, M.O., Lee, J. Some characteristics of velocity overshoot in GaAs under uniform-field conditions 86−21142

Vassell, M.O., Lee, J. Low-field galvanomagnetic transport at an n-AlGaAs/GaAs heterojunction. I. Analysis 87−60157

Vassell, M.O., Lee, J. Low-field galvanomagnetic transport at an n-AlGaAs/GaAs heterojunction. II. Predictions 87−60158

Vassell, M.O., Lee, J. Wave aspects of balance equations for nonlinear space-charge dynamics in GaAs 88−64237

Vassell, M.O. *see* Lee, J. 85−1357, 85−34612

Vassell, W.C. *see* Logothetis, E.M. 86−55697

Vasseur, C., Chebel, B. Observation of dynamic processes. Sampling and recognition of signals 86−3840

Vassilakis, B. *see* Znojkiewicz, M.E. 87−76553

Vassilakis, E. *see* Raulin, J.Y. 88−56965

Vassilakis, J.P. *see* Canteloup, J. 86−58425, 87−17940, 88−13160

Vassilev, I.S., Petrov, I.N., Botev, P.A., Furmanik, Z., Auleytner, J. Deformation state of $^{49}BF_2{}^+$-implanted Si wafers after high-temperature thermal annealing 86−15021

Vassilev, L.V. *see* Ratcheva, T.M. 86−58265

Vassilev, P.G., Donyagin, A.M., Eliseeva, I.A., Lobanov, V.I., Makarov, L.G., Reshetnikov, G.P., Smirnov, A.S., Shelaev, I.A. Field nonhomogeneity measurements at pulsed heating of the superconducting magnet winding 85−26649

Vassilev, V., Saeva, D., Burkova, R., Bojchinova, E., Budinov, H. Ion-implanted position sensitive photodetectors 88−53689

Vassilev, V. *see* Petrov, P.O. 87−45635

Vassilev, V.S. Problems of discrete programming and algorithms for their solution 85−49465

Vassilev, V.S., Nikiforova, N.G. Protection of p-i-n silicon detectors of nuclear radiation by anode oxidation 87−38110

Vassilev, V.S., Nikiforova, N.G. Investigation of the Si-SiO_2 system by the Kelvin method 87−53289

Vassilev, Ya.T. Angular dependence of the light pressure under oblique incidence of short light pulses 86−48473

Vassiliades, S., Sayers, M.D., Bacon, J.M. A monitor tool for a network based on the Cambridge Ring 86−64676

Vassiliades, S., Sayers, M.D., Bacon, J.M. A protocol comparison 87−28046

Vassiliades, T.A. *see* Fagan, T.L. 87−44070

Vassiliadio, S. *see* Putrino, M. 88−645

Vassiliadis, A. *see* Dev, P. 85−53029

Vassiliadis, J. *see* Gialafos, J. 86−38834

Vassiliadis, S. A comparison between adders with new defined carriers and traditional schemes for addition 88−44265

Vassiliadis, S., Schwarz, E., Putrino, M. Quasi-universal VLSI multiplier with signed digit arithmetic 88−44847

Vassilidis, S. *see* Schwarz, E. 88−44154

Vassilieff, G. *see* Lozes-Dupuy, F. 86−3189, 87−54348, 88−20667

Vassilieff, G. *see* Saint-Cricq, B. 86−58923

Vassilieff, G. *see* Vassilieff, L. 87−68527

Vassilieff, L., Bensoussan, A., Lozes-Dupuy, F., Martinot, H., Vassilieff, G. Numerical analysis of operation of coupled cavity lasers 87−68527

Vassilieff, L. *see* Lozes-Dupuy, F. 88−20667

Vassiliev, L.M. *see* Andreyev, N.I. 86−53933

Vassiliou, P.-C.G., Tsantas, N. Stochastic control in non-homogeneous Markov systems 85−16858

Vassilliadis, S. *see* Putrino, M. 88−63627

Vassilopoulos, C., Cozens, J.R. Backward wave couplers and reflectors 88−39916

Vassilopoulos, C. *see* Cozens, J.R. 87−68054

Vassort, G. *see* Gauthier, M. 85−39181, 85−60400

Vassos, S., Panagiotarea, E., Karidogiannis, E. Production cost evaluation with energy limited units by the segmentation technique 88−5305

Vassos, S. *see* Schenk, K.F. 85−32070, 87−9092

Vasta, A. *see* Tonielli, A. 88−30933

Vastano, A.C. *see* Njoku, E.G. 86−32563

Vastl, J. Economic optimisation of the rationalisation of power consumption 88−30292

Vastl, J. Evaluation of rationalisation savings for electrical energy 88−68774

Vastl, J., Navratil, P. Economical loading of networks in an electrical power system 87−15250

Vastola, K.S. On robust Wiener signal estimation 86−48915

Vastola, K.S. On resistance in detection and parameter estimation 87−55172

Vastola, K.S. *see* Czarnecki, S.V. 86−29866

Vastola, K.S. *see* Gao, Z. 87−55441, 88−53032

Vastola, K.S. *see* Kohli, R. 88−35241, 88−52976
Vastola, K.S. *see* Nadkarni, A.P. 86−54621, 86−64748
Vastola, K.s. *see* Srikanta Kumar, P.R. 86−16762
Vastrade, C. The electrical energy meter−the evolution of modern requirements 88−29514
Vastrade, C., De Vr, R., Couvreur, M.J., Huybrechts, R. Calibration of high accuracy wattmeters with a standard generator 85−58800
Vastrade, C., De Vre, R., Couvreur, M., Huybrechts, R. Calibration of high accuracy wattmeters with a standard generator 86−24644
Vastrade, C., De Vre, R., Couvreur, M., Huybrechts, R. The precise measurement of electric power and energy at industrial frequency. Development of reference wattmeter calibration methods 86−25663
Vastro, R.M.Del *see* Del Vastro, R.M.
Vasu, E., Mohamed Salih, P.E. Computation of impedance by determining the inphase and quadrature components of current using a microprocessor 88−47416
Vasu, E., Rao, V.V.B., Sakaran, P. An optimization criterion for three phase reactive power compensation 86−18779
Vasu, E., Sankaran, P., Rao, V.V.B. Extraction of symmetrical components in the presence of harmonics 87−21191
Vasu, E., Sankaran, P., Rao, V.V.B. Microprocessor determination of phase angle in the presence of harmonics 87−57483
Vasu, E. *see* Bapeswara Rao, V.V. 85−4554
Vasu, R.M. *see* Kumar, A.S. 88−27994
Vasudev, B. Predictive VQ schemes for grayscale image compression 88−46287
Vasudev, P.K. Solid phase epitaxial recrystallization of SOS, with applications to submicrometer CMOS and bipolar devices 87−16635
Vasudev, P.K. Recent advances in solid-phase epitaxial recrystallization of SOS with applications to CMOS and bipolar devices 87−74352
Vasudev, P.K., Mayer, D.C. Characterization of CMOS devices in 0.5-1 μm silicon-on-sapphire films modified by solid phase epitaxy and regrowth (SPEAR) 85−50777
Vasudev, P.K., Schmitz, A.E., Olson, G.L. High-quality boron and BF_2^+-implanted p^+ junctions in Si using solid phase epitaxy and transient annealing 86−9008
Vasudev, P.K., Terrill, K.W., Seymour, S. A high performance submicrometer CMOS/SOI technology using ultrathin silicon films SIMOX 88−64778
Vasudev, P.K. *see* Caplan, P.J. 87−66891
Vasudev, P.K. *see* Mayer, D.C. 86−47864
Vasudev, P.K. *see* Robertson, G.D., Jr. 85−18056
Vasudev, P.K. *see* Schmitz, A.E. 85−50746
Vasudev, S.S. *see* Brahme, M.V. 86−65983
Vasudeva, K.S. A framework for the design of control systems for fossil fired power plants 88−43046
Vasudeva, M.S. *see* Murthy, M.S.S. 87−50753
Vasudeva Murthy, A.R. Electronic materials: problems and prospects in India 86−35622
Vasudeva Rao, V. *see* Sai Prasad, R.L.N. 87−42278
Vasudevan, M. *see* Viswanathan, P. 86−8541
Vasudevan, M.M. *see* Wilson, N.D. 87−39829, 88−28642
Vasudevan, R., Chan, P.P. Designing servers in a distributed environment: A study of the process structuring methodology 85−57806
Vasudevan, R. *see* Malcolm, M.A. 85−36493
Vasudevan, R.V. *see* Smith, A.M. 86−57171
Vasudevan, S., Cannon, R.L., Bezdek, J.C., Cameron, W.C. Intermediate level heuristics for road-finding algorithms 87−27666
Vasumathi, K., Chakravarthy, C.V. Performance of packet broadcast systems under limited buffer conditions 86−59391
Vasumathi, S.J. *see* Udupa, A.H. 85−3304
Vasvary, L. *see* Andriashin, A.V. 87−29690
Vaswani, P.K.T. Classified bibliography on publications relevant to data security in LANs 88−9168
Vasyanovich, A.V. Numerical model of multi-frequency interaction in M-type amplifiers with distributed emission 87−66845
Vasyanovich, A.V., Churyumov, G.I. Analysing accuracy of solution of equations of movement in M-type devices 87−17615
Vasyanovich, A.V. *see* Vasil'ev, S.V. 88−19616
Vasyliunas, V. *see* Schanda, E. 87−21778
Vasyliv, K.N. *see* Ovchinnikov, I.E. 87−58040
Vasyliv, K.N. *see* Plakhtyna, E.G. 86−51604
Vasylkiv, Ya.V., Kovalchuk, A.M., Savenko, P.A. On a numerical solution of the null synthesis problem in the directivity patterns of linear and plane equidistant arrays 87−75629
Vasyuk, G.I. Economic algorithms of the multidimensional fast Fourier transform with a mixed base 85−22447
Vasyuk, G.I. *see* Krukovskii-Sinevich, K.B. 85−11433
Vasyukevich, P.V. Calculating the inductances of surge-generator windings with allowance for saturation 87−9497
Vasyukevich, P.V. Concentration of magnetic flux in an electromechanical energy converter 87−22787
Vasyukevich, P.V. A single-phase generator of unidirectional current impulses 87−51175
Vasyukevich, P.V., Yudakov, A.A. Calculation of losses in single-phase electromechanical generator 87−64525
Vasyukov, V.V. The harmonic factor of an optimal sinusoidal-like signal 88−8727
Vasyukov, V.V., Klimov, V.S. Effect of amplitude asymmetry of the channels on nonlinear distortions in the case of dephasing modulation 86−14013
Vasyukov, V.V., Klimov, V.S. Influence of asymmetry of a quasi-sinewave signal on the suppression of higher harmonics 87−19691
Vasyukov, V.V., Klimov, V.S., Tokmakov, V.G., Utkin, M.A. Nonlinear distortions in a power amplification channel with dephasing modulation 85−25015
Vasyukov, V.V., Klimov, V.S., Utkin, M.A. Optimality of a step approximation of a sinusoidal signal by Walsh functions 86−23047
Vasyukov, V.V., Klimov, V.S., Utkin, M.A. The effect of channel phase asymmetry on nonlinear distortions in modulation by dephasing 86−48739
Vasyukov, V.V., Klimov, V.S., Utkin, M.A. The synthesis of a switched generator of a sinusoidal-like signal 87−19680
Vasyukov, V.V., Klimov, V.S., Utkin, M.A. A switching power amplifier with amplitude modulation 87−31729
Vasyukov, V.V., Klimov, V.S., Utkin, M.A. Analysis of arcsine PWM signal spectrum 87−47476
Vasyura, Yu.F. Switching-overvoltage limiters for protection of high-voltage electric motors 87−42783
Vasyura, Yu.F., Evdokunin, G.A. Switching overvoltages during self-starting of high-voltage motors 87−9481
Vasyura, Yu.F., Gavrikov, V.I., Evdokunin, G.A. Switching overvoltages across high-voltage house-auxiliary motors at power plants 86−45333
Vasyura, Yu.F., Khagemeister, E.A. Investigation of frequency starting of a hydroelectric generator 85−43891
Vasyutinskii, S.B., Rusanov, B.V., Stepanova, I.P. Calculation of the external magnetic field of a screened transformer 85−60232
Vasyutkin, A.M., Selidovkin, A.D. Optimizing the parameters of an inverter with field-emission cathode 85−50151
Vasyutkin, A.M. *see* Belozerova, L.P. 86−22703
Vatagin, V.P., Miropol'skii, M.S., Rusakov, S.G. Improving the computational efficiency of mathematical models of integrated circuit components 87−53447
Vatalaro, F. *see* Maniat, L. 86−60019
Vatansever, A. *see* Phillips, P.J. 88−5359
Vatarescu, A. Intensity discrimination through nonlinear power coupling in birefringent fibers 86−63607
Vatarescu, A. Nonperiodic power coupling in highly birefringent nonlinear optical fibers 87−25937
Vatarescu, A. Polarisation state stabilisation in optically nonlinear birefringent fibres 87−46453
Vatarescu, A. Light conversion in nonlinear monomode optical fibers 88−26769
Vatarescu, A. Comment on 'Optical multistability and phase conjugation fidelity in a high-birefringence optical fiber' [and reply] 88−65291
Vatarescu, A., Silberberg, Y., Stegeman, G.I. Comment on 'Nonlinear coupling of waveguide modes' [and reply] 88−13904
Vatau, R. *see* Soiculescu, I. 87−57942
Vatazhin, A.B., Levitan, Yu.S. Effect of gas-dynamic turbulence on the integral characteristics of conduction MHD generators 86−66362
Vatelino, J.F. *see* Brown, C.M. 87−23232
Vater, P. *see* Brandt, R. 87−29666
Vater, P. *see* Dersch, R. 86−50408
Vater, P. *see* Jamil, K. 87−29665
Vater, P. *see* Khan, E.U. 85−37964
Vater, P. *see* Khan, H.A. 87−29582, 87−77573
Vater, P. *see* Perelygin, V.P. 87−29590
Vater, P. *see* Shi-Lun Guo 86−50400
Vater, P. *see* Sial, M.A. 87−29641
Vaterkowski, J.L., Roques-Carmes, C., Gagnepain, J.J. Fractal dimension of $1/f^\alpha$ noises 85−57340
Vaterkowski, J.L. *see* Constant, M. 86−17983
Vaterkowski, J.L. *see* Mourey, M. 85−29404
Vaterkowski, J.L. *see* Tellier, C.R. 87−32789
Vateva, E., Nesheva, D. Transport properties in a-CdS films 86−41555
Vateva, E., Nesheva, D. Photo-induced phenomena in chalcogenide structures 87−46656
Vateva, E., Nikifirova, M., Skordeva, E. Ge-As-S selective solubility 86−28204
Vateva, E. *see* Ivanova, Z.G. 85−23626
Vateva, E. *see* Nesheva, D. 85−41239, 87−45581
Vateva, E. *see* Pashmakov, B. 85−56400
Vateva, E. *see* Uzunova, T. 86−27949
Vathanvit, K. *see* Rao, T.R.N. 86−3790
Vathke, J. *see* Baack, C. 85−47106
Vathke, J. *see* Langer, K.-D. 85−47331
Vathke, J. *see* Langer, K.D. 87−20078, 87−24048, 87−37423
Vathsal, S. Design and simulation of closed-loop ground alignment of inertial platforms with sway motion 86−60868
Vathsal, S. Spacecraft attitude determination using a second-order nonlinear filter 88−40909
Vatin, R. *see* Chauvenet, B. 87−77519, 88−4855
Vatis, D. *see* Mueller, O. 87−21557
Vatkin, V.I., Getmanov, V.N., Savchenko, O.Ya. Increasing the brightness of a proton beam from an arc source 85−9032
Vatne, R. *see* Bos, P. 86−5398, 86−48229
Vatne, R.S. *see* Buzak, T.S. 88−16308
Vatollo, V.V., Dmitriyenko, A.N. Adaptive signal detection using estimates of the noise distribution quantile 88−66507
Vatoux, M. *see* Papuchon, M. 85−2044
Vatoux, S. *see* Arditty, H.J. 86−2780
Vatoux, S. *see* Lefevre, H.C. 86−68297, 88−7963
Vatoux, S. *see* Papuchon, M. 85−56371, 88−60699
Vatoux, S. *see* Thyagarajan, K. 85−46205
Vatra, F. Temporary overvoltages during the no-load operation of a long line [power transmission lines] 85−21165
Vatra, F., Cristovici, A. New aspects of the use of arresters in HV and EHV networks 87−50864
Vatra, F., Cristovici, A., Stein, M. Neutral grounding system in the thermal power plant auxiliaries networks. Fundamentals for the implementation of the system 87−50978
Vatra, F. *see* Cristovici, A. 87−9191
Vats, H.O. *see* Booker, H.G. 85−62792
Vatsadze, M.V. *see* Belyustin, O.N. 85−27103
Vatsala, A.S. *see* Lakshmikantham, V. 87−73012
Vatsuro, A.E. *see* Andreev, V.Ya. 85−4427
Vatti, V.B.Kumar *see* Kumar Vatti, V.B.
Vattimo, R.J. *see* Devaux, R.N. 87−42151
Vatus, J., Chevrier, J., Delescluse, P., Rochette, J. Highly selective reactive ion etching applied to the fabrication of low-noise AlGaAs GaAs FETs 86−63309
Vatutin, V.M. *see* Bessonov, Yu.L. 86−18222
Vatutin, V.M. *see* D'yakonov, V.P. 85−8862
Vauborg, J.P. *see* Roussy, G. 87−29254
Vaucher, A.M., Li, M.G., Striffler, C.D., Lee, C.H. Optically controlled millimeter-wave devices 85−11538
Vaucher, A.R. *see* Subrahmanyam, J.V. 87−39280
Vaucher, D. FAVAG time management systems 85−20734
Vaudin, G.J., Nudd, G.R. 3 μm VLSI processing element using the Cordic algorithm 88−1791
Vaudin, G.J. *see* Lismore, K. 88−63736
Vaudin, G.J. *see* Nudd, G.R. 87−44946
Vaudin, M.D. *see* Gleichmann, R. 85−33397
Vaudreuil, G. *see* Cielo, P. 88−60689
Vaudrey, P. Turbine control: the Microrec system 87−64265
Vaudry, C. *see* Henry, L. 88−13119, 88−50735
Vaudry, C. *see* Le Corre, A. 88−49846
Vaudry, C. *see* Lecrosnier, D. 88−13120
Vaudry, C. *see* Loualiche, S. 86−15567, 86−67745
Vaudry, C. *see* Parguel, V. 87−73998
Vaughan, C., Brooking, G., Price, M., Ireland, J. Measurement of 3D shape using a digital camera 87−35414
Vaughan, C. *see* Andrews, L.T. 85−31827
Vaughan, C.L. Measurement of human movement and shape using a digital camera 88−16722
Vaughan, D. *see* Sessler, A.M. 87−39145
Vaughan, D.J. Coupling agents−their role in printed circuit technology 85−34276
Vaughan, D.J., Householder, K.A. The role of resin in moisture induced laminate failure 85−10827
Vaughan, D.J., Tsujioka, N. Evolution of glass finish technology in the past decade 88−1127
Vaughan, D.K. *see* Wojcik, G.L. 88−13088
Vaughan, D.R., Mols, G.E., Reid, D.W., Potter, J.M. A high-power, solid-state RF source for accelerator cavities 86−31995
Vaughan, E.M. SDC and combat resilience 87−44066
Vaughan, J., Porter, W.B. The power of NAPLPS: beyond videotex 86−37452
Vaughan, J., Shore, D. The use of backplanes in interconnection systems 85−50103
Vaughan, J.A., Ramsey, W.T. Recent advances in microwave filters for communications satellites 86−52932
Vaughan, J.F. *see* Mulla, H. 85−47320
Vaughan, J.G. Multiple virtual rings: a cooperation protocol for online decentralized load balancing 86−17024

Vaughan, J.G., Raut, M.K. Tin contamination during surface cleaning for thermocompression bonding 85−34408
Vaughan, J.M. *see* Brown, D. 87−49194
Vaughan, J.M. *see* Brown, D.W. 87−3246
Vaughan, J.M. *see* Jackson, P.E. 88−27273
Vaughan, J.M. *see* Keeler, R.J. 87−63952
Vaughan, J.R.M. Electron flow in the conventional X-ray tube 85−40395
Vaughan, J.R.M. A model for the klystron cavity gap 86−21016
Vaughan, J.R.M. The input gap voltage of a klystron 86−21017
Vaughan, J.R.M. Synthesis of a hollow-beam Pierce gun 87−37797
Vaughan, J.R.M. Multipactor 88−64182
Vaughan, J.R.M. *see* Symons, R.S. 88−38990
Vaughan, J.S. Intelligence makes payphones pay 87−62736
Vaughan, J.W., Jr. Nuclear technology: a US perspective 86−39438
Vaughan, M.F. Temperature fixed points I. Possible devices in the range 0 to 125°C 86−4939
Vaughan, N.D. *see* O'Sullivan, P.E. 87−58479
Vaughan, P. Systematic electronics 88−24388
Vaughan, R. A synthesis of the Longo and Eng cathode emission models 87−24669
Vaughan, R. *see* Bach Anderson, J. 86−69694
Vaughan, R.E. *see* Franklin, S.B. 87−40868
Vaughan, R.G. Signals in mobile communications: a review 87−28419
Vaughan, R.G. Two-port higher mode circular microstrip antennas 88−66186
Vaughan, R.G., Andersen, J.B. Polarization properties of the axial mode helix 85−24955
Vaughan, R.G., Anderson, J.B. Antenna diversity in mobile communications 88−35395
Vaughan, R.G., Bach Andersen, J. A multiport patch antenna for mobile communications 85−13277
Vaughan, R.L. *see* Fankhauser, J.C. 87−71309
Vaughan, R.L. *see* Mohr, C.G. 85−53179
Vaughan, R.St *see* St Vaughan, R.
Vaughan, S. *see* Pabbisetty, S.V. 88−39624
Vaughan, T.A. *see* Balpinarli, M. 88−44922
Vaughan, T.P. The construction of unramified cyclic quartic extensions of $Q(\sqrt{m})$ 86−7629
Vaughan, T.P. On computing the discriminant of an algebraic number field 86−26770
Vaughan, W.L., Corsover, S.L. Frequency response of an image recorder using repeat scan 86−69182
Vaughan, W.R., Browell, E.V., Hall, W.M., Degnan, J.J., Averill, R.D., Wells, J.G., Hinton, D.E., Goad, J.H. A lidar instrument to measure H_2O and aerosol profiles from the NASA ER-2 aircraft 87−41042
Vaughn, C.R. Birds and insects as radar targets: a review 85−47553
Vaughn, D. *see* Laidler, J.R. 85−63368
Vaughn, E.B. *see* Kripps, L.J. 87−78287
Vaughn, G.E., Tuckman, M.S. Top performance at Oconee [nuclear power station] 85−4799
Vaughn, G.L. *see* Conner, D.A. 88−24418, 88−24421
Vaughn, G.L. *see* Green, D.G. 88−24423
Vaughn, G.L. *see* Halbrooks, T.E. 85−32989
Vaughn, G.L. *see* Jones, J.R. 88−24420
Vaughn, H.A. *see* Raghunathan, K. 87−24238
Vaughn, J. NAPLPS: beyond videotex 88−46527
Vaughn, J.D. *see* Denison, R.G. 85−47830
Vaughn, J.T. *see* Harrison, G.R. 87−73651
Vaughn, M.R. *see* Pratap, S.B. 87−19168
Vaughn, V.D. *see* Jones, R.V. 88−60267
Vauglin, I. *see* Monin, J.-L. 88−74487
Vauglin, I. *see* Monin, J.L. 87−35078
Vauhkonen, V. A cycloconverter-fed synchronous motor drive having isolated output phases 87−43598
Vaulchier, J.-G.De *see* De Vaulchier, J.-G.
Vaulchier, J.-L.de *see* de Vaulchier, J.-L.
Vaulchier, J.De *see* De Vaulchier, J.
Vaulchier, J.G.De *see* De Vaulchier, J.G.
Vaulin, S.S., Dorosinskiy, L.G. Signal detection in the presence of interference in a radar system with a synthesized aperture 87−56247
Vaulin, V.A., Slinko, V.N., Sulakshin, S.S. Nitrogen laser excited by microwave pulses 88−65573
Vaupel, G. Line commutated converter for compensation of reactive current with a smoothing reactor with limited inductance 85−65328
Vaupsas, J. *see* Kudarauskas, S. 87−15661, 87−42874
Vauquelin, B. *see* Delest, M.P. 88−11853
Vauquelin, B. *see* Gouyou-Beauchamps, D. 88−63164
Vaurio, J.K. On exact and asymptotic unavailability expressions for standby components and systems 85−28078
Vaurio, J.K. Methods and computer codes for probabilistic sensitivity and uncertainty analysis 85−43742
Vaurio, J.K., Linden, G. On robust methods for failure rate estimation 86−34093
Vautherin, J. Parallel systems specifications with colored Petri nets and algebraic abstract data types 87−23506
Vautherin, J. Calculation of semi-flows for Pr/T systems 88−312
Vautier, D. *see* Bareyt, C. 85−58037, 86−4583
Vautrin, J.-P. *see* Vogrig, R. 87−10098, 87−16328
Vavasseur, C. Ventilation of nuclear rooms and operators' protection 86−19025
Vavassori, M. *see* Anesa, F. 88−55144
Vavilosvskii, V.I. *see* Pugachev, E.V. 86−7254
Vavilov, A.A., Gladyshevskii, G.I., Pronin, B.P. Saving fuel in melting pig-iron in a cupola 87−9961
Vavilov, S.P., Korschunov, G.S., Kuleschov, V.K., Khmyrov, V.V. X-ray pulse generators with high pulse-repetition rate 85−64520
Vavilov, V.A., Mamro, V.M., Tsysov, V.A. Analog-to-digital converters for signals having a wide frequency spectrum 85−34002
Vavilov, V.P. Improving the signal-to-noise ratio in thermal flaw detectors by means of spectral filtering 86−62295
Vavilov, V.P., Ivanov, A.I. Thermal pulse inspection of multilayer parts 85−49620
Vavilov, V.P., Kaiko, V.L. Thermal monitoring of the quality of analog and digital circuits 85−49793
Vavilov, V.P., Storozhenko, V.A., Denisov, S.S. Scope for using infrared systems in thermal nondestructive testing 85−6047
Vavilov, V.S., Akimchenko, I.P., Krasnopevtsev, V.V. Ion implantation as a tool to control properties of amorphous hydrogenated silicon 86−47328
Vavilov, V.S. *see* Akimchenko, I.P. 85−12156, 87−18807
Vavilov, V.S. *see* Bobrova, E.A. 85−6766
Vavilov, Yu.V., Zubkov, V.I. Distortion of photomultiplier signals by background luminous flux 88−36257
Vavilova, L.S. *see* Alferov, Zh.I. 85−12877, 85−24582, 86−15714, 86−22408, 86−58940
Vavilova, L.S. *see* Garbuzov, D.Z. 85−56640
Vavilova, O.S., Gulyaev, S.N. Broadening of the Stokes band of stimulated Raman scattering in a quartz optical fiber with four-photon parametric processes 86−9958
Vavilova, O.S. *see* Butusov, M.M. 86−15478
Vavilova, Yu.A. *see* Galpern, A.D. 88−40361
Vavilovskii, V.I., Pugachev, E.V., Sergeev, N.Yu. Experimental determination and choice of parameters of a traction storage battery as an object of automatic control 87−22693
Vavken, E. *see* Kljajic, M. 87−14941
Vavken, E. *see* Malezic, M. 88−48158
Vavken, W.G., Chang, J. High-performance digital radio uses state-of-the-art thin-film technology 87−69889
Va'vra, J. The use of a nitrogen laser for observation of space charge effects in drift chambers and development of high precision vertex chambers 85−4201
Va'vra, J. Search for the best timing strategy in high precision drift chambers 85−9035
Vavra, J. Thermal analysis of the 380 kV cables in Vienna 86−6369
Va'vra, J. High resolution drift chambers 86−44550
Va'vra, J. Review of wire chamber aging 87−29455
Va'Vra, J., Bienz, T., Bird, F., Gaillard, M., Hallewell, G., Kwon, Y.J., Leith, D., Ratcliff, B., Rensing, P., Schultz, D., Shapiro, S., Toge, N., Cavalli-Sforza, M., Coyle, P., Coyne, D., Williams, D., Caldwell, D., Lu, A., Yellin, S., Johnson, R., Meadows, B., Nussbaum, M., Plano, R. Construction and initial operation of a proportional wire detector for use in a Cerenkov ring imaging system 88−61103
Va'Vra, J. *see* Ashford, V. 87−41835
Va'vra, J. *see* Burckhart, H.J. 86−44551
Va'vra, J. *see* Fischer, H.M. 87−21417
Va'Vra, J. *see* Hallewell, G. 88−68213
Va'Vra, J. *see* Johnson, R. 88−68277
Vavra, R. Requirements placed on low-voltage house-consumption power supplies employing alkaline storage batteries in power-production plants 86−19375
Vavra, R. Requirements placed on electronic synchronising equipment of AC generators 86−51560
Vavra, Z. *see* Novotny, V. 86−45603
Vavrek, K.J., Andre, G.R. Sensitivity study of common mode failure rates for Sizewell B 85−53429
Vavrek, K.J. *see* Andre, G.R. 88−5454
Vavrek, K.J. *see* Lutz, R.J., Jr. 85−48723
Vavrik, I., Fita, S. Measurement and accuracy control of coordinate measuring machines [machining processes] 85−52869
Vavrin, J. Algorithmisation of measurement and processing of neutron noise in the diagnostics of a reactor 87−15470
Vavrin, P. *see* Orel, M. 86−43291
Vavrina, K. Application of Bergeron's graphical method for speedy estimation of surge overvoltages in transformer windings 85−44027
Vavrina, K. A simple calculation of initial voltage distribution in biconcentric transformer windings 86−39857
Vavriv, D.M. Frequency conversion in resonance systems with distributed interaction 86−41304
Vavriv, D.M. On synchronisation theory of resonant generators with distributed interaction 86−41310
Vavriv, D.M. Features of the operation of tuned amplifiers with distributed interaction and premodulation of the beam 86−47248
Vavriv, D.M., Gavrilova, N.I. Natural fluctuations in resonant devices with distributed interaction in the nonautonomous operating regime 88−64204
Vavriv, D.M., Roshchin, V.A. Special features of frequency splitting in resonant systems with distributed interaction 87−37823
Vavriv, D.M., Tret'yankov Theory of tuned amplifiers with long-time interaction. II 86−14014
Vavriv, D.M., Tret'yakov, O.A. Diffraction amplifiers 85−23355
Vavriv, D.M., Tret'yakov, O.A. Nonautonomous oscillation regime in resonant distributed-interaction oscillators 85−50149
Vavriv, D.M., Tret'yakov, O.A. Synchronization of oscillations in distributed-interaction resonant systems 85−55122
Vavriv, D.M., Tret'yakov, O.A. Theory of resonance amplifiers with a prolonged interaction. III 87−24706
Vavriv, D.M., Tret'yakov, O.A. Theory of resonant extended interaction amplifiers. IV 87−66827
Vavriv, D.M., Tret'yakov, O.A., Shmat'ko, A.S. Effect of space-charge field on the output characteristics of distributed-interaction O-type oscillators 85−50148
Vavriv, D.M., Tretyakov, O.A. Theory of resonance-type amplifiers with long interaction. I 85−23322
Vavriv, D.M. *see* Belogortsev, A.B. 88−18980, 88−70493
Vavriv, D.M. *see* Bogomolov, N.M. 88−6559
Vavriv, D.M. *see* Bulgakov, S.A. 88−19617
Vavshin, B.M., Immoreyev, I.Ya. Influence of the dispersion properties of a phase antenna array on the signal-to-noise ratio in a radio link (RL) with a broadband signal 87−54743
Vawter, A. *see* Wu, X.S. 86−36246
Vawter, G.A., Coldren, L.A., Merz, J.L., Hu, E.L. Nonselective etching of GaAs/AlGaAs double heterostructure laser facets by Cl_2 reactive ion etching in a load-locked system 88−2218
Vawter, G.A., Merz, J.L. Design and fabrication of AlGaAs/GaAs phase couplers for optical integrated circuit applications 85−46197
Vawter, G.A., Merz, J.L. Design and fabrication of AlGaAs/GaAs phase couplers for optical integrated-circuit applications 86−22181
Vawter, G.A. *see* Merz, J.L. 85−41199
Vawter, G.A. *see* Omura, E. 86−21125, 86−41672, 87−25090, 87−32387
Vawter, G.A. *see* Yuan, Y.R. 85−29644
Vawter, G.A. *see* Zou, W.X. 87−74179
Vay, R. Intrinsic safety [electrical equipment safety] 86−115
Vay, R., Lahner, P. New intrinsically safe apparatus designed to DIN EN 50020 88−6201
Vaya, P.R. Magnetoresistance of PbTe films 86−27965
Vaya, P.R., Majhi, J. Effect of surface treatment on Al-Si Schottky structures 88−50799
Vaya, P.R., Majhi, J., Gopalam, B.S.V., Dattatreyan, C. Thickness dependence of Hall mobility of HWE grown PbTe films 85−23488
Vaya, P.R., Majhi, J., Gopalam, B.S.V., Dattatreyan, C. Hall mobility and field effect mobility studies on PbTe HWE thin films 85−55458
Vaya, P.R., Majhi, J., Gopalam, B.S.V., Dattatreyan, C. Study on n-PbTe/p-Si heterostructures 86−35408
Vaya, P.R. *see* Murali, K.R. 86−7796
Vaya, P.R. *see* Ponnuraju, K. 87−73080
Vayaki, A. *see* Amendolia, S.R. 86−5779, 87−21426 to 21428
Vayaki, A. *see* Benetta, M. 85−43239
Vayda, T.P., Martel, C.U. Bus topology local area network models: design and validation through measurement 87−8064
Vayda, T.P. *see* Martel, C.U. 88−35191
Vayenas, C.G. *see* Manton, M.R.S. 85−21791
Vayman, Z. *see* Micheels, R.H. 85−34459
Vayman, Z.Y. *see* Gregory, J.A. 87−11681, 88−37443
Vaynbrand, M.M., Gasanov, E.E., Kinber, B.Ye. A two-mirror antenna that transforms the polarization of the primary field in the required manner 86−29606
Vaynman, S., Fine, M.E., Jeannotte, D.A. Prediction of fatigue life of lead-base low tin solder 87−73151
Vaynman, S. *see* Berriche, R. 87−65612
Vaynshteyn, L.A., Sukov, A.I. Diffraction by a wavy surfaces: comparison of numerical methods 85−41589
Vayrynen, T. *see* Kiviniitty, K. 85−4346
Vaysleb, Yu.V., Braude, V.B. A precision electrooptical deflector employing a corrugated lightguide 86−28896
Vaysleyb, Yu.V., Milyutin, Ye.R., Frezinskiy, B.Ya. Asymptotic behavior of the structure functions of fluctuations of the amplitude and phase of a plane optical wave in a turbulent

atmosphere with a modified Karman spectrum 86−48602
Vaysseix, G. *see* Fenart, J.M. 87−2940, 87−20280
Vayssier, G., Winters, L. A review of the steam generator tube rupture procedure at the Borssele nuclear power station 85−38769
Vaz, A., Antunes, J.M. Safety systems of the high-voltage laboratory of EDP at Sacavem 87−58623
Vaz, C.A., Thakor, N.V. Monitoring brain electrical and magnetic activity 87−3998
Vaz, F., Guedes De Oliveira, P., Principe, J.C. A study on the best order for autoregressive EEG modelling 87−29773
Vaz, F. *see* Dunoes, P. 86−31316
Vaz, F. *see* Guedes de Oliveira, P. 88−61368
Vaz, F.C., Principe, J.C., Abrantes, A., Paiva, J. A microprocessor based power spectrum estimator for EEG analysis 86−27384
Vaz, N.A., Smith, G.W., Montgomery, G.P., Jr. A light control film composed of liquid crystal droplets dispersed in a UV-curable polymer 87−68213
Vaz, N.A., Smith, G.W., Montgomery, G.P., Jr. A light control film composed of liquid crystal droplets dispersed in an epoxy matrix 87−68214
Vaz, N.A. *see* Doane, J.W. 86−36261
Vaz, N.A. *see* Montgomery, G.P., Jr. 87−38868
Vaz, N.A.P. *see* Doane, J.W. 86−31553
Vaz, O., Iverson, G., Lynch, J. Effect of bond process parameters on Au/Au thermal compression tape automated bonding (TAB) 88−25758
Vaz, R. *see* Orr, J.A. 86−16559
Vaz De Campos, E.F.P. The integration of hydrogen technologies with the energy utilities 88−11680
Vazach, J.G. Enlarge Z80 memory space to 512k bytes 86−57815
Vazan, F. *see* Tyan, Y.-S. 86−7100, 86−36550, 87−53942
Vazdik, Ya.A. *see* Belousov, A.S. 87−50190
Vaze, V.V. *see* Vaidyaraman, P.P. 86−65813
Vazeille, F. *see* Chadelas, R. 86−25144
Vazhdaev, V.A., Kataev, I.G. Magnetothyristor shaper of nanosecond pulses of >100 MW 87−59159
Vazhdaev, V.A., Kataev, I.G., Kononov, A.I. Input section of magnetic pulse generator with inductive storage device 88−56512
Vazhenina, Z.P. *see* Berdonosov, V.D. 85−8770, 85−55082
Vazhinskii, N.M. *see* Timofeev, E.K. 85−37580
Vazhov, V.F., Umnov, A.Ya., Ushakov, V.Ya., Khazanova, A.F., Khatipov, R.V. New type UP6-104 insulating material 88−20194
Vazhov, V.F. *see* Lebedev, S.M. 85−8801
Vazhov, V.F. *see* Ushakov, V.Ya. 85−32235
Vazina, A.A. *see* Korneev, V.N. 86−18288
Vazirani, U.V. Strong communication complexity or generating quasi-random sequences from two communicating semi-random sources 88−72713
Vazirani, U.V., Vazirani, V.V. Efficient and secure pseudo-random number generation 85−41863
Vazirani, U.V. *see* Karp, R.M. 87−44453
Vazirani, U.V. *see* Santha, M. 85−41860
Vazirani, V.V. *see* Karp, R.M. 87−44453
Vazirani, V.V. *see* Vazirani, U.V. 85−41863
Vaziri, C.P. *see* Irvin, J.N. 86−127
Vaziri, F. *see* Clark, D.M. 87−33821
Vaziri, K., Wohn, F.K., Vieira, D.J., Wollnik, H., Wouters, J.M. Performance of the reaction-product transport line associated with the TOFI spectrometer 87−71046
Vaziri, K. *see* Wouters, J.M. 87−71047
Vaziri, M., Debska, U., Reifenberger, R. Effect of Fe on the carrier instability in HgSe 85−61676
Vaziri, M., Reifenberger, R. Spin-dependent scattering of conduction electrons in diluted magnetic semiconductors: $Hg_{1-x}Fe_xSe$ 86−1715
Vaziri, M. *see* Datta, S. 86−14910, 87−6450
Vaziri, M. *see* Gunshor, R.L. 87−23633
Vaziri, M. *see* Kolodziejski, L.A. 88−1380
Vaziri, M. *see* Melloch, M.R. 86−53402
Vazquez, E., Colella, R., Vinyes, J., Fox, J., Berrocal, J. Performance of OSI transport over ACCUNET and IBERPAC 88−52936
Vazquez, E., Jodra, M.A., Lizaso, J.M., Quemada, J. A class 4 transport protocol implementation in Modula-2 88−3606
Vazquez, E., Vinyes, J., Berrocal, J., Quemada, J. Introduction to the OSI-CCITT transport protocol 88−73400
Vazquez, E., Vinyes, J., Riera, J. Analysis of the X.224 protocol over an X.25 virtual circuit 88−3320
Vazquez, E. *see* Quemada, J. 86−30116
Vazquez, E. *see* Vinyes, J. 87−33860
Vazquez, F.J.Gurruchaga *see* Gurruchaga Vazquez, F.J.
Vazquez, G., Gasull, A., Carpena, A. Bit-slice implementation of a linear predictive vocoder 86−27385
Vazquez, G., Gasull, A., Lagunas, M.A. Known input power spectrum in adaptive LMS and AG algorithms 87−47832
Vazquez, G. *see* Amengual, M. 86−31317
Vazquez, J., Navascues, J.C., de la Fuente, J., Medina, F. A digital switching matrix for audio signals 86−11335
Vazquez, J., Valverde, J., Garcia, J.M. Electronic unit for photovoltaic solar panelling validation 88−62263
Vazquez, J. *see* Ona, R.M. 87−4194
Vazquez, J.Ma.del Rio *see* del Rio Vazquez, J.Ma.
Vazquez, M. *see* Briones, F. 87−65512
Vazquez, M.C.Ruiz *see* Ruiz Vazquez, M.C.
Vazquez, R.Manana *see* Manana Vazquez, R.
Vazquez-Lopez, C. *see* Figueroa, J.M. 87−10510
Vazquez-Lopez, C. *see* Menezes, C.A. 85−33475
Vazsonyi, E.B., Holly, S., Vertesy, Z. Characterization of UV hardening process 87−25022
Vazsonyi, E.B., Vertesy, Z., Holly, S. Characterization of a two-layer resist 86−21322
Vcherashnii, V.P. An appraisal of structures for the production of electrical energy 88−23251
v.d. Heijden, N. *see* Sanderson, T.R. 86−44753
v.d. Kraan, P. *see* Renes, J.J. 86−59929
v.d. Laar, A.M.F.J. *see* Boone, W. 86−51018
Vdoviko, V.P., Dement'ev, V.A. Initial processes and dielectric strength of unidirectional fiberglass plastics 85−45914
Vdoviko, V.P., Shumilova, E.D., Mikhailov, V.V., Andryukhin, S.P., Shatokhin, V.M., Aksenova, E.I. Partial discharges and electrical strength of high-voltage polymer insulation at cryogenic temperatures 86−9337
Vdovin, N.S. *see* Azarenok, V.V. 86−40275
Vdovin, N.S. *see* Burkhanov, G.S. 85−39301
Vdovin, S.S. Using a pulse transformer to raise the voltage of high-power electrical impulses 87−9620
Vdovin, S.S., Zirka, S.E. Simplified equivalent circuits for a pulse transformer without a ferromagnetic core 87−11089
Vdovin, S.S., Zirka, S.E. Calculation of the shape of the pulse in a pulse transformer without a ferromagnetic core 87−45327
Vdovin, S.S., Zirka, S.Ye., Moroz, Yu.I. Design of an artificial shaping line with antiresonant tuned circuits 88−44089
Vdovin, V.A., Sokolov, S.A., Cherepenin, V.A., Afonin, A.M., Kanavetz, V.I. Pulse surface wave generator of millimeter band wavelengths 87−45497
Vdovin, V.A., Sorokin, Yu.M. Feasibility of remote focusing of a curvilinearly scanning beam in a moving defocusing medium 85−13075
Vdovin, V.A., Sorokin, Yu.M., Davydov, V.I. Feasibility of optimization of thermal self interaction in a moving defocusing medium by amplitude-phase correction methods 85−51258
Vdovin, V.A. *see* Afonin, A.M. 88−1325, 88−44518
Vdovin, V.A. *see* Cherepenin, V.A. 88−7266
Vdovin, V.F. *see* Zinchenko, I.I. 88−4143
Vdovin, Yu.A., Ishutina, E.S. Application of standard specimens in tests of magnetic materials 85−44816
Vdovin, Yu.A., Karyaka, B.G., Korobeinikova, I.E., Murashkovskii, V.A., Eingorn, I.Ya. Investigation of intracoil nonuniformity of specific magnetic losses in anisotropic electrical steel 85−48074
Vdovin, Yu.A., Zaknarov, V.A., Malyuk, V.P., Shaidyuk, L.P. Influence of inhomogeneity of permalloy-strip thickness on specific magnetic losses of magnetic circuits 86−36676
Vdovin, Yu.A. *see* Bakaev, D.S. 87−68344
Vdovin, Yu.A. *see* Seleznev, Yu.V. 86−42103
Vdovin, Yu.V., Korobeinikova, I.E., Oganyan, L.O., Siventsev, A.A., Fedulova, L.A. Sheet standard specimens of specific magnetic losses of anisotropic electrical steel 85−20706
Vdovina, M.M. *see* Kostyrko, Ya.-V.I. 85−15998
Vdovochenko, A.D. *see* Radautsan, S.I. 85−16239
Veach, I.L., Narraway, J.J. Reconstruction of tonal sequences 86−11394
Veal, B.L. *see* Ferris, C.D. 86−50574
Veale, J. *see* Allinger, D. 88−3820
Veale, J.L. *see* Miles, T.S. 87−71138
Veall, M.R. *see* Bernard, J.T. 88−5302
Veas, C. *see* Chang, Y.J. 87−26349
Veasey, D.L., Batchman, T.E., Ng, K.T. The performance of a miniature field probe in magnetrons 87−11294
Veasey, D.L. *see* Ng, K.T. 86−62996, 88−53680, 88−74341
Veasey, D.L. *see* Sluss, J.J., Jr. 88−26869
Veastad, J.R. The Tele-X project and Nordic cooperation on satellites 86−37857
Veastad, J.R. New possibilities for satellite communication 87−28468
Veatch, M.H. Reliability of periodic, coherent, binary systems 87−31328
Veatch, MS. *see* Merkelo, H. 88−40069
Veazie, B. *see* Nederhand, F.A. 87−57837
Veber, Z. The development of the control system APZ 88−35285
Veca, G.M. *see* Boninfante, P. 87−9071
Veca, G.M. *see* Del Vecchio, P. 86−29325
Veca, G.M. *see* Geri, A. 88−75221
Veca, G.M. *see* Lalli, F. 87−60870
Vecchi, D. *see* Baraldi, P. 88−61338
Vecchi, G. *see* Oberto, G. 88−2632
Vecchi, M.P., Salehi, J.A. Neuromorphic networks for optical communications and signal processing 88−34824
Vecchi, M.P. *see* Arthurs, E. 88−20340, 88−47132
Vecchi, M.P. *see* Bulley, R.M. 88−47147
Vecchi, M.P. *see* Goodman, M.S. 88−47120
Vecchi, M.P. *see* Kobrinski, H. 87−76733, 88−67348
Vecchia, D.F. *see* Goodrich, L.F. 85−37406, 85−50865
Vecchia, D.F. *see* Larsen, N.T. 86−17533
Vecchia, D.F. *see* Turgel, R.S. 87−70706, 88−16404
Vecchio, D. *see* Mazzon, L. 85−65530
Vecchio, K.S., Hertzberg, R.W. Analysis of long term reliability of plated-through holes in multilayer interconnection boards. I. Stress analysis and material characterization 87−6202
Vecchio, K.S., Hertzberg, R.W. Analysis of long term reliability of plated-through holes in multilayer interconnection boards. II. Fatigue results and fracture mechanisms 87−6203
Vecchio, P.Del *see* Del Vecchio, P.
Vecchio, R.M.Del *see* Del Vecchio, R.M.
Vecchio, S.R. *see* McAnney, W.H. 86−46828
Vecchio, S.R. *see* Savir, J. 87−44830
Vecchio, S.V. *see* Savir, J. 86−46829
Vecchis, M.de *see* de Vecchis, M.
Vecellio, B. *see* Ball, E.H. 86−51017
Vecellio, B. *see* Gherardi, L. 85−56042
Vecera, F. Steam turbines for industrial power and heating plants 88−43021
Vecera, M. Television test films and patterns(VUZORT) 87−3302
Vecera, S. *see* Pistelak, V. 86−12733, 88−42931
Vecerek, B., Vacroux, A.G. Architecture of optimal rearrangeable switching networks 85−2925
Vecerka, T. *see* Cerovsky, Z. 85−39010, 87−9883
Vechkanov, N.N. *see* Abramov, A.A. 86−2748, 86−28834, 88−65195
Vechkanov, N.N. *see* Belov, A.V. 88−20365
Vechkanov, N.N. *see* Bogatyrev, V.A. 85−24324
Vechkanov, N.N. *see* Bogatyrjov, V.A. 87−7084
Vecht, A. *see* Chandha, S. 85−14920
Vecht, A. *see* Saunders, A. 87−58991
Vechten, D.Van *see* Van Vechten, D.
Vechten, J.A.Van *see* Van Vechten, J.A.
Veciana, A. *see* Perals, C. 88−14934
Vecillio, B. *see* Metra, P. 88−23513
Veck, N.J. Atmospheric transmission and natural illumination (visible to microwave regions) 86−29335
Veck, N.J., Churchill, P.N., Campbell, S., Evans, C. The UK ERS Data Centre, an offline processing and archiving facility 87−57347
Veck, N.J. *see* Quegan, S. 87−49178
Vecrumba, S. *see* Jastrzebski, L. 87−37870 to 37871, 87−38020, 87−53614
Vecsey, B. *see* Fodor, L. 85−56095, 85−62189
Vecsey, G. Superconducting coil development for NET 88−26731
Vecsey, G., Horvath, I., Jakob, B., Kwasnitza, K., Marinucci, C., Weymuth, P., Zellweger, J., Zichy, J.A., Benz, H., Koch, A., Konig, F., Maix, R.K., Marti, H.P., Rauch, J., Roman, T., Segessemann, A. The Swiss LCT-coil 85−56231
Vecsey, G., Horvath, I., Jakob, B., Weymuth, P., Zichy, J.A. Preliminary test results of the Swiss LCT-coil 87−67975
Vecsey, G. *see* Deotto, T. 85−50867
Vecsey, G. *see* Haubenreich, P.N. 88−65099
Vecsey, G. *see* Horvath, I. 85−1935, 86−50264
Vecsey, G. *see* Jakob, B. 88−65084
Vecsey, G. *see* Maix, R.K. 87−38703
Vecsey, G. *see* Marinucci, C. 86−42185
Vecsey, G. *see* Pasztor, G. 86−48035, 88−65049
Vecsey, G. *see* Zichy, J.A. 85−56232, 86−53925, 87−67939
Vecthen, J.A.van *see* van Vecthen, J.A.
Veda, T. New trends of power device technology. II 87−51390
Vedachalam, N. *see* Dhandapani, S.R. 85−26835
Vedak, D.S. *see* Karim, M.A. 87−26499
Vedam, K. *see* Blanco, J.R. 86−26910
Vedam, K. *see* Mu, X.C. 86−15045
Vedam, K. *see* Narayan, J. 88−13108
Vedavathy, T.S. *see* Babu, D.S. 86−54388
Vedder, N. *see* Janitzki, A.S. 87−57141
Vedel, J., Levart, M. 'Spray airless'. Preparation of thin films by pyrolysis of an aerosol 86−13816
Vedel, J. *see* Cowache, P. 86−40090, 86−40157
Vedel, J. *see* Dachraoui, M. 86−40086, 88−17945
Vedel, J. *see* Lincot, D. 87−32430
Vedel, R. *see* Ernoult, M. 88−23993
Vedeneev, A.S., Zhdan, A.G., Sul'zhenko, P.S. Determination of the Hall density and mobility of carriers in inversion layers on semiconductor surfaces 86−14954
Vedeneev, V.I. *see* Kazakov, A.N. 88−30376
Vedenov, A.A. Physics of electric-discharge CO_2 lasers 88−8113
Vedenov, A.A., Gladush, G.G. Effect of melt hydrodynamics on the efficiency of treatment of materials with pulsed laser radiation 85−19062

Vedenov, A.A., Gladush, G.G., Drobyazko, S.V., Pavlovich, Yu.V., Senatorov, Yu.M. Physical laws governing the interaction of pulse-periodic CO_2 laser radiation with metals 85−51317
Vedenov, A.A., Ivanov, O.P., Chernyakov, A.L. Theory of laser radiation damage to surfaces of opaque materials 85−46449
Vedernikov, V.D. *see* Andreev, A.B. 87−52358
Vedernikov, V.M. *see* Baev, S.G. 88−48328
Vedernikova, T.V. *see* Andreev, Yu.M. 86−22524
Vedeshwar, A.G. *see* Karguppikar, A.M. 86−63063
Vedlin, B. Dynamic stability of resonators [lasers] 85−35823
Vedlin, B. *see* Sreckovic, M. 85−2388
Vedral, J. The immunity of process control computing to electrical interference (disturbance) 86−64013
Vedral, J. Parallel A/D convertors 88−19233
Vedral, J. *see* Dado, S. 85−872, 86−41180
Vedral, J. *see* Rett, T. 88−56719
Vedrine, C., Laillier, M. The development of hyperfrequency amplitude measurement 86−60333
Vedy, J.L.G. Design and use of a lean burn sensor for periodic feedback control on fuel injected engines 87−79176
Vedyushkin, G.A., Gavrysh, A.S., Svarovskaya, A.I. Standard measures of the reflection-factor modulus of radio materials 85−20712
Vedyushkin, G.A., Svarovskaya, A.I., Tal’ko-Grintsevich, P.P., Chernyshev, M.G. Precision setup for certification of the modulus of reflection coefficients of radiation absorbing materials in the 1-3 GHz frequency range 87−8719
Veehof, J. Fast peak detection in digital storage scopes 88−47599
Veeke, A.A.van der *see* van der Veeke, A.A.
Veeken, R.W.C.van der *see* van der Veeken, R.W.C.
Veelders, C.J. Slip-ring armature motors 87−15652
Veelders, C.J. New semiconductor element opens up interesting developments. AC-DC converter 87−58202
Veelders, C.J. Another look at the asynchronous machine 87−78676
Veelders, C.J. New tramcars from Grenoble 88−76022
Veen, B.D.van *see* van Veen, B.D.
Veen, B.Van *see* Van Veen, B.
Veen, C.Van *see* Van Veen, C.
Veen, E.H.van *see* van Veen, E.H.
Veen, G.N.A.Van *see* Van Veen, G.N.A.
Veen, H.van der *see* van der Veen, H.
Veen, J.van der *see* van der Veen, J.
Veen, J.W.van der *see* van der Veen, J.W.
Veen, M.van der *see* van der Veen, M.
Veen, N.J.A.Van *see* Van Veen, N.J.A.
Veen, W.M.D.van *see* van Veen, W.M.D.
Veenakumari, C. *see* Madhusudhanarao, G. 87−55967
Veendrick, H.J.M. Short-circuit dissipation of static CMOS circuitry and its impact on the design of buffer circuits 85−1738
Veeneman, D. *see* Mazor, B. 87−48749, 88−72863, 88−73735
Veeneman, D.E., BeMent, S.L. Automatic glottal inverse filtering from speech and electroglottographic signals 85−46726
Veeneman, D.E., Mazor, B. Enhancement of block-coded speech 87−61645
Veenenbos, A.J. *see* Vermeer, A. 88−53978
Veenendaal, Chr.van *see* van Veenendaal, Chr.
Veenhof, R.J. *see* Bettoni, D. 87−21407
Veenhuizen, P.A. *see* Tarnawski, Z. 88−64982
Veenis, A.W. *see* Gall, A.A.M. 88−60513
Veenis, S. Home interactive systems: new media for an information society and its technological innovations 88−53466
Veenstra, H., Karthaus, R.O.E. Microprocessor automation system for substations 88−37331
Veenstra, H., Westerholt, H. Control technique for LSA 678 switchgear plant: requirements, realisation and practical use 88−49071
Veenstra, P.K. Random access memory testing: theory and practice. The gains of fault modelling 87−24185
Veenstra, P.K., Beenker, F.P.M., Koomen, J.J.M. Testing of random access memories: theory and practice 88−25181
Veer, G.C.van der *see* van der Veer, G.C.
Veer, H.van der *see* van der Veer, H.
Veer, J.H.C.Van Der *see* Van Der Veer, J.H.C.
Veer, W.R.Van der *see* Van der Veer, W.R.
Veerabhadra Rao, K., Reddy, V.U. Biphase sequence generation with low sidelobe autocorrelation function 86−49706
Veerabhadra Rao, K., Reddy, V.U. A novel method for constructing a set of Hadamard matrices 87−16452
Veeranna, S. Mudhol mini hydel scheme in Karnataka 87−72029
Veerappa Gowda, G.D. *see* Vanninathan, M. 85−313
Veeraraghavan, S., Foosum, J.G., Eisestadt, W.R. SPICE simulation of SOI MOSFET integrated circuits 87−25279
Veeraraghavan, S. *see* Fossum, J.G. 87−6725, 87−18093
Veeraraghavan, V.G. *see* Ameen, J.G. 85−28257
Veeraraghaven, S. *see* Fossum, J.G. 88−50842
Veeraraghaven, V.G. *see* Ameen, J.G. 86−46082
Veeravalli, V.V., Katti, R.R., Vijaya Kumar, B.V.K., Kryder, M.H. Time-domain model for noise from particulate recording media 87−67756
Veeravalli, V.V. *see* Katti, R.R. 88−71909
Veeravalli, V.V. *see* Vijaya Kumar, B.V.K. 87−61873
Veerendra Rao, C., Hoelzman, R. Interactive computer aided circuit design 85−39867
Veerman, F.W.J. *see* Brokkelkamp, K. 85−47061
Veernam The WIPO proposal and the European directive as proposed by the European commission on semiconductor chip protection 86−26554
Vees, E. Understanding low-pass connector filters 87−45005
Veeser, L., Day, G. Fiber optic, Faraday rotation current sensor 88−47554
Veeser, L.R., Caird, R.S., Fowler, C.M., Erickson, D.J. A fiber optic sensor for measuring multimegampere currents from flux compression generators 85−35416
Veeser, L.R., Caird, R.S., Freeman, B.L., Kania, D.R., Kruse, P.J., Trainor, R.J., Zimmermann, E.L. Single mode fiber optic sensor for high currents 85−3975
Veeser, L.R., Chandler, G.I., Day, G.W. Fiber optic sensing of pulsed currents 88−60753
Veeser, L.R., George, M.J., Menikoff, R., Papatheofanis, B., McGurn, J.S., Gobby, P.L. Sensing of high pressure by shock heating quartz optical fibers 88−42129
Veeser, L.R. *see* Caird, R.S. 87−22612
Veeser, L.R. *see* Day, G.W. 86−68295
Veeser, L.R. *see* Freeman, B.L. 88−43298
Vefsnmo, E.A.M. DASOM−an integrated software engineering tool for telecommunication software systems 86−49168
Vega, C. *see* Ribagorda, A. 87−44211
Vega, C.E.de la *see* de la Vega, C.E.
Vega, E. *see* Allona, J.D. 86−30889
Vega, E. *see* Calvo, M. 85−41730
Vega, L.A. *see* Kalvaitis, A.N. 85−5017
Vega, L.Fernandez *see* Fernandez Vega, L.
Vega, M.J., Pena, J.J., Galvez, M. A slow-functioning electronic differentiator 85−6454
Vega, P.Garcia *see* Garcia Vega, P.
Vega, W.Fernandez de la *see* Fernandez de la Vega, W.
Vega O., M. *see* Afuso H., A. 87−71624
Vega Perez, M., Zsombor Murray, P. Microcomputerized system for measuring distributed contact pressures 86−5884
Vega-Fernadez, J.M. *see* Duque-Carrillo, J.F. 85−17748
Vega-Fernandez, J.M. *see* Duque-Carrillo, J.F. 86−34489, 87−498
Vega-Riveros, J.F. *see* Jabbour, K. 86−10695, 87−64111
Vegal Remesal, A. *see* Fernandez Ramon, C. 86−123
Vegas, A., Calderon, M.A.G., Garcia, J.L. High-power electromagnetic wave propagation in a partially filled plasma waveguide 85−7657
Vegas, A. *see* Bustamante, E.G. 87−73597
Vegas, A. *see* Calderon, M.A.G. 87−24446
Vegas, A. *see* Tazon, A. 88−44354, 88−56906, 88−56979
Veges, I. *see* Goncz, G. 85−59442
Vegesna, R., Hoffman, B., Stanphill, R., Scales, H., Tietjen, D. The high performance integrated processor MC68030 87−37376
Vegesna, R. *see* Holden, K. 87−31942
Vegeto, P.T. *see* Kazi, A.M.H. 87−760
Vegetti, A. Soldering pastes 87−65187
Vegh, A.R. *see* Manoussakis, E.C. 87−42077
Vegh, E. *see* Adorjan, F. 85−32312, 86−33005
Vegh, E. *see* Bota, J. 87−15464
Vegh, E. *see* Burger, G. 85−53453
Vegh, E. *see* Burger, L. 88−17288
Vegh, E. *see* Miller, A.R. 87−19170
Vegh, L.J. *see* Wang, G.N. 85−10304
Veghova, K. *see* Cerven, J. 87−52468
Veghova, K. *see* Oravec, J. 85−19172, 85−19177
Veghte, R.L., Balanis, C.A. Dispersion of transient signals in microstrip transmission lines 87−7561
Veghte, R.L., Balanis, C.A. Dispersion of transient signals in microstrip transmission lines 87−19245
Vegnanarayana, B., Fathima, S.T. An algorithm for bandlimited signal interpolation 87−27430
Vegni, G. *see* Anzivino, G. 88−22961
Vegni, G. *see* Baland, J.F. 88−48000
Vegni, G. *see* Caccia, M. 87−35341
Vegni, G. *see* Igiuni, A. 85−15171
Vegni, L. A spectral domain approach in the design of MIC antenna arrays 87−75627
Vegni, L., Capece, P. A theoretical modeling of the feeding source in microstrip antennas 87−19339
Vegni, L., Cicchetti, R. A theoretical evaluation of mutual coupling effects among transmission lines 85−63483
Vegni, L., Cicchetti, R. MIC antenna arrays for DBS applications 86−59163
Vegni, L., Cicchetti, R. The radar cross section of rectangular MIC-antennas 88−8608
Vegni, L., Grandinetti, U.P., Rispoli, F. Coverage of European areas by shaped beam satellite array antennas for DBS applications 86−29645
Vegni, L., Greco, A., Greco, S. Reflector synthesis by the characteristics method 86−29619
Vegni, L. *see* Bernardi, P. 88−8517
Vegni, L. *see* Cicchetti, R. 88−58947
Vego, M. Soviet submarine communications 88−28220
Vegt, J.van der *see* van der Vegt, J.
Vegter, D. *see* Godefroy, H.W.H.E. 86−5589
Vegvar, P.de *see* de Vegvar, P.
Vegvar, P.G.N.de *see* de Vegvar, P.G.N.
Vehanen, A. *see* Keinonen, J. 88−50704
Vehling, W. *see* Korner, H. 85−32142
Vehse, R.C. *see* Reynolds, C.L., Jr. 88−2137
Veicht, F.J. *see* Wang, G.N. 85−10304
Veiders, E. *see* Giesen, B. 87−22547
Veidt, B.G., Landecker, T.L., Vaneldik, J.F., Dewdney, P.E., Routledge, D. A 408-MHz aperture synthesis radio telescope 86−4786
Veiga, A.De Lima *see* De Lima Veiga, A.
Veiga, E., Kral, R. Conversion of Spanish power stations to mid- and peak-load operation 85−38801
Veiga, E.A.B. *see* Cravo, A.J. 87−22352
Veiga, E.R. Three dimensional circuits: the vertical alternative to VLSI 86−47684
Veiga, G.M. A tale of two digital COs [DMS-100 switching system and 5ESS system] 86−23615
Veiga, G.M. A tale of two digital COs [switching systems] 86−37663
Veiga, P.M.B. Functional fault simulation 88−724
Veiga Perez, M. *see* Parera Bermudez, J. 88−40991
Veiga Salles, J.B., Closs, H., Senna, J.R., Stiles, P.J. Minigaps and high-density activated transport in *n*-channel Si inversion layers 88−57392
Veigandt, V.Ya. Characteristics of a three-phase bridge rectifier with unbalanced operating conditions 87−9662
Veigel, K.-J. *see* Koch, P.J. 86−23369
Veigel, R. EDP−reliable with UPS [uninterruptible power supplies] 85−9971
Veigel, R. The design and operation of switching power supplies 85−39903
Veigel, R. The application determines the technique [power supplies] 86−13967
Veigel, R. Choice aid. Ten practical tips for choosing regulated power supplies 86−33478
Veigel, R. Is the OEM power supply set a standard unit or a special supply pack? 86−52653
Veigel, R. Network-component-specifications and their meanings for the user 87−65816
Veigel, R. Power supply units specifications−their significance for the user. III 87−73277
Veigel, R. Mains adaptor specification−its significance for the user. IV 88−11284
Veigel, R. *see* Wolfle, W. 88−44035
Veijola, T. *see* Junttila, M.-L. 87−68595
Veijola, T. *see* Seppa, H. 87−14477
Veijola, T.V., Valtonen, M.E. Identification of cascaded microwave circuits with moderate reflections using reflection and transmission measurements 88−32409
Veiko, V.P., Tuchkova, E.A., Yakovlev, E.B. Resolving power of laser lithography on thin metal films 85−12380
Veillard, D.H. Compact spectrum recording, a new binary process maximizing the use of a recording channel 85−24146
Veillard, J. Frequency demodulation for DBS using an SAW adaptive filter 87−13639
Veillard, J. *see* Lassalle, R. 86−37839
Veillard, M. *see* Duvic, G. 85−20347
Veillard, M. *see* Garault, T. 88−41837
Veillard, M. *see* Paris, L. 86−62759, 87−20686
Veilleux, C., Lapierre, J., Bures, J. Liquid-crystal-clad tapered fibers 87−18672
Veilleux, C. *see* Black, R.J. 86−2687
Veilleux, C. *see* Gonthier, F. 87−32924
Veilleux, C. *see* Lacroix, S. 86−68224
Veilleux, R. *see* Richard, R. 85−32654
Veillon, F. Study and comparison of certain shape measures 86−64360
Veinberg, D.M., Vereshchagin, V.P., Maiorets, A.A., Spirin, A.V. Influence of spread in parameters of electromagnetic bearing on its characteristics 88−37349
Veinfurt, F. Automatic control scheme for 50 MW steam turbines 87−15553
Veinfurt, F. Control system of steam turbine at Tiszapalkonya power station 87−57917
Veinger, A.I., Kasymova, R.S., Norkulova, Kh.R., Paritskii, L.G. Kinetics of exclusion at high optical excitation rates 85−62436
Veinger, A.I., Lepneva, A.A., Lomakina, G.A., Mokhov, E.N., Sokolov, V.I. Annealing of radiation defects in *n*-type SiC(6*H*) irradiated with neutrons 85−34545
Veinger, A.M. *see* Beloshabskii, V.V. 85−65468
Veinger, A.M. *see* Veinger, M.I. 87−78976

Veinger, M.I., Veinger, A.M., Kalikin, A.Ya., Serapulov, F.N., Seryi, I.M. Features of a linear synchronous motor as a component for a controllable electric drive 87−78976
Veinott, C.G. Effective use of a personal computer for small apparatus design and other engineering uses 88−23992
Veinshtein, R.A., Yudin, S.M., Filippov, S.A. Improving the characteristics of a directional-impedance relay by using a system for eliminating the voltage dead zone 87−64199
Veinter, A.M. *see* Beloshabskii, V.V. 86−26026
Veirman, A.De *see* De Veirman, A.
Veirs, D.K., Chia, V.K.F., Rosenblatt, G.M. Raman spectroscopy applications of an imaging photomultiplier tube 88−1329
Veis, A.N., Grinevich, A.V., Kaldanov, V.I., Mel'nik, R.B., Nemov, S.A. Electrophysical and optical properties of *p*-type PbTe:Ag 88−57330
Veis, R.V., Smil'gis, R.L., Elsts, M.A. Measuring subsystems for digital recording of single signals 88−29205
Veis, V.N. *see* Vilesov, L.D. 85−15035
Veismann, U.K., Room, R.J., Avaste, O.A. Remote sensing of the atmosphere from the 'Salyut' scientific stations 85−48472
Veissire, H., Frade, G. From meeting the needs of its engineers to opening up international cooperation: the French Gas Industry responds to the challenge through continuing engineering education 87−23142
Veit, I. The efficiency of sound transmitters with cylindrically formed PVDF films as active element 86−53872
Veit, I. The efficiency of electroacoustic transducers with 'PVDF' films used to generate sound in the audible frequency range 86−56279
Veit, I., Sander, H. Production of spatially limited 'diffuse' sound field in an anechoic room 87−49383
Veit, J. A contribution to solution of a time-dependent two-dimensional semiconductive structure 87−1169
Veit, K. *see* Zibert, K. 85−6298
Veit, S. *see* Burchards, D. 88−45512
Veitch, A. *see* Rowe, M.C. 88−60593
Veitch, P.J., Blair, D.G., Buckingham, M.J., Edwards, C., van Kann, F.J. A superconducting gravitational radiation antenna 85−62273
Veitch, P.J., Blair, D.G., Linthorne, N.P., Mann, L.D., Ramm, D.K. Development of a 1.5-tonne niobium gravitational radiational antenna 88−9964
Veith, G. Length dependence of correlation coefficients in multimode fibre concatenations 85−20180
Veith, G. Picosecond photoconductive devices for >10 Gbit/s optoelectronic switching 85−56448
Veith, G. Self-phase modulation in optical fibers 88−58143
Veith, G. Useful and detrimental aspects of self-phase modulation in fiber optical applications 88−65187
Veith, G., Pfeiffer, T. Nonlinear optical effects in polarisation-preserving fibres with stress-induced birefringence 88−45556
Veith, G., Schlump, D. Power-dependent bandwidth variation due to self-phase-modulation in long-range single-mode fibre transmission 88−65872
Veith, R. The fabrication technology of Rayleigh wave devices 87−1877
Veith, R.H. Teletext—television stations and their digital information systems 86−10738
Veits, V.L., Ganzburg, L.B., Shestakov, V.M. Design of highly dynamic drive systems with noncontacting synchronous clutches 85−49145
Veits, V.L., Gidaspov, I.A. Dynamic analysis of a closed-loop self-braking mechanism 85−5425
Veitsman, L.Yu., Larina, T.B., Naginaev, V.N. A microprocessor control system for the traction electric drives of an electric train 88−37671
Vejbor, P. *see* Keprt, J. 85−7548
Vejmelka, J. Double single-socket fluorescent lamps 87−58435
Vejnar, L. *see* Navratil, S. 86−66016
Vejrazka, F. *see* Hrdina, Z. 88−22236
Vejtasa, S. Status and comparison of modular generation technologies 86−18726
Vejvoda, S. *see* Hanulak, E. 87−64249
Vekilov, Yu.Kh., Verner, V.D., Egorova, T.I. Theoretical models for the metal-semiconductor contact 87−1305
Veklerov, E. Reliability of redundant systems with unreliable switches 88−6324
Veklerov, E., Llacer, J., Hoffman, E.J. MLE reconstruction of a brain phantom using a Monte Carlo transition matrix and a statistical stopping rule 88−61253
Veklerov, E. *see* Llacer, J. 86−50498
Vekshina, V.S., Drichko, I.L., Pepik, N.I. Absorption of ultrasound in compensated *n*-type InSb at low temperatures 85−23452
Vekshina, V.S. *see* Kiseleva, E.V. 86−21133
Veksler, A.Z., Kobylkin, S.Ya., Lapenkov, M.F., Lyubimtsev, M.Ya., Nogina, T.G., Rassokhin, V.N. Test system for certifying standard samples of magnetic properties under pulse conditions 88−53832
Veksler, A.Z., Postovalova, L.Ya. Specific magnetic losses of magnetically soft materials at a remagnetization frequency of between 50 Hz and 200 kHz 87−8715
Veksler, A.Z. *see* Radionova, L.Kh. 88−51168
Veksler, B.E. *see* Abramov, A.G. 85−4429
Veksler, N.V., Kalinin, A.V., Korotkov, V.S., Turchin, V.I. Measurement of antenna beam patterns in polarization and phase and of amplitude-phase distributions by the correlation method using extraterrestrial sources of radio emission 86−3658
Vel, O.Y.De *see* De Vel, O.Y.
Velaerts, B., Mathys, P., Tatakis, E., Bingen, G. A novel approach to the generation and optimization of three-level PWM wave forms for induction motor inverters 88−75618
Velamuri, S.R. *see* Martin, H.L. 88−48511
Velamuri, S.S. *see* Glover, J.R., Jr. 87−29768
Velander, W., White, D., Jr. Induced convective effects on intrawafer uniformity in LPCVD 87−52179
Velanishkis, I.M., Agatov, I.O. Experience in the design and construction of the Kaisiadorys pumped-storage station 86−45247
Velarde, G., Aragones, J.M., Honrubia, J.J., Martinez-Val, J.M., Minguez, E., Ocana, J.L., Perlado, J.M. Simulation code for ICF including radiative energy transfer 88−62489
Velarde, G., Aragones, J.M., Honrubia, J.J., Martinez-Val, J.M., Minguez, E., Ocana, J.L., Perlado, M.J. The role of university departments in developing and transferring advanced nuclear technologies: a case for nuclear fusion 86−39362
Velarde, M.G. *see* Garcia-Fernandez, P. 88−51931
Velardi, P., Forcina, A. Reliability analysis of multipath interconnection networks 86−62322
Velasco, F.R.D. *see* Mota, F.A. 87−19854
Velasco, G. Microionic components 85−14786
Velasco, G. *see* Blumenfeld, H. 85−43184
Velasco, G. *see* Pham Thi, M. 85−18773
Velasco, G. *see* Pham-Thi 88−32500
Velasco, G. *see* Pham-thi, M. 86−35134, 86−53078
Velasco, G. *see* Pribat, D. 88−35957
Velasco, J. *see* Battiston, R. 85−59224
Velasco, J. *see* Cases, R. 87−29434
Velasco, J. *see* Checchia, P. 86−65330
Velasco, J. *see* Gomez, J.J. 88−22921
Velasco, J.B. Improved FFSK mobile data transmission 88−73820
Velasco, V. *see* Youla, D.C. 86−48920
Velasquez, A.M. *see* Reass, W.A. 88−69666
Velayudhan, C., Bundell, J.H. A new automatic generation controller for a wind-driven slip-ring induction generator 85−5034
Velayudhan, C., Bundell, J.H. Simple inductive displacement transducer 85−8825
Velayudhan, C., Bundell, J.H. A variable-speed, constant frequency wind power generation scheme using a slip-ring induction generator 85−53646
Velayudhan, C., Bundell, J.H. A precision torque measurement transducer system 86−5288
Velayudhan, C., Bundell, J.H., Leary, B.G. A solid-state controller for a wind-driven slip-ring induction generator 85−5094
Velayudhan Nayar, C., Bundell, J.H. Output power controller for a wind-driven induction generator 87−72068
Velazco, R. Fault localisation when testing complex circuits 86−162
Velazco, R. Test and diagnosis problems in VLSI; experiences on microprocessor test and diagnosis 88−795
Velazco, R., Ziade, H., Kolokithas, E. A microprocessor test approach allowing fault localisation 86−46915
Velazco, R. *see* Bellon, C. 85−858, 85−42881, 86−24317
Velazquez, A. *see* Medina, J.L. 86−4612
Velazquez, D.J., Toth, J.J., III Benefits of an automated on-line harmonic measurement system 86−5024
Velazquez, D.J. *see* Toth, J.J., III. 86−38219, 87−15179
Velazquez, R., Mukhedkar, D. Measurement of grounding electrode resistance in special applications 85−27114
Velazquez, R. *see* Carrillo, V.M. 87−78107
Velazquez, R. *see* Loeloeian, M. 86−18887
Velazquez, R. *see* Nagar, R.P. 86−18886
Velazquez, R. *see* Wang, W. 85−22194
Velazquez-Blanco, P. *see* Ramos-Niembro, G. 87−78182
Velazquez-Ramos, J. *see* Li, S.-W. 85−23018
Velazquez-Ramos, J. *see* Li, S.-W. 86−34977
Velbeck, K., Szalanczy, A., Leslie, D., Tawil, R.A. A ruggedized pulse counting detector 85−43192
Vel'bel', A.M. *see* Krishnevskii, B.A. 85−58954
Velchev, N. *see* Nachev, I. 85−12027
Velchev, N.B., Petrov, I.R. Influence of temperature on the potential and field distributions in microresistors and Halltrons for MOS integrated circuits 85−29324
Velchev, N.B. *see* Beshkov, G.D. 88−33075
Velcich, A. The first hundred years of the Italian electricity supply industry 87−9086
Velculescu, V.G. *see* Chis, I. 88−45357
Velculescu, V.G. *see* Grigorescu, D. 87−12402
Veld, S.H.in't *see* in't Veld, S.H.
Velde, C.Vander *see* Vander Velde, C.
Velde, H.van der *see* van der Velde, H.
Velde, J.-C.Van de *see* Van de Velde, J.-C.
Velde, J.C.Van de *see* Van de Velde, J.C.
Velde, J.C.Van De *see* Van De Velde, J.C.
Velde, J.C.Van Der *see* Van Der Velde, J.C.
Velde, K.van de *see* van de Velde, K.
Velde, T.S.Te *see* Te Velde, T.S.
Velde, W.van der *see* van der Velde, W.
Velden, D.van der *see* van der Velden, D.
Veldhoen, G.J. Network management 88−54934
Veldhuis, D. *see* Rillo, C. 88−20270
Veldhuis, R.N.J. A method for the restoration of burst errors in speech signals 87−47576
Veldhuis, R.N.J., Janssen, A.J.E.M. A unified approach to the restoration of lost samples in discrete-time signals 88−3119
Veldhuis, R.N.J., Janssen, A.J.E.M., Vries, L.B. Adaptive restoration of unknown samples in certain time-discrete signals 86−16396
Veldhuis, R.N.J. *see* Janssen, A.J.E.M. 86−43225
Veldhuis, R.N.J. *see* van der Waal, R.G. 87−75849
Veldhuis, R.N.J. *see* van Otterloo, P.J. 85−57542
Veldhuizan, E.D.van *see* van Veldhuizan, E.D.
Veldhuizen, E.D.van *see* van Veldhuizen, E.D.
Veldhuizen, E.M.van *see* van Veldhuizen, E.M.
Veldhuizen, F.T. *see* Bulos, F. 88−54364
Veldhuizen, M.van *see* van Veldhuizen, M.
Velding, W.E. *see* Knottnerus, P. 86−33989
Veldkamp, W.B. Diffractive optics and its applications in IR systems 88−22602
Veldkamp, W.B., Leger, J.R., Swanson, G.J. Coherent summation of laser beams using binary phase gratings 86−48474
Veldkamp, W.B., Swanson, G.J., Shaver, D.C. High efficiency binary lenses 85−41198
Veldkamp, W.B. *see* Leger, J.R. 86−48469, 88−8266
Veldkamp, W.B. *see* Swanson, G.J. 86−3353
Veldkamp, W.F. *see* Leger, J.R. 88−51793
Veldsman, A. Integrated logistic support systems for 'hi-tech' electric locomotives for South African Transport Services 87−79132
Velebir, J. *see* Berenz, J. 87−59878
Velebir, J.R. *see* Dupuis, R.D. 86−22234, 86−36331, 86−48285, 86−54039, 87−12316
Veledar, M. *see* Dilberovic, N. 86−51035, 87−15331
Veledar, M. *see* Nuic, S. 88−1811
Veletskas, D. *see* Baltrameyunas, R. 85−46492
Velev, K. *see* Bozhanov, E. 87−31313
Veley, V.F. Modern microwave technology 88−11572
Velez, E., Lowenstein, A., Winter, G. Dictionaries: an essential concept for implementing CAE infrastructure 88−61772
Velez, R. *see* Rucker, L.D. 86−51411
Velghe, M. First operation of the storage ring free electron laser in visible range 86−9891
Velghe, M., Deacon, D.A.G., Ortega, J.M. Realization of a variable aperture diaphragm working in ultra high vacuum 85−12908
Velghe, M. *see* Benson, S.V. 87−2143
Velghe, M. *see* Bergher, M. 85−59043
Velghe, M. *see* Billardon, M. 85−56708, 86−3194, 87−39146, 87−75139
Velghe, M. *see* Deacon, D.A.G. 85−41419
Velghe, M. *see* Elleaume, P. 85−12916, 85−56709, 86−3192
Velghe, M. *see* Girard, B. 85−18960
Velghe, M. *see* Orgeta, J.M. 86−3201
Velghe, M. *see* Ortega, J.M. 85−2171, 85−56710
Velghe, M. *see* Stolovy, G. 87−19016
Velghe, M.F., Elleaume, P. FEL optics coating test device 87−75189
Velghe, M.F. *see* Robinson, K.E. 85−18957
Velicescu, M. High-energy product magnets from (Sm, Pr, Nd)-Co alloys 86−9416
Velichanskii, V.L., Zibov, A.S., Malakhova, V.I., Sautenkov, V.A., Senkov, N.V. Capture of the frequency of a powerful semiconductor laser by radiation from a highly coherent external resonator-equipped injection laser 87−46902
Velichanskii, V.L. *see* Abul'shin, A.M. 87−68381
Velichanskii, V.L. *see* Akul'shin, A.M. 86−36495, 87−26410
Velichanskii, V.L. *see* Baev, V.M. 86−9818
Velichanskiy, B.N. *see* Abramov, V.A. 87−39382
Velichkin, A.I., Surovtsev, Yu.A., Tatarskiy, B.G. Determination of the parameters of a quantizer in a PCM radio communication system 85−8306
Velichko, G.A., Korogodin, A.M. On a method of design of cyclic codes optimised for the Hamming maximum distance criterion 87−75717
Velichko, N.I. *see* Markus, A.M. 87−59034
Velichko, O.A. Welding T joints in AMg6 aluminium-magnesium alloy with a CO_2 laser 88−55990

Velichko, O.I. Incorrectness of the use of thermal diffusion models for the description of ion-implanted dopant distributions 87−67187
Velichko, O.I., Labunov, V.A. Model of diffusion of ion-implanted impurities, taking into account the effect of radiation defects created by ion implantation on the diffusion process 87−1395
Velichko, S.A., Kalmykov, A.I., Sinitsyn, Yu.A., Tsymbal, V.N. Influence of wind waves on radar reflection by the sea surface 88−72546
Velichkov, J.N. *see* Nikolov, N.A. 88−58398
Velickovic, D. *see* Vasiljevic, Lj. 85−37965
Velickovic, D.M. *see* Surutka, J.V. 85−24947
Velicu, G. *see* Cramariuc, R. 88−57274
Veliev, E.I. Electromagnetic wave diffraction by the grating of the partially screened dielectric rods with a circular cross-section 85−35982
Veliev, E.I. *see* Androsov, V.P. 85−61438, 86−36774
Veliev, Z.A. Current-voltage characteristics of semiconductors with oriented charged dislocations 85−28928
Veligdan, J.T. Au-Ga alloy film acoustic bonding 85−62417
Velikanov, S.D., Zapol'skii, A.F., Sinitsin, M.V., Sheremet'ev, Yu.N. Electrical-discharge HF laser with an output energy in excess of 20 J and a high technical efficiency 85−41345
Velikaya, E.I. *see* Kolesov, I.S. 87−53821
Velikhov, E.P. *see* Abil'siitov, G.A. 86−38805
Velikhov, V.E. *see* Matveenko, L.I. 86−30929
Velikotskii, V.N. *see* Korobkin, V.A. 86−67468
Velikotskiy, V.N. *see* Korobkin, V.A. 88−952
Velikov, L.V. *see* Ageev, V.P. 88−33092
Velikov, L.V. *see* Aleksandrov, Yu.M. 87−6801, 88−13843
Velikov, L.V. *see* Bogdanov, A.L. 86−58362, 87−38393, 88−13261
Velikov, L.V. *see* Brogdanov, A.L. 86−47444
Velikov, L.V. *see* Kramarenko, A.S. 86−21684
Velikov, L.V. *see* Valiev, K.A. 86−21296, 86−58363, 86−67908, 88−20721
Velikov, V.A., Shpan'on, P.A. Evaluation method for the error in reproducing modulation and harmonic coefficients of an envelope when converting the carrier frequency of an AM signal 85−46682
Velikova, N.G. *see* Kirilenko, V.V. 85−1327 to 1328
Velikovich, A.L., Garkavenko, A.S., Golubev, G.P., Kalendin, V.V., Levinskii, B.N. Modulation of argon laser radiation by broadening of an exciton level in a CdS crystal 85−56510
Velikovich, A.L., Garkavenko, A.S., Kalendin, V.V., Kukhtevich, V.I., Levinskii, B.N. Feasibility of using optical and electron pumping to modulate CO_2 laser radiation in CdS and GaAs crystals 86−29214
Velikovich, A.L. *see* Bakiev, A.A. 88−26913
Velikovich, A.L. *see* Felber, F.S. 88−40474
Velikovich, A.L. *see* Golubev, G.P. 88−2371
Velikovich, A.L. *see* Liberman, M.A. 88−40473
Velikson, Ya.M. Integrated-circuit ADC in an angular-displacement sensor for a sine-cosine rotating transformer 87−63334
Velimamedov, D.M. *see* Aliev, A.A. 85−12805
Velimir, S. Forms of conductor insulation and of sheaths for telecommunications cables with an examination of the occurrence of diffusion 85−25690
Velin, A.V., Volovich, G.I. Experimental determination of frequency response of pulse-amplitude systems 86−64243
Veling, E.J.M. *see* Grasman, J. 85−628
Velinov, I. *see* Beshkov, G. 86−26818
Velisar, I. *see* Cramariuc, R. 88−57274
Velius, G. Variants of cepstrum based speaker identity verification 88−72832
Veliyev, E.I. *see* Androsov, V.P. 87−52812
Veliyulin, E.I., Lyapin, R.Kh., Musaev, S.A., Rustambekov, B.M. Signal splitter in electric-reflection spectrometer 86−31331
Veljanovski, C. Regulatory options for cable TV in the UK 85−26055
Veljko, V. *see* Irena, C. 85−53011
Veljkovic, Z. *see* Brkovic, M. 88−13410
Velkoff, H.R., Kaveh, F., Yamamoto, T. A study of the interaction between an electrostatic field and a two-dimensional jet 88−27414
Velkov, F.I., Daskalova, H.G. State of the art and comparative analysis of local nets for information transmission 86−37493
Velkov, F.I., Daskalova, H.G. Module design of low-speed modems 86−37627
Velkov, F.I. *see* Mladenov, D.I. 86−37955
Velkov, K. *see* Bourev, D. 85−65106
Vell, S.V. *see* Hagler, M.O. 86−36369
Vella, E. *see* Akesson, T. 86−18235
Vella, E. *see* Dubois, R. 86−50321
Vella, P.J., Garel-Jones, P.M., Lowe, R.S. Field-usable chromatic dispersion test set for single-mode fiber 85−41116
Vella, P.J. *see* Hughes, R. 86−48157
Vella, P.J. *see* So, V. 87−7104
Vella, P.J. *see* So, V.C.Y. 88−26770
Vella-Coleiro, G.P. Optimization of the optical sensitivity of p-i-n FET receivers 88−60147
Vella-Coleiro, G.P. *see* Cheng, C.-L. 88−73921
Vella-Coleiro, G.P. *see* Cheng, C.L. 88−33904
Vella-Coleiro, G.P. *see* Cummings, K.D. 86−63144, 87−2016, 87−11590
Vella-Coleiro, G.P. *see* Kim, S.J. 88−7626, 88−56918
Vella-Coleiro, G.P. *see* Pearton, S.J. 86−21654
Vellandi, B.L. *see* Lightner, M.R. 86−34480
Vellandi, H.P. *see* Lightner, M.R. 86−34480
Vellas, J.R. *see* Attal, J. 85−9388
Velleaud, G. *see* Mercier, M. 87−45483
Vellejo, C., Mora, F.A., Ruesta, V. Design of a personal computer-based system for analysis of the high frequency ECG from Chagasic patients 85−48292
Vellekoop, M.J., Nieuwkoop, E., Haartsen, J.C., Venema, A. A monolithic SAW physical-electronic system for sensors 88−60712
Vellekoop, M.J. *see* Barendsz, A.W. 87−3602
Vellekoop, M.J. *see* Nieuwenhuizen, M.S. 86−31348
Vellekoop, M.J. *see* Venema, A. 87−29097, 87−49678
Vellema, R.W. Accounting for fuel costs 86−12266
Vellema, R.W. Possibilities for regulatory elements in the structure of the Dutch electricity tariffs 86−70581
Vellenga, J.H. *see* Rosebrugh, C.P. 86−668
Veller, V.N., Zhuravleva, A.A. An improved angular-velocity transducer 86−38323
Vellieux, B. Processes and methods of manufacture of integrated circuits. III 85−12382
Vellieux, B. Fast analysis and synthesis of active RLC circuits 86−41225
Vellieux, B. Electronics of local networks; circuits and cards 87−28274
Vellieux, B. Local industrial networks: applications, constraints and solutions 87−48630
Vellieux, B. Personal computing and data transmission. I 87−69700
Vellieux, B. The ISDN: principles and technologies 88−3382
Vellieux, B. The Motorola MC68605 X25 link controller 88−15248
Vellieux, B., Riva, R. The bubble memory: principles and technology 87−1901
Velluet, M.T., Graindorge, Ph., Arditty, H.J. Fiber optic pressure sensor using white light interferometry 88−42131
Velman, J. *see* Pelka, E.J. 85−37139
Velmans, M. *see* Sokol, B.J. 88−30045
Velmolt, C.H.v. *see* Heidrich, H. 88−67406
Velmre, E.E., Dermenzhi, P.G., Udal, A.E. Influence of the lifetime distribution of electrons and holes on the reverse recovery process of p^+-n-n^+ diodes 86−21493
Velmre, E.E., Freidin, B.P. Numerical modelling of transient processes in gallium arsenide diode structures 85−18274
Velmre, E.E., Freidin, B.P. Numerical modeling of nonisothermal transients in gallium arsenide diode structures 87−53469
Velo, C. *see* Mahdavi, J. 85−64221
Velona, F. The transfer of technology in the field of electric power 86−39435
Velona, F. *see* Carle, R. 86−65857
Veloric, H., Dugan, M.P., Morris, W., Denning, R., Schnable, G. Reliability of CMOS/SOS integrated circuits 85−1748
Veloric, H.S. RCA hardened integrated circuit development 85−50715
Velotta, C. Safety labels: What to put in them, how to write them, and where to place them 88−6210
Velsher, B. Tolerance analysis in electronic packaging 87−65194
Velsko, S., Eimerl, D. New frequency conversion materials for high power lasers 87−46982
Velsko, S.P., Davis, L., Wang, F., Monaco, S., Eimerl, D. Organic nonlinear crystals and high power frequency conversion 88−51946
Veltchev, A. *see* Lingorski, N. 87−22902
Velte, C.E. Information testing without audience divination 86−40479
Velte, C.E. Linking technology and users: a weak link explored 87−43839
Velte, C.E. Does online editing promote trespassing? 88−6178
Velten, E.H. The ESA remote sensing satellite system (ERS-1) 85−26893
Velten, E.H., Dieterle, G.H. Development status of the ERS-1 payload instruments 87−57390
Velten, H.W. *see* Groh, K.H. 85−31942 to 31943
Velten, V.J. *see* Clark, L.G. 88−22212
Velthof, J.H.M. Developing the NTU function for the ISDN basic access 87−28328
Velthof, J.H.M. *see* Lemstra, W. 87−2969
Veltkamp, J.W.C. *see* Schropp, R.E.I. 86−9143
Veltri, R. *see* Biscontin, A. 86−50143
Veltrie, J. Identification of training and emergency planning needs through job safety analysis 87−43917
Velu, E.M.T., Subbarao, E.C. Rare earth-transition metal alloy permanent magnet materials: 1960-85 [bibliography] 87−7023
Veluard, P. *see* Arignon, M. 85−48171
Veluchamy, V.K. *see* Rao, N.S.R. 86−37909
Veluri, V.R. *see* Moe, H.J. 88−54386
Veluswamy, S. An alternative to direction finding−CRT display 86−23992
Veluzat, P., Goddet, T. New trends in rigid insulation of turbine generators 88−30654
Velzel, C.H.F. Optical computing 86−2888
Velzel, C.H.F. Diffraction measurement of the core diameter of graded-index fibers for optical communication 87−46517
Velzel, C.H.F. *see* Asjes, R.J. 87−77406
Velzen, P.N.T.van *see* van Velzen, P.N.T.
Vembar, M., Mohan, S. Backward adaptive tree encoding of line drawings 87−55318
Vembar, M., Mohan, S. Tree encoding of line drawings 88−72740
Vembu, N.S. *see* Rao, K.L. 85−63789
Vembu, N.S. *see* Rustogi, D. 85−30958
Vempati, N., Shoults, R.R., Chen, M.S., Schwobel, L. Simplified feeder modeling for loadflow calculations 87−42445
Vemula, R., Lee, E. A microprocessor-based noise cancellor for the cockpit 86−70504
Vemula, R., Lee, E., Boukis, G. A novel voice activated switch (VOX) for high noise environments 86−6042
Vemula, R., Lee, E., Boukis, G. A novel voice activated switch (VOX) for high noise environments 86−12088
Vemula, R., Lee, E.H., Boukis, G. Voice technology improves operation of military intercom systems 86−36975
Vemuri, B.C., Aggarwal, J.K. 3-dimensional reconstruction of objects from range data 85−30448
Vemuri, B.C., Aggarwal, J.K. Representation and recognition of objects from dense range maps 88−28022
Vemuri, B.C., Aggarwal, J.K. Localization of objects from range data 88−73376
Vemuri, B.C., Mitiche, A., Aggarwal, J.K. Curvature-based representation of objects from range data 86−64338
Vemuri, S., Hoveida, B., Mohebbi, S. Short term load forecasting based on weather load models 87−71626
Vemuri, S., Kumar, A.B.R., Halimah, A.A., Eisenhauer, J.T., Akins, N., Munson, M., Ward, D. Fuel resource scheduling implementation in SWEPCO energy management system 86−50905
Vemuri, S. *see* Kumar, A.B.R. 87−30292
Vemuri, S. *see* Sethi, I.K. 87−62381, 88−34771
Ven, A.A.F.Van De *see* Van De Ven, A.A.F.
Ven, E.P.van de *see* van de Ven, E.P.
Ven, H.H.van de *see* van de Ven, H.H.
Ven, J.C.J.Van de *see* Van de Ven, J.C.J.
Ven, J.van de *see* van de Ven, J.
Ven Beek, H.W. ASIC design support 87−74405
Vena, P.A. *see* Binder, R. 87−34494
Venable, D. K factor simplifies linear amplifier design 88−25022
Venable, H.D. Testing power sources for stability 85−32629
Venable, H.D. Testing modern power supplies 86−27077
Venable, H.D. Integrated frequency response modelling and measurement system with FILE MATH 86−52625
Venable, H.D. Design guidelines for housekeeping DC/DC converters 86−52997
Venable, H.D. Optimum feedback amplifier design for control systems 87−37033
Venable, H.D. Minimizing input filter requirements military power supply design 87−65829
Venable, H.D. Advantages of higher switching frequencies in feedback control loop design 87−78811
Venable, H.D. Stability measurement in voltage regulating devices 88−12196
Venable, H.D. Design and analysis of feedback control loops using the K-factor 88−12236
Venable, H.D. Specify gain and phase margins on all your loops [in power supplies] 88−25000
Venable, T.C. *see* McMahon, M.D. 87−72222
Venables, B.J. *see* Daugherty, K.E. 87−64233
Venables, B.R. Issues affecting the Electricity Supply Industry 87−42397
Venables, J.A., Cowley, J.M., von Harrach, H.S. A field-emission STEM for surface studies 88−44531
Venables, K. *see* Horner, S. 87−3496
Venables, R.J. *see* Brown, M.J. 85−61106
Venaglioni, A. *see* Balestra, F. 85−37946
Venard, C., Izabel, P. Sizing RATP's traction power supply fixed equipment: the MARCADET software 88−69839
Venatovsky, I.V., Lonch, O.G., Okishev, S.G. The fiber optics converter for continuous and discrete recording of oscillograms on the cine film using high-speed and super-speed cameras 86−5090
Venatovsky, I.V., Tsukanov, A.A., Kirillov, V.A. The VK-8L high-speed camera 86−5082
Venbrux, J. *see* Maki, G.K. 87−39671
Venchiarutti, V. *see* Francini, F. 86−4948
Venczel, A. *see* Jagob, C. 88−23721
Vendange, P. *see* Henry, A. 87−17680
Vendel, J. *see* Daniel, F. 87−47109
Vendel, J. *see* Mulcey, P. 88−48041
Vendelin, G., Mueller, W., Khanna, A., Soohoo, R. A 4 GHz DRO 87−994
Vendelin, G.D., Mueller, W.C. Noise parameters of microwave transistors 88−19369

Venden Heede, T.M. Build a cost-effective EPROM programme with the Z8 85−28513
Venderbosch, H.J. *see* Ruhle, W. 85−25494
Venderbosch, H.W., Fresen, R. Condensate polishing with cation-anion-cation filters 86−65937
Vendik, O.G., Bel'ski, M., Gaidukov, M.M., Kozyrev, A.B., Popov, A.Yu. Influence of a superconducting film placed in a rectangular waveguide on the conditions of propagation of the fundamental mode in it 88−72622
Vendik, O.G., Gaidukov, M.M., Kozyrev, A.B., Samoilova, T.B., Zelenkevich, M. Investigation of impact ionization in a silicon single crystal at T=4.2K 85−61668
Vendik, O.G., Kozyrev, A.B., Morozik, V.P., Ruban, A.S. Superconducting LC circuit using a niobium film 85−46114
Vendik, O.G., Kozyrev, A.B., Popov, A.Yu., Bel'ski, M. Change in parameters of a microstrip line during switching from the superconducting to the normal conducting state 87−12069
Vendik, O.G., Mironenko, I.G., Ter-Martirosyan, L.T. Advances in ferroelectric control devices for the higher UHF range 88−57853
Vendik, O.G., Zaionchkovskii, A.Ya., Kolesov, S.G., Pakhomov, O.V., Ruban, A.S. Experimental study of superconducting microwave microstrip lines 88−70956
Vendik, O.G., Zaionchkovskii, A.Ya., Kolesov, S.G., Tereschchenko, L.L. Investigation into operating modes of cryotron controlled by heterolaser emission 86−22040
Vendik, Yu.G., Kozyrev, A.B. Superconducting films in microwave electronics (survey) 85−23088
Venditti, C. MOSFET circuit debounces power relay 87−65804
Venditti, P. *see* Messore, G.A. 86−39476
Venditti, V., Opalski, S., Stemmler, B. Software controlled extended frame format PCM transceiver chip 86−67255
Vendituoli, P. *see* Baker, R. 88−29255
Vendl, D., Gearhardt, K. Front-end tools ease test-generation chores 87−10559
Vendrovskiy, Ye.K. Detection of jumps in a piecewise-constant Markov signal in the presence of Poisson interference 86−29911
Vendryes, G. European cooperation on fast breeder reactors 85−43812
Vendryes, G. The French liquid-metal fast breeder reactor program 85−43826
Vendryes, G. The development of nuclear power in France 85−48671
Vendryes, G. Plutonium breeding in liquid-metal fast breeder reactors and light water reactors 86−12619
Vendura, G. *see* Tandon, J.L. 87−6622
Vendura, G.J., Jr. Mechanism of ultrasonic welding to advanced Si and GaAs solar cells 86−7031
Vendura, G.J., Jr., Taverner, T.M. Gettering enhancement of polycrystalline solar cells 86−13083
Vendura, G.J., Jr. *see* Gersten, S.W. 87−10414
Vendura, G.J., Jr. *see* Michel, C.G. 87−78919
Venediktov, G.L. Voltage across phase-shifting components with imbalance of 3-phase currents at the output of static electromagnetic phase inverters 88−5773
Venediktov, M.D. *see* Bessarabova, A.A. 85−2828
Venediktov, Yu.P., Dzhodzhua, A.S., Isachenko, V.I., Ksenofontova, I.V., Melina, K.N., Repin, O.M. Automated calculation of toroidal transformers of semiconductor voltage converters at maximum performance 87−58207
Venediktov, Yu.P., Ksenofontora, I.V., Melina, K.N., Repin, O.M. Analysis of the error in calculating the reliability of redundant circuits 88−31563
Venekamp, H.-P. A power supply concept for telecommunication installations 87−43210
Venekamp, H.-P. *see* Ruger, H. 86−33795
Veneklasen, L. *see* King, H.J. 85−29261
Veneklasen, L.H. A high speed EBL column designed to minimize beam interactions 85−34705
Veneklasen, L.H. Electron beam lithography and information transfer 86−21662
Venema, A., Nieuwkoop, E., Vellekoop, M.J., Ghijsen, W.J., Barendsz, A.W., Nieuwenhuizen, M.S. NO$_2$ gas-concentration measurement with a SAW-chemosensor 87−49678
Venema, A., Nieuwkoop, E., Vellekoop, M.J., Nieuwenhuizen, M.S., Barendsz, A.W. Design aspects of SAW gas sensors 87−29097
Venema, A. *see* Barendsz, A.W. 87−3602
Venema, A. *see* Nieuwenhuizen, M.S. 86−31348
Venema, A. *see* van den Berg, P.M. 85−35276
Venema, A. *see* Vellekoop, M.J. 88−60712
Venema, A. *see* Visser, J.H. 87−67689
Venema, J. *see* Beuwer, W. 88−73648
Venema, Z. *see* Paulissen, L.M.M. 86−51004
Veneman, D. *see* Mazor, B. 87−27341
Venemans, P.H.A. *see* Westerveld, J.R. 88−59492
Veneracion, E. *see* Conrad, B. 87−79077
Venersanopoulos, A.N. *see* Lee, S. 86−14394
Veneruso, A.F. *see* Tittle, C.W. 85−59449
Venet, C., Baudet, P. 2-20 GHz hybrid GaAs MESFET distributed amplifier 85−40234
Venets, V.I. Continuous algorithms for solution of convex optimization problems and finding saddle points of convex-concave functions with the use of projection operations 86−7658
Venetsanipoulos, A.N. *see* Karayiannis, N.B. 88−41001
Venetsanopolous, A.N. *see* Loui, A.C.P. 88−32334
Venetsanopoulos, A., Pitas, I. A class of nonlinear mean filters for image processing 87−2602
Venetsanopoulos, A. *see* Karayiannis, N. 87−918
Venetsanopoulos, A. *see* Lee, S. 86−1297
Venetsanopoulos, A. *see* Mendonca, G.V. 86−62785
Venetsanopoulos, A. *see* Mertzios, V. 87−44930
Venetsanopoulos, A. *see* Mitsiadis, G. 86−38782, 87−55253
Venetsanopoulos, A. *see* Pitas, I. 86−3997, 88−34650
Venetsanopoulos, A. *see* Varoufakis, S. 85−46852
Venetsanopoulos, A. *see* Zervos, N. 85−19306, 85−41822
Venetsanopoulos, A.N. Design and realization of two-dimensional digital filters 88−892
Venetsanopoulos, A.N. Digital image processing and analysis 88−14844
Venetsanopoulos, A.N. A survey of multidimensional digital signal processing and applications 88−27877
Venetsanopoulos, A.N., Mertzios, B.G. Realization of multidimensional digital filters on the basis of the decomposition theorem 85−23046
Venetsanopoulos, A.N., Mertzios, B.G. A decomposition theorem and its implications to the design and realization of two-dimensional filters 86−29854
Venetsanopoulos, A.N., Mertzios, B.G., Mneney, S.H. Effects of finite precision in two-dimensional recursive digital filters 85−34069
Venetsanopoulos, A.N., Singh, I. Topological optimization of communication networks subject to reliability constraints 86−64672
Venetsanopoulos, A.N., Ty, K.M., Loui, A.C.P. High-speed architectures for digital image processing 87−73552
Venetsanopoulos, A.N., Waung, W. Adaptive bifurcation routing algorithms for computer-communication networks 85−57558
Venetsanopoulos, A.N., Zervakis, M.E. Design of three-dimensional digital filters using transformation techniques 86−67402
Venetsanopoulos, A.N., Zervakis, M.E. A survey of multidimensional, digital signal processing and applications 88−21364
Venetsanopoulos, A.N. *see* Ardouin, J.-P. 88−46315
Venetsanopoulos, A.N. *see* Cappallini, V. 86−32303
Venetsanopoulos, A.N. *see* Chiang, H. 86−67418, 87−17242
Venetsanopoulos, A.N. *see* Chiang, N.-H. 87−903
Venetsanopoulos, A.N. *see* Ding, R. 87−75864, 88−3214
Venetsanopoulos, A.N. *see* Fung, J.S.C. 87−62050
Venetsanopoulos, A.N. *see* Hinamoto, T. 86−1274, 86−35009, 86−62762, 88−19276, 88−38329
Venetsanopoulos, A.N. *see* Ho, T.V. 87−29706, 87−33751
Venetsanopoulos, A.N. *see* Karayiannis, N.B. 87−2644, 87−69361, 88−14763, 88−56798
Venetsanopoulos, A.N. *see* Levy-Mandel, A.D. 86−56102
Venetsanopoulos, A.N. *see* Lou, Y. 87−59768, 87−66403, 88−38627
Venetsanopoulos, A.N. *see* Mendonca, G.V. 87−32009
Venetsanopoulos, A.N. *see* Mertzios, B.G. 85−6442, 85−34088, 86−34998, 87−919
Venetsanopoulos, A.N. *see* Mertzios, V.G. 85−46847 to 46848
Venetsanopoulos, A.N. *see* Mertzois, B.G. 86−48900, 87−52755
Venetsanopoulos, A.N. *see* Mittal, K.K. 86−24008
Venetsanopoulos, A.N. *see* Molle, M.L. 87−75965
Venetsanopoulos, A.N. *see* Nikias, C.L. 85−17745, 85−57356, 86−16384, 87−27544, 87−47679
Venetsanopoulos, A.N. *see* Pitas, I. 86−14378, 86−18629, 86−59347, 86−62767, 86−64330, 86−69136, 87−55341, 87−62374, 87−63926, 88−3202, 88−3215, 88−23177, 88−54810, 88−56792
Venetsanopoulos, A.N. *see* Pitas, J.K. 86−1282, 87−904
Venetsanopoulos, A.N. *see* Polyzos, G.C. 86−54620, 88−14855
Venetsanopoulos, A.N. *see* Sohraby, K. 85−42289, 87−33849, 87−40005, 87−62401, 88−9177
Venetsanopoulos, A.N. *see* Sun, X.Z. 86−20738, 86−69110, 88−34666
Venetsanopoulos, A.N. *see* Ty, K.M. 86−14413, 86−57991, 87−10984, 87−59734
Venetsanopoulos, A.N. *see* Van, C.K. 87−24361
Venetsanopoulos, A.N. *see* Varoufakis, S.J. 88−44294
Venetsanopoulos, A.N. *see* Zervakis, M.E. 87−19769, 88−25331
Venetsanpolous, A.N. *see* Jaggernauth, J. 86−29977
Venetsaopoulos, A. *see* Suk Lee 88−56797
Venettacci, N. *see* Andreozzi, A. 85−36923
Venevtsev, S.Yu., Pluzhnikov, V.M., Koptsik, V.A. Refined matrices of nonlinear piezoelectric constants for crystals with point groups 32 and 3m 86−2471
Venevtsev, Y.N. *see* Kukuev, V.I. 88−71369
Venevtsev, Yu.S., Gvozdev, B.I., Nesterenko, V.L., Yakovleva, T.S. Digital system of frequency control and active power in the unified electric power system of Siberia 86−32660
Veneziano, S. *see* Albrow, M.G. 88−29872
Vengalis, B., Valatska, K., Kalinauskene, B., Shiktorov, N. Carrier-density phase transition in Cu$_{2-\delta}$Se at low temperatures 85−34546
Vengatesan, B., Chinnakali, K., Kanniah, N., Ramasamy, P. Growth and characterization of CVT grown CdIn$_2$S$_2$Se$_2$ single crystals 88−70305
Vengatesan, B., Kanniah, N., Gobinathan, R., Ramasamy, P. Growth of cadmium indium selenide crystals by closed tube chemical vapour transport 88−373
Vengatesan, B., Kanniah, N., Ramasamy, P. Growth of cadmium sulphide thin film by open tube chemical vapour transport method 88−31828
Venger, A.P., Gassanov, L.G., Gudz, Yu.D., Il'in, G.N., Ryzhkov, N.F., Tuz, A.D. The receiving unit of the 21-cm spectrometer 87−34689
Venger, A.P. *see* Abramyan, L.E. 87−34679, 87−34684
Venger, A.Z. *see* Barzhin, V.Ya. 85−61363
Venger, A.Z. *see* Bondarenko, S.S. 85−11084
Venger, E.F. *see* Kovalenko, V.F. 86−13894
Venger, V.A. *see* Tsirul'nikov, L.M. 86−65907
Venglyuk, V.I. Television-line selector 86−44010
Vengris, S. *see* Juska, G. 87−37907
Vengurlekar, A.S., Lakshmanna, V., Pamanathan, K.V. Correlation of carrier trapping and oxide breakdown with H$_2$O partial pressures in pyrogenic oxides 87−32438
Vengurlekar, A.S. *see* Lakshmanna, V. 88−57383
Vengurlekar, A.S. *see* Purandare, S.C. 87−32347
Vengurlekar, A.S. *see* Roy, S.K. 87−73135
Vengurlekar, A.S. *see* Subramanian, S. 86−53650
Venhellemont, J., Claeys, C., Van Landuyt, J. On the nucleation of dislocations at thin film edges on silicon substrates 87−25040
Venho, J. *see* Klus, J.P. 87−23167
Veni Madhavan, C.E. *see* Shanthi Sastry, P. 88−73440
Veniaminov, A.V., Lashkov, G.I. Experiments on hologram recording on different reoxan modifications using copropagating beams 87−39251
Veniaminov, A.V., Lashkov, G.I., Ratner, O.B., Shelekhov, N.S., Bandyuk, O.V. Holographic relaxometry as a method of studying diffusion processes in polymer recording media 87−19061
Veniaminov, N.N., Kuzakov, A.K., Kulikov, V.A., Rambidi, N.G. Fast-electron velocity analyzer 86−18220
Veniaminov, S.S. On the question of the correctness of the construction of confidence intervals for variance 87−77063
Venier, G.O. The use of a matched filter in a direct-sequence spread-spectrum system to improve its performance in fading multipath conditions 88−41520
Venikov, A.A., Shelevoi, K.D. Automatic bench for study and selection of single-electron photomultipliers [lidar studies of atmosphere] 86−44123
Venikov, A.A. *see* Shelevoi, K.D. 86−5835
Venikov, N.I., Volkova, N.M., Kozlova, M.D., Konyakhin, N.A., Krasnov, N.N., Malinin, A.B., Okhotina, I.A., Skokov, V.S., Sokolov, S.V., Tarasov, N.F., Unezhev, V.N., Shabrov, V.A. Production of ^{201}Tl for medical use 87−14697
Venikov, V.A. A systems approach to electric power system problems 85−64783
Venikov, V.A. The electric power system as a large system of cybernetic type 87−21857
Venikov, V.A. The unified power grid: to be or not to be? 87−50650
Venikov, V.A., Asambaev, S.N. Quick estimation of the stability of a process on the basis of its initial stage 87−50666
Venikov, V.A., Budzko, I.A., Levin, M.S., Blokhina, E.L., Petrov, V.A. On methods of solution of multicritical optimisation problems in electrical power engineering with indeterminate quantities 87−42494
Venikov, V.A., Budzko, I.A., Levin, M.S., Blokhina, E.L., Petrov, V.A. On the methods for solving multi-criterial power supply optimization problems with indeterminate quantities 88−42866

Venikov, V.A., Fokin, Yu.A., Ponomarenko, I.S., Kharchenko, A.M. Reliability study of networks for power supply systems 88−48426
Venikov, V.A., Pogosyan, T.A. Fast computation of electromechanical transients in power systems using a joint solution of differential and algebraic equations 85−64804
Venikov, V.A., Pogosyan, T.A. On the accuracy with which electromechanical transients of electric power systems are calculated 86−12239
Venikov, V.A., Pogosyan, T.A. Fast calculation of electromechanical transients in power systems by simultaneous solution of differential and algebraic equations 86−50775
Venikov, V.A., Rodina, L.S. Methodical aspects of the advanced course 'Electromechanical transients in electrical systems' [educational course] 85−32946
Venikov, V.A., Shcherbina, Yu.V., Klipkov, S.I. Using hypercomplex generalizations to analyze system-wide cascade faults 88−75107
Venikov, V.A., Shneiberg, Ya.A. From origins of power transmission to predicting the future 85−21218
Venikov, V.A., Sokolov, V.K. Aspects of information theory in power system control 86−32663
Venikov, V.A., Sokolov, V.K. Power system information theory problems 87−42326
Venikov, V.A., Stroev, V.A., Unger, A.P., Shtrobel', V.A. Study of a two-level anti-breakdown automatic power discharge system using a simulator [power station] 86−25670
Venikov, V.A., Stroev, V.A., Vinogradov, A.A., Idel'chik, V.I. Calculating the static-stability margin of an electric-power system 87−4280
Venikov, V.A., Tyukhanov, Yu.M. Application of the similarity theory in the design of power supply systems 87−15122
Venikov, V.A., Tyukhanov, Yu.M. An application of similarity theory to electric supply system design 88−10815
Venikov, V.A., Vaiman, M.Ya. Stability of electric power systems with node load variations 87−64072
Venikov, V.A., Zabolotskii, Yu.A., Kartashev, I.I., Obrezkov, V.I., Rodina, L.S., Stroev, V.A. Feasibility of increasing the power of hydroelectric plants at peak loads 86−25941
Venikov, V.A., Zelenokhat, N.I. Electromagnetic sectionalization of electric power plants 87−22112
Venikov, V.A. *see* Budzko, I.A. 85−32193, 85−38520
Venikov, V.A. *see* Sovalov, S.A. 86−50796
Venkaiah, V.C. *see* Sen, S.K. 88−56183
Venkata, S.S., Jampala, A.K.J., Ramaswami, R., Damborg, M.J., Postforoosh, J. CAE software for transmission protection system: Puget power experience 87−71736
Venkata, S.S., Natarajan, R., El-Sharkawi, M.A., Butler, N.G. Investigations on intermediate-size wind electric energy conversion systems employing induction generators. I. Estimation of energy components 87−30472
Venkata, S.S., Natarajan, R., El-Sharkawi, M.A., Butler, N.G. Reliability evaluation of induction generators and wind electric energy conversion systems 87−35860
Venkata, S.S., Natarajan, R., El-Sharkawi, M.A., Butler, N.G. Estimation of energy components of intermediate-size wind electric energy conversion systems employing induction generators 88−69236
Venkata, S.S. *see* Boardman, E.C. 85−5089
Venkata, S.S. *see* Damborg, M.J. 86−56462, 86−61111
Venkata, S.S. *see* El-Sharkawi, M.A. 86−33387, 88−30701, 88−68786
Venkata, S.S. *see* Indulkar, C.S. 87−78121
Venkata, S.S. *see* Jampala, A.K. 86−50785, 86−56304
Venkata, S.S. *see* Liu, C.-C. 88−10766
Venkata, S.S. *see* Natarajan, R. 87−30473, 88−37126
Venkata, S.S. *see* Ponnavaikko, M. 88−23404
Venkata, S.S. *see* Ramaswami, R. 85−27024, 86−39211, 86−56463
Venkata, S.S. *see* Srinivasan, N. 85−59607
Venkata, S.S. *see* Stanek, E.K. 86−45885
Venkata Rao, G. *see* Shakher, C. 85−41519
Venkata Rao, K., Moharir, P.S., Varma, S.K. Doubly co-operative ternary sequences 86−22996
Venkata Rao, K. *see* Moharir, P.S. 85−47561, 87−76828
Venkata Ratnam, K., Sivananda, N. Transient studies in turbogenerators using Galerkin method 87−15665
Venkata-Krishnaiyer, S. *see* Sarangapani, K.B. 86−26252
Venkatachalam, P. *see* Rao, K.S. 85−59466
Venkatachalam, P.A., Gunasekaran, N., Raghavan, K. An optimum feed for a low sidelobe offset reflector antenna 85−19276
Venkatachalam, P.A., Gunasekaran, N., Raghavan, K. An offset reflector antenna with low sidelobes 85−51499
Venkatachalam, P.A., Gunasekaran, N., Ramanujam, P. A parabolic reflector with asymmetric low sidelobes 85−7744
Venkatachalam, P.N. High performance memory chip packaging implications−multichip module vs. single chip module 86−13496
Venkatachalam, P.N., Erdelyi, C.K. Impact of VLSI packaging on system performance 88−24571
Venkatachalam, V. *see* Mathialagan, A. 86−11424
Venkatachari, G. *see* Rajagopalan, K.S. 85−20478
Venkatacharya, K.V. *see* Ramachandran, P. 85−26838
Venkatadri, A., Gautam, J.K. Study of algorithms for adaptive equalization 88−59155
Venkatakrishna Iyer, S. *see* Sarangapani, K.B. 85−5355
Venkatanagarathnam, N. *see* Ananthakrishnan, S. 85−58262
Venkatanarayana, R. *see* Raju, G.S.N. 87−43276
Venkataraman, B., Ghosh, P.C. Radon/thoron discrimination in uranium prospection with SSNTD films: a case study 85−20836
Venkataraman, C. *see* Tandon, G.L. 85−15564
Venkataraman, J., Chang, D.C. Input impedance to a probe-fed rectangular microstrip patch antenna 85−13324
Venkataraman, J., Rao, S.M., Djordjevic, A.R., Sarkar, T.K., Naiheng, Y. Analysis of arbitrarily oriented microstrip transmission lines in arbitrarily shaped dielectric media over a finite ground plane 86−10143
Venkataraman, K., Girija, H.M. Comments on 'Intuitive transform processing' by D.F. Mix and K.C. Overman 85−51603
Venkataraman, L. *see* Subramanian, C.V. 86−13871
Venkataraman, R. *see* Welch, B.M. 88−57823
Venkataraman, S., Bhatnagar, A.K. Amorphous $CuInSe_2$ films 87−74030
Venkataraman, S., Kanchan, V.R., Rao, K.R., Mohanty, M. Discrete transforms via the Walsh-Hadamard transform 88−49618
Venkataraman, S., Rao, K.R. Applications of vector quantizers and BTC in image coding 86−54560
Venkataraman, V.V., Wilcox, C.D. GEMS: an automatic layout tool for MIMOLA schematics 87−5602
Venkataramana, A., Carr, J., Ramshaw, R.S. Optimal reactive power allocation 87−42301
Venkataramanan, R., Sabanovic, A., Cuk, S. Sliding mode control of DC-to-DC converters 86−51786
Venkataramani, Y. *see* Baby, P.C. 86−46588
Venkataramania, H. *see* Binnie, D.M. 85−31693
Venkatarao, K. *see* Moharir, P.S. 85−57373
Venkataseshaiah, C., Sundaresan, K.V. Parallel AC-DC system control by aggregation 87−30098
Venkataseshaiah, C. *see* Sundaresan, K.V. 87−57497
Venkatasetty, H.V. Solvents for lithium battery technology 85−27600
Venkatasetty, H.V. Primary lithium batteries 85−27602
Venkatasetty, H.V. *see* Auborn, J.J. 85−27603
Venkatasetty, H.V. *see* Kilroy, W.P. 85−49064
Venkatasetty, H.V. *see* Zook, J.D. 86−55696
Venkatasetty, H.V. *(editor)* Lithium battery technology 85−22065
Venkatasubramanian, R., Otsuka, N., Datta, S., Kolodziejski, L.A., Gunshor, R.L. Monte Carlo simulation of the growth of ZnSe by MBE 88−420
Venkatasubramanian, R., Otsuka, N., Datta, S., Kolodziejski, L.A., Gunshor, R.L. Monte Carlo simulation of the growth of ZnSe by MBE 88−43891
Venkatasubramanian, R. *see* Kolodziejski, L.A. 85−55518, 86−46340
Venkateoh, B. *see* Pope, K. 86−47789
Venkateramania, H. *see* Dhawan, S.K. 88−68220
Venkatesan, K. Starting and reclosing transient torques in a thyristor controlled Scherbius drive 87−43548
Venkatesan, L.V. *see* Krishnan, M.P. 88−21522
Venkatesan, P.S., Natarajan, P.S., Orost, J. Transmission of FDM wideband data and video channels over a single-mode fibre using 1300 nm LED 88−41624
Venkatesan, P.S., Natarajan, R., Forbes, C.G., Brandwein, R.H., McSorley, E., Lamerdin, R., Dell, R. Measurements on a 2 km broadband atmospheric optical communications link for video and data 88−53300
Venkatesan, P.S. *see* Lundgren, C.W. 86−59902
Venkatesan, P.S. *see* Natarajan, P.S. 87−28626
Venkatesan, R. *see* Narraway, J.J. 86−27469
Venkatesan, S.P., Trachtenberg, I., Edgar, T.F. Effect of flow direction on etch uniformity in parallel-plate (radial flow) isothermal plasma reactors 88−26067
Venkatesan, T., Schwarz, S.A., Hwang, D.M., Bhat, R., Koza, M., Yoon, H.W., Mei, P., Arakawa, Y., Yariv, A. Dose-dependent mixing of AlAs-GaAs superlattices by Si ion implantation 87−6525
Venkatesan, T., Wilkens, B., Lee, Y.H., Warren, M., Olbright, G., Gibbs, H.M., Peyghambarian, N., Smith, J.S., Yariv, A. Fabrication of arrays of GaAs optical bistable devices 86−36558
Venkatesan, T. *see* Gibbs, H.M. 85−41481, 85−56842
Venkatesan, T. *see* Lee, Y.H. 86−42621, 87−592
Venkatesan, T. *see* Mittelstein, M. 85−51156
Venkatesan, T. *see* Salzman, J. 85−24551, 85−51176, 85−62621, 87−33228
Venkatesan, T. *see* Schwarz, S.A. 87−32281
Venkatesan, T. *see* Warren, M. 87−33305
Venkatesh, B., Ahrens, M., Liu, W.T., Partovi, H., Rinerson, D., Lien, J., Wang, T.S., Govindachar, S., Rogers, D. A CMOS 1Mb EPROM 87−17068
Venkatesh, B. *see* Pope, K. 86−14178
Venkatesh, C.G., Deller, J.R., Jr., Cozzens, M.B., Hsu, D. A graph partitioning approach to speech decoding 87−69077
Venkatesh, G. Powerful Adaptec chip set simplified disk controller design 85−45807
Venkatesh, G. Modular architectures break I/O bottleneck [disk controller] 87−24288
Venkatesh, P. *see* Prasad, C.R. 86−22574
Venkatesh, S., Culshaw, B. Optically activated vibrations in a micromachined silica structure 85−37573
Venkatesh, S., Culshaw, B. Optically activated resonator sensors 87−14298
Venkatesh, S., Novak, S. Micromechanical resonators in fiber-optic systems 87−26010
Venkatesh, S. *see* Stokes, N.A.D. 88−60742
Venkatesh, S.S. *see* McEliece, R.J. 87−75663
Venkatesh, S.S. *see* Psaltis, D. 85−25170
Venkatesh, S.V. *see* Shoults, R.R. 86−50839
Venkatesh, V. *see* Muni, B.P. 88−43157
Venkatesh, Y.V. Riesz-Thorin and the L_p stability of nonlinear time varying feedback systems 87−73250
Venkatesh, Y.V. *see* Mukherjee, A. 86−34824, 87−7810
Venkateshaiah, G.R., Naidu, M.S. Basic studies in three component gas mixtures containing SF_6 88−51067
Venkateshan, S.P. *see* Lawson, D.D. 88−29358
Venkateshmurthy, M.S. *see* Narayanan, M.V. 86−53290
Venkateshmurti, S. *see* Balakrishman, N. 85−28337
Venkateshwara Rao, M., Reddy, D.C., Reddy, G.M.M., Pandit, S.N.N. The inspiration and expiration DFT spectra for the detection of airways obstruction in human beings 88−4883
Venkateswar, V. *see* Thomas, J.A. 86−16199
Venkateswar, V. *see* Zhou, Y. 87−19955, 87−55320
Venkateswara Rao, A., Chazalviel, J.-N., Ozanam, F. In situ characterization of the *n*-Si/acetonitrile interface by electromodulated infrared internal-reflection spectroscopy 86−67779
Venkateswara Rao, B., Ravi Kumar, S.V., Venkateswarlu, R. Hybrid architecture for real time image registration 88−59294
Venkateswara Rao, L., Srinivasulu Naidu, B., Jayarama Reddy, P. Structural and electrical properties of As-Te-Cd non-crystalline films 86−41552
Venkateswara Rao, M., Viswambharan, N.K., Gangadhara Rao, L.V. Estimation of sea surface wave height from Bhaskara II SAMIR data 85−43484
Venkateswara Rao, M. *see* Reddy, G.M.M. 85−31859, 87−34734
Venkateswara Rao, N. *see* Sastry, D.L. 88−74770
Venkateswara Rao, V., Joenathan, C., Sirohi, R.S. Real-time optical image subtraction by a holographic shear lens 85−63107
Venkateswara Rao, V., Joenathan, C., Sirohi, R.S. Multiple image subtraction by speckle interferometry 86−69141
Venkateswara Rao, V., Joenathan, C., Sirohi, R.S. A simple method for difference detection by additive color mixing using holographic lenses 87−39911
Venkateswara Rao, V. *see* Ramachandra Reddy, G. 85−30296
Venkateswara Rao, V. *see* Sai Prasad, R.L.N. 87−42278
Venkateswaran, L.R. *see* Swaminathan, G. 87−73823
Venkateswaran, N. PA^3 arrays for supercomputers 86−41001
Venkateswaran, N., Prabhu, K.M.M. Programming techniques for PA^3 architectures 86−14173
Venkateswarlu, D.S. *see* Patnaik, R.R. 85−34426
Venkateswarlu, P., Jagannath, H., George, M.C. Optical phase conjugation in nonresonant and saturable absorptive/resonant systems 88−27284
Venkateswarlu, P., Prasad, A.R. Numerical prediction of the temperature distribution in the coils of a transformer winding 86−51705
Venkateswarlu, P. *see* Gopalan, M.N. 85−33223, 86−26674, 86−34096

Venkateswarlu, P. *see* Jagannath, H. 86−63879, 88−20746
Venkateswarlu, R. *see* Arjuna Rao, C. 88−46209
Venkateswarlu, R. *see* Venkateswara Rao, B. 88−59294
Venkatraman, C. CCITT compatible VLSI for ISDN 86−54747
Venkatraman, C. *see* Ramech, N.S. 86−30454
Venkatraman, R.C. A formal comparison of formal protocol specification techniques 86−69245
Venkatramani, N. *see* Das, A.K. 88−69235
Venkatramani, N. *see* Dixit, N.S. 87−43472
Venkatramani, N. *see* Rohatgi, V.K. 85−21524
Venkatramani, N. *see* Satyamurthy, P. 85−53832
Venkatsubramanian, S. *see* Vyas, M.N. 87−44628
Venkin, G.V., Esikov, D.A., Maleev, D.I., Mikheev, G.M. Multichannel recorder for two optical spectra 86−24443
Venkin, G.V., Il'inskii, Yu.A., Mikheev, G.M. Influence of the polarization of radiation on the energy characteristics and threshold of stimulated Raman scattering due to rotational transitions 85−56803
Venkin, G.V. *see* Angelov, I.P. 86−15677, 86−58950
Venkitachari, K.V. *see* Arasu, V.T. 85−26875
Venkoba Rao, H.N. *see* Rajagopalan, K.S. 85−20478
Venkstern, S.A. *see* Belyaev, S.A. 85−14805
Venmuri, S., Ranjit Kumar, A.B., Halimah, A. Fuel resource scheduling−the daily scheduling problem 85−38388
Venn, J. *see* Wyatt, L.R. 86−65531
Venn, J.B. A computer-based spectrometry system for assessment of body radioactivity 85−59368
Vennat, J.-C., Doly, M., Sanzelle, S., Ghiazza, D., Bonhomme, B., Gaillard, G. An automatic stimulus generation system for electroretinogram capture and processing 86−56125
Venne, A. *see* Knaak, H.-J. 88−68911
Venne, J.L.M.van de *see* van de Venne, J.L.M.
Venne, T.van de *see* van de Venne, T.
Vennekohl, K. *see* Kreher, G. 88−35773
Venner, R.H. *see* Richardson, W. 87−14909
Vennergrund, D. *see* Macleish, K.J. 87−8112, 88−46389
Venneri, F., Mandrekas, J., Gerdin, G. Preliminary studies of the plasma focus as an opening switch 85−5310
Vennikov, V.A., Gremyakov, A.A., Smirnova, S.N., Stroev, V.A., Yakh'ya, M.A. A generalized method for solving the problem of reactive-power compensation on complex electric networks 88−68791
Veno, H., Yoshimoto, S., Tahira, Y. Short-circuit problems of crossing controller and development of rail planing machine 86−66447
Venos, D. *see* Adam, J. 85−59185
Venot, A. *see* Pronzato, L. 85−5923
Venskauskas, K.K. Adaptive filters application for improving electromagnetic compatibility of radio electronic equipment 86−3592
Venskauskas, K.K. Approximation of the probability density of non-Gaussian interference 86−16089
Venskauskas, K.K. Adaptive filtering methods in mobile radio-communications systems 87−48944
Venskauskas, K.K., Krestianinov, V.V. The ship electromagnetic environment and methods of improving electromagnetic compatibility characteristics of ship radioelectronics equipment 85−62820
Vensko, G. The VRS 1280 [speech recognizer] 87−63200
Venta, O. A very fast sentence reconstruction method for the postprocessing of computer-recognized continuous speech 85−36231
Venta, O., Kohonen, T. A non-stochastic method for the correction of sentences [speech recognition] 87−47633
Ventakesh, B. *see* Pope, K. 86−46790
Venter, M.A.H. Cosine transform coding of grey-scale facsimile images 86−54832
Venter, R.D. *see* Pataki, L. 86−33641
Ventham, M. Flexible CAD for hybrid circuits 88−44497
Ventimiglia, G. *see* Alaria, G.B. 86−55087
Ventimiglia, G. *see* Annoni, M. 88−67287
Vento, G. *see* Redaelli, R. 88−26166
Ventosa, J., Novella, J. A distributed and integrated station local control-telecontrol system: operating experiences and economic issues 88−10787
Ventosa, J., Sanchez, M., Casals, A., Rivera, J., Xampeny, J. An integrated station local control-telecontrol system, in the scenario of an overall telecontrol system 87−30050
Ventou, M. Automorphisms and isometries of some modular algebras 87−65282
Ventou, M., Rigoni, C. Self-dual doubly circulant codes 86−43158
Ventouras, S. *see* Kanellopoulos, J.D. 87−26758
Ventre, D. *see* Bunelle, C. 88−8953
Ventre, G.G. *see* Atmaram, G.H. 86−6660, 87−9429
Ventrice, C.A. *see* Fishback, J.R. 88−33956
Ventrice, C.A. *see* Kanoussis, D.P. 87−38983
Ventruba, V. *see* Krejcova, E. 88−36805
Ventsanopoulos, A.N. *see* Tang, A.S. 87−24360
Ventura, A.Della *see* Della Ventura, A.
Ventura, C.A. Why use electronic manuals? 88−36713
Ventura, E. *see* Fazzini, N. 86−38637
Ventura, G., Horstman, H.M., Brighenti, A., Cavani, C., Camprini, M., Cazzola, P., Giovannini, G., Labanti, C., Poulsen, J.M. A balloon-borne instrumentation for cosmic gamma-ray burst detection and measurement 85−20874
Ventura, G. *see* Aiello, S. 87−20643
Ventura, G. *see* Belli, G. 87−63880
Ventura, G. *see* Conforti, G. 85−4241, 85−17150
Ventura, J.A., Hearn, D.W. Computing the effective resistance in a system of conducting sticks 88−38320
Ventura, J.C., Morellini, L. A multi-band hearing-aid emulation using real-time digital signal processing 87−50414
Ventura, L. Operation of calorimeters based on vacuum and gas photodetectors in high intensity magnetic fields 85−9039
Ventura, L. *see* Anguilar-Benıtez, M. 87−71031
Ventura, L. *see* Blumenfeld, H. 85−43184
Ventura, L. *see* Checchia, P. 86−65330
Ventura, O. *see* Mayer, L. 88−5977
Ventura, O. *see* Mayer, L.L. 88−62706
Ventura, S.J., Sullivan, J.G., Chrisman, N.R. Vectorization of Landsat TM land cover classification data 87−29923
Venturi, A. *see* Vinciguerra, I. 88−42665
Venturi, F. *see* Ricco, B. 87−46010
Venturi, F. *see* Sangiorgi, E. 88−26254, 88−33209
Venturini, E.L. *see* Ginley, D.S. 88−20266
Venturini, G. *see* Azzerboni, B. 85−16245
Venturini, G. *see* Cardelli, E. 86−68671, 87−53107
Venturini, M. *see* Alesina, A. 88−75787
Venturini, V. *see* Maranesi, P. 85−43284
Venturino, E. Error bounds of the Galerkin method for singular integral equations of the second kind 85−54416
Venturino, E. On solving singular integral equations via a hyperbolic tangent quadrature rule 86−66789
Ventzas, D.E. Design of transducers for thermal cross-correlation flowmeter 86−31421
Ventzas, D.E. An instrumentation industrial correlator 87−35023
Ventzas, D.E. The Lyapunov equation: an application to interconnected power systems 88−5248
Ventzas, D.E. Systems architectures and reliability statistics 88−31572
Venugopal, D. *see* Narayanan, K. 85−52311
Venugopal, R. *see* Mandel, K. 87−5179
Venugopal, R. *see* Trivedi, S.S. 87−57066
Venugopal Reddy, P., Pratap, K.J., Seshagiri Rao, T. Electrical conductivity of some mixed ferrites at Curie point 88−1384
Venugopal Reddy, P., Satyanarayana, R., Seshagiri Rao, T. Electrical conduction in magnesium ferrite 85−6716
Venugopalan, S.I. *see* Paul, D. 88−30362
Venus, G. Complex testing of audatec systems in proving ground 88−11718
Venus, G. Factory testing of audatec control systems 88−67671
Venuti, G. *see* Albarello, A. 88−66323
Venuti, G. *see* Cecinati, R. 87−47547, 87−47614
Venuti, G. *see* Ciaramella, A. 87−7677, 87−61765, 88−22382
Venuti, J.P. *see* Ash, W.W. 88−10244
Venutolo, G. A dynamic method of analysing the performance of an asynchronous motor 85−38997
Venvor, H. Temperature sensors for calorimetry 87−70840
Venyukov, E.I., Khor'kov, K.A. Direct and transverse excitation with capacitance [turbogenerators] 88−75536
Venzano, L. *see* Bianco, B. 86−11945
Venzano, L. *see* Dellepiane, S. 87−57116
Veohoff, E. *see* Kuech, T.F. 87−65489
Veovidin, I.D., Matvienko, V.K., Meleshko, I.Yu. State of the art and prospects for development of transformer construction 87−58153
Veprek, J. Stability of industrial-grade platinum resistance thermometers in the range 77-273K 85−20573
Veprek, J. Thermometric properties of TESLA KA 136 silicon planar epitaxial diodes used as temperature sensors in the range 1.5-380K 85−47962
Veprek, J. Calibration of germanium standard thermometers by superconducting transition points of lead and indium according to the EPT-76 temperature scale 86−38592
Veprek, J. Stability of industrial grade platinum resistance thermometers in the range 13−273 K 87−49661
Veprek, J. *see* Frank, H. 86−14547
Veprek, S. Chemical vapor deposition in low pressure discharges: silicon and technically relevant materials 85−441
Veprek, S. Plasma-induced and plasma-assisted chemical vapour deposition 86−20105
Veprek, S. Materials preparation by means of electrical discharge plasmas 86−34391
Veprek, S. *see* Konuma, M. 87−53165
Veprek, S. *see* Mattenberger, F. 87−45558
Veprek, S. *see* Pohl, D.W. 87−11339
Veprik, Y.N. Taking the topological properties of a distribution network into account when calculating current distributions 86−12426
Ver Hoef, E.W. *see* Kaldenbach, B. 88−22035
ver Loren van Themaat, H.M. Radar recognition using a synthetic aperture antenna to obtain high resolution 85−47555
Ver Planck, P. An 80 kW SCR VLF power source for drift-pump-coil excitation 87−15893
Vera, A. *see* Bozler, C.O. 86−2128
Vera, A. *see* Nichols, K.B. 88−33901, 88−38767, 88−45211
Vera, A.J. *see* Ade, T.J. 86−55089
Vera, G., Ayala, A., Jimenez, S. Experimental study of a capacitive 'high frequency' type cell, applications of interest 86−53077
Vera, G. *see* Ayala, A. 87−64829
Vera, J.G. Back on line in 72 hours [power supply reconnection] 86−65634
Vera, O.Gonzalez *see* Gonzalez Vera, O.
Vera, P. *see* de Miguel, E. 87−23105
Vera, R.L., Laney, B.E. Adaptation of a supercritical unit to a utility's present and future generation management plans 85−65132
Vera, R.L.G. *see* Howell, H.D. 86−71162
Vera, R.S. *see* Lemieux, J.F. 85−43393
Vera Jimenez, J.A. EPLDs: an architecture for the future 88−6851
Veraart, C. *see* Godfraind, J.M. 85−4339
Veraas, O. *see* Gutman, R. 86−32673 to 32674
Verac, S., Koucky, L. Optoelectronic link Tesla 3 WN 164 19 87−13702
Veran, M. *see* Potier, D. 86−7605
Verani, M.S. *see* Lacy, J.L. 88−61294
Veranov, P.Ye. *see* Averochkin, V.A. 88−72947
Verardi, P. *see* D'Amico, A. 88−57890
Verbakel, J.M.M. The DSP description language SILAGE 88−56408
Verbauwhede, I., Hoornaert, F., Vandewalle, J., De Man, H.J. Security and performance optimization of a new DES data encryption chip 88−56662
Verbauwhede, I. *see* Degrauwe, M. 85−62098
Verbauwhede, I. *see* Van Peteghem, P.M. 85−61123
Verbeeck, T. *see* Remondino, V. 88−68165
Verbeek, B.H. Coherence properties and LF noise in AlGaAs lasers with optical feedback 87−39135
Verbeek, B.H., Henry, C.H., Olsson, N.A., Orlowsky, K.J., Kazarinov, R.F., Johnson, B.H. Integrated four-channel Mach-Zehnder multi/demultiplexer fabricated with phosphorous doped SiO_2 waveguides on Si 88−72147
Verbeek, B.H., Lenstra, D., den Boef, A.J. Noise due to optical feedback in semiconductor lasers 88−27164
Verbeek, B.H., Opschoor, J., Vankwikelberge, P., Van de Capelle, J.P., Baets, R. Analysis of index-guided AlGaAs lasers with mode filter 87−7349
Verbeek, B.H. *see* Acket, G.A. 85−7449
Verbeek, B.H. *see* Lenstra, D. 85−51190, 85−62588
Verbeek, B.H. *see* Mink, J. 86−42520
Verbeek, B.H. *see* Vankwikelberge, P. 87−68459
Verbeek, D.G.F. *see* ten Kate, J.H. 86−11989
Verbeek, D.K., Bruce, W.C. Testability features of the MC68HC11 86−46069
Verbeek, G. *see* Tu, G. 88−27813, 88−59291
Verbeek, H. A low-energy neutral particle analyser for plasma experiments 87−50080
Verbeek, L. *see* Grool, P.J.R. 86−25502
Verbeek, P.H.J. *see* Brouwers, J.J.H. 86−66634, 87−23424
Verbeek, P.W. A class of sampling-error free measures in oversampled band-limited images 85−63112
Verbeek, P.W., de Jong, D.J. Edge preserving texture analysis 85−36437
Verbeek, P.W., Groen, F.C.A., Steenvoorden, G.K., Stuivinga, M.E.C. Range cameras at video speed based on a PSD-array or on CCD-interpolation 86−60166
Verbeek, P.W., Jaffe, C.C. Restoration of radiographs using a spatially variant filter 85−38115
Verbeek, P.W. *see* Dorst, L. 87−55336
Verbeek, P.W. *see* Groen, F.C.A. 86−38286
Verbeek, P.W. *see* van Antwerpen, G. 87−49644, 87−55330
Verbeke, J. *see* Vanroose, P. 85−57280
Verbeke, O.B., Spinnewijn, J., Strauven, H. Electroformed nickel for thermometry and heating 87−49987
Verbeke, O.B. *see* Strauven, H. 87−32785, 88−43918
Verber, C. *see* Gustafson, S. 88−72691
Verber, C.M. Integrated optical architectures for matrix multiplication 85−36369
Verber, C.M. Integrated optical architectures and implementations 85−46893
Verber, C.M. Integrated optics 86−48210

Verber, C.M., Kenan, R.P., Busch, J.R. Initial characterization of an electrooptic grating multiplier 85−2092
Verber, C.M. *see* Caulfield, H.J. 85−7934
Verber, C.M. *see* Gustafson, S.C. 87−13096
Verber, C.M. *see* Holman, R.L. 85−2041
Verber, C.M. *see* Kenan, R.P. 85−12652, 88−2041
Verber, O.L., Gerasimenko, Yu.N., Zhorov, S.I., Naruts, E.V., Neiman, Z.B. Electric motors of main circulation pumps at atomic electric power plants using the type BN-600 fast-neutron reactor 85−43980
Verber, O.L., Gerasimenko, Yu.N., Zhorov, S.I., Neiman, Z.B., Pekerman, G.A. Vertical-shaft motors for the main circulating pumps of the reactors of nuclear power stations 86−39765
Verbich, O. Coaxial cables for TV feeders 85−26034
Verbich, O. A contribution to the problems of coaxial cable attenuation 86−68807
Verbich, O., Kollarik, P. New possibilities of using balloon insulation for HF coaxial cables 87−40632
Verbiest, W. Video coding in an ATD environment [asynchronous time division] 88−28085
Verbiest, W. *see* De Prycker, M. 87−33940
Verbitskaya, E.M., Eremin, V.K., Malyarenko, A.M., Medvedev, L.S., Strokan, N.B., Sukhanov, V.L. Charge transport in silicon detector structures with a built-in field 88−29384
Verbitskaya, E.M., Eremin, V.K., Malyarenko, A.M., Sakharov, V.I., Serenkov, I.T., Strokan, N.B., Sukhanov, V.L. Possibilities of silicon Schottky barriers and planar detectors in low-energy proton spectrometry 88−29889
Verbitskaya, E.M., Eremin, V.K., Malyarenko, A.M., Strokan, N.B., Sukhanov, V.L. Limiting resolution of silicon detectors of short-range particles 87−77565
Verbitskaya, E.M., Eremin, V.K., Malyarenko, A.M., Strokan, N.B., Sukhanov, V.L. Contribution of recombination characteristics of silicon to the resolution of short-range particle detectors 88−36352
Verbitskaya, E.M., Eremin, V.K., Strokan, N.B., Tarkhin, D.V. Fast large-area germanium photodiode 86−15580
Verbitskaya, E.M., Grinshtein, P.M., Guchetl', R.I., Eremin, V.K., STrokan, N.B., Shlimak, I.S., Shokina, E.V. Detectors of short-range particles based on neutron-transmutation-doped silicon 88−61156
Verbitskaya, E.M. *see* Eremin, V.K. 87−71026, 88−4859
Verbitskaya, E.M. *see* Vasil'ev, A.V. 86−60602
Verbitskaya, I.B., Gerdler, Ye.V. On color renditions identity of color TV cameras 86−31014
Verbitskaya, T.N. *see* Kesler, N.A. 86−537
Verbitskii, V.D. *see* Bakhmend, A.B. 86−28802
Verbitskii, V.F., Sechko, O.A. Peak-value meter 88−67943
Verbitskii, V.L. *see* Efimochkin, G.I. 85−48878, 88−11091
Verbout, J.L. *see* Schultz, W.E. 85−59447
Verboven, B., van der Meulen, E.C. Strong converses for multiple-access channels 87−75681
Verbovetskii, A.A. Design of optical systems and associative retrieval of information in large-capacity holographic memories 86−3328
Verbovetskii, E.Kh., Abrosimov, A.A., Kovrigina, I.V. Investigation on a fired model of the aerodynamics of the furnace chamber and of the supply of recirculation gases to the top of the furnace of the TPP-804 boiler 85−48840
Verbovetskiy, A.A., Zimoglyadova, E.A., Fedorov, V.B. Design of optical systems for large-capacity holographic memories 85−29955
Verbovoi, P.F. Mathematical model of an asynchronous motor with a two-lamination design of rotor, for studying electromagnetic and electromechanical transients 87−58093
Verbraak, C.A. *see* Kneynsberg, H.P. 85−61485
Verbree, J.C. *see* Buijs, J.H. 87−55888
Verbrugge, J., Piepers, M., Lietaert, N. Digital intelligence in professional broadcast monitors 88−67577
Verbrugge, M.W., Tobias, C.W. Some experimental aspects of the cadmium-tellurium electrochemical codeposition process 88−31821
Verbruggen, A. Decision model of electricity generation planning with an application for Belgium 86−18753
Verbruggen, A.H. MIMOSA, a multiple input multiple output spectrum analyzer with integrated rotational speed synchronizer 88−67720
Verbruggen, R., Anthoni, J. A flexible and powerful packet switching intra-network protocol 85−19860
Verbruggen, T.W. *see* Troost, G.K. 85−21534
Verbrugghe, E. Acoustic monitoring of generators 86−25970
Verbrugghe, E., Hottelart, M.C. Noise reduction for structural scattering in ultrasonic testing of materials [crack detection] 86−20124
Verbrugghe, E. *see* Dubail, A. 87−15443
Verbrugghe, E. *see* Metail, J.P. 85−9603
Verbunt, J.P.M. *see* Zieren, V. 88−57950
Verburg, G. *see* D'Alessandro, J. 87−21643
Verburgh, P. *see* Hasler, M. 85−22613
Verburgh, P. *see* Hasler, M.J. 85−538
Verbuta, N. *see* Ursu, I. 88−49059
Vercammen, M.L.S., Schuller, W.M. Reduction of low frequency vibration to very low levels: a test setup for a measuring device 88−22850
Vercammen, R. *see* Pirot, J. 88−41472
Vercauter, C. *see* Corbeel, D. 86−34175
Vercauteren, M. *see* Van Poucke, M. 88−61308
Vercelli, L. *see* Breer, W. 86−19210, 86−39685
Vercellin, E. *see* Bressani, T. 85−43256
Vercellin, E. *see* Chiavassa, E. 86−50325
Vercellis, C. *see* Marchetti-Spaccamela, A. 88−38102
Vercheval, J. *see* Muller, C. 85−64739
Vercheval, P. *see* Lilien, J.L. 88−23533
Verchovskaya, K.A. *see* Fridkin, V.M. 85−56403, 87−38897
Vercillo, R., Fisher, H.D., III, Lamoreaux, R.D., McNeill, K.M. Digital image Review Console [for PACS] 88−36553
Vercillo, R. *see* Dallas, W.J. 88−36552
Vercillo, R. *see* Roehrig, H. 88−23053, 88−36159
Vercken, C. *see* Potier, C. 85−54355, 86−48905
Vercruysse, G., Rigole, W., Gomes, W.P. Exploratory study of the polycrystalline n-silicon photoelectrode by the scanning laser spot technique 85−40562
Vercruysse, G. *see* Praet, A. 87−9737
Vercruyssen, M. *see* Schreurs, G. 87−18236
Verdad, F. *see* Espinosa, G. 87−66357
Verdaguer, J. *see* Lara, A. 86−18430, 86−54237
Verde, C., Ortega, R. On dynamic programming teaching in optimal control courses−comments on its applicability 87−36363
Verde Leal Lima *see* Lima Verde Leal
Verdeau, J.-J. *see* Antoine, P. 86−45110
Verdebout, J. Semiquantitative model for the oxide bias experiment and its application to the study of p^+nn^+ photodiode degradation 85−18801
Verdenhalven, G. Drawing of optical waveguide cables−theory and results of experiments and practice with multi-used conduits 86−23917
Verdenik, I. *see* Cibej, I. 88−6223
Verdenik, I. *see* Kralj, A. 88−37945
Verdenik, I. *see* Solar, B. 87−118
Verderber, R., Morse, O., Jewell, J.E. Building design impact on the lighting control system for a daylighting strategy 88−31190
Verderber, R. *see* Rubinstein, F. 86−52042
Verderber, R.R., Morse, O., Rubinstein, F. Effect of filament power removal on a fluorescent lamp system 86−45801
Verderber, R.R., Morse, O., Rubinstein, F.M. Life of fluorescent lamps operated at high frequencies with solid-state ballasts 86−45807
Verderber, R.R., Rubinstein, F.M. Comparison of technologies for new energy-efficient lamps 85−21933
Verderber, R.R., Rubinstein, F.M. Mutual impacts of lighting controls and daylighting applications 85−21958
Verderber, R.R. *see* Harms, M.G.A. 85−27787
Verderber, R.R. *see* Rubinstein, F.M. 87−43642
Verderber, R.R. *see* Siminoritch, M.J. 85−65605
Verderber, R.R. *see* Siminovitch, M.J. 86−45806, 87−43637
Verderberg, R.R. *see* Siminovitch, M.J. 88−69910
Verdese, M. *see* Arciprete, F. 87−33986
Verdeyen, J.T. *see* Nordheden, K.J. 87−17951
Verdeyen, J.T. *see* Overzet, L.J. 86−40763, 88−49890
Verdi, C., Visintin, A. Numerical approximation of hysteresis problems 86−13695
Verdiani, G. *see* Carella, R. 86−19136
Verdiell, J.M. *see* Rajbenbach, H. 88−72152
Verdier, A. Non-interleaved sextupole schemes for LEP and related effects of systematic multipole components in the lattice magnets 85−26585
Verdier, A. *see* Guignard, G. 86−24898
Verdier, A. *see* Jarry, B. 85−22999
Verdier, A. *see* Koutchouk, J.P. 88−54253
Verdier, C., Leporcq, B., Georges, E., Bonnet, J. Excitation transfer oxygen-iodine chemical laser 85−24472
Verdier, C. *see* Bonnet, J. 85−18828, 86−3059
Verdier, P. *see* Thual, M. 88−31864
Verdier, R. *see* Callegari, G. 86−50323
Verdier, R. *see* Johnson, A.S. 86−50322
Verdier, Y. *see* Fritsch, T. 86−19247
Verdiere, R.de *see* de Verdiere, R.
Verdini, P.G. *see* Ash, W.W. 88−10244
Verdini, P.G. *see* Beconcini, F. 87−35368, 88−61190
Verdini, P.G. *see* Callegari, G. 86−50323
Verdol, P. Maintenance ratios. Method of representation and calculation 87−31261
Verdon, J. *see* Beierer, J. 86−39978
Verdonckt, S.V. *see* Ratanaphanyarat, S. 88−39701
Verdone, L. *see* Large, P. 88−45592
Verdonk, B. *see* Cuyt, A. 88−24666, 88−49741
Verdonk, B.M. *see* Cuyt, A.A.M. 85−33329
Verdu, S. Minimum probability of error for asynchronous Gaussian multiple-access channels 86−48721
Verdu, S. Asymptotic error probability of binary hypothesis testing for Poisson point-process observations 86−48923
Verdu, S. Optimum multi-user detection with point-process observations 86−55327
Verdu, S. Coherent-detection optical communication systems: a proof of the Gaussian bit error rate 86−64307
Verdu, S. Computation of the efficiency of the Mosely-Humblet contention resolution algorithm: a simple method 86−64382
Verdu, S. Optimum multiuser asymptotic efficiency 87−7881
Verdu, S. Multiple-access channels with point-process observations: optimum demodulation [optical communication] 87−13711
Verdu, S. Maximum likelihood sequence detection for intersymbol interference channels: a new upper bound on error probability 87−39554
Verdu, S. Capacity region of Gaussian CDMA channels: the symbol-synchronous case 87−39575
Verdu, S. Symbol-asynchronous Gaussian multiple access channels 87−55392
Verdu, S., Poor, H.V. Backward, forward and backward-forward dynamic programming models under commutativity conditions 85−54323
Verdu, S. *see* Ghez, S. 88−34878, 88−66788
Verdu, S. *see* Lupas-Golaszewski, R. 87−55206
Verdu, S. *see* Poor, H.V. 88−27909
Verdu Sanchez, J. An electronic liquid level regulation system 85−15084
Verdugo, P., Goldborne, C.E. Remote detection of ciliary movement by fiber optic laser-Doppler spectroscopy 88−54504
Verdyck, D. *see* Belmans, R. 88−69810
Vere, A.W. Cadmium mercury telluride−a UK perspective 87−31535
Vere, A.W., Steward, V., Jones, C.A., Williams, D.J., Shaw, N. Growth of CdTe by solvent evaporation 86−7733
Verechikova, R.G., Vodakov, Yu.A., Vol'fson, A.A., Mal'tsev, A.A. Cathodoamplification in silicon carbide Schottky barriers 87−74112
Vereecken, J. *see* Hubin, A. 87−16003
Vereecken, R. *see* Sansen, W. 85−48267
Vereen, L. Memory tester exploits price/performance benefits 88−35780
Vereen, L. Component test: things are getting better all the time−at least for a while 88−67646
Verello, O. *see* Olzi, E. 86−47992
Veremeenko, S.V., Gorskii, V.V., Demchenko, A.S., Evtikhov, I.M., Kalinin, V.A., Koval, A.P., Komarov, V.A., Kostin, A.A., Tarasenko, V.L., Tarasov, L.A. ATLANT-1 automated ultrasonic equipment for the comprehensive inspection of small-diameter pipes with very thin walls 85−6050
Veremeenko, S.V. *see* Sviridov, Yu.B. 87−73177
Veremei, V.V. *see* Believ, E.I. 86−3649
Veremeichenko, G.N. *see* Saenko, V.A. 86−40774
Verenik, V.N., Koptev, V.G., Razvina, T.M., Rzhevskii, M.B., Stavrov, A.A., Starostina, G.P. Solid-state luminescent filters for neodymium lasers 85−56758
Verenikina, N.M., Rozhkov, O.V., Timashova, L.N., Shcherbakov, A.N. High-precision small-scale coherent processor for improving photographic images 88−14778
Veres, A., Csath, G. Examination of the graphite additives to electrodes 87−22713
Veres, S. Asymptotic distribution of maximum likelihood estimators for nonstationary autoregressive processes 88−49642
Veresegyhazy, R., Mojzes, I., Lendvay, E. Mass spectrometric study of contact sintering in the GaSb/Au system 86−53459
Veresegyhazy, R. *see* Mojzes, I. 87−11703
Veresh, M.F., Zapesochnyi, I.P., Starodub, V.P. Negative absorption at the 812.6-nm atomic lithium line in a continuous He-Li plasma jet 88−20562
Vereshchagin, I.N., Morozov, V.S., Styrikovich, I.M. Corona discharge from needle-shaped particles 85−35226
Vereshchagin, I.P., Bobikov, V.E. Selection of parameters in the calculation of electrical fields by the method of equivalent charges 88−37139
Vereshchagin, I.P., Gorgoshidze, A.R., Krivov, C.A., Morozov, V.S. Investigation of the process of induction charging of particles 87−33376
Vereshchagin, I.P., Krivov, S.A., Morozov, V.S. Electric force acting on a particle at an electrode 87−7490
Vereshchagin, I.P., Krivov, S.A., Morozov, V.S. A conducting spherical particle in an electrode field near an electrode 87−19155
Vereshchagin, I.P., Krivov, S.A., Morozov, V.S. Particle charging kinetics and electrical force acting on particle with allowance for contact resistance 88−20844
Vereshchagin, V.P. *see* Veinberg, D.M. 88−37349
Vereshchagina, T.N. *see* Dianova, V.A. 85−14374
Vereshchak, A.I. *see* Burdugov, V.M. 87−77880
Veresov, S.I. *see* Gorskii, S.V. 86−57512
Veress, I. *see* Benvenuti, A.C. 85−15254

Veress, T. *see* Toldi, G. 88−9344
Veretel'nik, V.I., Kononov, B.A., Ryzhakova, N.K., Yagushkin, N.I. Measurement of electric potential distribution in dielectric films 86−11669
Veretenkov, A.V., Voronin, A.A., Kulakov, P.A., Prikhodchenko, V.I., Sterlyakhina, L.B. High-current switching apparatus with liquid metal working media 85−10065
Veretennikov, A.Yu. Mean square convergence of stochastic iteration procedures for ill-posed problems 88−63219
Veretennikov, G.A., Dolgov, V.V., Mefod'ev, S.P., Min shin, M.E., Soldatov, G.E., Sharapov, V.N. The first nuclear district-heating power station 86−39297
Veretennikov, G.A., Il'ich, V.N. Existing achievements and ways of increasing the economics of the nuclear power industry 87−15432
Veretennikov, G.A., Zverkov, V.V. Practical and psychological problems of work organisation for operators in nuclear power stations 86−65825
Veretennikov, O.K. *see* Fedotov, A.A. 86−39269
Veretennikov, V.A., Leonov, Yu.S., Mishachev, V.I., Semenov, O.G. Single-pulse lithography using intense radiation from an electric-discharge source 86−63155
Veretennikov, V.A., Semenov, O.G., Dolgov, A.N., Kantsyrev, V.L., Sagalovskaya, O.V., Chvyrev, I.M. Low-inductive vacuum spark as a soft X-ray source in lithography 86−58366
Veretin, V.S. *see* Gulyaev, Yu.V. 88−7326
Veretnik, L.D. Tungsten inert-gas welding magnetic circuits of electrical machines in concentric flows of argon, oxygen, and CO_2 87−43699
Verevicheva, M.A. *see* Ivashkova, L.Yu. 88−53901
Verevkin, Yu.K., Tertyshnik, A.D. Obtaining a structureless broadband stimulated-emission spectrum of pulsed sources 88−72290
Verevkina, Zh.A. *see* Mittova, I.Ya. 88−39204
Verezhak, O.F. *see* Kirichok, P.P. 86−42102
Verfaille, J. The Weigand effect−a new magnetic sensor 85−52718
Verfaille, J.J. Multivariable control system: peat-fired power station 88−30274
Verfaille, J.J. High tech as a weapon against air pollution 88−37015
Verfaille, K. *see* Lai, D.C. 85−25179
Verfurth, R. The contraction number of a multigrid method with mesh ratio 2 for solving Poisson's equation 85−339
Verga, R.L. *see* Schnyer, A.D. 86−32460
Verga, R.L. *see* Wiley, R.L. 87−42127
Verga Scheggi, A.M. *see* Chester, A.N. *(editor)* 88−6125
Vergani, L. *see* Pellegrini, A. 85−9210, 85−31838
Vergani, L. *see* Petrone, G. 85−40808
Vergani, L. *see* Pinciroli, F. 87−14891, 87−21616, 88−10352, 88−10382
Vergara, L. *see* Martin, R. 87−12736
Vergara-Dominguez, L., Figueiras-Vidal, A.R. A new class of high-order Yule-Walker estimates 87−61980
Vergara-Dominguez, L., Figueiras-Vidal, A.R., Casar-Corredera, J.R. Coloured noise compensation by using autoregressive estimators and side information 88−40971
Vergara-Dominguez, L., Garcia-Gomez, R., Casajus-Quiros, F.J., Martin-Arcos, R. On the stable operation of fractionally-spaced adaptive equalizers in voiceband data modems 87−55847
Vergara-Dominguez, L., Garcia-Gomez, R., Casjus-Quiros, F.J., Martin-Arcos, R. Long term stability in fractionally-spaced adaptive equalizers 87−27528
Vergara-Dominguez, L., Hernandez-Gomez, L.A., Casajus-Quiros, F.J. Noise compensation of the reflection coefficients 85−46870
Vergara-Dominguez, L., Martin-Arcos, R. An empirical comparison of high resolution bearing estimators 86−30876
Vergara-Dominguez, L. *see* Casajus-Quiros, F. 86−16488
Vergara-Dominguez, L. *see* Garcia-Gomez, R. 86−29958
Vergara-Dominguez, L. *see* Paez-Borrallo, J.M. 87−61956
Vergara-Dominguez, L. *see* Portillo-Garcia, J. 88−45870
Vergara-Dominguez, L. *see* Sarman, K.C. 87−55207
Vergasov, A.A. *see* Novozhilov, V.I. 86−25413
Vergauwen, B. *see* Van Horebeek, I. 88−59935
Verge, P.D. *see* Hager, H.E. 86−24825, 86−53502
Vergelli, L. *see* Mariani, E. 88−42778
Vergeres, D. *see* Liniger, M. 86−59774, 87−28396
Verges, J. *see* Pierre Dit Mery, C. 86−48354
Verges, P. *see* Eckert, D. 86−48016
Vergez, J.P. *see* Jones, C.B. 86−62449
Vergez, P. *see* Le Moing, J.Y. 88−50154
Verghese, C.A. *see* Krishnapur, P.P. 88−54561
Verghese, G.C. Observers for faster flux estimation in induction machines 86−12831
Verghese, G.C., Elbuluk, M.E., Kassakian, J.G. A general approach to sampled-data modeling for power electronic circuits 85−575
Verghese, G.C., Elbuluk, M.E., Kassakian, J.G. A general approach to sampled-data modeling for power electronic circuits 86−52662
Verghese, G.C., Ilic-Spong, M., Lang, J.H. Modeling and control challenges in power electronics 87−52375
Verghese, G.C., Lang, J.H., Casey, L.F. Analysis of instability in electrical machines 87−15645
Verghese, G.C., Sanders, S.R. Observers for flux estimation in induction machines 88−37216
Verghese, G.C. *see* Casey, L.F. 86−45358
Verghese, G.C. *see* Kudisch, M.P. 88−70532
Verghese, G.C. *see* Lang, J.H. 87−58028
Verghese, G.C. *see* Sanders, S.R. 87−58213
Verghese, K. *see* Choi, H.K. 86−60641
Verghese, K. *see* Gardner, R.P. 86−32171
Verghese, K. *see* Jin, Y. 86−32172
Verghese, K. *see* Lee, M.C. 88−22933
Verghese, K. *see* Yacout, A.M. 86−32182
Verghese, S. Appropriate policies for electronics in India 87−9986
Vergin, W.E. *see* Derhake, A.H. 87−51571
Vergis, A. Linear-testable counters for multiple faults 88−25140
Vergis, A., Steiglitz, K. Testability conditions for bilateral arrays of combinational cells 86−26992
Vergis, A. *see* Elhuni, H. 86−40864, 87−37262
Vergis, A.V. *see* Elhuni, H. 87−24062
Vergnas, M.Las *see* Las Vergnas, M.
Vergnat, M., Marchal, G., Piecuch, M. Preparation of hydrogenated amorphous silicon tin alloys 88−18731
Vergnaud, R. *see* Benoit, J. 87−41522
Vergnaud, R. *see* Boulou, M. 86−42443
Vergne, P. *see* Korezlioglu, H. 85−46677
Vergnes, J.A. The social and cultural origins of the Network X 2000. A central support of the policy of computerization of French society 88−62942
Vergniol, G. Design of an early combined cycle plant 86−12707
Vergniol, G. *see* Quesnel, G. 87−4537
Vergos, J.C. *see* Henry, M. 85−47387
Verguld, F. *see* Klein Wassink, R.J. 87−73909
Verguld, M.M.F. The measurement of the solderability of metallic pads on thick-film substrates 86−53219
Verguld, M.M.F. Wave soldering: the efficiency of debridging with a hot-air knife 87−24568
Verguld, M.M.F. Hot wave−wave-soldering SMDs and multipin ICs 88−38908
Verguld, M.M.F., Leenaerts, M.H.W. Repair of printed circuit boards carrying surface mount components 88−19511
Verguld, M.M.F. *see* Wassink, R.J.K. 86−20942
Vergunova, G.A. *see* Basov, N.G. 85−56507, 85−56907
Verhaar, B.J., Koelman, J.M.V.A., Stoff, H.T.C., Luiten, O.J., Crampton, S.B. Hyperfine contribution to spin-exchange frequency shifts in the hydrogen maser 88−20528
Verhaar, B.J., Koelman, J.M.V.A., Stoof, H.T.C., Luiten, O.J., Crampton, S.B. Hyperfine contribution to spin-exchange frequency shifts in the hydrogen maser 87−46734
Verhaar, R. *see* de Werdt, R. 88−38533
Verhaar, R.D. *see* Spiertz, E.J. 86−1977
Verhaar, R.D.J., Bartsen, J.W., Dil, J.G., Juffermans, C.A.H., de Klerk, J.J.M.J., Lifka, H. E-beam lithography for sub-micron MOS-devices 86−21321
Verhaar, R.D.J. *see* Dil, J.G. 86−9302
Verhaar, R.D.J. *see* Slotboom, J.W. 85−50738
Verhaart, G.J. Optical recording 85−63877
Verhaart, H.F.A. *see* Gaertner, T.J.M. 85−29394
Verhaart, H.F.A. *see* Stoop, T. 86−21002, 86−25625
Verhaegen, M. *see* van Dooren, P. 88−59169
Verhaegen, M.H., Vandewalle, J., Van Dooren, P. A robust and efficient technique for dealing with time-varying instrumental bias in linear filtering 85−36248
Verhage, A.J.L., van den Bosch, M.J. The electric field due to surface charges on cylindrical insulators 86−51070
Verhage, A.J.L. *see* Gaertner, T.J.M. 85−29394
Verhage, A.J.L. *see* Stoop, T. 86−21002, 86−25625
Verhe-jen, C. *see* Zwijsen, W. 86−38032
Verheggen, P.E.M. *see* Ogan, K. 88−9990
Verheij, C.M. New steps in development of compact single-ended fluorescent lamps 86−52033
Verheij, F.J. Development of a gust model for the design of large wind turbines 88−48836
Verheij, J. *see* DeBruijn, J. 87−54564
Verheijen, M.J., Beijerinck, H.C.W., Verster, N.F. Accurate (0.25 mrad) perpendicular alignment of a continuous-wave single-mode dye laser beam and an atomic beam 85−29894
Verheist, E. *see* Embo, G. 88−19549
Verhelst, E. *see* De Greve, N. 86−62894, 87−1041
Verhelst, W., De Decker, F., Francq, B., Steenhaut, O. An adaptive non-uniform sign clipping preprocessor (ANUSC) for real-time autocorrelative pitch detection 87−19457
Verhelst, W., Nilens, P. A modified-superposition speech synthesizer and its application 87−27280
Verhelst, W., Steenhaut, O. Comments on 'Pole-zero analysis of voiced speech using group delay characteristics' 86−10282
Verhelst, W., Steenhaut, O. A new model for the short-time complex cepstrum of voiced speech 86−36966
Verhelst, W., Steenhaut, O. On short-time cepstra and deconvolution of voiced speech 87−47592
Verhelst, W., Steenhaut, O. On short-time cepstra of voiced speech 88−66406
Verhenne, G. *see* De Mey, G. 87−52877
Verheugen, J.H.N. *see* Debets, P.C. 85−21822
Verheul, D.J. *see* Browne, R.A.M. 88−55400
Verheul, J.M. *see* Cahill, J.J. 85−44978
Verhey, T. *see* Boyer, P.K. 88−44700
Verhey, T. *see* Rocca, J.J. 87−53098
Verhey, T.R., Rocca, J.J., Boyer, P.K. Low-energy broad area electron beam for etching microelectronic materials 88−1532
Verhey, T.R., Rocca, J.J., Boyer, P.K. Anisotropic plasma-chemical etching by an electron-beam-generated plasma 88−44664
VerHeyen, H. *see* Royale, J. 87−65705
Verheyen, H.T., Nouta, R., Dewilde, P. Floorplanning−a new placement and routing strategy 85−17091
Verheyen, H.T. *see* Cai, H. 86−659
Verheyen, M.J.N. *see* De Groen, J.H.M. 86−5939
Verhiel, A.L. Upgrading of pumping stations for a large crude oil pipeline system 85−16539
Verhille, H. *see* Rothmaier, K. 87−62781
Verho, E. *see* Julin, R. 88−61197
Verhoeckx, N.A.M. *see* van de Enden, A.M.W. 86−69035
Verhoeckx, N.A.M. *see* van den Enden, A.W.M. 86−23057, 87−889, 87−27368
Verhoeckx, N.A.M. *see* vanden Enden, A.W.M. 86−54490
Verhoef, G. *see* DeBruijn, J. 87−54564
Verhoef, J., Macnab, R., Woodside, J. Geophysical data bases at the Atlantic Geoscience Centre 88−48376
Verhoef, L. *see* Zondervan, A. 88−67985
Verhoef, L.A., Zondervan, A., Lindholm, F.A., Spitzer, M.B., Keavney, C.J. Low effective back-surface recombination velocity by boron implantation on 0.3-Ω-cm *p*-type silicon solar cells 88−62596
Verhoef, L.A. *see* Zondervan, A. 88−29633
Verhoef, W., Vieten, M. Transients recorder on the test stand. Some hints for judging dynamic accuracy 86−5342
Verhoef, W.A. *see* Thijssen, J.M. 85−21037
Verhoefen, U. Measurement of the oil contamination of compressed air supplies 87−8769
Verhoeff, A. *see* Ramondt, J. 86−60789
Verhoeff, T. An updated table of minimum-distance bounds for binary linear codes 88−27764
Verhoeven, A.G.A. Technical aspects of ECRH systems 87−66833
Verhoeven, A.G.A., van Ingen, A.M., Monster, G.J., Sterk, A.B. Power supply and operating system for three 60 GHz gyrotrons at TFR Fontenay-aux-Roses, France 87−15898
Verhoeven, A.G.A. *see* van Ingen, A.M. 85−48793
Verhoeven, A.J.M. Emergency power control by automatic transfer switching 86−6302
Verhoeven, A.J.M. Emergency power control by automatic transfer switching 87−15230
Verhoeven, J. *see* Bruijn, M.P. 85−54475
Verhoeven, J. *see* Van Der Laan, G. 87−50199
Verhoeven, J.A.T. Storage capacity 1 Gbyte. Optical mass store. Write-in information facility 85−26074
Verhoeven, J.D., Gibson, E.D., Ostenson, J.E., Finnemore, D.K. A combination bronze-in situ process for preparation of superconducting wire 85−56158
Verhoeven, J.D. *see* McCallum, R.W. 87−59017
Verhoeven, J.F.C.M. *see* Woerlee, P.H. 86−9058
Verhofstadt, P.W.J. Trends in standard IC's 87−37264
Verholek, C. RF data links for real time control 87−3123
Verhulst, D., Mouly, M., Szpirglas, J. Slow frequency hopping multiple access for digital cellular radiotelephone 85−3368
Verhulst, D. *see* Dornstetter, J.-L. 87−69927
Verhulst, D. *see* Dornstetter, J.L. 87−28445
Verich, V.F. *see* Sutotskii, G.P. 88−17373
Verichev, N.N. Investigation of the dynamics of systems with Josephson contacts by the rapidly rotating phase method 88−39827
Verichev, N.N. *see* Afraimovich, V.S. 87−65908
Verichev, N.N. *see* Belykh, V.N. 88−39828
Verie, C. Recent progress in studies of a-$Si_{1-x}Sn_x$:H for novel amorphous silicon-based solar cells 86−1748
Verie, C. Very high efficiencies with multiband gap III-V compound solar cells 86−40126
Verie, C. A criterion for selection of semiconductors used in multispectral high efficiency solar cells 87−9754

Verie, C. Mercury cadmium telluride infrared detectors: some material science aspects 88−1434
Verie, C. *see* Beaumont, B. 88−18021
Verie, C. *see* Freundlich, A. 88−6447, 88−18048, 88−49847, 88−56215
Verie, C. *see* Huong, P.V. 86−35355
Verie, C. *see* Leroux, M. 86−47298
Verie, C. *see* Saletes, A. 88−18079, 88−31043
Veriga, B.A., Vyakhirev, N.I. A frequency-independent parabolic phased antenna array of log-periodic antennas 85−13380
Verigin, A.M., Komissarov, G.G., Reznichenko, V.F. An experimental procedure for determining the composition of the gas phase in the penetrated channel during electron-beam and laser beam welding 85−5563
Verigo, A.R. *see* Shapiro, I.Z. 86−25509
Verigo, A.R. *see* Tsygankov, V.M. 87−35539
Verimus, A. Breaking the loop—Nyquist revisited 86−8001
Verin, L.L., Grishin, V.G. Algorithm for interactive forming matrix data representation and estimation of its efficiency [picture processing] 87−2593
Verina, M.P. *see* Lambeth, P.J. 88−23542
Veringa, H., Hornsveld, E.M., Hoogendam, P. Optimization of high current density A-15 superconductors made by the ECN powder method 85−46046
Verissimo, P. *see* Videira, F. 88−46631
Verissimo, P.J., Rodrigues, L., Marques, J.A. Atomic multicast extensions for 802.4 token-bus 88−35165
Verite, J.-C. The computation of magnetic fields 87−75300
Verite, J.-C. *see* Bossavit, A. 86−6695
Verite, J.-C. *see* Le Brun, A. 88−12105
Verite, J.-C. *see* Pons, F. 88−6572
Verite, J.-C. *see* Savalle, D. 88−6412
Verite, J.C. Application of a 3-D eddy current code (TRIFOU) to non-destructive testing 85−7580
Verite, J.C. Calculations of multivalues potentials in exterior regions. Some numerical results with the TRIFOU code for 3D eddy-current problems 86−48536
Verite, J.C. Calculation of multivalued potentials in exterior regions 87−75303
Verite, J.C. *see* Ancelle, B. 88−52021
Verite, J.C. *see* Savalle, D. 88−52026
Verity, J.W. The shifting shape of SNA 86−16935
Verive, J. New ideas: add-on scope multiplexer 85−20655
Verkerk, M.J. *see* van der Kolk, G.J. 88−56300
Verkerk, P., Grand-Clement, D., Trehin, F., Grynberg, G. Spectral analysis of an injection-locked flash-lamp pumped dye-laser of ultranarrow linewidth 86−63774
Verkerk, P. *see* Grynberg, G. 88−72409
Verkerk, P. *see* Le Bihan, E. 86−22528
Verkest, D. *see* Claesen, L. 88−49977
Verkhalo, V.I. *see* Suchkousov, V.P. 86−40538
Verkhivker, G.P., Yantovskii, E.I. Nuclear/gas power plant 85−65050
Verkhoglyad, A.G., Kuleshov, Yu.P., Kurbatov, P.F. Infrared image intensity amplifier on neutral xenon line with λ=3.51 micron 86−5026
Verkhoturov, A.D. *see* Kovalenko, V.S. 88−65924
Verkhoturov, A.I. *see* Sipailov, G.A. 85−43947
Verkhoturov, Yu.E. *see* Glebov, I.A. 86−39691
Verkhovodov, P.A. *see* Levchenko, G.V. 85−34422
Verkhovskaya, E.E. *see* Khomskii, I.G. 85−44097
Verkhovskaya, K.A., Lazarev, V.G., Levin, Yu.E., Fridkin, V.M., Shuvalov, A.L. Influence of uniaxial mechanical stresses on the linear photovoltaic effect in cubic piezoelectric ZnS 87−2013
Verkhovskaya, K.A. *see* Fridkin, V.M. 87−26156
Verkhovskii, S.Ya., Egorov, V.P. High-voltage thyristor commutator with optoelectronic control 86−40901
Verkhovskii, S.Ya., Flat, F.A. Breakdown phenomena in a pulse supply system for solenoids 88−20865
Verkhovskii, S.Ya., Kopelovich, E.A., Larichev, Yu.D., Luchinin, A.G., Malygin, O.V., Movshevich, B.Z., Savin, V.S., Flat, F.A. Pulsed magnetic-field source for submillimeter gyrotrons 86−14059
Verkhovskii, S.Ya., Lyulyaev, A.V., Flat, F.A. High-power high-voltage pulse generator 86−57722
Verkhovskii, Ya.M. *see* Sidyak, V.A. 87−52726
Verkhovskiy, Y.M. *see* Sidyak, V.A. 86−14345
Verkhovtseva, E.E. *see* Korchagin, Yu.A. 86−36810
Verkin, B.I., Dmitrenko, I.M., Dmitriev, V.M., Kartsovnik, V.V., Kozyr, A.G., Pavlyuk, V.A., Tsoi, G.M., Shnyrkov, V.I. Quantum interference in high-T_c superconductors 88−26704
Verkin, B.I., Fugol', I.Ya., Khashchina, L.V., Konovodchenko, V.A., Banduryan, B.B. A long-wave IR spectrometer with a superconducting bolometer for examining cryocrystals 85−7169
Verkin, B.I., Kartsovnik, V.V., Pavlov, P.P., Pavlyuk, V.A., Tavrin, Yu.A. High temperature SQUID 88−58029
Verkroost, G. Noise caused by sampling-time jitter with applications to sampling-frequency conversion 87−47846
Verkroost, G. *see* Butterweck, H.J. 87−10985
Verkyalis, I.Yu., Mazheikis, A.-P.A., Samuolis, A.P. Coordinate characteristics of differential reflecting optoelectronic devices and their stabilisation 88−51700
Verlan', A.F., Golub, A.P., Sizikov, V.S. Approximate calculation of the error of solution of Fredholm and Volterra integral equations of the second kind by the method of quadratures 88−6345
Verlan, V.I. *see* Andriesh, A.M. 87−46655
Verlangieri, P.A., Schneider, M.V. Microfabrication of GaAs Schottky diodes for multipliers, mixers, and modulators 86−27606
Verlijsdonk, A.P. *see* Dijk, J. 85−19694, 85−25825
Verlijsdonk, A.P. *see* Janssen, G.J.M. 87−68951
Verlijsdonk, A.P. *see* Liu, K.H. 88−28812
Verlijsdonk, A.P. *see* Mneney, S.H. 85−8535
Verlijsdonk, A.P. *see* Nouwens, W.J.W.M. 85−57285
Verlijsdonk, A.P. *see* Simons, H.J. 88−28807
Verlinde, J. *see* Krauss, T.W. 87−77863
Verlinde, R. *see* Chang, P.C. 88−61219
Verlinden, P., Van de Wiele, F. Measurement of diffusion length and surface recombination velocity in interdigitated back contact (IBC) and front surface field (FSF) solar cells 85−44195
Verlinden, P., Van de Wiele, F., Stehelin, G., David, J.P. Optimized interdigitated back contact (IBC) solar cell for high concentrated sunlight 87−4898
Verlinden, P., Van de Wiele, F., Stehelin, G., David, J.P. An interdigitated back contact solar cell with high efficiency under concentrated sunlight 88−18041
Verlinden, P., Van de Wiele, F., Stehelin, G., Floret, F., David, J.P. High efficiency interdigitated back contact silicon solar cells 88−37449
Verlinden, P. *see* Stehelin, G. 88−18037
Verlinden, P. *see* Yernaux, M.I. 85−10109
Verloop, A.J., Holsheimer, J. A simple method for the construction of electrode arrays 85−15333
Verly, J.G., Kirk, D.E. A distributed implementation of fast Fourier transforms 86−5174
Verly, J.G., Peli, T. Circular harmonic analysis of PSFs corresponding to separable polar-coordinate frequency responses with emphasis on fan filtering 85−46777
Verly, J.G., Van Hove, P.L., Walton, R.L., Dudgeon, D.E. Silhouette understanding system 87−19953
Verly, J.G., Williams, B.D., Dudgeon, D.E. Automatic object recognition from range imagery using appearance models 88−28985
Verly, J.G. *see* Esselman, T.R. 87−62236, 88−41078
Verly, J.G. *see* Van Hove, P.L. 86−16562
Verly, P.G. Low-loss liquid-crystal-clad waveguide switch with a large angular separation of the optical beams 87−68210
Verma, A.K. A wheel-type channel dropping filter 87−52807
Verma, A.K. Semi-circular resonant cavity type H_{10} rectangular to H_{01} circular mode transducer 88−56867
Verma, A.K., Murty, A.S.R. Reliability modelling of electronic components 87−36537
Verma, A.K. *see* Dubey, G.K. 86−45425
Verma, A.K. *see* Murty, A.S.R. 86−40593
Verma, A.S. *see* Gautam, V.K. 85−1551
Verma, A.V. *see* Arora, J.D. 87−22738
Verma, G., Mielke, N. Reliability performance of ETOX based flash memories 88−50150
Verma, G. *see* Tam, S. 88−70780
Verma, H.K., Basha, A.M. A multistage frequency relay with undervoltage and light-load blocking 85−9410
Verma, H.K., Basha, A.M. A microprocessor-based inrush restrained differential relay for transformer protection 87−30731
Verma, H.K., Basha, A.M. Microprocessor based variable bias differential relay for busbar protection 88−5401
Verma, H.K., Basha, A.M. Transformer differential relay based on waveform approach 88−5738
Verma, H.K., Basha, A.M. Microprocessor-based overfluxing relay for a generator transformer 88−17694
Verma, H.K., Chhajta, S.S. Microprocessor-based variable-bias differential relay for generator protection 87−42788
Verma, H.K., Chhajta, S.S. Microprocessor relaying for generator protection on stator asymmetrical short-circuits, rotor overheating and field failure 88−75550
Verma, H.K., Kakoti, G.C. Simplified Fourier coefficients for distance relaying 88−48609
Verma, H.K., Verma, S.C. Zero-phase-difference check synchronizer employing a microprocessor 88−60550
Verma, H.K. *see* Basha, A.M. 86−61050
Verma, H.K. *see* Ghai, A.K. 86−58099
Verma, H.K. *see* Julka, V.S. 85−5339
Verma, H.K. *see* Pande, V.N. 86−5949, 86−11985, 86−18334
Verma, I.B., Leung, M., Drew, H.D., Doezema, R.E., Furneaux, J.E., Wagner, R.J. High intensity submillimeter photoresponse of a Si inversion layer 85−55578
Verma, K.K. *see* Meola, K.D. 88−73482
Verma, K.Krishna *see* Krishna Verma, K.
Verma, M.P. *see* Cortina, R. 86−50977
Verma, M.R., Majumdar, A.K., Chatterjee, B. Edge detection in fingerprints 87−75882
Verma, P. *see* Ibrahim, H. 87−55548
Verma, P.K. A 1984 perspective on developments in computer communication systems 85−52034
Verma, P.K. ISDN technology: the user's perspective 88−21800
Verma, R., Lakshminarayan, K.N., Srivastava, K.K. Dielectric parameters for films and sheets at microwave frequencies 85−26455
Verma, R., Samorio, R.V. Salient electrical design features of the Magat hydroelectric project 87−64461
Verma, R.D., Jaywant, S.M., Iqbal, Z. Stimulated electronic Raman scattering in barium vapor 85−35859
Verma, R.K. Electromagnetic sounding interpretation data over three-layer Earth 86−19770
Verma, R.K. *see* Gruppuso, F. 85−22908
Verma, S., Anand, R.S., Hirna, V., Sing, B., Saxena, R.B. Development of single phase brushless self-excited synchronous generator 88−23889
Verma, S.C. *see* Verma, H.K. 88−60550
Verma, S.N., Callanan, W.F. WESTAR satellite network and in-orbit performance 85−20136
Verma, S.P. Design and performance of a highly stable variable speed reluctance-induction motor 86−45356
Verma, S.P. Vibration behaviour of laminated stators of electrical machines 88−17546
Verma, S.P., Gupta, V. Shaft-potentials in modern turbogenerators with particular reference to static excitation 86−33322
Verma, S.S., Sawhney, B.K. Optimum liquid fuel mixture for MHD power generators 88−69708
Verma, V.K. *see* Agarwal, P. 87−43493
Verma, V.K. *see* Gupta, S.P. 85−27676, 87−22838, 87−43545 to 43546
Verma, V.K. *see* Prasad, C. 85−64727
Verman, B.S., Vladimirov, E.N., Pryanishnikov, V.A. Analysis of statistical errors of spectrometer input signal processors 85−20438
Vermarien, H., van Vollenhoven, E. Evaluation of specific pick-ups and preamplifiers for the recording of heart vibrations 85−9127
Vermarien, H. *see* Chin, J.G.J. 86−65417
Vermeer, A., van der Leun, C., Veenenbos, A.J., van der Vliet, Ph.E.P. An adjustable shorting rod for a 3 MV Van de Graaff generator 88−53978
Vermeeren, A.Q. *see* Benner, J.H.B. 87−57624
Vermeesch, J. *see* Rijks, E. 87−77095
Vermeij, G.F. A single-purpose card computer for measurement and control 86−57844
Vermeij, G.F. *see* van Groningen, W.D.H. 86−11423
Vermeir, W. *see* Theeuws, R. 87−76153
Vermeiren, J. *see* Barbe, A. 85−47860
Vermeiren, J. *see* Bosiers, J. 85−58558, 87−14195
Vermeiren, J. *see* Dierickx, B. 88−4488, 88−71556
Vermeiren, J.P., Declerck, G.J. A novel CCD output structure for picture processing applications 86−5112
Vermesse, B. *see* Huttenloher, R. 87−44881
Vermeulen, A.M.T.I. *see* van der Kleij, B.M. 88−4890
Vermeulen, D. *see* Belmans, R. 87−43537, 88−69810
Vermeulen, F.E., Chute, F.S. The induction heating of fossil fuels in-situ by electric and magnetic fields 86−26413
Vermeulen, F.E., Chute, F.S. On the classification of processes using electric and magnetic fields to heat materials 88−24270
Vermeulen, F.E. *see* McPherson, R.G. 87−22948
Vermeulen, F.E. *see* Sumbar, E. 85−20781, 85−37844, 86−18201
Vermeulen, G.A. *see* Reijntjes, P.J. 86−65184
Vermeulen, J. Security lighting and closed circuit television 88−37743
Vermeulen, L.A., Halperin, A. The kinetics of the R- and UV-band photoconductivity (PC) in radiation damaged diamond 85−6695
Vermeulen, M.J.W. *see* Luthjens, L.H. 87−8816
Vermeulen, P.J. *see* Eschenauer, H.A. 86−71070
Vermeulen, W. *see* Spaanenburg, L. 85−39985
Vermeulen, W.J.C. *see* Kwakman, L.F.T. 87−59009, 88−26416
Vermey, R.S. *see* Inculet, I.I. 85−30008
Vermiglio, R. Natural continuous extensions of Runge-Kutta methods for Volterra integrodifferential equations 88−63263
Vermij, C.J. *see* Schaap, T. 85−42270, 87−55744
Vermij, L. Introduction to fuse technology 87−24540
Vermij, L. Introduction to the technology of fuses 87−52961

Vermij, L., Mattheij, A.J.M. Time-current characteristics of miniature fuses 87−66666
Vermij, L., Mattheij, A.J.M., Maissan, A.Th., van der Sluis, L. Comparison of synthetic and direct testing of miniature fuses 87−66670
Vermij, L. *see* Mattheij, A.J.M. 87−66664
Vermilyea, M.E. Transient performance of a prereacted epoxy-impregnated Nb_3Sn racetrack coil 88−65091
Vermishyan, G.A. *see* Shakaryan, G.G. 86−18084
Vermolen, J. PSU practice in modern instrument design 86−34509
Vermolen, J. Fast diodes improve efficiency 88−6651
Vermolen, J., Mellis, D. Compact HF oscilloscopes require efficient power supplies 86−55764
Vermot-Gauchy, R. *see* Carsalade, H. 85−13153
Vermot-Gauchy, R. *see* Daugan, G. 85−19552
Vermot-Gauchy, R. *see* Desblache, A. 85−8051
Vermot-Gauchy, R. *see* Galand, C. 85−28399, 85−47277
Vermot-Gauchy, R. *see* Platel, G. 85−41891
Vermot-Gauchy, R. *see* Roulier, G. 88−21273
Vermuelen, C., Bouffioulx, Y. National coordination of NPP operation: Belgian case 87−15454
Vernay, A. *see* Martens, M. 87−53481
Vernay, D. The evolution of naval communications 87−40759
Vernay, D. *see* Charavit, J.C. 87−39406
Vernay, J.-P. Ground simulation of missiles: speed is the main point 85−31407
Vernay, J.-P. From the design to the circuit, silicon compilers 86−13926
Vernay, J.-P. CAD for the hypers 86−40831
Vernay, J.-P. Digital optical discs: thousands of millions (of bytes) more 86−55462
Vernay, J.-P. The position with regard to MAP [Manufacturing Automation Protocol] 87−55724
Vernay, J.-P. More processing power for micros 88−12419
Vernay, J.-P. The cutting of suits: laser and real time 88−27356
Vernay, J.-P. Data acquisition: modularity first 88−35870
Vernay, J.-P. Program your instrument in 'virtual' 88−53546
Vernay, J.-P. MAP: the optical fibre in competition with the coaxial 88−60157
Vernay, J.-P. Large-system sensors: the same LAN binds them together 88−67372
Vernay, J.P. Optical fibres for local networks 85−7246
Vernay, J.P. For remote surveillance: use the telecommunication network 86−43487
Vernay, Y.-J. *see* Fournier, J.-M. 88−63000
Vernay, Y.J. Debugging complex integrated circuits with a scanning electron microscope 88−20019
Vernay, Y.J., Mignone, R., Rivoire, P. A SEM-based workstation for design validation 87−25500
Vernaza, S.Gomez *see* Gomez Vernaza, S.
Vernazza, G. Performances of different fractal-dimension estimators of natural image texture 88−46308
Vernazza, G. *see* Arduini, F. 88−66739
Vernazza, G. *see* Balbi, E. 87−29709
Vernazza, G. *see* Bianco, B. 86−11945
Vernazza, G. *see* Dellepiane, S. 87−50303 to 50304, 87−57116, 88−46242
Vernazza, G. *see* Serpico, S.B. 87−48053
Vernazza, G.L., Serpico, S.B., Dellepiane, S.G. A knowledge-based system for biomedical image processing and recognition 88−29959
Vernazza, T. *see* Braccini, C. 87−44936, 88−729
Vernazza, T. *see* Giordano, A. 86−1137, 86−17815, 86−49968, 87−39915
Verneau, A., Sulle, C. Fluorinol turbine boosts diesel engine output by 10 per cent 86−19132
Verner, V.D., Gusakov, G.M., Sarkisyan, S.S., Komarnitskii, A.A. Low-frequency stability of a YAG:Nd^{3+} laser 86−22359
Verner, V.D. *see* Vekilov, Yu.Kh. 87−1305
Vernet, G. *see* Hafdallah, H. 88−25294
Vernet, G. *see* Ouslimani, A. 88−64604
Vernetson, W.G. *see* Welch, G.E. 88−75351
Vernetto, S. *see* Aglietta, M. 86−65378
Vernetto, S. *see* Alberini, C. 86−65387
Verney, E., Martin, J.R., Clechet, P. Experimental determination of the collection efficiency of a metal/n-type semiconductor rotating ring-disk electrode 86−8908
Vernhet, J. Multiplexing equipment for broadcast data transmission 85−25406
Vernhet, J., Frossard, D. Miron and Tetran: two instruments for the metrology of teletext 86−37400
Vernhet, R. *see* Gheysens, R. 85−65573
Vernick, H., Iliadis, A.T. An approach to effective management of large GO models [steam power station reliability] 88−11100
Vernickel, H. *see* Koppendorfer, W. 86−42181
Vernier, F., Charlier, J., Nguyen, D.D. Application of cathode-ray tube technology to the clinical evaluation of visual functions 88−48123
Vernier, F. *see* Charlier, J.R. 87−57077
Vernier, G. *see* Buchet, J. 85−1117
Vernier, P. *see* Chabrier, G. 86−21291
Vernigor, E.M., Dzhidzhoev, M.S., Mizin, V.M., Platonenko, V.T., Popov, V.K., Shalaev, V.K. Bleachable filters for XeCl lasers 86−68594
Vernigor, E.M. *see* Alekseeva, V.I. 87−26345
Vernigorov, N.S., Pugovkin, A.V., Sedunov, M.G., Serebrenkiov, L.Ya. Automated system for processing optical interferograms 87−39871
Vernigorov, Yu.M. *see* Bitkina, N.S. 86−35980
Vernik, S.M. Methods of grouping optical fibers in fiber-optic communications lines 87−70040
Vernikov, M.A. *see* Pudalov, V.M. 86−53482
Vernimb, C. The CEC's role in the promotion of electronic document delivery in Europe 85−30647
Vernin, J. *see* Green, J.L. 86−6124
Verniolle, J. Battery development and testing at the European Space Agency 88−16850
Vernokovskii, V.V., Marasonov, M.G., Soloboev, V.E. Analysis of multicomponent polydispersed media by optical methods on-line with a computer 85−4150
Vernon, A. *see* Buchanan, D.S. 85−44961
Vernon, A.J., Field, J.A., Wong, J.W. Analysis of logical connections in a local area network 87−33857
Vernon, A.J. *see* Wong, J.W. 88−21629
Vernon, C.E. *see* Quickenden, T.I. 86−33584
Vernon, D. An improved design of vacuum circuit breaker for AC traction vehicles 86−40239
Vernon, D., Tistarelli, M. Range estimation of parts in bins using camera motion 88−59307
Vernon, D. *see* Myers, R.L. 86−44465
Vernon, D. *see* Wheeler, J.C.G. 88−69851
Vernon, F.L., III *see* Berger, J. 85−9357
Vernon, F.L., III. *see* Park, J. 88−21182 to 21183
Vernon, F.L., Jr. *see* Aukerman, L.W. 85−12733
Vernon, J. Versatility considerations in functional testing 85−33143
Vernon, J. The validation test: just what is needed, where and when it is needed 86−55521
Vernon, J. Military taps into optical fiber 87−68032
Vernon, J.C. Optical fiber and tomorrow's C^3I systems 88−73901
Vernon, M. *see* Evans, S. 88−-19104
Vernon, M.K. *see* Goradia, T. 87−55808
Vernon, P. Developments in rapid transit traction systems 85−10175
Vernon, P. The CAT computer 85−11291
Vernon, P. Hyperion personal computer for business and professional use 85−11292
Vernon, P. Uninterruptible power supplies today 88−62482
Vernon, P., Dawson, C. Programmable light controller 85−16405
Vernon, R. *see* Lippermeier, G. 88−34919
Vernon, R.J., Johnson, B.R., Hoppe, D.J. Design of a TE_{11}-to-HE_{11} mode converter in a highly over-moded corrugated circular waveguide to be used as a reflector feed for plasma heating 86−41280
Vernon, R.J., Pickles, W.R., Buckley, M.J., Firouzbakht, F., Lorbeck, J.A. Mode content determination in over-moded circular waveguides by open-end radiation pattern measurement 88−2665
Vernon, R.J. *see* Buckley, M.J. 88−25416, 88−71005
Vernon, S.D. *see* Allen, S.D. 85−415
Vernon, S.M., Haven, V.E., Tobin, S.P., Wolfson, R.G. Metalorganic chemical vapor deposition of GaAs on Si for solar cell applications 87−10431
Vernon, S.M., Pearton, S.J., Gibson, J.M., Caruso, R., Abernathy, C.R., Short, K.T., Stavola, M., Haven, V.E., Jacobson, D.C. MO-CVD GaAs grown by direct deposition on Si 88−38206
Vernon, S.M., Pearton, S.J., Gibson, J.M., Short, K.T., Haven, V.E. Activation characteristics and defect structure in Si-implanted GaAs-on-Si 87−53346
Vernon, S.M., Spitzer, M.B., Keavney, C.J., Haven, V.E., Sekula, P.A. Passivation of Si solar cells by heteroepitaxial compound semiconductor coatings 87−43463
Vernon, S.M., Spitzer, M.D., Tobin, S.P., Wolfson, R.G. Heteroepitaxial (Al)GaAs structures on Ge and Si for advanced high-efficiency solar cells 86−7064
Vernon, S.M., Tobin, S.P., Haven, V.E., Wolfson, R.G., Wanlass, M.W., Matson, R.J. Development of high-efficiency GaAsP solar cells on compositionally graded buffer layers 88−31040
Vernon, S.M. *see* Ahrenkiel, R.K. 88−64233
Vernon, S.M. *see* Case, C. 88−37448
Vernon, S.M. *see* Jordan, A.S. 88−49887
Vernon, S.M. *see* Pearton, S.J. 87−74282, 88−31751
Vernon, S.M. *see* Sekula, P.A. 88−38214
Vernon, S.M. *see* Spitzer, M.B. 87−72390, 88−24143, 88−37407
Vernon, S.M. *see* Tobin, S.P. 87−4912, 88−31041, 88−37601, 88−55627, 88−62610
Vernon, S.M. *see* Wilson, B.A. 88−38208
Vernon, S.M. *see* Wolfson, R.G. 87−44387
Vernon, S.N. Detection and measurement of broken fiber type defects in graphite epoxy using eddy current methods 85−22564
Vernon, S.N. Considerations in the eddy current inspection of graphite epoxy 88−43981
Vernon, S.N. *see* Liu, J.M. 87−10532
Vernon, S.N. *see* Sabbagh, H.A. 85−10885, 85−54555
Vernon, W. *see* Ghamati, S. 85−62232
Vernon, W. *see* Masek, G.E. 87−50159
Vernooij, B. An architectural contrast−68000 versus iAPX 286 [microprocessors] 85−17461
Vernooij, B. 68000 v. iAPX 286 86−41154
Vernooij, B. 68000 versus iAPX 286 86−52883
Vernov, N.I., Koval'chuk, I.G. Vibration-phase densitometer with electromechanical feedback 86−44441
Vernoy, J.-P. The Orsay museum: security networks 87−16330
Vernstrom, G.D., Jacobson, R.L., Westerberg, R.K., Jeffrey, F.R. Continuous-mode fabrication of amorphous silicon solar cells on polyimide substrates 87−72438
Vernstrom, G.D. *see* Jeffrey, F.R. 86−35627, 86−61735, 87−30982, 88−49154
Vernstrom, G.D. *see* Tran, N.T. 88−44555
Vernucci, A. *see* Alaria, G.B. 87−76634, 87−76692, 88−22006
Vernucci, A. *see* Arenaccio, S. 86−17346
Vernucci, A. *see* Bellaccini, S. 87−40821
Vernucci, A. *see* Kriedte, W. 86−55267, 87−13668
Vernucci, A. *see* Marconicchio, F. 88−46994
Vernucci, A. *see* Tirro, S. 87−34519
Vernyi, A.E. *see* Anevsky, A.I. 88−10231
Vernyi, A.E. *see* Anevsky, S.I. 88−47798
Vero, J. *see* Adam, A. 88−42629
Vero, L., Smith, B.D., Anderson, W.L., Csorgei, J. Comparison of interpretation methods for time domain spectral induced polarization data 86−38939
Veron, D., Ayral, H., Gouedard, C., Husson, D., Lauriou, J., Martin, O., Meyer, B., Rostaing, M., Sauteret, C. Optical spatial smoothing of Nd-glass laser beam 88−20607
Veron, D., Whitbourn, L.B. Strip gratings on dielectric substrates as output couplers for submillimeter lasers 86−36365
Veron, D. *see* Creen, J.P. 87−26478
Veron, H. The measurement of resolution of shadow-mask CRTs 86−31248
Veron, H. The measurement of resolution of shadow-mask CRTs 87−3450
Veron, H. Analysis and measurement of resolution of shadow mask CRT displays 88−67972
Veron, H., O'Callaghan, J.P. A technique for the automated measurement of the resolution of shadow-mask CRT displays 88−16328
Veron, H. *see* O'Callaghan, J.P. 88−16329
Verona, E. *see* Arya, S.P.S. 88−35975
Verona, E. *see* Bertolotti, M. 85−12538
Verona, E. *see* Carlotti, G. 88−53953
Verona, E. *see* D'Amico, A. 88−57890
Verona, E. *see* Palma, A. 85−24024, 86−2482, 86−9369
Verona, E. *see* Palma, F. 88−51616
Verona, E. *see* Palmieri, L. 85−62416, 87−1997, 87−67634
Verona, R.W. Image intensifiers: past and present [for night vision enhancement] 86−65490
Verona, R.W. *see* Rash, C.E. 87−70450
Veronis, A.M. Microprocessors. Hardware and applications 85−22153
Veroy, B.S. Multicluster integrated communication network with dedicated channels: description and overall design 86−64445
Verpeaux, J.-P. French lessons [digital drum machine] 86−44073
Verplancke, J., Schoenmaekers, W., Hesselink, W.H.A., Hacuqebord, A., Penninga, J., Stolk, A. A HPGe-telescope as a Compton suppression spectrometer 86−50455
Verplanken, B. *see* Midden, C.J.H. 87−57742
Verploegen, J. *see* van Damme, P. 88−252
Verploegh, D.B. Light control systems for automotive instrumentation and interior lighting 86−45793
Verraster, J.V., III *see* Barnacle, M.J., Jr. 85−33076
Verrazzani, L. *see* Corsini, G. 85−42632 to 42633, 85−52398
Verrazzani, L. *see* Dalle Mese, E. 85−42643
Verrecchia, G.P.D. *see* Wells, G.M. 88−68301
Verrecchia, L., Maslen, P. A new industry: transparency [telecommunication network] 85−36588
Verrecchia, P. *see* Albrow, M.G. 87−41857
Verrecchia, P. *see* Benvenuti, A.C. 85−15254
Verrecchia, P. *see* Braunschweig, W. 88−29874, 88−68282
Verrecchia, P. *see* Gervasio, V. 86−40253
Verrecchia, R. *see* Launspach, J. 86−5872
Verrechia, L. *see* Gaudin, G. 85−25307
Verree, J. The digital radio relay systems in the French telecommunications network 87−34389
Verret, D. *see* Chen, J. 88−39378, 88−39404
Verret, D. *see* Unlu, M.S. 88−19679
Verret, D.P., Brighton, J.E. Two-dimensional effects in the bipolar polysilicon self-aligned transistor 88−26216

Verri, A., Poggio, T. Against quantitative optical flow 87–62327
Verri, A., Poggio, T. Qualitative information in the optical flow 88–3274
Verriele, H., Lorriaux, J.L., Legry, P., Gouy, J.P., Vilcot, J.P., Decoster, D. GaAs monolithic integrated photoreceiver for 0.8 μm wavelength: association of Schottky photodiode and FET 88–40103
Verriele, H., Maricot, S., Constant, M., Ramdani, J., Decoster, D. Planar monolithic integration of a Schottky photodiode and a GaAs field-effect transistor for 0.8 μm-wavelength applications 86–4635
Verriele, H., Remiens, D., Ramdani, J., Decoster, D. A planar monolithic integrated photoreceiver: association of a GaAs Schottky photodiode with a GaAs FET 87–56706
Verriele, H. *see* Decoster, D. 86–30782
Verriele, H. *see* Razeghi, M. 86–63733
Verrier, I., Goure, J.-P. Light power fluctuations at the output end of a fiber in partial coupling with a detector in coherent light 88–20358
Verrier, I., Goure, J.-P. Intensity fluctuations observed at a pigtailed source end-face in optical system 88–45096
Verrier, I., Goure, J.P. Intensity fluctuation in partial coupling between a multimode graded-index fibre and a circular detection area 87–32986
Verriere, P. *see* Marcon, J.-P. 87–64310
Verriest, E. Error analysis of linear recursions in floating point [arithmetic] 86–16454
Verriest, E.I. Gain correction in optimal filtering using floating point arithmetic 85–50000
Verriest, E.I. Linear filters for linear systems with multiplicative noise and nonlinear filters for linear systems with non-Gaussian additive noise 86–10452
Verriest, E.I. An achievable bound for optimal noiseless coding of a random variable 87–2438
Verriest, E.I. *see* Gaylord, T.K. 88–26911
Verriest, E.I. *see* Mirsalehi, M.M. 86–54529
Verrijdt, W. *see* Sansen, W. 88–36516
Verrone, G. *see* Cinquepalmi, R. 85–49292
Verroust, J. *see* Blinowska, A. 85–53051, 88–61385
Verrydt, W., van den Bossche, J., van den Bossche, A., van de Voorde, P., Witters, E., Aubert, A.E., Sansen, W., Ector, H., de Geest, H. Automatic defibrillator, antitachy pacemaker and cardioverter 88–5015
Verrydt, W.M. *see* Aubert, A.E. 87–50426
Versari, G. *see* Martella, C. 87–33993
Verschueren, A. *see* Bens, J. 88–48747
Verschuur, D.J., Kaizer, A.J.M., Druyvesteyn, W.F., de Vries, D. Wigner representation of loudspeaker responses in a living room 88–53478
Verschuur, J.J. Technologies and markets 85–10325
Verseille, J. *see* Christensen, J.F. 87–57579
Versfeld, L.R.G. Constant-frequency synthesis of lossy microwave two-ports 85–54993
Vershel, M. *see* Sherhart, K. 85–1699
Vershinin, A.S. *see* Kakhanovich, V.S. 85–15501, 86–56508
Vershinin, E.A. *see* Belov, A.N. 86–25409
Vershinin, I.M. Combined technique of calculating the capacitance matrix of planar lines 88–38667
Vershinin, M.S. *see* Leonov, E.I. 86–63678
Vershinin, N.S. *see* Kakhanovich, V.S. 86–32636
Vershinin, P.P. On the efficient use of the compensating capability of synchronous motors 88–17559
Vershinin, V.A. Noise immunity of binary-data group transmission with group-signal restoration 86–29895
Vershinin, V.A., Lando, V.S. Impulse-noise suppression by blanking in binary-code group signaling 86–36917
Vershinin, V.A., Lando, V.S. Investigation of the effect of the communication line and the synchronization error on the noise immunity of group binary data transmission using orthogonal Walsh functions 87–55875
Vershinin, V.A., Lando, V.S. A Walsh-function device for the digital processing of a group signal 88–46022
Vershinin, V.S. *see* Buzanova, L.K. 85–44173
Vershinin, Ye.A., Vyskrebtsov, I.G., Dobryak, D.S. On the distribution law for the time intervals between atmospherics 88–8498
Vershinin, Yu.N., Pleshanov, A.S. On the general equations for breakdown of condensed media 88–64810
Vershinin, Yu.N., Pleshanov, A.S. On a general formulation of the problem of the dynamics of solid-dielectric breakdown in a quasi-one-dimensional approximation 88–71836
Vershinin, Yu.N., Yakimets, I.V. Transformers-type current-limiting circuit breakers with controlled superconducting screens 85–65380
Vershinin, Yu.N., Yakimets, I.V. Transformer-type current-limiting breakers with controlled superconducting screens 86–39208
Vershinin, Yu.N. *see* Glebov, I.A. 86–9445
Vershinin, Yu.P. *see* Aristarkhov, G.M. 85–13188
Vershinina, L.I. *see* Zhigalov, V.S. 85–23492
Vershinina, L.N. A dielectric waveguide on a comb substrate 87–45164
Vershinina, L.N., Parkhomenko, M.P. An isolator based on a strip-type dielectric waveguide for the shortwave section of the millimeter waveband 87–66501
Vershinina, N.V. *see* Sevastianov, S.B. 85–23589
Vershinina, S.P., Mitsai, L.I., Fedorovskii, V.S., Tsirlin, Yu.A. Factors determining space resolution of single-coordinate position-sensitive scintillation detector 87–8855
Vershinina, T.I. *see* Gitgarts, D.A. 85–65648
Vershinskii, A.E., Lagutin, V.I., Petrova, N.G. Sensitivity nonuniformity of the FEU-100 photocathode 88–50571
Vershkov, M.V., Levin, B.M. The effect of metal shipboard structures on antenna characteristics 88–2708
Vershney, R.K., Srivastava, R., Ramaswamy, R.V. Characterization of highly elliptical submicron core polarization preserving fibers: theory and experiment 88–72008
Versleijen, M.P.J.G., Kuindersma, P.I., Khoe, G.-D.D., Meuleman, L.J. Accurate analysis of DC electrical characteristic of 1.3 μm DCPBH laser diodes 87–68483
Versnaeyeen, C. *see* Cappy, A. 86–2219
Versnaeyen, C., Quentin, P., Montoriol, G., Rumelhard, C. Realisation of three monolithic microwave integrated circuits 88–56941
Versnaeyen, C., Vanoverschelde, A., Cappy, A., Salmer, G., Schortgen, M. Frequency dependence of source access resistance of heterojunction field-effect transistor 85–45685
Versnaeyen, C. *see* Cappy, A. 85–45716, 86–21584
Versprille, A. *see* Stam, H. 87–77600
Verst, M. *see* Reimer, L. 87–60990
Verst, S.P.Van *see* Van Verst, S.P.
Verstat, E.Sh. *see* Yalova, A.Ya. 87–78503
Versteeg, F.J. *see* Beckmann, L.H.J.F. 88–40288
Versteeg, H.K. *see* Hemp, J. 86–70242, 88–60965
Versteeg, J. *see* Gilby, E.V. 85–43735
Versteeg, V. *see* Peters, M. 88–63375
Verstege, L. *see* Henneberger, G. 87–22434
Verstegen, B., Habraken, F.H.P.M., van der Weg, W.F. The role of hydrogen in the deposition, composition, and structure of semi-insulating polycrystalline silicon films 85–49595
Verstegen, C., Lindauer, E. Utilization of preventative maintenance measures for operating experience feedback 88–17290
Verster, N.F. *see* Verheijen, M.J. 85–29894
Versvik, I., Guren, H.C. Subband coding with vector quantization [speech coding] 87–27347
Versvik, I. *see* Bergsmark, S. 87–55012, 87–75739
Vert, S.Zur *see* Zur Vert, S.
Vertatschitsch, E., Haykin, S. Nonredundant arrays [antennas] 86–36851
Vertatschitsch, E. *see* Kezys, V. 87–41008
Vertennikov, G.A. *see* Shasharin, G.A. 85–21316
Vertes, A. *see* Czitrovszky, A. 88–23011
Vertesi, J. Programmable function generators 87–23990
Vertesy, G. *see* Forgacs, L. 86–31165
Vertesy, G. *see* Pardavi-Horvath, M. 85–24090, 85–41023
Vertesy, G. *see* Tomas, I. 85–7144
Vertesy, M. Measurement of stripline loss by means of ring resonator 87–45148
Vertesy, M., Koltai, M., Zsoldos, B. The influence of metallization system of microwave thin film integrated circuits on the loss of microstrips 85–61450
Vertesy, M., Turi-Kovats, A. Integrated circuits on Teflon dielectric for millimeter waveband 88–12588
Vertesy, Z. *see* Juhasz, G. 85–41022
Vertesy, Z. *see* Vazsonyi, E.B. 86–21322, 87–25022
Verteuil, R.A.de *see* de Verteuil, R.A.
Verth, S.Zur *see* Zur Verth, S.
Verti, A.A. *see* Androsov, V.P. 85–61438
Vertii, A.A., Derkach, V.N., Ivanchenko, I.V., Shestopalov, V.P. An orthogonal phase-filter flow cell for measuring the dielectric constants of liquids 85–14984
Vertii, A.A., Gavrilov, S.P., Derkach, V.N., Shestopalov, V.P. A tunable millimeter-wave multimeter dielectric resonator 86–35068
Vertii, A.A., Ivanchenko, I.V., Nesterenko, A.V., Popenko, N.A., Tsvyk, A.I., Tsvyk, L.I., Shestopalov, V.P. Fine structure of millimeter-wave diffraction emission. I 86–59033
Vertii, A.A., Ivanchenko, I.V., Nesterenko, A.V., Popenko, N.A., Tsvyk, A.I., Tsvyk, L.I., Shestopalov, V.P. The fine structure of diffractional emission in the millimeter-wave region. II 86–63919
Vertii, A.A., Ivanchenko, I.V., Popenko, N.A., Popkov, Yu.P., Shestopalov, V.P. Investigation of radiation of waves from quasioptical resonators. I 86–10090
Vertii, A.A., Ivanchenko, I.V., Popenko, N.A., Tsvyk, A.I., Shestopalov, V.P. Study of polarization characteristics of radiation from a diffraction radiation generator 88–942
Vertii, A.A., Ivanchenko, I.V., Popenko, N.N., Popkov, Yu.P., Shestopalov, V.P. Wave radiation from quasioptical resonators. II 86–14463
Vertii, A.A., Ponenko, N.A., Popkov, Yu.P., Tarapov, S.I. A three-mirror open resonator in the millimeter wavelength range 86–3625
Vertii, A.A. *see* Androsov, V.P. 86–36774
Vertikov, V.P., Turkova, N.N., Pankratova, I.V. Electrical insulation characteristics of sulfur hexafluoride for constant voltage, using electrodes with dielectric coating 87–67617
Vertikov, V.P. *see* Bortnik, I.M. 87–18417
Vertikov, V.P. *see* Bortnmik, I.M. 86–15295
Vertino, M. *see* Collins, F.M. 88–1211
Vertipolokh, A.Ya. *see* Babenko, Yu.G. 88–35973, 88–60917
Vertiprakhov, A.I., Koshelev, V.A., Mel'nikov, G.N., Pustogarov, A.V. Porous gas cooled cathodes for welding plasmotrons 87–51666
Vertiy, A.A., Ivanchenko, I.V., Popenko, N.A., Nesterenko, A.V., Tsvyk, A.I., Shestopalov, V.P. Investigation of short-focus open resonators for use in diffraction electronics 87–24434
Vertiy, A.A. *see* Androsov, V.P. 87–52812
Vertogen, G. *see* van Sprang, H.A. 87–49847
Vertogradov, G.G. *see* Avramidi, I.G. 85–36033
Vertogradov, L.S., Grishkevich, Ya.V., Lomtadze, T.A., Tomkmenin, V.V., Fedorovish, Yu., Shelkov, G.A. A system for the control and stabilization of the high-voltage supply of streamer chambers 85–20846
Vertogradov, L.S., Lomtadze, T.A., Khomenko, B.A., Shelkov, G.A. Adjustment and monitoring of the parameters of the high-voltage system of a streamer chamber 86–44585
Vertogradov, L.S. *see* Bannikov, A.V. 86–44586
Verton, K. *see* Smit, H.W. 87–50334
Vertongen, B. *see* Sanchez, J.L. 86–15169
Vertoprakhov, V.V. *see* Bogomolov, E.N. 87–3750, 88–29634
Vertosi, G. *see* Varga, P. 86–35469
Vertrees, D. *see* Heimstra, R. 88–46748
Vertregt, M. *see* Mouthaan, T. 87–17067
Vertushkin, V.K. *see* Abgaryan, A.A. 87–75201
Vertut, J. Evolution of manipulators and robotics 86–19804
Vertut, J., Coiffet, P. Computer aided teleoperator systems, a major step to intelligent manipulation and locomotion 86–43499
Vertut, J. *see* Chazalon, M. 85–44479
Verugopalamurthy, A. Fire detection and fire alarm system 88–31433
Veruttipong, T., Galindo-Isreal, V., Imbriale, W. Low-loss off-axis feeds for symmetric dual-reflector antennas 87–27107
Veruttipong, T., Galindo-Israel, V., Imbriale, W.A. Low-loss offset feeds for electrically large symmetric dual-reflector antennas 87–75643
Veruttipong, T. *see* Galindo-Israel, V. 87–27101, 88–2763, 88–66188
Vervaet, A., Burgelman, M., Van Wassenhove, D. Kinetics of the dry formation of Cu_2S in Cu_2S/CdS solar cells 87–78929
Vervaet, A. *see* Van Calster, A. 88–1655, 88–32794
Verveen, A.N. Experiences with discharge detection on cable terminations of enclosed 50 kV switching installations 86–26201
Verveen, A.N. Link-up with the Rijnland medium-voltage network 88–43027
Verver, C.J., Hoefer, W.J.R. Quarter wave transformers for matching transitions between waveguides and finlines 85–17799
Verver, C.J., Hoefer, W.J.R. Quarter-wave matching of waveguide-to-finline transitions 85–23095
Verver, C.J. *see* Gajda, G.B. 87–6108, 87–24460
Verver, C.J. *see* Hoefer, W.J.R. 85–11533
Verver, C.J. *see* Meszaros, S. 88–71104
Verver, C.J. *see* Mizuno, H. 86–10142
Vervest, P. Electronic mail and message handling 85–60652
Vervest, P.H.M. Message handling as the basis for teleinformation services 87–20125
Vervier, J. *see* Darquennes, D. 88–74733
Vervoordeldonk, R. *see* Gijsen, R.M.R. 87–11886
Vervoordeldonk, R. *see* Maxwell, G.D. 87–11561
Verweij, H. *see* Konoplyannikov, A. 85–42924
Verwer, A.A. *see* Golten, J.W. 88–25037
Verwer, B.J.H. *see* van Vliet, L.J. 88–28050
Verwer, J.G. On the shift parameter in the backward beam method for parabolic problems for preceding times 86–40681
Verwer, J.G., de Vries, H.B. Global extrapolation of a first order splitting method 85–60926
Verwer, J.G., Sanz-Serna, J.M. Convergence of method of lines approximations to partial differential equations 85–22408
Verwer, J.G. *see* Axelsson, A.O.H. 86–7711
Verwer, J.G. *see* Burrage, K. 86–34241
Verwer, J.G. *see* Dekker, K. 85–54414
Verwer, J.G. *see* Sanz-Serna, J.M. 87–36662
Verwey, J.F., Korma, E.J. Oxide layers in EEPROM devices 87–17971

Verwey, J.F., Wolters, D.R. Breakdown fields in thin oxide layers 87−17973
Verwey, J.F. *see* Bisschop, J. 87−17829, 87−24955
Verwey, J.F. *see* Cuppens, R. 85−45047
Verwey, J.F. *see* Greeuw, G. 85−6756, 85−50319
Verwey, J.F. *see* Harm, A.O. 85−61934
Verwey, J.F. *see* Hillen, M.W. 87−60204
Verwey, J.F. *see* Korma, E.J. 85−6941, 87−25145
Verwey, J.F. *see* Kuper, F.G. 87−6588
Verwey, J.F. *see* Peek, H.L. 87−17930
Verwey, J.F. *see* Schropp, R.E.I. 86−9143, 86−28342, 86−58485, 86−67863, 87−24976, 87−25269, 87−25354, 87−46654, 88−44777
Verwey, J.F. *see* Vollebregt, F. 87−18175
Verwey, J.F. *see* Wolters, D.R. 87−60343
Veryaiskaya, L.A., Dombrovskii, V.V., Kosachevskii, V.I., Kuchinskaya, Z.M., Reshko, B.A., Khutoretskii, G.M. Investigation of the thermal condition of turbogenerator end cores under underexcitation and asynchronous modes 88−43128
Veryaiskaya, L.A., Kosachevskii, V.I., Yakovlev, V.I. Influence of magnetic shunt on the magnetic field in the end zone of a large turbogenerator 87−42782
Verzakov, V.N. *see* Marshak, Yu.L. 86−12687
Verzeletti, L. *see* Belletti, S. 85−53090
Verzhbitskaya, A.I., Konyukhov, A.G., Sitnikov, L.S. Computer-oriented procedures for checking digital measuring instruments 86−38210
Verzhbitskaya, G.M. Test stand for investigating the performance of the operator of an astronomical television system 85−26036
Verzhbitskii, L.G. *see* Adas'ko, V.N. 85−39532
Verzhbitskii, V.V., Chaadaev, E.V., Shein, Yu.L. Investigating the possibility of measuring axial asymmetry of a part of a stratum around a drillhole using the induction method 87−21759
Verzwyvelt, S.A. *see* Lim, H.S. 85−48401, 85−48440, 86−33612, 86−33618, 87−43391, 88−48287
Verzwyvelt, S.A. *see* Pickett, D.F. 88−48289
Ves, S. *see* Vanidhis, E.D. 85−36366
Vesanthavada, N., Marinos, P.N., Mersten, G.S. Testing of fault-tolerant clock systems 87−37237
Vescan, L., Beneking, H. LPVPE-grown silicon camel diodes 87−6627
Vescan, L., Beneking, H. Submicron highly doped silicon epitaxial layers grown by LPVPE 87−16649
Vescan, L., Beneking, H., Meyer, O. Submicron highly doped Si layers grown by LPVPE 86−66820
Vescan, L., Kasper, E., Meyer, O., Maier, M. Characterization of Ga-doped solid phase−MBE silicon 86−28141
Vescan, L., Selders, J., Maier, M., Krautle, H., Beneking, H. Comparison of ion implanted Be and Cd as p-type dopants in Ga$_{0.47}$In$_{0.53}$As 85−1491
Vescan, L., Splettstrosser, J., Beneking, H. As- and Ga-implanted silicon camel diodes 86−41734
Vescan, L. *see* Beneking, H. 87−24476
Vescan, L. *see* Gruhle, A. 87−45881, 88−50819
Vescan, L. *see* Werres, C. 87−53463
Vescovi, M. *see* Biagini, M. 85−56711
Vesecky, J.F., Samadani, R., Smith, M.P., Daida, J.M., Bracewell, R.N. Automated remote sensing of sea ice using synthetic aperture radar 87−57388
Vesecky, J.F., Samadani, R., Smith, M.P., Daida, J.M., Bracewell, R.N. Observation of sea-ice dynamics using synthetic aperture radar images: automated analysis 88−30173
Vesecky, J.F., Smith, M.P., Napolitano, D.A., Durden, S.L. Models for the imaging of ocean gravity waves by SAR−comparison of theory and experiment 85−31098
Vesecky, J.F. *see* Durden, S.L. 86−32560
Vesecky, J.F. *see* Gilchrist, B.E. 87−28692
Vesecky, J.F. *see* Liu, K.Y. 88−9650
Vesel, J. *see* McKee, B.T.A. 85−37912
Vesela, Z. *see* Petru, F. 85−7561, 85−52871, 87−54458
Veselago, V.G., Zavaritskii, V.N., Nunuparov, M.S., Berkut, A.B. Anomalies of the boundary potential of a *2D* electron system under Hall quantization conditions 87−45704
Veselago, V.G. *see* Belenkii, V. 87−1265
Veselago, V.G. *see* Moshnyaga, V.T. 85−11973
Veselic, K. *see* Hari, V. 88−340
Veselinovic, V. Integrated electronic detonators [mining applications] 88−55766
Veselka, F. 'Short-circuit of the armature circuit' and new comparison criteria in studying communication behaviour [of DC machines] 88−69402
Veselka, J.J., Bogert, G.A. Low-loss TM-pass polariser fabricated by proton exchange for Z-cut Ti:LiNbO$_3$ waveguides 87−26065
Veselka, J.J., Bogert, G.A. Low-insertion-loss channel waveguides in LiNbO$_3$ fabricated by proton exchange 87−38743
Veselka, J.J., Korotky, S.K. Optimization of Ti:LiNbO$_3$ optical waveguides and directional coupler switches for 1.56 μm wavelength 86−68258
Veselka, J.J. *see* Alferness, R.C. 85−7429, 85−46202
Veselka, J.J. *see* Einsenstein, G. 87−26476
Veselka, J.J. *see* Eisenstein, G. 85−29814, 85−41132, 88−3975, 88−47169
Veselka, J.J. *see* Heismann, F. 87−68440
Veselka, J.J. *see* Korotky, S.K. 85−2089, 85−2322, 85−41195, 86−9597, 86−23872, 86−36130, 86−63804, 87−46560, 87−60970, 88−22089
Veselka, J.J. *see* Tucker, R.S. 85−35749, 87−40876, 88−15445, 88−45206
Veselkov, A.N. *see* Dymant, L.N. 87−23526
Veselkov, M.I., Rogozin, V.V., Tret'yakov, S.A. Approximate design of meander strip lines 87−59819
Vesel'nitskii, I.M. *see* Bragin, B.N. 88−32712
Veselov, A.G., Ryabushkin, S.L. Wideband tuning of surface acoustic wave filters 88−71874
Veselov, G.I., Gureev, A.V. Features of the diffraction of electromagnetic waves in partially filled waveguides with a complex spectrum 86−3619
Veselov, G.I., Gureev, A.V., Soldatkin, V.Yu. Diffraction characteristics of dielectric slug inside circular waveguide 86−3628
Veselov, G.I., Kirpa, A.I., Platonov, N.I. Transient-field representation in terms of steady-improper solutions 86−29286
Veselov, G.I., Kirpa, A.I., Platonov, N.I. Description of the nonstationary excitation of flat dielectric structures 86−68709
Veselov, G.I., Nikolayev, M.A., Blagoveshchenskiy, V.A. Computation of the wave spectrum in a multilayer dielectric 87−52795
Veselov, G.I., Platonov, N.I. Solution of two-dimensional noncoordinate problems by the method of partial regions 86−34187
Veselov, G.I., Platonov, N.I. Analysis of elliptical waveguides in a cylindrical base 86−36766
Veselov, G.I., Platoniv, N.I. Determination of the electromagnetic field in the neighborhood of the edge of a dielectric rod with a substrate 86−41272
Veselov, G.I., Platonov, N.I., Smirnova, O.V. Analysis of a superconductor strip line by the method of partial regions 87−53932
Veselov, G.I., Popov, P.A., Sharonov, G.I. Analysis and synthesis of structures of measuring circuits with passive voltage and current dividers 87−63467
Veselov, G.I., Postnikov, I.I., Samoilov, S.S. A stable algorithm for the numerical modelling of proper oscillations of high-frequency quartz oscillators on digital computers 85−18518
Veselov, G.I., Semenov, S.G., Blagoveshchenskiy, V.A. Dispersion properties of a circular waveguide, 'strongly perturbed' by a dielectric insert 88−924
Veselov, G.I., Temnov, V.M. Method of partial domains for diffraction problems with noncoordinate boundaries 86−10156
Veselov, G.I., Temnov, V.M. Electrodynamic theory of resultant waves in transmission microstrips 87−33485
Veselov, G.I., Varpakhovich, G.A., Slesarev, E.S. Design of interdigital converters in code-forming devices 87−25748
Veselov, G.I., Voronina, G.G., Platonov, N.I. Analysis of open dielectric waveguides (coordinate-free problem) 86−35057
Veselov, G.I., Voronina, G.G., Platonov, N.I. Design of an open dielectric waveguide of arbitrary cross section 86−48636
Veselov, G.I., Yeliseyev, N.I., Makarov, V.K., Soldatkin, V.Yu. Electrodynamic analysis of waveguide filters with inductive metal inhomogeneities 88−953
Veselov, G.N., Nikolaev, M.A. Method of partial domains in simulation and design of solid microwave integrated circuits (MIC) 87−45466
Veselov, M.A. *see* Alexeev, N.N. 86−31903
Veselov, O.M. *see* Ageyev, A.I. 88−45015
Veselov, O.V. *see* Mikhailov, O.P. 85−10134
Veselov, S.I. Aggregation of linear integer equations 86−40603
Veselov, V.I., Gureev, A.V. Orthogonality relations for the natural waves of longitudinally regular nonuniform waveguides filled with an isotropic medium 85−7698
Veselova, O.V., Koval'kov, G.A., Savel'ev, Yu.E. Multiphase control-pulse generators 87−554
Veselovskii, A.S., Dan'ko, V.G., Klimenko, E.Yu., Kruglin, V.A., Novikov, S.I., Rubinraut, A.M., Fridman, A.A. Investigation of a superconducting excitation system for a cryogenic rolling-mill motor 85−44011
Veselovskii, A.S., Eliseev, A.G., Plis, A.I., Skvortsov, S.S. Analytical determination of the freezing time of a cryogenic electrical machine 87−22221
Veselovskii, A.S., Plis, A.I., Skvortsov, S.S. Analysis of the cooling process of a cryostat in a cryogenic electrical machine 85−21537
Veselovskii, A.S., Plis, A.I., Skvortsov, S.S. An analytical study of the cooling process in a superconducting magnetic system of a superconducting electrical machine 86−56713
Veselovskii, G.G., Prangishvili, I.V., Rozenblat, M.A. Magnetic-bubble memory in multiprocessor computer systems with a common control 85−29479
Veselovskii, I.A., Dorozhkin, L.M., Lazarev, V.V., Mikhalevich, V.G., Pleshkov, G.M., Rodin, A.M., Chayanov, B.A. Piezoelectric transducer using an organic polycrystalline film for pulse measurements 88−42688
Veselovskii, L.N., Gusev, E.A., Petushkov, A.A., Sosnin, F.R., Ruzinova, E.V., Kaplun, Ya.M., Cochia, P.A., Sanpiter, I.A. Dynamic radiographic monitoring with a grid and digital image processing 85−17025
Veselovskii, L.N. *see* Leonov, B.I. 85−49614
Veselovzorov, A.N. *see* Nazarov, V.G. 88−16614
Vesely, F. *see* Gledhill, S. 88−29279
Vesely, J. Active contribution of Power Research Institute to scientific and technical cooperation in Section 4 for Scientific and Research Activity of Permanent Commission on Electric Power of CMEA 88−31372
Vesely, J., Pospisilova, M., Cefelin, P., Gotz, J. Automatic measurement of the spectral dependence of optical fibre loss 87−12202
Vesely, J. *see* Kodes, J. 87−46178
Vesely, L. *see* Holub, V. 87−10118
Vesely, M. Measurement of physical parameters of GaAs epitaxial structures 87−74017
Vesely, M. *see* Pospisilova, M. 85−40638
Vesely, S. Type P32 turbine, representative of new generation of steam turbines at the First Brno Engineering Works 85−39348
Vesely, S. High-speed steam turbines for chemical industry 85−44359
Vesely, S. *see* Tucek, L. 87−22139
Vesely, V. Standard directives for cable bridges 86−20871
Vesely, V., Murgas, J., Novotny, M. Contribution to the power system accident control 86−50828
Vesely, V., Novotny, M., Sarnovsky, J., Alexa, M. The use of the 'rule of areas' for breakdown control 86−25504
Vesely, V. *see* Kloeppel, F.W. 85−38536
Vesely, W.E., Gaertner, J.P., Wagner, D.P. Methodology for risk-based analysis of technical specifications 85−43753
Vesely, W.E., Vora, J.P. Quantitative relationships between aging failure data and risk [nuclear plants] 88−48701
Vesely, W.E. *see* Samanta, P.K. 86−25771
Vesely, Z. *see* Pertold, K. 87−78493
Veselyanskii, Yu.S., Guz', I.S., Voron'ko, V.Ya. Inspection of contact assemblies in spot welding by the acoustic emission method 86−20889
Veshkurtsev, Yu.M. A method of forming finite differences of a signal envelope 86−16313
Veshkurtsev, Yu.M. Statistical estimate of the error of a fluctuation analyzer with ideal filter in the circuit forming the reference oscillation 87−70490
Veshkurtsev, Yu.M., Lukinykh, O.G. An experimental investigation of a characteristic-function analyzer 87−35011
Veshkurtsev, Yu.M., Plyaskin, M.Yu. Phase fluctuation analyzer of radio-frequency pulses 86−70076
Veshnyakov, E.K. *see* Zhidiyatov, A.M. 88−5555
Veshnyakov, G.P. *see* Vareshkin, G.L. 86−58214
Veshovskii, S.P., Sabanin, B.P., Trubacheev, G.M. Generalized exponential piecewise function for approximating single spectral peaks 87−39724
Veskovic, M. *see* Ilakovac, K. 86−50380
Vesnaver, A. Adaptive deconvolution by lattice filters: theoretical aspects 85−51597
Vesnin, S.G. *see* Nikol'skii, V.V. 86−58029
Vesnitskaya, T.G., Vesnitskii, A.I. Forced oscillations and resonance in a one-dimensional nondispersive system with moving boundaries 86−68680
Vesnitskii, A.I. *see* Vesnitskaya, T.G. 86−68680
Vesnukhov, A.A. *see* Sharin, A.A. 86−14021
Vesonder, G.T. The application of artificial intelligence technology for managing the local telephone network 86−43465
Vespasiano, G. *see* Giaconi, M. 88−73975
Vesper, H. Comparison of nuclear power plants with and without an ammonia bottoming cycle using a dry cooling system 85−53399
Vessem, J.C.van *see* van Vessem, J.C.
Vessot, R.F.C., Mattison, E.M., Walsworth, R.L., Jr., Silvera, I.F., Godfried, H.P., Agosta, C.C. A hydrogen maser at temperatures below 1 K 87−26251
Vessot, R.F.C., Mattison, E.M., Walsworth, R.L., Jr., Silvera, I.F., Godfried, H.P., Agosta, C.C. A hydrogen maser at temperatures below 1 K 88−14062
Vessot, R.F.C. *see* Mattison, E.M. 86−36362 to 36363, 87−26253, 88−20524, 88−20529
Vessot, R.F.C. *see* Walsworth, R.L., Jr. 87−2049
Vest, B.P.Over de *see* Over de Vest, B.P.
Vest, C.E. *see* Fristrom, R.M. 87−23780
Vest, C.M. Optical metrology and computer tomography for measurement of temperature and density 88−2416

Vest, C.M. Holographic metrology and nondestructive testing—past and future 88–2420
Vest, C.M. Laser interferometry 88–20785
Vest, C.M. *see* Birnbaum, G. 87–16757
Vest, C.M. *see* Kaufmann, G.H. 87–68637
Vest, G.M. Microelectronics in the materials engineering program at Purdue University 86–19777
Vest, G.M., Cone, V.P., Herzfeld, C.J., Bhansali, A.K. Metallo-organic decomposition (MOD) films for electronic packaging 87–24641
Vest, G.M. *see* Sabo, C.J. 86–53225
Vest, G.M. *see* Wu, H.Z. 88–1221
Vest, P.R. Process control in printing thick film resistors 85–28849
Vest, P.W. *see* Wu, H.Z. 85–28852
Vest, R.W. Materials science of thick film technology 86–47216
Vest, R.W., Xu, J. $PbTiO_3$ films from metallo-organic precursors 87–53792
Vest, R.W. *see* Palanisamy, P. 86–523
Vest, R.W. *see* Sarma, D.H.R. 85–54534
Vest, R.W. *see* Teng, K.F. 87–73921, 88–37587, 88–71255
Vest, R.W. *see* Wu, H.Z. 85–28836, 88–1221, 88–25728
Vest, R.W. *see* Xu, J.J. 88–70333
Vestavik, O. *see* Koppitz, M. 85–10689
Vester, J. Power amplifier—power converter 87–31691
Vester, M. *see* Keen, N.J. 85–40240
Vesterager, V. *see* Clasen, T. 88–23120
Vesterberg, H. Heat transfer from the packaging structure to the coolers using natural circulation 88–24568
Vesterberg, H.-J. *see* Alexandersson, R. 85–19584
Vestergaard, H. *see* Allen, D. 88–54188
Vestergaard, S., Gibertini, G. Portable oscilloscopes 85–58739
Vesterinen, R., Paakkinen, K., Pyykkonen, M., Virkki, J. Emissions from wood and peat fired district heating plants 86–39547
Vesterlund, S. The transformer—heart of the power pack 87–6175
Vestgard, K. *see* Klepaker, R.A. 88–4125
Vestin, C.G. *see* Strandberg, K. 85–51933
Vestmo, E. *see* Saether, K. 87–57371
Vestrheim, M. *see* Dalland, K. 86–12210
Vestrheim, M. *see* Lygre, A. 88–10617
Vestrucci, P. The logistic model for assessing human error probabilities using the SLIM method 88–49470
Vestrucci, P., Grazioli, A. Cogeneration—heat-pump system optimization through simulation analysis 88–69920
Vesuna, S. Bipolar technology in interface standards 86–15250
Vesuna, S., Price, S. Taxi chips carry video signals. High speed communication with FDDI standards 88–53260
Vesuna, S. *see* Connor, G. 87–48757, 87–59279
Vesuna, S.N. Exploiting bipolar advantages in networking 87–8050
Vesuna, S.N. *see* Cooper, S. 85–42240
Vesuno, S. Chips to upgrade data networks 87–55683
Veszely, G. The far-field method to calculate the power loss of weakly guiding fibres 87–74804
Veszely, G. *see* Zombory, L. 87–65111
Vesztergombi, G. *see* Postasy, C. 85–43153
Vesztergrombi, G. Electrostatic beam lines for neutrino and muon beams at Tevatron and YHK energies 85–26637
Vet, R.P.van der *see* van der Vet, R.P.
Vetalino, J.F. *see* Soluch, W. 86–2475
Vetanen, B.A. *see* Canfield, P.C. 88–39739
Vetanen, W.A. *see* Canfield, P.C. 88–20008
Vetelino, J.F., Lade, R., Falconer, R.S. Hydrogen sulfide surface acoustic wave gas detector 87–67691
Vetelino, J.F., Lade, R.K., Falconer, R.S. Hydrogen sulfide surface acoustic wave gas detector 87–49679
Vetelino, J.F. *see* Blackwell, D.A. 87–6974
Vetelino, J.F. *see* Falconer, R.S. 87–6982
Vetelino, J.F. *see* Josse, F. 87–1858
Vetelino, J.F. *see* Lec, R. 88–57840
Vetelino, J.F. *see* Narayanan, R.S. 86–2557
Veterbi, A.J. Comments on 'The application of error control to communications' by E. Berlekamp 88–21083
Vetkhov, V.A. *see* Alekperova, Sh.M. 87–67029
Vetkhov, V.A. *see* Gezalov, B.A. 85–11908
Vetokhin, S.S. Interrelationship of the characteristics of IR-sensitive photomultipliers 85–34441
Vetokhin, S.S. Probability criterion for choosing a promising type of photomultiplier for photon counting 85–55418
Vetokhin, S.S. Effect of a displacement of the amplitude discrimination threshold on the signal/noise ratio of a one-electron dissector 88–25842
Vetokhin, S.S., Glukhovskoi, B.M., Gulakov, I.R., Pivovar, E.P., Reznikov, I.V. FEU-136 for use in photon counters 85–40412
Vetokhin, S.S., Glukhovskii, B.M., Gulakov, I.R., Reznikov, I.V., Shibalko, L.V. Effect of modulator operation on the one-electron characteristics of FEU-117 photomultipliers 87–24727
Vetokhin, S.S., Gulakov, I.R., Pislyak, Yu.V., Reznikov, I.V. Optimizing the one-electron sensitivity of an image dissector 86–1644
Vetokhin, S.S., Pertsev, A.N., Reznikov, I.V. Photomultiplier characteristics as functions of temperature (survey) 88–25847
Vetokhin, S.S., Pertsev, A.N., Reznikov, I.V. Criteria for evaluating the photon counting performance of photomultipliers 88–71291
Vetokhin, S.S., Reznikov, I.V., Tikhomirov, A.N. Method of selecting one-electron photodetectors 85–26341
Vetokhin, S.S. *see* Aksenova, L.D. 85–58351
Vetokhin, S.S. *see* Bobrovich, V.P. 87–53137, 87–63664
Vetrano, F. *see* Baldetti, F. 87–63295
Vetrano, F. *see* Bernardini, P. 87–73266
Vetrano, F. *see* Dominici, P. 86–38733, 88–30043
Vetrella, S., Moccia, A. The Tethered Satellite System as a new remote sensing platform 87–57326
Vetrella, S. *see* Moccia, A. 86–50734
Vetrenko, S.I. *see* Afinogenov, S.V. 88–24883
Vetres, I. *see* Constantin, E. 87–47113
Vetrov, K.V. *see* Andreev, R.B. 88–27292
Vetrov, P.B., Ermolina, G.P., Kuznetsov, V.S., Moibenko, A.N. Digital remote-control system for power supplies of magneto-optical elements of particle channels 87–29407
Vetrov, S.V. *see* Trifonov, A.P. 88–14485
Vetrov, V.Yu. *see* Shibaev, V.P. 86–9453
Vetsch, R. Experience with the use of an electric vehicle on service duty 85–49154
Vetsch, R. *see* Baltisberger, E. 86–7224
Vetsko, V.M. *see* Bakhtadze, A.B. 86–54085
Vetter, A. Two-phase-flow concepts advance solids-handling-system design 88–10932
Vetter, A. *see* Robinson, K.E. 87–75137
Vetter, A. *see* Slater, J. 87–2164
Vetter, A.A., Gauntlett, W.D. Balance coal flows accurately to improve boiler performance 85–15874
Vetter, A.A. *see* Robinson, K.E. 87–75137
Vetter, A.A. *see* Shemwell, D.M. 87–75175, 88–2318
Vetter, A.A. *see* Slater, J. 87–2164
Vetter, A.M., Adamski, J.L., Gallagher, W.J. Observation of beam-excited dipole modes in traveling wave accelerator structures 86–24968
Vetter, A.M., Adamski, J.L., Gallagher, W.J. Beam pipe HEM11 probes for traveling wave linac section 88–47862
Vetter, A.M. *see* Adamski, J.L. 86–31819
Vetter, E., Gessner, T., Wieser, E., Weise, C. Redistribution of implanted arsenic in a $MoSi_2$/polysilicon structure by silicidation tempering 87–24963
Vetter, E. *see* Gessner, T. 86–28161, 87–32447, 88–32933
Vetter, G. *see* Saran, M. 87–34940
Vetter, H. Thermal design of power capacitors 86–66221
Vetter, H. The thermal loading of power capacitors 87–30885
Vetter, H., Hinrichs, A., Kowalkowski, K. Low inductance MKV-capacitors for GTO-thyristors 86–35136
Vetter, H. *see* Goldbrunner, W. 85–40267, 86–1392
Vetter, J., Ries, G., Reichert, T. A 4-tesla superconducting whole-body magnet for MR imaging and spectroscopy 88–65062
Vetter, J. *see* Reichert, T. 88–68357
Vetter, J.E. Further co-operation in nuclear fusion research and development 88–62026
Vetter, J.R., Perman, W.H., Kalender, W.A., Mazess, R.B., Holden, J.E. Evaluation of a prototype dual-energy computed tomographic apparatus. II. Determination of vertebral bone mineral content 86–65414
Vetter, J.R. *see* Kalender, W.A. 86–65413
Vetter, L.G. *see* Kerfoot, R.P. 87–71955
Vetter, R.J. *see* Ragland, K.W. 85–21464
Vetter, R.W., Jr. Integrated operations 88–52710
Vetter, T. The cooling of electronic switching circuit 87–37479
Vetter, Th. *see* Andresen, E.Ch. 88–17589
Vetter, W. Regional natural gas supply, its development by Main-Kraftwerke AG (MKW) 88–55104
Vetter, W., Reichert, K. Star-delta start of asynchronous motors. An old solution with new problems 88–11212
Vetter, W.J. The array matrix generalization for signal processing 87–19761
Vetter, W.J., Porsani, M.J. Extended matrix formulation for the Marple algorithm 87–58771
Vetter, W.J. *see* Zielinski, Z. 85–31111
Vetterili, M. Fast 2-D discrete cosine transform 86–16447
Vetterli, M. FFTs of signals with symmetries and applications 86–26792
Vetterli, M. Filter banks allowing perfect reconstruction 86–48949
Vetterli, M. Perfect transmultiplexers 87–27701
Vetterli, M. A theory of multirate filter banks 87–39757
Vetterli, M. A theory of filter banks 87–45006
Vetterli, M. Running FIR and IIR filtering using multirate filter banks 88–52427
Vetterli, M., Duhamel, P. Split-radix algorithms for length-p^m DFTs 88–70293
Vetterli, M., Ligtenberg, A. A discrete Fourier-cosine transform chip 86–41148
Vetterli, M., Nussbaumer, H.J. Algorithms for the mono- and bi-dimensional Fourier and cosine transforms 86–13709
Vetterli, M. *see* Duhamel, P. 87–19745, 87–61834
Vetterli, M. *see* Gilloire, A. 88–66565
Vetterli, M. *see* Karlsson, G. 88–46246, 88–66735
Vetterli, M. *see* Kassapoglou, K. 87–61983
Vetterli, M. *see* Ligtenberg, A. 87–3263
Vetterli, M. *see* Nussbaumer, H.J. 85–46839
Vetterli, M. *see* Widrow, B. 87–69142
Vetterli, M.C. *see* Henderson, R.S. 87–63618
Vetterling, W.T., Habbal, F., Wober, M.A. Mossbauer analysis of magnetic storage media 88–51286
Vetterling, W.T. *see* Ingwall, R.T. 87–12629, 88–27330
Vetters, B. *see* Heinze, M. 86–24305
Vetters, G. *see* Bachmann, H. 86–62491
Vetters, H.R., Mayr, P., Boseck, S., Luebben, T., Matthaei, R., Schulz, A. Scanning acoustic microscopy in materials characterization 86–20148
Vettese, F., Sicart, J., Robert, J.L., Vincent, G., Vareille, A. Electronic properties of Si-inversion layer with modulated band structure induced by periodic electron beam irradiation of gate oxide 88–32943
Vettiger, P. *see* Behringer, U.F.W. 86–1951, 86–35492
Vettiger, P. *see* Buchmann, P. 87–25565
Vettiger, P. *see* Graf, V. 88–56315
Vettiger, P. *see* Harder, C.S. 88–41642
Vettiger, P. *see* Jaeckel, H. 87–6710, 87–60498
Vettiger, P. *see* Patrick, W. 88–56270
Vettiger, P. *see* Van Zeghbroeck, B.J. 87–38270, 87–45284, 87–45935, 88–40108
Vettori, S. SCITHERM: analysis and simulation of the thermal pressure in electronic circuits 86–46472
Vetu, E., Ruineau, C., Carriere, C., Canneau, C. Industrial development and reliability evaluation of 1.3 μm buried heterostructure in GaAsP/InP lasers [sic. For GaAsP real InGaAsP] 86–3191
Vetu, E. *see* Carriere, C. 86–9877
Vetu, E. *see* Oguey, C. 88–34054
Vetu, E. *see* Ruineau, C. 86–9876
Veuhoff, E., Kuech, T.F., Meyerson, B.S. A study of silicon incorporation in GaAs MOCVD layers 86–1994
Veuhoff, E. *see* Heinecke, H. 85–435
Veuhoff, E. *see* Kuech, T.F. 85–5991, 85–10691, 86–7854, 87–10412
Veuhoff, E. *see* Putz, N. 85–10696, 85–44701, 86–13754
Veuhoff, F. *see* Habedank, U. 88–55092
Veuhoff, F. *see* Kugler, R. 85–27562
Veuhoff, F.-W. Breaking capacity of earthing switches 87–57704
Veuillet, E. *see* Falipou, P. 85–43395
Veverka, A. Resonance of large transformers 85–5137
Veverka, A. Flashover in oil 85–18495
Veverka, A. Reactance output in a system with multiwave voltage and current 85–43506
Veverka, A.; Tomcik, J., Zalis, K., Kvasnicka, V. Estimation of insulation state of rotating HV machines 85–43911
Veverka, D.B. Laser processing centers in production environments 87–75288
Veverka, E.F. *see* Burrage, L.M. 88–24001
Veverka, J. *see* Kosulic, P. 87–40372
Vevyurko, I.A. *see* Buss, V.A. 86–56772
Veynante, D., Candel, S.M. A promising approach in laser Doppler velocimetry data processing: signal reconstruction and nonlinear spectral analysis 88–52467
Veynante, D. *see* Darabiha, N. 86–70245
Veyo, S.E. *see* Brown, J.T. 87–15963
Veyrat, G. *see* Attinost, M. 88–20059
Veyres, C. *see* Gerin, F. 85–13770
Veyres, C. *see* Touyarot, P. 87–8327
Veyrier, J. *see* Moy, J.P. 87–49553, 88–4486
Veyssiere, A. *see* Mosnier, A. 88–54005
Veyssiere, P. *see* Castaing, J. 85–40433
Veytsel', V.A., Zhodzishskii, M.I., Zhodzishskii, Yu.I. Guaranteed jam-resistance in signal reception 88–46058
Vezey, E.E. *see* Cavicchia, V. 85–48756
Veziroglu, T.Nejat *see* Nejat Veziroglu, T.
Vezis, F., Brayshaw, A. Facsimile equipment and CSIRONET 85–19730
Vezjak, M. *see* Zazula, D. 85–15338, 86–18357
Vezzani, P. Discrimination in electrical network protection equipment—the other side of the coin 85–59814
Vezzani, P. LV and MV networks—earthed or insulated neutral? 86–25580

Vezzani, P. *see* Agnolin, R. 88−55276
Vezzani, P. *see* Caccia, M. 86−25570, 88−17143
Vezzani, P. *see* Mastromauro, F. 86−19417, 86−40319
Vezzani, P. *see* Tommazzolli, F. 88−69247
Vezzoli, C.G. *see* Burke, T. 88−51664
Vezzoli, G.C. Experimental output-input behavior for optical oscillator with instability and short feedback 88−51605
Vezzoli, G.C., Cadwallender, W., Megargel, L.R., Mentzer, M.A., Craley, D.E. Optical oscillation established using acousto-optic Bragg angle diffraction in conjunction with closed cavity feedback 88−8252
Vezzoli, G.C. *see* Berger, P.R. 88−45175
Vezzoni, E. *see* Costa, B. 85−12546, 86−2818
Vezzosi, G. Estimation of phase angles from the cross-spectral matrix 86−69053
Vezzosi, G., Nicolas, P. Time delay estimation using an eigenstructure based spectral method 87−55197
Vezzosi, G. *see* Forster, P. 87−62112
Vezzosi, G. *see* Jazaerli, S. 88−21007
Vi-Tong, E., Gaillard, P. An algorithm for non-supervised sequential classification of signals 87−55108
Via, G.G. *see* Fredericks, E.C. 85−37582
Via, G.H. *see* Lytle, F.W. 87−35331
Via, M., Shanblatt, M.A. An improved building block model for placement using simulated annealing 87−67500
Viach, J. *see* Nagaraj, K. 87−5955
Viadieu, T. *see* Gavigan, J.P. 88−13668
Viadieu, T. *see* Givord, D. 86−15366
Viadyanathan, P.P., Mitra, S.K. Spectral transformations in switched-capacitor filters 85−941
Viaggi, F. *see* Forino, A. 85−37976
Vial, F. *see* Jourdain, G. 88−21268
Viala, J.C., El Morabit, M., Bouix, J. Negative composite grids for lead-acid accumulators 85−60393
Vialaret, G. *see* Dilhac, J. 87−50128
Viale, E. *see* Chiariglione, L. 85−3765, 85−52571, 86−4882, 86−24182, 86−37234, 86−54720, 87−7907, 87−33966
Viale, E. *see* Nagra, A. 85−14500
Viale, F. *see* Hurter, T. 86−51714
Viale, I. SCRIBE: a communications strategy for business 86−37547
Viale, J.P. *see* Bertrand, O. 86−38743
Vialettes, F. High-voltage IC driver for AC plasma panel 86−65231
Vialettes, F. *see* Delgrange, L. 85−14929
Vialettes, F. *see* Deschamps, J. 88−67958
Vialettes, F. *see* Thomas, G. 87−31699
Vialiy, V.I. *see* Razykov, T.M. 85−32716
Vialle, N. *see* Tellier, C.R. 87−32789
Viallet, J.E., Mottet, S. Steady and transient simulations of photodiodes 87−7223
Viallet, J.E. *see* Mottet, S. 87−6459, 87−6761, 88−58569, 88−67783
Vialls, A. BBC School Radio and the technological revolution 85−8519
Vian, A. *see* Morrissay, C.A.S. 86−12385
Vian, A. *see* Paris, L. 86−50957
Vian, J.L., Fu, S.J., Grose, D.L., Sawan, M.E. Intelligent flight management in threat environments 88−68687
Vian, J.L. *see* Moore, J.R. 87−77702
Viana, B. *see* Vivien, D. 88−20599
Viands, C.A. *see* Potember, R.S. 87−53222
Viani, E. *see* Caironi, G. 86−11386
Vianna, B.S. Software development methodology and environment in the Tropico system 87−76467
Vianna, B.S., Yacoub, M.D., Neto, I.L.S. TROPICO R−characteristics and internal structure [small capacity local exchange] 85−52199
Vianna, R. *see* Lavoie, P. 88−40813
Viano, G. *see* Mangili, F. 88−66691
Viant, J.-L. Automation of the repair of the impellers of hydraulic turbines 87−15584
Viant, M. *see* Nilsen, C. 88−64201
Viard, A. *see* Courtay, R. 88−49240
Viard, J. *see* Asty, M. 85−21358
Viard, J.-J. EEC actions towards the ISDN 87−33995
Viaro, U. *see* Lepschy, A. 85−5931, 85−44637, 86−20154, 86−41233, 86−62779, 87−900, 87−55191, 87−75785, 88−25325, 88−32351, 88−56781, 88−56786, 88−72781
Viaro, U. *see* Lepschy, A.M. 87−2398
Viarouge, P., Lajoie-Mazenc, M., Andrieux, C. Design and construction of a brushless permanent magnet servomotor for direct drive application 87−43123
Viarouge, P., Lajoie-Mazenc, M., Andrieux, C. Design and construction of a brushless permanent magnet servomotor for direct-drive application 87−64631
Viarouge, P. *see* Brochu, J. 88−69605
Vibe, S.A. *see* Belkin, V.S. 86−29000
Viberg, M. Multipath propagation and the optimal SNR for adaptive arrays 88−72706
Vibert, J.-F., Albert, J.-N., Costa, J. Intelligent software for spike separation in multiunit recordings 87−63788
Vibert, J.-F. *see* Costa, J. 86−25242
Vibert, P., Lefebvre, J.J., Guix, R., Jesne, P. Restoration of an X-ray image free of scattered radiation 88−8860
Vibert, P. *see* Lefebvre, J.J. 85−36426
Vibert, P. *see* Saint-Felix, D. 88−10296
Vibet, C. Initial conditions and differential equations 87−58885
Vibet, C. General method of finding initial conditions 88−31914
Vibholm, S., Thyregod, P. The analysis of insulation breakdown probabilities by the up-and-down method 86−47906
Vibholm, S., Thyregod, P. A study of the up-and-down method for non-normal distribution functions 88−71834
Vibholm, S. *see* Bertazzi, A. 87−11983 to 11986
Vibholm, S. *see* Crichton, G.C. 88−26591
Vibholm, S. *see* Pedersen, A. 85−7111
Vibronek, R.D. *see* Faraone, L. 85−40625
Vibulsresth, S., Thisayakorn, K. Digital image processing of remote sensing data in Thailand: a review 88−8866
Vican, I. The derivation of the ionospheric propagation model of radio waves 88−40564
Vicanek, M., Simon, G. Momentum and heat transfer of an inert gas jet to the melt in laser cutting 87−75270
Vicanek, M., Simon, G., Urbassek, H.M., Decker, I. Hydrodynamical instability of melt flow in laser cutting 87−31098
Vicanek, M. *see* Schulz, W. 88−45600
Vicard, D. Transient part recognition for continuous speech using transition spotting 88−72803
Vicard, D., Miclet, L. Steady part recognition of continuous speech for acoustic-phonetic decoding 87−19600
Vicard, D. *see* Jutand, F. 87−17131
Vicard, D. *see* Miclet, L. 87−47626
Vicare, D.E. *see* Zrimsek, C.J. 87−75646
Vicari, L. *see* Ambrosone, G. 85−60414
Vicari, L. *see* Blois, F. 86−39619
Vicari, L. *see* Bloisi, F. 86−33210, 88−58244
Vicario, G. *see* Pessina, G. 85−33215, 85−54180, 85−65290, 86−18654
Vicaud, A. Plastic optical fibers 85−50906
Vicaud, A. AC voltage ageing of zinc-oxide ceramics 86−51140
Vicaud, A. Zinc oxide ceramics ageing under AC voltage 87−16707
Vicaud, A., Rousseau, A., Hennebique, I. Zinc oxide arresters in AC high voltage networks 87−21989
Vicaud, A. *see* Andre, M. 86−66156
Vicaud, A. *see* Calevo, R. 86−63676
Vicaud, A. *see* Duchateau, F. 85−26972
Vicaud, A. *see* Hennebique, I. 85−27118
Vicaud, A. *see* Metzger, G. 85−29391
Viccari, R.M. *see* Tarouco, L.M.R. 86−69452
Viccaro, P.J., Shenoy, G.K. Photon energy tunability of the Advanced Photon Source undulators 88−47808
Viccaro, P.J., Shenoy, G.K. Undulator tunability and synchrotron ring-energy 88−47967
Viccaro, P.J. *see* Alp, E.E. 88−47809
Viccaro, P.J *see* Kim, S.H. 88−47965
Viccaro, P.J. *see* Shenoy, G.K. 87−56996
Viccary, M.W. *see* McCurrie, R.A. 87−25858
Viceconte, M. Power semiconductors for static converters: development lines 85−61902
Vicedo, J.Navarro *see* Navarro Vicedo, J.
Vicek, M., Lachmann, P. Approximate calculation of expected undelivered power at various levels of electric demand assurance 87−71536
Vicens, A. *see* Kampwirth, R.T. 85−60984
Vicens, P.J., Lauvergeon, M.F. A new range of PABX: digital switching and distributed architecture 85−51958
Vicent, A.B. *see* Echeverria, R. 85−12705
Vicent, J.L. *see* Flores, J. 88−17872
Vicente, A., Abella, G., Janes, L. A visual perception approach to texture description 86−30062
Vicente, A.C. *see* Iribarnegaray, L.S. 86−66091, 86−70659, 87−22240
Vicente, J. Run silent, run beep [scanning] 86−37758
Vicente, J. *see* Bezechi, S. 88−60971
Vicente, J. *see* Jaraiz, M. 85−1553
Vicente Castillo, A. *see* Garcia Santos, N. 86−4883
Vicente Castro, O. Repair of an alternator rotor (30 MW, 13.2 kV, 3000 RPM) in Mar del Plata 87−72124
Vicente del Fraile, P. Television: from analog to digital 88−4174
Vicente-Vivas, E. *see* Peralta-Fabi, R. 88−59299
Vicentini, V. *see* Gazzi, M. 87−71312
Vicenzi, C. *see* Cecinati, R. 87−47547, 87−47614
Vicenzi, C. *see* Favareto, C. 85−36228
Vich, R. Homomorphic vector quantisation 87−55011
Vich, R. $\mathcal{Z}$ transform theory and applications 87−72686
Vich, R., Stursa, J. Speech signal preprocessing and linear prediction analysis 87−2496
Vicharangsan, T.-N. Project Solarland 88−55245
Vichenko, M.A. *see* Kosyak, Yu.F. 85−4780
Vichev, B., Todorov, N. Error analysis, methods for adjustment and calibration of direct reading microwave moisture meters 88−68080
Vichev, B.I. *see* Tsankov, M.A. 85−58863
Viciana, J., Adreoni, A.M., Rivera, J.F. Procedures for estimating the optimum regulation of the flow of reactive power in interconnected electrical distribution systems. Technical and economic factors 87−30172
Viciana, J., Facchini, M., Peralta, W., Rivera, J.F. A new method for forecasting the future spatial distribution of load on a general distribution network, and a comparison with existing methods 87−21918
Viciana, J., Facchini, M., Torres, F., Argumosa, D., Peraltra, W., Rivera, J.F. Model for the spatial location of energy and electric power demand 87−15217
Viciana, J., Mario Andreoni, A., Ribera, J.F. The choice of location for compensating units in high-voltage and very-high-voltage networks 86−50949
Viciana, J. *see* Rivera, J. 86−25520
Vicinanza, F. *see* Salmi, M. 85−65686
Vicini, P., Macchi, R. A new answer to cost and performance problems for low and medium capacity digital radio 88−3816
Vicini, P. *see* Macchi, R. 87−34398
Vick, D. Electrical installations in the transhipment complex at the seaport of Rostock 85−32761
Vick, G.L., Runyan, W.G., Colton, R.F., Thorkildson, R.J., Trcka, J.S. Thin film electroluminescent (TFEL) display optimized for cockpit applications 86−18432
Vick, G.L. *see* Runyan, W.G. 87−21171
Vick, S.D. Maintenance performance indicators at Northeast Utilities 88−10938
Vickerman, J.C. *see* Brown, A. 87−11671, 87−45779, 87−45782
Vickerman, J.C. *see* Khamsehpour, B. 86−53380
Vickers, D. *see* Giles, I.P. 85−24269
Vickers, D.J., Wlodarczyk, M.T. A fiber optic sensor for combustion pressure measurement in a washer configuration 88−43470
Vickers, D.J. *see* Wlodarczyk, M.T. 88−16159
Vickers, H., Johnson, K.P. Ultra-wideband chirp Fourier transform processor 87−39833
Vickers, M.A. *see* Moodie, J. 85−59987
Vickers, M.S., Somasundaram, T.N. Use of power line disturbance recorders on high voltage transmission systems [AC power lines] 85−53362
Vickers, R., Vilmansen, T. The evolution of telecommunications technology 87−13244
Vickers, R., Vilmansen, T. The evolution of telecommunications technology 87−69500
Vickers, R., Wernik, M. Evolution of switch architecture and technology 88−53104
Vickers, R., Wernik, M. Evolution of switch architecture and technology 88−59931
Vickers, R. *see* Wernik, M. 88−59839
Vickers, R.S., Lowry, R.T., Schmidt, A.D. A VHE radar to make terrain elevation models through tropical jungle 88−60264
Vickers, V.E. *see* Silverman, J. 87−55171
Vickerton, J. 68000 DMA chip in 8086 systems 85−49958
Vickerton, J. Single chip controller grapples with CRT graphics 85−58565
Vickerton, J. A 4k CMOS gate array with automatically generated test circuits 87−673
Vickery, A. *see* Goldsmith, P. 87−35101
Vickery, C.M., Good, J.K., Lowery, R.L. Experimental analysis of displacements, of read/write heads upon floppy-disk media 85−56103
Vickery, E.C., Hamilton, R.E. Selecting waste gas disposal equipment 88−64371
Vickery, J.C. *see* Pearson, R.C. 88−74785
Vickery, P.J. *see* Marjoram, A.R. 86−24398
Vickes, H.-O. Comments on 'GaAs dual-gate FET for operation up to K-band' 88−56925
Vickes, H.O. Comments on 'Phase in single- and dual-gate GaAs MESFETs for 2-4-GHz quadrature phase shifters' [and reply] 87−37551
Vickova, B., Drahy, J. Technical diagnostics of steam turbines 87−78485
Vickrey, J.F. *see* Cousins, M.D. 85−9255
Vickrey, J.F. *see* Fremouw, E.J. 85−53115
Vicq, G. *see* Bottreau, A.M. 87−53751
Vicroy, C.A. *see* Lowry, R.K. 88−1746
Vicsek, M. *see* Balla, K. 87−65437
Vicsev, M. Decontamination in nuclear power plants 87−50926
Vicsi, K. Speech recognition by machines in the early eighties. I 86−3803
Victor, A. A computer algorithm for mixer spurious analysis 86−8065
Victor, A. Interactive computer aided graphics applied to RF circuit design 87−16809
Victor, A.M. Broadband active balanced mixer 86−20383
Victor, J. UPSes win converts despite obstacles 86−33513
Victor, J. Add-in/add-on boards extend micros' reach 86−60177
Victor, J. Modems accelerate capabilities 87−55876
Victor, J. LANs link PCs to mainframes 87−69676
Victor, J. The safe way to figure UPS specs [uninterruptible power systems] 87−71632

Victor, J.D. The fractal dimension of a test signal: implications for system identification procedures 88−61209
Victor, J.J. *see* Cieslak, T.J. 85−19947
Victor, N. *see* Gupta, S. 88−28576
Victora, R.H. Micromagnetic predictions for barium ferrite particles 88−71900
Victora, R.H. *see* Peng, J.P. 88−51290
Victoria, L. *see* Ibanez, J.A. 87−29354
Victoria, M. *see* Hegedus, F. 87−35312
Victorin, J. Evaluation of the effectiveness of masked speech enhancement 87−61608
Victorri, B., Vinet, A., Roberge, F.A., Drouhard, J.-P. Numerical integration in the reconstruction of cardiac action potentials using Hodgkin-Huxley-type models 85−28185
Vida, D., Balog, B. Trends in the development of high-pressure sodium lamps 85−44296
Vida, G. *see* Neveri, I. 86−71005
Vidakovic, P. *see* Ledoux, I. 86−42210
Vidal, A.R.Figueiras *see* Figueiras Vidal, A.R.
Vidal, C.R. *see* Atmanspacher, H. 85−56742, 86−29194
Vidal, C.R. *see* Scheingraber, H. 88−14267
Vidal, E., Casacuberta, F., Benedi, J.M., Lloret, M.J., Rulot, H. On the verification of triangle inequality by dynamic time-warping dissimilarity measures 88−45987
Vidal, E., Prieto, N., Sanchis, E., Rulot, H. Application of the error correcting grammatical inference method (ECGI) to multi-speaker isolated word recognition 88−72890
Vidal, E., Rulot, H., Casacuberta, F. A μP-based isolated word recognition system 85−13522
Vidal, E., Rulot, H., Casacuberta, F., Benedi, J. Searching for nearest neighbours in constant average time with applications to discrete utterance speech recognition 87−47624
Vidal, E., Rulot, H.M., Casacuberta, F., Benedi, J.-M. On the use of a metric-space search algorithm (AESA) for fast DTW-based recognition of isolated words 88−52372
Vidal, E., Sefarra, E., Garcia, P., Galiano, I. Multi-speaker experiments with the morphic generator grammatical inference methodology (MGGI) 88−72891
Vidal, E. *see* Casacuberta, F. 87−39688, 88−14612
Vidal, E. *see* Fernandez, A. 88−52376
Vidal, E. *see* Rausell, J.A. 85−13517
Vidal, E. *see* Renedi, J.M. 88−14631
Vidal, J., Perlmutter, D. Dynamic RAM controller weds reduced chip count with quick access time 85−11370
Vidal, J., Seuret, D., Leccabue, F., Pelosi, C. Sintered quaternary and pentenary chalcopyrite solid solutions for solar cell applications 88−50642
Vidal, J. *see* Allaki, S. 86−35960
Vidal, J. *see* Blasi, A. 85−16359, 88−43471
Vidal, J. *see* Blasj, A. 87−72540
Vidal, J. *see* Gombia, E. 88−6436
Vidal, J.J. Implementing neural nets with programmable logic 88−63618
Vidal, J.J., Salas, P.F. Real-time parallel processing of pixel arrays using adaptive logic 88−52566
Vidal, J.J. *see* Adler, G. 87−59340
Vidal, J.J. *see* Goodwin, J.M. 88−58008
Vidal, M.A. *see* Alvarez-F, O. 88−7320
Vidal, P., Duret, C. Videotex in broadband local networks 86−54853
Vidal, P.Cattin *see* Cattin Vidal, P.
Vidal, R., Koropecki, R., Arce, R., Ferron, J. The first stages of oxidation of *a*-Si studied with Auger electron spectroscopy 87−67100
Vidal, R. *see* Barsotti, E. 88−54403
Vidal, R.V.Valqui *see* Valqui Vidal, R.V.
Vidal Ruiz, E., Casacuberta Nolla, F., Rulot Segovia, H. Is the DTW 'distance' really a metric? An algorithm reducing the number of DTW comparisons in isolated word recognition 86−22959
Vidal Saint-Andre, B. Antennas: a key technical area for satellites 88−73859
Vidal-Madjar, D. *see* Bernard, R. 87−4111, 87−15077, 87−57394
Vidal-Madjar, D. *see* Cheevasuvit, F. 86−64325
Vidal-Madjar, D. *see* Lin, H. 88−28058
Vidal-Quadras, A. *see* Fernandez, F. 88−48028
Vidal-Quadras, A. *see* Navarro, J. 87−29589
Vidal-Quadras, M. *see* Ginjaume, M. 87−29607
Vidalko, E.N., Gaidar, G.P., Girii, V.A. Carrier mobility in γ-irradiated silicon crystals 87−37869
Vidalko, E.N., Gaidar, G.P., Girii, V.A., Savyak, V.V., Shakhovtsov, V.I. Mobility of majority carriers in γ-irradiated oxygen-containing crystals of n-Si and n-Ge 87−11338
Vidalko, E.N. *see* Baranskii, P.I. 85−45383, 87−17687
Vidaller, L., Martinez, A., Burillo, V., Climent, F. University campus experimental local area network 86−30429
Vidaller, L., Martinez, V., Martinez, A., Nicolas, L. An optical fibre LAN with collision avoidance 87−55760
Vidaller, L. *see* Burillo, V. 85−52279
Vidaller, L. *see* Vinyes, J. 86−22881
Vidallon, C.M., Moukarzel, I.K. Automated penalty method for circuit performance optimization without calculating derivatives 87−31660
Vidallon, C.M. *see* Kalash, H.M. 87−31659
Vidallon, C.M. *see* Moukarzel, I.K. 87−23533, 87−31661, 88−49954
Vidalou, J.F. *see* Nebus, J.M. 88−70577
Vidano, R.P., Paananen, D.W., Miers, T.H., Krause, J., Agricola, K.R., Hauser, R.L. Mechanical stress reliability factors for packaging GaAs MMIC and LSIC components 87−66567
Vidanov, A.P. *see* Azimov, S.A. 87−43422
Vidanov, A.P. *see* Babaev, V.B. 86−27866
Vidaud, P., Hall, D.R. Effect of xenon on the electron temperatures of RF discharge CO_2 laser gas mixtures 85−35687
Vidaud, P., He, D., Hall, D.R. High efficiency RF excited CO_2 laser 86−22313
Vidberg, H.J., Riska, D.O. The inverse scattering problem for reflection of electromagnetic dipole radiation from Earth with vertical variation 85−59438
Videau, H. The Aleph pictorial electromagnetic calorimeter—a high granularity gaseous calorimeter operated in a high magnetic field 85−9041
Videen, G., Bickel, W.S. Scattering from geometrically perturbed perfect quartz fibers 87−32926
Videira, F., Osorio, L., Neves, S., Jesus, J.C., Verissimo, P. IKNET—a microcomputer network in a teaching environment 88−46631
Videla, N. *see* Helaly, A. 86−18238
Videlo, I.D.E. *see* Sutherland, R.R. 85−28776, 86−14734, 86−20958, 86−41458, 88−25725
Videneev, E.N. *see* Proskuryakov, A.G. 88−10965
Vider, D.-A. *see* Pathak, J. 88−70686
Vidic, S. *see* Donlagic, D. 85−52636
Vidic, U. *see* Mertens, P. 85−34447
Vidigal, L.M., Nassif, S.R., Director, S.W. CINNAMON: Coupled integration and nodal analysis of MOs networks 87−6908
Vidigal, L.M. *see* Groch, A. 85−33588
Vidigal, L.M. *see* Neto, H.C. 87−24027
Vidigal, L.M. *see* Sarmento, H. 87−25514
Vidimari, F. Acceptor redistribution and optimization of annealing parameters in Si-implanted semi-insulating GaAs 86−2022
Vidimari, F. *see* Donzelli, G.P. 87−53518
Vidin, Yu.V. *see* Fedyukovich, A.K. 87−77239
Vidler, K. *see* Kuperholz, R. 88−48549
Vidmar, M. Polarization performance of circularly polarized antennas 86−29586
Vidmar, M. Microstrip transverters for 23 and 13 cm. I 87−981
Vidmar, M. Microstrip transverters for 23 and 13 cm. II 87−17320
Vidmar, M. TV satellite receive system. I. Low-noise 11 GHz down-converter 87−34765
Vidmar, M. TV satellite receive system. II. Indoor unit 87−56352
Vidmar, M. Digital signal processing techniques for radio amateurs: theoretical part 88−66515
Vidmar, M. Receiving converter for 4 GHz-band satellite 88−67325
Vidmar, M. *see* Mrdakovic, D. 86−30383
Vidmar, R.J., Crawford, F.W. Long-delayed radio echoes: mechanisms and observations 85−36017
Vidnyi, Yu.M. Sequential estimation of parameters of ionospheric plasma using a Markov model with a finite number of states 85−62946
Vidolov, P.I., Grayanov, S.L. Electric spark machine's electrodes distance control system 86−26438
Vidra, M. Gabcikovo-Nagymaros system of water power structures 87−22161
Vidra, M. *see* Berjozkin, V.V. 87−35333
Vidrascu, A. *see* Quenet, J.F. 87−42626
Vidula, B.S., Smith, R.H. Bidirectional communication link for optical fiber payout from a remotely operated vehicle 85−14317
Vidulich, M.A. *see* Tsang, P.S. 87−69080
Vidunas, L.J. *see* Schnurmann, H.D. 85−793, 85−33162
Vidusek, D. *see* deGrandpre, M.P. 86−21702
Vidusek, D.A. *see* de Grandpre, M.P. 86−1896
Vidusek, D.A. *see* Legenza, M.W. 86−1905
Vidusek, D.A. *see* McCullough, A.W. 87−11909
Vidusek, D.A. *see* Zych, L.J.. 87−11911
Vidya, D. *see* Krishnamoorthy, R. 88−67644
Vidyasagar, M., Levy, B.C., Viswanadham, N. A note on the genericity of simultaneous stabilizability and pole assignability 87−10622
Vidyasagar, S. *see* Hoole, S.R.H. 88−72474
Vidyasankar, K. Non two-phase locking protocols for global concurrency control in distributed heterogeneous database systems 88−41371
Vidyashankar, C.R., Khargekar, A.K. A practical fast acting control scheme for static VAr compensator 87−9078
Vidyashankar, C.R. *see* Murthy, S.S. 86−33406
Vidyashanker, N. Board-level data acquisition systems 86−60174
Vieau, D.M. *see* Perry, H. 85−43427
Viechnicki, D.J. *see* Hynes, T.V. 85−35371
Viedma, L.Garcia de *see* Garcia de Viedma, L.
Viefers, W. *see* Fechner, J.B. 85−38608
Viegas de Vasconcelos, A. Concurrent architectures for power system control 88−17082
Viegas de Vasconcelos, A., Hosemann, G. Transient studies on a multiprocessor [power system analysis computing] 85−21051
Viegers, M.P.A., Koek, B.H., van Ommen, A.H. An ordered precipitate structure and the formation of coesite in oxygen implanted silicon 87−25050
Viegers, M.P.A. *see* Bruines, J.J.P. 87−38008
Viegers, M.P.A. *see* Leys, M.R. 85−10712, 87−53249
Viegers, M.P.A. *see* van Ommen, A.H. 87−11635, 88−12915, 88−33063, 88−44604
Viego Felipe, P. Program for the optimization of asynchronous single-phase motors with a driving capacitor 87−4695
Viehbeck, W. *see* Pannes, W. 86−55556
Viehl, E. *see* Brennecke, P. 85−15722
Viehmann, W., Predmore, R.E. Ultraviolet and visible BRDF data on spacecraft thermal control and optical baffle materials 87−74905
Viehmann, W. *see* Forrest, K. 86−42275
Viehweg, C. *see* Pietraszewski, D. 88−74070
Vieil, E. *see* Genies, E.M. 87−58267
Vieillart, J., Touret, J.M. The optical network with coaxial terminals in Paris 88−29113
Vieille, J. *see* Dalle, B. 85−59775
Vieille, J. *see* Galand, J. 87−50832
Vieira, A.T. *see* Lechowicz, M.A. 85−9625
Vieira, D.J. *see* Kraus, R.H., Jr. 88−29924
Vieira, D.J. *see* Vaziri, K. 87−71046
Vieira, D.J. *see* Wouters, J.M. 85−64513, 86−5843, 87−71047
Vieira, J.M.Duarte *see* Duarte Vieira, J.M.
Vieira, M.C.de Sousa *see* de Sousa Vieira, M.C.
Vieira, N.D., Jr., Mollenauer, L.F. Single-frequency single-knob tuning of a CW color center laser 85−41364
Vieira, R. *see* Montgomery, D.B. 88−65989
Vieira, R. *see* Thome, R.J. 88−64001
Vieira, R.G. *see* Cable, M.D. 88−61194
Vieira, S. The behavior and calibration of some piezoelectric ceramics used in the STM 87−12007
Vieira, S., Aguilo, A., Hortal, M., Pazos, M. A simple device for quick separation of high-T_c superconducting materials 88−13693
Vieira, V. *see* Tavares, L.V. 86−56515
Vieira de Sa, L. Second μP enhances TMS32020 system 87−52599
Vieira F, X., Prado, H.V., Jr., Massaud, A.G., Nery, E. National scheme for controlling emergencies in the Brazilian interconnected system 86−50882
Vieland, C. Compact BNC attenuators 85−49968
Vieland, C. Thermal power measurements—yet another look 86−18025
Vieland, C. Power amplifiers—how they are operated 86−34585
Vieland, C. Two-metre power amplifier using valve 4 CX 1000 A 86−34586
Vieland, C. Tunable VHF to SHF bandpass filter 87−17211
Vieland, C. Modifying the FT 225 RD 87−20424
Vieland, C. 50 Ω wideband detectors 88−63579
Viele, A.A. *see* Leith, V.S. 85−29291
Vieleers, A.M.V. A new generic range of advanced rigid solar arrays for space applications 86−7047
Vielhauer, P. Simple method for digital filter design without multiplier 86−14381
Vielhauer, P. Simple method of designing digital filters 86−27467
Vielhauer, P. A simple method for designing digital filters with linear phase without multipliers 87−945
Vieli, A. *see* Lutolf, R. 87−21810
Vieli, R. *see* Matthey, J. 86−70513
Vielle, J. Design of medium voltage overhead lines to withstand abnormal climatic phenomena 86−56442
Vielpeau, D. *see* Souque, D. 86−66027, 86−70880
Vielrose, E. Power supply installations for new underground railway lines in Hamburg 87−43565
Vielrose, E., Christensen, J. New main switching station for the energy supply of the Hamburg U-Bahn 88−11444
Viemann, H. *see* Bunke, H. 85−31831
Vien, T. *see* Munich, M.J. 85−32809
Vien, T.-K. *see* Sella, C. 85−10804
Vien, T.K., Sella, C., Lafait, J., Berthier, S. Pt-Al_2O_3 selective cermet coatings on superalloy substrates for photothermal conversion up to 600°C 86−7173
Vienet, R. Ideas for a Saturne new source 86−55963
Vienet, R. *see* Lemaire, J.L. 86−55966
Vienne, D. *see* Barta, W. 88−28431
Viennet, J. *see* Ayi, T. 86−24660
Viennet, J. *see* Barillet, R. 87−26250, 88−58400
Viennot, G. *see* Cori, R. 87−10252
Viennot, S. *see* Favreau, M. 86−65055
Vienot, F. *see* Bourdy, C. 85−26409

Vier, D.C., Schultz, S. Electron spin resonance as a probe of the silicon-metal interface 88—19735
Vier, D.C., Schultz, S., Wu, M.G., Maple, M.B. Electron spin resonance studies of electron transport across the metal-silicon interface 88—13007
Viera, M. *see* Martins, R. 88—24775
Vierath, D.R. *see* Burchett, R.C. 85—21052
Vierath, D.R. *see* El-Kady, M.A. 86—56333
Vierath, D.R. *see* Happ, H.H. 87—4310
Vierbacher, H. *see* Claussen, E. 88—36606
Vierbl, P. *see* Blumann, W. 85—63352
Viereck, P., Mogensen, G. High speed, long distance transmission on optical fibres 88—60152
Viereck, P. *see* Hornung, E. 85—14315
Vierehasu, H.T. Rule-based design for testability—the EXTEST approach 87—65685
Vieren, J.P. *see* Guldner, Y. 87—68254
Vieren, J.P. *see* Razeghi, M. 88—12972
Viererbl, L. *see* Ryba, J. 86—60847
Viererbl, P. *see* Blumann, W. 85—3173
Viergever, M.A., de Boer, E. Matching impedance of a nonuniform transmission line: application to cochlear modeling 87—26889
Viergever, M.A. *see* van Giessen, J.W. 85—4283, 86—60731, 88—48113
Viergutz, H. *see* Schaarschmidt, J. 85—17084
Vierhaus, H.T. *see* Abel, E. 87—6822
Vierhaus, H.T. *see* Ehrhardt, D. 86—1952
Vierhaus, H.T. *see* Matthaus, C. 88—71772
Vierna, C. *see* Simon, J. 86—26625
Vierra, R.H. *see* Schulte, R.P. 85—59617
Vierrath, H. *see* Banda, B.M. 86—61341
Vierrath, H. *see* Kehlhofer, R. 88—5537
Vierrath, H.E. *see* Plumley, D.R. 87—4571
Viertel, G., Gunther, H. The position of bioimpedance measurement in relation to birth diagnostics 86—44675
Viertel, G. *see* Anderhub, H. 87—21420, 88—22984, 88—29843
Viertel, G. *see* Commichau, V. 85—43175
Viesca, C.de la *see* de la Viesca, C.
Viessemann, H. Good—reliable—long life [natural gas heating] 85—4720
Viest, P., Palencar, R. Measurement of the internal attenuation in metals 86—24848
Viest, P. *see* Gierth, B. 87—56741
Viesti, G., Prete, G., Fabris, D., Hagel, K., Nebbia, G., Menchaca-Rocha, A. The response of a CsI(Tl) scintillator with photodiode readout to light particles and heavy ions 87—14730
Viesti, G., Segato, G., Prete, G., Fornal, B., Gramegna, F., Yunian, L., Fabris, D., Nebbia, G., Hagel, K., Menchaca-Rocha, A. L'uso di scintillatori CsI(Tl)letti da fotodiodi come rivelatori di particelle cariche e ioni pesanti ad energie intermedie (Use of a CsI(Tl) scintillator photodiode for elementary particle and ion detection at intermediate energy) 87—14757
Viesti, G. *see* Moroni, A. 85—4236
Viesti, G. *see* Prete, G. 85—37916, 87—41827
Vieten, M. From pressure sensor to pressure recorder—thick-film technology opens new fields of applications 85—64098
Vieten, M. Tourmaline is more sensitive than quartz—resonance-free pressure transducers 86—5200
Vieten, M. Acquisition of fast data with the personal computer 86—44194
Vieten, M. Portable computers for measurement and storage of fast signals 87—28904
Vieten, M. Test rig automation by means of a personal computer: provision of I/O support 87—63221
Vieten, M. Signal analyzer with graphic-assisted programming 87—70499
Vieten, M. *see* Dittberner, W. 87—34994
Vieten, M. *see* Hohne, J. 87—70550
Vieten, M. *see* Verhoef, W. 86—5342
Vietense, M. Communication in networks 88—46475
Vietor, J. *see* Gunawardena, S. 85—23894
Vietri, G., Marchetti, R., Penco, E., Salvetti, G. High repetition-rate performance of a corona-preionized TEA CO_2 laser operating without helium 85—51123
Vietri, G. *see* Liberati, F. 87—68570
Viets, K.J. Independent ground monitor coverage of GPS satellites 88—15407
Vietson Nguyen, Dhyanchand, J., Thollot, P. Analysis of the series resonant converter using the normalized switching frequency as a circuit design parameter 86—7996
Vietson Nguyen, Dhyanchand, J., Thollot, P. A multiphase topology of series-resonant DC-DC converter 86—34535
Vieujot, E. *see* Ismail, A. 85—55471
Vieux-Rochaz, J.L. *see* Plantier, A. 87—70984
Vieux-Rochaz, L. *see* Chenevas-Paule, A. 86—19507
Vieux-Rochaz, L. *see* Villegier, J.C. 85—56181
Viewig-Gutberlet, F.G. *see* Herzer, H. 85—23664
Vifanskii, Yu.K. Transmission of continuous energy distribution via fiber-optic elements 86—15486
Vifian, H. Introduction to scalar network measurements 85—20709
Vig, J. *see* Filler, R. 88—20221
Vig, J.R. UV/ozone cleaning of surfaces 85—55726
Vig, J.R. *see* Brandmayr, R.J. 86—42031, 87—32790
Vig, J.R. *see* Filler, R.L. 85—62164
Vig, J.R. *see* Gualtieri, J.G. 85—62142
Vig, R. *see* Gibson, B. 88—69902
Vig, R. *see* Hansen, E.W. 86—50588
Vigak, V.M., Kolesov, V.S., Yasinskii, A.V. Optimum control of thermal displacements of the optical surface of the laser mirror 86—22448
Vigano, R. *see* Assente, R. 86—32349
Vigants, A. Temporal variability of distance dependence of amplitude dispersion and fading 85—19130
Vigants, A. *see* Gardina, M.F. 85—20048
Vigar, M.C. *see* Wood, P. 88—7095
Vigasin, A.A., Losev, S.A., Makarov, V.N. Population inversion of electronic states of alkali metals in mixtures with molecular gases under conditions of cooling in a supersonic nozzle 87—18898
Vigassy, J. *see* Szabados, L. 87—57844
Vigdorovich, E.N., Kotashevskii, V.A., Pashinkin, A.S. Thermodynamic analysis of the process of deposition of gallium arsenide-phosphide solid solutions, using partial-pressure diagrams 86—26884
Vigdorovich, E.N. *see* Kotashevskii, V.A. 85—1485
Vigdorovich, V.N. *see* Areshkin, A.A. 86—13799
Vigdorovich, V.N. *see* Golachev, S.M. 86—41435
Vigetti, A. *see* Briccoli, A. 87—13189
Vighi Arroyo, F. Services engineering: a demand and a solution for the Spanish nuclear program 86—39490
Vigil, A.E. Development of baseband decoder. . 87—41221
Vigil, A.J., Abbott, B.P., Malocha, D.C. A study of the effects of apodized structure geometries on SAW filter parameters 88—51127
Vigil, E. *see* Diaz, P. 85—28212
Vigil, J.A. A new integrated multiplex, patch, and test (IMPAT) system [satellite system] 87—40825
Vigil, O., Lopez, S., Morris, E., Calzadilla, O., Leccabue, F. Schottky diodes on $ZnIn_2S_4$ single crystals 88—7567
Vigil, O., Seuret, D., Leccabue, F., Hernandez, L. Sintered p-$CuInSe_2$/n-CdS photovoltaic heterojunction 88—32875
Vigil, O. *see* Gombia, E. 85—16914
Vigil, O. *see* Leccabue, F. 85—40681
Vigil Santos, E., Folgueras, J., Zehe, A. Influence of the spatial dependence of the absorption coefficient on the near field of an edge light emitting diode (LED) 85—46287
Vigini, P. *see* D'Auria, F. 87—57809
Viginier, M. *see* Martin, J.C. 85—51961
Vigliotti, A.P. *see* Jani, S.K. 88—10453
Vigliotti, D.R. *see* Von Gutfeld, R.J. 85—49589
Vigliotti, D.R. *see* von Gutfield, R.J. 85—49584
Vigliotti, V., Coolahan, J.E., James, D.L., Ball, R.E. A small oceanographic data acquisition (SODA) system 86—60966
Vigna Filho, E.Del *see* Del Vigna Filho, E.
Vignati, A. *see* Biagini, M.E. 86—24989
Vignati, A. *see* Bizzarri, U. 85—56703, 85—59064, 87—2168, 87—68542, 88—29729
Vignati, G. *see* Cagnola, A. 86—20175
Vignau, R.von *see* von Vignau, R.
Vignaud, D. *see* Cribier, M. 88—29784
Vignaud, D. *see* Michau, J.C. 86—44559
Vignazia, D. *see* Giambalvo, F. 87—34261
Vignelles, R. The Ariane family 85—26849
Vigneron, S., Guillon, P. A tunable solution to group delay 87—6024
Vigneron, S., Guillon, P. Mode matching method for determination of the resonant frequency of a dielectric resonator placed in a metallic box 87—37507
Vigneron, S., Guillon, P. Input impedance and loaded quality factor of a probe exciting dielectric resonator 88—50307
Vignes, A. Understanding of the phenomena of materials degradation by aging and embrittlement—margin of safety and solutions to limit or avoid such degradations 86—51353
Vignes, J. Stochastic approach for round-off error analysis in computing application to signal processing algorithms 86—64237
Vignes, J. *see* Faye, J.-P. 85—54327
Vignes, J.-L., Denjean, P., Le Hericy, J., Langeron, J.-P. Study of the method of growth of a thin silver deposit on silicon by Auger electron spectroscopy 86—20108
Vignier, M. *see* Bareyt, B. 85—49040, 87—72281
Vignier, M. *see* Boin, M. 88—63066
Vignola, G., Barton, M., Blumberg, R., Galayda, J., Krinsky, S., Luccio, A., Pellegrini, C., van Steenbergen, A., Wang, J. A study for a 6 GeV undulator based synchrotron radiation source 86—32136
Vignola, G. *see* Barbini, R. 85—2172
Vignola, G. *see* Bisognano, J. 86—70268
Vignola, G. *see* Cornacchia, M. 87—2146
Vignola, G. *see* Jackson, A. 86—32065, 87—19015
Vignola, G. *see* Johnson, P.D. 88—47807
Vignoli, I. Printing and drawing with the Honeywell Bull 4/66P 88—16251
Vignon, D. *see* Hall, R.S. 86—32983
Vignon, D. *see* Labat, P. 88—10985
Vignoni, J.R. Development devices for the MC 68701 microcomputer 85—40127
Vignudelli, A. Evolution of legislation on radio/television broadcasts [in Italy] 88—60367
Vignudelli, A.Quareni *see* Quareni Vignudelli, A.
Vigo, M. *see* Pinciroli, F. 85—53065
Vigo, P. *see* Cascetta, F. 86—38195, 88—29708
Vigo, P. *see* Mastrullo, R. 85—15085
Vigo, P. *see* Reale, F. 87—68153, 88—7868
Vigodorovich, V.N. *see* Bochvar, N.R. 87—23747
Vigoroux, J.P., Le Gressus, C., Duraud, J.P. Electrical surface breakdown: secondary electron emission and electron spectroscopy of insulators 86—15291
Vigouroux, J.P., Jollet, F., Duraud, J.P., Le Gressus, C. Influence of ion implantation and gas exposure on the charge in silicon oxide created by electronic excitation 87—53393
Vigouroux, N. *see* Caelen, J. 87—19558, 88—40875
Vigovskii, E.A., Nazarov, V.V. Protection of 10 kW rural networks from single-phase short circuits 88—68916
Vigovskii, E.A. *see* Lyashenko, I.N. 85—60234
Vigrass, W.J., Dumin, D.J. Comparison of oxide wearout resulting from DC and pulsed charge injection 88—64582
Vigreux, J., Voisin, G. High permanent current in GIS 88—55550
Vigulis, L.A. *see* Basharin, G.P. 88—73866
Viheriavaara, H. Prospects for the electricity supply industry in Finland 88—54941
Vihinen, H. *see* Malmivuo, J. 87— 29724
Viikman, V. *see* Knuutila, J. 88—23065
Viirto, J. *see* Luukkala, M. 88—36051
Viitanen, J., Taskinen, V., Ojanen, M. An algorithm for using CT-data in radiation therapy dose planning 85—38210
Viitanen, P. *see* Kamarainen, V.J. 88—60979
Vij, A.K., Sushil, Vrat, P. Energy modelling for the national economy—generalized model based on a physical systems theory approach 88—62013
Vij, J. *see* Hsiung, H. 86—54937
Vij, J. *see* Joshi, S. 86—43593
Vij, J.K., Hufnagel, F., Helker, M., Reid, C.J. Some new FIR laser lines of optically pumped $^{12}CH_3$ ^{16}OH, $^{12}CH_3$ ^{16}OD, and $^{12}CH_3I$, $^{12}CH_3Br$, $^{12}CD_2Cl_2$; absorption spectroscopy of water and acetonitrile 86—68440
Vijan, M., Baron, Y., Lien, A., Cannella, V., McGill, J., Yaniv, Z., Ukrainsky, O. High-performance amorphous-silicon alloy PIN active-matrix LCD for military and avionic applications 88—16324
Vijan, M. *see* McGill, J. 87—25222
Vijan, M. *see* Swartz, L. 88—45312
Vijan, M. *see* Yang, M. 87—25357
Vijan, M. *see* Yaniv, Z. 85—50603, 86—35725, 86—67873
Vijay, S.S. *see* Daneshdoost, M. 88—23383
Vijaya, G. *see* Kanaka, T.S. 88—54633
Vijaya, K., Jadhav, M.L., Gangal, S.A., Karekar, R.N. Effect of bulk and thin film dielectric overlay on the characteristics of microstrip rejection filter and simple microstriplines 87—970
Vijaya Bhaskar, K., Nagaraja, H.S., Kalavathi, K.R. A high voltage pulser for arc control 87—22930
Vijaya Kumar, B.V.K. Role of Wigner distribution function in pattern recognition 85—46903
Vijaya Kumar, B.V.K. Optimality of projection synthetic discriminant functions 87—13102
Vijaya Kumar, B.V.K. Geometric moments from Hartley transform intensities 87—47957
Vijaya Kumar, B.V.K., Carroll, C.W. Effects of sampling on signal detection using the Cross-Wigner distribution function 85—13534
Vijaya Kumar, B.V.K., Carroll, C.W. Performance of Wigner distribution function based detection methods 85—25176
Vijaya Kumar, B.V.K., Fitzpatrick, C. Simulation study of the performance of an algorithm that computes geometric moments from optical Hartley transform intensities 88—59230
Vijaya Kumar, B.V.K., Mahalanobis, A. Alternate interpretation for minimum variance synthetic discriminant functions 86—69108
Vijaya Kumar, B.V.K., Neuman, C.P., DeVos, K.J. Discrete Wigner synthesis 87—13033
Vijaya Kumar, B.V.K., Rahenkamp, C.A. Calculation of geometric moments using Fourier plane intensities 86—43287
Vijaya Kumar, B.V.K., Rahenkamp, C.A. An optical/digital hybrid system for calculating geometric moments 87—13106
Vijaya Kumar, B.V.K., Rajan, S. Subpixel delay estimation using group delay functions 87—39953
Vijaya Kumar, B.V.K., Veeravalli, V.V. Approximate lower bound for the SNR of matched filters 87—61873
Vijaya Kumar, B.V.K., Zinnikas, M.J. Geometric moments from optical cosinusoidal transform 87—55264

Vijaya Kumar, B.V.K. *see* Bahri, Z. 87—62195, 88—41047
Vijaya Kumar, B.V.K. *see* Carroll, C.W. 88—28934
Vijaya Kumar, B.V.K. *see* Casasent, D. 85—2106, 87—62211
Vijaya Kumar, B.V.K. *see* Goutzoulis, A. 85—41225
Vijaya Kumar, B.V.K. *see* Goutzoulis, A.P. 85—20247, 86—2886
Vijaya Kumar, B.V.K. *see* Katti, R.R. 88—71909
Vijaya Kumar, B.V.K. *see* Mahalanobis, A. 87—26135, 88—3138
Vijaya Kumar, B.V.K. *see* Veeravalli, V.V. 87—67756
Vijaya Vani, N. *see* Chandra Mouly, C. 86—1347
Vijayaditya, N. *see* Seshagiri, N. 88—21718
Vijayakumar, A., Gopalan, M.N., Radhakrishnan, R. Cost-benefit analysis of an *n*-unit repairable adaptive system 85—33225
Vijayakumar, A. *see* Gopalan, M.N. 85—16831, 85—33224
Vijayakumar, A. *see* Sarkar, M. 87—25165
Vijayakumar, P.N., Tyagi, T.R., Gupta, J.K. Salient features of amplitude scintillations and Faraday polarization fluctuations at VHF observed at Delhi 88—66072
Vijayakumar, P.S., Szilagyi, M. Chromatic aberration of symmetric two-cylinder electrostatic lenses 87—54493
Vijayamohanan, K., Shukla, A.K., Sathyanarayana, S. Open-circuit potential-recovery transients of alkaline porous iron electrodes 87—78890
Vijayan, B.S.S. Principle of digital clocks 86—38572
Vijayan, G., Wigderson, A. Rectilinear graphs and their embeddings 85—44611
Vijayan, G. *see* Mata, J.M. 87—67511
Vijayaraghavan, M.S. An improved approach to electroless copper deposition on non-conducting substrates 85—16998
Vijayaraghavan, M.S. *see* Prasad, S.D. 88—25723
Vijayaraghavan, P. *see* Mathialagan, A. 87—31056
Vijayaraghavan, V.K. *see* Sumathy, M.R. 87—14362
Vijaykumar, R. *see* Acharya, Y.B. 85—48471
Vijaykumar, R. *see* Goela, J.S. 87—4644
Vijaysankar, M.K., Sharma, A.S. Numerical simulation of the formation and dynamics of rotating relativistic electron beams 88—42398
Vijgen, L.J., Ackermans, P.A.J., Vleuten, W.C., Van Daal, H.J., Brongersma, H.H. On the analysis of surfaces and interfaces by LEIS, AES and SIMS 88—13062
Vijh, A.K. Inverse correlation between dielectric strength and dielectric constant for anodic oxides on valve metals 88—44895
Vijh, A.K., Crine, J.-P. The nature of anode effects in metal-poly-*p*-xylylene (**PPX**) interfaces under photo-illumination 88—50687
Vijh, A.K. *see* Crine, J.-P. 85—1425
Vijh, A.K. *see* Dimoff, K. 85—62125
Vijh, A.K. *see* Marsan, B. 88—24115
Vijuk, R.P., Braun, H.E., Zuchowski, L.A. Westinghouse PWR designs get better through technology advancements 87—71904
Vik, G.N. Real-world applications in communication techniques. Communicating with laypeople, persuading peers and prospective clients 85—44447
Vik, G.N. How to improve your oral technical presentations 87—36396
Vik, S. *see* Blackburn, J.A. 85—1550, 85—20529
Vikanes, S. *see* Basilesco, J. 86—51509
Vikanes, S. *see* Haugen, A.T. 87—72024
Vikarby, B. *see* Halvarsson, P.G. 86—7202
Vikhagen, E. *see* Strand, A. 88—65917
Vikharev, A.L., Ivanov, O.A., Stepanov, A.N. Multiple-pulse UHF breakdown in intersecting wave beams 86—15884
Vikharev, A.P. *see* Khagemeister, E.A. 86—45221
Vikhorev, V.M. *see* Shapiro, B.I. 85—59663
Vikhorev, V.S., Egorov, Z.A., Muravlev, V.A. Unsteady heating of rotor of type TVF-110-2EUZ turbogenerator in asymmetric short-circuit regimes 87—78596
Vikhrev, Yu.V. *see* Batunov, G.K. 85—21461, 86—61367
Vikhrev, Yu.V. *see* Filatov, A.V. 87—71929
Vikhreva, T.V. *see* Batunov, G.K. 86—45203
Vikhrov, S.P., Ampilogov, V.N. Conditions for conductivity type inversion in vitreous chalcogenide semiconductors 85—11951
Vikhrov, S.P., Ampilogov, V.N. Electronic conductivity of $(GeSe_{3.5})_{100-x}Bi_x$ and $(GeS_{3.5})_{100-x}Bi_x$ in solid and liquid states 87—37908
Vikhrov, S.P., Ampilogov, V.N., Kengerlinskii, L.Yu., Khiminets, V.V. n-type conduction in glasses of the Ge-S-Bi system 86—35343
Vikhrov, S.P., Ampilogov, V.N., Mal'Chenko, S.I. Salient features of charge transport in solid and liquid disordered states of the $Ge_{16}Te_{80}X_4$ system 87—37909
Viklund, B. Optical fibres in local area networks 86—49236
Viklund, B. Fibre optics in the local loop 87—62994
Viklund, B., Ericsson, L.M. Optical fibres in local area networks 86—16893
Viklund, N. *see* Kihlstrom, L.-O. 88—60187
Vikopoulos, T. Measuring of revolutions by an optimal PLL circuit 85—8965
Vikopoulos, T. Induction motors in electromechanical systems with a periodical moment of inertia—analytical calculation of forced oscillations and test. I 85—39231
Vikopoulos, T. Induction motors in electromechanical systems with a periodical moment of inertia—Analytical calculation of forced oscillations and test. II 85—39232
Vikopoulos, T. Induction motor design for damping the oscillations in mechanical systems with pulsating moment of inertia 85—53697
Vikopoulos, T. Induction motor identification using steady-state measurements on the idling and the locked machine 87—42989
Vikopoulos, T. *see* Best, R. 86—57726, 87—560
Vikram, C.S., Agrawal, D.K., Roy, R., McKinstry, H.A. A simple laser speckle dilatometer for thermal expansion measurements 86—18165
Vikram, C.S., Billet, M.L. In-line Fraunhofer holography at a few far fields 85—2431
Vikram, C.S., Billet, M.L. Window curvature effects and tolerances in Fraunhofer holography in cylindrical tunnels 86—54222
Vikram, C.S., Billet, M.L. Volume magnification in particle field holography 87—61246
Vikram, C.S., Billet, M.L. Generalized far-field holography at non-image planes 87—61264
Vikram, C.S., Billet, M.L. Some salient features of in-line Fraunhofer holography with divergent beams 88—20784
Vikram, C.S. *see* McDevitt, T.E. 88—74592
Viksna, A.Zh., Elsts, M.A. Stokhasticheskoe funktsional'noe preobrazovanie, modeli, prilozheniya (Stochastic funtional conversion, models and applications) 85—60645
Viktil, H., Mez, F. A modern low-speed generator for the Solbergfoss II hydro power plant in Norway 88—23770
Viktor, P.A. *see* Korepanov, S.A. 86—1701, 87—33037
Viktoravichyus, V. *see* Gal'dikas, A. 85—34547, 86—58280
Viktoravicius, V. *see* Galdikas, A. 86—58281
Viktorin, J. A survey of methods for enhancing speech signals masked by noise 86—16167
Viktorin, J. Enhancement of noisy speech using spectral subtraction 87—2494
Viktorin, J. Masked speech enhancement by the spectral subtractive method 87—75755
Viktorov, A.D., Emel'yanov, A.G. A network of radioelectronic facilities for mobile objects 87—13612
Viktorov, A.D. *see* Burakov, A.V. 87—49137, 87—69173
Viktorov, B.V. *see* Afonin, O.F. 88—57421
Viktorov, E.A., Galaktionova, N.M., Mak, A.A., Orlov, O.A., Tkachenko, E.V., Ustyugov, V.N. High-sensitivity recording of weak reflected or scattered radiation by the method of Nd:YAG laser intracavity coherent reception 88—20807
Viktorov, V.A. *see* Bushel', A.R. 86—44422
Viktorovitch, P. *see* Blanchet, R. 85—23576, 85—40520, 87—53417
Viktorovitch, P. *see* Bonnaud, P.O. 85—23748
Viktorovitch, P. *see* Chave, J. 87—24975, 87—25111
Viktorovitch, P. *see* Choujaa, A. 87—1322, 88—50859
Viktorovitch, P. *see* Hollinger, G. 88—19811, 88—50858
Viktorovitch, P. *see* Robach, Y. 87—17937
Viktorovitch, P. *see* Santinelli, C. 87—17982
Viktorovitch, P. *see* Sautreuil, B. 85—40533, 86—1849
Vikulin, A. *see* Taratuta, I. 88—48574
Vikulin, C.A., Kuz'min, V.A. Determination of noise spectral function exponent 87—55145
Vikulin, I.M., Glauberman, M.A., Kanishcheva, N.A., Kozel, V.V., Prokhorov, V.A., Shakhovtsov, V.I. Radiation strength of magnetosensitive silicon transistors 86—31418
Vikulin, I.M. *see* Alekseev, V.V. 85—31459
Vikulin, I.M. *see* Bazhenov, V.K. 86—21095
Vikulin, I.M. *see* Kurmashev, Sh.D. 85—56438
Vikulin, I.M. *see* Sinina, I.I. 87—54187
Vikulov, A.V. *see* Melititskiy, V.A. 87—47741
Vikulov, V.F., Garmash, A.G., Solov'ev, N.G. Radiofrequency structures for excitation of an electrooptic transducer by a beam in a picosecond electron linac 87—8800
Vila, A. An alarm for a wallet 85—11481
Vila, A. A robbery protection system with a secret key 85—45206
Vila, A. A universal anti-theft device 85—55073
Vila, A. Infrared protection system 85—55075
Vila, A. An alarm and control system using signals transmitted over electric power circuits 85—61400
Vila, A. A pulsed electronic locking device 86—20671
Vila, A. A gong-sounding electronic door bell 86—27513
Vila, A. Ultrasonic activated alarm 86—44831
Vila, A. Lap counter and 'judge' for miniature facing cars 86—52986
Vila, A. An emergency light switch 86—58019
Vila, A. A cardiac rhythm monitor 87—21571
Vila, A. Optical key 87—52779
Vila, A. Electronic guard for closed-circuit TV installations 87—56392
Vila, D. *see* Agusti, R. 86—30687
Vila, J.-P. Systems of conservation laws, quasi second order numerical schemes and the entropy condition 85—10628
Vila, R., de Frutos, A.M., Mar, S. Design of aberration-balanced high-efficiency focusing holographic gratings 88—65885
Vilaclara, G. Recognition of labial-doubles for a substitution hearing-aid 87—47577
Vilain, B. *see* Algalarrondo, D. 86—37230
Vilain, B. *see* Battarel, G. 87—76225
Vilain, B. *see* Collet, P. 85—51956
Vilain, G. *see* Blondeau, R. 85—2318
Vilain, G. *see* Renders, J. 85—19426
Vilain, J.P. *see* Friedrich, G. 88—75835
Vilain, M. *see* Lucas, C. 88—74413
Vilain, P. *see* Anguilar-Benitez, M. 87—71031
Vilain, P. *see* DeWulf, J.P. 87—21468, 88—22985
Vilain, R.H., Elcano, J.P.M., Vitalis, A.E.R., Mathieu, F.D. Studies of cold water installation for OTEC pilot plant in Tahiti 85—32400
Vilaithong, T. *see* Csikai, J. 86—5791
Vilamajo, E. *see* Cabestany, J. 86—33683
Vilanova, D. Results from tests of the Delphi TPC prototype 85—43177
Vilanova, D. *see* Brand, C. 87—21430
Vilar, E. The dynamic aspects of cm and mm wave propagation and impact on satellite communications 87—39392
Vilar, E. Antennas and propagation: a telecommunications systems subject 88—43646
Vilar, E., Burgueno, A., Puigcerver, M., Austin, J. Analysis of joint rainfall rate and duration statistics: microwave system design implications 88—58842
Vilar, E., Faulkner, N.D. Phase noise and frequency stability measurements. Numerical techniques and limitations 86—38502
Vilar, E., Haddon, J., Lo, P., Moulsley, T.J. Measurement and modelling of amplitude and phase scintillations in an Earth-space path 85—36016
Vilar, E., Moulsley, T.J., Ortgies, G. Probability density function of amplitude scintillations [and reply] 85—57017
Vilar, E., Smith, H. A theoretical and experimental study of angular scintillations in Earth space paths 86—36803
Vilar, E., Weaver, G., Lo, P., Smith, H. Angle of arrival fluctuations in high and low elevation Earth space paths 85—41621
Vilar, E. *see* Akers, N.P. 86—24401
Vilar, E. *see* Al-Ahmad, H.A.M. 86—37863
Vilar, E. *see* Banjo, O.P. 85—36008, 85—41620, 86—29408, 87—2302, 87—47222
Vilar, E. *see* Burgueno, A. 87—19190, 87—39374, 87—54576
Vilar, E. *see* Faulkner, N.D. 86—20359
Vilar, E. *see* Haddon, J. 86—63986
Vilar, E. *see* Hewitt, A. 86—30644, 88—34325, 88—66070
Vilar, E. *see* Lau, W.H. 87—75425
Vilar, E. *see* Moulsley, T.J. 85—37500
Vilar, J. Minimal cuts up to third order in a planar graph 85—22327
Vilar i Mestre, E. *see* Faulkner, N.D. 85—58806
Vilas Boas, J.W.S. *see* Kaufmann, P. 88—8588
Vilaseca, A. Measuring wavelengths at microwave frequencies—simply and cheaply 88—29616
Vilaseca, R. *see* Laguarta, F. 85—41330, 86—9896, 88—65564
Vilaseca, R. *see* Pujol, J. 87—46751, 88—51849
Vilata, R., Villaneuva, J.J. VLSI fault detection with image analysis techniques 88—64696
Vilbe, P. *see* Calvez, L.-C. 85—54348
Vilbe, P. *see* Calvez, L.C. 88—49611
Vilcheck, W.S., Gonzalez, D.A. Guidelines for applying shunt capacitors on industrial power systems 86—39131
Vilcheck, W.S. *see* McCall, J.C. 86—45889
Vilches Menendez, A. *see* Ros Torrecillas, S. 87—61327
Vilcinskas, S. *see* Vitkauskas, V. 88—32796
Vilcot, J.P., Constant, M., Decoster, D., Fauquembergue, R. III-V photoconductive detectors: gain and noise studies 85—41275
Vilcot, J.P. *see* Constant, M. 88—29382, 88—65480
Vilcot, J.P. *see* Decoster, D. 86—2970, 86—30782
Vilcot, J.P. *see* Pascal, D. 85—52762
Vilcot, J.P. *see* Razeghi, M. 88—58394, 88—58396
Vilcot, J.P. *see* Remiens, D. 88—20446
Vilcot, J.P. *see* Verriele, H. 88—40103
Vilcot, J.P. *see* Vinchant, J.F. 88—65352
Vil'danov, R.R., Glasyshev, D.A., Deryugin, I.A., Mirzaev, A.T. System for recording bivariate intensity distribution of optical radiation 86—60256

Vil'danov, R.R., Mirzayev, A.T., Yakubov, A.N. Recording and reconstruction of images of coherently illuminated objects by the heterodyne intensity interferometry method 88−21327
Vil'danov, R.R. *see* Azimdzhanova, Z.Kh. 87−63338
Vil'dgrube, G.S. *see* Ainbund, M.R. 86−67643
Vil'dgrube, G.S. *see* Biryulin, Yu.F. 88−38970
Vildirim, N. *see* Aksen, A. 86−27568
Vilela Pinto, L.M. Choice of the neutral system in LV installations 85−27093
Vilela Pinto, L.M. The new publication CEI 479-1 (1984): effects of electric current on the human body. Prospects for adjusting methods for protecting against accidental contact 88−11687
Vilenchik, L.S., Ivanov, I.S., Krylkov, V.F., Kurakov, Ye.L., Palitskii, V.M. Design principles for advance monitoring systems to be used in TV complexes 88−4185
Vilenchik, L.S., Krivosheyev, M.I., Lokshin, B.A., Shavdiya, Yu.D. Measurement of differential distortions in the video channel of a satellite television system using a dispersion signal 88−9473
Vilenchik, L.S., Krivosheyev, M.I., Shavdiya, Yu.D. The primary principles of digital noise suppression theory in television channels 88−34361
Vilenskaya, R.M., Glukhov, V.S., Sternin, D.M., Pyatkova, T.S. Features of the boiler/turbine part of Surgut-2 Central Power Station 87−57918
Vilenski, A. *see* Divon, M.Y. 85−37999
Vilenskii, G.B. Selection of optimal composition of devices during measurement of tracks 86−38198
Vilenskii, G.B., Demchenko, B.S., Fetisov, S.N., Ivanov, A.S. Measurement-computing complex for bench tests of gas-turbine engines 86−55538
Viles, M.R. *see* Vakili, F. 86−56430
Vilesov, D.V., Gal'perin, V.E., Ishchenko, V.F. Mechanism of the appearance of low-frequency vibration of an asynchronous motor with non-sinusoidal supply potential 86−39770
Vilesov, L.D., Veis, V.N. Estimate of the angular position of a source of light when received by an array of photodetectors 85−15035
Vilhelmsson, K. Simultaneous forward and backward Raman scattering in low-attenuation single-mode fibers 86−48483
Vilhelmsson, K., Valk, B., Salour, M.M., Chu, T.K. Optically pumped mode-locked $PbS_{1-x}Se_x$ lasers 87−61190
Vilhelmsson, K. *see* Lundgren, L. 85−7245
Vilhelmsson, K. *see* Valk, B. 87−38973
Vilhyalmsson, H. *see* Alflen, M. 88−29878
Viliesid, N. Film quality from electronics−who controls it? 88−9740
Viliman, G. Examination of the concept of introducing new telecommunications and telematics facilities into the Yugoslav PTT 85−25282
Vilinskii, Yu.S. *see* Samofalov, K.G. 86−44209
Vilis, R. *see* Beshai, M. 88−14961
Vilisov, A.A., Gaman, V.I., Diamant, V.M. Influence of hydrostatic pressure on the forward branch of the current-voltage characteristic of π-ν-n structures made of GaAs:Fe 85−6744
Vilisov, A.A., Gorbatov, N.A., Marchenko, S.N., Chaplygin, V.A. The Al-124 light-emitting diode in a 30 Mbit/sec fiber-optic communications line 86−29014
Vilisova, M.D., Ikonnikova, G.M., Moskovkin, V.A., Ruzaikin, M.P., Saprykin, A.I., Yabzhanov, V.B., Yakubenya, M.P. Iron impurity state in vapor and solid phases during the epitaxy of gallium arsenide in the $Ga\text{-}AsCl_3\text{-}H_2$ system 87−36702
Vilisova, M.D. *see* Chernov, N.A. 85−11997
Vilite, R.Ya. *see* Krogeris, A.F. 87−6690
Vilitis, O., Gailis, A. Evaluation of single electron anode current pulse passage through the output circuit of a photomultiplier tube 86−14821
Viljanen, J., Maklin, M., Leppihalme, M. Ion-exchanged integrated waveguide structures 85−50982
Viljanen, J. *see* Honkanen, S. 86−48211
Viljoen, H.C. The engineering profession in South Africa: organisation and education 88−62963
Viljoen, J.F. Electric load-haul-dump (LHD) machines in coal mining 86−13237
Vil'k, M.L., Shil'man, S.V. Convergence and optimality of realizable adaptation algorithms (information-theory approach) 86−48725
Vil'kevich, V.B. *see* Akhmatov, M.G. 85−65235
Vilkman, E., Manninen, O. Changes in prosodic features of speech due to environmental factors 87−19434
Vilkman, V. *see* Kajola, M. 88−16706
Vilkman, V.A. *see* Ahonen, A.I. 87−50225
Vilkockij, V.A. *see* Habovick, P. 86−27862
Vilkomerson, D. *see* Reid, J. 86−50539
Vil'kotskii, V.A. *see* Bumai, Yu.A. 85−34508
Vil'kotskiy, M.A., Lichko, G.P. Determination of the characteristics of antennas when the data on their amplitude-phase distributions are limited 87−54680
Vil'kotskiy, M.A. *see* Aleshkevich, N.N. 88−2707
Vil'kotskiy, M.A. *see* Buday, A.G. 87−47018
Vill, A. Principles and technology of excimer lasers 85−56489
Vill, A. *see* Poryvkina, L. 86−54100
Villa, A. *see* Iwainsky, A. 86−49057
Villa, C. *see* Bassani, C. 88−1025
Villa, F. *see* Basile, M. 86−5785
Villa, F. *see* Bernstein, D. 85−15253
Villa, F. *see* Roehrig, J. 85−15175
Villa, F.F. Improved second breakdown of integrated bipolar power transistors 87−32675
Villa, F.F. *see* Cognetti, C. 85−61969
Villa, G. *see* Baker, R.E. 85−31769
Villa, G. *see* Boella, G. 85−52994, 86−50371
Villa, G. *see* Lamb, P. 88−10237
Villa, J.P., Bearzi, B. Capacitive, inductive or photo-electrical [photo-electric sensors] 87−49723
Villa, J.R. *see* Moreno, L. 87−52353
Villa, L.Alvarez *see* Alvarez Villa, L.
Villa, M. *see* Lupotto, P. 87−63563
Villa, P.A. Reliability calculation−the science of the 2000's 86−40594
Villa, R. Standardization of the licensing process in the United States 86−65853
Villacis, E., Grossman, R.W., McElroy, R.K., Musa, D.I. An econometric approach for forecasting power system peak demands 86−61101
Villacis, E. *see* McElroy, R.K. 87−78053
Villadoniga, J.I., Sanz, M.T. Tube wear due to flow-induced vibration in Westinghouse steam generators. Licensing requirements in Spain 85−38796
Villafana, T. *see* Stanton, L. 87−71101
Villagomez, R. Writing of microwave-electronic circuits using a microdensitometer in the write mode 88−25740
Villagomez, R. *see* Celaya, M. 88−40399
Villagran, M., Gallardo, M., Tocho, J.O., Rocca, J.J. The electron temperature in the plasma of a spark-recombination laser 87−54226
Villagran, R.G. *see* Rodriguez, I. 88−60015
Villain, J.P. *see* Hanuise, C. 86−59074
Villalba, C.R. *see* Sanchez, M.C. 87−6015
Villalobos, P.Moreno *see* Moreno Villalobos, P.
Villalon, C. *see* Dautriche, P. 86−38031, 87−59262
Villalon, C. *see* Levent-Villegas, M. 88−32457
Villalon Alonso, J.A. Touch screen displays for personal computers 87−8669
Villameriel, T. *see* Labrador, J.L.D. 87−64618
Villamil, S.S., Lee, H.Y., Burton, L.C. Role of grain boundaries in MLC capacitors 87−66594
Villamil, S.S. *see* Lee, H.-Y. 87−53791
Villanen, A. Computerized condition monitoring helps anticipate problems 87−71925
Villaneuva, J.J. *see* Vilata, R. 88−64696
Villani, A. *see* Messore, G.A. 88−75279
Villani, D. *see* Valette, S. 87−54093
Villani, F. *see* Calabrese, M. 85−2767
Villani, F. *see* Listanti, M. 86−17002, 86−69414, 87−33983
Villani, G.A. *see* Faulkner, M. 86−37717
Villani, T.S. *see* Kosonocky, W.F. 86−5057
Villano, M.W. *see* Canelos, J.J. 85−33024
Villante, F. *see* Beece, D.K. 88−70708
Villante, F.J. Partitionable error correction code 85−46691
Villanueva, A. *see* Ribera, L.M. 86−65215
Villanueva, C. *see* Lajoie-Mazenc, M. 85−27451, 85−43953, 86−39830, 87−43132
Villanueva, E. *see* Fritsch Yusta, C. 85−52649
Villanueva, P.M. *see* de Galindo, M.S. 85−22604
Villanueva Lahuerta, A. *see* Navarro Vicedo, J. 88−73645
Villapun, F.Mozo *see* Mozo Villapun, F.
Villar, E., Bracho, S. Checking sequences of the control unit in digital circuits described by means of register transfer languages 86−928
Villar, E., Bracho, S. Fault simulation and test generation in combinational circuits using atomic digraphs 86−8133
Villar, E., Bracho, S. Test generation for digital circuits described by means of register transfer languages 87−31774
Villar, E. *see* Bracho, S. 85−54766
Villar, E. *see* Forino, A. 85−37976
Villar, E. *see* Lopez-quelle, M. 88−42437
Villar, J.A. *see* Hubert, P. 87−14804
Villar, J.C., Perez, F. Graphic design of matching and interstage lossy networks for microwave transistor amplifier 85−34179
Villar, J.C. *see* Allona, J.D. 86−30889
Villar, R. *see* Martinez, M. 86−64072
Villard, A. *see* Peix, G. 85−61019
Villard, D. *see* Paris, D. 88−12103
Villard, D. *see* Peix, G. 85−61019
Villard, M. *see* di Forte-Poisson, M.A. 88−58368
Villard, M. *see* Moy, J.P. 87−49553, 88−4486
Villard, O.G., Jr. Portable unidirectional HF receiving aerial for reducing co-channel multihop sky-wave interference 88−40709
Villard, O.G., Jr. Interference-reducing antennas for shortwave broadcast listeners 88−66193
Villard, O.G., Jr. *see* Fraser-Smith, A.C. 87−68751
Villard, O.G., Jr. *see* Hagn, G.H. 88−40710
Villard, O.G., Jr. *see* Inan, A.S. 86−22593, 86−59036
Villareal, E. *see* Hansel, G. 88−50864
Villares, P. *see* Haro, M. 87−60108
Villares, P. *see* Marquez, E. 85−55488, 86−8815, 86−35347, 88−1396, 88−25898, 88−32825, 88−57324
Villaronga, V., Perez, A., Millan, J., Morante, J.R., Serra-Mestres, F. Analysis of the metal-semiconductor barrier changes in MISS devices 87−17796
Villaronga, V. *see* Millan, J. 85−40541
Villarreal, F.J. *see* Guattery, S. 86−43454
Villarroel, J.C. Automatic telephone connection [radio link] 85−42408
Villarruel, C.A., Abebe, M., Dandridge, A., Greenblatt, A.S., Schuette, L. Pressure tolerant single-mode fiber coupler 87−53951
Villarruel, C.A., Dominguez, D.D., Dandridge, A. Evanescent wave fiber optic chemical sensor 88−36043
Villarruel, C.A., Wang, C., Moeller, R.P., Burns, W.K. Single-mode data buses for local area network applications 85−63657
Villarruel, C.A. *see* Abebe, M. 88−72024
Villarruel, C.A. *see* Burns, W.K. 85−18702, 85−62341, 86−2658, 86−63638
Villarruel, C.A. *see* Frigo, N.J. 86−48232
Villarruel, C.A. *see* Marrone, M.J. 87−26008, 88−1927
Villarruel, C.A. *see* Wang, C.-C. 85−24310
Villarzel, C. *see* Leverny, C. 87−21099
Villas, J.E.T., Maia, F.C., Mukhedkar, D., Da Costa, V.S. Computation of electric fields using ground grid performance equations 87−71670
Villasana, R., Garver, L.L., Salon, S.J. Transmission network planning using linear programming 85−38492
Villaseca, F.E., Fardanesh, B. Fast thermal generation rescheduling 87−42346
Villaseca, F.E. *see* Fardanesh, B. 86−56319
Villaseca, I., Moreno, A. Considerations of the design of computer-based centralized alarm systems 85−40204
Villaseca, I. *see* Iglesias, E. 86−4174
Villaseca, I. *see* Rodriguez, M. 85−13518
Villaseca, J.Barbero *see* Barbero Villaseca, J.
Villasenor, J. *see* Bracewell, R.N. 87−13086
Villat, M. Functionally effective coatings using plasma spraying 87−36784
Villata, F. *see* Boglietti, A. 87−15758
Villata, F. *see* Fratta, A. 88−76002
Villata, F. *see* Vagati, A. 86−51590, 87−43134
Villate, J. *see* Zarauz, J. 86−39347
Villaverde, R. Simplified seismic analysis of piping or equipment mounted on two points of a multistorey structure 86−45065
Villchur, E., Augspurger, G.L. Comments on 'Theory, ingenuity, and wishful wizardry in loudspeaker design−a half-century of progress?' [J. Acoust. Soc. Am.77, 1303-8 (1985)] [with reply] 86−31075
Villegas, A. RTC microwave bipolar transistors 88−44372
Villegas, D. *see* Chavez, F. 86−13780
Villegier, J.C., Vieux-Rochaz, L., Goniche, M., Renard, P., Vabre, M. NbN tunnel junctions 85−56181
Villegier, J.C. *see* Chicault, R. 85−1861
Villegier, J.C. *see* Locatelli, M. 85−35356
Villegier, J.C. *see* Monfort, Y. 85−62250
Villegier, J.C. *see* Regent, A. 85−41064
Villela, G. *see* Mouchart, J. 88−51875
Villemeur, A. Reliability and safety forecasting 86−51204
Villemeur, A. *see* Magnon, B. 85−53521
Villemeur, A. *see* Moroni, J.M. 87−64239
Villemeur, A. *see* Schektman, N. 85−43785
Villemin, P. *see* Collin, D. 86−37405
Villemur, C., Castanie, F., Garreau, D. Detection of defects and segmentation in nondestructive evaluation signals 88−21237
Villemur, C. *see* Yacoubi, S.E.M. 88−21282
Villemur, G., Castanie, F., Georgel, B. Parametric modelling and automatic classification of signals of transitory shape 88−21272
Villen, A.L. *see* Ayerbe Garcia, A. 88−15226
Villen Altamirano, M. *see* Morales Andres, G. 85−25645
Villen-Altamirano, M. *see* Fontana, B. 87−40599
Villena, L. Metrology in Spain 88−41940
Villeneuve, A.T. Analysis of slotted, dielectrically loaded, ridged waveguides 85−7688
Villeneuve, A.T. Taylor patterns for discrete arrays 85−13209
Villeneuve, A.T. Equivalent circuits of junctions of slab-loaded rectangular waveguides 86−20793
Villeneuve, B., Cyr, N., Tetu, M. Precise optical heterodyne beat frequency from laser diodes locked to atomic resonances 87−76758
Villeneuve, B., Cyr, N., Tetu, M. Use of laser diodes locked to atomic transitions in multiwavelength coherent communications 88−58526
Villeneuve, B., Tremblay, P., Michaud, A., Tetu, M. RE spectrum of thermal noise and frequency stability of a microwave cavity-oscillator 85−17809
Villeneuve, B., Tremblay, P., Michaud, A., Tetu, M. RF spectrum of thermal noise and frequency stability of a microwave cavity-oscillator 85−23116
Villeneuve, B. *see* Tetu, M. 86−38500

Villeneuve, D. *see* Chaker, M. 88−64447
Villeneuve, M.J.de *see* de Villeneuve, M.J.
Villermain-Lecolier, G. *see* Billat, A. 86−63577, 87−63385, 88−47508
Villermain-Lecolier, G. *see* Billaudel, P. 87−70594
Villers, J. The 'new generation' motorcoaches of the Belgian State Railways 86−51960
Villet, G. *see* Barber, G. 87−29555
Villet, G. *see* Braunschweig, W. 88−29874, 88−68282
Villette, B. *see* Payen, F. 87−45538
Villiere, P.M. *see* Stark, A.C., Jr. 88−21592
Villieres, J. One year experience in automatic assembly 88−157
Villiers, G.D.de *see* de Villiers, G.D.
Villiers, J.A.M.de *see* de Villiers, J.A.M.
Villiers, J.W.L.de *see* de Villiers, J.W.L.
Villiers Smit, W.B.de *see* de Villiers Smit, W.B.
Villieux, B. Bubble memories; principles and technologies 86−28720
Villiger, A. *see* Schadt, M. 86−36270, 87−3665
Villing, A. *see* Brun, A. 87−46932
Villis, G. *see* Bathe, S.E. 88−28984
Villoslada Prieto, J. Detection of laser pulses with constant false alarm rate probability 85−13602
Villoslada Prieto, J. Power supply unit for xenon lamps: application in high-rate lasers 85−28355
Villot, M. *see* Degryse, D. 88−21276
Villott, M. EEPROMs add flexibility to military systems 88−70748
Villotte, J.P. *see* Nebus, J.M. 88−70577
Villotte, J.P. *see* Seguinot, C. 86−15998
Villuendas, F., Calvo, F., Marques, J.B. Measurement of mode field radius in axially nonsymmetrical single-mode fibers with arbitrary power distribution 88−13837
Villuendas, F. *see* Calvo, F. 88−65215
Vilmansen, T. *see* Vickers, R. 87−13244, 87−69500
Vilmin, E., Curien, N. Influence of time-of-day pricing on telephone traffic profile 86−16769
Vilminot, S. *see* Siebert, E. 85−8833
Vilmos, V. The elaboration of international recommendations concerning area lighting 85−16424
Vilmos, V. Igniters of high-pressure gas discharge lamps 88−18206
Vilms, J. *see* Carey, K.W. 86−52501
Vil'ner, G.A. *see* Fel'dman, B.Kh. 85−11321
Vil'ner, V.G. Design of threshold devices having a noise stabilization of the threshold 85−26343
Vilnrotter, F.M., Nevatia, R., Price, K.E. Structural analysis of natural textures 86−43311
Vilnrotter, V.A., Rodemich, E.R., Tan, H.H. A synchronization technique for optical PPM signals 87−39607
Vilnrotter, V.A. *see* Hurd, W.J. 88−15699
Vilotitch, B., Sibai, A., Dupuy, J.C. Fabrication of SiO_2 thin films by electron beam assisted oxidation 86−15060
Vilotitch, B. *see* di Forte-Poisson, M.A. 88−58368
Vilotitch, B. *see* Dupuy, J.C. 85−18179
Vilser, W. New diagnostic possibilities with a retinal measuring system 88−36420
Vilt, E. *see* Kuznetsov, A.S. 88−10232
Vilte, J.R. Parameters for the calculation of mechanical loading on overhead transmission line conductors 87−21954
Vil'yanov, V.V. *see* Superfin, Ya.Z. 88−67509
Vilyatser, V.A. *see* Gol'dshtein, A.F. 87−72589
Vimercati, G. *see* Pedroni, G. 87−78367
Vimi, J. Manufacture of audio-frequency central control systems (HFKV) [power system control] 85−59568
Vimont, J.E. *see* Pocholle, J.P. 88−8297
Vin, H.M., Rao, S.S.S.P. Graphics controllers: an overview 88−32248
Vin Fam Tkhe *see* Fam Tkhe Vin
Vina, L., Collins, R.T., Mendez, E.E., Wang, W.I. Comparative study of the effect of an electric field on the photocurrent and photoluminescence of GaAs-GaAlAs quantum wells 86−47350
Vina, L., Wang, W.I. AlGaAs/GaAs (111) heterostructures grown by molecular beam epitaxy 86−26816
Vina, L. *see* Collins, R.T. 87−74918, 88−7347, 88−19712
Vinai, F. *see* Allia, P. 87−49897
Vinakov, A.F. *see* Petrov, L.P. 88−75603
Vinal, A.W. Considerations for applying solid state sensors to high density magnetic disc recording 85−24117
Vinal, A.W., Masnari, N.A. Operating principles of bipolar transistor magnetic sensors 85−8800
Vinals, V. *see* Beivide, R. 88−11875
Vinaricky, E. *see* Huck, M. 88−34958
Vinarskii, M.G. Method for calculating dynamic buffer storage for a message-switching node 86−23177
Vinarub, E.J., Flom, S. Fiber optics in machine vision 88−7864
Vinas, S. A modulation meter for CB (citizen band) 85−58015
Vinayakumar, S. *see* Purkayastha, S. 87−10512
Vincalek, V. Microelectronic circuits for telecommunication 86−4182
Vince, B. *see* Ginsberg, G.C. 87−40511
Vince, M. *see* Armstrong, A. 85−43432
Vince, P.H. Liberalisation and information technology 88−41169
Vince, R.D. *see* Waring, W. 88−17088
Vincelette, M., Landry, D. Stability limit selection of the Hydro-Quebec power system: a new software philosophy 87−4223
Vincelli, M.L. *see* Levit, L.B. 85−43277, 85−43281, 86−46930
Vincensini, P. *see* Chilo, J. 86−48053
Vincent, A. *see* Bruneau, M. 87−3085
Vincent, A. *see* Ge, Y.J. 87−71405
Vincent, A.B., Rodriguez, C.E., Joshi, N.V. Photoconductivity of monocrystals of $CdIn_2S_4$ 85−7305
Vincent, C., Crine, J. Evaluation of in-service transformer oil condition from various measurements 87−30749
Vincent, C. *see* Crine, J.-P. 88−49030
Vincent, C. *see* Mitchel, G.R. 87−30278
Vincent, C. *see* Trinh, N.G. 85−26436, 87−30213, 87−71693, 88−54999 to 55000
Vincent, C.A. *see* Bonino, F. 87−4870
Vincent, C.A. *see* Bruce, P.G. 88−36184
Vincent, C.A. *see* Harris, K.D.M. 86−40035
Vincent, C.H. A method of reducing dead-time errors in neutron multiplicity measurements with shift registers 87−14789
Vincent, D.P. The case for electron beam welding 88−11534
Vincent, E. *see* Argan, P. 85−26553
Vincent, G. *see* Badoz, P.A. 88−19739
Vincent, G. *see* Glastre, G. 88−26170, 88−33165, 88−39380
Vincent, G. *see* Rosencher, E. 86−53600, 86−67835, 88−33189, 88−39424
Vincent, G. *see* Vettese, F. 88−32943
Vincent, G. *see* Vu, D.P. 85−1276
Vincent, G.A. Design quality assurance in an international environment 87−23393
Vincent, G.A. A guide to testing, liquid dielectrics in simple combination with solid dielectrics 87−49889
Vincent, H.J. *see* Le Roux, D. 86−15359
Vincent, J. *see* Ang, A. 87−37684, 88−1120
Vincent, J. *see* Blosser, H. 86−25296
Vincent, J. *see* Crawford, J.E. 87−57000
Vincent, J. *see* Riedel, J. 85−59007
Vincent, J.-L., Dufaye, P., Kahn, R.J. A complete system for transportation of critically Ill patients with acute cardiorespiratory failure 85−20938
Vincent, J.A. *see* Brown, M.D. 88−70691
Vincent, J.M. Sketch based and context sensitive coding of Laplacian pyramids 88−72764
Vincent, M. Construction of undecomposable codes 85−57249
Vincent, M., Agassant, J.F., de Charentenay, F.X., Oualha, A. Calculation of residual stresses in the polymer sheath of submarine telecommunication cables 85−36888
Vincent, P. The design of modern industrial temperature transmitters 87−63554
Vincent, P., Paraire, N., Neviere, M., Koster, A., Reinisch, R. Gratings in nonlinear optics and optical bistability 85−56791
Vincent, P., Roger, A. Enhancement of gradient methods used in antenna optimization 88−66178
Vincent, P. *see* Akhouayri, H. 88−72122
Vincent, P. *see* Dehe, A. 88−68745
Vincent, P. *see* Goldman, L. 86−50443
Vincent, P. *see* Neviere, M. 88−45552
Vincent, P. *see* Reinisch, R. 85−56365
Vincent, P. *see* Rochon, G. 87−49182
Vincent, R. *see* Lander, P. 87−21589
Vincent, R. *see* Tayler, D. 87−21597
Vincent, R.A. MF/HF radar measurements of the dynamics of the mesopause region−a review 85−31989
Vincent, R.A. A climatology of gravity wave motions in the mesopause region at Adelaide, Australia 87−70134
Vincent, V., Wilson, C., Lansdowne, J.M. Electrical characterisation of epitaxial mercury cadmium telluride (CMT) 87−32255
Vincent, V. *see* Hyliands, M.J. 86−67687
Vincent, V. *see* Jenkin, G.T. 87−36810
Vincent, W.A. *see* Miller, R.F. 87−58590
Vincent, W.A. *see* Motz, P.R. 85−27750
Vincent, W.R. *see* Berglund, O.G. 87−36038
Vincent-Carrefour, J. Informatics at CNET 87−62421
Vincentelli, A.S. *see* White, J. 86−13706
Vincentelli, A.Sangiovanni *see* Sangiovanni Vincentelli, A.
Vincenti, A. *see* Bonaventura, G. 85−58151, 86−23263
Vincenti, A. *see* Cellini, G. 88−9608
Vincenti, P.De *see* De Vincenti, P.
Vincenti, St. *see* Belitz, H.-J. 85−1065
Vincentiis, G.De *see* De Vincentiis, G.
Vincenz, A. Videotex solutions of IBM for information providers 86−59586
Vincenzi, M.de *see* de Vincenzi, M.
Vincenzo, A.De *see* De Vincenzo, A.
Vincett, P.S. *see* Kovacs, G.J. 86−58817
Vinchant, J.F., Mallecot, F., Decoster, D., Vilcot, J.P. Effects of absorbing layers on the propagation constants: a four layer model on desktop-computer applied to photodetectors monolithically integrated with optical waveguides 88−65352
Vinciguerra, I., Nieto Nieto, J., Ceccarelli, M., Venturi, A. On a mechanical model of an unmanned deep ocean remote operated system 88−42665
Vinciguerra, M. Leakage capacitance of high-voltage assemblies 87−53465
Vinck, A.J. Convolutional codes and defects 85−57276
Vinck, A.J. Coding for yield and performance improvement of memories 86−14210
Vinck, A.J., Hoeks, W.L.M., Post, K.A. On the capacity of the two-user *M*-ary multiple-access channel with feedback 86−3726
Vinck, A.J., Pineda de Gyvez, J., Post, K.A. Implementation and evaluation of a combined test-error correction procedure for memories with defects 87−47528
Vinck, A.J. *see* Borden, J.M. 87−54998, 88−27769
Vinck, A.J. *see* Foerster, H.P. 87−69047
Vinck, A.J. *see* Peek, J.A. 88−59042
Vinck, A.J. *see* Schweikert, R. 88−45953
Vinck, A.J. *(editor)* Sixth Symposium on Information Theory in the Benelux 85−54046
Vinck, A.J.Han *see* Han Vinck, A.J.
Vinck, H., Post, K. Application of a combined test-error correcting procedure for memories with defects 87−75730
Vinck, H., van der Vleuten, R. A method to implement linear complexity decoding 88−59043
Vinck, W. *see* Gilby, E.V. 85−43735
Vinckier, C., Coeckelberghs, G., Stevens, G., Heyns, M., De Jaegere, S. Kinetics of the silicon dioxide growth process in afterglows of microwave-induced plasmas 87−74199
Vinco, A. *see* Someda, C.G. 88−66156
Vincze, A., Szilagyi, S. Type testing of electromechanical and electronic components at the Hungarian Electrotechnical Control Institute (MEEI) 85−10470
Vincze, A.D. Simulation of amplitude/phase nonlinearities of a satellite communication terminal using quasi-statistical network modeling 86−30729
Vincze, G. *see* Halasz, S. 86−13106
Vincze, G. *see* Rajki, I. 86−13104
Vincze, K. *see* Frank, T. 87−43013
Vincze, S. Computer aided PLA synthesis 88−24884
Vincze, V. Development of the Tungsram Combi illuminator for fluorescent lamps 85−5498
Vindeby, J. The stepper motor gains wider application 85−5129
Vindeby, J. The semiconductor industry is investing as never before 85−11243
Vindeby, P. *see* Ip, Y.-C. 88−73649
Vindevoghel, J. *see* Mascarl, F. 86−27576
Vindin, T. Assessing the performance of fire resistant cables 88−10859
Vinding, J.P. Detector circuits for ternary coded magnetic recording 85−24147
Vine, B., Yates, G. A focused MCP image intensifier tube for high speed gating 88−50605
Vine, B.H. High speed gated image intensifier tubes and silicon intensifier (SIT) vidicons 85−31383
Vine, D.Le *see* Le Vine, D.
Vine, D.M.Le *see* Le Vine, D.M.
Vine, E.L. *see* Cramer, J.C. 86−33729
Vine, G. Analogue switch oscillator 86−8045
Vine, G. Single-chip single-bit input port 86−8338
Vine, G. Analogue switch as random logic 86−20465
Vine, G. *see* Donahue, M. 88−43003
Vine, G.L. Experience with after-shutdown decay heat removal: BWRs and PWRs 87−71896
Vine, H.A. *see* Airey, R.W. 88−4490
Vine, J. First-order analysis of thermal velocities for non-axisymmetric display-tube electron beams 87−73970
Vine, M.J.Le *see* Le Vine, M.J.
Vine, R.E. *see* McCarthy, J.P. 85−20946
Vine, S.D.Le *see* Le Vine, S.D.
Vineberg, M. *see* Crossland, K. 86−30402
Vineberg, M. *see* Norvell, S. 86−30106
Vinelli, F. *see* Fanni, A. 86−12420
Viner, I.M. *see* Trofimov, G.G. 87−43328
Viner, J.M. *see* Gal, M. 85−61734
Viner, J.M. *see* Ranganathan, R. 88−19719
Vines, D.L. Mentors [advisors in engineering education] 87−23224
Vines, D.L. A dynamic enrollment management plan 87−31214
Vines, D.L. Mentors [engineering education advisors] 87−36359
Vines, D.L. Questions on grades and grading practices [education] 88−24403
Vines, D.L. International technical education: a comparative study of five countries 88−62954
Vines, J.K. Far beyond the Arctic Circle 85−31211
Vines, L.B., Gupta, S.K. Interlevel dielectric planarization with spin-on glass films 87−1707

Vines, R.M., Trussell, H.J., Gale, L.J., O'Neal, J.B., Jr. Noise on residential power distribution circuits 85—20718
Vines, R.M., Trussell, H.J., Shuey, K.C., O'Neal, J.B., Jr. Impedance of the residential power-distribution circuit 85—43589
Vinet, A. *see* Victorri, B. 85—28185
Vinet, F. *see* Clerc, J.F. 85—14930, 85—14944
Vinet, F. *see* Perrin, A. 86—5424
Vinet, J.-Y. *see* Andre, Y.-B. 87—25918
Vinet, J.-Y. *see* Bamberger, A. 88—1980
Vinet, J.-Y. *see* Bourdet, G.L. 88—45508
Vinet, J.Y. *see* Bourdet, G.L. 87—7266, 87—61215, 87—68326, 88—8267, 88—20571
Vinet, J.Y. *see* Boyer, G.R. 87—75063
Vinet, J.Y. *see* Lamouroux, B. 85—46153
Vinet, P.J. PIVOT—personal interactive videodisc orientation and training 87—43845
Vinet, R., Drouin, G., Lozac'h, Y., Pelletier, M., Beaudry, N. Kinematic behaviour of a multifunctional hand prosthesis 88—48241
Vinetskii, R.M. *see* Balev, O.G. 88—12941
Vinetskii, R.M. *see* Baranskii, P.I. 87—17744
Vinetskiy, Yu.R. Frequency filtering of a signal by input charge-coupled device units 88—38618
Vinetskiy, Yu.R., Trishenkov, M.A., Khromova, T.A. Current-voltage characteristics of the input circuits of silicon charge-coupled devices in the transition region from weak to strong inversion 86—67984
Viney, D. Load cells 88—9933
Viney, I.V.F. *see* Bickerton, J.C. 87—49886
Viney, M.J. Opportunities for increased efficiency lie in better planning of utility computer systems 85—38428
Vineyard, M.F., Wilkins, B.D., Henderson, D.J., Kovar, D.G., Beck, C., Davids, C.N., Kolata, J.J. Performance of a large Bragg-curve spectrometer 87—50187
Vineyard, M.F. *see* Stern, R.L. 87—77590, 88—36394
Vinez, J.C. Weekend cycles performed in the Embalse nuclear station during 1985 (adaptability to varying grid demands) 87—9311
Vinez, J.C., Keil, H., Manzer, A.M., Karger, J.P. Load following in Central Nuclear en Embalse: operating experience and analytical summary 87—50973
Vinge, B. *see* Husby, S. 85—25659
Vingelis, L. *see* Asmontas, S. 86—21203, 88—71333
Vingelis, L.L. *see* Asmontas, S.P. 86—58234
Vingrief, J.J. *see* Riglet, P. 88—44789
Vingrys, A.J., King-Smith, P.E. Factors in using color video monitors for assessment of visual thresholds 86—70382
Vinh, N.X. *see* Howe, R.M. 88—61744, 88—68715
Vinh, T., King, J.V. Statistical analyses of audible noise and corona loss data for a 10-conductor UHV bundle 87—35658
Vinh, T., Shih, C.H., King, J.V., Roy, W.R. Audible noise and corona loss performance of 9-conductor bundle for UHV transmission lines 86—18842
Vinh, T. *see* Banks, R.S. 85—22195
Vinh Tran Huu *see* Tran Huu Vinh
Viniane, C. *see* van Ingen, A.M. 85—48793
Vinichenko, Yu.P., Lemanskiy, A.A., Mityashev, M.B. On an estimate of the 'blinding' effect of an antenna array 86—48695
Vining, D. *see* Goodman, W. 85—39554
Vining, R.M., Albanes, W. IV&V for the automatic test control system in the USAF aeropropulsion systems test facility 86—12073
Viniotis, I., Ephremides, A. An optimization problem in a multiserver queue 86—62079
Viniotis, I., Ephremides, A. Optimal switching of voice and data at a network node 88—46368
Viniotis, I., Ephremides, A. On the optimal dynamic switching of voice and data in communication networks 88—67117
Viniotis, I. *see* Bhattacharya, P.P. 88—34875
Viniotis, I. *see* Lambadaris, I. 88—46367
Vinitski, S., Fuka, M.Z., Griffey, R.H., Matwiyoff, N.A., Rifkin, M.D. Imaging efficiency and contrast enhancement in the fast gradient refocusing technique 88—16701
Vinitskii, A.L. *see* Beloshabskii, V.V. 85—65468, 86—26026
Vinitskii, I.M. *see* Rud', B.M. 87—36821
Vinitskii, Yu.D. *see* Abramovich, R.D. 86—25978, 86—33271
Vinjamuri, K., Meikrantz, D.H., Baker, J.D., Osetek, D.J. Fission product deposition behavior during the in-pile severe dual damage test SFD 1-3 86—65884
Vink, D. Banking on PABXs 87—69803
Vink, D.A. Polyetherimide and its application in electronics and telecommunications industries 87—5522
Vink, J.H. *see* Rosskopf, T.V. 85—64934
Vinke, R.V.H., Deckers, J.W., Simoons, M.L. Predicted ST-segment depression, a new criterion for the interpretation of exercise electrocardiograms 85—53082
Vinkler, R. MA 6520—a ringing circuit for telephone sets 88—59876
Vinkovits, L. Local area computer networks. II. Layered hierarchical protocols 86—59651
Vinkovsky, O.P. *see* Chaplin, A.F. 87—47132
Vinnal, E. *see* Davies, W.S. 88—58962
Vinnem, J.E. Quantitative risk analysis in the design of offshore installations 85—5753
Vinnichenko, A.P., Kislenko, V.I. Synchronization of control systems of LTI-PCh and Arzni-2501 lasers 88—34079
Vinnik, M.L. *see* Bychkov, Yu.I. 86—36396, 88—14095, 88—27051
Vinnik, V.Z., Zborovskii, I.A., Fishler, Ya.L. Basic characteristics of new transformer series for large thyristor electric drives 86—33738
Vinnikov, A.Ya., Meshkov, A.M., Savushkin, V.N. Determination of the distribution of intergrain-barrier heights from the frequency dispersion of the conductivity of a polycrystalline semiconductor 85—40421
Vinnikov, G.A. *see* Vopilkin, A.Kh. 86—52557
Vinnitskii, O.M. *see* Avundzhyan, A.T. 88—68265
Vinnitskii, Yu.D. *see* Ol'khovskii, G.G. 88—37070
Vinod, B. Unreliable queueing systems 85—49420
Vinod, H.N. *see* Athani, V.V. 87—22420
Vinod Menon *see* Landau, J. 87—7706
Vinogradov, A.A., Grebinskii, S.I., Kaminskii, V.V., Stepanov, N.N., Sergeeva, V.M., Smirnov, I.A. Electric conductivity and Hall effect in uniaxially compressed samarium chalcogenide 85—6723
Vinogradov, A.A., Korzhavin, O.A. Aspects of dynamics of stabilised power supply sources taught in courses on the theory of automatic control, drives and automation for industrial equipment 86—66559
Vinogradov, A.A. *see* Van'ko, V.I. 87—42500
Vinogradov, A.A. *see* Venikov, V.A. 87—4280
Vinogradov, A.B. On the practice of new standards for the make-up and mains waters in heating networks 87—78421
Vinogradov, A.B. *see* Ivanov, E.V. 86—45150
Vinogradov, A.G., Feyzulin, Z.I. Directional properties of antennas in a turbulent atmosphere with short-term averaging. Geometrical characteristics of the radiation pattern 86—68838
Vinogradov, A.G., Feyzulin, Z.I. Directional properties of an antenna in a turbulent atmosphere using short-term averaging. The energy characteristics of the radiation pattern 87—12794
Vinogradov, A.G., Feyzulin, Z.I. Directional properties of antennas in a turbulent medium resolving power 88—40670
Vinogradov, A.G *see* Egorov, D.F. 86—18367
Vinogradov, A.K. *see* Blokhin, A.S. 88—29134
Vinogradov, A.M. *see* Nazarov, V.G. 88—16614
Vinogradov, A.V. XUV cavity and pumping optics 87—12536
Vinogradov, A.V., Chichkov, B.N., Yukov, E.A. Resonant photoexcitation as a pumping mechanism for far ultraviolet lasers 85—12800
Vinogradov, A.V., Elinson, V.M., Zhilina, V.I., Zorev, N.N., Ivanovsky, G.F., Kozhevnikov, I.V., Plotkin, M.E., Sagitov, S.I., Slemzin, V.A., Sleptsov, V.V. Investigation of a steering mirror for the soft X-ray region 88—16665
Vinogradov, A.V., Kozhevnikov, I.V., Tolstikhin, O.I. Selection of materials for concentrators designed for optical pumping of ultraviolet and vacuum ultraviolet lasers 87—53938
Vinogradov, A.V., Kozhevnikov, I.V., Tolstikhin, O.I. Optical pumping systems for lasers emitting in the vacuum ultraviolet range 88—20705
Vinogradov, A.V., Tverdokhleb, M.K. Intercom system for TV master control rooms 88—3442
Vinogradov, A.Ya. *see* Ablova, M.S. 87—6385
Vinogradov, A.Ya. *see* Andreev, A.A. 87—24751
Vinogradov, A.Ya. *see* Sidorova, T.A. 86—28134
Vinogradov, A.Yu., Ivkin, E.B. Generator of linear voltage of asymmetrical shape 86—67064
Vinogradov, A.Yu. *see* Matyushkin, B.D. 87—52750
Vinogradov, B.N., Shakhnov, V.A. Modern design principles for data-transmission devices and facilities for local-area networks 87—20174
Vinogradov, B.V. Research on torsional oscillations in drum-type milling machine drive in stationary operational modes 85—21983
Vinogradov, D.E. *see* Kurnosov, A.I. 86—61161, 88—17179
Vinogradov, E.A., Demishev, S.V., Kosichkin, Yu.V., Polyakov, Yu.A. Low-temperature recombination of photocarriers in tellurium 86—22211
Vinogradov, E.R. *see* Bukhbinder, T.L. 86—49629
Vinogradov, G.V., Latyshev, A.M., Terent'ev, Yu.P., Shalimov, E.Ya., Petrikeev, V.V. A power source for resistance welding at high frequency 86—19665
Vinogradov, K.A., Gubanov, A.V., Tron', A.M. Compact primary converter for energy and flux density of accelerated electrons 88—36327
Vinogradov, L.V. *see* Savitskii, E.M. 85—12513
Vinogradov, M.S. *see* Sagaidak, O.L. 87—304
Vinogradov, N.L., Samoilov, V.F. High-speed paraphase pulse amplifier 88—32025
Vinogradov, N.V. Evaluation of the frequency-utilization efficiency of spread-spectrum radio systems using a complex criterion 86—37711
Vinogradov, N.V. *see* Glukhov, N.A. 85—6061, 87—35517
Vinogradov, O.P. A two-phase queueing system with identical servicing under conditions of a heavy load 85—28100
Vinogradov, O.P. On the waiting time in a multiphase queueing system 85—54241
Vinogradov, O.P. A multiphase system with identical service 87—5317
Vinogradov, P.Yu., Dmitrikov, V.F., Murav'ev, E.I., Ostrovskii, M.Ya. Analysis of circuit utilization coefficients for thyristors in oscillatory inverters 85—44102
Vinogradov, P.Yu., Dmitrikov, V.F., Ostrovskiy, M.Ya., Sorotskiy, V.A. A method of analyzing a switching oscillator taking rectifier filter parameters into consideration 86—40944
Vinogradov, S.S. Electrostatics of open spherical conductors. I. Symmetric capacitors 86—3436
Vinogradov, S.S. Solution of electrostatic problems for open spherical conductors. II. Asymmetric capacitors 86—63911
Vinogradov, S.S., Lutsenko, E.D. Calculation of electrostatic fields of conductors in the form of spheroidal caps with two round holes 88—38788
Vinogradov, S.V., Ekzhanov, A.E., Pirogov, Yu.A. Recurrence method of investigating nonsteady conditions in multilayer interference systems 86—29390
Vinogradov, S.V., Kuznetsov, V.V., Lyutinskii, V.V., Nazarov, V.N., Neporent, B.S., Nikolaev, G.E., Poznyak, R.I., Revinskii, V.V., Sokolov, A.V., Tovmasyan, S.K., Chernyavskii, A.F., Shilov, V.B. Optical multichannel recorder and its application in studying a picosecond dye laser 88—34099
Vinogradov, S.V., Nikulin, M.G., Rozanov, N.E. Collective acceleration of ions resulting from Buneman instability of high-current electron beams injected into a low-pressure neutral gas 87—29385
Vinogradov, S.V., Pirogov, Yu.A. Calculation of the distribution of electric field intensity in multilayer resonant systems 85—46554
Vinogradov, V.A., Pavlovskii, A.I. A system for stabilising beam focusing in electron beam welding 85—22001
Vinogradov, V.A. *see* Lastovirya, V.N. 85—5560
Vinogradov, V.B. *see* Antyukhov, V.A. 86—60637
Vinogradov, V.B. *see* Bitsadze, G.S. 87—50166
Vinogradov, V.E. *see* Kragel'skii, I.V. 88—22446
Vinogradov, V.L. *see* Kirillin, A.V. 86—15827, 88—53907
Vinogradov, V.N. A control method and a device for multiple access to the medium of a high speed ring data transmission system of a local computer network 87—27672
Vinogradov, V.N. *see* Kozina, N.V. 88—55110
Vinogradov, V.V., Kosterin, A.G., Medovikov, A.S., Saichev, A.I. Effect of refraction on propagation of a wave beam in a turbulent medium (atmosphere) 86—59032
Vinogradov, Yu.E. *see* Balinov, V.V. 88—28661
Vinogradov, Yu.K. General relationships governing parameters of transformers in polyphase converters 86—39868
Vinogradova, E.L., Kapustina, O.A., Reshetov, V.N., Svet, V.D., Yakovenko, G.N. Characteristics of an optical microphone using a nematic liquid crystal 85—56380
Vinogradova, I.A. *see* Novikov, V.N. 87—3586
Vinogradova, I.Yu. *see* Anisimov, S.D. 86—13858
Vinogradova, L.E., Kaganov, Z.G., Medvedeva, L.S. Calculation of natural frequencies of three-phase networks with distributed parameters 88—42830
Vinogradova, L.N. *see* Brikman, M.S. 86—62296
Vinogradova, M.B. *see* Gusev, V.D. 87—47167
Vinogradova, O.V. *see* Gusev, Yu.M. 85—18746
Vinogradova, T.A., Depman, N.P., Rodionov, E.P., Sidorenko, A.A. Spectrally tunable interference polarization filter for the near-IR spectral region 86—22204
Vinogradova, T.A. *see* Magid, S.I. 86—33085
Vinogradova, T.S., Vol'berg, N.Sh., Morozova, M.M. Measurement of mass mercury-vapor concentration in the atmosphere 86—44796
Vinogradskaya, S.V. Determination of standards of spare hardware components for an automated process control system in an electric power station 85—21280
Vinogradskaya, S.V. *see* Yastrebenetskii, M.A. 85—21441
Vinogradskiy, N.N. *see* Artemov, V.S. 88—47796
Vinogreev, M.Yu., Vitrenko, T.M., Ivankov, V.F., Kalaida, G.I. Features of electromagnetic calculation of a traction transformer with voltage control on the highest-voltage side 85—44063
Vinogreev, M.Yu. *see* Bunin, A.G. 85—44039, 85—65294
Vinokhodov, A.Yu. *see* Arutyunyan, R.V. 86—9745, 87—54236
Vinokhodov, A.Yu. *see* Baranov, V.Yu. 85—12808, 86—9950, 88—20546
Vinokhodov, A.Yu. *see* Borisov, V.M. 85—41338, 88—14092, 88—58433

Vinokur, I.P. *see* Kovalenko, I.E. 87−66626
Vinokurov, E.V. *see* Syuzev, V.V. 87−61859
Vinokurov, G.N. *see* Buchenkov, V.A. 86−29108
Vinokurov, N.A. Insertion device development at Novosibirsk 86−60456
Vinokurov, N.A. *see* Kornyukhin, G.A. 85−56712
Vinokurov, V.A., Bocharov, V.I., Minaev, B.N., Vlasov, V.A. Study of the heating of a phased secondary-element winding in single-sided induction motors 88−5690
Vinokurov, V.A. *see* Bocharov, V.I. 86−19304
Vinokurov, V.A. *see* Kiyashko, V.A. 85−37829
Vinokurova, S.I., Pavlova, L.S. Use of the statistical-regularization method to reconstruct temperature profiles in biological tissues 87−35395
Vinokurova, T.P. *see* Kurkalov, I.I. 87−22417
Vinokurova, T.V., Strokovskiy, Ya.N. Periodic low-frequency modulation of the distribution of initial velocities of electrons emitted by a cathode 87−37834
Vinokurtseva, I.M. *see* Voevodin, V.G. 88−72126
Vinoslavskii, V.N. Regulating voltage in colliery lighting networks 85−60628
Vinoslavskii, V.N., Avvakumov, V.G., Tereshkevich, L.B. Mathematical models of online control of asymmetry of operating conditions in an electrical network, and an algorithm for their solution 86−12429
Vinouze, B. *see* Le Contellec, M. 86−5419, 88−26295
Vinouze, B. *see* Richard, J. 86−50167
Vinsant, R. New high power driver simplifies interface problems 87−44601
Vinsant, R. Off-line power supply uses CMOS current mode IC 87−59172
Vinsant, R. *see* Ruble, R. 86−52990
Vinson, A.L., Dereniak, E.L. Measurement of 1/f noise of HgCdTe, PtSi, and InSb 87−14343
Vinson, J.E. *see* Diehl-Nagle, S.E. 85−17276
Vinson, M.A. *see* Kumar, R. 85−1761
Vinson, M.J. *see* Hand, L.N. 87−70955
Vinson, P.J., Hudson, J.O. The application of semicustom semiconductor technology to automotive electronics 86−52020
Vint, M.K., Gilmore, D.B. Simulation of transit bus regenerative braking systems 88−49235
Vint, M.K. *see* Gilmore, D.B. 85−16327
Vinter, B. Phonon-limited mobility in GaAlAs/GaAs heterostructures 85−1352
Vinter, B. Low-temperature phonon-limited electron mobility in modulation-doped heterostructures 86−47348
Vinter, B. Maximum finite-temperature mobility in heterostructures: influence of screening of electron-acoustic phonon interactions 86−53426
Vinter, B., Tardella, A. Parallel transport of electrons in double quantum wells 87−24864
Vinter, B., Tardella, A. Tunneling transfer field-effect transistor: a negative transconductance device 87−32506
Vinter, B. *see* Brum, J.A. 87−2121
Vinter, B. *see* Gillman, G. 88−39058
Vinter, B. *see* Weil, T. 87−7205, 87−45866
Vinter, M. Lasers on a crane runway 87−49923
Vinter, S., Ramamritham, K., Stemple, D. Recoverable actions in Gutenberg [distributed operating system] 86−64782
Vintheden, E.A. Integrated logistics for reconnaissance systems 87−15022
Vinther, O. Handling power through fibre optics 87−76722
Vinther, O. Light conductors for process supervision 88−28313
Vinther, O., Maaloe, J. Optical fibres for process supervision 88−73966
Vintilov, R.N. *see* Fefelov, V.I. 85−15881
Vintizenko, I.I., Sulakshin, A.S., Chernogalova, L.F. Generation of microsecond-range microwave pulses in an inverted relativistic magnetron 88−32721
Vintizenko, I.I., Sulakshin, A.S., Fomenko, G.P. Measuring the parameters of microwave pulses generated by a relativistic magnetron 88−71276
Vintizenko, I.I., Sulakshin, A.S., Tsvetkov, V.I. Operation of an inverted coaxial diode with magnetic insulation 87−24731
Vintizenko, I.I., Zherlitsyn, A.G., Kuznetsov, S.I., Mel'nikov, G.V., Tsvetkov, V.I. Microsecond operation of a magnetically isolated diode with virtual-cathode formation 88−19618
Vintizenko, I.I. *see* Arzin, A.P. 87−45507
Vintizenko, I.I. *see* Vasil'ev, V.V. 88−32722
Vintizenko, L.G. High-voltage vacuum lead-in 86−70271
Vintizenko, L.G., Gushenets, V.I., Koval', N.N., Mesyats, G.A., Skakun, V.S., Tarasenko, V.F., Fedenev, A.V., Shchanin, P.M. Lasing in inert gases with pumping by the electron beam of an accelerator with a plasma cathode 87−54221
Vinton, D.J. *see* Slotboom, J.W. 85−50738
Vinton, H. *see* Nesbit, L. 86−21367, 87−17927
Vinyaikin, E.N. *see* Abramov, V.I. 86−43924
Vinyard, L.M. *see* Cole, M.J. 85−2509
Vinyarskii, V.F., Marchenko, V.F., Petrin, Yu.M. Distortion of convolution spectra of PSK signals in frequency multipliers 85−11485
Vinyes, J., Medina, M., Saras, J., Riera, J., Gonzalez, A. Structure of protocols of the X.400 electronic mail services 87−55639
Vinyes, J., Riera, J., Vidaller, L. Analysis of MSK modulation 86−22881
Vinyes, J., Vazquez, E., Mills, K. Throughput analysis of a transport protocol over an X.25 network 87−33860
Vinyes, J. *see* Medina, M. 87−20118
Vinyes, J. *see* Ramirez, J.R. 85−41854
Vinyes, J. *see* Vazquez, E. 88−3320, 88−52936, 88−73400
Vinyes Sanz, J., Quemada Vives, J., Riera Garcia, J. Architecture of teletex protocols 85−13811
Vinyes Sanz, J. *see* Fournon, F. 85−30713
Vinyes Sanz, J. *see* Nunez Garcia, J.M. 85−14009
Vinyes-Sanz, J., Riera-Garcia, J. Response times in a data concentrator for access to PSN 86−30130
Vinyes-Sanz, J., Riera-Garcia, J. Waiting times in a transport protocol entity scheduler 87−48253
Vinyes-Sanze, J., Quemada-Vives, J., Seoane-Pascual, J. Cluster controller implementation using extended automata specification techniques 86−30123
Vinyukov, E.A. *see* Kulakovskii, V.B. 88−17407
Vinzens, K., Kappauf, H. Primary and secondary main piping systems [Kalkar] 87−78358
Vinzenzi, M.De *see* De Vinzenzi, M.
Viola, A. *see* Dalu, G. 88−16928
Viola, M. TFTR poloidal field coil lead splice program 85−2503
Viola, M., Long, D. Operation and maintenance of the TFTR grounding system 88−69055
Viola, M. *see* Norris, M.E. 88−69054
Viola, M.S., Nyquist, D.P. An observation on the Sommerfeld-integral representation of the electric dyadic Green's function for layered media 88−64799
Viola, R., Grotstollen, H. Influence of the switching times on the behaviour of pulse width modulated inverters 88−62441
Viola, R. *see* Di Benedetto, M.G. 86−29813
Viola, V.E., Jr. *see* Kwiatkowski, K. 85−4237
Violante, N. *see* Caroli, S. 87−66805
Violet, A. *see* Battaiotto, P. 88−60996
Violette, E.J., Espeland, R.H., DeBolt, R.O., Schwering, F.K. Millimeter-wave propagation at street level in an urban environment 88−58849
Violette, E.J. *see* Allen, K.C. 86−69594
Violette, E.J. *see* Schwering, F.K. 88−58848
Violette, J.L.N., Violette, M.F. Electromagnetic interference (EMI) in power systems 85−30057
Violette, J.L.N., Violette, M.F. Electromagnetic interference and power supplies 86−56850
Violette, M.F. Curing electromagnetic interference 86−22722
Violette, M.F. Curing electromagnetic interference. II 86−42865
Violette, M.F. Curing electromagnetic interference. III 86−48611
Violette, M.F. Curing electromagnetic interference. IV 86−48612
Violette, M.F. *see* Violette, J.L.N. 85−30057, 86−56850
Violin, E.E., Gorin, E.A., Potapov, E.N., Tairov, Yu.M. Properties of *p*-type films of ion-implanted silicon carbide formed by laser bombardment 85−61744
Violini, G. *see* Medrano, G. 86−39467
Viollet, P.-L. *see* Dewagenaere, P. 86−25748
Viollet, X. Trends and strategies in the organisation of the videotex market 88−15024
Viorel, I.A., Ianov, V., Radulescu, M.M. Combined field-circuit model for induction machine performance analysis 87−15765
Viorel, I.A., Radulescu, M.M., Iancu, V., Biro, K., Mindru, G. Nonlinear magnetic field analysis of induction machines at locked-rotor condition 87−42972
Viorel, I.A. *see* Iancu, V. 87−43097, 88−69950
Viorel, I.A. *see* Radulescu, M.M. 85−39019, 87−47069
Viorel, P., Dan, A. Energy saving controller for induction motors 85−53691
Vipond, D.L. *see* Bramer, M.A. 88−61998
Vir, D. *see* Lakhiani, V.K. 85−60227
Vira, J. *see* Guentcheva, D. 85−32281
Virag, H. *see* Renz, W. 85−6240
Virag, L. Investigations establishing the national distribution of the control audio-frequencies [power system control] 85−59566
Virag, L. *see* Bogdanfy, G. 85−59565
Viragh, E. *see* Matusu, J. 88−58356 to 58357
Virakhovskii, N.I. *see* Korshunov, Yu.M. 88−576
Virani, H.R. SSB modulation eases frequency congestion for VHF mobile radios 86−43739
Virani, H.R. AM broadcast reradiation from buildings 86−48572
Virani, H.R. Frequency and phase conversion using thyristors 86−51740
Virani, H.R. Controlling maintenance costs via a computer 86−57157
Virani, H.R. Choosing and using AC variable-speed drives 87−31008
Virani, H.R. Transistor AC drives 87−31689
Virani, H.R. CRT travelling wave deflection system 87−45539
Virant, J. The Iskra 2000 communications system [PABX] 85−14038
Virant, J. Putting a switching function into a programmable array of changeable and mutually connected logical cells 88−19038
Viray, F. *see* Garcia, R. 87−23168
Virchaux, M. *see* Benvenuti, A.C. 85−15254
Virchenko, M.A. Adjustment and improvement of KhTGZ wet-steam turbines 87−42675
Virchenko, M.A., Arkad'ev, B.A., Ioffe, V.Yu., Tereshchenko, M.A. Feed-deaerator assemblies of twin units of nuclear power stations, and control of electrical load 85−15738
Virchenko, M.A. *see* Aslanyan, G.N. 85−38654
Virchenko, M.A. *see* Kosyak, Yu.F. 85−15743, 85−38655, 86−56544
Vircolacu, I. *see* Fireteanu, V. 87−54494, 87−61331
Virdee, A.S. *see* Binley, J.D. 87−24484
Virdee, T.S. Calorimetry with a room temperature liquid in UA1 88−68274
Virdee, T.S. *see* Albrow, M.G. 87−41857, 88−29872
Virdhagriswaran, S., Levine, S., Fast, S., Pitts, S. PLEX: a knowledge based placement program for printed wire boards 87−44489
Virdi, G.S., Singh, S., Pathak, B.C., Khokle, W.S. Adjustment of threshold voltage of MOS devices by ion implantation 88−39460
Virdi, G.S. *see* Dwivedi, V.K. 87−46203, 88−51031
Virdi, T.S. *see* Williams, P.J.S. 88−53345
Virdi, T.S. *see* Wright, J.W. 88−54735
Virding, R. *see* Armstrong, J.L. 87−40591
Virdis, P. Improvement of the security of an electricity distribution network 87−78078
Virdis, P., Germond, A., Cherkaoui, R., Rossier, C., Grangier, J.-P., Kobou, A. EEF SCADA system improvement with high level decision functions 88−17089
Virga, B. *see* De Santi, A. 87−51530
Virgilio, A.Di *see* Di Virgilio, A.
Virgin, L. Understanding and evaluating a computer graphics display 88−74523
Virgin, L., Murch, G., TenKate, B., McManus, P. Colorimetric calibration and specification of CRT systems 87−3473
Virgin, L. *see* Murch, G. 86−31234, 87−3451
Virgo, R.E. *see* Nelson, C.C. 87−51775
Virius, M. A new shape of analytical function for fitting peaks in γ-ray spectra measured by semiconductor detectors 87−35336
Virius, M. Comparison of some analytical functions for fitting peaks in γ-ray spectra measured by semiconductor detectors 87−41851
Viriya, P., Kubota, H., Matsuse, K. Characteristics of a new PWM-controlled GTO three-phase converter 86−61649
Viriya, P., Kubota, H., Matsuse, K. New PWM-controlled GTO converter 88−17730
Viriya, P., Kubota, H., Matsuse, K. Analysis and characteristics of a PWM-controlled GTO three-phase converter with adjustable input power factor 88−31083
Viriya, P., Kubota, H., Matuse, K. Low-harmonic GTO converter for power factor compensation 88−75059
Viriya, P., Kubota, K., Matsuse, K. New PWM-controlled GTO converter 86−12935
Viriyayuthakorn, M. *see* Clark, H.R. 87−7115
Virk, G.S., Hosny, W.M. Optimal control of a linear induction motor 88−37243
Virk, H.S., Modgil, S.K., Singh, G. Fission track annealing models and the concept of a single activation energy 87−41879
Virk, H.S. *see* Bhatia, R.K. 88−10284
Virk, H.S. *see* Modgil, S.K. 86−5820
Virk, H.S. *see* Ramola, R.C. 88−4841
Virk, H.S. *see* Sandhu, A.S. 87−29662
Virk, H.S. *see* Singh, G. 87−29592
Virk, H.S. *see* Singh, M. 87−29649
Virk, H.S. *see* Singh, N.P. 87−29660
Virk, R.S. Using tunnel-diode technology 88−19915
Virkki, J. *see* Vesterinen, R. 86−39547
Virkovskiy, V.A. *see* Khaletskiy, M.B. 85−7157
Virkus, R.L. *see* Havemann, R.H. 88−39652
Virkus, R.L. *see* Zorinsky, E.J. 87−46222
Virlic, M. *see* Dutko, M. 86−1057
Virlogeux, M. *see* Galand, D. 85−59691
Virlouvet, P. *see* Albert, J.C. 88−6579
Virnik, Ya.Z., Gerasimov, V.B., Sivakov, A.L., Treivish, Yu.M. Formation of fields in resonators with a composite mirror consisting of inverting elements 88−27222
Virolainen, R., Buslik, A. On common cause failure methods dealing with dependent failures; a comparative application to US diesel generator data based on licensee event reports 85−43731
Virostko, M.J. *see* Thoren, G.R. 87−40639
Virovlyanskii, A.L., Malakhov, A.N., Slavinskii, M.M. Feasibility of the discrimination of rays in a waveguide according to their arrival angles by means of a line array 86−35056
Virovlyanskii, A.L., Saichev, A.I., Slavinskii, M.M. Moment functions of waves propagating in waveguides with elongated random inhomogeneities of the refractive index 86−59029
Virovlyanskiy, A.L., Malakhov, A.N. Magnetic field of a moving electrolyte solution 86−22599

Virr, L.E. Role of electricity in subsea intervention 87−62813
Virr, L.E. *see* Dunlop, J. 87−62502
Virro, A.L., Aarik, J.A., Lyuk, P.A., Friedenthal, J. Investigation of optical amplification in AlGaAsSb/GaSb heterojunction lasers 88−58554
Virshup, G. *see* Emery, K. 88−69701
Virshup, G.F., Ford, C.W., Werthen, J.G. A 19% efficient AlGaAs solar cell with graded band gap 86−26279
Virshup, G.F., Werthen, J.G. Spectral response measurements of two-terminal multijunction solar cells 87−9768
Virshup, G.F. *see* Chung, B.-C. 88−37379, 88−55619
Virshup, G.F. *see* Green, R.T. 87−9742
Virshup, G.F. *see* Hamaker, H.C. 86−13030, 87−4937, 87−43466, 88−37500
Virshup, G.F. *see* Lewis, C.R. 87−9759, 87−43465, 87−72403, 88−5869, 88−62614
Virshup, G.F. *see* Werthen, J.G. 85−44165, 86−33645, 87−4932
Virshup, J.G. *see* Partain, L.D. 88−37603
Virsintini, G., Seifert, F. Analysis of broadband Lamb-wave delay lines 87−67681
Virt, I.S., Dyakin, V.V., Lyubchenko, A.V., Koval, V.V., Tsyutsyura, D.I. Effect of the surface local deformation on the photoelectric properties of $Cd_xHg_{1-x}Te$ 87−54176
Virt, I.S. *see* Tsyutsyura, D.I. 88−1360
Virtanen, I., Pietikainen, M. Microprogrammable image processors for a microcomputer based vision system 85−33963
Virtanen, I. *see* Hakalahti, H. 85−57438
Virtanen, I. *see* Piironen, T. 85−61535
Virtanen, I. *see* Silven, O. 85−45303, 86−3756, 87−17476, 87−77178
Virtue, C.J. *see* Waltham, C.E. 87−41864
Virupaksha Reddy, K. Excimer-laser gas-assisted deposition of crystalline and amorphous films 86−52519
Viry, A. *see* Vaflard, D. 88−30788
Viry, G. Polynomial factorization over **Z**[X] 87−65287
Vis, J.C. *see* Barendsz, A.W. 87−3602
Visa, A. A study of methods to expand and enhance video recorded images to reach newspaper quality 85−57443
Visackas, A.V., Ivaska, V.P., Meskauskas, J.J. Effect of rise time of exciting current step on nonstationary oscillations of the magnetization vector of a ferrite 86−28635
Visan, I. Borehole logging instruments for complex measurements in mineral and coal boreholes 86−32529
Visatskas, A.V., Ivashka, V.P., Meshkauskas, I.I. Propagation of electromagnetic wave packets in iron-yttrium garnet plates and films 88−27577
Viscakas, J., Syrusas, V. Stimulated Raman scattering self-conversion of laser radiation and the potential for creating multifrequency solid state lasers 88−33977
Viscardi, R. *see* Coccetti, S. 86−11265
Vischakas, J. *see* Vasil'eva, M.A. 85−41474
Vischakas, Yu., Gul'binas, V., Kabelka, V. Determination of the dispersion of the phase response of rhodamine 6G and DODCI dyes 86−36572
Viscito, E., Allebach, J. A fast algorithm for the design of narrow-band multirate digital filters 87−59783
Viscito, E., Allebach, J. The design of tree-structured *M*-channel filter banks using perfect reconstruction filter blocks 88−66544
Viscito, E., Allebach, J.P. On determining optimum multirate structures for narrow-band FIR filters 88−70912
Visco, F. *see* Battiston, R. 85−59224
Visco, P.A. Power planes increase wire-wrapped circuit speeds 87−24574
Viscogliosi, M. *see* Olego, D.J. 87−6577
Viscogliosi, M. *see* Schachter, R. 87−1423
Viscogliosi, M. *see* Serreze, H.B. 87−45958
Visconti, A. *see* Farina, A. 88−15520
Viscor, P. The thickness dependence of the DC electrical conductivity and the variable range hopping in group IV amorphous elemental semiconductors 86−27894
Viscor, P. *see* El-Den, M.B. 87−37905
Viscuso, P.J. *see* Erickson, N.R. 88−29013
Visegradi, K. *see* Sal, I. 88−21945
Visek, A.J. Introduction to EMC basics and definitions 86−64022
Visek, A.J., Mis, D. FCC/VDE radiated measurements−potential differences in test results between test sites as a function of extrapolation and the use of published antenna factors 87−29240
Visek, J.A. Influence of contamination level deviations on the test error probabilities 87−23466
Visentin, B. *see* Kupecek, P. 86−15754
Visentin, N. Qualification of semi-insulating GaAs substrates 88−50731
Visentin, N., Bonnet, M., Gouteraux, B., Lent, B., Lordereau, A. Distribution measurement of the electrical properties of semiinsulating gallium arsenide monocrystals 85−1665
Visentin, N., Gouteraux, B., Bonnet, M., Lent, B. Uniformity imaging of undoped LEC GaAs 87−17722
Visentin, R. *see* Bellecci, C. 85−27354
Vishchakas, Yu., Gul'binas, V., Kabelka, V., Syrus, V. Stable laser with concentrated neodymium phosphate glass for picosecond time-resolution spectroscopy 85−41373
Vishchakas, Yu. *see* Andryunas, K. 86−15755, 86−29109, 86−42641
Vishchakas, Yu. *see* Vasil'eva, M.A. 86−9801
Vishen, A., Srivastava, G.P., Singh, G.S., Gardiol, F. Calculation of cutoff wavenumbers for TE and TM modes in tubular lines with offset center conductor 86−42899
Vishen, A. *see* Fikioris, J.G. 87−47257
Vishenchuk, I.M. Measurement of the integral characteristics of a signal with a piecewise-polynomial weighting function 85−63028
Vishenchuk, I.M., Shvetskii, B.I., Yuzevich, Yu.V. Automation of measurement processes 86−17771
Vishenvskaya, A.V., Fedosova, T.S. On transients in a frequency synthesizer 85−33702
Vishin, S. *see* Mostafavi, T. 88−50208
Vishina, A.V., Elkin, G.A. 5-MHz crystal oscillator with high short-term stability 86−31450
Vishkin, U. An optimal parallel connectivity algorithm 85−5907
Vishnepol'skii, B.D. *see* Iordan, G.G. 88−6906
Vishnev, I.P. *see* Glebov, I.A. 86−51562
Vishnev, I.P. *see* Popov, O.M. 87−22220
Vishnevetskii, A.L. (L,g)-codes and binary forms 86−3781
Vishnevetskiy, Ye.M., Kaluzhskiy, A.D., Shteyner, V.G. The matching of electronic devices with the common control line 86−27042
Vishnevskaya, M.A. *see* Vasil'yev, M.P. 87−12279
Vishnevskii, A.M. Calculating the potentials and current distributions over surfaces of bipolar electrodes 88−71263
Vishnevskii, A.M., Lapovok, A.Ya. An algorithm for calculating the magnetization field of thin plates and shells 88−33503
Vishnevskii, A.V., Golutvin, I.A., Zlobin, Yu.L., Kiryushin, Yu.T., Svetov, L.V. Proportional chambers with high-voltage electrodes made of aluminium foil 85−9079
Vishnevskii, A.V., Latyntsev, A.P., Cherepanov, V.G. Four-channel digital-to-analog converter module using an 'Elektronika-60' microcomputer 86−20648
Vishnevskii, B.L., Kul'chitskii, O.Yu. Parametric unimodality of steady-state variance of error in the Kalman filtering problem 87−39795
Vishnevskii, G.I., Berezin, V.Yu., Ioffe, S.A. Color coding in multiple-signal CCDs 88−60772
Vishnevskii, K.N. *see* Zelenskii, A.N. 86−60514
Vishnevskii, L.V. Transfer functions of an asynchronous generator with capacitor excitation 88−55359
Vishnevskii, L.V., Mironenko, V.P. A universal mathematical model of an AC generator 86−56712
Vishnevskii, L.V. *see* Boyar-Sozonovich, S.P. 87−22333
Vishnevskii, V.M., Savinetskii, A.B., Fedotov, E.V. Analysis and implementation of a method for increasing the throughput of a packet-switching network 88−28143
Vishnevskii, V.S., Bykovskii, V.Yu. Analysis of the characteristics of a piezoelectric motor with allowance for frictional contacting losses 87−43109
Vishnevskii, V.Yu. *see* Pustogarov, A.V. 87−64828
Vishnevskii, Yu.G., Sikarev, A.A., Sobolev, V.V. An estimate of the effectiveness of complex signals in digital data transmission channels with concentrated interference 86−16084
Vishnevskii, Yu.I., Ignat'eva, L.E., Krizhanskii, S.M., Yanova, T.V. Modelling of long-draught arc-quenching chambers 85−65379
Vishnevskii, Yu.I. *see* Bobyl'kov, A.N. 86−51798
Vishnevskii, Yu.I. *see* Bortnik, I.M. 88−24080
Vishnevskii, Z.N. *see* Vyshvanyuk, V.I. 85−3969
Vishnevsky, A. *see* Kiryushin, Yu. 87−21408
Vishnevsky, Yu.I. *see* Bortnik, I.M. 86−51850
Vishnivetskii, M.G., Polyanskaya, G.S., Livada, G.F., Kantemir, L.V. The cleanliness of oil in the oil systems of turbosets [steam turbine sets] 86−39517
Vishnubhatla, B. *see* Sartzetakis, S. 87−28929
Vishnubhatla, S. Causality in pattern recognition 87−33820
Vishnyakov, A.P. *see* Lebedev, V.K. 85−48110
Vishnyakov, G.K. *see* Kabanov, P.S. 85−59714, 85−60149
Vishnyakov, G.N., Levin, G.G. Reconstruction of tomograms with limited number of projections: spatial filtering method 85−30354
Vishnyakov, G.N. *see* Levin, G.G. 85−62692
Vishnyakov, G.N. *see* Vlasov, N.G. 86−9989
Vishnyakov, K.S., Luskin, A.M., Monakhov, Yu.I. Digital meter of the discharge and frequency of pulsatory pumps 88−68454
Vishnyakov, L.N. *see* Kolotov, Yu.N. 87−50940
Vishnyakov, V.A., Dovbnya, A.N., Demyanenko, G.K., Kobezsky, V.M., Mufel, V.B., Pugachev, G.D., Shendrik, V.A. Kharkov electron linac as injector for stretcher ring 87−41717
Vishnyakov, V.A., Dovbnya, A.N., Kobezsky, V.M., Shendrik, V.A. The 2-GeV linac beam intensity increase 85−26618
Vishnyakov, V.A., Zakutin, V.V., Kushnir, V.A., Romas'ko, V.P., Fursov, G.L., Shenderovich, A.M. Experimental study of the attainment of large accelerating fields and boosting of the beam of a linear resonant accelerator in a system of passive resonators 88−61044
Vishnyakov, V.A. *see* Boldyshev, V.F. 88−54012
Vishnyakov, V.A. *see* Fursov, G.L. 87−41716
Vishnyakova, T.B. *see* Asaturyan, A.Sh. 88−55399
Vishtak, P.A., Druzhinin, O.B., Kondratenko, I.P., Rashchepkin, A.P. Energy characteristics of induction machines using ferromagnetic rotors 86−12812
Vishtak, P.A., Gorodzha, L.V., Kondratenko, I.P., Rashchenkin, A.P. Influence of a transverse edge effect on Joulean heat liberation from a metal [linear induction machine] 88−23977
Vishtak, P.A., Kondratenko, I.P., Krutilin, V.A., Rashchepkin, A.P. A method of calculating linear inductors with concentric windings for heating metallic tapes 87−58168
Vishtak, P.A., Kondratenko, I.P., Rashchepkin, A.P., Krutilin, V.A. Determination of electromagnetic fields and power characteristics of a linear three-phase inductor 85−60258
Vishtak, P.A., Kondratenko, I.P., Rashchepkin, A.P., Krutilin, V.A. Joulian heat liberation in the process of induction heating of ferromagnetic bodies in a travelling magnetic field 86−52057
Vishtak, P.A. *see* Rashchenkin, A.P. 86−66077
Vishtak, T.V. *see* Postnikov, I.M. 85−21594
Vishtal', D.M. *see* Zaychenko, Yu.P. 85−8193
Vishvakarma, B.R. On microwave scattering from rough surfaces 85−7632
Vishvakarma, B.R. Some experimental results in circulators with triangular ferrites 85−17779
Vishvakarma, B.R. Mechanism of electromagnetic inter-communication in living organisms 87−77597
Vishvakarma, B.R. Scattering of microwaves from irregular surfaces 88−45681
Vishvakarma, B.R., Al-Hafid, H.T. A novel feed system for reflector antenna provides wide angle scanning 86−3697
Vishvakarma, B.R., Al-Hafid, H.T., Sulaiman, F.H. A comparative study of scanning properties of ferrite loaded aperture and notch antennas 85−7749
Vishvakarma, B.R., Al-Hafid, H.T., Taha, B. An approximate method to evaluate the multiple diffraction losses 85−13108
Vishvakarma, B.R., Sulaiman, F.H. An amplitude scanning antenna 86−64133
Vishvakarma, B.R., Thanoon, W.A. A new double beam scanning antenna 88−2808
Vishvakarma, B.R. *see* Al-Hafid, H.T. 85−57025
Vishwanath, T.G., Campbell, D.R., Moir, T.J. Real-time implementation of a self-tuning filter and smoother using a TMS32010 microprocessor 87−37467
Vishwanath, T.G., Moir, T.J., Campbell, D.R. Self-tuning filtering and smoothing of corrupted speech 86−48864
Vishwanath, T.G. *see* Moir, T.J. 87−39773
Visigalli, P.G. *see* Casarico, A. 87−46338
Visintin, A. *see* Verdi, C. 86−13695
Visintin, F. The RAI electronic film project 88−67592
Visintin, M. *see* Lorenzelli, F. 88−22053
Visintini, G. Maintenance organisation structures 85−22190
Visintini, G., Till, W., Ehrmann-Falkenau, E. Diffraction analysis with extended angular spectrum of waves formalism 88−51128
Viskanta, R. *see* Lents, C.E. 86−31717
Viskanta, R. *see* Ungan, A. 87−16171
Viskanta, R. *see* Vader, D.T. 86−24705
Viskoe, D. 900-MHz radio provides reliable remote control 85−42459
Viskum, H. *see* Bach, H. 87−39484
Viskum, H. *see* Kuhn, E. 88−72684
Viskum, H.-H. Synthesis and analysis of single shaped reflector antennas 87−27026
Viskum, H.-H., Westcott, B.S. Collocation methods in reflector antenna synthesis 85−41720
Viskum, H.-H. *see* Bach, H. 87−26979
Viskum, H.H. *see* Bach, H. 86−64048
Vislenev, Yu.S., Gorodetskii, A.E., Kuz'min, P.P. Evaluation of the quantity of electric contacts by measuring the parameters of combination oscillations [quantity read quality] 85−55222
Vislenev, Yu.S., Lyashenko, T.V., Lyashenko, N.N., Kuz'min, P.P. Accuracy of X-ray contrast inspection of the contact area of contact joints using the moire method 87−360
Vislova, L.A. *see* Sheshneva, Yu.I. 88−33444
Vismara, G. *see* Barbiellini, G. 85−20834, 85−43169
Vismara, G. *see* Borer, J. 88−54178
Vismara, L. *see* Furetta, C. 88−68222
Vismara, L. *see* Nannicini, M. 85−42461
Vismara, L. *see* Pensotti, S. 87−63649, 88−29868, 88−68237
Vismor, T.D. *see* Willis, H.L. 86−18806
Vismore, T.D. *see* Willis, H.L. 86−19378
Visnovsky, S. *see* Pistora, J. 85−24303

Viso, J. Assurance of quality and reliability of measuring and laboratory instruments 85—5810
Visocekas, R., Lorrain, S., Marinello, G. Evaluation of a preparation of $Li_2B_4O_7$:Cu for thermoluminescence dosimetry 85—52977
Visosevic, K. *see* Bjelobaba, D. 87—51686
Vissarionov, V.I., Belyaev, S.G. Control of transients in pump stations with the object of reducing dynamic loads 87—4467
Vissarionov, V.I., Belyaev, S.G., Puzanov, A.I. Use of microcomputers for laboratory investigations of turbine-generator units 87—78541
Vissarionov, V.I., Belyaev, S.G., Sadovskii, I.S. Employing regenerative braking to reduce the vibration of the water lines on pumping stations 85—15932
Vissarionov, V.I., Elistratov, V.V. Basing the parameters for the computer-assisted design of the flow sections of a pumping station with bulb-type sets 86—45195
Visscher, W. *see* Hendrikx, J. 86—51883
Visscher, W.H.M. *see* Van Dongen, L.A.M. 85—65521
Visschere, P.De. *see* Baert, D. 86—57651
Visschere, P.De. *see* Kuyken, H. 86—61661
Visschere, P.De *see* De Visschere, P.
Visschers, J.L. *see* Van Dantzig, R. 88—23000
Visseaux, B. *see* Bernard, J.-J. 87—46525
Visser, A., Weissinger, D., Hennchen, N. Superaccurate transmitted-light measuring method. Optoelectronic exploitation of the principle of lateral suppression 87—35188
Visser, A. *see* van Overbeeke, F. 87—46427
Visser, A.J.W.G. *see* Van Hoek, A. 88—8367
Visser, C. *see* Guckel, H. 88—53676
Visser, C.C.G., Uglow, J.E., Burns, D.W., Wells, G., Redaelli, R., Cerrina, F., Guckel, H. A new silicon nitride mask technology for synchrotron radiation X-ray lithography: first results 88—26142
Visser, C.C.G., Uglow, J.E., Burns, D.W., Wells, G., Redaelli, R., Cerrina, F., Guckel, H. The development of a silicon nitride mask technology for synchrotron radiation X-ray lithography 88—39337
Visser, C.C.G. *see* Guckel, H. 88—50612
Visser, D. Design and measurement of replicated aspheric compact disc objective lenses 87—46625
Visser, D., Gijsbers, T.G., Jorna, R.A.M. Molds and measurements for replicated aspheric lenses for optical recording 85—51016
Visser, E.G. Rubbing noise in ferrite heads 85—29461
Visser, E.G., van Rijn, L.R.M., Maas, H.J.F. An improved measurement of the absolute efficiency of magnetic heads by saturating the gap field 86—2594
Visser, F.C. *see* van Haelst, A.C.T.A. 85—9196, 86—18333
Visser, H.K.A. *see* Dane, H.J. 85—38176
Visser, J., Crombeen, J.E. DC planar magnetron sputtering source for video disc metallization 85—61004
Visser, J.H., Venema, A. A computational technique to determine the amplification of Rayleigh-wave modes in multilayered structures 87—67689
Visser, J.S. *see* Ramachandran, V. 87—23875
Visser, K., Mostert, H. The safety interlocking system at the NAC 85—54102
Visser, K. *see* Burdzik, G.F. 85—59011
Visser, K. *see* Korma, E.J. 85—6941
Visser, L.J. Twisted pair performance for LAN applications 87—76524
Visser, R.-J., Schellekens, J.P.W., Reuhman-Huisken, M.E., van IJzendoorn, L.J. Mechanism and kinetics of silylation of resist layers from the gas phase 88—19887
Visser, R.-J., Schellekens, P.W., Reuhman-Huisken, M.E., Van Ijzendoorn, L.J. Mechanism and kinetics of silylation of resist layers from the gas phase 88—13254
Visser, R.J. *see* Vollenbroek, F.A. 88—26163
Vissers, C.A., Logrippo, L. The importance of the service concept in the design of data communications protocols 86—69455
Vissers, C.A. *see* Niemgeers, I.G. 85—8147
Vissers, C.A. *see* van Sinderen, M. 86—64511
Vissers, K.A. MILSIM: a high level digital simulator 87—16826
Vissers, W. Wheatstones are not crackers! [circuit application] 86—5470
Vissers, W. Tune up the modern way! 88—59967
Vissiere, C. Semicustom IC's: test techniques and packaging technology 85—50657
Vissiere, C. FAD: the circuit for digital filtering and detection 85—54981
Vissiere, C. Applications of integrated remote control circuits 86—41262
Vissiere, C. Silicon compilers 86—62364
Vissiere, C. Phase controlled circuits for triacs 87—6684
Vissiere, C. Integration of tests in ASIC circuits 87—25458
Vissiere, C. Phase control circuits of TRIACs 87—36976
Vissiere, G. Putting telecommand integrated circuits to work 86—32612
Vistain, K. Computerized op-amp calculator 85—17166
Vistain, K. Build the modem minder 85—52122
Vistica, R. Macros simplify RF measurements 87—8575
Vistoli, I. *see* Di Gerlando, A. 87—43592, 87—51143
Visuri, P. A minicomputer-based multivariate alarm-system and results from operation in a nuclear power plant 86—56552
Visvanatha, K.S., Goud, P.A., Englefield, C.G. Jitter reduction in self-sustaining monostable clock recovery circuit 86—62528
Visvanathan, V. Variational analysis of integrated circuits 87—38456
Visvanathan, V., Szeto, E., Tits, A. A robust simulation-before-test technique for DC analog fault diagnosis 85—16775
Visvanathan, V. *see* Milor, L. 87—67596
Visvanathan, V. *see* Sadayappan, P. 87—59109
Viswambharan, N.K., Sathyendranath, S., Gangadhara Rao, L.V. Remote sensing of sea surface temperature through infrared radiometry—a review 87—71397
Viswambharan, N.K. *see* Venkateswara Rao, M. 85—43484
Viswanadham, N. *see* Narahari, Y. 87—23513
Viswanadham, N. *see* Vidyasagar, M. 87—10622
Viswanath, K., Satyanarayana, A. Transient effects in power transformers and design aspects 85—60225
Viswanath, M.N., Narayana Reddy, P., Parameswarappa, G. Dynamic stability of power systems using stabilizing signals 86—39008
Viswanathan, B., Tanaka, K., Toyoshima, I. Charge transfer in the $Ni/SiO_x/n$-Si(111) system 85—23572
Viswanathan, B. *see* Indulkar, C.S. 85—59718, 87—78121
Viswanathan, C.R. Industry-state cooperation in VLSI education: MICRO Program 85—22103
Viswanathan, C.R., Burkey, B.C., Lubberts, G., Tredwell, T.J. Threshold voltage in short-channel MOS devices 85—40756
Viswanathan, C.R. *see* Abidi, A.A. 88—7748
Viswanathan, C.R. *see* Chen, J.Y. 85—18468
Viswanathan, C.R. *see* Wikstrom, J.A. 88—13099, 88—39478
Viswanathan, K. *see* Harry, B.B. 87—6524
Viswanathan, M. *see* Ramaseshan, K. 88—2083
Viswanathan, M. *see* Thyagarajan, K.S. 87—39978, 87—62264
Viswanathan, P., Balasubramanian, S., Vasudevan, M. Development of EPDM-based cable-filling compound 86—8541
Viswanathan, R. Frequency hopping spread spectrum for EHF satellite communication 87—62908
Viswanathan, R., Aalo, V., Thomopoulos, S.C.A. Distributed detection with correlated sensor noise 88—34724
Viswanathan, R., Dolbec, A.C. Life assessment technology for combustion turbine blades 87—51062
Viswanathan, R., Gupta, S.C. Nonparametric receiver for FH-MFSK mobile radio 85—30932
Viswanathan, R., Hussla, I. Ultralow repetition rate shutter mechanism for thyratron triggered pulsed lasers 85—56757
Viswanathan, R., Jaffee, R.I. Metallurgical factors affecting the reliability of fossil steam turbine rotors 86—19113
Viswanathan, R., Kumar, B. Order statistic detector for signal detection in generalized Gaussian noise 87—47868
Viswanathan, R., Nerella, R. Diversity combining in slow frequency hopping systems subject to jamming 87—28375
Viswanathan, R., Thomopoulos, S.C.A., Tumuluri, R. Optimal serial distributed decision fusion 88—46118
Viswanathan, R. *see* Aalo, V. 88—46093
Viswanathan, R. *see* Acosta, R.E. 86—21329
Viswanathan, R. *see* Dana, S.S. 88—26132
Viswanathan, R. *see* Gupta, S.C. 85—58008
Viswanathan, R. *see* Roberts, B.W. 86—61379
Viswanathan, R. *see* Rosenfield, M.G. 87—38024
Viswanathan, R. *see* Thomopoulos, S.C.A. 87—41501, 88—14693, 88—46117
Viswanathan, R.G. *see* Coane, P.J. 85—29101
Viswanathan, R.G. *see* Cullum, D.G. 85—43259
Viswanathan, R.G. *see* Molzen, W.W. 86—2444
Viswanathan, S., Charkey, A. Bi-functional oxygen electrodes for rechargeable metal-air cells 86—40055
Viswanathan, T. *see* Panda, D.K. 88—66975
Viswanathan, T.L. CMOS transconductance element 86—35895
Viswanathan, T.L. *see* Toh, S.C. 86—53695
Viswanathan, T.R., Nagaraj, K. A V_T generator 86—53787
Viswanathan, T.R., Nagaraj, K. A new approach to the design of CMOS continuous-time filters 86—67353
Viswanathan, T.R. *see* Brar, J.S. 87—24322
Viswanathan, T.R. *see* Chari, M.A. 87—65854
Viswanathan, T.R. *see* Friedman, V. 88—67233
Viswanathan, T.R. *see* Misra, D. 86—70133, 87—3593
Viswanathan, T.R. *see* Nagaraj, K. 86—57962, 86—67337, 87—5955, 87—59710
Viswanathan, T.R. *see* Nedungadi, A. 85—7094
Viswanathan, T.R. *see* Torrance, R.R. 86—20702
Viswanathan, V., Henry, C., Schwartz, R., Roucos, S. Evaluation of multisensor speech input for speech recognition in high ambient noise 87—19449
Viswanathan, V. *see* Roucos, S. 87—19503
Viswanathan, V.K., Saxman, A., Woodfin, G. Resonator optical designs for free electron lasers 86—22440
Viswanathan, V.K. *see* Akkapeddi, P.R. 86—29196
Viswanathan, V.R., Henry, C.M., Derr, A.G. Noise-immune speech transduction using multiple sensors 86—16198
Viswanathan, V.R., Russell, W.H. New objective measures for the evaluation of pitch extractors 86—10301
Visweswaran, G.S., Jain, N.K., Bhattacharyya, A.B. Quasistatic analysis of a dynamic sense amplifier 85—33892
Visweswaran, G.S. *see* Jain, N.K. 86—34783
Visweswaran, S., Larson, C.L. Impact of aging on BWR availability and scram performance 86—51362
Visweswariah, C., Rohrer, R.A. SPECS2: an integrated circuit timing simulator 88—24897
Visweswariah, S., Rao, P.R.K. An adaptive structured optimum receiver for target detection in the presence of clutter 86—30849
Visyashchev, A.A. *see* Kuznetsov, V.G. 86—6325, 87—42464
Visyashchev, A.N., Shiiko, S.A., Rusov, B.I. The effect of harmonics on the operation of earth-fault protection 86—39206
Visyashchev, A.N., Shiiko, S.A., Struzhenkov, V.I. Resonance phenomena in the current circuits of relay protection and automatic-control systems of power systems 85—59808
Visyashchev, A.N., Struzhenkov, V.I., Shiiko, S.A. Analysis of the operation of filter devices for relay protection and an automatic system under asymmetric sinusoidal conditions 86—12513
Visyashchev, A.N., Tiguntsev, S.G. A method of selecting the parameters of symmetry-compensating devices 85—6108
Vit, A. Simulation of a transversal magnetic wave propagation in a circular waveguide 85—40215
Vit, I. *see* Bykov, V.L. 85—36994
Vit, V. A double standard decoder in colour television receivers for the reception of the PAL/SECAM systems with transcoding 86—4826
Vita, A.De *see* De Vita, A.
Vita, E.De *see* De Vita, E.
Vita, J.P.De *see* De Vita, J.P.
Vita, L. *see* Carchiolo, V. 86—59689
Vita, L. *see* Casale, S. 87—34199, 88—53314
Vita, L. *see* Faro, A. 85—19889, 85—63426, 86—55008
Vita, P., Manoli, L., Torrisi, G., Squadrito, C. High performance dual circularly polarized 12-18 GHz feed system 88—34516
Vita, P., Torrisi, G., Maugeri, G., Valguarnera, P. High performance dual linear polarization 11-14 GHz feed system 88—34515
Vita, P. *see* Rispoli, F. 87—27036, 88—34467
Vita, P.Di *see* Di Vita, P.
Vita, S.De *see* De Vita, S.
Vitak, V. Method for solving unplanned operational states of interconnected power systems 86—50825
Vital, A. SCRIBE—the users' role in standardization progress 88—21602
Vitalbo, C.A. *see* Blau, P. 86—51214
Vitale, G. *see* Bellone, S. 86—8722, 86—41842, 87—60139
Vitale, G. *see* Caruso, A. 87—18168, 87—38327, 88—50885
Vitale, G. *see* Ferla, G. 87—25331
Vitale, G.F. *see* Bellone, S. 86—21554
Vitale, J.M. *see* Fernandez-Fernandez, A. 88—48698
Vitale, N. *see* Dochat, G. 87—42730
Vitale, S. *see* Barone, A. 85—37903, 85—48184
Vitale, S. *see* Cerdonio, M. 87—74570, 88—20301, 88—29331
Vitale, S. *see* Dameri, M. 85—43176
Vitale, S. *see* Fontanelli, F. 88—61134
Vitale, S. *see* Miotello, A. 86—63592
Vitale, T. Engineering speech systems to meet market needs: customer name and address applications 88—66447
Vitali, A. *see* Tortoli, P. 85—5930
Vitali, E. The 2nd generation of the Eutelsat satellites 88—22007
Vitali, E. *see* Boviatsos, D. 85—20160
Vitali, G., Crea, G. Low power laser annealing of disordered semiconductors 87—17920
Vitali, G., Marinelli, M., Zammit, U., Scudieri, F. Temperature gradients effects in low-power laser annealing of ion implanted α-Ge 85—12070
Vitalis, A.E.R. *see* Vilain, R.H. 85—32400
Vitallo, M.R. *see* Fam, A.T. 88—740
Vitalyos, A. *see* Toth, L. 87—499
Vitanov, P. *see* Eisele, I. 85—6971
Vitanov, P. *see* Nedjalkov, M. 88—57288
Vitanov, P. *see* Petrova, R. 86—41829

Vitanov, P.K. *see* Petrova, R.S. 88−26310
Vitanov, P.K. *see* Senov, M.A. 85−55808
Vitanyi, P.M.B. Logarithmic signal propagation delay and the efficiency of VLSI circuits 85−35030
Vitanyi, P.M.B. Area penalty for sublinear signal propagation delay on chip 86−21799
Vitanyi, P.M.B., Awerbuch, B. Atomic shared register access by asynchronous hardware 87−31844
Vitanyi, P.M.B., Meertens, L. Big omega versus the wild functions [order of magnitude symbols] 85−39596
Vitaz, I. Wideband transformers 86−41369
Vitek, J.J. *see* Chakraborty, D.P. 86−32284
Vitek, V. Czechoslovakia contribution to the development of the CDO interconnected power systems 85−59573
Vitek, V. Mathematical models of operational states of interconnected power systems 86−44870
Vitek, V. The contemporary state of interconnecting power systems on an international scale 87−4248
Vitek, Y. *see* Bar-Itzhack, I.Y. 85−43457
Vitella, M.E. *see* Manseur, B. 86−16810
Vitelli, R. *see* Petternella, M. 85−36270
Vitelli, S.V. SMD (surface-mounted devices) revolutionise the assembly of circuit boards 86−20966
Vitello, P. Cyclotron maser and peniotron-like instabilities in a whispering gallery mode gyrotron 85−1232
Vitello, P. Analysis of a low magnetic field TE$_{m11}$ gyroklystron amplifier 85−55383
Vitello, P. Design considerations for the gyro-peniotron oscillator 87−53114
Vitello, P., Ko, K. Mode competition in the gyro-peniotron oscillator 86−21030
Vitello, P., Menyuk, C. High harmonic emission from slotted rectangular gyrotron oscillators 88−25813
Vitello, P., Menyuk, C. Theory of high-harmonic gyrotron oscillators with slotted cross-section structure 88−64185
Vitello, P. *see* Chu, K.R. 86−21028
Vitello, P. *see* Drobot, A.T. 86−31955
Vitello, P. *see* Furuno, D.S. 85−55382, 86−47242, 88−25820, 88−64191
Vitello, P. *see* Granatstein, V.L. 86−31799
Vitello, P. *see* Miner, W.H., Jr. 85−6648
Vitenberg, A.G. *see* Kostkina, M.I. 86−33450
Viter, A.S. *see* Kirianaki, N.V. 88−10061
Viterbi, A.J. When not to spread spectrum−a sequel 85−47465
Viterbi, A.J. Spread spectrum multiple access: the practice and the promise 87−55404
Viterbi, A.J., Padovani, R. Optimal performance of coded interleaved PSK modulation in slowly varying Rician fading 88−28691
Viterbi, A.M. Approximate analysis of time-synchronous packet networks 87−13384
Viterbi, A.M. Synchronous packet networks with priority queueing disciplines 87−55402
Viterbi, A.M. *see* Wolf, J.K. 88−53322
Viterbini, M., Adriani, A., Di Donfrancesco, G. Single photon detection and timing system for a Lidar experiment 88−9917
Vitevsky, V.B. *see* Kalinin, A.I. 88−60013
Vitez, A. *see* Auberton-Herve, A.J. 88−64779
Vitha, O., Kubec, J., Neset, P. Study of the solution of a hydroelectric, transport and irrigation project on the lower part of the river Labe 87−78540
Vithayathil, J. The low cost, quick turnaround, high performance semi-custom solution: programmable logic 85−49838
Vithayathil, J. Gate equivalency for programmable logic devices 86−880
Vithayathil, J. The low cost, quick turnaround, high performance semi-custom solution: programmable logic 86−1002
Vithayathil, J. Programmable logic: the semi-custom solution with quick turnaround, low cost and high-performance 86−46691
Vithayathil, J. *see* Bachmann, B. 86−6938
Vithayathil, J. *see* Biswas, S.K. 85−10025, 86−45536, 86−45561, 87−31029, 87−37003, 87−43234, 87−43525 to 43526, 87−43538, 87−58082, 87−64593, 87−64695, 88−11296, 88−11420, 88−30707, 88−43277
Vithayathil, J. *see* Coleman, C.R. 87−59395
Vithayathil, J. *see* Gunasekhar, N.O. 85−38994
Vithayathil, J. *see* Lee, A. 86−19425
Vithayathil, J. *see* Manjunath, H.V. 86−45556, 87−38329
Vithayathil, J. *see* Rajashekara, K.S. 87−43540, 87−78988
Vithayathil, J. *see* Sathiakumar, S. 85−10024, 86−40214, 86−45744
Vithayathil, J.J., Courts, A.L., Peterson, W.G., Higorani, N.G., Nilsson, S., Porter, J.W. HVDC circuit breaker development and field tests 86−19422
Vithyathil, J. *see* Rajashekara, K.S. 86−67013
Vitiello, E. *see* Sano, T. 88−55140
Vitiello, G. *see* Del Giudice, E. 88−72347
Vitiello, R., Zarone, G. Interframe contour coding 87−33614
Vitins, J., Premur, K. Power thyristors and diodes 87−10659
Vitins, J., Renggli, H. Reverse conducting thyristors for high-power, medium-frequency converters 86−39916
Vitins, J., Schweizer, A. Use of power semiconductors made easier by forward integration 85−546
Vitins, J., Schweizer, A., Steiner, J.-L. Fast reverse conducting thyristors for high power series resonant circuits 85−23765
Vitins, J., Steiner, J.L. New manufacturing technology for high voltage thyristors 88−26244
Vitins, J. *see* De Bruyne, P. 86−67821
Vitins, J. *see* Itani, A.M. 87−38238
Vitins, J. *see* Lawatsch, H. 86−41778, 88−26246
Vitins, J. *see* Lawatsch, H.M. 88−64479
Vitins, J. *see* Leisten, O. 87−16101
Vitins, J. *see* Renggli, H. 86−61653
Vitins, J. *see* Ruegg, A. 87−15848
Vitins, J. *see* Schweizer, A. 88−6694
Vitins, J. *see* Steiner, J.-L. 88−64546
Vitins, M., Signer, K. Performance modelling of control systems 87−30019
Vitkalova, R.N. *see* Mikheev, M.N. 87−355
Vitkauskas, V., Vilcinskas, S., Kunigelis, V., Gavrilin, V., Byely, S. Electrical properties of thin nonuniform InSb films and acoustoelectric interaction in structures based on such films 88−32796
Vitkavage, D.J., Fountain, G.G., Rudder, R.A., Hattangady, S.V., Markunas, R.J. Gating of germanium surfaces using pseudomorphic silicon interlayers 88−71354
Vitkavage, D.J. *see* Fountain, G.G. 88−64329, 88−71357
Vitkavage, D.J. *see* Yu, M.L. 86−58228
Vitko, A.V., Kondrat'yev, A.L., Malykh, T.F. Design on a reflex phase-shifter with a multistep transformer 87−52813
Vitkov, M.G. The shift of the poles of a filter transfer function caused by inductor losses 86−14335
Vitkovitski, I.M. *see* Ford, R.D. 85−446
Vitkovitsky, I.M. *see* Commisso, R.J. 85−5291, 85−17929, 86−14056
Vitkovitsky, I.M. *see* Ford, R.D. 85−34247
Vitkovitsky, I.M. *see* Lupton, W.H. 85−5118
Vitkovitsky, I.M. *see* Scherrer, V.E. 85−23198, 85−27571, 87−17451
Vitkus, R., Yaroslavsky, L. Recursive algorithms for local adaptive linear filtration 88−14833
Vitkute, A. *see* Nagineviciene, L. 87−3764
Vitman, A.D. *see* Grebnev, A.A. 87−65836
Vitner, G., Kessler, I. Robotic workstation for helicoil insertion 88−63019
Vito, A.Di *see* Di Vito, A.
Vito, L.De *see* De Vito, L.
Vitols, V.A. *see* White, S.A. 87−5980, 88−32337
Vitor, P.de *see* de Vitor, P.
Vitor, P.R.B., Freire, J.C. Broad-band design of class E power amplifiers 88−588
Vitor, P.R.B. *see* Rosario, M.J. 87−11060
Vitorino, C. *see* Collares-Pereira, M. 88−24155
Vitous, J. *see* Grof, V. 88−69099
Vitovskii, V.A. *see* Shelenberg, V.R. 88−5364
Vitovtsev, A.G. *see* Arkhipov, N.S. 87−33515
Vitrant, G., Arlot, P. Demonstration of optical bistability with a nonlinear prism coupler 87−60910
Vitrant, G., Arlot, P., Reinisch, R. Demonstration of optical bistability by resonant excitation of nonlinear guided waves 88−40354
Vitrant, G. *see* Arlot, P. 87−33320, 87−39207
Vitrant, G. *see* Reinisch, R. 86−22477
Vitrechenko, E.A. *see* Balebanov, V.M. 88−74473
Vitrenko, T.M., Kalaida, G.I. Dependence of losses in the windings of a converter transformer on the operating conditions of the converter 86−51696
Vitrenko, T.M. *see* Vinogreev, M.Yu. 85−44063
Vitrikhovsky, N.I. *see* Akhoyan, A.P. 86−1761
Vitriol, W.A., Sabo, C.J. Development of a new tape dielectric technology for fabricating multilayer ceramic wiring boards 88−19562
Vitriol, W.A., Sabo, C.J., Brown, R.L., Pond, R.G. Development of a new tape dielectric technology for thick film multilayer applications 88−7212
Vitriol, W.A. *see* Pond, R.G. 85−34386, 88−7224
Vitrishchak, I.B., Orlov, S.Yu., Pokrovskii, V.P., Soms, L.N. Normal oscillation modes of a conjugate resonator with an array-type controlled transparency 88−65767
Vitry *see* Fremann 88−17277
Vitsinskii, S.A., Nikitin, A.M., Opre, V.M. Synthesis of reactive multiterminal networks with nonsimultaneous switching of the inputs by controlled gates 87−44516
Vitsinskii, S.A. *see* Bordachev, E.G. 87−7423
Vitt, B. Black-cobalt coating for solar collectors 88−11399
Vittadini, G., Framba, B. The prototype locomotive E453/454 of the FS. Innovative design aspects 88−62711
Vittadini, G., Framba, B. Innovative project aspects [E453/454 type locomotive] 88−76025
Vittal, V., Michel, A.N. Stability and security assessment of a class of systems governed by LaGrange's equation with application to multimachine power systems 86−65591
Vittal, V., Michel, A.N. A variational principle for non-conservative power systems 87−71621
Vittal, V., Rajagopal, S., Fouad, A.A., El-Kady, M.A., Vaahedi, E., Carvalho, V.F. Transient stability analysis of stressed power systems using the energy function method 88−10781
Vittal, V., Rajagopal, S., Fouad, A.A., El-Kady, M.A., Vaahedi, E., Carvalho, V.F. Transient stability analysis of stressed power systems using the energy function method 88−54856
Vittal, V., Rajagopal, S., McCormack, B.C., Movall, P.E., Fouad, A.-A. Analysis of potential energy surfaces of multichannel power systems using computer graphics 87−15127
Vittal, V. *see* El-Kady, M.A. 86−56370, 87−4217
Vittal, V. *see* Fouad, A.A. 86−51561, 87−4211, 87−15140, 87−42344
Vittal, V. *see* Michel, A.N. 85−53275, 86−12242, 86−50772, 86−56307
Vittal Murty, K.P.R. *see* Muralikrishna, R.V. 86−65513
Vittecoq, P. *see* Laneville, A. 86−66003
Vittek, J. *see* Szekely, J. 87−51351
Vitter, G. *see* Gutierrez, F.J. 88−22841
Vitter, J.S. Design and analysis of dynamic Huffman coding 86−22928
Vitter, J.S. Two papers on dynamic Huffman codes 87−68971
Vitter, J.S. Design and analysis of dynamic Huffman codes 88−66300
Vitter, J.Scott *see* Scott Vitter, J.
Vittera, J. VLSI implementation of IEEE 802-N token bus LAN 85−13948
Vittikh, V.A., Kalinin, B.V., Tsybatov, V.A. Optimisation of link networks in distributed systems 85−33614
Vittikh, V.A., Tzybatov, V.A. Methods of potential possibilities analysis of measuring−computing complexes 85−37462
Vittitoe, C.N., Rabinowitz, M. Radiative reactions and coherence modeling in the high-altitude electromagnetic pulse 88−40598
Vittitoe, C.N. *see* Chang, J. 85−26470, 85−52853, 86−60301
Vittone, E., Bosso, S.S., Shamsi, T.A., Krebs, K., Manfredotti, C. Two-dimensional Monte Carlo simulation of crystalline silicon solar cells 88−18063
Vittone, M. *see* Bellini, G. 87−21421
Vittor, P.De *see* De Vittor, P.
Vittorakis, M. *see* Hadjoudis, E. 87−46428
Vittori, M. *see* Della Sala, D. 88−18748
Vittori Antisari, M. *see* Berti, M. 86−47457
Vittori Antisari, M. *see* Lulli, G. 88−24736
Vittoria, C. *see* Xia, J. 88−27568
Vittoria, C. *see* Zayek, F. 88−72592
Vittorini, G. *see* Springs, R. 86−38223
Vittot, M. *see* Lemonier, M. 86−24389
Vittoz, E. *see* Degrauwe, M. 85−62098, 87−59111
Vittoz, E. *see* Degrauwe, M.G.R. 86−7997
Vittoz, E.A. The design of high performance analogue/digital CMOS LSI 85−62102
Vittoz, E.A., Degrauwe, M.G.R., Bitz, S. High-performance crystal oscillator circuits: theory and application 88−56499
Vittoz, E.A. *see* Arreguit, X. 87−23967, 87−53718
Vittoz, E.A. *see* Degrauwe, M.G.R. 86−34520, 88−20115
Vittoz, E.A. *see* Enz, C.C. 87−23962, 87−53714
Vittoz, E.A. *see* Wegmann, G. 88−20140
vittral, V. *see* Fouad, A.A. 85−4548
Vitturi, S. *see* Schmidt, V. 88−67704
Viturro, H. *see* Feingold, M. 88−56504
Viturro, R.E., Slade, M.L., Brillson, L.J. Cathodoluminescence spectroscopy of metal/III-V semiconductor interface states 88−19743
Viturro, R.E., Weiser, K. Some properties of hydrogenated amorphous silicon produced by direct reaction of silicon and hydrogen atoms 86−34387
Viturro, R.E. *see* Brillson, L.J. 87−1294, 87−53269
Viturro, R.E. *see* Chiaradia, P. 88−13020
Viturro, R.E. *see* Shaw, J.L. 88−44586, 88−64324
Viturro, R.E. *see* Zeldov, E. 86−14879
Vitusevich, S.A. *see* Akopyan, A.A. 88−32842
Vitushkin, L.F., Gryaznevich, V.P. Natural fluctuations of the emission of a gas laser with a nonlinearly absorbing cell 87−12397
Vitushkin, L.F., Smirnov, M.Z. Quantum limit of absolute-shift resolution using laser interferometers 86−11697
Vitushkin, L.F., Smirnov, M.Z. Nonlinear effects in the active medium of lasers and the measurement of small displacement 86−68651
Vitvar, M., Bachraty, V. Innovated range of Kaplan turbines 87−57937

Vitvitskiy, V.G., Grinberg, G.S., Mogilevskaya, L.Ya., Khotuntsev, Yu.L. Investigation of intermodulation distortions in amplifiers employing Schottky-barrier field-effect transistors 85−6534
Vityaz', O.A. *see* Sigorskii, V.P. 85−10910
Vityaz', P.A., Sheleg, V.K., Kaptsevich, V.M., Sorokina, A.N., Savich, V.V., Pilinevich, L.P. Distribution of porosity in sintered permeable materials by an eddy current method 85−33548
Vityazev, V.V. The synthesis of the pyramidal structure of a set of digital filter-demodulators 85−55034
Vityazev, V.V., Murav'yev, S.I. Modifications of the frequency-sampling method using a structure with quadrature modulation 86−27478
Vityazev, V.V., Murav'yev, S.I. A pyramidal structure of infinite impulse response bandpass digital filters 87−45102
Vityazev, V.V., Murav'ev, S.I., Stepashkin, A.I. Design method for digital band pass filters with finite memory 85−11432
Vityazev, V.V., Murav'yev, S.I., Stepashkin, A.I. A method of designing digital passband filters with an infinite memory 86−35019
Vityazev, V.V., Murav'ev, S.I., Stepashkin, A.I. Synthesis of a pyramidal structure of a set of digital bandpass filters 87−45072
Vivaldi, A.R. *see* Malavazi, H.J.F. 87−2811
Vivaldi, F. *see* Carosio, R. 85−24251
Vivaldi, F. *see* Dario, P. 85−15349, 87−71086
Vivani, A. *see* Molinari, G. *(editor)* 85−49263
Vivargent, M. *see* Bakken, J.A. 85−31696, 87−35350
Vivargent, M. *see* Dietl, H. 85−48166
Vivargent, M. *see* Lecoq, P. 85−59166
Vivaudo, M.B., Fuller, M.S. A communication interface controlled by saccadic eye movements 86−50618
Vivek, S., Raina, J.P. Time domain measurement of dispersion in optical fibres 88−33660
Vivekanandan, J. *see* Pandharipande, V.M. 86−36847
Vivell, J. Measures for disturbance-free mains power units 88−5761
Vives, J.Quemada *see* Quemada Vives, J.
Vivia, R. *see* Heeren De Oliveira, A. 88−29770
Vivia, R. *see* Herbaut, Y. 86−56218
Vivian, B. *see* Begley, D.L. 87−26454 to 26455
Vivian, G.A. *see* Wilson, R. 86−51217
Vivian, J.M. *see* Decker, D.K. 87−42181
Vivian, P.G.L. Electroplating technology in the production of printed circuit boards 85−23267
Vivian, R.H. DPCM studies using edge prediction and adaptive quantisation laws for the transmission of still pictures over the ISDN 87−75873
Viviani, A. *see* Girdinio, P. 85−53674, 85−55984, 86−40683, 87−47085, 88−33418
Viviani, A. *see* Gotelli, G. 88−52009
Viviani, A.F. *see* Girdinio, P. 88−65972
Viviani, G.L. Practical optimization [power systems] 85−59539
Viviani, G.L. Generation scheduling with integral constraints on fuel supplies 86−18918
Viviani, G.L. Complex vector load flow 86−38998
Viviani, G.L. Applications of artificial intelligence to power system operational problems 86−61092
Viviani, G.L., Lin, C.E., Webb, M.G. A real time approach for revising generation unit performance characteristics 85−38821
Viviani, G.L., Saet, Y.A. New type of multi-state detector for adaptive control: an application to network switching 86−34623
Viviani, G.L., Saet, Y.A. A practical algorithm for numerical determination of periodical regimes in nonlinear oscillators 87−10711
Viviani, G.L. *see* Saet, Y.A. 87−23883, 87−59227
Viviani, R. *see* Arduini, F. 88−66739
Viviani, R. *see* Dellepiane, S. 88−46242
Viviano, J.J. A hybrid simulation of a hybrid baseband equalizer 86−14441
Viviano, P.J. *see* Woodruff, B.W. 85−22310
Vivien, D. Materials for lasers 87−18950
Vivien, D., Lejus, A.M., Thery, J., Collongues, R. A new monocrystalline laser material: LNA 86−68511
Vivien, D., Viana, B., Revcolevschi, A., Barrie, J.D., Dunn, B., Nelson, P., Stafsudd, O.M. Optical properties of β-Ga_2O_3:Cr^{3+} single crystals for tunable laser applications 88−20599
Vivien, D. *see* Lefebvre, D. 88−45385
Vivien, D. *see* Moncorge, R. 86−68498, 88−65633
Vivien, D. *see* Schearer, L.D. 86−58902
Vivien, D. *see* Wyon, C. 88−43853
Vivien, J.P. *see* Novotny, R. 88−22924
Vivier, C. Trends in test generation and fault simulation 87−66086
Vivier, C., Fournie, G. Automatic modelling of MOS transistor networks for test pattern generation 87−24111
Vix, M. *see* Kost, A. 87−33354
Vizard, D.R. *see* Barker, R.W. 87−20658
Vizard, D.R. *see* Curtis, P.D. 87−35488
Vizard, D.R. *see* Davies, S.R. 87−17376
Vizard, F. A buyer's guide to camcorders 87−56401
Vizard, F. Great installations: auto sound 87−70310
Vizard, F. Great systems: auto sound 87−70317
Vizas, C.J., II, Morgan, W.L. Advanced transoceanic satellite systems 87−28526
Vizcarro Garasa, M. Strong electrostatic fields and magnetic fields: a possible cure for cancer? 85−26786
Vizcarro Garasa, M. A mutagen theory of cancer 87−29821
Vizen, F.L. *see* Epikhin, V.M. 85−62427, 88−72181
Vizir', V.A., El'chaninov, A.S., Zagulov, F.Ya., Kovsharov, N.F., Sorokin, S.A., Fedushchak, V.F. High-power pulse transformer 87−66606
Vizir', V.A., Shubkin, N.G., Laier, A.V., Chervyakov, V.V. Thyratron-choke switch for high-current nanosecond pulses 86−67558
Vizir', V.A. *see* Butakov, L.D. 86−67098
Vizkelethy, Gy. *see* Fried, M. 85−12143
Vizleux, J.-C. *see* Hennebicq, J.-P. 86−33207
Vizmuller, P. Elliptic filter wins a comparison test 86−20687
Vizmuller, P. Common-base or common-collector S-parameter conversions 86−41762
Vizmuller, P. A simple frequency divider circuit 87−5998
Vizmuller, P. Broadband miniature power splitter 87−73614
Vizmuller, P. An absorptive notch filter 88−63777
Vizner, A.A. Calculation of the permissible drift of the electrooptical modulator operating point in a digital data-transmission system 86−49139
Vizner, V. *see* Koci, M. 85−22185
Vizot, J., Stephan, R., Provost, J., Maignan, A., Raveau, B. Automatic hysteresis loop measurements during heavy-ion irradiation of ferromagnetic metallic glasses 88−33508
Vizot, J. *see* Mercey, B. 86−21162
Vizzi, B. *see* Guidorizzi, S. 87−34290
Vizzini, R.W. Integrated flight/propulsion control system considerations for future aircraft application 86−44748
Vizzini, R.W. *see* Davies, W.J. 87−63892, 88−61538
Vjita, K. *see* Kuroda, Y. 87−30879
Vlach, J. Interfacing a digital-analogue convertor to a microcomputer 86−20650
Vlach, J. Hand analysis of switched-capacitor networks 87−10641
Vlach, J., Christen, E. Poles, zeros, and their sensitivities in switched-capacitor networks 85−34046
Vlach, J., Christen, E. Sensitivities of poles and zeros in switched capacitor networks 86−62713
Vlach, J., Erban, P. Integrated power system for power and heat supply 88−11043
Vlach, J., Erban, P., Zunt, V. Possibilities to get higher economy of centralized heat supply systems through their combination with other heat supplying systems 86−71120
Vlach, J., Singhal, K., Christen, E., Vlach, M., Chadha, R. Computer aided design of linear and switched capacitor networks 88−56765
Vlach, J., Singhal, K., Vlach, M. Computer oriented formulation of equations and analysis of switched-capacitor networks 85−928
Vlach, J. *see* Barby, J. 85−18363, 86−67889
Vlach, J. *see* Barby, J.A. 88−50779
Vlach, J. *see* Borys, A. 87−44641
Vlach, J. *see* Chadha, R. 85−23019, 87−59055
Vlach, J. *see* Christen, E. 85−23015, 86−67341, 88−49957
Vlach, J. *see* Nagaraj, K. 85−55000, 86−57962, 86−67337, 87−59710
Vlach, J. *see* Opal, A. 86−66999, 87−65790
Vlach, J. *see* Pavlik, P. 86−67189
Vlach, J. *see* Ruan, G. 86−47830, 86−67188, 87−65989, 88−50113
Vlach, J. *see* Singhal, K. 87−52267
Vlach, J. *see* Vlach, M. 86−62418
Vlach, J.K. *see* Nagaraj, K. 88−32316
Vlach, M. Block relaxation in the Katzenelson algorithm 85−17096
Vlach, M. LU decomposition and forward-backward substitution of recursive bordered block diagonal matrices 85−22292
Vlach, M. VLACH−very large analog circuit hierarchical simulator 86−58565
Vlach, M., Vlach, J., Singhal, K., Chadha, R., Christen, E. WATSCAD-A a program for the analysis and design of switched capacitor networks 86−62418
Vlach, M. *see* Chadha, R. 87−59055
Vlach, M. *see* Christen, E. 85−23015, 86−67341
Vlach, M. *see* Tegze, M. 87−10230
Vlach, M. *see* Vlach, J. 85−928, 88−56765
Vlachogiannis, M., Kyriakou, G., Coucourlis, C., Gotsis, N., Sahalos, J.N. Determination of the physical state of the human thorax by means of impedance plethysmography 88−29942
Vlachojannis, K., Hafner, U. Design of an electronic switch 86−27507
Vlachos, A. *see* Kingon, A.I. 87−53815
Vlachos, S. *see* Milonakis, A. 86−25677
Vlacich, E.J. *see* Healy, J.D. 85−20526
Vlack, D., Lehman, H.R. An experimental digital video switching architecture 85−52528
Vlack, D. *see* Briley, B.E. 87−20755
Vlack, D. *see* Eng, K.Y. 88−53026
Vlad, D. *see* Forje, A. 86−63234
Vlad, M. A time resolving spectrometry method for particle emitted in intense bursts 85−20855
Vlad, M. *see* Forje, A. 86−63234
Vlad, V. *see* Draganescu, V. 86−3403
Vlad, V.I. Opto-electronic bistable devices for image processing 86−15780
Vlad, V.I., Amarande, S. Optical coding of the three-dimensional objects and image processing for robot active vision 87−55304
Vlad, V.I., Ostrovskaya, G.V., Kovalchuk, Y.V., Partnoy, E.L., Dabu, R.V., Smolsky, O.V., Sokolov, I.A. Conjugate wavefront generation in some semiconductor materials at 1.06 μm wavelength 85−35862
Vlad, V.I., Popa, D., Solomon, S. Hybrid holographic-digital processing system for three-dimensional displacement measurement 87−47016
Vladan, J. *see* Srdjan, B. 86−20380
Vladescu, A. *see* Misu, N. 86−6451
Vladimirov, A.G., Pelyukhova, E.B., Fradkin, E.E. Origin of periodic lasing in a single-mode laser with a nonlinear absorbing cell 88−72243
Vladimirov, A.I., Goryuk, S.V., Saenko, V.A. Metal-plasma source 88−31854
Vladimirov, A.I. *see* Saenko, V.A. 86−40774
Vladimirov, A.M. *see* Popov, A.A. 85−48925
Vladimirov, A.V. *see* Aleskerov, F.T. 86−66672
Vladimirov, E.N., Grinfel'd, M.L., Orlova, N.E., Pliss, A.Z. CAMAC-compatible 16-channel counter model 86−60617
Vladimirov, E.N., Sareva, T.P., Ebril, L.Ya. Digital ratemeter implemented by single-chip microcomputer 87−70695
Vladimirov, E.N. *see* Aleksandrov, G.N. 87−3386
Vladimirov, E.N. *see* Verman, B.S. 85−20438
Vladimirov, F.L., Groznov, M.A., Eremenko, A.S., Lan'kova, S.M., Lyubimov, V.V., Morichev, I.E., Morozova, E.A., Myl'nikov, V.S., Orlov, S.Yu., Pletneva, N.I., Pokrovskii, V.P., Soms, L.N. Conversion of optical signals in a laser with an intracavity liquid-crystal spatial modulator 86−36533
Vladimirov, F.L., Morichev, I.E., Petrova, L.I., Pletneva, N.I. Liquid-crystal analog display 88−20451
Vladimirov, F.L., Morichev, I.E., Petrova, L.I., Pletneva, N.I. Light modulators based on field effects in nematic liquid crystals 88−26896
Vladimirov, F.L., Morichev, I.E., Pletneva, N.I. Influence of temperature on the characteristic times for a photoconductor-liquid crystal structure 85−12668
Vladimirov, F.L., Morichev, I.E., Pletneva, N.I. Optically controlled transparencies employing liquid crystals 85−18760
Vladimirov, F.L., Morichev, I.E., Pletneva, N.I. Effect of element parameters on the basic characteristics of optically controlled photoconductor-liquid crystal type transparencies 86−22190
Vladimirov, F.L., Morichev, I.E., Pletneva, N.I. Switching speed of optically controlled transparencies operating by the *S*-effect 86−28915
Vladimirov, S.N., Maydanovskiy, A.S. Comparative analysis of natural fluctuations in two classes of self-excited oscillatory systems 88−38413
Vladimirov, S.V., Rukhadze, A.A. Developing a plasma antenna theory 88−52275
Vladimirov, V.V., Gorshkov, V.N. Stability of liquid-metal ion sources 88−61051
Vladimirov, V.V. *see* Abdurakhmanov, S.M. 86−21159
Vladimirova, E.G., Kienko, A.I., Proskurenko, S.S., Sergeev, V.D., Chernyshova, A.S. Levitation characteristics of a multipoint electrodynamic suspension system 85−39261
Vladimirova, E.V., Zhuravlev, K.A., Ivanchenko, V.A., Semenov, V.I. Current-voltage characteristic of a thin-base diode with a Schottky barrier under quasiballistic current flow conditions 87−38186
Vladimirova, N.M. *see* Bardakovskii, S.V. 85−56518
Vladimirova, N.M. *see* Fischer, E. 87−38681
Vladimirova, N.S. *see* Denisov, V.I. 88−17335
Vladimirskii, L.L., Merkhalev, S.D., Chernevich, L.V., Yakoleva, T.V., Yakusheva, E.R. Electrical strength of supporting chains in conditions of dampness and pollution [insulator chains] 86−25621
Vladimirskii, L.L., Merkhalev, S.D., Chernevich, L.V., Yakovleva, T.V. Finding the initial data for charts of insulation levels in regions with naturally-occurring contaminations 86−65698
Vladimirskii, R.A. *see* Kanevskii, D.Z. 85−13015
Vladimirsky, O. *see* Dana, S.S. 88−26132
Vladimirsky, Y. Radiation stability and damage mechanisms in X-ray membranes 88−39302
Vladimirsky, Y., Kern, D.P., Chang, T.H.P., Attwood, D.T., Iskander, N., Rothman, S., McQuaide, K., Kirz, J., Ade, H., McNulty, I., Rarback, H., Shu, D. Zone plate lenses for X-ray microscopy 88−48062
Vladimirsky, Y. *see* Acosta, R.E. 86−1967

Vladimirsky, Y. *see* Lai, F.S. 86−35522
Vladimirsky, Y. *see* Rarback, H. 88−29937
Vladimirtsev, Yu.V., Gelbova, N.N., Golenishchev-Kutuzov, V.A., Zhashkov, A.A., Ermakov, G.A., Migachev, S.A., Rez, I.S. Influence of defects on the optical strength of lithium iodate crystals 85−51231
Vladimirtsev, Yu.V., Glebova, N.N., Golenishchev-Kutuzov, V.A., Migachev, S.A. Investigation of the acoustic properties of crystals by means of the photoacoustic effect 85−56017
Vladimorov, S.V., Tsytovich, V.N. Energy balance in processes of transition radiation 86−29307
Vladkov, E.P. Increase of the stability of systems for the recognition of the colour code using a time comparison principle 85−8544
Vladkov, E.P. Identification of color TV systems by measuring color synchronization signal duration 85−20345
Vladov, S.S. *see* Kolev, L.V. 88−70482
Vladul, A.T. *see* Bylinkin, A.F. 85−12786
Vladut, S.G. An exhaustion bound for algebraic-geometric 'modular' codes 88−2957
Vlaeminck, R. *see* Vanden Berghe, R. 87−11109
Vlahavas, J. *see* Pombortsis, A. 88−66800
Vlahoplus, C., Jr. *see* Golay, M.W. 88−55127
Vlahos, H., Milutinovic, V. GaAs microprocessors and digital systems: an overview of R&D efforts 88−32246
Vlahovic, V.M., Vujosevic, I.M. Long-term forecasting: a critical review of direct-trend extrapolation methods 87−35595
Vlahovici, N. *see* Pavelescu, C. 88−31832
Vlaicu, C. Linear DC motor with moving magnet for recording apparatus 87−64835
Vlaicu, C. *see* Gheorghiu, C. 88−31982
Vlajnic, M. *see* Nedic, S. 86−23053
Vlajnic, M.S. WSI implementation of systolic arrays for GaAs 87−44764
Vlakhova, R.T., Grozdanov, V.A., Kalinin, A.I., Meshcherskiy, B.P., Peichev, G.I., Petrushko, Yu.I., Todorov, T.D., Troitskiy, V.N. Study of super-long-range propagation of decimeter waves over the Black Sea 87−47166
Vlaksina, S.I. *see* Britun, V.F. 87−38940
Vlaming, R. *see* Dubbers, D. 88−61019
Vlannes, N.P. Experimental study of microwave magnetostatic waves in thin-film yttrium-iron-garnet with a new magnetic-induction probe 87−32845
Vlannes, N.P., Morgenthaler, F.R. Examination of magnetostatic waves by new optical and induction probes 85−50849
Vlasak, R. Prospects of czechoslovak library and information services development within the frame of both national and international information and communication networks 88−3363
Vlasak, W. Comments on 'Current velocity measurements using acoustic Doppler backscatter: a review' by W.E. Woodward and G.F. Appell 88−10169
Vlase, A. *see* Amza, G. 88−68666
Vlase, I.O. Computation of magnetic field within magnetic blowing arc chute 87−51396
Vlase, I.O. *see* Simulescu, D. 87−51393
Vlasenko, A.A., Lakoba, I.S. Possibility of using trifluoromethyl mercury chloride as an ingredient of a low-temperature active medium of an HgCl laser 88−27046
Vlasenko, L.A. *see* Chernov, A.A. 85−5973
Vlasenko, L.A. *see* Golovin, B.I. 85−22453
Vlasenko, L.S., Khramtsov, V.A. Nonresonant spin-dependent conductivity in silicon 86−15559
Vlasenko, L.S. *see* Bagraev, N.T. 85−23625, 85−50257
Vlasenko, N.A., Balyasnaya, S.I., Rolik, V.A., Khomchenko, V.S. The electroluminescence of thin ZnS-SmF$_3$ films 87−38916
Vlasenko, N.A., Gur'yanov, S.N. Electroluminescence of thin films. Status of research and unsolved problems 87−18853
Vlasenko, N.A., Gur'yanov, S.N., Savin, A.K., Tsyrkunov, Yu.A. Influence of excitation conditions on memory effects and switching in thin-film electroluminescent structures based on ZnS:Mn 86−15562
Vlasenko, N.A. *see* Svechnikov, S.V. 88−63378
Vlasenko, N.P. *see* Geskin, A.I. 86−26002
Vlasenko, N.V. *see* Bogdankevich, O.V. 88−34042
Vlasenko, S.G., Demesh, O.V. Digital processor for preliminary signal processing in a pyrovidicon IR imager 88−22515
Vlasenko, V.A., Ipser, Ya The discrete Hilbert transform in a modified Walsh-Hadamard transform basis 85−41920
Vlasenko, V.A., Ipser, Ya. A method of speeding up the calculation of the discrete Hilbert transform in a time basis 86−13715
Vlasenko, V.A., Ipser, Ya., Ieger, D. Calculation of the discrete Hilbert transform in the spectral range of Walsh-Hadamard functions 87−19677
Vlasenko, V.A., Katush, A.Kh.M. A rapid method of calculating the discrete Fresnel transform 86−46298
Vlasenko, V.A., Krylov, V.N. Dynamic characteristics of systems for preliminary spatial image processing 86−48992
Vlasenko, V.A., Krylov, V.N. Dynamic characteristics of systems for the preliminary space-time processing of images 87−19857
Vlasenko, V.A., Lappa, Yu.M. A method of reducing parametric errors in recursive digital filters 87−24344
Vlasenko, V.A., Lappa, Yu.M. A matrix approach to the construction of fast multidimensional discrete Fourier transform algorithms 87−31467
Vlasenko, V.A., Lappa, Yu.M. Efficient algorithms calculating number-theoretic transforms to the modulus of Fermat numbers 87−65346
Vlasenko, V.A., Lappa, Yu.M. Method of analyzing computation errors in fast Fourier transform algorithms 88−6427
Vlasenko, V.A. *see* Lekhan, V.Yu. 85−17220
Vlasenko, Yu.V., Lisitsa, M.P., Fekeshgazi, I.V. Nonlinear optical characteristics of gyrotropic crystals of CdP$_2$ and ZnP$_2$ 86−48490
Vlasenko, Z.K. *see* Bezvenyuk, V.E. 87−28914
Vlasik, V.F., Konevskii, B.I. A system of automation of the design of ventilation systems of nuclear power stations 86−39296
Vlasik, V.F., Mikhailovich, A.M., Pidenko, V.P. Margins of cost improvement efficiency of ventilation equipment in nuclear power stations 86−25691
Vlaskalic, S. *see* Rakic, R. 87−35599, 88−42815
Vlasov, A.A., Shestopalov, Yu.K. On the possibility of the remote determination of some sea roughness parameters by microwave polarisation measurements 86−6128
Vlasov, A.B., Zhukovskii, V.V., Chirkin, N.M. Convolution of radio signals in single crystal YIGG delay time 87−48869
Vlasov, A.E., Voronkov, M.E., Krivoshei, M.Z., Mostovoi, Yu.A., Chakhovskii, V.M. Design of the first cycling nuclear power station with heat storage 88−42927
Vlasov, A.E. *see* Akhmedov, R.B. 86−32935
Vlasov, A.I. *see* Ivanov-Smolenskii, A.V. 85−43931
Vlasov, A.M., Dyboi, V.A., Mezhov, V.E., Plotnikov, V.V., Kharin, V.N. New generation of interactive graphics equipment for CAD of microelectronic systems 87−66693
Vlasov, A.M., Dyboi, V.A., Mezhov, V.E., Plotnikov, V.V., Kharin, V.N., Chevychelov, Yu.A. An interactive system of logical simulation of digital circuits 87−65996
Vlasov, A.M., Dyboi, V.A., Mezhov, V.E., Plotnikov, V.V., Ratmirov, N.L., Kharin, V.N. Communications hardware in unified interactive multiprocessor graphics systems of the Kulon type 87−69625
Vlasov, A.M. *see* Mesentsev, N.A. 86−60675
Vlasov, A.N., Kanavets, V.I., Cherepenin, V.A. The possibility of increasing the intensity of the diffraction radiation in a multibeam system 88−20857
Vlasov, A.N., Kanavets, V.I., Cherepenin, V.A. A geometrical optics method for analyzing coherent diffraction radiation from relativistic electron beams 88−71279
Vlasov, A.N., Kanavets, V.I., Kurkin, M.G., Cherepenin, V.A. The theory of multiwave synchro-Cerenkov devices 88−1324
Vlasov, A.N., Kasel'skii, V.A., Perebyakin, V.A., Polyakov, S.Yu Stabilization of the emission frequency of an internal-mirror laser model ILGN-202 [He-Ne CW gas laser] 85−12804
Vlasov, A.N., Krylov, P.S., Mironov, A.V., Privalov, V.E. Acquisition of a narrow spectral emission line (0.63 μm) with minimal error of wavelength reproduction 88−33949
Vlasov, A.N., Krylov, P.S., Privalov, V.E. Investigation of the effect of perturbations in an active medium on broadening of the emission lines of a stabilized He-Ne laser with internal mirrors 86−15635
Vlasov, A.N., Perbyakin, V.A., Polyakov, S.Yu., Privalov, V.E. Long-term stability and reproducibility of the emission frequency of an He-Ne laser with internal mirrors 86−63760
Vlasov, A.N. *see* Spiridonov, N.S. 87−67272
Vlasov, A.P. *see* Pokhoriler, V.L. 88−69135
Vlasov, A.V., Gavrilov, V.B., Degtyarenko, P.V., Doroshkevich, E.A., Efremenko, Yu.V., Stavinskii, A.V., Khasanov, F.M., Shvartsman, B.B., Shuvalov, S.M. Efficiency of charged-particle identification by measurement of energy release in thick scintillator 87−50162
Vlasov, A.V. *see* Abramov, A.A. 88−65195
Vlasov, B.I., Kustov, V.Yu., Chaikovskii, A.N. Connecting a video display to a radio-optical image converter 85−8735
Vlasov, B.I., Kustov, V.Yu., Chaikovskii, A.N. Wideband power amplifier with high controllable linearity 86−57682
Vlasov, D.V. Aerial laser sounding of the upper layer of the ocean 86−65543
Vlasov, D.V. Problems and methods in remote laser probing of upper ocean layers 87−77881
Vlasov, D.V., Strel'tsov, V.N. External resonator filled with a thermally nonlinear material 85−7539
Vlasov, D.V., Strel'tsov, V.N. Fluctuations of the intensity of an echo signal obtained in laser sounding of the upper layer in the ocean in the presence of large surface waves 86−32578
Vlasov, D.V. *see* Akhunov, Kh.G. 85−2543
Vlasov, D.V. *see* Bunkin, A.F. 85−53148, 85−56805
Vlasov, E.A., Kudryashova, E.Yu., Prigoda, B.A., Khudyakov, A.Yu. Computer design of band pass filter built with lattices of circular rods between parallel earthing plates 85−28626
Vlasov, E.N., Kodzhaev, K.Sh. Control of non-steady-state processes in a thyristor generator feeding an inductive energy store [synchronous generators] 86−19237
Vlasov, E.V. *see* Anguilar-Benitez, M. 87−71031
Vlasov, E.V. *see* Boratav, M. 86−5801
Vlasov, E.V. *see* Boratave, M. 86−50449
Vlasov, F.I. Digital audio engineering 86−43957
Vlasov, G.G. *see* Pleskov, G.I. 86−61363
Vlasov, G.I., Bank, M.U. The problems of interfacing digital sound systems and devices with different sound signal formats 86−11375
Vlasov, G.I., Grudinin, A.S. Automated functional design of digital audio equipment 88−4228
Vlasov, G.I., Kolesnikov, V.M., Dovger, Y.I., Sinilnikov, A.M., Popov, A.S. A digital system of stereo sound for television 88−29165
Vlasov, K.P., Zemlyakov, V.D., Fisenko, S.A. Kinetic gaps in electric drives of reversing rolling mills: analysis of closure process 86−45734
Vlasov, M.A., Denisova, I.P., Nikonov, S.V. Effect of the temperature of a high-current electron beam on its propagation in a drift space 85−50150
Vlasov, M.A., Glebov, V.V., Malafeyev, O.A., Novichkov, D.N. Experimental study of an electron beam in drift space 87−19146
Vlasov, M.A., Nikonov, S.V. Equilibrium of a high-current electron beam with an anisotropic transverse temperature 87−19144
Vlasov, M.M. Accuracy of modeling microwave circuits with nonuniformities by FM-reflectometer measurement 87−3732
Vlasov, M.N., Medvedov, V.V. Possible mechanism of formation of D-region winter anomaly 86−3511
Vlasov, N.G., Lisin, O.G., Savilova, Yu.I. Simplified method for calculating holographic interference patterns of diffusely reflecting objects 85−46504
Vlasov, N.G., Semyonov, E.G., Sokolova, M.E. On visualization of transparent phase objects by a single holographic recording in a partially coherent light 87−54446
Vlasov, N.G., Vishnyakov, G.N., Krasnova, L.O. Interfering wave fields phase summation based on nonlinear hologram recording 86−9989
Vlasov, P.V. *see* Shcheklein, S.E. 88−22845
Vlasov, R.A. *see* Afanas'ev, A.A. 86−22556
Vlasov, S.I. *see* Radin, V.I. 86−45408
Vlasov, S.I. *see* Zainabidinov, S.Z. 85−12033, 86−21270, 86−35441
Vlasov, S.M. *see* Shcheklein, S.E. 88−22845
Vlasov, S.N. Instability of a nonlinear Fabry-Perot interferometer 85−35892
Vlasov, S.P. *see* Karaev, R.I. 86−19566
Vlasov, V.A. A threshold phase-splitting element with stabilising properties based on an inductive parametric generator 88−48944
Vlasov, V.A., Gavrilov, N.M., Gavrilova, R.K., Rassadin, V.V. Accelerating system for hollow ion beams 86−24932
Vlasov, V.A. *see* Bocharov, V.I. 86−19304
Vlasov, V.A. *see* Vinokurov, V.A. 88−5690
Vlasov, V.G., Frolov, A.I. Spectrometer module on line with Elektronika D3-28 microcomputer 86−60636
Vlasov, V.G. *see* Borzhkovskii, V.F. 85−26233
Vlasov, V.G. *see* Savelov, N.S. 88−24034
Vlasov, V.G. *see* Soplyachenko, V.N. 88−6558, 88−64961
Vlasov, V.I. *see* Rykov, A.V. 87−63912
Vlasov, V.I. *see* Tokmakov, V.A. 86−44773
Vlasov, V.N. Optimization electromagnetic calculations for current transformers in steady-state regime 87−72185
Vlasov, V.N. *see* Anufriev, A.N. 86−47956
Vlasov, V.S. *see* Muzhitskii, V.F. 88−43961
Vlasov, V.V., Filimonov, V.I., Baraboshkin, V.S. Results of the computer-aided design of high-voltage voltage multipliers 87−23946
Vlasov, V.V. *see* Bashilov, V.A. 87−74611
Vlasov, Yu.G., Bychkov, E.A. Ionic and electronic conductivity in the copper-silver-arsenic-selenium glasses 85−23472
Vlasov, Yu.G., Bychkov, E.A. Electrochemical ion-selective sensors based on chalcogenide glasses 88−4392
Vlasov, Yu.G. *see* Bratov, A.V. 87−3587
Vlasov, Yu.G. *see* Seleznev, B.L. 87−6384
Vlasova, O.K. *see* Gusev, V.D. 86−36722
Vlasova, V.I. *see* Brusentseva, S.A. 87−42265
Vlasova, V.V., Mogueva, O.V. On modelling of single-chip microprocessor devices 86−1095
Vlassov, A.V. *see* Degtyarenko, P.V. 86−5787
Vlassov, K.P., Tisenko, W.N., Samardina, W.N. A multi-motor asynchronous drive with improved dynamic properties for hoisting machines 86−56967

Vlastos, A.E. DC withstand voltage of XLPE cables at different temperatures 86–70676
Vlastos, A.E. Temperature and field dependence of DC leakage currents of XLPE cables 86–70681
Vlastos, A.E. *see* Ming, L. 88–55258
Vlastos, A.E. *see* Yu, C. 86–68058
Vlasyuk, Yu.S. Coding noise of a digital delta-sigma modulator: realization features 87–19377
Vlasyuk, Yu.S. *see* Brunchenko, A.V. 86–27481
Vlc, M., Stengl, K. A reconstructed compressor station for low-oil-content switchgear 88–69630
Vlcek, J., King, D. Development and use of a 4-camera video system 87–4121
Vlcek, J. *see* Galas, J. 87–64574
Vlcek, J. *see* Jayasinghe, D. 87–69396
Vlcek, J. *see* Kott, J. 86–51289, 87–64302
Vlcek, J.C., Fonstad, C.G. InGaAs/InAlAs heterojunction Schottky transistors grown by MBE 87–6664
Vlcek, J.C. *see* Whitney, P.S. 87–74063
Vlcek, M., Lachmann, P. Approximate computation of the density probability of dividing equivalent loading and power ensurance of electric systems 87–35527
Vlcek, M., Lachmann, P. Application of an approximate method for optimal generation planning 88–10818
Vlcek, M., Pham Bich Hoe McClellan transformation through the addition and multiplication theorems for Chebyshev polynomials 88–56810
Vlcek, M., Zima, V. On reciprocity 87–397
Vlcek, M. *see* Kadlec, J. 87–2540, 87–47639
Vlcek, M. *see* Moos, P. 87–883
Vlcek, M. *see* Pham Bich Hoa 88–56770
Vlcek, M. *see* Zima, V. 86–62391
V'lchev, N.A. *see* Dzhagorov, N.F. 88–37777
Vleck, J.H.Van *see* Van Vleck, J.H.
Vleddel, H.S. *see* Wassink, R.S.K. 85–6597
Vleduts, S.G., Katsman, G.L., Tsfasman, M.A. Modular curves and codes with polynomial complexity of construction 85–19345
Vleeschauwer, D.De *see* De Vleeschauwer, D.
Vleeschauwer, E.De. *see* Kuyken, H. 86–61661
Vleeschouwer, A.De *see* De Vleeschouwer, A.
Vleeshouwers, J., Hoeijmakers, M.J., Schot, J.A. Simple dynamic models of a synchronous machine with rectifier 88–62322
Vleeskens, J.M. Quality markings for coal used for fluidised bed combustion 86–6465
Vleeskruijer, D. *see* Jonker, I. 88–30596
Vlekkert, H.-H.Van Den *see* Van Den Vlekkert, H.-H.
Vlemincx, M. *see* Ane, J.M. 87–74637
Vleuten, P.Van der *see* Van der Vleuten, P.
Vleuten, R.van der *see* van der Vleuten, R.
Vleuten, W.C. *see* Vijgen, L.J. 88–13062
Vlieks, A.E. *see* Allen, M.A. 87–35262, 88–50594
Vlieks, A.E. *see* Lee, T.G. 88–39000
Vlierberghe, S.Van *see* Van Vlierberghe, S.
Vliers, A. *see* Robert, A. 85–9199
Vliestra, J. ARCADE–order in information transfer 85–49691
Vliet, B.N.Van *see* Van Vliet, B.N.
Vliet, C.M.Van *see* Van Vliet, C.M.
Vliet, F.Van *see* Van Vliet, F.
Vliet, G.C. *see* Guthrie, T. 88–17476
Vliet, L.J.van *see* van Vliet, L.J.
Vliet, Ph.E.P.van der *see* van der Vliet, Ph.E.P.
Vliet, R.J.Van *see* Van Vliet, R.J.
Vliet, R.van *see* van Vliet, R.
Vlissingen, R.F.Van *see* Van Vlissingen, R.F.
Vlist, P.van der *see* van der Vlist, P.
Vlkova, M. *see* Hlavka, J. 86–66023
Vlnar, F. The homogeneity verification of a set of measured values 86–60091
Vlnar, F. Application of the Weibull distribution to voltage tests 88–20827
Vlnar, F. Contribution to the estimation of solid insulation electric strength 88–71843
Vlogaert, J. ACOL dipoles 88–54291
Vloten, C.P.Van *see* Van Vloten, C.P.
Vltavsky, L., Stuchl, P. Static excitation sets of 210 MVA turbo-alternators for Umm-al-nar-West power station 86–12779
Vltavsky, L. *see* Stuchl, P. 85–60105
Vlugt, D.N., Zandee, P. Investigation of 10 kV jointing sleeves for cross-linked polyethylene cable 85–64933
Vnukov, A.K., Rozanova, F.A. The influence of power engineering on the gaseous composition of the atmospheric basin of towns [power stations] 86–38972
Vnukov, I.E. *see* Anan'in, P.S. 86–50385
Vnukov, P.V., Romanov, V.Yu., Baryshnikov, V.N., Panachev, F.I. Using a PROM in schemes for controlling stepping motors 86–51662
Vnukov, P.V. *see* Romanov, V.Yu. 86–67054
Vo, D. Automated SPICE characterization of gate array and standard cell libraries 87–59385
Vo, D. *see* Pierce, K. 87–697
Vo, D. *see* Rowson, J. 87–37233
Vo, K. *see* Chang, L. 87–67559
Vo, P.Del *see* Del Vo, P.
Vo, T.D.H., Dwyer, G., Szeto, H.H. A distributed microcomputer-controlled system for data acquisition and power spectral analysis of EEG 86–65443
Vo, T.V., Litva, J. Systolic array for 2-D adaptive beamforming 88–73164
Vo Duc Luong *see* Dinh Van Hoang 88–34125
Vo Hong Anh *see* Nguyen Hong Shon 86–41504
Vo-Dai, T.V. A CSMA-CD with token passing architecture for local area communication networks 86–4326
Vo-Dai Thien *see* Thien Vo-Dai
Vo-dinh, T., Tromberg, B.J., Griffin, G.D., Ambrose, K.R., Sepaniak, M.J., Gardenhire, E.M. Antibody-based fiberoptics biosensor for the carcinogen benzo(a)pyrene 87–77624
Vo-Van Truong *see* Ashrit, P.V. 85–56367, 87–26088
Voadimirescu, A., Weiss, D., Katevenis, M., Bronstein, Z., Kfir, A., Danuwidjaja, K., Ng, K.C., Jain, N., Lass, S. A vector hardware accelerator with circuit simulation emphasis 87–65701
Vobecky, J., Kodes, J. Measurement of recombination radiation in silicon power devices 87–1473
Vobian, J., Herchenroder, G. Comparison of field measurements of the chromatic dispersion with laboratory results obtained by different methods 88–72079
Vobian, J., Herchenroder, G., Unterseher, E. Long-distance field measurements of spectral chromatic dispersion 86–22131
Vobis, J. *see* Berkel, W. 85–26490
Voblyi, P.D. *see* Anashin, V.V. 86–58721
Voblyi, P.D. *see* Kornyukhin, G.A. 85–56712
Voboril, J. *see* Gruening, H. 88–71542
Voboril, J. *see* Gruning, H. 87–45914
Voboril, J. *see* Roggwiller, P. 85–50514
Voboril, L. *see* Kokke, R. 88–54302
Vocetka, J. *see* Thiel, J. 85–30002
Voci, A. *see* Bellezza, F. 88–49218
Voci, C., Zannini, P., Maruotti, R.A., Negri, G., Baisi, A., Andretta, M., Pezzuoli, G. Computerized esophageal and esophagogastric pH-monitoring: technical features 88–29943
Voci, C. *see* Bardin, G. 87–77536
Voci, C. *see* Bressani, T. 85–43256
Voci, C. *see* Gasparini, F. 88–42440
Voci, C. *see* Macciotta, P. 86–50394
Voci, J. Digital radio: the future is now 88–47253
Voci, J. *see* Spurlin, W. 86–49773
Vock, E. Two-part cable current transformers for optical power balance measurements 86–39246
Vockel, E. Optimization of speed-controlled electric drives with elastic load. I 88–5925
Vockel, E., Worgitzki, A. TRANSRESCH-N–an information system for measurement and control of continuous current convertor devices and drives 85–5409
Voda, P. Location of partial discharges in manufacture lengths of HV cables with XLPE insulation 87–78138
Voda, P., Stanek, F. Contribution to the problem of detection of partial discharges in HY cables with cross-linked polyethylene (XLPE) insulation 87–35636
Voda, S.M., Pozar, D.M. A rigorous analysis of a microstrip line fed patch antenna 87–27045
Voda, S.M. *see* Das, N.K. 87–63494
Voda, S.M. *see* Pozar, D.M. 88–40664
Vodacek, A., Philpot, W.D. Environmental effects on laser-induced fluorescence spectra of natural waters 87–42252
Vodak, I., Kopacek, M. Prospects of the development of chosen electrical apparatus and HV switchboards and 123 kV encased switching stations 86–71000
Vodakov, Yu.A., Demakov, K.D., Kalinina, E.V., Mokhov, E.N., Ramm, M.G., Kholuyanov, G.F. Electrical properties of a p-n-n^+ structure formed in silicon carbide by implantation of aluminum ions 88–25923
Vodakov, Yu.A., Litvin, D.P., Sanin, V.I., Mokhov, E.N., Roenkov, A.D. Impact ionization in silicon carbide polytypes 86–1752
Vodakov, Yu.A., Litvin, D.P., Sankin, V.I., Mokhov, E.N., Roenkov, A.D. Avalanche breakdown in α-silicon carbide: a material with a natural superlattice 85–34597
Vodakov, Yu.A. *see* Poltinnikov, S.A. 87–31702
Vodakov, Yu.A. *see* Sankin, V.I. 85–46273
Vodakov, Yu.A. *see* Verechikova, R.G. 87–74112
Vodavatov, I.A. *see* Petrun'kin, V.Yu. 86–2884
Voday, J. A measuring generator of teletext information 87–48543
Vodenicarevic, M. Balance in the emission of sulphur in the past operation of Ugljevik Thermal Power Plant 1×300 MW 88–75413
Vodhanel, R.S. Optical sources for coherent optical fiber communication systems 87–12650
Vodhanel, R.S. 1 Gbit/s bipolar optical FSK transmission experiment over 121 km of fibre 88–28830
Vodhanel, R.S. Novel electrical squaring circuit with an output bandwidth from DC to 2·6 GHz 88–44092
Vodhanel, R.S., Cheung, N.K., Koch, T.L. Direct frequency modulation of vapor phase transported distributed feedback semiconductor lasers 86–48386
Vodhanel, R.s., Gimlett, J.l., Cheung, N.K., Tsuji, S. FSK heterodyne transmission experiments at 560 Mbit/s and 1 Gbit/s 87–56155
Vodhanel, R.S., Gimlet, J.L., Curtis, L., Cheung, N.K. 1 Gbit/s optical FSK heterodyne transmission experiment over 100 km of single-mode fibre 86–64969
Vodhanel, R.S., Gimlett, J.L., Curtis, L., Cheung, N.K. 1 Gb/s optical FSK heterodyne transmission experiment over 100 km of single-mode fiber 88–67403
Vodhanel, R.S., Gimlett, J.L., Standley, R.D., Cheung, N.K., Koch, T.L. FSK heterodyne detection experiment at 560 Mb/s using 1550 nm DFB 86–43136
Vodhanel, R.S., Ko, J.-S. Reflection induced frequency shifts in single-mode laser diodes coupled to optical fibres 85–7437
Vodhanel, R.S. *see* Eerkens, J.W. 87–39006
Vodhanel, R.S. *see* Enning, B. 88–41627
Vodhanel, R.S. *see* Gimlett, J.L. 86–17369, 86–49696, 88–9555
Vodhanel, R.S. *see* Menocal, S.G. 88–8209
Vodich, S.I. *see* Volynskii, M.M. 85–15883
Vodichev, V.I., Benenson, E.I., Budnyatskii, D.M., Dlugosel'skii, V.I., Barinberg, G.D., Radyush, V.P. Improvement of the technical-economic performance characteristics of high-capacity turbines for heat and power stations working on fossil fuel 87–42676
Vodicka, J.G. *see* Bahraman, A. 88–22655
Vodicka, V. *see* Cossmann, C. 85–4876
Vodjani, N. *see* Charasse, M.N. 88–50705
Vodjdani, N., Erman, M., Theeten, J.B. Structural analysis and optical characterization of low loss GaAs waveguides fabricated by selective epitaxy 85–46163
Vodjdani, N., Erman, M., Theeten, J.B., Ketata, M. Growth and optical assessment of low loss GaAs waveguides fabricated by localized vapor phase epitaxy 86–2842
Vodjdani, N., Parrens, P. Reactive ion etching of GaAs with high aspect ratios with Cl_2-CH_4-H_2-Ar mixtures 88–26070
Vodjdani, N. *see* Erman, M. 85–2049, 87–18758, 87–54046
Vodnev, A.A. *see* Alferov, Zh.I. 86–63813, 87–58944
Vodnev, V.V., Korablev, I.V. Procedure for building mathematical models of single-beam optical-acoustic gas analysers 85–64320
Vodny, J. Directional branch line with model impedance set according to values measured at the directional line 87–61415
Vodolazhenko, A.V., Kazanskii, V.B. Dielectric grating bandpass filters 85–61429
Vodolazhenko, A.V., Kazanskii, V.B., Kolchigin, N.N. Resonance phenomena in multiboundary periodic metal-dielectric systems 85–7629
Vodonos, Ya.I. Fluctuation summation and estimation for an MHD channel 85–5391
Vodopianov, A.S. *see* Filatova, N.A. 88–10285
Vodopianov, A.S. *see* Golovatyuk, V.M. 85–52982
Vodop'yanov, A.S., Nigmanov, T.S., Ryabtsov, V.D., Tsyganov, E.N. Determination of the three-dimensional resolution of drift chambers in π-e and K-e scattering experiments at a particle momentum of 250 GeV/sec 85–26707
Vodop'yanov, K.L., Grudinin, A.B., Dianov, E.M., Kulevskii, L.A., Prokhorov, A.M., Khaidarov, D.V. Generation of pulses of 100-200 fsec duration by stimulated Raman scattering in a single-mode fiber waveguide at wavelengths 1.5-1.7 μ 88–45083
Vodop'yanov, K.L., Kulevskii, L.A., Pashinin, P.P., Umyskov, A.F., Shcherbakov, I.A. Bandwidth-limited picosecond pulses from a YSGG:Cr^{3+}:Er^{3+} laser ($\lambda=2.79\ \mu$) with active mode locking 88–20719
Vodop'yanov, K.L., Voevodin, V.G., Gribenyukov, A.I., Kulevskii, L.A. Picosecond parametric superluminescence in the $ZnGeP_2$ crystal 86–63862
Vodop'yanov, K.L. *see* Andreeva, L.I. 86–68499
Vodop'yanov, V.N. *see* Bakhtinov, A.P. 86–47453
Vodop'yanov, V.V. Commutativeness of K-method of interpolation and of Calderon-Lozanovskii method 85–54351
Vodovatov, I.A., Presnyakov, V.A., Rogov, S.A., Samsonov, V.G. Correction for the inefficiency of the charge transfer in charge-coupled-device photodetectors in optical-digital data processing systems 87–74412
Vodovatov, I.A., Rogov, S.A. Passage of a random signal through an astigmatic optical system 87–39873
Vodovatov, I.A., Vysotskii, M.G., Petrun'kin, V.Yu., Rogov, S.A., Samsonov, V.G. System for detecting and processing optical signals using charge-coupled-device structures and an Elektronika 60M microcomputer 87–20906

Vodovatov, I.A., Vysotskiy, M.G., Rogov, S.A. Investigation of the radiation patterns of annular antenna arrays with a random arrangement of elements 85—13221
Vodovatov, I.A. *see* Babushkin, S.R. 87—69260
Vodovatov, I.A. *see* Petrun'kin, V.Yu. 86—2885
Vodovnik, L., Stefanovska, A., Bajd, T. Effects of stimulation parameters on modification of spinal spasticity 87—63802
Vodovnik, L., Stefanovska, A., Rebersek, S., Janezic, R.A., Gros, N. Some developments in functional and therapeutic electrical stimulation of neuromuscular system 86—18359
Vodovnik, L., Stevanovska, A., Rebersek, S., Bajd, T., Gros, N., Gregoric, M. Spinal and cerebral spasticity—modifications by electrical stimulation 88—74860
Vodovnik, L. *see* Stefanovska, A. 88—61406
Vodovozov, V.M. The energy parameters of an electric motor drive with programmed control 86—13098
Vodovozov, V.M., Zayats, N.D., Timofeev, A.A. Mutual compensation of supply channels of induction transducers in the electric drive of machine tools 87—9888
Vodovozov, V.M. *see* Zayach, N.D. 85—47959
Voegele, V., Kalbitzer, S., Bohringer, K. Observation of correlation effects in the hopping transport in amorphous silicon 86—1740
Voegelin, M.R. *see* Guzzardi, R. 87—63738
Voegler, N., Friedrich, J., De Jager, C.W., Offermann, E.A.J.M., De Vries, H. Self-consistent determination of the focussing properties of a magnetic spectrometer 86—70365
Voegtle, G. Designing machine foundations for power stations 86—25968
Voegtle, K.H. *see* Ranade, S.T. 87—30000
Voegtlin, R. *see* Baruthio, J. 85—59308
Voelcker, J. Microprocessors [developments in 1985] 86—27350
Voelcker, J. Instrumentation [trends in 1985] 86—31123
Voelcker, J. Helping computers communicate 86—43546
Voelcker, J. Technology '87: instrumentation 87—41309
Voelcker, J. Learning from earlier systems [product redesign] 87—51835
Voelcker, J. Communications and navigation 88—4126
Voelcker, J. Electronics puts its foot on the gas 88—55702
Voelcker, J., Wallich, P., Zorpette, G. Production of personal computers 88—55936
Voelcker, J. *see* Fischetti, M.A. 87—29844
Voelcker, J. *see* Perry, T.S. 87—29905
Voelker, A. *see* Niessen, C. 86—7910
Voelker, E.-J. Control rooms for music monitoring 85—52591
Voelker, F. *see* Goldberg, D.A. 88—54107
Voelker, F. *see* Goldenberg, D.A. 86—31921
Voelker, F. *see* Kramer, S.L. 85—26603
Voelker, G.E. IGCC the way forward 88—62164
Voelkle, F., Bottazzi, F. Detailed routing of integrated circuits by simulated annealing 88—71671
Voelskow, M., Matthai, J., Stegemann, K.-H., Gerisch, D., Mutze, S. Zone-melting recrystallization of LPCVD—silicon films using a movable halogen lamp 86—41656
Voelskow, M., Mattthai, J., Klabes, R. Electrical properties of ion implanted and short time annealed polycrystalline silicon 85—23408
Voelskow, M. *see* Heinig, K.-H. 86—28172
Voelskow, M. *see* Kachurin, G.A. 88—26033
Voelskow, M. *see* Petukhov, V.Yu. 87—1397
Voelskow, M. *see* Scharff, W. 86—28410
Voelskow, M. *see* Skorupa, W. 88—63297
Voelskow, M. *see* Tillack, B. 86—47475
Voelz, E. Commissioning a SODAR system for routine meteorological measurements at the Grohnde nuclear power station 86—50751
Voelz, H. *see* Maediger, C. 85—18566
Voelzke, H. *see* Schrader, T. 87—52596
Voerman, M. *see* Meijer, R.J. 88—29917
Voermans, A.B. *see* Martens, J.W.D. 85—29431
Voermans, C. Digital signal processor with external memories: extra calculation functions on the chip 87—75775
Voermans, C.J.M. ADSP: a digital signal processor 88—32233
Voermans, J.A.M. Energy supply in animal husbandry, a current investigation 86—13231
Voessing, W. *see* Platte, H.-J. 85—36669
Voessing, W. *see* Schroder, E.F. 86—43609, 86—64796
Voeten, M.J.J.M. Nominal value of low voltage: a world survey 87—50768
Voevodin, A.A., Pautov, A.I., Tatko, B.N. Strobe attachment for a scanning electron microscope 85—7014
Voevodin, F.B., Krivov, M.A., Kuritsyn, B.A., Morozov, A.N. Analysis of the transfer function of a nonlinear thin-film waveguide 86—15774
Voevodin, I.D. *see* Mikhailovsky, Y.A. 86—51717
Voevodin, I.D. *see* Shidlovskii, A.K. 86—66136
Voevodin, M.A. *see* Averichev, S.A. 86—44522
Voevodin, M.A. *see* Shelaev, I.A. 85—26621
Voevodin, V.G., Morozov, A.N., Vinokurtseva, I.M. Fabrication and study of Ti:LiNbO$_3$:H waveguides 88—72126
Voevodin, V.G. *see* Andreev, Yu.M. 85—24667, 86—22524, 87—75240, 88—51904, 88—58662
Voevodin, V.G. *see* Vodop'yanov, K.L. 86—63862
Voevodina, E.I., Ivankov, V.F. Calculating eddy currents and losses in nonmagnetic compression rings of transformers 85—48996
Voevodina, N.E. Phase synthesis of linear antenna arrays in uniform metric 87—27055
Voevodskaya, M.G., Kalyavin, V.P., Mozgalevskii, A.V. Formalised approach to ranging of diagnostics methods 86—11397
Voevudskaya, S.V. *see* Shamshurin, A.V. 87—68268
Vogal, A. *see* Anghelescu, D. 88—22982
Vogan, J.H. *see* Sumner, W.J. 86—61375
Vogas, M.S. *see* Niver, E. 88—34390
Voge, H. *see* Jung, H.-P. 85—10273
Voge, J. Satellites and the economics of communication 88—46972
Voge, K.H. ISDN at the switchboard—opportunities and solutions for the medium term 88—73702
Voge, K.H., Spohn, J.P. A network full of applications [Nixdorf 8818 ISDN LAN] 88—46665
Vogel, A. VISULAS YAG—an advance in microsurgery of the eye 86—44698
Vogel, A. *see* Pearce, P. 86—31860
Vogel, A.G.C. *see* Maas, R. 86—31947
Vogel, B. IC maker moves its computers and builds a LAN 87—2860
Vogel, B. Does Open Systems Interconnection (OSI) really offer a solution? 87—13402
Vogel, B. *see* Baker, M. 88—46904
Vogel, C. *see* Herzog, U. 88—53084
Vogel, C.R. *see* Groetsch, C.W. 88—14706
Vogel, D. IGBT—high reverse voltage rating, fast switching transistor module 87—53515
Vogel, D., Pribyl, W. CMOS digital signal-processing codec filter with high performance and flexibility 85—62101
Vogel, D., Reisinger, J., Schmid, E., Lerach, L. A digital signal-processing codec filter for PCM applications 86—34999
Vogel, D., Schmid, E., Reisinger, J., Lerach, L. A signal-processing codec filter for PCM applications 87—5973
Vogel, D., Wong, F. Measurement and control of wafer temperature in a plasma etching reactor 88—1549
Vogel, D. *see* Lerach, L. 86—30463
Vogel, E. *see* Braunschweig, W. 88—29874, 88—68282
Vogel, E. *see* Steele, R. 87—21630
Vogel, E. *see* Twerdok, J. 87—52973
Vogel, E.B. *see* Kou-Hu Tzou 88—59290
Vogel, E.B. *see* Tran, A. 87—62263
Vogel, E.F. Japan and the information revolution: national transformation 86—10613
Vogel, E.M., Friberg, S.R., Jackel, L., Smith, P.W. Synthesis and characterization of TiO$_2$-Nb$_2$O$_5$ borosilicate glasses for nonlinear optical waveguides 87—74658
Vogel, E.M., Nelson, T.J. Novel synthesis and characterization of ZnO-based phosphors 86—58827
Vogel, G. *see* Brown, D. 88—68107
Vogel, G. *see* Grotzbach, M. 87—23904
Vogel, G.A., Inderhees, J.A. DIME upgrade for imagery 88—75024
Vogel, H. *see* Barz, J.-U. 86—19329
Vogel, H. *see* Dietl, H. 85—48166
Vogel, H. *see* Dwersteg, B. 86—32076
Vogel, H. *see* Giehl, J. 88—22971
Vogel, H. *see* Grassmann, H. 85—43183
Vogel, H. *see* Lorenz, E. 86—70320
Vogel, H.-H. New axle drive for high-power locomotives of Swiss Federal Railways 85—16325
Vogel, H.F. Some considerations on silicone oil in high current and energy disconnecting mechanisms 85—1795
Vogel, H.J. *see* Cotton, H.E., Jr. 85—60067
Vogel, H.P. *see* Bensiek, W. 87—41695
Vogel, H.P. *see* Dwersteg, B. 88—51414
Vogel, J. Electric drive techniques in token of the scientific technical progress 87—72471
Vogel, J., Fricke, D. Analogue and digital simulation of the thermal two-components-model [electric machines] 86—19205
Vogel, J., Reithmuller, R. The SNR-300 before commissioning 86—18985
Vogel, J., Tessmer, T. Actual problems in using electric drive systems in industrial plants 86—19541
Vogel, J. *see* Berger, D. 86—56745
Vogel, J. *see* Eitz, A.-W. 88—10970
Vogel, J. *see* Fellingham, L.L. 88—48133
Vogel, J. *see* Palis, F. 87—58352
Vogel, J.A., Bruinsma, A.J.A., Berkhout, A.J. Beamsteering of laser generated ultrasound 88—10174
Vogel, J.C., Lau, C.Y.K. Automating the design and manufacture of custom implants 87—14936
Vogel, J.S., Southon, J.R., Nelson, D.E., Brown, T.A. Performance of catalytically condensed carbon for use in accelerator mass spectrometry 85—20798
Vogel, J.S. *see* Southon, J.R. 86—25150
Vogel, K. Frequency re-use with 7 b/s/Hz for 16 QAM-140 Mb/s systems with roll-off 0.19 and orthogonal co-channel arrangement 87—34400
Vogel, K. 7 b/s/Hz spectrum efficiency for 16 QAM-140 Mb/s systems using roll-off 0.19 and orthogonal co-channel operation 87—40714
Vogel, K. Orthogonal cochannel operation for high spectrum efficiency based on the example of 16 QAM-140 Mbit/s systems using rolloff 0.19 87—48855
Vogel, K., Leiber, Th., Risken, H., Hanggi, P., Schleich, W. Locking equation with colored noise: continued-fraction solution versus decoupling theory 87—61194
Vogel, K., Maly, D., Schade, U. (Cr)-(Pt)-(Au)-metallization as an ohmic contact system on III-V semiconductor surfaces (GaAs, InP) 88—7515
Vogel, K., Risken, H., Schleich, W., James, M., Moss, F., Mannella, R., McClintock, P.V.E. Colored noise in the ring-laser gyroscope: theory and simulation 87—68549
Vogel, K. *see* Bachert, H. 86—48410
Vogel, K. *see* Otremba, K. 88—28684, 88—46886
Vogel, L., Klein, H.P. Ozone generation by means of MEMBREL electrolysis: a process for treating ultra-pure water 87—16228
Vogel, M. Batch-related evaluation of intermediate measurements on microelectronic structures 86—7508
Vogel, M. Area projections for control technology in microelectronics 87—65648
Vogel, M. *see* Mastrangelo, C. 85—1845
Vogel, M. *see* Boerner, W.-M. *(editor)* 85—49280
Vogel, P. Character coding in interactive videotex (Btx-) terminals according to the CEPT-standard 85—52018
Vogel, P. Storage principles of Btx-terminals [viewdata] 86—30333
Vogel, P. PAM-systems including timing jitter: a game-theoretical approach 86—54405
Vogel, P. An algebraic model for finite area convolution 87—47646
Vogel, P. *see* Speidel, J. 88—27800, 88—66278
Vogel, R. On the linear complexity of cascaded sequences 87—69017
Vogel, R. Determination of the MESFET resistive parameters using RF-waver probing 88—26360
Vogel, R., Pollari, G. Annular surface wave transducer for medical imaging 86—11969
Vogel, R.A. *see* O'Connell, R.M. 87—61214
Vogel, R.C. *see* Ketterling, G.W. 86—12102, 86—50709, 87—15010
Vogel, R.C. *see* Oehlberg, R.N. 86—25832
Vogel, R.F. Analytical MOSFET model with easily extracted parameters 85—40674
Vogel, R.F. Acoustic properties of thick films for use as matching layers 86—6176
Vogel, R.F. Transducers with screen printed matching layers 87—4189
Vogel, R.F., Amaro, M.G., Gaskill, R.J. Hybrid construction of an ISFET pH sensitive transmitter 86—55719
Vogel, R.F., Kelley, S.D., Kirk, D.M. Acoustic impedance properties of thick films 86—53232
Vogel, R.F. *see* Gaskill, R.J. 88—4404
Vogel, R.F. *see* Mehrl, D.J. 88—10629
Vogel, R.H., Butler, S.R., Feigl, F.J. Electrical properties of silicon dioxide films fabricated at 700°C. I. Pyrolysis of tetraethoxysilane 85—39806
Vogel, S. Necessary optimality conditions for two-stage stochastic programming problems 86—7660
Vogel, S. MLAs for digital radio 87—77384
Vogel, S.N. *see* Bieging, J.H. 85—25961
Vogel, T., Dodel, G. Acousto-optic modulation in the far-infrared 85—35565
Vogel, W. *see* Bernardi, E. 88—22917
Vogel, W. *see* Jager, K.-W. 87—73230, 88—5259
Vogel, W.J., Goldhirsh, J. Tree attenuation at 869 MHz derived from remotely piloted aircraft measurements 87—26767
Vogel, W.J., Goldhirsh, J. Fade measurements at *L*-band and UHF in mountainous terrain for land mobile satellite systems 88—45683
Vogel, W.J., Hong, U.-S. Measurement and modeling of land mobile satellite propagation at UHF and *L*-band 88—66066
Vogel, W.J., Smith, E.K. Theory and measurements of propagation for satellite to land mobile communication at UHF 85—63585
Vogel, W.J., Smith, E.K. Propagation considerations in land mobile satellite transmission 86—30705
Vogel, W.J., Torrence, G.W., Goldhirsh, J., Rowland, J.R. Remote sensing of tree attenuation at 870 MHz along simulated Earth-satellite paths 87—54556
Vogel, W.J. *see* Goldhirsh, J. 87—62895
Vogelaar, E.J.A. *see* van Liere, J. 87—72883
Vogelaar, R.B. *see* Wiescher, M. 88—47915
Vogelbach, B. Troubleshooting solid-state controls [maintenance guidelines] 85—32664
Vogele, A., Poppert, K.-H. Incorporation of digital switching technology into the analog periphery of a telecommunication office area 86—43672

Vogelei, K. Discussion on variation of characteristics (of components) 88—18440
Vogelei, K., Buitenhuis, R.H. Direct current signal protection in measurement and control circuits 85—26280
Vogeley, B. Vision systems or vision sensors? 87—56542
Vogelgesang, P., Hartmann, J. Erasable optical tape feasibility study 88—65397
Vogelgesang, P.J. The impact of optical recording on digitized imaging 88—20334
Vogeli, N. The new ventilation system in the 'Grosser Sankt Bernhard Tunnel' 85—32823
Vogelmann, H. PLL circuit with analogue phase detector without lock breaking 86—843
Vogelmann, H. Analysis of a pulse-inverter with bipolar transistors 86—45524
Vogelmann, M., Weber, R. Electrically conducting plastics 87—64770
Vogelpohl, A. *see* Rauen, D. 85—48100
Vogelsang, C.H. *see* Hyun, C.H. 87—32723
Vogelsang, C.H. *see* Notthoff, J.K. 88—19164
Vogelsanger, E. Basics of protection against lightning 88—69061
Vogelsanger, E., Montandon, E. Electromagnetic fields behind current carrying metal grids [lightning simulation] 86—56477
Vogelsberg, D. *see* Koch, K. 86—25603
Vogelsong, R.S. *see* Bowers, J.C. 86—62379
Vogelsong, T. *see* Brown, D. 86—47843
Vogelsong, T.L., Tiemann, J.J. Programmability in charge domain devices [signal processing devices applications] 85—18484
Vogelsong, T.L., Tiemann, J.J., Steckl, A.J. Charge-domain integrated circuits for signal processing 85—45866
Vogelsong, T.L. *see* Tiemann, J.J. 85—23976
Vogelstein, E. *see* Plewes, D.B. 85—15303
Vogelstein, E.E. *see* Plewes, D.B. 85—59267
Vogelzang, E., Ferwerda, H.A., Yevick, D. Reconstruction of the permittivity profile of a stratified dielectric layer 85—51401
Vogelzang, E., Ferwerda, H.A., Yevick, D. Reconstruction of refractive index profile of a stratified medium 85—51418
Voges, E. Introduction to integrated optics 87—74850
Voges, E. Integrated electro-optic devices 87—74851
Voges, E. Integrated optics for optical communications 87—76818
Voges, E. Integrated optics on LiNbO for fibre-optical communication systems 88—73963
Voges, E., Neyer, A. Integrated optical oscillators and multivibrators 85—50990
Voges, E., Neyer, A. Integrated-optic devices on LiNbO$_3$ for optical communication 88—13932
Voges, E. *see* Eberhard, D. 86—2787, 88—67856
Voges, E. *see* Mevenkamp, W. 87—7169
Voges, E. *see* Rottmann, F. 87—74829, 87—76816, 88—72145
Voges, H., Marowsky, G. Injection control of a multipass amplification of a discharge excited XeF ($C \rightarrow A$) laser 88—65558
Voges, H. *see* Steyer, M. 87—38972
Voges, K. *see* Nimz, G. 86—70991
Voges, U. Use of diversity in experimental reactor safety systems 88—56084
Vogg, H., Christmann, A., Wiese, K. The 3R technique, an element for the reduction of toxic materials in refuse incineration 88—42925
Voggenberger, T. *see* Frisch, W. 87—30328
Voggenreiter, O. *see* Freundel, P. 85—6963
Voght, G.H., Kalwa, G. A comparative assessment of the safety in gas transmission lines and piping systems in power stations 86—6471
Vogl, E. Intelligent studio devices by microprocessor control. I. System conception 85—63828
Vogl, N.G. *see* Lee, H.S. 85—44979
Vogl, P. *see* Becker, W. 88—45472
Vogler, F. *see* Krell, S. 87—50144
Vogler, J.G., Roelle, R. Signal processing for the ground based 'BLAST' ESM/ECM system 88—54825
Vogler, K. The South 380 kV/110 kV substation of Wiener Stadtwerke-Elektrizitatswerke 86—6845
Vogler, K., Reisinger, F. Kendlerstrasse and South 380 kV/110 kV substations placed into service 86—6844
Vogler, K. *see* Kaschke, M. 86—36433
Vogler, K. *see* Reisinger, F. 86—6847
Vogler, K. *see* Spitzl, W. 85—21123
Vogler, L., Smith, C.T., Taylor, T.F. Some aspects of design and performance of metal oxide surge arresters 85—64995
Vogler, L.E. Impulse response for ionospheric reflection with a sech^2 profile 85—24829
Vogler, L.E. Radio wave diffraction by a rounded obstacle 85—57039
Vogler, L.E. A note on pulse distortion by ionospheric reflection 86—22673
Vogler, L.E. *see* Hoffmeyer, J.A. 88—53164
Vogler, O. Electricity in the member countries of the IEA—a review of the results of the IEA Electricity Study 1985 86—32622
Vogler, O. The coal demand and supply. The view of the LEA 88—10950
Vogler, R., Brown, J. Combine CAD, scale models, drafting to optimize design 86—65797
Vogler, T. Chip test: Zerberus mailbox. Publication over the telephone 88—59508
Vogler, W. Energy management system for the reduction of energy costs 85—32818
Vogler, W. Representing abstract groups by powers of a graph 86—34153
Vogler, W. An improved multiple identification algorithm for synchronous broadcasting networks 88—73486
Voglis, E., Olver, A.D., Clarricoats, P.J.B. Shaped dual offset reflector with dielectric cone feed 85—13348
Voglis, E.E., Olver, A.D. Shaped dual-offset antenna with dielectric cone feed for DBS reception 85—36108
Vogrig, R., Morel, G., Dei-Svaldi, D., Vautrin, J.-P. A contribution to the analysis of the security of a system automated by SADT 87—10098
Vogrig, R., Morel, G., Dei-Svaldi, D., Vautrin, J.-P. Analysis of safety by SADT: application on an automated islet 87—16328
Vogt, D. Planning electrical installation according to DIN 18015, Part I/11, 84 85—10403
Vogt, D. Domestic electric wiring standard DIN 18015 Part 2/11. 84 85—27036
Vogt, D. Mains current supply systems and connecting lines. Dimensioning according to DIN 18015. I 85—27037
Vogt, D. Voltage drop in domestic installations 85—48578
Vogt, D. Cross-sections for earth-bonding connections 87—42526
Vogt, E. TRIUMF kaon factory 85—26519
Vogt, E. The TRIUMF kaon factory 86—38651
Vogt, E. The next generation of accelerators and their challenge for instrumentation 86—50257
Vogt, F. *see* Foken, T. 88—42698
Vogt, F. *see* Rothfuss, H. 87—78273
Vogt, G., Kallisch, B. Minimum igniting curves (reference curves) for intrinsic safety testing 85—16713
Vogt, H. Linear accelerator Dynaray-CH 20 85—4349
Vogt, H. A technology concept for integrated detector electronics with CMOS compatible devices 87—29678
Vogt, H. Experiences with semi-custom chips 87—66106
Vogt, H., Zimmer, G. New structures for microelectronics by laser annealing 86—53531
Vogt, H. *see* Brockmann, W. 86—885
Vogt, H. *see* Lutz, G. 88—29908
Vogt, H.E. Designing the test—writing the scenarios 88—62970
Vogt, H.P. Market survey of CAQ systems 88—43729
Vogt, H.P. Does CAQ solve the problems of quality assurance? 88—49569
Vogt, J. *see* Anthony, I. 86—32209
Vogt, J. *see* Stroher, H. 88—61196
Vogt, J.F. A 500 watt(e) radioisotope thermoelectric generator fueled with strontium-90 fluoride from the Department of Energy's Waste Encapsulation and Storage Facility 86—13095
Vogt, J.F., McMullen, W.H. The BUP-500 radioisotope thermoelectric generator 86—33722
Vogt, J.M. *see* MacGregor, I.J.D. 88—22925
Vogt, K. Speed-torque characteristic line of constantly excited DC micromotors 88—5713
Vogt, K. Problems of DC permanent magnet machines construction 88—23962
Vogt, K. *see* Fischer, S. 88—17496, 88—69264
Vogt, K.H. *see* Deyhle, M. 85—29287
Vogt, L. *see* Engels, W. 88—49754
Vogt, M. Steam generators with integrated fluidized bed combustion in an industrial power plant 86—70813
Vogt, M. *see* Neumann, U. 88—4503
Vogt, M.C. *see* LaCourse, J.R. 88—74854
Vogt, N. Digitisation of local line networks 85—47044
Vogt, P.L. *see* Chalmers, S.M. 85—43900
Vogt, R. Reliable field programming [PROM] 85—11225
Vogt, R. The IC cards—new aspects of information processing. 'Intelligence' in cheque card format 87—5906
Vogt, R. *see* Budtz-Jorgensen, C. 87—71008
Vogt, R. *see* Daffner, K. 87—14613
Vogt, S.S. *see* Robinson, L.B. 88—4466
Vogt, W. Power supply considerations 85—10973
Vogt, W., Zogg, H., Melchior, H. Preparation and properties of epitaxial PbSe/BaF$_2$/PbSe structures 85—50339
Vogt, W. *see* Zogg, H. 85—39722, 85—40528, 87—16644, 87—29126, 87—41525
Vogt, W.G. *see* Chih-Tsong Chen 85—63080
Vogt, W.G. *see* Tan, F. 88—336
Vogt, W.G., Mickle, M.H. *(editor)* Modeling and Simulation. Vol.14. Proceedings of the Fourteenth Annual Pittsburgh Conference 85—26925
Vogt, W.G. *see* Hanham, R. *(editor)* 86—52121
Vogt-Nilsen, N. *see* Benincasa, G.P. 86—11800
Vogtlander, J. *see* Frankenstein, B. 87—35754
Vogtle, G. *see* Steinkamp, J. 86—23678
Vogtli, K. What is digitization? 88—21210
Vogtli, K. What is digitization? 88—28221
Vogtli, K. What is digitisation? 88—46654
Vogtlin, B. *see* Amberger, E. 88—53931
Vogtlin, G. *see* Druce, R. 85—5242
Vogtlin, G.E. *see* Scarpetti, R.D. 85—5241
Vohl, P. *see* Donnelly, J.P. 86—2702
Vohl, P.-E. *see* Lips, H.P. 88—17103
Vohn, C.P. Understanding risk in research and development portfolio management 86—13403
Voho, P. *see* Myllyla, R. 87—19110
Vohr, J.H. Mechanics of bearing systems 87—35908
Vohr, J.H. Mechanics of bearing systems 88—69282
Vohra, P.K. *see* Billinton, R. 86—18693
Vohra, R., Washington, L. Counting spanning trees in the graphs of Kleitman and Golden and a generalization 85—16864
Vohra, R.V. Probabilistic analysis of the longest Hamiltonian tour problem 88—24638
Vohra, Y.K. *see* Ruoff, A.L. 88—48065
Vohralik, P. *see* Leone, E.A. 88—7935
Vohrer, M. Testing systems for radiotelephone instruments 85—8049
Vohrer, M. Cellular-radio test system 85—25769
Vohrer, M. AMPS radiotelephone testing with SMFP 2 and SCUD 85—25770
Vohrer, M. Cellular radio put to the test 86—4491
Vohrer, M. Cellular radio—configuration and requirements of automatic test systems 86—17793
Vohrer, M. Complex measurement requirements in the cellular radio network 86—43740
Vohrer, M. Radio instrumentation. Using a test set 86—49476
Vohrer, M. Automatic transceiver measurements using CMT without process controller 87—41342
Voichenko, G.I., Zabudskii, I.P., Levitskii, A.S., Surdu, M.N. Calculation of the error of a capacitance sensor for displacements 86—24519
Voichishin, M.N., Gus'kov, B.N., Devitsin, E.G., Zavertyaev, M.V., Zinchenko, A.I., Kapishin, M.N., Koslov, V.A., Pavlovskaya, V.V., Cholakov, V.D., Chudakov, E.A. 14-channel threshold gas Cerenkov counter 86—60593
Voicu, A. *see* Voicu, G. 87—64487
Voicu, G., Tantareanu, C., Tudor, M. Operation of an experimental shrouded wind unit connected to the national grid 87—64489
Voicu, G., Tudor, M., Tantareanu, C., Voicu, A. Industrial wind energy harnessing within the Black Sea coastal and Danubian region 87—64487
Voicu, G. *see* Anton, I. 85—53635
Voicu, G. *see* Tantareanu, C. 87—64488
Voicu, I. *see* Ristici, E. 88—34131
Voicu, M. *see* Albert, H. 88—36730
Voicu, N. *see* Iordache, M. 87—73229
Voiculescu, A. *see* Neagoe, V.E. 85—38158
Voiculescu, E. Numerical stimulation and experimental results when controlling step-by-step motors 85—32519
Voiculescu, E. Measurement of switching parameters of power transistors 86—58452
Voiculescu, E. Measurement of switching times of gate turn-off thyristors 87—11760
Voiculescu, E. Simulation of stepping motor duties in a closed circuit 87—51250
Voiculescu, E. Fast DC contactors for actuation of low-power stepping motors 87—51252
Voiculescu, E. Control circuits for step by step motors 87—64628
Voiculescu, E. Generators for step-by-step motor control by means of β565 circuits 87—64629
Voiculescu, E. Current inverter for fast drivings with step-by-step motor 87—72163
Voiculescu, E., Mican, S. Fast drive of bipolar stepper motor through current inverter 88—37245
Voie, J.E.La *see* La Voie, J.E.
Voight, B. *see* Mathis, W. 87—65924
Voight, M., Ziegler, H. M5010 digital test unit for fast, reliable testing of protective measures 86—24278
Voigt, B., Mierke, T., Ruhnau, R., Moller, K. Heat storage: a materials problem 88—49167
Voigt, B. *see* Dominik, H. 87—43371
Voigt, C., Renz, W. High power cascode-connected push-pull converters 88—63494
Voigt, C. *see* Winter, C.-J. 86—56668
Voigt, F. *see* Gornert, P. 85—56101
Voigt, H. Heat pumping and transforming processes with intrinsic storage 86—19636
Voigt, H. *see* Bandilla, A. 85—24424
Voigt, H. *see* Beckurts, K.H. 85—9408
Voigt, H. *see* Maediger, C. 85—18566
Voigt, H.-H. *see* Fink, R. 86—51950
Voigt, H.-M. Controlled structure formation, optimization and evolution 85—54592
Voigt, H.F. *see* Gdowski, G.T. 87—77636
Voigt, J. *see* Zurn, M. 87—54285
Voigt, K. *see* Messerschmid, U. 85—37197
Voigt, K.D. *see* Craine, E.R. 85—3885
Voigt, M. Testing fault-current protective systems 87—64737
Voigt, O. *see* Kilian, P. 85—27219
Voigt, P., Ubensee, H., Gorsch, G., Paasch, G. Calculation of electron concentration in semiconductor interface at low temperatures 87—53308
Voigt, R.G. *see* Patrick, M.L. 87—65443
Voigt, R.J. *see* Schmidt, A.L. 85—40275

Voigt, T. *see* Seggern, H.V. 88−58350
Voigtlaender, K., Risken, H., Kasper, E. Modified growth theory for high supersaturation 86−20030
Voigtlander, B. *see* Berger, C. 88−22937
Voigtman, E., Winefordner, J.D. Low-pass filters for signal averaging 86−55597
Voigtmann, R. *see* Graichen, H. 86−1466
Voigtmann, R. *see* Sobe, G. 86−13808
Voigtmann, R. *see* Weise, G. 85−34373
Voigts, K.L. Investigating potential capital sources and preparing your financing proposal 85−16688
Voillot, F., Madhukar, A., Tang, W.C., Thomsen, M., Kim, J.Y., Chen, P. Growth kinetics of molecular beam epitaxially grown GaAs/$Al_{0.3}Ga_{0.7}As$ (100) normal and inverted interfaces in thin single quantum well structures examined via photoluminescence studies 87−23632
Voillot, F. *see* Madhukar, A. 87−37941
Voin, R. Implementation of quality assurance in Korea's nuclear industry 86−39485
Voinea, D., Emil Rascu, P. Antiseismic measures at the electrical equipment of the 750/400 kV substation Isaccea 88−49098
Voinea, D. *see* Rascu, P. 87−50635
Voinea, D. *see* Stoleru, B. 87−51285
Voinigescu, S., Cacoveanu, R., Ioachim, A., Tone, V. X-band waveguide QPSK modulator 88−50329
Voinigescu, S., Dascalu, D. The design and analysis of DAR-IMPATT diodes 85−6546
Voinigescu, S., Marin, N. Design considerations for microwave and MM-wave BARITT-type diodes. X-band experimental results 88−50403
Voinov, S.A. *see* Bodrov, V.V. 87−61432
Voinov, S.V., Tsanev, T.I. A method of protecting short-wave antennas from spontaneous flare discharges 87−61450
Voinov, V.G. *see* Pshenin, E.S. 85−64494
Vointsev, G.A. *see* Nosov, V.I. 87−56311
Voipio, E. Derivation of electromagnetic waves directly from Faraday's and Maxwell-Ampere's laws 85−51392
Voirin, G., Rimet, R., Chartier, G. Performances of an ion exchanged star coupler for multimode optical communications 86−9598
Voirin, G. *see* Rimet, R. 86−9572
Voirol, C. *see* Piguet, C. 88−71686
Voiron, J. *see* Fernandez, J.C. 86−69231
Voiron, J. *see* Richier, J.L. 88−21429
Voishvillo, N.A. The optical characteristics of light-scattering glasses used in color standards 86−55862
Voishvillo, N.A., Khapugina, E.I. Transmission of milk glass under diffuse and directional illumination 85−46118
Voishvillo, N.A., Shcherbakova, N.I., Matveeva, E.S. Comparison of transmission factors for spontaneous and coherent radiations in milky glass 87−68008
Voisin, E. *see* Burke, R. 88−12074
Voisin, E. *see* Durandet, A. 88−16548
Voisin, G. *see* Hanada, C.N. 86−51863
Voisin, G. *see* Vigreux, J. 88−55550
Voisin, J., Devijver, P.A. An application of the multiedit-condensing technique to the reference selection problem in a print recognition system 87−75878
Voisin, P. Strained-layer superlattices 85−34610
Voisin, P. *see* Bleuse, J. 88−33854
Voisin, P. *see* Jusserand, B. 85−34558
Voisin, P. *see* Tamargo, M.C. 86−52468
Voisin, R. *see* Stephanakis, A.C. 88−19890
Voisine, J.T. Accounting for nonlinear material characteristics in modeling ferroresonant transformers 85−45263
Voisset, M. *see* Andre, F. 86−65559
Voit, E., Gunter, P. Photorefractive spatial light modulation by anisotropic self-diffraction in $KNbO_3$ crystals 88−2057
Voit, E. *see* Gunter, P. 86−3297
Voit, F.J. *see* Hurrell, J.P. 88−22725
Voitekhovich, L.L. *see* Perel'man, L.S. 87−71709
Voiteko, N.S., Gurevich, E.I., Kartashova, T.N. Detection of latent thermal defects in turbogenerator active parts 87−42771
Voitelev, A.I., Luk'yanov, L.M., Semenenko, A.O., Pogodin, V.I. A multichannel signature analyzer for checking connections of distribution devices and harnesses 88−15988
Voitenko, A.G., Gassanov, L.G., Zelyavskii, V.B., Narytnik, T.N. Multichannel dielectric resonator microwave frequency separators 87−45187
Voitenko, G.I. On the precision of calculating the additive influence of design-technological factors on thermopile characteristics 86−51921
Voitenko, I.G., Kozadoev, A.N., Red'ko, V.P., Gorbunov, O.I., Mironov, S.A., Orobinskii, S.P. Investigation of a Y-coupler for a fiber optical communication line with end connection to a multimode fiber 85−18713
Voitenko, I.G., Red'ko, V.P., Tomov, A.V. Diffraction gratings fabricated in lithium niobate by titanium and iron in-diffusion 88−13935
Voitenko, N.S., Gurevich, E.I., Kartashova, T.N. Manifestation of hidden thermal defects in active parts of turbogenerators 86−45329
Voitenko, S.N., Kal'man, I.G. Standardizing and checking the accuracy characteristics of auxiliary test facilities 87−31281
Voitenko, V.A., Gul'ko, V.M., Kolomiets, N.F., Sviridov, A.M., Shikanov, A.E., Yakovlev, K.I. Tritium pressure gauge 88−36273
Voitenko, V.A. *see* Gudzenko, A.B. 87−78983
Voitenko, V.Ya., Didenko, K.I., Afanas'eva, A.F., Kunitsyn, L.L. Automation process of drilling printed-circuit boards based on the engineering complex KTS LIUS-2 and by means of robotics 86−14693
Voitenko, V.Ya. *see* Didenko, K.I. 86−14692
Voitenkov, A.I., Petrovskii, G.T., Red'ko, V.P. Fabrication of optical waveguides in glass by electrolysis 85−7271
Voitenkov, A.I., Red'ko, V.P. Formation of planar waveguides in optical glasses by electrodiffusion of silver 85−62386
Voitenkov, A.I. *see* Gusev, Yu.M. 85−18746
Voitenkov, I.A., Red'ko, V.P. Kinetics of formation of planar waveguides in glasses by the electrodiffusion of silver 88−33718
Voiter, A.P., Ofengenden, R.G. Random-multiple-access prediction protocols in packet radio networks 86−30072
Voiter, A.P., Ofengenden, R.G. The hardware components of a transport radio network 87−39996
Voitik, M.G. *see* Basov, N.G. 86−48328 to 48329, 87−74978
Voitik, M.S. Analysis of low-frequency output ripple voltage in an uncontrolled rectifier 87−23898
Voitlander, J. *see* Socher, W. 85−26258
Voitov, S.I. *see* Potapov, A.A. 85−8935
Voitova, L.N., Kukleva, Yu.A., Uzdin, R.I. Study development of HF noise generators using vacuum diodes with improved metrological characteristics 88−67914
Voitovich, A.P. Magnetooptics of gas lasers 88−58431
Voitovich, A.P., Grinkevich, V.E., Kononov, V.A., Kromskii, G.I., Mikhnov, S.A. Properties of the generation of radiation in the near infrared part of the spectrum with a sapphire crystal laser having radiation-induced color centers 87−7326
Voitovich, A.P., Kalinov, V.S., Mikhnov, S.A., Ovseichuk, S.I. Investigation of spectral and energy characteristics of green radiation generated in lithium fluoride with radiation color centers 88−20601
Voitovich, A.P., Kalinov, V.S., Smirnov, A.Ya. Control of the emission characteristics of dye ring lasers by phase-polarization resonance methods 85−24502
Voitovich, A.P., Kalinov, V.S., Smirnov, A.Ya. Dye ring laser with unidirectional generation and a narrow emission spectrum locked to atomic absorption lines 85−56579
Voitovich, I.D., Orlenko, A.B., Polishchuk, A.S. Properties of tunnel structures fabricated by thermal oxidation 86−2639
Voitovich, N.I., Katzman, V.G., Kuzmin, V.V., Livshits, A.L., Chernukha, Yu.A. Deflections and vibrations of a nonuniformly heated turbogenerator rotor 88−43130
Voitovich, N.N. *see* Andriychuk, M.I. 87−75580
Voits, M. *see* Depping, F. 86−71085
Voits, M. *see* Mutschler, P. 88−69790
Voitsekhovich, L.N., Kovashevich, I.P. High-stability bipolar power supply 86−20286
Voitsekhovich, V.S., Grinenko, V.M., Danileiko, M.V., Fal, A.M., Yatsenko, L.P. Effect of the axial magnetic field on characteristics of the competition resonances in ring He-Ne(CH_4)-lasers 87−46962
Voitsekhovskaya, G.V. Study of rational variants for development of electric power systems 88−5297
Voitsekhovskii, A.V. *see* Antonov, V.V. 85−40549, 86−58341, 86−63123, 86−63125, 88−64343
Voitsekhovskii, V.N. *see* Basiev, T.T. 88−58664
Voitsekhovskii, V.V. *see* Abakumov, A.O. 86−50629
Voitsekhovskii, V.V. *see* Aleinikov, V.S. 86−28855
Voitsekhovskii, V.V. *see* Alimpiev, S.S. 88−26863
Voitsekhovskii, V.V. *see* Artyushenko, V.G. 85−2025, 86−2749, 86−9521, 86−68222
Voitsekhovskii, V.V. *see* Avakov, S.N. 85−29574
Voitsekhovskii, V.V. *see* Butvina, L.I. 88−39902
Voitsekhovskii, V.V. *see* Butvina, L.N. 88−26802
Voitsekhovsky, V.V. *see* Artjushenko, V.G. 85−7233
Voitsekjovskii, V.V. *see* Artyushenko, V.G. 85−42983
Voitseklovskii, A.V. *see* Antonov, V.V. 85−12038
Voitus, R.F. PBX systems test-fast functional testing without system assembly 85−42864
Voityanov, E.M., Zhitinskii, G.P., Glemba, V.A., Zembitskaya, G.M. The modernized NTBC-3M mobile TV unit 86−43963
Vojak, B.A., Zajac, G.W., Chambers, F.A., Meese, J.M., Chumbley, P.E., Kaliski, R.W., Holonyak, N., Jr., Nam, D.W. Photopumped laser operation of GaAs doping superlattices 86−29131
Vojak, B.A. *see* Chambers, F.A. 86−66824
Vojak, B.A. *see* Goodhue, W.D. 87−11391
Vojak, B.A. *see* Rathman, D.D. 85−40710
Vojak, B.A. *see* Sheem, S.K. 88−27156
Vojdani, A. *see* Reinstein, D. 86−56380, 86−61033
Vojdani, F. *see* Bakowski, M. 87−11762
Vojir, W. *see* Fitzpatrick, J. 88−67483
Vojir, W.M. The impact of advanced computational techniques on digital avionics signal processor performance 86−18445
Vojnovic, B. A new lease of life for the Farmer-Baldwin dosemeter 85−4389
Vojnovic, B. High speed MOSFET driver 86−20390
Vojnovic, B. Synchronization of transient digitizers to random events 87−56598
Vojnovic, B. Sensitive long pulse beam charge monitor for use with charged particle accelerators 87−70971
Vojnovic, B., Sehmi, D.S., Newman, R.G. A simple radiation beam position monitor 88−4913
Vojs, A. Automated design of power apparatus in engineering firms 85−21182
Vojta, L. Czechoslovak 2nd order PCM digital link 87−69519
Vojta, L. *see* Foitl, V. 88−66856
Vojta, P. *see* Feit, W. 87−51977
Vojtechovsky, P. *see* Hoder, K. 87−14107
Vojtsekhovsky, V.V. *see* Abakumov, A.O. 86−70431
Vojtsekhovsky, V.V. *see* Alejnikov, V.S. 85−62335
Vojtsekhovsky, V.V. *see* Artjushenko, V.G. 86−48104, 87−18715, 88−58127
Vojtsekhovsky, V.V. *see* Butvina, L.N. 88−58122
Vojvodic, G. *see* Seselja, B. 87−58797
Vokac, P. Three-phase transmission with current invertor 85−5428
Vokalec, J. *see* Danelewsky, K. 87−35671
Vokalec, J. *see* Streubel, H. 86−53854
Vokalek, J. *see* Korcova, I. 86−32944
Vokalek, V. Contributions and perspectives of rationalisation of fuel and power consumption in Czechoslovak national economy 85−59572
Voke, N., Kanicki, J. Optical and electrical properties of hydrogenated amorphous silicon nitride films deposited in various PECVD systems 87−16691
Vokes, R.A. *see* Hutcheon, R.M. 86−31965 to 31966, 88−54296
Vokey, D. *see* Hafemeister, K. 86−49652
Vokhmin, P.A., Zapesochnyi, I.P., Kel'man, V.A., Shpenik, Yu.O. Investigation of pulsed lasing due to a 472.2-nm self-terminating transition in the bismuth atom at low buffer gas pressures 88−27053
Vokhmyanin, V.M., Zakharov, A.A. Choosing the method of starting a reversible hydroset in the pump mode [pumped storage power stations] 86−33183
Vokhmyanin, V.M., Zakharov, A.A. Comment on the article 'The choice of the method of starting a large reversible hydraulic turbogenerator into a pumping mode 88−5595
Vokhnik, O.M., Kuz'minov, Yu.S., Polozkov, N.M. Investigation of the characteristics of a wavefront-reversing mirror utilizing a photorefractive strontium barium niobate crystal 87−26524
Voklov, Ye.A., Kul'bikayan, Kh.Sh. A synchronous signal generator using a tunnel diode in the frequency-vision mode 88−25521
Vokurka, F. *see* Bortlik, I. 87−4547
Vokurka, F. *see* Hruby, J. 88−37017
Vokurka, J. *see* Schluper, B. 87−56238
Vokurka, V., Ackermann, U., Schade, E. New device for measuring post-arc currents in circuit breakers 87−56783
Vokurka, V.J. Advanced antenna measurements 85−7737
Vokurka, V.J. *see* Jensen, N.E. 85−24941
Volakis, J.L. A uniform geometrical theory of diffraction for an imperfectly conducting half-plane 86−48555
Volakis, J.L. Scattering by a thick impedance half plane 87−26746
Volakis, J.L. Scattering by a thick impedance half plane 87−33414
Volakis, J.L. High-frequency scattering by a thin material half plane and strip 88−58834
Volakis, J.L., Burnside, W.D., Peters, L., Jr. Electromagnetic scattering from appendages on a smooth surface 85−56989
Volakis, J.L., Herman, M.I. A uniform asymptotic evaluation of integrals 86−66664
Volakis, J.L., Peters, L., Jr. Evaluation of reflected fields at caustic regions using a set of GO equivalent line currents 85−62745
Volakis, J.L., Ricoy, M.A. Diffraction by a thick perfectly conducting half-plane 87−47136
Volakis, J.L., Senior, T.B.A. Simple expressions for a function occurring in diffraction theory 85−51396

Volakis, J.L., Senior, T.B.A. Diffraction by a thin dielectric half-plane 88—40536
Volakis, J.L., Wang, P.K., Harokopus, W.P. Mapping of electrostatic fields using the IBM Personal Computer 88—2472
Volakis, J.L., Wang, P.K., Harokopus, W.P. Mapping of electrostatic fields using the IBM personal computer 88—20842
Volakis, J.L. *see* Herman, M.I. 87—61367, 88—14372, 88—66038 to 66039
Volakis, J.L. *see* Peters, T.J. 88—2532, 88—66029
Volakis, J.L. *see* Senior, T.B.A. 86—63936, 88—27389
Voland, G. *see* Zibert, K. 85—6298
Volans, I. Cellular mobile radio—from military to mass communications 86—43738
Volansky, E.C. *see* Jacobs, S.M. 85—63629
Volant, R. *see* Moy, D. 88—71796
Vol'berg, N.Sh. *see* Vinogradova, T.S. 86—44796
Volbert, B. *see* Heywood, J.A. 85—1257
Volbert, D. *see* Hermes, U. 86—61959
Volbrecht, V.J., Aposhyan, H.M., Werner, J.S. Perception of electronic display colours as a function of retinal illuminance 88—47638
Volchek, A.V. *see* Bulycheva, V.P. 88—74361
Volchenko, V.N., Yarovoi, A.A. Estimation of the parameters of ultrasonic pipe-weld inspection by multifactorial mathematical analysis 88—18780
Volchikhin, V.I., Kononenko, E.V. Selection of optimum parameters for the armature and inductor of electric motors with external annular magnet [DC motors] 86—39846
Volchikhin, V.I., Kononenko, E.V., Fursov, V.B. Calculating the EMF in a commutated section of a motor with external annular magnet 88—30729
Volchkov, V.P., Dmitriev, V.P. Modeling of an elementary volstron 87—60390
Volchkov, V.P., Gerbin, I.A., Dmitriyev, V.P. Investigation of volstron nonlinearity 86—49603
Volchkov, V.P., Shloma, A.M. Adaptive filtering of nonstationary Markov sequences 86—37076
Volchkov, V.P. *see* Shloma, A.M. 87—19714, 87—47706
Volchkova, G.N., Lavrov, A.V. Effect of the temperature of the active medium on the efficiency of a subsonic electric-discharge CO process laser 88—65596
Volchok, V.P., Ostudin, V.D., Selyutin, S.A. Problems and results of development of LSI circuits for energy meters 88—74548
Volchok, W. *see* Schott, J.R. 86—69174
Volchukov, N.P., Elksnis, V.Ya. Calculating commutation for high-utilization commutator machines with composite brushes 88—31120
Volchukov, N.P., Elksnis, V.Ya., Chernyavskaya, M.V. Optimisation of the number and parameters of balancing connections in DC machines in view of their switching capability 88—23949
Volchukov, N.P. *see* Beloshenko, V.I. 85—65269
Volchukov, N.P. *see* Elksnis, V.Ya. 85—32502, 85—44007
Volcker, H. Status of fuel supply and waste disposal in nuclear power stations in the German Federal Republic 86—18940
Volcker, O. The use of metal oxide conductors in medium and high voltage networks 87—78117
Volcker, O. *see* Schilling, K. 86—6846
Volckers, U. Computer assisted arrival sequencing and scheduling with the COMPAS system 87—57316
Volckers, U. A rule-based system for arrival sequencing and scheduling in air traffic control 88—5104
Volckov, I., Petrovic, M. Evaluation of the motor torque-speed characteristics by recording the run-up transients 87—43047
Vold, E.L., Blanchard, J.P., Cooke, P.I.H., Grotz, S.P., Kessel, C.E., Tynan, G. Potential applications of high temperature superconducting magnets to fusion engineering 88—65107
Vold, H., Williams, R. Multiphase-step-sine method for experimental modal analysis 87—58661
Vold, P. *see* Abrokwah, J.K. 86—53658
Vold, P.J., Arch, D.K., Tan, K.L., Akinwande, A.I., Cirilli, N.C., Jr. High-performance self-aligned gate AlGaAs/GaAs MODFET voltage comparator 87—73574
Vold, P.J. *see* Akinwande, A.I. 88—57675
Vold, P.J. *see* Arch, D.K. 87—16991, 87—18131, 87—25547
Vold, P.J. *see* Chung, H.K. 87—31847
Vold, P.J. *see* Cirillo, N.C. 85—54783
Vold, P.J. *see* Cirillo, N.C., Jr. 86—28325, 86—28499, 86—47614, 88—19110
Vold, P.J. *see* Helix, M.J. 85—55979
Vold, P.J. *see* Listvan, M.A. 88—33217
Vold, P.J. *see* Vu, T.T. 86—35834, 88—32114
Voldan, W. System development with MegaPALs 85—54790
Voldan, W. FIFOs—elastic memory holding a system together 86—1032
Voldan, W. PALASM-II, macro-PAL-assembler for the system-development with programmable logic 86—20431
Voldan, W. Principles of architecturally programmable logic: 5000 gate functions 86—41015
Voldan, W. Automatic test vectors: macro-PAL assembler for the design of systems with programmable logic 86—41016
Voldan, W. FIFO modules of the second generation for fast data processing 86—62587
Voldan, W. The 'Super-PAL' (programmable array) component 87—10792
Voldan, W. Circuit development with logic cell arrays 88—44117
Voldarskii, V.A. *see* Manusov, V.Z. 85—59619
Voldarsky, Y. *see* Littwitz, E. 87—62602
Voldby, J. Digital synthesis of high quality test signal conforming to the BTSC TV stereo system 88—15784
Volden, O.V. *see* Nilsson, T.R. 86—19679, 86—71165
Voldman, S., Corson, P., Patrick, L., Nguyen, K., Gilbert, L., Goodwin, R., Maffit, T., Murphy, S. CMOS SRAM alpha particle modelling and experimental results 88—38532
Voldman, S., Patrick, L. Alpha particle induced single event upsets in bipolar static ECL cells 85—23932
Voldman, S.H. Transient mode soft fail emitter-coupled logic bipolar static cell test site 85—33785
Voldman, S.H. Two-dimensional bipolar subcollector 85—33905
Voldman, S.H., Bryant, A., Noble, W.P. Vertical storage trench gated diode leakage 88—32207
Voldman, S.H. *see* Noble, W.P. 88—38529
Voldman, S.S., Patrick, L.A., Wong, D.T. Alpha particle effects on bipolar ECL static arrays 86—14176
Voldorin, A.N. Future prospects of analytical instrument making in the 12th five-year plan and for period up to 200 86—40596
Voldstad, P.A. Interfacing AT&T's DMA controller to the MC68020 87—24156
Voldstad, P.A. *see* Jacobs, H.S. 87—44924
Volek, V. *see* Richy, V. 88—3918
Volek, V. *see* Ricny, V. 87—70009
Volenko, V.V., Ivanov, A.F., Myalitsin, L.A., Osadchuk, L.A., Saukov, A.I. Producing nanosecond and subnanosecond laser pulses with fast shutters 86—29206
Voles, J. New directions in the development of information system for the power plant operators 86—65794
Voles, R. Radar modelling 86—23942
Voleski, E. *see* Kholevitski, I. 86—12835
Volet, P., Kunt, M. A new method for the synthesis and efficient coding of natural structured textures 87—33786
Volet, P., Kunt, M. Synthesis of natural structured textures 87—55335
Volet, P. *see* Benard, M. 86—54533, 87—19840
Vol'f, B.E., Kobrin, B.V. Impulsive thermoprocessing of semiconductor plates 88—39178
Volf, Z. *see* Zuber, M. 88—34954
Vol'fberg, D.B., Makarov, A.A. The energy complex of the USSR: basic directions of development 87—21815
Vol'fman, I.G. *see* Komolyatov, L.D. 87—30031
Vol'fson, A.A. *see* Mokhov, E.N. 88—38176
Vol'fson, A.A. *see* Verechikova, R.G. 87—74112
Volgenant, A. *see* Jonker, R. 87—65405
Volgers, R. Astable multivibrators using HCMOS ICs 86—20340
Volgers, R. HCMOS: better than low power Schottky? 86—47794
Volgers, R. Using 74HCT HCMOS to replace LSTTL and drive transmission lines 86—52777
Volgin, E.G., Zakalinskii, I.A., Stroev, Yu.I., Sukhanova, V.F. Evaluating thermograms of the lower extremities by means of a TV image quantizer 86—18314
Volgin, L.I. Reversible topological transformation of radio circuits with feedback 85—6099
Volgin, L.I. On transformation of electrical networks by way of signal source transfer 85—39843
Volgin, L.I. On topological transformations by regrouping amplifier input leads 86—14357
Volgin, L.I. Composite current followers with compensating impedance converters 86—20709
Volgin, L.I. An inverse topological transformation of active electrical networks 86—27452
Volgin, L.I. The topological interrelation between active electric circuits and mutually reciprocal transfer functions 87—45054
Volgin, L.I. Composite voltage followers with impedance converters 87—52727
Volgin, L.I. Predicate algebra of choice and synthesis of functional-logical converters in the elemental relator basis 88—38650
Volgin, L.I., Efinov, A.V., Zarukin, A.I. Multifunction double-segment approximator 86—57728
Volgin, L.I., Rebane, R.-V.P. Inverse topological transformation of electric circuits employing operational amplifiers 86—46977
Volgina, L.A., Sokhranskii, A.S., Tsitver, I.I. Protector against dangerous effects on connector unit equipment and HF channel multiplexing equipment on electrical transmission lines 85—8285
Volgyi, F. High gain microstrip antennas 86—16033
Volgyi, F. High efficiency microstrip antenna array 88—27687
Volik, N.N. *see* Batjunja, L.P. 87—327
Volin, K.B. *see* Brown, G.A. 86—35974
Volin, S.A., Zakorin, V.A. Pilot excitation in M-type self-oscillators 86—41482
Volin, S.A. *see* Zakorin, V.A. 87—17617
Volk, A. More characters and attributes for CRTs workstation displays 85—37477
Volk, C. *see* Tressler, R.E. 85—12140
Volk, C.H., Freuholz, R.P. The role of long-term lamp fluctuations in the random walk of frequency behavior of the rubidium frequency standard: a case study 85—31287
Volk, C.H., Frueholz, R.P., English, T.C., Lynch, T.J., Riley, W.J. Lifetime and reliability of rubidium discharge lamps for use in atomic frequency standards 85—58809
Volk, C.H. *see* Frueholz, R.P. 85—58911
Volk, G. *see* Potts, C. 86—31811, 88—54059
Volk, G. *see* Rauchas, A. 86—5712, 86—32131, 86—56000
Volk, G.J. *see* Ostrowski, G.E. 86—56025
Volk, R. *see* Berner, G. 85—50701
Volk, R. *see* Brucksch, M. 87—54098
Volk, R. *see* Johnson, W.J. 86—49161
Volk, R. *see* Sohler, W. 86—48503
Volk, W. The iterated Galerkin method for linear integro-differential equations 88—18657
Volk, W.P. *see* Gluckman, M.J. 85—21442
Volkanovski, M. *see* Il'nitskii, L.Ya. 85—8802
Volke, H.-J. *see* Gottlebe, G. 88—48155
Volke, M. *see* Reiss, W. 85—52806
Volkel, G. *see* Loocke, G. 85—49160
Volkel, M. *see* Pfeifer, T. 86—49932
Volkel, U. Pulse-width modulation with programmable counters 85—11366
Volkenau, V.A., Shmatovich, V.V. Measurement of power of losses in zinc oxide nonlinear resistors at voltage of industrial frequency 87—35690
Volker, E.J. Noise fields at low frequencies for recording and playback in studios, control rooms and homes 87—77050
Volker, F. *see* Dong, S. 86—42372
Volker, P. Automation in testing 86—38204
Volker, U. *see* Rassokhin, N.G. 88—36987
Volker, W. In-line production of enamelled wire 86—66595
Volkers, H. Fast Fourier transforms with the TMS320 as coprocessor 85—13540
Volkhonskii, S.I. *see* Leporskii, V.D. 86—32667
Volkhonskii, V.V. Noise immunity of the reception of discrete-frequency-modulated signals on a background of Gaussian and sinusoidal interference 87—47704
Volkhonskii, V.V. Estimating the noise stability of nonlinear signal-processing algorithms 88—27919
Volkin, L.I., Telenkin, Yu.G. Converter indicator for resistive and capacitive transducers 88—50288
Volkl, J. *see* Muller, G. 86—392
Volklein, F., Kessler, E. Temperature and thickness dependence of electrical and thermal transport coefficients of $Bi_{1-x}Sb_x$ films in an anisotropic, nondegenerate two-band model 86—41562
Volklein, F. *see* Elbel, Th. 85—64106
Volklein, H. Flag-transitive linear group for global bodies and for absolute algebraic bodies having positive characteristics 86—26729
Volklein, J. *see* Durst, F. 88—4651
Volkmann, B. *see* Grekos, G. 87—51974
Volkmann, Chr.U. Auxiliary sensors to correct load cell signals 87—14571
Volkmann, C.U. New weighing systems through microprocessors 87—14573
Volkmann, H. *see* Arndt, F. 88—20801
Volkmann, H. *see* Bohmeyer, W. 88—60739
Volkmann, H. *see* Gundel, H. 86—9728
Volkmann, P. *see* Alefeld, G. 85—49484, 87—16550
Volkmann, W.K., Jackson, D.C. AC spindle drives for machine tools 86—13117
Volkogan, V.P. *see* Bondarenko, V.M. 88—49942
Volkogon, V.P., Molchanov, A.A., Yakut, L.I. A numerical-analytical method of solving sets of nonlinear differential equations 87—53608
Volkolupov, Yu.Ya., Burmaka, T.K., Emel'yanov, S.V., Pyl'tsev, P.I. Electron source for maintaining gas discharge 87—66859
Volkolupov, Yu.Ya., Kuribeda, A.D., Ryl'tsev, P.I., Shein, A.G. Electron gun with induction-heated emitter 88—57250
Volkolupov, Yu.Ya. *see* Kuribeda, A.D. 85—28899
Volkonskii, V.A., Kuzovkin, A.I. Consumer-regulators and tariffs for electric power 87—77962
Volkonskii, V.B. *see* Nizhenskii, A.D. 85—20272
Volkov, A.A. Potential noise immunity of an SSB PSK system 85—36176
Volkov, A.A. Potential noise immunity of communication systems with single-sideband phase-angle modulation 86—49127
Volkov, A.A. Submillimeter BWO spectroscopy of solids 87—45523

Volkov, A.A. A comparison of the noise immunity and radiocommunication efficiency of systems with single-sideband and angle modulation 87−55949
Volkov, A.A., Goncharov, Yu.G., Kozlov, G.V., Lebedev, S.P., Prokhorov, A.M. Dielectric measurements in the submillimeter wavelength region 85−43075
Volkov, A.A., Gorshunov, B.P., Lebedev, S.P. Phase spectra of one-dimensional wire lattices 85−51404
Volkov, A.A., Ievskii, A.V., Kozar, A.V., Levina, I.A., Machulka, E.G., Novik, V.K., Ognevskii, V.A., Pirogov, Yu.A., Tereshenko, V.I., Fomichev, V.P. Pyroelectric radiometer for intermediate IR radiation 85−47983
Volkov, A.A. *see* Abramov, V.V. 85−48191
Volkov, A.A. *see* Vasil'chenko, V.G. 87−37846
Volkov, A.D., Grebenyuk, V.M., Zalikhanov, B.Zh., Komissarov, E.V., Serdyuk, V.Z., Sidorkin, V.V., Filimonov, P.S., Jani, J. Registration of ionization clusters by electroluminescent drift chamber 88−36366
Volkov, A.F., Dinaburg, L.B., Kalinin, V.V., Karnaukh, V.A., Konstantinov, A.B., Kuligin, V.S., Churakov, G.F. On protection of the T-15 magnetic system and cryostat from abnormal pressure rise 85−50889
Volkov, A.S., Ermolov, I.N., Basatskaya, L.V., Vyatskov, I.A., Grebennik, V.S. Ultrasonic transmission by the boundary in an austenitic weld 85−6059
Volkov, A.S., Grebennik, V.S. Possibilities of using horizontally polarized transverse waves for ultrasonic inspection 87−16732
Volkov, A.S., Tsarenkov, G.V. Photoelectric effect in a variable-gap *p-n* structure under band-impurity radiative recombination conditions 86−1773
Volkov, A.S. *see* Dmitruk, N.L. 86−53481
Volkov, A.V., Rogaleva, T.I. Calculation of effective algorithms of control of a self-contained voltage inverter 88−55662
Volkov, A.V., Shekhter, A. Frequency-current control of a six-phase asynchronous motor 88−37652
Volkov, A.V. *see* Andrienko, P.D. 87−9567
Volkov, A.V. *see* Blok, A.A. 85−2421
Volkov, A.V. *see* Vanyushev, B.V. 85−2422
Volkov, A.Ye. *see* Tatsenko, V.G. 86−29680
Volkov, A.Yu. *see* Baranov, A.N. 86−48327, 87−46770
Volkov, B.I. A method of tuning an eddy-current inspection instrument 86−62291
Volkov, B.I. Eddy-current flaw detector with rotating core in the superposed transducer 87−36835
Volkov, B.I., Agafonov, V.A., Bologov, G.A., Fedorov, A.L. Evaluation of prefailure stages of heat-steels by the eddy-current method 88−70373
Volkov, B.I., Krakhmalev, V.I. Special features of eddy-current flaw inspection of bent branch pipes of pipelines of a nuclear power station reactor 87−347
Volkov, D. *see* Lenasi, K. 87−64652
Volkov, E.A. Approximate conformal mapping by a block method of a circle with a polygonal hole onto a ring 88−63267
Volkov, E.A., Govorukhin, D.N. Algorithm of formation of a mathematical model of a nonlinear electrical circuit with polyharmonic action 85−10948
Volkov, E.B. *see* Buinov, A.L. 87−4830
Volkov, E.P., Gavrilov, E.I., Fatkullin, R.M. An experimental check on the methods of calculating diffusion in the atmosphere of pollutants from high-level sources in the region of the Kansk-Achinsk Fuel and Power Complex [steam power stations] 85−48496
Volkov, E.P., Gavrilov, E.I., Fatkullin, R.M. Optimising measures for protecting the atmosphere against pollutants from thermal power stations 85−48855
Volkov, E.P., Gavrilov, E.I., Zubkov, P.T., Fadeev, S.A. Mathematical modeling of the thermal lift of flue gases [pollution from steam power stations] 85−38848
Volkov, E.P., Gavrilov, E.I., Zubkov, P.T., Fadeev, S.A. Mathematical modelling of the lift of the smoke pillar from a chimney into the atmosphere [power station emissions] 87−9345
Volkov, E.P., Glushchenko, A.I., Durnev, V.N., Zhabo, V.V., Saparov, M.I., Kham'yanov, L.P. Construction of automatic systems for radiation monitoring of the environment of nuclear power stations 85−43711
Volkov, E.P. *see* Abdurashitov, Sh.R. 86−45151
Volkov, E.P. *see* Gurevich, N.A. 86−32593
Volkov, G., Jr. Effects of shadow mask color vs. monochrome CRTs on detection of sonar signals 86−30893
Volkov, G.I. *see* Chernyshev, V.K. 88−43299, 88−43307 to 43308
Volkov, G.S. *see* Bakiev, A.M. 86−29247
Volkov, G.S. *see* Kramarenko, A.S. 86−21684
Volkov, G.S. *see* Valiev, K.A. 88−20721
Volkov, I.F., Ilyin, V.N., Sofronov, N.N., Terekhanov, V.M. Ranges of reflector metal-halide lamps and luminaires for industrial locations 86−33835
Volkov, I.I., Semenychev, V.K. Estimation of the correlation characteristics of random signals with nonstationary expectation 86−16303
Volkov, I.N., Mikhailov, V.I., Gromov, G.L., Slivkov, I.N. Panoramic eight-channel magnetic electron-energy analyzer with circular poles 86−70357
Volkov, I.N. *see* Musaev, H.A. 88−62354
Volkov, I.S., Volyar, A.V., Kuchikyan, L.M., Kondakov, M.E., Savchenko, V.N. Mutual-correlation function of laser radiation transmitted by a multimode fiber lightguide 88−51489
Volkov, I.S. *see* Bykov, A.M. 87−46501
Volkov, I.V. A converter for effective coupling of a superconducting inductive store to a power system 88−69715
Volkov, I.V., Gubarevich, V.N., Aleksandrov, M.M., Kaban, V.P., Spirin, V.M. A power source for magnetron atomization systems 86−45515
Volkov, I.V., Isakov, V.N. Alternating current electric drive for robot engineering and flexible automatic systems 86−40225
Volkov, I.V., Konovalov, S.A., Pesotskii, V.S., Podoprigora, L.V. Subharmonic oscillations in circuits with inductive−capacitive converters 87−78780
Volkov, I.V., Kravets, I.A. Modelling electrical circuits with inverters under high-frequency excitation and long-term transients 87−59166
Volkov, I.V., Sokolyanskii, V.N. On calculation of a single-phase induction on an armoured band-type magnetic core 85−21726
Volkov, I.V., Zakrevskii, S.I. Transducer with distributed parameters for stabilising current in variable load 86−6827
Volkov, L.A., Gorelenok, A.T., Luk'yanov, V.N., Rachkov, I.A., Rekhviashvili, D.N., Shmidt, N.M., Yakubovich, S.D. Measurement of the amplitude-frequency characteristics of fast photodetectors with a homodyne glass-fiber device for producing amplitude beats in the optical signal 88−60732
Volkov, L.A., Korol'kov, V.I., Pulatov, A.A., Rakhimov, N., Tabarov, T.S., Yavich, B.S. n^0-GaAs vertical photoresistance 86−36305
Volkov, L.A. *see* Abdullaev, Kh.O. 88−33849
Volkov, L.A. *see* Bogdanovich, M.S. 86−36336
Volkov, L.N. *see* Bilenko, A.P. 88−9394
Volkov, L.R. *see* Pridatkov, A.G. 86−45518
Volkov, M.A. Numerical solution of an optimization problem with an unknown boundary 85−54427
Volkov, M.P., Burov, S.V. Examination of natural convection in the melt with vertical substrates in liquid phase epitaxial growth of silicon 88−31743
Volkov, M.V. *see* Bogachev, V.M. 87−59717
Volkov, N.P., Grinyaeva, E.V., Danikov, N.I., Shmachilin, A.S. Capacitive displacement transducer 88−4365
Volkov, N.P., Voronin, I.D., Dudnikov, A.S., Kovalev, A.V., Leonov, B.I. Portable fluoroscope with an image intensifier 87−34959
Volkov, O.D., Nezhentsev, Yu.N., Lisnyanskii, F.A. District-heating steam turbines manufactured by Leningrad Metal Working Plant 86−6568
Volkov, O.D., Ryzhkov, V.K., Nexhentsev, Yu.N., Lisnyanskii, F.A., Bonesko, V.A., Levit, I.G., Averbakh, Yu.A. Modernisation of the LMZ PT-60/75-130/13 turbine to replace the assemblies and components of the high-pressure cylinder, which have exhausted their maximum service life 86−56637
Volkov, P. *see* Gardes, D. 86−60576
Volkov, S.A., Kol'tsov, B.B., Lutsenko, G.N., Ovsyuk, V.N. Using the method of integral dynamic volt-ampere characteristics to study ionic instability in MIS devices 88−39155
Volkov, S.A., Kol'tsov, B.B., Lutsenko, G.N., Ovsyuk, V.N. Logarithmic kinetics for the accumulation of ionic charge in SiO_2 dielectric films 88−39156
Volkov, S.A., Ovsyuk, V.N., Pokrovskaya, S.V. The effect of the charged form of adsorption on the surface channel conductivity in semiconductors 85−34448
Volkov, S.A., Vrublevskii, L.E., Zhavoronkov, A.A., Manchuk, R.V., Frolov, Yu.S. The testing of resistors made of electrically conducting concrete 87−1003
Volkov, S.A. *see* Aleshin, N.P. 86−538, 87−73173
Volkov, S.I., Nagdaev, E.N. Decay of a self-modulated structure in Ga(AsP) and correlation between this structure and the degradation of light-emitting diodes 87−12330
Volkov, S.N. *see* Akerman, D.R. 87−70993
Volkov, S.N. *see* Bystritskii, V.M. 87−64743, 87−70979
Volkov, V.A., Galchenkov, D.V., Grodnenskii, I.M., Elinson, M.I., Matov, O.R., Starostin, K.V., Chernysheva, O.V. Two-dimensional high-mobility electron gas in deliberately undoped GaAs-Al_xGa_{1-x}As heterostructures grown by liquid phase epitaxy 85−55524
Volkov, V.A., Ryzhakov, V.V. Features of the assessment of reliability of transducers for long-term use 88−29336
Volkov, V.A., Vyrelkin, V.P., Gan'Shin, V.A., Kvasha, M.Yu., Korkishko, Yu.N., Fedotov, S.M. Fabrication and study of TIPE waveguide lenses in lithium niobate crystals 88−39987
Volkov, V.A. *see* Forminykh, Yu.A. 87−72321
Volkov, V.A. *see* Shchutskii, V.I. 87−15921
Volkov, V.A. *see* Zotov, A.Ya. 86−61679
Volkov, V.I. Dynamic braking of induction motors with DC voltage controller 86−45406
Volkov, V.I., Kadi-Ogly, I.A. Results of testing, operation and completion of development of TZV-800-2 turbogenerators 86−61456
Volkov, V.I. *see* Borshch, A.A. 87−7458
Volkov, V.I. *see* Buldakovsky, V.N. 86−32036
Volkov, V.I. *see* Fomina, V.I. 86−39507
Volkov, V.I. *see* Kukhtarev, N.V. 85−19011
Volkov, V.I. *see* Lozinskii, N.S. 87−52886
Volkov, V.K., Palivoda, A.P., Toporov, V.I., Usachev, B.F. Flow-through meter for the average power and energy of industrial laser installations 87−75187
Volkov, V.K. *see* Ornov, V.G. 88−61823
Volkov, V.L. Self-adjustment of measuring system with stand-by facility 88−4268
Volkov, V.L., Zakrevskii, S.I. Electrical characteristics of a discharge in the chamber of a CO_2-laser with a rapid pumping rate 87−61086
Volkov, V.L. *see* Ramendik, G.I. 87−41559
Volkov, V.M., Martynenko, L.G., Mel'nik, V.L. Temperature field of an external conductor of a coaxial line 87−40633
Volkov, V.M. *see* Alekseeva, V.I. 87−26345
Volkov, V.M. *see* Berezin, I.V. 88−34302
Volkov, V.N. *see* Aleksandrov, A.Yu. 87−2069
Volkov, V.P. *see* Nedviga, L.A. 87−52930
Volkov, V.S. *see* Kononov, A.A. 85−13567
Volkov, V.V., Gerasimov, L.L., Kapaev, V.V., Larionov, Yu.V., Rakov, A.V. Measurement of the dimensions of IC elements from the diffraction pattern taking account of the real etch profile 85−12381
Volkov, V.V., Grishin, E.F., Erk, A.F. Improving the electric equipment of automated conveyer-type dryers 85−65677
Volkov, V.V. *see* Padalko, A.G. 86−67778, 87−53290 to 53291
Volkov, V.Ya., Gladkov, Yu.M. Additive decomposition of finite processes [spectral analysis] 87−47781
Volkov, V.Yu. Detection of a photodetector signal in Poisson noise of unknown intensity 88−34756
Volkov, V.Yu., Nikolaeva, M.G. Efficiency of the classification of the Rayleigh and log-normal distribution of interference in the adaptive detection of a pulse signal 86−16314
Volkov, V.Yu. *see* Pletnev, G.P. 86−25912
Volkov, Ye.A., Kul'bikayan, Kh.Sh. Analysis of a self-excited oscillator with a low-Q oscillatory system in the case of synchronous external drive 86−27129
Volkov, Yu.A. *see* Abramov, F.G. 85−22676
Volkov, Yu.K. Difference equations of compensation converter 87−4802
Volkov, Yu.K. The basic equations of dynamics of a compensated converter 87−43188
Volkov, Yu.M., Kolomenskii, G.A., Lakovichev, E.F., Fominenko, V.P., Chizhov, V.P. Use of internal beam of electron synchrotron to study electron-nuclear and photonuclear reactions 87−63584
Volkova, E.A., Kandidov, V.P. Wave-bundle stability in a nonlinear ring cavity 87−68605
Volkova, G.A. Electrical parameters and energy of radiation from a miniature pulsed lamp 86−41466
Volkova, G.A., Kirillova, N.N., Pavlovskaya, E.N., Yakovleva, A.V. Vacuum-ultraviolet lamps with a barrier discharge in inert gases 86−13166
Volkova, G.A., Lyskov, V.G., Khrapunovich, I.A. Brightness stability of capillary flash lamps 88−18204
Volkova, L.S., Lebedev, V.N., Sharov, V.M. Mechanical investigations of synchronous motors used to drive woodcutting machines 85−65226
Volkova, N.M. *see* Belyakov, V.P. 87−32917
Volkova, N.M. *see* Venikov, N.I. 87−14697
Volkova, N.V., Ivanov, N.A., Inshakov, D.V., Kuznetsov, S.P., Khulugurov, V.M. Laser based on $F_2{}^+$-like centers in NaF crystals with lamp pumping 88−58505
Volkova, O.V., Gol'dshtein, M.I., Zubrilin, A.V., Kitaev, G.I., Koryavin, A.R. Using forced voltage distribution to increase the dielectric strength of support insulation structures 87−53767
Volkova, O.V., Golovnya, V.G., Koryavin, A.R., Burmistrov, M.V., Goldshtein, M.I., Zubrilin, A.V., Kitaev, G.I. The electrical strength of support insulators under rain when subjected to switching voltage pulses 88−55049
Volkova, O.V., Koryavin, A.R., Burmistrov, M.V. Electrical strength of long insulator chains with switching pulses 86−39191
Volkova, O.V. *see* Belyakov, N.N. 88−30394

Volkova, O.V. *see* Biryukov, S.V. 86—45605
Volkova, Ye.N. *see* Kamshilin, A.M. 85—59417
Volkova, Ye.S. *see* Kazanskiy, N.A. 87—48466
Volkovets, A.I. *see* Bakanovich, E.A. 87—27120
Volkovich, A.G. *see* Bogolyubskii, S.L. 88—49163
Volkovich, O.V., Roshchin, V.A., Sergienko, I.V. Models and methods of solution of quadratic integer programming problems 88—38094
Vol'kovich, V.E. *see* Belyavskiy, V.V. 87—15036
Volkovitsky, O.A. *see* Belts, V.A. 85—62649
Volkovoi, N.N. *see* Goryagin, V.F. 87—78678
Volkrodt, W. New ways in electrical machine construction 85—48927
Volks, G., Son Le Mong Header-type, high-pressure feedwater heaters 87—57853
Volksen, W. *see* Kramer, E.J. 87—23759
Voll, K. *see* Rommelsheim, K. 88—5002
Voll, S.P. Forecasting electric power production from renewable resources 85—21276
Volland, H., Schmolders, M., Proelss, G., Kroninger, H. A study of VLF propagation at high southern latitudes using sferics 86—59083
Volland, H., Schmolders, M., Prolss, G.W., Schafer, J. VLF propagation parameters derived from sferics observations at high southern latitudes 87—26773
Volland, H. *see* Edenhofer, P. 86—55401, 87—76717
Volland, H. *see* Ingmann, P. 86—12174
Vollans, P. Nuts and bolts of plant monitoring 87—20840
Vollath, D. Automatic focusing by correlative methods 88—21296
Vollath, D. *see* Friehmelt, R. 88—34744
Vollbrecht, K. Changing permanent magnet technology 86—63572
Volle, B. Lightning protection for data transmission 85—57624
Volle, B. Applications of voltage surge arrestors—reliable data transmission 86—17164
Volle, M. Conjugation by section of Toland's duality 88—18610
Volle, M. Drawing on the videotex experience: elements applicable to ISDN tariffs, applications and regulations 88—59827
Volle, M. *see* Badillo, P.-Y. 87—49329
Volle, M. *see* Henriet, D. 88—21443, 88—34885
Volle, M. *see* Meunier, F. 85—19585
Volle, V.M., Voronkov, V.B., Glygalo, V.N., Grekhov, I.V., Kozhukh, M.L., Kozlov, V.A. Neutron-transmutation-doped high-resistance silicon. Preparation and properties 87—38105
Volle, V.M., Voronkov, V.B., Grekhov, I.V., Erykalov, A.N., Kozhukh, M.L., Kozlov, V.A., Petrov, Yu.V., Sobolev, N.A., Tuchkevich, V.M., Chelnokov, V.E., Shlimak, I.S. Properties of silicon doped in the RBMK-1000 reactor of Chernobyl'sk atomic electric power plant 86—21356
Volle, V.M., Voronkov, V.B., Grekhov, I.V., Gusinskii, G.M., Kozlov, V.A., Naidenov, V.O. Optimization of the static and frequency characteristics of high-power semiconductor devices by creation of local zones of high recombination in the base regions 88—71540
Volle, V.M., Voronkov, V.B., Grekhov, I.V., Kozlov, V.A. High-current thyristor switched by microsecond light pulses 86—47559
Volle, V.M. *see* Astrova, E.V. 87—53467
Volle, V.M. *see* Bagraev, N.T. 85—23625, 85—50257
Volle, V.M. *see* Borovikova, N.V. 88—39193
Vollebragt, F.A.H. *see* Cuppens, R. 85—45047
Vollebregt, F., Verwey, J.F., Wolters, D. The switching degradation in floating gate transistors 87—18175
Vollenbroek, F.A., Kroon, H.J.J., Bartsen, J.W., Dil, J.G. Contrast enhancement by image reversal 86—1980
Vollenbroek, F.A., Nijssen, W.P.M., Geomini, M.J.H.J., Mutsaers, C.M.J., Visser, R.J. Built in mask (BIM): a new way to a submicron process with high resolution and good latitude 88—26163
Vollenbroek, F.A., Nijssen, W.P.M., Kroon, H.J.J., Yilmaz, B. High resolution optical lithography by formation of a built on mask (BOM) 86—21674
Vollenbroek, F.A. *see* Bruns, A. 88—26159
Vollenbroek, F.A. *see* Gijsen, R.M.R. 87—11886
Vollenbroek, F.A. *see* Spiertz, E.J. 86—1977
Vollenhoven, E.van *see* van Vollenhoven, E.
Vollenweider, H., Nuter, H.A. The CA 4 compact contactor system: remarkable applications 86—51826
Vollenweider, W. Single-tone analyser for telephone equipment 86—31280
Voller, N. Low cost modules aspire to acquisition 87—49593
Voller, R.L. Iterative convergence of solutions of nonlinear differential equations by Newton-like methods 86—62157
Vollerner, N.F. Designing a frequency-phase detector 88—38422
Vollerner, N.F., Grozin, A.B. Operational amplifiers with nonlinear negative feedback 87—52403
Vollero, M.F. *see* Kendall, B.R.F. 87—77453, 88—14357
Vollers, H.G., Ash, D.L. Evolution of SAW technology from discrete devices to functional RF building blocks 87—74490
Vollertzen *see* Rosenberg, H. 87—71706
Vollkomm, H.O. Multipurpose adjustable self-compensating clamp [for cables and wires] 85—11627
Vollmann, B. *see* Furht, B. 88—48183
Vollmann, E. Metastable behaviour of flip-flops and the effect on synchronizing circuits 88—44111
Vollmann, J. Influence of heat flux through a plane assembly of metal-semiconductor-metal on its current-voltage characteristic and the critical point with DC stressing 85—40557
Vollmann, W. *see* Bomsdorf, H. 85—9165
Vollmar, J.D. A high-speed window-based pattern debugger 88—29251
Vollmeier, O. Review of some Landis & Gyr control schemes 87—4246
Vollmer, B., Schmidt, M. Residual fuel treatment and handling at Connaught Bridge 86—25933
Vollmer, B.J. *see* Wagner, D.K. 88—34031
Vollmer, B.J. *see* Waters, R.G. 88—8179
Vollmer, E., Hinken, J.H. Superconducting MMICs with 1440 Josephson tunnel junctions for high precision DC voltage standards 87—17391
Vollmer, E., Hinken, J.H. A new synthesising procedure for a wideband tapered V antenna 87—61494
Vollmer, E. *see* Niemeyer, J. 86—17729, 86—58714, 86—60296
Vollmer, G. Programmable logic tested to heart and kidneys 87—10789
Vollmer, G. Programmable logic modules 88—32102
Vollmer, H., Blondin, K., Koch, B., Hernandez, M., Muller, R. VENUS—a fully automatic design system for complex cell and gate array chips 86—35832
Vollmer, H. *see* Ivens, G. 87—42570
Vollmer, H. *see* Marhenkel, H. 86—70827
Vollmer, H.-P. *see* Haupt, H. 86—64995
Vollmer, H.J. *see* Tihanyi, P. 87—61142, 87—68452, 88—14215
Vollmer, H.J. *see* Wagner, D.K. 88—72317
Vollmer, H.P. *see* Bimberg, D. 85—41409, 86—36455
Vollmer, R. Glass-fibre transmission of MAC signals 88—35697
Vollmer, R.H. Engineering initiatives in nuclear reactor regulation 86—61263
Vollmer, T. *see* Fussgaenger, K. 85—3446, 88—67410
Vollmer, W. *see* Lisowsky, R. 88—62183
Vollmer, W. *see* Sommer, G. 87—13922
Vollmert, R. *see* Ramm, G. 85—58648, 86—24335, 86—67438
Vollmuth, J. New LCD-technique: sharper than usual 87—49855
Vollmuth, J. 386 versus 286: What's new with the 386-bit PC 88—792
Vollnhals, F. In-service monitoring of digital transmission systems on coaxial cables 85—47156
Vollstadt, G. *see* Lorenz, L. 88—17746
Vollstadt, R., Rossler, W. Ultrasonic movement detector with A244D 85—53230
Volltrauer, H., Gau, S.C., Kampas, F.J., Kiss, Z., Michalski, L. Light-induced changes in a-Si:H at high illumination; inverse Staebler-Wronski effect 87—16052
Volltrauer, H. *see* Bohm, M. 87—9788
Volltrauer, H. *see* Delahoy, A.E. 86—40787
Volltrauer, H. *see* Eser, E. 87—72433
Volltrauer, H. *see* Gau, S.C. 86—21295
Volltrauer, H. *see* Kampas, F.J. 88—37609
Volluet, G. An optical module with a diode laser: performance 88—58558
Volluet, G., Dumas, D., Egea, G. A highly stable 1300 nm single mode laser module 88—72332
Vollum, J.S. Using computers for professional networking 87—23158
Volman, M. *see* Dov Gal, D.V.M. 85—38195
Vol'man, V.I., Kozyrev, N.D. Multifunctional integrated optics components 86—30817
Vol'man, V.I., Kubarev, M.Ye. Narrow-band cut-off-mode filters and switch filters 85—6135
Vol'man, V.I., Martynov, L.M. Analysis of H-plane waveguide branching with nonuniform dielectric filling 86—29529
Volmary, C. *see* Granzow, W. 86—69013, 87—47583
Volmer, H. Facilitation of the operation of boiling water reactors through introducing new process computer techniques 86—51421
Volmerange, H. *see* Witteles, A.A. 85—17394
Volnyanskii, V.N., Safonov, L.N. Displacement transducers with self-adjusting corrector 85—47950
Volobuev, A.I. *see* Mnukhin, A.G. 86—26468
Volobuev, V.S. Preliminary balancing arrangements for resistive strain gauges 86—38339
Volobuev, V.S. Output signal simulators of strain gauge bridges 87—3572
Volobuev, V.S. *see* Bocharova, Yu.V. 86—70442
Volobuev, V.S. *see* Bogdanov, V.V. 86—70105
Volobuev, V.V. *see* Aizatskii, N.I. 88—36325
Volobuev, Yu.V. The thermal cycle in the weld zone in laser welding 85—20748
Volobuiev, A.N. *see* Chovanec, F. 87—37829
Volodarskii, L.G., Chistikov, A.P., Kosachevskii, V.I. Tests of a 800 MW turbogenerator under asynchronous conditions 86—25980
Volodarskii, L.G., Ibadov, O.I., Kosachevskii, V.I., Khutoretskii, G.M. Investigation of a 160 MW turbogenerator under asynchronous operating conditions 87—30556
Volodarskii, L.G., Kadi-Ogly, I.A., Shapiro, A.B. Study of the TZV-800-2 turbogenerator under asymmetric operating conditions 86—61457
Volodarskii, L.G. *see* Ananyants, S.S. 87—22252
Volodarskii, L.G. *see* Ibadov, O.I. 88—17581
Volodarskii, V.A., Shchutskii, V.I. Optimization of prophylactic maintenance of mining electric equipment 85—44471
Volodarskii, V.A. *see* Shchutskii, V.I. 86—33293, 87—35781
Volodarsky, L.G. *see* Fedorov, V.G. 86—51583
Volodchenko, D.B. *see* Kozlov, V.S. 86—52567
Volodin, A.A., Dadadzhanov, I.A., Zelikman, E.I., Kapustyan, N.K., Fikhieva, L.M. Experience in studying the response time of a pneumatic radiator by means of synchronization and source control apparatus 86—44792
Volodin, A.A., Zelikman, E.I., Kapustyan, N.K., Urdukhanov, R.I. Use of standard apparatus for observation of seismic vibration signals 87—63917
Volodin, A.A. *see* Fremd, V.M. 87—77841
Volodin, G.I. *see* Bakhvalov, Yu.A. 85—38959
Volodin, N.V. *see* Kovalenkov, L.L. 87—29172
Volodin, V. *see* Souchkevitch, G.N. 88—54502
Volodin, V.D. *see* Aksinenko, V.D. 85—23373
Volodina, I.V. *see* Bodrov, V.V. 88—14534
Volodka, A.G. *see* Benvenuti, A.C. 85—15254
Volod'ko, A.G. *see* Antyukhov, V.A. 86—60637
Volod'ko, V.V. *see* Belov, A.V. 85—56327
Volod'ko, Yu.I., Garusov, Yu.V., Egorov, O.K., Lyutov, M.A., Postnikov, V.V., Rybakov, Yu.V. Testing of Compton-emission neutron detectors with hafnium-containing emitter in RBMK-1000 reactors 88—29795
Vologdin, A.G., Smorodinov, V.A. Experimental study of the field of a two-mode ionospheric signal 88—40568
Vologdin, V.V., Litman, E.N., Sazonov, L.V. Using a microcomputer in automatic monitoring of the parameters of vacuum-tube oscillators 88—12245
Vologzhanin, L.I. Increasing the stability of electromagnetic instruments 85—20607
Volokhonskii, L.A., Nikulin, A.A., Novikov, Yu.P., Voronin, A.E., Latash, Yu.V. Study of the energy parameters of a furnace for the electroslag casting of large-tonnage ingots 85—65655
Volokhonskii, L.A. *see* Novikov, Yu.P. 85—65646
Volokhov, S.A. *see* Rassadovskiy, V.A. 86—50108
Volonino, L., Sekar, C.C., Ramesh, R. Decision quality and information load 87—58786
Volonte, F. *see* Manzini, S. 86—14960
Voloschchenko, G.N. *see* Korovin, N.V. 88—69231
Voloshchak, I.A., Lutskiv, N.M. A system of phase control of tape material during a combination of technological operations 86—66379
Voloshchenko, A.P. *see* Fot, N.A. 86—55855
Voloshchenko, G.N. *see* Korovin, N.V. 88—75888
Voloshchenko, N.I., Razumnyi, Yu.T., Gerasimovich, V.N. The voltage of a 10 kV distribution network in mine power supplies 85—15515
Voloshchenko, N.I., Serov, V.I., Shakula, N.M., Stroinikov, V.G. Resources and methods for operative repair of cable networks in mining concerns 86—26466
Voloshchenko, Yu.I., Frolkin, V.T. An algorithm for determining the initial potential and charge-carrier distribution in bipolar structures 86—21520
Voloshek, I.V. The compensating effect of voltage transformers during transients due to arcing faults to earth 88—49026
Voloshek, I.V. *see* Dudarev, L.E. 87—30710
Voloshin, A. *see* Shidlovskii, A.K. 85—60578
Voloshin, A. *see* Wosk, J. 86—18361
Voloshin, A.S. *see* Burger, C.P. 85—64301
Voloshin, G.A. *see* Kovalenko, Yu.V. 87—8477
Voloshin, S.A. On stability of implicit schemes 86—57408
Voloshin, S.A. Stability of a monotone scheme 88—49774
Voloshin, S.G. Structural model of thermodynamic processes in a water-cooled winding 86—51570
Voloshin, V.M. *see* Pokhoriler, V.L. 87—22206
Voloshin, V.N., Vysotskiy, G.Ye. Time-probability characteristics of interference as a factor in radio system compatibility conditions 86—15905
Voloshin, V.S. *see* Bryksin, V.V. 87—38865
Voloshin, V.V. *see* Boyar-Sozonovich, S.P. 86—33391
Voloshin, Yu.I. *see* Kaluzhskiy, A.D. 88—41781
Voloshina, A.G. *see* Anisimov, S.D. 86—13858
Voloshina, G.A. *see* Tarasenko, V.F. 88—58443
Voloshina, N.A. *see* Gavrishchuk, V.I. 88—68502

Voloshina, T.S. *see* Aleksandrov, A.A. 87−19282
Voloshinov, V.B., Nikanorova, Ye.A., Parygin, V.N. Angular characteristics of an acousto-optic filter employing a paratellurite crystal 88−40031
Voloshinov, V.B., Parygin, V.N., Tankovski, N.S. Asymmetry of the diffraction orders in the diffraction of light by a surface acoustic wave 85−7655
Voloshinov, V.B. *see* Belikov, I.B. 85−62425, 88−13960
Voloshinov, V.V. *see* Ageyev, I.A. 87−58808
Voloshinskaya, N.M. *see* Blistanov, A.A. 85−46448
Voloshko, A.V., Chernenko, A.V. Synthesising the hardware and software approaches when finding the criteria of quality of electrical energy 87−30788
Volosov, S.G. *see* Bashilov, I.P. 86−44776
Volosov, S.S., Vysotskii, A.A. Dynamic characteristics of inductive size monitoring and measuring systems 86−24487
Volosov, V.D., Dedushkevich, V.V., Krylov, V.N., Tolstoshev, A.V. Optimization of the process of second-harmonic lasing for radiation from a multimode laser based on neodymium glass 86−15771
Volosov, V.D. *see* Andreev, R.B. 88−27292
Volosyuk, V.K. Optimising radar mapping of the relief heights of a surface 88−22188
Volot, R. A new gas turbine for providing mechanical drive and marine propulsion 85−9765
Volotskii, A.A. Estimate of spatial fluctuations of the directivity pattern axis of transformed laser radiation 85−46436
Volovich, A.V. *see* Leonov, Yu.V. 87−78659
Volovich, G.I. Correction of dynamic characteristics of inverters 85−60288
Volovich, G.I. Optimum high-speed control of a pulse voltage-stabilizer 86−34529
Volovich, G.I. A technique of correcting the dynamic response of PWM converters 86−62426
Volovich, G.I. Synthesizing time-optimal control of a rectifier 87−16859
Volovich, G.I. Response of a network to pulse signals with periodic pulse-width modulation 88−18839
Volovich, G.I. *see* Velin, A.V. 86−64243
Volovik, Yu.N. Sub-optimal discrete filtration during random disruption of the operating capacity of a measuring channel 86−54389
Volovik, Yu.N., Dneprovskiy, V.I., Koroleva, V.G. Comparison of the efficiencies of practical implementations of the Kalman algorithm 85−34091
Volovskii, V.V. DC voltage regulator for micropower devices 88−12211
Volozheninov, I.O., Golivets, V.A., Dyachkin, Yu.P., Ivashchuk, A.V., Koval'chuk, V.N. Improving the accuracy with which the minimum noise temperature of field-effect transistors is measured 88−22768
Volpe, G. Nonlinear analysis of an active peak detector 87−10640
Volpentesta, A. *see* Marano, S. 87−55812
Vol'pert, L.A., Kukharev, G.A., Strautmanis, G.F. Special features of use of digital signal processor VLSI circuit to carry out discrete Fourier transform 85−41900
Vol'pert, L.A. *see* Alakos, G.M. 88−38561
Volpi, G. *see* Codogno, M. 88−40851
Volpi, G. *see* D'Orta, P. 87−61699, 88−52368
Volpicelli, R., Andeweg, P., Hagar, W.G. Interactive water monitoring system accessible by cordless telephone 86−25449
Volpigno, M. *see* Moyer, B. 87−59432
Vol'pov, A.L. *see* Anufriev, A.V. 88−73200
Vol'pov, A.L. *see* Bakut, P.A. 86−23091, 86−58989, 88−8483
Vol'pov, A.L. *see* Ustinov, N.D. 86−30031, 86−64346, 86−68642, 87−75871, 88−73202
Vol'pov, K.D., Ermakov, O.N., Kuks, S.V., Novikov, A.A., Stolyarenko, N.D. Improving the operational reliability of the power units of remote control systems 86−32816
Volshanik, V.V., Matushevskii, G.V. Energy of sea wind waves and principles of its conversion 86−45240
Volshanik, V.V. *see* Karelin, V.Ya. 86−33192
Vol'skaya, S.P. Gain measurement for a CO_2 plasma in a waveguide discharge channel with HF excitation 85−7375
Vol'skaya, S.P., Tselykovskii, A.F. Spatial structure of radiation from transversely RF-excited waveguide CO_2 lasers 86−29064
Volskaya, S.P., Tselykovskii, A.F. Metal-ceramic waveguide CO_2 laser with transverse HF excitation 86−36382
Volske, J. *see* Timm, W. 85−19456
Vol'skiy, V.I. *see* Litvakov, B.M. 86−66671
Volta, I. Tachometric torque limiters 85−16329
Voltman, F.W. Type testing of protective relays 87−50869
Voltmer, D.R. Comments on 'Microstrip circuits for the classroom laboratory' 86−41286
Voltmer, D.R. *see* Black, B.A. 88−24469
Voltolini, C. *see* Anguilar-Benitez, M. 87−71031
Voltz, D.A. *see* Frasure, J.W. 85−15604, 86−44961, 86−45865
Voltz, W.R. *see* Chapman, R.S. 86−11401
Volubuev, V.S., Strashnov, V.P., Sushkevich, E.S., Slepchenkov, L.F., Selitskii, A.V. Measurement transducers of the type SH74 for measuring strain 86−11558
Volut, S. *see* Dupaquier, A. 88−43265
Volut, S. *see* Hennevin, B. 88−37310, 88−69571
Vol'vich, A.G., Naumov, B.M. Using microprocessor devices to control road electric locomotives 88−18154
Vol'vich, A.G. *see* Yanov, V.P. 87−58400
Volyak, K.I. Wave parameter determination from radar imagery of the sea 85−48482
Volyak, K.I., Marchenko, V.F., Strel'tsov, A.M. Suppression of the noise signal in the field of a low-frequency pump during opposing interaction of waves 87−2331
Volyak, K.I., Marchenko, V.F., Strel'tsov, A.M. Modeling quasi-stationary envelope waves in a transmission line with variable capacitors 88−34369
Volyak, K.I., Mikhalevich, V.G., Shevchenko, T.B., Shugan, I.V. Method of laser measurement of the statistical properties of sea water 87−77882
Volyak, K.I. *see* Avanesova, G.G. 85−59490
Volyak, K.I. *see* Boyarchuk, K.A. 87−56248
Volyak, K.I. *see* Bunkin, F.V. 85−59491
Volyak, T.B., Krasjuk, I.K., Pashinin, P.P. Adaptive mirror for large-aperture laser beams 85−56756
Volyar, A.V., Zaporozhets, V.M., Kuchikyan, L.M., Marchevskii, F.N., Savchenko, V.N., Strizhevskii, V.L. Nonlinear correction of the wave front of laser radiation after multimode lightguides 87−74726
Volyar, A.V. *see* Bykov, A.M. 85−12613, 85−29589, 85−35497, 86−42645, 87−12211, 87−46501
Volyar, A.V. *see* Volkov, I.S. 88−51489
Volynkin, V.M., Gavrilov, O.D., Chertkov, A.A. Phase conjugation of microsecond-range pulses in stimulated Brillouin scattering of light beams focused in a liquid 87−33286
Volynkin, V.M., Gratsianov, K.V., Kolesnikov, A.N., Kruzhilin, Yu.I., Lyubimov, V.V., Markosov, S.A., Pankov, V.G., Stepanov, A.I., Shklyarik, S.V. Reflection by stimulated Brillouin scattering mirrors based on tetrachlorides of group IV elements 86−48495
Volynkin, V.M., Malinov, V.A., Nikitin, N.V., Starikov, A.D., Charukhchev, A.V. Large-aperture electro-optic shutter with liquid electrodes 87−12251
Volynkin, V.M. *see* Bayanov, V.I. 87−33128
Volynskii, M.B., Novoselov, V.G., Tertychnyi, A.I. Wave algorithm for the construction of a verification test for a PLA with memory 87−24010
Volynskii, M.M., Karliner, V.M., Lyakin, A.V., Forshtadt, A.S., Faibisovich, V.A., Chmyr, Yu.A., Stryutskov, V.K., Glazer, F.Yu., Karpievich, I.P., Vodich, S.I. Modernizing the regulator system of a K-160-130 KhTGZ turbine 85−15883
Volynskii, M.M. *see* Averbakh, Yu.A. 86−45190
Volynskii, M.M. *see* Bonesko, V.A. 86−39520
Volynskii, V.A., Gomtsyan, O.A., Buravin, A.E., Rizkin, I.Kh. Experiment in machine optimisation of a link system with adaptive delta-modulation [communication links] 85−25009
Volynskiy, V.A. Optimization of radioelectronic circuits using an adaptive strategy 87−44451
Volynskiy, V.A., Rizkin, I.Kh., Fomin, N.N. A computer study of the effect of parameter variations on the characteristics of an IMPATT-diode oscillator 88−7061
Volynsky, M.B., Novoselov, V.G. Types and specifications of functional and time description of MSI and LSI microcircuit operation in a logic modeling system. I 87−44714
Volz, G. *see* Steinhauser, K. 86−19653
Volz, H. Digital sound recording with S-DAT 87−77055
Volz, H. Prognosis of the storage of data and programs for the computer technology 88−63678
Volz, J. Decade darkroom timer: exposing electronically 87−73573
Volz, K. *see* Bilderback, D. 88−42460
Volz, K. *see* Moffat, K. 86−60680
Volz, R.A. *see* Dolezal, R.M. 87−14542
Volz, R.A. *see* Han, J.H. 88−73315
Volz, R.A. *see* Mudge, T.N. 87−55305
Volz, R.A. *see* Turney, J.L. 85−46907, 85−57473
Volzka, D.R. Electromagnetic pulse effects on a typical electric utility system 85−4549
Volzke, E. Private network signalling protocols 87−76169
Volzke, H. The CPU 68000: function and programming. I 85−804
Volzke, H. The mc-68000 computer. II. Building and commissioning 85−17454
Volzke, H. More EPROMs for the 68000 85−54884
Volzke, H. Active bus termination card 86−62623
Volzke, H. *see* Grimm, A. 85−28603
vom Hemdt, A. *see* Pfeifer, T. 87−70790
vom Scheidt, J., Fellenberg, B. Some simulation results as to weakly correlated processes 87−73005
Vomocil, M. *see* Ryba, J. 86−60847
Vomscheid, A. *see* Clost, M. 88−8954
Vomtov, B.M. *see* Kondraske, G.V. 85−64526
Vomvoridis, J. *see* Michie, R.B. 85−2167, 85−23358
Vomvoridis, J.L. *see* Felber, F.S. 85−4193
Vomvoridis, J.L. *see* Sprangle, P. 86−65316
von Allmen, M. *see* Huber, E. 86−24703
von Allmen, R. Introduction of the cordless telephone 86−43617
von Allmen, W.K. Electronics in web machine construction 85−39390
Von Alpen, U., Coden, M. Networks with optical fibres−new communication pathways 88−73902
von Alten, J.Walthers *see* Walthers von Alten, J.
von Alvensleben, L. *see* Zhu, F. 85−18583
von Ammon, W., Herzer, H. The production and availability of high resistivity silicon for detector application 85−12078
von Arnim, H.-P. *see* Schlemmer, F. 85−38704
von Autenried, P.H. *see* Dhadesugoor, V.R. 86−54938
von Baeyer, H.C. *see* Isa, H. 85−40962
von Bagh, H., Honkanen, S., Aarnio, J., Leppihalme, M. LPCVD silicon nitride optical waveguides on silicon substrate 87−12215
von Bagh, H. *see* Honkanen, S. 86−48211, 87−35047, 87−68179
von Bagh, H. *see* Lindell, I.V. 86−48552, 86−63966
von Bagh, H. *see* Tammela, D. 88−33689
von Bally, G. Holography in medicine and biology−state of the art and the problem of increasing militarization 88−2419
von Bally, G. Holography in biomedical sciences 88−42530
von Bally, G., Brune, E., Mette, W. Holographic endoscopy with gradient-index optical imaging systems and optical fibers 87−19053
von Bally, G. *see* Podbielska, H. 88−42529
Von Bank, J. Catastrophic failure modes limit redundancy effectiveness 85−5825
Von Bank, J. A highly reliable memory subsystem design employing SECDED, column sparing and paging 86−46801
Von Bank, J. An alternative integrated-circuit yield model 87−25400
von Basse, P.-W. *see* Boeck, G. 88−26359
von Beeren, E., Fischer, L. Conversion of a gas/oil fired industrial Benson boiler to bituminous coal fired operation 85−60579
von Benda, K. *see* Benczur-Urmossy, G. 88−17909
von Berg, B. Indication monitors with liquid-crystal-graphic display 86−55783
von Berlepsch, H. Interpretation of surface potential kinetics in HDPE by a trapping model 85−55988
Von Berlepsch, H. Field-dependent injection in HDPE 86−21925
von Berlespsch, R.Kehm *see* Kehm von Berlespsch, R.
von Bismarck, K.-J. Application-specific circuits 85−54789
von Blucher, R.G. *see* Smith, S.P. 88−24891
von Bochmann, G. Formal description techniques for OSI: an example 85−8226
von Bochmann, G., Deslauriers, M., Bessette, S. Application layer testing and ASN1 support tools 87−40419
von Bochmann, G., Gotzhein, R. Deriving protocol specifications from service specifications 87−20199
von Bochmann, G. *see* Jin-rong Zhao 87−28214
von Bochmann, G. *see* Kawa, C. 88−41376
von Bochmann, G. *see* Kawa, C. 87−55787
von Bochmann, G. *see* Sarikaya, B. 87−20206
Von Bockh, P. Improvement of plant availability and reduction of erosion-corrosion by re-equipment of pre- and high speed separators 88−69116
von Bockh, P., Nabholz, U. Improved plant availability and heat rate with retrofitted condensers and moisture separator reheaters 86−39561
von Boeckh, P. Brown Boveri moves to fourth generation MSRs 88−10981
von Boeckh, P., Stiefel, M., Frick, U. Experience with the moisture preseparator (MOPS) and with the special crossunder pipe separator (SCRUPS) in the Leibstadt nuclear plant 87−71857
von Bojan, B. Determination of antenna gain−what's actually behind it all? 86−29587
von Bonsdorff, M., Palmgren, A. Operating for top performance in Finland 88−30451
von Borany, J., Kogler, R., Mende, G., Schmidt, B. Application of light pulse annealing to the fabrication of ion-implanted silicon detectors for nuclear radiation 86−28219
von Borany, J., Schmidt, B. High-resolution ion-implanted silicon detectors 86−56034
Von Bornstaedt, F. Global developments for videotex 86−10724
von Bornstaedt, F., Bruce, M. Videotex developments and applications in the West German and British travel industries 86−37451

von Bornstaedt, F., Bruce, M., Evers, R., Itin, P. Btx-international 85−52015
von Bosse, N. *see* Kroebel, W. 85−32017
von Bradke, M. *see* Buck, V. 85−20727
von Brandt, A. Subband coding of motion pictures at 2 Mbit/s 87−2421
von Brandt, A. Motion estimation and subband coding using quadrature mirror filters 87−48042
von Brandt, A. *see* Holzlwimmer, H. 87−34847
Von Brentano, P. *see* Atencio, L.G. 86−25141
von Brentano, P. *see* Koch, H.R. 88−74695
Von Bruns, S.L., Anderson, R.L. Hot-electron-induced interface state generation in n-channel MOSFETs at 77 K 87−32528
von Burg, M. *see* Horvath, I. 87−41719
von Campe, H., Hewig, G.H., Hoffmann, W., Huschka, H. Performance of Cu$_2$S/CdS thin film solar modules 86−40160
von Campe, H., Hewig, G.H., Hoffmann, W., Huschka, H., Schurich, B., Worner, J. Detailed analysis of a pilot line production process for Cu$_2$S/CdS thin film solar cells and the layout of a production line 86−40153
Von Cleve, H.H. Dry cooling system for mine-mouth power plant 85−38850
von Compernolle, D., Cotter, N.E., White, R.L. Current spreading and current deconvolution in scala tympani prostheses 86−60832
von Courbiere, R., Klein, F. New ways of storing electric energy in electric motor cars 85−49158
von Courbiere, R., Klein, F.H. State of the art of lead-acid batteries for the CitySTROMer 85−65510
von Courbiere, R., Muller, H.-G. Requirements for EV-batteries and consequences for test procedures [electric vehicle batteries] 86−66264
von Czarnowski, A. *see* Fitting, H.-J. 86−35327
von Dadelszen, M., Moeny, W.M., Roache, P.J. Electric field calculations using the ELF codes 87−17590
von Dadelszen, M. *see* Moeny, W.M. 87−11111, 87−17449
von Dadelszen, M. *see* Young, C.M. 87−17450
von den Driesch, J. Automatic testing of a surge voltage protection unit 87−50850
von der Heydt, K., Duckworth, G.L., Baggeroer, A.B. Acoustic array sensor tracking system 86−60957
von der Heydt, K. *see* Catipovic, J. 85−26228
von der Linde, D. Characterization of the noise in continuously operating mode-locked lasers 86−42493
Von der Linde, D., Malvezzi, A.M. Intracavity self-phase modulation and pulse compression in mode-locked lasers 85−41362
von der Linde, D. *see* Danielzik, B. 86−2648
von der Linde, D. *see* Kemmler, M. 87−18777
von der Linde, D. *see* Kluge, J. 85−7397
von der Linde, D. *see* Kuhlke, D. 86−15649, 86−68610
von der Lippe, J.K. The EURECA platform—system definition, utilization, and follow-on development 87−29860
Von der Neyen, H.-J. *see* Kammerlander, K. 86−23726
von der Ohe, J., Siebeneck, J., Suckow, U. Thermal imaging using indium doped silicon 87−3480
Von der Ohe, J., Siebeneck, J., Suckow, U. Thermal imaging using indium doped silicon 87−34984
von der Ohe, J., Siebeneck, J., Suckow, U., Graf, H.G., Koeniger, M., Senatori, L. Schottky-barrier IR-CCD focal plane arrays 87−3479
von der Ohe, J., Siebeneck, J., Suckow, U., Koniger, M., Platz, W., Senatori, L. 128×64 element Schottky barrier IR-CCD focal plane array 88−74480
Von der Schmitt, H. *see* Busetto, G. 87−14788
von der Straten, G. Traffic behaviour of reservation systems 88−27697
von der Straten, G. A simulator for videoconference network design 88−73723
Von der Straten, G. *see* Schmitt, W. 88−73456
von der Weid, E. Automatic equalization algorithm for a desktop calculator controlling a transversal filter 86−49132
von der Weid, J.-P. *see* Thevenaz, L. 87−68132, 88−36013, 88−45151
Von Der Weid, J.P., Thevenaz, L., Pellaux, J.P. Interferometric measurements of chromatic and polarisation mode dispersion in highly birefringent single-mode fibres 87−32938
von der Weid, J.P. *see* Bruno, A.C. 86−50054
Von Dincklage, R.-D., Gerl, J. The response function of a Si(Li) detector for monoenergetic electrons 85−43168
von Drachenfels, H. *see* Mattes, B. 88−9131
von Drachenfels, W. *see* Brefeld, W. 85−31671
von Dreele, H. *see* Czernek, G. 86−56487
von Dreele, H. *see* Dohmen, H.G. 87−30867
von Dungern, O., Schmidt, G.K. Fault detection mechanisms and approaches to autonomous operation of flexible assembly cells 88−31537
von Egan Krieger, G. *see* Klotz, W.-D. 87−29419
von Eicken, T. The design of a 32-bit microcontroller 87−59515
von Eijkelenburg, H., Machnik, K. Comprehensive analysis of the 80186 processor with a logic analyser 86−17877
von Essen, R. *see* Silny, J. 85−53073
von Essen, R. *see* Vondenbusch, B. 87−21580, 88−4978
von Faber, E. *see* Munch, N. 87−59125
von Feilitzsch, F., Hertrich, T., Kraus, H., Peterreins, Th., Probst, F., Seidel, W. Low temperature calorimeters 88−74740
von Frankenberg, H. Quality assurance and reliability of optocouplers 85−62450
von Freeden, J. *see* Birkelbach, G. 85−26458
von Freydorf, E., Loges, H.-J. Distributed intelligence in danger alarm systems 86−7485
von Gagern, Ch. *see* Anderson, D.F. 85−4200
Von Gegerfelt, D. *see* Sjolinder, S. 86−22545
Von Gersdorff, B. Perspectives for the electric power industry in China 88−61825
von Gersdorff, B., Tillwicks, T. Coping with the problems of an island utility 87−42374
Von Goeler, E. *see* Ash, W.W. 88−10244
von Goeler, E. *see* Braunschweig, W. 88−29874, 88−68282
von Goeler, S. *see* Hill, K.W. 85−52983
von Granau, C., Stechele, W., Ruge, I. CMOS/Bipolar logic for fast, low power dissipation logic circuits 86−67153
von Grumbkow, A. *see* Guttormsen, M. 85−26729
von Grunigen, D. An introduction to switched capacitor filters 85−34042
von Grunigen, D. Introduction to the SC-technique 87−59703
von Grunigen, D. Introduction to the SC-technique. II 87−66325
von Grunigen, D.C., Ramseier, D., Moschytz, G.S. Simulation of floating impedances for low-frequency active filter design 86−41219
von Guggenberg, P.A., Cooke, C.M. Partial discharge pulse height distributions in presence of insulating layers and bubbles 88−51060
von Guggenberg, P.A., Porter, A.J., II, Melcher, J.R. Field-mediated hydraulic deformation and transport of magnetically solidified magnetizable particles 87−19153
von Gunten, H.P. *see* Anderhub, H. 87−21420
Von Gunten, H.P. *see* Sandberg, V.D. 85−37969
von Gutfeld, R.J. Lasers for interconnections, circuit fabrication and repair 85−23825
von Gutfeld, R.J. A review of laser enhanced plating and etching for electronic materials 85−28828
von Gutfeld, R.J. Laser-enhanced patterning using photothermal effects: maskless plating and etching 87−32425
Von Gutfeld, R.J., Gelchinski, M.H., Vigliotti, D.R., Romankiw, L.T. Recent advances in laser-enhanced plating 85−49589
von Gutfeld, R.J. *see* Bjorklund, G.C. 85−24689
von Gutfield, R.J. Laser-enhancement plating and etching for microelectronic applications 86−41869
von Gutfield, R.J., Vigliotti, D.R. High-speed electroplating of copper using the laser-jet technique 85−49584
von Hagen, H., Wink, F. Low-voltage motors protected by high-precision thermal overcurrent relays 87−64502
von Harrach, H.S. *see* Venables, J.A. 88−44531
von Hartrott, M. *see* Bialowons, W. 87−70916
von Hartrott, M. *see* Bialowons, W. 87−41688
Von Helmolt, C.H. Broadband single-mode Te/TM convertors in LiNBO$_3$: a novel design 86−28798
von Helmolt, C.H. Integrated optic strip waveguide phase modulator driven by a SAW 87−46609
von Helmolt, C.H. Optical isolation by orthogonal polarization 88−47152
von Helmolt, C.H., Heidrich, H., Schunk, N. Stable operation of a laser diode directly coupled to a LiNbO$_3$ chip using optical isolation by orthogonal polarization 88−1985
von Helmolt, C.H., Schaffer, C. Efficiency of thin-film acoustooptic devices in LiNbO$_3$ 86−2890
von Helmolt, C.H., Schaffer, C.H. Efficiency of guided wave acoustooptic interaction for selected cuts in LiNbO$_3$ 87−74894
Von Helmolt, C.H. *see* Heidrich, H. 87−40884, 88−45209
von Herrmann, J.L. *see* Parkinson, W.J. 85−48752
von Hesler, W. *see* Grune, E. 85−16659
von Hollen, R.F., Friedlander, S.H. Ione cogeneration project is innovator in turnkey construction and management 86−19080
von Holleuffer-Kypke, R., Hubschmann, W.G., Thomas, P. Long-term testing of a Doppler-sodar as a meteorological measurement station for nuclear power stations. I. Doppler-Sodar-R 86−12592
von Holleuffer-Kypke, R., Hubschmann, W.G., Thomas, P. Long term testing of a Doppler-sodar as a meteorological measurement unit for nuclear power stations. II. Doppler-Sodar-R 86−32958
von Holt, K. *see* Alner, G.J. 88−10288
von Holtey, G. Electron beam collimation at LEP energies 88−54242
von Holtey, G., Potter, K.M. Estimates of the synchrotron radiation background in LEP experiments 88−54033
von Holtey, G. *see* Guignard, G. 86−26138
von Jan, R., Wunderlich, F., Gartner, M. Fuel performance aspects for load following operation of light water reactors 87−4513
von Jan, R. *see* Aleite, W. 86−19006
von Jena, A. High-resolution ultrasonic flowmetering 86−55897
von Jena, A., Magori, V. Progress in vortex sensoring of automotive intake air-flow metering 88−68088
Von Kabitzsch, K., Sickert, R. Basics of the description of surface acoustic wave (SAW) transducer parameters by use of an impulse model 85−1814
von Kahlden, T., Denner, W.-J., Schmutz, W. Computer controlled laser-Doppler anemometer 86−31718
von Kameke, B. *see* Holz, W. 88−28685
von Kanel, H., Graf, T., Henz, J., Ospelt, M., Wachter, P. On the stability of thin epitaxial NiSi$_2$ layers on Si (111) 87−16631
von Kanel, H., Graf, T., Henz, J., Ospelt, M., Wachter, P. NiSi$_2$ layers grown on Si (111) by MBE and SPE 87−36727
von Kienlen, A., Klunker, J. Packet switching and ISDN—a powerful alliance 88−9276
von Kienlin, A. Architecture of a high performance packet switching system 86−43698
von Kienlin, A. *see* Fernandes, B. 87−69524
von Kienlin, A. *see* Huber, J.F. 85−19570, 85−51934
von Kiparski, R., Steffens, H.-P. Possibilities of wireless recording of biosignals by means of digital memories 85−43323
von Klitzing, K., Obloh, H., Ebert, G., Knecht, J., Ploog, K. The quantized Hall resistance in two-dimensional systems 85−63939
von Klitzing, K. *see* Collins, R.T. 87−2012
von Klitzing, K. *see* Haug, R.J. 88−1424
von Klitzing, K. *see* Karg, F. 87−1209, 88−25937
von Klitzing, K. *see* Obloh, H. 86−53422
von Klitzing, K. *see* Weiss, D. 86−53421
von Klitzing, L. Do static magnetic fields of NMR influence biological signals? 86−60725
von Konig, J. *see* ten Brink, W. 86−60516
von Krogh, J., Rasten, E. Service experience with 3-phase locomotives EL 17 of the NSB 87−79041
Von Larcher, T. *see* Koppendorfer, W. 86−42181
Von Laven, S. *see* Segall, S.B. 85−56706
Von Laven, S.A. Results of cold testing a quasioptical cavity for a two-stage FEL 87−2176
Von Laven, S.A. *see* Segall, S.B. 87−2180
Von Laven, S.A. *see* Ward, J.F. 86−3236, 87−2177
Von Lehmen, A., Ballantyne, J.M. Picosecond luminescence measurements on fast GaAs Schottky diodes under changing circuit conditions 85−6883
Von Lensa, W. Status and applications of the high-temperature reactor technology 86−70769
von Linden, J. *see* Hoertner, H. 85−48744
von Linden, J. *see* Hortner, H. 86−51256
von Lingelsheim, T. Planar optical demultiplexer with chirped grating for WDM fibre systems 85−2060
von Lingelsheim, T. Grating coupler/demultiplexer for fibre-optic local-area networks using wavelength-division multiplexing 87−18724
von Lingelsheim, T., Ahrens, T. A new holographic interferometer with monomode fibers for integrated optics applications 87−12615
von Lingelsheim, T., Aytac, S. Investigations of WDM-grating manufacture by an ion beam etching process on glass 86−4690
von Lingnelsheim, T., Aytac, S. Fabrication of micro-optical wavelength division multiplexer (WMD) gratings on glass using an ion etching technique 85−37009
von Lipinksi, P. *see* Winfield, M. 86−4100
von Lobbecke, H. *see* Clabes, J.G. 85−55559
von Lojewski, D., Langner, H., Thelen, F. Measurement of heat distribution in the combustion chamber of a 700 MW boiler 88−37041
von Lupke, T. A 4-bit CMOS microcontroller as a low frequency, low cost function generator 86−27143
von Lupke, T. The TS68930/31 signal processors: application instructions and design notes. II 87−10898
von Lutz, R. Determining the steady state of power converter circuits by Newton-methods 85−54630
von Lutz, R. Determining the static and dynamic performance of power converter circuits 87−22510
von Lutz, R., Grotzbach, M. Straightforward discrete modelling for power converter systems 86−7994
von Lutz, R. *see* Grotzbach, M. 85−5258, 86−56832, 86−66176
von Mallinckrodt, D., Hausser, H., Brixy, H. Ceramic resistors for noise thermometers 87−8596

von Maltzahn, W.W., Ostrander, L.S. Biomedical engineering: the struggle to prolong quality life 87−50203
von Maltzahn, W.W. *see* Nazeran, H. 87−57054
von Mark, E. *see* Wesner, F. 85−30101
von Martens, H.-J. Interferometric counting methods for measuring displacements in the range 10^{-9} m to 1 m 88−29640
von Mayrhauser, A.K. *see* Kenevan, J.R. 86−26710
von Moeller, J. The new ZDF production centre [television centre] 85−47635
von Moeller, J. Architectural acoustics of the ZDF production centre [television centre] 85−47636
von Moers, F. *see* Buesener, H. 86−29223
von Molnar, S. *see* Siegrist, T. 86−14971
von Molnar, S. *see* Stankiewicz, J. 86−35326
Von Munch, W. *see* Burghartz, J. 87−35064
von Munch, W. *see* Engelhardt, C. 87−1507
von Munch, W. *see* Neumeister, J. 86−5244
von Musil, R. Survey of large inverter fed motor designs for variable speed drives 87−22243
Von Neida, A. *see* Erkaya, H.H. 86−8988
Von Neida, A.R., Jordan, A.S. Reducing dislocations in GaAs and InP 87−239
Von Neida, A.R., Pearton, S.J., Stavola, M., Caruso, R. Effect of crystal stoichiometry on activation efficiency in Si implanted, rapid thermal annealed GaAs 87−25066
von Neida, A.R. *see* Chin, A.K. 85−1289, 85−40444
Von Neida, A.R. *see* DiLorenzo, J.V. 86−9244
von Neida, A.R. *see* Jordan, A.S. 85−39713, 87−23596
Von Neida, A.R. *see* Pearton, S.J. 88−64379
von Olshausen, R. *see* Bessei, H. 87−15290
von Olshausen, R. *see* Gronefeld, P. 85−59715
von Oppel, C. Water desalination using the electrochemical membrane process 87−9977
von Ortenberg, M. *see* Erhardt, W. 88−44550
von Ortenberg, M. *see* Kempf, P. 88−29624
von Ow, B. Multilayer ceramic condensers in HF technology 88−50433
von Pattay, W. Videotex brings computing to everybody 85−25455
von Peter, F., Best, S.W. EMI lurks everywhere [mains supply filters] 88−44274
von Pfeil, D., Seidel, H. Echo cancellation for satellite telephone links 88−67321
von Planta, A. *see* Sonnenmoser, A. 85−21453
Von Prondzinski, G. Large pumps and fans in desulphurisation plants 88−62158
von Puttkamer, D. Elektro-CaDD, a PCB-layout-system on PC basis 86−20183
von Puttkamer, E. *see* Hartert, D. 87−67394
von Puttkamer, E. *see* Hinkel, R. 88−74042
von Raben, K.U. Controlling relevant bonding parameters of modern bonders 88−64161
von Ramm, O.T. *see* Shattuck, D.P. 86−11949
von Ramm, O.T. *see* Trahey, G.E. 87−42282, 87−71105 to 71106, 88−61329
von Randow, R. *see* Morton, G. 85−44626
von Rappard, A., Hassig, C., Zimmerman, M. Modular component system for power plants with type 8 gas turbines 85−27315
Von Recklinghausen, D.R. Low-frequency range extension of loudspeakers 85−52583
Von Reichenbach, M.C. *see* Ranea-Sandoval, H.F. 86−68422
Von Reth, E.A. A digital image processor for improved image quality and reduced dose rate in fluoroscopy 88−42519
Von Rheinbaben, H. *see* Hoffmann, E. 86−51047
von Rimscha, M. A geometric modeller as part of a design system 88−6226
von Roedern, B., Mahan, A.H., Konenkamp, R., Williamson, D.L., Sanchez, A., Madan, A. Material properties of glow-discharge a-SiSn:H alloys 85−1331
Von Roedern, B., Mahan, A.H., Mcmahon, T.J., Madan, A. An assessment of a-SiGe:H alloys with a band gap of 1.5 eV as to their suitability for solar cell applications 86−35361
von Roedern, B. *see* Bhat, P.K. 88−58344
Von Roedern, B. *see* Del Cueto, J. 88−45314
von Roedern, B. *see* Mahan, A.H. 85−61008
von Roedern, B. *see* Yacobi, B.G. 85−55486, 86−47320
von Rohden, H. *see* Bartoli, C. 85−20995
Von Rohden, H. *see* Bugeat, J.P. 85−31915
von Rohden, H. *see* Loeb, H.W. 85−32771
von Rohr, F. *see* Heinrich, P. 86−13163
von Roos, O. Steady-state currents in *p-n* junction filaments or grains in case of large surface recombination velocities at lateral surfaces 85−29001
von Roos, O. A note on heterojunction discontinuities 85−34574
von Roos, O., Landsberg, P.T. Effect of recombination on the open-circuit voltage of a silicon solar cell 85−53820
von Roos, O., Mavromatis, H. Effect of reabsorbed recombination radiation on the saturation current of direct gap *p-n* junctions 85−18151
von Roos, O., Wang, K.-L. Conversion losses in GaAs Schottky-barrier diodes 86−41330
von Rosendaal, G.Jansen *see* Jansen von Rosendaal, G.
Von Rossen, P. *see* Atencio, L.G. 86−25141
von Ruden, W. Trigger and data-acquisition plans for the LEP experiments 86−17869
von Ruden, W. *see* Benetta, R. 86−25149, 87−14218
Von Sacken, U., Brodie, D.E. Effects of electron bombardment during vacuum deposition of Zn_3P_2 films 86−7828
von Sanden, D. Workstation electronics—the pioneering phase is over 85−7983
von Sanden, D. Compatibility, the key to communication 86−23247
von Schau, P. *see* Martin, H.-E. 87−34301
von Schau, P. *see* Martin, H.E. 87−33941
von Schau, P. *see* Pfeiffer, W. 85−24033
von Schieszl, T. 230/66 kV transformer stations supplied to the Syrian Arabic Republic 85−60259
von Schmettow, C. *see* Schwendt, R. 87−61880
von Schulthess, G.K. *see* Augustiny, N. 88−4901
von Schwander, T. Design of planar wavelength multiplexers for 1.3 μm/1.55 μm [optical multiplexer] 88−60144
von Seebach, H.M. *see* Hanke, H. 85−16524
von Seebach, M., Ranze, W. Design concepts and efficiency of mechanical and wrap-around mill drives 87−65015
von Seebach, M., Schneider, L.T. Update on finish grinding with improved energy efficiency 87−65011
von Seebach, M. *see* Kupper, D. 86−19672
von Seeman, N. *see* Massey, J.L. 87−54903
von Segern, C. The approach to the management of energy consumption 88−75070
von Segger, H. Electric field-dipole interaction in poly(ethylene terephthalate) 85−41002
von Seggern, H. Improved surface voltage uniformity on electrets obtained by modified corona charging method 85−24751
von Seggern, H., Wang, T.T. Field dependence of polarization in poly(vinylidene fluoride) derived from quasi-stationary poling currents 85−35244
von Seggern, H. *see* Gross, B. 85−40996
von Seggern, H. *see* Sessler, G.M. 85−35241
Von Seggern, H. *see* Wang, T.T. 85−24026
von Sengbusch, C.H. Progress for the sake of progress? Problems relating to modern professional tape recorders 87−49422
von Siemens, P. Confidence in technology—confidence in the future 85−16555
von Stachelsky, F. *see* Gisbert, W. 88−67141
von Stein, H.-D. *see* Jourdan, W. 85−2906
von Straszewski, G.Mahr *see* Mahr von Straszewski, G.
von Studnitz, E.-B. Firing simulator for Switzerland's Leopards [tanks] 88−42729
von Sychowski, H.-G. The process of development of a gate array 86−20415
von Sychowski, H.G. Highly integrated power module for compact power supplies 86−34504
Von Sychowski, H.G. Increasing the testability of gate-arrays 86−34669
von Sydow, F. On testing of the adherence to standards—concepts, criteria, patterns 85−54212
von Taube, E. Gateways link assorted networks 85−36714
von Taube, E. The frontier of high-speed modulation 86−43135
von Taube, E. Proper modem selection ensures free-flowing PC communication 87−8093
von Taube Eugene *see* Eugene von Taube
von Vignau, R. *see* Hintz, H. 85−36683
von Wachter, F.K. *see* Pfeifer, T. 88−49921
von Walter, P., Moldner, G. A multichannel 100 MHz flash-ADC-system with FASTSCAN zero suppression 85−42922
von Walter, P. *see* Bourgeois, F. 85−42923
von Walter, P. *see* Eckerlin, G. 88−22999
Von Walter, P. *see* Fischer, H.M. 87−21417
von Wandruszka, R. Instrumentation for 500 kHz high-resolution chronoamperometry 85−20684
Von Wartburg, A. Automatic measurement of layer thickness 85−42852
von Wedel, H., Sendlmeier, W.F. Discrimination tests for fine structure analysis of speech signals in normal and pathological hearing 86−69011
von Weiler, J.L.W.C., Staal, M. Radar development in The Netherlands before the war 85−58224
Von Weizsacker, C.C. Free entry into telecommunications? 85−36502
von Wienskowski, J.H.W. *see* Haag, H.G. 85−52353, 86−23899
von Wijk, F. *see* Hellwig, K. 87−37346
von Wimmersperg, U., Connell, S.H., Hoernle, R.F.A., Sideras-Haddad, E., Sellschop, J.P.F. A positron source produced by a tandem Van de Graaff accelerator for use in a relativistic energy spectrometer designed for symmetrical mass systems 88−74696
Von Windheim, J., Darkowski, A., Cocivera, M. Photoelectrochemical deposition and properties of thin-film cadmium telluride 88−31818
von Winterfeld, C. An asymptotic theory of electromagnetic phase modes for large rotationally symmetric antennas 85−13203
von Winterfeld, C. On polarization effects in the reconstruction of wave-parameters [radar tracking] 86−55330
von Winterfeld, C. Directional analysis using vector spherical waves [antenna radiation patterns] 88−4134
Von Winterfeldt, D. *see* Keeney, R.L. 87−31236
von zur Gathen, J. Parallel powering 85−33882
Vonada, D. *see* Simoudis, E. 87−37679
Vonarx, M. Call controllers extend life of older phone systems 88−34990
Vonasountas, M. Network management automated measurements and new developments 88−28217
Vonazountas, M. Quality of lines for data transmission in Greece 86−4155
Vonck, B. *see* Anguilar-Benitez, M. 87−71031
Vondenbusch, B., Silny, J., Schmidt, W.G., Uebis, R., von Essen, R., Lubwig, B., Rau, G., Effert, S. ECG-mapping during intracoronary thrombolysis and angioplasty 88−4978
Vondenbusch, B., Silny, J., von Essen, R., Ludwig, B., Rau, G., Effert, S. ECG-mapping during coronary dilatation: Improvement of diagnosis and therapy control 87−21580
Vondenbusch, B. *see* Silny, J. 85−53073
Vonder Haar, T.H. *see* Doneaud, A.A. 87−71348
Vonderen, A.G.M.van *see* van Vonderen, A.G.M.
Vonderohe, A.P. *see* Chrisman, N.R. 87−29922
Vondra, R., Nock, K., Jones, R. A review of electric propulsion systems and mission applications 85−31959
Vondra, R.J., Caveny, L.H. Plasma thruster research in the USA 85−31901
Vondrachek, V.K. *see* Tikhomirova, V.A. 87−54188
Vondrachek, V.K. *see* Vasil'eva, E.N. 87−46680
Vondrak, M. *see* Vaculikova, P. 85−41639
Vondrak, R.R. *see* Robinson, R.M. 85−51402
Vondrasek, F. Current inverter with interphase commutation by operation into an induction machine 86−26048
Vondrasek, F. Pulse converter for traction drives of locomotives 88−24221
Vong Galan, V. *see* Kholognyi, S.D. 85−43611
Vong Kha Bat *see* Bat Vong Kha
Vonk, W.J.A. *see* den Hertog, C.G. 85−36582
Vonkleinsmid, W. *see* Touchton, G.L. 85−4964
VonLehmen, A. *see* Zucker, J.E. 87−45676
Vonnegut, B. *see* Jonsson, H.H. 88−53939
Vonnegut, B. *see* Moore, C.B. 88−60864
Vonneida, A.R. *see* Chakrabarti, U.K. 88−31503
Vonno, N.van *see* van Vonno, N.
Vonno, N.W.van *see* van Vonno, N.W.
Vonsorsky, R. A controlled frequency divider for synthesizers up to 1500 MHz 88−70948
Vonsovskii, N.N. *see* Abramov, F.G. 85−22676
Vonsovsky, R. Soviet ECL circuits in CSSR 88−32156
Vontobel, H. *see* Schmid, J.J. 88−4976
Vontobel, J. *see* Miller, H. 88−69210
Vood, R. New machines for rapid cutting 85−39375
Voogd, P.J. *see* Chin, J.G.J. 86−65417
Vook, D. *see* Gibbons, J.F. 88−12031, 88−38260
Vook, D.W., Reynolds, S., Gibbons, J.F. Growth of GaAs by metalorganic chemical vapor deposition using thermally decomposed trimethylarsenic 87−52169
Vook, D.W. *see* Reynolds, S. 87−23627, 88−38262
Vook, R.W., Pope, L.E., Chamberlain, M.B., Rohde, R.W. The surface segregation of sulfur during oscillatory pin-on-plate wear studies of precious metal electrical contact alloys 85−50073
Voon, K.H., Sr. *see* Lee, A. 86−19425
Voorde, E.Van de *see* Van de Voorde, E.
Voorde, F.van der *see* van der Voorde, F.
Voorde, N.van de *see* van de Voorde, N.
Voorde, P.L.D.Van de *see* Van de Voorde, P.L.D.
Voorde, P.van de *see* van de Voorde, P.
Voorde, P.Vande *see* Vande Voorde, P.
Voore, T. The incredible Scophony receiver 87−49251
Vooren, E.J.Van *see* Van Vooren, E.J.
Voorhaar, E. *see* Huntley, L. 86−24625
Voorhaar, E.H. Some stability aspects of a solid state reference standard 85−31552
Voorhees, D. *see* Kim, D. 88−58456
Voorhees, D. *see* Milchberg, H. 86−15607, 87−29695
Voorhees, D. *see* Skinner, C.H. 85−7354
Voorhees, D. *see* Suckewer, S. 85−7351, 87−12344, 87−12350, 87−12371, 87−61090
Voorhees, H., Poggio, T. Detecting textons and texture boundaries in natural images 87−62334
Voorhees, H., Poggio, T. Detecting blobs as textons in natural images 88−3279
Voorhees, H. *see* Poggio, T. 88−59161
Voorhees, J.W., Bucher, N.M. Voice/visual display systems in stressful environments 86−6030
Voorhees, J.W. *see* Bucher, N.M. 85−9337
Voorhees, W.D. *see* Geddes, L. 88−10297
Voorheis, H., Huntley, L. Ring reference method for accuracy verification of resistive dividers 86−24681
Voorhis, A.D., Bradley, A.M. POPUP: a prototype bottom-moored long-term current profiler 85−21019

Voorhof, H. The legal control of electrical energy supply meters 88−29515

Voorman, J.O. Analog integrated filters or continuous time filters for LSI and VLSI 86−34947

Voorman, J.O. Analog integrated filters or continuous-time filters for LSI and VLSI 87−31981

Voort, A.T.A.M.Van de *see* Van de Voort, A.T.A.M.

Voort, E.Van Der *see* Van Der Voort, E.

Voort, H.T.M.van der *see* van der Voort, H.T.M.

Voorthuyzen, J.A., Bergveld, P. The influence of tensile forces on the deflection of circular diaphragms in pressure sensors 85−37564

Voorthuyzen, J.A., Bergveld, P. Theoretical considerations in the design of integrated semiconductor sensors applying electrets 85−58663

Voorthuyzen, J.A. *see* Wlodarski, W. 87−14306

Voos, H. *see* Hassler, G. 88−55186

Voos, M. Magneto-optical investigations of semiconductor superlattices 85−23519

Voos, M. Some properties of semiconductor superlattices 88−64273

Voos, M. *see* Bleuse, J. 88−33854

Voos, M. *see* Brum, J.A. 86−67736

Voos, M. *see* Delalande, C. 88−7622

Voos, M. *see* Guldner, Y. 85−29006, 87−68254

Voos, M. *see* Jusserand, B. 85−34558

Voos, M. *see* Meynadier, M.H. 85−50251

Voos, M. *see* Tamargo, M.C. 86−52468

Vopalensky, J. *see* Pavlicek, V. 87−50654

Vopat, W.A. *see* Skrotzki, B.G.A. *(editor)* 85−27925

Vopilin, V.S., Burov, V.N. Data-processing algorithms in eddy-current facilities for measuring the parameters of products 86−549

Vopilkin, A.Kh. Diffracted waves and their application in ultrasonic nondestructive testing. II. Practical application of diffracted waves 86−13868

Vopilkin, A.Kh. Diffracted waves and their application in ultrasonic nondestructive testing. I. Physical laws of diffracted waves 86−20128

Vopilkin, A.Kh. Design and development of broadband axisymmetrical piezoelectric transducers of variable thickness 88−44936

Vopilkin, A.Kh., Ermolov, I.N., Zhukov, O.N., Staseev, V.G., Vinnikov, G.A., Naumov, M.S., Ushakov, V.M. Determination of the stress concentration factor of defects with different shapes by the ultrasound method 86−52557

Vopni, E.A., Elmasry, M.I., Sunter, S. A Standard Cell Compiler based on gate matrix techniques 87−32738

Vopni, E.A. *see* Holierhoek, H.P. 88−38490

Vopni, E.A. *see* Pulver, M. 87−32670

Voprada, J. *see* Stepanek, St. 85−48777

Vora, H., Lowdermilk, W.H., Swain, J.E. Effect of surface finishing on the damage threshold of fused silica at 1.06 μm 85−7198

Vora, H. *see* Jensen, R.J. 85−23290

Vora, H.S., Das, T.N., Kumbhare, M.N. Development of a portable digital display photometer system for recording irradiance from the near UV to the near IR 87−41556

Vora, H.S., Kumbhare, M.N., Bemalkhedkar, M.M. Light switching with an SCR used as a GTO 85−50007

Vora, H.S., Kumbhare, M.N., Bemalkhedkar, M.M. A novel mains low/normal/high indicator and trip-off 86−52665

Vora, H.S. *see* Bemalkhedkar, M.M. 85−31772

Vora, J.P. *see* Allen, R.P. 88−48708

Vora, J.P. *see* Arlotto, G.A. 88−48697

Vora, J.P. *see* MacDonald, P.E. 88−48699

Vora, J.P. *see* Vesely, W.E. 88−48701

Vora, K.N. *see* Spangler, G.E. 86−44814

Vora, M., Chien, F., Burton, G., Koh, Y.B., Brown, R., Herndon, W., Heald, R. A 2 micron high performance bipolar 64K ECL static RAM technology with 200 square microns contactless memory cell 85−54893

Vora, M., Ho, Y.L., Bhamre, S., Chien, F., Bakker, G., Hingarh, H., Schmitz, C. A sub-100 picosecond bipolar ECL technology 86−47778

Vora, M. *see* Burton, G. 85−50749

Vora, M. *see* Kapoor, A. 87−60629

Vora, M. *see* Koh, Y. 86−28473

Vora, M. *see* Parisi, N. 85−34777

Vora, M.B. *see* Chien, F.C. 85−40661, 85−61872

Vora, M.B. *see* Jha, N.K. 87−68974

Vora, M.B. *see* Kapoor, A.K. 86−63237

Vora, P.L. *see* Trussell, H.J. 88−66585

Vora, Y. *see* Nishimoto, H.M. 88−7542

Voranantakul, S., Jones, R.C. Current magnitude and streamlines on a VLSI ground plane 88−57766

Voranantakul, S. *see* Jones, R.C. 88−50970

Vorankov, Yu.V., Kamyshnikov, V.M. Measurement of small nonlinear distortions of the modulation characteristics of generators of amplitude-modulated oscillations 86−24747

Vorbrugg, H. *see* Heinze, H. 87−12811

Vorbrugg, H. *see* Kellermeier, H. 86−59152

Vorburger, T. *see* Gilsinn, D. 87−49927

Vorburger, T.V. *see* Birnbaum, G. 87−16757

Vorburger, T.V. *see* Candela, G.A. 87−70345

Vore, R.W.De *see* De Vore, R.W.

Vore, T.M.De *see* De Vore, T.M.

Voreck, R.W. Automated microwave testing of spacecraft 86−30738

Voreck, R.W. Automated microwave testing of spacecraft 86−60887

Voreck, R.W. Automated microwave testing of spacecraft 87−71204

Vorel, L. *see* Matal, O. 88−55149

Vorhaus, J. *see* Clark, M. 86−53047

Vorhees, K.H. *see* Miles, A.W. 88−29546

Vorhoeven, C. *see* Paulissen, L.M.M. 86−51004

Voris, S.S. *see* Osenbach, J.W. 87−1619

Vorisek, M. *see* Krett, V. 85−9596

Vorisek, R. *see* Ungr, J. 86−12735

Vorlicek, J. Automatic selection of operating frequencies on long-distance radio links 86−69596

Vorlicek, J. Rationalisation of the selection of the lowest usable operating frequency in the shortwave target 87−33435

Vorlicek, J. *see* Broj, K. 85−9088

Vorloeper, G. *see* Rammig, F.J. 88−70815

Vormann, H. *see* Sommerfeldt, R. 87−39256

Vormbaum, D. Radio receiver for the 2 m band. On the fox hunt 86−17581

Vormbaum, D. Improved 2 m receiver: on paper chase again 87−76943

Vormedal, L. *see* Hauge, O. 86−12326

Vormwald, K., Mukherjee, B., Gahagan, M., Baldwin, B.E., Singh, J., Emmerich, P. Energy control center for salt river project 86−50915

Vorobei, N.P. *see* Ivanov, A.P. 85−4445

Vorobei, V.K., Fedorov, V.F. Approaches to the development of brushless excitation systems for large turbogenerators 87−42779

Vorobel', R.A. On the design of digital frequency converters for the evaluation of exponential and logarithmic functions 85−50016

Vorob'ev, A.A., Kataev, I.G. Scanning of light on the inclined face of a rectangular triangular prism made of crystals having 3M, 4MM and 43M symmetry 87−46588

Vorob'ev, A.I., Urman, Yu.M. Forces and perturbing moments acting on the rotor 85−56254

Vorob'ev, A.M., Eliseev, V.O. Nonlinear analysis of LC self-excited oscillators based on ideal converters 87−44657

Vorob'ev, A.M., Tsareva, V.A. Nonlinear analysis of ladder-network R-parallel RC self-excited oscillators 87−10719

Vorob'ev, A.P. 60 years in the operation of the V.I. Lenin Volkhov hydroelectric power plant 87−35834

Vorob'ev, A.P. Soviet Russia's first national electric power station 88−30577

Vorob'ev, A.P. *see* Balandin, V.P. 88−61037

Vorob'ev, A.P. *see* Boratav, M. 86−5801

Vorob'ev, A.S. Double correlation processing when searching for pseudo-random signals by delay 85−41918

Vorob'ev, D.L., Dobrovol'skii, V.N. Field control of the ambipolar drift velocity of carriers 87−24953

Vorob'ev, D.L. *see* Dobrovol'skii, V.N. 85−55441, 85−61666

Vorob'ev, G.A., Troyan, L.A. Influence of emission-center density, cathode area, and temperature on the emissivity of the MDM cathode 87−6313

Vorob'ev, I.B., Kozunov, A.V., Kopchenov, V.E., Krivokhatskii, A.S., Nikolaev, V.A., Solov'ev, S.M. Spark counting of particle damage tracks in neutron studies 87−41874

Vorob'ev, L.A. *see* Girshfel'd, V.Ya. 88−43041

Vorob'ev, L.E., Danilov, S.N., Stafeev, V.I., Tulupenko, V.N., Pozhela, Yu.K., Starikov, E.V., Shiktorov, P.N. Inversion of the hole population and optical gain of germanium subjected to E⊥H fields 86−21091

Vorob'ev, M.A. *see* Gurevich, V.I. 88−37326

Vorob'ev, M.D., Skliznev, S.M., Yurchenko, V.I. The use of probe techniques for semiconductor diagnostics based on noise current characteristics [Gunn diode manufacture] 87−45250

Vorob'ev, M.S., Frantsuzov, A.D. A method of optimizing the geometry of mirror antennas 85−62893

Vorob'ev, N. *see* Gierulski, A. 85−35855

Vorob'ev, N.D. *see* Bogdankevich, O.V. 86−22358

Vorob'ev, N.S., Degtyareva, V.P., Platonov, V.N., Prokhorov, A.M., Serdyuchenko, Yu.N., Ushakov, V.K. Picosecond image converter photonics and its applications in semiconductor structures research 88−4479

Vorob'ev, N.S., Grudinin, A.B., Dianov, E.M., Korobkin, D.V., Khaidarov, D.V. Direct measurement of the duration of the Stokes components of stimulated Raman scattering in a single-mode optical fiber with a 150-ps laser pump 88−27308

Vorob'ev, N.S., Grudinin, A.B., Dianov, E.M., Prokhorov, A.M., Khaidarov, D.V., Khrushchev, I.Yu., Shchelev, M.Ya. Light amplification due to nonlinear interaction of counterpropagating waves in a single-mode optical fiber 87−26536

Vorob'ev, N.S. *see* Babushkin, A.V. 85−12905, 86−68501, 87−46819

Vorob'ev, P.A., Repko, V.N. Synthesis of controlled broadband phase shifters based on sectioned multilayer stripline waveguides 85−61397

Vorob'ev, P.V. *see* Perevodchikov, V.I. 88−52144

Vorob'ev, S.D. Space correlation properties of randomly anisotropic noisy fields 87−61316

Vorob'ev, S.N. *see* Nazikyan, G.A. 86−70901

Vorob'ev, V.A. Description of electric load distribution in an installation employing the Poisson equation 88−10721

Vorob'ev, V.A. Determining the law governing the distribution of electrical loads with respect to time 88−68793

Vorob'ev, V.A., Kiselev, A.A., Kuz'min, R.N. Discriminator based on voltage comparator for nuclear physics research 86−44597

Vorob'ev, V.E. *see* Bannikova, L.V. 86−56757

Vorob'ev, V.F., Filippov, G.A., Shilov, S.V. The effect of ambient temperature of the dielectric properties of polyester glass fibre 88−44925

Vorob'ev, V.F., Ivanov, V.L. The electric strength of insulating gaps in high-voltage switchgear with severe surge limitation 86−56489

Vorob'ev, V.I. Choosing the filter parameters for optoelectronic systems 85−12693

Vorob'ev, V.I. *see* Sumin, V.V. 87−49814

Vorob'ev, V.K. *see* Bruk, V.L. 86−5185, 87−70946

Vorob'ev, V.L. A thermodynamic analysis of doping by subgroup-VIB elements during liquid-phase epitaxy of GaP 87−45761

Vorob'ev, V.M. *see* Bratuta, E.G. 88−17382

Vorob'ev, V.P., Sivtsov, A.V. Electrical parameters of characteristic zones of working space in ferroalloy electric furnaces 87−22907

Vorob'ev, V.V., Loboda, N.M., Petrova, O.I., Kharchenko, I.F. Effect of electric bias on the electrophysical parameters of superconducting niobium films 88−58017

Vorob'ev, V.V., Myakinin, V.A., Stepashkin, V.N., Tikhonova, N.S. Evolution of the coherence and intensity fluctuations of pulsed laser radiation with stationary phase modulation during thermal blooming 88−2347

Vorob'ev, V.V., Ovcharenko, A.N. Employing similarity theory in analysis of nonlinear characteristics 87−68732

Vorob'ev, V.V. *see* Agrovskii, B.S. 86−29409

Vorob'ev, Yu.A. *see* Antoshchenko, E.M. 85−53983

Vorob'ev, Yu.A. *see* Stroiman, I.M. 87−79243

Vorob'ev, Yu.P., Naumovich, N.M. A varactor-tuned gunn-diode oscillator 88−71033

Vorob'ev, Yu.V., Kil'chitskaya, S.S., Komirenko, R.P., Litvinenko, S.V., Skryshevskii, V.A., Strikha, V.I. Effects of nonadditivity of excitation of the photocurrent of a contact between a metal and hydrogenated amorphous silicon 87−12293

Vorob'ev, Yu.V., Kostylev, S.A., Makarova, T.V., Prokhorov, E.F. Capture of hot electrons in structures formed by deposition of *n*-type GaAs epitaxial films on semiinsulating substrates 85−29063

Vorob'ev, Yu.V. *see* Borisov, F.I. 86−1673

Vorob'ev, Yu.V. *see* Borisova, P.I. 86−42438

Vorob'eva, L.G. Thickness-shear and flexural vibrations of a continued AT-cut ring quartz resonator 85−1810

Vorob'eva, L.P., Mal'tsev, A.N. Use of a generalized reabsorption method to investigate the plasma of gas lasers 85−41325

Vorob'eva, N.N., Galushkin, M.G., Glotov, E.P., Lyakishev, V.G., Rodionov, V.I., Seregin, A.M., Cheburkin, N.V., Chekin, S.K. Investigation of the spectral characteristics of high-pressure pulsed CO_2 lasers 85−24477

Vorob'eva, N.N. *see* Babaev, I.K. 87−54235

Vorob'eva, N.N. *see* Bakhtadze, A.B. 86−54085

Vorob'eva, V.V., Golubev, L.V., Novikov, S.V., Shmartsev, Yu.V. Electroliquid epitaxy of the quaternary solid solution $GaAs_{1-x-y}Sb_xP_y$ 86−20058

Vorob'eva, V.V. *see* Biryulin, Yu.F. 85−33452, 88−49802

Vorobeychikov, S.E., Konev, V.V. A sequential procedure for detecting disorder in a diffusion process 88−40943

Vorobienko, P.P., Nechiporuk, O.L., Entrial'go, P. Nonreactance transformations of frequency in approximation of filter characteristics 88−32299

Vorobienko, P.P., Strukalo, M.I. Probability modeling of the regenerator sections of primary digital transmission systems 87−48366

Vorobiev, A.Ye. Crystal-controlled electric drive for the Kinor film camera 87−22818

Vorobiev, S.A. *see* Alekseevskii, O.B. 88−51074

Vorobiev, S.A. *see* Pogrebnjak, A.D. 85−31688

Vorobiev, V.V. Concerning similarity in optimization tasks 86−27052

Vorobiev, V.V. A decomposition method to solve problems on optimization of physical devices on the basis of the similarity theory 86−46426

Vorobiev, V.V. Application of the similarity theory to analyze and synthesize nonlinear electromagnetic devices 88−20860

Vorobiev, Yu.V., Vustenko, A.I., Gaisanyuk, A.V., Ismagilova, E.A., Kolbin, M.N., Smirnov, A.S., Eomin, N.G. Influence of the thermal treatment on the recombinational processes in *p*-type indium antimonide 87−74019

Vorobiev, Yu.V. *see* Vorobieva, N.V. 86−1721

Vorobieva, N.V., Vorobiev, Yu.V., Kurbatov, V.M., Lyubchenko, A.V., Matsuta, L.A. Peculiarities of charge carrier recombination in GaAs with different Cr concentration 86−1721
Vorobiov, A.I. *see* Blinov, A.E. 85−26540, 86−18202
Vorobiov, V.S., Kondrashov, A.S., Kotelnikov, A.V., Koshelev, V.S., Chizhikova, N.A., Shimko, A.A. A solid-state TV camera for automatic calculation of pixel coordinates 88−22300
Vorobiyenko, P.P. *see* Ganskiy, P.N. 86−34558
Vorobkevich, A.Yu. Macromodel of active three terminal network as RLC-matrix of minimal-size conductivities 87−17218
Vorob'yev, A.A., Rozenbaum, L.B. Nontraditional methods of cooling the inductive elements of high power medium- and long-wave radio transmitters 85−8538
Vorob'yev, A.S. A method of increasing the noise immunity of synchronous communications systems in which the signals are separated by shape 85−8023
Vorob'yev, G.A., Danilovich, V.S., Troyan, L.A., Troyan, P.Ye. Effect of area on the properties of activated MIM systems 88−19582
Vorob'yev, G.A., Gyngazov, S.A., Lubsanov, R.B. Influence of the collector electric field on processes occurring in a formed metal-insulator-metal system 88−71271
Vorob'yev, G.A., Lubsanov, R.B., Troyan, P.Ye. Investigation of the processes in individual formed channels of the metal-insulator-metal system 86−47589
Vorob'yev, L.A., Zyablitsev, V.V., Pochinchuk, N.G. Some results of investigations of pulsed noise in the physical lines of a city telephone exchange 87−62731
Vorob'yev, S.N. Scattering of electromagnetic waves by a nonequidistant array of a finite number of inclined strips 88−72533
Vorob'yev, V.I., Klimov, A.V. Assessment of the phase characteristics of reflections from objects in multifrequency radar in the case of multipath signal propagation 87−63024
Vorob'yev, V.I., Maslakova, N.A. The signal spectrum as a function of the target rotational and spatial structure parameters 86−30862
Vorob'Yev, V.M., Kondratenko, A.N., Kuklin, V.M. Effect of a regular external field and noise on the development of instability in a beam-plasma system 87−68700
Vorob'yev, V.V., Krasil'nikova, T.G. Approximate method of calculating refraction variations in an inhomogeneous atmosphere 85−7654
Vorob'yeva, L.P. Focusing effects on the level of a decametric signal with oblique propagation 85−57020
Vorob'yevskiy, E.M., Gvozdev, V.I., Litvinenko, M.Yu. A microwave single-sideband modulator 86−27572
Vorobyov, A.A., Korolev, G.A., Dobrovolsky, A.V., Khanzadeev, A.V., Petrov, G.E., Spiridenkov, E.M., Terrien, Y., Lugol, J.C., Saudinos, J., Silverman, B.H., Wellers, F. Experimental apparatus for the study of small angle neutron-proton elastic scattering at intermediate energies 88−68244
Vorogushin, M.F., Malyshev, V.N. Dynamic matching of an oscillator and a multicavity accelerating structure 88−25785
Voronenko, A.V. *see* Vashkovskii, A.V. 85−12496, 85−12499
Voronenko, B.I. Potentialities of the coercimetric method for investigating the fine structure of ferromagnetic materials (review) 86−26953
Voronich, I.A. *see* Bogdan, A.V. 86−25649
Voronich, I.A. *see* Bordan, A.V. 86−61507
Voronich, V.E., Gachko, G.A., Maskevich, S.A. Regulation of radiated power of LTI-701 laser 87−68565
Voronin, A.A., Kolosov, Yu.A., Yaroshenko, I.F. Stability characteristics of the AL402A light-emitting diode (LED) 88−8074
Voronin, A.A. *see* Aizenshtein, A.G. 87−9652
Voronin, A.A. *see* Bulatov, O.G. 85−44092
Voronin, A.A. *see* Veretenkov, A.V. 85−10065
Voronin, A.E. *see* Volokhonskii, L.A. 85−65655
Voronin, A.M. *see* Arzumanov, A.A. 85−64413
Voronin, A.N., Zorin, I.V. A semiconductor null thermostat 88−29322
Voronin, A.S. *see* Ivanov, M.P. 85−37910
Voronin, A.V., Kuznetsov, B.V., Kuznetsov, V.M. Polarizing interference filter for an LZhI-402 dye laser 86−29205
Voronin, A.V. *see* Zelepukhin, M.V. 86−18247
Voronin, E.F. *see* Morev, A.V. 86−67675
Voronin, E.N. The generalized electrodynamic sense of radioholographic problems 85−56934
Voronin, E.N. Conjugate radioholographic problems 86−42715
Voronin, E.N. Root-mean-square optimal solutions of selective holography 87−33335
Voronin, E.N. A physical interpretation of the principle of a contrast material 87−54434
Voronin, E.N. Selective holography (an analytical survey) 88−14292
Voronin, E.N. *see* Grinev, A.Yu. 85−36131, 86−43052
Voronin, E.N. *see* Nechaev, E.E. 87−33501
Voronin, E.N. *see* Voskresenskii, D.I. 85−62892
Voronin, F.V., Antonov, A.E. Improving the service reliability of electron beam welding guns 85−53966
Voronin, F.V., Revkov, E.G., Pushkina, I.Yu. Visual-optical panoramic inspection of the quality of welded joints in argon-arc welding 87−36278
Voronin, I.D. *see* Volkov, N.P. 87−34959
Voronin, I.N. Stochastic self-excited oscillations in semiconductors with shallow donors under avalanche breakdown conditions 86−1660
Voronin, M.Ya. Elements of the theory of irregular transmission lines and their microwave applications 87−2328
Voronin, M.Ya., Rogachkov, S.F. Design of broadband microwave resonators using confluent functions 86−35076
Voronin, N.I., Devyatykh, G.G., Dianov, E.M., Plotnichenko, V.G., Prokhorov, A.M., Skripachev, I.V., Ulevatyi, B.E., Churbanov, M.F., Shipunov, V.A. Chalcogenide-glass optical fibers for the infrared range produced by plasma-chemical deposition from the gas phase 86−36137
Voronin, S.P. *see* Antipenko, B.M. 86−36446, 87−12439
Voronin, S.T., Kravchenko, A.F., Sherstyakov, A.P. Dynamic current-voltage characteristics of GaP:Fe p-i-n^{+} structures under current filamentation conditions 85−6743
Voronin, S.T., Kravchenko, A.F., Sherstyakov, A.P. Efficiently emitting epitaxial gallium phosphide p^{+}-i-n^{+} structures 86−48295
Voronin, S.T., Kravchenko, A.F., Sherstyakov, A.P. Photoelectric properties of p-i-n^{+} structures made of GaP:Fe 87−37931
Voronin, V.F., Gribkovskii, V.P., Zhukov, N.D., Ryabtsev, G.I., Sosnovskii, S.A. Temperature dependence of the internal parameters of heterolasers in the system GaSb/AlGaAsSb 86−36503
Voronin, V.F., Gribkovskii, V.P., Zhukov, N.D., Ryabtsev, G.I., Sosnovskii, S.A. Study of bleaching of passive regions of gallium-antimonide heterolasers with a strip contact 86−42577
Voronin, V.F., Zhukov, N.D., Ryabtsev, G.I., Sosnovskii, S.A. Study of the temperature variation of the output threshold of heterolasers based on GaSb/AlGaAsSb 87−75120
Voronin, V.I. Efficient space-time formation of signals in optoelectronic raster systems 85−56397
Voronin, Ye.N. Selective reconstruction of space-time spectra 87−61467
Voronin, Ye.N. Optimal and quasisolutions of problems in microwave holography 88−14306
Voronin, Yu.M., Shchetnev, Yu.F., Rakhov, A.V. Cathodoluminescent screen on a fiber-optic plate for an electron microscope 86−22232
Voronina, G.G. *see* Veselov, G.I. 86−35057, 86−48636
Voronina, N.B. *see* Kirichok, P.P. 86−42102
Voronina, S.A. *see* Bademshina, I.B. 88−36735
Voronina, T.I., Gasanli, Sh.M., Emel'yanenko, O.V., Lagunova, T.S. Anomalous low-temperature magnetoresistance of p-type III-V crystals 85−11939
Voronina, T.I., Lagunova, T.S., Samorukov, B.E., Strugov, N.A. Properties of epitaxial gallium arsenide films doped with rare-earth elements 88−57301
Voronina, T.I. *see* Bagraev, N.T. 86−1719
Voronina, Z.A. *see* Koliushko, G.M. 87−5675
Voronkin, I.V. Steels and alloys for components of electric furnaces with carbon-containing atmospheres 85−44313
Voron'ko, V.Ya. *see* Veselyanskii, Yu.S. 86−20889
Voron'ko, Yu.K. *see* Basiev, T.T. 85−51227, 86−63782
Voronkov, M.E., Perederii, A.D. Technical and cost estimation of using porous water-bearing collectors in heat storage systems at power stations 88−5504
Voronkov, M.E. *see* Akhmedov, R.B. 86−32935
Voronkov, M.E. *see* Vlasov, A.E. 88−42927
Voronkov, V.B. *see* Astrova, E.V. 87−53467
Voronkov, V.B. *see* Bagraev, N.T. 85−23625, 85−50257
Voronkov, V.B. *see* Borovikova, N.V. 88−39193
Voronkov, V.B. *see* Volle, V.M. 86−21356, 86−47559, 87−38105, 88−71540
Voronkov, V.S. Designing magnetic suspension stabilisation system and experimental study of dynamics of system 85−7599
Voronkov, V.S., Pozdeev, O.D. Synthesising magnetic-suspension stabilisation system taking into account elasticity of its structural components 87−47117
Voronkov, V.V. *see* Batunina, A.V. 88−36255
Voronkov, Yu.V. Measurement of parasitic amplitude modulation in frequency-modulated oscillators 87−52432
Voronkova, G.I., Petrova, E.A. Gettering of quenching centers by second-phase inclusions in germanium highly doped with barium 86−28087
Voronkova, G.I. *see* Andreev, B.A. 87−33044
Voronkova, L.V., Ermolov, I.N., Kulikov, V.K. An ultrasonic method of assessing the hardness of cast iron on the basis of the frequency of the maximum spectrum amplitude 86−52553
Voronkova, V.V. *see* Margulova, T.Kh. 85−4779
Voronov, A.D., Pinsky, I.M. Trunkline reconstruction by replacing the K-300 carrier system by the BK-960-2 system 86−43701
Voronov, I.D., Zaikin, V.M., Kozedub, E.I., Pashkov, V.V. Programmable rotator [for wind tunnels] 86−44738
Voronov, I.D., Zaikin, V.M., Kozedub, E.I., Pashkov, V.V., Ramzaeva, N.A. Automated system for gas-pressure measurement 86−5582
Voronov, I.N., Gres'kov, I.M., Grinshtein, P.M., Guchetl', R.I., Morokhovets, M.A., Sobolev, N.A., Stuk, A.A., Kharchenko, V.A., Chelnokov, V.E., Shek, E.I. Effect of the annealing medium on the properties of radiation-doped silicon 85−40431
Voronov, I.N., Grinshtein, P.M. Present state and future development prospects of the technology for obtaining monocrystalline silicon for power semiconductor devices 86−20025
Voronov, I.N., Grinshtein, P.M., Guchetl', R.I., Litovchenko, A.V., Morokhovets, M.A., Tuchkevich, V.M., Shlimak, I.S. Statistical analysis of an experiment on the commercial production of neutron-doped silicon in channel reactors of the RBMK-1000 type 85−61842
Voronov, N.D. *see* Petrovich, N.T. 88−46069
Voronov, N.V. The effect of high-frequency bias current asymmetry on tape recorder noise 86−44065
Voronov, O.A. *see* Mel'gui, M.A. 86−547
Voronov, S.A., Yakovlev, V.A. The effect of a thin silver film on the absorption and dispersion of a dielectric optical waveguide 88−20416
Voronov, S.A., Zemskov, V.M., Moiseev, A.A., Ozerov, Yu.V., Rud'ko, V.A., Yurkin, Yu.T. Angular resolution of wide-gap spark chambers with a coding collimator for γ-rays of an energy above 50 MeV 86−18258
Voronov, V.G. *see* Amosov, I.S. 86−25216
Voronov, V.I., Lyapakhin, A.B. Visualization of the optical axis of a CO_2 laser having an annular radiation beam 86−15641
Voronov, V.I., Pol'skii, Yu.E. Numerical investigation of the focusing of annular radiation beams having a Gaussian amplitude distribution over the width of the ring 86−22468
Voronov, V.N., Demkin, V.M., Kulikov, Yu.Yu., Ryskin, V.G., Yurkov, V.M. A spectrum analyzer for the millimeter-wavelength range and the results of an investigation of ozone of the upper atmosphere 88−5157
Voronov, V.N. *see* Filatov, V.N. 87−3642
Voronov, V.N. *see* Monakhov, A.S. 86−33035
Voronov, V.N. *see* Zinchenko, I.I. 88−4143
Voronov, V.S., Dorogin, A.D., Kucheryuk, V.I., Chistikin, A.N. Method of speckle holography in determining certain mechanical properties of biotissue 86−44644
Voronov, Ye.V., Pilipchuk, N.I. Adaptive quantization of a speech signal 88−34609
Voronova, A.S. *see* Sultanov, A.S. 88−74430
Voronova, E.A. *see* Molchanov, A.V. 88−37896
Voronovich, G.K. *see* Shul'man, Z.P. 88−74171
Voronovich, V.V. *see* Borisov, V.A. 88−12247
Voronovskii, A.N., Dizhur, E.M., Itskevich, E.S. Peculiarities of tunneling in a system based on GaAs at high pressures 85−23538
Voronovskii, A.N., Itskevich, I.E., Kashirskaya, L.M., Kulakovskii, V.D., Medvedev, B.K., Mokerov, V.G. Persistent photoconductivity in hydrostatically compressed, selectively doped n-$Al_xGa_{1-x}As$/GaAs structures 86−47354
Voronovskii, G.P. The Ural plant for heavy electrical machine construction 86−26579
Vorontsov, A.A., D'yachenko, M.I., Mirovitskaya, S.D. Analysis of a numerical solution of the problem of diffraction by a single- or double-layer dielectric cylinder of large radius 86−63957
Vorontsov, A.A., Mirovitskaya, S.D. Scattering diagrams for different types of optical fibers 87−46544
Vorontsov, A.A., Mirovitskaya, S.D. Plane wave diffraction by dielectric cylinders 87−47150
Vorontsov, A.A., Mirovitskaya, S.D. Plane-wave diffraction in large-radius dielectric cylinders 87−68761
Vorontsov, A.A., Mirovitskaya, S.D. Analysing a generalised parameter of a diffraction pattern from a dielectric cylinder 88−58829
Vorontsov, A.A., Mirovitskaya, S.O. Diffraction of a plane wave by a multilayered dielectric cylinder 88−27583
Vorontsov, A.S., Levinov, K.G., Nikolayev, G.P., Frolov, P.A. Experience in using coaxial cables with aluminum casings 87−55934
Vorontsov, G.M. *see* Belyayev, R.V. 86−27126
Vorontsov, G.P. *see* Ageev, A.I. 88−47779
Vorontsov, G.P. *see* Balbekov, V.I. 85−26562
Vorontsov, G.V., Grigoryan, S.G. Finding the magnetoelastic sensitivity parameter of ferromagnetic materials in a linear stressed state 88−13665

Vorontsov, G.V., Grigoryan, S.G., Martynov, V.V. On the theory of sensitivity of magnetoelastic transducers 86-42148

Vorontsov, M.A., Izakson, G.M., Kudryashov, A.V., Kosheleva, G.A., Nazarkin, S.I., Suslov, Yu.F., Shmal'gauzen, V.I. Adaptive cooled mirror for the resonator of an industrial laser 86-22449

Vorontsov, M.A., Koryabin, A.V., Kudryashov, I.A., Shmal'gauzen, V.I. Experimental investigation into influence of hysteresis in piezoelectric drives on performance of adaptive optical aperture-probing system 88-20204

Vorontsov, M.A., Koryabin, A.V., Shmal'gauzen, V.I. Efficiency of adaptive optical systems in turbulent atmosphere 86-3535

Vorontsov, M.A., Kudryashov, I.A., Shmalgauzen, V.I. Methods of adaptive optics in problems of wave-front reconstruction for intensity distributions 88-59238

Vorontsov, M.A., Matveev, A.N., Sivokon, V.P. Intracavity beam correction methods 86-63846

Vorontsov, V.D., Komarov, V.P., Smirnov, V.M. An improved design for the magnetic circuit of a synchronous magnetic clutch 88-37668

Vorontsov, V.I., Kanchenko, V.A., Solomin, A.V., Shpak, I.V. Experimental investigation of the characteristics of a ring laser in the synchronization zone 85-12907

Vorontsova, E.I., Petrovskii, V.I., Grigor'ev, V.K. Accuracy characteristics of photometric ellipsometers 86-35528

Vorontsova, L.V. *see* Bordanov, A.N. 86-25642

Vorontsova, T.P. *see* Bogorodskii, O.V. 86-35666

Voronyuk, L.V., Grechko, L.G., Pinkevich, I.P., Selitshchev, P.A., Sidenko, T.S. Optimisation of the parameters of a copper laser during short pulse excitation 86-3033

Voronyuk, L.V. *see* Opachko, I. 86-29083

Voropaev, P.V., Spakhov, V.V. Nonlinear operation of the neutral line of a power transformer 87-64664

Voropaev, P.V. *see* Shnell, R.V. 87-44510, 88-75141

Voropaev, S.G., Lebedev, S.V., Chikunov, V.V., Shcheglov, M.A. Production of a microsecond relativistic electron beam in a two-module LC generator 86-18230

Voropaev, S.I. *see* Muzhitskii, V.F. 85-49648

Voropai, E.S., Karas', V.I., Porpachev, P.A. Optimization of the photodiode-operational amplifier pair for weak light flux measurements 86-44313

Voropai, E.S., Karas', V.I., Torpachev, P.A. Measurement of optical losses using two photodiode-operational amplifier pairs 85-20741

Voropai, N.I. Modelling of the long-term transients in power systems. State of the problem 86-18681

Voropai, V.A. *see* Freik, D.M. 85-55511, 88-57331

Voropajev, S.G. *see* Chikunov, V.V. 86-1633

Voropayev, Yu.P., Merzylyakov, A.S. Load matching at several fixed frequencies 85-7685

Voros, A. Measurements for the determination of electric parameters of quartz crystals 86-53869

Voros, G.L. The future fax: a system-solution approach needed 87-48511

Voros, K., Sutardja, P., Oldham, W.G. A 10:1 photomask reduction camera 87-11571

Voros, K. *see* Kas, I. 88-34197

Voros, M. *see* Huszar, T. 87-29904

Voros, M. *see* Kosa, J. 85-44072

Voros, P. High-quality sound coding within 2×64 kbit/s using instantaneous dynamic bit-allocation 88-73093

Voroshen', V.I. *see* Bernashevskii, G.A. 88-25055

Voroshilov, I.A., Podobed, D.P., Shidlovskii, E.S. Tests of overhead transmission line supports using SV-3 stanchions 86-32799

Voroshilov, S.A., Kisin, V.V., Nazvanov, V.F. Apparatus based on KSVU-5 system for study of semiconductor films 88-60567

Voroshilov, V.P. *see* Sutokhin, A.M. 87-9404

Voross, L. *see* Resch, P. 85-21399

Vorotilin, S.P. *see* Bel'dyugin, I.M. 85-19037

Vorotilin, V.P., Krylov, V.S., Davydov, A.D., Kheifets, L.I. Generalized description of hydrodynamics in the electrochemical machining of pipe and channel walls 85-16494

Vorotilo, I.V. Effects of stabilising the electrical parameters of a welding apparatus on the quality of high frequency welded tubes 87-51665

Vorotnikov, N.M. *see* Dumarevskii, Yu.D. 87-18765

Vorotnitskii, V.E., Kozhevnikov, V.K., Krasnovskii, A.Z., Pekelis, V.G., Rozenberg, A.E. Effectiveness of compensation of magnetizing current and minimum reactive load of 6-20 kV transformers supplying agricultural needs 87-72642

Vorotnitskii, V.E. *see* Zhelezko, Yu.S. 85-32121

Vorotnitsky, U.I. An optimal design for multi-layered electromagnetic wave absorbers 88-14361

Vorotnitsky, U.I., Ivanov, S.A., Lukjanetz, V.G. Application of scalar network analysers for radiomaterial's permittivity determination 88-47661

Vorozhtsov, S.B., Kalinkina, M.B., Saenko, V.A. System of programmes for determination of cyclotron magnet parameters by the given dynamic characteristics of the beam 88-53957

Vorperian, V. High-Q approximation in the small signal analysis of resonant converters 86-8413

Vorperian, V. Equivalent circuit models for resonant and PWM switches 87-65784

Vorperian, V. Quasi-square-wave converters: topologies and analysis 88-55460

Vorperian, V. *see* Lotfi, A.W. 88-75768

Vorperian, V. *see* Ridley, R.B. 87-72309, 88-30814, 88-55498

Vorperian, V. *see* Tymerski, R. 87-30812

Vorsanger, J.P. *see* Foret, J.Y. 86-43630

Vorsatz, W. Analysis of cycle durations 87-35211

Vorsin, N.N., Mirovskiv, V.G., Smirnova, L.A., Tikhomirov, A.A., Shamba, A.Sh., Etkin, V.S. Investigation of a radiometer-scatterometer with a degenerate parametric amplifier 88-74370

Vorst, A.C.A.van de *see* van de Vorst, A.C.A.

Vorst, A.V. Atmospheric and sea-surface effects from 30 to 300 GHz 86-6112

Vorst, A.Vander *see* Vander Vorst, A.

Vorst, C. *see* Bhattacharyya, A. 86-2040, 86-21910, 86-67803, 87-6591

Vorst, C. *see* Delfino, M. 88-7404

Vorst, H.A.van der *see* van der Vorst, H.A.

Vorst, V.A. Integrated team projects as part of the undergraduate curriculum 86-77

Vorstermans, J., van den Eede, L. An image processor for a multi image processing system 87-2583

Vorsul', K.V., Smirnova, T.A., Cherpak, N.T. Andalusite as an active material for traveling wave 3-mm masers 87-61055

Vorsul', K.V., Smirnova, T.A., Cherpak, N.T. Three-level model in andalusite for the 3-mm range 87-73702

Vorthman, J.E. *see* Erickson, D.J. 88-49056

Vorthman, J.E. *see* Freeman, B.L. 88-43298

Vortman, J., Bar-Lev, A. Dependence of thermal imaging system performance on optics and detector area 86-38280

Vortman, J.G., Bar-Lev, A. Augmented performance criterion for thermal imaging systems 86-55552

Vortman, J.G., Bar-Lev, A. Improved MRTD model for IR imaging systems 87-20959

Vortman, J.G., Bar-Leb, A. Improved minimum resolvable temperature difference model for infrared imaging systems 87-70436

Vorwerk, H.-J. Some aspects of quality assurance on instrument transformers 87-58132

Vorwerk, J. Integrated Computer Modules [from National Semiconductor] 86-34867

Vorzobova, N.D. *see* Aristov, A.V. 87-47007

Vos, A.De *see* De Vos, A.

Vos, C.W.M. *see* Adami, H. 88-55558

Vos, C.W.M. *see* de Haas, J. 86-51856

Vos, C.W.M. *see* Ykema, Th. 86-12954

Vos, G.De *see* De Vos, G.

Vos, J. *see* Ziomek, L.J. 86-10408

Vos, J.A.de *see* de Vos, J.A.

Vos, J.E. *see* Scholten, C.A. 85-26748

Vos, K. *see* Van Hoek, A. 88-8367

Vos, L. Beam vacuum chamber effects in the CERN Large Hadron Collider 86-24893

Vos, L. Computer calculation of the longitudinal impedance of cylindrically symmetric structures and its application to the SPS 88-54237

Vos, L. *see* Bossart, R. 88-54173

Vos, L. *see* Hofmann, A. 86-31930

Vos, L. *see* Ijspeert, A. 86-31888

Vos, L.De *see* De Vos, L.

Vos, M.J., Litjens, S.B., de Bie, R.W., Lodder, J.C. Magnetization transitions obtained by deconvolution of measured replay pulses in perpendicular magnetic recording 87-18500

Vos, M.J. *see* Indeck, R.S. 88-57954

Vos, P., Holler, E. Btx-personal computer with ISDN-suitability. From Btx-terminals to PCs 87-27989

Vos, R. *see* Eser, E. 87-72433

Vos, R.H.J. *see* Burnham, G.O. 85-37148

Vos, U. *see* Van der Veer, G.C. 88-59620

Vos, W.A.G. *see* Turner, R.F.B. 85-36073

Vosanchuk, S.I. Electrical sounding theory for sector structures 85-13023

Vosburgh, M. *see* Trask, S. 86-24238

Voschenkov, A.M. *see* Soo, D.C. 86-9311

Vosecky, D. *see* Meduna, P. 87-13894

Vosen, H. *see* Kotschnigg, J. 85-39055

Voser, L. PROCONTROL P and K control the burner of a drum boiler in the coal-fired power plant Mae Moh (Thailand) 85-15854

Voser, L. *see* Riedel, D. 88-11036

Voshall, R. *see* Few, R.A. 85-39141

Voshall, R.E., Bhasavanich, D., Gorman, J.G., Buttram, M.T. Delay times and jitter in triggered vacuum spark gaps using metal vapor and surface flashover types of triggers 87-17604

Voshall, R.E., Lee, A. Capacitor energy storage synthetic testing of HVDC circuit breakers 86-39994

Voshall, R.E. *see* Chien, Y.K. 87-43307

Voshchenkov, A.M. *see* Chiu, T.-Y. 88-33385, 88-39640

Voshchenkov, A.M. *see* Swartz, R.G. 87-19019

Voshchenkov, A.M. *see* Toh, K. 87-59212

Voshchenkov, A.M. *see* Toh, K.-Y. 88-18935

Voshchinskii, V.S. *see* Brodin, I.S. 88-53925

Vosi, D. *see* Quenet, J.F. 87-42626

Vosicki, B. *see* Bjornstad, T. 87-57001

Vosicki, B. *see* Ravan, H.L. 87-57002

Vosicky, J. *see* Doughty, R.L. 85-43647

Vosilyus, Yu.Yu., Sikarev, A.A. Statistical estimation of the immunity of radio signals to noise concentrated in the spectrum 87-19362

Voskamp, J.H., van Nijmweegen, F.C., van Erum, J.M.P. A LAN with an experiment command interpreter and 2.5 Mbaud interfaces 87-13438

Voskanyan, A.V. *see* Aleksanyan, A.S. 88-61153

Voskanyan, M.A. *see* Muradyan, G.V. 86-5848

Voskanyan, N.V., Emel'yanov, S.A., Karevskaya, O.A., Mikheikina, E.V. Automated system for data preparation of small-sized tester of logic units: general procedure for construction of tests 87-63243

Voskanyan, N.V. *see* Basok, B.M. 87-16788

Voskar, J. How to solve problems with storks on power transmission equipment 87-71715

Voskar, J. 'Pylons of death' an unsolved national problem? 88-69014

Voskoboinikov, S.P. *see* Demirchyan, K.S. 87-5366

Voskoboinikova, E.S. *see* Bragin, B.N. 88-32712

Voskoboinikova, I.V. *see* Borodkin, A.A. 87-18868

Voskresenskii, A.A., Chervyakov, L.N., Chistyakova, N.P. On equivalent circuit parameters for triple-wound transformers 88-11259

Voskresenskii, A.P., Gemintern, V.I., Kuznetsov, B.I., Maziya, L.V., Nakhamkin, A.M., Soroker, T.G. A computer-aided design system for asynchronous motors 88-17591

Voskresenskii, D.I., Maksimov, V.M. The development of antenna systems (survey) 88-14482

Voskresenskii, D.I., Voronin, E.N., Komarov, V.N., Nechaev, E.E. Measurements of the external characteristics of antennas taking distorting factors into account (review) 85-62892

Voskresenskii, E.V. On asymptotic equivalence for systems of differential equations 85-44663

Voskresenskii, F.F., Gal'berg, V.P., Dmitriev, V.M., Klebanov, L.A., Kroshilin, A.E., Petrov, V.A., Saprykin, E.M. A mathematical model of the dynamics of a power unit using an RBMK-1000 reactor [nuclear power stations] 86-45099

Voskresenskii, F.F. *see* Arshavskii, I.M. 86-61250

Voskresenskii, V.A. *see* Al'tshuler, I.B. 87-9482

Voskresenskiy, G.V., Kurdyumov, V.N., Starkova, V.N. Theory of the vacuum microwave diode 85-6653

Voskresenskiy, G.V., Zhurav, S.M., Korshunkov, S.Yu. Radiation of magnetic waves from a plane waveguide with a flange 88-12558

Vosper, I.K., Darveniza, M., Parnell, T.M. Investigation of the performance of distribution surge diverters for steep fronted impulse voltages 86-44967

Vosper, J.V. The Wien bridge oscillator incorporating an op. amp as the active element 88-38410

Vosrkresenskii, D.I., Maksimov, V.M., Rud, S.V., Sukharev, I.G. Millimeter-wave antennas and devices (survey) 86-42978

Voss, A. Regenerative energy sources in the disruption between public expectation and technological-economical reality 87-64220

Voss, A. *see* Fahl, U. 85-65033, 88-69096

Voss, A. *see* Friedrich, R. 85-38844

Voss, A. *see* Mattis, M. 86-45178, 88-61664

Voss, A.J.R., Sherwood, J., Jackson, C.S., Bilimoria, F.P. A standards based distributed oceanographic computing system 86-60970

Voss, B., Wood, R.G. A message based, distributed computing engine for DMS-100 87-76459

Voss, B. *see* Goetzberger, A. 88-17957

Voss, B. *see* Knobloch, J. 86-40139, 87-6364, 87-78914, 88-18074

Voss, B. *see* Leo, K. 88-7287, 88-18075

Voss, B. *see* Lewalski, N. 88-37538

Voss, D.A., Serbin, S.M. Two-step hybrid methods for periodic initial value problems 88-43840

Voss, D.E. *see* Adler, R.J. 85-52959

Voss, D.F., Goldberg, L.S. Simple single longitudinal mode *Q*-switched Nd:YAG oscillator 85-35724

Voss, D.F., Goldberg, L.S. Simultaneous amplification and compression of continuous-wave mode-locked Nd:YAG laser pulses 86-42512

Voss, D.F., Goldberg, L.S. Simultaneous amplification and compression of CW mode locked Nd:YAG laser pulses 87-7317

Voss, E. Battery testing in Germany [lead-acid batteries] 86-66260

Voss, E. A delivery of offshore cables 87-72649

Voss, G., Happ, H. Time domain spectroscopy (TDS) of dielectric properties up to 15 GHz with voltage pulses. Application to solids and liquids 85−14986
Voss, G. *see* Heiss, W. 85−53771, 87−78722
Voss, G. *see* Pollak, M. 85−21737, 85−44121
Voss, G.-A. Status of the HERA project 85−26530
Voss, G.-A. *see* Bialowons, W. 85−26627, 87−41688, 87−70916, 88−16587 to 16589, 88−16606, 88−74669
Voss, G.A. Status of the HERA project 88−61023
Voss, G.A. *see* Degele, D. 85−26601
Voss, H.D., Roffelsen, L., Hardage, C., Jones, F.C. Thirty megarad CMOS gate array for spacecraft applications 85−17279
Voss, H.D. *see* Chatterjee, P. 87−5632
Voss, H.D. *see* Imhof, W.L. 85−57031
Voss, H.D. *see* Kadis, A.L. 85−45895
Voss, H.J. Longrod insulators for arid areas 87−4427
Voss, J., Geis, K. New power and energy measuring method with Hall generator 88−50787
Voss, J. *see* Emery, L. 88−54456
Voss, J. *see* Handschin, E. 86−39525
Voss, J. *see* Hoeg, R. 87−37724
Voss, J. *see* Senf, F. 86−60486
Voss, J. *see* Withrow, M. 88−62087
Voss, K. Integrals of chord length powers for planar convex figures 85−250
Voss, K. Discrete integral geometry 88−11882
Voss, K., Latscha, H. Information for planning telephone switching systems with digital switching systems. I 87−48785
Voss, K., Latscha, H. Information on planning telephone switching stations with digital switching systems. III 87−69816
Voss, K., Latscha, H. Information for planning telephone switching stations with digital switching systems. IV 87−76415
Voss, K. *see* Hufnagl, P. 85−265
Voss, K. *see* Klette, R. 88−14837
Voss, K. *see* Latscha, H. 87−69814, 88−35251
Voss, K. *see* Takami, Y. 86−50361
Voss, M.C.M. *see* Meerman, W.C.P.M. 86−13851
Voss, P. Potential probing of a thyristor cross-cut during turn-on 87−1502
Voss, P. The self-generated gate-assisted turn-off thyristor 88−64548
Voss, P. *see* Flannagan, S.T. 87−17080
Voss, P. *see* Markov, H. 87−16677
Voss, P.-H., Jeske, H. Monte Carlo simulation of multiple scattering effects of millimeter waves from rain for a bistatic radar 88−52229
Voss, P.H. *see* Flannagan, S.T. 87−10865
Voss, P.H. *see* Wang, K.L. 87−59501, 88−6828
Voss, R. *see* Benvenuti, A.C. 85−15254
Voss, R. *see* Kane, R. 87−11212
Voss, S. *see* Buden, D. 85−53127
Voss, S. *see* Qu, M. 88−61381
Voss, U. *see* Brekow, G. 85−33537
Voss, W. *see* Neumann, C. 86−51842
Voss, W.A.G., Greenwood-Madsen, T. A simple instrument for measuring microwave oven power 88−24273
Voss, W.A.G. *see* Jain, R.C. 88−20170
Voss, W.A.G. *see* Turner, R.F.B. 85−39347
Vossebrecker, H. *see* Hubel, H. 86−32974
Vossen, H. *see* Kohlmann, R. 87−34195
Vossen, J.L. In situ low damage techniques for cleaning silicon surfaces prior to metal deposition 86−2069
Vossen, J.L. Trends in vacuum deposition 88−31853
Vossen, J.L. *see* Faith, T.J. 87−60329
Vossen, M. Economic ordering procedure by data processing [with Btx] 87−48536
Vossenberg, E.B. *see* Jansson, U. 87−43268
Vossenberg, E.B. *see* Schroder, G.H. 85−26545
Vossepoel, A.M. *see* Blokland, J.A.K. 85−38123
Vossius, G. The control requirements of upper limbs orthotics 86−12031
Vosskuhler, P. Standardized test pad arrays for PC boards 86−20945
Vossoughi, J. Thickness measurement for soft materials 85−52866
Vosswinkel, E. Innovations in network control improve performance and user friendliness 87−50683
Vosteen, W.E. The tape electrostatic field sensor and its applications 87−77201
Vostokov, E.V. *see* Okorokov, V.R. 87−21888, 87−50609
Vostracky, Z., Horejsi, I., Rais, M. Calculation of parameters of gas flowing in the extinguishing chamber of a circuit breaker 87−72317
Vostracky, Z., Martinek, P. Skoda SF_6 circuit breakers, 420 kV 86−19432
Vostracky, Z., Plechaty, L. Type SKODA very high voltage circuit breakers with SF_6 gas 85−53796
Vostracky, Z., Zajic, A. Type tests of the switching ability of new SF_6 circuit breaker, type VSV 420.1, k. p. SKODA Plzen in the short-circuit station VUSE Praha-Bechovice 85−21753
Vostracky, Z., Zajic, A. Type tests of the switching ability of SF_6 circuit-breakers VSV 123 of the Skoda works in Plzen performed in the short-circuit test station VUSE, Praha-Bechovice 88−17765
Vostracky, Z. *see* Hrabovsky, M. 86−51833
Vostracky, Z. *see* Plechaty, L. 85−60342
Vostretsov, A.G., Kushnir, V.I. Monitoring arrangements in radioelectronic-apparatus fabrication technology processes 88−49495
Vostretsov, A.G. *see* Bogdanovich, V.A. 86−37051
Vostrikov, A.A., Predtechenskii, M.R. Recording of cluster ions by a secondary electron multiplier 87−24728
Vostrikov, A.S., Gorbatenkov, M.D., Fottler, F.K. Synthesis of a DC drive speed stabilisation system for a variable effective value of the moment of inertia 86−45448
Vostrikova, G.A., Petrosyan, G.G. Statistics of spectral noise-power density level distribution for gas-discharge tubes 85−45370
Vostroilov, R.S., Azanov, V.A., Fedor, B. The output characteristic of an induction system for noncontacting temperature control in rotating parts of machines and apparatus 86−6692
Vostroknutov, N.N., Frenkel', B.A. Study of digital-meter checking methods according to MI 118-77 using computer modeling 86−18012
Vostroknutov, N.N., Frenkel', B.A. Prospects and problems in automating the design of methods of checking means of measurement 88−35808
Vosvrda, M. *see* Havel, J. 87−3530
Voswinkel, G. There is no 'ideal' diode 87−59145
Vosylius, J.J. *see* Pranevicius, L.J. 86−35597
Voszka, R. *see* Faizullov, F.S. 85−7490
Votano, L. *see* Alberini, C. 86−65387, 87−35339
Votano, L. *see* Bari, G. 87−8843
Votano, L. *see* Basile, M. 85−43273, 86−5785
Votaw, J.R., Nickles, R.J., Martin, C.C. Optimal detector geometry to maximize light output and timing characteristics of fast scintillators 88−61114
Votaw, J.R., Nickles, R.J., Meyer, H.O., Hutchins, G.D., Satter, M.R. One-nanosecond overlap coincidence counting to track PET agents over six decades 86−50501
Votaw, J.R., Satter, M.R., Sunderland, J.J., Martin, C.C., Nickles, R.J. Wide-range neutron counting for yield prediction of PET agents in cyclotron irradiations 87−50130
Votaw, J.R. *see* Hutchins, G.D. 85−43369
Votaw, J.R. *see* Nickles, R.J. 85−43194, 85−59261
Voth, R.C. Value analysis—an 'old' key to unlocking creativity 87−23302
Voth, R.O., Siegwarth, J.D. An electronic balance for weighing foams at cryogenic temperatures 88−42302
Votockova, I. *see* Spurny, F. 85−38265, 85−64645, 86−38697, 87−35334, 87−41849
Votruba, J., Skvarka, P. Siting problems in nuclear power development 85−65044
Votruba, L. Hydro energy in Czechoslovakia 85−38918
Votsis, G. *see* Dang, M. 88−21728
Votta, L.G. *see* Simon, B. 85−63132
Voudouri, E., Kurz, L. Sequential partially ordered partition detectors 85−41930
Voudouri, E., Kurz, L. A class of sequential adaptive detectors for underwater non-Gaussian noise environments 87−69107
Voudouri, E., Kurz, L. A robust approach to sequential detection 88−72914
Voukalis, D.C. Further remarks for the matrix type-B codes 85−36185
Voukalis, D.C. A matrix codec as a finite server in a queueing system 87−12909
Voukalis, D.C. A new concatenated BCH-matrix type-B code 88−59018
Voukalis, D.C., Nisidis, D., Koutsogeorgis, C.N. A new quasiquadratic residue matrix code 86−3771
Voukalis, D.C. *see* Dailakis, J.P. 87−61580
Voulgaris, G. *see* Anassontzis, E. 86−32202
Voulgaris, G. *see* Resvanis, L.K. 88−54421
Voulgaris, N.C., Avratoglou, C.P. The use of a thyristor as a switching device in a Class E tuned power amplifier 88−6670
Voulgaris, N.C. *see* Avratoglou, C.P. 87−59198, 88−56476
Voulgaris, N.C. *see* Hamilakis, V. 87−49880, 87−50888
Voulgaris, N.C. *see* Kasparis, T. 85−43060
Voulgaris, N.C. *see* Koukourlis, C.S. 87−55854
Voulgaris, P. *see* Leith, E.N. 85−35922
Vounckx, R. *see* O'Connor, P. 87−45824
Vourch, P. *see* Foucault, M. 86−24333
Vourc'h, R. Frequency selective subreflector 88−34518
Vourc'h, R. *see* Henriot, M.-C. 88−66179
Vourlis, H. *see* Akridge, J.R. 86−45639
Vournas, C.D. Optimization of controller parameters in a multimachine power system 85−64850
Vournas, C.D., Koronides, A.G. Modelling and dynamic stability of a multimachine system including a superconductive generator 87−42396
Vournas, C.D., Papadias, B.C. Excitation control schemes in the Hellenic interconnected system for the improvement of system dynamic performance 86−50896
Vournas, C.D., Papadias, B.C. Power system stabilization via parameter optimization—application to the Hellenic interconnected system 87−77981
Voute, A., Claverie, J. Main cooling water systems of conventional and nuclear power plants—methods for the optimization of new plants and improvement of existing plants 88−69113
Voute, A. *see* Montfort, J. 87−50946
Voutilainen, D. *see* Vaha, P. 88−62841
Vouzas, G. *see* Gryzagoridis, J. 88−24845
Vovchenko, A.I., Pozdeev, V.A., Shtompel, I.V. Parameters of an underwater discharge under conditions of complex power introduction [electric discharges] 85−55991
Vovchinskii, A.N. *see* Ovsyanik, V.P. 86−18342, 86−25245
Vovenko, A.S. *see* Bozhko, N.I. 86−38711, 86−44572
Vovk, I.E. *see* Sandulyak, A.V. 86−65796
Vovk, J. *see* Langus, J. 86−17748
Vovk, L.V., Zabello, E.I., Tikhonov, E.A. Two-frequency tunable dynamic distributed feedback laser 86−29030
Vovk, L.V. *see* Bezrodnyi, V.I. 88−2191
Vovk, S.M., Malaichuk, V.P. A two-parameter method for speeding up convergence of an algorithm for extrapolation of band-limited signals 88−40906
Vovk, S.M. *see* Akhmetshin, A.M. 88−6546
Vovk, V.M. *see* Shpil'ka, V.N. 87−16918
Vovk, V.Ya., Shirochkov, A.V. The use of oblique sounding data on the ionosphere for checking calculated trajectory characteristics on high-latitude radio paths 85−30031
Vovk, Yu.V., Shchepetkin, Yu.A. Parallel heterodyne binary data reading from one-dimensional Fourier holograms 85−2424
Vovor, K. *see* Legrand, M. 88−74972
Vovos, N.A., Galanos, G.D. Enhancement of the transient stability of integrated AC/DC systems using active and reactive power modulation 85−59611
Vovos, N.A., Giannakopoulos, G.B. A new converter equivalent circuit for fast digital simulation of multiterminal HVDC systems 88−68883
Vovos, N.A. *see* Lygdis, A. 88−10706
Vovos, N.A. *see* Maris, T. 88−5331
Vovos, N.A. *see* Sood, V.K. 85−32242
Vowinkel, B. The main beam efficiency of corner cube reflectors 86−36863
Vowinkel, B. *see* Bester, M. 87−20655
Vowinkel, B. *see* Burghardt, B. 86−5464
Vowinkel, B. *see* Hilberath, W. 86−2619, 87−13809, 87−20645
Vowinkel, B. *see* Jacobs, K. 87−17372, 87−20648, 87−73780
Vowinkel, B. *see* Rau, G. 85−14818
Vowinkel, B. *see* Schieder, R. 87−20657
Vowinkel, B. *see* Winnewisser, G. 87−13805, 87−34699
Vowles, J. Feedback: a new marketing medium [videotex] 85−25458
Voxman, W. *see* Goetschel, R., Jr. 87−51961
Voyatzakis, Y., Nagano, K., Shimada, A., Watanabe, T., Yoshikawa, M., Saitoh, S. Installation of 150 kV oil-filled submarine cable for Ionian Islands 87−15356
Voydock, V.L., Kent, S.T. Security in high-level network protocols 85−57551
Voydock, V.L., Kent, S.T. Security mechanisms in a transport layer protocol 86−23435
Voyevodkin, G.G., Dianov, Ye.M., Kuznetsov, A.A., Nefedov, S.M. Transmission of pictures over a kilometer fiber lightguide by the spectral-temporal encoding method 88−45912
Voyles, Q., Clayton, D. A submersible-based data display and data logging system 86−56265
Voyles, R.M., Jr. Non-contact bent pin detection using laser diffraction 86−62980
Voyles, R.M., Jr. Optical detection of bent pins in a high-density array 88−44491
Voyntsev, G.A. *see* Nosov, V.I. 86−65043
Voyshvillo, G.V. Determination of the form and parameters of feedback in amplifiers 87−52413
Voytko, J.D., Salvador, L.A. The Keystone coal gasification combined cycle project 86−33127
Voytovich, N.N. Synthesis of a closed planar antenna with constraints imposed on the near field 86−29560
Voytovich, N.N., Kazantsev, Yu.N., Tkachuk, V.P. Formation of a predetermined radiation pattern with the help of a quasi-optical line 85−35996
Voytovich, N.N. *see* Andriychuk, M.I. 86−22772
Vozdvizhenskii, V.A. *see* Vasilevskii, M.A. 87−78830
Vozilkina, G.P., Gusev, V.V., Maslennikov, K.N., Novosel'tsev, M.S., Ryazanov, V.G., Savon'kin, N.P., Sharipov, A.M. Type ADO asynchronous motors for drives in energy applications 87−72144
Vozka, S., Horalek, J., Kovarova, H. The FIA 05 flow injection analyser and first experiences with its operation 87−70850

Vozlinsii, V.N., Ermolenko, G.V. Study of electric fields in high-voltage electrode systems with semiconductor coatings 88−44505
Vozmilova, L.N., Berdichenko, M.M. Local etching of InP in anisotropic etching agents 86−63183
Vozmilova, L.N., Malyarova, V.G. Edge etching effect and its use for fabricating microlenses 87−32366
Voznesenskii, V.A., Gassanov, L.G., Felinskii, G.S. Integrated optical components based on acoustooptical and electrooptical diffraction in microwaveguides 87−46575
Voznesenskii, V.A. *see* Andrushko, L.M. 85−35490, 85−46185
Voznesenskii, V.A. *see* Filipchuk, E.V. 85−21387
Voznesenskii, V.A. *see* Luk'yanov, M.A. 85−21389
Voznesenskii, V.M. *see* Lyskov, V.P. 87−66780
Voznesenskii, V.S. *see* Pasnik, V.I. 86−38933
Voznesensky, V.A. *see* Andrushko, L.M. 88−2010
Voznitskii, M.V., Khaitun, F.I. Optimization of pulsed signal reception in systems having avalanche photodiodes 87−56700
Voznitskiy, M.V., Yermakov, B.A., Rasskazov, S.A., Khaytun, F.I. Effectiveness of transmitted pulse length reduction in avalanche photodiode systems 88−65492
Voznosenskii, V.A. *see* Andrushko, L.M. 85−41105
Voznyak, N.V. *see* Lopukhina, E.M. 87−58077
Voznyak, Ya. *see* Bystritskii, V.M. 86−5725
Voznyi, V.A. *see* Baishurin, B.M. 87−8639
Vr, R.De *see* De Vr, R.
Vracar, R. *see* Durkovic, B. 85−32836
Vrachnas, S.A. Testing switches and relays for ESD simulation circuits 85−34245
Vrachnas, S.A. Coping with static electricity. Guidelines for performing ESD control program evaluations 88−58780
Vrahatis, M.N., Iordanidis, K.I. A rapid generalized method of bisection for solving systems of non-linear equations 86−62153
Vrana, I. The methods of radar-signal primary processing 87−8338
Vrana, K. Connectors for optical multimode fibres 88−58150
Vrana, M. *see* Mikula, P. 86−5708
Vranas, R.W. *see* Ayers, W.R. 86−47253
Vranch, R.L., Henderson, B., Pepper, M. Spin-dependent recombination in irradiated Si/SiO$_2$ device structures 88−44595
Vranchev, D.P., Andreev, G.N. Effect of some organic acids on the spectral luminescent and generation properties of aqueous cyanine solutions 87−26330
Vranchimon, C.C. *see* Inglis, B.D. 86−26324
Vranckx, J. Performance evaluation of a laser digitizer 88−22510
Vranckx, J., Strul, B. Performance evaluation of a laser digitizer [for medical use] 88−36451
Vranes, P.A. An implementation of a high speed Gray to binary code converter 86−22908
Vranesic, Z.G., Hamacher, V.C., Zaky, S.G., Loucks, W.M. Design and implementation of TORNET−a slotted local area network 86−30351
Vranesic, Z.G. *see* Abd-El Barr, M.H. 86−966, 86−2199, 86−40992, 86−57754, 86−57756
Vranesic, Z.G. *see* Abd-El-Barr, M.H. 88−71826
Vranesic, Z.G. *see* Chiang, K.-W. 85−11193
Vranesic, Z.G. *see* Francis, R.J. 85−64545
Vranesic, Z.G. *see* Loucks, W.M. 86−37560, 86−59636
Vranesic, Z.G. *see* Rose, J.S. 87−38446, 88−39563
Vranesic, Z.G. *see* Sanwalka, A.K. 87−69733
Vranicar, J.J. Use of mockups for control panel enhancements [power plants] 86−45172
Vranish, J. *see* Mitchell, E.E. 86−17959, 86−70104
Vranish, J.M. Magnetoinductive skin for robots 86−60246
Vrankovic, V., Smiljanic, D. The development of electromagnets of high-uniformity field 87−47118
Vrat, P. *see* Vij, A.K. 88−62013
Vratny, M. *see* Kadlec, J. 86−46508
Vratskii, A.N. *see* Sevast'yanov, B.K. 85−35729
Vratskii, V.A., Kolerov, A.N. Attainment of quasicontinuous lasing due to F$_2^+$ and F$_3^-$ color centers in NaF and its use in intracavity spectroscopy 86−9805
Vratskii, V.A., Kolerov, A.N., Kuz'mina, E.E. Flashlamp-pumped color center laser 85−12837
Vray, D. *see* Cachard, C. 87−57460
Vray, D. *see* Peyrin, F. 86−30064
Vrazhnov, V.N. Optimization of direction of communication for several hours using two-way and one-way channels 87−48464
Vrazhnov, V.N., Dubrovinskiy, V.M., Shneps, M.A. Numerical study of the convergence of combined excessive flows to a Poisson flow 85−41813
Vrazhnov, Yu.N. *see* Abramov, V.V. 85−48191
Vrba, J., Giannini, F., Ruggieri, N. Microstrip radial stubs with parallel coupling to the transmission line 88−12575
Vrba, J., Giannini, F., Sorrentino, R. Microstrip radial stubs 86−16007
Vrba, J., Giannini, F., Sorrentino, R., Novosad, T. Microstrip general shape narrow-line resonators 87−982
Vrba, J., McCubbin, J. Development of CdS and ZnO phase insensitive transducers for ultrasonic inspection 88−23206
Vrba, J., Vrba, J., Pokorny, J., Boucek, J., Lapes, M. Technical aspects of Czechoslovak hyperthermia cancer treatment systems 87−77685
Vrba, J. *see* Giannini, F. 85−19198, 85−23096, 86−41298, 88−50340
Vrba, J. *see* Hacek, K. 87−31756
Vrba, J. *see* Vrba, J. 87−77685
Vrba, J. *see* Vrba, J., Jr. 85−48256
Vrba, J., Jr., Boucek, J., Vrba, J. Waveguide applicators for cancer detection and treatment 85−48256
Vrba, K., Vrba, K., Jr., Hanus, S., Michalek, V. A digital spectrum analyzer for magneto-correlation analysis 85−26264
Vrba, K. *see* Grushka, K. 87−46319
Vrba, K., Jr. *see* Vrba, K. 85−26264
Vrbensky, J., Sinal, J., Muncner, L. Influence of underclad defect repair on heat-affected zone properties 86−19031
Vrbova, M. *see* Gavrilov, P.T. 87−68337
Vrbova, M. *see* Hribek, P. 86−22347
Vrbova, M. *see* Kalal, M. 85−41442
Vrbova, M. *see* Kubecek, V. 88−58503
Vrbova, M. *see* Schmiedberger, J. 86−68454
Vrdlovec, J. Machines and equipment for printed circuit technology 87−32147
Vrdlovec, J. New technological equipment for printed circuit manufacture 87−66755
Vrdoljak, M. Influence of microelectronic technology on telecommunications 86−15269
Vrdoljak, M., Milevoj, L. CMOS technological planning 86−58616
Vrdoljak, M., Milevoj, L. CAD planning of the CMOS logic cell 86−67992
Vrdoljak, M., Vrdoljak, S.I. Packaging and mounting of VLSI assemblies 88−39637
Vrdoljak, S.I. *see* Vrdoljak, M. 88−39637
Vre, R.De *see* De Vre, R.
Vredenbregt, E.J.D. *see* van Welzenis, R.G. 86−8867
Vree, W.de *see* de Vree, W.
Vree, W.G. *see* Boogaard, H. 85−47266
Vree, W.G. *see* Bruins, T. 85−19787, 87−55758
Vreeland, J. *see* Edmands, A. 86−40477
Vreeland, P. *see* Borengasser, M.X. 88−67478
Vreeland, R.W. An ultra-lightweight HF transmitter using high voltage MOSFETs 86−23672
Vreeland, R.W. Modulation techniques for biotelemetry 87−20974
Vreeland, T., Jr., Jayadev, T.S. Strain and damage in silicon due to a deep oxygen implantation 87−17926
Vreeland, T., Jr. *see* Cheung, J.T. 86−67727
Vreeland, T., Jr. *see* Naganuma, M. 87−1236
Vreeswijk, F.W.P. *see* de Haan, G. 85−37290
Vreeswijk, F.W.P. *see* Pelgrom, M.J.M. 85−58335
Vrehen, Q.H.F. *see* Jack, A.G. 87−9937
Vremera, E. *see* Antoniu, M. 85−61486
Vreslovic, J.M. *see* Ultman, J.S. 88−68451
Vrey, G.A.de *see* de Vrey, G.A.
Vrhel, J.S. *see* Nightingale, J.L. 87−74814, 88−1963, 88−51554
Vrhovac, S. Competitiveness of nuclear power plants 86−25699
Vriens, K. *see* Sansen, W. 87−70536
Vries, A.E.de *see* de Vries, A.E.
Vries, A.J.De *see* De Vries, A.J.
Vries, B.de *see* de Vries, B.
Vries, C.A.M.de *see* de Vries, C.A.M.
Vries, C.de *see* de Vries, C.
Vries, D.de *see* de Vries, D.
Vries, E.T.de *see* de Vries, E.T.
Vries, F.de *see* de Vries, F.
Vries, F.R.de *see* de Vries, F.R.
Vries, H.B.de *see* de Vries, H.B.
Vries, H.De *see* De Vries, H.
Vries, J.D.C.de *see* de Vries, J.D.C.
Vries, J.De *see* De Vries, J.
Vries, J.K., Banks, G., McLinden, S., Latchaw, R. Three-dimensional neuroimaging using octree encoding 86−50546
Vries, J.K., Banks, G., McLinden, S., Moossy, J., Browm, M. Artificial intelligence applications to videodisc technology 86−50477
Vries, J.K. *see* Banks, G. 87−35410
Vries, J.P.de *see* de Vries, J.P.
Vries, J.W.C.de *see* de Vries, J.W.C.
Vries, J.W.de *see* de Vries, J.W.
Vries, L.B., Berkhout, P.J. Digital signal processing in the compact disc digital-audio system 85−20416
Vries, L.B. *see* Delsarte, P. 86−16349
Vries, L.B. *see* Janssen, A.J.E.M. 86−43225
Vries, L.B. *see* van Eijck, G.L.P. 85−63893
Vries, L.B. *see* Veldhuis, R.N.J. 86−16396
Vries, L.M.J., Damstra, G.C. Triggered vacuum gaps in a high power three-phase synthetic test circuit 86−12960
Vries, L.M.J., Damstra, G.C. A reignition installation with triggered vacuum gaps for synthetic fault interruption testing 86−51802
Vries, L.M.J., Damstra, G.C. Prebreakdown emission current measurements in 24 kV-vacuum circuit breaker (VCB) with butt contacts 87−43311
Vries, L.M.J., Damstra, G.C. Prebreakdown emission current measurements in a 24 kV vacuum interrupter with butt contacts 88−43333
Vries, L.M.J., Damstra, G.C. A vacuum measurement system with Penning gauge for high voltage application 88−60959
Vries, M.de *see* de Vries, M.
Vries, M.N.D.de *see* de Vries, M.N.D.
Vries, O.de *see* de Vries, O.
Vries, P.M.J.M.de *see* de Vries, P.M.J.M.
Vries, R.G.M.Penning de *see* Penning de Vries, R.G.M.
Vries, W.J.De *see* De Vries, W.J.
Vriese, A., van der Weegen, A.W., Schultke, H., Schreurs, C. Application of a power system stabilizer to the Barssele Nuclear power station 85−53390
Vrieze, R.de *see* de Vrieze, R.
Vrijen, J., Broere, C., Haesen, W.M.J. Pre-service and inservice inspection of heat exchanger tube bundles by means of ultrasonics; a new and powerful technique 85−43503
Vrijens, L. *see* De Lapeyre, J. 87−76173
Vrionis, G. *see* Masada, E. 87−43284
Vroedt, C.De *see* De Vroedt, C.
Vroom, D.W., Babcock, D.A., Cassell, D.S. Thermal/Hydraulic tests of tube supports in a multitube steam generator model 85−4846
Vroombout, L.O., Yasuda, B.J. Laboratory characterization of calibrated thermal imagers 87−14175
Vroomen, J. *see* Zakaria, M.F. 88−3235
Vroomen, L.C., Seizer, R., Stewart, D. An investigation into the applicability of the use of sonar in area determination 86−65583
Vroomen, L.J. *see* Akben, M.G. 86−62310
Vroomen, L.J. *see* Zakaria, M.F. 88−14792
Vroomen, L.J. *see* Zsombor-Murray, P.J. *(editor)* 86−61845
Vroomen, L.J.C. *see* Khoe, G.-D. 87−7134
Vrotsos, T. *see* Chang, C.T.M. 87−38262
Vrouzi, F. Research and development of geothermal resources in Greece: present status and future prospects 86−19134
Vrscay, E.R. Julia sets and Mandelbrot-like sets associated with higher order Schroder rational iteration functions: a computer assisted study 86−34196
Vrscay, E.R. *see* Barnsley, M.F. 86−699
Vrtacnik, D. *see* Furlan, J. 87−49669
Vrtelka, J. Displays for systems with microprocessors 87−56531
Vrtikapa, G. Automation of small hydroelectric power plants with synchronous generators of 100-1000 kVA capacity 85−32376
Vrtikapa, G. A thyristor system for dynamic compensation of reactive power 87−72625
Vrtikapa, G., Dakovic, M. Emergency supply in electric power facilities of the associated electric power industry (ZEP) 85−64873
Vrtikapa, G., Dakovic, M.B. Thyristor-semiconductor excitation regulating system for medium and large power turbogenerators 86−19212
VRTO, I. The area-time complexity of the VLSI counter 87−66295
Vrto, I. Area complexity of VLSI computation over a ring of integers modulo *m* 88−44801
Vrt'o, I. *see* Duris, P. 86−14145, 86−28370, 87−67313
Vrto, I. *see* Sykora, O. 88−13482
Vrublevskii, L.E. *see* Volkov, S.A. 87−1003
Vrzal, J. *see* Arignon, M. 85−48171
Vrzal, J. *see* Kubik, P. 86−55907
Vrzal, O. *see* Lhota, J. 85−38685
Vrzala, P. *see* Blazek, K. 86−11833
Vrzic, V., Novak, M. Brushless regulation for a low-power alternator 87−78646
Vselyubskii, M.A. *see* Gurevich, E.Z. 85−32347
Vsevolodov, N.N., Poltoratskii, V.A. Holograms in biochrome, a biological photochromic material 86−58994
Vsevolozhskaya, T.A. *see* Bayanov, B.F. 85−26660
Vsevolozhskaya, T.A. *see* Chernyakin, A.D. 85−26581
Vstovskii, G.V. *see* Alekseev, K.P. 85−7388
v.t. Klooster, K. *see* Bielli, P. 87−33562
Vtorov, E.P. Use of extremum regulation system for automatic frequency tuning of microwave oscillator 87−65918
Vtorushin, B.A. *see* Bun'kov, S.N. 88−70972
Vts, H.O. *see* Booker, H.G. 85−36021
Vtulkin, P.P. *see* Bogachkin, V.A. 87−63541
Vu, D.-P. *see* Bensahel, D. 87−25031
Vu, D.-P. *see* Haond, M. 87−74423
Vu, D.P. Transient effect in thinned silicon-on-insulator devices 86−41781
Vu, D.P., Chantre, A., Mingam, H., Vincent, G. Electrical properties of halogen lamp recrystallized silicon films on SiO$_2$ 85−1276
Vu, D.P., Chantre, A., Ronzani, D., Pfister, J.C. Electrical characterization of beam-recrystallized SOI structures using a depletion mode transistor 87−18158
Vu, D.P., Colinge, J.P., Nguyen, V.T. Laser recrystallization and 3D integration 87−25606

Vu, D.P., Haond, M., d'Anterroches, C., Oberlin, J.C., Golanski, A., Grob, J.J., Maillet, S. High quality silicon-on-insulator structure formed by oxygen implantation and lamp annealing 88−39147
Vu, D.P., Pfister, J.C. Characterization of beam-recrystallized Si films and their Si/SiO_2 interfaces in silicon-on-insulator structures: the very thin Si film case 88−25981
Vu, D.P., Sono, A. Self-aligned Si MESFETs fabricated in thin silicon-on-insulator films 87−38517
Vu, D.P. *see* Chantre, A. 87−17824
Vu, D.P. *see* Ferrieu, F. 88−7374
Vu, K. CORD data system 86−40852
Vu, K.N. *see* Song, Y. 87−32704, 88−26511
Vu, T., Hattis, J. A monolithic GaAs 3-bit phase quantization sampler 87−59668
Vu, T., Nelson, R., Lee, G., Lee, K., Swanson, S., Peczalski, A., Betten, B., Hanka, S., Helix, M. Low-power logic gate with active pull-down push-pull output for GaAs SDFL circuits 86−2204
Vu, T., Peczalski, A., Lee, K., Conger, J. GaAs source-coupled FET logic 86−67995
Vu, T. *see* Baek, J. 86−21581
Vu, T. *see* Peczalski, A. 87−694
Vu, T.B. Null steering by controlling current amplitudes only 85−13399
Vu, T.B. Pattern nulling in difference pattern by amplitude control 85−51506
Vu, T.B. Simultaneous nulling in sum and difference patterns by amplitude control 86−48689
Vu, T.B. An efficient adaptive phased array design 86−54344
Vu, T.B. Jammer suppression by amplitude control-an alternative approach 86−68858
Vu, T.B. A new method to search for unknown RFI sources 87−20638
Vu, T.B. Antennas for satellite communications—some highlights in past development and future trends 87−26961
Vu, T.B. Array feed for reflector antenna: synthesis of feed pattern 88−21018
Vu, T.B. Monopulse phased array radar in the presence of strong jammers 88−41749
Vu, T.B., Ling, H., Lee, S.W. Excitation of narrow open-ended waveguide—a modified ray technique 88−2668
Vu, T.B., Lo, K.W. Minimisation of phase error in digitally controlled attenuator 86−1360
Vu, T.B., Thai, V.T., Lau, S.K. An *X*-band computer-controlled phased array 85−13403
Vu, T.B. *see* Lo, K.W. 87−54646, 87−75616, 88−34487
Vu, T.T., Lee, G.M., Nelson, R.D., Peczalski, A., Betten, W.R., Hanka, S.A., Helix, M.J., Vold, P.J., Gi Young Lee, Jamison, S.A. Low-power GaAs ICs 86−35834
Vu, T.T., Lee, K.W., Peczalski, A., Lee, G.M., Somal, H.S., Betten, W.R. Multiple input and output OR/AND circuits for VLSI GaAs ICs 87−66026
Vu, T.T., Nelson, R.D., Lee, G.M., Roberts, P.C.T., Lee, K.W., Swanson, S.K., Peczalski, A., Betten, W.R., Hanka, S.A., Helix, M.J., Vold, P.J., Lee, G.Y., Jamison, S.A., Arsenault, C.A., Karwoski, S.M., Naused, B.A., Gilbert, B.K., Shur, M.S. Low-power 2K-cell SDFL gate array and DCFL circuits using GaAs self-aligned E/D MESFETs 88−32114
Vu, T.T., Peczalski, A., Lee, K.W., Conger, J. The performance of source-coupled FET logic circuits that use GaAs MESFETs 88−32117
Vu, T.T. *see* Clawson, A.R. 87−16590, 87−65492
Vu, T.T. *see* Lee, K.W. 85−6951, 85−40759
Vu, T.T. *see* Peczalski, A. 86−53817
Vu, T.V. *see* Skeel, R.D. 87−44230
Vu, T.Van *see* Van Vu, T.
Vu, Z. *see* Brekhovskikh, G.L. 85−19015
Vu Hong, L. *see* Jolivet, F. 85−38650
Vu Ki Le *see* Le Vu Ki
Vu Ngoc-Chi *see* Ngoc-Chi Vu
Vu Thang Giang *see* Giang Vu Thang
Vu Tho *see* Tho Vu
Vu Van Lyk, Eliseev, P.G., Man'ko, M.A., Mikaelyan, G.T., Okhotnikov, O.G., Pak, G.T. Voltage saturation across the injection contact in a laser diode and the phenomenon of negative photo-EMF 88−8232
Vu-Khanh, T. *see* Boulay, R. 87−44430
Vuarchex, P. *see* Burton, P. 86−51720
Vuarchex, P.J. Retrofilling of askarel transformers 88−5746
Vuarchex, P.J. Fluid dielectrics for PCB replacement 88−5747
Vuaridel, B. *see* Konig, V. 87−3844
Vucetic, B. Data protection and methods of cryptographic transformation in telecommunications networks connected to computers 85−62975
Vucetic, B., Drajic, D., Perisic, D. Algorithm for adaptive error control system synthesis 88−27701
Vucetic, B., Nicolas, J., Skellern, D. Performance study of coding on satellite channels by simulation 88−46965
Vucetic, B., Skellern, D., Miller, M., Liren Zhang Modelling and simulation of M-QAM digital radio systems 88−47261
Vucetic, M.V. Calculation of maximal wind velocities on the basis of short time measurement on the site of overhead lines 88−42871
Vuchener, C. *see* Belhadj, A. 88−50898
Vuchener, C. *see* Dumas, J.-M. 86−63278
Vuchener, C. *see* Dumas, J.M. 85−23773
Vuchkov, N. *see* Astadjov, D. 85−56542
Vuchkov, N. *see* Grozeva, M. 87−26270
Vuchkov, N.K. *see* Astadjov, D.N. 86−22314
Vuchkov, N.K. *see* Astadzhov, D.A. 85−12806
Vuchkov, N.K. *see* Astadzhov, D.N. 87−68354
Vucinic, M. Aeolian vibrations of conductors in transmission lines. I 86−65727
Vucinic, N. Aeolian vibrations of conductors in transmission lines. II 88−23521
Vucinic, N. *see* Nuic, S. 88−1811
Vuckovic, A.G. *see* Bowick, J.W. 87−23392
Vuckovic, V. Digital control voltage and the current for three-phase converter 86−19370
Vuckovic, V. A microprocessor-based control unit for power convertors 87−72263
Vuckovic, V. *see* Milisavljevic, B. 86−19268
Vucurovic, D. *see* Durkovic, B. 85−32836
Vuerli, C. *see* Pasian, F. 86−59340
Vuffray, L. *see* Laeger, H. 88−68141
Vugal'ter, G.A., Gilinskii, I.A. Excitation and reception of magnetostatic waves by a microstrip transducer 86−63574
Vugal'ter, G.A., Gilinskiy, I.A. Excitation and reception of surface magnetostatic waves with a section of microstrip line 88−63838
Vugal'ter, G.A., Gusev, B.N., Gurevich, A.G. Excitation and reception of surface spin waves by arbitrarily terminated transducers 88−50321
Vugal'ter, G.A., Korovin, A.G. Reflection of surface magnetostatic waves propagating in a metallized ferrite film from a metallic boundary 88−33529
Vugal'ter, G.A., Makhalin, V.N. Reflection and excitation of forward magnetostatic volume waves by a metallic strip 85−35299
Vuglinskii, V.S., Babkin, V.I., Gronskaya, T.P., Litova, T.E. Calculation of long-term characteristics of influx into reservoirs of major hydroelectric plants of the USSR 87−64467
Vugmeyster, B.O. *see* Abramov, V.A. 87−39382
Vugrinec, J. Digital radio relay system DRS-2,-8/2500 88−35374
Vugrinec, J. *see* Lavric, A. 88−35373
Vugrinec, J. *see* Obradovic, D. 88−35345
Vugt, F.J.van *see* van Vugt, F.J.
Vugt, W.van *see* van Vugt, W.
Vuignier, K. *see* Chan, H. 87−44855
Vuilaume, D. *see* Stienvenard, D. 86−67715
Vuillaume, D., Barrier, J., Stievenard, D., Bourgoin, J.C. Accurate determination of capture time constant of interface states in MOS structures 87−60197
Vuillaume, D., Bourgoin, J.C. Characterization of Si-SiO_2 interface states: comparison between transient capacitance and conductance techniques 86−1835
Vuillaume, D., Bourgoin, J.C. Transient spectroscopy of Si-SiO_2 interface states 86−21284
Vuillaume, D., Bourgoin, J.C. DLTS study of oxide traps near the Si-SiO_2 interface 87−6471
Vuillemin, J. *see* Antognetti, P. *(editor)* 86−34879
Vuillemin, M. *see* Louis-Jacquet, M. 87−12376
Vuillemin, V. *see* Beingessner, S.P. 87−63652, 88−22945
Vuillemin, V. *see* Saxon, D.H. 88−42416
Vuillermin, J. New structures for LSI 86−21733
Vuillermoz, B. *see* Pelloie, B. 88−56291
Vuillermoz, B. *see* Perriere, J. 86−47471
Vuillermoz, M. *see* Medvedev, N. 86−35940
Vuillet-Laurent, D. *see* Lesselier, D. 86−59024
Vuilleumier, F. *see* Burgsmuller, P. 88−36992
Vuilleumier, M. A high-voltage laboratory for the testing of polymer-insulated cables 88−18448
Vuilleumier, R., Perret, A.-E., Porret, F., Weiss, P. Novel electromechanical microshutter display device 86−5404
Vuilleumier, R. *see* Aubert, P. 88−51008
Vuillod, J., Kamarinos, G. Automatic determination of the electrical band profile of silicon by anodic oxidation 87−37873
Vuillod, J., Pananakakis, G. Electronic properties of Al-SiO_2-(n or p) Si MIS tunnel diodes 85−23591
Vuillod, J., Pananakakis, G., Kamarinos, G. Electric control of dielectric thin films: application of Si MIS tunnel diodes 85−45473
Vujatovic, S.S. *see* Nikolic, P.M. 86−21160
Vujevic, D., Markovinovic, D. Higher harmonics in the networks of SR Croatia [transmission networks] 85−38474
Vujevic, S. *see* Kurtovic, M. 86−51086
Vujkovic Cvijin, P. *see* Ignjatijevic, D. 86−3254
Vujkovic Cvijin, P. *see* Mendas, I. 86−36367
Vujkovic Cvijin, P. *see* Trtica, M. 85−12797
Vujnovic, D. *see* Dekleva, N. 86−18385
Vujosevic, I.M. *see* Vlahovic, V.M. 87−35595
Vujosevic, M., Meade, D. Reliability evaluation and optimization of redundant dynamic systems 85−54199
Vujovic, C., Milankovic, L. Protection zone determination for extremely high lightning-rods and structures 85−59820
Vujovic, C., Milankovic, L. Values of probing distance subject to power of critical electric field 87−15376
Vujovic, M., Sabanovic, A. One solution of motors speed control based on relay-type algorithm 86−6789
Vujovic, V. The 110/20 kV substation at Zagreb-Sjever [switchgear] 85−32649
Vujtech, J., Hradecka, J., Vagnerova, I. The information activity by means of users of scientific and technical information in Power Research Institute 88−31373
Vukadin, I. *see* Marincic, P. 86−70912
Vukanovic, V., Takacs, G.A., Matuszak, E.A., Egitto, F.D., Emmi, F., Horwath, R.S. Plasma etching of organic materials. II. Polyimide etching and passivation downstream of an O_2-CF_4-Ar microwave plasma 88−39215
Vukanovic, V. *see* Egitto, F.D. 85−50418
Vukasovic, L. *see* Thiele, T. 86−51777
Vukelja, P., Naumov, R., Jokanovic, N., Sekso, A. Switching overvoltages at 400 kV transmission Konjsko-Obrovac-Melina 87−57610
Vukic, D. Control of reactive power of double-fed inductive motor 87−58088
Vukicevic, D. *see* Demoli, N. 88−13981
Vukobratovich, D. *see* Mohn, W.R. 88−45039
Vukoja, M., Mader, R. Digital MFC-code receiver in the AXE 10 system 88−3726
Vukolova, A.I. *see* Chebulaev, V.V. 85−4936, 86−33037
Vukomanovic, S. Protection of man and equipment in high and mid voltage power stations 85−64946
Vukosavic, S., Miljanic, P. Instantaneous feedback in voltage source inverters: a comparative study between nonlinear and linear approach 88−69536
Vukovic, J. *see* Benderac, R. 87−21477
Vukovic, R. Supervision and control system SNU 163 86−49791
Vukovic, S. *(editor)* ICSW-85: Surface Waves in Plasmas and Solids 88−50297
Vukovic, V. Some specific topics in design of NPP [nuclear power plants] 87−15441
Vukovic, V. NPP Three Mile island and NPP Chernobyl 88−36984
Vukovic, Z. *see* Krtolica, R. 87−2985
Vukovic, Z. *see* Lazic, S. 85−59870
Vukovic-Bombek, N., Zimmer, M. Reliability of electronic SPC exchanges 86−4414
Vuksic, A. *see* Pavlik, E. 88−20025, 88−22422
Vukulikov, V.M. *see* Belov, A.N. 86−25409
Vukusic, J.I. *see* Chang, J.T.K. 88−2338, 88−40272
Vul', A.Ya., Dideikin, A.T., Zinchik, Yu.S., Sanin, K.V. Photodiodes utilizing anisotypic silicon SIS structures 88−26986
Vul', A.Ya, Dideikin, A.T., Zinchik, Yu.S., Sanin, K.V., Sachenko, A.V. Kinetics of the photoresponse and mechanism of flow of the current in silicon semiconductor-thin insulator-semiconductor structures 87−24983
Vul', A.Ya., Dideikin, A.T., Zinchik, Yu.S., Sanin, K.V., Sachenko, A.V. Photocurrent amplification in silicon semiconductor-insulator-semiconductor structures 87−32361
Vul', A.Ya., Gabaraev, R.S., Petrosyan, S.G. Photomagnetic null detector using a variable-gap semiconductor 88−33858
Vul', A.Ya., Kidalov, S.V. Analysis of the reverse branches of the current-voltage characteristics of *p-n* junctions formed in solid solutions of III-V compounds 86−67717
Vul', A.Ya., Kidalov, S.V. Influence of an inhomogeneous distribution of impurities on photoelectric characteristics of resistor structures based on $GaAs_{1-x}Sb_x$ solid solutions 88−14000
Vul', A.Ya., Petrosyan, P.G. Surface-barrier structures made from $GaAs_{1-x-y}Sb_xP_y$ solid solutions 86−14955
Vul', A.Ya., Shik, A.Ya., Shmartsev, Yu.V. Photoconductivity of quantum-well heterostructures 87−32315
Vul', A.Ya., Vul', S.P., Kidalov, S.V., Saidashev, I.I., Shmartsev, Yu.V. Highly efficient, fast, large-area photoresistor for the wavelength interval 0.9-1.1 μm 86−1389
Vul', A.Ya., Vul', S.P., Kidalov, S.V., Shmartsev, Yu.V. Highly selective photoresistor using GaAs-GaSb solid solutions 86−27646
Vul', A.Ya., Vul', S.P., Petrosyan, P.G., Shmartsev, Yu.V. Drift barriers in epitaxial films of undoped $GaAs_{1-x-y}Sb_xP_y$ solid solutions 88−1359
Vul', A.Ya. *see* Antonova, L.I. 86−27781
Vul', A.Ya. *see* Biryulin, Yu.F. 87−38932
Vul', S.P. *see* Vul', A.Ya. 86−1389, 86−27646, 88−1359
Vul', V.A., Golinkov, Yu.P. Optical device for monitoring printed circuit boards 88−44463
Vulakh, L.Ya. On minima of rational indefinite quadratic forms 86−19926
Vulanovic, R., Herceg, D., Petrovic, N. On the extrapolation for a singularly perturbed boundary value problem 86−34202
Vulcan, A. Development of a low 'G' sensitivity missile clock 85−61353
Vulcan, A., Bloch, M. Low noise airborne synthesizer for frequency agile radar 88−18960

Vulcan, A., Bloch, M.B. The state-of-the-art medium terminal (SAMT) time and frequency distribution system 86−44085
Vulcan, A., Gloeckl, C. The effects of temperature, RF power, radiation and time on SAW resonator electrical characteristics 85−62176
Vulcan, A. *see* Tanski, W.J. 86−2545
Vul'chin, Yu.G. *see* Zubyuk, G.G. 87−26012
Vuletich, T. *see* Derenzo, S.E. 87−50253
Vuletich, T. *see* Huesman, R. 88−61273
Vuletich, T.F. *see* Derenzo, S.E. 88−61259
Vul'for, E.E. *see* Pokhoriler, V.L. 86−33134
Vul'fov, E.E. *see* Pokhoriler, V.L. 87−9337
Vulgal'ter, G.A., Korovin, A.G. Excitation and reception of magnetostatic waves in a normally magnetized ferrite film by a microstrip transducer 88−71953
Vulih, S. *see* Olmstead, J.A. 87−60681
Vulikhman, L.M. *see* Galzman, E.G. 86−55610
Vulis, Yu.D. *see* Bobrova, E.A. 85−6766
Vulkov, S.A., Manolov, E.D. Operation of the CM 302 integrated circuit in systems for measuring and regulation 85−6993
Vulli, M., Rakennus, K., Pessa, M. Experiments to grow CdTe thin films with molecular beam epitaxy (MBE) 85−44758
Vulli, M. *see* Herman, M.A. 86−13752
Vulliet, P. *see* Dalmas de Reotier, P. 86−15360, 86−15368
Vullioud, G., Walther, W. Rehabilitation and power increase of the hydroelectric facilities at Verbois 88−69196
Vul'man, I.D. Improvement of radio system reliability through redundancy 87−44056
Vul'man, I.D. The use of multichannel design to improve radio-engineering system effectiveness 88−24609
Vulpe, A.A., Skryl, V.F. Model of the discrete information processing system on substations 86−45473
Vulpillat, R. Harmonic line interference caused by thyristor or triac power dimmers 86−3549
Vun, C.H. *see* Holmes, D.G. 88−49199
Vunder, T.Ya. *see* Rozenblyum, F.M. 86−26236
Vuntesmery, V.S. Primary magnetoresistive converters of the passing wave power in unmatched waveguide 88−56846
Vuong, G.T., Valette, A. A complex Y-matrix algorithm for transient-stability study [transmission networks] 86−32722
Vuong, J.B., Keogh, G., Madni, A.M., Wan, L.A. A solid state, X-band, exciter/local oscillator/down converter subsystem for an airborne, coherent radar fire control system 85−20988
Vuong, S.T., Cowan, D.D. UNISPEX−a unified model for protocol specification and verification 85−7976
Vuong, S.T., Hui, D.D., Cowan, D.D. VALIRA−a tool for protocol validation via reachability analysis 87−34209
Vuong, S.T., Lau, A.C. A semi-automatic approach to protocol implementation−the ISO class 2 transport protocol as an example 87−55798
Vuong, S.T., Ma, A., Gu, H. Design and implementation of the access and link protocols for a low-cost LAN using electric power lines 88−46604
Vuong, S.T., Weber, J.F. Protocol specification and validation using Prolog 88−35179
Vuong, S.T. *see* Jurgensen, W. 85−8135
Vuong, T.H.H., Nicholas, R.J. A study of thermally activated conduction, Hall effect and infra-red absorption from the impurity band in n-InP 86−53353
Vuong, T.H.H., Nicholas, R.J., Brummell, M.A., Portal, J.C., Alexandre, F., Masson, J.M., Kerr, T. Thermoelectric power of GaAs-GaAlAs heterostructures in high magnetic fields 86−35413
Vuong, T.H.H., Nicholas, R.J., Brummell, M.A., Portal, J.C., Razeghi, M., Alexandre, F., Masson, J.M., Cheng, K.Y., Cho, A.Y. Measurements of thermoelectric power in two-dimensional systems 86−53423
Vuong, T.H.H., Tsui, D.C., Tsang, W.T. Tunneling in In$_{0.53}$Ga$_{0.47}$As-InP double-barrier structures 87−24825
Vuong, T.H.H., Tsui, D.C., Tsang, W.T. Dependence of the conduction in In$_{0.53}$Ga$_{0.47}$As-InP double-barrier tunneling structures on the mesa-etching process 87−45645
Vuong, T.H.H., Tsui, D.C., Tsang, W.T. High-field transport in an InGaAs-InP superlattice grown by chemical beam epitaxy 88−39095
Vuong, T.H.H. *see* Brummell, M.A. 86−35412
Vuong, T.H.H. *see* Nicholas, R.J. 86−47372
Vuong, X.T. Does the use of spread-spectrum reduce interference? 87−28499
Vuong, X.T. Effect of satellite transponder nonlinearity on uplink thermal noise 87−62896
Vuong, X.T. Effect of satellite transponder nonlinearity on uplink thermal noise 87−70024
Vuong, X.T., Birta, L.G. Optimal characteristics of a memoryless SCPC system 85−14195
Vuong, X.T., Forsey, R.J. Optimal carrier frequency assignments for a two-carrier-level SCPC system 86−17343
Vuong, X.T., Lee, M. Sun transit outage prediction 87−12719
Vuong, X.T., Ozmizrak, F.N., Birta, L.G., Nguyen, K.D. Investigation of practical strategies for solving the one-level carrier frequency assignment problem [satellite communication] 88−47006
Vuong, X.T., Zimmermann, F.S., Shimabukuro, T.M. Performance analysis of *Ku*-band VSAT networks 88−60082
Vuong The-Anh *see* The-Anh Vuong
Vuorenmaa, A. Large planning effort pays off at Finland's Loviisa PWRs 86−32993
Vuorenmaa, A. *see* Pernu, J. 87−78300
Vuorinen, K. *see* Solin, O. 88−54072
Vuotto, J.L. *see* Amouroux, J. 86−35530
Vuotto, J.L. *see* Huong, P.V. 86−35355
Vuppuladhadium, R. *see* Jackson, H.E. 88−44614
Vural, K. Mercury cadmium telluride short- and medium-wavelength infrared staring focal plane arrays 87−41382
Vural, P.R. *see* Stapp, R.S. 88−51673
Vural Kadri *see* Kadri Vural
Vurek, G.G. In vivo optical chemical sensors 85−38064
Vurek, G.G., Feustel, P.J., Severinghaus, J.W. A fiber optic PCO$_2$ sensor 85−15280
Vuren, D.D.Van *see* Van Vuren, D.D.
Vurlod, P. The passenger information display system at the Swiss Federal Railways' (CFF) station in Lausanne 85−30743
Vurpillat, R.J. Effective supplier quality management 88−210
Vus, A.S., Dudkin, V.A., Pukha, V.E. Device for producing alloy films with variable composition 87−36809
Vuson, C. *see* Blondeau, P. 86−71130
Vustenko, A.I. *see* Vorobiev, Yu.V. 87−74019
Vut, D.A. Inductive energy stores 88−18099
Vutchkov, I. *see* Bozhanov, E. 87−31313
Vutova, K. *see* Dimitrova, R. 88−44708
Vuuren, C.P.J.van *see* van Vuuren, C.P.J.
Vuvunikyan, Yu.M. *see* Bogdanovich, B.M. 86−16097
Vuylsteke, P., Oosterlinck, A. 3-D perception with a single binary coded illumination pattern 87−49563
Vuylsteke, P., Oosterlinck, A. A coded illumination pattern based on pn-sequences for 3-D robot vision 88−14826
Vuylsteke, P. *see* Wambacq, P. 88−14829
Vvedenskaya, E.V. *see* Bespalov, V.Ya. 88−43402
Vvedenskaya, N.D., Tsybakov, B.S. Packet delay in the case of a multiple-access stack algorithm 85−51833
Vvedenskaya, N.D. *see* Barg, A.M. 88−45909
Vvedenskii, B.S. *see* Benedichuk, I.V. 87−41258
Vvedenskii, Yu.V., Goryachev, A.V., Ponomarev, D.M., Zhavoronkov, V.N. Antenna parameter measurement in the time domain 87−2364
Vvedenskii, Yu.V., Gryaznov, Yu.M., Zuev, A.B., Spirichev, Yu.E. Optical reflectometer for multimode fiber lightguides 85−62309
Vvedenskii, Yu.V., Zuev, A.B. Nonlinear methods of measuring picosecond pulses 85−3823
Vvedenskii, Yu.V., Zuev, A.B., Karimbaev, D.D., Prikhod'ko, G.L., Khrustalev, A.A. S-diode nanosecond pulse generators for modulation of semiconductor generators 86−40964
Vvedenskiy, Yu.V., Syuvatkin, V.S., Khrustalev, A.A. Investigation of the phase stability of oscillations in Gunn-diode pulse oscillators 87−10722
Vvedensky, D.D. *see* Clarke, S. 87−58942, 88−43871
Vvendenskii, B.S. *see* Benedichyk, I.V. 87−63167
Vyakhirev, N.I., Kudin, V.P. Analysis of diffraction effects in a Cassegrain antenna with a wire mesh subreflector 85−13290
Vyakhirev, N.I. *see* Veriga, B.A. 85−13380
Vyalkov, A.V. *see* Morozov, N.I. 88−47687
Vyalov, S.I. *see* Aleksandrov, G.N. 88−68935
Vyal'tseva, T.M. Approximating power characteristics of electrodynamic suspension 86−26373
Vyalyi, V.I. *see* Razykov, T.M. 87−45573
Vyarawalla, F., Parikh, P.P., Dak, H.C., Jain, B.C. Utilisation of biomass for motive power generation−gasifier engine system 85−16268
Vyark, G.T. *see* Marakhtanov, M.K. 88−55244
Vyas, A.D., Trivedi, A.J., Calla, O.P.N., Rana, S.S., Raju, G. Passive microwave remote sensing of soil moisture 85−64761
Vyas, B.M., Sardesai, D.V., Rai, R.K., Chandra, H., Vyas, G.D. The effect of filtering on drift and anisotropy parameters determined by full correlation analysis 86−60938
Vyas, G.D. *see* Vyas, B.M. 86−60938
Vyas, H. *see* Yue, C.S. 85−50317
Vyas, H.P., Lutze, R.S.L., Huang, J.S.T. A trench-isolated submicrometer CMOS technology 85−40908
Vyas, H.P. *see* Lutze, R.S.L. 85−50750
Vyas, H.P. *see* Schrankler, J.W. 85−50752
Vyas, J.C. *see* Gupta, S.K. 87−51464
Vyas, M.K. *see* Subramanian, S. 85−65241
Vyas, M.K.R., Titchmarsh, J.G., Janssen, A.P., Cox, A.A. Improvements in laser package reliability using high temperature stabilised fibre tails 86−42307
Vyas, M.K.R., Wolfe, S.V., Hale, P.G. High speed secondary coating of optical fibres 87−7167
Vyas, M.K.R. *see* Barnes, S.R. 87−8329, 88−26829
Vyas, M.N., Lakshmana Rao, V. Using soft-board MICs to make conventional image-reject mixers 88−56940
Vyas, M.N., Rao, V.L., Venkatsubramanian, S. Low-noise amplifiers for terrestrial and satellite communication systems 87−44628
Vyatchanin, S.P. *see* Braginskii, V.B. 86−53079
Vyatkin, A.P., Germogenov, V.P., Otman, Ya.I., Khludkova, L.A. Formation of p-n junctions in tellurium-doped Al$_x$Ga$_{1-x}$Sb(As) ($x=0.15$-0.20) solid solution layers 86−1776
Vyatkin, A.P., Germogenov, V.P., Pozolotin, V.A. Generation current with a contribution of tunneling across a *p-n* junction subjected to low reverse voltages 86−53385
Vyatkin, A.P., Kalinin, Yu.M. Thermal instability of peak current in tunnel diodes 86−67826
Vyatkin, A.P., Kalinin, Yu.M., Krivorotov, N.P. Investigation of the influence of temperature and hydrostatic pressure on the interband current in GaSb tunnel diodes 86−67825
Vyatkin, A.P., Krivorotov, N.P., Kalinin, Yu.M., Ryabtsev, A.P., Shchegol', S.S. Pressure transducer with thermostatic p-n junction 86−11554
Vyatkin, A.P. *see* Alekseeva, Z.M. 85−50483, 88−57597
Vyatkin, A.P. *see* Baranov, B.A. 87−45248
Vyatkin, A.P. *see* Stepanov, V.E. 85−44760
Vyatkina, T.G. *see* Petrov, V.M. 88−28948
Vyatkina, V.A. *see* Fominykh, Yu.A. 86−33542
Vyatskov, I.A. *see* Volkov, A.S. 85−6059
Vyazgin, V.A. One method of solving design problems 86−52370
Vyazgin, V.A. On a program construction for differential games 87−58784
Vyazgin, V.A. Differential games with variable observation capacities of partners 88−49636
Vyazigin, V.L. *see* Starostin, V.-I. 86−7341
Vyaznikov, A.G. Flexible manufacturing system for mechanical working of body parts 87−16200
Vyazovskii, V.A. *see* Suvorov, N.P. 87−2521
Vybiral, B. Electromagnetic field of the second-order of the straight sources 88−34200
Vybornov, S.I., Zharinov, A.V., Kovalenko, Yu.A. Perveance of a gas-filled triode 86−21053
Vyborny, C.J. *see* Chan, H.-P. 88−29968
Vyborny, Z. *see* Chmel, J. 86−63360, 88−12327, 88−19062
Vychodil, M. *see* Minar, S. 86−12025
Vychuzhanin, A.A., Makarov, S.A. Set of electric equipment for controlling electric drives of purification installations at livestock-breeding complexes 85−65676
Vyden, B., Miller, M.J. Error correction coding for industrial data communication channels 85−7821
Vydhian, S.K.P.L. Planning for telecommunications in India 85−30571
Vydolob, G.M. *see* Tarasov, Yu.A. 85−6477
Vydyanath, H.R. Activity coefficient calculations for the Hg and Cd components in a tellurium-rich (Hg,Cd)Te liquid-phase-epitaxy growth solution containing Hg and Cd 86−26832
Vydyanath, H.R., Ellsworth, J.A., Devaney, C.M. Electrical activity, mode of incorporation and distribution coefficient of group V elements in Hg$_{1-x}$Cd$_x$Te grown from tellurium rich liquid phase epitaxial growth solutions 87−36742
Vydyanath, H.R., Ward, P.B., Hampton, S.R., Fishman, L., Slawinski, J., Devaney, C., Ellsworth, J., Krueger, T. High performance MWIR and LWIR (Hg,Cd)Te heterostructure photodiodes 87−46693
Vydyanath, H.R. *see* Nayar, P.S. 85−50261
Vygon, V.G., Loginov, V.V. Statistical evaluation of the actual resolution of an image receptor 85−56436
Vygon, V.G., Loginov, V.V. Image quality evaluation aspects 86−16528
Vygon, V.G., Loginov, V.V. Possible generalizations of television image information estimates 87−28781
Vygon, V.G. *see* Androsov, A.M. 85−57489 to 57491
Vygotskii, V.M. *see* Ilyashenko, E.I. 85−56092
Vygovskaya, E.A. *see* Lapidus, E.M. 86−1832
Vygovskii, V.I. Calculation of three-dimensional temperature field of turbogenerators with direct cooling of the windings 86−66036
Vygovskii, V.I. Numerical analysis of temperature in a marine turbogenerator 88−75555
V'ykhin, V.N. *see* Belomestnykh, V.A. 86−34891
Vykhodtseva, N.I. *see* Gavrilov, L.R. 87−41994
Vykodets, A.V., Denisov, V.I., Rabinovich, G.V., Rudnyy, Ye.M. Choice of preemphasis and restoration circuits for DTS codecs of PCM broadcast signals 86−38013
Vykoupil, P. *see* Peter, U. 87−64541
Vykydal, P. *see* Kaiser, Z. 86−48025
Vylchev, P.I. Methods for designing horn-type woofers 85−26116
Vylegzhanin, B.V. *see* Biryukov, A.N. 87−63241
Vylegzhanin, V.A. *see* Popov, V.A. 88−42868

Vymazal, V. Piezoceramic acoustic transducers 87−46277
Vymetak, J. *see* Fazekas, J. 87−25424
Vyncke, E., Danthine, A. A realistic simulation of a wideband backbone network 87−48645
Vyncke, E., Pastijn, H. The simulation of a communication system on a modern battlefield 87−34016
Vyncke, E. *see* Danthine, A. 86−10832
Vyne, R.L., Davis, W.F., Susak, D.M. A trimmable p-channel JFET quad opamp 87−59215
Vyne, R.L., Davis, W.F., Susak, D.M. A monolithic p-channel JFET quad op amp with in-package trim and enhanced gain-bandwidth product 88−18936
Vyne, R.L., Davis, W.F., Susak, D.M. In-package trim adjusts input offset in 100 MHz quad op amp 88−44062
Vyne, R.L. *see* Davis, W.F. 85−28397
Vypanasenko, S.I. *see* Pivnyak, G.G. 85−21728, 85−32603, 85−44106, 86−56992
Vypanasenko, S.I. *see* Pivryak, G.G. 85−10005
Vyplavin, Yu.I. *see* Brodetskii, A.M. 88−37163
Vyqovskii, V.I. *see* Fedorenko, G.M. 86−26004
Vyrelkin, V.P. *see* Volkov, V.A. 88−39987
Vyrvinskii, V.V., Ivanchenkov, V.N. Systems analysis of trends in the development of electric generating equipment 87−22218
Vyse, B. *see* Clark, M. 88−19609, 88−57261
Vyshinskiy, V.A. An algorithm for providing information to a device for multiplication of numbers 88−636
Vyshkin, M.B. *see* Yadchenko, K.I. 87−22418
Vyshkov, O.D. *see* Kuzin, A.V. 88−20869
Vyshkov, Yu.D. Vibration-resistant properties of electromagnetic suspension equipment 86−10053
Vyshkov, Yu.D., Golovkin, V.L. Technique of design of electrical models for electromechanical systems 88−24174
Vyshkov, Yu.D., Zhumagazin, B.A. A mathematical model of an EM suspension unit with two controlled windings 85−56973
Vyshkov, Yu.D., Zhumagazin, B.A. The application of thermodynamic functions in electromechanics 87−68684
Vyshlov, A.S. *see* Armand, N.A. 86−37388
Vyshlov, A.S. *see* Preston, R.A. 86−55400
Vyshlov, A.S. *see* Savich, N.A. 87−56310
Vyshvanyuk, V.I., Alymov, V.T., Vishnevskii, Z.N. Apparatus for examining the thermal expansion of materials in the range 20-470K 85−3969
Vysikailo, F.I. *see* Baranov, V.Yu. 85−12808, 85−18873, 88−20546
Vysikailo, F.I. *see* Borisov, V.M. 85−41338, 86−9756
Vysin, I. Distribution of the radiation intensity of a pumping discharge tube in the active material of a solid laser when using a reflector of a simple elliptical cylinder shape 88−20600
Vysin, I., Stanek, J. Geometry of optical components of pulse optical quantum generators 85−7470
Vyskirka, A.S. *see* Bronitskii, M.A. 85−59723, 87−42488
Vyskoc, J. Knapsack in cryptography 88−21075
Vyskocil, V. *see* Pavlinec, P. 88−68851 to 68852
Vyskrebtsov, I.G. *see* Belov, A.N. 86−25409
Vyskrebtsov, I.G. *see* Vershinin, Ye.A. 88−8498
Vyskubova, L.V. *see* Grinenko, E.N. 86−17623
Vyskup, F. Measuring the shift of diaphragm walls in a 500-MW power-production unit at the Melnik electric power station 85−15814
Vysloukh, V.A., Cherednik, I.V. Modelling the self-interaction of supershort pulses in optical fibers using the inverse scattering method 87−60903
Vysloukh, V.A., Dovchenko, D.N., Zheludev, N.I., Kuznetsov, V.I., Muradyan, L.Kh., Simonov, A.V. Formation of subpicosecond pulses with a high repetition frequency in a fiber-optical compressor 87−75200
Vysloukh, V.A., Fattakhov, A.M. Possibility of nonlinear compensation of dispersive broadening of noise pulses [optical fibres] 87−32955
Vysloukh, V.A., Matveeva, T.A. Self-induced spatial effects of light radiation in optical fibers 86−15479
Vysloukh, V.A., Muradyan, L.Kh. Fiber-optic compression of partly coherent pulses 88−20368
Vysloukh, V.A., Muradyan, L.Kh., Pershin, S.M., Podshivalov, A.A. Tunable subpicosecond-pulse optical lasers with single-mode fiber-lightguide compressors 86−63771
Vysloukh, V.A., Serkin, V.N. Nonlinear transformation of solitons in fiber lightguides 86−15772
Vysloukh, V.A., Sukhotskova, N.A. Influence of third-order dispersion on the generation of a train of picosecond pulses in fiber waveguides due to self-modulation instability 88−51460
Vysloukh, V.A. *see* Akhmanov, S.A. 87−54425
Vysochanskii, V.S. Driven inverter with a quasi-sinusoidal stable voltage curve 85−21698
Vysochin, N.I. *see* Bordanov, A.N. 86−25642
Vysogorets, M.V., Eremenko, B.M., Lozovoy, V.I., Mechetin, A.M., Petrov, M.Yu., Platonov, V.N., Postovalov, V.E., Prokhorov, A.M., Schelev, M.Ya. Digital readout system for streak cameras on the basis of CCD and image intensifier 86−1646
Vysokosov, E.P., Klyuev, V.A., Yunoshev, L.S. Comparison of clocks through optical communications channels 85−4123
Vysoky, O. Some possibilities of designing actuating components of microcomputer controllers 85−49948
Vysoky, O. Some possibilities of designing the power part of microcomputer controlled actuators 85−60373
Vysotin, A.L. *see* Bolotskikh, L.T. 85−12943
Vysotina, N.V. *see* Belousova, I.M. 86−22460
Vysotskii, A.A. *see* Volosov, S.S. 86−24487
Vysotskii, M.G. *see* Aksenov, E.T. 88−33801
Vysotskii, M.G. *see* Vodovatov, I.A. 87−20906
Vysotskii, S.A. *see* Boldyrevskii, P.B. 87−1188
Vysotskii, S.P. Choosing a rational scheme and automatic regulation system for neutralising drainage water 87−4548
Vysotskii, V.E., Karetnyi, V.D., Skorospeshkin, A.N. Calculating the static characteristics of a rectifier motor with allowance for direct and quadrature-axis magnetic-system saturation 86−45440
Vysotskii, V.E. *see* Karetnyi, V.D. 88−23955
Vysotskii, Yu.P. *see* Bel'dyugin, I.M. 85−41434, 87−61084, 87−68351
Vysotskiy, G.Ye. *see* Voloshin, V.N. 86−15905
Vysotskiy, M.G. *see* Vodovatov, I.A. 85−13221
Vysotskuy, S.L., Kazakov, G.T., Sukharev, A.G., Filimonov, Yu.A. Investigation of the effect of static EMF generation by traveling surface magnetostatic waves in a thin-film yttrium-iron garnet-n-InSb structure 87−53902
Vystavkin, A.N., Gubankov, V.N., D'yakov, V.P., Tarasov, M.A. Noise properties of Josephson point contacts at microwave frequencies 85−1882
Vystavkin, A.N., Gubankov, V.N., Koshelets, V.P., Rozanov, S.B., Salomonovich, A.E., Solomonov, S.V. Response of superconductor-insulator-superconductor tunnel junctions to 2-mm radiation 86−22050
Vystavkin, A.N., Gubankov, V.N., Turygin, S.Yu., Tarasov, M.A. Characteristics of frequency conversion using Josephson junctions in the case of strong coupling with an electrodynamic system 88−44096
Vystavkin, A.N., Koshelets, V.P., Likharev, K.K., Migulin, V.V., Mukhanov, O.A., Ovsyannikov, G.A., Semenov, V.K., Serpuchenko, I.L. Experimental implementation of a resistive-(single-flux-quantum) integrated logic structure 88−12320
Vystavkin, A.N., Koshelets, V.P., Ovsyannikov, G.A., Serpuchenko, I.L., Shitov, S.V. Frequency conversion using the quasiparticle nonlinearity of Nb-Al$_2$O$_3$-Nb tunnel junctions 86−15432
Vystavkin, A.N. *see* Amatuni, L.E. 87−67852
Vystavkin, A.N. *see* Belitsky, V.Y. 87−67853
Vystavkin, A.N. *see* Belov, A.N. 86−25409
Vystavkin, A.N. *see* Bilinsky, I.Ya. 87−47805
Vystavkin, A.N. *see* Kaplunenko, V.K. 88−12357
Vystavkin, A.N. *see* Koshelets, V.P. 87−66030, 88−13746
Vytiska, M. *see* Novak, S. 86−39415
Vytopil, J., Gailey, D., Lathouwerst, G. ISDN: the confusion of the potential user 88−59816
Vytopil, J., Gelens, H.J.H. Third generation company telephone exchanges. I. Construction and characteristics 86−10910
Vytopil, J., Gelens, H.J.H. Third generation company telecommunications exchanges. II. Desirable facilities 86−17129
Vytopil, J., Gelens, H.J.H. 3rd generation telecommunication exchanges for industry. III. Two products 86−30512
Vytopil, J., Markensteijn, L. The physical infrastructure of local communications 88−60180
Vytopil, J., Muller, P. Communication architecture of TCP16, a highly reliable, distributed system 85−14059
Vytopil, J., van de Weghe, R.M. Digital telephone exchanges and data communication [new possibilities through LAN-PBX coupling] 86−37506
Vytrisal, F.L. Transformers, chokes, accessories. New designs and materials 85−27458
V'yugin, V.V. Nonstochastic estimates 86−37041
V'yugina, T.S., Shilkina, V.M., Il'yina, T.A., Krutik, M.I., Lebedev, V.B., Seleznev, V.P., Stepanov, B.M., Syrtsev, V.N., Fel'dman, G.G. Image convertor tube for subnanosecond photography 86−5077
V'yugina, T.S., Zhilkina, V.M., Il'ina, T.A., Krutik, M.I., Lebedev, V.B., Seleznev, V.P., Stepanov, B.M., Syrtsev, V.N., Fel'dman, G.G. Image converter tube for photography with subnanosecond frame times 86−27810
V'yugina, T.S. *see* Varga, S.A. 86−5081
V'yukhin, V.N. *see* Belomestnykh, V.A. 87−69091
V'yukin, V.N., Kasperovich, A.N. Problems of designing analogue-digital converters with limiting bit count 86−34890
Vyukov, L.A., Emelyanov, A.V., Ermolov, A.V. Laser processes in microelectronic technology 88−26018
V'yukov, L.A. *see* Bykovskii, Yu.A. 85−40609
V'yun, V.A. Acoustoelectronic interaction of surface acoustic waves in structures with a piezoelectric insulator layer 86−28553
V'yun, V.A., Gainer, A.V., Surdutovich, G.I., Yakovkin, I.B. Bistability of acoustoelectronic phenomena under time-varying conditions 87−60156
V'yun, V.A., Pnev, V.V., Yakovkin, I.B. Dynamic characteristics of acoustoelectronic convolvers 88−20229
V'yun, V.A., Yakovkin, I.B. Hysteresis of acoustoelectric effects in a layered piezoelectric-semiconductor structure 88−39759
V'yun, V.A., Yumashev, V.N., Yakovkin, I.B. Piezoelectric-modulus meter for films 87−77372
V'yunichenko, V.N. *see* Zagorul'ko, V.S. 87−73175
V'yushkov, A.F. *see* Polyakov, L.A. 86−44088
Vyvenko, O.F., Tul'ev, A.V. Anisotropy of the conductivity due to edge prismatic dislocations in cadmium sulfide 87−73997
Vyvenko, O.F. *see* Bazlov, N.V. 88−42197
Vyver, R.Van De *see* Van De Vyver, R.
Vyzhikovska, A.V., Kanevskii, Yu.S., Gretovski, D. The architecture of a VLSI convolver of two-dimensional signals 88−9914
Vyzhikovski, R., Yankevich, A.V. Comparative analysis of the effectiveness of digital filtering algorithms 88−8760
Vyzulin, S.A., Kirov, S.A., Syr'ev, N.E. Magnetostatic waves in a ferrite plate with domain structure 86−28636
Vyzulin, S.A., Kirov, S.A., Syr'yev, N. Displacement waves of domain boundaries in a ferrite plate 86−22606
Vzorov, I.K. *see* Azhgirei, L.S. 88−61154
Vzyatyshev, V.F., Dobromyslov, V.S., Kalinichev, V.I., Kuimov, V.I. Screened dielectric resonators with azimuthal oscillation 88−941
Vzyatyshev, V.F., Kalinichev, V.I. Analysis of open resonant systems in the microwave and optical bands 85−17785
Vzyatyshev, V.F., Kalinichev, V.I., Kuimov, V.I. Physical phenomena in a cylindrical metal-dielectric resonator and the problems associated with designing screened dielectric resonators 86−20805
Vzyatyshev, V.F., Kalinichev, V.I., Kuimov, V.I. Properties of a metal-dielectric resonator employing a planar construction 86−62816
Vzyatyshev, V.F., Rayevskiy, G.P. Interaction effects of azimuthal oscillations in dielectric disk resonators 88−63866

W., V.H.Gonzalez *see* Gonzalez W., V.H.
W. Lin Hsiu-Ping *see* Hsiu-Ping W. Lin
W-X Zhang, C-H Cheng A spectrum domain analysis for the microstrip patch antenna loaded by conducting posts 87−47300
Wa, P.Li Kam *see* Li Kam Wa, P.
Wa, P.Li.Kam *see* Kam Wa, P.Li.
Wa Ja-ling *see* Ja-ling Wa
Waaben, S., Federico, J., Curran, R.K. Current distribution electrograph [handwriting digitisation] 87−3607
Waaben, S., Moskowitz, I., Federico, J., Dyer, C.K. Computer modeling of batteries from nonlinear circuit elements 85−65413
Waadeland, H. *see* Jacobsen, L. 86−57375, 88−63196
Waadeland, H. *see* Rye, E. 86−346
Waag, R.C. *see* Holen, J. 85−59274
Waal, A.De *see* De Waal, A.
Waal, P.I.van der *see* van der Waal, P.I.
Waal, P.R.de *see* de Waal, P.R.
Waal, R.G.van der *see* van der Waal, R.G.
Waal, V.J.de *see* de Waal, V.J.
Waalmann, J.G. Estimating the condition of the heat resistant lining in an electrical reduction furnace 88−42312
Waalwijk, J.M. *see* Wiedenhof, N. 85−8645, 85−18951, 85−45690
Waard, J.de *see* de Waard, J.
Waard, P.de *see* de Waard, P.
Waarto, R.G. *see* Grosskopf, G. 88−27141
Waarts, R.G., Braun, R.-P. System limitations due to four-wave mixing in single-mode optical fibres 86−64971
Waarts, R.G., Braun, R.P. Crosstalk due to stimulated Brillouin scattering in monomode fibre 86−15460
Waarts, R.G., Friesem, A.A., Hefetz, Y. Frequency-modulated to amplitude-modulated signal conversion by a Brillouin-induced phase change in single-mode fibers 88−34128
Waarts, R.G. *see* Bar-Joseph, I. 86−9947, 86−68272, 87−2083
Waarts, R.G. *see* Grosskopf, G. 88−15456
Waarts, R.G. *see* Lichtman, E. 87−74698
Waarts, R.G. *see* Shibata, N. 86−55289, 87−38785, 87−68603
Waarts, R.G. *see* Yaffe, H.H. 87−25945
Waas, O.G. The EWSD digital trunk telephone switching system 85−19956
Waas, O.G. *see* Eberl, H. 85−52185
Waast, B., le Bervet, L., Lambert, P., le Goff, A., Maison, J.M. Up-grading of Orsay MP-9 88−47757
Waast, B. *see* Decourt, M. 88−54083
Wabbels, V. Practical experiences with video-conferences 86−38119
Wabnitz, S. On the scattering matrix of multimode fibres for polarization recovery by phase conjugation 88−7860
Wabnitz, S. Application of polarization instability to optical switching 88−45162
Wabnitz, S., Wright, E.M., Seaton, C.T., Stegeman, G.I. Instabilities and all-optical phase-controlled switching in a nonlinear directional coherent coupler 87−7435
Wabnitz, S., Wright, E.M., Seaton, C.T., Stegeman, G.I. All-optical switching through nonlinear stationary wave instability in a nonlinear coherent coupler 88−65877
Wabnitz, S. *see* Caglioti, E. 87−68026, 88−2021, 88−20748, 88−33807, 88−39898
Wabnitz, S. *see* Crosignani, B. 86−68296, 87−1960
Wabnitz, S. *see* Daino, B. 86−28845, 86−48505, 88−51516
Wabnitz, S. *see* Finlayson, N. 88−45201
Wabnitz, S. *see* Gori, F. 85−63129
Wabnitz, S. *see* Gregori, G. 86−22154
Wabnitz, S. *see* Matera, F. 86−63669, 88−65227
Wabnitz, S. *see* Mecozzi, A. 87−38787, 88−20742, 88−45555
Wabnitz, S. *see* Stegeman, G.I. 87−74727, 88−45554, 88−58228
Wabnitz, S. *see* Trillo, S. 87−7074, 87−18596, 87−75227, 88−13842, 88−20760, 88−33654, 88−72040 to 72041, 88−72092
Wabuka, H. *see* Iwasaki, J. 86−34851
Wac-Wlodarczyk, A. *see* Janowski, T. 87−59815
Wac-Wlodarczyk, A. *see* Nafalski, A. 86−39903, 87−67771
Wach, A.K. Capture range measurement in analog IC test system 87−3411
Wach, D. *see* Bastl, W. 85−59953
Wach, D. *see* Sunder, R. 85−21334
Wach, J. *see* Kordylewski, W. 88−4683
Wach, P., Kriegl, R., Schuy, S. Measuring device for selective and broadband recording of magnetically-induced interference voltages 86−60778
Wach, P. *see* Hickiewicz, J. 85−9900, 85−9905, 87−15769, 87−42986, 87−42999
Wach, P. *see* Kaminski, M. 87−15745
Wach, P. *see* Richter, K.P. 87−64009
Wacha, G. *see* Ilar, F. 88−17195
Wachal, B. The fine-lining photoresist 87−53009
Wachendorff, P. High resolution by simple means. Low speed precision systems 88−60925
Wachenschwanz, D., Jeffers, F. Overwrite as a function of record gap length 86−28658
Wachenschwanz, D. *see* Jeffers, F. 86−36011, 88−44979
Wachenschwanz, D. *see* Krautle, H. 85−50283
Wachenschwanz, D. *see* Smith, N. 88−57955
Wachholz, W. Safety concept of future nuclear power plants HTR-500 and HTR-100 86−18978
Wachholz, W. The safety characteristics of the high-temperature reactor HTR 500 88−17311
Wachholz, W. *see* Brandes, S. 87−71790
Wachholz, W. *see* Schoning, J. 86−18982
Wachi, R. Logical and systematic failure analysis of 64K D-RAM using FTA and reliability analysis techniques 85−49901
Wachira, M., Shoamanesh, A., Azarbar, B. Design considerations for the Canadian first generation mobile satellite system 88−9496
Wachman, E.S. *see* Edelstein, D.C. 88−65827
Wachmann, P. *see* Hejberg, P. 87−77288
Wachnik, R.A. The use of charge pumping to characterize generation by interface traps 86−63122
Wachnik, R.A., Bucelot, T.J., Li, G.P. Degradation of bipolar transistors under high current stress at 300 K 88−57615
Wachnik, R.A., Lowney, J.R. A model for the charge-pumping current based on small rectangular voltage pulses 86−41839
Wachnik, R.A. *see* Chang, W.H. 88−71794
Wachnik, R.A. *see* Liehr, M. 87−53159, 87−73986
Wachs, H.J. *see* Jurgensen, H. 87−32304
Wachs, H.J. *see* Selders, J. 86−35676
Wachsman, J. *see* Genin, R. 87−32091
Wachsmuth, R. *see* Schornack, W. 86−49830
Wachspress, E.L. Split-level iteration 85−39654
Wachspress, E.L. Generalized ADI preconditioning 85−39655
Wachspress, E.L. Editor's introduction to 'automatic indexed calculation of Wachspress' rational finite element functions' by G.R. Dalton 85−54343
Wachspress, E.L. *see* Ellner, N.S. 87−36649
Wachta, B. *see* Appleton, S. 85−70888
Wachta, B. *see* Bredthauer, J. 86−39746, 87−65002
Wachtel, H. *see* Forster, J.D. 85−59241
Wachtel, J. *see* Ben-Zvi, I. 88−51834
Wachtel, J.A. The impact of proposed rulemaking on the future direction on nuclear power plant simulation in the United States 85−54068
Wachtel, J.M., Mitchell, H.B., Cohen, C. Measurement and computation of nonlinear saturation in gyrotron tubes 87−66821
Wachtel, J.M. *see* Mitchell, H.B. 85−11844
Wachtel, S. *see* Hamblen, J. 88−70047
Wachter, A. *see* Seibt, D. 85−52013
Wachter, A. *see* Wissing, W. 85−52014
Wachter, C., Hehl, K. General treatment of slab waveguides including lossy materials and arbitrary refractive index profiles 88−2002
Wachter, C., Langbein, U., Lederer, F. Nonlinear waves guided to graded-index films 87−39202
Wachter, C. *see* Biehlig, W. 86−68267
Wachter, C. *see* Leine, L. 87−74742, 88−33737
Wachter, E.A. *see* Sidky, E.Y. 88−53747
Wachter, F. Structure and application of a permutation network 87−27551
Wachter, F.K.von *see* von Wachter, F.K.
Wachter, G. VLF-HF receiver EK 085 with enhanced microprocessor control 87−13567
Wachter, G.De *see* De Wachter, G.
Wachter, J.K. *see* Hensel, J.P. 87−77445
Wachter, J.R., Adams, E.L., Ensslin, N. Prototype fast neutron counter for the assay of impure plutonium 88−29894
Wachter, M. *see* Seger, T. 88−69860
Wachter, P. *see* Neuenschwander, J. 87−37915
Wachter, P. *see* Reim, W. 85−29424
Wachter, P. *see* von Kanel, H. 87−16631, 87−36727
Wachter, R.F. *see* Goldfinger, A.D. 87−50208
Wachters, A.J.H. *see* van der Linden, W.P.M. 88−52122
Wachtler, I. Measuring the drift speed of a fermenting substance at the wall of a vat 85−15081
Wachtman, J.B., Jr. *see* Safari, A. 88−65007
Wachtman, J.B., Jr. *see* Huggins, R.A. *(editor)* 86−26486, 87−10018, 88−27
Waciega, M. *see* Fritsch, T. 86−19247
Wacker, A. *see* Salt, E. 86−16480
Wacker, A.G., Chen, C., Lohar, G. Data compression capability of symmetrical component expansion in an image 87−69390
Wacker, A.G. *see* Bainbridge, R. 87−24001
Wacker, A.G. *see* Dodds, D.E. 87−27699, 87−33632
Wacker, B. *see* Jackson, W.B. 86−53454
Wacker, B. *see* Tsai, C.C. 86−46362, 88−56308
Wacker, G., Billinton, R. Customer perceptions of power system reliability 88−10714
Wacker, G. *see* Billinton, R. 86−44895, 87−9123, 87−30121, 87−42356, 88−10800
Wacker, G. *see* Subramaniam, R.K. 86−18643
Wacker, H.J. *see* Bauer, W. 88−30328
Wacker, P.F. Symmetry techniques for direct and inverse scattering 85−51417
Wacker, P.F. Exact solutions for waveguides and cavities from symmetry 86−42910
Wacker, P.F. More conceptual errors, pseudoanalytic functions, and domains of validity of modal expansions [antennas] 86−42932
Wackerman, C.C., Lyzenga, D.R. A detectability index for features in synthetic aperture radar images 88−5150
Wackerman, C.C., Lyzenga, D.R. Automatic focusing of synthetic aperture radar images of diffuse targets 88−9625
Wackerman, C.C. *see* Cederquist, J. 86−50237, 86−58808
Wackerman, C.C. *see* Cederquist, J.N. 88−3183
Wackerman, C.C. *see* Kasischke, E.S. 88−60221
Wackerman, C.C. *see* Lyzenga, D.R. 85−31084, 88−9624
Wackers, M. *see* Hessler, H. 87−5069
Wackers, M. *see* Raschbichler, H.G. 87−64919
Wackersreuther, G. On the design of filters for ideal QMF and polyphase filter banks 85−36242
Wackersreuther, G. A novel approach to the design of filters for filter banks 86−16371
Wackersreuther, G. On two-dimensional polyphase filter banks 86−35003
Wackersreuther, G. Some new aspects of filters for filter banks 87−10982
Wacks, J.L., Johnson, S.R. A characterization study of soldered rectifier failures in a hybrid assembly 88−57222
Wacks, K.P. The Smart House energy and communications systems 87−40422
Wacks, M.E. *see* Bhushan, B. 86−62307
Waclawiak, G., Kerner, A. A method of nodal balancing forecasting in twenty-four hours planning of power system operation 85−43578
Waclawsky, D. Building solderability into PWBs 86−20963
Wacyk, I., Amato, M., Rumennick, V. A power IC with CMOS analog control 87−16878
Wacyk, I. *see* Mukherjee, S. 88−39727
Wada, A., Yamauchi, R., Miyamoto, M., Uehara, T., Seto, K., Harada, K., Sato, N., Inada, K. Fully synthesized single mode fiber fabrication by two-step VAD process using high rate cladding deposition burners 88−45140
Wada, A. *see* Goto, F. 85−18569
Wada, A. *see* Matsumoto, F. 86−49208
Wada, A. *see* Miyamoto, M. 88−65212
Wada, A. *see* Osaka, T. 85−7137
Wada, B.K., Kui, C.P., Glaser, R.J. Extension of ground-based testing for large space structures 87−4066
Wada, B.K. *see* Ray, S.K. 87−44280
Wada, B.K. *see* Utku, S. 86−66795
Wada, F. *see* Shirasaki, M. 85−2100
Wada, F. *see* Sonoda, M. 85−5464
Wada, G. *see* Jacquez, A. 87−45531
Wada, G. *see* Ohtomo, R.H. 85−50164
Wada, H., Itoh, K., Tachikawa, K., Yamada, Y., Murase, S. Current carrying capacities and pinning behaviour of alloy superconductors in high magnetic fields 85−35331
Wada, H., Sakuma, H., Tabe, K. Straightness measurement using heterodyne moire method 86−5523
Wada, H., Sato, Y. Superconductivity and electronics moving from theory to practice 85−12507
Wada, H. *see* Abe, T. 88−57530
Wada, H. *see* Asai, K. 88−61665
Wada, H. *see* Goto, M. 85−34704
Wada, H. *see* Hattori, K. 88−19899
Wada, H. *see* Nakano, A. 86−50865
Wada, H. *see* Nakasuji, M. 85−46532
Wada, H. *see* Nishikawa, T. 86−8347
Wada, H. *see* Okuda, E. 85−2075, 86−42361
Wada, H. *see* Seki, M. 87−76744, 88−67408
Wada, H. *see* Shimamoto, S. 88−13775
Wada, H. *see* Shiota, K. 88−20174
Wada, H. *see* Tamamushi, S. 88−39308
Wada, H. *see* Tatsuta, M. 88−75784
Wada, H. *see* Ueno, S. 88−24639
Wada, H. *see* Yoshikawa, R. 87−38377
Wada, H. *see* Yukami, N. 85−56434
Wada, I. *see* Yamamuro, H. 85−3979
Wada, J. *see* Kato, S. 88−57429
Wada, J. *see* Kawamura, T. 88−10377
Wada, J.A. *see* Beddoes, M.P. 87−63793
Wada, J.A. *see* Ninomija, S.P. 87−50369
Wada, K., Hagihara, K., Tokura, N. The embedding area of *d*-way shuffle graph on a VLSI model 85−55918
Wada, K., Hagihara, K., Tokura, N. The area-time complexity of a VLSI model with boundary layout assumption 86−9229
Wada, K., Hagihara, K., Tokura, N. Area-time complexity on a VLSI model with boundary layout assumption 86−66924
Wada, K., Hagihara, K., Tokura, N. Embedding area of d-way shuffle graph on a VLSI model 86−67168
Wada, K., Ito, T., Toyokura, N. Some aspects of thin dielectrics for ULSI 88−71717
Wada, K., Kawaguchi-Izawa, K. Some considerations of fault-tolerance for fixed network routings 88−14866

Wada, K., Kawaguchi, K., Luo, Y. Fault-tolerant network routings for (k+1)-node connected and (k+1)-edge connected graphs 87−31420

Wada, K., Kawaguchi, K., Luo, Y. Fault-tolerant network routings for (k+1)-node connected and (k+1)-edge connected graphs 88−35121

Wada, K., Ko, M. Reduction of telecommunication cost by digital line applications 88−41406

Wada, K., Suzuki, S., Kishimoto, T. DDR-5310 compact digital data recorder with standard communication line 85−31520

Wada, K., Tazawa, S., Kubota, K. A flexible database system and its application in VLSI process development 85−40924

Wada, K. *see* Fukazawa, T. 87−60808

Wada, K. *see* Hagihara, K. 85−19985, 86−15212, 86−69720

Wada, K. *see* Inoue, N. 88−389

Wada, K. *see* Izawa, T. 85−50764

Wada, K. *see* Kawaguchi-Izawa, K. 87−52252

Wada, K. *see* Luo, Y. 88−24645

Wada, K. *see* Masuzawa, T. 85−54286

Wada, K. *see* Miyazawa, S. 86−47562

Wada, K. *see* Nagata, Y. 88−57957

Wada, K. *see* Sasaki, N. 85−49886, 85−50780

Wada, K. *see* Sato, N. 86−46851

Wada, K. *see* Shinohara, M. 85−33465

Wada, K. *see* Tazawa, S. 85−23969

Wada, K. *see* Tokura, N. 86−15210

Wada, K. *see* Yamada, S. 88−3733

Wada, K. *see* Chikawa, J. *(editor)* 88−59

Wada, M. Improvement of magnetic characteristics of laminations by flash annealing [motor laminations] 85−39044

Wada, M. Radio frequency-plasma oxidation of fine-grained Pb-alloy films formed by codeposition at 90K 87−25880

Wada, M., Asano, M., Iwahashi, H., Inoue, S., Kirisawa, R., Hieda, K., Shibata, T. A 50 nsec 64K bit CMOS EEPROM with 200 μsec programming 86−41129

Wada, M., Hamada, K., Shibutani, T., Shimizu, H., Kume, M., Itoh, K., Kano, G., Teramoto, I. A new chemical etching technique for formation of cavity facets of (GaAl)As lasers 85−62585

Wada, M., Hamada, K., Shimizu, H., Kume, M., Tajiri, F., Itoh, K., Kano, G. High-power lasers of the twin-ridge-substrate type 85−29830

Wada, M., Hieda, K., Watanabe, S. A folded capacitor cell (FCC) for future megabit DRAMs 85−50729

Wada, M., Iizuka, H., Shibata, T., Dang, R. Modelling of hot-carrier effects in small-geometry MOSFETs 85−34965

Wada, M., Kawamoto, H., Hatoh, H. In-test and post-test analyses of sodium-sulfur cells 86−66290

Wada, M., Mizuno, M. Observation of friction and wear utilizing acoustic emission technique: prediction of unusual phenomenon 87−31604

Wada, M., Togashi, K., Gonoi, K., Honbori, I., Kato, Y. GaAs JFET technology for DCFL LSI 86−34739

Wada, M., Yamaguchi, H. Iterative gradient method for movement estimation [video signals] 85−51630

Wada, M., Yamaguchi, H. The iterative gradient method for movement estimation 85−57529

Wada, M., Yamaguchi, H. Iterative gradient method for movement estimation 86−69157

Wada, M., Yamaguchi, H. Multimedia transmission method for 64 kbps integrated visual telecommunication 87−56415

Wada, M. *see* Enokizono, M. 88−55351

Wada, M. *see* Gonoi, K. 87−624

Wada, M. *see* Hamada, K. 85−62579, 86−58933, 87−26401, 87−33208

Wada, M. *see* Hayashi, T. 88−36625

Wada, M. *see* Hieda, K. 86−8239

Wada, M. *see* Hirao, M. 88−18478

Wada, M. *see* Iijima, T. 88−16949

Wada, M. *see* Ikawa, Y. 86−47803

Wada, M. *see* Kawamoto, H. 86−61708, 87−43357

Wada, M. *see* Kume, M. 85−62593, 87−68480

Wada, M. *see* Mizuno, Y. 86−11997

Wada, M. *see* Naganawa, H. 86−49216

Wada, M. *see* Nakano, J. 86−42163

Wada, M. *see* Ohigashi, N. 86−48444, 88−34058

Wada, M. *see* Onga, S. 86−15111, 87−53508

Wada, M. *see* Shimizu, H. 86−36513

Wada, M. *see* Taira, K. 85−50502

Wada, M. *see* Toyoshima, Y. 85−50593

Wada, M. *see* Yamaguchi, H. 86−31003, 87−8471, 87−13227, 88−46473, 88−67007, 88−73721

Wada, M.M. *see* Hudson, J.A. 86−46491, 87−60603

Wada, N. *see* Koike, N. 87−78022

Wada, N. *see* Maeda, K. 85−18897

Wada, N. *see* Okagawa, S. 87−8331

Wada, N. *see* Yamaguchi, K. 88−53926

Wada, O. Ion-beam etching of InP and its application to the fabrication of high radiance InGaAsP/InP light emitting diodes 85−12742

Wada, O. Ar ion-beam etching characteristics and damage production in InP 85−18248

Wada, O. Thermal reaction of gold metallization on InP 85−34877

Wada, O. Recent progress in optoelectronic integrated circuits (OEICs) 88−14058

Wada, O. Planar structure optoelectronic integrated circuits: towards advanced optical processing and communication 88−40107

Wada, O., Hamaguchi, H., Makiuchi, M., Kumai, T., Ito, M., Nakai, K., Horimatsu, T., Sakurai, T. Monolithic four-channel photodiode/amplifier receiver array integrated on a GaAs substrate 87−18867

Wada, O., Hamaguchi, H., Makiuchi, M., Kumai, T., Ito, M., Nakai, K., Sakurai, T. Monolithic four channel photodiode/amplifier array integrated on a GaAs substrate 86−42462

Wada, O., Hamaguchi, H., Miura, S., Makiuchi, M., Nakai, K., Horimatsu, H., Sakurai, T. AlGaAs/GaAs *p-i-n* photodiode/preamplifier monolithic photoreceiver integrated on a semi-insulating GaAs substrate 85−51069

Wada, O., Miura, S., Machida, H., Nakai, K., Sakurai, T. A new fabrication technique for optoelectronic integrated circuits (OEIC's)−the graded-step process−applied to the fabrication of AlGaAs/GaAs PIN/FET and PIN/amplifier photoreceivers 86−9707

Wada, O., Miura, S., Mikawa, T., Aoki, O., Kiyonaga, T. Fabrication of monolithic twin-GaInAs pin photodiode for balanced dual-detector optical coherent receivers 88−45295

Wada, O., Nakajima, M. Reflector antennas for electron cyclotron resonance heating of fusion plasma 86−68889

Wada, O., Nakajima, M. Circular to rectangular waveguide mode conversion through a parabolic cylinder wave guide—TE_{0n} incident 87−26903

Wada, O., Nakajima, M. A new numerical analysis for oversized planar waveguide circuits−iterative method by use of a boundary element source matrix 88−7033

Wada, O., Nakajima, M. Circular to rectangular waveguide mode conversion through a parabolic cylinder waveguide−TE_{0n} incident 88−12562

Wada, O., Sakurai, T., Nakagami, T. Recent progress in optoelectronic integrated circuits (OEICs) 86−68408

Wada, O., Sanada, T., Kuno, M., Fujii, T. Very low threshold current ridge-waveguide AlGaAs/GaAs single-quantum-well lasers 86−9840

Wada, O., Sanada, T., Machida, H., Yamakoshi, S., Hamaguchi, H., Fujii, T., Horimatsu, T., Sakurai, T. A new OEIC fabrication technique−graded-step process−applied to an AlGaAs/GaAs monolithic laser/FET 85−46295

Wada, O., Sanada, T., Nobuhara, H., Kuno, M., Makiuchi, M., Fujii, T., Sakurai, T. Four-channel AlGaAs/GaAs OEIC transmitter array for optoelectronic switch application 88−67390

Wada, O., Sanada, T., Nobuhara, N., Kuno, M., Makiuchi, M., Fujii, T. Very low threshold current AlGaAs/GaAs quantum well lasers suitable for optoelectronic integration 86−54155

Wada, O., Sanada, T., Yamakoshi, S., Hamaguchi, H., Fujii, T., Horimatsu, T., Sakurai, T. Monolithic integration of a quantum-well laser and a driver circuit on a GaAs substrate 85−51072

Wada, O., Yamakoshi, S., Sanada, T., Fujii, T., Horimatsu, T., Sakurai, T. Improving performance of AlGaAs/GaAs monolithic laser/FET by GRIN-SCH quantum-well laser 85−7435

Wada, O. *see* Doi, Y. 86−25116

Wada, O. *see* Fujii, T. 85−35794

Wada, O. *see* Furuya, A. 87−39116

Wada, O. *see* Hamaguchi, H. 86−43820, 87−33072

Wada, O. *see* Horimatsu, T. 85−37056, 86−64988

Wada, O. *see* Ito, M. 85−18819, 86−15588, 86−68396, 87−66961

Wada, O. *see* Iwama, T. 87−46726, 88−72235

Wada, O. *see* Kuno, M. 87−26225

Wada, O. *see* Makiuchi, M. 85−56457, 86−29017, 86−68407, 88−22075, 88−67353

Wada, O. *see* Miura, S. 85−35658, 86−48270, 86−58848, 87−26191, 87−38955, 88−20502, 88−41626, 88−47127

Wada, O. *see* Nobuhara, H. 85−62462, 86−48440, 87−25070, 87−26245, 87−39105, 87−75077, 88−65515

Wada, O. *see* Osaka, F. 86−41537, 86−47302, 87−11397

Wada, O. *see* Sakurai, T. 87−46727

Wada, O. *see* Sanada, T. 85−24417, 87−12488

Wada, R., Ishii, Y. Digital color television 86−24059

Wada, R., Ishii, Y. Digital color television 87−20668

Wada, R., Ishii, Y., Szakolczay, J., Tozuka, H. A color television receiver with digital frame memory 87−34769

Wada, R., Nakamura, S., Egashira, H., Iwamura, S. Digital television printer using thermal printer 85−37267

Wada, R., Shimatani, H. A color-video copy processor 88−74121

Wada, R., Tozuka, H., Ishii, Y. A color television receiver with a digital frame memory 87−76944

Wada, R. *see* Egashira, H. 85−26024

Wada, R. *see* Prete, G. 87−41827

Wada, S., Hirata, M. An electronically controlled suspension system 85−32776

Wada, S., Okada, A., Morii, S. Study of HID lamps with reduced acoustic resonances 87−60040

Wada, S. *see* Aramaki, I. 85−54607

Wada, S. *see* Izumi, S. 87−21452

Wada, S. *see* Koseki, Y. 87−69837

Wada, S. *see* Maeda, S. 88−49765

Wada, S. *see* Okada, A. 88−11477

Wada, S. *see* Oshima, S. 85−4308

Wada, S. *see* Yamada, T. 86−14076

Wada, T. Readout technique of thermoluminescence calorimeter for large cascade detectors 86−70040

Wada, T., Fujita, J., Shimizu, K., Yokoyama, I., Kambara, T., Kamitsubo, H. Control system of the Riken ring cyclotron 86−24885

Wada, T., Fujita, J., Yokoyama, I., Kambara, T., Kamitsubo, H. Control system of the RIKEN SSC 85−64357

Wada, T., Hada, H. U-shaped diffusion profiles of impurities in semiconductors by electron-beam doping 85−6818

Wada, T., Hagiwara, N., Saegusa, T. Three regional classification method of fundamental characteristics of ceramic transformer and distorted wave driving 85−45262

Wada, T., Higuchi, H., Ajiki, T. Electromigration in double-layer metallization 85−61987

Wada, T., Higuchi, H., Ajiki, T. The effect of oxygen (O_2) plasma treatment against electromigration 86−15065

Wada, T., Higuchi, H., Ajiki, T. A paradoxical relationship between width/spacing of aluminum electrodes and aluminum corrosion 86−15093

Wada, T., Higuchi, H., Ajiki, T. Analysis of corrosion on aluminum double-layer metallization 86−63207

Wada, T., Higuchi, H., Sugimoto, M., Ajiki, T. Moisture-resistance test using unsaturated pressure cooker equipment [plastic-encapsulated ICs] 86−52234

Wada, T., Hirose, T., Kawai, Y., Yuzuriha, K., Kohno, Y., Kayano, S. A 34 ns 1 Mb CMOS SRAM using triple poly 87−59504

Wada, T., Hirose, T., Shinohara, H., Kawai, Y., Yuzuriha, K., Kohno, Y., Kayano, S. A 34-ns 1-Mbit CMOS SRAM using triple polysilicon 88−6831

Wada, T., Kitamura, N. X-ray photoelectron spectra of an electron-beam oxide layer on GaSb 88−50725

Wada, T., Maeda, Y. Electron beam epitaxy of $Al_xGa_{1-x}P$ (a new type of solid phase epitaxy produced by a high-energy electron beam) 88−24697

Wada, T., Maeda, Y. New type of solid phase epitaxy of alloy semiconductors by electron beam irradiation 88−24703

Wada, T., Matsumoto, K., Ogura, M., Shida, K., Yao, T., Igarashi, T., Hashizume, N., Hayashi, Y. Two-dimensional electron gas in an n^+-GaAs/undoped AlGaAs/undoped GaAs SIS structure 85−40561

Wada, T., Shida, K., Nishinaka, H., Igarashi, T. Study of the quantized Hall effect as a resistance standard at ETL 85−58831

Wada, T., Shida, K., Nishinaka, H., Igarashi, T. Study on quantized Hall effect for resistance standard ETL 86−24685

Wada, T., Sugimoto, M., Ajiki, T. The influence of passivation and packaging on electromigration 87−45827

Wada, T., Sugimoto, M., Ajiki, T. Relationship between width and spacing of aluminum electrodes and aluminum corrosion on simulated microelectronic circuit patterns 87−60531

Wada, T., Takahashi, N., Yamamoto, I. Electron beam profile measurement by using TL sheets 88−10185

Wada, T., Takeda, M. Electron-beam induced recoil implantation in semiconductors (Ge, Sb, W overlayers and Si substrates) 85−12154

Wada, T., Takeda, M. Electron-beam doping (Wada's experiments)−new phenomena and new technology. I. Experiments (review) 86−15019

Wada, T., Takeda, M. Electron beam doping in substrates of overlayer Si/substrate GaAs, Si/GaAsP and evaporated Ge/Si 87−60307

Wada, T., Takeda, M., Yasuda, K. Electron-beam doping-electron radiation effects in impurity overlayers and semiconductor substrates 85−45553

Wada, T., Takeno, A., Iwaki, M., Sasabe, H. New approach to n-doping of polyacetylene: ion implantation 86−47459

Wada, T. *see* Chiba, M. 85−37914

Wada, T. *see* Dang, R. 88−44767

Wada, T. *see* Eto, H. 85−3107

Wada, T. *see* Hagiwara, N. 87−14551

Wada, T. *see* Hamaguchi, C. 85−55848

Wada, T. *see* Imaeda, K. 86−25126

Wada, T. *see* Ishii, Y. 86−31247

Wada, T. *see* Kakuda, N. 86−21820

Wada, T. *see* Kamohara, I. 88−19977

Wada, T. *see* Kato, K. 85−34973, 85−50594, 88−13072

Wada, T. *see* Kawabuchi, K. 86−9140

Wada, T. *see* Kayano, S. 87−10864
Wada, T. *see* Kikuchi, F. 88−56885
Wada, T. *see* Kita, H. 86−28759
Wada, T. *see* Kitagawa, A. 87−32368
Wada, T. *see* Kitamura, N. 85−29136
Wada, T. *see* Kobayashi, M. 85−4229
Wada, T. *see* Matsumoto, K. 85−40778, 85−50520, 86−2223, 86−41040, 86−53691
Wada, T. *see* Matsuura, M. 86−5402
Wada, T. *see* Momose, H. 85−54895
Wada, T. *see* Naito, N. 86−28101, 87−53587
Wada, T. *see* Nakagawa, K.I. 85−46219
Wada, T. *see* Nogami, K. 87−10860
Wada, T. *see* Oba, Y. 88−74192
Wada, T. *see* Ogura, M. 85−40725
Wada, T. *see* Onga, S. 88−39180
Wada, T. *see* Sakaurai, T. 87−17086
Wada, T. *see* Sato, M. 87−61938
Wada, T. *see* Sawada, K. 87−24193
Wada, T. *see* Seki, A. 86−395
Wada, T. *see* Shida, K. 86−35397, 87−14462, 88−15899
Wada, T. *see* Shigyo, N. 87−60393, 88−39476, 88−64563
Wada, T. *see* Shimizu, K. 85−59012
Wada, T. *see* Shinohara, H. 86−14221, 86−20533, 87−5886
Wada, T. *see* Shirakata, T. 88−9038
Wada, T. *see* Takafuji, Y. 85−46220
Wada, T. *see* Takebe, H. 88−42356
Wada, T. *see* Tokuda, Y. 87−66903
Wada, T. *see* Toriumi, A. 87−53565
Wada, T. *see* Tsunashima, Y. 86−41985
Wada, T. *see* Uehira, K. 85−1585
Wada, T. *see* Usami, A. 86−58380, 87−4961, 87−9818, 87−18081, 87−32475
Wada, T. *see* Yachi, T. 85−18463
Wada, T. *see* Yamashita, N. 86−22231
Wada, T. *see* Yamauchi, N. 85−29139
Wada, T. *see* Yasuda, K. 85−34475
Wada, T. *see* Yoshimi, M. 85−50769, 88−39477
Wada, Y. Electromigration properties of titanium/aluminium metallization and a failure mechanism for titanium/aluminium gate GaAs MESFETs 87−1539
Wada, Y. Ferro-, piezo-, and pyroelectricity 87−67624
Wada, Y., Hidaka, M., Nagasawa, S., Ishida, I. AC-and DC-powered subnanosecond 1-kbit Josephson cache memory design 88−63673
Wada, Y., Ishida, I. Recent advances in diagnostic and rehabilitation technologies for hydroelectric generating equipment 88−75504
Wada, Y., Kobayashi, Y., Mitsuta, T. Plant layout optimization method based on coupling symbolic and numerical computations 88−1761
Wada, Y., Nagasawa, S., Ishida, I. 280-ps 6-bit RCJL decoder using high drivability and unit circuit for a 1-kbit Josephson cache memory 88−6745
Wada, Y., Nagasawa, S., Ishida, I., Hidaka, M., Tsuge, S., Tahara, S. A high-speed, low-power Josephson-junction RAM 88−44171
Wada, Y., Tahara, I., Hidaka, M., Nagasawa, S. Josephson high-speed memory 88−12383
Wada, Y., Ueki, T., Shiono, N. Reliability design of semiconductor devices for CS-3 communication satellite 88−15396
Wada, Y., Ueki, T., Shiono, N. Reliability of semiconductor devices for the CS-3 communications satellite 88−38749
Wada, Y., Yoshiyasu, H. Vapor Jet Control−a new current-limiting technique 87−22661
Wada, Y. *see* Hayashi, S. 87−46546
Wada, Y. *see* Hidaka, M. 88−39834
Wada, Y. *see* Ishida, I. 88−20318, 88−65009
Wada, Y. *see* Ishikubo, I. 88−15757
Wada, Y. *see* Kusukawa, K. 88−19982
Wada, Y. *see* Machida, K. 85−31908
Wada, Y. *see* Mori, T. 87−37636
Wada, Y. *see* Murakami, E. 88−18705, 88−70310
Wada, Y. *see* Nagasawa, S. 88−71975
Wada, Y. *see* Natsuaki, N. 87−24938
Wada, Y. *see* Ohyu, K. 88−20137
Wada, Y. *see* Sakaguchi, K. 87−12020
Wada, Y. *see* Sato, T. 88−16961
Wada, Y. *see* Shukuri, S. 85−1586, 85−35007, 87−24203, 87−59452, 88−19798
Wada, Y. *see* Sunami, H. 85−40899
Wada, Y. *see* Tahara, S. 87−73445
Wada, Y. *see* Tamura, M. 85−45540, 86−53526, 87−25091, 87−60284
Wada, Y. *see* Tanimoto, M. 87−48625
Wada, Y. *see* Tsai, J.S. 87−67869
Wada, Y. *see* Tsuchiya, S. 88−16962
Wada, Y. *see* Yamamoto, N. 85−23981
Wada, Y. *see* Yoshiyasu, H. 86−40024, 87−9689
Wadayama, T., Suetaka, W., Sekiguchi, A. In situ IR spectroscopic study of a-Si:H films growing under photo-chemical vapor deposition conditions 88−49871
Waddell, G.K. *see* Bonn, R.M. 85−10465
Waddell, J.B., Middleton, J. A design model for surface termination profile optimisation of p-n junctions 87−6460
Waddell, J.B., Needs, M.J., Board, K., Taylor, C. Simulation of two-dimensional oxidation of silicon by the finite element method 88−57497
Waddell, J.B. *see* Middleton, J. 87−37937
Waddell, P. Stretchable concave mirrors 87−68238
Waddell, P., Christian, C. Evaluation of the RCA 640×1024 charge-coupled-device imager for astronomical use 88−4460
Waddell, P. *see* King, W. 87−19078
Waddell, P. *see* Walker, G.A.H. 85−58607
Wadden, J.T., Tilley, D.C. Cycled diesel power plants at Newfoundland Telephone microwave sites 87−30408
Wadden, R.A., Scheff, P.A. Integrating design for control of occupational hazards into engineering education: development of a textbook 88−37804
Waddington, C.J. *see* Atwater, T.W. 85−20837
Waddington, D. *see* DeBlasio, R. 88−5873
Waddington, D. *see* Mrig, L. 88−5846, 88−69702
Waddington, J., Maples, G.C. The control of large coal and oil-fired generating units 87−22119
Waddington, J.C. *see* Andrews, H.R. 85−20871
Waddington, J.I. The radiation impact of Chernobyl in Western Europe 87−22065
Waddington, P.J. *see* Borg, P.J. 85−59215
Waddle, R.J. A unique data transmission system for environmental monitoring 85−25255
Waddoup, W.D. *see* Norris, A.P. 85−41714
Waddoup, W.D. *see* Smith, M.S. 87−54726
Wade, A., Araki, S., Yamauchi, R., Fukuda, O. Effect of high strain proof test on transmission loss of UV coated optical fibers 86−9544
Wade, A., Indrajo, G. Accelerated fault simulation and system design 87−36920
Wade, B. The electronic mailroom 85−57723
Wade, B. *see* Song, D. 85−47362
Wade, C., DiBenedetto, L., Johnson, J.F., Damon, D.H. The measurement of moisture concentration in cable insulation 86−65306
Wade, C.A., Dakin, J.P., Croft, J. An optical fibre displacement sensor based on electrical subcarrier interferometry 87−38828
Wade, C.A., Dakin, J.P., Croft, J., Wright, J. Optical fibre displacement sensor based on electrical subcarrier interferometry using a Mach-Zehnder configuration 87−26044
Wade, C.A., Dakin, J.P., Withers, P.B. Multiplexed interferometric optical fibre sensors 86−48183
Wade, C.A., Dandridge, A. Fibre-optic Coriolis mass flowmeter for liquids 88−60963
Wade, C.A., Ellison, G. Experience with large adjustable speed drives in pulp and paper power plants 85−22032
Wade, C.A. *see* Dakin, J.P. 85−62376, 86−2698, 86−2786, 86−36208, 86−68292, 87−49952, 88−16169, 88−16178, 88−22617, 88−22619, 88−36011, 88−36023, 88−39941, 88−42115, 88−67425, 88−74465
Wade, C.A. *see* Tabor, P.M. 85−10139
Wade, C.G. *see* Moore, T.C. 88−27462
Wade, C.J. *see* Rowan, J.W. 85−60402
Wade, C.S., Langley, J.B., II, Newman, D.R. SUBCAL−a new electronic cable avoidance system 86−60948
Wade, G. Offset FFT and its implementation on the TMS320C25 processor 88−34552
Wade, G., Meyyappan, A. Scanning tomographic acoustic microscopy: principles and recent developments 88−36695
Wade, G. *see* Chen, C.H. 88−10648
Wade, G. *see* Chen, P.C.H. 87−75396, 88−2551, 88−27494
Wade, G. *see* Jing Ao Sun 88−39620
Wade, G. *see* Lin, Z. 87−50601
Wade, G. *see* Lin, Z.-C. 87−68640
Wade, G. *see* Lin, Z.C. 85−53206
Wade, G. *see* Mar, A. 88−26478
Wade, G. *see* Mortezaie, M. 86−12220
Wade, G. *see* Nakagawa, Y. 87−71116
Wade, G. *see* Schueler, C.F. 85−9150
Wade, G. *see* Yiping Xu 88−57755
Wade, G. *see* Zse-Cherng Lin 86−12229
Wade, G.S. *see* Bates, J.J. 87−77878
Wade, H. *see* Abernathy, C.R. 88−11950
Wade, I. Modern HF antennas 88−45750
Wade, J. *see* Adams, A. 88−52736
Wade, J. *see* Sodini, C. 87−73455
Wade, J.A. Electrical auxiliary supply systems for hydro-electric power plants 86−45228
Wade, J.C. *see* Clause, R.O. 86−18147
Wade, J.D., MacPhie, R.H. Scattering at circular-to-rectangular waveguide junctions 87−19233
Wade, J.P., Osler, P.J., Zippel, R.E., Sodini, C.G. The MIT database accelerator: 2K-TRIT circuit design 88−6938
Wade, J.P., Sodini, C.G. Dynamic cross-coupled bitline content addressable memory cell for high density arrays 86−46842
Wade, J.P., Sodini, C.G. Dynamic cross-coupled bit-line content addressable memory cell for high-density arrays 87−44827
Wade, L.F. Stepping out with servos [step control circuit for servomotors] 86−51659
Wade, L.F. X-Y stage moves quickly and accurately using DC motor control 87−22398
Wade, L.F. Precision motion control using PC compatible controller 88−75569
Wade, M. Islington: the desktop council [One Per Desk workstations] 86−17068
Wade, N. *see* Williams, P.J.S. 88−53345
Wade, N.W. Nonintrusive condition monitoring of electric drives and rotating machines 88−69775
Wade, P.G. *see* Homewood, K.P. 88−22496
Wade, R. *see* Bharj, S.S. 88−9644
Wade, S.H. *see* Kydes, A.S. 86−12545
Wade, T. *see* Heath, M. 87−53674
Wade, T.E. Proposed comprehensive test vehicle for monitoring multilevel interconnection process variabilities, misalignment, parametrics and defect density 87−1700
Wade, T.E. *see* Taylor, C.D. 85−40860, 86−21436, 86−28233, 87−69319
Wade, T.E. *see* Whitwell, G.E. 87−1438
Wade, T.K., Murray, T.M., Jr. Portable continuous blood pressure monitor utilizing an M68705 microcomputer 87−21576
Wade, T.O. Switching optimization in SS/TDMA systems 85−30871
Wade, W., Jr. *see* Binder, M. 85−16195
Wade, W.D. *see* Pomerenk, K. 88−7000
Wade, W.D. *see* Robinson, J.P. 87−62666
Wade, W.L. *see* Walker, C.W., Jr. 87−9701
Wade, W.L., Jr. *see* Walker, C.W., Jr. 85−65417, 86−33578, 87−43379, 88−17847
Wade, W.R. *see* Belcher, R.W. 85−12195
Wade, Y. *see* Hidaka, M. 85−49859
Wade, Y. *see* Shukuri, S. 87−74151
Wade Allen, R., Hogue, J.R., Smith, J.C. A programmable low-cost hybrid display processor for man-in-the-loop simulation 85−14727
Wadekar, S. *see* Park, J.H. 88−51708
Wadenka, D. Multichannel signal data capture for testing switchgear 85−16141
Wadensweiler, W. *see* Benson, S.V. 87−2143
Wadensweiler, W. *see* Emery, L. 88−54456
Wadensweiler, W. *see* Stolovy, G. 87−19016
Wadge, A.J. Reliability of solid state relays 86−8552
Wadham, D. High throughput sonar processing using VLSI modular processing units 85−52449
Wadham, D. Sonar applications of VHPIC 86−30894
Wadham, P. Syringe pump design 87−21620
Wadhams, P., Lange, M.A., Ackley, S.F. The ice thickness distribution across the Atlantic sector of the Antarctic Ocean in midwinter 88−30178
Wadhawan, O.P., Srivastava, A., Runthala, D.P., Shakhawat, S.S., Andhare, P.N., Dwivedi, V.K., Khokle, W.S. On the development of poly gate *n*-MOS technology 85−50699
Wadhawan, O.P. *see* Dwivedi, V.K. 88−51031
Wadhawan, T., Gupta, S. New V-series microprocessors 86−41142
Wadhwa, C.L. *see* Bhise, G.G. 88−23280
Wadhwa, C.L. *see* Jain, N.K. 86−57386
Wadhwa, L.H., Imes, R.H., Yourtee, J.B. Fortron PPS−a new, low ionics polyphenylene sulfide resin 88−38280
Wadhwa, R. Standardisation, testing and quality control programme of the department of electronics 87−72796
Wadhwa, R.P. *see* Desikamani, S. 86−4813, 87−3283
Wadhwa, R.P. *see* Kumar, S. 87−14062
Wadi, J. *see* Joma, H. 88−5211
Wadley, H.N.G. Sensors for intelligent processing of materials 87−29062
Wadley, H.N.G., Simmons, J.A., Turner, C. Predictive modeling of quantitative acoustic emission waveforms 85−10888
Wadley, H.N.G. *see* Elkind, B.J. 87−44429
Wadley, H.N.G. *see* Norton, S.J. 85−10847
Wadley, H.N.G. *see* Simmons, J.A. 85−15459, 88−10622
Wadley, N.G. *see* Mehrabian, R. 85−54551
Wadley, W. *see* Bernstein, D. 85−15253
Wadlinger, E.A. RFQ scaling-law implications and examples 87−41769
Wadlow, D. Software allows performance test 88−64093
Wadman, B. Landfill gas power generation offers several benefits 85−27271
Wadman, B. EMD's new 710 series locomotive engine delivers improved fuel economy 85−27722
Wadman, B. New 8.9 MW combined-cycle plant for Rohr Industries 87−78521
Wadman, B. Caterpillar's first 3516 gas engine cogeneration application 88−11038
Wadner, P.J., Fagg, B.L. TTC subsystem for the OLYMPUS spacecraft 88−61533
Wadsack, R.L. Design verification and testing of the WE 32100 CPUs 85−6355
Wadsworth, A. *see* Vaillant, D. 88−5139
Wadsworth, B. The role of personal workstations in gate array design 88−6729
Wadsworth, B. *see* Goloskie, D. 85−59208
Wadsworth, B.F. *see* Murphy, T. 87−8854
Wadsworth, C.A. *see* Clarke, P.G. 88−52696
Wadsworth, C.A. *see* Law, B. 88−52694
Wadsworth, D. *see* Treleaven, D. 87−8158
Wadsworth, M., Hosack, H., Freeman, J., Hovland, L. A 640 Megapixel/sec 512×512 interline transfer virtual phase CCD 87−56538

Wadsworth, M., McGrath, R.D. Charge coupled devices for X-ray imaging 85−52678
Wadsworth, P.K., Richardson, R. OSU's robot lab: instructive and safe 88−69952
Wadsworth, R. *see* Burrows, J.D. 85−20816
Wadsworth, R.B. Transferring data using networks 88−28428
Wadsworth, S.D. A computer integrated approach to hybrid circuit design 88−32566
Wadsworth, S.D., Mingay, M.J. The use of computer aided design techniques in thick film hybrid designs 88−1286
Wadsworth, T. Meeting needs to keep pace with technology 86−1579
Wadw, W.R. *see* Belcher, R.W. 85−7041
Waeber, M. Redistribution and end-user customers of special orders. Specific groups characteristics in current economy behavior [power consumption] 88−10731
Waechter, B.M. *see* Mekaru, M.M. 86−50703
Waechter, D., Tarr, N.G. Low-temperature crystallization of in situ phosphorus-doped low-pressure chemical-vapour deposited amorphous silicon 88−32747
Waechter, D.A. *see* Vasilik, D.G. 85−26802
Waechter, D.B. Considerations for the use of adjunct technology in the telecommunications network 88−46457
Wael, L.de *see* de Wael, L.
Waelbroeck, H. *see* Etienne, L. 86−25145
Waele, A.T.A.M.de *see* de Waele, A.T.A.M.
Waele, A.Th.A.M.de *see* de Waele, A.Th.A.M.
Waer, P. *see* Tiernan, T. 88−36501
Waern, Y. *see* Innocent, P.R. 88−35024
Waern, Y. *see* Van der Veer, G.C. 88−59620
Waes, P.F.G.M.van *see* van Waes, P.F.G.M.
Wafanabe, B. *see* Takeya, N. 86−60390
Waff, H.S. *see* Young, C.T. 88−61608
Waffler, N. *see* Jager, K.-W. 88−7144, 88−19499
Wafford, J.H. Tailoring a major weapon environmental program 86−60876
Wafi, N.K. *see* Raouf, S.S. 87−17659
Wafi, N.K. *see* Saloum, S.N. 87−39840
Wafik, A.A., Mazen, S.A. Barkhausen jumps and resistivity of Cu-Cd ferrites 85−18555
Waga, T. *see* Kugimura, T. 87−3441
Waganer, L.M. *see* Harris, D.B. 87−61290
Waganer, L.M. *see* Zuckerman, D.S. 88−47734
Wagatsuma, M., Okazaki, H., Yamamoto, F., Yamakawa, S. Thermoplastic rubber/liquid crystal polyester dual coextrusion coating system for optical fiber drawing 87−7162
Wagatsuma, Y. Application of a microcomputer in a lamp manufacturing line 87−16142
Wagatsuma, Y., Hongo, A., Miyagi, M. Thin film coated waveguide CO_2 lasers composed of lead glasses 88−72280
Wagatsuma, Y. *see* Hongo, A. 87−7259
Wagatsuma, Y. *see* Miyagi, M. 87−33105
Wagatsuma, Y. *see* Yamanouchi, K. 86−2504
Wagdy, M.F. A microcomputer controlled digital frequency synthesizer 86−65213
Wagdy, M.F. Effect of ADC quantization errors on some periodic signal measurements 88−15978
Wagdy, M.F. Automatic vector impedance measurement with minimum hardware 88−53817
Wagdy, M.F., Lo, K. Estimation of certain waveform parameters for arbitrary confidence levels 87−70531
Wagdy, M.F., Lucas, M.S.P. Errors in sampled data phase measurement 86−18064
Wagdy, M.F., Lucas, M.S.P. A new technique for automated vector impedance measurement 86−18075
Wagdy, M.F., Lucas, M.S.P. Errors in sampled data phase measurement 86−24664
Wagdy, M.F., Lucas, M.S.P. A phase-measurement error compensation technique suitable for automation 86−44376
Wagdy, M.F., Lucas, M.S.P. A phase-measurement offset compensation technique suitable for automation 88−22735
Wagdy, M.F. *see* Campbell, S.R. 88−60545
Wagemaker, C. EMC test facilities 88−58890
Wagemann, H.-G. *see* Bohm, M. 85−6690, 85−10105, 86−40112, 87−9729, 87−22722
Wagemann, H.-G. *see* Kern, R. 86−40115, 88−11147, 88−17467, 88−18058
Wagemann, H.-G. *see* Soppa, W.M. 88−64564
Wagemann, H.G. Present state of the technology of industrial solar cells 88−37392
Wagemann, H.G. State-of-the-art and development trends of industrial solar cells 88−62627
Wagemann, H.G. *see* Bohm, M. 85−65439
Wagemann, H.G. *see* Krautschneider, W.H. 86−53477
Wagemans, C. Some users' comments on the fabrication, assaying and use of samples for nuclear measurements 85−59111
Wagen, J.-F., Yeh, K.C. A numerical study of waves reflected from a turbulent ionosphere 86−68748
Wagen, J.F. *see* Bolle, D.M. 85−17810
Wagenaar, D.J., Roberson, N.R., Weller, H.R., Tilley, D.R. A bismuth germanate gamma-ray spectrometer with a plastic anticoincidence shield 85−37978
Wagenaar, D.J. *see* DiBianca, F.A. 87−14868
Wagenaar, J.P. *see* Van Der Graaf, H. 87−21414
Wagenbreth, H. *see* Seyfried, P. 88−15896
Wagendristel, A. *see* Bangert, H. 85−61022, 87−5540, 88−6574
Wagener, H. Short-circuit-proof current distribution 87−57701
Wagener, J.B. *see* van Vuuren, C.P.J. 87−63232
Wagenfield, H. *see* Short, K.T. 85−18208
Wagenknecht, E. Response of a NPP reactor building under seismic action with regard to different soil properties 88−10978
Wagenknecht, M., Hartman, K. On the construction of fuzzy eigen solutions in given regions 86−66685
Wagenlehner, K. Mobile telephoning made easy. Features of modern user equipment gain in user-friendliness 87−76421
Wagenmakers, J. An economical Mark II 140 Mbit/s two-way repeater for coaxial transmission 87−28348
Wagenmann, H. Simple electronic frequency meter 85−58758
Wagenmann, H. Electronic monitoring lead for a multimeter 87−35135
Wagenpfeil, A. *see* Brandenburg, G. 87−22836
Wager, A.J., Cook, H.C. Modeling the temperature dependence of integrated circuit failures 85−28075
Wager, J.F. Electrical characterization of MIS interfaces 87−11474
Wager, J.F., Clark, M.D., Jullens, R.A. SiO_2/InP interfaces with reduced interface state density 85−1409
Wager, J.F., McCamant, A.J. GaAs MESFET interface considerations 87−53529
Wager, J.F., Owen, S.J.T., Prasad, S.J. InP MISFET technology. Interface considerations 87−38301
Wager, J.F., Prasad, S.J., Owen, S.J.T. InP MISFET technology. Interface considerations 87−18185
Wager, J.F., Rhiger, D.R. Surface characterization of $Hg_{0.7}Cd_{0.3}Te$ native oxides 85−34839
Wager, J.F., Wilmsen, C.W. The deposited insulator/III-V semiconductor interface 86−28068
Wager, J.F. *see* Geib, K.M. 85−1408
Wager, J.F. *see* Krivanek, O.L. 86−1837
Wager, J.F. *see* Liliental, Z. 85−40524
Wager, J.F. *see* Van Vechten, J.A. 85−34495
Wager, W.E., Wolf, E.D. The effects of local electric fields and specimen geometry on voltage contrast in the scanning electron microscope 86−35277
Wagers, R.S. Principles of strip-coupled SAW memory correlators 86−9358
Wagers, R.S. Rayleigh wave linear filters 87−1871
Wagers, R.S., Hall, B.F., Melloch, M.R. Hybrid GaAs/$LiNbO_3$ SAW memory correlator 86−2559
Wagers, R.S. *see* Cohn, R.W. 86−21934 to 21935, 87−1845
Wagers, R.S. *see* Hickernell, F.S. 86−2555
Wages, M.R., Schaefer, G., Schoenbach, K.H., Williams, P.F. Streak photographic studies of trigatron-triggered breakdown 87−18414
Wagg, M. AUSSAT−satellite services in Australia 88−28796
Wagg, M., Noble, G. Link budget considerations [satellite communications] 87−56102
Wagg, M.W. *see* Nowland, W.L. 86−43794
Waggener, H.A. *see* Chang, S.L. 86−21758
Waggener, H.A. *see* Meneshian, M.A. 86−21759
Waggener, H.A. *see* Mianowski, R.J. 87−5488
Waggener, H.A. *see* Tsao, K.Y. 86−68004
Waggener, W.N. Digital recording for electro-optical imagery 87−74521
Waggett, M.C. A waveguide bandpass filter with a controlled harmonic response 87−45214
Waggett, P.W., Ward, I.A. A combined SAR and scatterometer system 88−10554
Waggoner, B.E. Linking together a digital audio studio 85−3615
Waggoner, C. *see* Blumberg, R. 88−32163
Waggoner, C.D. *see* Blumberg, R.J. 86−41065
Waggoner, D.G. *see* Lucius, C.E. 87−14176
Waggoner, D.R. *see* Stanton, S.E. 88−75143
Waggoner, J.R., Jolson, J.D., Surd, D.J. Polarization in Li/I_2 (P2VP) cells 88−17834
Waggoner, M.D. Explicating expert opinion through a computer conferencing delphi 88−53060
Waggott, P. *see* Scott, A.M. 88−2373
Wagh, A.G. *see* Bhattacharya, P.K. 86−28128
Wagh, P.M. Ageing related operational and maintenance experience at Tarapur 88−48709
Waghmare, S.S. *see* Gopalan, M.N. 85−49396, 86−7562, 86−13569, 86−13571
Waghorn, E. Big Bang−the City revolution 87−28004
Wagli, P., Huber, R., Morger, E. Non-contact surface flaw detection by fiber optic reflection sensors 87−46540
Wagli, P., Morger, E. A novel fibre optic illuminator for machine vision 87−46541
Waglowski, S. *see* Bielaczyc, A. 86−39527
Waglund, G. *see* Lindstrom, C.-O. 86−50888
Wagmare, S.S. *see* Gopalan, M.N. 86−13578
Wagner, A. *see* Atwood, D.K. 85−1629
Wagner, A. *see* Carter, A.A. 87−3908
Wagner, A. *see* D'Cruz, C. 85−28244
Wagner, A. *see* Eckerlin, G. 88−22999
Wagner, A. *see* Elsen, E. 88−4850
Wagner, A. *see* Engelmaier, W. 88−19477
Wagner, A. *see* Fischer, H.M. 87−21417
Wagner, A. *see* Harriott, L.R. 86−35791
Wagner, A. *see* Heuer, R.D. 88−29840
Wagner, A. *see* Hofling, H. 87−35845
Wagner, A. *see* Papadopoulos, S. 85−37886
Wagner, A. *see* Saxon, D.H. 88−42416
Wagner, A. *see* Zdebel, P.J. 88−13567
Wagner, A.P. *see* McLyman, W.T. 87−17411
Wagner, B. Distributed objects based on the master/server model 87−13466
Wagner, B.C. *see* Luborsky, F.E. 85−50823, 86−28920
Wagner, B.K., Oakes, J.D., Summers, C.J. Molecular beam epitaxial growth and characterization of ZnTe and CdTe on (001) GaAs 88−31773
Wagner, B.K. *see* Summers, C.J. 87−31540, 87−45862
Wagner, C. The causes of longitudinal cracks in concrete pylons and the consequent production measures 86−32802
Wagner, C. System integration with new logic arrays 86−62529
Wagner, C. Teamwork: ASIC design in a modular development environment 88−57719
Wagner, C.G., Jacobs, D. Li(Si)/FeS_2 thin cell thermal battery development 88−17864
Wagner, C.L., Smith, H.M. Analysis of transient recovery voltage (TRV) rating concepts 85−21763
Wagner, C.N.J. *see* Lin, T.H. 86−58236
Wagner, C.N.J. *see* Perez-Mendez, V. 85−31771
Wagner, D. Improved utilization of the image-receiving surfaces of TV cameras for automatic image processing 85−36348
Wagner, D. The Staebler-Wronski effect in amorphous hydrogenated silicon 86−48246
Wagner, D., Irsigler, P., Dunstan, D.J. Photoconductivity measurements in a-Si:H by frequency-resolved spectroscopy 85−18060
Wagner, D. *see* Hopfe, V. 87−16685
Wagner, D. *see* Sciafe, W. 85−34770
Wagner, D.E. *see* Scheuer, T.E. 86−25390
Wagner, D.K. Forbidden subgraphs and graph decomposition 87−31419
Wagner, D.K., Shealy, J.R. Graded band-gap AlGaAs solar cells grown by MOVPE 85−16237
Wagner, D.K., Shealy, J.R. Graded band-gap AlGaAs solar cells grown by organometallic vapor phase epitaxy 86−7068
Wagner, D.K., Waters, R.G., Tihanyi, P.L., Hill, D.S., Roza, A.J., Vollmer, B.J. High-performance short-wavelength single quantum well pump lasers 88−34031
Wagner, D.K., Waters, R.G., Tihanyi, P.L., Hill, D.S., Roza, A.J., Jr., Vollmer, H.J., Leopold, M.M. Operating characteristics of single-quantum-well AlGaAs/GaAs high-power lasers 88−72317
Wagner, D.K. *see* Begley, D.L. 87−70082
Wagner, D.K. *see* Carter, C.B. 88−38205
Wagner, D.K. *see* Cho, N.-H. 86−62203
Wagner, D.K. *see* Fletcher, R.M. 85−33459
Wagner, D.K. *see* Tihanyi, P. 87−61142, 87−68452, 88−14215
Wagner, D.K. *see* Waters, R.G. 88−8179
Wagner, D.K. *see* Zhu, L.D. 85−56422, 87−54301
Wagner, D.P. *see* Vesely, W.E. 85−43753
Wagner, E. Components for optical transmission technology 85−14243
Wagner, E. The availability of hydroelectric power plants 85−15915
Wagner, E. Optoelectronic components for data storage 85−24359
Wagner, E. Components for optical information technology 85−24687
Wagner, E. Electronic documentation archive 85−26077
Wagner, E. The use of advances in electrical technology by the Austrian electricity supply industry 85−38378
Wagner, E. Components for optical information technology 85−41233
Wagner, E. Wave energy 86−19157
Wagner, E. New optoelectronic modules for the data-technique 86−30441
Wagner, E. Semiconductor in systems of measuring technology 86−42661
Wagner, E. TEMEX operational test in Mannheim 86−43496
Wagner, E. Semiconductor laser a for the near infrared: properties and application in electro-optical systems 87−12470
Wagner, E. Small-scale water power plants for the public electricity supply in 1986 88−23773
Wagner, E. *see* Edelmann, E. 88−48825
Wagner, E. *see* Moraw, G. 88−36800
Wagner, E. *see* Ryhen, H. 87−43557
Wagner, E.R. *see* Miller, G.L. 88−60280
Wagner, F.E. *see* Kollbrunner, W. 88−36102
Wagner, F.J. *see* Grossmann, H. 85−50081
Wagner, G. Light bar indicators. Analogue reading displays with a digital basis 85−31505
Wagner, G. *see* Freudenthal, K. 86−50821

Wagner, G. *see* Grosspietsch, K.E. 87–59466
Wagner, G. *see* Rechenberg, I. 88–8182
Wagner, G. *see* Robinson, D. 88–28253
Wagner, G.A. Comments on the paper 'Fission track annealing in apatite: track length measurements and the form of the Arrhenius plot' 87–29674
Wagner, G.D. *see* Charles, H.K., Jr. 85–61997, 87–25421
Wagner, G.D. *see* Strider, R.S. 87–24592
Wagner, G.G. Combining X-ray imaging and machine vision 88–49918
Wagner, G.I. An antenna length chart 86–54360
Wagner, G.R. The realization of complex logic circuits with gate arrays 85–54792
Wagner, G.R. *see* Carr, W.J., Jr. 85–50862
Wagner, G.R. *see* Wellstead, P. 88–46296
Wagner, G.R. *see* Wellstead, P.E. 87–55070
Wagner, G.S. *see* Madrid, W.L. 85–53080
Wagner, H. Objective measurements of teletex error rates 85–25005
Wagner, H. Quality assurance at the project engineering stage of industrial plant construction 87–36517
Wagner, H., Beyer, W., Gatts, C.E., Losch, W. Silicide formation on amorphous silicon carbide alloys 88–13033
Wagner, H., Dorschel, K., Heddrich, W., Huhnermann, H., Peau, E.W., , Alkazov, G.D., Berlovich, E.Ye., Denisov, V.D., Panteleev, V.N., Polyakov, A.G. Experiences with collinear laser spectroscopy of ion beams from electromagnetic isotope separators 87–71059
Wagner, H. *see* Beyer, W. 86–35363
Wagner, H. *see* Foller, M. 86–27938, 87–32267, 88–26941
Wagner, H. *see* Huhnermann, H. 87–71060
Wagner, H. *see* Wells, G.M. 88–68301
Wagner, H.-J. *see* Kollmann, H. 86–40304
Wagner, H.-P. *see* Scherer, O. 88–13589
Wagner, H.G. *see* Chare, P.J. 88–47347
Wagner, H.J. District heating considered from an energy viewpoint 87–22105
Wagner, H.J., Kulla, E. Integrated initiator circuits B303D to B306D 85–55071
Wagner, H.J., Walbeck, M. CO_2 emission from the energy supply industry 88–37025
Wagner, H.J. *see* During, K. 85–59869
Wagner, H.N., Jr. *see* Bice, A.N. 86–70397, 87–21542
Wagner, I., Gupta, S., Wharton, L. Enhanced aluminium step coverage 88–13191
Wagner, I. *see* Abeles, B. 85–18134
Wagner, I. *see* Gupta, S. 88–13516
Wagner, J., Elmann, A. One of the possible realisations of a circuit for measuring dynamic moment characteristics of induction motors 86–44433
Wagner, J., Frey, Th., Jantz, W. Raman scattering study of low dose $Si^{\pm}$-implanted GaAs used for metal-semiconductor field-effect transistor fabrication 88–19793
Wagner, J., Geddes, L.A., Foster, K., Farag, A. Monitoring heart and respiratory activity by impedance change using neck electrodes 87–35426
Wagner, J., Ramsteiner, M., Haydl, W. Effect of rapid thermal annealing on ion-implanted and neutron-transmutation doped GaAs 87–60270
Wagner, J., Shoureshi, R. A robust failure diagnostics scheme for nonlinear thermofluid processes 88–11509
Wagner, J., Stolz, W., Knecht, J., Ploog, K. Effect of barrier configuration on excitonic recombination in $Ga_{.47}In_{.53}As/Al_{.48}In_{.52}As$ multi quantum well structures 86–35416
Wagner, J., Stolz, W., Ploog, K. Luminescence excitation spectroscopy on $Ga_{0.47}In_{0.53}As/Al_{0.48}In_{0.52}As$ quantum-well heterostructures 86–8855
Wagner, J., Wolf, R. A microcomputer controls the life span of incandescent lamps 85–60523
Wagner, J. *see* Bitzer, J. 87–13079
Wagner, J. *see* Bosco, J. 88–70040
Wagner, J. *see* Kunert, J. 86–52248
Wagner, J. *see* Mesecar, R. 86–56266
Wagner, J. *see* Ploog, K. 86–2936
Wagner, J.B. *see* Fripp, A.L. 86–13727
Wagner, J.B. *see* Younkins, T.D. 87–57911
Wagner, J.B., Jr. Composite materials as solid electrolytes [solid-state batteries] 86–66230
Wagner, J.J. Effects of sensor design and application characteristics on Coriolis mass meter performance: an overview 88–60716
Wagner, J.W. Heterodyne holography for visualization of surface acoustic waves 85–54573
Wagner, J.W. Triple-exposure dual-reference holographic recording for heterodyne analysis of transient phenomena 86–3323
Wagner, J.W. High-resolution holographic techniques for visualization of surface acoustic waves 87–10529
Wagner, J.W. Examples of holographic testing versus state-of-the-art in the medical device industry 87–21666
Wagner, J.W. Heterodyne holographic interferometry for high resolution 3-D sensing 87–49562
Wagner, J.W. Full field mapping of transient surface acoustic waves using heterodyne holographic interferometry 88–8353
Wagner, J.W., Gardner, D.J. Phase stable automatic gain control for heterodyne holographic interferometry 86–63883
Wagner, J.W. *see* Chen, S. 87–3945
Wagner, J.W. *see* Gilbreath, C. 88–28882
Wagner, J.W. *see* Gilbreath-Frandsen, C. 87–13649
Wagner, J.W. *see* Phillips, L.C. 86–40038
Wagner, K. Telephone emergency call computer with speech contact 86–17057
Wagner, K., Chin, C., McCluskey, E. Fault coverage of pseudorandom testing 87–37205
Wagner, K., Gebauer, M. Current displacement and inductance of AC and three-phase conductor arrangements 86–18816
Wagner, K., Nestler, R., Gebauer, M., Gerlach, G. Lines adapted to transmitting high alternating currents 87–57609
Wagner, K., Psaltis, D. A space integrating acousto-optic matrix-matrix multiplier 85–24349
Wagner, K., Psaltis, D. Time and space integrating acousto-optic folded spectrum processing for SETI 87–13023
Wagner, K., Psaltis, D. Multilayer optical learning networks 88–20461
Wagner, K., Psaltis, D. Multilayer optical learning networks 88–33825
Wagner, K., Psaltis, D. Nonlinear etalons in competitive optical learning networks 88–58316
Wagner, K., Weverka, R.T., Psaltis, D. Threshold device tolerance requirements in digital optical computers 87–33301
Wagner, K. *see* Cho, N.-H. 88–38202
Wagner, K. *see* Haney, M. 85–31085
Wagner, K. *see* Khitrova, G. 88–65432
Wagner, K. *see* Kocandrole, L. 88–69724
Wagner, K. *see* Olbrich, E. 85–36530
Wagner, K. *see* Psaltis, D. 88–51950, 88–58313
Wagner, K. *see* Wang, L. 88–51629
Wagner, K.C., Kovacs, G., Baghai-Wadji, A.R., Seifert, F. Interdigital transducer interaction with SAWs and BAWs 88–51129
Wagner, K.D. The error latency of delay faults in combinational and sequential circuits 86–46748
Wagner, K.D., Chin, C.K., McCluskey, E.J. Pseudorandom testing 87–37173
Wagner, K.D., McCluskey, E.J. Effect of supply voltage on circuit propagation delay and test applications 86–41926
Wagner, K.D. *see* Cortes, M.L. 86–67194, 87–16974
Wagner, K.D. *see* McCluskey, E.J. 88–19076, 88–32129
Wagner, K.H., Feinleib, R.E. Competitive optoelectronic learning networks 88–65521
Wagner, K.J. *see* Love, C.R. 86–40423
Wagner, L.C. Failure analysis of metallization corrosion 87–65220
Wagner, L.F., Chuang, C.T. Probing the minority-carrier quasi-Fermi level in epitaxial Schottky-barrier diodes 85–40686
Wagner, L.F. *see* Chang, F.-Y. 85–55783
Wagner, L.F. *see* Chuang, C.T. 86–21505
Wagner, L.F. *see* Gaur, S.P. 85–55782
Wagner, L.S. Characteristics of mid-latitude sporadic *E* observed with a wideband HF channel probe 88–5161
Wagner, L.S., Goldstein, J.A. High-resolution probing of the HF ionospheric skywave channel: F_2 layer results 85–51433
Wagner, L.S., Goldstein, J.A., Meyers, W.D. Wideband probing of the trans-auroral HF channel 88–21937
Wagner, M. Colour for grey day-to-day problems [VME/10 modular desk-top computer] 85–11296
Wagner, M. 32-bit without multiplexer: 68020 processor and development support 85–22915
Wagner, M. Magnetic bubble memories–quo vadis? 85–56130
Wagner, M. On the error detecting capability of CRC polynomials 86–68977
Wagner, M. Electronically commutated (commutator-less) DC motors 87–15781
Wagner, M. A speech recognition experiment with the entire syllable inventory of standard Chinese 88–21136
Wagner, M., Glaser, E., Andra, G., Gotz, G. In situ investigation of controlled explosive crystallization processes in amorphous silicon layers 86–41660
Wagner, M., Leburton, J.P. Superstructures and multijunction cells for high efficiency energy conversion 87–4916
Wagner, M., Leburton, J.P. Proposal for superstructure based high efficiency photovoltaics 87–7212
Wagner, M., Leburton, J.P. Three-terminal multilayer GaAs-AlGaAs cascade cells with selective electrodes 87–16038
Wagner, M., Wang, W., Ho, H., O'Kane, M. Isolated-word recognition of the complete vocabulary of spoken Chinese 87–19494
Wagner, M. *see* Bongardt, K. 88–36332
Wagner, M. *see* Budig, P.-K. 87–22200
Wagner, M. *see* Educato, J.L. 88–31044, 88–37384
Wagner, M. *see* Kulkarni, S. 88–8025
Wagner, M. *see* O'Kane, M. 87–19591
Wagner, M.A. *see* Roohy-Laleh, E. 87–13705
Wagner, M.J. *see* Heck, R.R. 87–71222
Wagner, M.S., Johnsen, L.D. PD: simplifying the man/machine interface 87–34991
Wagner, M.S. *see* Grottschalk, B. 86–25297
Wagner, M.W. *see* Collison, R.R. 86–65207
Wagner, N. Videotex: uses and applications in the substitute sickness funds for wage-earners and salaried employees 87–27968
Wagner, N. *see* Hillebrand, N. 87–64651
Wagner, N.R., Putter, P.S., Cain, M.R. Encrypted database design: specialized approaches 86–54462
Wagner, N.R., Putter, P.S., Cain, M.R. Large-scale randomization techniques 88–40840
Wagner, O. CMOS VLSI book library and array macros based on sub-circuit elements 87–67575
Wagner, O. *see* Klein, K. 88–6898
Wagner, O. *see* Miersch, E. 85–44877
Wagner, O. *see* Schettler, H. 87–25597
Wagner, O. *see* Stadler, E.E. 85–33182
Wagner, P. VHSIC and graphics 85–33935
Wagner, P. ISDN terminal equipments in the ISDN pilot tests of the German Post Office (DBP) 87–33932
Wagner, P. Fiber fusion for terminating optical connectors 87–68031
Wagner, P. Fiber optic LAN standard on the horizon? 88–9113
Wagner, P. Circular connectors roll on 88–12683
Wagner, P. Plastic fiber optic data links for short distance applications 88–15441
Wagner, P. Technology update: connectors for aerospace applications 88–48260
Wagner, P., Letournel, M. Electrode design for the vivitron 86–38643
Wagner, P., Letournel, M. Comparison between the installations of Vivitron porticos in MP7 and MP10 86–55911
Wagner, P. *see* Adolphs, D. 87–40499
Wagner, P. *see* Heugel, J. 86–38642
Wagner, P. *see* Kirchner, W. 87–40598
Wagner, P. *see* Pettit, R. 88–62332
Wagner, P.T. Interconnect testing with boundary scan 88–13534
Wagner, P.W. *see* Huff, K.E. 85–38047
Wagner, R. A low cost, automatic disk-drive head tester 86–31169
Wagner, R. Carbon fibre slotted waveguide arrays 87–39518
Wagner, R. Planar array antenna for ERS-1 synthetic aperture radar 87–61528
Wagner, R. Three-phase drive technology for light rail vehicles in Alberta 87–79090
Wagner, R. Advances in the development of three-phase AC drives 88–31071
Wagner, R., Luhmann, H.J., Sippel, R., Westphal, M. Development status of the ERS-1 SAR antenna 87–12844
Wagner, R. *see* Atac, M. 85–26722
Wagner, R. *see* Stubenrauch, R.R. 87–22847
Wagner, R. *see* Swenson, E.J. 85–23909
Wagner, R. *see* Yarema, R.J. 86–47674
Wagner, R.D., Smith, R.A. New system simplifies separations [telephony] 87–40280
Wagner, R.E. Future 1.55-μm undersea lightwave systems 85–37048
Wagner, R.E. Future 1.55 μm undersea lightwave systems 86–17413
Wagner, R.E. Coherent optical systems technology 88–67428
Wagner, R.E., Cheung, N.K., Kaiser, P. Coherent lightwave systems for interoffice and loop-feeder applications 87–56152
Wagner, R.E. *see* Bergano, N.S. 88–20350
Wagner, R.E. *see* Elrefaie, A.F. 88–28828, 88–53273
Wagner, R.E. *see* Elrefair, A.F. 87–62944
Wagner, R.E. *see* Gimlett, J.L. 88–9555
Wagner, R.E. *see* Mazurczyk, V.J. 86–11123
Wagner, R.E. *see* Poole, C.D. 87–7086, 88–3974, 88–47141, 88–73925
Wagner, R.F. Fundamentals and applications of signal detection theory in medical imaging 87–14964
Wagner, R.F., Barrett, H.H. Quadratic tasks and the ideal observer. [Medical imaging system performance] 88–21306
Wagner, R.F., Grossman, L.W., Insana, M.F., Jennings, R.J. Critical and emerging issues in diagnostic imaging: Dimensionality of the feature space 87–41962
Wagner, R.F. *see* Insana, M.F. 86–70390, 87–42283
Wagner, R.F. *see* Momenan, R. 88–61249
Wagner, R.G., Mikamo, S., Kobayashi, S., Murakami, A., Kamon, T., Yamashita, A., Di Virgilio, A., Connor, D.F., Hahn, S.R., Miller, M.R., Elias, J.E., Focardi, E., Yasuoka, K., Cihangir, S. Cosmic ray test of the CDF central calorimeters 88–47989
Wagner, R.G. *see* Balka, L. 88–47985
Wagner, R.G. *see* Drake, G. 86–50432
Wagner, R.G. *see* Hahn, S.R. 88–47990
Wagner, R.H. Functional laser trimming: an overview 87–17570
Wagner, R.J. *see* Bullock, D.L. 87–61177

Wagner, R.J. *see* Cage, M.E. 85—63931
Wagner, R.J. *see* Campbell, P.M. 88—57365
Wagner, R.J. *see* Kuchar, F. 87—74021
Wagner, R.J. *see* Meyer, J.R. 88—64243
Wagner, R.J. *see* Verma, I.B. 85—55578
Wagner, R.J. *see* Wei, H.P. 85—23494
Wagner, R.L. Central and forward tracking chambers of CDF 88—29839
Wagner, R.L. *see* Anassontzis, E. 86—32202
Wagner, R.L. *see* Atac, M. 86—70350
Wagner, R.L. *see* Bedeschi, F. 88—48021
Wagner, R.S., Bradley, J.M., Bordes, N., Maggiore, C.J., Sinha, D.N., Hammond, R.B. Transient measurements of ultrafast charge collection in semiconductor diodes 88—26203
Wagner, R.S., Bradley, J.M., Hammond, R.B. Picosecond photoconductors as radiation detectors 86—50331
Wagner, R.S., Bradley, J.M., Maggiore, C.J., Beery, J.G., Hammond, R.B. An approach to measure ultrafast-funneling-current transients 87—32452
Wagner, R.S., Stoneking, J.E. A three axis load cell algorithm development and testing 86—18152
Wagner, R.S. *see* Hammond, R.B. 85—62465
Wagner, R.S. *see* Kania, D.R. 85—52979, 87—21082
Wagner, R.S. *see* Nunnally, W.C. 85—27579
Wagner, R.S. *see* Wang, C.L. 87—8858
Wagner, S. Photovoltaic technology 85—10111
Wagner, S. Components of new design of VLSI memory cells for RAM as well as of switch elements in SOI-technology 87—25568
Wagner, S. High-voltage MIS components with a low on-state resistance 87—32559
Wagner, S. Waveguide laser for high-precision material processing in industry 87—47067
Wagner, S. Thin film solar cells 88—17976
Wagner, S. *see* Aljishi, S. 87—24811, 87—74907, 88—25911
Wagner, S. *see* Bahr, K.-F. 88—40430
Wagner, S. *see* Chiang, C.-L. 85—6702, 87—6360
Wagner, S. *see* Ching-Lang Chiang 86—8720
Wagner, S. *see* Chu, V. 87—24944, 88—37478
Wagner, S. *see* Conde, J.P. 88—37547
Wagner, S. *see* Corvini, P. 85—45587
Wagner, S. *see* Everson, D. 86—67261
Wagner, S. *see* Hayes, R.ER. 86—26303
Wagner, S. *see* Johnson, C.L. 85—34690
Wagner, S. *see* Kahn, A. 86—58283
Wagner, S. *see* Kolodzey, J. 86—27931, 87—17779, 87—23712, 87—24810, 88—32823
Wagner, S. *see* Kreutz, E.W. 87—47050
Wagner, S. *see* Schwarz, R. 86—8717, 86—35303, 87—6457, 87—9791, 87—25095, 87—74025
Wagner, S. *see* Shen, D.S. 88—37520
Wagner, S. *see* Shieh, C.-L. 86—1714
Wagner, S. *see* Slobodin, D. 86—34396, 87—9866, 87—24812, 88—49888
Wagner, S. *see* Smith, Z.E. 85—49089, 86—33663, 86—35371, 87—9844, 87—30981, 88—37416, 88—45284
Wagner, S. *see* Spah, R. 85—6726
Wagner, S.G. *see* Shesler, A.T. 87—71910
Wagner, S.R. Can the new ICRU operational quantities for individual monitoring be measured? 86—18395
Wagner, S.R. *see* Ford, W.T. 87—50139
Wagner, S.S. Optical amplifier applications in fiber optic local networks 87—40896
Wagner, S.S., Kobrinski, H., Robe, T.J., Lemberg, H.L., Smoot, L.S. Experimental demonstration of a passive optical subscriber loop architecture 88—41619
Wagner, T. *see* Mitchell, T. 88—15285
Wagner, T. *see* Nagornov, V.N. 87—64034
Wagner, T.J. Hierarchical layout verification 85—1701
Wagner, T.J. Hierarchical layout verification 85—33580
Wagner, T.M., Fox, E.C. Computerized CCD-camera registration measurement unit [TV camera assembly] 86—69922
Wagner, U. The design, electric vehicle simulation program, and duty cycle for a computer-controlled bench test of lead-acid batteries 86—66291
Wagner, U. *see* Klein, F. 88—5944
Wagner, V. *see* Carlile, C. 85—4243
Wagner, V. *see* Carlile, C.J. 86—55957
Wagner, V. *see* Grummt, E. 85—15686
Wagner, V. *see* Hauschild, W. 85—165, 85—10449
Wagner, V.E. Load sharing in dual drive conveyors 85—27727
Wagner, W. Mixed LC/LED display for a medical instrument—an example 88—36142
Wagner, W. *see* Daniels, R.G. 85—7075
Wagner, W. *see* Keiser, J. 85—16988
Wagner, W. *see* Zengerle, F. 86—70032
Wagner, W. *see* Zibert, K. 85—6298
Wagner, W.R. Beam contact 85—28767
Wagner, W.R. *see* Bailey, P.J. 85—29578
Wagner, W.R. *see* Besomi, P. 85—12869
Wagner, W.R. *see* Schumaker, N.E. 87—263
Wagniere, G. *see* Dirk, C.W. 87—7440
Wagnitz, R. *see* Giesen, B. 87—22547
Wagoner, D. *see* Anassontzis, E. 86—32202
Wagoner, D.E., Cox, B., Judd, D.J., Hale, G., Mazur, P.O., Murphy, C.T., Rameika, R., Turkot, F., Conetti, S., Haire, M., Lebrun, P., Leroy, C., Ryan, T., Turnbull, L., Gearhart, R.A., Tzamarias, S. A measurement of the energy resolution and related properties of an SCG1-C scintillation glass shower counter array for 1-25 GeV positrons 85—64464
Wagoner, D.E., Judd, D.J. Using the EGS electromagnetic shower simulation program for SSC calculations 88—10281
Wagoner, D.E. *see* Cox, B. 85—64465
Wagoner, D.E. *see* Foley, K.J. 88—68313
Wagoner, D.E. *see* Rameika, R. 85—43186
Wagoner, J.D. *see* St. Clair, J.C. 85—14648
Wagoner, R.E., Clark, T.E. Overview of multiplexing techniques for all-fiber interferometer sensors arrays 88—16146
Wagoner, R.E. *see* Freidah, J.T. 87—12159, 88—39944
Wagoner, R.E. *see* Udd, E. 87—12157
Wagoner, W.R. *see* Rowland, M.E. 88—61558
Wagschal, J.J. *see* Maerker, R.E. 87—4525
Wagshul, M.E. *see* Coulter, K.P. 88—61018
Wagstaff, A. Communication: education is based on it 87—27917
Wagstaff, T. *see* Peacock, S.T. 85—5742
Wagter, C.De *see* De Wagter, C.
Wah, B.W., Aboelaze, M., Shang, W. Systematic designs of buffers in macropipelines of systolic arrays 88—32142
Wah, B.W., Jie-Yong Juang Resource scheduling for local computer systems with a multiaccess network 86—30090
Wah, B.W., Lien, Y.-N. The file-assignment and query-processing problems in local multiaccess networks 85—19868
Wah, B.W. *see* Aboelaze, M.A. 87—67497
Wah, B.W. *see* Baumgartner, K.M. 86—16991, 88—9218
Wah, B.W. *see* Fortes, J.A.B. 86—10411
Wah, B.W. *see* Fu, K.-S. 85—45096
Wah, B.W. *see* Fu, K.S. 87—74395
Wah, B.W. *see* Juang, J. 86—54997
Wah, B.W. *see* Juang, J.-Y. 85—8213
Wah, B.W. *see* Li, G.-J. 85—28455
Wah, B.W. *see* Yao-Nan Lien 87—69709
Wah, J., Matuszczyk, T. Experimental driver and addressing techniques for ferroelectric liquid crystal devices 88—53782
Wah, T.K., Haldar, M.K. On Lewin's theory of waveguide coupling by rectangular slots 85—34142
Wah Chin Hon *see* Hon Wah Chin
Wah Hoon Siew *see* Siew Wah Hoon
Wah Ming Lee *see* Cole, R. 86—16760
Wah Tam Hon *see* Hon Wah Tam
Wah-Chun Chan *see* Yuan-Yih Hsu 86—6310, 86—56323
Wahaab, S.M.Abd El *see* Abd El Wahaab, S.M.
Wahab, A. *see* Attia, M.F. 85—37743
Wahab, A.A., Nagarajan, R., Jerew, D.H. Database management in a microcomputer-controlled IC tester 85—26200
Wahab, A.A., Nagarajan, R., Jerew, D.H. A microprocessor database design for integrated circuits 86—15242
Wahab, A.A., Nagarajan, R., Jerew, D.H. Simple IC tester using a database technique 86—47682
Wahab, E.Z. *see* Gucwa, L.T. 85—43701
Wahab, M.A. *see* Attia, M.F. 85—37743
Wahab, M.A.A., Matsubara, I. Surge impedance of lattice towers 88—23545
Wahab, M.A.A., Matsubara, I. Effect of lightning striking condition on overvoltages across insulator strings and tower surge impedance 88—68990
Wahab, M.A.A., Matsubara, I., Kinoshita, H. An experimental evaluation of some factors affecting tower surge impedance 88—42883
Wahba, A.H.W. *see* Staehr-Johansen, K. 87—63715
Wahba, G. Design criteria and eigensequence plots for satellite-computed tomography 87—71306
Wahba, W.G. Current perspectives on technology acquisition in Egypt 88—49601
Wahbi, M., Boucher, J., Lescure, M., Brevier, R. Acquisition system for dynamic parameters of active components generated by microcomputer 87—18099
Wahbi, M. *see* Ben Aran, A. 87—54174
Wahed, A. *see* Grosskatthofer, H.-D. 85—4627
Wahed, M.G.Abd El *see* Abd El Wahed, M.G.
Waheed, A. The re-emission of K^- meson in the interaction of 1.5 GeV/c K^- meson with light emulsion nuclei 87—29611
Waheed, A., Siddiqui, A.W., Khan, H.A., Sadiq, A., Sheikh, S.A., Sial, M.A., Khan, A.U. Use of rectangular geometry for radon dosimetry 87—29638
Waheed, A. *see* Khan, H.A. 87—29582
Waheed, M.A., Sethuraman, S.K., Deans, N.D. An intelligent single-chip microcontroller-based power controller for real-time applications 88—49219
Waheed, M.A. *see* Sethuraman, S.K. 88—69549
Wahi, A. *see* Geyl, W. 86—65686
Wahi, A. *see* Yeh, J.-J. 86—60480
Wahi, P., Turski, Z. Fiber optic technology for multielement array systems 87—19328
Wahi, P., Turski, Z., Daryoush, A.S., Herczfeld, P.R. Comparison of indirect optical injection locking techniques of multiple X-band slave oscillators 87—6149
Wahi, P.K. Optics for microwave applications 86—8449
Wahi, P.K. Wideband, unequal split ratio Wilkinson power divider 86—20799
Wahi, P.K. *see* Daryoush, A.S. 87—17361
Wahid, P.F., Belkerdid, M.A., Malocha, D.C. High speed VLSI circuit parameter modeling and measurement 87—53746
Wahid, P.F., Malocha, D.C. Variable delay lines for microstrip phased array antennas 87—54745
Wahid, P.F. *see* Fletcher, M. 88—63843
Wahid, P.F. *see* Kwan, P.K. 87—54542, 88—2537
Wahid, P.F. *see* Pourparviz, G. 88—63842
Wahid, S.A. *see* Farrell, E.J. 86—66705
Wahl, F.M. A binary image preprocessor for document quality improvement and data reduction 87—27651
Wahl, F.M., Biland, H. Decomposition of polyhedral scenes in Hough space 87—48059
Wahl, F.M. *see* Biland, H.-P. 88—73387
Wahl, F.M. *see* Engelbrecht, J.R. 88—59243
Wahl, G., Suhari, L. Improvement of the efficiency of hydrodynamic control coupling—multi circuit variable speed drive as a new development 87—79001
Wahl, G.L., Jr. *see* Atkinson, E.S. 88—4326
Wahl, H. *see* Angerth, B. 85—4158
Wahl, H. *see* Arnault, C. 87—14216
Wahl, H. *see* Burkhardt, H. 88—47997
Wahl, H. *see* Wersing, W. 86—68070, 87—53845
Wahl, H.D. *see* Albrow, M.G. 87—41857
Wahl, J. Fiber optics achieves initial operational capability 85—63674
Wahl, J., Jain, S.C. Bistable electro-optic switching of a ferroelectric liquid crystal (HOBACPC) 85—2096
Wahl, J., Matuszczyk, T., Lagerwall, S.T. A dynamic picture of a ferroelectric liquid crystal screen in multiplex drive 87—70721
Wahl, J. *see* Clark, N.A. 86—5407, 86—48226
Wahl, J. *see* Lagerwall, S.T. 86—38463
Wahl, J., Jr. Fiber goes the distance [optical links] 88—15495
Wahl, K. Ecological and economical advantages of the Dornier-RMA-System 85—10298
Wahl, K. *see* Fiedler, H.L. 86—37594
Wahl, K.-H. Use of a process for interference-suppression of periodic analogue measuring signals in a VDU 86—22720
Wahl, L.H. *see* Donaldson, A.R. 85—23318
Wahl, M. Functional testing of VLSI circuits 86—20424
Wahl, R.E. *see* Kiersztyn, S.E. 86—7257
Wahl, S. *see* Moser, K. 85—7325, 85—51065
Wahl, T., Eldhuset, K., Aksnes, K. SAR detection of ships and ship wakes 87—49180
Wahlen, H.-J. *see* Weh, H. 87—43070
Wahlers, R.L. *see* Stetson, H.W. 86—62862
Wahlfridsson, P. Customised ICs: necessary to design for testability 87—38350
Wahlich, R. *see* Beck, A. 87—44290
Wahlich, R. *see* Geissler, J. 86—40712, 87—6369
Wahlich, R. *see* Huber, D. 87—17697
Wahling, W. *see* Klank, O. 85—52484
Wahlinn, K.L. *see* Criswell, T.L. 85—22934
Wahllof, H. *see* Glennstal, I. 87—74386
Wahlman, L. Digital termination systems and security 86—16703
Wahlquist, E.J. *see* Schnyer, A.D. 86—32460
Wahlquist, E.J. *see* Wiley, R.L. 87—42127
Wahls, E. *see* Geyer, E. 87—41623
Wahlstrom, B. Putting an operator support system to the test 85—4811
Wahlstrom, B., Smidt Olsen, H., Rinttila, E., Meijer, C.H. Experimental validation of an operator support system using a training simulator 85—21332
Wahlstrom, B. *see* Lampe, W. 86—51703
Wahlstrom, B. *see* Pyy, P. 88—62119
Wahlstrom, B.G. Decontamination of steam generators at Loviisa Nuclear Power Plant 85—15756
Wahlstrom, B.G. Decontamination of steam generators at Loviisa NPS—the decision making and the results 85—15798
Wahlstrom, B.G. Minimizing occupational exposure at Finnish nuclear power plants 87—78317
Wahlstrom, B.G. *see* Tusa, E.H. 88—42996
Wahlstrom, I. *see* Norberg, G. 87—2692
Wahlstrom, O., Knutsson, H. A device for generation of electromagnetic fields of extremely low frequency 85—9226
Wahlstrom, S.E., Fong, E., Chung, M.S.C., Gan, J., Chen, J. An 11000-fuse electrically erasable programmable logic device (EEPLD) with an extended macrocell 88—63615
Wahner, H.W. *see* Dunn, W.L. 86—5910
Waho, T., Hasumi, Y., Arai, K. A Pb-alloy film preparation technique for Josephson junctions 85—41060
Waho, T. *see* Hasumi, Y. 85—24235, 86—26887
Waho, T. *see* Nakano, J. 85—46099

Wahori, Y., Hiratsuka, N., Kamei, H., Yamaguchi, S. Extended photometric stereo for an object with unknown reflectance property 88–41102
Wahrenberger, D.E., Fritz, J.V. A computer network simulation using GASP II 85–25209
Wahsh, S. Effect of carrier signal policies on the performance of PWM inverters 86–39971
Wahsh, S. Stability problems and control measures of induction motor PWM inverter drives 86–51953
Wahsh, S. Torque pulsation harmonics in PWM inverters 87–22601
Wahsh, S. Harmonic analysis of pulsating torque and DC current in PWM inverters 87–30848
Wahsh, S. Effect of carrier signal policies on performance of PWM inverters 88–43284
Wahsh, S., El-Bakry, M. A PWM inverter with controllable harmonic 86–6906
Wahsh, S. *see* El-Bakry, M. 86–29696
Wahsh, S. *see* Ismail, F. 88–17614
Wai, P.K.A., Menyuk, C.R., Chen, H.H., Lee, Y.C. Solitons at the zero-group-dispersion wavelength of a single-mode fiber 87–68135
Wai, P.K.A., Menyuk, C.R., Chen, H.H., Lee, Y.C. Effect of axial inhomogeneity on solitons near the zero dispersion point 88–39880
Wai, P.K.A., Menyuk, C.R., Lee, Y.C., Chen, H.H. Nonlinear pulse propagation in the neighborhood of the zero-dispersion wavelength of monomode optical fibers 86–63668
Wai, W.O. Blind spot monitor 87–79171
Wai Chan Chan Hew *see* Chan Chan Hew Wai
Wai Cheung Tang *see* Pley, M. 86–11041
Wai Ho *see* Blakely, K. 86–57198
Wai Lam Hon *see* Hon Wai Lam
Wai Lee, Fonstad, C.G. The growth of high mobility InGaAs and InAlAs layers by molecular beam epitaxy 86–52467
Wai Lee, Fonstad, C.G. O^+implantation and annealing in *n*-type InAlAs 87–45756
Wai Lee *see* Whitney, P.S. 87–74007
Wai Leong Hon *see* Hon Wai Leong
Wai Leong Kin *see* Kin Wai Leong
Wai Looh Chee *see* Looh Chee Wai
Wai Lung Loh Y-net: a network independent system 88–9188
Wai Sum Lai Bifurcated routing in computer networks 86–16907
Wai Sum Lai The integrity of data delivery in computer networks 86–23466
Wai Sum Lai On modelling discrete-time many-server systems 88–45841
Wai-chi Fang *see* Jun-ji Lee 88–50193
Wai-Hoi Wong PET camera performance design evaluation for BGO and BaF_2 scintillators (non-time-of-flight) 88–68366
Wai-Hon Lee Signal processing techniques for CCD image sensors 85–20561
Wai-Hon Lee HOEs for optical storage systems 88–65908
Wai-Hung Ng Mitigating the effects of interference through coding, interleaving and signal editing 87–39626
Wai-kai Chen, Jin-liang Wan, Zonglian Fei On complex-normalized reflection coefficients 88–56412
Wai-Kai Chen *see* Fei, Z. 87–31669
Wai-Kai Chen *see* Jia-Long Lan 86–592, 86–801
Wai-Kai Chen *see* Jialong Lan 86–57350
Wai-Kai Chen *see* Jin Liang Wan 87–23876
Wai-Kai Chen *see* Jin-Liang Wan 86–686, 86–46424
Wai-Kai Chen *see* Mao-da Tong 86–52603
Wai-kai Chen *see* Sengoku, M. 87–52316
Wai-Kai Chen *see* Shunquan Gao 86–596
Wai-kai Chen *see* Siri, K. 86–57691
Wai-Kai Chen *see* Yi-Sheng Zhu 86–609, 86–57587, 88–63437
Wai-ming Chan *see* Chan Wai-ming
Wai-Ming Tsang, Chok-Ki Chan, Lam, F.K. Ultrasonic non-destructive characterization of small isolated defects 88–48402
Wai-Ming Tsang, Wei-Chee Leung, Chok-Ki Chan Design and development of a computer vision system for high speed recognition of objects 88–47352
Wai-sun Leung New testers for motors and fans 88–37169
Waibel, A. Recognition of lexical stress in a continuous speech understanding system—a pattern recognition approach 87–19606
Waibel, A. Prosodic knowledge sources for word hypothesization in a continuous speech recognition system 87–61703
Waibel, A., Hanazawa, T., Hinton, G., Shikano, K., Lang, K. Phoneme recognition: neural networks vs. hidden Markov models vs. hidden Markov models 88–66359
Waibel, A. *see* Lagger, H. 86–16212
Waibel, A. *see* Tamura, S. 88–72826
Waibel, G. MAP—technical and strategic significance 88–21720
Waichman, K. Shocked supersonic HF laser with divergent cavity 86–3085
Waichman, K., Chuchem, D., Kalisky, Y. Experimental and theoretical studies of an HF chemical laser at low temperatures 88–2170
Waicukauski, J.A., Eichelberger, E.B., Forlenza, D.O., Lindbloom, E., McCarthy, T. Fault simulation for structured VLSI 86–34728
Waicukauski, J.A., Eichelberger, E.B., Forlenza, D.O., Lindbloom, E., McCarthy, T. A statistical calculation of fault detection probabilities by fast fault simulation 86–49955
Waicukauski, J.A., Gupta, V.P., Patel, S.T. Diagnosis of BIST failures by PPSFP simulation 88–19077
Waicukauski, J.A., Lindbloom, E., Rosen, B., Iyengar, V. Transition fault simulation by parallel pattern single fault propagation 87–24126
Waicukauski, J.A., Lindbloom, E., Rosen, B.K., Iyengar, V.S. Transition fault simulation 87–44746
Waid, R. *see* Adams, G. 85–33006
Waidelich, D.L. The fields of infinite arrays of discrete charges 88–27399
Waidelich, D.L. *see* Elhabashi, E. 86–63917
Waidelich, W. *see* Hutzler, P.J.S. 86–3947
Waidelich, W. *see* Ruth, B. 85–4297
Waider, G. *see* Oeding, D. 88–62304
Waidmann, W. Information through communication—a modern railway-information system 87–43580
Waidner, M. *see* Pfitzmann, A. 87–55492, 88–73598
Waight, J. *see* Magee, D. 85–59602
Waight, J.G. *see* Anderson, M.D. 87–43
Waigou Li *see* Li Waigou
Wain, D. *see* Truss, W.F. 87–50795
Wainapel, S. *see* Carley, P.J. 86–25265
Wainberg, M. *see* Barbeau, H. 87–57193
Wainberg, S., Wienski, R.M. An ISDN architecture for the evolving BOC networks 86–16729
Wainer, J.J., Fowler, A.B., Webb, R.A. Magnetic field effects in strongly localized quasi-1D MOSFETs 88–33235
Wainer, J.J. *see* Fowler, A.B. 86–63132, 88–64330
Wainer, J.J. *see* Webb, R.A. 85–34987, 86–53666
Wainer, M.A. The use of facsimile equipment in an Illinois library network 87–48510
Wainschenker, R. *see* Caseli, E. 87–41388
Wainshtein, L.A. *see* Kapitza, S.P. 87–75166
Waintal, A. *see* Crean, G.M. 86–24753
Wainwright, D. High power filters: specsmanship and design considerations 87–17208
Wainwright, D. Design of coaxial high-pass filters having various transfer properties 87–17212
Wainwright, D. Design of combline and interdigital bandpass filters 87–17213
Wainwright, D. RF circuit construction: trends in materials and methods 87–23300
Wainwright, D. Specifying high power filters 87–73519
Wainwright, J. The videotex system of France's Assemblee Nationale 85–30664
Wainwright, R.M. *see* Reisdorf, J.B. 86–61348
Wais, W. *see* Reisinger, F. 86–6945
Waisman, E.M., Kennedy, E.M., Parks, D.E. Edge effects on foil fuses 86–61673
Waisman, E.M., Steen, P.G., Parks, D.E., Wilson, A. Switching of low density diode plasmas 85–49043
Wait, D.F. The impact of automation on NBS noise temperature measurements 86–38599
Wait, G. *see* Delheij, P.P.J. 87–3868
Wait, G.D., Cresswell, J.V., Delheij, P.P.J., Hayden, M., Healey, D.C., Waters, G. The TRIUMF polarised deuteron target NMR system 86–60527
Wait, G.D. *see* Delheij, P.P.J. 88–29777
Wait, J.R. Focused heating in cylindrical targets. I 85–65621
Wait, J.R. Analysis of the radiation leakage for a four-aperture phased-array applicator in hyperthermia therapy 86–60742
Wait, J.R. Electromagnetic response of a thin layer 86–68657
Wait, J.R. Impedance conditions for a coated cylindrical conductor 86–68667
Wait, J.R. Propagation effects for electromagnetic pulse transmission 87–12702
Wait, J.R. Excitation of an enclosed lossy cylinder by an aperture source 87–39285
Wait, J.R. General solution for excitation by slotted aperture source in conducting cylinder with concentric layering 87–39287
Wait, J.R. Physical model for the complex resistivity of the earth 87–74449
Wait, J.R. Determining the strength and orientation of an elevated dipole 88–27614
Wait, J.R. Determining transient dipole source from observed field waveforms 88–34269
Wait, J.R. A multipole expansion for the EM fields of a linear radiator 88–72591
Wait, J.R., Cruszka, T. Cole plots for inhomogeneous polarizable media [geophysical exploration] 85–15416
Wait, J.R., Debroux, P. The induced magnetic dipole of a polarized sphere 85–41558
Wait, J.R., Gruszka, T. Electromagnetic response of multi-region polarizable environments 87–75376
Wait, J.R., Gruszka, T.P. Interaction of electromagnetic and electrochemical effects in geophysical probing 86–44760
Wait, J.R., Harmuth, H.F. Comments on 'Corrections of Maxwell's equations for signals Parts I and II' [by H.F. Harmuth, with his reply] 88–8395
Wait, J.R., Lumori, M. Focused heating in cylindrical targets. II 86–44694
Wait, J.R., Moghrom, I.S., Tylavsky, D.J. Comments, with reply, on 'Electric field of a transmission line over a multilayered media' 88–45740
Wait, J.R. *see* Hill, D.A. 86–68666
Wait, J.R. *see* Sezginer, A. 88–40485
Wait, R. Parallel finite elements 88–70261
Waite, J. FAX decoder for the BBC-B 88–9091
Waite, J. Realistic PRO-32A scanner 88–9448
Waite, J. Uniden Bearcat UBC 175XL 88–21993
Waite, J. Kenwood RZ-1 receiver 88–41512
Waite, J. Sony ICF-SW1 receiver 88–53415
Waite, J. Panasonic RF-1680L review 88–60403
Waite, J. Sony ICF-7600DA review 88–60404
Waite, J. Realistic PRO-2021 scanner 88–73785
Waite, J., Nisar, R. Applications of personal computers for materials testing and analysis 86–4988
Waite, J.W., Belcher, E.O. Sonar detection of riverine fish using the pulse pair covariance Doppler frequency estimator 86–65030
Waite, M.S. *see* Young, R.W. 86–31551, 87–3432
Waite, P. *see* Wood, R.M. 85–7194, 85–7488
Waite, R. Trends in cell control for computer-aided electronics assembly 87–24613
Waite, R.I., Pohm, A.V., Comstock, C.S. Thermal noise limitations to 2×20-μm^2 magnetoresistive memory element thresholds 88–71962
Waite, R.W. *see* Mathews, V.J. 87–62260, 88–3244
Waite, S.R., Sage, G.N. The failure of optical fibres embedded in composite materials 88–58070
Waite, W.P. *see* Hug, J.F. 87–57349
Waite, W.P. *see* Kaupp, V.H. 85–38331, 87–63057, 88–10527
Waite, W.P. *see* King, R.W. 86–12145
Waite, W.P. *see* Thomas, J.K. 87–63927, 88–9631
Waites, C. *see* Macleod, I.D. 88–72967
Waitkus, P.G. Managing high-tech product development 85–54076
Waitz, A., Donaldson, A. An isolated data acquisition system for high voltage applications 86–24875
Waitz, K. *see* Hutter, G. 87–41745
Waitz, R. *see* Fricke, P. 88–44174
Waiwai Zhang *see* Zhang Waiwai
Wajda, K. Main principles of a multi-access radio system with local random access 85–36926
Wajih, M. *see* Lavoisard, J.L. 85–52118
Wajih, M. *see* Levy, M. 88–8956
Wajima, M. *see* Akahoshi, H. 87–1085, 88–1123
Wajima, M. *see* Nakanishi, K. 86–26800
Wajler, J. Influence of leakage flux in pulse transformer on performance of fly-back converter 85–1088
Wajngurt, C. Rational solutions of Diophantine equations isomorphic to elliptic curves with applications to complex multiplication 86–46201
Wajs, K. DC motor starting with decreased energy losses 85–27437
Wajs, K. Decrease of energy consumption in electric drives 85–32741
Wajs, K. Problems concerning the minimisation of energy losses leading to elliptic integrals 85–60138
Wajs, K. Loss area of a DC machine 86–12845
Wajs, K. Pollution of air by sulphur dioxide caused by fuel combustion 86–18593
Wajs, K. Algebraic expression of the harmonic elimination conditions for the pulse width modulation and the then admissible areas of certain variables [PWM invertors] 86–56841
Wajs, K. Application of symmetrical polynomials to calculation of harmonic elimination in pulse width modulation 86–64175
Wajs, K. Geothermal power plants 87–15572
Wajs, K. Current overintensities in a ladder-type circuit with capacitance and losses 87–78694
Wajs, K. Calculation of overintensities in short-circuited Thomson line of finite length 88–30342
Wajs, K. Energetics and climate 88–62640
Wajs, K. Wind electrical stations 88–69238
Wajsfelner, L. *see* McCracken, W. 87–14347
Wakabayashi, A., Kawai, T. Study of the relationship between component signal bandwidth and picture quality in color television 87–8399
Wakabayashi, A., Kitahara, S., Kusaka, H. Study on color rendition of mixed light illumination for color television 87–8424
Wakabayashi, A.H. *see* Wakui, K. 85–8572
Wakabayashi, C. *see* Ishiwata, N. 88–51181
Wakabayashi, H. International satellite communication and optical fiber submarine cable communications 88–35440
Wakabayashi, H., An, S. Coordination of nuclear developments in the Asia-Pacific region [research, education and training] 85–59882

Wakabayashi, H., Kato, J., Takamasu, K., Ozono, S. A fundamental study on automatic holographic particulate measurements 87−14531
Wakabayashi, H., Ohta, H. A design method relating to the spectral sensitivities of tri-color separation optics for the color image scanner 87−56534
Wakabayashi, H., Suzuki, M., Miki, N., Nagai, N. A consideration of time domain analysis of networks containing coupled transmission lines using their wave digital filter representation 85−11423
Wakabayashi, H., Tachikura, K., Nishikawa, H., Fujise, M. Development of transmission characteristics measuring device for optical fiber submarine cables 86−64992
Wakabayashi, H., Tatekura, K., Yano, H., Niiro, Y. Design and experimental results of OS-280M optical submarine repeater circuits 85−37034
Wakabayashi, H. *see* Asahi, Y. 86−51284
Wakabayashi, H. *see* Kobayashi, K. 88−18443
Wakabayashi, H. *see* Kuzuhara, T. 87−32836
Wakabayashi, H. *see* Li, R. 87−32847
Wakabayashi, H. *see* Maeda, K. 88−10523
Wakabayashi, H. *see* Mochizuki, K. 88−47114
Wakabayashi, H. *see* Nahimira, Y. 85−20738
Wakabayashi, H. *see* Nakamura, K. 88−60486
Wakabayashi, H. *see* Namihara, Y. 88−58080
Wakabayashi, H. *see* Namihira, Y. 85−29628, 88−3980, 88−7853, 88−20390, 88−22125, 88−41653, 88−53251, 88−53274, 88−60133
Wakabayashi, H. *see* Nishikawa, H. 88−30872
Wakabayashi, H. *see* Ryu, S. 88−41628
Wakabayashi, H. *see* Sato, G. 86−60739
Wakabayashi, H. *see* Tanaka, M. 86−62189
Wakabayashi, H. *see* Tatekura, K. 85−29633
Wakabayashi, H. *see* Tatekura, K.-I. 87−13704
Wakabayashi, H. *see* Yamamoto, S. 88−22091, 88−28848
Wakabayashi, J. Fractional quantum Hall effect of the two dimensional electrons in GaAs/AlGaAs heterojunctions 87−6439
Wakabayashi, J. Activation energies of the fractional quantum Hall effect in GaAs/AlGaAs heterostructures 87−74098
Wakabayashi, J., Gofuku, A., Okazaki, F., Tashima, S. Application of projective operator technique for the disturbance identification of nuclear power plants 88−48678
Wakabayashi, J., Kawaji, S., Yoshino, J., Sakaki, H. Temperature dependence of the 1/3 and 2/3 fractional quantum Hall effect in GaAs/AlGaAs heterostructures 86−47311
Wakabayashi, J., Kimura, S., Kawaji, S. Valley splitting in Si(100) n-channel inversion layers determined by a tilted field method 86−8893
Wakabayashi, J., Sudou, S., Kawaji, S., Hirakawa, K., Sakaki, H. Second activation energy in the fractional quantum Hall effect 88−1422
Wakabayashi, J., Tashima, S., Gofuku, A. Two identification techniques for disturbance diagnosis in nuclear power plants 86−18942
Wakabayashi, J. *see* Gofuku, A. 87−71847
Wakabayashi, J. *see* Kawaji, S. 86−47377, 87−32351
Wakabayashi, J. *see* Kinoshita, J. 86−21612, 87−14466
Wakabayashi, J. *see* Yoshihiro, K. 86−24689, 86−53325, 86−53474
Wakabayashi, J. *see* Yoshikawa, H. 85−32325
Wakabayashi, J.-I. *see* Kinoshita, J. 87−11789, 88−16417
Wakabayashi, J.-I. *see* Yoshihiro, K. 87−11790
Wakabayashi, K., Kawanishi, H., Adachi, F. Thin line preservation method for binary image reduction 87−62218
Wakabayashi, K. *see* Hasegawa, T. 85−28671, 87−555
Wakabayashi, K. *see* Kimura, H. 88−63551
Wakabayashi, K. *see* Kita, T. 88−15227
Wakabayashi, K. *see* Muramatsu, K. 85−52133
Wakabayashi, K. *see* Odawara, G. 86−20919, 86−53146
Wakabayashi, K. *see* Ohmura, H. 86−23391, 86−59552
Wakabayashi, K. *see* Saito, J. 86−16669
Wakabayashi, M. *see* Odanaka, S. 85−23968, 85−55959, 87−38567, 87−53693, 87−67306, 88−50940
Wakabayashi, M. *see* Sonehara, N. 88−15014
Wakabayashi, M. *see* Suzuki, K. 87−20899
Wakabayashi, M. *see* Yamamoto, T. 85−4451
Wakabayashi, N. A status report on the development of linear control micromotors 86−12849
Wakabayashi, N. *see* Higashi, Y. 86−52878
Wakabayashi, N. *see* Onodera, H. 85−39037
Wakabayashi, S., Kikuno, T., Yoshida, N. Design of hardware algorithms by recurrence relations 86−66898
Wakabayashi, S. *see* Asano, T. 85−45724
Wakabayashi, S. *see* Kajisa, K. 88−38568
Wakabayashi, S.-i. *see* Horiuchi, M. 88−63063
Wakabayashi, T., Hirokawa, K., Yoshikawa, M., Kayano, H. Mode excitation of graded-index multimode optical fibers by holographic filter 88−7882
Wakabayashi, T., Kihara, T., Murase, T. 45/90/135 Mbit/s optical fiber transmission system 85−63646
Wakabayashi, T., Kobayashi, S., Izumi, S., Onuma, T. A synchronous DS3 add/drop multiplexer with cross-connect 87−40549
Wakabayashi, T., Kogure, H. Perspectives and problems of highly-integrated information society for electric utilities 87−42368
Wakabayashi, T., Sato, H., Kosaka, Y., Hanai, T. All-solid-state 50 kW medium wave broadcast transmitter 85−37212
Wakabayashi, T., Yoshikawa, M., Kayano, H. Excitation of selective multiplex mode of graded-index optical fibers by holographic filter 88−39951
Wakabayashi, T. *see* Forbes, G. 87−40951
Wakabayashi, T. *see* Saito, G. 87−14222
Wakabayashi, Y. *see* Gurgel, M.A. 86−62037
Wakabayashi, Y. *see* Harada, K. 85−30924
Wakabayaski, H. *see* Namihira, Y. 88−3981
Wakagi, M., Chigasaki, M., Tamahashi, K., Ohno, T., Naruse, M., Hanazono, M., Maruyama, E. Structure and properties of a-Si$_{1-x}$Ge$_x$:H films prepared by RF-diode sputtering 86−27929
Wakagi, M. *see* Nakano, M. 88−21891
Wakagi, M. *see* Tamahashi, K. 87−5446, 87−16662
Wakahama, G. *see* Fujino, K. 86−69826, 87−57384
Wakahama, G. *see* Fujiyoshi, Y. 88−10546
Wakahama, G. *see* Suzuki, M. 86−3498, 86−69827
Wakahara, A., Pak, K., Yamada, H., Yoshida, A., Nakamura, T. A novel method of selective epitaxial growth of InP by metalorganic chemical vapor deposition 87−65548
Wakahara, H. *see* Kawamura, M. 87−44411
Wakahara, T., Odaka, K., Umeda, M. Electroluminescent display superposed by transparent electromagnetic coupling tablet and its application to script input Japanese word processor 85−14656
Wakahara, T., Odaka, K., Umeda, M. On-line handwritten character recognition that is not dependent on stroke number and order 85−36338
Wakahara, T., Odaka, K., Umeda, M. A transparent tablet with display for online handwritten character recognition 85−37681
Wakahara, T., Watanabe, K. Analysis of automatic phase control circuits by automatic equalizer tap weights 85−13457
Wakahara, T. *see* Murase, H. 85−36339
Wakahara, T. *see* Odaka, K. 86−49019
Wakahara, Y., Kakuda, Y. Verification of requirements specifications for telecommunications software by the investigation of specifications execution sequences 88−46601
Wakahara, Y. *see* Kakuda, Y. 87−33851, 88−21696
Wakahara, Y. *see* Mori, H. 85−52201
Wakahara, Y. *see* Oda, T. 86−64507
Wakahata, Y. *see* Matsukawa, H. 86−31507
Wakai, K. Improvement of corrosion resistance of CoNi thin films by surface passivation 87−60811
Wakai, K. *see* Niimi, H. 86−9406
Wakai, M. *see* Abe, K. 88−16629
Wakai, N. *see* Kuriki, I. 88−45689, 88−45697
Wakai, N. *see* Nemoto, C. 88−16390
Wakai, R.T., Van Harlingen, D.J. Low-frequency noise and discrete charge trapping in small-area tunnel junction DC SQUIDs 87−1909
Wakai, R.T., van Harlingen, D.J. Direct lifetime measurements and interactions of charged defect states in submicron Josephson junctions 87−46419
Wakai, R.T., Van Harlingen, D.J. Signal and white noise properties of edge junction DC SQUID's 88−45004
Wakai, Y. *see* Meazawa, S. 88−16305
Wakai, Y. *see* Toyoda, M. 86−38016
Wakairo, S., Kasao, K., Ishitsuka, I., Tanaka, H. Home security system 87−48373
Wakakuwa, H., Yamazaki, N., Ishijima, T. Automatic mobile radio measuring equipment 86−49471
Wakamatsu, H., Uchida, T., Hinode, H., Wakihara, M., Taniguchi, M. Characteristics of a lithium secondary battery using the copper chevrel phase thin film prepared by CVD method as the cathode 87−51434
Wakamatsu, H. *see* Ishida, M. 86−26858, 86−57469
Wakamatsu, H. *see* Wakihara, M. 87−78879
Wakamatsu, H. *see* Yamada, Y. 88−71108
Wakamatsu, K., Ide, T., Tamura, K., Morimoto, M., Watari, H., Goto, H., Sakai, M. Sub miniature power relay 87−66632
Wakamatsu, K. *see* Mitsuhashi, S. 86−47129
Wakamatsu, S., Miyagaki, K. Silicon linear power transistors for 1.5 GHz band radios 87−76535
Wakamatsu, S. *see* Morita, R. 87−43710
Wakamatsu, S. *see* Mukai, T. 87−43469
Wakamatsu, S. *see* Takahashi, M. 88−17470
Wakamatsu, S. *see* Ueno, S. 86−4821
Wakamatsu, T. *see* Tanaka, M. 88−33496
Wakamatu, S. *see* Kashihara, T. 86−61989, 86−65801
Wakami, F. *see* Yanagisawa, I. 88−46569
Wakami, T. Industrial LAN will make up a more flexible factory 88−9135
Wakamiya, M. *see* Fukada, T. 86−5235
Wakamiya, M. *see* Hase, H. 88−33513
Wakamiya, M. *see* Ota, M. 88−60839
Wakamiya, S. *see* Naganawa, H. 87−3507
Wakamiya, W., Makajima, M. Overlay accuracy for VLSI devices 86−2394
Wakamoto, K. *see* Wake, M. 85−59028, 86−50389
Wakamoto, M., Kim, M.W., Kishida, T., Osawa, J. Call-processing program development support system using a knowledge base 88−46818
Wakamoto, S. *see* Fujita, K. 86−26643
Wakamoto, S. *see* Kurasaki, T. 86−9223
Wakana, A., Saga, Y., Satoh, H. High picture quality 19-inch and 21-inch color television receivers C-19R512, C-19R522 and C-21R715 87−34752
Wakana, A., Saga, Y., Seto, A., Satoh, H. Small size color television receiver used one-chip LSI series model C-15R302, C-15H301, C-14H306 86−65051
Wakana, H., Isobe, S., Sasaoka, H. Estimation method of input power spectrum to satellite transponder in SCPC system 86−17345
Wakana, H., Kosaka, K., Fujieda, T. Statistical processing method for sidelobe peaks for earth-station antennas 87−54700
Wakana, H. *see* Hamamoto, N. 86−11028
Wakana, H. *see* Okawa, M. 87−56066
Wakana, H. *see* Otsu, Y. 87−48996
Wakana, H. *see* Tanaka, M. 86−64901
Wakana, S., Shirasaki, M., Furukawa, Y., Inagaki, T. Polarization and frequency control of a semiconductor laser with a new external cavity structure 87−54300
Wakana, T., Yokozawa, M. Display devices 85−37684
Wakana, T. *see* Endo, T. 87−55667
Wakana, T. *see* Ogura, K. 86−23411
Wakana, T. *see* Tamamura, Y. 86−23410
Wakana, T. *see* Yamamoto, Y. 88−59849
Wakao, K., Isozumi, S., Nishi, H., Ohsaka, S. InGaAsP/InGaP buried heterostructure lasers at 810 nm 85−18936
Wakao, K., Kihara, K., Kotaki, Y., Kusunoki, T., Sudo, H., Isozumi, S., Yamakoshi, S., Ishikawa, H., Imai, H. High-efficiency InGaAsP/InP flat-surface buried heterostructure distributed feedback lasers at 1.55 μm 88−2249
Wakao, K., Kihara, K., Tanahashi, T., Sudo, H., Kusunoki, T., Tabuchi, H., Ishikawa, H., Isozumi, S., Yamakoshi, S., Imai, H. Low-threshold operation of 1.54 μm InGaAsP/InP DFB laser with second-order grating 85−35756
Wakao, K., Nakai, K., Sanada, T., Kuno, M., Odagawa, T., Yamakoshi, S. InGaAsP/InP planar buried heterostructure lasers with semi-insulating InP current blocking layers grown by MOCVD 87−68485
Wakao, K. *see* Ishikawa, H. 86−48436, 87−68515
Wakao, K. *see* Kotai, Y. 86−42537
Wakao, K. *see* Sanada, T. 88−2226
Wakao, K. *see* Soda, H. 85−12853
Wakao, K. *see* Tanaka, K. 86−15686, 87−52119
Wakao, K. *see* Yamakoshi, S. 88−65721
Wakao, M., Murayama, N., Watanabe, K., Shimizu, T., Noguchi, K., Ogawa, T., Nagane, Y., Ono, M. Teleterminal system [mobile data communication] 88−73821
Wakao, M. *see* Iwama, T. 88−45703
Wakao, M. *see* Miura, S. 86−23827
Wakao, M. *see* Nagami, H. 88−9389
Wakao, M. *see* Wakita, K. 88−20439
Wakasa, S. *see* Kaneda, Y. 85−15138
Wakasa, T. *see* Kasama, M. 88−6030
Wakasa, Y. *see* Date, T. 87−41230
Wakashima, Y. *see* Yokoyama, T. 85−55835 to 55836, 86−67866, 87−53538
Wakasugi, K., Fukao, S. Sidelobe properties of a complementary code used in MST radar observations 85−24928
Wakasugi, K., Fukao, S., Kato, S., Mizutani, A., Matsuo, M. Air and precipitation particle motions within a cold front measured by the MU VHF radar 86−23976
Wakasugi, K., Kishi, N., Matsuo, M. A two-dimensional synthetic aperture radar imaging simulation of moving ocean waves 86−70534
Wakasugi, K., Kishi, N., Matsuo, M. A three-dimensional formulation for synthetic aperture radar images of ocean waves in orbital motions 87−4145
Wakasugi, K., Mizutani, A., Matsuo, M., Fukao, S., Kato, S. Further discussion on deriving drop-size distribution and vertical air velocities directly from VHF Doppler radar spectra 87−63954
Wakasugi, K., Mizutani, A., Matsuo, M., Fukao, S., Kato, S. A direct method for deriving drop-size distribution and vertical air velocities from VHF doppler radar spectra 87−77856
Wakasugi, K. *see* Fukao, S. 85−43480, 85−52400, 85−58213, 86−23968 to 23969
Wakasugi, M., Nakatani, S., Kinuhata, K., Tamura, S. Transmission techniques 88−9702

Wakasugi, N. *see* Manabe, S. 85—31888
Wakasugi, S. *see* Akizuki, T. 85—59985
Wakata, M. *see* Imaizumi, M. 85—46043
Wakata, M. *see* Yoshizaki, K. 85—56156
Wakataba, K. *see* Kawasaki, T. 87—41265
Wakatabi, H. Electrical equipment of Yumoto Waste Water Treatment Center in Nasu Town 86—19691
Wakatori, R. Office document architecture for information interchange 88—66912
Wakatsuki, K. *see* Usubuchi, T. 87—77143
Wakatsuki, M., Matsushita, Y., Tajima, M. Thermal behavior of MCZ-NTD silicon 87—25041
Wakatsuki, M. *see* Matsushita, Y. 87—25042
Wakatsuki, N. *see* Endoh, M. 86—67563
Wakatsuki, N. *see* Fujiwara, Y. 86—15312, 86—42040, 87—35519
Wakatsuki, N. *see* Kojima, Y. 85—62151
Wakatsuki, N. *see* Ono, M. 86—2549
Wakatsuki, N. *see* Shimizu, N. 85—18521, 86—816
Wakatsuki, N. *see* Tanaka, A. 88—26765, 88—39874 to 39875, 88—39922
Wakatsuki, N. *see* Tanji, S. 86—36004
Wakatuki, T. *see* Ishii, S. 88—46570
Wakaumi, H., Sakuma, H. Two-frequency drive for AC-refresh plasma display panels 88—16277
Wakaumi, H. *see* Sakuma, H. 85—14928, 87—8684
Wakayama, H. Application layer [OSI] 85—63337
Wakayama, H., Takahashi, Y., Kawaoka, T. Composite INS protocol design principles 88—8993
Wakayama, H., Takahashi, Y., Yoshitake, S., Kawaoka, T. Composite INS protocol design principles 87—34262
Wakayama, H. *see* Kawaoka, T. 87—2866, 88—41319
Wakayama, M.H., Abidi, A.A. A 300 MHz voltage-controlled oscillator with 0.17% linearity 87—59238
Wakayama, M.H., Abidi, A.A. A 30-MHz low-jitter high-linearity CMOS voltage-controlled oscillator 88—18964
Wakayama, N., Morioka, T., Aeba, Y., Sato, T. Instrumentation and control of nuclear power plant 88—30450
Wakayama, N. *see* Ara, K. 86—51267
Wakayama, N. *see* Kakuta, T. 85—35524, 86—9541, 87—7126
Wakayama, N. *see* Terada, H. 86—51265
Wakayama, T. An MSM coding of a binary image and an MSM figure file system 87—39962
Wakayama, T. Binary image filing based on contours and interior points of figures 87—39963
Wakayama, T. Extraction of line figures in a binary image and its applications 87—39964
Wakayoshi, K. *see* Hagimoto, K. 87—74321
Wakazono, H. *see* Shimomura, T. 86—28904
Wake, A.J. HOTOL: a versatile economical space transport 87—77724
Wake, D., Blank, L.C., Walling, R.H., Henning, I.D. Top illuminated InGaAs/InP PIN-photodiodes with a 3 dB bandwidth in excess of 26 GHz 88—45308
Wake, D., Blank, L.C., Walling, R.H., Henning, I.D. Top-illuminated InGaAs/InP p-i-n photodiodes with a 3-dB bandwidth in excess of 26 GHz 88—51678
Wake, D., Nelson, A.W., Cole, S., Wong, S., Henning, I.D., Scott, E.G. InGaAs/InP junction field-effect transistors with high transconductance made using metal organic vapor phase epitaxy 86—28321
Wake, D., Nelson, A.W., Cole, S., Wong, S., Henning, I.D., Scott, E.G. A high transconductance InGaAs/InP junction field effect transistor suitable for monolithic integration made using MOVPE 86—53694
Wake, D., Scott, E.G., Henning, I.D. Monolithically integrated InGaAs/InP PIN-JFET photoreceiver 86—54056
Wake, D., Walling, R.H., Sargood, S.K., Henning, I.D. $In_{0.53}Ga_{0..47}As$ PIN photodiode grown by MOVPE on a semi-insulating InP substrate for monolithic integration 87—46723
Wake, D. *see* Nelson, A.W. 87—10433
Wake, D. *see* Scott, E.G. 85—49561
Wake, D. *see* Smith, P.A. 88—72489
Wake, H., Hara, K. On the effects of bridge lights on the bridge over Naruto Kaikyo on the ship's track 88—43484
Wake, H. *see* Tarumi, Y. 85—58253, 86—30895
Wake, M., Maehata, K., Kobayashi, M., Sato, A., Yamada, Y., Murase, S., Nakamura, S., Kamisada, Y. 13.4 T generation by superfluid cooling 88—45018
Wake, M., Matsui, T., Ishibashi, K., Satow, T., Asai, O., Kuno, K., Kawaguchi, T., Wakamoto, K., Fujita, R., Hirabayashi, H. A large superconducting thin solenoid magnet for TRISTAN experiment (VENUS) at KEK 85—59028
Wake, M., Sakuda, M., Matsui, T., Ishibashi, K., Satow, T., Asai, O., Kuno, K., Kawaguchi, T., Wakamoto, K., Fujita, R., Hirabayashi, H. Construction of a large thin solenoid magnet 86—50389
Wake, M., Sakuda, M., Matsui, T., Ishihara, N., Doi, Y., Haruyama, T., Mito, T., Ishibashi, K., Maehata, K., Satow, T., Asai, O., Kawaguchi, T., Kuno, K. The first excitation of VENUS thin solenoid magnet 87—38709
Wake, M., Sakuda, M., Matsui, T., Ishihara, N., Maehata, K., Doi, Y., Ishibashi, K., Satow, T., Hirabayashi, H. Excitation of a superconducting large thin solenoid magnet 87—74623
Wake, M. *see* Abe, K. 88—16629
Wake, M. *see* Arai, R. 87—32918
Wake, M. *see* Ishibashi, K. 87—7055
Wake, M. *see* McInturff, A.D. 85—59031
Wake, M. *see* Shintomi, T. 86—25062, 86—44519
Wake, R.W., Flanigan, M.C. A review of contrast in positive photoresists 86—1910
Wake, R.W. *see* Flanigan, M.C. 86—1888
Wake, S. *see* Toyomoto, H. 86—34790
Wake, S. *see* Vamamoto, M. 88—19128
Wake, T. *see* Matsumoto, K. 85—59582
Wake, Y., Tanaka, S., Ozawa, K., Araseki, T. A multi-pulse LPC speech codec using digital signal processors 86—17065
Wake, Y. *see* Yasunaga, S. 87—48732
Wake-Walker, C.C. Marine radio and radionavigation equipment standards 88—60325
Wakefield, B., Davey, S.T. Characterisation of semi-insulating LEC GaAs by scanning electron microscopy 86—58264
Wakefield, B. *see* Ainslie, B.J. 88—51461
Wakefield, B. *see* Ambridge, T. 85—23610
Wakefield, B. *see* Andrews, D.A. 88—38137
Wakefield, B. *see* Davey, S.T. 88—7277
Wakefield, G.F. *see* Uno, F.M. 87—9806
Wakefield, G.H., Kaveh, M. Frequency-wavenumber spectral estimation of non-planar random fields 86—16388
Wakefield, G.H., Kaveh, M. The covariance-constrained maximum likelihood method [spectral estimation] 87—55168
Wakefield, G.H., Kaveh, M. The covariance-constrained maximum likelihood method 87—55223
Wakefield, G.H. *see* Naik, S.M. 88—66533
Wakefield, G.H. *see* Wang, H. 87—62085
Wakefield, J. *see* Maguire, P. 85—45881
Wakefield, J. *see* Mitchell, N.S.J. 86—53569
Wakefield, K.S. Submarine cables and cable ships 86—4460
Wakefield, R.A., Casazza, J.A. Nuclear power: some economic effects of institutional and technical changes 85—53421
Wakefield, R.E. Simulation of clutter return for an airborne pulse Doppler radar 88—15600
Wakefoose, A.P. *see* Philen, D.L. 87—20565
Wakeford, J. From caption card to Caption by Aston 88—67562
Wakeham, W.A. *see* Charitidou, E. 87—77093
Wakeland, H.L. Experimental international programs in engineering education 88—24433
Wakeley, K. *see* Clark, P.E. 86—39790, 87—42931
Wakeling, R. Intermail 88—28285
Wakeling, R. Document architectures: an overview 88—73515
Wakeman, C. *see* Collins, F.M. 86—62952
Wakeman, L. Development of circuits using high-speed CMOS logic. I. Principles, frequency of failure 85—12419
Wakeman, L. Development of circuits using high-speed CMOS logic. II. Power consumption at system level 85—12420
Wakeman, L. The development of circuits using high-speed CMOS logic. III. Transmission connections and signal coupling 85—12421
Wakeman, L. CMOS counter-timer IC watches the clock for machine and user 85—40146
Wakeman, L. Accurate as clockwork. Time control for microprocessors 86—46940
Waker, A.J. Experimental uncertainties in microdosimetric measurements and an examination of the performance of three commercially produced proportional counters 85—37919
Waker, A.J. *see* Cowling, A.R. 86—38851
Waker, A.J. *see* Makrigiorgos, G. 87—21697
Waker, K.A., Dennis-Burns, J.D., Bunting, D.R. The classroom . . . and the library . . . that cover seven counties 86—24172
Wakeren, J.H.A.van *see* van Wakeren, J.H.A.
Wakerley, M.W. *see* Plews, M.J. 86—39418
Wakerley, P.A. *see* Tibbenham, M.I. 85—15422
Wakerly, J.F. A voice/data/packet switching architecture 86—4449
Wakerly, J.F., Fong, K. Integration without replacement [digital PBX for voice and data] 86—4447
Wakerly, J.F., Sammartino, F. Attaching RS 232 and LAN capabilities to an existing voice only switching network 86—54952
Wakes, T.E., Goodhew, G.A., McKee, M.F.R. A new BBC television complex for Northern Ireland 85—3559
Wakhara, T., Shimura, S., Inui, M., Sata, T., Kimura, F. Automatic generation of NC commands based on a machining product model 88—11525
Waki, E. *see* Kobayashi, S. 87—36092
Waki, E. *see* Takahashi, K. 87—36101
Waki, E. *see* Yamada, T. 85—3083, 85—36666
Waki, M. *see* Hirano, T. 86—62879
Waki, M. *see* Kawada, T. 87—17158
Waki, S. *see* Kazama, T. 86—61565
Waki, Y. *see* Aoki, M. 86—34716
Wakid, S., Brusil, P., LaBarre, L. Coming to OSI: network resource management and global reachability 88—21620
Wakida, S., Ujihira, Y. Chemically modified copper hybrid ion sensor with 7,7,8,8,-tetracyanoquinodimethane 88—74356
Wakihara, M., Uchida, T., Morishita, T., Wakamatsu, H., Taniguchi, M. A rechargeable lithium battery employing a porous thin film of $Cu_{3+\delta}Mo_6S_{7.9}$ 87—78879
Wakihara, M. *see* Taniguchi, M. 88—35932
Wakihara, M. *see* Wakamatsu, H. 87—51434
Wakim, F.G. Photoelectronic properties of a-$Si:Se_x$ and a-$Si:Te_x$ thermally evaporated films 87—18829
Wakim, F.G., Hasan, M.A. Electronic properties of Fe_2Se_3 and $As_2Se_{3-x}Fe_x$ films 87—32263
Wakim, F.G. *see* Faris, F.A. 86—35366
Wakim, M. *see* Bloeden, R. 85—63408
Wakimoto, A., Ito, S., Shimamura, K., Shirota, S., Fujita, K. An 8/16-bit high-performance CMOS original single-chip microcomputer 88—44206
Wakimoto, A., Kurata, M., Shirota, S., Yamaguchi, M., Fujita, K. A series of CMOS 8-bit single-chip microcomputers 85—17467
Wakimoto, H. *see* Nakagawa, I. 87—59478
Wakimoto, K. A graphical association measure for the cross classifications 87—44123
Wakimoto, K., Odaka, Y., Lee-jung Kang Testing the goodness of fit of the multinomial distribution based on graphical representation 87—51934
Wakimoto, K. *see* Ariki, Y. 87—27621
Wakimoto, K. *see* Higuchi, K. 86—34849
Wakimoto, K. *see* Miyajima, H. 85—17572
Wakimoto, T., Akazawa, Y., Kawarada, K. 4-GHz band GaAs monolithic limiting amplifier 87—16891
Wakimoto, T. *see* Akazawa, Y. 85—61448, 86—35122, 87—59664
Wakimoto, Y. *see* Kikuchi, H. 88—50485
Wakimoto, Y. *see* Nakao, S. 87—15739
Wakimoto, Y. *see* Yuasa, Y. 88—75424
Wakimura, K. *see* Nakayama, Y. 86—34375
Wakimura, Y. *see* Kobayashi, K. 88—18443
Wakimura, Y. *see* Nakamura, Y. 88—19007
Wakimura, Y. *see* Niwa, A. 87—13515
Wakimura, Y. *see* Shintani, H. 85—3277
Wakino, K. High frequency dielectrics and their applications 87—46245
Wakino, K. High frequency dielectrics and their applications: miniaturisation moves on 88—71876
Wakino, K., Murata, M., Tamura, H. Far infrared reflection spectra of $Ba(Zn,Ta)O_3$-$BaZrO_3$ dielectric resonator material 86—35942
Wakino, K., Nishikawa, T., Tamura, H., Sudo, T. Dielectric resonator materials and their applications 87—66489
Wakino, K. *see* Murata, M. 85—20599
Wakino, K. *see* Nishikawa, T. 85—17622, 86—8347, 87—5947, 87—73616, 87—77442, 88—25381, 88—70890
Wakino, K. *see* Ogawa, T. 86—68135, 87—12019
Wakino, K. *see* Tanaka, K. 85—35544, 86—35943
Wakino, S., Oyama, H., Yukumoto, T., Konosu, S. Recent trends of the large screen size TV receiver 88—41813
Wakita, A. *see* Shibata, T. 86—8882
Wakita, A. *see* Wu, C.S. 85—34637
Wakita, H. Trends in standardization of performance assessment for automatic speech recognizers in the United States 86—48800
Wakita, H. *see* Applebaum, T.H. 87—61721
Wakita, H. *see* Hanson, B.A. 87—19508, 87—69058
Wakita, H. *see* Hermansky, H. 85—46739, 85—63010, 86—10315, 87—27272
Wakita, H. *see* Makino, S. 87—27327
Wakita, H. *see* Matsumoto, H. 87—2491
Wakita, K., Kawamura, Y., Asahi, H. Polarisation-dependent gain-current relationship in InGaAs/InGaAlAs/InAlAs SCH-MQW laser diodes 85—29816
Wakita, K., Kawamura, Y., Wakao, M., Asahi, H. Long wavelength waveguide multiple quantum well optical modulators 88—20439
Wakita, K., Kawamura, Y., Yoshikuni, Y., Asahi, H. Electroabsorption on room-temperature excitons in InGaAs/InGaAlAs multiple quantum-well structures 85—34570
Wakita, K., Kawamura, Y., Yoshikuni, Y., Asahi, H. High-temperature excitons and enhanced electroabsorption in InGaAs/InAlAs multiple quantum wells 85—50233
Wakita, K., Kawamura, Y., Yoshikuni, Y., Asahi, H. Long-wavelength waveguide multiple-quantum-well (MQW) optical modulator with 30:1 on/off ratio 86—68329
Wakita, K., Kawamura, Y., Yoshikuni, Y., Asahi, H. Long-wavelength optical modulation in multiple quantum wells 87—1979

Wakita, K., Kawamura, Y., Yoshikuni, Y., Asahi, H., Uehara, S. High-speed long-wavelength optical modulation in InGaAs/InAlAs multiple quantum wells 86−2858
Wakita, K., Kawamura, Y., Yoshikuni, Y., Asahi, H., Uehara, S. Anisotropic electroabsorption and optical modulation in InGaAs/InAlAs multiple quantum well structures 87−7179
Wakita, K., Matsuo, S. Small surface damage facet coating on InGaAsP/InP laser by ECR plasma deposition 85−2303
Wakita, K., Nakao, M., Kawamura, Y., Asahi, H. High on/off ratio and low applied voltage optical modulator using multiple quantum well structures 87−60968
Wakita, K., Nojima, S., Nakashima, K., Kawaguchi, Y. GaInAs/InP waveguide multiple-quantum-well optical modulator with 9 dB on/off ratio 87−76755
Wakita, K., Yoshikuni, Y., Kawamura, Y. Highly efficient InGaAs/InAlAs MQW waveguide phase shifter 87−38950
Wakita, K., Yoshikuni, Y., Nakao, M., Kawamura, Y., Asahi, H. Observation of low chirp modulation in long wavelength InGaAs/InAlAs multiple-quantum-well optical modulators 88−13940
Wakita, K. *see* Asahi, H. 85−41388
Wakita, K. *see* Itaya, Y. 85−62566
Wakita, K. *see* Kawamura, Y. 85−35747, 86−36245, 87−24846, 87−68183, 87−68600, 88−12987
Wakita, K. *see* Kumai, W. 87−78143
Wakita, K. *see* Matsuoka, T. 85−18922, 86−3181
Wakita, K. *see* Tanaka, H. 87−33185
Wakita, K. *see* Uehara, S. 86−42583
Wakita, N., Uemura, T., Ohnishi, H., Ohba, N., Kobayashi, Y., Oka, I. Driving methods of ferroelectric liquid crystal display 87−56761
Wakita, N. *see* Ohnishi, H. 87−56760
Wakita, N. *see* Okuda, M. 87−12029
Wakita, N. *see* Uemura, T. 87−56762, 88−42220
Wakita, S. *see* Matsuzaki, A. 87−14135
Wakita, T., Horigome, T., Uchida, Y., Sakai, H. Development of large-area amorphous silicon solar cells 86−40102
Wakita, T., Kaneda, K. A test signal generator for high-resolution CRT displays 87−8644
Wakitani, M., Okamoto, K., Sato, S., Miura, S., Andoh, S. New method to evaluate defect density in AC thin-film EL insulating films 85−14951
Wakitani, M. *see* Watanabe, J. 88−16342
Wakiwaka, H. *see* Yamada, H. 87−42023, 88−8428, 88−60928
Wakiwaka, H. *see* Yamamoto, Y. 87−22450
Wakiyama, S. *see* Okayama, S. 88−57528
Wakiyama, T. *see* Saito, H. 88−51197
Wakiyama, T. *see* Suwabe, S. 87−60785
Wakiyama, T. *see* Takahashi, M. 87−60786, 88−33518, 88−39794, 88−64895, 88−64897
Wakker, B.P., Schwarz, U.J. The Multi-Resolution CLEAN and its application to the short-spacing problem in interferometry 88−66610
Wakoh, M. *see* Sugimoto, T. 88−24846
Waks, S., Eisenberg, E. Cognitive vs. instrumental aspects in operating electronic instrumentation 87−72724
Waksberg, A. Optimization of a photon pulse integrating receiver using an avalanche photodetector 85−8844
Waksberg, A., Dreze, C. Low frequency characteristics of a quasioptical Schottky diode detector. I. Theory 85−20625
Waksberg, A., Dreze, C. Low frequency characteristics of a quasioptical Schottky diode detector. III. Higher order theory 86−28265
Waksberg, A. *see* Davis, B.W. 85−11564
Waksberg, A. *see* Dreze, C. 85−20626, 85−58869, 85−64151, 87−29135
Wakuda, M. *see* Hattori, M. 88−19442
Wakui, F., Sakamoto, H., Tanaka, M. Construction and application of multi-valued multithreshold circuit based on threshold control 88−38482
Wakui, F., Tanaka, M. Application and construction of a multi-valued multithreshold circuit based on a threshold control 86−14165
Wakui, G., Kubota, T., Takashima, M., Takizawa, O., Miyabe, T., Osone, H. Measurements of dynamic torque-speed characteristics for small motors 85−4120
Wakui, G., Kurihara, K., Kubota, T. Radial flux type hysteresis motor and reaction torque—numerical analysis of hysteresis motor using finite element method 88−55321
Wakui, G., Kurihara, K., Kubota, T., Suzuki, S., Ohuchi, K., Fujita, S., Fukasaku, H. No-load characteristic and slot coefficient of fractional horsepower induction motor 87−4712
Wakui, G., Ohashi, I., Kurihara, K. Automatic operation of hysteresis motor with short duration overexcitation 85−5063
Wakui, H. *see* Kirisawa, K. 87−62573, 88−21576
Wakui, K. Broadcasting new-media and HA 85−42706
Wakui, K. Introduction to new media issues 85−47025
Wakui, K. Home electronics 85−47038
Wakui, K., Goto, N. High performance TV colour camera using latest Saticons and microelectronics 87−8419
Wakui, K., Goto, N., Sueoka, T., Yamashita, T., Shidara, K., Kurashige, M., Ogusu, C., Shimoda, S., Murakami, K., Ohzeki, K., Mochizuki, T., Ohnishi, K., Kawai, T., Wakabayashi, A.H., Kitahara, S., Kusaka, H. High-performance TV camera using latest Saticons and microelectronics 85−8572
Wakui, K., Yamashita, T. Evaluation techniques for TV pictures. VI. Evaluation method for TV picture quality with the ITE test charts 85−8552
Wakui, K. *see* Murakami, K. 85−32688
Wakui, K. *see* Sueoka, T. 87−8422 to 8423
Wakui, Y. *see* Arai, K.I. 88−51182
Wakui, Y. *see* Minami, M. 88−63686
Wakui, Y. *see* Shiraki, M. 86−28676, 86−36023
Wakui, Y. *see* Tsuya, N. 86−35975, 87−32855, 87−46346, 88−51285
Wakuri, T. An approach to digital level compression using the zero-crossing points of programme signals 85−47766
Wakuri, T. *see* Tanabe, H. 85−4103
Wakuta, Y., Hasuyama, H., Ikenaga, S., Yamada, K. Permanent sextupole magnets 88−1882
Wakuta, Y., Ueno, A., Takasaki, K., Ogura, K. Dedicated medical heavy particle accelerator 87−29811
Wakuta, Y. *see* Hasuyama, H. 86−60520
Wakuta, Y. *see* Yamada, K. 88−42373
Wal, G.S.van der *see* van der Wal, G.S.
Wal, L.F.van der *see* van der Wal, L.F.
Wal, P.B.van der *see* van der Wal, P.B.
Wal, P.van der *see* van der Wal, P.
Wal, R.van der *see* van der Wal, R.
Wala, K., Kulczycki, J. The optimization of unilaterally supplied line design [distribution networks] 85−32152
Walach, A. Digital phase shift meter 88−36129
Walach, E. On high-order error criteria for system identification 86−29858
Walach, E., Bruck, J., Chevion, D., Karnin, E., Ramm, D. A modified block truncation coding technique for image compression 87−48236
Walach, E., Chevion, D., Karnin, E. On modification of block truncation coding approach to image compression 87−48022
Walach, E., Karnin, E. A fractal based approach to image compression 87−19933
Walach, E., Karnin, E., Chevion, D. On fractal based approach to image coding 87−48023
Walach, E. *see* Chevion, D. 87−48024
Walachova, J., Kohout, J., Matveeva, L.A. Some problems of thickness determination of active layer in InP/GaInAsP heterostructures with the doping and/or composition profiling method 88−8183
Walanus, A., Wybraniec, A. A simple electronic device for the stabilization of gas amplification in measurements of low radioactivities 85−31756
Walasek, T. *see* Goscinski, A. 85−36697
Walaszek, G. A portable battery-operated simulator of memories EPROM 2708/2716 85−58527
Walaszek, M. Correlation analysis of nonlinear distortion in the output of devices using wideband Gaussian signal in the input 88−27967
Walaszek, S. Investigation of commutational set reliability with particular attention paid to the influence of locating and repair of defective set on its readiness 85−49406
Walaszek, S. Procedure model of servicing switching sets allowing for failures without blocking 88−55923
Walba, D.M., Clarke, N.A. Model for the molecular origins of the polarization in ferroelectric liquid crystals 88−58253
Walbeck, M. *see* Wagner, H.J. 88−37025
Walbridge, M.R., Sara, M.N. Earth station design and high power mm wave TWT amplifiers 87−40861
Walbroehl, G.S. *see* Repperger, D.W. 86−11929
Walch, D. A new, smart 5 ampere, 60 volt full-bridge motor driver 88−70555
Walch, P.F. *see* Guilboard, D.K. 86−982
Walcher, H., Bartosz, R. Intelligent sensors. The way for performance enhancement of machine controls 88−16060
Walcher, H. *see* Kuntz, W. 87−3597
Walcher, H. *see* Schmitz, J. 87−31489
Walcher, Th. *see* Bruckner, W. 88−61126
Walck, C. *see* Alner, G.J. 88−10288
Walckiers, L. *see* Billan, J. 85−52921
Walckiers, L. *see* Lebrun, P. 88−68167
Walckiers, L. *see* Remondino, V. 88−68165
Walckiers, L. *see* Taylor, T.M. 86−44527
Walckiers, M., Blitz, D., Soree, G. TELEDOC: computerised remote control interlibrary loan 88−66911
Walcot, C. Relay board and optical sensor [for Dragon 32 microcomputer] 85−40283
Walcott, J.S. *see* Morriseey, J.M. 85−45767
Walczak, A., Pacewicz, J. Stroboscopic versions of scanning electron microscope and application in the examination of dynamic processes in electronic devices 85−1256
Walczak, A. *see* Milewska, M. 88−12788
Walczak, D.A. *see* Chu, C.K. 86−12923, 87−67241
Walczak, J. *see* Gron, T. 86−35375
Walczak, K. Deductive fault simulation for sequential module circuits 88−32080
Walczak, K., Sapiecha, K. Multiple fault detection and location in large combinational circuits 85−17346
Walczak, R., Richards, P. A guide for the use of thermoplastic polyesters in today's connector designs 88−38277
Walczak, R. *see* Bella, G. 87−29447
Walczak, R. *see* Catanesi, M.G. 87−77548
Walczak, R. *see* Czyrkowski, H. 87−29511
Walczak, R. *see* Genser, K. 87−29475
Walczak, R. *see* Taegen, F. 87−58056
Walczuk, E. Influence of contact-tip dimensions on erosion of contacts in low voltage circuit-breakers 86−71010
Walczuk, E. Silver contacts thick tarnish film resistance changes with time investigations 87−37618
Walczuk, E. Comparability of investigation results concerning arc erosion of contact materials of high currents. I. Investigations, influencing quantities, dependences and result interpretation 88−7100
Walczuk, E. Comparability of investigation results concerning arc erosion of contact materials of high currents. II. Mathematical and physical correlations 88−17773
Walczuk, E., Stolarz, S., Wojtasik, K. Experimental study of Ag-W-Re composite materials under high current conditions 87−43317
Walczuk, E., Stolarz, S., Wojtasik, K. Experimental study of Ag-W-Re composite materials under high-current conditions 88−5797
Walczuk, E. *see* Glaba, M. 87−74769
Walczyk, M. *see* Domzalski, T. 88−5732
Walczyna, A. *see* Przybylski, J. 86−6749
Wald, A. Once in a lifetime: clinical engineering a new hospital 86−56221
Wald, A. A model for standards use and development 87−63711
Wald, A. The end of clinical engineering departments? 88−36413
Wald, A. Ethics for clinical engineers in standards activities 88−42478
Wald, A. Ethics and standards in clinical engineering 88−68321
Wald, B. Sources of improved signal processing performance 85−57392
Wald, D. A multi-line handset conversion in kit form 87−40543
Wald, F. *see* Skjoldebrand, R. 86−12581
Wald, F.V. Defects in silicon grown by the EFG technique 86−40714
Wald, F.V. Large area silicon sheet production for low cost photovoltaics—review and status 88−37461
Wald, F.V. *see* Taylor, A.S. 87−44291
Wald, H.B. *see* Ash, W.W. 88−10244
Wald, R.W. *see* McGillivray, R. 85−15330, 85−48291, 88−4949, 88−54556
Wald, R.W. *see* McGillivray, R.V. 86−50581
Wald, S. *see* Bantel, M. 85−15183
Wald, S. *see* Schmidt, H.R. 86−25129
Walda, S. *see* Stokstad, R.G. 86−44578
Waldbach, P. Videotext communication service makes communication more efficient 86−30330
Walde, H. Status and development of the electrochemical and electrometallurgical production processes 87−22922
Waldeck, D. The preparation of metallic masks for fine-line printing in thick-film hybrid technology 85−1194
Waldeck, H. CAD applications at the Essen works of Krupp Industrietechnik 86−26588
Waldeck, T. *see* Kronberg, M. 87−33716
Walden, A.T. Non-Gaussian reflectivity, entropy, and deconvolution 86−29839
Walden, A.T. Robust deconvolution by modified Wiener filtering [seismology] 88−46023
Walden, A.T. A comparison of stochastic gradient and minimum entropy deconvolution algorithms 88−72964
Walden, A.T., Hosken, J.W.J. An investigation of the spectral properties of primary reflection coefficients 85−46759
Walden, A.T., Hosken, J.W.J. The nature of the non-Gaussianity of primary reflection coefficients and its significance for deconvolution 87−21763
Walden, A.T., Nunn, K.R. Correcting for coloured primary reflectivity in deconvolution 88−61606
Walden, B.B. *see* Hosom, D.S. 88−55695
Walden, D.C. *see* Adams, G.W. 86−38951
Walden, E.J. *see* Mink, J.W. 85−34329
Walden, H. *see* Schwemmer, G.K. 88−23185
Walden, J. *see* Korman, C.S. 87−31715, 88−75803
Walden, J.M., Frank, J.D. Measurement of pulsed laser beam profiles during the initial firing period 86−42617
Walden, J.M. *see* Frank, J.D. 86−15758

Walden, J.P. *see* Baliga, B.J. 85−50482
Walden, J.P. *see* Korman, C.S. 87−11816
Walden, J.P. *see* Mansmann, J.G. 88−63509, 88−70540, 88−75568
Walden, J.P. *see* Wildi, E.J. 86−9251, 86−14006, 86−47693
Walden, R. *see* Bonde, L.W. 85−4474
Walden, R.H. *see* Schmitz, A.E. 88−63764
Walden, T.H., Schmitz, A.E., Larson, L.E., Kramer, A.R., Pasiecznik, J. A 4-bit 1 GHz sub-half micrometer CMOS/SOS flash analog-to-digital converter using focused ion beam implants 88−70878
Waldern, A.M. *see* Gaul, M.D. 88−18769
Waldhaim, E. *see* Heuck, K. 88−48541
Waldhauer, A. Update on VUV and soft X-ray facilities at SSRL 88−47739
Waldhauer, A. *see* Rowen, M. 86−60665
Waldhecker, H.D. *see* Henrich, G. 85−54002
Waldheim, P.A. *see* Rocketto, H.J. 87−44041
Waldi, R. *see* Heller, R. 85−43301
Walding, S. Bubbles bounce back in the battle against floppy disk drives 86−9424
Waldis, W., Stresow, U. CAD for printed circuits carrying surface-mounted components 87−11142
Waldman, D.P. Improved chip cooling 85−44514
Waldman, D.P. *see* Caulfield, T. 85−41070
Waldman, J.M. *see* Pelka, E.J. 85−37139
Waldmann, G. *see* Koenig, W. 85−47226
Waldmann, G. *see* Rathgeb, E.P. 88−21524
Waldmann, J., Hoffmann, T., Janke, E. Alphanumeric character presentation by LED-display VQC 10 88−42233
Waldmann, J. *see* Gollner, C. 88−56025 to 56026, 88−57123
Waldmann, K.-H. On bounds for dynamic programs 85−54305
Waldmeyer, J., Abbas, C.C. Comments on 'New gray-scale printing method using a thermal printer' 85−42195
Waldmeyer, W. Good outlook for entertainment electronics 86−17536
Waldmeyer, W. New on broadcasting via satellite 87−56037
Waldner, M. *see* Jensen, J.F. 87−6892
Waldner, M. *see* Larsen, L. 86−47308
Waldner, M. *see* Schulman, J.N. 88−64504
Waldo, R. *see* Chong Chiu 86−33008
Waldo, S., Miller, M.J. FIFO storage properly used 86−1033
Waldo, S. *see* Martinez, M. 85−49811
Waldo, S. *see* Mick, J.R. 86−46871
Waldo, S. *see* Miller, M.J. 86−67977
Waldo, S. *see* Rajpal, S. 87−7654
Waldo, S. *see* Taylor, D.M. 88−32234
Waldo, S. *see* Toth, F. 85−55946
Waldo, W. The impact of photoresist linewidth control and measurement 86−21336
Waldo, W.G. The impact of stepper field registration on manufacturing 86−63385
Waldo, W.G. Statistical control of stepper alignment 87−60243
Waldo, W.G. Stepper condenser lens effects on resolution and telecentricity 88−1494
Waldock, J.A., Jones, T.B., Nielsen, E. Statistics of 1-m wavelength plasma irregularities and convection in the auroral *E* region 85−62772
Waldock, J.A., Jones, T.B., Thomas, E.C., Stewart, C.P. Statistical studies of 150 MHz radar auroral backscatter using SABRE 85−13139
Waldock, J.A. *see* Jones, T.B. 86−59078
Waldon, P.L. Evaluation of electrical insulation exposed to amorphous metal transformer core annealing temperature 86−66142
Waldow, P., Wolff, I. The skin-effect at high frequencies [microwave IC] 86−8464
Waldow, P., Wolff, I. Dual bounds variational formulation of skin effect problems 87−75502
Waldow, S.M., Morrison, P.R., Grossweiner, L.I. Efficacy of Nd:YAG laser-induced hyperthermia in an animal tumor model as a function of the delivery system 88−10419
Waldram, J.M. The roving eye: dynamic perspective 86−44618
Waldron, B. T1, a mainframe perspective 88−9011
Waldron, F. The satellite and the outback 87−56089
Waldron, M.B., Parvereshi, J.K., Heinrich, S. Design of a graphics communication device for deaf persons 88−68495
Waldron, M.B., Traush, J.D. Prony method to analyze EEG signals 86−50595
Waldron, R.D., Criswell, D.R. Concept of the lunar power system [solar power plants] 85−60084
Waldron, T.P., Chin, S.K., Naster, R.J. Distributed beamsteering control of phased array radars 87−8354
Waldrop, H.A. Network control. Don't get trapped in your own web 85−30540
Waldrop, H.A. Be a smart modem shopper [purchasing guidelines and buyer's guide] 85−57838
Waldrop, H.A. Managers grab network reins 85−63286
Waldrop, J.R. Electrical properties of ideal metal contacts to GaAs: Schottky-barrier height 85−1390
Waldrop, J.R. Rare-earth metal Schottky-barrier contacts to GaAs 85−40510
Waldrop, J.R. Influence of S and Se on the Schottky-barrier height and interface chemistry of Au contacts to GaAs 86−1809
Waldrop, J.R. Direct variation of metal-GaAs Schottky barrier height by the influence of interface S, Se, and Te 86−21243
Waldrop, J.R., Grant, R.W. Correlation of interface composition and barrier height for model AuGeNi contacts to GaAs 87−32319
Waldrop, J.R., Grant, R.W. Metal contacts to GaAs with 1 eV Schottky barrier height 88−50661
Waldrop, J.R., Grant, R.W., Kraut, E.A. GaAs-Ge heterojunction interfaces: cyclical behavior of band discontinuities 87−1258
Waldrop, J.R., Grant, R.W., Kraut, E.A. Effect of growth sequence on the band discontinuities at AlAs/GaAs (100) and (110) heterojunction interfaces 88−19683
Waldrop, J.R. *see* Grant, R.W. 88−12985
Waldrop, M.S. A rugged fiber optic connector for the process control industry 88−35468
Waldrop, W.R. *see* Benton, D.J. 88−75433
Waldschmidt, K. Associative processors and memories overview and current status 87−67374
Waldschmidt, K., Tavangarian, D., Roll, G., Strugala, M., Hochstadter, V. An associative memory for fast processor systems 87−37295
Waldschmidt, K. *see* Roll, G. 86−67223
Waldschmidt, K. *see* Strugala, M. 87−17099, 87−65679
Waldschmidt, K. *see* Tavangarian, D. 86−57123
Waldspurger, C.J., Smith, M.A. New design options with rare earth magnets 85−1856
Waldteufel, P. *see* Hauser, D. 87−71299
Waldura, H. Repair of hydraulic turbine runners in operation on the power plants at Electricite de France 88−69212
Waldvogel, J.M. *see* Clausing, A.M. 88−23803
Waldvogel, K. Electronic light regulator 86−33843
Wale, G., Rustici, D. Firmware for an intelligent digital multimeter 88−60823
Wale, M. *see* Grant, M.F. 88−33761
Wale, M.J. Microwave frequency integrated optical modulators in LiNbO$_3$ 86−28902
Wale, M.J., Duthie, P.J., Bennion, I. The design of bidirectional fibre optic links using reflective modulation techniques 88−67389
Wale, M.J. *see* Cook, A.J. 88−67427
Wale, M.J. *see* Duthie, P.J. 86−49583, 87−54038, 88−51559
Wale, M.J. *see* Keen, A.G. 88−26891
Wale-Evans, G. *see* Allsopp, D. 85−11929
Wale-Evans, G. *see* Thrush, E.J. 85−10710, 85−22488
Waleffe, F. Hartmann-Hall flow and MHD energy conversion systems 85−49114
Walen, D.B. Lightning simulation tests on a graphite/epoxy airplane mockup 86−12080
Walen, H.J. *see* Weh, H. 85−39004
Walenda, G. *see* Dumania, P. 85−813
Walenta, A.H. Principles and new developments of semiconductor radiation detectors 87−29492
Walenta, A.H. Track detectors for new hadron colliders 88−10265
Walenta, A.H., Kapitza, H., Kramer, M., Jonsson, L., Roderburg, E., Zech, G. Study of the IDC as a high rate vertex detector for the ZEUS experiment 88−29845
Walenta, A.H. *see* Commichau, V. 85−43175
Walenta, A.H. *see* Hell, E. 88−61298
Walenta, A.H. *see* Roderburg, E. 87−21409
Walenta, A.H. *see* Saxon, D.H. 88−42416
Wales, A. Getting down to earth [earthing systems] 87−64193
Wales, A. Stop that noise and keep control [single point earthing] 88−34342
Wales, G. *see* Jones, A.C. 88−11975
Wales, J.L.S. *see* Ferrier, R.P. 88−51234
Wales, J.R., Calnan, P.G. Why lightning protection can fail to work 85−27095
Wales, S.W. Performance of continuous phase modulations in presence of cochannel interference 88−27730
Walesch, S. *see* Stengl, R. 86−41737
Walf, G., Eggemann, R., Ehlers, H., Langer, K.D., Lukanek, F., Teich, G., Yathke, J. Integrated services broadband transmission system with high-rate optical subscriber lines 86−49133
Walf, G. *see* Baack, C. 88−73707
Walf, G. *see* Langer, K.-D. 85−47331
Walf, G. *see* Langer, K.D. 87−20078, 87−24048, 87−37423
Walfisch, J. *see* Bertoni, H.L. 88−34323
Walford, M.E.R. Inverse methods in radio glaciology 85−64730
Walgraeve, J.P. *see* Carleer, M. 85−22738
Wali, U.V., Pal, R.N., Chatterjee, B. On the modified nodal approach to network analysis 85−44835
Wali, U.V., Pal, R.N., Chatterjee, B. Compact modified nodal approach for switched-capacitor network analysis 86−62410
Wali, U.V., Sreeram, A., Pal, R.N. Switched capacitor networks for voice communication 87−45043
Walicki, J.S. Systolic digital signal processing overview and applications 88−46127
Walis, K. *see* Freier, K. 88−53589
Waliszewski, J., Nowacki, T. Standard equipment of a load-dispatching unit in distribution networks 88−5340
Walitzki, H., Blatte, M. Advanced CZ crystal production for VLSI applications 85−22459
Walk, R., Meyer, G., Howard, P., Blanyer, R., Mathews, C., Jay, B.E. Advances in high-efficiency Pb-acid rechargeable battery technology 88−17905
Walkade, N.S. Rural electrification in developing countries−a time for reassessment 85−9407
Walkade, N.S. Hydro-power scenario of Kenya 87−72033
Walkade, N.S. *see* Gichuhi, J.M. 85−10244
Walkden, F.W. Optimising the design of low-voltage cable networks 86−25602
Walkden, F.W. A power-frequency inductor alternator 86−33360
Walke, B. Local area networks−a new technology for digital data communications 86−43551
Walke, B. Digital exchanges devices and local networks 88−67002
Walke, B., Briechle, R. A local cellular radio network (LCRN) for digital voice and data transmission at 60 GHz 86−23779
Walke, R.L., Duda, J.P. Integration of the KS-147A LOROP into the RF-5E [camera for aircraft] 87−14998
Walke, R.L., Ostrem, O. Flight test results of the KS-147A LOROP camera in the RF-5E 88−48410
Walke, W.C. *see* Gwozdz, J.C. 87−30377
Walker, A., Gallagher, W.J. Mechanical limitations in high average power linacs 86−31816
Walker, A., Shepherd, M. Modulation alternatives for light density digital microwave system networking 88−3825
Walker, A. *see* Ahlfeldt, H. 88−5018
Walker, A. *see* Fellenstein, C. 86−159
Walker, A. *see* Nygards, M.-E. 85−9193, 85−53060
Walker, A.C. Demystifying microwave 86−30622
Walker, A.C. Application of bistable optical logic gate arrays to all-optical digital parallel processing 86−54198
Walker, A.C. Reflection bistable etalons with absorbed transmission 86−68625
Walker, A.C., Aitchison, J.S., Chilwell, J.T., Ritchie, S.T.D., Rodgers, P.M. Intrinsic optical bistability in a passive GaAlAs waveguide 87−33317
Walker, A.C., Aitchison, J.S., Pritchie, S., Rodgers, P.M. Intrinsic optical bistability and multistability in a passive GaAlAs waveguide 86−42624
Walker, A.C., Kar, A.K., Wei Ji, Keller, U., Smith, S.D. All-optical power limiting of CO$_2$ laser pulses using cascaded optical bistable element 86−42620
Walker, A.C., Smith, S.D., Campbell, R.J., Mathew, J.G.H. Electron-beam-tunable interference filter spatial light modulator 88−51652
Walker, A.C., Smith, S.D., Campbell, R.J., Mathew, J.G.H. An electron-beam controlled SLM based on a bistable nonlinear interference filter 88−65426
Walker, A.C., Smith, S.D., Tooley, F.A.P., Taylor, W. Optical computing: experimental demonstrations of optical digital processor circuits 88−8012
Walker, A.C., Taghizadeh, M.R., Mathew, J.G.H., Redmond, I., Campbell, R.J., Smith, D.S., Dempsey, J., Lebreton, G. Optically bistable thin-film interference devices and holographic techniques for experiments in digital optics 88−33813
Walker, A.C., Tooley, F.A.P., Prise, M.E., Mathew, J.G.H., Kar, A.K., Taghizadeh, M.R., Smith, S.D. InSb devices: transphasors with high gain, bistable switches and sequential logic gates 85−41482
Walker, A.C., Valera, J.D., Goodwill, D.J., Aitchison, J.S., Henning, I.D., Ritchie, S. Modal bistability in a GaAlAs leaky waveguide 88−58211
Walker, A.C. *see* Aitchison, J.S. 87−75228, 88−2386
Walker, A.C. *see* Al Attar, H.A. 86−58965, 86−63866
Walker, A.C. *see* Al-Attar, H.A. 87−33308
Walker, A.C. *see* Bigot, J.Y. 87−7436
Walker, A.C. *see* Buller, G.S. 88−73930
Walker, A.C. *see* Hagan, D.J. 85−56785, 87−33324
Walker, A.C. *see* Ji, W. 86−42627
Walker, A.C. *see* Smith, S.D. 85−24648, 85−51281, 85−56836, 85−56843, 86−3300, 86−54199, 87−33300, 87−39221, 88−8291
Walker, A.C. *see* Stegeman, G.I. 87−38775, 87−53953
Walker, A.C. *see* Taghizadeh, M.R. 88−2406
Walker, A.C. *see* Tooley, F.A.P. 85−46482, 86−22481, 86−22484
Walker, A.C. *see* Valera, J.D. 88−72118
Walker, A.C. *see* Wei Ji 87−33304, 88−27290
Walker, A.C. *see* Wherrett, B.S. 88−65417

Walker, A.C. *see* Kaye, A.S. *(editor)* 85−56475
Walker, A.D.M., Greenwald, R.A., Baker, K.B. Determination of the fluctuation level of ionospheric irregularities for radar backscatter measurements 88−4077
Walker, A.D.M., McKenzie, J.F. Properties of electromagnetic waves in ferrites 85−46556
Walker, A.H. *see* Hughes, E.B. 86−50440
Walker, A.L. *see* Norwood, H.M. 88−42502
Walker, A.S.D. *see* Drury, S.A. 88−16890
Walker, B. Meter repair 88−29521
Walker, B., Williams, J.M. Investigation of some factors affecting the accuracy of fibre optic bandwidth measurement 86−36199
Walker, B. *see* Devoy, D. 85−12789
Walker, B. *see* Dholakia, S. 86−67960
Walker, B. *see* Rowson, J. 86−57905, 87−59370
Walker, B.A. *see* Smith, R.A. 86−11157
Walker, B.C., Callahan, M.W. A bistatic pulse-Doppler intruder-detection radar 86−17495
Walker, B.F. *see* Lakhavani, F.J. 85−65624
Walker, C., Hollingsworth, R., del Cueto, J., Madan, A. Influence of transparent conducting oxide on amorphous silicon solar cell performance 87−30988
Walker, C., Hollingsworth, R.E., Madan, A. Determination of the efficiency enhancement due to scattering from rough TCO contact for a-Si:H p-i-n solar cells 88−49152
Walker, C. *see* Arbez, J. 85−30106
Walker, C., Jr. *see* Binder, M. 85−16195
Walker, C.A., McKelvie, J. Optical methods [of NDT] 88−12123
Walker, C.F., Pokoski, J.L. Residential load shape modeling based on customer behavior 85−59612
Walker, C.F. *see* Carlson, M.R. 88−42557
Walker, C.F. *see* Svirsky, M.A. 87−71177
Walker, C.G. *see* Gomati, M.M. 88−8828
Walker, C.G. *see* Tanton, G.A. 85−34700
Walker, C.J., Crossland, W.A. Smectic dynamic scattering in laser-addressed liquid crystal projection displays 86−31491
Walker, C.T. Copper anode area for high-speed copper plating 86−20949
Walker, C.W., Jr., Binder, M., Wade, W.L., Jr., Gilman, S. Optimization of carbon cathodes for Li/SO_2Cl_2 cells 85−65417
Walker, C.W., Jr., Binder, M., Wade, W.L., Jr., Gilman, S. Electrochemical studies of tetrabutylammonium electrolytes at carbon cathodes in sulfuryl chloride cells 86−33578
Walker, C.W., Jr., Wade, W.L., Binder, M., Gilman, S. Cathode performance improvement in calcium-thionyl chloride cells 87−9701
Walker, C.W., Jr., Wade, W.L., Jr., Binder, M., Gilman, S. Performance improvement of calcium-thionyl chloride cells 87−43379
Walker, C.W., Jr., Wade, W.L., Jr., Binder, M., Gilman, S. Performance improvement of calcium-thionyl chloride cells 88−17847
Walker, D. Battery chargers for motive power applications 86−33527
Walker, D., Hallum, C. Pseudoinverses in generalizing Newton's method for obtaining the square root of a symmetric positive semidefinite matrix 86−13685
Walker, D.A., Webber, P.J., Binnian, E.F., Everett, K.R., Lederer, N.D., Nordstrand, E.A., Walker, M.D. Cumulative impacts of oil fields on northern Alaskan landscapes 88−16938
Walker, D.H., Hynek, S.J., Barck, B.N., Fischbach, D.L., Tetreault, R.D., Longo, N.B. A new approach to cogeneration in the supermarket industry 87−35804
Walker, D.H., Statler, R.L. Proton radiation damage in vertical junction solar cells 87−9782
Walker, D.H., Statler, R.L. Electron radiation damage in gallium arsenide solar cells 87−72443
Walker, D.H., Statler, R.L. A satellite experiment to study the effects of space radiation on solar cell power generation 88−49147
Walker, D.H., Statler, R.L., Williams, N.C., Hart, R.E., Jr., Faraday, B.J. 1 MeV electron damage of silicon vertical junction solar cells with three different coverslide adhesives 88−37487
Walker, D.H. *see* Faraday, B.J. 87−72444
Walker, D.J., Barty, C.P.J., Yin, G.Y., Young, J.F., Harris, S.E. Observation of super Coster-Kronig-pumped gain in Zn III 88−14111
Walker, D.J., Caro, R.G., Harris, S.E. Proposal for an extreme-ultraviolet Auger laser at 63.8 nm in Cs III 87−12368
Walker, D.J. *see* Caro, R.G. 87−12352
Walker, D.J. *see* Guang-Yu Yin 87−54250
Walker, D.J. *see* Holmgren, D.E. 85−24468
Walker, D.K. *see* Chedester, R.C. 87−45262
Walker, D.K. *see* Green, R.T. 87−11354
Walker, D.L., Danninger, G.A., Johnson, T.E. Engineering the largest isotope separation magnet 88−65035
Walker, D.L. *see* Hilal, M.A. 88−66012
Walker, D.M., McNeill, S.R., Davis, G., Sutton, M.A. A system for inspection of surface mount PC boards 88−71237
Walker, D.M. *see* Mitchell, J. 88−13224
Walker, D.M.H. Yield simulation for integrated circuits 88−20144
Walker, D.N., Placek, R.J., Bowler, C.E.J., White, J.C., Edmonds, J.S. Turbine-generator shaft torsional fatigue and monitoring 86−51580
Walker, D.R., Rao, K.R. New techniques in pel-recursive motion compensation 85−13640
Walker, D.R., Rao, K.R. Improved pel-recursive motion compensation 85−14442
Walker, D.R., Rao, K.R. Motion compensated coder 85−41997
Walker, D.R., Rao, K.R. Motion-compensated coder 88−15776
Walker, D.R. *see* Johnson, P.A. 87−7937
Walker, E. Artificial intelligence in telecommunications 88−9017
Walker, E. Safety aspects of electron beam, ion beam and laser equipment and processes 88−61489
Walker, E.C., Talbot, T.L., Mudd, C. A low cost environmental chamber for temperature-controlled studies 88−29939
Walker, E.P. *see* Johns, A.T. 85−64976, 86−51138, 88−61983
Walker, E.V. *see* Drury, M.R. 88−49587
Walker, E.V. *see* Gray, C. 88−61745
Walker, F.P. *see* Eckert, G.P. 87−64254
Walker, G. Classification of cryocoolers 85−53954
Walker, G. Astronomical observations. An optical perspective 87−31180
Walker, G., Dillon, H., Byrne, D., Christen, R. The use of loudness discomfort levels for selecting the maximum output of hearing aids 85−4358
Walker, G., Fauvel, R., Xia, Z. Large coal-fired Stirling engines 86−51445
Walker, G., Vaneldik, J.F., Routledge, D., Landecker, T.L., Galt, J.A. A dual-channel cooled GaAsFET receiver for the Dominion Radio Astrophysical Observatory 26-metre radio telescope covering 1.35 to 1.75 GHz 88−74088
Walker, G. *see* Valk, E.C. 88−29612
Walker, G.A., DeHaven, P.W. Initial wetting and reaction sequences in soldering 85−5789
Walker, G.A.H., Johnson, R., Christian, C.A., Waddell, P., Kormendy, J. The CFHT CCD detector 85−58607
Walker, G.H., Heinbockel, J.H. Parametric study of laser photovoltaic energy converters 87−68292
Walker, G.H. *see* Smith, M.S. 87−47373
Walker, G.R., Walker, N.G. Alignment of polarisation-maintaining fibres by temperature modulation 87−53983
Walker, G.R., Walker, N.G. Alignment of polarisation-maintaining fibres by temperature modulation 88−26753
Walker, G.R. *see* Creaner, M.J. 88−35477
Walker, G.R. *see* Harmon, R.A. 88−22108
Walker, G.R. *see* Walker, N.G. 87−40880, 87−62934, 88−20435, 88−33771 to 33772, 88−41695
Walker, G.W. *see* Atkins, J.M. 85−32565
Walker, G.W. *see* Sharbaugh, A.H., II 86−6834
Walker, H. A review of digital radio principles and measurements 87−28385
Walker, H. Gauging errors sets digital radio quality 87−55950
Walker, H. Modulation schemes aid digital radio growth. I 87−55952
Walker, H. Ultrasound presence sensors with wide range and high local resolution 88−30197
Walker, H., Director, S.W. VLASIC: a yield simulator for integrated circuits 86−34472
Walker, H., Director, S.W. VLASIC: a catastrophic fault yield simulator for integrated circuits 87−23836
Walker, H., Thomson, R. Developments in the testing of digital transmission systems 85−2955
Walker, H. *see* Danicic, P. 87−14311
Walker, H. *see* Kaylor, J. 87−77162
Walker, H. *see* Magori, V. 87−50589
Walker, H.F. Implementation of the GMRES method using Householder transformations 88−31678
Walker, H.F. *see* Brown, P.N. 85−33363
Walker, I. Development of a maintenance program 87−78286
Walker, I. Development of a maintenance program 88−11001
Walker, I. Maintenance quality assurance [CANDU maintenance] 88−75377
Walker, I. *see* Thomson, G. 88−11010
Walker, I.K. *see* Kersley, L. 87−54572
Walker, I.R. Miniature solenoid for the production of confined magnetic flux 85−19104
Walker, I.R., Arrott, A.S. Behavior of thin-film magnetic recording heads and their application to micromagnetics 88−64946
Walker, I.R., Curzon, F.L., Dindo, S.F. Aspects of electrode erosion in high-power vortex stabilized arc lamps 86−33825
Walker, J. The ASIC package of the future 87−66680
Walker, J. Lead finishes for surface mount devices 87−66762
Walker, J. It's time for better high-density packaging 88−7647
Walker, J. *see* Bella, G. 87−29447
Walker, J. *see* Berthold, K. 88−64511
Walker, J. *see* Carroll, A. 86−32046, 88−54314
Walker, J. *see* Choi, K.-K. 87−63414
Walker, J. *see* Choi, K.K. 87−60153, 88−12988
Walker, J. *see* Cole, R. 88−67283
Walker, J. *see* Dyer, M.E. 87−59062
Walker, J. *see* Hawkesworth, M.R. 87−29471
Walker, J. *see* Iwai, H. 85−50770
Walker, J. *see* Leonhardt, W. 88−54317
Walker, J. *see* Levine, B.F. 86−50095, 87−56688, 88−2111, 88−7353, 88−32909, 88−35995, 88−36000, 88−53686, 88−60724, 88−65433, 88−65458, 88−67787
Walker, J. *see* Malik, R.J. 86−52453, 87−44351
Walker, J. *see* Oristian, J. 85−8929
Walker, J. *see* Simpson, D. 87−64063
Walker, J. *see* Sims, W.P. 88−54315
Walker, J.A. *see* Fong, E. 86−17458
Walker, J.C. A novel low cost hermetic leaded chip carrier technology 86−46092
Walker, J.C., Carroll, A.S., Leonhardt, W., Monaghan, R., Pearson, C., Pendzick, A., Ryan, G., Sandberg, J., Sims, W.P., Smith, G.A., Stillman, P. Mechanical support and transport system used for the neutrino horn system at Brookhaven National Laboratory 88−54316
Walker, J.C. *see* Sandberg, J. 88−54318
Walker, J.C. *see* Stillman, P. 88−54319
Walker, J.C.G. *see* Burnside, R.G. 87−50551
Walker, J.D. Proportional base-drive circuit 85−11644
Walker, J.D. Multistandard terminal unit 86−4389
Walker, J.E. *see* McKenzie, J.M. 88−42687
Walker, J.F. *see* Beltram, F. 88−71602
Walker, J.F. *see* Capasso, F. 88−70756
Walker, J.F. *see* Gualtieri, G.J. 88−19690
Walker, J.F. *see* Malik, R.J. 88−26214, 88−50816
Walker, J.F. *see* Tolland, H.G. 85−15921
Walker, J.F. *see* van der Ziel, J.P. 86−36462, 87−7363
Walker, J.H. The ASIC designer's test engineering responsibilities 86−41903
Walker, J.H., Saunders, R.D., Hattenburg, A.T. The NBS scale of spectral radiance 88−4662
Walker, J.H., Saunders, R.D., Hattenburg, A.T. Spectral radiance calibrations 88−29672
Walker, J.H. *see* Waters, W.R. 87−56878, 88−68069
Walker, J.J. *see* Silver, D.A. 86−39163
Walker, J.K. *see* Badier, J. 86−70290
Walker, J.L. *see* Ausherman, D.A. 85−8486
Walker, J.L.B. Improving operation of classic broadband, balanced amplifiers 88−577
Walker, J.L.B. MMICs for high frequency active devices 88−7060
Walker, J.L.B. Designing GaAs MMIC transistor amplifiers 88−44368
Walker, J.L.B., Heitzmann, M. Comments on 'New progress in the development of a 94-GHz pretuned module silicon IMPATT diode' [and reply] 85−6520
Walker, J.L.B., McDermott, M.G., Nicholas, J.M.C., Hughes, A.G. Monolithic mixers and phase shifters for X-band 85−50039
Walker, J.L.B. *see* Curran, J.E. 85−17873
Walker, J.R. *see* Felisky, T. 88−41674
Walker, J.R.M., Fenn, G., Smith, B.Z.D. Softtalker. A sound level monitor for the hard-of-hearing using an improved tactile transducer 87−42013
Walker, J.S. *see* Riahi, N. 85−16253
Walker, J.T., Chae, S.-I., Shapiro, S., Larsen, R.S. Microstore−the Stanford analog memory unit 85−40911
Walker, J.T., Parker, S., Hyams, B., Shapiro, S.L. Development of high density readout for silicon strip detectors 85−9107
Walker, J.T. *see* Adolphsen, C. 86−50304
Walker, J.T. *see* Anzivino, G. 86−32183
Walker, J.T. *see* Bakoglu, H.B. 87−44998
Walker, J.T. *see* Bazuin, B.J. 85−48272
Walker, J.T. *see* Brinkman, T.E. 86−37774
Walker, J.T. *see* Chae, S.-I. 88−6878, 88−32201
Walker, J.T. *see* Chang, G. 85−18412, 85−50679
Walker, J.T. *see* Fotowat-Ahmady, A. 85−48273
Walker, J.T. *see* Freytag, D.R. 85−40912
Walker, J.T. *see* Haller, G.M. 86−50426
Walker, J.T. *see* Iwai, H. 85−40904
Walker, J.T. *see* Soo-Ik Chae 87−67510
Walker, J.T. *see* Soo-il Chae 87−74379
Walker, J.T. *see* Yao, C.T. 85−26448
Walker, J.W. Strict refinement for graphs and digraphs 87−72933
Walker, K.A., Neal, G.E. Some toxicological and hepatocarcinogenic studies using a cytofluorograph and its associated computer facility 85−43328
Walker, K.L., Broer, M.M., Carnevale, A. Dispersion shifted fiber designs with low bending losses for infrared materials 87−18703
Walker, K.L. *see* Broer, M.M. 87−18702
Walker, K.L. *see* Ciemiecki Nelson, K. 86−22104
Walker, K.L. *see* Kasper, B.L. 85−42620, 86−11122
Walker, K.L. *see* Krause, J.T. 86−42342
Walker, K.L. *see* Mazurczyk, V.J. 86−11123

Walker, K.L. *see* Olsson, N.A. 85−25869
Walker, K.L. *see* Whalen, M.S. 85−63637
Walker, K.L. *see* Wood, D.L. 87−46480
Walker, K.L. *see* Wood, T.H. 86−49584
Walker, L., Cory, B.J. Four year Dainton course in electrical engineering at Imperial College 85−16612
Walker, L.H. Force-commutated reactive-power compensator 87−29999
Walker, L.P., Selden, J.B., Ferraro, F.A. Evaluation of regulatory processes affecting nuclear power plant early site approval 85−53407
Walker, L.P. *see* Bradbury, R.B. 85−9593
Walker, L.R. *see* Yafet, Y. 87−25793
Walker, M. *see* Akers, L.A. 86−21837
Walker, M. *see* Cavers, J.K. 87−3082
Walker, M. *see* Macfarlane, P.W. 86−12006
Walker, M. *see* Mitchell, C. 88−67281
Walker, M. *see* Uren, S. 88−57972
Walker, M. *see* Zeitlin, B. 86−53928
Walker, M.B. Resource persons for the 288 learning activities for 80 on-the-job engineering problems 85−32981
Walker, M.B. Remote delivery methods for University of Illinois continuing engineering education 87−23094
Walker, M.B. Continuing professional development in the 21st century: perspectives through interviews 88−24435
Walker, M.B., Donaldson, J.F. Problems and solutions−University of Illinois off-campus video instruction in continuing engineering education 87−31224
Walker, M.B. *see* Donaldson, J.F. 87−23086
Walker, M.D., Maxey, M.R. A whirling hot-wire anemometer with optical data transmission 85−52909
Walker, M.D. *see* Walker, D.A. 88−16938
Walker, M.F. A dew detector for use with astronomical telescopes 87−71355
Walker, M.F. *see* Connor, K.A. 85−16601
Walker, M.G. Get inside CCITT signaling system No.7 86−49059
Walker, M.G. Designing and modeling a current-mode converter 87−37008
Walker, M.G. Design of a current-mode switching power supply using the Analog Workbench 87−44589
Walker, M.G. The analog workbench: the circuit designer's CAE tool 87−59105
Walker, M.G. Requirements for a PC-based CAE system for power converter design 87−72295
Walker, M.G., Crosby, B.C. Analog circuit simulation−an overview 86−66947
Walker, M.G., Filseth, E.S. Analog IC simulation for manufacturability 88−20060
Walker, M.G., Hess, R.A. Making the ISDN work: a look at D-channel signaling 87−55383
Walker, M.G., McGregor, J. Computer-aided engineering for analog circuit design 86−46435
Walker, M.G *see* Tabrizi, M. 88−12217
Walker, M.G *see* Walker, N.C. 86−57608
Walker, M.J., Quinlan, S.C. Analysis of a metal etch plasma process 87−1460
Walker, M.J., Quinlan, S.C. Development of a metal etch plasma process using statistical experimental design 87−25147
Walker, M.K.R., Sirisena, H.R. Positive real rational function curve fitting 87−65403
Walker, M.L., Miller, N.E. Control of polysilicon film properties 85−40567
Walker, M.S. EPROMs−erasure and re-programming 87−5862
Walker, N. JVC HC-95 87−3321
Walker, N. Software package for effective design of ASICs 88−64645
Walker, N. *see* Hearn, E.J. 85−41221
Walker, N.C., Carroll, J.E. Simultaneous phase and amplitude measurements on optical signals using a multiport junction 85−8973
Walker, N.C., Walker, M.G. Design current-mode switching supply on analog workstation 86−57608
Walker, N.G., Carroll, J.E. Multiport optical detectors 85−41938
Walker, N.G., Carroll, J.E. Multipoint optical detectors 85−58721
Walker, N.G., Carroll, J.E. Multiport homodyne detection near the quantum noise limit 87−28597
Walker, N.G., Walker, G.R. Endless polarisation control using four fibre squeezers 87−40880
Walker, N.G., Walker, G.R. Polarisation control for coherent optical fibre systems 87−62934
Walker, N.G., Walker, G.R. Endless polarisation control for coherent optical communications using four birefringent elements of finite range 88−41695
Walker, N.G., Walker, G.R., Booth, R.C. Performance of lithium niobate polarisation convertor/tunable filter 88−33772
Walker, N.G., Walker, G.R., Davidson, J. Endless polarisation control using an integrated optic lithium niobate device 88−33771
Walker, N.G., Walker, G.R., Davidson, J., Cunningham, D.C., Beaumont, A.R., Booth, R.C. Lithium niobate waveguide polarisation convertor 88−20435
Walker, N.G. *see* Creaner, M.J. 88−35477
Walker, N.G. *see* Walker, G.R. 87−53983, 88−26753
Walker, P., Davies, J.T., Nuttall, K.I. A numerical analysis of the resurf diode structure 86−15122
Walker, P. *see* Davies, J.T. 87−60453
Walker, P. *see* Martinez, R.J. 88−24822
Walker, P.A.W. *see* Serag, A.M. 87−42394
Walker, P.G. Specification, comparison and control of inter-related multivariate product-properties 86−7545
Walker, P.J. Evolution of the international switched telephone service 87−55634
Walker, P.J., Matthews, J. The emergence of the 'network company' 88−66871
Walker, P.J. *see* Haywood, S.K. 88−38177, 88−49853
Walker, P.M. First experiments and future prospects at the Daresbury On-Line Isotope Separator 85−59026
Walker, P.M. ISDN regulatory and business planning issues 88−3678
Walker, P.M. Electronic mail offers growing range of uses 88−35016
Walker, P.M. *see* Lerski, R.A. 88−48119
Walker, P.N. High-power MM-wave circulators and isolators designed to operate at 44 GHz 86−27553
Walker, P.S. *see* Granholm, J.W. 87−42010, 88−48234
Walker, P.S. *see* Schrager, R.J. 88−54485
Walker, R. Build an alarm around a single IC [vehicle theft prevention] 85−5469
Walker, R. Acoustic scaling: a re-evaluation of the acoustic model of Manchester, Studio 7 85−47643
Walker, R. A user's view of OSI 86−64538
Walker, R. Why users must co-operate internationally on standardization 88−21607
Walker, R., Davidsen, S. System simulation 86−34736
Walker, R., Koford, J.S. The LDS-III multi-array design system 85−22826
Walker, R., Yin, P., Lobo, K.R., Chang, Y., Tsao, P., Yuen, A., Hsue, J. Structured arrays−a new ASIC concept provides the best of gate arrays and cell based custom 86−2419
Walker, R. *see* Black, R.W. 85−59709
Walker, R. *see* Cameron, D.B. 86−57202
Walker, R. *see* Davidsen, S. 85−22795
Walker, R. *see* Fridge, A. 85−28878
Walker, R. *see* Lim, C.B. 85−43353, 86−50504
Walker, R. *see* Rode, C.H. 86−31850
Walker, R. *see* Shah, S.C. 88−48419
Walker, R.A. The remote operation of overhead line equipment 85−38529
Walker, R.A., Butler, B. Level-III application of videodisc technology in the training of basic electrical skills 88−6158
Walker, R.A., Frame, G.E., Fridge, D.A. In-line machine vision inspection and control of thick-film printing 88−207
Walker, R.A., Thomas, D.E. A model of design representation and synthesis 86−20216
Walker, R.A., Thomas, D.E. Design representation and transformation in The System Architect's Workbench 88−26432
Walker, R.A.P., Mohindra, V.K., Pilon, P., Roberts, J.G., Hersom, J. An on-line tritium-in-air monitor for CANDU nuclear generating stations 86−50360
Walker, R.C. *see* Curtis, H., III 86−8536
Walker, R.E. *see* Bryant, N.A. 86−18544
Walker, R.G. Simple and accurate loss measurement technique for semiconductor optical waveguides 85−52880
Walker, R.G. High-speed electrooptic modulation in GaAs/GaAlAs waveguide devices 88−20443
Walker, R.G., Carter, A.C. Microwave frequency electro-optic modulation using III-V semiconductor optical waveguides 86−28886
Walker, R.G., Carter, A.C. Electro-optic modulation at microwave frequencies using III-V semiconductors 87−74867
Walker, R.G., Jones, M.W. Heterojunction optical waveguide devices in III-V semiconductors 85−18749
Walker, R.G., Jones, M.W. Optical waveguide modulators and switches in GaAs/GaAlAs heterostructures 86−9624
Walker, R.G., Shephard, H.E., Bradley, R.R. Narrow, high-NA GaAs/GaAlAs optical waveguides with losses below 0.7 ± 0.1 dB cm^{-1} 87−46451
Walker, R.G., Webb, A.P. GaAs/GaAlAs heterostructure waveguide electro-optic devices 85−41218
Walker, R.H. Television security through digital signal processing−the reality 87−34806
Walker, R.J. Reliability of the SMD plastic housings 86−26637
Walker, R.J. Reliability of surface mount components and assemblies 87−1654
Walker, R.J. Sonic standing wave gas density monitor 88−42435
Walker, R.J. *see* Boey, W.K. 86−35197, 86−47206
Walker, R.J. *see* Bridger, B., Jr. 88−61968
Walker, R.K. Built in test (BIT) utilization for improved supportability of the F-20 aircraft 86−44750
Walker, R.L., Norris, C.M. A hybrid simulation of a digital radio, a Simstar approach 87−8177
Walker, R.P. Periodic magnets for free electron lasers 85−56722
Walker, R.P. Near field effects in off-axis undulator radiation 88−47750
Walker, R.P., Coisson, R. Performance of insertion devices in the ESRF 87−29409
Walker, R.P., Fletcher, D., Korab, A., Wong, M.K., Parker, M.R. Aspects of magnetic filtration of gas/particle mixtures 86−29326
Walker, R.P., Poole, M.W., Suller, V.P., Thomson, S.L. General design principles for compact low emittance synchrotron radiation sources 88−47969
Walker, R.P. *see* Gillespie, W.A. 87−2165
Walker, R.P. *see* Jaroszynski, D.A. 88−2339
Walker, R.P. *see* Pidgeon, C.R. 86−3223, 87−75209
Walker, R.P. *see* Poole, M.W. 85−56702
Walker, R.P. *see* Suller, V.P. 88−47970
Walker, R.R. Telephones−a background 87−28249
Walker, R.S. Bearing accuracy and resolution bounds of high-resolution beamformers 86−16468
Walker, R.S., Swingler, D.N. Beamforming with aperture extrapolation (APEX)−performance in practice 87−62078
Walker, R.S. *see* Hostetler, D.R. 88−42966, 88−42994
Walker, R.S. *see* Roger, W.A. 88−40997
Walker, R.S. *see* Swingler, D.N. 87−27476, 88−73114
Walker, R.S. *see* Wong, K.M. 88−52417
Walker, S. H&SE acts on growing cable strike problem 85−54084
Walker, S. *see* Bickers, L. 86−17415
Walker, S. *see* Bresser, O.R. 86−59917
Walker, S. *see* Shukla, J. 88−36188
Walker, S.C.A. Development of mining electrical technology with special reference to South Midlands area 87−16230
Walker, S.D., Bickers, L., Blank, L.C. 1 Gbit/s optical transmission experiment over 83 km using a 1.478 μm DFB laser 86−11110
Walker, S.D., Blank, L.C. Ge APD/GaAs FET/op-amp transimpedance optical receiver design having minimum noise and intersymbol interference characteristics 85−3990
Walker, S.D., Blank, L.C. Progress in long-span, high-capacity optical transmission system research 87−49071
Walker, S.D., Blank, L.C., Bickers, L. 1.8 Gbit/s 65 km optical transmission experiment using a 1.478 μm DFB laser and Ge APD receiver 85−3443
Walker, S.D., Blank, L.C., Bickers, L. Design and performance aspects of high capacity, unrepeatered optical transmission systems 85−63717
Walker, S.D., Blank, L.C., Bickers, L. Wide bandwidth, long distance fibre-optic communication systems 86−69797
Walker, S.D., Garnham, R.A. Fluoride optical fibre transmission experiments using non-cryogenic sources and detectors 87−18722
Walker, S.D., Garnham, R.A. Mid-infrared optical transmission systems 87−70029
Walker, S.D., Garnham, R.A. A high sensitivity photoreceiver for mid-infra-red transmission system applications up to 3.4 micron wavelength 88−67398
Walker, S.D., Stallard, W.A., Garnham, R.A. Long-span optical fibre transmission systems in the 2-4 micron wavelength region 87−40976
Walker, S.D *see* Abernethy, T.W. 88−47184
Walker, S.D *see* Bickers, L. 85−37052, 86−49674
Walker, S.D *see* Blank, L.C. 86−23852, 86−23871, 88−22082, 88−35529
Walker, S.D *see* Carter, S.F. 88−47181
Walker, S.D *see* Frisch, D.A. 85−25908
Walker, S.D *see* Garnham, R.A. 88−9605
Walker, S.D *see* McNally, B.I. 88−53257
Walker, S.J., Loughhead, M., Lavercombe, P.S., Kilpatrick, D. A body surface mapping system with immediate interactive data processing 85−9218
Walker, S.J. *see* Kilpatrick, D. 85−38065
Walker, S.J. *see* Prise, M.E. 88−65421
Walker, S.N. *see* Baker, R.W. 85−32415, 85−65188
Walker, S.S. Rapid modeling and estimation of total spectral loss in optical fibers 87−7124
Walker, S.T. Network security overview 86−4350
Walker, S.T. *see* Rose, M.T. 86−69349, 87−48499
Walker, T. *see* Kenny, M. 87−34079
Walker, T. *see* Lukaszek, W. 86−41962
Walker, T.W. *see* Lange, M.R. 85−7505
Walker, W. Information technology and the use of energy 86−18921
Walker, W. Information technology and energy supply 87−42337
Walker, W. *see* Kohlbacher, H. 88−14449

Walker, W. *see* Lonnroth, M. 85−59878
Walker, W.A. Heat transfer suction pyrometry [using microcomputer] 85−15068
Walker, W.A., Butler, C.M. A method for computing scattering by large arrays of narrow strips 85−24790
Walker, W.J. Good lux for a bright future [lighting] 88−11487
Walker, W.M. *see* Senior, J.M. 86−64767, 88−21661, 88−28349, 88−28355
Walker, W.T. System software for personal instrumentation 86−38236
Walker, W.T. *see* Rothschild, C.J., III 86−60113
Walker, W.W. *see* Noble, W.P. 85−28507, 85−40093
Walker, W.W. *see* Scheuerlein, R.E. 85−22878
Walker, W.W. *see* Tung Symon Chang 86−20480
Walkerdine, K. Card operated prepayment meters, East Midlands Electricity Board experience 86−39067
Walkey, D.J. *see* Wong, R.K. 87−34954
Walkington, P.D. *see* Gieske, J.H. 85−6088
Walkley, J. *see* Tarrant, M.R. 88−41867
Walko, J. Down memory lane to answer a micro prayer 85−17376
Walko, J. The promise of faster circuits [GaAs ICs development] 85−23875
Walko, J. Getting the measure of chromatic dispersion 85−26491
Walko, J. The digital route to stereo television 85−42704
Walko, J. Battle lines drawn over MSE [Mobile Subscriber Equipment] 85−57986
Walko, J. Europe seeks broadband agreement 86−4619
Walko, J. Bright future for mobile radio 86−17241
Walko, J. Plessey sets the pace for ISDN exchanges 86−23626
Walko, J. Awaiting the renaissance [Italian telecommunications] 86−30177
Walko, J. A digital experience 86−43648
Walko, J. More coherent transmissions 86−53961
Walko, J. Ploughing the seabed with optical fibres 86−59884
Walko, J. Deregulation fuels the competitive spirit [Japanese telecommunications] 87−13207
Walko, J. A novel route from analogue to digital 87−13582
Walko, J. Gambling on standards 87−43850
Walko, J. A powerful force in optoelectronic ICs 87−49019
Walko, J. IDR ready to take off 87−76633
Walko, J. Scaling the heights of the PTTs 88−14888
Walko, J. Broadcast transmitters. Taking sides over single sideband 88−22264
Walko, J. European roamers looking to 1991 88−46914
Walko, J. Switching on the network 88−59429
Walko, J., Hartley, J. A slow start for business services 85−63597
Walko, J. *see* Pingry, J. 85−25512
Walko, L.C. *see* Reazer, J.S. 88−58766
Walko, R.J. *see* Bukowski, J.M. 86−25931
Walko, R.j. *see* Rossmeisl, R.A. 86−19522
Walko, R.J. *see* Wells, V.A. 87−5506
Walkowiak, A.K. *see* Hoffman, C.L. 86−54707
Walkowiak, C. Electric part of the 360 MW generating units in the power station at Belchatow I 85−4918
Walkowiak, C. Large current equipment for power plants [electric generators] 85−21554
Walkowiak, F. *see* Angelis, J. 85−65522
Walkowiak, M. Time in transient electromagnetic phenomena 88−2460
Walkup, J.F. *see* Carson, R.F. 85−2870
Walkup, J.F. *see* Chandran, V. 86−63694
Walkup, J.F. *see* Kasturi, R. 85−19503, 85−30391, 85−57478, 86−23146
Walkup, J.F. *see* Lin, S.-H. 87−47930, 88−33828
Walkup, J.F. *see* Lojewski, D.Y. 85−30306
Walkup, J.F. *see* Shing-Hong Lin 87−7801, 88−51632
Walkup, R.E. *see* Dreyfus, R.W. 87−39262, 88−7490
Walkwisk, M. Causal sphere technique in antenna transient analysis 88−34286
Wall, A. *see* Chang, S. 86−67805, 87−38148, 87−74222
Wall, A. *see* Franciosi, A. 88−1382
Wall, A. *see* Listvan, M.A. 85−7070
Wall, B.E., Wolfman, N.T., Williams, R., Moran, P.R. Dedicated MR receiver coils: a simple design and construction method 86−70401
Wall, B.E. *see* Wolfman, N.T. 87−8906
Wall, C., Danielson, R.D., Stein, R.J. Compact computer system uses electronic liquid for passive cooling and disk drive shock protection 88−49536
Wall, C.I. Polymer thick films: what are they, how are they used and where? 86−27684
Wall, C.I. Screenprinting in the printed circuit board industry 86−35198
Wall, D.J.N. *see* Bates, R.H.T. 86−29514
Wall, D.L. New Developments in tunable diode laser sources relevant to infrared fiberoptics technology 87−18981
Wall, D.L. *see* Brooks, C.L. 85−27053
Wall, D.L. *see* Tram, H.N. 88−54957
Wall, E.E.Van der *see* Van der Wall, E.E.
Wall, E.T. *see* Roemish, W.R. 85−43950 to 43951
Wall, G. Thermoeconomic optimization of a heat pump system 87−16182
Wall, G. Exergy conversion in the Swedish society 87−78852
Wall, G. *see* Wolfe, R. 87−11174
Wall, I.B. *see* Chu, B.B. 87−78297, 88−5294
Wall, J. *see* Taylor, T. 87−15137, 87−78058
Wall, J.A. *see* Friebele, E.J. 88−33635
Wall, J.A. *see* Wei, T. 88−477, 88−13845, 88−45121
Wall, J.C. *see* Crouse, J. 87−21518
Wall, J.E., Jr. *see* Hartman, G.L. 86−25369
Wall, J.G. *see* Baer, G.E. 85−31126
Wall, J.G. *see* Macarthur, J.L. 88−10504
Wall, J.G. *see* Valdes, J.J. 88−74790
Wall, K. Curve fitting based on polygonal approximation 87−44217
Wall, K.F., Aggarwal, R.L., Fahey, R.E., Strauss, A.J. Small-signal gain measurement in a Ti:Al_2O_3 amplifier 88−65628
Wall, K.F. *see* Tzeng, H.-M. 85−12826
Wall, L.A., Jr. Overview of the proposal to revise Part 15 and associated FCC test procedures [radiocommunication] 88−14436
Wall, L.A., Jr., McVeigh, J.J. FCC standards for low-power transmitters 85−63529
Wall, M.R. *see* Morris, R.W. 86−50940
Wall, R.A. *see* Gort, M. 88−61861
Wall, R.S. Constrained example generation for VLSI design 86−40853
Wall, S. *see* Greeley, R. 88−67466
Wall, S.D. The SIR-C experiment: measuring new variables from space with SAR 86−18547
Wall, S.D., Curlander, J.C. Radiometric calibration analysis of SIR-B imagery 88−74017
Wall, W. Baseband processing unit for DBS receivers 85−42535
Wall, W.A., Lane, W.A. The development of latchup resistant CMOS input and output stages 87−25610
Walla, T., Sust, M. Polymer thick film pastes 86−27755
Walla, T.F.E. Untersuchung des Seebeckeffektes in Dickschichtpasten und deren Verwendung zur Herstellung von Thermoelementen am Beispiel der Materialkombination von Gold- und Nickelleiterpasten (Analysis of the Seebeck effect on thick-film pastes and their application in manufacturing of thermocouples using a combination of gold- and nickel-pastes) 86−5256
Walla, T.F.E., Fasching, G.M. Thick-film temperature sensors−fundamental principles and technology 86−50042
Wallace, A.K. The function of the reaction rail in the development of a LIM propulsion system for urban transit 85−10186
Wallace, A.K., Ranawake, U.A., Xu, D., Levenspiel, O. The magnetic elevator for solids (MES): a tubular linear reluctance motor 87−64624
Wallace, A.K., Spee, R. The effects of motor parameters on the performance of brushless DC drives 87−78699
Wallace, A.K., Spee, R. Performance evaluation of AC adjustable speed drives 88−24212
Wallace, A.K., Spee, R. The simulation of brushless DC drive failures 88−75653
Wallace, A.K. *see* Spee, R. 88−24200, 88−55654
Wallace, A.M. Matching segmented scenes to models using pairwise relationships between features 87−62160
Wallace, A.M. An informed strategy for matching models to images of fabricated objects 87−69308
Wallace, A.M. A comparison of approaches to high-level image interpretation 88−59249
Wallace, A.M., Williams, G.L., Sinclair, M.W., Hannis, W.J. A WG27 electrical noise standard and radiometer 87−14516
Wallace, A.M. *see* Sinclair, M.W. 86−60330, 87−21286
Wallace, A.R. *see* Whittington, H.W. 88−62244
Wallace, B. Broadband in Boston 85−3711
Wallace, B. Videotex moves out of the home 85−8090
Wallace, B. Beyond the digital horizon 85−13696
Wallace, B. Using 32 bit minis for high speed acquisition 86−17857
Wallace, B. New horizons in digital signal processing 87−7738
Wallace, B. Power integrity 87−71728
Wallace, B.M., Sullivan, S. High resolution infrared laser projector for use with infrared spatial modulators 85−35935
Wallace, B.P. No-break power systems 87−36009
Wallace, B.P. *see* Griffith, D.C. 86−56828
Wallace, C. Variety of protection features simplifies supply design 86−7956
Wallace, C.A. *see* Fisher, G.R. 85−48193
Wallace, C.T. *see* Parker, D.E. 88−70112
Wallace, D. *see* Hansen, R.W.C. 88−42369
Wallace, D. *see* Harris, D. 87−8895
Wallace, D.E., Sequin, C.H. Plug-in timing models for an abstract timing verifier 87−5619
Wallace, D.E., Sequin, C.H. ATV: an abstract timing verifier 88−63470
Wallace, D.I. Explicit form of the hyperbolic term in the Selberg trace formula for $Sl(3,\mathbf{Z})$ and Pell's equation for hyperbolics in $Sl(3,\mathbf{Z})$ 87−16492
Wallace, D.I. Maximal parabolic terms in the Selberg trace formula for $SL(3,\mathbf{Z})/SL(3,\mathbf{R})/SO(3,\mathbf{R})$ 88−56144
Wallace, D.J. *see* Green, M.A. 88−47748
Wallace, E., Adams, C., Arnstein, D. A field test for companded single sideband modulation: implications for capacity enhancement and transmission planning 86−4563
Wallace, E. *see* Haldeman, D.G. 86−70491
Wallace, E., Jr., Chi-yu Chen, Pittman, C.U., Jr., Kwiatkowski, J.H., Cook, C.F., Jr., Helbert, J.N. Radiation-degradation susceptibility studies of vinyl terpolymers: search for improved electron beam resists 85−54540
Wallace, E.J. *see* Garbincius, P.H. 85−26602
Wallace, G. *see* Sparks, R.J. 85−20856
Wallace, H.B. Millimeter-wave propagation measurements at the Ballistic Research Laboratory 88−58844
Wallace, H.B., McGee, R.A. Millimeter wave polarimetric background measurements 86−37919
Wallace, H.B. *see* Richard, V.W. 88−61637
Wallace, I., Hughes, D.R., Wilkinson, G.G. A knowledge based approach to real time industrial vision systems 88−1179
Wallace, J. *see* Hutchins, C.L. 86−47209
Wallace, J. *see* Jacobson, S. 88−48267
Wallace, J.C. *see* Battell, R.D. 88−1104
Wallace, J.E. *see* Johnson, M. 85−1092
Wallace, J.E. *see* Ratchford, G.J. 86−5246
Wallace, J.N. Applications in the electricity supply industry 85−4586
Wallace, J.N. Equipment selection for a total C and I refurbishment of a 500 MW coal fired power station 87−30401
Wallace, J.N. *see* Ashmole, P.H. 86−50894
Wallace, J.P. *see* Choe, K.S. 88−38126
Wallace, J.P. *see* Stefani, J.A. 88−38125
Wallace, K.B. UNIX and the Series 32000 [32-bit microprocessor] 85−45111
Wallace, L.F. *see* Savoye, E.D. 85−58570
Wallace, M. *see* Tang, D. 88−46644
Wallace, M.R. *see* Bayliss, J.S. 88−38507
Wallace, P. *see* Anthony, I. 86−32209
Wallace, P. *see* Askenazy, S. 87−2264
Wallace, P.A. *see* MacGregor, I.J.D. 88−22925
Wallace, P.W., Garland, C.W. Ultrasonic velocity and attenuation measurements with a computer-controlled phase-sensitive detection technique 87−29372
Wallace, P.W. *see* Dammann, C.A. 88−32421
Wallace, R. *see* Rogers, D.C. 87−14955
Wallace, R. *see* Whalen, J.E. 87−34017
Wallace, R.A. Mission applications and requirements for the SP-100 space nuclear power subsystem 86−38920
Wallace, R.A., Lokke, R.E. Today's military avionics technology 87−50492
Wallace, R.E. *see* Rouse, D.M. 87−48439
Wallace, R.L., Jr. *see* Busch-Vishniac, I.J. 85−20399
Wallace, R.S. A modified Hough transform for lines 86−4060
Wallace, S. *see* Grune, G.L. 85−29579
Wallace, S. *see* Kirkup, L. 87−45648
Wallace, S.C. Nonlinear optics and laser spectroscopy in the vacuum ultraviolet 86−3317
Wallace, S.E., Whittle, D.J. Anti-static tin oxide film for CRT faceplate 85−31538
Wallace, S.I. *see* Cater, A.R. 86−39069
Wallace, S.W. Solving stochastic programs with network recourse 86−66751
Wallace, S.W. Decomposing the requirement space of a transportation problem into polyhedral cones 87−5346
Wallace, S.W. Investing in arcs in a network to maximize the expected max flow 87−31418
Wallace, S.W. A piecewise linear upper bound on the network recourse function 87−72961
Wallace, T.V., Moore, P.D., Barley, T.A. A high power coherent 95 GHz transmitter (HIPCOR-95) 86−55378
Wallace, W., Sabisky, E., Stafford, B., Luft, W. Successes and plans of the SERI/DOE Amorphous Silicon Research Project 88−37475
Wallace, W. *see* Belardo, S. 85−38622
Wallace, W. *see* Sabisky, E. 86−7036, 87−9747
Wallace, W. *see* Sabisky, E.S. 87−72411
Wallace, W.A. *see* Sullo, P. 85−44460
Wallace, W.E. The quest for high energy magnets: the coercivity issue 85−1854
Wallace, W.E. Rare earth-transition metal permanent magnet materials 86−63543
Wallace, W.E., Criag, R.S., Gupta, H.O., Hiorosawa, S., Pedziwiatr, A., Oswald, E., Schwab, E. High energy magnets from $PrCo_5$ 85−24190

Wallace, W.E. *see* Burzo, E. 86−21969, 87−25777
Wallace, W.E. *see* Fujii, H. 87−25773
Wallace, W.E. *see* Szymczak, R. 86−15365
Wallace, W.E. *see* Whiting, W.B. 87−31210
Wallace, W.E., Jr. Present practices and future plans for MIL-STD-781 86−245
Wallace, W.E., Jr. Guidance in the use of MIL-STD-781D and MIL-HDBK-781 86−57275
Wallace, W.E., Jr., Sontz, C. MIL-STD-781D and MIL-HDBK-781−a final report 86−282
Wallace, W.L. Research on photoelectrochemical cells based on CdSe, CdSe$_{1-x}$Te$_x$ and other photoelectrode materials 86−7112
Wallach, E.R. *see* Pugh, N.J. 86−53905
Wallach, S.J. Supercomputing, software and C^{3}I 87−76082
Wallach, Y. On power system simulation studies 85−32110
Wallach, Y. On-line, parallel short-circuit calculations 88−48540
Wallach, Y. Power stability methods for parallel systems 88−75062
Wallaert, J. Panorama mixer 85−63897
Wallander, S. *see* Hallberg, L. 87−49168
Wallard, A. New programmes within the Information Engineering Directorate 88−44996
Wallard, A. *see* Trier, P.E. 88−61718
Wallart, F. *see* Boudon, G. 87−59415
Wallbank, E. *see* Wright, S. 85−58148
Wallbank, E.J. *see* Deasley, P.J. 88−6238
Walldorf, S.P., Chapman, G.A., Okura, G.N. Cable selection methodology for deep water power transmission system applications 86−39162
Walldorf, S.P., Gnadt, P.A. Development of 1200 kV compressed-gas-insulated transmission and substation equipment in the United States 87−51301
Walle, C.G.Van de *see* Van de Walle, C.G.
Walle, E.Van *see* Van Walle, E.
Walle, G. *see* Dobmann, G. 87−36845
Walle, G.F.A.van de *see* van de Walle, G.F.A.
Walle, J.F.van der *see* van der Walle, J.F.
Walle, J.Van *see* Van Walle, J.
Walle, M.C.van der *see* van der Walle, M.C.
Walleigh, R. TQC and JIT: partners in productivity. I 86−52292
Walleigh, R. TQC and JIT: partners in productivity. II 87−36449
Walleigh, R., Sepehri, M. H-P division programs reduce cycle times, set stage for ongoing process improvements 86−46121
Walleigh, R.C. Manufacturing for competitive advantage 88−26477
Wallek, L. *see* Grzonka, D. 87−3878
Wallen, R.A. *see* Robinson, J.A. 86−19844
Wallen, R.D., Kastner, J.-L., Matthews, J.R. Integrated solutions for the operating room 87−57205
Wallenburg, H.C.S. *see* Ramondt, J. 86−60789
Wallenfang, T. *see* Jantzen, J.-P.A.H. 88−61220
Wallenius, J. *see* Moskowitz, H. 85−278
Wallenstein, G.D. *see* Clemmensen, J.M. 87−28466
Wallenstein, M., Asztalos, P. Air-cooled turbo generators of increased pressure 86−6685
Wallenstein, M., Asztalos, P. Air-cooled turboalternators of increased pressure 86−51608
Wallenstein, R. *see* Hilbig, R. 85−7510, 87−7443
Wallenstein, R. *see* Lago, A. 88−14282, 88−45527
Wallenstein, R. *see* Schmidt, H. 88−2370
Wallent, T.S. *see* Prabhu, R.P. 86−30477, 87−69759
Waller, A. *see* Sommers, S. 86−60436
Waller, A.M. The Fermilab accelerator control system database 86−60435
Waller, B. *see* Harrington, T. 85−49877
Waller, B.E. *see* DiPaolantonio, J.A. 86−57284
Waller, C. Bristol patent 580,504 and Ilford nuclear emulsions 88−61171
Waller, D., Solan, M. X-29 validation methodology for simulation and flight control system 88−68531
Waller, G. Antenna ambiguity investigation for X-SAR 87−61504
Waller, H., Bennat, E. Evaluation of acceptance tests of the 1300 MW unit of Phillipsburg nuclear power station and measures taken to improve output 87−78396
Waller, H. *see* Bennat, E. 87−57798
Waller, H. *see* Kind, R. 85−21710
Waller, H.F. Choosing the right microphone for speech applications 86−4905
Waller, M.H., Wellstead, P.E. Tuning of a DC motor position servo controller using TUTSIM 87−72156
Waller, N. Flexible production: personnel will be needed 88−132
Waller, R. *see* Drewniak, J. 87−27043
Waller, S. Automation assures competitiveness in the machine tool industry 88−31238
Waller, S. *see* Ernst, D. 87−69652
Wallerath, P. *see* Ahtiainen, A. 86−37541
Walleser, A., Hubschen, G. The control of the boiling water reactor pressure vessel fill level with electromagnetic excitation of ultrasonic waves (EMUS) 87−77920
Wallett, T.M. *see* Dayton, J.A. 88−25832
Wallett, T.M. *see* Palmour, J.W. 86−63193
Walley, C.G. Satellite tracking antenna mechanical design and construction 87−75585
Walley, C.G. *see* Bird, I.G. 85−15426
Walley, G.M. *see* Falconer, R.M. 85−36743
Walley, J. The choice of test strategy when using a combined in-circuit and functional board test system−a case study 88−64119
Wallgren, K., Michael, G. Storage for supercomputers: a limiting issue 88−65168
Wallgren, L. The removal and replacement of SMCs 86−47166
Wallgren, L.E. Repairing the assembly 85−34320
Wallgren, R. *see* Norremark, J. 86−4484
Wallich, P. A review of engineering workstations [integrated circuit CAD] 85−18403
Wallich, P. New directions for a 'national resource' [telecommunications] 86−23339
Wallich, P. US semiconductor industry: Getting it together 86−58530
Wallich, P. Volts and amps are not what they used to be 87−41299
Wallich, P. How and when to make tradeoffs [product design] 87−51829
Wallich, P. Putting speech recognizers to work 87−55016
Wallich, P. Electrotechnology in World War II: making it under duress 88−18288
Wallich, P., Zorpette, G. The innovation revolution awaits [telecommunications] 86−23224
Wallich, P. *see* Adman, J.A. 86−11021
Wallich, P. *see* Fischetti, M.A. 85−52251, 87−29844
Wallich, P. *see* Guterl, F. 85−7005
Wallich, P. *see* Perry, T.S. 85−64197, 86−13360, 87−29905
Wallich, P. *see* Voelcker, J. 88−55936
Wallig, L.R. Coming soon: the ideal laminate 88−32574
Walliker, J., Rosen, S., Fourcin, A. Speech pattern prostheses for the profoundly and totally deaf 86−48869
Walliker, J.R. *see* Ison, K.T. 87−63843
Wallin, B. Thermal camera without liquid nitrogen 87−20911
Wallin, C.M., Aas, B. Experimental investigation of correlation between fading and glint for aircraft targets 88−15673
Wallin, J.A. *see* Lichtman, R.J. 85−16741
Wallin, K. *see* Torronen, K. 88−48716
Wallin, P. *see* Kyro, E. 87−12550
Wallin, P. *see* Lahdenpera, K. 85−64220
Wallin, S. *see* Edner, H. 88−23192
Wallin, S.J., Stancil, D.D. Suppression of magnetostatic backward volume wave end reflections via field gradients 85−50827
Walline, R. *see* Fryklund, D. 86−53046
Walling, J.C. Review of the tunable alexandrite laser performance 87−39060
Walling, J.C., Heller, D.F., Samelson, H., Harter, D.J., Pete, J.A., Morris, R.C. Tunable alexandrite lasers: development and performance 86−22349
Walling, J.C. *see* Harter, D.J. 87−19006
Walling, J.C. *see* Samelson, H. 88−65792
Walling, L., Neuffer, D., Thiessen, H.A., Spalek, G. Transmission-line impedance measurements of beam pipes for an advanced hadron facility 88−36333
Walling, L., Neuffer, D., Thiessen, H.A., Spalek, G. Transmission-line impedance measurements of beam pipes for an advanced hadron facility 88−54212
Walling, L. *see* Weiss, P.B. 87−53140
Walling, R.A. Advanced HVDC simulator for system design studies 86−61123
Walling, R.H. *see* Nelson, A.W. 85−46391
Walling, R.H. *see* Robertson, M.J. 88−33869
Walling, R.H. *see* Wake, D. 87−46723, 88−45308, 88−51678
Walling, R.S. *see* Goldstein, W.H. 88−8123
Walling, S. Applying arbitrary waveform generators 88−47593
Wallinga, H. *see* Bult, K. 86−35043, 87−24384, 87−53715, 88−56527
Wallinga, H. *see* de Groot, J. 87−14818
Wallinga, H. *see* Gal, R. 87−25602
Wallinga, H. *see* Penning de Vries, R.G.M. 85−6933, 85−40771
Wallington, D. CAPM in practice 86−13461
Wallington, J.R. The role of analogue beamforming in radar 85−47570
Wallington, J.R. Beam forming options for phased array radar 87−49171
Wallington, J.R., Chrystie, P.J. A solid state transmitter with adaptive beamforming 86−16058
Wallington, J.R. *see* Easton, N. 86−30881
Wallio, H.A. *see* Reichle, H.G., Jr. 87−9002
Wallis, A. Malaysia's first dual-fired power plant 87−64354
Wallis, A.D. 'Short Leq': a new acoustic measuring technique 88−22848
Wallis, C.A. Nondestructive examination plays key role in reactor rehabilitation program 88−23706
Wallis, E.A. Operation of Dinorwig power station on the CEGB system 88−48817
Wallis, G. Technology on the move 85−25785
Wallis, G. Electronic mail systems 85−47132
Wallis, G. Data network systems 86−10780
Wallis, G.P. The hysteresis motor−a simple electrodynamic model 86−33445
Wallis, L. Associative memory calls on the talents of systolic array chip 85−22909
Wallis, M. *see* Neubauer, F.M. 87−77379
Wallis, R.E., Washington, K.W. Microwave amplifier combines hybrid techniques for miniaturization 88−1009
Wallis, R.F. *see* Glaser, E. 86−53671, 86−67762
Wallis, R.F. *see* Kramer, G.M. 86−1681, 88−32951, 88−64346
Wallis, R.F. *see* Stegeman, G.I. 86−68619
Wallis, R.H., Faucher, A., Pons, D., Jay, P.R. Surface and bulk traps in GaAs MESFETs 86−9176
Wallis, R.H. *see* Blight, S.R. 86−21544, 87−6717
Wallis, R.H. *see* Harrang, J.P. 86−21592
Wallis, R.H. *see* Hodson, P.D. 87−38921, 87−74926, 88−25445, 88−26972
Wallis, R.H. *see* Moseley, A.J. 87−13696, 87−53235
Wallis, R.H. *see* Scott, M.D. 87−18845
Wallman, B.A. *see* Bickley, J.B. 88−64462
Wallman, B.A. *see* Cruttwell, I.A. 86−8931
Wallman, B.A. *see* Fraser, P.V. 86−13522
Wallman, P.H., Pedersen, B.S., Mowris, R.J., Fisk, W.J., Grimsrud, D.T. Assessment of residential exhaust-air heat pump applications in the United States 87−72603
Wallman, T.C. New rate schedule makes improved power factor pay off [telephone switching centre] 86−25524
Wallmark, J.T., Sedig, K.G. Quality of research measured by citation method and by peer review−a comparison 87−23252
Wallmeier, E. *see* Herger, P. 88−14923
Wallmeier, H.-M. *see* Pokorny, J. 86−29725
Wallmeier, M.P. Fiber optics−design for producibility considerations 88−41712
Wallmeier, M.P. Cost engineering fiber optic links 88−47025
Wallmeroth, K. *see* Bollen, G. 87−54262
Wallner, B.I. *see* Ashar, P.C. 88−30321
Wallner, E. Reliable bonding for MOS power transistors 86−9156
Wallner, J. *see* Stevenson, J.R. 87−8693
Wallner, J.L. *see* Bratschun, W.R. 87−73870
Wallner, T.G. *see* Salo, R.W. 85−38172, 86−44628
Walloch, F., Ley, L., Santos, P. Energy distribution of excess electrons trapped in the tail states of amorphous silicon doping superlattices 88−19717
Wallon, M. *see* Stetter, H. 87−4572
Walloschek, P.U. *see* Mage, B. 86−31412
Wallrabe, D. *see* Pahl, L. 87−3980
Wallraff, W. *see* Bleichert, B. 86−18236
Wallraff, W. *see* Chen, M. 88−42430, 88−74764
Wallrich, M. *see* Rompe, K. 87−72529
Walls, D.F. *see* Collett, M.J. 86−15787
Walls, D.F. *see* Lane, A.S. 88−72421
Walls, D.F. *see* Marte, M.A. 88−72244
Walls, D.F. *see* Marte, M.A.M. 88−16124
Walls, D.F. *see* Milburn, G.J. 87−52411
Walls, D.F. *see* Shelby, R.M. 86−68630
Walls, F.L. Frequency standards based on atomic hydrogen 86−38489
Walls, F.L. Characteristics and performance of miniature NBS passive hydrogen masers 87−14446
Walls, F.L. Precise phase noise measurements of oscillators and other devices from 1 MHz to 20 GHz 87−16941
Walls, F.L. Characteristics and performance of miniature NBS passive hydrogen masers 88−16516
Walls, F.L. Errors in determining the center of a resonance line using sinusoidal frequency (phase) modulation 88−21059
Walls, F.L., Allan, D.W. Measurements of frequency stability 86−38491
Walls, F.L., Felton, C.M. Low noise frequency synthesis 88−18959
Walls, F.L., Persson, K.B. A new miniaturized passive hydrogen maser 85−58912
Walls, F.L. *see* Itano, W.M. 86−5466
Walls, F.L. *see* Lewis, L.L. 86−5459
Walls, I.A. *see* Mansi, M.V. 88−30166
Walls, J., Greene, M., Stensby, J. Application of the discrete Kalman filter for radar pointing error reduction 88−53330
Walls, J. *see* Greene, M.E. 88−47193
Walls, L.A., Bendell, A. Human factors and sampling variation in graphical identification and estimation for the Weibull distribution 85−5901
Walls, L.A., Bendell, A. The structure and exploration of reliability field data: what to look for and how to analyse it 86−46142
Walls, L.A., Bendell, A. Time series methods in reliability 86−66640
Walls, L.A., Bendell, A. Time series methods in reliability 87−58754

Walls, W.A., Estes, E.G. Continued development of higher energy density, higher current rated homopolar generators at CEM-UT 85−5117
Walls, W.A., Feldon, W.F., Driga, M.D., Manifold, S.M., Woodson, H.H., Gully, J.H. Improved energy density homopolar generator 87−30602
Walls, W.A., Weldon, W.F., Woodson, H.H., Driga, M., Gully, J.H. Pulsed homopolar generator power supplies for the Ignitex experiment 88−69520
Walls, W.A. *see* Driga, M.D. 88−65992
Walls, W.A. *see* Gully, J.H. 87−30593
Walls, W.A. *see* Perkins, D.E. 87−30598
Wallskog, A.G. Design and high volume manufacturing 88−38880
Wallstab, S., Muller, B. A fast VLSI processor for controller applications 86−27376
Wallstab, S. *see* Bergstraesser, T. 88−70634
Wallstab, S. *see* Muller, B. 86−35921
Wallstrom, B. *see* Tanaka, Y. 88−59380
Wallwijk, J.M. *see* Wiedenhof, N. 86−9711
Walmer, M.S. *see* Hanna, S.C. 86−22006
Walmsley, A.D. *see* Williams, A.R. 88−54605
Walmsley, C.F. Linear photodiode array with serial and addressable real-time output capability 85−62454
Walmsley, C.F. Time delay and integrate devices 88−3007
Walmsley, C.F. *see* Robinson, C.N. 87−28977, 87−56523
Walmsley, C.F. *see* South, C.R. 86−35026
Walmsley, H.L. Electrostatic hazards from water slugs formed during the washing of ships tanks: spark energy calculations 87−47079
Walmsley, H.L. *see* Price, D.R. 88−17545
Walmsley, I.A., Raymer, M.G., Sizer, T., II, Duling, I.N., III, Kafka, J.D. Stabilization of Stokes pulse energies in the nonlinear regime of stimulated Raman scattering 85−35874
Walmsley, I.A. *see* Wise, F.W. 87−73995, 88−27098
Walmsley, M. On the normalized slope descriptor method of quantifying electroencephalograms 85−15322
Walmsley, N. Numerical representation of pump-turbine performance characteristics 88−5599
Walmsley, P.D. *see* MacDonald, B.M. 86−2523, 86−15333
Walmsley, S., Wilson, J. HOTOL−a cryogenic materials challenge 88−48263
Walmsley, S., Jr. *see* Deane, P.D. 88−47616
Waloschek, P. HERA electron storage ring−the next step into the interior of protons 88−68099
Waloschek, P. *see* Saile, V. 88−68100
Walowit, E. *see* Gentile, R.S. 88−67974
Walpita, L.M. Solutions for planar optical waveguide equations by selecting zero elements in a characteristic matrix 85−35461
Walpita, L.M. Optical waveguide dispersion in quantum well structures 85−62330
Walpita, L.M. Calculation of approximate propagation characteristics for any given two-dimensional optical waveguide 86−9476
Walpita, L.M. Nonlinear electroabsorption cell for artificial neural works 87−60969
Walpita, L.M. A sample and hold technique for serial to parallel digital optical data conversion 88−33827
Walpita, L.M., Chang, W.S.C., Wieder, H.H., Van Eck, T.E. Cross modulation of light in semiconductor materials in the presence of electric fields 85−62651
Walpita, L.M., Chang, W.S.C., Wieder, H.H., Van Eck, T.E. Modulation of an optical beam by a second optical beam in biased semi-insulating GaAs 87−26545
Walpita, L.M., Pitt, C.W. Beam expansion in linear constant period gratings 85−7281
Walpita, L.M. *see* Betts, G.E. 86−68333
Walpita, L.M. *see* Lin, S.C. 88−13937, 88−26889
Walpita, L.M. *see* Title, M.A. 86−53998
Walpita, L.M. *see* Wei-Xi Chen 86−53553
Walpole, A.E., Davies, H.S.J. Loading the digital network 85−30605
Walpole, J.N. R&D on surface-emitting diode lasers 88−2271
Walpole, J.N., Liau, Z.L. Monolithic two-dimensional arrays of high-power GaInAsP/InP surface-emitting diode lasers 86−58917
Walpole, J.N., Liau, Z.L. On-wafer testing of GaInAsP/InP mass-transported lasers 88−8215
Walpole, J.N., Liau, Z.L., Diadiuk, V. Monolithic two-dimensional diode laser arrays 88−27182
Walpole, J.N., Liau, Z.L., Missaggia, L.J., Yap, D. Diode lasers with cylindrical mirror facets and reduced beam divergence 87−46943
Walpole, J.N. *see* Kuznetsov, M. 88−2337
Walpole, J.N. *see* Liau, Z.L. 85−2345, 85−24543, 85−24552, 87−39080, 87−46906, 87−75122, 88−34013
Walpole, J.N. *see* Tsang, D.Z. 86−36498
Walpole, J.N. *see* Yap, D. 88−51791, 88−65777
Walpole, N. *see* Liau, Z.L. 87−39111
Walraet, J. *see* Betoule, D. 88−60131
Walraet, J. *see* Calu, S. 86−64960
Walrafen, G.E., Krishnan, P.N., Hardison, D.R., Jr. Raman investigation of the rate of OH uptake in stressed and unstressed optical fibres 85−12576
Walrand, J. *see* Anantharam, V. 88−6355 to 6356
Walrand, J. *see* Blanquet, G. 86−9836, 88−58733
Walrand, J. *see* Lasserre, J.B. 87−52008
Walrand, J. *see* Melamed, B. 87−10248
Walrand, J. *see* Parekh, S. 88−41148
Walrath, G.A. Determining the cure of film coated magnet wire 86−62280
Walraven, J. The colours are not on the display: a survey of non-veridical perceptions that may turn up on a colour display 85−26408
Walraven, J. Perceptual problems in display imagery 86−31523
Walraven, J. *see* Eady, S.J. 87−69087
Walraven, J.L., Steele, R.W. Artificial intelligence application for UMTE electronic warfare simulator 86−12076
Walscharts, H., Kustermans, L., Sansen, W. Noise optimisation of switched capacitor biquads 87−24325
Walscharts, H., Kustermans, L., Sansen, W.M. Noise optimization of switched-capacitor biquads 87−52721
Walschon, E. *see* Balka, L. 88−47985
Walsdorf, R. *see* Malkomes, M. 87−8732, 88−53583
Walser, A.D., Alfano, R.R. Ultrafast optoelectronic ferromagnetic semiconductor $CdCr_2Se_4$ switch 88−33868
Walser, R.M. *see* Grimes, C.A. 88−53828
Walser, R.M. *see* Huang, A.L. 87−26484
Walser, R.M. *see* Kolesar, E.S., Jr. 86−1209
Walser, R.M. *see* Won Woo Park 88−49793
Walsh, A.B. *see* Mordecai, B.A. 88−3596
Walsh, A.L. *see* Wright, S.A. 88−53105
Walsh, A.M., Abdou, I.E. Evaluation of fan beam computerized tomography systems 88−59298
Walsh, C.J. Optogalvanic fluctuations in a waveguide CO_2 laser 85−41324
Walsh, C.J. Frequency shift in a line center stabilized CO_2 laser 87−12359
Walsh, C.J. Measurements of absolute distances to 25 m by multiwavelength CO_2 laser interferometry 87−56834
Walsh, C.J., Brown, N. Rapidly tuned frequency stabilized CO_2 laser 85−62505
Walsh, D. Modems: 2400 bit/sec and beyond 85−49783
Walsh, D. V.22bis defended: the standard gets some credence 86−37619
Walsh, D., Mazuruk, K., Benzaquen, M., Weissfloch, P. A new look at ZnSe/GaAs heterostructures 88−32881
Walsh, D. *see* Banzaquen, M. 87−11352
Walsh, D. *see* Belmont, M.R. 86−60169
Walsh, D. *see* Benzaquen, M. 85−23449, 86−8759, 87−24785, 87−45580, 87−45597, 88−1371, 88−7309, 88−32775
Walsh, D. *see* Weissfloch, P. 87−77367
Walsh, D.A. *see* Ingram, D.C. 85−45524, 87−60288
Walsh, D.A. *see* Rai, A.K. 87−60289
Walsh, D.M., Knight, L.V. Transverse modes of a laser resonator with Gaussian mirrors 87−2213
Walsh, D.S. *see* Jones, E.A., Jr. 88−52714
Walsh, E. *see* Goldwasser, S.M. 86−25199, 87−14885, 87−77647
Walsh, E.G., Peura, R.A. Time differentiation of endocardial signals by five-point parabolic interpolation 88−10395
Walsh, E.J., Hancock, D.W., III, Hines, D.E. Electromagnetic bias of 36-GHz radar altimeter measurements of MSL 85−19124
Walsh, E.J., Hancock, D.W., III, Hines, D.E., Swift, R.N., Scott, J.F. Directional wave spectra measured with the Surface Contour Radar 86−12179
Walsh, E.J., Hancock, D.W., III, Hines, D.E., Swift, R.N., Scott, J.F. Elimination of directional-wave spectrum contamination from noise in elevation measurements 86−32554
Walsh, E.J., Hancock, D.W., III, Hines, D.E., Swift, R.N., Scott, J.F. Wave-measurement capabilities of the Surface Contour Radar and the Airborne Oceanographic Lidar 87−71388
Walsh, E.J., Hancock, D.W., III, Hines, D.E., Swift, R.N., Scott, J.F. Observations of and a new model for fetch-limited wave growth 88−10579
Walsh, E.J. *see* Bush, G.B. 85−21018
Walsh, E.S. *see* Talton, D.A. 87−57065
Walsh, F. An improved cathode for lithium primary batteries 88−17835
Walsh, F. *see* Abelleira, A. 88−17852
Walsh, F.C. Electrolytic recovery of precious metals from dilute aqueous solutions 85−32863
Walsh, F.C. *see* Gardner, N.A. 85−32841
Walsh, F.J., Peskoe, S.E. Automating the weapon system master planning process 88−68697
Walsh, G., Dewar, M., Neilson, I., de Simon, J.H., Lough, J., Khalafalla, A., Chiu, R.C.J. Stimulation parameters of skeletal muscle for cardiac assist 87−50395
Walsh, G.W. *see* Crane, D.R. 87−65008
Walsh, I.J., Jenkins, I.C., Hammond, E., Kingsbury, N.G. Implementation of a 2.4 kbits/sec adaptive serial HF modem 85−30778
Walsh, J. Asymptotic expansion of a Sommerfeld integral 85−255
Walsh, J. Application of free electron lasers in communication 86−4668
Walsh, J., Buller, T., Johnson, B., Garate, E., Muhkopadhyay, P. Planar metal-grating free-electron lasers 87−7386
Walsh, J., Dawe, B.J., Srivastava, S.K. Remote sensing of icebergs by ground-wave Doppler radar 86−65538
Walsh, J., Dawe, B.J., Srivastava, S.K. A new iceberg detection system: Ground wave Doppler radar 87−28655
Walsh, J., Donnelly, R. A new technique for studying propagation and scattering for mixed paths with discontinuities 87−61366
Walsh, J., Donnelly, R. A general theory of the interaction of electromagnetic waves with isotropic, horizontally layered media 87−68750
Walsh, J., Garate, E., Mukhopadhyay, P., Cook, R., Boudreaux, G., Layman, R. The mildly relativistic electron-beam-driven orotron 87−17643
Walsh, J., Marshall, E., Jackson, J., Budka, T., Cook, R., Layman, R. Potential for GW output levels in near-cm wavelength open-resonator oscillators 88−50589
Walsh, J., Rahman, M.H. Time-domain behaviour of electric field of an elevated dipole 85−2664
Walsh, J., Shaughnessy, C., Johnson, B., Dattoli, G., Gallerano, G.P., Renieri, A. The Cerenkov free-electron laser: a critical review and progress report 88−58588
Walsh, J., Shaughnessy, C., Layman, R., Dattoli, G., Gallerano, G., Renieri, A. The Cerenkov free-electron laser 88−40253
Walsh, J., Srivastava, S.K. Rough surface propagation and scatter. I. General formulation and solution for periodic surfaces 87−54531
Walsh, J., Srivastava, S.K. Rough surface propagation and scatter with applications to ground wave remote sensing in an ocean environment 88−52221
Walsh, J. *see* Garate, E. 85−62467, 87−35080
Walsh, J. *see* Garate, E.P. 86−54061, 87−75148
Walsh, J. *see* Howell, R. 88−48373
Walsh, J. *see* Johnson, B. 85−56707
Walsh, J. *see* Ryan, J. 86−22598
Walsh, J. *see* Srivastava, S.K. 86−32559, 86−65541
Walsh, J.A. *see* Hill, D.A. 85−43058
Walsh, J.D. *see* Hepburn, J.D. 86−24857
Walsh, J.E. A review of far infrared free electron laser characteristics and experiments 87−26448
Walsh, J.E., Buller, T.L., Johnson, B., Dattoli, G., Ciocci, F. Metal-grating far-infrared free-electron lasers 86−3202
Walsh, J.E., Johnson, B., Shaughnessy, C., Ciocci, F., Dattoli, G., De Angelis, A., Dipace, A., Fiorentino, E., Gallerano, G.P., Letardi, T., Renieri, A., Sabio, E., Giabbai, I., Giordano, G. A 100 μm Cherenkov laser experiment 87−2178
Walsh, J.E., Marshall, E.M., Phillips, P.M., Wortman, D.E., Hay, G., McMillan, R.W., Guillory, D.M. Planar orotrons: recent experiments 88−19607
Walsh, J.E. *see* Ciocci, F. 85−56723, 85−62615, 87−7387, 87−75149, 88−58576
Walsh, J.E. *see* Eisenbrown, R.W. 87−36200
Walsh, J.E. *see* Garate, E.P. 86−21037, 88−2301
Walsh, J.E. *see* Hanson, P.M. 85−22398
Walsh, J.E. *see* Johnson, B. 86−48448
Walsh, J.E. *see* Marshall, E.M. 88−25823, 88−64195
Walsh, J.E. *see* Phillips, P.M. 88−27196
Walsh, J.L. *see* Chang, A.Y. 85−28426
Walsh, J.R. Using milestone and CPM scheduling techniques to decrease network size 88−49473
Walsh, J.T., Parrish, J.A. Lasers: the healing tool of the future 85−59337
Walsh, K. Simulate analog circuit boards without Spice's shortcomings 88−31919
Walsh, K., Hall, T.J. Photorefractive two-wave mixing in GaAs using a diode-pumped Nd:YLF laser at 1.31 μm 88−45535
Walsh, K., Lum, G. Simulation helps you design radiation-hard circuits 88−71636
Walsh, K., Wasche, G.J., Wolfe, B. Developing an interactive version of SPICE 86−954
Walsh, K., Wolfe, B. Mixed-domain analysis for circuit simulation 87−73239
Walsh, K.A. *see* Tardos, G.I. 88−2495
Walsh, K.F., Dunn, M.M., Holbrook, D.S., Bruning, J.H. Performance evaluation of a practical 248 nm wafer stepper 88−13289
Walsh, L., Flattery, J., Isa, S., Kornreich, P. Size effect high electron mobility transistor 86−63337
Walsh, L. *see* Kornreich, P.G. 86−41838
Walsh, L.A. *see* Meyer, C.E. 85−9660
Walsh, M. The production of ultra-pure water for the modern clean room 85−45509
Walsh, M. Gate array structure supported by ultra fast CAD 86−41075

Walsh, M.E. Communications: reconciling differences 85−42224
Walsh, M.J., Westphal, L.C. A prototype portable electronic speaking aid for the nonvocal handicapped 87−14907
Walsh, M.J. *(editor)* Choosing and using CMOS 86−33912
Walsh, M.L., Facey, R.A. Calibration of a thermoluminescence dosimetry system to measure effective dose equivalent for 6- to 7-MeV γ rays 86−38842
Walsh, P. Operation system design: Dublin Junction Transmission Maintenance System 87−55929
Walsh, P. *see* Kambies, K. 88−53368
Walsh, P.J., Engelhardt, K.G., Awad-Edwards, R., Kelly, B. Interactive evaluation of artificial vision with robotic aids for individuals with disabilities 86−25282
Walsh, P.J., Gallo, C.F., Lama, W. Spatial distribution of current from wire-plane coronas 85−1207
Walsh, P.J., Pietrowski, K.W., Sigmond, R.S. The negative corona current distribution for a long pin-to-plane geometry 85−1206
Walsh, P.J. *see* Barnes, N.P. 88−45502
Walsh, P.J. *see* Bartlett, R.J. 88−47821
Walsh, P.R. *see* Ackmann, J.J. 87−57189
Walsh, P.T. *see* Dabill, D.W. 87−49717
Walsh, R. Cables for offshore use 85−27062
Walsh, R.H. *see* Hsieh, C.M. 85−34921
Walsh, S. Service: the missing link in electronics industry automation 88−6259
Walsh, S. *see* Gunderson, D. 88−38917
Walsh, S.J. The missing element in 'design to test' 88−55932
Walsh, T. *see* Gore, R. 86−58148
Walsh, T.D. Improving productivity for underground crews 86−18858
Walsh, T.D. *see* DeFrancesco, M.J. 86−30216
Walsh, T.D. *see* Ross, M.J. 86−30217
Walsh, T.R. On the size of quadtrees generalized to *d*-dimensional binary pictures 86−16504
Walsh, T.R. *see* Elcock, E.W. 88−3178
Walsh, V. Speech analysis and recognition using a feature-based weighted scoring mechanism 88−27870
Walsh, W.J. *see* Marr, W.W. 85−49185, 86−52007
Walsh, W.J. *see* Patil, P.G. 87−43581
Walsh, W.M. *see* Lundy, J.R. 87−8937
Walsh, W.M., Jr., Rupp, L.W., Jr. Enhanced ESR sensitivity using a dielectric resonator 87−6028
Walshak, L. *see* Poole, W. 85−18293
Walshe, K. *see* Hayes, R. 86−44900
Walshe, K.A., Young, D.J., Oxenham, R.W., Hayes, R. Review of four saturated reactor installations for Australia 86−12327
Walshe, K.A. *see* Howard-Taylor, A. 86−45024
Walsoe de Reca, N.E. *see* Baranek, B.I. 85−16198
Walsoe de Reca, N.E. *see* Franco, J.I. 85−64636, 86−66247, 88−37357
Walsoede Reca, N.E. *see* Bianchetti, M. 85−60947
Walstrom, P.L. The differential geometry of twisted coil windings 86−58727
Walstrom, P.L., Maddocks, J.R. Use of Siemens KPY pressure sensors at liquid helium temperatures 87−63349
Walstrom, P.L. *see* Ellis, J.F. 85−56240
Walstrom, P.L. *see* Luton, J.N. 85−56230
Walstrom, P.L. *see* Sawan, M.E. 86−58722
Walstrom, P.L. *see* Shen, S.S. 86−48062
Walsum, E.van *see* van Walsum, E.
Walsworth, R.L., Jr., Silvera, I.F., Godfried, H.P., Agosta, C.C., Vessot, R.F.C., Mattison, E.M. Hydrogen maser at temperatures below 1K 87−2049
Walsworth, R.L., Jr. *see* Vessot, R.F.C. 87−26251, 88−14062
Walt, D. *see* Milanovich, F.P. 85−38067
Walt, D.R., Munkholm, C., Jordan, D., Milanovich, F.P., Daley, P.F. Preparation of small diameter sensors for continuous clinical monitoring 88−16719
Walt, D.R. *see* Munkholm, C. 88−54532
Walt, E. *see* Stauber, R. 88−31416
Walt, P.W.van der *see* van der Walt, P.W.
Walte, F. Ultrasonic inspection of layered media 85−54564
Walte, F., Brinette, R., Saarbrucken, K., Oellrich, K., Nagel, G. Certain evidence of sufficient inspection in the near surface range of a reactor pressure vessel welding seam 86−46410
Walte, F., Gebhardt, W., Ekinci, S., Jaszczuk, Z. Ultrasonic tests using waveconversion 88−43971
Walte, F. *see* Gebhardt, W. 88−38290
Waltenberger, G. Experience with inspections on industrial steam turbines 86−12692
Waltenberger, G. Operating costs of industrial steam turbines and possibilities for influencing them 88−43058
Waltenspul, M. Alternative energies, regulations and the installer 87−15411
Waltenspull, M. Private generating plant: the law and the installer 87−57962
Walter, A. Distance measurement 88−16476
Walter, A., Johnston, R.B. New tariff pulse generator 87−69799
Walter, B. Some thoughts on communication in distributed database systems 85−19660
Walter, B. Dielectrics for corona preionisation of a TEA laser 85−35689
Walter, B. Network partitioning and symmetric surveillance protocols 86−4341
Walter, B. A tunable protocol for symmetric surveillance in distributed systems 87−20218
Walter, B. TEA CO_2 lasers, physical problems and technical solutions 87−46792
Walter, B. Surface corona discharge preionisation of gas-flow TEA lasers 87−46945
Walter, B. Medium repetition rate TEA laser for industrial applications 88−45365
Walter, B., Schuocker, D. TEA-laser for direct comparison of different preionizers 85−62513
Walter, B., Schuocker, D. Semiconductive preionization technique 87−46793
Walter, B. *see* Schuocker, D. 85−56926
Walter, C., Marsteller, T.F. Liability for the dissemination of defective information 88−6175
Walter, C. *see* Baze, J.M. 88−68105
Walter, Ch. *see* Dehmel, H.-J. 87−31074
Walter, C.M. *see* Tardelli, J.D. 87−19565
Walter, D.H. *see* Niznik, C.A. 86−54725, 87−13176
Walter, D.J. Technology in the South Pacific−paradise to purgatory? 88−11665
Walter, E. Graphic imaging of pulsating objects by fluoroscopy, a new technical development 85−43345
Walter, E. *see* Pronzato, L. 85−5923
Walter, G. Optical digital mass memories for office and engineering document information systems 85−36463
Walter, G. The radio relay system AM TV-Tn/12300 88−15730
Walter, G. *see* Bohnstedt, H.-J. 88−11161
Walter, G. *see* Clark, M. 87−28307
Walter, G.A., Dereniak, E.L. Photodetectors for focal plane arrays. I. Extrinsic silicon 86−65198
Walter, G.A., Dereniak, E.L. Photodetectors for focal plane arrays. II. HgCdTe 87−8634
Walter, G.G. *see* Davida, G.I. 88−8699
Walter, H. Microcomputer-based information electronics for static frequency converters feeding frequency controlled induction motors [electric drives] 85−32734
Walter, H. Optical switching, using different switching principles 87−76491
Walter, H. The safety of the new high speed lines by signal engineering 87−79035
Walter, H. Computer-assisted X-ray technique used for testing incoming goods 88−6250
Walter, H. *see* Schuster, E. 87−79065
Walter, H.-P. Process reliability in the cycle II 86−14760
Walter, H.J. One-armed bandit [electronic game] 85−11458
Walter, H.O. *see* Rinck, L.P. 86−61393
Walter, J. Signal transport. Simple and straightforward sensor signal transmission with monolithic sensor amplifier 87−63327
Walter, J.B. *see* Johnson, J.A. 87−73196
Walter, J.L. Failure of tungsten ribbon filaments by formation and growth of hot spots 87−22882
Walter, K. More electric heating by adjustment of the system load 86−57029
Walter, K. Electric storage heating−economical, environmentally friendly, with a future 88−37761
Walter, K. Computation of energy requirements for rooms with storage heaters 88−37763
Walter, K. *see* Alfonso, A. 87−52617
Walter, K. *see* Kessler, L.W. 87−67371
Walter, K.-H. Improvement of the primary coolant treatment in pressurized water reactors by mechanical filtration 87−64319
Walter, K.-H. *see* Harjes, B. 87−49043
Walter, K.E. Mobile network signalling in the GSM system 88−15374
Walter, K.E. Security aspects of GSM systems [mobile communications] 88−15375
Walter, K.E. Organisation of channels for traffic and signalling 88−15376
Walter, K.E. *see* Kommedal, E. 86−49533
Walter, L. *see* Schulze, D. 86−33857
Walter, M., Kruger, B. Machinery condition monitoring 87−3556
Walter, M.J. Implications of a two dimensional description of electromigration in aluminum 87−1692
Walter, P.von *see* von Walter, P.
Walter, R.O. *see* Rinck, L.P. 85−21281
Walter, S.R. *see* Marshall, J.L. 87−59011
Walter, T. *see* Plattner, B. 88−59545
Walter, T.J. Automated remote monitoring systems 87−20903
Walter, U. *see* Beiche, H. 86−56687
Walter, W. *see* Broom, R.F. 87−1288
Walter, W. *see* Huy, C.U. 86−62119
Walter, W. *see* Meier, H.P. 88−51813, 88−56267, 88−72313
Walter, W. *see* Sauerbrey, R. 85−12775
Walter, W.W. *see* Torok, J.S. 88−24476
Walterbos, R.A.M. *see* Braun, R. 85−37151
Waltermann, G. *see* Bailey, R. 85−15164
Walters, B. From flags to transponders 86−4497
Walters, C.R. Tokamak toroidal field coils wound from brittle high T_c superconducting strips and incorporating ceramic or glass insulation 88−26737
Walters, D. Low-pass filter 85−28620
Walters, D. Selection and use of image features for segmentation of boundary images 87−2635
Walters, D. Object interpretation using boundary based perceptually valid features 87−13125
Walters, D. Biological vs. artificial representations of variables in fine-grain parallel systems 88−28114
Walters, D., Rosenbaum, S. Scripting for interactive applications 87−67
Walters, D., Seidler, W., Sargis, J. The role of secondary electron collection in box IEMP coupling 85−24864
Walters, D. *see* Krishnan, G. 88−66670
Walters, D. *see* Lively, R. 88−66663
Walters, D., Jr., Lou, P., Fanini, O., Koeppen, P. A LAN system interface chip with selectable bus protocols 86−10821
Walters, D.C., Russell, D.W. Thermal analysis of electrical transmission cables in space 88−55014
Walters, D.H. *see* Lide, D.A. 88−52965
Walters, D.H. *see* Talabac, S.J. 88−35156
Walters, D.L. Accurate determination of optical fibre length from measurements in the frequency domain 85−29629
Walters, D.S. *see* Belfiore, C. 88−3829
Walters, E. Economical high-frequency measurements with sampling oscilloscopes 87−29180
Walters, E. Sampling oscilloscopes for economical high-frequency measurement 87−35133
Walters, E., Kaveckis, S. Probing techniques become crucial above 500 MHz 88−4519
Walters, E., Pellegatta, L. Oscilloscopes champion over high frequency 86−44345
Walters, E. *see* Pengue, L. 86−67909
Walters, J. An optical fiber cable application primer 87−63003
Walters, J. *see* Clarke, C.F. 85−63670
Walters, J. *see* Kirchgessner, J. 86−24926
Walters, J.K. *see* Rene, R.M. 86−64249
Walters, J.M., Jr. *see* Amimoto, S.T. 88−14075
Walters, L.C. Incoherent FSK 86−3744
Walters, L.C. Interpolation in FFTs 86−13716
Walters, L.C. Improved Hilbert transformer for SSB speech 86−43191
Walters, M.M. High-efficiency laser power conversion 87−64705
Walters, P.A. *see* Petruzzello, J. 86−21365
Walters, P.A., Jr. *see* Robinson, T.N. 88−28430
Walters, P.T. Wetness and efficiency measurements in LP turbines with an optical probe as an aid to improving performance 87−51041
Walters, R. *see* Boreman, G. 87−18693
Walters, R. *see* Maeno, H. 88−12377
Walters, R.A. Fiber optic single mode to multimode transition temperature sensor 88−16156
Walters, S.M. Personal computer-based programmable logic workstations 85−11213
Walters, S.M. A programmable logic workstation for programmable logic devices 85−17316
Walters, S.M., Borg, B. A programmable working position 86−7890
Walters, S.M. *see* Eng, K.Y. 88−53026
Walters, S.M. *see* Liu, H.-S. 87−13529
Walters, W. *see* Grung, B.L. 87−31906
Walters, W. *see* Gustafson, G. 88−72237
Walters, W.C. *see* Stephenson, W.M. 88−10825
Walters, W.L., Thielan, M.J., Wright, D.D. Integrated vehicle systems diagnostics−powertrain and chassis 87−51584
Waltersdorf, H.R. Interconnection and connector requirements for high density packaging 85−11699
Waltersdorf, H.R. Choosing packages wisely pays off in I/O, speed, space 86−57851
Walterson, R.A. *see* Ruden, P.P. 88−1420
Waltert, E. Almost too good for the cable. Onkyo T 9090 MkII tuner 88−47369
Waltert, E. Showtime. HiFi with a difference. The Beocenter 9000 88−74193
Walthall, E.R. *see* Weaver, F.C. 85−20130, 85−42523, 85−52308
Waltham, C.E., Hasinoff, M., Virtue, C.J., Poutissou, J.-M., Gumplinger, P., Stetz, A., Robertson, B.C., Mulera, T., Shor, A., Chew, S.H., Lowe, J. Use of large sodium iodide detectors in precision π^0 decay experiments 87−41864
Waltham, W.B. *see* Knowles, S.H. 85−37093
Walther, A., Sanchez, A. Pump power minimization for high gain CW laser amplifiers 88−40110
Walther, A. *see* Braunschweig, W. 88−68282
Walther, A. *see* Roy, R. 87−74895
Walther, B. *see* Aam, S. 85−38462
Walther, C., Gunter, P. Photoinduced TE-TM mode conversion in Ti:$LiNbO_3$ waveguides 87−68176
Walther, C. *see* Baumert, J.-C. 85−46212, 86−9585
Walther, G., Hellner, K.A. Early receptor potential recordings for clinical routine 86−32311
Walther, G., Zukunft, G. Process control with PS 2000 in water-treating equipment 85−5607

Walther, H. *see* Birke, K. 88—69729
Walther, H. *see* Daniel, H.-U. 86—5463
Walther, H. *see* Gea-Banacloche, J. 88—2292
Walther, H. *see* Krause, J. 87—2048, 88—14064
Walther, H. *see* Lugiato, L.A. 87—68315
Walther, H. *see* Munur, M. 87—13296
Walther, H. *see* Rempe, G. 86—68417, 87—26249, 87—46737, 87—61056
Walther, H. *see* Wehner, L. 86—19578
Walther, H.-G. *see* Welsch, E. 85—12694
Walther, H.G. *see* Welsch, E. 88—2334
Walther, J., Schlaigh, G., Gohner, M. Pilot work station for flexible wiring harness assembly 87—17421
Walther, J. *see* Schlaich, G. 86—7505
Walther, J. *see* Schraft, R.-D. 85—10281
Walther, L., Tragner, P. Infrared measuring technique 87—8626
Walther, L. *see* Schulze, D. 86—71127
Walther, P. *see* Autrata, R. 86—53313
Walther, R. *see* Fitzgibbons, E.T. 88—13282
Walther, R.G. *see* DasGupta, S. 85—1681
Walther, R.G. *see* Koenemann, B.K. 86—62570
Walther, R.G. *see* Williams, T.W. 85—44990
Walther, S. *see* Leung, K.N. 86—32128
Walther, S.R., Leung, K.N., Ehlers, K.W., Kunkel, W.B. Generation of oxygen, carbon and metallic ion beams by a compact microwave source 87—56985
Walther, S.R., Leung, K.N., Kunkel, W.B. Characteristics of a compact microwave ion source 87—3882
Walther, S.R., Leung, K.N., Kunkel, W.B. Development of low-energy oxygen ion beams for surface studies 87—21364
Walther, V.H. *see* Schmitt, C. 85—59221
Walther, W. *see* Vullioud, G. 88—69196
Walthers, S. *see* Chamberlin, E.P. 87—57009
Walthers von Alten, J. Military takes steps to oust poor ICs from defense systems 86—35739
Waltho, A.E. Development of SSB mobile radio for use with satellites 85—63576
Walthuis, A. *see* Narayan, J. 85—23614
Waltman, D.J. *see* Ekin, J.W. 85—50888
Waltman, R. *see* Bargon, J. 85—28260
Waltman, R.J. *see* Bargon, J. 85—28261, 88—24824
Waltman, W.B. *see* Knowles, S.H. 85—57032
Walton, A. The application of microprocessor-based systems to turbine-generator instrumentation and control 87—42681
Walton, A. Conductor temperature measurement as an aid to the determination of the capability of overhead transmission lines 87—50827
Walton, A. The modelling of synchronous machines for transient studies 88—48919
Walton, A. Parametric test as a tool for increasing engineering yield 88—64742
Walton, A. *see* Arlett, P.L. 85—59834
Walton, A. *see* MacConaill, A. 88—64743
Walton, A.A. *see* McMichael, G.E. 85—58966
Walton, A.J. Parametric test as a tool for increasing engineering yield 88—33338
Walton, A.J., Gammie, W.R., Holwill, R., Henderson, B.M.M. Digital measurement of polysilicon to diffusion misalignment for a silicon gate MOS process 85—6789
Walton, A.J., Holwill, R., Robertson, J.M. Contact resistance of silicon-polysilicon interconnection for different current-flow geometries 85—18161
Walton, A.J., Holwill, R., Robertson, J.M. Data management and process control 85—45512
Walton, A.J., Holwill, R.J., Robertson, J.M. Numerical simulation of resistive interconnects for integrated circuits 86—35761
Walton, A.J., Moran, P.L., Burrow, N.G. The steady-state analysis of networks containing uniform or nonuniform distributed *RC* structures 87—52722
Walton, A.J., Robertson, J.M., Holwill, R., Moore, B. On-chip switching for DC parametric testing 85—45859
Walton, A.J., Robertson, J.M., Holwill, R., Moore, M.B. Standard instrument configuration for parametric testing 85—31312
Walton, A.J. *see* Analouei, A.R. 85—23003
Walton, A.J. *see* Ferguson, R.S. 86—8971, 88—57417
Walton, A.J. *see* Gribben, A. 87—46149
Walton, A.J. *see* Harrison, H.B. 87—11935
Walton, A.J. *see* Holwill, R.J. 88—64733
Walton, A.J. *see* MacConaill, A. 88—33352
Walton, A.J. *see* McGillivray, I. 86—2079
Walton, A.J. *see* McGillivray, I.G. 87—17851, 88—12919, 88—13057, 88—26034
Walton, A.J. *see* Robertson, J.M. 85—45511, 85—55928
Walton, A.J. *see* Serack, J.A. 87—32574
Walton, A.J. *see* Tuohy, P. 88—515
Walton, B. Thick film pastes and substrates 85—23294
Walton, B. *see* Bradford, M. 85—9822
Walton, B. *see* Shorthouse, G. 88—1223
Walton, B.A. *see* Dezio, J.A. 88—42599
Walton, C. *see* Kinicki, R. 87—28194
Walton, C.C. Nonlinear multichannel algorithms for estimating sea surface temperature with AVHRR satellite data 88—72939
Walton, C.C. *see* McClain, E.P. 86—32564
Walton, C.W. *see* White, R.E. 86—66222
Walton, D. Will Leicester have the UK's first city CHP scheme? 87—78449
Walton, D. Experience starts now! [Learning design] 88—24392
Walton, D., Seagrave, C. Desulphurization design studies 87—78489
Walton, D., Stern, R.A., Catura, R.C., Culhane, J.L. Deep-depletion CCDs for X-ray astronomy 85—58601
Walton, D.G. *(editor)* Nuclear Containment. Proceedings of an International Conference 88—43583
Walton, D.M. *see* Lapington, J.S. 87—41829
Walton, D.M. *see* Stern, R.A. 88—16198
Walton, D.P. *see* Lipoma, P.C. 87—14160
Walton, D.S. Schematic capture—key to fast, accurate design 85—17957
Walton, E. *see* Gilbert, B.K. 85—54858
Walton, E. *see* Mathur, B.P. 88—71780
Walton, E.K. Comparison of Fourier and maximum entropy techniques for high-resolution scattering studies [complex radar target] 87—63018
Walton, E.K., Young, J.D. The Ohio State University compact radar cross-section measurement range 85—20266
Walton, E.K. *see* Chen, J. 86—43891
Walton, E.K. *see* Newman, E.H. 85—3484
Walton, E.R. *see* Chang, M.F. 85—49819
Walton, E.R. *see* Kezer, R.C. 88—19106
Walton, E.R. *see* Tsen, C.T. 88—19163
Walton, F.L.J. The role of the City 88—18406
Walton, G. *see* Ferrante, R.D. 87—48733
Walton, J. *see* Bartelson, L. 86—26141, 88—54301
Walton, J. *see* Gatti, E. 85—59168
Walton, J. *see* Rehak, P. 86—65336
Walton, J.P. DMM and oscilloscope developments 85—14853
Walton, J.P. Style in the box world [enclosures] 85—16791
Walton, J.P. Expanding market stimulates connector development 85—17935
Walton, J.P. Reacting to the challenge of surface mounting 85—17979
Walton, J.P. Minimizing the cost of automated board testing 85—20458
Walton, J.P. Drilling printed circuit boards 85—23231
Walton, J.P. Developments in PCB connector technology 85—34367
Walton, J.P. Etching and deposition—microprocessors and modularity characterize the new generation of equipment 85—40622
Walton, J.P. Automatic device testing 85—44492
Walton, J.P. New developments in PC production equipment 85—45318
Walton, J.P. Wafer imaging and analysis 85—45490
Walton, J.P. Developments in ATE 85—47815
Walton, J.P. Equipment for assembling boards with SM devices 86—1524
Walton, J.P. Developments in PCB cleaning equipment 86—1526
Walton, J.P. Workshop and materials handling equipment [for PCBs] 86—1528
Walton, J.P. Environmental test equipment 86—7497
Walton, J.P. Soldering machine update 86—8592
Walton, J.P. Hybrid circuit manufacturing update 86—8662
Walton, J.P. Developments in PCB component insertion equipment 86—53175
Walton, J.P. PCB cleaning systems 86--67588
Walton, J.P. Automating the wafer fabrication process 87—6629
Walton, J.P. Process control in wafer fabrication—new developments 87—16359
Walton, J.P. Cassette-to-cassette wafer inspection 87—18205
Walton, J.P. CAE—the rainbow to the pot of gold 87—43947
Walton, J.P. Perspective on cleanroom design 87—43948
Walton, J.P. PCB cleaning—aqueous or solvent? 87—45414
Walton, J.P. Testing surface mounted boards 87—45415
Walton, J.P. Inspecting bare boards automatically 87—53032
Walton, J.P. Cleanrooms in electronic production 87—53033
Walton, J.P. No-clean fluxes—answer to a prayer? 87—66737
Walton, J.P. Robots—moving into place 87—72790
Walton, J.P. Infrared vs. vapour phase reflow [of PCBs] 87—73890
Walton, J.P. Developments in wafer inspection 88—199
Walton, J.P. Trends in enclosures 88—11759
Walton, J.Page *see* Page Walton, J.
Walton, J.T. Silicon detectors: new challenges 85—15157
Walton, J.T., Sommer, H.A., Thompson, A.C., Hughes, E.B., Zeman, H.D. 300-element silicon-lithium position-sensitive imaging detector for angiography 86—50511
Walton, J.T. *see* Alston-Garnjost, M. 88—74747
Walton, J.T. *see* Gatti, E. 85—9072
Walton, J.T. *see* Jaklevic, J.M. 88—42427
Walton, J.T. *see* Pehl, R.H. 86—65346
Walton, J.T. *see* Zeman, H.D. 86—11946, 86—60760
Walton, J.W. *see* Haas, R.W. 86—33459
Walton, K.R. *see* Cohen, U. 85—23183
Walton, L. Frequency planning for mobile radio in the fuel and power industries 88—28707
Walton, L., Bomford, C.K., Ramsden, D. The Sheffield stereotactic radiosurgery unit: physical characteristics and principles of operation 87—77677
Walton, L. *see* Dadson, C.E. 85—63571
Walton, L.A., Ficor, J., Harris, K.L., Mayberry, R.V. Locating leaking fuel rods in light water reactors 86—18998
Walton, L.A., Ficor, J., Harris, K.L., Mayberry, R.V. Locating leaking fuel rods in light water reactors 86—61308
Walton, M.H. *see* Morton, P.G. 88—17514
Walton, M.P., Haugen, P.R., Palmquist, S.L. A 1 Gbit/s optical/electrical input monolithic GaAs transmitter IC 87—8326
Walton, M.P. *see* Ray, S. 86—68410, 88—4001
Walton, P. ITN leads in electronic news 85—3708
Walton, P. Electronic mail in a buy and supply department 85—19716
Walton, P.J. *see* James, D.W. 85—32316
Walton, R. Analogue links survive PSS [high-speed-modem features] 85—57847
Walton, R. Low-cost links [LANs] 86—64624
Walton, R. A life and a future for analogue links? [modem technology] 87—40524
Walton, R. Modems: speeding up data on the public network 87—55872
Walton, R.B. *see* Yates, G.J. 86—49980
Walton, R.L. *see* Verly, J.G. 87—19953
Walton, R.W. How to computerise your drilling operation. I 87—53050
Walton, R.W. How to computerize your drilling operation. III. Connecting a computer to your programmer 87—60011
Walton, S.J. *see* Boys, J.T. 85—65333, 88—49180
Walton, S.J. *see* Green, R.M. 87—22597
Walton, T.L. *see* Hausman, C.L. 88—21938
Walton, W. *see* Lloyd, S. 87—17603
Walton, W.S. Improving ballistic shock specification 87—50013
Walton, W.T. *see* Jackson, F.C. 85—32004
Waltrip, B.C. *see* Oldham, N.M. 87—14354, 88—16219
Waltrip, T.Travers *see* Travers Waltrip, T.
Waltz, E.G. European hardware standards 85—10508
Waltz, F. *see* Schultz, J.C. 87—23386
Waltz, F.M. A periodicity duty cycle digital filter for automatic visual inspection 85—46966
Waltz, F.M. A 2-D periodicity filter for automatic visual inspection 86—10550
Waltz, F.M. Implementation of real-time perspective correction 88—52562
Waltz, F.M. Fast hardware implementation of the DOLP transform 88—59263
Waltz, G. MATE/CIIL boosts test intelligence 86—24309
Waltz, G. Automation and accuracy requirements force new pulsed-RF measurement techniques 88—9879
Waltz, G. Improved pulse spectra measurement technique: automation via PC 88—74300
Waltz, H. A new kind of power control for magnetrons 85—34429
Waltz, H. Power amplification tubes for UHF TV transmitters 87—63122
Waltz, R.J. *see* Crispin, L.G. 86—61378
Waltzman, S. *see* Boothroyd, A. 88—54655
Waluk, B. *see* Dudzinski, K. 86—49364
Walukiewicz, W. Hole mobility in modulation-doped heterostructures: GaAs-AlGaAs 85—50253
Walukiewicz, W. Mechanism of Schottky barrier formation: the role of amphoteric native defects 88—13018
Walukiewicz, W., Le Wang, Pawlowicz, L.M., Lagowski, J., Gatos, H.C. Effects of macroscopic inhomogeneities on electron mobility in semi-insulating GaAs 86—47299
Walukiewicz, W., Ruda, H.E., Lagowski, J., Gatos, H.C. Electron mobility in modulation-doped heterostructures 85—6739
Walukiewicz, W., Wang, Le, Pawlowicz, L., Lagowski, J., Gatos, H.C. Effect of deep level ionization on low temperature electron mobility in SI GaAs 86—8798
Walukiewicz, W. *see* Nauka, K. 86—21122
Walukiewicz, W. *see* Yu, K.M. 87—66978
Walve, K. *see* Lindstrom, C.-O. 86—50888
Walve, K. *see* Lindstrom, P.-O. 88—61785
Walworth, J.H. Theory of operation of the DRO 86—1375
Walworth, M. *see* Ambardar, A. 85—64558
Walworth, S. Demarc tests can pinpoint trouble [telecommunications] 86—23351
Walworth, V.K. *see* Cowan, J.J. 85—56847
Waly, S.M. Eddy currents in a hollow conducting cylinder 87—33379

Walyus, J.A. What to do when your network runs out of capacity [fibre optic technology] 87—28609
Walz, B.J. *see* Purdy, J.A. 86—38846
Walz, D. *see* Cammack, D. 85—14922
Walz, D. *see* Gluck, P. 86—26360
Walz, D. *see* Seeman, J. 87—41773
Walz, D.R. *see* Brunk, W.O. 86—22054
Walz, D.R. *see* Bulos, F. 88—54364
Walz, D.R. *see* Yencho, S. 86—24867
Walz, E.G. European hardware standards offer packaging uniformity 85—22252
Walz, F.W. *see* MacChesney, J.B. 87—74650, 87—74677
Walz, G. Computing the matrix exponential and other matrix functions 88—18639
Walz, G.A. A system approach to VLSI testing 86—17802
Walz, G.A. *see* Esposito, C.M. 87—20889
Walz, J. Image quality on video display terminals 85—58546
Walz, K.F. *see* Debertin, K. 86—44546
Walz, K.F. *see* Schrader, H. 86—44543
Walze, H. A VLSI communication controller for process data highways with PDV-protocol 85—63215
Walze, H. Sensors open up new application areas for manipulation systems 87—35053
Walzel, G. *see* Aichholzer, G. 87—22393
Walzer, F. The real-time clock for Atari St. The plug-in board for the Rhotron bus 88—6951
Wambacq, P., Oosterlinck, A., van den Berghe, H. A relaxation based adaptive filtering algorithm 85—30336
Wambacq, P., Van Eycken, L., Oosterlinck, A., Van den Berghe, H. A simple arithmetic processor for image operations 85—30321
Wambacq, P., Van Eycken, L., Rommelaere, J., Oosterlinck, A. Fast adaptive filtering with special hardware 87—17254
Wambacq, P., van Eycken, L., Vuylsteke, P., Oosterlinck, A. Adaptive linear filtering and morphological image operations with the filter processor 88—14829
Wambacq, P. *see* Van Eycken, L. 87—19900
Wambergue, C.-A. *see* Martin, E. 87—10917
Wamboldt, L. *see* Goldner, R.B. 87—68207
Wampler, F.B. *see* Tiee, J.J. 88—27040
Wampler, J.E. Enhancing real-time perception of quantum limited images from a doubly intensified SIT camera system 86—21059
Wampler, R. *see* Moise, J.C. 85—38228
Wan, C. *see* Haken, R. 86—47826
Wan, C.-F. *see* Tang, T. 86—47860
Wan, C.-Y. *see* Werling, U. 86—68439
Wan, C.C. *see* Chiu, J.G. 88—5822
Wan, C.C. *see* Lin, K.M. 88—75902
Wan, C.C. *see* Oh, C.Y. 86—40039
Wan, C.C. *see* Yang, H.W. 85—53807
Wan, C.F. A new substrate holder for liquid-phase epitaxy by the dipping method and its application to $Hg_{1-x}Cd_xTe$ 87—52123
Wan, C.F., McGrath, R.D., Keenan, W.F., Tung, Y.S., Frank, S.N. Doping tin-oxide films by ion implantation 88—57427
Wan, C.F., Shichijo, H., Hudgens, R.D., Plumton, D.L., Tran, L.T. A comparison study of GaAs E/D MESFETs fabricated with self-aligned and non-self-aligned processes 88—20007
Wan, C.F., Weirauch, D.F., Korenstein, R., Bylander, E.G., Castro, C.A. Supercooling studies and LPE growth of $Hg_{1-x}Cd_xTe$ from Te-Rich solutions 86—57443
Wan, E. *see* Soderman, D. 85—742
Wan, J., Chen, W. Realizability of compatible impedances using transformerless ladder two-port networks 86—57921
Wan, K.-L. *see* Lukens, J.E. 88—58038
Wan, K.K.H. *see* Cheng, H.K. 86—70657
Wan, L. *see* Madni, A.M. 87—76851
Wan, L.A., Madni, A.M. Radar target modeling proves essential to radar design and analysis 85—14341
Wan, L.A. *see* Stilwell, G.W. 86—17477
Wan, L.A. *see* Vuong, J.B. 85—20988
Wan, Q. Development of crystal pulling techniques in China 86—62210
Wan, R. *see* Liu, Q. 88—33448
Wan, S. *see* Yu, S. 88—68747
Wan, S.H. *see* Cohen, A.I. 85—60070, 87—77980
Wan, S.L. *see* Kellie, J.D. 86—18262
Wan, Y. *see* Shen, D. 86—54700
Wan Changhua *see* Ren Wei 88—32514
Wan Cho Jung *see* Jung Wan Cho
Wan Chong-yi, Zhou Jin-wen, Schwab, C., Fuss, W., Schmid, W.E., Kompa, K.L. Broad-band emission of a multiatmosphere CO_2 laser 86—3072
Wan Chong-Yi *see* Werling, U. 85—56499, 86—63753
Wan Chong-yi *see* Chong-yi Wan
Wan Dairong *see* Dai Yunsheng 88—74758
Wan Di-hui *see* Tang Ming-chuan 85—27861
Wan Di-sheng, Huang You-du A modified QD algorithm for non-normal Pade table 87—10307
Wan Hanli *see* Zhang Rirong 85—19277
Wan Jiaruo, Wu Minjin Minkowski structural operation and order filtering 85—2793
Wan Jiaruo, Wu Minjin, Gong Shikang General structural operation 86—37112
Wan Jin Liang *see* Jin Liang Wan
Wan Jin-Liang *see* Jin-Liang Wan
Wan Junwei The application and spreading of the carrier communication on the isolated earthwire 87—8145
Wan Kim Ki *see* Ki Wan Kim
Wan Kim Tae *see* Tae Wan Kim
Wan Koo Kyoung *see* Kyoung Wan Koo
Wan Li-de *see* Zou Li-xun 85—56787
Wan Liang-feng *see* Zheng Li-xing 86—22344
Wan Liang-Feng *see* Liang-Feng Wan
Wan Liangfen *see* Liangfen Wan
Wan Liangfeng *see* Gu Hongen 88—65613
Wan Liangfeng *see* Zhang Tao 86—68233
Wan Lu Shi *see* Lu Shi Wan
Wan Mei-xiang, Wang Ping The physical model of method of voltage shorted compaction (VSC) for conductivity measurement 86—38507
Wan Qun, Li Yu-Zhen Carbide-microinclusion in semiconductor silicon and its origin 86—21118
Wan Seok Seo *see* Kyung Hyun Park 88—47048
Wan Sui Ren On the kinetic theory of electron cyclotron maser 85—56462
Wan Tat *see* Tat Wan
Wan Tiun-Ji *see* Ding Yi-Yuan 85—31980
Wan Xiang He *see* He Wan Xiang
Wan Yieh-Hwang *see* Yieh-Hwang Wan
Wan Yong-bing *see* He Jian-she 87—59699
Wan Yongbing *see* Yongbing Wan
Wan Yuliang, Qu Yanzhen Research and design of communication subnet for supporting distributed systems 87—2901
Wan Zhong Li *see* Pin-Yee Chen 86—16621
Wan-cheng Ge *see* Ge Wan-cheng
Wan-Chi Siu, Constantinides, A.G. Fast Mersenne number transforms for the computation of discrete Fourier transforms 86—375
Wan-chun Wu *see* Wu Wan-chun
Wan-jun Cheng *see* Cheng Wan-jun
Wan-li Guo *see* Guo Wan-li
Wan-Li Lin, W., Chih-Tang Sah Effects of hydrogen chloride on boron acceptor hydrogenation and trap generation-annealing in oxidized silicon irradiated by keV electrons 88—57384
Wan-Li Lin, W., Sah, C.-T. Effects of hydrogen chloride on the annealing kinetics of interface and oxide traps in oxidized silicon stressed by avalanche electron injection 88—57397
Wan-Li Lin, W. *see* Chih-Tang Sah 86—63112
Wan-Li Lin, W. *see* Sah, C.-T. 86—41604
Wan-lin Ming *see* Ming Wan-lin
Wan-lu Wang *see* Wang Wan-lu
Wan-ping Hu *see* Hu Wan-ping
Wan-Tong Liu *see* Liu Wan-Tong
Wan-Yong Chon, Byong-Whi Lee, Chang-Kun Lee Present status and prospects of the nuclear power program in Korea 88—30466
Wan-Young Ryu Trends in the structure of electromagnetic switching technology 87—27783
Wan-Young Yoo, Jin-Hyun Kim Computer communications and OSI (Open System Interconnection) reference model 87—76346
Wanagel, J. *see* Hannula, S.-P. 85—54528
Wanaverbecq, D. All fresh, all hot [Bongard ovens] 88—55739
Wance, R.O. *see* Pankove, J.I. 85—18217
Wanchun Zhang *see* Zhang Wanchun
Wanczyk, S. *see* Sosinski, L. 87—35941
Wandel, G. *see* Boller, H.W. 86—45679
Wandel, K. *see* Gehrke, E. 87—1197
Wandel, R. *see* Herklotz, G. 85—63955, 86—4943
Wandell, B.A. Color rendering of color camera data 86—69903
Wandell, B.A. The synthesis and analysis of color images 87—39890
Wandell, B.A. *see* Nielsen, K.R.K. 88—52535
Wander, R. Modular VHF monitor—design variations 88—73782
Wander, S.M. *see* Graves, R.A., Jr 86—50664
Wanderer, P. Summary of field quality data from SSC R&D dipoles 88—4750
Wanderer, P., Cottingham, J.G., Dahl, P., Garber, M., Ghosh, A., Goodzeit, C., Greene, A., Herrera, J., Kahn, S., Kelly, E., Morgan, G., Prodell, A., Sampson, W., Schneider, W., Shutt, R., Thompson, P., Willen, E. Successful test of superconducting dipoles for a relativistic heavy ion collider at Brookhaven 88—29730
Wanderer, P., Cottingham, J.G., Dahl, P., Garber, M., Ghosh, A., Goodzeit, C., Greene, A., Herrera, J., Kahn, S., Kelly, E., Morgan, G., Prodell, A., Sampson, W., Schneider, W., Shutt, R., Thompson, P., Willen, E. Test results from 1.8-m SSC model dipoles 88—68136
Wanderer, P., Herrera, J., Thompson, P., Willen, E. Performance of R&D sextupole trim coils for SSC dipoles 88—54283
Wanderer, P. *see* Dahl, P. 86—25050, 86—44521, 87—74618, 88—68131
Wanderer, P. *see* Ganetis, G. 88—54036
Wanderer, P. *see* Ghosh, A.K. 86—25052
Wanderer, P. *see* Gupta, R.C. 88—51410
Wanderer, P. *see* Herrera, J. 86—22056, 88—54285
Wanderer, P. *see* Skaritka, J. 88—54039
Wanderer, P. *see* Strait, J. 87—74617, 88—54294, 88—68133
Wanderer, P. *see* Thompson, P.A. 86—25056, 87—21342
Wanderer, P.J. *see* Bleser, E.J. 85—48153
Wanderer, P.J. *see* Cottingham, J.G. 85—59040
Wandernoth, B. For radio and intercommunications: Microphone amplifier with comfort 87—65865
Wandesforde, A. *see* Peters, C. 88—68137
Wandesforde, A. *see* Taylor, C. 88—54037
Wandesforde, A.H. *see* Purgalis, P. 87—14667 to 14668
Wandinger, L. *see* Collett, E. 86—38522
Wandinger, L. *see* Fank, B. 85—1016
Wandinger, L. *see* Ngan, Y.C. 88—19381
Wandinger, L. *see* Yen, Y.E. 88—12591
Wandinger, M. *see* Trinks, U. 86—31952
Wandmacher, R.A. Insulation displacement connector reliability 87—17461
Wandruszka, R.von *see* von Wandruszka, R.
Wands, R. *see* Fast, R. 85—24250
Wands, R. *see* Grimson, J. 85—26713
Wands, R. *see* Johnson, M. 88—20866
Wands, R. *see* Minemura, H. 85—56255
Wands, R.H. *see* Fast, R.W. 85—35364, 85—43266, 85—59167, 86—50261
Wandt, D., Gellerman, W. Efficient CW color center laser operation in the 1.7 to 2.2 μm range based on F_2^+-like centers in KCl:Na^+:O_2^- crystals 87—39043
Wandt, D., Gellermann, W., Luty, F., Welling, H. Tunable CW laser operation in the 1.45-2.16 μm range based on F_2^+-like centers in O_2^- doped NaCl, KCl, and KBr crystals 87—33125
Wandt, D. *see* Gellermann, W. 87—39037
Wandtke, K.-D., Bauer, W., Liebsch, W., Trommer, H. Provisional assessment of results obtained from radio wave propagation measurements on cosmic and terrestrial transmission paths in the 10-20 GHz range 87—33436
Wane, H.T. *see* Reinbold, K. 85—27486
Waner, N.S. A review of heat stress and its management in the power industry [nuclear power stations] 86—65838
Wanfen Xie *see* Safranek, J. 88—47816
Wanfu Gou *see* Gou Wanfu
Wang, A., Jih Lien A self-aligned titanium polycide gate and interconnect formation scheme using rapid thermal annealing 86—21462
Wang, A. *see* Bartlett, K.A. 87—44794, 88—50115
Wang, A. *see* Brayton, R. 87—37231
Wang, A. *see* Detjens, E. 88—25135
Wang, A.D. *see* Albaugh, N.P. 87—73351
Wang, A.E. Surface preparation ensures UV solder mask adhesion 87—53023
Wang, A.P. Correction of atmospheric effects on Earth imaging (extended inverse method) 88—3186
Wang, A.P., Misteri, F. Star-diagonalization of 3×3 scattering matrices 88—56092
Wang, A.R. *see* Brayton, R.K. 88—12312
Wang, A.R. *see* Devadas, S. 88—63648
Wang, B. Mutual impedance between probe antennas in a waveguide 88—2735
Wang, B. Mutual impedance between probes in a waveguide 88—27562
Wang, B., Hutchison, D. Protocol testing techniques 87—40078
Wang, B. *see* Pin Long 88—8308
Wang, B. *see* Wendell, D. 85—6326
Wang, B.-D. *see* Sun, H.-C. 88—68305
Wang, B.F., Lo, Y.T. Microstrip antennas for dual-frequency operation 85—2670
Wang, B.F., Lo, Y.T. Microstrip antenna for dual-frequency operation 85—13350
Wang, B.F. *see* Lo, Y.T. 86—43034
Wang, B.F., *see* Loane, J. 86—60734
Wang, B.X. *see* Xu Youren 88—40415
Wang, B.X.M. *see* Chen, J.T.C. 87—70756
Wang, B.Y., Yamashita, E., Atsuki, K. Analysis of broadside-coupled suspended strip lines with side-wall grooves 87—26904
Wang, B.Y., Yamashita, E., Atsuki, K. Analysis of broadside-coupled suspended strip lines with side-wall grooves 88—14459
Wang, C., Atkinson, M.W., Fertig, K.W., Sastry, A.R.K. Performance evaluation of multi-hop packet radio networks using simulation 87—40050
Wang, C., Bar-Chaim, N., Lau, K.Y. A monolithic integrated device for fast radiation detection with an optical output 88—65357
Wang, C., Castello, R., Gray, P.R. A scalable high performance switched-capacitor filter 86—67338
Wang, C., Nelson, V.P. A reconfigurable fault-tolerant parallel computer—wafer scale implementation approach 87—52662
Wang, C., Novotny, D.W., Lipo, T.A. An automated rotor time constant measurement system for indirect field oriented drives 87—43522
Wang, C., Novotny, D.W., Lipo, T.A. An automated rotor time-constant measurement system for indirect field-oriented drives 88—43410
Wang, C. *see* Akachi, T. 86—58707
Wang, C. *see* Fu, S. 86—62963
Wang, C. *see* Liu, Y. 87—60757
Wang, C. *see* Matthews, D. 85—7350
Wang, C. *see* Shah, A.H. 87—10854
Wang, C. *see* Shih, W. 85—55723

Wang, C. *see* Sun Chiao 85—62091
Wang, C. *see* Villarruel, C.A. 85—63657
Wang, C. *see* Wang, S.-W. 87—68496
Wang, C. *see* Wu, X.Z. 87—77527
Wang, C. *see* Zheng, L. 87—2082
Wang, C.-C., Burns, W.K., Villarruel, C.A. 9×9 single-mode fiber-optic star couplers 85—24310
Wang, C.-C. *see* Li, H. 87—75907
Wang, C.-H., Lu, P.-Y., Williams, L.M. Epitaxial growth of HgTe by precracking metalorganic mercury and tellurium compounds 86—46317
Wang, C.-H., Wang, Z.-Q., Zheu, S.-H. Purely acoustical RF spectrum analyzer based on 2-dimensional acoustic Bragg lens 87—63319
Wang, C.-H. *see* Lu, P.-Y. 87—10375, 88—12048
Wang, C.-H. *see* Stein, J.L. 87—36085
Wang, C.-H. *see* Williams, L.M. 87—58968, 88—11970
Wang, C.-K., Castello, R., Gray, P.R. A scalable high-performance switched-capacitor filter 86—34976
Wang, C.-L., Wei, C.-H., Chen, S.-H. Efficient bit-level systolic array implementation of FIR and IIR digital filters 88—50260
Wang, C.-P. *see* Richardson, W.F. 86—46857
Wang, C.-P. *see* Shah, A.H. 87—17093
Wang, C.-P. *see* Shichijo, H. 86—34779
Wang, C.-W. *see* Levis, C.A. 88—73863
Wang, C.-Y., Kreischer, K.E., Temkin, R.J. Quasi-optical gyrotron with arbitrary beam injection angle 88—64181
Wang, C.-Y. *see* Agre, J.R. 88—9175
Wang, C.-Y. *see* Clare, L.P. 88—22037
Wang, C.-Y.M. *see* Samachisa, G. 88—6824
Wang, C.A. *see* Palmateer, S.C. 87—65491
Wang, C.B. *see* Bjorklund, G.C. 85—45974
Wang, C.C. High frequency narrow band single mode fiber optic transversal filters 86—48169
Wang, C.C. High-frequency narrow-band single mode fiber-optic transversal filters 87—34569
Wang, C.C. Cascaded single-mode fiber optic transversal filters 87—49086
Wang, C.C., Moeller, R.P., Burns, W.K., Kaminow, I.P. Fiber optic recirculating analog delay line 85—2038
Wang, C.C., Truong, T.K., Shao, H.M., Deutsch, L.J., Omura, J.K., Reed, I.S. VLSI architectures for computing multiplications and inverses in $GF(2^m)$ 85—55897
Wang, C.C., Yan, T. Combined coding and delay-throughput analysis for fading channels of mobile satellite communications 87—34513
Wang, C.C., Yan, T.-Y. Delay-throughput comparison for coded channels in mobile fading environment 88—2933
Wang, C.C., Yan, T.-Y. Performance analysis of an optimal file transfer protocol for integrated mobile satellite services 88—47000
Wang, C.C. *see* Chen, S.R. 88—23687
Wang, C.C. *see* Cohen, A.I. 88—10765
Wang, C.C. *see* Liu, Y.Z. 88—45419
Wang, C.C. *see* Pei, D.Y. 86—59220
Wang, C.C. *see* Simon, M.K. 85—20074, 85—41836, 86—16362
Wang, C.C. *see* Yan, T. 86—54617
Wang, C.H., Cheng, K.Y., Yang, S.J. Photoluminescence in CdTe grown on GaAs by metalorganic chemical vapor deposition 85—51033
Wang, C.H., Cheng, K.Y., Yang, S.J., Hwang, F.C. The growth and characterization of CdTe epitaxial layers on CdTe and InSb by metalogranic chemical vapor deposition 85—60957
Wang, C.J. *see* Akesson, T. 86—18235
Wang, C.J. *see* Rudd, W.G. 85—54380
Wang, C.K. *see* Christensen, R.N. 86—25802
Wang, C.L., Auerbach, J.M., Eckels, J.D., Koo, J.C., Kornblum, H.N., Price, D.F., Smith, J.A., Stotlar, S.C. Pyroelectric X-ray detectors and X-ray pyrometers 87—8857
Wang, C.L., Davis, B.A., Davies, T.J., Nelson, M.A., Thomas, M.C., Zagarino, P.A. Ultrafast conductivity detector-laser-diode transmitter 88—54428
Wang, C.L., Eckels, J.D., Morgan, W.V., Pocha, M.D., Slaughter, D.R., Davis, B.A., Kania, D.R., Wagner, R.S. Photoconductor X/γ-ray detectors and X-ray bolometers 87—8858
Wang, C.L., Medecki, H., Hale, C.P., Leipelt, G.R., Thomas, S.W., Wiedwald, J.D. Microchannel plate streak camera 85—52995
Wang, C.L., Medecki, H., Hale, C.P., Leipelt, G.R., Thomas, S.W., Wiedwald, J.D. Microchannel plate streak camera 85—61653
Wang, C.L., Pocha, M.D., Morse, J.D., Singh, M.S., Davis, B.A. Ultrafast photoconductor radiation detectors 88—54427
Wang, C.M., Peng, H.D., Wang, S.T. Advance of optoelectronic devices for long wavelength optical fiber communication in China 88—15464
Wang, C.P. Laser Doppler displacement measurement 88—2427
Wang, C.P., Bow, R.T. Scanning laser video camera/microscope 85—29970
Wang, C.P., Smith, P.L. Charged-large-array flexible mirror 85—51015
Wang, C.P. *see* Banerjee, S.K. 87—24190
Wang, C.P. *see* Bow, R.T. 87—77425
Wang, C.P. *(editor)* Proceedings of the International Conference on Lasers '85 87—58529
Wang, C.S., Chen, J.S., Fu, R., Sunderam, V.S., Varma, R., Zarrabi, J., Lin, C., Hwang, C.J. High power long life superluminescent diode 88—14049
Wang, C.S. *see* Bull, D.J. 87—46899
Wang, C.S. *see* Chow, L.S.H. 85—16262
Wang, C.S. *see* Fu, R.J. 85—7414, 87—46900
Wang, C.T. Error analysis in Newton-SOR computer simulation of semiconductor devices 85—18275
Wang, C.T. The charge burden effect on the threshold voltage of long channel VDMOSFETs 85—45731
Wang, C.T. Evaluation of the BFGS quasi-Newton method in coupled mode computer simulation of semiconductor devices 86—21491
Wang, C.T. A threshold voltage expression for small-size MOSFETs based on the approximate three-dimensional analysis 86—28335
Wang, C.T. Three-dimensional threshold voltage expressions for both the LOCOS and deep trench isolated MOSFETs 86—35722
Wang, C.T. VLSI architecture for device simulation 86—62620
Wang, C.T. Threshold behavior of short-channel LDD MOSFETs 87—38296
Wang, C.T. A software program 'SUPERMOS' for characterizing hot carrier effects of short-channel MOSFETs 87—60509
Wang, C.T. A three-dimensional threshold voltage expression for MOSFETs with deep-trench isolation 87—67295
Wang, C.T. An improved hot-electron-emission model for simulating the gate-current characteristic of MOSFETs 88—33229
Wang, C.T. *see* Chang, C.F. 87—18577
Wang, C.Y., Belytschko, T.B., Chang, Y.W., Seidensticker, R.W. An implicit three-dimensional finite-element formulation for long-duration structural analysis of piping systems 87—57821
Wang, C.Y., Temkin, R.J., Kreischer, K.E. Quasi-optical gyrotron with arbitrary beam injection angle 88—25791
Wang, C.Y., Zeuch, W.R. An advanced multidimensional method for structural and hydrodynamic analysis of LMFBR piping systems 86—6552
Wang, C.Y. *see* Fertig, K. 87—40218
Wang, C.Y. *see* Morse, T.F. 86—42276
Wang, C.Y. *see* Spira, S. 88—12888
Wang, D. Limits and validity of the impedance boundary condition on penetrable surfaces 87—54522
Wang, D., Li, Y., Wei, H., Tang, C., Yan, H., Huang, S. Influence of annealing on the physical properties and atomic structure of a-Si:H films 88—25902
Wang, D., Wang, Q. A weighted averaging method for image smoothing 87—48191
Wang, D. *see* Dai, W.-M. 88—26425
Wang, D. *see* Gear, C.W. 87—65448
Wang, D. *see* Huang, G. 87—20857
Wang, D. *see* Knoglinger, E. 88—30517
Wang, D.-A. *see* Zhang, Z.-H. 87—14499, 88—16444
Wang, D.-S., Medgyesi-Mitschang, L.N. Electromagnetic scattering from finite circular and elliptic cones 85—46547
Wang, D.-S. *see* Chew, H. 86—36351
Wang, D.-S. *see* Medgyesi-Mitschang, L.N. 85—51394
Wang, D.C., Pauley, R.G., Wang, S.-K., Liu, L.C.T. Cost-effective high-performance monolithic X-band low-noise amplifiers 87—32074
Wang, D.C., Pauley, R.G., Wang, S.K., Liu, L.C.T. Cost-effective high performance monolithic X-band low noise amplifiers 86—67508
Wang, D.C. *see* Chi, T.Y. 88—19407
Wang, D.C. *see* Janber, H. 87—53326
Wang, D.C. *see* Kanber, H. 87—59873, 87—66527
Wang, D.C. *see* Lan, G.L. 88—63966
Wang, D.C. *see* Wang, S.K. 87—993
Wang, D.C.C. *see* Richman, S.H. 86—16994
Wang, D.L. A semi-Markovian parametric model for slowly time-varying binary switchings 87—27702
Wang, D.L. Knowledge based object detection using SAR images 87—62241
Wang, D.N.K. *see* Mei Chang 88—44682
Wang, D.Q. *see* Wu, C.K. 85—19501
Wang, D.S. *see* Medgyesi-Mitschang, L.N. 87—12698
Wang, D.S.Y. *see* Medgyesi-Mitschang, L.N. 85—2525
Wang, D.T. *see* Wilson, P.J. 87—17150
Wang, D.W., Katz, I.N., Szabo, B.A. Implementation of A C triangular element based on the *P*-version of the finite element method 85—10573
Wang, D.W., Xiao, W.T., Zhao, F.S., Lan, D.N., Hua, G.P., Zhu, J.H. Magnetic properties and structures of Nd-Fe-B system permanent magnets 86—22015
Wang, D.W. *see* Tsai, H.H. 86—21426
Wang, D.W. *see* Zhu, J.H. 85—29472
Wang, D.Y. *see* Lampel, M.C. 86—32119
Wang, D.Y. *see* Rand, R.E. 88—47880
Wang, E. Intelligent call processing in automatic call distributors 88—21861
Wang, E. *see* Greenblatt, M. 86—66313
Wang, E. *see* Youfan Liu 87—74149
Wang, E.F. *see* Smith, A.K. 88—13081
Wang, E.Q. *see* Ying, C.S. 88—24906
Wang, E.Y. *see* Donohue, J.F. 86—47430
Wang, E.Y. *see* Pandelisev, K.A. 85—44189
Wang, F. BIST using pseudorandom test vectors and signature analysis 88—71688
Wang, F., Newkirk, R. Design and implementation of a knowledge based system for remotely sensed change detection 87—77128
Wang, F., Newkirk, R. Data correction for automated remote sensing image interpretation 88—10517
Wang, F., Schwartzman, A., Fahrenbruch, A.L., Sinclair, R., Bube, R.H., Stahle, C.M. Kinetics and oxide composition for thermal oxidation of cadmium telluride 87—74201
Wang, F. *see* Chang, K. 87—73781, 88—25464
Wang, F. *see* Gao, G. 88—68898
Wang, F. *see* Martin, T.S. 88—71102
Wang, F. *see* Rodriguez, A. 86—63485
Wang, F. *see* Velsko, S.P. 88—51946
Wang, F.-C. *see* Naugle, D.G. 87—65559
Wang, F.-J., Temes, G.C. A fast offset-free sample-and-hold circuit 88—63768
Wang, F.-J., Temes, G.C., Law, S. A quasi-passive CMOS pipeline D/A converter 88—70873
Wang, F.C. Testability analysis: what role should it play in IC design? 85—40845
Wang, F.C. A CAD system for design and test 88—532
Wang, F.C., Nurie, G., Brashler, M. An integrated design for testability system 86—27266
Wang, F.C. *see* Hung, A.C. 86—46742
Wang, F.F.Y. *see* Yan, R. 88—7284
Wang, F.T. *see* Milanovich, F.P. 85—38067
Wang, F.X. *see* Lipo, T.A. 85—9841
Wang, F.Y. *see* Lee, J.Y. 87—11334
Wang, G. *see* Amundsen, P.C. 88—20703
Wang, G. *see* Franz, P. 87—43025
Wang, G. *see* Gerla, M. 87—75967
Wang, G. *see* Jou, J.N. 87—67486
Wang, G. *see* Stenersen, K. 87—26275
Wang, G.-W., Chen, Y.-K., Schaff, W.J., Eastman, L.F. A 0.1-μm gate $Al_{0.5}In_{0.5}As/Ga_{0.5}In_{0.5}As$ MODFET fabricated on GaAs substrates 88—63896
Wang, G.-W., Ichitsubo, I., Ku, W.H., Chen, Y.-K., Eastman, L.F. Large-signal time-domain simulation of HEMT mixers 88—38725
Wang, G.-W., Ku, W.H. An analytical and computer-aided model of the AlGaAs/GaAs high electron mobility transistor 86—53644
Wang, G.-Y. *see* Xie, H.-L. 87—4918
Wang, G.N., Moffatt, W.L., Vegh, L.J., Veicht, F.J. High-resistance grounding and selective ground fault protection for a major industrial facility [mining facility] 85—10304
Wang, G.S. *see* Gerla, M. 87—55781
Wang, G.W., Chen, Y.K., Eastman, L.F., Whitehead, B. Reduction of gate resistance in tenth-micron gate MODFETs for microwave applications 88—71043
Wang, G.W., Chen, Y.K., Radulescu, D.C., Eastman, L.F. A high-current pseudomorphic AlGaAs/InGaAs double quantum-well MODFET 88—26330
Wang, G.W., Chen, Y.K., Radulescu, D.C., Tasker, P.J., Eastman, L.F. A high-gain short-gate AlGaAs/InGaAs MODFET with 1 amp/mm current density 88—56966
Wang, G.W. *see* Chen, Y.K. 87—60504, 88—25449, 88—25474, 88—32428, 88—38752, 88—38761
Wang, H., Ankri, D. Monolithic integrated photoreceiver implemented with GaAs/GaAlAs heterojunction bipolar phototransistor and transistors 86—43812
Wang, H., Ankri, D. High current gain heterojunction bipolar phototransistor for monolithic integrated photoreceiver 87—33074
Wang, H., Ankri, D. High current gain GaAlAs-GaAs heterojunction bipolar transistors for monolithic photoreceivers at 0.85 μm 87—38965
Wang, H., Bacot, C., Chevallier, C., Ankri, D. GaAs/GaAlAs heterojunction bipolar phototransistor for monolithic photoreceiver operating at 140 Mbit/s 87—7230
Wang, H., Bacot, C., Gerard, C., Lievin, J.L., Dubon-Chevallier, C., Ankri, D., Scavennec, A. GaAs/GaAlAs heterojunction bipolar phototransistor for monolithic photoreceiver operating at 140 Mbit/s 87—20500
Wang, H., Chen, W. A general theorem on the summation of return differences 87—65618
Wang, H., Dangla, J. Early effect of high-current-gain heterojunction bipolar transistor 87—11739
Wang, H., Dubon, C., Lievin, J.L., Azoulay, R., Bacot, C., Dangla, J., Houtondji, M., Desrousseaux, P., Ankri, D. Monolithic photoreceiver implemented with heterojunction bipolar phototransistor and transistors 85—62065
Wang, H., Kaveh, M. Coherent signal-subspace processing for the detection and estimation of angles of arrival of multiple wide-band sources 86—10342

Wang, H., Kaveh, M. Sensitivity and performance analysis of coherent signal-subspace processing for multiple wideband sources 86−10444
Wang, H., Kaveh, M. On the performance characterization of signal-subspace processing 87−8345
Wang, H., Kaveh, M. On the performance of signal-subspace processing. I. Narrow-band systems 87−12982
Wang, H., Kaveh, M. Performance of narrowband signal-subspace processing 87−19772
Wang, H., Kaveh, M. On the performance of signal-subspace processing. II. Coherent wide-band systems 88−14671
Wang, H., Li, C.-C. A channel efficient method for high-resolution active direction finding of multiple targets 88−72923
Wang, H., Li, C.C., Zhu, J.X. High-resolution direction finding in the presence of multipath: a frequency-domain smoothing approach 87−62113
Wang, H., Lieven, J.L., Azoulay, R., Alexandre, F., Dubon, C., Bacot, C., Dangla, J., Hountondji, M., Desrousseaux, P., Ankri, D. Monolithic integrated photoreceiver implemented with Ga$_{1-x}$Al$_x$As/GaAs heterojunction bipolar phototransistor 85−41274
Wang, H., Liu, Y.Y., Mittelstein, M., Chen, T.R., Yariv, A. GaInAsP/InP unstable resonator lasers 87−75087
Wang, H., Wakefield, G.H. Signal-subspace approximation for line spectrum estimation 87−62085
Wang, H., Xie, S., Qiao, T. Experimental investigation of the internal overvoltages on Datong-Fangshan 500 kV transmission line 88−68940
Wang, H. *see* Bibyk, S.B. 87−32696
Wang, H. *see* Chen, H.Z. 88−2275, 88−8180, 88−40242
Wang, H. *see* Chen, K.-M. 86−70393
Wang, H. *see* Cheng, N. 88−54330
Wang, H. *see* Du, S. 87−27111
Wang, H. *see* Du, Y.C. 88−26049
Wang, H. *see* Gan, F. 85−50896
Wang, H. *see* Huang, Z.G. 87−68328
Wang, H. *see* Kaveh, M. 87−75801
Wang, H. *see* Leahy, R. 88−3113
Wang, H. *see* Li, C.-C. 88−74082
Wang, H. *see* Li, C.C. 87−62053
Wang, H. *see* Lievin, J.L. 86−2966
Wang, H. *see* Liu, G. 87−27112
Wang, H. *see* Liu, Z. 86−68030
Wang, H. *see* Sun, D.C. 87−60226
Wang, H. *see* Tan, H.H. 87−62417
Wang, H. *see* Zhou, G. 87−48196
Wang, H. *see* Zhu, J.-X. 88−74078
Wang, H. *see* Zhu, J.X. 88−72705, 88−74079
Wang, H.-C. *see* Yang, W.-J. 88−66327
Wang, H.-Q. *see* Ritchings, R.T. 86−50524
Wang, H.B. *see* Ng, K.H. 88−10448
Wang, H.C. *see* Hwang, K. 87−58856
Wang, H.C.H. *see* Hunsucker, R.D. 86−59070
Wang, H.H. Plasma etching of poly Si in SF$_6$+Cl$_2$ mixtures 86−21428
Wang, H.H. Plasma etching of poly Si in SF$_6$-O$_2$ mixtures 86−28231
Wang, H.H., Kaw, R., Advani, G. Three plasma etching modules in a double metal CMOS process for VLSI circuits 86−21849
Wang, H.H., Lin, E. Two layer resist for plasma etching 87−11908
Wang, H.H. *see* Gazdag, J. 86−50732
Wang, H.H. *see* Liu, B.D. 88−19956
Wang, H.M. *see* Lee, C.T. 87−65568
Wang, H.S. *see* Yih, T.S. 88−8301
Wang, H.T. *see* Lee, C.-P. 87−38264
Wang, H.T. *see* Lee, C.P. 86−47616
Wang, H.T. *see* Mathur, B.P. 88−71780
Wang, H.T. *see* Sheng, N.H. 87−31907, 87−66174
Wang, H.T.M. *see* Hayes, R.R. 86−36364
Wang, H.Z. *see* Wu, J. 88−2585
Wang, J. New method to measure facet reflectivity of antireflection (AR)-coated laser diodes and LEDs 86−5554
Wang, J. An iterative algorithm for inverse filtering 86−10361
Wang, J., Beni, G. Connectivity analysis of multidimensional multivalued images 87−62311
Wang, J., Egami, T., Tsuchiya, T. An optimal output feedback control method and application to a motor-generator system 88−17521
Wang, J., Olesen, H., Stubkjaer, K.E. Recombination, gain and bandwidth characteristics of 1.3-μm semiconductor laser amplifiers 87−33188
Wang, J., Rugh, W.J. Parameterized linear systems and linearization families for nonlinear systems 87−59119
Wang, J., Sato, T., Echigo, H., Takagi, T. A direction finding algorithm of reflected waves using small size data series measured in Fresnel region and its evaluation 88−60306
Wang, J., Schunk, N., Petermann, K. Linewidth enhancement for DFB lasers due to longitudinal field dependence in the laser cavity 87−68450
Wang, J., Skiles, J., Kustom, R., Ise, T., Tsang, F., Cleary, J. Studies of power conditioning circuits for superconductive magnetic energy store 88−75962
Wang, J., Skiles, J.J., Kustom, R.L., Cleary, J., Tsang, F. Independent real and reactive power control with superconductive magnetic energy storage 88−31058
Wang, J., Tong, B. Calculation of 3D eddy current problems using a modified *T*-Ω method 88−52106
Wang, J., Tsuchiya, T. Minimal order output feedback control system design method with feedforward control loops and its application 86−61699
Wang, J., Zhang, H., Wu, Q., Zhou, B. Single-mode characteristics of short coupled-cavity semiconductor lasers 87−68493
Wang, J. *see* Barth, M. 86−57237
Wang, J. *see* Basili, P. 87−62873
Wang, J. *see* Bayruns, R.J. 88−63661
Wang, J. *see* Chang, J.-F. 87−69407
Wang, J. *see* Chen, K. 86−1352, 86−1356
Wang, J. *see* Egami, T. 86−26065
Wang, J. *see* Freytag, D.R. 86−50419
Wang, J. *see* Gururaja, T.R. 86−2476
Wang, J. *see* Hastings, D.E. 87−61391
Wang, J. *see* Hora, H. 86−36520
Wang, J. *see* Ise, T. 88−75960
Wang, J. *see* Kustom, R.L. 88−55452
Wang, J. *see* Li, T. 88−48138
Wang, J. *see* Liu, S.S. 88−34880
Wang, J. *see* Mauri, M. 87−62878
Wang, J. *see* Segal, K.R. 86−11978
Wang, J. *see* Tsuchiya, T. 86−12797
Wang, J. *see* Vignola, G. 86−32136
Wang, J.-C., Wei, D.-Z. A new testability measure for digital circuits 87−24122
Wang, J.-C. *see* Szofran, F.R. 85−39701
Wang, J.-D. Unified derivation and initial convergence of three prewindowed fast transversal recursive least squares algorithms 88−66482
Wang, J.-D., Trussell, H.J. A unified derivation of the fast RLS algorithms 87−19753
Wang, J.-D., Trussell, H.J. Adaptive harmonic noise cancellation with an application to distribution power line communications 88−66488
Wang, J.-D., Werner, J.-J. Performance analysis of an echo-cancellation arrangement that compensates for frequency offset in the far echo 88−41452
Wang, J.-F. *see* Lee, J.-D. 88−21220
Wang, J.-H., Liittschwager, J.M., Raz, T. Censored life-data analysis using linguistic variables 88−43748
Wang, J.-L., Yu, O. The price of power 88−61845
Wang, J.-M. Modes of storage ring coherent instabilities 87−50067
Wang, J.-M., Yu, L.-H. A transient analysis of a bunched beam free electron laser 87−2206
Wang, J.-Q., Richards, P.L., Beeman, J.W., Haegel, N.M., Haller, E.E. Optical efficiency of far-infrared photoconductors 87−21074
Wang, J.-R., Ucci, D.R. The performance of frequency hopped adaptive arrays with injected pilot signal 88−21033
Wang, J.-S. *see* Climent, A. 85−34869
Wang, J.-S. *see* Huang, G.C. 86−63698
Wang, J.-S. *see* Ida, N. 88−52082
Wang, J.-S. *see* Schaefer, G. 85−5327
Wang, J.-S. *see* Wu, C.-Y. 87−37169
Wang, J.-X. An investigation of copper contact for use in silicon solar cells 86−7085
Wang, J.-Z. *see* Masuda, S. 88−29897
Wang, J.C. Calculation of electric-field strength in the vicinity of short wave curtain antenna 87−47417
Wang, J.C., Lu, P.C., McInnis, B.C. A microcomputer-based control system for the total artificial heart 87−63836
Wang, J.C. *see* Grondin, R.O. 86−67493
Wang, J.C. *see* Hung, B.N. 86−56092
Wang, J.C. *see* Kentwell, G.W. 87−12516
Wang, J.C. *see* McInnis, B.C. 85−38227, 86−12035
Wang, J.C. *see* Tam, R.M. 87−27852
Wang, J.C.H. A skywave propagation study in preparation for the 1605-1705 kHz broadcasting conference 85−57022
Wang, J.C.H. *see* Fernandez, M. 86−48576
Wang, J.D., Ahmad, M.O. A new design technique for two-dimensional FIR filters 87−66435
Wang, J.D. *see* Harman, D.D. 88−45730
Wang, J.D. *see* Trussell, H.J. 86−32757, 86−37696
Wang, J.F. Sequential thinning algorithms for remote sensing application 88−5190
Wang, J.F., Shi, S.M., Zhang, X.D. Computer-aided drainage network analysis from Landsat imagery and its application to rock type recognition 87−2611
Wang, J.F. *see* Chen, L.G. 86−57801, 86−67951, 87−5586, 87−37161, 88−7654
Wang, J.F. *see* Hsueh, C.T. 88−27749
Wang, J.F. *see* Jou, J.M. 86−67944, 88−26445
Wang, J.F. *see* Jou, J.N. 87−67486
Wang, J.F. *see* Sheu, S.R. 87−19836, 88−44815
Wang, J.F. *see* Yang, C.S. 88−24634
Wang, J.G. *see* Gilgenbach, R.M. 88−27001
Wang, J.H. *see* Esener, S.C. 87−60976, 88−7980
Wang, Jingguo *see* Fan, Mingwu 86−42739
Wang, J.J. *see* Wang, X.L. 85−29436
Wang, J.J.-M., Lai, D.T.-T., Heng, V.S.-G., Godfrey, R.D. False lock performance in polarity-type Costas receivers in the presence of periodic data patterns 88−27741
Wang, J.J.H. General method for the computation of radiation in stratified media 85−24788
Wang, J.J.H. Analysis of a diode-switched microstrip array 86−64130
Wang, J.J.H. An examination of the theory and practices of planar near-field measurement 88−72657
Wang, J.J.H., Keenan, M.D., Cooke, W.P., Sun, L.T., Newton, J.M. Rapid real-time simulation of aircraft scattering 85−14350
Wang, J.J.H., Papanicolopulos, C., Tripp, V.K., Ryan, C.E., Jr., Cooke, W.P. Radar cross section modeling of aircraft by using geometric theory of diffraction 85−14349
Wang, J.J.H. *see* Cown, B.J. 88−45758
Wang, J.J.H. *see* Kwon, Y.S. 87−19277
Wang, J.J.M., Cideciyan, R.D., Lindsey, W.C. Phase and frequency transfer with automatic Doppler and delay compensation 87−39366
Wang, J.J.M. *see* Cideciyan, R. 88−3064
Wang, J.K., Tsai, C.S. Acoustic transmission and image contrast of tilted plate specimens in transmission acoustic microscopy 85−53212
Wang, J.L., Silvester, J.A. Optimal adaptive ARQ protocols for point-to-multipoint communication 88−52644
Wang, J.M. *see* Decker, G. 88−54228, 88−74685
Wang, J.M. *see* Krinsky, S. 86−18205
Wang, J.M. *see* Lee, S.Y. 86−24967
Wang, J.M. *see* Li, H.Q. 86−12959
Wang, J.M. *see* Taboury, J. 88−51620
Wang, J.R. Effect of vegetation on soil moisture sensing observed from orbiting microwave radiometers 85−43491
Wang, J.R. Microwave emission from smooth bare fields and soil moisture sampling depth 88−16926
Wang, J.R., Engman, E.T., Mo, T., Schmugge, T.J., Shiue, J.C. The effects of soil moisture, surface roughness, and vegetation on *L*-band emission and backscatter 88−9620
Wang, J.R., Teng, X.K., Xu, P.F., Zhou, L., Hebral, B., Vallier, J.C. Properties of Nb$_3$Sn multifilamentary materials 86−47979
Wang, J.R., Wilheit, T.T., Chang, L.A. Retrieval of total precipitable water using radiometric measurements near 183.3 GHz and 90 GHz frequencies 88−5174
Wang, J.R. *see* Engman, E.T. 87−63995, 88−5126
Wang, J.R. *see* Mo, T. 88−5125
Wang, J.R. *see* Schmugge, T.J. 88−10574
Wang, J.S., Kong, A., Lau, K.F., Yen, K.H. Recent developments on membrane bulk-acoustic-wave resonators 86−42082
Wang, J.S., Watson, S.K., Lau, K.F. Reactive ion beam etching for VHF crystal resonators 85−62149
Wang, J.S. *see* Neugroschel, A. 85−45652
Wang, J.W., Loew, G.A. Measurements of ultimate accelerating gradients in the SLAC disk-loaded structure 86−32015
Wang, J.W., Loew, G.A. Progress report on new RF breakdown studies in an S-band structure at SLAC 88−54354
Wang, J.W., Nguyen-Tuong, V., Loew, G.A. RF breakdown studies in a SLAC disk-loaded structure 87−41698
Wang, J.W., Olesen, H., Tromborg, B., Stubkjaer, K.E. Characterization of a fiber-optic ring laser 88−65727
Wang, J.W., Quintana, V.H. A state estimation algorithm based on a decoupling technique and orthogonal rotations 85−26994
Wang, J.W., Stubjaer, K.E. Recombination, gain and bandwidth characteristics of 1.3 μm semiconductor laser amplifiers 86−36514
Wang, J.W. *see* Tanabe, E. 87−14650, 87−41697
Wang, J.X. *see* Li, A.Z. 88−49814
Wang, J.Y. Statistical properties of multiple-glint targets under laser illumination 85−3513
Wang, J.Y. Detection efficiency of coherent optical radar 85−8484
Wang, J.Y. Lidar signal fluctuations caused by beam translation and scan 87−3243
Wang, J.Y., Felton, C.M.M. Instruments for physical environmental measurements with special emphasis on atmospheric instruments. Second edition 85−4455
Wang, J.Y.J. Application of pattern recognition techniques to QRS complex classification—a review 85−9191
Wang, J.Y.J., Helfenbein, E.D. Optimal filter design for real-time arrhythmia detection—a new methodology 85−15336
Wang, J.Y.J., Shaya, M.N. An overview of ECG monitoring for patients with artificial pacemakers 85−59305
Wang, K. Adaptive signal equalization for QAM systems 87−68948

Wang, K., Bader, M., Egging, T. A fuse programmable column redundancy for a byte-wide SRAM 88−32211
Wang, K., Davis, P.J. Group matrices for the quaternion and generalized dihedral groups 87−31396
Wang, K., Sawan, Y., Silver, M. Magneto-resistance studies in forward biased hydrogenated amorphous silicon p/i/n devices 88−25935
Wang, K. *see* Carandang, R. 87−32088
Wang, K. *see* Chow, P.D. 87−1525
Wang, K. *see* Hsu, I.-S. 85−13477
Wang, K. *see* Lugiato, L.A. 88−65852
Wang, K. *see* Mammone, R.J. 86−10309
Wang, K. *see* Yau, W. 87−73795
Wang, K.-C., Asbeck, P.M., Chang, M.F., Miller, D.L., Sullivan, G.J., Corcoran, J.J., Hornak, T. Heating effects on the accuracy of HBT voltage comparators 87−66444
Wang, K.-C. *see* Asbeck, P.M. 88−25451, 88−25475
Wang, K.-G., Wang, S.-K. State-of-the-art ion-implanted low-noise GaAs MESFETs and high-performance monolithic amplifiers 88−25456
Wang, K.-H. *see* McIntyre, J.A. 86−50491
Wang, K.-L. *see* Chow, P.D. 86−53628
Wang, K.-L. *see* von Roos, O. 86−41330
Wang, K.-P. *see* Jhon, C.S. 85−763
Wang, K.-W., Cheng, C.-L., Long, J., Mitcham, D. High-performance InGaAs junction field-effect transistor with P/Be co-implanted gate 88−50872
Wang, K.-W. *see* Cheng, C.-L. 88−1684
Wang, K.C., Asbeck, P.M., Chang, M.F., Miller, D.L., Eisen, F.H. High-speed, high-accuracy voltage comparators implemented with GaAs/(GaAl)As heterojunction bipolar transistors 86−35857
Wang, K.C., Asbeck, P.M., Chang, M.F., Miller, D.L., Sullivan, G.J. High-speed MSI current-mode logic circuits implemented with heterojunction bipolar transistors 87−31851
Wang, K.C., Asbeck, P.M., Chang, M.F., Sullivan, G.J., Miller, D.L. A 20-GHz frequency divider implemented with heterojunction bipolar transistors 87−73682
Wang, K.C., Asbeck, P.M., Chang, M.F., Sullivan, G.J., Miller, D.L. High-speed circuits for lightwave communication systems implemented with (AlGa)As/GaAs heterojunction bipolar transistors 88−15502
Wang, K.C., Asbeck, P.M., Chang, M.F., Sullivan, G.J., Miller, D.L. A 4-bit quantizer implemented with AlGaAs/GaAs heterojunction bipolar transistors 88−19237
Wang, K.C., Asbeck, P.M., Miller, D.L., Eisen, F.H. Voltage comparators implemented with GaAs/(GaAl)As heterojunction bipolar transistors 85−61392
Wang, K.C. *see* Asbeck, P.M. 87−59875
Wang, K.C. *see* Chang, M.-C.F. 87−60416
Wang, K.C. *see* Chang, M.F. 86−41931, 87−10780, 88−33367
Wang, K.C. *see* Sheng, N.H. 88−38757
Wang, K.C. *see* Sullivan, G.J. 86−41747
Wang, K.G., Wang, S.K. State-of-the-art ion-implanted low-noise GaAs MESFET and monolithic amplifier 87−59897
Wang, K.G., Wang, S.K. State-of-the-art ion-implanted low-noise GaAs MESFET and monolithic amplifier 87−73721
Wang, K.G. *see* Liu, C.S. 88−19410
Wang, K.G. *see* Schellenberg, J.M. 87−73738
Wang, K.G. *see* Wang, S.K. 86−67498, 87−6157
Wang, K.L. Novel devices by Si-based molecular beam epitaxy 86−21240
Wang, K.L. Properties and applications of molecular beam epitaxial silicides 87−10453
Wang, K.L. Elemental and compound semiconductor devices today and beyond: influence of advanced epitaxial processes 88−12014
Wang, K.L., Bader, M.D., Soorholtz, V.W., Mauntel, R.W., Mendez, H.J., Voss, P.H., Kung, R.I. A 21-ns 32 K×8 CMOS static RAM with a selectively pumped p-well array 88−6828
Wang, K.L., Bader, M.D., Voss, P.H., Soorholtz, V.W., Mauntel, R.W., Meendez, H.J., Kung, R.I. A 21 ns 32K×8 CMOS SRAM with a selectively pumped P-well array 87−59501
Wang, K.L., Kao, Y.C. Properties and applications of molecular beam epitaxial silicides 87−44355
Wang, K.L., Mauntel, R.W., Parrillo, L.C., Bader, M.D., Herr, N., Cosentino, S.J., Leiss, J.E., Madan, S.K., Mendez, H.J., Soorholtz, V.W., Kung, R.I. A selectively pumped p-well memory array technology for high density static RAMs 87−44854
Wang, K.L. *see* Abdeshaah, R. 85−18297
Wang, K.L. *see* Chen, H.Y. 88−39146
Wang, K.L. *see* Chow, P.D. 86−15149, 87−6735, 87−17889
Wang, K.L. *see* Chung, S. 87−38278
Wang, K.L. *see* de Fresart, E. 88−63289
Wang, K.L. *see* Dhiman, J.K. 85−34815
Wang, K.L. *see* Jamieson, D.N. 88−38220
Wang, K.L. *see* Jogai, B. 85−23502, 85−55157, 86−46600, 86−67078
Wang, K.L. *see* Kang, T.W. 88−49816
Wang, K.L. *see* Kao, Y.C. 87−6467, 88−38219
Wang, K.L. *see* Li, G.P. 85−34943
Wang, K.L. *see* Lin, T.L. 86−62213, 87−1348, 87−11637, 87−17969, 88−6442, 88−38195
Wang, K.L. *see* Mii, Y.J. 88−49810
Wang, K.L. *see* Perng-fei, Yuh. 87−25268
Wang, K.L. *see* Perng-fei Yuh 88−14171
Wang, K.L. *see* Rhee, S.S. 88−64279
Wang, K.L. *see* Sadwick, L.P. 86−53643
Wang, K.L. *see* Xie, Y.H. 85−54467
Wang, K.S. *see* Gleason, K.K. 87−52155
Wang, K.W., Cheng, C.L., Zima, S.M. Fully ion-implanted abrupt *pn* junction on semi-insulating InP 87−74051
Wang, K.W. *see* Kim, S.J. 88−7626
Wang, K.Y. *see* Hui, L.Y.W. 88−35026
Wang, L. Spare transformers in transmission systems−Reliability and capital cost considerations 88−68748
Wang, L., Allidina, A.Y., Malinowski, K., Singh, M.G. Multi-level hierarchical structures for the solution of large sets of ordinary differential equations 87−44262
Wang, L., Chou, H.M., Gibbs, H.M., Gigioli, G.C., Khitrova, G., Kulcke, H.-M., Jin, R., Macleod, H.A., Peyghambarian, N., Sprague, R.W., Tsao, M.T. Symbolic substitution using ZnS interference filters 88−33816
Wang, L., Esch, V., Feinleib, R., Zhang, L., Jin, R., Chou, H.M., Sprague, R.W., Macleod, H.A.G., Khitrova, G., Gibbs, H.M., Wagner, K., Psaltis, D. Interference filters as nonlinear decision-making elements for three-spot pattern recognition and associative memories 88−51629
Wang, L., Gallyas, K., Tsai, D.T. Reliability assessment in operational planning for large hydro-thermal generation systems 86−33069
Wang, L., Goldberg, M. Progressive image transmission by multistage transform coefficient quantization 87−27661
Wang, L., Goldberg, M. Progressive image transmission by residual error vector quantization in transform domain 87−48012
Wang, L., Goldberg, M. Progressive image transmission by transform coefficient residual error quantization 88−28027
Wang, L., Goldberg, M. Lossless progressive image transmission by residual vector quantization 88−46316
Wang, L., Goldberg, M. Pyramid transform coding using vector quantization 88−72765
Wang, L., Hsu, Y.-Y. Damping of subsynchronous resonance using excitation controllers and static VAr compensations: a comparative study 88−48438
Wang, L., Kazarinoff, N.D. On the universal sequence generated by a class of unimodal functions 87−65351
Wang, L., McCluskey, E.J. Concurrent built-in logic block observer (CBILBO) 86−67195
Wang, L., McCluskey, E.J. Circuits for pseudo-exhaustive test pattern generation 87−24094
Wang, L., McCluskey, E.J. A hybrid design of maximum-length sequence generators 87−24095
Wang, L., McCluskey, E.J. Complete feedback shift register design for built-in self-test 87−37207
Wang, L., McCluskey, E.J., Mourad, S. Shift register testing of sequential machines 87−66145
Wang, L., Xiang, L. The research on switching impulse flashover characteristics of phase to phase air clearance for 500 kV outdoor substation 88−69649
Wang, L. *see* Anassontzis, E. 86−32202
Wang, L. *see* Bowen Loftin, R. 88−42609
Wang, L. *see* Braun, A. 87−14429
Wang, L. *see* Chen, C. 87−59418
Wang, L. *see* Cheng, R.T. 86−65557
Wang, L. *see* Jin, R. 87−33311
Wang, L. *see* Khitrova, G. 88−65432
Wang, L. *see* Ramani, N. 87−30723
Wang, L. *see* Semlyen, A. 88−10783
Wang, L. *see* Sprague, R.W. 88−8288
Wang, L. *see* Tsao, M.T. 87−39220
Wang, L.-K. *see* Li, G.P. 87−74407
Wang, L.-T., Law, E. DTA: Daisy Testability Analyzer 85−40065
Wang, L.-T., McCluskey, E.J. A new condensed linear feedback shift register design for VLSI/system testing 85−17351
Wang, L.-T., McCluskey, E.J. Condensed linear feedback shift register (LFSR) testing−a pseudoexhaustive test technique 86−41042
Wang, L.-T., McCluskey, E.J. Built-in self-test for sequential machines 88−19072
Wang, L.-T., McCluskey, E.J. Circuits for pseudo-exhaustive test pattern generation using shortened cyclic codes 88−25170
Wang, L.-T., McCluskey, E.J. Hybrid designs generating maximum-length sequences 88−32132
Wang, L.-T. *see* Sun, Z. 85−33918
Wang, L.-Z. *see* Zhou, T.-M. 87−64946
Wang, L.C., Fang, F., Marshall, E.D., Lau, S.S. Contact metallization for GaAs−a report on the development of a non-alloyed ohmic contact scheme 88−71445
Wang, L.C. *see* Marshall, E.D. 87−74108
Wang, L.C. *see* Paccagnella, A. 88−50871
Wang, Le *see* Walukiewicz, W. 86−8798
Wang, L.K., Chuang, C.T., Li, G.P. On the effects of implantation of ions in the MeV energy range into silicon 87−1401
Wang, L.K., Taur, Y., Moy, D., Dennard, R.H., Chiong, K., Hohn, F., Coane, P.J., Edenfeld, A., Carbaugh, S., Kenney, D., Schnur, S. 0.5 micron gate CMOS technology using E-beam/optical mix lithography 87−25580
Wang, L.K. *see* Chang, W.H. 88−71794
Wang, L.K. *see* Chen, C.L. 88−6809
Wang, L.K. *see* Coane, P. 87−25011
Wang, L.K. *see* Lai, F.J. 87−1743
Wang, L.K. *see* Lai, F.S. 86−47854
Wang, L.K. *see* Moy, D. 88−71796
Wang, L.K. *see* Stanasolovich, D. 87−67600
Wang, L.K. *see* Sun, J.Y. 87−46216
Wang, L.K. *see* Taur, Y. 87−46194
Wang, L.M. *see* Peng, S.T. 86−10162
Wang, M. Private T1 systems can provide greater control and also reduce costs for network managers 87−76029
Wang, M. Almost asymptotically optimal flag encoding of the integers 88−66295
Wang, M., Cutler, M., Su, S.Y.H. Yield analysis of WSI systolic arrays with two-level redundancy 88−33348
Wang, M., You, H., Liu, G., Jian, Y., He, S. Theoretical analysis of transient current and transient capacitance of photovoltaic device 88−37507
Wang, M. *see* Cutler, M. 88−25125
Wang, M. *see* Fukui, K. 85−45241, 87−540
Wang, M. *see* Su, S. 87−37252
Wang, M.-C. Re-sampling procedures for reducing bias of error rate estimation in multinomial classification 86−57309
Wang, M.-S. *see* Gutmann, R.J. 87−77387
Wang, M.C., Granatstein, V.L., Kehs, R.A. Design of a Bragg cavity for a millimeter wave free-electron laser 86−42594
Wang, M.C., Granatstein, V.L., Levush, B. The gain and efficiency improvement of a free-electron laser by an optical klystron configuration 88−65751
Wang, M.C. *see* Granatstein, V.L. 88−60253
Wang, M.C. *see* Kehs, R.A. 86−21056
Wang, M.H. *see* Tada, K. 85−2039
Wang, M.H. *see* Xu, L.Z. 85−29473
Wang, N. Radiation from a curved reactive surface 85−13062
Wang, N. Electromagnetic scattering from a dielectric-coated circular cylinder 86−3472
Wang, N. Diagnostic tests on power transformers in service to avoid unexpected failures 88−69481
Wang, N., Gaubatz, U. Optical frequency doubling of a single-mode dye laser in an external ring resonator 86−54203
Wang, N., Sadoulet, B., Shutt, T., Beeman, J., Haller, E.E., Lange, A., Park, I., Ross, R., Stanton, C., Steiner, H. A 20 mK temperature sensor 88−60688
Wang, N. *see* Fok, F.Y.S. 88−8437
Wang, N. *see* Kennaugh, E.M. 86−36765
Wang, N. *see* Paknys, R. 86−63935, 87−47275, 87−54655, 88−40537
Wang, N. *see* Qin, G. 88−74851
Wang, N. *see* Stone, G.C. 86−39701
Wang, N. *see* Wilson, A. 85−65208
Wang, N.L., Adlerstein, M.G., Brooks, R., Chu, G., Hoke, W., Masse, D., Stacey, W. Q-band monolithic GaAs IMPATT oscillator 88−19403
Wang, N.L., Stacey, W., Brooks, R., Donegan, K., Hoke, W. Millimeter-wave monolithic GaAs IMPATT VCO 88−63956
Wang, P., Chang, L., Demer, L.J., Varker, C.J. Denuded zones in Czochralski silicon wafers 85−355
Wang, P., Sjoreen, T.P., Li Chang, Demer, L.J. A study of postannealing and in situ annealing of silicon wafers implanted with a high dose of oxygen 88−33009
Wang, P. *see* Benson, H.R. 86−32409
Wang, P. *see* Brown, G. 88−47962
Wang, P. *see* Choyke, P.L. 86−32266
Wang, P. *see* Emery, L. 88−54456
Wang, P. *see* Mun, S.K. 86−32410, 88−29980
Wang, P. *see* Sango, M. 88−71123
Wang, P. *see* Ying, Q. 86−70675
Wang, P.-y. *see* Yi, Z. 88−68746
Wang, P.C. *see* Choyke, P.L. 87−29739
Wang, P.C. *see* Stelling, C.B. 85−48253
Wang, P.D. *see* Masselink, W.T. 85−22462
Wang, P.D. *see* Warner, R.M., Jr. 85−29055
Wang, P.J., Wessels, B.W. Vapor phase epitaxy of InP using flow modulation 87−247
Wang, P.J., Wessels, B.W. Electronic properties of InAsP/InAs strained-layer superlattices prepared by hydride vapor phase epitaxy 88−57362
Wang, P.J. *see* Chen, W.H. 88−45123
Wang, P.K. Calculation of electrostatic fields surrounding finite circular cylindrical conductors 85−2466
Wang, P.K. *see* Djordjevic, A.R. 85−51358
Wang, P.K. *see* Volakis, J.L. 88−2472, 88−20842

Wang, P.K.U. Theoretical aspect of linear graphs and electrical networks 85−489
Wang, P.K.U. Approaches to hardware acceleration of circuit simulation 86−46494
Wang, P.S.P., Dai, X.W. A grammatical inference algorithm for digitized array patterns 87−48069
Wang, P.T.R., McGurrin, M.F. CSMA/CD LANs with overload detection and protection 86−37555
Wang, P.T.R., McGurrin, M.F. CSMA/CD LANs with overload detection and protection 86−59634
Wang, P.W., Cheng, H.S., Gibson, W.M., Corbett, J.W. Studies of implanted iron in silicon by channeling and Rutherford backscattering 87−1390
Wang, P.Y. *see* Amin, M. 88−48653
Wang, P.Y. *see* Kjell, B.P. 88−46222
Wang, Q., Bhargava, V.K. On the application of importance sampling to BER estimation in the simulation of digital communication systems 88−14926
Wang, Q., Bhargava, V.K. Efficient maximum likelihood decoding of generalized tail biting convolutional codes including quasi-cyclic codes 88−21100
Wang, Q., Bhargava, V.K., Gulliver, A.T. Construction of optimal quasi-cyclic codes based on optimum distance profile convolutional codes 87−69045
Wang, Q., Bhargava, V.K., Yoshikai, N. Comment on 'Error-correcting code for optical-fibre transmission systems' 87−75695
Wang, Q., El Guibaly, F.H. VLSI architecture of bit-serial quasicyclic encoders 87−10945
Wang, Q. *see* Wang, D. 87−48191
Wang, Q. *see* Xuan, G. 88−46227
Wang, Q.-H. *see* Huang, C.-Y. 87−9771
Wang, Q.H. *see* Chu, S.S. 86−7108
Wang, Q.R., Suen, C.Y. Large tree classifier with heuristic search and global training 87−39895
Wang, Q.S., Kho, T.H., Lin, A.T., McDermott, D.B., Luhmann, N.C., Jr. A gyroresonant phase filter for the enhancement of traveling wave gain and efficiency 88−27000
Wang, Q.S., Kho, T.H., Lin, A.T., McDermott, D.B., Luhmann, N.C., Jr. Enhancement of traveling wave gain and efficiency with a gyroresonant phase filter 88−39017
Wang, Quanfeng *see* Tang, Renyuan 86−45376
Wang, Q.Z. *see* Ho, P.P. 88−2379
Wang, R. Study on the safety technique of hot washing 88−69028
Wang, R., Hanson, A.R., Riseman, E.M. Texture analysis based on local standard deviation of intensity 87−2639
Wang, R., Zhang, D., Chen, J. A simple method for calculating the FEL energy transfer rate 86−9885
Wang, R. *see* Lou, Q. 87−38994
Wang, R. *see* Wing, O. 86−2379
Wang, Renhang *see* Zheng, Shaoming 86−42737
Wang, R.F. Calculation and adjustment limitation of four-parameter TRV in high power testing circuits and their comparison 87−65165
Wang, R.F. *see* Chen, Y.K. 86−35117
Wang, R.H. *see* Brown, K.H. 85−12519
Wang, R.H. *see* Chi, C.C. 85−46078
Wang, R.H. *see* Dueholm, B. 85−46081
Wang, R.H. *see* Tesche, C.D. 85−46070, 85−56217
Wang, R.H. *see* Vanneste, C. 85−35354
Wang, R.T. *see* Haracz, R.D. 88−14368
Wang, R.W., Liepa, V.V. Reduction of the edge diffraction of a circular ground plane by using resistive edge loading 86−42968
Wang, R.W. *see* Tzou, Y.Y. 87−72352
Wang, S. Longitudinal-mode stability and wavelength tunability of semiconductor lasers with composite cavity structures 85−29809
Wang, S. Frequency control of semiconductor lasers 85−51194
Wang, S. Using fault simulation: an examination of practical approaches a tester-oriented concurrent fault simulator 88−15960
Wang, S. Ice coating and protection for the overhead transmission lines in the high-altitude Yannan areas 88−69000
Wang, S., Wilcox, J.Z., Jansen, M., Yang, J.J. Inphase locking in diffraction-coupled phased-array diode lasers 86−63803
Wang, S. *see* Anreasyan, A. 85−29826
Wang, S. *see* Antreasyan, A. 85−2354, 85−29827
Wang, S. *see* Baribaud, M. 85−59248
Wang, S. *see* Braun, A. 87−14429
Wang, S. *see* Chen, K. 86−1352
Wang, S. *see* Chen, K.-L. 85−24560, 85−35762, 85−41399, 86−68318
Wang, S. *see* Haralick, R.M. 85−59457, 86−18584
Wang, S. *see* Hong, J.M. 86−34302, 86−52470, 88−2224
Wang, S. *see* Hoogenboom, L. 85−24283
Wang, S. *see* Hsin, W. 88−40245
Wang, S. *see* Huang, Y. 88−31733
Wang, S. *see* Jin, W. 86−70850
Wang, S. *see* Joardar, K. 88−37510, 88−69683
Wang, S. *see* Lo, Y.-H. 86−53652
Wang, S. *see* Lo, Y.H. 86−47586, 87−10380, 87−32519, 88−38200
Wang, S. *see* Munce, A.C., Jr. 87−71467
Wang, S. *see* Murphy, T. 87−8854
Wang, S. *see* Ogura, M. 87−61129, 88−34023
Wang, S. *see* Peterson, K. 87−59405
Wang, S. *see* Tang, M. 86−48384
Wang, S. *see* Twu, Y. 85−35757, 87−68467
Wang, S. *see* Vakhshoori, D. 86−47533, 88−34104
Wang, S. *see* Weber, J.-P. 86−63799, 88−45179
Wang, S. *see* Wu, M.C. 88−27157, 88−45444, 88−65666
Wang, S. *see* Wu, Y. 85−2342
Wang, S. *see* Wu, Y.H. 87−33157
Wang, S. *see* Yao-Hwa Wu 86−21174
Wang, S. *see* Zhang, Y. 86−43041
Wang, S. *see* Zhu, Z.H. 87−3702, 87−46442, 88−70952
Wang, S.-K. *see* Liu, L.C.T. 87−32073
Wang, S.-K. *see* Mondal, J.P. 85−6521
Wang, S.-K. *see* Wang, D.C. 87−32074
Wang, S.-K. *see* Wang, K.-G. 88−25456
Wang, S.-L. On the unifying admittance calculation 87−382
Wang, S.-M. *see* Shen, Y.-Z. 88−54120
Wang, S.-M. *see* Shi, W.-Z. 88−37455
Wang, S.-P.T. Animated simulation of a flexible manufacturing system [IC assembly] 87−36479
Wang, S.-S., Lin, T.-P., Wu, J.-L. Novel systolic architecture of fast biased polynomial transform 87−59539
Wang, S.-W., Wang, C., Lin, S. Stability analysis of semiconductor bistable lasers 87−68496
Wang, S.-Y. *see* Lin, S.H. 87−54102
Wang, S.-Y. *see* Ogura, M. 88−34023
Wang, S.B. *see* Ai-zhen Li 85−40597
Wang, S.C., Leung, K.M., Gacusan, L.Z. Observation of single-mode oscillation in gain-guided GaAlAs laser array 87−61157
Wang, S.C. *see* Gibbons, M.D. 88−74412
Wang, S.C. *see* Hsin, W. 88−40245
Wang, S.C. *see* Ogura, M. 88−14180, 88−34023
Wang, S.C.-H. *see* Wei, C.Y. 85−52684
Wang, S.C.H. Subtractive effect of charge integration on dual-gate CID readout with correlated double sampling 86−44168
Wang, S.C.H., Ching-Yeu Wei, Woodbury, H.H., Gibbons, M.D. Characteristics and readout of an InSb CID two-dimensional scanning TDI array 86−5061
Wang, S.C.H., Winn, M.L. Single-gate charge-injection device readout modeling and analysis 85−26334
Wang, S.G. *see* Shao, K. 88−26694
Wang, S.H. *see* Fan, C.X. 87−19744
Wang, S.H. *see* Hench, L.L. 88−65118
Wang, S.H. *see* Schempp, A. 86−24918, 87−35271
Wang, Shuying *see* Chang, Tianbao 87−57031
Wang, S.J., Chen, D.Z., Ji, X.Q. An antenna library for the personal computer 88−2690
Wang, S.J., Fang, B.C., Tzeng, F.C., Chen, C.T., Chang, C.Y. Inversion criteria for the metal-insulator-semiconductor tunnel structures 86−67759
Wang, S.J., Lee, J.Y., Chang, C.Y. An efficient and reliable approach for semiconductor device parameter extraction 86−46457
Wang, S.J., Lin, Y.H., Ih, C.-H.C. Dynamics and control of a Shuttle-attached antenna experiment 85−53118
Wang, S.J., Sung, J.M., Lyon, S.A. Relationship between the location of trapped holes and interface state generation in the Si-SiO_2 system 88−44602
Wang, S.J. *see* Chang, C.Y. 86−14963, 86−21558, 86−35467, 87−1545
Wang, S.J. *see* Ediss, G.A. 85−34124
Wang, S.J. *see* Tu, C.W. 86−53472
Wang, S.J. *see* Xie, L.G. 88−2891
Wang, S.J. *see* Young, W.C. 87−25947
Wang, S.K., Wang, D.C., Chang, C.D., Siracusa, M., Liu, L.C.T. Producibility of GaAs monolithic microwave integrated circuits 87−993
Wang, S.K., Wang, K.G., Chang, C.D. High performance monolithic power amplifier using a unique ion implantation process 86−67498
Wang, S.K., Wang, K.G., Chang, C.D. High performance monolithic power amplifier using a unique ion implantation process 87−6157
Wang, S.K. *see* Carandang, R. 87−32088
Wang, S.K. *see* Liu, L.C.T. 85−61462, 86−35110, 86−67505
Wang, S.K. *see* Schellenberg, J.M. 87−73738
Wang, S.K. *see* Wang, D.C. 86−67508
Wang, S.K. *see* Wang, K.G. 87−59897, 87−73721
Wang, S.K. *see* Yau, W. 87−73795
Wang, S.L. *see* Peng, S.T. 87−75511
Wang, S.M. *see* Sun, D. 88−66110
Wang, S.P., Enck, R.S., Bardas, D., Hunt, R.P. Advances in proximity type X-ray image intensifier tubes 85−9142
Wang, S.P., Schoolman, S.A. Effects of kVp on DSA images 85−4278
Wang, S.P., Zeilenga, J., Hunt, R.P., Specht, D.F., Enck, R.S. High resolution digital radiography using a proximity type image intensifier 85−4275
Wang, S.P. *see* Roehrig, J.R. 85−4282
Wang, S.S. Servo-controlled foil bearing actuator [for high-speed printer] 85−10073
Wang, S.S., Lee, A., Mamrick, M.S. An electrochemical technique for evaluating electrical contact lubricants 88−12697
Wang, S.S., Winful, H.G. Dynamics of phase-locked semiconductor laser arrays 88−51794
Wang, S.S. *see* Sha, R.T. 85−8080
Wang, S.T., Kozman, T.A., Hanson, C.L., Shimer, D.W., VanSant, J.H., Zbasnik, J. Progress on axicell MFTF-B superconducting magnet systems 85−1921
Wang, S.T., Tetenbaum, D., Balsley, B.B., Obert, R.L., Avery, S.K., Avery, J.P. A meteor echo detection and collection system for use on VHF radars 88−41743
Wang, S.T. *see* Owen, E.W. 85−1940
Wang, S.T. *see* Sakai, S. 85−46277
Wang, S.T. *see* Wang, C.M. 88−15464
Wang, S.Y. Ultra high speed photodetectors 85−56442
Wang, S.Y., Burton, R.L., Witherspoon, F.D., Bloomberg, H.W., Goldstein, S.A., Tidman, D.A., Winsor, N.K. Railgun bore material test results 88−40513
Wang, S.Y., Carey, K.W., Kolner, B.H. A front-side-illuminated InP/GaInAs/InP p-i-n photodiode with a −3-dB bandwidth in excess of 18 GHz 87−46683
Wang, S.Y., Carey, K.W., Kolner, B.H. InP/GaInAs/InP PIN photodiode with FWHM <18 ps 87−46704
Wang, S.Y., Lin, S.H. High speed III-V electrooptic waveguide modulators at λ-1.3 μm 88−72157
Wang, S.Y., Lin, S.H., Houng, Y.M. GaAs traveling-wave polarization electro-optic waveguide modulator with bandwidth in excess of 20 GHz at 1.3 μm 87−68193
Wang, S.Y. *see* Burton, R.L. 87−26661
Wang, S.Y. *see* Carey, K.W. 87−12315
Wang, S.Y. *see* Donald, D.K. 87−2029
Wang, S.Y. *see* Lin, S.H. 85−56293, 87−1973
Wang, S.Y. *see* Witherspoon, F.D. 88−40512
Wang, S.Y. *see* Zhu, Z.H. 87−3702, 87−46442, 88−70952
Wang, S.Z. Fabrication of stable Nb-based Josephson tunnel junctions by e-beam evaporation in an ordinary high vacuum system 87−74566
Wang, S.Z. *see* Karbowiak, A.E. 88−67062
Wang, S.Z. *see* Shao, K. 88−26694
Wang, T. Current transmitter IC caters to high-level signals and tight budgets 85−42918
Wang, T. High performance digital multiplier devices and applications 86−1181
Wang, T. A high performance 15 ns (max.) bipolar TTL programmable logic device 86−27252
Wang, T. Programmable array logic (PAL) design techniques−overview 86−46708
Wang, T. High performance dual-port memory controller−implemented by programmable logic devices 86−46813
Wang, T. MicroCMOS programmable logic device provides the best solution in system design 86−67205
Wang, T. A high performance 16×16 bipolar TTL multiplier 87−658
Wang, T. Key points for good PAL designs 87−5853
Wang, T. Micro CMOS programmable logic device provides the best solution in system design 87−59348
Wang, T., Harrington, R.F., Mautz, J.R. Quasi-static analysis of a microstrip via through a hole in a ground plane 88−58915
Wang, T., Hess, K. Calculation of high-field diffusivity by a many-particle Monte Carlo simulation including a complete band structure for GaAs 85−11927
Wang, T., Hess, K. Calculation of the electron velocity distribution in high electron mobility transistors using an ensemble Monte Carlo method 85−50539
Wang, T., Hess, K., Iafrate, G.J. Time-dependent ensemble Monte Carlo simulation for planar-doped GaAs structures 85−61880
Wang, T., Hess, K., Iafrate, G.J. Monte Carlo simulations of hot-electron spectroscopy in planar-doped barrier transistors 86−41757
Wang, T., Leburton, J.P., Hess, K. A jet-stream solution for the current in planar-doped-barrier devices 85−34931
Wang, T., Leburton, J.P., Hess, K., Bailey, D. Absence of spatial coherence effects of carrier energy and velocity in $GaAs^+$-AlGaAs-$GaAs^-$ tunnel structures 86−35402
Wang, T., Mautz, J.R., Harrington, R.F. Characteristic modes and dipole representations of small apertures 88−27392
Wang, T. *see* Arrathoon, R. 88−65444
Wang, T. *see* Bielawski, J. 86−1182
Wang, T. *see* Brennan, K. 85−45426
Wang, T. *see* Robbins, V.M. 86−21099
Wang, T. *see* Saniie, J. 88−56361

Wang, T. *see* Tzu Li 86−20481
Wang, T. *see* Yeung, P. 87−59416
Wang, T. *see* Zahn, M. 87−43171
Wang, T.-C. *see* Ghoshal, U. 87−67160
Wang, T.-H., Itoh, T. Compact grating structure for application to filters and resonators in monolithic microwave integrated circuits 88−25460
Wang, T.-J. *see* He, Z.-Y. 87−69392
Wang, T.-S. *see* Feldman, D.W. 87−75136
Wang, T.-S.F., Cooper, R.K. Electron-beam envelopes and matching for a combined wiggler and alternating-gradient quadrupole channel 87−2160
Wang, T.-S.F., Takeda, H. RF stability in the Los Alamos free-electron laser energy-recovery experiment 88−47890
Wang, T.-S.F. *see* Feldman, D.W. 88−2285
Wang, T.C. White light seam tracking system for arc-welding robot 88−53725
Wang, T.F. *see* Feldman, D.W. 88−45487
Wang, T.F. *see* Goldstein, J.C. 88−45481
Wang, T.H., Ciszek, T.F., Schuyler, T. Microdefect effects on minority carrier lifetime in high purity dislocation-free silicon single crystals 88−57296
Wang, T.H., Itoh, T., Ling, H. Spectral domain analysis of a coupled slot antenna 88−2799
Wang, T.H., Wang, T.M., Itoh, T. Experimental confirmation of slow-waves in a crosstie overlay coplanar waveguide and its application to band-reject gratings 88−70962
Wang, T.H. *see* Lee, H.-Y. 88−26890, 88−39995
Wang, T.H. *see* Tzuang, C.-K.C. 87−45293
Wang, T.J. Real time correlation system for the phase conjugate wavefront 86−3279
Wang, T.J. Phase-conjugate of a Fourier hologram using four-wave mixing in BSO crystal 86−15791
Wang, T.J., Hsueh, C.Y. The study of geometrical conditions for an optimal reconstructed image by simulated Raman and Brillouin backscattering 86−64348
Wang, T.K. *see* Chen, S.R. 88−23687
Wang, T.K. *see* Lin, J.D. 88−23688
Wang, T.L. *see* Kennedy, T.S. 85−36574
Wang, T.M. *see* Wang, T.H. 88−70962
Wang, T.N.C. *see* Chiang, K.F. 86−69610
Wang, T.S. *see* Venkatesh, B. 87−17068
Wang, T.T., Von Seggern, H., West, J.E., Keith, H.D. High field poling of poly(vinylidene fluoride) films using a current limiting circuit 85−24026
Wang, T.T. *see* Sakai, S. 86−9686
Wang, T.T. *see* von Seggern, H. 85−35244
Wang, T.Y., Fry, K.L., Persson, A., Reihlen, E.H., Stringfellow, G.B. Atomic steps at GaInAs/InP interfaces grown by organometallic vapor phase epitaxy 88−31726
Wang, W. Sidewall-defined self-aligned reach-up isolation 85−12401
Wang, W. High performance, high density capacitively loaded FET static RAM 85−18473
Wang, W. Lithographically defined self-aligned double-implanted doped FET device 85−45870
Wang, W. Experimental studies of metal/z-Si/c-Si switches 86−28246
Wang, W., Bosisio, R.G. Manufacturing pass rate predictions of an optimized 2 to 18 GHz Wilkinson power divider in microstripline 88−25402
Wang, W., Gu, J., Henderson, T.C. A pipelined architecture for parallel image relaxation operations 88−25246
Wang, W., Gu, J., Smith, K.F. A regular layout for concurrent discrete relaxation computation 87−66300
Wang, W., Mukhedkar, D., Gervais, Y. Sensitivity analysis of the total accident probability of a grounding system 85−59806
Wang, W., Pang, M.T., Komori, K., Lee, K.S., Arai, S., Suematsu, Y. A modified 1.5 μm GaInAsP/InP bundle-integrated-guide distributed-Bragg-reflector (BIG-DBR) laser with an inner island substrate 88−65702
Wang, W., Velazquez, R., Mukhedkar, D., Gervais, Y. A practical probabilistic method to evaluate tolerable step and touch voltages [electric shocks] 85−22194
Wang, W. *see* Bosisio, R.G. 87−29252, 87−52808
Wang, W. *see* Cavaliere, J.R. 85−7063
Wang, W. *see* Chu, S.F. 85−45848
Wang, W. *see* Eardly, D.B. 85−22890
Wang, W. *see* Gao, Y. 87−66358
Wang, W. *see* Giannakis, G.B. 87−61925
Wang, W. *see* Heiblum, M. 85−12124
Wang, W. *see* Hsieh, C.M. 85−12428
Wang, W. *see* Lawson, W. 88−25811, 88−25821, 88−57263
Wang, W. *see* Li, S.-h. 88−68876
Wang, W. *see* Nowak, W.B. 86−21442
Wang, W. *see* Shen, X. 88−2528
Wang, W. *see* Wagner, M. 87−19494
Wang, W. *see* Wei, H. 85−22475
Wang, W. *see* Zhou, F. 85−37875
Wang, W.-B. *see* Guo, Y.-J. 88−2548
Wang, W.-C. *see* Onishi, S. 86−2540
Wang, W.-L., Hudson, L.R., Tseng, H.-F. High performance visible and near-infrared charge-coupled-device array for spectroscopy applications 88−16195
Wang, W.-L. *see* Hudson, L.R. 87−41384
Wang, W.-S. *see* Hwu, J.-G. 86−35447, 88−57382
Wang, W.B. *see* Gayen, S.K. 87−7305, 87−68432
Wang, W.B. *see* Zarrabi, H.J. 85−29703
Wang, W.C., Onishi, S., Schachter, H., Cassara, F., Zhang, Y.S. An integrated, thin film programmable signal processor 87−6973
Wang, W.C. *see* Lee, L.C. 87−18405, 88−19645
Wang, W.C. *see* Pace, W.D. 85−36798
Wang, W.I. Molecular beam epitaxial growth and material properties of GaAs and AlGaAs on Si(100) and Ge(100) 85−39739
Wang, W.I. On the band offsets of AlGaAs/GaAs and beyond 86−28009
Wang, W.I. Novel crystal growth of AlGaAs/GaAs heterostructures on polar surfaces 87−274
Wang, W.I., Calleja, E., Mendez, E.E. Tunneling in AlAs/GaAs/AlAs heterostructures under hydrostatic pressure 87−74068
Wang, W.I., Kuan, T.S., Mendez, E.E., Esaki, L. Evidence of orientation independence of band offset in AlGaAs/GaAs heterostructures 85−50256
Wang, W.I., Kuan, T.S., Tsang, J.C., Chang, L.L., Esaki, L. Segregated AlGaAs(110) grown by molecular beam epitaxy 86−53341
Wang, W.I., Mendez, E.E., Iye, Y., Lee, B., Kim, M.H., Stillman, G.E. High mobility two-dimensional hole gas in an $Al_{0.26}Ga_{0.74}As/GaAs$ heterojunction 87−1237
Wang, W.I., Mendez, E.E., Kuan, T.S., Esaki, L. Crystal orientation dependence of silicon doping in molecular beam epitaxial AlGaAs/GaAs heterostructures 86−8973
Wang, W.I., Mendez, E.E., Ricco, B., Esaki, L. Resonant tunneling of holes in quantum well heterostructures 86−1783
Wang, W.I., Mendez, E.E., Stern, F. High mobility hole gas and valence-band offset in modulation-doped p-AlGaAs/GaAs heterojunctions 85−1353
Wang, W.I. *see* Bose, S.S. 88−31749
Wang, W.I. *see* Chang, L.L. 86−47367
Wang, W.I. *see* Collins, R.T. 87−74918, 88−7347, 88−19712
Wang, W.I. *see* Hong, J.M. 88−2224
Wang, W.I. *see* Masselink, W.T. 88−12969, 88−32890
Wang, W.I. *see* Mendez, E.E. 85−55514, 85−61718, 86−35401, 86−58302
Wang, W.I. *see* Schlesinger, Z. 87−24854
Wang, W.I. *see* Vina, L. 86−26816, 86−47350
Wang, W.I. *see* Wright, S.L. 86−52462
Wang, W.I. *see* Wu, M.C. 88−45444
Wang, W.J. *see* Auld, B.A. 87−60768
Wang, W.L., Li, S.S. Studies of deep-level defects and recombination parameters in one-MeV electron and low energy proton irradiated (AlGa)As-GaAs solar cells 86−7027
Wang, W.L. *see* Smith, M.S. 85−41786
Wang, W.S. *see* Hwu, J.G. 86−58078, 87−11480
Wang, W.S. *see* Lin, M.S. 86−7809
Wang, W.Y. Write improvement scheme for Harper cell in low power supplies 85−28535
Wang, W.Y. *see* Chung, W. 88−68536
Wang, W.Y. *see* Zhang, S.R. 88−2549
Wang, X., Chang, S.C. The analysis of an access control strategy in the mixture of wide- and narrow-band traffic in ISDN 88−21407
Wang, X., Guo, Z., Liu, Z., Zhang, B. A piecewise optimal power flow solution for interconnection power systems integrated with AC or DC lines 88−68822
Wang, X., Hu, J. Simulation of mixed analog/digital circuits in time-domain by PWL macromodel approach 88−70437
Wang, X., Huang, T. A determined CSMA technique for broadcast channels 85−19892
Wang, X., Mathur, R.M. An efficient control strategy to improve transient stability of a remote power plant by using braking resistor 88−69086
Wang, X., Schalkoff, R.J. An edge relational structure matching approach to multiple object motion estimation 87−69378
Wang, X. *see* Emanuel, A.E. 85−44041
Wang, X. *see* Ih, C.S. 88−53281
Wang, X. *see* Jiang, W.D. 88−63343
Wang, X. *see* Shen, D. 86−54700
Wang, X. *see* Song, C. 88−69065
Wang, X. *see* Thomas, R.J. 87−51123
Wang, X.-Y. *see* Schwartz, A. 85−35548
Wang, X.A., Xu, Y.F., Meng, X.Y. A filter method for transient testing of collector performance 87−36166
Wang, X.L., Sun, G.Q., Wang, J.J., Chen, X.H. Amorphous alloys with a high remanence ratio and a low loss 85−29436
Wang, X.M. Fast soft decision decoding of cyclic codes 87−54910
Wang, X.M. *see* Mu, G.G. 88−34166, 88−34780
Wang, X.T., Levi, E., Shaw, L. Speed control of an induction motor fed by a current source inverter 85−9908
Wang, X.W., Liu, M.D., Ma, T.P., Barker, R.C. Etching of Si through SiO_2 in CF_4/N_2O plasma 88−39208
Wang, X.W., Yu Wang, Nishioka, Y., da Silva, E.F., Jr., Ma, T.P. Radiation-induced enhancement of minority-carrier lifetimes in metal/SiO_2/Si capacitors having oxides grown in O_2 with trichloroethane additive 88−71353
Wang, X.W. *see* Kwok, H.S. 88−38228
Wang, X.Y. *see* Schwartz, A. 85−12650
Wang, X.Y. *see* Zhang, Y. 86−42195
Wang, Y. Magneto-optical crystal growth of $Gd_{3-x}Bi_xFe_5O_{12}$ by the TSSG method 88−6438
Wang, Y., Auld, B.A. Acoustic wave propagation in one-dimensional periodic composites 87−1809
Wang, Y., Best, D.E., Hoffman, J., Horri, S.C., Lehr, J.L., Lodwick, G.S., Morse, R., Murphy, L., Nelson, O., Oosterwijk, H., Perry, J., Thompson, B., Wessell, W., Zielonka, J. A summary of compatibility of the ACR-NEMA imaging and communication standard 88−36568
Wang, Y., Bourkoff, E. Ar^+ pulses from the double mode-locked Ar^+-dye laser in the CPM regime 88−33943
Wang, Y., Chen, H., Xia, T. Structure of the 534.1 nm manganese laser line 87−38998
Wang, Y., Chin, B.A. On-line sensing of weld penetration using infrared thermography 87−49535
Wang, Y., Eaton, D.F. Optically non-linear organic molecules. Cyclodextrin inclusion complexes 86−9938
Wang, Y., Gu, K., Shu, Y. Synthesis equations for shielded suspended substrate microstrip line and broadside-coupled stripline 88−70960
Wang, Y., Leeb, W.R. Costas loop self-homodyne experiment for a diode laser receiver 86−55290
Wang, Y., Li, H., Zhu, W. A new iterative method with histogram equalization constraint for reconstructing image from phase 87−62280
Wang, Y., Lin, J.C. A comparison of microwave interstitial antennas for hyperthermia 87−63823
Wang, Y., Lin, S., Lian, J., Cheng, Z. Application of phase transition in ferroelectric ceramics 86−68072
Wang, Y., Milstein, L.B. Rejection of multiple narrowband interference in DS spread-spectrum systems 87−34363
Wang, Y., Mitra, S.K. Edge-preserving image coding based on local modeling of images 88−73272
Wang, Y., Nishioka, Y., Ma, T.P., Barker, R.C. Radiation and hot-electron hardness of SiO_2/Si grown in O_2 with trichloroethane additive 88−50742
Wang, Y., Schmidt, E., Auld, B.A. Acoustic wave transmission through one-dimensional PZT-epoxy composites 87−71446
Wang, Y., Zhu, X. A fast algorithm for the Fourier transform over finite fields and its VLSI implementation 88−52341
Wang, Y. *see* Auld, B.A. 86−2477
Wang, Y. *see* Bao, M.-H. 86−55673
Wang, Y. *see* Bourkoff, E. 87−38999
Wang, Y. *see* Brennan, K.F. 88−51679, 88−72215
Wang, Y. *see* German, S.M. 86−46731
Wang, Y. *see* Hwang, M.S. 87−68410
Wang, Y. *see* Krishna, H. 88−66601
Wang, Y. *see* Li, H. 87−27649
Wang, Y. *see* Liu, Q. 88−33448
Wang, Y. *see* Nishioka, Y. 88−25984
Wang, Y. *see* Ruan, Y. 88−2893
Wang, Y. *see* Shu, Y. 87−75507
Wang, Y. *see* Wang, Z. 87−39734
Wang, Y.-C., Bahrami, M. Leakage effects in *n*-GaAs MESFET with *n*-GaAs buffer layer 85−12283
Wang, Y.-C., Bahrami, M. GaAs MESFET with lateral non-uniform doping 85−12284
Wang, Y.-C., Milstein, L.B. Rejection of multiple narrow-band interference in both BPSK and QPSK DS spread-spectrum systems 88−35351
Wang, Y.-F. *see* Bocciolini, M. 87−63651, 87−63680
Wang, Y.-J. *see* Lin, J.C. 87−41992, 88−4997
Wang, Y.-L. 20 MeV electron linear accelerator in Nanjing University 88−47845
Wang, Y.-X., Holloway, P.H. Effect of ion sputtering on interface chemistry and electrical properties of Au GaAs(100) Schottky contacts 85−23543
Wang, Y.-X. *see* Holloway, P.H. 86−28045
Wang, Y.-Y. *see* Chen, G.-H. 85−23470
Wang, Y.C. *see* Chuang, Y.C. 86−21954
Wang, Y.C. *see* Kong, H.S. 88−57337
Wang, Y.D. *see* Chang, C.Y. 86−21558, 87−1545, 87−6705
Wang, Y.F., Aggarwal, J.K. Construction of surface representation from 3-D volumetric scene description 86−10567

Wang, Y.F., Aggarwal, J.K. Surface reconstruction and representation of 3-D scenes 86—54549
Wang, Y.F., Aggarwal, J.K. On modelling 3-D objects using multiple sensor data 87—62307
Wang, Y.F., Aggarwal, J.K. 3D object description from stripe coding and multiple views 87—75947
Wang, Y.F., Mitiche, A., Aggarwal, J.K. Computation of surface orientation and structure of objects using grid coding 87—39899
Wang, Y.F. *see* Aggarwal, J.K. 87—62309
Wang, Y.F. *see* Mitiche, A. 87—47936
Wang, Y.H., Liu, W.C., Chang, C.Y., Liao, S.A. Surface morphologies of GaAs layers grown by arsenic-pressure-controlled molecular beam epitaxy 86—34325
Wang, Y.H., Liu, W.C., Liao, S.A., Cheng, K.Y., Chang, C.Y. On the surface defects of MBE-grown GaAs layers 85—54468
Wang, Y.H., Yarn, K.F., Chang, C.Y., Jame, M.S. New structure of three-terminal GaAs p^+-n^--$\delta(p^+)$-n^--n^+ switching device prepared by molecular beam epitaxy 87—73843
Wang, Y.H. *see* Chang, C.-Y. 87—6673
Wang, Y.H. *see* Chang, C.Y. 85—18281, 85—34940, 85—45648, 86—20852, 86—53610, 87—24477, 87—25246
Wang, Y.H. *see* Liu, W.C. 86—35657
Wang, Y.H. *see* Yarn, K.F. 87—67309, 88—39402
Wang, Y.J. *see* Gururaja, T.R. 86—2467
Wang, Y.L. *see* Chabala, J.M. 88—56044
Wang, Y.L. *see* Parker, N.W. 86—8715
Wang, Y.P., Huang, J.Y., Yan, Y. Measurements of raindrop canting angles 87—47217
Wang, Y.P. *see* Mazumdar, M. 86—18696
Wang, Y.Q. *see* Meng, R.L. 87—67703
Wang, Y.T. *see* Lin, W.C. 87—4697
Wang, Y.X. Slot-line coupler for medical applications 85—9148
Wang, Y.X. Application of airline in calibrating an automatic microwave reflectometer 85—14999
Wang, Y.X. Coplanar waveguide short gap resonator for medical applications 86—12020
Wang, Y.X. Coplanar waveguide short-gap resonator for medical applications 86—27542
Wang, Y.X. *see* Zeng, L.-R. 86—42896
Wang, Y.Y. *see* Chiu, J.G. 88—5822
Wang, Y.Y. *see* Lin, K.M. 88—75902
Wang, Y.Y. *see* Oh, C.Y. 86—40039
Wang, Y.Y. *see* Yang, H.W. 85—53807
Wang, Y.Z. *see* Li, S.Y. 85—40543
Wang, Z. Fast algorithms for the discrete *W* transform and for the discrete Fourier transform 85—346
Wang, Z. Comments on 'A fast computational algorithm for the discrete sine transform' by P. Yip and K.R. Rao 86—43235
Wang, Z. A nearly optimal transformation 87—16453
Wang, Z., Langmann, U. New proposal for a multigigabit/s clock recovery IC based on a standard silicon bipolar technology 87—49034
Wang, Z., Leigh, J.S., Jr., Wicklund, S., Stein, A. Radio-frequency losses of $YBa_2Cu_3O_{7-\delta}$ composite superconductors 88—51409
Wang, Z., Sun, S. Improvement of six-port precision using linear space concept 88—60893
Wang, Z., Sun, S. The self-calibration of six-port in the presence of noise 88—60894
Wang, Z., Wang, Y. Comparative study of time efficiency of several algorithms for discrete W transform and discrete Hartley transform 87—39734
Wang, Z., Wong, K.M. A design method of FIR narrow band digital filters suitable for minicomputers 87—24362
Wang, Z., Zheng, E. Impedance measurement of smooth muscle and its application 87—57163
Wang, Z. *see* Hamasaki, K. 87—67890
Wang, Z. *see* Li, H. 87—27445
Wang, Z. *see* Meng, Q. 88—52081
Wang, Z. *see* Song, S.T. 85—39817
Wang, Z. *see* Zheng, E. 86—56149
Wang, Z. *see* Zhou, E. 88—68808
Wang, Z.-G., Qin, L.-J., Ma, L.-S., Lin, Y.-Q., Cheng, I.-S. Two-photon hybrid resonance laser and laser based on photodissociation by two-photon pumping covering a wide wavelength region in the potassium vapor 85—2220
Wang, Z.-M., Chen, W.-K. Broad-band matching of multiport networks 85—908
Wang, Z.-Q. *see* Wang, C.-H. 87—63319
Wang, Z.-X., Hollister, D.D., Berman, S.M. Development of novel lamps for study of enhanced production of resonance radiation by low-density mercury discharges [discharge tubes] 85—23382
Wang, Z.-Z. *see* Zu, J.-R. 88—54571
Wang, Z.F. *see* Burleson, G.R. 86—60503
Wang, Z.G., Xia, H.R., Ma, L.S., Lin, Y.G., Cheng, I.S. Optically pumped lasers between high-lying states in the sodium dimer 85—56481
Wang, Z.G. *see* Mu, G.G. 88—20774, 88—34780
Wang, Z.K. *see* Zhang, Y. 86—42195
Wang, Z.M., Chen, W.K. On the design of channel diplexers 86—67301
Wang, Z.M. *see* Chang, C.Y. 88—29902
Wang, Z.Q. *see* Mu, G.G. 85—57499, 88—34166
Wang, Z.Y., Almenas, K. Two-phase scaling distortions 88—75397
Wang, Z.Y., Ma, G.L., Yie, C. Microprocessor-based audio-frequency CT automatic calibrator 88—60586
Wang, Z.Y. *see* Hsu, Y.Y. 88—75396
Wang, Z.Y. *see* Wu, X.Z. 87—77527
Wang Ai *see* Yao Yong 86—3886
Wang Ailing *see* Lin Jinduo 87—4431
Wang Aiying, Zeng Huazhi The 32-bit Am29300 series and RISC design approach 88—56676
Wang An-shuan Theoretical analysis on sampling converter phase-locked loop 87—59252
Wang Anding, Ge Yaozhong Directional relay based on positive sequence fault components and its computer simulation 87—21969
Wang Bai Yi *see* Bai Yi Wang
Wang Bai-suo *see* Li Chun-bao 86—63906
Wang Bailin A microprocessor-based model reference adaptive control system for hydroelectric generating set 88—17533
Wang Bailin Model reference adaptive control for hydroelectric generating set 88—30633
Wang Bao-cheng, Yao Kun, Wu Xiu-qing, Long Chang-ying, Shi Jia-qi, Shi Shi-zhong The study of optometry apparatus of laser speckles 88—42531
Wang Bao-Shan, Wang Fu-zhang A microelectronic packaging module of hermetic chip carriers (HCC)/multilayer thick film substrate 86—13489
Wang Baochen, Li Gi, Li Changzhi, Wang Fosong Large-scale polyaniline batteries 88—75907
Wang Baocheng, Lu Jiechi Study on single periodic layered grating laser Doppler velocimeter 88—14311
Wang Baofu *see* Liu Qili 87—50156
Wang Baolin *see* Liu Jishang 87—75043
Wang Baorong *see* Wei Fuyuan 88—59589
Wang Baoya *see* Lu Deji 87—3763
Wang Baoyi, Peng Bingzhong, Tang Jingxian, Xu Lan, Liu Yongqing Microwave technique for examining coronary arteriosclerosis 87—77662
Wang Bei *see* Yu Erkeng 85—38482
Wang Ben *see* Fu Zi-ping 88—33832
Wang Ben *see* Xu Zuo 87—12625
Wang Biao *see* Li Huiqing 86—22010
Wang Bijuan *see* Yan Zhixin 86—67822
Wang Bin Design of infrared pyrometer with high accuracy and broad measurement range 88—74402
Wang Bin *see* Bin Wang
Wang Bing-shi Applications of 555 IC timer. II 88—18961
Wang Bing-zhong, Xie Liang-jin Empirical formulas for finline design 85—46604
Wang Bingshi Second talk on application of 555 IC timer. I 88—905
Wang Binqi *see* Yu Mingren 85—45446, 86—28258
Wang Biquan, Chen Zuyin, Ma Xiufang A nonparametric clustering method for the order samples and its application [seismic wave pattern recognition] 85—38332
Wang Bo A new method for improving line discrimination of CO_2 waveguide lasers 88—40122
Wang Bo Investigation of output lines of intracavity CO_2 lasers 88—65786
Wang Bo, Wang Ruifeng, Qiu Mingxin Investigation of working state of intracavity CO_2 lasers 88—65550
Wang Boxiong *see* Boosfeld, C.H.M. 88—74873
Wang Chang-biao Free-electron laser with the slow wave medium 86—68567
Wang Chang-biao, Tu Jian-nan, Jiang Hua-bei, Sun Yan On the two methods of kinetic theory of ECRM 86—68412
Wang Changbiao, Tu Jiannan, Jiang Huabei, Sun Yan On the two methods of kinetic theory of ECRM 88—27579
Wang Changping *see* Su Jiuling 86—67788
Wang Changsheng *see* Guo Yong 86—70336
Wang Changsheng *see* Luo Yisheng 88—10255
Wang Changsui *see* Zhang Yuheng 86—35354
Wang Changxin, Fu Ensheng, Wang Runwen Saturation effect in optically pumped far-infrared lasers 88—72403
Wang Chanxing *see* Xu Guoji 85—59133
Wang Chao-gun *see* Chao-gun Wang
Wang Chao-jun, Wang Dian-rong, Li Yun-ping, Li Cheng-ze, Li Zi-ping, Chen Yuan-bo, Chen Zhi-peng, Chang Chia-chuan, Jiang Ying-yuan, Xu Yong-fen, Xi Ji-wei A large area plastic scintillation counter for a TOF system with an on-line microcomputer 85—48192
Wang Chao-jun, Wang Dian-rong, Lin Jian-feng, Jiang Ying-yuan, Xu Yu-lin, Xi Ji-wei The performance of a large area plastic scintillation counter for TOF measurement 85—64489
Wang Chen-hao, Wang Zuo-qing, Zhou Su-hua SAW-acoustic grating spectrum analyzer: a new RF spectrum analyzer 87—41409
Wang Chen-Show *see* Chen-Show Wang
Wang Cheng *see* Cheng Wang
Wang Cheng T. *see* Cheng T. Wang
Wang Cheng-hao Principle of piezoelectric damping of vibration: an experimental investigation 86—68143
Wang Cheng-hao, Chen Dong-pei Analysis of surface excitation of elastic wave field in a half space of piezoelectric crystal. I. General formulae of surface excitation of elastic wave field 85—29378
Wang Cheng-Hao, Chen Dong-Pei Analysis of surface excitation of elastic wave field in a half space of piezoelectric crystal. II. Generalized Green's function 85—50800
Wang Cheng-hao, Chou Xien-wen, Xie Shu, Chen Dong-pei Uniform groove-depth RAC by using transducer weighting 86—68141
Wang Cheng-hao *see* Wang Zuo-qing 86—68142
Wang Chengdong *see* Zhuang Qi 88—40119
Wang Chenggeng *see* Chenggeng Wang
Wang Chenghao *see* Wu Jinyuan 86—70541
Wang Chengye The relaxation technique and its application in image processing and recognition 85—2880
Wang Chengye The application of spatial information in image classification 87—27557
Wang Chi-Ming, Li Jian-Meng Computer simulations for a common-cavity two-section (CCTS) bistable laser 87—68620
Wang Chia Shen *see* Chia Shen Wang
Wang Chih *see* Chih Wang
Wang Chih Chun *see* Chih Chun Wang
Wang Chin-Liang *see* Chin-Liang Wang
Wang Ching-yue *see* Ching-yue Wang
Wang Chingyue, Xing Qirong, Xiang Wanghua, Gong Zhenglie, Zhang Robing, Zhang Chen The study for a dye laser with colliding pulse mode-locking 87—61110
Wang Chingyue *see* Gong Zhenglie 87—62230
Wang Chongyan *see* Jiao Wenqiang 85—54934
Wang Chu *see* Shen Nai-cheng 86—3093
Wang Chuan-jin, Lu Jing, Ni Zhi-ren, You Jian-qi, Fan Zhong-yu A Reticon system for the solar spectrograph at Purple Mountain Observatory 87—63261
Wang Chuan-jin *see* Livingston, W.C. 85—3877
Wang Chuan-Jin *see* Ye Bin Xin 86—24351
Wang Chun-Huan *see* Chun-Huan Wang
Wang Chun-Yi *see* Chun-Yi Wang
Wang Chungsheng Developing a type of VHF differential-phase protection 87—4430
Wang Chunhai *see* Fu Xianluo 86—28639, 87—74513
Wang Chunliang *see* Pan Ji 85—50380
Wang Chunyi, Liu Shenggang Double-stream electron cyclotron maser 85—56461
Wang Congrong *see* Zhang Yiqun 85—43157
Wang Cou-Way *see* Cou-Way Wang
Wang Ct *see* Ct Wang
Wang Da-heng, Wang Zhi-jiang, Hsu Da-hsiung, Lu Bo-xiang Holography in China 88—40377
Wang Dalun, Wang Xiuchun, Li Benci Measurements of absolute fission rate with solid state track spark automatic detector 86—11868
Wang Dao-gang *see* Huang Hung-chia 88—65239
Wang Dawei *see* Cao Quancheng 87—50878
Wang Dawei *see* Li Guohua 87—37865
Wang Dazhong, Ma Changwen, Dong Duo Current status of research and development for nuclear heating reactors in China 88—30476
Wang Dazhong *see* Zheng Jingliang 88—21031
Wang De-fa, Pei Yuan-ji, Ho To-hui The 200 MeV linac at HESYRL 87—41707
Wang De-huang, Guo Liang Optical properties of sputtered AlN films and coated GaAs 88—45041
Wang De-juan, Li Yuan-wen A survey of TC active filters 85—45143
Wang De-min, Wang Qing-lin A weighted averaging method for image smoothing 87—39866
Wang De-ning, Pan Hui-zhen The approximate expressions of the four layer asymmetric waveguide characteristics 85—19174
Wang De-Ning, Shen Peng-njan, Wang-Wei-yuan The effect of deep level trap on photo-transient characteristics, equivalent noise current and increment of drain current for FET 88—33237
Wang De-ning *see* Wu Ding-fen 85—45445
Wang De-Sheng, Guo Jian-Bo Calculation of reliability indices of transmission systems 86—39104
Wang De-wu, Lou Jia-shu, Li Zhi-gang, Yao Zong-yuan The investigation of the high density multiwire proportional chamber as a detector for neutral particles 88—42418
Wang De-Xin *see* De-Xin Wang
Wang Dechang *see* Kong Hongzhi 86—26798
Wang Dechao *see* Zhao Songshan 86—54133
Wang Dehua *see* Qiu Jingwu 87—36006
Wang Dehuang, Xu Wanjin Optimum value of optical output power for semiconductor lasers 88—72370
Wang Delong *see* Delong Wang
Wang Deman, Wu Qinbao Spline energy method and its application in the structural analysis of antenna reflector 87—47436
Wang Demin, Wang Qinglin A new method for image smoothing and the evaluation of its performance 87—27555
Wang Demin *see* Liu Dawei 86—3097
Wang Dening, Wu Guanqun, Shen Pengnian, Chen Guangxing Computer graphic treatment of LED device 87—56746
Wang Dening *see* Pan Huizhen 86—3190

Wang Dening *see* Pang Yongxiu 87—33066
Wang Dening *see* Wu Dingfen 86—53456
Wang Depei, Xie Linzhen, Wang Yiqiu, Guo Shijun GaAlAs laser diode pumped cesium beam frequency standard 88—47393
Wang Deren *see* Evans, D.J. 88—49744
Wang Desheng *see* Guo Jianbo 87—71599
Wang Detai A high current thyristor modulator 85—29202
Wang Dewu, Shen Guilin, Na Shuzhen, Li Yunshan, Li Chengze, Li Zhigang, Chen Kun, Chen Yuanbo, Chen Zhiping, Ma Mei, Shen Miaohe, Zhao Haiquan, Lou Jiashu, Xu Rongfen A positron CT camera system using multiwire proportional chambers as detectors 88—68354
Wang Dian-rong *see* Wang Chao-jun 85—48192, 85—64489
Wang Dian-ru, Tian Da-zhun Investigation of water cold cup shape arc cathode at low pressure 86—1621
Wang Dianhan *see* Dianhan Wang
Wang Dijian *see* Dijian Wang
Wang Ding Brief introduction to software of SINDAC-3 system for integrated power network dispatch and control 85—38397
Wang Ding *see* Ding Wang
Wang Dingxing *see* Shan Zijuan 85—46495
Wang Dingyi A new algorithm for automatic generation control of hydropower plants 87—72052
Wang Dongquan Determination of the 3-D coordinates of an object by using stereo images 85—3919
Wang Dongsheng *see* Dongsheng Wang
Wang Dongyu *see* Dongyu Wang
Wang Ende *see* Xu Jiazhen 88—20858
Wang Enyao, Wang Kuiwu, Zheng Zhigin, Liu Jiamin, Qian Jiakuang, Li Hangi, Wang Qian Some improvements of induced current technique used to measure superconductor short sample critical currents 85—64222
Wang Enyao, Zheng Zhiqin, Liu Jiamin, Qian Jiakuang, Li Hanqi, Wang Qian, Wang Kuiwu Improvements of inducing technique used in critical current measurement of short sample of the superconductors 85—20683
Wang Enyao *see* Zheng Zhiqin 85—29513
Wang Erh-chi An elementary investigation in optimum method of accuracy allocation for instruments 85—63920
Wang Erqian *see* Hou Zifeng 87—59094
Wang Faa-Ching *see* Faa-Ching Wang
Wang Fan *see* Wang Jun 87—28944
Wang Fanglei The syndrome structured design for testability 88—63590
Wang Feng Xiang, Zhang Bing Yi Steady state analysis of a new type of square wave synchronous motor drive 86—45391
Wang Feng-hzen *see* Zhang Shinpo 85—47601
Wang Feng-zhen, Zhang Xin-bo Analysis and suppression of land clutter characteristics 87—63008
Wang Fosong *see* Wang Baochen 88—75907
Wang Fu-zhang *see* Wang Bao-Shan 86—13489
Wang Fuchen, Mao Jinghuai, Yu Tufa 12 GHz monolithic cascade low noise GaAs MESFET amplifiers 87—66559
Wang Fujin *see* Fujin Wang
Wang Fuling *see* Fuling Wang
Wang Futang *see* Jiao Zhengkuan 87—60867, 88—45012, 88—65025
Wang Ganchang *see* Xu Yizhi 88—10181
Wang Gang-yi The energy saving and speed stability in driving carding machine 88—49318
Wang Ge *see* Lin Zhizhou 88—47913
Wang Genyong *see* Chu Youling 87—70753
Wang Guang-hou *see* Chen Kun-ji 86—27914
Wang Guang-yu *see* Liu Feng-wei 87—17986
Wang Guangchang *see* Ma Shusen 86—22275
Wang Guangchang *see* Yao Yongbang 88—27018
Wang Guangjie *see* Ren Zhen 85—38490
Wang Guangxing Noise analysis of soft errors in multiple output combinational logic systems 86—34661
Wang Guangxing Probability of state transition errors of finite state machine containing soft failure 86—34662
Wang Guangxue Analysis and computation of fault location for power lines on the basis of zero-sequence current 87—15364
Wang Guangxue, Wang Zhenzhen Two methods of analysis and calculation for nonthree-phase operation in power systems 88—48421
Wang Gui-hua, Yu Dun, Wang Yao-lin ISFET temperature characteristics 87—56894
Wang Guihua, Yu Dun, Wang Yaolin Operational mechanism of pH-ISFET and temperature characteristics of interfacial potential developed between ion sensitive film and electrolyte solution 88—60668
Wang Guihua, Yu Dun, Wang Yaolin Analysis of pH-ISFET temperature characteristics and temperature compensation approaches 88—60669
Wang Guocai Ultra-short wave antennas for civil communication 88—2701
Wang Guogan, Yao Jianya Advances in manufacturing a high resolution Si(Li) X-ray detector 86—32186
Wang Guogan, You Naitan, Yao Jianya High resolution HPGe detector and its stability 87—50155
Wang Guoying *see* Zhou Wanpu 87—75582
Wang Guoyu, Nan Deheng Noise analysis and low-noise design of MOS analog integrated circuits 86—28477
Wang Hai *see* Du Yuan-Cheng 87—18032
Wang Hai *see* Lou Fengge 88—30024
Wang Hai *see* Hai Wang
Wang Haifeng *see* Jiang Fan 88—30253
Wang Hailong, Zhu Xiaochun, Zhang Weizai, Cao Gendi, Chen Heming 16 μm CW PbSnSe semiconductor tunable lasers and their uses in high-resolution spectroscopy 87—75076
Wang Hailong *see* Chen Heming 87—7344
Wang Hailong *see* Zhu Xiaochun 85—46399
Wang Haiming *see* Haiming Wang
Wang Haipeng *see* Qin Jiuchang 88—47756
Wang Hangliang, Nakai, T., Suzuki, H. Recognition of Chinese tone using regression lines 88—45993
Wang Hanli *see* Yang Kezhong 86—29537
Wang Hanli *see* Zhang Rirong 86—68881
Wang Hao *see* Gan Fuxi 85—33473
Wang Hao-wen *see* Jiang Ren-rong 88—7450
Wang He, Fan Dianyuan Generation of high power CW tunable laser pulse of nanosecond duration using intracavity self-injection and ferrite transmission lines 85—56760
Wang Hong Stability and convergence of the finite element method for a class of second order nonlinear hyperbolic equations 87—65433
Wang Hong A boundary element method for Laplace equation in three dimensions 88—11823
Wang Hong Adaptive robust speed regulator for hydroelectric generating set 88—17534
Wang Hong, Pamplin, B.R., Draper, R.C. Preparation and some electrical properties of $InSe_{0.82}S_{0.18}$ crystals 87—65482
Wang Hong, Wang Ming The Piezoelectric, pyroelectric, dielectric and elastic properties of single crystal $LiNb_{0.1}Ta_{0.9}O_3$ 87—23611
Wang Hong, Zeng Huanxing, Shen Yusheng Studies on gas sensors of Fe_2O_3. I. Preparation and gas sensitive properties of γ-Fe_2O_3 superfine powder 87—31593
Wang Hong *see* Huang Zhenguo 88—72360
Wang Hong *see* Shan Huanyan 87—7256
Wang Hong-Chuan *see* Yu Min-Ren 85—29134
Wang Hong-kai *see* Yao Jie 85—40423
Wang Hong-zhang, Qian De-chu, Ding Ying Measurement and calculation of the electromechanical parameters of piezoceramic thin cylindrical tube transducers 87—6959
Wang Hong-zhang *see* Hong-zhang Wang
Wang Hongyuan *see* Zhou Guanxiong 88—34555
Wang Hongzhang *see* Le Jianwei 85—64627
Wang Hou-wen A computer method for determining electrodes of a high-current electron gun 85—28894
Wang Houwen Design of a dual-mode gun for a high current electron linear accelerator 87—63613
Wang Houwen Design of a dual-mode gun for a high-current electron linear accelerator 88—74648
Wang Hua *see* Li Zingjiao 87—73807
Wang Hua *see* Qian Baojun 88—22473
Wang Hua-Kui *see* He Zhen-ya 88—59114
Wang Hua-wen *see* Li Nai-gi 87—39259
Wang Huangjie *see* Wang Jitao 85—33479
Wang Huasheng, Yu Yinshan, Wu Wenshou Experimental study of an adjustable practical preionised excimer laser with cycled-flowing gases 88—14083
Wang Hui, Li Anyao The study of dispersion characteristics in sapphire-filled microstrip line 88—7010
Wang Hui *see* Pang Xiaofeng 88—66122
Wang Hui-nan Dynamical theory of a multi-function dry-tuned accelerometer/GYRO 86—50225
Wang Huisheng *see* Chen Guanghua 85—23459
Wang Hung-bin, Chang Lu Analysis of residual gases in end product picture tubes by mass spectroscopy 85—50169
Wang Iu-zhen *see* Li Si-yuan 86—8883
Wang Jainshe *see* Sun Shuhua 85—59113
Wang Jhing-fa *see* Jhing-fa Wang
Wang Ji-hua *see* Chen Cang 87—70997
Wang Ji-hua *see* Chen Chang 87—70996
Wang Ji-Luo The performance analysis of DSTLMS algorithm 88—34624
Wang Ji-mei, Li Hong-qun, Wang Yi Research on the vacuum interrupter with axial magnetic field to interrupt medium short-circuit current 86—33572
Wang Ji-mei, Meng Xian-zhong Arcing phenomena in a type of low voltage full range fuses 87—66660
Wang Ji-mei *see* Meng Xian-zhong 87—66656
Wang Ji-Tao *see* Ji-Tao Wang
Wang Jia *see* Jia Wang
Wang Jia-su, Wang Su-yu Superconducting microwave surface resistance of Nb 2-1 material at liquid helium temperature 86—15415
Wang Jiagang On the filter of maximum ratio of signal to noise in second order process 86—22981
Wang Jiahai Function and application of Intel 8232 87—73458
Wang Jian Developing a SCADA system based on IBM-PC 88—30271
Wang Jian, Dai Jing, Huang Yourong Type WJ-200 multi-micro SCADA system for power networks 88—61811
Wang Jian-dong The uniqueness of nonlinear Chebyshev approximation 87—10306
Wang Jian-kun *see* Li Jia 88—26127
Wang Jian-kun *see* Wei Mao-xin 86—21316
Wang Jian-She Finite element analysis of saturated synchronous reactances of salient pole synchronous machine 86—56727
Wang Jian-zhong Biorthogonal functionals of box splines 86—57382
Wang Jian-zhong Representations of Box splines by truncated powers 86—34211
Wang Jianglin *see* Zhang Hanyi 88—27264
Wang Jianglin *see* Zhou Bingkun 86—3135, 88—2314
Wang Jiangping *see* Jiangping Wang
Wang Jianguo Diameter characterization of optical fiber and its micro-computer measurement and control 85—62289
Wang Jianhua *see* Sze Juejue 85—34648
Wang Jianqiang, Wu Xiaoshen, Li Mingfu, Lin Yiaowang Deep centers in VPE-GaAs grown in different atmospheres 86—8761
Wang Jianru *see* Gui Yuzong 88—19627
Wang Jiansheng *see* Jiansheng Wang
Wang Jianwei, Ruan Gang A new threshold voltage model for the nonuniformly doped small size MOSFETs for VLSI CAD 88—19953
Wang Jianxiong *see* Wang Wucheng 86—22444
Wang Jiapeng *see* Zhang Weixian 88—5551
Wang Jiaqing *see* Jiaqing Wang
Wang Jiasheng Statistical characteristics of signal amplitude scintillation in satellite communication 88—45691
Wang Jiasheng *see* Jiasheng Wang
Wang Jiaying *see* Xu Xiaolin 88—44638
Wang Jiazhang, Fung Zhenghe, Gao Baoxin, Wang Swn, Liu Jilin Untuned W-band detector 87—70657
Wang Jiesheng A general algorithm for enumerating some subgraphs of a simple graph 86—40621
Wang Jimei *see* Qian Zhonghou 87—21986
Wang Jimei *see* Wang Yi 88—19589
Wang Jin *see* Jin Wang
Wang Jin-Cheng *see* Clark, P.J. 86—5665
Wang Jin-Fang *see* Jin-Fang Wang
Wang Jin-Rong Several factors of influence upon optimised operation of boiler feed pumps 86—39542
Wang Jin-Suk *see* Jin-Suk Wang
Wang Jin-xian, Zeng Jin-ping A multigrid method for nonsymmetric variational problems 88—63213
Wang Jinde *see* Jinde Wang
Wang Jing *see* Ruan Yaozhong 86—70186
Wang Jingming *see* Gao Xuan 86—66886
Wang Jingrong *see* Xu Peifei 85—41085
Wang Jingshan Harmonic and rectangular pulse reproduction through current transformers 87—30744
Wang Jingsheng, Xia Zhiguo, Chen Jingying, Jiang Suyun, Min Maolin, Xu Binghuo, Huang Gengchen, Ren Guoxin A solar 230-300 MHz radio acousto-optic spectrograph 88—8007
Wang Jingyi *see* Jingyi Wang
Wang Jinqiao *see* Ye Rongxue 88—48777
Wang Jinrui, Li Yimin, Zai Yaozhong Low cycle fatigue behavior of steel in use for high-pressure boiler drums in power plant 88—5549
Wang Jinwei *see* Jinwei Wang
Wang Jitao, Zhang Shili, Wang Huangjie, Lian Meihua Three dimensional computer simulation of low pressure chemical vapor deposition 85—33479
Wang Jixiang Improvement on stability of small hydro-turbine 88—30608
Wang Jong-Rong *see* Jong-Rong Wang
Wang Ju-wen, Pan Zong-da Circular polarizer for frequency reuse 86—62805
Wang Juming *see* Wu Qinghua 85—53672
Wang Jun, Wang Fan The method and system of data processing in PEV thermovision 87—28944
Wang Jun *see* Liu Enquan 88—58651
Wang Jun *see* Lu Baosheng 87—12426
Wang Jun Shan *see* Curphey, D.R. 86—5170
Wang Jun-sheng Improvement of low bit rate LPC vocoder 86—68995
Wang Jun-sheng *see* Xie Jin-lay 87—15084
Wang Junmai An instrument for power system harmonic detection and analysis 85—65004
Wang Junmai *see* Qian Zhaoming 86—13044
Wang Kai *see* Jiang Ruolian 85—55584
Wang Kaibing *see* Ma Shimo 88—36885
Wang Kaizu, Chen Junlin, Li Jianghong A temporal logic for specification and verification of protocol 87—69713
Wang Kang *see* Hu Xierong 86—2911
Wang Kang-Sun *see* Kang-Sun Wang
Wang Kangsun, Zhang Mingheng, Wang Ling, Lan Zhiling, Shi Haiyun, Chen Gangqiang Q-switched Nd:YAG laser posterior capsulotomy 88—74863
Wang Ke, Glover, N., Reed, I.S., Huang, J.P., Truong, T.K. A method for finding logarithms and exponentials over GF(2^m) 86—16126

Wang Ke, Yin Xiao-wei On PN sequences for spread spectrum communication and a new class of CDMA codes 85—35337
Wang Ke-mei *see* Ke-mei Wang
Wang Keguang *see* Wu Xiaozu 88—64981
Wang Keguang *see* Wu Xiazu 86—47991
Wang Keguang *see* Zhang Tingjie 85—46052
Wang Kejun *see* Fei Lin 86—22276
Wang Kejun *see* Zhu Xihui 87—18883
Wang Keli, Zhang Huayi Progress in the research of liquid metal ion source and focused ion beam 88—47800
Wang Kelin *see* Wu Ziyu 88—72341
Wang Kems-Gwor *see* Kems-Gwor Wang
Wang Keqin *see* Sun Kun 87—54450
Wang Kong-ming *see* Chen Kai-zhou 88—49750
Wang Kou-Wei *see* Kou-Wei Wang
Wang Kuanquan *see* Zhang Dapeng 87—13072
Wang Kuihua *see* You Lu 85—46359, 86—48369
Wang Kuiwu *see* Wang Enyao 85—20683, 85—64222
Wang Kuiwu *see* Zheng Zhiqin 85—29513
Wang Laung-Terng *see* Laung-Terng Wang
Wang Le *see* Le Wang
Wang Lei, Gao Dingsan, Wu Yangxian Study on LPE of HgCdTe and control of Hg pressure 88—18685
Wang Li, Qiao Xiaolin Optimisation philosophy of acquisition process for tracking radar 86—65016
Wang Li *see* Li Wang
Wang Li-hosuan Measurement of the thickness and refractive index of epitaxial garnet films by ellipsometry 85—64273
Wang Li-Jun *see* Zhang Yue-Ching 87—12498
Wang Li-Kong *see* Li-Kong Wang
Wang Li-ming *see* Li-ming Wang
Wang Li-mo Etching characteristics and kinetics of a new etching solution system for GaAs 85—45569
Wang Lian, Wang Muqiu, Lu Zhiqi Qualitative analysis of the phase locked loop of the third order with tangent discriminator characteristic 85—49785
Wang Liang *see* Chen Kexin 88—27016
Wang Liang-yu, Xu Shou-yi Research of polychrome device of liquid crystals 87—70709
Wang Liangcai, Liu Mujin, Jiang Busheng, Chen Jiqing Bao Jian, Zhu Yanbin Study on laser-CCD sensors for microdisplacement measurements 88—74585
Wang Liangming A method for calculating two-cylinder lenses and three element einzel lenses with transfer matrices 87—50091
Wang Liangming, Shi Weidong A 10 ns pulsed beam transport system 87—50093
Wang Liangyuan *see* Zhang Jingjian 88—51985
Wang Lianxiang *see* Zong Jieli 88—19170
Wang Lie-heng An analysis of the mixed finite element approximation for the Stokes problem 87—44266
Wang Ligong *see* Shang Zhenkui 85—18008
Wang Lijun, Zhang Qingyue Nd-YAG laser alloying of ohmic contacts on P-InP 87—37970
Wang Lijun, Zhang Qingyue Nd-YAG laser alloying of ohmic contacts on P-InP 88—25957
Wang Lijun *see* Liu Zhiguo 87—74968
Wang Lijun *see* Yu Changhai 85—61645
Wang Lijun *see* Zhang Yeuching 87—68526
Wang Liming *see* Zhao Xueshu 86—68405
Wang Ling *see* Wang Kangsun 88—74863
Wang Ling *see* Ling Wang
Wang Lingli *see* Lingli Wang
Wang Lingming *see* Lingming Wang
Wang Linli *see* Linli Wang
Wang Lisheng *see* Zhou Zucheng 88—22176
Wang Lixing Analysis of laser collimating system with a negative adjustment lens 86—54183
Wang Long Electrical circuit simulations for non-stationary vacuum processes 85—50129
Wang Lubin, Hou Boyuan Excitation control of synchronous machine using theory of variable structure systems 86—39743
Wang Lulu *see* Xue Hongxi 87—31779
Wang Man, Li Jin, Cui Xiang-zong, Xia Xiao-mi, Lai Yuan-fen, Yiao Xiao-guang Prototype of an end cap shower counter and its beam test 87—70998
Wang Mao-zi *see* Gu Yi-fan 86—44568, 87—57019
Wang Maoqian *see* Ruan Yaozhong 85—17913
Wang Maw-Ling *see* Maw-Ling Wang
Wang Mei-Wen *see* Mei-Wen Wang
Wang Mei-Yi Relaying the 500 kV lines in Northeast Power System 85—64965
Wang Meitian *see* Wei Xiwen 87—1175
Wang Meng-qi *see* Chen Cang 87—70997
Wang Meng-qi *see* Chen Chang 87—70996
Wang Miao A μP-controlled quick parallel system for alternators 85—32455
Wang Min, Fang Chang-shui The optimum cut direction of a ADTGSP crystal as a pyroelectric detector 88—22585
Wang Min *see* Li Fushou 86—56452
Wang Min *see* Zhang Hongtian 88—18816
Wang Ming, Zhang Hong-qing A note on some finite element methods 87—10341
Wang Ming *see* Wang Hong 87—23611
Wang Ming-xing *see* Xu Zhen-ye 88—42438
Wang Ming-yew, Wu Ji-shun A novel algorithm for static security analysis 87—71596
Wang Mingchang *see* Wang Ruikai 86—56044
Wang Minghsien *see* Minghsien Wang
Wang Mingkai *see* Liu Jishang 87—75043
Wang Mingqian, Guan Huaiqun, Wu Tiejun The research of the soft X-ray ionization chambers 88—10253
Wang Mingqian *see* Zheng Lizhen 88—29887
Wang Mingsqian, Guan Huaiqun, Zheng Lizhen 6-100 keV K-fluorescent X rays source 88—10293
Wang Mingxiao *see* Liu Qili 87—50156
Wang Mingzhen *see* Mingzhen Wang
Wang Minyou, Wu Jishun An algorithm for automatic contingency selection [power systems] 86—70593
Wang Mochang The processing of crosstalk error and the calculation of signal-to-noise ratio in the atmosphere temperature profile sounder 86—38949
Wang Mukun *see* Xu Bingxing 86—244
Wang Muqiu *see* Wang Lian 85—49785
Wang Naixuan *see* Wu Rongsheng 85—24072
Wang Nan *see* Nan Wang
Wang Nan-jie *see* Xu Lu-sheng 87—14848
Wang Nanjie, Jiang Lizheng, Hua Yunbo Lushen, Xu Peikun Infrared thermograph processing system with microcomputer 86—5901
Wang Nanzhang *see* Liu Qili 87—50156
Wang Neng, Zhang Wei Design and implementation of a network system for data input 88—21641
Wang Neng-chao *see* Cai Zhi-qiang 86—57404
Wang Neng-chao *see* He Yuan-ping 88—63258
Wang Pei-Liang *see* Ding Hui-Liang 86—65388
Wang Peida *see* Han Jieping 86—8976
Wang Peide *see* Wen Zhutang 88—74902
Wang Peng-ye, Dai Jian-hua, Zhang Hong-jun Bifurcation, chaos and transient behavior in liquid crystal hybrid optical bistable devices 85—62410
Wang Peng-ye, Zhang Hong-jun, Dai Jian-hua Critical phenomena in optical bistability and chaos 86—22475
Wang Peng-ye *see* Dai Jian-hua 86—9934
Wang Peng-ye *see* Zhang Hong-jun 85—19492, 85—46462 to 46463
Wang Peng-ye *see* Peng-ye Wang
Wang Pengfei, Zhu Yaohui, Yu Chunlian, Miu Haiping α-NND laser dye 86—9775
Wang Pengye *see* Lu Tuansun 85—19050, 85—46918
Wang Pieda *see* Han Jeiping 88—1525
Wang Pieda *see* Han Jeiping 87—17938
Wang Pin-chia *see* Cao Lin-hsiang 85—3832
Wang Ping *see* Wan Mei-xiang 86—38507
Wang Ping Yang *(editor)* IEEE/CSEE Joint Conference on High-Voltage Transmission Systems in China (Cat. No.87CH2579-1) 88—62880
Wang Pu Numerical dispertive and dissipative effects for cubic spline approximation 87—23564
Wang Qi, Xiao Qin-xian, Li Fa-wei A time-of-flight spectrometer for heavy ions 85—59219
Wang Qi, Xue Bing-Zhang, Cai Ying-Shi Nonlinear guided wave in asymmetric Kerr-type dielectric film leaky waveguide 88—65286
Wang Qi, Yang Tianlong, Shen Wenda Gains of Stokes and anti-Stokes light in stimulated four-photon mixing in optical fiber 88—72401
Wang Qi *see* Ma Zuguang 86—29188, 87—61095
Wang Qi *see* Wu Zhong-li 85—31767
Wang Qi *see* Wu Zhongli 85—43158
Wang Qi-min *see* Zhang Xi-kang 85—45379
Wang Qi-ming, Zhu Long-de, Cao Qi-ping A bistable InGaAsP/InP DH laser with internal modulation of Q factor formed by proton bombardment 86—9822
Wang Qi-ming *see* Wang Shou-wu 87—7327
Wang Qi-ping *see* Hu Wan-ping 86—26235
Wang Qian *see* Wang Enyao 85—20683, 85—64222
Wang Qian *see* Zheng Zhiqin 85—29513
Wang Qiao A phase controlled AC voltage regulator using IC 88—552
Wang Qiaomin *see* Qiaomin Wang
Wang Qifan *see* Qifan Wang
Wang Qijun A design of hybrid RF-SQUID 85—18604
Wang Qijun, Xing Weimin Dynamic of RF-SQUID rings 87—25884
Wang Qiliang Characteristics of FD-71 scintillation radiometer for measurement of natural environmental radiation 87—50158
Wang Qiliang, He Miaoting Measurements of cosmic-ray ionization and an empirical formula for the dependence of ionization on altitude and latitude 88—36360
Wang Qimin *see* Chen Qinggui 85—34761
Wang Qiming *see* Li Jianmeng 87—39087
Wang Qiming *see* Waug Shouwu 86—42524
Wang Qin-tang *see* Pan Guo-hong 88—51210
Wang Qing *see* Wu Risheng 86—11898
Wang Qing *see* Zhang Qi 88—36334
Wang Qing-ji *see* Jin Hao-ran 88—27276
Wang Qing-lin *see* Wang De-min 87—39866
Wang Qinglin *see* Wang Demin 87—27555
Wang Qingyue *see* Zhao Xinmiao 88—72352
Wang Ren-hong *see* Ren-hong Wang
Wang Ren-zhou, Hiroyuki Kaizu Transient stability control of two-field-winding alternator with flux decaying 85—32454
Wang Ren-Zhou *see* Ren-Zhou Wang
Wang Renwen *see* Chen Jianwen 87—7393
Wang Renwen *see* Lou Qihong 85—46434
Wang Rong-jin *see* Ren Shu-chu 88—54786
Wang Rong-wen *see* Zhu Jia-zheng 87—3874
Wang Rongzhen *see* Guan Chongwen 85—48351
Wang Ru-yun *see* Yu Xiao-yong 86—62330
Wang Ruey-Rong *see* Ruey-Rong Wang
Wang Rugui *see* Liu Qili 87—50156
Wang Ruifeng *see* Wang Bo 88—65550
Wang Ruifong, Li Hongbo, Li Shaokui Polarization characteristics of a 10.6 μm glass-metal complex waveguide laser 88—27021
Wang Ruikai, Li Xianjie Passive personal monitor for working level accumulation exposure 86—11892
Wang Ruikai, Wang Mingchang, Li Zianjie, Tian Mengxia Cumulative dosimetry of radon and its daughters 86—56044
Wang Run-wen *see* He Guang-sheng 86—22479
Wang Run-Wen *see* Run-Wen Wang
Wang Runwen, Hora, H. Generation conditions for lateral free electron laser amplifiers 85—29860
Wang Runwen, Ye Chao SHG for materials with absorption loss and amplification gain 86—9939
Wang Runwen *see* Chen Kexin 88—27016
Wang Runwen *see* Chen Zhaogu 86—15738
Wang Runwen *see* Cheng Ruihua 85—29904
Wang Runwen *see* Cheng Zhaogu 85—12781
Wang Runwen *see* Gui Zenxing 87—53100, 88—40125
Wang Runwen *see* Lou Qihong 87—54220, 88—2158
Wang Runwen *see* Qi Jianping 88—33922
Wang Runwen *see* Qin Keqi 88—20685, 88—40359, 88—58068
Wang Runwen *see* Wang Changxin 88—72403
Wang Runwen *see* Zhang Shunyi 88—65555
Wang Rupeng *see* Chen Yuzhou 88—52551
Wang Ruwen *see* Cheng Xusan 86—54079
Wang Sanmin, Zhang Yijie An adaptive filter for maneuvering target tracking with a set of parallel detectors 88—15530
Wang Sen *see* Chen Keming 85—50263
Wang Shao-jun *see* Li Jia 88—26127
Wang Shao-ping *see* Wang Xian-ren 86—63068
Wang Shao-tsai The study of frequency response for the resistance strain instrument 85—64091
Wang Shaochuan On the collecting efficiency of intersecting cylindrical cavity 88—65760
Wang Shaomin *see* Lu Xuanhui 88—72294
Wang Shaoqing *see* Yao Yongbang 88—27018
Wang Shaoying *see* Deng Guoyang 88—72257
Wang Shaoyu, Gin Weifang Slot electric field distribution of large generator stator insulation and discussion on the improvement of its structure 86—39705
Wang Shen-ge *see* Shen-ge Wang
Wang Shen-lin, Sun Shu-ying An A.D.I. Galerkin method and the estimation of the convergence rate for some quasilinear hyperbolic equations 88—11937
Wang Sheng-Li An active filter with two functions using single operational amplifier pole 88—32305
Wang Shengping *see* Ren Guoquan 88—45574
Wang Shengqi *see* Wang Yuanlin 88—54880
Wang Shengqing *see* Wu Xing 88—40409
Wang Shi-Guang *see* Shi-Guang Wang
Wang Shi-liang *see* Shi-liang Wang
Wang Shicheng, Cui Huanhua The etching behavior of a CN SSNTD 86—11857
Wang Shicheng, Cui Huanhua, Wu Risheng, Zhang Zhinan, Li Degao, Xiao Wei Application of nuclear track microporous membrane in study of deformability of red blood cells 86—11897
Wang Shicheng, Wu Risheng, Cui Huanhua, Xu Xiaofeng, Wang Xueli, Yang Zhenjun The pore size measurement of nuclear track microporous membrane 86—11894
Wang Shicheng *see* Cui Huanhua 86—11860, 86—11893, 86—11896, 87—29563
Wang Shicheng *see* Wu Risheng 86—11898
Wang Shifan A fast algorithm for holographic interferometric determination of 3D minute displacements 86—36594
Wang Shifan, Fan Yalin A fast algorithm for determination of minute spatial displacement field from multiple interferometric holograms 87—35184
Wang Shifan *see* Liu Fuxiang 88—36458
Wang Shihiang *see* Hu Shouxiang 86—14558
Wang Shijie, Ediss, G.A., Keen, N.J. The measurement and evaluation of the quasi-optical components for a 230 GHz receiver 86—16021
Wang Shijie *see* Hu Xiaochao 86—14457
Wang Shijie *see* Jiang Qinghua 88—611
Wang Shikang, Xue Bin A laser power supply with newly designed thyristor 3-phase rectifier 88—56428
Wang Shikang, Xue Bin, Zhang Jiangbo Study of dye laser pumped by an acousto-optic Q-switched YAG SHG laser 88—40162
Wang Shilin *see* Zhang Dongping 87—66558

Wang Shiming, Ma Gonggui, Haishan Xu The calculation of the gamma-ray detection efficiency of a large liquid scintillation counter for the (n,γ) radiative capture 88−68260
Wang Shiming *see* Cha Guigen 88−37712
Wang Shing-kuo *see* Shing-kuo Wang
Wang Shiqiu, Luan Guixing, Fu Lizheng, Liu Tong Development of real-time point-to-point communications on Etherseries 88−59654
Wang Shique *see* Fu Lizheng 88−21383
Wang Shiyan The TMS32010 high speed processor and its applications 88−25255
Wang Shiying *see* Chen Shujun 88−23407
Wang Shiying *see* Chen Xueqing 86−12728
Wang Shiying *see* Chen Xuequing 87−77999
Wang Shiying *see* Xia Qing 88−23406
Wang Shiying *see* Yu Erkeng 86−39047
Wang Shiying *see* Zhang Boming 87−35607, 87−64080, 87−71598, 88−61796
Wang Shou-jiao *see* Zhuang Wen-jun 85−45739
Wang Shou-jue Continuous logic (CL) as a new tool in electronic circuits and systems 87−37133
Wang Shou-jue, Xia Yong-wei, Kong Ling-kun, Li Yuan-jing, Ho Nai-min DYLMOS integrated circuits—a new hybrid integrated circuit without isolation 86−67897
Wang Shou-she, Chen Fang-jun, Zheng Jian-xin, Yang Zuo-gui, Huang Jing-guang, Dong Yu-ying Leak detection with a sniffer probe of helium for the pressure tight vessel of nuclear power plant 86−38370
Wang Shou-wu, Wang Qi-ming, Lin Shi-ming Study of the instability of bistable injection lasers 87−7327
Wang Shou-Wu, Wu Rong-Han, Zhang Quan-Sheng, Hu Dan-Xia Optical bistability in a pnpn GaAs/GaAlAs laser diode 87−33294
Wang Shou-wu, Zhang Quan-sheng, Li Zhao-yin, Wu Rong-han Self-oscillation frequency characteristics of a GaAs/GaAlAs *pn-pn* laser 85−29840
Wang Shou-wu *see* Han Jie-ping 85−55866
Wang Shou-wu *see* Ma Jun-ru 85−45740
Wang Shou-Yih *see* Shou-Yih Wang
Wang Shou-yin *see* Fan Xi-wu 85−35645
Wang Shoujue, Shi Yin, Zhu Ronghua A multicell-type logic (DYL) 12 bit×12 bit super high speed multiplier 88−6725
Wang Shoushan *see* Zha Ziying 87−50461
Wang Shouwu, He Naiming, Xia Yongwei Two dimensional analysis of the potential barrier under the gap between two electrodes in a double-level polycrystal silicon structure 85−55583
Wang Shouwu, Wang Zhongming Behaviour of stripe DH semiconductor laser under step and sine current modulation 86−15695
Wang Shouwu, Wang Zhongming, Ma Guorong Research on lateral phase uniformity of semiconductor laser output under sine current modulation 87−39085
Wang Shouwu, Wu Ronghan, Zhang Quansheng, Hong Jian, Li Zhaoyin Optical bistability and switching characteristics of a GaAs/GaAlAs pnpn negative resistance laser 86−42525
Wang Shouwu, Xia Yongwei, Kong Lingkun, Zhang Dongxuan Thin bulk effects in SOI structure 85−50289
Wang Shouwu *see* Han Jeiping 88−1525
Wang Shouwu *see* Han Jieping 86−8976, 87−17938
Wang Shouwu *see* Shouwu Wang
Wang Shouxin, Song Renjie A survey on applications of photoelectric encoders 88−59009
Wang Shouyin *see* Shouyin Wang
Wang Shouyu *see* Zhou Shiren 87−31474
Wang Shouzhong *see* An Jigang 86−11843
Wang Shu, Yao Tianren Algorithm for linear convolution using number theoretic transforms 88−34635
Wang Shu-hong Research on the transverse stability of the central beam in a wake field accelerator 87−29402
Wang Shu-hong *see* Wei Kai-yu 88−22871
Wang Shu-Hong *see* Zhou Qing-Yi 87−56927
Wang Shu-hung *see* Luo Zi-hua 85−48161
Wang Shu-lian Design of a new wideband microstrip 3 dB hybrid ring 86−67461
Wang Shu-Min *see* Jiang Xiao-Song 87−24776
Wang Shu-min *see* Shu-min Wang
Wang Shu-qin *see* Wang Tai-jie 87−8879
Wang Shu-Yuan *see* Tan Zu-De 88−569
Wang Shuguang *see* Cheng Zuzhen 87−74969
Wang Shuguang *see* Pan Deheng 88−53682
Wang Shuicai Study of mode-locked dynamics of picosecond lasers by streak camera 88−65789
Wang Shumin *see* Liu Hongxun 87−37879, 88−6448
Wang Shun-de *see* Shun-de Wang
Wang Shung *see* Shung Wang
Wang Shunhuang *see* Zhao Dianjia 87−9569
Wang Shuo-hsien *see* Shuo-hsien Wang
Wang Shurong *see* Zheng Jianhe 85−46149
Wang Shusheng Power dispatching economic benefit evaluation based on incremental coal cost 87−4228
Wang Shuxin *see* Xia Yanfu 86−50456
Wang Shuying, Zhang Jingjiang, Peng Yulan, Zhao Yunying, Bao Cailong Fe-doped $LiNbO_3$ crystal for applications in white-light information processing 88−33599
Wang Shuying *see* Zhang Jingjiang 86−10007, 86−59335
Wang Shuying *see* Shuying Wang
Wang Shya *see* Shya Wang
Wang Shyh *see* Shyh Wang
Wang Si-cheng Present situation of photovoltaic applications in China 88−17439
Wang Siting *see* Ma Xiaoshan 87−52090
Wang Song Qi *see* Qi Wang Song
Wang Song-Feng *see* Song-Feng Wang
Wang Songmei, Xu Jiasheng The performance and design of CMOS-DRAM 88−56618
Wang Su-yu *see* Wang Jia-su 86−15415
Wang Sufen *see* Shi Mingliang 85−4140
Wang Suifu *see* Guan Anmin 85−59162, 86−50295
Wang Sujane *see* Sujane Wang
Wang Swn *see* Wang Jiazhang 87−70657
Wang Tai-Chi *see* Tai-Chi Wang
Wang Tai-jie, Wang Shu-qin, Yan Wu-guang, Huang Yin-zhi, Huang De-qing, Lang Pen-fei Simplified Monte Carlo simulation for Beijing spectrometer 87−8879
Wang Tai-jun An application of the concept of complex digital filters 85−17682
Wang Tai-Tsong *see* Tai-Tsong Wang
Wang Taoyun *see* Taoyun Wang
Wang Tian-Jin *see* Tian-Jin Wang
Wang Tiangji, Li Yaotang, Fan Shaowu, Zhang Shichao Real time speckle shearography using BSO crystals 88−51967
Wang Tianji, Xu Senlu Properties of BSO crystals and their applications 85−18634
Wang Tianjuan *see* Li Zhaolin 88−24752
Wang Tianxi A new mosaicing method for Landsat remote sensing images 88−30165
Wang Tianxi, Yang Xueyan, Zhang Yimin Graphic digitalization and its application to image digital processing for remote sensing 85−59481
Wang Tingjian *see* Shen Yong 88−36357
Wang Tingliang, Li Cuixian Remote sensing image processing with computers 86−65499
Wang Tong *see* Zhang Quan 88−29206
Wang Tongheng *see* Dang Jianwu 88−41330
Wang Tswei-Ying *see* Tswei-Ying Wang
Wang Wan-lu, Shen Hao-ping Semiconductor surface varactor with insulating a-Si layer 85−45257
Wang Wanlu, Liao Kejun Effect of internal stress on persistent photoconductivity in *a*-Si:H/*a*-SiN_x:H layered structure 87−53260
Wang Wanlu *see* Wanlu Wang
Wang Way-Seen *see* Way-Seen Wang
Wang Wei, Zhang Jingyuan, Tian Huiliang 1.55 µm wavelength buried heterostructure InGaAsP/InP lasers 85−35737
Wang Wei, Zhang Jingyuan, Tian Huiliang, Wang Xiaojie Low threshold current high output power fundamental transverse mode 1.3 µm InGaAsP/InP BH laser 86−54134
Wang Wei *see* Shi Jiabiao 88−14244
Wang Wei *see* Wei Wang
Wang Wei Yuan *see* Wei Yuan Wang
Wang Wei-huan, Xia Guan-qun, Lu Jian-guo, Shao Yong-fu, Qiao Yong Carrier profile tail in silicon implanted Cr-doped semi-insulating GaAs substrate 85−45386
Wang Wei-yuan *see* Cheng Zhao-nian 85−61830
Wang Wei-Yuan *see* Mao Er-Wang 87−24964
Wang Wei-yuan *see* Zhou Mian 85−18316
Wang Weijan, Xu Keda An analysis of the behavior of loss-of-field and a discussion of the scheme of protection for large hydraulic generators in the power system with several generators. II 85−9414
Wang Weili, Xing Qijiang Hot electron effects in free carrier photoconductivity in HgCdTe 88−40049
Wang Weili, Zhou Hetian, Xing Qijiang, Shi Shouxu $Hg_{1-x}Cd_xTe$ nonlinear photoconductivity 88−8037
Wang Weili, Zhou Hetian, Xing Qujiang, Shi Shouxu $Hg_{1-x}Cd_xTe$ infrared nonlinear photoconductivity 88−72201
Wang Weiling *see* Xu Kang 85−23832
Wang Weiming *see* Sze Juejue 85−34648
Wang Weixiao Digital communication system and its application 87−27745
Wang Weiyi *see* Liu Hongxun 87−37879
Wang Weiyi *see* Shi Yaling 87−54451
Wang Weiyi *see* Yu Deming 86−70022
Wang Weiyuan *see* Li Xiqiang 85−10761, 87−17720
Wang Weiyuan *see* Yang Yuefei 86−53619
Wang Weiyuan *see* Zhou Mian 85−34954, 86−14967, 86−21542
Wang Weiyuan *see* Weiyuan Wang
Wang Wen *see* Wen Wang
Wang Wen-chen *see* Wen-chen Wang
Wang Wen-Chung *see* Wen-Chung Wang
Wang Wen-ling *see* Long Ao 87−70767
Wang Wencheng *see* Wencheng Wang
Wang Wenduan, Li Chengrong Research on conductor-plane long air-gap characteristics by surface discharge analogy-model 86−51102
Wang Weng-Lyang *see* Weng-Lyang Wang
Wang Wenhao *see* Wenhao Wang
Wang Wenhua *see* Wu Yifang 88−72351
Wang Wenshan, Qi Ming Research on TGS single crystal growth with modulated structure 87−31482
Wang Wenshan, Zou Qun, Geng Zhaohua, Feng Duan Study of $LiTaO_3$ crystals grown with a modulated structure. I. Second harmonic generation in $LiTaO_3$ crystals with periodic laminar ferroelectric domains 87−31479
Wang Wenshan *see* Wenshan Wang
Wang Wentan *see* Zeng Chunlin 88−61987
Wang Wentao *see* Zheng Qinfen 88−36679
Wang Wenxuan *see* Gu Qunshan 86−14354
Wang Wenyao *see* Qiu Peihua 87−33264
Wang Wenzhang, Wang Yunyi The computation of coupling coefficient between dielectric resonator and microstrip line 87−66488
Wang Wucheng, Wang Jianxiong, Wu Henxian, Guo Ruoju, Yang Jinxin, Hu Shiyuan Auto-alignment of the optical path of a large laser system 86−22444
Wang Wuyi *see* Li Jianyi 88−40386
Wang Xi-yu, Jiang Ren-pei Propagation of electromagnetic wave in a rotate-magnetizing ferrite wave plate 86−68174
Wang Xian-lin, Hunag Ze-rong Critical frequencies of *E*-layer in mid-latitudes and the calculations of electron density profiles in the lower ionosphere 86−3502
Wang Xian-lin, Shen Li, Huang Ze-rong Experiments and calculations of the 100 kHz sky-wave 87−7526
Wang Xian-ren, Yan Wei-ping, Lan Tian, Wang Shao-ping Study of X-ray diffraction in $In_xGa_{1-x}As_yP_{1-y}$/InP heterojunction 86−63068
Wang Xian-xiu *see* Xu De-wei 85−46452
Wang Xian-yao, Guo Li-pin, Ha Rong-Li, Dai San-he Theory and practice of error correction in scattering parameter measurement 87−63218
Wang Xiang On the convergence of the smoothing operator 87−65392
Wang Xiangheng The analyzing method of stator internal fault of synchronous machine with multi-branch on no-load 88−23898
Wang Xiangheng, Gao Jingde, Jin Qimei Calculation of loop parameters of salient-pole synchronous machines 87−78645
Wang Xiangheng *see* Gao Jingde 87−78610
Wang Xiangming *see* Yang Guangrong 85−33419
Wang Xianhua, Gao Shan The optoelectronic switch for picosecond streak camera 88−40077
Wang Xianhua *see* Chen Guofu 86−5089
Wang Xianzhong, Guo Yongji, Zhang Zongling A reliability and availability data management system for generator equipment 87−58020
Wang Xiao *see* Xiao Wang
Wang Xiao-liang, Chen Yuan-bo, Lin Jian-feng, Zhang Jia-quan, Xu Yu-lin, Han Shu-rong Induced readout self-quenching streamer counter 85−64496
Wang Xiao-Liang, Chen Yuan-Bo, Lin Jian-Feng, Zhang Jia-Quan, Xu Yu-Lin, Xu Rong-Feng, Xie Yi-Gang Some induced readout characteristics of plastic streamer tubes 87−57045
Wang Xiao-long Standardization and improvement of Chinese character coding schemes 87−61557
Wang Xiao-Ming *see* Zhou Yan-Qun 86−21815
Wang Xiaochun *see* Sun Yuankun 88−26756
Wang Xiaojie *see* Wang Wei 86−54134
Wang Xiaojing Thermal stability of parallel-plane resonator with an internally thermal thick lens 86−3235
Wang Xiaoliang, Li Fan Analysing the Electronic Office System CEO 86−69343
Wang Xiaomei *see* Xiaomei Wang
Wang Xiaoming, Wang Zongpei A computer-aided analysis of electronic governor circuit of DC permanent-magnet micromotors 87−15811
Wang Xiaoming *see* Xie Yuanxiang 87−63697
Wang Xiaoqin *see* Dai Funmei 85−18900
Wang Xiaoyi *see* Qi Zhangfen 88−27091
Wang Xiaoyi *see* Zhang Dake 86−3017
Wang Xiewei *see* Cao Chunsheng 88−32023
Wang Xiewen *see* Meng Xiaofan 87−74565
Wang Xin The two-direction Kalman filter of image additive white noise 85−46890
Wang Xin Tian *see* Xin Tian Wang
Wang Xin-mei Fast soft decision decoding 87−39610
Wang Xin-mei Generalization of M public key system and analysis of its performance on noisy channel 87−39612
Wang Xing-gang, Yan Bao-ping, Huang Ting-xing An office automation system based on PABX 86−23639
Wang Xing-hua, Han Dan-fu General result on Smale's approximate efficiency of integrals 88−63239
Wang Xinghua *see* Jiang Pihuan 86−41569, 87−11394
Wang Xinghua *see* Zheng Houzhi 87−1314
Wang Xingkai *see* Yang Xichen 88−65919
Wang Xingkun *see* Gu Benguang 88−10201
Wang Xintian *see* Xintian Wang

Wang Xishan, Sun Zhendong Investigation on lifetime of He-Ne lasers by means of the Weibull function 88−27022
Wang Xishan, Sun Zhendong Helium-neon laser lifetime computed by best linear undistorted estimation 88−65787
Wang Xiu *see* Sun Kun 87−54450
Wang Xiuchun *see* Wang Dalun 86−11868
Wang Xuan, Lu Zhimin, Chen Zhumei, Tang Yuhai, Xiang Yang Augmentation and reduction for Chinese character images with high resolution 85−30240
Wang Xueli *see* Cui Huanhua 86−11860, 86−11893, 86−11896
Wang Xueli *see* Wang Shicheng 86−11894
Wang Xueli *see* Wu Risheng 86−11895
Wang Xuming, Wang Zhaoqi, Mu Guoguang A novel holographic encoding filter for correlation 88−40043
Wang Xun Semiconductor superlattices 88−25950
Wang Xun *see* Yu Min-Ren 85−29134
Wang Xun *see* Yu Mingren 85−45446, 86−28258
Wang Xun *see* Xun Wang
Wang Xuo-gui *see* Hu You-qiu 85−26896
Wang Xusheng *see* Fang Hubao 88−42093
Wang Yagang *see* Liu Yixian 88−65784
Wang Yan Research on the application of X-ray TV to the forming process of macrodefects in the casting 88−18832
Wang Yan, Bao Minhang, Jin Qi Effect of shear stress on the sensitivities of piezoresistors 87−6356
Wang Yan, Hu Zhenqiu, Zhou Jinshui, Li Waigou A study on small volume liquid scintillation system for radioimmunoassay 88−74759
Wang Yan *see* Bao Minhang 87−70545
Wang Yan *see* Zhang Tingqing 87−74441
Wang Yan *see* Yan Wang
Wang Yan-lin *see* Zhang Gui-qing 88−27495
Wang Yang *see* Yang Wang
Wang Yang Yuan *see* Wu Guoying 86−26895
Wang Yang-yuan, Cheung, N.W., Sadana, D.K., Jou, C., Strathman, M. The influence of ion implantation on solid phase epitaxy of amorphous silicon deposited by LPCVD 86−446
Wang Yang-Yuan, Zhang Ai-Zhen The characteristics and morphology of oxidation of polycrystalline silicon films in VLSI 86−21431
Wang Yang-Yuan *see* Zhang Ai-Zhen 86−21432
Wang Yangsheng *see* Cong Shong 87−67226
Wang Yangyuan, Chen Jinhua, Zhang Aizhen, Hopkins, C.G., Strathman, M.D. Oxidation characteristics of $TaSi_2$/Si films in atmosphere and high pressure steam 87−25142
Wang Yangyuan *see* Zhang Aizhen 85−34837, 86−67799
Wang Yangyuan *see* Zhang Guobing 87−11524
Wang Yangyuan *see* Yangyuan Wang
Wang Yao, Zhu Xue-long A new fast algorithm for the Fourier transforms over finite fields 87−36677
Wang Yao-lin *see* Wang Gui-hua 87−56894
Wang Yao-ming *see* Chao Shin-min 87−41415
Wang Yao-ping, Sheh Yin-ho The application of generalized variational principles to the hybrid finite element method 85−16898
Wang Yaohui *see* Chen Chaoqing 88−61074
Wang Yaolin *see* Wang Guihua 88−60668 to 60669
Wang Yaosong, Chang Yingning A holographic fingerprint lock system 88−34171
Wang Yaping *see* Shao Shiping 85−29380
Wang Yar-Ming *see* Yar-Ming Wang
Wang Yen *see* Yen Wang
Wang Yen-chu *see* Yen-chu Wang
Wang Yenping, Liu Youngzhu, Li Han Image reconstructions from limited-data with histogram constraint 88−73267
Wang Yi Combined miniature-large screen digital display unit for teaching demonstration 88−22699
Wang Yi, Wang Jimei Investigation of vacuum arc subjected to axial magnetic field 88−19589
Wang Yi *see* Wang Ji-mei 86−33572
Wang Yi *see* Xu Zhen-ye 88−42438
Wang Yi-De *see* Yi-De Wang
Wang Yi-hua *see* Lei Zhen-huan 86−2499
Wang Yi-qiu *see* Shang Song-quan 87−18979
Wang Yianying *see* Dai Guorui 87−67058
Wang Yiman *see* Shangguan Chen 88−65602
Wang Yiman *see* Shangguan Cheng 86−15650
Wang Yin-jun, Tang Qian, Yang Ke-min, Cai Heng Shen Jian-xiang, Zhang Xu-xin The properties of amorphous GdTbFe films for magneto-optical recording 88−7786
Wang Yin-yue, Zhang Fang-qing, Wu Xian-cheng, Chen Guang-hua Study of field effect under illumination for GD-a-Si_xC_{1-x}:H films 87−61010
Wang Ying *see* Zhang Xi-kang 85−45379
Wang Yinting *see* Ma Guang 88−58069
Wang Yinyue *see* Chen Guanghua 85−23459
Wang Yiping *see* Yiping Wang
Wang Yiqiu *see* Wang Depei 88−47393
Wang Yisha *see* Pan Ji 85−50380
Wang Yizhong *see* Wang Zhenxi 88−64913
Wang Yong-chu *see* Yong-chu Wang
Wang Yong-de, Ku, W.H., Miao Jia-lin Detection performance of the adaptive maximum entropy spectrum estimator 85−46750
Wang Yong-de, Mia Jia-lin, Ku, W.H. Dynamic detection performance of the adaptive line enhancer and the adaptive maximum entropy spectrum estimator 85−46749
Wang Yong-Fa *see* Yong-Fa Wang
Wang Yong-zhao *see* Ih, C.S. 86−63874
Wang Yongdao *see* Xie Jishi 87−66795
Wang Yonghai *see* Liu Yuren 86−11842
Wang Yongjiang, Shen Shengpen, Xia Tiejun Multiple spectral structure of the 578.2 nm copper laser line 88−72247
Wang Yongjiang, Shen Shengpen, Xia Tiejun, Wu Zhehua, Zhu Jinmin Spectral structure of CuBr vapor laser lines 88−58413
Wang Yongjiang, Xia Tiejun Relaxation oscillation in the light pulse of amplified spontaneous radiation emitted by single-mirror Cu/CuBr laser 87−2099
Wang Yongjiang *see* Yongjiang Wang
Wang Yongyi *see* Xue Bin 86−52641
Wang Yorgjiang *see* Sun Wei 87−7263
Wang You-Zhi *see* Yuan Qin-Liang 87−56936
Wang Youxiang *see* Li Baoqi 87−53272
Wang Yu *see* Zhu Hui 88−64345
Wang Yu *see* Yu Wang
Wang Yu-hong, Jin Min Nonlinear macromodels for integrated circuit operational amplifiers 87−59182
Wang Yu-lin *see* Yu-lin Wang
Wang Yu-min The coding problems of the multiple access channels 88−59340
Wang Yu-tang, Li Xiu-ying, Jiang Chang-shan, Chen Yan-song Optical realization of coherent Walsh transformation by a single element 85−19321
Wang Yu-zhi, Huang Zong-lin The mechanism of lowering breakdown voltage in the new type He-Ne laser 86−3007
Wang Yu-zhi, Yang Ze-mo Long term mass-spectrometric sampling technique for sealed gas lasers 88−40116
Wang Yu-zhi *see* Huang Zong-lin 85−45916
Wang Yu-zhi *see* Yu-zhi Wang
Wang Yuan Diophantine inequalities for forms in an algebraic number field 88−70231
Wang Yuan Ling *see* Yuan Ling Wang
Wang Yuan Mei, Lu Wei Xue Multicriterion image reconstruction and implementation 87−48040
Wang Yuan-ling, Lai Qi-ji, Yao Nai-guo A monitor having lots of functions for a linac with feedback 86−31926
Wang Yuandian Effects of injection in free-electron lasers on axial velocity spread of beams 88−2283
Wang Yuanlin, Tang Tao, Wang Shengqi The monitoring and control system for the main network of the Southwest power system 88−54880
Wang Yuanling A new dispatch control system for power grid 87−71590
Wang Yudong *see* Shen Jinxing 87−30550
Wang Yuesheng *see* Ma Yurong 88−72283
Wang Yufu *see* Jiang Zhixiang 88−36358
Wang Yuhong, Zheng Huanqun Calculation of large-change sensitivity 88−18843
Wang Yuling, Zhang Qing Plasma etching a-Si:H/a-C:H superlattice 88−57463
Wang Yumin Influence of inhomogeneity on single transverse mode laser oscillation properties 85−62470
Wang Yumin Theoretical analysis of resonant interaction between light and CO laser medium 88−27020
Wang Yumin, Gui Zenxin, Zhang Shunyi Application of the optogalvanic effect in probing the properties of CO gas laser medium 85−56486
Wang Yumin, Gui Zenxin, Zhang Shunyi, Chen Yuxin Continuous tuning of the CO laser at high pressure 86−9729
Wang Yumin *see* Gui Zenxing 85−46307
Wang Yumin *see* Zhang Shunyi 85−46313
Wang Yun-yi *see* Yun-yi Wang
Wang Yun-yong *see* Chen Chao-qing 85−31713
Wang Yun-Yong *see* Ma Ji-Mao 85−59199
Wang Yun-yu *see* Yun-yu Wang
Wang Yung-chen *see* Hsiung Chin-wu 85−4110
Wang Yung-liang *see* Tsung Su-jen 85−64327
Wang Yunsheng Heat analysis for single-chip pyroelectric detector array 88−74401
Wang Yunxiang Automatic calibration of microwave frequency meters 86−11434
Wang Yunyi *see* Shu Yonghui 87−66513, 88−7067
Wang Yunyi *see* Wang Wenzhang 87−66488
Wang Yunyu, Long Xiping A simple method of setting the energy window of positron lifetime spectrometer 88−10291
Wang Yunzhen, Chen Xinhe, Li Yuezhen Analysis of the composition of oxygen-doped polycrystalline silicon 85−11878
Wang Yunzhen, Jiang Changgen AES AND XPS studies of semi-insulating polycrystalline silicon (SIPOS) films 87−17681
Wang Yupeng *see* Qiu Changtao 87−71609
Wang Yusan *see* Li Chenfang 85−24444
Wang Yusheng *see* Xu Li 85−45377
Wang Yuwen *see* Yuwen Wang
Wang Yuzhang *see* Zhao Songshan 86−54133
Wang Yuzheng, Wu Guodong, Jiang Liren, Huang Jinxing, Gu Liangxue, Qian Chunliang A two dimensional multiwire proportional chamber imaging device with delay line readout 86−11911
Wang Yuzheng *see* Lin Jinxin 87−3759
Wang Yuzhi, Huang Zonglin Analysis on current explanations of breakdown mechanism for a new type He-Ne laser 86−54075
Wang Yuzhi, Liu Jiansheng Direct analysis of gas components in CO_2 lasers during their early working period 86−68436
Wang Yuzhi *see* Dong Jingxing 85−46311
Wang Yuzhi *see* Zhou Xiaojun 88−19579
Wang Yuzhu *see* Liao Shiqiang 86−67773
Wang Yuzhu *see* Tu Shigu 88−20730, 88−27007
Wang Ze-han On the period of a class of polynomial over GF(2) 85−10626
Wang Zeyi *see* Chen Datong 87−67250, 88−19958
Wang Zhangzhi, Chen Hanmin, Chen Ruiqin, Lan Yunxia A liquid scintillation nuclear activity metrology instrument 87−3900
Wang Zhao-hua The two-dimensional superimposed sequence digital filter [for picture processing] 86−64319
Wang Zhao-Qi *see* Zhao-Qi Wang
Wang Zhaomin *see* Gong Zhufang 88−36359
Wang Zhaoming *see* Fan Dianyuan 85−46429
Wang Zhaoping *see* Zhao Xueshu 86−68405
Wang Zhaoqi Effect of change in scale and rotation of signals in a lensless intensity correlator 88−59199
Wang Zhaoqi *see* Wang Xuming 88−40043
Wang Zhaoshen, Kang Shouxing, Ding Bolong A 35 GHz parallel digitized interferometer 88−74567
Wang Zheen *see* Chen Kexin 88−27016
Wang Zheen *see* Chen Zhaogu 86−15738
Wang Zheen *see* Cheng Zhaogu 85−12781
Wang Zheen *see* Gutu, I. 86−22274, 86−48321
Wang Zheng Calculation methods for the vibration of a large rotor-bearing-foundation system [turbogenerator set analysis] 85−9825
Wang Zheng-song *see* Zheng-song Wang
Wang Zhengqiu, Gong Yaqien Conical corrugated horns at short millimeter wave and Gaussian radiation patterns 88−40675
Wang Zhengxiao Finite element 2 D numerical analysis of microwave recessed-gate GaAs FET's 85−34169
Wang Zhengxiao Discussion concerning the choice of optimal recess depth of microwave recessed-gate GaAs FETs 85−34955
Wang Zhengxiao Calculation and analysis of small-signal microwave network parameters of GaAs FETs 85−45228
Wang Zhengxiao A new InP MIS structure with double insulators 87−37985
Wang Zhengxiao A new InP MIS structure with double insulators 88−25982
Wang Zhengyuan, Lin Lanying Study of annealing behavior and new donor formation in neutron transmutation doped silicon grown in a hydrogen atmosphere 85−23420
Wang Zhenhua *see* Zhenhua Wang
Wang Zhenming *see* Sun Baoyin 85−58705
Wang Zhenping, Zhang Shiying No lead low-fired multilayer ceramic capacitor (MLC) dielectric material 87−73160
Wang Zhenshan *see* Liu Changzhi 88−48106
Wang Zhenui *see* Westwater, E.R. 86−6118
Wang Zhenxi, Yu Boliang, Wang Yizhong, Huang Jiao Hong, Yin Lin, Feng Minying The comparative performance of Nd-(Fe, Co)-B magnets formed by rapid quenching and by sintering 88−64913
Wang Zhenxi *see* Zhao Yumin 87−74520
Wang Zhenzhen *see* Wang Guangxue 88−48421
Wang Zhenzhuang *see* Jiang Xianning 85−7995
Wang Zhi Cheng, Haken, H. Quantum theory of the two-photon laser 88−58409
Wang Zhi Fu *see* Zhi Fu Wang
Wang Zhi-chao, Wu Gang, Sun Mei-xiang, Chen Run-hua The influence of substrate temperature on the Si deposition films during the process of PCVD 87−36787
Wang Zhi-cheng *see* Zhi-cheng Wang
Wang Zhi-guang *see* Li Lin-lin 88−40191
Wang Zhi-Hong, Tang Ze-He The CMOS interface circuit 88−1789
Wang Zhi-jiang, Yang Ben-chi Ultra-short pulses and intracavity dispersion compensation 87−33255
Wang Zhi-jiang *see* Fu En-sheng 88−72338
Wang Zhi-jiang *see* Wang Da-heng 88−40377
Wang Zhi-min The development of electromagnetic acoustic inspection in heavy forging stocks 88−23219
Wang Zhiguang *see* Li Linlin 88−40294
Wang Zhijian *see* Chen Jutao 88−14251
Wang Zhijiang *see* Cao Hanqing 88−71266
Wang Zhijiang *see* Chu Cheng 87−33217, 87−46928, 88−51841
Wang Zhijiang *see* Fu Ensheng 88−72337
Wang Zhijiang *see* Fu Shufen 88−20587, 88−33933
Wang Zhijiang *see* Jiang Jinquan 88−72284

Wang Zhijiang *see* Qi Zhangfen 88—27091
Wang Zhijiang *see* Qin Wenhua 88—72404
Wang Zhijiang *see* Wo Mingzheng 88—27343
Wang Zhijiang *see* Zhijiang Wang
Wang Zhili, Li He Short-circuit tests on overhead distribution lines 88—23534
Wang Zhiping *see* Peng Wenda 88—47585
Wang Zhiying *see* Liang Peihui 87—74964, 88—40266, 88—72367
Wang Zhiying *see* Wu Cunkai 85—62629
Wang Zhizhong *see* Liu Xiaqi 88—52450
Wang Zhong Bend-resistant transmission splice developed in China 86—65742
Wang Zhong-an, Guo Shi-min Remake Si PNP transistor by electron irradiation 88—57607
Wang Zhong-de Some special cases of the Karhunen-Loeve transform 85—54265
Wang Zhong-de The phase shift cosine transform 87—36678
Wang Zhong-de The fast W transform 88—31583
Wang Zhong-de, Xu Sheng-long The residual correlation of the version I of the discrete cosine transform 86—61998
Wang Zhong-yuan *see* Ge Bao-zhang 86—32248
Wang Zhongan *see* Chen Kaimao 85—12017 to 12018, 86—1827, 86—1850
Wang Zhongde *see* Zhongde Wang
Wang Zhonggan *see* Zhou Erzhuan 88—48460
Wang Zhonghong, Han Yingduo, Cui Wenjin, Tong Luyuan Synthetic analysis and performance of optimal excitation regulators 87—78848
Wang Zhonghong, Han Yingduo, Cui Wenjin, Wu Renhua Theory and practice of the optimal controllers 87—72111
Wang Zhonghong *see* Huang Mei 87—78047
Wang Zhonglie *see* Hu Renyuan 88—7366
Wang Zhongmin *see* Liu Zhongming 86—56042
Wang Zhongming *see* Wang Shouwu 86—15695, 87—39085
Wang Zhongpan *see* Chen Zhichang 87—22724
Wang Zhongsheng *see* Guan Yanshen 86—39587
Wang Zhongtuo *see* Wu Ping 88—21679
Wang Zhongzhi *see* Tu Shigu 85—18983
Wang Zhu-xi The development of precision measurement and fundamental constants in China 85—63935
Wang Zhunghou *see* Hou Xun 86—11465
Wang Zi Hua *see* Zi Hua Wang
Wang Zicong *see* Zhrng Bohou 86—41627
Wang Zidan, Sun Yuanshan, Xixian, Yao Coefficient of the interference term in the current through the superconductive tunneling junctions 85—18603
Wang Zong-sen *see* Shen Xiong 87—70814
Wang Zongpei, Cheng Shukang, Lu Ming Motion voltage and generated torque of reluctance motors 88—23899
Wang Zongpei, Fu Qiang Predicting the static torque curve of a step motor—the rotating induction EMF method 88—17677
Wang Zongpei *see* Cheng Shukang 87—22445
Wang Zongpei *see* Wang Xiaoming 87—15811
Wang Zongxin A cross-type rectangular dielectric waveguide directional coupler 87—66478
Wang Zongxin, Chu Youling A method of calculating the minority carrier lifetime and recombination velocity of semiconductor wafers 86—27828
Wang Zongxin, Chu Youling The solution and application of minority carrier continuity equation for a semiconductor wafer with different surface recombination velocity 87—66866
Wang Zongxin, Xie Wanxin Solid piezoresistive type water depth measurement and control equipment 88—60666
Wang Zongzhi Research and experiment on bundle conductor power carrier communication over 220 kV power line 87—8144
Wang Zuguang Dynamic loss of field protection for generators 85—15974
Wang Zuning *see* Huang Xiaokang 86—42426
Wang Zuo-qing Beam deflector of SAW formed by an IDT array of 'flash grating' type 87—15085
Wang Zuo-qing, Zhou Su-hua, Wang Cheng-hao Focusing features of SAW excited by a curved IDT on metallized surface of *YZ*-$LiNbO_3$ substrate 86—68142
Wang Zuo-qing *see* Wang Chen-hao 87—41409
Wang-Ryeol Park *see* Chol-Kon Chee 86—40281
Wang-Wei-yuan *see* Wang De-Ning 88—33237
Wang-ye Jiang *see* Jiang Wang-ye
Wangelow, T., Ullrich, W., Roth, M. CAD system for digital filter design (DFD) 88—70921
Wangersky, P.J. *see* Johnson, B.D. 86—12177
Wangg Chanbiao, Liu Shenggang The long pulse effect in FEL's 87—68534
Wanghua Xiang *see* Xiang Wanghua
Wangler, T.P., Crandall, K.R., Mills, R.S., Reiser, M. Field energy and RMS emittance in intense particle beams 86—60445
Wangler, T.P., Guy, F.W., Hofmann, I. The influence of equipartitioning on the emittance of intense charged-particle beams 87—41768
Wangler, T.P., Mills, R.S., Crandall, K.R. Emittance growth in intense beams 88—47858
Wangler, T.P. *see* Boicourt, G.P. 86—25016
Wangler, T.P. *see* Guy, F.W. 86—60447, 87—41767, 88—54207
Wangler, T.P. *see* Reiser, M. 88—42382
Wangler, T.P. *see* Stokes, R.H. 88—47792
Wangunhardjo, J. *see* Marston, A. 87—59602
Wanhammar, L. On algorithms and architecture suitable for digital signal processing 87—47841
Wanhammar, L., Sikstrom, B., Afghahi, M., Pencz, J. A systematic bit-serial approach to implement digital signal processing algorithms 87—7790
Wanhammar, L. *see* Afghahi, M. 87—7792, 87—48048
Wanhammar, L. *see* Matsumura, S. 85—45189
Wanhammar, L. *see* Sikstrom, B. 88—784
Wani, H. Present and future of SHIMaDZU intelligent medical imaging system 87—7843
Wani, H., Hosoba, M., Ban, R. Recent image processing in nuclear medicine using the Shimadzu SCINTIPAC-2400 85—38102
Wani, H. *see* Nishioka, H. 85—38103
Wani, K. A simulation model for the Hg-Ar positive column applicable to the fluorescent lamp discharges 88—6008
Wani, K. Simulation technique and its application in fluorescent lamp development 88—6023
Wani, Y., Ikemachi, J., Yoshihiro, T. On the development of coordinated operation control systems. II. Centralized monitoring and maintenance control systems 87—35574
Wanielik, G. Signal processing possibilities for pulse radars using polarimetric information 88—15521
Wanielik, G., Stock, D.J.R. Radar polarization jamming using the superposition of two fully polarized waves 88—15544
Waniewski, B. *see* Bruger, P. 86—42995, 87—61493
Wanjin Xu *see* Xu Wanjin
Wanjun Sun *see* Sun Wanjun
Wank, J. *see* Spilgies, G. 88—25612
Wankat, P.C. Efficiency for professors 88—24436
Wankat, P.C., Hwang, J.Y., Beckemeyer, D., Friedlaender, F.J. Removal of paramagnetic particles from single wire HGMS 85—24773
Wanke, W., Eisenhuth, J. Electrical equipment for traction power supply in local traffic service 86—33796
Wanklyn, B.M. *see* Anghelov, B.M. 87—7062
Wanko, P. Higher reliability 86—53193
Wanlass, F., Arat, V. Fastest-yet CMOS family makes its bid for more Schottky territory 85—29325
Wanlass, F., Arat, V. CMOS logic family supersedes ALS components 86—27200
Wanlass, M.W., Emery, K.A., Al-Jassim, M.M., Mason, A.R. Effects of defect density and compositional grading on GaAsP photovoltaic performance 88—37464
Wanlass, M.W., Gessert, T., Al-Jassim, M.M., Olson, J.M., Blakeslee, A.E. High efficiency $GaAs_{0.75}P_{0.25}$ solar cells grown by one atmosphere MOCVD 87—4935
Wanlass, M.W. *see* Blakeslee, A.E. 86—66813, 87—4914
Wanlass, M.W. *see* Vernon, S.M. 88—31040
Wanless, B., Lachapelle, G. NOVAS—an automated program for the precise reduction of GPS static carrier phase observations 88—74063
Wanless, B. *see* Nakiboglu, M. 85—37141
Wanless, J.W. The relationship among reliability, aging and equipment qualification 86—51380
Wanli Cheng *see* Cheng Wanli
Wanlin Pu *see* Pu Wanlin
Wanlu Tuo *see* Tuo Wanlu
Wanlu Wang, Kejun Liao The photosensitivity of a-Si:H/P^+Pc-Si heterojunction 87—17778
Wanlu Wang *see* Wang Wanlu
Wann, D.F. *see* Dhar, S. 85—34024
Wann, S.L. *see* Rhyne, T.L. 87—71117
Wannamaker, J. Versatile function generator 88—38419
Wannamaker, P.E. *see* Young, C.T. 88—61608
Wannberg, B. Effects of mechanical imperfections in a hemispherical electron spectrometer 86—5839
Wannberg, B. *see* Norell, K.E. 85—26730
Wannberg, G. *see* Tsunoda, R.T. 85—63763
Wannemacher, H. *see* Oemisch, S. 88—35443
Wanner, H. *see* Draxler, H. 85—34280, 87—1073
Wanner, K. *see* Beutelspacher, F. 85—43346
Wanninger, L. New switchmode power supplies for integrated TWT's 87—10675
Wannow, K. Temex—a new component of the Datel services 86—56579
Wannow, K. *see* Traeder, G. 85—4537
Wano, T. *see* Kotani, M. 85—11969
Wanou, M., Kimura, M., Nakajima, J., Matsuda, T. Conductive fur brush charging of a dielectric surface 87—39291
Wanpu Zhou *see* Zhou Wanpu
Wanq, T. Functional testing of PAL 85—17370
Wanqing Niu *see* Niu Wanqing
Wanqun, Wu., Mammone, R.J., MacDiarmid, A.G. Stability and electrochemistry of polyacetylene in aqueous media 85—39187
Wanren Ye *see* Ye Wanren
Wanrong Li *see* Li Wanrong
Wans, S. *see* Gao, X. 88—2686
Wansdronk, K. Putting picture enhancement technology into context for cable 86—24132
Wanser, G., Reus, H.D., Heyke, H.-J. Cables for power supply systems 87—42475
Wanser, G., Reus, H.D., Heyke, H.-J. Cables for electrical power systems 88—36857
Wanser, G., Wiznerowicz, F. Cables at CIGRE 1984 85—32164
Wanser, G. *see* Blechschmidt, H. 85—43609
Wanser, K.H. Interferometric sensor length limitations due to distributed phase modulation 88—16166
Wanser, K.H. Coherence, modulation, and phase-noise effects in Sagnac interferometers 88—39938
Wanser, K.H., Safar, N.H. Remote polarization control for fiber-optic interferometers 87—38782
Wanser, K.H. *see* Dube, C.M. 88—42125
Wansheng Wen *see* Wen Wansheng
Wansink, M. *see* Povel, D.-J. 86—44687
Wanstall, B. Night eyes for combat 86—5062
Wanstall, B. Altimeters to meet military low level needs 86—32449
Wanstall, B. European perspectives on air defence radars 87—63035
Wanstall, B. DVI in the military cockpit—a third hand for the combat pilot 88—16992
Wansuen Ni *see* Ni Wansuen
Want, R. *see* Ades, S. 87—27715
Want, T.H., Itoh, T. Compact grating structure for application to filters and resonators for monolithic microwave integrated circuits 87—73733
Wantanabe, K., Matsumoto, H. Switched-capacitor algorithmic digital-to-analog and analog-to-digital converters 86—62648
Wantanabe, M. *see* Suzuki, T. 85—3772
Wantanabe, T. *see* Shinozaki, T. 87—32608
Wantke, K.-D. *see* Bykov, V.L. 85—36994
Wantke, K.-D. *see* Wolf, W. 87—34722
Wantshouse, R.A. *see* Chasteen, D.L. 85—31324
Wantshouse, R.A. *see* Jensen, D.D. 85—23258
Wanuga, S. *see* Esfandiari, R. 85—1028
Wanuga, S. *see* Wojtczuk, S.J. 87—54202, 88—22594
Wanuga, T.S. *see* Chu, T. 86—47706
Wanveer, L., Driscoll, P. Merger issue: integrating SNA with a packet network 87—2862
Wanxin Xie *see* Xie Wanxin
Wanyun Huang *see* Huang Wanyun
Wanzhen, G. *see* Jing, H. 88—19495
Wanzhen Geng *see* Geng Wanzhen
Wanzhi Zhou *see* Zhou Wanzhi
Wanzke, H. *see* Lechner, W. 87—77870
Wapenaar, K.E.D. *see* de Haan, P.H. 86—54266
Wapler, H.-K. *see* Stelzer, R. 85—10257
Wapner, M.P. Universal acoustic deep ocean transceiver with RF command data link 87—42257
Wapner, M.P., McCann, J.E. Air launched underwater acoustic systems 86—65553
Wapner, M.P. *see* Watson, M. 85—3527
Wappes, L.J. *see* Mildice, J.W. 85—53129
Wappler, M. *see* Jung, F. 88—10312
Wappler, R. Simple universal logic probe 87—59324
Warabisako, T., Bernard, O., Moniwa, M., Miyao, M. Lateral solid-phase epitaxial growth of phosphorus-ion implanted CVD polysilicon 87—52134
Warabisako, T., Kimura, S., Tokuyama, T. A 600°C process for MOSFET fabrication using microwave plasma-stream gate oxidation 86—47485
Warabisako, T., Tokuyama, T., Tamura, M., Miyao, M. Seeded lateral epitaxy in silicon-on-insulator structures 88—7657
Warabisako, T. *see* Honma, N. 86—58233
Warabisako, T. *see* Kimura, S. 85—45609, 85—61855, 86—41791, 88—1546
Warabisako, T. *see* Kimura, S.-I. 88—39243
Warabisako, T. *see* Kusukawa, K. 88—19982, 88—50669
Warabisako, T. *see* Miyake, K. 85—12207
Warabisako, T. *see* Miyao, M. 86—13770, 88—38211
Warabisako, T. *see* Moniwa, M. 88—6481, 88—49798
Warabisako, T. *see* Murakami, E. 88—18705, 88—70310
Warad, A.U., Uplane, M.D., Pawar, S.H. Effect of Bi^{3+} doping on the properties of chemically deposited CdS films 85—61689
Waramahaputi, J., Thanawastien, S. The linear conflict resolution algorithm for unidirectional broadcast bus networks 88—52925
Waramahaputi, J., Thanawastien, S. LCR: a linear conflict resolution algorithm for local/metropolitan area networks 88—52974
Warashina, H. *see* Watanabe, H. 86—13814
Warashina, M. *see* Watanabe, Y. 88—74112
Warashina, N. Applications of quartz devices to commercial equipment 85—12459
Warashina, N. Crystal oscillator challenges for microprocessor applications 85—24043
Warashina, N. Product and technology trends of crystal resonators and oscillators 87—6954
Warber, C.R. *see* Field, E.C. 86—22672, 86—59084
Warber, C.R. *see* Field, E.C., Jr. 86—27533, 86—59059
Warber, C.R. *see* Kossey, P.A. 86—59082

Warbrick, K. Single-mode optical isolator at 1.3 μm using all-fibre components 86—53957
Warbrick, K.J. Single model optical isolator at 1.3 μm using all-fibre components 86—48201
Warbrick, K.J. Design of a compact optical isolator 88—65400
Warbrick, K.J. *see* Bricheno, T. 87—46537
Warburton, D. Data management [IC design] 88—70477
Warburton, D. *see* Chua, D.L. 88—17842
Warburton, D.L. *see* Owens, B.B. 85—10091
Warburton, E.K., Alburger, D.E. Precision measurements of gamma-ray energies from 13.3 a ^{152}Eu decay 87—29685
Warburton, F.W. *see* Curtiss, H.C., Jr. 86—6024
Warburton, K., Carrasco, R.A. Design and implementation of a simple PSK/DPSK modem 87—69778
Warburton, K. *see* Morrison, R.E. 88—5973
Warburton, M.J. Defects in platinum silicide formation 87—11438
Warburton, W.K. Filtered energy dispersive detector (EDD) arrays: superior detectors for EXAFS from very diluted solutions 86—60562
Warburton, W.K., Iwanczyk, J.S. Timing techniques for improving thick HgI$_2$ gamma-ray detector performance 87—29505
Warburton, W.K., Iwanczyk, J.S., Dabrowski, A.J., Hedman, B., Penner-Hahn, J.E., Roe, A.L., Hodgson, K.O., Beyerle, A. Development of mercuric iodide detectors for XAS and XRD measurements 86—60566
Warburton, W.K. *see* Iwanczyk, J.S. 88—42429, 88—61087
Warby, M.K. *see* Papamichael, N. 86—19989, 87—44267
Warchol, S. *see* Modrzejewski, A. 86—7724
Warczak, A. *see* Liu, B. 86—5797
Warczewski, J. *see* Gron, T. 85—51381
Ward, A. *see* Hill, C. 86—58391
Ward, A.A., Newell, J.C.W., Solymar, L. Image blurring in display holograms and in holographic optical elements 87—12612
Ward, A.A., Solymar, L. Image distortions in display holograms 86—58984
Ward, A.A. *see* Newell, J.C. 86—22537
Ward, A.G. *see* Smith, R.A. 86—11157
Ward, A.J. A trunk node commander's guide to the effective use of TRIFFID Band 3 86—37755
Ward, A.K., Bryant, D.A., Edwards, T., Parker, D.J., O'Hea, A., Patrick, T.J., Sheather, P.H., Barnsdale, K.R., Cruise, A.M. The AMPTE UKS spacecraft 85—53159
Ward, A.L. Avalanching in single-event-upset charge collection in semiconductor diodes 87—32466
Ward, A.L. *see* Tan, R.J. 88—71048
Ward, B. *see* Economou, N.P. 88—13230
Ward, B.A. *see* Fieret, J. 88—2435
Ward, B.A. *see* Spalding, I.J. 85—51323
Ward, B.A. *see* Zhang, Y. 87—21563
Ward, B.D. *see* Earl, G.F. 86—65526, 87—56244
Ward, B.E., Stone, G.C., Kurtz, M. A quality control test for high voltage stator insulation 88—7770
Ward, B.K., Piper, J.A., Ciddor, P.E. A frequency stabilised hollow cathode He-Cd laser 88—45523
Ward, B.K., Piper, J.A., Ciddor, P.E. Simultaneous frequency stabilization of three lines in a He-Cd laser 88—72274
Ward, B.W., Economou, N.P., Shaver, D.C., Ivory, J.E., Ward, M.L., Stern, L.A. Microcircuit modification using focused ion beams 88—64682
Ward, B.W., Shaver, D.C., Ward, M.L. Repair of photomasks with focused ion beams 86—8942
Ward, B.W. *see* Shaver, D.C. 86—21338, 86—35792
Ward, C. Adaptive filters for two to four wire conversion in telephony 85—8057
Ward, C., Davie, E. The application and development of wavefront array processors for advanced front-end signal processing systems 87—39516
Ward, C. *see* Chow, Y.C. 88—53226
Ward, C. *see* McLochlin, C. 88—3957, 88—22039
Ward, C. *see* Tomlinson, M. 86—59977
Ward, C.G. Image compression by region analysis 85—46962
Ward, C.G. A comparison of parallel implementation of image segmentation techniques 87—2658
Ward, C.P. *see* Alner, G.J. 88—10288
Ward, C.R., Hargrave, P.J. A systolic array for high performance adaptive beamforming 86—57878
Ward, C.R., Hargrave, P.J. Adaptive beamforming using real arithmetic 88—40913
Ward, C.R., Hargrave, P.J., Davie, E.B. Wavefront array processing for high performance military systems 86—29936
Ward, C.R., Hargrave, P.J., Davie, E.B. Wavefront array processing for high performance military systems 87—12842
Ward, C.R., Hargrave, P.J., McWhirter, J.G. A novel algorithm and architecture for adaptive digital beamforming 86—64112
Ward, C.R., Robson, A.J., Hargrave, P.J., McWhirter, J.G. Application of a systolic array to adaptive beamforming 85—2696
Ward, C.R. *see* Hargrave, P.J. 85—46647
Ward, C.R. *see* McWhirter, J.G. 87—23562, 87—27062
Ward, C.S., Laton, R.W., Spada, J.A. A stable broadband IMPATT amplifier 85—17874
Ward, D. High volume surface mount technology 85—55241
Ward, D. *see* Andrews, H.R. 85—20871
Ward, D. *see* Calviello, J.A. 86—53582
Ward, D. *see* Cappello, A. 87—73774
Ward, D. *see* Davoody, H. 88—74323
Ward, D. *see* Hardy, J.C. 85—31677
Ward, D. *see* Hensley, G. 85—9328
Ward, D. *see* Martin, J.-P. 88—56716
Ward, D. *see* Vemuri, S. 86—50905
Ward, D.A. Precision measurement of AC currents in the range of 1 A to greater than 100 kA using Rogowski coils 86—38480
Ward, D.A. A perspective on human factors [nuclear power plants] 86—45077
Ward, D.A. *see* Hilliar, R.A. 86—25995
Ward, D.G. *see* Baheti, R.S. 88—38640
Ward, D.J. *see* Ros, W.J. 85—16086
Ward, D.J. *see* Seebald, R.C. 86—6875
Ward, D.K. High-volume implementation of surface mount technology 86—1589
Ward, D.M. *see* Muhlhaus, J. 86—33355
Ward, D.M. *see* Tavner, P.J. 86—45343
Ward, D.P. Environmental aspects of nuclear power 88—30478
Ward, D.R. *see* Alner, G.J. 88—10288
Ward, D.R. *see* Carter, A.A. 87—3908
Ward, E.D. *see* Raider, J.W. 85—16058
Ward, E.Dawson *see* Dawson Ward, E.
Ward, E.S. *see* Benabed, S. 88—69777
Ward, G. *see* Powell, J. 85—65308
Ward, G. *see* Rubinstein, F. 85—27786
Ward, G.J., Rubinstein, F.M. A new technique for computer simulation of illuminated spaces 88—62737
Ward, G.L. *see* Shoults, R.R. 86—50839
Ward, G.Layzell *see* Layzell Ward, G.
Ward, H.R. A method for measuring pulsed amplifier noise using a spectrum analyzer 85—52260
Ward, H.R. The RAMP PSR, a solid-state surveillance radar 88—15629
Ward, H.R. *see* Dyck, J.D. 85—43458
Ward, I.A. *see* Waggett, P.W. 88—10554
Ward, I.E., Duly, D.L. A broadband deep UV pellicle for 1:1 scanning projection and step and repeat lithography 85—6784
Ward, I.M. *see* Akindayini, O.O. 87—46258
Ward, I.M. *see* Nix, E.L. 87—53808
Ward, J.A. Applying static uninterruptible power supplies 86—33512
Ward, J.D., Sena, K.J. SENLEX: sensor layout expert system 87—16339
Ward, J.D. *see* Chui, C.K. 87—52038
Ward, J.D. *see* Cochrane, T. 86—38755
Ward, J.D. *see* Lutz, H.A., III 87—21578
Ward, J.D. *see* Moulton, R.J. 87—21577
Ward, J.D. *see* Uttam, D. 85—35483
Ward, J.E. Standardization's role in revitalizing the nuclear option 86—65850
Ward, J.F. Precision phase measurement in the design of scientific instruments 85—14974
Ward, J.F., Von Laven, S.A. Four-element linear resonators with grazing incidence mirrors for high-power FELs 86—3236
Ward, J.F., Von Laven, S.A., Segall, S.B. Annular reflectors for an FEL resonator 87—2177
Ward, J.F. *see* Greer, J.D. 87—15000
Ward, J.J. *see* Bernabe, B.A. 87—71248
Ward, J.R. *see* Strum, R.D. 85—60689
Ward, J.S. Implementing the Winograd Fourier transform algorithm using bit-level systolic arrays 85—33885
Ward, J.S., McCanny, J.V., McWhirter, J.G. Bit-level systolic array implementation of the Winograd Fourier transform algorithm 86—3853
Ward, J.S., McCanny, J.V., McWhirter, J.G. A systolic implementation of the Winograd Fourier transform algorithm 86—13719
Ward, J.S., Nicole, D.A. Switching networks for Transputer links 88—41488
Ward, J.W. A Monte Carlo calculation of the virtual source size for a liquid metal ion source 85—37862
Ward, J.W., Price, H.E. The *UoSAT*-2 digital communications experiment 88—9481
Ward, J.W., Utlaut, M.W., Kubena, R.L. Computer simulation of current density profiles in focused ion beams 87—39311
Ward, J.W. *see* Kubena, R.L. 87—53322, 88—19862, 88—39315
Ward, J.W. *see* Sweeting, M.N. 88—9484, 88—60110
Ward, K.D., Baker, C.J. Microwave scattering from the sea surface 86—22698
Ward, K.D., Tough, R.J.A. Signal estimation through the mean of the log 88—21161
Ward, K.D., Watts, S. Radar sea clutter 86—11149
Ward, K.D. *see* Baker, C.J. 88—15634, 88—52223
Ward, K.D. *see* Mackenzie, J.D. 87—49175
Ward, K.D. *see* Mellis, J. 86—31291
Ward, K.D. *see* Watts, S. 87—76825
Ward, K.E. Network planning—the integrated services digital network 86—64557
Ward, K.E. Network planning—basic principles 86—64584
Ward, M. Telecommunications—the second century 87—33913
Ward, M. *see* Chang, J. 85—3915
Ward, M. *see* McGuiness, P.J. 87—10515
Ward, M. *see* Ogle, J.W. 85—41125
Ward, M.A. When is CAD/CAE technology useable? A user's perspective 88—533
Ward, M.J. *see* Swent, R.L. 87—24110
Ward, M.K. Communications—'state of the art' 86—30158
Ward, M.K. Which telecommunication services will be available in the future? 87—7935
Ward, M.L. *see* Ward, B.W. 86—8942, 88—64682
Ward, M.O. *see* Dainis, G.A., III 88—71727
Ward, N. Extending the flash A/D converter to 11 bits. I 86—57884
Ward, N. Extending flash ADCs to 11 bits. II. Applications 86—57885
Ward, N. CMOS 11-bit flash ADC uses two-stage conversion 86—57893
Ward, N. The use of computer modelling in planning marine aids to navigation 87—3256
Ward, P. Decoupling dynamic RAMs up to 256K and beyond 85—55199
Ward, P. Progress in materials and packaging 85—60761
Ward, P. The BBC help-yourself approach to learning 86—33969
Ward, P. *see* Morrison, D.J. 88—20937
Ward, P. *see* Peitsch, T. 86—41399
Ward, P.A. Liquid flowmeter prover 86—11782
Ward, P.B. *see* Nayar, P.S. 85—50261
Ward, P.B. *see* Vydyanath, H.R. 87—46693
Ward, P.J. *see* Deshmukh, V.G.I. 87—67539
Ward, P.J. *see* Taylor, D.G. 85—63714
Ward, P.J. *see* Wood, I.C. 85—36783, 85—36814
Ward, P.J.S. Electromagnetic shielding and gasketing 86—15984
Ward, P.J.S. Computer prediction for radiation security 87—12769
Ward, P.J.S. EMC the military environment [EMI measurements] 88—20943
Ward, P.J.S. Computer prediction for electromagnetic compatibility 88—20947
Ward, P.R.B. *see* Pulfrey, D.L. 87—15609, 87—51103
Ward, R., Franklin, A.R., Lewin, I.H., Gould, P.A., Plummer, M.J. A1:1 electron stepper 86—35491
Ward, R., Polydoros, A. Optimization of full-time and time shared noncoherent code tracking loops 86—29745
Ward, R. *see* Boler, R. 86—39426
Ward, R.B. *see* Lahlum, R.H. 88—53137
Ward, R.C. System X: digital subscriber switching subsystem 85—30798
Ward, R.C., Carlile, C.J., Goyal, P.S., Altrip, J.L. IRIS—a pulsed source quasielastic and inelastic spectrometer 86—56062
Ward, R.C., Davis, G.J., Kane, V.E. Algorithm 633. An algorithm for linear dependency analysis of multivariate data 86—13622
Ward, R.C. *see* Carlile, C.J. 85—26556, 86—55957
Ward, R.C. *see* Felici, R. 88—4735
Ward, R.C. *see* Heath, M.T. 85—5941, 87—10319
Ward, R.C. *see* Kane, V.E. 86—7613
Ward, R.C. *see* Sutherland, J.C. 86—55956
Ward, R.D., Schulz, M.A. Satellite antenna near field test facility 86—59156
Ward, R.D. *see* Newell, A.C. 88—74576
Ward, R.K. Parity check codes for logic processors 86—29713
Ward, R.K., Saleh, B.E.A. Restoration of images distorted by systems of random impulse response 85—63103
Ward, R.K., Saleh, B.E.A. Restoration of images distorted by systems of random time-varying impulse response 86—59327
Ward, R.K., Saleh, B.E.A. Restoration of images recorded under spatial and random temporal degradations 87—47853
Ward, R.K., Saleh, B.E.A. Deblurring random blur 88—8818
Ward, R.K. *see* Guan, L. 88—66587
Ward, R.K. *see* Pingnan Shi 88—34828
Ward, R.L. *see* Segal, R. 86—34169
Ward, R.M., Jr. *see* Franklin, S.B. 87—40868
Ward, R.S. Critical and emerging issues in biomaterials 87—41903
Ward, R.T. *see* Kajfez, D. 86—62808
Ward, R.W. The constants of alpha quartz 85—62130
Ward, R.W. An overview of quartz resonator design engineering for the layman or 'Whaddayamean I can't but a 1 MHz AT-cut in an HC-6U?' 87—18443

Ward, R.W., EerNisse, E.P. A filled thermal system utilizing a gas density sensing quartz crystal tuning fork 86−42067
Ward, R.W., EerNisse, E.P. A quartz fluid density sensor pressure transducer 87−35069
Ward, R.W., EerNisse, E.P. A reduced hysteresis, extended range quartz pressure transducer 88−22581
Ward, R.W. *see* EerNisse, E.P. 88−57851
Ward, S. The secrets of capacitive sensors 88−67771
Ward, S.A. *see* Poon, C. 86−44704
Ward, S.A. *see* Stewart, W.K. 88−25296
Ward, S.A.L. *see* Martin, K. 85−14433
Ward, S.H. *see* Wright, P.M. 86−32509
Ward, S.M. *see* Gealer, R.L. 88−57473
Ward, T., Bye, P. Automated network management 85−30576
Ward, W. *see* Perez-Mendez, V. 87−77557
Ward, W.A. *see* Blackledge, J.M. 85−51818
Ward, W.A., III. Isolated buried reference zener diode 85−12404
Ward, W.C. Volume production of unique plastic surface-mount modules for the IBM 80-ns 1-Mbit DRAM chip by area wire bond techniques 88−63062
Ward, W.C. *see* Phelps, D.W. 85−10466
Ward, W.H., Hauptmann, A.G., Stern, R.M., Chanak, T. Parsing spoken phrases despite missing words 88−66397
Ward, W.H. *see* Stern, R.M. 87−61663
Ward Widener, M. The development of a deep submergence, air-backed transducer 87−29983
Ward-Smith, A.J. *see* Sahin, B. 86−50251
Warda, A. *see* Rau, D. 88−28857
Warda, P. Application of phototechniques in the production of printed circuit boards 85−1169
Wardani, A. *see* Gardner, S.H. 87−40824
Wardaszko, T., Kosicka, M., Piatkowski, A., Mirkowski, J. Intelligent measurement in CAMAC system using ZX spectrum 87−3394
Warde, C., Lamela-Rivera, H., Liu, H.K. High-gamma spatial light modulator for nonlinear optical processing 87−12259
Warde, C. *see* Dillon, R.F. 86−44613
Warde, C. *see* Lau, S. 88−65413
Warde, C. *see* Liu, L.Y. 87−7180
Warde, C. *see* Ludman, J.E. 85−13588
Warde, C. *see* Schwartz, A. 85−12650, 85−35548
Wardegger, E. *see* Miron, C. 87−387
Warden, G.S., Hodge, S. Local area networks for real time simulators and integration support facility applications 86−70492
Warden, J., Gentry, M.D. Monitoring of land mobile radio bands in the UK 87−13629
Warden, J.T. *see* Tarro, R.M. 86−1978
Wardenga, W. *see* Unger, H. 85−49977
Warder, M.J. Low cost intelligent load switching using Smartpower devices [vehicle wiring system application] 86−52024
Warder, S.E.V. *see* Bayes, D.V. 85−49035
Warder, S.E.V. *see* Bold, D. 87−72277
Wardill, J.E. *see* Dowling, D.J. 88−24692
Wardle, C.L., Watson, C.R., Wilson, C.A., Mudge, J.C., Nelson, B.J. A declarative design approach for combining macrocells by directed placement and constructive routing 85−692
Wardle, D.J. Modelling accuracy — a choice of compromise or excellence in future silicon systems 87−671
Wardle, D.J. Compiled ASIC−a silicon compiler based technology 88−63479
Wardle, G.A., McRitchie, W.K., Syrett, B.A. An intermediate frequency clutter signal generator 88−15552
Wardle, I. Hydraulic modelling as an aid to electrochemical cell design 85−32677
Wardle, I. Calculating mechanical component voltage drops in electrochemical cells 85−32678
Wardrop, B. The role of digital processing in radar beamforming 85−47571
Wardrop, D.H. *see* Gordon, R. 85−31834
Wardzinski, J. *see* Libura, A. 86−44115
Ware, B.J. High voltage engineering−electric utility/university research interactions in the USA 87−29989
Ware, B.J. *see* Perry, D.E. 86−50960
Ware, B.J. *see* Scherer, H.N., Jr. 86−50952
Ware, B.J., Jr. *see* Scherer, H.N. 86−50889
Ware, C., Beatty, J.C. Using colour to display structures in multidimensional discrete data 86−70024
Ware, C. *see* Cowan, W.B. 88−16348
Ware, C.H. *see* Patel, D.N. 85−32698
Ware, G. Power supplies−zinc carbon versus alkaline 86−26249
Ware, J.N. *see* Cornelison, K.E. 87−49054
Ware, K., Loter, N., Montgomery, M., Rauch, J., Shannon, J. Bremsstrahlung source development on BLACKJACK 5 87−21384
Ware, K.D., Johnson, T.M., Jones, C.R. Surface-spark discharges compared with exploding wires/films as high temperature UV sources 85−5499
Ware, K.D. *see* Jones, C.R. 88−40152
Ware, L.E., Garg, V.K., Girgis, R.S., Weiss, J., Allen, D.W. EGRID: an automatic mesh generator for transformer designs 86−39891
Ware, R. *see* Yokomoto, C.F. 85−33007, 88−24427
Ware, R.E. *see* Mazumder, M.K. 88−27420
Ware, R.H., Johnston, M.J.S., Mueller, R.J. A comparison of proton and self-calibrating rubidium magnetometers for tectonomagnetic studies 86−38941
Ware, R.H., Rocken, C., Hurst, K.J. A Global Positioning System baseline determination including bias fixing and water vapor radiometer corrections 87−8993
Ware, R.M. *see* Brozel, M.R. 85−39696
Ware, R.M. *see* Rumsby, D. 86−1727
Ware, W.H. Information systems, security, and privacy 85−8071
Wareham, G. Short-wave loop aerial 86−22796
Warembourg, J.-M. A DC/DC converter for ISDN terminals 88−30829
Waren, A.D. *see* Lasdon, L.S. 88−14536
Waren, A.D. *see* Rouhani, R. 86−32704
Waretzi, E. *see* Kemmesies, H. 87−48747
Warfe, W.A. *see* Bender, D.J. 87−64415
Warfel, G.H., Sr. The IC card and consumer electronics−the American market 87−10906
Warfel, G.H., Sr. The IC card and consumer electronics−the American market 87−31864
Warfield, D.B. Advanced vertical junction solar cells 85−49113
Warfield, G. Photovoltaic materials 85−5974
Warfield, G. Basic theory of solar cells 85−10110
Warfield, G. *(editor)* Solar electric systems 85−9562
Warfield, K. *see* Dubois, R. 86−50321
Warfield, R., McMillan, D. A linear program model for the automation of network management 88−52610
Warfield, R.E., Foers, G.A. Application of Bayesian methods to teletraffic measurement and dimensioning 85−19614
Warfield, R.E., Foers, G.A. Application of Bayesian teletraffic measurement to systems with queueing or repeated attempts 86−64150
Warford, D.J. Antenna systems and siting for Band III 85−20103
Wargelin, B. *see* Siegmund, O.H.W. 88−61107
Wargo, G.R. Systems integration: a vendor's perspective 87−48699
Wargo, M.J. *see* Gevelber, M.A. 88−11957
Wargo, M.J. *see* Matthiesen, D.H. 88−11962
Wargocki, F.E., Hall, G.E. Retroreflector field tracker 85−58599
Wargotz, W.B. Physical design for irrigability in aggressive flux assembly of printed wiring 86−58145
Wargotz, W.B., Guth, L.A., Stroud, C.V. Quantification of cleanliness beneath surface mounted discretes assembled by wave soldering of printed wiring 88−12809
Wargowsky, E. *see* Kessler, P. 85−44467
Warham, T.J. *see* Ritchie, W.M. 87−64086
Warhaut, S. *see* Muhlenbein, H. 86−26971
Warhurst, F. Controls cannot be avoided 87−10095
Warin, D., Mage, J.C., Simonet, W. Ferrimagnetic relaxations in YIG versus frequency and temperature 85−24092
Waring, D., Lee, Y.C. Looking for a good MAN 88−28226
Waring, T. On automatic switchbox routing 87−1684
Waring, W., Vince, R.D., Kerss, W., Billington, D.J. Energy management in the United Kingdom 88−17088
Wark, D.Q. *see* Uddstrom, M.J. 85−59474
Warkentin, P.A., Schoeffel, J.A. Scanning laser technology applied to high speed reticle writing 87−11570
Warkentin, P.A., Schoeffel, J.A., Diola, R., Spadini, G. Mask specs and equipment specs−disparity and reconciliation 87−11554
Warkocki, S., Zmija, J., Demianiuk, M. On the influence of gamma radiation dose on selected photoelectric properties of ZnSe MOS structures 88−4862
Warkusz, F. *see* Dimmich, R. 86−53096
Warland, J. *see* Madisetti, V. 87−55400
Warlaumont, J. X-ray lithography and storage rings 86−60689
Warlaumont, J.M. *see* Acosta, R.E. 85−12379
Warlaumont, J.M. *see* Rosenfield, M.G. 87−38024
Warlick, M.D., Turner, R.C. A testable standard cell family 86−20458
Warlies, P. Logic circuit development with the small computer 85−49794
Warlies, P. Address block selection with PALs in CPU memories 86−52789
Warlimont, H. The impact of amorphous metals on the field of soft magnetic materials 88−64880
Warlum, M.F. Improving oral marketing presentations in the technology-based company 88−62920
Warmack, R.J. *see* Bloemer, M.J. 87−24982
Warmack, R.J. *see* Chu, Y.T. 85−20766
Warman, A. *see* Faugeras, P.E. 85−26598, 88−54068
Warmbath, G. Mains maintenance [power supplies] 88−62452
Warmbold, G. A fast RAM as a pulse delay circuit 86−52742
Warmenbol, P., Peeters, F.M., Devreese, J.T., Alberga, G.E., van Welzenis, R.G. Hot-electron galvanomagnetic conduction in *n*-InSb at 77K 85−40449
Warmenbol, P. *see* Peeters, F.M. 87−53236
Warmer, H., Schroder, D. An improved method of predictive control for line commutated DC drives 87−22406
Warmerdam, L. *see* Dierickx, B. 88−71556
Warmerdam, W.L.G.van *see* van Warmerdam, W.L.G.
Warminski, T. *see* Miotkowski, I. 87−65525
Warminski, T. *see* Wosinski, T. 86−2105
Warmuth, E. *see* Albrow, M.G. 88−29872
Warmuth, W. On the relation between the load distribution and offered traffic 86−16069
Warncke, H. Sensors in the chemical industry: tasks and possibilities of measuring techniques for chemical analysis 85−64136
Warne, A. Video monitor conversion 85−58322
Warne, A. Video monitor conversion 86−4852
Warne, A. Switchable TV-RGB graphics conversion 87−8391
Warne, A. Video monitor conversion for the Ferguson TX 90 87−49290
Warne, J.L. Quality and other keys to manufacturing competitiveness 85−33205
Warne, L.K., Chen, K.C. Relation between equivalent antenna radius and transverse line dipole moments of a narrow slot aperture having depth 88−72642
Warne, M. 'I have a dream', thoughts about future ATE instruments 88−57131
Warne, M. *see* Bradshaw, R. 86−47961
Warnecke, A.J. *see* Magerlein, J.H. 85−24030
Warnecke, E. *see* Brennecke, P. 85−15722
Warnecke, H.-J., Keferstein, C.P. Optoelectronic sensor system based on picture processing 86−31410
Warnecke, H.-J., Keferstein, C.P., Pavel, G. Two- and three-dimensional linear measurement with image processing systems 87−8533
Warnecke, H.-J., Melchior, K.W. Impact of information technology on measurement and quality assurance 86−57235
Warnecke, H.-J., Schweizer, M., Wolf, E. Integrated automatic insertion and soldering of nonstandard components with assembly robots 87−45448
Warnecke, H.-J., Wolf, E.M. Robotic insertion of odd components into printed circuit boards 86−14651
Warnecke, H.-J. *see* Uetz, H. 85−51344
Warnecke, H.-M., Hardock, G. Laser machining for flexible sheet metal production 86−29280
Warnecke, H.J. Development of production technology-automation, order processing, job organization 85−60725
Warnecke, H.J., Ahlers, R.-J., Kim, H. New sensor system for optoelectronic microprofilometry 88−53730
Warnecke, H.J., Ahlers, R.J. The interaction of light with rough surfaces−new methods of optical roughness measurement 85−37765
Warnecke, H.J., Frankenhauser, B., Gweon, D.G., Cho, H.S. Fitting of crimp contacts to connectors using industrial robots supported by vibrating tools 88−43687
Warnecke, H.J., Langen, A. New ultrasonic sensors for robotic application based on beam forming 88−42690
Warnecke, H.J., Rueff, M., Mussigmann, U., Melchior, K. Practical and theoretical aspects of applied image analysis 88−3187
Warnecke, H.J., Schmidberger, E.J., Rauh, W., Lu, J. Processes of three-dimensional scene analysis and their applications in quality engineering 88−49564
Warnecke, P., Braun, E. Principal limitations in the temperature coefficients of nonmagnetic copper-based cryogenic resistance alloys 85−54524
Warnecke, P., Braun, E. Principle limitations for the tempperature coefficient of copper based cryogenic resistance alloys [electric resistance measurement] 86−24698
Warnecke, P., Niemeyer, J., Dunschede, W.F., Grimm, L., Weimann, G., Schlapp, W. High-precision resistance ratio measurements by means of a novel Josephson potentiometer 88−16421
Warnecke, P. *see* Bliek, L. 85−47792, 85−58830, 86−24684
Warnecke, P. *see* Braun, E. 85−64238, 86−60316
Warner, A. Certification of electrical products according to national, regional and international agreements 87−161
Warner, A. Qualification of electrical products according to national, regional and international procedure 87−43907
Warner, A.W., Jr., Goldfrank, B. Lateral field resonators 86−42056
Warner, A.W., Jr., Tsaclas, J., Korman, J. Cut and grind 86−42038
Warner, B.E. An overview of copper-laser development for isotope separation 88−20567
Warner, C. Programming, traffic, billing [radio station automation] 88−9696

Warner, C., Bobbs, B. Effects of off-resonant Raman interactions on multimode Stokes conversion efficiency and output wave front 87—12560
Warner, C., Keune, C.M. New protocols for tactical data 87—40450
Warner, C. *see* Bobbs, B. 86—29242, 88—27310, 88—58654
Warner, D. *see* King, J. 86—53063
Warner, D.C., Orr, W.L. VANTAGE 5 PWR fuel assembly demonstration program at Virgil C. Summer Nuclear Station 86—61311
Warner, D.J. First electron beams from the LEP injector linacs 87—41776
Warner, D.J., Bradley, R.R., Joyce, T.B., Griffiths, R.J.M. High-performance MESFETs in MOCVD-grown gallium arsenide on silicon 88—64605
Warner, D.J. *see* Bradley, R.R. 88—43912
Warner, D.J. *see* Madsen, J.H.B. 88—47790
Warner, D.L. *see* Meister, D.E. 88—3755
Warner, D.N., Jr., McGee, L.A., McLean, J.D., Schmidt, G.K. Fuel conservation guidance for shipboard landing of powered-lift STOL aircraft 86—60895
Warner, F. Chernobyl—ethical and environmental considerations 88—23670
Warner, F.L. International intercomparison 75-A12 voltage standing wave ratios in waveguide at 10 GHz 86—5497
Warner, F.L. Review of the RF and microwave attenuation measurement field 86—31619
Warner, F.L. *see* Bayer, H. 86—38503
Warner, F.N. *see* Bailey, J.S. 87—20399
Warner, H.D. *see* Nadel, J.I. 88—68528
Warner, H.J. *see* Zunser, B.E. 86—50908, 87—30063
Warner, I. *see* Thomas, M. 86—65285
Warner, I.M. *see* Oldham, P.B. 85—32785
Warner, J. Adaptive nulling with large active array antennas 87—54749
Warner, J. Array symmetry, beam patterns, and grating lobes 88—34504
Warner, J., Drake, J.F., Krehbiel, P.R. Determination of cloud liquid water distribution by inversion of radiometric data 87—71318
Warner, J.C. Hooking up world communications [ISDN] 86—4165
Warner, J.C. Integrated services digital network access for the 5ESS switching system 86—17161
Warner, J.C. *see* Cieslak, T.J. 85—19947
Warner, J.D. *see* Alterovitz, S.A. 87—16688
Warner, J.D. *see* Bhasin, K.B. 85—61433
Warner, J.D. *see* Sinharoy, S. 86—63322, 87—16642
Warner, J.D. *see* Wilt, D.M. 88—37442
Warner, K. Making acquisition fast easy and accurate 86—17858
Warner, K. *see* Bezuk, S.J. 88—39265
Warner, P. The contribution of British industry to nuclear power in the UK 85—48681
Warner, P. The determination of the efficiency of large power electrical variable speed drives 88—18110
Warner, P. *see* Williams, P.J.S. 88—53345
Warner, P.C. *see* Clare, R. 87—51079
Warner, P.R. The largest DOL start electric motors in SA 86—26021
Warner, R.E., Thomas, J.P., Rust, T.M., Jaffee, R.I. Titanium steam turbine blading for improved reliability 87—64418
Warner, R.J. *see* Scholsky, K.M. 87—71153
Warner, R.M., Jnr. Normalization in semiconductor problems 85—50475
Warner, R.M., Jr. A note on the equality of bulk and inversion-layer capacitance at threshold 87—38315
Warner, R.M., Jr., Schrimpf, R.D. BJT-MOSFET transconductance comparison 87—53484
Warner, R.M., Jr., Schrimpf, R.D., Wang, P.D. Explaining the saturation of potential drop on the high side of a grossly asymmetric junction 85—29055
Warner, R.M., Jr. *see* Gravrok, R.J. 88—13565
Warner, R.M., Jr. *see* Ju, D.-H. 85—18045
Warner, R.M., Jr. *see* Schrimpf, R.D. 85—55597, 88—1668, 88—50646
Warner, S. *see* Mapps, D.J. 88—57960
Warner, T.E. *see* Katz, P.S. 88—70051
Warner, T.H., Kassakian, J.G. Transient characteristics and modeling of large turboalternator driven rectifier/inverter systems based on field test data 86—33501
Warner, T.L. *see* Gailey, R.H. 86—6556, 86—6567
Warnes, C.M. *see* Allos, T.I. 86—36202
Warnes, G., Millar, C.A. A study of core concentricity error measurement and the implications for monomode systems 85—24268
Warnes, G. *see* Mallinson, S.R. 85—46170
Warnes, G.C. *see* Millar, C.A. 86—2739
Warnes, M.C. Electromagnetic inspection in the CEGB—present and future 88—43988
Warnes, W. *see* Larbalestier, D.C. 85—56148
Warnes, W.H., Larbalestier, D.C. Critical current distributions in superconducting composites 87—18549
Warnicki, J.L. *see* Cambier, J.L. 85—38119
Warnicki, J.W., Rehkopf, P.G., Curtin, D.Y., Burns, S.A., Arffa, R.C., Stuart, J.C. Corneal topography using computer analyzed rasterstereographic images 88—48105
Warnicki, J.W. *see* Nelson, M.R. 85—4265
Warnier, J. *see* Geittner, P. 86—476, 86—36234
Warning, D. *see* Tungler, V. 86—62506
Warnke, F. VCR copying protection. An early countermeasure 88—67593
Warnke, L.L. *see* Westerfield, E.E. 85—31127
Warnking, A., Santo, H. The directory service in the message handling system of the German Research Network 86—69448
Warnkross, V. Problems arising in beam waveguides at millimeter wavelengths 87—19268
Warnock, J. *see* Petrou, A. 85—35608, 85—61746
Warnock, J.G., Smith, B.L. Trends in pumped-storage development 85—5001
Warnock, J.M. *see* Clark, W.L. 86—23973
Warnock, J.M. *see* Green, J.L. 88—47201
Warnock, R.L., Bart, G.R. Longitudinal stability of a coasting beam in a resistive vacuum chamber with cylindrical resonant cavity. II. Graphs and a formula for the coupling impedance 85—9025
Warnock, R.L., Ruth, R.D. Invariant surfaces and tracking by the Hamilton-Jacobi method 88—54245
Warnock, V.J., Kirkpatrick, T.L. Impact of voltage reduction on energy and demand: Phase II 86—56416
Warnots, E. *see* Elli, E. 86—70721
Warnsholz, W.R. *see* Chung, H.-Y. 88—23946
Warr, B.D., Clark, M.A., Bellamy, G. Operating experience and laboratory studies with fatigue and stress corrosion cracking of Inconel 600 steam generator tubes at Ontario Hydro 86—51360
Warr, M. Network of the '90s 88—9286
Warr, M. Will fiber find its way home? 88—22118
Warr, M. Fiber gets faster—again [optical links] 88—22120
Warr, M. Intelligent COs, inside and out [central office technology] 88—53097
Warr, R.E. Reliability of self assessment 86—269
Warran, F.T., Jr., Dougal, R.A., Sudarshan, T.S., Thompson, J.E. A model for highly overstressed vacuum breakdown 87—17578
Warre, N. Development of the conception and the applications of the self-commutated synchronous motor and the brushless direct current motor 85—48939
Warren, A., Douglas, G. Saving megabucks by saving megawatts 88—62018
Warren, A., Geffner, M. Data communications protocols: an in-depth look at SNA. III 85—42009
Warren, A., Geffner, M. Data communications protocols and protocol testing. I 85—42277
Warren, A., Geffner, M. Basics of protocols and protocol testing in data communications. II 85—42278
Warren, A., Geffner, M. X.25 and the future of datacom protocols. IV 85—46982
Warren, A.C., Antoniadis, D.A., Smith, H.I. Quasi one-dimensional conduction in multiple, parallel inversion lines 86—47417
Warren, A.C., Antoniadis, D.A., Smith, H.I. Semi-classical calculation of charge distributions in ultra-narrow inversion lines [grating gate FET] 87—1513
Warren, A.C., Antoniadis, D.A., Smith, H.I., Melngailis, J. Surface superlattice formation in silicon inversion layers using 0.2-μm period grating-gate electrodes 85—50527
Warren, A.C., Antoniadis, D.A., Smith, H.I., Melngailis, J. Modification of silicon electronic band structure using submicron period gate electrodes [MOSFET] 85—55858
Warren, A.C., Plotnik, I., Anderson, E.H., Schattenburg, M.L., Antoniadis, D.A., Smith, H.I. Fabrication of sub-100 nm linewidth periodic structures for study of quantum effects from interference and confinement in Si inversion layers 86—35708
Warren, A.C., Woodall, J.M., Fossum, E.R., Pettit, G.D., Kirchner, P.D., McInturff, D.T. Masked anisotropic thermal etching and regrowth for in situ patterning of compound semiconductors 88—13194
Warren, A.C. *see* Antoniadias, D.A. 86—47619
Warren, A.C. *see* Kirchner, P.D. 88—71412
Warren, A.C. *see* Laux, S.E. 87—45717
Warren, A.C. *see* Offsey, S.D. 86—35569
Warren, A.W. A likelihood function method for multiple aircraft maneuver tracking 85—3497
Warren, C. IR sensors: a good approach for industrial and process applications 86—5307
Warren, C. Fiberoptic networks shine new light on high-speed transfers 87—69633
Warren, C.S. The evolution of Ptarmigan as a data bearer 86—49500
Warren, C.S., Wells, B.G., Symons, B.J. C^2 communications for the tactical area—the PTARMIGAN packet switched network 85—63387
Warren, C.S. *see* Munro, D. 85—63219
Warren, D., Thomas, J.B. Signal-to-noise ratio and central limit theorem considerations in non-Gaussian detection 86—64161
Warren, D., Thomas, J.B. Robust detectors for very heavy-tailed noise 87—47863
Warren, D.H. Remote, automated inspection systems and services for nuclear power plants 85—21309
Warren, D.H., Strelow, E.R. *(editor)* Electronic Spatial Sensing for the Blind. NATO Advanced Research Workshop on Visual Spatial Prothesis for the Blind 86—33946
Warren, D.M. *see* Pulliam, G.R. 85—29481
Warren, E.G. Australian Broadcasting Corporation use of the Australian national satellite system 87—13852
Warren, E.H., Jr., Huning, J.R., Hutchinson, C.F. Equity and electric power generation facility location in California 86—12533
Warren, E.P. *see* Melcher, J.R. 88—27419, 88—27451
Warren, F.B. *see* Tower, J.R. 86—12151
Warren, F.T., Jr., Thompson, J.E., Dougal, R.A., Sudarshan, T.S. Breakdown measurements for overstressed vacuum gaps [spark gaps] 85—27128
Warren, G., Goplen, B. Resonance mode analysis of electromagnetic devices using SOS 88—34267
Warren, G. *see* Trontelj, J. 87—59657
Warren, G.H., Jungo, C. Noise, crosstalk and distortion in mixed analog/digital integrated circuits 88—71684
Warren, G.R. *see* Richman, S.H. 86—16994
Warren, G.W. *see* Yan, B.-D. 88—1234
Warren, G.W. *see* Yan, B.D. 86—62319, 87—36529
Warren, J. *see* Palmer, R.B. 86—5694
Warren, J.L., Boicourt, G.P., Menzel, M.T., Rodenz, G.W., Vasquez, M.C. Revision of and documentation of the standard version of the Poisson group codes 86—32000
Warren, J.L. *see* Cooper, R.K. 88—54329
Warren, J.W. *see* Kornreich, F. 86—12004 to 12005
Warren, K.D. *see* Jones, S.R. 87—1681
Warren, K.H. *see* More, R.M. 88—2333
Warren, K.R. Political considerations for a radio navigation system 88—60340
Warren, K.W. *see* Weber, L.F. 86—27822, 87—3660
Warren, L., Paterson, J.R. The use of thermal imaging for the development of materials to withstand extreme service conditions 88—64868
Warren, L., Paterson, J.R. The development of elastomeric insulating materials for use under extreme service conditions 88—71854
Warren, M. Capacitor technologies for power electronics 87—45326
Warren, M., Gibbons, W., Komatsu, K., Sarid, D., Hendricks, D., Gibbs, H.M., Sugimoto, M. Electronic optical bistability in a GaAs/AlGaAs strip-loaded waveguide 88—7913
Warren, M., Lee, Y.H., Olbright, G.R., McGinnis, B.P., Gibbs, H.M., Peyghambarian, N., Venkatesan, T., Wilkens, B., Smith, J., Yariv, A. Fabrication and characterization of arrays of GaAs all-optical logic gates 87—33305
Warren, M. *see* Akbari, H. 88—61835
Warren, M. *see* Gibbs, H.M. 85—56842, 87—75254, 88—72117
Warren, M. *see* Jewell, J.L. 85—46486, 85—51242
Warren, M. *see* Jin, R. 87—33311, 88—51635
Warren, M. *see* Lee, Y.H. 86—42621
Warren, M. *see* Venkatesan, T. 86—36558
Warren, M.E., Koch, S.W., Gibbs, H.M. Optical bistability, logic gating, and waveguide operation in semiconductor etalons 88—26871
Warren, M.E., Richardson, D., Koch, S.W., Gibbs, H.M. Computer simulations of transient operation of GaAs etalons 88—65430
Warren, M.E. *see* Sarid, D. 87—32993
Warren, M.J. Field-implant spacer for isolation devices 85—29293
Warren, P. A quick conversion of the Drake L4B for use with a 3CX1200A7 [power amplifier] 86—20312
Warren, P.A. The verification test system 87—51881
Warren, P.C. *see* Bowmer, T.N. 88—24848
Warren, P.C. *see* Plitz, I. 88—22153
Warren, P.G. Wang Network Services 87—34096
Warren, P.G. *see* Ade, T.J. 86—55089
Warren, P.W. AM RAD: a wide range transistorised signal generator 85—31493
Warren, R. *see* Reardon, K.A. 88—30090
Warren, R.E. Detection and discrimination using multiple-wavelength differential absorption lidar 86—18565
Warren, R.E. Effect of pulse-pair correlation on differential absorption lidar 86—18587
Warren, R.E. Adaptive Kalman-Bucy filter for differential absorption lidar time series data 88—15684
Warren, R.H.J. *see* Williams, A. 85—9550, 86—39234
Warren, R.W. Electron beam diagnostics for free-electron lasers 88—58593

Warren, R.W., Feldman, D.W., Newnam, B.E., Bender, S.S., Stein, W.E., Lumpkin, A.H., Lohsen, R.A., Goldstein, J.C., McVey, B.D., Chan, K.C.D. Recent results from the Los Alamos free electron laser 87−75135
Warren, R.W., Goldstein, J.C., Newnam, B.E. Spiking mode operation for a uniform-period wiggler 87−2140
Warren, R.W., McVey, B.D. Bending and focusing effects in an FEL oscillator. I. Simple models 87−75213
Warren, R.W., Newnam, B.E., Goldstein, J.C. Raman spectra and the Los Alamos free-electron laser 86−3199
Warren, R.W., Stein, W.E., Lynch, M.T., Sheffield, R.L., Fraser, J.S. The Los Alamos free electron laser: accelerator performance 85−56698
Warren, R.W. *see* Feldman, D.W. 87−75136, 88−2285, 88−45487
Warren, R.W. *see* Goldstein, J.C. 87−2138
Warren, R.W. *see* Lynch, M.T. 86−3200
Warren, R.W. *see* McVey, B.D. 87−75214
Warren, R.W. *see* Newnam, B.E. 85−56699, 86−3198
Warren, R.W. *see* Sheffield, R.L. 86−3447
Warren, R.W. *see* Stein, W.E. 86−5645
Warren, S.F.S. Installation and use of the Apollo network at Oxford Polytechnic 85−47204
Warren, T., Thompson, J., McDonald, C., Dougal, R., Sudarshan, T. Breakdown and recovery measurements for low pressure pulsed gaps 85−5304
Warren, W. *see* Goldman, D.S. 85−53817
Warren, W.L., Lenahan, P.M. Electron spin resonance study of high field stressing in metal-oxide-silicon device oxides 87−17802
Warren, W.L., Lenahan, P.M. A comparison of positive charge generation in high field stressing and ionizing radiation on MOS structures 88−25995
Warren, W.S. *see* Haner, M. 88−2050, 88−51879
Warren, W.S. *see* Spano, F. 87−26342
Warrener, M. Closing the generation gap [HEXFET III] 87−60449
Warrick, R.E. *see* Borcherdt, R.D. 86−32501
Warrier, A.V.R. *see* Yadava, R.D.S. 86−13729
Warrier, K.G.K., Murali, T.P., Rohatgi, P.K. Preparation and properties of copper titania particulate composite 85−33522
Warrilow, K.D. *see* Hayworth, B.R. 86−7177
Warrilow, P., Hitchiner, P., Teixeira, F. The role of consultants in implementing satellite telecommunications networks 87−56095
Warriner, L.A. Amplifier with DC response and hysteresis to replace translator circuits 85−39938
Warrington, E.M., Jones, T.B. The phase and amplitude distribution over a large antenna array produced by an ionospherically propagated HF radio signal 85−30909
Warrington, E.M., Jones, T.B. Computer modelling of ionospheric errors induced in an HF DF system 86−30908
Warrington, E.M., Thomas, E.C., Jones, T.B. Ionospheric radiowave propagation effects observed with a large aperture antenna array 87−47209
Warrior, J. *see* Husain, A. 86−37143
Warschat, J. *see* Bullinger, H.-J. 88−62996
Warshay, M. Status of commercial fuel cell power plant development in the United States 85−60412
Warshel, K.A. *see* Ciak, F.J. 86−20976
Warstki, L. *see* Bosser, J. 86−31767
Warta, W., Stehle, R., Karl, N. Ultrapure, high mobility organic photoconductors 85−35586
Wartanowicz, T., Gorczyca, B., Zajdel, A. Diagnostics of a low-temperature plasma by a two-laser beat method 85−35946
Wartburg, A.F. *see* Dickerson, R.R. 85−26315
Wartburg, A.Von *see* Von Wartburg, A.
Wartel, S.J. Strategic business planning for international trade in high technology 85−16702
Wartel, S.J. Negotiating and drafting the technology transfer contract 86−66577
Wartenberg, D. *see* Lazow, R. 85−59329
Wartewig, S. *see* Hauptmann, P. 87−57452
Warth, M. *see* Bauser, E. 87−10461
Warth, M. *see* Kass, D. 85−39778, 87−5430
Warthmann, W. Nickel-iron traction batteries for electric road vehicles 87−5001
Wartini, C. *see* Heimburger, T. 87−51855
Wartmann, H. The optical cable network of the DBP [West German Post Office] 86−23893
Wartmann, H. The optical fibre cable network of the Deutsche Bundespost 88−4036
Wartmann, H. *see* Arnold, L. 87−69568
Wartmann, R., Mertes, H., Ceschinki, A., Rohrig, R., Smeets, L., Gunther, G. Kinetic-dynamic simulation of the effect of burden and regulated quantity variations on blast furnace operation 85−49202
Wartonick, S.A. *see* Lipson, J. 85−42581
Wartski, L. *see* Fuhrmann, C. 85−20776
Wartski, S. *see* Henry, D. 87−45532
Warwick, A. *see* Fessenden, T.J. 88−54015
Warwick, A.I. Alumino-silicate ion sources for accelerator applications 86−25088
Warwick, A.I. *see* Avery, R.T. 86−25025
Warwick, A.I. *see* Fessenden, T.J. 87−41652
Warwick, A.I. *see* Kim, C.H. 87−50015
Warwick, C.A. Recent advances in scanning electron microscope cathodoluminescence assessment of GaAs and InP 88−7311
Warwick, C.A., Gill, S.S., Wright, P.J., Cullis, A.G. Spatial variation of dopant concentration in $^{29}Si^{+}$ implanted Czochralski and metal-organic vapour phase epitaxial GaAs 86−58390
Warwick, C.A., Kitching, S.A., Allenson, M., Gill, S.S., Woodward, J. Assessment of GaAs transistor processing by use of advanced scanning cathodoluminescence techniques 88−39529
Warwick, C.A., Ono, H., Kuzuhara, M., Matsui, J. Amphoteric doping in Si-implanted undoped or In-doped Czochralski GaAs 87−74010
Warwick, C.A. *see* Chew, N.G. 86−57456
Warwick, J. Gateway videotex services 85−25416
Warwick, J., Phelps, B. An application of dynamic programming to pattern recognition 86−16518
Warwick, J.D., Ascherl, J.L. A variable frequency drive for existing medium voltage induction motors 86−61525
Warwick, M.E. *see* Muckett, S.J. 86−47218
Warwick, P.G. Photovoltaics in the military environment 86−45696
Warwick, P.G. Military and other portable applications [solar cells] 88−62625
Warwick, P.S. *see* Milstead, R.M. 88−67195
Warwick, S. Compact microwave synthesizer for a portable spectrum analyzer 87−77173
Warwick, S., Jerse, T., Bray, R., Hutchinson, B., Elliott, S. Portable microwave spectrum analyzer with phase locked SAW based frequency synthesis 88−50058
Warwick, W.J. *see* Leavell, K. 87−21521
Wary, J.C. *see* Baptista, J.L. 88−433
Waryold, J. *see* Naisbitt, G. 86−1522
Warzanskyj, W., Angulo, S., Perez, L. A new biquadratic active RC structure for filtering purposes 86−27463
Warzanskyj, W., Castillo, A., Guell, J.M. Automatic design of equiripple bandpass filters 86−8353
Warzanskyj, W., Heismann, F., Alferness, R.C. Polarization-independent electro-optically tunable narrow-band wavelength filter 88−65367
Warzanskyj, W. *see* Guell, J.M. 86−20743
Warzanskyj, W. *see* Hernandez-Gil, J.F. 88−46884
Warzanskyj, W. *see* Perez, L. 86−27461
Wasa, K., Yamazaki, O., Adachi, H., Kawaguchi, T., Setsune, K. Optical TIR switches using PLZT thin-film waveguides on sapphire 85−12654
Wasa, K. *see* Adachi, H. 85−12661, 86−15300, 86−46368, 86−54019, 88−24798
Wasa, K. *see* Hatta, S.-I. 88−71967
Wasa, K. *see* Hirao, T. 87−52192, 88−24794
Wasa, K. *see* Kawaguchi, T. 87−54047
Wasa, K. *see* Kitabatake, M. 85−41211, 87−5441
Wasa, K. *see* Setsune, K. 85−35278, 86−2512, 86−15334, 88−71970
Wasa, K. *see* Shin-Ichiro Ishihara 87−58969
Wasa, K. *see* Shiono, T. 87−38848
Wasa, K. *see* Yamazaki, O. 85−2090
Wasa, Y., Kondo, Y., Yamauchi, F., Miyamoto, Y. Magnetic field analysis in buried pipe detection 88−53854
Wasai, H. Radio communication trends 88−21950
Wasan, S.K. A note on weak-cyclic codes 86−43171
Wasan, S.K. A note on $R(r,m,s)$ code 88−59019
Wasan, V.P. *see* Tanwar, L.S. 87−29064
Wasano, T., Kobayashi, Y., Sakamura, K. Common OS interface CTRON for information communication 88−41338
Wasano, T., Ohminami, M., Kobayashi, Y., Ohkubo, T., Sakamura, K. Design of CTRON 88−73672
Wasche, G.J. *see* Walsh, K. 86−954
Waschke, S. *see* Dossereck, F. 85−14624
Waschke, W., Weise, A. Project 'Office Communications 85' 86−16692
Waschkies, E., Hepp, K., Holler, P. Monitoring of thermal shock induced crack growth in a feed water nozzle corner of a reactor pressure vessel by acoustic emission 86−66881
Waschkies, E., Hepp, K., Oschmann, M. Results of acoustic emission for proof of thermal shock surface cracks at the connecting piece of a nuclear reactor pressure vessel 85−33541
Wase, A.W. *see* Kath, G.S. 87−4046
Waseda, Y. *see* Jacob, K.T. 87−70615
Wasekura, Y., Ito, I. Drilling equipment for PCB 87−45445
Wasem, O.J., Goodman, D.J., Dvorak, C.A., Page, H.G. The effect of waveform substitution on the quality of PCM packet communications 88−34599
Wasem, O.J. *see* Goodman, D.J. 87−19420
Wasenczuk, A. *see* Morawska, Z. 85−54137
Waser, D.L. *see* Lawrence, D.J. 88−75227
Waser, R. Long term reliability of ceramic multilayer capacitors 88−32499
Waser, R. *see* Langenhorst, W. 87−59916
Wash, T.A. *see* Anderson, A.T. 87−11016
Washausen, K. A new approach to operating gas field production facilities 86−52091
Washausen, K. Monitoring and control techniques in the exploitation of natural gas fields 87−77108
Washburn, D.B. *see* Tyndall, D.A. 87−41929
Washburn, H. *see* Courtoy, M. 85−24207
Washburn, J. *see* Allen, L.T.P. 88−391, 88−24714
Washburn, J. *see* Brown, I. 87−56981
Washburn, J. *see* Byrne, P.F. 85−18231
Washburn, J. *see* Ding, J. 87−74117
Washburn, J. *see* Fischer, R. 85−54454, 85−55856
Washburn, J. *see* Hong, J.M. 86−34302, 86−52470
Washburn, J. *see* Liliental, Z. 86−28032
Washburn, J. *see* Liliental-Weber, Z. 87−1293, 87−11448, 87−24912, 88−38193
Washburn, J. *see* Maszara, W. 86−9003
Washburn, J. *see* Mazur, J.H. 86−13775, 86−26851
Washburn, J. *see* Miret, A. 88−44738
Washburn, J. *see* Newman, N. 88−64494
Washburn, J. *see* Sadana, D.K. 85−16956
Washburn, J. *see* Sands, T. 85−12000, 86−41601
Washburn, J. *see* Shih, Y. 87−17707
Washburn, J. *see* Fair, R.B. *(editor)* 86−26510
Washburn, J.S. *see* Rush, C.M. 88−67504
Washburn, L., Deaton, T.K. A simple system for mapping conductivity microstructure [ocean] 87−63968
Washburn, R.B. A random point process approach to multiobject tracking 88−9633
Washburn, R.B., Teneketzis, D. Rate distortion lower bound for a special class of nonlinear estimation problems 86−54518
Washburn, R.B., Jr. *see* Allen, T.G. 87−3239
Washburn, R.B., Jr. *see* Kurien, T. 86−4708
Washburn, S., Fowler, A.B., Schmid, H., Kern, D. Possible observation of transmission resonances in GaAs-$Al_xGa_{1-x}As$ transistors 88−71620
Washburn, S., Webb, R.A., Mendez, E.E., Chang, L.L., Esaki, L. Temperature dependence of Shubnikov-de Haas oscillations in an InAs-GaSb quantum well 85−45435
Washburn, S., Webb, R.A., Mendez, E.E., Chang, L.L., Esaki, L. Interaction effects among two-dimensional electrons and holes 86−58305
Washburn, S. *see* Mendez, E.E. 86−47374
Washburn, S. *see* Miller, E.Y. 86−66699
Washburn, S. *see* Schmid, H. 88−39294
Washburn, S. *see* Webb, R.A. 85−41071
Washburn, T.N. *see* Hidalgo, M.B. 88−3626
Washida, H., Sakagami, H., Iwase, Y., Kato, J., Daikuzono, N. Clinical studies of interstitial Nd-YAG laser irradiation for bladder cancer. I 88−10416
Washida, H. *see* Nakano, H. 85−39203
Washida, N. *see* Toyoshima, Y. 85−33478
Washimi, H. *see* Yamauchi, A. 87−49853
Washington, D., Mansell, J.R., Lamport, D.L., Knapp, A.G., Woodhead, A.W. Progress of the flat channel multiplier CRT 86−27812
Washington, D. *see* Woodhead, A.W. 86−67638
Washington, K.W. *see* Wallis, R.E. 88−1009
Washington, L. Technology transfer at the university/industry interface 86−13350
Washington, L. *see* Vohra, R. 85−16864
Washington, L.C. *see* Cornell, G. 86−19925
Washington, L.C. *see* Schoof, R. 88−49699
Washington, M. *see* Cheng, J. 86−46585
Washington, M.A. *see* Brown, M.G. 85−56456, 86−48300
Washino, M., Fukuyama, A., Kito, K., Kata, K. Development of current limiting arcing horn for prevention of lightning faults on distribution lines 88−55085
Washio, K., Nakamura, T., Nakzato, K., Hayashida, T. A 48 ps ECL in a self-aligned bipolar technology 87−60635
Washio, K., Nakazato, K., Nakamura, T. 2.7 ns 8×8-bit parallel array multiplier user sidewall base contact structure 87−66023
Washio, K., Okada, Y., Okabe, T. CMOS compatible bipolar and I^2L technology using three-level epitaxial layers for analog/digital VLSIs 87−67336
Washio, K., Watanabe, T., Okabe, T., Horie, N. 10K gate I^2L and 1K component analog compatible bipolar VLSI technology−HIT-2 85−35151
Washio, K. *see* Aoki, Y. 85−29900, 86−42619
Washio, K. *see* Jajima, K. 87−38795
Washio, K. *see* Nakamura, T. 87−32681, 87−46175
Washio, K. *see* Tajima, K. 86−2763
Washio, K. *see* Watanabe, T. 85−37291
Washio, M. *see* Kitami, T. 86−4623
Washio, M. *see* Kobayashi, H. 87−12521, 87−29377
Washio, M. *see* Nagata, Y. 88−22079
Washio, T., Kitamura, M., Katajima, K., Sugiyama, K. Semantic network approach to automated failure diagnosis in nuclear power plant 88−48688

Washio, T., Kitamura, M., Sugiyama, K. A method of failure diagnosis based on time-domain failure symptoms [nuclear power stations] 87–71846
Washio, T., Kitamura, M., Sugiyama, K. Development of a failure diagnosis method based on transient information from a nuclear power plant 87–78260
Washio, T. *see* Kitamura, M. 85–59950
Washisu, S., Fukai, I. The electromagnetic field analysis by boundary element method 85–13028
Washiyama, M. *see* Nakamura, H. 85–378
Washiyama, M. *see* Nishio, M. 87–16610
Washizu, M. Formulation of the problem on transient eddy current analysis by boundary element method 86–29303
Washizu, M., Nanba, T., Masuda, S. Electrical cell fusion using fluid integrated circuit 88–64688
Washizu, M., Tanabe, Y. Formulation of electromagnetic wave analysis by boundary element method and its application to analysis of radio frequency cavities 87–47251
Washizu, M. *see* Masuda, S. 86–42808, 87–61340, 88–29940, 88–33329
Washizuka, S. *see* Terashima, K. 86–52435, 87–73046
Washkurak, W.D. *see* Chamberlain, S.G. 88–60766
Washo, B.D. Performance modeling of any connector/cable system: extension of new Teledeltos technique 85–11669
Washom, B. Parabolic dish Stirling module development and test results 85–60091
Washwell, E.R., Bacon, L.C., Peterson, B.G. Linear FM-CW laser radar: analysis and experimental results 87–13791
Wasielewski, J.P. *see* Lucas, J.E. 88–24538
Wasiewicz, P. Method for comparison of computer control system structures in the functional-reliability aspect 88–251
Wasiewicz, P. *see* Koscielny, J.M. 87–50993
Wasik, D., Hennel, A.M., Baj, M. High pressure activation of the Co$^{1+}(3d^8)$ double acceptor state in GaAs 85–34484
Wasilenko, E. *see* Boryn, H. 88–75190
Wasilenko, S. *see* Mueller, R.H. 88–7865
Wasilewska, B. *see* Wolkenberg, A. 86–28181
Wasilewski, J.E. Solid-state AC drives: new reliability for packaging equipment 85–44215
Wasilewski, M. Using fault simulation to improve testability 86–67580
Wasilewski, M. Simulation modeling of the test system environment to speed board-test program debugging and tester integration 88–25634
Wasilewski, Z. *see* Kuchar, F. 87–74021
Wasilewski, Z. *see* Skonieczka, R. 86–19067
Wasilewski, Z. *see* Sotomayor Torres, C.M. 86–53427
Wasilik, J.H. *see* Yao, C.T. 88–42079
Wasilkowski, G.W. Some nonlinear problems are as easy as the approximation problem 85–33338
Wasilkowski, G.W., Wozniakowski, H. Average case optimal algorithms in Hilbert spaces 86–62094
Wasilkowski, G.W. *see* Lee, D. 88–27930
Wasilousky, P.A., Strock, R.B. EHF multi-chip module interconnect scheme 87–10165
Wasilousky, P.A. *see* Pape, D.R. 88–27669
Wasim, S.M. Transport properties of CuInSe$_2$ 86–58285
Wasim, S.M., Sanchez Porras, G., Neumann, H. Electrical properties of CuInTe$_2$ single crystals annealed in an indium atmosphere 85–40475
Wasim, S.M. *see* Lacruz, A. 85–16915
Wasim, S.M. *see* Samaan, A.N.Y. 87–314
Wasiucionek, M. *see* Jakubowski, W. 86–66312
Waskiewicz, A.E., Groninger, J.W., Strahan, V.H., Long, D.M. Burnout of power MOS transistors with heavy ions of californium-252 87–32548
Waskiewicz, A.E. *see* Blandford, J.T., Jr. 85–22887
Waskiewicz, A.E. *see* Nichols, D.K. 86–35770
Waskiewicz, A.E. *see* Pickel, J.C. 86–35886
Waskiewicz, Z. *see* Klemke-Kolowrotkiewicz, D. 85–39898
Wasko, C.R. AC vector control drives for process applications 85–65487
Wasko, C.R. AC drives in traction applications 86–40222
Wasko, C.R. AC vector control drives for process applications 86–45748
Wasko, C.R. AC drives in traction applications 87–16080
Wasko, C.R. 500 hp, 120 Hz current-fed field-oriented control inverter for fuel pump test stands 87–43536
Wasko, C.R. A universal AC dynamometer for testing motor drive system 88–22800
Wasko, C.R. *see* Rector, H. 86–7346
Wasko, T. *see* Slawinski, E.B. 88–97
Wasko, T. *see* Ells, J.G. 88–95
Wasle, S. *see* Gerischer, H. 85–49110
Wasley, R.G., Erkman, I. Interactive database management for power systems computer-aided instruction 85–38392
Wasmund, S. The development of network control systems 87–64131
Wasniewski, J. *see* Zlatev, Z. 86–13692
Wasniewski, K. *see* Pardo, R. 86–24870
Wasowicz, S. *see* Imielski, A. 88–25589
Wasowicz, W. *see* Bieler, M. 88–54053
Wasowski, A. Possibilities of heating power increase of an arc furnace at operation with a current unbalance 87–43645
Wasowski, A. Unbalance of supply voltages ensuring the desirable distribution of power to the arcs in an ultra-high-power arc furnace 88–62785
Wasowski, A., Bialek, J. Uniform criteria for determining arc furnace unbalance 86–19616
Wasowski, A., Bialek, J., Nowocien, A. Reasons underlying a proposal to change the criterion for assessing the symmetry of arc furnaces in international standards recommendations 88–69930
Wasowski, A. *see* Bialek, J. 85–10220, 85–10227
Wasowski, J.J., Wasowski, L.M. Computer-based optical differentiation of fringe patterns 87–63226
Wasowski, L.M. *see* Wasowski, J.J. 87–63226
Wasrud, J., Lulla, K. Evaluation of classification algorithms 87–4165
Wass, B. *see* Risman, P.O. 88–24271
Wass, G.S.N. *see* Craddock, P. 87–50792
Wassel, A.T., Elghobashi, S.E., Potts, R.L., Farr, J.L., Jr. Mathematical simulation of Ocean Thermal energy conversion seawater systems 85–15937
Wassel, E.R. *see* Capozzi, A.J. 85–28541
Wassel, J.W. *see* McQuiddy, D.N., Jr. 85–222
Wassell, I.J., Goodman, D.J., Steele, R. Embedded delta modulation 88–72739
Wassell, I.J., Steele, R., Bhandal, A.S., Waters, P., Streeton, M. Performance of a NB-TDMA mobile radio link using DPM, Viterbi equalisation and channel coding 88–15385
Wassell, I.J. *see* Appleby, D.G. 87–8211
Wassenaar, R.F., Seevinck, E., Van Leeuwen, M.G., Speelman, C.J., Holle, E. New techniques for high-frequency RMS-to-DC conversion based on a multifunctional *V*-to-*I* convertor 88–56824
Wassenaar, R.F. *see* Seevinck, E. 85–61135, 86–35052, 87–24390, 87–53716
Wassenburg, B. Increasing importance of digital voltmeter calibration 85–4004
Wassenburg, B. Increasing importance of the calibration of digital voltmeters. II. New techniques in Datron's AC calibrator 4200 85–4005
Wassenhove, D.van *see* van Wassenhove, D.
Wassenhove, G.Van *see* Van Wassenhove, G.
Wasser, E.M. *see* Ghafir, H.M. 88–66804
Wasserbauer, R. Original test of materials for cable sheaths 85–38537
Wasserbauer, R. Czechoslovak state standards used in power engineering for mould testing 86–61447
Wasserbauer, R. Degradation of polymeric insulation in human body 87–14933
Wasserbauer, R. Biocorrosion of transformer oil 87–72178
Wasserman, A.L., Zheglov, V.A., Nashchutinskii, N.N., Yakovlev, S.V. A high-power stroboscope for large places of entertainment 86–40292
Wasserman, B. Implantation-induced conductivity of polymers 85–18106
Wasserman, B. *see* Dresselhaus, M.S. 85–18240
Wasserman, B. *see* Wnek, G.E. 85–18107
Wasserman, D.E. *see* Reynolds, D.D. 85–15032
Wasserman, J.F. *see* Sclabassi, R.J. 88–42515
Wasserman, S. *see* Mattison, E.M. 88–20529
Wassermann, C. *see* Malavasi, G. 87–67986
Wassermann, C.U. *see* Marinucci, C. 87–67989
Wassermann, J., Ziegler, W. Quantitative recording of arc motion and structure through opaque walls employing optoelectronic sensors 88–35885
Wassermeier, M., Pohlmann, H., Kotthaus, J.P. Magnetoconductivity of inversion electrons in periodic MOS-microstructures on Si 88–19763
Wassermeier, M. *see* Pohlmann, H. 87–17819
Wassew, K., Solbrig, M. Clock generator for video traffic by CCD sensors 85–43013
Wassiczek, N. Radio methods and services of the future 88–35343
Wassilew, W.I., Milew, M.W. Signal processing in data acquisition system 88–42006
Wassink, R.J.K. Notes on the effects of metallisation of surface mounted components on soldering 87–51863
Wassink, R.J.K., Verguld, M.M.F. Drawbridging of leadless components 86–20942
Wassink, R.J.Klein *see* Klein Wassink, R.J.
Wassink, R.S.K., Vleddel, H.S. Reliable surface mounting—if one does it the correct way 85–6597
Wasson, C. *see* White, D. 85–22669, 85–58735
Wasson, J.A. Thermal cycling/stress screening—what's the point? 88–11708
Wasson, K. *see* Campbell, P. 87–30639
Wasson, O.A. Progress in the detection of low-energy neutrons 87–29529
Wasson, O.A. *see* Behrens, J.W. 87–21453
Wasson, O.A. *see* Duvall, K.C. 85–59192
Waste, W. *see* Speck, D. 86–12260
Wastell, D.G., Johnson, J.S., Jones, J.A.H., Bennett, N. Orthodontic analysis and treatment planning: a suite of programs for performing centroid cephalometrics 88–61247
Wasyliw, M.G. *see* Peelo, D.F. 87–35979
Wasyluk, R. Molecular electronics and its applications 86–58196
Wasynczuk, O. Integration of dispersed PV generation into utility distribution systems: stability, interaction and fault tolerance 85–53621
Wasynczuk, O., Diao, Y.-M., Krause, P.C. Theory and comparison of reduced order models of induction machines 85–43972
Wasynczuk, O. *see* Anwah, N.A. 87–78769
Wasynczuk, O. *see* Chen, C. 87–30052
Wasynczuk, O. *see* Diao, Y. 87–9526
Wasynczuk, O. *see* Krause, P.C. 87–42934, 88–5666, 88–69364
Wasynczuk, O. *see* Krefta, M.P. 87–51170
Wasynczuk, O. *see* Rodriguez, F.D. 87–51199, 87–78663
Waszak, W. A computer-aided control system for a laser range finder 85–58884
Waszczak, J.V. *see* Greenblatt, M. 86–66313
Waszczuk, T., Kujawska, T., Somer, J.C. Electronic focusing of the ultrasonic beam by means of an annular array system 85–43340
Waszkis, W. A VHF/UHF broadcasting system model to optimize the spectrum space use 86–30956
Waszkis, W., Tyczynski, W. Estimation of the spectrum space denied to the aeronautical services by the FM radio network 88–2625
Waszkis, W. *see* Bem, D.J. 86–17548 to 17549
Watabe, A., Yamazaki, H., Yamamoto, M., Katoh, K. High-speed recording technology for optical disk compatible between write-once and magneto-optical media 88–20331
Watabe, A. *see* Aoki, T. 86–66844
Watabe, A. *see* Katoh, K. 88–65136
Watabe, A. *see* Yamamoto, M. 87–28825
Watabe, H., Kaneko, S., Kiyono, J., Mihara, S. CMOS 1 M bit DRAM family 88–19136
Watabe, K. *see* Toda, K. 86–42391, 86–48233
Watabe, K. *see* Urabe, H. 85–29663, 87–12276
Watabe, K. *see* Yoshimoto, M. 87–66167
Watabe, R. Stepping motor for four-wheel steering system 88–24231
Watabe, S., Ogawa, H., Taguchi, H. Advanced substation and telecontrol systems of Beijing-Qinhuangdao Line, China 86–26112
Watabe, S. *see* Ariga, H. 88–46796
Watabe, S. *see* Koitabashi, K. 86–7227
Watabe, S. *see* Taniguchi, J. 87–40381
Watabe, S. *see* Yamazaki, S. 86–7016, 86–7035
Watabe, T., Kondo, H., Yano, K. Studies on a pendulor-type wave energy converter 86–65971
Watabe, Y. Sidewall-tapered plasma SiO$_x$ deposition on grounded electrode 88–56295
Watabe, Y. *see* Yamada, H. 88–61450
Watabu, K. *see* Morikawa, Y. 86–20019, 87–44268
Watada, A., Kaneko, Y., Miyamoto, I., Omi, F., Sawada, Y., Nakamura, H., Machida, H. Multiple reflection effect on Co substituted Ba-ferrite for magneto-optical recording media 88–51592
Watada, A., Nakamura, H., Machida, H. Magneto-optical and magnetic properties of Co-substituted BaM 87–53887
Watada, A. *see* Kaneko, Y. 88–45233
Watada, A. *see* Machida, H. 86–35984
Watada, A. *see* Nakamura, H. 87–60795
Watada, A. *see* Tanaka, M. 86–63530
Watada, J., Tanaka, H., Asai, K. Fuzzy discriminant analysis in fuzzy groups 86–62022
Watahike, T. *see* Terakado, Y. 85–871
Watahiki, K. *see* Izumi, S. 87–21452
Watahiki, T. *see* Andou, M. 87–806
Watahiki, T. *see* Ichige, K. 85–61331, 87–804
Watahiki, T. *see* Itoh, Y. 87–66273
Watahiki, T. *see* Sasaki, K. 87–59129
Watahiki, T. *see* Tashiro, Y. 88–70865
Watahiki, T. *see* Terakado, T. 85–61330
Watahiki, T. *see* Tsukamoto, K. 85–870, 85–61336, 87–805, 87–52666
Watahiki, T. *see* Uehara, K. 85–45119
Watakabe, Y., Kato, T. A high-performance VLSI photomask with a molybdenum silicide film 87–18219
Watakabe, Y., Matsuda, S., Kato, T., Nakata, H. Reactive ion beam etching of aluminum alloys 85–18264
Watakabe, Y., Matsuda, S., Shigetomi, A., Hirosue, M., Kato, T., Nakata, H. High performance very large scale integrated photomask with a silicide film 87–1598
Watakabe, Y., Matsuda, S., Shigetomi, A., Kato, T., Nakata, H. A high-performance photomask with a molybdenum silicide film 86–58360
Watakabe, Y. *see* Fujiwara, K. 85–49081
Watakabe, Y. *see* Horie, T. 86–40064, 87–36110
Watakabe, Y. *see* Hosono, K. 88–64452
Watakabe, Y. *see* Kashiwaki, T. 85–6790
Watakabe, Y. *see* Kato, T. 86–11813
Watakabe, Y. *see* Morimoto, H. 85–23696, 87–38051
Watakabe, Y. *see* Onoda, H. 88–19867

Watakabe, Y. *see* Saeki, H. 87−1365, 88−33098
Watakabe, Y. *see* Saitoh, K. 86−53740, 88−57541
Watakabe, Y. *see* Suzuki, Y. 87−38048
Watakabe, Y. *see* Yoshioka, N. 88−64444
Watamori, S. A consideration on the use of desktop computer aboard merchant ships 86−30900
Watanaba, T. *see* Murata, Y. 88−43000
Watanabe, A. The Volterra series expansion of functionals defined on the finite dimensional vector space and its application of saving of computational effort for the Volterra kernels 85−49709
Watanabe, A. Flight simulator for research and development 86−50693
Watanabe, A. Speech-information transmission systems by visual display 88−5010
Watanabe, A., Hiraishi, A., Nagano, T., Ikeda, T., Masuda, I. Proposal of high speed bipolar-CMOS merged VLSI technology and its future prospects 88−7674
Watanabe, A., Horinouchi, A., Asano, K. The electrohydrodynamic effect on the dielectric constant of electrolytic solutions 88−26558
Watanabe, A., Hosokawa, T., Miyoshi, Y. Characteristics of corona discharge and spark breakdown in nonuniform field and uniform field gaps in SF$_6$ gas 87−25728
Watanabe, A., Ikeda, T., Nagano, T., Momma, N., Nishio, Y., Tamba, N., Odaka, M., Ogiue, K. High-speed BiCMOS VLSI technology with buried twin well structure 86−47746
Watanabe, A., Mayanagi, M. The application of optics to flight control systems 85−26871
Watanabe, A., Mori, T., Matsuo, T., Taniyama, K., Matsuda, A. Interactive computer-aided design and drawing system 85−52664
Watanabe, A., Saito, H., Ishida, Y., Yajima, T. Computer-assisted spectrum-resolved SHG autocorrelator for monitoring phase characteristics of femtosecond pulses 87−75219
Watanabe, A., Saito, H., Tokizaki, T., Ishida, Y., Yajima, T. Rapid-scanning autocorrelator with extended scanning span for monitoring short optical pulses 88−10148
Watanabe, A., Shimizu, H., Shimizu, T., Sakakibara, S. Collection of solar heat by shallow solar pond 87−78966
Watanabe, A., Tanaka, S., Kobayashi, H., Ishida, Y., Yajima, T. Microcomputer-based spectrum-resolved second-harmonic generation correlator for fast measurement of ultrashort pulses 86−22470
Watanabe, A., Ueda, Y., Shigenaga, A. Color display system for connected speech to be used for the hearing impaired 85−48336
Watanabe, A., Yamada, T., Imanaka, K., Horikawa, H., Kawai, Y., Sakuta, M. AlGaAs/GaAs melt-etched inner stripe laser diode with self-aligned structure 85−46377
Watanabe, A. *see* Asano, K. 88−27415
Watanabe, A. *see* Chiba, T. 88−55082
Watanabe, A. *see* Crabtree, I.M. 85−43635
Watanabe, A. *see* Eguchi, M. 87−13396, 88−21650
Watanabe, A. *see* Fukui, C. 86−32714
Watanabe, A. *see* Goto, M. 87−50799
Watanabe, A. *see* Ikeda, T. 87−60526
Watanabe, A. *see* Ishida, Y. 86−15783
Watanabe, A. *see* Ishikura, Y. 86−71046
Watanabe, A. *see* Kato, Y. 86−39934, 86−65678, 86−65781
Watanabe, A. *see* Kira, H. 86−54900
Watanabe, A. *see* Kubo, T. 85−9546
Watanabe, A. *see* Kudo, H. 86−32851
Watanabe, A. *see* Kurihara, N. 86−65925
Watanabe, A. *see* Miyahara, A. 86−65702
Watanabe, A. *see* Ohmi, S. 88−42210
Watanabe, A. *see* Ohyama, N. 87−35401
Watanabe, A. *see* Ohyama, T. 86−18697
Watanabe, A. *see* Okano, K. 87−2842
Watanabe, A. *see* Okano, N. 85−14482
Watanabe, A. *see* Shimakawa, K. 85−55490, 87−37910
Watanabe, A. *see* Suzuki, M. 87−24202
Watanabe, A. *see* Tanaka, S. 85−34581
Watanabe, A. *see* Ueda, Y. 87−21667, 88−5004
Watanabe, B. *see* Baba, T. 87−16147
Watanabe, C., Kinoshita, S., Furuya, K., Miyamoto, Y. GaInAs/InP MOSFETs by organometallic vapor phase epitaxy and water oxidation techniques 87−1556
Watanabe, C., Nakanishi, T., Matsumoto, A. Research on data-reading from DNA electrophoresis image 85−43330
Watanabe, C. *see* Kurosawa, A. 86−56423
Watanabe, C. *see* Miyamoto, Y. 86−26850, 87−54345
Watanabe, C. *see* Nagashima, M. 86−15724, 86−42576
Watanabe, C. *see* Sugou, S. 85−401, 85−44754
Watanabe, C. *see* Yang, S. 86−9872
Watanabe, C.H., Barreto, A.N. Self-excited induction generator/force-commutated rectifier system operating as a DC power supply 87−78766
Watanabe, E. On equivalent transformations and sensitivity of wave digital filters 87−913
Watanabe, E. Application of biosensors to food industry 87−77224
Watanabe, E., Murakoshi, N., Nishihara, A. A synthesis of low-sensitivity digital filters using T-cascade connection 87−52754
Watanabe, E., Nishihara, A. Digital lattice filters with reduced number of tap-multipliers 85−28648
Watanabe, E., Nishihara, A. Design of wave digital filters with simplified structures 86−1296
Watanabe, E., Nishihara, A. Low-sensitivity second-order digital filters based on lattice structures 86−14385
Watanabe, E., Nishihara, A. Extended design of digital lattice filters 86−27487
Watanabe, E., Nishihara, A. Paralleled digital lattice filter 86−27488
Watanabe, E., Nishihara, A. Low-sensitivity lowpass and highpass second-order digital filters based on lattice structures 86−35022
Watanabe, E., Nishihara, A. Design of wave digital filters with simplified structures 86−57983
Watanabe, E., Nishihara, A. Extended design of digital lattice filters 87−45065
Watanabe, E., Nishihara, A. Equivalent transformations and sensitivity of wave digital filters 88−25326
Watanabe, E., Taira, M., Kuwata, M., Ikeda, T., Husimi, K., Miyachi, T., Ohkawa, S. Observation of lithium drifted silicon detectors using SEM 88−61076
Watanabe, E. *see* Koshizaka, S. 86−43779
Watanabe, E. *see* Kosugi, Y. 88−36502
Watanabe, E. *see* Nomura, M. 88−55697
Watanabe, E. *see* Sakamoto, H. 86−62635
Watanabe, E. *see* Sugino, N. 88−38351
Watanabe, E. *see* Tureli, A. 85−65008
Watanabe, E. *see* Yamamoto, T. 87−57414
Watanabe, E.H. *see* Caldeira, P.P.A. 87−43725, 88−55763
Watanabe, E.H. *see* Nunes Barreto, A. 86−70983
Watanabe, E.H. *see* Pinheiro, R.F. 87−15754
Watanabe, E.H. *see* Spadim, O. 87−15772
Watanabe, F., Ihara, T. Digital sinusoidal oscillators based on lattice structures 88−12249
Watanabe, F., Ishimaru, H. An aluminum alloy quadrupole mass filter with a 120-m-long RF cable 86−70285
Watanabe, F., Mizuguchi, Y., Yamada, M. Theoretical and experimental study of beam-steerable earth station antennas 85−63617
Watanabe, F., Mizuguchi, Y., Yamada, M. Multiple beam offset spherical reflector antenna with tilted feed systems 87−27005
Watanabe, F., Ohnishi, Y. Oxygen reactive ion etching of organosilicon polymers 86−35593
Watanabe, F. *see* Mizugutch, Y. 86−68899
Watanabe, F. *see* Ninomiya, K. 87−29849
Watanabe, F. *see* Nomoto, S. 87−26978
Watanabe, F. *see* Saigo, K. 86−53513
Watanabe, F. *see* Yasunaga, M. 87−47406
Watanabe, G. Present state and future perspectives of Super Digital 87−69467
Watanabe, G. Present conditions and perspectives of SUPER DIGITAL (high-speed digital transmission service) 88−41181
Watanabe, G.T., Manischalchi, M., Gill, L.E. IBM Los Gatos CECL logic design tools 85−33868
Watanabe, G.T. *see* Buckley, F. 87−17153
Watanabe, H. Trends of office automation technology−OA architecture and implementation 85−2991
Watanabe, H. Semiconductor laser modules 85−24578
Watanabe, H. Basic conditions for the growth of new media system 85−47032
Watanabe, H. Development of a high-resolution vacuum fluorescent display module 87−8531
Watanabe, H. Atomically controlled growth in 2, 1 and OD, and applications 87−23692
Watanabe, H. Environmental test facilities 87−36850
Watanabe, H. High resolution fluorescent displays 87−56750
Watanabe, H. A study on coaxial transverse junction light emitting diode and laser diode 88−8076
Watanabe, H. Trade in telecom services 88−73439
Watanabe, H., Ackland, B. Flute−a floorplanning agent for full custom VLSI design 87−6848
Watanabe, H., Ackland, B. Flute: an expert floorplanner for full-custom VLSI design 87−36876
Watanabe, H., Azuma, R. Radar clutter suppression schemes using multisegment MEM 87−56210
Watanabe, H., Azuma, R., Noguchi, A. New radar clutter suppression schemes using modified multisegment MEM 86−43878
Watanabe, H., Doyama, S., Futagami, T. Command auto testing system development 85−57866
Watanabe, H., Hashimoto, S., Yoshida, M., Shimizu, H., Tsuzuki, A., Morokawa, S. Full-color LC video displays using a simple multiplexing method 86−31514
Watanabe, H., Iizuka, K. The influence of dissolved gases on the density of water 85−37774
Watanabe, H., Ikeda, H., Tokushige, K., Kawachi, T. Large capacity buffer memory 87−37293
Watanabe, H., Isii, T., Fujii, T. DC-brushless servo system without rotor position and speed sensor 88−43419
Watanabe, H., Kato, K. Numerical analysis of magnetization characteristics in the saturation region of magnetic circuits 87−61344
Watanabe, H., Katoh, K., Imagi, S.-I. Properties of silicon nitride films prepared by plasma-enhanced chemical vapour deposition of SiH$_4$-N$_2$ mixtures 86−40781
Watanabe, H., Katoh, K., Imagi, S., Shibata, Y. Photoconductive a-SiN$_x$:H films deposited at high substrate temperatures 86−27934
Watanabe, H., Kawasumi, K., Shoji, H., Seto, J. Photoconductive particles for one-shot color electrophotographic image formation 88−40054
Watanabe, H., Kirimoto, T., Kondo, M. Trade-off studies on adaptive filtering algorithms used for adaptive moving target indicators 87−28662
Watanabe, H., Kuroda, H., Hashimoto, H. A 64 kb/s video coding equipment 88−45934
Watanabe, H., Kurokawa, Y. Broadcast satellite reception 87−13867
Watanabe, H., Kurokawa, Y., Shizume, Y., Mitsubori, S. Broadcasting satellite receiver 85−58054
Watanabe, H., Kurosawa, Y., Watanabe, R. New technology for vacuum circuit breakers 85−10052
Watanabe, H., Miyanaga, Y., Miki, N., Nagai, N. A note on ARMA spectral approximation methods with weighting functions 85−7886
Watanabe, H., Miyanaga, Y., Miki, N., Nagai, N. Construction of stable reduced-order ARMA model 85−13544
Watanabe, H., Miyanaga, Y., Miki, N., Nagai, N. A reduction method of ARMA model for various inputs 85−63067
Watanabe, H., Miyanaga, Y., Miki, N., Nagai, N. A study on the approximation method of autoregressive moving-average model considering a gain constant 86−16354
Watanabe, H., Miyanaga, Y., Miki, N., Nagai, N. ARMA spectral approximation methods with weighting functions 86−69037
Watanabe, H., Nakamura, I. Trends and prospects of VAN 88−8961
Watanabe, H., Nikawa, Y., Kikuchi, M., Mori, S. 430 MHz hyperthermia heating equipment using lens applicator 87−57226
Watanabe, H., Nishimoto, S. Scan to scan adaptive MTI 85−47598
Watanabe, H., Nishimoto, S. Correlated interference rejection characteristics of adaptive antenna using spatial learning 85−51512
Watanabe, H., Nishimoto, S., Azuma, R., Noguchi, A. Modification of the Zhang and Haykin radar clutter suppression schemes 86−23944
Watanabe, H., Noguchi, A. Lattice based spatially averaged adaptive array 86−64136
Watanabe, H., Noguchi, A. New adaptive array beamforming for interference suppression 88−8506
Watanabe, H., Okuda, S. Characteristics of two-phase induction motor supplied by two-phase converter 85−5092
Watanabe, H., Sakazaki, Y., Yamashita, J., Mizuochi, H., Kakimoto, S. High-power laser-diode modules 88−72325
Watanabe, H., Takamatsu, Y., Kinoshita, K. 10-valued algorithm for test generation of sequential circuits 85−33778
Watanabe, H., Tanaka, H., Chihara, H., Toyoda, E. CMOS microcomputer for telephone equipment 86−52877
Watanabe, H., Todokoro, Y. Conductive E-beam resist 88−19898
Watanabe, H., Todokoro, Y. Submicron feature patterning using spin-on glass image reversal (SOGIR) 88−71481
Watanabe, H., Uehara, Y., Noguchi, A. Inverse scattering method for one-dimensional inhomogeneous lossy medium using linear prediction method 87−61370
Watanabe, H., Uehara, Y., Noguchi, A. Inverse scattering method for one-dimensional inhomogeneous lossy medium using linear prediction method 88−47665
Watanabe, H., Usui, A. Atomic layer epitaxy 87−65526
Watanabe, H., Warashina, H., Nagashima, T. Enhancement of the deposition rate of amorphous silicon by the application of magnetic fields 86−13814
Watanabe, H., Watanabe, T., Koizumi, N. Bare chip use in vacuum fluorescent displays 88−53786
Watanabe, H., West, R.A. A 640×400 graphic front luminous VFD 87−8546
Watanabe, H., Yoshimura, N., Katoh, S., Kobayashi, N. Microdischarges on an electron gun under high vacuum 87−32192
Watanabe, H. *see* Asano, K. 86−23268
Watanabe, H. *see* Doyama, S. 86−49403
Watanabe, H. *see* Fujimoto, A. 85−12845, 86−9855, 87−52139
Watanabe, H. *see* Funabashi, H. 85−65280
Watanabe, H. *see* Haga, K. 86−34384
Watanabe, H. *see* Herak, T.V. 85−18786
Watanabe, H. *see* Hibiya, T. 87−52100

Watanabe, H. *see* Hieda, K. 88−39489
Watanabe, H. *see* Hioki, T. 88−41871
Watanabe, H. *see* Hirata, S. 85−8358
Watanabe, H. *see* Honma, T. 86−16008
Watanabe, H. *see* Iseki, Y. 85−1811, 85−29405, 86−68130
Watanabe, H. *see* Ishii, T. 86−61538
Watanabe, H. *see* Ishimaru, H. 86−18200, 88−36301
Watanabe, H. *see* Ishimoto, S. 86−14212
Watanabe, H. *see* Katoh, K. 85−18321
Watanabe, H. *see* Kikuchi, H. 86−57980, 86−62741, 86−67380, 87−37471, 88−19280 to 19281, 88−56809
Watanabe, H. *see* Kikuchi, K. 88−65374
Watanabe, H. *see* Kimura, H. 87−73139
Watanabe, H. *see* Kitauchi, H. 85−5538
Watanabe, H. *see* Kurosawa, Y. 86−33552
Watanabe, H. *see* Matsumoto, F. 86−49208
Watanabe, H. *see* Matsumoto, Y. 87−63874
Watanabe, H. *see* Minato, I. 85−60946, 87−16568
Watanabe, H. *see* Momose, T. 86−24928
Watanabe, H. *see* Moriguchi, M. 88−37313
Watanabe, H. *see* Mukai, S. 87−7345
Watanabe, H. *see* Nakawa, Y. 86−60811
Watanabe, H. *see* Nikawa, Y. 86−18375
Watanabe, H. *see* Nishiwaki, A. 88−72123
Watanabe, H. *see* Nishizawa, J. 87−33052, 87−38232
Watanabe, H. *see* Nojo, S. 87−36552, 88−46454
Watanabe, H. *see* Oka, K. 86−42143
Watanabe, H. *see* Okamoto, A. 85−39755
Watanabe, H. *see* Okutani, T. 85−15144
Watanabe, H. *see* Ono, H. 86−34284, 86−40703
Watanabe, H. *see* Rozsnyai, B. 85−56531
Watanabe, H. *see* Sato, T. 88−16307
Watanabe, H. *see* Sawada, K. 88−5043
Watanabe, H. *see* Seto, J. 86−63536
Watanabe, H. *see* Shigyo, N. 88−39476, 88−64563
Watanabe, H. *see* Shimizu, H. 85−21030
Watanabe, H. *see* Shinoda, T. 87−78228
Watanabe, H. *see* Sugisaka, M. 86−37109
Watanabe, H. *see* Suzuki, K. 88−65762
Watanabe, H. *see* Tatchyn, R. 88−22886, 88−22889
Watanabe, H. *see* Todokoro, Y. 88−13214, 88−39316, 88−39341
Watanabe, H. *see* Togai, M. 86−41167, 86−47676, 87−5788, 87−10927
Watanabe, H. *see* Togashi, S. 85−20676, 86−5416, 86−18038
Watanabe, H. *see* Usui, A. 85−18928, 85−41385, 88−31799
Watanabe, H. *see* White, J.F. 87−1211
Watanabe, H. *see* Yamada, H. 88−20513
Watanabe, H. *see* Yamashita, J. 86−68549
Watanabe, H. *see* Yonekura, Y. 86−28713
Watanabe, H. *see* Yoshida, H. 85−58052
Watanabe, H. *see* Yoshida, M. 85−44733, 85−60963, 86−20051, 86−66822
Watanabe, H. *see* Yoshimura, N. 86−14773, 87−73948
Watanabe, H. *see* Yuhara, A. 88−13644
Watanabe, H.J. *see* Ono, H. 86−52439
Watanabe, I., Koyama, F., Iga, K. Low-temperature CW operation of GaInAsP/InP surface-emitting laser with circular buried heterostructure 87−18958
Watanabe, I., Koyama, F., Iga, K. GaInAsP/InP CBH surface-emitting laser with a dielectric multilayer reflector 88−2269
Watanabe, I., Koyama, F., Iga, K. 77 K CW operation (Ith=15 mA) of GaInAsP/InP CBH surface-emitting laser 88−45446
Watanabe, I., Sekiya, T. Observation of the variable-range hopping conduction in amorphous In-Se films 87−53204
Watanabe, I., Yamamoto, T. Electrical and structural properties of amorphous In-Se films prepared by flash evaporation 86−14871
Watanabe, I. *see* Iwasaki, S. 88−1869, 88−26670
Watanabe, I. *see* Ogawa, M. 88−51427
Watanabe, I. *see* Saito, K. 87−58370
Watanabe, I. *see* Takahashi, T. 85−45687
Watanabe, I. *see* Torii, Y. 87−56975
Watanabe, I. *see* Yamakawa, H. 87−68529
Watanabe, I. *see* Yamamoto, S. 86−67616, 88−1316
Watanabe, J. A review and a forecast of semiconductor devices for consumer products 86−35798
Watanabe, J. Micro-machining technology 88−13484
Watanabe, J., Wakitani, M., Sato, S., Miura, S. Analysis of deterioration in brightness voltage characteristics of TFEL displays 88−16342
Watanabe, J. *see* Koyabu, K. 86−15050, 88−8371
Watanabe, J. *see* Oohira, F. 86−48002, 87−18558
Watanabe, J. *see* Sawada, R. 86−5510
Watanabe, K. Electrode materials for lamps 85−53912
Watanabe, K. Review and perspective of the SHINKANSEN 85−60473
Watanabe, K. On the relationship between the Lagrange multiplier method and the two-filter smoother 86−3864
Watanabe, K. Algebraic solution of a forward-pass fixed-interval smoother: continuous-time systems 86−10368
Watanabe, K. A new forward-pass fixed-interval smoother using the U-D information matrix factorization 86−37108
Watanabe, K. Continuous-time decentralized smoothers based on two-filter form: identical local and global models 86−54500
Watanabe, K. New technologies of power cables. I 86−65708
Watanabe, K. A method of backward-pass adaptive filtering 87−7741
Watanabe, K. Crystal structures and permanent magnet properties in Fe-Pt alloys 87−25772
Watanabe, K. Adaptive matched filter and its significance to anti-multipath fading 87−33440
Watanabe, K. Application of a multiple-model adaptive filter method to inertial navigation systems 87−35467
Watanabe, K. Steady-state error covariances of fixed-point smoothers 87−69147
Watanabe, K. Closed-form solutions of ECV and ECA tracking filters based on a transfer-function approach 88−8728
Watanabe, K. Temperature dependence and permanent magnet properties of Fe-Pt-Ti alloys 88−57907
Watanabe, K., Chung, W.S. A switched-capacitor interface for intelligent capacitive transducers 86−65160
Watanabe, K., Eguchi, M., Kanmuri, N., Kuramoto, M. High capacity land mobile communications system in NTT 88−46934
Watanabe, K., Fujita, K., Ohkubo, M., Hamada, A. Medium-capacity packet switching program system 88−35284
Watanabe, K., Fujiwara, K. Offset-compensated switched-capacitor circuits 85−919
Watanabe, K., Higashi, S. Transmission techniques [TV] 85−37281
Watanabe, K., Hyuga, F., Nakanishi, H., Hoshikawa, K. Inhomogeneity of electrical properties around dislocations in In-doped/alloyed, semiinsulating GaAs 86−53357
Watanabe, K., Inoue, M., Yoroizawa, I. An estimation method of service qualities for integrated visual communications and its application example 87−2756
Watanabe, K., Ishii, C. Perturbed fluxon state and current step in Josephson junction 85−46085
Watanabe, K., Ishikawa, A., Yamada, Y., Hibino, Y. A 32 b LISP processor 87−59616
Watanabe, K., Ishikawa, A., Yamada, Y., Hibino, Y. The ELIS AI-workstation 88−44186
Watanabe, K., Iwata, Y. Heat pump multi-unit air conditioner 87−5101
Watanabe, K., Kashiwabara, S., Fujimoto, R. Efficiency of chemical oxygen-iodine lasers: theoretical simulation and experiment 86−22296
Watanabe, K., Kato, M., Okabe, T. Radiation effects in SiO_2/Si structures 88−7392
Watanabe, K., Kato, M., Okabe, T., Nagata, M. Radiation hardened silicon devices using a novel thick oxide 86−35445
Watanabe, K., Kato, M., Okabe, T., Nagata, M. Radiation effects of double layer dielectric films 87−32413
Watanabe, K., Kato, M., Okabe, T., Nagata, M. Radiation hardened silicon surface passivation film 88−7582
Watanabe, K., Masumoto, H. The effect of various additional elements on properties of Fe-Pt permanent magnets having high energy product 85−46015
Watanabe, K., Matsumoto, H. Switched-capacitor sequential-flash data converters 88−12457
Watanabe, K., Matsumoto, H., Fujiwara, K. Switched-capacitor cyclic data converters 86−27390
Watanabe, K., Matsumoto, H., Fujiwara, K. Switched-capacitor frequency-to-voltage and voltage-to-frequency converters 86−67453
Watanabe, K., Matsumoto, H., Fujiwara, K. Switched-capacitor frequency-to-voltage and voltage-to-frequency converters 87−963
Watanabe, K., Miyahara, Y., Ohkuma, H., Shinoe, K. Drift velocity and pulse response of trapped ions in a circulating electron beam 88−29747
Watanabe, K., Murakami, S., Ishikawa, H., Kamae, T. Audio and visually augmented teleconferencing 85−52560
Watanabe, K., Mutoh, M., Kashiwabara, S., Fujimoto, R. Theoretical modelling and analyses of chemically pumped CW iodine laser oscillators 86−3063
Watanabe, K., Nakagawa, A., Ohashi, H. Design optimization of 1000 V resistive field plate 86−67895
Watanabe, K., Nakanishi, H., Yamada, K., Hoshikawa, K. Spatially resolved electrical and spectroscopic studies around dislocations in GaAs single crystals 85−1291
Watanabe, K., Nikai, I. Study on cooling characteristics of molten carbonate fuel cell 86−61729
Watanabe, K., Noto, K., Muto, Y. Superconducting properties of powder metallurgy processed Nb_3Al wires 87−67826
Watanabe, K., Noto, K., Muto, Y., Maeda, H., Sato, A., Takano, I., Suzuki, E., Uchiyama, Y. Research and development for pressurized He II cooled superconducting magnets 87−53928
Watanabe, K., Noto, K., Sasaki, T., Muto, Y. On the 16.5 T superconducting magnet operation 87−53930
Watanabe, K., Ohtsuka, S., Inoue, M. Numerical analysis of parallax for integrated display with parallel writing and monitoring planes 87−35147
Watanabe, K., Sasaki, M., Himmelblau, D.M. Determination of optimal measuring sites for fault detection of non-linear systems 86−18900
Watanabe, K., Shimoi, K., Gouda, Y. Optical transmission system for independent communications 87−28563
Watanabe, K., Sonoda, H., Minamimura, E., Kominami, Y., Horie, N., Ohkawa, S. A dedicated video-signal processing analog/digital CMOS LSI for automated visual assembly and inspection systems 86−34914
Watanabe, K., Suzuki, R., Yamada, K. Volume measurement of liquid in a deformed tank−application to the fuel meter of automobiles 88−16562
Watanabe, K., Temes, G.C. A switched-capacitor multiplier/divider with digital and analog outputs 85−929
Watanabe, K., Temes, G.C. A switched-capacitor digital capacitance bridge 85−17649
Watanabe, K., Temes, G.C. A switched-capacitor digital capacitance bridge 85−20690
Watanabe, K., Temes, G.C. A switched-capacitor building block for digital multiplication and division 85−34043
Watanabe, K., Yagyu, H., Sekii, Y., Marumo, M. Development of new water tree suppressive XLPE cable 86−39161
Watanabe, K. *see* Amano, H. 86−11584
Watanabe, K. *see* Chung, W.S. 86−14450, 86−24455
Watanabe, K. *see* Date, T. 87−41230
Watanabe, K. *see* Endoh, M. 86−67563
Watanabe, K. *see* Enomoto, T. 86−8372
Watanabe, K. *see* Goto, H. 85−51871, 87−48390
Watanabe, K. *see* Hagino, Y. 85−53191
Watanabe, K. *see* Hakamata, N. 88−58152
Watanabe, K. *see* Hamasaki, K. 85−46038, 85−62228
Watanabe, K. *see* Hashimoto, S. 88−51161
Watanabe, K. *see* Hattori, S. 88−60911
Watanabe, K. *see* Hirosaki, B. 86−23590
Watanabe, K. *see* Hyuga, F. 86−35531, 87−53176
Watanabe, K. *see* Ichimura, K. 85−11864
Watanabe, K. *see* Inoue, M. 88−71467
Watanabe, K. *see* Itoh, S. 86−11304
Watanabe, K. *see* Kamata, K. 87−67818
Watanabe, K. *see* Kamiya, T. 86−38278
Watanabe, K. *see* Kanazawa, H. 87−74970
Watanabe, K. *see* Kaneko, K. 85−26358
Watanabe, K. *see* Kano, Y. 86−25181
Watanabe, K. *see* Katsuta, G. 87−21939
Watanabe, K. *see* Kawada, H. 88−17798
Watanabe, K. *see* Kawaguchi, I. 86−17957
Watanabe, K. *see* Kido, G. 87−56820
Watanabe, K. *see* Kimura, Y. 87−14004
Watanabe, K. *see* Kobayashi, K. 88−3925
Watanabe, K. *see* Kondo, K. 87−8712, 87−56791, 88−44255
Watanabe, K. *see* Kondoh, K. 87−66277, 88−16012
Watanabe, K. *see* Liu, H. 85−13191
Watanabe, K. *see* Matsumoto, H. 85−45118, 86−67272, 87−29243, 87−45027, 87−66276, 88−4584, 88−16011, 88−19309
Watanabe, K. *see* Matsuoka, M. 85−44111, 85−49038
Watanabe, K. *see* Miki, T. 85−26686, 87−50167
Watanabe, K. *see* Miyazawa, S. 85−33404, 88−57585
Watanabe, K. *see* Mohamed, O.I. 88−9969
Watanabe, K. *see* Mohri, R. 88−3775
Watanabe, K. *see* Moto-Oka, T. 86−8728
Watanabe, K. *see* Muraoka, Y. 86−37288
Watanabe, K. *see* Murase, S. 85−46113, 85−62217
Watanabe, K. *see* Muto, Y. 87−53926
Watanabe, K. *see* Nagahama, Y. 87−20352
Watanabe, K. *see* Nagao, H. 86−58066
Watanabe, K. *see* Nagasawa, T. 88−22520
Watanabe, K. *see* Nagata, A. 87−53929
Watanabe, K. *see* Nakagawa, A. 85−55857, 86−47605, 87−25330, 87−38289, 87−46000, 88−19940, 88−70541
Watanabe, K. *see* Nakagawa, Y. 86−42202
Watanabe, K. *see* Nakai, M. 86−2384
Watanabe, K. *see* Nakamura, N. 85−23460
Watanabe, K. *see* Nakane, A. 85−39143
Watanabe, K. *see* Nakano, S. 87−23740
Watanabe, K. *see* Nishiwaki, K. 86−71019, 88−17781

Watanabe, K. *see* Noto, K. 85—41087, 85—41091, 85—46107, 86—48045, 87—12081, 87—53911, 87—53927, 87—56722, 88—39819
Watanabe, K. *see* Obata, S. 88—60483
Watanabe, K. *see* Ohara, M. 86—61438
Watanabe, K. *see* Ohnishi, M. 86—14881
Watanabe, K. *see* Ohtsuka, S. 88—29054, 88—29095
Watanabe, K. *see* Okayama, S. 88—39542
Watanabe, K. *see* Osaka, J. 86—21123
Watanabe, K. *see* Ota, M. 88—60839
Watanabe, K. *see* Rathore, T.S. 85—34045
Watanabe, K. *see* Saito, H. 87—68380
Watanabe, K. *see* Saito, M. 87—6345
Watanabe, K. *see* Saitoh, S. 86—18106
Watanabe, K. *see* Sakamoto, H. 88—42215
Watanabe, K. *see* Sato, S. 87—7998
Watanabe, K. *see* Sawada, K. 85—31225
Watanabe, K. *see* Shimada, T. 87—55655
Watanabe, K. *see* Shimizu, H. 88—56766
Watanabe, K. *see* Shouda, M. 88—19193
Watanabe, K. *see* Suzuki, K. 86—35442
Watanabe, K. *see* Suzuki, R. 85—65596, 88—49268, 88—62746
Watanabe, K. *see* Tachigami, S. 85—18735, 86—2689
Watanabe, K. *see* Takahashi, K. 88—47289
Watanabe, K. *see* Takahashi, T. 86—49212
Watanabe, K. *see* Takenaka, T. 85—13845
Watanabe, K. *see* Tamagami, M. 86—4221
Watanabe, K. *see* Tsuda, S. 86—33664, 87—9845, 87—31573
Watanabe, K. *see* Tsuzuki, N. 87—60374
Watanabe, K. *see* Uchiyama, T. 86—30514
Watanabe, K. *see* Ueno, S. 86—4821
Watanabe, K. *see* Usukura, T. 85—52062
Watanabe, K. *see* Wakahara, T. 85—13457
Watanabe, K. *see* Wakao, M. 88—73821
Watanabe, K. *see* Watanabe, T. 88—69676
Watanabe, K. *see* Won Sup Chung 86—55596
Watanabe, K. *see* Yamada, S. 88—3733
Watanabe, K. *see* Yamaguchi, Y. 87—26781
Watanabe, K. *see* Yanagawa, H. 88—47150
Watanabe, K. *see* Yokote, H. 88—75624
Watanabe, K. *see* Yoshida, K. 86—25101
Watanabe, M. Semiconductor industry in Japan—past and present 85—12079
Watanabe, M. Overview of communication LSIs 86—53763
Watanabe, M. The UVSOR Facility: status in 1985 86—60536
Watanabe, M. Automated equipment in surface mount technology 87—23347
Watanabe, M. Learning implementation rules in VLSI design by monitoring designer's solutions 87—25444
Watanabe, M. 'KT Krypton' incandescent lamp 88—6022
Watanabe, M. Technical development of LEDs: searching for high brightness devices 88—53788
Watanabe, M., Endoh, A., Watanabe, S. Single picosecond UV pulse generation by mode-locking of an excimer laser-pumped dye laser 87—2090
Watanabe, M., Harima, M., Nakagawa, J., Suzuki, M., Nishimura, M. The development of slip-ring materials for space use 88—12095
Watanabe, M., Hidaka, T., Mitsuhashi, Y. Upper limits of soft X-ray transmission factors for curved hollow-core glass fibers 87—68086
Watanabe, M., Hidaka, T., Tanino, H., Hoh, K., Mitsuhashi, Y. Vacuum ultraviolet light transmission through hollow-core quartz-glass cladding optical fibers 85—7206
Watanabe, M., Itoh, H., Mukai, S., Yajima, H. Optical tristability using a twin-stripe laser diode 87—39203
Watanabe, M., Itoh, H., Mukai, S., Yajima, H. Optical ternary memory and logic operation using a twin-stripe laser diode 88—45063
Watanabe, M., Itoh, H., Mukai, S., Yajima, H., Saito, M., Uekusa, S. Mechanism of the negative slope in the current-light characteristics of twin-stripe lasers 87—54328
Watanabe, M., Itoh, H., Saito, M., Mukai, S., Yajima, H., Uekusa, S. Optical tristability using a twin-stripe laser diode 87—26242
Watanabe, M., Iwamoto, M. Knowledge acquisition in VLSI design expert systems 88—6605
Watanabe, M., Kurazono, S. An analysis of coupling between polarization maintaining fibers 86—15501
Watanabe, M., Kyoto, M., Yoshioka, N., Kanamori, H., Tanaka, G., Nishimura, M., Tanaka, S. The characteristics of fluorine added VAD single-mode fiber 86—2820
Watanabe, M., Matachi, A., Ishibashi, T., Noya, A., Kuriki, S. Superconducting Y-Ba-Cu oxide films as-grown by RF diode sputtering 88—51384
Watanabe, M., Matsui, K., Yokota, H., Kanamori, H., Tanaka, G., Isoya, J. The reduction of the radiation induced loss increase of pure silica core single-mode fiber 86—42312
Watanabe, M., Mukai, S., Itoh, H., Yajima, H. Optical tristability and associated ternary digital functions using a twin-stripe laser diode 88—27288
Watanabe, M., Mukai, S., Itoh, H., Yajima, H. Analysis of lateral-mode behavior of twin-stripe lasers related to the negative slope in their current-light characteristics 88—34010
Watanabe, M., Nagano, S., Sanui, K., Ogata, N. Structure-conductivity relationship in polymer electrolytes formed by network polymers from poly[dimethylsiloxane-g-poly(ethylene oxide)] and lithium perchlorate 87—72383
Watanabe, M., Nonomura, K., Ueda, M., Kanehisa, T., Moriyama, Y., Nishida, J. A color flat-panel display using matrix drive and deflection system 86—31521
Watanabe, M., Obata, T., Takahashi, E. Development of converter transformers and smoothing reactors 86—39889
Watanabe, M., Ohashi, K. Magnetic heads 87—12052
Watanabe, M., Ohta, Y., Ikeda, K. Improving accuracy of depth determination by right-angled trinocular stereo 87—77423
Watanabe, M., Onoguchi, K., Kuno, Y., Hoshino, H., Tsunekawa, S. Obstacle detection method for mobile robots with stereo vision 87—75931
Watanabe, M., Osaki, E., Horii, S., Kageyama, S. A new recursive estimation method for digital image restoration filter and its applications 87—27655
Watanabe, M., Suzuki, I.H., Hidaka, T., Nishi, M., Mitsuhashi, Y. Soft X-ray transmission characteristics of hollow-core fused-quartz fibers 86—22068
Watanabe, M., Watanabe, S., Endoh, A. Generation of a 300-psec pulse by direct mode locking of a long-pulse XeCl laser 85—2225
Watanabe, M., Watanabe, S., Endoh, A. Mode locking of excimer laser pumped dye lasers 85—7394
Watanabe, M., Yokota, H., Hoshikawa, M. Fabrication of Yb_2O_3-SiO_2 core fiber by a new process 86—36223
Watanabe, M. *see* Abe, F. 85—57929
Watanabe, M. *see* Chigusa, Y. 88—58095
Watanabe, M. *see* Dazai, M. 85—58118
Watanabe, M. *see* Den, H. 87—78120
Watanabe, M. *see* Ebihara, D. 87—72487
Watanabe, M. *see* Endoh, A. 87—19022, 87—61277, 88—14112
Watanabe, M. *see* Furukawa, Y. 88—13812
Watanabe, M. *see* Goto, S. 87—86
Watanabe, M. *see* Hara, O. 86—4367
Watanabe, M. *see* Harada, N. 85—21830
Watanabe, M. *see* Hashimoto, O. 86—45544, 86—67853, 87—38235 to 38236, 88—71538
Watanabe, M. *see* Hijikigawa, M. 86—55679
Watanabe, M. *see* Hirano, M. 87—63351
Watanabe, M. *see* Hiyama, M. 86—9867
Watanabe, M. *see* Imai, T. 88—31809
Watanabe, M. *see* Inuzuka, E. 87—20928
Watanabe, M. *see* Iso, A. 87—14990
Watanabe, M. *see* Kambayashi, S. 87—32234
Watanabe, M. *see* Kanamori, H. 87—7127
Watanabe, M. *see* Kikumoto, Y. 87—55659
Watanabe, M. *see* Kubo, K. 86—7189
Watanabe, M. *see* Kurita, A. 86—66132
Watanabe, M. *see* Kyoto, M. 88—58151
Watanabe, M. *see* Lee, T.G. 86—21040
Watanabe, M. *see* Miyahara, H. 86—18241, 87—3898
Watanabe, M. *see* Miyazaki, H. 87—33656
Watanabe, M. *see* Miyazaki, J. 88—41462
Watanabe, M. *see* Mochizuki, K. 85—48116
Watanabe, M. *see* Morimoto, K. 87—53897, 88—51194
Watanabe, M. *see* Motoda, Y. 87—27234
Watanabe, M. *see* Mukai, S. 85—41378, 86—36490, 87—46569, 87—61150, 88—20690
Watanabe, M. *see* Nadahara, S. 88—20100
Watanabe, M. *see* Nagata, M. 85—56244
Watanabe, M. *see* Nagata, T. 88—57166
Watanabe, M. *see* Nakamura, Y. 86—5008
Watanabe, M. *see* Nanba, T. 88—25051
Watanabe, M. *see* Nonomura, K. 87—8397
Watanabe, M. *see* Nonumura, K. 87—34749
Watanabe, M. *see* Obara, S. 87—78708
Watanabe, M. *see* Ohmae, T. 87—30644
Watanabe, M. *see* Ohta, Y. 87—48137
Watanabe, M. *see* Ohwa, M. 87—16577
Watanabe, M. *see* Ooe, M. 88—45159
Watanabe, M. *see* Ozaki, M. 85—1704
Watanabe, M. *see* Sasase, I. 86—23759
Watanabe, M. *see* Sato, H. 85—56352
Watanabe, M. *see* Seki, K. 86—60475
Watanabe, M. *see* Sekine, A. 85—33178
Watanabe, M. *see* Shimizu, K. 88—61269
Watanabe, M. *see* Sueyasu, Y. 85—57634
Watanabe, M. *see* Suganuma, Y. 86—9413
Watanabe, M. *see* Takahashi, M. 86—39663, 87—30481
Watanabe, M. *see* Tanaka, G. 87—46545, 88—33619
Watanabe, M. *see* Taniguchi, A. 88—15981
Watanabe, M. *see* Tanno, Y. 86—27458, 87—52714
Watanabe, M. *see* Terashima, K. 86—52435, 87—73046
Watanabe, M. *see* Tsuchiya, Y. 87—54387
Watanabe, M. *see* Umeda, M. 85—41093, 87—67918 to 67922, 87—74609
Watanabe, M. *see* Watanabe, S. 87—26323, 87—33109, 88—8131, 88—65585
Watanabe, M. *see* Yasuami, S. 87—32556
Watanabe, M. *see* Yonezawa, H. 87—14680
Watanabe, M. *see* Yoshikawa, H. 87—63403, 88—47539, 88—67833
Watanabe, M. *see* Yoshimura, T. 86—21290
Watanabe, M.O., Maeda, H. Electron activation energy in Si-doped AlGaAs grown by MBE 85—11916
Watanabe, M.O., Ohba, Y. Interface properties for GaAs/InGaAlP heterojunctions by the capacitance-voltage profiling technique 87—45640
Watanabe, M.O., Yoshida, J., Mashita, M., Nakanisi, T., Hoio, A. Band discontinuity for GaAs/AlGaAs heterojunction determined by *C-V* profiling technique 85—50241
Watanabe, M.O., Yoshida, J., Mashita, M., Nakanishi, T., Hojo, A. C-V profiling studies on MBE-grown GaAs/AlGaAs heterojunction interface 85—34602
Watanabe, M.O., Yoshida, J., Nakanisi, T., Kawano, M., Kamei, K. C-V profiling studies on selectively doped GaAs/n-AlGaAs heterostructures 86—53439
Watanabe, M.O. *see* Ashizawa, Y. 86—21137
Watanabe, M.O. *see* Kamei, K. 86—53685
Watanabe, M.O. *see* Ohba, Y. 88—56931
Watanabe, N. Resonance detection methods in spectrometers 86—5854
Watanabe, N. Superlattices and superstructures grown by metal-organic chemical vapor deposition 87—5466
Watanabe, N. Integrated voice data terminals 88—21842
Watanabe, N., Fukunaga, T., Kobayashi, L.I., Nakashima, H. Surface defect formation in GaAs layers grown on intentionally contaminated substrates by molecular beam epitaxy 86—440
Watanabe, N., Hagiwara, R., Nakajima, T. On the relation between the overpotentials and structures of graphite fluoride electrode in nonaqueous lithium cell 85—16210
Watanabe, N., Hirano, M., Kobayashi, M., Yukimatsu, K. A preemptive packet transfer scheme with virtual cells in a long packet 87—19991
Watanabe, N., Hirano, M., Kobayashi, M., Yukimatsu, K. A preemptive packet transfer scheme with virtual cells in a long packet 88—41125
Watanabe, N., Ishizaka, Y., Kimura, K., Imaoka, E. High density recording with perpendicular Co-Cr-Nb media and ring heads 86—28654
Watanabe, N., Kawai, H. Single and coupled double-well GaAs/AlGaAs and energy-dependent light-hole mass 87—24837
Watanabe, N., Misawa, M., Sasaki, H. KENS program—present and future 88—36347
Watanabe, N., Mori, Y. Ultrathin GaAs/GaAlAs layers grown by MOCVD and their structural characterization 87—319
Watanabe, N., Oikawa, T., Tobioka, T., Takama, N., Kinoshita, A. Large-scale reliability analysis by decomposition and integration [nuclear plants] 85—48746
Watanabe, N., Suda, T. Evaluation of error recovery protocols in high-speed packet switched networks 88—46355
Watanabe, N., Yamaguchi, T., Nishikawa, K., Yabe, O., Shinzawa, K., Kawamura, A. Nuclear power plant local equipment remote control and monitoring systems 88—48680
Watanabe, N., Yukimatsu, K., Doi, T., Ishizuka, M., Yoneda, E., Kawashima, M., Hayashi, K. Network testing for digital data networks 87—27845
Watanabe, N. *see* Abe, K. 85—43843
Watanabe, N. *see* Akimoto, K. 86—7794
Watanabe, N. *see* Arita, T. 85—25668
Watanabe, N. *see* Deto, H. 87—41742
Watanabe, N. *see* Hamanaka, J.-I. 87—78523
Watanabe, N. *see* Hase, I. 85—55778, 86—53392, 86—53609, 88—1640, 88—33154
Watanabe, N. *see* Hashimoto, A. 86—48297, 86—58840, 87—65513
Watanabe, N. *see* Hayafuji, Y. 85—12048, 86—7811
Watanabe, N. *see* Ikeda, M. 85—2299, 85—7431, 85—46415, 86—15681, 86—36456, 86—54162, 87—16597, 87—54291
Watanabe, N. *see* Imanaga, S. 86—47536, 88—1437
Watanabe, N. *see* Inoue, K. 85—64504
Watanabe, N. *see* Ishibashi, A. 86—8837
Watanabe, N. *see* Ishikawa, Y. 86—56017
Watanabe, N. *see* Iwakami, T. 88—47111
Watanabe, N. *see* Kajiwara, K. 85—34564
Watanabe, N. *see* Kamada, M. 88—33240
Watanabe, N. *see* Kasahara, J. 86—9133, 86—28328, 86—35710, 86—35909
Watanabe, N. *see* Kawai, H. 85—11933, 85—61735, 87—31559, 88—18752
Watanabe, N. *see* Kobayashi, K.L.I. 85—29042
Watanabe, N. *see* Kobayashi, M. 87—11459
Watanabe, N. *see* Mori, Y. 86—62246
Watanabe, N. *see* Nakamura, Y. 86—37530
Watanabe, N. *see* Noro, M. 85—3856
Watanabe, N. *see* Numata, J. 86—1115
Watanabe, N. *see* Ohta, N. 86—30515

Watanabe, N. *see* Ohya, M. 87—7640
Watanabe, N. *see* Shinozaki, K. 88—27162
Watanabe, N. *see* Suda, T. 88—52646
Watanabe, N. *see* Suzuki, K. 86—52305
Watanabe, N. *see* Taira, K. 85—50502, 88—71322
Watanabe, N. *see* Takemoto, Y. 87—65597
Watanabe, N. *see* Takiguchi, S. 88—42995
Watanabe, N. *see* Taniguchi, R. 86—18582
Watanabe, N. *see* Toda, K. 88—53803
Watanabe, N. *see* Touhara, H. 85—10082, 87—58270
Watanabe, N. *see* Utsumi, H. 88—4694
Watanabe, N. *see* Yukimatsu, K. 87—48435
Watanabe, N.T. *see* Behbehani, K. 87—8939
Watanabe, O. Digital servo system for VTR 85—14487
Watanabe, O. *see* Inada, K. 87—8288
Watanabe, O. *see* Naito, T. 87—7013
Watanabe, O. *see* Onodera, T. 87—74687
Watanabe, O. *see* Tamaki, Y. 87—7140
Watanabe, O. *see* Tanaka, A. 87—2629
Watanabe, O. *see* Tanaka, M. 85—31020
Watanabe, O. *see* Yokosuka, H. 88—21901
Watanabe, R. Multimedia VAN and its effective applications 87—69470
Watanabe, R., Andoh, H., Iwashita, K., Kurosawa, Y., Tsuda, H. Co-Ag-Te electrode materials for the low surge vacuum circuit breaker 88—63382
Watanabe, R., Okada, K., Tanaka, C. Optical subscriber loop system for business premises 85—3236
Watanabe, R. *see* Ishii, R. 86—57413, 87—233
Watanabe, R. *see* Kawasaki, K. 88—16361
Watanabe, R. *see* Kurosawa, Y. 86—33552
Watanabe, R. *see* Nagata, Y. 85—31032, 86—10652
Watanabe, R. *see* Sano, K. 85—25599, 85—31058, 85—47533, 86—43863, 86—64986, 86—69768, 87—8260
Watanabe, R. *see* Shirakawa, H. 85—63719
Watanabe, R. *see* Thomas, J. 88—16627
Watanabe, R. *see* Uematsu, H. 87—69421, 87—76433, 88—53099, 88—59903
Watanabe, R. *see* Watanabe, H. 85—10052
Watanabe, S. Integrated test system DIC-9035B for ASIC tests at 200-MHz rate 87—70370
Watanabe, S., Endoh, A., Watanabe, M. A picosecond high power KrF laser system 87—33109
Watanabe, S., Endoh, A., Watanabe, M. High power picosecond KrF laser system 88—8131
Watanabe, S., Endoh, A., Watanabe, M., Surakura, N. Terawatt XeCl discharge laser system 88—65585
Watanabe, S., Fukao, T. Multi-step diakoptics for parallel computation of network problems 86—57562
Watanabe, S., Fukao, T. Multi-step diakoptics and parallel computation method for large-scale network problems 87—44480
Watanabe, S., Hidaka, S., Sawamura, M., Iijima, H. Enhancement of YEWCOM's communicating function 86—37515
Watanabe, S., Hoshiko, T. DIPS computer complex featuring 100 Mb/s optical fiber rings 87—40900
Watanabe, S., Ikeda, K., Yoshida, T. An image and graphic data-processing system for use by electric utility companies 86—39079
Watanabe, S., Kasuga, O., Kaneko, K. General purpose 50 GHz transmitter-receiver 85—20023
Watanabe, S., Noda, A., Takanaka, M., Tokuda, N., Yamada, S., Yoshizawa, M., Hattori, T., Katayama, T., Hirao, Y. Beam stacking experiments at the ion accumulation ring TARN 88—74660
Watanabe, S., Ohta, T. Digital storage oscilloscopes improved in speed, capacity and resolution 86—31477
Watanabe, S., Ondoh, T., Nakamura, Y., Aikyo, K. Observations of the magnetosphere and ionosphere by Dynamics Explorer satellite. VII. Analysis of VLF hiss measured by DE-1 using spin effect 88—36205
Watanabe, S., Ozaki, J., Miyauchi, M., Tatematsu, M., Hori, S., Kamei, K. GaAs monolithic MIC mixer-IF amplifiers for direct broadcast satellite receivers 85—1048
Watanabe, S., Sakui, K., Fuse, T., Aritome, S., Hiede, K. BiCMOS circuit technology for high speed DRAMs 88—764
Watanabe, S., Shinozaki, S., Kusama, N., Miyazaki, S., Nakata, T. Si-monolithic microwave prescalar IC 85—1049
Watanabe, S., Shinozaki, S., Kusama, N., Miyazaki, S.-I., Nakata, T.-A. Si-monolithic microwave prescaler IC 85—17824
Watanabe, S., Shinozaki, S., Kusama, N., Miyazaki, S., Nakata, T. Si monolithic microwave prescaler IC 85—23120
Watanabe, S., Takei, Y. Communication control processor for large scale data processing systems 87—28086
Watanabe, S., Tomoda, Y. Magnetic anisotropy energy of Permalloy thin film evaporated on different substrates 86—2583
Watanabe, S., Ueda, S., Nakazato, N., Takai, M. Photolytic etching of polycrystalline silicon in SF_6 atmosphere 87—25115
Watanabe, S., Watanabe, M., Endoh, A., Sato, T. High repetition long pulse XeCl laser with a coaxial ceramic pulse-forming line 87—26323
Watanabe, S., Yamane, T., Tani, M., Okino, K., Shibano, I., Takenaka, H. Nd:YAG laser, SL117-3B, SL117-4B and their applications for laser machining 88—51778
Watanabe, S. *see* Aizawa, O. 86—70283
Watanabe, S. *see* Aoki, K. 85—28485
Watanabe, S. *see* Aoki, T. 85—45239
Watanabe, S. *see* Chikama, T. 88—53253
Watanabe, S. *see* Endoh, A. 86—56860, 87—19022, 87—61277, 88—14112
Watanabe, S. *see* Furuyama, T. 87—24206, 87—52577
Watanabe, S. *see* Gohda, Y. 85—28470
Watanabe, S. *see* Horiguchi, F. 87—17066
Watanabe, S. *see* Iizuka, H. 87—66189
Watanabe, S. *see* Kako, F. 87—16848 to 16849
Watanabe, S. *see* Kano, N. 87—15030
Watanabe, S. *see* Kato, K. 85—34403
Watanabe, S. *see* Konishi, T. 87—55649
Watanabe, S. *see* Miyata, T. 86—47132
Watanabe, S. *see* Nagura, S. 88—61913
Watanabe, S. *see* Naito, S. 87—14392
Watanabe, S. *see* Nakamura, M. 88—9331
Watanabe, S. *see* Nakano, M. 88—16276
Watanabe, S. *see* Nitta, T. 88—21140, 88—40871
Watanabe, S. *see* Noda, A. 85—15117
Watanabe, S. *see* Nonaka, M. 88—56767
Watanabe, S. *see* Ohno, J. 88—22767
Watanabe, S. *see* Ohsako, M. 87—8173
Watanabe, S. *see* Ondoh, T. 88—34337, 88—45688
Watanabe, S. *see* Oowaki, Y. 86—47851, 87—59414, 88—6740
Watanabe, S. *see* Saito, N. 85—3648
Watanabe, S. *see* Sato, K. 86—31985, 88—51973
Watanabe, S. *see* Sato, S. 86—48077
Watanabe, S. *see* Shibata, N. 86—30712
Watanabe, S. *see* Sugimoto, M. 86—30993
Watanabe, S. *see* Sugino, R. 88—19843
Watanabe, S. *see* Takai, T. 88—53224
Watanabe, S. *see* Takakuwa, H. 85—29215, 86—53636
Watanabe, S. *see* Takebayashi, Y. 85—36229
Watanabe, S. *see* Takeuchi, N. 88—2890
Watanabe, S. *see* Tanaka, K. 87—32526
Watanabe, S. *see* Tanaka, N. 87—77620
Watanabe, S. *see* Tokuda, N. 86—24991
Watanabe, S. *see* Tsuji, T. 85—53287
Watanabe, S. *see* Ukita, T. 85—51568, 87—19538
Watanabe, S. *see* Wada, M. 85—50729
Watanabe, S. *see* Watanabe, M. 85—2225, 85—7394, 87—2090
Watanabe, S. *see* Watanabe, Y. 87—23935
Watanabe, S. *see* Yamazaki, T. 88—39125
Watanabe, S. *see* Yoshino, Y. 87—68674
Watanabe, S. *see* Yuasa, H. 88—75423
Watanabe, S.F., Cahill, R.F. An overview of Mach-Zehnder interferometric sensors 87—12147
Watanabe, S.F., Joseph, A.A., Turner, H.B., Holmes, S.A., Freidah, J.T. Optical quadrature demodulator for coherent detection and sensor applications 86—68298
Watanabe, S.F. *see* Otaguro, W.S. 87—41499
Watanabe, S.F. *see* Udd, E. 86—68290
Watanabe, S.H. *see* Zuleeg, R. 87—17781
Watanabe, T. The miniature buzzer and how it is built 85—9396
Watanabe, T. Low-noise operation in buried-channel MOSFETs 85—55825
Watanabe, T. Electrical and collecting characteristics in a model ESP unit 86—15855
Watanabe, T. Speaker-independent connected Japanese digit recognition based on phonetic approach 86—16265
Watanabe, T. Syllable recognition for continuous Japanese speech recognition 87—19608
Watanabe, T. Pattern matching techniques for speech recognition 87—47560
Watanabe, T. Electron microscope—transmission electron microscope and scanning electron microscope 87—53143
Watanabe, T. An 8 Kbyte intelligent cache memory 87—59506
Watanabe, T. A fast algorithm for color image quantization using only 256 colors 87—62216
Watanabe, T. Analysis and experiments on power amplifier with feed-forward linearizer 88—6672
Watanabe, T. Electronic interlocking system using fail-safe microcomputer module 88—37686
Watanabe, T. Aspect of electromechanical filters 88—38606
Watanabe, T. Speaker-independent word recognition using dynamic programming matching with statistic time warping cost 88—66382
Watanabe, T., Azuma, K., Nakatani, M., Suzuki, K., Sonobe, T., Shimada, T. Chemical vapor deposition of a-Si:H films utilizing a microwave excited Ar plasma stream 87—31574
Watanabe, T., Azuma, K., Tanaka, M., Nakatani, M., Sonobe, T., Shimada, T. Influence of deposition conditions on properties of a-SiGe:H prepared by microwave-excited plasma CVD 88—63367
Watanabe, T., Baba, H. A floor-plan design system for LSI layout 86—63393
Watanabe, T., Baba, K., Yamada, T., Yamashita, H. Digital international telephone switching system 85—36844
Watanabe, T., Ebisu, T. SQUID fluxmeter search for monopoles in 400 kg of old iron ore 85—31736
Watanabe, T., Fujinami, H., Takuma, T., Sunaga, Y. DC corona discharge characteristics and ion-flow distribution for several types of rods under low pressure 86—68685
Watanabe, T., Goto, N., Yasuhisa, N., Yanase, T., Tanaka, T., Shinozaki, S. Highly reliable trench capacitor with $SiO_2/Si_3N/SiO_2$ stacked film 88—1463
Watanabe, T., Hiraoka, S., Kaga, K., Kimura, T., Motomura, T. Real time PARCOR analysis and synthesis of speech 85—13524
Watanabe, T., Hotta, M., Washio, K., Maio, K., Okabe, T., Ueda, S. A 10-bit/30-Msps ADC for video processing using a scaled down analog/digital bipolar technology 85—37291
Watanabe, T., Inoue, S., Karatsu, O. Applications of CAD/CAM systems for industrial use—CAD system for LSI design 88—26394
Watanabe, T., Ishida, A., Sugizaki, Y., Okada, T., Asano, H. Remote control equipment for section switch of distribution line 87—71557
Watanabe, T., Ishikawa, H. Performance evaluation of radio packet access protocols for mobile communication systems 85—25778
Watanabe, T., Ishiuchi, H., Tanaka, T., Mochizuki, T., Ozawa, O. Mechanism of oxide leakage current of silicide gate MOSFETs 85—6968
Watanabe, T., Itoh, K., Kitawaki, N. Speech quality assessment for voiceband CODECs 86—17059
Watanabe, T., Kasai, A. Hall mobility in n-type molybdenum ditelluride 85—61711
Watanabe, T., Kinoshita, K. Study of precipitation in Bridgman-grown $Pb_{1-x}Sn_xTe$ single crystals by TEM 87—45632
Watanabe, T., Kitazawa, H., Sugiyama, Y. A parallel adaptable routing algorithm and its implementation on a two-dimensional array processor 87—38362
Watanabe, T., Koga, M., Morishima, S., Toyoda, K., Watanabe, K. Development of reformer for fuel cell system 88—69676
Watanabe, T., Kuri, T., Sakagami, I., Hatori, K. On the synthesis of constant-resistance distributed-coupled-line networks by stationary responses of periodic impulse train 86—20232
Watanabe, T., Maio, K., Norisue, K., Hayashi, S., Ueda, S. A 400-MHz DA converter with 4-bit color map for 2000-line display 88—842
Watanabe, T., Maio, K., Norisue, K., Hayashi, S., Ueda, S. A 400-MHz DA converter with a 4-bit color map for 2000-line display 88—32281
Watanabe, T., Masuishi, T., Nishiyama, T., Horie, N. Knowledge-based optimal IIL circuit generator from conventional logic circuit descriptions 87—5844
Watanabe, T., Matsumoto, M. Design of multi-valued asynchronous sequential circuits using hyperplanes 85—17337
Watanabe, T., Matsumoto, M., Imafuku, C. A study on optimization of integrated packet networks with voice and data 86—64505
Watanabe, T., Matsumoto, M., Li, T. Logical-sum and logical-product circuits using CMOS transistors for binary and multiple-valued logics 87—59331
Watanabe, T., Matsumoto, M., Li, T. New logical-sum and logical-product circuits using CMOS transistors and their applications to four-valued combinational circuits 87—66037
Watanabe, T., Matsumoto, M., Li, T., Hirayama, T. CMOS four-valued logic circuits using charge control technique 88—71800
Watanabe, T., Matsumoto, M., Nagaru, S. Design of quaternary switching circuits using individual MOS pass-transistors and capacitor memory 86—57807
Watanabe, T., Menjoh, A., Ishikawa, M., Kumagai, J. Stacked $SiO_2/Si_3N_4/SiO_2$ dielectric layer for reliable memory capacitor 85—50327
Watanabe, T., Menjoh, A., Mochizuki, T., Shinozaki, S., Ozawa, O. A 100 Å thick stacked $SiO_2/Si_3N_4/SiO_2$ dielectric layer for memory capacitor 86—14966
Watanabe, T., Morimoto, M., Yamamoto, Y. Surface acoustic wave devices 88—39785
Watanabe, T., Morimoto, M., Yamamoto, Y., Fushimi, S., Iwanaga, Y., Yamada, Y. Newest trends of SAW devices 88—39784
Watanabe, T., Morimoto, M., Yamamoto, Y., Iwanaga, Y., Suda, H., Yamada, Y. Recent progress of high performance SAW devices 88—39787
Watanabe, T., Morioka, K. Measurements of air swirl induced in steady flow in cylinder 88—31453

Watanabe, T., Morita, H., Arasawa, H., Hasegawa, M. AD/DA converter test system (3520F) 87−63251
Watanabe, T., Moritsu, K., Matsumoto, T., Ogino, O., Ohara, A. Cryostatic and cryogenic engineering and superconducting magnets for magnetic resonance imaging (MRI) systems 87−67981
Watanabe, T., Nagabuchi, H., Kitawaki, N. Additive effect of subjective evaluation for voiceband CODECs 87−13479
Watanabe, T., Nagabuchi, H., Kitawaki, N. Law of addition for subjective quality of voiceband codecs 88−9310
Watanabe, T., Nagabuchi, H., Kitawaki, N. A word-selecting method for intelligibility assessment of synthesized speech by rule 88−52388
Watanabe, T., Narasaki, I., Okuda, T. Circuit construction for IC-41DSK multiburner induction cooker 85−32826
Watanabe, T., Sakagami, I., Hatori, K., Kuri, T. On the synthesis of constant-resistance distributed-coupled-line networks by stationary responses of periodic impulse train 87−44508
Watanabe, T., Satoh, G., Sakura, K., Yamasaki, N., Shinonaga, H. Compensation for up-path scintillation in satellite link of 14/11 GHz bands 86−23814
Watanabe, T., Shimizu, Y. Highly stable SAW devices on LST cut of quartz 88−20231
Watanabe, T., Sugiyama, Y. A new routing algorithm and its hardware implementation 87−6847
Watanabe, T., Suzuki, H. An experimental evaluation of the classifiers using spatial context for multispectral images 87−62219
Watanabe, T., Suzuki, H. A study on compound decision theory and adaptive classification for multispectral image data 88−73236
Watanabe, T., Takahashi, W. Separation and measurement of overlapping ellipse-like patterns by least-squares method 87−69343
Watanabe, T., Tanaka, M., Azuma, K., Nakatani, M., Sonobe, T., Shimada, T. Chemical vapor deposition of a-SiGe:H films utilizing a microwave-excited plasma 87−52189
Watanabe, T., Tanaka, M., Azuma, K., Nakatani, M., Sonobe, T., Shimada, T. Microwave-excited plasma CVD of a-Si:H films utilizing a hydrogen plasma stream or by direct excitation of silane 87−73140
Watanabe, T., Yao, M., Kayashima, H., Yamaguchi, N., Hamada, T. A high-definition television receiver 87−76945
Watanabe, T. *see* Akita, K. 87−36221, 87−79136, 88−37676
Watanabe, T. *see* Ando, T. 86−42798
Watanabe, T. *see* Aoyama, T. 85−53105, 87−35356, 87−50143
Watanabe, T. *see* Arizumi, M. 87−31938
Watanabe, T. *see* Azuma, K. 88−37468
Watanabe, T. *see* Ebisu, T. 85−15244
Watanabe, T. *see* Fujioka, K. 87−41965
Watanabe, T. *see* Fujita, K. 86−43689
Watanabe, T. *see* Fukuda, M. 88−46718
Watanabe, T. *see* Furusawa, T. 88−29081
Watanabe, T. *see* Furuyama, T. 87−10852
Watanabe, T. *see* Fushimi, S. 88−26643, 88−50233
Watanabe, T. *see* Hagiwara, R. 85−25684
Watanabe, T. *see* Handa, K. 85−1086, 85−28258
Watanabe, T. *see* Hase, I. 88−33154
Watanabe, T. *see* Hasegawa, M. 88−10977
Watanabe, T. *see* Hatazaki, K. 87−19553, 87−61701
Watanabe, T. *see* Hayashi, F. 87−8281
Watanabe, T. *see* Higuchi, M. 88−19138
Watanabe, T. *see* Hori, R. 87−59507
Watanabe, T. *see* Horiike, Y. 85−18440
Watanabe, T. *see* Hotta, M. 85−49951, 86−46929
Watanabe, T. *see* Ichida, K. 86−34799
Watanabe, T. *see* Iida, N. 87−31937
Watanabe, T. *see* Iiyoshi, T. 85−27845
Watanabe, T. *see* Ikeda, Y. 86−70762
Watanabe, T. *see* Imamura, K. 86−59887
Watanabe, T. *see* Irino, T. 88−7767
Watanabe, T. *see* Ishichi, H. 86−46855
Watanabe, T. *see* Ishihara, K. 85−44216
Watanabe, T. *see* Ishioka, T. 86−8062
Watanabe, T. *see* Ishiuchi, H. 87−753
Watanabe, T. *see* Ishizaki, Y. 87−48380
Watanabe, T. *see* Kakinuma, H. 86−1992, 86−36315, 86−67692, 87−18823, 87−54166
Watanabe, T. *see* Kamaya, M. 87−31897 to 31898
Watanabe, T. *see* Kamikubota, N. 86−50444
Watanabe, T. *see* Kan, H. 87−14862
Watanabe, T. *see* Kanauchi, S. 85−22879
Watanabe, T. *see* Kanomata, T. 87−74265
Watanabe, T. *see* Kasai, M. 87−15115
Watanabe, T. *see* Kawai, K. 87−69749
Watanabe, T. *see* Kawakatsu, A. 86−33827
Watanabe, T. *see* Kawamoto, H. 85−8537
Watanabe, T. *see* Kitsukawa, G. 88−6821
Watanabe, T. *see* Kobatake, H. 87−62250, 88−46274
Watanabe, T. *see* Kobori, Y. 86−17652
Watanabe, T. *see* Koike, M. 87−31899
Watanabe, T. *see* Koitabashi, M. 88−64215
Watanabe, T. *see* Kosugi, Y. 88−36502
Watanabe, T. *see* Kume, H. 86−47261
Watanabe, T. *see* Kumura, T. 87−61726
Watanabe, T. *see* Kuzushita, H. 88−26793, 88−26828
Watanabe, T. *see* Lundby, S. 86−39181
Watanabe, T. *see* Maehara, F. 85−15828
Watanabe, T. *see* Magaki, Y. 87−76725
Watanabe, T. *see* Maio, K. 86−8329, 86−34898
Watanabe, T. *see* Matsumoto, M. 87−37195, 88−19147
Watanabe, T. *see* Miura, M. 88−17593
Watanabe, T. *see* Miura, T. 86−3589
Watanabe, T. *see* Miya, K. 86−28768
Watanabe, T. *see* Miyahara, H. 85−31717, 86−18241, 87−3898, 87−35327
Watanabe, T. *see* Miyata, M. 86−7234
Watanabe, T. *see* Miyazaki, S. 88−46567
Watanabe, T. *see* Mori, C. 85−31690, 85−37936, 85−64455, 86−60549, 87−50123 to 50124, 87−77523, 88−54393
Watanabe, T. *see* Murai, Y. 86−39957, 88−11291, 88−31081
Watanabe, T. *see* Murakami, K. 86−70857
Watanabe, T. *see* Murano, K. 87−31947
Watanabe, T. *see* Muratani, T. 86−49519
Watanabe, T. *see* Nagano, K. 87−30236
Watanabe, T. *see* Nakamura, M. 86−8320
Watanabe, T. *see* Nakatani, Y. 85−60574
Watanabe, T. *see* Nire, T. 88−16335
Watanabe, T. *see* Nishida, Y. 88−29440
Watanabe, T. *see* Nishikawa, S. 85−54510, 86−46365, 87−6428
Watanabe, T. *see* Niwa, T. 88−8812
Watanabe, T. *see* Noda, K. 88−54250
Watanabe, T. *see* Nomoto, T. 88−7633
Watanabe, T. *see* Nomura, A. 86−5213, 86−17986
Watanabe, T. *see* Ogawara, T. 86−1155
Watanabe, T. *see* Ohkubo, M. 85−2496
Watanabe, T. *see* Ohnuma, T. 85−57046
Watanabe, T. *see* Ohta, K. 87−10526, 88−23207
Watanabe, T. *see* Ohtsubo, A. 87−25808, 87−46369, 88−51306
Watanabe, T. *see* Saito, H. 88−68236
Watanabe, T. *see* Sakagami, I. 86−62673
Watanabe, T. *see* Sakamoto, Y. 86−70899, 88−75647
Watanabe, T. *see* Sakurai, T. 85−61399
Watanabe, T. *see* Sekine, A. 85−33178
Watanabe, T. *see* Shimizu, H. 85−60942
Watanabe, T. *see* Shimizu, Y. 87−6980
Watanabe, T. *see* Sounai, A. 88−17919
Watanabe, T. *see* Sugimoto, T. 86−38020
Watanabe, T. *see* Sugimoto, Y. 85−869
Watanabe, T. *see* Taguchi, S. 87−28865
Watanabe, T. *see* Takeda, T. 87−46374, 88−71931
Watanabe, T. *see* Takeshiro, S. 87−56983
Watanabe, T. *see* Tamai, H. 86−63559
Watanabe, T. *see* Tanaka, Y. 88−19133
Watanabe, T. *see* Terazaki, N. 85−26025
Watanabe, T. *see* Tsuji, Y. 87−14861
Watanabe, T. *see* Uchida, A. 88−46568
Watanabe, T. *see* Usuzaka, N. 88−64912
Watanabe, T. *see* Utsumi, T. 86−21721
Watanabe, T. *see* Voyatzakis, Y. 87−15356
Watanabe, T. *see* Washio, K. 85−35151
Watanabe, T. *see* Watanabe, H. 88−53786
Watanabe, T. *see* Yamamori, K. 85−3224
Watanabe, T. *see* Yamashita, K. 86−6300
Watanabe, T. *see* Yamashita, Y. 87−52915
Watanabe, T. *see* Yoshida, O. 86−4394
Watanabe, T. *see* Yoshimori, M. 88−29935
Watanabe, W. *see* Furuya, N. 88−71912
Watanabe, Y. Iteration procedure for the capacity of discrete memoryless channel 85−7790
Watanabe, Y. The three main aspects of industrial maintenance 85−10431
Watanabe, Y. Threshold voltage instability of a static RAM under 77K operation 85−17386
Watanabe, Y. Snow damage on railway tracks on Jo-etsu Shinkansen 86−66409
Watanabe, Y. New instrument for measuring contact resistance developed for studying electrical contact phenomena 87−8713
Watanabe, Y. Errors in availability estimation by 2-state models of 3-state systems 87−51896
Watanabe, Y. An influence of a mountain to the 100 kHz electromagnetic wave energy flow−by a triangular mountain model 87−54527
Watanabe, Y., Chigira, S., Yamamoto, M., Watari, M., Fujimoto, I., Nakamura, S. A new two-color radiation pyrometer 85−37628
Watanabe, Y., Fukagawa, H., Iwata, Z., Hata, R., Yoshida, S., Saitoh, H., Fujiwara, Y. Development of new 500 kV laminated paper insulated self-contained oil-filled cable and its accessories 88−55003
Watanabe, Y., Fukuda, Y. Analysis of voltage-contrast decay on passivated devices under electron beam probing 87−38420
Watanabe, Y., Fukuda, Y., Jinno, T. Analysis of capacitive coupling voltage contrast in scanning electron microscopy [LSI] 86−15222
Watanabe, Y., Hirota, A. Half-inch type video movie 86−24157
Watanabe, Y., Kajii, K., Asada, Y., Odani, K., Mimura, T., Abe, M. A high-speed HEMT 1.5 K gate array 87−59309
Watanabe, Y., Kajii, K., Nishiuchi, K., Suzuki, M., Hanyu, I., Kosugi, M., Odani, K., Shibatomi, A., Mimura, T., Abe, M., Kobayashi, M. A high electron mobility transistor 1.5K gate array 87−17027
Watanabe, Y., Kakeno, H., Takata, K. The measurement of area of electrogravitiograph on body balance in man 85−31855
Watanabe, Y., Kawazoe, H., Shibuya, K., Muta, K. Structure and mechanism of formation of drawing- or radiation-induced defects in SiO_2:GeO_2 optical fiber 86−42285
Watanabe, Y., Kondo, N., Fujita, M. New display method for a perpetual calendar 86−24603
Watanabe, Y., Kubozoe, T., Mukoyama, T. Analytical functions for fitting K X-ray doublet peaks from Si(Li) detectors 86−70333
Watanabe, Y., Mochida, S. Development of acoustic sensor for detecting plugging of high pressure nozzles 86−38987
Watanabe, Y., Muraki, K., Sato, T. Submersible oil well cable for down hole use 86−67550
Watanabe, Y., Nakayama, Y., Saito, T. Improved uniform focus character display with CFD 86−31522
Watanabe, Y., Nose, Y., Sanefuji, S., Yokota, M., Nakamura, M. A method for volume estimation by two-dimensional echocardiography: examination with excised animal left ventricles 85−38035
Watanabe, Y., Nose, Y., Yokota, M., Anan, T., Nakamura, M. A Holter-tape analyzer employing circuits for calculation of correlation coefficients 88−30014
Watanabe, Y., Oomura, Y. An automatic system composed of drop method for precision resonance frequency measurement on quartz crystal units 87−28926
Watanabe, Y., Oomura, Y., Iizuka, Y. Determination of parameters of VHF quartz crystal units equipped with evaporated electrodes by the use of an Fr-meter fixture 88−26630
Watanabe, Y., Takagi, R. Application of a new instrument for measuring the contact resistance to the study of the electrical contact phenomena 85−31564
Watanabe, Y., Takagi, R. Comparative tests in sliding characteristics of copper-copper contact and copper-composite material contact 87−1025
Watanabe, Y., Takagi, R. Characteristics of a self-lubricating composite material for sliding electric contacts 88−7102
Watanabe, Y., Tsuchiya, J., Kobayashi, Y., Yoshitomi, T. Magnetooptical disk with alumina based oxide layer 88−58263
Watanabe, Y., Warashina, M., Tanaka, S., Kuroda, H. 3-inch full-color liquid crystal car TV 88−74112
Watanabe, Y., Watanabe, S., Ohsawa, T., Furuyama, T., Ohuchi, K. On-chip supply voltage conversion system and its application to a 4Mb DRAM 87−23935
Watanabe, Y. *see* Arai, J. 87−77909
Watanabe, Y. *see* Baba, H. 85−57385
Watanabe, Y. *see* Fukuda, Y. 86−47646
Watanabe, Y. *see* Furuyama, T. 87−10852, 87−17095, 87−24206, 87−52577, 88−63683
Watanabe, Y. *see* Hagino, S. 86−43616
Watanabe, Y. *see* Hamano, T. 86−30327
Watanabe, Y. *see* Hanamura, S. 85−25527
Watanabe, Y. *see* Hatta, H. 85−51870
Watanabe, Y. *see* Hayashi, M. 87−7926
Watanabe, Y. *see* Hirashima, H. 88−25901
Watanabe, Y. *see* Ichikawa, M. 86−36832
Watanabe, Y. *see* Ishikawa, M. 86−68551, 87−26425, 88−20680
Watanabe, Y. *see* Ito, K. 85−25245
Watanabe, Y. *see* Kajii, K. 87−59377, 88−51038
Watanabe, Y. *see* Kamada, T. 85−43429
Watanabe, Y. *see* Kato, Y. 88−39305
Watanabe, Y. *see* Kawabata, S. 88−61140
Watanabe, Y. *see* Kawazoe, H. 87−7066 to 7067
Watanabe, Y. *see* Kinoshita, K. 87−51190
Watanabe, Y. *see* Kinoshita, M. 87−36029
Watanabe, Y. *see* Kita, T. 85−52127
Watanabe, Y. *see* Kohashi, T. 85−63323
Watanabe, Y. *see* Kora, M. 87−63040
Watanabe, Y. *see* Kumagai, M. 88−55288
Watanabe, Y. *see* Kumagi, M. 87−30496
Watanabe, Y. *see* Kuroda, S. 87−50134
Watanabe, Y. *see* Maeda, H. 85−36610
Watanabe, Y. *see* Mashiko, Y. 87−56766
Watanabe, Y. *see* Matsumoto, J. 85−25001, 85−25203, 87−2678
Watanabe, Y. *see* Matsumoto, N. 88−70626
Watanabe, Y. *see* Matsushita, K. 86−43688, 87−8113 to 8114
Watanabe, Y. *see* Mitamura, T. 86−26607
Watanabe, Y. *see* Miyake, K. 88−23483
Watanabe, Y. *see* Mizuno, Y. 86−11997
Watanabe, Y. *see* Morita, T. 86−28586
Watanabe, Y. *see* Murano, K. 86−54022
Watanabe, Y. *see* Murayama, S. 85−65601
Watanabe, Y. *see* Nakamoto, A. 87−8842
Watanabe, Y. *see* Nakamura, T. 88−35419

Watanabe, Y. *see* Nakashima, H. 85−30953
Watanabe, Y. *see* Nanbu, K. 87−5424
Watanabe, Y. *see* Nishio, K. 88−12506
Watanabe, Y. *see* Noguchi, S. 88−74683
Watanabe, Y. *see* Nose, Y. 87−29778
Watanabe, Y. *see* Oda, T. 87−33835, 88−52624
Watanabe, Y. *see* Ohno, K. 86−54929, 86−55454
Watanabe, Y. *see* Ohsawa, T. 87−59510, 88−6822
Watanabe, Y. *see* Okada, H. 85−55810, 86−35729
Watanabe, Y. *see* Okada, M. 88−18194
Watanabe, Y. *see* Okajima, M. 85−35796
Watanabe, Y. *see* Okamoto, H. 88−24731
Watanabe, Y. *see* Oomura, Y. 87−34950, 88−50426, 88−53861
Watanabe, Y. *see* Saito, F. 86−65006
Watanabe, Y. *see* Sato, K. 87−9604
Watanabe, Y. *see* Satoh, K. 85−33926
Watanabe, Y. *see* Shimada, S. 86−31206
Watanabe, Y. *see* Taguchi, S. 88−57174
Watanabe, Y. *see* Takata, K. 85−26772, 88−61366
Watanabe, Y. *see* Takikawa, K. 85−13840
Watanabe, Y. *see* Tokumaru, M. 88−74142
Watanabe, Y. *see* Tomimori, A. 86−23560
Watanabe, Y. *see* Tsunekawa, H. 88−10422
Watanabe, Y. *see* Usukura, T. 85−13934
Watanabe, Y. *see* Yamamoto, K. 88−4629
Watanabe, Y. *see* Yokoi, S. 86−3979
Watanabe, Yu. *see* Mori, H. 88−41200
Watanage, T. *see* Akita, K. 85−53888
Watanage, T. *see* Kakinuma, H. 86−2921
Watanbe, I. *see* Yamada, K. 88−65154
Watanuki, O., Kaneko, T. Speaker-independent isolated word recognition using label histograms 87−27312
Watanuki, O., Kaneko, T. Speaker-independent isolated word recognition using N-segment label histogram method 88−52391
Watanuki, O., Sueoka, K., Ashar, K.G. Direct measurement of side fringe field and two-dimensional head field using high-resolution inductive loop 88−51311
Watanuki, R. *see* Yao, T. 86−57436
Watanuki, T., Sato, S., Matsuzaka, M., Kubota, H. Small-signal gain characteristics of combustion-driven CO_2 gas dynamic laser 88−14087
Watanuki, T. *see* Mochizuki, A. 86−31519, 87−3680
Watarabe, H. *see* Iikura, T. 87−34714
Watarai, Y. *see* Akutsu, H. 85−16382
Watari, H. *see* Wakamatsu, K. 87−66632
Watari, K. Audio amplifier and tuner technologies 88−60493
Watari, K. *see* Yamasaki, J. 85−24079
Watari, K. *see* Yuba, Y. 88−59324
Watari, M. Optical fibre temperature sensor 86−38347
Watari, M. New DP matching algorithms for connected word recognition 87−19547
Watari, M. *see* Fujii, H. 87−19537
Watari, M. *see* Ikedo, M. 87−18629
Watari, M. *see* Kawakami, Y. 85−46712
Watari, M. *see* Watanabe, Y. 85−37628
Watari, T., Murano, H. Packaging technology for the NEC SX supercomputer 86−13490
Watari, T. *see* Kuribayashi, S. 88−53024
Watari, T. *see* Murano, H. 86−40556
Watari, T. *see* Okamoto, K. 87−69949
Watari, T. *see* Shimada, Y. 85−16799
Watari, Y., Ohara, S., Tachibana, K. Development of the C3 series IC relay−characteristics and applications 85−55227
Watase, Y., Suzuki, Y., Kurihara, Y., Gordon, H.A., Diwan, M., Lanou, R.E., Shinkawa, T. A test of transition radiation detectors for a colliding beam experiment 86−65337
Watase, Y. *see* Abe, K. 88−16629
Watase, Y. *see* Chiba, Y. 88−54412
Watase, Y. *see* Ohska, T.K. 86−50422
Watasige, K. *see* Omatu, S. 85−43674
Watatani, Y., Itoh, S., Shibata, A., Mohri, K. The FM audio signal recording system for 8 mm video 85−20371
Watatani, Y. *see* Itoh, S. 86−11304
Watatani, Y. *see* Shibata, A. 85−20368
Wataya, H. *see* Kikuchi, T. 87−69544
Wataya, H. *see* Kirihara, Y. 86−17144, 86−59475
Wataya, H. *see* Takahashi, K. 88−46452
Wataya, H. *see* Takeda, H. 87−76042
Watazawa, K. *see* Kasuga, T. 88−15717
Wataze, M. *see* Kadowaki, Y. 86−27614, 87−73776
Wataze, M. *see* Sakayori, T. 87−11050
Watchko, G. *see* Carlson, E.J. 86−15890
Water, A.J.van de *see* van de Water, A.J.
Water, C.J.van de *see* van de Water, C.J.
Water, J.M.Van de *see* Van de Water, J.M.
Waterbury, R.C. Sensor applications 88−42044
Waterfall, R. Telex development and industry trends 85−3031
Waterfall, R.C., Garner, B.P., Franklin, D.J. An investigation into EEG asymmetry in young children 88−4947
Waterfield, B. The hybrid industry in the British Isles 85−28873
Waterfield, B.C. Packaging hybrid circuits 85−23298
Waterfield, T.J. *see* Howard, A.M. 86−53061
Waterhouse, J. *see* Armitage, J.C. 88−74757
Waterhouse, R. *see* Taylor, E.J. 87−43709
Waterhouse, W.C. Positivity properties in pencils of matrices 86−46151
Waterkamp, J. *see* Bruck, R. 87−67398
Waterlaat, A.C.J.G.van de *see* van de Waterlaat, A.C.J.G.
Waterman, A.T. Clear-air Doppler radars: bistatic vs. monostatic 86−69820
Waterman, A.T., Hu, T.-z., Czechowsky, P., Rottger, J. Variability in Doppler slant-beam measurement of horizontal wind: a case study 86−23974
Waterman, A.T., Hu, T.Z., Czechowsky, P., Rottger, J. Measurement of anisotropic permittivity structure of upper troposphere with clear-air radar 86−22685
Waterman, C.R. *see* Selig, B.J. 87−78359
Waterman, D. World television trade. The economic effects of privatization and new technology 88−60386
Waterman, J. *see* Shackleford, A. 88−52888
Waterman, J.H. Project management 87−5199
Waterman, J.J. Applying the emerging UPS technologies 88−30834
Waterman, L.S. *see* Komhyr, W.D. 87−71305
Waterman, P.J. PWM servo amplifier packs extra horsepower 87−44612
Waterman, P.J. Low-power AC-DC switchers follow high-density trends 87−52335
Waterman, P.J. Quad 12-bit DAC speeds with readback 87−52668
Waterman, P.J. On parallel circuit simulation 87−65652
Waterman, R.C., Jr. *see* Bianchini, M.J. 85−17855
Waterman, R.C., Jr. *see* Galani, Z.G. 85−23115
Watermann, J., Wilhelm, K., Torkar, K.M., Riedler, W. Space Shuttle charging or beam-plasma discharge: what can electron spectrometer observations contribute to solving the question? 88−48261
Waterous, F.B. Future directions in engineering education: 'technology' as an integrative concept 88−24416
Waters, A., Newsome, J.P. The input impedance of voltage-controlled voltage-source (VCVS) active filters 85−22995
Waters, A.G. The use of broadcast and multicast techniques on computer networks 87−13473
Waters, A.G., Adams, C.J. The satellite transmission protocol of the Universe Project 85−8127
Waters, A.G., Adams, C.J., Leslie, I.M., Needham, R.M. The use of broadcast techniques on the Universe Network 85−8131
Waters, C. Current transformers provide accurate, isolated measurements 87−64669
Waters, C. *see* Schuur, J. 87−60079
Waters, C.D., Farrell, M., Grainger, R.P., Leahy, P.J., Mellitt, B. Dublin Area Rapid Transit 88−49228
Waters, C.M., Brimmell, V., Raynes, E.P. Highly multiplexable dyed LCDs 85−64202
Waters, C.M., Green, B.J., Surguy, P.W.H., Gibbons, D.J., Smith, J.H. Viewing angle dependence and optimisation of the SSFLCD for full colour LCD TV 88−33784
Waters, C.M., Raynes, E.P., Brimmell, V. Design of highly multiplexed liquid crystal dye displays 87−1987
Waters, C.M., Surguy, P.W.H. Modelling of the electrical characteristics of a matrix addressed SSFLCD device 88−33783
Waters, C.M. *see* Raynes, E.P. 87−49839
Waters, D. The role of flexible multiplex in the ISDN 87−2768
Waters, D.G.P. Test program generation for large scale integrated circuits 86−2307
Waters, D.G.P. Test planning for reconfigurable circuits 87−31860
Waters, D.P. Surfacing: FM radio provides a new alternative for carrying data 85−63385
Waters, D.P. Overview of digital broadcasting 86−55415
Waters, G. Automatic testing of digital radio links 86−69576
Waters, G. A digital radio noise and interference test set 88−35798
Waters, G., Chan, C.W.T. Three-party talk facility on a computer network 87−55692
Waters, G. *see* Blackmore, E.W. 85−37839
Waters, G. *see* Wait, G.D. 86−60527
Waters, G. *see* Young, I. 86−30611, 87−69906
Waters, G.A. *see* Cuomo, J.J. 85−40601
Waters, G.A. *see* Harper, J.M.E. 85−24052
Waters, J. Powerful new tool makes field craft more self-reliant 86−17738
Waters, J.P. A stable heterodyne interferometric transducer 88−22559
Waters, J.P., Mottier, F.M. Fiber optic laser vibration sensor 86−48095
Waters, J.W., Hardy, J.C., Jarnot, R.F., Pickett, H.M., Zimmermann, P. A balloon-borne microwave limb sounder for stratospheric measurements 85−38345
Waters, L. *see* Mevissen, J. 86−13958
Waters, M., Marx, E., Switzer, H. Designer's guide to EDIF. II. Use an interchange format to port component libraries 87−38335
Waters, M. *see* Marx, E. 87−44456
Waters, M.C. *see* Martin, J.R. 86−12412
Waters, P. *see* Cleverley, C. 88−15215
Waters, P. *see* Wassell, I.J. 88−15385
Waters, P.H., Smith, D.C. A comparison of decision feedback and Viterbi equalisers for UHF mobile radio communications 88−28738
Waters, R. *see* Pion, M. 88−34024
Waters, R.A. Modelling for cleaner rooms 87−38422
Waters, R.G., Bertaska, R.K. Degradation phenomenology in (Al)GaAs quantum well lasers 88−27136
Waters, R.G., Bertaska, R.K. Dark-line observations in failed quantum well lasers 88−45405
Waters, R.G., Guido, T.S. Photopumped single quantum-well laser structures 88−58549
Waters, R.G., Hill, D.S. Influence of V/III variation on $Al_xGa_{1-x}As$ quantum well lasers grown by metalorganic chemical vapor deposition 88−58550
Waters, R.G., Hill, D.S., Yellen, S.L. Efficiency enhancement in quantum well lasers via tailored doping profiles 88−58521
Waters, R.G., Wagner, D.K., Hill, D.S., Tihanyi, P.L., Vollmer, B.J. High-power conversion efficiency quantum well diode lasers 88−8179
Waters, R.G. *see* Reisinger, A.R. 87−68491
Waters, R.G. *see* Wagner, D.K. 88−34031, 88−72317
Waters, R.G. *see* Zory, P.S. 86−63805
Waters, R.L., Logan, J.K. Methods of trace cutting for diagnostic probing of semiconductor devices 85−55932
Waters, R.L. *see* Campbell, J. 88−61413
Waters, R.L. *see* Nakai, R.J. 88−61458
Waters, R.L. *see* Symons, J. 86−25317, 87−21680
Waters, R.T. *see* Bertazzi, A. 87−11983 to 11986
Waters, R.T. *see* Davies, A.J. 88−20177, 88−20179
Waters, R.T. *see* Elayyan, H.S.B. 86−32790
Waters, R.T. *see* German, D.M. 86−6422
Waters, R.T. *see* Hartmann, G. 86−28548
Waters, S.S., Dionise, T.J. Analysis of phase-to-phase voltage dips at motor loads due to phase-to-ground faults in the supply system 86−44949
Waters, S.S. *see* Juves, J.A. 87−30253
Waters, S.S. *see* Schultz, D.E. 85−21253, 85−21268
Waters, W.M., Jarrett, B.R. Test of direct-sampling coherent detection with a laboratory analog-to-digital converter 85−57359
Waters, W.M., Linde, G.J., Jarrett, B.R., Lin, C.T. Processing directly sampled radar data 86−17464
Waters, W.M. *see* Henry, H.G. 88−25536
Waters, W.R., Walker, J.H., Hattenburg, A.T. The NBS scale of radiance temperature 87−56878
Waters, W.R., Walker, J.H., Hattenburg, A.T. Radiance temperature calibrations 88−68069
Waterscheid, W. *see* May, D.P. 85−58998
Waterson, M., Clifft, B.E. Improved RF modulation technique for bunched beam detection 86−55947
Waterstradt, P. Transfer 2000 links office to DP 87−34104
Waterworth, G. *see* Jackson, A. 86−48879
Waterworth, J.A. Human processing of machine speech 87−12934
Wathen, A.J., Baines, M.J. On the structure of the moving finite-element equations 85−44646
Watjen, J.P., Bahr, A.J. Evaluation of an eddy-current tape-head probe 85−10886
Watjen, J.P. *see* Tran, N.H. 86−22185
Watkins, A. *see* Janssen, A.P. 88−73987
Watkins, B. Clean rooms: their performance and design 85−33123
Watkins, B.J. Passenger information systems and control for future passenger stock 87−79149
Watkins, B.J., Jayaweera, K. Comparisons of vertical winds measured with the Chatanika and Poker Flat radars 86−6105
Watkins, B.J., Johnston, P.E. Antenna-induced range smearing in ST and MST radars 86−22787
Watkins, C.F. A technique for determining 'safe' separation distances for personnel electronic equipment in the near-field of 'short' dipole antennas−a graphical method−its development and use 86−32383
Watkins, D., Clark, B., Smith, R., Mazonas, B. K-band FET amplifiers 87−11065
Watkins, D., Dircks, K., Epp, D., Harkness, A. Development of a small polymer fuel cell 88−17924
Watkins, D., Rasmussen, R., Chang, Y. Megafunctions and megacells for ASIC designs: a comparison 87−59388
Watkins, D.E. *see* Loree, T.R. 87−39223
Watkins, D.E. *see* Sze, R.C. 87−61092
Watkins, E.T., Ho, T.Q., Post, B.M. FET LNAs designed for advanced EHF systems 86−27095

Watkins, E.T., Post, B.M., Knust-Graichen, R.A., Schellenberg, J.M. Low noise, 20 GHz receiver front-end 87—3044
Watkins, E.T., Schellenberg, J.M., Yamasaki, H. A 30 GHz low noise FET amplifier 86—8487
Watkins, E.T. *see* Liu, L.C.T. 85—30874
Watkins, E.T. *see* Yau, W. 87—73795
Watkins, G. *see* Williams, P.J.S. 88—53345
Watkins, G.P. *see* Edward, J.P. 87—38798
Watkins, H.E. *see* Powell, K.E. 85—40203
Watkins, J. Alternative schemes for utility services to semiconductor process equipment 86—1933
Watkins, J.C., Fukushima, E. High-pass bird-cage coil for nuclear-magnetic resonance 88—61314
Watkins, J.W. *see* Montgomery, R.M. 88—72693
Watkins, L.R. Wideband filter design method uses a least-squares approximation to constant group delay 85—22986
Watkins, L.S. *see* Jablonowski, D.P. 87—60900
Watkins, M.E. Infinite paths that contain only shortest paths 87—16490
Watkins, P. The GEOSTAR satellite system for transportation safety and efficiency 86—49563
Watkins, P.M. *see* Corden, M.J. 85—64462
Watkins, R. *see* Clampitt, R. 88—20039
Watkins, R.D., Barrett, L.M., McKnight, J.A. Ultrasonic waveguide for use in the sodium coolant of fast reactors 88—54777
Watkins, R.E.J., Rockett, P., Thoms, S., Clampitt, R., Syms, R. Focused ion beam milling 87—45806
Watkins, R.E.J., Thoms, S., Rockett, P. Low energy ion microprobe facility for maskless machining trials 87—14708
Watkins, R.E.J. *see* Robinson, M.G. 88—39981
Watkins, R.E.J. *see* Syms, R.R.A. 88—7952
Watkins, R.M. *see* Limpaecher, R. 87—43272
Watkins, R.M. *see* Schumacher, R.W. 87—11110, 87—43271, 88—39029
Watkins, S., Liu, K., Schrift, M., Patrie, R. C: an important tool for test software development 85—42874
Watkins, S. *see* Seitzler, T.M. 87—55292
Watkins, T.R. Easing the evaluation of standard power supplies 86—52642
Watkins, W.B. *see* Elmore, D.L. 86—18163
Watkinson, A. *see* Jones, I.G. 85—42691
Watkinson, J. The compact disc system 85—26124
Watkinson, J. Compact disc mastering 86—24202
Watkinson, J. Digital audio editing. II 86—44062
Watkinson, J. Variable-speed video—the ultimate 87—70277
Watkinson, J. R-DAT rotary head digital audio tape 88—9819
Watkinson, J. The technology of the Ampex DCRSi 88—47440
Watkinson, J. Digital audio recorders 88—60506
Watkinson, J. *see* Horne, A. 86—59547
Watkinson, J.R. Variable-speed video playback. IV 85—8596
Watkinson, J.R. Variable-speed video playback 85—26075
Watkinson, J.R. Variable-speed video playback 85—26076
Watkinson, J.R. Principles of optical storage. II [compact disc] 85—31244
Watkinson, J.R. Variable-speed video playback 85—37311
Watkinson, J.R. Principles of optical storage. III 85—37367
Watkinson, J.R. Channel code and disc format. I 85—37368
Watkinson, J.R. Channel code and disc format. II 85—47755
Watkinson, J.R. Compact disc players. I. Details of compact disc player circuitry 85—58421
Watkinson, J.R. Compact disc players. II 86—11345
Watkinson, J.R. Digital audio editing 86—31085
Watkinson, J.R. Channel codes for digital recording 86—38156
Watkinson, J.R. CD: the 600 megabyte ROM 88—2950
Watkinson, P. *see* Taylor, S. 87—67095
Watkinson, S.W. Modulation techniques 86—10246
Watkison, J. Digital video interconnects 88—9784
Watmough, D.J. *see* Chan, K.K. 86—44689, 87—4026
Watmough, M.H. *see* Gerber, R. 86—29327, 88—58813
Watmough, N. Trends and developments in level monitoring 86—70156
Watmough, N. Capacitance for level measurement 88—29700
Watmough, S.J. Communicating with the high street 88—67130
Watney, J. *see* Engberg, E. 88—15839
Watney, J.P. The 4-2-2 DVTR—performance and complexity comparisons with a conceptual analog competition 85—3759
Watney, J.P. Picture-quality criteria, error statistics, and error correction for the D-1 format DVTR 87—34838
Watnick, S., Latner, N., Graveson, R.T. A ^{222}Rn monitor using α spectroscopy 86—50637
Watola, A., Tahtinen, M. Dimensioning of a computerized control system [power system control] 86—70637
Watowich, S.J. *see* Hoffman, K.H. 86—12651
Watrous, D.L. *see* Quine, J.P. 88—7716
Watrous, J.J., Ottinger, P.F., Mosher, D., Neri, J. Theoretical analysis of intense ion beam post transport focusing for inertial confinement fusion 88—42381
Watrous, J.J. *see* Peterson, R.R. 87—14665
Watson, A. Solitary electron compression waves launched by increasing electron injection into dielectric fluid 85—40970
Watson, A. Voicing a marketing hitch 85—47023
Watson, A. Setting the scene for future success [cable TV] 86—24114
Watson, A. Shifting behaviour of the threshold for nonlinear current response to high voltage in dielectric oil 88—26618
Watson, A., Donaldson, A.L., Ikuta, K., Kristiansen, M. Mechanism of electrode surface damage and material removal in high current discharges 87—24661
Watson, A. *see* Adams, A.E. 86—69891
Watson, A. *see* Donaldson, A.L. 87—26666, 87—37790
Watson, A. *see* McAskill, B. 86—6352
Watson, A. *see* Ranon, P. 88—43337
Watson, A. *see* Ranon, P.M. 88—55538
Watson, A.B., Nielsen, K.R.K., Poirson, A., Fitzhugh, A., Bilson, A., Nguyen, K., Ahumada, A.J., Jr. Use of a raster framebuffer in vision research 87—34958
Watson, A.G. *see* Whitton, P.N. 85—48787
Watson, A.I. A new method of classification for Landsat data using the 'watershed' algorithm 87—62182
Watson, A.W. *see* Wilkinson, D.R. 85—58167
Watson, A.W.D. Comparison of the contending multiple access methods for the pan-european mobile radio system 87—8212
Watson, A.W.D., Simpson, S.H.W., Jackson, T. Digital conversion and signal processing for high performance communications receivers 85—52265
Watson, B. The importance of the correct heat treatment of material for ultrasonic calibration blocks 86—13856
Watson, B. *see* Davis, I. 86—55380
Watson, B. *see* Johnston, E.C. 86—54358
Watson, B. *see* Kuhn, E. 87—27108
Watson, B.K., Danq, N.D., Davies, I., Edwards, D., Rudge, A.W., Johnstone, E.C. A new electronic tracking system for fine pointing of large reflectors 87—20476
Watson, B.K., Hart, M. A primary-feed for electronic tracking with circularly-polarised beacons 87—39534
Watson, B.K., Kearey, S., Soe Min Tun, Philippou, G. High performance single offset 1.5 m diamond shaped reflector antenna meeting Intelsat E1 specification 87—54724
Watson, B.K., Philippou, G.Y., Adatia, N. Hybrid mode feeds for multiband applications 85—24967
Watson, B.K. *see* Dang, N.D. 85—42562
Watson, B.K. *see* Kuhn, E. 85—13359
Watson, B.K. *see* Philippou, G.Y. 86—8447
Watson, C., Cima, E. System integration pitfalls [radar design] 88—41740
Watson, C.A. *see* Gilpatrick, J.D. 86—24859
Watson, C.H. *see* Li, Q. 87—3553
Watson, C.K., Ringer, K. Feed network design for airborne monopulse slot-array antennas 88—66235
Watson, C.R. An algorithm for the correct interconnection of VLSI-level macrocells 86—13925
Watson, C.R. *see* Mudge, J.C. 85—37537
Watson, C.R. *see* Wardle, C.L. 85—692
Watson, C.S. *see* Kewley-Port, D. 87—61661
Watson, D. Low voltage fuses—improved IEC standards 85—11700
Watson, D. 'Components for instruments that employ digital signal processing techniques' 85—26266
Watson, D. At video bandwidths, flash A-D converters dictate stringent design 85—54943
Watson, D. Linking hardware and software development in CAE systems 86—144
Watson, D. Faster A/D conversion: the key to improved digital instrumentation 86—31322
Watson, D. Defining new semi-custom chip families 86—35904
Watson, D. Small outline package reliability 88—185
Watson, D. Video-multiplexer-amplifier in CMOS-technique 88—25013
Watson, D., Borg, G. Digital signal processing. [A/D convertors] 85—33995
Watson, D., Friend, B., Lacombe, D. 12-bit DAC chip races at video speeds, but foregoes deglitching circuitry 85—61322
Watson, D. *see* Schreiner, R.L. 87—37756
Watson, D.B. Circuit model and self-excitation of the induction generator 88—43194
Watson, D.B. A slip-dependent circuit model for the DC motor 88—62377
Watson, D.B., Duke, R.M. The response of a self-excited induction generator to rectifier harmonics 88—30703
Watson, D.B., Milner, I.P. Autonomous and parallel operation of self-excited induction generators 86—6744
Watson, D.B., Neale, I.A. Some effects of electric fields on living creatures 87—71180
Watson, D.B., Watson, R.M. Microprocessor control of a self-excited induction generator 85—27413
Watson, D.B. *see* Burke, N.J. 88—22494
Watson, D.B. *see* Milner, I.P. 86—39650
Watson, D.C., Nguyen, D.T., Guillemin, B.J. Development of a New Zealand speech synthesis facility 86—11392
Watson, D.C., Race, L.B., Jr. Image reconstruction in the presence of noise 88—46253
Watson, D.C. *see* Rapier, J.L. 88—46251
Watson, D.D. *see* Ioannidis, A. 85—31812
Watson, D.F. *see* Philip, G.M. 87—29945
Watson, D.M., Huffman, J.E. Germanium blocked-impurity-band far-infrared detectors 88—53687
Watson, D.M. *see* Buttgenbach, T.H. 88—71067
Watson, D.M. *see* Hadek, V. 85—37622
Watson, E. Gallium arsenide ICs come out of the research shadows 86—2279
Watson, E. *see* Arvidsson, A. 87—8852
Watson, E. *see* Shaw, D. 85—6708
Watson, E.G. *see* Goldfarb, S. 86—55562
Watson, E.J. *see* Al-Hassani, S.T.S. 86—58631
Watson, G. *see* Frontini, M. 88—60201
Watson, G. *see* Oversluizen, T. 86—60701
Watson, G. *see* Risser, V.V. 86—6628
Watson, G.A. On the convergence of eigenvector algorithms for robust l_p-discrimination 86—66647
Watson, G.A. *see* Co, R.S. 87—59721
Watson, G.A. *see* Coope, I.D. 85—54309
Watson, G.A. *see* Osborne, M.R. 85—33323
Watson, G.A. *see* Spath, H. 88—6400
Watson, G.H., Risser, V.V. Fuel cells for photovoltaic systems application 86—45651
Watson, G.R. Operational experience of hybrid wind-diesel systems 87—22189
Watson, G.R. Operational experience of hybrid wind-diesel systems 87—78574
Watson, I. The integrated services local network 85—42231
Watson, I. Receiver array technology for sonar 86—11184
Watson, I. Trends in integrated private networks 87—2784
Watson, I.A. Reliability assessment 87—31371
Watson, I.A. Human reliability factors in technology management 87—51809
Watson, I.A., Van Reijen, G., Tolley, B. Critical survey of research on human factors and the man-machine interaction 85—21328
Watson, I.A. *see* de la Mare, R.F. 86—70745
Watson, I.A. *see* Varnado, G.B. 85—49315
Watson, J. Bridge the gap between military and commercial ICs 85—17989
Watson, J. A solid-state gas sensor 85—42957
Watson, J. Electrical phenomena and bone healing—a comparison of contemporary techniques 86—25290
Watson, J. Underwater holography and its application to offshore measurement 86—29263
Watson, J. Electronics takes to the air 88—30098
Watson, J., Britton, P.W. Engineering measurement from underwater optical holography 86—22542
Watson, J., Britton, P.W. Applications of optical holography to underwater visual inspection 87—19072
Watson, J., Britton, P.W., Cran, A.C.S. Optical holography applied to underwater visual inspection 88—8329
Watson, J., Mackay, G. Inspection of integrated circuit photomasks using optical data processing techniques 86—47679
Watson, J. *see* Coles, G.S.V. 85—52747
Watson, J. *see* Kelly, A.C. 88—30063
Watson, J.B. *see* McCredie, D.P. 86—62316
Watson, J.D. *see* Hailstone, J.G. 86—50471
Watson, J.D. *see* Levi, P.S. 85—5333
Watson, J.D. *see* Slattery, D.T. 87—15919
Watson, J.D.M. *see* Jayawant, B.V. 88—42087
Watson, J.D.McK. *see* Jayawant, B.V. 85—52761
Watson, J.E. A low-voltage polarization-independent guided-wave direction-coupler switch in lithium niobate 88—51525
Watson, J.E., Milbrodt, M.A., Rice, T.C. A polarization-independent 1$\times$16 guided-wave optical switch integrated on lithium niobate 87—18749
Watson, J.E. *see* Bergmann, E.E. 85—1972
Watson, J.E., Jr. *see* Kralick, S.C. 86—60844
Watson, J.F. *see* Hooper, A. 87—20904
Watson, J.F. *see* Lee, G. 85—65532
Watson, J.G. The industry-academic connection—a critical success factor in technology planning 86—13416
Watson, J.H.P. Status report on magnetic separation using superconducting magnets 85—51388
Watson, J.H.P. Magnetic separation using ceramic superconducting flux tubes 88—65024

Watson, J.H.P., Boorman, C.H., Bahaj, A.S., Rassi, D. Superconducting high gradient magnetic separator incorporating a current carrying wire matrix 86−29328
Watson, J.H.P. *see* Ballhorn, R.K. 85−24778
Watson, J.H.P. *see* Boorman, C.H. 88−52166
Watson, J.K. Selection of transformer cores for forward converters 86−62871
Watson, J.M. Status of the Los Alamos free electron laser 87−2137
Watson, J.M. *see* Feldman, D.W. 87−75136, 88−2285, 88−45487
Watson, J.M. *see* Newnam, B.E. 86−3198
Watson, K. Remote sensing−a geophysical perspective 86−32508
Watson, K. *see* Russell, B.D. 88−24107
Watson, K.M. *see* Swanson, D.K. 85−38052
Watson, K.S. Performance evaluation of cyclic service strategies−a survey 86−26714
Watson, K.S. *see* Janetzky, D. 88−15144
Watson, K.W. Protection of final circuits against short-circuit currents to comply with the requirements of the 15th edition of the IEE regulations for electrical installations 85−64987
Watson, L. Broadband communications: its place in information technology 86−69477
Watson, L. *see* Fuhs, C. 87−5495
Watson, L.C. *see* Ching-Hwa Chen 87−60349
Watson, L.T., Scott, L.R. Solving Galerkin approximations to nonlinear two-point boundary value problems by a globally convergent homotopy method 88−360
Watson, L.T. *see* Fredricksen, J.T. 86−52330
Watson, L.T. *see* Haralick, R.M. 85−13620
Watson, L.T. *see* Kappel, N.W. 86−66764
Watson, M. Why standards should offer users freedom of choice 85−8158
Watson, M., Berkowitz, J., Wapner, M.P. Ultrashort baseline acoustic tracking system 85−3527
Watson, M., Ochi, T., Cyr, R. The self calibrating acoustic transponder (SCAT) system 85−31113
Watson, M. *see* Savage, C.M. 88−39801
Watson, M.L. *see* Mapps, D.J. 85−45999, 88−60884
Watson, M.L. *see* Wu, A. 87−57215
Watson, M.N. Laser drilling of printed circuit boards 85−17967
Watson, M.N. *see* Oakley, P.J. 85−51342
Watson, N., King, G. Hermetically sealed microwave modules 86−53059
Watson, N. *see* Robyn, J.R. 88−42954
Watson, N. *see* Tang, O.S.A. 87−45202
Watson, N.R., Arrillaga, J., Joosten, A.P.B. AC system equivalents for the dynamic simulation of HVDC convertors 86−12378
Watson, N.R. *see* Arrillaga, J. 86−33746
Watson, N.R. *see* Tang, O.S.A. 88−25562
Watson, P. Australia's domestic communications satellite: AUSSAT 85−14158
Watson, P. Flight simulators−the grand illusion 85−15370
Watson, P. Interscan−Australia's aircraft blind-landing system 85−15397
Watson, P. 13.8 V transceiver power supply 85−16101
Watson, P. SWR−what it means in practice 85−41655
Watson, P. *see* Kachigan, K. 87−32140
Watson, P.A., Blakeborough, P. An experimental land mobile satellite system with facilities for electronic news gathering 85−3433
Watson, P.A., Gardiner, J.G., Seneviratne, A.P. Proposal for a land mobile satellite communications experiment 85−63575
Watson, P.A., Leitao, M.J., Sathiaseelan, V., Gunes, M., Poiares Baptista, J.P.V., Potter, B.A., Sengupta, N., Turney, O., Brussaard, G. Prediction of attenuation on satellite-Earth links in the European region 87−76641
Watson, P.A. *see* Carrapatoso, E.M. 88−3316
Watson, P.A. *see* Fedi, F. 86−17286
Watson, P.A. *see* Jain, Y.M. 85−19120
Watson, P.A. *see* Jones, F.N. 85−8014
Watson, P.A. *see* Leitao, M.J. 86−59818
Watson, P.A. *see* Mawira, A. 86−17284
Watson, P.A. *see* Richardson, A.J. 87−56332
Watson, P.A. *see* Seneviratne, A.P. 85−58023
Watson, P.C., Curry, P., Roberts, G.P. Hinkley Point AGR−fuel assembly vibration and charge route interaction during on-load refuelling 85−48791
Watson, P.C. *see* Chang, Y.F. 86−19007
Watson, P.K. Electrostatic and hydrodynamic effects in the electrical breakdown of liquid dielectrics 85−56010
Watson, P.K. The thermalization and trapping of electrons in polystyrene 87−18437
Watson, P.K. Integration of electronic control units for automotive control applications 88−69879
Watson, P.K., Chadband, W.G. The electrical breakdown of viscous silicone fluids 88−44902
Watson, P.K., Chadband, W.G. The effect of an electric field on the expansion and collapse of bubbles in liquid dielectrics 88−44904
Watson, P.K., Chadband, W.G., Mak, W.Y. Bubble growth in viscous and non-viscous liquids following a localized electrical discharge 85−55995
Watson, P.K., Lindblad, N.R. The gravure development of electrostatic images in electrophotography 88−34227
Watson, P.W. *see* Duke, R.M. 87−50751
Watson, R. Fault location on overhead line distribution circuits 85−38593
Watson, R. Receiver dynamic range. II. Use one figure of merit to compare all receivers 87−55951
Watson, R. Quality control methods for anticipating problems on printed circuit board plating lines 88−57091
Watson, R. *see* Cramer, J. 87−78616
Watson, R.A. Low-cost FSK modem network for polled communication systems 85−47305
Watson, R.A. *see* Cohen, A.F. 87−51685
Watson, R.B. Influence of grid geometry on the output of strain-gage-based diaphragm pressure transducers 87−35072
Watson, R.B. Construction cost control techniques in the United Kingdom 88−49474
Watson, R.B. *see* Chi, K.K. 87−17183
Watson, R.B., Jr. *see* Blake, W. 87−17199
Watson, R.B., Jr. *see* Chi, K.K. 87−17173
Watson, R.J. Electrical service and voltage considerations for large compressor drives 87−22941
Watson, R.K. *see* Zoutendyuk, J.A. 88−25192
Watson, R.M. *see* Watson, D.B. 85−27413
Watson, R.W., Mamrak, S. Special or general purpose end-to-end transport mechanisms in distributed systems: One view 85−25548
Watson, R.W., Mamrak, S.A. Gaining efficiency in transport services by appropriate design and implementation choices 87−55675
Watson, S. When a mismatch leads to heartache 86−19256
Watson, S. The motor design revolution 86−39671
Watson, S.K. *see* Wang, J.S. 85−62149
Watson, S.M. *see* Cipolla, S.J. 85−59193
Watson, T. Logic probe 86−34720
Watson, T.J., Sr. *see* Woodward, T.K. 88−50895
Watson, T.M., Codd, B., Jolson, J.D., Cole, M.J. Recent improvements in Li/$SOCl_2$ cell design 88−17849
Watson, T.M., III *see* Amundsen, M.J. 86−67266
Watson, V. *see* Bancroft, G. 88−5045
Watson, W. Languages in silicon [Novix NC4000 microprocessor] 86−27322
Watson, W., Howie, R.B., Ryan, H.M., Irwin, T., Hogg, W.D., Petty, H.C. Insulation coordination of a 420 kV SF_6 insulated substation in the United Kingdom 86−51859
Watson, W., Stephens, C. Novix−a radical approach to microprocessor design 87−31916
Watson, W. *see* Green, C.A. 87−61138
Watson, W. *see* Ryan, H.M. 86−28552
Watson, W.A. *see* Hyslop, M.S. 87−73818
Watson, W.A. *see* McCoy, S.E. 85−4481
Watson, W.G., Roper, R.D. Distribution systems in the UK−measurement of effects of past lightning performance and suggestions for future improvement 85−64961
Watson, W.N. Recloser/sectionalizer maintenance optimized 85−5284
Watson Brown, A. Towards the ultimate triumph of the brushed matt black box 88−74102
Watson-Jones, B. *see* Blatcher, R.C. 86−51851
Watsuki, M., Higuchi, T. Synthesis of minimum statistical sensitivity structures with fewer parameters in state space systems 88−38332
Watt, B. *see* Roth, A.P. 87−11404
Watt, C. *see* Flynn, M.J. 85−38053
Watt, F. *see* Grime, G.W. 88−47824
Watt, I.M. The analytical electron microscope 87−11322
Watt, J. LAN operations−problems and solutions 86−16901
Watt, J. The maximum power theorem 87−23808
Watt, J. Parameters [the black-box approach to network analysis] 87−31623
Watt, J. Voltage or current? 87−44611
Watt, J. Bessel and his functions 88−11822
Watt, J. Equivalent circuits 88−12169
Watt, J. Lossy ells for pie tea [matching network for RF power transfer] 88−19251
Watt, J. Poynting the way [transmission lines] 88−27533
Watt, J. Feedback 88−44054
Watt, J. Making waves [EM propagation] 88−58828
Watt, J. Philip Smith's chart 88−66117
Watt, J. Philip Smith's chart. II 88−72600
Watt, J.M. The design engineering environment in the 1990s 88−24515
Watt, J.R. Progress in indirect evaporative cooling 87−43664
Watt, J.T., Fishbein, B.J., Plummer, J.D. A low-temperature NMOS technology with cesium-implanted load devices 87−32693
Watt, J.T., Plummer, J.D. Universal mobility-field curves for electrons and holes in MOS inversion layers 88−7396
Watt, J.T., Plummer, J.D. Efficient numerical simulation of the high-frequency MOS capacitance 88−12633
Watt, J.T., Plummer, J.D. Effect of interconnection delay on liquid nitrogen temperature CMOS circuit performance 88−39698
Watt, J.T. *see* Fishbein, B.J. 87−60193
Watt, J.T. *see* Henning, A.K. 87−32695
Watt, M., Hart, E., Langworthy, A. Remote area power supply systems: a case study of requirements and options 86−39006
Watt, N. Multibeam SS-TDMA design considerations related to the Olympus Specialised Services Payload 86−59813
Watt, R.C., Hameroff, S.R. Phase space electroencephalography (EEG): a new mode of intraoperative EEG analysis 88−48198
Watt, T. *see* Bednar, J.B. 86−10426, 87−19660
Watt, T.L. *see* Bednar, J.B. 86−10354
Watt, T.L. *see* Yarlagadda, R. 85−46771
Wattel, C. *see* Kits, K.S. 87−71142
Wattenbach, R., Roser, H.P. Acousto-optical spectrometer 85−63777
Wattenbach, R. *see* Densing, R. 87−18874
Wattenbach, R. *see* Roeser, H.P. 87−35489, 88−35625
Wattenbach, R. *see* Roser, H.P. 85−12778
Wattenbarger, B.L. Human factors at Bell Laboratories 87−23445
Wattenbarger, H.E. *see* Galella, J.W. 85−15029
Wattenberg, A. *see* Bernstein, D. 85−15253
Watters, D.G., Brodwin, M.E. Automatic material characterization at microwave frequencies 87−70766
Watters, H.L. *see* Szczepanek, A. 86−10820
Watters, J.J. *see* Milner, J.D. 86−1065
Watters, R.J. *see* Frank, R.J. 85−52166
Watterson, J. *see* Kanopoulos, N. 88−19018
Watterson, J.W., Hallenbeck, J.J. Modulo 3 residue checker: new results on performance and cost 88−44262
Watterson, K. *see* Merickel, M. 88−68386
Watteyne, T. *see* Koulischer, J. 88−64725
Wattier, P. *see* Maral, G. 86−17340, 86−55265, 86−59851
Wattiez, P. Solar thermal plants for electricity power generation: the experience from the IEA/SSPS project, Spain 86−65999
Wattiez, P., Martin, J.G., Carmona, R. Solar thermal plants for electricity power generation: the experience from the IEA/SSPS project, Spain 86−33222
Watton, R. Ferroelectrics for infrared detection and imaging 87−56708
Watton, R. Thermal imaging with arrays of ferroelectric detectors 88−4443
Watton, R., Ainger, F., Porter, S., Pedder, D., Gooding, J. Technologies and performance for linear and two dimensional pyroelectric arrays 85−45947
Watton, R., Green, J.D., Chitty, C.L., Pedder, D.J., Porter, S.G., Gooding, J.N. Thermal imaging with a pyroelectric/CCD hybrid array 87−21097
Watton, R., Manning, P.A. The design of low-noise arrays of MOSFETs for pyroelectric array readout, (LAMPAR) 88−29400
Watton, R., Mansi, M.V. Performance of a thermal imager employing a hybrid pyroelectric detector array with MOSFET readout 88−74481
Watton, R. *see* Burgess, D.E. 87−14341
Watton, R. *see* Goss, A.J. 85−6667, 85−47848
Watton, R. *see* Manning, P.A. 87−21101
Wattrus, N.J. Seismic tomography applied to surface wave analysis 86−12162
Watts, A. The CAE workstation in semicustom design [IC design] 85−55874
Watts, A. CAE workstations−concept to test 86−21743
Watts, A.B. *see* Bell, R.E. 86−70521
Watts, A.C. Aerospace system simulation at Sandia National Laboratories 88−16819
Watts, C. Emergency lighting: influence of TM12 on system design 87−31070
Watts, D. *see* Ross, L. 88−35829
Watts, D.R. *see* Chaplin, G.F. 85−32022
Watts, D.W. *see* Buley, P. 87−13631
Watts, D.W. *see* Lui, P.L. 88−66099
Watts, D.Y. *see* Jones, A.P.C. 88−36153, 88−36156
Watts, G., Budrick, B. When to repair or replace steam control valves 85−9747
Watts, H.A., Shampine, L.F. Smoother interpolants for Adams codes 86−46288
Watts, J. *see* Crooks, L.E. 88−29994
Watts, J. *see* Keyes, E. 87−44973
Watts, J.C. *see* Arakawa, M. 85−38095
Watts, J.C. *see* Crooks, L.E. 88−36462
Watts, J.C. *see* Hoenninger, J.C. 87−50249
Watts, J.J.S. *see* Cubbin, J.R.E. 88−9509
Watts, J.M. *see* Bark, A.W. 86−70532
Watts, J.W. *see* Burnett, T.H. 87−8866
Watts, J.W., Jr. *see* Derrickson, J.H. 85−4213
Watts, K. *see* Husain, N. 88−74800
Watts, K.M., Higgins, J.C. The use of advanced management techniques in R&D 87−23255
Watts, K.M. *see* Higgins, J.C. 87−10082
Watts, K.N. *see* Evans, S.A. 88−30130

Watts, K.W., Blinco, B.E. Electrical infrastructure for major mining developments 87−4288

Watts, K.W. *see* McIntyre, R.J. 85−49236

Watts, L. Development of a VLSI Viterbi codec 87−69757

Watts, M., Perera, T., Ozarski, B., Meyers, D., Tan, R. Photoresist as its own process monitor 88−57559

Watts, M.P., Evans, A.L. The functional testing of external cardiac pacemakers 88−61447

Watts, M.P., Shoat, D.B. Trends in electrocardiograph design 87−71139

Watts, M.P. *see* MacFalane, D. 86−5961

Watts, M.P.C. Analytical model of positive resist development applied to linewidth control in optical lithography 85−29093

Watts, M.P.C. Positive resist development model for linewidth control 85−62014

Watts, M.P.C. An analysis procedure for production linewidth data [photolithography] 88−19880

Watts, M.P.C., Debruin, D., Arnold, W.H. The reduction of reflective notches using 'dyed' resist 87−18230

Watts, M.P.C., Hannifan, M.R. Optical positive resist processing. II. Experimental and analytical model evaluation of process control 86−1885

Watts, M.P.C., Hannifan, M.R., Perera, T. A new response surface analysis procedure for evaluating process control in photolithography 87−11902

Watts, R. Automating the photo imaging process 85−40355

Watts, R. *see* Ong, R.A. 85−52950

Watts, R.J., Rice, D.A., Neun, J.A. Development of the laser vibration sensor inspection test system (LVS/ITS) 88−35847

Watts, R.K. Optical lithography 88−57563

Watts, R.K., Manchanda, L., Johnston, R.L. Gate current in 0.75 μm *n*-channel MOSFETs with doubly diffused drain 87−45931

Watts, R.K., Wolf, T.M., Stillwagon, L.E., Hellman, M.Y. Simulation of Microposit 2400-17 resist profiles for 0.5 μm photolithography at 248 nm 87−67072

Watts, R.K. *see* Fichtner, W. 86−28493, 86−47844

Watts, R.K. *see* Giles, M.D. 88−26114

Watts, R.K. *see* Einspruch, N.G. *(editor)* 88−55807

Watts, S. Radar detection prediction in sea clutter using the compound *K*-distribution model 86−17422

Watts, S. Radar detection prediction for targets in K-distributed sea clutter and thermal noise 86−49727

Watts, S. Radar detection prediction in *K*-distributed sea clutter and thermal noise 87−49133

Watts, S., Ward, K.D. Spatial correlation in *K*-distributed sea clutter 87−76825

Watts, S. *see* Baker, C.J. 88−15634

Watts, S. *see* Ward, K.D. 86−11149

Watts, S.C. *see* Blake, S. 88−15527

Watts, S.J. CCD vertex detectors 88−29850

Watts, S.J. *see* Damerell, C.J.S. 86−50303, 87−14751, 87−29552

Watts, S.J. *see* Imrie, D.C. 88−4853

Watts, T.M. *see* Zagel, J.R. 88−54183

Watzinger, H. *see* Riedle, K. 87−71879

Waug Shicheng *see* Wu Risheng 86−11895

Waug Shouwu, Wang Qiming, Lin Shiming Investigation of bistable characteristics of a semiconductor laser with single cavity and double contacts 86−42524

Waugh, A. *see* Maliakal, J.C. 85−23622

Waugh, G. *see* Houliston, D.J. 85−38318

Waugh, I. Window shopping [music software package] 86−24241

Waugh, I. A professional performer 86−69989

Waugh, I. Rising star [Trackstar, Steinberg's new software package for the Commodore 64] 87−14001

Waugh, J.P. *see* Sutton, R.A. 87−33949

Waugh, R., Glajchen, D. Dual-gate GaAs FET drives 18-GHz amps 87−11048

Waugh, R. *see* Brain, D.J. 85−41731

Waugh, R. *see* Satoda, Y. 87−10161

Waugh, T. Programmable array serves as a controller for dynamic RAMs 88−32092

Waugh, T. Programmable gate array for DRAM counter 88−50137

Wauk, M.T. New ion implantation system with advanced process capabilities 87−53374

Wauk, M.T. *see* Steen, L.S. 87−53381

Waumans, R.J.R. Possible forms of execution for future distribution systems 87−57622

Waumans, R.J.R. National reorganisation plan for energy distribution 88−17052

Waumans, R.J.R., Muiser, C.F. Design criteria for 10 kV distribution cables 86−44977

Waumans, R.J.R. *see* Damstra, G.C. 88−24097

Waung, J.C. *see* Crispin, L.G. 86−61378

Waung, W. *see* Venetsanopoulos, A.N. 85−57558

Waurich, H. *see* Hoeger, H. 88−56023

Wautelet, M. The principle of a gate obtained by laser irradiation of a thin superconductor film 88−675

Wautelet, M., Laude, L. The laser as an industrial tool 86−10044

Wautelet, M., Laude, L.D. Industrial lasers 86−63886

Wautelet, M. *see* Antoniadis, C. 85−22514

Wautelet, M. *see* Baufay, L. 85−50452

Wautelet, M. *see* Hanus, F. 86−57464

Wautelet, M. *see* Laude, L.D. 86−62235

Wautelet, M. *see* Quenon, P. 87−60325

Wavering, W.D. *see* Crone, M.S. 88−41603

Wavre, J.J. Graphite as field limiting layer on medium-voltage polymer cables 87−35649

Wavre, J.J. *see* Missland, P. 88−23469

Wavre, N. Servo brushless DC motor: Study of torque ripples through induced voltage 87−43133

Wavre, P. *see* Ducas, Y. 85−11013, 86−14001

Wawer, W. A local area network with ordered bus access by low level token passing 85−19792

Wawer, W. *see* Tschammer, V. 88−41362

Wawersig, J. *see* Kantz, D. 85−22871

Wawman, C.A., Parkin, C.H. Bede and More: A hierarchical channel router and its extension into the realm of multi-layer-metal technologies 87−463

Wawor, K.H. For video friends: from one make three−video amplifier with three outputs 85−11043

Wawra, H. *see* Nohr, W.-D. 87−66785

Wawryn, K. Layout including parasitics for printed circuit boards 88−44440

Wawrzynek, J. *see* Mead, C. 86−8093

Wawrzyniak, R., Pace, E. Smart power IC controls stepper motor 87−72168

Wawrzyniak, Z.M. *see* Boruc, L.P. 85−35944

Wawrzyniak, Z.M. *see* Majewski, A. 87−74757, 88−2016

Wawrzyniak, Z.M. *see* Stawinski, L. 86−68159

Wawrzynski, D., Onaral, B. Interactive coder workstation for compression and processing of EEG waveforms 88−16748

Wawszczak, J. *see* Szponder, J. 88−56754

Wax, M. Order selection for AR models by predictive least-squares 87−62094

Wax, M. Order selection for AR models by predictive least squares 88−46037

Wax, M., Kailath, T. Detection of signals by information theoretic criteria 85−46786

Wax, M., Kailath, T. Extending the threshold of the eigenstructure methods 86−10436

Wax, M., Kailath, T. Decentralized processing in sensor arrays 86−23007

Wax, M., Shan, T.-J., Kailath, T. Spatio-temporal spectral analysis by eigenstructure methods 85−2717

Wax, M., Ziskind, I. Detection of fully correlated signals by the MDL principle 88−73128

Wax, M. *see* Rissanen, J. 87−75669

Wax, M. *see* Shan, T.J. 85−3544, 86−10341

Wax, M. *see* Ziskind, I. 87−62114

Waxin, G., Gazalet, M.G., Rouvaen, J.M., Bridoux, E., Lefebvre, J.E. Acoustooptic processing: real-time ambiguity function processor 85−46884

Waxin, G., Rouvaen, J.M., Gazalet, M.G., Bruneel, C. New high frequency anisotropic acousto-optic diffraction geometries in lithium niobate crystals 88−58278

Waxin, G. *see* Gazalet, M.G. 85−24347, 86−22194

Waxin, G. *see* Rouvaen, J.M. 86−15531

Waxler, G. *see* Bergey, P. 85−31814

Waxman, A.M. An image flow paradigm 85−19541

Waxman, A.M., Duncan, J.H. Binocular image flows: steps towards stereo-motion fusion 87−19851

Waxman, A.M., Kamgar-Parsi, B., Subbarao, M. Closed-form solutions to image flow equations 87−62317

Waxman, A.M., Kwangyoen Wohn Contour evolution, neighborhood deformation, and global image flow: planar surfaces in motion 86−29990

Waxman, A.M., Sinha, S.S. Dynamic stereo from multiple image flows 85−46915

Waxman, A.M., Sinha, S.S. Dynamic stereo: passive ranging to moving objects from relative image flows 86−69125

Waxman, A.M., Ullman, S. Surface structure and three-dimensional motion from image flow kinematics 86−29989

Waxman, A.M., Wu, J., Bergholm, F. Convected activation profiles and the measurement of visual motion 88−73368

Waxman, D., Leggett, A.J. Dissipative quantum tunneling at finite temperatures 86−15430

Waxman, M., Davis, H.A., Horowitz, M., Everhart, B. Automated pressure regulator 85−3863

Waxman, R. The many languages of electronic computer-aided design 85−28311

Waxman, R. Hardware design languages for computer design and test 86−47642

Waxman, R. Design automation standards development 88−37921

Waxman, R. *see* Aylor, J.H. 86−47660

Waxman, R. *see* Shahdad, M. 85−39849

Way, C. Design of testability for analog fault diagnosis 86−57538

Way, D., Bal, S. Getting a handle on the elusive local network marketplace 85−63312

Way, E. Interesting features of California Portland Cement Company Mojave plant 85−16523

Way, P. *see* Culp, B.W. 88−57925

Way, T.C. *see* Edwards, R.E. 86−70508

Way, T.C. *see* Martin, R.L. 88−30117

Way, W.I. Large signal nonlinear distortion prediction for a single-mode laser diode under microwave intensity modulation 87−46889

Way, W.I. Fiber-optic transmissions of microwave 8-phase-PSK and 16-ary quadrature-amplitude-modulated signals at the 1.3-μm wavelength region 88−35498

Way, W.I. Frequency-dependent and frequency-independent nonlinear characteristics of a high-speed laser diode 88−72330

Way, W.I., Afrashthe, A. Linearity characterization of connectorized laser diodes under microwave intensity modulation by AM/AM and AM/PM measurements 87−7385

Way, W.I., Castelli, C. Simultaneous transmission of 2 Gbit/s digital data and ten FM-TV analogue signals over 16.5 km SM fibre 88−53252

Way, W.I., Choy, M.M. Optical feedback on linearity performance of 1.3 μm DFB and multimode lasers under deep microwave modulation 87−75131

Way, W.I., Choy, M.M. Optical feedback on linearity performance of 1.3-μm DFB and multimode lasers under microwave intensity modulation 88−34088

Way, W.I., Elrefaie, A.F. Transmission of microwave 16-QAM signal over single-mode fiber in the 1.3 μm wavelength region 88−4019

Way, W.I., Gardina, M.F. Fiber-optic transmission of microwave 8 phase-PSK signal 88−28884

Way, W.I., Krain, M., Wolff, R.S. 1.3 μm 35 km fibre-optic microwave multicarrier transmission system for satellite Earth stations 87−49028

Way, W.I., Liu, P.L. Dynamic intensity noise and related gain compression phenomena for a GaAlAs BH laser 86−42536

Way, W.I., Wolff, R.S., Krain, M. A 1.3-μm 35-km fiber-optic microwave multicarrier transmission system for satellite Earth stations 88−9556

Way, W.I. *see* Stern, M. 88−28831, 88−47079

Way-Seen Wang *see* Jenn-Gwo Hwu 86−53656, 87−60187, 88−7375, 88−13052

Way-Seen Wang *see* Wei-Yu Lee 86−56950, 88−39998

Way-Seen Wang *see* Yuan-Kuang Tu 88−39962

Way-Seen Wang *see* Yuang-Kung Tu 88−51511

Waygood, R. *see* Boswell, D. 87−32157, 87−66739

Wayland, R.E. *see* Trisko, E.M. 85−26960

Wayler, B. A vibroacoustic evaluation method of the technical state of feed pumps 88−5512

Wayman, C.M. *see* Coleman, J.J. 86−26827

Wayman, C.M. *see* Costrini, G. 86−57486

Wayman, C.M. *see* Higman, T.K. 86−67746

Wayman, C.M. *see* Jeng, S.J. 85−50249, 86−26833

Wayman, J.L., Wilson, D.L. Some improvements on the synchronized-overlap-add method of time scale modification for use in real-time speech compression and noise filtering 88−27836

Wayman, W.H. *see* Hays, D.A. 88−36206

Waymel, B. *see* Hornung, R. 87−59381

Wayment, I.S. Technical education for British Telecom engineers 88−70037

Waymouth, J.F. The glow-to-thermionic-arc transition 88−37733

Waymouth, J.F. *see* Maya, J. 85−21936

Waynant, R., Bollen, W.M., Christensen, C.P. Surface wave effects in RF pumped lasers 88−51761

Waynant, R.W. An introduction to laser literature 85−56470

Waynant, R.W., Klein, P.H. Vacuum ultraviolet laser emission from Nd^{+3}:LaF_3 85−24505

Waynant, R.W. *see* Christensen, C.P. 85−29739

Wayne, D.A. *see* Teel, T.A. 86−2332

Wayne, G.L. The programmable controller applied to load shedding 85−22030

Wayne, M.R., Braun, S.M. Looking for Mr. 'Turnkey' 86−20214

Wayne, M.R. *see* Cheng, D.D. 85−487

Wayne, P. Excell pocket phone 85−63240

Wayne, S. Op. amp. provides a current and voltage source 87−23892

Wayne, S., Bloom, S. Analogue to digital conversion techniques. I 86−46922

Wayne, S., Bloom, S. Using high resolution ADCs. II 86−46923

Wayne, S. *see* Bloom, S. 86−20644

Wayne, S.F. *see* Liu, J.M. 87−7341

Wayne Johnson, A., Greenberg, K.E. Laser-chemical deposition and etching on the metallization level of integrated circuits 88−33086

Waynert, J., Eyssa, Y., Huang, X. The transient stability of large scale superconductors cooled in superfluid helium 88−45025

Waynert, J., Eyssa, Y.M., McIntosh, G.E., Feng, Z. A rotating superconducting solenoid for 100 kWh energy storage 85−60454

Waynert, J. *see* Eyssa, Y.M. 86−42190, 87−72463

Waysand, G. *see* de Bellefon, A. 88−61082

Wayte, A.P. *see* Akhavan Leilabady, P. 86−68270
Wayte, A.P. *see* Jackson, D.A. 86−48189
Wazen, P., Bourdet, G., Lourtioz, J.M. Stark tuning of CW optically pumped mid-infrared NH_3 lasers 87−54244
Wazen, P., Lourtioz, J., Julien, F., Detemple, T.A. High-power optically pumped CW 12 μm NH_3 amplifier systems 87−46749
Wazner, A. *see* Hilali, A. 87−36663
Wazowicz, M.F. *see* Cox, C.D. 86−69693
Wazowicz, M.F. *see* Cox, D.C. 86−4531, 86−36703
Wazowicz, M.F. *see* Saleh, A.A.M. 85−54694
Wazzan, A.R., Procaccia, H., David, J. Thermal-hydraulic characteristics of pressurized water reactors during commercial operation. VI. Chemical analysis of secondary water in the steam generators of Bugey 4 and Tricastin 1 87−42612
Wazzan, A.R., Procaccia, H., David, J., Fromal, A., Pitner, P. Thermal-hydraulic characteristics of pressurized water reactors during commercial operation. VII. Thermal-hydraulics of the PWR Paluel 1 steam generator during commercial operation 88−30516
Wazzan, A.R. *see* Bell, G. 85−48781
Wcislik, M. A linearized mathematical model of a three-phase arc furnace circuit 85−49199
Wcislik, M. Simulation of an arc furnace circuit 87−36258
Wdowik, M. *see* Coleman, P.D. 85−625
Wdowik, M. *see* Evans, S. 88−19104
Weader, R.J. The reload design process at Yankee Atomic Electric Company 86−61295
Weaire, D., Kermode, J.P., Dwyer, V.M. The role of diffraction in dispersive optical bistability 86−3298
Weakland, D.P., Grabski, D.P. Consider instrumented inspection of safety-related nuclear systems 87−71828
Weakley, T.L. *see* Johnson, W.J. 85−25515 to 25517, 85−25519 to 25520, 85−25613
Weakley, T.L. *see* Millas, R.J. 85−22893
Weakliem, H. *see* Bohm, M. 87−9788
Weakliem, H. *see* Kampas, F.J. 88−37609
Weakliem, H. *see* Lalovic, B. 87−36147
Weakliem, H.A. *see* Akhtar, M. 87−16699, 88−60836
Weale, J.R. Use of FFT in microstrip capacitance calculations 85−24886
Weale, J.R. *see* Currie, J.C. 85−30167
Weang, C.S. *see* Fu, R.J. 88−15483
Wear, J. *see* Amendolia, S.R. 87−21427 to 21428
Wear, K.A., Heiserman, J., Popp, R.L. Lateral resolution in cardiac imaging measured in vivo 87−3958
Wearden, T. Communications technology vital to hotel and catering industry 85−13778
Wearden, T. The role of beam expansion systems in fibre-optic data highways 85−14280
Wearden, T. Connector firms pin down the control of interference 85−24856
Wearden, T. Data analysis and network testing 85−25237
Wearden, T. Glasgow research dons nonconformist transistor approach 85−34956
Wearden, T. Lithium niobate−a material to influence product design 85−50803
Wearden, T. Fundamentals of flexible circuit design 85−55254
Wearden, T. New approach to single mode optical fibre connector design 86−4666
Wearden, T. Making light of Ethernet 86−16885
Wearden, T. The promise of digital optics 86−23839
Wearden, T. Image communication 86−59549
Wearden, T. A novel solution to fibre optic cabling 86−59885
Wearden, T. Packaging is key to growth 87−36494
Wearden, T. Rifa spreads the load 87−44537
Wearden, T. Right connection for fibre optics 88−28833
Wearden, T. A critical path as backplanes take off 88−44484
Wearden, T. Licence to light 88−45231
Wearden, T. Optical Supertrunks for video transport 88−47024
Wearden, T. Taking heat off processing [using lasers] 88−58742
Wearden, T. Putting television on optical fibres 88−67811
Wearden, T. Measuring multiple bridge displacements by intelligent laser beams 88−68034
Wearden, T. Transducers in avionics 88−74928
Weardon, T. Micro enhanced unit boosts reliability [of PSU] 85−10961
Weardon, T. Changes afoot in traditional battery market 85−16192
Weardon, T. Data communications practice 86−16891
Weardon, T. Optical fibre network opportunities increased by new components and techniques 86−49579
Weardon, T. Applications for magnetoresistive sensors 88−67770
Wearne, N.T. *see* Bakich, A.M. 85−15182
Weatherall, D. Automated inspection of surface texture 86−24378
Weatherby, D. The scope for international VANs 86−64764
Weatherby, D. Worldwide VANs 87−20251
Weatherford, T.R., Hauser, J.R., Diehl-Nagle, S.E. A study of single events in GaAs SRAMs 86−35885
Weatherford, T.R., Hauser, J.R., Diehl, S.E. Comparisons of single event vulnerability of GaAs SRAMs 87−31884
Weatherhogg, I.D. *see* Ray, W.F. 88−63526
Weatherley, J.W., John, R.A., Parry, M.H. Heat-shrinkable terminations for 66 kV polymeric cables 87−15358
Weatherley, J.W., Parry, M.H., Hey, S.A. Advances in jointing systems up to 36 kV using heat shrinkable components 87−15345
Weatherley, J.W. *see* Hey, S.A. 87−15352
Weatherley, T. Slow-scan TV for the BBC Micro 85−30854
Weatherley, T. Cirkwik [circuit drawing package] 85−49699
Weatherley, T. Satpack [UoSAT reception software] 85−58061
Weatherley, T. Weather satellites 85−64744
Weatherley, T. Weather satellites 86−11024
Weatherley, T. Weather satellites−what's up there? 86−17319
Weatherley, T. What to do when the battery runs out? 88−24983
Weatherly, T. UoSAT-2 telemetry on the BBC micro 85−25382
Weatherly, T. Weather satellites−what's up there? 86−18577
Weathers, D. *see* Garot, J.-M. 87−42196
Weathers, G., Ellenburg, D., Holliday, E. Group-complementary temporal sidelobe cancellation in systems with window-weighting 87−56203
Weathers, T.W. Field measurements past . . . present and future 85−26157
Weathers, T.W., Zannoli, S. Measuring and maintenance techniques 85−54089
Weathersby, M. *see* Hopper, J. 87−14184
Weathersby, M.R., Finlay, W.M. Infrared flight simulation using computer generated imagery 85−48374
Weathersby, M.R., Schmieder, D.E. An experiment quantifying the effect of clutter on target detection 85−46752
Weathersby, M.R. *see* Finlay, W.M. 85−13645
Weatherwax, S. Automotive tire pressure sensing 88−31170
Weaver, A.C. A high-performance fault-tolerant local area network 85−19891
Weaver, A.C. A highly reliable LAN protocol 87−13390
Weaver, A.C., Butler, D.W. A fault-tolerant network protocol for real-time communications 86−4332
Weaver, A.C., Butler, D.W. A fault-tolerant network protocol for real-time communication 87−2881
Weaver, A.C., Colvin, M.A. A real-time messaging system for token ring networks 88−21670
Weaver, A.C., Summers, C.F. The IEEE token bus−A performance bound on GM MAP 88−35097
Weaver, A.C. *see* Colvin, M.A. 87−20228
Weaver, A.C. *see* Gorur, R.M. 88−73594
Weaver, A.C. *see* Peden, J.F. 88−66776
Weaver, A.C. *see* Peden, J.H. 88−73593
Weaver, A.C. *see* Strayer, W.T. 88−66993
Weaver, C.E. *see* Hower, P.L. 86−63248, 88−70535
Weaver, C.F. The joint adaptation of equalizer tap-weights and sampling phase, in digital microwave communications 87−40725
Weaver, C.F., Taylor, D.P. The implementation of adaptive decision feedback equalization of multipath distortion in microwave radio 85−42466
Weaver, C.G.K., Gerber, M.S. Capital structure maintenance: a challenge for electric utilities 87−9111
Weaver, C.G.K. *see* Pryor, T.M. 87−55517
Weaver, D.G. *see* Sarma, D.H.R. 88−44493, 88−57179
Weaver, D.S., Fitzpatrick, J.A., Elkashlan, M. Strouhal numbers for heat exchanger tube arrays in cross flow 87−78387
Weaver, D.S., Schneider, W. The effect of flat bar supports on the crossflow induced response of heat exchanger U-tubes [nuclear power stations] 85−4786
Weaver, E.E. *see* Montgomery, J.P. 86−18091
Weaver, E.H. Minimizing precipitator operating power with an energy management system [electrostatic precipitator power control] 85−19101
Weaver, F.C. DBS satellite technology 86−50659
Weaver, F.C., Walthall, E.R. A new generation [RCA's Series 4000 satellites development] 85−20130
Weaver, F.C., Walthall, E.R. A new generation of communications satellites 85−42523
Weaver, F.C., Walthall, E.R. A new generation of communications satellites. II 85−52308
Weaver, F.J. Rugged multipactor tuned magnetron for airborne radar system 85−61630
Weaver, G. *see* Moulsley, T.J. 85−37500
Weaver, G. *see* Vilar, E. 85−41621
Weaver, G.L. The use of a computer model to determine the complex parametric relationships of a crystal oscillator circuit 87−16939
Weaver, H. Surface-mount enhances high-density connector system 87−37748
Weaver, H.T., Axness, C.L., Fu, J.S., Binkley, J.S., Mansfield, J. RAM cell recovery mechanisms following high-energy ion strikes 87−31873
Weaver, H.T., Axness, C.L., McBrayer, J.D., Browning, J.S., Fu, J.S., Ochoa, A., Jr., Koga, R. An SEU tolerant memory cell derived from fundamental studies of SEU mechanisms in SRAM 88−25188
Weaver, H.T., Browning, J.S., Shafer, B.D., Fu, J.S. Experimental determination of time constants for ion-induced transients in static memories 88−70757
Weaver, H.T. *see* Axness, C.L. 87−31882
Weaver, H.T. *see* Fu, J.S. 85−18469, 86−1050, 86−20562, 86−35881, 86−46844, 88−25193
Weaver, H.T. *see* Ochoa, A., Jr. 88−6817
Weaver, H.T. *see* Rose, B.H. 86−7093
Weaver, J. *see* de Werdt, R. 88−38533
Weaver, J.F. *see* Hoffmann, C.R. 86−31805
Weaver, J.H. *see* Boscherini, F. 88−13010
Weaver, J.H. *see* Chambers, S.A. 88−1439
Weaver, J.H. *see* Grioni, M. 85−18164
Weaver, J.H. *see* Ruckman, M.W. 85−55567
Weaver, J.M. *see* Davis, G.T. 85−28463 to 28464
Weaver, J.M.R., Somekh, M.G., Briggs, A.D., Peck, S.D., Ilett, C. Applications of the scanning reflection acoustic microscope to the study of materials science 85−53218
Weaver, J.M.R. *see* Daft, C.M.W. 87−71122
Weaver, J.N. *see* Bulos, F. 88−54364
Weaver, J.N. *see* Garwin, E.L. 86−32012
Weaver, JN. *see* Miller, R.H. 86−25029
Weaver, J.N. *see* Schonberg, R.G. 86−24916
Weaver, J.R. *see* Freeman, E.C. 85−41253
Weaver, J.T. *see* Schnegg, P.-A. 86−60922
Weaver, L.A. *see* Smith, M.P. 86−260
Weaver, L.A.C. The role of robotics in space 87−77714
Weaver, L.E. The early days of video measurements 87−28799
Weaver, M.D., Holmquist, J.R. Analysis of drive power alternatives in the paper industry 88−76065
Weaver, M.D. *see* Wilder, R.W. 87−64853
Weaver, M.K., Shaughnessy, E.J. A technique for pressure measurement in the active electrical zone of a wire-cylinder electrostatic precipitator 86−48538
Weaver, R. Manned space vehicle testing philosophy changes 86−60881
Weaver, R. Newsroom computers: the second shoe 87−70176
Weaver, R., Barry, R. Cryospheric Data Management System for Special Sensor Microwave Imager DMSP data 86−60956
Weaver, R., Clark, M.J. A general purpose socket layer protocol for local area networks 86−30419
Weaver, R.A., Starner, R.A. Application of airline 'MSG' maintenance logic to the Shuttle Orbiter 86−60862
Weaver, R.W. *see* Gonzalez, C.C. 86−6623
Weaver, S. *see* Williams, R.E., Jr. 87−11891, 88−1509
Weaver, T. *see* Matthews, D. 85−7350
Weaver, T. *see* Smith, G.C. 88−71468
Weaver, T.A. *see* Matthews, D.L. 85−24467
Weaver, T.L. *see* Kmack, K.C. 86−16912
Weaver, W.R. *see* De Young, R.J. 87−2062
Weaver, W.R. *see* Lee, J.H. 87−7253, 88−72288
Webb, A. Application of the singular value method and signal sub-space methods to sampled radar images 87−20588
Webb, A.C. *see* Bennett, A. 86−51151
Webb, A.H. *see* Ames, D.L. 87−77853
Webb, A.P. Reactive ion etching GaAs in chlorinated plasmas 85−45614
Webb, A.P. RIE of GaAs in chlorinated plasma 86−2063
Webb, A.P. Plasma and RIE etching 87−18019
Webb, A.P. In situ monitoring during ion beam processing of multi-layer epitaxial III-V device structures 87−67111
Webb, A.P., Sussmann, R.S. Ion beam etching InP at elevated temperatures 86−2073
Webb, A.P. *see* Walker, R.G. 85−41218
Webb, A.P. *see* Williams, P.J. 86−42539
Webb, B. Simple RGB interface circuit 87−3293
Webb, B., Polka, F. Hermetic boat 88−32696
Webb, B.C., Schultz, S., Oseroff, S.B. Magnetization decay in Co-Cr films 88−71888
Webb, B.C. *see* Eddowes, M.J. 86−24512
Webb, B.C. *see* Prosser, S.J. 85−52760
Webb, B.C. *see* Ross, J.F. 86−65174, 87−35063
Webb, B.J., Antoniak, Z.I. Rotating bubble membrane radiator for space applications 87−42058
Webb, B.J. *see* Coomes, E.P. 87−42188
Webb, C., Chai, Y.G., Bandy, S.G., Nishimoto, C., Bivas, A. Incorporation of GaAs/AlAs superlattices for improvement of molecular beam epitaxy materials: GaAs and modulation-doped GaAs/AlGaAs 86−52471

Webb, C., Creek, R., Holt, W., King, G., Young, I. A 65 ns CMOS 1 Mb DRAM 87−17090
Webb, C. *see* Bandy, S.G. 88−25455, 88−25479
Webb, C. *see* Eckstein, J.N. 88−49820
Webb, C. *see* Lichtensteiger, M. 85−31686
Webb, C. *see* Nishimoto, C. 87−59896, 87−73720
Webb, C. *see* Shang-Lin Weng 86−414, 87−10444
Webb, C.D. *see* Peterson, D. 88−60457
Webb, C.E. *see* Bruzzese, R. 86−3067
Webb, C.E. *see* Coutts, J. 86−36383, 86−36428
Webb, C.E. *see* Hirst, G.J. 87−41620, 87−61077
Webb, C.E. *see* Hogan, D.C. 85−12787
Webb, C.E. *see* Lewis, R.R. 88−20568
Webb, C.E. *see* Osborne, M.R. 86−63752
Webb, D. Software links [micro-mainframe emulation software] 85−3169
Webb, D. *see* Cornuelle, B. 85−59494
Webb, D. *see* Meier, H.P. 88−72313
Webb, D. *see* Sanford, T.W.L. 86−55980
Webb, D.B. *see* Ortmeyer, T.H. 88−48563
Webb, D.C. AO, SAW, BAW, and MSW technology for frequency sorting 87−60755
Webb, D.C. Space Station: how far are we from reality? 87−77709
Webb, D.C. Future directions: an assessment from the USA 87−77720
Webb, D.C. *see* Bucholtz, F. 85−1835
Webb, D.C. *see* Moore, W.J. 86−5313
Webb, D.J., Jones, J.D.C., Jackson, D.A. Frequency-locked diode laser for interferometric sensing systems 88−65681
Webb, D.J., Taylor, R.M., Jones, J.D.C., Jackson, D.A. Interferometric optical path difference measurement using sinusoidal frequency modulation of a diode laser 88−53902
Webb, D.J. *see* Lyon, R. 87−3491
Webb, D.J. *see* Magerlein, J.H. 87−60649
Webb, D.J. *see* Meier, H.P. 88−51813, 88−56267
Webb, D.J. *see* Taylor, R.M. 87−74741
Webb, E.A. Effects of copper thick film processing on adhesion and bondability 88−1226
Webb, G. *see* Ghamati, S. 85−62232
Webb, G.G. *see* Field, A. *(editor)* 88−49352
Webb, G.M. *see* Barton, S.K. 85−63614
Webb, G.P. *see* Bromley, A.K.R. 85−60826
Webb, G.W. *see* Wire, M.S. 85−58928
Webb, H.D. *see* Stevens, J.C. 87−57143
Webb, I.R. *see* Gilmore, D.B. 85−16327
Webb, J. Microprocessor use in AC and DC drives 86−45752
Webb, J. Videotex for the European transport industry 86−69359
Webb, J. Videotex for the European transport industry 86−69360
Webb, J. Windmills: a technique in the wind 88−48845
Webb, J. *see* Welt, D. 85−62861
Webb, J. le P. The fine-beam cathode-ray tube and the observant and enquiring student. VI 85−16625
Webb, J. le P. The fine-beam cathode-ray tube and the observant and enquiring student. VII 85−16626
Webb, J.A. A new concept in data-above-voice (DAV) 86−59714
Webb, J.A. Data above voice, inside and outside the voice band 87−55882
Webb, J.A., Lowe, S.J. Theory and application of hard limiters 85−23053
Webb, J.A. *see* Annaratone, M. 88−16730
Webb, J.A. *see* Clune, E. 88−70652
Webb, J.A. *see* Henderson, B.G. 85−13434
Webb, J.A. *see* Mendel, C.W., Jr. 88−29744
Webb, J.B. Conductivity imaging of the erosion pattern for ZnO prepared by planar RF magnetron sputtering 86−40782
Webb, J.B. Epitaxial deposition of compound semiconductors by magnetron sputtering 87−67033
Webb, J.B., Halpin, C. Deposition of indium antimonide films by metalorganic magnetron sputtering 86−7824
Webb, J.B., Halpin, C., Ehrismann, J., Noad, J.P. The preparation of epitaxial InSb films by magnetron sputtering 88−31738
Webb, J.B., Halpin, C., Noad, J.P. The preparation of thin indium antimonide films by metalorganic magnetron sputtering 86−62247
Webb, J.B. *see* Goodchild, R.G. 85−40455
Webb, J.B. *see* McFee, S. 88−2480
Webb, J.B. *see* Rao, T.S. 88−63290
Webb, J.B. *see* Sun, Y.Z. 86−47321
Webb, J.D. Portable splicers in new places 85−29535
Webb, J.E. Measurement of optical performance of photolithographic lenses 85−29072
Webb, J.F., Smith, K.C. An application of personal computers in electrical engineering laboratory instruction 87−23199
Webb, J.P. The finite-element method for finding modes of dielectric-loaded cavities 85−61426
Webb, J.P. Computer-aided design of high-frequency electromagnetic devices using the finite-element method 87−17295
Webb, J.P. Efficient generation of divergence-free fields for the finite element analysis of 3D cavity resonances 88−50309
Webb, J.P. Finite element analysis of dispersion in waveguides with sharp metal edges 88−70964
Webb, J.P., Lowther, D.A., Forghani, B. Scalar finite element solution of the magnetic fields due to azimuthally-periodic current distributions 87−26622
Webb, J.P., Lowther, D.A., Silvester, P.P. A finite element database for electromagnetic field computation 86−42702
Webb, J.P., Parihar, S. Finite element analysis of *H*-plane rectangular waveguide problems 87−7568
Webb, J.P. *see* Kobelansky, A.J. 86−54327
Webb, J.P. *see* McFee, S. 88−7794, 88−52085
Webb, J.R. The CANDU single unit containment concept: an overview 85−65074
Webb, J.R. *see* Girijashankar, P.V. 88−75346
Webb, J.R. *see* Secker, P.A. 88−75352
Webb, K. Open systems interconnection in library and information networks 87−34221
Webb, K. *see* Clark, C.J. 87−45292
Webb, K. *see* Farr, E. 85−36096
Webb, K.J., Carin, L., Xu, Q. Numerical analysis of planar high frequency integrated circuit geometries 88−9376
Webb, K.J., Mittra, R. Solution of the finline step-discontinuity problem using the generalized variational technique 86−10148
Webb, K.J. *see* Butler, D. 88−63933
Webb, K.J. *see* Butler, D.L. 88−25442
Webb, K.J. *see* Carin, L. 87−74404, 88−70951
Webb, K.J. *see* Clark, C.J. 87−46730
Webb, K.J. *see* Hung, H.A. 88−25535
Webb, K.J. *see* Polak-Dingels, P. 88−71044
Webb, L., Chen, K.M. Target discrimination using K-pulses, single-mode excitation signals and Prony's method 85−14345
Webb, L.L. *see* Chen, K.-M. 86−69802
Webb, M. Anticipating failures by dissolved-gas monitoring 87−78734
Webb, M. *see* Pearce, D. 88−5271
Webb, M.G., Elwan, I.I., Maistre, L. Some investment aspects of non-oil spot pricing 88−75087
Webb, M.G. *see* Pinto, N.M. 86−50937
Webb, M.G. *see* Viviani, G.L. 85−38821
Webb, M.L. *see* Brady, F.P. 85−26703
Webb, M.L. *see* Christie, W.B. 87−50138
Webb, M.R. *see* Lancaster, J.T. 87−71754
Webb, N.J. *see* Davis, R.M. 88−75329
Webb, P. The use of remote Earth stations in the mining industry 87−62921
Webb, P.J. Infrared gas analysis over open paths for industrial waste gases 87−21273
Webb, P.K. Customer's equipment and services on the British Telecom switched-star wideband local network 85−57800
Webb, P.P., McIntyre, R.J. Multi-element reach-through avalanche photodiodes 85−2149
Webb, P.P., McIntyre, R.J., Holunga, M., Vanderwel, T. Planar InGaAs/InP APD fabrication using silicon implantation and regrowth techniques 88−45304
Webb, P.P. *see* Trakalo, M. 88−4426
Webb, P.W. Measurement of thermal resistance using electrical methods [semiconductor devices] 87−41624
Webb, P.W. *see* de Cogan, D. 85−45281
Webb, P.W. *see* Khalid, K.B. 88−53614
Webb, R. Thermal modeling of laser materials interaction 88−2352
Webb, R. *see* Buchholz, J. 87−41837
Webb, R. *see* Calicchio, M. 88−29811
Webb, R. *see* Cihangir, S. 88−47983
Webb, R. *see* De Long, S. 88−71176
Webb, R. *see* Dowsett, M.G. 88−64375
Webb, R. *see* Faik, A.B. 87−12101
Webb, R.A., Fowler, A.B., Hartstein, A., Wainer, J.J. Hopping conduction in quasi-one-dimensional systems 86−53666
Webb, R.A., Hartstein, A., Wainer, J.J., Fowler, A.B. Origin of the peaked structure in the conductance of one-dimensional silicon accumulation layers 85−34987
Webb, R.A., Washburn, S. Principles of fabrication and applications of Dc and RF SQUIDS 85−41071
Webb, R.A. *see* Fowler, A.B. 86−63132, 88−64330
Webb, R.A. *see* Knoedler, C.M. 85−23691
Webb, R.A. *see* Mendez, E.E. 86−47374
Webb, R.A. *see* Schmid, H. 88−39294
Webb, R.A. *see* Wainer, J.J. 88−33235
Webb, R.A. *see* Washburn, S. 85−45435, 86−58305
Webb, R.B. A bus-controlled VLSI modem solution 87−69786
Webb, R.C. Status of the Texas A&M GUT monopole search 85−31742
Webb, R.E. Using energy controllers isolated from mains 85−54637
Webb, R.E., Lewis, M.G., Turner, W.C. Fluorescent lighting—an expanding technology 87−5084
Webb, R.G. Remote data collection from fast vehicles 87−25620
Webb, R.H. An overview of the scanning laser ophthalmoscope 85−4310
Webb, R.H. Optics for laser rasters 85−7560
Webb, R.H. Manipulating laser light for ophthalmology 86−50490
Webb, R.H., Hughes, G.W., Delori, F.C. Confocal scanning laser ophthalmoscope 87−50230
Webb, R.H. *see* Wornson, D.P. 87−50231
Webb, R.J., Goldman, A.M., Kang, J.H., Maps, J., Schmidt, M.F. Reactive evaporation of Chevrel phase superconducting compounds 85−60985
Webb, R.P. Evaluation of a semiconductor-laser amplifier for multiplexed coherent systems 87−39133
Webb, R.P. Error-rate measurements on an all-optically regenerated signal 87−68617
Webb, R.P., Devlin, W.J. 1.5 μm travelling-wave semiconductor-laser amplifier 85−25911
Webb, R.P., Devlin, W.J. Influence of bias current and signal power on behaviour of an antireflection-coated laser amplifier 86−36474
Webb, R.P., Puttgen, H.B., Meliopoulos, A.P. Video-based master degree power program at Georgia Institute of Technology [power engineering education] 85−54055
Webb, R.P., Wilson, I.H. An extension to the Projected Range Algorithm (PRAL) to give energy deposition profiles 87−6558
Webb, R.P. *see* Barfoot, K.M. 87−12201
Webb, R.P. *see* Meliopoulos, A.P. 85−9539
Webb, R.P. *see* Thornton, J. 88−57494
Webb, R.T. Ten years of TWT progress 85−28911
Webb, R.T. Ten years of TWT progress 85−55412
Webb, S., Broderick, M., Flower, M.A. High resolution SPECT using divergent geometry 85−43343
Webb, S., Cox, C.S. Pressure and electric fluctuations on the deep seafloor: background noise for seismic detection 85−21004
Webb, S., Ott, R.J., Marsden, P.K., Flower, M.A. Image enhancement in PET scanning with the Royal Marsden Hospital MWPC camera (MUP-PET) 88−61304
Webb, S. *see* Cox, C. 87−71371
Webb, S. *see* Flower, M.A. 85−15284, 88−61291
Webb, S. *see* Leach, M.O. 85−38090
Webb, S. *see* Ott, R.J. 88−61302
Webb, S.C., Constable, S.C., Cox, C.S., Deaton, T.K. A seafloor electric field instrument 86−38942
Webb, S.J. Testing and software engineering methods in a pilot ISDN development 88−59727
Webb, S.P. *see* Kortz, H.P. 86−22336
Webb, S.W., Babington, R., Hughes, M.A. The dewatering of peat by means of a multiple-effect evaporator 88−62022
Webb, W.A. An optimal spacecraft scheduling model for the NASA Deep Space Network 85−63632
Webb, W.A. A nonlinear public key cryptosystem 88−45873
Webb, W.A. *see* Burke, J.R. 88−70226
Webb, W.E., Church, R.H. Measurement of dielectric properties of minerals at microwave frequencies 87−49894
Webb, W.M. *see* Hatfield, J.L. 88−67699
Webber, C.L., Jr. A C-language program for the computation of power spectra on a laboratory microcomputer 86−59269
Webber, D. *see* Saleh, R.A. 88−18877
Webber, D.M., Sangiovanni-Vicentelli, A. Circuit simulation on the Connection Machine 87−65704
Webber, D.M. *see* Maynard, D.R. 88−54753
Webber, G., Culp, J., Robinson, M. DRFM requirements demand innovative technology [ECM application] 86−57835
Webber, H.C. *see* Cullis, A.G. 85−10664, 85−10670
Webber, J. Recent developments in cold pour jointing 87−42511
Webber, J.C. *see* Clark, T.A. 85−59428
Webber, J.M.B., Oliver, D.E. SPATE technique for full-field stress analysis 86−31669
Webber, J.M.B. *see* Saul, R.S. 88−4473
Webber, J.V. Design characteristics of diesel engines for local power generation 87−50911
Webber, M.C. *see* Pocha, J.J. 87−21740
Webber, P. Installing LV lighting with remote transformers 86−19595
Webber, P. What is an 'intelligent' building? 88−7973
Webber, P.J. *see* Walker, D.A. 88−16938
Webber, R., Fritz, J., Holmes, S., Marsh, W., Zagel, J. A beam position monitoring system for the Fermilab booster 88−54105
Webber, R. *see* Kerns, Q. 86−31979
Webber, R.C. *see* Holmes, S.D. 86−31772
Webber, R.F. *see* Humphreys, R.G. 85−52660
Webber, R.G. *see* Sheppard, A.T. 85−55216
Webber, R.L. *see* Groenhuis, R.A.J. 85−38118
Webber, R.L. *see* Ruttimann, U.E. 87−13085, 88−29993
Webber, R.L. *see* van der Stelt, P.F. 86−50542
Webber, R.V., Schlesak, J.J. Fade rates at 13 GHz on Earth-space paths 87−26759
Webber, S.E. *see* Cervera-March, S. 88−49105
Webber, W.R. *see* Sermund, G. 87−29604

Webbink, D.W. Radio licenses and frequency spectrum use property rights 88−29015
Webeler, W. *see* Hughes, R. 87−42420
Weber, A., Wilczek, D. Programmable controller systems get the best out of diesel generating plant 87−15570
Weber, A.G., Sawchuk, A.A. Segmentation of textured images 86−10540
Weber, B. *see* Csabay, O. 87−1382
Weber, B. *see* Hinshelwood, D.D. 88−30960
Weber, B.F. *see* Hardesty, R.M. 87−64493
Weber, B.L. *see* Frisch, A.S. 87−77857
Weber, B.L. *see* Miller, P.A. 85−24959
Weber, B.L. *see* Strauch, R.G. 88−61641
Weber, B.V., Commisso, R.J., Oliphant, W.F., Ottinger, P.F. Positive polarity operation of the plasma erosion opening switch 85−23196
Weber, B.V. *see* Commisso, R.J. 88−30959
Weber, B.V. *see* Hinshelwood, D.D. 87−30852, 87−43316
Weber, B.V. *see* Meger, R.A. 85−1119, 85−4184
Weber, B.V. *see* Neir, J.M. 88−30958
Weber, B.V. *see* Neri, J.M. 87−53763
Weber, B.V. *see* Renk, T.J. 85−23308
Weber, B.V. *see* Stinnett, R.W. 87−17441
Weber, C. *see* Beer, F. 87−58224
Weber, C. *see* Bourgeois, F. 85−42923
Weber, C.A., Allebach, J.P. Reconstruction of frequency-offset Fourier data by alternating projection onto constraint sets 87−49149
Weber, C.A. *see* Gallagher, N.C., Jr. 87−37475
Weber, C.L. *see* Hall, D. 87−40680, 88−21927
Weber, C.L. *see* Kelley, K.J. 86−30603
Weber, C.L. *see* Polydoros, A. 85−25705, 86−10340
Weber, C.L. *see* Reed, F.A. 86−11181
Weber, C.L. *see* Siess, E.W. 85−30881, 86−49447
Weber, C.L. *see* Su, Y.T. 85−30157
Weber, D., Schuppe, I. Modern measurement techniques verify efficiency of K-systems 88−15280
Weber, D. *see* Hofstetter, H. 86−23604
Weber, D.A. A historical perspective of changing technologies in nuclear medicine imaging 85−20896
Weber, D.J. Development of a digitally configured ring laser gyro based strapdown inertial navigation system 85−38292
Weber, D.J. A three-axis monolithic ring laser gyro [inertial navigation] 88−74927
Weber, D.M. Digital circuits point towards better TV sets 85−20320
Weber, D.M. VCR acquires high-fidelity sound and compact-disk players fall in price 85−26080
Weber, D.M. Slow and steady is the new strategy in automotive electronics 85−65565
Weber, D.P., Briggs, L.L. Thermal-hydraulic methods in fast reactor safety 86−6550
Weber, D.S. *see* Quentin, G.H. 87−9362
Weber, E. Data protection and data safeguard problems in the setting up and utilization of German interactive videotex (Btx) 85−63266
Weber, E. Reed relays in polar technique 87−66624
Weber, E. Surface mounted (SM) relays−relay development with SM assembly in view 88−12673
Weber, E. Relays for surface mounting 88−71151
Weber, E. *see* Heymann, G. 87−60368
Weber, E.J. *see* Buchau, J. 85−51438
Weber, E.P. *see* Lauby, M.G. 88−10833, 88−23424
Weber, E.R. Diffusion, complexing and precipitation of transition metals in silicon 86−28112
Weber, E.R. *see* Allen, L.T.P. 88−391, 88−24714
Weber, E.R. *see* Colas, E.G. 87−11580, 87−17698
Weber, E.R. *see* Liliental-Weber, Z. 87−1293, 87−11448, 87−24912, 88−38193
Weber, E.R. *see* Miret, A. 88−44738
Weber, E.R. *see* Nauka, K. 87−25224
Weber, E.R. *see* Newman, N. 88−13012, 88−64494
Weber, E.R. *see* Parechanian, L.T. 86−20066
Weber, E.R. *see* Shih, Y. 87−17707
Weber, E.R. *see* Sporon-Fiedler, F. 87−11360
Weber, E.R. *see* Whitfield, J. 87−11340
Weber, E.V. *see* Hsia, L.C. 85−29081
Weber, F. *see* Kabitzsch, K. 87−45343
Weber, F.E. *see* Bartoli, P.D. 85−25476
Weber, G. SMD−automation equipment 86−62928
Weber, G. *see* Alner, G.J. 88−10288
Weber, G. *see* Bar, G. 87−66618
Weber, G. *see* Riegel, S. 87−14592
Weber, G. *see* Tucker, W.K. 87−17579
Weber, H. Information transmission with pulse-position modulation 87−33588
Weber, H. ISDN VLSI solutions 87−40239
Weber, H. Resonators and beam quality 88−58606
Weber, H., Ifflander, R., Seiler, P. High power Nd-lasers for industrial applications 87−46845
Weber, H., Joskowicz, G., Schmidinger, H., Weidinger, F., Kaindl, F. Indication, analysis quality and clinical satisfaction in Holter monitoring 87−21601
Weber, H., Keel, P. IRMA−the information and accounting system of the Elektrizitatswerk der Stadt Zurich 85−32053
Weber, H. *see* Aegerter, H. 88−54975
Weber, H. *see* Alocen, J.L. 85−21993
Weber, H. *see* Bendick, W. 88−10939
Weber, H. *see* Dong, S. 86−42372
Weber, H. *see* Driedger, K.P. 86−3240, 86−42509, 88−58602
Weber, H. *see* Durst, F. 87−8778
Weber, H. *see* Frischenschlager, F. 86−19120
Weber, H. *see* Fuhrmann, K. 88−14146
Weber, H. *see* Guenther, K.H. 85−12917
Weber, H. *see* Hauck, R. 88−34067 to 34068
Weber, H. *see* Hodgson, N. 88−58621
Weber, H. *see* Ifflander, R. 87−7427
Weber, H. *see* Jahn, D. 85−52101
Weber, H. *see* Joskowicz, G. 87−21602, 87−21618
Weber, H. *see* Leach, M.O. 86−65416
Weber, H. *see* Leopold, J. 85−5573
Weber, H. *see* Lu, B. 85−35664
Weber, H. *see* Lu Baida 86−22428, 88−27250
Weber, H. *see* Mittelmann, H.D. 85−33347
Weber, H. *see* Requardt, H. 88−4896, 88−29985
Weber, H. *see* Sauter, R. 87−8900
Weber, H. *see* Schendler, W. 85−10127
Weber, H.G. *see* Grosskope, G. 86−69769
Weber, H.G. *see* Grosskopf, G. 88−15456, 88−34102, 88−47037, 88−47128, 88−65729
Weber, H.J., Seeberger, R.E., Stolpe, G. Field measurements of partial discharges in potential transformers 87−22455
Weber, H.J. *see* Osvath, P. 86−12514, 87−8735
Weber, H.J. *see* Zaengl, W.S. 87−25655
Weber, H.P., Hodel, W. High power light-transmission in optical waveguides 87−46539
Weber, H.P., Hodel, W. Propagation of subpicosecond pulses and soliton formation in an optical fiber 88−72047
Weber, H.P., Luthy, W. 3 μm solid state laser for medical applications 88−10429
Weber, H.P. *see* Battig, R. 88−36014
Weber, H.P. *see* Beaud, P. 86−29091, 88−20341, 88−20593
Weber, H.P. *see* Datwyler, M. 86−68455, 87−39033
Weber, H.P. *see* Gilgen, H.H. 88−47701
Weber, H.P. *see* Guenther, K.H. 85−12917
Weber, H.P. *see* Henchoz, P.-D. 86−9723
Weber, H.P. *see* Hodel, W. 88−13833
Weber, H.P. *see* Josten, G. 88−51488
Weber, H.P. *see* Munir, Q. 85−24307, 85−50962
Weber, H.P. *see* Neumaier, P. 85−54563
Weber, H.P. *see* Novak, R.P. 88−1959
Weber, H.P. *see* Roschger, E.W. 85−51146
Weber, H.P. *see* Schwarzenbach, A.P. 85−12921
Weber, H.P. *see* Stalder, M. 87−68429
Weber, H.P. *see* Stierlin, R. 87−41515, 87−53948
Weber, H.P. *see* Valk, B. 85−51278, 85−56813
Weber, H.P. *see* Zweig, A.D. 88−8363
Weber, H.W. *see* Hahn, P. 85−46053
Weber, H.W. *see* Hahn, P.A. 87−25897
Weber, J. Developments in classification of electrical equipment with regard to protection against electric shock 86−57167
Weber, J. Comparison between holographic interferometry and electronic speckle interferometry 87−7467
Weber, J. Laser application to electronic speckle pattern interferometry 87−33334
Weber, J., Baldessari, B. Optimal classification regions for normal random vectors with separable and partially exchangeable dependence 88−56117
Weber, J., Bantien, F., Pearton, S.J., Dautremont-Smith, W.C. Photoluminescence detection of the shallow impurity neutralization in GaAs 87−60337
Weber, J., Michel, M. Power electronics−changing rapidly 86−20262
Weber, J. *see* Bantien, F. 87−60269
Weber, J. *see* Bersiner, L. 87−40542
Weber, J. *see* Davis, R.J. 86−21354
Weber, J. *see* Dorenbosch, J. 87−14637
Weber, J. *see* Hannakam, L. 87−32123
Weber, J. *see* Korber, W. 87−31518, 88−50632
Weber, J. *see* Menzel, S. 88−64423
Weber, J. *see* Sawyer, W.D. 87−66890
Weber, J.-C. The special equipment programme of the PTT 85−36790
Weber, J.-C. Subscribers' equipment program of the telecommunications utility. II 85−47283
Weber, J.-P., Thylen, L., Wang, S. Crosstalk and switching characteristics in directional couplers 88−45179
Weber, J.-P., Wang, S. Analysis of the far-field output angle scanning by injection locking of a diode laser array 86−63799
Weber, J.-P. *see* Hsin, W. 88−40245
Weber, J.-P. *see* Zhu, Z.H. 87−3702
Weber, J.C. *see* Lasser, P. 85−8100
Weber, J.F. *see* Vuong, S.T. 88−35179
Weber, J.H. Applications for the fiber optic low cost system 86−15471
Weber, J.H. AT&T Communications' digital network evolution 86−37296
Weber, J.H., De Vroedt, C., Boekee, D.E. New upper bounds on the size of codes correcting asymmetric errors 87−54864
Weber, J.H., de Vroedt, C., Boekee, D.E. A construction method for codes correcting asymmetric errors 87−75731
Weber, J.H., de Vroedt, C., Boekee, D.E. Bounds on the size of codes correcting unidirectional errors 88−59036
Weber, J.H. *see* Roca, R.T. 86−64532, 87−40224
Weber, J.P. *see* Langenbuch, S. 87−30324
Weber, J.W. Future electronic map systems 85−9301
Weber, J.W. *see* Herbelin, R.L. 85−9346
Weber, K. On components of random graphics in the *n*-cube 87−31398
Weber, K. Substrates for square chip carriers 88−13468
Weber, K. *see* Carius, R. 88−2106
Weber, K. *see* Djamdji, F. 88−25904
Weber, K. *see* Schumacher, R. 87−45982
Weber, K.-D. *see* Otto, L. 87−20513
Weber, K.-H. *see* Sansonetti, C.J. 86−5454
Weber, K.B. *see* Oki, A.K. 88−19240
Weber, K.M., Heil, W. Converter-fed synchronous motor as a gearless, high-speed drive for boiler feed pumps 86−66372
Weber, K.M. *see* Meyer, A. 87−78518
Weber, L., Frischmann, W. Frequency analysis, oriented to customers, for utilization of low-voltage switch plants 85−21756
Weber, L. *see* Gerdom, K.-H. 85−10261
Weber, L.F., Steiner, C.N. Domains in AC plasma AND gates 85−14938
Weber, L.F., Warren, K.W., Scott Weikart, G. Quantitative wall voltage characteristics of AC plasma displays 86−27822
Weber, L.F., Warren, K.W., Weikart, G.S. Quantitative wall voltage characteristics of AC plasma displays 87−3660
Weber, L.F., Wood, M.B. Energy recovery sustain circuit for the AC plasma display 88−16313
Weber, L.F., Younce, R.C. Independent sustain and address technique for the AC plasma display panel 87−3689
Weber, L.F. *see* Lee, J.Y. 87−8690
Weber, M. A low-cost phase modulator for the Hz- and lower-kHz range 86−8058
Weber, M. The use of filters in the solution of EMC problems 88−44273
Weber, M. *see* Gramain, F. 85−39635
Weber, M. *see* Hartenstein, R. 85−45032
Weber, M. *see* Hartenstein, R.W. 88−50126
Weber, M. *see* Jeffrey, F.R. 87−30982
Weber, M. *see* Joy, E.F. 85−11664
Weber, M. *see* Krumm, B. 85−9521, 85−53338
Weber, M. *see* West, H. 87−11119
Weber, M.E., Heisler, R. A frequency-domain beamforming algorithm for wideband, coherent signal processing 85−8488
Weber, M.F., Paulick, T.C., Jeffrey, F.R. Transparent silver contacts to a-Si solar cells 87−43462
Weber, M.F. *see* Jeffrey, F.R. 88−49154
Weber, M.F. *see* Pawliszyn, J. 86−3257
Weber, M.G. *see* Glass, N.E. 86−8905
Weber, M.J. Faraday rotator materials for laser systems 88−1922
Weber, M.J. Laser sources today and tomorrow 88−45335
Weber, M.J. Faraday rotator materials for lasers 88−72170
Weber, M.J. *see* Hall, D.W. 86−68496
Weber, N.D. *see* Haszto, E.D. 88−53040
Weber, P., Haykin, S. Ordered statistic CFAR processing for two-parameter distributions with variable skewness 86−23034
Weber, P., Haykin, S. Space-based radar: narrowing the main-beam clutter spectrum through the use of a high-aspect-ratio antenna 88−28923
Weber, P., Haykin, S., Gray, R. Simultaneous resolution of unambiguous range and Doppler in a pulse-Doppler radar using multiple PRFs 85−58177
Weber, P., Haykin, S., Gray, R. Airborne pulse-Doppler radar: false-alarm control 87−40995
Weber, P. *see* Cierjacks, S. 85−64470
Weber, P. *see* Ford, W.T. 87−50139
Weber, P.M., Smith, D. Interface between an oscilloscope and a multichannel analyzer 87−29037
Weber, R. A better loudspeaker for the medium frequencies 85−14513
Weber, R. Nuclear research, which concerns many things 85−20764
Weber, R. The Swiss National Energy Research Fund (NEFF)−100 million Swiss Francs already for energy research 85−48651
Weber, R. Solar energy-Sisyphos needs help 86−19171
Weber, R. Fluidised-bed coal firing−what can it do? 86−40356
Weber, R. Mass producible electric car with convincing technology and attractive performance 87−5010

Weber, R. The European interconnected power system. How the international power exchange is controlled 87-15174
Weber, R. BTS 412, a novel SMART SIPMOS switch 87-46239
Weber, R. Superconducting magnets for superhot plasmas 87-53925
Weber, R. Where is the largest hydraulic power station located? 87-57936
Weber, R. Electrically conducting plastics? 87-73163
Weber, R. Alternative drives for tomorrow's automobile 88-5962
Weber, R. SUPERPHENIX—the largest breeder in the world 88-36981
Weber, R. Present status of solar energy 88-62602
Weber, R. The detection of rot in standing timber 88-74643
Weber, R. *see* Einzinger, J. 87-22880
Weber, R. *see* Gretsch, R. 86-39253
Weber, R. *see* Moore, G. 88-35176
Weber, R. *see* Ruf, R. 85-10275
Weber, R. *see* Thogersen, M. 85-3200
Weber, R. *see* Tietze, E.-G. 87-42421
Weber, R. *see* Vogelmann, M. 87-64770
Weber, R.C., Harris, G.F., Matesi, D.V., Chang, B. Passive knee motion test apparatus 88-48098
Weber, R.G. *see* Chrystall, M.S. 87-34461
Weber, R.J., Young, J., Edwards, W., Ryan, F.J., Vahrenkamp, R.P., Erlandson, R., Kaelin, G., Gupta, A., Kirkpatrick, C.G. A monolithic microwave and digital GaAs integrated circuit chip for L-band receiver applications 87-32094
Weber, R.J., Young, J.P. Novel digital and microwave GaAs MMIC for GPS applications 88-19388
Weber, R.J. *see* Apel, T.R. 85-20558
Weber, R.J. *see* Hemesath, N.V. 88-9673
Weber, R.J. *see* Landt, D.L. 86-11510
Weber, R.M. Use of nondestructive evaluation methods to improve power plant availability 86-51330
Weber, R.N. The evolution of the duplex connector system for ANSI X3T9.5 FDDI (fiber distributed data interface) 88-15478
Weber, S. Integrated electromyography: Is it the new standard for clinical monitoring of neuromuscular blockade; 87-50336
Weber, S., Barth, A., Langer, R. A 3rd generation hybrid invertor tube 87-11301
Weber, S.F. An economic model for automatic test equipment calibration 86-44137
Weber, S.F., Hillstrom, A.P. Economic model of calibration improvements for automatic test equipment 85-42859
Weber, T. *see* Arnold, W. 87-41738
Weber, T. *see* Boiciuc, D. 87-56846
Weber, T. *see* Hallewell, G. 88-68213
Weber, T. *see* Heil, R.D. 86-5841
Weber, T. *see* Johnson, R. 88-68277
Weber, W. CAD used for the configuration of automobile headlights 85-16391
Weber, W. Ceramics for the electronic industry 87-36819
Weber, W. Temperature rises in the windings of oil-immersed transformers 88-23999
Weber, W. Dynamic stress experiments for understanding hot-carrier degradation phenomena 88-71562
Weber, W., Lau, F. Hot-carrier induced degradation in submicron p-MOSFETs 87-32575
Weber, W., Lau, F. Hot-carrier drifts in submicrometer p-channel MOSFETs 87-45936
Weber, W., Werner, C., Dorda, G. Degradation of n-MOS-transistors after pulsed stress 85-18348
Weber, W., Werner, C., Schwerin, A. Lifetimes and substrate currents in static and dynamic hot-carrier degradation 87-53567
Weber, W. *see* Boehme, R.F. 85-39529, 85-61883
Weber, W. *see* Gerstenmeier, J. 87-79169
Weber, W. *see* Hofmann, K.R. 85-45694, 85-50567
Weber, W. *see* Miura-Mattausch, M. 87-67258
Weber, W. *see* Muhlhoff, H.-M. 88-7614
Weber, W. *see* Orlowski, M. 88-7611
Weber, W. *see* Schwerin, A. 87-32580, 88-26267
Weber, W. *see* Wolber, G. 87-63598
Weber, W.A. *see* Osborne, R.W. 87-71529
Weber, W.A. *see* Peri, R. 87-77986
Weber, W.R. Process control using contact-free automatic measurement during production 85-16815
Weber, Z. Study of the generalised linear inversion of the seismic trace 86-32520
Weber-Wulff, D. Displaying text in facsimile 86-64603
Webers, B.G.H. *see* Fortuin, J.B. 85-4721
Webers, I. Film and video tape technologies of motion picture production. I 87-70287
Webers, I. Development of film and video tape technologies for motion picture production. II 88-4213
Webers, J. Film and video techniques: new directions for the production of programmes for the 1990s 87-8445
Webers, J. Film and video technique—new ways of programme elaboration of the 'nineties 88-9750
Webner, G. *see* Christ, K. 85-21206
Websdale, D. *see* Barber, G. 87-29555
Websdale, D.M. *see* Ellison, J.A. 85-43172
Webster, A. *see* Ahmed, N. 87-19206, 88-19277
Webster, A.R., Scott, A.M. Angles-of-arrival and tropospheric multipath microwave propagation 87-47168
Webster, A.R. *see* Lam, W.I. 85-46564
Webster, B. *see* Coyne, M. 88-63459
Webster, C. Protecting 230 kV capacitor banks 85-4680
Webster, C.R. *see* Johnson, R.A. 85-38347
Webster, D. The legitimizing of telecomputers 86-23352
Webster, D. *see* Kegelmeyer, W.P. 88-54830
Webster, D.C. The value of public lighting maintenance research 87-79202
Webster, E. *see* Bates, P. 86-24301
Webster, E. *see* Bissell, P.R. 87-37076
Webster, E. *see* Whitman, S. 88-9955
Webster, E.A., Jenemann, M. Films and intensifying screens for 150 kV flash radiography 88-54454
Webster, E.A., Jr. *see* Audette, R.G. 88-54453
Webster, H.F. *see* Burgess, J.F. 85-23890
Webster, H.F. *see* Carlson, R.O. 86-13512
Webster, H.F. *see* Quine, J.P. 88-25484
Webster, H.H. *see* Jones, B.E. 87-57161
Webster, J. *see* Gibson, M.J. 87-49074
Webster, J.C. *see* Chu, C. 86-56172
Webster, J.C. *see* Gallatin, G.M. 88-1592
Webster, J.G. Reducing motion artifacts and interference in biopotential recording 85-31847
Webster, J.G. *see* Bellahsene, B.E. 86-18331
Webster, J.G. *see* Frisken-Gibson, S.F. 88-23123
Webster, J.G. *see* Hu, M.-Q. 88-61376
Webster, J.G. *see* Kaczmarek, K. 85-64634
Webster, J.G. *see* Kaczmarek, K.A. 85-38238
Webster, J.G. *see* Kim, Y. 85-15340, 87-50387
Webster, J.G. *see* Maalej, N. 88-36432, 88-54538, 88-68346, 88-68387
Webster, J.G. *see* Qu, M. 87-21562, 88-61381
Webster, J.G. *see* Ravi Shankar, T.M. 85-48280
Webster, J.G. *see* Reddy, C.M. 85-38185
Webster, J.G. *see* Reining, W.N. 88-54575
Webster, J.G. *see* Sahakian, A.V. 85-38164, 85-53056
Webster, J.G. *see* Sakamoto, K. 87-50315, 87-50372
Webster, J.G. *see* Shankar, T.M.R. 85-15329
Webster, J.G. *see* Thakor, N.V. 85-15319, 85-31852
Webster, J.G. *see* Yorkey, T.J. 86-56145, 87-50313, 87-50373, 88-16737
Webster, J.G. *see* Zhang, Y. 86-56148, 87-21563
Webster, J.M. *see* Gordon, A.L. 86-68640
Webster, J.M. *see* Tozer, B.A. 86-3347, 86-3385, 86-61273
Webster, J.T. What the Winchester disk drive tester of the future might look like 85-63973
Webster, L. *see* Zanger, H. 85-8395
Webster, L.R. Field vs. predicted reliability for commercial SATCOM terminals 86-59830
Webster, L.R., Mader, J.M. VLSI impact on RAMS strategies in avionics design 86-60897
Webster, N.L. *see* Attridge, J.W. 86-22120
Webster, P. Practical data applications of cellular networks 88-67271
Webster, P.D. Isolated current measurement for the switched reluctance drive 87-16111
Webster, P.D., Blake, R.J. Switched reluctance drives for light rail traction 87-22869
Webster, P.D. *see* Blake, R.J. 87-16100
Webster, P.D. *see* Sugden, D.M. 88-69757
Webster, R. Harnessing your modem's native intelligence 85-8241
Webster, R.J. C^{∞}-windows 85-62937
Webster, R.J. A simple analytic FIR filter 87-73557
Webster, R.J. Minimum worst case processing loss 88-72924
Webster, R.T. 1.5-GHz GaAs surface acoustic wave delay lines 85-62170
Webster, R.T., Carr, P.H. Microwave acoustic and magnetic components for phased array beam steering 87-68895
Webster, R.T., Silva, J.H. Cubic temperature dependence for SAWs on *X*-cut quartz 88-57881
Webster, R.T. *see* Carr, P.H. 87-11062
Webster, R.W. Building a microcomputer local network 85-30687
Webster, S.A., Finnicum, D.J. The impact of technical specification surveillance requirements and allowable outage times on plant availability 86-51244
Webster, S.A., Hoogewerff, R.O. Methodology for establishing surveillance test intervals 87-64271
Webster, S.A., Johnson, S.E. Technical specification improvement 86-25711
Webster, S.A. *see* Green, M.D. 85-53473
Webster, S.C. *see* Gardner, R.N. 87-38880
Webster, S.L. *see* Snyder, C.E. 87-65098
Webster, W.M. Simultaneous television and computer image display 86-44185
Wechel, R.J.van *see* van Wechel, R.J.
Wechsberg, M. *see* Yen, H.W. 88-72696
Wechselberger, T. *see* Davidov, M. 85-31154
Wechsler, B.A., Klein, M.B., Rytz, D. Crystal growth, processing, and characterization of photorefractive $BaTiO_3$ 88-1923
Wechsler, D.B., Crouse, K.R. An approach to design knowledge capture for the Space Station 87-63870
Wechsler, E.R. *see* Rickenbach, R. 85-35460
Wechsler, H. Invariant local spectral signatures for image processing 85-51795
Wechsler, H., Zimmerman, G.L. Rotation and scale invariant object recognition using a distributed associative memory 88-34825
Wechsler, H. *see* Acharya, R.S. 87-50299, 87-77626
Wechsler, H. *see* Jacobson, L. 85-7916, 85-30395, 85-46904
Wechsler, H. *see* Jacobson, L.D. 88-34790
Wechsler, H. *see* Reed, T. 88-34793
Wecht, K.W. *see* Chand, N. 87-5402, 88-49812
Wecht, K.W. *see* People, R. 85-18132, 86-14969
Wecht, K.W. *see* Xie, Y.H. 86-67713, 87-74065
Weck, G. *see* Kaps, P. 87-53643
Weck, J.-P.de *see* de Weck, J.-P.
Weck, K.-H. Principles and procedures of insulation co-ordination 87-42401
Weck, K.-H. *see* Blasius, P. 87-4398
Weck, K.-H. *see* Studinger, H. 87-15827
Weck, K.H. *see* Boeck, W. 86-51861
Weck, M. Development and application of a flexible, modular monitoring and diagnosis system 86-38199
Weckel, C., Hamman, E., Balas, M., Lang, J. Comparison of linearized versus nonlinear control of DC stepping motors 86-51653
Weckel, C., Hamman, E., Balas, M., Lang, J. Comparisons of linearized versus nonlinear control of DC stepping motors 86-56795
Weckenbrock, H., Wedam, W. ACTV: advanced compatible television 88-60368
Weckenbrock, H.J. Motion-detection algorithms for frame-memory-based digital video processing systems 87-28787
Weckenmann, A., Gawande, B. Testing of sculptured surfaces with coordinate measuring machines 88-4638
Wecker, J. *see* Schultz, L. 88-64914
Wecker, T. Semi-custom design systems 87-52545
Wecker, T. *see* Nett, M. 86-21851
Wecker, T. *see* Schwartzel, H. 87-5596
Weckler, G.P. The solid state image sensor's contribution to the development of silicon technology 87-20917
Weckler, G.P., Hsin-Fu Tseng Evolution and comparison of silicon image sensors 86-24384
Weckler, G.P. *see* Hudson, L.R. 87-41384
Weclewicz, C., Zdanowicz, L. Transport properties in amorphous cadmium arsenide films 85-28972
Wecning Hen *see* Hen Wecning
Wedam, G., Gruss, P. Low-head hydro on the Austrian Danube 87-15581
Wedam, W. *see* Weckenbrock, H. 88-60368
Wedam, W.F. Future trends in television 88-60417
Wedam, W.F. *see* Isnardi, M.A. 88-29069, 88-47259
Wedberg, R. *see* Ekstrom, C. 88-60999
Wedberg, W.C. Indoor static electricity and the precipitation of airborne particles 88-27412
Wedde, H.F. *see* Daniels, D.C. 87-34198
Wedding, B. SPICE simulation of laser diode modules 87-46858
Wedding, B., Heidemann, R. Dispersion penalties in a 5 Gbit/s optical transmission system using directly modulated DFB-laser 88-73964
Wedding, B., Jager, D. Optical bistability and instability in nonlinear silicon Fabry-Perot interferometers 85-51279
Wedding, B. *see* Heidemann, R. 87-76751
Wedding, B. *see* Jager, D. 86-22497
Wedding, D.K., Sr., Friedman, P.S., Soper, T.J., Holloway, T.D., Reuter, C.D. A 1.5-m-diagonal AC gas discharge display 88-16314
Wedding, J.B., Kim, Y.J. Wind tunnel characterization of aerial spray nozzles using the laser particle spectral analyzer 86-60869
Weddle, D.O., Witkemper, L.D. A method of achieving automatic frequency management for HF systems 86-30586
Wedekin, R. *see* Arndt, F. 88-20801
Wedekind, D. *see* Atmaram, G.H. 86-6641, 86-6660
Wedel, G.L. *see* Pulkowski, J.H. 85-22024
Wedel, H.von *see* von Wedel, H.
Wedel, J.A. *see* Ramsey, J.W. 86-7534
Wedell, H. *see* Hoffmann, K.-P. 86-67554
Wedemeyer, D.J. The new age of telecommunication: setting the context for education 87-20004

Wedemeyer, D.J., Bissell, M.S. *(editor)* Pacific Telecommunications Users: A Spectrum of Requirements. PTC '87: Proceedings of the Ninth Annual Pacific Telecommunications conference 88−24347
Wedemeyer, D.J., Pennings, A.J. *(editor)* PTC '86: Evolution of the Digital Pacific. Telecommunications - Asia, Americas, Pacific: PTC '86 Proceedings 86−57101
Wedemeyer, E. *see* Heddergott, A. 86−32444
Wedemeyer, R.J. The SAPHIR detector 87−3905
Weder, R. Dielectric three-dimensional electromagnetic tapers with no loss 88−66021
Weder, U. Switched capacitor filter design with stray-insensitive building blocks 88−63793
Weder, U. *see* Riedel, F. 86−57675
Wedgwood, F.A. Data processing in ultrasonic NDT 88−6580
Wedgwood, F.A. Data processing in ultrasonic NDT 88−42700
Wedgwood, T.G., Macario, R.C.V. Synchronization acquisition in a frequency hopping spread spectrum communication system 87−13580
Wedig, R.G. *see* Lehr, T.F. 87−45925
Wedlake, J.O. The use of X-series interfaces in an ISDN 86−37302
Wedlake, R.J. *see* Tilley, A.R. 88−11361
Wedler, H. Basic access opens door to ISDN 88−35218
Wedler, H. SLMD−terminal connection module for the digital switching system EWSD 88−46835
Wedler, H. *see* Franz, D. 85−30760
Wedler, H. *see* Wesner, F. 85−30101
Wedlock, B.D. Grounding and shielding electronic instrumentation 86−69997
Wedlock, B.D. Grounding and shielding electronic instrumentation 88−8538
Wee, C. *see* Billinton, R. 86−12325
Wee, C.L., Billinton, R. The inclusion of load correlation in the frequency and duration approach for generating capacity reliability evaluation [interconnected power system planning] 86−25536
Wee, C.L., Billinton, R. A frequency and duration method for looped configuration generating capacity reliability evaluation 88−10779
Wee, G.J.M.van *see* van Wee, G.J.M.
Wee, L.B., Lim, K.W., Low, T.S., Rahman, M.F. A variable structure strategy for motion control 88−43415
Wee, L.B. *see* Low, T.S. 88−18141
Wee, W.G. *see* Fong, Y.S. 85−31810
Wee, W.G. *see* Lin, X. 86−59370
Wee Sang Park, Seshadri, S.R. Higher order characteristics of waves on a sinusoidally modulated reactance surface 85−30069
Wee Sang Park, Seshadri, S.R. Analysis of the reflection grating couplers for waves at oblique incidence 87−54009
Wee-yong Woo *see* Sze, H. 88−50586
Weeber, K. *see* Hoole, S.R.H. 88−72474
Weed, A. *see* Taylor, C. 87−53366
Weed, D. *see* Boettcher, K. 88−68564
Weed, D.R. *see* Abrahamovich, K.M. 85−45772
Weed, H. *see* McDonald, J. 88−71753
Weed, H.D. *see* Alvarez, A.R. 88−33295
Weed, H.R. Clinical engineering programs for the HOPE project in the developing world 85−48205
Weed, H.R. *see* Nunziata, E. 88−54630
Weed, J.C. *see* Corey, L.E. 85−13251
Weed, R. Collimator slit alignment for Panorex dental units 85−20895
Weeda, J. *see* Meertens, H. 85−37938
Weeda, J. *see* Meertens, H. 88−68379
Weeda, M. *see* Wismeijer, A. 88−67415
Weeden, A.E. *see* Shubaly, M.R. 86−32110
Weeden, M.R. *see* Jonckheere, M.T.A. 86−140
Weedermann, H. Rail motorcar driver dispatching on public transport systems 88−9802
Weedmark, J. *see* Conn, D. 86−30631
Weedmark, J. *see* Godfrey, B. 88−15338
Weedon, D.N. *see* Hill, R.J. 87−69747, 87−79125
Weedon, L.D. *see* Barna, G.G. 85−16222
Weedy, B.M. DC conductivity of voltalit epoxy spacers in SF_6 86−18827
Weedy, B.M. Prediction of steady state temperatures in a three-core distribution cable and splice 86−39154
Weedy, B.M. Prediction of return currents and losses in underwater single-core armoured AC cables with large spacings 86−39155
Weedy, B.M. Some aspects of temperature rises in a natural cooled oil-filled three-phase transformer 86−39860
Weedy, B.M. High voltage engineering in UK universities 87−23039
Weedy, B.M. Prediction of the temperatures in a three-core distribution cable and splice with load changes 88−5357
Weedy, B.M. Partial discharges in a polyimide taped air impregnated cable 88−23497
Weedy, B.M. An economic method for simulating the soil transient temperatures in a water cooled self-contained cable system 88−61934
Weedy, B.M. Thermal assessment of an air-filled surface trough for 400 kV cables 88−68944
Weedy, B.M. Aspects of electric charge on the surface of polymer materials in gas filled gaps 88−68961
Weedy, B.M., Davies, A.E. Breakdown of compressed air in concentric electrode systems 85−24007
Weedy, B.M., Shehata, S.A.M. 2GW Britain-France HVDC link transition joint−steady state stresses 86−65739
Weedy, B.M., Shehata, S.A.M. 2GW Britain-France HVDC link transition joint−transient stresses 86−65740
Weedy, B.M., Swingler, S.G. Review of tape materials for cable insulation at liquid nitrogen temperatures 88−13620
Weedy, B.M., Turvey, N.J. Resistive stress relieving materials for XLPE cable joints 87−15349
Weedy, B.M. *see* Arkell, C.A. 86−12483
Weedy, B.M. *see* Swingler, S.G. 88−55029
Weegans, M., Reader-Harris, M.J., Jespersen, K.I. Measurement of flow in a flow straightener/flowmeter package 87−35238
Weegen, A.W.van der *see* van der Weegen, A.W.
Weehuizen, H.F., Rodd, M.G., McLaren, S.G. The simulated performance of practical Ethernet and MAP networks 88−15146
Weehuizen, H.F. *see* Burdzik, G.F. 85−59011
Week, K. *see* Higashi, H. 87−60299
Weekes, T.C. TeV gamma-ray astronomy 88−29815
Weekley, A.R. *see* Grant, I.S. 88−42791
Weekly, J.M. Extremely high frequency traveling wave tubes 85−18025
Weeks, A. *see* Swirhun, S. 85−50741
Weeks, A.J. *see* Swirhun, S.E. 85−35167
Weeks, A.R., Beck, J.K., Joshi, M. A simple experimental technique for measuring frequency response of hot film/wire sensors in heated airflows 88−60690
Weeks, A.R. *see* Harvey, J.R. 87−29624, 88−23134
Weeks, C.A. *see* Osborne, R.L. 87−78057
Weeks, D. *see* Hyman, J., Jr. 85−9249
Weeks, D.A. *see* Peterson, D.R. 87−26699
Weeks, D.D. *see* Resvanis, L.K. 88−54421
Weeks, D.F., Wilson, D.J. Operational Safety Management at Point Lepreau generating station 88−30508
Weeks, D.J. Application of expert systems in the Common Module electrical power system 87−15018
Weeks, D.J. Expert systems in space 87−71185
Weeks, D.J., Bechtel, R.T. Autonomously managed high power systems 86−32473
Weeks, D.J. *see* Kirkwood, N. 87−43395
Weeks, D.J. *see* Lollar, L.F. 88−10484
Weeks, K.D. *see* Archer, D.H. 86−12564
Weeks, M. *see* Silvermann, J. 87−6661
Weeks, M.M. *see* Mooney, J.M. 88−29409
Weeks, M.M. *see* Tsaur, B.-Y. 88−35994
Weeks, P. DSP testing of ADC's, theory, practical implementation and results 87−44980
Weeks, P. *see* Coleman, B. 88−834, 88−63751
Weeks, P.M. *see* Bresina, S.J. 88−48132
Weeks, R.A. Real time simulation of airborne radar systems 85−8481
Weeks, R.A. Avionics system development in a ground based laboratory environment 87−50508
Weeks, R.A. *see* Kordas, G. 85−29584
Weeks, R.W. Thyratron lifetime in commercial excimer laser 87−17670
Weeks, R.W. *see* McKee, T.J. 85−2212
Weeks, S.A., Callingham, L.M. An FM amplification system for aboriginal children with chronic ear disease 85−4357
Weeks, S.P. Influence of electrically active impurities in IR measurements of interstitial oxygen in silicon 85−55453
Weeks, W. *see* Carsey, F. 88−9649
Weeks, W.L., Diao, Y.-M. Complex permittivity of EPR-based compounds 86−68113
Weeks, W.L., Diao, Y.M. Wave propagation characteristics in underground power cable 85−15614
Weeks, W.L., Steiner, J.P. Improvement in the instrumentation for partial discharge location in cables 85−48588
Weeks, W.L. *see* Steiner, J.P. 86−590, 86−66883, 86−66889, 88−26579, 88−56362
Weeks, W.T. Linear charge density approximation for calculation of capacitance for parallel rectangular sheet conductors in three dimensions 85−11605
Weeks, W.T., Young, H.W. Rapid evaluation of multiple integrals over all cells in a mesh 85−10933
Weelderen, J.A.van *see* van Weelderen, J.A.
Weele, B.Van *see* Van Weele, B.
Weems, C. *see* Lawton, D. 85−30318
Weems, C.C., Jr. The content addressable array parallel processor: architectural evaluation and enhancement 86−47713
Weems, L. *see* Nard, G. 87−41096
Weenink, M.P.H. A new method for the calculation of the phase path in the geometrical-optics approximation 87−61380
Weenink, M.P.H. Effect on the antenna admittance of an ion sheath around a planar or cylindrical antenna immersed in a cold plasma 88−52277
Weenink, M.P.H. *see* Kamp, L.P.J. 86−3687
Weerasekera, G. Microcomputer based optical mark readers (OMRs) for information management systems 87−23090
Weerasena, L.K. *see* Tennakone, K. 87−64823, 88−40081
Weerasinghe, V.M., Steen, W.M. In-process monitoring of laser processes 87−7475
Weerasinghe, V.M. *see* Steen, W.M. 87−44359, 87−47048, 88−2433
Weerd, J.de *see* de Weerd, J.
Weerd, J.P.C.de *see* de Weerd, J.P.C.
Weerman, H. Protocol test service for information technology 87−72793
Weers, D.D., Shamsedin, M.A. Testing a new direct load control power line communication system 87−69872
Weersch, J.M.J.Van *see* Van Weersch, J.M.J.
Weert, C.M.M.de *see* de Weert, C.M.M.
Weert, M.J.M.van *see* van Weert, M.J.M.
Weerts, H. *see* Aronson, S. 88−61122
Wees, A.C.A.van *see* van Wees, A.C.A.
Wees, B.J.van *see* van Wees, B.J.
Weeter, L.A. The pulsed laser weldability of aluminium alloys 87−5559
Wefald, K.M., McClary, C.R. Autocalibration of a laser gyro strapdown inertial reference/navigation system 85−38291
Weg, W.F.van der *see* van der Weg, W.F.
Wegbrans, B.H.M. *see* Leufkens, P.P. 88−36852
Wege, A. Digital technology controls cameras economically 88−60454
Wegehaupt, T. *see* Zeindl, H.P. 87−53347
Wegelin, V. Power conditioning for distributed control systems 86−26190
Wegen, H.G. *see* Grosskopf, G. 88−27141
Wegener, D. *see* Braunschweig, W. 88−29874, 88−68282
Wegener, D. *see* Drescher, A. 85−59220, 86−70324
Wegener, H.-U. *see* Mollmer, B. 87−48329
Wegener, H.A.R. Endurance model for textured-poly floating gate memories 85−49885
Wegener, H.A.R., Guterman, D.C. The prediction of textured poly floating gate memory endurance 86−14227
Wegener, I. On the complexity of slice functions 85−61228
Wegener, I. The range of new lower bound techniques for WRAMs and bounded depth circuits 88−25203
Wegener, I. *see* Brustmann, B. 87−59312
Wegener, K., Hass, W. TK 80−a new generation of terminals 86−10935
Wegener, K. *see* Hass, W.-D. 86−59495
Wegener, K. *see* Pannes, W. 86−55556
Wegener, M. The FRS-68010−a new concept for the acquisition and analysis of NOAA HRPT data 87−57374
Wegener, M., Klingshirn, C., Koch, S.W., Banyai, L. Three types of electronic optical bistabilities in CdS 87−26537
Wegener, M., Wilkins, G., Lennon, G., Petrusevics, P., Bowers, D., Clift, D., Brandwyk, J., Tickner, A. Non-tracking antenna systems for the acquisition of NOAA HRPT data 87−75635
Wegener, M., Witt, A., Klingshirn, C., Gnass, D., Iyechika, Y., Jager, D. CdS self-electro-optic effect device 88−65372
Wegener, M. *see* Bigot, J.-Y. 88−65850
Wegener, M. *see* Witt, A. 88−27280
Wegener, P. A new concept for urban transit vehicle drives tested at the Hamburger Hochbahn 85−60493
Wegener, P. Experience gained with water-cooled three-phase traction motors for motorcoaches 86−19253
Wegener, P. *see* Hassler, D. 88−59334
Wegenstein, P. 150 years of railway signalling technology in Austria 88−5936
Wegenstein, P. *see* Pfleger, H. 88−5938
Weger, A.J. *see* Lavine, J.M. 86−15000
Weger, B.M.M.de *see* de Weger, B.M.M.
Weger, P., Treitinger, L., Reimann, R., Rein, H.M. Static 7 GHz frequency divider IC based on a 2 μm Si bipolar technology 87−37488
Wegerer, K. *see* Grub, W. 87−64873
Wegerer, K. *see* Grueb, W. 88−69861
Weggel, C.E. *see* Bogart, S.L. 88−66002
Weggel, C.F., Schwartz, D.P. New analytical formulas for calculating magnetic field 88−65958
Weggel, C.F. *see* Bogart, S.L. 88−61743
Weggel, R.J. Polynomial approximation for the flux linkages within a set of coaxial coils 86−48047
Weggel, R.J. Elastic stresses in shrunk-fit isotropic cylindrical shells loaded by arbitrary radial body forces 86−48545
Weggel, R.J. Monohelix research at the MIT Magnet Lab 88−65071
Weggel, R.J., Leupold, M.J. A 17-tesla magnet with multiple radial access ports 88−65983
Weggel, R.J., Williams, J.E.C., Leupold, M.J., Bobrov, E.S., Dalessandro, J.A. The radially-cooled continuous helix: design study and fabrication of test coil 86−54271

Weggel, R.J. *see* Leupold, M.J. 86−48018, 88−65045

Weggel, R.J. *see* Rubin, L.G. 86−63597

Weghe, H.Van De *see* Van De Weghe, H.

Weghe, R.M.van de *see* van de Weghe, R.M.

Weglarska, H. *see* Dumania, P. 85−813

Weglarz, J. *see* Palko, T. 88−54569

Weglein, R.D. Acoustic micro-metrology 85−53210

Weglein, R.D. The vibration sensitivity of VHF quartz crystals for missile applications 85−62145

Weglein, R.D. Scanning acoustic microscopy 87−21794

Weglein, R.D. The coherence of a radar master oscillator 87−28684

Weglein, R.D., Hu, W.C., Margagliano, A.F. Microphonics in VHF quartz resonators and oscillators 86−2564

Weglein, R.D., Leach, H.A. The noise behavior of an injection-locked magnetron reflection amplifier 87−73965

Weglein, R.D., Mal, A.K. A study of layer adhesion by acoustic microscopy 88−61711

Weglein, R.D. *see* Tiersten, H.F. 86−35956

Weglinski, B. *see* Kubzdela, S. 88−55344

Wegmann, F. *see* Burgsmuller, P. 88−36992

Wegmann, G., Vittoz, E.A., Rahali, F. Charge injection in analog MOS switches 88−20140

Wegmann, R. Convergence proofs and error estimates for an iterative method for conformal mapping 85−324

Wegmann, R. An iterative method for conformal mapping 86−19980

Wegmann, R. An iterative method for the conformal mapping of doubly connected regions 86−19983

Wegmuller, K. First operating experience of a combined heat-power plant based on refuse gas 86−19051

Wegmuller, K. Remote heat from the Muhleberg nuclear power station 86−56543

Wegner, A. An architecture for high speed internet gateways connecting LANS with an optical fibre backbone 88−41356

Wegner, A. *see* Danthine, A. 88−73629

Wegner, A.B. *see* Baumbaugh, A.E. 86−24854

Wegner, C. *see* Ruchti, R. 85−43275, 87−41845

Wegner, C.R. *see* Shafer, R.E. 85−26666

Wegner, G. Crystal circuits in entertainment electronics 88−597

Wegner, G.E. Fault-finding in semiconductor circuits in consumer audio and video electronics 85−10450

Wegner, G.E. Servicing of reel-to-reel and cassette tape recorders 85−58434

Wegner, G.E. Vertical deflection in TV receivers 86−17575

Wegner, G.E. Servicing magnetic tape and cassette equipment. II 86−21977

Wegner, G.E. Work with the service generator−[signal generators] 86−55754

Wegner, G.E. The sound section in the television set 87−13821

Wegner, G.E. Sound adjustment in low frequency amplifiers 87−52393

Wegner, H.E. Amorphous-steel-core transformers project savings in losses 87−58171

Wegner, H.E. *see* Beavis, D. 88−54155

Wegner, H.E. *see* Thieberger, P. 86−32116, 88−53979

Wegner, H.E. *see* Zoutendyk, J.A. 86−35849

Wegner, K. *see* Haas, H. 86−50299

Wegner, M. *see* Holl, D. 88−36836

Wegner, O. Remote pyrometer with variable optical bandwidth 85−64156

Wegner, O., Horstmann, M. Optoelectronic sensor system for multi-component velocity measurements of rotating solid surfaces 86−5539

Wegner, O., Hortsmann, M. Dynamic small angle measurement with a quadrature interferometer 88−29647

Wegner, R., Mirbagher, E. Realistic calculations on emergency cooling for the nuclear reactor at Wurgassen 87−64330

Wegner, R. *see* Eldon, J. 87−73465

Wegner, W. *see* Wustenberg, H. 86−34414

Wegrowicz, L.A. *see* Moody, H.J. 88−28818

Wegrzyn, A. *see* Lubecka, M. 86−21168

Wegscheider, H.P. *see* Baroncini, V. 85−51937

Wegscheider, K. The risk of reversal−an alternative criterion for comparison of discrimination methods 88−56118

Wegst, A. *see* Souchkevitch, G.N. 88−54502

Weh, H. Synchronous machines with permanent magnet excitation in transverse flux configuration 88−55307

Weh, H., Jiang, J. Calculation and design consideration for synchronous machines with transverse flux configuration 88−48901

Weh, H., May, H. Achievable force densities for permanent magnet excited machines in new configurations 87−22306

Weh, H., Mayer, R. Synchronous machine with permanent magnet excitation as a flexible propulsion motor with high efficiency 87−43596

Weh, H., Mosebach, H., May, H. Design concepts and force generation in inverter-fed synchronous machines with permanent magnet excitation 85−27395

Weh, H., Poschadel, J., Schroeder, U. GTO inverter for the supply of multiphase synchronous machines 87−22292

Weh, H., Schroder, U. Static inverter concepts for multiphase machines with square-wave current-field distributions 86−61660

Weh, H., Wahlen, H.-J., Leymann, P. The use of fibre-reinforced plastics in permanent magnet disc rotor machines 87−43070

Weh, H., Walen, H.J., Canders, W.R., Mosebach, H. Inverter-fed synchronous motors with permanent magnet disk rotors 85−39004

Weh, H. *see* Jiang, J. 88−75545

Weh, H. *see* Leymann, P.-C. 86−51637

Weh, H. *see* May, H. 86−63891

Weh, H. *see* Mayer, R. 85−38973, 87−22310

Weh, H. *see* Orlik, B. 86−66390

Weh, H. *see* Yoshida, K. 85−48937, 87−43091

Weh Lin, Benson, K.E. The science and engineering of large-diameter Czochralski silicon crystal growth 88−387

Wehberg, J., Bathge, A. Circuit regulator feeds 50-kHz 'net' 86−27054

Wehe, D.K. *see* Lee, J.C. 88−23683

Wehefritz, A. *see* Pfefferkorn, J.R. 88−4911

Wehenkel, L., van Cutsem, T., Ribbens-Pavella, M. Artificial intelligence applied to on-line transient stability assessment of electric power systems 87−57501

Wehinger, H. Advances in testing the 'pressure-resisting enclosure' 88−122

Wehlage, P. *see* Magee, D. 85−59602

Wehlan, H. *see* Gilles, E.D. 87−70110

Wehlau, A. *see* Seppi, E. 87−4030

Wehle, F., Kreuter, D., Schrader, M. Channel stability of boiling water reactor fuel elements 85−27251

Wehlin, P. *see* Kallback, B. 87−6897

Wehling, H.-J., Jax, P., Streicher, V. Diagnosis and monitoring systems in nuclear power plants 88−75361

Wehman, A. *see* Klevenow, F. 85−60825

Wehman, A.W. Power room supervision−a microprocessor based approach 85−64852

Wehman, A.W. The sophisticated monitor [use in telephone power room] 87−30285

Wehman, A.W., Plow, R.J. A power system for the digital era 85−44105

Wehmann, A.A. *see* Laasanen, A.T. 85−52986

Wehmann, H.-H., Aytac, S., Schlachetzki, A. Strip heater for ohmic contacts to semiconductors 86−21456

Wehmann, H.-H. *see* Fiedler, F. 86−26838

Wehmann, H.H., Feidler, F., Schlachetzki, A. Activation energy of Cd in $In_{1-x}Ga_xAs_yP_{1-y}$ on InP (for y=0 to 1) 87−17711

Wehmann, U. *see* Klimmek, U. 88−69121

Wehmann, U. *see* Stojadinovic, A. 86−6509

Wehn, N., Glesner, M. Static CMOS-design techniques versus dynamic techniques: a comparison 86−58613

Wehn, N., Glesner, M. TEDMOSF a new fault-simulator for MOS-VLSI circuits 87−1761

Wehn, N., Glesner, M., Caesar, K., Mann, P., Roth, A. A defect-tolerant and fully testable PLA 88−63653

Wehn, N., Glesner, M., Sauerbrey, J., Schneider, B.-O. Reconfiguration for the architecture of a defect-tolerant general purpose microprocessor 87−17166

Wehn, N. *see* Glesner, M. 87−65674

Wehn, N. *see* Schaefer, G. 87−18285

Wehn, N. *see* Schuck, J. 87−24266, 87−65710

Wehner, H. *see* Ables, J.G. 87−49212

Wehner, L. SEL type electronic interlocking equipment 85−5449

Wehner, L. Progress in the safety and reliability of signalling technology 87−72507

Wehner, L., Walther, H. 150 years of German railways−the development of signalling and communications 86−19578

Wehner, L. *see* Kuhbier, M. 87−79034

Wehner, M. *see* Poprawe, R. 88−40444

Wehnua Chen, Min Gu, Zunqi Lin, Wenyan Ui, Weihan Tan, Ximing Deng The mechanism for the second harmonic generation in laser irradiated microtube targets 88−58669

Wehr, A. *see* Heil, J. 87−56554

Wehr, A. *see* Lightsey, G. 88−62770

Wehr, H., Weling, F. Transmission loss behaviour of PCVD fibres in H_2 atmosphere 86−2675

Wehr, H. *see* Bachmann, P.K. 86−36242, 86−42235, 87−46437

Wehr, H. *see* Geittner, P. 86−2817

Wehr, H. *see* Rau, H. 85−29585

Wehr, H. *see* Weling, F. 88−13793

Wehr, M., Le Sergent, C. Properties of telluride based chalcogenide glass fibers for thermal infrared transmission 87−18719

Wehrend, K. Modern, safe, easy [HICOM] 86−4194

Wehrend, K. Administration and maintenance system of the HICOM ISDN communication system 86−37279

Wehrhahn, E. A cut algorithm for design centering [electrical circuits] 85−17065

Wehrhahn, E. Models and algorithms for the temperature distribution evaluation on substrates on HICs 86−58194

Wehrhahn, E. New simple heuristic algorithms for yield maximization 87−65629

Wehrhahn, E. Temperature distribution on multilayer substrates 88−1273

Wehrhahn, E., Spence, R. The performance of some design centering methods 85−22601

Wehrhahn, E. *see* Bachmann, P.K. 86−36242

Wehring, B.W. *see* Blue, T.E. 86−25336, 86−50649

Wehring, B.W. *see* Briggs, S.J. 85−20850

Wehring, B.W. *see* Choi, H.K. 86−60641

Wehring, B.W. *see* Durham, J.S. 88−61487

Wehring, B.W. *see* Miller, G.D. 87−21369

Wehrle, R., Moenich, J., Kim, S., Nielsen, R. Vacuum system for the synchrotron X-ray source at Argonne 88−54065

Wehrle, R. *see* Kim, S. 88−54052

Wehrle, R. *see* Nielsen, R. 88−54064

Wehrle, R.B. *see* Colton, E.P. 85−20768

Wehrle, R.B. *see* Turner, L.R. 86−42691

Wehrlen, D.J., Gully, J.H. Small caliber mobile EML [electromagnetic launcher] 87−26721

Wehrli, H. Everything one should know about the machining laser 86−29279

Wehrli, R. *see* Keller, R. 85−44230

Wehrmann, B. *see* Kaatze, U. 87−70897

Wei, A. *see* Srini, V.P. 87−66259

Wei, A.Y. *see* Antrosiglio, J.C. 88−46450

Wei, A.Y. *see* Kanwal, S.S. 86−55113

Wei, B. *see* Chen, Y.-F. 86−46724

Wei, B.W.Y., Thompson, C., Chen, Y.-F. Time-optimal design of a CMOS adder 87−5818

Wei, C. An alternative approach for designing maximally flat low-pass filters with multiple order imaginary-axis zeros 86−62666

Wei, C. The varnish drying curve of rotating machine after impregnation and the relationship between insulation resistance and temperature 86−70846

Wei, C., Chien, Y. Multiple-real-pole and multiple-critical-pole maximally flat active *RC* lowpass filters 86−62701

Wei, C., Manck, O. Automatic conversion of gate array designs into full custom layouts 86−57783

Wei, C. *see* Scott, D.B. 87−45817

Wei, C.-C., Ma, T.-P. Reduction of apparent dopant concentration in the surface space charge layer of oxidized silicon by ionizing radiation 85−6685

Wei, C.-C. *see* Chatterjee, A. 88−7747

Wei, C.-C. *see* Hwang, W.-Y. 88−735

Wei, C.-C. *see* Su, H.-Q. 85−40740

Wei, C.-C. *see* Tang, T. 86−47860

Wei, C.-C. *see* Tang, T.E. 87−38160

Wei, C.-H., Kuo, N.-A. Design of adaptive electronic hybrid for digital subscriber loops 87−69764

Wei, C.-H., Kuo, N.-A. On the implementation of adaptive electronic hybrid for digital subscriber loops 88−73727

Wei, C.-H., Lou, J.-J. Multimemory block structure for implementing a digital adaptive filter using distributed arithmetic 86−27468

Wei, C.-H., Wu, C.-C. Signed binary delta modulation digital filter 88−66592

Wei, C.-H. *see* Hsu, C.-C. 88−28564

Wei, C.-H. *see* Wang, C.-L. 88−50260

Wei, C.-Y., Pimbley, J.M., Nissan-Cohen, V. Buried and graded/buried LDD structures for improved hot-electron reliability 86−63159

Wei, C.-Y., Woodbury, H.H. Ideal mode operation of an InSb charge injection device 85−18464

Wei, C.-Y., Woodbury, H.H. Measurement of the minority-carrier lifetime using an MOS capacitor 85−40580

Wei, C.-Y. *see* Nissan-Cohen, Y. 88−71592

Wei, C.C., Su, Y.K., Chang, C.C., Lu, S.C. Liquid phase epitaxy growth of GaAs:Si by temperature difference method 87−65484

Wei, C.C. *see* Chang, H.C. 87−30026

Wei, C.C. *see* Chapman, R.A. 88−39696

Wei, C.C. *see* Cheng, S.Y. 86−28573

Wei, C.C. *see* Fu, S.L. 85−54529

Wei, C.C. *see* Su, Y.K. 86−52446

Wei, C.C. *see* Tang, T. 88−64780

Wei, C.C. *see* Tsai, Y.L. 86−9181

Wei, C.H., Jou, W.K. Switched capacitor adaptive notch filter 86−67333

Wei, C.S., van der Spiegel, J., Santiago, J. Incoherent radiative processing of titanium silicides 85−12014

Wei, C.S., van der Spiegel, J., Santiago, J. Electrical characteristics of fast radiatively processed titanium silicides thin films 86−21248

Wei, C.S., Van Der Spiegel, J., Santiago, J., Seiberling, L.E. Transient processing of titanium silicides in a non-isothermal reactor 86−21345

Wei, C.S., van der Spiegel, J., Santiago, J.J., Seiberling, L.E. Formation of titanium silicides by fast radiative processing 85−1386

Wei, C.S., van der Spiegel, J., Setton, M., Santiago, J., Tanielian, M. Rapid thermal annealing of W-Ti bilayers on silicon 87−11715

Wei, C.S. *see* Chen, S. 87−67524

Wei, C.Y., Woodbury, H.H., Wang, S.C.-H. Development of an improved 16×64 InSb CID array 85−52684
Wei, D., Bau, J.-J. Some optimal designs for grouped data in reliability demonstration tests 88−31543
Wei, D., Chen, C.Y. Goodness-of-fit test-statistics on Gaussian and exponential reliability data 85−5840
Wei, D., Shau, C.K. Fitting and optimal grouping on gamma reliability data 88−31542
Wei, D. *see* Zhou, L. 86−56152
Wei, D.-Z., Lin, X.-D. The principal path sensitization method and its realization for MSI PCBs 85−17953
Wei, D.-Z. *see* Wang, J.-C. 87−24122
Wei, G., He, Z. A new structure for μp implementation of digital filters and its application to multirate filters 87−66434
Wei, G., Zhen-ya, H. A new algorithm for maximum entropy image reconstruction 87−62255
Wei, G.-Q. *see* He, Z.-Y. 87−69392
Wei, G.C., Robbins, J.M. Carbon-bonded carbon fiber insulation for radioisotope space power systems 85−53124
Wei, H., Shouchang, Z., Li, L. The solution of two-dimensional forward and inverse problem of EEG by finite element method 88−61370
Wei, H., Wang, W. The growth of LPE YIG films with narrow FMR linewidth 85−22475
Wei, H. *see* Wang, D. 88−25902
Wei, H.J. *see* Chen, S.C. 87−29781
Wei, H.P., Chang, A.M., Tsui, D.C., Pruisken, A.M.M., Razeghi, M. An experimental test of two-parameter scaling of integral quantum Hall effect 86−53418
Wei, H.P., Chang, A.M., Tsui, D.C., Razeghi, M. Temperature dependence of the quantized Hall effect 86−14908
Wei, H.P., Chou, M.J., Tsui, D.C., Klem, J., Morkov, H., Wagner, R.J. Transport studies of $GaAs_{1-x}Sb_x$-$Al_yGa_{1-y}As$ strained-layer superlattices 85−23494
Wei, H.P., Tsui, D.C., Pruisken, A.M.M. Localization and scaling in the quantum Hall regime 86−28000
Wei, H.P., Tsui, D.C., Razeghi, M. Persistent photoconductivity and the quantized Hall effect in $In_{0.53}Ga_{0.47}As$/InP heterostructures 85−2120
Wei, H.P. *see* Prasad, S. 88−51661
Wei, H.P. *see* Razeghi, M. 88−12972
Wei, H.P. *see* Zheng, H.Z. 87−11803
Wei, J. *see* Manton, M.R.S. 85−21791
Wei, J. *see* Ogita, M. 85−23710
Wei, J.B. *see* Huang, C.L. 87−78747
Wei, J.B. *see* Lin, C.E. 88−24020
Wei, J.C. *see* Olson, D.L. 88−43720
Wei, J.C.S. *see* Brat, T. 88−39277
Wei, K. *see* Zhou, J. 87−1864
Wei, L., Lowe, R.S., Saravanos, C. Practical upper limits to cutoff wavelength for different single-mode fiber designs 88−13814
Wei, L., Xu, J., Zhang, S. Application of two-dimensional Hadamard transform to photoacoustic microscopy 87−71409
Wei, L. *see* Maturi, S. 87−38487
Wei, L. *see* Saravanos, C. 88−65249
Wei, L.-F. Rotationally invariant convolutional channel coding with expanded signal space. I. 180° 85−13471
Wei, L.-F. Rotationally invariant convolutional channel coding with expanded signal space. II. Nonlinear codes 85−13472
Wei, L.-F. Trellis-coded modulation with multidimensional constellations 87−75708
Wei, L.F. *see* Thapar, H.K. 85−13493
Wei, L.J. *see* Padgett, W.J. 85−33249
Wei, L.Y., Winchester, T. Electronic diagnoser of arterial pulse 85−64536
Wei, M. *see* Kodinsky, E. 87−55826
Wei, M.S. *see* Ikalainen, P.K. 86−8431
Wei, M.S. *see* Park, D.C 85−17794
Wei, P.S.P., Huynen, J.R., Bradley, T.C. Transformation of polarisation bases for radar target scattering matrix 86−23943
Wei, P.S.P., Rackson, M.M., Bradley, T.C., Meyer, T.H., Kelly, J.D. Study of two scatterer interference with a polarimetric FM/CW radar 85−63740
Wei, R., Sangiovanni-Vincentelli, A.L. PROTEUS: a logic verification system for combinational circuits 87−24112
Wei, R., Sangiovanni-Vincentelli, A.L. New front-end and line justification algorithm for automatic test generation 87−28940
Wei, R.-G., Sangiovanni-Vincentelli, A. PLATYPUS: a PLA test pattern generation tool 87−24619
Wei, R.-S., Tseng, C.-J. Column compaction and its application to the control path synthesis 88−25147
Wei, R.-S. *see* Tseng, C.-J. 88−64705
Wei, S., Shimizu, K. Synthesis of multilevel feed-forward NOR networks 87−44783
Wei, S. *see* Dommel, H.W. 86−51687
Wei, S. *see* Mattison, E.M. 87−26253
Wei, S. *see* Shimizu, K. 87−644
Wei, S.H., Zunger, A. Calculation of the valence band offsets of common-anion semiconductor heterojunctions from core levels: the role of cation *d* orbitals 88−19688
Wei, S.Y., Huddle, J.R. Sensor management for a fault tolerant integrated inertial flight control reference and navigation system 87−42109
Wei, S.Y. *see* Ebner, R.E. 86−18438
Wei, T. Mechanical reliability considerations of polymer-coated optical fibers 87−74783
Wei, T., Singh, M.P., Miniscalco, W.J., Onorato, P.I.K., Wall, J.A. Effect of fluorine doping on radiation hardness of graded index optical fibers 88−45121
Wei, T., Singh, M.P., Miniscalco, W.J., Wall, J.A. Effects of defect modification and reduction techniques on the radiation sensitivity of optical fibers 88−477
Wei, T., Singh, M.P., Miniscalco, W.J., Wall, J.A. Effect of hydrogen treatment on radiation hardness of optical fibers 88−13845
Wei, T. *see* Chatterjee, P. 87−5632
Wei, T.-S. *see* Skutnik, B.J. 88−45115
Wei, T.S., Gagliardi, R.M. Direct detection vs. heterodyning in optical beam tracking 88−28883
Wei, T.S., Gagliardi, R.M. Cooperative optical beam tracking performance analysis 88−60173
Wei, T.Y. *see* Kuhn, E. 86−12593
Wei, T.Y.C. *see* Dunn, F.E. 88−75394
Wei, V.K. The information entropy of the Chinese language 87−54812
Wei, V.K. *see* Bentley, J.L. 86−43210
Wei, V.K. *see* Calderbank, A.R. 85−36183
Wei, V.K. *see* Chung, F.R.K. 86−62029, 87−54969
Wei, V.K. *see* El Gamal, A.A. 87−39639
Wei, V.K. *see* Kasami, T. 86−16134
Wei, V.K. *see* Lin, S. 87−27174
Wei, V.K. *see* Monma, G.L. 87−5329
Wei, V.K. *see* Piscotta, J. 87−55000
Wei, X. *see* Jing, H. 88−19495
Wei, Y. *see* Berger, C. 88−22937
Wei, Y. *see* Shen, D. 86−54700
Wei, Y.-P. VLSI parasitic capacitance extraction based on layout information 85−18423
Wei, Y.-P. *see* Mar, J. 85−1700
Wei, Y.R. *see* Ge, W. 87−40157
Wei, Y.S. *see* Chou, H.P. 86−70774
Wei, Z. *see* Shuzi, Y. 87−63254
Wei Bing-gui *see* Bing-gui Wei
Wei Bocheng An approximate residual analysis of the nonlinear regression model 85−33327
Wei Ce-Jun Calculations of DC characteristics, microwave and noise parameters of HEMT 88−38708
Wei Ce-jun, Yin Xiao-ming, Shao Quan-yuan, Cheng Zhen-yong Selective doped heterojunction transistor 86−63276
Wei Chang Slice characteristics of the Imatron cine-CT scanner 88−4900
Wei Chang Lei *see* Lei Wei Chang
Wei Che-Ho *see* Che-Ho Wei
Wei Chen *see* Zhan Chen 85−56810
Wei Chen *see* Chen Wei
Wei Chenglin *see* Chen Lejun 88−10286
Wei Chia-Li *see* Chia-Li Wei
Wei Ching-Yeu *see* Ching-Yeu Wei
Wei Chong *see* Huang-Runheng 87−15070
Wei Chongde, Zhao Shiping, Xeu Lixin Self-injecting phenomena in superconducting tin films 87−25878
Wei Chun-zhen *see* Xu Yun 86−66975
Wei Dai *see* Dai Wei
Wei Daozheng Parallel critical path tracing−a fault simulation algorithm for combinational circuits 88−70638
Wei Dong *see* Dong Wei
Wei Dong Fan, Xin Yuan Jiang, Guan Qun Xia, Wei Yuan Wang High activation transient annealing of Si- and Mg-implanted GaAs using improved graphite heater 87−60104
Wei Feng *see* Feng Wei
Wei Fuyuan, Yin Yawei, Yin Xiezheng, Wang Baorong The local area network for heterogeneous microcomputers 88−59589
Wei Gao *see* Gao Wei
Wei Gong *see* Gong Wei
Wei Guang-Pu, Okamoto, H., Hamakawa, Y. Amorphous-silicon photovoltaic X-ray sensor 86−11834
Wei Guang-Pu, Okamoto, H., Hamakawa, Y., Taniguchi, M., Maehata, H., Daiku, H. An integrated type X-ray sensor made of amorphous silicon alloys 87−8609
Wei Guang-Pu *see* Kruangam, D. 86−22257, 86−29012, 87−26224
Wei Guanghui *see* Lu Baida 88−72353
Wei Guo-dong *see* Li Ming-zhong 87−37530
Wei Hong *see* Hong Wei
Wei Hongjun *see* Cheng Shangqin 85−4323
Wei Hsin *see* Ogura, M. 88−14180
Wei Hsueh-huan, Sun Fu-an, Li Min-che, Chu Ye A waveform-variable sonar signal generator 86−4761
Wei Hu Xiong *see* Xiong Wei Hu
Wei Hua *see* Hua Wei
Wei Hwang *see* Lu, N.C.C. 86−20560
Wei Jen Chein *see* Chein Wei Jen
Wei Ji, Kar, A.K., Chua, P.L., Walker, A.C. Dynamic behavior and response-time control of two-photon optical bistability in InSb at 10.6 μm wavelength 88−27290
Wei Ji, Kar, A.K., Keller, U., Mathew, J.G.H., Walker, A.C. Cascaded bistable optical devices based on two-photon absorption in room temperature InSb 87−33304
Wei Ji *see* Walker, A.C. 86−42620
Wei Jin *see* Jin Wei
Wei Juan *see* Juan Wei
Wei Kai-yu, Lin Zhen-hua The design and study of space charge effect for the BPL 750 keV beam transport system 85−9028
Wei Kai-yu, Lin Zhen-hua, Lu Ji-hua, Wang Shu-hong, Luo Zi-hua, Sun Song-lan, Zhu Ren-quan Design and beam test for the BPL 35.5 MeV beam transport system 88−22871
Wei Ke-zhu Microwave ferrite dual-mode high power polarizer 88−57995
Wei Lee *see* Cheng-Kuang Liu 88−33174
Wei Li, El Nokali, M. Transient analysis for a new CMOS latchup model 88−13590
Wei Li, Nokali, M.El. A new model for CMOS latch-up 87−74445
Wei Li, Nokali, M.E. CMOS latchup modelling: a new approach 88−33388
Wei Li *see* Changhua Qiu 88−65463
Wei Li *see* Li Wei
Wei Liu *see* Liu Wei
Wei Mao Xi *see* Mao Xi Wei
Wei Mao-xin, Wang Jian-kun, Qiao Yi-zeng A novel Monte Carlo simulation in electron beam exposure 86−21316
Wei Maoxin *see* Wu Yajun 87−24671
Wei Mingzhi *see* Mingzhi Wei
Wei Mu Sheng *see* Mu Sheng Wei
Wei Pei-Ren *see* Pei-Ren Wei
Wei Ping *see* Shen Zhongxin 87−337
Wei Qi-dong *see* Zhou Ji-yu 85−27666
Wei Qin *see* Zhang Yuheng 86−35354
Wei Qun *see* Zhang Jingjian 88−51985
Wei Ren *see* Ren Wei
Wei Rong-Hua *see* Liu Yi-Chong 85−32658
Wei Rongjue, Tao Quintian, Ni Wansuen Bifurcation and chaos of direct radiation loudspeaker 87−21798
Wei Ruey-Sing *see* Ruey-Sing Wei
Wei Shen *see* Shen Wei
Wei Shouping *see* Ye Luqing 86−19156, 86−51510
Wei Shouzu *see* You Lu 85−46359, 86−48369
Wei Sun *see* Yongjiang Wang 86−9760
Wei Sun *see* Sun Wei
Wei Sung Leiu *see* Leiu Wei Sung
Wei Tang *see* Tang Wei
Wei Ti Deng *see* Deng Wei Ti
Wei Tongli, He Yie Computer analysis and design optimization of magnetic-field sensitive MOS device 88−33230
Wei Tongli *see* Ho Hie 87−67290
Wei Tongli *see* Ho Yie 87−67287, 87−67560, 88−57637
Wei Wang, Yeo Xi-xian Static Josephson effects in circularly symmetric annular junctions 88−65018
Wei Wang *see* Shu, D. 86−60645
Wei Wang *see* Wang Wei
Wei Wende, Qian Jianmin An energy-saving winding arrangement 87−43075
Wei Wu, Sunny Cheng A simple method to determine alignment tolerance in photolithography process 87−11549
Wei Wu *see* Wu Wei
Wei Xi *see* Xi Wei
Wei Xiangyu *see* Liu Rongxun 87−21244
Wei Xianying, Zheng Xinyuan, Du Yibin, Xie Weiqiang, Li Daoyun Calculation of the life of large steam turbine rotor and method to extend it 86−56633
Wei Xiao *see* Xiao Wei
Wei Xin-gui *see* Zheng Zhi-peng 85−4224
Wei Xiwen, Zhang Zhaowen, Wang Meitian The influence of temperature on mobility in polycrystalline silicon films 87−1175
Wei Xu *see* Xu Wei
Wei Xue *see* Xue Wei
Wei Xue Lu *see* Lu Wei Xue
Wei Yi Jia *see* Jia Wei Yi
Wei Yi Yang, Iwakuro, H., Yagi, H., Kuroda, T., Nakamura, S. Study of oxidation of $TiSi_2$ thin film by XPS 85−23683
Wei You-Pang *see* You-Pang Wei
Wei Young *see* Tse-Yun Feng 86−59387
Wei Youxian *see* Liang Chengli 88−15596
Wei Yu, Chai Chen-ming A simulation study on the CT image reconstruction by convolution-backprojection method 85−26751
Wei Yu *see* Zhang Jiao-Ping 88−18804
Wei Yu *see* Yu Wei
Wei Yuan Wang *see* Guan Qun Xia 87−74330
Wei Yuan Wang *see* Wei Dong Fan 87−60104
Wei Yuan Wang *see* Yue Fei Yang 86−53682
Wei Yuezhen Theoretical research of ensuring single mode composite optical fiber [hydrophone] 85−1985
Wei Yuhua The analysis of steam turbine at rated speed no-load operation for cyclic duty 86−56634
Wei Yunrong *see* Cheng Xusan 86−54079

Wei Yunrong *see* Lou Qihong 85—46434, 85—62487, 86—15609, 86—68616, 87—54220, 88—2158
Wei Yunrong *see* Zheng Chengen 85—29742
Wei Zhang *see* Zhang Wei
Wei Zheng Hong *see* Hong Wei Zheng
Wei Zhi yuan *see* Yin Zhi-qiang 86—36292
Wei Zhong Qian *see* Qian Wei Zhong
Wei Zhou *see* Ning Yu 87—38098
Wei Zhu *see* Zhu Wei
Wei-Chee Leung *see* Wai-Ming Tsang 88—47352
Wei-cheng Chiang *see* Chong-chu Lin 85—58652
Wei-cheng Hao *see* Hao Wei-cheng
Wei-Cheng Lin, Ta-Peng Tsao, Shi-Lin Chen Computer simulation for prediction of dynamic responses of marine AC/DC power system 88—36782
Wei-Chung Lin *see* Ta-Peng Tsao 88—23324
Wei-da Lu *see* Lu Wei-da
Wei-Dong Kou *see* Kou Wei-Dong
Wei-dong Sun, Tayama, N., Otawara, I. Distance transformation and reconstructable skeleton of three-dimensional digital binary images 86—37154
Wei-feng Chen, Xiang-yang Huang, Xuan-tong Ying, Yu-run Jia A new proposal phase—only CGH and its application 88—40383
Wei-Gang, H. *see* Semlyen, A. 86—65703
Wei-Hao Qi *see* Yu-Hong Li 88—49320
Wei-heng Li *see* Li Wei-heng
Wei-huan Wang *see* Wang Wei-huan
Wei-Jen Lee, Mo-Shing Chen, Williams, L.B. Load model for stability studies 86—70564
Wei-Jun Chen *see* Chen Wei-Jun
Wei-jun Gu *see* Gu Wei-jun
Wei-Kom Chu, Taylor, T.K., Demma, S., Gissler, C. Toward the automation of radiation therapy 86—65455
Wei-Kuan Shih *see* Ferng-Ching Lin 86—21750, 86—62361
Wei-Kuo Chen, Pao-Lo Liu Short-coherence-length and high-coupling-efficiency pulsed diode laser for fiber-optic sensors 88—72459
Wei-Lien Hsu *see* Chen, C.H. 88—66528
Wei-Lu Cao, Stewart, W.J. Iterative aggregation/disaggregation techniques for nearly uncoupled Markov chains 86—40618
Wei-min Han *see* Han Wei-min
Wei-Ming Dai, Kuh, E.S. Global spacing of building-block layout 88—31946
Wei-Ming Lu, Hsuan Chen Effect of probe orientation on hot-film/CTA velocity measurements in stirred tanks and a simplified measuring method 87—8602
Wei-Ming Ni, Sacks, P.E., Tavantzis, J. On the asymptotic behavior of solutions of certain quasilinear parabolic equations 85—10577
Wei-ping Yan *see* Yan Wei-ping
Wei-ping Zhang *see* Zhang Wei-ping
Wei-Qi Li, Chin, A., Bhattacharya, P., DiVita, S. Molecular beam epitaxial GaAs optical detectors on silica fibers 88—51695
Wei-Qi Li *see* Chin, A. 88—49809
Wei-Qing Cao *see* Yu-Hong Li 88—49320
Wei-qing Nie *see* Nie Wei-qing
Wei-Rong Xiao *see* Xiao Wei-Rong
Wei-shi Huang *see* Huang Wei-shi
Wei-shu Wu *see* Wu Wei-shu
Wei-tao Zhang *see* Zhang Wei-tao
Wei-Tou Ni *see* Hsou-Tao Yu 85—63948
Wei-Tzen Yang *see* Tsong-Liang Huang 87—71542
Wei-wei Mao *see* Mao Wei-wei
Wei-Xi Chen, Walpita, L.M., Sun, C.C., Chang, W.S.C. Ion beam etching of InGaAs, InP, GaAs, Si, and Ge 86—53553
Wei-Xi Chen *see* Title, M.A. 86—53998
Wei-xin Gu *see* Gu Wei-xin
Wei-Xin Ni *see* Dan-Xia Xu 88—64510
Wei-Xin Ni *see* Willander, M. 88—64285
Wei-xin Xie *see* Xie Wei-xin
Wei-Xin-Xie, Bedrosian, S.D. Experimentally derived fuzzy membership function for gray level images 88—41038
Wei-Yau Horng *see* Shu-Hung Leung 86—10400
Wei-Ying Thang Network interconnection—a bibliographic study 86—30350
Wei-yong Xu, Hua-guang Zhang Modern control theory applied to 200 MW boiler-turbine unit control 87—71970
Wei-yu Chen *see* Chen Wei-yu
Wei-Yu Lee, Way-Seen Wang, Yuan-Kuang Tu Wide-bandwidth electro-optic modulator over an extensive wavelength 88—39998
Wei-Yu Lee, Way-Seen Wang, Yun-Leei Chiou Silicon solar cell with thick-film contact electrodes and TiO_2 antireflection layer 86—56950
Wei-Yu Lee *see* Yuan-Kuang Tu 88—39962
Wei-Yuan Hwang, Wen-Wu Liu 3-D static analysis of cable in nonuniform current 85—14080
Wei-yuan Wang *see* Wang Wei-yuan
Wei-Zang Hsiao *see* Ching-Yuan Wu 86—9141
Wei-zhen Ma *see* Ma Wei-zhen
Wei-zhi Li *see* Li Wei-zhi
Weib, H. *see* Rentmeister, M. 87—22861
Weibao Zhang *see* Zhang Weibao
Weiben Yuan A practical holographic ultrafiche file storage (HUFS) system 88—27333
Weiber, G.K. Performance analysis of a virtual circuit protocol with local control 87—13184
Weich, D.F., Cross, P.S., Scifres, D.R., Streifer, W. Single-lobe 'Y' coupled laser diode arrays 87—39098
Weichang Chen *see* Chen Weichang
Weichbrodt, A. *see* Unger, H. 85—49977
Weicheng, Y., Fujiang, L., Jie, F. A computer control system for an optical fiber cabling machine 87—13742
Weichert, H. *see* Lindmayer, M. 88—55527
Weichert, L. The avoidance of electrical interference in instruments 86—4944
Weichman, F.L. *see* Rastogi, A.C. 86—8760
Weichman, F.L. *see* Tin, C.C. 85—7304
Weichmann, E.P., Ziogas, P.D., Stefanovic, V.R. Generalized functional model for three-phase PWM inverter/rectifier converters 87—51346
Weichold, M. *see* Chang, K. 88—25514
Weichold, M. *see* Zeigler, J. 88—50803
Weichold, M.H. GaP electron mobility empirically related to donor concentration and temperature 85—61692
Weichold, M.H., Parker, D.L. Imaging latch-up sites in CMOS integrated circuits using laser scanning 86—15273
Weichold, M.H. *see* Johnson, R.H. 87—273
Weichong Wu *see* Wu Weichong
Weichsel, R. *see* Spilker, W. 86—10727
Weick, J. *see* Wollermann-Windgasse, R. 87—46788
Weick, J.M. Laser cutting of sheet metal in modern manufacturing 85—51337
Weick, J.M., Storz, W. New aspects in cutting metals with CO_2-lasers 88—58745
Weick, J.M. *see* Beyer, E. 86—10039
Weick, M. CAD in electronics design—data output procedures 85—23212
Weickhmann, M. *see* Bachus, E.-J. 88—60179
Weickowski, T.W. Integral equations describing current flow distribution in loop antennas systems 88—45777
Weid, E.von der *see* von der Weid, E.
Weid, J.-P.von der *see* von der Weid, J.-P.
Weid, J.P.von der *see* von der Weid, J.P.
Weida, G. Heat and power coupling 85—59979
Weida, G. Design criteria of brushless three-phase alternators for use according to telecommunications specification 86—61502
Weida, R. *see* Baker, R.D. 88—43786
Weidan Li, Huizhen Pan Open tube Zn diffusion using In/Zn sources and its application in quasi-planar InP/InGaAsP HBT's 88—19924
Weidberg, A.R. *see* Ansorge, R.E. 88—29842
Weide Chen *see* Chen Weide
Weidel, E. *see* Bohm, K. 85—62378, 87—8618
Weidel, E. *see* Eisenmann, M. 88—33630, 88—45135
Weidel, E. *see* Hillerich, B. 85—63667, 85—63683, 86—4688 to 4689, 87—56872
Weidel, E. *see* Krumpholtz, O. 85—52338
Weidel, E. *see* Krumpholz, O. 86—4615, 86—30788, 86—30806
Weideli, P.R. Multimeter with display and memory 86—38442
Weidemann, A. Trouble with audio- and video equipment. Radio interference. The legal situation regarding interference—suppression tips. I 87—7549
Weidemann, A. Trouble with audio and video equipment. Radio interference. Legal situation regarding interference and interfering effects. II 87—12733
Weidemann, A. Radio interference effects: must the manufacturer pay? 88—29016
Weidemann, A. *see* Dubois, R. 86—50321
Weidemann, B. Damping and torsional compliance of an induction machine fed by a voltage source inverter or a current source inverter with DC-link current [electric drives] 85—38985
Weidemann, J. *see* Grumbrecht, P. 85—53871
Weidemann, R. Green light from ion lasers 88—14102
Weidemann, R. *see* Pfluger, J. 88—47810
Weidemann, W. A vibration compensation scheme for a tactical rubidium oscillator 85—62147
Weidemann, W. Subminiature rubidium oscillator Model FRS 87—25742
Weidenauer, M., Wiese, H. Software design for a computerized electrochemical set-up 88—47710
Weidenauer, R. Energy management and load control with supervisory network control systems 86—70570
Weidenheimer, D. *see* Bromborsky, A. 88—50584
Weider, H.H. *see* Roach, J.W. 85—1407
Weider, T. *see* Eichler, H.J. 88—65794
Weidhaas, W. Optic cable network for the subscriber connection plane 85—20203
Weidinger, F. *see* Weber, H. 87—21601
Weidinger, G. *see* Martens, G. 88—13806, 88—36041
Weidkamp, H. *see* Commichau, V. 86—5784
Weidl, H. *see* Bannach, H.-D. 86—18838
Weidle, B.W. *see* Grune, G.L. 85—29579
Weidlein, J. *see* Scholz, F. 86—46309, 87—11403
Weidlich, E. *see* David, E. 88—16784
Weidlich, H. *see* Mueller, K.H. 87—25302
Weidlich, H.-G. The interrelation of coal power stations and the environment 85—27297
Weidlich, H.G. *see* Neumann, G. 85—21424
Weidlich, S. Standardisation activities in the field of plant safety 87—65142
Weidlich, U. *see* Danz, M. 87—35015
Weidling, H. *see* Hermann, E.A. 88—23739
Weidman, C., Hamelin, J., Le Boulch, M. Radiation characteristics, emission mechanisms and phenomenology of lightning 86—15929
Weidman, C., Hamelin, J., Le Boulch, M. Electromagnetic radiation produced by the different phases of lightning: narrow band VHF/UHF analysis correlated with fast electric field signals 86—54253
Weidman, C., Krider, P. Submicrosecond variations of electromagnetic field radiated by lighting 85—7573
Weidman, C. *see* Le Boulch, M. 88—58822
Weidman, C.D., Krider, E.P. Lightning radiation fields 86—15927
Weidman, C.D., Krider, E.P. The amplitude spectra of lightning radiation fields in the interval from 1 to 20 MHz 87—21214
Weidman, D.J., Rhee, M.J., Schneider, R.F. Time-resolved Thomson spectrometer study of plasma focus produced ions 87—21505
Weidman, J. Designing low-cost cavity combline filters 88—56872
Weidman, J.H. Procedure yields effective matched slope-equalizer design 87—956
Weidman, L.E., Shimp, M.J. Continuing education: videotapes to achieve computer literacy 87—31197
Weidman, M. Finline diode six-port: fundamentals and design information 87—11059
Weidman, M.P. *see* Russell, D.H. 86—38216
Weidman, T.W. *see* Dentai, A.G. 88—49855
Weidman, W.C. *see* Fisher, D.A. 86—51436
Weidmann, F.W. *see* Dale, J.C. 86—70550
Weidmann, G. *see* Bauch, H. 88—20354
Weidmann, G. *see* Paquet, V. 88—58140
Weidmann, G.F. *see* Hunlich, T. 88—20353
Weidner, B. *see* Scollar, I. 86—56244
Weidner, F. *see* Schmidt, V. 87—46812
Weidner, F. *see* Stamm, U. 87—68405
Weidner, F. *see* Susse, K.-E. 85—46345
Weidner, F. *see* Susse, K.E. 88—33964
Weidner, G. Hot air leveling surface mount PWBs 88—1168
Weidner, G. Hot air levelling surface mount PWBs 88—12845
Weidner, G., Kirscht, F.-G., Richter, F., Seifert, W., Weidner, M., Gluck, B., Mai, M., Vargha-Kalmanne, A., Rausch, H. Thin silicon epitaxial layers on preannealed silicon substrates 87—66872
Weidner, G., Morgenstern, G. Defect generation on mechanical surface defects before and after oxidation. II. Dislocation generation at cracks 87—45784
Weidner, G.A., LaCroce, S.J. SMOBC: substrate preparation and soldermask application 86—20965
Weidner, H. *see* Selig, O. 87—35074
Weidner, J. *see* Grunewald, P. 85—53670
Weidner, J. *see* Wichmann, A. 86—18894
Weidner, M. *see* Cutler, V. 85—31007
Weidner, M. *see* Sperber, P. 87—39018
Weidner, M. *see* Weidner, G. 87—66872
Weidner, P. Dominance values and optimum concepts in vector optimization 85—54322
Weidner, P. The influence of neglecting feasible points and of varying preferences on the efficient point set 87—72907
Weidner, P. On the characterization of efficient points by means of monotone functionals 88—43808
Weidner, V.R., Hsia, J.J. Spectral reflectance 88—29670
Weidong, K. A transform product code vector quantizer for digital image coding 87—39973
Weidong Jiang, Guoliang Zhou, Keming Chen, Chi Sheng, Xiangjiu Zhang, Xun Wang Growth and characterization of silicon molecular beam epilayers on GaP(111) substrates 88—18673
Weidong Kou *see* Kou Weidong
Weidong Shi *see* Shi Weidong
Weidou Ni *see* Ni Weidou
Weiel, R. *see* Koops, H.W.P. 88—38238
Weierholt, A.J., Mickelson, A.R., Neegard, S. Eigenmode analysis of symmetric parallel waveguide couplers 88—7920
Weifang Gin *see* Gin Weifang
Weifeng Chen *see* Chen Weifeng
Weifeng Tian *see* Tian Weifeng
Weigal, K. *see* Kitchin, C. 86—62788
Weigan Lin A new transmission line of round conductor and parallel plane with symmetrically placed slit 85—57075
Weigan Lin *see* Lin Weigan
Weigand, A. *see* Lerm, A. 85—1187
Weigand, C.A. Practical applications of satellite-derived meteorological and oceanographic data in naval operations 85—26891
Weigand, F. Dangerous shock when inserting a water meter 86—33999
Weigand, W. *see* Blaumoser, M. 87—72288
Weigang Lu *see* Lu Weigang
Weigant, E. MIDATA or a concept that covers the domains of computer aided testing 88—15913
Weige Xue *see* Kalia, R.K. 87—6487

Weigel, F., Hoffmann, G., Wittmann, F.D., Schuster, W. The preparation of americium discharge lamps 85−40379
Weigel, H.-J. Digital printed circuit automatic test equipment DJ 7036 85−3870
Weigel, H.-J. Working place to produce printed circuit board designs 86−1491
Weigel, H.-J. Practical experience gained with the working place to produce printed circuit board design 87−45400
Weigel, K. *see* Gilbert, B. 85−6456
Weigel, M., Heymann, G. The qualification of vibration diagnostics of turbomachines by the use of computers−the MSDS 40 system for vibration monitoring and diagnosis 87−72102
Weigel, W. *see* Haton, J.P. 87−47617
Weigel, W. *see* Ruske, G. 87−2481
Weigel, W.D. *see* Gathmann, H. 88−37667
Weigelt, H. A CAE tool for analogue design 88−24869
Weigelt, J. *see* Lohmann, A.W. 85−25166, 85−46940, 87−7193, 87−26137, 88−8030, 88−33817
Weigelt, K. *see* Grunenwald, J. 86−39660
Weigert, D. High-speed video for optimization of machinery 88−15836
Weigert, E. Traction power from the hard coal power station at Lunen [railway power supplies] 85−10168
Weigert, E. Lehrte 2 traction converter put into operation 86−6860
Weigert, F.J., Proskow, S., Mitchell, R.S. An improved positive photoresist 88−1475
Weigert, G. Speech recognition with dynamic programming on a MR K1520 87−39699
Weighardt, K. New ways and means for spectral analysis 86−24424
Weighardt, K., Kolb, H.-J. In the focal point: digital signal processing. I. Data acquisition—digital filters 87−32007
Weighardt, K., Kolb, H.J. Digital signal processing. II. Signal analysis 87−35004
Weighardt, K., Kolb, H.J. In the focal point: digital signal processing. III. The applications 87−39738
Weight, J.P. *see* Brittain, R.H. 87−35523
Weiging Zhang *see* Zhang Weiging
Weigl, K. EPLDs−symbiosis of speed and architecture. Erasable 25 ns PLDs−the glue logic of to-morrow 88−19036
Weigl, K.H. Fast MPUs direct EPLD development 88−32229
Weigl, K.H. *see* Stadler, H. 85−32441
Weigle, G.R. *see* Chen, E.S. 87−64995
Weiglhofer, W. Reduction of dyadic Green's functions to scalar Hertz potentials for gyrotropic media 87−54468
Weiglhofer, W. Scalarisation of Maxwell's equations in general inhomogeneous bianisotropic media 87−68687
Weiglhofer, W. On scalar superpotentials for inhomogeneous gyrotropic media 88−20824
Weiglhofer, W. Field representation in gyrotropic media by one scalar superpotential 88−27377
Weiglhofer, W., Papousek, W. Scalar hertz potentials for anisotropic media 86−16028
Weiglhofer, W., Papousek, W. Scalar Hertz potentials for transversally oriented current density distributions in gyrotropic media 87−33353
Weiglhofer, W., Papousek, W. Scalar Hertz potentials and dyadic Green's functions for gyrotropic media 87−75316
Weiglin, W.G., Potschke, J. Powder metallurgy−future technology at Krupp 87−44397
Weigmann, H. *see* Kohler, R. 85−31759
Weigmann, U., Burghause, H., Schaffer, H. Identification and removal of opaque defects on X-ray masks in a focussed ion beam repair system 88−19868
Weigmann, U. *see* Muller, K.P. 87−25438
Weigmann, U. *see* Petzold, H.-C. 88−19869
Weigmann, W. *see* Hayes, J.R. 86−53330
Weigmann, W. *see* Silberberg, Y. 85−41452
Weigt, W. Noise disturbances in communication facilities from tramways 88−34345
Weigt, W. *see* Meinung, L. 85−24873
Weiguang Wen, Guixian Guan, Xiangdong Chao, Juan Wei, Guowei Gao, Zhenyuan Wu, Zo-Yi Lee Channeling effects on bubble propagation for 8-μm-period ion-implanted propagation patterns 85−46018
Weiguo Jin *see* Jin Weiguo
Weiguo QI *see* QI Weiguo
Weiguo Tang *see* Tang Weiguo
Weihan Tan *see* Wehnua Chen 88−58669
Weihan Tan *see* Tan Weihan
Weihan Yang *see* Yang Weihan
Weihl, W.E. *see* Dolev, D. 87−55719
Weihmann, R. *see* Bartsch, P. 86−67610
Weihmayer, R. *see* Gersht, A. 87−55426, 88−46370, 88−46446
Weihmeir, J. *see* Gerosa, G. 86−46849
Weihnacht, M. *see* Franke, K. 88−57875
Weihrauch, H. *see* Holl, D. 88−36836
Weihreter, E., Gaupp, A., Hoberg, H.G., Klotz, W.D., Kuske, P., Lehr, H., Maier, R., Mulhaupt, G. Instability studies and double RF-system operation at BESSY 86−24965
Weihreter, E. *see* Holtkamp, N. 88−29728
Weihreter, E. *see* Klotz, W.-D. 87−29419
Weihreter, E. *see* Kuske, P. 87−21304
Weihreter, E. *see* Maier, R. 88−47954
Weihreter, E. *see* Mulhaupt, G. 87−21303
Weihrich, G., Wohld, D. Advanced control for the compensation of roll and coiler eccentricities in cold rolling mills 85−27844
Weihrich, G. *see* Niemann, M. 87−70498
Weihs, H. *see* Freundel, P. 86−9157, 86−63284
Weihs, W. *see* Arnault, C. 87−14216
Weihs, W. *see* Burkhardt, H. 88−47997
Weihua Zhuang *see* Zhuang Weihua
Weijan Wang *see* Wang Weijan
Weijers, B. *see* Haines, D.M. 86−30588
Weijers, G. *see* Howieson, J. 87−4064
Weijia Qi *see* Qi Weijia
Weijiang Yeh *see* Yeh Weijiang
Weijing Wu *see* Wu Weijing
Weijtens, C.H.L., Keur, W.C. Reduction of reflection losses in solid-state image sensors 87−14196
Weijtens, C.H.L. *see* Collet, M.G. 87−20920
Weijtens, C.H.L. *see* Theuwissen, A.J.P. 85−52680, 87−28964
Weik, G., Taubitz, G. Use of microprofiles for electrical contacts 86−14590
Weik, H. Solar generation in practice 87−64804
Weikang Wu Nonlinear optical susceptibilities of a one-dimensional semiconductor 88−72422
Weikart, G.S. *see* Weber, L.F. 87−3660
Weikart, G.Scott *see* Scott Weikart, G.
Weiken Ge *see* Ge Weiken
Weikl, A. *see* Thull, R. 88−54595
Weikun Fang *see* Fang Weikun
Weikun Ge *see* Ge Weikun
Weil, B.S. A laser cutting system for nuclear fuel disassembly 87−7480
Weil, C.B. *see* Snydsman, W.E. 88−30156
Weil, G.I. *see* O'Gorman, L. 87−48089
Weil, G.J. Remote infrared thermal sensing of sewer voids, four-year update 88−67697
Weil, K.G. *see* Wiese, H. 88−66483
Weil, M.H. *see* Bisera, J. 85−20939 to 20940
Weil, R. *see* Deiss, J.L. 87−5442
Weil, R. *see* Janai, M. 85−18779, 85−40463, 85−55489
Weil, R. *see* Pratt, B. 87−32262
Weil, R. *see* Tsuo, S. 88−32762
Weil, S., Sui, D.C., Pellerin, D.B. Gate-array compiler cuts big designs down to size 86−62348
Weil, S.A. *see* Arastoopour, H. 86−32921
Weil, T. Providing chip protection 85−7000
Weil, T., Vinter, B. Calculation of carrier transport in pseudo-quaternary alloys 87−7205
Weil, T., Vinter, B. Equivalence between resonant tunneling and sequential tunneling in double-barrier diodes 87−45866
Weil, T. *see* Brum, J.A. 87−2121
Weil, T. *see* Nagle, J. 87−12457
Weil, T. *see* Wolak, E. 88−64495
Weil, T.A. Looking back, looking forward [pulse power modulation] 87−43265
Weil, T.A. *see* Jacobson, B.S. 88−55504
Weil, T.A. *see* Shrader, W.W. 88−15510
Weil, T.J. *see* Hayworth, B.R. 86−7177
Weil, W. Noise reduction for large steam turbine-generator sets 85−21459
Weil, W. Setting up a graphically-aided network information system using Sicad 86−50981
Weiland, T. Two-beam, Wakefield and millimeter-wave accelerators 86−5686
Weiland, T. Wake field work at DESY 86−31830
Weiland, T. Computer modelling of two- and three-dimensional cavities 86−31956
Weiland, T. Three-dimensional resonator mode computation by finite difference method 86−41288
Weiland, T. RF cavity design and codes 87−35306
Weiland, T. Modes in infinitely repeating structures of cylindrical symmetry 87−41674
Weiland, T. Numerical solution of Maxwell's equation for static, resonant and transient problems 88−2455
Weiland, T. New ideas on particle acceleration 88−74677
Weiland, T., Willeke, F. Particle tracking with collective effects in wake field accelerators 85−26628
Weiland, T. *see* Bialowons, W. 85−26627, 87−41688, 87−70916, 88−16587 to 16589, 88−16606, 88−74669
Weiland, T. *see* Browman, M.J. 87−35309
Weiland, T. *see* Degele, D. 85−26601
Weiland, T. *see* Klatt, R. 86−24974, 87−35308, 87−35310
Weiland, T. *see* Krawczyk, F. 88−52077
Weiland, T. *see* van Rienen, U. 86−42690, 87−41672 to 41673, 87−41740
Weiland, T. *see* Wendt, M. 88−54069
Weile Zhu *see* Zhu Weile
Weiler, A., Schneck, J., Schein, D., Schapira, W. Short-time overload capacity of ACSR conductors 86−32789
Weiler, D. *see* Borgs, J.W. 87−71050
Weiler, J. Measurement education without specific curriculum 88−11632
Weiler, J., Brule, M., Lim, K., Ball, R., Turner, T. An algorithm for automatically acquiring ground control points in SAR imagery 87−49184
Weiler, J.L.W.C.von *see* von Weiler, J.L.W.C.
Weiler, K.W., Dennison, B.K., Johnston, K.J., Simon, R.S., Erickson, W.C., Kaiser, M.L., Cane, H.V., Desch, M.D., Hammarstrom, L.M. A low frequency radio array for space 88−47247
Weiler, M.H., Ayasli, Y. DC and microwave models for $Al_xGa_{1-x}As/GaAs$ high electron mobility transistors 85−18334
Weiler, W., Fischer, H. Push-button measurement of microhardness 88−9877
Weiler, W. *see* Bauer, W. 87−29532
Weiler, W. *see* Behncke, H.-H. 88−70399
Weiler, W.W. Realization of forces by the National Institutes of Metrology 86−11730
Weilert, C.V. *see* Froelich, D.A. 86−33101
Weilguny, R., Fasching, G. A piezoceramic position detector 87−56619
Weilguny, R., Fasching, G.M. Automatic recording of star transit times 87−41328
Weilhammer, P. *see* Anzivino, G. 87−41861, 88−22961
Weilhammer, P. *see* Bailey, R. 85−15164
Weilhammer, P. *see* Caccia, M. 87−77553
Weilhammer, P. *see* Evensen, L. 87−14760, 88−68219
Weili Wang *see* Wang Weili
Weili Zhang *see* Zhang Weili
Weilian An *see* An Weilian
Weiling Wang *see* Wang Weiling
Weill *see* Bouchez, H. 88−16801
Weill, A. Resists patterning 87−24627
Weill, A. The spin coating process mechanism 87−25521
Weill, A., Dechenaux, E. Resist hardening using a conformable mold applied to a portable conformable mask bilayer system 87−67049
Weill, A., Dechenaux, E., Paniez, P. Differential scanning calorimetry analysis of novolak-based photoresists 87−53623
Weill, A., Francou, J.M., Dechenaux, E. Photoresist spin coating mechanism related to polymer solution to rheology 88−26154
Weill, A. *see* Klapisz, C. 86−29372
Weill, A. *see* Paniez, P. 86−1976, 86−53742
Weill, A. *see* Schiltz, A. 86−1979
Weill, A.P., Dechenaux, E.C., Paniez, P.J., Amblard, G.R. Bilevel system HPR/PMMA 88−19891
Weill, A.P. *see* Paniez, P.J. 88−19893
Weill, G. *see* Besson, J.M. 87−73991
Weill, G. *see* Gonzalez, J. 86−24674
Weill, L.R. Identifiability of a multipath channel having an unknown wideband input process 85−2860
Weill, L.R. *see* Dentino, M.J. 85−17719
Weill, L.R. *see* Sherwood, D.T. 85−2861
Weill, R. *see* Bakken, J.A. 87−35350
Weill, R. *see* Dietl, H. 85−48166
Weilong Xing *see* Xing Weilong
Weilou Cao *see* Cao Weilou
Weiman, N. *see* Beaton, R.J. 86−17776, 88−74532
Weiman, S.I. *see* Marouani, D. 88−75409
Weiman, S.M. *see* Hallse, R.L. 87−26678
Weimann, A., Scheibe, D., Schroder, P. Terrain masking and threat avoidance using land mass data 88−68692
Weimann, G. MBE for device applications 85−39729
Weimann, G. Transport properties of semiconductor heterostructures 87−53266
Weimann, G., Schlapp, W. Molecular beam epitaxy of GaAs and AlGaAs for optoelectronic devices and modulation doped heterostructures 85−33466
Weimann, G., Schlapp, W. Molecular beam epitaxial growth and transport properties of modulation-doped AlGaAs-GaAs heterostructures 85−34552
Weimann, G., Schlapp, W. GaAs-AlGaAs MQW and GRINSCH lasers grown by molecular beam epitaxy 85−41408
Weimann, G., Schlapp, W. Carrier concentration in modulation-doped AlGaAs-GaAs heterostructures 85−55512
Weimann, G., Schlapp, W. Transport properties of two-dimensional electron and hole gases in GaAs/AlGaAs heterostructures 87−24900
Weimann, G. *see* Abstreiter, G. 86−21226
Weimann, G. *see* Belle, G. 86−1792
Weimann, G. *see* Bimberg, D. 86−63073
Weimann, G. *see* Bliek, L. 85−47792, 85−58830, 86−24684, 87−1271
Weimann, G. *see* Bottcher, E.H. 87−54294
Weimann, G. *see* Burkhard, H. 87−6444
Weimann, G. *see* Chou, M.J. 85−62431
Weimann, G. *see* Christen, J. 86−67739
Weimann, G. *see* Daembkes, H. 88−44780
Weimann, G. *see* Delalande, C. 86−67737, 88−7622
Weimann, G. *see* Fletcher, R. 86−21210
Weimann, G. *see* Glick, M. 85−50236, 86−48480
Weimann, G. *see* Hein, G. 87−74100
Weimann, G. *see* Heuken, M. 86−53649, 87−60502

Weimann, G. *see* Hillmer, H. 88−32903
Weimann, G. *see* Hopfel, R.A. 85−23508
Weimann, G. *see* Idler, W. 88−58531
Weimann, G. *see* Kabitzsch, K. 87−45343
Weimann, G. *see* Kempf, P. 88−29624
Weimann, G. *see* Klitzing, K.V. 86−47364
Weimann, G. *see* Kuchar, F. 86−35406, 86−47365
Weimann, G. *see* Maile, B.E. 88−25943
Weimann, G. *see* Obloh, H. 86−53422
Weimann, G. *see* Prasad, S. 88−51661
Weimann, G. *see* Prost, W. 86−53642
Weimann, G. *see* Remenyi, G. 87−74099
Weimann, G. *see* Rikken, G.L.J.A. 85−34580
Weimann, G. *see* Smoliner, J. 87−53505, 88−26327, 88−32867, 88−64594
Weimann, G. *see* Warnecke, P. 88−16421
Weimann, G. *see* Weiss, D. 86−53421
Weimann, G. *see* Werner, A. 87−11408
Weimann, G. *see* Woltjer, R. 86−21219
Weimann, G. *see* Zhang, X. 85−11560
Weimann, G. *see* Zheng, H.Z. 86−53413, 87−11803
Weimann, G. *see* Zielinski, E. 87−68488
Weimar, P. *see* Karnezos, M. 87−38041
Weimar, R.-J. A compound table drive with stepping motors 85−32732
Weimeister, M. Telephone basics for the private carrier 87−2794
Weimer, C. *see* Shao, Y. 87−34588
Weimer, D. *see* Basu, S. 88−52232
Weimer, J. *see* Klamra, W. 88−29881
Weimer, J.A., Ortmeyer, T.H. Experimental cascaded doubly fed variable speed constant frequency generator system 85−9353
Weimer, J.A. *see* Cathey, J.J. 86−12848, 88−54717
Weimer, J.A. *see* Gorman, S.F. 87−77795, 88−55648
Weimer, J.A. *see* Ortmeyer, T.H. 87−4088
Weimer, W.A. Education and training at IBM 88−11671
Weimert, G. *see* Ebenhoh, P. 85−47093
Weimin, F. *see* Shangyuan, H. 86−28816
Weimin Fan *see* Fan Weimin
Weimin Hua *see* Zihong Lu 88−39137
Weimin Liu *see* Liu Weimin
Weimin Qiao *see* Qiao Weimin
Weimin Shi *see* Shi Weimin
Weimin Sun *see* Sun Weimin
Weimin Wu *see* Wu Weimin
Weimin Xing *see* Xing Weimin
Weimin Yang *see* Yang Weimin
Weimin Zheng *see* Lan Jin 88−15147
Weiming Luo *see* Luo Weiming
Weiming Wang *see* Wang Weiming
Wein, L.M. Scheduling semiconductor wafer fabrication 88−64360
Wein, W. Future expectations for fluidized bed technology 87−71938
Wein, W., Felwor, P. The fluidised bed heat power plant Duisburg−initial operating experiences 87−30358
Wein, W., Felwor, P. The influence of fluidized bed combustion systems on power plant engineering 87−51012
Wein, W., Plass, L. Circulating fluidised bed combustion for utility energy production 85−38803
Weinand, K. *see* Schmitt, C. 85−59221
Weinauge, B. Universal pulse generator 87−31755
Weinbaum, J.G. Selection of tasks for the application of robotic devices 86−45137
Weinberg, A. I/Q reversal phenomena in 4-phase modified Costas loops 86−17349
Weinberg, A., Harkness, R. Demodulation/remodulation performance for a class of digitally phase modulated signals 85−31011
Weinberg, A., Jones, W.K. Vertically-integrated package 88−63059
Weinberg, A., Schreuders, J. A high power high voltage DC/DC converter for space applications 86−12123
Weinberg, A. *see* Capel, A. 87−22589, 87−71251, 88−75743
Weinberg, A. *see* Chapman, W. 88−3940
Weinberg, A. *see* Jones, W.K. 88−56033
Weinberg, A. *see* Klare, S.W. 85−47418
Weinberg, A. *see* O'Sullivan, D. 85−10021
Weinberg, A.H., Schreuders, J. A high-power high-voltage DC-DC converter for space applications 86−70978
Weinberg, A.M. Emerging trends in nuclear energy [nuclear power stations] 85−9583
Weinberg, A.M. 'Immortal' energy system and intergenerational justice 85−59983
Weinberg, A.M., Spiewak, I., Phung, D.L., Livingston, R.S. The second nuclear era: a nuclear renaissance 85−65037
Weinberg, A.M. *see* Spiewak, I. 86−39493
Weinberg, B. *see* Gandour, J. 85−20965
Weinberg, B. *see* Park, G.L. 88−23939
Weinberg, B.C. *see* Grubin, H.L. 85−18286
Weinberg, D.I., Wilson, T.L. A model for predicting changes in the probability of television interference by industrial, scientific, and medical (ISM) equipment 87−28769
Weinberg, D.L. Charge-injection devices. II. Multiple-pixel solutions with row injection 88−29433
Weinberg, F. *see* Schvezov, C. 87−73043 to 73044
Weinberg, F.J. *see* Lee, A.J.J. 85−10197
Weinberg, F.J. *see* Smy, P.R. 86−33814
Weinberg, H. Flexible configurable microprocessor-controlled weighing and data systems 86−17769
Weinberg, I., Brinker, D.J. Indium phosphide solar cells−status and prospects for use in space 87−42130
Weinberg, I., Goradia, C., Stupica, J.W., Swartz, C.K. Cell performance and defect behavior in proton-irradiated lithium-counterdoped n^+p silicon solar cells 87−4882
Weinberg, I., Mehta, S., Swartz, C.K. Radiation damage and defect behavior in ion-implanted, lithium counterdoped silicon solar cells 86−7127
Weinberg, I., Swartz, C.K., Hart, R.E., Jr. Performance and temperature dependencies of proton irradiated n/p and p/n GaAs and n/p silicon cells 87−4940
Weinberg, I., Swartz, C.K., Hart, R.E., Jr. Potential for use of InP solar cells in the space radiation environment 87−16035
Weinberg, I., Swartz, C.K., Hart, R.E., Jr., Ghandhi, S.K., Borrego, J.M., Parat, K.K., Yamaguchi, M. Comparative radiation resistance, temperature dependence and performance of diffused junction indium phosphide solar cells 88−5878
Weinberg, I., Swartz, C.K., Hart, R.E., Jr., Statler, R.L. Radiation and temperature effects in gallium arsenide, indium phosphide, and silicon solar cells 88−37467
Weinberg, I., Swartz, C.K., Hart, R.E., Jr., Yamaguchi, M. Radiation damage in proton irradiated indium phosphide solar cells 87−78952
Weinberg, I. *see* Goradia, C. 85−53821, 88−36632
Weinberg, I. *see* Springs, R. 86−38223
Weinberg, I. *see* Stupica, J. 88−37485
Weinberg, I.J. *see* Sethares, J.C. 86−24475
Weinberg, I.N., Dahlbom, M., Ricci, A., Hoffman, E.J. Crystal identification in modular array detectors for high spatial resolution PET 87−77568
Weinberg, J.M. Recent developments in high speed fiberoptic local area networks 85−13949
Weinberg, M. Cable bandit [cable installation] 85−14312
Weinberg, M. Automatic power shut off for pager 87−28426
Weinberg, M. *see* Wohlers, M. 88−52580
Weinberg, M.H. Automated nondestructive testing of munitions 85−10853
Weinberg, P. *see* Trivedi, S.S. 87−57066
Weinberg, R.A. *see* Kaiser, R.H. 86−70449
Weinberg, R.J., Tribble, G.L., III, Schwindt, P.C. A baseline stabilizer for electrophysiology 86−11987
Weinberg, R.P. A data acquisition system for research in thermal physiology 85−38004
Weinberg, Z.A., Fischetti, M.V. Investigation of the SiO_2-induced substrate current in silicon field-effect transistors 85−29220
Weinberg, Z.A., Fischetti, M.V., Nissan-Cohen, Y. SiO_2-induced substrate current and its relation to positive charge in field-effect transistors 86−28340
Weinberg, Z.A., Nguyen, T.N. The relation between positive charge and breakdown in metal-oxide-silicon structures 87−37939
Weinberg, Z.A., Nguyen, T.N., Cohen, S.A., Kalish, R. SiO_2 growth and annealing by lamp heating 87−11689
Weinberg, Z.A., Young, D.R., Calise, J.A., Cohen, S.A., DeLuca, J.C., Deline, V.R. Reduction of electron and hole trapping in SiO_2 by rapid thermal annealing 85−18170
Weinberg, Z.A. *see* Fischetti, M.V. 85−29052
Weinberger, A. RF, AF and DC voltmeters from Rohde & Schwarz 85−26387
Weinberger, B.R., Deckman, H.W., Yablonovitch, E., Gmitter, T., Kobasz, W. Dielectric coated fluorine passivated silicon surfaces 86−15072
Weinberger, B.R., Deckman, H.W., Yablonovitch, E., Gmitter, T., Kobasz, W., Garoff, S. The passivation of electrically active sites on the surface of crystalline silicon by fluorination 85−55721
Weinberger, B.R., Peterson, G.G., Eschrich, T.C., Krasinski, H.A. Surface chemistry of HF passivated silicon: X-ray photoelectron and ion scattering spectroscopy results 87−17948
Weinberger, B.R. *see* Yablonovitch, E. 86−28048
Weinberger, D.A. *see* Bhattacharya, P.K. 87−7227
Weinberger, D.A. *see* Gibbs, H.M. 85−41481, 85−56842
Weinberger, D.A. *see* Ojima, M. 86−68615
Weinberger, G. *see* Geiger, G. 87−2777, 87−40240, 88−3784
Weinberger, G. *see* Smolka, G.J. 87−62727, 88−21757, 88−59792
Weinberger, G. *see* Strafner, M. 87−40606
Weinberger, H. *see* Heidelberg, G. 85−44273
Weinberger, H.L. Tradeoffs in K_u and K_a band systems [satellite links] 85−25837
Weinberger, K. Communications technology on urban railways exemplified by operational traffic in Zurich 87−43560
Weinberger, K. *see* Karl, W. 85−25776
Weinberger, P.J. *see* Pike, R. 86−37566
Weindling, F. Advanced techniques for extending synthetic aperture radar (SAR) depth of focus under arbitrary aircraft maneuvers 88−60218
Weindruch, R.L. ISDN−central office supplier's optimistic view 88−3664
Weindruch, R.L. Beyond ONA−ISDN? Thinking about the post-ONA environment [Open Network Architecture] 88−35231
Weinel, D.G. *see* Khokhani, K.H. 86−1492
Weinel, F.H. Video recording on 35 mm film 86−44026
Weinelt, W. *see* Andra, H. 86−35440
Weinen, J. *see* Mantelman, L. 87−48578
Weiner, A. *see* Weiner, L.R. 87−70250
Weiner, A.M., Heritage, J.P. Picosecond and femtosecond Fourier pulse shape synthesis 88−20728
Weiner, A.M., Heritage, J.P., Salehi, J.A. Encoding and decoding of femtosecond pulses 88−46186
Weiner, A.M., Heritage, J.P., Stolen, R.H. Self-phase modulation and optical pulse compression influenced by stimulated Raman scattering in fibers 88−34113
Weiner, A.M., Lin, P.S.D., Marcus, R.B. Picosecond resolution sampling via multiphoton photoemission 88−39343
Weiner, A.M., Lin, P.S.D., Marcus, R.B., Orloff, J. Photoemissive probing of high-speed signals 88−13512
Weiner, A.M. *see* Heritage, J.P. 85−56282, 88−65859
Weiner, A.M. *see* Marcus, R.B. 86−67811
Weiner, A.M. *see* Smith, P.W. 88−65923
Weiner, D., Capraro, G. A statistical approach to EMI−theory and experiment. I 88−2640
Weiner, D., Capraro, G. A statistical approach to EMI−theory and experiment. II 88−2643
Weiner, D., Capraro, G. A statistical approach to EMI−theory and experiment 88−14446
Weiner, D., Capraro, G. A statistical approach to EMI−theory and experiment. II 88−14447
Weiner, D. *see* Lewis, G. 88−44715
Weiner, D. *see* Navon, U. 88−48477
Weiner, D. *see* Vadasz, P. 87−64768, 88−23760
Weiner, D.D. *see* Capraro, G. 88−8502
Weiner, D.D. *see* Kenefic, R.J. 85−36267
Weiner, D.D. *see* Ouibrahim, H. 87−41064, 88−4089, 88−47236
Weiner, D.H., Wong, S.S., Drowley, C.I. Oxygen implantation for internal gettering and reducing carrier lifetime 87−45754
Weiner, E.E., Woodside, D.J. Interactive videodisc use and evaluation by junior nursing students 88−29142
Weiner, F.R. Analysis and design of the 'Solar One' thermal storage subsystem heat exchangers 85−15938
Weiner, G. *see* Bencze, J. 86−6718
Weiner, J.A., Benson, R.C., Romenesko, B.M., Nall, B.H., Charles, H.K., Jr. Metal electromigration induced by solder flux residue in hybrid microcircuits 88−64149
Weiner, J.A. *see* Charles, H.K., Jr. 85−55938, 86−20978
Weiner, J.A. *see* Clatterbaugh, G.V. 85−23305
Weiner, J.A. *see* Romenesko, B.M. 86−53234
Weiner, J.S. Physics and applications of quantum wells in waveguides 87−12235
Weiner, J.S., Chemla, D.S., Miller, D.A.B., Haus, H.A., Gossard, A.C., Wiegmann, W., Burrus, C.A. Highly anisotropic optical properties of single quantum well waveguides 86−9457
Weiner, J.S., Chemla, D.S., Miller, D.A.B., Wood, T.H., Sivco, D., Cho, A.Y. Room-temperature excitons in 1.6-μm band-gap GaInAs/AlInAs quantum wells 85−34553
Weiner, J.S., Gossard, A.C., English, J.H., Miller, D.A.B., Chemla, D.S., Burrus, C.A. Low-voltage modulator and self-biased self-electro-optic-effect device 87−26067
Weiner, J.S., Miller, D.A.B., Chemla, D.S., Damen, T.C., Burrus, C.A., Wood, T.H., Gossard, A.C., Wiegmann, W. Strong polarization-sensitive electroabsorption in GaAs/AlGaAs quantum well waveguides 86−15518
Weiner, J.S. *see* Chand, N. 88−63291
Weiner, J.S. *see* Duguay, M.A. 86−3284
Weiner, J.S. *see* Miller, D.A.B. 87−7178
Weiner, J.S. *see* Wood, T.H. 85−57207
Weiner, L. *see* Reader, C. 87−70527
Weiner, L.R., Weiner, A. Applications for broadcast video equipment in image processing 87−70250
Weiner, M., Bovino, L., Youmans, R., Burke, T., Dollak, F. Modeling of the optically controlled semiconductor switch 86−68397
Weiner, M., Burke, T., Youmans, R., Bovino, L., Carter, J. Optically activated switch using high power laser diode arrays 85−5325
Weiner, M., Schneider, S., Dollak, F. Lumped circuit ferrite pulse sharpener 85−669
Weiner, M. *see* Bovino, L. 85−22732, 87−17447, 87−45864, 88−8067
Weiner, M. *see* Burke, T. 88−51664

Weiner, M. *see* Kim, A. 88−71154
Weiner, M.M. Use of the Longley-Rice and Johnson-Gierhart tropospheric radio propagation programs: 0.02-20 GHz 86−48575
Weiner, M.M. Monopole element at the center of a circular ground plane whose radius is small or comparable to a wavelength 87−61453
Weiner, M.M. Noise factor of receiving system with arbitrary antenna impedance mismatch 88−52286
Weiner, N. *see* White, J. 87−46111
Weiner, R. *see* Strehmel, K. 85−10619, 86−26776
Weiner, R. *see* van der Houwen, P.J. 87−10333
Weiner, R.M. *see* Klingaman, R.M. 86−61391
Weiner, S., Neuf, D., Spohrer, S. 2 to 8 GHz double balanced MESFET mixer with +30 dBm input 3rd order intercept 88−71129
Weinert, A. Design of PCBs in Czechoslovakia 88−64076
Weinert, A., Bretthauer, K. Modelling the run of the mean temperature of the armature coil of a DC motor on a digital computer 85−5114
Weinert, B., Buhrig, E., Hein, K. A contribution to the kinetics of crystallisation of GaP by SSD process 85−350
Weinert, B., Kirsten, P., Siegel, W. The influence of crucible moving on growth rate and perfection of SSD-GaP crystals 87−65459
Weinert, G.F. *see* Payson, E.P. 85−32344
Weinert, H., Henneberger, F., Woggon, U., Uraltsev, I.N., Bruhl, H.-G. Excitation intensity dependence of $Ga_{1-x}Al_xAs$−GaAs-superlattice photoluminescence 87−32313
Weinert, H. *see* Diegner, B. 87−270, 87−11619
Weinert, H. *see* Gehrke, E. 87−1197
Weinert, H.L. *see* Meyer, G.G.L. 85−51672, 87−7727
Weinert, J.G. *see* Scholz, R. 87−76209
Weinert, K., Diegner, B., Kugler, J. Photoluminescence study on the influence of substrate doping on the properties of nominally undoped VPE GaAs 87−12309
Weinert, R.W., Kun, Z.K. Long, temperature stable SAW delay in Tl_3VS_4 (TVS) crystals 86−2558
Weinert, R.W. *see* Bajpai, S.N. 85−62208
Weinert, R.W. *see* Driscoll, M.M. 88−51148
Weinert, R.W. *see* Vale, C.R. 87−60717
Weinert, S.J. Smart demarcation point scores high marks with SW Bell and its customers [maintenance termination unit] 87−55941
Weinert-Raczka, E. Distributed feedback in a waveguide by four wave mixing 85−41471
Weinert-Raczka, E. Nonlinear generation of guided modes in a thin-film optical waveguide with low anisotropy 88−33705
Weinert-Raczka, E. Nonlinear method of searching for unknown fields propagating in an optical waveguide 88−39967
Weinerth, H. The situation of the microelectronics in the Federal Republic of Germany 85−141
Weinerth, H. Microelectronics−a bond between user and manufacturer 86−21638
Weinerth, K., Pagenkopf, G. Electrical power supply and building automation system for a hospital in Berlin 86−32727
Weinfurt, P.T. TRAM: a new concept in transport monitoring [of patients] 87−71077
Weinfurter, G. *see* Langenberg, K.J. 86−36597, 87−75387
Weinfurter, H. *see* Rauch, H. 85−64415
Weingand, D.E. Telecommunications delivery of education: a comparison with the traditional classroom 85−47730
Weingand, D.E. Women, technology and education 86−45960
Weingart, J.M. *see* Bos, P.B. 85−16701
Weingart, R.C. *see* Osher, J.E. 88−40523
Weingarten, F.W. Electronic surveillance and civil liberties 86−52188
Weingarten, F.W., Wilk, C.K. Research and development policy in the USA: implications for satellite communications 85−58072
Weingarten, J. *see* Frohling, D. 87−13376
Weingarten, K.J., Majidi-Ahy, R., Bloom, D.M. GaAs integrated circuit measurements using electrooptic sampling 88−19398
Weingarten, K.J., Majidi-Ahy, R., Rodwell, M.J.W., Auld, B.A., Bloom, D.M. Microwave measurements of GaAs integrated circuits using electrooptic sampling 87−73783
Weingarten, K.J., Rodwell, M.J.W., Bloom, D.M. GaAs integrated circuit testing using electrooptic sampling 88−38760
Weingarten, K.J., Rodwel, M.J.W., Bloom, D.M. Picosecond optical sampling of GaAs integrated circuits 88−39731
Weingarten, K.J., Rodwell, M.J.W., Freeman, J.l., Diamond, S.K., Bloom, D.M. Characterization of GaAs integrated circuits by direct electro-optic sampling 86−47747
Weingarten, K.J., Rodwell, M.J.W., Heinrich, H.K., Kolner, B.H., Bloom, D.M. Direct electro-optic sampling of GaAs integrated circuits 85−55135
Weingarten, K.J. *see* Bloom, D.M. 88−993, 88−997
Weingarten, K.J. *see* Freeman, J.L. 86−35821
Weingarten, K.J. *see* Kolner, B.H. 85−62466, 87−26237
Weingarten, K.J. *see* Majidi-Ahy, R. 88−12550, 88−74573
Weingarten, K.J. *see* Rodwell, M.J.W. 86−40987, 87−6114, 87−17360, 87−18946, 87−46135
Weingarten, W. *see* Arnolds-Mayer, G. 86−31857
Weingarten, W. *see* Arnolds-Meyer, G. 87−67997
Weingarten, W. *see* Benvenuti, C. 85−56261, 88−26739
Weingarten, W. *see* Bernard, P. 85−26600
Weingarten, W. *see* Bottger, W. 87−71458
Weingarten, W. *see* Lengeler, H. 85−59039
Weingartner, I. Real and achromatic imaging with two planar holographic optical elements 86−63882
Weingartner, I., Rosenbruch, K.-J. A holographic scanning objective 87−68658
Weingartner, P. *see* Kriedt, H. 88−15759
Weingartner, T. *see* Hack, H. 88−39894
Weinger, A.M., Vakhrameev, A.I., Medunina, O.N., Sadchikov, K.G., Seryi, I.M. The dynamics of a frequency-controlled synchronous motor with damping circuits on the inductor 85−60147
Weinhardt, M. Analyzing the bogie drive system of a locomotive 85−21909
Weinhart, D.G. Math does count−pre-college programs that work 85−33016
Weinhaus, F.M. *see* Tao, K.M. 86−10527
Weinheimer, A.J. *see* Few, A.A. 87−15057
Weinheimer, A.J. *see* Miller, L.J. 87−71337
Weinheimer, C.J. *see* Herrero, P. 88−48120
Weinhold, A. *see* Kunert, J. 86−52248
Weinhold, J. Cold forming of ring shaped work pieces by section rolls 85−39376
Weinhold, M. Use of solid solder-impeding mask on printed boards 85−40340
Weinhold, M. Moving from conventional to surface mount PCBs 86−41434
Weinhold, M. Designing for zero-defect soldering 86−62911
Weinhold, M. Designing for zero-defect soldering 88−12743
Weinhold, M. HV and LV on the same card? Possible with dry film 88−12783
Weinhous, M.S., Meli, J.A. Determining P_{ion}, the correction factor for recombination losses in an ionization chamber 85−20975
Weinhous, M.S., Meli, J.A. Collection efficiency of an ionisation chamber in a pulsed swept beam: collimator scatter effects 87−8957
Weinhous, M.S. *see* Amols, H.I. 87−57250
Weinhous, M.S. *see* Meli, J.A. 87−8956
Weinhous, M.S. *see* Schulz, R.J. 88−10450
Weining Huang *see* Huang Weining
Weinland, S.L. *see* Gourdin, W.H. 86−65185
Weinlein, C.E. *see* Delaney, W.C. 85−49184
Weinlein, W. Television of 'simple' quality: a signal over two telephone wires−not only for private communication 87−20721
Weinman, J.A. Tomographic lidar to measure the extinction coefficients of atmospheric aerosols 85−15417
Weinman, J.A. *see* Jau, Y.-C. 85−36455
Weinman, J.A. *see* Kummerow, C. 88−8480
Weinman, J.A. *see* Olson, W.S. 87−63943
Weinman, J.A. *see* Wu, R. 87−71319
Weinmann, A. Discrete Kalman filters and their calculating process 86−29836
Weinmann, D. Permanent magnets 85−62203
Weinmann, D., Nicoud, G., Gallo, F. Advantages of permanent magnet motors 85−9953
Weinmann, E. A group delay standard for the MHz range of frequencies 85−14581
Weinmann, G. *see* Prost, W. 88−57693
Weinmann, T. *see* Moller, K. 86−61551
Weinmann, W. *see* Struballa, D. 86−12261
Weinmuller, E. On the numerical solution of singular boundary value problems of second order by a difference method 86−34250
Weinraub, W.C.L., Davis, D.D., Kinard, M.D. A rodent and lightning protective sheath for fiber optic cables 85−58142
Weinreb, K. *see* Sobczyk, T.J. 87−22355, 88−55332
Weinreb, M., Jr., Zajicek, G., Levij, I.S. Image processing of stomach cancer cytology 85−20910
Weinreb, S. SIS mixer to HEMT amplifier optimum coupling network 88−19364
Weinreb, S., Posieszalski, M. X-band noise parameters of HEMT devices at 300K and 12.5K 86−8509
Weinreb, S., Pospieszalski, M.W., Norrod, R. Cryogenic, HEMT, low-noise receivers for 1.3 to 43 GHz range 88−71114
Weinreb, S. *see* Carin, L. 88−70951
Weinreb, S. *see* Duh, K.H.G. 88−39507
Weinreb, S. *see* Pospieszalski, M.W. 86−41810, 88−12605
Weinreb, S. *see* Pospiezalski, M.W. 88−38720
Weinreich, D.E. Transmission and performance quality standards for satellite links in the ISDN 87−27865
Weinreich, D.E. *see* Jones, M.E. 87−20433
Weinreich, G., Causse, R. Digital and analog bows: hybrid mechanical-electrical systems 87−20820
Weinrib, A., Gopal, G. Decentralized resource allocation for distributed systems 87−55561
Weinrib, A. *see* Gopal, G. 87−76233
Weinrib, A. *see* Shenker, S. 88−59375
Weinrib, J., Lee, H., Thakor, N. A significant point extraction algorithm for ECG data reduction and pattern recognition 85−53063
Weinrib, J., Lee, H.S., Thakor, N. A new technique for ECG data reduction and pattern recognition 85−43408
Weinrib, S. Analog-filter digital-correlator hybrid spectrometer 86−31294
Weinrich, A.W., Plush, P.H. Satellites vs. fiber optic cable for domestic communications systems 87−28515
Weinrich, G., Lungu, M., Staiculescu, S., Tiucra, R. Variable speed electric drives for pumps and fans−state of the art and trends in Romania and worldwide 88−69733
Weinrich, M. *see* Steele, R.D. 87−14922
Weinrichter, H. A note on some early work in the field of switched-capacitor networks 85−40173
Weinrichter, H., Brazda, E. Time domain compression and expansion of speech 87−47588
Weinrichter, H. *see* Lutz, P. 87−16845
Weinrichter, H. *see* Zou, G. 88−45876 to 45877, 88−66282
Weinrig, A., Shenker, S. Greed is not enough: adaptive load sharing in large heterogeneous systems 88−52947
Weinschel, B.O. New attenuation standard uses laser interferometer 85−26162
Weinschel, B.O. How can US engineering education make our industries more competitive? 85−32970
Weinschel, B.O., Hancock, C.W., Powell, R.C. Techniques explained for CW power measurement 86−60331
Weinshall, D. Qualitative depth from vertical and horizontal binocular disparities, in agreement with psychophysical evidence 88−73304
Weinshenker, M.D. *see* Shattuck, D.P. 86−11949
Weinstein, A.J. *see* Perl, J. 87−29465
Weinstein, B.A. Stability of superlattices under pressure 88−7350
Weinstein, B.A., Hark, S.K., Burnham, R.D. Cryogenic-pressure response of optical transitions in quantum well and bulk GaAs: a direct comparative study 86−21192
Weinstein, B.A. *see* Brillson, L.J. 85−55565
Weinstein, C. Videotex: here to stay 87−48519
Weinstein, C.J. *see* Forgie, J.W. 88−21502
Weinstein, C.J. *see* Paul, D.B. 87−61814
Weinstein, E. Fundamental limitations in passive time-delay estimation−II: wide-band systems 85−19439
Weinstein, E. Relations between Belini-Tartara, Chazan-Zakai-Ziv, and Wax-Ziv lower bounds 88−66255
Weinstein, E., Weiss, A.J. A general class of lower bounds in parameter estimation 88−66254
Weinstein, E. *see* Burshtein, D. 86−10228, 87−47660
Weinstein, E. *see* Feder, M. 85−13555, 86−16462, 87−27473, 87−61647, 88−46030, 88−72968
Weinstein, E. *see* Feuer, A. 85−46773
Weinstein, E. *see* Gardner, W.A. 86−43229
Weinstein, E. *see* Weiss, A.J. 86−16076, 87−19370
Weinstein, F.S. Some probabilistic properties of the line-of-sight angle error to a remote object 88−24630
Weinstein, I. Calculation method for the interaction of the HV electric conductor supporting frames 87−50834
Weinstein, J. A new two-dimensional compaction algorithm for symbolic layout 87−60592
Weinstein, J.S. *see* Moody, G.B. 88−10369
Weinstein, L.S. *see* Krauss, I.K. 87−70275
Weinstein, M. *see* Conradson, S. 87−43965
Weinstein, M. *see* Epler, J.E. 86−15680
Weinstein, M. *see* Gavril, S. 88−38296, 88−58774
Weinstein, O. *see* Chlamtac, I. 87−62825, 88−9464
Weinstein, R. *see* Ash, W.W. 88−10244
Weinstein, R. *see* Braunschweig, W. 88−29874, 88−68282
Weinstein, R. *see* Huson, F.R. 86−31828
Weinstein, R.S., Bloom, K.J., Rozek, L.S. Telepathology: system design and specifications 88−48126
Weinstein, R.S. *see* Bloom, K.J. 88−48127
Weinstein, S.B. Emerging telecommunications needs of the card industry [credit cards] 85−3219
Weinstein, S.B. Personalized services on the intelligent, wideband network 87−20076
Weinstein, S.B. Telecommunications in the coming decades 88−21759
Weinstein, W.Z. New directions in functional testing: beyond simulator based programming 86−1573

Weinstein, W.Z. New directions in functional testing: beyond simulator based programming 86–35229
Weinstock, E. *see* Hilsenrath, E. 87–15058
Weinstock, H. Introduction to superconductive magnetometry and its applications 86–55818
Weinstock, I.B. *see* Landgrebe, A.R. 85–49083
Weinstock, S., Reinis, K., Soler, A. Tube-to-tubesheet joint interfacing pressure: analysis and experiments 87–78383
Weintraub, M. A computational model for separating two simultaneous talkers 87–19448
Weintraub, M. *see* Murveit, H. 87–61698
Weintraub, M. *see* Murviet, H. 88–66361
Weintritt, R.C. *see* Griffin, N.M. 87–683
Weinzierl, G. *see* Bitterling, H. 88–66846
Weinzierl, K. Combined cycle using the VEW integrated coal gasification process 86–25874
Weinzierl, K. *see* Plumley, D.R. 87–4571
Weinzimmer, F. *see* Chu, B.B. 87–9276, 87–78320
Weipeng Xu *see* Xu Weipeng
Weiping, L. *see* Guishen, T. 86–36534
Weiping Lin *see* Lin Weiping
Weiqi Shen *see* Shen Weiqi
Weiqian Chen *see* Chen Weiqian
Weiqiang Xie *see* Xie Weiqiang
Weiqin Li *see* Li Weiqin
Weiqin Zhang *see* Zhang Weiqin
Weiqing Zhang *see* Zhang Weiqing
Weiquan Lai *see* Lai Weiquan
Weir, D.K. *see* Mitchell, R.H. 87–8930
Weir, E.M. *see* Tsou, H.E. 85–6374
Weir, J. How to build simple and not-so-simple test equipment in your own lab 87–21105
Weir, J.T., Boyd, J.K., Caporaso, G.J., Orzechowski, T.J. Experimental results of beam brightness improvements at the Advanced Test Accelerator (ATA) 88–54194
Weir, J.T., Caporaso, G.J., Chambers, F.W., Kalibjian, R., Kallman, J., Prono, D.S., Slominski, M.E., Paul, A.C. Improved brightness of the ATA injector 86–25089
Weir, J.T. *see* Barletta, W.A. 87–2150
Weir, J.T. *see* Boyd, J.K. 88–54192
Weir, J.T. *see* Struve, K.W. 88–42383
Weir, K. *see* Vass, D.B. 87–54131
Weir, M.P. *see* Harrison, D.D. 88–67902
Weir, N.A. *see* Barry, D.M. 86–58545, 87–37297
Weir, R.D., Jessop, P.E., Garside, B.K. Growth and annealing of AgInSe$_2$ thin films 88–31827
Weir, R.D. *see* Cravens, S.H. 86–2330
Weir, T. A note on duality for fractional programming problems 86–26746
Weir, T. A note on strict converse duality in nonlinear programming 86–40635
Weir, T., Mond, B., Craven, B.D. Weak minimization and duality 87–23528
Weir, T., Mond, B., Craven, B.D. On duality for weakly minimized vector valued optimization problems 87–31425
Weir, T.J. *see* Hintze, M.M. 86–51339
Weir, W. *see* Chao, G. 87–60562
Weirauch, D.F. *see* Chen, M.C. 86–8769
Weirauch, D.F. *see* Parker, S.G. 88–32783
Weirauch, D.F. *see* Wan, C.F. 86–57443
Weirauch, G. A programmable controller-based SCADA system using remote network communication 87–36288
Weirauch, G. PC-based SCADA system for remote network communication 87–76273
Weirauch, W. *see* Kruger, E. 86–60099
Weiren Chen *see* Chen Weiren
Weirich, F. *see* Bachmann, P.K. 86–36242
Weirich, J., Haverkampf, K., Antoni, H. Ventricular fibrillation of the heart induced by electric current 86–38731
Weirich, P.H. *see* Hebel, G. 88–43053
Weirong Yang *see* Yang Weirong
Weis, A., Derler, S. Doppler modulation and Zeeman modulation: laser frequency stabilization without direct frequency modulation 88–65540
Weis, B. Emergency lighting in industry 88–49277
Weis, B. Suddenly it is dark. Energy technology point of view of emergency lighting 88–55712
Weis, B., Willing, A. Emergency lighting 86–33851
Weis, B.X., Mlynski, D.A. A new relative placement procedure based on MSST and linear programming 87–67498
Weis, B.X., Mlynski, D.A. A graphtheoretic approach to the relative placement problem 88–38317
Weis, B.X., Mlynski, D.A., Weiss, M.P. Placement algorithm for gate arrays 87–24153
Weis, B.X. *see* Hillner, H. 86–67947
Weis, E.A., Caldararu, D., Snyder, M.M., Croitoru, N. Investigating reliability attributes of silicon photodetectors 87–29123
Weis, E.A., Caldararu, D., Snyder, M.M., Croitoru, N. Environmental testing of silicon photodetectors 87–49769
Weis, E.A., Caldararu, D., Snyder, M.M., Croitoru, N. Accelerated lifetime testing of p+n−n+ photodiode 87–61045
Weis, E.A., Caldararu, D., Snyder, M.M., Croitoru, N. Reliability evaluation and prediction for silicon photodetectors 88–45299
Weis, J., Jellus, V., Frollo, I. Stabilizer of the DC-magnetic field based on nuclear magnetic resonance 87–12682
Weis, J.G. *see* Campbell, F.W. 87–9037
Weis, K.-P. REBELL—computer aided operational control of manager bound transmission devices. I 86–49336
Weis, K.-P. REBELL. II. Computer-aided operational control of manager-bound transmission devices 86–54892
Weis, O. *see* Aeugle, T. 88–61684
Weis, O. *see* Raiber, Th. 87–60730
Weis, O. *see* Schied, E. 85–24195
Weis, T., Klein, H., Schempp, A., Van Amersfoort, P.W., Siebenlist, F., Thomae, R.W. A high current multichannel (MEQALAC) system for ion implantation 87–50028
Weis, T. *see* Ivanov, S.T. 88–22873
Weis, T. *see* Klabunde, J. 87–41760
Weis, T. *see* Thomae, R.W. 86–25022, 86–32051, 86–60396, 87–8786
Weis, T. *see* van Amersfoort, P.W. 87–8809, 87–41675, 88–47793
Weis, T.P. *see* Heightower, D.W. 87–684
Weis, V., Reynolds, R. Processing polyimide multilayers [PCB manufacture] 85–55268
Weisberg, A.H. *see* Tuckerman, D.B. 86–41715, 86–47493
Weisbin, C.R., De Saussure, G., Barhen, J., Oblow, E.M., White, J.C. Minimal cut-set methodology for artificial intelligence applications 85–39881
Weisbion, C.R., Barhen, J., de Saussure, G., Hamel, W.R., Jorgensen, C., Lucius, J.L., Oblow, E.M., Swift, T. Artificial intelligence and concurrent computation for robotic applications 85–53478
Weisbrich, B. All electronic digital private branch exchange OZ 100 D/N 87–55903
Weisbrod, B. Automatic pair identifier helps Ohio Bell work faster 87–14113
Weisbrod, S.L. The application of statistical regression to yield modeling 86–2288
Weisbrod, S.L. *see* Michael, M.W. 85–40861
Weisbrodt, I.A. Prospects of the modular high temperature reactor 86–70791
Weisbrodt, R. *see* Kaczmarek, S. 88–73764
Weisbuch, C. Novel heterostructure devices for electronics and optoelectronics 88–57584
Weisbuch, C., Nagle, J. The physics of the quantum well laser 88–27165
Weisbuch, C. *see* Charasse, M.N. 88–50705
Weisbuch, C. *see* Nagle, J. 87–2129, 87–12457, 87–75132, 88–40216, 88–45467, 88–58568
Weisbuch, C. *see* Pocholle, J.P. 88–8297
Weisbuch, C. *see* Kelly, M.J. *(editor)* 87–23014
Weisbuch, G., Fogelman-Soulie, F. Scaling laws for the attractors of Hopfield networks 85–54590
Weisburn, B.A., Patnaik, S., Fellingham, L.L. An interactive graphics editor for 3D surgical simulation 87–14884
Weise, A. *see* Waschke, W. 86–16692
Weise, C. *see* Kachurin, G.A. 88–1345
Weise, C. *see* Panknin, D. 86–41662
Weise, C. *see* Vetter, E. 87–24963
Weise, D. Functional verification of MOS circuits 87–66112
Weise, D.A. Active magnetic bearing theory and application to rotating machinery 87–78714
Weise, D.A., Tome, D.M. Magnetic bearings attract attention 86–22638
Weise, E., Cognard, J. Electrical and mechanical connection of liquid crystal display (LCD) and driver components 87–3654
Weise, F. *see* Resagk, C. 86–41544
Weise, F.O., Borgendale, M. EARS: electronic access to reference service 87–27910
Weise, G., Schreiber, H., Kraut, D., Sonntag, J., Heisig, U. Preparation of Cr-Si resistive films by sputtering 85–34205
Weise, G., Schrieber, H., Sobe, G., Sonntag, J., Voigtmann, R., Bruckner, W. Properties of CrSi thin film resistors prepared by magnetron/plasmatron sputtering 85–34373
Weise, G. *see* Bruckner, W. 85–1075
Weise, G. *see* Sobe, G. 86–13808
Weise, H. Automatic profile scanning on coordinate measuring instruments by means of an intelligent 2-dimensional sensor 85–37444
Weise, K. German activities to standardize the treatment of uncertainties in the evaluation of measurements 85–37389
Weise, K. Treatment of uncertainties in precision measurements 88–15881
Weise, T.H.G.G. *see* Salge, J.G.H. 87–26707
Weise, V., Koltzsch, P., Fasshauer, W. New investigations on the sonic cleaning of heat exchanging surfaces in steam boilers 88–30541
Weisel, G.J. *see* Cohen, S.S. 85–29124
Weisen, C., Straver, W.G.M., Nordholt, E.H.. Design of high-Q integrated junction capacitors 86–47669
Weisen, H. *see* Ripper, H. 88–14245
Weisen Huang *see* Huang Weisen
Weisenbach, M. *see* Kovatch, D.H. 86–60878
Weisenberger, F., Rager, D. A second-generation routing accelerator for PCB designs 87–17492
Weisenberger, J.M., Miller, J.D. The role of tactile aids in providing information about acoustic stimuli 87–77687
Weisenberger, W. Particle control in high-current ion implanters 88–57452
Weisenberger, W. *see* Current, M. 86–41685
Weisenberger, W.H., McCullough, M. Particle generation in medium current implanters 85–34779
Weisenfeld, J.M. *see* Tucker, R.S. 86–63795
Weisenstein, C. The bubble memory option 86–15411
Weiser, A. *see* Band, R.E. 85–49513
Weiser, A. *see* Sanders, R. 88–43845
Weiser, C. *see* Crutchfield, B. 87–6920
Weiser, G. *see* Brunst, G. 85–23489
Weiser, G. *see* Mescheder, U. 85–18094
Weiser, G. *see* Ristein, J. 85–60999, 86–36321
Weiser, J. *see* Siepmann, R. 88–7119
Weiser, K. *see* Ritter, D. 87–7197, 88–25906, 88–25908, 88–32824
Weiser, K. *see* Stoddart, H.A. 85–24373
Weiser, K. *see* Viturro, R.E. 86–34387
Weiser, K. *see* Zeldov, E. 85–1338, 86–14879
Weiser, M. *see* Callahan, J. 88–59523
Weiser, U., Sidi, Y., Epstein, L., Biran, D., Kaminker, A. Design of the NS32532 microprocessor 88–19208
Weiser, U. *see* Sidi, Y. 88–32230
Weisert, T. *see* Meier, U. 88–12594
Weisfeld, R.L., Tuan, H.C., Fennell, L., Thompson, M.J. Amorphous silicon thin film transistor array technology: applications in printing and document scanning 88–44774
Weisfield, R. *see* Chuang, T.C. 88–26296
Weisfield, R. *see* Ito, H. 86–50111
Weisgerber, A. *see* Pattenpaul, E. 88–32437
Weishar, J. AC motors and adjustable speed drives—How to make a match 88–62319
Weishaupl, W. Data processing dialogues for casual users [using Btx] 87–48535
Weishaupt, U., Kuczera, H., Rott, M. Micrometeorite exposure of solar arrays 88–5886
Weishaupt, U. *see* Igenbergs, E. 87–26683
Weishaupt, W. Technical aspects of the BMW on-board and service diagnosis system [BMW automobiles] 85–60508
Weishaupt, W. Personalization of vehicles via electronics 87–51604
Weishaupt, W., Fournell, H.D. Personalization of vehicles via electronics 87–79160
Weisi Tan *see* Tan Weisi
Weisigk, G. User sets [for subscriber switching system] 88–59877
Weisinger, J. *see* Hasse, P. 87–71734
Weiskopf, F.B. *see* Richards, D. 85–15924
Weiskopf, H., Wilsher, R.F., Delphendahl, C., Kramer, H. EDP-supported maintenance of complex technical facilities 87–51811
Weisman, D.L. Transition to telecommunications competition amid residual regulatory obligations 88–3371
Weisman, D.L. *see* Egan, B.L. 87–2702
Weisman, G. *see* Beynnon, B.D. 87–14842
Weisman, H. *see* Merillat, J. 88–23111
Weisman, M. Image interpretation instruction via a computer-based-training system 88–47210
Weisman, R.L. *see* Pressman, F. 85–28053
Weismantel, M. Co-op builds unique system map board [power system control] 86–50873
Weisner, D. *see* Schardt, M. 85–58575
Weisntein, L. Project Stargate 86–37997
Weispfenning, J.M. *see* LePage, J.D. 85–50835
Weisrock, G. *see* Hillairet, P. 86–65979
Weisrose, S. *see* Jacobson, S. 88–48267
Weiss, A. The art of very low power operating: your first homebrew QRP rig—the TWOFER [amateur radio low power transceiver] 88–59970
Weiss, A., Nawab, H. A representation for the orientation-dependent appearance of 3-D objects 88–66708
Weiss, A. *see* Kruskal, C.P. 85–30510
Weiss, A. *see* Marciniak, Z. 87–36598
Weiss, A.D. Plasma etching of polysilicon: overview 85–40614
Weiss, A.J. Composite bound on arrival time estimation errors 87–33689
Weiss, A.J. Bounds on time-delay estimation for monochromatic signals 88–27907
Weiss, A.J., Friedlander, B. Array shape calibration using sources in unknown locations—a maximum likelihood approach 88–74080
Weiss, A.J., Stein, Z. Optimal below threshold delay estimation for radio signals 88–27905
Weiss, A.J., Weinstein, E. A lower bound on the mean-square error in random parameter estimation 86–16076
Weiss, A.J., Weinstein, E. Lower bounds in parameter estimation—summary of results 87–19370
Weiss, A.J., Willsky, A.S., Levy, B.C. Maximum likelihood array processing for the estimation of superimposed signals 88–34491
Weiss, A.J. *see* Friedlander, B. 88–74081
Weiss, A.J. *see* Weinstein, E. 88–66254
Weiss, B. *see* Deane, R.A. 85–49986
Weiss, B.L. Characteristics of optical waveguides formed in LiNbO$_3$ by He$^+$ implantation 87–74795

Weiss, B.L. Review of He$^+$ implanted optical waveguides in LiNbO$_3$ 88−7456
Weiss, B.L., Ahmad, C.N. Planar optical waveguides fabricated in LiNbO$_3$ by multiple He$^+$ implantations 88−33742
Weiss, B.L., Flint, J.L. The characteristics of optical waveguides fabricated in *Y*- and Z-cut LiNbO$_3$ by He$^+$ implantation 86−63632
Weiss, B.L., Naden, J.M. Stability of He$^+$ implanted waveguides in LiNbO$_3$ 87−25961
Weiss, B.L., Naden, J.M. Annealing effects in He$^+$ implanted optical waveguides in LiNbO$_3$ 87−46495
Weiss, B.L., Naden, J.M. Spectral properties of He$^+$ implanted optical waveguides in LiNbO$_3$ 87−54040
Weiss, B.L., Naden, J.M. Waveguide attenuation measurements using a prism coupler 88−51531
Weiss, B.L. *see* Al-Chalabi, S.A.M. 87−25960
Weiss, B.L. *see* Barfoot, K.M. 87−12201
Weiss, B.L. *see* Naden, J.M. 86−2736, 86−42277, 88−26846
Weiss, B.L. *see* Reed, G.T. 87−46496, 87−46571, 87−60961, 88−51534
Weiss, B.L. *see* Wismayer, A.C. 88−50728
Weiss, B.M. IBM's LU6.2: implications for the future of corporate distributed processing 88−15126
Weiss, C. Connection of video communication equipment to a broadband network 87−40205
Weiss, C., Jarvis, S. The interactive videodisc for computer-assisted education and training in developing countries 87−13967
Weiss, C.D. *see* Feiner, A. 85−36570
Weiss, C.O. Observation of instabilities and chaos in optically pumped far-infrared lasers 85−24450
Weiss, C.O. Instabilities and chaotic emission of far-infrared NH$_3$-lasers 87−75007
Weiss, C.O. Chaotic laser dynamics 88−40113
Weiss, C.O., Brock, J. Evidence for Lorenz-type chaos in a laser 87−19010
Weiss, C.O., Godone, A. Coherence effect in double resonance laser pumping 85−2222
Weiss, C.O., Godone, A. High-order harmonic mixing with Schottky diodes in the FIR region 85−11547
Weiss, C.O., Klische, W. Instabilities and chaotic emission of far-infrared NH$_3$-lasers 87−12347
Weiss, C.O., Klische, W., Ering, P.S., Cooper, M. Instabilities and chaos of a single mode NH$_3$ ring laser 85−29769
Weiss, C.O., Kramer, G. A set-up for phase-coherent frequency measurements at 30 THz 86−24663
Weiss, C.O., Kramer, G. Frequency measurement of a hyperfine line of CH$_4$ 87−14449
Weiss, C.O., Sakurai, T. 52. order harmonic mixing to 3.7 THz using a Schottky diode 87−61233
Weiss, C.O., Spieweck, F., Telle, H.R., Li, H. Instability of an I$_2$-laser 86−58880
Weiss, C.O., Willenberg, G.D. Studies on continuous Raman and hyper-Raman lasers in the far infrared 88−33926
Weiss, C.O., Willenberg, G.D., Won, J.W., Telle, H.R. Far-infrared laser emission by microwave-infrared-far-infrared three-photon interaction in NH$_3$ 85−29751
Weiss, C.O. *see* Ering, P.S. 85−56528
Weiss, C.O. *see* Hogenboom, E.H.M. 86−22270
Weiss, C.O. *see* Klische, W. 85−18903, 85−51218
Weiss, C.O. *see* Sassi, M.P. 87−61070
Weiss, C.O. *see* Siemsen, K.J. 87−75000
Weiss, C.O. *see* Wu, T.Q. 87−38997
Weiss, D. Real-time multitasking on a single-chip microcomputer 85−49934
Weiss, D., Mosser, V., Gudmundsson, V., Gerhardts, R.R., Klitzing, K.v. Magnetic field dependence of gate voltage and current in a GaAs-heterostructure in the quantum Hall regime 87−45663
Weiss, D., Stahl, E., Weimann, G., Ploog, K., von Klitzing, K. Density of states in Landau level tails of GaAs-Al$_x$Ga$_{1-x}$As heterostructures 86−53421
Weiss, D. *see* Sa'ar, A. 87−18711
Weiss, D. *see* Voadimirescu, A. 87−65701
Weiss, D.B. Quality assurance in the PCB industry−incoming goods inspection 86−27705
Weiss, D.E. *see* Beltz, L.P. 88−21895
Weiss, D.G. Tolerances and criteria of the press-in technology with PC-boards 87−32178
Weiss, D.G. Packlayer−alternative to conventional printed circuit boards 88−19478
Weiss, D.G. Alternatives to normal circuit boards 88−19481
Weiss, D.H. Line replaceable modules−the next generation of avionics 86−38889
Weiss, D.H. Digital electronics−where we are and where we are going 87−50494
Weiss, D.H. Digital electronics: where we are and where we are going 87−71244
Weiss, D.L., Oliphant, T.A. Interactive calculations of electric fields 88−45623
Weiss, D.L. *see* Bowers, R.L. 88−37318
Weiss, D.L. *see* Greene, A.E. 85−5335
Weiss, D.L. *see* Lindemuth, I.R. 85−23206, 85−53792, 87−22676
Weiss, D.L. *see* Sheppard, M.G. 88−43302
Weiss, D.R. *see* Schuchard, R.A. 87−60689
Weiss, D.S., Burberry, M. Photoconductivity studies of indium/epindolidione/indium tin oxide sandwich cells 88−45280
Weiss, E., Mainzer, N. The characterization of anodic fluoride films on Hg$_{1-x}$Cd$_x$Te their interfaces 88−64416
Weiss, E., Stellwag, B., Heidner, R. Over 20 years' experience with stabilized stainless steel without IGSCC 86−39423
Weiss, E. *see* Heidner, R. 85−39356
Weiss, E. *see* Thieme, R. 85−33130
Weiss, E.H. Technology transfer under the APWR program between Westinghouse and Japanese partners 86−39454
Weiss, E.L. *see* Heine, L.G. 86−64976
Weiss, F. Video control from inside a moving train 87−3304
Weiss, F. *see* Demolliens, O. 86−9430, 86−48015
Weiss, F. *see* Kiss, M. 88−55156
Weiss, F. *see* Specking, W. 87−74550, 88−65000
Weiss, F. *see* Xu, J.Q. 88−64989
Weiss, F.-P. *see* Barthel, R. 87−15440
Weiss, F.-P. *see* Frankenstein, B. 87−35754
Weiss, F.-P. *see* Hessel, G. 85−38735
Weiss, F.G. A 1 Gb/s 8-bit GaAs DAC with on-chip sources 87−31971
Weiss, F.G. A GaAs linear design example: a 1 Gs/s 8-bit GaAs DAC with on-chip current sources 87−66279
Weiss, G. *see* Tovey, C.A. 88−46964
Weiss, H. Elimination of the 16 2/3 Hz 15 kV main transformer on electrical traction vehicles 86−71110
Weiss, H. *see* Bomsdorf, H. 85−9165
Weiss, H. *see* Bormann, M. 87−63643
Weiss, H. *see* Rentmeister, M. 87−43599
Weiss, H.H. Digital panel meters get smarter, smaller 88−42188
Weiss, H.J. The big squeeze: a selective look at ORB-85/88 86−17541
Weiss, H.J. Maximizing access to the geostationary-satellite orbit 87−8244
Weiss, H.J. The concept of isolation as a planning and analysis tool for the efficient use of the geostationary satellite orbit 87−28504
Weiss, H.S. Computer networking, internetworking, and security 88−9242
Weiss, I. Shape reconstruction on a varying mesh 88−8878
Weiss, I. Curve fitting using a varying mesh 88−28118
Weiss, I. 3-D shape representation by contours 88−28132
Weiss, I. Projective invariants of shapes 88−73321
Weiss, I. Straight line fitting in a noisy image 88−73362
Weiss, I. *see* Aloimonos, J. 88−66639
Weiss, I.P., Flinn, J.M., Barnet, A.B. Multiple electrode recordings from malnourished infants 86−56140
Weiss, J. Oxidizing heat treatment of nickel embedded in a barium titanate ceramic: kinetics and mechanisms of the metal oxidation 88−70365
Weiss, J., Garg, V.K. One step finite element formulation of skin effect problems in multiconductor systems with rotational symmetry 86−42765
Weiss, J., Garg, V.K., Shah, M., Sternheim, E. Finite element analysis of magnetic fields with permanent magnet 85−24192
Weiss, J., Gluckmann, M. Predicting reliability and availability characteristics of electric power generating units−the UNIRAM model 86−32896
Weiss, J. *see* Garg, V.K. 87−39300, 88−8429, 88−52134
Weiss, J. *see* McCarney, S.P. 88−23809
Weiss, J. *see* Pavlik, D. 88−48907
Weiss, J. *see* Ware, L.E. 86−39891
Weiss, J. *see* Wolfson, M. 88−63039
Weiss, J.A., Dionne, G.F. A microprocessor-controlled high-field instrument for measurement of intrinsic magnetization phenomena 86−38526
Weiss, J.A., Hawks, D.A. Dielectric constant evaluation of insulating materials: an accurate, practical measurement system 87−77391
Weiss, J.D. Piezooptic behavior of certain fluids 85−41099
Weiss, J.D. Dielectric-waveguide strain gauge: a theoretical study 87−18647
Weiss, J.D., Stoever, J.H. Vacuum feedthrough for optical fiber cables 86−2659
Weiss, J.H. *see* Kleinberg, N.L. 85−54258
Weiss, J.H. *see* Singh, R. 88−64409
Weiss, J.L., Eterno, J.S., Hsu, J.Y. Evaluation of detectability and distinguishability of aircraft control element failures using flight test data 87−4076
Weiss, J.L., Stifel, J.M., Govindaraj, K.S. Flight test results of a control element failure detection and isolation algorithm 86−70453
Weiss, J.L., Willsky, A.S., Pattipati, K.R., Eterno, J.S. Application of FDI metrics to detection and isolation of sensor failures in turbine engines 86−6056
Weiss, J.L. *see* Grunberg, D.B. 88−32168
Weiss, J.S. *see* Myers, G.A. 87−29770
Weiss, K.-H. *see* Magedanz, T. 88−59519
Weiss, K.M. *see* Cowper, R.L. 85−42608
Weiss, L. *see* Wojtyna, R. 85−28305
Weiss, L.H. An improved row/column scanning system 85−59327
Weiss, L.J., Wysocki, T. The exponential approximations of pulse-shaped physical wave-forms and distributions 87−31382
Weiss, L.J. *see* Borys, A. 87−37017
Weiss, M. Position location with the NBS/GPS time transfer system 85−42668
Weiss, M. Radio-frequency quadrupole [Linear accelerator] 88−4729
Weiss, M., Oertel, H., Huber, H.-L. Influence of phase shift on pattern transfer in X-ray lithography 88−26137
Weiss, M., Pavldis, D. The influence of device physical parameters of HEMT large-signal characteristics 88−32434
Weiss, M., Pavlidis, D. Power optimization of GaAs implanted FETs based on large-signal modeling 87−38297
Weiss, M., Pavlidis, D. A comparative study of TEGFET and MESFET large signal characteristics and saturation mechanisms 87−74333
Weiss, M., Schwartz, S.C. On optimal minimax jamming and detection of radar signals 85−58169
Weiss, M., Schwartz, S.C. Robust scale invariant detection of coherent narrowband signals in nearly Gaussian noise 86−16419
Weiss, M., Schwartz, S.C. Robust detection of coherent radar signals in nearly Gaussian noise 86−17459
Weiss, M. *see* Allan, D.W. 85−58905, 86−24651
Weiss, M. *see* Biderman, S. 88−43858
Weiss, M. *see* Boltezar, E. 85−26642
Weiss, M. *see* Darr, C.-P. 87−149
Weiss, M. *see* Feess, B. 88−29003
Weiss, M. *see* Haseroth, H. 87−41680, 88−47934
Weiss, M. *see* Horowitz, A. 88−11953
Weiss, M. *see* Jie, J. 88−35887
Weiss, M. *see* Lewandowski, W. 88−29661
Weiss, M. *see* Neuman, A.C. 88−54651
Weiss, M. *see* Renault, G. 88−16721
Weiss, M. *see* Seklguchl, Y. 88−64629
Weiss, M. *see* Truckenbrodt, H. 87−3397
Weiss, M. *see* Wolf, B.H. 87−70941
Weiss, M.A., Allan, D.W. An NBS calibration service providing time and frequency at remote site by weighting and smoothing of GPS common view data 87−14565
Weiss, M.A., Allan, D.W. Using multiple reference stations to separate the variances of noise components in the global positioning system 87−28704
Weiss, M.A., Allan, D.W. An NBS calibration procedure for providing time and frequency at a remote site by weighting and smoothing of GPS common view data 88−16399
Weiss, M.A. *see* Allen, D.W. 85−47478
Weiss, M.D. Chemically-sensitive transducers: a new breed of miniature sensors 85−58672
Weiss, M.P. *see* Weis, B.X. 87−24153
Weiss, M.R., Pavlidis, D. An investigation of the power characteristics and saturation mechanisms in HEMTs and MESFETs 88−63902
Weiss, M.S. Shape isomers as candidates for the gamma ray laser storage state 88−58512
Weiss, M.S. *see* Berger, J.F. 88−58461
Weiss, N.A., Peterson, K.M. Harmonic analysis for a class of multiplicative processes 87−36580
Weiss, P. Methods of Digital Picture Coding 86−38069
Weiss, P. *see* Dutoit, M. 85−45455
Weiss, P. *see* Girod, B. 88−40787
Weiss, P. *see* Stocker, E. 88−25973
Weiss, P. *see* Vuilleumier, R. 86−5404
Weiss, P.B., Black, P., Oona, H., Sprouse, L. Characterization of electronic streak tubes including one with internal CCD readout 86−5091
Weiss, P.B., Walling, L. Comparison of several large photocathode electronic streak tubes 87−53140
Weiss, R. The hardware language devised for VHSIC is poised for takeoff 85−22747
Weiss, R. Focus on power supply ICs 85−61069
Weiss, R. Focus on switching power supplies 86−7927
Weiss, R. Artificial intelligence 86−26980
Weiss, R. Video d-a chip hits 300 MHz 86−34894
Weiss, R. Multi-microprocessor systems: principles and examples 87−11823
Weiss, R. Power FETs stretch for new highs in ruggedness 87−18121
Weiss, R. CAE takes to mainstream to reach designers 87−44459
Weiss, R. Ruggedized 8-bit ADC samples at 20 MHz 87−52669

Weiss, R. Octal comparator gives superfast performance 87−52775
Weiss, R. Highly integrated PLD tackles state machines 87−59671
Weiss, R. Simulator tool targets synchros and resolvers 87−64625
Weiss, R. Can shape description be applied to model matching? 88−46223
Weiss, R., Hobbs, P., Locatelli, J. Phase correlator reduces MM-wave radar cost 86−55367
Weiss, R. *see* Ascher, U. 85−5965, 88−1611, 88−7557
Weiss, R. *see* Brockmann, W. 86−885
Weiss, R. *see* Callahan, J. 86−10583
Weiss, R. *see* de Hoog, F. 85−39686
Weiss, R. *see* Giblin, P. 87−62323, 88−3280
Weiss, R. *see* Myklebust, J. 88−48096
Weiss, R.D., Schifter, J., Borduz, L., Raj, K. Ferrofluid studies of recorded data and defect identification in small high-performance rigid discs 85−50837
Weiss, R.E. *see* Fraas, L.M. 87−16598, 87−58932
Weiss, R.E. *see* Partain, L.D. 88−5857, 88−37603, 88−75926
Weiss, R.R., Sr. *see* Hobbs, P.V. 87−71303
Weiss, R.S. *see* Nakatani, H. 85−51743
Weiss, S., Segev, M., Fischer, B. Line narrowing and self frequency scanning of laser diode arrays coupled to a photorefractive oscillator 88−65687
Weiss, S., Segev, M., Sternklar, S., Fischer, B. Photorefractive dynamic optical interconnects 88−72394
Weiss, S., Sternklar, S., Fischer, B. Double phase-conjugate mirror: analysis, demonstration, and applications 87−26533
Weiss, S. *see* Fischer, B. 86−58947, 87−39204
Weiss, S. *see* Jaffe, J. 88−48006, 88−61159
Weiss, S. *see* Katz, R.H. 85−525
Weiss, S. *see* Sadoulet, B. 88−61110
Weiss, S. *see* Segev, M. 87−61134
Weiss, S. *see* Sternklar, S. 86−3282, 86−68611, 87−55289, 87−62176
Weiss, S.H. *see* Beltracchi, L. 88−48673
Weiss, S.J. An update on continuous nuclear bulk solids analyzers 87−63566
Weiss, S.M. Component analog video standards—a progress report 85−3582
Weiss, S.M. Practical considerations in implementing component video 87−13933
Weiss, T. *see* Hausler, G. 87−27563 to 27565
Weiss, T. *see* Siebenlist, F. 87−50024 to 50025
Weiss, U., Grabert, H., Linkwitz, S. Influence of temperature and friction on macroscopic quantum coherence in SQUID-rings 88−13707
Weiss, V. Simultaneous sequential control for the reduction of the fundamental reactive power 88−30242
Weiss, V., Naunin, D. A control method for improving a power factor of fully controlled bridge connections 86−12940
Weiss, V., Naunin, D. Intelligent digital firing controller for improving the power factor of fully controlled bridge connections 86−66381
Weiss, V., Naunin, D. Microcomputer controlled converter cascade drive with sequential control and good dynamic performance 87−22595
Weiss, V. *see* Biella, W. 87−66291
Weiss, W. Broad-coverage IN (INF) 88−73690
Weiss, W., Condrau, L., Kiessling, F. Planning overhead lines—studying routes, spotting towers and designing structures 85−64926
Weiss, W., Condrau, L., Kiessling, F. Optimizing overhead lines by computer 86−25605
Weiss, W. *see* Gaumond, R.P. 87−4041
Weiss, W. *see* Gloeckler, G. 85−53162
Weiss, W. *see* Kromer, B. 86−32185
Weiss, W. *see* Seitz, M. 87−34308
Weiss, W.-D. *see* Schiltz, J.M. 86−5202
Weiss, W.C. *see* Burns, M.J. 88−68149
Weiss, W.J., Gibbons, P.J., Gaumond, R.P., Snyder, A.J., Rosenberg, G., Pierce, W.S. A telemetry system for the implanted total artificial heart and ventricular assist device 88−36519
Weiss, W.J. *see* Rosenberg, G. 88−36520
Weiss, W.W., Schalk, A., Ogris, V. The silicon linear-array camera of the Vienna Observatory 87−56529
Weissbach, P. *see* Konoplyannikov, A. 85−42924
Weissbach, S., Wyrowski, F., Bryngdahl, O. Quantization noise in pulse density modulated holograms 88−58710
Weissbacher, L. *see* Zemann, H. 86−31668
Weissberger, A.J. *see* Israel, J.E. 87−34111, 87−40350
Weissberger, A.J.E *see* E Weissberger, A.J.
Weisschuh, H. *see* Cohen, R. 85−47358
Weisschuh, H. *see* Hamer-Hodges, K.J. 85−25636
Weisse, H.J. *see* Springer, E. 85−46040
Weisse, P. *see* Lebosq, Y. 86−28127
Weisse, P. *see* Richard, J. 86−5433, 86−50167
Weisse, S., Sachs, H.-M., Hahn, U. The autorouter for the ISACAD circuit design system 88−56397
Weissenberg, G. *see* Ben-Zvi, S. 86−6015
Weissenberg, R. A tale of two councils [PABXs] 86−17124
Weissenberg, R. A tale of two councils 86−49373
Weissenberg, R. A network in a (metal) box [PABX networks] 87−40554
Weissenberg, W. *see* Lemke, E. 85−15687
Weissenberger, E., Geltenbort, P., Oed, A., Gonnenwein, F. Energy calibration of surface barrier detectors and ionization chambers for fission fragments 86−70347
Weissenberger, E., Geltenbort, P., Oed, A., Gonnenwein, F., Faust, H. Energy calibration of surface barrier detectors for fission fragments 86−65345
Weissenberger, E. *see* Finch, E.C. 85−31705
Weissenberger, W. Complex microprocessor-controlled drive exemplified by a rotary evaporator 88−18114
Weissenburger, D.W., Fan, H.M. Dynamic analysis of eddy currents and forces in the TFTR vacuum vessel due to plasma disruptions 86−42766
Weissenrieder, S. *see* Loehr, B. 87−29493
Weissenstein, D. *see* Picard, G. 88−62637
Weissensteiner, A. *see* Korytar, D. 86−15041
Weisser, D.C. Corona gradient distribution system variations and homogenization 88−53971
Weisser, D.C., Brinkley, T.A., Clarkson, G.P., Malev, M.D., Ophel, T.R., Turkentine, R.B. Post-mortem—an autopsy of an NEC column post [electrostatic accelerator] 86−55914
Weisser, D.C., Malev, M.D. Gridded buncher—far field extension using carbon coated teflon sleeves 88−54078
Weisser, D.C. *see* Brinkley, T.A. 86−38639
Weisser, D.C. *see* Catford, W.N. 87−77585
Weisser, D.C. *see* Olsen, D.K. 87−29399
Weisser, F. Digital communication device with 160 ports [PABX] 88−46812
Weisser, H. EMC problems overcome with test probes 88−45715
Weisser, K.-J. Competing of mail services with modern telecommunications services 86−4204
Weisser, M. The song of electrons [effect of computers on music] 85−58473
Weissfloch, P., Benzaquen, M., Walsh, D. High-resolution data-acquisition system for high impedance measurements on semiconductors 87−77367
Weissfloch, P. *see* Benzaquen, M. 88−32775
Weissfloch, P. *see* Walsh, D. 88−32881
Weissflog, U. 'Sound and well-ordered' means 'placed in relation' [electronic design databases] 88−56383
Weissgerber, D. *see* Schmidt, W. 87−25723
Weisshappel, R.N. Cellular radio systems 85−63589
Weisshaupt, B. Inductive proximity detectors at present and in the future 87−49727
Weisshaupt, B. Contactless inductive proximity detectors: the present situation and a view of the future 87−63396
Weisshaupt, B. Contactless inductive proximity detectors 87−77189
Weisshaus, I. *see* Lashmore, D.S. 86−52511
Weissing, H. *see* Zippe, W. 87−3768
Weissinger, D. *see* Visser, A. 87−35188
Weisskoff, R.M., Lafyatis, G.P., Boyce, K.R., Cornell, E.A., Flanagan, R.W., Jnr., Pritchard, D.E. RF SQUID detector for single-ion trapping experiments 88−61117
Weisskopf, M.C. *see* Ramsey, B.D. 86−65350, 87−63676, 88−61148
Weissler, G. Thin-film sensor elements for pressure transducers 85−64128
Weissler, G. Pressure, density and vibration transducers of explosion-proof construction 86−44257
Weissler, G. Notes on the pressure measurement technique 87−56612
Weissler, G.A. Sensors under pressure. Methods of determining the quantity 'pressure' 86−65298
Weissman, B. *see* Hoffman, B.D. 85−50109
Weissman, D.E. Modeling the interactions between the ocean and the environment for microwave radar sensing 87−35496
Weissman, D.E., Johnson, J.W. Radar measurements of the modulation of ocean waves using the two frequency scatterometer 85−32012
Weissman, D.E., Li, F.K., Neumann, G. Ocean radar cross section modeling using airborne scatterometer measurements during FASINEX 88−47213
Weissman, J. *see* Schloemann, E. 88−71896
Weissman, M.B. *see* Garfunkel, G.A. 85−23807
Weissman, M.B. *see* Restle, P.J. 85−34208
Weissman, S.B. Electronic mail's rite of passage 86−69341
Weissman, Y. *see* Gur, Y.S. 87−70085
Weissmann, R. *see* Havenith, H. 87−14547
Weissmann, T. The smart card is coming [Micro Card] 85−17451
Weissmantel, C. Ion-based preparation of semiconductor and hard materials films 85−10807
Weissmantel, C. Oriented growth of silicon films on insulating materials 86−41520
Weissmantel, C. *see* Graichen, H. 86−1466
Weissmantel, C. *see* Scharff, W. 87−24962
Weissmantel, H. *see* Hickmann, W. 85−24741
Weistroffer, H.R. Multiple objectives optimization by interactively narrowing bounds on the most preferred solution 85−44631
Weisun Jiang *see* Jiang Weisun
Weiswurm, K.D. Piston expanders designed for small scale power generation 86−51440
Weisz, Cs. *see* Zarand, P. 85−38274
Weisz, S. *see* Fischer, H.M. 87−21417
Weisz, S.Z., Goldstein, Y., Gomez, M., Muir, J.A., Resto, O., Perez, R. The compositional dependence of the optical and electrical properties of hydrogenated amorphous Si-Ge films prepared by CO-sputtering 85−16984
Weisz, S.Z. *see* Perez, R. 88−45276
Weith, J. *see* Schussler, H.W. 87−61970
Weiting Feng *see* Feng Weiting
Weitkamp, C., Lahmann, W., Staehr, W. Optimization of range and sensitivity in differential absorption and scattering lidar 88−35592
Weitkamp, C. *see* Birkmayer, W. 88−61666
Weitkamp, C. *see* Heinrich, H.-J. 86−12196
Weitkamp, C. *see* Lahmann, W. 86−12197
Weitkamp, C. *see* Staehr, W. 85−59503
Weitkamp, W.G. Computer program for predicting tandem parameters 86−55921
Weitkamp, W.G. *see* Amsbaugh, J.F. 86−55924
Weitkamp, W.G. *see* Storm, D.W. 86−24920
Weitmann, G. *see* Dimpers, O. 87−48418
Weitz, D.A. *see* Moustakas, T.D. 86−26916
Weitz, E. *see* Katzenelson, J. 86−63443
Weitz, G.C. Coefficient of friction measurement between cable and conduit surfaces under varying normal loads 85−32169
Weitz, G.C. Friction theory and lubrication techniques for improved cable pulling 86−39196
Weitz, G.C. Prediction and minimization of fiber optic cable pulling tensions 87−8284
Weitz, S. ESD specifications and test methods come of age 88−70100
Weitze, F. *see* ter Haseborg, J.L. 88−2620
Weitzel, C. *see* O'Neil, V.P. 85−1047
Weitzel, C.E., Doane, D.A. A review of GaAs MESFET gate electrode fabrication technologies 87−18142
Weitzel, C.E., Paulson, W., Scheitlin, D., Vaitkus, R. Dual-gate GaAs MESFETs: a low-noise alternative to MOSFETs at 1000 MHz 85−1023
Weitzel, C.E., Scheitlin, D. Monolithic GaAs wideband low noise RLC feedback amplifiers 85−11064
Weitzel, C.E., Scheitlin, D. Single-stage GaAs monolithic feedback amplifiers 86−20824
Weitzel, C.E. *see* Paulson, W.M. 87−60273
Weitzel, C.E. *see* Scheitlin, D. 85−55169
Weitzel, C.E. *see* Sundaram, L.M.G. 87−17845
Weitzel, C.E. *see* Tehrani, S. 88−50884
Weitzel, H. *see* Erickson, C.J. 86−40335
Weitzel, I. *see* Criegern, R.V. 85−62023
Weitzel, I. *see* Probst, V. 88−44537
Weitzel, P.M. *see* Burton, N.J. 88−31387
Weitzel, P.S., Gold, M., Rechner, M.R. Service life extension program for utility steam generators 86−25898
Weitzen, J.A. Predicting the arrival of meteors useful for meteor burst communication 87−20388
Weitzen, J.A. A data base approach to analysis of meteor burst data 87−34528
Weitzen, J.A. Communicating via meteor burst at short ranges 88−15436
Weitzen, J.A., Birkemeier, W.P., Grossi, M.D. An estimate of the capacity of the meteor burst channel 85−2712
Weitzen, J.A., Sowa, M.J., Scofidio, R.A., Quinn, J. Characterizing the multipath and Doppler spreads of the high-latitude meteor burst communication channel 88−9517
Weitzenfeld, G. Power system ground fault current distribution using the double-sided elimination method 86−51100
Weitzner, H., Fruchtman, A. Electron beam equilibria with self-fields for a free electron laser with a planar wiggler 88−72344
Weiwei Mao *see* Mao Weiwei
Weiwen Zhu, Weiyuan Wang Zone melting recrystallization of GaAs films on oxidized Si 87−17719
Weiwen Zhu *see* Zhu Weiwen
Weixi Chen *see* Chen Weixi
Weixian Zhang *see* Zhang Weixian
Weixiang Li *see* Li Weixiang
Weixiao Wang *see* Wang Weixiao
Weixin Ci *see* Ci Weixin
Weixin Gu *see* Gu Weixin
Weixin Zhang *see* Zhang Weixin
Weixing Jiang *see* Jiang Weixing
Weiyi Wang *see* Wang Weiyi
Weiyong Xu *see* Xu Weiyong
Weiyu Gu *see* Gu Weiyu
Weiyuan Wang *see* Weiwen Zhu 87−17719
Weiyuan Wang *see* Wang Weiyuan
Weiz, G. Long term storage problems of video recording tapes 87−53883
Weizai Zhang *see* Zhang Weizai
Weizel, T. *see* Martini, P. 88−59720
Weizer, S., Almer, D. An adaptive HF system and its computerized performance evaluation 88−46905

Weizer, V.G. The effect of a defective BSF layer on solar cell open circuit voltage 86–13050
Weizer, V.G. Piezoresistance and solar cell efficiency 88–37450
Weizer, V.G., DeLombard, R. Minority-carrier mobility anomalies in low-resistivity silicon solar cells 86–66320
Weizer, V.G., Godlewski, M.P. Effect of solar-cell junction geometry on open-circuit voltage 85–44191
Weizer, V.G., Godlewski, M.P. The effect of diffusion induced lattice stress on the open-circuit voltage in silicon solar cells 85–65461
Weizer, V.G., Godlewski, M.P. A 25.5% AM0 gallium arsenide grating solar cell 87–4906
Weizer, V.G., Godlewski, M.P. A 25.5% AM 0 gallium arsenide grating solar cell 87–43456
Weizer, V.G., Swartz, C.K., Hart, R.E., Godlewski, M.P. Voltage controlling mechanisms in low resistivity silicon solar cells—a unified approach 85–65458
Weizer, V.G., Swartz, C.K., Hart, R.E., Godlewski, M.P. Voltage-controlling mechanisms in low-resistivity silicon solar cells—a unified approach 86–33656
Weizer, V.G. *see* Goradia, C. 85–27631
Weizhen Gong *see* Gong Weizhen
Weizhen Zhou *see* Zhou Weizhen
Weizhong Zhao *see* Zhao Weizhong
Weizman, M., Rom, J., Timnat, Y.M. Optimization of diffusers for high power gas flow lasers 86–3260
Weizsacker, C.C.Von *see* Von Weizsacker, C.C.
Wekerle, W. *see* Seiffert, H. 88–46664
Weking, G. Workplace for cutting and clamping technology—Alternative to the pliers and press 87–11122
Weksler, M., Shwartz, J. Solar pumped solid state lasers 88–20624
Weksler, M., Shwartz, J. Solar-pumped solid-state lasers 88–65641
Wel, W.van der *see* van der Wel, W.
Welander, A. *see* Hellstrom, S. 87–46033
Welander, M. New acoustic flowmeter even copes with gas flow 85–58944
Welbon, E.H. LSSD clock generation circuit 85–28613
Welbourn, A.D. A physical comparison of GaAs silicon for high speed digital integrated circuits 85–33749
Welbourn, A.D., Mavor, J. A comparative overview of the development of GaAs and silicon high speed digital ICs 86–47762
Welbourn, A.D., Merrett, R.P., Blau, G.L. Design, simulation and testing of a 2.4 Gbits/s 8 channel multiplexer 85–17883
Welbourn, A.D. *see* Chandler, T.J. 86–41941
Welbourn, A.D. *see* Smith, C. 88–13350
Welbourn, B. Fuseology review 87–45363
Welbourn, C. *see* Atherton, D.L. 85–10844
Welburn, R. Ultra high torque motor system for direct drive robotics 85–53727
Welby, C.E., III DC-to-DC conversion, the C'uk Switcher 85–27516
Welby, J.M. *see* Degnan, J.H. 88–43396
Welby, J.M. *see* Reinovsky, R.E. 87–22611, 88–43252
Welch, A.J. *see* Davila, C.E. 87–62005, 87–75793, 88–73082
Welch, A.J. *see* Van Gemert, M.J.C. 88–14320
Welch, A.J. *see* Yoon, G. 88–8268
Welch, B. Capacitors for cellular radio 87–52900
Welch, B. Silicon nitride: a new dielectric for UHF chip capacitors 87–73809
Welch, B. Silicon nitride, a new dielectric for UHF chip capacitors 88–57016
Welch, B. *see* Hanson, C.L. 85–15378
Welch, B.E. *see* Morgan, M.A. 87–26733
Welch, B.L. *see* Apruzese, J.P. 88–58454
Welch, B.L. *see* Scherrer, V.E. 88–40157
Welch, B.M., Eden, R.C., Lee, F.S. GaAs digital integrated circuit technology 86–8082
Welch, B.M., Nelson, D.A., Shen, Y. GaAs integrated circuit manufacturing technology comes of age 87–1767
Welch, B.M., Nelson, D.A., Shen, Y.D., Venkataraman, R. Metallization technology for GaAs integrated circuits 88–57823
Welch, B.M. *see* Eden, R.C. 85–12424
Welch, B.M. *see* Nelson, D.A., Jr. 88–19664
Welch, B.M. *see* Shen, Y.D. 88–20086
Welch, B.M. *see* Wilson, M.R. 88–19778
Welch, D. Microprocessor enhancement of CATV system measurement 85–37299
Welch, D. *see* Harnagel, G. 87–26415
Welch, D.F., Cardinal, M., Streifer, W., Scifres, D.R., Cross, P.S. High-brightness, high-efficiency, single-quantum-well laser diode array 88–8187
Welch, D.F., Chan, B., Streifer, W., Scifres, D.R. High-power, 8 W CW, single-quantum-well laser diode array 88–20641
Welch, D.F., Cross, P., Scifres, D., Streifer, W., Burnham, R.D. In-phase emission from index-guided laser array up to 400 mW 86–36476
Welch, D.F., Cross, P.S., Scifres, D.R., Harnagel, G., Cardinal, M., Streifer, W., Burnham, R.D. High-power and high-efficiency phased array lasers grown by a two-step metalorganic chemical vapour deposition 86–42538
Welch, D.F., Cross, P.S., Scifres, D.R., Streifer, W., Burnham, R.D. Properties of AlGaAs buried heterostructure lasers and laser arrays grown by a two-step metalorganic chemical vapor deposition 86–63798
Welch, D.F., Cross, P.S., Scifres, D.R., Streifer, W., Burnham, R.D. High-power (CW) in-phase locked 'Y' coupled laser arrays 87–26384
Welch, D.F., Cross, P.S., Scifres, D.R., Streifer, W., Burnham, R.D. High power, AlGaAs buried heterostructure lasers with flared waveguides 87–33144
Welch, D.F., Devito, M., Cardinal, M., Abraham, M., Kung, H., Harnagel, G., Cross, P., Scifres, D., Streifer, W. Performance characteristics of high-brightness, CW, diode laser arrays 87–75082
Welch, D.F., Schaus, C.F., Shealy, J.R. High external efficiency (36%) 5-μm mesa isolated GaAs quantum well laser by organometallic vapor phase epitaxy 85–24545
Welch, D.F., Scifres, D., Cross, P., Kung, H., Streifer, W., Burnham, R.D., Yaeli, J. High-power (575 mW) single-lobed emission from a phased-array laser 85–56623
Welch, D.F., Scifres, D., Cross, P., Kung, H., Streifer, W., Burnham, R.D., Yaeli, J., Paoli, T.L. High power CW operation of phased array diode lasers with diffraction limited output beam 86–15687
Welch, D.F., Scifres, D.R., Cross, P.S., Streifer, W. Buried heterostructure lasers by silicon implanted, impurity induced disordering 88–14170
Welch, D.F., Streifer, W., Cross, P.S., Scrifres, D.R. Y-junction semiconductor laser arrays. II. Experiments 87–68462
Welch, D.F., Streifer, W., Thornton, R.L., Paoli, T. 2.4 W CW, 770 nm laser arrays with nonabsorbing mirrors 87–54310
Welch, D.F., Wicks, G.W., Eastman, L.F. Luminescence line shape broadening mechanisms in GaInAs/AlInAs quantum wells 85–51034
Welch, D.F., Wicks, G.W., Eastman, L.F., Parayanthal, P., Pollak, F.H. Improvement of optical characteristics of $Al_{0.48}In_{0.52}$As grown by molecular beam epitaxy 85–24389
Welch, D.F. *see* Berger, J. 87–54273, 88–8155, 88–45389, 88–51651, 88–65610
Welch, D.F. *see* Chang-Hasnain, C. 87–7404
Welch, D.F. *see* Cross, P.S. 88–8221
Welch, D.F. *see* Defreez, R.K. 87–54316
Welch, D.F. *see* Enquist, P. 86–2120
Welch, D.F. *see* Harnagel, G.L. 86–54138, 87–26378
Welch, D.F. *see* Sakamoto, M. 88–51818, 88–65662
Welch, D.F. *see* Shum, K. 86–1787, 87–6425
Welch, D.F. *see* Steifer, W. 86–63807
Welch, D.F. *see* Streifer, W. 87–26379, 87–68461, 88–45402, 88–65693
Welch, D.F. *see* Thornton, R.L. 87–26382
Welch, D.R. *see* Godfrey, B.B. 88–42397
Welch, G.E., Dugan, E.T., Lear, W.E., Jr. Disk MHD generator for a burst power gas core reactor [space power generation] 88–61569
Welch, G.E., Dugan, E.T., Vernetson, W.G. A dynamic model of a U-tube steam generator for the DSNP simulation language 88–75351
Welch, G.E. *see* Dugan, E.T. 88–61572, 88–61580
Welch, G.E. *see* Lear, W.E., Jr. 88–42623
Welch, I. Integration of the HVDC link into the British 400 kV AC transmission system 86–18719
Welch, J. *see* Adamiak, K. 87–64855
Welch, J. *see* Rohatgi, A. 88–56304
Welch, J.B. The regulatory climate and electric utility diversification 85–38382
Welch, J.D., Harman, W.H. Improved TCAS I for a pilot warning indication 86–18472
Welch, J.H., McGoey, M.J. Combining photovoltaics with generators for home electrical power 88–23811
Welch, J.J. Beam dynamics, efficiency and power of the SLAC lasertron—simulation results 87–35298
Welch, J.J. The maximum efficiency of a conventional klystron output cavity 87–35299
Welch, J.J., Bertsche, K.J., Friedman, P.G., Morris, D.E., Muller, R.A., Tans, P.P. A 40 keV cyclotron for radioisotope dating 85–20862
Welch, J.J., Sinclair, C.K. Collector material desorption tests 87–35300
Welch, J.J. *see* Garwin, E.L. 86–32012
Welch, J.M. *see* Lukanc, J.A. 88–20020
Welch, J.P. *see* Gordon, V.L. 88–29947
Welch, J.T. A SPICE graphics postprocessor 85–39868
Welch, K.A. Vampire—a proven capability in tactical direction finding 85–58245
Welch, L.C. DAPHINE: a parallel multiprocessor data acquisition system for nuclear physics 85–43143
Welch, L.E., III *see* Pheanis, D.C. 87–20306
Welch, L.R. *see* Kumar, P.V. 86–34137
Welch, L.R. *see* Peng, W. 87–54618
Welch, L.R. *see* Wicker, S.B. 87–69041
Welch, M. Concepts of polarization physics 86–36555
Welch, M.T., Garcia, C. Pillar interconnections for VLSI technology 87–1704
Welch, M.T., McMann, R.E., Torreno, M.L. Scalable VLSI metallization 87–67545
Welch, P. A light-weight aerial system for two metres 86–3690
Welch, R. Cartographic potential of SPOT image data 86–12139
Welch, R., Ehlers, M. Merging multiresolution SPOT HRV and Landsat TM data 88–10513
Welch, R., Ehlers, M. Cartographic features extraction with integrated SIR-B and Landsat TM images 88–74016
Welch, R., Remillard, M.M., Slack, R.B. Remote sensing and geographic information system techniques for aquatic resource evaluation 88–68650
Welch, R. *see* Ehlers, M. 86–18543, 88–14803
Welch, R.G. *see* Kashin, S. 87–36215
Welch, S. Signalling aspects 86–10672
Welch, S. Signalling [basic requirements] 86–64560
Welch, S. Signalling [onspeech path signalling] 86–64561
Welch, S. Signalling aspects 87–76010
Welch, T. Applications of portable IR thermometry in diesel and construction equipment maintenance 88–36263
Welch, T.M. *see* Brunner, T.R. 85–43411
Welch, W., James, J., James, J., Brown-Forsythe, B.F., Reed, J.F., Stark, D.B. Robust alternatives to traditional analysis of variance: for use in biomedical sciences 88–56106
Welch, W.J. *see* Bieging, J.H. 85–25961
Welch, W.J. *see* Hudson, J.A. 88–21026
Welchens, J.P. *see* Rutkowski, D.J. 87–51590
Welden, S.E., Polge, R.J. Finite wordlength optimization of finite impulse response moving target indicator filters for radar applications 88–63812
Weldingh, H., Levring, F. A new protective relay for use in meshed low-voltage supply systems 88–17204
Weldingh, H. *see* Henriksen, M. 85–29399
Weldon, E.J., Jr. *see* Fox, J.S. 86–4056
Weldon, E.J., Jr. *see* Horn, B.K.P. 86–3938, 87–7828
Weldon, E.J., Jr. *see* White, R.G. 88–28106
Weldon, J.M. *see* Noble, W.L. 87–30780
Weldon, J.M. *see* Pichot, M.A. 87–22408
Weldon, J.O. The early history of US international broadcasting from the start of World War II 88–67514
Weldon, J.O. *see* Mina, A. 88–67536
Weldon, J.W. *see* Martin, A.M. 87–22409
Weldon, T. *see* Jacquot, J.P. 86–25743
Weldon, W.F. Rotating machinery for use in pulsed power 85–5060
Weldon, W.F. Pulsed power packs a punch [pulsed power supplies] 85–39105
Weldon, W.F., Driga, M.D., Woodson, H.H. Recoil in electromagnetic railguns 87–26722
Weldon, W.F. *see* Bird, W.L. 85–5120, 85–5245
Weldon, W.F. *see* Driga, M.D. 87–19167, 87–26668, 88–65992
Weldon, W.F. *see* Gully, J.H. 85–5119
Weldon, W.F. *see* Morgan, C.A. 85–5253
Weldon, W.F. *see* Pappas, J.A. 87–17417
Weldon, W.F. *see* Peterson, D.R. 87–26699
Weldon, W.F. *see* Pratap, S.B. 87–26702
Weldon, W.F. *see* Spann, M.L. 85–5062
Weldon, W.F. *see* Walls, W.A. 88–69520
Weldon, W.F. *see* Woodson, H.H. 85–2516
Welfonder, E., Harrer, M. Application for VDUs in power station control rooms 86–51176
Welfonder, E., Schafer, Th., Asal, H.P. Regulation behaviour of the West European combined network 87–9082
Welfonder, E. *see* Schafer, T. 87–4231
Welford, D. A rate equation analysis for the frequency chirp to modulated power ratio of a semiconductor diode laser 86–22390
Welford, D., Alexander, S.B. GaAlAs semiconductor diode laser 4-ary frequency shift key modulation at 100 Mbit/s 85–18925
Welford, D., Alexander, S.B. Magnitude and phase characteristics of frequency modulation in directly modulated GaAlAs semiconductor diode lasers 86–22402
Welford, D. *see* Alexander, S.B. 85–41390
Welford, D. *see* Bondurant, R.S. 87–26417
Welford, D. *see* Jeromin, L.L. 86–64985
Welford, D. *see* Yee, T.K. 87–12476
Welford, K.R. *see* Miller, A. 88–65450
Welford, W.T. *see* Goodall, F.N. 85–55616, 86–36625
Welgert, F.J., Proskow, S. A new positive photoresist 88–1080
Welham, C.S. CBT or IV, that is the question 88–67604
Welham, D., Fisher, N., Rudge, B. CBT in the central generating board: A pilot project 87–30065
Welham, P.L. *see* Elmore, J.A. 85–52119
Welich, D., Bohme, H. Disturbance arcs in medium voltage cubicles and its influence on the short-circuit current behaviour 86–63487

Welich, D. *see* Klemann, M. 88−17785
Welij, J.S.van *see* van Welij, J.S.
Welin, C.-W. *see* Dacker, B. 86−49405
Welin, C.W., Skagerwall, R. Design of an expert system and man-machine interface for operation and maintenance of AXE telephone exchanges 87−13522
Weling, F. Non-Gaussian intensity distribution and dispersion compensation in single-mode fibres 85−62299
Weling, F., Wehr, H. Properties of multiple clad fibers: experiments and numerical predictions 88−13793
Weling, F. *see* Geittner, P. 86−476, 88−45164
Weling, F. *see* Wehr, H. 86−2675
Welk, R. The sky as a stage. Laser beams as a medium of communication [laser light shows] 85−2450
Welker, D. Low volume using high production volume equipment [printed circuits] 88−38926
Welker, T. *see* Klaasen, D.B.M. 85−35617
Welkowitz, W. *see* Semmlow, J.L. *(editor)* 85−32910
Welkowsky, M.S. IR simulation using the liquid crystal light valve (LCLV) 87−70457
Welkowsky, M.S., Efron, U., Byles, W., Goodwin, N.W. Status of the Hughes charge-coupled-device-addressed liquid crystal light valve 87−60985
Welkowsky, M.S., Efron, U., Byles, W., Goodwin, N.W. Status of the CCD-addressed liquid crystal light valve 88−58252
Welkowsky, M.S., Forber, R.A., Wu, C.S., Pedinoff, M.E. Visible-to-infrared image converter using the Hughes liquid crystal light valve 88−58254
Welkowsky, M.S. *see* Efron, U. 87−18770, 87−60980
Welkowsky, M.S. *see* Wu, S.T. 87−14394
Welland, D. *see* Croteau, J. 87−796
Welland, G.V. *see* Eftimiu, C. 87−61361
Wellard, A.J. Development in the design and manufacture of distribution transformers 88−5729
Wellard, P. *see* McKay, I. 87−2806
Wellard, R. *see* Chatterley, J. 87−33973
Welle, R. *see* Baer, R. 88−35117
Wellegahausen, B., Ludewigt, K. Anti-Stokes-Raman-laser−a novel method for the generation of short-wavelength coherent radiation 88−33916
Wellegehausen, B., Gaubatz, U., Bermann, K. Optically pumped molecular beam lasers 87−7243
Wellegehausen, B., Ludewigt, K. Generation of VUV radiation by the anti-Stokes Raman laser process 87−7430
Wellegehausen, B., Ludewigt, K., Hube, M., Feitisch, A. Anti-Stokes Raman lasers: a concept for the generation of short-wavelength coherent radiation 88−40344
Wellegehausen, B., Ludewigt, K., Welling, H. Anti-Stokes Raman laser 85−51121
Wellegehausen, B. *see* Feitisch, A. 88−45505
Wellegehausen, B. *see* Krokel, D. 85−51081
Wellegehausen, B. *see* Ludewigt, K. 86−22316, 87−12360, 87−26314
Wellegehausen, B. *see* Welling, H. 87−7444
Wellekens, C.J. Global connected digit recognition using the Baum-Welch algorithm 87−19539
Wellekens, C.J. Explicit time correlation in hidden Markov models for speech recognition 87−61664
Wellekens, C.J., Snyers, D. Acoustical decoding and linguistic analysis in speech recognition 86−43200
Wellekens, C.J. *see* Bourlard, H. 86−16245, 87−47593, 87−47821
Wellens, H. *see* Dassen, W. 85−15354, 85−59354, 86−18379
Wellens, U. *see* Eizenhofer, A. 87−69926
Wellens, W. Distributed software test environment 87−33910
Weller, A. *see* Edwards, A.W. 87−14756
Weller, A. *see* Jansch, H. 87−3836, 87−29426
Weller, A. *see* Tungate, G. 87−3839
Weller, C. Modulation scheme suitable for infrared biotelemetry 85−59243
Weller, C. *see* Dyson, R.J. 85−31841
Weller, D., Reim, W. Preparation and spectroscopy of magneto-optical thin films 88−56301
Weller, D.J. *see* Rothschild, C.J., III 86−60113
Weller, G. *see* Lautzenheiser, T. 85−5485
Weller, G.C. Full scheme relays give greater T and D protection 86−51101
Weller, G.C., Caunce, B.R.J. New techniques in distance relay design for transmission and distribution lines 85−64998
Weller, G.C. *see* Yip, H.T. 85−15674
Weller, H. *see* Schubert, M.B. 88−17982
Weller, H.C., Paasche, S.M., Nebel, C.E., Kessler, F., Bauer, G.H. Highly photoconductive 1.4-1.5 eV amorphous silicon germanium alloys prepared by DC-glow discharge 88−33861
Weller, H.E., Kessler, F., Lotter, E., Nebel, C.E., Paasche, S.M., Bauer, G.H. Characterization of highly photoconductive amorphous silicon germanium alloys prepared by DC glow discharge 88−26951
Weller, H.G., III. Managing the instantaneous load shape impacts caused by the operation of a large-scale direct load control system 88−54913
Weller, H.R. *see* Wagenaar, D.J. 85−37978
Weller, H.W. *see* Tossman, B.E. 87−43901
Weller, J.F. *see* Allen, R. 87−2100
Weller, J.F. *see* Carruthers, T.F. 86−21563, 86−38376, 86−47603, 86−48288, 87−46705
Weller, J.F. *see* Czaplak, D. 86−48167
Weller, J.F. *see* Czaplak, D.S. 86−28820, 88−51611
Weller, J.F. *see* Esman, R.D. 88−41620, 88−73952
Weller, J.F. *see* Goldberg, L. 85−2312, 85−12861, 85−24555, 85−61439, 86−42562, 86−48426, 86−63811, 87−54303, 88−2221
Weller, J.F. *see* Hickernell, F.S. 87−6981, 87−67664
Weller, J.F. *see* Kersey, A.D. 87−76741
Weller, J.F. *see* Sleger, K.J. 85−6528
Weller, J.F. *see* Stilwell, D. 87−19346
Weller, J.F. *see* Tamburrini, M. 88−2235
Weller, J.F. *see* Yurek, A.M. 86−42451, 86−48428, 88−2134
Weller, K.P. *see* Berenz, J.J. 85−1063, 85−17838
Weller, M. *see* Leiterer, U. 85−64682
Weller, M.G. *see* Stevens, G.C. 88−64855
Weller, P. *see* Bensiek, W. 87−41695
Weller, P. *see* Loer, S. 88−61048
Weller, S. *see* Jackson, R.K. 88−74818
Weller-Brophy, L.A., Hall, D.G. Waveguide diffraction gratings in integrated optics 87−12236
Weller-Brophy, L.A., Hall, D.G. Measured TM-TM coupling in waveguide gratings 87−74902
Weller-Brophy, L.A., Hall, D.G. Statistical analysis of waveguide gratings using Rouard's method 88−45170
Weller-Brophy, L.A., Hall, D.G. Local normal mode analysis of guided mode interactions with waveguide gratings 88−72101
Wellerdieck, K. High-efficiency single-wafer sputter etching device 88−19809
Wellers, F. *see* Vorobyov, A.A. 88−68244
Wellfair, G. *see* Novotny, M. 86−53277
Wellhausen, H. Joint ARD/ZDF project for the construction of large television outside-broadcast vans 85−58279
Wellhausen, H. Large television outside-broadcast vehicles built for the ARD and ZDF 86−4836
Wellhausen, H. Introduction strategies for component signals in the studio 88−53454
Wellhausen, H.-W. Channel capacity of metallic pairs of modern cables and attainable transmission capacity 86−36877
Wellhausen, H.-W., Roder, H.-F., Fahrendholz, J. Quaternary basic band transmission with threshold value detection 85−46800
Wellhausen, H.-W. *see* Bertelsmeier, M. 88−3013
Wellhausen, H.-W. *see* Morgenstern, G. 87−39625
Wellhausen, H.-W. *see* Roder, H.F. 85−26054
Wellhofer, F. *see* Gough, C.E. 88−26723
Welling, H., Ludewigt, K., Schmidt, H., Dierking, R., Wellegehausen, B. Generation of coherent UV- and VUV-radiation by the anti-Stokes Raman Process 87−7444
Welling, H. *see* Beigang, R. 88−40182
Welling, H. *see* Korkel, D. 86−42629
Welling, H. *see* Litfin, G. 86−68506
Welling, H. *see* Wandt, D. 87−33125
Welling, H. *see* Wellegehausen, B. 85−51121
Wellingham, J. *see* Allinson, N.M. 86−20326
Wellinghoff, J.B. The forgotten factor in least-cost utility planning: cost recovery 88−48524
Wellinghoff, J.B., Mitchell, C.K. A model of statewide integrated utility resource planning 86−18759
Wellington, J.F. *see* Narula, S.C. 85−60889
Wellington, K.J. *see* Jauncey, D.L. 87−3262
Wellington, K.J. *see* Mann, L.D. 87−6074
Wellington, K.J. *see* Norris, R.P. 86−55399, 88−74087
Wellman, J.B. Imaging spectrometers for terrestrial and planetary remote sensing: a progress report 88−23193
Wellman, J.B. *see* Goetz, A.F.H. 85−59452
Wellman, P. *see* Atling, D. 87−21911
Wellman, P.G. *see* Atling, D.T.M. 87−71656
Wellman, R.J. *see* Nemarich, J. 88−58845
Wellman, T. *see* Nicholson, D. 88−35943
Wellnitz, G. *see* Langhardt, W. 86−51260
Wellnitz, M. *see* Arndt, F. 85−45218
Wells, A. *see* Lumb, D.H. 88−4464
Wells, A. *see* Schwartz, D.A. 87−20927
Wells, A.D. Road simulators−their integration into vehicle development programmes 88−63026
Wells, A.D., Kostrzewa, L.J. Cogeneration prime mover advancements−'The heart of the systems' 87−35800
Wells, A.L., Jr. A polynomial form for logarithms modulo a prime 85−28087
Wells, A.L., Jr. *see* Cameron, P.J. 86−57326
Wells, A.L., Jr. *see* Ying Cheng 86−46189
Wells, B. Wrap up TVI 85−25993
Wells, B. A prober/handler interface for high pin-count ASIC devices 87−32635
Wells, B. *see* Lau, J. 87−73868
Wells, B.B. Voice/unvoiced decision based on the bispectrum 86−16266
Wells, B.B. *see* Benke, G. 85−45175
Wells, B.G. *see* Warren, C.S. 85−63387
Wells, C.E. Reliability measures for a regenerative system viewed over a random horizon 87−58729
Wells, C.E. Replacement vs. repair of failed components for a system with a random lifetime 88−70164
Wells, C.E., Bryant, J.L. Reliability characteristics of a Markov system with a mission of random duration 86−13562
Wells, C.H. *see* Rogers, G.W. 85−43699
Wells, C.V. *see* Emery, K.A. 88−37408
Wells, D. Activities of the ATSC technology groups on improved NTSC and enhanced 525 line systems 88−29066
Wells, D. *see* Lachapelle, G. 88−9681
Wells, D.A. 'SAFETEAM' a positive contribution to nuclear construction 85−4795
Wells, D.E. *see* Kleusberg, A. 87−41109
Wells, D.E. *see* Mertikas, S. 88−4139
Wells, D.L. The SSDP management supported by an effective cost/schedule control system 87−57764
Wells, D.L. *see* Stepoway, S.L. 85−11314
Wells, D.N. *see* Brown, L.B. 87−34935
Wells, D.R. *see* Gear, C.W. 85−22405
Wells, F.D. *see* Clout, P.N. 86−60412
Wells, F.M. *see* Nash, H.O., Jr. 86−33494, 86−45588
Wells, G. *see* Visser, C.C.G. 88−26142, 88−39337
Wells, G.M., Cerrina, F. Differential pumping: is it really effective? 86−60498
Wells, G.M., Lai, B., So, D., Redaelli, R., Cerrina, F. X-ray lithography beamlines at Aladdin 88−44719
Wells, G.M., Rogers, F.J.G., Smith, B.G.R., Verrecchia, G.P.D., Wagner, H. Evaluation of the performance of UKAEA and EURATOM gamma spectrometers in determining plutonium isotopic abundances 88−68301
Wells, G.M. *see* Cerrina, F. 87−38109
Wells, G.M. *see* Lai, B. 86−60688, 86−63103
Wells, G.M. *see* Levy, R.A. 88−39297
Wells, G.M. *see* Meger, C.M. 88−39336
Wells, G.M. *see* Redaelli, R. 88−26166
Wells, G.M. *see* So, D. 88−7410
Wells, H. Transistors on the bias 87−23937
Wells, H. 800-900 MHz the easy way [UHF TV tuner] 88−9729
Wells, I.S. *see* Rozelaar, A.J.W. 85−30007
Wells, J. Lithium (alloy)/iron disulfide primary thermal batteries: safety under 'pump back' recharging conditions during battery operation 88−17861
Wells, J., Jeffrey, E. A bipolar process for radiation hardness 87−6862
Wells, J. *see* Amendolia, S.R. 85−43179, 87−21426
Wells, J. *see* Bene, P. 88−56532
Wells, J. *see* Benetta, M. 85−43239
Wells, J. *see* Bonesini, M. 88−23001, 88−29823, 88−61141
Wells, J. *see* Lambell, A.J. 87−48713
Wells, J.C. A standardized machine-readable phonetic notation 86−48858
Wells, J.D. ISDN and the conglomerate−an operating division perspective 88−3654
Wells, J.G. *see* Vaughan, W.R. 87−41042
Wells, J.G., Jr. *see* Kist, E.H., Jr. 88−58643
Wells, J.H., Smye, S.W., Wilson, A.J. A microcomputer keyboard substitute for the disabled 86−44685
Wells, J.N. Circuit layout [PCB] 86−14650
Wells, J.N. PCB design [RFI] 88−20946
Wells, J.S. *see* Jennings, D.A. 87−56451
Wells, J.S. *see* Petersen, F.R. 85−2216
Wells, K.J. *see* Speckman, B.M. 88−62003
Wells, K.P. *see* Phelps, R.L., Jr. 87−22050
Wells, L. Packaging to protect sensitive components 87−72821
Wells, L. Digital's network 88−15073
Wells, L. Setting a standard 88−70140
Wells, L. *see* Grossman, J. 85−37143
Wells, L.A. *see* Trinoskey, P.A. 88−36974
Wells, L.L. Field test results on the use of translated GPS for TRIDENT I 88−15703
Wells, M. JANET−the United Kingdom Joint Academic Network 86−23532
Wells, M. Fibre optics−the cable makers view 87−56170
Wells, M. *see* Allen, W.J. 87−52964
Wells, M. *see* Barrett, C. 88−35822
Wells, M. *see* Leif, R.C. 87−77614
Wells, M. *see* Rees, D. 86−48470
Wells, M.J., Griffin, M.J. A review and investigation of aiming and tracking performance with head-mounted sights 87−63879
Wells, M.R., Dearing, P.M., Wortman, M.A. Solving the load flow equations using Euclid's equivalent system of nested polynomial equations 86−32647
Wells, M.R. *see* Gregg, J.F. 88−10111
Wells, N.D. Digital video: YUV bit rate reduction for broadcasting applications 85−3611

Wells, N.S., Hart, R.S. AECL offers a smaller CANDU 85−53456
Wells, O.C. Reduction of edge penetration effect in the scanning electron microscope 86−67645
Wells, O.C. Low-loss electron images of uncoated photoresist in the scanning electron microscope 87−6769
Wells, O.C., Stoye, C.A. Relationship between type-1 magnetic contrast in the scanning electron microscope and the vector potential of the magnetic field 87−32216
Wells, O.C. *see* Bailey, P.J. 85−29578
Wells, P. Shift security through on-chip hardware 85−830
Wells, P. The 80286 microprocessor 85−11279
Wells, P.. 80386 raises the flag for compatibility 86−20567
Wells, P. Intel's 80386 architecture 87−5897
Wells, P. *see* Ball, P.R. 87−12119
Wells, P. *see* Berry, A.D. 85−58154
Wells, P. *see* Davis, J.R. 87−57082
Wells, P. *see* Stevenson, M. 85−63722
Wells, P.N.T. Medical ultrasonics 85−26757
Wells, P.N.T., de Jong, N., Bom, N., Somer, J. Transducers in medical ultrasound. IV. Transducer safety 86−60720
Wells, P.N.T. *see* Jackson, P.C. 87−50237
Wells, P.N.T. *see* Skidmore, R. 87−50319
Wells, P.S. *see* Ansorge, R.E. 88−29842
Wells, R. Synthesised frequency generation for handportable private mobile radio equipment 86−37804
Wells, R. Wire saw slicing of large diameter crystals 88−7423
Wells, R. *see* Payne, T. 88−25141
Wells, R.B. Estimation of the shape of magnetic transitions by a deconvolution technique 85−35304
Wells, R.B. Side reading and side writing effects of track follower loop gain 88−51278
Wells, R.N., Parry, H.L. Underground cable replaced without trenching 86−65691
Wells, R.P. *see* Purgalis, P. 88−68118
Wells, S. *see* Barrilleaux, J. 87−62262
Wells, S.C. Efficient motion estimation for interframe video coding applications 85−36330
Wells, S.J. *see* O'Donnell, P. 86−6687 to 6688
Wells, T. OSI: putting world standards into practice 88−66981
Wells, T. *see* Rayner, D. 88−21610
Wells, T.B. An examination of material parameter uncertainties arising from statistical measurement errors 86−14480
Wells, T.B., Moore, R.L., Hicks, D.C. Millimeter wave materials measurement by Fabry-Perot 86−38523
Wells, T.B. *see* Montgomery, J.P. 86−18091
Wells, T.B. *see* Moore, R.L. 86−18074
Wells, T.D. *see* Davidson, I.C. 87−40164
Wells, V.A., Walko, R.J. LPCVD tungsten deposition of Si-Ge alloy 87−5506
Wells, V.A. *see* Blewer, R.S. 85−40854, 85−55923, 87−5501
Wells, V.A. *see* Medernach, J.W. 87−1747, 87−18346, 88−7496
Wells, V.A. *see* Rossmeisl, R.A. 86−19522
Wells, W.L. Heating measurements on Space Shuttle Orbiter models with differentially deflected elevons 85−64659
Wells, W.M., III Efficient synthesis of Gaussian filters by cascaded uniform filters 86−48978
Wells, W.R., Hahn, J.E. Future mathematical needs of engineers in the United States 87−5169
Wellspeak, G.J. *see* Barbiere, D. 86−6057
Wellssow, W.H. Requirements of the basic data [power system reliability] 88−23265
Wellstead, P., Wagner, G.R. Input/output self-tuning algorithms applied to image processing 88−46296
Wellstead, P.E., Caldas Pinto, J.R. Self-tuning filters and predictors for two-dimensional systems. I. Algorithms 86−3865
Wellstead, P.E., Wagner, G.R., Caldas-Pinto, J.R. Two-dimensional adaptive prediction, smoothing and filtering 87−55070
Wellstead, P.E. *see* Caldas Pinto, J.R. 86−3866 to 3867
Wellstead, P.E. *see* Waller, M.H. 87−72156
Wellstood, F.C., Urbina, C., Clarke, J. Low-frequency noise in DC superconducting quantum interference devices below 1 K 87−60846
Wellstood, F.C., Urbina, C., Clarke, J. Excess noise in DC SQUID from 4.2 K to 0.022 K 87−67894
Wellstood, F.C. *see* Savo, B. 87−53914
Welly, J.-D. Mass flow and radiation diffusion in radially blown Sf$_6$ arcs 86−40005
Welmann, K. *see* Leipold, P. 88−31978
Welmer, P.K. Television image sensors−tubes versus solid-state 87−41377
Welmers, F. A touch-safe outlook of LV installations in transformer substations in 1987 88−49021
Welner, D. *see* Kofoed, B. 85−46087
Welner, J.M. Spectral analyzer and direction indicator (SADI) system 88−74307
Welo, R.L. Computer graphics in linear programming instruction 85−33039
Welsch, D., Woldert, G. Graphical back-documentation at Block 7 of the Heilbronn power plant 87−9341
Welsch, E., Walther, H.-G., Wolf, R., Schafer, D., Wieczorek, L.-W. Measurement of optical losses and damage thresholds of multilayer coatings 85−12694
Welsch, E., Walther, H.G., Schafer, D., Wolf, R. Measurement of optical losses and damage resistance of ZnS-Na$_3$AlF$_6$ and TiO$_2$-SiO$_2$ laser mirrors depending on coating design 88−2334
Welsch, W.M. Accuracy problems when combining terrestrial and satellite observations 87−41155
Welschen, J. *see* Burgel, R. 86−39655
Welschinger, M., Pliet, H. Measuring equipment to determining the fault current of protecting current inverters during short-circuit current load 88−42826
Welser, W. *see* Kemmer, J. 87−29483
Welsh, A. *see* Stedeford, B. 85−38213
Welsh, B. Forging ahead to 'seeing' phones [videotelephony] 88−41224
Welsh, B. Long-wire antennas. II 88−52281
Welsh, B. Long-wire antennas. I 88−58950
Welsh, B.H.R. Business networks and ISDN 88−67125
Welsh, B.M. A minimum range criterion for RCS measurements of a target dominated by point scatterers 85−20257
Welsh, B.M. *see* Urbanik, E.A. 87−27028
Welsh, C.R., Debenham, A.A. A rationale and procedure for pursuing completeness in hazards identification [nuclear safety] 85−48745
Welsh, C.R., Debenham, A.A. A rationale and procedure for pursuing completeness in probabilistic safety studies [reactor plants] 86−32952
Welsh, D. *see* Lawson, W. 87−53118, 88−25811, 88−25821, 88−57263
Welsh, D. *see* O'Shea, P.G. 85−23317
Welsh, D.C. *see* Strauch, R.G. 88−61641
Welsh, E.J., deCruz, D. Rural telecommunications in a third world country 88−59469
Welsh, F.S. Lightwave data links and interfaces 87−62929
Welsh, F.S. Light guide for data transfer and its interface circuits 87−70038
Welsh, F.X. *see* Birnbaum, M. 87−41412
Welsh, F.X. *see* Burnbaum, M. 87−55048
Welsh, J.R., Hempel, H.-P. Basic rules for the rating and gating of GTO thyristors 88−26248
Welsh, L.R. *see* Rusch, W.V.T. 88−2725
Welsh, P., Pollok, P. Gate arrays tighten up logic for 32-bit μP-bus interfaces 88−6728
Welsh, T., Tuan, T.C. Automated protocol specification using top-down temporal logic 86−37208
Welsh, T.W. *see* Das-Gupta, D.K. 88−64864
Welshe, R.G. *see* Ladd, J.W. 87−21749
Welsher, T.L. *see* Jon, M.C. 88−50153
Welsher, T.L. *see* Lin, D.L. 88−263
Welsher, T.L. *see* Strauss, M.S. 88−50977
Welstead, S.T. Analog algorithms for optical signal processing 88−3255
Welstead, S.T. Real time iterative algorithms for optical signal processing 88−28070
Welt, D., Webb, J. Finite-element analysis of dielectric waveguides with curved boundaries 85−62861
Welten, F.P., van Meerbergen, J.L., Delaruelle, A., Rinner, K., Schmid, J., van Wyk, F.J. A 2 μm CMOS, 10 MHz microprogrammable signal processor core with on-chip multiport memory bank 85−61315
Welten, F.P. *see* van Meerbergen, J.L. 87−17156
Welten, F.P. *see* Van Wijk, F.J. 87−5912, 87−17135
Weltens, B., de Bot, K. The visualisation of pitch contours: some aspects of its effectiveness in teaching foreign intonation 85−7832
Welter, D.J. Transferring wafer processing to production 87−58660
Welter, D.J. *see* Spence, A.M. 87−60260
Welter, H. *see* Pfau, B. 85−15852
Welter, J.-M., Jungerberg, G. Growth of large copper monochromator crystals 86−5709
Welter, J.-M. *see* Fenzl, H.J 85−16907
Welter, R. Modulation capabilities of Fabry-Perot-type semiconductor lasers 87−46894
Welter, R., Kazovsky, L.G. 150 Mbit/s phase diversity ASK homodyne receiver with a linewidth/bit rate ratio of 0.5 88−35472
Welter, R. *see* Choy, M.M. 88−1970
Welter, R. *see* Kazovsky, L.G. 87−76736
Welter, R. *see* Noe, R. 88−47038
Welterlin, R.E. Automated test system for small DC motors 87−30637
Welters, U. *see* Girardi, G. 86−26975, 87−16825
Welters, U. *see* Hartenstein, R.W. 87−74373
Weltersbach, W. *see* Kamm, W. 88−53427
Weltersbach, W. *see* Schwarz, H. 86−60010
Weltersback, W. System and realization aspects of multistandard TV receivers 86−24055
Weltin, A. Analytic solution of the potential and electric field of a jet type drift chamber 88−29824
Weltin, A. *see* Bittner, S. 87−29456
Weltin, A. *see* Fischer, H.M. 87−21417
Weltschew, A. *see* Lingorski, N. 85−10250
Welty, C.S. *see* Bell, M.J. 86−32971
Welty, C.S., Jr. *see* Williams, C.L. 86−32968
Welty, D.L. *see* Pace, W.D. 85−36798
Welz, F. *see* Lemke, M. 85−29477
Welzel, T. Simulation of a multiple token ring backbone 88−21732
Welzel, T. *see* Martini, P. 88−9200, 88−59696, 88−73587
Welzen, T., De Zwart, M. The optical performance of liquid crystal guest host devices 86−2874
Welzenbach, M. Broadband communications and switching intallations for future optical fiber-based local telephone networks 85−47330
Welzenbach, M. *see* Schenkel, K.D. 87−76116
Welzenis, R.G.van *see* van Welzenis, R.G.
Welzl-Muller, K., Stephan, K. The benefit of hearing aids: influence of hearing loss and age 86−60830
Weman, K. *see* Berg, M.J. 88−6069
Wemhoner, R. *see* Tausch, H.J. 88−26292
Wemple, S.H. A guide to integrated circuit technology comparisons 86−35819
Wemple, S.H. *see* Abeles, J.H. 85−17852, 85−50569
Wemple, S.H. *see* Allyn, C.L. 86−41540
Wen, B. *see* Zhao, M. 87−53783
Wen, C., Yan, Z. Calculation of ion flow fields in air under HVDC transmission lines 86−70700
Wen, C. *see* Yan, Z. 87−30227
Wen, C.P. *see* Nesbit, G.H. 88−19404
Wen, C.S., Chang, O., Chiang, S.M. The design of video processor in TV tracking system 86−31010
Wen, C.Y., Tsui, S.K., Metzner, J.J. The use of a model of correlated data to predict performance of a frame sync system and results of field measurements 85−42010
Wen, D.-S., Goodwin-Johansson, S.H., Osburn, C.M. Tunneling leakage in Ge preamorphized shallow junctions 88−71768
Wen, D.-S. *see* Sharma, D. 88−71791
Wen, D.S., Liu, J., Osburn, C.M., Wortman, J.J. Interface traps caused by Ge pre-amorphization 86−21103
Wen, J.-X. *see* Zhang, H.K. 88−26962
Wen, J.J., Breazeale, M.A. Gaussian beam functions as a base function set for acoustical field calculations 88−54805
Wen, L. *see* Mon, G. 87−9831, 88−37557
Wen, L. *see* Mon, G.R. 88−37544
Wen, L. *see* Ross, R.G. 88−69697
Wen, L.-C. *see* Salazar, R.P. 85−64660
Wen, M. *see* Hou, W.S. 88−27463
Wen, S. Metal paste composition for glass-ceramic copper system 85−23255
Wen, S. *see* Chi, S. 87−13731
Wen, S.H. *see* Kim, J. 85−23253
Wen, S.S. Developing consumer speech recognition products 87−61811
Wen, S.S. Speech recognition in the consumer market today 88−66437
Wen, W., Zhou, F., Huang, Q., Guan, G. Channeling effects on ion implantation of bubble material 86−41675
Wen, Y., Li, S., Chen, J., Liang, Y., Zhao, Y. Study of a new method for inner protection of transformer 88−69480
Wen, Y.F. *see* Truscott, W.S. 87−36741
Wen, Z., Grossman, C., Garito, A.F., Farhat, N.H. Total internal reflection spatial light modulator using organic electrooptic crystal MNA 88−51588
Wen, Z.B. *see* Huang, S.J. 88−69650
Wen Bin *see* Bin Wen
Wen Bo Yuan *see* Yuan Wen Bo
Wen Chao Zu *see* Zu Wen Chao
Wen Chao-Chun *see* Chao-Chun Wen
Wen Chun-nian *see* Hua Xin-bang 87−8931
Wen Fan-ping *see* Fan-ping Wen
Wen Fangru Pulse waveform distortion caused by propagation dispersion of LF ground wave 87−54571
Wen Feng *see* Chen Zuoyi 87−22137
Wen Ge-yi *see* Wu Wan-chun 88−58895
Wen Jie He *see* He Wen Jie
Wen Jin *see* Huang Xinfan 87−17803
Wen Jing *see* Jing Wen
Wen Li Weng *see* Weng Wen Li
Wen Lin Yin *see* Lin Yin Wen
Wen Shizhu *see* Hou Keping 86−25626
Wen Shulin *see* Shulin Wen
Wen Tsang Dah *see* Dah Wen Tsang
Wen Wang, Gervais, Y., Mukhedkar, D. Probabilistic evaluation of the safety of earthing systems in substations 85−32622
Wen Wang, Gervais, Y., Mukhedkar, D. Probabilistic evaluation of human safety near HVDC ground electrode 86−39237
Wen Wansheng Etching of the glass-core of Pb glass microchannel plate and its quality examination 88−19638
Wen Weiguang *see* Weiguang Wen
Wen Xin Xu *see* Hua Cheng Chen 85−33226
Wen Xun Zhang *see* Zhang Wen Xun
Wen Yang *see* Yang Wen
Wen Yumin *see* Lin Yikun 86−15621
Wen Zhongmin Lateral thermal admittance of pyroelectric detectors 88−39790

Wen Zhongyuan, Yuan Jingxia Phase bias error and compensation by time delay in a dual channel FFT 88−60649
Wen Zhou *see* Zhou Wen
Wen Zhutang, Luo Riyou, Wang Peide Temperature and humidity effects on the gamma-ray response of two types of radiochromic film dosimeters 88−74902
Wen-bin Dou *see* Dou Wen-bin
Wen-bin Jiang *see* Jiang Wen-bin
Wen-Bin Ren *see* Ren Wen-Bin
Wen-Bin Song *see* Song Wen-Bin
Wen-cai Yang *see* Yang Wen-cai
Wen-Chang Gu *see* Gu Wen-Chang
Wen-chen Wang *see* Zhan Chen 85−56810
Wen-chiang Shen *see* Shen Wen-chiang
Wen-Chung Wang, Schachter, H., El-Asir, B., Wu, Z.S., Onishi, S. Acoustoelectric interactions in thin-film semiconductors induced by two contradirected surface acoustic waves 86−9351
Wen-en Li *see* Li Wen-en
Wen-Ge, C. *see* Yi-Jei, Z. 87−55202
Wen-Hai Wu *see* Wu Wen-Hai
Wen-hong Lu *see* Lu Wen-hong
Wen-Hong Shi *see* Shi Wen-Hong
Wen-Hsiang Tsai Moment-preserving thresholding: a new approach 85−41949
Wen-Hsiang Tsai *see* Jin-Jang Leou 88−14787
Wen-Hsiang Tsai *see* Ling-Hwei Chen 88−14796
Wen-Hsing Hsu *see* Po-Ning Chen 88−25250
Wen-hu Liu *see* Liu Wen-hu
Wen-Hui Cen *see* Cen Wen-Hui
Wen-Huu Dow *see* Der-Ray Huang 85−45956, 87−12035
Wen-Jer Tzeng, Hsiung-Kuang Tsai, Si-Chen Lee Long-time repeated photo-degradation test of amorphous silicon hydrogen alloy 87−74910
Wen-Jer Tzeng, Hsiung-Kuang Tsai, Si-Chen Lee Degradation and annealing characteristics of amorphous silicon-hydrogen alloys after a long-time test 87−74913
Wen-jie Yu *see* Yu Wen-jie
Wen-jun Han *see* Han Wen-jun
Wen-jun Zhuang *see* Zhuang Wen-jun
Wen-lian Hsu *see* Gabor, C.P. 86−19943
Wen-Lin Jung A modified Y-parameter model for computer-aided analysis using SPICE2 [network analysis] 86−52618
Wen-ling Wang *see* Wang Wen-ling
Wen-Long Dong *see* Dong Wen-Long
Wen-long Zhan *see* Zhan Wen-long
Wen-mei Hwu, Yale Patt, N. Design choices for the HPSm microprocessor chip 87−66245
Wen-miao Song *see* Song Wen-miao
Wen-Ping Zhang *see* Zhang Wen-Ping
Wen-qin Cheng *see* Cheng Wen-qin
Wen-qing Shen *see* Shen Wen-qing
Wen-Qui Wu *see* Wu Wen-Qui
Wen-sen Zhu *see* Zhu Wen-sen
Wen-shan Teng *see* Teng Wen-shan
Wen-Sheng Perng, Yih-Shyang Cheng, Ming-Wen Chang Liquid crystal television for optical correlation 88−45227
Wen-Sheng Weng *see* Weng Wen-Sheng
Wen-Shiann Yeu *see* Hou-Lung Lee 88−61151
Wen-Tay Lin *see* Jong-Lick Lin 87−64614, 88−43208
Wen-Thong Chang, Casasent, D. Chord distributions in pattern recognition: distortion invariance and parameter estimation 85−46898
Wen-Wang Ho, Hai-Ying Chen, Ying-Chang Yang, Jin-Wang, Bing Liao, Chin Lin, Feng Xing, Zun-Xiao Liu, Jian Lan Magnetic properties of tetragonal structure rare earth-transition metal-boron compounds 86−21961
Wen-Wang Ho *see* Ying-chang Yang 85−56082, 86−28614
Wen-Wei Kou *see* Kou Wen-Wei
Wen-Wu Liu *see* Wei-Yuan Hwang 85−14080
Wen-Xi Liu Investigation of PPT's power conditioner 85−31965
Wen-xia Zhao *see* Zhao Wen-xia
Wen-Xiang Li *see* Li Wen-Xiang
Wen-Xiang Zhang *see* Zhang Wen-Xiang
Wen-xin Zheng *see* Han-guang Shao 87−75315
Wen-Xiu Han *see* Han Wen-Xiu
Wen-Xun Zhang, Lei Zhu New leaky-wave antenna for millimetre waves constructed from groove NRD waveguide 88−2744
Wen-Xun Zhang *see* Zhang Wen-Xun
Wen-Yang Chen *see* Yeu-Haw Yang 88−39691
Wen-Yaung Lee Thin films for optical data storage 85−56265
Wen-yi Bi *see* Bi Wen-yi
Wen-yuan Xu *see* Xu Wen-yuan
Wen-Zen Shen *see* Gwo-Tarng Tseng 86−21852
Wen-Zen Shen *see* Jyi Tsong Lin 86−20477
Wen-Zen Shen *see* Shyh-Jye Jou 88−12308
Wen-Zhuang Zhou *see* Zhou Wen-Zhuang
Wenaas, E. *see* Higgins, D.F. 86−36686
Wenaas, E.P., Wheeler, R. EMP isolation transformer 86−39893
Wenbe Liu *see* Liu Wenbe
Wenbia, D., Zheng, B. Radar imaging based on rotating antenna 88−67455
Wenbiao Fu *see* Fu Wenbiao
Wenbiao Zhou *see* Zhou Wenbiao
Wenbin Chen *see* Chen Wenbin
Wenbin Shen *see* Shen Wenbin
Wenbin Zhang *see* Zhang Wenbin
Wencel, K. *see* Dziesiaty, J. 88−44622
Wenchao Cheng *see* Cheng Wenchao
Wenchen Li *see* Li Wenchen
Wencheng Wang *see* Zhan Chen 86−58963
Wenchong Lee *see* Lee Wenchong
Wenchong Li *see* Li Wenchong
Wenchong Shi *see* Shi Wenchong
Wenckebach, W.T. *see* Labrujere, A.C. 88−26961
Wenda, J. *see* Lachowicz, H.K. 86−15408
Wenda, J. *see* Maksymowicz, L.J. 85−1825
Wenda Peng *see* Peng Wenda
Wenda Shen *see* Shen Wenda
Wende, B. *see* Ceglio, N.M. 87−12524
Wende, B. *see* Fischer, J. 86−60540, 87−56870
Wende, B. *see* Fox, N.P. 86−65193, 87−14351
Wende, B. *see* Hawryluk, A.M. 88−2331
Wende, B. *see* Kuhne, M. 88−2330
Wende, B. *see* Muller, P. 86−60569
Wende, B. *see* Riehle, F. 86−44446, 88−22882, 88−22978
Wende, B. *see* Stearns, D.G. 88−2332
Wende, D. *see* Davies, W.S. 88−53145
Wende, J. *see* Mende, G. 87−11479
Wende, M.T. Signal generator service features maximize uptime 86−65205
Wende, W., Jingcun, G., Gouliang, X., Yong, C. On high efficiency and energy-saving DC brushless motors 88−43215
Wende Shen *see* Shen Wende
Wende Wei *see* Wei Wende
Wendel, D.F. *see* Wiedmann, S.K. 87−24093
Wendel, H. Optimal pivot strategies for load-flow calculation 87−50658
Wendel, K. *see* Turner, T. 86−15090
Wendel, K.E. *see* Koellen, D.S. 85−62089
Wendel, P.-L. *see* Arapoyanni, A. 86−11611
Wendel, P.L., Draman, C., Lamy, F., Abdel-Maged, M., Tedjini, H., Boff, A., Meyer, V. Image synthesis and processing system 86−11506
Wendel, S., Scheiman, G.R. High reliability substrate attach for thin film hybrids 85−50124
Wendel, S.J. *see* Knapp, R.P. 88−1241
Wendel, W. *see* Wollnik, H. 85−64512
Wendell, D., Segers, D., Wang, B. Predicting oxide failure rates using the matrix of a 64K DRAM chip 85−6326
Wendell, L.L. An overview of wind turbine siting considerations 85−32419
Wendell, R.E. The tolerance approach to sensitivity analysis in linear programming 85−54300
Wendell, R.E. *see* Hansen, P. 87−23498
Wendell, R.E. *see* Ravi, N. 88−63177
Wender, I. *see* Penner, S.S. 87−78236
Wender, S.A., Auchampaugh, G.F., Hsu, H., Debevec, P.T., LeBrun, S.F., Hoblit, S.D. Response functions for bismuth germanate detectors 87−71010
Wender, S.A., Lisowski, P.W. A white neutron source from 1 to 400 MeV 87−56998
Wender, S.A., Seestrom-Morris, S.J., Nelson, R.O. A white neutron source from 1 to 400 MeV 88−61073
Wender, S.A. *see* Bowman, C.D. 85−31678
Wender, S.A. *see* Koehler, P.E. 86−32166, 88−29884
Wenderoth, W. *see* Lessenich, H.R. 85−54610
Wenders, J.T. The economic theory of regulation and the US telecoms industry 88−34905
Wenders, J.T., Egan, B.L. The implications of economic efficiency for US telecommunications policy 87−2752
Wenders, R. Measurement of very small resistances 86−44379
Wendl, A. *see* Dietl, A. 85−25990
Wendl, K. *see* Schlosser, V. 86−13082, 86−45710
Wendl, W. *see* Lauck, R. 86−52421
Wendland, B. A hierarchical TV system for different communication services 85−14449
Wendland, B. High quality television by signal processing 85−19544
Wendland, B. High picture quality by digital signal processing 85−37258
Wendland, B. Picture scanning and subjective picture quality 85−52508
Wendland, B., Schroder, H. On picture quality of some television signal processing techniques 85−7885
Wendland, B., Schroder, H. Signal processing for new HQTV systems 85−37243
Wendland, B. *see* Parikh, R. 88−45076, 88−60168
Wendland, B. *see* Schroder, H. 86−24056, 86−55419
Wendland, P. Measuring fiber optic power and attenuation 86−63657
Wendland, P. Fiber optic measurements—a review of recent methodology 86−65286
Wendland, P. *see* Rickenbach, R. 87−35092
Wendland, P.H. Fiber optic power measurements—standards, accuracy and pitfalls 86−2800
Wendland, W. *see* Heinrich, D. 88−71218
Wendland, W. *see* Ruotsalainen, K. 88−63272
Wendland, W.L., De-hao Yu Adaptive boundary element methods for strongly elliptic integral equations 88−70288
Wendland, W.L. *see* Arnold, D.N. 86−13676
Wendland, W.L. *see* Lamp, U. 85−22407, 85−60905
Wendland, W.L. *see* Saranen, J. 86−7708
Wendland, W.L. *see* Stephan, E. 85−33370
Wendlandt, B.C.H. *see* McLeary, R.C. 85−12816
Wendler, G. *see* Klein, J. 86−66601
Wendler, J. *see* Maier, H. 87−3487
Wendler, J.P. *see* Schindler, M.J. 87−32089, 88−63947
Wendler, S. Implementation of open systems: an architectural approach 87−40478
Wendler, S. The importance of OSI to the local area networks market 87−40479
Wendler, S. The importance of OSI to the local area network market 87−55825
Wendler, T. *see* Buchmann, F. 86−50535
Wendling, T.P.H.F., Wieczorek, C., Hieber, K. Selective CVD of $TaSi_2$ 87−58997
Wendling, T.P.H.F. *see* Smolinsky, G. 85−44786
Wendman, M.A., Smith, W.L. Thermal wave implant dosimetry for process control on product wafers 87−60305
Wendnagel, T. *see* Schopper, E. 87−29568
Wendner, J. *see* Stewen, L. 87−33650
Wendorff, J.H. *see* Eich, M. 88−8326
Wendschuh-Josties, M. *see* Kupcik, V. 86−60679
Wendt, G. The processing of distorted incoming signals in hydroacoustic sediment orientation by signal accumulation 85−19453
Wendt, G. *see* Barnick, W. 85−20544
Wendt, H., Bussmann, E. Rapid thermal processes for VLSI 88−1507
Wendt, H. *see* Bergholz, W. 88−13519
Wendt, H. *see* Bohm, H.J. 88−71528
Wendt, H. *see* Muhlhoff, H.-M. 88−7614
Wendt, H. *see* Rothermel, A. 87−37185
Wendt, H. *see* Zhu, F. 85−18583
Wendt, J.P. *see* Boldish, S.I. 86−7799
Wendt, J.P. *see* Speckman, D.M. 87−36790
Wendt, K. *see* van Damme, S. 88−60950
Wendt, M., Schutte, W., Weiland, T. Estimation of the mode losses in complex RF vacuum devices 88−54069
Wendt, M. *see* Keszei, B. 87−73053
Wendt, M. *see* Schutte, W. 88−54312
Wendt, P. *see* Bettzieche, W. 85−10222
Wendt, P. *see* Hubner, F.R. 85−47095
Wendt, P.D., Coyle, E.J., Gallagher, N.C. Some convergence properties of median filters 86−46992
Wendt, P.D., Coyle, E.J., Gallagher, N.C., Jr. Stack filters 87−5969
Wendt, U. Possibilities and limitations in fractometry of thermoplastics 88−31902
Wendt, W. *see* Edner, H. 85−15442, 88−5203, 88−10595, 88−23192
Wendt, W. *see* Galle, B. 88−47224
Wendtland, D. *see* Hylla, W. 85−45373
Wenduan Wang *see* Wang Wenduan
Wenegard, H. *see* Tavener, J. 87−70555
Wener, H.-G. *see* Braig, R. 86−12529
Wenfu Yang *see* Yang Wenfu
Weng, A. *see* Bresch, W. 88−41991
Weng, B., Crawford, N.S., Gordon, D.L. Design of ground electrodes for the Gezhouba-Shanghai HVDC transmission project 88−68892
Weng, F. Modular cogeneration power plant with heat pumps helps conserve energy 85−4881
Weng, G. Pictures of the future. How the CHIP hologram was produced 87−47000
Weng, J., Ahuja, N., Huang, T.S. Motion modeling and prediction 87−48208
Weng, J., Ahuja, N., Huang, T.S. Closed-form solution+maximum likelihood: a robust approach to motion and structure estimation 88−73329
Weng, J., Huang, T.S., Ahuja, N. 3-D motion estimation, understanding, and prediction from noisy image sequences 87−47907
Weng, J., Huang, T.S., Ahuja, N. Error analysis of motion parameter estimation from image sequences 87−62387
Weng, K.C., Chern, J.H., Yang, P., Seitchik, J.A. An efficient SER simulator for DRAM circuits—including transient and substrate structure effects 87−24192
Weng, K.C.-K., Yang, P. A direct measurement technique for small geometry MOS transistor capacitances 85−26447
Weng, K.C.-K. *see* Chern, J.H. 86−20527
Weng, K.C.K., Yang, P., Chern, J. A predictor/CAD model for buried-channel MOS transistors 87−25555
Weng, L., McCluskey, E.J. Built-in self test for random logic 86−62569
Weng, P.S. *see* Huang, S.H. 86−60607
Weng, S.-L. *see* Eckstein, J.N. 88−49820
Weng, W. *see* Raka, E. 86−31812
Weng, W.T. Space charge effects, tune shifts and resonances 87−50062
Weng, W.T., Anderson, M., Byers, R., Cobb, J., Fischer, G., Hamilton, V. SLC arc transport system AG-magnet measurement and performance 86−25046
Weng, W.T., Chao, A.W. Coupled vibrational modes of the SLC arc magnet support system 86−25047

Weng, W.T., Murray, J., Chao, A. Analysis of orbit perturbations of the SLC arcs 88−54275
Weng, W.T., Sands, M. Analysis of optical perturbations of the SLC arcs 88−54232
Weng, W.T. *see* Fischer, G.E. 88−47840
Weng, W.T. *see* Lee, Y.Y. 88−54006
Weng, X. *see* Qiu, Y. 87−53769
Weng Juyang, Huang, T.S., Ahuja, N. A two-step approach to optimal motion and structure estimation 88−28131
Weng Juyang *see* Juyang Weng
Weng Pao-Shan *see* Pao-Shan Weng
Weng Shang-Lin *see* Shang-Lin Weng
Weng Tat Lai *see* Lai Weng Tat
Weng Wen Li, Gu Tian The introduction of nuclear power technology in China 86−39341
Weng Wen-Sheng Electromechanical coupling coefficients for some modes of vibration of lithium niobate single crystals 85−62168
Weng Zu-yin Norms of projection operators of interpolation by trigonometric splines of order one 85−16883
Weng-Lyang Wang *see* Hudson, L.R. 88−47568
Weng-qin Cheng *see* Cheng Weng-qin
Wengan Ma *see* Ma Wengan
Wengenroth, G. *see* Sporleder, F. 85−20245
Wenger, A. Piezoresistive pressure transducers 85−42952
Wenger, A. Stability of pressure transducers 87−49724
Wenger, G.M. Evaluation and characterization of condensation soldering fluids without sophisticated analytical equipment 88−11743
Wenger, H. Safe operational experience of nuclear power plants in Switzerland 86−70785
Wenger, J., Guttich, U. Experimental and theoretical investigations on a disc-type resonant structure for IMPATT diodes at D-band frequencies 88−56907
Wenger, J., Huber, S. Low-noise D-band impatt oscillators 87−45227
Wenger, J. *see* Aegerter, H. 88−54975
Wenger, K. The Austrian electrical power industry—a factor in the public economy in Austria 87−21835
Wenger, R.M. Glass reinforced flame retardant nylon—improved performance for connector applications 85−10829
Wenger, S. Situation control of machine stator cores using electrical measurements 85−32427
Wenger, S. On the impulse voltage testing of coils for high voltage machines 85−32428
Wenger, S. The stator ring test from the viewpoint of measurement technique 86−45351
Wenger, S. Investigations on the determination of overvoltages in switches of HV motors 87−9487
Wenger, S. Impact tests on machine coils 88−17510
Wenger, S. *see* Binder, E. 87−57998
Wenger, S. *see* Bogensberger, P. 87−54496
Wenger, S. *see* Huttner, H. 88−17509
Wenger, S. *see* Musil, R.J. 88−48867
Wenger, S. *see* Reckleff, J.G. 88−75548
Wenger, S. *see* Schopper, E. 86−34015
Wenger, T.R. *see* Lind, A.C. 87−56809
Wengert, R. *see* Theis, D. 86−22229
Wengi Dan *see* Dan Wengi
Wengler, M.J., Woody, D.P. Quantum noise in heterodyne detection 87−47468
Wengler, M.J., Woody, D.P., Miller, R.E., Phillips, T.G. A low noise receiver for millimeter and submillimeter wavelengths 86−2627
Wengler, M.J., Woody, D.P., Miller, R.E., Phillips, T.G. A low noise receiver for submillimeter astronomy 87−20646
Wengler, M.J. *see* Brown, E.R. 86−5314
Wengler, M.J. *see* Buttgenbach, T.H. 88−71067
Wengler, M.J. *see* Woody, D.P. 85−37152
Wengorz, G.G. *see* Schirrmann, B.O. 87−23284
Wengrovitz, M.S., Oppenheim, A., Frisk, G.V. Reconstruction of propagating complex wave fields using the Hilbert-Hankel transform 87−27509
Wengrovitz, M.S., Oppenheim, A.V., Frisk, G.V. Reconstruction of complex-valued propagating wave fields using the Hilbert-Hankel transform 87−27596
Wenham, G.R. The microcomputer in electric utility load and energy forecasting 86−39086
Wenham, S.R., Willison, M.R., Narayanan, S., Green, M.A. Efficiency improvement in screen printed polycrystalline silicon solar cells by plasma treatments 87−9808
Wenham, S.R. *see* Chee Mun Chong 88−31000
Wenham, S.R. *see* Green, M.A. 86−7058, 86−7078, 87−4895, 87−36144, 88−31024, 88−31028
Wenham, S.R. *see* Narayanan, S. 86−45653
Wenham, S.R. *see* Suryanto Hasyim, E. 87−36145
Wenhan Jiang *see* Jiang Wenhan
Wenhao Luo *see* Luo Wenhao
Wenhao Wang, Lawson, J. Estimating the error of an effect in unreplicated 2-level fractional factorial designs 88−49563
Wenhao Wu *see* Wu Wenhao
Wenhu Liu *see* Liu Wenhu
Wenhua Li *see* Liu Demin 88−68461
Wenhua Qin *see* Qin Wenhua
Wenhua Wang *see* Wang Wenhua
Wenhua Zhang *see* Zhang Wenhua
Wenhui Cen *see* Cen Wenhui
Wenhung Lu *see* Lu Wenhung
Wenig, S. *see* Eckardt, V. 85−9096, 85−37947
Wenjie Hong *see* Hong Wenjie
Wenjin Cui *see* Cui Wenjin
Wenjin Zhou *see* Zhou Wenjin
Wenju Chen *see* Chen Wenju
Wenjuan Xu *see* Xu Wenjuan
Wenjuan Zu *see* Zu Wenjuan
Wenjun Zhuang *see* Zhuang Wenjun
Wenk, A. *see* Mosley, V.V.W. 85−8475
Wenk, C.J., Jarvis, H.F., Jr. Design of continuous gain adaptive $\alpha\beta$ trackers for passive sonar application 87−63073
Wenk, R. *see* Teupser, C. 86−65502
Wenkai Shang *see* Shang Wenkai
Wenkang Shi *see* Shi Wenkang
Wenke, G., Gross, R., Meissner, P., Patzak, E. Characteristics of a compact three cavity laser configuration 87−54369
Wenke, G., Patzak, E., Meissner, P. Reliable laboratory transmitter with submegahertz linewidth 86−30783
Wenke, G., Saito, S. Stabilised PSK transmitter with negative electrical feedback to a semiconductor laser 85−56626
Wenke, G., Saito, S. Phase locking of semiconductor lasers using homodyne detection and negative electrical feedback 86−29163
Wenke, G. *see* Elze, G. 85−35768
Wenkui Chen *see* Chen Wenkui
Wenlai Li *see* Li Wenlai
Wenlan Lu *see* Lu Wenlan
Wenlian Li *see* Jiaqi Yu 86−22227
Wenlong Xi *see* Xi Wenlong
Wenlong Zhang *see* Zhang Wenlong
Wenlou Huang *see* Huang Wenlou
Wenlu Zou *see* Zou Wenlu
Wenmiao Song *see* Song Wenmiao
Wenn-Jei Chen, Hu, E., Ping Liang A color vision measurement system—film thickness determination 88−29653
Wennberg, A.K.M., Friedman, L.J., Bozler, H.M. Pulsed NMR using a DC SQUID 85−46071
Wennberg, A.K.M., Ytterboe, S.N., Gould, C.M., Bozler, H.M., Klem, J., Morkoc, H. Electron heating in a multiple-quantum-well structure below 1K 87−6432
Wennberg, A.K.M. *see* Friedman, L.J. 86−36102
Wennekers, P. *see* Smith, R.S. 87−25069
Wenner, E., Oudinot, J.-R. Central electric kitchens with hot areas and cold areas: the balance 88−55740
Wenner, H. Application of the electric energy and other possibilities for the source of energy in the agricultural plants of the German Federal Republic 86−45878
Wennerberg, M. Private ISDN 88−67121
Wennerscheid, E. *see* Essen, H. 86−20830, 87−45238
Wennerstrom, C.H. *see* Smith, A.W. 88−31240, 88−43507
Wennian Li *see* Li Wennian
Wennstrom, U. *see* Kallback, B. 87−6897
Wenocur, D.W., Cham, K.M., Lin, J., Lau, C.K., Fu, H.S. Fabrication and characterization of sub-micron thin gate oxide p-channel transistors with p^+ polysilicon gates 86−47608
Wenocur, D.W. *see* Cham, K.M. 86−41952
Wenocur, D.W. *see* Lau, C.K. 86−41975, 86−47824
Wenqi Gao *see* Gao Wenqi
Wenqi Wu *see* Wu Wenqi
Wenqiang Jiao *see* Jiao Wenqiang
Wenqing Feng *see* Feng Wenqing
Wenqing Shen *see* Shen Wenqing
Wenqing Zhao *see* Zhao Wenqing
Wenquan Pan *see* Pan Wenquan
Wenren Zhang *see* Zhang Wenren
Wenru Chen *see* Chen Wenru
Wensen Zhu, Deka, B.K., Izatt, J.R. A broadly tunable NH_3 Raman FIR laser 88−27027
Wensen Zhu *see* Zhu Wensen
Wenshan Wang *see* Duan Feng 86−58964
Wenshan Wang *see* Wang Wenshan
Wenshou Wu *see* Wu Wenshou
Wensink, B. *see* Errett, E. 87−74271
Wenskus, H. *see* Dalbo, J.M. 85−5799
Wensley, J.H. Very Large Scale Integration and fault tolerance 88−44841
Wensveen, M. *see* Frey, P. 88−61292
Wentai Liu, Cavin, R.K., III Rasterization theory, architectures, and implementations for a class of two-dimensional problems 88−72937
Wentai Liu, Hughes, T., Cavin, R.K. A class of parallel pipelined architectures for real-time image applications 88−41087
Wentai Liu *see* Salama, R. 88−71822
Wentan Wang *see* Wang Wentan
Wentao Wang *see* Wang Wentao
Wentinck, H.M., van den Heuvel, J.C., Geerts, M.J., van Oort, R.C. Determination of the density of states in p-i-p and p-π-p structures of a-Si:H, light and current induced effects 88−12996
Wentinck, H.M. *see* van Oort, R.C. 88−12084
Wenting He *see* He Wenting
Wentworth, L.H. *see* Wolfe, R. 87−11174
Wentworth, R. *see* Botekjaer, K. 87−46476
Wentworth, R.H., Shaw, H.J. Expected noise levels for interferometric sensors multiplexed using partially coherent light 87−18683
Wentworth, R.H. *see* Black, R.J. 87−18612
Wentworth, R.H. *see* Brooks, J.L. 86−22117
Wentworth, R.H. *see* Youngquist, R.C. 88−16126
Wentworth, T.G., Grey, W. Channel Tunnel mains cables are coupled together 88−75176
Wentz, F.J. *see* Schroeder, L.C. 85−38343
Wentz, L.K. NATO/national strategic defense communications systems: interoperability and rationalization— rhetoric or reality 86−23295
Wentzek, L.A. *see* Gottlieb, M.D. 86−38467
Wentzel, C.M. Prototype testers for ASIC verification 87−18252
Wentzel, C.M. Prototype testers for ASIC verification 87−38431
Wentzel, C.S., Labs, W. Online sulfur analyzer quantifies at less than one part/million 88−60942
Wentzel, C.S. *see* Armstrong, R.K. 88−29710
Wentzlau, M. On uniquely and preuniquely k-colourable graphs 87−72940
Wenwang Chen *see* Chen Wenwang
Wenxiang Li *see* Li Wenxiang
Wenxin, Xu., Lin, Xiaolong Lin A new algorithm for the reliability evaluation of computer-communication network 87−28089
Wenxin Zheng *see* Zheng Wenxin
Wenxing Ho *see* Ho Wenxing
Wenxiu Gao *see* Gao Wenxiu
Wenxiu Luo *see* Luo Wenxiu
Wenxiu Zang *see* Zang Wenxiu
Wenxuan Wang *see* Wang Wenxuan
Wenxue Liang *see* Liang Wenxue
Wenyan Luan *see* Luan Wenyan
Wenyan Ui *see* Wehnua Chen 88−58669
Wenyan Yu *see* Yu Wenyan
Wenyao Mei *see* Mei Wenyao
Wenyao Wang *see* Wang Wenyao
Wenyi Mao *see* Mao Wenyi
Wenying Zhou *see* Zhou Wenying
Wenyu Yang *see* Yang Wenyu
Wenyuan Fu *see* Fu Wenyuan
Wenyuan Li *see* Li Wenyuan
Wenyuan Xu, Qiang Lu A new stabilizer design technique for multimachine power systems 88−75038
Wenyuan Xu *see* Xu Wenyuan
Wenz, W. *see* Brucher, K. 88−62182
Wenzel, B. Calculation of harmonic fixed-frequency oscillators 87−23980
Wenzel, B. *see* Forster, H. 88−37755
Wenzel, B. *see* Schiller, S. 85−60588
Wenzel, C. New topology multiplier generates odd harmonics 87−66458
Wenzel, D.J. Customer equipment for radiopaging 87−27872
Wenzel, G. Common signaling system No.7 in the ISDN 86−43440
Wenzel, G. Common channel signaling in the radiotelephony network C of the Deutsche Bundespost 86−43762
Wenzel, G. Central signal transmission in the C network radiotelephone service of the German Post Office 86−69613
Wenzel, G. The CCITT No.7 signaling system in the telephone network of the DPB 87−48825
Wenzel, G. *see* Stoll, A. 85−51918
Wenzel, H. *see* Gerhard, H.-J. 85−42906
Wenzel, R. Optoelectronic point sensors 87−41604
Wenzel, R.G., Telle, J.M. Studies of Stokes generation in XeF-pumped CH_4 87−12571
Wenzel, R.G. *see* Telle, J.M. 87−12572
Wenzel, S.W., Minami, E.R., Huang, J.S., White, R.M. Ultrasonic-oscillator position sensor 88−61688
Wenzel, S.W., White, R.M. A multisensor employing an ultrasonic Lamb-wave oscillator 88−53616
Wenzel, S.W. *see* White, R.M. 87−49680, 88−32974, 88−51101
Wenzel, S.W. *see* Zellers, E.T. 88−47492
Wenzel, W. *see* Auch, W. 88−42108
Wenzel, W. *see* Huson, F.R. 86−31828
Wenzel, W.A. *see* Colvin, J.C. 88−68232
Wenzel, W.A. *see* Xie, W. 87−74615
Wenzelburger, H. *see* Borie, E. 88−19601
Wenzelburger, H. *see* Jodicke, B. 88−25808
Wenzhan Zhang *see* Zhang Wenzhan
Wenzhang Wang *see* Wang Wenzhang
Wenzhen Zhu *see* Zhu Wenzhen
Wenzhi Cao *see* Cao Wenzhi
Wenzhi Niu *see* Niu Wenzhi
Wenzhong Hu, Qingqing Huang Study of the optimal values of d/t for MSFVW delay lines 87−67799
Wenzhong Song *see* Song Wenzhong
Wenzinger, F. Quality control tests for new SF_6 gas 86−47896
Wenzl, H. Aspects of high temperature superconductivity 88−13694
Wenzlaff, R. Economic problems of the biogas electric current production 86−45725
Wenzlawe, D. Nickel-cadmium or lead battery? Start aids 87−78872

Wenzlawe, D.G. Nickel-iron accumulators for electric vehicles 87−79013
Weon Geun Oh, Asada, M., Tsuji, S. Finding of partly occluded skewed symmetry 87−75925
Weon-Gyo Lee *see* Byung-Do Yoon 87−9530
Wepfer, W.J., Oehmke, R.L.T. Computer based data acquisition in the undergraduate lab 87−41397
Wepfer, W.J., Woolsey, M.H. High-temperature fuel cells for power generation 86−26277
Wepfer, W.J. *see* Cikanek, H.A., III 85−53946
Wepfer, W.J. *see* Jeter, S.M. 88−18113
Weppernig, F.-R. System-optimized reactive power management in distribution networks 87−4371
Weppner, M. *see* Young, M. 87−55287
Weppner, W. Electrochemical characterization and preparation of semiconducting materials 86−41684
Weppner, W. Solid-state electrochemical gas sensors 87−70610
Weppner, W. *see* Hotzel, G. 86−44293, 88−22571
Weppner, W. *see* Sitte, W. 86−66246
Wepprecht, C.S. *see* Blue, T.E. 86−25336, 86−50649
Wepster, A. *see* Lameijer, J.N.F. 88−60315
Wepster, A. *see* Ligthart, V.H.M. 85−25946
Wer, O. *see* Ammon, P. 86−67155
Wer, O. *see* Tschernev, R. 85−23283
Werbeck, R. *see* Badertscher, A. 85−64417
Werbeck, R. *see* Macek, R.J. 86−5715
Werbeck, R. *see* Wilson, S.L. 88−29827
Werbeck, R.D. *see* Agnew, L. 86−5717
Werber, K. *see* Sinram, K. 88−68142
Werber, R.F. *see* Satterfield, H.W. 88−51034
Werbickas, J.C. *see* Smith, D.C. 85−45026
Werbizky, G.G., Boyko, S., Haining, F. Circuit packaging for high power in high performance printed circuit boards 86−62910
Werbizky, G.G., Boyko, S., Haining, F.W. Increased power density for high performance printed circuit boards 86−47157
Werbizky, G.G., Haining, F.W. Circuit packaging for large scale integration 86−14712
Werbizky, G.G., Haining, F.W. Logic switching circuits of the past half century [packaging] 87−36499
Werby, M.F. *see* Ayres, V.M. 88−4122
Werby, M.F. *see* Davey, K. 88−40544
Werby, M.F. *see* Kuperman, W.A. 85−64753
Werdecker, W., Aldinger, F. Aluminum nitride−an alternative ceramic substrate for high power applications in microcircuits 85−23889
Werdecker, W., Aldinger, F. High performance aluminum nitride substrate by tape casting technology 86−15243
Werdell, J. Ford discovers the voice information system 85−42155
Werden, B. *see* Dressler, K. 87−71456
Werden, K.van *see* van Werden, K.
Werder, D.J., Pearton, S.J. Annealing behavior of Ga^+ implanted GaAs/AlGaAs observed by transmission electron microscopy 87−60095
Werder, D.J. *see* Menendez, J. 87−1254
Werdon, R. *see* Sliwinski, G. 87−33081
Werdt, R.De *see* De Werdt, R.
Wereley, N.M. *see* Cleveland, D. 87−9255
Weresow, A. T1 network originally planned for voice and data now also provides videoconferencing services 88−41436
Werf, A.van der *see* van der Werf, A.
Werf, J.van der *see* van der Werf, J.
Werf, J.van der *see* van der Werf, J.
Werf, R. Analysis of network disturbances by means of digital oscilloscope with memory 87−12735
Werf, S.Y.van der *see* van der Werf, S.Y.
Werheit, H., Franz, R., Higashi, I. Some optical and photoelectrical properties of $LiAlB_{14}$ 86−54027
Werheit, H., Rospendowski, S. Anisotropy of the electrical conductivity of boron carbide 86−63054
Werheit, H. *see* Franz, R. 86−63017
Werin, S. *see* Eriksson, M. 88−29759
Werkelin, J. Festival with extra 'perks' for an exclusive audience [stereo television] 88−41806
Werkhoven, P., Toet, A. The estimation of displacement vector fields by means of adaptive affine transformations 87−48173
Werkmann, H.J. Turnkey flue-gas desulphurization plants for coal-fired power stations abroad 87−15497
Werkmann, H.J., Iloff, F.K. Retrofitting the Frimmersdorf and Neurath power plants with flue-gas desulphurization systems 87−30346
Werkmann, K.D. *see* Gebhardt, P.J. 88−4487
Werko, J.R. *see* Ziesse, N.G. 85−54682
Werkowitz, E.B. Speech I/O for tactical aircraft: results of two studies 85−9339
Werle, H. Hydrodynamic visualization of the flow around a streamlined cylinder with suction. Cousteau-Malavard turbine sail model 85−9265
Werlen, M. A lead-liquid scintillator electromagnetic calorimeter for direct photon physics 88−68270
Werlen, M. *see* Bene, P. 88−56532
Werlen, M. *see* Bonesini, M. 88−23001, 88−29823, 88−61141
Werlich, H., Sincerbox, G., Yung, B. Fabrication of high efficiency surface relief holograms 85−35913
Werlich, H. *see* Kran, A. 85−10659
Werlich, H.W. *see* Sincerbox, G.T. 85−2435
Werling, U., Renk, K.F., Wan Chong-Yi Tuning characteristics of a high pressure CO_2 laser pumped CH_3F Raman laser 86−63753
Werling, U., Wan, C.-Y., Renk, K.F. Efficiency of a high pressure CO_2 laser pumped CH_3F Raman laser 86−68439
Werling, U., Wan Chong-Yi, Renk, K.F. Tuning characteristics of a UV preionized 20-atmospheres CO_2 laser 85−56499
Werling, U. *see* Chong-yi Wan 85−29760
Werling, U. *see* Moser, K. 85−7325
Werman, M., Peleg, S. Multiresolution texture signatures using min-max operators 85−30378
Werman, M., Peleg, S. Min-max operators in texture analysis 86−23127
Werman, M., Peleg, S. Halftoning as optimal quantization 87−48210
Werman, M., Peleg, S., Rom, H. A unified approach to the change of resolution: space and grey level 88−66677
Werman, M., Wu, A.Y., Melter, R.A. Recognition and characterization of digitized curves 87−47944
Werman, M. *see* Peleg, S. 87−48242
Wermer, C. *see* Giddings, J.J. 85−1537
Wermer, C.L. *see* Logan, J.S. 85−6007
Wermes, N. *see* Bernstein, D. 85−15253
Wermser, D. Unsupervised segmentation by use of a texture gradient 85−36447
Wern, H. *see* Peiter, A. 87−52247
Werndli, J. Connection of data terminals to the Swiss public telecommunication networks 86−59488
Werndli, J., Pfeiffer, H. The telex adapter unit TAG 88−59506
Wernecke, W. *see* Beer, F. 85−53770
Wernekinck, E., Kawamura, A., Hoft, R. A high frequency AC/DC converter with unity power factor and minimum harmonic distortion 87−78784
Werner, A., Kunst, M. Influence of light-induced defects in hydrogenated amorphous silicon on charge carrier dynamics 85−23456
Werner, A., Kunst, M. Influence of preparation conditions on charge carrier dynamics in a-Si:H determined by an in-situ technique 87−17739
Werner, A., Kunst, M. Transient photoconductivity in amorphous silicon 88−14010
Werner, A., Kunst, M. Electron and hole kinetics in amorphous silicon 88−25907
Werner, A., Kunst, M. Electron and hole dynamics in amorphous silicon 88−71314
Werner, A., Kunst, M., Beck, G., Christen, J., Weimann, G. Charge-carrier dynamics in GaAs multiple quantum wells determined by contactless photoconductivity measurements 87−11408
Werner, A., Kunst, M., Beck, G., Lilie, J., Tributsch, H. 'In situ' measurements of the transient photoconductivity in *a*-Si:H 86−2927
Werner, A., Kunst, M., Konenkamp, R. Influence of light-induced effects in a-Si:H on generation and decay of excess charge carriers 87−74908
Werner, A. *see* Bimberg, D. 86−63073
Werner, A. *see* Kunst, M. 86−2916, 86−47333 to 47334, 87−26184, 88−6517
Werner, A. *see* Menezes, S. 85−12066
Werner, B. *see* Pitt, E. 88−36526, 88−61121
Werner, B.M. Thermography in electronics 85−58554
Werner, C. Fast sector scan and pattern recognition for a CW laser Doppler anemometer 86−18566
Werner, C. Process and device simulations in microelectronics 87−6887
Werner, C. Detecting defects in the environment 88−16934
Werner, C., Kuhnert, R., Risch, L. Optimization of lightly doped drain MOSFETs using a new quasiballistic simulation tool 85−50590
Werner, C. *see* Hansch, W. 87−25317
Werner, C. *see* Hofmann, K.R. 85−45694, 85−50567
Werner, C. *see* Jacobs, H. 87−6923
Werner, C. *see* Kircher, R. 87−6757
Werner, C. *see* Kuhnert, R. 85−50535
Werner, C. *see* Lehmann, F. 86−12154
Werner, C. *see* Miura-Mattausch, M. 87−67258
Werner, C. *see* Orlowski, M. 88−7611
Werner, C. *see* Rosner, W. 88−71587
Werner, C. *see* Schutz, A. 85−50589
Werner, C. *see* Schwiesow, R.L. 87−71301
Werner, C. *see* Strzempa-Depre, M. 87−18348, 87−60644
Werner, C. *see* Tielert, R. 85−6299
Werner, C. *see* Weber, W. 85−18348, 87−53567
Werner, Ch. *see* Wiesemann, W. 85−43468
Werner, C.L. *see* Evans, D.L. 86−44765
Werner, C.L. *see* Farhat, N.H. 85−8450
Werner, C.L. *see* Li, H.-J. 88−4610
Werner, D. The table-top computer in measurement data collection 85−47870
Werner, D. Stringent reliability requirements on the Mellach-Graz district heating piping system in Austria 88−30542
Werner, D. *see* Lunnen, R.J. 85−57037
Werner, D. *see* Meier, R. 85−21239
Werner, D.H., Ferraro, A.J. Steerable ELF/VLF radiation produced by an array of ionospheric dipoles generated from HF heating 88−14524
Werner, D.J. *see* Hearn, E.W. 87−11504
Werner, E. Infrared techniques: speaking pictures wireless exhibition guide 85−31044
Werner, E. Stability studies in electro-acoustic transducers with piezo film membranes 85−56062
Werner, E. On the dynamic range of hearing with headphones 86−44052
Werner, E. *see* Bucher, N.M. 85−9337
Werner, E. *see* Hibbing, M. 85−30928
Werner, E. *see* Rutschke, W. 87−71431
Werner, F. 'Intellisplays'−LED displays of the future 85−56450
Werner, F. Experiences with the use of electric delivery vans 85−65543
Werner, F. Simple temperature compensation for silicon IC pressure sensors 88−22535
Werner, F. On the quasi-convexity of a special job shop scheduling problem 88−31661
Werner, F. Several neighbourhood graphs for the development of suitable iterative methods for an approximate solution of a special permutation problem 88−38086
Werner, F. *see* Koppendorfer, W. 86−42181
Werner, F.-J. Self-monitoring strategies in microelectronic automation structures in plants of the electric power supply 85−21084
Werner, G. *see* Hart, H. 85−62302
Werner, H. Multivariate Pade approximation 86−46245
Werner, H. *see* Heidt, F.D. 87−63561
Werner, H.-G. Mains-independent digital multimeter 85−26391
Werner, H.-P. Computer-assisted training of inspectors of materials 86−13324
Werner, H.-P. The use of video-graphic printers in metallography 88−60474
Werner, H.G.A. Steam turbines−maintenance to upgrade performance 86−61362
Werner, H.T. Ergonomic laws for the photovoltaic industry 87−43921
Werner, J. Japanese trends in system design. I. Custom and semicustom ICs 85−18454
Werner, J. Japanese trends in system design. II. Advanced computer-aided design tools 85−22593
Werner, J., Levi, A.F.J., Tung, R.T., Anzlowar, M., Pinto, M. Origin of the excess capacitance at intimate Schottky contacts 88−25969
Werner, J., Melchior, H. Zinc-diffusion in GaAs using a sintered ternary source 87−53358
Werner, J., Melchior, H., Guekos, G. Stable optical picosecond pulses from actively mode-locked twin-section diode lasers 88−27144
Werner, J., Ploog, K. Interface states at Au/GaAs Schottky contacts 87−11445
Werner, J., Tung, R.T., Levi, A.F.J., Anzlowar, M. Admittance measurements at epitaxial and nonepitaxial silicide Schottky contacts 88−39145
Werner, J. *see* Eisele, D. 87−31006
Werner, J. *see* Hromadko, G.F. 85−1644
Werner, J. *see* Liehr, M. 87−73986
Werner, J. *see* Madenach, A.J. 87−9819
Werner, J.-J. An echo-cancellation-based 4800 bit/s full-duplex DDD modem 85−14004
Werner, J.-J. *see* Mueller, M.S. 85−57348
Werner, J.-J. *see* Wang, J.-D. 88−41452
Werner, J.J. Effects of channel impairments on the performance of an in-band data-driven echo canceler 85−36815
Werner, J.J. *see* Cioff, J.M. 85−36045
Werner, J.J. *see* Harman, D.D. 88−45730
Werner, J.J. *see* Lawrence, V.B. 85−25620, 85−42118
Werner, J.S. *see* Volbrecht, V.J. 88−47638
Werner, K., Springer, T., Duppich, J. The new neutron guide laboratory at the FRJ-2 (DIDO) reactor in Julich 86−5741
Werner, K. *see* Heinecke, H. 87−10417, 87−44321
Werner, K. *see* Holtz, J. 87−22573
Werner, K.-H. *see* Holtz, J. 88−30883
Werner, K.H. *see* Holtz, J. 87−64207
Werner, M. *see* Barsotti, E. 88−54403
Werner, M. *see* Berkes, B. 86−50276
Werner, M. *see* Brehm, H. 87−56016, 88−72731
Werner, M. *see* Byrum, K. 88−48020
Werner, M. *see* Lesyna, L. 88−29623
Werner, M. *see* Lo, Y.-H. 86−53652
Werner, M. *see* Lo, Y.H. 88−38200
Werner, M. *see* Wu, M.C. 88−27157
Werner, M. *see* Wu, Y. 85−2342
Werner, M. *see* Wu, Y.H. 87−33157
Werner, M. *see* Yao-Hwa Wu 85−2297, 86−21174
Werner, M.J. *see* Minghuang Hong, J. 86−15701
Werner, M.W. *see* Thompson, M.A. 88−61184
Werner, P. Resonance phenomena in cylindrical waveguides 87−26899

Werner, P. Aperiodic electromagnetic waves in cylindrical waveguides 87—26900
Werner, P. Resonance phenomena in acoustic and electromagnetic waveguides 87—52797
Werner, P. *see* Katuscak, S. 88—36082
Werner, P. *see* Morgenrother, K. 88—58923
Werner, R. Cycles in the structural graph of a finite acyclic digraph 87—31399
Werner, R., Wetzel, R. Complementary pivoting algorithms involving extreme rays 85—54303
Werner, R., Zufferey, C. The track to train radio communication system of Swiss federal railways 88—35385
Werner, S.A. High-speed digital test technology 86—17801
Werner, T. Simulation of data transmission systems 87—39559
Werner, T., Tidecks, R., Johnston, B.D. Whiskers from the In-Pb system: growth, handling and characteristic properties 86—28732
Werner, W. Polynomial interpolation: Lagrange versus Newton 85—5938
Werner, W. Digital TV pictures in optical fibres 86—24093
Werner, W. Iterative solution of systems of nonlinear equations based upon quadratic approximations 86—40672
Werner, W., Doeldissen, W., Heidrich, H., Hermes, Th., Hoffmann, D., Saniter, J., Schmidt, F. Single-mode star couplers for optical switching applications 86—42326
Werner, W. *see* Bunning, H. 88—45090
Werner, W. *see* Burmeister, M. 87—76374
Werner, W. *see* Gottschalk, P.A. 85—43736
Werner, W. *see* Hermes, T. 86—11120
Werner, W. *see* Junginger, H. 87—59983, 88—1126
Werner, W. *see* Schneider, C. 86—66772
Werner, W. *see* Van Der Hoek, M.J. 86—60460, 86—60658
Werner, W.L. *see* Smith, G.F. 88—34438
Werner, W.M., Linssen, A., Gonauser, E., Kaiser, H., Eggers, H., Rehaber, E. ESPRIT Project No. 281: Submicron Bipolar Technology II 88—71752
Werner, W.M., Schon, K.R., Delker, K., Glasl, A., Wiesinger, K. A 3 ns access time 4K bit ECL RAM with an optimized cell design 88—12380
Werner, Z., Kozlowski, T., Piekoszewski, J., Pochrybniak, C., Gebalski, S., Langner, J., Sulik, A. Hydrogen plasma pulse alloyed semiconductor junctions 86—28016
Werner, Z. *see* Langner, J. 86—28170
Werner, Z. *see* Piekoszewski, J. 86—28163
Werner-Erichsen, O. *see* Nimmersjo, G. 88—55083
Wernersson, A. On compound effects between vision, radar and motion 88—3236
Wernersson, A. *see* Jonsson, T. 87—49198
Wernersson, A. *see* Kloor, P. 88—61700
Wernerus, H.M. Sea water desalination plant Ez-Zuetina 86—57067
Werness, S. *see* Gioutsos, T. 87—63042
Werness, S.A. Statistical evaluation of predictive data compression systems 87—75862
Werness, S.A.S. Application of predictive compression methods to synthetic aperture radar (SAR) imagery 87—33792
Werness, S.A.S. Application of predictive compression methods to synthetic aperture radar imagery. I 88—28943
Werness, S.A.S. Application of predictive compression methods to synthetic aperture radar imagery. II 88—28944
Wernet, M.P. Four spot laser anemometer and optical access techniques for turbine applications 87—70820
Wernet, M.P., Edwards, R.V. Implementation of a new type of time-of-flight laser anemometer 86—36615
Wernet, M.P., Edwards, R.V. Real time optical correlator using a magnetooptic device applied to particle imaging velocimetry 88—41005
Wernick, J.H. *see* Lin, L.-J. 88—64240
Wernick, M.N. *see* Morris, G.M. 85—51721, 86—3941
Wernicke, F.C. *see* Berger, R. 85—17406
Wernicke, F.C. *see* Heimeier, H.H. 85—5768
Wernicke, F.C. *see* Klein, W. 85—17401
Wernicke, R. Barrier layer dielectrics 86—41997
Wernicke, R. *see* Mauczok, R. 85—45261
Wernik, M., Corn, R., Minzer, S.E., Luderer, G.W.R., Nelson, G.A., Goldstein, B., Vickers, R. Panel: network architectures for future services 88—59839
Wernik, M. *see* Vickers, R. 88—53104, 88—59931
Wernik, M.R. *see* Kahn, D.A. 87—73847
Wernikowski, T. *see* Samelson, H. 88—65792
Werninck, E.H. An ultra reliable and versatile range of induction motor drives developed by coherent design of motor and controller 87—15774
Werninck, E.H. Electric motor drives 87—16084
Wernli, M.A. The choices in designing a fiber-optic network 86—64963
Wernsman, B., Ranea-Sandoval, H.F., Rocca, J.J., Mancini, H. Generation of pulsed electron beams by simple cold cathode plasma guns 87—17591
Wernsman, B. *see* Rocca, J.J. 86—42479, 88—8150
Wernstedt, J. *see* Otto, P. 88—26400
Wernstedt, J. *see* Tischmeyer, M. 86—44666
Wernz, H. *see* Bambach, W. 86—11112
Weron, A. *see* Cambanis, S. 87—51951
Werra, D.de *see* de Werra, D.
Werren, L. Synchronous machine with 2 three-phase windings, spatially displaced by 30°EL: commutation reactance and model for converter performance simulation 87—42890
Werres, C., Vescan, L., Beneking, H. Noise in epitaxial silicon bulk unipolar diodes 87—53463
Werres, C. *see* Schumacher, H. 86—42427
Werres, W. Energy consumption of medical equipment in a university 86—6014
Werronen, A.P., Frey, M.J. Supply independent active bias circuit 85—22629
Werschulz, A.G. Complexity of indefinite elliptic problems 86—52404
Werschulz, A.G. *see* Kowalski, M.A. 85—60906
Werse, E. *see* Brandt, E. 86—51077
Wersing, W. Composite piezoelectrics for ultrasonic transducers 87—53781
Wersing, W., Schnoller, M., Wahl, H. Monolithic multilayer piezoelectric ceramics 86—68070
Wersing, W., Schnoller, M., Wahl, H. Multilayer piezoelectric ceramic actuators 87—53845
Werskey, G. Engineering people: how Japanese electronics firms train their engineers 88—24386
Werson, M.J. *see* Paraskeva, M. 85—9924
Werst, M.d., Brinkman, W.G., Spann, M.L. Fabrication of a compensated pulsed alternator of a compensated pulsed alternator for a rapid fire railgun system 87—26723
Werst, M.D. *see* Pratap, S.B. 87—19168
Werszko, M. Pneumatic intracranial pressure transducer: design and accuracy analysis 88—4882
Wert, H.P.J.M.de *see* de Wert, H.P.J.M.
Wert, J. *see* Brucker, G.J. 87—31875, 88—24969
Wert, J.L. *see* Criswell, T.L. 88—26493
Wert, J.L. *see* Oberg, D.L. 88—26291
Werter, M.J. Digital filter sections which suppress subharmonics for discrete-time periodic input signals with period *P* or a divisor of *P* 86—67420
Werter, M.J. Suppression of subharmonics in digital filters for discrete-time periodic input signals with period P or a divisor of P 87—47814
Werter, M.J. *see* Tirtoprodjo, S. 86—1204
Wertgen, W., Jansen, R.H. Spectral iterative techniques for the full-wave 3D analysis of (M)MIC structures 88—71095
Wertgen, W. *see* Jansen, R.H. 88 —32458
Werth, D. CO$_2$ lasers in plastics production 85—56908
Werth, D.L. Laser welding of thermally sensitive alloys 85—41538
Werth, D.L. The laser/robot combo 85—56913
Werth, G. Ion storage techniques for frequency standards 85—48046
Werth, G. Ion traps as frequency standards 85—58807
Werth, G. Ion traps and frequency standards 86—60312
Werth, G. *see* Knab, H. 85—58808, 86—24657
Werth, J. Reflow soldering with vapor phase and infrared: a comparison 85—34362
Werth, K. *see* Burkhardt, T. 85—48576, 85—59704
Werth, W.F. Fiber optic applications in HF communications 85—63678
Wertheimer, H.P. *see* Pfeifer, J.L. 86—50085
Wertheimer, M.R. *see* Andrianjohaninarivo, J. 88—26568
Wertheimer, M.R. *see* Brebner, J.L. 86—6995
Wertheimer, M.R. *see* Gamez-Garcia, M. 87—25636, 87—25659, 87—53759
Wertheimer, M.R. *see* Garcia, M.G. 85—29401
Wertheimer, M.R. *see* Lamontagne, B. 87—60331
Wertheimer, M.R. *see* Paquin, L. 86—472
Wertheimer, M.R. *see* Pelissou, S. 87—18381, 88—71848
Wertheimer, M.R. *see* Ramu, T.S. 85—29356, 87—18356 to 18357, 87—18386
Wertheimer, M.R. *see* Sapieha, S. 85—29385
Wertheimer, M.R. *see* Tessier, Y. 87—16692, 88—31824
Werthen, J.G., Hamaker, H.C., Ford, C.F. High efficiency, large-area GaAs solar cells 86—7153
Werthen, J.G., Hamaker, H.C., Virshup, G.F., Ford, C.W. 18.7% efficient (1-sun, AM0) large-area GaAs solar cells 85—44165
Werthen, J.G., Virshup, G.F., Ford, C.W., Lewis, C.R., Hamaker, H.C. 21% (one sun, air mass zero) 4 cm^2 GaAs space solar cells 86—33645
Werthen, J.G., Virshup, G.F., Ford, C.W., Lewis, C.R., Hamaker, H.C. 2×2-cm^2 GaAs space solar cells with 21% conversion efficiency (one-sun, AM0) 87—4932
Werthen, J.G. *see* Chung, B.-C. 88—37379, 88—55619
Werthen, J.G. *see* Hamaker, H.C. 86—13030, 87—4937, 87—43466, 88—37500
Werthen, J.G. *see* Lewis, C.R. 85—10099, 85—33449, 87—9759, 87—43465, 87—72403, 88—5869, 88—62614
Werthen, J.G. *see* Partain, L.D. 88—37603
Werthen, J.G. *see* Virshup, G.F. 86—26279, 87—9768
Werthenbach, R. *see* Baumgart, R. 87—71032
Werther, B. Molded thermoplastics for pin grid array chip packaging 87—10175
Werthimer, D., Brady, R., Berezin, A., Bowyer, S. A search for narrow band signals with SERENDIP II: a progress report 88—35622
Werthschutzky, R. *see* Chemnitz, G. 85—3952
Werthschutzky, R. *see* Loffler, F. 87—56635, 88—4382
Wertich, A. Electricity supplies for the new ZDF production centre [TV] 85—48582
Wertsch, J.J. *see* Maalej, N. 88—68346
Wertz, O.D., Pech, J.W., Cook, S.D., Buskies, U., Becker, B. Combined cycle power generation utilizing the PRENFLO coal gasification technology 86—61340
Wertz, V. *see* Bastin, G. 86—6500
Werwick, V.P. Racks, cabinets, and enclosures sport new features 88—175
Werwick, V.P. Cooling hardware removes heat from cabinets 88—11756
Werwick, V.P. Versatility, flexibility are essential when selecting enclosures and cabinets 88—37977
Werwoerd, W.B. Assembly automation; what degree of flexibility can be achieved 88—156
Werz, S. The way to a better TV picture [film processing for TV transmission] 88—67512
Wesch, M. *see* Benez, H. 87—48407
Wesch, W., Gotz, G. Rapid annealing of ion-implanted GaAs 86—53532
Wesch, W., Gotz, G., Ressel, P., Stock, D., Unkroth, A. Pulse laser induced recrystallization and dopant incorporation in ion implanted GaAs layers 86—41687
Wesch, W. *see* Sandow, E. 85—18165
Weschler, C.J. *see* Schubert, R. 86—62896
Weschta, A. Operating point stability of the frequency controlled synchronous machine with permanent magnet excitation 85—5065
Weschta, A. Measuring rotary speed and angular position with an AC tachogenerator 85—20605
Weschta, A. Influence of thyristor-controlled reactors on harmonics and resonance effects in power supply systems 85—38448
Weschta, A. Damper windings of a permanent magnet synchronous servomotor 85—39027
Weschta, A. Exciter field weakening of a permanent magnet synchronous machine 85—43943
Weschta, A. Pulse-controlled current-source inverters with turn-off semiconductor devices 88—69572
Weschta, A. *see* Pauly, D. 85—27696
Weschta, A. *see* Pfaff, G. 85—10074
Weschta, A. *see* Salzmann, T. 88—30881
Wescott, M.C. *see* Houstis, C.E. 86—43365
Weseler, S. *see* Drescher, A. 86—70324
Weseler, S. *see* Heller, R. 85—43301
Weseloh, W.N. *see* Curry, R.D. 87—37080
Weselucha, Z. *see* Krawczyk, A. 88—62291
Wesemael, D. Commercial aspects of ISDN: the market forces 88—59824
Weseman, M. University-based continuing education at National R&D Laboratories 87—23155
Wesemann, W. The telephone partner is always accessible [voice mail] 88—21563
Wesemann, W., Rassow, B. Automatic infrared refractors—a comparative study 88—4887
Wesemann, W. *see* Kusel, R. 85—64550
Wesenbeeck, M.P.N.van *see* van Wesenbeeck, M.P.N.
Wesenberg, R.L. *see* Hummel, R.H. 86—12052
Weser, A. Photoradiometry and photothermography as monitoring procedures in combustion research and firing practice 85—38810
Weser, A. Using thermography in the scientific technique of combustion 88—17387
Wesgate, C.R. *see* Andreou, A.G. 85—45714
Weske, K. *see* Henke, H. 85—42410
Weskott, D. *see* Herbrich, H. 85—7391
Weskott, D. *see* Krause, E. 86—13207
Weslake-Hill, I. Solar-powered vehicle body design (the Sunrider project) 87—58413
Wesley, J.T., Behof, A.F. Optical diffraction pattern measurements using a self-scanning photodiode array interfaced to a microcomputer 87—77271
Wesling, P.B. Thermal characterization of a 149-lead VLSI package with heat sink 88—49544
Wesly, E.J. *see* Bjelkhagen, H.I. 88—20797
Wesner, F., Braun, F., Fritsch, R., Hofmeister, F., von Mark, E., Noterdaeme, J.M., Puri, S., Soll, M., Steinmetz, K., Wedler, H. ICRH components for ASDEX and WVII 85—30101
Wesner, F. *see* Koppendorfer, W. 86—42181
Wesner, F. *see* Schminke, W. 88—69299
Wesner, W. *see* Miller, S.L. 87—50417
Wesolaski, G. *see* Elkind, T. 88—70783
Wesolowicz, K.G., Sampson, R.E. Laser radar imaging sensor for commercial applications 88—28979
Wesolowska, C. *see* Wiktorsczyk, T. 85—28739
Wesolowski, K. On the performance and convergence of the adaptive canceller of intersymbol interference in data transmission 85—19305

Wesolowski, K. On the performance and convergence of the adaptive canceller of intersymbol interference in data transmission 85–47019
Wesolowski, K. An efficient nonlinear digital LS adaptive filter for data transmission over time-variant channels 87–916
Wesolowski, K. An efficient DFE & ML suboptimum receiver for data transmission over dispersive channels using two-dimensional signal constellations 87–40115
Wesolowski, K. Efficient digital receiver structure for trellis-coded signals transmitted through channels with intersymbol interference 88–15313
Wesolowski, K. Performance of the receivers of trellis-coded data signals transmitted through HF channels 88–46874
Wesolowski, K. Application of microprocessor systems in modems of telephone lines 88–50064
Wesolowski, K., Proakis, J.G. A simplified two-stage equalizer with a reduced number of multiplications for data transmission over voiceband telephone links 85–14005
Wesolowski, K. *see* Kachlicki, Z. 85–57815
Wesolowski, P. Some practical problems of displacement and strain measurement by incoherent superposition of interferograms 85–58901
Wesolowski, P. Some aspects of numerical in-plane strain analysis by reflection holography 86–9987
Wesolowski, P. *see* Fuzessy, Z. 86–22550
Wesolowski, P.J. Investigation of the model of hydraulic press by means of holographic interferometry 85–56880
Wesolowski, R. 5760 MHz power-amplifier using the YD 1060 88–25032
Wesolowski, S.P. *see* Jones, R.E., Jr. 85–1278
Wesolowsky, G.O. *see* Drezner, Z. 86–13658
Wess, T. *see* Joetten, R. 86–6253
Wess, T. *see* Ranade, S.T. 87–30000
Wess, T. *see* Schierling, H. 87–64578
Wessale, J.L. *see* Bourland, J.D. 86–70435
Wessale, J.L. *see* Kallok, M.J. 86–60825
Wessblad, R. *see* Eklundh, J.-O. 87–48223
Wessel, F.J., Felber, F.S. High power RF from a laser photocathode generator 85–23336
Wessel, F.J., Wild, N.C., Fisher, A., Rahman, H.U., Ron, A., Felber, F.S. Faraday rotation in a multimode optical fiber in a fast rise-time, high magnetic field 87–8717
Wessel, F.J. *see* Felber, F.S. 88–40474
Wessel, R., Theiler, T., Keolmann, F. Pulsed high-power mid-infrared gas lasers 87–46746
Wessel, S., Mackintosh, A., Colbow, K. Annealed single-crystal cadmium selenide electrodes in liquid junction solar cells 85–32708
Wessel, S. *see* Hickman, J. 87–51426
Wessel, S.A., Colbow, K. CdSe electrochemical solar cells: the effect of ion surface treatments 88–17940
Wessel, T. *see* Ceruzzi, A. 87–46716
Wessel, T. *see* Dutta, D.K. 85–35735
Wessel, T. *see* Dutta, N.K. 85–46381, 85–51161, 86–9833, 86–42566
Wessel, T. *see* Wilt, D.P. 85–51195
Wessel, T.H. *see* Henein, G.E. 88–14047
Wessel-Berg, T. Gyroklystrons–a new concept in high power tubes 86–47244
Wesseler, B. Authority is wired [LAN] 85–52068
Wesseling, P. *see* Hemker, P.W. 85–49524
Wesselink, H. Periodic trials of enclosed switching equipment with an operating voltage of 150 kV 86–45604
Wessell, W. *see* Wang, Y. 88–36568
Wessells, G.W. *see* Lowry, R.T. 86–4735
Wesselmann, H.-J. *see* Schrock, W. 88–59770
Wessels, B.W. *see* Baojun Yang 88–38165
Wessels, B.W. *see* Bawolek, E.J. 86–28014
Wessels, B.W. *see* Goodman, C.E. 87–9728
Wessels, B.W. *see* Huang, K. 87–24782, 88–24726, 88–43863
Wessels, B.W. *see* Potts, J.E. 88–34033
Wessels, B.W. *see* Souletie, P. 88–31767, 88–63363
Wessels, B.W. *see* Wang, P.J. 87–247, 88–57362
Wessels, C. Vehicles for overhead contact line maintenance 85–5456
Wessels, G.J., Kirby, M.E. SARSIM–a spaceborne SAR simulation package 87–63059
Wessels, G.J. *see* Raney, R.K. 88–10531
Wessels, J. *see* Kupper, T. 87–64238
Wessels, J. *see* van Doremalen, J. 87–31386
Wessels, P. New horizons in newsgathering 87–63153
Wessels, P.J.J. *see* Janseen, G.C.A.M. 88–57399
Wessely, B. *see* Rohricht, B. 86–27834
Wessely, J. Thermal switch boosts circuit board cooling control 85–45329
Wessler, L.E. Supervision and monitoring systems for communications power plants from remote locations 87–30283
Wessling, B. Digital storage oscilloscope–the heart of a test system 88–42184
Wessnigk, K.-D. Physical causes of inner overcurrents 87–15369
Wesson, J.C. *see* Gioggia, R.S. 88–51889
Wesson, L.N. High-sensitivity photoelastic pressure sensor 88–16164
West, A.K. Dynamic postural measurement system 86–50483
West, A.K., Proctor, D.R., Paloski, W.H., Crosier, W.G. Data acquisition system for vestibular studies abroad Spacelab 87–71090
West, A.N. *see* McLean, G.W. 85–44264
West, A.R. *see* Hunter, C.C. 88–75910
West, A.R. *see* Jackowska, K. 85–60385
West, A.W. *see* Larbalestier, D.C. 85–18597, 85–56148
West, B. VME packaging: a critical system concern 86–66619
West, B.G. *see* Cheeseman, D. 87–8214
West, B.V.C. The birth of a board machine 87–22942
West, C.H. A validation of the OSI session layer protocol 86–64621
West, C.H. Protocol validation by random state exploration 87–28213
West, C.H. *see* Rudin, H. *(editor)* 88–18322
West, C.L. Multiple passband transducers for tone selection from a frequency comb generator 85–45944
West, C.L. *see* Lewis, M.F. 86–15316, 87–6064, 87–46977, 87–53873, 88–20396, 88–51102
West, C.L. *see* Lewis, M.I. 88–41730
West, C.P. Technology and the military [SDI] 87–63064
West, D. Radiation damage to Si diode detectors by 14 MeV neutrons 85–43264
West, D., Lomow, G., Unger, B. Optimising time warp using the semantics of abstract data types 87–40060
West, D.B., Banerjee, P. On the construction of communication networks satisfying bounded fan-in of service ports 88–73591
West, D.L. Logarithmic humidity sensor amplifier 85–44899
West, E.G. Metals or plastics? 88–56331
West, E.H., Liu, K.S., Relyea, W.E., Cash, J.B. Design, operation, and maintenance of a multi-firm shared private network 88–46429
West, G. A fast Mellin-transform 85–22445
West, G. Going microwave with the ARR TR10GA 10 GHz transceiver 88–67220
West, G.A., Beeson, K.W., Gupta, A. Laser-induced chemical vapor deposition of titanium silicide films 86–20087
West, G.A., Gupta, A. Laser-induced chemical vapor deposition of silicon nitride films 85–50441
West, G.A., Gupta, A., Beeson, K.W. CO_2 laser-induced chemical vapor deposition of titanium silicide films 85–61950
West, G.A. *see* Gupta, A. 85–1479
West, G.A. *see* Houlding, V.H. 88–39271
West, G.A.W. A system for the automatic visual inspection of bare-printed circuit boards 85–17951
West, G.A.W., Ellis, T.J., Hill, W.J. Hardware for high speed boundary encoding from large line scanned images 87–20998
West, G.B. *see* Smith, S.L., III 88–10508
West, G.E. A 20 kW, 150 kHz, series resonant AC/DC converter 88–75818
West, G.E. *see* Avant, R.L. 85–61113
West, G.F., Edwards, R.N. A simple parametric model for the electromagnetic response of an anomalous body in a host medium 86–32506
West, G.F. *see* Macnae, J.C. 85–7860
West, G.F. *see* Wong, J. 85–9360
West, H., Weber, M. Further developments in plug connections–pressing technology as an alternative 87–11119
West, J. *see* Binnie, T.D. 85–49578
West, J. *see* Ramaswamy, R.V. 88–65332
West, J.A. New advances in ECL bus designs 88–44151
West, J.A. *see* Hinkle, S.C. 85–10475
West, J.B. *see* MacDowell, A.A. 86–60466, 86–60644
West, J.B. *see* Van Der Laan, G. 87–50199
West, J.C., Demarest, K.R. The radiation characteristics of an arbitrary antenna positioned on a polar ice sheet 88–30140
West, J.E. *see* Busch-Vishniac, I.J. 85–20399
West, J.E. *see* Gross, B. 85–40996
West, J.E. *see* Sessler, G.M. 85–35241, 85–47735
West, J.E. *see* Wang, T.T. 85–24026
West, J.G.W. High power ferrite magnet motors for volume production 85–9923
West, J.G.W. Higher voltage systems for cars 88–49256
West, J.G.W. PM DC motors with series field characteristics 88–62384
West, J.L. Phase separation of liquid crystals in polymers 88–51584
West, J.L. *see* Binnie, T.D. 86–20081
West, K.W. *see* Celler, G.K. 86–34277, 87–17922
West, K.W. *see* Gibson, J.M. 87–17883
West, K.W. *see* Pfeiffer, L. 85–49540, 85–54480, 88–12026, 88–26391
West, K.W. *see* White, A.E. 87–25103, 88–44696
West, L., Stingley, R.M. Californium-252 neutron calibration flux distribution by Monte Carlo simulation 87–21370
West, L. *see* Ham, A. 88–48878
West, L.C. Picosecond integrated optical logic 88–26910
West, L.E. *see* Farmer, J.O. 88–15815
West, L.E., Jr. *see* Cook, A.M., Jr. 87–76999
West, L.J. *see* Schuchman, J.C. 85–9031
West, L.R. *see* Jensen, D.D. 85–23258
West, M. *see* Crabb, R. 85–45319
West, M. *see* Ezquerra, N. 88–10336
West, M. *see* Harman, A. 85–11323
West, M., White, P., Duckers, L., Loughridge, B., Lockett, P., Peatfield, T. *(editor)* Alternative Energy Systems. Electrical Integration and Utilisation. Proceedings of the Conference 85–10338
West, M.D. Current events [surge protection] 85–64989
West, M.D. Hughes Aircraft recovery mission overview 86–60859
West, M.J. *see* Lockett, F.P. 85–15926
West, M.J. *see* Loughridge, B.W. 87–50710
West, M.J. *see* Peatfield, A.M. 85–15918
West, M.J. *see* White, P.R.S. 87–42710
West, M.K. *see* Williams, M.D. 87–63480
West, N.H. *see* Van Vliet, B.N. 87–77601
West, P., Kramar, J., Baxter, D.V., Cave, R.J., Baldeschwieler, J.D. Chemical applications of scanning tunneling microscopy 87–11314
West, P.B. *see* Manaker, A.M. 85–38833
West, P.C. *see* Robinson, R.S. 86–17660
West, P.R., Davis, G.C., Griffing, B.F. Contrast enhanced photolithography: application of photobleaching processes in microlithography 86–63373
West, P.R., Polasko, K.J., Fasoldt, C.L. A metal liftoff process facilitated by the use of contrast enhanced photolithography 87–38405
West, P.R. *see* Griffing, B.F. 85–34753, 85–50647
West, R. An examination of various thermally conductive insulating materials 85–29388
West, R.A. *see* Watanabe, H. 87–8546
West, R.C. *see* Wright, P.M. 86–32509
West, R.E. *see* Copeland, R.J. 85–53863
West, R.G. *see* Dionne, G.F. 86–58671, 87–67731
West, R.H. Temperature dependence of radiation-induced losses in fibre optics 85–7228
West, R.H. Radiation induced losses in pure silica core fibres 88–13848
West, R.H. Interpreting radiation tests on fibre optics 88–20385
West, R.H. A local view of radiation effects in fiber optics 88–33634
West, R.H. Radiation effects on fibre optics 88–72049
West, R.L. *see* Hsia, L.C. 85–29071
West, R.M. *see* Crilly, M.G. 88–53948
West, R.N. *see* Hutchings, S.M. 86–50265
West, R.N. *see* Hutchins, S.M. 87–21504
West, R.S.V. *see* Galloway, S.J. 86–12449
West, R.S.V. *see* Smee, G.J. 87–15305
West, S. Semi-custom LSI design 85–33777
West, S.E., Pylant, J.K. PWB thermal modeling computer tools at Texas Instruments 88–50492
West, W.J. *see* Lieber, A.J. 86–17386
West, W.J. *see* Sleaford, B.W. 86–56040
West, W.L., Jr. Taking mobile out of cellular 85–36950
West, W.P., Thomas, D.M. CW dye laser system for Li-beam spectroscopy in a tokamak 87–2247
Westacott, S.P. A survey of the use of TTNS and Prestel in British schools 88–52807
Westall, F. *see* Taka, M. 87–39708
Westall, F.A., Gleen, K.E., Brownlie, J.D. Interface standards and associated hardware support for WANs 88–41387
Westall, F.A., Lee, D.S.K. Simultaneous transmission of 7 kHz bandwidth speech and data in 64 kbit/s 85–36782
Westall, F.A., Lee, D.S.K. Simultaneous transmission of 7 kHz bandwidth speech and data in 64 kbit/s 85–46700
Westall, I., Taylor, J. Automatic frequency compensation of up and down converters for use in satellite SCPC systems 86–55283
Westall, I.L. Design aspects of high performance receive-only, dual-polarisation 20/30 GHz earth stations 87–40863
Westall, I.L., Anderson, A.S.McK. The Ferranti tactical SHF SATCOM station (MANSAT) 85–25849
Westberg, C.L. *see* Coleman, C.R. 87–59395
Westberg, E. Special enclosures–meeting with technology 86–26634
Westberg, E. *see* Norrman, G. 86–2372
Westberg, G. *see* Nemes, S.M. 86–52711
Westberg, S.K.E. Optimization of geometry described by curves 87–57973
Westbrook, E.M. *see* Naday, I. 88–4865
Westbrook, E.M. *see* Smither, R.K. 88–48122
Westbrook, E.M. *see* Strauss, M.G. 88–42424
Westbrook, G. Mini arrays for CMOS standard products 85–23973
Westbrook, G. Structured custom integrated circuit design methodology 86–66960

Westbrook, G.L. *see* Altman, J.C. 87−50153
Westbrook, J.D. A survey of management practices being used by technical managers 87−23260
Westbrook, L.D. Dispersion of linewidth-broadening factor in 1.5 μm laser diodes 86−9839
Westbrook, L.D. Measurements of dg/dN and dn/dN and their dependence on photon energy in $\lambda=1.5$ μm InGaAsP laser diodes 86−42543
Westbrook, L.D. Optical rise time and frequency chirping predictions for (forward-biased) optical absorption modulators 86−68305
Westbrook, L.D. Properties of quarter-wave-shifted DFB lasers in the presence of a taper 87−54308
Westbrook, L.D., Adams, M.J. Simple expressions for the linewidth enhancement factor in direct-gap semiconductors 87−66900
Westbrook, L.D., Adams, M.J. Linewidth enhancement in quantum-well lasers 88−8186
Westbrook, L.D., Adams, M.J. Explicit approximations for the linewidth-enhancement factor in quantum-well lasers 88−58537
Westbrook, L.D., Henning, I.D., Nelson, A.W., Fiddyment, P.J. Spectral properties of strongly coupled 1.5 μm, DFB laser diodes 85−62564
Westbrook, L.D., MacBean, M.D.A., Rodgers, P.M. Improved figure of merit for noise in avalanche photodiodes 88−58354
Westbrook, L.D., Nelson, A.W., Fiddyment, P.J., Collins, J.V. Monolithic 1.5 μm hybrid DFB/DBR lasers with 5 nm tuning range 85−7436
Westbrook, L.D. *see* Adams, M.J. 85−18955
Westbrook, L.D. *see* Bickers, L. 85−24631, 86−42545
Westbrook, L.D. *see* Devlin, W.J. 86−54137
Westbrook, L.D. *see* Henning, I.D. 85−2387
Westbrook, L.D. *see* Nelson, A.W. 85−12136, 85−29831
Westbrook, M.H. Critical factors in multiplex wiring system development [vehicle wiring] 85−60499
Westbrook, M.H. Sensors for automotive application 86−5228
Westbrook, M.H. Automotive electronics 86−52012
Westbrook, M.H. Transducers for automotive applications 86−70100
Westbrook, M.H. Automotive transducers: an overview 88−76033
Westbrook, M.H. *see* Steffens, W. 86−49937
Westbrook, R.D., Wood, R.F., Jellison, G.E., Jr. Glow-discharge-implanted, thermally annealed, oxide-passivated silicon solar cells of 19% efficiency 87−43415
Westbrook, R.D. *see* Ruckteschler, R. 86−45708
Westbrook, R.D. *see* Wood, R.F. 87−36120, 87−51457, 88−37462
Westbrook, S., Lukaszek, W. A multilevel interconnect test vehicle for wafer scale integration 86−28460
Westbrook, W.T., Jefferson, R.H. Dissolution of samples by heating with a microwave oven in a Teflon vessel for instrumental analyses 86−60373
Westby, M., Sandbu, J., Jahren, R., Asmussen, M. Ovarian radiation dose during dynamic cystourethrography using videorecording and photofluorography 86−60842
Westcott, B.S. Systematic design of a dual offset reflector antenna with an elliptical aperture 85−13327
Westcott, B.S. Generalised aperture synthesis of reflector antennas 88−14506
Westcott, B.S., Brickell, F. General dielectric-lens shaping using complex co-ordinates 87−7603
Westcott, B.S., Brickell, F., Wolton, I.C. Phase and amplitude distributions on plane apertures of dual reflector antennas 87−47327
Westcott, B.S., Graham, R.K., Wolton, I.C. Synthesis of dual-offset shaped reflectors for arbitrary aperture shapes using continuous domain deformation 86−29582
Westcott, B.S. *see* Brickell, F. 85−41756
Westcott, B.S. *see* Mehler, M.J. 85−41721
Westcott, B.S. *see* Viskum, H.-H. 85−41720
Westcott, J., Lauer, G. Hierarchical routing for very large networks 85−30885
Westcott, J. *see* Callon, R. 88−28231
Westcott, J. *see* Lauer, G. 85−42432
Westcott, J. *see* Shacham, N. 87−34446
Westcott, J.C. *see* Crim, H.G., Jr. 86−61399
Westcott, L.W., Rogers, G. Humidity sensitive MIS structure 85−52735
Westcott, M.R. *see* Caporaletti, O. 86−469
Westcott, P.J. Electronic combat: now in the 21st century 87−39403
Westdijk, J.A. *see* Cruts, H.E.P. 87−21606
Westdijk, J.A. *see* van Alste, J.A. 86−32333
Weste, N. Gallium arsenide design and simulation issues−are they any different to silicon? 85−35130
Weste, N., Terman, C., Shrobe, H., Sarrazin, D., Tan, D., Reti, K., Nestler, E., Minsky, H., Corry, A., Cherry, J., Baker, C. The Symbolics Ivory design and verification strategy 88−25275
Weste, N. *see* Baker, C. 88−25276
Weste, N. *see* Edwards, B. 88−25274
Weste, N. *see* Tana, D. 88−19210
Weste, N.H.E. *see* Kollaritsch, P.W. 85−29252, 85−61244
Westenberger, H. Gould 1421 digital storage oscilloscope 85−48010
Westenberger, H. DSO as an intelligent test system [digital storage oscilloscope] 88−42185
Westenbroek, C.J.A. *see* Crandall, T.G. 87−44400
Westenburg, T. *see* Schmidt, D. 87−44960
Westendorf, C.-M. Problems in the processing of imprecise sequences 87−39907
Westendorff, K. *see* Kammler, W. 86−31305
Westenhaver, E.C. A general procedure for low noise feedback oscillator design 87−37059
Westenskow, D.R. Closed loop control of blood pressure, ventilation and anesthesia delivery 87−63800
Westenskow, G.A., Madey, J.M.J. Microwave electron gun 85−11829
Westenskow, G.A. *see* Benson, S.V. 87−2143
Westenskow, G.R. *see* Hopkins, D.B. 88−47835
Wester, K. *see* Bua, D. 87−63815
Wester, M.J. *see* Dingman, S.E. 85−9626
Wester, R., Herziger, G., Schulke, H. High frequency excitation of CO_2 lasers 88−40139
Wester, R. *see* Schulke, H. 88−40279
Westera, W. *see* Fife, A.A. 87−5063
Westerbaan van der Meij, C.J. Silicon technology. VII 87−38342
Westerbaan van der Meij, C.J. Silicon technology. IX 87−38343
Westerbaan van der Meij, C.J. Silicon technology. VIII. Calculating the cost price of an IC 87−46058
Westerberg, G. Laser scanning for cost effective and quick turn-around reticle generation 88−1505
Westerberg, L. Heavy ions in the CELSIUS storage ring in Uppsala 86−32091
Westerberg, L. The new Uppsala accelerator facilities and their experimental programs 88−74667
Westerberg, L. *see* Ekstrom, C. 88−60999
Westerberg, R.K. *see* Jacobson, R.L. 88−37474
Westerberg, R.K. *see* Vernstrom, G.D. 87−72438
Westerdorf, P. *see* Kohl, A. 86−14317
Westerfeldt, C.R., Nelson, R.O., Bilpuch, E.G., Mitchell, G.E. A microcomputer-based system for measuring excitation functions with good energy resolution 88−68174
Westerfield, E.E., Duven, D.J., Warnke, L.L. Development of a Global Positioning System/sonobuoy system for determining ballistic missile impact points 85−31127
Westergaard, J., Olesen, M.C., Knudsen, P., Hansen, N.J.S., Hagemann, K.A., Elbek, B., Borggreen, J. Impedance matching and stabilization of RF resonators 88−53981
Westergren, U. An interactive simulation program for MESFET and TEGFET structures 87−11812
Westerhoff, C.J., Reed, L. Voice systems in US Army aircraft 85−57314
Westerhoff, T. The role of the engineering workstation in test program development 86−5023
Westerhoff, T. Closing the gap between the PC and the mainframe [circuit CAD] 87−36921
Westerhoff, T., DiMino, A. The role of the engineering workstation in test program development 85−42866
Westerhoff, T. *see* Gladstone, B. 85−63963
Westerhoff, T.D. *see* Denyer, P. 86−8167
Westerholt, H. Control technique for switchgear plants 87−4840
Westerholt, H. LSA 678−uniform, self-monitoring secondary functions for switchgear installations 87−51413
Westerholt, H., Breniman, P.E. SF_6 insulated vacuum circuit breaker switchgear for petroleum and chemical applications 85−16168
Westerholt, H. *see* Buurman, E. 86−12986
Westerholt, H. *see* Koch, G. 86−6920
Westerholt, H. *see* Veenstra, H. 88−49071
Westerink, P.H., Biemond, J., Boekee, D.E. Subband coding of images using predictive vector quantization 87−62294
Westerink, P.H., Biemond, J., Boekee, D.E. Subband coding of images using a vector equivalent of DPCM 87−75954
Westerink, P.H., Biemond, J., Boekee, D.E. Image sub-band coding: a quantization error analysis 88−59339
Westerink, P.H., Biemond, J., Boekee, D.E. An optimal bit allocation algorithm for sub-band coding 88−73245
Westerink, P.H., Biemond, J., de Bruin, P.H.L. Digital color image restoration 87−48029
Westerink, P.H., Boekee, D.E., Biemond, J., Woods, J.W. Subband coding of images using vector quantization 88−59016
Westerkamp, D. The influence of motion on the masking of quantization errors in three-dimensional DPCM-coding 85−20344
Westerkamp, J.J., Aunon, J.I., McGillem, C.D., Moser, J.M. Sequential detection of changes in evoked potentials 85−48311
Westerkamp, J.J. *see* Aunon, J.I. 85−48312
Westerlaken, E. Rosin solder flux residues shape solvent cleaning requirements 85−55287
Westerlund, S., Hedakers, G. A snubber capacitor for GTO applications 88−32495
Westerlund, S. *see* Granath, G. 87−11086
Westerman, G. *see* Gupta, P. 87−51889
Westerman, G.R. *see* Magalhaes, F.M. 88−75817
Westerman, J. *see* Salameh, Z.M. 88−23874, 88−48855, 88−48985
Westerman, J.D. *see* Rene, R.M. 86−64249
Westerman, R.A. So your client wants a LAN: your role as advisor 88−28392
Westermann, G. *see* Grob, J. 86−1954
Westermann, H. *see* Winter, G.-G. 85−64493
Westermann, W. Metallized plastic film capacitors−wound or multilayer? II. Conclusion 88−38782
Westermann, W. Metallized plastic-foil-capacitors: winding- or laminating-technique, that is the question 88−50432
Westermeier, H. *see* Druminski, M. 86−36489
Westermeier, H. *see* Thulke, W. 88−65738
Westermeyer, W.E., Johnson, P.A. Marine applications for fuel cell technology 87−36118
Western, A.B. *see* Crummett, W.P. 87−71450
Western, B.E., Benseman, R.F. Testing domestic solar water heaters−the New Zealand experience 86−26308
Western, D.J. Emergency arrangements for CEGB nuclear power stations 88−75261
Western, D.J. *see* Ashworth, F.P.O. 88−10976
Westerveld, J.R., Venemans, P.H.A. A nonhierarchical rural network with decentralized control 88−59492
Westerveld, W.B. *see* Zetner, P. 85−3984
Westervelt, F., Arrathoon, R. Integrated optical pattern recognition device 85−12638
Westervelt, F. *see* Arrathoon, R. 87−12253
Westervelt, R. *see* Marcus, C.M. 88−31975
Westervelt, R.M., Teitsworth, S.W. Nonlinear transient response of extrinsic Ge far-infrared photoconductors 85−51027
Westervelt, R.M., Teitsworth, S.W. Nonlinear dynamics and chaos in extrinsic photoconductors 87−26173
Westervelt, R.M., Teitsworth, S.W., Gwinn, E.G. Chaotic dynamics in Ge photoconductors 87−54170
Westervelt, R.M. *see* Babcock, K.L. 87−23878
Westervelt, R.M. *see* Sacharoff, A.C. 85−54537
Westervelt, R.M. *see* Teitsworth, S.W. 85−18788, 86−63716, 88−14015
Westerwelle, H. Oscar 10: with 10 W into the sky 85−8351
Westerwelle, H. 2 m FM output stage for radio amateurs: 'He-man' II. From 200 mW to 30 W with a hybrid amplifier 85−20319
Westerwelle, H. 'Cellular radio' in an IC 85−45742
Westerwelle, H. Amateur radio: on 70 cm receiver using the synthesizer principle 85−57938
Westerwelle, H. 23 cm linear output stage−from 1 W to 20 W with hybrid amplifier 87−34371
Westerwelle, H. Satellite broadcasting: weather pictures direct into the home 87−62893
Westerwelle, H. For amateurs interested in the weather: weather satellite receiver. I 87−62894
Westerwelle, H. For amateurs interested in the weather: weather satellite receiver. II 87−69880
Westerwelle, H. Weather satellite receiver. III 87−69882
Westerwelle, H. Weather man for radio amateurs. I [Meteosat convertor for VHF receiver] 88−28758
Westerwelle, H. Weather man for radio amateurs. II [Meteosat converter for VHF receiver] 88−28759
Westerwelle, H. *see* Chadwick, P.E. 87−33585
Westerwick, E.H. *see* Feldman, R.D. 87−5401
Westerwick, E.H. *see* Sauer, N.J. 87−73089
Westerwick, E.H. *see* Tennant, D.M. 85−29120
Westfall, C.D., Larason, T.C. Design of a proof-of-concept imaging infrared radiometer 88−74419
Westfall, C.D. *see* Larason, T.C. 88−74414
Westfall, G.D., Yurkon, J.E., Van Der Plicht, J., Koenig, Z.M., Jacak, B.V., Fox, R., Crawley, G.M., Maier, M.R., Hasselquist, B.E., Tickle, R.S., Horn, D. A logarithmic detection system suitable for a 4π array 85−64469
Westfield, F.M. Electric power. Competition or centralization? 88−75091
Westgate, C.R. *see* Andreou, A.G. 85−50504, 87−60466
Westgate, C.R. *see* Christodoulides, D.N. 85−55770
Westgate, C.R. *see* Goel, A.K. 86−53675, 88−44790, 88−44848
Westgate, C.R. *see* Thoma, M.J. 85−1597, 87−38534
Westhofen, B. Enhancing the availability of industrial turbines 86−40316
Westhoven, J.M. *see* Scherer, A.E. 85−53409
Westhuizen, M.van der *see* van der Westhuizen, M.
Westhusing, T.K. *see* Ascoli, G. 88−48018 to 48019, 88−54401
Westin, D. *see* Stiernlof, B. 87−70100
Westin, E. *see* Reif, J. 88−20755
Westin, J. *see* Ramberg, L.P. 88−24728

Westin, J. *see* Rouhani-Kalleh, A. 88—26412
Westin, T. Successful Swedish field test using the integrated digital services network 85—36550
Westin, T. *see* Como, A. 85—3322
Westine, P.S. Wages through the ages: the influence of technology on the standard of living 87—5
Westlake, H.J., Adams, M.J., O'Mahony, M.J. Measurement of optical bistability in an InGaAsP laser amplifier at 1.5 μm 86—3147
Westlake, H.J., Adams, M.J., O'Mahony, M.J. Assessment of switching speed of optical bistability in semiconductor laser amplifiers 86—48395
Westlake, H.J., Adams, M.J., O'Mahony, M.J. Optical bistability in semiconductor laser amplifiers: assessment of switching speed 87—26426
Westlake, H.J., O'Mahony, M.J. Gain characteristics of a 1.5 μm DCPBH InGaAsP resonant optical amplifier 85—18926
Westlake, H.J., O'Mahony, M.J. Bidirectional and two-channel transmission system measurements using a semiconductor-laser-amplifier repeater 87—76730
Westlake, H.J., O'Mahony, M.J. Measured performance of dual-channel and bi-directional transmission through a near travelling wave laser amplifier repeater 88—47135
Westlake, H.J. *see* Adams, M.J. 86—22504, 87—33213
Westlake, H.J. *see* O'Mahony, M.J. 85—25912, 85—56619, 85—63716, 87—13698, 87—68448
Westlake, R.H. *see* Brookner, E. 85—57058
Westland, D.J., Mihailovic, D., Ryan, J.F., Scott, M., Claxton, P.A. Energy relaxation and recombination of hot carriers in GaInAs/InP quantum wells using picosecond time-resolved luminescence spectroscopy 88—19708
Westland, D.J., Mihailovic, D., Ryan, J.F., Scott, M.D. Optical time-of-flight measurement of carrier diffusion and trapping in an InGaAs/InP heterostructure 87—74048
Westling, L.A., Raymer, M.G. Intensity autocorrelation measurements and spontaneous FM phase locking in a multimode pulsed dye laser 86—58895
Westlund, B. *see* Bhattacharyya, A. 87—6591
Westman, E. Marconi's Bristol Channel triumph 87—69584
Westman, T. *see* Silven, O. 87—44043
Westmark, C.I. *see* Domkowski, D.W. 87—33053
Westmark, C.I. *see* Ryan, F.J. 85—26727
Westmark, C.I. *see* Shin, S.H. 85—43220
Westmark, C.I. *see* Stapp, R.S. 88—51673
Westmeier, W. *see* Jackel, B. 88—16640
Westmore, L. Setting the standard for air pressure measurement 85—43129
Westmoreland, H. *see* Moore, R.K. 87—56252
Westney, R.P., Swaby, B.L. Disk drive flat optics: design factors affecting manufacturing and cost in volume 88—33833
Weston, A.D. Wire bonding as a technique for semiconductor device assembly 85—45339
Weston, D. *see* Liaw, H.M. 85—10753
Weston, D.F. *see* Reuss, R.H. 86—21811
Weston, E.T. *see* Kruczynski, L.R. 86—69851
Weston, H.T., Hofstatter, E.A., Atwood, D.K., Bayruns, R.J., Michejda, J.A., Procanik, M.J., Stanik, T.D. 5 GHz, 12 mW NMOS frequency divider 88—56568
Weston, H.T. *see* Bayruns, R.J. 86—55299, 87—18335
Weston, H.T. *see* Comizzoli, R.B. 87—11429
Weston, J., Chiu, P.H., Aubert, R. Ultrashort pulse active/passive mode-locked Nd:YLF laser 87—33133
Weston, J.H. *see* Bradley, G.C. 86—10737
Weston, J.H. *see* Law, A.G. 85—19762
Weston, K.C., Perryman, M.D. A microcomputer robot vision system 87—13990
Weston, N., Ash, R., Carter, A.C. 10-channel integrated wavelength division multiplexer using a monolithic LED array 88—67411
Weston, N. *see* Park, C. 87—40974
Weston, N. *see* Pendleton-Hughes, S. 86—43872
Weston, N.R. Rugged 5-channel multiplexer-demultiplexer for multimode wavelength division multiplexing (WDM) systems 87—48771
Weston, P.E. IC solutions for ISDN 86—54755
Weston, P.E. VLSI solutions [for ISDN] 87—7944
Weston, P.E. The universal ISDN terminal adapter 87—40206
Weston, P.E. *see* Bolaria, S. 86—49339
Weston, P.J. A practical tool for improving production efficiency and quality for the electronics industry 86—13535
Weston, P.M. Development of an integrated system for automated network administration: a case study 88—67067
Weston, R. *see* Wroe, S. 88—4945
Weston, R.C. *see* Breul, H.T. 87—50481
Weston, R.H., Gascoigne, J.D., Hodgson, A., Sumpter, C.M. Systems integration in PCB manufacture 88—71244
Weston, R.H., Sumpter, C.M., Gascoigne, J.D. Industrial computer networks and the role of MAP. I 87—2902
Weston, R.H. *see* Rogers, G.G. 88—5928
Weston, V.H. Recent advances in the theory of inverse scattering with sparse data 85—57004
Westover, D.E. *see* Bradley, P.A. 86—59072
Westphal, A. *see* Mattera, V.D., Jr. 87—21083
Westphal, B.A. *see* Callan, P.C. 85—48871
Westphal, F.-J., Strebel, B. Optical heterodyne image rejection receiver 88—41630
Westphal, F.J. *see* Bachus, E.J. 87—8266
Westphal, G.H. *see* Duncan, W.M. 87—44308, 87—66915
Westphal, G.H. *see* Saunier, P. 86—27623
Westphal, G.P. Instrumental correction of counting losses in nuclear pulse spectroscopy 85—59216
Westphal, G.P. *see* Pepelnik, R. 85—15249
Westphal, J. *see* Bachus, E.-J. 88—60179
Westphal, J.A. *see* Gunn, J.E. 88—4465
Westphal, L. *see* Dahlman, C. 85—22166
Westphal, L.C. Potential throughput increase in ring networks due to ring-division multiplexing 88—59342
Westphal, L.C. *see* Abeysekera, R.M.S.S. 87—29779
Westphal, L.C. *see* Bolton, R.J. 85—59310, 87—21613
Westphal, L.C. *see* Walsh, M.J. 87—14907
Westphal, M. *see* Knaab, H. 86—25812
Westphal, M. *see* Knecht, K. 85—38706
Westphal, M. *see* Wagner, R. 87—12844
Westphal, R., Kessler, A. 35-GHz-Doppler radar for law enforcement agencies in Europe 88—74036
Westphal, R. *see* Kessler, A. 88—28954
Westphal, R.A., Elgerd, O.I., Sullivan, R.L. Improving distribution system performance through static compensation 85—15594
Westphal, T. *see* Klotz, W.-D. 87—29419
Westphalen, R. *see* Fernholz, G. 87—66980
Westrom, A.C. *see* Crooks, W.R. 87—72345
Westrom, A.C. *see* Stewart, J.S. 87—72330
Westrum, A.C., Crooks, W.R. Head off problems with proper fusing 86—45469
Westsik, J.H. *see* Banda, B.M. 85—53579
Westwater, E.R., Wang Zhenui Combined ground-based and satellite remote sensing of temperature and water vapor 86—6118
Westwell-Roper, A. *see* Swann, R. 87—69393
Westwood, A.R.C. Materials for advanced studies and devices 88—43851
Westwood, D. *see* Hill, A.J. 86—53686, 86—63338
Westwood, D.I., Mackey, K.J., Allen, P.M.G., Herrenden-Harker, W.G., Williams, R.H. Microscopic interactions at semiconductor heterojunctions: GaAs-CdTe and InSb-CdTe interfaces 87—37947
Westwood, D.I. *see* Kerr, T.M. 85—39734, 86—52464 to 52465
Westwood, D.I. *see* McLean, T.D. 86—1732, 86—47455, 86—53462
Westwood, D.I. *see* Wood, C.E.C. 87—1388
Westwood, J.T. Soviet SDI countermeasures and counteractions 87—76820
Westwood, T. The FX-computer 85—10353
Westwood, W.D. Reactive magnetron sputtering for protective coatings in microelectronics 87—16656
Westwood, W.D. *see* Este, G. 85—12553, 86—62257
Wetch, J.R., Begg, L.L., Dick, R.S. The application and use of nuclear power for future spacecraft 86—32461
Wetch, J.R., Begg, L.L., Koester, J.K. Static and dynamic high power, space nuclear electric generating systems 86—32489
Wetch, J.R., Rhee, H.S., Koester, J.K., Goodman, J., Maya, I. Gigawatt, closed cycle, vapor core-MHD space power system, conceptual design study 88—61568
Wetch, J.R. *see* Begg, L.L. 85—53856
Wetenkamp, L. *see* Karstensen, H. 85—24266, 85—29636
Weth, G. *see* Ermert, H. 87—71465
Weth, O.v.d. Computer interface for incremental position transducer 85—42978
Wetherell, D.L. *see* Heising, C.D. 88—23684
Wetherhold, E. Practical LC filter design. IV 85—6417
Wetherhold, E. Practical LC filter design. V 85—17615
Wetherhold, E. Practical LC filter design. VI 85—22987
Wetherhold, E. How to build a CW filter for the novice operator. I 85—40161
Wetherhold, E. How to build a CW filter for the Novice operator. II 85—45142
Wetherhold, E.E. A CW filter for the radio amateur newcomer 85—28625
Wetherhold, E.E. Simplified passive LC filter design for the EMC engineer 86—27447
Wetherington, G.R., Jr., Broadway, E.R., Bentz, R.R. The role a development system plays on electrical distribution automation experiments 87—9133
Wetjen, A. *see* Zywietz, C. 85—9214
Wetmore, R.H. *see* Krider, E.P. 88—9710
Wets, R.J.-B. *see* Nazareth, J.L. 87—5345
Wets, R.J.-B. *see* Rockafellar, R.T. 87—5348
Wetsel, G.C., Jr., Aamodt, L.C., Murphy, J.C. Coating thickness determination using photothermal heating 87—70810
Wetsel, G.C., Jr. *see* McDonald, F.A. 86—5106
Wettach, T.C. *see* Smith, W.J. 86—7448
Wette, M., Laub, A.J. Numerical algorithms and software for spectral factorization problems 88—73161
Wettenstein, E.H. *see* Byrd, C.L. 85—53098
Wetter, C.R. *see* Wright, L.D. 86—33546
Wetterau, J.B. Consider design when choosing a communications net 85—36698
Wetterling, S., Ehlert, M. Application specific packaging for video display drivers 87—137
Wetterling, W. *see* Jongen, H.Th. 87—52006
Wetterstroem, A. *see* St. Clair, D.C. 86—50924
Wetterwald, M.J. *see* Lahaye, J. 85—10080
Wettstein, J. Increasing testing and programming capacity of automatic test equipment (ATE) 86—17795
Wetzel, C. *see* Roschmann, P. 87—3940
Wetzel, F.R., Opitz, H.B. Improved energy utilization in electric glass melt systems 85—27905
Wetzel, G.E. *see* Northrup, S.D. 85—122
Wetzel, H. *see* Kunst, M. 88—57290
Wetzel, H.E. *see* Prescher, T. 87—35318
Wetzel, J. *see* Dori, L. 87—67128
Wetzel, J. *see* Moy, D. 88—71796
Wetzel, J.S. *see* Horvath, V.V. 86—31161
Wetzel, J.T. *see* d'Heurle, F.M. 88—44705
Wetzel, J.T. *see* Joshi, R.V. 87—25168
Wetzel, K. SIPMOS transistor feed supply without transformers 85—6149
Wetzel, K. Calling and signalling with the SAE 0700 integrated tone generator 85—21024
Wetzel, K. Temperature measurement with thermistors 86—50037
Wetzel, K. Temperature measurement with NTC thermistors 86—55631
Wetzel, K. Measuring temperature by thermistors 87—41454
Wetzel, K. Using the P430-E14 PTC thermistor to monitor air flows 87—49721
Wetzel, K. SITAC used for automatic voltage switchover from 110 to 220 V 87—52368
Wetzel, K. Automatic switch for mains voltages of 110/220 V 88—49036
Wetzel, K., Hagedorn, H. Evaluation of curved sensor characteristics using personal computers and microcomputers with an NTC thermistor as an example 87—56603
Wetzel, K., Hirschmann, G. Emergency brake. Protection of power transistors in three phase rectifiers 88—31984
Wetzel, K., Kuczynski, L. Hall generators measure power in loads fed from pulse-width modulated sources 86—65226
Wetzel, K., Kuczynski, L. Hall-effect wattmeters 88—29517
Wetzel, K., Schumbrutzki, W. Wider speed range for induction motors thanks to new micro and power electronics components 86—56764
Wetzel, K., Schumbrutzki, W. New control circuit simplifies motor operation 87—30561
Wetzel, L. *see* Adam, E. 85—27257
Wetzel, L. *see* Rassokhin, N.G. 88—36987
Wetzel, P.R. Are there still any electron tubes? 88—38957
Wetzel, P.R. Trends in converter-motor technology 88—55430
Wetzel, P.R. The integration is a trump even in power semiconductors 88—56436
Wetzel, R. *see* Werner, R. 85—54303
Wetzel, S.J. *see* Flores, C.F. 88—9614
Wetzel, S.J. *see* Suh, S.Y. 88—3541
Wetzer, J.M. Spatially resolved determination of plasma parameters of a noble gas linear MHD generator 85—5394
Wetzer, J.M. Microscopic and macroscopic streamer parameters of a noble gas linear MHD generator 85—21843
Wetzer, J.M. *see* Berkers, A.G.W.M. 88—69009
Wetzko, M. Trends in the development of thick-film pastes 85—1195
Wetzl, J. *see* Friedmann, K. 88—1112
Wetzl, R. Measures for NO_x reduction—effects on the control engineering design 86—70812
Wetzl, R., Krone, S. Control technology in desulphurisation plants in hard-coal fired power stations 88—62157
Wetzler, J. Calibration of the equipment for verification of anemometers 86—31716
Wetzler, J. Concerning the calibration accuracy of anemometers 87—14620
Weunschel, B.O. The role of the IEEE in the development of microwave and millimeter standards 88—10114
Wevelsiep, K. Measurement values brought to microelectronic circuits. System aspects when interconnecting sensors with microelectronics 85—40807
Wever, U. Non-negative exponential splines 88—24660
Weverbergh, D. *see* Rasson, J.P. 88—56113
Weverka, R.T. Noncollinear traveling wave electro-optic Bragg cell 88—40001
Weverka, R.T. *see* Chang, I.C. 86—2892
Weverka, R.T. *see* Sabet-Peyman, F. 86—6150
Weverka, R.T. *see* Wagner, K. 87—33301
Wevill, K. Radio modem 87—65946

Wewerka, E.M. Space reactor fuels performance and development issues 85−48400
Wexler, A., Fry, B., Neuman, M.R. Impedance-computed tomography algorithm and system 86−25167
Wexler, A. *see* Ang, A. 86−66941, 87−37684, 88−1120
Wexler, A. *see* Poltz, J. 86−58119
Wexler, A. *see* Xinshan Ma 86−42861
Wexler, B.L. *see* Champagne, L.F. 85−12768
Wexler, B.L. *see* Shipman, J.D., Jr. 87−19021
Wexler, J.P. *see* Davis, L. 85−43398
Wey, A., Peixoto, C.A.O. High di/dt and dv/dt transients on thyristor valves for HVDC power transmission 86−12913
Wey, A. *see* Belico dos Reis, L. 88−68813
Wey, A.C. *see* Chang, P.C. 88−51472
Wey, A.C.T., Bristow, J.P.G., Lukas, G., Keur, M., Sriram, S., Ott, D. Engineering of lithium niobate phase modulators 88−51574
Wey, A.C.T., Bristow, J.P.G., Sriram, S., Ott, D. Electrode optimization of high speed Mach-Zehnder interferometer 88−51575
Wey, A.C.T., Tuan, H.S., Parekh, J.P., Craig, A.E., Lee, J.N. Enhanced-bandwidth MSFVW-optical interaction employing an inhomogeneous bias field 87−60830
Wey, A.C.T. *see* Bristow, J.P.G. 88−51530, 88−51555, 88−53712, 88−65363
Wey, A.H.van der *see* van der Wey, A.H.
Wey, A.H.van der *see* van der Wey, A.H.
Wey, B.O. *see* Orme, S. 86−18939
Wey, C., Lombardi, F. On the repair of programmable logic arrays 86−67186
Wey, C., Lombardi, F. Analysis and design of repairable PLAs 87−66085
Wey, C., Lombardi, F. Efficient, yet simple algorithms for repairing redundant RAMs 87−66194
Wey, C., Vai, M., Lombardi, F. On the design of a redundant programmable logic array (RPLA) 87−37170
Wey, C. *see* Lombardi, F. 86−47727
Wey, C.-L. Comments on 'On a theory of *t*-fault diagnosable analog systems' by S.L. Hakimi and K. Nakajima 87−31626
Wey, C.-L. Design of testability for analogue fault diagnosis 87−46078
Wey, C.-L. On yield consideration for the design of redundant programmable logic arrays 88−51029
Wey, C.-L., Saeks, R. On the implementation of an analog ATPG: the nonlinear case 85−17116
Wey, C.-L. *see* Chan, S.-W. 88−32108, 88−32125
Wey, C.-L. *see* Lombardi, F. 88−4289
Wey, C.L., Lombardi, F. On a new decision process for the *t*-diagnosis of an analog system 86−66903
Wey, C.L., Lombardi, F. On the repair of redundant RAMs 87−37284
Wey, C.L. *see* Jiang, B.L. 86−66971
Wey, C.T., Tuan, H.S., Parekh, J.P., Craig, A.E., Lee, J.N. Nondispersive MSFVW propagation in an inhomogeneously magnetized YIG film 87−67737
Wey, C.T., Tuan, H.S., Parekh, J.P., Craig, A.E., Lee, J.N. Inhomogeneous field MSFVW-optical interaction 88−7958
Wey, C.T. *see* Craig, A.E. 86−36274, 87−7003
Wey, E. Planning prospects for wireless communications 86−16689
Wey, H. The dynamic RAM: a low-cost imaging device 85−42884
Wey, H., Guggenbuhl, W. Low-noise charge detection in CCD imaging devices 85−42883
Wey, H., Zhenhua Wang, Guggenbuhl, W. Correlated triple sampling: a digital low-noise readout-method for CCDs 86−31335
Wey, H.M., Guggenbuhl, W. Noise transfer characteristics of a correlated double sampling circuit 87−11003
Wey, J.P. *see* Neely, W.C. 88−68519
Wey, N. Progress continues in power-tube design 87−1145
Wey, N. GaAs foundries come on line 87−1602
Wey, N. Microwave network analyzer is completely integrated 88−47450
Wey, P. The reverse/supersynchronous convertor drive 86−66373
Wey, R.A. Connectors: trends 87−74715
Wey, R.A. Power meters serve a range of fiberoptic applications 88−4575
Wey Chin-Long *see* Chin-Long Wey
Weyand, G. *see* Schneider, H.-P. 85−58849
Weyand, K. First results of the γ_p experiment at the PTB 85−58850
Weyand, K. First results of the γ'_p-experiment at the PTB 86−24270
Weyand, K. Homogeneous magnetic fields in single-layer solenoids by means of non-uniform current distribution 86−54269
Weyand, K. Low-pass filter in flux transformer circuits for SQUID magnetometers 88−58042
Weyand, K., Willenberg, G.-D. Improved determination of the coil constant in the γ'_p-experiment at the PTB 87−14068
Weyand, K., Willenberg, G.-D. Improved determination of the coil constant in the γ'_p experiment at the PTB 88−16443
Weyand, K., Willenberg, G.D. The proposed ampere experiment at the PTB 85−58796
Weyand, K., Willenberg, G.D. The proposed ampere experiment at the PTB 86−24638
Weyand, K., Willenberg, G.D. Realization of the ampere based on high- and low-field NMR experiments 86−60310
Weyburne, D.W. *see* Palmateer, S.C. 87−65491
Weyel, D. A 'special' event [videotex network application in the National Wheelchair Games] 87−2838
Weyer, H.-J. *see* Cierjacks, S. 85−64470
Weyerer, M., Goldemund, G. Testability of electronic products 87−106
Weyerer, M., Goldemund, G. Are the testers dying? 88−1706
Weyermann, P. The Muhlberg nuclear power station 85−9582
Weyers, M., Putz, N., Heinecke, H., Heyen, M., Luth, H., Balk, P. Intentional *p*-type doping by carbon in metalorganic MBE of GaAs 86−47454
Weyers, M. *see* Heinecke, H. 87−10417, 87−44321
Weyers, M. *see* Putz, N. 86−40741
Weygand, A.G. *see* Dinn, N.F. 86−64428
Weygand, D.P. Artificial intelligence and accelerator control 88−54113
Weygand, D.P. *see* Abola, A. 88−54123
Weygang, A. *see* Andrich, W. 87−40087
Weyher, J.L., Van De Ven, J. Influence of substrate defects on the structure of epitaxial GaAs grown by MOCVD 88−38158
Weyher, J.L., van de Ven, J., de Croon, M.H.J.M., Giling, L.J. Influence of defects in substrates on the structure of epitaxial GaAs-layers grown by MOCVD 88−18054
Weyher, J.L. *see* De Raedt, W. 88−57694
Weyher, J.L. *see* Giling, L.J. 87−23599
Weyher, J.L. *see* van de Ven, J. 87−45780, 87−53183
Weyhmann, W. *see* Dummer, D. 88−9965, 88−22754
Weyl, R., Lischke, B., Kappelmeyer, R., Beck, F. Uses of thermographic analysis in integrated circuits 85−50641
Weyl, R. *see* Dallman, A. 86−14229
Weyl, R. *see* Kollensperger, P. 85−40842
Weyl, R. *see* Lischke, B. 85−62021
Weyland, H.W. Modern test rigs for the vehicle industry 86−45755
Weyland, N., Puckett, E. Optimal reduced binary models for the Gaussian source of fixed precision numbers 87−54898
Weyland, P., Trio, J.M., Ott, H. An automatic experimental set-up for ultrasonic spectrometry 85−37492
Weyman-Jones, T.G. Spot and efficient pricing in non-oil energy markets. Introduction 88−75086
Weymouth, L.J., Brewer, G.A. Bonded resistance strain gage technology solves offshore measurement problems 85−64111
Weymouth, T.E., Moezzi, S. Wide baseline dynamic stereo: approximation and refinement 88−73308
Weymueller, C.R. Know your welding NDT−-selecting the right method 85−28278
Weymueller, C.R. Arc welding robot cures production blahs 85−53987
Weymueller, C.R. Weld, cut, form sheet metal the modern way−use NC equipment 86−13215
Weymueller, C.R. Managing your welding operation. II. Control of materials 87−10136
Weymuth, P. *see* Deotto, T. 85−50867
Weymuth, P. *see* Horvath, I. 85−1935
Weymuth, P. *see* Marinucci, C. 88−65069
Weymuth, P. *see* Pasztor, G. 86−48035, 88−65049
Weymuth, P. *see* Vecsey, G. 85−56231, 87−67975
Weymuth, P. *see* Zichy, J.A. 85−56232, 86−53925
Weymuth, P. *see* Marinucci, C. *(editor)* 86−42668
Weynants, R.R. *see* Van Oost, G. 88−48572
Weyrauch, K., Alemany, A., Guidobono, C., Conde, D. Cardiac and respiratory frequency meter 86−11931
Weyrauch, K. *see* Fernandez, M. 88−29243
Weyrich, C. Role of crystal defects in electronic devices 87−25184
Weyrich, C. *see* Leibenzeder, S. 85−51063
Weyrich, K. *see* Bischoff, M. 86−58345
Weyten, L. On the expected passband ripple of cascade RC active filters with random element variations 86−20705
Wha Chong Jong *see* Jong Wha Chong
Wha Cong Jung *see* Jung Wha Cong
Wha Seo Da *see* Da Wha Seo
Wha Tek Kim *see* Hyung Gon Kim 87−26166
Wha Yang Sung *see* Sung Wha Yang
Wha-Tek Kim, Dong-Geun Park, Kwang-Ho Park, Hyuk-Ryeol Park The single crystal growth of ZnSe(Si) by the chemical transport method 87−16569
Wha-Tek Kim, Yong-Geun Kim, Hyung-Gon Kim, Choong-Il Lee Electroless deposition of ITO thin films 88−44559
Whaetley, C.F., Jr., Ronan, H.R., Jr. Switching waveforms of the L^{2}FET: a 5 V gate-drive power MOSFET 87−67269
Whale, H.A., Putz, E. Beam steering using feed displacement with a paraboloidal reflector 87−12848
Whale, H.A. *see* Murphy, D.R. 85−47001
Whalen, B. Technical requirements for advanced interconnect systems 87−10164
Whalen, B.A. *see* Sagawa, E. 88−36671
Whalen, E. *see* Pissanetzky, S. 88−54307
Whalen, G.C. Federated Department Stores corporate energy program 87−80
Whalen, J. *see* Yue-Hong Sutu 86−27118
Whalen, J.E., Wallace, R., Cooper, D.W., Ashton, S., Becker, E. A simulation model for communication systems 87−34017
Whalen, J.J. Determining EMI in microelectronics−a review of the past decade 86−15946
Whalen, J.J. The probability of EMI upset in buffer-comparator circuits 87−12764
Whalen, J.J. Demodulation FRI statistics for a 3-state op amp LED circuit 88−2642
Whalen, J.J. Demodulation RFI statistics for a 3-stage op amp LED circuit 88−14051
Whalen, J.J. *see* Capraro, G. 88−8502
Whalen, J.J. *see* Ghadamabadi, H. 88−2638
Whalen, J.J. *see* Yue-Hong Sutu 86−15948, 86−29474
Whalen, M. *see* Gioutsos, T. 88−66766
Whalen, M.F., Sproules, H.S., Fulghum, C.B., Gordon, J.H. An automated system using a multivariate waveform classifier for ultrasonic NDE of heat-fused PE pipe joints 85−26924
Whalen, M.S., Divino, M.D., Alferness, R.C. Demonstration of a narrowband Bragg-reflection filter in a single-mode fibre directional coupler 86−53955
Whalen, M.S., Hall, K.L., Tennant, D.M., Koren, U., Raybon, G. Tunable fibre-extended-cavity laser 87−39158
Whalen, M.S., Tennant, D.M., Alferness, R.C., Koren, U., Bosworth, R. Wavelength-tunable single-mode fibre grating reflector 87−18611
Whalen, M.S., Walker, K.L. In-line optical-fibre filter for wavelength multiplexing 85−63637
Whalen, M.S., Wood, T.H. Effectively nonreciprocal evanescent-wave optical-fibre directional coupler 85−29553
Whalen, M.S. *see* Eisenstein, G. 86−11066
Whalen, M.S. *see* Jopson, R.M. 86−29185, 87−46969
Whalen, P.J., Blum, J.B. Thick film adhesion testing: effect of soldering techniques and pad geometry 85−28839
Whalen, P.J., Blum, J.B. Practical adhesion of an Ag-Pd thick film conductor: an acoustic emission study of pull tests. I. Monitoring system and initial adhesion 87−1111
Whalen, P.J., Blum, J.B. Practical adhesion of an Ag-Pd thick-film conductor: an acoustic emission study of pull tests. II. Aged adhesion 87−1112
Whalen, R. *see* Kiraly, R.J. 88−36521
Whalen, S.P. *see* Fox, E.R. 87−17106, 87−31944
Whalen, T. Decision analysis with commensurate ordinal data 85−44590
Whalen, T. Renewal: writing the incumbent proposal 85−54082
Whalen, W.P. *see* Stautberg, J.L. 85−9303
Whaley, H. *see* Rankin, D.M. 86−33168, 87−64421
Whaley, H. *see* Raskin, N.R. 86−32913
Whaley, M.D. *see* Stacey, T.R. 88−68676
Whalin, J.A. *see* Shanley, C.W. 86−42042
Whall, T.E. *see* Barlow, R.D. 87−63496
Whall, T.E. *see* Kubiak, R.A.A. 87−37862
Whalley, A.M., Jones, D.P., Dollery, A.A., Murphys, N., Porter, D.A. Improved CMX solar cell coverglasses and optical solar reflectors 88−37457
Whalley, A.M., Jones, D.P., Mullaney, K. Improved performance solar cell coverglasses and second surface mirrors 88−5895
Whalley, C.G. *see* Bird, I.G. 87−3158
Whalley, D.C., Campbell, D.S. Temperature cycling of surface mounted thick film 'zero-ohm' jumpers 87−73926
Whalley, G.S. *see* Cole, P.T. 87−16721
Whalley, G.W. Signal processing requirements for future ESM systems 88−54824
Whalley, J. Imaging coding utilising three dimensional motion estimation 88−8880
Whalley, J. New error recovery strategy for 64 kbit/s video codecs 88−46756
Whalley, P.D. Recent advances in field-effect chemical sensor design 86−56093
Whalley, P.R. A computerised system for the measurement of UHF mobile radio field strength 86−43765
Whan, G.A., Long, R.L. Nuclear power manpower and training requirements 85−59881
Whan Kim Shin *see* Shin Whan Kim
Whan Kim Si *see* Si Whan Kim
Whan Lee Joong *see* Joong Whan Lee
Whan Lee Young *see* Young Whan Lee
Whan Yoo Tae *see* Tae Whan Yoo
Whang, C.N., Lee, C.C., Kang, T.W., Hong, C.Y., Kang, S.O. Thermally stimulated current from low energy Li$^+$ implanted Si 85−11909

Whang, C.N. *see* Jang, H.K. 87−17915
Whang, C.N. *see* Kang, S.T. 87−57047
Whang, C.N. *see* Kim, H.K. 87−56940 to 56941
Whang, D.H. *see* Kitamura, T. 87−42012
Whang, H.C. *see* Nagamatsu, H.T. 87−22653
Whang, K.C., Chois, Y.H., Park, Y.S., Ahn, J.Y. A planar surface acoustic wave wideband FM discriminator with 3 dB multistrip coupler 88−26645
Whang, K.W. A cost effective pi network filter for elimination of stiff transmission crosstalk in zero sequence propagated distribution power line carrier signals 87−35616
Whang, T.C. *see* Franz, M. 88−70699
Whang Keum-Chan *see* Keum-Chan Whang
Whang Ki Woong *see* Ki Woong Whang
Whang Ki-Woong *see* Ki-Woong Whang
Whang Kim Jin *see* Jin Whang Kim
Whanger, A.D., Whanger, M. Polarized image overlay technique: a new image comparison method and its applications 85−36309
Whanger, M. *see* Whanger, A.D. 85−36309
Wharam, D.A., Pepper, M., Ahmed, H., Frost, J.E.F., Hasko, D.G., Peacock, D.C., Ritchie, D.A., Jones, G.A.C. Addition of the one-dimensional quantised ballistic resistance 88−71327
Wharf, J.H., Davies, M.A.H., Roe, P.J. The development of a mobile pulsed solar simulator 87−77747
Wharfield, S.S. *see* Sunderland, D.A. 85−624
Whartenby, J.C. *see* Kumar, M. 85−17184, 85−23134, 86−8518, 86−27592
Wharton, C.B., Earley, L.M., Ballard, W.P. Calorimetric measurements of single-pulse high-power microwaves in oversized waveguides 86−55822
Wharton, C.B. *see* Earley, L.M. 86−32017, 87−8725, 87−17629
Wharton, C.B. *see* Leifeste, G.T. 86−35270
Wharton, D.J. Behavioral modeling in logic simulation 87−5805
Wharton, J.B. *see* Faruqui, A. 86−25530
Wharton, J.B. *see* Sanghvi, A.P. 86−32676
Wharton, K.L. *see* White, W. 85−26740
Wharton, L. *see* Gupta, S. 88−13516
Wharton, L. *see* Wagner, I. 88−13191
Wharton, R. *see* Hull, F. 88−37892
Wharton, S.W. An algorithm for computing the number of distinct spectral vectors in Thematic Mapper data 85−25160
Wharton, S.W. Knowledge based recognition of urban land cover in high resolution multispectral data 88−5208
What-Tek Kim, Suk-Ryong Hahn, Hae-Mun Jeong, Chang-Sun Yun Optical properties of AgGa$_{1-x}$In$_x$Se$_2$ thin films 86−22213
Whatley, D. *see* Baker, R.E. 85−31769
Whatley, J.P. *see* Graham, G.W. 87−79148
Whatmore, R.W. Pyroelectric ceramics and devices 86−42008
Whatmore, R.W. Pyroelectric devices and materials 87−32745
Whatmore, R.W. Warming to superconductors 88−20264
Whatmore, R.W. *see* Humphrey, K.J. 87−53810
Whatmore, R.W. *see* Munns, A.G. 86−53851
Whatmore, R.W. *see* Osbond, P.C. 86−40795, 86−55619
Whatmore, R.W. *see* Shorrocks, N.M. 87−21096
Whatmore, R.W. *see* Twiney, R.C. 86−53850
Whatmough, R.J. *see* Nichol, D.G. 88−14752
Whatson, J.D. *see* Bradbrook, R.H. 85−3633
Whatton, M.E., Shelton, W.T. The quality control of monitoring loudspeakers for use in broadcasting 85−3618
Whatton, P. A simple active CW filter 85−49982
Whatton, P. A multi-memory keyer. I 87−2818
Whatton, P. A multi-memory keyer. II 87−7987
Whatton, P. Automatic identification for the G4DCV multi-memory keyer 87−34055
Wheadon, N.S. *see* Kersley, L. 87−47201, 88−58855, 88−66080
Wheadon, R.A. Application, rating and performance standards for internal combustion engine driven generating sets 86−61329
Wheal, M.G. *see* Miller, M.J. 87−2445
Whealler, S.C. Utilizing a writing consultant in engineering practice 88−43634
Whealton, J.H. Review of computer modeling of negative ion beam formation 87−77503
Whealton, J.H., Bell, M.A., Raridon, R.J. Extraction and acceleration of negative ion beams from volume produced sources, including those of Allison, Stirling and Bacal 87−8807
Whealton, J.H., Chen, G.L., Raridon, R.J., McGaffey, R.W., Jaeger, E.F., Bell, M.A., Hoffman, D.J. A 3D analysis of Maxwell's equations for cavities of arbitrary shape 88−40642
Whealton, J.H., Raridon, R.J., Bell, M.A. Extraction and acceleration of negative ion beams from low field surface produced sources 87−8806
Whealton, J.H., Raridon, R.J., Bell, M.A., Rothe, K.E., Murphy, B.D., Ryan, P.M. Ab initio calculation of nonlinear transient beam dynamics for ion linacs and injectors 88−47875
Whealton, J.H., Stirling, W.L., Ryan, P.M., Akerman, M.A., Becraft, W.R., Gardner, W.L., Haselton, H.H., Rothe, K.E., Bell, M.A., Raridon, R.J., Schechter, D.E., Berry, L.A., Goranson, P.L., Greer, J.T., Dagenhart, W.K. High brightness ion source: the Penning ringatron 88−4782
Whealton, J.H. *see* Chen, G.L. 88−21014, 88−58918
Whealton, J.H. *see* Dagenhart, W.K. 88−4778
Whealton, J.H. *see* Menon, M.M. 86−11828
Whealton, J.H. *see* Raridon, R.J. 85−37878
Wheat, D., Gardner, N.F. LSI gigabit logic in silicon (an alternative to GaAs) 87−37241
Wheat, M. Analogue input zero drift digital integrator 86−31327
Wheat, T.A. *see* Canaday, J.D. 87−64788
Wheatcroft, J.M. *see* Finger, E.E. 86−33638
Wheater, D.L. IBM's cost performance array tester architecture for the 80's 85−42862
Wheater, R.H. *see* Niu, T.F. 85−15461
Wheatley, C. An overview of contract manufacturing in Asia 85−10384
Wheatley, C. An overview of contract manufacturing in Asia 85−16786
Wheatley, C.F. *see* Dolny, G.M. 87−32570
Wheatley, C.F., Jr., Dolny, G.M. COMFET−the ultimate power device; a general study of power devices 86−21610
Wheatley, C.F., Jr., Dolny, G.M. COMFET: the ultimate power switch 87−16853
Wheatley, C.F., Jr., Ronan, H.R., Jr. Switching waveforms of the L^{2}FET: a 5-volt gate-drive power MOSFET 85−6972
Wheatley, C.F., Jr. *see* Becke, H.W. 86−66186
Wheatley, C.F., Jr. *see* Dolny, G.M. 86−21606, 86−53674, 88−7596
Wheatley, C.F., Jr. *see* Ronan, H.R., Jr. 87−18166
Wheatley, D. Technology trends in resistive components 87−37589
Wheatley, D. *see* Munn, J. 87−32184
Wheatley, D.J. *see* MacDonald, I. 87−21664
Wheatley, D.J. *see* Sethia, B. 86−60817
Wheatley, F., Ronan, H., Dolny, G. Modified SPICE II models modern power MOSFETs 88−1651
Wheatley, F., Ronan, H., Dolny, G.M. Updating MOSFET models in spice. II 88−7595
Wheatley, J.C. *see* Swift, G.W. 87−43470
Wheatley, M. *see* Aronoff, R. 87−69659
Wheatley, M. *see* Mills, K. 86−54941, 87−20192
Wheatley, P. A proposal for a resonant opto-electronic optical logic device 88−2120
Wheatley, P., Baxendale, M., Pate, M.A., Hill, G., Mistry, P., Roberts, J.S. Integrated optoelectronic logic devices for digital optics 88−20475
Wheatley, P., Bradley, P.J., Whitehead, M., Midwinter, J.E., Parry, G., Mistry, P., Pate, M.A., Roberts, J.S. A novel non-resonant opto-electronic logic gate using a GaAs/AlGaAs multi-quantum well electro absorption modulator 87−26092
Wheatley, P., Bradley, P.J., Whitehead, M., Parry, G., Midwinter, J.E., Mistry, P., Pate, M.A., Roberts, J.S. Novel nonresonant optoelectronic logic device 87−26228
Wheatley, P., Midwinter, J.E. Graphical analysis of dynamic response of optical bistable devices 87−7438
Wheatley, P., Parry, G., Midwinter, J.E., Hill, G., Mistry, P., Pate, M.A., Roberts, J.S. Dynamic response of an integrated optoelectronic logic device 88−8009
Wheatley, P., Whitehead, M., Midwinter, J.E., Mistry, P., Pate, M.A., Roberts, J.S. Three-terminal noninverting optoelectronic logic device 88−2058
Wheatley, P. *see* Bradley, P.J. 87−38891
Wheatley, P. *see* Halley, J. 87−24908
Wheatley, P.D. *see* Hanson, D.J. 88−75342
Wheatley, P.P., Midwinter, J.E. Operating curves for optical bistable devices 88−20464
Wheatly, C.F. *see* Wojslawowicz, J.E. 87−38256
Wheatman, V.S. Competitive directions in electronic data interchange 87−69586
Wheaton, C.E. *see* Stein, B.A. 88−29004
Wheaton, E. *see* Stein, B.A. 87−41070
Wheaton, J.E.G.W. *see* Draper, A.R. 87−57361
Wheaton, M.L. *see* Mathur, G. 85−50351
Wheble, A. *see* O'Dowd, M. 88−42482
Wheddon, C. Speech communication 88−59052
Wheeldon, A.J. Identifying a product strategy 87−16320
Wheeldon, A.J. Delivering the goods. The responsibilities of engineers in contracts 88−43653
Wheeldon, B. *see* Davies, I. 85−45249, 86−14533
Wheeler, A. *see* Kitchin, C. 86−62788, 88−67722
Wheeler, A.D., Holyman, B.T. An exercise in the integration of modern marine navigation electronics 86−49756
Wheeler, A.R. Comparison of electronic variable speed drives 86−7197
Wheeler, B. *see* Eros, M. 85−52565
Wheeler, B.C. Exercises for an introductory image processing class [CAI] 85−36347
Wheeler, B.C., Valesano, W.R. Real-time digital-filter-based data-acquisition system for the detection of neural signals 85−48296
Wheeler, B.C. *see* Novak, J.L. 86−44658, 86−60709, 88−42550
Wheeler, B.C. *see* Smith, S.R. 86−60799, 87−50359
Wheeler, B.K. *see* Svacek, J.F. 85−14507
Wheeler, B.L., Leland, J.K., Bard, A.J. Semiconductor electrodes. LX. Photoelectrochemistry of p-ReS$_2$ and p-ReSe$_2$ in aqueous solutions 86−63137
Wheeler, B.L., Nagasubramanian, G., Bard, A.J. Semiconductor electrodes. LVII. Differential photocurrent and second harmonic techniques for in situ monitoring of surface states on n-MoSe$_2$ in aqueous solutions 85−12065
Wheeler, B.L., Williams, R.M., Jeffries-Nakamura, B., Lamb, J.L., Loveland, M.E., Bankston, C.P., Cole, T. Performance and impedance studies of thin, porous molybdenum and tungsten electrodes for the alkali metal thermoelectric converter 88−62635
Wheeler, C.B. Influence of space charge on field emission of electrons from spherical points 85−28919
Wheeler, C.B. Maximum electron currents in vacuum tubes with ion emitting electrodes 86−67628
Wheeler, C.B., Mitchell, I.H. Generation of long-lived, pulsed magnetic fields using capacitive energy storage 87−61305
Wheeler, C.L., Wheeler, S.E. Pluggable cable module for data displays 85−6576
Wheeler, D. *see* Armstrong, A. 86−20838
Wheeler, D.E. *see* Armstrong, A.L. 85−17864
Wheeler, D.J. *see* Niksa, M.J. 88−48290
Wheeler, D.J. *see* Schue, T.J. 88−17914
Wheeler, E. *see* Kwun, H. 88−30196
Wheeler, F.P. Aspects of the simulation of wave propagation through a clear turbulent medium 85−56995
Wheeler, F.P. A method for comparing nonparametric spectral estimates 87−19635
Wheeler, G.L. Polar graphing on a Cartesian recorder 85−31576
Wheeler, G.R., Batten, T.J., Billington, J., Wilbur-Ham, M.C. A methodology for protocol engineering 87−48290
Wheeler, G.R., Wilbur-Han, M.C., Billington, J., Gilmour, J.A. Protocol analysis using numerical Petri nets 86−37210
Wheeler, G.R. *see* Dickson, G.J. 86−43581
Wheeler, H.A. Reflection charts relating to impedance matching 85−223
Wheeler, H.A. Antenna topics in my experience 85−36090
Wheeler, H.B. *see* Anderson, F.A., Jr. 86−60718
Wheeler, H.B. *see* Graham, K.T. 86−44633
Wheeler, H.B. *see* Penney, B.C. 85−26775
Wheeler, J. Increasing the life of your audio tape 88−53496
Wheeler, J. *see* Forsyth, M. 88−6896
Wheeler, J. *see* Yetter, J. 87−59601
Wheeler, J.C.G., Lissenburg, M.L., Hinchliffe, J.D.S., Slevin, M.E. The development and testing of a track resistant sheathing material for aerial optical fibre cables 88−69010
Wheeler, J.C.G., Vernon, D. Development of plastics encapsulated vacuum interrupters for traction application 88−69851
Wheeler, J.K., Ocenasek, J., Bohn, P.P. Two-way transmission using electro-optical modulator 86−43818
Wheeler, J.M. Thick film conductors and resistors on dielectrics for high reliability applications 85−61594
Wheeler, J.M. *see* Sierens, W.M. 88−1281
Wheeler, J.P. Industrial applications of low-power CO$_2$ lasers 87−75280
Wheeler, J.R., Coates, D.K. Nickel-hydrogen cell life test 86−33622
Wheeler, J.R., Coates, D.K. Nickel-hydrogen cell life test 87−42139
Wheeler, M. *see* Ylo, E.E., III 87−53795
Wheeler, M.F. *see* Gonzalez, R. 87−65444
Wheeler, M.J. E-beam direct write versus reticle/stepper technology for ASICs in small volume production 88−20092
Wheeler, M.J. *see* Harrod, P.L. 86−1955
Wheeler, M.J. *see* Ransome, S.J. 87−1727
Wheeler, M.J. *see* Sharma, V.K. 86−21681, 88−13293
Wheeler, P. *see* Raguhuram, A. 88−41366
Wheeler, P.A. *see* Baker, D.J. 85−33017
Wheeler, P.A. *see* Taylor, R.D. 88−74136
Wheeler, P.C., Wieczorek, J.P. Voltage-supervisor IC provides μP reset 87−10646
Wheeler, P.D. *see* Darlington, P. 86−17271
Wheeler, P.D. *see* Powell, G.A. 87−64000
Wheeler, P.J. *see* Cutler, L.S. 88−22404
Wheeler, P.K. *see* Raghavan, M. 86−67910
Wheeler, P.N. *see* Mercadante, R. 88−68523
Wheeler, R. Toleranced designs by computer circuit analysis 88−12151
Wheeler, R., Rapp, J.E. Improved transistor characteristics using solid planar diffusion sources for emitter diffusion 86−2020
Wheeler, R. *see* Higgins, D.F. 86−36686
Wheeler, R. *see* Wenaas, E.P. 86−39893
Wheeler, R.B. *see* Modine, F.A. 87−60512
Wheeler, R.G. *see* Foxon, C.T. 86−53395
Wheeler, R.G. *see* Furneaux, J.E. 86−53668, 88−19969
Wheeler, R.G. *see* Mensz, P.M. 87−37997

Wheeler, R.J. Managing computer-aided engineering−a teaching approach 85−16599
Wheeler, R.L., Giubilato, J.W. Simulated system aspects of convolution coding for Gaussian and pulsed noise 86−29744
Wheeler, R.M., Jr. *see* Brandt, L.D. 88−17019
Wheeler, R.M., Jr. *see* Narendra, K.S. 85−57560
Wheeler, S.A. *see* Armistead, C.J. 87−7359, 87−54318
Wheeler, S.A. *see* Greene, P.D. 87−73076
Wheeler, S.E. *see* Wheeler, C.L. 85−6576
Wheeler, T.A., Spulak, R.G., Jr. The importance of data and related uncertainties in probabilistic risk assessments 85−43740
Wheeler, T.F. VLSI CAD/CAE directions 87−65683
Wheeler, T.F. Changing directions in VLSI CAD 88−18870
Wheeler, W. *see* Bhansali, M. 85−22654
Wheeler, W.R. VMOS field-effect transistor drive for current-mode interstage transformers 85−6239
Wheeler, W.R. *see* Andrews, D.W. 85−42253
Wheeler, W.R. *see* Jackson, C.R. 85−33647
Wheeler, W.R. *see* Joy, E.F. 85−11664
Wheeler, W.R. *see* Maroon, R.P. 85−1091
Wheeler, W.R. *see* Simcoe, R.J. 87−44922
Wheelis, W.T., Luker, S.M. The effects of high temperature and total dose gamma radiation on a power MOSFET (N-channel) and an operational amplifier 88−1673
Wheelock, D. *see* Greene, M. 87−77815
Wheelon, A.D. Trends in satellite communications 85−14167
Wheelon, A.D. The rocky road to communication satellites 87−76679
Wheelwright, E.J., Montgomery, D.R. Feasibility of meltcasting strontium fluoride to produce high-density heat sources 86−13094
Wheelwright, G. Photocopying over the phone has arrived [facsimile] 85−42194
Wheelwright, G. Datacomms software for stand alone micros 85−51853
Wheelwright, G. Inphone−BT's small is beautiful strategy [key telephones] 85−57672
Wheelwright, G. Micro-mainframe links 85−57765
Wheelwright, G. IBM's PC gets an approved modem 85−63419
Wheelwright, G. A giant step for PC-to-phone links 86−4385
Wheelwright, G. Completing the comms link [modem reviews] 86−4396
Wheelwright, G. Is gold becoming the mail standard? [Electronic mail] 86−16825
Wheelwright, G. Micro-mainframe links 86−49234
Wheelwright, G. Key connections [dial-up communications services] 87−20113
Wheelwright, G. Smart modems 87−20308
Wheelwright, G. The power of operatory [PC communications] 87−55515
Wheelwright, G. A long look into LANs 87−55682
Wheelwright, G. Molecular 386 [multiuser file server] 87−55749
Wheelwright, G. Pathways to the future [PCs in facsimile] 87−62572
Wheelwright, G. Best modem 88−9332
Wheelwright, G. Unravelling the spaghetti [cabling for LANs] 88−28342
Wheelwright, L., Thomas, J.L. Distributed processing in RF and microwave measurement systems 86−44410
Whei-min Lin, Mo-shing Chen An overall distribution automation structure 86−39021
Whelan, C.R. Developing the technology for the SDI battle management/C^3 system 86−10658
Whelan, D. *see* Keane, C. 88−27087
Whelan, D. *see* MacGowan, B.J. 88−2177
Whelan, D. *see* Matthews, D.L. 87−12369
Whelan, D.A. *see* Rosen, M.D. 88−14119
Whelan, E.P., LaValle, P.P., May, W.A. High purity refractory metals for thin deposition 88−24746
Whelan, J.M. *see* Kanber, H. 85−18085, 85−50352, 85−55802, 86−13757, 86−21349, 88−12944
Whelan, M. Validation of simulation models by testing against formal behavioral specifications 85−33841
Whelan, M.F. *see* Vassallo, V.R. 88−10397
Whelan, M.V. *see* Boland, F.M. 87−25509
Whelan, M.V. *see* Burke, M.J. 87−14858
Whelan, P. Multi-functional modular power transistors 85−32571
Whelan, P. Induction motor speed control 87−9536
Whelan, P.T., Borbidge, W.E. Low temperature response of the reaction-bonded zirconia oxygen sensor 85−8830
Whelan, P.T., Borbidge, W.E. Interpretation of the output signal from a zirconia oxygen sensor operating under applied current 88−47477
Whelan, R.C. An electrically-steerable vertical parasitic array for 10 MHz 88−27672
Whelchel, C.J. *see* DeJule, M. 85−8905
Wheldon, T. *see* Nieman, M. 86−18304
Whelehan, J. *see* Cohen, L. 86−55184
Whelehan, J.J. *see* Breuer, K.D. 87−34654
Wheless, P., Jr., Kajfez, D. The use of higher resonant modes in measuring the dielectric constant of dielectric resonators 86−11682
Wheless, W.P., Jr. Experimental characterization of multimoded microwave resonators using automated network analyzer 88−25388
Wheless, W.P., Jr., Kajfez, D. Microwave resonator circuit model from measured data fitting 87−5571
Wheless, W.P., Jr., Kajfez, D. Determination of dual-mode Q factors from measured data [microwave resonators] 87−77388
Wheless, W.P., Jr. *see* Kajfez, D. 86−62808, 86−62820
Whelpton, J. *see* Sultan, N. 85−13297, 85−41712
Whensley, D.P., Clabburn, R.J.T., Clarke, G.J. Operating with the system dead 86−56483
Wherrett, B. *see* Mandel, P. *(editor)* 88−24334
Wherrett, B.S. One-electron theory of nonlinear refraction 85−41477
Wherrett, B.S. All-optical computation: a design for tackling a specific physical problem 86−3955
Wherrett, B.S. All-optical computation−a parallel integrator based upon a single gate full adder 86−15785
Wherrett, B.S. Semiconductor optical bistability: towards the optical computer 87−46995
Wherrett, B.S. Optical computing 88−2077
Wherrett, B.S. Architectural aspects of optical computing 88−58306
Wherrett, B.S. Optimisation of CW optically bistable devices 88−58680
Wherrett, B.S. The many facets of optical computing 88−65415
Wherrett, B.S. Optical computing architectures and logic units 88−65423
Wherrett, B.S., Hutchings, D., Russell, D. Optically bistable interference filters: optimization considerations 86−36571
Wherrett, B.S., Hutchings, D.C., Tooley, F.A.P., Chow, Y.T., Lloyd, A.D. Optical computing architectures based on nonlinear interference filter technology 88−65428
Wherrett, B.S., Kar, A.K., Hutchings, D., Russell, D., Clement, H. Optimization of optically bistable interference filters for array processing 86−48498
Wherrett, B.S., Smith, S.D. Bistable semiconductors elements for optical data processing and photonic logic 87−39930
Wherrett, B.S., Smith, S.D., Tooley, F.A.P., Walker, A.C. Optical components for digital optical circuits 88−65417
Wherrett, B.S., Tooley, F.A.P., Smith, S.D. Absorption switching and bistability in InSb 85−24649
Wherrett, B.S., Yuk Tak Chow, Hutchings, D.C., Lloyd, A.D., Janossy, I. All-optical logic elements for optical processing 88−40036
Wherrett, B.S. *see* Abraham, E. 88−65840, 88−72185
Wherrett, B.S. *see* Al Attar, H.A. 86−63866
Wherrett, B.S. *see* Firth, W.J. 85−46478
Wherrett, B.S. *see* Frank, D. 87−33273, 87−39222
Wherrett, B.S. *see* Hutchings, D.C. 88−65451
Wherrett, B.S. *see* Kar, A.K. 86−36570
Wherrett, B.S. *see* Lloyd, A.D. 88−72396
Wherrett, B.S. *see* Lloyd, A.S. 88−65848
Wherrett, B.S. *see* Prise, M.E. 85−1292, 86−8805
Wherrett, B.S. *see* Smith, S.D. 85−24648, 85−56836, 85−56843, 86−54199, 87−39221, 88−8291
Wherrett, B.S. *see* Tooley, F.A.P. 88−72187
Wherry, A.B. Investment appraisal in system planning [telecommunications projects] 86−64416
Wherry, B. *see* Chappell, A. 88−9582
Whetten, N.Y. *see* Whetten, T.J. 87−60350
Whetten, T.J., Ruoff, A.L. Incorporation of chlorine during chlorine reactive ion beam etching of aluminium-copper alloys 86−63209
Whetten, T.J., Whetten, N.Y., Wolf, E.D. Reactive ion etching of submicrometer size features in tungsten thin films 87−60350
Whewell, L. Microprocessor speedometer 85−26486
Whey Shen Bing *see* Bing Whey Shen
Whichansky, H. *see* Biswas, D. 87−40954
Whichard, C. *see* Martini, R. 87−60550
Whicker, L.R. Two years of progress on the Manufacturing Technology for the Solid-State Microwave Systems program 88−50374
Whicker, L.R. *see* Lau, C.L. 86−53050
Whiddon, C.S. *see* Gagliardi, C.A. 87−3841, 87−29397
Whiffen, M.C. *see* Reynolds, G.A. 85−51720
Whiffin, P.A.C., Easton, B.C., Capper, P., Maxey, C.D. Computer controlled deposition of CMT heterostructures by MOVPE 87−32307
Whiffin, P.A.C. *see* Brice, J.C. 88−12018
Whiffin, P.A.C. *see* Capper, P. 87−23654
Whiffin, P.A.C. *see* Maxey, C.D. 87−44334
Whigham, B. Cellular mobile marketing manufacturers' dealer programs 87−3122
Whight, K.R., Coe, D.J. Numerical analysis of multiple field limiting ring systems 85−34995
Whight, K.R., Gough, P.A. On-state modelling of semiconductor floating regions using Gummel's algorithm 87−6647
Whight, K.R. *see* Coe, D.J. 85−45735
Whikehart, J.W. *see* Anderson, D.T. 85−31186
Whillock, R. *see* Sadjadi, F. 87−62201
Whines, J.W. Advancing reliability techniques in a large service industry 85−9474
Whinnert, J.R. *see* Hasnain, G. 86−59122
Whinnery, J. *see* Hasnain, G. 88−31806
Whinnery, J.R. *see* Ansari, H. 85−24500
Whinnery, J.R. *see* Chang-Hasnain, C. 87−7404
Whinnery, J.R. *see* Chang-Hasnain, C.J. 87−45641, 87−54362
Whinnery, J.R. *see* Hasnain, G. 87−12306, 88−51551, 88−51694
Whinnery, J.R. *see* Hsin, W. 88−40245
Whinnery, J.R. *see* Ogura, M. 87−61129, 88−14180, 88−34023
Whinnery, J.R. *see* Ramo, S. 85−10323
Whinnery, J.R. *see* Twu, Y. 85−35757, 87−68467
Whinnery, J.R. *see* Yihjye Twu 85−7413, 86−29129
Whinnett, W.P. *see* Butterworth, B. 86−65960
Whipkey, R.K. *see* McMillan, C.F. 88−29656
Whipple, C., Starr, C. Nuclear power safety goals in light of the Chernobyl accident 88−55128
Whipple, E. *see* Mullen, E.G. 86−38860
Whipple, G.H. *see* Kulkarni, A.K. 87−60180
Whiskard, J. *see* Ryan, H.M. 87−15933
Whisler, J.W., Hoinville, J.R., Stubbs, D.P., Moe, C.D., Skorjanec, J. Bit shift with ring heads on CoCr and CoCr/NiFe perpendicular recording media 85−45996
Whisler, J.W. *see* Stubbs, D.P. 85−45995
Whisnant, J.K. *see* Bedair, S.M. 86−34358, 87−10408
Whisnant, R.A., Champagne, P.T., Wright, S.R., Brookshire, K.C., Zuckerman, G.J. Comparison of required price for amorphous silicon dendritic web, and Czochralski flat plate modules and a concentrating module 87−16011
Whisnant, R.A. *see* Wright, S.R. 88−37564
Whisson, D.G. The immunisation of signalling systems for main line electrification on Queensland railways 88−5976
Whistler, W.T. The microstrip dual folded dipole as a phased array element 88−2877
Whitacre, J.A. *see* Miske, S.A. 86−50892
Whitacre, R.F., Monnie, D.I. Light water reactor capacity factor investigation 86−51397
Whitacre, S., Humphreys, D. Low-level power-measurement techniques and accuracy 88−60808
Whitaker, A.J.T. *see* Cook, G.G. 87−56923
Whitaker, A.J.T. *see* Farhat, K.S. 87−54684
Whitaker, C. *see* Hastings, R.M. 86−6636
Whitaker, C.M., Wrasman, B.P., Risser, V.V. Photovoltaic array thermal behavior 86−45686
Whitaker, D.E. *see* Smiley, V.N. 85−35406, 85−35409
Whitaker, D.H. *see* Smith, H.V., Jr. 88−47935
Whitaker, E.R. *see* Robinson, H. 86−56014
Whitaker, E.R. *see* Russell, G.J. 86−56013
Whitaker, E.T., Huhns, M.N. Rule-based geometrical reasoning for the interpretation of line drawings 87−13137
Whitaker, H.L. *see* Shapiro, J.B. 85−1252
Whitaker, J. *see* Clampitt, R. 88−20039
Whitaker, J.F., Morou, G.A., Bhasin, K.A. Millimeter-wave MMIC characterization by noncontact electro-optic sampling 88−25534
Whitaker, J.F., Mourou, G.A. Optical reconfiguration of electrical networks 86−68961
Whitaker, J.F., Mourou, G.A., Sollner, T.C.L.G., Goodhue, W.D. Picosecond switching time measurement of a resonant tunneling diode 88−71504
Whitaker, J.F., Norris, T.B., Mourou, G., Hsiang, T.Y. Pulse dispersion and shaping in microstrip lines 87−32038
Whitaker, J.F., Sobolewski, R., Dykaar, D.R., Hsiang, T.Y., Mourou, G.A. Subpicosecond pulse propagation on superconducting striplines 88−12556
Whitaker, J.F., Sobolewski, R., Dykaar, D.R., Hsiang, T.Y., Mourou, G.A. Propagation model for ultrafast signals on superconducting dispersive striplines 88−34376
Whitaker, J.F. *see* Hsiang, T.Y. 88−7004
Whitaker, J.F. *see* Sobolewski, R. 88−12560
Whitaker, J.S. *see* Cousens, A.K. 87−66791
Whitaker, L.A. Wickens' resource allocation model: implications for the design of human-machine systems 86−12126
Whitaker, L.C. *see* Pearce, D.J.B. 86−48839
Whitaker, M. *see* Angus, J. 87−40522
Whitaker, M. *see* Smith, K. 86−67254, 87−38588
Whitaker, M.T., Angus, J.A.S. A low cost continuous word speech recogniser 86−48854
Whitaker, N. *see* Donnelly, J.P. 87−46463
Whitaker, N.A. *see* Haus, H.A. 87−32961
Whitaker, N.A., Jr. *see* Haus, H.A. 85−24264, 85−46209, 85−51275, 87−12579
Whitaker, N.M. *see* Haus, H.A. 88−26847
Whitaker, R. Decontaminating reactor coolant systems 85−4806

Whitaker, R. Electricity: lever on industrial productivity 85-21971
Whitaker, R. Technology transfer one-to-one 86-40429
Whitaker, R. Measuring the value of R&D 87-16319
Whitaker, R. A new cable for the urban environment 87-30197
Whitaker, R. Developing the next generation of sulfur controls 88-10930
Whitaker, R. R&D and the utility customers 88-36776
Whitaker, S. Thermal analysis of solid, rotating, X-ray tube anodes: new results and a comparison with prior studies 85-4279
Whitaker, S. *see* Iversen, A.H. 85-4281
Whitaker, S. *see* Torres, F.E. 85-4280
Whitaker, S.R. *see* Radhakrishnan, D. 85-44970
Whitborn, L.B. *see* Macfarlane, J.C. 86-53913
Whitbourn, L.B., Compton, R.C. Equivalent-circuit formulas for metal grid reflectors at a dielectric boundary 85-24351
Whitbourn, L.B., Macfarlane, J.C. Development of optically pumped formic acid lasers for plasma diagnostics 85-51139
Whitbourn, L.B., Macfarlane, J.C., Falconer, I.S., James, B.W., Stimson, P.T. Polarization switching in a strip grating coupled optically pumped submillimeter laser 86-48319
Whitbourn, L.B., Macfarlane, J.C., Stimson, P.A., James, B.W., Falconer, I.S. An experimental study of a CW optically pumped far infrared formic acid vapour laser 88-20539
Whitbourn, L.B. *see* Eberhardt, J.E. 88-48309
Whitbourn, L.B. *see* Stimson, P.A. 87-61073
Whitbourn, L.B. *see* Veron, D. 86-36365
Whitbread, T. *see* Chu, P.L. 85-1961
Whitbread, T.W. *see* Irving, D.H. 86-2662
Whitburn, C.R., Hewitson, L.G. An electronic protective system for use in collieries 85-43654
Whitby, D. Build an antique shortwave radio 85-14410
Whitby, D. Hands-free telephone adaptor 86-55048
Whitby-Strevens, C. The I1 instruction set for the transputer 86-27380
Whitcher, R.E., McLeary, R. 50 kW electric-discharge CO_2 laser 85-24491
Whitcom, J.H. *see* MacDoran, P.F. 88-9687
Whitcomb, B., Smiley, V., Flurer, R., Nelson, L. Evaluation of star couplers for application to FOAM experiments 85-50923
Whitcomb, B. *see* Ogle, J.W. 88-10032
Whitcomb, B.M. Commercial fiber optic components 88-58130
Whitcomb, B.M., Flurer, R.L., Woo, L.C., Toms, K.W., Ogle, J.W. Calibration system for sub-100-ps relative timing 88-10011
Whitcomb, B.M., Smiley, V.N., Flurer, R.L., Colburn, C.W. Applications of fiber optic couplers to diagnostic experiments at the Nevada Test Site 87-12177
Whitcomb, B.M., Smiley, V.N., Flurer, R.L., Nelson, L.K. The application of commercial star couplers to increase signal dynamic range 85-35421
Whitcomb, B.M. *see* Flurer, R.L. 88-13852
Whitcomb, B.M. *see* Smiley, V.N. 85-35409
Whitcomb, D. *see* Harrell, J.W., Jr. 87-77426
Whitcomb, D.O. *see* Rosocha, L.A. 87-7252
Whitcomb, J.H. *see* MacDoran, P.F. 86-55395
White, A. ASICs—the painless design path 87-52471
White, A.B. *see* Banks, P.M. 87-71194
White, A.B., Jr. *see* Faber, V. 86-62194
White, A.D. Power fluctuations in He-Ne lasers 86-9758
White, A.E., Short, K.T., Batstone, J.L., Jacobson, D.C., Poate, J.M., West, K.W. Mechanisms of buried oxide formation by ion implantation 87-25103
White, A.E., Short, K.T., Dynes, R.C., Garno, J.P., Gibson, J.M. Mesotaxy: formation of buried single-crystal $CoSi_2$ layers by implantation 88-6484
White, A.E., Short, K.T., Dynes, R.C., Levi, A.F.J., Anzlowar, M., Baldwin, K.W., Polakos, P.A., Fulton, T.A., Dunkleberger, L.N. Controllable reduction of critical currents in $YBa_2Cu_3O_{7-\delta}$ films 88-71963
White, A.E., Short, K.T., Pfeiffer, L.N., West, K.W. Mechanisms of formation of thin buried oxide layers by ion implantation 88-44696
White, A.E. *see* Skocpol, W.J. 86-53665
White, A.E. *see* Gibson, U. *(editor)* 88-43593
White, A.F. Image transmission over voice grade telephone lines 88-59561
White, A.L. Reliability with imperfect diagnostics 85-16837
White, A.M. Recombination in a graded n-n$^+$ contact region in a narrow-gap semiconductor 85-1374
White, A.M. The characteristics of minority-carrier exclusion in narrow direct gap semiconductors 86-8762
White, A.M. The analysis of thin cylindrical symmetry lateral collection diodes 86-15573
White, A.M. Auger suppression and negative resistance in low gap PIN diode structures 87-7220
White, A.M. The generalization of the theory of lateral collection diodes 87-18843
White, A.M. Negative resistance with Auger suppression in near-intrinsic, low-bandgap photodiode structures 88-14028
White, A.M. Generation-recombination processes and Auger suppression in small-bandgap detectors 88-35997
White, A.M., Humphreys, R.G. Generation currents, noise and Auger suppression in intrinsic diodes 86-53583
White, A.M. *see* Ashley, T. 87-14345, 87-21098, 88-13315
White, A.M. *see* Blackman, M.V. 87-74176
White, A.M. *see* Campbell, A. 87-3482, 87-49748
White, A.M. *see* Dean, A.B. 85-46262, 86-2960
White, A.M. *see* Wotherspoon, J.T.M. 85-47974
White, A.R. *see* Birt, G.W.R. 87-50890
White, A.S. An example of optical measurement of vibration 86-11704
White, B. Data transmission goes mobile 86-4493
White, B. Solving problems in hot air solder leveling 88-32581
White, B., Bates, J. Micro-based program refines transmission design 87-57641
White, B. *see* Bates, J.F. 85-48601
White, B. *see* Brzakovic, D. 87-48204
White, B. *see* Lin, B.J.F. 87-32720
White, B.A. Variable structure control of a levitated vehicle 87-22841
White, B.A., Daniels, A.R. Digital control of DC motors 86-56779
White, B.A., Petersen, B.R., Salomon, D.J., Elmasry, M.I. Digital VLSI system design using SPIL 88-38434
White, B.A. *see* Petersen, B.R. 87-38572
White, B.A. *see* Silson, P.M. 85-65564, 87-52463
White, B.E. Triple standard ups meter-accuracy confidence 86-60285
White, B.E., Kota, S.L. Two-level multiaccess schemes for packet satellite systems with low duty factor terminals 85-63606
White, B.E. *see* Kilpatrick, J.A. 88-9497
White, B.F. *see* Donegan, M.E. 85-32023
White, B.J., Davis, J.P., Bobb, L.C., Krumboltz, H.D., Larson, D.C. Optical-fiber thermal modulator 88-13817
White, B.J., Davis, J.P., Bobb, L.C., Larson, D.C. An optical fiber thermal conductivity sensor 88-67882
White, B.J. *see* Maeding, D.G. 85-18489
White, B.R. *see* Brain, M.C. 85-3450, 85-25907
White, B.R. *see* Greeley, R. 88-67466
White, B.R. *see* Hooper, R.C. 85-20219, 85-25909
White, B.R. *see* Smyth, P.P. 86-11113
White, C. Laser technologies: ready to take the economy into the plasma age 85-62698
White, C. *see* Barnham, K.W.J. 87-24906
White, C. *see* Bloeden, R. 85-63408
White, C. *see* Foxon, C.T. 87-74070
White, C. *see* Harris, J.J. 87-32297
White, C.C., III. Alternative ranking based on multiple objectives and an imprecise utility structure 85-44632
White, C.C., III, Popyack, J.L. Suboptimal policy determination for large-scale Markov decision processes. I. Description and bounds 85-54255
White, C.C., III *see* Brown, D.E. 87-64393
White, C.C., III *see* Popyack, J.L. 85-54256
White, C.C., III *see* Scherer, W.T. 88-31435
White, C.C., III *see* Sykes, E.A. 86-43594
White, C.E. Smoothing the teleconferencing path 85-20385
White, C.E. Maintaining satellite links 85-36992
White, C.E. German telecommunication: breaking the restraints 86-30150
White, C.J., Butler, N. HIT technology—child and daughter boards 87-59959
White, C.J. *see* Plessner, K.W. 86-42255
White, C.M. Design of a blocked asynchronous protocol for distributed problem solving 86-49326
White, C.M. Use of electronic mail in computer science instruction 87-48488
White, C.M., Green, W.T. Recent innovations in CID cameras 85-58574
White, C.M. *see* Armor, J. 86-45105
White, C.W. Segregation, solute trapping, and supersaturated alloys [laser annealed silicon] 86-8959
White, C.W. Cutting cost without cutting quality in the classroom 88-24453
White, C.W. *see* Fathy, D. 88-6446, 88-12015
White, C.W. *see* Fogarassy, E. 87-6601
White, C.W. *see* Fogarassy, E.P. 86-8979
White, C.W. *see* Holland, O.W. 87-74193
White, C.W. *see* Milstein, J.B. 86-7134
White, C.W. *see* Narayan, J. 85-1329, 85-12098, 85-23614
White, C.W. *see* Wood, R.F. 86-8958
White, C.W. *see* Hubler, G.K. *(editor)* 85-16580
White, C.W. *see* Wood, R.F. *(editor)* 86-7376
White, D. Analysing availability: update on the IAEA's outage information system 86-12611
White, D. Digitizing scopes sweep away complex measuring problems 87-21116
White, D., Wasson, C. Logic-triggered amplifier upgrades oscilloscope for digital troubleshooting 85-22669
White, D., Wasson, C. Oscilloscopes for analogue measurements in digital systems. I. Chasing 'wild data' with the 7A42 85-58735
White, D. *see* Calori, F. 85-27205
White, D. *see* Char, N.L. 88-36967
White, D. *see* Gustafson, M. 86-5365
White, D. *see* Hirst, E. 85-59577, 86-18712
White, D. *see* Moughton, J. 88-59806
White, D. *see* Peters, J. 86-49311
White, D. *see* Skjoldebrand, R. 86-18965
White, D., Jr. *see* Velander, W. 87-52179
White, D.A. *see* Haley, S.B. 87-65749
White, D.E. *see* Cox, A.R. 85-7154
White, D.E.A. *see* Corden, M.J. 85-64462
White, D.H., Thakkar, B.S. The thermal puzzle [packaging] 87-36502
White, D.J., Bart, E.A. An expert system for VLSI datapath synthesis 88-64727
White, D.J. *see* Binnie, D.M. 85-31693
White, D.J. *see* Dinger, R.J. 87-6101, 87-45173
White, D.J. *see* Overfelt, P.L. 85-40223, 86-42887
White, D.L. *see* Kung, E.H. 88-13227
White, D.N. *see* Dev, P. 85-53029
White, D.P. *see* Lacy, D.L. 85-45820
White, D.R. Phase compensation of the three op amp instrumentation amplifier 88-16010
White, D.R., Pickup, C.P. Systematic errors in digital cross correlators due to quantization and differential nonlinearity 87-49617
White, D.R.J. Overview of interference control in electronic connectors 85-11675
White, D.R.J. EMI control in the design of PCBs 85-45297
White, D.R.J. Elimination of interference: optimization of printed circuits 86-27696
White, D.R.J., Atkinson, K., Osburn, J.D.M. Taming EMI in microprocessor systems 86-29425
White, D.R.J., Mardiguian, M. EMP hardening featuring interactive graphics and computer-aided design 85-7677
White, D.R.J., Mardiguian, M. EMP hardening featuring interactive graphics and computer-aided design 86-3574
White, D.R.J. *see* Mardiguian, M. 85-2586, 85-13035, 86-15839
White, D.R.J. *see* Osburn, J.D.M. 87-19222, 87-23048, 88-14424
White, D.W. An ultra low transient GaAs FET VHF switch 85-17932
White, E. Logic fault finding system with signature analysis 86-5147
White, E., Marchese, M., Slenski, G., Dobbs, B. Packaging related failures in electronic equipment: case histories 88-11809
White, E.A.D. *see* Bradley, D.C. 86-57440
White, E.A.D. *see* Hockly, M. 85-10707
White, E.A.D. *see* Moss, R.H. 86-13767
White, E.H. *see* Gibbins, C.J. 88-8472
White, E.L. Monitoring transformers in service for winding displacement using the low voltage impulse method 86-12878
White, E.L. Lightning protection of electrical installations in buildings and structures 86-45018
White, E.L. *see* Humphrey, E.D. 85-4685
White, E.L. *see* Zinger, P.C. 88-70185
White, E.L.C. Some circuit developments in the 1930s [TV] 87-28802
White, E.M. *see* Olson, D.L. 88-43720
White, F. *see* Rasmussen, R. 86-67965
White, F.E. Computer-automated test and repair of complex, custom circuit boards 86-14673
White, F.R. *see* El-Kareh, B. 85-45051, 85-45773
White, F.R. *see* Koburger, C. 86-63179
White, F.R. *see* Koburger, C.W. 85-18478
White, F.R. *see* Lasky, J.B. 86-47866
White, F.R. *see* Pan, P.H. 85-35079
White, G. Space—the final frontier 87-65200
White, G. Pulse processing for gamma ray spectrometry—a novel method and its implementation 88-61206
White, G., Coda-Forno, Y. A 64 Bit coprocessor for floating point calculation 86-20575
White, G., Sackett, B. Floating-point chip set beefs up desktop systems with processing muscle 85-54914
White, G., Schneider, K. Powerful floating-point modules give microprocessor systems high computational speed 86-8274
White, G., Smith, F.A., Coleman, C.F. Side effects of the use of cylindrical grooves in planar intrinsic germanium detectors 85-37933
White, G. *see* Kimber, P.K. 85-14660
White, G. *see* Leake, J.W. 85-48228
White, G. *see* White, R.A. 88-16775
White, G. *see* Wolfe, W.J. 87-63390
White, G.D. Power system security monitoring 86-44848
White, G.G. *see* Bacharach, S.L. 88-4924

White, G.H. *see* Kopchok, G. 88−16777
White, G.K. *see* Wolfe, W.J. 87−20941
White, G.L. *see* Riches, S.T. 87−73938, 88−1309
White, G.M. *see* Kolavennu, V.R. 85−20090
White, G.M. *see* Masapati, G.H. 88−66238
White, G.O. *see* Zhang, Y.T. 87−49905
White, H. *see* Gibson, D.G. 85−51745
White, H. *see* Lundahl, T. 87−50284
White, H. *see* Searle, S.D. 87−47010
White, H.B. A practical approach to reliability design transmission line design 86−18841
White, H.B. *see* Behncke, R. 86−50951
White, H.E. A T1-based DSP modem for interfacing voice and packet networks 88−53079
White, H.J., Aldridge, N.B., Lindsay, I. Digital and analogue holographic associative memories 88−33597
White, H.J., Wright, W.A. Holographic implementation of a Hopfield model with discrete weightings 88−33803
White, H.J., Wright, W.A. Holographic implementation of a discrete Hopfield neural network model 88−65443
White, H.M., Jr., Lauria, R. International space law and direct broadcast satellites 86−23812
White, H.S. Corrosion principles in microelectronics 87−72859
White, H.V. *see* Hung, J.C. 87−18737, 87−70821
White, I. Modern VHF/UHF front-end design 85−42427
White, I. Modern VHF/UHF front-end design. II. Strong-signal performance 85−52498
White, I. Modern VHF/UHF front-end design. III. Intermodulation analysis 85−57952
White, I. Modern VHF/UHF front-end design. IV. Practical front-end systems 85−63520
White, I.A. *see* Brinkmeyer, E. 85−12587
White, I.A. *see* Cherin, A.H. 86−48107, 87−46523
White, I.A. *see* Miller, C.M. 87−10019
White, I.A. *see* Sears, F.M. 86−48165, 86−63644
White, I.C. A low-risk approach to the introduction of surface mount technology 88−71225
White, I.F. Measurements on modern VHF/UHF front-ends. I 87−13569
White, I.F. Measurements on modern VHF/UHF front-ends. II 87−21141
White, I.F. High-performance long Yagis 87−54740
White, I.G., New, R. Convergence of power 85−39118
White, I.G., New, R. The convergence of central office and customer located power equipment 85−60330
White, I.G. *see* Gore, W.B. 87−49834
White, I.H., Carroll, J.E. Optical bistability in twin-stripe lasers 85−2332
White, I.H., Gallagher, D.F.G., Osinski, M., Bowley, D. Direct streak-camera observation of picosecond gain-switched optical pulses from a 1.5 μm semiconductor laser 85−29817
White, I.H., Linton, R.S., Carroll, J.E. Directional coupling and bistability in four contact twin-stripe injection lasers 88−27285
White, I.H., Penty, R.V., Epworth, R.E. Demonstration of the optical Kerr effect in an all-fibre Mach-Zehnder interferometer at laser diode powers 88−40032
White, I.H. *see* Carroll, J.E. 85−46407, 86−68602, 87−68827
White, I.H. *see* Davison, A.S. 88−13802
White, I.H. *see* Epworth, R.E. 88−20381
White, I.H. *see* Gallagher, D.F.G. 86−29153, 88−20736
White, I.H. *see* Garrett, B. 88−2241
White, I.H. *see* MacLean, D. 86−3148, 87−68622, 88−65874
White, I.H. *see* Osinski, M. 86−3146
White, I.H. *see* Penty, R.V. 88−58322
White, J. Demand for information spurs growth of data communications 85−63282
White, J., Keen, J. The magic of the chip 85−12368
White, J., Martinelli, R. Using personal computers to analyze switching regulator transfer functions 86−52624
White, J., Saleh, R., Sangiovanni-Vincentelli, A., Newton, A.R. Accelerating relaxation algorithm for circuit simulation using waveform Newton, iterative step size refinement, and parallel techniques 86−40858
White, J., Sangiovanni-Vincentelli, A.L. Partitioning algorithms and parallel implementations of waveform relaxation algorithms for circuit simulation 86−57569
White, J., Vincentelli, A.S., Odeh, F., Ruehli, A. Waveform relaxation: theory and practice 86−13706
White, J., Weiner, N. Parallelizing circuit simulation using a combined algorithmic and specialized hardware approach 87−46111
White, J. *see* Beetem, J.F. 85−35200
White, J. *see* Benjamin, J. 86−21407
White, J. *see* Kundert, K. 88−70908
White, J. *see* Mejia, S.R. 86−34369
White, J. *see* Rudan, M. 88−26185
White, J. *see* Sangiovanni-Vincentelli, A.L. 86−52623
White, J. *see* Srinivasan, R. 87−69328
White, J. *see* Vandenput, A. 87−42958
White, J.A.P. The development of electromechanical actuation for aircraft systems 87−77751
White, J.B. JBW redundancy-allocation algorithm 86−34082
White, J.B. *see* Keenan, J.A. 86−14984
White, J.C., Craighead, H.G., Howard, R.E., Jackel, L.D., Wood, O.R., III VUV laser photolithography 85−6777
White, J.C., McCanny, J.V. The development of silicon for integrated circuit technology 87−67366
White, J.C., McCanny, J.V., McCabe, A., McWhirter, J., Evans, R. A high-speed CMOS/SOS implementation of a bit level systolic correlator 87−16973
White, J.C. *see* Appelbaum, J. 88−5683 to 5684
White, J.C. *see* Bjorkholm, J.E. 86−8926
White, J.C. *see* Deshmukh, V.G.I. 87−66188
White, J.C. *see* Henderson, D. 85−40565
White, J.C. *see* Huang, H. 88−69362
White, J.C. *see* Rhudy, R.G. 86−61526, 88−69325
White, J.C. *see* Walker, D.N. 86−51580
White, J.C. *see* Weisbin, C.R. 85−39881
White, J.C. *see* McCanny, J.V. *(editor)* 87−65053
White, J.E. A user-friendly naming convention for use in communication networks 85−25349
White, J.E., Speyer, J.L. Detection filter design by eigensystem assignment 86−10450
White, J.E., Speyer, J.L. Detection filter design: spectral theory and algorithms 87−69138
White, J.F. Origins of high-power diode switching 85−231
White, J.F. PIN diodes and the theory of microwave operation 87−37579
White, J.F. GaAs: the bumpy road 88−44358
White, J.F., Kao, K.C., Card, H.C., Watanabe, H. Gap state distribution profiles in amorphous silicon-nitrogen alloy films fabricated at various substrate temperatures 87−1211
White, J.F., Parisi, S.J. A nondestructive microwave beam lead diode measurement 87−77389
White, J.F., Parisi, S.J. Measuring beam leaded diodes nondestructively 88−25472
White, J.F. *see* Shufflebotham, P.K. 87−5439
White, J.H., Finger, J.F., Alfonsi, P.J. Multipurpose aircraft monitoring with a Smart Recorder 86−70495
White, J.J. *see* Abbott, R.S. 86−2362
White, J.J. *see* Ellul, J.P. 85−58581
White, J.J. *see* Hak-Yam Tsoi 86−5052
White, J.J. *see* Tay, S.P. 87−74202
White, J.K., Sangiovanni-Vincentelli, A. Relaxation techniques for the simulation of VLSI circuits 87−32629
White, J.K. *see* Cockerill, T.J. 87−65660
White, J.K. *see* Shottan, S. 88−26466
White, J.L., Muldoon, W.J. Two-inductor boost and buck converters 87−73313
White, J.M. *see* Cervera-March, S. 88−49105
White, J.M. *see* Kwong, D.L. 87−25618
White, J.M. *see* Swan, G.A.H. 86−51852
White, J.O., Valley, G.C. Coupling pulsed dye oscillators using a phase conjugate resonator 88−72388
White, J.O., Valley, G.C., McFarlane, R.A. Coherent coupling of pulsed dye oscillators using nonlinear phase conjugation 87−46964
White, J.O., Valley, G.C., McFarlane, R.A. Coherent combining of pulsed dye oscillators using nonlinear phase conjugation 88−20768
White, J.O. *see* Cronin-Golomb, M. 85−56819
White, J.R. Demonstration project for robotic inspection systems at nuclear power plants 85−48794
White, J.R., Harvey, H.W., Satterlee, P.E., Jr. Surveillance robot for nuclear power plants 86−25729
White, J.R., Jensen, R.T., Chexal, V.K. A comparative analysis of RELAP5 against RETRAN and CRAFT for overcooling transients in a B&W plant 85−9667
White, J.R. *see* Gupta, A. 88−39266
White, J.R. *see* Yan, T.Y. 88−5270
White, J.S. *see* Lazar, A.A. 87−49310, 87−69681
White, J.T. Bar code data capture in the electronics industry 86−14709
White, J.T. *see* Masek, G.E. 87−50159
White, J.W. Design of low flying heads for floppy disk magnetic recording 85−24159
White, J.W. A uniform flying height rotary actuated air bearing slider 87−25833
White, J.W. *see* Bradbury, R. 87−12632, 87−68660
White, J.W. *see* Ponnaganti, V. 88−51317
White, K., Farber, M., Pulleyblank, W. Steiner trees, connected domination and strongly chordal graphs 85−28131
White, K., Palmer, D., Hawkins, C.F., Martin, G.L. Measurement of internal capacitances of integrated circuits 86−65253
White, K.B., Massello, J. Implementing computer-mediated communication technologies: a technoacceptance approach to critical mass utilization 88−35011
White, K.D., Woods, C.B., Cormack, L.K. 3D displays and eye movements 88−4561
White, K.E., Rhyne, E.C. Effect of battery string inductance on load circuit noise and battery charger filter performance 87−22550
White, K.E. *see* Charlantini, D.L. 87−30089
White, K.G., Fenton, A.G., Fenton, K.B. Gas gain in xenon+2, 3 dimethyl-2-butene filled proportional counters 88−4808
White, K.I. Methods of measurement of optical fibre properties 86−9493
White, K.I., Nayar, B.K. Second-harmonic generation in nonlinear fiber waveguides: efficient designs using radiation modes 88−40343
White, K.I., Nayar, B.K. Nonlinearity effects in crystal cored fibres 88−58144
White, K.I., Nayar, B.K., Kashyap, R. Amplification and second harmonic generation in non-linear fibre waveguides 88−65202
White, K.I. *see* Nayar, B.K. 86−54218, 87−54417, 88−65221
White, K.J. *see* Zoltani, C.K. 86−44648
White, K.O., Gutman, W.M., Dowling, J.A. Mobile atmospheric profiling system 86−18564
White, K.P. *see* Lough, W.T. 88−48721
White, K.W. *see* Dominguez, L.M. 87−70446
White, K.W. *see* Jenkins, M.G. 88−18776
White, L. Building towards wafer automation 86−1861
White, L. Development of a new connector dust test 88−12703
White, L., Chang, S., Holland, B., Duy-Loand Le, Poteet, K. A 1 micron CMOS 1MB DRAM 87−5895
White, L. *see* Boashash, B. 87−19824, 88−41056
White, L.D. Tapping CAD data for PC board panelization 87−53028
White, L.D. *see* Anastasi, R. 88−38868
White, L.K. Approximating spun-on, thin film planarization properties on complex topography 85−35090
White, L.K. The characterization and simulation of spin-coated resist contours 86−1886
White, L.K. A modeling study of superficial topography for improved lithography 86−28091
White, L.K. Spun-on contour coating characterizations for advanced optical lithography 87−17874
White, L.K. Positive-resist processing for step-and-repeat optical lithography 87−25455
White, L.K. Contact hole imaging characteristics from projection lithography 87−66776
White, L.K. Contact hole imaging in stepper lithography 88−1598
White, L.K. Effects of partial coherence on contact hole projection lithography 88−57532
White, L.K. Contour modifiers for optical lithography 88−71474
White, L.K., Frantz, V.L., Jr., Miszkowski, N., Corboy, J. Alignment to keys spin-coated with resist 88−71484
White, L.K., Jer-Shen Maa Etch rate enhancement of silicon in CF_4-O_2 plasmas 85−45566
White, L.K., Meyerhofer, D. Image formation in contact-printed PMMA resist sublayers 85−18415
White, L.K., Meyerhofer, D. Process latitude in contrast enhancement layer lithography 86−67932
White, L.K., Meyerhofer, D. Tapered resist wall profiles by flood exposure 88−33097
White, L.K., Miszkowski, N. Topography-induced thickness variation anomalies for spin-coated, thin films 85−50415
White, L.K., Popov, M. Method of patterning polyimide films 85−1462
White, L.K. *see* Kilichowski, K.B. 85−45502
White, L.S., Mohan Rao, G.R., Linder, P., Zivitz, M. Improvement in MOS VLSI device characteristics built on epitaxial silicon 85−794
White, L.S., Jr., Armstrong, G.J., Mohan Rao, G.R. 1-MB memories demand new design choices 85−22861
White, L.V., Boashash, B. On estimating the instantaneous frequency of a Gaussian random signal by use of the Wigner-Ville distribution 88−34663
White, L.W., Palmer, L.C., Chang, P.Y., Shenoy, A. Application of software simulation to DBS transmission design and evaluation 88−53394
White, M. *see* Antreasyan, D. 87−21413
White, M. *see* Becker, U. 88−22943
White, M. *see* Kiraly, R.J. 88−36521
White, M. *see* Kunhardt, E.E. 85−5303
White, M.A., Bateman, K.M., Emigh, S.G., Gray, D.H., Lom, N.S.C., Noble, J.E., Olan, R.W., Oster, J.F., Riggle, P., Krogness, J.C. Fully implantable Stirling engine power source for artificial hearts 86−32376
White, M.A., Jr. The case for component and board pretesting 88−25635
White, M.H. Integrated sensors: driving factors on the level of integration 86−55717
White, M.H. Noise considerations in sensor circuits 87−70539

White, M.H., Hielscher, F.H., Miller, F.C., Chan, C.F. Microelectronics at Lehigh University 86–19776
White, M.H. *see* Agarwal, A.K. 85–40909
White, M.H. *see* Booth, R.V. 88–26268
White, M.H. *see* Chao, C.C. 87–38319
White, M.H. *see* Flamouropoulos, T. 86–40950
White, M.H. *see* Hon-Sum Wong 87–67294
White, M.H. *see* Krutsick, T.J. 87–67264, 88–71559
White, M.H. *see* Libsch, F.R. 88–13417, 88–33386
White, M.H. *see* Roy, A. 87–49779
White, M.H. *see* Uzunoglu, V. 86–29929, 86–34601, 86–40873, 87–23988, 87–37056
White, M.J. Interrelationships between contact alloy properties relative to connector design, manufacture, and performance 86–14618
White, M.J. Multi-radar tracking simulation 87–28676
White, M.J. *see* Scorey, C.R. 85–33516
White, M.K. *see* Muehlhauser, J.W. 86–33705
White, M.L. *see* Balderes, D. 86–13492, 87–67411
White, M.S. Videotex markets and trends in Europe 87–13335
White, M.S. Videotex services in Europe 87–28007
White, M.S. *see* Honey, S.K. 87–3259
White, M.S., Jr. *see* Honey, S.K. 87–41114
White, M.W. The multichannel cochlear prosthesis: channel interactions 85–38233
White, M.W. *see* Wilson, B.S. 88–68488
White, N., Cranny, A. Design and fabrication of thick film sensors 87–24637
White, N., Mack, M.E., Ryding, G., Douglas-Hamilton, D.H., Steeples, K., Farley, M., Gillis, V., Benveniste, V., Wittkower, A., Lambracht, R. Wafer charging and beam interactions in ion implantation 85–34820
White, N. *see* Mack, M.E. 85–34800
White, N. *see* Peacock, A. 85–43196
White, N.C. *see* Baugh, L.M. 88–11352 to 11353
White, N.J. Telecommunications strategy 85–57585
White, N.M. *see* Brignell, J.E. 88–67746
White, N.M. *see* Head, J.G. 88–64801
White, N.M. *see* Simmons, M.A. 88–67984
White, N.R. Computers and the design of ion beam optical systems 87–56945
White, P. The SynthMix. II 85–655
White, P. Oberheim Xpander [electronic music synthesizer] 85–3775
White, P. Zypher Electronics Digi-Atom 4800 Analogue-to-MIDI converter 85–3776
White, P. Audio Electronics system speaker 85–3777
White, P. MicroLink System ML10 for Casio MT200 and Sinclair Spectrum 85–3778
White, P. 360 Systems digital keyboard 85–8632
White, P. Tama Techstar TS500 Electronic Drum Kit 85–8633
White, P. Frazer Wyatt speakers 85–8635
White, P. Chase Bit One. Programmable polysynth 85–26141
White, P. Casio CT6000. Electronic keyboard 85–26142
White, P. Yamaha D1500. MIDI digital delay 85–26144
White, P. Akai AX80 programmable polysynth 85–31256
White, P. Korg DDM110 programmable drum machine 85–31257
White, P. MPC DSM8 AutoTom [electronic drums] 85–31258
White, P. Simmons SDS EPB [percussion instrument] 85–31266
White, P. Powerful combinations [keyboard designs] 85–31267
White, P. TED Digisound revisited [sampled sound percussion machine] 85–31270
White, P. MPC Programmer 8 [computer-controlled rhythm sequencer] 85–42804
White, P. Roland SBX80 Sync Box 85–42805
White, P. Powerful combinations plus [keyboard combos] 85–42807
White, P. Simmons SDS1 [drum pad] 85–42814
White, P. Pearl DRX1 electronic drum kit 85–52596
White, P. Delta SX301. Add-on for digital delays lines 85–52599
White, P. Delay tactics [music digital delay line] 86–17709
White, P. Exclusive Syn-D-Kation [electronic drum kit] 86–24242
White, P. Hit and miss [Roland electronic drums] 86–38164
White, P. Fostex E16 16-track tape recorder 87–41279
White, P. Roland DEP5 multi-effects unit 87–41292
White, P. Traveling modems 88–15238
White, P., Trask, S. Outer spaces [digital reverberator] 86–11377
White, P. *see* Burnett, C. 88–21463
White, P. *see* Goldstein, D. 85–8662
White, P. *see* West, M. *(editor)* 85–10338
White, P.A. The offshore wind-energy resource around the United Kingdom 86–51181
White, P.A. An automated fiber-optic laboratory for undergraduates 88–18385
White, P.A., Dollery, A.A., Davies, R.T., Read, M. Direct glassing of solar cells 87–78939
White, P.A. *see* James, R.E. 87–22458
White, P.A. *see* Kitchen, C.A. 88–5894, 88–37459
White, P.A., III A state-of-the-art undergraduate fiber-optic laboratory 87–51791
White, P.D., Gurcan, M.K., MacNamee, R.J.G. 900 MHz digital cordless telephone 85–58006
White, P.D., Gurcan, M.K., MacNamee, R.J.G. A fully digital 900 MHz cordless telephone 85–63559
White, P.D. *see* Gurcan, M.K. 86–64865
White, P.E. The broadband ISDN–the next generation telecommunications network 87–27842
White, P.E., Holcomb, J.E. Towards a next generation switching system 87–76136
White, P.E. *see* Gopal, A.S. 88–3754
White, P.E. *see* Kaiser, P. 87–34607
White, P.J., Mapps, D.J., Rossi, G.B. Zero current synchronization of opening switch contacts 87–11101
White, P.J., Wyner, E.F. High pressure sodium lamps at increased loading 86–52034
White, P.J. *see* McBride, J.W. 88–38819
White, P.J. *see* Mapps, D.J. 87–11102
White, P.K., Halas, W.P., Davis, J.H. Converging technologies: automotive, cellular, and voice input/output 87–51606
White, P.M., Van Rees, B., Leonard, M.F. The effect of profile design, bias conditions and load impedance on intermodulation distortion in C-band GaAs power FETs 85–6976
White, P.M. *see* Chan, S.K. 86–14518
White, P.R., Clarkson, P.M., Carmichael, I.C. The application of adaptive noise cancellation to pyroelectric detectors 87–60781
White, P.R., Clarkson, P.M., Carmichael, I.C. The reduction of noise levels in infrared detectors using adaptive noise cancellation 88–9988
White, P.R. *see* Clarkson, P.M. 87–69129
White, P.R. *see* Fox, A. 87–10523
White, P.R.S., Loughridge, B.W., Duckers, L.J., Lockett, F.P., Peatfield, A.M., West, M.J. The utilisation of low head water resources to provide electrical energy for isolated communities and dwellings 87–42710
White, P.R.S. *see* Lockett, F.P. 85–15926
White, P.R.S. *see* Loughridge, B.W. 87–50710
White, P.R.S. *see* Peatfield, A.M. 85–15918
White, R. Analogue component video in the studio and transmission paths 88–9741
White, R. *see* Blacknell, D. 88–9635
White, R. *see* Buckley, J. 87–56377
White, R. *see* Buttle, K. 86–10882
White, R.A. Supersonic wind tunnel simulation of propulsive jets 86–32429
White, R.A. An application of pulsed power in the simulation of severe natural lightning [aircraft applications] 87–21716
White, R.A. Averaging techniques reduce test noise, improve accuracy 88–60651
White, R.A., Abergel, R.P., Lyons, R., Klein, S.R., Kopchok, G., Dwyer, R.M., Uitto, J. CO_2, neodymium:yttrium-aluminum-garnet (Nd:YAG), and argon laser welding of vascular tissue 87–21658
White, R.A., Abergel, R.P., Lyons, R., Kopchok, G., Klein, S.R., Dwyer, R.M., Uitto, J. Laser welding of blood vessels 87–63819
White, R.A., Donayre, C., Kopchok, G., White, G., Abergel, R.P., Lyons, R., Klein, S., Dwyer, R., Uitto, J. Vascular welding using the argon laser 88–16775
White, R.A. *see* Abergel, R.P. 87–21656
White, R.A. *see* Kopchok, G. 88–16777
White, R.A. *see* Kusama, M. 88–53088
White, R.C. *see* Xu, G. 88–73040
White, R.E. Signal and noise estimation from seismic reflection data using spectral coherence methods 85–15410
White, R.E. Multisplittings and parallel iterative methods 88–11917
White, R.E., Beckerdite, J.S., Van Zee, J. A simple model of a diaphragm-type chlorine cell 85–32674
White, R.E., Walton, C.W., Burney, H.S., Beaver, R.N. Predicting shunt currents in stacks of bipolar plate cells 86–66222
White, R.E. *see* Bunch, A.W.H. 85–64690
White, R.E. *see* Dimpault-Darcy, E.C. 88–43371
White, R.E. *see* Evans, T.I. 88–30982
White, R.E. *see* Gu, H. 88–37362
White, R.E. *see* Holmes, J.W. 85–32701
White, R.E. *see* Konig, V. 87–3844
White, R.E. *see* Mader, M.J. 86–71044
White, R.E. *see* Van Zee, J. 85–28197, 85–32696
White, R.E. *(editor)* Electrochemical Cell Design. Selected Contributions from a Symposium on Recent Advances in Electrochemical Cell Design 85–27952
White, R.F., Wilson, J.W. Control of plasma etch uniformity by electrode spacing 85–29153
White, R.G. Acoustic and vibration transducers and measurement techniques 86–6164
White, R.G., Finley, I.P., Wood, J.W. Aspects of the processing and analysis of airborne synthetic aperture radar imagery 86–55379
White, R.G., Weldon, E.J., Jr. Utilizing gradient vector distributions to recover motion parameters 88–28106
White, R.G. *see* Blacknell, D. 88–15624
White, R.G. *see* de Fontenay, A. 87–40142
White, R.G. *see* Oliver, C.J. 88–15623
White, R.G. *see* Wood, J.W. 88–60219
White, R.H. *see* Crews, M.R. 85–43691, 86–45119
White, R.I. Integrating data from fabrication through test 86–44192
White, R.I. Automated test data collection for IC manufacturing 86–46040
White, R.I. TRS and DTS: IC test result standards 86–49952
White, R.I. DTS: A data transport standard 86–64762
White, R.L. System design of a cochlear implant 87–63840
White, R.L., Thurman, S.W., Barnes, F.A. Autonomous satellite navigation using observations of starlight atmospheric refraction 87–34671
White, R.L. *see* Galbraith, D.C. 87–50408
White, R.L. *see* Ifukube, T. 87–19478, 88–16786
White, R.L. *see* Kortas, R.G. 85–59313
White, R.L. *see* Santini, H.A.E. 85–7164
White, R.L. *see* Soma, M. 87–50409
White, R.L. *see* Townshend, B. 88–16787
White, R.L. *see* von Compernolle, D. 86–60832
White, R.M. Magnetic structure for a microundulator 85–24740
White, R.M. Research opportunities in magnetic materials 85–45949
White, R.M. Opportunities in magnetic materials 86–2584
White, R.M. Surface acoustic wave sensors 86–70132
White, R.M. A sensor classification scheme 87–49676
White, R.M. New prospects for acoustic sensors: an overview 88–20234
White, R.M. Strategy for success in maintenance management at Point Lepreau Nuclear Generating Station 88–75282
White, R.M., King, A.A. Tactile array for robotics employing a rubbery skin and a solid-state optical sensor 86–56189
White, R.M., Wenzel, S.W. Inexpensive and accurate two-sided semiconductor wafer alignment 88–32974
White, R.M., Wenzel, S.W. Fluid loading of a Lamb-wave sensor 88–51101
White, R.M., Wicher, P.J., Wenzel, S.W., Zellers, E.T. Plate-mode ultrasonic oscillator sensors 87–49680
White, R.M. *see* Fan, L.S. 85–52907
White, R.M. *see* King, A.A. 86–31222
White, R.M. *see* Lottis, D.K. 88–71887
White, R.M. *see* Polla, D.L. 85–52685, 86–50050, 86–50090, 86–55744, 86–68151
White, R.M. *see* Uozumi, K. 87–9045
White, R.M. *see* Wenzel, S.W. 88–53616, 88–61688
White, R.M. *see* Zellers, E.T. 88–47492
White, R.V. Integration of the power electronics design process with computers 87–44492
White, R.V. *see* Sayani, M.P. 88–55505
White, S. Long View Farm Recording Studio 86–38125
White, S.A. Results of a preliminary study of a novel IC arithmetic unit for an FFT processor 86–1132
White, S.A. Design of a digital biquadratic peaking or notch filter for digital audio equalization 86–57970
White, S.A. High-speed distributed-arithmetic realization of a second-order normal-form digital filter 87–10989
White, S.A. High-speed distributed-arithmetic realization of a second-order normal-form digital filter 88–902
White, S.A., Vitols, V.A. A nonlinear adaptive filter for simultaneous shaping of both the frequency spectrum and the amplitude distribution functions of a signal 87–5980
White, S.A., Vitols, V.A. A nonlinear adaptive digital filter 88–32337
White, S.A. *see* Smith, S.G. 88–73025
White, S.J. *see* Atkinson, C.J. 85–44734
White, S.J. *see* Gibbons, H.A. 86–28229
White, S.L. *see* Ford, W.T. 87–50139
White, S.M., Gigengack, D.W.S. Enclosed gas recombination batteries 87–30891
White, S.N. *see* Apollinari, G. 87–21436, 87–29489
White, S.N. *see* Chapin, T.J. 85–9055
White, S.N. *see* Foley, K.J. 88–68313
White, S.R. Concepts of scale in simulated annealing [VLSI design] 85–29231
White, S.R. Concepts of scale in simulated annealing [for NP-complete problems] 85–33599
White, S.R., Comerford, L. ABYSS: a trusted architecture for software protection 87–61600
White, S.S. Single point key 88–3888

White, T. PC network evaluation: plenty of questions, no easy answers 87—28119
White, T. *see* Ito, C. 88—70655
White, T.A. *see* Kenyon, N.D. 85—52562
White, T.E. *see* Hajny, M.R. 86—32892
White, T.J. *see* Gupta, P.L. 87—10246
White, T.K. *see* Harmon, R.A. 88—22108
White, T.K. *see* Heatley, D.J.T. 85—63636
White, T.L. *see* Bigelow, T.S. 88—25415
White, T.M. Method of protecting distribution transformers connected solidly to an urban 11 kV network 87—30714
White, T.M., Gibbs, J.W., Phillips, R.B., Hyde, H.B., Philbrick, S.E., Bungay, E.W.G. 11 kV polymeric insulated triplex cable 87—15285
White, T.O. *see* Alner, G.J. 88—10288
White, T.O. *see* Ansorge, R.E. 88—29842
White, T.S. *see* Lauby, M.G. 88—10833
White, V.E. *see* Khattak, C.P. 86—52434
White, W., Galperin, I. High frequency, high power capacitor design considerations 85—32669
White, W., Galperin, I. Material considerations for high frequency, high power capacitors 85—34218
White, W., Wharton, K.L. Development of a cryogenic preservation system 85—26740
White, W. *see* Galperin, I. 85—34216
White, W.A., Namordi, M.R. GaAs MESFET model adds life to SPICE 85—29213
White, W.D. Multiple beam architecture for sidelobe cancellers 87—26948
White, W.D. A multiple-beam architecture for sidelobe cancellers 88—14521
White, W.L. *see* Ostler, D.V. 88—54692
White, W.S., Jr., Dunlevy, R.D. Managing for plant availability 87—51038
Whiteaway, J.E.A. Zero-order supermode discrimination in semiconductor laser arrays 86—48398
Whiteaway, J.E.A., Thompson, G.H.B., Goodwin, A.R. Mode stability in real index-guided semiconductor laser arrays 86—15709
Whiteaway, J.E.A. *see* Collar, A.J. 88—45450
Whiteaway, J.E.A. *see* Garrett, B. 87—7360, 87—26432, 87—33166, 87—46876
Whiteaway, J.E.A. *see* Glew, R.W. 87—12481
Whiteaway, J.E.A. *see* Thompson, G.H.B. 87—46867
Whiteaway, J.E.A. *see* Thrush, E.J. 85—10710, 85—22488
Whitebread, P.J. *see* Nichol, D.G. 88—14752
Whited, D.E. *see* Shier, D.R. 86—13549, 86—49053
Whitefield, D. *see* Tooley, M. 85—37359
Whitefield, R.J. Externally sensed grating track sensing arrangement [magnetic recording tracks] 85—2113
Whitehair, S., Asmussen, J. Performance measurements on a microwave electrothermal engine 85—20996
Whitehair, S., Frasch, L.L., Asmussen, J. Experimental investigation of microwave electrothermal thruster configurations 87—21741
Whitehair, S. *see* Asmussen, J. 85—31951
Whitehall, B. Screen test for the multinationals 86—17654
Whitehead, A. *see* Jarvis, P.M. 86—61338
Whitehead, A.M., Thomas, W.P., Wilkins, M.P. Integrated flying aid and mission displays for modern combat aircraft incorporating a digital database 87—50517
Whitehead, A.M., Thomas, W.P., Wilkins, M.P. Integrated flying aid and mission displays for modern combat aircraft incorporating a digital database 88—36085
Whitehead, A.M., Thomas, W.P., Wilkins, M.P. Integrated flying aid and mission displays for modern combat aircraft incorporating a digital data base 88—61534
Whitehead, A.P. Open systems interconnection (OSI) management in C3I systems 87—40256
Whitehead, A.P., Footner, P.K., Richards, B.P. ESD-induced electromigration; a new VLSI failure mechanism 85—55934
Whitehead, B. *see* Kratschmer, E. 86—21454
Whitehead, B. *see* Saris, F.W. 85—34616
Whitehead, B. *see* Wang, G.W. 88—71043
Whitehead, B.L. *see* Buhay, H. 86—63151
Whitehead, B.L. *see* Byrne, D.M. 85—35578
Whitehead, C. *see* McWilliams, B.M. 85—1731
Whitehead, C.R. *see* DeJesus, E.J. 87—5680, 87—65735
Whitehead, D. The Plessey (800 MHz) Logic Trunk Radio System 88—3887
Whitehead, D.G. *see* Hill, J.J. 86—5105
Whitehead, J. Communications for office automation 88—35023
Whitehead, J.C., Mitlitsky, F., Ashkenas, D.J., Bernhardt, A.F., Farmwald, S.E., Kaschmitter, J.L., McWilliams, B.M. Laser fabrication of interconnect structures on CMOS gate arrays 87—46205
Whitehead, J.C. *see* Bernhardt, A.F. 87—67599, 88—33394
Whitehead, J.C. *see* Mitlitsky, F. 87—23736
Whitehead, J.D., From, W.R., Smith, L.G. The radio power reflected from rough and undulating ionospheric surfaces 85—2571
Whitehead, J.D. *see* From, W.R. 86—60940, 88—36665
Whitehead, J.F. Cellular spectrum efficiency via reuse planning 86—4525
Whitehead, J.F. Cellular system design: an emerging engineering discipline 86—43744
Whitehead, M., Pavry, G., Roberts, J.S., Mistry, P., Li Kam Wa, P., David, J.P.R. Quantum confined Stark shifts in MOVPE-grown GaAs-AlGaAs multiple quantum wells 87—74052
Whitehead, M., Rivers, A., Parry, G., Roberts, J.S., Mistry, P., Li Kam Wa, P., Pate, M.A. Electric field effects in quantum well devices and their applications in digital optics 88—20448
Whitehead, M. *see* Halley, J. 87—24908
Whitehead, M. *see* Wheatley, P. 87—26092, 87—26228, 88—2058
Whitehead, M.J. The Long Term Safety Review of nuclear power stations 86—12568
Whitehead, M.L. Monitoring of sealed lead-acid batteries 86—19467
Whitehead, M.L. Energy sources for portable telecommunications equipment. Battery selection and in-service costs 86—33588
Whitehead, M.L. Zinc carbon and alkaline primary batteries. A comparison of cost and performance 86—56938
Whitehead, N. *see* Hewitt, A. 86—30644
Whitehead, N.W.M. Design of a 250 Mbit/s biphase modulator 86—40966
Whitehead, P. Designing trunked radio systems 87—13598
Whitehead, P.C. *see* Berman, R.K. 88—46702
Whitehead, P.C. *see* Bobilin, R.T. 85—42098
Whitehead, R.N. *see* Gurcan, M.K. 87—13634
Whitehead, R.W. *see* Bell, E.C. 88—11573
Whitehead, R.W. *see* Mahmoud, M.O. 86—33290
Whitehead, S.D. *see* Daigle, J.N. 85—8035
Whitehead, T.Wilson *see* Wilson Whitehead, T.
Whitehouse, A.C.D. Radio interference—the probability problem 86—15935
Whitehouse, A.C.D. Tasks and work of CISPR subcommittee B—interference from ISM equipment 87—26831
Whitehouse, B. Kilostream, insurance and the single vendor 85—57599
Whitehouse, B. Fibre becomes a market force 86—49575
Whitehouse, B. Protocol analysers in data networks 86—55517
Whitehouse, B. Millimetre waveband links in urban environments 87—8167
Whitehouse, B. Kilostream: throw away your modems 87—20018
Whitehouse, B. The VANs evolution 87—20238
Whitehouse, B. Multiplexers: what we want 87—20320
Whitehouse, B. Sorting out the FAX [electronic mail] 87—27949
Whitehouse, B. X.25 security [packet switching] 87—39997
Whitehouse, B. Megastream: start of a two megabit dynasty 87—40495
Whitehouse, B. A safety net [business packet-switched data networks] 87—55834
Whitehouse, B. Telex: international appeal 88—41244
Whitehouse, B. Multiplexors on the line 88—46798
Whitehouse, B., Green, J. Australia and the Pacific region 88—73431
Whitehouse, C.R. *see* Williams, G.M. 85—44704, 88—49805
Whitehouse, D.A. *see* Miller, J.P. 88—68245
Whitehouse, D.J. A view of metrology training in manufacturing industry 88—6147
Whitehouse, D.J. Surface metrology instrumentation 88—10122
Whitehouse, D.J., Bowen, D.K., Chetwynd, D.G., Davies, S.T. Nano-calibration for stylus-based surface measurement 88—22779
Whitehouse, D.J. *see* Davies, S.T. 88—50729
Whitehouse, F. Choosing a multimeter 88—22671
Whitehouse, G. Vertical antennas for the new and not so new amateur 88—58939
Whitehouse, G.E. *see* Biegel, J.E. 88—31358
Whitehouse, H.J. Some promising directions in parallel processing research 85—30242
Whitehouse, H.J., Boashash, B. Signal processing applications of Wigner-Ville analysis 87—55126
Whitehouse, H.J., Speiser, J.M., Bromley, K. Signal processing applications of concurrent array processor technology 85—46809
Whitehouse, H.J. *see* Boashash, B. 87—52479, 88—21256
Whitehouse, H.J. *see* Snyder, D.L. 87—55124
Whitehouse, H.J. *see* Kung, S.Y. *(editor)* 85—44384
Whitehouse, J.H. *see* McKnight, W.M. 88—63762
Whitehouse, L. *see* Somerton, C.W. 87—64401
Whitehouse, R.G. Vitreous processes and equipment 85—27886
Whitehouse, R.H.L. *see* Savage, J.A. 87—18578
Whitehouse, R.S., Adhikari, T., Ramesh, K., Kapoor, S.C. Simulator study for conversion of a double circuit AC line to parallel AC/DC transmission 88—68909
Whitehouse, W.H. New technology for signalling and telecommunications systems [rail traffic] 85—53894
Whitehurst, C., Dickinson, M.R., King, T.A. Ultraviolet pulse transmission in optical fibres 88—39888
Whitehurst, C. *see* Berry, A.J. 88—27043, 88—58430
Whitehurst, G.A. *see* Darbyshire, A.G. 85—53175
Whitehurst, J. *see* Frayne, P.G. 87—21073, 87—49907
Whitelam, F.E., Jr. Fast, accurate layer measurement for the plating industry 85—26480
Whitelaw, A. *see* Dyson, R.J. 85—31841
Whitelaw, J.H. *see* Durao, D.F. 85—37803
Whitelaw, V.A. *see* Mallary, W.E. 87—42042
Whiteley, D. Simplifying PSU design with a new generation of AC-to-DC converters 86—7957
Whiteley, D.A., Richards, E.F., Anderson, M.D. Identifying the retained portion of an equivalent network using distribution factor sorting 87—64128
Whiteley, D.W. *see* Habibullah, B.S. 86—6610
Whiteley, J.S., Koppel, P., Conger, V.L., Owens, K.E. Annealing and electrical properties of organometallic vapor phase epitaxy-interdiffused multilayer process grown HgCdTe 88—64246
Whiteley, K. *see* Gillies, A.C. 88—52563
Whiteley, M.J. *see* Pearson, J.F. 87—71015
Whiteley, R.V.. Jr., Wilson, J.M. Electrochemical characterization of liquid resistors 85—5347
Whiteley, S. *see* Hanson, E. 88—42265
Whiteley, S.R., Hanson, E.R., Hohenwater, G.K.G., Kuo, F., Faris, S.M. Integration of superconducting technology for a 50 GHz sampling oscilloscope chip 88—39829
Whiteley, S.R., Hohenwarter, G.K.G., Faris, S.M. A Josephson junction time domain reflectometer with room temperature access 87—67873
Whiteley, S.R. *see* Hanson, E.R. 88—29528
Whiteley, S.R. *see* Hohenwarter, G.K.G. 87—67862
Whiteley, S.R. *see* Radparvar, M. 87—67888
Whiteley, S.R. *see* Yu, L.S. 87—67887
Whiteley, W. A correspondence between scene analysis and motions of frameworks 85—7912
Whitelock, I.W. *see* Yacamini, R. 86—12328
Whitelock, K. *see* Burton, P. 86—51720
Whitely, J. No electronics—no comment [armoured fighting vehicle] 88—61742
Whiteman, A.L. A family of symmetric block designs 88—24636
Whiteman, D. *see* Melfi, S.H. 86—25410
Whiteman, J. *see* Santamore, W.P. 85—26752
Whiteman, J.L., Negin, M. Automation of preseal inspection using machine vision 88—1239
Whitemore, T.J. An integrated shipwide control system—a view of the future 88—36728
Whiteoak, J.B. *see* Ables, J.G. 87—49212
Whiter, G.D. Radio data modems for mobile and remote access 87—48751
Whitescarver, J., Mukherji, P., Turoff, M., DeBlock, R.J., Jr., Czech, R.M., Paul, B.K. A network environment for computer-supported cooperative work 88—59608
Whitescarver, J. *see* Mukherji, P. 88—21715
Whiteshides, G.M. *see* Stewart, K.R. 86—62261
Whiteside, A., Ellis, M., Haskell, B. Digital generation of stereoscopic perspective scenes 88—3196
Whiteside, A., Mohr, C. ASIC testing mandates new role for circuit designers 87—65157
Whiteside, C.F., Bosman, G., Morkoc, H. Velocity fluctuation noise measurements on AlGaAs-GaAs interfaces 88—25926
Whiteside, C.F., Bosman, G., Morkoc, H., Kopp, W. Noise temperature and diffusion coefficient associated with the quasi-two-dimensional electron gas in an ungated MODFET structure 86—53627
Whiteside, C.F., Bosman, G., Morkoc, H., Kopp, W.F. The DC, AC, and noise properties of the GaAs/AlGaAs modulation-doped field-effect transistor channel 87—6716
Whiteside, C.F., Bosman, G., van der Ziel, A., Kopp, W., Morkoc, H. High-frequency channel noise of modulation-doped AlGaAs-GaAs FETs 86—63330
Whiteside, D. Micros hit the road [automobile electronics] 85—10193
Whiteside, F., Mozden, T., Sittig, R. A dual-port 65 ns 64K×4 DRAM with a 50 MHz serial output 87—17072
Whiteside, R.A. *see* DaSilva, F.P. 88—5237
Whiteside, S., Mitra, S., Krile, T.F., Shihab, Z. Fundus image processing system for early detection of glaucoma 87—41957
Whiteside, S. *see* Hardwicke, K. 86—25182
Whitesides, G. *see* Mattison, E.M. 88—20529
Whiteway, W. *see* Beanlands, B. 88—48354
Whitewood, P. The development of electrical building services engineering in Malawi over the past ten years 85—64904
Whitfield, D. Connector value in control wiring 88—38826
Whitfield, D. *see* Tooley, M. 85—17294, 85—22820 to 22821, 85—27511, 85—27617, 85—33802 to 33803, 85—39941, 85—40023, 85—45001, 85—47758, 85—63427, 86—14274,

86—20614 to 20615, 86—30482, 86—37628, 86—46883
Whitfield, D.J. A methodology for control room design and quality assurance [power systems] 86—44913
Whitfield, F.B. *see* Banbury, J.R. 87—29198
Whitfield, G.R. *see* Bentley, R.W. 88—16538
Whitfield, J. A modification on 'An improved method to determine MOSFET channel length' 85—34977
Whitfield, J., Thomas, S. An electrical method to measure SOI film thicknesses 86—63291
Whitfield, J., Varker, C.J., Chan, S.S., Wilson, S.R., Carpenter, R.W., Krause, S.J., Weber, E.R. Characterization of electron traps resulting from oxygen precipitation in Cz Silicon 87—11340
Whitfield, J. *see* Varker, C.J. 87—17894
Whitfield, J.D., Burnham, M.E., Varker, C.J., Wilson, S.R. An electrical characterization of SOI films using devices formed by oxygen implant and rapid thermal processing 88—39246
Whitfield, J.D. *see* Chan, S.S. 86—21121
Whitfield, J.D. *see* Varker, C.J. 85—1288
Whitfield, J.D. *see* Wilson, S.R. 85—12104
Whitfield, J.F. Electrical craft principles. Vol.1. Revised 2nd edition 85—27992
Whitfield, K.C. A Prolog-based signal environment simulator/jammer 86—70450
Whitford, B.G. Simultaneous phase-lock of five CO$_2$ lasers to a primary Cs frequency standard 85—7362
Whitford, B.G. Phase-lock of a CO$_2$ laser to a frequency standard 86—24662
Whitford, B.G., Hanes, G.R. Absolute frequency of the He-Ne/CH$_4$ laser at 88 THz measured with 10^{-12} accuracy: dependence of frequency on laser parameters 87—14448
Whitham, C. *see* Wigginton, H. 85—23065
Whitham, K., Gagnon, W., Gritton, D., Holloway, R., Merritt, B. Design and construction of large capacitor banks 85—5226
Whitham, K., Larson, D., Merritt, B., Christie, D. Nova pulse power design and operational experience 88—20614
Whitham, K., Merritt, B.T., Gritton, D., Smart, J., Holloway, R.W., Oicles, J.A. Nova power systems: status and operating experience 85—2277
Whitham, K. *see* Fisher, A. 86—32045
Whitham, K. *see* Merritt, B.T. 85—5346
Whitheead, D.G., Mason, A.G. Low resolution vision sensing 86—24364
Whitheouse, B. On the fast track to Nirvana? [IBM micro to mainframe links] 87—34123
Whitheouse, C.R. *see* Martin, T. 85—49541
Whiting, B. *see* Bilderback, D. 88—42460
Whiting, B.R., Owen, J.F., Rubin, B.H. Storage phosphor X-ray diffraction detectors 88—42459
Whiting, B.R. *see* Lubinsky, A.R. 88—23056
Whiting, C. IC amp detects open thermocouples 85—42945
Whiting, D.D. Design and presentation of operating procedures [power station computer control] 86—45048
Whiting, E.V. *see* Morison, J.D. 87—65732
Whiting, G. *see* Morris, R.J. 85—6909, 85—23755
Whiting, J.M.W. The GTO thyristor in DC traction 87—36213
Whiting, J.P., Ayre, R. A low cost battery state-of-charge monitor 88—62575
Whiting, J.P. *see* Craddock, P. 85—64960
Whiting, J.S.S. *see* Hussain, A.A. 85—52867
Whiting, P.H., McConnell, R.L., Coley, W.L. What if our students really can communicate? 87—23206
Whiting, P.H. *see* Cooley, W.L. 87—23217
Whiting, R. 'Scope measurement techniques 87—21136
Whiting, W.B., Wallace, W.E., Gamble, J.F., Hearl, F.J., Piacitelli, L., Regad, E., Ronk, R. Introducing engineering students to health and safety aspects of their profession 87—31210
Whitinger, R. *see* Dailey, T. 86—69314
Whitla, G. *see* Mon, G.R. 86—13061, 86—33654
Whitlaw, K.J., Souter, J.W., Wright, I.S., Nottingham, M.C. Wear properties of high speed gold electrodeposits 85—50071
Whitley, D.W. Type testing of amorphous metal distribution transformers 87—72196
Whitley, G.H. *see* Cooper, S.P. 87—30389
Whitley, J.H., Mroczkowski, R.S. Concerning normal force requirements for gold plated contacts 88—38835
Whitley, R.H., Okrent, D. The development of systems performance standards based on probabilistic risk assessments 85—43841
Whitlock, I.W. *see* Adam, Ph. 86—12321
Whitlock, J. *see* Koch, T. 87—133
Whitlock, J. *see* Panayotatos, P. 88—37521
Whitlock, J.A., Jr., Trencher, E.A. Sensory Technology Information Service 88—61475
Whitlock, R.R. Laser processing of high-tech materials at high irradiance 87—7483
Whitlock, R.R., Papanicolaou, N.A. Streak and framing camera designs using surface acoustic wave charge-transfer devices 86—11469
Whitlock, R.R., Papanicolaou, N.A. Streak and framing camera designs using surface acoustic wave charge-transfer devices 87—34978
Whitlow, D. *see* Haven, D. 87—8686
Whitlow, D.E. *see* Buzak, T.S. 88—16308
Whitlow, H.J., Petersson, C.S., Reeson, K.J., Hemment, P.L.F. Mass-dispersive recoil spectrometry studies of oxygen and nitrogen redistribution in ion-beam-synthesized buried oxynitride layers in silicon 88—50695
Whitlow, T.J. 50 Hz frequency indicator 85—37645
Whitlow, W., Jr. *see* Osher, S. 85—39673
Whitman, A.G. *see* Neal, J.E. 86—68078, 88—69250
Whitman, G., Schwering, F., Cho, N. Moment method solution of the time-dependent transport equation 86—68734
Whitman, G. *see* Niver, E. 86—68864
Whitman, I. *see* Botti, J. 87—37112
Whitman, J.W.E., Cochrane, N.A., Belliveau, D. A microcomputer system for a shipboard Doppler current profiler 88—48345
Whitman, J.W.E. *see* Cochrane, N.A. 88—48347
Whitman, S., Webster, E. Transmitters: key to instrument accuracy 88—9955
Whitman, S.L. The smart transmitter's impact on the selection of flowmeters: orifice vs vortex 87—50000
Whitman, T.L. *see* Chinn, S.R. 88—8277
Whitman, T.L. *see* Chun, M.K. 88—14249
Whitmarsh-Everiss, M.J. Design of control systems from a systems engineering points of view 86—25739
Whitmarsh-Everiss, M.J. Design of control systems from a systems engineering point of view [nuclear power plants] 86—70751
Whitmore, G.A. *see* Pullum, G.G. 88—70182
Whitmore, J. *see* Engels, E., Jr. 87—29488
Whitmore, J. *see* Lobkowicz, F. 85—43185
Whitmore, L.F. Moving data economically on US financial networks 87—20179
Whitmore, P.M. *see* Celii, F.G. 86—71136
Whitmore, S.A. Formulation and implementation of nonstationary adaptive estimation algorithm with applications to air-data reconstruction 86—12071
Whitmoyer, R.A. *see* Hale, R.A. 86—70471
Whitney, A.R. *see* Clark, T.A. 85—59428
Whitney, A.R. *see* Levy, G.S. 87—28712
Whitney, B.T. *see* Pizer, S.M. 88—48228
Whitney, C.K. *see* Hong-Nian Jow 88—48667
Whitney, D.A. The Kalman filter family tree: a survey of state-of-the-art analysis methods based on the Kalman filter 85—6411
Whitney, D.E. Manufacturing and design: a symbiosis 87—51832
Whitney, D.W. Optical gaging—crankshaft 86—18130
Whitney, E.T. Telemanagement systems. I. Features and procurement issues 87—62439
Whitney, F. *see* Moskowitz, P. 87—64943
Whitney, G. Electronic circuit breaker 85—5286
Whitney, G.V. Power supply fast shut off 85—6160
Whitney, G.V. Simple tremolo 85—14510
Whitney, H. *see* Mullen, J.P. 85—51439
Whitney, H.E. *see* Basu, S. 87—34480
Whitney, H.S., Kharadly, M.M.Z. Some results on low-level microwave treatment of the mountain pine beetle and the darkling beetle 85—5603
Whitney, J. *see* Orloff, J. 88—68198
Whitney, L.C. Optimizing a new fine-line process 85—11735
Whitney, L.C., Williams, R.K., Heikkila, K.E. Taking the guesswork out of carbon treatment 87—37695
Whitney, L.C. *see* Heikkila, K.E. 85—11745
Whitney, M.A. Walker Gibson's Tough, Sweet and Stuffy: a workshop in writing styles for engineers 87—36375
Whitney, M.A. Combining elegance and readability: Walker Gibson's Tough, Sweet and Stuffy 88—11816
Whitney, M.A., Strub, P.M. The development and use of interactive videodisc instruction for Navy medical corpsmen 86—49859
Whitney, P.S., Fonstad, C.G. Manganese as a *p*-type dopant for liquid-phase-epitaxial In$_{0.53}$Ga$_{0.47}$As 85—50204
Whitney, P.S., Fonstad, C.G. Electrically active defects in liquid phase epitaxial interfaces in the In$_{0.53}$Ga$_{0.47}$As/InP system 87—60148
Whitney, P.S., Fonstad, C.G. Growth of thin In$_{0.53}$Ga$_{0.47}$As layers by liquid phase epitaxy 88—6465
Whitney, P.S., Uwai, K., Nakagome, H., Takahei, K. Erbium-doped GaAs light-emitting diodes emitting erbium f-shell luminescence at 1.54 μm 88—58376
Whitney, P.S., Vlcek, J.C., Fonstad, C.G. Thermionic currents and acceptor diffusion in p^+-In$_{0.53}$Ga$_{0.47}$As/*n*-InP 87—74063
Whitney, P.S., Wai Lee, Fonstad, C.G. Capacitance transient analysis of molecular-beam epitaxial *n*-In$_{0^-.53}$Ga$_{0.47}$As and *n*-In$_{0.52}$Al$_{0.48}$As 87—74007
Whitney, R. *see* Massopust, T.P. 85—55763
Whitney, R.K. Precision photochemical machining of a glass without photoresist 87—10519
Whitney, R.L. *see* Lapides, L.E. 87—6381
Whitney, R.R. The SURA-CEBAF project 87—3833
Whitney, S.A., Johnson, H.L., Johns, R.F., Hemmingson, L., Stromberg, L. Two-stage CFBC solves recirculation snags 87—30391
Whitney, T., Mead, C. An integer based hierarchical representation for VLSI 87—32655
Whitney, T.R. *see* MacDonald, D.B. 85—12073
Whitney, W.T. Gaseous actinometry measurements in a flashlamp-pumped pulsed chemical laser 85—56477
Whitsel, B. *see* Tommerdahl, M. 86—50575
Whitson, A.L. *see* Stehle, R.H. 88—67714
Whitson, D.R. High technology export licensing dilemma 85—16693
Whitson, J.C. *see* Cole, M.J. 88—65990
Whitt, M.W., Ulaby, F.T. Millimeter-wave polarimetric measurements of artificial and natural targets 88—5143
Whitt, M.W. *see* Ulaby, F.T. 88—28938
Whitt, R.O.D. Future of circuit breaker standards and how these will affect our present practices 88—11334
Whitt, R.O.D. *see* Boggavarapu, R.L. 85—27581
Whitt, S. Automatic timing alignment for regenerative repeaters 86—17163
Whitt, S., Brown, T.S., Arambepola, S.L. Installed long haul 1.5 μm 565 Mbit/s optical transmission system 87—40967
Whitt, S., Brown, T.S., Arambepola, S.L. Long-wavelength DFB lasers extend repeaterless distances in British Telecom demonstration 88—28849
Whitt, S. *see* Brooks, R.M. 85—25905, 85—37067, 86—17406, 87—13683
Whitt, S. *see* Flavin, P.G. 86—37916
Whitt, S. *see* Stevenson, A. 85—20226
Whitt, W. The amount of overtaking in a network of queues 85—2977
Whitt, W. Open and closed models for networks of queues 85—19549
Whitt, W. Departures from a queue with many busy servers 85—22304
Whitt, W. Blocking when service is required from several facilities simultaneously 86—23175
Whitt, W. *see* Abate, J. 87—65303, 88—56095
Whitt, W. *see* Bondi, A.B. 87—10244
Whitt, W. *see* Glynn, P.W. 87—65298 to 65299
Whitt, W. *see* Sriram, K. 86—54611, 87—13171
Whittaker, A.J. *see* Rich, E.L. 88—57212
Whittaker, C.J. Meteor burst communication 88—59972
Whittaker, D.R. *see* Fitzgerald, B.F. 85—11252, 85—28532
Whittaker, E.A., Gehrtz, M., Bjorkund, G.C. Residual amplitude modulation in laser electric-optic phase modulation 85—62646
Whittaker, E.A. *see* Yurke, B. 88—32412
Whittaker, G. Priming the pumps—Essex water company goes telemetric 85—51995
Whittaker, G. Battery developments 87—43350
Whittaker, J. *see* Cutler, R.I. 88—54134
Whittaker, J.C. Renewal of protection on an existing power system 85—64962
Whittaker, J.W. *see* Duncan, M.G. 88—61698
Whittaker, K., Whittington, H.W., Macpherson, D.E. Micro hydro schemes in Papua New Guinea 88—17418
Whittaker, M.J. Land mobile receiver RF intermodulation immunity measurement using two signal generators 86—37767
Whittaker, N. High-power satcom amp presents complex challenge 86—17254
Whittaker, N., Brassard, G., Butterworth, J.S. The design, evaluation and modelling of a UHF power amplifier for a mobile satellite transponder 87—34512
Whittaker, R. Remote operating vehicle for TMI-2 basement recovery 86—25820
Whittaker, R. Making effective oral presentations 86—40469
Whittaker, R. Elements of effective visual composition 87—43861
Whittaker, T.J.T., Leithc, J.G., Long, A.E., Murray, M.A. The QUB axisymmetric and multi-resonant wave energy convertors 85—53600
Whittaker, T.J.T., McIlhagger, D.S., Barr, A.G., Thompson, A. Electrical considerations with wave powered navigation aids 85—15922
Whittaker, V.N. *see* Alexander, W.O. 85—49261
Whittal, D.M., Bartle, C.M. A method for measuring the neutron flux from an Am-Be source using a NaI(Tl) scintillator 86—60545
Whittall, N.J. Signal sorting in ESM systems 85—24882
Whittall, N.J. Signal sorting in ESM systems 85—58195
Whitteker, J.H. Near-field ray calculation for multiple knife-edge diffraction 85—2567
Whitteker, J.H. Calculation by numerical integration of diffraction attenuation at VHF and UHF 87—47192
Whitteker, J.H. VHF/UHF propagation by diffraction—calculation by numerical integration 88—34321
Whittemore, M.J., Currie, J.C., Mays, L., Gilliver, J.P. 2.4 kbit/s adaptive serial modems for HF skywave paths 88—46788
Whittemore, T.E. *see* Catura, R.C. 88—60771
Whitten, B. *see* MacGowan, B.J. 88—2177

Whitten, B. *see* Matthews, D. 85−7350
Whitten, B. *see* Matthews, D.L. 87−12369
Whitten, B.J. *see* Cohen, A.C. 85−5897
Whitten, B.L. *see* Matthews, D.L. 85−24467
Whitten, B.L. *see* Rosen, M.D. 85−24466
Whitten, C.A., Jr. *see* Arignon, M. 85−48171
Whitten, C.A., Jr. *see* Bystricky, J. 86−5671
Whitten, G. Vertex space analysis and its application to model based object recognition 88−73375
Whitten, G., Roberts, A., Sadowski, H., Hein, R. Temperature-driven segmentation for autonomous anti-tank weapons 86−70055
Whitten, G., Roberts, A., Sadowski, H., Hein, R. Temperature-driven segmentation for autonomous anti-tank weapons 87−28951
Whitten, P. Japanese new media craze [DBS project] 85−30956
Whitten, P. Time for take off [videoconferencing] 88−28530
Whitten, P.J.H. European cable development−the prospects for growth 88−15810
Whitten, W.B., Ramsey, J.M. Mode selection in a continuous-wave dye laser with an intracavity photorefractive element 87−26472
Whitten, W.B. *see* Ramsey, J.M. 85−56822, 88−14131
Whitten, W.B., II Advanced interfaces speed delivery of services 88−21525
Whittenberg, C.D. *see* Danielson, B.L. 87−68018
Whittick, J.A. *see* Guy, E.V. 88−48378
Whittier, J.S. *see* Amimoto, S.T. 88−14075
Whittier, P. Do we need a pan-European cellular standard? 86−49480
Whittington, C.A. Cellular radio in the United Kingdom 86−59789
Whittington, D. *see* Richards, W. 87−2576
Whittington, G.P. *see* Taylor, R.P. 87−66919
Whittington, H.W. Electronics in extreme environments 85−15925
Whittington, H.W. Third World electrification 88−48476
Whittington, H.W., Jordan, J.R., Paterson, N., Johnson, P.M. Performance monitoring of diesel electricity generation 86−45217
Whittington, H.W., Spencer, D. Electronics in the Third World environment 87−36531
Whittington, H.W., Wallace, A.R., Henderson, D.S. An economic analysis of capital costs in micro-hydro 88−62244
Whittington, H.W., Wilson, J.G. Low-frequency electrical characteristics of fresh concrete 86−57503
Whittington, H.W. *see* Jordan, J.R. 86−50023
Whittington, H.W. *see* Whittaker, K. 88−17418
Whittington, N.O., Brown, L.C., DeLessio, N.X. 3B 20D computer system field experience−the first 250 systems 85−52096
Whittington, P.H. *see* Jindrick, J.A. 87−28988
Whittington, R. UK-Belgium No.5. I. Marine aspects of the route selection 86−69754
Whittington, R. *see* Smith, R.L. 86−69756
Whittington, R.S. Call logging in a network 86−49106
Whittle, A., Zivkovic, G. Fleet management in a telecommunication organization: the South Australian experience 87−76100
Whittle, B. Multi-media network services for multi-media applications 88−59823
Whittle, B.S. Standards for the evolving ISDNs progress and challenges. A road map 86−16662
Whittle, D.J. *see* Chow, B.L. 85−41518
Whittle, D.J. *see* Wallace, S.E. 85−31538
Whittle, M., Harris, D. *(editor)* Biomechanical measurement in orthopaedic practice 86−26484
Whittle, M.W. *see* Pearcy, M.J. 88−4898
Whittle, R. Advances in lightwave technology 88−9563
Whittle, R.W.H. Semiconductor lasers in a military role 85−2306
Whittle, R.W.H. Encapsulation of semiconductor lasers (fibre optic coupled types) 85−29808
Whittlesey, A.C. *see* Leung, P. 87−4089
Whittlesey, C.C., Singh, B.S., Hacha, T.H. The FLEXPOWER zinc-chloride battery: 1986 update 87−36109
Whittlesey, C.C. *see* Brummet, B.D. 85−53814
Whittlesey, C.C. *see* Henriksen, G.L. 88−17883
Whittlesey, M. *see* Parsons, P.L. 87−5229
Whittlestone, S. A high-sensitivity Rn detector incorporating a particle generator 86−18234
Whittley, D.C. Military developments in aeronautics: the next thirty years 88−30059
Whitton, J.L. *see* Mattiussi, G.A. 87−66996
Whitton, J.L. *see* Scanlon, P.J. 85−45521
Whitton, M. MCX speeds up communications with Lufthansa in London 88−9351
Whitton, P.N. Bumps, crashes and shakes−-predicting the effect of dynamic loads [power plant components] 88−55111
Whitton, P.N., Watson, A.G. Flow induced response of thermal insulation and its relation to design 85−48787
Whitwell, G.E., Wade, T.E. The performance and processing of a new spin-on polysiloxane interlevel dielectric material 87−1438
Whitwer, F.D. *see* Forbes, L. 86−28523
Whitworth, D.P. *see* Blackshear, L.A. 88−59498
Whitworth, H.M. *see* Jones, H. 86−53927, 88−65046, 88−65979
Whitworth, W., Bucheli, F. A unique multi-discipline hybrid 86−62973
Whitworth, W.C. Interface integrity in epoxy substrate attachment 85−28882
Who Kee Chung Reliability analysis of multiple-state devices 87−58747
Who Kee Chung Reliability analysis of a repairable parallel system with standby involving human error and common-cause failures 87−58748
Who Kee Chung A k-out-of-N:G redundant system with dependent failure rates and common-cause failures 88−38034
Who Kee Chung An availability analysis of a k-out-of-N:G redundant system with dependant failure rates and common-cause failures 88−49581
Wholey, J., Taylor, S. Power monolithic silicon MMIC amplifiers 87−37575
Wholey, J., Taylor, S., Osbrink, N. Silicon MMIC amps push 1 W at 1 GHz 87−52846
Whorton, R.B. High frequency, high amplitude and low energy earthquake study at V.C. Summer Nuclear Station 88−48640
Why, A. *see* Duff, J.A. 87−41022
Whyatt, J.K., Hardin, E.L. Microcomputer-based instrumentation system for monitoring ground support in a deep mine shaft 87−14117
Whybray, M. *see* Cazin, J. 86−16505
Whyley, S.R. Remote inspection manipulator for AGR II: Babcock Power's interstitial manipulator 86−45106
Whyman, T. The use of X.400 series protocols in a distributed office automation system 87−20134
Whyman, T. Interworking over heterogeneous networks 87−40470
Whytak, P. Concentrating on communications 85−13975
Whyte, A. Statistical process control in manufacture 87−31320
Whyte, C. *see* Ali, S. 88−6881
Whyte, H. LANs: interworking the private network business user 86−54871
Whyte, H. Interworking the private network business user 86−69382
Whyte, M.D. *see* Runnels, J.E. 86−18648
Whyte, W.A., Kerba, N.A. Containment design requirements−their application to Darlington GS A 85−65077
Whyte, W.A. *see* Kwatra, S.C. 87−69270
Whyte, W.A. *see* Lin, C.M. 87−20711
Whyte, W.A., Jr., Miller, E.F., Sullivan, T., Miller, J.E. An analysis of bi-directional use of frequencies for satellite communications 86−64948
Whyte, W.A., Jr. *see* Chouinard, G. 85−37217
Whyte, W.A., Jr. *see* Miller, E.F. 88−47007
Whytock, P. Maintaining the standards 85−8680
Whytock, P. Minis move onto the fast circuit 87−645
Whytock, P. Squid and chips−the designers new diet 87−73488
Wiacker, H. *see* Klingelhoefer, G. 86−60577
Wiackowski, J. *see* Modelski, J. 88−50398
Wiak, S. A method of calculation of transient electromagnetic field in non-linear ferromagnetic medium 85−24695
Wiak, S. A method of calculation of transient electromagnetic field in nonlinear medium 85−35959
Wiak, S. Analysis of electromagnetic field transient processes in nonlinear ferromagnetic medium 87−19129
Wiak, S. Application of the small parameter method for calculation of the spatial-temporal distribution of the electromagnetic field in ferromagnets 87−33361
Wiak, S. Analysis of transients in electrical circuits containing solenoids with initially magnetized cores for impulse excitation 88−18837
Wiak, S. Stability of difference diagrams in classical and variational techniques approximating a class of nonlinear one-dimensional parabolic field equations 88−27371
Wiak, S., Zakrzewski, K. Numerical calculation of transients in electrical circuits containing elements with nonlinear eddy-current skin effect 88−14349
Wiak, S. *see* Komeza, K. 85−9931
Wiak, S. *see* Turowski, J. 88−37272
Wiarda, R.P. Digital video multiplexer 8TR 634 and digital sound programme multiplexer 8TR 638 88−35279
Wiart, A. Homopolar machine supplied via a current inverter for high-power, high-speed drives [synchronous machine] 86−39753
Wiart, A. Drive systems using synchronous motors supplied via natural commutation inverters: applications in industry and railway traction 88−18128
Wiart, A. Motors for high-power, high-speed electrical drives 88−43435
Wiart, A., Caussin, G., Merchenoir, A. Homopolar machine fed by a current thyratron inverter for high-power, high-speed drive 85−27438
Wiart, A., Hamel, J. Railway traction powered by synchronous motors supplied through natural commutation inverters 88−69868
Wiart, A. *see* Bergery, D. 88−58957
Wiart, A. *see* Kotny, J.L. 86−33361
Wiart, R. *see* Chenebault, P. 88−75894
Wiatr, S. Application of E 10 system exchanges in Polish home telecommunication network 85−19954
Wiatr, W. A method for embedding network characterization with application to low-loss measurements 87−14454
Wiatr, W. A method for embedding network characterization with application to low-loss measurements 88−15994
Wiatr, W. A calibration method using sliding short for one-port measurements 88−60582
Wiatr, W. *see* Pospieszalski, M.W. 86−41331
Wiatrowski, C.A., Hanson, G. Voice checks wafers 85−25053
Wiatrowski, E. *see* Eckardt, V. 85−9096
Wiaux, J.P., Bannehr, R. Performance of polyacrylonitrile-based cathodes in lithium-iodine solid state batteries 87−30896
Wiaux, J.P. *see* Bannehr, R. 86−66253
Wiberg, D.M., Baskin, F., Lindsay, R.D. Lattice form recursive linear least square algorithms 85−5939
Wice, J.D. *see* Lehockey, E.M. 88−33087
Wich, H. *see* Filipensky, J. 85−24782
Wich, T.J. Electronic FIE for HSDI [direct injection diesel engines] 87−72534
Wichainchai, A. *see* Dordor, P. 88−70306
Wichansky, A.M. Learning and using office automation on personal computers: a voice/phone application 88−28279
Wichards, F. *see* Cordaro, G. 88−66858
Wiche, E., Lehner, N. Electricity for Austria 88−30251
Wicher, P.J. *see* White, R.M. 87−49680
Wichern, P.H.M. *see* Roelofs, G.P.T. 85−53374, 86−51172
Wichers, T. Integrated telecommunication in the ISDN−advantages for network suppliers and users 88−21790
Wichers, T. Electronic office communications as an evolutionary process. Change is losing its terrors 88−28483
Wichers, T. Transparent transmission facilitates early ISDN use 88−46668
Wichers, T. In house communications with ISDN orientated telecom installations 88−73713
Wichlund, E. *see* Amendolia, S.R. 86−5779
Wichman, H. Using speech technology on the space station 88−14633
Wichmann, A., Grunewald, P., Weidner, J. HF interference voltage measurements in power plant blocks to determine faults in high voltage equipment 86−18894
Wichmann, A. *see* Didzun, N. 85−32442
Wichmann, A. *see* Grunewald, P. 85−53670
Wichmann, W. Batteries of the Leclanche system 88−24118
Wichowski, W. *see* Otwinowski, H. 86−18185
Wicht, H.-J. Automation of measurements of transmitting antenna diagrams with helicopter 85−19218
Wicht, N. *see* Jager, K.-W. 85−17071
Wicht, P. *see* Beer, A. 85−9043
Wicht, P. *see* Fischer, H.M. 87−21417
Wichterle, M.E. Modular ringing, tone, cadence supplies for electromechanical switching systems 85−57855
Wick, A. *see* Zepp, G. 88−66129
Wick, A.F. *see* Pfaff, G. 85−10074
Wick, D., Still, D.W. Standard cells−the next generation of semicustom logic 85−49840
Wick, D. *see* Bondurant, D. 86−14174, 86−27253
Wick, D. *see* Still, D. 87−59373
Wick, D.G. Using gate arrays to build high performance systems 86−2361
Wick, D.G. Using gate arrays to build high performance systems 86−46705
Wick, D.G. Using gate arrays to build high performance systems 86−46721
Wick, D.G., Frank, J.P., Betten, W.R. Honeywell hardened microelectronics 85−50659
Wick, D.G., Perez, E.H., Carmichael, R. From testable, soft macrocells springs an 8000-gate array 87−11943
Wick, D.G., Still, D.W. Standard cells−the next generation of semicustom logic 86−1005
Wick, D.G., Still, D.W. Standard cells−the next generation of semicustom logic 86−46694
Wick, D.G. *see* Carmichael, R. 87−5807
Wick, H.W., Jr. *see* Parker, R.D. 85−48420
Wick, J.A. *see* Coirin, M.R. 87−3223
Wick, R.A. VIM: grabbing images at very low light levels 85−58567
Wick, R.A. Quantum-limited imaging using microchannel plate technology 88−4448
Wickansky, H. *see* Heker, S.F. 88−35491
Wickas, L. *see* David, Y. 85−64530
Wicke, P. Prospects for large and small hydro development in Peru 87−78546
Wicke, W. *see* Lohr, R. 86−4803
Wickel, P.E., Berg, G.J. A comprehensive program for reliability assessment of interconnected power systems 88−23382

Wickenberg, C.A. New standard for fast communications 85—2946
Wickenden, D.K. *see* Dorrity, I.A. 86—7808
Wickenden, D.K. *see* Stewart, C.P. 86—2198
Wickenden, J.T. *see* Curtis, T.E. 85—3520, 85—52446, 87—55243
Wickenhauser, H. VD 490, a new UHF power amplifier for radio equipment family 400 88—35359
Wickens, C. *see* Harwood, K. 87—29213
Wickens, C.D. *see* Barnett, B.J. 87—29212
Wickens, C.D. *see* Goettl, B.P. 87—29215
Wickens, F. *see* Bailey, R. 85—15164
Wickens, F. *see* Dietl, H. 87—29550
Wickens, F.J. *see* Damerell, C.J.S. 86—50303, 87—14751, 87—29552
Wickens, J. *see* Daubie, E. 87—21467
Wickens, J. *see* de Clerq, C. 86—32194
Wicker, A. *see* Collongues, R. 85—39180
Wicker, C.R. Voltage-controlled oscillator drift detector [for ring networks] 85—13907
Wicker, C.R. *see* Andrews, D.W. 85—42253
Wicker, M. *see* Ziemer, R. 88—53147
Wicker, S.A. *see* DeVries, S.L. 86—57172
Wicker, S.B., Welch, L.R. The geometry of MDS codes 87—69041
Wicker, T. *see* Fior, G. 87—18355
Wicker, T. *see* Lachenbruch, R. 86—2064
Wicker, T.E., Mantei, T.D. Plasma etching in a multipolar discharge 85—34852
Wicker, T.E. *see* Mantei, T.D. 85—50432, 86—26917
Wickeren, E.van *see* van Wickeren, E.
Wickersham, C., Jr. *see* Brat, T. 88—24789, 88—39277
Wickersham, F.M. Current ISDN design approaches 88—3782
Wickersham, K.L. *see* Kerns, J.M. 87—63707
Wickersheim, K.A. A new fiberoptic thermometry system for use in medical hyperthermia 88—16720
Wickersheim, K.A., Sun, M.H. Fiberoptic thermometry and its applications 87—70577
Wickersheim, K.A. *see* Norton, E.T. 87—72197
Wickert, M.A., Griggs, K.C. DS/SS acquisition with noise and tone jamming 86—4478
Wickert, M.A. *see* Gardner, D.W. 88—71009
Wickert, M.A. *see* Liebetreu, J.M. 87—40221
Wickert, M.A. *see* Reed, D.E. 87—39837, 87—39860, 88—28649, 88—52332 to 52333, 88—73172
Wickham, G.C. *see* Kizis, R.E. 85—42873
Wicki, A., Farkas, F. Design and testing of a 45 MW gas turbine 85—27314
Wicki, F.-K. Power supply for the MXB.2 data multiplexer and VZS branching circuit 88—17734
Wickiser, M.R. *see* Hickok, H.N. 88—17604
Wickliffe, G.W. *see* Nemzek, T.A. 86—25776
Wicklund, A.B. *see* Balka, L. 88—47985
Wicklund, E. *see* Amendolia, S.R. 87—21426 to 21428
Wicklund, E. *see* Benetta, M. 85—43239
Wicklund, E.J. *see* Atkinson, E.S. 88—4326
Wicklund, E.J. *see* Epstein, J.S. 85—26251
Wicklund, S. *see* Wang, Z. 88—51409
Wickman, K. If the consumer could choose: more choice and fewer regulations 85—9685
Wickman, K. The energy market and energy policy in Sweden 1965-1984 88—30436
Wickramasekara, G., Lubkeman, D. A rule-based heuristic approach to the analysis of distribution feeder harmonics 87—78112
Wickramasekara, G. *see* Lubkeman, D. 87—71512, 87—71660
Wickramasekara, L. *see* Aly, S.H. 85—41017
Wickramasekara, L. *see* Cadieu, F.J. 85—56087, 86—28620
Wickramasinghe, H.K. Scanning differential phase contrast optical microscope application to surface studies and micrometrology 88—1081
Wickramasinghe, H.K. *see* Martin, Y. 87—31788, 87—63495, 88—42247
Wickramasinghe, H.K. *see* Williams, C.C. 87—3757
Wickramasinghe, Y.A.B.D., Crowe, J.A., Rolfe, P. Near infra red technique for monitoring metabolism and blood oxygen saturation 87—57135
Wickramasinghe, Y.A.B.D. *see* Martin, M.J. 88—23040
Wickramsinghe, H.K. *see* Williams, C.C. 87—25441
Wicks, F. A cost-effective residential cogeneration system by embedding electric generation into a condensing furnace 87—22125
Wicks, F. *see* Louh, R. 87—9253
Wicks, F.E. *see* Rutz, W.L. 86—18752
Wicks, G. *see* Brown, A.S. 87—25296
Wicks, G. *see* Hsieh, K.H. 85—45634
Wicks, G. *see* Jarosik, N.C. 85—40494
Wicks, G. *see* Mercy, J.M. 87—2017
Wicks, G.W., Bradshaw, J.T., Radulescu, D.C. Use of Raman spectroscopy to examine the effects of growth stops on the interfaces of superlattices grown by molecular beam epitaxy 88—31732
Wicks, G.W. *see* Ashizawa, Y. 88—57626
Wicks, G.W. *see* Brown, A.S. 86—450
Wicks, G.W. *see* Capani, P.M. 86—58320, 87—11440
Wicks, G.W. *see* Enquist, P. 85—40598, 86—2120
Wicks, G.W. *see* Enquist, P.M. 87—45890
Wicks, G.W. *see* Griem, H.T. 87—45968, 87—74073
Wicks, G.W. *see* Griem, T. 85—45423
Wicks, G.W. *see* Huang, J.C. 86—2150
Wicks, G.W. *see* Itoh, T. 85—40487, 86—53689, 86—63335
Wicks, G.W. *see* Najjar, F.E. 87—60412, 88—39420
Wicks, G.W. *see* Ohashi, T. 85—54461, 86—8803, 86—53659
Wicks, G.W. *see* Palmateer, L.F. 87—24441
Wicks, G.W. *see* Radulescu, D.C. 87—37942, 87—60145, 87—74060, 88—50631, 88—63303
Wicks, G.W. *see* Ralston, J. 86—21193
Wicks, G.W. *see* Ralston, J.D. 87—74797
Wicks, G.W. *see* Shealy, J.R. 85—54446
Wicks, G.W. *see* Shum, K. 86—1787, 87—6425
Wicks, G.W. *see* Tsui, R.K. 86—40733
Wicks, G.W. *see* Welch, D.F. 85—24389, 85—51034
Wicks, J.P., Holland, W.E. Applications of photogrammetry for plant as-built efforts 87—71858
Wicks, M. Digital experience with electronic mail 86—43477
Wicks, M. DEC's experience with electronic mail 87—20131
Wicks, M. *see* Anthony, S. 88—60231
Wicks, M. *see* Tugwell, A. 87—67851
Wickstrom, R.A. *see* Clarke, R.C. 88—39728
Wickwar, V.B., Kelly, J.D., de la Beaujardiere, O., Leger, C.A., Steenstrup, F., Dawson, C.H. Sondrestrom overview 85—15420
Wickwar, V.B. *see* Rasmussen, C.E. 88—36668
Wiczer, J.J. Summary of recent studies on AlGaAs/GaAs radiation hardened photodiodes 86—22248
Wiczer, J.J. Radiation-hardened optoelectronic components: detectors 87—21089
Wiczer, J.J., Barnes, C.E. Optoelectronic data link designed for applications in a radiation environment 86—36157
Wiczer, J.J., Barnes, C.E., Fischer, T.A., Dawson, L.R., Zipperian, T.E. AlGaAs/GaAs radiation hardened photodiodes 85—35623
Wiczer, J.J., Fischer, T.A., Dawson, L.R., Osbourn, G.C., Zipperian, T.E., Barnes, C.E. Pulsed irradiation of optimized, MBE grown, AlGaAs/GaAs radiation hardened photodiodes 85—24398
Wiczer, J.J. *see* Barnes, C.E. 85—27641, 86—49673
Wiczer, J.J. *see* Bulman, G.E. 85—56444, 86—11590
Wiczer, J.J. *see* Dawson, L.R. 86—2990
Wiczer, J.J. *see* Fischer, T.A. 85—35624
Wiczer, J.J. *see* Gourley, P.L. 86—63074
Wiczer, J.J. *see* Myers, D.R. 87—25075
Wiczer, J.J. *see* Zipperian, T.E. 85—51073
Widana Thedja, W. *see* Ruppin, D. 86—20891
Widat-alla, M., Wong, A., Dameron, D., Chong-Cheng Fu Submicron E-beam process control 88—57557
Widdel, H.-U. Direct, in-situ measurements of irregularities in the mesosphere (85-50 km) at 69°N (Andenes, Norway) 86—59081
Widdel, H.U. Foil clouds as a tool for measuring wind structure and irregularities in the lower thermosphere (92-50 km) 85—64745
Widder, E.A., Hiller-Adams, P., Case, J.F. A multichannel microspectrophotometer for visual pigment investigations 87—57113
Widdershouen, T.C.H. CARS: Computer Aided Road Simulation 88—63025
Widdoes, C. *see* Stump, H. 88—57786
Widdoes, L.C., Jr., Stump, H. Hardware modeling 88—62997
Widdowson, J.W. *see* Dix, J.F. 86—11186
Wide, B. *see* Hemrin, P. 85—36822
Wideback, P.-G. *see* Knave, B. *(editor)* 88—69993
Widemann, H. Analogue and digital ASICs 88—71646
Widen, B. *see* Heidermark, A. 85—36598, 85—36628
Widen, W.C., Klemm, R.W. Computer based training for nuclear operations personnel: from concept to reality 87—71852
Widenbeck, M.E. *see* Smoot, G.F. 87—74624
Widener, E.L. *see* Kazem, S.M. 88—24462
Widener, G. *see* Damm, W. 87—28942
Widener, M.Ward *see* Ward Widener, M.
Widener, S.K. Analytical simulation of boiling water reactor pressure suppression pool swell 86—51285
Widenka, D. Interfacing with the analogue world 85—37664
Widenka, D. Data acquisition choice—logging or waveform recording 86—44205
Widenka, D. Ultimate accuracy from recorders 86—55761
Widenka, R. Trends in the design of digital waveform recorders 85—58729
Wider, A.W. Self-aligned bipolar technology—new chances for very-high-speed digital integrated circuits 85—6907
Widera, K. Application of a home microcomputer system to fluorescent X-ray spectrometry 88—53923
Widerak, T., Wojtaszek, A. New technical and economic operating conditions of heat and power generating stations supplying automatic heating systems 88—75414
Widergren, R.D. Full color motion vide at 56 Kbps: military and civil applications 86—55473
Widerkehr, A., Birrer, K. New concept of the inventory control by EDP for telecommunication parts 86—16699
Widerlechner, J. *see* Hodousek, V. 85—21584
Widermanski, L. *see* Kwiatkowski, R. 85—157, 85—703
Wideroe, R. Some memories on particle accelerator infancy 86—11795
Widgoff, M. *see* Braunschweig, W. 88—29874, 88—68282
Widhalm, E., Mader, O., Pavoni, R. Steam turbine plant 87—78491
Widiger, D., Kizilyalli, I.C., Hess, K., Coleman, J.J. Two-dimensional transient simulation of the high electron mobility transistor 85—50580
Widiger, D., Kizilyalli, I.C., Hess, K., Coleman, J.J. Two-dimensional numerical analysis of the high electron mobility transistor 86—35721
Widiger, D.J., Kizilyalli, I.C., Hess, K., Coleman, J.J. Two-dimensional transient simulation of an idealized high electron mobility transistor 85—50536
Widiger, D.J. *see* Kiehl, R.A. 88—26547
Widiger, D.J. *see* Kizilyalli, I.C. 87—6715
Widl, W. Network element architecture 88—52744
Widl, W. *see* Insulander, J. 85—13762
Widl, W. *see* Soderberg, A. 85—51858, 86—23621, 86—54706
Widlar, R., Yamatake, M. A 150 W op amp 86—8031
Widlar, R., Yamatake, M. Overcome electrical, thermal problems in high-power op amps 86—52684
Widlar, R., Yamatake, M. High-power op amp provides diverse circuit functions. II 86—52688
Widlar, R.J. Turn-off processes in high-voltage n-p-ν-n switches 87—74262
Widlar, R.J., Yamatake, M. Monolithic operational amplifier for 150 W. I 87—23948
Widlar, R.J., Yamatake, M. A 150 Watt monolithic operational amplifier 87—31727
Widlar, R.J., Yamatake, M. Dynamic safe-area protection for power transistors employs peak-temperature limiting 87—38206
Widlar, R.J., Yamatake, M. A monolithic power op amp 88—50036
Widler, H.J. *see* Groegl, F. 86—30543
Widlok, H. *see* Senderski, A. 88—69812
Widlok, H. *see* Tondos, M. 88—69936
Widlund, B.L. *see* Berggren, K.-F. 86—53653
Widman, A. *see* Stinnett, R.W. 86—8539
Widmann, M. Production of closed half-round reinforcing beads by embossing 85—10272
Widmann, R. Determination of the pressure pulsation in hydrostatic positive displacement pumps 86—31650
Widmann, R. *see* Gekeler, E. 87—23575
Widmann, W. Switching capacities of diverter switches for transformers 85—53741
Widmann, W. Arc commutation across a step or a gap in one of two parallel copper electrodes 85—53778
Widmann, W. Lichtbogenkommutierung uber eine Stufe oder einen Spalt (Arc commutation across a step or gap) 85—53798
Widmar, S. *see* Osvath, P. 87—14469
Widmark, C. *see* Lindecrantz, K.G. 88—68420
Widmark, J. *see* Soderholm, G. 88—9422
Widmayer, P., Wong, C.K. An optimal algorithm for the maximum alignment of terminals 85—33587
Widmayer, P., Woo, L.S., Wong, C.K. Maximizing pin alignment in semi-custom chip circuit layout 88—50948
Widmayer, P., Wood, D. A time- and space-optimal algorithm for Boolean mask operations for orthogonal polygons 88—26374
Widmayer, P., Wu, Y.F., Wong, C.K. On some distance problems in fixed orientations 87—73237
Widmayer, P. *see* Wu, Y.-F. 87—36590
Widmer, A.E., Fehlmann, R. The growth and physical properties of low pressure chemically vapour-deposited films of tantalum silicide on n^+-type polycrystalline silicon 86—52528
Widmer, A.E., Harbeke, G., Krausbauer, L., Steigmeier, E.F. Growth and physical properties of LPCVD polycrystalline SiO_x films 87—10489
Widmer, A.E., Rehwald, W. Thermoplastic deformation of silicon wafers 87—17866
Widmer, A.E. *see* Harbeke, G. 88—19761
Widmer, A.E. *see* Meier, H. 88—36286
Widmer, H.J. *see* Martin, P. 88—31441
Widmer, H.P., Keung, R. HF data communication for extremely low SNR and high interference level 88—46901
Widmer, H.P., Stapleton, J.C., Lafrance, P. Optimal sequences for detection using a matched filter binary integrator 87—63077
Widmer, J., Asper, H.K. Woven ribbon composite flywheel with self-centering hub 86—40259

Widmer, J., Asper, H.K., Riesen, H. New results on woven ribbon wound flywheels 87−36175
Widmer, J., Asper, H.K., Riesen, H., Thoolen, F.J.M. Dynamic stability of rotors on self-centering hubs [flywheels] 87−36176
Widmer, J. *see* Asper, H.K. 87−36177
Widmer, R. *see* Curtis, B.J. 86−36290
Widmer, R. *see* Lehmann, H.W. 86−2076
Widmer, R. *see* Pipovic, R.S. 85−50505
Widmer, R. *see* Popovic, R.S. 87−1487
Widmer, S. *see* Osvath, P. 86−44394, 87−21207
Widmer, U. Switching regulator with control and power components within the same housing 87−15882
Widmer, W.R. Fundamentals of data encryption systems and the present state of standardisation work 86−30166
Widnall, W.S., Bobillo, I.J.D. Partial inertial aiding for low cost aircraft GPS navigators 87−42201
Widnall, W.S., Kelley, J.F. JTIDS relative navigation with measurement sharing: design and performance 85−38297
Widnall, W.S., Kelley, J.F. JTIDS relative navigation with measurement sharing: design and performance 86−49743
Widnall, W.S. *see* Hepburn, J.S.A. 85−37111, 87−20615
Widner, M.M. *see* Kiefer, M.L. 87−16828
Widodo, R.J., Suhaimi, H., Kuswadi, H. Automatic daylight control of artificial lighting 85−5517
Widom, A., Friedman, M.H., Srivastava, Y.N. Implications of the chiral anomaly for quantum Hall-effect devices 85−50542
Widom, A., Krim, J. *Q* factors of quartz oscillator modes as a probe of submonolayer-film dynamics 86−68138
Widom, A., Srivastava, Y. Electrical engineering implications of the quantized sine-Gordon model (Josephson junction) 86−36098
Widom, A. *see* Srivastava, Y. 86−15166
Widomski, A. New splashing systems in cooling towers 88−5514
Widrig, R.D. Human factors: a major issue in plant aging 86−51331
Widrow, B. A fundamental relationship between the LMS algorithm and the discrete Fourier transform 87−69210
Widrow, B., Baudrenghien, P., Vetterli, M., Titchener, P.F. Fundamental relations between the LMS algorithm and the DFT 87−69142
Widrow, B., Stearns, S.D. Adaptive signal processing 86−22
Widrow, B., Winter, R. Neural nets for adaptive filtering and adaptive pattern recognition 88−40888
Widrow, B., Winter, R.G., Baxter, R.A. Layered neural nets for pattern recognition 88−66328
Widrow, B. *see* Jablon, N.K. 87−7633
Widrow, B. *see* Kortas, R.G. 85−59313
Widrow, B. *see* Shynk, J.J. 87−7759, 87−27452
Widrow, B. *see* Su, Y.-L. 86−64113
Widulla, F. *see* Kollensperger, P. 85−40842
Widya, I. *see* van der Meijs, N. 88−24929
Wie, B., Furumoto, N., Banerjee, A.K., Barba, P.M. Modeling and simulation of spacecraft solar array deployment 87−15016
Wie, B.J.Van *see* Van Wie, B.J.
Wiebe, C. ISDN services−a network perspective 87−27828
Wiebe, C. *see* Bunner, B. 87−20356
Wiebe, C. *see* de Hoog, R. 87−28335
Wiebe, D. *see* Almes, G. 85−3043
Wiebe, M. *see* Daetz, M. 88−36268
Wiebel, F. *see* Bemmann, H.B. 85−40837
Wieben, W. *see* Riemann, U. 86−55407
Wieber, T.G. *see* Gopal, P.M. 88−9169
Wiecek, B. 3-D pattern recognition via adaptive filtering 87−2606
Wiechers, W.K. IT certification in Europe 88−21469
Wiechert, D. *see* Bachmann, P.K. 86−36242
Wiechert, D. *see* Kluge, J. 85−7397
Wiechert, D.U. *see* Bachmann, P.K. 86−42235, 87−46437
Wiechert, D.U. *see* Geittner, P. 88−45164
Wieching, H. *see* Jaekel, K.-H. 85−9422
Wieching, H. *see* Selmayr, F. 86−65630
Wiechmann, E.P., Ziogas, P.D., Stefanovic, V.R. A novel bilateral power conversion scheme for variable frequency static power supplies 85−5262
Wiechmann, E.P., Ziogas, P.D., Stefanovic, V.R. Improving the power conversion process in UPS systems 85−15543
Wiechmann, E.P., Ziogas, P.D., Stefanovic, V.R. A novel bilateral power conversion scheme for variable frequency static power supplies 86−7950
Wiechmann, E.P., Ziogas, P.D., Stefanovic, V.R. Generalized functional model for three phase PWM inverter/rectifier converters 86−45550
Wiechmann, E.P. *see* Manias, S. 86−45592, 88−6658
Wiechmann, E.P. *see* Ziogas, P.D. 85−9993, 85−32620, 86−7895, 86−39970
Wiechmann, U. *see* Arndt, F. 88−19329
Wiechula, P. *see* Tokarski, J. 85−43979
Wieck, A.D., Batke, E., Heitmann, D., Kotthaus, J.P. Parallel excitation of hole and electron intersubband resonances in space-charge layers on silicon 85−12031
Wieck, A.D. *see* Heitmann, D. 85−50310
Wieck, M. Cogeneration with wood waste fuels for small industrial applications 86−61756
Wieckman, G. *see* Bogh, P. 86−51258
Wieckowski, A.J. *see* Kowalski, K. 87−1468
Wieckowski, J.T. *see* Daly, I.N. 85−53485
Wieckowski, J.T. *see* Talbot, K.H. 88−75292
Wieckowski, T.W. On the measurement of EM power density using a double loaded loop antenna 86−15926
Wieckowski, T.W. Active loop antennas functioning as probes for the electromagnetic field 88−8615
Wieckowski, T.W. *see* Bem, D.J. 88−8632
Wiecławski, A. *see* Perkowski, M. 88−44021
Wieczorek, A. *see* Blaumoser, M. 87−72287 to 72288
Wieczorek, A. *see* Kalus, M. 86−56778
Wieczorek, A. *see* Koppendorfer, W. 86−42181
Wieczorek, C. Chemical vapour deposition of tantalum disilicide 86−495
Wieczorek, C. *see* Hieber, K. 85−10815
Wieczorek, C. *see* Higelin, G. 87−1703
Wieczorek, C. *see* Wendling, T.P.H.F. 87−58997
Wieczorek, E. Minimal attenuation is demanded. [Optical pushin connectors for the German Post Office system] 88−15460
Wieczorek, E. *see* Hillerich, B. 86−64996
Wieczorek, G. *see* Mazus, J. 85−44033
Wieczorek, H. *see* Hoheisel, M. 86−28270, 87−49524
Wieczorek, H. *see* Kempter, K. 86−36349
Wieczorek, J. *see* Borecki, J. 86−56698
Wieczorek, J.P. *see* Wheeler, P.C. 87−10646
Wieczorek, L.-W. *see* Welsch, E. 85−12694
Wieczorek, T. Electromagnetic field in a two-dimensional model of induction heater for plates 88−18214
Wieczorek, W. ISDN: the single-chip solution 87−48816
Wieczorkowski, S. *see* Cieplucha, J. 87−3796
Wied, A. The extension of reactive power compensation to an optimised transmission of electric energy 88−23451
Wied, A. Determination of harmonic current oscillations of arc furnaces using the Kalman filter 88−31195
Wied, A. *see* Landgraf, C. 86−39124
Wied, G.L. *see* Dytch, H.E. 87−77617
Wieddekind, W. The room within a room concept for video conferences 86−38120
Wiede Chen *see* Chen Wiede
Wiedel, J. Interconnected nets offer flexibility and meet increased data demands 86−37464
Wiedeman, R.A. A high capacity mobile communications satellite system for the first generation MSS 86−64933
Wiedeman, R.A., Louie, M. The second generation mobile satellite system 86−55269
Wiedeman, S., Fagen, E.A. Achievement of higher efficiency amorphous silicon-germanium solar cells using affinity gradients 86−7037
Wiedeman, S. *see* Bennett, M.S. 88−45286 to 45287
Wiedeman, S. *see* Carlson, D.E. 88−62613
Wiedemann, D. Quantum cryptography 87−47525
Wiedemann, D.H. Solving sparse linear equations over finite fields 86−46149
Wiedemann, H. Design of low emittance storage rings 86−60535
Wiedemann, H. Computer-aided engineering workstations to-day 86−62503
Wiedemann, H. Design potential of insertion device storage rings 87−21302
Wiedemann, H. A healthy mixture: analogue and digital system integration with the BIMOS technology 88−13459
Wiedemann, H. ASICs: a strategy for single chip solution in CMOS 88−26501
Wiedemann, H. Smart interface technology combines gate arrays with smart-power 88−44804
Wiedemann, H. An ultra-low emittance mode for PEP using damping wigglers 88−47741
Wiedemann, H. Future development for synchrotron radiation sources at Stanford 88−47949
Wiedemann, H. *see* Beyls, B. 88−33282
Wiedemann, H. *see* Blumberg, L.N. 86−31822
Wiedemann, H. *see* Brown, G. 88−47962
Wiedemann, H. *see* Emery, L. 88−54456
Wiedemann, H. *see* Fischer, G.E. 85−26561, 88−47840
Wiedemann, H. *see* Safranek, J. 88−47816
Wiedemann, H. *see* Troxel, T. 88−47817
Wiedemann, P. *see* Scholz, F. 86−46309, 87−11403
Wiedemann, W. *see* Dangel, J. 85−12335
Wiedemann, W. *see* Trinks, U. 86−31952
Wiedemeier, H. *see* Trivedi, S.B. 88−24693
Wiedenbeck, P. *see* Perez-Mendez, V. 85−31771
Wiedenhof, N., Waalwijk, J.M. Wigner Distribution: a refined mathematical tool for appraising loudspeakers 85−8645
Wiedenhof, N., Waalwijk, J.M. Laser: light sources with a future 85−18951
Wiedenhof, N., Waalwijk, J.M. Gallium arsenide circuits 85−45690
Wiedenhof, N., Wallwijk, J.M. Laser: light source with a future 86−9711
Wiedenmann, H.-M., Raff, L., Noack, R. Heated zirconium oxide sensor for stoichiometric and scanty air-fuel mixtures 85−31619
Wiedenmann, R. Radiation-crosslinking of elastomers for flexible cables 86−67547
Wiedenmann, R. *see* Peschke, E.F. 87−42473
Wieder, A. *see* Brackelmann, W. 86−20438
Wieder, A. *see* Hart, P.A.H. 88−71668
Wieder, A. *see* Ullrich, H. 86−8188
Wieder, A.W. Renaissance of bipolar technology 87−32680
Wieder, A.W. Revival of bipolar technology in submicron range 87−38510
Wieder, A.W. Submicron bipolar technology−new chances for high speed applications 87−46173
Wieder, A.W. *see* Benna, B. 86−47549
Wieder, A.W. *see* Klose, H. 87−53485
Wieder, A.W. *see* Schaber, H. 85−55789
Wieder, B. A tool for aggregate production planning 86−63217
Wieder, H.H. III-V compound semiconductor insulated gate field effect transistors 86−58466
Wieder, H.H. Interface constraints on MESFET and MISFET architectures 87−45995
Wieder, H.H. Narrow bandgap semiconductor devices 87−74136
Wieder, H.H., Hanson, C.M., Zuleeg, R. Electric field-induced negative photoconductivity in GaAs 86−54026
Wieder, H.H. *see* Chang, W.S.C. 88−2063
Wieder, H.H. *see* Chu, P. 86−67744, 87−77368
Wieder, H.H. *see* Hanson, C.M. 87−38261, 88−13386, 88−19967
Wieder, H.H. *see* Lin, C.L. 87−24913
Wieder, H.H. *see* Niki, S. 88−70326
Wieder, H.H. *see* Roach, J.W. 85−55461, 86−21540, 87−38282
Wieder, H.H. *see* Sun, C.C. 87−54189
Wieder, H.H. *see* Walpita, L.M. 85−62651, 87−26545
Wieder, J.W. Preventing unwanted oscillations in crystal oscillators. II 86−8048
Wieder, J.W. Preventing unwanted oscillations in crystal oscillators. I 86−27134
Wieder, K.P. *see* Borchert, G.L. 86−56059
Wiederauer, K. *see* Schafer, W. 86−21298
Wiederhold, G. *see* Koo, C.C. 88−59676
Wiederhold, G. *see* Kortas, R.G. 85−59313
Wiederhold, G. *see* Shuey, R. 86−43530
Wiederhold, G. *see* Wilkins, M.W. 86−21777
Wiederhold, R.P. *see* Sherif, M.H. 86−43655
Wiederholt, L., Fink, B., Liu, G., May, M., Tafel, R., Jr. GPS UE data generator 87−41087
Wiederholt, L.F., Klein, D. Phase III GPS integration options for aircraft platforms 85−25952
Wiederick, H.D., Gauthier, N., Campbell, D.A., Rochon, P. Magnetic braking: simple theory and experiment 87−58381
Wiederick, H.D. *see* Edwards, M.H. 86−38508
Wiederick, H.D. *see* Mukherjee, B.K. 88−57841
Wiederkehr, A., Birrer, K. New concept of the inventory control by EDP for telecommunication parts 86−101
Wiederkehr, M. *see* Lauper, P. 87−42519
Wiedermann, B. *see* Daetz, M. 88−36268, 88−60955
Wiedermann, J. Generalization of the problem of the membership problem 85−60853
Wiedermann, W., Fasching, G.M. Thick film hybrid microelectronics−aspects of solderability 87−73942
Wiedermann, W. *see* Smetana, W. 87−70599
Wiedling, T. *see* Holmqvist, B. 85−37974
Wiedmann, C. Low-loss power: regulated switched mode power supply with adjustable current limiter 87−5662
Wiedmann, C. Power FET audio amplifier with switch mode operation 87−37016
Wiedmann, C. Stereo audio driver: quiescent current control 'on chip' 88−70560
Wiedmann, H. Pulsed X-ray source for noninvasive digital subtraction angiography 86−25200
Wiedmann, S.K. Status and trends of bipolar digital circuits 85−6251
Wiedmann, S.K. Multi-access memory cell 85−33906
Wiedmann, S.K. Charge buffered logic (CBL)−a new complementary bipolar circuit concept 86−41079
Wiedmann, S.K. Potential of bipolar complementary device/circuit technology 88−39673
Wiedmann, S.K., Wendel, D.F. Speed enhancements and key design aspects of charge buffered logic 87−24093
Wiedner, C.A. *see* Martin, S.A. 85−52949
Wiedow, D. *see* Kasperowski, M. 85−15093
Wiedswang, R. Strong increase in the use of electrical power 85−21088
Wiedwald, J.D., Jones, B.A. An improved approach to characterizing and presenting streak camera performance 87−14154
Wiedwald, J.D., Lerche, R.A. Streak camera dynamic range optimization 88−47584
Wiedwald, J.D. *see* Christie, D.J. 85−51226
Wiedwald, J.D. *see* Pocha, M.D. 87−45877

Wiedwald, J.D. *see* Wang, C.L. 85—52995, 85—61653
Wiefling, K.M., Akins, R., Gordon, W.L., Schuele, D.E., Andeen, C.G. Dielectric relaxation behavior of polymer liquid crystals at temperatures up to 220°C 88—26562
Wiegand, F. *see* Hoyle, B.S. 88—54808
Wiegand, J. Specially processed operational amplifiers meet rad-hard and high-temperature needs 87—37012
Wiegand, J. LAN ICs for IEEE-802 networks 87—55703
Wiegand, J. Gate-array directory 87—66006
Wiegand, J. EDN's DSP project. I. Digital signal processing enters the mainstream 87—69096
Wiegand, J. μP cores let you develop customized ICs that are dedicated to your application 87—73462
Wiegand, J. Self-calibration and oversampling make room for more digital circuitry on monolithic ADCs 88—833
Wiegand, J. *see* Friedel, H. 88—41341
Wiegand, K. *see* Gernand, U. 85—54163
Wiegand, K. *see* Gernard, V. 88—11777
Wiegand, M. Some considerations about dimensional design of CMOS Pierce-oscillators 87—44648
Wiegand, P.M., Trischan, K.K., Crouch, S.R. An LSI counter/timer for laboratory microcomputers 86—15185
Wiegand, R.P. *see* Harter, H.L. 86—13553
Wiegand, V.M. Analytical conditions for oscillation start-up in MOS Pierce-oscillators 86—807
Wiegandt, R. *see* Steig, K.-M. 88—68866
Wiegang, J. Innovations in monolithic display drivers improve flat-panel cost/performance ratios 88—36139
Wiegart, N. A model for the production of initial electrons by detachment of SF_6^--ions 85—56014
Wiegart, N. *see* Boggs, S.A. 85—27577, 88—43339
Wiegart, N. *see* Gallimberti, I. 87—18401 to 18402, 88—39751
Wiegel, B., Beer, J., Fricke, W., Eversberg, H., Heinrich, W. Cosmic ray LET-spectra investigated by automatic scanning and measuring of plastic nuclear track detectors 87—21495
Wiegel, B. *see* Dreute, J. 87—14771
Wiegel, M. *see* Baur, H. 88—35040
Wiegers, G.A. *see* Boukamp, B.A. 85—6725
Wiegers, G.A. *see* Bouwmeester, H.J.M. 86—66245
Wiegers, S.A.J., Jochemsen, R., Kranenburg, C.C., Frossati, G. Comparison of some glass thermometers at low temperatures in a high magnetic field 88—22833
Wiegert, R.F. *see* Levy, M. 87—1846
Wieghardt, G. *see* Nickel, G. 85—15027
Wiegleb, G. Gas analysis system for elevated process temperatures 85—48142
Wiegleb, G. *see* Lehnert, M. 88—60951
Wiegmann, W. *see* Eisenstein, J.P. 85—18149
Wiegmann, W. *see* Gibbs, H.M. 85—41481, 87—75254
Wiegmann, W. *see* Gornik, E. 85—34605
Wiegmann, W. *see* Gossard, A.C. 85—40726, 87—280
Wiegmann, W. *see* Hayes, J.R. 85—1557, 85—1570, 85—1573, 85—34502
Wiegmann, W. *see* Hopfel, R.A. 85—55803, 86—21232, 86—53431, 87—6745
Wiegmann, W. *see* Jewell, J.L. 85—46486, 85—51242, 86—54206, 87—33303
Wiegmann, W. *see* Kiehl, R.A. 85—55973
Wiegmann, W. *see* Lee, Y.H. 87—592
Wiegmann, W. *see* Levi, A.F.J. 86—14862
Wiegmann, W. *see* Miller, D.A.B. 85—18753, 85—55536, 86—22499
Wiegmann, W. *see* Park, S.H. 88—65869
Wiegmann, W. *see* Petroff, P.M. 85—366
Wiegmann, W. *see* Schlesinger, Z. 86—8858
Wiegmann, W. *see* Shah, J. 85—40495, 86—28001, 86—47370
Wiegmann, W. *see* Silberberg, Y. 85—12875, 87—26543
Wiegmann, W. *see* Weiner, J.S. 86—9457, 86—15518
Wiegmann, W. *see* Wood, T.H. 85—35545, 85—57207, 86—15524
Wiegner, G. Evaporative cooling for traction power converters 85—60494
Wiegner, S. *see* Schroder, D. 88—74958
Wiehl, H.-E. Power economy: microelectronics conquer households [domestic appliances] 85—16457
Wiehn, H., Martin, H., Schuster, H. Trends and solutions in international steam generator manufacture 86—45205
Wiehr, E. *see* Scholiers, W. 86—38396
Wiehs, H. *see* Freundel, P. 86—28315
Wieker, R. The use of educational radio transmissions to complement school instruction in mathematics 86—26535
Wiekhorst, F. Detection and classification of line structures 85—46833
Wiel, M.J.Van Der *see* Van Der Wiel, M.J.
Wieland, A.P. Design of a knowledge based computer vision system for industrial applications 86—10546
Wieland, B. *see* Neumann, K.-H. 87—2699
Wieland, J. *see* Oehler, O. 88—74614
Wieland, K. Stereo-equalizer Fera EQ 150 87—56431
Wieland, P. *see* Leder, H. 87—8119, 87—55895
Wieland, U. *see* Morgenroth, O. 87—48423
Wiele, F.van de *see* van de Wiele, F.
Wiele, F.Van de *see* Van de Wiele, F.
Wielebinski, R. Microwaves—the new horizons of radio astronomy 88—15716
Wielebinski, R. Microwaves: the new horizons of radio astronomy 88—53392
Wieler, J.G. Real-time automated detection of mesocyclones and tornadic vortex signatures 87—71334
Wieler, W.E. *see* Greenwald, A. 87—4962
Wieler, W.E. *see* Hogan, S.J. 86—40100
Wieling, N. *see* Stellwag, B. 86—51390
Wielinga, R.F., Preston, J. The new medium of compact discs, an introduction to optical disc recording 87—77052
Wielinga, T., Lodder, J.C. Reversal mechanism in perpendicular media with columnar microstructure 87—1883
Wielowieyska, E., Kocimowski, B., Kawecki, A. Automatic radiometeorological data logging and processing system for radiowave propagation research at frequencies over 10 GHz 87—39385
Wielunska, D. *see* Morawiec, J. 88—71398
Wielunski, L. *see* Berkowitz, A.E. 85—45578
Wieman, C.E. *see* Sesko, D.W. 87—54101
Wieman, C.E. *see* Tanner, C.E. 88—51978
Wieman, H. *see* Albrecht, R. 86—44563
Wiemann, A. *see* Marston, A. 87—59602
Wiemann, D.K. *see* Bieg, K.W. 88—16622
Wiemann, K.W. *see* Ignizio, J.P. 87—76872, 88—5216
Wiemann, L. Nearer to the ideal: infrared light in the Hi-Fi box 87—34866
Wieme, W. *see* Ongena, J. 85—18040
Wiemer, L., Jansen, R.H. Determination of coupling capacitance of underpasses, air bridges and crossings in MICs and MMICs 87—37537
Wiemer, L., Jansen, R.H. Reciprocity related definition of strip characteristic impedance for multiconductor hybrid-mode transmission lines 88—63836
Wiemer, L., Jansen, R.H., Robertson, I.D., Swift, J.B. Computer simulation and experimental investigation of square spiral transformers for MMIC applications 86—14532
Wiemer, L. *see* Jansen, R.J. 85—11575
Wiemer, U. Light pictures: properties and control of electroluminescent displays 88—10075
Wiemer, W., Fahrenschon, K. Large-area liquid-crystal displays for public information boards 85—14923
Wiemer, W. *see* Fahrenschon, K. 86—5403
Wiemers, U. Videotext and video disc 85—47172
Wiemokly, G.D., Cross, E.F., Spiro, I.J. Improved Schottky array performance with lenticulated faceplate 87—14156
Wiemokly, G.D., Cross, E.F., Spiro, I.J. Improved Schottky array performance with lenticulated faceplate 87—20963
Wiemokly, G.D. *see* Cross, E.F. 87—14158
Wien, R. *see* Holler, Y. 85—43302
Wien, T. *see* Stueflotten, S. 85—62351
Wien, T.Le *see* Le Wien, T.
Wienands, U. Slow extraction from the KAON Factory extender ring 88—42394
Wienands, U. Polarized protons in the TRIUMF Kaon factory 88—54238
Wienands, U. Slow extraction from the kaon factory extender ring 88—54264
Wiencko, J.A., Claus, R.O., Rogers, R.E. Embedded optical fiber sensors for intelligent aerospace structures 88—36067
Wiencko, J.A., Jr., Claus, R.O. Characteristics of fiber optic local area networks with a ring architecture 88—47068
Wiencko, J.A., Jr. *see* Bailey, F.M. 86—19783
Wiendahl, H.-P., Winkelhake, U. Computer-aided structuring of automatic assembly installations 88—37949
Wienecke, M. *see* Albers, C. 87—56790
Wienecke, S. *see* Helig, H. 85—10254
Wiener, A. Centrex—the European opportunity 88—9003
Wiener, H., Houck, V. Facsimile networking with personal computers: a shopper's guide 88—41259
Wiener, J. *see* Aftabizadeh, A.R. 88—18647
Wiener, J. *see* Cooke, K.L. 86—62160
Wiener, J. *see* Huszty, G. 86—43398
Wieners, C. *see* Lengauer, T. 88—11918
Wieners, C. *see* Winnewisser, G. 87—13805
Wienhofer, W., Sennheiser, J. Measuring equipment for the estimation of 'pop' sensitivity of microphones 88—60482
Wiening, W., Hoffmann, U., Rake, H. Digital simulation of closed-looped control system in air conditioning plants 88—18228
Wiens, D. *see* Tasker, S. 88—57192
Wiens, D.A., Tasker, S.C. A parameterized hybrid CAD system 88—57218
Wienshienk, M.M. GTD-5 EAX remote switching unit—Extension of a distributed system 87—28315
Wienshienk, M.m., Magnusson, S. Low capacity switching units in the GTD 5 EAX system 85—52191
Wienski, R.M. Networks can get smart with ISDN 88—46684
Wienski, R.M., Baker, H.C. Getting ready for ISDN 86—59433
Wienski, R.M. *see* Baker, H.C. 86—54668
Wienski, R.M. *see* Wainberg, S. 86—16729
Wienskowski, J.H.W.von *see* von Wienskowski, J.H.W.
Wientjes, B. TMS34010 in a bit-mapped application 87—73490
Wientjes, B. TM 34010 for graphics 'bit mapped' applications 88—50171
Wientjes, B., Guttag, K., Roskell, D. First graphics processor takes complex orders to turn bit-mapped displays 86—27330
Wientjes, B.R. Role of silicon solutions in computer graphic standards 86—20408
Wierauch, D. *see* Herenz, A. 88—25622
Wierba, W. *see* Ehret, H.P. 85—64372
Wierckx, R. *see* Woodford, D. 86—12398
Wierda, L.S. Product cost-estimation by the designer 88—31378
Wieremjewicz, J. *see* Piechowka, M. 86—16821
Wierenga, P.E., Broer, D.J., van der Linden, J.H.M. Mechanical characterization of optical-fiber coatings by ultramicroindentation measurements 85—33532
Wierenga, P.E., Franken, A.J.J. Indentation measurements on thin films 86—13895
Wierenga, P.E., Schaake, R.C.F. The effect of mechanical and chemical surface properties on the friction of magnetic tapes 88—6533
Wierenga, P.E., van Winsum, J.A., van der Linden, J.H.M. Roughness ad recording properties of particulate tapes: a quantitative study 86—28659
Wierenga, P.E. *see* Brondijk, J.J. 87—46356
Wieringa, H. Design of a 1.65 and 4.95 MN transfer standard, based on the 'build-up' procedure [force measurement] 86—11742
Wieringa, L. Location of small discharges in plastics insulated high voltage cables 85—32167
Wierny, H. *see* Spindler, U. 87—31257
Wiersma, D., Duppen, K. Femtosecond light pulses 87—46739
Wiersma, D.A., Duppen, K. Picosecond holographic-grating spectroscopy 88—2400
Wiersma, G.B., Frank, C.W., Case, M.J., Crockett, A.B. The use of simple kinetic models to help design environmental monitoring systems 85—15438
Wierstra, T. *see* Kingma, J.H. 88—10388
Wierzba, G.M. Op-amp relocation: a topological active network synthesis 86—52943
Wierzba, G.M., Svoboda, J.A. A comparison of circuits generated by op-amp relocation 86—57965
Wierzbicki, J. *see* Anderson, E. 88—5397
Wiesbeck, W., Riegger, S. Measurement of the complex RCS-matrix for small metallic and dielectric objects 88—15547
Wiesbeck, W. *see* Hartl, P. 87—49179
Wiesbeck, W. *see* Hong, J.S. 88—50322
Wiesbeck, W. *see* Kitlinski, M. 87—17648, 88—29292
Wiesbeck, W. *see* Koniger, F. 88—60881
Wiesbeck, W. *see* Reigger, S. 88—5145
Wiesbeck, W. *see* Riegger, S. 87—57440, 88—27493
Wiescher, M., Gorres, J., Kratz, K.L., Leist, B., Chang, K.H., Filippone, B.W., Mitchell, L.W., Savage, M.J., Vogelaar, R.B. The fabrication and properties of a ^{22}Na target 88—47915
Wiese, F.W. *see* Davey, N.M. 87—53085
Wiese, F.W., Jr., Herrington, T.L., Davey, N.M. Adhesion mechanisms in silver/glass die attachment of gold backed and chromium/gold backed die 87—53088
Wiese, F.W., Jr. *see* Davey, N.M. 88—188
Wiese, H., Weil, K.G. An efficient Fourier transform algorithm for frequency domains of several decades using logarithmically spaced time samples 88—66483
Wiese, H. *see* Weidenauer, M. 88—47710
Wiese, K. *see* Vogg, H. 88—42925
Wiese, R. The role of phonology in speech processing 87—33662
Wiesehuegel, R.E. Continuing engineering education available through Oak Ridge Associated Universities 87—23101
Wiesel, M. Loose routing for gate arrays 85—17242
Wiesel, M. Loose routing guidance 85—40871
Wiesel, M. *see* Dunlop, A.E. 85—685
Wiesel, M. *see* Rose, M. 88—70684
Wieselthier, J.E., Ephremides, A. Discrimination against partially overlapping interference—its effect on throughput in frequency-hopped multiple access channels 86—43353
Wieselthier, J.E., Ephremides, A., Michaels, L.A. The effect of capture on the performance of framed ALOHA protocols—an exact analysis 88—46342
Wieselthier, J.E., Ephremide, A., Tarr, J.A.B. A no-feedback distributed reservation protocol for CDMA channels 88—21402

Wieselthier, J.E., Ephremides, A., Tarr, J.A.B. A distributed reservation-based CDMA protocol that does not require feedback information 88–73393
Wieselthier, J.E., Tarr, J.A.B., Ephremides, A. An exact analysis of a distributed reservation-based CDMA scheme 87–55406
Wieselthier, J.E. *see* Ephremides, A. 87–34445
Wieselthier, J.E. *see* McGregor, D.N. 85–30943
Wiesemann, K. *see* Kahlert, H.-J. 85–59099
Wiesemann, K. *see* Kohler, H. 87–50109
Wiesemann, P. *see* Haberey, F. 88–71898
Wiesemann, R. Network or multi-user system 88–73608
Wiesemann, W., Lehmann, F. Reliability of airborne CO_2 DIAL measurements: schemes for testing technical performance and reducing interference from differential reflectance 86–17517
Wiesemann, W., Lehmann, F., Werner, Ch. Probing of the Earth's surface and the atmosphere with an airborne laser spectrometer 85–43468
Wiesemann, W. *see* Lehmann, F. 86–12154
Wiesen, K., Charap, S.H. Vector Preisach modeling 87–67752
Wiesen, K.C., Katti, R.R., Charap, S.H., Kryder, M.H. Erasing magnetic recording media 88–71928
Wiesenberger, J., Linzer, W. Determination of temperature distribution in heated components by means of similarity factors 86–6559
Wiesendanger, R. *see* Ringger, M. 87–11316
Wiesener, K., Schneider, W., Mobius, A., Ohms, D. Modern methods of electrochemical generation and storage of energy 88–17823
Wiesener, K. *see* Anastasijevic, N. 85–44156
Wiesener, K. *see* Dietz, H. 85–44158, 87–64778
Wiesener, K. *see* Jindra, J. 87–78886
Wiesener, K. *see* Ludwig, G. 88–5830
Wiesener, K. *see* Musilova, M. 88–5828
Wiesener, K. *see* Nguyen Duc Hung 86–66298
Wiesener, K. *see* Petrovic, S. 87–30910
Wiesenfeld, J.M. Acoustic phonon generation in the picosecond dynamics of dense electron-hole plasmas in InGaAsP films 87–24793
Wiesenfeld, J.M. Frequency response of an internal amplifier in a high-speed integrated circuit measured by electro-optic sampling 88–19360
Wiesenfeld, J.M., Stone, J. Measurement of dispersion using short lengths of an optical fiber and picosecond pulses from semiconductor film lasers 85–7244
Wiesenfeld, J.M., Stone, J. New methods for measuring dispersion and light loss in optical fibers 85–62383
Wiesenfeld, J.M., Stone, J. Picosecond pulse generation in optically pumped, ultrashort-cavity, InGaAsP, InP, and InGaAs film lasers 86–42596
Wiesenfeld, J.M., Taylor, A.J., Tucker, R.S., Eisenstein, G., Burrus, C.A. Electro-optic sampling using injection lasers 88–40446
Wiesenfeld, J.M., Tucker, R.S., Antreasyan, A., Burrus, C.A., Taylor, A.J. Electro-optic sampling of high-speed, InP-based integrated circuits 87–46232
Wiesenfeld, J.M., Tucker, R.S., Antreasyan, A., Burrus, C.A., Taylor, A.J., Mattera, V.D., Jr., Garbinski, P.A. Electro-optic sampling measurements of high-speed InP integrated circuits 87–53692
Wiesenfeld, J.M., Tucker, R.S., Downey, P.M. Picosecond measurement of chirp in gain-switched, single-mode injection lasers 88–8178
Wiesenfeld, J.M., Tucker, R.S., Downey, P.M., Bowers, J.E. Optical correlation measurement of switching transients in high-speed semiconductor lasers 86–42527
Wiesenfeld, J.M. *see* Antreasyan, A. 87–73406
Wiesenfeld, J.M. *see* Downey, P.M. 87–46911
Wiesenfeld, J.M. *see* Heutmaker, M.S. 88–39732
Wiesenfeld, J.M. *see* Stone, J. 85–2010, 85–62287
Wiesenfeld, J.M. *see* Taylor, A.J. 86–22186, 86–36332, 87–7226, 87–7335
Wiesenfeld, J.M. *see* Tucker, R.S. 86–68394, 87–18959
Wiesenfeld, J.M. *see* Wood, T.H. 85–58704
Wiesenfeld, K. Parametric amplifications in semiconductor lasers: a dynamical perspective 86–58939
Wiesenfeld, K., McNamara, B. Small-signal amplification in bifurcating dynamical systems 86–28749
Wiesenfeld, K. *see* Bryant, P. 87–66516, 87–74598
Wiesenfeld, K. *see* Jeffries, C. 85–29011
Wiesenfeld, K. *see* McNamara, B. 88–58609
Wiesenfield, J.M. *see* Tucker, R.S. 87–7384
Wieser, D. *see* Strassler, S. 87–1205
Wieser, E. *see* Baither, D. 86–53324
Wieser, E. *see* Guimaraes, S. 86–35295
Wieser, E. *see* Kachurin, G.A. 88–1345
Wieser, E. *see* Klabes, R. 86–28171
Wieser, E. *see* Panknin, D. 86–41662, 87–45766, 88–7304
Wieser, E. *see* Skorupa, W. 87–38087
Wieser, E. *see* Tillack, B. 86–47475
Wieser, E. *see* Urwank, P. 86–1819
Wieser, E. *see* Vetter, E. 87–24963
Wieser, E. *see* Hennig, K. *(editor)* 86–26490
Wieser, H. Personal-computer based strategic budgeting in an electricity undertaking 87–64085
Wieser, H. *see* Boreiko, R.T. 85–8497
Wieser, H.G., Elger, C.E., Stodieck, S.R.G. The 'foramen ovale electrode': a new recording method for the preoperative evaluation of patients suffering from mesio-basal temporal lobe epilepsy 86–25229
Wieser, J. *see* Martin, W.E. 85–37433
Wieser, W. *see* Grein, H. 88–55232
Wieser, Y. *see* Alpert, D. 87–66242
Wiesinger, G., Hilscher, G. Nd-Fe-B type permanent magnets—recent developments in basic and applied research 88–39810
Wiesinger, G. *see* Grossinger, R. 86–21951
Wiesinger, H.D. Texture and working induction of electrical steel for rotating equipment 86–13837
Wiesinger, J. Basic principles of grounding and shielding with respect to equivalent circuits 86–61186
Wiesinger, J. Survey of the LEMP-session 88–8511
Wiesinger, J. *see* Buck, W. 85–9542, 86–56481
Wiesinger, J. *see* Hasse, P. 85–21261
Wiesinger, K. *see* Werner, W.M. 88–12380
Wieslaw, T. *see* Feliks, S. 87–78145
Wiesler, M. Robotic automation within the semiconductor industry 88–57415
Wiesmann, H. *see* Gronet, C.M. 85–29070
Wiesmann, H.J., Zeller, H.R. A fractal model of dielectric breakdown and prebreakdown in solid dielectrics 88–51054
Wiesmann, H.J. *see* Niemeyer, L. 88–39752
Wiesmann, T. Extended oscilloscope add-on unit: measuring slave II 85–4016
Wiesmann, T. *see* Bambach, W. 86–11112
Wiesmeyer, M.D. *see* Lin, D. 88–4968
Wiesner, G. *see* Hofmann, H. 88–24157
Wiesner, J.C. *see* King, H.J. 85–29261
Wiesner, P. *see* Herbst, H. 88–59846
Wiesner, W. The electrical driving of LEDs (light emitting diodes) for optical transmitting applications 85–24411
Wiesner, W. Computerization of operational procedures at the ZDF production centre [TV] 85–47637
Wiesner, W. Optical rotation encoders as sensors in control circuits 85–64130
Wiesner, W. Observations on the use of optical waveguides in data communication systems 86–11073
Wiesner, W. High performance low cost 3rd generation fibre optic components 87–20582
Wiesner, W. An introduction to plastic fibre optic technology 87–25964
Wiesner, W. Applicative considerations on fibre optic connections in data transmission systems 87–34564
Wiesner, W. Data communication with low cost plastic fiber optic components 88–22106
Wiesner, W. The versatile teleprinter. The T1200 product line is designed to meet the needs of users around the globe 88–52776
Wiesner, W. Data communication with plastic optical waveguides: acrylic fibres for short-distance transmission 88–65299
Wiesner, W., Engle, W.W., Hacker, R.M. MOD-5B advanced megawatt scale wind turbine project 85–53653
Wiesner, W., Lewis, C. Optical encoders for custom requirements 88–8061
Wiesner, W., Lewis, C. Designing fibre-optic links 88–15459
Wiesner, W. *see* Franklin, D. 88–36140
Wiessalla, F. Computer-aided potential-separated acquisition and preparation of nonsinusoidal quantities 88–37303
Wiessalla, F. *see* Buttner, J. 87–78760
Wiesser, H. *see* Rodemerk, F. 88–37781
Wiessner, S. Communications in the Earth-space arena—translating equity into hertz and degrees from the Greenwich meridian 85–52312
Wiest, F. *see* Campese, M. 85–62113
Wiest, G. The universal communications network 87–20056
Wiest, G. Network evolution 88–9251
Wiest, S. *see* Couturier, C. 85–30613
Wiest, S. *see* Daugan, G. 85–19552
Wiest, S. *see* Platel, G. 85–51561
Wiest, W.A. *see* Grandchamp, F.M. 85–53466
Wietecha, S. *see* Dingwall, A. 85–17566
Wieting, A.R. *see* Dixon, S.C. 86–50663
Wieting, R. *see* Mitchell, K. 88–31025
Wieting, R. *see* Morel, D.L. 87–9786
Wieting, R.D. *see* Eberspacher, C. 87–9812
Wiewiorkowska, Z. *see* Oleski, J. 86–41606
Wiewiorkowski, J. *see* Oleski, J. 86–41606
Wiewiorowska, M. *see* Jesionek, K. 86–18184
Wiezer, B.M. *see* Gerbrands, J.J. 88–29977
Wiezorrek, E. *see* Hausler, R. 85–53158
Wiffen, P. Emulator II [electronic synthesizer] 85–26140
Wiffen, P. Casio CZ101. Programmable phase distortion polysynth 85–31265
Wiffen, P. Roland JX8P and PG800 [touch-sensitive polysynth and programmer] 85–42803
Wiffen, P. Synclavier real time performance system 85–42813
Wiffen, P. Linn 9000 digital drum machine and keyboard recorder 85–52598
Wiffen, P. Fairlight goes MIDI 85–58462
Wiffen, P. Ensoniq Mirage [electronic keyboard] 85–63905
Wiffen, P. Accurate prophecies [Prophet 2000 sampler] 86–38162
Wiffen, P. Screen test [Sound Designer Software] 86–38163
Wiffen, P. Central control [Ensoniq polysynthesiser] 86–69981
Wiffen, P. Getting the most from mono mode. III. [Akai S900 and MIDI mode 4 data] 87–14000
Wiffen, P. The synth that samples [Korg 12-bit sampler] 87–14046
Wiffen, P. One man's meat [Elka synthesizers] 87–14047
Wiffen, P. Getting the most from—mono mode MIDIs 87–41291
Wiffen, P., Scott, A. Me and my E-mu [Emulator SP-12] 86–11379
Wiffen, R.S. *see* Stewart, J.S. 86–56927
Wifling, K. *see* Sakamoto, Y. 88–44036
Wigand, R.T. Integrated communications and work efficiency: impacts on organizational structure and power 87–33882
Wigderson, A. *see* Aggarwal, A. 86–21798
Wigderson, A. *see* Goldreich, O. 87–33644, 88–40824
Wigderson, A. *see* Long, D.L. 88–45918
Wigderson, A. *see* Vijayan, G. 85–44611
Wigderson, E. *see* Hochbaum, D.S. 86–46182
Wigen, P.E. *see* Batra, S. 88–51259
Wigen, P.E. *see* D'Souza, A.I. 87–74037
Wigen, P.E. *see* Mitchell, T.B. 88–51267
Wigertz, O. *see* Ahlfeldt, H. 88–5018
Wigger, B. *see* Knapp, W. 87–20597, 88–35587
Wiggers, J. A broad semi-customised logic programme 85–33750
Wiggers, L.W. *see* Bailey, R. 85–15164
Wiggins, C.M., Nickel, F.S., Haney, A.J. Mobile transient measurement system 88–16472
Wiggins, C.M., Thomas, D.E., Nickel, F.S., Reid, W.E., Ko, C.D., Dugan, R.C. Development and validation of a model to predict EMI effects of switching transients on protective circuits in high voltage substations 88–17803
Wiggins, C.M. *see* Nickel, F.S. 88–16394
Wiggins, C.M., III *see* Thomas, D.E. 88–2453
Wiggins, D. Productive scanner for the business imaging market 88–53737
Wiggins, E.G. Is a doctorate necessary to teach undergraduate engineering courses 85–32977
Wiggins, E.G. *see* Hunt, E.C. 85–33013
Wiggins, G.T. *see* Scott, K. 87–72557
Wiggins, K. *see* Garbincius, P.H. 85–26602
Wiggins, P.F. *see* Nelson, M.E. 85–20831
Wiggins, R. Entropy guided deconvolution 86–32511
Wiggins, R. *see* Jurkevics, A. 85–38319
Wiggins, R. *see* Petrelis, P.G. 87–62827
Wiggins, R.B., EerNisse, P. Quartz tuning fork resonator transducers 87–21063
Wiggins, R.B. *see* EerNisse, E.P. 87–35070, 88–29363, 88–57851
Wiggins, R.H. *see* Pawate, B.I. 87–61720
Wiggins, S., Holmes, P. Slowly varying oscillators 86–57717
Wiggins, T.A., Saito, T.T., Hosken, J.A. Use of hole gratings in laser damage testing 85–7493
Wigginton, H., Uttley, D., Whitham, C. Kitchen scales for the blind—project report 85–23065
Wigglesworth, B. Prospects for competition [OFTEL company strategies] 88–66815
Wigham, J. *see* Grant, S. 85–61555
Wight, A.L. *see* Frescura, G.M. 85–59974
Wight, A.L. *see* Rehman, A.U. 87–50954
Wight, D. *see* Forrest, J. 86–17514
Wight, D.R. The physical and electronic properties of GaAs 86–8797
Wight, D.R. Heterostructure devices 87–60167
Wight, D.R., Allen, P., Oliver, P.E., Trussler, J.W.A., Cooper, D.P. Electro-absorption modulators in GaAs/GaAlAs 85–18756
Wight, D.R., Allen, P.C., Trussler, J.W.A., Cooper, D.P., Esdale, D.J., Oliver, P.E. Ultra high speed micro-optical modulators in GaAs: the TEAM and the LEAM 86–54011
Wight, D.R., Heaton, J.M., Keir, A.M., Norcross, R.J., Pryce, G.J., Wright, P.J., Birbeck, J.C.H. Limits of electro-absorption in high purity GaAs, and the optimisation of waveguide devices 88–26880
Wight, D.R. *see* Astles, M. 86–7781
Wight, D.R. *see* Esdale, D.J. 85–12731
Wight, D.R. *see* Ke, W.K. 85–50210
Wight, D.R. *see* Seeds, A.J. 86–27164, 86–62842
Wight, D.R. *see* Thrush, E.J. 85–10710, 85–22488
Wight, D.R. *see* Twynam, J.K. 88–58367
Wight, J. *see* Couturier, N. 87–2513
Wight, J.Dritt *see* Dritt Wight, J.
Wight, J.H. *see* Endacott, F.E. 86–18862
Wight, J.S. *see* Lee, J.P.Y. 86–31279

Wight, J.S. *see* Stapleton, S.P. 86−62823
Wight, R. The design of linear and quasi-linear CCD detectors and detector arrays to meet system performance requirements 87−14199
Wight, R. A reprise of performance prediction methods 87−77137
Wight, R. *see* Mathews, B. 85−3879
Wight, R.H. First-order performance prediction techniques for charge-coupled device scanning imagers 85−3884
Wightman, C.W., Icci, D.R. Computer simulation and receiver study at VLF 88−21936
Wightman, D.W., Bendell, A. The practical application of proportional hazards modelling 86−40592
Wightman, D.W. *see* Drury, M.R. 88−49587
Wigley, W.W. Industry training−a progress report [nuclear power industry] 86−40422
Wigley, W.W. INPO/industry job and task analysis efforts [nuclear power industry] 86−45086
Wigmans, R. On the energy resolution of uranium and other hadron calorimeters 87−77537
Wigmans, R. High resolution hadron calorimetry 88−29869
Wigmans, R. Calorimetry at the SSC 88−68289
Wigmans, R. *see* Akesson, T. 86−18235, 88−22918, 88−68271
Wigmans, R. *see* Leroy, C. 87−14726
Wigmore, D.B. *see* Cloud, W.W. 87−42084
Wigmore, S.J. The use of microprocessor based technology in a modern harbour surveillance radar system 86−49735
Wignall, A.N., Gilbert, A.J., Yang, S.J. Calculation of forces on magnetised ferrous cores using the Maxwell stress method 88−51342
Wignall, W.R. A review of transducer needs for the agricultural industry 85−58699
Wigngaert, H.Vanden *see* Vanden Wigngaert, H.
Wihardjo, E., Tsujiuchi, J., Honda, T., Ohyama, N. Wavelength-shift-aberration compensation in an off-axis holographic zone plate 85−56848
Wiik, B.H. Detectors for quark and gluon jets at high energies 85−26715
Wiik, B.H. HERA 85−31657
Wiik, B.H. HERA; the accelerator and the physics 85−37815
Wiik, B.H. Progress with HERA 86−31755
Wiik, B.H. *see* Balewski, K. 87−74622
Wiik, B.H. *see* Horlitz, G. 85−59033
Wiitanen, D.O., Stanek, E.K. Analysis of reliability of mine electrical power systems 87−43728
Wiitanen, D.O., Stanek, E.K. Methods for accommodating nonindependent initiating events in fault tree analysis 87−65030
Wiitanen, D.O. *see* Cataltepe, T. 86−52094
Wiitanen, D.O. *see* Stanek, E.K. 85−26999
Wijaranakula, W., Burke, P., Forbes, L., Matlock, J.H. Effect of preanneal heat treatment on oxygen precipitation in epitaxial silicon 87−17703
Wijayawardana, R.L. *see* Baker, S.I. 86−65313
Wijbenga, G., Chen, M.S., Fine, S.A. Prediction of shelf-lives of positive photoresists based on accelerated aging techniques kinetic evaluation of various parameters 88−19888
Wijbrands, R. *see* van Doremalen, J. 87−31386
Wijdemans, L.M. *see* Van Weersch, J.M.J. 87−31767
Wijdenes, J., Geomini, M.J.H.J. Effect of photoresist composition on the origin of the interfacial layer in the bilevel system 86−1895
Wijesundera, D.S., Jackson, R.D., Pong, M.H. A sampled data current controller for a voltage source inverter 88−69566
Wijesundera, D.S. *see* Jackson, R.D. 88−55361
Wijewarnasuriya, P.A. *see* Faurie, J.P. 86−41566
Wijewarnasuriya, P.S., Sou, I.K., Kim, Y.J., Mahavadi, K.K., Sivananthan, S., Boukerche, M., Faurie, J.P. Electrical properties of Li-doped $Hg_{1-x}Cd_xTe(100)$ by molecular beam epitaxy 88−19662
Wijewarnasuriya, P.S. *see* Boukerche, M. 86−67685, 88−64385
Wijewarnasuriya, P.S. *see* Faurie, J.P. 86−46341, 86−66826, 87−17765, 87−66942
Wijewarnasuriya, P.S. *see* Reno, J. 86−13739, 86−46316
Wijeysundera, N.E., Ho, J.C. Long-term thermodynamic performance of solar heat and power systems 87−4624
Wijgerden, A.R.van *see* van Wijgerden, A.R.
Wijgert, W.M.van de *see* van de Wijgert, W.M.
Wijk, A.J.M.van *see* van Wijk, A.J.M.
Wijk, F.G.H.van *see* van Wijk, F.G.H.
Wijk, F.J.Van *see* Van Wijk, F.J.
Wijk, F.V. *see* Hellwig, K. 86−67240
Wijk, F.van *see* van Wijk, F.
Wijk, F.von *see* von Wijk, F.
Wijk, G.P.van der *see* van der Wijk, G.P.
Wijker, H. Wt? No? ri? ali [radiation dosimetry] 88−10447
Wijker, J. *see* Stavrinidis, C. 87−13658
Wijker, W.J. A diagnostic method for electricity supplies 87−77967
Wijlhuizen, H. Quality-assured nuclear power stations 86−51200
Wijnaendts-van-Resandt *see* Zapf, T. 87−33347
Wijnaendts-van-Resandt, R.W., Ihrig, C. Application of confocal beam scanning microscopy to the measurement of submicron structures 88−42280
Wijnaendts-van-Resandt, R.W. *see* Ulrich, H. 88−26120
Wijnakker, M.M.B. *see* Braat, J.J.M. 85−51017
Wijnant, W. Optimizing the power output of a wind-driven direct current shunt-generator for resistance heating 87−35861
Wijnant, W., Janssens, G.K. Simulation study of a full-duplex packet switching concentrator 87−33865
Wijnbeek, M.C. *see* Malherbe, J.A.G. 88−12586
Wijnbeek, M.J. The effect of world and life view on education [science and engineering education] 85−33031
Wijnbergen, J.J. *see* Wildeman, K.J. 87−35951
Wijnen, H. Hardware and software aspects of computer-controlled TV 86−69887
Wijnen, H. Computer controlled TV hardware and software aspects 87−13875
Wijnen, J.J.F.H. Computer-controlled TV and its software aspects 85−37264
Wijnen, P.J.van *see* van Wijnen, P.J.
Wijnen, T. *see* Bakken, J.A. 87−35350
Wijngaarden, H.van *see* van Wijngaarden, H.
Wijngaarden, M.H.van *see* van Wijngaarden, M.H.
Wijngaart, R.F.van der *see* van der Wijngaart, R.F.
Wijngaerdt, E.De *see* De Wijngaerdt, E.
Wijnhoven, G.P.J. *see* Kleeven, W.J.G.M. 85−59367
Wik, M. Reduce the vulnerability of the telephone network: build two optonetworks 85−8234
Wik, M.W. Double exponential pulse models for comparison of spectra from lightning, nuclear and electrostatic discharge sources 86−3577
Wik, M.W. Double exponential pulse models for comparison of lightning, nuclear and electrostatic discharge spectra 86−15930
Wik, T.R. *see* Barber, F.E. 86−14215
Wikcockson, P.C. *see* Hall, W.J. 87−54719
Wikdahl, C.-E. Nuclear power in the USA−a really dark picture 85−4744
Wikdahl, C.-E. The future for nuclear power in Sweden 85−27170
Wike, J. CRTC synchroniser 85−34018
Wikes, D.M., Hayes, M.H. Iterated Toeplitz approximation of covariance matrices 88−63140
Wiklander, I. *see* Swerup, J. 85−14058
Wikle, G. *see* de Geus, A.J. 85−1758
Wiklund, G. SPACOM−a system for the integration of secondary equipment in distribution substations 88−62548
Wiklund, J., Granlund, G.H. Image sequence analysis for object tracking 87−75944
Wiklund, L. *see* Mariani, E. 85−53251
Wiklund, P., Eriksson, T., Norstrom, H., Ostling, M., Carlstrand, L. Selective tungsten as a diffusion barrier for metallization of shallow junctions 87−11704
Wiklund, P. *see* Blom, H.-O. 86−67804
Wiklund, P. *see* Kallback, B. 87−6897
Wikman-Coffelt, J., Coffelt, R.J. Schematics for gating the NMR via myocardial pressure measurements 85−38157
Wikmar, K. *see* Afzelius, R. 87−15354
Wikstrom, J.A., Viswanathan, C.R. A direct depletion capacitance measurement technique to determine the doping profile under the gate of a MOSFET 88−13099
Wikstrom, J.A., Viswanathan, C.R., Abidi, A.A. Microscopic mobility of electrons in weakly inverted MOSFETs 88−39478
Wikstrom, J.A. *see* Abidi, A.A. 88−7748
Wikswo, J.P., Jr. High-resolution measurements of biomagnetic fields 88−48195
Wikswo, J.P., Jr *see* Gielen, F.L.H. 87−14896
Wiktorczyk, T. Mechanisms of dielectric polarization in $Al-Dy_2O_3-Al$ thin-film sandwiches 87−24981
Wiktorczyk, T. Dielectric response of dysprosium oxide thin film capacitors in frequency domain 88−57015
Wiktorczyk, T., Nitsch, K., Bober, Z. Time domain response of $Al/Dy_2O_3/Al$ thin film capacitors and their AC characteristics 88−32962
Wiktorsczyk, T., Wesolowska, C. Dielectric behaviour of Yb_2O_3 thin film capacitors 85−28739
Wilamowski, B. Implements for computer-aided design of integrated circuits with use of a personal computer 88−24887
Wilamowski, B. *see* Lewandowski, D. 86−891
Wilamowski, B.M. Bipolar structures in VLSI circuits 88−57793
Wilamowski, B.M., Hamilton, D.J., Staszak, Z.J., Majewski, A.J. Analysis of digital integrated circuits using charge conservation principle 88−509
Wilamowski, B.M., Jaeger, R.C., Fordemwalt, J.N. Buried-channel MOS transistor with punch-through 85−18356
Wilamowski, B.M., Mattson, R.H., Staszak, Z.J., Musallam, A. Punch-through space-charge limited loads 86−63228
Wilamowski, B.M., Staszak, Z.J., Hamilton, D.J. CHARCO−IC transient analysis program 86−67135
Wilamowski, Z. *see* Potemski, M. 85−34535
Wilander, P. It pays to cover up overhead lines 85−64927
Wilander, P. Insulated overhead-line systems 88−61955
Wilbarg, R.R. *see* Peressini, P.P. 85−1458
Wilber, C.E. *see* Smith, H.L., Jr. 85−16527
Wilber, G.F., Dryer, E.J. Strategic real-time airborne electronic warfare using knowledge base techniques 88−75016
Wilber, J.G. Enhancing device test programming productivity: The CATalyst automated test program generator 86−49944
Wilber, L.A., Kruger, B., Killion, M.C. Reference thresholds for the ER-3A insert earphone 88−36511
Wilbers, A. *see* Schroter, J. 88−53000
Wilberscheid, G. Reliability of nonvolatile semiconductor stores 85−49864
Wilbertz, H. *see* Bopp, W.A. 85−9536, 87−50868
Wilbrand, A. *see* Holler, P. 87−50586
Wilbrod, J. Correlation between mode fluctuations in a multilongitudinal mode laser 88−2153
Wilbrod, J.-H., Leclerc, A.P., Gobin, F. 400 Km mainland-Corsica lightwave system: the longest optical submarine link in commercial operation 88−47167
Wilbrod, J.H., Moulu, J. Jitter accumulation in optical transmission systems 85−63638
Wilbrod, J.H., Thiennot, J., Allias, B., Trezeguet, J.P. A new submarine repeatered optical link manufacturing, laying and testing 86−11124
Wilbur, E.J. Placement of mask critical images in chamfer area of chips 85−29294
Wilbur, G. *see* Wile, G. 85−51932
Wilbur, G.A. *see* Hyde, P.N. 86−55117
Wilbur, J. Complexity comparison between FFT and DCT based real data Wigner processors 88−52487
Wilbur, J. A high resolution spectral estimator for noisy broadband FM signals−with application to multipath radio 88−66519
Wilbur, J., Taylor, F.J. An acoustooptic Wigner processor for time-varying signal analysis 87−38886
Wilbur, J., Taylor, F.J. High-speed Wigner processing based on a single modulus quadratic residue numbering system 87−61984
Wilbur, J., Taylor, F.J. Consistent speaker identification via Wigner smoothing techniques 88−72834
Wilbur, J. *see* Chester, D. 86−16404
Wilbur, P.J., Brophy, J.R. The effect of discharge chamber wall temperature on ion thruster performance [ion engines] 85−31944
Wilbur, P.J. *see* Brophy, J.R. 85−15153, 85−31945, 85−31947
Wilbur, P.J. *see* Rovang, D.C. 85−31961
Wilbur, S. Local area networks 86−10839
Wilbur, S. The Cosmos project [message system development] 86−37377
Wilbur, S. Local area network management for distributed applications 86−43527
Wilbur, S. The state of the COSMOS−current research and future possibilities 88−46491
Wilbur, S. Local area networks 88−73625
Wilbur, S. *see* Bacarisse, B. 86−69376
Wilbur, S. *see* Malcolm, J.A. 88−67078
Wilbur, S.A., Crew, A.W., Gravenstreter, G. Process protection software structure and design philosophy 86−51210
Wilbur, S.A. *see* Blau, P. 86−51214
Wilbur, S.R., Kirstein, P.T. The Universe Catenet; its protocols and lessons 85−58044
Wilbur, S.R. *see* Bacarisse, B.S. 88−67076
Wilbur, S.R. *see* Matthewson, P.W. 87−55920
Wilbur, S.R. *see* Pope, N.H. 86−37579
Wilbur, S.R. *see* Power, J.M. 87−54851
Wilbur-Ham, M.C. *see* Bearman, M.Y. 86−37536
Wilbur-Ham, M.C. *see* Billington, J. 86−69230
Wilbur-Ham, M.C. *see* Wheeler, G.R. 87−48290
Wilbur-Han, M.C. *see* Wheeler, G.R. 86−37210
Wilby, A., Richardson, D. Advanced technologies play key role in designing future EW systems 86−10965
Wilby, W.A., Brett, A.R.H. Frequency set on systems 87−41019
Wilby, W.A., Gatenby, P.V. Theoretical study of the interferometric Bragg-cell spectrum analyser 86−31292
Wilby, W.A. *see* Griffin, J.M. 86−29648
Wilby, W.A. *see* Richardson, D. 87−48885
Wilck, H.C. *see* Satorius, E.H. 88−3107
Wilcke, R. *see* Sanders, B. 85−19657, 88−59341
Wilckens, H. *see* Hunicke, U.-D. 85−44824
Wilcock, J.D. Semiconductor memories 85−17415
Wilcock, J.D. CAD systems [IC design] 88−70476
Wilcock, J.D. *see* Lewis, W.J. 88−1768
Wilcock, P.E. Analogue component video systems: measurement, instrumentation and alignment 85−3705

Wilcock, P.E. HDTV: how much is enough? 87−56336
Wilcockson, B. *see* Ccoper, D.N. 87−3153
Wilcockson, B. *see* Cooper, D.N. 88−35439
Wilcockson, P.C. *see* Archer, M.J. 87−47296, 88−27646
Wilcockson, P.C. *see* Hall, W.J. 88−14508
Wilcomb, B.E. *see* Bennewitz, J.H. 87−45748
Wilcomb, B.E. *see* Pol, V. 87−11540
Wilcox, A. Untangling networks 85−52074
Wilcox, A. *see* DuFault, R. 86−60797, 87−21583
Wilcox, A.C. *see* DuFault, R.A. 87−50370, 87−50424 to 50425, 88−4971
Wilcox, A.D. Microcomputer design project to measure temperature [undergraduate engineering project] 85−33035
Wilcox, A.D. Bringing up the 68000−a first step 86−20568
Wilcox, A.D. 68000 microcomputer systems. Designing and troubleshooting 87−51724
Wilcox, B. *see* Gennery, D.B. 87−63322
Wilcox, B.H. *see* Cooper, B.K. 87−50475
Wilcox, C.D. *see* Venkataraman, V.V. 87−5602
Wilcox, D., Molin, S. 450 megahertz DAC with multiplexed data port 87−59658
Wilcox, D.J., Conlon, M. Induction from underground power circuits into parallel communication services 85−32171
Wilcox, D.J., Conlon, M., Hurley, W.G. Calculation of self and mutual impedances for coils on ferromagnetic cores 88−72482
Wilcox, D.J., Lee, Y.C., Birch, M.J. A cell based semicustom analogue design technique 85−61065
Wilcox, G.D. *see* Bass, K. 88−69670
Wilcox, J. *see* Jansen, M. 87−7354, 87−61178
Wilcox, J. *see* Kam, M. 88−21036
Wilcox, J. *see* Monahan, K. 85−29245
Wilcox, J. *see* Yang, J.J. 88−2251, 88−65922
Wilcox, J.J. *see* Kam, M. 88−2856
Wilcox, J.R. OFDM comb generation using synchronous travelling-wave phase modulators 88−58243
Wilcox, J.R. *see* Underkofler, W.L. 85−11772
Wilcox, J.S. A tree-mendous vertical [80 meter antenna design] 85−2660
Wilcox, J.Z. Power characteristics of unstable resonator cavity semiconductor stripe lasers 86−15679
Wilcox, J.Z., Jansen, M., Yang, J., Peterson, G., Silver, A., Simmons, W., Ou, S.S., Sergant, M. Supermode discrimination in diffraction-coupled laser arrays with separate contacts 88−2214
Wilcox, J.Z., Jansen, M., Yang, J.J., Craig, R. High-efficiency power output from unstable resonator semiconductor lasers 87−61198
Wilcox, J.Z., Jansen, M., Yang, J.J., Ou, S.S., Sergant, M., Simmons, W.W. Supermode selection in diffraction-coupled semiconductor laser arrays 87−54298
Wilcox, J.Z., Yang, J.J., Jansen, M. Coupled-mode analysis of a periodic array of diode lasers 87−26396
Wilcox, J.Z. *see* Brooks, R.E. 87−1847
Wilcox, J.Z. *see* Ou, S.S. 88−65675
Wilcox, J.Z. *see* Wang, S. 86−63803
Wilcox, J.Z. *see* Yang, J.J. 88−27154
Wilcox, L., Lowerre, B. Coarse classification using a hierarchical decision tree and top down parsing 87−19446
Wilcox, M. *see* Hahn, D.A. 86−56276
Wilcox, M.E. A 2-V amplitude-linear phase-locked loop 87−16945
Wilcox, M.E. A 2 V amplitude-linear phase-locked loop 87−16959
Wilcox, P. *see* Hahn, D.A. 86−56276
Wilcox, P.S., Eadie, J.S. Fast power switching with bipolar mode JFETs challenges MOS and BJTs 88−33258
Wilcox, R. *see* Bakeman, P. 85−23884
Wilcox, R.B. Photoconductive switch pulse shaping device for the Nova master oscillator 86−36543
Wilcox, R.B. Precise shaping of kilovolt pulses with subnanosecond resolution 87−37097
Wilcox, R.B. *see* Christie, D.J. 85−51226
Wilcox, R.B. *see* Koo, J.C. 85−18804
Wilcox, R.C., Jang, B.Z., Zee, R.H., Liaw, Y.K., Liao, J.J. C-Mo and C-Zr alloys for space power systems 88−63384
Wilcox, T.W. A low cost concept for current collection and traction 87−9919
Wilcox, W.R. *see* Rajendran, S. 86−57418
Wilcoxon, J.P. *see* Quimby, D.C. 86−3209
Wilczek, D. *see* Weber, A. 87−15570
Wilczek, R., Drapatz, S. A high accuracy algorithm for maximum entropy image restoration in the case of small data sets 85−36315
Wilczewski, F. Relation between new 'field radius' w_∞ and Petermann II field radius w_d in single-mode fibres with arbitrary refractive index profile 88−39870
Wilczkowiak, E. Optimization of the graphs expansion and renewal process 88−31630
Wilczynska, B. *see* Burnett, T.H. 87−8866
Wilczynski, A. *see* Dickson, C.R. 87−36152
Wilczynski, A. *see* Fieselmann, B. 88−33022
Wilczynski, A. *see* Kalinowski, T. 88−75081 to 75082, 88−75084
Wilczynski, A. *see* Kinsner, K. 87−4372
Wilczynski, D.V., Joshi, S.D., Simmons, R.T. Configuration management: a prescription for quality in plant modifications 88−23655
Wilczynski, J. *see* Bobroff, N. 86−35511
Wilczynski, J. *see* Goodman, G.S. 86−2281
Wilczynski, J. *see* Lin, B. 86−2443
Wilczynski, J.S. Limits of optical lithography 87−18225
Wilczynski, J.S. Optical lithographic tools: current status and future potential 87−38043
Wilczynski, W., Matheisel, Z. A new measuring system for the measurement of specific losses and static and dynamic magnetization characteristics on single sheets 85−8942
Wilczynski, W. *see* Udrycki, W. 85−47021
Wild, A. A power transistor snubber for DC choppers using a thyristor (SCR) 87−30790
Wild, A., Logan, R. A design strategy for ICs 88−64735
Wild, A., Triantafyllou, M. Electromigration on oxide steps 88−39257
Wild, A. *see* Triantafyllou, M. 87−10216
Wild, B. *see* Engler, J. 87−14727
Wild, D. ASGU: automatic secondary-groups-switching 85−19957
Wild, E. *see* Knauer, K. 87−7739
Wild, E. *see* Preiss, E. 85−49924
Wild, G. Logic analysis for multiprocessor systems 87−70377
Wild, M. *see* Loeffler, H. 87−36355
Wild, N., Coakley, P. Evidence for discrete plasma emission during dielectric discharge events 85−23988
Wild, N. *see* Gregory, A.G. 87−63638
Wild, N. *see* Schlereth, F.H. 87−62136
Wild, N.C. *see* Felber, F.S. 88−40474
Wild, N.C. *see* Wessel, F.J. 87−8717
Wild, P. Accelerating the convergence of power series of certain entire functions 88−6403
Wild, P. Infinite families of perfect binary arrays 88−58986
Wild, P. *see* Mitchell, C. 87−40001
Wild, R.de *see* de Wild, R.
Wild, R.N. Some factors affecting leadless chip carrier solder joint fatigue life 88−63038
Wild, U.P., Renn, A., Locher, R., Meixner, A.J. Hole burning, Stark-effect and holographic image storage 88−45062
Wild, U.P. *see* Jasny, J. 85−29870, 85−62638
Wild, U.P. *see* Meister, E.C. 88−50608
Wild, U.P. *see* Renn, A. 88−8306
Wild, W.J. *see* Giles, C.L. 85−46553
Wild, W.R.De *see* De Wild, W.R.
Wilda, D., Arcara, S. Modern energy flow measurement 86−5599
Wilda, D., Arcara, S. Energy flow measurement: the effects of averaging versus continuous measurement 86−24646
Wildberger, A. Thermal Information Program (TIP) 87−35808
Wildberger, A.M. Expert Thermal Information Program (XTIP) 88−17390
Wildberger, A.M., Hunt, M.W. A generic missile weapon system model for wargaming 86−50690
Wildberger, A.M., Pack, R.W. An artificial intelligence aid to efficient plant operations 87−71988
Wilde, D.K. *see* Lynn, D.K. 86−35765
Wilde, D.U. Technology transfer−an aid to innovation 86−7440
Wilde, G. *see* Janssen, H.J. 88−5533
Wilde, J., McRuer, R., Hesselink, L., Goodman, J. Dynamic holographic interconnections using photorefractive crystals 88−34156
Wilde, J. *see* McRuer, R. 88−65518
Wilde, L. *see* Lehman, D. 88−31367
Wilde, L.de *see* de Wilde, L.
Wilde, P. *see* Kirsch, A. 88−58971
Wilde, P. *see* Lewis, L.F. 86−56676
Wilde, P. *see* Raschke, C. 88−51137
Wilde, P.De *see* De Wilde, P.
Wilde, R.L. Effects of cold load pickup at the distribution substation transformer 85−44043
Wilde, R.P.H. *see* Jackson, P.C. 85−38032
Wilde, S. *see* Reimers, R.M. 85−26734
Wilde, S.J. *see* Mason, J.C. 87−61529
Wilde, S.J. *see* Smith, R. 87·−74206
Wilde, S.M. Methodology for development of scenarios for nuclear power plant emergency exercises 87−78296
Wilde, W. *see* Mellwig, K.P. 86−4383
Wildeman, K.J., Beintema, D.A., Ploeger, G.R., Snel, D., Wijnbergen, J.J. Grating drive for the short-wavelength spectrometer in ISO 87−35951
Wilden, H., Ender, J. The crow's-nest antenna−-special aspects and results 88−34502
Wildenauer, J. Generation of the ninth, eleventh, and fifteenth harmonics of iodine laser radiation 87−75236
Wildenauer, P. A new method for automatic computation of error bounds for the set of all solutions of nonlinear boundary value problems 85−39671
Wilder, B. Requirements for an integrated, hierarchical approach to integrating IC design into system design 86−66946
Wilder, H.A. *see* Limb, J.O. 85−8219
Wilder, J. Industrial requirements for real-time image processing 88−60572
Wilder, J.G. *see* Musket, R.G. 88−26924
Wilder, O., Andersson, S.A. Supervising plant processes with Promaster [nuclear stations] 87−71819
Wilder, P. *see* Seroussi, R. 88−54593
Wilder, R. *see* Stokowski, S. 87−5388
Wilder, R.E. *see* Caird, J.A. 87−26347
Wilder, R.W., Weaver, M.D. Drive support systems 87−64853
Wilder, S.E. *see* Miller, C.G. 87−4068
Wilder, S.R., Johanson, R.G. High vacuum systems for sputtering applications 86−20102
Wilder, W. Strategic planning can help you develop better management of telecommunications 86−37213
Wilderman, S. *see* Flynn, M.J. 85−38053
Wilders, M.A. *see* Pearson, S.M. 87−45802
Wilders, P. The modified equation as a model of local errors in convective schemes 87−199
Wildey, C.G. Reflector antennas for airborne satellite communications 87−54725
Wildey, C.G. *see* Cummings, D. 86−59816
Wildey, R.L. Radarclinometry for the Venus Radar Mapper 86−37969
Wildey, R.L. Obstacles facing the Venus Radar Mapper−the implications of Gestalt formation in stereo-radargrammetry 86−55397
Wildey, R.L. Obstacles facing the Venus Radar Mapper−The implications of Gestalt formation in stereo-radargrammetry 87−3214
Wildey, R.L. Radarclinometry 87−21753
Wildey, R.L. The line integral approach to radarclinometry 87−50537
Wildey, R.L. The surface integral approach to radarclinometry 88−68609
Wildfeuer, G. Intel 80386. An advance into new dimensions 87−37331
Wildgen, G. *see* Smith, H.V. 85−15944
Wildgoose, H.A. Utility streamlines system operations 86−39055
Wildgrube, E. Systems design of the ISDN office communication system CPBX 86−37674
Wildgruber, R. MUNIX/NET a transparent local network 88−73606
Wildhagen, U. Teletext-multi-page system with the TPU 2700 85−57740
Wildhagen, U. *see* Fischer, T. 85−3098
Wildi, E. *see* Korman, C.S. 87−31715
Wildi, E. *see* Owyang, K. 87−37763
Wildi, E.J., Chow, T.P., Adler, M.S., Cornell, M.E., Pifer, G.C. New high voltage IC technology 85−50665
Wildi, E.J., Chow, T.P., Cornell, M.E. A 500 V, BiMOS, high voltage IC with depletion layer insulation 85−10989
Wildi, E.J., Chow, T.P., Cornell, M.E. A 500 V junction-isolated BiMOS high-voltage IC 85−17156
Wildi, E.J., Walden, J.P., Adler, M.S. A 500 V/25 A half-bridge IC with on-chip control logic 86−14006
Wildi, E.J., Walden, J.P., Clock, A.W., Adler, M.S., Haque-Ahmed, S. 500 V BIMOS technology and its applications 86−9251
Wildi, E.J., Walden, J.P., Clock, A.W., Adler, M.S., Haque-Ahmed, S. 500 V BiMOS technology and its applications 86−47693
Wildi, E.J. *see* Chang, M.F. 87−32600, 87−46124
Wildi, E.J. *see* Mansmann, J.G. 88−63509, 88−70540, 88−75568
Wildi, E.J. *see* Owyang, K. 87−1658
Wildi, E.J. *see* Pattanayak, D.N. 87−32524
Wildi, E.J. *see* Robinson, A.L. 86−41792, 86−47623
Wildi, P. Ideal protection for high-voltage motors−CET 3-03 electronic protection unit with short-circuit protection 85−16004
Wildi, P. Ideal protection for high voltage motors 87−9501
Wilding, G. The ITT FT110 87−41194
Wilding, G.R. Dynamic width control 85−31184
Wilding, G.R. *see* Rainey, J. 85−3667
Wildish, A. *see* Albrow, M.G. 87−41857
Wildman, D. Transient beam loading compensation in the Fermilab main ring 86−31918
Wildman, D., Martin, P., Meisner, K., Miller, H.W. Bunch coalescing in the Fermilab main ring 88−47865
Wildman, D. *see* Bharadwaj, V. 88−47884
Wildman, D. *see* Kerns, Q. 86−31979
Wildman, D. *see* Martin, P. 86−31900, 88−47832
Wildman, D.E. Fault localisation on medium voltage power networks 88−61994
Wildman, P., Millman, D. Using timing analysis to ensure product manufacturability 88−74299
Wildmann, D., Bronnimann, R., Schurch, G. Low-cost CO_2 laser beam profile monitor 85−18986
Wildmann, D., Gnepf, S., Kneubuhl, F.K. Standard and phase-matched grazing-incidence and distributed-feedback FIR gas lasers 87−38971
Wildmoser, H. *see* Rehm, H. 87−40915
Wildner, O. Silicon based sensors−a review 87−35068
Wildner, O., Bogdanova, N. Theoretical bases in the use of ion-sensitive FETs 86−31705
Wildschiodtz, G. *see* Simonsen, E. 88−61373

Wildt, G.J.Van Der *see* Van Der Wildt, G.J.
Wile, D. Drilling: fact and fiction 88−1130
Wile, D., Cecil, J.B. Pulse detector chip keeps hard-disk drives virtually error-free 85−62191
Wile, D., Gilmore, G. A vision of better drilling 87−17505
Wile, G., Wilbur, G., Roe, B. An architectural approach to packet switching network administration and management 85−51932
Wile, G.E., Gowan, D.S. The architecture of the DPN data networking system 87−34165
Wile, G.E., Gowan, D.S. The architecture of the DPN Data Networking System 87−48829
Wilehle, R. *see* Janas, J.M. 88−67049
Wilemon, D. *see* Gupta, A.K. 86−40433
Wilemon, D.L., Meyers, P.W. Learning strategies in high technology teams 86−7422
Wilemon, D.L. *see* Thamhain, H.J. 88−137
Wilemski, G. *see* Mitteldorf, J. 85−5369
Wilen, L.A., Giannetta, R.W. Cryogenic photoemissive electron source 86−18231
Wilenitz, I., Fthenakis, V.M., Moskowitz, P.D. Costs of controlling environmental emissions from the manufacture of silicon dendritic WEB photovoltaic cells 86−26305
Wilensky, R. High-power, broad-bandwidth HF dipole curtain array with extensive vertical and azimuthal beam control 88−66218
Wilent, J.W. *see* Benson, R.F. 87−53052
Wiles, A. ITEX−an interactive TTCN editor and executor 87−40418
Wiles, J. *see* Beadle, P. 86−21734
Wiles, K.J. *see* Alexander, D.R. 87−21240
Wiles, M.F. Engineering workstations for VLSI design 85−18418
Wiley, A.J. Applying international standards to ISDN-LAN interconnection 86−69443
Wiley, A.J., Hutchison, D. An ISDN for the UK 86−10628
Wiley, B. *see* McKeighen, R.E. 87−46236
Wiley, G.F. The production and teaching of broadcast news 87−76360
Wiley, J. Side-looking airborne radars see their market growing 85−31091
Wiley, J.D. Status report on X-ray lithography 88−44718
Wiley, J.D. *see* Cerrina, F. 85−34706, 86−5710
Wiley, J.L., Rhame, R.J. Autonomous aircraft and weapons maintenance system−goal, prediction, or reality 85−31345
Wiley, J.P. When controls are too good 88−1133
Wiley, J.P. *see* Appelt, B.K. 87−1088
Wiley, J.R. *see* Cerrina, F. 87−38109
Wiley, M. *see* Shimasaki, K.W. 88−54667
Wiley, R. *see* Steinke, R. 85−59916
Wiley, R.E. Cellular regulation−an overview 87−3108
Wiley, R.E., Senkowski, R.M. Computer III: breakout of the BOCs? 87−33877
Wiley, R.L., Schnyer, A.D., Sholtis, J.A., Jr., Verga, R.L., Wahlquist, E.J. Space reactor power 1986: a year of choices and transition 87−42127
Wiley, R.L. *see* Schnyer, A.D. 86−32460
Wiley, W.J. *see* Cohoon, R.L. 86−15540, 86−48234
Wiley, W.J. *see* Guilfoyle, P.S. 87−55298, 88−51622
Wilf, F.M. A chip off the old block: copyright law and the Semiconductor Chip Protection Act 87−65125
Wilf, H.S. Spectral bounds for the clique and independence numbers of graphs 86−34156
Wilf, H.S. *see* Nijenhuis, A. 87−36595
Wilf, H.S. *see* Odlyzko, A.M. 87−44152
Wilfert, H.-H., Hoy, C., Lauckner, G., Lunze, J. System-theoretical analysis and design of a decentralized bus voltage control 87−71582
Wilfert, H.-H. *see* Bretthauer, G. 87−50693
Wilfert, H.-H. *see* Fischer, J. 87−50733
Wilfert, H.-H. *see* Gamaleja, T. 86−12314
Wilfert, O., Dusek, J. The experimental setup for measurement of surface roughness using an optoelectronic method 86−50214
Wilfley, B.P., Suhl, H., Schultz, S. Third-harmonic generation by self-formed superconducting quantum-interference device (SQUID) structures on superconducting surfaces 85−1880
Wilfley, B.P. *see* Spencer, C.M. 88−68358
Wilford, C.F. *see* Edgerley, C.J. 88−31207
Wilford, G.M. On-Board Electronic Warfare Simulator (OBEWS): designing the Ground Support Subsystem (GSS) man-machine interface 88−30091
Wilgus, A. *see* Roucos, S. 87−62725
Wilgus, A.M. *see* Roucos, S. 86−10311, 86−16189
Wilhardt, P. *see* Frederiksen, J. 85−27611
Wilheim, M.J. *see* Grosso, J.S. 85−40358
Wilheit, T. *see* Le Vine, D. 88−5180
Wilheit, T.T. *see* Milman, A.S. 86−32568
Wilheit, T.T. *see* Wang, J.R. 88−5174
Wilhelm, A. *see* Hersener, J. 87−38036
Wilhelm, A. *see* Strohm, K.M. 86−1972
Wilhelm, H. Bus-conveyance in industrial transfer systems 86−17049
Wilhelm, H. Bus transfer in industrial control systems. II. Examples and development trends 86−30371
Wilhelm, H. CAQ strategy 88−38002
Wilhelm, H. *see* Richter, D. 87−35775
Wilhelm, H.E. Initial boundary value problems for magnetic flux compression 85−2473
Wilhelm, H.E. Covariant electromagnetic theory for inertial frames with substratum flow 86−3417
Wilhelm, H.E. Electric and magnetic flux compression theory for arbitrary large liner velocities 87−19124
Wilhelm, H.E., Zedan, F.M. Nonlinear boundary-value problem for cylindrical corona discharge 88−44504
Wilhelm, H.E. *see* Kim, S.H. 88−20688
Wilhelm, H.G. Application of holographic interferometry 85−12990
Wilhelm, H.R. *see* Kuss, H. 85 −27440
Wilhelm, I. *see* Kubik, P. 86−55907
Wilhelm, J. Development and application of filters for air cleaning in nuclear power plants 87−71813
Wilhelm, J. *see* Nichols, A. 85−64701, 85−64763
Wilhelm, J.F., Bidenbach, J.M. The home video tutorial experiment sponsored by the Educational Activities Board of IEEE 88−24467
Wilhelm, J.W. *see* Gallaway, W.D. 88−60261
Wilhelm, K., Schmidt, W.K.H., Hartmann, G.K. Specialized image processing technique applied to Halley Multicolour Camera images of the Earth 87−2566
Wilhelm, K. *see* Hanke, D. 86−70444
Wilhelm, K. *see* Seifritz, W. 86−45176
Wilhelm, K. *see* Watermann, J. 88−48261
Wilhelm, L.H. TEP builds 345 kV guyed-tower line 88−17183
Wilhelm, M. *see* Springer, E. 85−46040
Wilhelm, M.R., Priest, K.W., Simoes, I.L. Distribution feeder analysis−an improved digital approach 88−61908
Wilhelm, M.R. *see* Lannes, W.J. 85−10058
Wilhelm, M.R. *see* Telander, S.H. 86−70727, 87−36064
Wilhelm, O. *see* Gerber, M. 87−79042, 87−79049
Wilhelm, P. *see* Bialowons, W. 87−41688, 87−70916
Wilhelm, P. *see* Bieber, M. 87−17575
Wilhelm, P. *see* Deuter, A. 87−14636
Wilhelm, P. *see* Neff, W. 85−48163
Wilhelm, R., Kasparek, W., Kumric, H., Muller, G.A., Schuller, P.G., Thumm, M. Components for high-power millimeter wave applications using pulsed or CW gyrotrons 87−37821
Wilhelm, R. *see* Barkley, H.J. 88−19595
Wilhelm, R. *see* Kumric, H. 88−19331
Wilhelm, R. *see* Thumm, M. 85−55387, 87−17330, 87−24425
Wilhelm, R.V., Jr. The automotive instrumentation explosion: growth, challenges and partnerships 88−18192
Wilhelm, U. *see* Muschter, F. 87−42772
Wilhelm, W. Propagation delays of interconnect lines in large-scale integrated circuits 86−41898
Wilhelm, W., Sittig, U. Influence of production tolerances on the speed fluctuation of magnetic tape drives 86−58674
Wilhelm, W. *see* Franz, M. 88−70699
Wilhelm, W. *see* Kalb, A. 85−50687
Wilhelm, W. *see* Panzer, K. 87−49108, 88−15461
Wilhelmi, B., Rudolph, W., Dopel, E., Dietel, W. Advantages and limits of light pulse compression inside and outside the laser cavity 86−15741
Wilhelmi, B. *see* Bruckner, V. 85−35712
Wilhelmi, B. *see* Damm, T. 85−35882
Wilhelmi, B. *see* Diels, J.-C. 85−41423
Wilhelmi, B. *see* Dietel, W. 86−15751, 88−58479
Wilhelmi, B. *see* Herrmann, J. 88−11637
Wilhelmi, B. *see* Petrov, V. 88−14263, 88−20595
Wilhelmi, B. *see* Schubert, D. 86−9781
Wilhelmi, B. *see* Stamm, U. 87−68405
Wilhelmi, H., Schwall, H. Apparatus for generating high-temperature plasma 87−78764
Wilhelmi, H. *see* Birsztejn, T. 88−49290
Wilhelmi, W. *see* Eichhorn, N. 86−524
Wilhelmi, W. *see* Yaroslavskii, L.P. *(editor)* 88−11601
Wilhelmi Ayza, J.R. *see* Calderon Fernandez, A. 86−39374
Wilhelmij, P., Denbigh, P. A statistical approach to determining the number density of random scatterers from backscattered pulses 85−20278
Wilhelms, R., Meyer, P., Strube, H.W. Estimation of articulatory trajectories by Kalman filtering 87−47586
Wilhelms, R. *see* Meyer, P. 87−47573
Wilhelmsen, F., Zee, T. Effect of electromigration on GaAs FET reliability 85−55860
Wilhelmsen, P. The application of Touchstone and MiCAD to MIC and MMIC circuit design and layout 86−14539
Wilhelmsen, P. Modelling of a low-pass filter 87−37449
Wilhelmsen, P. Computer-aided synthesis of matching networks for low-noise amplifiers 87−37577
Wilhelmsson, A. Clean uprating by steam injection [gas turbines] 88−62165
Wilhelmsson, K. More reliable operation of network using expert system 88−17057
Wilhelmsson, L. *see* Smedsfelt, S. 85−4612
Wilhelmy, L. Long-life tachogenerator−a new high-reliability component for drive technology in comparison with other rotary speed sensors 88−76007
Wilhemsen, F., Yee, R., Zee, T., Osbrink, N.K. Temperature vs. reliability in power GaAs FETs and MIC GaAs FET power amplifiers 85−6531
Wilhoit, S.C. *see* Evans, R.J. 85−9123
Wiliams, D.W.M. *see* Capp, P.O. 85−11689
Wiliams, J.C. Fiber-optic communication technology branching devices 85−50961
Wiliams, K. Shunting panel meters 86−52984
Wiliams, M., Winchester, C., Jolson, J. Molten lithium anodes for thermal batteries 88−17862
Wiliams, P.A.J. Acousto-optic techniques for radar ESM 85−31105
Wiliams, R.T., Mahalanabis, A.K., Sibul, L.H., Prasad, S. An efficient signal subspace algorithm for source localization in noise fields with unknown covariance 88−73141
Wiliams, S. *see* Bird, F. 86−50334
Wiliams, T.D. *see* Bettoni, D. 87−21407
Wilink, L. *see* Grosserichter, R. 86−19045
Wiljasalo, M. *see* Manninen, H. 85−38034
Wiljasalo, S. *see* Manninen, H. 85−38034
Wilk, A., Martin, G. TIARA: a hierarchical VLSI constraint-driven layout system 87−46118
Wilk, A. *see* Rafalski, W. 87−78626
Wilk, C.K. *see* Weingarten, F.W. 85−58072
Wilk, D. Tips for selecting cooling fans for electronic assemblies 86−40543
Wilk, H. Power from the sun−solar energy 88−49133
Wilk, J. *see* Stember, M. 85−786
Wilk, S. *see* Gellermann, W. 87−39037
Wilke, B. *see* Gerisch, W. 88−18565
Wilke, I. *see* Petzold, H.-C. 88−19869
Wilke, M., King, N.S.P. Two-dimensional time-dependent imaging utilizing tomographic concepts 88−60574
Wilke, M., King, N.S.P., Gray, N., Johnson, D., Esquibel, D., Nedrow, P., Ishiwata, S. Imaging techniques utilizing optical fibers and tomography 87−18679
Wilke, V. Optical scanning microscopy−the laser scan microscope 85−53035
Wilke, W. *see* Heil, R.D. 86−5841
Wilke, W. *see* Novotny, R. 88−22924
Wilkeit, R. *see* Arndt, F. 88−19329
Wilken, A.C. *see* Blodgett, S.R. 88−5040
Wilken, B. *see* Gloeckler, G. 85−53162
Wilken, K.D., Shen, J.P. Embedded signature monitoring: analysis and technique 88−19071
Wilken, R. *see* Bers, K. 87−64339
Wilkenfeld, J. *see* Rudie, N.J. 86−35086
Wilkening, E.-D. *see* Lindmayer, M. 88−55528
Wilkening, G. *see* Peters, M. 85−4121
Wilkening, G. *see* Schellekens, P. 86−70231
Wilkens, B. A high resolution mass-energy spectrometer for the study of liquid metal ion sources 85−52988
Wilkens, B. *see* Venkatesan, T. 86−36558
Wilkens, B. *see* Warren, M. 87−33305
Wilkens, H. Terrestrial digital radio broadcasting−opportunities and risks 86−43955
Wilkens, H. Prospects for digital terrestrial sound broadcasting 86−65045
Wilkens, H. *see* Averbuch, A. 87−61680
Wilkens, K.L. *see* Gore, J.C. 86−38759
Wilkens, M.J. *see* Tarouco, L.M.R. 86−69452
Wilkens, W.B. Standards for communications 87−69438
Wilkens, W.B. *see* Cohen, E.J. 85−36510
Wilker, J.Steel *see* Steel Wilker, J.
Wilkerson, D. VSAT technology for today and for the future. III. Use private network or leased services? 88−35426
Wilkerson, D.C. *see* Buschman, B.D. 85−41890
Wilkerson, J. *see* Dobson, E. 88−10563
Wilkerson, J.F., Ludwig, E.J., Clegg, T.B., Anderson, R.E. A system for measuring the energy spread of an accelerated beam 87−70963
Wilkerson, L. *see* Penner, S. 86−24905
Wilkerson, L.C. *see* Hansborough, L.D. 87−41669, 87−50039
Wilkerson, L.C. *see* Smythe, W.R. 86−32022
Wilkerson, T.D., Horak, H.G., Karl, R.R., Jr., McComas, D.J., Spence, H.E. Solid state bistatic lidar for ionospheric species mapping and precise locating lidar for the Tethered Satellite System 87−42242
Wilkerson, T.D. *see* Grossmann, B.E. 87−54256
Wilkerson, T.D. *see* McComas, D.J. 85−53181
Wilkes, A. *see* Prickett, D. 88−55914
Wilkes, D.M., Hayes, M.H., III Spectral line tracking for nonstationary random processes 87−19829
Wilkes, D.M., Hayes, M.H. An eigenvalue recursion for Toeplitz matrices 87−58859
Wilkes, D.M. *see* Hawkins, H.A. 86−10307
Wilkes, J.G. Low pressure processes in chemical vapour deposition of silicon oxides 85−39802

Wilkes, J.G. The plasma stimulated deposition of materials for silicon technology 87−36816
Wilkes, J.G. *see* Barraclough, K.G. 87−16581, 88−64394
Wilkes, J.G. *see* Burns, G.P. 88−56252
Wilkes, J.G. *see* Messoloras, S. 88−64376
Wilkes, J.S. *see* Dymek, C.J., Jr. 88−11368
Wilkes, R. *see* Lutzke, K. 85−48834
Wilkes, R.J. *see* Burnett, T.H. 87−8866
Wilkes, S. *see* Mason, J.H. 85−4774
Wilkey, J.D. *see* Longmire, M.S. 85−30237
Wilkie, B.F. Innovative microcomputers with a high level of integration allow a wide range of applications in functional space 85−22938
Wilkie, E.L. *see* Kuan, T.S. 87−6472
Wilkie, F. Accurate flow measurement by computer 87−14622
Wilkie, I. *see* Bossart, R. 86−31911
Wilkie, J.H., Sealy, B.J. Rapid thermal annealing of 200°C mercury implants into InP 87−17904
Wilkie, J.H., Spiller, G.D.T., Hennning, I.D., Sealy, B.J. Dopant redistribution and crystalline damage removal during rapid thermal annealing of Be and Mg implants in $Ga_{0.47}In_{0.53}As$ 88−13102
Wilkin, D. Who needs a protocol analyser? 85−31419
Wilkins, A.J. Discomfort and visual displays 85−52657
Wilkins, B. Destination unknown [communications standards] 85−19618
Wilkins, B. *see* Flindall, J. 87−11129
Wilkins, B. *see* Tseng, W. 88−50727
Wilkins, B.D. *see* Vineyard, M.F. 87−50187
Wilkins, B.R. The Southampton program: a preparation for industry 87−10073
Wilkins, B.R. HIT: a solution to the testing problem 87−24558
Wilkins, B.R. The impact of HIT on testing and testability 87−58689
Wilkins, B.R. Undergraduate teaching at Southampton University−a preparation for industry 87−72719
Wilkins, B.R. Hierarchical interconnection technology−an emerging standard for testable circuit structures 88−38935
Wilkins, B.R. *see* Alabaster, M.B. 86−20510
Wilkins, B.R. *see* Anderson, W.T., Jr. 85−18339
Wilkins, B.R. *see* Carter, P.M. 85−17380, 87−17062, 87−24169, 87−24207, 87−52576, 87−66191
Wilkins, B.R. *see* Christou, A. 85−39745
Wilkins, B.R. *see* Damianos, J. 87−66101
Wilkins, B.R. *see* Tseng, W.F. 87−18353, 87−67279
Wilkins, C.W., Jr., Bair, H.E., Chan, M.G., Hutton, R.S. Thermal and mechanical properties of cyclized polybutadiene dielectrics 87−65585
Wilkins, C.W., Jr., Reichmanis, E., Wolf, T.M., Smith, B.C. An organosilicon novalac resin for multilevel resist applications 85−35048
Wilkins, C.W., Jr. *see* Levinson, M. 86−58355
Wilkins, C.W., Jr. *see* Lyons, A.M. 85−29264
Wilkins, C.W., Jr. *see* Reichmanis, E. 86−2295, 87−60227
Wilkins, D.E. *see* Hutchins, D.A. 85−38364
Wilkins, D.E.B. The operations control centre 87−71263
Wilkins, D.E.B. Communications and manned space flight−the vital link 88−9516
Wilkins, D.R.J. *see* Burgess, N. 85−44988
Wilkins, E.S. *see* El Degheidy, M.M. 86−38737
Wilkins, F. Changing directions of the Solar Thermal Technology Program 87−78234
Wilkins, F.C., McConnelee, P.A. Continuous deionization in the preparation of microelectronics-grade water 88−64369
Wilkins, G. From logic simulation to test patterns 87−724
Wilkins, G. *see* Wegener, M. 87−75635
Wilkins, J.W. *see* Baranger, H.U. 85−23522, 85−34456, 86−21488
Wilkins, J.W. *see* Stanton, C.J. 86−67670, 87−66862
Wilkins, L. Module Design Verification System 85−1201
Wilkins, M. *see* Boardman, A.D. 88−39915
Wilkins, M.P. *see* Whitehead, A.M. 87−50517, 88−36085, 88−61534
Wilkins, M.W., Berlin, R., Payne, T., Wiederhold, G. Relational and entity relationship model databases and specialized design files in VLSI design 86−21777
Wilkins, P. *see* Ruchti, R. 85−37950, 85−43275
Wilkins, P.A. A field study to assess the effects of wearing hearing protectors on the perception of warning sounds in an industrial environment 85−9005
Wilkins, R. Some problems in the modelling of miniature fuses 87−66665
Wilkins, R. 3-phase operation of current-limiting power fuses 87−72346
Wilkins, R. *see* Engels, E., Jr. 85−15165
Wilkins, R. *see* Flindall, J.D. 88−19908
Wilkins, R.W., Klare, K.A. Magnetic-fusion data acquisition at Los Alamos 87−3515
Wilkins, S.W., Stevenson, A.W. A class of condensing-collimating channel-cut monochromators for SAXS, XRPD, and other applications 88−54452
Wilkinson, A. Corporate strategy and the buying and selling of know-how 86−13370
Wilkinson, A. Corporate strategy as a source of ideas 87−36392
Wilkinson, A. *see* Brown, P. 85−42418
Wilkinson, A.C.N. *see* Blauhut, R.B. 85−60517
Wilkinson, A.J. A method for test system diagnostics based on the principles of artificial intelligence 85−37451
Wilkinson, A.J. MIND: an inside look at an expert system for electronic diagnosis 85−61982
Wilkinson, A.J. Benchmarking an expert system for electronic diagnosis 87−41362
Wilkinson, A.J., Taylor, G.E., Clarke, R. Self-tuning for power-station control loops 87−4585
Wilkinson, A.J. *see* Grillmeyer, O. 86−49960
Wilkinson, A.J. *see* Ryan, P.M. 86−49959, 86−65113
Wilkinson, C., Khamis, H.W. Location and integration of single reflections using area PSDs 85−15230
Wilkinson, C. *see* Dworkin, J.S. 86−60580
Wilkinson, C.D. *see* Blanch, P.M. 86−45126
Wilkinson, C.D.W. Very high resolution electron-beam lithography and applications to integrated optics 85−2079
Wilkinson, C.D.W. Applications of electron beam lithography to integrated optics 86−9610
Wilkinson, C.D.W. Fabrication of very small structures 87−17886
Wilkinson, C.D.W. Nanofabrication 88−26022
Wilkinson, C.D.W., Beaumont, S.P. Fabrication of very small devices for the investigation of the one-dimensional transport 87−25027
Wilkinson, C.D.W., Beaumont, S.P. Electron beam nanolithography 87−25520
Wilkinson, C.D.W., McGregor, C. Metal clad optical waveguides (CAPS) 85−35531
Wilkinson, C.D.W. *see* Arnold, J.M. 88−43643
Wilkinson, C.D.W. *see* Cheung, R. 87−74194
Wilkinson, C.D.W. *see* Doughty, G.F. 85−41191, 87−11660, 87−38154, 88−7504
Wilkinson, C.D.W. *see* Leadbeater, M.L. 88−64264
Wilkinson, C.D.W. *see* Lee, K.Y. 87−25273, 87−38303
Wilkinson, C.D.W. *see* MacBean, M.D.A. 87−60959, 87−74869
Wilkinson, C.D.W. *see* Mackie, W.S. 86−2211
Wilkinson, C.D.W. *see* Patrick, W. 86−2168, 86−35515, 86−41348, 86−47388
Wilkinson, C.D.W. *see* Taylor, R.P. 87−66919
Wilkinson, C.D.W. *see* Thoms, S. 87−25117
Wilkinson, C.D.W., Lamb, J. *(editor)* Proceedings of the Fourth European Conference on Integrated Optics: ECIO 87 87−72701
Wilkinson, D.F. *see* Mahato, B.K. 85−39178
Wilkinson, D.R., Watson, A.W. Use of metric techniques in ESM data processing 85−58167
Wilkinson, D.T. Electric braking performance of multiple-unit trains 86−19572
Wilkinson, D.T. Electric braking performance of multiple-unit trains 86−40245
Wilkinson, D.T. *see* Timbie, P.T. 88−60700
Wilkinson, E. *see* Googins, J. 88−22940
Wilkinson, E.J. System and hardware options for digital telecommunication networks in the South Pacific 85−42146
Wilkinson, E.J. The South Pacific telecommunication development programme progress report 86−59419
Wilkinson, E.J. Planning the use of satellite transmissions within the South Pacific Telecommunications Development Programme 87−56091
Wilkinson, E.J. The South Pacific telecommunications development programme 88−3364
Wilkinson, E.J. Planning the use of satellite transmissions within the South Pacific Telecommunications Development Programme 88−15428
Wilkinson, E.J. Planning the use of satellite transmissions within the South Pacific Telecommunications Development Programme 88−28789
Wilkinson, E.T. *see* Magill, S.A.N. 87−35478
Wilkinson, F. *see* Ellis, S.R. 86−51882, 88−24123
Wilkinson, F. *see* Johnson, M. 88−17877
Wilkinson, F.J. *see* Gardner, J.L. 85−46259
Wilkinson, F.J., III *see* Cecil, F.E. 85−37927
Wilkinson, G.A. Simple predictive model for the range-dependence of power density near to a radar dish 85−15012
Wilkinson, G.G. *see* Wallace, I. 88−1179
Wilkinson, G.L. *see* Brownlee, D.C. 88−66931
Wilkinson, G.M. Time-dependent capacitance effects in water dielectric switching 85−1775
Wilkinson, G.M. QA trending for management assessment 88−23650
Wilkinson, G.M., Dethlefsen, R., Richardson, R. Sharpening of current rise time using distributed plasma erosion switches 87−22616
Wilkinson, G.M., Miller, A.R. Generation of submicrosecond current rise times into inductive loads, using fuses as switching elements 87−22673
Wilkinson, G.M. *see* Holland, M.M. 87−26681
Wilkinson, H.E. *see* Bhatia, S.A.L. 86−30761
Wilkinson, J. A top-down approach to safety systems 87−16325
Wilkinson, J. Chart recorders 88−74499
Wilkinson, J., Przybyla, H. Error correction in digital 4:2:2 component video recording 87−34826
Wilkinson, J.H. Coding methods for the DVTR 85−14494
Wilkinson, J.H. The state of the art in error analysis 85−54332
Wilkinson, J.H. A review of the signal format specification for the 4:2:2 component digital VTR 86−38113
Wilkinson, J.H. The SMPTE type D-1 digital television tape recorder—error control 87−28837
Wilkinson, J.H. A review of the signal format specification for the 4:2:2 component digital VTR 88−29131
Wilkinson, J.H., Ive, J.G.S. Design aspects of the digital video recorder 85−3760
Wilkinson, J.H. *see* Eguchi, T. 86−17650, 87−8448, 87−13984
Wilkinson, J.M., Macdonald, N., Neish, G.B. Design and manufacture of a wafer scale memory product 88−33407
Wilkinson, J.R. Ring lasers 87−46939
Wilkinson, J.S., Fleming, S.J., Greenwood, R.N., Cattell, W.R., Aldridge, C. Continuous measurement of blood hydration during ultrafiltration using optical methods 87−57089
Wilkinson, J.S., Hao, S., Murphy, D., Smith, J.G., Nourshargh, N., Howard, N. Planar optical waveguides for interconnection of VLSI 88−58386
Wilkinson, J.S., Wilson, M.G.F. Design and performance of a low crosstalk directional coupler switch 85−2062
Wilkinson, K. *see* Molajo, A.O. 86−38828
Wilkinson, M. Analogue sensors prove there can be ‘smoke without fire’ 85−26283
Wilkinson, M. Mixed process looks logical 87−44736
Wilkinson, M. *see* Partridge, C. 85−16705
Wilkinson, M. *see* Shannon, J. 87−22793
Wilkinson, N. *see* Tkaczyk, S.M. 88−54432, 88−68283
Wilkinson, N.A. *see* Rogers, J.G. 88−61263
Wilkinson, P. ‘Humanized’ system tracks troubles [AT&T Automated Cable Expertise system] 85−51898
Wilkinson, P. *see* Brown, R.D. 86−33756
Wilkinson, P. *see* Yang, S.J. 87−22289
Wilkinson, P.J., Haylett, A.J., Fioretti, A., Rocchini, C.A. Management of a multiple channel flexible integrated network 88−21735
Wilkinson, P.J. *see* Fioretti, A. 88−21738
Wilkinson, R. On-line [communication between the BBC Micro and remote computer services] 85−30705
Wilkinson, R. Decca-Tatung chassis up-date. I 86−24072
Wilkinson, R. Decca-Tatung chassis up-date. II. The 160 series 86−38030
Wilkinson, R.B., Shafi, M., Cooper, R.D. An overview of digital transmission systems in New Zealand 88−46388
Wilkinson, R.G. *see* Pennington, J. 85−30908
Wilkinson, R.H. Early history of the high-fidelity finite-impulse-response filter 87−895
Wilkinson, R.J. *see* Bateman, A. 88−73830
Wilkinson, V. *see* Durrant, P.A. 88−51114
Wilkinson, V.J. Surface acoustic wave oscillators in the systems environment 85−44924
Wilkinson, W.S. *see* Bevan, H.L. 87−13630
Wilkinson-Tough, G.S. The detection of overheating faults in generators by chemical analysis 87−15686
Wilkof, M. *see* Davis, P. 88−37898
Wilkowski, S., Fisher, R. Echo cancelers enable full-duplex operation for hands-free mobile telephone 87−2964
Wilks, D. *see* Graham, G.W. 87−79148
Wilks, R.W. *see* Nicholas, K.H. 86−21664
Wilks, S. *see* Katsouleas, T. 87−77484
Wilks, Y. Deep and superficial parsing 86−29784
Wilkus, S. *see* Johnson, A.K. 88−73829
Wilkus, S.A., Hartmann, C.S., Kansy, R.J. Transverse mode compensation of surface acoustic wave filters 87−1838
Will, B.-E. *see* Prehn, H. 86−50604
Will, B.F. *see* Neumann, S.A. 86−51453
Will, C.M. Accuracy of time transfer in satellite systems 88−22238
Will, D. *see* Kostler, G. 85−25890, 86−4643, 86−17390
Will, D.I. *see* Amsbaugh, J.F. 86−55924
Will, D.I. *see* Storm, D.W. 86−24920
Will, D.P., Long, J., Dautremont-Smith, W.C., Focht, M.W., Shen, T.M., Hartman, R.L. Channeled-substrate buried-heterostructure InGaAsP/InP laser with semi-insulating OMVPE base structure and LPE regrowth 86−63812
Will, E. *see* Schilling, K.D. 87−63692
Will, F.G. Charge-discharge behavior of polyacetylene electrodes 86−26264

Will, F.G., Janora, K.H., McMullen, J.G., Yerman, A.J. Corrosion of aluminum metallization through flawed polymer passivation layers: in-situ microscopy 88−1567
Will, F.J. Selecting compatible components for a talking microcomputer based system 85−13532
Will, G. Application of signature analysis in microcomputer systems 85−33960
Will, G. *see* Buhn, U. 85−52647
Will, G. *see* Kurz, R. 88−61083
Will, G. *see* Naumann, G. 86−31174
Will, G. *see* Schafer, W. 85−15213
Will, H.J. Shockproof switches for civil defence shelters 86−33539
Will, L.H. The conversion of the New Jersey Public Broadcasting System, 'New Jersey Network' to MTS stereo operation 88−41797
Will, P.C. *see* Sia, J.B. 85−38005
Will, R.W. *see* Meintel, A.J., Jr. 86−25351
Willaeys, D. *see* Asse, A. 88−75524
Willaeys, D. *see* Grzesiak, F. 88−42195
Willan, P. *see* Fukuda, Y. 88−18616
Willander, M. Carrier lifetime in argon-implanted silicon 85−11892
Willander, M., Guang-Di Shen, Dan-Xia Xu, Wei-Xin Ni Current transport in strained *n*-Si$_{1-x}$Ge$_x$/*p*-Si heterojunction diodes 88−64285
Willander, M. *see* Assadi, A. 88−64267
Willander, M. *see* Dan-Xia Xu 88−64510
Willard, A. Electronic security systems can be more reliable 85−25285
Willard, B.B. *see* Amato, T., Jr. 88−72586
Willard, D.E. Log-logarithmic selection resolution protocols in a multiple access channel 86−54586
Willard, J. *see* Sloley, H.J. 87−45537
Willard, M. The LAN dilemma: multi-user or shared access? 85−25471
Willard, R.A. Television sound equipment 87−28803
Willardson, R.K. Crystal growth of semi-insulating gallium arsenide 86−403
Willaschek, K. *see* Maediger, C. 85−18566
Willats, T.F. *see* Bagshaw, J.M. 85−46231, 86−28928, 87−54142, 88−13964
Willats, T.F. *see* Bragshaw, J.M. 86−54017
Willats, T.F. *see* Lowe, S.E. 87−54143
Willburger, N. *see* Edenhofer, P. 87−54669
Willcock, S.N.M. *see* Hoon, S.R. 88−53650
Willcox, A. Versatile tube tester-booster 87−41568
Willcox, S.W., Patton, R.J. An innovations approach to failure detection for nonlinear systems [aircraft instrument] 85−15395
Willcox, S.W. *see* Patton, R.J. 87−77752
Willcutt, G.J. *see* Meier, K.L. 87−43484
Wille, G. *see* Schleuter, W. 85−39175
Wille, H. *see* Panschar, H. 88−9412
Wille, K. The snake ring a feasibility study of a small predamping ring for the positron source of SLC 85−59051
Wille, K. Design considerations for storage rings for synchrotron radiation 88−22881
Wille, K. *see* Nesemann, H. 85−26529, 88−47768
Wille, L., Phariseau, P. On the computation of a certain class of Hill determinants 86−46284
Willeboer, W. Prioritization of energy conservation measures in industry 87−42561
Willeke, F. *see* Bialowons, W. 85−26627
Willeke, F. *see* Degele, D. 85−26601
Willeke, F. *see* Finley, D.A. 86−31898
Willeke, F. *see* Johnson, R.P. 86−31899
Willeke, F. *see* Weiland, T. 85−26628
Willeke, G. *see* Baert, K. 88−37542
Willeke, G. *see* Palz, W. 88−24145
Willeke, G. *see* Symons, J. 88−44748
Willeke, G. *see* Goetzberger, A. *(editor)* 88−11589
Willeke, G.P., Spear, W.E., LeComber, P.G. Electronic properties of glow discharge microcrystalline silicon 86−47289
Willekers, R.W. *see* Bosch, W.A. 86−31342
Willekes, A.H.E. *see* Kuindersma, P.I. 86−3176, 86−3187
Willemin, J.-F., Khanna, S.M., Dandliker, R. Heterodyne interferometer for submicroscopic vibration measurements in the inner ear 88−23063
Willems, C.P.M. *see* Smit, J.A. 88−15642
Willems, D., Griffin, E. Evanescent-mode waveguide filters built in a day 88−944
Willems, D.A., Bahl, I.J. An octave bandwidth MMIC balanced amplifier 88−63924
Willems, D.A., Owens, J.M. Low-loss magnetostatic wave delay line operating at 14.4 GHz 86−63573
Willems, D.A., Owens, J.M. A Ku band MSW delay line 87−7030
Willems, D.A. *see* Bahl, I.J. 88−63931
Willems, F.M.J. On multiple access channels with feedback 85−30135
Willems, F.M.J. Fixed-to-variable length Petry codes 87−75732
Willems, F.M.J. Totally asynchronous Slepian-Wolf data compression 88−45892
Willems, F.M.J. On Gaussian channels with side information at the transmitter 88−59000
Willems, F.M.J., van der Meulen, E.C. The discrete memoryless multiple-access channel with cribbing encoders 85−57180
Willems, F.M.J. *see* Hekstra, A.P. 85−57198
Willems, F.M.J. *see* Tjalkens, T.J. 87−47512, 87−54963, 87−75728
Willems, F.M.J. *see* Tjalkens, Tj.J. 85−57282
Willems, G. *see* Worm, W. 87−42472
Willems, H. Speech ICs for ADM and PARCOR methods 86−62589
Willems, H. *see* Spaanenburg, L. 86−21833
Willems, J.J.G. Metal hydride electrodes stability of LaNi$_5$-related compounds 85−21787
Willems, J.J.G. Metal hydride electrodes: stability of LaNi$_5$-related compounds 87−22716
Willems, J.J.G. Investigation of a new type of rechargeable battery, the nickel-hydride cell 87−30914
Willems, J.L. Common standards for quantitative electrocardiography 85−64592
Willems, J.L. Power factor correction for distorted bus voltages 88−23247
Willems, J.L., Arnaud, P., Van Bemmel, J.H., Bourdillon, P.J., Degani, R., Denis, B., Harms, F.M.A., Macfarlane, P.W., Mazzocca, G., Meyer, J., Ritsema Van Eck, H.J., Robles De Medina, E.O., Zywietz, C. Establishment of a reference library for evaluating computer ECG measurement programs 86−11975
Willems, J.L., Zywietz, C., Arnaud, P., van Bemmel, J.H., Degani, R., Macfarlane, P.W. Influence of noise on wave boundary recognition by ECG measurement programs. Recommendations for preprocessing 88−23074
Willems, J.L. *see* Alraun, W. 85−9212
Willems, J.L. *see* Lesaffre, E. 85−60845
Willems, J.L. *see* Morlet, D. 88−68412
Willems, J.L. *see* Vas, P. 87−42806, 87−78576
Willems, J.L. *see* Zywietz, C. 85−59299
Willems, R. *see* Cezanne, L. 88−46814
Willems, R. *see* Sinnaeve, A. 86−38822
Willems, R.A. *see* Scudiere, M.B. 87−2279
Willemse, P. *see* van Doorn, P. 85−45829
Willemsen, A.T.M., van Alste, J.A., Boom, H.B.K. Measuring FES feedback parameters with accelerometers 87−57201
Willemsen, M.F.C., Kuiper, A.E.T., Reader, A.H., Hokke, R., Barbour, J.C. In situ investigation of TiN formation on top of TiSi$_2$ 88−39254
Willemsen, M.F.C. *see* Habraken, F.H.P.M. 86−26886
Willemsen, M.F.C. *see* Kuiper, A.E.T. 85−50456
Willemsen, M.F.C. *see* van Ommen, A.H. 87−11583, 87−11648
Willemsen, P. *see* de Jong, J. 86−61813
Willemsen, P. *see* Overbeek, H.H. 85−59635
Willen, E., Dahl, P., Herrera, J. Superconducting magnets 87−50073
Willen, E. *see* Dahl, P. 86−25050, 86−44521, 87−74618, 88−68131
Willen, E. *see* Engelmann, R. 85−26652
Willen, E. *see* Ganetis, G. 88−54036
Willen, E. *see* Herrera, J. 85−26653, 86−22056, 88−54285
Willen, E. *see* Skaritka, J. 88−54039
Willen, E. *see* Strait, J. 87−74617, 88−54294, 88−68133
Willen, E. *see* Thompson, P.A. 86−25056, 87−21342, 88−54288
Willen, E. *see* Wanderer, P. 88−29730, 88−54283, 88−68136
Willen, E.H. *see* Bleser, E.J. 85−48153
Willen, E.H. *see* Cottingham, J.G. 85−59040
Willenbecher, D.A. *see* Caren, C.J. 87−59612
Willenberg, G.-D. *see* Weyand, K. 87−14068, 88−16443
Willenberg, G.D. *see* Weiss, C.O. 85−29751, 88−33926
Willenberg, G.D. *see* Weyand, K. 85−58796, 86−24638, 86−60310
Willenberg, H. *see* Langer, O.M. 85−63182
Willenborg, D. *see* Smith, W.L. 88−7447
Willenborg, D.L. *see* Smith, W.L. 86−1983, 86−28503, 87−60303
Willenborg, D.L. *see* Witowski, B. 88−32746
Willenborg, G.C. The evolution of lasers in dentistry 87−21650
Willenborg, G.C. Holography and holometry applications in dental research 88−27328
Willens, R.H. Photoelectronic and electronic properties of Ti/Si amorphous superlattices 87−6401
Willens, R.H., Levine, B.F., Bethea, C.G., Brasen, D. High resolution photovoltaic position sensing with Ti/Si superlattices 87−29117
Willens, R.H. *see* Levine, B.F. 87−26152 to 26153
Willer, B. *see* Caselitz, P. 88−17455
Willer, J., Oppolzer, H. Characterization of alloyed Au/Cr/Au/Ge ohmic contacts on GaAs using electrical measurements, transmission electron microscopy and Auger electron spectroscopy 87−37980
Willer, J., Ristow, D., Kellner, W., Oppolzer, H. Very stable Ge/Au/Cr/Au ohmic contacts to GaAs 88−32924
Willer, R. Car alarm installation: 'under lock and key'−even the roof rack luggage is guarded 85−33108
Willerscheid, H. *see* Konig, W. 85−51339
Willett, D. *see* Mitchell, K.W. 87−9793, 87−30962
Willett, D. *see* Tanner, D.P. 87−9846
Willett, D.R. A severe test of a dangling bond only model of thin film silicon p-i-n solar cell degradation 88−5840
Willett, D.R., Tanner, D.P., McHenry, G. Effects of light soaking conditions on thin film silicon:hydrogen alloy solar cells 87−30991
Willett, D.R. *see* Ullal, H.S. 86−7054
Willett, J.H., Harvey, D.L., Hagn, G.H. A methodology for modeling the reliability, availability and maintainability (RAM) of a generic shortwave broadcast relay station 88−67540
Willett, M. The IBM token-ring network−a functional perspective 87−40430
Willett, M., Martin, R.D. LAN management in an IBM framework 88−52877
Willett, M. *see* Dixon, R.C. 88−35175
Willett, P., Thomas, J. The analysis of some undersea noise with applications to detection 87−47867
Willett, P.K., Thomas, J.B. A simple bivariate density representation 86−64165
Willett, P.K., Thomas, J.B. Mixture models for underwater burst noise and their relationship to a simple bivariate density representation 87−69106
Willett, R.L. *see* Cothren, R.M. 86−44693
Willett, R.R. Development of the Mercury network 87−55586
Willetts, A.J. *see* Hudgell, R.J. 85−10840
Willetts, D.C. *see* Gibb, R.M. 88−35535
Willetts, D.V. How to design frequency stable TEA CO$_2$ lasers 87−39010
Willetts, D.V., Harris, M.R. Electro-optic refractive index compensation applied to the intrapulse frequency stabilisation of a carbon dioxide TEA laser 85−29762
Willetts, D.V., Harris, M.R. Attainment of frequency stable high-energy operation of a CO$_2$ TEA laser by use of a telescopic resonator 85−41424
Willetts, D.V., Harris, M.R. Heterodyne investigations of the acoustic effects caused by a pulsed TEA discharge 85−62516
Willetts, D.V., Harris, M.R. Output characteristics of a compact 1 J carbon dioxide laser with a Gaussian reflectivity resonator 88−65559
Willetts, K. Managing multi-vendor networks 86−64535
Willetts, K. Managing multi-vendor networks 87−40146
Willetts, K.J. Managing multi-vendor private networks 87−55583
Willetts, T.A., Seddon, A.E., Topliss, J.P. Further developments in the dynamic simulation of the contact wire/pantograph interface 87−79118
Willevald, G.S. *see* Chernyakin, A.D. 85−26581
Willey, F.J. *see* Nesbitt, D.W. 88−16352
Willey, L.J., Jensen, E.P. Adiabatic spray humidification systems in telecommunications facilities 87−20074
Willey, P. *see* Trought, B. 87−23246
Willey, R.J. Magnetic orientation of respirable asbestos fibers 87−63981
Willey, R.R. An instrument to measure spectral emittance from 2 to 20 micrometers 87−20961
Willey, R.R. Results of a Round Robin measurement of spectral emittance in the mid-infrared 88−29668
Willey, T. Network testing using DSP 86−20744
Willey, T. Efficient network testing using digital signal processing 86−49184
Willey, T. Effective system test with digital signal processing: review of mixed analogue/digital systems 87−20854
Willey, T. Efficient network testing using digital signal processing 87−69573
Willey, T., Chapman, R., Yoho, H., Durrani, T.S., Preis, D. Systolic implementations for deconvolution, DFT and FFT 86−3852
Willey, T. *see* Chapman, R. 86−14287, 87−19938, 87−55340
Willey, T. *see* Cooper, G. 87−14238
Willgeroth, F. *see* Sabel, M. 87−50243
Willging, A.W. The evolution and design of a testability database 85−31363
Willgoss, R.A. Mathematical model predicts equilibrium [MIG welding] 85−21995
Willhite, J.R. *see* Miller, R.L. 88−51108
Willhite, J.R. *see* Svensson, S.P. 87−1538
Willi, O., Bassett, D., Chenais-Popovics, C., Corbett, R., Grande, M., Hawkins, R., Hooker, C., Key, M.H., Kiehn, G., Lewis, C.L.S., Pert, G.J., Ramsden, S., Regan, C., Rose, S.J., Smith, R.A., Tomie, T. X-ray laser research at the Rutherford Appleton Laboratory 88−2174
Willi, O. *see* Chenais-Popovics, C. 88−14118
Willi, O. *see* Key, M.H. 87−12373
Willi, O. *see* Lewis, C.L.S. 88−33919
Willi, W. Energy savings through the use of speed controlled pump and fan installations 85−16031
Willi, W. *see* Horn, P. 85−64325
William, W.G. *see* Carlile, C.J. 86−56064
William Prengle, H., Jr. *see* George Broze, J. 85−60082
Williamd, G.T. *see* DeFosse, S.F. 86−8551
Williams, A. Quality assurance of submarine cable systems 86−69561
Williams, A. Feature extraction considerations for high resolution radar signals 88−3128

Williams, A., Warren, R.H.J. Method of using data from computer simulations to test protection equipment 85−9550
Williams, A., Warren, R.H.J. Power-system protection-equipment testing using computer simulations 86−39234
Williams, A. *see* Brockman, D. 85−61332
Williams, A. *see* Butterworth, D.C. 85−30802
Williams, A. *see* Gilpin, A. 87−31124
Williams, A. *see* Hampartsoumian, E. 86−44271
Williams, A. *see* Mandelis, A. 88−26294
Williams, A.A. *see* Pearton, S.J. 87−17933
Williams, A.A. *see* Tavendale, A.J. 86−35283, 87−11734
Williams, A.D. *see* Sheehan, P.G. 85−41800
Williams, A.E., Bush, W.G., Bonetti, R.R. Predistortion techniques for multicoupled resonator filters 85−17630
Williams, A.E., Bush, W.G., Bonetti, R.R. Predistortion techniques for multicoupled resonator filters 85−45221
Williams, A.E. *see* Bonetti, R.R. 85−17629, 87−73619, 88−25380, 88−70987
Williams, A.F. *(editor)* Handbook of photovoltaic applications. Building applications and system design considerations 86−61432
Williams, A.G. *see* Chow, R. 87−65574
Williams, A.G. *see* Kang, S. 88−57505
Williams, A.G. *see* Stuart, I.F. 86−25795
Williams, A.G. *see* Wilson, R.H. 87−46045
Williams, A.H., Marsh, S.P., Goforth, J.H. Explosively driven opening switches 85−23193
Williams, A.H. *see* Caird, R.S. 87−22612
Williams, A.H. *see* Freeman, B.L. 88−43316
Williams, A.H. *see* Goforth, J.H. 85−23192, 87−22610, 87−22671
Williams, A.J. *see* Astles, M. 86−40745
Williams, A.J. *see* Wright, P.J. 86−7776, 87−23649
Williams, A.J., III, Tochko, J.S., Koehler, R.L., Grant, W.D., Gross, T.F., Dunn, C.V.R. Measurement of turbulence in the oceanic bottom boundary layer with an acoustic current meter array 88−10559
Williams, A.L. Power in rural areas 86−12715
Williams, A.R. An interactive fibre-optic network for distance teaching 88−35540
Williams, A.R., Walmsley, A.D. Exposimetry of low-frequency ultrasonic dental devices 88−54605
Williams, A.R. *see* Wysocki, J.A. 88−58048, 88−58120
Williams, A.W. *see* Dutton, J. 88−35902
Williams, A.W. *see* Peralta, S.B. 88−20246
Williams, A.W. *see* Perelta, S.B. 88−34091
Williams, B. Will mobile telephony make much difference to us? 85−20061
Williams, B. C: combining a register-oriented architecture with special software techniques 86−1123
Williams, B. System network planning from computer to operations [cable TV] 86−24134
Williams, B. A fast automatic calibrator for switched solid state noise sources in the frequency range 10 GHz to 18 GHz 86−31632
Williams, B. A new precision twin-T admittance bridge for the range 10 kHz-200 MHz 86−38519
Williams, B. Comparing computer teleconferencing systems 86−55028
Williams, B. Teleconferencing—what, why, how? 86−60068
Williams, B. Pictures by telephone: a brief look at Photophone 87−28850
Williams, B. The Online Librarian's Microcomputer User Group: teleconferencing by and for librarians 87−76379
Williams, B. Teleconferencing—what, why, how? 88−15217
Williams, B. Engineering education: a view to the future 88−24385
Williams, B., Healy, L.H., Jr. Lasers make their mark 88−57082
Williams, B., Prater, J. Digital filtering: the right stuff for video 88−25328
Williams, B. *see* Asam, N. 86−30530
Williams, B. *see* Grimshaw, A. 87−63162
Williams, B. *see* Rutherford, H.G. 87−69329
Williams, B.C. Qualitative analysis of MOS circuits 85−18450
Williams, B.C. *see* de Kleer, J. 87−36889
Williams, B.D. *see* Verly, J.G. 88−28985
Williams, B.E. *see* Glass, J.T. 88−63373
Williams, B.J. Lexical stress assignment in English: a metrical approach 85−57332
Williams, B.J., Alderson, P.R. Synthesising British English intonation using a nuclear tone model 87−7700
Williams, B.J. *see* Lawrence, S.G.C. 85−57331
Williams, B.O. *see* Horky, G.J. 85−10455
Williams, B.T., Conway, J.T. Low voltage, AC feedback electrostatic voltmeter 88−36134
Williams, B.W. Power semiconductor device modelling 85−12267
Williams, B.W., Palmer, P.R. Drive and snubber techniques for GTOs and power transistors—particularly for inverter bridges 85−65343
Williams, B.W., Salmon, J.C. A reliable inverter drive scheme 88−69811
Williams, B.W., Salmon, J.C. A novel inverter drive 88−75983
Williams, B.W. *see* Chan, C.C. 87−43600
Williams, B.W. *see* Fletcher, R.G. 87−11754
Williams, B.W. *see* Goodfellow, J.K. 88−63554, 88−64040, 88−75869
Williams, B.W. *see* Green, T.C. 88−75750, 88−75985
Williams, B.W. *see* Palmer, P.R. 87−16105
Williams, B.W. *see* Patni, C.K. 87−15683
Williams, B.W. *see* Pollock, C. 88−69341
Williams, B.W. *see* Robinson, F.V.P. 88−63527, 88−64537, 88−70539
Williams, B.W. *see* Salmon, J.C. 87−15684, 88−24215
Williams, C. Improvements in semiconductors 85−29109
Williams, C. Vacuum fluorescent displays to challenge CRT's dominance 85−58774
Williams, C. Raising standards 85−63318
Williams, C. The demise of benchmarking? 86−26620
Williams, C. The United Kingdom's second public telecommunications operator 88−41168
Williams, C. *see* Kleyn, H. 87−2782
Williams, C. *see* Ott, W.R. 87−4132
Williams, C.A. Radiodetermination satellite service: applications in railroad management 86−69726
Williams, C.A. *see* Miller, G.M. 88−27230
Williams, C.B., Daneshvar, K. A study of the nature and characteristics of light radiation in reverse-biased silicon junctions 88−64309
Williams, C.B. *see* Rowe, L.A. 88−18878
Williams, C.C. High-resolution photothermal laser probe 85−53226
Williams, C.C., Wickramasinghe, H.K. Optical ranging by wavelength multiplexed interferometry 87−3757
Williams, C.C., Wickramsinghe, H.K. Scanning thermal profiler 87−25441
Williams, C.D. The data acquisition, data reduction and control systems (DARCS) for the NRCC 2×3 m windtunnel 85−38283
Williams, C.D.H., Hoon, S.R., Thorp, J.S. Effect of superparamagnetism on measurements made with a Gouy magnetometer 86−70202
Williams, C.E. *see* Dubuisson, J.M. 86−60681
Williams, C.E. *see* Hunt, J.W., Jr. 88−30064
Williams, C.H. The computer simulation and analysis of digital recording systems 88−47341
Williams, C.H. *see* Scott, D.K. 85−59768
Williams, C.H. *see* Zidalis, J. 88−17181
Williams, C.J. Hydraulic amplification of small stepping and DC servo motors 85−9950
Williams, C.J. *see* Dunn, D.S. 86−13474
Williams, C.K., Glisson, T.H., Hauser, J.R., Littlejohn, M.A., Abusaid, M.F. Two-dimensional Monte Carlo simulation of a submicron GaAs MESFET with a nonuniformly doped channel 86−9165
Williams, C.K., Reisman, A. Plasma assisted oxidation of Si at temperatures below 800°C 87−18007
Williams, C.K. *see* Maldonado, J.R. 86−58356, 87−38035
Williams, C.K. *see* Reisman, A. 87−38126
Williams, C.L., Welty, C.S., Jr. PWR steam generator chemical cleaning process development 86−32968
Williams, C.M. *see* Koon, N.C. 86−28616
Williams, C.P. Commercial opportunities in Earth observation from space 87−57426
Williams, C.R., Geddes, L.A., Bourland, J.D., Furgason, E.S. Analysis of the current-density distribution from a tapered, gelled-pad external cardiac pacing electrode 88−42567
Williams, C.S. Adaptive channel modeling in the presence of Doppler 85−19300
Williams, C.T., Jennings, M.R. Acousto-optic spectrum analyser for laser radar applications 87−41038
Williams, C.W. Rationale for a space station propulsion system test bed 86−60914
Williams, C.W. *see* Rubert, R.R. 85−993
Williams, D. Acoustic emission testing of reactor coolant pump motor flywheels 85−15768
Williams, D. HVDC highlighted at Cigre 85−21175
Williams, D. In search of: RTTY 85−57696
Williams, D. The perfect RTTY filter 86−37343
Williams, D. Roll a RTTY scope 86−69335
Williams, D. Exhaust gas ionization sensors for spark ignition engine control and monitoring 87−22879
Williams, D. Hatchet Creek turbines give high efficiency 87−72037
Williams, D. The heart of the machine [UPS batteries] 88−43367
Williams, D. The light way to safety 88−69919
Williams, D., Davis, L.E. Effect of drive frequency on light transmission in a chiral smectic cell 87−12095
Williams, D., Diez, M. An optimized logic module 86−67151
Williams, D., Donaldson, D., Rose, F., Zingale, D., Dau, G., Gist, B., Sareen, B., Harbert, D., Caffo, D., Copeland, L., Coyle, J. A 32-bit inter-bus communications adaptor chip 86−46947
Williams, D., Jones, W.J. Direct digital synthesis of bandwidth limited phase modulation signals at microwave frequencies 87−28383
Williams, D. *see* Chang, Y. 88−56964
Williams, D. *see* Drake, R. 88−69106
Williams, D. *see* Hallewell, G. 88−68213
Williams, D. *see* Hum, R. 86−44128
Williams, D. *see* Johnson, R. 88−68277
Williams, D. *see* Remington, R. 86−18436
Williams, D. *see* Sensiper, S. 87−49209
Williams, D. *see* Spencer, E. 88−61189
Williams, D. *see* Va'Vra, J. 88−61103
Williams, D.A. The use of digital techniques in indirect microwave frequency synthesisers 87−24486
Williams, D.A. A highly linearised mm-wave voltage controlled oscillator for FMCW radar applications 88−32474
Williams, D.A. A highly linearised mm-wave voltage controlled oscillator for FMCW radar applications 88−56971
Williams, D.A., McMahon, R.A., Ahmed, H., Stobbs, W.M. Cross sectional TEM and SEM studies of silicon on insulator regrowth mechanisms 88−32957
Williams, D.A., Oxley, S. Application of the digital signal processor to an automotive control system 88−5999
Williams, D.A., Ytreoy, A.M. The selection of water turbines for small hydro plants and the modular design of water turbines 86−65964
Williams, D.A. *see* Oxley, T.H. 86−27593
Williams, D.A. *see* Ryan, F.J. 86−35911
Williams, D.B., Johnson, D.H. Modifying the sphericity test for improved source detection with narrowband passive arrays 87−63079
Williams, D.B., Johnson, D.H. Robust maximum-likelihood estimation of structured covariance matrices 88−73144
Williams, D.C. An IDC plug connector with planar capacitor filter array 86−58105
Williams, D.C. Meeting new market segments and product environments in graduate education: the master's in project management as a 'technical' MBA 87−23214
Williams, D.C. *see* Ennos, A.E. 85−41968, 85−48101
Williams, D.C. *see* Penfold, A.B. 88−34183
Williams, D.C. *see* Robinson, D.W. 86−26956, 87−19085
Williams, D.E. Defect chemistry and gas sensing properties of semiconducting ceramic oxides 88−9934
Williams, D.E. Chemical sensors and gas sensors for process control in biotechnology 88−42497
Williams, D.E., Moseley, P.T. Progress in the development of solid state gas sensors 88−35939
Williams, D.E., Riley, A.M., Peat, R. Scanning laser imaging of surface chemistry and physics 88−40436
Williams, D.E. *see* McAleer, J.F. 86−44244
Williams, D.E. *see* Moseley, P.T. 88−44561
Williams, D.E. *see* Tofield, B.C. 85−8835
Williams, D.F. The Natural Environment Research Council's airborne thematic mapper campaigns 1983 and 1984 87−35481
Williams, D.F., Miers, T.H. A coplanar probe to microstrip transition 88−63855
Williams, D.F., Schwarz, S.E. Reduction of propagation losses in coplanar waveguide 85−17775
Williams, D.F., Schwarz, S.E. A planar subharmonically-pumped 71 GHz receiver with integral feed antenna 86−43088
Williams, D.F., Schwarz, S.E., Sedlacek, J.H., Ehrlich, D.J. Adjustable tuning for planar millimeter-wave circuits 87−24447
Williams, D.F. *see* Bhat, P.K. 86−13798, 87−46954
Williams, D.F. *see* Dubowski, J.J. 85−6013, 85−44689, 86−418, 87−36814, 87−44371
Williams, D.F. *see* Ehrlich, D.J. 87−37546
Williams, D.F. *see* Goodchild, R.G. 85−40455
Williams, D.F. *see* Masut, R.A. 88−31741
Williams, D.F. *see* Sun, Y.Z. 86−47321
Williams, D.F. *see* Sundaram, V.S. 85−16926
Williams, D.F. *see* Yakimova, R. 85−6707
Williams, D.G. COS 80C86 gives new power to low-power systems 85−17254
Williams, D.G. Reducing total system cost with CMOS programmable logic 87−6921
Williams, D.G. ASICs optimise chip-select decoding functions 87−10941
Williams, D.H., Gardiner, J.G., Jones, W.J. A mobile terminal for projected European satellite mobile radio services 88−28752
Williams, D.H., Jones, W.J., Gardiner, J.G. A universal modulator by direct digital synthesis 87−44706
Williams, D.H. *see* Credeur, L. 87−57312
Williams, D.J. *see* Battisti, S. 88−54127
Williams, D.J. *see* Gerrish, V.M. 87−41885
Williams, D.J. *see* Vere, A.W. 86−7733
Williams, D.J.A. *see* Turner, H.W. 87−66671, 87−72348
Williams, D.J.S., Clarke, E.T. Practical real time frequency management for automated HF networks 88−46906
Williams, D.L. Control methods for meeting coordination 86−40487

Williams, D.L. Cellular field strength measurements for the design of an over water cellular system in the Gulf of Mexico 87−69958
Williams, D.L., McGinnis, W.H. Radio frequency interference (RFI) and electromagnetic compatibility (EMC) survey of hospitals 87−26829
Williams, D.L., Wood, F.M., Jr. A transportable hemispherical illumination system for making reflectance factor measurements 88−42306
Williams, D.L. *see* Figgins, T.L. 86−40474
Williams, D.M. *see* Bland, P.H. 88−36539
Williams, D.O. *see* Lundahl, T. 87−50284
Williams, D.R., Pope, M.J. Distributed computer control at Tilbury and West Thurrock 85−15851
Williams, D.R., Revington, A.M., Pope, M.J., Fletcher, M.J., Fryer, D.M., Cardy, I.J., Mogridge, L. Refitting a 200 MW coal-fired generating unit with distributed computer control and indications 85−65137
Williams, D.R. *see* Greenhalgh, D.A. 87−72551
Williams, D.R. *see* Repp, B.H. 85−63004, 87−39702
Williams, D.S., Baiocchi, F.A., Beairsto, R.C., Brown, J.M., Knoell, R.V. Nitrogen, oxygen, and argon incorporation during reactive sputter deposition of titanium nitride 88−24787
Williams, D.S., Coleman, E., Brown, J.M. Low pressure chemical vapor deposition of tantalum silicide 87−31568
Williams, D.S., Dein, E.A. LPCVD of borophosphosilicate glass from organic reactants 87−58970
Williams, D.S. *see* Bulos, F. 88−54364
Williams, D.S. *see* Georgiou, G.E. 87−60371
Williams, D.S. *see* Hillenius, S.J. 87−46219
Williams, D.S. *see* Lifshitz, N. 87−59006
Williams, D.S. *see* Liu, R. 87−45669, 88−44572, 88−71446
Williams, D.S. *see* Murarka, S.P. 88−13176, 88−26044
Williams, D.W. *see* Emig, K.A. 86−49648
Williams, D.W. *see* Kummer, D.A. 85−882, 85−3896 to 3897, 85−3903
Williams, D.W.M. Connector qualification testing of palladium alloy inlay contacts mated against electroplated gold-palladium and gold-palladium nickel pins 86−62901
Williams, D.W.M. The effect of test environment on the creep of surface films over precious metal inlays 87−17456
Williams, D.W.M. The effect of test environment on the creep of base metal surface films over precious metal inlays 88−12702
Williams, D.W.M. The effect of test environment on the creep of base metal surface films over precious metal inlays 88−38828
Williams, E. Bringing it together on cable TV 85−25434
Williams, E. D/CMOS−integrating power and logic 86−9301
Williams, E. Some realistic interactive services for the 1980s [cable TV] 86−24124
Williams, E., Davies, K. Monolithic 16-channel wideband video switch 86−63438
Williams, E., Dewsbury, P. D/CMOS processes for analogue multiplexers 87−67563
Williams, E. *see* Bhalla, S. 88−15056
Williams, E. *see* Siemsen, K.J. 88−14108
Williams, E.H. Investigation of solder joint failure 85−54141
Williams, E.H. *see* Hepburn, J.D. 86−24857
Williams, E.K. History of Rebecca-Eureka [secondary radar system] 85−58228
Williams, E.R., Jones, G.R., Song, J.S., Phillips, W.D., Olsen, P.T. Report on the new NBS determination of the proton gyromagnetic ratio 86−24261
Williams, E.R., Jones, G.R., Jr., Teming, Z., Olsen, P.T., Phillips, W.D. A determination of the proton gyromagnetic ratio in H_2O by the low field method 87−14066
Williams, E.R., Olsen, P.T., Phillips, W.D. The proton gyromagnetic ratio in H_2O−a problem in dimensional metrology 85−63938
Williams, E.R. *see* Cooke, C.M. 86−68032
Williams, E.R. *see* Olsen, P.T. 85−58794, 85−64225, 86−24635, 87−14430
Williams, E.S., Kinard, J.R. A dual-channel automated comparator for AC-DC difference measurements 85−58786
Williams, E.S., Kinard, J.R. A dual-channel automated comparator for AC-DC difference measurements 86−24627
Williams, E.S. *see* Deitch, G.M. 87−14416
Williams, E.S. *see* Kinard, J.R. 86−38471
Williams, E.W., Buhler, J., Twiggs, D., Hardeman, R., Woods, S., Wright, M., Woodall, D., Middleton, B., Barez, F., Berry, R. Magnetic properties of thin film rigid disks prepared by sputtering and plating 88−7789
Williams, E.W. *see* Noyau, R.H. 88−57973
Williams, F. Multiplier-accumulator derives high performance from 1-μm CMOS 85−6396
Williams, F. Highest performance systems use a new CMOS multiplier-accumulator 85−45893
Williams, F. Direct numerical synthesis of sine waves 87−59247
Williams, F. Video standards conversion using a new IC 88−9765
Williams, F., Bell, C. The design of an image resampling sequencer integrated circuit 87−49640
Williams, F., Nozik, A.J. Solid-state perspectives of the photoelectrochemistry of semiconductor-electrolyte junctions 85−6772
Williams, F., Tiefenthaler, C. Convolutional decoding using an integrated circuit correlator 87−33646
Williams, F. *see* Eldon, J. 87−73465
Williams, F.A. Arithmetic performance of floating point formats available in VLSI 87−24250
Williams, F.A. Phase noise in quantized sine waves 87−61972
Williams, F.C. A radar for the exploration of extrasolar planets 85−47619
Williams, F.E. *see* Crouse, W.G. 85−7837
Williams, F.J. *see* Latham, P.E. 87−17626
Williams, F.J. *see* Lawson, W. 87−41758, 88−57263
Williams, F.J. *see* Striffler, C.D. 87−17646
Williams, F.L. *see* McNally, J.J. 88−2086
Williams, F.W. *see* Ingrao, G. 87−14775
Williams, G. Performance, cost reduction key to chip resistor market growth 85−11590
Williams, G. The AT&T UNIX PC 85−42225
Williams, G. Deluxe Music Construction Set 1.1 87−63191
Williams, G., Flower, J.B. Automated testing of hybrid systems−strategy and implementation 88−60544
Williams, G., Suyderhoud, H. Subjective performance evaluation of the 32-kbit/s ADPCM algorithm 85−41841
Williams, G. *see* Attard, G.S. 87−26097
Williams, G. *see* Davis, W.H. 87−23590
Williams, G. *see* Drexler, G. 86−18396
Williams, G. *see* Edwards, J.D. 88−55372
Williams, G. *see* Gruber, J.G. 87−13223
Williams, G. *see* Hinnrichs, M. 86−48283
Williams, G. *see* Karasz, F.E. 88−65119
Williams, G. *see* Maenchen, J. 87−17599
Williams, G. *see* Mussell, M.J. 87−3924
Williams, G. *see* Preston, M.A. 88−69560
Williams, G. *see* Rosevear, R.D. 87−15357
Williams, G.B. Simple test equipment for microcomputers 86−44207
Williams, G.B. *see* Kime, C.R. 85−40033
Williams, G.C.R., Smith, A.L. Plasma chemistry of CO_2 laser RF discharges 85−12815
Williams, G.C.R., Smith, A.L.S. Plasma chemistry of RF discharges in CO_2 laser gas mixtures 85−29764
Williams, G.E. Industry's requirements for CADMAT teaching 86−7431
Williams, G.F., Herbert, M.A. Totally implantable muscle stimulator with automatic daily cycling 86−18376
Williams, G.F., Leblanc, H.P. Active feedback lightwave receivers 87−20501
Williams, G.H. *see* Herbert, M.R. 87−57535
Williams, G.H. *see* Hudson, A.J. 88−61869
Williams, G.J. *see* Fawkes, J.F. 87−22192
Williams, G.J. *see* Han, G.C. 87−35500
Williams, G.L., Sinclair, M.W. A computer controlled radiometer for coaxial noise source calibration 86−31623
Williams, G.L. *see* Wallace, A.M. 87−14516
Williams, G.M., Whitehouse, C.R., Chew, N.G., Blackmore, G.W., Cullis, A.G. An MBE route towards CdTe/InSb superlattices 85−44704
Williams, G.M., Whitehouse, C.R., Martin, T., Chew, N.G., Cullis, A.G., Ashley, T., Sykes, D.E., Mackey, K., Williams, R.H. Molecular-beam epitaxy of (100) InSb for CdTe/InSb device applications 88−49805
Williams, G.M. *see* Bajaj, J. 85−34565
Williams, G.M. *see* Chew, N.G. 85−16923
Williams, G.M. *see* DeWames, R.E. 88−39100
Williams, G.M. *see* Faurie, J.P. 88−64274
Williams, G.N. *see* Hahn, D.A. 86−56276
Williams, G.P. Effects of optical component surface figure errors on resolving powers of soft X-ray grating monochromators 86−60482
Williams, G.P. Compact electron storage rings 88−47742
Williams, G.P., Takacs, P., Kneedler, E., Hirschmugl, C., Moeller, K.D., Chabal, Y., Hoffman, F.M. The high brightness synchrotron infrared facility at Brookhaven National Laboratory 88−25050
Williams, G.V.M., Trodahl, H.J., March, R.H. Simple photographic method for X-ray diffraction characterisation of superlattices 88−64339
Williams, H. Microcosmic soundings [acoustic microscopy] 85−4505
Williams, H. Fast analog integrated circuits for particle physics 88−61178
Williams, H. *see* Cosic, C. 86−37578
Williams, H.C. *see* Buchmann, J. 88−49701
Williams, H.C. *see* Kurtz, G.C. 86−52392
Williams, H.C. *see* Patterson, C.D. 85−49449
Williams, H.C. *see* Stephens, A.J. 88−49704
Williams, H.C. *see* Tennenhouse, M. 86−34167
Williams, H.D., Kaltenbach, R.P. Controls modified to improve boiler operation, reliability and efficiency 85−9745
Williams, H.E. Evolutions in quality 86−61955
Williams, H.E. The interrelationship of policies and procedures [for quality control] 87−5252
Williams, H.H. Detectors for the SSC: summary report 88−4827
Williams, H.H. *see* Balka, L. 88−47985
Williams, H.H. *see* Drake, G. 86−50432
Williams, H.H. *see* Hahn, S.R. 88−47990
Williams, H.J. The application of telemetry systems in the Hong Kong Water Supplies Department 86−37386
Williams, H.J., Gao, Y., Scott, A.I., Gross, M.H., Sun, M.H. Use of fluoroptic thermometer temperature sensing for high-resolution temperature-controlled NMR applications 88−67814
Williams, H.L. *see* Oehrlein, G.S. 87−67098
Williams, H.P. Restricted vertex generation applied as a crashing procedure for linear programming 85−16869
Williams, I.D. *see* Carmichael, A.T. 87−2278
Williams, I.G. Flame retardant polyamides−selection criteria for electrical applications 85−120
Williams, I.J. The development of a range of permanent magnet DC motors 85−21651
Williams, I.J. *see* Birch, T.S. 86−33429, 87−22828
Williams, I.J. *see* Pelka, E.J. 85−37139
Williams, I.R. Optimizing telecommunications networks 87−55593
Williams, J. Use low-power design methods to condition battery outputs 85−6146
Williams, J. Monolithic CMOS-switch IC suits diverse applications 85−7079
Williams, J. Settling-time measurements demand precise test circuitry 85−11038
Williams, J. INCA: the issues and the opportunities 85−19649
Williams, J. Digitize transducer outputs directly at the source 85−22949
Williams, J. Circuits allow direct digitization of low-level transducer outputs 85−26268
Williams, J. Chopper-stabilized monolithic op. amp. suits diverse uses. I 85−33679
Williams, J. Chopper amplifier improves operation of diverse circuits 85−33680
Williams, J. Design linear circuits for 5 V operation 85−49713
Williams, J. Design techniques extend V/F-converter performance. I 85−50014
Williams, J. Follow design rules for optimum use of fast comparator IC. I 85−55052
Williams, J. Fast comparator IC speeds converters and S/H amplifiers. II 85−55053
Williams, J. Fast comparator IC speeds VCOs and other circuits [III] 85−55054
Williams, J. Refine V/F-converter operation with novel design techniques. II 85−55077
Williams, J. The Pittsburgh initiative [handicapped people, training for employment] 86−7420
Williams, J. Analog circuits operate from a 1.5 V cell 86−7999
Williams, J. Successful European expansion through technology transfer−an Irish story 86−13384
Williams, J. Optimised voltage/frequency converter. I. Application examples from practice 86−14444
Williams, J. Preparation of the voltage supply for battery-operated equipment 86−20263
Williams, J. High performance voltage/frequency converters. II. Practical application examples 86−20768
Williams, J. Test your analog-design IQ. II 86−27041
Williams, J. Build your own A/D converter for optimum performance 86−41169
Williams, J. The Quantafont Q8 [video character generator] 86−44004
Williams, J. Switching regulator takes on more power 86−46529
Williams, J. Boost op-amp output without sacrificing drift and gain specs. I 86−52685
Williams, J. Solve oscillation problems when implementing op-amp power-booster stages. II 86−57658
Williams, J. A knack with fast comparators: design faults and how to avoid them 86−58004
Williams, J. PSUs−major expansion in specialist market 86−62425
Williams, J. Composite amplifiers yield high speed and low offset 87−37013
Williams, J. Thermal-tracking IC converts RMS to DC 87−45139
Williams, J. Designer's guide to micropower circuits. I. Micropower circuits assist low-current signal conditioning 87−70517
Williams, J. Circuitry for high speed amplifiers 87−73354
Williams, J. Signal conditioning circuits use μpower design techniques 88−832
Williams, J. Regulator IC speeds design of switching power supplies 88−12178
Williams, J. Galvanically isolated switching supplies provide high power 88−18897
Williams, J. Molded circuits require attention to new design techniques 88−25640
Williams, J. High speed amplifiers 88−50034
Williams, J. Choosing the proper abrasive 88−64101
Williams, J., Redfern, T. Nanoampere comparator IC with stable offset manages inputs unaided 85−50692

Williams, J. *see* Almacany, M. 85–10625
Williams, J. *see* Livingston-Booth, A. 86–19786
Williams, J. *see* Ray, S. 86–58293
Williams, J. *see* Sevastopoulos, N. 85–6173
Williams, J. *see* Sharp, R. 88–11061
Williams, J. *see* Sporon-Fiedler, F. 86–15003
Williams, J.-M. High performance regulators 87–16875
Williams, J.A. Communications/electronics as an intelligence tool 85–57640
Williams, J.A., Grave, T.R., Kallaur, E. Uprating of high pressure gas-filled feeders by fluid filling and rapid circulation 87–71694
Williams, J.A. *see* Albin, S. 88–65818
Williams, J.A. *see* Barnes, N.P. 88–65629
Williams, J.A. *see* Valentine, K.H. 87–41883
Williams, J.A.R. *see* French, P.M.W. 87–75037, 88–20596
Williams, J.B. *see* Nati, S.F. 86–35917
Williams, J.C. Validation of human reliability assessment techniques 85–44541
Williams, J.C. HEART—a proposed method for assessing and reducing human error 86–66638
Williams, J.C. Give thin foils the brush-off 87–6240
Williams, J.C., Featherstone, A.M. A method for quantifying the effectiveness of ultrasonic inspection to identify and locate flaws in welds 85–6097
Williams, J.C., Story, D.T. Ergonomics and control room design [Sizewell B] 88–10975
Williams, J.C. *see* Althouse, E.L. 85–8398
Williams, J.C. *see* Bussard, A.B. 87–12181
Williams, J.C. *see* Ragdale, C.M. 85–7212
Williams, J.C. *see* Zagar, G.J. 85–63679
Williams, J.D. *see* Kumar, S. 88–3405
Williams, J.D. *see* Summers, M.A. 87–46980
Williams, J.E., Peterson, R.W. The application of holographic interferometry to the visualization of flow and temperature profiles in a MOCVD reactor cell 87–10401
Williams, J.E.C. Superconducting magnets for MRI 85–7187
Williams, J.E.C. Quenching in coupled adiabatic coils 85–62263
Williams, J.E.C., Joshi, C. The modeling of quench propagation in adiabatic superconducting magnets 86–48031
Williams, J.E.C. *see* Babrov, E.S. 87–74629
Williams, J.E.C. *see* Bobrov, E.S. 85–50882, 88–40496
Williams, J.E.C. *see* Joshi, C.H. 87–67942, 88–65094
Williams, J.E.C. *see* Thome, R.J. 88–64001
Williams, J.E.C. *see* Weggel, R.J. 86–54271
Williams, J.E.C. *see* Yang, T.F. 86–27649
Williams, J.G. *see* Younan, H. 88–49916
Williams, J.G.S. *see* Stenton, J.A.C. 88–64683
Williams, J.H. Epitaxy: an introspective review 85–402
Williams, J.H. Developing total CAD systems support programs for stable production efficiency 86–57205
Williams, J.H., Jr., Karagulle, H., Lee, S.S. Ultrasonic testing of plates containing edge cracks 86–26942
Williams, J.H., Jr. *see* Karagulle, H. 86–13888, 86–46409
Williams, J.J. *see* Chang, W. 87–77651
Williams, J.J. *see* Eversole, W.L. 86–18451
Williams, J.M. V-F converter offers 120-dB dynamic range 85–6475
Williams, J.M. CASH is providing careers for disabled people 85–57312
Williams, J.M. A thermal resistor for wideband RMS converters 87–59808
Williams, J.M. An improved method of measurement of the bandwidth of optical fibres in the frequency domain 87–68110
Williams, J.M., Henderson, D. Measurement of variation of multimode fibre bandwidth with wavelength in 850 nm region using mode-locked Styryl-9 dye laser 88–65181
Williams, J.M., Longman, T.L. A 25 MHz thermally-based RMS-to-DC converter 87–16879
Williams, J.M. *see* Walker, B. 86–36199
Williams, J.O. Metal-organic vapour phase epitaxial growth and characterization of wide band-gap II-VI materials 88–11973
Williams, J.O., Ng, T.L., Wright, A.C., Cockayne, B., Wright, P.J. High resolution transmission and analytical electron microscopy for the characterisation of epilayers and interfaces in MOVPE grown ZnSe$_{1-y}$S$_y$ 86–7786
Williams, J.O. *see* Brown, A. 87–45779, 87–45782
Williams, J.O. *see* Cockayne, B. 85–10720, 86–7775
Williams, J.O. *see* Fan, G. 86–443
Williams, J.O. *see* Gerrard, N.D. 88–56218
Williams, J.O. *see* Guanghan Fan 87–1194
Williams, J.O. *see* Hua, Y.L. 87–41573
Williams, J.O. *see* Hunt, N. 88–43867
Williams, J.O. *see* Maung, N. 88–31789
Williams, J.O. *see* Patterson, A.M. 85–16941
Williams, J.O. *see* Wright, A.C. 85–50248
Williams, J.O. *see* Yates, H.M. 87–68263, 88–6441
Williams, J.O. *see* Yulin Hua 88–39362
Williams, J.R. The Dungeness 'B' control system design approach 85–48820
Williams, J.R. How to select bar code label materials for PCB identification 88–57092
Williams, J.R. *see* Beuscher, H.J. 85–14060
Williams, J.R. *see* Day, C.R. 88–39910
Williams, J.R. *see* Delott, C.R. 88–1204
Williams, J.R. *see* France, P.W. 85–56294, 87–18707, 88–58114
Williams, J.R. *see* Goodman, J. 88–10486
Williams, J.R. *see* Haugk, G. 86–10897
Williams, J.R. *see* Moore, M.W. 88–65230
Williams, J.R. *see* Robertson, J. 86–60886
Williams, Jr., J.H., Lee, S.S. Promising quantitative nondestructive evaluation techniques for composite materials 85–39828
Williams, J.S., Elliman, R.G., Brown, W.L., Seidel, T.E. Dominant influence of beam-induced interface rearrangement on solid-phase epitaxial crystallization of amorphous silicon 86–445
Williams, J.S., Elliman, R.G., Brown, W.L., Seidel, T.E. Beam induced crystallisation of silicon 86–13779
Williams, J.S., Pritchard, W.D., Clewett, D.R., Prior, B.J. Megacell—a design system for CMOS VLSI 85–62108
Williams, J.S. *see* Baglin, J.E.E. 85–45462
Williams, J.S. *see* Brothers, J.S. 85–35085, 85–35188
Williams, J.S. *see* Brown, R.A. 87–6399
Williams, J.S. *see* Elliman, R.G. 85–16954, 87–5432
Williams, J.S. *see* Gazecki, J. 85–55700, 88–39140
Williams, J.S. *see* Harrison, H.B. 85–33061
Williams, J.S. *see* Jacobson, D.C. 87–11589
Williams, J.S. *see* Johnson, S.T. 85–12164
Williams, J.S. *see* Kellock, A.J. 88–39181
Williams, J.S. *see* Li, Y.H. 87–45768
Williams, J.S. *see* Maher, D.M. 87–17774
Williams, J.S. *see* Orrman-Rossiter, K.G. 85–45536
Williams, J.S. *see* Pearton, S.J. 86–27858, 87–11588, 87–38092
Williams, J.S. *see* Poate, J.M. 85–45504
Williams, J.S. *see* Prior, B.J. 85–45907
Williams, J.S. *see* Seidel, T.E. 86–9004
Williams, J.S. *see* Short, K.T. 85–18208
Williams, J.S., Poate, J.M. *(editor)* Ion implantation and beam processing 85–44377
Williams, J.T., Dudley, D.G., Butler, C.M. Surface currents induced on a circular strip 87–54486
Williams, J.T. *see* Paul, R.J.A. 85–44262
Williams, J.W., Rensner, G.D., Yu, J.S. Aerial and buried wires above stratified dispersive media 86–36786
Williams, J.W. *see* Mason, R.M. 85–22316
Williams, K. Interactive videodisc at the Open University 85–26068
Williams, K. An 18 to 28 MHz preamplifier 87–527
Williams, K. Mendacious meters? 87–41560
Williams, K. HF still has much to offer 87–62815
Williams, K. SMT thick film hybrids—a manufacturer's view 88–1236
Williams, K. Microprocessor software for EMI recovery 88–14432
Williams, K. Aerials, feeders and standing waves 88–27694
Williams, K. Integrated voices 88–59739
Williams, K. *see* Driggers, R. 87–54390
Williams, K. *see* Gibbons, J.F. 88–12031
Williams, K.E. Tradeoffs in avionic signal processing configuration 87–77761
Williams, K.E. *see* Gibbons, J.F. 86–7754
Williams, K.E. *see* Gronet, C.M. 86–47448, 87–11686
Williams, K.E. *see* Hayafuji, Y. 85–12048, 86–7811
Williams, K.E. *see* Newman, T.H. 87–38381
Williams, K.F. *see* Buchanan, M.G. 85–62706
Williams, K.F. *see* Halford, C.E. 85–37482
Williams, K.G., Hanley, G.A. Sources and control of mains distortion voltage 87–21883
Williams, K.J. *see* Wright, M.H. 85–28858
Williams, K.S. *see* Hardy, K. 88–294
Williams, K.T. *see* Ali, S.A.M. 87–15773
Williams, K.T. *see* Binns, D.F. 87–22329
Williams, L. *see* Ravindran, A. 88–55937
Williams, L.B. *see* Lee, W. 87–43707
Williams, L.B. *see* Wei-Jen Lee 86–70564
Williams, L.D., Gallagher, J.G., Sugden, D.E., Birnie, R.V. Surface snow properties effect on millimeter-wave backscatter 88–61614
Williams, L.F.G. *see* O'Halloran, R.J. 85–455
Williams, L.J. Peripheral information extraction: cognitive load effects 87–21179
Williams, L.M. Plasma enhanced chemical vapor deposition of titanium diboride films 85–22515
Williams, L.M. Furnace annealed thin films of plasma enhanced chemical vapor deposited titanium borides on silicon 87–24946
Williams, L.M., Lu, P.-Y., Chu, S.N.G., Wang, C.-H. Multilayers of HgTe-CdTe grown by low-temperature metalorganic chemical vapor deposition 87–58968
Williams, L.M., Lu, P.-Y., Wang, C.-H., Parsey, J.M., Jr., Chu, S.N.G. Plasma enhanced chemical vapor deposition of epitaxial mercury telluride 88–11970
Williams, L.M. *see* Lu, P.-Y. 86–66850, 87–10375, 88–12048
Williams, L.M. *see* Wang, C.-H. 86–46317
Williams, L.P. Planning needed for nuclear plant life extension 87–9258
Williams, L.P. *see* Malloy, J.D. 85–21363
Williams, L.R., Anandan, P. A coarse-to-fine control strategy for stereo and motion on a mesh-connected computer 87–2622
Williams, M. History of computation 86–16127
Williams, M. Delay line memory systems 87–5730
Williams, M. The Williams tube electrostatic memory system 87–19148
Williams, M. New production methods for Multiwire 87–36493
Williams, M. *see* Dacker, B. 86–49405
Williams, M. *see* Landon, T. 87–18273
Williams, M. *see* Lay, A.H. 87–72808
Williams, M. *see* O'Neill, F. 88–50771
Williams, M.B. Simulator training: a nontraditional step [nuclear power plants] 87–15430
Williams, M.B., Clarke, I.M. A 94 GHz FMCW radar transceiver for smart munitions applications 87–56266
Williams, M.B. *see* Sobottka, S.E. 88–56529
Williams, M.C. *see* Kwong, K. 85–64461
Williams, M.C. *see* Landon, T. 88–26108
Williams, M.C.S. *see* Adiels, L. 86–44602
Williams, M.C.S. *see* Lander, R.L. 87–11187
Williams, M.C.S. *see* Maeshima, K. 87–29464
Williams, M.C.S. *see* Shoemaker, G.H.N. 86–38710
Williams, M.D., Chin, K.K., McCants, C.E., Mahowald, P.H., Spicer, W.E. Al on GaAs(110) revisited: kinetic considerations 87–1296
Williams, M.D., Jackson, L.T., Kippenhan, D.O., Leung, K.N., West, M.K., Crawford, C.K. Lanthanum hexaboride (LaB$_6$) resistivity measurement 87–63480
Williams, M.D., Kendelewicz, T., List, R.S., Newman, N., McCants, C.E., Lindau, I., Spicer, W.E. Cr on GaAs(110): the effect of electronegativity on the Schottky barrier height 86–1810
Williams, M.D., Kendelewicz, T., Newman, N., Lindau, I., Spicer, W.E. Ni and Pd Schottky barriers on GaAs(110) 85–55560
Williams, M.D. *see* Eglash, S.J. 85–1395
Williams, M.D. *see* Kendelewicz, T. 85–50279, 86–47387, 87–1297
Williams, M.D. *see* Lee, J.H. 87–7253
Williams, M.D. *see* Leung, K.N. 88–4777
Williams, M.D. *see* Lindau, I. 86–21250
Williams, M.D. *see* List, R.S. 85–55563
Williams, M.D. *see* McCants, C.E. 88–13019, 88–64322
Williams, M.D. *see* Newman, N. 85–55562, 86–35644
Williams, M.D. *see* Spicer, W.E. 86–1805
Williams, M.J. *see* Buck, B.J. 85–10478
Williams, M.L. *see* Eich, W.J. 86–6520
Williams, M.L. *see* Maerker, R.E. 87–4525
Williams, M.L. *see* Spanton, A.M. 88–60284
Williams, M.R. *see* Bradbury, D. 88–36959
Williams, M.S. *see* Eckstrom, D.J. 88–22766
Williams, M.V. *see* Gellings, C.W. 86–56389
Williams, M.W., Young, D.W., Ashley, J.C., Arakawa, E.T. Optical and electronic properties of the electron beam resist poly(butene-1-sulfone) 86–14983
Williams, N. Compact discs . . . dynamic range, overload, dither noise and all that . . 85–14547
Williams, N. Direct metal mastering. A 'quantum jump' in analog disc recording? 85–20417
Williams, N. Hi-tech electronics in the new Holdens 85–21889
Williams, N. Bits versus dBels. A guide to the systems manager in telematics and defence communications 85–25710
Williams, N. Loudspeaker impedance . . . a hifi hassle that won't go away 85–37350
Williams, N. Diversity-tuned FM stereo 85–42724
Williams, N. Keeping in touch on the battlefield 85–47208
Williams, N. VCR HiFi sound explained. II 86–11348
Williams, N. Baffles, boffles, boxes and vents [loudspeaker enclosures] 86–24203
Williams, N. DSE's new VZ 300: word processing for the masses [personal computer] 86–27329
Williams, N. Making speakers understood. II. PA loudspeakers must be designed for the job 86–55478
Williams, N. Making speakers understood. III. The PA system must be correctly installed 86–55479
Williams, N. Radar cross section: engineering for stealth 87–34631
Williams, N. The radar cross-section of antennas—an appraisal 87–49151
Williams, N., Berry, K.C. Plastic antennas: high performance, rugged and low cost 88–40734
Williams, N. *see* DeFerrari, H.A. 87–9016

Williams, N. *see* Gelsthorpe, R.V. 85—41802, 86—57082
Williams, N. *see* Gilbert, M.A. 85—41793
Williams, N. *see* Medeiros, F. 88—34475
Williams, N.A. *see* Klingaman, R.M. 86—61391
Williams, N.C. *see* Walker, D.H. 88—37487
Williams, N.M. *see* Greguras, F.M. 85—54077
Williams, N.S. *see* Murray, D.W. 86—59339
Williams, O.M. A critique on the application of infrared photodetector theory 86—55731
Williams, O.M. Photon parameter characterization of infrared photodetectors 86—55732
Williams, O.M. Infrared photodetector photon formalism: extension and application 87—49750
Williams, P. MV switchgear 87—72314
Williams, P. Recent developments in particulate recording media 88—57914
Williams, P., Hatzopoulos, Z. A high resolution apparatus for the AC measurement of transport properties in high conductivity materials 85—37719
Williams, P., Lam, H.W. Simple boxcar integrator covering a large input frequency range 85—20563
Williams, P. *see* Bensiek, W. 88—54365
Williams, P. *see* Erkaya, H.H. 86—8988
Williams, P. *see* Farley, C.W. 87—38151
Williams, P. *see* Ferguson, J.D. 87—65113
Williams, P. *see* Lien, C.-D. 86—41599
Williams, P. *see* Tzuang, C.-K.C. 87—45293
Williams, P. *see* Uttley-Moore, W. 88—16843
Williams, P.B., Black, M.A. Practical flywheel energy storage 85—16278
Williams, P.D.L. The frequency control of radar 87—63065
Williams, P.D.L. Results from a sideways looking radar (SLAR) with a very low pulse repetition frequency (PRF) 87—63904
Williams, P.D.L. *see* Schoenenberger, J.G. 86—17512
Williams, P.F. *see* Dhali, S.K. 85—5306, 87—18413
Williams, P.F. *see* Dougal, R.A. 85—2454, 85—5309
Williams, P.F. *see* Gundersen, M.A. 87—43304
Williams, P.F. *see* Pashaie, B. 87—37787
Williams, P.F. *see* Peterkin, F.E. 88—64164
Williams, P.F. *see* Schaefer, G. 85—44125, 87—53762
Williams, P.F. *see* Wages, M.R. 87—18414
Williams, P.H. *see* Paggi, M. 88—71623
Williams, P.J., Robbins, D.J., Cush, R., Scott, M.D., Davies, J.I., Marshall, A.C., Riffat, J., Carter, A.C. Effect of barrier width on performance of long wavelength GaInAs/InP multi-quantum-well lasers 88—65671
Williams, P.J., Webb, A.P., Goodridge, I.H., Carter, A.C. Planar VPE infill 1.3 μm integrated laser/monitor photodiode with CARIBE etched facets 86—42539
Williams, P.J. *see* Davies, J.I. 88—58525
Williams, P.J. *see* Moseley, A.J. 87—53235
Williams, P.J. *see* Park, C. 87—40974
Williams, P.J. *see* Plastow, R. 85—35797
Williams, P.J. *see* Uttley-Moore, W.J. 87—4086
Williams, P.J.S., Crowley, G., Schlegel, K., Virdi, T.S., McCrea, I., Watkins, G., Wade, N., Hargreaves, J.K., Lachlan-Cope, T., Muller, H., Baldwin, J.E., Warner, P., van Eyken, A.P., Hapgood, M.A., Rodger, A.S. The generation and propagation of atmospheric gravity waves observed during the Worldwide Atmospheric Gravity-wave Study (WAGS) 88—53345
Williams, P.J.S., Jones, B., Uspensky, M., Starkov, G. Multi-radar studies of auroral backscatter 88—53344
Williams, P.J.S. *see* Rishbeth, H. 86—25423
Williams, P.J.S. *see* Winser, K.J. 88—53349
Williams, P.K., Dahlgren, P.F. Signal-to-background clutter ratio with two-dimensional spatial filtering 88—21314
Williams, P.S. *see* Bish, D. 85—44952
Williams, P.W. Assessing your telecommunications requirements 88—35159
Williams, R. A fibre-optic communications network for teaching clinical medicine 85—58405
Williams, R. Teaching via a fibre-optic link 86—11080
Williams, R. Linking gas chromatographs to distributed control networks 87—28073
Williams, R. A new approach to scientific programming 88—41251
Williams, R., Garner, P. Fiber optic building wiring system 85—14320
Williams, R. *see* Bagla, G. 88—25713
Williams, R. *see* Bolger, S. 86—31529
Williams, R. *see* Charette, C. 88—71242
Williams, R. *see* Choplin, R.H. 87—14957
Williams, R. *see* DeLaurier, J. 87—49005
Williams, R. *see* Heikkila, K. 86—1508, 86—1518
Williams, R. *see* Joshi, C. 88—16591
Williams, R. *see* Kare, J.T. 88—74493
Williams, R. *see* McKay, T. 86—67503, 87—6162
Williams, R. *see* Sanchez-Sinencio, F. 86—71060
Williams, R. *see* Vold, H. 87—58661
Williams, R. *see* Wall, B.E. 86—70401
Williams, R.A. Communication systems analysis and design. A systems approach 87—58580
Williams, R.A. Simple digital inductance meter with 0.1 nH resolution 88—16257
Williams, R.A., Adams, S.L., Placek, R.J., Klufas, O., Gonyea, D.C., Sharma, D.K. A methodology for predicting torsional fatigue crack initiation in large turbine-generator shafts 87—9491
Williams, R.A., Pattanayak, D.N. ADAM: a two dimensional, two-carrier MOSFET simulator based on generalized stream functions 88—33207
Williams, R.A. *see* Goodall, R.M. 85—44263
Williams, R.A. *see* Kwon, O.Y. 88—42291
Williams, R.A. *see* Leopold, M.M. 87—12466
Williams, R.A. *see* Pattanayak, D.N. 85—34911
Williams, R.A. *see* Wilson, S.L. 88—29827
Williams, R.C. *see* Jacobson, R.L. 88—37474
Williams, R.D., Gelb, S.W., Goldhammer, J.L., Goodelle, G.S. Flight qualification testing of ultrathin solar cells 88—36633
Williams, R.D., Goodelle, G.S., Mardesich, N. Solar cell reverse bias testing to meet new cell technology and satellite applications demands 86—7046
Williams, R.D., Huchingson, R.D. A font style for large-area discrete-element displays 87—8675
Williams, R.D. *see* Johnson, B.W. 88—62719, 88—63645
Williams, R.D. *see* Minai, A.A. 87—67464
Williams, R.D. *see* Oldfield, J.V. 87—39874
Williams, R.D. *see* Simpson, M.L. 87—18268
Williams, R.E. *see* Beall, J.M. 86—27597
Williams, R.E. *see* McKay, T. 87—32075
Williams, R.E. *see* Palmer, C.D. 85—1056
Williams, R.E., Jr., Balch, E.W., Weaver, S., Sardella, J.C. Contrast enhancement materials. Effects of process variables on critical dimension control with Altilith CEM-420 88—1509
Williams, R.E., Jr., Weaver, S., Balch, E.W., Sardella, J.C. Contrast enhancement materials. Effects of process variables on critical dimension control with Altilith CEM-420 87—11891
Williams, R.E., Jr. *see* Pavelchek, E.K. 86—15002
Williams, R.G. *see* Appell, G.F. 88—48344
Williams, R.G. *see* Huff, L.C. 87—9032, 88—48371
Williams, R.G. *see* Porter, D.L. 87—9011
Williams, R.H. III-V semiconductor surface interactions 86—28033
Williams, R.H. Schottky barriers in compound semiconductors 86—47403
Williams, R.H., Dharmadasa, I.M., Patterson, M.H., Maani, C., Forsyth, N.M. Metal contacts to semiconductors, indium phosphide and cadmium telluride 86—47397
Williams, R.H., Larson, E.D. Steam-injected gas turbines and electric utility planning 86—45211
Williams, R.H., McLean, A.B., Evans, D.A., Herrenden-Harker, W.G. The interaction of Al, Mn, and Ag with clean and oxidized GaAs and InP(110) surfaces 87—1298
Williams, R.H., Morgan, D.V. Going for GaAs and family 88—32971
Williams, R.H. *see* Dharmadasa, I.M. 86—63097
Williams, R.H. *see* Larson, E.D. 87—51061
Williams, R.H. *see* McLean, A.B. 87—1306, 87—74114, 88—7565, 88—25961, 88—44590
Williams, R.H. *see* Westwood, D.I. 87—37947
Williams, R.H. *see* Williams, G.M. 88—49805
Williams, R.J., O'Keefe, S.M., Bremner, P.G. Fast MPSS modal qualification of satellite structures 87—77732
Williams, R.J., Rowe, J.A., Hurtig, B.P., Plouffe, M. Performance characteristics of enhanced buffer tube cable 88—22158
Williams, R.J. *see* Fischer, T.A. 86—35639
Williams, R.J. *see* Trefethen, L.N. 86—19993
Williams, R.K., Sevilla, L.T., Ruetz, E., Plummer, J.D. A *DJ/JI*-compatible monolithic high-voltage multiplexer 87—32689
Williams, R.K. *see* Blanchard, R.A. 87—1778
Williams, R.K. *see* Channing, D. 88—16344
Williams, R.K. *see* Whitney, L.C. 87—37695
Williams, R.L., Hauch, R.J., Noblett, A.W. T300 graphite core printed wiring board: predicting the coefficient of thermal expansion 88—19479
Williams, R.L., Noblett, A.W. Tailored coefficient of thermal expansion printed wiring boards to improve the solder joint life of leadless ceramic chip carriers 88—19509
Williams, R.L. *see* Hayes, J.R. 88—50187
Williams, R.L. *see* Johnson, J.R. 85—65058
Williams, R.L. *see* Khoshnevis, B. 85—22263
Williams, R.L. *see* Stanic, S. 88—74984
Williams, R.M., Nagasubramanian, G., Khanna, S.K., Bankston, C.P., Thakoor, A.P., Cole, T. The role of oxygen in porous molybdenum electrodes for the alkali metal thermoelectric converter 87—9875
Williams, R.M. *see* Bankston, C.P. 88—61574
Williams, R.M. *see* Carter, B.J. 85—53805
Williams, R.M. *see* Joyce, H. 87—29907
Williams, R.M. *see* Wheeler, B.L. 88—62635
Williams, R.N. Robot arc welder signals success in antenna fabrication 86—13220
Williams, R.N. Dynamic-history predictive compression 88—58990
Williams, R.R. *see* Aryamanya-Mugisha, H. 86—2944
Williams, R.S., Lince, J.R., Tsai, T.C., Pugh, J.H. Thermodynamically stable metal/III-V compound-semiconductor interfaces 87—11443
Williams, R.S. *see* Lince, J.R. 86—1812
Williams, R.T., Prasad, S., Mahalanabis, A.K., Sibul, L.H. Localization of coherent sources using a modified spatial smoothing technique 87—62128
Williams, R.T., Prasad, S., Mahalanabis, A.K., Sibul, L.H. An improved spatial smoothing technique for bearing estimation in a multipath environment 88—46026
Williams, R.T. *see* Prasad, S. 87—63028, 88—52421
Williams, R.T. *see* Rife, J.C. 86—60472
Williams, R.W. *see* Wolfman, N.T. 87—8906
Williams, S. Acorn's Prestel adaptor 85—3254
Williams, S. Direct drive system for an industrial robot using a brushless DC motor 85—21869
Williams, S., Ashford, V., Bird, F., Leith, D.W.G.S., Shimomura, T., Shapiro, S., Nuttall, A., Yellin, S. Cerenkov ring imaging detector development for SLD 85—43247
Williams, S., Campbell, A. Improved light dimmer systems for use with long power distribution feeders 85—60546
Williams, S., Jensen, E. Microstepping accuracy in high precision instrument applications [stepper motors] 87—30638
Williams, S., Mudge, P.J. Statistical aspects of defect evaluation using ultrasonics 85—49662
Williams, S. *see* Ashford, V. 86—50391, 87—41835
Williams, S. *see* Fujieda, I. 85—43248
Williams, S. *see* Hallewell, G. 88—68213
Williams, S. *see* Johnson, R. 88—68277
Williams, S. *see* Melen, R.E. 88—16209
Williams, S. *see* Vadher, V.V. 87—35470
Williams, S.E. *see* Crim, H.G., Jr. 86—61399
Williams, S.J. Megablock interconnection 88—43710
Williams, S.J. *see* Korslund, A.R. 88—74923
Williams, S.L. *see* Dyer, R.T. 86—32751, 86—70885, 87—42831
Williams, S.L. *see* Schilling, R.L. 88—5715
Williams, S.M. *see* Sherwood, R.D. 87—56410
Williams, S.P., Corey, L.E. An aperture projection method for sidelobe analysis of uniformly-illuminated planar phased array antennas 87—54746
Williams, S.R. *see* Cox, I.J. 87—14854
Williams, S.S.A. *see* Salomon, M. 86—14822
Williams, S.T. *see* Rothermich, E.W. 87—41181
Williams, T. Chip set points to lower costs in Ethernet cabling 85—874
Williams, T. Low cost magnetic printing technology uses thin-film heads 85—7148
Williams, T. Dense programmable logic takes aim at semicustom devices 85—11143
Williams, T. Bipolar building blocks well-suited for fast, flexible 32-bit CPUs 85—22745
Williams, T. Options multiply for nonimpact page printers 85—35928
Williams, T. Hardware modeling eases simulation of complex chips 85—44837
Williams, T. Image processors allow hardware reconfiguration to match applications 86—52849
Williams, T. Board-level image processors enter desktop arena 87—14224
Williams, T. Cellular systems provide vehicle tracking 87—41060
Williams, T. Optics and neural networks: an attempt to boost the human brain 88—13976
Williams, T. Belts and braces in processor design 88—56450
Williams, T. UKSC frame store 88—67581
Williams, T., Dines, S., McCarthy, J., Wilson, G. Super chips bring unprecedented power to graphics display control 86—57846
Williams, T., Goering, R. Data communication networks finally come of age 85—25472
Williams, T., Komoda, M., Zeevi, J. Eyetracking with the fiber optic helmet mounted display 88—13899
Williams, T. *see* Fawcett, K. 87—31970
Williams, T. *see* Kozi, M. 86—24846
Williams, T.A. *see* Bonet, L. 87—59567
Williams, T.A. *see* Padda, K.S. 85—20434, 85—51570
Williams, T.C., Hackwell, J., Gehrz, R.D., Grasdalen, G.L. An eight-element bolometer array camera for the Wyoming Infrared Observatory 2.34-m telescope 88—42103
Williams, T.D. *see* Alberganti, R. 86—65333
Williams, T.D.N. Implications of military engineering 88—48404
Williams, T.E., Horowitz, M., Alverson, R.L., Yang, T.S. A self-timed chip for division 87—66155
Williams, T.E. *see* Greenstreet, M.R. 88—25175
Williams, T.H.L. *see* Ulaby, F.T. 86—44764
Williams, T.J., Bailey, A.G. Changes in the size distribution of a water-in-oil emulsion due to electric field induced coalescence 85—24711
Williams, T.J., Bailey, A.G. Changes in the size distribution of a water-in-oil emulsion due to electric field induced coalescence 86—68672
Williams, T.J., Wilmshurst, T.H., Bailey, A.G. An in-flight particle charge detector 88—35979

Williams, T.J. *see* El-Sharkawi, M.A. 86−33387
Williams, T.L. Measurement of the MTF of thermal and other video systems 86−24376
Williams, T.L. Assessing the performance of complete thermal imaging systems 87−20957
Williams, T.L. Measurement of spectral transmission of IR lens elements and assemblies 87−21265
Williams, T.L., Davidson, N.T., Wocial, S. Results of some preliminary work on objective MRTD measurement 86−24373
Williams, T.M., Haberstroh-Timpano, S. Virginia Power Nuclear Power Station Engineer Training Program 87−64277
Williams, T.V. *see* Dreyer, E.R. 86−55121
Williams, T.W. VLSI testing 85−18375
Williams, T.W. Sufficient testing in a self-testing environment 85−33822
Williams, T.W. Test length in a self-testing environment 85−49817
Williams, T.W. Trends in design for testability 87−24021
Williams, T.W. Design for testability 87−52490
Williams, T.W. Design for testability [circuits] 87−53662
Williams, T.W. Built-in-self-testing 87−65972
Williams, T.W., Daehn, W., Gruetzner, M. Bounds on aliasing errors in linear feedback shift registers 87−66087
Williams, T.W., Daehn, W., Gruetzner, M., Starke, C.W. Comparison of aliasing errors for primitive and non-primitive polynomials 87−24109
Williams, T.W., Daehn, W., Gruetzner, M., Starke, C.W. Aliasing errors in signature analysis registers 87−44747
Williams, T.W., Daehn, W., Gruetzner, M., Starke, C.W. Aliasing errors with primitive and nonprimitive polynomials 88−19083
Williams, T.W., Daehn, W., Gruetzner, M., Starke, C.W. Bounds and analysis of aliasing errors in linear feedback shift registers 88−32130
Williams, T.W., Walther, R.G., Bottorff, P.S., Das Gupta, S. Experiment to investigate self-testing techniques in VLSI 85−44990
Williams, T.W. *see* Carter, L. 87−24117, 88−32126
Williams, T.W. *see* DasGupta, S. 85−1681
Williams, T.W. *see* Koenemann, B.K. 86−62570
Williams, T.W. *see* Ohletz, M.J. 88−19075
Williams, T.W. *(editor)* VLSI testing 87−51715
Williams, T.W., III Ways to control multifunction myoelectric prostheses 88−54640
Williams, V. The degradation of optocouplers in accelerated tests: a comparison of experimental results with two published models 86−54048
Williams, V.A. The incredible laser [production tool] 86−15825
Williams, V.A. *see* Podor, B. 87−74281
Williams, V.H., Fike, D.K. Failure analysis of raw printed circuit boards using infrared thermography 88−1171
Williams, W. An automatic test generator for programmable logic devices 88−19085
Williams, W. *see* Harigel, G. 87−26486
Williams, W. *see* Rutledge, D. 88−1017
Williams, W.A. Functional design of a BWR power plant 87−78249
Williams, W.C. *see* Finkelstein, B.I. 88−33788
Williams, W.D. Fiber optics solves a pilot plant communication problem 85−20196
Williams, W.D. *see* Lee, L.M. 87−21064
Williams, W.D. *see* Leon, R.P. 87−6404
Williams, W.D. *see* Valco, G.J. 87−17980
Williams, W.E. *see* Soileau, M.J. 85−7506, 86−48476
Williams, W.F. AM companding: a technique for dynamic carrier control of AM broadcast transmitters 87−13861
Williams, W.F. *see* Bathker, D.A. 85−13307
Williams, W.F. *see* Bell, C.P. 86−11201
Williams, W.F. *see* Modlo, R.J. 85−28055
Williams, W.G. *see* Carlile, C. 85−4243
Williams, W.G. *see* Carlile, C.J. 86−5863, 86−55957
Williams, W.G. *see* Cywinski, R. 85−31762
Williams, W.G. *see* Felici, R. 88−4735
Williams, W.G. *see* Mayers, J. 86−55958
Williams, W.J. *see* Kushwaha, R.K. 86−50599
Williams, W.K., Compton, R.C., Rutledge, D.B. Elf: computer automation and error correction for a microwave network analyzer 88−60627
Williams, W.L. MIL-STD-1553: implementing a successful TPS strategy 85−31357
Williams, W.L. *see* Compton, R.C. 87−73241
Williams, W.M., Lu, S.-T., Del Cerro, M., Hoss, W., Michaelson, S.M. Effects of 2450-MHz microwave energy on the blood-brain barrier: an overview and critique of past and present research 85−4377
Williams, W.P. Design aspects of modern industrial power networks 87−21923
Williams, W.P., Corcoran, J.C.W. Progress in design of industrial power networks 88−42839
Williams, W.P. *see* Buxton, P.H. 85−59682
Williams, W.S. *see* Kaloyeros, A.E. 88−70356
Williams, W.T. *see* Abel, D.J. 85−60851
Williamson, A.C. Induction motor drive systems 87−15742
Williamson, A.C. Common induction motor speed control techniques 87−15743
Williamson, A.C. Measurement of machine winding inductance 87−42809
Williamson, A.C., Al-Khalidi, K.M.S. Starting of convertor-fed synchronous machine drives 85−53872
Williamson, A.C., Cofinas, S. Commutatorless series motor 87−16103
Williamson, A.C., Hedayat, J. A repulsion rotary actuator 87−22397
Williamson, A.E. *see* Philbrick, S.E. 87−15287
Williamson, A.G. Radial-line/coaxial-line stepped junction 85−23098
Williamson, A.G. Cross-coupled coaxial-line/rectangular-waveguide junction 85−34153
Williamson, A.G. Radial-line/coaxial-line junctions: analysis and equivalent circuits 85−34155
Williamson, A.G. Design of coaxial-line/rectangular-waveguide transitions 85−55113
Williamson, A.G. Coaxially fed hollow probe in a rectangular waveguide 85−57080
Williamson, A.G. Variable-length cylindrical post in a rectangular waveguide 86−27528
Williamson, A.G., Parsons, J.D. Outage probability in a mobile ratio system subject to fading and shadowing 85−57989
Williamson, A.G. *see* Adachi, F. 87−3063
Williamson, A.G. *see* Barry, P.J. 87−40742, 88−27503
Williamson, A.G. *see* Parsons, J.D. 86−37799, 87−13180
Williamson, A.G. *see* Rowe, G.B. 87−13604
Williamson, A.G. *see* Sowerby, K.W. 87−55992, 88−15356, 88−53180
Williamson, B. *see* Wong, W.K. 85−20044
Williamson, B.D. *see* Gahwiller, W.R. 85−38776
Williamson, C. Insulated overhead mains for estate reticulation 86−50978
Williamson, C.E., Battle, R.J., McIntosh, W. Design of aerial bundled cable (ABC) overhead distribution systems 87−42508
Williamson, C.L. *see* Cheriton, D.R. 88−59668
Williamson, D. Finite state wordlength compensation in digital Kalman filters 85−55051
Williamson, D. Finite wordlength design of digital Kalman filters for state estimation 86−10364
Williamson, D. Minimum roundoff noise fixed point digital filters using integer residue feedback 86−67421
Williamson, D. Roundoff noise minimization and pole-zero sensitivity in fixed-point digital filters using residue feedback 87−12983
Williamson, D. Delay replacement in direct form structures 88−44291
Williamson, D., Sridharan, S. Residue feedback in digital filters using fractional feedback coefficients 85−46797
Williamson, D., Sridharan, S. An approach to coefficient wordlength reduction in digital filters 86−1270
Williamson, D., Sridharan, S. Residue feedback in ladder and lattice filter structures 86−16366
Williamson, D., Sridharan, S. Error feedback in a class of orthogonal polynomial digital filter structures 87−7733
Williamson, D., Sridharan, S., McCrea, P.G. A new approach for block floating-point arithmetic in recursive filters 85−55040
Williamson, D., Teo, K.L., Musumeci, P.C. Optimum FIR array filters 88−70911
Williamson, D. *see* Sridharan, S. 87−899
Williamson, D. *see* Zunser, B.E. 86−50908, 87−30063
Williamson, D.E. *see* Cole, M.J. 85−2509
Williamson, D.E. *see* McManamy, T.J. 88−65998
Williamson, D.G., Khoury-Ghaffary, J. Cochlear implants: an overview of USA research 85−59350
Williamson, D.L. Mossbauer spectroscopy of Sn-doped GaAs grown by liquid-phase epitaxy 87−25072
Williamson, D.L., Gibart, P., El Jani, B., N'Guessan, K. Mossbauer spectroscopy of Sn-doped GaAs grown by metalorganic vapor-phase epitaxy 87−74001
Williamson, D.L. *see* Folmer, J.C.W. 85−21776
Williamson, D.L. *see* Gessert, T.A. 88−1410
Williamson, D.L. *see* Mahan, A.H. 85−61008, 86−27925, 87−12302, 87−68257
Williamson, D.L. *see* von Roedern, B. 85−1331
Williamson, D.T., Feithshans, G.L. Generic voice interface for cockpit application 88−68566
Williamson, D.T., Small, R.L., Feitshans, G.L. Speech technology in the flight dynamics laboratory 88−5070
Williamson, E.P., Duvoisin, P.F., Hsieh, S.T. A method for improving the performance of cross-polarized PSK and QAM systems in the presence of depolarization crosstalk 86−22891
Williamson, E.P., Hsieh, S.T., Duvoisin, P.F., Goldberg, M.A. Effect of differential phase on the performance of cross-polarized QAM satellite communication systems 87−56104
Williamson, E.P. *see* Duvoisin, P.F. 87−39417, 87−48900, 88−66111
Williamson, E.P. *see* Hsieh, S.T. 85−62856
Williamson, F.R., Greneker, E.F., Currie, N.C. Concepts for a netted physical security sensor system 85−135
Williamson, F.R., Trostel, J.M., Zehner, S.P., McGee, M.C., Egger, J., Coons, B. Design criteria for a microwave intervisibility measurement system 86−17497
Williamson, G.I., Butler, J.W., Gaussens, E., Khong, V.H., King, S.G. Using a KBS in telecommunications 88−73758
Williamson, G.I. *see* Bigham, J. 88−21876
Williamson, I. Deriving in-circuit test data from CAD 85−17982
Williamson, I. Inserter preserves a low profile 88−32627
Williamson, I. *see* Selwyn, D. 88−50352
Williamson, I.M.H., Bowen, J., Koh, L., Gulloch, W. High power MM-wave frequency multiplier incorporating multi-junction GaAs varactor diodes 86−53069
Williamson, I.M.H., Koh, L. A wideband K-band Faraday rotational isolator 85−28702
Williamson, J. Advanced system elements and the Am9516 UDC 85−17592
Williamson, J. Satellite industry addresses new challenges 85−25821
Williamson, J. Teletex faces a future without surety 85−42186
Williamson, J. Only the strong will survive in the digital switching marketplace 86−23601
Williamson, J. Telecom batteries: a technology as diverse as it is powerful 86−26246
Williamson, J. What's behind the crisis in satellite communications? 87−49002
Williamson, J. Protect yourself! 87−55541
Williamson, J., Kaku, S. The 'Fax chip' 85−54923
Williamson, J., Purton, P. The break of Europe's order leads to new liberalization [telecommunications] 88−46384
Williamson, J. *see* Beswick, R. 87−36882
Williamson, J. *see* Landau, J. 87−13310
Williamson, J.G. *see* van Houten, H. 88−39109
Williamson, J.P. Does electric reliability have a future? 87−64017
Williamson, J.R. *see* Young, M.S. 85−33735
Williamson, K., Hologa, J. Development and implementation of visual weld acceptance criteria for Brunswick Steam Electric Plant 87−22051
Williamson, K.D., Jr *see* Robinson, H. 86−56014
Williamson, L. *see* Rogan, P. 88−67585
Williamson, L. *see* Scheuerer, R. 86−69935
Williamson, M. Balancing the budget. V [satellite link budgets] 85−42517
Williamson, M. Balancing the budget. VI [satellite communications] 85−42518
Williamson, M. Spacecraft propulsion systems 85−48445
Williamson, M. The physics of space tubes 87−32208
Williamson, M. CAD in wiring and enclosure design 87−43301
Williamson, M. Power struggles [DBS plans] 87−76626
Williamson, M. TWT: time will tell 88−3897
Williamson, M.A. *see* Jennings, D.L. 86−64415
Williamson, M.P. BRAVO! for PCB design 86−20913
Williamson, M.R., Angtuaco, E.J.C., Jackson, J.C., Pruitt, W.B. Spine: device to facilitate surface coil MR imaging 88−74828
Williamson, P.A., Lathrop, J.W. Failure analysis of amorphous silicon solar cells 87−58338
Williamson, P.A. *see* Ditali, M.A. 87−18165
Williamson, P.A. *see* Lathrop, J.W. 88−37415
Williamson, P.A. *see* Taylor, T.S. 87−18164
Williamson, P.D. *see* Darcey, T.M. 86−38786
Williamson, P.R. *see* Banks, P.M. 87−71194
Williamson, R., Pottergate, W. Audio mixer 85−6228
Williamson, R.C. *see* Becker, R.A. 86−15444
Williamson, R.E. *see* Stanton, R.H. 85−58598
Williamson, R.J. An improved method for measuring the parameters of a quartz resonator 87−60726
Williamson, R.J. An improved method for measuring quartz crystal parameters 88−20226
Williamson, R.J. *see* Pitt, G.D. 85−62343
Williamson, R.K. *see* Pelka, E.J. 85−37139
Williamson, R.L. Regenerator design for high reliability utilising redundant techniques 88−47180
Williamson, R.L., Hanko, L., Davis, S.J. Intracavity gain detection applied to the optimization of flow parameters in a pulsed IF laser 87−7241
Williamson, R.L., Jeal, A.J. The NL range of submarine systems 86−17411
Williamson, R.M. *see* Estes, J.B. 88−53727
Williamson, S. ConnNet leads packet switching race 87−28228
Williamson, S. New CO switch enhancements 87−48799
Williamson, S. Photonic switching: titan or tinkertoy 87−49117
Williamson, S., Abdel-Magied, M.A.S. Unbalanced magnetic pull in induction motors with asymmetrical rotor cages 86−33409

Williamson, S., Abdel-Magied, M.A.S. Steady-state analysis of double-cage induction motors with rotor-cage faults 87−64582
Williamson, S., Begg, M.C. Calculation of the bar resistance and leakage reactance of cage rotors with closed slots 85−43978
Williamson, S., Begg, M.C. Calculation of the resistance of induction motor end rings 86−39780
Williamson, S., Begg, M.C. Analysis of cage induction motors−a combined fields and circuits approach 86−45419
Williamson, S., Cann, R.G. A comparison of PWM switching strategies on the basis of drive system efficiency 85−27679
Williamson, S., Leonard, P.J. Analysis of air-cored tubular induction motors 86−61514
Williamson, S., Leonard, P.J. Short-rotor effects in iron-cored tubular induction motors 87−22414
Williamson, S., Lloyd, M.R. Cage rotor heating at standstill 88−11221
Williamson, S., Mirzoian, K. Analysis of cage induction motors with stator winding faults 86−33389
Williamson, S., Mourou, G.A. Picosecond electro-electron optic oscilloscope 87−26147
Williamson, S., Robinson, M.J. Calculation of bar resistance and leakage reactance of cage rotors 88−17617
Williamson, S., Schiferl, R. An investigation of the influence of deep-bar effect on the resistance of cage rotor end-rings 87−42962
Williamson, S., Schiferl, R. An investigation of the influence of deep-bar effect on the resistance of cage rotor end-rings 87−78662
Williamson, S., Smith, A.C. Analysis of induction motors in case of general rotor cage asymmetry 85−53694
Williamson, S. *see* Cann, R.G. 87−43005
Williamson, S. *see* Mourou, G. 87−39216
Williamson, S. *see* Nees, J. 87−46990
Williamson, S. *see* Price, D.R. 88−17545
Williamson, S.G. Combinatorics for computer science 86−19766
Williamson, S.J., Pelizzone, M., Okada, Y., Kaufman, L., Crum, D.B., Marsden, J.R. Magnetoencephalography with an array of SQUID sensors 85−43331
Williamson, S.J. *see* Buchanan, D.S. 88−48194
Williamson, S.J. *see* Osterman, D.P. 85−31578
Williamson, S.J. *see* Ribeiro, P.C. 88−74837
Williamson, T. PC layout techniques for minimizing noise 85−11731
Williamson, T. Using the 8051 microcontroller with resonant transducers 86−24296
Williamson, T. Resonance transducers simplify analogue measurements 87−34922
Williamson, T. *see* Yarkony, G. 88−61473
Williamson, T.G. *see* Varhue, W.J. 85−64486
Williamson, T.M. Designing fiber optic cables for installation in buildings 85−14319
Williamson, T.M., Hedrick, G.E., Rhodes, C.A. Thermal Analysis of a PWR following an interruption in residual heat removal system flow 85−9672
Williamson, V.L. *see* Brooksby, C.A. 87−12819
Williamson, W. Evolution of generic simulator to ATE post processing 88−60597
Williamson, W.P. Incorporation of timing into simulator/tester post-processing 88−35840
Willibald, G.E., Ebert, G., Gowan, D. Growth despite ISDN. Datex-P 88−28372
Willibald, G.E., Ebert, G., Gowan, D. Packet-switching networks 88−59345
Willibald-Riha, E. *see* Grabmaier, B.C. 88−56211
Willich, P., Obertop, D. Electron-probe microanalysis of thin films 86−38605
Willich, P. *see* Hietmann, H. 87−67698
Willich, P. *see* Krumme, J.-P. 85−44779, 87−255
Willich, P. *see* Tolksdorf, W. 87−60912
Willie, J.S. *see* Kaufman, J.S. 88−67196
Williford, D.C. *see* Abraham, P.M. 88−48683
Williford, J.D., Santero, B.A., Flavin, R.A. GRAND computer conferencing−what have we learned? 88−35250
Williford, J.D. *see* Flavin, R.A. 86−23335, 86−43480
Williford, T.L. *see* Cannon, T.C. 86−23935
Willigald, G., Ebert, G., Gowen Development of packet-switched data services and networks 88−35203
Willigen, D.van *see* van Willigen, D.
Willigen, E.van *see* van Willigen, E.
Willing, A., Frolich, W. Decorative and functional lighting−experience from the development of reflectors for external decorative and functional lighting 85−16422
Willing, A. *see* Weis, B. 86−33851
Willing, F., Bennett, M., Newton, J. Thermal stability of interconnected a-Si:H solar modules 88−37543
Willing, P., Ponisch, K. Resistance foil butt welding with new LEW plant 86−71155
Willingale, R. *see* Sims, M.R. 85−31770
Willingshofer, K.-H. A revolution in test procedures−the electronic load 85−37672
Willingshofer, K.-H. Voltage regulator takes up additional functions 85−61078
Willingshofer, K.-H. Precision OP in digital multimeter 86−5341
Willingshofer, K.-H. The master slave principle in mains networks 87−64132
Willingshofer, K.-H. *see* Mortini, P. 86−28378
Willington, D.J. Telex transmission modernisation 87−27902
Willink, E.D. *see* Baker, M.P. 85−58026
Willins, B.A., Bruno, F.J. Low Cost Packet Radio characteristics 85−42433
Willins, J. *see* Adams, M.R. 85−64467
Willioner, R. *see* Tham, K. 85−753
Willis, A.F. *see* Bornzin, G.A. 88−54533
Willis, A.J. Generic IC test design 86−21658
Willis, A.J. A simplified measurement technique for more accurate contact resistance determination 87−56796
Willis, A.R., Bruce, I.P.C. An intelligent speech interface 86−22973
Willis, A.R., Bruce, I.P.C., Young, S.J. An experimental database query system using automatic speech recognition over the telephone network 86−37340
Willis, B.L. *see* Graham, E.D. 88−89
Willis, C.A. *see* O'Neill, B.C. 88−34228
Willis, C.E. *see* Bencomo, J.A. 86−70052
Willis, D. Investigating disc errors with jitter testing 87−12053
Willis, D. Integrating LANs and PABXs 87−28127
Willis, D. Meridian−a hybrid LAN/PBX concept 88−35239
Willis, D.H. *see* Nakagawa, I. 87−59478
Willis, D.M. *see* Lockwood, M. 88−53353
Willis, D.M. *see* Todd, H. 88−53351
Willis, E. Implications of EEC 'harmonisation' for the electronics industry 88−63114
Willis, E. *see* Beroqui, M. 85−32089
Willis, F.A. *see* Soule, D.E. 87−30443
Willis, H., Brown, A.G., Till, S.J., Mortimer, S.H. A comparison of electron sensitive single, bi-, and tri-level resist schemes for the fabrication of submicron gate structures in doped polysilicon 88−26160
Willis, H. *see* Brown, A.G. 88−57577 to 57578
Willis, H.L. User interface: key to utility software 86−65622
Willis, H.L., Northcote-Green, J.E.D. Comparison of several computerized distribution planning methods [power system planning] 85−32111
Willis, H.L., Northcote-Green, J.E.D., Tram, H.N. Computerized distribution planning−data needs and results with incomplete data 88−23327
Willis, H.L., Powell, R.W., Tram, H.N. Long-range distribution planning with load forecast uncertainty 87−78040
Willis, H.L., Powell, R.W., Tram, H.N. Computerized methods for analysis of impact of demand side management on distribution systems 88−23456
Willis, H.L., Powell, R.W., Vismore, T.D. A method of automatically assessing load transfer costs in substation optimization studies 86−19378
Willis, H.L., Tram, H.N. Some aspects of spatial load forecasting 85−27012
Willis, H.L., Tram, H.N., Powell, R.W. A computerized, cluster based method of building representative models of distribution systems 86−32630
Willis, H.L., Tram, H.N., Powell, R.W. Substation siting and capacity selection based on diversity maximization 87−78728
Willis, H.L., Vismor, T.D., Powell, R.W. Some aspects of sampling load curve data on distribution systems 86−18806
Willis, H.L. *see* Brodsky, S.F.J. 87−50773
Willis, H.L. *see* Palayanon, V. 87−42406
Willis, H.O., Jr. Cables for low-temperature applications 88−53106
Willis, J.E., Gulledge, T.R., Jr., Sarro, J. Measuring the effects of energy conservation programs at a state university using intervention components in a transfer function time series model 85−21853
Willis, J.R., Czuba, J.S., de Mello, F.P. Generator stabilizer improves unit damping 87−57957
Willis, J.R. *see* Czuba, J.S. 86−51515
Willis, M. Tone up your image [printing] 88−59319
Willis, M. *see* Mwanakatwe, M. 88−9510
Willis, M.J. A high resolution coherent detector for imaging radars 87−40989
Willis, M.J., Evans, B.G., Coakley, F.P., Mahmoud, M.S. Fade-counter-measures at Ka-band for Olympus 88−9511
Willis, M.L. *see* Poon, T.C. 86−1062, 87−52579
Willis, P.A. *see* Muller, D.J. 85−53644
Willis, P.C. *see* Nightingale, J.L. 87−74814, 88−1963, 88−51554
Willis, P.H. *see* Kroger, H. 85−62251
Willis, P.J. Visual simulation of atmospheric haze 87−63873
Willis, R. The evolution of emulation for high performance functional testing 85−61582
Willis, R. Training−the key to static control 88−11634
Willis, R. SMD cleaning−a practical assessment 88−19521
Willis, R. Rework of boards containing surface mounted components 88−25701
Willis, R. Board repair−the economic answer 88−38887
Willis, R.C. Switch-regulated negative generator 86−40894
Willis, R.J. *see* Cole, M. 88−43639
Willis, R.J.D. *see* Cole, M. 88−71169
Willis, T.M., Sengupta, D.L. Accuracy of standard patch antenna models 88−14469
Willis, T.M. *see* Ksienski, D.A. 86−22986
Willis, W. Switched power linac 86−5635
Willis, W. Experiment on 30 nm spots 86−5695
Willis, W. Switched power linac 86−5697
Willis, W. *see* Johnsen, K. 88−47772
Willis, W.J. *see* Akesson, T. 86−18235, 88−22918, 88−68271
Willis, W.J. *see* Batley, R. 86−25127
Willis, W.J. *see* Bettoni, D. 85−52968, 87−21407
Willis, W.L. Consequences of laser discharge impedance on circuit designs 88−20566
Willis, W.L. *see* Harrison, J.W. 87−16943
Willis, W.R. *see* Delinger, W.G. 88−53881
Willison, J., Jourdan, R. Techniques of synchronous detection 86−31311
Willison, J.R. Lock-in amplifiers and measurement techniques 85−39963
Willison, M.R. *see* Green, M.A. 86−7058, 86−7078, 87−4895, 88−31028
Willison, M.R. *see* Wenham, S.R. 87−9808
Williston, J. High failure rate of printed circuit boards demonstrate the need for bare board testing 85−34352
Williston, J., Shea, E.G. Automatic optical inspection of printed circuit boards 85−34348
Willits, G. *see* Schmidt, D.P. 86−30680
Willman, C.J., Narasimhan, K.S.V.L. Pr and Nd substituted '2:17' magnets for elevated temperature application 86−28610
Willman, C.J., Narasimhan, K.S.V.L. Corrosion characteristics of RE-Fe-B permanent magnets 87−67716
Willman, J.G. *see* Martin, F. 85−64035
Willman, W.W. On second-order filter performance 85−41894
Willmann, G. *see* Fischer, W. 88−53002
Willmann, J. Multiple utilization of cable television networks 86−4789
Willmann, J. EMUF as dashboard computer 86−27354
Willmann, J. Broadband distribution network (LAN), privately developed, for private use 87−2850
Willmann, J. Fibre optics transmission in the Gubrist road tunnel 87−13691
Willmann, K. Error detection and correction with the 32-bit EDAC SN74AL632 85−11229
Willmann, K. TTL families achieve growth: AS and ALS components for powerful digital systems 85−44963
Willmann, P.A. *see* Hiskes, J.R. 86−5719
Willmert, K.D. *see* Boston, D.R. 86−66738
Willmes, H. *see* Wittkowski, W. 86−61719
Willmes, H.H. Field experiences with batteries in photovoltaic systems 88−30994
Willmets, D.P. Frequency spectrum allocation for a potential land mobile-satellite service 87−13671
Willming, D.A., Wu, C.H. A stochastic model for dielectric breakdown in thin capacitors 88−33416
Willmott, B. Messaging standards and IBM's SNA 87−2865
Willmott, C. Large drift chambers for future detectors 88−22942
Willmott, C. *see* Adeva, B. 88−42413
Willmott, C. *see* Alberdi, J. 88−22967
Willmott, C. *see* Antreasyan, D. 87−21413
Willmott, C. *see* Becker, U. 88−22943
Willmott, C. *see* Cerrada, M. 88−22968
Willmott, D. *see* Khan, M.K. 86−63474
Willmott, D.R. *see* Massetti, M.A. 88−64712
Willmott, J.I., Jr. *see* Matthews, J.C. 85−12071
Willmott, R. A probabilistic interpretation of a case of interference involving fuzzy quantification 85−49440
Willmott, R. Implementation of the CCITT X.400 recommendations for message handling systems 86−17023
Willmott, R. Electronic messaging standards: status and outlook 88−73512
Willmott, R.H. The interconnection of messaging systems 85−8031
Willmott, R.H. Current developments in electronic messaging standards 87−20126
Willner, A.E., Podlesnik, D.V., Gilgen, H., Osgood, R.M. Ultrafast aqueous etching of gallium arsenide 88−33073
Willner, A.E. *see* Podlesnik, D.V. 86−54190
Willner, B.E. *see* Jaffe, J.M. 85−30842
Willner, C. *see* Yaniv, Z. 86−67873
Willner, R.E. *see* Castel, J.C. 88−16774
Willner, S. *see* Mauritzson, L. 86−32291
Willnow, U. *see* Joachim, W. 86−66069
Willocx, E. *see* Pieters, J.F. 86−4381, 86−47666

Willoner, R. The importance of fault simulation 85−40846
Willot, B. *see* Forino, A. 85−37976
Willoughby, A.F.W. *see* Godfrey, D.J. 85−45381
Willoughby, A.F.W. *see* Markvart, T. 88−37495
Willoughby, A.H. Electric lamps−the first one hundred years and beyond 85−44290
Willoughby, C.T. *see* Thvedt, T.A. 88−47567
Willoughby, M. *see* Drol, A. 88−41309
Willoughby, R.A. *see* Cullum, J. 85−49496, 87−30108
Willoughby, R.A. *see* Cullum, J. *(editor)* 87−30106
Willoughby, R.D. *see* Doughty, R.L. 87−42684
Willoughby, R.D. *see* Klein, T.W. 86−39133
Willoughby, R.G.W. Net effective cost of Sizewell 'B' pressurised water reactor: A mathematical model 85−15784
Willoughby, W.J., Jr. The Navy's best practices approach to reliability and quality 88−10677
Willrich, M., De Rosa, F., McCarty, S.J. The utility market for small and modular generation systems 86−18728
Wills, A.S. *see* Goodwin, W.D. 87−43163
Wills, B.L. *see* Neudoerffer, M.W. 88−92
Wills, C.E. *see* Korb, J.T. 87−20191
Wills, E.J. Evolutionary design of a UHF television transmitter 85−3631
Wills, G.N. Failure analysis on bipolar integrated circuits attributes damage to electrostatic discharge 87−46168
Wills, J.D. *see* Connolly, A.R. 85−20263
Wills, J.D., Jr. *see* Connolly, A.R. 86−16061
Wills, J.S. *see* Schmeing, H. 87−70985
Wills, K.S., Pilch, C.J., Jr., Hyslop, A. A study of CMOS latch-up by laser scanning and voltage contrast techniques 87−1754
Wills, K.Scott *see* Scott Wills, K.
Wills, L.J., Ly, N.G. Microcomputer logarithmic time base generator 86−17992
Wills, M.C. *see* Bridges, J.E. 87−31263
Wills, R.G. A submarine multifunction antenna 85−41734
Wills, R.W. Mutual coupling and far field radiation from waveguide antenna elements on conformal surfaces 88−15668
Wills, R.W. *see* Bryant, G.H. 85−41783
Wills-Moren, W.J. *see* McKeown, P.A. 88−42282
Willsch, R., Schwotzer, G., Haubenreisser, W., Jahn, J.-U. Optical fiber sensors for process refractometry and temperature measuring based on curved fibers 87−8617
Willsch, R. *see* Garitchev, V.P. 86−9516
Willsch, R. *see* Haubenreisser, W. 85−18672
Willsch, R. *see* Jahn, J.-U. 87−7147
Willshaw, W.E. Microwave magnetrons: a brief history of research and development 85−61623
Willsher, J. *see* Edwards, J.D. 86−71098
Willsky, A.S. Challenges to control in signal processing and communications 87−47655
Willsky, A.S. *see* Bello, M.G. 87−2396
Willsky, A.S. *see* Castanon, D.A. 85−42631
Willsky, A.S. *see* Chow, E.Y. 85−22286
Willsky, A.S. *see* Prince, J.L. 88−73263
Willsky, A.S. *see* Rohlicek, J.R. 88−31628
Willsky, A.S. *see* Rossi, D.J. 85−2817
Willsky, A.S. *see* Rougee, A. 87−62378
Willsky, A.S. *see* Tewfik, A.H. 86−54515, 87−55195, 87−75832, 88−52431, 88−72974
Willsky, A.S. *see* Weiss, A.J. 88−34491
Willsky, A.S. *see* Weiss, J.L. 86−6056
Willson, A.N., Jr., Wu, J. Existence criteria for DC solutions of nonlinear networks which involve the independent sources 85−6131
Willson, A.N., Jr. *see* Adams, J.W. 85−971, 85−17693, 86−1275, 86−1300
Willson, A.N., Jr. *see* Chow, J.T. 86−62372
Willson, A.N., Jr. *see* Lin, H.-M. 88−59212
Willson, A.N., Jr *see* Trajkovic, L. 86−66983
Willson, C.A. *see* Grattan, K.T.V. 88−7857
Willson, C.G., Ito, H., Frechet, J.M.J., Tessier, T.G., Houliham, F.M. Approaches to the design of radiation-sensitive polymeric imaging systems with improved sensitivity and resolution 86−41645
Willson, C.G., Miller, R.D., McKean, D.R., Pederson, L.A., Regitz, M. New diazoketone dissolution inhibitors for deep UV photolithography 88−13240
Willson, C.G. *see* Clecak, N.J. 85−1648
Willson, C.G. *see* Frechet, J.M. 85−1506
Willson, C.G. *see* Hinsberg, W.D. 86−1883
Willson, C.G. *see* Ito, H. 88−64439
Willson, C.G. *see* Labadie, J.W. 87−11511
Willson, C.G. *see* MacDonald, S.A. 85−40578, 86−21677, 87−11876
Willson, C.G. *see* Neureuther, A.R. 86−1947, 88−39299
Willson, C.G. *see* Umbach, C.P. 88−39310
Willson, C.Grant *see* Grant Willson, C.
Willson, D. Coax holds its own against optical fibre 86−55144
Willson, D. Broadband offers information on tap 87−20065
Willson, D.J. *see* Krumpelmann, J.M. 85−11817
Willson, G. Deep UV lithography: a status report 85−1467
Willson, G. *see* Ito, H. 88−13243
Willson, I. PCBs for tomorrow's technology 85−61538
Willson, I.R. Testing bare boards in high volume production 85−33141
Willson, J. *see* Gibbs, M.R.J. 87−60828
Willson, J.A. *see* Staniewicz, R.J. 88−17856
Willson, J.P., Hale, P.G. Limit to sensitivity of optical fibre magnetometers due to shape anisotropy 86−53945
Willson, K. *see* Griffin, D.R. 85−48258
Willson, K. *see* Teague, M.J. 85−48257
Willson, P.H. *see* Underwood, I. 88−52565
Willson, P.H. *see* Vass, D.G. 88−20454
Willson, P.M. *see* Allen, A. 85−64979
Willson, R.G., Squibb, N. Broadband data communications and local area networks 86−66562
Willson, W.R. *see* Tekippe, V.J. 85−56328
Willstatter, V.J. *see* Blitz, J. 87−36846
Willutsky, M. *see* Alberini, C. 87−35339
Willutzki, H. *see* Bernstein, D. 85−15253
Willwerth, F.G. *see* Aumann, H.M. 88−60263
Willwerth, F.G. *see* Fenn, A.J. 85−13405
Willwerth, T.W. *see* Downing, R.W. 87−59090
Wilmer, P.C. *see* Mummery, G.B. 86−19019
Wilmering, C.M.J. What does MAP offer? 87−34102
Wilmers, G. *see* Chaillie, C. 86−49142
Wilmers, M. Spot profile analysis of low energy electron diffraction−a novel method for the study of crystal surfaces 88−39346
Wilmore, J. *see* Mori, S. 85−45822
Wilmore, J.A. The design of the database for the Sphinx IC artwork editing and verification system 85−40878
Wilmore, J.A. *see* Mori, S. 86−28428
Wilmot, R. Computer noise 88−34362
Wilmot, T.R. *see* Hess, C.F. 86−3384
Wilms, D. *see* Losert, W. 87−41744
Wilms, W. The step-by-step: a relay and dial pulse dilemma 85−52113
Wilmsen, C.W. Oxide/III-V compound semiconductor interfaces 86−28217
Wilmsen, C.W., Geib, K.M., Gann, R., Costello, J., Hryckowian, G., Zeto, R.J. High pressure thermal oxide/InP interface 86−2050
Wilmsen, C.W. *see* Bailey, G.R. 88−12951
Wilmsen, C.W. *see* Fathipour, M. 85−23699
Wilmsen, C.W. *see* Gann, R.G. 88−33035
Wilmsen, C.W. *see* Geib, K.M. 85−1408
Wilmsen, C.W. *see* Hwang, T. 86−63105, 87−32431
Wilmsen, C.W. *see* Kirchner, P.D. 88−71412
Wilmsen, C.W. *see* Krivanek, O.L. 86−1837
Wilmsen, C.W. *see* Liliental, Z. 86−14970
Wilmsen, C.W. *see* Thompson, L.R. 87−17981
Wilmsen, C.W. *see* Wager, J.F. 86−28068
Wilmsen, C.W. *(editor)* Physics and chemistry of III-V compound semiconductor interfaces 86−26538
Wilmshurst, T.H. Signal recovery from noise in electronic instrumentation 85−60646
Wilmshurst, T.H. *see* Williams, T.J. 88−35979
Wilmshurst, T.J. Wide-range absolute-value circuit 87−31688
Wilmunder, A. *see* Paffrath, L. 85−43289
Wilmut, M.J., MacKinnon, R.F. Cumulative detection and positive signal excess probabilities for a sonar model with two components 85−8489
Wilmut, M.J. *see* MacKinnon, R.F. 87−69232
Wilnai, D., Grisham, M. 1750A microprocessor with real time capability 85−6338
Wilnai, D. *see* Arulanantham, R. 86−20603, 86−52891
Wilner, B.D. *see* Sandler, M. 85−27521
Wilner, K. *see* Ben-Yosef, N. 85−58547, 87−4157, 88−30184, 88−46210
Wilner, L.B. A high performance variable capacitance accelerometer 88−53684
Wilou Cao *see* Cao Wilou
Wilpon, J.G. A study on the ability to automatically recognize telephone-quality speech from large customer populations 85−41873
Wilpon, J.G., DeMarco, D.M., Mikkilineni, R.P. Isolated word recognition over the DDD telephone network. Results of two extensive field studies 88−66892
Wilpon, J.G., Juang, B.H., Rabiner, L.R. An investigation on the use of acoustic sub-word units for automatic speech recognition 87−61694
Wilpon, J.G., Rabiner, L.R. A modified K-means clustering algorithm for use in isolated word recognition 85−57294
Wilpon, J.G., Roberts, L.A. The effects of instructions and feedback on speaker consistency for automatic speech recognition 86−48880
Wilpon, J.G. *see* Ephraim, Y. 87−61736
Wilpon, J.G. *see* Juang, B.-H. 87−69056
Wilpon, J.G. *see* Juang, B.H. 87−19510
Wilpon, J.G. *see* Mikkilineni, R.P. 88−72796
Wilpon, J.G. *see* Rabiner, L.R. 87−7675, 87−19535, 87−61640, 88−66362
Wilpon, J.G. *see* Roberts, L.A. 87−39681
Wilquet, G. *see* Alner, G.J. 88−10288
Wilquet, G. *see* Barth, M. 85−15245
Wilreker, V.F., Smith, R.F., Stiller, P.H., Scott, G.W., Shaltens, R.K. Measured effects of wind turbine generation at the Block Island Power Company 86−33231
Wilreker, V.F. *see* Lee, R.E. 88−23457
Wilsdorf, J. Determination of fuel energy from efficiency calculations 87−4476
Wilsen, P.J. *see* Billard, B. 86−65517
Wilsen, P.J. *see* Penny, M.F. 86−56254, 86−65516
Wilsey, N.D. *see* Klein, P.B. 87−53189
Wilsey, T.R., McEuen, A.H., Tanabe, E., Fessenden, P. Microwave equipment requirements for hyperthermia 87−42007
Wilsher, R.F. *see* Weiskopf, H. 87−51811
Wilshire, J.P. Waveform generation in the EETS 86−44334
Wilski, H. *see* Stephan, K.H. 88−23017
Wilson, A. VLSI in CAD system design 85−29273
Wilson, A. Medical imaging hardware 85−31795
Wilson, A. IEC proposals for a standard: 'test methods for partial discharge measurements on lengths of electric cable' 85−32252
Wilson, A. Flat panel displays: still in the future 86−31490
Wilson, A. Image sensors reach megapixel mark 86−65124
Wilson, A. Photovoltaic technology update 86−71056
Wilson, A. Imaging−the view from above 87−62891
Wilson, A. What color is color? [Imaging and graphics] 88−29281
Wilson, A. Discharge damage in air cooled stator windings 88−69248
Wilson, A., Collins, R.A. Electrical characteristics of planar phthalocyanine thin film gas sensors 88−22567
Wilson, A., Hall, L.D. Site test methods for high-voltage plant 87−64357
Wilson, A., Jackson, R.J., Wang, N. Discharge detection techniques for stator windings 85−65208
Wilson, A., Lewis, B. Array processors: mixing memory and speed 86−24421
Wilson, A., Ling, E., Gamble, H.S., Armstrong, B.M., Montgomery, J.H. Silicide contacts to shallow junctions 87−24943
Wilson, A. *see* Bobroff, N. 86−35511
Wilson, A. *see* Coane, P. 88−64761
Wilson, A. *see* Head, J.G. 88−68964
Wilson, A. *see* Mandell, M.J. 85−5249
Wilson, A. *see* Stone, G.C. 86−39701
Wilson, A. *see* Waisman, E.M. 85−49043
Wilson, A.A. *see* Bice, A.N. 86−70397
Wilson, A.B., Jr. *see* Glaser, R.M. 87−57069
Wilson, A.C. Video conversion with ADCs and DACs 86−37124
Wilson, A.C. AT&T makes the right choice for imaging support 87−8560
Wilson, A.C. Solid state sensors capture bigger images 87−29118
Wilson, A.C., Sr. High-resolution graphics−implementing software in silicon 86−9185
Wilson, A.D. Lithography requirements in complex VLSI device fabrication 85−23826
Wilson, A.D. X-ray lithography: can it be justified 86−8941
Wilson, A.D. X-ray lithography: can it be justified? 86−53520
Wilson, A.D. Submicron electron-beam lithography 87−17863
Wilson, A.D., Lyall, H. Design of an ultraviolet radiometer. I. Detector electrical characteristics 87−29113
Wilson, A.D., Lyall, H. Design of an ultraviolet radiometer. II. Detector optical characteristics 87−29114
Wilson, A.D. *see* Acosta, R.E. 86−1967, 86−21324, 86−21329
Wilson, A.D. *see* Gibson, D.R. 86−9916
Wilson, A.D. *see* McInnes, A.A. 87−46956
Wilson, A.D. *see* Molzen, W.W. 86−2444, 88−64456
Wilson, A.E.J. Applications of photochromic polymer films 85−24257
Wilson, A.F., Penman, J., Smith, J.R. A hydrodynamic model for the convective mixing of electrostatic charge 87−39293
Wilson, A.F. *see* Penman, J. 87−19120
Wilson, A.H., Trembly, B.S. Control of the power deposition pattern of an interstitial microwave antenna hyperthermia system 87−4032
Wilson, A.H. *see* Trembly, B.S. 86−60746
Wilson, A.J. A tape recorder multiplexer for 16 channels 86−5338
Wilson, A.J. *see* Epperson, R.K. 86−18278
Wilson, A.J. *see* Kapur, B.K. 87−57056
Wilson, A.J. *see* Stevens, V.G. 88−61230
Wilson, A.J. *see* Wells, J.H. 86−44685
Wilson, A.N., Jr. *see* Trajkovic, L. 87−65780
Wilson, A.R. *see* Furber, S.B. 87−37390
Wilson, B. High-performance current conveyor implementation 85−11402
Wilson, B. Floating FDNR employing a new CCII-conveyor implementation 86−1222
Wilson, B. Using current conveyors 86−40916
Wilson, B. Differential current-follower and conveyor using new mirror formulation 86−52693
Wilson, B. Laboratory measurement of optical fibre communication parameters 86−58766
Wilson, B. A new look at gain-bandwidth product 87−65860

Wilson, B. The feedback/Liverpool Polytechnic telephony trainer 88—46488
Wilson, B., Darwazeh, I. Transimpedance optical preamplifier using a common base input stage 87—5696
Wilson, B., Darwazeh, I. Transimpedance optical preamplifier with a very low input resistance 87—33070
Wilson, B., Ghassemlooy, Z. Optical pulse width modulation for electrically isolated analogue transmission 86—16112
Wilson, B., Ghassemlooy, Z. Optical PWM data link for high quality analogue and video signals 87—70057
Wilson, B., Ghassemlooy, Z. Differential phase error in pulse-width-modulated TV transmission systems 88—4169
Wilson, B., Ghassemlooy, Z. Multiple sidetone structure in pulse width modulation 88—45844
Wilson, B.A. A regional perspective of the results of INPO accreditation 87—64275
Wilson, B.A., Bonner, C.E., Harris, T.D., Lamont, M.G., Miller, R.C., Sputz, S.K., Vernon, S.M., Haven, V.E., Lum, R.M., Klingert, J.K. Low-temperature photoluminescence of MOCVD GaAs grown directly on Si 88—38208
Wilson, B.A., Dawson, P., Tu, C.W., Miller, R.C. Optical evidence of staggered band alignments in (Al, Ga)As/AlAs multi-quantum-well structures 87—1253
Wilson, B.A. *see* Dawson, P. 86—35388
Wilson, B.A. *see* Tu, C.W. 87—36718
Wilson, B.C., Muller, P.J., Yanch, J.C. Instrumentation and light dosimetry for intra-operative photodynamic therapy (PDT) of malignant brain tumours 86—44695
Wilson, B.L. *see* Ayres, R.L. 86—24883
Wilson, B.L. *see* Martin, E.R. 86—60408
Wilson, B.L.H. Quantum wells in semiconductors—an industrial view 85—23520
Wilson, B.L.H. Industry needs in semiconductor crystal growth 87—23594
Wilson, B.R. Practical considerations for testing application specific ICs 86—46650
Wilson, B.R., Hnatek, E.R. Problems encountered in developing VLSI test programs for COT (a practical outlook) 85—42879
Wilson, B.R., Hnatek, E.R. Practical considerations for testing semi-custom logic ICs 86—46690
Wilson, B.R. *see* Hnatek, E.R. 85—769
Wilson, B.S., Finley, C.C., White, M.W., Lawson, D.T. Comparisons of processing strategies for multichannel auditory prostheses 88—68488
Wilson, C. *see* Ortega, J. 87—51580
Wilson, C. *see* Resvanis, L.K. 88—54421
Wilson, C. *see* Safari, A. 88—65007
Wilson, C. *see* Vincent, V. 87—32255
Wilson, C.A. *see* Grattan, K.T.V. 88—9993
Wilson, C.A. *see* Wardle, C.L. 85—692
Wilson, C.L. Using silicon device modeling techniques for GaAs devices 86—47600
Wilson, C.L. Hydrodynamic carrier transport in semiconductors with multiple band minima 88—26342
Wilson, C.L., Blue, J.L. Two dimensional modeling of n-channel MOSFETs including radiation-induced interface and oxide charge 85—18342
Wilson, C.L., Blue, J.L. Semiconductor measurement technology: MOS1: a program for two-dimensional analysis of Si MOSFETs 86—15175
Wilson, C.L., Blue, J.L. Accurate current calculation in two-dimensional MOSFET models 86—21567
Wilson, C.L., Roitman, P., Blue, J.L. High-accuracy physical modeling of submicrometer MOSFETs 85—55838
Wilson, C.L., Russell, T.J. Two-dimensional modeling of channel hot-electron effects in silicon MOSFETs 86—47599
Wilson, C.L. *see* Galloway, K.F. 86—21617, 86—35705
Wilson, C.L. *see* Roitman, P. 87—18173
Wilson, C.R. The Abel-Fourier method of Hankel transformation: applications to seismic data 86—69051
Wilson, C.R., Smith, D., Foley, W.D., Molloi, S. Blood flow determination using IV DSA 85—38051
Wilson, C.R., Smith, P.W. Transmission line transformers for high voltage pulsed power generation 87—51361
Wilson, C.T. *see* Dresner, L. 88—65032
Wilson, C.T. *see* Lubell, M.S. 88—65028
Wilson, C.T. *see* Lue, J.W. 88—45031, 88—65100
Wilson, C.T. *see* Luton, J.N. 85—56230, 87—67950, 87—74642
Wilson, C.T. *see* McManamy, T.J. 85—56243
Wilson, C.T. *see* Shen, S.S. 86—48062, 87—67971, 88—65033, 88—65106
Wilson, D. A family of 68000s handles the high-end 85—11120
Wilson, D. Designer's guide to uninterruptible power supplies 85—16097
Wilson, D. Designing with EEPROMs 85—28512
Wilson, D. Designing for reliability and testability 85—60816
Wilson, D. Systems architect's guide to the Multibus 85—61341
Wilson, D. Systems architect's guide to the Q/Unibus 85—61342
Wilson, D. EEPROM technologies diversify and find new applications 86—1024
Wilson, D. Micro/J-11 boosts performance of DEC-compatible processors 86—1083
Wilson, D. Single-chip digital signal processors challenge multichip solutions 86—8266
Wilson, D. High performance ICs fuel up with GaAs 86—21629
Wilson, D. Number crunching graphics processor pushes pixels 86—34825
Wilson, D. Language specific ICs: optimal execution solution 86—34826
Wilson, D. Video DRAMs shift image of graphics systems 86—47643
Wilson, D. Processors take a RISC 86—52851
Wilson, D. Gallium arsenide—a semicustom approach 86—58504
Wilson, D. Application-specific architectures target DSP 86—62603
Wilson, D. Floating-point devices integrate it all 86—63437
Wilson, D. High-end buses face PC challenge 87—24287
Wilson, D. Airborne command and control modernization 88—3372
Wilson, D., Hoffman, B. GaAs DIGICs: The way ahead for digital technology? 85—23112
Wilson, D., Mudrow, A., Henshaw, A., Elliott, C.J., Sargent, D. Transputer spawns a new class of applications 87—17107
Wilson, D. *see* Barrera, J.S. 85—673
Wilson, D. *see* Buchner, S.P. 88—26492
WIlson, D. *see* Khondker, A.N. 87—25291
Wilson, D. *see* Pitt, G.D. 85—62343
Wilson, D., Jr., Jacquez, A., Andker, D. Recent progress in millimeter-wave TunneLadder TWTs 85—50163
Wilson, D.C., Dudziak, D.J., Magelssen, G.R., Zuckerman, D.S., Driemeyer, D.E. Sensitivity of electricity cost to heavy-ion fusion target characteristics 88—48626
Wilson, D.C., Morgan, C.R., Shah, A.S. Improving quality and reliability in power supplies 86—26184
Wilson, D.C., Riepe, K.B., Ballard, E.O., Meyer, E.A., Shurter, R.P., Van Haaften, F.W., Humphries, S., Jr. Progress on the Los Alamos heavy-ion injector 87—50017
Wilson, D.D., Stewart, J.R. Switching surge characteristics of six-phase transmission lines 85—21228
Wilson, D.D., Stewart, J.R., Gnadt, P. 12-phase as a transmission alternative 88—69002
Wilson, D.E., Perry, M. Charge and adhesion measurements on dual component powder developers 88—27453
Wilson, D.E. *see* Gladney, G.A. 86—49407
Wilson, D.E. *see* Herndon, J.A. 85—42384
Wilson, D.G. Precision four-slide zinc die casting to meet today's high tech connector designs 87—17467
Wilson, D.G. *see* Coomes, E.P. 87—42177
Wilson, D.H. *see* Stapor, W.J. 86—35704
Wilson, D.J., Domingos, H., Hassan, M.M.S. Electrical overstress in NMOS silicided devices 88—51035
Wilson, D.J., Foord, R., Constant, G.D.J. Operation of an intermediate temperature detector in a 10.6 μm heterodyne rangefinder 87—41037
Wilson, D.J. *see* Constant, G.D.J. 87—3247
Wilson, D.J. *see* Weeks, D.F. 88—30508
Wilson, D.J. *see* Wilson, M.C. 87—21093
Wilson, D.L., Kuperman, G.G. Strategic avionics battle-management evaluation and research (SABER) 88—68677
Wilson, D.L. *see* Pruitt, J.S. 87—40537
Wilson, D.L. *see* Wayman, J.L. 88—27836
Wilson, D.M.A. *see* Barker, R.W. 87—20658
Wilson, D.N. *see* Astbury, A. 85—64463
Wilson, D.R. *see* Fernin, P. 88—74025
Wilson, D.R. *see* Magnusson, R. 87—68638
Wilson, D.R. *see* Tassou, S.A. 87—9952
Wilson, D.S. *see* Boyd, D.W. 86—61571
Wilson, D.S. *see* North, D.W. 87—63988
Wilson, D.S. *see* Pellegrin, J. 88—54150
Wilson, D.T. *see* Tancrell, R.H. 87—1808
Wilson, E. Transverse beam dynamics 86—44504
Wilson, E. Non-linearities and resonances 86—44505
Wilson, E. Linear coupling [particle beam dynamics] 86—44506
Wilson, E. *see* Ho, P. 87—37566
Wilson, E.A. Small business application of program management tools 85—5723
Wilson, E.A. Managing air flow through electronics cabinets 85—10507
Wilson, E.A. Designing a quiet air-cooling system 88—31491
Wilson, E.A. A finite element thermal analysis program for square shaped packages and subsequent experimental comparisons 88—49548
Wilson, E.G. Principles of a three dimensional molecular electronic memory 86—1599
Wilson, E.G. *see* Donovan, K.J. 85—24371, 86—63710
Wilson, E.J. *see* Collins, R.I. 85—3431
Wilson, E.J. *see* Windram, M.D. 87—13831
Wilson, E.J.N. Circular accelerators—transverse 87—50055
Wilson, E.J.N. *see* Carron, G. 88—53998
Wilson, E.J.N. *see* Chohan, V. 86—31936
Wilson, E.J.N. *see* Gervaise, J. 87—41723
Wilson, E.J.N. *see* Jones, E. 86—31932
Wilson, E.L., Sznaider, K.A., Jue, C. A planning solution for the semiconductor industry 88—1712
Wilson, E.M. Overview of tidal power 87—51078
Wilson, E.M., Jones, I.D. Regional assessment of small hydro potential in the UK 88—62240
Wilson, E.M. *see* Choy, C.T. 87—51069
Wilson, F. Screen payback on cogeneration system options 85—4559
Wilson, F. *see* Bialacki, J.A. 85—27615
Wilson, F.A. An introduction to satellite television 88—37830
Wilson, F.A. Audio. Elements of electronics - book 6 88—37831
Wilson, G. Vented or sealed batteries? 85—16207
Wilson, G. New battery technology for telephone exchanges 85—44159
Wilson, G. Creating low-power bipolar ECL at VLSI densities 86—57794
Wilson, G. Awaiting a powerful breakthrough [BETA battery and recombination electrolyte] 86—61707
Wilson, G. Quadratic programming analogs 87—195
Wilson, G. High performance bipolar VLSI—the only way 88—33369
Wilson, G., Bice, L. Graphics display technology in avionics 88—54831
Wilson, G. *see* Fraser, S.M. 87—35237
Wilson, G. *see* Glinski, S. 87—61667
Wilson, G. *see* Williams, T. 86—57846
Wilson, G.A. Setting the scene [cellular radio] 86—23761
Wilson, G.A. Market trends for gas recombination batteries 87—64774
Wilson, G.A. Batteries modernize for telco backup 88—24126
Wilson, G.A. *see* Darbyshire, A.G. 85—53175
Wilson, G.A. *see* Glinski, S.C. 87—62137, 88—6914
Wilson, G.A. *see* Putnins, Z.A. 86—17723
Wilson, G.C. The impact of metal cored multilayer boards for surface mounted devices 87—59982
Wilson, G.C., Kingsley, D.S. Substrates and assembly for surface mount technology 88—44479
Wilson, G.D. Build a simple anemometer 88—29513
Wilson, G.J., MacGregor, D.C., Feitler, D.A., Klement, P., Tillery, B.C., Miller, S.L. A comparison of macroporous and microporous pacing electrodes 87—50416
Wilson, G.J. *see* Miller, S.L. 86—38823, 87—50417
Wilson, G.R. FERC staff design review of hydroelectric projects 86—32917
Wilson, H. *see* Bachmann, P. 86—36233
Wilson, H. *see* Geittner, P. 86—476, 86—36234
Wilson, H. *see* Inoh, K. 86—11130
Wilson, H. *see* Stone, D. 86—61987, 86—62320, 87—23803
Wilson, H.R. Effect of solar spectral variation on solar cell short circuit current: results of long-term continuous measurements 88—17964
Wilson, H.R., Wittwer, V. Umwandlung von Sonnenenergie mit Fluoreszenzkollektoren: aufbau eines Testkollektors mit mehreren watt ausgangsleistung (Conversion of solar energy with fluorescent collectors: construction of a test collector with multi watt output efficiency) 86—51914
Wilson, H.R. *see* Hsieh, C.M. 85—34921
Wilson, I. 80386 pipelined architecture provides high system throughput 86—20610
Wilson, I. Address pipelining option provides bus flexibility 86—20613
Wilson, I. Intel's 80386—the architecture of a high performance 32-bit microprocessor 87—793
Wilson, I. Extending 80386 performance 87—66226
Wilson, I. A 32 bit processor architecture for embedded applications 88—70791
Wilson, I. *see* Garvey, T. 88—22899
Wilson, I. *see* Myers, S. 88—54169
Wilson, I.B. Achieving flexibility in assembly through technology and people 87—116
Wilson, I.G. *see* Bishop, H.W. 86—33430
Wilson, I.G. *see* Scott, J.B. 87—70135
Wilson, I.H. *see* Chereckdjian, S. 87—11924
Wilson, I.H. *see* Gill, S.S. 85—18232
Wilson, I.H. *see* Harper, R.E. 85—33454, 85—33456, 86—28036
Wilson, I.H. *see* Maydell-Ondrusz, E.A. 85—34629
Wilson, I.H. *see* Milosavljevic, M. 85—5975, 85—28218
Wilson, I.H. *see* Thornton, J. 87—38085, 88—57494
Wilson, I.H. *see* Webb, R.P. 87—6558
Wilson, I.J. *see* Zeiderman, M.R. 85—37988
Wilson, I.M. *see* Harder, N. 88—1508

Wilson, I.O. *see* Baker, H. 87−57646
Wilson, I.R. *see* Hopkins, T.P. 85−63143
Wilson, J. Lightning strike [effects and electronic equipment protection] 85−4687
Wilson, J. Plan for a unified data network 85−13919
Wilson, J. Marconi: a look at the past, present and future 85−14555
Wilson, J. Very stable power supply for a deuterium lamp 85−54650
Wilson, J. Battery operated thermistor thermometer for oral use 86−11766
Wilson, J. Satellite communications 86−17328
Wilson, J. Digitizing scopes: how they match up 87−3633
Wilson, J. Telecom's Iterra Network Service−the satellite alternative 87−62913
Wilson, J. Robotics for distribution systems 88−10886
Wilson, J., Roesli, H.P. Use of Doppler radar and radar networks in mesoscale analysis and forecasting 86−12167
Wilson, J. *see* Brown, D. 87−49194
Wilson, J. *see* Chamberlin, E.P. 87−57009
Wilson, J. *see* Gustafson, J. 87−705, 87−5813
Wilson, J. *see* Kokkinis, T. 88−26487
Wilson, J. *see* McMillan, R.W. 86−38957
Wilson, J. *see* Walmsley, S. 88−48263
Wilson, J.-N. *see* Ritter, G.X. 88−59284
Wilson, J.A., Cotton, V.A. Electrical properties of the SiO_2:HgCdTe interface 85−34653
Wilson, J.A., Cotton, V.A. Effects of H_2O on the SiO_2-HgCdTe interface 85−34662
Wilson, J.A. *see* Carey, G.P. 85−34568
Wilson, J.A. *see* Corden, M.J. 85−64462
Wilson, J.A. *see* Cotton, V.A. 86−8885
Wilson, J.A. *see* Friedman, D.J. 86−67680, 87−1300
Wilson, J.A. *see* Ksendzov, A. 87−6479, 88−32942
Wilson, J.A. *see* Laser, D. 85−1511
Wilson, J.A. *see* Silberman, J.A. 85−34841
Wilson, J.A. *see* Tsau, G.-H. 86−67760
Wilson, J.A. *see* Tsau, G.H. 86−35448
Wilson, J.C. Identifying the roadblocks to testability 87−24022
Wilson, J.C., Hewitt, J.S. Evaluation of a new Monte Carlo code (PEP-C) for predicting the efficiency of a small bismuth germanate detector to photons at energies to 10 MeV 85−43207
Wilson, J.C. *see* Parr, R.A. 87−29348
Wilson, J.C. *see* Yeh, Y.-S. 85−3363
Wilson, J.D. *see* Rahman, M.H. 87−28146
Wilson, J.D. *see* Trunk, G.V. 88−15508, 88−15710
Wilson, J.E., Bried, F. Electrical and instrumentation features of the Cortez and Choctaw CO_2 pipelines 87−36289
Wilson, J.E., Bried, F. Electrical and instrumentation features of the Cortez and Choctaw CO_2 pipelines 88−24300
Wilson, J.E., Bried, F. Electrical and instrumentation features of the Cortez and Choctaw CO_2 pipelines 88−31242
Wilson, J.E. *see* Curphey, D.R. 86−5170
Wilson, J.F. *see* Fancher, R.B. 86−50840
Wilson, J.G. *see* Roe, P.H.O'N. 85−3212
Wilson, J.G. *see* Whittington, H.W. 86−57503
Wilson, J.H. Earthquake precautions at Koeberg Nuclear Power Station 85−59888
Wilson, J.H. *see* Bishop, S.R. 85−5209
Wilson, J.H. *see* Sushnar, G.J. 85−60073
Wilson, J.I.B., Blanc, D. Plasma deposition of chalcogenide glass for infrared fibres 87−18717
Wilson, J.I.B. *see* Al Sabbagh, S.K. 88−36001
Wilson, J.I.B. *see* Al-Sabbagh, S.K. 88−65464
Wilson, J.I.B. *see* Binnie, T.D. 85−49578, 86−20081, 87−16687
Wilson, J.I.B. *see* Black, A. 87−23744
Wilson, J.I.B. *see* Cross, D. 87−25177
Wilson, J.I.B. *see* Hassan, Y.M. 87−74182
Wilson, J.I.B. *see* Manookian, W.Z. 86−63286, 88−7323
Wilson, J.I.B. *see* Milne, D. 87−23743, 88−25917
Wilson, J.J.W. *see* Brooks, S.R. 87−49172
Wilson, J.L., Jr. Electronic village: information technology creates new space 86−43406
Wilson, J.M. PBFA II energy storage section design 85−4181
Wilson, J.M. Modularizing and minimizing fault trees 86−13550
Wilson, J.M., Johnston, R.R. PBFA-II energy storage system configuration and characteristics 87−21327
Wilson, J.M. *see* Beex, A.A. 88−66265
Wilson, J.M. *see* Cook, D.L. 87−43208
Wilson, J.M. *see* Turman, B.N. 87−21311
Wilson, J.M. *see* Whiteley, R.V., Jr. 85−5347
Wilson, J.N. Communicating in luxury 85−30973
Wilson, J.N. *see* McLochlin, C. 88−3957, 88−22039
Wilson, J.N. *see* Ritter, G.X. 88−21324, 88−28052, 88−40938
Wilson, J.P., Zubrzycki, J.T., Shelswell, P. Novel 2-4 PSK differential demodulator for satellite broadcast receivers using SAW technology 85−651
Wilson, J.R. Power factor correction capacitors. II 85−42411
Wilson, J.R. Power factor correction capacitors: villains or victims. I 85−43560
Wilson, J.R., Taylor, J.D. Experiences with Waverider buoys in the Canadian wave climate study 85−4476
Wilson, J.R. *see* Clarke, J.R. 88−66174
Wilson, J.R. *see* Greene, G.J. 88−19323
Wilson, J.R. *see* Laasanen, A.T. 85−52986
Wilson, J.R. *see* Tovey, C.A. 88−46964
Wilson, J.S., Jer Yu Shang, D. FBC development in China 85−21446
Wilson, J.T., III Monolithic actuator for a matrix printer 85−1807
Wilson, J.W., Khandelwal, G.S. Proton dosimeter design for distributed body organs 85−64648
Wilson, J.W., Mueller, C. Thunderstorm nowcasting using Doppler radar and soundings 88−15589
Wilson, J.W., Reum, D. The flare echo: reflectivity and velocity signature 88−60246
Wilson, J.W. *see* Roberts, R.D. 88−15587
Wilson, J.W. *see* Stith, J.J. 87−16033
Wilson, J.W. *see* White, R.F. 85−29153
Wilson, J.W., Jr., Dobb, R.P., Gerl, W.T. R and D contracts and the issue of rights in resulting developments 85−22172
Wilson, K. Other circuit elements for MMICs 87−1729
Wilson, K. MMICs−design techniques and tools 87−1730
Wilson, K. Monolithic microwave integrated circuits 87−1731
Wilson, K. GaAs monolithic microwave integrated circuits 87−52827
Wilson, K., Hing, A. An MMIC PIN diode T/R switch 88−32468
Wilson, K., Nicholas, J.M.C., McDermott, G. A novel MMIC X-band phase shifter 85−23078
Wilson, K., Nicholas, J.M.C., McDermott, G., Burns, J.W. A novel MMIC X-band phase shifter 86−27598
Wilson, K. *see* Hughes, A.G. 86−53066
Wilson, K. *see* Nicholas, J.M.C. 85−17884
Wilson, K. *see* Thomas, L. 87−11033
Wilson, K.A., Tuxbury, P.L., Anderson, R.L. A simple analytical model for the electrical characteristics of depletion-mode MOSFETs with application to low-temperature operation 87−25287
Wilson, K.A. *see* Dente, G.C. 87−75196, 88−14166
Wilson, K.E. *see* Honda, K. 85−12642
Wilson, K.J., Henerson, J.C., Sutherland, R.R. Some problems in the correct failure analysis of plastic encapsulated semiconductor devices 86−63426
Wilson, K.J. *see* Sinnadurai, N. 85−50121
Wilson, L.A. *see* Bradley, D.A. 85−65357
Wilson, L.A. *see* O'brien, M.T. 86−44941
Wilson, L.D., Anyas-Weiss, N., Kupcis, O.A. A research planning process 88−49460
Wilson, L.H. Upgrading the IBM 370 control unit using a high end bit-slice processor 87−784
Wilson, L.O., Celler, G.K. Computer modeling of lateral epitaxial growth over oxide 86−13768
Wilson, L.O., Celler, G.K. Lateral epitaxial growth over oxide 86−20043
Wilson, L.O., Celler, G.K., Trimble, L.E. Deep melting of silicon wafers 86−63145
Wilson, L.R. An evaluation of digitally derived *K*-indices 87−57327
Wilson, L.S., Parks, K.J. Simulating simulators with computer based training 88−62949
Wilson, L.S. *see* Chen, C.F. 88−54521
Wilson, M. CAD service bureaus ease PCB design bottlenecks 85−11728
Wilson, M. Computer-integrated manufacturing in the printed circuit industry. II 86−20924
Wilson, M. Accelerators and superconductivity: a marriage of convenience. Second John Adams memorial lecture 87−77497
Wilson, M. Strategies for bridging the CAD autorouting capability gap 88−12739
Wilson, M. How to set up a telefacsimile network−the Pennsylvania libraries' experience 88−46515
Wilson, M. Low cost synthesised sources for VSAT frequency converter applications 88−50291
Wilson, M., Nap, K. Computer-integrated manufacturing in the printed circuit industry. I 86−14657
Wilson, M., Nap, K. Computer-integrated manufacturing in the printed circuit industry. III 86−27716
Wilson, M. *see* Barry, B.M. 88−22203
Wilson, M. *see* Hunt, P. 88−57629
Wilson, M. *see* Szygenda, S.A. 88−31577
Wilson, M.A. Modular simulation facility design 87−8970
Wilson, M.A. Automated threat environment for tactical simulators 88−17014
Wilson, M.A., Ayres, R.L., Cutler, R.I., Debenham, P.H., Lindstron, E.R., Mohr, D.L., Penner, S., Rose, J., Young, L.M., Stovall, J. Performance of the 5 MeV injector for the NBS-Los Alamos racetrack microtron 88−47791
Wilson, M.A., Cutler, R.I., Mohr, D.L., Penner, S., Young, L.M. Performance of the 100 keV chopper/buncher system of the NBS-Los Alamos RTM injector 86−32055
Wilson, M.A., Debenham, P.H., Penner, S., Bruce, S.S. Orbit reversing magnets for the NBS-Los Alamos racetrack microtron 88−54282
Wilson, M.A. *see* O'Brien, E.R. 88−30921
Wilson, M.A.D. *see* Debenham, P.H. 88−54279
Wilson, M.A.D. *see* Penner, S. 86−24905
Wilson, M.C., Dinsdale, D.J. CO_2 laser detection with cadmium mercury telluride 87−3624
Wilson, M.C., Dunn, W.A.E., Wilson, D.J. Infrared heterodyne detectors using cadmium mercury telluride at intermediate temperatures 87−21093
Wilson, M.C., Hunt, P.C., Duncan, S., Bazley, D.J. 10.7 GHz frequency divider using double layer silicon bipolar process technology 88−63602
Wilson, M.C., Jorgensen, N., Booker, G.R., Hunt, P.C. Electrical and microstructural investigation into the effect of arsenic emitter concentration on the enhanced gain polysilicon emitter bipolar transistor 86−41767
Wilson, M.C. *see* Jorgensen, N. 86−58461, 88−33188
Wilson, M.F., Woodruff, M.L. Economic benefits of part quality knowledge 86−214
Wilson, M.G.F. *see* Booth, R.C. 85−12565
Wilson, M.G.F. *see* Erasme, D. 86−68320, 87−7172, 87−54114, 87−74873, 88−72144
Wilson, M.G.F. *see* John, D. 87−74842, 88−60177
Wilson, M.G.F. *see* Stallard, M.M. 86−9618
Wilson, M.G.F. *see* Wilkinson, J.S. 85−2062
Wilson, M.J. *see* Aleksander, I. 86−3969
Wilson, M.J. *see* Gordon, L.B. 85−5300
Wilson, M.J.D. Stereopsis with adaptive windows 85−57463
Wilson, M.L., Bartnik, D.J., Bendett, M.P. Design of a totally dielectric fiber optic RF electric field sensor 88−67834
Wilson, M.L., Fritz, B.S. Design of a fiber optic read/write head for a military optical disk system 87−54069
Wilson, M.N. Superconducting synchrotrons for X-ray lithography 88−57573
Wilson, M.R., Kosel, P.B., Geesner, C. Rapid thermal annealing of implanted layers for GaAs MESFETs and CCDs 87−18186
Wilson, M.R., Kosel, P.B., Shen, Y.D., Welch, B.M. Rapid thermal annealing of implanted layers in silicon nitride encapsulated gallium arsenide 88−19778
Wilson, M.R. *see* Kosel, P.B. 85−23824, 85−31382, 85−37486
Wilson, M.R. *see* Shen, Y.D. 88−20086
Wilson, M.R. *see* Thompson, D.S. 88−23507
Wilson, N. Testing flash A/D converters 88−6941
Wilson, N. *see* Beattie, J.M. 85−59295
Wilson, N.D., Rappaport, S.S. Cellular mobile packet radio using multiple-channel CSMA 86−4501
Wilson, N.D., Rappaport, S.S. Cellular mobile radio using multiple channel CSMA 86−10998
Wilson, N.D., Rappaport, S.S., Robertazzi, T.G. A model for distributed scan channel multiple access 86−54637
Wilson, N.D., Rappaport, S.S., Vasudevan, M.M. A rapid acquisition scheme for spread spectrum radio in a fading environment 87−39829
Wilson, N.D., Rappaport, S.S., Vasudevan, M.M. Rapid acquisition scheme for spread-spectrum radio in a fading environment 88−28642
Wilson, N.G. Management of vacuum leak-detection processes, calibration and standards 85−58937
Wilson, N.G. Vacuum system design considerations of the Los Alamos accelerator test stand (ATS) 87−41751
Wilson, N.G., Precechtel, D. Mechanical design and fabrication of a 425-MHz H^- buncher 88−54353
Wilson, O.J., Young, B.F. Radiation safety evaluation of a hand-held, battery operated image intensifier 88−10456
Wilson, O.J., Young, B.F. Radiation safety evaluation of the lixiscope 88−16800
Wilson, P. Structures for group working in mailbox systems 85−3053
Wilson, P. Protecting the machinery as well as the motor 85−16284
Wilson, P. Highly concurrent systems using the transputer 85−17529
Wilson, P. Structures for mailbox system applications 85−25357
Wilson, P. The transputer−a general purpose multiprocessing component 85−45108
Wilson, P. Digital signal processing with the IMS T424 transputer 85−45795
Wilson, P. Voice response systems for data communications 85−57601
Wilson, P. World trends in standards for motor control gear 86−12994
Wilson, P. Highly concurrent systems using the transputer 86−27372
Wilson, P. The INMOS IMS T424 transputer 86−27375

Wilson, P. The IMS T424—an architecture for concurrency 86—41161
Wilson, P. The IMS G412 graphics processor 86—46893
Wilson, P. A RISC-like VLSI architecture 86—46905
Wilson, P. The transputer—a general purpose multiprocessing component 87—10924
Wilson, P. Electromagnetic compatibility in telecommunications: An appraisal of the telecommunications situation 87—12759
Wilson, P. Power transistor developments for colour CRT deflection 87—38198
Wilson, P. The CPU wars [CPU architectures] 88—44178
Wilson, P. Requirements for mailbox group working 88—46490
Wilson, P. Key issues in structured messaging 88—59533
Wilson, P. *see* Henderson, R. 87—41841
Wilson, P. *see* Yu, S.S. 86—32016
Wilson, P.A. Commercial electronic mailbox systems 86—13270
Wilson, P.A., Maude, T.I., Marshall, C.J., Heaton, N.O. The active mailbox—your on-line secretary 85—25356
Wilson, P.A. *see* Maude, T.I. 85—3054
Wilson, P.B. High pulse power RF sources for linear colliders 85—26638
Wilson, P.B. Linear accelerators for TeV colliders 86—5642
Wilson, P.B. Future e^+e^- linear colliders and beam-beam effects 87—41794
Wilson, P.B. *see* Farkas, Z.D. 88—54041
Wilson, P.B. *see* Garwin, E.L. 86—32012
Wilson, P.B. *see* Ruth, R.D. 86—18207
Wilson, P.C. Electromagnetic compatibility: Sources and levels of disturbances in the telecommunications environment 86—59103
Wilson, P.C., Coppinger, J.M. Electromagnetic compatibility in the telecommunication situation 85—63221
Wilson, P.D. FiberWay [fibre optic LAN] 87—69685
Wilson, P.D. *see* Cousins, S.H. 85—27752, 85—39284
Wilson, P.F. A comparison between near-field shielding-effectiveness measurements based on coaxial dipoles and electrically small apertures 88—40590
Wilson, P.F., Adams, J.W., Ma, M.T. Measurement of the electromagnetic shielding capabilities of materials 86—36807
Wilson, P.F., Chang, D.C. Mode coupling by a longitudinal slot for a class of planar waveguiding structures. I. Theory 86—10145
Wilson, P.F., Chang, D.C. Mode coupling by a longitudinal slot for a class of planar waveguiding structures. II. Applications 86—10146
Wilson, P.F., Chang, D.C., Ma, M.T. Input impedance of a probe antenna in a TEM cell 85—19171
Wilson, P.F., Ma, M.T. Shielding effectiveness measurements with a dual TEM cell 85—62803
Wilson, P.F., Ma, M.T. Small obstacle loading in a TEM cell 86—3608
Wilson, P.F., Ma, M.T. Factors influencing material shielding effectiveness measurements 86—29447
Wilson, P.F., Ma, M.T. Simple approximate expressions for higher order mode cutoff and resonant frequencies in TEM cells 86—63947
Wilson, P.F., Ma, M.T. Shielding effectiveness measurements using an apertured TEM cell in a reverberation chamber 87—26841
Wilson, P.F., Ma, M.T. Techniques for measuring the shielding effectiveness of materials 88—2631
Wilson, P.F., Ma, M.T. Techniques for measuring the electromagnetic shielding effectiveness of materials. II. Near-field source simulation 88—72578
Wilson, P.F., Ma, M.T., Adams, J.W. Techniques for measuring the electromagnetic shielding effectiveness of materials. I. Far-field source simulation 88—72577
Wilson, P.F., Ondrejka, A.R., Ma, M.T., Ladbury, J.M. Electromagnetic fields radiated from electrostatic discharges theory and experiment 88—72492
Wilson, P.F. *see* Martzloff, F. 88—8526
Wilson, P.G., Palmer, J.H. Design of millimetre-wave monolithic balanced diode mixer 88—44381
Wilson, P.G.A. Getting the most out of your contactor 87—32126
Wilson, P.J., Puetz, J.M., Dankberg, M.D. The transmission of in-band signaling for medium band voice codec implementations 86—17062
Wilson, P.J., Puetz, J.M., McCree, A.V., Wang, D.T. An integrated voice codec and echo canceller implemented in a single DSP processor 87—17150
Wilson, P.S. Power transistor developments for colour CRT deflection 87—14137
Wilson, Q.C. Portable and mobile antennas for frequency agile HF systems 85—30109
Wilson, Q.C. Developments in HF equipment and systems: mobile and portable terminals 87—13624
Wilson, R. LAN interface with Cheapernet ICs 85—52124
Wilson, R. The physics of driving backplane buses 86—35143
Wilson, R. From signals to symbols—the inference structure of perception 86—43275
Wilson, R. Designing a high-performance disk controller 86—52924
Wilson, R. 10-MHz DRAM controller simplifies interfaces 86—62588
Wilson, R. Backplane buses: physical basis and choice of drivers 87—66614
Wilson, R. Finite prolate spheroidal sequences and their applications. I. Generation and properties 88—14768
Wilson, R. The role of the video shift register in a graphics architecture 88—16267
Wilson, R. VLSI architecture for graphics 88—32237
Wilson, R. Floating-point processor serves coprocessor and data-path machines 88—38546
Wilson, R. New CPUs spearhead Intel attack on embedded computing 88—44183
Wilson, R. Newest floating-point processors blur architectural distinctions 88—44184
Wilson, R. A novel nuclear ionization device employing a pulsed electric field 88—49512
Wilson, R. Motorola unveils new RISC microprocessor flagship 88—50156
Wilson, R. New PLD architectures deliver needed flexibility 88—63591
Wilson, R. 8-bit processors demand attention as integration, speed evolve to new levels 88—63690
Wilson, R. Printer controller ICs take on PDL bottlenecks 88—63691
Wilson, R. Potential for digital and optical video in broadcast facility distribution systems 88—74129
Wilson, R., Araj, K.J., Allen, A.O., Auev, P., Boulware, D.G., Finlayson, F., Goren, S., Ice, C., Lidofsky, L., Sessoms, A.L., Shoaf, M.L., Spiewak, I., Tombrello, T., Gutowsky, H.S., Acrivos, A., Feshbach, H., Fowler, W.A. Report to the American Physical Society of the study group on radionuclide release from severe accidents at nuclear power plants 86—6479
Wilson, R., Granlund, G.H. The uncertainty principle in image processing 85—19523
Wilson, R., Martin, I. Local networks. II. 'Cheapernet' complying with the IEEE 802.3 standard 86—69402
Wilson, R., Rodriguez, R. A computerized three dimensional approach to beam measurement and analysis 87—50101
Wilson, R., Spann, M. Finite prolate spheroidal sequences and their applications. II. Image feature description and segmentation 88—41031
Wilson, R., Vivian, G.A., Chase, W.J., Armitage, G., Sennema, L.J. Occupational dose reduction experience in Ontario Hydro nuclear power stations 86—51217
Wilson, R. *see* Beard, D.J. 88—11647
Wilson, R. *see* Brown, D. 86—2257
Wilson, R. *see* Brown, D.M. 87—38155
Wilson, R. *see* Burba, M.E. 87—11849
Wilson, R. *see* Donnelly, T. 86—28690, 86—36046, 88—7796
Wilson, R. *see* Gee, M.A. 87—4304
Wilson, R. *see* Spann, M. 86—3986, 87—33612
Wilson, R.A. *see* Beck, W.A. 87—37944
Wilson, R.A. *see* Chao, P.C. 87—60686
Wilson, R.A. *see* McClintock, J.A. 87—36721
Wilson, R.A.J. Internal financing through effective tax strategies 85—10391
Wilson, R.B., Besomi, P., Nelson, R.J. Investigation of melt carry-over during liquid phase epitaxy. I. Growth of indium phosphide 85—33442
Wilson, R.B. *see* Ackley, D.E. 87—46897
Wilson, R.B. *see* Besomi, P. 85—33443
Wilson, R.B. *see* Dutta, N.K. 85—2286, 85—2334, 85—7428, 86—22369
Wilson, R.B. *see* Forrest, S.R. 85—18127, 86—35395
Wilson, R.D. Study for decommissioning coal-fired power plants 85—9742
Wilson, R.E. Low cost CAD for printed circuit board design and artwork 86—27014
Wilson, R.E. A gap correction for HAWT blades 87—57985
Wilson, R.E. *see* Joy, E.B. 86—65767
Wilson, R.G. Lateral spread of ion implants in GaAs 86—2026
Wilson, R.G. Random and channeled implantation profiles and range parameters for P and Al in crystalline and amorphized Si 87—11606
Wilson, R.G. Characterization of depth profiles and redistribution during thermal processing of aluminum implanted into silicon 87—32393
Wilson, R.G. Bounds on coder performance derived from the uncertainty principle 87—33771
Wilson, R.G. Ion implantation and SIMS profiling of impurities in II-VI materials (HgCdTe and CdTe) 88—33003
Wilson, R.G. Space station appliances: design problems encountered during the development of ground test units 88—54693
Wilson, R.G., Betts, D.A., Sadana, D.K., Zavada, J.M., Hunsperger, R.G. Proton, deuteron, and helium implantation into GaAs and $LiNbO_3$ for waveguide fabrication 85—50921
Wilson, R.G., Clamp, T. Turbine governing requirement within the CEGB 87—51028
Wilson, R.G., Jamba, D.M., Betts, D.A. Ion implantation in $LiNbO_3$ 85—24331
Wilson, R.G., Jamba, D.M., Ingram, D.C., Pronko, P.P., Thompson, P.E., Novak, S.W. Ranges, straggles and shape factors of 20 keV through 6 MeV random and channelled Si implants into GaAs, unannealed and annealed 88—57493
Wilson, R.G., Knutsson, H., Granlund, G.H. Image orientation estimation and its applications 85—51817
Wilson, R.G., McMillan, R. The automatic operation of 11 kV distribution switchgear 86—56920
Wilson, R.G., Novak, S.W. Implant profiles in GaP, GaAs, InP, and InSb: influence of furnace and rapid thermal annealing 88—13109
Wilson, R.G. *see* Clippingdale, S.C. 87—75949
Wilson, R.G. *see* Fowkes, A.R. 87—4584
Wilson, R.G. *see* McMillan, R. 87—50790, 88—17791
Wilson, R.G. *see* Novak, S.W. 88—56266
Wilson, R.G. *see* Sadana, D.K. 87—11599
Wilson, R.G. *see* Thompson, P.E. 88—44552
Wilson, R.G. *see* Wysocki, J.A. 88—58048, 88—58120
Wilson, R.G. *see* Zavada, J.M. 85—40602
Wilson, R.G. *see* Zeisse, C.R. 85—34811
Wilson, R.H., Piacente, P.A. Effect of circuit structure on planarization resist thickness 85—40849
Wilson, R.H., Piacente, P.A. Effect of planarization on VLSI processing 86—53756
Wilson, R.H., Piacente, P.A. Effect of circuit structure on planarization resist thickness 86—58536
Wilson, R.H., Sakata, T., Kawai, T., Hashimoto, K. Analysis of the transient response of a semiconductor-electrolyte circuit to a short light pulse: application to CdSe electrodes 85—55612
Wilson, R.H., Stoll, R.W., Calacone, M.A. Highly selective, high rate W deposition for via filling 86—28456
Wilson, R.H., Stoll, R.W., Calacone, M.A. Highly selective, high rate tungsten deposition 87—5485
Wilson, R.H., Williams, A.G. New insights on nucleation of tungsten on insulators during selective chemical vapor deposition 87—46045
Wilson, R.H. *see* Brown, D.M. 87—45832
Wilson, R.H. *see* Chow, R. 87—65574
Wilson, R.H. *see* Gorowitz, B. 88—13520
Wilson, R.H. *see* Kang, S. 88—57505
Wilson, R.H. *see* Woodruff, D.W. 87—5511
Wilson, R.J. *see* Chiang, S. 87—11318
Wilson, R.J. *see* Cleveland, J.W. 85—48685
Wilson, R.M. *see* Frankl, P. 88—49603
Wilson, R.M. *see* Sharma, A.K. 86—43008
Wilson, R.M. *see* van Lint, J.H. 86—48766, 86—59218
Wilson, R.W. *see* Valenzuela, R.A. 88—58524
Wilson, S. The sky's the limit: a technology primer [library education] 87—72729
Wilson, S., Borg, N.B. Special-purpose diodes 86—21494
Wilson, S. *see* Ang, S. 87—65551
Wilson, S. *see* Gibbons, J.F. 88—12031, 88—38260
Wilson, S. *see* Kirlin, R.L. 86—16429
Wilson, S. *see* Rasure, J. 88—28010
Wilson, S. *see* Wunsch, C. 86—12187
Wilson, S.B. An interactive computer based telephony trainer 88—11655
Wilson, S.B. Modal analysis of the 'gap effect' in waveguide dielectric measurements 88—42251
Wilson, S.B., Anderson, J.M. The applicability of LOWTRAN 5 computer code to aerial thermographic data correction 86—50735
Wilson, S.B. *see* Banks, P.J. 86—16598
Wilson, S.D., Reed, T. Beam and spot profile measurement methods for optical storage systems 85—51234
Wilson, S.D. *see* Gronet, C.M. 87—58967
Wilson, S.D. *see* King, C.A. 88—50791
Wilson, S.D. *see* Sturm, J.C. 87—11785
Wilson, S.G. Rate 5/6 trellis-coded 8-PSK 87—19393
Wilson, S.G. Bandwidth-efficient modulation and coding: a survey of recent results 87—27151
Wilson, S.G., Lakshman, M. Autocorrelation and power spectrum of Hadamard signalling 88—52327
Wilson, S.G., Leung, Y.S. Trellis-coded phase modulation on Rayleigh channels 88—2932
Wilson, S.G., Sleeper, H.A., II, Schottler, P.J., Lyons, M.T. Rate 3/4 convolutional coding of 16-PSK: code design and performance study 85—19339
Wilson, S.G., Sleeper, H.A., Srinath, N.K. Four-dimensional modulation and coding: an alternate to frequency-reuse 85—19313
Wilson, S.G. *see* Lyons, M.T. 86—23820
Wilson, S.G. *see* Mulligan, M.G. 85—30176
Wilson, S.G. *see* Pizzi, S.V. 85—25027
Wilson, S.G. *see* Rhodes, R.B., Jr. 87—39585

Wilson, S.G. *see* Ryan, W.E. 88–27808
Wilson, S.J. Hollow core glass waveguides 88–39971
Wilson, S.J., Jenkins, R.M., Devereux, R.W.J. Hollow-core silica waveguides 87–32944
Wilson, S.L., Hofstadter, R., Hughes, E.B., Lin, Y.C., Parks, R., Ritter, M.W., Rolfe, J., Bolton, R.D., Bowman, J.D., Cooper, M.D., Frank, J.S., Hallin, A.L., Heusi, P., Hoffman, C.M., Hogan, G.E., Mariam, F.G., Matis, H.S., Mischke, R.E., Nagle, D.E., Piilonen, L.E., Sandberg, V.D., Sanders, G.H., Sennhauser, U., Werbeck, R., Williams, R.A., Grosnick, D.P., Wright, S.C., McDonough, J. Design and performance of modularized NaI(Tl) detectors with rectangular crystal elements: an array of 49 and the Crystal Box 88–29827
Wilson, S.R. Transient annealing of ion implanted semiconductor materials 85–34462
Wilson, S.R. Rapid thermal processing for applications to devices and circuits 85–61822
Wilson, S.R. Present status of ion implantation and rapid thermal processing in the fabrication of integrated circuits 87–18294
Wilson, S.R. Image restoration techniques 88–28012
Wilson, S.R., Al-Jumaily, G.A., McNeil, J.R. Nonlinear characteristics of a stylus profilometer 88–47682
Wilson, S.R., Gregory, R.B., Paulson, W.M. An overview and comparison of rapid thermal processing equipment. A user's viewpoint 87–11585
Wilson, S.R., Gregory, R.B., Paulson, W.M., Krause, S.J., Gressett, J.D., Hamdi, A.H., McDaniel, F.D., Downing, R.G. Properties of ion-implanted polycrystalline Si layers subjected to rapid thermal annealing 85–45548
Wilson, S.R., Mattox, R.J. CVD tungsten metallization and electron beam lithography for fabricating submicron interconnects for advanced ULSI 88–71743
Wilson, S.R., Paulson, W.M., Gregory, R.B. Rapid annealing technology for future VLSI 85–55647
Wilson, S.R., Paulson, W.M., Gregory, R.B., Lamartine, B.C., Leavitt, J.A., McIntyre, L.C., Jr., Seerveld, J.L. Amorphization implants and low temperature rapid thermal processing to form low sheet resistance, shallow junction, boron implanted layers 87–60283
Wilson, S.R., Paulson, W.M., Krolikowski, W.F., Fathy, D., Gressett, J.D., Hamdi, A.H., McDaniel, F.D. Characterization of N-type layers formed in Si by ion implantation of hydrogen 85–18234
Wilson, S.R., Paulson, W.M., Varker, C.J., Lowe, A., Gregory, R.B., Reuiss, R.H., Wu, S.Y., Whitfield, J.D. Transient annealing of boron implanted devices 85–12104
Wilson, S.R., Thomas, S., Krause, S.J. Applications of electron microscopy to the analysis of processed Si devices and materials 88–32765
Wilson, S.R. *see* Aston, C.E. 85–287
Wilson, S.R. *see* Burnham, M.E. 86–2014
Wilson, S.R. *see* Gregory, R.B. 87–11341
Wilson, S.R. *see* Holland, O.W. 85–50299
Wilson, S.R. *see* Krause, S.J. 85–6807, 87–6569, 87–17925, 87–17931, 88–32955
Wilson, S.R. *see* Whitfield, J. 87–11340
Wilson, S.R. *see* Whitfield, J.D. 88–39246
Wilson, S.R., Powell, R., Davies, D.E. *(editor)* Rapid Thermal Processing of Electronic Materials. Symposium 88–43592
Wilson, S.T., Urquhart, R.B., Bishop, M.D., Parmar, K., Bawa, V. A VLSI chip set for rank order filtering 87–44948
Wilson, T. Theory and practice of scanning optical microscopy 85–22151
Wilson, T. Solid state noise sources from 26GHz to 100GHz 87–11068
Wilson, T. Scanning optical microscopy 87–28952
Wilson, T. Scanning optical microscopy and integrated circuits 88–39596
Wilson, T. Scanning optical microscopy 88–70106
Wilson, T., McCabe, E.M. Optical beam induced current imaging of dislocations in semiconductors 87–32219
Wilson, T., McCabe, E.M. The effect of bias on optical beam induced current imaging of defects in planar and Schottky junction devices 88–19916
Wilson, T., Pester, P.D. The effect of scan velocity on the measurement of semiconductor parameters by optical-beam excitation 87–60146
Wilson, T., Pester, P.D. An analysis of the photoinduced current from a finely focused light beam in planar p-n junctions and Schottky-barrier diodes 87–61015
Wilson, T., Sheppard, C.J.R. Observations of dislocations and junction irregularities in bipolar transistors using the OBIC mode of the scanning optical microscope 87–18103
Wilson, T. *see* Cabe, E.M.M.C. 88–37943
Wilson, T. *see* Hamilton, D.K. 87–60383, 88–8073
Wilson, T. *see* Heaton, J.M. 85–7551
Wilson, T. *see* Reeder, T. 87–1774
Wilson, T. *see* Solymar, L. 85–35857
Wilson, T. *see* Zue, V.W. 87–19463
Wilson, T.C. *see* Silio, C., Jr. 87–55801
Wilson, T.G. *see* Niemela, V.A. 88–75777
Wilson, T.G. *see* Sloane, T.H. 87–16815
Wilson, T.G. *see* Thottuvelil, V.J. 85–24177, 86–9415
Wilson, T.G. *see* Urling, A.M. 87–44564
Wilson, T.G. *see* Wong, R.C. 85–573, 86–12929, 87–72245
Wilson, T.G., Jr. Life after the schematic: the impact of circuit operation on the physical realization of electronic power supplies 88–56451
Wilson, T.G., Jr. *see* McArdle, J. 86–12917, 87–36978
Wilson, T.J. *see* Vallett, D.P. 85–54903
Wilson, T.L. Electric process heating committee activities in international interference limits setting–A report 87–43654
Wilson, T.L. *see* Snidow, N.L. 85–59914
Wilson, T.L. *see* Weinberg, D.I. 87–28769
Wilson, T.M., Halliburton, L.E., Jani, M.G., Martin, J.J. Computer modeling of point defects in quartz 87–32760
Wilson, T.M. *see* Martin, J.J. 87–32761
Wilson, V.E. *see* Hoare, J.W. 88–4875
Wilson, V.R. *see* Taylor, E.W. 88–65358
Wilson, W. The implication of CDROM for electronic publishers 86–38101
Wilson, W. *see* Turlo, Z. 85–31134
Wilson, W.B., Massoud, H.Z., Swanson, E.J., George, R.T., Jr., Fair, R.B. Measurement and modeling of charge feedthrough in n-channel MOS analog switches 86–35870
Wilson, W.C. *see* Duncan, S. 88–71535
Wilson, W.D. *see* Barazesh, B. 86–70635, 87–15188
Wilson, W.E. *see* Criswell, T.L. 88–26493
Wilson, W.G. *see* Goruganthu, R.R. 85–26711
Wilson, W.G. *see* Kwiatkowski, K. 85–4237
Wilson, W.H. *see* Holloway, D.C. 87–26558
Wilson, W.J., Aplevich, J.D. Co-ordinated governor/exciter stabilizer design in multi-machine power systems 87–9090
Wilson, W.J., Haward, R.J., Ibbott, A.C., Parks, G.S., Ricketts, W.B. Millimeter-wave imaging sensor 87–8541
Wilson, W.J., Howard, R.J., Ibbott, A.C., Parks, G.S., Ricketts, W.B. Millimeter-wave imaging sensor 87–15034
WIlson, W.J., Ibbott, A.C., Parks, G.S., Ricketts, W.B. MM-wave imaging sensor produces moderate-resolution images 87–42268
Wilson, W.J. *see* Im, K.E. 88–5173
Wilson, W.J. *see* Le, L.X. 88–69317
Wilson, W.J. *see* Seuss, H. 88–28086
Wilson, W.J. *see* Zhou, R.J. 85–48506
Wilson, W.L. *see* Guo Zhenhua 85–18838
Wilson, W.L. *see* Marowsky, G. 85–56478
Wilson, W.L. *see* Tittel, F.K. 85–12771
Wilson, W.L. *see* Zhu, Y. 87–7251
Wilson, W.L., Jr., Tittel, F.K., Nighan, W. Broadband tunable excimer lasers 85–41317
Wilson, W.L., Jr. *see* Marowsky, G. 86–9725
Wilson, W.L., Jr. *see* Nighan, W.L. 85–7348, 87–38979, 88–8136
Wilson, W.L., Jr. *see* Sauerbrey, R. 85–51094, 87–61204
Wilson, W.L., Jr. *see* Sauerbrey, R.A. 86–42472
Wilson, W.L., Jr. *see* Stiegler, H. 87–68395
Wilson, W.L., Jr. *see* Tittel, F.K. 87–12363
Wilson, W.L., Jr. *see* Zhenhua, G. 85–12774
Wilson, W.L., Jr. *see* Zhu, Y. 88–14074
Wilson, W.T. *see* MacLean, D.J. 87–48646
Wilson, W.W. *see* Srikantaiah, D.V. 85–20757, 88–53940
Wilson Kaplan, K. Southern Bell's ISDN rollout 87–40250
Wilson Whitehead, T., Guion, M.R. An evaluation of fiber optic connectors for LAN applications 88–13871
Wilt, D. *see* Cheng, J. 86–1855 to 1856
Wilt, D.F., Roach, J.K. Threshold decoding for a slow-frequency-hopped multiple-access communication system 86–49162
Wilt, D.M., Warner, J.D., Aron, P.R., Pouch, J.J., Hoffman, R.W., Jr Laser induced OMCVD growth of AlGaAs on GaAs 88–37442
Wilt, D.P., Karlicek, R.F., Strege, K.E., Dautremont-Smith, W.C., Dutta, N.K., Flynn, E.J., Johnston, W.D., Jr., Nelson, R.J. InGaAsP/InP $\lambda=1.3\ \mu$m channelled substrate buried heterostructure lasers with vapor phase epitaxial current confinement layers 85–2344
Wilt, D.P., Yen, R., Wessel, T., Besomi, P., Brown, R.L., Cella, T., Dutta, N.K., Anthony, P.J. Single longitudinal mode distributed feedback double channel planar buried heterostructure 1.55 μm InGaAsP/InP lasers 85–51195
Wilt, D.P. *see* Antreasyan, A. 86–3157, 86–9832, 86–36485, 86–68536
Wilt, D.P. *see* Bowers, J.E. 85–29805, 85–35754, 85–41393, 85–56608, 86–15697, 86–68532
Wilt, D.P. *see* Dutta, N.K. 86–22369
Wilt, D.P. *see* Gnauck, A.H. 86–23873
Wilt, D.P. *see* Huo, D.T.C. 88–26064, 88–57477
Wilt, D.P. *see* Koch, T.L. 85–2319, 85–12850, 85–56606
Wilt, D.P. *see* Lee, T.P. 85–12852, 85–18927
Wilt, D.P. *see* Temkin, H. 87–12455
Wilt, D.P. *see* Tsang, W.T. 88–34029
Wilt, P.M. *see* Ciholas, M.E. 87–77433
Wilton, A.C.De *see* De Wilton, A.C.
Wilton, C.G. Price PM–an indispensable tool for the parametrician/scheduler 86–66592
Wilton, D.R., Singh, S. Analysis of an infinite periodic array of slots with dielectric loading 86–42944
Wilton, D.R. *see* Bhattacharya, S. 87–75594
Wilton, D.R. *see* Glisson, A.W. 88–8462
Wilton, D.R. *see* Govind, S. 85–19110
Wilton, D.R. *see* Johnson, W.A. 86–42720
Wilton, D.R. *see* Richards, W.F. 88–2540
Wilton, D.T. *see* Mapps, D.J. 85–45999
Wilton, J.A. Structuring learning networks: the possibilities for networked software 86–37544
Wilton, P. The Sony 3/4-inch digital audio system 88–15869
Wilton, R. Microcomputers in NASA's SIR-B 85–53199
Wilton, R. Progress in transducer development [for hearing aids] 87–4024
Wiltschut, J., Breems, G.A. Real-time digital matched filter for radar pulse compression 86–59945
Wiltse, J.C. History of millimeter and submillimeter waves 85–232
Wiltse, J.C. Terrestrial millimeter wave communications 85–7634
Wiltse, J.C. Near-millimeter waves 85–28678
Wiltse, J.C. Millimeter-wave technology and system applications 86–1336
Wiltse, J.C. The Fresnel zone-plate lens 86–35073
Wiltse, J.C., Black, D.N. Solutions for elliptical waveguide configurations 88–928
Wiltse, J.C. *see* Black, D.N. 87–73641, 88–2769, 88–27500
Wiltshire, A. The application of photon counting to optical fibre fault location 85–63715
Wiltshire, A. How effective is your OTDR? 86–15450
Wiltshire, A. Digital time domain fault analysis techniques [fibre optic systems] 86–30843
Wiltshire, A. Fault location in optical fibres 86–36141
Wiltshire, A. Locating optical fibre faults 86–53940
Wiltshire, B. Optical cables installed with compressed air 88–15463
Wiltshire, B., Reeve, M.H. A review of the environmental factors affecting optical cable design 88–33637
Wiltshire, B. *see* Freeman, R.A. 87–70030
Wiltshire, L. Mix 'n' match at Land Rover [LAN] 88–3501
Wiltshire, L.G. Evaluating voice messaging as a cost effective business tool 86–23360
Wiltshire, M.C.K., Lewis, M.R. A method for analysing elliptically polarised light over a range of wavelengths 87–70832
Wiltshire, R.A.P. The preparation and calibration of californium-252 sources 85–59124
Wilwerding, D. *see* Hencke, H. 88–74468
Wilwerding, D.J. A comparison between image-sensor systems in linear and matrix techniques 87–70650
Wilwerding, D.J. Comparison between linear and matrix vision systems 88–60764
Wily, H.A.L. The cost of losses, in relation to the new bulk supply tariff 86–50868
Wily, H.A.L. Some economic aspects of urban reticulation 86–50869
Wimbauer, T. *see* Schembs, W. 88–71773
Wimberly, P.M., III *see* Clark, T.A. 87–71788
Wimer, S., Koren, I. Constructive placement of general blocks in VLSI under uncertainties in the position of ports 87–36910
Wimer, S., Koren, I. Analysis of strategies for constructive general block placement 88–39562
Wimer, S., Koren, I., Cederbaum, I. Floorplans, planar graphs, and layouts 88–38316
Wimer, S., Koren, I., Cederbaum, I. Optimal aspect ratios of building blocks in VLSI 88–64716
Wimer, S., Pinter, R.Y., Feldman, J.A. Optimal chaining of CMOS transistors in a functional cell 87–38558
Wimer, S., Pinter, R.Y., Feldman, J.A. Optimal chaining of CMOS transistors in a functional cell 88–1794
Wimer, S. *see* Bar-Yehuda, R. 88–44881
Wimmel, K.-H. *see* Bruckner, G. 87–64025
Wimmer, A. *see* Bach, F. 87–63304
Wimmer, H.W. The motor protection device as an essential part of the 'increased safety' protection concept 85–21615
Wimmer, J. *see* Bechstedt, U. 86–31865
Wimmer, K. Oscilloscopes for analogue measurements in digital systems. II. Data flow 'under the analog microscope' 85–58736
Wimmer, K. *see* Fischer, L. 87–69991
Wimmer, L. *see* Egerbacher, H. 88–23723
Wimmer, L. *see* Hertl, S. 86–9366, 86–42063
Wimmer, M. The development of electromagnetic interference design guidelines for switched mode power supplies examples and case studies 87–12758

Wimmer, W. Using barrier graphs for deadlock prevention in communication network 85−2918
Wimmer, W. *see* Brand, K.P. 86−66214, 87−72171
Wimmer, W. *see* Fruhauf, K. 85−26938
Wimmers, J.T., Smith, D.S. Optimization of indium antimonide detectors for use at liquid helium temperatures 85−47973
Wimmers, J.T. *see* Bailey, G.C. 87−49762
Wimmershoff, R. Constant visualisation of water trees in PE or XLPE cable insulations with the aid of scanning 87−50837
Wimmersperg, U.von *see* von Wimmersperg, U.
Wimp, D. *see* Tham, K. 85−753
Wimp, J., Kline, R., Galardi, A. Algorithms based on difference equations of infinite order and the computation of Laplace-type integrals 86−57393
Wimpee, L.C., Sturtz, J.P., Shirayama, S., Itoh, T. Wide-range neutron monitor 85−4225
Wimperis, J.R. *see* Shepherd, G.G. 85−53156
Winacott, E.L. An experimental investigation of skywave sea-state radar techniques at a latitude near the auroral zone 86−65528
Winand, U. *see* Otremba, G. 87−27788
Winard, H. Focus on monolithic precision op amps 85−11028
Winard, H. Focus on DC-DC converters 85−32591
Winard, H. Focus on RF connectors 85−50025
Winard, H. Using improved materials, precision resistors set performance records 85−55185
Winard, H. A host of benefits keep flexible circuits wrapped up in their work 85−55242
Winard, H. Smart ATE sets stage for enhanced designing 86−31170
Winard, H. Multipliers increase word size while cutting power consumption 86−34916
Winard, H. ICs match control needs of brushless DC motors. Spurred by personal computer peripherals, chips are increasingly consolidating the control and drive functions demanded in brushless motors 86−39813
Winard, H. Low-loss fiber-optic connectors take to simple field installation 86−59893
Winard, H. Focus on surface-mounted electrolytic capacitors 86−67527
Winard, H. Standard-cell libraries expand 87−5736
Winard, H. Microcontrollers ease real-time tasks 87−24216
Winard, H. Control of brushless motors 87−43110
Winarske, T. *see* Rauch, H.E. 88−52708
Winarske, T.P. *see* Gal, G. 87−5595, 87−8636
Winarsky, N.D. *see* Campbell, F.J. 86−27813, 87−3726
Winberg, E., Askne, J. Atmospheric remote sensing as test of models for propagation in moist air 88−5169
Winberg, E., Askne, J., Skoog, G. A continuously tuned 53-59 GHz radiometer for measurement of atmospheric temperature profiles 85−15425
Winberg, E. *see* Askne, J. 85−64735
Winberg, S. *see* Davison, J. 86−61345
Winberger, K. *see* Gunther, J. 86−49488
Winblad, A.E. *see* Olascoaga, M.T. 85−38646
Winborne, G. *see* Le Xu 88−1426
Winborne, G. *see* Silver, M. 87−45644
Winborne, G. *see* Xu, L. 88−50635
Winbrow, M.U. *see* Corman, T. 88−31937
Winburn, D.C. Dispelling myths about laser eyewear 86−65468
Wincenciak, S. *see* Bolkowski, S. 86−6813
Wincenciak, S. *see* Michalski, A. 88−53934
Wincenciak, S. *see* Sikora, J. 85−62718, 86−29289, 87−12657, 87−26648, 87−31449, 87−33373
Wincenciak, S. *see* Starzynski, J. 86−63895
Winch, N.R. Time-division switching networks 86−64406
Winch, R.W. The D-channel dilemma: how complex is testing required at the CPE 87−40620
Winch, T. *see* Byrum, K. 88−48020
Winchell, J.W. *see* Ordahl, C.A. 86−50682
Winchenbach, J. *see* Holt, D. 87−70470
Winchester, C. *see* Wiliams, M. 88−17862
Winchester, E. Guidelines help you design high-speed PC boards 86−20906
Winchester, T. *see* Wei, L.Y. 85−64536
Winchester, T.A., Dalglish, R.L. A potential model for a bounded 'planar' electrostatic lens system 85−41560
Winchurst, C. Battery power−the perfect standby 86−7226
Winckler, E.C. The objectives of lighting 85−44303
Winckler, R. National electrotechnical standardization in the regional and international context 87−160
Winckless, C. Simulation and testability analysis in system design 86−883
Winckless, C. *see* Maggi, P. 86−4960
Winckless, C.G. Integrating application specific ICs into system design−the four major bridges 87−6820
Wind, D. *see* Lodder, J.C. 88−44950
Wind, H.-J., Schildge, P., Holle, H. Single pole, metal-capsuled, air-insulated medium voltage switchgear−solution for high quality reconstruction plans 86−70995
Wind, S. *see* Rooks, M.J. 87−38386, 87−67068
Windal, M. A strategy for mixed technology CMOS 87−11956
Windal, M. The future of precharacterised circuits is with mixed cells 88−64640
Windal, M. *see* de Pauw, P. 87−11835
Windberg, J. *see* Farago, M. 85−37437
Windberg, P. *see* Ezsol, G. 87−57843
Windbracke, W., Betz, H., Huber, H.-L., Pilz, W., Pongratz, S. Critical dimension control in X-ray masks with electroplated gold absorbers 87−25005
Windbracke, W. *see* Betz, H. 87−25001
Windbracke, W. *see* Muller, K.-H. 86−35503
Windbracke, W. *see* Trube, J. 88−26134
Windbracke, W. *see* Zwicker, G. 88−64450
Windeatt, T. Knowledge-based test generation 88−38512
Windecker, R.C. *see* Hara, J.E. 87−69546
Windein, W., Stojanoff, C.G. High resolution measurements of the spatial correlations of the velocity field in turbulent flows 88−47723
Windele, H.J. SMT design−a challenge for CAD 88−1152
Windele, H.J. ASICs are becoming increasingly interesting even for smaller enterprises 88−19031
Windele, H.J. New ways to the ASIC 88−57707
Windelmann, A.E., Tsao, C.P. A color video display technique for flowfield surveys 86−11446
Windeln, W., Stojanoff, C.G. Development of high efficiency holographic solar concentrator 87−26570
Windeln, W. *see* Stojanoff, C.G. 87−68661, 88−40364, 88−51960
Winden, R. Three-phase drive systems from Brown Boveri for the Intercity Experimental trainset of German Federal Railway 87−43551
Winden, R. *see* Falk, P. 86−19563
Winden, R. *see* Wittwer, M. 88−37700
Winder, C.L., Massara, R.E. A CAD tool for analogue integrated circuit design, with particular reference to switched capacitor filter synthesis 87−45060
Winder, W. *see* Baer, J.-L. 88−63657
Winderbank, J.M. *see* Dale, B.G. 85−39275
Winders, R. Teleconferencing−Pacnet experience and future prospects 85−20380
Winders, R. Teleconferencing: student interaction by telephone−the PACNET experience 86−16788
Winders, R. Interactive teleconferencing in education and training. 1. Systems 88−73720
Windhausen, R.A., Parikh, N.D., Govind, P.K. Basic access network termination chip for ISDN 4-wire loops 88−46651
Windheim, J.Von *see* Von Windheim, J.
Windheim, R. *see* Stocker, H.J. 86−33244
Windhorn, T.H., Cook, L.W., Roth, T.J., Stillman, G.E. High-field transport in GaAs, InP, and $In_xG_{1-x}As_yP_{1-y}$ 85−34514
Windhorn, T.H., Goodhue, W.D. Monolithic GaAs/AlGaAs diode laser/deflector devices for light emission normal to the surface 86−58918
Windhorn, T.H., Metze, G.M. Room-temperature operation of GaAs/AlGaAs diode lasers fabricated on a monolithic GaAs/Si substrate 86−15683
Windhorn, T.H., Metze, G.M. AlGaAs optoelectronic devices on monolithic GaAs/Si substrates 87−38963
Windhorn, T.H., Metze, G.M., Tsaur, B.-Y., Fan, J.C.C. AlGaAs double-heterostructure diode lasers fabricated on a monolithic GaAs/Si substrate 85−2280
Windhorn, T.H., Turner, G.W., Metze, G.M. GaAs/AlGaAs diode lasers on monolithic GaAs/Si substrates 87−46913
Windhorn, T.H. *see* Choi, H.K. 87−7229, 87−46733, 88−2145
Windhorn, T.H. *see* Donnelly, J.P. 88−2227
Windhorn, T.H. *see* Goodhue, W.D. 87−74215
Windisch, C.H., Jr. Military qualification of gate arrays 87−59408
Windisch, G. *see* Feudel, T. 88−13112
Windischmann, H., Cavese, J.M., Collins, R.W., Harris, R.D., Gonzalez-Hernandez, J. The structure of Si and Ge deposited by ion beam sputtering 86−27856
Windischmann, H., Collins, R.W., Cavese, J.M. Novel properties of a-Si:H prepared by dual ion beam sputtering 87−17737
Windischmann, H. *see* Collins, R.W. 86−2066, 86−21399
Windle, R. *see* Train, K. 86−12352
Windle, S. The progressing art of system sweeping [TV] 88−53420
Windle, W.E. *see* Telley, M.E. 85−65587
Windler, H. *see* Harjes, B. 85−31039
Windler, P. Optical angle encoders 85−42958
Windmoller, P. *see* Kammerer, E. 85−32143
Windmoller, R. *see* Cichowski, R.R. 88−17093
Windorfer, E. Long distance heat: barriers for development, application points for its open research [district heating] 85−4873
Windram, M.D., Morcom, R. Extended definition television−the MAC approach 85−3586
Windram, M.D., Morcom, R. The MAC path towards extended definition television 86−17546
Windram, M.D., Morcom, R., Hurley, T. Extended-definition MAC 85−37185
Windram, M.D., Morcom, R., Wilson, E.J. Ensuring an evolution to high definition television for satellite broadcasting 87−13831
Windram, M.D., Tonge, G.J., Hills, R.C. The D-MAC/packet transmission system for satellite broadcasting in the United Kingdom 88−53395
Windrich, J., Fricke, J. Extraction of power from a tornado wind energy system (TWES) 85−5035
Windrich, J., Fricke, J. Systematic study of TWES performance 85−27366
Windscheif, J., Baeumler, M., Kaufmann, U. New quantitative line scanning technique for homogeneity assessment of semi-insulating GaAs wafers 85−34483
Windscheif, J., Baeumler, M., Kaufmann, U. Near infrared transmission imaging of spatial inhomogeneities in GaAs slices−a comparative study of different techniques 87−17723
Windsor, A. *see* Olson, J.E. 86−11983
Windsor, B. *see* Fair, D. 86−57847
Windsor, C.G. The degradation of a pulsed neutron beam by inelastically scattering collimators 86−56020
Windsor, C.G., Sinclair, R.N. A multi-function materials facility for a Spallation Neutron Source 86−32145
Windsor, C.G. *see* Andreani, C. 87−35369
Windsor, E.P.L. The free flying platform 87−77712
Windsor, H. *see* Handschuh, J. 86−39368
Windsor, J.C. *see* Nestman, C.H. 85−13468
Windsor, N.K. *see* Tidman, D.A. 87−26715
Windsor, W.A., II IEEE floating point chips implement DSP architectures 85−33754
Windsor-Martin, J. *see* Tollkamp-Schierjott, C. 87−32619
Windt, L.Van Der *see* Van Der Windt, L.
Windus, G.G., Jessop, A., Hemsworth, A.D. Considerations in the design of a 565 Mbit/s optical fibre system 85−58159
Windus, G.G. *see* Bridge, P. 85−25906
Wine, J.W. *see* Geideman, W.A. 88−6907
Wine, J.W. *see* Misko, T.A. 88−19199
Winebrenner, D., Ishimaru, A. Investigation of a surface field phase perturbation technique for scattering from rough surfaces 85−41588
Winebrenner, D.P., Ishimaru, A. On the far-field approximation for scattering from randomly rough surfaces 86−63902
Winefordner, J.D. *see* Voigtman, E. 86−55597
Winegar, K.F. *see* Bursch, P.M. 88−36608
Winegardner, M.K. *see* Fix, J.J. 88−74900
Wineland, D.J. Trapped ions, laser cooling, and better clocks 85−20736
Wineland, D.J. Frequency standards based on stored ions 86−38490
Wineland, D.J. Frequency standards based on stored ions 87−14442
Wineland, D.J., Itano, W.M., Bergquist, J.C., Bollinger, J.J., Hemmati, H. Frequency standard research using stored ions 85−8969
Wineland, D.J. *see* Bergquist, J.C. 86−38501
Wineland, D.J. *see* Bollinger, J.J. 85−37704
Wineland, D.J. *see* Itano, W.M. 86−5466
Winer, K., Street, R.A. Interfacial defect creation by interstitial lithium doping of amorphous hydrogenated silicon 88−71385
Winer, P. *see* May, T.C. 85−6252
Winer, W.O. *see* Gulino, R. 86−63565
Wines, L. *see* Tasker, S. 88−12738
Winet, A. Operational experience with photovoltaic power generating systems for telecommunication equipment 85−19636
Winet, A. Operating experience with photovoltaic energy generation for telecommunication objects 86−25958
Winfield, A.F.T. Software engineering for electronic engineers 85−5676
Winfield, B., Daniel, T., Hall, B. Network management in a distributed service environment 85−82
Winfield, D.J. Reliability study of loss of off-site power supply 87−64117
Winfield, D.J. Long term reliability analysis of standby diesel generators 88−62219
Winfield, D.J., Adams, S. Reliability study of the CRNL off-site power supply 86−39945
Winfield, D.N. *see* Farooq, M. 88−43420
Winfield, J. *see* Wong, K.K. 86−42254
Winfield, J.M. *see* De La Rue, R.M. 87−74838
Winfield, J.M. *see* Loni, A. 87−32956
Winfield, J.S., Pringle, D.M., Catford, W.N., Lewis, D.G., Jelley, N.A., Allen, K.W. Focal plane detector for the Oxford MDM-2 spectrometer 87−8844
Winfield, J.S. *see* Pringle, D.M. 86−50442
Winfield, M. FO for maximum security [fibre optics] 88−4015
Winfield, M., von Lipinksi, P. Regulation and competition−Canadian style [telecommunications] 86−4100

Winfield, N. Considerations when testing PAL's 88—44159
Winfield, R.J. *see* Martin, W.E. 88—27248
Winfield, S.R. *see* Sutton, L.S. 87—62886
Winfree, W.P. *see* Heath, D.M. 87—71219
Winfree, W.P. *see* Madaras, E.I. 88—56365
Winfree, W.P. *see* Mayton, D.J. 88—52135
Winfree, W.P. *see* Wu, M.-C. 88—53679
Winfrey, R. *see* Lewis, N. 87—13728
Winful, H.G. Pulse compression in optical fiber filters 85—35391
Winful, H.G. Self-induced polarization changes in birefringent optical fibres 85—56786
Winful, H.G. Polarization instabilities in birefringent nonlinear media: application to fiber-optic devices 86—29241
Winful, H.G. Theory of intensity-dependent polarization changes in birefringent optical fibers 86—48172
Winful, H.G. Intensity-dependent polarization optics of twisted single-mode fibers 88—65228
Winful, H.G., Andong Hu Intensity discrimination with twisted birefringent optical fibers 87—18664
Winful, H.G., Chen, Y.C., Liu, J.M. Frequency locking, quasiperiodicity, and chaos in modulated self-pulsing semiconductor lasers 86—36469
Winful, H.G., Stegeman, G.I. Applications of nonlinear periodic structures in guided wave optics 85—51273
Winful, H.G. *see* Chen, Y.C. 85—56615, 87—33215, 87—46901
Winful, H.G. *see* Dagenais, M. 86—22498
Winful, H.G. *see* Liao, C. 85—35533
Winful, H.G. *see* Seaton, C.T. 86—3303, 86—9972, 87—12582
Winful, H.G. *see* Stegeman, G.I. 85—46479, 86—68324
Winful, H.G. *see* Wang, S.S. 88—51794
Wing, A.P. Microcomputer generated protective device coordination—an interactive approach 86—45021
Wing, B.J. *see* Kydes, A.S. 86—12545
Wing, G.M. *see* Faber, V. 86—62194
Wing, J.F. Ocean transportation: are we making progress on the critical issues? 85—4494
Wing, M.J. *see* Horowitz, M. 87—59603
Wing, O. Gate matrix layout [CMOS] 86—58620
Wing, O. A quasi-static model of the MOS transistor for CAD 86—67891
Wing, O., Huang, S., Wang, R. Gate matrix layout 86—2379
Wing, O. *see* Fang, S.-C. 85—6134
Wing, O. *see* Huang, S. 87—37224
Wing, O. *see* Ko, C.K. 88—70458
Wing, O. *see* San-Chin Fang 86—20706
Wing, O. *see* Yu, Q. 85—18482, 85—22619, 85—49825, 86—62575
Wing Hin Lai *see* Lai Wing Hin
Wing Shing Wong On a new class of finite dimensional estimation algebras 87—58770
Wing Shing Wong *see* Hopkins, W.E., Jr. 87—2536
Wing Sing Chow *see* Gupta, Y. 87—5290
Wing-Chee Lam *see* Ding-Jen Lee 87—35432
Wing-Chyi Chang *see* Lavine, J.P. 86—24531
Wing-Hong Cheung *see* Yiu-Sang Moon 85—52054
Wingate, S.A. Tracking down errors in linear encoders 86—38354
Winge, D.E. *see* McClymonds, S.I. 87—78288
Wingender, H.J. Reliability and maintainability of technical systems 85—39515
Winger, J.G., Lee, K.-M. Experimental investigation of a tactile sensor based on bending losses in fiber optics 88—67820
Wingerath, K. *see* Mihelcic, M. 87—52095
Wingert, C.D. *see* Struges, R.H., Jr. 85—50068
Wingert, M. *see* Spengler, W. 88—65145
Wingert, P.C., Kim, H.J. Developments of the arc-induced erosion surface in silver-cadmium oxide 85—53786
Wingert, P.C., Leung, C.H. Comparison of the inherent erosion behaviors of silver-cadmium oxide and silver-tin oxide contact materials 87—37619
Wingert, P.C. *see* Leung, C.-H. 88—38803
Wingert, P.C. *see* Leung, C.H. 88—12667
Wingerter, R.G. The economic impact of field performance studies—the buyer's perspective 87—23391
Wingerter, R.G., Glenn, F.W. Measuring the payback of QA efforts 86—57232
Wingerter, R.G., Haas, R.W. The cost of poor quality of digital switching 88—46822
Wingerter, R.G. *see* Hall, T.G. 88—247
Winget, J.M. *see* Engler, M.J. 88—16673
Winget, R.R. Point Beach Nuclear Plant—badness factor program 88—62059
Wingfield, A. *see* Sanders, P. 85—3191
Wingfield, A.J. *see* Spiegelhalter, B.R. 86—37539
Wingham, D.J. An automatic tracking mode switching algorithm for the ERS-1 altimeter 87—57392
Wingham, D.J. Square-law detected synthetic aperture radar 88—41716
Wingham, D.J. Sampling effects in square-law detected synthetic aperture radar 88—53319
Wingham, D.J. Onboard correction of mispointing errors in satellite altimeter returns [oceanographic measurement] 88—68545
Wingham, D.J., Rapley, C.G., Griffiths, H. New techniques in satellite altimeter tracking systems 87—56301
Wingo, D.R. Globally minimizing polynomials without evaluating derivatives 86—348
Wingo, D.R. Computing maximum-likelihood parameter estimates of the generalized gamma distribution by numerical root isolation [reliability modelling] 88—31541
Wingo, D.R. Parametric point estimation for a doubly-truncated Weibull distribution 88—70181
Wingyu Leung, Neureuther, A.R., Oldham, W.G. Proximity effects and printability of defects in Ge_xSe_{1-x} resist 85—34712
Winhold, M. *see* Tsatsaronis, G. 85—60024 to 60025
Winiarczyk, W., Krause, L. Production of copper vapor in a pulsed hollow cathode discharge 85—56503
Winiarski, B. High power asynchronous inverter-fed drives 87—35940
Winiarski, H.C. *see* Grannells, R.T. 88—7161
Winick, H. Present and future synchrotron radiation facilities in Japan 87—3820
Winick, H. Status of synchrotron radiation facilities outside the USSR 88—10228
Winick, H. *see* Blumberg, L.N. 86—31822
Winick, H. *see* Brennan, S. 86—60451
Winick, H. *see* Brown, G. 88—47962
Winick, H. *see* Green, M.A. 88—47748
Winick, H. *see* Liu, R.Z. 88—47802
Winick, K.A. Signal fade probability distributions for optical heterodyne receivers on atmospherically distorted satellite links 85—42539
Winick, K.A. Atmospheric turbulence-induced signal fades on optical heterodyne communication links 86—59088
Winick, K.A. Cramer-Rao lower bounds on the performance of charge-coupled-device optical position estimators 87—20913
Winick, K.A., Kumar, P. Spatial mode matching efficiencies for heterodyned GaAlAs semiconductor lasers 88—45423
Winiecki, W., Sokolowski, P. Software-based interface for intelligent measurements with personal computer 87—3407
Winiger, B. *see* Eigel, R. 87—40327
Winik, M. *see* Akesson, T. 86—18235
Winik, M. *see* Dado, S. 87—29448
Winings, S.B. Multi-temporal vs. uni-temporal analysis of MSS Landsat data on a full state basis 86—18614
Winiowski, A. Low-tin solders for soldering the ends of electric conductors 88—55992
Winje, R.A. *see* Boksberger, H.U. 85—49037
Wink, F. *see* von Hagen, H. 87—64502
Wink, J.E. *see* Altenhoff, W.J. 88—2558
Winkel, L. District heating in the city of Cologne: 1986, already another 100 MW under contract 87—22103
Winkel, M. Using a relational database to develop a statistical quality control system for ATE 87—23394
Winkel, R. *see* Krompass, R. 88—68192
Winkel, R.N. *see* Hoover, R.A. 85—23940, 86—15271
Winkelbauer, K. Information channels composed of memoryless components 85—57189
Winkeler, M. A comparison of solvent versus solventless electrical insulating varnishes via systems testing 86—63506
Winkeler, M. A comparison of solvent versus solventless electrical insulating varnishes via systems testing 87—18425
Winkeler, M. *see* Zguris, G.C. 88—37244
Winkelhake, U. *see* Wiendahl, H.-P. 88—37949
Winkelman, J.R., Chow, J.H., Sauer, P.W., Behera, A.K. Direct power system transient stability analysis with detailed machine models 88—23370
Winkelman, J.R., Hung, S.T., Kokotovic, P.V. Self-tuning of conflicting oscillatory modes: a case study 88—48506
Winkelman, J.R. *see* Ahmed-Zaid, S. 85—9452, 86—70554
Winkelman, J.R. *see* Chow, J.H. 86—6207, 87—57572
Winkelman, J.R. *see* Pai, M.A. 87—57574, 88—23289, 88—42752
Winkelmann, C.A. Gateway-to-gateway protocol issues in a tactical environment 87—40451
Winkelmann, C.A. Gateway-to-gateway protocol issues in a tactical environment 87—76363
Winkelmann, C.A., Nutter, R.S., Jr. Microprocessor-based system for emulating coal mine sensors 86—5016
Winkelmann, F.C., Selkowitz, S. Daylighting simulation in the DOE-2 building energy analysis program 86—57022
Winkelmann, H. The TELEPORT 9 [mobile radio] 85—14148
Winkelmann, H. New industrial and organisational possibilities with programmable radio devices [mobile radio] 86—23748
Winkelmann, H. Operational amplifiers settling time measurement 86—57662
Winkelmann, H. Single mode optical fibres. Basic introduction to their physics and application 88—33614
Winkelmann, I., Fields, D.E. Quality control measurements of airborne radionuclides from nuclear power plants in the Federal Republic of Germany 88—17269
Winkelmann, R. Process assurance in multilayer production 88—50523
Winkelmann, R., Zettl, G. DSP-based implementation of a ESK-modem with additional voice channel, wide dynamic range and fast lock-in 87—48765
Winkelnkemper, W. *see* Romanski, H.J. 85—17766
Winken, J. *see* Callier, F.M. 86—19883
Winkenbach, H. *see* Bodechtel, J. 85—64709
Winkens, H.P. Chances soon for nuclear heat? 85—15723
Winkens, H.P. Comparison of the costs of energy distribution of mains-dependent energy carriers for heat supply 86—65924
Winkle, K.S.van *see* van Winkle, K.S.
Winkle, R.A. *see* Kortas, R.G. 85—59313
Winkle, R.V., Cater, S.R. Copper ball/wedge bonding to copper thick film 88—1308
Winkle, R.V., Cater, S.R. Copper ball/wedge bonding to copper thick film 88—25753
Winkleback, R.K. Competitive breeder power plants 85—59969
Winkleman, J.A. *see* Lynch, T.P. 85—15963
Winkler, A. Absolute calibration of small gas amounts 87—77449
Winkler, D. Quantum mixing close to gap frequencies in superconducting tunnel junctions 85—29507
Winkler, D. Local area network: caught in its own net 87—48593
Winkler, D. Traffic data acquisition: taxi with computer 87—51533
Winkler, D. Storage and print-out of oscillograms: computer instead of oscilloscope 87—56728
Winkler, D. Floppy discs and hard discs: essentials about data stores 87—60805
Winkler, D. Local area networks: economical computer networks 87—76339
Winkler, D., Claeson, T. High-frequency limits of superconducting tunnel junction mixers 88—33570
Winkler, D., Claeson, T., Rudner, S. Quasiparticle mixing close to the gap frequency in aluminium tunnel junctions 85—56200
Winkler, D., McGrath, W.R., Nilsson, B., Claeson, T., Johansson, J., Kollberg, E., Rudner, S. A sub-mm wave quasiparticle receiver for 750 GHz—progress report 87—20385
Winkler, D., McGrath, W.R., Nilsson, B., Claeson, T., Johansson, J., Kollberg, E., Yngvesson, K.S., Rudner, S. On the feasibility of constructing an imaging array of slot-antennas integrated with SIS mixers 87—33559
Winkler, D., Schmitt, R., Brunner, M., Lischke, B. Blanking system for electron-beam testing with picosecond time resolution 88—31467
Winkler, D. *see* Brunner, M. 86—2345, 88—26407
Winkler, D. *see* Lischke, B. 88—26398
Winkler, D. *see* Schmitt, R. 87—32616, 88—31457
Winkler, D.G. *see* Castleman, K.R. 85—31413
Winkler, E. Radiation sensitivity of MOS devices 88—44766
Winkler, E., Mader, R. Thyristor effect in CMOS ICs 87—60443
Winkler, E.M., Steenvoorden, G.K. A new model for electron movement in a thick film resistor and its application to analysis of the structure and conduction mechanism in these resistors 88—1200
Winkler, E.R. High performance packaging 86—195
Winkler, E.R. Future packages' heat transfer will affect PCB designs 86—1483
Winkler, E.R. *see* Rosengarth, K.W., Jr. 86—47168
Winkler, F. Operational test equipment for optical fibres in data transmission systems 87—18654
Winkler, F. Self testing strategies in VLSI circuits 88—1734
Winkler, F., Friedmann, P. Conservatism of loss-of-coolant accident licensing analysis compared to experimental results and best-estimate calculation 87—30330
Winkler, F. *see* Artbauer, J. 85—21203
Winkler, F. *see* Riedle, K. 87—71879
Winkler, G. Network losses due to nonsinusoidal asymmetric voltages and currents in three-phase systems 87—4352
Winkler, G., Baier, P. Statistical evaluation of electrical power quality 88—48433
Winkler, G., Karl, T. Planning a CATV aerial system 85—19226
Winkler, G., Rotter, R. Electric operation at the Austrian Federal Railways in 1983 85—5434
Winkler, G.M.R. Changes at USNO in global timekeeping 86—38567
Winkler, G.M.R. *see* Cutler, L.S. 88—22404

Winkler, H., Junghans, H. Computation of the field strength distribution of multiphase open-line systems using personal computers 88−23256
Winkler, H. *see* Alig, F. 86−25917
Winkler, I.C., Norton, M.A., Higgs, C. Atmospheric compensation using stimulated Raman scattering 88−72567
Winkler, J. Processing of moulded epoxy-resin compounds (LKE) 86−20115
Winkler, J. Raw material supply for the production of high-voltage components from epoxy compositions 87−15839
Winkler, J., Munn, J. Standards and architecture for token-ring local area networks 87−40429
Winkler, J. *see* Don Carlos, B. 86−54988
Winkler, J. *see* Hofmann, H.-P. 86−28504
Winkler, J. *see* Monjau, D. 88−63460
Winkler, J. *see* Pohl, Z. 88−75196
Winkler, J.F.H. The programming language CHILL. II 87−2990
Winkler, J.L. *see* Pitt, D.A. 88−21628
Winkler, J.S., Kochman, I. The method of contact angle change for the estimation of the degree of surface ageing of polymeric materials and the range of its application 87−59023
Winkler, L. Digital switching equipment 86−23610
Winkler, L., Rettelbusch, L. The ISDN concept 88−15201
Winkler, L.I. Measurement of small electrical forces using a torsion balance and capacitive position transducer 87−29310
Winkler, M. IDA: the decentralized electronic news transmission system at the Deutsche Welle and Deutschlandfunk 86−11283
Winkler, M. The Deutsche Welle and Deutschlandfunk IDA system of electronic data transmission 86−30940
Winkler, M.E. *see* McMillin, P.L. 86−51066
Winkler, O. Tungsten hairpin cathodes with longer lifetimes 88−25774
Winkler, P.E. *see* Knight, A.D. 86−14721
Winkler, R. Plug in splice for a medium voltage linear motor 85−11678
Winkler, R. Socket muffs for a linear engine and for power utility service 85−21237
Winkler, R. Flexible testing proves itself the best 88−15918
Winkler, R. Alarm systems: doing burglars out of their job 88−49466
Winkler, R. Telemetry: rapid switching 88−73541
Winkler, R., Storbeck, F., Oppermann, H. Corrosion protection layers in the technology of power plants 88−17388
Winkler, R. *see* Listanti, M. 88−46605, 88−67064
Winkler, R. *see* Tillack, B. 86−41657
Winkler, S. *see* Puchalska, I.B. 88−57966
Winkler, S. *see* Strohmer, F. 86−61419
Winkler, St. *see* Sattler, H. 88−43085
Winkler, T. Computation of relevant reliability characteristics for the transmission of network protecting signals 85−51857
Winkler, U. *see* Hann, H. 85−34882
Winkler, U. *see* Kruemmling, F. 86−71160
Winkler, V. *see* Hamann, B. 87−60711
Winkler, W. An economic quality assurance of application specific integrated circuits 88−39549
Winkler, W. Test systems with wide expansion possibilities have a bright future 88−47406
Winkler, W. Error detection with incremental position sensors 88−53656
Winkler, W. The future of higher technical education in Switzerland 88−55880
Winkler, W., Klingenberger, B. Current displacement in asynchronous motors during inverter feeding 86−26045
Winkler, W., Seefried, E. Controlling a current inverter by a one-chip-computer 86−19366
Winkler, W. *see* Pilch, Z. 85−64968
Winkler, W. *see* Wiszniewski, A. 85−65309
Winklhofer, F.A. *see* Borrmann, H.P. 88−43145
Winklhofer, P. *see* Maintok, K.-H. 87−78460
Winklhofer, P. *see* Meier-Kortwig, F.W. 87−78461
Winlow, J.A., Ceram, A.I. Landfill gas−practicalities and optimization of collection 86−51191
Winn, A.L. *see* Shevenell, M.P. 85−26021
Winn, B., Ellis, B., Plattor, E., Sinkey, L., Potter, G. The design and application of a distance education system using teleconferencing and computer graphics 86−37326
Winn, B. *see* Feess, B. 88−29003
Winn, C. *see* Freilich, M. 85−31996
Winn, C. *see* Li, F. 86−12183
Winn, C.B., Burns, P.J. Energy education at Colorado State University 87−53
Winn, C.Byron *see* Byron Winn, C.
Winn, D.R. Calibration of high energy physics detectors using neutrons generated from compact accelerator D-D and D-T reactions 86−50289
Winn, D.R. The uses of electrostatic bending and focussing elements for auxiliary storage rings in large proton collider tunnels 88−54208
Winn, D.R., Raftery, D. Water-based scintillators for large-scale liquid calorimetry 85−43255
Winn, F.B. *see* Bowen, R. 86−69855
Winn, J.K., Jr., Crow, D.R. Harmonic measurements using a digital storage oscilloscope 88−30265
Winn, M.L. *see* Wang, S.C.H. 85−26334
Winn, R. Modern control techniques [radio receivers] 88−73792
Winn, R., Hershel, R. High performance retrofit condenser for Perkin-Elmer aligners 86−15001
Winn, R.C., Byron Winn, C. Optimal control of auxiliary heating of passive-solar-heated buildings 86−19631
Winn, S.R. *see* Aebischer, P. 88−54632
Winn, W.G. Uranium density and enrichment in fuel tubes determined from ^{232}U and ^{235}U γ-activities 85−52991
Winner, D. *see* Lawrence, M.D. 88−16491
Winner, G., Nguyen, T.A., Slemaker, C. Analog macrocell assembler 87−53641
Winner, L. *(editor)* 1986 IEEE International Solid-State Circuits Conference. Digest of Technical Papers (Cat. No.86CH2263-2) 87−16274
Winnerl, H. *see* Klar, H. 88−44799
Winnerl, J. *see* Schwabe, U. 85−50743
Winnerl, J. *see* Takacs, D. 86−47852
Winnerling, W.J. *see* Barnes, P.L. 87−78026
Winnerling, W.J. *see* Stone, F.R. 88−48500
Winnewisser, G., Bester, M., Ewald, R., Hilberath, W., Jacobs, K., Krotz-Vogel, W., Miller, M., Olberg, M., Pauls, T., Pofahl, E., Rau, G., Schieder, R., Stubbusch, H., Vowinkel, B., Wieners, C., Zensen, W. The University of Cologne 3-m radio telescope 87−13805
Winnewisser, G., Bester, M., Ewald, R., Hilberath, W., Jacobs, K., Miller, M., Pauls, T., Piciorgros, A., Rau, G., Reich, M., Vowinkel, B., Zimmermann, P., Schieder, R. Observations from the Gornergrat Observatory with the University of Cologne 3-m radiotelescope 87−34699
Winnewisser, G. *see* Bester, M. 87−20655
Winnewisser, G. *see* Reich, M. 86−29125, 86−48441, 87−18978
Winnewisser, G. *see* Zensen, W. 87−20654
Winney, E.A. GPS in the commercial world 87−63089
Winnick, J. *see* Buehler, K. 86−33580
Winnick, J. *see* Franke, M. 88−62583
Winnicki, A. Control of telephone networks in abnormal situations 85−57561
Winnicki, A. Method of reservation network for substitute routes creation in the case of a teletransmission link failure 87−27802
Winningham, J.D. *see* Marshall, F.J. 86−32190
Winningham, J.D. *see* Sharber, J.R. 88−68629
Winningham, W. *see* Crouse, R.F. 87−64544
Winnovich, K.A. A 2 kilowatt CW PPM-focussed X-band helix TWT 88−39010
Winograd, S. *see* Greenberg, A.G. 86−43363
Winograd, S. *see* Tolimieri, R. 86−23017
Winokur, M., Pe'er, A. Unit response improvement to enhance security of isolated power system 86−70622
Winokur, P. *see* Stanley, T. 86−35695
Winokur, P.S., Errett, E.B., Fleetwood, D.M., Dressendorfer, P.V., Turpin, D.C. Optimizing and controlling the radiation hardness of a Si-gate CMOS process 86−35872
Winokur, P.S., Schwank, J.R., McWhorter, P.J., Dressendorfer, P.V., Turpin, D.C. Correlating the radiation response of MOS capacitors and transistors 85−18343
Winokur, P.S., Sexton, F.W., Hash, G.L., Turpin, D.C. Total-dose failure mechanisms of integrated circuits in laboratory and space environments [SRAMs] 88−25198
Winokur, P.S., Sexton, F.W., Schwank, J.R., Fleetwood, D.M., Dressendorfer, P.V., Turpin, D.C. Total-dose radiation and annealing studies: implications for hardness assurance testing 87−32699
Winokur, P.S. *see* Dozier, C.M. 88−26290
Winokur, P.S. *see* Fleetwood, D.M. 86−35701, 87−32345, 87−32698, 88−50833
Winokur, P.S. *see* McWhorter, P.J. 86−35668
Winokur, P.S. *see* Schwank, J.R. 85−18186, 87−32339, 88−25987
Winoslawski, W.N. *see* Butz, U. 88−23589
Winpigler, D.J. The 32-bit architecture of the M68000 family 85−17526
Winpigler, D.J. The architecture of the MC68020 86−41160
Winquist, F., Lundstrom, I. Thin metal film-oxide-semiconductor structures with temperature-dependent sensitivity for unsaturated hydrocarbons 88−4390
Winquist, F., Lundstrom, I., Danielsson, B. Biosensors based on ammonia sensitive MOS structures 86−55667
Winquist, F. *see* Danielsson, B. 88−36424
Winquist, F. *see* Lundstrom, I. 87−41493
Winsel, A. Measurements with a pilot cell [Pb-acid batteries] 86−66268
Winser, K.J., Farmer, A.D., Rees, D., Aruliah, A. Ion-neutral dynamics in the high latitude ionosphere: first results from the INDI experiment 88−53348
Winser, K.J., Jones, G.O.L., Williams, P.J.S. Large field-aligned velocities observed by EISCAT 88−53349
Winship, P.L. *see* Cole, C.R. 87−17144
Winskel, G. Petri nets, algebras, morphisms, and compositionality 87−36592
Winskel, G. Models and logic of MOS circuits 88−33130
Winskel, G. Relating two models of hardware 88−38315
Winskel, G. A compositional model of MOS circuits 88−38502
Winski, R. Adaptive techniques for signal enhancement in the human electroencephalogram 87−21573
Winski, R., Allinson, N.M. Adaptive processing of brain evoked potentials 85−20932
Winski, R. *see* Thomas, T.J. 87−58665
Winslow, E. Prolonging life of URD cables 86−70667
Winslow, J.W. *see* Bouquet, F.L. 85−18512
Winslow, R.M. *see* Talbot, T.L. 86−18283
Winslow, T.S., Trenchard, S.E. Photovoltaic module performance in the marine environment 1978-1983 86−7079
Winslow, T.S. *see* Jacobs, P.F. 86−36627
Winson, P.H. *see* Wood, M.F. 85−38128
Winsor, G.P. Infrared thermography for process control [PCB manufacture] 88−64059
Winsor, N.K. *see* Burton, R.L. 87−26661
Winsor, N.K. *see* Wang, S.Y. 88−40513
Winstanely, J.V., Carter, A.W.H., Brown, R. Design verification essential for CADMAT/CIM implementation 85−45741
Winstanley, R.R., Kaler, K.V.I.S. Development of a two micron double-metal, CMOS standard cell library 88−38436
Winstein, C.J. *see* Meadows, P.M. 86−25266
Winstel, K. *see* Mozer, A.P. 87−33152
Winston, E. *see* Shekel, J. 87−20369
Winston, H. *see* Greiling, P. 85−54959
Winston, H.V., Hunter, A.T., Kimura, H., Olsen, H.M., Bryan, R.P., Lee, R.E., Marsh, O.J. Do substrate dislocations affect GaAs FET performance? 86−2213
Winston, H.V., Hunter, A.T., Olsen, H.M., Bryan, R.P., Lee, R.E. FET arrays on In-alloyed GaAs substrates 86−2403
Winston, H.V. *see* Hunter, A.T. 87−1193
Winston, H.V. *see* Johannessen, J.S. 88−57315
Winston, H.V. *see* Kimura, H. 85−33402, 85−39695
Winston, H.V. *see* Lee, R.E. 85−55978
Winston, H.V. *see* Young, M.H. 85−23656
Winston, J. The System Support Chip, a multifunction chip for CVAX systems 88−70787
Winston, J., Anelmo, R.A., Joshi, B., May, J.W. The CVAX SSC−a CMOS multifunction chip 88−19206
Winston, J.G. *see* Stein, W.E. 86−5645
Winston, K.R. *see* Lutz, W. 88−42574
Winston, R. Nonimaging optics for illumination 87−68242
Winston, R., Ning, X., O'Gallagher, J. Photovoltaic concentrator with dielectric second state 88−24163
Winston, R. *see* Jannson, J. 88−2396
Winston, R. *see* Xiaohui Ning 87−46675
Winston, R.T., Barthe, A. Progress of the international conformance test standards as a tool for DTE self-verification 87−55840
Winston, R.T. *see* Barthe, A. 86−37198
Winston, W.E., Gibson, C.A. Incorporation of external equivalents in the electric power system model used for obtaining B-constants 87−15214
Winstron, H.V. *see* Hunter, A.T. 85−55686
Winsum, J.A.van *see* van Winsum, J.A.
Wintenberg, A.L., Pace, M.O., Blalock, T.V., Foust, J.V. Statistics of prebreakdown current pulses in n-hexane 88−51052
Wintenberg, A.L., Pace, M.O., Blalock, T.V., Foust, J.V., Alexeff, I. Nonuniform field prebreakdown current pulses in negatively stressed n-hexane 88−26580
Wintenberg, R.E. *see* Googe, J.M. 87−10680
Wintenberg, R.E. *see* Lubell, M.S. 88−65028
Wintenberg, R.E. *see* Luton, J.N. 85−56230, 87−67950
Wintenberg, R.E. *see* Shen, S.S. 87−67971, 88−65033, 88−65106
Wintenberg, R.E. *see* Wood, R.J. 87−15888
Winter, A. Digital storage oscilloscope BOS with high-speed sampling and large memory 88−47625
Winter, A. STEbus logic analyser speeds system development 88−67711
Winter, A. *see* Paglione, R.W. 87−8946
Winter, A. *see* Sterzer, F. 85−20961
Winter, A.E., Zuliani, M., Sward, D.J. Land mobile satellite communications via MSAT 86−37816
Winter, B. Network management with TRANSDATA. Monitoring and control of complex teleprocessing systems with the TRANSDATA network management 86−37511
Winter, B. Efficient error detection and diagnosis with TRANSDATA 86−64467
Winter, B. System management architecture in heterogeneous computer networks: a common system management concept for DP and communication systems based on BS2000, SINIX and PDN 87−40405
Winter, B.B. *see* Gilkinson, J.L. 85−28453

Winter, C. *see* Johnson, S.M. 86−7133
Winter, C.-J., Grasse, W. Large scale technological solar energy utilization. Present state-of-the-art in the USA 87−64476
Winter, C.-J., Nitsch, J., Klaiss, H., Voigt, C. Solar technologies for export enhancement—a Central European view 86−56668
Winter, C.De *see* De Winter, C.
Winter, C.L., Cook, W.L. Interval estimates for yield modeling 87−1587
Winter, C.S., Rush, J.D., Smith, D.G. Liquid crystal materials' refractive index matched to silica 87−60981
Winter, C.S. *see* Kashyap, R. 88−51466
Winter, C.S. *see* Tredgold, R.H. 85−49585
Winter, D. μP-interface for simple phase shift control 85−53757
Winter, D. The arithmetic IC for the 8085 processor 87−5905
Winter, D.F. *see* Dick, W.K. 87−50772
Winter, D.J., Lenz, J.E., Hillman, R.L. Computerized thermal property testing 85−485
Winter, F., Lyne, G.W. RADC Automated R&M Package (RAMP) 86−60872
Winter, F. *see* Grossl, C. 85−34220
Winter, G. *see* Lowenstein, A. 86−47663
Winter, G. *see* Velez, E. 88−61772
Winter, G.-G., Ahme, J., Marks, J., Schutz, D., Spitzer, H., Westermann, H., Greif, H., Oberlack, H. Performance of a lead-scintillator sandwich hodoscope 85−64493
Winter, G.-G. *see* Bieler, C. 85−37924
Winter, G.B., Lowenstein, A. The TDL and tester independent translation problem solved 86−44131
Winter, G.B., Lowenstein, A. Utilizing VHDL for life cycle support of VHSIC-class systems 87−16969
Winter, H., Mock, R., Meixner, H. A high temperature pressure sensor for the combustion chamber of spark ignition engines 88−68079
Winter, H., Ortjohann, H.W. High transmission polarization analyzer for Lyman-α radiation 87−35018
Winter, H. *see* Krumm, B. 85−9521, 85−53338
Winter, H. *see* Unger, S. 88−14842
Winter, H. *see* Vasil'ev, G.A. 85−43994
Winter, H.C. *see* Bundschuh, W. 87−41336
Winter, J. *see* Kimme-Smith, C. 86−11948
Winter, J.C.De *see* De Winter, J.C.
Winter, J.J., Leupold, H.A., Ballato, A., Monahan, T. Additional considerations in the analysis of mixed conductivity in GaAs 87−32243
Winter, J.S. *see* Patton, R.J. 87−77752
Winter, K. From Petersen to measuring transients. About earth fault switching and high voltage regulations 85−9533
Winter, K. Earth fault problems and how to deal with the zero point 87−57687
Winter, K. High energy physics at cross roads 88−47771
Winter, K. Null point analysis—new method for detecting high resistance earth faults 88−54978
Winter, K., Mlynski, D.A. Hierarchical loose routing for gate arrays 87−37215
Winter, K., Mlynski, D.A. Hierarchical loose routing for gate arrays 88−667
Winter, K. *see* DeWulf, J.P. 87−21468, 88−22985
Winter, K. *see* Dorenbosch, J. 87−29472
Winter, K.-H. New telecommunication services in operation 87−47551
Winter, M. Evolution of the ISDN telecommunications networks 85−51868
Winter, M. Design considerations and applications of larger capacity sealed lead acid cells 86−19464
Winter, N.L. *see* Read, E.G. 88−75127
Winter, P. The care and feeding of a curved linear array antenna system 86−48685
Winter, P. Generalized Steiner problem in series-parallel networks 87−23481
Winter, P. Steiner problem in Halin networks 87−51956
Winter, P. Steiner problem in networks: a survey 87−51982
Winter, R. 'One-stop shopping' for circuit protection 86−56854
Winter, R. *see* Heitzig, C.-P. 87−48822
Winter, R. *see* Saran, M. 87−34940
Winter, R. *see* Widrow, B. 88−40888
Winter, R.C., Doyle, B. Technology advances in hybrids 86−53247
Winter, R.G. *see* Widrow, B. 88−66328
Winter, S.C. *see* Fernin, P. 88−74025
Winter, T. *see* Gaertner, M. 85−6375
Winter, T.A. Bar code basics 88−57081
Winter, T.de *see* de Winter, T.
Winter, U. Analytical treatment of space harmonic problems in electrical machines with the space phasor matrix equations 87−42981
Winter, U. *see* Cembali, F. 87−25086
Winter, U. *see* Kokornaczyk, E. 88−17671
Winter, U. *see* Zaumseil, P. 86−28165
Winter, V. *see* Scherber, P. 88−9823
Winter, W. 64-kbyte-DRAM with independent refresh 87−31901
Winter, W. Optical spectrum analysis for the LWG technique [light waveguides] 87−68039
Winter, W.H. BESTOP—an operational planning process [power systems] 86−50936
Winter, W.R. *see* Green, M.A. 88−47748
Winterbauer, A., Han, B., Chiang, C. T-link—a method of providing flexibility in data rate adaption 88−3400
Winterberg, F. The electromagnetic rocket gun 85−2519
Winterberg, F. Attainment of gigavolt potentials by electrically charged macroparticles 85−5246
Winterberg, F. Analysis of the superaccelerator concept 85−48149
Winterberg, F. Relativistic electron-positron gamma ray laser 87−7232
Winterberg, F. Beating the graser dilemma by rapid heat-removal under high pressure 87−7303
Winterberg, F. *see* Chen, K.W. 85−5399
Winterbon, K.B. *see* Lennard, W.N. 86−65344, 87−57033
Winterbottom, A. The interval estimation of system reliability from component test data 85−33245
Winterbottom, A. *see* Basker, B.A. 86−66588
Winterbottom, A. *see* Dale, C.J. 86−61979
Winterer, M. Signal processors solve computing-intensive problems 85−14695
Winterer, M. Design and applications of a digital signal processor. I 85−49908
Winterer, M. Design and applications of a digital signal processor. II 85−49909
Winterer, M. Digital processing of analogue signals 86−20577
Winterer, M. A new fast controller for digital signal processing (DSP) ICs 88−12415
Winterfeld, C.V. Antenna signal processing for polar metric multitarget location 87−61445
Winterfeld, C.von *see* von Winterfeld, C.
Winterfeldt, D.Von *see* Von Winterfeldt, D.
Winterhalder, L. *see* Freyburger, G. 87−5260
Winterhof, P. *see* Gloeckler, G. 85−53162
Winterich, D.C. *see* Kwan, H.W. 88−62070
Winterling, G., Muller, G. The physical properties of hydrogenated amorphous silicon 87−45622
Winterling, G. *see* Gorn, M. 86−40143, 87−30983, 88−17970
Wintermantel, J. Optimization of real-coefficient solutions of multiple-feedback digital filters 86−67426
Wintermantel, J. The space of real-coefficient solutions of multiple-feedback systems 87−402
Wintermantel, J. Low-sensitivity and low-roundoff noise multiple-loop feedback digital filters 88−66600
Winters, H.F. Phenomena produced by ion bombardment in plasma-assisted etching environments 88−64414
Winters, H.F., Coburn, J.W. Etching reactions at solid surfaces 86−35606
Winters, H.F., Haarer, D. The influence of doping on the etching of Si(111) 88−39236
Winters, H.F. *see* Coburn, J.W. 85−23828, 87−18518
Winters, J. *see* Strauven, H. 88−43918
Winters, J.H. Optimum combining in digital mobile radio with cochannel interference 85−3366
Winters, J.H. Differential detection with intersymbol interference and noise correlation 85−19480
Winters, J.H. Upper bounds for the bit error rate of optimum combining in digital mobile radio 85−42490
Winters, J.H. On differential detection of *M*-ary DPSK with intersymbol interference and noise correlation 87−33695
Winters, J.H. On the capacity of radio communication systems with diversity in a Rayleigh fading environment 87−69127
Winters, J.H. Optimum combining for indoor radio systems with multiple users 88−3808
Winters, J.H. Optimum combining for indoor radio systems with multiple users 88−15437
Winters, J.H. On the capacity of radio communication systems with diversity in a Rayleigh fading environment 88−46102
Winters, J.H., Yeh, Y.S. On the performance of wideband digital radio transmission within buildings using diversity 86−55166
Winters, J.H. *see* Acampora, A.S. 87−69923, 87−76561
Winters, K.H., Jackson, C.P. Guide to finite-element grid generation using TGIN (Release 1) 85−44634
Winters, L. *see* Vayssier, G. 85−38769
Winters, R.J. *see* Banks, W.F. 85−1173
Winters, R.R. *see* Hill, N.W. 85−43201
Winters, S.M. *see* Homren, W.K. 86−67137
Winters, W. *see* Leibowitz, J. 85−61520
Wintersheimer, R. *see* Heacox, D. 88−61729
Wintersheimer, R. *see* Munoz, G. 88−68579
Winterton, S.S., Tarr, N.G. A method for contact resistivity measurement using thick, uniformly doped substrates 86−44388
Wintgen, P. *see* Berger, C. 88−22937
Wintgens, V. *see* Tripathi, S. 87−68400
Wintheiser, R.D. Product and process capability analysis 88−24596
Winther, C.A.D. *see* Kofoed, B. 85−46087
Winther, M. The legal implications [CATV] 85−3713
Winther, S. Effective data acquisition and retrieval of holographic interferograms 86−48510
Winther, S., Slettemoen, G.A. An ESPI contouring technique in strain analysis 85−58904
Winthrop, D.A. Planning for a single phase AC traction load on the New Zealand power system 85−32745
Winthrop, D.A. Power system earthing 86−51103
Wintle, H.J. Sharp edges and precise measurements [in practical electrodes] 86−47103
Wintle, H.J. Reversals in electrical current and other anomalies in insulating polymers 87−18427
Wintle, H.J. Space charge limited current in the needle-plane geometry 87−75320
Wintle, H.J., Kurylowicz, S. Edge corrections for strip and disc capacitors 85−34214
Wintzer, D. *see* Coenen, R. 85−10302
Wintzer, K. Realization of the ISDN basic connection at the users side 88−59773
Wintzer, M. *see* Corr, D.G. 88−41763
Winward, D.J., Irving, H.F. Solutions to full graphics implementations in the real-time monitoring and control environment 88−10776
Winyard, R.A. *see* Plews, M.J. 86−39418
Winzenread, M. *see* Blouke, M.M. 88−16194
Winzenread, M. *see* Stern, R.A. 88−16198
Winzenried, O. Rapid communications with signal processors in a multiprocessor system 88−8758
Winzer, G. Wavelength multiplexing components—A review of single-mode devices and their applications 85−8413
Winzer, G. *see* Auracher, F. 87−74835
Winzer, S.R., Bailey, A.E., Ritter, A.P., Jawed, I. Synthesis and characterization of PZN-PT materials 87−53799
Winzer, S.R. *see* Jawed, I. 87−52217
Wipenmyr, J. Cleanliness of surface mounted printed board assemblies. Results from a literature study 86−8634
Wipenmyr, J., Bergendahl, G.G. Cleaning of printed board assemblies with surface mounted components. Results from cleaning tests 86−41451
Wipf, S.G. *see* Klatt, R. 87−35308
Wipf, S.L. *see* ten Kate, H.H.J. 88−68104
Wipf, T., Scherrer, A. Measures for equalisation of system loads 87−64038
Wipfler, G.J., Mlynski, D.A., Hillner, H. An automatic placement procedure for integrated circuits 86−62367
Wipperfurth, U. *see* Butzer, P.L. 87−222, 87−31439
Wippich, H.-G. Development of a high resolution obstacle warning radar in the MM-wave band for helicopters 86−49731
Wiradisastra, U.S. *see* Ahearn, S.C. 86−18536
Wirasinha, R. *see* Lidgate, D. 87−4622
Wire, M.S., Fisk, Z., Webb, G.W. High-temperature specific heat by a pulse-heating method 85−58928
Wiren, G. *see* Wright, S.A. 88−53105
Wiren, K.T. *see* Smedman, K.E. 87−30013
Wires, G. *see* Draper, G. 85−8907
Wirgau, K.A. *see* Price, W.W. 88−54912
Wirgs, R., Kruger, G. VHF transmitting/receiving system with modern backup concept for the Federal-German armed forces 85−25715
Wirick, K. *see* Petrelis, P.G. 87−62827
Wirkus, E. *see* Oszywa, W. 87−75753
Wirl, C. What's the best way to wire a new building for data? 86−1425
Wirl, F. Optimal electricity production from hydro power plants with storage 88−48812
Wirmani-Prasad, A. *see* Bhat-Nayak, V.N. 87−72890
Wirnitzer, B. *see* Bartelt, H. 85−2789, 85−30352
Wirsen, L.-E. *see* Stenerhag, B. 85−21772
Wirsing, R. *see* Arndt, F. 85−45218
Wirtenson, G.R. Coatings for high energy applications: The Nova laser 87−39182
Wirtenson, G.R., Brown, N.J., Cook, L.M. Scaling up the neutral solution anti-reflection process 85−7299
Wirtenson, G.R. *see* Guenther, K.H. 85−12917
Wirth, C. Electronic mail and a private satellite network 88−28296
Wirth, E., Lochner, G., Castelli, G. Application of planning programs for power system control problems 85−26941
Wirth, E. *see* Gerber, P.A. 85−1172
Wirth, G. *see* Hildebrand, N. 88−4806
Wirth, H., Eyrich, W., Hofmann, A., Muhldorfer, B., Ortner, H.-W., Schlosser, H. Construction and behaviour of a miniature drift chamber 87−21410
Wirth, H.L. *see* Alexander, J.R. 85−59131
Wirth, J. Monitoring and renewal of generators of the Oesterreichische Draukraftwerke AG 88−17408
Wirth, K.-D. A new approach to queues with warming-up times 85−273
Wirth, K.-D. A remark on relationships between batch delays and customer delays 85−33272
Wirth, K.-H. *see* Siegl, J. 87−52990

Wirth, M. *see* Bloch, H. 86−11288
Wirth, M.J. *see* Blanchard, G.J. 85−41358
Wirth, M.O., Baldwin, T.F., Zenaty, J. Demand for sex-oriented cable TV in the USA: community acceptance and obscenity law 85−26056
Wirth, P., Heine, K.-H., Scharfe, W., Graen, G. Material processing with high power RF-excited CO_2-lasers 88−45367
Wirth, R. The C450 modern mobile radio system−signalling and cellular functions 86−17247
Wirth, R.D. *see* Anderson, D.R. 85−47342
Wirth, R.D. *see* Clay, A.W. 86−54648
Wirth, W. *see* Mielenz, E. 88−23499
Wirth, W.D. Solid state multifunction phased array radar 87−20611
Wirth, W.F. High speed, snubberless operation of GTOs using a new gate drive technique 87−38239
Wirth, W.F. Fast new GTOs challenge MOSFETs and bipolars in large switching power supplies 87−45920
Wirth, W.F. Fast new GTOs challenge MOSFETs and bipolars in large switching power supplies 88−5781
Wirth, W.F. High-speed snubberless operation of GTOs using a new gate drive technique 88−39427
Wirtz, G.P., Isaacs, H.S. Oxide electrodes at high temperatures 86−66317
Wirtz, G.P. *see* Enloe, J.H. 87−5451
Wirtz, L. *see* Knappenberger, J.R. 85−445
Wirtz, L.H. *see* Lahey, G.L. 85−6616, 85−11796
Wirtz, L.H. *see* Levine, J.E. 85−28842
Wirtz, P. The erection and commissioning of the Mulheim-Karlich nuclear power plant 87−50965
Wirtz, P. *see* Buchwald, K. 88−62055
Wirtz, R. *see* Miersch, R. 88−5929
Wirtz, R.A., Hollworth, B.R., Fuller, H.A. An infrared thermographic study of convection in an array of surface mounted components 86−52281
Wirz, P. On the wave resistance 88−56410
Wirz, P. *see* Brauer, G. 88−65152
Wirz, P. *see* Roll, K. 88−51275
Wirz, P. *see* Schultheiss, E. 88−33600
Wisase, T. Fabrication of capacitive pressure sensor 88−9962
Wischermann, G. Digital interface devices−coder and decoder for 4:2:2 88−41824
Wischmann, H.U. Multi-channel seizure in VHF broad-band installation. I. Design of the test unit 85−58638
Wischmann, K.B. Removable encapsulants for electronic devices 88−18504
Wischnewski, R. *see* Boettcher, H. 85−15168
Wiscombe, W.J. *see* Nussenzveig, H.M. 88−8443
Wisdom, G.J. Software technology transfer of the System 12 generic kernel 87−62782
Wise, B. *see* Hager, H. 88−35983
Wise, C. *see* Harris, A.M. 86−19002
Wise, D.K. *see* Drake, K.L. 88−54582
Wise, F.W., Walmsley, I.A., Tang, C.L. Experimental determination of hot-carrier scattering processes in $Al_xGa_{1-x}As$ 87−73995
Wise, F.W., Walmsley, I.A., Tang, C.L. Simultaneous formation of solitons and dispersive waves in a femtosecond ring dye laser 88−27098
Wise, F.W. *see* Bailey, D.W. 88−32804
Wise, F.W. *see* Rosker, M.J. 87−24823
Wise, F.W. *see* Tang, C.L. 87−26182
Wise, G.L. *see* Fu-Sheng Lu 86−3909
Wise, G.L. *see* Griswold, N.C. 87−75863
Wise, G.L. *see* Halverson, D.R. 85−30262, 86−3861, 86−59279, 88−14655
Wise, G.L. *see* Liu, Y.-C. 87−75964
Wise, G.L. *see* Lu, F. 85−57229
Wise, G.L. *see* Yih-Chiao Liu 86−3905, 86−29720, 86−64749
Wise, J. Defence leads in fibre optic use 85−24267
Wise, J. Designing a safety critical system: formal techniques 88−32254
Wise, J.A. Display systems for electrical system control centers 87−29217
Wise, J.A. Uncluttered display systems [power system control centres] 88−17222
Wise, J.A., Abi-Samra, N.C. The design for display systems for electric control centers 86−70058
Wise, J.F. Solar power requirements for military space vehicles 85−64673
Wise, J.F. Comparison of high power solar power system concepts to other options 87−4095
Wise, J.F. *see* Trumble, T.M. 85−48415
Wise, K.D. The role of thin films in integrated solid-state sensors 86−65176
Wise, K.D. Intelligent sensors for semiconductor process automation 87−29104
Wise, K.D., Najafi, K., Drake, K.L. A multichannel microprobe for intracortical single-unit recording 85−38173
Wise, K.D. *see* BeMent, S.L. 86−44660, 86−50600, 87−63796
Wise, K.D. *see* Chau, H.-L. 87−49673 to 49674
Wise, K.D. *see* Chau, H.L. 86−55669
Wise, K.D. *see* Choi, I.H. 86−31204, 86−55746
Wise, K.D. *see* Chun, K. 85−58559
Wise, K.D. *see* Chun, K.-J. 85−20614
Wise, K.D. *see* Chun, K.J. 86−55558
Wise, K.D. *see* Najafi, K. 85−59352, 87−21561, 87−21575
Wise, K.D. *see* Spangler, L.J. 87−38272
Wise, M.B., Freiser, B.S. Low-distortion detection system for frequency-swept ion cyclotron resonance spectrometry 86−65183
Wise, P.J., Trinder, J.C. Assessment of SIR-B for topographic mapping 88−30152
Wise, R. *see* Borland, J. 88−33321
Wise, S.A. IC provides reset or detects power failures 86−20248
Wise, S.A., Rosen, J., Fisher, S., Glass, K., Wong, Y. Initial experience with the Data Glove, a semi-automated system for quantification of hand function 88−54484
Wise, T. Networking micros and mainframes 85−8197
Wise, T. Designing portable SNA and LAN gateways 86−54949
Wise, T. *see* Masson, G.S. 86−32146, 87−3864
Wiseall, S.S., Emmony, D.C. A laser damage facility in the ultra-violet 85−7492
Wiseman, C. *see* Feess, B. 88−29003
Wiseman, G. Protecting battery-backed RAM on the 8031 85−61276
Wiseman, J.A. *see* Murphy, A.S. 85−31483
Wiseman, J.J. How long is a piece of wire? [transmitting antennas] 85−36101
Wiseman, N.E. *see* Oldfield, J.V. 87−39874
Wiseman, P.J. *see* Boudreaux-Bartels, G.F. 87−62108
Wiseman, R. *see* Bleistein, S. 87−42199
Wiseman, S.R. SCP3−an advanced secure communications processor 87−13477
Wiseman, T., Juang, C., Jones, K.A. IR laser assisted grading of MOCVD GaAsP 87−10509
Wiser, D.E. *see* Ash, W.W. 88−10244
Wiser, G. *see* Hoeft, L.O. 85−24861, 86−3584
Wishah, K.A. *see* Ahmad-Bitar, R.N. 86−38513
Wishart, A.J. Communications equipment accommodation in remote areas 85−65635
Wishart, A.J. Communications equipment accommodation in remote areas 86−69257
Wishart, A.J. Heat transfer design of shelters for rural electronic exchanges 87−20341
Wishart, S.J. *see* Baker, A.C. 86−65976
Wishau, R. *see* Garner, D. 87−78371
Wishner, R.P. *see* Mori, S. 86−49713
Wishnuff, K.M. Realistic mask specifications 88−44831
Wisinski, D. *see* Bernstein, D. 85−15253
Wiskerchen, M.J., Mollakarimi, C. Automation of Shuttle tile inspection: engineering methodology for space station 88−42600
Wisler, D.J. *see* Ramirez, D.J. 87−40717
Wislez, B. *see* Nauwelaers, B. 88−8611
Wislon, T.L. Recent developments in interference regulations 87−39411
Wislowski, J. Reliability in production of semiconductor subassemblies and modelling thereof 85−213
Wislowski, J. Analysis of relaxation phenomena in analogue integrated circuits at large-signal conditions 86−2355
Wislowski, J. Parasitic elements in a rectifier integrated circuit 86−9273
Wislowski, J. Chosen problems relevant to the influence of nuclear radiation on integrated circuits 87−18324
Wislowski, J. Present state and development prospects of digital integrated circuits 88−12272
Wislowski, J. Measurements of semiconductor devices in nuclear radiation field 88−50774
Wislowski, J., Jagusztyn, M. Radiation methods in measurements of static memories MOS RAM 86−52822
Wislowski, J., Jagusztyn, M. Beta irradiation as a method of the static MOS RAM memories processing and circuit design verification 87−10842
Wislowski, J. *see* Adamkiewicz, H. 86−44117
Wislowski, J. *see* Czerwinski, A.J. 86−761
Wislowski, J. *see* Wronski, W. 87−52585
Wisman, C.J. *see* Meijer, H.A.J. 87−39024
Wismann, D. Disc-rotor step motors perform 87−78710
Wismann, V. *see* Feindt, F. 87−8342
Wismayer, A.C., Weiss, B.L. The etching of $Ga_{0.7}Al_{0.3}As$ using $KI-I_2$ 88−50728
Wismeijer, A., Duijves, P.W.G., van Harten, H., Koonen, A.M.J., Leong, J.S., Schaafsma, P.E., Weeda, M. A 1.13 Gb/s optical transmission system with ternary line code 88−67415
Wismeijer, A., Koonen, A.M.J. High bitrate optical transmission systems 88−41685
Wismeyer, A. Long-distance single-mode fibre transmission 85−47531
Wisner, B. *see* Cilyo, F. 86−22631
Wisness, S., Sampson, R., Ott, D. High-voltage radar speeds UG fault location 88−75185
Wisnewski, W. *see* Goebel, J.H. 87−49556
wisniakowski, Z., Wolf, L. A simple bolometric low power meter for CW laser radiation 86−68612
Wisnieff, R.E. *see* Riederman, N.H. 85−14936
Wisniewska, M. *see* Ciurapinski, W. 87−74897
Wisniewski, B., Kosowicz, S., Laczkowski, J., Palka, K., Tyl, L. Application of a microcontroller 8035 in a digital voltmeter 88−36118
Wisniewski, G., Jachym, B. Channel electron multipliers constructed of polymers 85−1250
Wisniewski, G. *see* Adaszewski, W. 85−25259
Wisniewski, G. *see* Jachym, B. 87−53141, 88−19640, 88−44796
Wisniewski, J. Microprocessors in telecommunications 85−17477
Wisniewski, J. Demodulation of MSFK baseband signal 85−30162
Wisniewski, J. Microprocessors in telecommunication 86−23237
Wisniewski, J. Microcomputers in telecommunications 86−59678
Wisniewski, J.A., Peters, R.C. Global routing in a rectilinear macrocell environment 85−40057
Wisniewski, J.A. *see* Hudson, J.A. 85−1708, 87−60603
Wisniewski, J.A. *see* Palmer, D.W. 86−41922, 86−67919
Wisniewski, J.L. Effective text compression with simultaneous digram and trigram encoding 87−54870
Wisniewski, J.T. Bruce GS A calandria tube removal tooling and bulkhead welding tool 88−75371
Wisniewski, J.W. Correlation and regression in analysis of qualitative phenomena in the light of the measurement theory 87−56449
Wisniewski, P. *see* Suski, T. 88−44575
Wisniewski, R. A free-cylinder strain-gauge pressure transducer 86−70119
Wisniewski, R. *see* Rostocki, A.J. 86−65179
Wisniewski, S.C., II *see* Berk, D.A. 88−67335
Wisniewski, W. Study of the power control range and of the technical operating conditions of the lignite fired 360 MW power unit 86−19069
Wisniewski, W. Intervention power of a coal-fired BC-100 power unit 86−19098
Wisniewski, W. Investigation into efficient utilization of power station capacities in Poland 87−78480
Wisniewski, W. *see* Bernstein, D. 85−15253
Wisniewski, W. *see* Makin, B. 88−34255
Wisniewski, W. *see* Roehrig, J. 85−15175
Wisniewski, Z. The most economic current density of the electrical supply line 86−12376
Wisniewsky, G.K. Jointing, bonding and welding of high strength deep-drawing sheets 85−10483
Wisnosky, M. Modeling of defects in the print and etch process of printed circuit board manufacturing 86−62946
Wisoff, P.J.K., Caro, R.G., Mitchell, G. A high power picnosecond dye oscillator synchronously pumped by a Q-switched, mode-locked Nd:YAG laser 85−56573
Wisoff, P.J.K., Caro, R.G., Mitchell, G. High-power picosecond blue pulses from a dye laser synchronously pumped by a *Q*-switched mode-locked Nd:YAG laser 86−63769
Wisoff, P.J.K. *see* Caro, R.G. 87−12352
Wisoff, P.J.K. *see* Kubodera, S. 88−51435
Wison, B.A. *see* Tu, C.W. 87−73088
Wison, R. *see* Laughlin, D. 86−56113
Wispelaere, R.De *see* De Wispelaere, R.
Wiss, J.M. *see* Auclair, J.P. 85−16318
Wissel, F.H. A CAD test system for VLSI chips 86−41909
Wissel, L. *see* Leeper, R.J. 86−60508
Wissel, L. *see* Rideout, V.L. 85−35183
Wissel, R. Heat recovery by means of a heat pump in a dairy 85−60622
Wissell, D. High speed interconnect testing in the controlled and uncontrolled impedance environment 87−73853
Wisseman, W.R. GaAs MMICs for communications 86−27620
Wisseman, W.r. Advances in GaAs monolithic power amplifiers 86−35113
Wisseman, W.R., Frensley, W.R. GaAs technology perspective 87−45747
Wisseman, W.R., Witkowski, L.C., Brehm, G.E., Coats, R.P., Heston, D.D., Hudgens, R.D., Lehmann, R.E., Macksey, H.M., Tserng, H.Q. X-band GaAs single-chip T/T radar module 88−9643
Wisseman, W.R. *see* McQuiddy, D.N., Jr. 85−222
Wisseman, W.R. *see* Einspruch, N.G. *(editor)* 87−43759
Wissen, G. *see* Roth, S. 88−57488
Wissenbach, K., Gillner, A. Transformation hardening by CO_2 laser radiation 86−10040
Wissenbach, K. *see* Herziger, G. 88−2431
Wisser, B.W. Streamlining communications with a network packet switching 85−36468
Wisser, J. *see* Grundmann, D. 88−56274
Wisshak, K., Guber, K., Kappeler, F. Gamma-ray spectroscopy with a cooled barium fluoride crystal 88−4797
Wisshak, K., Kappeler, F. Large barium fluoride detectors 85−15190
Wisshak, K., Kappeler, F. A 4π barium fluoride detector for precision measurements of neutron capture cross sections in the keV range 86−56046

Wisshak, K., Kappeler, F., Muller, H. Prototype crystals for the Karlsruhe 4π barium fluoride detector 87—3896
Wissing, W., Seibt, D., Breithardt, J., Wachter, A. Admission tickets for public events in the Btx-dialogue. II. Conception and dialogue structure 85—52014
Wissing, W. *see* Seibt, D. 85—52013
Wissing, W.K. *see* Nelson, J.R. 85—6041
Wissink, S.W. *see* Stephenson, E.J. 85—59080
Wissman, D.J., Hurley, T.J. The in-service engineering program 86—13355
Wissmann, F. *see* Meusel, K.H. 87—56581
Wissmann, G. *see* Lorenz, L. 86—28316
Wist, A.O., Fatouros, P.P., Kishore, P.R.S., Dewitt, D.S., Keenan, R.L., Rao, G.U., Muizelaar, J.P., Clarke, G.D., Stewart, L., Marmarou, A., Kontos, H.A. Methods for determining blood flow in the brain. I. Review of several cerebral blood flow techniques 87—63741
Wisted, J.M., Mavrogenis, N.T., Chang, B., Richard, M.D. A 350 picosecond ECL standard cell library 86—67971
Wisted, J.M. *see* Shier, J.S. 87—67538
Wister, W.W., III *see* Gregorac, L. 87—12820
Wiswall, C.E., Bragg, S.L., Reddy, K.V., Lilenfeld, H.V., Kelley, J.D. Moderate-power CW chemical oxygen-iodine laser capable of long duration operation 85—56500
Wiswanathan, T.R. *see* Nagaraj, K. 85—55000
Wiswell, E.R. *see* Shanmugan, K.S. 87—40219
Wiszniewski, A. Fault location correction of errors due to current transformers 85—65011
Wiszniewski, A. New algorithm of calculating current and voltage phasors for fast protection 87—35682
Wiszniewski, A., Winkler, W., Sowa, P., Marczonek, S. Selection of settings of transformer differential relays 85—65309
Wiszniewski, A. *see* Izykowski, J. 87—61550
Wit, H.J.de *see* de Wit, H.J.
Wit, L.R.de *see* de Wit, L.R.
Wit, M.de *see* de Wit, M.
Wit, R.P.De *see* De Wit, R.P.
Witak, W. Counter C-meter 88—67947
Witalis, E.A. On the voltage amplification in the dense plasma focus 87—43585
Witanachchi, S. *see* Kwok, H.S. 88—38228, 88—49862
Witchlow, G.P. *see* Heasman, K.C. 88—40233
Witchlow, G.P. *see* O'Reilly, E.P. 87—46904, 87—53259
Witchlow, N. *see* Purdy, T. 86—69453
Witcomb, R.C. *see* Hawkesworth, M.R. 87—29471
Witczak, P. Evaluation of optimization accuracy for linear induction motors 85—9930
Witczak, S. *see* Kulikowski, J. 88—75689
Witebsky, C., Smoot, G.F., Levin, S., Bensadoun, M. A large *L*-band rectangular corrugated horn 88—27622
Witebsky, C. *see* Costales, J.B. 86—29381
Witebsky, C. *see* Kogut, A. 88—35623
Witebsky, C. *see* Smoot, G.F. 87—68773
Witek, A. Employment of the finite rigid element method for computation of vibration isolation of machine-tools 85—60935
Witek, R.T. *see* Dobberpuhl, D.W. 87—44921
Witek, W. The line operational amplifier adapted to transformation of C_x, R_x and tgδ_x of capacitors 85—39944
Witek, W. The immediate converter of C_x and tgδ_x of capacitors 85—40214
Witek, W. The analogue convertor for measurement of the coefficient of modulation 85—42948
Witek, W. The converters of δ/tgδ and γ/C_x 86—1404
Witek, W. The multivibrator adapted to the measurement of the capacitance, C_x, of capacitors by the number of impulses 86—5483
Witek, W. A digital recorder X-Y 86—55771
Witek, W. Functional systems for direct measurement of the electric parameters of capacitors 87—73816
Witek, W. Measuring transducers of tgδ of capacitors 88—67772
Witek, W. Converter of phase shift with calculator structure 88—67946
Witenberg, R.E. *see* Lue, J.W. 88—65100
Witewski, J. *see* Grzegorczyk, A. 88—39632
With, P.H.N.de *see* de With, P.H.N.
Witham, H.S., Lenahan, P.M. The nature of the deep hole trap in MOS oxides 88—25986
Witherell, F.E. Surface and near-surface chemical analysis of cobalt-treated iron oxide 85—24083
Witherell, M.S. *see* Foley, K.J. 88—68313
Witherell, M.S. *see* Goulding, F.S. 85—43217
Witherell, M.S. *see* Karchin, P.E. 85—43241
Withers, C.B. Electronic voicemail: one hospital's experience 88—35009
Withers, C.S. The bias and skewness of L_1-estimates in regression 87—72951
Withers, D. Freedom of access to the radio spectrum for satellite communications 85—58267
Withers, D. Equitable access to satellite communication 86—17302
Withers, D. WARC-85: results and implications [frequency allocation for satellite service] 86—49547
Withers, D.H. *see* Hood, S.J. 88—342
Withers, D.J. Equitable access for all nations to the geostationary satellite orbit 85—20113
Withers, D.J. The role of CCIR Interim Working Party 4/1 in satellite communication 85—20152
Withers, D.J. Technical means for expanding the fixed-satellite service 86—4600
Withers, D.J. Space radio services and WARC-MOB-87 88—53393
Withers, D.J. Markets for FSS frequency allotment planning. A reply to Harvey J. Levin 88—60361
Withers, D.J. *see* Durkin, J. 87—28503, 87—28505
Withers, M. *see* Claydon, B. 86—69703
Withers, M.J. Transmitter aerials 86—10196
Withers, M.J., Kapartis, S. Wide band corrugated horn feeds 86—10195
Withers, M.J. *see* Claydon, B. 85—14218
Withers, M.J. *see* Fong, K.S. 85—46639, 86—10192
Withers, P. Microprocessor enhanced AC voltage generation 88—60782
Withers, P.B. *see* Dakin, J.P. 86—36208, 86—48518, 86—68292, 86—68563, 87—38823, 88—16169, 88—22617, 88—36011, 88—36023
Withers, P.B. *see* Wade, C.A. 86—48183
Withers, R.S., Anderson, A.C., Green, J.B., Reible, S.A. Superconductive delay-line technology and applications 85—56262
Withers, R.S., Reible, S.A. Superconductive chirp-transform spectrum analyzer 85—52707
Withers, R.S. *see* Delaney, M.A. 87—67864
Withers, R.S. *see* Go, D. 88—38646
Withers, R.S. *see* Green, J.B. 87—67872, 88—12617, 88—58039
Withers, R.S. *see* Sage, J.P. 87—25543
Witherspoon, B.K. *see* Glossbrenner, E.W. 88—7108
Witherspoon, F.D., Burton, R.L., Wang, S.Y., Bloomberg, H.W., Goldstein, S.A., Tidman, D.A. Experimental results from the EMET rail launcher 88—40512
Witherspoon, F.D. *see* Burton, R.L. 87—26661
Witherspoon, F.D. *see* Wang, S.Y. 88—40513
Witherspoon, J.P. On making a marriage: interactive videodiscs for education 86—60062
Witherspoon, L. *see* Medernach, J.W. 87—1747, 87—18346
Witherspoon, L.L. *see* Medernach, J.W. 87—46209
Withey, S.A. Pulse direction logic probe 85—20547
Withgott, M., Bagley, S.C., Lyon, R.F., Bush, M.A. Acoustic-phonetic segment classification and scale-space filtering 87—61704
Withington, F. *see* Feess, B. 88—29003
Withington, F.G. Limits of key technologies 85—33257
Withington, F.N., Klepczynski, W.J. Operational results of GPS in timekeeping 87—41056
Withington, F.N. *see* Klepczynski, W.J. 87—13802
Withington, S. *see* Barker, R.W. 87—20658
Withrow, M., Voss, J., Skov, J.M., Bates, L. Instrumentation and Setpoint Control Program 88—62087
Withrow, S.P. *see* Braunstein, G.H. 87—45769, 88—44643
Withrow, S.P. *see* Edmond, J.A. 87—6555
Withy, S.J. *see* Graham, B.L. 85—38037
Withy, S.J. *see* Tavener, S.J. 85—9168
Witibschlager, F. *see* Prietzel, G. 87—15938
Witiska, E. The demand for exchange parts in the prefailure phase of power electronic products 85—16822
Witkemper, L.D. *see* Weddle, D.O. 86—30586
Witkin, A. *see* Kass, M. 88—66638
Witkin, A. *see* Terzopoulos, D. 87—62335, 88—46200
Witkin, A.P. *see* Babaud, J. 86—43307
Witkosky, B.J. *see* Dawson, R.H. 87—60582
Witkover, R. *see* Alessi, J.G. 88—47789
Witkover, R. *see* Makdisi, Y. 86—24907
Witkover, R.L., Buxton, W., Castillo, V., Feigenbaum, I., Lazos, A., Li, Z.-G., Smith, G., Stoehr, R. Beam instrumentation for the BNL heavy ion transfer line 88—54114
Witkowicz, T. Hosts for DEC fiber optics and peripherals 85—57768
Witkowski, A. A microcomputer-based measuring system for hybrid converters 85—58528
Witkowski, C.M. Control and data communication within and outside the flexible manufacturing system 87—20272
Witkowski, J.S. *see* Sowa, A.E. 85—62815, 86—640, 88—44026
Witkowski, L.C., Zimmerman, D.E., Brehm, G.E., Coats, R.P. An X-band 4.5 watt push-pull power amplifier 86—35115
Witkowski, L.C. *see* Wisseman, W.R. 88—9643
Witkowski, M. *see* Gargill, B. 87—76393
Witkowski, S. *see* Chen Shisheng 88—40121
Witkowski, S.L. *see* Ochs, T.L. 87—9950
Witlin, W.G. *see* Gotoh, S. 86—5598
Witlin, W.G. *see* Kayama, N. 86—5302
Witman, D. *see* Babich, E. 87—25018
Witman, M.W. *see* Kaempf, G. 88—26746
Witman, S.L. *see* Gallagher, D.L. 88—19377
Witman, S.L. *see* Prutzer, S. 88—53377
Witmer, C.H.M. *see* de Wit, H.J. 88—51178
Witmer, C.H.M. *see* Dirne, F.W.A. 88—64908
Witmore, R.K. Voice controlled voice mail system 85—36648
Witomski, P. *see* Robert, R. 85—60912
Witomski, W. *see* Tabaka, L. 85—4012
Witort, J. *see* Jachym, B. 87—53141
Witos, F. *see* Kwestarz, W. 87—75989
Witos, V. Two examples of simple modernisation of the measuring technique 86—24808
Witowski, B., Lee Smith, W., Willenborg, D.L. Nondestructive technique for the detection of dislocations and stacking faults on silicon wafers 88—32746
Witschar, A. Fast-recorder renaissance. Features of the latest generation of recorders 87—41546
Witschar, A. Generation change; mechanical oscillograph innovations 87—63438
Witschar, A.K. Fast flash converters in a digital oscilloscope 86—50134
Witscher, W. *see* Huser, J.M. 88—63729
Witschew, S. *see* Hinova, I. 86—47105
Witschi, A., Pellaux, J.-P., Bischofberger, T. Measuring set for determination of a glass fibre's refractive index profile 85—35512
Witschi, A. *see* Pellaux, J.-P. 87—14110, 87—21267
Witschurke, R. *see* Issel, W. 87—581
Witsenhausen, H.S. On the capacity of sticky storage devices 85—10609
Witsenhausen, H.S. A simple bilinear optimization problem 87—10284
Witsenhausen, H.S. The cyclic minimum correlation problem 87—58815
Witsmeer, A.J. *see* Nielson, J.T. 86—18410, 86—44745
Witstok, D. *see* de Groot, J.J. 87—55910 to 55911
Witt, A., Wegener, M., Klingshirn, C., Gnass, D., Jager, D. CdS photoelectric device: modulation and optical bistability at 514 nm 88—27280
Witt, A. *see* Wegener, M. 88—65372
Witt, A.F. *see* Matthiesen, D.H. 88—11962
Witt, A.F. *see* Xing, Z.-J. 85—16908
Witt, D. *see* Fischer, S. 88—17496, 88—69264
Witt, E. *see* Stone, J. 86—6646
Witt, H. Growian: a successful experiment [wind power station] 86—12755
Witt, H.H. The difficulty of testing redundancy systems (validation of a reactor containment systems) 86—18944
Witt, J.H. The interrelationship of mean down-time and maintenance shifts 87—5194
Witt, J.H. Modeling of cold-standby redundancy with start-up delay [power plants] 88—10936
Witt, K. How accurate are flow rate measurements? 85—31632
Witt, K. Temperature measurement 87—21270
Witt, K.-U. Concepts for the implementation of the teletex service 87—27909
Witt, M. Moving from DoD to OSI protocols: a first step 87—2854
Witt, M. A comment on current source routing techniques 88—15061
Witt, M. Industrial applications of excimer lasers 88—27347
Witt, R.De *see* De Witt, R.
Witt, R.J. A novel, finite-element based method for determining TF coil response to out-of-plane loads 88—65999
Witt, R.M., Burt, R.W. Evaluation of digital image file storage requirements and creation rates [for PACS] 87—14960
Witt, S.H., Ruhnow, R.W. Simple architecture provides high performance for protocol analysis 85—64066
Witt, T.J. An automatic system for accurate standard cell comparisons 85—58784
Witt, T.J. An automatic system for accurate standard cell comparisons 86—24623
Witt, T.J., Endo, T., Reymann, D. The realization of the quantum-Hall standard of resistance at the BIPM 87—14467
Witt, T.J., Endo, T., Reymann, D. The realization of the quantum Hall standard of resistance at the BIPM 88—16418
Witt, T.R. *see* Leebrick, D.H. 88—13226
Witt, T.S. *see* Calzonetti, F.J. 87—42339
Witt, W. *see* Lorenzen, H.W. 87—42995
Witt, W. *see* Salge, J.G.H. 87—26707
Witt, W. *see* Tietze, T. 85—38983
Wittberg, T.N. *see* Tomich, D.H. 86—14792
Wittchen, T. Adaptor for programming bipolar PROMs 85—23930
Wittchen, T. *see* Metzdorf, J. 87—78949, 88—17960
Wittchow, E. Large coal-fired plants in the 1990s—significant design issue 87—4565
Wittchow, E. *see* Bald, A. 85—43856
Wittchow, E. *see* Brucher, K. 88—62182
Wittchow, E. *see* Franke, J. 85—9700
Wittchow, G., Bode, K.H., Schrumpf, V. HTR 500—an alternative to a pressurized water reactor (PWR). Research into the economics of power generation 85—59932
Wittchow, G. *see* Baust, E. 86—18976, 88—23663
Wittchow, W. *see* Baust, E. 87—64237
Witte, D. Cayley digraphs of prime-power order are Hamiltonian 86—34155

Witte, E. Structural change in telecommunication 88−28193
Witte, E. The recommendations of the Kommission fur den Ausbau des technischen Kommunikationssystems (KtK) 88−66817
Witte, F. Oil slick detection with an airborne SLAR 86−69830
Witte, F. Oil slick detection with a sidelooking airborne radar 87−63975
Witte, F. *see* Gruner, K. 87−63976
Witte, F. *see* Huhnerfuss, H. 87−63974
Witte, F. *see* Nithack, J. 86−12201
Witte, G. *see* Boecker, F.R.P. 87−50298
Witte, G. *see* Hoehne, K.H. 87−35409
Witte, G. *see* Hohne, K.H. 85−38121
Witte, G.de *see* de Witte, G.
Witte, H., Glaser, S., Rother, M. New spectral detection and elimination test algorithms of ECG and EOG artefacts in neonatal EEG recordings 87−41976
Witte, H. *see* Merry, P. 86−10834
Witte, H. *see* Rosenberger, D. 85−63653
Witte, H.-H. Local data networks using optical fibers 85−25491
Witte, H.-H. Optical and electrical local data networks. I 86−69403
Witte, H.-H. Optical and electrical local networks. II. Couplers, systems, comparisons, world-wide activities, applications 87−2726
Witte, H.-H. *see* Moustakas, S. 85−42583, 85−52077
Witte, J., Otte, K.B. The level of the stimulation current as a function of the design of pacemaker electrodes 86−38829
Witte, J.de *see* de Witte, J.
Witte, J.K. *see* Chen Shisheng 88−40121
Witte, K. *see* Tajima, T. 86−31845
Witte, K.J. Survey on modern pulsed high power lasers 86−5688
Witte, K.J., Greiner-Mothes, M.A. Theoretical analysis of a Brillouin switch for amplifier decoupling and prepulse suppression in short-pulse high-power laser systems 88−65781
Witte, K.J., Krug, J. Light-gasdynamic-induced refractive index changes and beam propagation in fast-pumped high-power photodissociation lasers 88−65587
Witte, K.J. *see* Greiner-Mothes, M.A. 86−63859
Witte, L.C. *see* Galloway, K.F. 86−21617, 86−35705
Witte, M. *see* Rosenbauer, H. 85−53170
Witte, R.A., Daniels, J.W. An advanced 5-Hz-to-200-MHz network analyzer 85−20536
Witte, R.E., Schumacher, P.P. A serial communications interface for microprocessor-based power distribution apparatus 85−32082
Witte, S. *see* Gahm, T. 85−48260
Witte, V. 'Multimode'−a new test concept for VLSI component boards 85−34263
Witte, V. Automatic micro-board programming with functional test generators 86−17790
Witte, W., Rehberg, P. Thick film resistor design with regard to the temperature coefficient and the long term stability 88−1228
Witteborn, F.C. *see* Goebel, J.H. 87−20938, 87−49556
Wittek, J.H. *see* van Meerbergen, J.L. 87−17156
Wittek, J.H. *see* Van Wijk, F.J. 87−5912, 87−17135
Wittek, L. *see* Erlenhof, A. 85−48986, 85−60263
Wittekoek, S. Optical aspects of the Silicon Repeater 85−29301
Wittekoek, S., Linders, H., Stover, H., Johnson, G., Gallagher, D., Fergusson, R. Precision wafer-stepper alignment and metrology using diffraction gratings and laser interferometry 87−11515
Wittekoek, S., van der Werf, J., George, R.A. Phase gratings as wafer stepper alignment marks for all process layers 86−14997
Wittekoek, S. *see* van den Brink, M.A. 88−1586
Wittekoek, S. *see* van der Brink, M.A. 87−11545
Wittekoek, S. *see* van Hout, F.J. 88−20052
Wittekopf, R. *see* Ullrich, D. 88−16499
Witteles, A.A., Volmerange, H., Davidson, H., Yue, H., Jennings, R., Brucker, G.J. Prompt and total dose response of hard 4K and 16K CMOS static random access memories (SRAMs) 85−17394
Witteles, A.A. *see* Cable, J.S. 87−32706
Witteles, A.A. *see* Song, Y. 87−32704
Wittels, N., Beiler, R.A., Erwin, A.P. How to design inspection systems for electronic components [PC testing] 88−50488
Wittels, N., Zisk, S.H. Lighting design for industrial machine vision 87−51610
Witteman, C., Klees, J.E. Feedwater connection repair and modification at GKN 85−53459
Witteman, W.J. Multicomponent KrF gas laser operating above atmospheric pressures 87−18896
Witteman, W.J. High power pulsed gas lasers 88−27066
Witteman, W.J. High power pulsed gas lasers 88−40146
Witteman, W.J. High power pulsed gas lasers 88−45368
Witteman, W.J., Ernst, G.J., Peters, P.J.M. Construction and operation of high power gas lasers 88−27024
Witteman, W.J., Peters, P.J.M. High powered excited dimer lasers 87−46774
Witteman, W.J. *see* Abramski, K.M. 85−35671
Witteman, W.J. *see* Bonnie, R.J.M. 87−68327
Witteman, W.J. *see* Gerber, T. 85−2198, 86−3071
Witteman, W.J. *see* Haselhoff, E.H. 88−51922
Witteman, W.J. *see* Kleikamp, B.M.H.H. 86−42471
Witteman, W.J. *see* Peters, P.J.M. 85−51128, 87−68324, 88−2155
Witteman, W.J. *see* Rooth, F.A. 85−62489
Witteman, W.J. *see* Rooth, R.A. 88−2246
Witteman, W.J. *see* van Goor, F.A. 86−22286
Witten, A.J., Courville, G.E. Investigation of aeroacoustic mechanisms by remote thermal imaging 88−68520
Witten, I.H. Making computers talk: an introduction to speech synthesis 87−17
Witten, I.H. A course on 'expert systems' for electrical engineering students 88−6146
Witten, I.H., Bramwell, B. A system for interactive viewing of structured documents 86−43502
Witten, I.H., Cleary, J.G. Foretelling the future by adaptive modeling 86−54487
Witten, I.H., Neal, R.M., Cleary, J.G. Arithmetic coding for data compression 87−61573
Wittenberg, A.M. Single-crystal garnet phosphors 88−8052
Wittenberg, A.M. *see* Berkstresser, G.W. 86−28977
Wittenburg, K. Radiation damage in PIN-photodiodes 88−58358
Wittenburg, K. *see* Bieler, C. 85−37924
Wittenmyer, D.A. *see* Thorbjornsen, A.R. 87−60614
Witter, G.J., Lu, M.-C. The effect of lithium additions and contact density for silver-cadmium oxide contacts for make and break arcs 85−53787
Witter, K. *see* Hansen, P. 85−24214
Witter, K. *see* Hartmann, M. 88−51162
Witternigg, N. *see* Randeu, W.L. 86−29406
Witters, D.M. Automated microwave oven survey systems: evaluation criteria and procedures 87−31083
Witters, D.M., Jr., Herman, W.A. Inexpensive microwave oven survey instruments: an evaluation 85−60558
Witters, E. *see* Aubert, A.E. 87−50426
Witters, E. *see* Ector, H. 86−38832
Witters, E. *see* Verrydt, W. 88−5015
Witters, J. *see* Janssen, P. 88−49403
Witters, J.S., Groeseneken, G., Maes, H.E. Programming mode dependent degradation of tunnel oxide floating gate devices 88−38536
Wittey, B.A. Sealed lead-acid batteries: operational experience in a telecommunication service application 86−61716
Wittey, B.A. The introduction and operation of distributed DC power systems into the British Telecom switched network 87−30014
Wittfoth, P. Diagnostics on the chip. A new concept facilitates the testing of systems 85−11300
Wittfoth, P. New generation PROMs, with registers and DOC: fast by means of washed emitter 85−17382
Wittfoth, P. Programmable logic in the high-speed-range. The first PAL in ECL-technology 86−20426
Wittgenstein, F.A. CERN: very large magnet with aluminium winding 85−15195
Wittgruber, F., Knoll, B. Quality test of magnetic storage media with GaAs digital components 88−13677
Witthoft, J. *see* Afek, Y. 86−2303
Witthuhn, L.L. *see* Shultz, R.D. 88−30280
Wittig, G., Boehm, R., Thomas, H.-M. Contribution to the confidence level of the eddy current method for detecting corrosion damages on aluminium structures 87−5549
Wittig, G., Thomas, H.-M. A contribution for calibration and evaluation of signals in the eddy-current-testing with computer aid 87−73201
Wittig, G., Thomas, H.-M., Maser, D. Characteristic of probe coil systems for the application of the pulsed eddy current techniques 85−44813
Wittig, G. *see* Neumaier, P. 85−54563
Wittig, G. *see* Thomas, H.-M. 86−572
Wittig, M., Oppenhauser, G. Performance of optical intersatellite links 88−67298
Wittig, M., Oppenhaeuser, G., Hahne, A. Experimental and preoperational optical intersatellite links 88−53290
Wittig, M. *see* Hartl, P. 86−55353
Wittig, S., Scherer, V. Heat transfer measurements downstream of a two-dimensional jet entering a crossflow 88−29686
Wittig, S. *see* Hassler, G. 88−55186
Wittig, S. *see* Morris, C. 88−30555
Wittig, S. *see* Sattelmayer, T. 87−70875
Wittig, S. *see* Zahoransky, R. 86−12537
Wittig, T. Power distribution falls under KRITIC's eye 87−50779
Wittig, T. *see* Biermann, J. 88−23405
Witting, B. *see* Lippold, H. 88−36288
Witting, G. *see* Pfisterer, H. 88−493
Witting, P.A. Electronic circuit and system simulation with Astec 3 86−20164
Witting, P.A. A review of Astec-3 [circuit simulation software] 87−31663
Witting, P.A. *see* Poole, N.J. 88−70424
Witting, P.A. *see* Rees, D. 85−61311
Wittington, F.Brown, Jr. *see* Brown Wittington, F., Jr.
Wittje, J. Charge regulator for extra battery: duo power in the car 86−20268
Wittke, D.D. Continuing education 87−23187
Wittke, D.D. Quality of work life and engineering productivity 87−43887
Wittke, J.P. Moire considerations in shadow-mask picture tubes 88−12905
Wittke, K. Rationalisation of joining and assembly processes 88−37901
Wittke, P.H., Penstone, S.R., Keightley, R.J. Measurements of echo parameters pertinent to high-speed full-duplex data transmission on telephone circuits 85−13783
Wittke, P.H., Penstone, S.R., Keightley, R.J., Yau, J. Measurements on telephone circuits of parameters pertinent to high-speed full-duplex voiceband data transmission 85−13793
Wittke, P.H. *see* Campbell, L.L. 87−55165
Wittke, P.H. *see* Korenberg, M. 88−45840
Wittke, P.H. *see* Lam, Y.M. 88−41521
Wittke, P.H. *see* McLane, P.J. 87−70020, 88−2930
Wittke, P.H. *see* Tjhung, T.T. 87−12885
Wittke, P.H. *see* Tjung, T.T. 85−46662
Wittke, V., Bauer, G. Standardized traction current switch plants without central compressed-air supply at the German Federal Railway (DB) 86−6922
Wittke, V. *see* Schramm, H.-H. 87−79044
Wittker, K.A. *see* Hubler, E. 85−50805
Wittkopp, C. *see* Billhardt, C.F. 86−3404
Wittkower, A. *see* Kanter, M. 85−37869
Wittkower, A. *see* Mack, M.E. 85−34800
Wittkower, A. *see* White, N. 85−34820
Wittkower, A.B. *see* Rose, P.H. 85−12146
Wittkowski, U. *see* Krull, O. 85−15067
Wittkowski, W., Willmes, H. Safety regulations for stationary batteries according to DIN/VDE 0510 Part 2 86−61719
Wittlin, R.I., Ratner, D.V. Choosing the best local area network for any application 85−36716
Wittlinger, H. 'Diode-less' full wave rectifier circuit 85−13545
Wittlinger, H., Salerno, C. Bridge oscillator circuits benefit from BiMOS-E op amps 88−63532
Wittlinger, H. *see* Salerno, C. 88−32011, 88−70558
Wittlinger, V. *see* Olach, O. 88−12632
Wittmaack, K. Experimental verification of some predictions of a simple model of ion implantation in the presence of sputtering 85−45538
Wittmaak, K. *see* Menzel, N. 85−45525
Wittman, B.A. Circuit debounces pushbutton switch 87−45339
Wittman, E. IBM product evolution in the open systems and MAP arena 87−40480
Wittman, H.R. *see* Maracas, G.N. 85−1366
Wittman, J., Keil, R., Auracher, F. Innovative method for laser-fiber alignment 86−9537
Wittman, J. *see* McKeighen, R.E. 87−46236
Wittmann, E. The diagnostic system of the ICE [electric locomotives] 86−19565
Wittmann, F.D. *see* Weigel, F. 85−40379
Wittmann, J., Gaukel, G. Narrow-linewidth laser with a prism grating/GRIN rod lens combination serving as external cavity 87−54368
Wittmann, J. *see* Mathyssek, K. 86−22132
Wittmann, M. *see* Zwick, U. 87−38811
Wittmann, R. Introduction to Milner's Calculus of Communicating Systems 88−59384
Wittmann, R. *see* Hintergraber, M. 85−38643
Wittmann, R. *see* Liemersdorf, H. 87−9264
Wittmann, R.C. Probe correction in spherical near-field scanning, viewed as an ideal probe measuring an effective field [antenna testing] 85−19237
Wittmann, R.C. *see* Lewis, R.L. 88−40655
Wittmann, R.C. *see* Yaghjian, A.D. 86−22800
Wittmayer, F.J. *see* Gaines, J.L. 87−14816
Wittmer, D. *see* Pfeiffer, W. 85−1208, 86−5078
Wittmer, L.L. *see* Anderson, R.E. 86−53253
Wittmer, M. Properties and microelectronic applications of thin films of refractory metal nitrides 85−60993
Wittmer, M. Properties and microelectronic applications of thin films of refractory metal nitrides 87−16657
Wittmer, M. Self-aligned diffusion barrier by nitridation of $TiSi_2$ 88−50714
Wittmer, M., Oelhafen, P., Tu, K.N. Chemical reaction and Schottky-barrier formation at the Ir/Si interface 87−66988
Wittmer, M. *see* Krusin-Elbaum, L. 87−60353
Wittmer, M. *see* Ting, C.Y. 85−23595
Wittmer, M., Stimmell, J., Strathman, M. *(editor)* Materials Issues in Silicon Integrated Circuit Processing Symposium 87−16298
Wittmer, P. Optimizing materials and process variables to aid cleaning 88−19539

Wittneben, A. PMP—a new method for jointly optimizing the free Euclidean distance and noncoherent detectability of CPM 88—45864
Wittrisch, G. Operating experience with older generators. II. Aging of insulation and windings of stators and pole coils 85—60136
Wittrock, C. Concept of a TV intermediate frequency modulator for all stereo standards and measurements of sound output values 87—76964
Wittrock, C. TV IF modulator design and stereo performance 87—76997
Wittrock, C. Stereo sound performance in TV broadcasting 88—15741
Wittrowsky, G. *see* Behrsing, V. 85—38613
Wittry, D.B. *see* Romanowski, A. 86—33660, 87—15973
Witts, D.P. Military ATE. Commercial ATE provides affordable and flexible solution 88—22427
Witts, D.P. Planning and organizing a military ATE proposal 88—35857
Witts, J.B. Effective standards [BS9000] 85—23104
Witttels, N. *see* Zisk, S.H. 88—52553
Wittur, K.-H. *see* Klar, W. 86—19797
Wittwer, D., Kupfer, H. The new radial compressor test rig 'Super Martin' 86—55885
Wittwer, E. Lighting of sports stadiums. The open-air cycle racing track in Zurich-Oerlikon with lighting suitable for TV coverage 85—5511
Wittwer, E. Punctiform light sources in sports Halls 85—16390
Wittwer, F. *see* Hausler, M. 87—58178
Wittwer, L.A. *see* Fremouw, E.J. 85—9253, 85—53115
Wittwer, M., Kocher, E., Winden, R., Fischer, J., Ozkan, A. Inverter technology for diesel and electric traction 88—37700
Wittwer, V. *see* Wilson, H.R. 86—51914
Wittwer, W. *see* Maisenhalder, F. 87—54219
Wittwer, W. *see* Schock, W. 87—75013
Witulski, A.F., Erickson, R.W. Steady-state analysis of the series resonant converter 86—20270
Witulski, A.F., Erickson, R.W. Design of the series resonant converter for minimum component stress 87—4785
Witulski, A.F., Erickson, R.W. Small signal AC equivalent circuit modelling of the series resonant converter 87—73323
Witulski, A.F. *see* Johnson, S.D. 87—51377, 88—63499
Witulski, H. Strategy and prospects of nuclear heat in the Federal Republic of Germany 85—38665
Witwicki, T. *see* Bieniak, B. 88—22498
Witz, W., Marty, W. The Combilog-Codam system 88—47434
Witz, W. *see* Marty, W. 86—39118, 86—65786
Witzani, J. *see* Duftschmid, K.E. 86—44542
Witzeling, W. *see* Akesson, T. 86—18235
Witzeling, W. *see* Amendolia, S.R. 85—37901, 85—43179, 86—5779, 87—21426 to 21428
Witzeling, W. *see* Benetta, M. 85—43239
Witzell, W. *see* Berteaux, H.O. 86—65555
Witzell, W. *see* Prada, K.E. 88—48337
Witzell, W.E. *see* Koelsch, D.E. 87—29915
Witzgall, C., Saunders, P.B., Schofer, R.E. Parametric cost-revenue model ('PAREC') for electronic message service systems 87—55546
Witzig, M. Absorbing power-line filters 88—5354
Witzke, E.L. A special purpose communications protocol for reliable data transmission in hostile electromagnetic environments 86—49164
Witzke, K.A., Leung, C. A comparison of some error detecting CRC code standards 86—3762
Witzman, S. *see* Anderson, J.E. 86—53580
Witzmann, G. Addressing in broadband communication systems [cable TV] 85—52537
Witzmann, R. Measuring equipment for the investigation of fast transients in GIS 87—64742
Witzschel, G. Digital processing of analog signals in communication engineering 87—33715
Witzschel, G. Practical problems in the application of DFT for system and signal analysis from an engineering point of view 87—36567
Witzschel, G. *see* Hubner, U. 85—3328
Witzschel, G. *see* Konig, U. 85—33730, 86—16114
Wiwigac, C. *see* Felice, D.B. 85—1132
Wix, J. Computer-aided design of electrical services [lighting installation] 85—5503
Wix, M. *see* Seidel, E. 85—47381
Wixom, M.R. *see* Mayer, F.J. 87—21069
Wixson, S.E., Sloane, M.E. Managing windows as transparent PAGEs in a stereoscopic display 88—74535
Wizemann, H.D., Gaukler, K.H. Energy distribution of a thermal lithium triode ion gun 88—36342
Wizemann, H.D., Jeske, R., Gaukler, K.H. Emission characteristics of a thermal lithium ion source 88—68189
Wizgall, M. Data transmission by telephone extensions 87—55865
Wizgall, M. *see* Bergs, H.-J. 85—52232
Wizgall, M. *see* Kriegel, B. 88—28210
Wizgall, M. *see* Kulzer, H. 88—59766
Wizgall, M. *see* Lichtenberg, L. 88—53103
Wizgall, M. *see* Meistering, B. 85—3320, 85—47328
Wiznerowicz, F. Water in an isotropic dielectric [polymer cable insulation] 85—18511
Wiznerowicz, F. *see* Smarslik, J. 86—22731
Wiznerowicz, F. *see* Wanser, G. 85—32164
Wleclawski, A., Perkowski, M. Optimization of negative gate networks realized in Weinberger-like layout in a Boolean level silicon compiler 85—761
Wlodarczyk, M. Identification of unattainable boundary between two areas by application of electromagnetic field measurement 88—58775
Wlodarczyk, M. The advantage of electric fields for nondestructive shape identification 88—58776
Wlodarczyk, M. *see* Adamiak, K. 86—39836, 86—39839
Wlodarczyk, M. *see* Sozanski, J. 86—18683
Wlodarczyk, M.T. Wavelength referencing in single-mode microbend sensors 87—74740
Wlodarczyk, M.T. Quasi-optics of scattering and absorption in planar waveguides 88—51502
Wlodarczyk, M.T., Seshadri, S.R. Analysis of grating couplers in planar waveguides for waves at oblique incidence 85—29571
Wlodarczyk, M.T., Seshadri, S.R. Excitation and scattering of guided modes on a dielectric cylinder with a periodically varying radius 85—30071
Wlodarczyk, M.T., Seshadri, S.R. Analysis of grating couplers for planar dielectric waveguides 85—56315
Wlodarczyk, M.T., Seshadri, S.R. Excitation and scattering of guided modes on a helically corrugated dielectric cylinder [antennas] 86—42920
Wlodarczyk, M.T., Seshadri, S.R. Analysis of microbending losses on a single-mode, step-index fiber at higher-order harmonics of deformation spectrum 87—12169
Wlodarczyk, M.T., Seshadri, S.R. Radiation losses in a periodically deformed single-mode fiber 87—32971
Wlodarczyk, M.T., Seshardi, S.R. Radiation from a periodically bent dielectric cylinder with a graded-index profile 85—62327
Wlodarczyk, M.T., Vickers, D.J., Kozaitis, S.P. Evanescent field spectroscopy with optical fibers for chemical sensing 88—16159
Wlodarczyk, M.T. *see* Vickers, D.J. 88—43470
Wlodarska, J. Application of Schwarz's method for analysis of electrostatic fields 86—3433
Wlodarska, J. Use of a Schwarz method for the analysis of stationary electromagnetic fields 88—2486
Wlodarska, J. Determination of potential distribution in cylindrical capacitor and electrostatic lens by use of the Schwarz method 88—27402
Wlodarski, W. Semiconductor transducers for measurement of rapidly varying pressures in fuel pumps of diesel engines 85—8840
Wlodarski, W. Two-parameter semiconductor transducer for measuring high-pressure and temperature 85—20615
Wlodarski, W., Bergveld, P., Voorthuyzen, J.A. Threshold voltage variations in N-channel MOS transistors and MOSFET-based sensors due to optical radiation 87—14306
Wlodarski, W., Moeschke, B. Semiconductor transducers for measurement of rapidly varying pressures in automotive industry 86—5295
Wlodarski, W. *see* Kollataj, J. 85—9132
Wlodarski, W. *see* Lammerink, T.S.J. 86—55653
Wlodarski, W.B. *see* Barabash, P.R. 87—60460
Wlodawski, M. *see* Elbaum, M. 88—27319
Wlodawski, M.S. *see* Mentzer, M.A. 85—41200
Wlodek, R., Bajorek, J. Modelling of lightning current in digital analysis of overvoltages 86—56466
Wlodek, R., Bajorek, J. Modelling of lightning stroke currents in the digital simulation of overvoltages 88—48594
Wlodek, R. *see* Bajorek, J. 87—15362
Wlodek, R. *see* Florkowska, B. 87—38600
Wlodyka, M.J., Fikart, J.L. Predistortion linearization of a low cost multichannel SCPC remote earth station 88—47014
Wlosinski, L.G. A fundamental approach to the basics of networking 87—8023
Wlosinski, W., Olszyna, A. ISFETs using boron gate thin film 87—14265
Wlosinski, W. *see* Olszyna, A. 87—53537
Wlost, K.-P. 16-kbyte-CMOS-memories for stand-alone devices with internal data recording 87—44835
Wnag Mingzhen *see* Gao Zhenheng 85—56564
Wnek, G.E., Wasserman, B., Loh, I.-H. Structure/majority carrier relationships in ion-implanted polymer films 85—18107
Wnek, G.E. *see* Dresselhaus, M.S. 85—18240
Wnuk, M. *see* Banaszak, Z. 85—20346
Wnuk, M. *see* Dudziak, J.W. 88—35186
Wnyuan Xu *see* Xu Wnyuan
Wo, Y.K. *see* Chen, C.J. 86—1117
Wo, Y.K. *see* Gibb, K.R. 87—44925
Wo, Y.K. *see* Zebib, A. 86—46106
Wo Juliang *see* Chen Yuansheng 87—7834
Wo Mingzheng, Liang Peihui, Zhang Shaofong, Wang Zhijiang Measurement of the phase dispersion of wide-band multi-layer high-reflection coatings by multi-beam interference 88—27343
Wo Minzheng *see* Liang Peihui 87—74964, 88—65173, 88—72367
Woan, G., Duffett-Smith, P.J. Determination of closure phase in noisy conditions [astronomical interferometry] 88—59118
Woan-Hue Hong, Han-Kyu Park Simultaneously stabilization of the frequency and output power of semiconductor laser for coherent optical fiber communication systems [sic] 88—27186
Wobben, A. New breezes [wind turbines] 88—55251
Wober, J. Drinking water production at the Dubai power station. Phase II 88—18274
Wober, J. *see* Holler, F. 88—11040
Wober, M.A. *see* Vetterling, W.T. 88—51286
Wobig, H. *see* Harmeyer, E. 87—12684
Wobig, K.-H. Sense (and nonsense) of diversity in intrinsically safe control systems 87—43579
Wobig, K.-H. EZS 800—MC-interlocking and track circuits form a closed train control system 87—79144
Wobig, K.-H. *see* Dauper, H. 86—125
Wobke, G. *see* Hemmie, G. 86—31864
Wobken, W. Railway current for the North German area from the new converter station at Hamburg-Harburg 86—40234
Woborschil, W. *see* Scheiterer, E. 85—13752
Wobschall, D., Hejazi, S. Aperture intensity ratio fiber-optic displacement sensor 87—70597
Wobschall, D. *see* Trisno, Y. 88—36065
Wobschall, D. *see* Trisno, Y.S. 88—60744
Wobst, M. *see* Neumann, H. 88—12088
Wobus, C. Mobile radio station location 85—52280
Wobus, C. *see* Gurtler, J. 87—33891
Wochele, F. Pulse-sampling circuit 85—49789
Wochele, J. *see* Giroginis, G. 87—3894
Wocial, S. *see* Williams, T.L. 86—24373
Wocke, C.P. *see* Baker, D.E. 87—54758
Wockelmann, G. Alarm equipment for cars: hooter concert 86—7480
Wocker, K.-H. Teaching organizational skills in the 'Office Systems Training Center' 86—7416
Wodara, J., Bleich, K.-H. Ultrasonic welding with sonic energy control 87—53087
Woditsch, P. *see* Schwirtlich, I.A. 88—18016
Wodke, C.L. *see* Brace, J.G. 85—64251
Wodlinger, H. *see* Katz, H.V. 87—57185
Wodnicki, R. *see* Andrzejewska, T. 85—51219, 88—34069
Wodopian, M. High performance DMA for the VMEbus 86—27409
Wodtko, A. *see* Hartenstein, R.W. 87—18298
Woebke, G., Wuempelmann, H., Berghaus, U., Novender, W.-R. Design and three-dimensional magnet mapping and calculation for the HERA correction dipoles 88—68140
Woeger, W. Probability assignment to systematic deviations by the principle of maximum entropy 88—15883
Woehr, P. *see* Chea, R. 85—47360
Woelcken, K. *see* Abel, E. 87—6822
Woelcken, K. *see* Moore, E.L. 87—441
Woelfer, S. *see* Wunder, R. 86—431
Woelk, E., Beneking, H. OMVPE of GaInAs on a spinning substrate 88—24715
Woelk, E., Beneking, H. Doping of $Ga_{0.47}In_{0.53}As$/InP during OMVPE-growth for heterobipolar devices 88—49861
Woelk, E., Beneking, H. Doping of InP and GaInAs during organometallic vapor-phase epitaxy using disilane 88—63300
Woelk, E.B. *see* Kraulte, H. 85—50268
Woelk, E.G., Krautle, H., Beneking, H. Measurement of low resistive ohmic contacts on semiconductors 86—28023
Woelk, G.U. Standardisation and CAD application in mechanical engineering 88—11084
Woerd, A.C.van der *see* van der Woerd, A.C.
Woerkom, J.van *see* van Woerkom, J.
Woerlee, M. *see* Coemet-Penning, M.J. 87—50221
Woerlee, P.H., Hurkx, G.A.M., Josquin, W.J.M.J., Verhoeven, J.F.C.M. Novel method of producing ultrasmall platinum silicide gate electrodes 86—9058
Woerlee, P.H. *see* van Houten, H. 88—13402
Woermbke, J.D., Derencz, R.J. Sizing up soft substrate laminates [microwave circuit applications] 85—61464
Woerner, B. *see* Kriegseis, W. 86—65117
Woerner, C. High technology rites of passage: using metaphor to ease the transition 86—45983
Woerner, K. High speed and low current, frequency dividers up to 2.5 GHz 85—1035
Woerner, K. Robots answer challenge at Northern Telecom factory 88—28549
Woerpel, D. *see* Demasco, P. 88—52985
Woert, N.van der *see* van der Woert, N.
Woert, R.J.van *see* van Woert, R.J.
Woertge, M. *see* Poth, A. 88—61034
Woertz, O. Installation with flat cables 86—32734

Woestenburg, E.E.M. Performance of a single ended Schottky diode mixer at 345 GHz as low noise mixer and frequency doubler for 690 GHz 87−16951

Woestenburg, E.E.M. A reference frequency system at 11.5-12.0 GHz for phase locking a carcinotron at 320-370 GHz 87−17651

Woestenburg, E.E.M., Nieuwenhuis, L. Low-noise 320-360 GHz cryogenically cooled waveguide Schottky diode mixer 87−17346

Woestenburg, E.E.M. *see* van Ardenne, A. 87−13811

Woesterburg, E.E.M. *see* de Graauw, Th. 87−17337

Woesthoff, E. A modern electronic wiring system for automobiles 86−52017

Wofe, S.V. *see* Rowland, S.M. 87−25648

Woffenbuttel, R.F., Regtien, P.P.L. Detection of sub-fF capabilities using phase read-out 87−70631

Wofford, F.C. *see* Bolgiano, L.P., Jr. 85−28167

Wofford, L. PWM controller chip hits frequency highs of switching supplies 85−54636

Wofford, L. New pulse width modulator IC controls 1 MHz switcher 86−34523

Wofford, L. New pulse width modulator chip controls 1 MHz switchers 86−34545

Wofford, L. UC1860—new IC controls resonant mode power circuits 88−50025

Wogan, M., Michael, D.N. A high-gain, low-noise amplifier for EEG 88−36472

Woger, W. *see* Kose, V. 86−60100

Wogerbauer, J. *see* Richter, W. 87−15826

Woggon, U. *see* Henneberger, F. 88−51920

Woggon, U. *see* Weinert, H. 87−32313

Wogman, N.A. *see* Brodzinski, R.L. 86−5837

Wohak, K. *see* Selig, O. 87−35074

Wohatschek, W. The supervision of transformers, instrument transformers, and coupling condensers 88−17684

Wohirab, R. *see* Busse, L. 85−60141

Wohlbier, G. *see* Arnold, L. 87−69568

Wohld, D. *see* Weihrich, G. 85−27844

Wohler, B. *see* Fischer, M. 85−27255, 85−65127

Wohler, J. *see* Baust, E. 86−18975

Wohler, JH., Rautenberg, J. Results of THTR-300 rise to power and operational tests 88−17310

Wohlers, M., Conant, J., Weinberg, M., Ryali, S.B. Background scene simulation codes for use in infrared sensor evaluation 88−52580

Wohlfart, A. Palladium-gold contact surfaces for plug connectors 86−20896

Wohlfart, A. Connectors with palladium-gold contacts 87−11124

Wohlfarth, A. *see* Yerushalmi, J. 88−37055

Wohlfarth, D. *see* Manfrass, P. 88−74809

Wohlfarth, E.P. Recent advances in materials for applied magnetism 85−24061

Wohlfarth, E.P. Magnetic materials for recording 86−15338

Wohlfarth, E.P. *see* Chantrell, R.W. 86−36033

Wohlfarth, E.P. *see* Fearon, M. 87−46359

Wohlfarth, E.P. *see* O'Grady, K. 85−24059

Wohlfarth, E.P. *see* Spratt, G.W.D. 88−57916

Wohlford, R.E. *see* Higgins, A.L. 86−16250, 87−19526

Wohlford, R.E. *see* Landell, B.P. 87−19506

Wohlford, R.E. *see* Smith, A.R. 86−16242

Wohlgemuth, F. Mobile evaluation system [geodesy] 85−37517

Wohlgemuth, F. From sensor to the databank [computerised data acquisition] 88−53536

Wohlgemuth, J.H., Shea, S.P., Brenneman, R.K., Ricaud, A.M. Elimination of edge roll-off in cast semicrystalline silicon [solar cells] 88−37610

Wohlgemuth, J.H. *see* Khattak, C.P. 86−52434

Wohlgemuth, R., Jung, M., Gross, C. Experience gained in solving linear partial differential equations with piecewise continuous coefficients by means of the multigrid-software FEMGP 88−17531

Wohlgemuth, S. Two dimensional [digital multimeter] 88−60793

Wohlleben, D., Pott, R., Eiling, A. Quantum effects in magnetic pickup at high-areal storage densities 87−60809

Wohlleben, R. Beamwidth variation of reflector antennas by use of the sliding HE$_{11}$ mode horn 88−58959

Wohlleben, R. *see* Eckart, A. 88−66198

Wohlman, F., Jr. *see* Burnham, D. 86−24720

Wohlmut, J., Erben, O. In-core control system of the WWER-440 nuclear power station V-213. II. ACTUAL computer code for analysis of core sensor measured values and updating of system 88−17307

Wohlmut, J. *see* Erben, O. 88−30514

Wohlmut, J. *see* Soganic, J. 87−78351

Wohlmuth, F. Use of [marginal likelihood curve for estimation of confidence limits of withstand voltage 86−44833

Wohlrabe, H. Simulation of a process producing hybrid elements 88−18564

Wohlschlaeger, J.T. *see* Snyder, D.L. 87−55124

Wohltjen, H. Mechanism of operation and design considerations for surface acoustic wave device vapour sensors 85−14746

Wohltjen, H., Barger, W.R., Snow, A.W., Jarvis, N.L. A vapor-sensitive chemiresistor fabricated with planar microelectrodes and a Langmuir-Blodgett organic semiconductor film 85−58661

Wohltjen, H., Snow, A., Ballantine, D. The selective detection of vapors using surface acoustic wave devices 86−55647

Wohltjen, H., Snow, A.W., Barger, W.R., Ballantine, D.S. Trace chemical vapor detection using SAW delay line oscillators 87−49681

Wohltjen, H. *see* Ballantine, D.S., Jr. 87−25743

Wohltjen, H. *see* Barger, W.R. 86−55711

Wohltjen, H. *see* Calabrese, G.S. 87−67692

Wohltjen, H. *see* Grate, J.W. 87−49492

Wohltjen, H. *see* Guiliani, J.F. 86−55649

Wohlwend, J.W. *see* Hanson, C.L. 85−1914

Wohn, F.K. *see* Vaziri, K. 87−71046

Wohn, K. *see* Darrell, T. 88−59264, 88−73341

Wohn Kwagyoen *see* Kwagyoen Wohn

Wohn Kwangyoen *see* Kwangyoen Wohn

Wohnhaas, H., Bankmann, G. Anti-friction bearings used in the instrument space platform 88−16822

Wohnhas, S., Sauter, K.D., Mack, A. Reduction of wafer transfer for optimizing material flow 88−31470

Wohr, P. *see* Nigge, K. 85−25654

Wohr, P. *see* van Rij, J.J. 85−25641

Wohrle, D., Kirschenmann, M., Jaeger, N.I. Electrocatalytic activity of phthalocyanines in secondary lithium cells 85−60396

Wohrle, G., Faust, G. Digital control system with signal transmission via bus system 87−57923

Wohrle, G., Kraft, M. Future-oriented computerised information system for power plant process control in a pilot project at Philippsburg nuclear power plant 88−55136

Wohrle, G. *see* Kraft, M. 88−48748

Woicik, J. *see* List, R.S. 88−7344

Woislawowicz, J. *see* Marechal, L. 88−13337

Woitowitz, R., Brandt, W., Hinterding, D. Microprocessor-controlled decoder and memory: the conditioning of the Meteostat-2 signals 87−39879

Woitscheck, A. *see* Effertz, P.-H. 87−73150

Woittiez, R.D., Brand, C., de Haan, A., Hollander, A.P., Huijing, P.A., van der Tak, R., Rijnsburger, W.H. A multipurpose muscle ergometer 87−41916

Wojakowski, A. *see* Henkie, Z. 87−29225

Wojas, J. Analysis of method for determination of photoemissive values 85−50057

Wojas, J. Bridge network for photometric measurements 88−51676

Wojciak, A., Barlik, R. Harmonic contents reduction in a three-phase current source inverter output by means of pulse width modulation 87−15843

Wojciak, A. *see* Malinowski, W. 85−10147

Wojciak, A. *see* Nowak, M. 85−60323

Wojciak, J. *see* Flaherty, E. 87−74169

Wojcicki, J. *see* Adamczewski, J. 87−49812

Wojcicki, M. *see* Smolarski, A. 86−53861

Wojcicki, M.S. A new single port reflection method for measurement of crystal unit equivalent parameters in very wide frequency range 87−60723

Wojciechowska, I. *see* Markiewicz, A. 85−15454

Wojciechowska, J., Styslo, R., Jaron, S. Insulating materials manufactured by chemical industry for the cable industry—current state and prospects 87−12001

Wojciechowski, J. Necessary and sufficient condition of decomposition without defect [network analysis] 86−46422

Wojciechowski, J. Approximate number of trees of a graph with given degree of connectivity 86−57320

Wojciechowski, J. Topological analysis of electrical networks with use of decomposition. I. Analysis of decomposed network 86−57517

Wojciechowski, J. Topological analysis of electrical networks with use of decomposition. II. Decomposition without defect 86−57518

Wojciechowski, J. Application of a microcomputer SPECTRUM for the spectral analysis of a measurement signal 87−39806

Wojciechowski, J., Jablonski, J., Kucharski, K. Structure of internal getter in silicon obtained by Czochralski method 88−32968

Wojciechowski, J., Jasiobedzki, P. Digital interpretation of anemometric measurements by means of Spectrum microcomputer 88−22435

Wojciechowski, J. *see* Jendroszczyk, J. 87−64057

Wojciechowski, J. *see* Kucharski, K. 88−44698

Wojciechowski, J.M. Approximate number of trees in a graph 85−16867

Wojciechowski, J.M. An approximate formula for counting trees in a graph 85−44604

Wojciechowski, J.M. An adjoint power network for AC power system studies 86−65655

Wojciechowski, J.M. An estimation of network topological complexity 86−66892

Wojciechowski, J.M. Adjoint modeling of electrical networks based on generalized Tellegen's theorem 87−10607

Wojcik, A.S., Kljaich, J., Srinivas, N. A formal design verification system based on an automated reasoning system 85−148

Wojcik, A.S. *see* Kabat, W.C. 85−61181

Wojcik, A.S. *see* Srinivas, N.C.E. 87−31841

Wojcik, A.S. *see* Wu, C.-F.E. 88−25169, 88−26528

Wojcik, A.S. *see* Wu, C.E. 87−67584

Wojcik, B.E. *see* Wojcik, Z.M. 88−71655

Wojcik, G.L., Vaughan, D.K., Galbraith, L.K. Calculation of light scatter from structures on silicon surfaces 88−13088

Wojcik, J. Use 3-state buffer as an inverter 85−33637

Wojcik, J. Arbiter lets two μPs use common RAM 87−24289

Wojcik, J., Zalucki, W., Niwinski, S. Designing of split-phase capacitor motors using digital computer 87−9562

Wojcik, J. *see* Bajorek, R. 87−62978, 87−74752

Wojcik, J. *see* Jankiewicz, Z. 86−42505, 87−75070

Wojcik, J. *see* Olszewski, J. 87−74503

Wojcik, M., Dudek, B. Accidents in the energy industry in the years 1981-86 88−70085

Wojcik, M. *see* Dudek, B. 86−25613

Wojcik, M. *see* Sass, J. 88−64885

Wojcik, M.Z. A process of segmentation binary images 85−13619

Wojcik, P.J. On the design of an adaptive Kalman filter for on-line processing of sensor signals 88−40985

Wojcik, R.M. *see* Thompson, T.F. 85−39548

Wojcik, T. *see* Domanski, A.W. 88−7932

Wojcik, Z.M. A natural approach in image processing and pattern recognition: rotating neighbourhood technique, self-adapting threshold, segmentation and shape recognition 86−30003

Wojcik, Z.M., Wojcik, B.E. Order-clustering of secant tips into edges for positioning of semiconductor structures 88−71655

Wojczynski, E., Billinton, R. Effects of distribution system reliability index distributions upon interruption cost/reliability worth estimates 86−18807

Wojczynski, E. *see* Billinton, R. 86−18803

Wojda, A.P. *see* Benhocine, A. 87−44140

Wojdak, W. *see* Wolski, R. 85−12835

Wojewodzki, T.H. *see* Gondek, J.J. 85−45253

Wojke, R. *see* van Amersfoort, P.W. 87−8809, 87−41675

Wojke, R.G.C. *see* van Amersfoort, P.W. 88−47793

Wojnar, A.H. Deformable lattices for efficient frequency management 86−17542

Wojnar, A.H. Unknown bounds on performance in Nakagami channels 86−29672

Wojnar, R. A certain analogy between elastic and electromagnetic field 87−12658

Wojnarowski, R.J. *see* Eichelberger, C.W. 88−64138

Wojslawowicz, J. The application of conductivity-modulated field-effect transistors 86−47592

Wojslawowicz, J. Conductivity modulated FETs fit high current, high voltage applications 88−26313

Wojslawowicz, J.E. L^{2}FETs challenge bipolar power devices 88−50854

Wojslawowicz, J.E., Wheatly, C.F. New items of progress in COMFET technology 87−38256

Wojta, D., Morelli, D. Ergonomics of electronic assembly stations 88−70125

Wojtanik, E.R. *see* Dalcin, J.R. 88−64390

Wojtas, S. Influence of aging by partial discharges on resistivity of polyethylene 88−71858

Wojtas, S. *see* Boryn, H. 88−75190

Wojtas, S. *see* Rynkowski, D.W. 86−68108

Wojtasik, A. *see* Korzec, D. 88−26463

Wojtasik, K. *see* Walczuk, E. 87−43317, 88−5797

Wojtaszek, A. *see* Widerak, T. 88−75414

Wojtaszek, R. TIROS/NOAA satellite meteorological systems 88−15430

Wojtczak, J. *see* Augustyniak, W. 88−58747

Wojtczuk, S. *see* Bhasin, K.B. 88−25515

Wojtczuk, S.J., Ballantyne, J.M. Impedance properties and broad-band operation of GaAs photoconductive detectors 87−46686

Wojtczuk, S.J., Ballantyne, J.M., Chen, Y.K., Wanuga, S. Monolithically integrated photoreceiver with large gain-bandwidth product 87−54202

Wojtczuk, S.J., Ballantyne, J.M., Wanuga, S., Chen, Y.-K. Comparative study of easily integrable photodetectors 88−22594

Wojtecki, R.G. The use of chopped strand fiberglass papers for electrical and thermal insulation systems 88−39761

Wojtkiewicz, A., Tuszynski, M., Klimkeiwicz, W. Analysis and design of MTI digital filters for processing nonuniformly sampled signals 87−944

Wojtkiewicz, A. *see* Tuszynski, M. 85−47600

Wojtkowiak, H. Layout and test of custom circuits 85−500

Wojtkowska, I. *see* Bulgakov, N.K. 87−63700

Wojtkowska, J. *see* Golovatyuk, V.M. 85−52982

Wojtowicz, E. A unique clamping device for high 'g' survivability of printed circuit boards 85−11690

Wojtowicz, T., Gawron, T.R., Robert, J.L., Raymond, A., Bousquet, C., Mycielski, A. Hopping conduction studies of p-Hg$_{1-x}$Mn$_x$Te in high magnetic fields: unusual anisotropy of resistivity 86−8820
Wojtowicz, T. *see* Sawicki, M. 86−67668
Wojtyczka, A. *see* Stasienko, J. 86−53365
Wojtyczka, C.A., Partyka, M.A. The application of numerical taxonomy in the process of modelling wire bond research in microelectronics monitored through acoustic emission 88−24528
Wojtyna, R. Frequency control in *RC* sinusoidal oscillators by an additional amplifier 86−34610
Wojtyna, R., Borys, A. Contribution to the linear theory of frequency stability of RC oscillators 86−46606
Wojtyna, R., Borys, A., Weiss, L. Computer optimization of thermal properties of tuned circuits with one variable capacitance diode 85−28305
Wojtyszyn, M. *see* Olesik, J. 85−1211
Woker, G.M. *see* Polanyi, T.G. 87−29801
Wokurka, J. A limited electronically scanned Cassegrain antenna at *Q*-band 85−13411
Wokurka, J. A feed cluster image reduction system 88−2889
Wokusch, H. *see* Gleissner, G. 88−11201
Wokusch, H.T. *see* Hausen, G. 85−60587
Wolak, E., Harwit, A., Harris, J.S., Jr., Morkoc, H., Chen, J., Reddy, U.K., Henderson, T., Luryi, S. Comment on 'Observation of a negative differential resistance due to tunneling through a single barrier into a quantum well' 87−53232
Wolak, E., Lear, K.L., Pitner, P.M., Hellman, E.S., Park, B.G., Weil, T., Harris, J.S., Jr., Thomas, D. Elastic scattering centers in resonant tunneling diodes 88−64495
Wolak, E. *see* Chou, S.Y. 88−32836, 88−50894
Wolan, M. 65-kByte-RAM-assembly 87−44833
Wolbarsht, M.L. Laser surgery: CO$_2$ or HF 85−20954
Wolbarsht, M.L. Laser surgery: alternatives to CO$_2$ ablation 86−29277
Wolbarsht, M.L., Allen, R.G. New laser device for ophthalmology: comment 86−56164
Wolbarsht, M.L. *see* Guenther, K.H. 87−57252
Wolber, G. A critical evaluation of the role of the cyclotron in radiation therapy 85−59349
Wolber, G., Helus, F., Weber, W., Knigge, H. A kicker magnet for sweeping ion beams from a medical cyclotron 87−63598
Wolber, L. *see* Schuster, G. 85−47790, 87−14591
Wolberg, G., Pavlidis, T. Restoration of binary images using stochastic relaxation with annealing 86−23137
Wolcken, K. *see* Borutzky, W. 87−40065
Wolcken, K. *see* Heckl, H. 86−58533
Wolcott, J. *see* Falkenstrom, L.J. 86−49953
Wolczanski, J. *see* Rabjohn, G. 88−36192
Wolczko, A. *see* Lipinski, M. 87−76783
Wold, A. *see* Brusasco, R. 86−40754
Wold, A. *see* Ridgley, D.H. 85−60943
Wold, A. *see* Shapira, Y. 87−6395
Wold, A. *see* Tenne, R. 86−12999
Wold, B. *see* Upadhyay, A.K. 86−34537
Wold, E.H. *see* Despain, A.M. 86−23050
Wold, H. *see* Wold, S. 85−5890
Wold, J.K. *see* Ho, K.K.Y. 87−55433
Wold, R. *see* Henderson, R. 86−25382
Wold, S., Ruhe, A., Wold, H., Dunn, W.J., III The collinearity problem in linear regression. The partial least squares (PLS) approach to generalized inverses 85−5890
Woldanski, M.V. Matching substrate materials with electrical taping requirements 88−51078
Wolde-Ghiorgis, W. Wind energy survey in Ethiopia 88−62284
Woldegiorgis, K. *see* Silvergran, U. 85−36544
Woldert, G. *see* Welsch, D. 87−9341
Woldeselassie, T., Sharp, P.F. Radiometric procedure for linearising computer-interfaced display systems 88−68383
Woldring, M.G. *see* Paans, A.M.J. 86−50527
Woldy, P. *see* Gluckman, M.J. 85−21442
Wolejsza, C.J., Taylor, D., Grossman, M., Osborne, W.P. Multiple access protocols for data communications via VSAT networks 87−70001
Wolejsza, C.J., Jr., Syder, J.S., Kappes, J.M. 120 Mbit/s TDMA modem and FEC codec performance 87−8222
Wolek, F.W. Managers and the distribution of scientific and technical information 85−5712
Wolf, A. Electron cooling of stored ions 88−61033
Wolf, A. *see* Andra, H. 86−35440
Wolf, A. *see* Borgs, J.W. 87−67982
Wolf, A. *see* Dolgov, M.V. 87−74649
Wolf, A. *see* Habfast, C. 86−65314
Wolf, A. *see* Hutten, L. 85−26595
Wolf, A. *see* Kupcik, V. 86−60679
Wolf, A. *see* Poth, A. 88−61034
Wolf, A. *see* Scharff, W. 86−28410
Wolf, A.A. *see* Eisenberg, J.B. 88−4886
Wolf, B. Surface reactions in the MBE process 88−63341
Wolf, B.H., Leible, K., Spadtke, P., Klabunde, J., Langenbeck, B., Angert, N., Gough, R.A., Staples, J., Caylor, R., Howard, D., Macgill, R., Tanabe, J., Haseroth, H., Hill, C., Tetu, P., Weiss, M., Geller, R. Heavy ion injector for the CERN Linac 1 87−70941
Wolf, B.H. *see* Haseroth, H. 87−41680
Wolf, C.J., Fanter, D.L., Soloman, R.S. Environmental degradation of aromatic polyamide-insulated electrical wire 85−1793
Wolf, D. *see* Cheng, W.H. 88−14186
Wolf, D. *see* Ciccotelli, J. 88−41724, 88−46313
Wolf, D. *see* Euler, S. 87−2472
Wolf, D. *see* Krantzik, A. 88−73031
Wolf, D. *see* Parthasarathy, S. 87−58698, 87−58701
Wolf, D. *see* Reininger, H. 86−16275, 86−69014, 87−47582
Wolf, D.A.de *see* de Wolf, D.A.
Wolf, E., Porter, R.P. On the physical contents of some integral equations for inverse scattering from inhomogeneous objects 86−68702
Wolf, E., Schroder, W. Nitrogen doping during growth of dislocation-free FZ silicon crystals 87−44281
Wolf, E., Schroder, W. Nitrogen doping during growth of dislocation free FZ-silicon crystals 88−31724
Wolf, E. *see* Kratschmer, E. 86−21454
Wolf, E. *see* Metzner, W. 86−10988, 86−17235, 86−43757
Wolf, E. *see* Schraft, R.D. 88−57134
Wolf, E. *see* Warnecke, H.-J. 87−45448
Wolf, E. *(editor)* Progress in optics. Vol.XXII 86−19724
Wolf, E. *(editor)* Progress in optics. Vol.XXIII 87−36306
Wolf, E.D. *see* Adesia, I. 85−29258
Wolf, E.D. *see* Adesida, I. 85−18201
Wolf, E.D. *see* Byrne, D.M. 85−35578
Wolf, E.D. *see* Chinn, J.D. 85−29145
Wolf, E.D. *see* Lepore, A.N. 88−38711
Wolf, E.D. *see* Li, J.Z. 85−6825, 85−29144
Wolf, E.D. *see* Li Jainzhong 86−9013
Wolf, E.D. *see* Sonek, G.J. 86−22127
Wolf, E.D. *see* Tiberio, R.C. 88−39514
Wolf, E.D. *see* Tihanyi, P. 87−61142, 87−68452, 88−14215
Wolf, E.D. *see* Wager, W.E. 86−35277
Wolf, E.D. *see* Whetten, T.J. 87−60350
Wolf, E.M. *see* Warnecke, H.-J. 86−14651
Wolf, F. *see* Bunke, H. 85−31831
Wolf, F. *see* Dietrich, M. 85−10448
Wolf, F.-P., Peatman, W. Synchrotron radiation diagnostics at BESSY 86−60492
Wolf, F.-P. *see* Pfluger, J. 88−47810
Wolf, F.P., Kuske, P. Synchrotron radiation diagnostics at BESSY 88−22884
Wolf, F.P. *see* Riehle, F. 88−54073
Wolf, G. Detectors proposed for LEP 86−56056
Wolf, G. HVDC converter station ties east/west grids 88−17078
Wolf, G. HERA: physics, machine and experiments 88−42354
Wolf, G. Physics and the status of HERA 88−68293
Wolf, G. Control structures of communication engineering in the subscriber's station area 88−73686
Wolf, G., Schar, B. New line interface units for Hasler telex and data exchanges 87−13291
Wolf, G. *see* Binnie, D.M. 85−31693
Wolf, G. *see* Dubois, R. 86−50321
Wolf, G. *see* Kerkow, H. 86−52480
Wolf, G. *see* Kustermann, S. 85−52230
Wolf, G.D., Sirinyan, K. A new possibility for the electroplating of polyamide injection mouldings 85−6026
Wolf, H. Efficient determination for stochastic programming problem 85−54311
Wolf, H. On the dimensioning of compensated network reactive power inverters 86−26129
Wolf, H. Solving special nonlinear fractional programming problems via parametric linear programming 86−26743
Wolf, H., Haas, L. A combined S/X-band feed system with self-tracking for both reception bands 87−54670
Wolf, H. *see* Dudok, E. 88−14548
Wolf, H. *see* Heidermark, A. 85−36598
Wolf, H. *see* Kuhn, E. 88−72684
Wolf, H. *see* Larsson, L. 85−36597
Wolf, H. *see* Muller, G. 86−392
Wolf, H. *see* Nowak, K. 87−22092
Wolf, H. *see* Raushagen, A. 88−9340
Wolf, H.-C. *see* Doetsch, E. 87−31279
Wolf, H.-D. *see* Druminski, M. 86−36489
Wolf, H.-D. *see* Thulke, W. 88−27183, 88−65738
Wolf, H.D., Mettler, K., Lengyel, G. Reliability of semiconductor injection lasers 87−75117
Wolf, H.E. The potential and limitations in automated speech output 87−14049
Wolf, J. Computation of non-stationary processes in high-voltage test equipment 86−65146
Wolf, J. Enhanced capabilities of test receivers ESH 2 and ESV 87−40660
Wolf, J. Measuring radio noise with new model of test receiver ESH 2 88−35670
Wolf, J., Gish, H., Karnofsky, K., Krasner, M., Roucos, S., Schwartz, R. Text-independent speaker identification under variable conditions 86−3831
Wolf, J., Lemke, D. Studies of doped IR detectors (Si:In, Si:Ga, Si:As, Si:Sb, Si:P, Ge:Be and Ge:Ga) for low-back ground astronomical applications 85−42998
Wolf, J., Lemke, D., Salama, A. Focal plane arrays for the ISOPHOT experiment 88−74485
Wolf, J., Moskowitz, S. Development of the transpiration air cooled turbine for high temperature dirty gas streams 85−4967
Wolf, J. *see* Abbate, H. 86−14032, 86−34598
Wolf, J. *see* Ameling, D. 85−60553
Wolf, J. *see* Giesselmann, M. 85−35232, 87−18411, 87−25668
Wolf, J. *see* Gish, H. 86−10294, 87−19525
Wolf, J. *see* Hauschild, W. 88−55521
Wolf, J. *see* Leonard, J.V. 88−71744
Wolf, J. *see* Lutz, D. 86−55728
Wolf, J. *see* Oda, N. 85−31484
Wolf, J. *see* Pfeiffer, W. 88−20182
Wolf, J.J., III, Ghosh, B. Modeling with very large area networks (VLAN) using an information flow approach 88−3615
Wolf, J.J., III, Ghosh, B. Simulation and analysis of very large area networks (VLAN) using an information flow model 88−66996
Wolf, J.K. Born again group testing: multiaccess communications 85−51516
Wolf, J.K. Principles of group testing and an application to the design and analysis of multiaccess protocols 85−63147
Wolf, J.K. Coding for digital recording systems 88−59039
Wolf, J.K., Ungerboeck, G. Trellis coding for partial-response channels 87−2427
Wolf, J.K., Viterbi, A.M., Dixon, G.S. Trellis decoding and applications to multi-target tracking 88−53322
Wolf, J.K., Wyner, A.D., Korner, J., Ziv, J. Coding for a write-once memory 85−2749
Wolf, J.K. *see* Chase, D. 86−29750
Wolf, J.K. *see* French, C.A. 88−45963, 88−52345, 88−64931, 88−71911
Wolf, J.K. *see* Lee, P. 88−52346
Wolf, J.K. *see* Ma, H.H. 86−43162, 87−27173
Wolf, J.K. *see* Padovani, R. 86−54411
Wolf, J.K. *see* Panwar, S.S. 85−51521, 87−55399, 88−34877
Wolf, J.K. *see* Rodrigues, M.A. 87−55560
Wolf, J.K. *see* Towsley, D. 85−19819
Wolf, J.K. *see* Zang, W. 87−33599
Wolf, J.K. *see* Zehavi, E. 87−47510, 87−54893, 87−54900, 88−34566, 88−45893
Wolf, J.L. *see* Norland, D. 86−18714
Wolf, J.R., Streit, J.E. The Semiscale Power Loss Experiment S-PL-3 with primary feed-and-bleed plant recovery 85−9670
Wolf, K. Cordless telephone−more telephoning comfort 87−69760
Wolf, K. Bildschirmtext can now cope with telex 88−3476
Wolf, K. Cordless Telephony 88−9419
Wolf, K. Help with current surges 88−48612
Wolf, K. *see* Roscher, H.J. 85−35268
Wolf, L. Check to the central/computer [LANs] 88−46561
Wolf, L., Jaron, D., Moore, T. A trainable model for near periodic signals 88−8797
Wolf, L., Schygulla, U., Gorner, F., Neubrech, G.E. Thermal mixing processes and RPV wall loads for HPI-emergency core cooling experiments in the HDR-pressure vessel 87−9294
Wolf, L. *see* Geiss, M. 87−9295
Wolf, L. *see* wisniakowski, Z. 86−68612
Wolf, L.D. The investigation of auditory displays for automotive applications 88−18195
Wolf, M. The influence of heavy doping effects on Si solar cell performance 87−4894
Wolf, M. The influence of heavy doping effects on silicon solar cell performance 87−15983
Wolf, M., Muller, F., Hemschik, H. Comment on the dependence of R$_\square$ and current noise on grain size in thick film resistors (TFRs) 86−14729
Wolf, M., Newhouse, M. Measurement of minority carrier lifetimes and surface recombination velocities in solar cells 88−37550
Wolf, M., Newhouse, M., Stirn, R. Lifetimes in Si CVD-epitaxial and other layers determined by spectral LBIC 86−1691
Wolf, M. *see* Flaisher, H. 87−38928
Wolf, M. *see* Haberstock, G. 87−14794
Wolf, M. *see* Muller, F. 88−57169
Wolf, M. *see* Newhouse, M.A. 87−30967
Wolf, M. *see* Route, R.K. 85−39704
Wolf, M. *see* Storbeck, I. 85−1076, 85−50048, 87−6293, 87−45300
Wolf, M. *see* Wolf, M.A. 85−44183
Wolf, M.A., Bjarke, G.O., Jarrett, J.D., Umbarger, C.J. A multipurpose radiac for field surveys and training 85−48359
Wolf, M.A., Staley, H.C. Simple MCA supports a variety of applications 85−43288

Wolf, M.A., Wolf, M. Characteristics and performance of silicon solar cells between low- and high-level injection. II. Results of the study 85−44183
Wolf, M.A. *see* Erkkila, B.H. 85−48361
Wolf, M.A. *see* Rao, H.V. 88−71617
Wolf, M.A. *see* Worth, G.M. 85−48357
Wolf, M.H. A satellite navigation receiver for the Global Positioning System (GPS), low cost GPS receiver 88−60344
Wolf, M.L., Lewis, D.J., Corr, D.G. Synthetic aperture radar processing on a Cray-1 S supercomputer 86−59938
Wolf, N. *see* Gal, D. 87−41999
Wolf, P. The status of television measuring techniques, in view of the increasing use of analogue component signals in studios 87−13826
Wolf, P. Picosecond sampling with Josephson junctions 87−29040
Wolf, P. Television measuring techniques for analogue component signals in the studio area 87−76995
Wolf, P., Van Zeghbroeck, B.J., Deutsch, U. A Josephson sampler with 2.1 ps resolution 85−56179
Wolf, P. *see* Fauquembergue, R. 88−33263
Wolf, P. *see* Fischer, R. 87−25013
Wolf, P. *see* Graf, V. 88−56315
Wolf, P. *see* Heusmann, H. 86−32447
Wolf, P. *see* Jaeckel, H. 87−6710, 87−60498
Wolf, P. *see* Stangl, G. 86−21624
Wolf, P. *see* Stengl, G. 86−8943, 86−21351, 86−35498, 87−45740
Wolf, P. *see* Van Zeghbroeck, B.J. 87−45284, 88−40108
Wolf, P.D., Ideker, R.E., Smith, W.M. A data stream formatter for a cardiac mapping system 87−57166
Wolf, P.D., Ideker, R.E., Smith, W.M. An adaptive data reduction algorithm for multichannel electrogram recording 88−68435
Wolf, P.D. *see* Jach, T. 87−63702
Wolf, P.D. *see* Smith, W.M. 87−57183
Wolf, P.G. *see* Burton, P. 86−51720
Wolf, P.J. *see* Davis, S.J. 85−46324
Wolf, P.van der *see* van der Wolf, P.
Wolf, R. The EARN network and related services 85−42313
Wolf, R. Pole-profile design for a sextupole 86−48054
Wolf, R. Lithium batteries as long-term power sources 87−51425
Wolf, R. *see* Barth, J. 88−22597
Wolf, R. *see* Brandt, W. 86−70141
Wolf, R. *see* Brauns, B. 86−48467
Wolf, R. *see* Fritzsche, K. 87−19107
Wolf, R. *see* Keck, B. 88−75406
Wolf, R. *see* Remondino, V. 88−68165
Wolf, R. *see* Schafer, D. 85−29523
Wolf, R. *see* Wagner, J. 85−60523
Wolf, R. *see* Welsch, E. 85−12694, 88−2334
Wolf, R.E. *see* Fiepke, J.W. 88−30738
Wolf, S. Scanning the TR-2400 [amateur radio] 86−37743
Wolf, S. *see* Jung, F. 88−10312
Wolf, S. *see* Nedelec, J.-C. 88−34234
Wolf, S.A., Qadri, S.B., Claassen, J.H., Francavilla, T.L., Dalrymple, B.J. Epitaxial growth of superconducting niobium thin films by ultrahigh vacuum evaporation 86−62228
Wolf, S.A., Strom, U., Culbertson, J.C., Paget, D. Superconducting granular NbN bolometer for ultrafast spectroscopy 85−58708
Wolf, S.A. *see* Claassen, J.H. 85−62247
Wolf, S.A. *see* Francavilla, T.L. 87−74558
Wolf, S.A. *see* Gubser, D.U. 85−62272
Wolf, S.A. *see* LeTourneau, V. 87−38702
Wolf, S.A. *see* Leung, M. 87−63413, 87−70644, 88−58342
Wolf, S.A. *see* Moodera, J.S. 87−67824
Wolf, S.A. *see* Goldman, A.M. *(editor)* 85−49268
Wolf, S.P. *see* Thibault, W.E. 87−76086
Wolf, S.W. Double your computing power! 86−37738
Wolf, S.W. Inside CoCo's ROMpak 86−41089
Wolf, T. New tools for the electrical engineer 86−143
Wolf, T. Analytical decoupling, decision of compatibility and partial integration of systems of nonlinear ordinary and partial differential equations 86−62192
Wolf, T., Szlavik, F., Regos, L. Statistical analysis of ECGs with the 'Budapest' computer ECG system 86−12007
Wolf, T. *see* Abstreiter, G. 87−1276
Wolf, T. *see* Desaga, J.F. 88−61315
Wolf, T. *see* Eberl, K. 88−1412
Wolf, T. *see* Kozmann, G. 86−5962
Wolf, T. *see* Lynch, T. *(editor)* 88−43601
Wolf, Th., Kappeler, F., Stegmuller, B., Amann, M.-C. GaInAsP twin-stripe lasers with asymmetrical waveguide channels 88−27149
Wolf, T.J. *see* Johnson, M.L. 86−25666
Wolf, T.M., Hartless, R.L., Shugard, A., Taylor, G.N. The evaluation of positive acting resists for lithography at 248 nm 87−38394
Wolf, T.M. *see* Watts, R.K. 87−67072
Wolf, T.M. *see* Wilkins, C.W., Jr. 85−35048
Wolf, V. A CMOS microcontroller 86−53796
Wolf, V. *see* Marechal, L. 87−24004
Wolf, W. An experimental comparison of 1-D compaction algorithms 86−9264
Wolf, W. Conversion of prediffused networks into precharacterised cells 86−53789
Wolf, W. Sticks compaction and assembly 86−66918
Wolf, W. An object-oriented, procedural database for VLSI chip planning 87−5626
Wolf, W. Mix-and-match prototyping using objects 88−20090
Wolf, W. Better controllers through object-oriented hardware designs 88−24921
Wolf, W., Taege, P., Schletter, B., Wantke, K.-D. Storage equipment of the partially automated continuity system of Radio Berlin International (RBI) 87−34722
Wolf, W. *see* Kummerfeldt, G. 87−34796
Wolf, W. *see* Reichelt, M. 87−38569
Wolf, W.H., Kowalski, T.J., McFarland, M.C. Knowledge engineering issues in VLSI synthesis 87−36891
Wolf, W.H., Mathews, R.G., Newkirk, J.A., Dutton, R.W. Algorithms for optimizing, two-dimensional symbolic layout compaction 88−50935
Wolf, W.H. *see* Kowalski, T.J. 85−61980
Wolf, W.J. Transformation artist [CMOS chip] 85−33946
Wolf, W.J. Converting gate array designs to standard cells 85−35038
Wolf, W.J. The conversion of gate-array to standard cell 87−37156
Wolf, W.J. ASIC vendor CAE limitations 88−13539
Wolfaardt, P.J. Integration of Landsat digital data with agricultural information—an operational approach to crop prediction models 87−4167
Wolfbeis, O.S. *see* Posch, H.E. 88−74450
Wolfbeis, O.S. *see* Schaffar, B.P.H. 88−22610
Wolfe, A., Worster, A. How to use public videotex systems cost effectively for commercial purposes 86−37435
Wolfe, B. *see* Schmieder, D.E. 86−4851
Wolfe, B. *see* Walsh, K. 86−954, 87−73239
Wolfe, C. *see* Harhay, A. 88−30455
Wolfe, C.M. *see* Davis, G.A. 85−22505
Wolfe, C.M. *see* Green, R.T. 87−11354
Wolfe, C.M. *see* Hsieh, S.J. 85−18775
Wolfe, C.M. *see* Patten, E.A. 85−23514
Wolfe, D.C., Jr. Emulation service protocols for a multimedia testbed emulation 88−3630
Wolfe, G.J. A software digital image processing calculator 85−30320
Wolfe, G.K. *see* Vanzant, B.W. 88−4362
Wolfe, H.L. *see* Miller, R.J. 88−71379
Wolfe, I.R. A surplus KW amplifier 85−44893
Wolfe, I.R. The flea market special [regulated power supply] 88−24955
Wolfe, J.C. Performance of a low-voltage high-current-density electron probe 88−25768
Wolfe, J.C. *see* Bensaoula, A. 87−25156
Wolfe, J.C. *see* El-Masry, A.M. 88−44668
Wolfe, J.C. *see* Fong, F.-O. 88−39320
Wolfe, J.C. *see* Kinalidis, C. 87−37854
Wolfe, J.E. *see* Livesay, W.R. 86−8933
Wolfe, J.K. *see* French, C.A. 87−32866
Wolfe, J.P. *see* Kirch, S.J. 87−1178
Wolfe, L.L. *see* Heussmann, D.W. 85−29891
Wolfe, M. *see* Goldsmith, B. 87−70225
Wolfe, M.A. *see* Shearer, J.M. 86−7692, 86−46275
Wolfe, M.H. *see* Madey, G.R. 88−18409
Wolfe, P.R. System sizing—further advances towards the definitive solution [photovoltaic generator] 86−39643
Wolfe, P.R. The neglected science of system sizing [photovoltaic generator] 87−15604
Wolfe, P.R., Pearsall, N.M. Technological and economic projections for photovoltaics 88−5604
Wolfe, P.R., Pearsall, N.M. Technological and economic projections for photovoltaics 88−62623
Wolfe, R. Block diagrams and icons alleviate the customary pain of programming GPIB systems 86−49915
Wolfe, R. Your leakage detector... [cables] 88−9377
Wolfe, R. VXIbus becomes a reality 88−74245
Wolfe, R. Impact of PCs on automated test measurements 88−74256
Wolfe, R., Fratello, V.J., McGlashan-Powell, M. Elimination of birefringence in garnet films for magneto-optic waveguide devices 88−7914
Wolfe, R., Fratello, V.J., McGlashan-Powell, M. Thin-film garnet materials with zero linear birefringence for magneto-optic waveguide devices 88−72168
Wolfe, R., Hegarty, J., Dillon, J.F., Jr., Luther, L.C., Celler, G.K., Trimble, L.E. Magneto-optic waveguide isolators based on laser annealed (Bi,Ga) YIG films 86−28923
Wolfe, R., Hegarty, J., Dillon, J.F., Jr., Luther, L.C., Celler, G.K., Trimble, L.E., Dorsey, C.S. Thin-film waveguide magneto-optic isolator 85−41222
Wolfe, R., Hegarty, J., Luther, L.C., Wood, D.L. Single mode magneto-optic waveguide films 86−36133
Wolfe, R., Richards, S. A PC in every process? 87−37698
Wolfe, R., Wall, G., Wentworth, L.H. Is high-voltage testing of bare boards necessary? 87−11174
Wolfe, R. *see* Perez, E. 87−77120
Wolfe, R.E. *see* Labovitz, M.L. 86−18554
Wolfe, R.M., Martellotto, N.A. Telecommunications database application with the 3B 20 processor 85−52165
Wolfe, S. *see* Montgomery, D.B. 88−65989
Wolfe, S.V. *see* Barnes, S.R. 85−46160, 85−56304, 87−8333
Wolfe, S.V. *see* Dissado, L.A. 85−40960, 87−16710, 88−51058, 88−71833
Wolfe, S.V. *see* Fothergill, J.C. 85−1778
Wolfe, S.V. *see* Rowland, S.M. 87−15291
Wolfe, S.V. *see* Vyas, M.K.R. 87−7167
Wolfe, W.H. The DST-1100 TDMA System [for German domestic satellite] 86−64941
Wolfe, W.H. The application of TDMA technology in the DFS Kopernikus satellite communication network 87−76690
Wolfe, W.J., Arensdrof, G., White, G., Pinson, L.J. Robotic locating system 87−63390
Wolfe, W.J., White, G.K., Pinson, L.J. A multisensor robotic locating system and the camera calibration problem 87−20941
Wolfe, W.J. *see* Pinson, L.J. 88−47680
Wolfe, W.L., Nahm, K. Scatter data for zinc selenide at 0.633, 3.39, and 10.6 μm 87−60874
Wolfe, W.L. *see* Lusk, A. 87−74791
Wolfel, E. *see* Perez-Mendez, V. 85−31771
Wolfelschneider, H., Kist, R., Knoll, G., Ramakrishnan, S., Hofflin, H., Benecke, W., Csepregi, L., Heuberger, A., Seidel, H. Optically excited and interrogated micromechanical silicon cantilever structure 88−36025
Wolfelschneider, H., Kist, R., Schneider, J., Modler, H. A fiber-Fabry-Perot motility sensor for the measurement of peristaltic motions in the upper gastrointestinal tract 88−68401
Wolfelschneider, H. *see* Kist, R. 85−62361, 87−26038
Wolfenbuttel, R.F., Regtien, P.P.L. Capacitance-to-phase angle conversion for the detection of extremely small capacities 88−16427
Wolfenden, B.S. Z80 clock driver 85−61350
Wolfensberger, R. *see* Bull, D.C. 86−5263
Wolfer, G. Software architecture of ALBIS-ECS 10000 ISDN communication system 88−59784
Wolfer, G. Security management in ALBIS-ECS 10000 system 88−59785
Wolfer, G. *see* Grossenbacher, J.-M. 87−55918
Wolfer, J. *see* Brody, G. 88−3882
Wolfer, P. *see* Dubendorfer, U. 86−18177
Wolfermann, W. *see* Brandenburg, G. 86−71084
Wolfermann, W. *see* Schroder, D. 88−43418
Wolfers, P. *see* Convert, P. 85−15222
Wolfers, P. *see* Dalmas de Reotier, P. 86−15360, 86−15368
Wolfers, P. *see* Mignot, J.P. 86−9418
Wolfersteig, J.R. *see* Bradley, M.E. 85−42894
Wolfert, K. *see* Frisch, W. 87−30325
Wolfert, P. *see* Fank, B. 85−1016, 87−37569
Wolfert, P.H. *see* Fank, F.B. 85−11578
Wolfet, P.H. *see* Frank, F.B. 85−50037
Wolff, A. Regulator tracks 3 outputs, monitors controlling μP's pulses 86−62423
Wolff, A. *see* Fryberger, D. 87−14299
Wolff, A. *see* Low, L. 88−49693
Wolff, A.J. There and back again [Band-scanning for the TS-930S radio] 85−63499
Wolff, B. The filter connector 86−20892
Wolff, B.I. Control of surge degradation in metal-oxide varistors 88−8527
Wolff, D. *see* Calvo, O. 88−55488
Wolff, D. *see* McCarthy, J. 86−26145
Wolff, D.M. *see* Laeser, R.P. 87−28547
Wolff, F.H., Molnar, A.J. Electric generator pulsations can cause turbine-blade failure 85−16000
Wolff, F.H., Molnar, A.J. Variable-frequency drives multiply torsional vibration problems 86−13125
Wolff, F.J. *see* Hansen, I.G. 87−29883
Wolff, G. *see* Goschel, G. 86−56324
Wolff, H. How to communicate an understanding of technology 87−43824
Wolff, H.P. *see* Freund, H. 88−17131
Wolff, I. A generalized description of the spherical three-layer resonator with an anisotropic dielectric material 87−73626
Wolff, I., Kapusta, H. Modeling of circular spiral inductors for MMICs 87−73719
Wolff, I., Kibuuka, G. Computer models for MMIC capacitors and inductors 85−6548
Wolff, I., Solbach, K. Dielectric image line groove antennas for millimeter waves 86−64125
Wolff, I., Stahlmann, R. The CAD of lumped elements for MIC and MMIC application 86−13942
Wolff, I. *see* Bedair, S.S. 88−56986
Wolff, I. *see* Beyer, A. 85−12497, 85−13199, 85−17797, 85−20481, 85−28699, 85−55107, 86−8423, 86−8430, 86−64085, 87−6009
Wolff, I. *see* Bogelsack, F. 88−20968
Wolff, I. *see* Glandorf, F.-J. 85−19209, 88−40627
Wolff, I. *see* Glandorf, F.J. 87−39447

Wolff, I. *see* Gronau, G. 85−11537, 86−47045, 86−68918, 87−54673, 88−2874
Wolff, I. *see* Kiefer, D. 88−59989
Wolff, I. *see* Kosslowski, S. 88−66144
Wolff, I. *see* Kother, D. 88−56862, 88−56890
Wolff, I. *see* Moschuring, H. 85−20698, 87−66566
Wolff, I. *see* Niclas, K.B. 85−1002
Wolff, I. *see* Pattenpaul, E. 88−32437
Wolff, I. *see* Solbach, K. 85−57125, 85−57156
Wolff, I. *see* Waldow, P. 86−8464, 87−75502
Wolff, J. Spreading effect of increases of luminous efficiency of light sources 87−43622
Wolff, J. *see* Adam, E. 87−71878, 87−78350, 88−17286
Wolff, K.-H., Wriedt, T., Arndt, F., Tucholke, U. Hybrid field theory design of square Potter horns 87−47370
Wolff, K.-H. *see* Arndt, F. 88−40648
Wolff, L.B. Spectral and polarization stereo methods using a single light source 87−62388
Wolff, L.B. Surface curvature and contour from photometric stereo 88−3273
Wolff, L.B. Spectral and polarization stereo methods using a single light source 88−4648
Wolff, L.B. A general formulation of stereo vision 88−48091
Wolff, L.R. Thermionic energy conversion 85−16270
Wolff, L.R., Ramaekers, P.P.J. Production of a SiC-C-W hot shell by chemical vapour deposition 87−16664
Wolff, L.R. *see* Gubbels, G.H.M. 86−7171, 87−43480
Wolff, L.R. *see* Metselaar, R. 85−45351
Wolff, L.R. *see* Penders-Vankova, E. 88−7246
Wolff, M., Kelly, A.J., Jahn, R.G. A high performance magnetoplasmadynamic thruster 85−31914
Wolff, M.C. *see* Connon, H.A. 88−12811
Wolff, M.F. Riding the biggest waves [company management] 85−22167
Wolff, M.F. The secret six-month project [first commercial transistor radio] 86−30969
Wolff, P. *see* Huang, W.F. 88−15907
Wolff, P.A. *see* Becla, P. 85−33431 to 33432
Wolff, P.A. *see* Heiman, D. 88−50611
Wolff, P.K., Sr. *see* Beetem, J.F. 85−35200
Wolff, R.J. *see* Hitchcock, L.J. 85−562, 85−9991
Wolff, R.S. An assessment of the potential terrestrial interference due to direct broadcast satellite television receivers 85−37218
Wolff, R.S. The variability of the ionospheric total electron content and its effect on satellite microwave communications 86−22675
Wolff, R.S. Minimization of Faraday depolarization effects on satellite communication systems at 6/4 GHz 86−37829
Wolff, R.S. *see* Way, W.I. 87−49028, 88−9556
Wolff, S. The superconducting magnet system for HERA 86−44517
Wolff, S. Superconducting HERA magnets 88−68130
Wolff, S. *see* Balewski, K. 87−74622
Wolff, S. *see* Horlitz, G. 85−59033
Wolff, S. *see* Matsuda, A. 87−23709
Wolff, T., Kjaer, E. New technique for reading electricity meters 86−32866
Wolff, U. Continuity in fast breeder development−the SNR (Fast Neutron Reactor) 2 project 87−9305
Wolff, U. *see* Heise, G. 87−54442
Wolff, W.F. *see* Gant, K.S. 86−12585
Wolff, W.F. *see* Grant, K.S. 88−17271
Wolffenbuttel, R.F. Smart colour sensor 87−26214
Wolffenbuttel, R.F. Color filters integrated with the detector in silicon 87−34965
Wolffenbuttel, R.F. A simple integrated color indicator 87−56694
Wolffenbuttel, R.F. Digitally programmable accurate current sources for logarithmic control of the amplification or attenuation in a gain cell 88−56472
Wolffenbuttel, R.F. Integrated all-silicon color filtering element with an enhanced wavelength tunability 88−65449
Wolffenbuttel, R.F., Regtien, P.P.L. A novel approach to solid-state colour sensing 87−3617
Wolffenbuttel, R.F. *see* Regtien, P.P.L. 86−17984
Wolffer, N. A method for the evaluation of optical fibre ends using spatial frequencies analysis 87−38815
Wolfframm, B.M. Ballasts−past, present, and future: a review of the ballasts [lighting accessories] 85−27789
Wolfgang, E. Electron beam testing [IC chip verification] 87−25426
Wolfgang, E. Future trends in electron beam testing 88−39605
Wolfgang, E. *see* Argyo, W. 85−62024
Wolfgang, E. *see* Brust, H.-D. 86−2346
Wolfgang, E. *see* Geiger, G. 87−70403
Wolfgang, E. *see* Gorlich, S. 88−22460
Wolfgang, E. *see* Kollensperger, P. 85−40842
Wolfgang, H. *see* Tomsu, P. 86−30532
Wolfgang, L. *see* Holtz, J. 87−22573
Wolfinger, B. *see* Badach, A. 85−46973
Wolfinger, B.E. Delay approximations for file transfers in computer networks 86−59686
Wolfle, B. *see* Held, S. 88−17657
Wolfle, W., Veigel, R. Safety training. What the designer of a modern power supply unit should pay attention to 88−44035
Wolfle, W. *see* Bobel, A. 87−51631
Wolfli, W. *see* Andree, M. 85−20795
Wolfli, W. *see* Arnesson, J. 87−8784
Wolfli, W. *see* Balzer, R. 85−20788
Wolfli, W. *see* Bonani, G. 85−20797
Wolfli, W. *see* Hofmann, H. 85−20791
Wolfli, W. *see* Nessi, M. 85−20864
Wolfli, W. *see* Suter, M. 85−20765, 85−20779
Wolfman, N.T., Moran, R., Moran, P.R., Karstaedt, N. Simultaneous MR imaging of both breasts using a dedicated receiver coil 85−53033
Wolfman, N.T., Williams, R.W., Wall, B.E., Moran, P.R., Karstaedt, N. Design modification of dedicated MR breast coil 87−8906
Wolfman, N.T. *see* Wall, B.E. 86−70401
Wolfmann, J. Different aspects of *q*-ary images of codes 85−57253
Wolfmann, J. A class of doubly even self dual binary codes 86−43159
Wolfmann, J. Bent functions and doubly even self dual codes 87−54978
Wolfmann, J. Recent results on coding and algebraic geometry 87−69004
Wolfmann, J. *see* Constantin, J. 87−68995
Wolfmayer, J. *see* Tauschitz, J. 85−9716
Wolfmeyer, P.A., Guenther, R.P. Maintaining quality performance [digital transmission networks] 88−3393
Wolfmuller, K. *see* Sternfeld, H.J. 87−15523
Wolfnagel *see* Meyer 85−43099
Wolford, D.J., Kuech, T.F., Bradley, J.A., Gell, M.A., Ninno, D., Jaros, M. Pressure dependence of GaAs/$Al_xGa_{1-x}As$ quantum-well bound states: the determination of valence-band offsets 87−1255
Wolford, D.J. *see* Gell, M.A. 87−32311
Wolford, D.J. *see* Kuech, T.F. 86−7854, 87−65489
Wolford, D.J. *see* Reimer, J.A. 85−33477
Wolfowicz, W. *see* Brugia, O. 85−30209, 85−36192, 85−46867, 87−69034
Wolfowicz, W. *see* Di Porto, A. 86−19885
Wolfram, G. *see* Lippold, H. 85−42260
Wolfram, R. Electron beam alignment between Pierce electron gun and periodic magnetic fields 85−2481
Wolframm, A.P. *see* Pike, T.K. 86−30880
Wolfrum, J. Laser spectroscopy for studying chemical processes 88−58736
Wolfrum, J. *see* Sitter, H. 88−31784
Wolfrum, K. *see* Issel, W. 87−581
Wolfs, M. *see* Coulon, A. 87−4593
Wolfs, P.J., Flinders, F.M. A high-frequency inverter cycloconverter cascade 87−43199
Wolfs, P.J., Hastie, L.M. A 15 kVA switching amplifier for controlled source audiomagnetotelluric sounding applications 88−56481
Wolfsehr, H. Personal computer for telex networks. Suitability for multiposition-operation is a presupposition 87−27906
Wolfset, B.A. *see* Jammal, M.E. 87−10139
Wolfsgruber, A. Dual regulator ICs simplify micro systems with battery backup 87−23918
Wolfsgruber, A. Voltage regulators 87−44545
Wolfsgruber, A., Borg, N.B. Speed regulator for motors 87−43055
Wolfsgruber, A. *see* Antoniazzi, P. 88−18899
Wolfskill, J. A note concerning reduced algebraic numbers and equivalence of binary forms 86−330
Wolfskill, J. *see* Tzanakis, N. 87−44155
Wolfson, D.R. *see* Burnham, C.A. 88−61262
Wolfson, H. On curve matching 88−28117
Wolfson, H.J. *see* Lamdan, Y. 88−73284, 88−73324
Wolfson, J.R. Computer III. The beginning or the beginning of the end for enhanced services competition 87−75997
Wolfson, M. Packaging printed circuits 88−49521
Wolfson, M., Hewlett, M., Weiss, J. Computer-aided electronic packaging emerges 88−63039
Wolfson, M.M. *see* Klingle, D.L. 87−77866
Wolfson, R.G. Liquid sources of arsenic for thin-film semiconductor deposition 88−75925
Wolfson, R.G., Vernon, S.M. Safety in thin film semiconductor deposition 87−44387
Wolfson, R.G. *see* Spitzer, M.B. 86−2025
Wolfson, R.G. *see* Vernon, S.M. 86−7064, 87−10431, 88−31040
Wolfson, R.I., Sterns, W.G. A high-performance, microstrip, dual-polarized radiating element 85−13351
Wolfson, R.I., Sterns, W.G. An improved C-band PIN-diode phase shifter 86−43075
Wolfson, R.I., Sterns, W.G., Ingrassia, E.P. A compact high-power feed for a planar-array antenna 87−27097
Wolfson, R.I. *see* Sterns, W.G. 88−2905
Wolfson, R.P. *see* Cohen, M.J. 85−65555
Wolfson, S.K., Jr. *see* Chan, L.-T. 88−54476
Wolfson, S.K., Jr. *see* Yao, S.J. 86−44623, 88−68345
Wolfstahl, Y. *see* Pinter, S. 87−55784
Wolfstahl, Y. *see* Pinter, S.S. 88−19011
Wolfsteiner, J. *see* Pagel, E.-O. 87−56473
Wolga, G.J. *see* Kitai, A.H. 85−14952, 85−51059, 86−21375
Wolgast, R. *see* Huson, F.R. 86−31828
Wolgast, R. *see* Taylor, C. 85−59029
Wolgemuth, C.H. *see* Davic, J. 85−53572
Wolgemuth, C.H. *see* Kapadia, M. 85−4952
Wolicki, E.A., Arimura, I., Carlan, A.J., Eisen, H.A., Halpin, J.J. Radiation hardness assurance for electronic parts: accomplishments and plans 86−35771
Wolicki, E.A. *see* Knudson, A.R. 85−18145
Wolicki, E.A. *see* Summers, G.P. 87−32490, 88−26224
Wolin, E. *see* Johnson, M. 88−20866
Wolinski, J.P. *see* Giles, R.T. 87−14728
Wolinski, W. Microtreatment of materials by means of laser radiation beam 85−56898
Wolinski, W., Badziak, W., Dobrowolski, J., Kecik, T. Photocoagulator with argon ion laser 85−48328
Wolinski, W., Malinowski, M., Wolski, R. Active dielectric materials of the future for production of miniature amplifiers and coherent radiation sources [Nd lasers] 85−35720
Wolinski, W., Nowicki, M. Lasers in microelectronics 88−57728
Wolinski, W. *see* Wolski, R. 85−12835
Wolinsky, M., Carmichael, H.J. Squeezing in the degenerate parametric oscillator 85−62663
Wolisz, A. *see* Mierzwa, J. 86−10813
Wolk, M. Low level infrared radiometer comparison measurements 87−49763
Wolk, R.H., Alpert, S.B., Holt, N.A. The Cool Water integrated coal gasification combined cycle project: status and results 86−33126
Wolk, R.H., Holt, N.A. Solid wastes from integrated coal gasification combined cycle power plants 87−64377
Wolken, J.H. *see* Buijs, J.H. 85−47394
Wolkenberg, A., Wasilewska, B. Anodic oxidation of gallium arsenide 86−28181
Wolkowicz, H. *see* Borwein, J.M. 86−52363
Wolkowicz, H. *see* Butler, G.J. 85−33260
Wolkowinski, K. Operating studies of the earthing system for evaluating transformer stations contact protection 86−12870
Wolkstein, H.J. Advanced traveling-wave tubes for satellite applications 86−47249
Wolkstein, H.J. *see* Kumar, M. 85−23134, 86−8518, 86−27592
Woll, H. Reductions among number theoretical problems 87−36591
Woll, H. *see* Gebhardt, W. 85−43504
Woll, H. *see* Tompa, M. 88−14601, 88−40833
Wollack, E.F. *see* Fayling, R.E. 85−24124
Wollard, K. Technology '88: education 88−31335
Wollard, K. Technology '88: solid state 88−32077
Wollard, K. Uno Lamm: inventor and activist 88−37919
Wollard, K. Garbage in, power out 88−62012
Wollard, K., Zorpette, G. Technology '88: power and energy 88−36781
Wollenberg, B. Feasibility study for an energy management system intelligent alarm processor 86−61032
Wollenberg, B. *see* Mokhtari, S. 88−10793, 88−54918
Wollenberg, B. *see* Momoh, J.A. 85−48555
Wollenberg, B.F. Feasibility study for an energy management system intelligent alarm processor 86−51117
Wollenberg, B.F., Sakaguchi, T. Artificial intelligence in power system operations 88−30317
Wollenberg, B.F. *see* Mazi, A.A. 86−50912, 87−4271
Wollenberg, B.F. *see* Schulte, R.P. 88−23334
Wollenberg, B.F. *see* Trefny, F.J. 88−10773, 88−55099
Wollenberg, G. The application of simultaneous working as a means to performance enhancement of microprocessors 87−52646
Wollenberg, R. *see* Milnikel, R. 85−26474
Wollenhaupt, H. The ground station antenna for TV satellites 87−54667
Wollermann-Windgasse, R., Ackermann, F., Weick, J., Brix, W. RF-excited high power CO_2-lasers for industrial material processing 87−46788
Wollersheim, H.J. *see* Emling, H. 86−70364
Wollersheim, H.J. *see* Michel, C. 87−3917
Wollersheim, H.R. Graphics supported NC programming of measurement equipment [NCMES] 85−52639
Wollherr, H. Public address techniques: loudspeaker columns 'matter of inclination'−custom-made directivity 85−31233
Wollherr, H. Television without the line whistle 85−52487
Wollherr, H. Acoustical aspects of OB vehicles 87−13853
Wollmer, J. When the Earth trembles. Computers in seismology 85−9359
Wollnack, J., Besslich, P.W. Signal reconstruction from incomplete coefficients of orthogonal transformations 88−8722

Wollner, H. For door chimes, alarm, etc. Versatile melody generator 87−14002
Wollnik, H. Laterally and longitudinally dispersive recoil mass separators 87−71044
Wollnik, H. Optics of charged particles 88−6154
Wollnik, H., Becker, K. Ion optical design for an on-line mass separator with low cross contamination and the capability of good mass resolution 85−64392
Wollnik, H., Brezina, J., Berz, M., Wendel, W. GIOS-BEAMTRACE, a program for the design of high resolution mass spectrometer 85−64512
Wollnik, H. *see* Armbruster, P. 88−36393
Wollnik, H. *see* Brunnee, C. 87−41318
Wollnik, H. *see* Kraus, R.H., Jr. 88−29924
Wollnik, H. *see* Rabbel, V. 87−57012
Wollnik, H. *see* Talbert, W.L., Jr. 87−70988
Wollnik, H. *see* Vaziri, K. 87−71046
Wollnik, H. *see* Wouters, J.M. 85−64513, 86−5843, 87−71047
Wollper, P. Logic analyser with signal- and curve form generator 87−41423
Wollschlaeger, H. *see* Pagnin, P. 88−1063
Wollschlager, H., Haufe, G. Biplane multidirectional angiocardiography with a new X-ray system 87−8901
Wollschlager, H., Lee, P., Zeiher, A., Solzbach, U., Bonzel, T., Just, H. Mathematical tools for spatial computations with biplane isocentric X-ray equipment 86−60724
Wollschlager, H. *see* Pagnin, P. 87−52960
Wollschlager, K. *see* Hensel, E. 86−15057
Wollschlager, K. *see* Skorupa, W. 86−41655, 87−38082, 88−57446
Wollschlager, M. *see* Fiss, H.-J. 87−35669
Wollschlegel, P. Pipework packages−engineering services of the general contractor 86−66575
Wollstein, J.D. TELECLASS: the bottom line in second language learning 86−43399
Wolman, D.E. *see* Maguire, J.F. 88−36585
Wolnarek, D. Some application notes relating to the use of CES socket outlets in hazardous locations 85−17936
Wolnarek, D. The use of CES plug-and-socket devices in explosion-endangered areas 85−40291
Wolnarek, D. Explosion-proof safety switches for industrial machine drives 88−11411
Wolnarek, D. Local control in automated installations [motor starting] 88−75533
Wolnarek, D., Schick, P. The interplay between standards and designs 88−23540
Wolniewicz, E. *see* Bolkowski, S. 85−17045, 86−26964
Wolny, M., Aguila, T., Deconinck, P., Moroni, D., Andre, J.P. High-performance WN-gate MISFETs fabricated from MOVPE wafers 88−1650
Wolny, M., Chambery, P., Briere, A., Andre, J.-P. Low noise high electron mobility transistors grown by MOVPE 87−24479
Wolny, M. *see* Andre, J.P. 86−52500
Wolny, T.E. *see* St. Pierre, C.R. 86−40025, 87−4844
Wolny, W.W., Breboel, K. An NDT-method of detection of internal defects in piezoceramic transducers 87−56670
Wolny, Z. Mechanical structure of 19″ casings for measuring instrumentation 85−33185
Wolochow, P. A board decision 85−50609
Wologdin, E. *see* Prokofjew, W. 87−34874
Woloszczuk, R. *see* Pucknell, D.A. 86−9259
Wolotschij, B.J. *see* Woschni, E.-G. 85−36292
Wolovitz, D.C. Packet RATS 87−69909
Wolovitz, L.B., Sewell, J.I. Efficient computer techniques for the exact analysis of all non-ideal effects of switched-capacitor networks in the time domain 86−66997
Wolovitz, L.B., Sewell, J.I. General analysis of large linear switched capacitor networks 88−50244
Wolovitz, L.B. *see* Meakin, A.D. 86−57951
Wolowodiuk, C.H. *see* Schmidt, P.F. 85−50421
Wolowodiuk, W. *see* Bialkin, E.P. 86−61336
Wolowodiuk, W. *see* Childress, N.B., Jr. 87−64414
Wolper, P. *see* Sabnani, K. 86−54594
Wolpers, H.G. *see* Hoeft, A. 85−38069
Wolpers, H.G. *see* Steinmann, J. 87−14847
Wolpers, R. Distributors in communication networks 87−32141
Wolpert, H.D. Autoranging/autofocus: a survey of systems. III 88−22784
Wolpert, L. Biophysical and medical applied electronics: automatization and computer interfaced electronic microsyringe 87−57195
Wolpert, S., Micheli-Tzanakou, E. An integrated circuit realization of a neuronal model 87−3927
Wolpert, T. INTELEC−the International Telecommunications Energy Conference 85−8
Wolpert, T. Active filter technique for the attenuation of AC ripple in DC power plants and distribution 85−65366
Wolpert, T. Rectifier technology development during the last thirty years 88−30824
Wolpert, T. *see* Lindman, P. 87−35528
Wolrich, G., McLellan, E., Harada, L., Montanaro, J., Yodlowski, R. A high performance floating point coprocessor 85−22932
Wolrich, G. *see* McLellan, E.J. 88−20132
Wolrich, G.M. *see* McLellan, E.J. 88−70786
Wolsheimer, E.A. *see* Hu, S.C. 88−50691
Wolsheimer, E.A. *see* van Wijnen, P.J. 88−16468
Wolski, A. The evaluation of the application of modernised solutions for installing wiring in industrial buildings 88−17127
Wolski, B. Temperature-compensated pressure sensor 86−31352
Wolski, G. The user's view of a test system 85−201
Wolski, G. ATE testers: fast amortization 86−44102
Wolski, G.B. Competition from one's own house [circuit ATE] 85−22229
Wolski, G.B. The Beta-videorecorder system and its technique. I 85−26073
Wolski, G.B. Microprocessors for microcomputer systems II 85−33940
Wolski, G.B. The BETA video recorder system and its technology 85−37308
Wolski, G.B. The Beta video-recorder system and its technology. II 85−47710
Wolski, G.B. Invertors for DC to AC conversion 86−6868
Wolski, G.B. Manifold measuring instrument and multimeter for the expert 87−3635
Wolski, G.B. Electromagnetic interference and sensitivity to interference in switched power supplies 87−12730
Wolski, G.B. Single-phase alternating current with regulated frequency 87−42773
Wolski, G.B. Reliability of the power supply of electronic equipment 87−44541
Wolski, G.B. 32-bit microprocessors: market situation and applications 88−44192
Wolski, G.B. Local networks for computers. I. Structures and procedures and systems for LANs 88−52841
Wolski, G.B. Local area networks for computers 88−66984
Wolski, G.B. Integration of biochemical sensors and microelectronic devices 88−74787
Wolski, M.R. *see* Beeton, R.J. 87−37574
Wolski, M.R. *see* Ishii, T.K. 87−51656
Wolski, R., Szczepanski, P., Wojdak, W., Wolinski, W. Analysis of properties of the thin film structures $KNdP_4O_{12}/KLaP_4O_{12}$ with triangular and rectangular grating resonator 85−12835
Wolski, R. *see* Wolinski, W. 85−35720
Wolski, W. Electroacoustic properties of yellow-iron-oxide magnetic tapes. II 85−12487
Wolstencroft, N.W. *see* Jennings, A.J. 88−3539
Wolstenholme, G.R., Jorgensen, N., Ashburn, P., Booker, G.R. An investigation of the thermal stability of the interfacial oxide in polycrystalline silicon emitter bipolar transistors by comparing device results with high-resolution electron microscopy observations 87−25233
Wolstenholme, G.R. *see* Jorgensen, N. 86−58461
Wolstenholme, P. Control systems of accelerators 86−38678
Wolstenholme, P. Filtering of network addresses in real time by sequential decoding 88−21622
Wolszczak, B. *see* Krysinski, I. 85−550
Wolter, A., Hansen, E.R. The effect of the burning process on the production of low alkali cement 86−19671
Wolter, E. *see* Fricke, P. 88−44174
Wolter, E. *see* Kraemer, H. 87−3207
Wolter, E. *see* Roessler, B. 87−62707, 88−51000
Wolter, E. *see* Rossler, B. 87−40604
Wolter, H. Solution methods for a class of discrete optimisation works of special structure 88−18607
Wolter, J. Synthesized semiconductor structures 87−24632
Wolter, J. Layered semiconductor structures 87−24733
Wolter, J. Research on layered semiconductor structures 87−53248
Wolter, J. *see* Berkenkamp, F. 86−71029
Wolter, J. *see* Hendriks, E.A. 86−63331
Wolter, J. *see* Hollering, R.W.J. 86−21225, 86−28006
Wolter, J. *see* Horstman, R.E. 85−45434, 86−47366
Wolter, J. *see* Rikken, G.L.J.A. 85−34580
Wolter, J. *see* Woltjer, R. 85−23524, 86−21219
Wolter, J.H. *see* van Hall, P.J. 88−32882
Wolter, K. *see* Grutzmacher, D. 88−56268
Wolter, K. *see* Platen, W. 87−32333, 87−60407
Wolter, O., Greschner, J., Durig, U. Silicon micro mechanics (SIMM): Si-beams with rectangular cross-section for atomic force sensing by means of STM 87−25437
Wolter, W. *see* Burnett, T.H. 87−8866
Wolters, B.O. *see* Huisma, J. 86−51114
Wolters, D. *see* Vollebregt, F. 87−18175
Wolters, D.R. Behaviour of the oxide film in MOS devices 88−26311
Wolters, D.R., Peek, H.L. Fowler-Nordheim tunneling in implanted MOS devices 87−74132
Wolters, D.R., van der Schoot, J.J. Dielectric breakdown in MOS devices. I. Defect-related and intrinsic breakdown 86−1838
Wolters, D.R., van der Schoot, J.J. Dielectric breakdown in MOS devices. II. Conditions for the intrinsic breakdown 86−1839
Wolters, D.R., van der Schoot, J.J. Dielectric breakdown in MOS devices. III. The damage leading to breakdown 86−1840
Wolters, D.R., van der Schoot, J.J. Breakdown by charge injection 87−17832
Wolters, D.R., Verwey, J.F. Breakdown and wear-out phenomena in SiO_2 films 87−60343
Wolters, D.R., Zegers-Van Duynhoven, A.T.A. Dielectric reliability and breakdown of thin dielectrics 87−32748
Wolters, D.R., Zegers-van Duynhoven, A.T.A. On the mechanism of intrinsic breakdown in thin dielectrics 88−71837
Wolters, D.R. *see* Peek, H.L. 87−32357
Wolters, D.R. *see* Verwey, J.F. 87−17973
Wolters, E. Taking control of Kuwait's grid [power system computer control] 85−21167
Wolters, J. *see* Buttgereit, H. 86−5774
Wolters, J. *see* Fichtner, N. 85−15713
Wolters, J. *see* Joetten, R. 86−6253
Wolters, L. *see* Dueck, G. 86−16138
Wolters, R., Van den Hove, L. The feasibility of $CoSi_2$, TiW and TiW (N) as local interconnection in a self-aligned $CoSi_2$ technology 88−71463
Wolters, R. *see* Van den hove, L. 87−24928, 87−45816, 88−7522, 88−25974
Wolters, R.A.M., Nellissen, A.J.M. Properties of reactive sputtered TiW 86−41718
Wolters, R.A.M., Nellissen, A.J.M. Al(1%Si)-Si and TiW-Si contact resistance improvement by post-(plasma) etch treatments 87−67164
Wolters, R.A.M. *see* Ellwanger, R.C. 87−60380
Wolters, R.A.M. *see* Peek, H.L. 87−1691
Wolters, R.A.M. *see* van Dijk, J.M.F. 86−28524
Wolters, W.K. *see* van Aken, J.A. 85−5744
Wolthuis, A., Busing, K., Bource, L., Dalessi, G. A novel optoelectronic instrument for on-line precise measurements 88−42286
Wolthuis, R.A. *see* Saaski, E.W. 88−42127
Wolting, D.E. *see* Drake, H.D. 88−230
Woltjer, R., Mooren, J., Wolter, J., Andre, J.-P., Weimann, G. Four-terminal quantum Hall and Shubnikov-de Haas measurements with pulsed electron fields 86−21219
Woltjer, R., Mooren , J., Wolter, J., Andre, J.P. Quantum Hall measurements with pulsed electric fields 85−23524
Woltjer, R. *see* Lassing, H.S. 86−55628
Woltjer, R. *see* Thijs, P.J.A. 88−32840
Wolton, I.C. *see* Westcott, B.S. 86−29582, 87−47327
Woltz, R.L. The SCANAGON, a dynamic scene projector 88−71991
Wolvaardt, F.P. *see* Upadhyaya, B.R. 87−61986
Wolverton, M.P. *see* Quinn, K.R. 88−38272
Wolverton, W.M. Correlation of NTD-silicon rod and slice resistivity 85−23419
Wolverton, W.M., Russell, W.R., Yenawine, D.L. Kinetics of solder degradation 87−66769
Wolverton, W.M. *see* Spitz, D.M. 87−66766
Wolvesperges, J. Switched mode power supplies in open chassis form 88−62457
Wolvington, J.W. Digital audio post-production: sound editing transformed 87−41281
Wolz, D., Furst, J., Helmstetter, N. Tariff systems for regional utilities. User-oriented software tools for analyses 88−54901
Wolz, W. *see* Blacha, A. 88−39629
Wolzak, G.G., van de Laar, A.M.F.J., Steennis, E.F. Partial discharges and the electrical aging of XLPE cable insulation 87−42481
Wolzak, G.G. *see* Lassing, H.S. 86−55628
Wolzien, T. *see* Eyring, K. 87−13977
Womack, B.B. *see* Smith, R.D. 86−62863, 87−66600
Womack, B.F. *see* Amin, M. 85−4904, 86−6582
Womack, J. *see* Sikora, L. 88−66221
Womack, J.K. *see* Demcko, R.S. 86−14574
Womack, K.H. *see* Martin, G.J. 88−47576
Womack, R. *see* Evans, J. 88−63688
Womack, R. *see* Kinney, W.I. 88−38541
Womack, R. *see* Pollack, G.P. 85−12182
Womack, R.H. *see* Banerjee, S.K. 87−24190
Womack, R.H. *see* Elahy, M. 85−17407, 85−50730
Womack, R.H. *see* Malhi, S.D.S. 85−35171
Womack, R.H. *see* Rao, K.V. 87−44844
Womack, R.H. *see* Richardson, W.F. 86−46857
Womack, R.H. *see* Shah, A.H. 87−10854, 87−17093
Womack, R.H. *see* Shichijo, H. 85−50725, 86−34779
Womak, R. *see* Shichijo, H. 85−40108
Womeldorff, P.J. *see* Heydt, G.T. 86−57138
Womersley, R.S. Local properties of algorithms for minimizing nonsmooth composite functions 85−44620
Womersley, R.S. An algorithm for composite nonsmooth optimization problems 86−40642
Womersley, R.S. Censored discrete linear l_1 approximation 86−46250
Won, C.-S. *see* Derin, H. 88−3252
Won, C.-Y., Park, M.-H. Microprocessor-based time optimal position control of a CSI fed induction motor 88−31091

Won, C.S., Derin, H. Segmentation of noisy textured images using simulated annealing 87−62247
Won, D.J. *see* Skaczylo, A.T. 86−61400
Won, I.J. High-resolution electromagnetic altimetry over the ocean 86−65486
Won, I.J. The geometrical factor of a marine resistivity probe with four ring electrodes 87−71366
Won, I.J., Smits, K. Characterization of shallow ocean sediments using the airborne electromagnetic method 86−44811
Won, J. *see* Cha, G. 87−43248, 88−43398
Won, J.W. *see* Weiss, C.O. 85−29751
Won, K. *see* Ryder, M. 86−10804
Won, M.C., Mnyama, D., Bates, R.H.T. Improving initial phase estimates for phase retrieval algorithms 85−51712
Won, M.C. *see* Garden, K.L. 86−38283
Won, T., Litton, C.W., Morkoc, H., Yariv, A. GaAs/AlGaAs heterojunction *Pnp* bipolar transistors grown on (100) Si by molecular beam epitaxy 88−50809
Won, T., Litton, C.W., Morkoc, H., Yariv, A. A high-gain GaAs/AlGaAs n-p-n heterojunction bipolar transistor on (100) Si grown by molecular beam epitaxy 88−71518
Won, T., Morkoc, H. High speed performance of InP/InGaAs/InP double heterojunction bipolar transistors 88−13351
Won, T., Morkoc, H. High-speed performance of $InP/In_{0.53}Ga_{0.47}As/InP$ double-heterojunction bipolar transistors 88−32414
Won, T., Munns, G., Houdre, R., Morkoc, H. Interface charge polarity of a polar on nonpolar semiconductor GaAs/Si with Ga and As prelayers 87−17752
Won, T., Munns, G., Houdre, R., Morkoc, H. Comment on 'Interface charge polarity of a polar on nonpolar semiconductor GaAs/Si with Ga and As prelayers' 88−12970
Won, T., Munns, G., Unlu, M.S., Unlu, H., Chyi, J., Morkoc, H. Characteristics of *p*-GaAs/*n*-Si heterojunctions grown by molecular-beam epitaxy 88−25931
Won, T., Peng, C.K., Chyi, J., Morkoc, H. $In_{0.52}Al_{0.48}As/In_{0.53}Ga_{0.47}As$ double-heterojunction p-n-p bipolar transistors grown by molecular beam epitaxy 88−64517
Won, T. *see* Chen, J. 88−39378, 88−39404
Won, T. *see* Peng, C.K. 88−64516
Won, T. *see* Unlu, M.S. 88−19679
Won, Y., Sahni, S., El-Ziq, Y. A hardware accelerator for maze routing 87−65734
Won, Y. *see* Chung, M.J. 88−49972
Won Bang Man *see* Man Won Bang
Won Chai Jong *see* Jong Won Chai
Won Chan Kim *see* Jong Duk Lee 86−1995
Won Chee Sun *see* Chee Sun Won
Won Chong-Soo *see* Chong-Soo Won
Won Choong-Yun *see* Choong-Yun Won
Won Chung-Yuen *see* Chung-Yuen Won
Won Dong Ho *see* Dong Ho Won
Won Hahn Jae *see* Jae Won Hahn
Won Hui Jun *see* Hui Jun Won
Won Hyo Yoon *see* Tsong-Lun Chu 88−23690
Won Jae Cheong *see* Jong Rak Lee 85−25525
Won Jong-Soo *see* Jong-Soo Won
Won Jong-Wook *see* Jong-Wook Won
Won Kang Sang *see* Sang Won Kang
Won Kang Tae *see* Tae Won Kang
Won Kil Lee, Kyu Ho Park, Song Bai Park A QNAR-AGC estimator with reduced arithmetic complexity 86−23005
Won Kim *see* Batory, D.S. 86−27006
Won Kim Choong *see* Choong Won Kim
Won Kim Eun *see* Eun Won Kim
Won Kim Sok *see* Sok Won Kim
Won Kwon Tae *see* Tae Won Kwon
Won Kyung Cho *see* Sung Min Hong 86−59322
Won Lee Kwang *see* Kwang Won Lee
Won Namkung High harmonic microwave generation from a non-relativistic cusptron device 85−23335
Won Namkung Cusptron: a compact high-power microwave tube 88−50588
Won Rhee Tae *see* Tae Won Rhee
Won Seok Chang *see* Chang Won Seok
Won Seong Lee, Young Se Kwon Growing of AlGaAs/GaAs double-heterostructure by the liquid phase epitaxy method and fabrication of the light emitting diode 85−22484
Won Song Jae *see* Jae Won Song
Won Sup Chung, Watanabe, K. A switched-capacitor interface for intelligent capacitive transducers 86−55596
Won Woo Park, Becker, M.F., Walser, R.M. Ionization-enhanced solid phase epitaxy of amorphous silicon with boron impurities 88−49793
Won Yang Chung *see* Jae Shi Choi 86−27960
Won Yang Hae *see* Hae Won Yang
Won Yang Hai *see* Hai Won Yang
Won Young Jeung, Seung Dueg Choi, Jae Hyun Oh, Il Koo Kang Magnetic properties of Nd-Fe-B system permanent magnet 87−326
Won Yun Sang *see* Sang Won Yun
Won-Bin Lee, Hee-Gon Woo Summary of power information communication 87−78213
Won-Eun Choi, Ki-Sun Cho, Seung-U Lee A study on the tracking phenomena of the polymeric insulating material 86−47916
Won-Ho Jhe, Jai-Hyung Lee, Joon-Sung Chang Pump-beam intensity dependent saturation behaviour of the phase conjugate reflectivity in silicon 87−39213
Won-Hyung Lee *see* Jong-Il Kim 87−18943
Won-Jin Lee, Seung-Hun Yang Effect of the hydrogen plasma pressure on the electrical properties of a-Ge:H prepared by the reactive thermal evaporation 87−17729
Won-Jin Lee *see* Seung-Hun Yang 86−488
Won-Jin Lee *see* Seung-Hung Yang 85−39810
Won-Ky Kim The vision of automatic patient monitor system 86−32230
Won-Kyoo Kim *see* Ki-Woong Whang 87−73521
Won-Pyo Hong, Bhattacharya, P.K., Singh, J. Nonrandom alloying in $In_{0.52}Al_{0.48}As/InP$ grown by molecular beam epitaxy 87−37927
Won-Pyo Hong *see* Chin, A. 88−49809
Won-Pyo Hong *see* Dhar, S. 86−28330
Won-Pyo Hong *see* Joo-Il Lim 88−62638
Won-Tack Choi *see* Young-Hee Lee 85−1784
Won-Yong Lee *see* Dong-Ryul Shin 88−17422
Wonchan Kim Functionally integrated nonsaturating logic elements 86−57784
Wonchan Kim *see* Kyung Hoon Yang 87−31996
Wondra, J. An integrated video IF quasi-parallel sound circuit 85−52485
Wondra, J. *see* Goser, G. 86−17580
Wondrak, W., Silber, D. Buried recombination layers with enhanced n-type conductivity for silicon power devices 85−40703
Wondrak, W. *see* Silber, D. 86−47561
Wondrow, M. *see* Gray, J.E. 85−38043
Wonfor, P. The TTV 1530 $^2/_3$ inch studio/OB camera 87−56364
Wonfor, P. The TTV 1640 CCD camera 88−9744
Wonfor, P.J. *see* Desmons, G. 87−11307
Wong, A., Hui, A., Chan, E., Wong, D., Chan, S., Carney, B. A high density BiCMOS direct drive array 88−70702
Wong, A. *see* Hui, A. 86−972, 88−70701
Wong, A. *see* Mankovich, N.J. 87−14953
Wong, A. *see* Widat-alla, M. 88−57557
Wong, A. *see* Zekeriya, V. 85−23565
Wong, A.C. *see* Havard, D.G. 86−66124
Wong, A.C.C. *see* Forsyth, S.M. 88−14972
Wong, A.K.C., Chiu, D.K.Y. A probabilistic inference system 85−30405
Wong, A.K.C., Chiu, D.K.Y. An event-covering method for effective probabilistic inference 87−47940
Wong, A.K.C., Chiu, D.K.Y. Synthesizing statistical knowledge from incomplete mixed-mode data 88−14769
Wong, A.K.C., Lu, S.W. Recognition and knowledge synthesis of 3-D object images 86−10572
Wong, A.K.C., Raafat, H.M. An event set distance for texture classification and cluster analysis 86−49030
Wong, A.K.C., Salay, R. An algorithm for constellation matching 87−48142
Wong, A.K.C. *see* Kapur, J.N. 85−41941
Wong, A.K.C. *see* Mayorga, R.V. 87−65375
Wong, A.K.C. *see* Ng, C.T. 87−36582
Wong, A.K.C. *see* Rueb, K.D. 88−73381
Wong, A.K.C. *see* Sahoo, P.K. 88−34740
Wong, A.K.C. *see* You, M. 85−28134
Wong, A.L. *see* Bern, M.W. 86−19944, 87−65347
Wong, A.S., Cheung, P.W. Correlation between pH-ISFET performance and process conditions of pH-sensitive aluminum oxide films 88−53924
Wong, B., Fawcett, K. A precision dual bridge GaAs sample and hold 88−19238
Wong, B., Holbrook, R.J. Microindentation for fracture and stress-corrosion cracking studies in single-crystal silicon 88−12922
Wong, B., Holbrook, R.J., Megerle, C.A., Medina, L.E. Microindentation for mechanical assessment of microelectronic components 88−7235
Wong, B. *see* Singh, M. 87−77610
Wong, B.S. *see* Goode, D. 87−343
Wong, C. Applications of the ladder network for transmission line and magnetic shielding problems 87−26822
Wong, C., Caramanis, E.P., Skantzaris, A., Bender, J., Campbell, R.A. Noise in pulsed microwave systems 87−73662
Wong, C. *see* Harrison, H.B. 87−23695
Wong, C. *see* Pomerenk, K. 88−7000
Wong, C.-C. An efficient method to evaluate the transmission characteristics of transmission lines using the lumped network model 88−12656
Wong, C.-C. *see* Soo Kap Hahn 86−21862
Wong, C.-C.D., Borland, J.O., Hahn, S. Effects of gettering on epi quality for CMOS technology 88−7439
Wong, C.-C.D., Hahn, S., Ponce, F.A., Rek, Z.U. Effectiveness of CVD thin film backside gettering and its interaction with intrinsic gettering 87−17896
Wong, C.-C.D., Malwah, M.L., Pollock, L. Nucleation time effects on intrinsic gettering 86−28123
Wong, C.-C.D. *see* Hahn, S. 87−11581
Wong, C.-C.D. *see* Lee, J. 87−74118
Wong, C.-C.D. *see* Partanen, J. 88−44625
Wong, C.-C.D. *see* Schiff, D. 86−35876
Wong, C.-C.D. *see* Tuomi, T. 87−17701
Wong, C.-P., Fiebrich, R.-D. Simulated annealing-based circuit placement algorithm on the Connection Machine system 88−25162
Wong, C.C., Keavney, C.J., Atwater, H.A., Thompson, C.V., Smith, H.I. Zone melting recrystallization of InSb films on oxidized Si wafers 85−10762
Wong, C.C. *see* Frye, R.C. 87−32407, 88−44771
Wong, C.C. *see* Smith, H.I. 85−12044
Wong, C.F. Plate-out effects in CR-39 detectors 86−18256
Wong, C.H.C. A study of fatal electrical accidents in Hong Kong industry 1980-85 88−18425
Wong, C.K. An optimal two-dimensional compaction scheme 86−21736
Wong, C.K., Lyman, J. Distributed situation assessment under varying environmental conditions 88−30224
Wong, C.K. *see* Gopal, I.S. 85−57552
Wong, C.K. *see* Hauge, P.S. 85−44983
Wong, C.K. *see* Ko, Y. 87−77648
Wong, C.K. *see* Lee, C.C. 87−2386
Wong, C.K. *see* Liao, Y.Z. 85−23887
Wong, C.K. *see* Luk, W.K. 87−6840, 87−59079, 87−74357
Wong, C.K. *see* Schlag, M.D.F. 85−29268, 85−39981
Wong, C.K. *see* Tamminen, M. 86−57516
Wong, C.K. *see* Trainor, P.G.S. 85−43636
Wong, C.K. *see* Widmayer, P. 85−33587, 87−73237, 88−50948
Wong, C.K. *see* Woo, L.S. 87−6815
Wong, C.K. *see* Wu, Y.-F. 87−36590
Wong, C.L., Wood, R. Implementation of ISDN 87−20070
Wong, C.L., Wood, R. DMS-100 evolution−an ISDN perspective 87−34312
Wong, C.L., Zimmerman, R.L. Stress screening can benefit a pipeline requirement 87−49963
Wong, C.L. *see* Kendi, R. 86−49121
Wong, C.S. Simple nanosecond capacitive voltage divider 85−52745
Wong, C.S. Effect of stray inductance on capacitive-voltage divider 86−31558
Wong, C.S. *see* Griffin, N.M. 87−683
Wong, C.W. *see* Dimopoulos, N. 86−43599
Wong, C.W. *see* Evans, B.G. 86−59814
Wong, C.Y., Batson, P.E. Effects of reactive ion etching on chemical vapor deposition 87−32409
Wong, C.Y., Dillon, T.S., Forward, K.E. Timed places Petri nets with stochastic representation of place time 86−7641
Wong, C.Y., Dillon, T.S., Forward, K.E. Analysis of timing aspects of communicating computer systems using timed places Petri nets 86−43583
Wong, C.Y., Grovenor, C.R.M., Batson, P.E., Smith, D.A. Effect of arsenic segregation on the electrical properties of grain boundaries in polycrystalline silicon 85−28933
Wong, C.Y., Klepner, S.P. X-ray photoelectron spectroscopy on surface oxidation of silicon by some cleaning procedures 86−47464
Wong, C.Y., Komem, Y., Harrison, H.B. Electrical activation of arsenic ion-implanted polycrystalline silicon by rapid thermal annealing 87−32223
Wong, C.Y., Nguyen, T.N., Taur, Y., Zicherman, D.S., Quinlan, D., Moy, D. Process induced degradation of thin oxides 88−71429
Wong, C.Y., Wright, P.W. Interworking of CCITT ISDN protocols 88−59777
Wong, C.Y. *see* Grovenor, C. 85−6812
Wong, C.Y. *see* Iyer, S.S. 85−49611
Wong, C.Y. *see* Komem, Y. 87−73064
Wong, C.Y. *see* Stork, J.M.C. 86−8833, 86−41766
Wong, D. Designing state machines with field programmable logic sequencers 86−995
Wong, D. High-speed 12-bit tracking ADC using field-programmable logic sequencers 87−59639
Wong, D., Hoefer, W.G., Fernandez, M.F. An advanced parameter estimation coprocessor 86−67264
Wong, D., Lyons, S. Pre-stranded self supporting aerial cable design 88−22141
Wong, D. *see* Chu, P.L. 86−28819
Wong, D. *see* Hui, A. 86−972, 88−70701
Wong, D. *see* Maturi, S. 87−38487
Wong, D. *see* Wong, A. 88−70702
Wong, D. *see* Wong, T. 87−698
Wong, D.C., Bottenberg, W.R., Byron, S., Alexander, P. Excimer laser annealing: a cold process for CZ silicon junction formation 88−32980
Wong, D.C. *see* Uno, F.M. 87−9806
Wong, D.F., Leong, H.W., Laung, C.L. PLA folding by simulated annealing 87−44752
Wong, D.F., Leong, H.W., Liu, C.L. Multiple PLA folding by the method of simulated annealing 86−67200
Wong, D.F., Liu, C.L. A new algorithm for floorplan design 87−6830
Wong, D.F., Liu, C.L. Compacted channel routing with via placement restrictions 87−23844

Wong, D.F., Liu, C.L. Array optimization for VLSI synthesis 87−67459
Wong, D.F., Liu, C.L. Floorplan design for rectangular and L-shaped modules 88−24917
Wong, D.F. *see* Bice, A.N. 86−70397
Wong, D.F. *see* Cong, J. 88−24905, 88−70405
Wong, D.F. *see* Leong, H.W. 86−27023
Wong, D.F. *see* Mueller, T.R. 88−24918
Wong, D.H. *see* Jacoby, J.Z. 88−28246
Wong, D.K. New development in programmable logic devices 86−46714
Wong, D.K. Third generation PLD architecture and its applications 86−67204
Wong, D.K. Designing state machines with different PLD architectures 87−655
Wong, D.K., Saffari, B. High performance CMOS PLDs and applications 88−6862
Wong, D.M. *see* Sitler, W.R. 85−40085
Wong, D.P. *see* Dahele, J.S. 88−27620
Wong, D.T. *see* Voldman, S.S. 86−14176
Wong, D.W., Herrin, J., Stadnick, S.J. INTELSAT VI nickel-hydrogen battery 87−42141
Wong, D.W. *see* Chen, J.C. 87−59877
Wong, D.W. *see* Nesbit, G.H. 86−67560, 88−19404
Wong, D.Y. Voice processing services for office automation and telecommunication systems: the DSC-2000 voiceserver 85−51574
Wong, D.Y. The DSC-2000 VoiceServer system. Voice processing services for office automation and telecommunications 86−4355
Wong, D.Y., Lindsay, D.M., Ng, M.S., Cheng, D.Y., Goldstein, J., Frankel, R. Text-to-voice synthesis in a voice application processor 88−66439
Wong, D.Y., Russo, D.A., Bergman, C.D., Lee, C.H., Lindsay, D.M. Signal processing software for a voice messaging system using the TMS32010 processor 86−16438
Wong, D.Y. *see* Lee, C.H. 87−62565
Wong, D.Y.F., Lam, Y.W. Preprocessing heat treatment of metal-insulator-semiconductor solar cells 86−51894
Wong, E. Markovian random fields 85−49446
Wong, E.Chi-Wah *see* Chi-Wah Wong, E.
Wong, E.H., Wylie, R.B., Johnson, D.R. Laser chip separation method for GaAs MMIC wafers 88−63968
Wong, E.H. *see* Chang, J.S.C. 85−49532
Wong, E.Y. *see* Alfrey, A.J. 87−46838
Wong, F. *see* Vogel, D. 88−1549
Wong, F.K. *see* Crim, H.G., Jr. 86−61399
Wong, F.K.L. *see* Bartells, P.S. 85−59849
Wong, F.K.L. *see* Leyse, R.H. 87−64425
Wong, G. *see* Justice, J.H. 86−18525
Wong, G. *see* Magill, J. 85−25492, 85−36717
Wong, G.G. Ring array TT and C antenna 86−68935
Wong, G.G. *see* Feldman, M. 87−38033
Wong, G.H., Stuchly, S.S., Kraszewski, A., Stuchly, M.A. Probing electromagnetic fields in lossy spheres and cylinders 85−4058
Wong, G.H. *see* Stuchly, S.S. 86−6000
Wong, G.K. *see* Bogacz, S.A. 87−2182
Wong, G.K. *see* DiVenere, A. 85−39767, 85−61765
Wong, H. Optimization of SLAR tool bearings 88−37011
Wong, H., Cheung, N.W. Interface and bulk oxide damage induced by boron implantation 86−35476
Wong, H., Cheung, N.W. Implantation induced charge trapping and interface states generation in Si-SiO_2 system 87−6470
Wong, H., Cheung, N.W., Chu, P.K. Gettering of gold and copper with implanted carbon in silicon 88−39187
Wong, H., Cheung, N.W., Chu, P.K., Liu, J., Mayer, J.W. Proximity gettering with mega-electron-volt carbon and oxygen implantations 88−39175
Wong, H., Deng, E., Cheung, N.W., Chu, P.K., Strathman, E.M., Strathman, M.D. Profile studies of MeV ions implanted into Si 87−60285
Wong, H. *see* Deng, E. 87−53730
Wong, H. *see* Krutsick, T.J. 87−67264
Wong, H. *see* Ryan, J.M. 85−10538
Wong, H. *see* Thomas, J. 88−36381
Wong, H. *see* Troullinos, G. 86−32631, 87−57503, 88−54852
Wong, H.-S. *see* Booth, R.V. 88−26268
Wong, H.K., Wu, C.S., Gaffey, J.D., Jr. Electron-cyclotron maser instability caused by hot electrons 86−2999
Wong, H.K. *see* Chuang, L.S. 85−37918
Wong, H.K. *see* DiVenere, A. 85−61765
Wong, H.K. *see* Yang, H.Q. 85−33499
Wong, H.S., Blewett, M.J. The *UoSAT*-2 spacecraft power system 88−10485
Wong, H.S. *see* Wright, P.S. 88−36616
Wong, H.T. *see* Iqbal, M.Z. 87−29477
Wong, H.T. *see* Thomas, J. 88−16627
Wong, H.T.-K. *see* Iqbal, M.Z. 87−77541, 88−23002
Wong, H.V. *see* Rosenbluth, M.N. 86−3215
Wong, H.W. *see* Chan, D.S.H. 87−72447
Wong, J. Temperature measurements gain from advances in high-precision op. amps. 86−55867
Wong, J. Highly accurate operational amplifiers help the measurement of temperature 87−63326
Wong, J. Active feedback improves amplifier phase accuracy 87−73329
Wong, J. Make programmable sine oscillator from quad DAC chip 88−32040
Wong, J., Hurley, P., West, G.F. Crosshole audiofrequency seismology in granitic rocks using piezoelectric transducers as sources and detectors 85−9360
Wong, J., Hwa, H.R. Preemptive access protocols in ISDN 87−28171
Wong, J., Hwa, H.R. Evaluation of access protocols for ISDN 87−40071
Wong, J., Hwa, H.R. A queueing model for evaluating 95 percentile of S-delay in ISDN 87−48302
Wong, J., Lu, T.-M., Cohen, S.S., Mehta, S. Rapid thermal annealing of deposited SiO_2 films 86−21350
Wong, J., Lu, T.-M., Mehta, S. Nozzle beam deposition of SiO_2 films 85−28243
Wong, J., Mei, S.-N., Lu, T.-M. Al/Si(100) Schottky barrier formation using nozzle jet beam deposition 87−36776
Wong, J., Mei, S.-N., Lu, T.-M. Effects of self-ion bombardment on Al/Si(n) Schottky barrier formation 88−44591
Wong, J., Poehlman, W.F.S., McNaught, R.A. Computer automation of beam steering for the McMaster University Tandem Van de Graaff accelerator 88−61015
Wong, J. *see* Bishop, J. 87−38678
Wong, J. *see* DeLaurier, J. 87−49005
Wong, J. *see* Foner, S. 88−65042
Wong, J. *see* Gallant, R. 87−17420
Wong, J. *see* Garrison, J.C. 87−46924
Wong, J. *see* Ghosh, A.K. 88−64992
Wong, J. *see* Gregory, E. 86−47990, 87−46402
Wong, J. *see* Heald, S.M. 86−60642
Wong, J. *see* Hwa, H.R. 88−28164
Wong, J. *see* Kreilick, T.S. 87−46405, 87−74551, 88−64988
Wong, J. *see* Mei Chang 88−44682
Wong, J. *see* Ramanarayanan, R. 87−11699
Wong, J. *see* Ramayarananan, R. 87−38388
Wong, J.A. *see* Bulterman, D.C.A. 85−8204
Wong, J.C. *see* Dias, W.C. 88−30062
Wong, J.C. *see* Parry, D.B. 88−68060
Wong, J.L., King, H.E. A wide-band corner-reflector antenna for 240 to 400 MHz 85−62906
Wong, J.L., King, H.E. Height-reduced meander zigzag monopoles with broad-band characteristics 86−64055
Wong, J.L., King, H.E. Height-reduced meander zig-zag monopoles with broadband characteristics 87−27042
Wong, J.L. *see* King, H.E. 85−13383
Wong, J.S. A computer aided frequency multiplier design 87−37573
Wong, J.S.L., Kwok, D.W.Y. A single-row transformation technique 88−31929
Wong, J.W., Ammar, M.H. Analysis of broadcast delivery in videotex systems 85−42029
Wong, J.W., Ammar, M.H. Analysis of broadcast delivery in a videotex system 86−4239
Wong, J.W., Ammar, M.H. Response time performance of videotex systems 87−13327
Wong, J.W., Ammar, M.H. Performance analysis of shared response systems 87−20166
Wong, J.W., Bux, W. Analytic modeling of an adapter to local area networks 85−13909
Wong, J.W., Gopal, G. Reliable broadcast on local-area networks 86−23502
Wong, J.W., Vernon, A.J., Field, J.A. Evaluation of a path-finding algorithm for interconnected local area networks 88−21629
Wong, J.W. *see* Ammar, M.H. 86−16872, 86−23424, 86−54855, 86−59609, 87−34084
Wong, J.W. *see* Dykeman, H.D. 87−34092, 88−52822
Wong, J.W. *see* Gopal, G. 85−42011
Wong, J.W. *see* Gopal, P.M. 85−63294
Wong, J.W. *see* Mark, J.W. 86−54922
Wong, J.W. *see* Vernon, A.J. 87−33857
Wong, J.W. *see* Yu, W. 85−13666, 86−23185
Wong, J.Y., Rode, J.P. The advent of three-dimensional imaging array architectures: a perspective 85−58582
Wong, K. Audio AGC 85−591
Wong, K. Strategies of optimal capacity allocations in DAMA satellite communication systems 86−37807
Wong, K., Franklin, M.A. Performance analysis and design of a logic simulation machine 87−59426
Wong, K., Georganas, N.D. Strategies for optimal capacity allocations in DAMA satellite communication systems 86−23831
Wong, K., Lau, H. Intelligent energy efficient control in air conditioning 87−20342
Wong, K., Van der Spiegel, J. A shielded piezoresistive tactile sensor array 86−55641
Wong, K. *see* Caren, C.J. 87−59612
Wong, K. *see* Goldner, R.B. 87−68207, 88−45272
Wong, K. *see* Naguib, H.M. 87−67602
Wong, K. *see* Petkovic, D. 87−44042
Wong, K. *see* Seward, G. 88−45271
Wong, K.-F. Garbage collection coprocessor system 87−59449
Wong, K.-H. *see* Carr, I.D. 86−3118
Wong, K.-H. *see* Hanna, D.C. 86−3295
Wong, K.B., Jaros, M., Gell, M.A., Ninno, D. Confined electron states in GaAs-$Ga_{1-x}Al_xAs$ $(0.2 \leqslant x \leqslant 1.0)$ superlattices 86−21200
Wong, K.B. *see* Jaros, M. 86−21220
Wong, K.C., Thanawastien, S. Tree conflict resolution algorithms on multiple-channel networks 87−55559
Wong, K.C. *see* Siwei Lu 87−69324
Wong, K.C. *see* Tam, S.T. 85−5728
Wong, K.F., Franklin, M.A., Chamberlain, R.D., Shing, B.L. Statistics on logic simulation 87−5829
Wong, K.H. *see* Appleby, D.G. 87−8211
Wong, K.H. *see* Balasubramanian, R. 87−31016
Wong, K.H. *see* Nag, R. 87−27644
Wong, K.H.H., Steele, R. Digital communications in highway microcellular structures 87−40767
Wong, K.H.H., Steele, R. Transmission of digital speech in highway microcells 88−28709
Wong, K.H.H. *see* Cheng, N.T. 88−15387
Wong, K.H.J., Steele, R. ADPCM using vector predictor and forward adaptive quantiser with step-size prediction 85−19324
Wong, K.H.J., Steele, R. ADPCM with step-size and vector prediction 85−46683
Wong, K.H.J. *see* Cheng, N.T. 88−15387
Wong, K.K. An experimental study of dilute melt proton exchange waveguides in X- and Z-cut lithium niobate 86−28803
Wong, K.K., Goldner, R.B., Foley, G.H., Jauniskas, L., Haas, T., Seward, G. Characterization technique for transparent ion conducting films 88−45270
Wong, K.K., Nutt, A.C.G., Clark, D.F., Winfield, J., Laybourn, P.J.R., De La Rue, R.M. Characterisation of proton-exchange slab optical waveguides in X-cut $LiNbO_3$ 86−42254
Wong, K.K., O'Donnell, A.C., Wood, I.A., Parsons, N.J. Integrated optical Mach-Zehnder interferometers in $LiTaO_2$ fabricated by proton exchange 87−74845
Wong, K.K., Parsons, N.J., Oldroyd, A.R., O'Donnell, A.C. High quality optical waveguides in $LiNbO_3$ by dilute melt proton-exchange 86−36228
Wong, K.K., Ryan, W.D. CAD of SOI and MOS devices using a time-dependent model 88−19988
Wong, K.K., Yak, Y.W., Forward, K.E. A display computer with partial VLSI implementation 85−863
Wong, K.K. *see* Donaldson, A. 88−13938
Wong, K.K. *see* Glavas, E. 87−25950
Wong, K.K. *see* Goldner, R.B. 87−18763
Wong, K.K. *see* Haas, T.E. 88−45269
Wong, K.K. *see* Isaac, J.J. 88−2047, 88−4420
Wong, K.K. *see* O'Donnell, A.C. 86−28903
Wong, K.K. *see* Parsons, N.J. 87−54113
Wong, K.K. *see* Tou, S.K.W. 87−73546
Wong, K.K. *see* Young, T.P. 87−38855
Wong, K.K.K. *see* Chan, A.Y.C. 87−38597
Wong, K.L. Reliability growth−Myth or mess 88−63086
Wong, K.L. The bathtub does not hold water any more. I 88−63097
Wong, K.L., Lindstrom, D.L. Off the bathtub onto the roller-coaster curve [electronic equipment failure] 88−57589
Wong, K.L., Quart, I., Kallis, J.M., Burkhard, A.H. Culprits causing avionic equipment failures 87−50528
Wong, K.L. *see* Das, S.R. 87−23869
Wong, K.M. Order statistical filtering: a robust method of noise estimation 87−27396
Wong, K.M., Chen, S. Detection of narrow-band sonar signals using order statistical filters 87−49195
Wong, K.M., Chen, S. Application of OS estimators to sonar signal detection 87−49197
Wong, K.M., Walker, R.S., Niezgoda, G. Effects of random sensor motion on bearing estimation by the MUSIC algorithm 88−52417
Wong, K.M., Zhang, Q.T., Reilly, J.P., Yip, P. A new criterion for the determination of the number of signals in high-resolution array processing 88−73126
Wong, K.M. *see* Chern, S.J. 87−75767
Wong, K.M. *see* Dahanayake, B.W. 86−10422, 87−27471, 87−47839, 87−69230, 88−73127
Wong, K.M. *see* Secord, N. 87−27628
Wong, K.M. *see* Sesay, A.B. 87−62100
Wong, K.M. *see* Wang, Z. 87−24362
Wong, K.N. *see* Shastri, K.R. 88−65740
Wong, K.N. *see* Yu, L. 85−15597
Wong, K.P. A logic programming approach to fault diagnosis in distribution ring networks 88−75150
Wong, K.P., Cheung, H.N. Artificial intelligence approach to load allocation in distribution substations 88−5344
Wong, K.P., Humpage, W.D., Hguyen, T.T., Ho, K.K.K. Dynamic load model synthesis [transmission networks] 85−53299
Wong, K.P. *see* Carr, M.E. 86−44148, 88−23580

Wong, K.P. *see* Humpage, W.D. 85−32199, 85−48564, 86−6316, 86−39127, 86−45488
Wong, K.W. *see* Zhu, P.Y. 87−54533
Wong, K.Y. Control/monitor signals by interrupts 85−17575
Wong, K.Y. *see* Dinstein, I. 85−30416
Wong, K.Y. *see* Its'hak Dinstein 85−26220
Wong, K.Y. *see* Kwan, H.K. 87−66438
Wong, K.Y. *see* Sanz, J.L.C. 86−11477
Wong, K.Y. *see* Zeitzoff, P.M. 85−45863
Wong, L., Douligeris, C., Maxemchuk, N.F. ALOHA for local area networks 87−55782
Wong, L. *see* Bastani, B. 88−7710
Wong, L. *see* Loucks, W.M. 85−8221, 86−23467
Wong, L.-N., McLane, P.J. Performance of trellis codes for a class of equalized HF channels 87−33634
Wong, L.M.C. *see* Mouftah, H.T. 85−17331
Wong, M., Kobayashi, N., Browning, R., Paine, D., Saraswat, K.C. The effects of chemical oxide on the deposition of tungsten by the silicon reduction of tungsten hexafluoride 88−18723
Wong, M., Reif, R. A trapping mechanism for autodoping in silicon epitaxy. I. Theory 85−34730
Wong, M., Relf, R., Srinivasan, G.R. A trapping mechanism for autodoping in silicon epitaxy. II. Parameter extraction and simulations 85−34731
Wong, M. *see* Binns, K.J. 86−45378
Wong, M. *see* Ding, L. 88−9577
Wong, M. *see* Moslehi, M.M. 88−7754
Wong, M. *see* Nilsen, C. 88−64201
Wong, M. *see* Sokol, J.H. 88−26509
Wong, M. *see* Wright, P.J. 88−39165
Wong, M.C. *see* Cashin, M.J. 85−6834
Wong, M.D.F. Algorithmic aspects of VLSI circuit layout 88−13529
Wong, M.K., Chun, H.W. Toward a massively parallel system for word recognition 87−27271
Wong, M.K. *see* Clark, G.E. 85−42227
Wong, M.K. *see* Walker, R.P. 86−29326
Wong, N. *see* Kessler, T. 87−46843
Wong, N.F., Gott, G.F. HF spectral occupancy and frequency planning 86−17538
Wong, N.S. *see* Chu, R. 87−26921
Wong, N.S. *see* Chu, R.-S. 88−2864
Wong, N.S. *see* Lee, K.M. 85−13406
Wong, P. *see* Anders, R. 86−51865
Wong, P.C., Yum, T.S. A multichannel computer network with local and global transceiving media 86−17035
Wong, P.C., Yum, T.S. Design and analysis of a contention-based lookahead reservation protocol on a multichannel local area network 88−34858
Wong, P.C. *see* Yum, T.S. 87−55804
Wong, P.H. *see* Kwong, C.P. 86−3869
Wong, P.S. *see* Findley, D.O. 87−57249
Wong, P.T.T., Simard-Normandin, M. Characterization of boron-implanted silicon at various depths from the surface by Raman scattering 85−45550
Wong, P.T.T. *see* De Wilton, A.C. 88−32989
Wong, P.W. Public Works Canada−the Federal approach to reliability programs 87−9127
Wong, P.W. *see* Azimi-Sadjadi, M.R. 86−59353, 86−64371, 88−14762
Wong, P.Y. *see* Chan, K.C.D. 85−59147
Wong, P.Y. *see* Earle, E.D. 88−4824
Wong, R. *see* Frenzen, C.L. 86−26789
Wong, R. *see* Rudin, S. 88−23051
Wong, R.C. Integrated n-p-n transistors with different current gains 85−1728
Wong, R.C. I^{2}L cell with multiple top collectors (emitters of inversely operated NPNs) 85−11250
Wong, R.C. I^{2}L selector circuit 85−33790
Wong, R.C. Accelerated convergence to the steady-state solution of closed-loop regulated switching-mode systems as obtained through simulation 87−73322
Wong, R.C., Owen, H.A., Jr., Wilson, T.G. A fast algorithm for the time-domain simulation of switched-mode piecewise-linear systems 85−573
Wong, R.C., Owen, H.A., Jr., Wilson, T.G. Performance-index functions as a simulation design tool to improve the large-signal time-domain response of switch-mode converters 86−12929
Wong, R.C., Owen, H.A., Jr., Wilson, T.G. An efficient algorithm for the time-domain simulation of regulated energy-storage DC-to-DC converters 87−72245
Wong, R.C. *see* Embling, S.W. 87−22587
Wong, R.C. *see* McArdle, J. 86−12917
Wong, R.C. *see* Niemela, V.A. 88−75777
Wong, R.C.S. *see* McArdle, J. 87−36978
Wong, R.K., Haslett, J.W., Trofimenkoff, F.N. An integrated voltage-to-frequency converter 88−38654
Wong, R.K., Walkey, D.J., Haslett, J.W., Trofimenkoff, F.N. Analog CMOS building blocks for instrumentation 87−34954
Wong, R.L. Magnetic design of the axisymmetric throttle-coil addition to the Tandem Mirror Experiment-Upgrade 85−1920
Wong, R.L. *see* Pedrotti, L.R. 85−2501
Wong, R.V.C., Schwarz, K.P., Hagglund, J., Lachapelle, G. Integration of inertial and GPS-satellite techniques for precise marine positioning 85−58256
Wong, R.Y. Image and scene recognition with invariant moments and edge features 86−30044
Wong, R.Y. Architectures for parallel image processing 87−20994
Wong, R.Y., Andres, A.L. Digital signal processing using frequency multiplexing techniques 85−46819
Wong, R.Y., Chui, P.C. Parallel processing of images in real time 85−30333
Wong, R.Y., Hiranrat, N. Voice synthesis and recognition with microcomputers 85−47777
Wong, R.Y., Hiranrat, N., Zannoli, S. Voice synthesis and recognition with microcomputer 86−29764
Wong, R.Y., Nagy, M.B. Geometric and intensity processing of images with microprocessor-based system 85−25189
Wong, R.Y. *see* Andres, A.L. 85−26117
Wong, S., Becla, P. The magnetic field influence on the photovoltaic effect in Mn alloyed semiconductors 86−67726
Wong, S., Cendes, Z. A C^1 quadratic interpolant for magnetic field computation 87−26621
Wong, S., Titizer, K., Fotouhi, B., Gregorian, R. An analog interface circuit (AIC) for high-speed modems 88−71783
Wong, S. *see* Brase, J. 85−26197
Wong, S. *see* Cole, S. 88−64377
Wong, S. *see* Hui, J. 86−2377
Wong, S. *see* Nelson, A.W. 85−35759, 85−46391, 86−2945, 86−3136, 86−40730, 86−54161, 87−10433
Wong, S. *see* Pace, P. 88−27070
Wong, S. *see* Simpson, J.R. 88−45160
Wong, S. *see* Sincerny, P. 85−1228, 85−4631
Wong, S. *see* Stringfield, R. 85−1116
Wong, S. *see* Wake, D. 86−28321, 86−53694
Wong, S.-C. *see* Stephan, K.D. 88−70967
Wong, S.C., So, H.C., Hung, C.Y., Ou, J.H. Novel circuit techniques for zero-power 25-ns CMOS erasable programmable logic devices (EPLDs) 87−5789
Wong, S.C., So, H.C., Hung, C.Y., Ou, J.H. CMOS erasable programmable logic with zero standby power 87−17031
Wong, S.C. *see* Kwok, H.L. 88−26046
Wong, S.F. *see* Haber, J.B. 88−33633
Wong, S.H., Ciric, I.R. Method of conformal transformation for the finite-element solution of axisymmetric exterior-field problems 86−10050
Wong, S.H. *see* Ciric, I.R. 87−12659
Wong, S.K. *see* Chen, Z.M. 85−18097, 86−8809
Wong, S.K. *see* Chik, K.P. 86−27936
Wong, S.K. *see* Felber, F.S. 88−47956
Wong, S.K. *see* Gecim, H.S. 85−61764
Wong, S.K. *see* John, P.K. 86−1859, 88−32918
Wong, S.K. *see* Rastogi, A.C. 87−17989
Wong, S.K. *see* Yao, J. 87−5474
Wong, S.K. *see* Zhang, P.X. 88−25873
Wong, S.L., Kalyanasundaram, N., Salama, C.A.T. Wide dynamic range four-quadrant CMOS analog multiplier using linearized transconductance stages 87−17275
Wong, S.L., Salama, C.A.T. Technique for offset voltage cancellation in MOS operational amplifiers 85−39931
Wong, S.L., Salama, C.A.T. An efficient CMOS buffer for driving large capacitive loads 86−67047
Wong, S.L., Salama, C.A.T. A switched differential op-amp with low offset and reduced $1/f$ noise 87−16892
Wong, S.L., Salama, C.A.T. Improved simulation of p- and n-channel MOSFET using an enhanced SPICE MOS3 model 87−74361
Wong, S.L., Salama, C.A.T., Simson, C., Smith, D.A. Voltage gain enhancement by conductance cancellation in CMOS op amps 85−22687
Wong, S.L. *see* Nagaraj, K. 87−66443
Wong, S.M. *see* Higgins, J.C. 85−48741
Wong, S.M. *see* Polla, D.L. 88−29407
Wong, S.M. *see* Samanta, P.K. 86−25771
Wong, S.P., Poon, M.C., Kwok, H.L., Lam, Y.W. The role of fluorine in implanted amorphous silicon 87−17727
Wong, S.P. *see* Kwok, H.L. 86−67794, 87−11615, 87−60310
Wong, S.S., Bradbury, D.R., Chen, D.C., Chiu, K.Y. Elevated source/drain MOSFET 85−50588
Wong, S.S., Chen, D.C., Merchant, P., Cass, T.R., Amano, J., Chiu, K.Y. HPSAC−a silicided amorphous-silicon contact and interconnect technology for VLSI 87−45818
Wong, S.S., Ekstedt, T.W. CMOS well drive-in in NH$_3$ for reduced lateral diffusion and heat cycle 86−28492
Wong, S.S., Oldham, W.G. Anodic nitridation of silicon and silicon dioxide 85−40626
Wong, S.S. *see* Behfar-Rad, A. 88−45443
Wong, S.S. *see* Chen, D.C. 85−50460
Wong, S.S. *see* Ko, P.K. 85−50563
Wong, S.S. *see* Ratanaphanyarat, S. 88−39701
Wong, S.S. *see* Sodini, C.G. 88−1621
Wong, S.S. *see* Thomas, D.C. 87−45834
Wong, S.S. *see* Weiner, D.H. 87−45754
Wong, S.W. *see* Doany, P. 85−30166
Wong, S.W. *see* Hanttula, D.M. 86−27117
Wong, T. Gate-width dependence of GaAs FET transient response 85−34981
Wong, T. Compact power unit raises supply's switching rate by an order of magnitude 85−44073
Wong, T., Hui, A., Wong, D., Kobayashi, T., Suzuki, H., Yamasaki, K. A high performance 129K gate CMOS array 87−698
Wong, T., Zagurski, T. Cellular subscriber antenna configurations and their effects on cellular system design 87−69948
Wong, T. *see* Fasang, P.P. 88−71689
Wong, T. *see* Lee, V. 87−65988
Wong, T. *see* Samachisa, G. 87−59490, 88−6824
Wong, T. *see* Zucker, R. 87−59200, 88−25011
Wong, T.C. High voltage transmission system planning techniques and considerations 88−68853
Wong, T.C. *see* Rahman, M.Ea. 86−32639
Wong, T.H. Design of a magnetic levitation control system−an undergraduate project 87−16123
Wong, T.M. *see* Binns, K.J. 85−9856, 86−33363, 87−42876
Wong, T.T.S. Photoconductive HgCdTe detectors for CO$_2$ laser applications 87−61043
Wong, T.W. *see* Auckland, D.W. 88−33157
Wong, T.Y., Tsai, D.T., Fong, C.C. The impact of parameter uncertainty on transmission reliability evaluation 88−10835
Wong, T.Z., Strohbehn, J.W., Douple, E.B. Automated measurement of power deposition patterns from interstitial microwave antennas used in hyperthermia 86−44699
Wong, T.Z., Strohbehn, J.W., Jones, K.M., Mechling, J.A., Trembly, B.S. SAR patterns from an interstitial microwave antenna-array hyperthermia system 86−60745
Wong, T.Z. *see* Granoff, N.R. 86−44701
Wong, T.Z. *see* Jones, K.M. 87−4033
Wong, T.Z. *see* Trembly, B.S. 86−60746
Wong, V. *see* Kim, J. 86−6248
Wong, V. *see* Stattel, P. 88−54305
Wong, W., Jing, M., Bendriem, B., Hartz, R., Mullani, N., Gould, K.L., Michel, C. A slanting light-guide analog decoding high resolution detector for positron emission tomography camera 87−50131
Wong, W. *see* Goodman, D.J. 87−19420
Wong, W. *see* Hortensius, P. 87−14839
Wong, W. *see* Loer, S. 88−61048
Wong, W.-H. Designing a stratified detection system for PET cameras 86−50520
Wong, W.-H., Adler, S. Characterisation of the scattered radiation fraction in PET or SPECT cameras with a novel phantom design 85−43368
Wong, W.C., Goodman, D.J. Blank and burst transmission of data over active speech channels 88−52364
Wong, W.C., Greenstein, L.J. Multipath fading models and adaptive equalizers in microwave digital radio 85−3360
Wong, W.C., Greenstein, L.J. Multipath fading models and adaptive equalizers in microwave digital radio 85−19132
Wong, W.C., Kwok, H.L. Transition from Schottky barriers to *p-n* junctions 87−67209
Wong, W.C., Lam, Y.W., Kwok, H.L. Recoil implantation of aluminium into n-silicon 87−60274
Wong, W.C., Steele, R., Sundberg, C.-E. Soft decision demodulation to reduce the effect of transmission errors in logarithmic PCM transmitted over Rayleigh fading channels 85−30160
Wong, W.C. *see* Choung, Y.A. 87−27091
Wong, W.C. *see* Choung, Y.H. 87−40808, 88−2739
Wong, W.C. *see* Goodman, D.J. 87−19453
Wong, W.C. *see* Kwok, H.L. 88−26046, 88−71396
Wong, W.C. *see* Lee, K. 88−14584
Wong, W.C. *see* Nash, R. 85−63460
Wong, W.C. *see* Nash, R.D. 86−54807
Wong, W.C. *see* Palma, D.A. 87−39494
Wong, W.C. *see* Steele, R. 85−2734, 87−75429, 88−2939
Wong, W.C. *see* Sundberg, C.-E. 86−22892
Wong, W.C. *see* Sundberg, C.-E.W. 87−75430
Wong, W.H. Dynamic energy-window data collection for positron emission tomography camera 87−50260
Wong, W.H. *see* Clark, W.G. 88−58043
Wong, W.K., Williamson, B., Grant, P.M., Cowan, C.F.N. Adaptive transversal filters for multipath compensation in microwave digital radio 85−20044
Wong, W.K. *see* Grant, P.M. 85−25736
Wong, W.L. Font storage, compression, and scaling for networked professional workstations 86−10807
Wong, W.S. Recent results on estimation algebras 88−46111
Wong, W.S. *see* Hopkins, W.E., Jr. 86−59292

Wong, W.S. *see* Trinh, T.N. 87−6151, 87−11041, 87−59891
Wong, W.T.K. *see* Cheetham, B.M.G. 87−27353
Wong, Y., Delosme, J.-M. Optimal systolic implementations of *n*-dimensional recurrences 86−46735
Wong, Y., Delosme, J.-M. Broadcast removal in systolic algorithms 88−70462
Wong, Y. *see* Grunau, J. 86−18760
Wong, Y. *see* Wise, S.A. 88−54484
Wong, Y.C. *see* Bergmans, J.W.M. 87−33448
Wong, Y.F. *see* Nelson, M.E. 88−36487
Wong, Y.H. *see* Comizzoli, R.B. 87−11429
Wong, Y.H. *see* Frye, R.C. 87−6510
Wong, Y.H. *see* Pfeiffer, L. 88−26391
Wong, Y.H. *see* Kapoor, V.J. *(editor)* 87−16291
Wong, Y.K. *see* Pehl, R.H. 86−65346
Wong, Y.L., Carroll, J.E. A travelling-wave rate equation analysis for semiconductor lasers 87−33206
Wong, Y.P. *see* Hinch, S.W. 85−11754
Wong, Z.F. *see* Peng, J.C. 88−10290
Wong Chi Chung *see* Chi Chung Wong
Wong Chi-chung *see* Chi-chung Wong
Wong Hon-Sum *see* Hon-Sum Wong
Wong Jinhua *see* Li Zaiguang 87−61243
Wong Mang-hung *see* Chan Wai-ming 85−58021
Wong Oi Ying *see* Northgreaves, K.R. 86−51514
Wong Pack, W.K. *see* Hynes, D.M. 85−64572
Wong Sau-Ching *see* Sau-Ching Wong
Wong Wai-Hoi *see* Wai-Hoi Wong
Wong Wing Shing *see* Wing Shing Wong
Wong Yau Shu *see* Yau Shu Wong
Wong Yiwan *see* Yiwan Wong
Wongchotigul, K. *see* Harris, G.L. 88−43901
Wonicka, B. Investigations of mechanical properties of electroplated copper layers obtained from sulphate bath with ITR designed composition 87−59033
Wonnenberger, L. *see* de Ledinghen, N. 88−15628
Wons, L. Signal traffic in the PCM480S line system 87−76504
Wonson, C., Thompson, T. Intelligent performance optimization for a fully automatic high current ion implantation system 87−60301
Wonson, C. *see* Delforge, A. 85−33148
Wonung Lee *see* Yanghee Choi 88−21709
Woo, B.C. *see* Son, D.R. 87−77099
Woo, B.Y. *see* Fandrianto, J. 85−62053, 86−20631
Woo, D.L., Phelps, C.V., Sidwell, R.D. Timed Petri net probability semantics 87−23511
Woo, H.-W., Kim, Y., Tompkins, W.J. Development and applications of an interactive digital filter design program 86−14369
Woo, H.-W. *see* Kim, Y. 88−4878
Woo, H.H. *see* Falangas, E.T. 87−4058
Woo, H.J. *see* Bae, Y.D. 88−29726
Woo, H.W., Kim, Y. A medical imaging system with electrical impedance 87−50374
Woo, H.W. *see* Kim, Y. 86−20679, 86−52969, 87−50314
Woo, H.W. *see* Luedtke, A.E. 88−61378
Woo, J.C.S., Plummer, J.D. Short-channel effects in MOSFETs at liquid-nitrogen temperature 86−63316
Woo, J.C.S., Plummer, J.D. Optimization of bipolar transistors for low temperature operation 88−39412
Woo, J.C.S., Plummer, J.D. Optimization of silicon bipolar transistors for high current gain at low temperatures 88−64524
Woo, J.C.S., Plummer, J.D., Stork, J.M.C. Nonideal base currents in bipolar transistors at low temperatures 87−32488
Woo, J.J. *see* Jang, H.K. 87−17915
Woo, J.J. *see* Kim, H.K. 87−56940 to 56941
Woo, J.T. Electromagnetic compression gun for hypervelocity projectile acceleration 88−40524
Woo, J.T., Pipkins, J.F., Brown, S.H., Sondergaard, N.A. Hydrodynamic stability threshold of liquid metal current collectors 88−75626
Woo, K. Ground vehicle antenna development for land mobile satellite service 85−13291
Woo, K. Multiple beam antenna fee development 87−19347
Woo, K.C., Rafol, S., Faurie, J.P. Magnetotransport properties of p-type HgTe-CdTe superlattices 87−17764
Woo, K.C., Rafol, S., Faurie, J.P. Magnetotransport measurements of *p*-type $Hg_{1-x}Cd_xTe$ based superlattices and heterojunctions 88−12949
Woo, K.C. *see* Faurie, J.P. 87−17765, 87−23693
Woo, K.C. *see* Rafol, S. 88−19720
Woo, K.C. *see* Syphers, D.A. 85−6762
Woo, K.T. *see* Cheng, U. 87−41061
Woo, K.T. *see* Polydoros, A. 86−10339
Woo, L.C. *see* Whitcomb, B.M. 88−10011
Woo, L.S., Wong, C.K., Tang, D.T. PIONEER: a macro-based floor-planning design system 87−6815
Woo, L.S. *see* Barzilai, Z. 85−22812
Woo, L.S. *see* Luk, W.K. 87−74357
Woo, L.S. *see* Schlag, M.D.F. 85−29268
Woo, L.S. *see* Tamminen, M. 86−57516
Woo, L.S. *see* Widmayer, P. 88−50948
Woo, N.S. A PROLOG based verifier for the functional correctness of logic circuits 86−46655
Woo, N.S. Validating the functional correctness of incomplete logic circuits with the aid of a verification system 87−37221
Woo, N.S., Agrawala, A. A symmetric tree structure interconnection network and its message traffic 85−57556
Woo, S.L.-Y. *see* Peterson, R.H. 87−35405
Woo, W. Two dimensional features of virtual cathode and microwave emission 87−17627
Woo, W. *see* Benford, J. 88−50582
Woo, W. *see* Price, D. 88−64192
Woo, W. *see* Sze, H. 87−24710, 88−12884, 88−25818
Woo, Y.D. *see* Sprague, W.H. 85−22028
Woo Choi Sung *see* Sung Woo Choi
Woo Eung-Je *see* Eung-Je Woo
Woo Hee-Gon *see* Hee-Gon Woo
Woo Hyong-ju *see* Hyong-ju Woo
Woo Kang Chi *see* Chi Woo Kang
Woo Kim Bo *see* Bo Woo Kim
Woo Kim Byung *see* Byung Woo Kim
Woo Kim Je *see* Je Woo Kim
Woo Kwang Joon *see* Kwang Joon Woo
Woo Kwang-bang *see* Kwang-bang Woo
Woo Lee Chan *see* Chan Woo Lee
Woo Lee Chang *see* Chang Woo Lee
Woo Lee Jhang *see* Jhang Woo Lee
Woo Lee Shung *see* Shung Woo Lee
Woo Lee Sung *see* Sung Woo Lee
Woo Park Won *see* Won Woo Park
Woo Ryu Kwan *see* Kwan Woo Ryu
Woo Sun Lee *see* Kwang Il Lim 87−44899
Woo Wee-yong *see* Wee-yong Woo
Woo Yeol, K. *see* Konagai, M. 86−51919
Woo Yeol Kim *see* Tanaka, T. 85−10098
Woo Yi-Ren *see* Yi-Ren Woo
Woo Young Choi, Rae Hong Park Fast methods for a Sobel operator with four directional masks 87−47927
Woo Young Choi *see* Rae-Hong Park 88−8827
Woo-Hee Ahn *see* Sang-Hyan Kim 88−58015
Woo-Hyun Paik *see* Young-Kwon Sung 86−14964
Woo-Jin Song, Pearlman, W.A. A minimum-error, minimum-correlation filter for images 87−47959
Woo-Jin Song, Pearlman, W.A. Restoration of noisy images with adaptive windowing and nonlinear filtering 87−47989
Woo-Jin Song *see* Pearlman, W.A. 85−30335
Woo-Sun Lee A study on the temperature variation characteristics of power VDMOSFET 87−11807
Wood *see* Tully 85−33085
Wood, A. Antennas for scanners 87−68883
Wood, A. *see* Sanders, P. 87−36932
Wood, A.A. *see* Carruthers, P.A. 85−25372
Wood, A.B., Fair, R.I., Liptrot, F.J. Transmission-line design: the ultimate load concept applied to the Java 500 kV transmission lines 88−30371
Wood, A.B. *see* Chandler, J.A. 85−9435
Wood, A.F.B. *see* Dowsett, J. 88−20223
Wood, A.J. *see* Mountford, J.D. 86−12322
Wood, A.J. *see* Puntel, W.R. 85−59839, 86−61408
Wood, A.P. Multistate block diagrams and fault trees 86−235
Wood, A.R. *see* Green, P.D. 87−19557
Wood, A.W., Joines, W.T., Blackman, C.F. Characteristics of transverse electric and magnetic field transmission cells at extremely low frequencies [health effects research application] 88−16791
Wood, A.W. *see* Spiegel, R.J. 88−14452
Wood, B. The basic reference model and standards for Open Systems Interconnection (OSI)−status and evolution 86−64480
Wood, B. Application layer integration: the nature and organisation of application layer standards 86−64540
Wood, B. Distributed processing−new directions for open systems standards 87−40482
Wood, B. Acoustic emission monitoring during a proof test on a repaired steam locomotive boiler 88−23209
Wood, B. Standards for OSI−present status, future plans 88−35124
Wood, B.K. Testing certifies the Space Shuttle main engine life improvement modifications 86−60912
Wood, B.M., D'Iorio, M. Quantum Hall measurements from 4K to 20mK 87−14463
Wood, B.M., D'Iorio, M. Quantum Hall measurements from 4 K to 20 mK 88−16414
Wood, B.M. *see* Clark, R.F. 86−5440
Wood, B.M. *see* D'Iorio, M. 86−53417
Wood, B.M. *see* Hamer, P.S. 86−39198, 87−30251
Wood, B.M. *see* Langsford, A. 88−21608
Wood, C. High-temperature thermoelectric energy conversion. I. Theory 85−39222
Wood, C. High-temperature thermoelectric energy conversion. II. Material survey 85−39223
Wood, C. The hard hard road to data communications standards 86−54867
Wood, C. Transport properties of boron carbide 86−58276
Wood, C. Data communication standards−the lower layers exposed 86−59621
Wood, C. Boron carbides as high temperature thermoelectric materials 86−63055
Wood, C. Video cure for travel sickness [videoconferencing] 87−34023
Wood, C. Materials for thermoelectric energy conversion 88−49164
Wood, C. Refractory semiconductors for high temperature thermoelectric energy conversion 88−49166
Wood, C., Chmielewski, A., Zoltan, D. Measurement of Seebeck coefficient using a large thermal gradient 88−60903
Wood, C., Emin, D. Refractory materials for high-temperature thermoelectric energy conversion 85−27671
Wood, C., Zoltan, D., Stapfer, G. Measurement of Seebeck coefficient using a light pulse 85−52860
Wood, C. *see* Campbell, A.N. 88−44562
Wood, C. *see* Chmielewski, A. 86−31700
Wood, C. *see* Chmielewski, A.B. 85−52827
Wood, C. *see* Danielson, L.R. 86−33719
Wood, C. *see* Hetherington, C.J.D. 86−14920
Wood, C. *see* McLane, G. 88−18093
Wood, C. *see* Zoltan, D. 85−52861
Wood, C. *see* Emin, D. *(editor)* 88−43594
Wood, C.E. *see* Green, P.E. 88−28374
Wood, C.E.C. Molecular beam epitaxial III-V compounds: dopant incorporation, characteristics and behavior 85−29130
Wood, C.E.C. GaAs materials for monolithic microwave integrated circuits 87−1726
Wood, C.E.C., Kerr, T.M., McLean, T.D., Westwood, D.I., Medland, J.D., Blight, S., Davies, R. State-of-the-art AlGaAs alloys by antimony doping 87−1388
Wood, C.E.C. *see* Ashenford, D.E. 87−36733
Wood, C.E.C. *see* Hughes, W.A. 88−56949
Wood, C.E.C. *see* Kerr, T.M. 86−52464 to 52465, 87−38116, 88−50718
Wood, C.E.C. *see* McLean, T.D. 86−47455, 86−53462
Wood, C.E.C. *see* Poole, I. 88−24711
Wood, C.E.C. *see* Rezazadeh, A.A. 86−53602
Wood, C.J. Decontamination: from science to developed technology [nuclear power stations] 85−32284
Wood, C.J. Decontamination helps control nuclear-maintenance costs 85−32291
Wood, C.J. Reduced out-of-core radiation eases maintenance activities at nuclear powerplants 87−50937
Wood, C.J. Experience with chemical decontamination in US power plants 88−36958
Wood, C.J. *see* Hudson, M.J.B. 88−11024
Wood, C.M. Strain-gage transducers 88−29340
Wood, C.S. *see* Sanders, S.J. 85−63402
Wood, C.T. *see* Peterson, W.E. 87−20897
Wood, D. The new Prestel network 86−37445
Wood, D. Stability and compression of pulses in the soliton laser 86−54068
Wood, D. Digital signals for television production and distribution 86−55412
Wood, D. The FP-C1 three-chip colour camera 88−9745
Wood, D., Habermann, W. The EBU contribution to the world-wide HDTV study 87−13845
Wood, D., Jones, B.L. Subjective assessments−good luck or good planning? 87−76955
Wood, D., Mun, J. A GaAs SAGFET process using $TiSi_2$ and rapid thermal annealing 87−11814
Wood, D., Shaw, D., Bryant, F.J. A comparison between the furnace annealing and ruby laser annealing of Yb ion implants in CdTe 87−60238
Wood, D., Shaw, D., Bryant, F.J. A comparison of furnace annealing and CW laser annealing of Yb^+ implants in CdTe 87−60239
Wood, D., Stoss, V., Chan-Lizardo, L., Papacostas, G.S., Stinson, M.E. Virtual private networks 88−66872
Wood, D., Urquhart, R.B. An architecture for a connected speech recognition algorithm 85−36227
Wood, D. *see* Bland, S.W. 87−32555
Wood, D. *see* Blow, K.J. 85−35734, 86−58777, 86−68497, 87−68046, 88−20371, 88−33651, 88−51884, 88−65192
Wood, D. *see* Doran, N.J. 88−13977, 88−27303, 88−51638
Wood, D. *see* Habermann, W. 87−49247
Wood, D. *see* Kong, S. 87−32716
Wood, D. *see* McWhirter, J.G. 85−25094
Wood, D. *see* Mertens, H. 85−20309, 85−37216, 86−30945, 86−37840, 87−76931
Wood, D. *see* Messerschmid, U. 87−13825
Wood, D. *see* Ottmann, T. 85−10610
Wood, D. *see* Peters, J.J. 87−28759
Wood, D. *see* Sandbank, C. 85−20350
Wood, D. *see* Sewter, J.B. 85−3595, 86−4817
Wood, D. *see* Urquhart, R.B. 85−961
Wood, D. *see* Widmayer, P. 88−26374
Wood, D.A. *see* Barraclough, K.G. 86−41516
Wood, D.A. *see* Katz, R.H. 86−2441
Wood, D.A., Jr. *see* Marino, P.J. 86−16733
Wood, D.C. Controlling design bases inputs to plant modifications 87−78310

Wood, D.C. Aiding plan modifications with design basis documents 88—55122
Wood, D.C. *see* Wood, J.D. 85—63304
Wood, D.E. *see* Brown, G.A. 86—35974
Wood, D.E. *see* Loos, J.S. 86—70317
Wood, D.H. Some effects of finite solidity on the aerodynamics of horizontal-axis wind turbines 88—23817
Wood, D.J. *see* Colbeck, P. 87—56826
Wood, D.L., Walker, K.L., Macchesney, J.B., Simpson, J.R., Csencsits, R. Germanium chemistry in the MCVD process for optical fiber fabrication 87—46480
Wood, D.L. *see* Wolfe, R. 86—36133
Wood, D.R. Electrical characterisation techniques 87—60128
Wood, D.R., Ambridge, T. Electrical assessment of semiconductor material for electronic device applications 86—41500
Wood, D.R. *see* Hartland, A. 85—58832, 86—31590
Wood, D.R. *see* Jared, R.C. 86—50434
Wood, D.W., Hunt, T.D., Mun, J. Self-aligned stable gate FETs using TiSi$_2$ 86—41852
Wood, E.H., Lambert, E.H., Code, C.F. The hydro- and resulting bio-dynamics of $+G_z$ induced losses of consciousness and its history 88—5032
Wood, E.R. Thermal testing electronics devices and assemblies in liquid perfluorocarbons 85—60757
Wood, E.R. Burning-in components and assemblies using perfluorocarbon liquids 86—13589
Wood, F. *see* Jackson, R.H. 87—75142
Wood, F.B., Jr. *see* Wood, F.B., Snr. 88—58995
Wood, F.B., Snr., Wood, F.B., Jr. Information entropy as a basis for media access allocation 88—58995
Wood, F.M., Jr. *see* Williams, D.L. 88—42306
Wood, G. Steps towards OSI in a VM environment 86—30433
Wood, G., Cullen, R. Wireless local networking—a market perspective 86—54958
Wood, G., Yale, J., Barrett, P. SSTV from space 86—17614
Wood, G. *see* Arya, R.R. 87—16031
Wood, G. *see* Catalano, A. 88—37389
Wood, G. *see* Law, H.-f.S. 88—7693
Wood, G. *see* Newton, J.L. 88—37517
Wood, G.C. *see* Glascott, J. 86—20878
Wood, G.G. Field bus, a developing low level industrial LAN standard 88—41360
Wood, G.G. Fieldbus services under MAP 88—46642
Wood, G.G. Current Fieldbus activities 88—59434
Wood, G.L., Clark, W.W., III, Miller, M.J., Sharp, E.J., Salamo, G.J., Neurgaonkar, R.R. Broadband photorefractive properties and self-pumped phase conjugation in CE-SBN:60 88—20734
Wood, G.L. *see* Sharp, E.J. 87—46987
Wood, G.M. *see* Brown, K.G. 87—39011
Wood, G.M. *see* Sidney, B.D. 88—27073
Wood, G.M., Jr. *see* Brown, K.G. 87—71218
Wood, G.R. Design and development of the Tornado gas turbine 87—72004
Wood, H., Higgins, C.F., Heaton, G., Thorley, J. The effective management and control of mining electrical power distribution networks 86—7358
Wood, H.C., Lockhart, R.T. Microcomputer-based registration of printed circuit board images 88—1186
Wood, H.C., Sachdev, M.S., Sidhu, T.S. Tools for computer-aided development of microprocessor based power system relays 88—30421
Wood, H.C., Sachdev, M.S., Srivastava, A.K. A real time digital power meter 87—49831
Wood, H.C., Sidhu, T.S., Sachdev, M.S. Computer simulation of digital relays 87—24527
Wood, H.C. *see* Dodds, D.E. 87—28005
Wood, H.C. *see* Johnson, N.G. 85—64980
Wood, H.C. *see* Sachdev, M.S. 86—32869, 87—30275
Wood, H.C. *see* Sidhu, T.S. 88—30422
Wood, H.M. Computer and communications standards: impact on the marketplace 88—46465
Wood, H.S., Thomas, P.G. Revitalising an interconnected rural distribution system, replacing 33 kV by 132 kV—a financial appraisal 87—50794
Wood, I.A. *see* Wong, K.K. 87—74845
Wood, I.C., Mudd, J., Taylor, D.G., Ward, P.J., Saul, P.H. Design techniques for a 565/680 Mbit/s coder/decoder 85—36814
Wood, I.C., Mudd, M.S.J., Taylor, D.G., Larner, D.S., Rae, S., Soni, D. A 680 Mb/s error monitor for fibre optic links 86—37917
Wood, I.C., Mudd, M.S.J., Taylor, D.G., Saul, P.H. A 565/680 Mb/s multiple coder/decoder for optical fiber trunk link systems 86—11141
Wood, I.C., Mudd, M.S.J., Taylor, D.G., Ward, P.J., Saul, P.H. Design techniques for a 565/680 Mbit/s coder/decoder 85—36783
Wood, I.C. *see* Taylor, D.G. 85—63714
Wood, J. TVRO receiver 87—3291
Wood, J. A practical distributed secure system 87—13478
Wood, J. Developments in the design and performance of HF transmitters 87—63119
Wood, J. Lighting for control rooms 87—72585
Wood, J. Introduction to ergonomics 88—6233
Wood, J. Single sideband AM broadcasting 88—9709
Wood, J. Energy saving for AM transmitters 88—9718
Wood, J. Thermionic tubes for UHF transmitters. I 88—19593
Wood, J. Television transmitter tubes. II 88—19594
Wood, J. Transmitter tubes: the tetrode. III 88—41807
Wood, J. State of the art USA [broadcasting] 88—47273
Wood, J. Antennas for broadcasting 88—58951
Wood, J., Hodson, C.M.T. Studies of the plasma-enhanced chemical vapour deposition of tungsten on silicon and silicon dioxide substrates 88—43921
Wood, J. *see* Blacknell, D. 88—9635
Wood, J. *see* Grime, L.A. 86—61296
Wood, J. *see* Hodson, C.M.T. 87—65546
Wood, J. *see* Powsner, S. 88—48125
Wood, J.C. *see* Cox, A.R. 85—7153
Wood, J.C. *see* Prieto, P.S. 88—48124
Wood, J.D., Irish, J.D. A compliant surface mooring system for near real-time data acquisition 88—48368
Wood, J.D., Wood, D.C. Computing costs—the important bit per second 85—63304
Wood, J.D. *see* Pettigrew, N.R. 88—48346
Wood, J.H., MacClymont, D.R. New developments in electronic character generation 86—55444
Wood, J.L. *see* Greco, F.J. 85—52217
Wood, J.M., Birmingham, W.P., Goodby, J.L., Kim, J.H. A rule-based logic design assistant 86—67213
Wood, J.M. *see* Benjamin, T.G. 88—23822
Wood, J.M. *see* Chinery, G.T. 85—60072, 86—39636, 87—9434, 87—77938, 88—37109
Wood, J.R. Vision-based online inspection systems 87—31372
Wood, J.R. *see* Rhynas, D.J. 85—25362
Wood, J.T. *see* Shumaker, D.L. 88—53735
Wood, J.W. The production of distortion free SAR imagery 88—15664
Wood, J.W., Hindmarch, R.T. Rotor winding short detection [turbogenerators] 86—45344
Wood, J.W., Hindmarch, R.T., Phemister, T.G., Hogg, W.K. Measurement of the voltage distribution along the endwinding stress control layer of a turbogenerator stator conductor bar 88—69304
Wood, J.W., White, R.G., Oliver, C.J. Distortion free SAR imagery and change detection 88—60219
Wood, J.W. *see* Ryan, M.J. 87—15687
Wood, J.W. *see* White, R.G. 86—55379
Wood, K. Power-on reset monitors master clock 86—20668
Wood, K. *see* McCanny, J.V. 85—733
Wood, K. *see* McWhirter, J.G. 85—25094
Wood, K.P. *see* Davis, B.W. 88—53265
Wood, L. The heads-up display 85—8715
Wood, L., Schowengerdt, R.A., Meyer, D. Restoration for sampled imaging systems 87—47968
Wood, L.J., Jordan, J.F. Interplanetary navigation through the year 2005: the inner solar system 85—31125
Wood, L.L. *see* Herman, I.P. 85—50682
Wood, L.L. *see* McWilliams, B.M. 85—1731
Wood, L.T., Romero-Borja, F. Optical attenuation by periodic microdistortions of a sensor fiber 86—22160
Wood, M.B. *see* Weber, L.F. 88—16313
Wood, M.E. *see* Potter, W.H. 87—32835
Wood, M.F., MacDougall, I.L., Winson, P.H. Superconducting magnets for NMR imaging and in-vivo spectroscopy 85—38128
Wood, M.J. *see* Howard, C.G. 87—11736
Wood, M.J. *see* Robertson, M.A. 85—28909
Wood, O.R., II, Macklin, J.J., Silfvast, W.T. Neutral-atom recombination lasers in CO$_2$ laser-vaporized target material 86—22281
Wood, O.R., II, Silfvast, W.T., Trebes, J.E., Matthews, D.L., MacGowan, B.J. Photoionization-pumping of sodium vapor with the Lawrence Livermore National Laboratory soft-X-ray laser 88—2178
Wood, O.R., II *see* Lacy, R.A. 87—12348
Wood, O.R., II *see* Lundberg, H. 85—2196
Wood, O.R., II *see* Silfvast, W.T. 85—7355, 87—12351, 87—46757
Wood, O.R., III *see* White, J.C. 85—6777
Wood, P. Workstations vie for new markets 85—52103
Wood, P. Central station advanced power conditioning: technology, utility interface, and performance 85—53632
Wood, P. HEXFETS improve switch-mode power supply reliability 85—54653
Wood, P., Anderson, S.S. Automatic dependent surveillance: tests of an aeronautical satellite system 87—42203
Wood, P., Cheesman, G., Vigar, M.C., Franks, R., Gardiner, J., Hayes, D. Cable buyer's guide 88—7095
Wood, P., Grant, D. HEXFETS in hybrid packages make compact motor drives 86—34543
Wood, P. *see* Grant, D. 87—1564
Wood, P.J. Reflector antenna analysis and design 86—33917
Wood, P.J. A near field test system for very large antennas 87—47424
Wood, P.J. An efficient matrix feed for an array generating overlapped beams 87—54767
Wood, P.J., Bailey, S. A shaped beam planar array antenna for an airborne radar system 86—43069
Wood, P.N. *see* Barrett, N.J. 85—18212
Wood, P.N. *see* Hipwood, L.G. 85—28712
Wood, R. DMS-100 peripheral evolution 85—47339
Wood, R. A fluorochemical coating material for the protection of electronic circuits 85—61600
Wood, R. Fluxless soldering of ceramic dual-inline packages 87—37743
Wood, R. Solar energy's potential for developing countries 87—72059
Wood, R. Vapour phase soldering for high reliability solder joints and assemblies in surface mount 88—44480
Wood, R. Jitter vs. additive noise in magnetic recording: effects on detection 88—57963
Wood, R., Ahlgrim, S., Hallamasek, K., Stenerson, R. An experimental eight-inch disc drive with one-hundred megabytes per surface 85—24120
Wood, R., Culler, G., Greenwood, E., Harrison, D. A VLSI arithmetic processor chip for array processing 85—45095
Wood, R., Lindholm, D.A., Haag, R.M. On the bandwidth of magnetic record/reproduce heads 86—36012
Wood, R. *see* Coleman, C.H. 85—56110
Wood, R. *see* Kerns, J. 85—2595
Wood, R. *see* Madrid, M. 87—25819
Wood, R. *see* Newby, P. 87—32867
Wood, R. *see* Palmer, D. 88—57932
Wood, R. *see* Wong, C.L. 87—20070, 87—34312
Wood, R.A., Louton, S.E. Simulation support software in a real-time environment at the US Air Force Flight Test Center 86—50697
Wood, R.A., Schmit, J.L., Chung, H.K., Magee, T.J., Woolhouse, G.R. Liquid-phase epitaxial growth of (HgCd)Te on Cd(TeSe) substrates 85—33429
Wood, R.A. *see* Arch, D.K. 86—2955
Wood, R.A. *see* Charest, T.J. 85—22891
Wood, R.C. *see* Delp, S.L. 87—14939
Wood, R.E. Dynamically map the 68008 μP's memory 87—10838
Wood, R.E. *see* Buchanan, S.P. 88—19195
Wood, R.F. Excimer laser processing of semiconductor devices: high-efficiency solar cells 88—11393
Wood, R.F., Geist, G.A., Solomon, A.D., Lowndes, D.H., Jellison, G.E., Jr. Modeling of undercooling, nucleation, and multiple phase front formation in pulsed-laser-melted amorphous silicon 86—28110
Wood, R.F., Jellison, G.E., Jr. Melting model of pulsed laser processing 86—8960
Wood, R.F., Lowndes, D.H. Laser processing of wide band gap semiconductors and insulators 86—21355
Wood, R.F., Westbrook, R.D., Jellison, G.E., Jr. 18% efficient intrinsically passivated laser-processed silicon solar cells 87—36120
Wood, R.F., Westbrook, R.D., Jellison, G.E., Jr. Excimer laser-processed oxide-passivated silicon solar cells of 19.5-percent efficiency 87—51457
Wood, R.F., Westbrook, R.D., Jellison, G.E., Jr. High-efficiency intrinsically and extrinsically passivated laser-processed silicon solar cells 88—37462
Wood, R.F., White, C.W., Young, R.T. Laser processing of semiconductors: an overview 86—8958
Wood, R.F. *see* Jellison, G.E., Jr. 88—7293
Wood, R.F. *see* Jellison, Jr., G.E. 87—30954
Wood, R.F. *see* Ruckteschler, R. 86—45708
Wood, R.F. *see* Westbrook, R.D. 87—43415
Wood, R.F. *see* Young, R.T. 86—8964
Wood, R.F., White, C.W. *(editor)* Semiconductors and semimetals. Vol.23: Pulsed laser processing of semiconductors 86—7376
Wood, R.G. Gas insulated substation for an aluminum reduction plant 87—36039
Wood, R.G., Bradshaw, J.L., Pierson-Savage, J.M., Nettleton, N.C., Bradshaw, J.A. Vibrotactile stimulator for use with patients suffering from hemineglect 88—42488
Wood, R.G. *see* de Hoog, R. 87—69855
Wood, R.G. *see* Dick, R.J. 87—35385
Wood, R.G. *see* Voss, B. 87—76459
Wood, R.H. Recent developments in the evolution of today's modern busway 87—71661
Wood, R.H., McGoldrick, G.A. Busway short circuit testing procedures 86—6345
Wood, R.H. *see* Albert, H.J. 86—5587
Wood, R.J., Wintenberg, R.E., Googe, J.M., Nickels, L.E. Problems and solutions of the IFSMTF power and switch system 87—15888
Wood, R.J. *see* Googe, J.M. 87—10680
Wood, R.J. *see* Lubell, M.S. 88—65028
Wood, R.J. *see* Shen, S.S. 87—67971, 88—65106
Wood, R.J. *see* Taylor, D.J. 85—1916
Wood, R.K. A factoring algorithm using polygon-to-chain reductions for computing *K*-terminal network reliability 85—46668

Wood, R.K. Factoring algorithms for computing *K*-terminal network reliability 87−5276
Wood, R.K. *see* Brown, G.G. 85−44617
Wood, R.K. *see* McDougall, G.B. 87−5597
Wood, R.M. Laser damage in optical materials 87−10016
Wood, R.M., Chad, R.J. Laser-induced (1.064-μm) damage threshold measurement at the GEC Research Laboratories, Hirst Research Centre 85−12924
Wood, R.M., Sharma, S.K., Waite, P. Optical characteristics of germanium at 10 microns 85−7194
Wood, R.M., Sharma, S.K., Waite, P. Variation of laser induced damage threshold with laser pulse repetition frequency 85−7488
Wood, R.M. *see* Guenther, K.H. 85−12917
Wood, R.M. *see* Roach, G.H. 86−33871
Wood, R.P., Cash, M.T., Shanstrom, R.T. EBARR: a one-dimensional maneuvering code for reactor engineers 87−78304
Wood, R.P. *see* Smith, P.R. 86−61303
Wood, R.T. *see* March-Leuba, J. 87−15487
Wood, R.T. *see* Sweeney, F.J. 85−53491
Wood, R.W. Magnetic recording systems 87−25848
Wood, R.W., Petersen, D.A. Viterbi detection of Class IV partial response on a magnetic recording channel 86−54433
Wood, S., Greggi, J., Jr., Takei, W.J. Transmission electron microscopy of liquid phase epitaxial Hg$_{1-x}$Cd$_x$Te layers on CdTe substrates 85−33405
Wood, S. *see* Choyke, W.J. 85−18239
Wood, S. *see* Farrow, R.F.C. 85−44703
Wood, S. *see* Swann, R. 87−69393
Wood, S.A. *see* Cooper, P.R. 87−57320
Wood, S.A. *see* Kauffman, D.S. 88−5130
Wood, S.E., Greenwood, D. Some practical experience in the selection and de-rating of motors for inverter drives 88−69750
Wood, S.E. *see* Soule, D.E. 88−11390
Wood, S.L. Estimation of 3D shape from multiple 2D images 86−4015
Wood, S.L. Three dimensional shape estimation from two dimensional images 86−16574
Wood, S.L. Fourier analysis of object boundaries from two dimensional digitized images 87−19956
Wood, S.L. Stereo analysis from multiple views 88−3250
Wood, S.L., Chekfa, A. Format analysis for a page reader for the visually impaired 88−54658
Wood, S.L., Fellingham, L.L., Massicotte, J.B., Dev, P. Comparison of image display techniques for solid models in medical imaging 86−32276
Wood, S.L., Larimore, M.G., Treichler, J.R. The impact of an adaptive equalizer's update behavior on symbol error rate in a nonstationary environment 88−66266
Wood, S.L., Ready, M.J., Treichler, J.R. Constellation identification using the Radon transform 88−73002
Wood, S.L. *see* Larimore, M.G. 87−62104
Wood, T. Modifying Hall effect sensors to generate digital output 88−4398
Wood, T. Ethernet line of sight inter-repeater link 88−9213
Wood, T. Hall effect switch sensitivity increases tenfold 88−26201
Wood, T. An introduction to the use of Hall effect devices 88−44731
Wood, T. A practical means of increasing flux density in Hall device applications 88−67769
Wood, T.B.Vander *see* Vander Wood, T.B.
Wood, T.E. Metal lift-off patterning 85−23715
Wood, T.H. Increased power injection in multimode optical-fiber buses through mode-selective coupling 85−63665
Wood, T.H. Multiple quantum well devices for optoelectronics 86−48245
Wood, T.H. Direct measurement of the electric-field-dependent absorption coefficient in GaAs/AlGaAs multiple quantum wells 86−58289
Wood, T.H. High-speed optical modulation and bistability with semiconductor multiple quantum wells (MQWs) 87−12334
Wood, T.H. Quantum wells make new, high-performance optical modulators 87−38860
Wood, T.H. Multiple quantum well (MQW) devices for monolithic integrated optoelectronics 88−2148
Wood, T.H. Multiple quantum well (MQW) devices for optical communication 88−65735
Wood, T.H. Multiple quantum well (MQW) waveguide modulators 88−72156
Wood, T.H., Burrus, C.A., Gnauck, A.H., Wiesenfeld, J.M., Miller, D.A.B., Chemla, D.S., Damen, T.C. Wavelength-selective voltage-tunable photodetector made from multiple quantum wells 85−58704
Wood, T.H., Burrus, C.A., Miller, D.A.B., Chemla, D.S., Damen, T.C., Gossard, A.C., Wiegmann, W. 131 ps optical modulation in semiconductor multiple quantum wells (MQWs) 85−35545
Wood, T.H., Burrus, C.A., Miller, D.A.B., Chemla, D.S., Damen, T.C., Gossard, A.C., Wiegmann, W. Enhanced electroabsorption in GaAs/GaAlAs multiple quantum wells and its application to opto-electronic devices 86−15524
Wood, T.H., Burrus, C.A., Tucker, R.S., Weiner, J.S., Miller, D.A.B., Chemla, D.S., Damen, T.C., Gossard, A.C., Wiegmann, W. 100 ps waveguide multiple quantum well (MQW) optical modulator with 10:1 on/off ratio 85−57207
Wood, T.H., Carr, E.C., Burrus, C.A., Henry, J.E., Gossard, A.C., English, J.H. High-speed 2×2 electrically driven spatial light modulator made with GaAs/AlGaAs multiple quantum wells (MQWs) 88−2140
Wood, T.H., Carr, E.C., Burrus, C.A., Miller, B.I., Koren, U. Large electroabsorption effect in GaInAs/InP multiple quantum well (MQW) optical modulator grown by OMVPE 88−58233
Wood, T.H., Carr, E.C., Burrus, C.A., Tucker, R.S., Chiu, T.-H., Tsang, W.-T. High-speed waveguide optical modulator made from GaSb/AlGaSb multiple quantum wells (MQWs) 87−54106
Wood, T.H., Carr, E.C., Kasper, B.L., Linke, R.A., Burrus, C.A., Walker, K.L. Bidirectional fibre-optical transmission using a multiple-quantum-well (MQW) modulator/detector 86−49584
Wood, T.H., Ewell, L.A. Increased received power and decreased model noise by preferential excitation of low-order modes in multimode optical-fiber transmission systems 86−49597
Wood, T.H., Linke, R.A., Kasper, B.L., Carr, E.C. Observation of coherent Rayleigh noise in single-source bidirectional optical fiber systems 88−35504
Wood, T.H., Linke, R.A., Kasper, B.L., Carr, E.C. Observation of coherent Rayleigh noise in bidirectional optical fibre systems 88−65240
Wood, T.H. *see* Giles, C.R. 88−60140
Wood, T.H. *see* Miller, D.A.B. 85−18753, 85−55536, 86−22499
Wood, T.H. *see* Weiner, J.S. 85−34553, 86−15518
Wood, T.H. *see* Whalen, M.S. 85−29553
Wood, V.E., Cressman, P.J., Holman, R.L., Long, G. Dynamics of LiNbO$_3$ optical waveguide formation by CO$_2$ laser annealing 87−46559
Wood, V.E. *see* Holman, R.L. 85−2041, 87−18760
Wood, V.E. *see* Parmenter, M. 85−2045
Wood, V.T., Brown, R.A. Single Doppler velocity signature interpretation of nondivergent environmental winds 87−71335
Wood, W.D. *see* Harrison, J.W. 87−20978
Wood, W.R. Beware of pitfalls when applying variable-frequency drives 87−51513
Wood, W.W. Performance analysis of optic fiber cleavers 88−26821
Wood-Robinson, M. Attraction with efficiency [light sources for catering industry] 85−16389
Woodall, D. *see* Williams, E.W. 88−7789
Woodall, D.M. *see* Burkhart, C. 85−59155
Woodall, D.M. *see* Fishbine, B.H. 87−21357
Woodall, D.M. *see* Humphries, S., Jr. 85−28898, 85−61620, 86−44532, 87−22798
Woodall, D.M. *see* Zieher, K.W. 86−25102
Woodall, H.N., Stinnett, R.W. Injector losses on Mite [electrostatic accelerator] 87−22619
Woodall, H.N. *see* Stinnett, R.W. 86−8539, 87−17441
Woodall, J.M. Metal contacts to III-V semiconductors 86−58316
Woodall, J.M., Freeouf, J.L. Surface treatment and interface properties: what really matters? 85−1397
Woodall, J.M., Kirchner, P.D., Pettit, G.D., Rosenberg, J.J. Pseudomorphic GaInAs/GaAs single quantum well structures with high electron mobility 87−6446
Woodall, J.M., Kirchner, P.D., Rogers, D.L., Chisholm, M., Rosenberg, J.J. So who needs lattice matched heterojunctions anyway? 88−39530
Woodall, J.M. *see* Brillson, L.J. 87−1294
Woodall, J.M. *see* Cuomo, J.J. 85−49100
Woodall, J.M. *see* Davidson, A. 87−66983
Woodall, J.M. *see* Kavanagh, K.L. 86−14890
Woodall, J.M. *see* Kirchner, P.D. 85−34976, 85−55551, 88−71412
Woodall, J.M. *see* Kleinsasser, A.W. 85−55515, 86−2114, 87−25882, 87−67855
Woodall, J.M. *see* Offsey, S.D. 86−35569
Woodall, J.M. *see* Rogers, D.L. 88−42100
Woodall, J.M. *see* Rosenberg, J.J. 86−21548
Woodall, J.M. *see* Rossi, D.V. 88−13006
Woodall, J.M. *see* Warren, A.C. 88−13194
Woodall, M.A. *see* Van Stryland, E.W. 86−3306, 86−9964
Woodall, W.H. *see* Champ, C.W. 88−38006
Woodard, D. *see* Al-Omar, A. 88−38769
Woodard, D.P., Jr. Unbalanced digital crosstalk in balanced twisted pair, inside wiring cable 85−57926
Woodard, D.W. *see* Greenwald, Z. 87−6437, 88−56945
Woodard, D.W. *see* Mukherjee, S.D. 86−9040
Woodard, O., Lindsey, P., Cecil, J., Pipe, R. Computer automation of high current ion implanters 85−34775
Woodard, O.C., Pipe, R. Automation of implanter equipment 85−34822
Woodberry, F.J. Electric fields in grazing incidence laser mirror coatings 85−7471
Woodbrey, J.C. *see* Trefonas, P., III 87−74171
Woodbridge, K., Blood, P., Fletcher, E.D., Hulyer, P.J. Growth and device characteristics of short wavelength GaAs multiple quantum well lasers 85−46385
Woodbridge, K., Gowers, J.P., Fewster, P.F. Growth of III-V quantum wells on Si by MBE 88−44584
Woodbridge, K. *see* Blood, P. 85−18954, 85−41410, 85−41514, 85−56613, 86−3185
Woodbridge, K. *see* Dawson, P. 85−18131, 85−56426
Woodbridge, K. *see* Foxon, C.T. 85−45387
Woodbridge, K. *see* Manning, R.J. 88−45538
Woodbridge, K. *see* Rogers, D.C. 87−11406
Woodburn, V. Linking your personal computers 87−62605
Woodburn, V. An update on PC LANs 88−15114
Woodbury, D.A. *see* Lee, J.C. 87−31878
Woodbury, D.A. *see* Stewart, S.H. 87−32606
Woodbury, F.A. Grounding considerations in cogeneration 85−15672
Woodbury, F.A. Grounding considerations in cogeneration 86−6430
Woodbury, F.A. Grounding considerations in cogeneration 86−32822
Woodbury, H.H. *see* Myers, T.H. 85−33427
Woodbury, H.H. *see* Nissan-Cohen, Y. 88−71592
Woodbury, H.H. *see* Wang, S.C.H. 86−5061
Woodbury, H.H. *see* Wei, C.-Y. 85−18464, 85−40580
Woodbury, H.H. *see* Wei, C.Y. 85−52684
Woodbury, L. *see* Herman, G. 87−76139
Woodbury, W.F. *see* Murphy, J.W. 87−40197
Woodcock, A. Towards the application of OSI standards 88−66842
Woodcock, A. *see* Connolly, J.H. 87−27226
Woodcock, A. *see* De Robien, E. 86−16741
Woodcock, A.E.R., Cobb, L., Dockery, J.T. Cellular automata: a new method for battlefield simulation 88−36711
Woodcock, A.H. *see* Hobson, L. 86−40415
Woodcock, B. *see* Penny, M.F. 86−56254, 86−65516
Woodcock, B.H. Holographic optics 87−33341
Woodcock, B.H. Optical holography 88−34139
Woodcock, B.H., Kirkham, A.J. The analysis and construction of powered reflection holographic optical elements (HOEs) 87−12607
Woodcock, B.H., Roberts, M.D. Design of holographic couplers for IR wavelengths 88−2404
Woodcock, C.E., Strahler, A.H. The factor of scale in remote sensing 87−57422
Woodcock, C.F. On orthogonal latin squares 87−10266
Woodcock, C.F. A two variable Riemann zeta function 88−297
Woodcock, C.F., Davies, P.A. The generation of high-speed binary sequences from interleaved low-speed sequences 87−33575
Woodcock, C.F. *see* Shaar, A.A. 85−14098, 87−40650
Woodcock, J.C.P. *see* Cohen, B. 87−28142
Woodcock, J.M., Harris, J.J., Shannon, J.M. Controlled growth of GaAs layers for monolithic hot electron transistors 86−47537
Woodcock, J.M., Shannon, J.M. Thermionic emission in bulk unipolar camel diodes 85−6884
Woodcock, K. *see* Penner, S.S. 87−78236
Woodcock, R. Intelligent robots execute delicate tasks 85−5764
Woodcock, R. Robots handle PC boards in ATE workcells 85−23221
Woodcock, S.J. *see* Wozney, G.P. 87−9372, 87−64417
Woodell, G.A. *see* Crouch, R.K. 88−24696
Wooder, N.J., Dainty, J.C. Real time intensity inversion by four wave mixing in bismuth silicon oxide 87−68624
Woodfield, A.A. *see* Keeler, R.J. 87−63952
Woodfin, G. *see* Hanlon, J. 86−29078
Woodfin, G. *see* Viswanathan, V.K. 86−22440
Woodfin, G.L. *see* Cross, E.W. 85−2112
Woodfine, R.T. Submarine cable system user requirements 86−69560
Woodford, D., Ino, T., Mathnur, M., Gole, A., Wierckx, R. Validation of digital simulation of HVDC transients by field tests 86−12398
Woodford, D.A. Validation of digital simulation of DC links 86−6331
Woodford, D.A. *see* Gole, A.M. 85−9426
Woodford, D.A. *see* Kuruganty, P.R.S. 88−10842
Woodford, D.A. *see* Turanli, H.M. 86−12402
Woodgate, B.E., Maran, S.P. The Solar Maximum Mission repair−lessons learned 87−63871
Woodgate, J.M. The household television receiver−why digitise? 85−26012

Woodgate, J.M. Comments on 'Signal power spectrum aspects in loudspeaker design' [by H. Mayr, with his reply] 85−42784
Woodgate, R. Ways to solder level 85−55276
Woodgate, R. Tips for improving solder joint quality, reliability 86−40534
Woodgate, R. As through a glass clearly 86−53160
Woodgate, R. A designer's guide to soldering. II. The most expensive thing that can be made on the shop floor is a defective solder joint 87−121
Woodgate, R. Hot tinning and solderability 88−55974
Woodgate, R.W. A look at quality in PWB manufacturing. I 86−67586
Woodgate, R.W. Solder joint criteria−cosmetics, quality and process control 88−19525
Woodgate, R.W. Does reworking reduce the life of a soldered joint? 88−63093
Woodhall, B.W., Newman, B.D., Sammuli, A.G. Empirical results on undetected CMOS stuck-open failures 88−13592
Woodham, R.J. A computational vision approach to remote sensing 86−12163
Woodhams, F.W.D., Price, W.L. Optimising accelerator for CAD workstation 88−63704
Woodhead, A.W. A new approach to the flat cathode-ray tube 86−5400
Woodhead, A.W. Flat geometry cathode ray tubes 87−53126
Woodhead, A.W., Washington, D., Lamport, D.L., Knapp, A.G., Mansell, J.R., Freeman, K.G. The channel multiplier cathode-ray tube 86−67638
Woodhead, A.W. *see* Washington, D. 86−27812
Woodhead, J., Uchitomi, N., Kameyama, A., Ikawa, Y., Toyoda, N. A WN_x gate self-aligned GaAs p-channel MESFET for complementary logic 87−38280
Woodhead, J. *see* Hope, D.A.O. 86−1709
Woodhead, J. *see* Roberts, J.S. 87−52110
Woodhead, J.L. *see* Cairns, J.A. 85−6019
Woodhead, M.A. *see* Bradshaw, A. 85−64656
Woodhouse, J. *see* Sinnadurai, N. 86−41443
Woodhouse, J. *see* Taylor, R.G. 87−47095
Woodhouse, J.D., Donnelly, J.P. Fully implanted p-column InP field-effect transistor 86−63294
Woodhouse, J.D., Donnelly, J.P., Iseler, G.W. Electrical properties of Fe-doped semi-insulating InP after proton bombardment and annealing 88−19666
Woodhouse, J.D., Donnelly, J.P., Nitishin, P.M., Owens, E.B., Ryan, J.L. Annealing of damage in Se^+-implanted indium phosphide 85−6713
Woodhouse, J.D., Gaidis, M.C., Donnelly, J.P., Armiento, C.A. Capless rapid thermal annealing of Si^+-implanted InP 87−66895
Woodhouse, J.D. *see* Chen, C.L. 87−53268
Woodhouse, J.D. *see* Geis, M.W. 85−34719
Woodhouse, J.D. *see* Smith, W.L. 86−2010
Woodhouse, K.T. *see* Bevan, M.J. 85−10702
Woodhouse, K.T. *see* Hyliands, M.J. 86−67687
Woodhouse, K.T. *see* Jenkin, G.T. 87−36810
Woodhouse, K.T. *see* Raccah, P.M. 86−66853
Woodhouse, K.T. *see* Thompson, J. 87−10420
Woodhouse, M.L. Voltage and current stresses on HVDC valves 87−35610
Woodhouse, M.L., Boden, M.J. Tests to verify the correct operational characteristics of thyristor valves for HVDC convertors 88−68907
Woodhouse, M.L., Boden, M.J., Noble, R.G. Design proving tests on a valve for the English terminal of the cross channel HVDC scheme 86−12911
Woodhouse, M.L. *see* Pedersen, J. 88−68124
Woodhouse, R.G. The application of detonation avoidance systems to petrol engines 86−45779
Woodhouse, S.J. *see* Fudge, D.L. 85−41713
Woodhull, F.W., II *see* Egbert, J.H. 86−70072
Wooding, F.B. *see* Koelsch, D.E. 87−29915
Woodland, H.K., Reisner, G.A., Melamed, A.S. System 75: system management 85−36571
Woodland, M.J. *see* Miles, T.S. 86−56127, 87−71138
Woodland, N.J. *see* Dickson, L.D. 85−7546
Woodle, M. *see* Mortazavi, P. 86−60660
Woodle, M. *see* Sharma, S. 88−42367
Woodley, J. The art of the switching power supply 85−54655
Woodley, M. *see* Almog, I. 86−24886
Woodley, M.D., Sanchez-Chopitea, L., Shoaee, H. Application of online modeling to the operation of SLC 88−54159
Woodley, M.D. *see* Hutton, A.M. 86−31892
Woodley, M.D. *see* Shappard, J.C. 86−31925
Woodman, B.W. *see* Gallucci, R.H.V. 88−10804
Woodman, C., Bunner, B. Evolution of packet switching into ISDN 86−64525
Woodman, C. *see* Black, B. 88−67189
Woodman, C.D. *see* Drynan, D.S. 88−46831
Woodman, J. Construct a 3-point temperature recorder. II 85−8979
Woodman, K.F., Franks, P.W., Richards, M.D. The nuclear magnetic resonance gyroscope: a review 87−77207
Woodman, K.F., Juleff, J., Allen, R.A. Loran-C chains: determination of extent of cover 88−60300
Woodman, K.F., Juleff, J., Allen, R.S. An analytical method for determining Loran-C cover 88−60343
Woodman, K.F. *see* Hoy, E. 88−60339
Woodman, R.F. Spectral moment estimation in MST radars 86−23971
Woodman, R.F. *see* Sato, T. 85−52401
Woodman, R.F. *see* Sulzer, M.P. 86−23967
Woodring, R. *see* Bordogna, J. 85−32976
Woodroffe, D. *see* Judge, A. 88−48350
Woodroffe, J.A. *see* Dagenais, D.M. 85−29885
Woodroffe, J.M. *see* Gibbins, C.J. 88−8472
Woodrow, R.B. Canada-US telecom accord: status quo or signpost? 88−46387
Woodruff, B. Different personalities lend shadow RAM a range of operating modes 86−8204
Woodruff, B.W., Viviano, P.J., Moore, A.H., Dunne, E.J. Modified goodness-of-fit tests for gamma distributions with unknown location and scale parameters 85−22310
Woodruff, C.J. Development of texture descriptions for images 85−13650
Woodruff, C.J. *see* Benke, K.K. 88−41037
Woodruff, D. *see* Brown, D.M. 87−38155
Woodruff, D. *see* Saia, R.J. 88−50950
Woodruff, D.W., Sanchez-Martinez, R.A. CVD molybdenum from MoF_6 87−59005
Woodruff, D.W., Wilson, R.H., Sanchez-Martinez, R.A. Adhesion of non-selective CVD tungsten to silicon dioxide 87−5511
Woodruff, D.W. *see* Brown, D.M. 87−45832
Woodruff, D.W. *see* Kwasnick, R.F. 88−33304
Woodruff, D.W. *see* Skelly, D.W. 88−57512
Woodruff, J. *see* Drewniak, J. 88−2849
Woodruff, M.L. *see* Wilson, M.F. 86−214
Woodruff, N. Economical motor protection using microcomputer technology 85−21567
Woodruff, R.L., Nelson, D.A., Scherr, S. Predicting transient upset in gate arrays 88−25101
Woodruff, R.R., Hubbard, D.C., Shaw, A. Comparison of helmet-mounted visual displays for flight simulation 87−14993
Woodruff, T.J. Miniature millimeter wave covert communications system 88−68680
Woodruff, T.J. *see* Mankovich, N.J. 86−11955
Woods, A.J. *see* Chan, P.C. 86−36757
Woods, A.W. *see* Bradford, M. 86−51577
Woods, A.W. *see* Mason, J.R.M. 85−51798
Woods, B. Morse code practice on your Commodore 64 85−57708
Woods, B.W. *see* Murray, J.E. 87−39191
Woods, C. *see* Dhawan, S.K. 88−68220
Woods, C.B. *see* White, K.D. 88−4561
Woods, C.L. *see* Catford, W.N. 86−44610, 87−77585
Woods, D. Precision 4-port junction for the connection of coaxial immittance standards in parallel 85−58827
Woods, D. Precision 4-port junction for the connection of coaxial immittance standards in parallel 86−24679
Woods, D.D. Evaluation of decision aids [nuclear industry] 86−45090
Woods, D.D. Knowledge based development of graphic display systems 86−45130
Woods, D.D., Roth, E.M., Pople, H., Jr. Modeling human intention formation for human reliability assessment 88−62040
Woods, D.D. *see* Bennett, K.B. 87−22056
Woods, D.D. *see* Roth, E.M. 88−30330
Woods, D.E. Implementation of emergency response facility data requirements at Susquehanna SES 88−48749
Woods, D.J. *see* Hill, K.D. 88−42669, 88−48358, 88−74338
Woods, G.P. *see* Liaw, H.M. 87−16643
Woods, G.S. *see* Bialkowski, M.E. 86−5494, 86−11491, 86−11511, 88−14480
Woods, J. Group II-VI semiconductors 88−7430
Woods, J. Full information on passive components critical to performance of analog microwave systems 88−15328
Woods, J. *see* Al Bassam, A. 88−32786
Woods, J. *see* Al-Allak, H.M. 88−19671, 88−57320
Woods, J. *see* Al-Dhafiri, A.M. 88−37390
Woods, J. *see* Awam, G.R. 88−18062
Woods, J. *see* Awan, G.R. 88−12040, 88−24154
Woods, J. *see* Brown, P.D. 88−31787
Woods, J. *see* Guthrie, J. 88−19492
Woods, J. *see* Hails, J.E. 87−16586, 87−31521, 88−31788
Woods, J. *see* Jones, A.P.C. 86−58847, 87−26222, 87−31516, 87−44313, 88−2132, 88−36153, 88−36156
Woods, J. *see* Kelly, W.M. 88−64465
Woods, J. *see* Oktik, S. 88−7566, 88−17997
Woods, J. *see* Pande, P.C. 85−22512, 86−40156
Woods, J. *see* Russell, G.J. 86−390
Woods, J. *see* Ture, I.E. 86−8772, 86−36345, 87−53280
Woods, J.D. *see* Leach, H. 85−59489
Woods, J.G. Single mode fiber optic connectors and splices 85−7218
Woods, J.G. Fiber optic splices 85−50959
Woods, J.G. Cleaving of optical fibers 88−13872
Woods, J.W., Biemond, J., Shanmugan, K.S. Comments on 'A model for radar images and its application to adaptive digital filtering of multiplicative noise' [and reply] 85−14337
Woods, J.W., Biemond, J., Tekalp, A.M. Boundary value problem in image restoration 86−10529
Woods, J.W., Dravida, S., Mediavilla, R. Image estimation using doubly stochastic Gaussian random field models 87−47902
Woods, J.W., Fure-Ching Jeng Hierarchical approach to image estimation 86−10528
Woods, J.W., Jones, R.R., Kuenz, M.A., Seibert, W.F., Moore, R.L. The optical videodisc in computer based education 85−63879
Woods, J.W., O'Neil, S.D. Subband coding of images 87−13068
Woods, J.W., O'Neil, S.D. Sub-band coding of images 87−19943
Woods, J.W., Potter, D.J., Kaufman, H. Parallel realizations of 2-D recursive Kalman filters 87−62046
Woods, J.W. *see* Biemond, J. 87−19960, 88−59209
Woods, J.W. *see* Cohen, R. 86−47013
Woods, J.W. *see* Cohen, R.A. 87−59779
Woods, J.W. *see* Fure-Ching Jeng 87−55273, 88−66719
Woods, J.W. *see* Hsueh-ming Hang 86−23114
Woods, J.W. *see* Jeng, F.-C. 88−73183
Woods, J.W. *see* Ju-Hong Lee 86−20721
Woods, J.W. *see* Lee, J. 86−35002
Woods, J.W. *see* Lee, J.-H. 85−17743
Woods, J.W. *see* Stark, H. 86−44635
Woods, J.W. *see* Tekalp, A.M. 85−46935, 86−10523, 87−7817, 88−66710
Woods, J.W. *see* van der Putten, F. 87−48030
Woods, J.W. *see* Westerink, P.H. 88−59016
Woods, K.D. *see* Botkin, D.B. 86−18604
Woods, M.H. The scaling of VLSI; the reliability impact on technology 86−21858
Woods, M.H. MOS VLSI reliability and yield trends 87−25575
Woods, M.H., Euzent, B.L. Reliability in MOS integrated circuits 85−50719
Woods, N.E. *see* Holliday, D. 87−28647, 88−30175
Woods, P.J., Bennett, S.J., Fulton, B.R., Page, R.D., Connell, K.A., Groves, J., Simpson, J., James, A.N., Rae, W.D.M. A residue implantation detection system on the Daresbury Recoil Separator 88−36348
Woods, P.L. TRANAP: a transistor network analysis program 86−7901
Woods, P.T. *see* Barwood, G.P. 85−48047
Woods, P.T. *see* Milton, M.J.T. 87−63066
Woods, P.W., Taylor, C.J., Cooper, D.H., Dixon, R.N. The use of geometric and grey-level models for industrial inspection 87−39925
Woods, R. Automated full-function tester performs assembly-sub-assembly tests 85−3843
Woods, R., Cipriani, A. Machine vision techniques for the inspection of thick-film circuit patterns 88−64134
Woods, R. *see* Fletcher, S. 86−71041
Woods, R. *see* Hill, R.J. 87−58393
Woods, R.C. Distortion reduction in analogue magnetic recording 86−42124
Woods, R.C. 'Soft' energy thresholds in impact ionization: a classical model 87−53148
Woods, R.C. 'Soft threshold' result in impact ionization derived from 'hard-sphere' model 88−25861
Woods, R.C., Twynam, J.K. Current-crowding effects in GaAs/AlGaAs heterostructure phototransistors 88−51681
Woods, R.C. *see* David, J.P.R. 86−9090
Woods, R.C. *see* Marsland, J.S. 87−24883, 88−20499
Woods, R.C. *see* Twynam, J.K. 88−26974, 88−58367
Woods, R.F., Knowles, S.C., McCanny, J.V., McWhirter, J.G. Systolic IIR filters with bit level pipelining 88−70930
Woods, R.F. *see* Knowles, S.C. 88−63821
Woods, R.J. Linking engineering workstations [networking] 88−66950
Woods, R.L. Microwave power source overview 87−45522
Woods, R.L., Hunn, D.L., Dobson, P.D. Development of an idle speed control system for spark-ignition engines 86−7285
Woods, R.R. An onsite fuel cell test programme is underway in the USA 85−21521
Woods, R.R. *see* Cuttica, J.J. 87−64792
Woods, S. *see* Williams, E.W. 88−7789
Woods, S.A., Christmas, P., Cross, P., Judge, S.M., Gelletly, W. Decay studies of ^{237}Np with an iron-free $\pi\sqrt{2}$ double-focusing, β-ray spectrometer of improved efficiency 88−29925
Woods, S.A. *see* Rogers, S.K. 85−52854
Woods, S.P. *see* Messenger, B.S. 88−29227
Woods, T.A., Antonelli, E., Collins, R.A., Chivers, D.J., Dearnaley, G. The formation of buried oxide layers by ion implantation 87−38103
Woods, W. *see* LeMay, R. 85−31336
Woods, W. *see* Tirinato, J. 88−10441
Woods, W.A. Language processing for speech understanding 86−29783
Woods, W.A. *see* Fallside, F. *(editor)* 86−26482

Woods, W.F. Compact CO_2 laser rangefinders for terrain-following applications 88—28962
Woodsend, H. DEC and IBM: an affair begins 87—76316
Woodside, C.M., Ho, E.D.S. Engineering calculation of overflow probabilities in buffers with Markov-interrupted service 88—21374
Woodside, C.M., Montealegre, J.R. On packet buffering and protocol performance 86—69243
Woodside, C.M., Montealegre, R., Buhr, R.J.A. A performance model for hardware/software issues in computer-aided design of protocol systems 85—8142
Woodside, C.M., Pearce, T.W., Buhr, R.J.A. The Caede/Estelle graphical tool for formal definition of protocols 87—34212
Woodside, C.M., Stanford, D.A., Pagurek, B. Optimal prediction of queue lengths and delays in $GI/M/m$ multiserver queues 85—13553
Woodside, C.M. *see* Ali, M.K.M. 86—54634
Woodside, C.M. *see* Craig, D.W. 86—43280
Woodside, C.M. *see* Mehmet Ali, M.K. 88—59354
Woodside, C.M. *see* Miernik, J.W. 88—52949
Woodside, C.M. *see* Stanford, D.A. 88—31596
Woodside, D.J. *see* Weiner, E.E. 88—29142
Woodside, J. *see* Verhoef, J. 88—48376
Woodside, R.H. *see* Chi, K.K. 87—17173, 87—17183
Woodside, W.L., Jr. Data input techniques and algorithms for personal computers [rural electricity supply] 86—39057
Woodsmall, G.P., Hollcroft, M.L., II Cathodic protection of existing URD systems [underground rural distribution] 86—65695
Woodsome, F. The case for field studies [frequency assignment] 85—42475
Woodson, H.H., Weldon, W.F. Energy considerations in switching current from an inductive store into a railgun 85—2516
Woodson, H.H. *see* Driga, M.D. 87—26668, 88—65992
Woodson, H.H. *see* Gully, J.H. 85—5119
Woodson, H.H. *see* Spann, M.L. 85—5062
Woodson, H.H. *see* Walls, W.A. 87—30602, 88—69520
Woodson, H.H. *see* Weldon, W.F. 87—26722
Woodson, H.H. *see* Wu, A.Y. 87—26724
Woodson, L. *see* Test, H. 85—45327
Woodson, N.D., Boettinger, W.L. Enhancements in technology transfer capabilities: Westinghouse's worldwide experience 86—39332
Woodsum, G.T. *see* Stanton, G.W. 85—36692
Woodward, A.T. *see* Cotter, S.M. 87—16981
Woodward, B. A self-calibrating diver's rangefinder 85—37114
Woodward, B. A real-time position fixing system for a diver 87—56283
Woodward, B. *see* Brock, D.C. 86—59924
Woodward, B. *see* Falahati, A. 88—60292
Woodward, C.E. *see* Milner, R.G. 87—63619
Woodward, D.J. *see* Schlusselberg, D.S. 87—57125, 88—48131
Woodward, H.K. *see* Baldwin, S.E. 88—28185
Woodward, I.H. Technological change in design and manufacturing: the need for flexibility in management development 88—11651
Woodward, J. Trouble-free LAN installation 85—52032
Woodward, J. *see* Gill, S.S. 85—45620
Woodward, J. *see* Hilton, K.P. 85—18260, 86—2238
Woodward, J. *see* Warwick, C.A. 88—39529
Woodward, J.A. *see* Bonett, D.G. 88—18568
Woodward, J.L., Bhattacharya, J.L. Induction generators in microhydro systems 88—43089
Woodward, J.L. *see* Bhattacharya, J.L. 88—37214
Woodward, J.L. *see* Elder, J.M. 85—32460
Woodward, J.W. New techniques in optical mask making 85—23926
Woodward, M. *see* Jones, D.R. 88—44824
Woodward, M.E., Jarmoulk, H. Time-spread decoding: a method for the implementation of error-control algorithms in fast digital transmission channels using slow microprocessors 85—46704
Woodward, M.J. *see* Kelly, W.M. 88—29475
Woodward, T.K., McGill, T.C., Burnham, R.D. Electrical behavior of GaAs-AlAs heterostructures 87—1251
Woodward, T.K., McGill, T.C., Burnham, R.D. Photoresponse of asymmetrically doped GaAs-AlAs heterostructures under external bias 87—26162
Woodward, T.K., McGill, T.C., Burnham, R.D. Experimental realization of a resonant tunneling transistor 87—38241
Woodward, T.K., McGill, T.C., Chung, H.F., Burnham, R.D. Integration of a resonant-tunneling structure with a metal-semiconductor field-effect transistor 88—13413
Woodward, T.K., McGill, T.C., Chung, H.F., Burnham, R.D. Applications of resonant-tunneling field-effect transistors 88—39502
Woodward, T.K., McGill, T.C., Watson, T.J., Sr., Burnham, R.D., Chung, H.F. Resonant tunneling field-effect transistors 88—50895
Woodward, T.K., Schlesinger, T.E., McGill, T.C., Burnham, R.D. Capacitance-voltage characteristics of GaAs/AlAs heterostructures 85—61722
Woodward, T.R. *see* Barker, J.R. 88—23331
Woodward, W. *see* Cutchin, D. 87—9018
Woodward, W.A., Gunst, R.F. Using mixtures of Weibull distributions to estimate mixing proportions 87—65330
Woodward, W.A. *see* Gray, H.L. 87—47641
Woodward, W.E., Appell, G.F. Current velocity measurements using acoustic Doppler backscatter: a review 86—44801
Woodward, W.E. *see* Appell, G.F. *(editor)* 87—5140
Woodward, W.S. *see* Boring, J.E. 86—55565
Woodward, W.S. *see* Bryan, S.R. 85—59254, 86—24303
Woodward, W.S. *see* Bunn, T.L. 85—20474
Woodwock, J.M., Harris, J.J., Shannon, J.M. Monolithic hot electron transistors in GaAs with high current gain 86—21525
Woodworth, A. Epitaxial diodes—rectifiers compatible with today's fast switches 85—18284
Woodworth, A. The high voltage epitaxial rectifier 85—34929
Woodworth, A. The infra-rectifier 87—52378
Woodworth, A. *see* Papoular, A. 86—5548
Woodworth, C.B. *see* Rustako, A.J., Jr. 86—30618
Woodworth, F.A. Fast diodes for motor control [solid state rectifiers] 85—6892
Woodworth, F.A. High voltage epitaxial rectifiers 85—61101
Woodworth, F.A. *see* Hammerton, C.J. 88—69559
Woodworth, J. *see* MacGowan, B.J. 88—2177
Woodworth, J. *see* Matthews, D. 87—12339
Woodworth, J. *see* Matthews, D.L. 87—12369
Woodworth, J.G. *see* Young, B.K.F. 87—20969
Woodworth, J.R., Burns, E.J.T., Hanson, D.L., Jaramillo, W.H., Pattison, D.A. Surface discharges for soft X-ray preionization in light-ion-fusion accelerators 88—22907
Woodworth, J.R. *see* Adams, R.G. 85—5322, 85—23380
Woodworth, J.R. *see* Bieg, K.W. 88—16622
Woodworth, J.R. *see* Burns, E.J.T. 87—21380
Woodworth, J.R. *see* Gerber, R.A. 86—32102
Woodworth, J.R. *see* Hamil, R.A. 87—21334
Woodworth, J.R. *see* Maenchen, J. 87—17599
Woodworth, J.R. *see* Slutz, S.A. 87—77510
Woody, C. Aging effects in low pressure wire chambers containing TMAE 88—61104
Woody, C. *see* Akesson, T. 86—18235
Woody, C.L., Anderson, D.F. Calorimetry using BaF_2 with photosensitive wire chamber readout 88—29870
Woody, C.L., Petridou, C.I., Smith, G.C. Properties of a barium fluoride-TMAE-multiwire proportional chamber detector using a large single crystal 86—50309
Woody, D.C. *see* Lawson, K.D. 85—4467
Woody, D.P., Miller, R.E., Wengler, M.J. 85-115 GHz receivers for radio astronomy 85—37152
Woody, D.P. *see* Wengler, M.J. 86—2627, 87—20646, 87—47468
Woody, T.W. A 6.5-in.-diagonal high-resolution high-frequency oscilloscope CRT 88—16261
Woodyard, J.R., Bowen, D.R., Gonzalez-Hernandez, J., Lee, S., Martin, D., Tsu, R. Dehydrogenation studies of amorphous silicon 85—40459
Woodyard, J.R., Hanak, J.J. Radiation resistance of amorphous silicon alloy photovoltaic cells 88—49153
Woodyard, J.R. *see* Hanak, J.J. 87—16034, 87—42131, 88—37482
Woof, A. Computer links lift utilisation levels 87—48589
Woog, A. *see* Natkin, S. 86—30405, 88—9209
Wook, G., Law, H.S. SKILL—an interactive procedural design environment 87—448
Wook Jang Young *see* Young Wook Jang
Wook Yang Jeon *see* Jeon Wook Yang
Wook-Hyun Kwon, Myoung-Sam Ko, Sang-Jeong Lee, Jum-Keun Kim, Ki-nam Paek, Dae-Won Kim A new control algorithm for the direct digital control loops of sintering processes 87—72814
Wook-Hyun Kwon *see* Myoung-Sam Ko 85—21657
Wook-Lyul Huh Step motor control 87—72165
Woolard, D.L., Trew, R.J., Littlejohn, M.A. Hydrodynamic hot-electron transport model with Monte Carlo-generated transport parameters 88—33128
Woolbright, K.L. *see* Schreiner, R.L. 87—37756
Wooldridge, A.B. *see* Morton, J. 86—61276
Wooldridge, J.R., Mather, J.C. Accelerated ageing and solderability testing of printed wiring boards 87—59979
Wooledge, K. *see* Goldstein, R.B. 88—46243
Woolery, G. *see* Heald, S.M. 86—60642
Wooles, A. MAP reading by sections 88—59624
Woolett, J.F. MMWR/FLIR/ATR sensor fusion proof of concept 86—69841
Woolett, J.F. MMWR/FLIR/ATR sensor fusion: proof of concept 88—68541
Woolever, C.A. *see* Torsher, L.C. 85—38006
Wooley, B. *see* Freeman, G.G. 87—29108
Wooley, B.A., Horowitz, M.A., Pease, R.F., Yang, T.-S. Active substrate system integration 88—26464
Wooley, B.A. *see* Boser, B.E. 88—50220
Wooley, B.A. *see* Kuo, J.B. 87—6714, 87—6720, 87—18333
Wooley, B.A. *see* Nayebi, M. 88—568
Wooley, B.A. *see* Soo, D.C. 86—9311
Wooley, B.A. *see* Wu, J.-T. 88—70875
Wooley, B.A. *see* Yang, T.S. 88—63685
Wooley, C.B., Moore, D.T. Application of gradient-index lens design techniques to lenses for integrated optics 87—26074
Woolf, A.J. Earth-leakage detector systems for hazardous situations 87—30259
Woolf, F. Micronet is coming 85—42203
Woolf, H.M. *see* Bates, J.J. 87—77878
Woolf, L.D. Optimum efficiency of single and multiple band gap cells in TPV energy conversion 87—16039
Woolf, L.D. Optimum efficiency of single and multiple bandgap cells in thermophotovoltaic energy conversion 87—36138
Woolf, L.D. Solar photothermophotovoltaic energy conversion 88—37453
Woolf, L.D., Bass, J.C., Elsner, N.B. Theoretical and experimental investigation of variable band gap cells in thermophotovoltaic energy conversion 88—18096
Woolf, P. *see* Narin, F. 85—16671
Woolf, S., Burke, E.A. Monte Carlo calculations of irradiation test photon spectra 85—18395
Woolf, S. *see* Garth, J.C. 86—35446, 88—26189
Woolfson, M.S. An evaluation of manoeuvre detector algorithms 86—17473
Woolfson, M.S. Coherent processing with frequency agility 86—49726
Woolhiser, R. *see* Sparkes, R. 88—64707
Woolhouse, G. *see* Elliot, A.G. 85—39693
Woolhouse, G.R. *see* Allen, P.E. 86—21872
Woolhouse, G.R. *see* Bicknell, R.N. 85—381
Woolhouse, G.R. *see* Wood, R.A. 85—33429
Woollam, J.A. *see* Alterovitz, S.A. 85—50367, 88—32977
Woollam, J.A. *see* Lake, M.L. 88—61577
Woollam, J.A. *see* Oh, J.E. 86—63130, 87—1338, 87—24921, 88—57506
Woollam, J.A. *see* Snyder, P.G. 86—68591
Woollam, P. Five years of European research into decommissioning 85—4749
WoolLam, P. Why not delay dismantling the magnox reactors? 88—55145
Woollard, K.C. *see* De Lapeyre, F.J. 88—28456
Woollen, D.P. *see* Lee, J.J. 88—72687
Wooller, D. System considerations for naval ESM 85—58194
Woolley, B.G. *see* Belfiore, C. 88—3829
Woolley, D. Preparing for MLS—the hard work begins 85—64678
Woolley, J. AC power systems—operational experiences at satellite Earth stations 87—30827
Woolley, J.C. *see* Beckett, D.J.S. 88—49789
Woolley, M. *see* Schneider, A.M. 85—42672
Woolley, R.D. *see* Petree, F. 87—15887
Woolliscroft, L.J.C. *see* Darbyshire, A.G. 85—53175
Woolliscroft, L.J.C. *see* Gough, M.P. 88—10500, 88—36617
Woollons, D.J. *see* Biddlecombe, D.E. 87—21588
Woolman, D., Preston, T.W. CAE in heavy electrical engineering 86—40504
Woolner, K.A. *see* Smith, H.J.T. 85—616
Woolnough, R. Multipoint communications meets local network needs 85—3357
Woolnough, R. Developments in 64k and 256k drams boost market chances 85—17375
Woolnough, R. Installing a big PABX: a user's experience 85—30817
Woolnough, R. Towards an integrated services telecommunication network 85—42371
Woolnough, R. Glance across frontiers: well informed, in the car too. What's planned in Great Britain 85—57993
Woolnough, R. Information systems and automobiles 86—55216
Woolnough, R. Lion ready to pounce on private networks 88—73573
Woolsey, M.H. *see* Wepfer, W.J. 86—26277
Woolson, S.T. *see* Dev, P. 85—53029
Woolston, K.A., Albin, S.L. The design of centralized networks with reliability and availability constraints 88—46542
Woolston, T. *see* Fabick, L.B. 87—9803, 88—37412
Woolston, T. *see* Mitchell, K.W. 87—30962
Woolston, T.L., Ives, H.C. Marx generator engineering and assembly line technology for the PBFA II accelerator 87—21330
Woolston, T.L. *see* Neau, E.L. 85—27526
Woolven, S., Gregoris, D., Ristic, V.M. An optical lock-in technique as applied to an acousto-optic integrated spectrum analyser 88—66301
Woolven, S. *see* Arsenault, R. 88—20414
Woon, H.S., Tan, H.S., Ng, S.C. A computer controlled system for transient capacitance measurements of deep levels in semiconductor 88—60861

Woon Foo Khuen *see* Ahmad Fadzil b. Hj. Mohd. Hani 88—21710
Woon Ho Son *see* Chong Sang Kim 85—13879
Woon Kim Tae *see* Tae Woon Kim
Woon Seo Yong *see* Yong Woon Seo
Woon Shin Sang *see* Sang Woon Shin
Woon-Kwan Chung *see* Hyung-Boo Kang 85—52850
Woong Huh, Seung-Hong Hong The estimation of frequency dependent attenuation slope of the ultrasound in biological tissue by spectral difference method 85—43349
Woong Kim Young *see* Young Woong Kim
Woong Lee Choang *see* Choang Woong Lee
Woong Lee Choong *see* Choong Woong Lee
Woong Lee Jae *see* Jae Woong Lee
Woong Noh Chul *see* Chul Woong Noh
Woong Whang Ki *see* Ki Woong Whang
Wooster, C.B. Antenna selection for automatic radio telex 85—25338
Wooster, C.B. Signalling converters for international and regional satellite systems 86—17331
Wooster, G.S. *see* Justice, B.H. 85—12139
Wooster, S.W. *see* Fee, J.A. 87—70078
Wooten, D.E. *see* Raridon, R.J. 85—37878
Wooten, E. *see* Goel, K. 88—72162
Wooten, E. *see* Poizner, H. 87—29279
Wooten, H.G. Locator cuts time to find underground cable faults 85—59674
Wooten, J.W. *see* Raridon, R.J. 85—37878
Wooton, J.J. *see* Fenn, R. 86—34421
Wooton, P. *see* Risler, R. 85—64628
Wooton, R.E. Mapping of electrostatic charge using a robot controlled by a computer 85—24034
Wooton, R.E. Electric charge accumulation of HVDC insulators in compressed-SF$_6$-insulated transmission lines 85—29372
Wooton, T.J. *see* Dwyer, J.P. 85—64579
Wootton, J. The NAVMAT guidelines (P4855-1) 85—28374
Wootton, J. Notes for the design of a route guidance system 85—36779
Wootton, J. The NAVMAT Guidelines [power supplies] (P-4855-1) 86—26174
Wootton, J. *see* Keller, J.M. 88—8820
Wootton, N.P. *see* Smith, S.G. 87—24365
Wootton, R.E. Triggering of spark gaps at minimum voltage 87—17580
Wootton, R.E. An expert system for high voltage discharge tests 88—29267
Wopata, S.E. *see* Criner, D.E. 86—33116
Wopking, M. *see* Pastoor, S. 85—8570
Wopschall, R.H. High-density, high yield PWB imaging with dry film photoresist 85—17962
Wopschall, R.H. Dry film photoresists 86—58143
Worcester, P. *see* Cornuelle, B. 85—59494
Worcester, P.F., Peckham, D.A., Hardy, K.R., Dormer, F.O. AVATAR: second-generation transceiver electronics for ocean acoustics tomography 86—65551
Worcester, P.F., Spindel, R.C., Howe, B.M. Reciprocal acoustic transmissions: instrumentation for mesoscale monitoring of ocean currents 85—53184
Worcester, P.F. *see* Spindel, R.C. 87—77887
Worchesky, T.L. *see* Sattler, J.P. 85—7366, 86—36391
Word, G.E. A summary of surge voltage protection fundamentals—previewing an important new Red Book chapter 86—39219
Wordeman, M.R., Schweighart, A.M., Dennard, R.H., Sai-Halasz, G., Molzen, W.W. A fully scaled submicrometer NMOS technology using direct-write e-beam lithography 86—21824
Wordeman, M.R., Schweighart, A.M., Dennard, R.H., Sai-Halasz, G.A., Molzen, W.W. A fully scaled half-micrometer NMOS technology using direct-wire E-beam lithography 85—50765
Wordeman, M.R., Sun, J.Y., Laux, S.E. Geometry effects in MOSFET channel length extraction algorithms 85—45709
Wordeman, M.R. *see* Baccarani, G. 85—50554
Wordeman, M.R. *see* Davari, B. 88—7615
Wordeman, M.R. *see* Dennard, R.H. 85—40918
Wordeman, M.R. *see* Molzen, W.W. 86—2444
Wordeman, M.R. *see* Rishton, S.A. 88—39716
Wordeman, M.R. *see* Sai-Halasz, G.A. 88—1654, 88—39721
Wordeman, M.R. *see* Sun, J.Y.-C. 87—6721
Worden, M. *see* Huber, N. 86—65295
Worden, R.D. Advanced design concepts for fused quartz pressure transducers 88—10165
Worden, S.P. The Strategic Defense Initiative program 87—29846
Worden, S.P. SDI 87—56227
Wordley, D. Cellnet: the mobile voice and data network 86—55231
Wordoffa, A. *see* Lobos, T. 87—73268
Wordsworth, G.B., Clark, D.G.D. Gigahertz bandwidth multibit phase sampling and reconstruction of microwave signals 87—5808
Worgan, J.S. *see* Bijleveld, J.H.M. 86—60651
Worgan, J.S. *see* Bordas, J. 86—60563
Worgan, J.S. *see* Van Der Hoek, M.J. 86—60658
Worgitzki, A. Advances in drive controls with DC motors 85—5553
Worgitzki, A. *see* Vockel, E. 85—5409
Worgotter, F., Daunicht, W.J., Eckmiller, R. An online spike form discriminator for extracellular recordings based on an analog correlation technique 87—4006
Work, C.E., Masi, J.V., O'Donoghue, R.K., Karlus, A.K. A model program for enhancing the communications skills of engineering students 87—23208
Work, G.S., Talbot, G.R., Ferris, A.T., Henderson, N.A., McGuinness, P.J. A 20 ns color lookup table for raster scan displays 86—8249
Work, P. De jure/facto standards in the real world—seen through the eyes of the consultant 87—28111
Workman, A. *see* Cowen, A.R. 88—4893 to 4894, 88—61242
Workman, A.M. *see* Bonuccelli, H.A. 86—16735
Workman, C.W. Simple mains zero crossing detector 86—20283
Workman, G., Floyd, R. Implementing MAP—an OSI subnetwork—within General Motors 86—4321
Workman, G.C. *see* Hughes, K.C. 85—3181
Workman, S.T. Computers reconstruct tomographic plane 86—60751
Workman, W. Construction considerations for submicron IC facilities 87—36462
Worland, D.P. *see* Chang-Hasnain, C. 86—22083
Worland, D.P. *see* Harnagel, G.L. 86—36472, 87—26378
Worle, B., Saeger, K.E. Metallographic examinations on silver/metal oxide contact materials in electronic energy technology 86—34398
Worledge, D. *see* Crelling, G.L. 85—43837
Worledge, D.H. Some useful characteristics of performance models 86—51314
Worledge, D.H., Chu, B.B., Conradi, L.L., Smith, A.M. Common cause failure and systems interactions issues—an overview [nuclear safety] 85—53424
Worledge, D.H. *see* Chu, B.B. 87—78297, 88—5294, 88—62048
Worledge, D.H. *see* Crellin, G.L. 86—51224, 87—9280, 88—10994
Worledge, D.H. *see* Gaertner, J.P. 88—17265
Worledge, D.H. *see* Gaver, D.P. 85—48733
Worledge, D.H. *see* Hannaman, G.W. 85—43799, 88—62042
Worledge, D.H. *see* Orvis, D.D. 85—53426
Worledge, D.H. *see* Spurgin, A.J. 85—59848
Worley, A., Fews, A.P., Henshaw, D.L. The Bristol University neutron dosimetry system 88—23135
Worley, A., Fews, A.P., Henshaw, D.L., Portwood, T., Turner, T.W. Background track reduction in the Bristol CR-39 neutron dosimeter 87—21695
Worley, B.A. *see* Maerker, R.E. 87—4525
Worley, E.R. *see* Sato, R.N. 87—44749
Worley, J. *see* Aceves, M.M. 87—10709
Worley, J. *see* Mariano Aceves, M. 87—52735
Worley, J.M. Switched capacitor realisation of wideband phase-splitting networks 86—8375
Worley, J.S. Functional style description of digital systems 86—53766
Worley, J.W., Jr. *see* Johnston, B. 88—59312
Worley, M.C. Humidity monitor 86—50256
Worley, S.D. *see* Neely, W.C. 88—68519
Worlitzer, K. *see* Germey, B.K. 85—56780
Worlock, D.R. Value added networks and the professions: changing the rules for information access in the late 1980s 87—27870
Worlock, J.M. *see* Gomes, V.M.S. 87—53253
Worlock, J.M. *see* Petrou, A. 85—61746
Worlock, J.M. *see* Ryan, J.F. 86—53430
Worm, C.M. The real world—a maintainer's view 87—50471
Worm, C.van der *see* van der Worm, C.
Worm, F.-H., Klotz, D.V. The Starburst, a J-11 based front-end processor system 85—64498
Worm, F.H., Klotz, D.V. The basic tool: the Starburst J-11 high speed front-end processor 86—31771
Worm, G. *see* Schuring, T. 88—71312
Worm, S.B. *see* De Jongh, P.F. 87—11290
Worm, S.B. *see* Pregla, R. 85—19205
Worm, S.C.J. Electromagnetic fields of corrugated conical horns with elliptical cross section described by Lame functions 85—7734
Worm, S.C.J. Corrugated elliptical horn antennas for the generation of radiation patterns with elliptical cross-section 85—46625
Worm, W., Willems, G. The initial use of new flame-resistant, halogen-free, low smoke power plant cable 6/10 kV 87—42472
Wormer, C.V. *see* Edwards, D. 85—64191
Wormhoudt, J. *see* Stanton, A.C. 87—10477
Wormhoudt, J.C. *see* Stinespring, C.D. 88—31794
Wormley, D.N. *see* Eppinger, S.D. 88—69848
Wormley, D.N. *see* Wu, S.Z. 86—6580, 86—12671, 86—25882
Wormley, S.J., Thompson, D.O. Comparison of scattering amplitudes from various transducers using diffraction and attenuation corrections 85—6081
Wormley, S.J. *see* Bond, L.J. 88—10656
Wormley, S.J. *see* Thompson, D.O. 85—6085, 87—23796
Worms, J. On a single step technique for adaptive array processing 87—13050
Worms, J. A new representation of adaptive antenna pattern 87—47389
Worms, J. Adaptive jammer suppression under constraints 88—14546
Worms, J., Krucker, K. On an improved gradient technique for adaptive array processing 86—16056
Wormser, E.M. Application of noncontact infrared thermometers and infrared scanners to large active solar systems 85—53843
Wormser, P.M., Bennett, E.F. Utility connected residential photovoltaic systems 86—39632
Worn, G. Power distribution control systems for energy cost reduction 86—6228
Worne, B.E. An HMO for T1 circuits [health maintenance operation] 87—31285
Wornell, G.W., Staelin, D.H. Transform image coding with a new family of models 88—73250
Worner, D. *see* Millan, F.R. 87—53041
Worner, J. *see* von Campe, H. 86—40153
Worner, K., Colquhoun, A. High-speed Si-bipolar and GaAs technologies 86—41932
Worner, K. *see* Derksen, R.H. 86—8457, 86—35123
Worner, K. *see* Kasper, E. 85—22496, 86—20042, 87—46163
Worner, K.H. *see* Klein, K.-F. 88—72051
Wornson, D.P., Hughes, G.W., Webb, R.H. Fundus tracking with the scanning laser ophthalmoscope 87—50231
Worobey, W. *see* Holbrook, L.A. 86—4348
Worobow, L., Shunanee, J. Software simplifies project reporting 86—34007
Woronick, S. *see* Eng, P.J. 88—48047
Worontzoff, N. *see* Cohen, L.D. 85—17805
Worpell, D.R. *see* Derhake, A.H. 87—51571
Worrall, D.A. *see* Rodwell, R. 85—45340, 86—26660
Worrall, D.P. *see* Murphy, J.W. 87—40197
Worrall, E.M. Virtual network capabilities—the next phase of the 'intelligent network' 88—46458
Worrell, C.A. Infrared optical constants for CO$_2$ laser waveguide materials 86—28772
Worrell, C.A. Infra-red optical properties of glasses and ceramics for hollow waveguides operating at 10.6 μm wavelength 88—58118
Worrell, C.A. *see* Hill, G.J. 86—1411
Worrell, W.L. *see* Miura, N. 88—74383
Worrest, R. *see* Goyal, S. 88—46394
Worsdale, G.J. A comparison of estimators for the parameters of the symmetric stable distributions 86—66678
Worsdell, G. *see* Martell, P.H. 87—55963
Worsham, A. *see* Track, E.K. 88—39833
Worsham, R., Dohan, D., Dutto, G., Fong, K., Pacak, V., Stanford, G. Improvements in the stability of the TRIUMF RF resonator 88—54349
Worsham, R. *see* Dohan, D. 85—59083
Worsham, R. *see* Mackenzie, G.H. 88—54311
Worsham, R. *see* Stanford, G. 86—32020
Worsham, R. *see* Zach, M. 86—32044
Worsham, R.E., Enegren, T., Dohan, D., Durieu, L., Poirier, R. System for flat-topping the RF voltage at TRIUMF 85—59084
Worsham, R.E. *see* Craddock, M.K. 86—31908
Worsham, R.E. *see* Enegren, T. 86—31796
Worsley, E.G. Circuit breakers—the mechanics of fault interruption 85—5338
Worsley, M.D. The UK Data Protection Act 1984 and international writers 88—6182
Worsley, R.A. Linear staircase wave generator 85—61159
Worsley, R.A. Low distortion Wein bridge oscillator 86—8036
Worsley, R.A. 'Floating' SMPS stabiliser 86—34522
Worsley, R.S. *see* Harper, S.L. 88—9544
Worsley, W.H., Snow, T.D., Biezad, D.J. Trajectory estimation with angle-only measurements using multiple sensors 86—69834
Worsley, W.R. *see* Grosser, B.K. 87—71718
Worsnop, J.C. Reduction of RF breakthrough from the BBC microcomputer 88—27529
Worstell, W. *see* Calicchio, M. 88—29811
Worstell, W. *see* Incandela, J.R. 88—54417
Worster, A. *see* Wolfe, A. 86—37435
Wort, R.G., Tannock, J.D.T. Automated real time visual inspection for integrated quality control 88—38011
Wort, R.P., Hastings, C. Eggborough Power Station boiler automatic control system update 85—15897
Wortendyke, D.R. *see* Seitz, N.B. 86—17054
Worth, G.M., Crowell, J.M., Meddles, A.D., Jarrett, J.D., Wolf, M.A., Umbarger, C.J., Moyer, C. Use of a commercial ranging system in field surveys of radioactively contaminated sites 85—48357
Worth, J.P., Ninke, W.H., Jarzyna, E.S. A proposed format for encoding digital information within analog video line signals on an optical videodisc 86—49860
Worth, J.P., Ninke, W.H., Jarzyna, E.S. Modern video, still frames, digital audio and data-compatible recording on an optical video disc 87—34880
Worthen, N. *see* Kimme-Smith, C. 86—11948

Worthey, J.A. An analytical visual clarity experiment 86—52046
Worthington, D.R.L. *see* Hagn, G.H. 88—67541
Worthington, G. Visible returns for exterior lighting 85—16419
Worthington, H.M. MIDEL synthetic ester replacement for PBS in transformers 87—35976
Worthington, H.M. A synthetic ester as a substitute for PCB insulated transformers 88—43245
Worthington, H.M., Kallinicos, A., Pickering, G.N. Non-toxic fluid replacement of PCB in transformers 88—69473
Worthington, K. Breaking the mold—engineering students communicating with themselves and others 88—24445
Worthington, M.H. *see* Hatton, L. 88—24336
Worthington, P. Cable design for optical submarine systems 85—37023
Worthington, P., King, J. Root routes [networking] 88—73621
Worthington, P. *see* Russell, J.N. 88—47178
Worthington, R. *see* Pitt, N.J. 87—18718
Worthington, R. *see* Robertson, A.J. 88—67176
Worthington, S. *see* Roy, R. 88—7157, 88—7163
Worthy, D.P. Overview of current nuclear maintenance hardware 86—25835
Wortley, C.A. Evaluating performance of continuing engineering educators 87—23118
Wortley, C.A., Wuerger, W.W. Engineering professional development—a Wisconsin tradition 87—23098
Wortman, A. PC package streamlines FAX transmission 87—40310
Wortman, D. *see* Dohler, G. 88—25786, 88—38994
Wortman, D.E. *see* Guillory, D.M. 88—19612
Wortman, D.E. *see* Walsh, J.E. 88—19607
Wortman, J. *see* Maszara, W. 85—12159
Wortman, J.J. *see* Ang, S.T. 87—17954
Wortman, J.J. *see* Cho, K. 85—45518
Wortman, J.J. *see* Das, K. 88—18681
Wortman, J.J. *see* Fair, R.B. 85—1740
Wortman, J.J. *see* Humphreys, T.P. 87—73060
Wortman, J.J. *see* Lu, D. 88—44704
Wortman, J.J. *see* Maszara, W. 86—9003
Wortman, J.J. *see* Maszara, W.P. 87—6554
Wortman, J.J. *see* Myers, E. 88—64225
Wortman, J.J. *see* Narayan, J. 85—50383
Wortman, J.J. *see* Numan, M.Z. 87—6565
Wortman, J.J. *see* Ozguz, V.H. 85—18130, 88—44536, 88—64530
Wortman, J.J. *see* Ozturk, M.C. 87—74188, 88—32833, 88—39094, 88—50698
Wortman, J.J. *see* Wen, D.S. 86—21103
Wortman, M.A., Allen, D.L., Grigsby, L.L. Techniques for the steady state representation of unbalanced power systems. I. A systematic building block approach to network modeling 86—12374
Wortman, M.A., Blackwell, W.A. Introducing the personal computer into electrical engineering at Virginia Tech 87—65120
Wortman, M.A., Grigsby, L.L., Blackwell, W.A. State-space models in sophomore electric network theory 87—52269
Wortman, M.A., Noland Suddeth, B. Optimal sizing and replacement of small distribution transformers 86—61576
Wortman, M.A. *see* Allen, D.L. 86—12236
Wortman, M.A. *see* Askey, C.M. 86—32645
Wortman, M.A. *see* Blackwell, W.A. 88—18387
Wortman, M.A. *see* Grigsby, L.L. 85—15527
Wortman, M.A. *see* Henry, R.S. 87—72225
Wortman, M.A. *see* Holeman, J.S., III 86—39915
Wortman, M.A. *see* Settlage, M.J. 86—39087
Wortman, M.A. *see* Wells, M.R. 86—32647
Wortmann, A. The computer analysis of the nystagmogram—development and clinical trial 85—48277
Wortmann, H. Norms for telecommunications. I 87—13243
Wortmann, H. Standards for telecommunications 87—33885
Wortmann, J.J. *see* Lu, D. 87—17870
Wortzman, D. Multiplexing data gates and I/O orthogonally [memory array chips] 85—22892
Worz, H.-W. *see* Reindl, L. 88—51118
Worz, H.W. *see* Grassl, H.P. 87—18456, 88—7782
Woschnagg, E. Some aspects of quality assurance in the manufacture of electrical machines and transformers 88—17498
Woschnagg, E. *see* Horvath, E. 86—33282
Woschni, E.-G. Some problems of modelling of digital measuring systems 86—31111
Woschni, E.-G. Braking the sampling theorem and its consequences 86—64236
Woschni, E.-G. Problems of real-time intelligent measurements 87—3402
Woschni, E.-G. The influence of signal processing after A/D conversion to the sampling frequency required 87—27418
Woschni, E.-G. Minimizing aliasing errors of sensors with digital output 87—29065
Woschni, E.-G., Wolotschij, B.J. Adaptive algorithms for multichannel fitting of information channels 85—36292
Woschni, E.G. Estimation of errors caused by sampling 85—37401
Woschni, E.G. The dependence of a required scanning frequency upon subsequent signal processing 87—39799
Woschni, E.G. *see* Herold, H. 86—16324
Woschni, H.G., Christoph, R., Kramer, H. Extension of the resolution limits of length measuring systems with CCD arrays 87—35185
Wosiek, B. *see* Burnett, T.H. 87—8956
Wosinski, T., Warminski, T., Zaremba, S. Electron-beam-induced current measurements on cadmium telluride Schottky diodes 86—2105
Wosk, J., Voloshin, A. Fracture fixation by using vibration absorber 86—18361
Woskoboinikow, P., Machuzak, J.S., Mulligan, W.J. A high-power 140 GHz ammonia laser 85—29753
Woskoboinikow, P. *see* Byerly, J.L. 85—55376
Woskoboinikow, P. *see* Kreischer, K.E. 85—55365
Woskoboinikow, P. *see* Saito, H. 86—21022
Woskoboinikow, P. *see* Temkin, R.J. 86—36416
Woskoboinikow, P.P., Mulligan, W.J. Nondestructive gyrotron cold-cavity *Q* measurements 87—37816
Woskov, P. *see* Cohn, D.R. 88—19348
Woskov, P.P. *see* Cohn, D.R. 88—33562
Wosnitza, M.A. Simulation accelerator in the limelight: time saving in logic simulation 87—25389
Wosnitza, M.A. Simulators. Quality assurance with ASIC 88—33283
Wosthoff, E. Ring-main wiring using light [for cars] 86—52010
Wostrack, R. *see* Budig, P.-K. 86—6761
Woszczyna, I. *see* Janiczek, R. 85—15063
Woszczyk, W.R. A microphone technique applying the principle of second-order-gradient unidirectionality 85—3796
Woszczyna, I. *see* Janiczek, R. 86—31126
Wotherspoon, J.T. *see* Dennis, P.N.J. 87—3499
Wotherspoon, J.T.M., Dean, R.J., Johns, M.D., Ashley, T., Elliott, C.T., White, A.M. Developments in SPRITE infra-red detectors 85—47974
Wotherspoon, J.T.M. *see* Blackman, M.V. 87—74176
Wotherspoon, J.T.M. *see* Dean, A.B. 88—74408
Wotherspoon, J.T.M. *see* Johns, M.D. 87—56710
Wotherspooon, J.T.M. *see* Baker, I.M. 87—21091
Wotruba, G. Integrated circuit design for easy automatic testing 85—22219
Wotruba, G. Customer-specific IC—a technique with many pitfalls? 85—55882
Wottawa, H., Seidel, V. Laser beam structuring of printed conductors in thick film technology 85—34380
Wotton, S.A. *see* Ansorge, R.E. 88—29842
Wottreng, A.H. *see* Barsness, A.R. 85—17402
Wouda, C.J. *see* Tol, S.J.M. 87—34009
Wouda, J.W. *see* Ponsioen, Y. 86—56925
Wouda, K.J. An implementation of a 144 kbit/s transmission system for two-wire loops 86—43618
Wouda, K.J., Tol, S.J.M., Reijntjens, W.J.M. An ISDN transmission system with adaptive echo cancelling and decision feedback equalization—a two chip realization 85—13771
Wouda, K.J. *see* Schneider, R. 86—30211
Wouda, K.J. *see* Tol, S.J.M. 86—43443
Woudsma, R., Chong, D. The design of a DSP datapath for professional digital audio systems 86—68007
Woudsma, R., Noteboom, J.M. The modular design of clock generator circuits in a CMOS building-block system 85—61355
Woudstra, J.B., Deleroi, W. Improved soft starter with thyristor chopper 88—69381
Woudstra, J.B., Deleroi, W. Reswitching of an induction motor with remainder flux 88—69382
Woudstra, J.B. *see* Deleroi, W. 88—23935 to 23936
Wouk, V. Hybrid-electric powertrain managed for minimum fuel consumption 85—16326
Wouk, V. An electric car with a range-extending hybrid feature 85—65533
Woulbrou, J.W. Hybrid module manufacturing techniques yield improved packaging alternatives 85—34396
Wouters, A. *see* Kim, D. 88—58456
Wouters, A. *see* Suckewer, S. 87—12350, 87—12371, 87—61090
Wouters, D., Avau, D., Mertens, P., Maes, H.E. Comparison of short time annealing of implanted silicon layers with tungsten-halogen lamp and mercury arc lamp sources 87—11633
Wouters, D., Maes, H.E. Light-induced, short-time annealing of silicon-implanted layers 86—9007
Wouters, D. *see* Deneffe, K. 87—70967
Wouters, J. *see* Van Walle, E. 87—70989, 88—74735
Wouters, J.M., Vieira, D.J., Wollnik, H., Butler, G.W. The time-of-flight isochronous (TOFI) spectrometer for direct mass measurements of exotic light nuclei 85—64513
Wouters, J.M., Vieira, D.J., Wollnik, H., Butler, G.W., Kraus, R.H., Jr., Vaziri, K. The time-of-flight isochronous (TOFI) spectrometer for direct mass measurements of exotic light nuclei 87—71047
Wouters, J.M., Vieira, D.J., Wollnik, H., Enge, H.A., Kowalski, S., Brown, K.L. Optical design of the TOFI (time-of-flight isochronous) spectrometer for mass measurements of exotic nuclei 86—5843
Wouters, J.M. *see* Kraus, R.H., Jr. 88—29924
Wouters, J.M. *see* Vaziri, K. 87—71046
Wouterse, J.H. Inductive position transducer with transverse excitation 87—49726
Wouw, T.van de *see* van de Wouw, T.
Wouw, T.van de *see* van de Wouw, T.
Wouw, T.v.d. Cascode-driven SMPS with high-voltage Darlington transistors 88—63488
Woychesin, R.C., Jr. High technology matches high growth [digital telecommunications services] 85—47082
Woychi, E.C. Toward a standard practice approach to integrated least-cost utility planning 88—42821
Woyna, F.V. *see* Munich, M.J. 85—32809
Woynarovich, G. *see* Berta, I. 88—34225
Woynarowski, Z. Can we afford the reliable (unreliable) low-voltage equipment? [reliability] 85—5861
Wozadlo, G.P. *see* Jacobs, A.J. 86—51354
Wozich, L., Jajszczyk, A. New method for connection of test bus to a line interface circuit 87—2953
Wozich, L., Jajszczyk, A. A distributed architecture line concentrator 87—28318
Wozich, L. *see* Jajszczyk, A. 87—76418
Wozney, G.P., Akiba, M., Touchton, G.L., Jaffee, R.I., Woodcock, S.J. Turbine research and development for improved coal-fired power plants 87—64417
Wozney, G.P., Touchton, G.L., Akiba, M., Jaffee, R.I., Woodcock, S.J. Turbine development for tomorrow's fossil fuel plants 87—9372
Wozniak, A. Amplification of the HF wobble signals in the wide frequency band 87—73343
Wozniak, A. *see* Karwowska-Lamparska, A. 88—41281
Wozniak, D.G. *see* Carpenter, J.M. 86—56015
Wozniak, F.J. *see* Sterzer, F. 87—8944
Wozniak, G.J. *see* McMahan, M.A. 87—29466
Wozniak, G.J. *see* Pantaleo, A. 88—61131
Wozniak, J. Estimation of the effectiveness of applying error-correcting codes in asynchronous multi-access systems without feedback 85—2742
Wozniak, J. Variations of the channel throughput for geometrically distributed packet lengths in a system with random access 85—57173
Wozniak, J. Performance of unslotted ALOHA with partial ACK of random length packets 86—64736
Wozniak, J. Performance analysis of single- and multihop slotted ALOHA line networks with or without capture 88—8923
Wozniak, J., Pawlikowski, K. Influence of message length on information throughput in random access channel 86—49041
Wozniak, J. *see* Fratta, L. 88—46858
Wozniak, L., Bitz, D.J. Load-level-sensitive governor gains for speed control of hydrogenerators 88—48864
Wozniak, L., Filbert, T.L. Speed loop cancellation governor for hydrogenerators. I. Development 88—48865
Wozniak, L. *see* Filbert, T.L. 88—48866
Wozniak, L. *see* Jaeger, J. 87—64468
Wozniak, M. *see* DeHope, W. 85—50156
Wozniak, P. *see* Mielczarski, W. 88—37201
Wozniak, S.M. *see* MacKoul, L.J. 87—71870
Wozniakowski, H. *see* Jankowski, M. 86—19972
Wozniakowski, H. *see* Kowalski, M.A. 85—60906
Wozniakowski, H. *see* Wasilkowski, G.W. 86—62094
Woznick, C. CAD/CAM and custom orthopedic implant design 87—14935
Woznick, C. *see* Rhodes, M.L. 87—42009
Woznicki, J. Extrapolation-interpolation method in application to computer analysis of electron-optical mappings 86—36660
Woznicki, J. Opto-electronic image analysers applied to quantitative interpretations of holographic interferograms 88—16006
Woznicki, J. *see* Domanski, J. 86—58213
Woznicki, J.M. Evaluation of polychromatic MTF for image converters with real electrostatic lenses and photocathodes of real characteristics 88—10036
Woznicki, J.M., Jeszka, S., Kupisz-Andrzejewski, Z. The method for numerically determining the focusing properties of the electron-optical system in image converter 88—4492
Woznicki, J.M., Zietkiewicz, J.F. Computer modelling of image converter optical parameters 86—63007
Wozny, M. *see* Brodarac, D. 85—49763
Wrabetz, J. *see* Davis, M. 88—21513
Wrabetz, J.M. *see* Skinner, G. 88—59607
Wrak, S. *see* Gorecki, M. 86—39851
Wrang, R. *see* Gerard, G. 85—32835
Wrappe, T.K. *see* Clark, M.R. 86—43791
Wrasman, B. *see* Zwibel, H.S. 86—45304
Wrasman, B.P. *see* Whitaker, C.M. 86—45686

Wrathall, R. *see* Chang, M. 88−32081
Wrathall, R.S. Double ballasted epi base transistor cell 85−23740
Wrathall, R.S. A 5 V 10 A CMOS/PNP linear regulator 86−7998
Wrathall, R.S. The design of a high power solid state automotive switch in CMOS-VDMOS technology 86−13152
Wratil, P. Stored programmable controls: mode of operation, processing and coupling methods 86−49378
Wratil, P. *see* Schmidt, R. 85−47871
Wray, B. Bar codes yield productivity gains 86−155
Wray, B.R. Bar code identification in automated testing 86−8637
Wray, B.R. Bar code identification in automated testing 86−38294
Wray, C.L., Brightman, S.C. Chip set simplifies linking T1 or ISDN lines to PBXs 87−76444
Wray, C.M. *see* Schultz, E.M. 85−57776
Wray, G.L., Sheppard, C.P. Navigation aspects of JTIDS 86−55387
Wray, G.L. *see* Doherty, P.A. 88−30104
Wray, M. *see* Schultz, E.M. 86−38249
Wray, R., Balaschak, J.J. Evaluation and assessment of steam piping in older fossil power plants 87−9389
Wray, R., Balaschak, J.J. Evaluation of aged steam piping makes for safer power plants 88−5528
Wray, T.E. *see* Strope, D.H. 85−29580
Wreathall, W.M. *see* Goss, A.J. 85−6667, 85−47848
Wrede, M. *see* Buttler, W. 86−34591
Wrede, M. *see* Hofmann, R. 85−9106
Wredenberg, L. *see* Bier, V.M. 86−51359
Wren, I. *see* Dearlove, M.J. 88−59500
Wren, T. *see* Burdess, J.S. 87−1819
Wrench, A.A., Cowan, C.F.N. Enhancement of low-bit rate speech coding in high noise 87−47636
Wrench, A.A., Cowan, C.F.N. A new approach to noise-robust LPC 87−61653
Wrench, D. British Telecom Technical College. I. Training Operations Section 88−73428
Wrenn, M.E. *see* Ingrao, G. 87−14775
Wrenner, K. *see* Nathan, M.I. 88−32774
Wrenner, W.R. The right tool for the job [PCB drilling] 86−41421
Wrezel, J.A. *see* Beuhler, A.J. 87−24553
Wrick, V.L. *see* Oakes, J.G. 86−27619
Wriedt, H. The use of NV-RAMs 85−775
Wriedt, S., Moller, K., Holmlid, L. Emitter tests in an open thermionic converter with vapor injection through the collector 87−30999
Wriedt, T. *see* Arndt, F. 85−11513, 85−45216
Wriedt, T. *see* Sipila, M.T.A. 86−22750
Wriedt, T. *see* Tucholke, U. 86−41294
Wriedt, T. *see* Wolff, K.-H. 87−47370
Wrigge, S. *see* Milovanovic, G.V. 86−52381
Wriggers, P. *see* Schweizerhof, K.H. 87−16537
Wright, A. Picture quality measurements from studio to satellite [TV] 85−58315
Wright, A., Blakemore, P. Testing demands on modem PCM lines 85−42093
Wright, A. *see* Christopoulos, C. 88−23480
Wright, A. *see* Cruse, D. 87−41004
Wright, A. *see* Culshaw, B. 87−56685, 88−16147
Wright, A. *see* Grider, D.E. 87−21509
Wright, A. *see* Quegan, S. 87−49178
Wright, A.C., Williams, J.O. Structural evaluation of hetero-epitaxial interfaces by high-resolution transmission electron microscopy 85−50248
Wright, A.C. *see* Sinclair, R.N. 86−5846
Wright, A.C. *see* Williams, J.O. 86−7786
Wright, A.E. Distributed control centres using centralised computing 86−70621
Wright, A.E., Nelson, G.J., Stewart, R.T., Slee, O.B., Murray, J.D., Cooke, D.J., Carrad, G.J. A novel noise-adding radiometer 87−63100
Wright, A.F., Fitch, A.N., Filhol, A. The use of Radial Oscillating Collimators to reduce parasitic scattering from sample environments for PSDs 85−15237
Wright, A.F., Dupuy, J. *(editor)* Glass... Current Issues. Proceedings of the NATO Advanced Study Institute 85−60670
Wright, A.G. *see* Singh, A.S. 87−41830
Wright, A.H. Finding all solutions to a system of polynomial equations 85−39662
Wright, A.J. Robotic end effectors: mechanisms for cassette load/unload and disk handling 85−49340
Wright, A.J. Robot system integration: clean room workcells 85−54131
Wright, A.J. *see* Graystone, T. 88−35616
Wright, A.K. Method of fabricating a unitized shunt assembly [for electron gun] 86−14805
Wright, A.S., Judah, S.K. Very broadband flat coupling hybrid ring 87−24412
Wright, A.S. *see* Judah, S.K. 88−74309
Wright, B.D. *see* Coleman, H.P. 87−7636
Wright, B.D. *see* Rao, J.B.L. 88−2845
Wright, C. *see* Freedman, D.R. 86−48904
Wright, C.C. *see* Al-Shemmeri, T.T. 85−52739
Wright, C.D. Automotive applications of electronics 87−43614
Wright, C.D., Grundy, P.J., Lacey, E.T.M. Stability phenomena in amorphous rare earth-transition metal films 87−46303
Wright, C.D., Lacey, E.T.M., Grundy, P.J. Optimisation of the magnetic properties of CoCr films for perpendicular recording applications 86−15348
Wright, C.D., Loze, M.K., Hudson, V.N., Edwards, J. Spectral determination of transition length in digital magnetic recording 86−36044
Wright, C.D., Middleton, B.K. The perpendicular magnetic record and replay processes 85−29448
Wright, C.D., Middleton, B.K. Factors influencing perpendicular orientation of gamma iron oxide media 86−15377
Wright, C.D., Middleton, B.K. Analytical modelling of perpendicular recording 86−28664
Wright, C.D. *see* Grundy, P.J. 88−58265
Wright, C.E. *see* Nicol, M.R. 85−9280
Wright, C.G. *see* Carlsson, G.E. 85−57630
Wright, C.R. Taming the west with AC power 87−58504
Wright, C.R. Taming the West with AC power 88−37794
Wright, C.S. *see* Cohoon, R.L. 86−15540, 86−48234
Wright, C.S. *see* Mes, H. 85−9054
Wright, D. *see* Ghais, A. 87−56042
Wright, D.A., Milstein, L.B. Energy retentive rapid acquisition technique for direct sequence spread spectrum 86−55160
Wright, D.A. *see* Ferreira, H.C. 88−34584
Wright, D.D. Power and propulsion systems for mobile robotic applications 87−51514
Wright, D.D. Design of an electrical flywheel for surge power applications in mobile robots 88−55638
Wright, D.D. *see* Walters, W.L. 87−51584
Wright, D.E. *see* Sonner, R.H. 86−17971
Wright, D.G. Holographic real image measurement using a computer controlled, closed circuit television system 87−47009
Wright, D.G. 'What's beyond the leading edge of PC board routing' 88−12750
Wright, D.G. *see* Tozer, B.A. 86−3347, 86−3385, 86−61273
Wright, D.L. *see* Bradley, J.A. 87−71276
Wright, D.R. *see* Gee, M.A. 87−4304
Wright, D.R. *see* Hadimioglu, B. 87−64001
Wright, D.S. Freight: fleet aspects of route guidance 85−36780
Wright, D.T. LF radio-data: specification of BBC phase-modulated transmissions on long-wave 85−47096
Wright, D.T. Television scrambling and encryption−a system outline 86−37999
Wright, D.T. Digital techniques in broadcasting 86−59975
Wright, D.T., Edwardson, S.M. Broadcast radio-data 87−13819
Wright, D.T., Edwardson, S.M. Review of broadcast Radio-Data Systems 87−13834
Wright, D.T., Edwardson, S.M. Key management in broadcast conditional access systems 87−13859
Wright, D.T. *see* Bradshaw, D.J. 87−13348
Wright, E.A. Thermal shock testing of ceramic thick film substrates 85−34390
Wright, E.A. Conformal coating of space flight hybrids 88−57211
Wright, E.M., Firth, W.J., Galbraith, I. Beam propagation in a medium with a diffusive Kerr-type nonlinearity 85−29910
Wright, E.M., Koch, S.W., Ehrlich, J.E., Seaton, C.T., Stegeman, G.I. Semiconductor figure of merit for nonlinear directional couplers 88−65289
Wright, E.M., Meystre, P. Nonlinear theory of near degenerate four-wave mixing in a Kerr medium in the Raman-Nath approximation 85−41468
Wright, E.M., Meystre, P., Firth, W.J. Nonlinear theory of self-oscillations in a phase-conjugate resonator 85−12954
Wright, E.M., Meystre, P., Firth, W.J., Kaplan, A.E. Theory of the nonlinear Sagnac effect in a fiber-optic gyroscope 86−9524
Wright, E.M., O'Brien, D.P., Firth, W.J. Reciprocity and orthogonality relations for ring resonators 85−18974
Wright, E.M., Seaton, C.T., Stegeman, G.I., Moloney, J.V. Soliton generation and transfer in nonlinear waveguides 88−66155
Wright, E.M., Stegeman, G.I., Seaton, C.T., Moloney, J.V. Gaussian beam excitation of TE_0 nonlinear guided waves 87−1936
Wright, E.M. *see* Assanto, G. 88−65342
Wright, E.M. *see* Filipowicz, P. 87−33282, 87−33326
Wright, E.M. *see* Finlayson, N. 87−53956, 88−45201
Wright, E.M. *see* Firth, W.J. 85−46478, 85−51254, 87−33325
Wright, E.M. *see* Fortenberry, R.M. 87−7073
Wright, E.M. *see* Gubbels, M. 87−38776
Wright, E.M. *see* Gubbels, M.A. 88−13918
Wright, E.M. *see* Heatley, D.R. 88−51508, 88−65292
Wright, E.M. *see* Ironside, C.N. 88−58323
Wright, E.M. *see* Marquis, F. 86−29232
Wright, E.M. *see* Meystre, P. 88−45333
Wright, E.M. *see* Reiner, G. 85−51253, 86−29231
Wright, E.M. *see* Sang-Yung Shin 88−72093
Wright, E.M. *see* Stegeman, G.I. 86−68619, 88−58228, 88−72146
Wright, E.M. *see* Thylen, L. 87−18674, 88−33733
Wright, E.M. *see* Trillo, S. 88−72041
Wright, E.M. *see* Wabnitz, S. 87−7435, 88−65877
Wright, F. Current monitor 86−736
Wright, F.H. Magnetic material test by wave form sampling [machine winding materials] 85−27385
Wright, F.H. Magnetic material test by waveform sampling 85−52638
Wright, F.H., Zick, K.E. Dynamic motor tests from synchronously sampled wave forms 86−45428
Wright, F.H., Zick, K.E. Dynamic motor tests from synchronously sampled waveforms 86−70898
Wright, F.J., Dangelmayr, G. Explicit iterative algorithms to reduce a univariate catastrophe to normal form 86−7666
Wright, F.J. *see* Dangelmayr, G. 85−57014, 87−49136
Wright, F.J. *see* Guttinger, W. 85−51409
Wright, F.L., Gdowski, S. An artificial intelligence schema to perform automatic sanitization of data 88−21680
Wright, G. VLSI displays 86−27364
Wright, G., Crowley, J.M. Animation of traveling electrostatic waves on personal computers 87−47086
Wright, G.A. Technical sales through contract representatives 88−31395
Wright, G.A., Jernigan, M.E. Texture discriminants from spatial frequency channels 87−33817
Wright, G.A. *see* Muench, F.J., Jr. 85−27136
Wright, G.D. *see* Ethington, D.A. 85−47580
Wright, G.G.L. *see* Lippiatt, A.G. 86−13333
Wright, G.L. *see* Atkinson, C.J. 85−44734
Wright, G.R. *see* Harrison, J.A. 86−48853
Wright, G.R.L. *see* Wright, W. 87−4592
Wright, G.T. Threshold modelling of MOSFETs for CAD of CMOS-VLSI 85−34963
Wright, G.T. A simple and continuous MOSFET model 85−55839
Wright, G.T. Simple and continuous MOSFET models for the computer-aided design of VLSI 85−55955
Wright, G.T. Physical and CAD models for the implanted-channel VLSI MOSFET 87−45950
Wright, G.T., Frangos, P.P. Simple analytical one-dimensional model for saturation operation of the high-voltage bipolar power transistor 85−12257
Wright, G.T., Gaffur, H.M.A. Preprocessor modeling of parameter and geometry dependences of short and narrow MOSFETs for VLSI circuit simulation, optimization, and statistics with SPICE 85−55837
Wright, H. How to salvage surplus components 86−1477
Wright, H., Osmachkin, V.S. IAEA activities aimed at improving the feedback of experience in operational safety of nuclear power plants 85−21408
Wright, H.A. *see* Bolch, W.E. 88−5023
Wright, H.A. *see* Turner, J.E. 86−18251, 88−68256
Wright, H.O. *see* Logan, H.L. 85−13892
Wright, I. The training needs of industrial managers in relation to CAE and AMT 88−37886
Wright, I.P. *see* Franchi, I.A. 86−50736
Wright, I.S. *see* Whitlaw, K.J. 85−50071
Wright, J. Making the decision−fire protection and risk identification in power stations 86−61323
Wright, J. E-Mail and voice-mail systems: conspirators or competitors? 87−2799
Wright, J. CADCAM power in low-cost tools [desktop electronics packages] 88−18850
Wright, J. Fax options for the future 88−28309
Wright, J. Putting the damper on torsional vibration [machine breakdown] 88−69291
Wright, J., Edmondson, C. Metal migration considerations in signal lines 87−60367
Wright, J., Funge, S. Random sampling speeds up digital scopes 85−43032
Wright, J. *see* Jaanimagi, P.A. 88−47579
Wright, J. *see* Monticelli, D. 86−67041
Wright, J. *see* Sang, E. 87−60772
Wright, J. *see* Tegen, A. 85−58732
Wright, J. *see* Wade, C.A. 87−26044
Wright, J.B. A training program evaluation that works [nuclear reactors] 87−64272
Wright, J.C. Quality assurance in Hong Kong. I 85−22267
Wright, J.C. LED display for avionics. The Refinement of one fabrication technique 85−31533
Wright, J.C. You can find treasure hidden in the trash [signal averaging] 87−63343
Wright, J.C., Baines, J.T. Conservation as supply 87−42565

Wright, J.J. *see* Murphy, R.J. 85—10521
Wright, J.K. The influence of the Sizewell B decision on nuclear power safety in the UK 88—5495
Wright, J.K. Lasers for materials processing—past, present and future 88—8388
Wright, J.M. *see* Bean, R.C. 86—66828
Wright, J.N. Resolution issues in medical ultrasound 87—3961
Wright, J.P. *see* Freemyer, D.G. 88—54950
Wright, J.R. *see* Boggs, P.S. 85—25594
Wright, J.R. *see* Zeldin, P.E. 87—34244
Wright, J.S. *see* Roach, J.W. 86—59373, 87—2624
Wright, J.V. Variational analysis of fused tapered couplers 86—9472
Wright, J.V. Wavelength dependence of fused couplers 86—36148
Wright, J.V. The design of optical components using beam propagation techniques 87—46535
Wright, J.V., Mallinson, S.R., Millar, C.A. High refractive index interlay switches 88—72071
Wright, J.V. *see* Cooper, D.M. 86—9550
Wright, J.V. *see* Hunter, A.T. 87—54081
Wright, J.V. *see* Mortimore, D.B. 86—36147
Wright, J.W. Material selection for good EMI/RFI gasket design 85—19163
Wright, J.W. Radar glint—a survey 85—63729
Wright, J.W., Kressman, R.I., Virdi, T.S., Collis, P.N. Comparisons of EISCAT and dynasonde ionospheric measurements: simple to moderately structured plasma densities 88—54735
Wright, K. *see* Ahmed, A.H. 85—44647, 87—31452
Wright, K. *see* Knutson, D. 87—67770
Wright, K.A. *see* Cooke, C.M. 86—68032, 88—49922, 88—51082
Wright, K.A. *see* Hikita, M. 88—29571
Wright, K.A. *see* Zahn, M. 87—18388, 87—43171, 87—53758
Wright, K.H., Jr. *see* Katz, I. 86—38867
Wright, L. *see* Fox, J.D. 86—55925, 87—56956
Wright, L. *see* Frawley, A.D. 86—55936
Wright, L. *see* Keane, B.E. 86—22544
Wright, L.D., Wetter, C.R. Mayr's model of the arc applied to 50- and 60-Hz interruption in low-voltage devices 86—33546
Wright, L.J. *see* Meuter, R.F. 87—23121
Wright, L.J. *see* Urbanowicz, C.F. 86—60071
Wright, M. Chip-carrier connection methods improve with growing VLSI use 85—22248
Wright, M. Memory-management-chip schemes respond to super-μC requirements 85—28444
Wright, M. Alternatives to rigid boards and cables, flex circuits save space and reduce weight 85—34264
Wright, M. Special report: switchers. I. Technology 85—53748
Wright, M. Special report: switchers. II. A systems viewpoint 85—53749
Wright, M. Special report: switchers. III. Uninterruptible DC switchers 85—53750
Wright, M. Computer boards bundled with languages tailor dedicated commands to applications 86—1085
Wright, M. Cartridge tape drives 86—21976
Wright, M. Bus plug-in power supplies simplify card-rack mechanics 86—27043
Wright, M. Dynamic RAMs 86—34751
Wright, M. Process improvements and special features reduce high-end static-RAM access times 86—46788
Wright, M. Intelligent modem ICs integrate functions, simplify design of communications circuitry 86—69500
Wright, M. SCSI host-adapter boards meet the needs of Multibus and VME bus computer systems 87—10942
Wright, M. Recent developments in the production of thin-film magnetic media by electron beam evaporation 87—32873
Wright, M. CMOS dynamic-RAM-controller ICs support 256k-, 1M-, and 4M-bit devices 87—37267
Wright, M. Bridged SCSI controllers remain viable regardless of emerging embedded controllers 87—44984
Wright, M. Affordable image scanners and software simplify the design of imaging systems 87—49511
Wright, M. High-speed EPROMs 87—73441
Wright, M. Intelligent Ethernet boards 88—59629
Wright, M. *see* Benson, M. 85—22389
Wright, M. *see* Crofts, D. 88—8516
Wright, M. *see* Williams, E.W. 88—7789
Wright, M.A. Distortion and error in DS1 facilities 88—41216
Wright, M.A. *see* Rubayi, N. 87—31615
Wright, M.C.H. *see* Bieging, J.H. 85—25961
Wright, M.E. *see* Tappan, J.H. 88—14756
Wright, M.H., Williams, K.J. Some considerations in the design and manufacture of chip carrier hybrid microcircuits 85—28858
Wright, M.H. *see* Gill, P.E. 85—308, 85—5942, 85—28139, 88—63190
Wright, M.R. Universal battery charger 86—70981
Wright, O.B., Largeau, D. Fibre-optic differential pressure sensor 87—25977
Wright, P. Vision by telephone 86—31024
Wright, P. Planning electricity supply facilities for Central Queensland's rail electrification 86—33763
Wright, P., Godwin, M.P., Torres, J. Feasibility study for an in-orbit holographic test of the Olympus satellite broadcast payload TVB1 antenna 88—9508
Wright, P., Lickorish, A. Colour cues as location aids in lengthy texts on screen and paper 88—36404
Wright, P., Loh, W., Fu, C.-C., Dameron, D., Saraswat, K. Technology and modeling of submicron contacts 87—67162
Wright, P., Loh, W., Fu, C.-C., Dameron, D., Sarawat, K. Technology and modeling of submicron contacts 88—7525
Wright, P. *see* Cheng, J. 86—1856
Wright, P. *see* Poppert, P. 86—15265
Wright, P. *see* Subocz, M. 85—51915
Wright, P.D. Electrical derivative characteristics of InGaAsP buried heterostructure lasers with a rectifying contact 87—33186
Wright, P.D. *see* Ackley, D.E. 87—46897
Wright, P.D. *see* Cheng, J. 86—1855
Wright, P.D. *see* Dutta, N.K. 85—2286
Wright, P.D. *see* Hopla, R.E. 86—1912
Wright, P.G. Electrical earthing using reinforced concrete foundations 85—64988
Wright, P.G. *see* Murray, R.T. 86—5268, 86—52023, 87—68057
Wright, P.H. Flat square tubes 86—53305
Wright, P.J., Cockayne, B. MOCVD for the growth of wide band-gap II-VI compounds 88—13066
Wright, P.J., Cockayne, B., Jones, A.C., Orrell, E.D. The growth by MOCVD of low-doped p-type GaAs using a dimethylzinc adduct 88—70315
Wright, P.J., Cockayne, B., Williams, A.J. MOVPE growth of $Cd_xZn_{1-x}S$ 86—7776
Wright, P.J., Cockayne, B., Williams, A.J., Blackmore, G.W. Interdiffusion characteristics of constituent atoms during the MOCVD growth of wide band gap II-VI multilayer structures 87—23649
Wright, P.J., Loh, W.M., Saraswat, K.C. Low-resistance submicrometer contacts to silicon 88—64318
Wright, P.J., Wong, M., Saraswat, K.C. The effect of fluorine on gate dielectric properties 88—39165
Wright, P.J. *see* Astles, M. 86—40745
Wright, P.J. *see* Cockayne, B. 85—10699, 85—10720, 86—7775, 88—70314
Wright, P.J. *see* Fowler, M.T. 86—48290
Wright, P.J. *see* Jones, A.C. 88—11975, 88—56220
Wright, P.J. *see* Jones, A.P.C. 86—58847, 87—31516, 87—44313, 88—2132
Wright, P.J. *see* Kirton, J. 86—31527
Wright, P.J. *see* Loh, W.M. 87—1282
Wright, P.J. *see* Moslehi, M.M. 88—33213
Wright, P.J. *see* Schreyer, T.A. 88—39566
Wright, P.J. *see* Warwick, C.A. 86—58390
Wright, P.J. *see* Wight, D.R. 88—26880
Wright, P.J. *see* Williams, J.O. 86—7786
Wright, P.L. *see* Teichtahl, H. 86—38762
Wright, P.M., Ward, S.H., Ross, H.P., West, R.C. State-of-the-art geophysical exploration for geothermal resources 86—32509
Wright, P.O. Planning of electricity supply to AC electrified railways from a weak network in Central Queensland 87—5029
Wright, P.R.S. *see* Anguilar-Benitez, M. 87—71031
Wright, P.S. An investigation into the noise level of some DC voltage references 86—31561
Wright, P.S., Wong, H.S. An overview of sensors in spacecraft engineering 88—36616
Wright, P.S. *see* Hodgart, M.S. 88—9480
Wright, P.V. Modeling and experimental measurements of the reflection properties of SAW metallic gratings 86—2527
Wright, P.V. The natural single-phase unidirectional transducer: a new low-loss SAW transducer 87—1841
Wright, P.V. *see* Oates, D.E. 85—56060, 86—2534
Wright, P.W. *see* Wong, C.Y. 88—59777
Wright, R. The techniques of modern data communications systems 85—30537
Wright, R. The integration of voice and data—PABX or data multiplexer? 85—57592
Wright, R. Making most of the network [statistical multiplexers] 86—4400
Wright, R. Not all statistical multiplexers are created equal 86—23591
Wright, R. Trellis-coded modulation for high data rates 86—49356
Wright, R. The significance of V.32 87—69782
Wright, R. Network management—the open systems future 88—21676
Wright, R.A., Markovich, M.S., Ferreira, S.D., Yap, R.W. Hydro unit upgradient—3 recent projects 88—5587
Wright, R.A. *see* Fitch, R.A. 85—24764
Wright, R.C.H. *see* Lawrence, R.K. 85—3591
Wright, R.D. Amiga 1000 hardware timing and reaction-time key interfacing 87—29311
Wright, R.D., Crossley, P. A synthesis drafting system on a micro 86—48861
Wright, R.F. *see* Carelli, M.D. 87—42057
Wright, R.I. Some data on common cause failures in redundancy industrial computer systems 85—65088
Wright, R.I. The reliability assessment of electrical distribution networks using power flow logic equations 88—17125
Wright, R.I., Daniels, B.K. The safety and reliability of microprocessor based nuclear reactor safety systems 85—9681
Wright, R.I. *see* Martin, B.R. 88—18533
Wright, R.J., Noonan, V.S. US NRC experience with undervoltage trip attachments of reactor trip switchgear 86—65834
Wright, R.M. *see* Alexander, E.C. 85—32401
Wright, R.M. *see* Wright, S.M. 88—48117
Wright, R.T. *see* Brown, I.G. 87—14695, 87—77496, 88—47942
Wright, S. New relays draw almost no power 85—11630
Wright, S., Epworth, R.E., Smith, D.F., King, J.P. Practical coherent OTDR at 1.3 μm 86—5555
Wright, S., Wallbank, E., Salt, S.K. Fault location in long wavelength optical systems 85—58148
Wright, S. *see* Davis, A.W. 85—42625, 86—23850, 86—43862, 87—56164, 88—47139
Wright, S. *see* Epworth, R.E. 86—3177
Wright, S. *see* Goldberg, B.B. 86—53414
Wright, S. *see* Jolley, N.E. 86—48182
Wright, S. *see* King, J.P. 85—41187, 87—54003
Wright, S. *see* Pettitt, M.J. 87—40975, 87—49073, 87—76757, 88—47138
Wright, S. *see* Smith, D.F. 85—43116, 86—30844
Wright, S. *see* Tiwari, S. 88—33168
Wright, S.A. Semiconductor devices for low standby current in automotive electronics 88—49265
Wright, S.A., Walsh, A.L., Bruce, D., Gilbert, M., Young, J., Wiren, G., Cordani, M. A modular design for providing ISDN switching hardware in the GTD-5 EAX 88—53105
Wright, S.C. *see* Wilson, S.L. 88—29827
Wright, S.J., Guarini, M.W., Palusinski, O.A., Baker, G.R. Transient analysis of dynamic systems using spectral techniques 87—16534
Wright, S.J., Holt, J.N. Algorithms for nonlinear least squares with linear inequality constraints 86—7679
Wright, S.J. *see* Ashwel, G.W.B. 85—62008
Wright, S.J. *see* Ashwell, G.W.B. 85—40647, 86—26929
Wright, S.J. *see* Baker, G.R. 86—58572
Wright, S.J. *see* McIntyre, N. 85—34881, 87—1797
Wright, S.L., Marks, R.F., Goldberg, A.E. Improved GaAs substrate temperature measurement during molecular-beam epitaxial growth 88—60936
Wright, S.L., Marks, R.F., Tiwari, S., Jackson, T.N., Baratte, H. In situ contacts to GaAs based on InAs 87—24822
Wright, S.L., Marks, R.F., Wang, W.I. Reproducible temperature measurement of GaAs substrates during molecular beam epitaxial growth 86—52462
Wright, S.L., Marshall, E., Marks, R.F., Jackson, T.N., Tiwari, S., Baratte, H. 'In situ' contacts to GaAs based on InAs 87—74069
Wright, S.L. *see* Baratte, H. 87—46006, 88—1685, 88—39536
Wright, S.L. *see* Batey, J. 85—29002, 85—45422, 86—21195
Wright, S.L. *see* Brillson, L.J. 87—1294
Wright, S.L. *see* Frank, D.J. 87—25345
Wright, S.L. *see* Kiehl, R.A. 88—39469, 88—39494, 88—57677
Wright, S.L. *see* Kirchner, P.D. 88—71412
Wright, S.L. *see* Kirtley, J.R. 87—17762
Wright, S.L. *see* Lebens, J.A. 88—7330
Wright, S.L. *see* Masselink, W.T. 88—12969, 88—32890
Wright, S.L. *see* Nathan, M.I. 85—61920, 87—6746, 88—7340, 88—32774
Wright, S.L. *see* Solomon, P.M. 85—6944, 87—24818, 87—24865
Wright, S.L. *see* Theis, T.N. 86—53376, 87—25265
Wright, S.L. *see* Tiwari, S. 87—38208, 87—74259, 88—71345
Wright, S.L. *see* Zeller, R.T. 86—28061
Wright, S.M., Wright, R.M. A multi-plane scout sequence using FLASH imaging 88—48117
Wright, S.R., Whisnant, R.A. Impact of some key plasma reactor performance parameters on the required price of single and tandem-junction a-Si modules 88—37564
Wright, S.R. *see* Whisnant, R.A. 87—16011
Wright, S.W. *see* Lee, M.J. 86—31541
Wright, T. *see* Kaanta, C. 88—39263, 88—71454
Wright, T.C. Speech coding standards for public telecommunications applications 85—57329
Wright, T.C. The 64 kbit/s 'wideband' audio coding standard 87—55009
Wright, T.C. *see* Harrison, K.R. 87—40508

Wright, T.M.B. Vulnerability of digital satellite business data links to optimised jamming 86−64896
Wright, T.M.B. The Doppler compass: satellites as source of course-keeping data 87−41147
Wright, T.P., McDaniel, D.H., Stinnett, R.W., Hsing, W.W., Spielman, R.B., Hedemann, M.A., Spence, P.W., Nielsen, K.E., Kishi, J., Sears, R.G. Modification of the PROTO-II accelerator power flow for multi-purpose use 87−22617
Wright, T.P. *see* Lee, J.R. 85−19093
Wright, T.P. *see* Proulx, G.A. 87−22620
Wright, T.P. *see* Sanford, T.W.L. 87−21353, 88−32714, 88−42377
Wright, V. *see* Howe, A. 85−43327
Wright, V.E. Automated design [RGRAPH, PCB CAO package] 87−59968
Wright, V.G., Evans, N.L., Jr. Instrument-induced spatial crosstalk deconvolution algorithm 87−42218
Wright, V.G. *see* Bothwell, M. 88−74482
Wright, V.P. *see* Spangler, G.L. 85−21100
Wright, W. Conductive thermoplastics excel in ESD and EMI protection 87−23758
Wright, W., Falconer, I.S. A transversely pumped prismatic dye cell for high power dye lasers 88−58488
Wright, W., Hitchock, R. Triggering the two-electrode spark gap 85−27121
Wright, W., Rohwein, G. Command charger for low-jitter trigger generator 87−43275
Wright, W., Wright, G.R.L. Two-shift operation of 500 MW boiler/turbine generating units 87−4592
Wright, W., Jr. Spark gap insulator wall survivability 85−4697
Wright, W.A. *see* White, H.J. 88−33803, 88−65443
Wright, W.E. *see* Ambrus, J.H. 85−48434
Wright, W.F., Maack, D.R., Fee, J.A. Detector selection for production testing of optical fiber loss: a practical approach 87−68151
Wright, W.M. Computer based barcoded visual inspection program for ASME Section XI class 1, 2, and 3 supports 87−30235
Wright, W.R. RGB monitor for BBC Microcomputer 85−37220
Wrighton, M.S. *see* Belanger, D. 87−53434
Wrighton, M.S. *see* Kittlesen, G.P. 86−47221
Wrightson, J. Psychoacoustic considerations in the design of studio control rooms 87−20764
Wrightson, J., Berger, R. Influence of rear-wall reflection patterns in live-end-dead-end-type recording studio control rooms 87−20765
Wrightson, K. Yamaha RX11 & RX15 programmable rhythm machines 85−8631
Wrigley, A. *see* Boucouvalas, A.C. 86−48195
Wrigley, B. Chopper controlled electrical multiple units for Seoul subway 86−19575
Wrigley, M. Optical systems for gas turbine engines 87−77438
Wrigley, R., Acevedo, W., Alexander, D., Buis, J., Card, D. The effect of spatial, spectral, and radiometric factors on classification accuracy using Thematic Mapper data 85−64717
Wrigley, R.C., Hlavka, C.A., Buis, J.S. Measurement of Thematic Mapper data quality 86−18550
Wrigley, R.C. *see* Schowengerdt, R. 86−25403
Wrinn, J. Detecting timing faults on VLSI printed-circuit boards 86−35230
Wrinn, J. *see* Hoffman, M. 85−34311
Wrinn, J.F. *see* Hoffman, M.S. 85−40036
Writz, P. *see* Buchwald, K. 87−57736
Wrixon, G.T. Development of a mini computer for the control of a photovoltaic power station 86−51532
Wrixon, G.T., McCarthy, S. Field experience of a 50 kWp photovoltaic array at Fota Island 86−45276
Wrixon, G.T. *see* Lidholm, S.U. 88−1002
Wrixon, G.T. *see* Lidhom, S. 87−17612
Wrixon, G.T. *see* McCarthy, S. 86−39644, 87−51681, 87−58502, 88−18271
Wrobel, A.M. *see* Lamontagne, B. 87−60331
Wrobel, B., Monga, O. Segmentation of natural images: co-operation between a contour detector and a region detector 88−21355
Wrobel, B. *see* Monga, O. 88−14811
Wrobel, B.P. Digital image matching by facets using object space models 88−28065
Wrobel, J.J. *see* Blank, G.L. 86−19298
Wrobel, J.M., Reddy, U.K., Bassett, L.C., Aubel, J.L., Sundaram, S. Effects of DC bias on electrolyte electroreflectance spectra 86−63136
Wrobel, P.S. *see* Brodsky, S.F.J. 87−50773
Wrobel, P.Z. *see* Pervez, A. 85−63723
Wrobel, T. Vibratory motors 85−32445
Wrobel, T. Commutator ripple of DC tachometer generator due to higher harmonics of the magnetic field 87−22402
Wrobel, T., Przezdziak, Z., Szczecinski, J., Ksiezopolski, R. Television SAW filter of FT-381 type. II. Production technology 88−51104
Wrobel, T. *see* Ryznar, J. 85−9939
Wrobel, T.F. On heavy ion induced hard-errors in dielectric structures 88−25994
Wrobel, T.F., Coppage, F.N., Hash, G.L., Smith, A.J. Current induced avalanche in epitaxial structures 86−35697
Wrobel, T.F. *see* Allen, D.J. 85−23789
Wrobel, T.F. *see* Browning, J.S. 88−25187
Wrobel, T.F. *see* Massengill, L.W. 86−34784
Wrobel, T.F. *see* Posey, L.D. 86−35890
Wrobel, T.F. *see* Smith, A.J. 85−57059
Wrobel, W.-G., Fink, U., Reindl, M., Unsold, E. Diffuse laser light reflection from the surfaces of surgical instruments 87−29807
Wrobel, Z. A converter of binary-decimal code into binary code 85−34122
Wrobel, Z., Gerasimow, I.W. An electronic circuit for approximating logarithmic functions 87−24317
Wrobel, Z. *see* Gerasimow, I.W. 87−37065
Wroblewska, S. The effect of induced voltage in turbogenerator shafts on the operation of ground-fault protection of excitation circuits 86−19218
Wroblewska, S. Automatic safe rendering of a reversible hydroelectric block 88−75499
Wroblewski, D.J., Jordan, D.W. Fiber optics/microprocessors improve flowmeter accuracy 88−15923
Wroblewski, G.W. *see* Russell, S.F. 87−40684
Wroblewski, J. A nonaveraging set of integers with a large sum of reciprocals 85−5914
Wroblewski, J., Kobosko, S. Application of negative and zero-sequence components of current and voltage to directional operation of protection 85−15670
Wroblewski, J. *see* Kobosko, S. 87−4757
Wroblewski, T., Ihringer, J., Maichle, J. High resolution powder diffraction at HASYLAB 88−42463
Wroblewski, T. *see* Dix, W.-R. 86−60692
Wroblewski, Z. Analysis of possibilities and usefulness of vacuum switch chopping current test standardization 85−27567
Wroblewski, Z. Switching overvoltages in circuits with motors controlled by vacuum contactors 87−58087
Wroblewski, Z., Klajn, A. Contact bounce of vacuum contactors during closure and in the event of external mechanical impacts 86−26211
Wroblewski, Z. *see* Froncek, F. 85−60349
Wroblewski, Z. *see* Froncek, F.R. 85−16149
Wroblewski, Z. *see* Markiewicz, H. 85−10063
Wroblowa, H.S. *see* Gealer, R.L. 88−60692
Wroe, H. *see* Davidson, P.L. 85−15207, 86−56070
Wroe, S., Roberts, G., Weston, R., Gibbs, J., Richens, A. Video EEG telemetry using an ambulatory EEG cassette recorder 88−4945
Wroge, D.M., Potter, M.E., Sun, R.C., Keramati, B. Application of 1.75 μm CMOS for custom logic VLSI 86−2416
Wroge, M.L., Leopold, D.J., Ballingall, J.M., Peterman, D.J., Morris, B.J., Broerman, J.G., Ponce, F.A., Anderson, G.B. HgTe-CdTe superlattices grown on lattice-mismatched GaAs substrates 87−23658
Wroge, M.L., Peterman, D.J., Morris, B.J., Leopold, D.J., Broerman, J.G., Feldman, B.J. Controlled *p*-type impurity doping of $Hg_{1-x}Cd_xTe$ during growth by molecular-beam epitaxy 88−64384
Wroge, M.L. *see* Ballingall, J.M. 86−52441, 87−5403
Wroge, M.L. *see* Leopold, D.J. 87−23619
Wroge, M.L. *see* Peterman, D.J. 88−43870
Wrona, A. *see* Nodzynski, A. 86−18896
Wronka, J.C. Tracking of reliability growth in early development 88−61765
Wronski, C.R. Reversible, light induced changes in a-Si:H films and solar cells 86−36313
Wronski, C.R. Reversible light-induced changes in a-Si:H and a-Si:H solar cells 87−78900
Wronski, C.R. Optoelectronic and photovoltaic properties of a-Ge:H/a-Si:H superlattices 88−37438
Wronski, C.R. Amorphous silicon and its applications 88−57327
Wronski, C.R., Hicks, M. Metal Schottky barriers on hydrogenated amorphous Ge/Si superlattices 87−37975
Wronski, C.R., Moustakas, T.D. Optoelectronic properties of boron compensated amorphous silicon solar cells 86−7052
Wronski, C.R., Persans, P.D., Abeles, B. Electrical transport in amorphous hydrogenated Ge/Si superlattices 87−1228
Wronski, C.R., Persans, P.D., Abeles, B., Tiedje, T., Hicks, M. Optoelectronic properties of a-Ge:H/a-Si:H superlattice structures 87−18830
Wronski, C.R., Tiedje, T., Abeles, B. Enhancement of photocarrier lifetime due to charge separation in a-Si:H/a-Ge:H superlattices 88−45282
Wronski, C.R., Tiedje, T., Persans, P., Abeles, B., Hicks, M. Charge transfer enhancement of photoconductivity in hydrogenated amorphous Ge/Si multilayer films 87−12290
Wronski, C.R. *see* Chu, V. 88−37478
Wronski, C.R. *see* Deckman, H.W. 86−7118
Wronski, C.R. *see* Gildenblat, G.Sh. 88−70338
Wronski, C.R. *see* Tiedje, T. 85−45477, 86−27988
Wronski, G. Plant operation, maintenance and refurbishment in coal-fired power stations 88−48765
Wronski, G. *see* Fowkes, A.R. 87−4584
Wronski, L. Faults detector for digital systems with 8 Mbit throughput 87−58700
Wronski, L., Zbierzchowski, B. Transcoders of binary fibre-optical code 5B-6B 87−70091
Wronski, L. *see* Luba, T. 86−946, 87−59326
Wronski, M. Optimal design of resistive subcircuits of hybrid-integrated circuits 87−17568
Wronski, W., Wislowski, J. A laboratory testing system for investigating radiation resistance of integrated circuits 87−52585
Wronski, Z. A special glow discharge source of positive ions 86−5733
Wronski, Z. Ion energy distributions in a special glow-discharge ion source 87−8818
Wroten, C.D. *see* Goodman, R. 86−38353
Wrubel, J.M., Cronin, J.C., Jr., Hearon, J. Closed loop control of phase angle regulators using a programmable controller [power systems] 85−59613
Wrubel, J.N., Hoffman, R. The new energy management system at PSE and G 88−10774
Wrubel, J.N., Hoffman, R. The new energy management system at PSE&G 88−68782
Wrubel, J.N., Smith, D.A. Implementation of a dispatcher training simulator 86−50918
Wrubel, J.N. *see* Schulte, R.P. 88−23334
Wruck, W.J., Machado, R.M., Chapman, T.W. Current interruption−instrumentation and applications 87−56572
Wrulich, A. Study of FODO structures for a synchrotron light source 88−54087
Wrulich, A. *see* Degele, D. 85−26601
Wrulich, A. *see* Mais, H. 86−31942, 87−63612
Wrzeciono, A. Magnetic properties of ribbons of rare earth-iron alloys 85−1828
Wrzeciono, A. *see* Jurczyk, M. 85−24185, 86−21968
Wrzesinsky, R. Digital modulation systems, frequency shift and series implementation of offset-systems 88−66268
Wtzler, J. Concerning the calibration of mechanical anemometers 87−8745
Wu, A., Watson, M.L., Sternick, E.S., Bielawa, R.J., Carr, K.L. Performance characteristics of a helical microwave interstitial antenna for local hyperthermia 87−57215
Wu, A. *see* Savic, M. 87−21009
Wu, A.F. *see* Kiersztyn, S.E. 86−7257
Wu, A.L. The manufacturability of a dual layer metal MOS process for VLSI circuits 86−28525
Wu, A.T., Chan, T.Y., Ko, P.K., Hu, C. A source-side injection erasable programmable read-only-memory (SI-EPROM) device 87−5880
Wu, A.T., Chan, T.Y., Ko, P.K., Hu, C. A novel high-speed, 5-volt programming EPROM structure with source-side injection 87−44851
Wu, A.T. *see* Chan, T.Y. 86−41790, 87−53521, 87−60456
Wu, A.T. *see* Chung, J. 88−39712
Wu, A.T. *see* Dennison, C.H. 86−47607
Wu, A.T. *see* Fong, Y. 88−44656, 88−44685
Wu, A.T. *see* Jeng, M. 88−39484
Wu, A.T. *see* Ko, P.K. 87−46005
Wu, A.Y. The analysis of current transformer transient response and its effect on current relay performance 85−53736
Wu, A.Y., Driga, M.D., Woodson, H.H., Zowarka, R.C., Jr. Simulation and predicted performance of the Balcones GEDI experiment 87−26724
Wu, A.Y. *see* Driga, M.D. 87−19167
Wu, A.Y. *see* Werman, M. 87−47944
Wu, B. The study of SF_6 gas-solid dielectric circuit breaker capacitors 86−71027
Wu, B., Dewan, S.B., Sen, P.C. A modified current source inverter (MCSI) for a multiple induction motor drive system 88−30798
Wu, B. *see* Zhu, L. 88−71080
Wu, B.G. *see* Doane, J.W. 86−36261
Wu, B.J. *see* Kao, Y.C. 88−38219
Wu, B.J. *see* Mii, Y.J. 88−49810
Wu, B.S., Chang, C.Y., Fang, Y.K., Lee, R.H. Amorphous silicon thin film phototransistor 85−46275
Wu, B.S., Chen, M.K., Lindholm, F.A., Jung, T.W. Carrier-propagation-delay (CPD) models for bipolar circuit simulation 87−60631
Wu, B.S., Chun-Yen Chang, Yean-Yuen Fang, Lee, R.H. Amorphous silicon phototransistor on a glass substrate 86−22240
Wu, B.S. *see* Chang, C.Y. 85−12049, 85−35631, 85−40635, 85−49098, 85−56430, 86−47553, 87−11752
Wu, B.S. *see* Chen, M.-K. 88−64523
Wu, B.S. *see* Lindholm, F.A. 88−13343
Wu, C. A performance bound for real OTEC heat engines 87−78562
Wu, C., Cappello, P.R., Saboff, M. An FIR filter tissue 87−5979
Wu, C., Li, V.O.K. Receiver-initiated busy-tone multiple access in packet radio networks 88−59964
Wu, C., Sun, N.H., Chen, H.K. Study on law of distribution of TV signal intensities in shadow region of building structures 87−54544

Wu, C., Tan, H. Enamel-type electroluminescent display 85−37685
Wu, C., Wu, T. Concurrent error correction in unidirectional linear arithmetic arrays 87−66148
Wu, C., Yip, G.L. Coupled-mode analysis of a bent birefringent fiber 87−60926
Wu, C. *see* Bao, X. 87−38974
Wu, C. *see* Chu, B. 87−71068
Wu, C. *see* Guo, L. 87−50295
Wu, C. *see* Guo, T.-H. 88−37950
Wu, C. *see* Hong, B. 85−17586
Wu, C. *see* Li, F. 85−25929
Wu, C. *see* Ma, J. 87−48175
Wu, C. *see* Tseng, H. 87−18034
Wu, C. *see* Yang, R. 87−54028
Wu, C. *see* Zimmerman, W.F. 88−46640
Wu, C.-C., Wu, Y.-Y. Computer generation of topological equations and pseudocircuits for the self testing analogue fault diagnosis algorithm 87−10578
Wu, C.-C. *see* Wei, C.-H. 88−66592
Wu, C.-F.E., Ni, L.M. Asynchronous arbiter design using CMOS DCVS logic 88−732
Wu, C.-F.E., Ni, L.M., Wojcik, A.S. Comparison of CMOS schematics using a logical circuit representation 88−25169
Wu, C.-F.E., Wojcik, A.S. Functional recognition of static CMOS circuits 88−26528
Wu, C.-J., Hsu, Y.-Y. Self-tuning excitation control for synchronous machine 87−4685
Wu, C.-J. *see* Hsu, Y.-Y. 88−24279
Wu, C.-S., Li, V.O.K. Random access for a multibeam satellite with dynamic transponder switching 88−52660
Wu, C.-W., Cappello, P.R. Computer-aided design of VLSI second-order sections 87−59104
Wu, C.-W., Cappello, P.R. Application-specific CAD of VLSI second-order sections 88−50263
Wu, C.-W. *see* Cappello, P.R. 88−6989
Wu, C.-Y., Chen, C.-F. Superior characteristics of thermal oxide layers grown on amorphous silicon films 87−53398
Wu, C.-Y., Chen, C.-F. Transport properties of thermal oxide films grown on polycrystalline silicon−modeling and experiments 87−60324
Wu, C.-Y., Jang, W.-Y., Wu, H.-J. General experimental method of parameter extraction for CMOS timing macromodels 88−39683
Wu, C.-Y., Li, C., Hwang, J.S. Timing macromodels for CMOS static set/reset latches and their applications 88−44125
Wu, C.-y., McCarthy, W.F., Chang, Y., Rudko, M. On the limitations of ESD simulators 88−14343
Wu, C.-y., McCarthy, W.F., Chang, Y., Rudko, M. On the penetration of ESD current 88−14344
Wu, C.-Y., Sheng, H.-D., Tasi, Y.-T. The lambda bipolar phototransistor−analysis and applications 86−36337
Wu, C.-Y., Wang, J.-S., Tsai, M.-K. The analysis and design of CMOS multidrain logic and stacked multidrain logic 87−37169
Wu, C.-Y. *see* Chen, C.-F. 87−60323
Wu, C.-Y. *see* Chen, M.-J. 86−47817, 87−46197
Wu, C.-Y. *see* Huang, G.-S. 87−60461
Wu, C.-Y. *see* Lin, P.-S. 87−74306
Wu, C.-Y. *see* Tsai, H.-H. 86−35760, 86−35868, 87−38528, 88−39714
Wu, C.C. Test point selection methods for the self-testing based analogue fault diagnosis system 86−1188
Wu, C.C. Coupling table construction via sensitivity analysis for the self-testing analog fault diagnosis systems 86−66901
Wu, C.C. *see* McKinney, K.R. 87−17404
Wu, C.C.M., Lewis, D., McKinney, K.R. Strength, toughness and fracture initiation of fluoride glasses 85−18631
Wu, C.E., Wojcik, A.S., Ni, L.M. A rule-based circuit representation for automated CMOS design and verification 87−67584
Wu, C.H. *see* Chang, C.Y. 87−32396
Wu, C.H. *see* Chen, L.P. 87−31509
Wu, C.H. *see* Chuang, Y.C. 86−21954
Wu, C.H. *see* Kaliski, R.W. 85−35652
Wu, C.H. *see* Tsai, M.-J. 86−2991
Wu, C.H. *see* Willming, D.A. 88−33416
Wu, C.J., Schneider, M., Alavi, K., Kohn, E. Narrow recess HEMT technology 88−13426
Wu, C.J. *see* Kohn, E. 88−56963
Wu, C.J. *see* Levy, H.M. 88−39535
Wu, C.J. *see* Osuch, C.E. 87−11881
Wu, C.K., Wang, D.Q., Bajcsy, R.K. Acquiring 3-D spatial data of a real object 85−19501
Wu, C.K. *see* Petite, G. 85−56575
Wu, C.P. *see* Liu, S.G. 87−45590, 88−44551
Wu, C.S., Ghaemmaghami, A., Lau, S.S. Effect of the presence of Ge in Er compound on the barrier height formation of Er-Si contacts 86−1801
Wu, C.S., Scott, D.M., Chen, W.-X., Lau, S.S. The effects of ion beam etching on Si, Ge, GaAs, and InP Schottky barrier diodes 85−45641
Wu, C.S., Scott, D.M., Lau, S.S. The effect of an interfacial oxide layer on the Schottky barrier height of Er-Si contact 85−61759
Wu, C.S., Scott, D.M., Lau, S.S., Wakita, A., Sigmon, T.W., Knapp, J.A., Picraux, S.T. A comparison of thermal, line-source electron beam and CW laser annealing for the fabrication of ErSi$_2$ Schottky barrier on Si 85−34637
Wu, C.S. *see* Chiu, T.H. 88−56233
Wu, C.S. *see* Kuech, T.F. 85−34644
Wu, C.S. *see* Marshall, E.D. 85−34633, 85−61751, 86−1820, 86−28044
Wu, C.S. *see* Pearton, S.J. 87−74282
Wu, C.S. *see* Ren, F. 88−63606
Wu, C.S. *see* Welkowsky, M.S. 88−58254
Wu, C.S. *see* Wong, H.K. 86−2999
Wu, C.T., Dhadesugoor, V.R. Design and performance evaluation of a dual-channel based local area network (DC-LAN) system 87−27727
Wu, C.T., Shockley, P.R., Tasinga, I.K., Lalander, M. Thyristor valve design and type test program for the Intermountain Power Project HVDC converter stations 86−12912
Wu, C.T., Vaman, D.R. Performance analysis of a dual-channel local area network (DC-LAN) for integrated voice and data transmission 88−3592
Wu, C.T. *see* Ki, Y.K. 88−46341
Wu, C.T. *see* Vaman, D.R. 87−55773
Wu, C.T. *see* Zhou Ze-cun 85−27058
Wu, C.W., Chou, C., Lu, S.T. Surface profile measurement using optical grating 88−42287
Wu, C.W. *see* Mukherji, U. 88−67437
Wu, C.Y., Huang, R.S., Lin, M.S. C-V characteristics of Al/SiON/GaAs MIS systems 87−53294
Wu, C.Y., Lin, M.S. Influence of NH$_3$ plasma pretreatment on the properties of plasma enhanced chemical vapor deposited SiON on GaAs interface 87−306
Wu, C.Y. *see* Cheng, T.C. 85−23992
Wu, C.Y. *see* Li, M.S. 85−27119
Wu, C.Y. *see* Peng, Z. 86−32852
Wu, C.Y. *see* Rodriquez, A. 85−21200
Wu, C.Y. *see* Tsai, H.H. 86−21426, 86−21850
Wu, C.Y. *see* Tseng, H.H. 87−45873
Wu, C.Y. *see* Zhou Ze-cun 85−27058
Wu, D. *see* Chatterjee, I. 86−60836
Wu, D. *see* Fjeld, R.A. 88−27426
Wu, D.-Q. *see* Chu, B. 87−71068
Wu, D.I., Chang, D.C. A hybrid representation of the Green's function in an overmoded rectangular cavity 88−70968
Wu, D.I., Chang, D.C. Investigation of a ray-mode representation of the Green's function in a rectangular cavity 88−72480
Wu, D.L. Optimal detector sensitivity, number and location of alarm detectors against unknown instantaneous air pollutant sources 87−71400
Wu, D.M., Beh, C.C., Radke, C.E. Improve yield and quality through testability analysis of VLSI circuits 85−40843
Wu, D.M., Haarer, E.S., Monzel, J.M., Radke, C.E. Design for testability and yield at the transistor level 88−13536
Wu, D.M., Radke, C.E. The effect of random defects and tester accuracy on the quality and yield of VLSI circuits 85−18433
Wu, D.M., Radke, C.E., Roth, J.P. Statistical AC test coverage 87−23327
Wu, D.Y.S. *see* Cheng, H.K. 86−70657
Wu, E.N., van der Ziel, A. On the influence of substrate doping on the input conductance and the induced gate noise in MOSFETs 85−34990
Wu, E.S. *see* Fowkes, W.R. 86−24731
Wu, E.T., Kuang, A.X., MacKenzie, J.D. Hot-pressed KTN prepared from ultrahomogeneous oxide powders derived by sol-gel technique. I. Powders 87−52218
Wu, E.T., Kuang, A.X., MacKenzie, J.D. Hot pressed KTN prepared from ultrahomogeneous oxide powders derived by sol-gel technique. II. Ceramics 87−52219
Wu, E.T., Ratto, J.J., Oliver, J.R., Neurgaonkar, R.R. Growth and properties of ferroelectric KNbO$_3$ single crystals 87−53805
Wu, E.T. *see* Neurgaonkar, R.R. 88−6466
Wu, E.T. *see* Neurogaonkar, R.R. 88−403
Wu, F., Sears, D. A 100 MBd fiber optic link design with discrete components 85−14309
Wu, F., Xu, J., He, Y. A new method for processing points, lines and regions uniformly 87−48221
Wu, F. *see* Gallatin, G.M. 88−1592
Wu, F. *see* Mikhael, W.B. 85−2597, 86−3920, 86−16445
Wu, F.F. Stability, security, and reliability of interconnected power systems 85−26980
Wu, F.F. Real-time network security monitoring, assessment and optimization 88−54857
Wu, F.F., Liu, C. Characterization of power system small disturbance stability with models incorporating voltage variation 86−50783
Wu, F.F., Liu, W.-H.E., Holten, L., Gjelsvik, A., Aam, S. Observability analysis and bad data processing for state estimation using Hachtel's augmented matrix method 88−10709
Wu, F.F., Monticelli, A. Recent progress in real-time network security analysis 87−71572
Wu, F.F., Monticelli, A. Analytical tools for power system restoration−conceptual design 88−54903
Wu, F.F., Tsai, Y.-K., Yu, Y.-X. Probabilistic steady-state and dynamic security assessment 88−54848
Wu, F.F. *see* Chen Ching Liu 86−25510
Wu, F.F. *see* Chiang, H. 87−42292
Wu, F.F. *see* Chiang, H.-D. 86−56308, 88−61793
Wu, F.F. *see* Chiang, H.D. 86−70646
Wu, F.F. *see* Fischl, R. 86−56309
Wu, F.F. *see* Liu, C. 86−65657
Wu, F.F. *see* Liu, C.-C. 85−21135, 85−53283, 85−64838
Wu, F.F. *see* Monticelli, A. 85−32085, 85−48537 to 48538, 86−32629, 86−46215, 86−50787, 86−56306
Wu, F.F. *see* Varaiya, P. 86−32683
Wu, F.H., Mikhael, W.B. The optimum block adaptive algorithms for block implementation of adaptive digital filters 86−59310
Wu, F.H. *see* Mikhael, W.B. 85−17733, 85−19469, 86−64288, 86−67297, 86−67340, 87−7751, 87−66419, 88−6976, 88−19284
Wu, F.H.Y., Leung, T.C.F., Tzong, T.J. A hydraulic wave power system 86−65973
Wu, F.X. *see* Mu, G.G. 85−57499
Wu, F.Y. *see* Chandra, S. 88−1585
Wu, G., Lecours, M., Delisle, G.Y. A study of address assignment in frequency-hopped spread spectrum systems for mobile radio applications 88−46932
Wu, G. *see* Seppi, E. 87−4030
Wu, G.-H. *see* Engels, E., Jr. 87−29488
Wu, G.Y., Mailhiot, C., McGill, T.C. Optical properties of HgTe-CdTe superlattices 85−23500
Wu, G.Y. *see* McGill, T.C. 86−67728, 87−66968
Wu, G.Y. *see* Miles, R.H. 86−53377
Wu, H. *see* Merat, F. 87−62305
Wu, H.-J. *see* An, S.-M. 85−59403
Wu, H.-J. *see* Wu, C.-Y. 88−39683
Wu, H.-M. *see* Hara, T. 87−38162
Wu, H.-X. *see* Ji, M.-J. 88−54525
Wu, H.F. *see* Robinson, H. 87−35212
Wu, H.G. *see* Anderhub, H. 87−21420
Wu, H.H. *see* Yih, T.S. 88−8301
Wu, H.J. *see* Tzou, Y.Y. 88−75774
Wu, H.Y., Badin, P., Cheng, Y.M., Guerin, B. Vocal tract simulation: implementation of continuous variations of the length in a Kelly-Lochbaum model, effects of area function spatial sampling 87−61626
Wu, H.Z., Vest, P.W., Carol, R.G. Low TCR thick film resistors for POS substrates 85−28852
Wu, H.Z., Vest, R.W. Densification and adhesion of silver thick film conductors 88−25728
Wu, H.Z., Vest, R.W., Carol, R.G. Low TCR thick film resistors for POS substrates 85−28836
Wu, H.Z., Vest, R.W., Vest, G.M., Mau, C.S. Adhesion and densification studies of oxide-free copper conductors 88−1221
Wu, I.-C. A fast 1-D serial-parallel systolic multiplier 88−662
Wu, I.-W., Fulks, R.T., Mikkelsen, J.C., Jr. Optimization of BF$_2^+$ implanted and rapidly annealed junctions in silicon 87−11604
Wu, I.-W. *see* Huang, T.-Y. 86−53631, 88−64608
Wu, I.-W. *see* Mikkelsen, J.C., Jr. 86−63177
Wu, I.C., Chu, J.J., Chen, L.J. Local epitaxy of TiSi$_2$ on (111)Si: effects due to rapid thermal annealing and to the annealing atmosphere 87−18037
Wu, I.C., Chu, J.J., Chen, L.J. Localized epitaxial growth of TaSi$_2$ on (111) and (001)Si by rapid thermal annealing 87−73065
Wu, I.C. *see* Cheng, H.C. 87−23631
Wu, I.W., Bruce, R.H., Mikkelsen, J.C., Jr., Street, R.A., Huang, T.Y., Braun, D. Reactive ion etching damage to shallow junctions 87−11426
Wu, I.W., Chen, L.J. Characterization of microstructural defects in BF$_2^+$ -implanted silicon 86−8982
Wu, I.W., Dietderich, D.R., Johnson-Walls, P.E., Glazer, J., Holthuis, J.T., Hassenzahl, W.V., Morris, J.W., Jr. Critical current density of bronze-processed multifilamentary Nb$_3$Sn wires with magnesium addition to the matrix 85−7168
Wu, I.W. *see* Huang, T.Y. 86−41943
Wu, I.W. *see* Yao, W.W. 86−28438
Wu, J., Guan, A., Sun, Y., Zou, Y. Electrical properties of Na in GaAs 85−11914
Wu, J., Pei, S. Fast biased polynomial transforms 86−40695
Wu, J., Zhang, Y.K., Wang, H.Z. Theoretical investigation of microwave scattering characteristics of ocean surface with oil spills 88−2585
Wu, J. *see* Chang, H.-C. 87−18627
Wu, J. *see* Choung, Y.A. 87−27091
Wu, J. *see* Haimbach, S.P. 86−32580
Wu, J. *see* Huang, H.S. 87−7160
Wu, J. *see* Hwang, J. 86−68177
Wu, J. *see* Li, D. 87−43894
Wu, J. *see* Ren, J. 86−70686
Wu, J. *see* Siu, S. 87−37071
Wu, J. *see* Waxman, A.M. 88−73368

Wu, J. *see* Willson, A.N., Jr. 85—6131
Wu, J. *see* Wu, J.-L.C. 88—52948
Wu, J. *see* Wu, P.H. 88—13719 to 13720, 88—26719
Wu, J.-L. Comments on 'A new discrete Fourier transform algorithm using butterfly structure fast convolution' 87—65450
Wu, J.-L. *see* Hsu, C.-X. 88—31700
Wu, J.-L. *see* Hsu, C.-Y. 87—44269
Wu, J.-L. *see* Lin, T.-P. 88—46327
Wu, J.-L. *see* Pei, S.-C. 85—13576, 87—62070, 87—73034
Wu, J.-L. *see* Wang, S.-S. 87—59539
Wu, J.-L.C. The architecture of an integrated fiber optic LAN 88—47065
Wu, J.-L.C., Jingshown Wu, Ho-Ting Wu A study on the interconnection of slotted random access networks 88—28379
Wu, J.-L.C., Wu, J., Lee, T.-C. Performance analysis of interconnected CSMA/CD networks with finite population 88—52948
Wu, J.-T., Wooley, B.A. A 100 MHz pipelined CMOS comparator for flash A/D conversion 88—70875
Wu, J.-Y., Van Brunt, V., Zhang, W.-R., Bezdek, J.C. Tower packing evaluation using linguistic variables 88—63161
Wu, J.A. *see* Noujaim, S.E. 88—74296
Wu, J.C., Humphrey, F.B. Operation of a VBL memory write gate 86—36064
Wu, J.C., Humphrey, F.B. Operation of VBL memory read/write gate 87—25867
Wu, J.C., Humphrey, F.B. Vertical Bloch line memory 88—26689
Wu, J.C., Hwang, J.P., Humphrey, F.B. Operation of magnetic bubble logic devices 85—24212
Wu, J.C. *see* Humphrey, F.B. 86—36063
Wu, J.C. *see* Hwang, J.P. 85—24213
Wu, J.F. *see* Lee, L.C. 85—29154
Wu, J.J. *see* Miller, R.J. 88—71379
Wu, J.J.-M. *see* Abidi, A.A. 88—7748
Wu, J.K. *see* Chang, S.T. 86—35438
Wu, J.M., Chun-Fa Chuang Consequence analysis of a steam generator tube rupture accident 85—32289
Wu, J.M. *see* Ula, A.H.M.S. 87—79005, 88—49182
Wu, J.S. *see* Chen, C.S. 88—75159
Wu, J.T. *see* Yunck, T.P. 87—41078
Wu, K. New prospective coplanar metal-insulator-semiconductor (MIS) monolithic structure 88—32377
Wu, K., Coumes, A., Saguet, P. New generalized computations of quasi-planar waveguides characteristics 87—47261
Wu, K., Dutton, R.W., Johnson, N.M. EBIC measurement and grain-boundary recombination in SOI polycrystalline silicon 86—63121
Wu, K., Dzougaiev, V., Saguet, P. Complete theoretical and experimental analysis on properties of planar periodic waveguides 88—27551
Wu, K., Feher, K. Multilevel PRS/QPRS above the Nyquist rate 85—57365
Wu, K., Feher, K. Error rate considerations for 64-, 256-QAM and 225-QPRS with co-channel interference 87—28276
Wu, K., Miller, M.J. Point-to-multipoint digital subscriber radio systems for rural areas in China 85—42472
Wu, K., Saguet, P. Calculation of characteristic impedance of planar structures using coupling and decoupling of hybrid modes in the spectral domain 86—64032
Wu, K., Saguet, P. New technique for analysing planar waveguides with finite metallisation thickness 87—7567
Wu, K., Saguet, P. Towards a unified efficient algorithm for characterizing the planar periodic waveguides 87—75505
Wu, K. *see* Childers, D.G. 86—16205, 87—61650
Wu, K. *see* Dzougaiev, V. 87—6000
Wu, K. *see* Mehmood, Z. 88—24930, 88—26436
Wu, K. *see* Strausser, Y.E. 88—1571
Wu, K. *see* Taylor, S.L. 88—26437
Wu, K. *see* Yee, H. 87—19241
Wu, K.-C. *see* Brown, R.B. 88—42072
Wu, K.-C. *see* Lucas, R.F. 88—26448
Wu, K.-T., Feher, K. 256-QAM modem performance in distorted channels 85—47302
Wu, K.-T., Feher, K. Performance of 64-QAM, 225-QPRS and 256-QAM in a cochannel interference environment 87—2405
Wu, K.-T., Feher, K. Error floors in digital transmission systems 88—45867
Wu, K.-T., Sasase, I., Feher, K. Class-IV PRS above the Nyquist rate 88—34551
Wu, K.H. Influence of aerodynamic and electrical-discharge homogeneity on a transversely excited CW CO_2 laser 87—26311
Wu, K.H., Vant, M.R. A SAR focusing technique for imaging targets with random motion 85—8479
Wu, K.H., Vant, M.R. Extensions to the step transform SAR processing technique 85—58168
Wu, K.H. *see* Kao, W.H. 86—984
Wu, K.H. *see* Vant, M.R. 87—13763
Wu, K.T. Measured statistics on multipath dispersion of cross polarization interference 85—19133
Wu, K.T., Achariyapaopan, T. Effects of waveguide echoes on digital radio performance 86—55172
Wu, K.Y. *see* Chang, T.N. 86—53011
Wu, L. *see* Chang, F. 87—2672
Wu, L. *see* Fleischer, P.E. 86—55060
Wu, L. *see* Fu Chang 86—16997
Wu, L. *see* Ichikawa, Y. 86—29082
Wu, L. *see* Lin, D.W. 86—17080
Wu, L. *see* Qi, L. 88—25549
Wu, L. *see* Sun, M.T. 87—73477
Wu, L.-D., Luo, X.-Y. Fast piecewise non-linear approximation 85—28168
Wu, L.-D. *see* Ichikawa, Y. 88—2163
Wu, L.-D. *see* Zhou, J.-Y. 88—73391
Wu, L.C. *see* Tsai, H.-H. 87—38528
Wu, L.C. *see* Tung Symon Chang 86—20480
Wu, L.J. Image coding using visual modelling and composite sources 85—51796
Wu, L.J., Constantinides, A.G. Composite source vector quantisation 86—16587
Wu, L.J. *see* Wu, Y.S. 85—41933, 85—51651, 86—1133
Wu, L.K. *see* Zoughi, R. 86—43895
Wu, L.L. *see* Chang, A.Y. 85—28426
Wu, L.L. *see* Ching-Chao Huang 88—18488
Wu, L.L. *see* Kraus, C.J. 85—10514
Wu, L.L. *see* Wu, R.-B. 88—71138
Wu, L.T. Mixing traffic in a buffered banyan network 86—22875
Wu, L.T., Arthurs, E., Sincoskie, W.D. A packet network for BISDN applications 88—59943
Wu, L.T., Huang, N. Synchronous wideband network—an interoffice facility hubbing network 87—20077
Wu, L.T., Lee, S.H., Lee, T.T. Dynamic TDM—A packet approach to broadband networking 88—3715
Wu, L.T. *see* Cheng, S.S. 86—49671, 87—56182
Wu, M. *see* Lee, S. 87—44852
Wu, M. *see* Shu, W. 85—296
Wu, M. *see* Yu, F.T.S. 87—74859, 88—46205
Wu, M.-C., Winfree, W.P. Absolute displacement measurements with piezoelectric transducers 88—53679
Wu, M.-C. *see* Ogura, M. 87—61129, 88—34023
Wu, M.-M. *see* Cadzow, J.A. 87—27373
Wu, M.-S., Azuma, A., Shiosaki, T., Kawabata, A. Low-loss ZnO optical waveguides for SAW-AO applications 88—51540
Wu, M.-S. *see* Yang, X.-Y. 86—42221
Wu, M.-T. *see* Jwo, S.-C. 88—65482
Wu, M.-Y., Chan, S.-P. Fundamentals of directed switching network theory 85—17128
Wu, M.-Y., Chan, S.-P. On the properties of directed switching networks 87—52324
Wu, M.-Y., Shu, W., Chan, S.-P. A unified theory for MOS circuit design—switching network logic 85—35181
Wu, M.C., Boenke, M.M., Wang, S., Clark, W.M., Jr., Stevens, E.H., Utlaut, M.W. GaAs/GaAlAs distributed Bragg reflector laser with a focused ion beam, low dose dopant implanted grating 88—65666
Wu, M.C., Boenke, M.M., Werner, M., Schiffmann, F., Lo, Y.H., Wang, S. Wavelength tuning and switching of a coupled distributed feedback and Fabry-Perot cavity laser 88—27157
Wu, M.C., Hong, J.M., Wang, W.I., Chang, L.L., Lo, Y.H., Wang, S. Optical and electrical characteristics of GaAs/AlGaAs GRIN-SCH lasers grown selectively by MBE on SiO_2-patterned substrate 88—45444
Wu, M.C., Su, Y.K., Chang, C.Y., Cheng, K.Y. Tellurium and zinc doping in $In_{0.5}Ga_{0.5}P$ grown by liquid-phase epitaxy 86—13748
Wu, M.C., Su, Y.K., Cheng, K.Y. Electrical and optical properties of heavily doped Mg-and Te-GaAs grown by liquid-phase epitaxy 88—32801
Wu, M.C., Su, Y.K., Cheng, K.Y., Chang, C.Y. High purity $In_{0.5}Ga_{0.5}P$ grown as GaAs by liquid phase epitaxy 86—34328
Wu, M.C. *see* Hong, J.M. 88—2224
Wu, M.C. *see* Hsin, W. 88—40245
Wu, M.C. *see* Lo, Y.H. 87—10380
Wu, M.C. *see* Su, Y.K. 85—5982, 86—20045, 87—11351, 88—2135
Wu, M.C. *see* Vakhshoori, D. 88—34104
Wu, M.C. *see* Zhu, Z.H. 87—46442, 88—70952
Wu, M.D. *see* Olsen, R.G. 88—66119
Wu, M.G. *see* Vier, D.C. 88—13007
Wu, M.H. *see* Hara, T. 88—33777
Wu, M.H. *see* Suzuki, Y. 88—65439
Wu, M.K. *see* Huang, C.Y. 88—71968
Wu, M.S. Air-pollution control in Taiwan 88—54768
Wu, M.W. *see* Chi, K.K. 87—17173
Wu, M.Y., Hajj, I.N. Modified sequential CMOS circuit design 88—26529
Wu, M.Y. *see* Gee, P. 88—26527
Wu, N. Properties of power spectrum estimates in the maximum entropy method 87—75804
Wu, N. An iterative algorithm for power spectrum estimation in the maximum entropy method 88—34655
Wu, N. *see* Shih, W. 85—55723
Wu, N.-L. A revised Gull-Daniell algorithm in the maximum entropy method 85—7848
Wu, N.R., Chiao, S., Bhushan, B., Batra, T., Fan, S.K., Pizzo, P., Yang, C.Y. Effect of polysilicon deposition and thermal cycling on thin oxide quality [MOS transistor] 87—25361
Wu, N.R. *see* Lee, S.K. 87—25360
Wu, O. *see* Pearah, P. 85—1372
Wu, O.K. *see* Bust, H.H. 87—5507
Wu, O.K. *see* Shih, W. 85—55723
Wu, O.K.T., Saxena, A.N. Effect of annealing on chemical state of phosphorus in SiO_2 films 85—45549
Wu, O.K.T. *see* Pramanik, D. 86—2392
Wu, O.Q., Yao, S.B., Ge, R.F., Xu, Y.T. Distributed query processing in local area networks 85—19888
Wu, P. *see* Shirley, M. 88—19087
Wu, P.H. Superconducting electronics in China 88—13725
Wu, P.H., Cheng, Q.H., Yang, S.Z., Chen, J., Li, Y., Ji, Z.M., Song, J.M., Lu, H.X., Gao, X.K., Wu, J., Zhang, X.Y. The Josephson effect in ceramic bridge at liquid nitrogen temperature 88—13720
Wu, P.H., Cheng, Q.H., Yang, S.Z., Fan, M.H., Feng, Y.J., Chen, J., Li, Y., Lu, H.X., Gao, X.K., Wu, J., Zhang, X.Y. Josephson frequency mixing between two Ka band signals in ceramic bridge at liquid nitrogen temperatures 88—13719
Wu, P.H., Cheng, Q.H., Yang, S.Z., Fan, M.H., Feng, Y.J., Chen, J., Li, Y., Lu, H.X., Gao, X.K., Wu, J., Zhang, X.Y. The Josephson frequency mixing in ceramic bridge at liquid nitrogen temperature 88—26719
Wu, P.H., Qian Min Simple method to determine microwave phase 87—77385
Wu, P.H. *see* Fan, M.H. 88—13739, 88—13742
Wu, P.H. *see* Zhang, Y.M. 88—13747
Wu, Q., Cellier, F.E. Simulation of bipolar high-voltage devices in the neighborhood of breakdown 87—11748
Wu, Q., Cellier, F.E. A device simulation tool for high-voltage bipolar devices 87—67236
Wu, Q. *see* Lin, Z. 86—62371
Wu, Q. *see* Lin, Z.H. 86—66902
Wu, Q. *see* Wang, J. 87—68493
Wu, Q.-H. *see* Wu, X.-P. 86—53557
Wu, Q.H., Hogg, B.W. Adaptive controller for a turbogenerator system 88—23847
Wu, Q.X., Bones, P.J. Removal of spike interference from digitised angiographic images 88—16690
Wu, R., Chen, C.H. Variational reaction formulation of scattering problem for anisotropic dielectric cylinders 86—63934
Wu, R., Stark, H. Rotation-invariant pattern recognition using optimum feature extraction 85—25143
Wu, R., Stark, H. Three-dimensional object recognition from multiple views 87—2581
Wu, R., Stark, H. Rotation and scale invariant recognition of images 87—48062
Wu, R., Weinman, J.A., Chin, R.T. Determination of rainfall rates from GOES satellite images by a pattern recognition technique 87—71319
Wu, R. *see* Chang, H. 86—42883
Wu, R. *see* Crook, D. 87—67145
Wu, R. *see* Dewan, S.B. 88—31078
Wu, R. *see* Marston, A. 87—59602
Wu, R. *see* Sharaf, A.M. 87—30757
Wu, R. *see* Stark, H. 86—3943, 86—10534
Wu, R.-B., Chen, C.H. Scattering analysis of optical fibers in spectral domain 85—12626
Wu, R.-B., Chen, C.H. On the variational reaction theory for dielectric waveguides 85—50021
Wu, R.-B., Chen, C.H. A scalar variational conformal mapping technique for weakly guiding dielectric waveguides 86—58761
Wu, R.-B., Chen, C.H. Birefringence analysis of anisotropic optical fibers using variational reaction theory 86—58764
Wu, R.-B., Wu, L.L. Exploiting structure periodicity and symmetry in capacitance calculations for three dimensional multiconductor systems 88—71138
Wu, R.-B. *see* Shih, C. 88—40629
Wu, R.-S. *see* Bonert, R. 85—22734
Wu, R.B., Chen, C.H. A variational solution of scattering problem for an anisotropic dielectric cylinder 85—41686
Wu, R.N. *see* Hill, E.F. 88—23379
Wu, R.W., Alley, R.L., Kessler, D.D. A reliable LPCVD tungsten interconnection process utilizing polyimide/plasma nitride as an interlayer dielectric 87—67161
Wu, R.W., Boyd, J.T., Timlin, H.A., Jackson, H.E., Janning, J.L. Optical waveguide detection: photodetector array formed on the waveguide utilizing laser recrystallized silicon 85—29533
Wu, R.W., Timlin, H.A., Jackson, H.E., Boyd, J.T. Photodetector arrays in laser-recrystallized silicon integrated with an optical waveguide 86—15516
Wu, R.W. *see* Boyd, J.T. 85—41201, 85—46126
Wu, S. Analysis of data acquired by Shuttle Imaging Radar SIR-A and Landsat Thematic Mapper over Baldwin County, Alabama 86—18607
Wu, S. Chua's circuit family 88—546

Wu, S., Gedeon, S., Fouracre, R.A. The measurement and modeling of the dielectric response of molecules during curing of epoxy resin 88−71828
Wu, S., Hodel, M.W., Samadpour, F. High conductivity, shallow doping in silicon by ion implantation and furnace annealing 85−34791
Wu, S. *see* Cheng, N. 88−54330
Wu, S. *see* Cosway, R.G. 85−34857
Wu, S. *see* Husain, A. 88−39447
Wu, S. *see* Ja'Ja', J. 87−36900
Wu, S. *see* Law, A.G. 85−19762
Wu, S. *see* Mallela, S. 86−46741
Wu, S. *see* Mar, J. 87−38463, 88−13480
Wu, S. *see* Pei, L. 86−46973
Wu, S.-T., Efron, U. Electro-optic behavior of thin nematic liquid crystal cells 87−12269
Wu, S.-T., Efron, U., Hess, L.D. Rotatory power and optical modulation of liquid crystals 85−12662
Wu, S.-T. *see* Konforti, N. 88−45226
Wu, S.-Y. *see* Bradley, G.C. 86−10737
Wu, S.-Y. *see* Sahni, S. 88−50936
Wu, S.C., Li, Y.S., Jona, F., Marcus, P.M. Epitaxy of silicon on nickel silicide 86−13763
Wu, S.C. *see* Thornton, C.L. 85−43459
Wu, S.C. *see* Young, L.E. 88−10591
Wu, S.C. *see* Yunck, T.P. 87−41078
Wu, S.D., Lee, T.F. 1K×9 high speed FIFO 86−20558
Wu, S.L. *see* Amendolia, S.R. 85−37901, 87−21426, 87−21428
Wu, S.L. *see* Benetta, M. 85−43239
Wu, S.M. *see* Fassois, S.D. 88−73163
Wu, S.M. *see* Luo, Z.P. 87−22070
Wu, S.T. Voltage-biased liquid crystal optical power limiters 88−8000
Wu, S.T., Efron, U., Grinberg, J., Hess, L.D. Visible-to-infrared dynamic image converter (VIDIC): present status 86−31242
Wu, S.T., Efron, U., Grinberg, J., Hess, L.D., Welkowsky, M.S. Infrared liquid crystal light valve 87−14394
Wu, S.T., Lackner, A.M., Efron, U. Optimal operation temperature of liquid crystal modulators 88−51587
Wu, S.T. *see* Efron, U. 85−12663, 85−35555, 86−36262, 87−18770, 87−60980
Wu, S.X. *see* Anderhub, H. 87−21420, 88−22984, 88−29843
Wu, S.X. *see* Pei, L.Q. 86−67083
Wu, S.Y. *see* Wilson, S.R. 85−12104
Wu, S.Z., Wormley, D.N., Rowell, D., Griffith, P. Boiler implosion control in fossil fuel power plants 86−6580
Wu, S.Z., Wormley, D.N., Rowell, D., Griffith, P. Boiler implosion control in fossil fuel power plants 86−25882
Wu, S.Z., Wormley, D.N., Rowell, D., Paynter, H.M. Dynamic modeling and simulation of gaseous systems 86−12671
Wu, T. On the proof of continued fraction expansions for irrationals 86−46199
Wu, T. Frequency selective surfaces with rectangular/square elements 86−48657
Wu, T., Shaneyfelt, B. An optimal fault-tolerant configuration design for computer network switches 87−55803
Wu, T. *see* Anderson, L.P. 86−42939
Wu, T. *see* Chen, K. 87−28571
Wu, T. *see* Kundu, A.K. 86−54764
Wu, T. *see* Shaneyfelt, B. 87−55446
Wu, T. *see* Wu, C. 87−66148
Wu, T.-F., Butler, J.K., Scott, M.W. Characteristics of metallic waveguides inhomogeneously filled with dielectric materials with surface plasma layers 87−61426
Wu, T.-F. *see* Butler, J.K. 86−41293
Wu, T.-F. *see* Sanz, J.L.C. 85−22369
Wu, T.-H., Stach, J.F., Chen, K.-J. Constrained configuration of compact local area networks for the AN/1 switching architecture 86−37556
Wu, T.-H. *see* Shaneyfelt, B. 86−37557
Wu, T.-H. *see* Shaneyfelt, B.E. 88−52611
Wu, T.-S. *see* Fu, S.-L. 86−2926
Wu, T.-S. *see* Su, C.-T. 87−31332
Wu, T.B., Lam, K.Y., Chiang, C.D., Gong, J., Yang, S.J. Activation of boron implanted in Hg$_{0.7}$Cd$_{0.3}$Te by high-temperature annealing 88−71389
Wu, T.B. *see* Chiang, C.D. 88−24712
Wu, T.C. *see* Tzou, Y.Y. 87−72352
Wu, T.F. *see* Scott, M.W. 87−66533
Wu, T.H., Chen, K.S., Peng, S.T. Spectral-domain analysis for dielectric antenna loaded with metallic strips 87−75560
Wu, T.H. *see* Chen, K.J. 87−27853
Wu, T.H.T., Carone, R.A. Class 10 robots in PECVD processing 88−57412
Wu, T.K. Electrical performance evaluation for reflecting mesh 87−19308
Wu, T.K. Fast convergent integral equation solution of strip gratings on dielectric substrate 87−39349
Wu, T.K. *see* Merewether, K. 87−33506
Wu, T.Q., Weiss, C.O. Chaotic emission of a molecular electronic transition laser 87−38997
Wu, T.S. *see* Chen, L.P. 87−36771
Wu, T.S. *see* Houng, M.P. 87−60230
Wu, T.S. *see* Su, C.T. 87−4323, 87−57586
Wu, T.S. *see* Su, Y.K. 85−5981
Wu, T.T., Lehmann, H. Spreading of electromagnetic pulses 86−3415
Wu, T.T. *see* Damar, H.S. 85−6785
Wu, T.T. *see* King, R.W.P. 86−29339
Wu, T.T. *see* Morris, M.E. 85−13342
Wu, T.T. *see* Osland, P. 85−13034
Wu, T.T. *see* Shen, H.-M. 87−39399
Wu, W. A brief review on development and application of insulating materials in China 86−68080
Wu, W. *see* Amendolia, S.R. 85−37901, 85−43179, 86−5779
Wu, W. *see* Benetta, M. 85−43239
Wu, W.-Y. *see* Fetterman, H.R. 88−25513
Wu, W.-Y. *see* Hsu, T.-Y. 88−59233
Wu, W.H., Bergman, L.A., Allen, R.A., Johnston, A.R. Optical addressing techniques for a CMOS RAM 88−51705
Wu, W.H., Bergman, L.A., Johnston, A.R., Guest, C.C., Esener, S.C., Yu, P.K.L., Feldman, M.R., Lee, S.H. Implementation of optical interconnections for VLSI 87−38956
Wu, W.H., Johnston, A.R. CMOS detector cells for holographic optical interconnects in microcircuits 88−34155
Wu, W.H., Johnston, A.R., Esener, S., Lee, S.H. A CMOS compatible optical gate for microcircuit interconnection 88−65531
Wu, W.H. *see* Bergman, L.A. 87−25571, 88−52915
Wu, W.H. *see* Johnston, A.R. 88−65896
Wu, W.M. *see* Amendolia, S.R. 87−21426, 87−21428
Wu, W.Q. *see* Yin, J.H. 88−51141
Wu, W.Q. *see* Zhang, D. 85−50818
Wu, W.R., Gale, R.O., Hornbeck, L.J., Sampsell, J.B. Electro optical performance of an improved deformable mirror device 88−58237
Wu, W.S. *see* Huang, V.K.L. 88−19204
Wu, W.S. *see* Nelson, M.S. 88−44232
Wu, W.W. Elements of digital satellite communication. Vol.I 85−10326
Wu, W.W. Elements of digital satellite communication. Vol.II Channel coding and integrated services digital satellite networks 86−13276
Wu, W.W. Integrated service digital satellite network 87−55567
Wu, W.W., Haccoun, D., Peile, R., Hirata, Y. Coding for satellite communication 87−56052
Wu, W.W., Tudge, D.T. Values for ISDSN attributes 88−47001
Wu, W.W. *see* Ho, J.M. 86−50923
Wu, W.W. *see* Pelton, J.N. 87−56041
Wu, W.W. *see* Perillan, L.B. 88−3928
Wu, W.W. *see* Shinonaga, H. 87−20443
Wu, W.Y. *see* Allan, J. 85−65332
Wu, W.Y. *see* Efron, U. 88−7990, 88−58236
Wu, X., Anderson, J.B., van der Ziel, A. Diffusion and recombination 1/*f* noise in long n$^+$-p Hg$_{1-x}$Cd$_x$Te diodes 87−74243
Wu, X., Chen, X., Hurst, S.L. An investigation into ternary comparison operators 88−56585
Wu, X., Coutts, T.J., Dhere, R.G., Gessert, T.A., Dhere, N.G. InP based solar cells for space application: reduction of external losses 88−31046
Wu, X., Evans, H.L., Yang, E.S. An improved differential voltage technique for capacitance measurement 88−36183
Wu, X., Evans, H.L., Yang, E.S., Liehr, M., Ho, P.S. Interface state measurement of epitaxial and nonepitaxial nickel silicide Schottky barriers 86−1803
Wu, X., Prosser, F. Binary-ternary mixed-valued counter 87−52690
Wu, X., Prosser, F. Ternary CMOS sequential circuits 88−70734
Wu, X. *see* Coutts, T.J. 88−69690
Wu, X. *see* El Nahas, I. 88−52089
Wu, X. *see* Liehr, M. 88−19737
Wu, X. *see* Prosser, F. 88−38465
Wu, X. *see* Pu, J. 86−68112
Wu, X. *see* Yang, E.S. 87−11456
Wu, X. *see* Zhu, X.C. 85−55462
Wu, X.-P., Wu, Q.-H., Ko, W.H. A study on deep etching of silicon using EPW 86−53557
Wu, X.L., van der Ziel, A. Experiments on high-frequency and 1/f noise in long n$^+$-p Hg$_{1-x}$Cd$_x$Te diodes 86−63245
Wu, X.L. *see* van der Ziel, A. 86−68400
Wu, X.P., Chiang, F.P. Sandwich holospeckle interferometry for 3D displacement determination 87−26572
Wu, X.P. *see* Shen, S.Q. 88−40412
Wu, X.S., Alping, A., Vawter, A., Coldren, L.A. Miniature optical waveguide modulator in AlGaAs/GaAs using carrier depletion 86−36246
Wu, X.S., Coldren, L.A., Merz, J.L. Selective etching characteristics of HF for Al$_x$Ga$_{1-x}$As/GaAs 85−50232
Wu, X.S., Omura, E., Huang, T.C., Coldren, L.A., Merz, J.L. Sputtered silicon as a new etching mask for GaAs devices 86−67801
Wu, X.S. *see* Alping, A. 86−54052, 87−25951
Wu, X.S. *see* Omura, E. 86−41672, 87−25090, 87−32387
Wu, X.W., Chin, D.K., Van Duzer, T. Josephson junctions coupled by an ion-implanted vertical semiconductor membrane 87−74595
Wu, X.W., Zhang, L.C., Bradley, P., Chin, D.K., Van Duzer, T. Nb/GaAs and NbN/GaAs Schottky barriers 87−32320
Wu, X.W. *see* Chik, K.P. 86−27936
Wu, X.W. *see* John, P.K. 88−32918
Wu, X.W. *see* Rastogi, A.C. 87−17989
Wu, X.W. *see* Shao, K. 88−26694
Wu, X.W. *see* Yao, J. 87−5474
Wu, X.W. *see* Zhang, P.X. 88−25873
Wu, X.Y. *see* Gordon, M.M. 88−54243
Wu, X.Z., Song, L., Wang, Z.Y., Yang, Y.D., Wang, C. Standardization of ^{14}C by liquid-scintillation coincidence counting 87−77527
Wu, Y. The generating function for the solution of ODEs and its discrete methods 88−63254
Wu, Y., Egawa, K. Chromaticity correction in the TRISTAN Phase I main ring with two types of insertion 85−4191
Wu, Y., Guan, K., Yu, T., Tian, F. 1500 nm frequency stabilized Zeeman laser and its heterodyne experiment 88−45371
Wu, Y., Maitre, H. Registration of rotated picture with hidden parts using dynamic programming 87−48172
Wu, Y., Stesmans, A. Observation of new ESR signals in undoped, slowly deposited *a*-Si and *a*-Si:H 86−47327
Wu, Y., Stesmans, A. Influence of microstructure on the $T^{-1/4}$ conductivity law of slowly deposited sputtered *a*-Si and *a*-Si:H 88−57325
Wu, Y., Werner, M., Wang, S. Channeled-substrate GaAs/AlGaAs multiple quantum-well lasers grown by molecular beam epitaxy 85−2342
Wu, Y. *see* Chow, P.D. 86−53628
Wu, Y. *see* Chung, S. 87−38278
Wu, Y. *see* Lee, T.N. 85−3183
Wu, Y. *see* Li, G.P. 85−34943
Wu, Y. *see* Masuda, S. 88−25765
Wu, Y. *see* Stesmans, A. 87−53209
Wu, Y. *see* Thompson, A.C. 87−50086, 88−48061
Wu, Y. *see* Underwood, J.H. 88−48057
Wu, Y. *see* Yarkony, G. 88−61473
Wu, Y. *see* Zhang, Y. 85−34844
Wu, Y. *see* Zheng, L. 87−2082
Wu, Y. *see* Zimmermann, J. 88−32896
Wu, Y.-F., Widmayer, P., Schlag, M.D.F., Wong, C.K. Rectilinear shortest paths and minimum spanning trees in the presence of rectilinear obstacles 87−36590
Wu, Y.-L., Zhang, Y.-N. The best wave interferometer with Zeeman laser for measuring short range 87−14550
Wu, Y.-W. *see* Basar, T. 85−51839
Wu, Y.-Y. *see* Wu, C.-C. 87−10578
Wu, Y.-Z. *see* Tian, F. 88−13816
Wu, Y.-Z. *see* Tian Feng 88−45178
Wu, Y.C. *see* Tzou, Y.Y. 88−24195, 88−43280
Wu, Y.C.L. *see* Jiang Chi-zhi 85−27664
Wu, Y.C.L. *see* Schmidt, H.J. 85−53836, 87−36161
Wu, Y.C.L. *see* Sharma, S.P. 88−40153
Wu, Y.F. *see* Maitre, H. 87−69317
Wu, Y.F. *see* Widmayer, P. 87−73237
Wu, Y.H., Ogura, M., Werner, M., Wang, S. New GaAlAs-GaAs surface-emitting laser diodes with lateral pumping structure 87−33157
Wu, Y.L. *see* Hwang, H.L. 85−16961
Wu, Y.R. *see* Murphy, T. 87−8854
Wu, Y.S. Acoustic noise cancelling using adaptive recursive digital filters 85−2823
Wu, Y.S., Wu, L.J. Signal flow architecture 85−41933
Wu, Y.S., Wu, L.J. An architectural framework for 'signal flow' 85−51651
Wu, Y.S., Wu, L.J. 'Signal flow' architecture 86−1133
Wu, Y.W. *see* Basar, T. 87−19365
Wu, Y.Y. *see* Boom, R.W. 85−64657
Wu, Y.Y. *see* Hagan, D.J. 88−45548
Wu, Y.Y. *see* Kao, Y.C. 87−6467
Wu, Z. Effect of mismatch on antenna gain measurement by Purcell's method 86−48663
Wu, Z., Li, Y., Chang, T. Discrete signal reconstruction from its spectral magnitude and some samples 87−27428
Wu, Z., Li, Y., Chang, T. Discrete signal reconstruction from its autocorrelation function and one sample 87−62036
Wu, Z., Maclean, S.M., Mehler, M.J., Bagwell, D.J. Application of the compensation theorem to knife-edge diffraction over a plane Earth 88−58850
Wu, Z., Maclean, T.S.M., Bagwell, D.J., Mehler, M.J. Radiated fields over inhomogeneous plane ground with slightly elevated transmitter and receiver 87−47163
Wu, Z., Maclean, T.S.M., Bagwell, D.J., Mehler, M.J. Propagation over an inhomogenous irregular surface 88−40567
Wu, Z., Shimono, T., Kitajima, H., Ogawa, Y. Modified block transform coding of images 88−46270
Wu, Z., Zhou, B.L., Zhang, G.C. New phenomena observed on an electron trap related to oxygen in Al$_x$Ga$_{1-x}$As/GaAs DH LED 88−32856

Wu, Z. *see* Gan, Y. 88−45857
Wu, Z. *see* Leahy, R. 88−72975
Wu, Z. *see* Yu, J. 86−57534
Wu, Z. *see* Zhang, W. 86−70847
Wu, Z.-L. *see* Heinrich, M.L. 87−41253
Wu, Z.-X. A new homomorphic deconvolution system 87−19757
Wu, Z.D., Spratt, E.B. The performance analysis of a local area network from a user point of view 87−55766
Wu, Z.D. *see* Spratt, E.B. 88−8922
Wu, Z.K., Strangas, E.G. Feed forward field orientation control of an induction motor using a PWM voltage source inverter and standardized single-board computers 88−37215
Wu, Z.S. *see* Wen-Chung Wang 86−9351
Wu, Z.X. The method of data pruning for upgrading the estimate of the auto-correlation function 86−68958
Wu Ai *see* Pujolle, G. 85−54239
Wu Aiping *see* Li Xiang 86−68475
Wu Baoren *see* Hu Mantian 88−68644
Wu Baoye Calculation of detection distance of a passive night vision system 86−17819
Wu Bin-ruo Voltage response and RF impedance to external radiation for superconducting weak links 86−63584
Wu Bing-huang *see* Li Tian-duo 87−71967
Wu Bochang *see* Guan Xinan 87−54382
Wu Boyu *see* Sun Weimin 87−60920
Wu Chang-jin *see* Tong Lin-su 86−67644, 87−11274
Wu Changfa *see* Lin Ning 88−73177
Wu Cheng Design and implementation of a software for the network layer 86−64659
Wu Cheng System management for DGCNET 86−64660
Wu Cheng-Chi *see* Cheng-Chi Wu
Wu Chengjiu A tunable single-mode He-Ne laser selected by saturated absorption in iodine at 612 nm 86−36377
Wu Chengke *see* Chengke Wu
Wu Chenzhen *see* Pang Yongxiu 87−33066
Wu Chhi-Chong *see* Chhi-Chong Wu
Wu Chi-Jui *see* Chi-Jui Wu
Wu Chih *see* Chih Wu
Wu Chin Tu *see* Chin Tu Wu
Wu Chin-Yuan *see* Chin-Yuan Wu
Wu Ching-Yi *see* Ching-Yi Wu
Wu Ching-Yuan *see* Ching-Yuan Wu
Wu Chong-ruo, Yan Sheng-sheng, Zhu Er-ming, Ma Gui-yin An investigation of oxide coated cathodes using SEM, AES, XPS and SIMS 86−1623
Wu Chuan shao *see* Chuan shao Wu
Wu Chuan-lin *see* Chuan-lin Wu
Wu Chuihua *see* Zhao Huimin 86−48038
Wu Chun *see* Guo Naijian 85−29889
Wu Chung-Yu *see* Chung-Yu Wu
Wu Chwan-Chia *see* Chwan-Chia Wu
Wu Cui-lan *see* Guan Zai-lang 85−1241
Wu Cun-Kai *see* Bao Xiao-Yi 88−65599
Wu Cunkai A synchronously pumped widely tunable dye laser 85−12820
Wu Cunkai, Wang Zhiying A new laser system with a phase conjugation mirror 85−62629
Wu Cunkai *see* Bao Xiaoyi 87−39025, 88−27023
Wu Da-Yuan, Huang Zheng-Dong, Liu Yu-Zhou, Lu Jie Continuous-wavelength monitoring of a dye laser output 85−19004
Wu Daohuai, Cheng Ruguang Electron drift mobility in a-Si:H; comparison of two measuring techniques 85−40467
Wu Deng-xi *see* Sun Chen-ren 86−65391
Wu Ding-fen, Wang De-ning A model of ohmic contacts of GaAs and other semiconductors 85−45445
Wu Ding-fen *see* Shi Chang-xin 87−60129, 88−57340
Wu Ding-fen *see* Zhu De-guang 88−7358
Wu Dingfen, Wang Dening, Heime, K. An improved model to explain ohmic contact resistance of *n*-GaAs and other semiconductors 86−53456
Wu Dingfen, Yang Yuefei, Ji Liangjiu, Xin Shangheng, Shi Changxin Current-voltage characteristics of $Ga_{1-x}Al_xAs/GaAs$ heterostructure TEGFET 87−67291
Wu Dizhong *see* Zhou Ruming 88−30479
Wu Dong-Dong *see* Dong-Dong Wu
Wu Donglai *see* Chen Kexin 88−27016
Wu Duan *see* Li Duen-fu 87−59839
Wu En *see* Fu Chunyin 87−37928
Wu En *see* Yan Mao-Xun 88−69678
Wu Fang *see* Zha Ziying 87−50461
Wu Fei-Jian *see* Fei-Jian Wu
Wu Feng-mei, Lai Qi-ji, Shen Bo, Zhou Guo-quan A study of electron irradiation-induced defects in Si layers 86−67711
Wu Feng-mei, Lai Qi-ji, Shen Bo, Zhou Guo-quan A study of electron irradiation-induced defects in Si layers 87−24749
Wu Fengmei, Lai Qiji, Xu Ling, Gong Bangrui Electron radiation effects of GaAs MESFET 87−32508
Wu Fengmei, Lai Qiji, Xu Ling, Gong Banrui, Zhou Xiugmeng Study of electron irradiation-induced defects in n-type active layer of GaAs MESFET 87−53539
Wu Fengtie *see* Lin Xing 87−54397
Wu Fengwen *see* Zhao Tiesong 86−28623
Wu Fengying *see* Jiang Zhixiang 88−36358
Wu Gang *see* Wang Zhi-chao 87−36787
Wu Gengsheng *see* Yang Xueyu 88−36009
Wu Goqing *see* Lou Qihong 88−2158
Wu Guanghan *see* Yang Dailun 85−28184
Wu Guangzhao *see* Zhang Xiurong 86−9789
Wu Guanqun *see* Pang Yongxiu 87−33066
Wu Guanqun *see* Wang Dening 87−56746
Wu Gui-heng *see* Long Ao 87−70767
Wu Guo-Qing Linear minimum variance filter for passive localization 87−69089
Wu Guo-qing Extended Kalman filter for passive localization 88−28986
Wu Guodong *see* Wang Yuzheng 86−11911
Wu Guoying, Zhang Guobing, Wang Yang Yuan, Xu Wei, Li Yong Hong, Hopkins, C.G., Strathman, M.D. Properties and structure of coevaporated $NbSi_2$ 86−26895
Wu Guoyu Bergeron method for calculating travelling wave protection and its programming 86−12487
Wu Hai-qing *see* Kou Ting-yao 88−8606
Wu Han-Ji *see* Liu Yi-Chong 85−32658
Wu Han-Ji *see* Han-Ji Wu
Wu Henxian *see* Wang Wucheng 86−22444
Wu Ho-Ting *see* Ho-Ting Wu
Wu Hong-shi *see* Zhang Zhao-hong 86−67635
Wu Hong-Xiu *see* Hong-Xiu Wu
Wu Hongshi *see* Zhu Jinlin 86−16004
Wu Hongxing *see* Luo Ningyi 88−40296
Wu Hongxing *see* Qin Wenhua 88−72404
Wu Hua-mo A class of three-level explicit schemes H_3 with higher stability properties for dispersion equations 87−10342
Wu Huifa *see* Feng Xiqi 85−62637
Wu Huizhen *see* Ruan Lishen 88−13906
Wu Huizhen *see* Ruan Lizhen 86−68234
Wu Hung Shih *see* Hung Shih Wu
Wu Hyen Kwon *see* Yang Hio Dob 86−935
Wu I-Chen *see* I-Chen Wu
Wu I-fan *see* I-fan Wu
Wu Il Lee *see* Jin Sup Kim 85−23809
Wu Il Lee *see* Tae Ha Kwon 87−3580
Wu In-Nan *see* In-Nan Wu
Wu Ja-Jing *see* Ja-Jing Wu
Wu Ja-Ling *see* Ja-Ling Wu
Wu Ji-ke, Li Hui A numerical method based on mean value theorem 88−49773
Wu Ji-shun *see* Wang Ming-yew 87−71596
Wu Ji-Wei *see* Ji-Wei Wu
Wu Ji-zong *see* Ih, C.S. 86−63874
Wu Jian *see* Jian Wu
Wu Jian-tian Fast DHT and DFT algorithms for real-valued data using subgroup convolutions 88−38120
Wu Jian-wu *see* Chen Chao-qing 88−42417
Wu Jian-Wu *see* Liu Rong-Guang 85−59197
Wu Jian-wu *see* Ma Ji-mao 88−22911
Wu Jianhua *see* Lin Zhizhou 88−47913
Wu Jiankang *see* Zheng Qinfen 88−36679
Wu Jianping, Shi Meilin, Xing Juncao Design and implementation of DGCNET 86−49286
Wu Jianping, Zhang Xiancao, Xing Juncao, Jiang Weixing Design and implementation of physical layer for DGCNET. I 86−49287
Wu Jianping *see* Shi Meilin 86−49285
Wu Jianqiang, Mo Yuanlong, Liu Shenggang ECRM with a combining periodic magnetic field [electron cyclotron resonance maser] 88−8090
Wu Jianwu *see* Chen Chaoqing 88−61074
Wu Jiayu Algorithm study for economic dispatch of active and reactive power in electric power systems 85−21046
Wu Jie *see* Shan Yuanda 87−15146
Wu Jie *see* Tian Enrui 86−567
Wu Jilan *see* Ha Hongfej 88−26175
Wu Jin *see* Jin Wu
Wu Jin Jwang *see* Jin Jwang Wu
Wu Jing-min *see* Li Jian-ping 88−68200
Wu Jing-Qiang *see* Jing-Qiang Wu
Wu Jingshown *see* Jingshown Wu
Wu Jingxian *see* Gue Kaizhou 87−6338
Wu Jinyuan, Wang Chenghao, He Quiguang Focusing and scanning of bulk acoustic wave in solid 86−70541
Wu Jishun Steady state external equivalents for power systems. II 86−38991
Wu Jishun Steady state external equivalents for power systems. III 86−65665
Wu Jishun, Hou Zhijian Active power security control using linear programming with bounded variables 85−43519
Wu Jishun, Hou Zhijian Security control strategy for network reactive power 87−71515
Wu Jishun *see* Wang Minyou 86−70593
Wu Jisu The application of third harmonic to the excitation of double frequency generators 88−43153
Wu Jixian *see* Zhang Jinyou 88−27991
Wu Ju *see* Mo Peigen 87−6374
Wu Ju *see* Ju Wu
Wu Jyh-Chiarng *see* Jyh-Chiarng Wu
Wu Kam Hung *see* Kam Hung Wu
Wu Kangyin *see* Cai Danyu 86−17829
Wu Kaung-Hsiung *see* Kaung-Hsiung Wu
Wu Ke *see* Ke Wu
Wu Ke-Rang *see* Ke-Rang Wu
Wu Keqin, Jin Tongfa, Chao Lengchu Electron transportation in sub-threshold region of MOSFET 87−67286
Wu Kuang-Tsan *see* Kuang-Tsan Wu
Wu Lei *see* Yu Lisheng 85−372
Wu Lide, Tai, Juwei Some advances of pattern recognition in China 87−48070
Wu Lihua *see* Li Xiang 86−68475
Wu Lijing *see* Hu Min 86−11811
Wu Lin *see* Li Yen 88−37786
Wu Ling-An *see* Ling-An Wu
Wu Linwei, Li Xiedong Rare earth cobalt permanent magnet of the type $Nd_xSm_{0.5-x}Ce_{0.5}(Co_{0.824}Cu_{0.118}Mn_{0.059})_{6.8}$ 86−22008
Wu Lisheng *see* Lisheng Wu
Wu Liu *see* Liu Wu
Wu Liu-liu Service experience with circuit breaker oils and proposed amendment to its quality index 85−32642
Wu Lu-sheng *see* Lu-sheng Wu
Wu Lusheng *see* Pan Zhonghan 88−72402
Wu Meng *see* Zhang Qi 88−36334
Wu Meng *see* Meng Wu
Wu Min-jin Compound order filtering for binary sequence 86−64234
Wu Min-You *see* Min-You Wu
Wu Ming-Chiang *see* Ming-Chiang Wu
Wu Ming-Wen *see* Ming-Wen Wu
Wu Mingde Computer-aided analysis of power line carrier channel 86−17178
Wu Mingde Electromagnetic wave propagation on multiconductor overhead lines. I. The theory of electromagnetic wave propagation 87−9193
Wu Mingde Electromagnetic wave propagation on multiconductor overhead lines. II. The calculation of propagation characteristics 87−9194
Wu Minjin *see* Wan Jiaruo 85−2793, 86−37112
Wu Minjin *see* Minjin Wu
Wu Minxian *see* Minxian Wu
Wu Mu-Shiang *see* Mu-Shiang Wu
Wu Neng-Wei *see* Neng-Wei Wu
Wu Peiheng, Sheng Yubao, Ji Rongfu Fabrication of point contact superconducting diode for submillimeter-wavelength applications 87−32905
Wu Peiheng, Yang Senzu, Cheng Qiheng, Ji Zhengming Study on conversion efficiency of the SIS junction mixer coupled by a monopole microstrip antenna 87−32907
Wu Peijun *see* Zheng Jiaqi 88−68608
Wu Peng *see* Peng Wu
Wu Pin-cheng *see* Zhu Jia-zheng 87−3874
Wu Ping, Yang Deli, Wang Zhongtuo Performance analysis on a kind of computer network 88−21679
Wu Ping *see* Yang Deli 88−59646
Wu Qiming *see* Chen Datong 87−67250, 88−19958
Wu Qinbao *see* Wang Deman 87−47436
Wu Qinghua, Sun Shuxin Excitation saturation control during alternator hunting 85−21582
Wu Qinghua, Sun Shuxin, Hu Huijun, Lian Yuqin, Wang Juming A μP-controlled braking resistor for alternator 85−53672
Wu Quan-de *see* Chang Xu 88−38965
Wu Quan-de *see* Xue Zheng-quan 88−57271
Wu Qun *see* Ma Hanyan 88−36296
Wu Renhua *see* Wang Zhonghong 87−72111
Wu Riguang *see* Riguang Wu
Wu Risheng, Cui Huanhua, Wang Shicheng, Han Zonglin, Wang Qing The infusion terminal filter of nuclear track microporous membrane 86−11898
Wu Risheng, Cui Huanhua, Waug Shicheng, Wang Xueli, Xu Xiaofeng, Liu Wei The study of microscopic structure of nuclear track microporous membrane's pore geometry 86−11895
Wu Risheng *see* Cui Huanhua 86−11860, 86−11893, 86−11896, 87−29563
Wu Risheng *see* Wang Shicheng 86−11894, 86−11897
Wu Rong han *see* Zhang Quan sheng 87−26391
Wu Rong-han *see* Wang Shou-wu 85−29840, 87−33294
Wu Rong-Hou *see* Rong-Hou Wu
Wu Rong-jiu *see* Chen Chang 87−70996
Wu Rong-ju *see* Chen Cang 87−70997
Wu Rongfa *see* Sun Rongjiu 85−13455
Wu Rongham *see* Zhang Quansheng 87−7342
Wu Ronghan *see* Gao Jilin 85−51158
Wu Ronghan *see* Wang Shouwu 86−42525
Wu Ronghan *see* Zhang Quansheng 86−53378
Wu Rongsheng, Shi Shaojun, Wang Naixuan Improvement of magnetic properties of 34 Ni-29 Co-3 Mo-Fe alloy by adjusting the composition and controlling the textures of recrystallization 85−24072
Wu Ru-lin *see* Yan Yong-hong 85−11949
Wu Ru-lin *see* Yang Zuo-ya 87−60083
Wu Ru-ling *see* Chen Kun-ji 86−26890
Wu Ruey-Beei *see* Ruey-Beei Wu
Wu Ruheng Two-channel N_2 laser using 'capacitor transfer' circuit 86−15615
Wu Ruikun Laser wavelength meter with F-P etalon 88−34086
Wu Rulin, Chen Kunji, Yang Zoya Preparation and investigation of amorphous gallium arsenide films 85−54494
Wu Rusong, Cai Xuansan Theory of the controlled current transformer 87−9634

Wu Rusong *see* Rusong Wu
Wu Sau Lan *see* Sau Lan Wu
Wu Shaomin *see* Zhao Yanzen 85−62541, 86−50740
Wu Shi-Pei *see* Zhu Qing-Qi 85−59198
Wu Shiguang, Qi Fehu, Yu Songyu Acquisition and processing of 3-D photoelasticity data 86−24411
Wu Shin-Tson *see* Shin-Tson Wu
Wu Shiou-Yun *see* Shiou-Yun Wu
Wu Shixiong, Xu Jiangtong, Chen Fuyao, Guan Zhilian, Fang Weikun, Bao Liangbi Investigation on laser dynamic precision measurement of fine wire diameters 88−74584
Wu Shouzhang *see* Peng Qingke 88−68647
Wu Shu-xian *see* Guo Fen 86−66974
Wu Shu-Xiang *see* Yan Mao-Xun 88−69678
Wu Shudong *see* Shudong Wu
Wu Sien-Chong *see* Sien-Chong Wu
Wu Songlin, Liu Tianqiu Measurement of δ^{28} and δ^{25} in zero power reactor with homogeneous lattice 86−11889
Wu Tai T. *see* Tai T. Wu
Wu Tai Tsun *see* Tai Tsun Wu
Wu Ti-Hua, Groves, F.R., Jr. Nonsteady state simulation of a rotary dryer: implicit method 87−9951
Wu Tiejun *see* Wang Mingqian 88−10253
Wu Tien-Shou *see* Tien-Shou Wu
Wu Ting *see* Ting Wu
Wu Trong *see* Trong Wu
Wu Tsong-Ho *see* Tsong-Ho Wu
Wu Uan-Pei *see* Hsieh Guan-Chyun 87−30610
Wu Wan-chun, Wen Ge-yi, Liu Xue-guan The solution of the characteristic impedance of an arbitrarily shaped TEM transmission line by using complex variable boundary element method (CVBEM) 88−58895
Wu Wei Error estimation of a generalized difference method for nonlinear parabolic equations 87−65432
Wu Wei, Tong Qinyi A novel dual-gate high voltage NMOS integrated device with NRB-free 88−7753
Wu Wei *see* Wei Wu
Wu Wei-shu *see* Yan Yuan 88−34161
Wu Weichong *see* Chen Kefeng 86−16539
Wu Weijing *see* Huang Jin-an 87−50610
Wu Weikang *see* Weikang Wu
Wu Weimin, Lai Hongqiang, Sun Jian, Li Shiming Measurement of inductance and resistance of crowbar switch 86−40002
Wu Wen-Hai *see* Song Wen-Bin 88−31714
Wu Wen-Qui *see* Zhang De 88−51100
Wu Wenhao *see* Han Daxing 86−48249
Wu Wenhao *see* Qiu Changhua 87−26183
Wu Wenqi *see* Zhau Heqin 88−25256
Wu Wenshou *see* Wang Huasheng 88−14083
Wu Wu-chen *see* Gui Xiang 86−63220
Wu Wu-chen *see* Wu-chen Wu
Wu Wun-tai *see* Luo Ying-xiong 85−48160
Wu Xian-cheng *see* Wang Yin-yue 87−61010
Wu Xian-ding Accurate analysis of 'split' coaxial line with confocally elliptic cross-section 87−61416
Wu Xian-pin, Bao Min-hang A monolithic integrated piezoresistive pressure transducer 86−17915
Wu Xian-ping *see* Jin Qi 85−55692
Wu Xiang-hui A numerical method for a wider class of the system of Zakharov equations 87−44247
Wu Xianping On the physical basis of the theory based on the guiding center coordinate system 88−25781
Wu Xiao-Guang *see* Xiao-Guang Wu
Wu Xiao-ping *see* Han Lei 88−40405
Wu Xiaodong Analysis of the characteristics of rectangular groove striplines 88−7009
Wu Xiaoguang, Peeters, F.M., Devreese, J.T. Plasmon-phonon coupling in a two-dimensional electron gas 86−14907
Wu Xiaolan *see* Xiaolan Wu
Wu Xiaoping *see* Xu Boqin 85−13005, 88−40411
Wu Xiaoshen *see* Wang Jianqiang 86−8761
Wu Xiaozu, Wang Keguang, Zhang Tingjie, Li Chengren, Zhou Nong Observation of microstructure in NbTi/Cu superconductors by SEM 88−64981
Wu Xiaozu *see* Zhang Tingjie 85−46052
Wu Xiashen *see* Bai Guang 86−44093
Wu Xiazu, Zhang Tingjie, Wang Keguang, Li Chengren, Zhou Nong, Zhou Lian The SEM observation of the practical NbTi50/Cu multifilamentary composite 86−47991
Wu Xin-xin *see* Shang Song-quan 87−18979
Wu Xin-yu A simplified method for generating essential complementary partitions 85−44827
Wu Xing, Ren Guoquan, Zhang Zunlin, Ye Zhisheng, Wang Shengqing A dynamic process study by present light pulse method in holographic system with Faraday rotator 88−40409
Wu Xing *see* Ren Guoquan 88−45574
Wu Xing-hui *see* Xing-hui Wu
Wu Xinghui *see* Xinghui Wu
Wu Xingzhong, Guo Jianhua High-output-voltage turbine generator−the implementation and prospect 86−39707
Wu Xiu-qing *see* Wang Bao-cheng 88−42531
Wu Xiutao Environmental impact of the Sanmen Gorge project 87−15413
Wu Xiutao Hydro provides one quarter of China's power 87−42702
Wu Xiutao Hydro-power development in China 87−72026
Wu Xizhang *see* Qian Zhenxing 86−9328
Wu Xu *see* Xu Wu
Wu Xubin *see* Jiang Wenhan 88−72192
Wu Xuhua *see* Lin Taiji 86−54077
Wu Xunwei, Chen Xiexiong The design of a ternary D-type edge-triggered flip-flop 88−25102
Wu Yajun, Wei Maoxin The study of the electron-electron interaction in electron gun 87−24671
Wu Yan-Pei *see* Yan-Pei Wu
Wu Yangxian *see* Wang Lei 88−18685
Wu Yao-Hwa *see* Yao-Hwa Wu
Wu Yao-xiang *see* Shen Nai-cheng 86−3093
Wu Yen *see* Zimmermann, J. 85−45430, 88−19696
Wu Yi, Lesaffre, J.C., Le Goff, Y. A simulator for FM broadcasting to mobile receivers 88−15766
Wu Yi *see* Yi Wu
Wu Yi-zun, Tian Feng, Yu Tong, Yang Xin-wei The system of coherent optical fiber communication 88−35463
Wu Yifang, Wang Wenhua, Zheng Lemin Influence of FWM effect and cavity anisotropy on characteristics and applications of transverse Zeeman lasers 88−72351
Wu Yifeng *see* Yifeng Wu
Wu Yih-Yih *see* Yih-Yih Wu
Wu Ying-jian, Yang Lin, Tan Gen-lin Two-dimension stable state numerical computation for semiconductor device 88−39350
Wu Ying-Wah *see* Ying-Wah Wu
Wu Yingwei *see* Guo Haizhou 87−66910
Wu Yingwen Parameter presetting for governor system of a hydrogenerator set under no-load condition 85−38889
Wu Yiquan *see* Chu Pinchang 86−56602
Wu Yiwen *see* Qi Jilan 86−15614
Wu Yixiong, Yu Shangzhi, Jiang Huanzhong, Yu Hailiang Investigation of underwater arc cutting and its technological parameters 85−39368
Wu Yizun Discussion of HS formulation using equivalent current theory [optical fibre theory] 88−40621
Wu Yizun, Tian Feng, Yang Xinwei, Yu Tong Coherent optical fibre system with Zeeman lasers 87−28557
Wu Yizun, Yang Xinwei Analysis of grating couplers by equivalent current theory 85−35474
Wu Yizun *see* Yizun Wu
Wu Yong *see* Shen Jialin 85−37780
Wu Yong-sheng *see* Zhou Jun-ming 86−63069, 87−24827
Wu Yong-sheng *see* Yong-sheng Wu
Wu Yongsheng, Huang Yi, Zhou Junming, Meng Xiangti Effect on transport properties of electrons at a modulation-doped GaAs/AlGaAs heterostructure interface by neutron irradiation 87−74049
Wu Yongshi *see* Huang Xiaomei 87−66560
Wu Yongxin *see* Yu Erkeng 85−38482
Wu Youyu *see* Zhao Songshan 86−54133
Wu Yu-guang *see* Zhang Tong-he 88−39185
Wu Yuanxiang *see* Zhoun Bingkun 87−39091
Wu Yuanxing *see* Zhang Hanyi 88−72374
Wu Yuanyuan *see* Zhao Yanan 85−31798
Wu Yun-Fu *see* Yun-Fu Wu
Wu Yun-jian *see* Tan Gen-lin 88−26184
Wu Yung Chi *see* Yung Chi Wu
Wu Yunhon *see* Zhang Dongping 87−66558
Wu Yupu, Zhao Jingtai, Yang Li The investigation of recognition of 2500 Chinese characters 85−2877
Wu Zehua *see* Sun Wei 87−7263
Wu Zhang *see* Zhang Wu
Wu Zhangyu *see* Shan Huanyan 87−7256
Wu Zhao-lin Analysis of radar PAD information and a suggestion to reshape the PAD 88−28942
Wu Zhaohao Study on the role of calcium oxide and scandium oxide in the impregnated barium aluminate cathode 88−19577
Wu Zhaoqin *see* Cha Guigen 85−46361
Wu Zhe *see* Zhe Wu
Wu Zhehua *see* Wang Yongjiang 88−58413
Wu Zhen *see* Liu Jiarui 88−71394
Wu Zhen-yang *see* He Zhen-ya 86−62725
Wu Zheng-de A new circuit model of the harmonic oscillator 86−803
Wu Zhengliang, Shu Juping, Fu Wenbiao Investigation on photodegradation mechanism in coumarin laser dyes by ESR technique 85−46347
Wu Zhengliang *see* Jin Chunyang 86−9773
Wu Zhenkung *see* Hong Shuizong 88−4879
Wu Zhenyao A theoretical investigation of the application of psychrometric (t-d) chart on high pressure air conditioning engineering calculation 88−37768
Wu Zhenyuan *see* Zhenyuan Wu
Wu Zhi-Yuan, Chang Sheng-Yi The interference theory of TV and system compatibility 86−24077
Wu Zhifang *see* Shen Zhongxin 87−337
Wu zhihe How to design μC-based communication equipment (serial) 85−42038
Wu Zhihe How to design C-based communication equipment (serial) 85−52025
Wu Zhong-li, Wang Qi, Zhu Yong-tai A high resolution setup for the identification of heavy ion reaction products 85−31767
Wu Zhong-quan Contour-based motion analysis 88−41002
Wu Zhongchi, Zhao Youyuan, Gao Rufang, Qian Youhua Correlation between optical absorption coefficient at 10.6 μm and the resistivity of crystalline silicon 85−50184
Wu Zhongli, Wang Qi, Li Songling, Zhu Yongtai A parallel plate avalanche counter for heavy ion time-of-flight measurement 85−43158
Wu Zhongxiang, Chu Zexiang, Chen Liyin, Xu Jihua Effects of flow velocity on activation features of the medium in transverse flow CO_2 lasers 88−72250
Wu Zhongxiang *see* Chu Zexiang 88−72256
Wu Zhongyi Correlation properties of pseudorandom sequences 85−24999
Wu Zhongze, Li Yanta, Chang Tong Discrete signal reconstruction from its spectral magnitude and some samples 87−69182
Wu Zhuting *see* Chen Xuequing 87−77999
Wu Ziyu, Liu Zhenggou, Sun Yan, Wang Kelin The study on the gain expression in the single-particle theory of free electron laser 88−72341
Wu Zonghan, Iwamoto, M., Hino, T. The measurement of the surface and the inner charge and their division in corona charged polypropylene film 85−37745
Wu Zuzeng Fast optimal channel routers 85−18368
Wu-chen Wu *see* Guang-bo Gao 88−50824
Wu-chen Wu *see* Wu Wu-chen
Wu-Chien, J.S. *see* Chien, S.H. 85−21374
Wu-guang Yan *see* Yan Wu-guang
Wu-Mian Shen *see* Cahen, D. 86−66346
Wu-Nan Liu *see* Hsou-Tao Yu 85−63948
Wu-Tung Cheng, Patel, J.H. A shortest length test sequence for sequential-fault detection in ripple carry adders 86−41993
Wu-yan Lai *see* Das Sarma, S. 85−55540
Wu-Ying Xia *see* Xia Wu-Ying
Wuanxin Xi *see* Xi Wuanxin
Wubben, F.J. *see* Schneider, W. 87−34409
Wubbena, G. *see* Seeber, G. 87−21775, 88−10590
Wubbenhorst, M., Gunther, M. Sensors from polymers 87−74465
Wubin Lu *see* Lu Wubin
Wucheng Pan *see* Pan Wucheng
Wucheng Wang *see* Wang Wucheng
Wucherer, P. *see* Beuscher, H. 88−74700
Wucherer, P. *see* Brautigam, W. 85−64431
Wucherer, P. *see* Krauss-Vogt, W. 88−47917
Wuchner, F. *see* Friesinger, G. 88−65031
Wuchner, F. *see* Herz, W. 85−35365, 85−41097, 85−56233, 87−67974
Wuchner, F. *see* Maurer, A. 86−53924
Wuchner, F. *see* Tsuji, H. 86−2643, 86−28754
Wuda Su *see* Su Wuda
Wudl, F. *see* Kaufman, J.H. 85−16213
Wudtke, H. Three contact series for three connectors−the Tri-dent system 85−11660
Wudy, E. *see* Besenhard, J.O. 86−40049
Wuechner, F. *see* Haubenreich, P.N. 87−67987
Wuechner, F. *see* Lubell, M.S. 88−65028
Wuechner, F. *see* Luton, J.N. 87−74642
Wuechner, F. *see* Okuno, K. 87−74641
Wuechner, F. *see* Shen, S.S. 87−67971, 88−65106
Wuempelmann, H. *see* Woebke, G. 88−68140
Wuensch, D.L. *see* Kopera, P.M. 85−7213
Wuerfl, J. *see* Gupta, R.P. 88−39253
Wuerger, W.W. *see* Wortley, C.A. 87−23098
Wuerker, R.F., Hill, D.A. Holographic microscopy 85−56869
Wuerker, R.F., Hill, D.A. Holographic microscopy 86−3381
Wuerker, R.F. *see* McGehee, J.H. 86−3382
Wuerthner, T. *see* Lieberman, B. 87−46400
Wuest, C. *see* Claus, R. 88−16639
Wuest, C.R., Bionta, R.M., Blewitt, G., Bratton, C.B., Cortez, B.G., Errede, S., Foster, G.W., Gajewski, W., Goldhaber, M., Greenberg, J., Jones, T.W., Kropp, W.R., Learned, J.G., Lehmann, E., Losecco, J.M., Ramana Murphy, P.V., Park, H.S., Reines, F., Schultz, J., Schumard, E., Sinclair, D., Smith, D.W., Sobel, H.W., Stone, J.L., Sulak, L.R., Svoboda, R., Van Der Velde, J.C. The IMB photomultiplier test facility 86−1649
Wuestenhagen, J. *see* Dinklage, J.B. 85−34851
Wugao Chen *see* Chen Wugao
Wuhrmann, K.E. Expansion plans of the Post and Telegraph Industry (PTT) in the sphere of telecommunications 85−2939
Wuhrmann, K.E. Swiss PTT telecommunications networks: towards the year 2000 85−51885
Wuhrmann, K.E. Broadband communication, the common challenge for PTT and GA companies in Switzerland 85−52539

Wuhrmann, K.E. The telecommunication network of the Swiss administration as it approaches the year 2000 85—57684
Wuhrmann, K.E. The integrated communication system IFS—status at the beginning of 1986 86—49140
Wuhrmann, K.E. The Integrated Telecommunications System (IFS)—status at the beginning of 1986 86—55135
Wuhrmann, K.E. Swissnet I—basics, techniques, and applications 88—21748
Wuhrmann, K.E., Burger, P., Zbinden, F. 'Swissnet' the way to the ISDN in Switzerland 87—76111
Wuhrmann, K.E., Pache, J.-P. Upgrading of conventional telephone exchanges for new services—technical and commercial aspects 85—36849
Wuich, W. Ultrasonic testing of pipe weld seams 85—4521
Wuich, W. Ultrasound testing of welding joints on tubes 85—10843
Wuich, W. Measurements and tests with ultrasound on plastic parts and adhesive bonds 85—53236
Wuich, W. Problems of ultrasonic testing of plastics and glued joints 86—13893
Wuich, W. Welding robots in practical operation 88—24293
Wuidart, L. ETD: a transistor tailored to high frequency converters 87—72236
Wuidart, L. The application of the ETD bipolar transistor 88—24961
Wuidart, L. ETD: transistor for 100 kHz converters 88—26212
Wuidart, L. Smart power devices in the car 88—69900
Wuinn, W.J. Services for the electronic office 88—10848
Wujuan Cai *see* Cai Wujuan
Wukitsch, M.W. Pulse oximetry: historical review and Ohmeda functional analysis 87—71095
Wul Kim Chung *see* Chung Wul Kim
Wulbert, D. Local best rational approximations to continuous functions and the rays they emanate 88—43828
Wulf, D.de *see* de Wulf, D.
Wulf, F., Braunig, D., Nickel, W. Reliability prediction of MOS devices: experiments and model for charge build up and annealing 88—50860
Wulf, F. *see* Haller, G. 85—1415
Wulf, F. *see* Terletzki, H. 85—23964
Wulf, J.C. *see* Barakat, E.H. 85—28035
Wulf, J.C. *see* Davis, G.T. 85—28463 to 28464
Wulf, R. *see* Kupcik, V. 86—60679
Wulfert, F.-W. Development of surface mounted integrated circuit packages 88—24556
Wulff, A.J. *see* King, C.L. 87—33976
Wulff, W., Cheng, H.S., Lekach, S.V., Mallen, A.N., Stritar, A. High-speed LWR transients simulation for optimizing emergency response 85—59972
Wulff, W. *see* Cheng, H.S. 86—39316
Wulffleff, D.R. Bank financing: a range of opportunities 85—16690
Wulfsohn, E. *see* Landis, R. 88—62193
Wulich, D. Speed control by a phase-locked loop used as a frequency synthesizer [DC motor control] 85—16046
Wulich, D. Phase-locked loop based frequency adder 86—47037
Wulich, D. Fast frequency synthesis by PLL using a continuous phase divider 88--32038
Wulich, D., Aharoni, H. Zero distortions in negative feedback amplifiers 85—17169
Wulich, D., Kaufman, Y. Order estimation of linear time invariant system 87—10626
Wulich, D., Kopeika, N.S. Image resolution limits resulting from mechanical vibrations 87—70437
Wulich, D., Yardeni, D. Mode detector of SSB radio 88—3803
Wulich, D. *see* Grosman, J. 86—27151
Wulich, D. *see* Kaplan, B.Z. 86—40974
Wulich, D. *see* Kopeika, N.S. 87—13141
Wulin, D., Sanbao, X. Application of spectrum estimation in phase noise measurement 86—38545
Wullert, J.R., II, Kryder, M.H. Analysis and design of ion-implanted bubble memory devices 87—67803
Wullschleger, P. Tariff device TARIGYR 400: concept—solution—design 86—13120
Wullschleger, P. Tarigyr 400: modular metering equipment for various requirements of electricity supply tariffs 86—25657
Wulms, H. *see* Pelgrom, M. 87—24260
Wulms, H.E.J. *see* Pelgrom, M.J.M. 87—52625
Wulp, J.A.A.van der *see* van der Wulp, J.A.A.
Wulu Chang Analysis of the septum polarizer using mode-matching method [satellite antenna applications] 85—24994
Wulz, C.-E. *see* Albrow, M.G. 87—41857
Wumin Liu *see* Shu, D. 88—48053
Wuming Chen *see* Chen Wuming
Wuming Liu *see* Shu, D. 86—60645
Wumpelmann, H. *see* Hemmie, G. 86—31864
Wun-Fogle, M., Savage, H.T., Clark, A.E. Sensitive, wide frequency range magnetostrictive strain gage 87—56678
Wun-Fogle, M., Savage, H.T., Clark, A.E. Ultrasensitive, wide frequency range magnetoelastic strain gage 87—63372
Wun-fogle, M., Savage, H.T., Clark, A.E. New magnetostrictive strain gage demonstrates high sensing potentials 87—70568
Wun-Fogle, M., Savage, H.T., Clark, A.E. Sensitive wide frequency range magnetostrictive strain gage 88—22564
Wun-tai Wu *see* Wu Wun-tai
Wunder, H.-G. *see* Zimmer, V.G. 86—10074
Wunder, R., Stall, R., Malik, R., Woelfer, S. Automated growth of $Al_xGa_{1-x}As$ and $In_xGa_{1-x}As$ by molecular beam epitaxy using an ion gauge flux monitor 86—431
Wunder, R. *see* Cheng, J. 85—40721, 85—55834, 86—46585, 86—63297
Wunder, R. *see* Malik, R.J. 85—34933
Wunder, R.J. *see* Stall, R.A. 85—61677
Wunder, R.J. *see* Swaminathan, V. 86—26841
Wunder, R.J. *see* Tu, C.W. 86—53472
Wunderlich, A. *see* Borger, W. 86—6990
Wunderlich, B. Connection of the digital multimeter V543 to the tape printer G-3287.500 86—5360
Wunderlich, F. *see* von Jan, R. 87—4513
Wunderlich, H. 16-bit ADC: optimum for each combination 87—37395
Wunderlich, H. Self test using unequiprobable random patterns 87—66151
Wunderlich, H. On computing optimized input probabilities for random tests 87—67448
Wunderlich, H., Rosenstiel, W. On fault modeling for dynamic MOS circuits 87—6913
Wunderlich, H.-J. PROTEST: a tool for probabilistic testability analysis 86—20199
Wunderlich, H.-J. The random pattern testability of programmable logic arrays 88—19097
Wunderlich, H.-J., Hellebrand, S. Generating pattern sequences for the pseudo-exhaustive test of MOS-circuits 88—71817
Wunderlich, H.-J. *see* Kunzmann, A. 86—34744
Wunderlich, H.-J. *see* Schmid, D. 87—24029
Wunderlich, J. *see* Guske, G.R. 87—61813
Wunderlich, J.D. Low cost vehicle multiplex network using the TMS7042 87—43611
Wunderlich, M.C. Implementing the continued fraction factoring algorithm on parallel machines 85—39636
Wunderlich, R. *see* Kelkar, S. 88—55500
Wundt, K. Precious metals for the manufacture of high value integrated circuit chips [packaging technology] 85—55302
Wunk, D.F. Realtime EEG processing using a high-speed coprocessor 86—50597
Wunk, D.F. *see* Quint, S.R. 85—38161
Wunnenberg, K., Jacobi, H. Metallurgical problems in the electromagnetic stirring of steel during solidification 85—10259
Wunnenberg, K., Jacobi, H. Special process techniques for the continuous casting of steel at high speeds 85—27838
Wunnik, A.W.M.van *see* van Wunnik, A.W.M.
Wunsch, A. Highest efficiencies possible by converting gas turbine plants into combined cycle plants 86—19050
Wunsch, A.D. An elementary problem in electrostatics requiring a computer solution 86—42727
Wunsch, A.D. Effective impedance of a load filling a circumferential slot in a coaxial transmission line 87—75482
Wunsch, A.D. Fourier series treatment of the sleeve monopole antenna 88—66184
Wunsch, C., Minster, J.-F., Stewart, R., Lefebvre, M., Wilson, S., Fellous, J.-L. The Topex-Poseidon project [ocean topography measurement] 86—12187
Wunsch, C. *see* Cornuelle, B. 85—59494
Wunsch, D.C. *see* Enlow, E.W. 85—22285
Wunsch, J. Static characteristics of interferometers with five Josephson junctions having different critical currents 85—56219
Wunsch, K.D. *see* Becker, D.E. 87—78329
Wunsch, M. *see* Bourgeois, F. 87—29460
Wunsch, W. *see* Kussmaul, K. 87—73202
Wunsche, D. *see* Ehrig, W. 85—52008
Wunsche, H.-J. *see* Henniger, U. 86—54125
Wunstel, K., Dutting, K. Reactive ion beam etched structures in InP for advanced optoelectronic devices 88—8089
Wunstel, K., Luz, G., Gohla, B., Tegude, F.J., Hildebrand, O. Dovetail-DCPBH-laser for high bit rates and monolithic integration 88—20659
Wunstel, K., Mozer, A., Schilling, M., Luz, G., Losch, K., Schweizer, H., Schemmel, G., Hildebrand, O. High-speed 1.3 μm DFB laser with modified DCPBH structure 87—7358
Wunstel, K. *see* Bach, H.G. 88—73976
Wunstel, K. *see* Gohla, B. 86—3173
Wunstel, K. *see* Schilling, M. 87—6575
Wunstel, K. *see* Speier, P. 88—14197
Wunz, D.R., Jr., Cross, S.E. Functional reasoning in analog circuits 86—70017
Wuori, E. *see* Simpson, E. 85—18568
Wuori, E.R., Judy, J.H. Particle-like magnetic behavior of RF-sputtered CoCr films 85—49593
Wuori, P.A. Engineering education in Europe: towards co-operation and interdisciplinarity 88—31330
Wupper, A., Unbehauen, R. Approximation of phase specification by digital filters 87—934
Wupper, H. On digital N-path filters 87—24329
Wupper, H., Siedhoff, H. Digital band-pass filter using modulation 87—17237
Wupper, H. *see* Lenz, M. 88—38628
Wuppermann, B. *see* Freude, W. 87—68068, 88—27312
Wuppermann, B. *see* Langmann, U. 88—12352
Wuqiao Jin *see* Jin Wuqiao
Wurbel, J. Electronically commutated linear direct drives for positioning systems of the instrumentation engineering 86—13108
Wurbs, G., Kuka, G. Interferometric testing of light waveguide preforms 85—50913
Wurcer, S. *see* Counts, L. 87—73350
Wurcer, S. *see* Croteau, J. 86—46919
Wurcer, S. *see* Grant, D. 86—14565
Wurcer, S. *see* Kitchin, C. 87—44608, 87—73502
Wurdisch, H. *see* Ehlert, H.-H. 85—32597
Wurfel, P. *see* Engelhardt, C. 87—1507
Wurfel, P. *see* Gerritsen, H.J. 85—16188
Wurfl, J., Gupta, R.P., Hartnagel, H.L. High temperature stable metal contacts on GaAs based on WSi_2 as diffusion barrier, characterized by XPS and electrical measurements 88—13185
Wurfl, J., Hartnagel, H.L. Field and temperature dependent life-time limiting effects of metal-GaAs interfaces of device structures studied by XPS and electrical measurements 87—1311
Wurgler, C. Voice recognition—the next generation man-machine input device? 88—46004
Wurier, B. ALPD technology from PCS to single-mode 87—38802
Wurier, B. *see* Aldebert, P. 86—9559
Wurl, J. *see* Haas, D. 85—7459, 87—26544
Wurl, J.G. *see* Haas, D.R. 86—24538
Wurleitner, P. Experiences with generators of various age groups 88—17501
Wurll, P. *see* Fritz, H. 86—55634
Wurmser, G. A new technology for probe inputs generating words at 50 MHz 86—20397
Wurnik, F. Microelectric circuits with or without burn-in? 85—55912
Wurnik, F. Qualification of integrated circuits 87—5257
Wurnik, F. Phase integrals for dispersion-optimized graded-index fibers 87—46532
Wurnik, F. Random sample tests of electronic components in the DPM range [defectives per million] 87—65173
Wurnik, F. Tightened sampling inspection in the DPM range 88—63022
Wurnik, F., Pelloth, W. Reliability of integrated circuits 85—10468
Wurnik, F., Pelloth, W. Functional burn-in for integrated circuits 88—64068
Wurnik, F.M. Incoming inspection and delivery quality of integrated circuits 85—5812
Wurnik, F.M. Phase integral solutions for graded-index fibers 86—9492
Wurnik, M. How testing ICs minimizes total costs 86—213
Wurr, P.R. Expert systems for quality assurance. Reaching higher product quality with knowledge management 88—38001
Wurscher, R.J. *see* Koren, J.A. 86—60111
Wurscher, W. *see* Bauer, R. 86—37828
Wurslin, R. *see* Schwarz, U. 87—15885
Wurst, K.-H. Modular industrial robots 88—62670
Wurster, R.D. *see* Robinson, C.J. 88—74892
Wursthorn, J.M. *see* Koburger, C.W. 85—18478
Wurtele, J. *see* Barletta, W.A. 85—62613
Wurtele, J. *see* Orzechowski, T.J. 85—35808, 86—3233
Wurtele, J.S. On acceleration by the transfer of energy between two beams 86—5628
Wurtele, J.S., Sessler, A.M. High repetition rate linear colliders at *TeV* and *GeV* energies 87—70920
Wurtele, J.S. *see* Danly, B.G. 87—33218
Wurtele, J.S. *see* Davidson, R.C. 86—22415, 87—7395, 87—39147, 88—2309
Wurtele, J.S. *see* Fajans, J. 86—68571
Wurtele, J.S. *see* Hartemann, F. 87—75222
Wurtele, J.S. *see* Hopkins, D.B. 85—26552
Wurtele, J.S. *see* Kuenning, R.W. 86—5629
Wurtele, J.S. *see* Orzechowski, T.J. 87—2161, 87—12519
Wurtele, J.S. *see* Orzenchowski, T.J. 86—3196
Wurtele, J.S. *see* Pendergast, K.D. 88—65535
Wurtele, J.S. *see* Saito, H. 87—68537
Wurtele, J.S. *see* Scharlemann, E.T. 85—41421, 86—3234
Wurtele, J.S. *see* Tran, T.M. 88—2294
Wurtele, M. *see* Kim, B. 87—73677, 88—32427, 88—50359
Wurtele, M. *see* Scott, B.N. 85—1057
Wurtele, M. *see* Shih, H.D. 88—1680
Wurtz, D. *see* Morgenstern, I. 88—631
Wurtz, H. *see* Oemisch, S. 88—35443
Wurtz, J. The evolution of CRT color film recording technology 85—37675
Wurtz, J. Color hardcopy with CRTs 87—70441
Wurtz, J.E. Miniature CRTs meet high performance specs 86—35272
Wurtz, J.E. Applications of miniature CRT displays 88—36149

Wurtz, R.E. *see* Massicotte, J.B. 86−32403
Wurtzen, H. Reflections on the future situation of European telecommunications 87−55473
Wurtzinger, R. Super surplus surprise [GRC-9 transceiver modifications] 85−30861
Wurz, D. *see* Ernst, G. 85−15803
Wurzburg, H., Malarkey, T. Variable frequency control circuit for three phase induction motors 85−60164
Wusirika, R. Problems associated with the melting of oxynitride glasses 85−22561
Wust, A. *see* Altmann, S. 87−23271
Wust, B. *see* Edwin, K.W. 87−50984
Wustefeld, G., Meads, P.F., Jr. FFAG synchrotrons for heavy ion acceleration 88−54000
Wustefeld, G. *see* Carpenter, J.M. 86−55993
Wustefeld, G. *see* Maier, R. 88−47954
Wustefeld, G. *see* Meads, P.F., Jr. 86−31944
Wustemann, A., Rossa, G. Local networks—a survey. II 88−21664
Wustemann, A., Rossa, G. Local networks—a survey. I 88−21665
Wustenbecker, S., Becker, H.W., Rolfs, C., Trautvetter, H.P., Brand, K., Mitchell, G.E., Schweitzer, J.S. Technical developments for ion beams with high energy resolution 87−41735
Wustenbecker, S., Becker, H.W., Rolfs, C., Trautvetter, H.P., Brand, K., Mitchell, G.E., Schweitzer, J.S. Technical developments for ion beams with high energy resolution 88−61014
Wustenberg, H. Improvements in the design of focused angle probe 85−54571
Wustenberg, H., Haufe, U., Erhard, A. Contribution to the ultrasonic detection and sizing of inner wall surface-breaking cracks in pipes 85−6035
Wustenberg, H., Nimtz, H., Neiss, G., Berg, H., Maier, H.-J. Nondestructive inspection of nozzle inner corner at boiling water reactor pressure vessels with ultrasound-flaw detection and crack depth determination 86−579
Wustenberg, H., Wegner, W., Mohrle, W., Schenk, G. Improvement of detection of stress corrosion cracks with ultrasonic phased array probes 86−34414
Wustenberg, K.-F. *see* Boos, K.-V. 86−6340
Wustenberg, K.F. *see* Auxel, H. 85−32195
Wustenberg, K.F. *see* Boos, K.V. 85−59777
Wustenberg, S.H. *see* Kutzner, J. 86−46412
Wustenberg, W. *see* Herzig, R. 86−59729
Wustener, H. *see* Conroy, G.H. 87−16222
Wustmann, G. Measurement of linked frequencies and their three-dimensional representation by oscilloscope at a continuously variable angle of observation 86−5452
Wustrau, R. *see* Adair, W. 85−13011
Wutao Zhang *see* Zhang Wutao
Wuthnow, M., Manoli, S., Schroder, D. Microcomputer-based arrhythmia monitor 85−48290
Wuthnow, M. *see* Manoli, S. 86−50587
Wuthrich, A. Principles of operation and features of modern intruder alarms 87−16342
Wuthrich, C., Faist, J., Baer, W., Reinhart, F.K. Low-drive-voltage, low-loss AlGaAs/GaAs 2×2 switch 88−65298
Wuthrich, N. Materials science and wear 87−42789
Wuthrich, U. Cost-conscious users protect their motors 86−51147
Wuthrich, U. Motor protection pays off in Portugal 87−4649
Wuting Luo *see* Luo Wuting
Wutschig, R., Kleppmann, W.G. Use of plant specific data in risk studies 86−65878
Wuttke, J. Operating conditions of microphones considering wind and popping noise 87−70303
Wuttke, W. *see* Neidhardt, A. 88−63376
Wuu, C.S. *see* Milavickas, L.R. 87−35451
Wuu, C.S. *see* Schulz, R.J. 88−10450
Wuu, C.Y., Pearson, A.E. On time delay estimation involving received signals 85−2813
Wuu, D.S. *see* Lee, M.K. 87−52106, 87−58920, 88−6462
Wuy-ying Xia *see* Xia Wuy-ying
Wuyi Wang *see* Wang Wuyi
Wuying Xia *see* Xia Wuying
Wvong, M.D., Mihirig, A.M. Catastrophe theory applied to transient stability assessment of power systems 87−4253
Wvong, M.D. *see* Mihirig, A.M. 87−71498
Wyant, G.L. *see* Dineen, T.H. 87−69728
Wyant, J.C. Interferometry for 3-D sensing 86−10026
Wyant, J.C., Koliopoulos, C.L., Bhushan, B., Basila, D. Development of a three-dimensional noncontact digital optical profiler 86−65120
Wyant, J.C. *see* Bhushan, B. 85−48083
Wyant, J.C. *see* Creath, K. 87−49926
Wyant, J.C. *see* Lam, P. 85−2429
Wyant, J.C. *see* Ming Chang 86−18104
Wyant, J.C. *see* Ono, A. 85−12979
Wyant, J.C. *see* Yeou-Yen Cheng 86−2490
Wyant, P.H. *see* Rzeszewski, T.S. 87−55260
Wyatt, A.F.G. *see* Baker, C.G.B. 88−22548
Wyatt, C.L., Jacobsen, L., Steed, A. Portable compact multifunction IR calibrator 88−74417
Wyatt, D. Introduction to electron beam technology 88−56009
Wyatt, F. *see* Johnson, H.O. 88−27012
Wyatt, F. *see* Zumberge, M. 88−65261
Wyatt, F.E. *see* Baxter, L.A. 85−36870
Wyatt, J.L., Jr. Monotone sensitivity of nonlinear nonuniform *RC* transmission lines, with application to timing analysis of digital MOS integrated circuits 85−23959
Wyatt, J.L., Jr. Alternate conditions for uniqueness of the steady state in nonlinear circuits with time-dependent sources 86−690
Wyatt, J.L., Jr. Nonlinear dynamic maximum power theorem 88−56415
Wyatt, J.L., Jr., Papadopoulos, G. Kirchoff's laws and Tellegen's theorem for networks and continuous media 85−17047
Wyatt, J.L., Jr., Siebert, W.M., Tan, H.-N. A frequency-domain inequality for stochastic power flow in linear networks 85−533
Wyatt, J.L., Jr., Tan, H. Nonlinear network dynamics in the presence of thermal noise 85−17124
Wyatt, J.L., Jr., Yu, Q. Signal delay in *RC* meshes, trees and lines 85−40941
Wyatt, J.L., Jr., Zukowski, C.A., Penfield, P., Jr. Step response bounds for systems described by M-matrices, with application to timing analysis of digital MOS circuits 86−52925
Wyatt, J.L., Jr. *see* O'Brien, P.R. 86−67190
Wyatt, J.L., Jr. *see* Tan, H.-N. 85−54623
Wyatt, J.L., Jr. *see* Yew, P. 85−17321
Wyatt, J.L., Jr. *see* Zippel, R.E. 87−38439
Wyatt, J.L., Jr. *see* Zukowski, C.A. 85−11397, 86−57749
Wyatt, K.D. A better money-maker [power supply] 86−34501
Wyatt, K.D. A ladder network analysis program 87−16834
Wyatt, K.D. Verification of RF designs using low-cost software 88−44010
Wyatt, K.L. System for inspecting circuit boards 88−25703
Wyatt, K.L., Jr. Signal delay in *RC* mesh networks 85−44856
Wyatt, L. The measurement of the ocean wave directional spectrum from HF radar Doppler spectra 86−59937
Wyatt, L.M. Problems inherent in the installation of large generating units and the measures needed to overcome them 86−12538
Wyatt, L.M. Replacement of old generating plant by new 86−12655
Wyatt, L.M. Use of AISI 316 austenitic steel in power plant 86−61371
Wyatt, L.M., Desvaux, M.P.E. Residual life of high temperature components 86−7579
Wyatt, L.R. Ocean wave parameter measurement using a dual-radar system. A simulation study 87−71368
Wyatt, L.R., Venn, J., Burrows, G.D., Ponsford, A.M., Moorhead, M.D., van Heteren, J. HF radar measurements of ocean wave parameters during NURWEC 86−65531
Wyatt, L.R. *see* Shearman, E.D. 87−56263
Wyatt, M.A. Using a personal computer to display the inverse of a Laplace transform 85−258
Wyatt, M.W. RAM growth of the PATRIOT missile system 87−49164
Wyatt, N.P.G. *see* Lang, A. 85−44362
Wyatt, P.C. Beam stabilisation techniques [optical intersatellite link] 88−22167
Wyatt, P.W., Kumar, S., Zelnis, D.G. Applications of various conservation equations to real time simulation 87−71769
Wyatt, P.W., Raffel, J.I., Chapman, G.H., Mathur, B., Burns, J.A., Herndon, T.O. Process considerations in restructurable VLSI for wafer-scale integration 85−50755
Wyatt, P.W. *see* Cohen, S.S. 88−71770
Wyatt, P.W. *see* Raffel, J.I. 85−28617, 85−35175
Wyatt, P.W. *see* Terry, F.L., Jr. 85−34663
Wyatt, R. Spectral linewidth of external cavity semiconductor lasers with strong, frequency-selective feedback 85−56628
Wyatt, R., Cameron, K.H., Matthews, M.R. Tunable narrow line external cavity lasers for coherent optical systems 86−9834
Wyatt, R., Smith, D.W., Hodgkinson, T.G., Harmon, R.A., Devlin, W.J. 140 Mbit/s optical FSK fibre heterodyne experiment at 1.54 μm 85−8404
Wyatt, R. *see* Adams, M.J. 87−33170
Wyatt, R. *see* Atkins, C.G. 86−49586
Wyatt, R. *see* Cameron, K.H. 85−41414
Wyatt, R. *see* Cotter, D. 86−54207
Wyatt, R. *see* Hodgkinson, T.G. 85−58084, 87−70050
Wyatt, R. *see* Malyon, D.J. 85−25910, 86−43815, 86−49637
Wyatt, R. *see* Matthews, M.R. 85−24562
Wyatt, R. *see* Mellis, J. 88−67352
Wyatt, R.C. Some problems in designing GRP components for power station cooling water systems 85−48869
Wyatt, S.J.F. Condition-monitoring at a modern British colliery 87−58634
Wyatt, T. Electricity generation planning for Uruguay 86−61096
Wyatt, T., Robinson, P.E. Medium-term operating policies for hydro/thermal power systems 88−36793
Wyatt, T. *see* Bauer, G. 87−29544
Wyber, R.J. The design of optimal processors for arrays with non-Gaussian noise inputs 85−57416
Wybourne, M.N. *see* Kelly, M.J. 85−55547
Wybourne, M.N. *see* Smith, C.G. 87−37755
Wybraniec, A. *see* Walanus, A. 85−31756
Wybranietz, D. Broadcast/multicast 86−69411
Wybranietz, D. A simulation system for multicast communications with interactive facilities 88−35161
Wybranietz, D. *see* Nehmer, J. 87−69667
Wybrow, M. *see* Knight, J. 88−5228
Wybrow, M. *see* Pomeroy, S. 86−55386
Wyck, B.Van *see* Van Wyck, B.
Wyck, N.E.Van *see* Van Wyck, N.E.
Wyckof, H. Loss of off-site power experience at US nuclear power plants—all years through 1984 86−61240
Wyckoff, H.L. Emergency diesel generator reliability at US nuclear power plants 87−30314
Wycsick, F. *see* Guizot, J.L. 88−50733
Wyczalek, F.A. Technical assessment of a 10 kW MHD electric generator for a hybrid MHD-battery electric propulsion application 86−33710
Wyczisk, F. *see* Alnot, P. 88−44792
Wyder, P. *see* Chamberlain, J.M. 86−22222, 87−38905
Wyder, P. *see* Hollering, R.W.J. 86−21225, 86−28006
Wyder, P. *see* Reijers, H.T.J. 86−36679
Wyder, P. *see* Rikken, G.L.J.A. 85−34580, 88−39069
Wyder, P. *see* van de Walle, G.F.A. 85−64291, 87−26154
Wyder, P. *see* van Kleef, R.P.A.R. 85−24770
Wyder, R. Volvo finds VTAM to be the key to its in-house electronic mail 87−2822
Wydro, K. Reaction to the line breakdown in teletransmission networks 87−27801
Wydro, K.B. A problem of alternative routes determination at the telecommunication line break-off 88−41491
Wyers, J.L.G. Laser developments 88−51874
Wyk, C.J.Van *see* Van Wyk, C.J.
Wyk, F.J.van *see* van Wyk, F.J.
Wyk, J.D.van *see* van Wyk, J.D.
Wyk, J.W.J.van *see* van Wyk, J.W.J.
Wyk, M.A.Van *see* Van Wyk, M.A.
Wyk, R.J.Van *see* Van Wyk, R.J.
Wykes, C., Flanagan, M. The use of a diode laser in an ESPI system 87−39121
Wykes, C. *see* Paler, K. 87−63312
Wykes, J.S. *see* Dakin, J.P. 88−16178, 88−22619
Wylam, R. Power supplies in North Yemen 88−61852
Wyland, D. *see* Rajpal, S. 87−66373, 88−6854, 88−6857
Wyland, D. *see* Yue, H. 88−26513
Wyland, D.C. Designing with high speed dual-port RAMS 87−59470
Wyland, D.C. Designing with high speed dual-port RAMs 87−59512
Wyland, D.C. Cache tag RAMS simplify cache memory design 88−759
Wyland, D.C. Cache memory without problems 88−50136
Wyland, D.C. *see* Kamdar, J. 88−758
Wyland, D.C. *see* Rajpal, S. 87−73451
Wyland, G. *see* Stow, R.L. 85−3757, 85−3762, 85−47666
Wylangowski, C. *see* Martinez, F. 88−26761
Wylangowski, G. *see* Li, L. 87−7085
Wylangowski, G. *see* Martinez, F. 88−45156
Wylde, R.J. *see* Martin, R.J. 87−11027
Wylder, J. The frontier of sensor technology 87−76856
Wyle, M.F. File directory transmission via electronic mail 88−66914
Wyler, C. The international conference on polymer-insulated cables 'JICABLE 84' 85−32162
Wyler, D.J. *see* Fellenstein, C. 86−159
Wyles, C.P. Application of fibre optics in the computer graphics revolution 85−25864
Wyles, C.P. Local area networks—removing the mystique 86−10785
Wyles, C.P. Advantages of token ring fibre optic LANs 86−16900
Wylezyk, G. Temperature regulation: Peltier element under safe control 88−55735
Wylie, A. *see* Bailey, R. 85−15164
Wylie, A. *see* Becker, H. 87−14750
Wylie, A. *see* Gatti, E. 85−59168
Wylie, A. *see* Hofmann, R. 85−9062
Wylie, A. *see* Kotz, U. 85−48168
Wylie, A. *see* Rehak, P. 85−43170, 86−65336
Wylie, A.D., deVenzin, H.G. Onboard rendezvous navigation for the Space Shuttle 87−13799
Wylie, D.P. *see* Schroeder, L.C. 85−38343
Wylie, I.W., Lai, E.P.C. Photoacoustic technique to examine ion-implanted silicon wafers 87−45757
Wylie, I.W. *see* Lai, E.P.C. 86−2797
Wylie, N. Advanced power MOSFET structure for improved performance 87−60508
Wylie, N. *see* Chen, G. 87−18133

Wylie, R.B. *see* Wong, E.H. 88—63968
Wylie, T. *see* Peck, S.R. 85—48418
Wyllie, C.B., Monk, A.D. Telecommunications antennas for the Unisat 1 Satellite 85—42563
Wyllie, C.E. Compromise may be best for all-electric systems actuation 85—9329
Wyllie, C.E. Aircraft side hand controllers—where to from here? 88—68563
Wyman, B.F., Sain, M.K. Zero spaces, pole spaces, duals, and inverse systems 87—44452
Wyman, B.F. *see* Sain, M.K. 88—31916
Wyman, C.R. *see* Ferreira, H.C. 87—75699
Wyman, D.R., Harms, A.A. The radiographic edge scattering distortion 86—13880
Wyman, M.G. *see* Goldreyer, B.N. 86—38819
Wyman, V. Advantages of electrical induction for metal fusing 85—5557
Wyman, V. Advantages of electrical induction for melting metal 85—65643
Wyman, V. The control of electrical drives 86—7196
Wyman, V. More versatile monitoring and control instruments 86—31727
Wyman, V. Specifying variable—speed drives 86—33749
Wyman, V. Control systems. Capacity and versatility increase 86—45626
Wyman, V. The importance of quality control 86—57228
Wyman, V. Wind power takes another turn 87—50914
Wyman, V. Has the tide turned for renewable energy? 88—10951
Wynblatt, P. *see* Yan, B.-D. 88—1234
Wynblatt, P. *see* Yan, B.D. 86—62319, 87—36529
Wyncoll, J. *see* Cristoloveanu, S. 85—45715
Wyndham, B.A., Nichols, T.B. Objective measurement of receiver sensitivity 88—15565
Wyndham, B.A., Shaw, J.M. The reduction of multipath induced azimuth errors in a monopulse secondary surveillance radar 85—24852
Wyndham, B.A. *see* Jenkins, D.B. 88—16876
Wyndham, E. *see* Choi, P. 88—35912
Wyndrum, R.W., Jr., Mochida, Y. The impact of new technologies on subscriber loop networks 87—40108
Wyndrum, R.W., Jr. *see* Aaron, R. 86—49123
Wyndrum, R.W., Jr. *see* Harrington, G.E. 86—10649
Wyne, M.F. *see* Anderhub, H. 87—21420, 88—22984, 88—29843
Wyne, W.A. *see* Binnie, A.J. 86—25661, 86—26558
Wyner, A.D., Landau, H.J. Optimum waveform signal sets with amplitude and energy constraints 85—2800
Wyner, A.D. *see* Ozarow, L. 87—54805
Wyner, A.D. *see* Ozarow, L.H. 85—30171, 87—69011
Wyner, A.D. *see* Wolf, J.K. 85—2749
Wyner, E.F., Besterman, D., Karlotski, R., Feng, H. Increased red output, low color temperature metal halide lamps 85—16383
Wyner, E.F. *see* Brates, N. 88—37730
Wyner, E.F. *see* Reiser, P.A. 85—39291
Wyner, E.F. *see* White, P.J. 86—52034
Wyngaard, J.C., Shi-Feng Zhang Transducer-shadow effects on turbulence spectra measured by sonic anemometers 87—71328
Wyngaert, H.Vanden *see* Vanden Wyngaert, H.
Wynn, A.G. Introduction to stored program control 86—64834
Wynn, A.G. Control: typical practical systems 86—64835
Wynn, A.S. *see* Lum, R.M. 88—49864
Wynn, J.C. Titanium geophysics: the application of induced polarization to sea-floor mineral exploration 88—54728
Wynn, J.D. *see* Brown, R.L. 86—22409
Wynn, J.D. *see* Huo, D.T.C. 88—26064, 88—57477
Wynn, J.D. *see* Twu, Y. 88—58527
Wynn, P. In-circuit emulation for ASIC-based designs 87—10824
Wynn, P. Logic cell arrays: a better ASIC approach 87—59351
Wynn, P. Logic Cell Arrays: a better ASIC approach 87—59435
Wynn, P. Logic Cell Arrays: a better ASIC approach 88—708
Wynn, P. Designing with Logic Cell Arrays 88—6794
Wynn, P. User-programmable gate array design methodology 88—6799
Wynn, P. Designing with logic cell arrays 88—7740
Wynn, V.T. *see* Bundy, K. 86—18340
Wynn-Williams, G.M., Crowe, W.E. Laser scanning: a method of retinal imaging 87—63731
Wynn-Williams, G.M. *see* Taylor, P.K. 87—3988
Wynne, C.G. Monocentric telescopes for microlithography 87—60235
Wynne, J. A programmable sinewave generator assembled with a 12-bit D/A converter 86—62487
Wynne, J., Byrne, M. Use CMOS DACs to generate sine waves 86—67088
Wynne, J., Eckl, R. Programmable amplifier with D/A-converter and operational amplifier 88—50030
Wynne, J. *see* Reidy, J. 87—38513
Wynne, J.J. *see* Lane, R.J. 85—26789
Wynne, J.J. *see* Lane, T.J. 85—40630
Wynne, J.W. Keeping phototools picture perfect 87—45408
Wynne, W.T. *see* Anderson, M.D. 87—43
Wynne, W.T. *see* Horton, J.S. 86—56363, 87—4269
Wynne, W.T. *see* Van Meeteren, H.P. 86—50906, 87—30061
Wynne Jones, M. MOCVD growth of GaAlAs/GaAs heterostructures for optoelectronic devices 85—33511
Wynrib, A.G. *see* Eady, S.J. 87—61754
Wynschenk, J., Delgobbo, A. Genuine etchback using permanganate systems 87—6237
Wyntjes, G., Hercher, M. A one-million pole optical synchro 88—75670
Wyntjes, G. *see* Crary, B. 88—29359
Wyntjes, G. *see* Hercher, M. 88—22788, 88—36226
Wynveen, R.A. *see* Cooke, R.H. 85—59371
Wyon, C., Aubert, J.J., Auzel, F. Czochralski growth and optical properties of magnesium-aluminium spinel doped with nickel 87—31480
Wyon, C., Aubert, J.J., Vivien, D., Lejus, A.M. Crystal growth and optical properties of LaMgAl$_{11}$O$_{19}$:Cr,Nd 88—43853
Wyon, C., Valignat, J. Elaboration and characterization of a sputtered copper-stainless steel-amorphous carbon solar selective surface for use in evacuated collectors 85—33500
Wyper, D.J. *see* Evans, A.L. 85—64613
Wyrowski, F., Bryngdahl, O. Iterative synthesis of computer-generated holograms 88—2411
Wyrowski, F., Bryngdahl, O. Iterative Fourier-transform algorithm applied to computer holography 88—65893
Wyrowski, F., Hauck, R., Bryngdahl, O. Aspects of redundancy in computer holography 85—62675
Wyrowski, F., Hauck, R., Bryngdahl, O. Computer-generated holograms: defect resistance by object phase manipulation 87—19058
Wyrowski, F., Hauck, R., Bryngdahl, O. Computer-generated holography: hologram repetition and phase manipulations 87—39248
Wyrowski, F., Hauck, R., Bryngdahl, O. Computer holography: object dependent deterministic diffusers 87—68655
Wyrowski, F. *see* Weissbach, S. 88—58710
Wyrsch, L. *see* Lehmann, S. 88—11538
Wyrsch, N. *see* Curtins, H. 87—38010, 88—37493, 88—56311
Wyrwas, R.R., Farrell, P.G. SEA-RL coding for document transmission to mobiles 88—28749
Wyrwich, H. *see* Schatzler, R. 86—5867
Wyrwinski, J. *see* Allamando, E. 88—56980
Wyrwinski, J. *see* Crosnier, Y. 85—45718
Wysin, G.M. *see* Iverson, A.E. 88—65477
Wysk, R.A. *see* Davis, R.P. 86—46037
Wysk, R.A. *see* Ghosh, B.K. 88—9111
Wyslocki, B. *see* Krukiewicz, R. 87—75341
Wyslocki, B. *see* Olszewski, J. 87—74503
Wyslocki, B. *see* Plusa, D. 86—63538
Wyslocki, B. *see* Szafranska-Miller, B. 87—17413 to 17414, 87—74504
Wyslocki, J. Mn-Al-C—new magnetically hard material, without ferromagnetic elements 86—15340
Wyslocki, J.J. Grain boundaries as domain wall attaching sites in anisotropic Mn-Al-C permanent magnet 88—13666
Wyslocki, J.J. *see* Plusa, D. 86—63538
Wyslocki, J.J. *see* Szafranska-Miller, B. 87—74504
Wyslouch, B. *see* Anderhub, H. 87—21420, 88—22984, 88—29843
Wyslouch, B. *see* Antreasyan, D. 87—21413
Wyslouch, B. *see* Becker, U. 88—22943
Wyslouzil, W., Kashyap, S. Single sided microwave applicators for sealing cartons 86—61934
Wyslouzil, W., Kashyap, S., Daien, D.M. Heating patterns for an array of 915 MHz rectangular waveguide applicators 88—23098
Wyslouzil, W. *see* Kashyap, S. 87—50401
Wysocka, F. Approximation of effective attenuation characteristic of low pass filter by exterior penalty function method utilising conjugate gradient method 85—28624
Wysocka, F. Approximation of arbitrarily prescribed effective attenuation characteristic of low-pass filters 87—52698
Wysocki, J.A., Pantano, C.G., Mecholsky, J.J. Mechanical properties of IR glasses and fibers 88—58053
Wysocki, J.A., Schwartz, R.N., Standlee, A.G., Wilson, R.G., Williams, A.R. Aging effects in extruded polycrystalline thallium bromo-iodide fibers 88—58120
Wysocki, J.A., Wilson, R.G., Standlee, A.G., Pastor, A.C., Schwartz, R.N., Williams, A.R., Guan-Dao Lei, Kevan, L. Aging effects in bulk and fiber TlBr-TlI 88—58048
Wysocki, L. Electrical testing of bare boards without a known good board 87—17488
Wysocki, T. Method of the detection properties evaluation of the transmission codes 87—19401
Wysocki, T. *see* Rydel, M. 87—68966
Wysocki, T. *see* Weiss, L.J. 87—31382
Wysocki, T., Jr. Angular acceleration shift keying 85—51538
Wysocki, T., Jr. Probability of erroneous decision for continuous phase binary FSK optimum coherent detection depending on modulation factor 86—29699
Wysocki, T., Jr. *see* Slominski, M.M. 88—45910
Wysoki, J.A., Kern, M., Maranto, J., Rodgers, H. Performance and applications of hermetically coated optic fibers 88—35567
Wyss, A. *see* Aegerter, H. 88—54975
Wyss, C. *see* Remondino, V. 88—68165
Wyss, H. *see* Meier, R. 87—22651
Wyss, J. Radio-frequency amplifier for a cyclotron 85—4175
Wyss, J. *see* Boksberger, H.-U. 86—57657
Wyss, J. *see* Schminke, W. 88—69299
Wyss, J. *see* Vasconcellos, E.C.C. 87—68579
Wyss, J.C., Flesher, G.T., Van Blaricum, M.L., Sangas, P.V. Photonic sensors for electromagnetic field measurements 88—9960
Wyss, J.C., Sheeran, S.T. A practical optical modulator and link for antennas 85—52344
Wyss, J.C. *see* Kanda, M. 87—56830
Wyss, U. Cabling plans on request [telecommunications] 88—14907
Wyss, W. *see* Schminke, W. 85—32810
Wyszynski, A., Kubiak, R. On automation placement and routing of gate array 87—647
Wyszynski, R. *see* Jesionek, K. 86—18184
Wythe, S.E. World view of satellite systems 85—25805
Wytrebowciz, J. Typical 8-bit microprocessor. Architecture and instructions 87—73484
Wyvill, B. *see* Hill, D.R. 88—40872
Wyvill, B. *see* Pearce, A. 87—7702
Wyvill, G. *see* Cleary, J.G. 88—73238
Wyvill, G. *see* Pearce, A. 87—7702

Xampeny, J. *see* Ventosa, J. 87—30050
Xans, P. *see* Ducoulombier, D. 86—11692
Xapsos, M.A., Campbell, A.B., Knudson, A.R., Stapor, W.J., Shapiro, P., Palmer, T., McDonald, P.T., Swickert, S.L. Charge collection efficiency related to damage in MOS capacitors 88—25993
Xapsos, M.A., Massengill, L.W., Stapor, W.J., Shapiro, P., Campbell, A.B., Kerns, S.E., Fernald, K.W., Knudson, A.R. Single-event, enhanced single-event and dose-rate effects with pulsed proton beams 88—25197
Xapsos, M.A. *see* Bhuva, B.L. 88—25196
Xapsos, M.A. *see* Burke, E.A. 88—25882
Xapsos, M.A. *see* Campbell, A.B. 87—32543
Xapsos, M.A. *see* Stapor, W.J. 87—31885
Xapsos, M.A. *see* Summers, G.P. 87—32490
Xavier, C.F., Sevariraj, G.A., Kumar, V. Theoretical optimization of metal *p-n* silicon Schottky barrier solar cell 86—26295
Xavier, S.K. *see* Costache, G. 86—3598
Xavier Radriguez, A. *see* Marcelo Murmis, G. 87—30465
Xenakis, G. *see* McGee, L.A. 85—4407
Xenos, T. *see* Kouris, S.S. 87—47219
Xeu Lixin *see* Wei Chongde 87—25878
Xeudun Cai *see* Cai Xeudun
Xhaard, M. *see* Piechocki, M. 87—29987
Xhijian Li *see* Li Xhijian
Xi, D.-X. An adaptive optimal phase following system under frequency stabilization 88—54054
Xi, D.-X. Robust control of the duplex cavity frequency stabilization system for a 20 MeV linac 88—54061
Xi, D.P. *see* Lefevre, H.W. 85—55423
Xi, J., Hollingsworth, R.E., Bhat, P.K., Madan, A. Deposition rate effects on amorphous silicon solar cell stability 87—78910
Xi, J.P., McMahon, T.J., Mahan, A.H., Tsu, R. Temperature-dependent photoconductivity and light-induced changes in a-Si$_{1-x}$Ge$_x$:H alloys 87—68258
Xi, J.P., Tsuo, Y.S., McMahon, T.J. Differences in cell behaviour after light soaks through the p-layer and then n-layer of a-Si:H PIN cells 87—9753
Xi, J.P. *see* McMahon, T.J. 86—28954, 87—2019, 87—12304
Xi, J.P. *see* Tsuo, Y.S. 87—78911
Xi, Z.H., Yang, D.T. Preparation and properties of highly conductive ITO films used in solar cells 86—7115
Xi Aiming *see* Zhao Dianjia 87—9569
Xi De-Xun *see* De-Xun Xi
Xi Huang Visual efficacy improvement of multicolor displays with bandpass filters 86—31236
Xi Huang *see* Huang Xi
Xi Ji-wei *see* Wang Chao-jun 85—48192, 85—64489
Xi Lin *see* Lin Xi
Xi Luo *see* Li Xuan 88—40057
Xi Luo *see* Lianxiang Zhou 87—3471
Xi Mei-Cheng The Hermite-Fejer process on ultraspherical polynomial roots 86—57383
Xi Quanxin *see* Chen Kexin 88—27016
Xi Quanxin *see* Cheng Zhaogu 85—12781
Xi Ruihua *see* Zhao Kuidong 88—68261
Xi Shaoshen, Shi Liming, Lu Siliang Possibility of remote monitor on machining conditions of EDM machines 86—57061
Xi Shuren *see* Xue Dazhi 88—30494
Xi Uan *see* Uan Xi
Xi Wei *see* Han Bao-Shan 86—28628
Xi Wei Mao *see* Mao Xi Wei
Xi Wenlong *see* Cha Hongkui 85—46309
Xi Wenlong *see* Chen Kexin 88—27016
Xi Wuanxin *see* Chen Zhaogu 86—15738
Xi Xiaolin *see* Xiaolin Xi
Xi Xie *see* Xie Xi
Xi Yian Yang *see* Yang Xi Yian
Xi Yue Huang, Kameyama, M., Higuchi, T. Design of a time-optimal digital control system for a DC servomotor with amplitude limitation 87—64619
Xi Zhonghe *see* Lin Xuanyong 87—43418
Xi-an Zhu *see* Breuer, M.A. 86—20206
Xi-Chao Zhao *see* Zhao Xi-Chao
Xi-Jian Zhou *see* Zhou Xi-Jian
Xi-jing Fan, Matijevic, E. Preparation of uniform colloidal strontium ferrite particles 88—31863
Xi-jun Xie *see* Xie Xi-jun
Xi-Kai Zhu *see* Zhu Xi-Kai
Xi-kang Zhang *see* Zhang Xi-kang
Xi-mao Bao *see* Bao Xi-mao
Xi-qing Chen *see* Chen Xi-qing
Xi-ren Xie *see* Xie Xi-ren
Xi-rong Yang *see* Yang Xi-rong
Xi-Sheng Fan *see* Fan Xi-Sheng
Xi-Sheng Fang, Zong-Qi Lin Birefringence in curved single-mode optical fibers due to waveguide geometry effect—perturbation analysis 86—2725
Xi-sheng Fang, Zong-qi Lin Field in single-mode helically-wound optical fibers 86—22099
Xi-tong Yu *see* Yu Xi-tong
Xi-wu Fan *see* Fan Xi-wu
Xi-xian Chen *see* Chen Xi-xian
Xi-xian Yeo *see* Yeo Xi-xian
Xi-xiang Xu *see* Xu Xi-xiang
Xi-yu Wang *see* Wang Xi-yu
Xia, B. *see* Xu, Z. 88—37536
Xia, C., Gao, J. Chaotic oscillations in a forced second order circuit containing a piecewise-linear capacitor 87—65778
Xia, E. *see* Saleh, R.A. 88—18877
Xia, H.R. *see* Wang, Z.G. 85—56481
Xia, J., McKnight, S.W., Vittoria, C. Propagation losses in dielectric image guides 88—27568
Xia, T. *see* Wang, Y. 87—38998
Xia, Y. A new thinning algorithm for binary images 87—48194
Xia, Y., Jiang, R., Li, S. Microwave ferrite dual-mode polarization technology 87—75360
Xia, Z., Ding, H. The corona-charging of polymer foils with a grid 86—68024
Xia, Z. *see* Walker, G. 86—51445
Xia Degong *see* Degong Xia
Xia Deqian, Chen Hongyi Investigation for SI GaAs single crystal growth 87—65466
Xia Dexin, Qiu Guoyi Study of loss-of-field failure of an alternator and application of transient stability criterion to loss-of-field and loss-of-synchronism protection 85—16022
Xia Dong, Feng Er-Jian Three dimensional analysis of the magnetic field in superconducting generators 87—15659
Xia Dong *see* Feng Erjian 88—2482
Xia Guan Qun *see* Guan Qun Xia
Xia Guan-qun *see* Wang Wei-huan 85—45386
Xia Guohong Conception of failure self-diagnosis system 88—63082
Xia Huiqin *see* Liu Chunliang 88—10197, 88—68125
Xia Jingfang *see* Ye Yanming 88—27340
Xia Kangmin, Fu Shufen, Chen Jianwen Overvoltage breakdown and measurement equipment for the excimer laser using fast discharge excitation 86—15612
Xia Kangmin *see* Lei Shi-zhan 85—12766
Xia Ke-jin *see* Kou Ting-yao 88—38655
Xia Neng-qiao *see* Zhang Qi 88—36334
Xia Qing, Qiang Jinlong, Yu Erkeng The economic short-range scheduling for cascaded hydro station in electrical power system using network approach 86—39609
Xia Qing, Xiang Niande, Wang Shiying, Zhang Boming, Huang Mei A new algorithm of nonlinear minimum cost network flow and its application 88—23406
Xia Qing *see* Sun Kun 88—40425
Xia Qiyu A practical method for calculating fault transients in EHV power systems 85—9403
Xia Quanqing *see* Quanqing Xia
Xia Renwei, Liu Peng An efficient method for structural optimization 87—65368
Xia Ruiming *see* Cheng Yuansheng 87—66882
Xia Shao-Feng *see* Shao-Feng Xia
Xia Tiejun *see* Sun Wei 87—7263
Xia Tiejun *see* Wang Yongjiang 87—2099, 88—58413, 88—72247
Xia Tiejun *see* Yao Zhixin 88—27045
Xia Wu-Ying *see* Zhang Li 87—53488
Xia Wuy-ying *see* Zhou Hong 87—60444
Xia Wuying, Zheng Ying Optimized extraction of alternating current model parameters of the bipolar transistors 85—55777
Xia Wuying *see* Zhang Li 86—53595
Xia Xiao-mi *see* Wang Man 87—70998
Xia Xiaodong A distributed network operating system for IBM-PCs 87—69717
Xia Xuejiang *see* Song Yaozhu 85—12783
Xia Yanfu, Wang Shuxin, Liu Rongchuan A discussion for determining the velocity non-linearity of a Mossbauer spectrometer 86—50456
Xia Yi-xuan *see* Mao Nai-feng 87—8796
Xia Yong-wei *see* Wang Shou-jue 86—67897
Xia Yongwei, Kong Lingkun, Zhang Dongxuan Influence of Si-substrate thickness and barrier height of back contact upon the characteristics of MOS capacitor 85—1404
Xia Yongwei *see* Wang Shouwu 85—50289, 85—55583
Xia Yongxiang *see* Shu Yonghui 88—7067
Xia Yue-Yuan *see* Hu Xie-rong 88—47526
Xia Zhang *see* Zhang Xia
Xia Zhenhua *see* Hu Lei 86—49905
Xia Zhiguo, Chen Jingying Measurement of laser beam with system of photodiode array and microcomputer 86—3264
Xia Zhiguo *see* Wang Jingsheng 88—8007
Xia Zu-Zhi, Cui Zhi A study of load frequency control for interconnected power systems with a HVDC tieline 86—12320
Xia Zuyong, Qiu Junlin A theoretical model for transverse flow pin-to-plate discharge CO$_2$ lasers 88—65549
Xia-Ling Guan *see* Guan Xia-Ling
Xiacqin Guo *see* Guo Xiacqin
Xiajuan Li *see* Li Xiajuan
Xialing Guan *see* Guan Xialing
Xian Chen *see* Chen Xian
Xian Ding Kong *see* Ding Kong Xian
Xian Dingchang *see* Dingchang Xian
Xian Hua Yang *see* Yang Xian Hua
Xian Yang Yi *see* Yang Yi Xian
Xian Zhu *see* Zhu Xian
Xian-cheng Wu *see* Wu Xian-cheng
Xian-Ci Xiao An adaptive orthogonal maximum likelihood algorithm for parameter estimation 86—10413
Xian-ci Xiao *see* Xiao Xian-ci
Xian-ding Wu *see* Wu Xian-ding
Xian-Fu Zeng, Gang-Zhao Yao, Zhao-Haon Huang Studies of electrical current-induced liquid phase epitaxy of Ga$_{1-x}$Al$_x$As:Si 87—10467
Xian-lin Wang *see* Wang Xian-lin
Xian-ming Chen *see* Chen Xian-ming
Xian-pin Wu *see* Wu Xian-pin
Xian-ping Wu *see* Wu Xian-ping
Xian-qiang Mon *see* Mon Xian-qiang
Xian-ren Wang *see* Wang Xian-ren
Xian-Shu, L. *see* Staats, G.W. 88—5667
Xian-shu Li *see* Li Xian-shu
Xian-wen Zhou *see* Zhou Xian-wen
Xian-xin Zhong, Jian-shu Li Optical fiber sensor for dust concentration measurement [air pollution detection and control] 88—42141
Xian-xiu Wang *see* Wang Xian-xiu
Xian-yao Wang *see* Wang Xian-yao
Xian-Yaun Meng *see* Yu-Hai Mao 86—17465
Xian-Yu Su, Guan-Shen Zhang, Lu-Rong Guo Phase-only composite filter 87—68245
Xian-yu Su, Guan-shen Zhang, Lu-rong Guo A synthetic phase-only holographic filter for multi-object recognition 88—34168
Xian-zhang Yu *see* Yu Xian-zhang
Xian-zhong Meng *see* Meng Xian-zhong
Xiancan Pan *see* Pan Xiancan
Xiancao Zhang *see* Zhang Xiancao
Xiande, M. *see* Yongtan, L. 86—62142
Xiandong Xu *see* Xu Xiandong
Xianfu Zeng *see* Qingke Zeng 88—38166
Xiang, C.S. *see* Min, J. 87—62286
Xiang, F. *see* Cada, M. 88—65302
Xiang, F. *see* Chu, X.W. 86—32027
Xiang, G.B. Employing logarithmic approach for the analysis of the stability of diesel-generator sets operating in parallel 86—12668
Xiang, J. *see* Deeley, E.M. 88—52121
Xiang, J. *see* Olver, A.D. 87—75649, 88—27656
Xiang, L. *see* Wang, L. 88—69649
Xiang, L.Q. *see* Ih, C.S. 88—40418
Xiang, Q. *see* Mertens, R. 88—40165
Xiang, S. *see* Yamada, H. 88—55376
Xiang, W.F., Yi, Z.B. Waveform optimization design of a converter AC machine 88—23901
Xiang, X., Muroga, S. Interactive reduction of folded PLAs 87—44798
Xiang, Y. *see* Mizushina, S. 86—60814
Xiang Cailan *see* Yang Zhilian 88—56588
Xiang Changjin, Shen Wende The preparation of nuclear track microporous membrane 86—11899
Xiang Cui *see* Cui Xiang
Xiang Gui *see* Gui Xiang
Xiang Haige *see* Haige Xiang
Xiang He Wan *see* He Wan Xiang
Xiang Hu *see* Hu Xiang
Xiang Hua Zhang *see* Lucas, J. 88—58050
Xiang Jing-cheng, Huang Ren-qiang, Hu Mei-li On DDA digital recursive filter with second-order residue retention 88—32325
Xiang Jingcheng *see* Tang Kaijun 88—29297
Xiang Li *see* Li Xiang
Xiang Lian-qin *see* Ih, C.S. 86—63874
Xiang Lian-Qin *see* Lian-Qin Xiang
Xiang Niande *see* Chen Shujun 88—23407
Xiang Niande *see* Chen Xuequing 87—77999
Xiang Niande *see* Jin Aizhong 87—78547
Xiang Niande *see* Xia Qing 88—23406
Xiang Niande *see* Yu Erkeng 86—39047
Xiang Niande *see* Zhang Boming 87—35607, 87—64080, 87—71598, 88—61796
Xiang Quan *see* Quan Xiang
Xiang Qun Cui *see* Cui Xiang Qun
Xiang Shi-Ming Photon noise and its limitation to the grey scale performance of photoelectronic imaging system 86—24391
Xiang Shu-Jiang *see* Shu-Jiang Xiang
Xiang Song-guang *see* Jiang Ren-rong 88—7450
Xiang Wang *see* Wang Xiang
Xiang Wang Feng *see* Wang Feng Xiang
Xiang Wanghua *see* Wang Chingyue 87—61110
Xiang Wanghua *see* Zhao Xinmiao 88—72352
Xiang Xie *see* Yu-hai Mao 88—15659
Xiang Xie Guo *see* Xie Guo Xiang
Xiang Xin-min The finite element analysis for a class of system of more generalized Zakharov equations 87—44245
Xiang Xin-min *see* Zheng Jia-dong 87—65449
Xiang Yang *see* Wang Xuan 85—30240
Xiang Yang Jia *see* Jia Xiang Yang
Xiang Yong *see* Yong Xiang
Xiang-dong Xu *see* Xu Xiang-dong
Xiang-fu Huang *see* Huang Xiang-fu
Xiang-fu Nie *see* Nie Xiang-fu
Xiang-fu Zong *see* Zong Xiang-fu
Xiang-Guang Gu *see* Brady, D. 88—65132
Xiang-huai Liu *see* Liu Xiang-huai
Xiang-hui Wu *see* Wu Xiang-hui
Xiang-ling Zhang *see* Zhang Xiang-ling
Xiang-Liu Jian *see* Jian Xiang-Liu
Xiang-qi Jiang *see* Jiang Xiang-qi
Xiang-sheng Men *see* Men Xiang-sheng
Xiang-xin Zeng *see* Ying-chang Yang 86—28614
Xiang-yang Huang *see* Wei-feng Chen 88—40383
Xiang-zong Cui *see* Cui Xiang-zong
Xiangang Fu, Longzhou Fu Optimal control system design of a nuclear reactor by generalized spectral factorization 88—55148

Xiangbao Li *see* Li Xiangbao
Xiangbin Ma *see* Ma Xiangbin
Xiangbing Zheng *see* Zheng Xiangbing
Xiangchu Tu *see* Tu Xiangchu
Xiangchun Yang *see* Yang Xiangchun
Xiangchun Zhang *see* Zhang Xiangchun
Xiangda Lin *see* Lin Xiangda
Xiangdong Chao *see* Weiguang Wen 85−46018
Xiangdong Lin *see* Lin Xiangdong
Xiangdong Xu *see* Xu Xiangdong
Xiangdong Xue *see* Xue Xiangdong
Xiangdong Zhen *see* Zhen Xiangdong
Xiangfan Gao *see* Gao Xiangfan
Xiangfu Zhong *see* Zhong Xiangfu
Xianggao Chen *see* Chen Xianggao
Xianggen Yin *see* Yin Xianggen
Xianggeng Qian *see* Qian Xianggeng
Xiangguang Zhen *see* Zhen Xiangguang
Xianggui Kong, Zhiwen Pan, Binxing Shi Effect of the intracavity lens on the linewidth of a dye laser 87−54358
Xiangheng Wang *see* Wang Xiangheng
Xiangjiu Zhang *see* Weidong Jiang 88−18673
Xiangjiu Zhang *see* Zhang Xiangjiu
Xianglei Mao *see* Mao Xianglei
Xianglin Yu *see* Yu Xianglin
Xiangming Wang *see* Wang Xiangming`
Xiangming Xu *see* Xu Xiangming
Xiangna Liu *see* Liu Xiangna
Xiangqing Shi *see* Shi Xiangqing
Xiangqun Cao *see* Cao Xiangqun
Xiangsu Zhang *see* Zhang Xiangsu
Xiangti Meng *see* Yongchang Du 85−55456
Xiangti Meng *see* Meng Xiangti
Xianguang Liang *see* Liang Xianguang
Xiangxi Chen, Huang, J., Loh, E. Computer generated holograms using personal computers 87−61252
Xiangxi Chen, Huang, J., Loh, E. Two-dimensional fast Fourier transform and pattern processing with IBM PC 88−66606
Xiangxian Gao *see* Gao Xiangxian
Xiangxun Chen *see* Chen Xiangxun
Xiangyang Gao *see* Gao Xiangyang
Xiangyang Liu *see* Liu Xiangyang
Xiangyang Yang, Kuo-fan Chin, Minxian Wu Real time optical logic processing 88−13980
Xiangyang Yang *see* Shaomin Zhou 88−13988
Xiangyong Huong *see* Huong Xiangyong
Xiangyu Wei *see* Wei Xiangyu
Xianhai Li *see* Li Xianhai
Xianhong Yang *see* Yang Xianhong
Xianhua Wang *see* Wang Xianhua
Xianhua Xu *see* Xu Xianhua
Xianhua Yin *see* Yin Xianhua
Xianjie Li *see* Li Xianjie
Xianjie Shen *see* Shen Xianjie
Xianjie Xin *see* Xin Xianjie
Xianke Zhang *see* Zhang Xianke
Xianliang Shi *see* Moricz, F. 87−58834
Xianlin Bi *see* Bi Xianlin
Xianlong Hong *see* Hongtao Yu 87−36870
Xianlong Hong *see* Hong Xianlong
Xianluo Fu *see* Fu Xianluo
Xianming Chen *see* Chen Xianming
Xianming Zhou *see* Zhou Xianming
Xianning Jiang *see* Jiang Xianning
Xianoneng Cao *see* Cao Xianoneng
Xianping Wu *see* Wu Xianping
Xianqan Zhang *see* Zhang Xianqan
Xianqing Shi *see* Shi Xianqing
Xianshu Li *see* Li Xianshu
Xiantang Zeng *see* Zeng Xiantang
Xianxin Men *see* Men Xianxin
Xianying Wei *see* Wei Xianying
Xianzhang Shen *see* Shen Xianzhang
Xianzhen Chen *see* Chen Xianzhen
Xianzhi Liao *see* Lan Jin 88−15147
Xianzhi Zhang *see* Zhang Xianzhi
Xianzhong Tang *see* Tang Xianzhong
Xianzhong Wang *see* Wang Xianzhong
Xiao, L.J. *see* Sheng, J. 88−52076
Xiao, L.J. *see* Sheng, J.N. 88−69069
Xiao, L.R. *see* Bieler, M. 88−54053
Xiao, L.Y., Mao, Y.K., Xiao, Y. The three dimensional radiation from sources on a smooth convex surface with edges 87−47308
Xiao, Q., Bian, Z. An approach to fingerprint identification by using the attributes of feature lines of fingerprints 87−55352
Xiao, W.T. *see* Wang, D.W. 86−22015
Xiao, X.-C. *see* Xu, Y. 87−62095
Xiao, X.M., Shen, Y.C. Constrained optimisation in the PECOD program 86−46445
Xiao, Y., Strnat, K.J., Mildrum, H.F., Ray, A.E. Effect of erbium substitution on permanent magnet properties of sintered (Nd,Dy)-(Fe,Co)-B 88−51190
Xiao, Y., Zhang, Z. The microstructure and coercivity of Sm(Co, Cu, Fe, Zr)$_{7.4}$ permanent magnet with high intrinsic coercivity 85−29471
Xiao, Y. *see* Ohta, M. 88−52471
Xiao, Y. *see* Shen, X. 88−2528
Xiao, Y. *see* Xiao, L.Y. 87−47308
Xiao, Y.-M. *see* Guo, Y.-J. 88−2548
Xiao, Y.J. *see* Gao, B.J. 86−48020
Xiao Aiying, Hu Qingyong, Shi Fengming, Fang Junren Effect of metallurgical factors on the grain size of Nb$_3$Sn produced by the bronze technique 85−62214
Xiao Chengde *see* Bialowons, W. 88−16587 to 16589, 88−16606
Xiao Chengde, *see* Bialowons, W. 87−41688, 87−70916
Xiao Dachuan A theorem about the existence and uniqueness of the solution for certain nonlinear resistive circuits 85−6098
Xiao Dachuan Harmonics analysis of a circuit with single-phase transformer 88−30769
Xiao Genlai, Gui Shouzao, Tian Jiaqi, Liu Jingyi, Shi Shuanghui Measurement of the isochronous cyclotron beam phase 86−11804
Xiao Genlai *see* Gu Jiahui 88−10238
Xiao Ghu-zhen The spectrum method for correlation analysis of nonlinear generator 87−39611
Xiao Guixiang *see* Gong Zhenglie 87−62230
Xiao Guo-zhen Spectral techniques with applications to self-dual codes 88−34556
Xiao Guoging *see* Guoging Xiao
Xiao Hong-en *see* Liu Ding-yuan 85−16881
Xiao Jianning *see* Hu Zhiqiang 85−62483
Xiao Jianning *see* Li Shangyi 87−7255
Xiao Jianwei, Du Guotong, Gao Dingsan, Yang Delin Longitudinal mode-temperature locking study in sectional constricted planar co-cavity laser diode 87−7343
Xiao Jianwei *see* Du Guotong 85−51159, 86−48463, 87−18954
Xiao Jianwei *see* Jianwei Xiao
Xiao Jiazhu *see* Deng Hongmin 86−11905
Xiao Jingcheng, Yuan Qiqing, Sun Jihua Design of chopping circuit for nanosecond pulse ion source used in van de Graaff generator 88−10203
Xiao Jingming *see* Tao Xingshi 87−51274
Xiao Jinkai *see* Liu Jiyuan 86−18522
Xiao Junmo *see* Xie Xireng 87−28090
Xiao Ke *see* Ke Xiao
Xiao Len-Rong *see* Zhou Qing-Yi 87−56927
Xiao Li Yu *see* Yu Xiao Li
Xiao Ling *see* Hu Wan-ping 86−26235
Xiao Meiqin *see* Li Zenghai 88−36321
Xiao Min, Pu Wanlin CO$_2$ laser welding of Si-steel Q112B thin plate 86−68649
Xiao Min *see* Pu Wanlin 88−2421
Xiao Min Ren *see* Ren Xiao Min
Xiao Pin-de *see* Li Fu-shou 86−32791
Xiao Qifu *see* Gao Wei 88−11182
Xiao Qin-xian *see* Wang Qi 85−59219
Xiao Qinghan, Dong Xiaoxue, Li Zhaoyu A recognition method for finger print 85−2879
Xiao Rong Another public-key distribution system based on matrix rings 88−34559
Xiao Shu-yi, Zhang Rui-feng Investigation of fabrication and characteristics of indium-tin oxide (ITO) films 85−1320
Xiao Tian-Wei *see* Du Guo-tong 86−48392
Xiao Wang *see* Lianchu Gu 86−40215
Xiao Wei *see* Wang Shicheng 86−11897
Xiao Wei-Rong *see* Zhou Hu-Cheng 87−15668
Xiao Xian-ci *see* Jiang Xu-dong 88−56170
Xiao Xian-Ci *see* Xian-Ci Xiao
Xiao Xing *see* Yu Qihua 88−4676
Xiao Yaofu, Zhang Zhengyi The microstructure and coercivity of S_m(Co Cu Fe Zr)$_{7.4}$ magnet with high intrinsic coercivity 86−21955
Xiao Yaofu *see* Pan Shuming 86−21963
Xiao Ying-kin On error estimates of the piecewise-polynomial approximations of Orlicz-Sobolev spaces W^mE_A 86−34198
Xiao Zongyao *see* Pan Huizhen 86−3190
Xiao Zuo, Ho Hung-xian, Zou Ji-qing, Zhang Shu-li DQ-87 data processing system for geophysical observations 88−27875
Xiao-bo Li *see* Li Xiao-bo
Xiao-Bo Liu *see* Liu Xiao-Bo
Xiao-Chun Gao *see* Lebrun, J.-N. 86−66950
Xiao-ci Zheng *see* Zheng Xiao-ci
Xiao-Dong Chen, Sang Young Lee, Golben, J.P., Sung-Ik Lee, McMichael, R.D., Yi Song, Noh, T.W., Gaines, J.R. Practical preparation of copper oxide superconductors 87−74562
Xiao-fei Song *see* Song Xiao-fei
Xiao-Feng Zhang *see* Zhang Xiao-Feng
Xiao-Feng Zhou *see* Zhou Xiao-Feng
Xiao-Fong Guo *see* Fu-ji Zhang 86−34150
Xiao-gao Tan *see* Tan Xiao-gao
Xiao-guang Li *see* Li Xiao-guang
Xiao-Guang Wu, Mandel, P. Analysis of a model of a far-infrared laser 86−54066
Xiao-Guang Wu, Mandel, P. Second-harmonic generation in a multimode laser cavity 88−14273
Xiao-guang Yiao *see* Yiao Xiao-guang
Xiao-hu You *see* You Xiao-hu
Xiao-jian Chen *see* Chen Xiao-jian
Xiao-jiang Hou *see* Hou Xiao-jiang
Xiao-jun Chen *see* Chen Xiao-jun
Xiao-Kang Huang *see* Huang Xiao-Kang
Xiao-liang Wang *see* Wang Xiao-liang
Xiao-long Wang *see* Wang Xiao-long
Xiao-lu Han *see* Han Xiao-lu
Xiao-mi Xia *see* Xia Xiao-mi
Xiao-min Zhang *see* Zhang Xiao-min
Xiao-ming, L. *see* Ebihara, Y. 88−73624
Xiao-ming Chai *see* Chai Xiao-ming
Xiao-Ming Wang *see* Wang Xiao-Ming
Xiao-ming Yin *see* Yin Xiao-ming
Xiao-ming Zhai *see* Zhai Xiao-ming
Xiao-nan Luo *see* Luo Xiao-nan
Xiao-ping Wu *see* Wu Xiao-ping
Xiao-qiang Shan *see* Shan Xiao-qiang
Xiao-qing Pi *see* Pi Xiao-qing
Xiao-qun Zhao *see* Zhao Xiao-qun
Xiao-song, L. *see* Su-xian, C. 87−58672
Xiao-song Jiang, Li-sheng Yu, Shu-min Wang, Hong-xun Liu, Bei Zhang Observation of real space transfer in GaAs-AlGaAs heterostructure grown by LPE 87−53256
Xiao-Song Jiang *see* Jiang Xiao-Song
Xiao-wei Li *see* Li Xiao-wei
Xiao-wei Tang *see* Tang Xiao-wei
Xiao-wei Yin *see* Yin Xiao-wei
Xiao-wei Yu *see* Yu Xiao-wei
Xiao-wen Cao *see* Cao Xiao-wen
Xiao-Wen Tian *see* Tian Xiao-Wen
Xiao-xin Liao *see* Liao Xiao-xin
Xiao-Yi Bao *see* Bao Xiao-Yi
Xiao-yi Gu *see* Gu Xiao-yi
Xiao-Yin Jin, Porter, A.L., Rossini, F.A., Anderson, E.D. R&D project selection and evaluation: a microcomputer-based approach 88−6187
Xiao-ying Yuan *see* Yuan Xiao-ying
Xiao-yong Yu *see* Yu Xiao-yong
Xiao-Yuan Hou *see* Hou Xiao-Yuan
Xiaobai, L., Raghuveer, M.R., Norris-Elye, O.C., Goodman, J.S. Corona loss measurement on loaded operating DC lines 88−61895
Xiaobo Li, Dubes, R.C. A note on dichotomous feature extraction 86−29864
Xiaobo Li, Dubes, R.C. Tree classifier design with a permutation statistic 86−54551
Xiaochao Hu *see* Hu Xiaochao
Xiaocheng Du *see* Du Xiaocheng
Xiaochun Liu *see* Liu Xiaochun
Xiaochun Wang *see* Wang Xiaochun
Xiaochun Zhu *see* Zhu Xiaochun
Xiaoci Zheng *see* Zheng Xiaoci
Xiaodong Chen *see* Chen Xiaodong
Xiaodong Cheng *see* Shenggang Liu 88−8236
Xiaodong Shi *see* Shi Xiaodong
Xiaodong Wu *see* Wu Xiaodong
Xiaodong Xia *see* Xia Xiaodong
Xiaodong Yang *see* Yang Xiaodong
Xiaodong Zhao *see* Zhao Xiaodong
Xiaofan Meng *see* Meng Xiaofan
Xiaofeng Chen *see* Chen Xiaofeng
Xiaofeng Feng *see* Fucheng Chou 87−67734
Xiaofeng Han *see* Han Xiaofeng
Xiaofeng Pang *see* Pang Xiaofeng
Xiaofeng Shen *see* Shen Xiaofeng
Xiaofeng Shi *see* Shi Xiaofeng
Xiaofeng Xu *see* Xu Xiaofeng
Xiaofeng Zao *see* Zao Xiaofeng
Xiaofeng Zhang *see* Zhang Xiaofeng
Xiaogang Zhou *see* Zhou Xiaogang
Xiaoguang, Y. A study of light collection efficiency in scintillation detectors 85−26704
Xiaoguang Wu *see* Wu Xiaoguang
Xiaoguang Yao *see* Yao Xiaoguang
Xiaohong Gu *see* Gu Xiaohong
Xiaohong Xu An algorithm for calculating a general down-hole synthetic seismogram 87−71271
Xiaohou Lu *see* Lu Xiaohou
Xiaohua Xu *see* Xu Xiaohua
Xiaohui Ning Nonimaging optical transformers for fiber optic applications 88−45110
Xiaohui Ning, O'Gallagher, J., Winston, R. Optics of two-stage photovoltaic concentrators with dielectric second stages 87−46675
Xiaojian Yang *see* Yang Xiaojian
Xiaojiang Hou *see* Hou Xiaojiang
Xiaojie Wang *see* Wang Xiaojie
Xiaojie Zhu *see* Zhu Xiaojie
Xiaojing Lu *see* Yu, F.T.S. 85−12672, 87−74854
Xiaojing Wang *see* Wang Xiaojing
Xiaojuan Ma *see* Ma Xiaojuan
Xiaojun Shen *see* Edelsbrunner, H. 88−299
Xiaojun Tang *see* Tang Xiaojun
Xiaojun Zheng *see* Zheng Xiaojun
Xiaojun Zhou *see* Zhou Xiaojun
Xiaokang Huang *see* Huang Xiaokang
Xiaokuan Guo *see* Guo Xiaokuan
Xiaolan Luo *see* Luo Xiaolan
Xiaolan Wu *see* Van Der Ziel, A. 87−6660
Xiaoli Li *see* Li Xiaoli
Xiaoliang Huang *see* Hongyuan Shen 86−68502
Xiaoliang Huang *see* Huang Xiaoliang
Xiaoliang Li *see* Li Xiaoliang
Xiaoliang Ma Modelling, analysis and digital simulation for power electronic converters 86−45574
Xiaoliang Wang *see* Wang Xiaoliang
Xiaolin Lei *see* Lei Xiaolin
Xiaolin Qiao *see* Qiao Xiaolin
Xiaolin Tian *see* Tian Xiaolin
Xiaolin Tu *see* Tu Xiaolin
Xiaolin Xi *see* Shouwu Wang 87−53464
Xiaolin Xu *see* Xu Xiaolin
Xiaolin Zhang *see* Zhang Xiaolin
Xiaolin Zhou *see* Zhou Xiaolin
Xiaolin Zhu *see* Zhu Xiaolin
Xiaoling Qiu, To-Yat Cheung PNPUO−a Petri-net based software package for protocol validation 86−64729
Xiaolong Jin *see* Jin Xiaolong
Xiaomei, H. *see* Zaigen, F. 88−74006
Xiaomei Huang *see* Huang Xiaomei

Xiaomei Wang, Bar-Yam, Y., Adler, D., Joannopoulos, J.D. DC conductivity and the Meyer-Neldel rule in *a*-Si:H 88−71319
Xiaomin Bai *see* Bai Xiaomin
Xiaomin Ren *see* Ren Xiaomin
Xiaomin Zhao *see* Zhao Xiaomin
Xiaoming Bai *see* Bai Xiaoming
Xiaoming Fan *see* Fan Xiaoming
Xiaoming Fang *see* Fang Xiaoming
Xiaoming Hua *see* Huchen Xie 88−66668
Xiaoming Kong *see* Kong Xiaoming
Xiaoming Li *see* Li Xiaoming
Xiaoming Liu *see* Liu Xiaoming
Xiaoming Lou *see* Lou Xiaoming
Xiaoming Pan *see* Pan Xiaoming
Xiaoming Sun *see* Sun Xiaoming
Xiaoming Wang *see* Wang Xiaoming
Xiaoming Zhang Speech recognition using vector quantization, Markov models and the Viterbi algorithm 87−27254
Xiaoming Zhang Semi-hidden Markov model and its application to speech recognition 88−8715
Xiaonan Li *see* Li Xiaonan
Xiaoneng Cao *see* Cao Xiaoneng
Xiaonong Tao *see* Tao Xiaonong
Xiaoping Chen *see* Chen Xiaoping
Xiaoping Gao *see* Gao Xiaoping
Xiaoping Wu *see* Wu Xiaoping
Xiaoqin Fu *see* Fu Xiaoqin
Xiaoqin Wang *see* Wang Xiaoqin
Xiaoqing Ding *see* Ding Xiaoqing
Xiaoqiu Zhang *see* Zhang Xiaoqiu
Xiaoquan He *see* He Xiaoquan
Xiaorong Li *see* Li Xiaorong
Xiaoshan Ma *see* Ma Xiaoshan
Xiaoshen Wu *see* Wu Xiaoshen
Xiaoshi Qi *see* Qi Xiaoshi
Xiaoshu Pan *see* Pan Xiaoshu
Xiaosong Jiang *see* Jiang Xiaosong
Xiaoting Ho *see* Ho Xiaoting
Xiaotu Li *see* Li Xiaotu
Xiaoui Bu *see* Bu Xiaoui
Xiaowei Shen *see* Shen Xiaowei
Xiaowen, Z. *see* Youguan, H. 88−43181
Xiaowen Cao *see* Cao Xiaowen
Xiaoxi Xu *see* Xu Xiaoxi
Xiaoxiang Sun *see* Sun Xiaoxiang
Xiaoxue Dong *see* Dong Xiaoxue
Xiaoyi Bao *see* Bao Xiaoyi
Xiaoyi Dong *see* Dong Xiaoyi
Xiaoyi Wang *see* Wang Xiaoyi
Xiaoying Liu *see* Liu Xiaoying
Xiaoyu Li, Gallawa, R.L. Potential errors in the use of optical fiber power meters 88−39930
Xiaoyu Li, Gallawa, R.L. Calibrated optical fiber power meters: errors due to variations in connectors 88−67987
Xiaoyu Li *see* Gallawa, R.L. 87−49971
Xiaoyu Ma *see* Ma Xiaoyu
Xiaoyun Xiong *see* Xiong Xiaoyun
Xiaozhang, Z., Zhongli, H., Zhongyu, Z. Local grids based on small hydro stations 85−38914
Xiaozhong Zhang *see* Zhang Xiaozhong
Xiaozu Wu *see* Wu Xiaozu
Xiaqi Liu *see* Liu Xiaqi
Xiashen Wu *see* Wu Xiashen
Xiazu Wu *see* Wu Xiazu
Xichen Yang *see* Yang Xichen
Xicheng Lou *see* Lou Xicheng
Xichun Hong *see* Hong Xichun
Xie, C.G. *see* Huang, S.M. 88−42323, 88−60710
Xie, D. *see* Shatz, S.M. 88−21798
Xie, G., Ramshaw, R.S. Nonlinear model of synchronous machines with saliency 87−9525
Xie, G. *see* Hu, Z. 88−11194
Xie, G. *see* Ramshaw, R.S. 85−21644, 85−32128, 86−39960, 87−4980, 87−30455
Xie, G.R. *see* Chen, C.X. 88−43341
Xie, G.Z. *see* Ceccarelli, C. 85−20286
Xie, H. *see* Gan, Y. 88−45857
Xie, H.-K., Kao, K.C. Further studies of anomalous phenomena in dielectric loss measurements using a three-electrode system 86−44391
Xie, H.-K., Ma, X.-S., Kao, K.C. Computation of electric fields and study of optimal corona suppression for bushing-type insulators 86−45002
Xie, H.-L., Wang, G.-Y., Zhang, S.-Q., Li, E.-H. Effects of phosphorus prediffusion process on the properties of n^+/p silicon solar cells 87−4918
Xie, H.K., Chen, S.T., Xiong, Z.X. DC conduction and breakdown of SPBT ceramic at high temperature 87−25634
Xie, H.K., Kao, K.C. A study of the low-density regions developed in liquefied polyethylene under high electric fields 85−55999
Xie, H.K. *see* Kao, K.C. 85−18499
Xie, H.M., Dabkiewicz, P., Ulrich, R., Okamoto, K. Side-hole fiber for fiber-optic pressure sensing 86−48136
Xie, J. *see* Guo, C. 86−3150
Xie, L.G., Wang, S.J., Chen, D.Z. A new approach to the design of meander-line circular polarizer 88−2891
Xie, M., Deacon, D.A.G. Theoretical study of FEL active guiding in the small signal regime 87−2198
Xie, M. *see* Deacon, D.A.G. 85−41419, 85−56714, 86−3204
Xie, S., Calvert, T.W., Bhattacharya, B.K. Planning views for the incremental construction of body models [robot vision] 87−48073
Xie, S. *see* Wang, H. 88−68940
Xie, S.L., Suk, M. On machine recognition of hand-printed Chinese characters by feature relaxation 88−14793
Xie, T. *see* Lei, Q. 87−18385
Xie, W., Phillips, G.C., Wenzel, W.A., Hinterberger, H., Briske, J. A high field two-mode superferric magnet 87−74615
Xie, W.F. *see* Colvin, J.C. 88−68232
Xie, X.C. *see* Lai, W.Y. 88−19710
Xie, Y., Hsu, S.-C., Kwok, H.-S. Streak camera analysis of an N_2-laser-pumped picosecond dye laser 87−39021
Xie, Y.-J. *see* Holloway, P.H. 86−28045
Xie, Y.H., People, R., Bean, J.C., Wecht, K.W. Power loss by two-dimensional holes in coherently strained $Ge_{0.2}Si_{0.8}$/Si heterostructures: evidence for weak screening 86−67713
Xie, Y.H., People, R., Bean, J.C., Wecht, K.W. Evidence for a piezoelectric effect in coherently strained $Ge_{0.2}Si_{0.8}$ alloys on Si (001) 87−74065
Xie, Y.H., Wang, K.L., Kao, Y.C. An investigation on surface conditions for Si molecular beam epitaxial (MBE) growth 85−54467
Xie, Y.J., Kwok, H.S., Long, D.G.H., Chiu, P.H. Near transform-limited picosecond dye laser pulses by cascaded transient oscillation 86−58892
Xie, Y.J. *see* Hsu, S.C. 86−29090
Xie, Z.Q., Antaya, T.A. Preliminary report on a 3D extraction code for ECR sources 88−74728
Xie, Z.Q. *see* Antaya, T.A. 88−74705
Xie, Z.Q. *see* Sanderson, D.P. 88−74717
Xie Baixing, Lin Qoushen, Tang Jiatian Measurement of high frequency *C-V* characteristics of InSb MOS capacitor and estimation of its density of surface state 86−35439
Xie Baixing, Lin Youshen, Xu Xiaohua, Zhang Jingshao, Fan Dianyuan Interface analysis and electric characteristics of palladium silicide-P-type silicon Schottky barrier diode 88−71344
Xie Bomin, Yu Gong On the thermal stress and fracture of the window of a CO_2 high power laser 85−12909
Xie Chang-de *see* Chang-de Xie
Xie Changqing The realisation of the intelligent acoustic meter by single-chip microcomputer 88−60530
Xie Chu-Fang *see* Chen Wei 88−40718
Xie De-xin *see* De-xin Xie
Xie Dexin, Tang Yunqiu, Xu Zihong FEM analysis of 3D eddy current field in power transformer 88−55405
Xie Fangqing *see* Deng Guoyang 88−72257
Xie Guang Xuan, Zhang Jiging Long March III: an operational capability from China 87−77816
Xie Guanxiang *see* Zhrng Bohou 86−41627
Xie Guo Xiang *see* Ling Sen 88−34157
Xie Hanzhong *see* Liu Jue 88−54881
Xie Hongyi *see* Zhao Yanan 85−31798
Xie Huchen *see* Huchen Xie
Xie Hui *see* Hui Xie
Xie Jia-lin On the average luminosity of electron-positron collider and positron-producing energy 86−18209
Xie Jialin On the choice of positron-producing energy in linac-injected $e^\pm$ colliders 86−32052
Xie Jiang-guang, Pei Liu-qing, Guo Fen The mechanism of chaotic attractor in a third order nonlinear autonomous circuit 88−56414
Xie Jianlun *see* Chen Changmao 86−50383
Xie Jin *see* He Fufa 87−9150
Xie Jin-lay, Tu Yan, Wang Jun-sheng Circular infrasound array for improving signal-to-noise ratio 87−15084
Xie Jin-ru *see* Yie Jin-de 85−3675
Xie Jinghui, Zhao Yeling, Zhao Dazun, Yu Meiwen Density pseudocolor encoder by Bragg effect 88−34170
Xie Jingping *see* Jingping Xie
Xie Jingshan *see* Shen Feng 86−36470, 87−2114
Xie Jingshon *see* Guo Changzhi 85−29822
Xie Jingtao *see* Zhang Cunshan 88−45407
Xie Jishi, Wang Yongdao The technique of the multichip tape carrier 87−66795
Xie Jue The calculation on the vacuum life of the vacuum switch tube 86−8692
Xie Kexun *see* Zhang Xiumiao 85−18174
Xie Kezhong Design of Chinese character-generating system and compression of Chinese character image data 85−30241
Xie Liang-jin *see* Wang Bing-zhong 85−46604
Xie Liansheng, Chen Xueliang, Xu Yuansen Characterization and modeling of LDD MOSFETs 88−19954
Xie Lin-zhen *see* Shang Song-quan 87−18979
Xie Linzhen *see* Wang Depei 88−47393
Xie Linzhen *see* Yao Shutong 88−27175
Xie Mao-qing *see* Li Tian-duo 87−71967
Xie Maozhao Computation of the flow field in cylinders of internal combustion engines by the arbitrary Lagrangian-Eulerian method 87−15509
Xie Min *see* Min Xie
Xie Pei-Pei *see* Liu Rong-Guang 85−59197
Xie Pei-Pei *see* Ma Ji-Mao 85−59199, 88−22911
Xie Peiliang *see* Dong Jingxing 85−46311
Xie Shi-jian, Zhao Wen-xia Design of reasonable structures for high speed CMOS circuits 85−12411
Xie Shixuan *see* Yang Wenyu 86−23166
Xie Shu *see* Wang Cheng-hao 86−68141
Xie Shuag *see* Zhao Kuo-nan 86−67898
Xie Shun-en *see* Shun-en Xie
Xie Suhuan *see* Shen Xiong 85−15077
Xie Wanfen *see* Wanfen Xie
Xie Wanxin *see* Wang Zongxin 88−60666
Xie Wei-xin A measure for image information 86−16493
Xie Weiqiang *see* Wei Xianying 86−56633
Xie Xi *see* Chen Yinbao 85−9016
Xie Xi *see* Cui Xiang 88−45621
Xie Xi *see* Fu Shinian 87−41771
Xie Xi *see* Liu Lanfen 87−63576
Xie Xi-jun *see* Zhao Zhi-mei 85−26399
Xie Xi-ren Advances in packet voice communication 87−62522
Xie Xiang *see* Xiang Xie
Xie Xin-neng, Li Fo-jun, Li Wen-en The stability of field emission current 85−1255
Xie Xing-shu *see* Xing-shu Xie
Xie Xingbin *see* Sun Siyuan 85−12762
Xie Xireng, Xiao Junmo, Zhong Gongming TG-OMNINET—local network with security and real-time communication functions 87−28090
Xie Yi-Gang *see* Wang Xiao-Liang 87−57045
Xie Yi-xi, Guo Chang-shun An experimental study on depolarization due to multipath propagation 87−61374
Xie Yi-Xi *see* Yi-Xi Xie
Xie Yingpu *see* Li Xingyuan 88−48915
Xie Yu-Cheng *see* Qian Xiu-ying 85−5146
Xie Yu-zhang *see* Ou-Yang Zhong-can 85−62664
Xie Yuanxiang, Wang Xiaoming, Zhu Yongtai Bragg curve spectroscopy detector for particle identification 87−63697
Xie Zhexina *see* Li Zhenang 85−50168
Xie Zhi *see* Gao Kuiming 88−74422
Xie Zhi *see* Zhang Wei 88−74421
Xie Zhi-xing, Huang Da-quan, Shen Qing-gai Optimization of the magnetic deflection system by the method of orthogonal design 87−39307
Xie Zhiming, Lin Zungi, Zhang Weiqin, Shi Aying Progress in China's six beam subnanosecond Nd-glass laser facility 86−29094
Xie Zhixing, Huang Daquan, Shen Qinggai The determination of the field parameters of saddle deflection yoke with a ferromagnetic shield 88−27461
Xie Zhonglin *see* Li Hongfu 88−50575
Xie Zongjun *see* Liu Kun 86−14836
Xie-rong Hu *see* Hu Xie-rong
Xie-ting Ling *see* Ling Xie-ting
Xiedong Li *see* Li Xiedong
Xiehua Sun On the rate of convergence of Fourier series for functions of HBMV 87−52086
Xien-wen Chou *see* Chou Xien-wen
Xieng Niande *see* Chen Xueqing 86−12728
Xieqing Zhu *see* Zhu Xieqing
Xierong Hu *see* Hu Xierong
Xieting Ling *see* Ling Xieting
Xiewei Wang *see* Wang Xiewei
Xiewen Wang *see* Wang Xiewen
Xiexiong Chen *see* Chen Xiexiong
Xiezheng Yin *see* Yin Xiezheng
Xifan Guo *see* Guo Xifan
Xigang Lin *see* Lin Xigang
Xiguang Liu *see* Liu Xiguang
Xihui, L. *see* Baowen, L. 88−63157
Xihui Zhu *see* Zhu Xihui
Xijian Zhou *see* Zhou Xijian
Xijie Cai *see* Cai Xijie
Xijun Zhao *see* Zhao Xijun
Xikai Zhu *see* Zhu Xikai
Xilan Zhang *see* Zhang Xilan
Xilan Zheng *see* Zheng Xilan
Xilang Zhou *see* Zhou Xilang
Xilei Lin *see* Lin Xilei
Xiling Liu *see* Liu Xiling
Ximao Bao *see* Bao Ximao
Ximen Ji-ye Self-consistent solutions to algebraic reconstruction of image from its projections 87−33760
Ximen Ji-ye *see* Ai Ke-cong 87−19139 to 19140
Ximin Huang, Ge Lin, Yumei Jing Growth and photoluminescence of CdTe single crystals 88−31721
Ximing Deng *see* Wehnua Chen 88−58669
Ximing Deng *see* Deng Ximing
Ximing Song *see* Song Ximing
Ximing Zheng *see* Zheng Ximing
Ximing Zhong *see* Zhong Ximing
Xin, J.G., Allcock, G., Hall, D.R. A resistance measurement technique for radio-frequency gas discharges 86−44384
Xin, J.G., Hall, D.R. Multipass coaxial radiofrequency discharge Co_2 laser 86−63764
Xin, J.G., Hall, D.R. Compact, multipass, single transverse mode CO_2 laser 87−74962
Xin, X.K. An indirect measurement of energy gap for silicon and germanium 87−1183
Xin Chen *see* Chen Xin
Xin Chen Yi *see* Yi Xin Chen

Xin Cheng, Tsai, C.S. Electrooptic Bragg-diffraction modulators in GaAs/AlGaAs heterostructure waveguides 88−72159
Xin Da *see* Ma Zuguang 87−61095
Xin Delu *see* Song Junde 88−6726
Xin Guan *see* Guan Xin
Xin He, Yesha, Y. Parallel recognition and decomposition of two terminal series parallel graphs 88−6368
Xin He, Yesha, Y. Binary tree algebraic computation and parallel algorithms for simple graphs 88−31634
Xin Huifang *see* Ziao Zongyao 86−68521
Xin Jiang *see* Jiang Xin
Xin Jin *see* Jin Xin
Xin Jinxia *see* Hu Chumin 85−20283
Xin Li *see* Li Xin
Xin Liu *see* Liu Xin
Xin Luo *see* Yao Li 88−13979
Xin Shang-heng *see* Shi Chang-xin 87−60129, 88−57340
Xin Shangheng Characteristics of high temperature annealing on modulation doped GaAs/$Al_xGa_{1-x}As$ heterostructures 87−6407
Xin Shangheng *see* Shi Changxin 87−67251, 88−71605
Xin Shangheng *see* Wu Dingfen 87−67291
Xin Shangheng *see* Yan Benda 88−57671
Xin Shangheng *see* Zhou Mian 87−74011
Xin Tian *see* Tian Xin
Xin Tian Wang Necessary damping ratios in stepping motors 87−30685
Xin Wang *see* Wang Xin
Xin Xianjie, Pan Dajing A new sliding scale principle and the spectroscopic ADC based on this principle 87−77579
Xin Xu Wen *see* Wen Xin Xu
Xin Yang *see* Yang Xin
Xin Yang Bing *see* Bing Xin Yang
Xin Ye Bin *see* Ye Bin Xin
Xin Yuan Jiang *see* Wei Dong Fan 87−60104
Xin Yuan Jiang *see* Jiang Xin Yuan
Xin Zhang *see* Zhang Xin
Xin-an Zhao *see* So, F.C.T. 88−18741
Xin-bang Hua *see* Hua Xin-bang
Xin-bo Zhang *see* Zhang Xin-bo
Xin-Chang Yu *see* Yu Xin-Chang
Xin-gui Wei *see* Wei Xin-gui
Xin-Hua Lu *see* Lu Xin-Hua
Xin-mei Wang *see* Wang Xin-mei
Xin-miao Zhao *see* Ching-yue Wang 85−62632
Xin-Min Meng *see* Meng Xin-Min
Xin-min Xiang *see* Xiang Xin-min
Xin-neng Xie *see* Xie Xin-neng
Xin-nian Chen *see* Chen Xin-nian
Xin-qun Zhong *see* Zhong Xin-qun
Xin-rong Jiang, Zhao-feng Na The field solutions for multipole electrostatic deflectors 87−39308
Xin-wei Yang *see* Yang Xin-wei
Xin-Xin Li *see* Li Xin-Xin
Xin-xin Wu *see* Wu Xin-xin
Xin-Yi Liu *see* Liu Xin-Yi
Xin-yu Huang *see* Huang Xin-yu
Xin-yu Wu *see* Wu Xin-yu
Xin-yu Zheng *see* Zheng Xin-yu
Xinan Guan *see* Guan Xinan
Xinbao Guo *see* Guo Xinbao
Xinding Fu *see* Fu Xinding
Xinfan Huang *see* Huang Xinfan
Xing, D., Yao, M. A decoding technique for twice Reed-Solomon coding based on cross-interleaving 87−54912
Xing, D.Y., Ting, C.S. Green's-function approach to transient hot-electron transport in semiconductors under a uniform electric field 87−53166
Xing, D.Y. *see* Lei, X.L. 88−19665
Xing, D.Y. *see* Ting, C.S. 88−32760
Xing, X.Z., Li, M., Ozono, S., Kato, J., Bai, G.R., Zheng, W., Li, C.Q. High accuracy microdimension measurement system by using laser and CCD 88−16489
Xing, Y.Z., Boeder, C.P.W. A new angular-position detector utilizing the lateral photoeffect in Si 86−5243
Xing, Z.-J., Kennedy, J.K., Witt, A.F. Effects of liquid encapsulation on dopant segregation during Czochralski growth 85−16908
Xing Chen Magnetic probes for small-signal detection in a large background field 88−53664
Xing Feng *see* Feng Xing
Xing Fuhao, Liao Ping, Yang Jienxun, Zheng Xingshi, Luo Xizhang, Qiu Bingsheng Discovery of a new FIR pulsed laser line by optically pumped NH_3 molecules 88−27008
Xing Jun-ying *see* Jun-ying Xing
Xing Juncao *see* Wu Jianping 86−49286 to 49287
Xing Li, Gaillard, P. Multichannel recursive in space least-squares lattice algorithms 88−21271
Xing Li, Gaillard, P. Broad-band generalized sidelobe canceller using multichannel least-squares lattice structure 88−72980
Xing Li *see* Bilgutay, N.M. 87−10150
Xing Lin *see* Lin Xing
Xing Lina *see* Liu Yuren 86−11842
Xing Pan *see* Tromborg, B. 88−20648
Xing Qi-rong *see* Qi-rong Xing
Xing Qijiang *see* Wang Weili 88−8037, 88−40049
Xing Qirong *see* Wang Chingyue 87−61110
Xing Qirong *see* Zhao Xinmiao 88−72352
Xing Qujiang *see* Wang Weili 88−72201
Xing Shilin *see* Liu Zhongming 86−56042
Xing Weilong *see* Liu Shunkang 87−66839
Xing Weimin *see* Wang Qijun 87−25884
Xing Wu *see* Wu Xing
Xing Xiao *see* Xiao Xing
Xing Yirong *see* Zhong Zhantian 86−41589, 87−24915
Xing Yong Applications of IC in telephone 88−21823
Xing Yu *see* Yu Xing
Xing Zhizhong, Liu Jiahe, Zhang Guangchun Stress measuring based on magnetostriction of materials 88−22801
Xing-an Guo, Bang-xing Zhang, Lu-sheng Wu, Mei-Ling Chen Czochralski growth and laser performance of alexandrite crystals 87−12421
Xing-bi Chen *see* Chen Xing-bi
Xing-de Jia Exact order of subsets of asymptotic bases in additive number theory 88−31643
Xing-fen Liu *see* Liu Xing-fen
Xing-gang Wang *see* Wang Xing-gang
Xing-hua Jin *see* Jin Xing-hua
Xing-hua Wang *see* Wang Xing-hua
Xing-hui Wu *see* Fang, P.H. 86−33658
Xing-ning Xu *see* Xu Xing-ning
Xing-Quan Zhang *see* Zhang Xing-Quan
Xing-shi Tao *see* Tao Xing-shi
Xing-shu Xie, Shi-xiu Kang, Cheng-zhi Jia, Tao Jin Soft X-ray microscopy at the Hefei Synchrotron Radiation Laboratory 86−60691
Xing-Ye Tang Exploration of RF behavior of YIG film 87−60796
Xing-Ye Tang *see* Tang Xing-Ye
Xing-yu Yang, Qi-yuan Feng Magnetic tuning characteristics of an He-^{20}Ne laser in a transverse magnetic field 86−63759
Xing-yu Yang *see* Yang Xing-yu
Xingbi Chen *see* Chen Xingbi
Xingbin Xie *see* Xie Xingbin
Xingchao Yuan, Harrington, R.F., Mautz, J.R. The pseudo-image method for computing the electromagnetic field that penetrates into a cavity 88−8392
Xingchu Sun *see* Sun Xingchu
Xingfei He *see* He Xingfei
Xingfu Mou *see* Mou Xingfu
Xinggen Gong *see* Gong Xinggen
Xinghe Lin *see* Lin Xinghe
Xinghua Luo *see* Luo Xinghua
Xinghua Ma *see* Ma Xinghua
Xinghua Wang *see* Wang Xinghua
Xinghui Wu *see* Fang, P.H. 88−17943
Xingkai Wang *see* Wang Xingkai
Xingkang Teng *see* Teng Xingkang
Xingkang Zhang *see* Zhang Xingkang
Xingkun Wang *see* Wang Xingkun
Xingli Tan *see* Tan Xingli
Xingli Tang *see* Tang Xingli
Xingmin Cao *see* Cao Xingmin
Xingnian Zhang *see* Zhang Xingnian
Xingshi Tao *see* Tao Xingshi
Xingshi Zheng *see* Zheng Xingshi
Xingui Guo *see* Guo Xingui
Xingyao Zhai, Dounan Jia, Dongming Qiu The measuring device and experimental research for control of two-phase flow process 88−29709
Xingyi Zhang *see* Zhang Xingyi
Xingying Zhang *see* Zhang Xingying
Xingyuan Li *see* Li Xingyuan
Xingzhong Wu *see* Wu Xingzhong
Xinhe Chen *see* Chen Xinhe
Xinhua Zhuang, Haralick, R.M. Two view motion analysis under a small perturbation 86−16561
Xinhua Zhuang, Huang, T.S., Ahuja, N., Haralick, R.M. A simplified linear optic flow-motion algorithm 88−46156
Xinhua Zhuang, Huang, T.S., Haralick, R.M. Two-view motion analysis: a unified algorithm 87−2577
Xinhua Zhuang *see* Haralick, R.M. 88−46212
Xinhua Zhuang *see* Yunxin Zhao 88−66340
Xinjiao Li *see* Li Xinjiao
Xinkang Teng *see* Teng Xinkang
Xinli Tang *see* Tang Xinli
Xinlu Deng *see* Deng Xinlu
Xinmao Shen *see* Shen Xinmao
Xinmiao Zhao *see* Zhao Xinmiao
Xinming Liu *see* Liu Xinming
Xinming Zhu *see* Zhu Xinming
Xinnan Zhang *see* Zhang Xinnan
Xinping, H. *see* Zhenru, Y. 88−67460
Xinping Liang *see* Liang Xinping
Xinping Yang, Longzhou Fu Optimal control of xenon oscillations in load follow of a large nuclear reactor 87−22093
Xinquah Tan *see* Tan Xinquah
Xinquan Tan *see* Tan Xinquan
Xinrong Jiang Simple calculation formulas for field and aberrations of resistance box yokes 88−40487
Xinrong Ma *see* Ma Xinrong
Xinru Lu *see* Jun Ma 87−47943
Xinshan Ma, Wexler, A. BEM calculation for magnetic shielding with steel sheets 86−42861
Xinsheng Xu *see* Xu Xinsheng
Xintian Wang, Eichenwald, R. Torque vs. speed analysis and simulation for PM step motors 87−30656
Xinwei Cha *see* Cha Xinwei
Xinwei Yang *see* Yang Xinwei
Xinxiang Zhou *see* Zhou Xinxiang
Xinxin Shan *see* Shan Xinxin
Xinyong Chao *see* Chao Xinyong
Xinyu Zheng *see* Zheng Xinyu
Xinyuan Deng *see* Deng Xinyuan
Xinyuan Zheng *see* Zheng Xinyuan
Xinzhang Li *see* Li Xinzhang
Xinzhi Chen *see* Chen Xinzhi
Xiobo Zhang, Ormondroyd, R.F. The dynamic temperature distributions in stripe geometry lasers 88−40217
Xionbin Chui *see* Lianxiang Zhou 87−3471
Xiong, F., Shwedyk, E. Sequential sequence estimation in the presence of intersymbol interference 88−45821
Xiong, F. *see* Shwedyk, E. 88−68406
Xiong, F.L., Lambird, B.A., Kanal, L.N. An experiment in recognition of electrocardiograms using a structural analysis algorithm 85−31860
Xiong, F.Q., Shwedyk, E. Processing of nonstationary myo-electric signals 86−56133
Xiong, F.Q., Shwedyk, E. Some aspects of nonstationary myoelectric signal processing 87−41970
Xiong, G. *see* Nasar, S.A. 88−69410
Xiong, J.G. Algorithms for global routing 87−5630
Xiong, J.G. A gridless maze router: DBM (diffraction boundary method) 87−36896
Xiong, R. *see* Lin, M. 87−28685
Xiong, T., He, H., Huang, D. Coefficient optimization of wave digital circulator filters 86−57982
Xiong, X., Kuh, E.S. The scan line approach to power and ground routing 87−38442
Xiong, X., Kuh, E.S. Nutcracker: an efficient and intelligent channel spacer 87−67446
Xiong, X.-M., Kuh, E.S. The constrained via minimization problem for PCB and VLSI design 88−70450
Xiong, X.-M. *see* Dai, W.-M. 88−26425
Xiong, Z.X. *see* Xie, H.K. 87−25634
Xiong Binghen, Gou Wanfu Application of great depth holographic technique to double-exposure holographic interferometry 87−19083
Xiong Binghen *see* Gou Wanfu 87−21242
Xiong Cheng-kun *see* Du Jia-fang 87−60313
Xiong Daqing *see* Zhu Jun 86−8202
Xiong De-yan A search algorithm for finding basic sets of directed circuits and all directed circuits of a digraph 87−36858
Xiong Fang *see* Fang Xiong
Xiong Fanlun *see* Fanlun Xiong
Xiong He Measurement with a rotating slant-sensor probe 88−47469
Xiong Hua *see* Zhang Yuwu 87−14262
Xiong Li Zhi *see* Li Zhi Xiong
Xiong Qiusi, Yang Jie Optimal grading of balancing capacitors for large single-phase loads 86−51873
Xiong Rong-hua On the isomorphisms and automorphisms of factor incident graphs of shift registers 87−5749
Xiong Shaozhen *see* Sun Zhonglin 85−18095
Xiong Shen *see* Shen Xiong
Xiong Shijie Transient current in doping-modulated amorphous semiconductor superlattices. I. Motion of carriers under static electric field 87−53233
Xiong Shijie Transient current in doping-modulated amorphous semiconductor superlattices. II. Transient photoconductivity 88−7331
Xiong Shouren, Su Jinwen, Shi Guoliang A sub-mm and mm waveguide made of gold-coated glass tube 88−26840
Xiong Shouren *see* Su Jinwen 88−2313, 88−27014
Xiong Tong-zhou *see* Huang Da-Wei 86−64233, 88−56768
Xiong Wei Hu *see* Sakai, S. 87−33192
Xiong Xiaoyun *see* Zhao Songnian 88−36650
Xiong Yan, Yang Yanming The design and implementation of networks interconnection gateways 88−59587
Xiong Yiyan, Fu Longzhou, Ruan Yangqiang Dynamic modeling of a nuclear steam generator 88−62095
Xiong Zhengmei, Chen Huaijin Decoupled control of large-scale power system with interaction measuring method 87−50675
Xiong Zhengmei, Song Yonghua Adaptive decentralized optimal control of large-scale interconnected power system 88−48495
Xiong-guo Zhu *see* Zhu Xiong-guo
Xiongjun Guan *see* Guan Xiongjun
Xiongwei Hu, Sakai, S., Soga, T., Umeno, M. AlGaAs/GaAs TJS laser diodes fabricated on Si substrates by MOCVD 88−40218
Xipin Jiang *see* Jiang Xipin
Xiping Long *see* Long Xiping
Xiqi Feng *see* Feng Xiqi
Xiqiang Li *see* Li Xiqiang
Xiquan Yang *see* Yang Xiquan
Xiren Zhao *see* Zhao Xiren
Xireng Xie *see* Xie Xireng
Xirong Yang *see* Yang Xirong

Xisan Liu *see* Liu Xisan
Xishan Li *see* Li Xishan
Xishan Wang *see* Wang Xishan
Xishen Rong *see* Rong Xishen
Xitang Pan *see* Pan Xitang
Xiu Jianliang *see* Chen Zhengming 88−19849
Xiu Wang *see* Wang Xiu
Xiu-cheng Zhang *see* Zhang Xiu-cheng
Xiu-Feng Du *see* Du Xiu-Feng
Xiu-ju Zhang *see* Zhang Xiu-ju
Xiu-lan Zhang *see* Zhang Xiu-lan
Xiu-qing Wu *see* Wu Xiu-qing
Xiu-rong Shi *see* Shi Xiu-rong
Xiu-ru Liang *see* Liang Xiu-ru
Xiu-Yen Fu *see* Bloom, A.L. 88−74955
Xiu-ying Hou The maximum entropy method to applied radar adaptive clutter power elimination 85−46831
Xiu-ying Hou MTD performance for quasi-matched filter 85−47562
Xiu-Ying Hou, Ke-Rang Wu, Morinaga, N., Namekawa, T. Bit error rate performance of fading BPSK system with sounder in the presence of cochannel interference 87−40765
Xiu-Ying Hou, Morinaga, N. Detection performance of Rayleigh fluctuating targets in correlated Gaussian clutter plus noise 88−53326
Xiu-ying Li *see* Li Xiu-ying
Xiu-ying Qian *see* Qian Xiu-ying
Xiu-Ying Shen *see* Shen Xiu-Ying
Xiu-yun Liu *see* Liu Xiu-yun
Xiuchun Wang *see* Wang Xiuchun
Xiufang Li *see* Li Xiufang
Xiufang Ma *see* Ma Xiufang
Xiufeng Peng *see* Peng Xiufeng
Xiugmeng Zhou *see* Zhou Xiugmeng
Xiuguo Ma *see* Ma Xiuguo
Xiuhong Hao *see* Hao Xiuhong
Xiuhua Li *see* Li Xiuhua
Xiuhuan Chen *see* Chen Xiuhuan
Xiuji Zhou *see* Zhou Xiuji
Xiujiang Ji *see* Ji Xiujiang
Xiujin Tang *see* Tang Xiujin
Xiulan Li *see* Li Xiulan
Xiuling Jiang *see* Jiang Xiuling
Xiumei Jiang *see* Jiang Xiumei
Xiumiao Zhang *see* Zhang Xiumiao
Xiumlao Zhang *see* Zhang Xiumlao
Xiunan Sun *see* Sun Xiunan
Xiuqi Cheng *see* Cheng Xiuqi
Xiuqin Shi *see* Shi Xiuqin
Xiuqing Tian *see* Tian Xiuqing
Xiurong Li *see* Li Xiurong
Xiurong Zhang *see* Zhang Xiurong
Xiutang He *see* He Xiutang
Xiutao, W. Large hydropower stations in China 85−38915
Xiutao Wu *see* Wu Xiutao
Xiuwei Chen *see* Chen Xiuwei
Xiuwen Lu *see* Lu Xiuwen
Xiuying Liu *see* Liu Xiuying
Xiuying Sun *see* Sun Xiuying
Xiuyu Yin *see* Yin Xiuyu
Xiuzhen Yang *see* Yang Xiuzhen
Xiuzhi Chen *see* Chen Xiuzhi
Xivry, E.Orban de *see* Orban de Xivry, E.
Xiwen Wei *see* Wei Xiwen
Xiwu Fan *see* Hua Tian 88−40094
Xiwu Fan *see* Shouyin Wang 88−40095
Xixian, Yao *see* Wang Zidan 85−18603
Xixian Yao *see* Yao Xixian
Xixiang Xu *see* Xu Xixiang
Xixiong Yin *see* Yin Xixiong
Xiyan Shi *see* Shi Xiyan
Xiyuan, P. *see* Shenghe, S. 88−60588
Xizhang Feng *see* Feng Xizhang
Xizhang Luo *see* Luo Xizhang
Xizhang Wu *see* Wu Xizhang
Xizhi, L. *see* Richards, P.L. 88−12618
Xizhi Li *see* Li Xizhi
Xizhi Shi *see* Shi Xizhi
Xizhi Tao *see* Tao Xizhi
Xong Fu-Qinh *see* Fu-Qinh Xong
Xouqing Gu *see* Gu Xouqing
Xu, A. *see* Oesch, U. 87−63721
Xu, B., Shi, G. A theorem on data compression and estimation 87−54801
Xu, B. *see* Chalmers, I.D. 85−56016
Xu, B. *see* Chen, Z. 87−77267
Xu, B.L. *see* Jain, V.K. 87−61947
Xu, C. *see* Fletcher, R. 87−73004
Xu, C. *see* Huang, Q. 86−70710
Xu, C. *see* Masada, E. 87−43284
Xu, C. *see* Zhang, L. 86−67741
Xu, C.H., Schroder, D. Modelling and simulation of power MOSFETs and power diodes 88−71578
Xu, C.X. *see* Liu, D. 88−51666
Xu, D. The development of the microwave detection of nonelectrical properties in China 87−29266
Xu, D., Fang, K.-Y. Simulation of X.25 communication protocol 88−21697
Xu, D., Liu, L., Jian, Z. Measurement of the dielectric properties of biological substances using an improved open-ended coaxial line resonator method 88−29587
Xu, D. *see* Wallace, A.K. 87−64624
Xu, D.-Y. *see* Nguyen, D.T. 88−14758
Xu, D.M., Chen, Y.K., Kuh, E.S., Li, Z.J. A new algorithm for gate matrix layout 87−65742
Xu, D.O. *see* Zhou, M.L. 87−14709
Xu, G., Cadzow, J.A., White, R.C. A new system identification algorithm based on iterative algebraic filtering 88−73040
Xu, G., Galiana, F.D., Low, S. Decoupled economic dispatch using the participation factors load flow 85−59597
Xu, G., Pao, Y.-H. Single vector approaches to eigenstructure analysis for harmonic retrieval 87−19733
Xu, G., Tsuji, S. Inferring surfaces from boundaries 87−62389
Xu, G., Tsuji, S., Asada, M. A motion stereo method based on coarse-to-fine control strategy 87−47904
Xu, G. *see* Cadzow, J.A. 87−62040
Xu, G. *see* Chu, T.L. 87−16021
Xu, G. *see* Ge, Z. 88−25607
Xu, G.-H. *see* He, L.-Q. 88−25547
Xu, G.D. *see* Le, P. 88−51558
Xu, G.S., Qian, Z.B., Chen, C.E. High-efficiency two-harmonics beam chopper 86−55948
Xu, H., Chin-Yu, C., Yan-Bing, L. Detection of magnetic fields using magnetostrictive perturbation of optical fibres 88−22616
Xu, H., Li, S., Ye, X., Zhang, Z. Ten years experience in development, manufacturing and operation of VPI insulation system for HV motors 86−70851
Xu, H., Liang, Y.-H., Zhou, L.-G. The real-time realization of fetal ECG heart rate monitor by adaptive system 88−61388
Xu, H., Smith, S.H. AGC handles transients of pulsed radar signal 86−69814
Xu, H. *see* Shen, X. 88−2528
Xu, H.M. *see* Gong, W.G. 88−47998
Xu, J., Shur, M. A tunneling emitter bipolar transistor 87−1484
Xu, J., Shur, M. Velocity-field dependence in GaAs 87−66901
Xu, J., Shur, M., Hack, M. Amplification of bipolar current flow by charge induced from an insulated gate electrode 87−67277
Xu, J., Yu, J. Equivalent circuit models of switches for SPICE simulation 88−38374
Xu, J. *see* Ishizuka, O. 87−52499
Xu, J. *see* Jin, L. 87−23124
Xu, J. *see* Liu, L. 88−3068
Xu, J. *see* Vest, R.W. 87−53792
Xu, J. *see* Wei, L. 87−71409
Xu, J. *see* Wu, F. 87−48221
Xu, J. *see* Zhuang, W. 85−62594
Xu, J.D., Chen, G.R. A new kind of millimeter wave antenna 87−47356
Xu, J.D., Chen, G.R. Scattering of periodic structure with arbitrary cross-section 88−8455
Xu, J.D. *see* Chen, G.R. 88−53841
Xu, J.F., Kang, W.P., Lalevic, B., Poteat, T.L. Device characteristics of the Pd-SnO_x MIS oxygen sensors 88−42038
Xu, J.F. *see* Kang, W.P. 87−49670, 88−22566
Xu, J.H. *see* Moi, L. 88−8258
Xu, J.J., Shaikh, A.S., Vest, R.W. Indium tin oxide films from metallo-organic precursors 88−70333
Xu, J.K., Shen, J.-R. A weak structural texture analysis technique for obtaining wave heights from ocean wave images 88−74990
Xu, J.Q., Specking, W., Weiss, F., Flukiger, R. Development of internal-tin diffusion multifilamentary Nb_3Sn conductors including hydrostatic extrusion 88−64989
Xu, J.Q. *see* Lee, H.W. 87−69428, 88−3296
Xu, J.Y. *see* Zhuang, W.H. 86−3184
Xu, J.Z. *see* Zhuang, W.H. 86−3184
Xu, K. *see* Fajans, J. 86−68571
Xu, K. *see* Hartemann, F. 87−75222, 88−34059
Xu, K.B. *see* Yu, F.T.S. 85−36206
Xu, L., Winborne, G., Silver, M., Cannella, V., McGill, J. Drift mobility under single and double injection in hydrogenated amorphous silicon 88−50635
Xu, L., Yan, P., Chang, T. Almost unique specification of discrete finite length signal: from its end point and Fourier transform magnitude 87−62096
Xu, L. *see* Shen, Y. 85−48860
Xu, L.A., Green, R.G., Plaskowski, A., Beck, M.S. The pulsed ultrasonic cross-correlation flowmeter for two-phase flow measurement 88−47480
Xu, L.Y. *see* He, X.M. 87−31478
Xu, L.Z., Wang, M.H. Initial irreversible magnetic loss of sintering $SmCo_5$ permanent magnets 85−29473
Xu, M., Grenier, Y. Channel formation in near field: optimisation of the antenna 88−21008
Xu, M., Herzog, J.H. Concurrent token ring protocol 88−52917
Xu, M., Zhu, W., Zhang, X., Liu, S., Liu, S. Effects of equal biaxial stretching on the electric properties of polyimide films 86−68020
Xu, M. *see* Levy, M. 88−51385
Xu, M.-F. *see* Qian, Y.J. 88−29716
Xu, M.-F. *see* Schenstrom, A. 88−32885
Xu, M.X. To predict the power load with time series modelling 86−12361
Xu, N.S., Latham, R.V. Coherently scattered hot electrons emitted from MIM graphite microstructures deposited on broad-area vacuum-insulated high-voltage electrodes 86−35259
Xu, P.F. *see* Wang, J.R. 86−47979
Xu, Q. *see* Carin, L. 87−74404
Xu, Q. *see* Webb, K.J. 88−9376
Xu, Q. *see* Zhuang, Y. 87−57455
Xu, Q.C., Ramachandran, A.R., Newnham, R.E., Tancrell, R.H. Measurement of complex coefficients for thick PVDF polymer 88−56360
Xu, Q.C. *see* Gururaja, T.R. 87−67630
Xu, Q.C. *see* Madhavan, C. 88−61323
Xu, Q.C. *see* Trolier, S. 87−53818, 87−74477
Xu, S. Dielectric waveguide branching directional coupler 88−25414
Xu, S., Su, S.Y.H. Detecting I/O and internal feedback bridging faults 85−54820
Xu, S., Su, S.Y.H. A systematic technique for detecting and locating bridging and stuck-at faults in I/O pins of LSI/VLSI chips 87−67320
Xu, S. *see* Huang, L. 88−54528
Xu, S. *see* Mawardi, O.K. 87−72074
Xu, S. *see* Shen, Z. 87−23109
Xu, S. *see* Yang, B.X. 87−71041
Xu, S.-J. Dielectric-waveguide branching directional coupler 88−63853
Xu, S.-Y. *see* Hu, H.-X. 86−13089
Xu, S.J., Peng, S.T., Schwering, F.K. Analysis of coupling between two parallel dielectric waveguides 88−8551
Xu, S.J. *see* Peng, S.T. 86−10171, 87−27033
Xu, S.L. *see* Chen, M.B. 85−59081
Xu, S.L. *see* Davenas, J. 88−33359
Xu, S.W. *see* Bachman, M. 85−26527
Xu, S.W. *see* Murphy, T. 87−8854
Xu, T., Zhou, Y. Pollution performance study of long creepage distance disc insulators used on 500 kV lines 88−69029
Xu, W.N. *see* Gao, B.J. 86−48020
Xu, X., Butler, C.M. Scattering of TM excitation by coupled and partially buried cylinders at the interface between two media 87−61349
Xu, X., Ruan, Y. Evaluation of input impedance of cylindrical doublet antennas 88−2734
Xu, X. *see* Blonnigen, F.B. 87−70986
Xu, X. *see* Lin, H. 88−69070
Xu, X.-B., Butler, C.M. Current induced by TE excitation on a conducting cylinder located near the planar interface between two semi-infinite half-spaces 86−68678
Xu, X.-B., Butler, C.M. Scattering from TE-excited coupled cylinders near the interface between two media 87−75420
Xu, X.-B., Butler, C.M., Scharstein, R.W. Analysis of a two-dimensional model of an over-the-horizon radar antenna above a lossy earth 88−14505
Xu, X.-B. *see* Butler, C.M. 85−51368
Xu, X.-L., Zhan, J., Tong, Q.-Y. Silicon on quartz by solid-state diffusion bonding (SSDB) technology 88−50688
Xu, X.-X. *see* Chen, G.-H. 85−23470
Xu, X.-X. *see* Sun, H.-C. 88−68305
Xu, X.-Y. *see* Tong, G.-Q. 87−14323, 87−14435
Xu, X.L. *see* Davenas, J. 86−40798
Xu, Y. Latching ferrite quadrupole-field devices 88−20254
Xu, Y. Microwave ferrite toroidal phase shifter in grooved waveguide with reduced sizes 88−57998
Xu, Y., Du, S., Chen, W. Lightning protection of the converter station of ± 500 kV HVDC transmission system 88−69057
Xu, Y., Peng, C.L., Zheng, E.X., Li, D.W., Ying, L.X. A microprocessor controlled echocardiographic tracking and measuring system 88−48141
Xu, Y., Sharaf, A.M., Burridge, R. A novel digital simulation program for the three-phase six-pulse thyristor bridge converter 86−6913
Xu, Y., Sharaf, A.M., Burridge, R. Digital simulation of closed loop variable speed DC motor drive system: under unbalanced system condition 87−30606
Xu, Y., Sharaf, A.M., Burridge, R. Optimal selection of DC link filter in variable speed DC motor drives 87−30607
Xu, Y., Sharaf, A.M., Burridge, R.E. Digital simulation of closed loop variable speed DC motor drive system 87−31035
Xu, Y., Xiao, X.-C. A high performance spectral estimation method: the AMW algorithm 87−62095
Xu, Y., Yang, G.L., Cai, H., Zhai, H.R. The magnetocrystalline anisotropy of W-type hexagonal ferrites 85−24094
Xu, Y., Zhang, G. A rigorous method for computation of ferrite toroidal phase shifters 88−57997
Xu, Y. *see* Hsu, H. 86−19886
Xu, Y. *see* Ji, Z. 88−42538
Xu, Y. *see* Mar, A. 88−26478
Xu, Y. *see* Tsuo, S. 88−32762
Xu, Y. *see* Tsuo, Y.S. 88−69694
Xu, Y.F. *see* Wang, X.A. 87−36166
Xu, Y.T. *see* Wu, O.Q. 85−19888
Xu, Y.Z. *see* Dorey, A.P. 88−56085

Xu, Z. A further study on error probabilities of Laplacian-Gaussian edge detection 87–48152
Xu, Z., Gamo, K., Namba, S. Maskless ion beam assisted etching of SiO_2 88–19846
Xu, Z., Li, C.C. Error probabilities of Laplacian-Gaussian edge detection 86–49035
Xu, Z., Xia, B., Yang, Y., Lin, A., Fan, Z., Shen, H. Hydrogen passivation in surface thin layer of polysilicon solar cells 88–37536
Xu, Z., Yau, G. The comparison of AC and DC transmission for interconnection between the large areas in China 88–68806
Xu, Z. *see* Hemenway, B.R. 87–74353
Xu, Z. *see* Hwang, K. 87–58856
Xu, Z. *see* Kuo, W. 88–31547
Xu, Z. *see* Li, X. 86–68025
Xu, Z.X. *see* Hynynen, K. 87–41991
Xu, Z.Y. *see* Hanaki, K. 87–9750
Xu An-Shi *see* An-Shi Xu
Xu Anshi *see* Anshi Xu
Xu Baiwen *see* Shen Qigong 85–34030
Xu Baokun, Zhao Muyu A thermodynamical analysis of carbon contamination in silicon epitaxial growth from $SiCl_4$ 85–371
Xu Baoxiang, Lu Yinggang, Zhang Hongfa, Ye Zongxiu, Cai Qiming The setting and preliminary observation of a weather radar with linear-circular polarization radiations 85–38336
Xu Baoxiang *see* Baoxiang Xu
Xu Bin *see* Liu Yaogang 87–5390
Xu Bin-Yu, Lu Shu-Sen, Gu Wen-Chang A triggered vacuum gap with construction design 86–27777
Xu Bin-zheng *see* Shi Gui-qing 87–39538, 87–39540
Xu Binghuo *see* Wang Jingsheng 88–8007
Xu Bingxing, Wang Mukun, Zhang Yifang The study of the reliability for press protector 86–244
Xu Bingyin Improvement on bergeron method for transmission line transient analysis 88–36818
Xu Bo *see* Zhou Xiaojun 88–19579
Xu Boqin, Li Li, Wu Xiaoping Fatigue detection based on the change of laser-produced diffraction patterns 88–40411
Xu Boqin, Wu Xiaoping Measuring plastic deformation on a metal surface and determining the elasto-plastic boundary from the change of laser-produced diffraction patterns 85–13005
Xu Bu-xin *see* Bu-xin Xu
Xu Bu-Xing *see* Bu-Xing Xu
Xu Chang *see* Chang Xu
Xu Changreng *see* Zhang jierong 86–33567
Xu Cheng-he *see* Zhou Le-zhu 85–11839
Xu Cheng-He *see* Cheng-He Xu
Xu Chenghe *see* Luo Jirun 88–19605
Xu Chenghe *see* Chenghe Xu
Xu Chengqi *see* Chengqi Xu
Xu Chenmei *see* Peng Ruiwu 86–15027
Xu Chiqiong *see* Ji Guolin 87–32897
Xu Chongshu *see* Masada, E. 87–43594
Xu Chunliang *see* Li Qiangao 86–56045
Xu Damao *see* Chu Pinchang 86–56602
Xu Dan-Xia *see* Dan-Xia Xu
Xu Daoquan, Peng Xiufeng, Zhang Shuyuan, Jin Jiannan, Jin Shushan, Zhou Maolun Preparation of Bi target for production of ^{211}At 88–74698
Xu Daoquan *see* Dai Yunsheng 88–74758
Xu De-ming, Li Zhao-nian A novel method for characterizing end-plate surface resistance of a dielectric resonator 87–60780
Xu De-wei, Wang Xian-xiu, Zhao Ji-ran, Jiang Min-hua Nonlinear optical effects of polycrystalline waveguide thin film by high power laser excitation 85–46452
Xu Deming *see* Liu Liping 86–44389
Xu Dong-Liang, Zhou Fu-Sheng, Guo Ru-Fong Contamination by metallic impurities and haze defects in silicon wafers 88–32767
Xu Dong-Liang *see* Zhou Fu-Sheng 88–31723
Xu Fang-Guan, Lu Jian-Qin The investigation of accelerating tubes with periodic field 86–24942
Xu Fangtong Fengjun *see* Li Zhixin 86–12719
Xu Fantong, Chen Jian Online identification of hydroturbine generating set 88–11136
Xu Feng *see* Shi Dinghua 87–5269
Xu Fengzhi *see* Chen Lie 88–20298
Xu Fu-rong *see* Zhao Zhi-fang 85–4890
Xu Furong Confidence limits of reliability of 'K-of-N' models system consisting of identical exponential model components 88–31551
Xu Gang Engineering model for arbitrarily shaped microstrip antennas based on the collocation method 87–26959
Xu Gaoyue Analysis of error and research of optimum operational area for laser ship-model track-meter 88–60279
Xu Gaoyue *see* Gaoyue Xu
Xu Genchuan *see* Huang Yongkai 88–40269
Xu Gengwu *see* Tian Liguang 86–42484
Xu Gong *see* Ge Zhengyan 88–51076
Xu Guang-You, Fu King-Sun Natural scene segmentation based on multiple threshold and textural measurement 85–36446
Xu Guo-Jun The application of the ultraviolet photodetector in solar physics research 86–44307
Xu Guo-liang The continuity of the rational interpolating operator 86–34213
Xu Guo-liang Rational interpolation on a curve 88–49752
Xu Guodong *see* Hong Yuanzi 86–31665
Xu Guohua *see* Jiang Zongrong 87–26608
Xu Guoji, Wang Chanxing Preparation of targets on thin backings with a centrifugal precipitation method 85–59133
Xu Guoji *see* Sun Shuhua 85–59113
Xu Guozheng *see* Shi Daojun 86–22445
Xu Guozheng *see* Zhang jierong 86–33567
Xu Haishan *see* Haishan Xu
Xu Haitao Derui *see* Derui Xu Haitao
Xu Haiying *see* Lu Kecheng 86–54080
Xu Hanming *see* Xue Dazhi 88–30494
Xu Heping *see* Chen Xianming 85–9977
Xu Hong-yi *see* Bao Zue-song 87–10340
Xu Hong-zhang *see* Chen Cang 87–70997
Xu Hong-zhang *see* Chen Chang 87–70996
Xu Huai Qi *see* Huai Qi Xu
Xu Huale, Yi Jingrong, Cai Yingshi Experimental study of unstable cavity injection mode-locked TEA-CO_2 laser 88–2159
Xu Hui-Ying *see* Yan Mao-Xun 88–69678
Xu Huiren *see* Gong Huanming 88–27366
Xu Huiying *see* Lin Zhaohui 86–15135
Xu Ji-Lin SAW pulse compression system with low side lobes 86–17501
Xu Ji-sheng, Bao Zong-ti, Liang Bai-xian Some characteristics of whistler mode waves propagating through the low-latitude ionosphere 86–22668
Xu Ji-Sheng *see* Ma Shu-Ying 88–72537
Xu Jia-jing *see* Li Xian-shu 87–7401
Xu Jiahua *see* Chen Guojian 86–70391
Xu Jian *see* Liu Guang-ting 85–23571
Xu Jian *see* Jian Xu
Xu Jian-Guo *see* Jian-Guo Xu
Xu Jian-ming, Li Guang-lin Beijing e^+e^- collider (BEPC) 85–26536
Xu Jian-ming, Shi Cai-tu, Liu Mao-san, Xu Ke-jing Permanent steering magnet 87–8795
Xu Jian-ming, Xu Qing A new project of multipole permanent magnets 86–42144
Xu Jian-ming, Xu Qing Studies of the field distribution of modulating width multipole permanent magnets 87–67781
Xu Jian-ming *see* Chen Zhi-cheng 86–65319
Xu Jian-ming *see* Mao Nai-feng 87–8796
Xu Jian-Ming *see* Pei Guo-Xi 87–14659
Xu Jian-shi, Lu Zhao-ming Tests of low frequency voltage noise density for high precision linear IC 88–26364
Xu Jiang *see* Jiang Xu
Xu Jiangtong *see* Wu Shixiong 88–74584
Xu Jianjian *see* Yan Jialie 85–37731
Xu Jianming On the errors of rotating coil magnetometers 88–29603
Xu Jianming, Xu Qing A new project of multipole permanent magnets 87–18535
Xu Jianming, Xu Qing, Yin Zhaosheng Studies of the performance of MMD- and MW-type permanent multipole magnets 88–29758
Xu Jianming *see* Pei Yuanji 88–60995
Xu Jianming *see* Xu Qing 87–3849, 88–22874
Xu Jianming *see* Yin Zhaosheng 88–68128
Xu Jianyun *see* Yu Deming 86–70022
Xu Jiaquan *see* Ye Runtao 87–67289
Xu Jiasheng, Zhang Zongming, Fei Fuifu, Chen Zhiliang A 3 μ MOS process for 16 K-SRAM 87–74431
Xu Jiasheng, Zhang Mingbao, Yang Zhaumin, Zhang Zhongxuan Design and analysis of a high performance 16K (2K×8) NMOS-SRAM 87–17060
Xu Jiasheng *see* Ma Huainan 87–67551
Xu Jiasheng *see* Wang Songmei 88–56618
Xu Jiasheng *see* Zhang Zhongxuan 86–40912
Xu Jiazhen, Tao Xizhi, Wang Ende Some studies of magnetic detection 88–20858
Xu Jie, Cheng Yuming, He Guoshen A pulsed tunable HF/DF chemical laser 86–15616
Xu Jie, Cheng Yuming, He Guozhen Electrically initiated HF/DF recombination laser 87–7257
Xu Jihua *see* Chu Zexiang 88–72256
Xu Jihua *see* Wu Zhongxiang 88–72250
Xu Jin tian Single chip checks resistance 86–40879
Xu Jin-yin *see* Guo You-guang 88–61632
Xu Jing *see* Jing Xu
Xu Jingcun GaAs tunnel emission transistor 87–17344
Xu Jingming *see* Jingming Xu
Xu Jingyu *see* Ruan Lishen 88–13906
Xu Jingyu *see* Ruan Lizhen 86–68234
Xu Jinxiang *see* Guo Xinbao 85–31592
Xu Jinxing An integral position transducer for stepping motors 85–9935
Xu Jiyu A study of optimum design for steam turbine feedwater heating system 88–48795
Xu Jiyu *see* Liu Siping 86–65934
Xu Jizong *see* Xu Zhongying 86–53379
Xu Jizong *see* Zhuang Weihua 85–35736
Xu Junming *see* Jiang Ruolian 85–55584
Xu Junming *see* Yuan Renkuan 85–34649, 86–1828
Xu Junming *see* Zheng Youdou 88–7389
Xu Junrong *see* Liu Xiaqi 88–52450
Xu Junying *see* Xu Zhongying 86–53379
Xu Junying *see* Zhuang Weihua 85–35736
Xu Kang, Wang Weiling, Shi Zunlan, Luo Guichang, He Dezhan, Shao Haiwen Defect control and utilization in silicon substrates for VLSI 85–23832
Xu Kang *see* Xu Yuansen 88–44133
Xu Ke, Zhong Jianhua The optimization design and test investigation on gas-cooled leads for the superconducting synchronous generator 88–48903
Xu Ke-bin, Yang Zeng-huan Spectrum analysis of speech signals by coherent optics 87–12933
Xu Ke-jing *see* Xu Jian-ming 87–8795
Xu Ke-shu, Xu Xiang-dong Determining the phase function in a two dimensional Fourier spectrum 88–34782
Xu Keda *see* Wang Weijan 85–9414
Xu Kexiang Thyristor adjustable speed with high power factor of AC motor 86–70913
Xu Kong-yi, Liu Sheng-gang Theory of open resonators formed by irregular waveguides 86–1341
Xu Kongyi, Liu Shenggang Gyrotron with multi-mirror quasi-optical cavity 85–55375
Xu Kun-xian 3-D holographic miniprojector used for microcircuits assembly and quality control 87–19092
Xu Kun-xian 3-D holographic miniprojector—a special projection-type holographic microscope used for microcircuits assembly and quality control 87–33345
Xu Kun-xian Volume-phase holographic optical elements and holographic solar concentrators 87–68639
Xu Kunming A reformed analytical formula for calculating the inductance of the superconducting strip transmission line 85–45264
Xu Kunxian Study of aberration characteristics for 3-D holographic screens 87–75256
Xu Kunxian Projection type holographic microscope (PHM) with double projection objectives and a holographic screen 88–58704
Xu Lan *see* Wang Baoyi 87–77662
Xu Laoli *see* Zhu Guozhen 85–64344
Xu Le *see* Le Xu
Xu Lei *see* Yan Pingfan 87–77834
Xu Li, Tsien Peihsin, Hou Dongyan, Lin Huiwang, Li Zhijian, Wang Yusheng, Yan Jianhua, Zheng Shengnan Thermal post-treatment characteristics of metastable carrier concentration in As-implanted silicon after transient annealing 85–45377
Xu Li *see* Li Xu
Xu Li-gang *see* Yang Ying-chang 87–6991
Xu Li-guo *see* Hao Wei-cheng 87–15025
Xu Li-ping New magnetostrictive transducer for measurement of force in tower cranes 86–11585
Xu Liang-ying *see* Zhang Hong-jun 85–19492
Xu Liangying *see* Lu Tuansun 85–46918
Xu Lijie *see* Qiu Changtao 87–71609
Xu Limin, Zhang Zhihong, Gao Kuixiong Digital processing methods for electronic microscopic pictures 85–63063
Xu Ling *see* Wu Fengmei 87–32508, 87–53539
Xu Lingyu *see* Lingyu Xu
Xu Liqun *see* Liqun Xu
Xu Lizhu *see* Yang Zhilian 88–56588
Xu Lizi, Zhang Wutao Application of establishing the load models of the spectral estimation by the maximum entropy method in the short-term and the supershort-term load forecasting of power systems 87–9106
Xu Long-Ya *see* Long-Ya Xu
Xu Lu-sheng, Hua Yun-bo, Pei-sheng, Yu Xiao-wei, Wang Nan-jie, Jiang Li-zheng, Liu Young-qing, Zheng Shu, He Shi-jing Infra-red thermogram processing system using microcomputer 87–14848
Xu Mai, Moshrefzadeh, R., Gibson, U.J., Stegeman, G.I., Seaton, C.T. Simple versatile method for fabricating guided-wave gratings [interferometric technique] 86–2843
Xu Mai *see* Fortenberry, R.M. 87–7073
Xu Mai *see* Moshrezadeh, R. 87–60892
Xu Mai *see* Seaton, C.T. 86–3303
Xu Mai *see* Valera, J.D. 85–18648
Xu Mai *see* Mai Xu
Xu Meng-jie A Galerkin method for a nonlinear hyperbolic-parabolic coupled system 86–34255
Xu Meng-xia *see* Liu Zhi-min 87–61570
Xu Mengxia *see* Mengxia Xu
Xu Miaogen *see* Ji Guolin 87–32897
Xu Mingde *see* Liu Xiangna 86–48248
Xu Mingzhen, Tan Changhua Frequency dependence of capacitance derivative in MOS capacitor—a new method for determining the densities and capture cross section of the surface state at the Si-SiO_2 interface 86–53466
Xu Mingzhen, Tan Changhua The frequency dependence of capacitance derivative in MOS capacitor—a new method for determining the densities and capture cross section of the surface state at the Si-SiO_2 interface 87–24952
Xu Mingzhen, Tan Changhua, Li Shudong, Chen Wenru Determination of minority carrier bulk generation lifetime and surface generation velocity from constant current voltage transient measurement of a MOS capacitor 85–18171
Xu Mingzhen *see* Tan Changhua 85–18173, 85–34650, 86–21268

Xu Mingzhen *see* Mingzhen Xu
Xu Nan-rong *see* Da Qing-li 85−27665
Xu Nien-Zeng The design of attenuation films in Ka-band 88−56865
Xu Peifei, Teng Xingkang, Wang Jingrong, Hua Chongyuan Superconducting magnets impregnated with epoxy resin 85−41085
Xu Peihua *see* Feng Guiliang 87−47518
Xu Peikun *see* Wang Nanjie 86−5901
Xu Ping *see* Huang Gen 88−48789
Xu Pingmao Effect of lateral heat conduction on pyroelectric detection 85−31479
Xu Qiang *see* Gu Molin 86−8475
Xu Qing A new proposal for generating multipole fields with permanent magnets 87−25862
Xu Qing, Liu Maosan, Xu Jianming A new type of linear periodic magnets 87−3849
Xu Qing, Xu Jianming Studies on the performance of modulating thickness linear periodic magnets 88−22874
Xu Qing *see* Xu Jian-ming 86−42144, 87−67781
Xu Qing *see* Xu Jianming 87−18535, 88−29758
Xu Qinqin, Fei Naizhen Calculation of hydrodynamic performance of fixed pneumatic wave energy converter with a 'leading-wave plate' 88−37090
Xu Qiu-xia Jun-ru An investigation of a novel method for forming titanium silicide 88−26536
Xu Qiuxia, Ryssel, H., Gotzlich, J., Steinberger, H. CW argon-laser-induced zone-melting recrystallization of thin silicon on oxide 88−38223
Xu Qun-ji A common gate MESFET microwave oscillator stabilized by a dielectric resonator 87−37531
Xu Rong-Feng *see* Wang Xiao-Liang 87−57045
Xu Rong-Sheng Calculation of the electric field of a multiwire drift chamber 87−14747
Xu Rongfen *see* Wang Dewu 88−68354
Xu Rongfu *see* Deng Renliang 85−56730
Xu Ronghui *see* Tang Lin 88−36322
Xu Ruide *see* Han Zhenxiang 85−38483
Xu Sen-Lu *see* Sheng-Lie-Yi 87−61007
Xu Senlu *see* Wang Tianji 85−18634
Xu Shanjia Simple method for analysing finlines with extremely narrow slotwidth and thick fins 87−52790
Xu Shanjia Coupling of surface waves by two crossed dielectric waveguides 88−8550
Xu Shanjia A new approach for analysis of closed dielectric waveguides 88−50294
Xu Shanjia, Ma Zhewang Network analysis of eigenvalue problem for multilayer dielectric waveguide consisting of arbitrary number of layers 88−63835
Xu Shaohong *see* Shaohong Xu
Xu Sheng-long *see* Wang Zhong-de 86−61998
Xu Shenglong Distribution of electric power in the core piece of infrared detector 88−4432
Xu Shenglong Temperature distribution in the core piece of photoconductive detector 88−74400
Xu Shenglong *see* Shenglong Xu
Xu Shengrong Determine the location of moving object in 3-D space by binocular model TV cameras 85−2878
Xu Shenlong, Feng Wenqing Electric field distribution in the core piece of PC detector 86−54036
Xu Shihui *see* Chen Cunli 87−32321
Xu Shiru, Zhang Ying, Zheng Tianpi Effects of ion implantation on the performance of electric contacts 88−64272
Xu Shiyi *see* Feng Sheng 87−65262
Xu Shizhong *see* Zhang Guifeng 87−7318
Xu Shou-yi *see* Wang Liang-yu 87−70709
Xu Shu-tan *see* Yie Jin-de 85−3675
Xu Shunchao, Mao Yufen, Shi Xiaofeng, Song Peiying A novel electronic instrument for stabilizing the output power of a low power He-Ne laser and reducing its output noise 88−72258
Xu Sixin, Song Wenzhong, Li Qi An applied package for system identification and it's applied examples industry 88−48773
Xu Sixin *see* Song Wenzhong 88−48776
Xu Tian-shang *see* Tian Sen 85−181
Xu Tiandong Inter-transistor matching network of the microwave power transistor 87−66518
Xu Tianning The improvement of differential image tracking algorithm 87−27570
Xu Wanjin *see* Wang Dehuang 88−72370
Xu Wei Correction of nonuniformity of CCD 88−42154
Xu Wei, Chen Zong-Zhi Multistage imaging process−an approach to reduce the computation requirement in digital SAR imaging 88−15621
Xu Wei *see* Wu Guoying 86−26895
Xu Wei-yong *see* Wei-yong Xu
Xu Weipeng, Li Mingyao Computation of the electric and magnetic field for units of an accelerator by means of the boundary element method 86−55940
Xu Weipeng, Li Mingyao, Han Zijian A beam optical transport program transplanted program 'OPIC-II' for a PDP-11/34 computer 86−55942
Xu Weiyong *see* Zhang Huaguang 88−48774
Xu Wen Xin *see* Wen Xin Xu
Xu Wen-yuan, Cheng Qian-sheng On boundedness of least square solution 85−16880
Xu Wenjuan *see* Zhuo Dunshui 85−56586
Xu Wenyuan *see* Chen Zhichang 87−22724
Xu Wenyuan *see* Li Changjian 86−8810, 88−26933
Xu Wenyuan *see* Sun Zhonglin 85−18095
Xu Wenyuan *see* Wenyuan Xu
Xu Wnyuan, Yin Yonbai, Lee Changjan The enhancement of the photoconductivity of a-SiSn(Cl:H) alloys by means of GD technique 86−27933
Xu Wu *see* Evans, H.L. 85−29033, 87−25209
Xu Xi-xiang *see* Zhang Fang-qing 87−17733
Xu Xiandong *see* Ni Weidou 86−61324
Xu Xiang-dong *see* Xu Ke-shu 88−34782
Xu Xiangdong *see* Ni Weidou 86−19556
Xu Xiangming *see* Chen Guangming 86−65569
Xu Xianhua *see* Lou Guojun 86−50861
Xu Xiaofeng *see* Cui Huanhua 86−11893
Xu Xiaofeng *see* Wang Shicheng 86−11894
Xu Xiaofeng *see* Wu Risheng 86−11895
Xu Xiaohong *see* Xiaohong Xu
Xu Xiaohua *see* Xie Baixing 88−71344
Xu Xiaolin, Wang Jiaying Factors affecting on NTD silicon doping precision 88−44638
Xu Xiaoxi *see* He Yiping 87−46918
Xu Xing-ning A fast diagnosis algorithm for multiple faults in parity check circuits [logic testing] 86−62514
Xu Xinsheng *see* Tanaka, K.O. 86−52971
Xu Xixiang, Zhang Fangqing, Chen Guanghua Persistent photoconductivity in undoped a-Si:H/a-Si$_{1-x}$C$_x$:H multilayers 87−46642
Xu Xixiang *see* Chen Guanghua 85−23459
Xu Xixiang *see* Zhang Fangqing 87−46660
Xu Xu-Rong *see* Zhao Fu-Tan 87−3459
Xu Xuchang *see* Zhao Yongfu 85−9684
Xu Yan-Qing Cancellation of mismatch error in microwave dual-channel phase shift measurement 86−24667
Xu Yansheng General formula for calculation of attenuation constants of EM waves in waveguides 86−22752
Xu Yansheng Theory and design of high average power, fast switching microwave ferrite phase shifters 86−41337
Xu Yansheng Some approximation methods for dielectric-loaded waveguides 87−12774
Xu Yansheng Electromagnetic waves in magnetized ferrite spheres 87−53899
Xu Yansheng Some simplified methods for waveguides loaded with lossy dielectrics 87−68833
Xu Yansheng Low loss high power ferrite devices 87−74528
Xu Yansheng A simple method for calculation of the loss factor of a dielectric-loaded waveguide 88−20978
Xu Yansheng A simple and effective method for waveguides loaded with lossy dielectrics or magnetic materials 88−66148
Xu Yansheng, Jiang Zhengchang Dual-mode latching ferrite devices 87−987
Xu Yao-zhou Calculations of the optical blurring in infrared optical systems 88−52579
Xu Yaozhong *see* Yaozhong Xu
Xu Yi-qian *see* Zhou Ji-yu 85−27666
Xu Yi-qian *see* Zhu Ai-qiang 85−27364
Xu Yingming *see* Qu Zhimin 88−40393
Xu Yiping *see* Yiping Xu
Xu Yizhi, Liu Xisan, Zhang Hongjun, Nie Shang, Lai Zuwu, Wang Ganchang Flash-I intense pulse electron beam accelerator 88−10181
Xu Yong-fen *see* Wang Chao-jun 85−48192
Xu Yong-nian The ETBM in the research of semiconductor surfaces and interfaces 86−1763
Xu You-gang *see* Li-Wen-lai 85−2449
Xu Yougang *see* Li Wenlai 85−62486
Xu Youren, Zhang Nengli, Wang, B.X. Real time grating shearing interferometry applied to investigating of evaporative convection in liquid drops 88−40415
Xu Yu *see* Zhu Ziqiang 86−68364
Xu Yu-lin *see* Wang Chao-jun 85−64489
Xu Yu-lin *see* Wang Xiao-liang 85−64496, 87−57045
Xu Yu-Qi Selection of the location of substation on principle of the economical operation 86−39128
Xu Yuan-pei The advances in the theory of 2-D digital filtering 86−1264
Xu Yuansen, Xu Kang, Liu Yuanhua, Zhu Rongjin, Zhou Xinxiang, Qian Xuejian, You Shouxiang An advanced CMOS logic series 74AC 88−44133
Xu Yuansen *see* Xie Liansheng 88−19954
Xu Yuchun *see* Hu Shouxiang 86−14558
Xu Yueyan *see* Jing Wen 87−69424
Xu Yuhuan, Chen Huanchu Optical properties and linear electro-optic effect in ferroelectric single crystal KNSBN 86−28770
Xu Yulin An automatic video counting equipment 88−60408
Xu Yun Period bifurcation and chaotic behavior in uni-junction transistor second order *RLC* series circuit 86−8034
Xu Yun The period-adding phenomena in the unijunction transistor second order circuit 86−34500
Xu Yun, Mao Zheng-min, Duan Yu-long, Wei Chun-zhen Mechanism of bifurcation and chaos in unijunction transistor second order circuit 86−66975
Xu Zechuan *see* Li Xinjiao 86−15307
Xu Zhang-Yang *see* Hamakawa, Y. 87−22777
Xu Zhen-ye, Wang Ming-xing, Wang Yi The proper choice of clearing field of the spark chamber 88−42438
Xu Zheng *see* Zheng Xu
Xu Zhengxiong, Yau Goucan The application of minimal time control theory in DC modulating research of the Three-Gorge Hydro Project 87−71633
Xu Zhenye The design and error analysis of spark chamber absorption spectrometer with electroluminescence display 88−68310
Xu Zhi Long *see* Akamatsu, N. 86−67173
Xu Zhi-hong *see* Zhi-hong Xu
Xu Zhi-jiang *see* Zhi-jiang Xu
Xu Zhi-qing, Zhang Liang-sheng, Zhang Ying-ping, Zhang Jia-wen The influence of gas performance on signal amplitude of proportional counters 88−22910
Xu Zhi-zhan *see* Yu Wei 88−10180
Xu Zhi-zhan *see* Yu Wei 87−54214
Xu Zhiping, Ji Chaoren The behavior of three dimensional p-n junction breakdown obtained by a two-dimensional numerical method 87−66954
Xu Zhiqing *see* Chen Lejun 88−10286
Xu Zhixiang The operation of electron electrostatic accelerator with voltage stabilizer 87−50041
Xu Zhixiang Penning ion source with cold cathode 88−29785
Xu Zhixiang *see* Huang Liben 85−64580
Xu Zhongming, Zhang Zhijian The planned Chinese broadcasting satellite system 86−23809
Xu Zhongying, Xu Jizong, Li Yuzhang, Zheng Baozhen, Xu Junying, Zhuang Weihua, Chen Zhonggui Photoluminescence of GaAs-Ga$_{1-x}$Al$_x$As multiple quantum well heterostructures under 200 ps excitation 86−53379
Xu Zhouhua *see* Shi Xizhi 88−4954
Xu Zhu, Guan Yu-nin, Zhang Bao-he, Chen Yu-zhou Application of photocarrier to photoelasticity, holography, and speckle 88−51968
Xu Zhu *see* Chen Yuzhou 88−52551
Xu Zihong *see* Xie Dexin 88−55405
Xu Zizong *see* Gong Zhufang 88−36359
Xu Zong-ben *see* You Zhao-yong 85−16891
Xu Zukang A fast digital image registration algorithm−OOP algorithm 87−27566
Xu Zuo, Wang Ben, Fu Zhi-ping, Hsu Da-hsiung Holographic wavelength demultiplexer for optical fiber communications 87−12625
Xu Zuyan, Deng Daoqun, Guo Dongsheng, Li Xiufang, Cai Miaoqan, Zhou Li, Han Xiaofeng A flashlamp pumped wide-band tunable dye laser with a dispersive Brewster prism expander 85−29784
Xu-dong Jiang *see* Jiang Xu-dong
Xu-guang Zhang *see* Zhang Xu-guang
Xu-Jungang *see* Liu-Longhe 88−15563
Xu-Rong Xu *see* Xu Xu-Rong
Xu-xin Zhang *see* Zhang Xu-xin
Xu-Ze-hong *see* Jiang Ren-rong 88−7450
Xuan, G. A new feature selection method based on the Mahalanobis distance 85−30387
Xuan, G., Wang, Q. 3D image understanding based on the line sequence match 88−46227
Xuan, G. *see* Guo, C. 87−48197
Xuan, M.Tu *see* Tu Xuan, M.
Xuan, N.N. *see* Chot, T. 88−39159
Xuan, N.N. *see* Minh, L.Q. 87−74916
Xuan, Y., Snowden, C.M. A new generalised approach to the design of microwave oscillators 87−73759
Xuan, Y., Snowden, C.M. A generalized approach to the design of microwave oscillators 88−25468
Xuan Fan Yuan *see* Yuan Xuan Fan
Xuan Gao *see* Gao Xuan
Xuan Hoi Dao *see* Dao Xuan Hoi
Xuan Li *see* Li Xuan
Xuan Nghia Nguyen *see* Nguyen Xuan Nghia
Xuan Phu Hoang *see* Hoang Xuan Phu
Xuan Wang *see* Wang Xuan
Xuan Xie Guang *see* Xie Guang Xuan
Xuan Zhou *see* Zhou Xuan
Xuan-Dai Do, Crainic, E.D. A deterministic approach for real-time overhead-line conductor ampacity solution 88−55040
Xuan-mou Liu *see* Liu Xuan-mou
Xuan-san Cai *see* Cai Xuan-san
Xuan-tong Ying *see* Wei-feng Chen 88−40383
Xuan-Ying Lin *see* Lin Xuan-Ying
Xuanhui Lu *see* Lu Xuanhui
Xuanmin Yang, Ming Yi, Zonghua Huan Comparison of laser phase and suppression of noise 88−14248
Xuanming Yang *see* Yang Xuanming
Xuanren Sun *see* Sun Xuanren
Xuansan Cai *see* Cai Xuansan
Xuantong Ying *see* Ying Xuantong
Xuanwen Chu *see* Chu Xuanwen
Xuanyong Lin *see* Lin Xuanyong
Xuanzong Yang *see* Yang Xuanzong
Xubang Shen *see* Shen Xubang
Xubiao Liang *see* Liang Xubiao

Xubin Wu *see* Wu Xubin
Xuchang Xu *see* Xu Xuchang
Xucheng Luo *see* Luo Xucheng
Xuchu Ye *see* Ye Xuchu
Xuchun Li *see* Lianchu Gu 86−40215
Xudong Li *see* Li Xudong
Xue, C. *see* Li, E. 87−14445, 88−16401
Xue, D. *see* Youngblood, R. 85−53425, 86−51404
Xue, J., Ozono, S., Takamasu, K. Study on the guideway errors of 3-D measuring machine 85−4112
Xue, J. *see* Ekstrom, C. 88−60999
Xue, J. *see* Zhao, T. 88−69030
Xue, K. *see* Mahalanabis, A.K. 88−14761
Xue, L. *see* BeMent, S.L. 86−50600
Xue, P., Liu, B. On the convergence of a variable step size adaptive filter 86−64296
Xue, P., Liu, B. Adaptive equalizer using finite-bit power-of-two quantizer 87−17276
Xue, Q., Tompkins, W.J., Pluff, K. Eye movement signal processing system 88−61389
Xue, S.Q. *see* Braun, E. 85−64238
Xue, S.R. *see* Hua, Q.H. 86−63041
Xue, Y., Van Cutsem, Th., Ribbens-Pavella, M. Real-time analytic sensitivity method for transient security assessment and preventive control 88−36778
Xue, Y. *see* Bachman, M. 85−26527
Xue, Y. *see* Evans, D.J. 88−6391
Xue, Y. *see* Van Cutsem, Th. 87−71501
Xue Baoxing *see* Huang Xiaokang 87−7214, 88−20498
Xue Bin, Wang Yongyi, Jao Jianguan Large current rectangular pulsed laser power supply 86−52641
Xue Bin *see* Wang Shikang 88−40162, 88−56428
Xue Bing-Zhang *see* Wang Qi 88−65286
Xue Chengtian *see* Chengtian Xue
Xue Chun-yin *see* Fu Guang-sheng 87−58957
Xue Dazhi, Xi Shuren, Xu Hanming, Cheng Wanli The technical preparation of Guangdong PSA 88−30494
Xue Hongxi, Hong Xianlong, Zhao Zhige, Liu Xiling, Wang Lulu GFLS1−a mixed logic simulation system of gate and functional level 87−31779
Xue Huixian *see* Liang Chengli 88−15596
Xue Jing *see* Shao Hanguang 87−7493
Xue Jiu-Zhi, Handschy, M.A., Clark, N.A. Electrooptic response during switching of a ferroelectric liquid crystal cell with uniform director orientation 87−60979
Xue Kang *see* Yang Jingguo 87−33262
Xue Kefu *see* Mahalanabis, A.K. 88−21358
Xue Kefu *see* Kefu Xue
Xue Liang-jin *see* Liu Yao-wu 87−39425
Xue Liang-jin *see* Tsao Kang-bai 85−56458
Xue Lu Wei *see* Lu Wei Xue
Xue Rong-jian, Chen Li-quan Electrical double layer capacitor by using β''-Al$_2$O$_3$ containing fine carbon particles as electrolytes 86−41365
Xue Shou-qing *see* He Ren-han 88−10492
Xue Shu, Hong Xianlong The Boolean operation and topological analysis algorithm for LSI mask artwork and its implementation 85−6990
Xue Wei *see* Hong Jing 88−38865
Xue Weige *see* Weige Xue
Xue Xiangdong *see* Zeng Yugeng 87−47302
Xue Zhang Fu *see* Zhang Fu Xue
Xue Zheng-quan, Wu Quan-de Analysing action of Cs in multi-alkali photocathode with quantum yield spectra 88−57271
Xue Zheng-quan *see* Chang Xu 88−38965
Xue-bin Zhang *see* Zhang Xue-bin
Xue-Cheng Du *see* Du Xue-Cheng
Xue-dong Li *see* Li Xue-dong
Xue-guan Liu *see* Liu Xue-guan
Xue-Heng Zheng Finite-element analysis for fused couplers 86−63614
Xue-Heng Zheng *see* Snyder, A.W. 86−9477
Xue-Heng Zheng *see* Zheng Xue-Heng
Xue-jia Lai *see* Lai Xue-jia
Xue-liang Yang, Yao-lin Zhang, Jun-ying Xing Distributed computer systems vs. local area networks 87−48651
Xue-long Zhu *see* Zhu Xue-long
Xue-ren Zheng *see* Zheng Xue-ren
Xue-Seng Dong *see* Dong Xue-Seng
Xue-wu Yu *see* Yu Xue-wu
Xue-xia Zhang *see* Zhang Xue-xia
Xue-xin Li *see* Li Xue-xin
Xue-Yu Yang *see* Yang Xue-Yu
Xuebiao Liang *see* Liang Xuebiao
Xuebo Huang *see* Huang Xuebo
Xuecai Liang *see* Liang Xuecai
Xuecheng Bao *see* Bao Xuecheng
Xuedong Huang *see* Huang Xuedong
Xueguang Yang *see* Yang Xueguang
Xuehua Zhou *see* Zhou Xuehua
Xuejian Qian *see* Qian Xuejian
Xuejiang Xia *see* Xia Xuejiang
Xuejin Hu *see* Hu Xuejin
Xuekun Liang *see* Liang Xuekun
Xueli Wang *see* Wang Xueli
Xueliang Chen *see* Chen Xueliang
Xuelong Cao *see* Cao Xuelong
Xuemiao Lu *see* Lu Xuemiao
Xuemin, C. Tidal power in China 85−38926
Xuemin Cheng *see* Cheng Xuemin
Xuepan Chen *see* Chen Xuepan
Xueqin Song *see* Song Xueqin
Xueqin Zha *see* Oelmann, J. 87−35253
Xueqing Chen *see* Chen Xueqing
Xuequang Cai *see* Cai Xuequang
Xuequing Chen *see* Chen Xuequing
Xueren Du *see* Du Xueren
Xuerong Ji *see* Ji Xuerong
Xueshu Zhao *see* Zhao Xueshu
Xuewen Ni *see* Ni Xuewen
Xuewu Zhu *see* Zhu Xuewu
Xuexiang Cai *see* Cai Xuexiang
Xuexin Jin *see* Jin Xuexin
Xueyan Yang *see* Yang Xueyan
Xueyu Yang *see* Yang Xueyu
Xueyuan Hou *see* Hou Xueyuan
Xueyun Chen *see* Chen Xueyun
Xuezhong Tao *see* Tao Xuezhong
Xuhua Wu *see* Wu Xuhua
Xuhui He *see* Zuhai Cheng 86−22427
Xuhui He *see* He Xuhui
Xuhui Zhu *see* Zhu Xuhui
Xujian Fan *see* Fan Xujian
Xuming Wang *see* Wang Xuming
Xun Damin, Zhu Huanan, Jin Fuhui, Liu Hairun, Zhang Lehui Growth and measurement of GGG(Ca,Mg,Zr):(Nd,Cr) laser crystals 88−2196
Xun Hou *see* Hou Xun
Xun Li *see* Li Xun
Xun Wang *see* Weidong Jiang 88−18673
Xun Wang *see* Wang Xun
Xun Zhang Wen *see* Zhang Wen Xun
Xun Zhou *see* Zhou Xun
Xunliang Ding *see* Ding Xunliang
Xunwei Wu *sec* Wu Xunwei
Xuo-gui Wang *see* Wang Xuo-gui
Xusan Cheng *see* Cheng Xusan
Xushan Cheng *see* Cheng Xushan
Xusheng Wang *see* Wang Xusheng
Xushi Qiu *see* Qiu Xushi
Xuwai Ye *see* Ye Xuwai
Xuyan Teng *see* Teng Xuyan
Xydeas, C. *see* Gouvianakis, N. 85−46742, 88−27847
Xydeas, C. *see* Kordi, K. 88−21348
Xydeas, C. *see* Mwangi, E. 86−29815
Xydeas, C.S. Medium bit rate speech coding 85−19413
Xydeas, C.S. An analysis by synthesis approach to linear prediction speech coding 86−10325
Xydeas, C.S. 9.6 Kbits/sec speech coders for mobile radio applications 86−11007
Xydeas, C.S. *see* Boyd, I. 87−75764
Xydeas, C.S. *see* Holt, M.J.J. 87−27665, 87−48237
Xydeas, C.S. *see* Koh, S.N. 85−51586
Xydeas, C.S. *see* Mwangi, E. 87−47606
Xydeas, C.S. *see* Yeoh, F.S. 85−19396
Xydeas, C.S. *see* Yeoh, F.S.C. 85−19406
Xypteras, J. The magnetic field in the yoke and frame of electric machines 88−17513

Y, Y.-N., Zhang, W., Li, Q. Excitation control of SSR of HVAC systems 88−69155
Y. Chen Chung *see* Chung Y. Chen
Y. Kim Sun *see* Sun Y. Kim
Y. Suen Ching *see* Ching Y. Suen
Y. Tsui Kai *see* Kai Y. Tsui
Ya, Guo-ji *see* Sun, Yu-shi 86−42736
Ya Shik, A. Intraband photoconductivity of quantum-well heterostructures 87−33031
Ya-iu Tsang *see* Chih-yao Yuan 85−58942
Ya-min Song *see* Song Ya-min
Ya-nan Guo *see* Guo Ya-nan
Ya-Qiu Jin Wave approach to brightness temperature from a bounded layer of random discrete scatterers 85−64689
Ya-qui Jin, Jin Au Kong Strong fluctuation theory for scattering, attenuation, and transmission of microwaves through snowfall 86−10097
Ya-yun Lin *see* Lin Ya-yun
Yaakobi, B. X-ray lithography using laser plasma as a source 85−23902
Yaakobi, B. X-ray lasers: a progress report 88−33918
Yaakobi, B., Shvarts, D., Boehly, T., Audebert, P., Epstein, R., Boswell, B., Richardson, M.C., Soures, J.M. X-ray laser studies at LLE 88−58455
Yabase, H. Absorption heater-chiller 'New Mighty' 87−64978
Yabashi, S. *see* Mizuno, T. 85−5488, 86−19592, 87−5073, 87−43633
Yabe, A. Applications of excimer lasers to imaging technology 87−32143
Yabe, A. *see* Kobayashi, M. 88−51424
Yabe, A. *see* Taketani, T. 88−44921
Yabe, E., Fukui, R. Production of ion beam using plasma filament ion source 87−70981
Yabe, E., Ishizaka, N., Shibuya, T., Tonegawa, A., Takayama, K., Fukui, R., Takagi, K., Kikuchi, R., Okamoto, K., Komiya, S. Plasma filament ion source for high current implanter 87−56978
Yabe, E., Takeshiro, S., Sunako, K., Takayama, K. An ion source using plasma as a heat filament 85−15151
Yabe, E., Takeshiro, S., Sunako, K., Takayama, K., Fukui, R., Takagi, K., Okamoto, K., Komiya, S. An ion source with plasma generator 85−37870
Yabe, E., Tonegawa, A., Satoh, D., Takayama, K., Fukui, R., Takagi, K., Okamoto, K., Komiya, S. A plasma filament type ion source 86−5744
Yabe, E. *see* Tonegawa, A. 85−15149, 85−37872, 87−56984
Yabe, H., Miyazaki, H., Fujimori, H. Wristwatch equipped with voice recording system 86−20660
Yabe, H., Nishio, K., Mushiake, Y. Reflection characteristics of twisted component in rectangular waveguides 85−28687
Yabe, H., Takahashi, S., Yamaki, N. Application of factorized Quasi-Newton updates to successive QP method for constrained optimization 88−11896
Yabe, H. *see* Kamata, S. 87−24436
Yabe, H. *see* Tani, T. 87−13973
Yabe, H. *see* Yakabe, T. 87−24435
Yabe, K. *see* Murano, H. 86−41892
Yabe, O. *see* Watanabe, N. 88−48680
Yabe, S., Nomura, M., Takano, N., Kawanishi, H., Yoshizawa, H., Kato, H., Noda, S. MASTER2: a hierarchical layout system for gate arrays 85−6296
Yabe, S. *see* Itoh, S. 87−31820
Yabe, T. Possibility of ion beam pulse compression by X-ray conversion 85−37838
Yabe, T., Goel, B. A proposal for an experiment to compress and amplify an ion beam pulse by soft X-ray conversion 87−56938
Yabe, T., Tanaka, K.A. Finite ion-relaxation and nonequilibrium radiation effects on laser-driven implosions 88−62497
Yablokov, B.N. *see* Airapetov, A.Sh. 88−16603
Yablon, W. *see* Nevels, R.D. 85−43421
Yablonovitch, E. Reply to comments on 'Intensity enhancement in textured optical sheets' by E. Yablonovitch and G.D. Cody [solar cells] 86−45658
Yablonovitch, E., Bhat, R., Harbison, J.P., Logan, R.A. Survey of defect-mediated recombination lifetimes in GaAs epilayers grown by different methods 87−53175
Yablonovitch, E., Gmitter, T. Wetting angles and surface tension in the crystallization of thin liquid films 85−10759
Yablonovitch, E., Gmitter, T. A study of n^+-SIPOS:p-Si heterojunction emitters 86−21300
Yablonovitch, E., Gmitter, T., Harbison, J.P., Bhat, R. Extreme selectivity in the lift-off of epitaxial GaAs films 88−25879
Yablonovitch, E., Gmitter, T., Swanson, R.M., Kwark, Y.H. A 720 mV open circuit voltage SiO_x:*c*-Si:SiO_x double heterostructure solar cell 86−19470
Yablonovitch, E., Kane, E.O. Reduction of lasing threshold current density by the lowering of valence band effective mass 86−63819
Yablonovitch, E., Kane, E.O. Band structure engineering of semiconductor lasers 88−34039
Yablonovitch, E., Kane, E.O. Band structure engineering of semiconductor lasers for optical communications 88−72324
Yablonovitch, E., Swanson, R.M., Eades, W.D., Weinberger, B.R. Electron-hole recombination at the Si-SiO_2 interface 86−28048
Yablonovitch, E., Swanson, R.M., Kwark, Y.H. An n-SIPOS:p-SIPOS homojunction and a SIPOS-Si-SIPOS double heterostructure 86−7138
Yablonovitch, E. *see* Deckman, H.W. 86−7118
Yablonovitch, E. *see* Weinberger, B.R. 85−55721, 86−15072
Yablonovsky, E.I. *see* Malyutenko, V.K. 85−35612
Yablonskaya, K.A. Realizability of third-degree rational functions 85−61057
Yablonskaya, O.P. *see* Blinov, Yu.I. 85−11082
Yablonskaya, O.P. *see* Vasil'ev, A.S. 87−22788, 88−37752
Yablonskii, G.P. Laser annealing of lattice defects in ZnSe single crystals 85−6804
Yablonskii, G.P. *see* Gladyshchuk, A.A. 88−51775
Yablonskii, G.P. *see* Zubritskii, V.V. 85−62544
Yablonskiy, F.M. Modern electronic synthesizing displays and trends in their development 86−38281
Yaborov, M.T. *see* Zelekin, N.V. 86−68220
Yabov, Yu.M. *see* Azimov, S.A. 85−35594
Yabsley, D.E. *see* Thomas, B.MacA. 86−4593
Yabu, S. *see* Suzuki, A. 88−1582
Yabu, T. *see* Fuse, G. 86−41981
Yabu, T. *see* Hori, T. 88−71590
Yabu, T. *see* Mochizuki, H. 87−59509
Yabu, T. *see* Odanaka, S. 86−41814, 86−41983
Yabu, T. *see* Ohno, K. 86−58348, 88−38429
Yabu, T. *see* Shimada, H. 88−6876, 88−32199
Yabu, T. *see* Suzuki, A. 87−59494
Yabu, T. *see* Taguchi, M. 85−40898, 87−44843
Yabu, T. *see* Takemae, Y. 86−8264
Yabuhara, Y. *see* Okamoto, K. 85−35119
Yabuki, H. The evaluation of Omega System along the route between Japan and Western Australia [navigation] 86−37954
Yabumoto, M., Matsuo, Y., Nakayama, T., Nozawa, T., Honma, K., Shimizu, R., Ikuta, T. Losses of grain-oriented three percent Si-Fe with very high permeability 86−58664
Yabumoto, M. *see* Shimizu, R. 86−2582
Yabumoto, N., Oshima, M. Angle-resolved X-ray photoelectron spectroscopy study for reactive-sputter-etched GaAs surface 86−15047
Yabumoto, S., Arai, T., Fujimori, Y., Azuma, T. Design-data based inspection of photomasks and reticles 87−10203
Yabumoto, T. *see* Horie, T. 86−40064
Yabuno, K. *see* Shimada, R. 85−49041
Yabusaki, H. *see* Oishi, T. 87−56483
Yabusaki, K. *see* Nakagawa, Y. 86−32391
Yabusaki, K. *see* Tozawa, H. 88−43480
Yabusaki, M. *see* Suzuki, S. 87−28479, 87−48974, 88−46348
Yabusaki, M. *see* Tominaga, H. 85−51980, 85−52875
Yabushita, K. *see* Tsutsumi, K. 87−18480, 87−60806
Yabuta, K., Horita, M., Matsuura, K. A reconstruction method of ultrasonic computerised tomography taking account of refraction 88−54519
Yabuta, K. *see* Matsubara, O. 88−46773
Yabuta, M., Ito, N., Yamazaki, H., Nakayama, T. Application to bilayer system with water-soluble contrast enhancing material 88−19889
Yabuta, M. *see* Tsuda, M. 85−12211, 85−40802, 85−55640, 86−1963, 86−35506, 87−18227
Yabuta, T. Submarine cable kink analysis 85−20006
Yabuta, T., Hoshino, K., Yoshizawa, N. Lateral and hydraulic pressure characteristics of submarine optical fiber cable 85−46195
Yabuta, T. *see* Murakami, Y. 85−25872
Yabuta, T. *see* Tsujimura, T. 87−50603, 87−57448
Yabuta, T. *see* Yoshizawa, N. 85−25874
Yabuzaki, M. *see* Tsujino, J. 87−71468, 88−16982
Yabuzaki, S. Packaging method and reliability of temporary adhesion/wave-soldering for chip components on organic printed wiring board 86−53198
Yabuzaki, S., Hatanaka, H. Design of adhesive for use in solder mounting chip components onto printed wiring boards 86−53199
Yabuzaki, S., Yamataka, Y. Inspection device developed for testing mounted condition of chip components on printed wiring boards 87−6271
Yabuzaki, S., Yamataka, Y. Inspection device for testing the mounted condition of chip components on printed wiring boards 88−1086
Yabuzaki, T. Semiconductor laser research in Japan 87−7331
Yabzhanov, V.B. *see* Vilisova, M.D. 87−36702
Yacamini, R. How HVDC schemes can excite torsional oscillations in turbo alternator shafts 87−4684
Yacamini, R., Abu-Nasser, A. The calculation of inrush current in three-phase transformers 86−26106
Yacamini, R., Abu-Nasser, A. Transformer inrush currents and their associated overvoltages in HVDC schemes 87−4758
Yacamini, R., Broadfoot, D. Harmonics and commutation spikes from large drive converters in an isolated power system 87−22830
Yacamini, R., de Oliveira, J.C. Comprehensive calculation of convertor harmonics with system impedances and control representation 86−39936
Yacamini, R., Dostmohamed, K.H., Whitelock, I.W. The stability of HVDC schemes with reactive compensators on the inverter busbars 86−12328
Yacamini, R., Resende, J.W. Thyristor controlled reactors as harmonic sources in HVDC convertor stations and AC systems 86−61554
Yacamini, R., Taalab, A.I. Effect of AC system impedance on the regulation and, hence, the stability margin of HVDC schemes 85−53302
Yacavonis, R.A. *see* Biskeborn, R.G. 86−52888
Yachi, T., Serikawa, T. Dependences of magnetron-sputtered SiO_2 film properties on argon pressure 85−22530
Yachi, T., Serikawa, T. Lift-off patterning of sputtered SiO_2 films (LOPAS) and its application of recessed field isolation 86−21655
Yachi, T., Serikawa, T., Wada, T. A new field isolation technology employing lift-off patterning of sputtered SiO_2 films 85−18463
Yachi, T., Suyama, S. Use of $TiSi_2$ to form metal-oxide-silicon field effect transistors with self-aligned source/drain and gate electrode 86−2182
Yachi, T. *see* Serikawa, T. 85−10773
Yachi, T. *see* Suyama, S. 85−50419, 87−25560
Yachi, T. *see* Yamauchi, N. 85−29139
Yachida, M. 3-D position and shape measurement by vision and its applications 86−50221
Yachida, M., Kitamura, Y., Kimachi, M. Trinocular vision: new approach for correspondence problem 87−48203
Yachida, M., Ohyama, N., Badique, E., Honda, T., Tsujiuchi, J., Ono, R., Ikeda, S. One approach to color image processing 87−27636
Yachida, M. *see* Aoki, N. 85−52874, 86−69161
Yachida, M. *see* Badique, E. 87−27637, 88−10340
Yachida, M. *see* Guo, H.-L. 85−26482, 85−52873
Yachida, M. *see* Heng-Li Guo 86−66606
Yachida, M. *see* Iwai, S. 85−41983
Yachida, M. *see* Kitamura, Y. 88−14819
Yachida, M. *see* Ohyama, N. 87−49503
Yachida, M. *see* Tsuji, S. 85−33171
Yachiku, H. *see* Matsushima, K. 85−49221
Yachimovich, M.D. *see* Vasil'ev, F.P. 86−52369
Yachmenev, S.N. Image aberrations of a projector, taking into account the effect of the collimating portion of the illumination system 87−33396
Yachmenev, S.N. A method of calculating aberrations in a projection system with electrostatic lenses 87−33397
Yachmenev, S.N. Chromatic aberrations of a projector with electrostatic lenses 87−33398
Yachmenev, S.N. Design of the electron-optical system of an electron-beam scanning annealing apparatus 88−1492
Yachmenev, S.N. *see* Lysenko, V.S. 86−47446
Yachmenev, V.A. *see* Krekov, G.M. 87−75358
Yachnev, I.L. *see* Belousova, I.M. 86−63758, 87−68352
Yachnev, I.L. *see* Eremenko, A.S. 86−29213
Yachnev, I.L. *see* Glukhikh, I.V. 88−8125
Yachuan Tai *see* Tai Yachuan
Yachup, T. *see* Little, K. 86−49327
Yackle, D.J. *see* Keisling, M.D. 85−63975
Yackle, T.R. *see* Jacob, M.C. 85−9666
Yacobellis, R.H. *see* Opferman, D.C. 87−5249
Yacobi, B.G. Charge-collection memory effect in electron-irradiated hydrogenated amorphous silicon 86−58273
Yacobi, B.G., Ditchek, B.M. Characterization of multiple in situ junctions in Si-$TaSi_2$ composites by charge-collection microscopy 87−53267
Yacobi, B.G., Ditchek, B.M. EBIC characterization of multiple in situ three-dimensional junctions in silicon 88−39143
Yacobi, B.G., Elman, B., Jagannath, C., Masum Choudhury, A.N.M., Urban, M. Cathodoluminescence observation of metallization-induced stress variations in GaAs/AlGaAs multiple quantum well structures 88−50747
Yacobi, B.G., Jagannath, C., Zemon, S., Sheldon, P. Stress variations and relief in patterned GaAs grown on mismatched substrates 88−31730
Yacobi, B.G., Matson, R.J., Herrington, C.R. Characterization of defects in hydrogenated amorphous silicon devices using charge collection scanning electron microscopy 85−23462
Yacobi, B.G., Matson, R.J., Herrington, C.R., Tsuo, Y.S. Limitations to the application of the electron-beam-induced current in hydrogen-passivated silicon grain boundaries 85−11893

Yacobi, B.G., von Roedern, B. Electrical conductivity of electron-irradiated hydrogenated amorphous silicon 86−47320

Yacobi, B.G., von Roedern, B., Mahan, A.H., Jones, K.M. Microstructure and electronic properties of hydrogenated amorphous silicon-carbon alloys 85−55486

Yacobi, B.G. *see* Ditchek, B.M. 87−68274, 88−44779, 88−57037

Yacobi, B.G. *see* Sheldon, P. 88−63304

Yacobi, Y. *see* Brickell, E.F. 88−45939

Yacoby, Y. *see* Agranat, A. 88−71999

Yacoub, G.Y., Pham, H., Ma, M., Friedman, E.G. A system for critical path analysis based on back annotation and distributed interconnect impedance models 88−64670

Yacoub, M.D. *see* Vianna, B.S. 85−52199

Yacoub, M.N.R.D., Noakes, P.D. An investigation of statistical fault analysis for combinational logic circuits 88−38509

Yacoub, TG. *see* Freidman, E.G. 85−55961

Yacoubi, E.M., Menez, J., Alengrin, G., Mathieu, P. Extraction of some noisy sinusoids by successive correlation 87−55213

Yacoubi, S.E.M., Menez, J., Mathieu, P., Alengrin, G., Villemur, C., Castanie, F. A recursive method for Pisarenko harmonic decomposition 88−21282

Yacoubi-S, E.M., Menez, J., Alengrin, G., Mathieu, P. Application of the higher-order correlation method for the detection and reconstruction of a sinusoid disturbed by a significant noise 88−21248

Yacout, A.M., Gardner, R.P., Verghese, K. A semi-empirical model for the X-ray Si(Li) detector response function 86−32182

Yacout, A.M. *see* Gardner, R.P. 86−32171

Yada, E., Honjo, J., Hirose, M. High-speed A/D converter with variable integrating time 86−62652

Yada, K. Various kinds of thermionic emitters 88−25767

Yada, M. *see* Matsuda, Y. 87−46340

Yada, S. *see* Nishinokubi, H. 87−57381

Yada, T., Nakamura, U., Tomidokoro, S., Fukuzawa, M. Development of NC multi-pass arc welding equipment 85−16479

Yada, T. *see* Asai, J. 85−5568

Yada, T. *see* Endo, A. 85−33527, 85−61561, 88−19864

Yadagiri, G. Trigger pulse generator allows don't care 85−49954

Yadav, A.K. Integrated protection of large turbogenerators 88−37145

Yadav, G.D. Fetex 100L [telephone exchange] 86−17137

Yadav, G.D. Suggested enhancement in features and facilities of Fetex 100L system 88−35297

Yadav, G.D. Signalling in E-10B exchanges 88−35309

Yadav, G.D., Kumar, V. Testing experiences in the first E10B exchange in India 86−69527

Yadav, G.D. *see* Chanchiah, N. 88−35311

Yadav, J.S., Biswas, S., Durgaprasad, N. Calibration of CR-39 (DOP) detector module for Indian cosmic ray experiment using accelerated beams 87−29600

Yadav, J.S., Perelygin, V.P., Stetsenko, S.G. Annealing studies of charged particle tracks in olivine crystals 86−50406

Yadav, J.S., Perelygin, V.P., Stetsenko, S.G. Track kinetics of volume tracks in crystals 87−29606

Yadav. J.S. *see* Biswas, S. 87−29599

Yadav, J.S. *see* Gomber, K.L. 86−18255

Yadav, J.S. *see* Kumar, S. 87−21471

Yadav, M. *see* D'Souza, P. 87−8146

Yadava, G.S. *see* Kathari, D.P. 86−61205

Yadava, R.D.S., Sinha, S., Sharma, B.B., Warrier, A.V.R. Grain growth mechanism during recrystallisation of a tellurium-rich $Hg_{1-x}Cd_xTe$ cast 86−13729

Yadava, Y.P. High-temperature electrical transport properties of manganese telluride 88−50629

Yadavalli, S.R. Thermionic integrated circuit technology for high power space applications [nuclear spacecraft power circuits] 85−48391

Yadavalli, S.R. Thermoelectric converter modeling in nuclear space power conversion and regulation 87−42168

Yadaw, A.K. On line fault detection and diagnosis of large turbogenerator 88−43116

Yadchenko, K.I., Vyshkin, M.B. Electronic control unit and power supply of a linear stepping motor 87−22418

Yadernyy, V.G., Zaks, V.S. Statistical processing of the signals of digital frequency synthesizers 88−74497

Yadin, E. *see* Steinberg, B.D. 85−46618

Yadin, M. *see* Kiessler, P.C. 88−38054

Yadin, M. *see* Melamed, B. 85−33274

Yadovina, E.S. *see* Solomakha, O.N. 88−61865

Yae, S. *see* Matsumura, M. 87−36127

Yae, S. *see* Sakai, Y. 88−37403

Yaegashi, N. *see* Fukuda, T. 88−49011

Yaegashi, Y. *see* Todokoro, Y. 87−11917

Yaegawa, K. *see* Fukui, Y. 85−22927

Yaeli, J. Phase measurement of laser diode array radiation 87−2108

Yaeli, J., Streifer, W., Scifres, D.R., Cross, P.S., Thornton, R.L., Burnham, R.D. Array mode selection utilizing an external cavity configuration 85−56729

Yaeli, J. *see* Welch, D.F. 85−56623, 86−15687

Yaer Ji, Heying Luo, Degong Xia, Riguang Wu, Dionkui Liu An oxide-impregnated nickel-matrix cathode for 35-MeV proton linear accelerator 87−77514

Yaer Ji, Ting Wu Study of poisoning of an oxide cathode 88−64169

Yafang Shen *see* Shen Yafang

Yafasov, A.Ya. *see* Azimov, S.A. 87−14719

Yafasov, A.Ya. *see* Muminov, R.A. 87−41821

Yafei Zhang *see* Fangqing Zhang 88−40055

Yafei Zhang *see* Zhang Yafei

Yafeng Lin *see* Lin Yafeng

Yafet, Y., Gyorgy, E.M., Walker, L.R. Directional dependence of the demagnetizating energy in imperfect thin magnetic films 87−25793

Yafet, Y. *see* Levi, A.F.J. 87−74253, 88−1607

Yafet, Y. *see* Schlesinger, Z. 86−8858

Yaffe, D. *see* Bogart, J. 86−24887

Yaffe, H.H., Waarts, R.G., Lichtman, E., Friesem, A.A. Multiple-wave generation due to four-wave mixing in a single-mode fibre 87−25945

Yaffe, H.H. *see* Bar-Joseph, I. 86−68272, 87−2083

Yaffe, H.H. *see* Levy, U. 85−18036

Yaffe, H.H. *see* Lichtman, E. 87−74698

Yaffe, M.J. *see* Johns, P.C. 87−50186

Yaffe, M.J. *see* Nishikawa, R.M. 88−10320

Yafuso, M. *see* Gehrich, J.L. 86−44637

Yafyasov, A.M. *see* Romanov, O.V. 85−34657, 85−40525

Yagami, H. *see* Yamaguchi, K. 87−29981

Yagang Wang *see* Wang Yagang

Yagawa, F. *see* Murakami, A. 86−63541

Yagawa, G. Report of secondary circuit piping rupture event at Surry Unit 2 plant 87−78259

Yagawa, G. Study on an optical strain measurement method of structures at elevated temperatures 88−29657

Yagawa, G., Hashizume, H. Development of C* control creep test system 86−26933

Yagawa, G., Matsuura, S. Development of point recognition picture processing for deformation and strain measurement 86−11726

Yagawa, M. Simulation of impact problems by finite element method 85−5925

Yagello, I.D. *see* Shats, Yu.Ya. 88−14989

Yagelowich, J.J. *see* Adolphsen, J.W. 85−17390

Yager, C. Microcontroller with integrated high performance communications interface 85−17478

Yager, C. VLSI for two emerging LAN standards 85−52088

Yager, C. VLSI for two emerging LAN standards 86−4345

Yager, C. Data-acquisition system fits on a smart peripheral chip 87−53700

Yager, C., Ohara, H. Single-chip data acquisition subsystem 88−4314

Yager, C., Sohn, Y. 2.4 M Bps serial bus for distributed intelligence 85−17535

Yager, C.T. MUART in practice 85−40150

Yager, P.M. *see* Shoemaker, G.H.N. 86−38710

Yager, T.A., Nixon, K. A field study of connector reliability 85−23273

Yages, G.J., Sprouse, L.B., Myers, D.R., Turko, B. Characterization of electro-optic anomalies associated with transient response of fast readout charge-coupled devices 88−4462

Yaghjian, A.D. A simplified approach to probe-corrected spherical near-field scanning [antenna testing] 85−19236

Yaghjian, A.D. Equivalence of surface current and aperture field integrations for reflector antennas 85−24922

Yaghjian, A.D. An overview of near-field antenna measurements 86−36804

Yaghjian, A.D. Surface current and aperture field integrations for reflector antennas 86−64067

Yaghjian, A.D., McGahan, R.V. Broadside radar cross section of the perfectly conducting cube 85−42630

Yaghjian, A.D., Wittmann, R.C. The receiving antenna as a linear differential operator: application to spherical near-field scanning 86−22800

Yaghjian, A.D. *see* Reddy, D.R. 86−68867

Yaghjian, A.D. *see* Shore, R.A. 88−45664

Yaghutiel, H., Sangiovanni-Vincentelli, A., Gray, P.R. A methodology for automated layout of switched-capacitor filters 87−37431

Yaghutiel, H. *see* Burns, J. 88−31944

Yagi, A., Frey, J. Effects of injection resistance on the performance of very-short-channel MOSFET's 85−18331

Yagi, A. *see* Akoh, H. 86−28740

Yagi, A. *see* Kuno, Y. 88−52011

Yagi, A. *see* Kurosawa, I. 85−45059

Yagi, A. *see* Sakai, S. 85−46098

Yagi, A. *see* Yoshihiro, K. 86−53474

Yagi, G. *see* Mawatari, K. 86−64655

Yagi, H. *see* Koike, M. 85−20000

Yagi, H. *see* Wei Yi Yang 85−23683

Yagi, K., Yamauchi, H., Yamaguchi, T., Niina, T. Fabrication of GaAs/AlGaAs GRIN-SCH lasers with newly developed ridge waveguide 87−68518

Yagi, K., Yamauchi, H., Yamaguchi, T., Niina, T. High-efficiency semiconductor lasers by MBE growth method 88−40239

Yagi, K. *see* Hori, R. 85−22877

Yagi, K. *see* Iga, K. 86−68540

Yagi, K. *see* Kimura, K. 88−6820

Yagi, K. *see* Kobayashi, N. 85−50461

Yagi, K. *see* Kokubo, O. 87−60936

Yagi, K. *see* Munakata, C. 85−23400

Yagi, K. *see* Nakane, F. 85−35527

Yagi, K. *see* Ohji, Y. 88−1464

Yagi, K. *see* Shimizu, N. 86−28212

Yagi, K. *see* Shimohigashi, K. 87−59484

Yagi, K. *see* Shinji, O. 85−35505

Yagi, K. *see* Sunami, H. 85−40899, 85−50726

Yagi, K. *see* Yamamoto, N. 85−23981, 86−58537, 87−6620

Yagi, M., Niki, S., Kanayama, M. Production engineering and facilities of gas insulated equipment 88−17780

Yagi, M. *see* Muta, I. 85−43945

Yagi, N. *see* Enami, K. 87−20709, 87−27619, 88−25264

Yagi, N. *see* Murakami, K. 87−70286

Yagi, N. *see* Yamaya, T. 88−18176

Yagi, R. *see* Handa, Y. 86−32365, 86−56191

Yagi, R. *see* Hoshimiya, N. 85−15341

Yagi, S., Fujimori, S., Yamazaki, H. Crystallization of amorphous marks in SbTe erasable optical storage media 88−45045

Yagi, S., Musha, T. Temperature resolution of differential fiber-optic temperature sensor 85−31470

Yagi, S., Nakayama, K. Ultrasonoecho spectral moment tomography 86−18309

Yagi, S. *see* Hishii, M. 86−58875

Yagi, S. *see* Shimamura, Y. 87−78140

Yagi, S. *see* Tanaka, M. 86−36427

Yagi, S. *see* Yamazaki, H. 87−74648, 88−45065

Yagi, S. *see* Yasui, K. 88−34064

Yagi, T. Digital subscriber loop multiplex transmission system−SMD-3 system for digital one-link service areas expansion 86−30493

Yagi, T. Properties and applications of piezo- and pyroelectric polymers 87−38618

Yagi, T., Yamashita, K., Hattori, R., Kubota, M., Ishii, M., Takamiya, S. Laser diode array for a laser printer 87−47035

Yagi, T. *see* Iiyama, K. 88−63410

Yagi, T. *see* Kusama, Y. 87−45333

Yagi, T. *see* Otani, S. 88−41594

Yagi, T. *see* Shimizu, Y. 85−8280

Yagi, T. *see* Takashima, H. 85−57899

Yagi, Y. Multi-grafted thermometer 87−41495

Yagi, Y., Asada, M., Tsuji, S. Finding of objects moving against a static environment by a moving observer 86−69170

Yagi, Y., Sato, J. Recent trends in gas turbine generators 88−55207

Yagi, Y. *see* Iida, S. 86−7780

Yagi, Y. *see* Kodama, T. 85−10046

Yagi, Y. *see* Sakamoto, K. 86−29270

Yagihashi, S. *see* Maeda, Y. 87−72409

Yagihashi, S. *see* Tahara, Y. 87−4960

Yagihashi, T., Imai, R., Ishiguro, H. FACOM 2255 audio conference system for long-distance conferencing 87−7968

Yagii, K. *see* Matsuda, A. 85−423, 86−13797

Yaginuma, N. *see* Arai, S. 88−50486

Yaginuma, T. *see* Fukui, H. 86−9116

Yagisawa, T., Ishihara, K., Shibayama, J. Effect of magnetic induction of electrical steel on the motor losses 88−69258

Yagisawa, T. *see* Shigenaga, M. 87−19581

Yagisawa, T. *see* Takeda, Y. 85−27376

Yagisawa, T. *see* Yamamoto, M. 85−27466

Yagishita, A. Performance of parallel-plate electron spectrometer with position-sensitive detector 86−60626

Yagishita, K. *see* Myodo, O. 85−14908

Yagishita, T., Ikegami, K., Narusawa, T., Okuyama, H. Photoconduction of copper phthalocyanine-binder photoconductor sensitized with poly-N-vinylcarbazole 85−24368

Yagishita, T. *see* Yamagishi, Y. 87−12605

Yagishita, W., Ema, N., Akiyama, T., Nagata, A., Senoo, T. Signal-processing LSIs for compact disc players 86−55489

Yagita, H. *see* Tambo, T. 88−19402

Yagle, A.E. A fast algorithm for linear estimation of three-dimensional homogeneous anisotropic random fields 87−55176

Yagle, A.E. A fast algorithm for linear estimation of three-dimensional homogeneous anisotropic random fields 87−62049

Yagle, A.E. A layer-stripping fast algorithm for reconstructing an elastic medium from its compressional wave reflection response 88−10638

Yagle, A.E. Generalized Levinson and fast Cholesky algorithms for three-dimensional random field estimation problems 88−66534

Yagle, A.E. The lattice algorithm of linear prediction applied to the inverse scattering problem given transmission data 88−66575

Yagle, A.E., Levy, B.C. A layer-stripping solution of the inverse problem for a one-dimensional elastic medium 85−53141

Yagle, A.E. *see* Chan, H. 88−63141

Yaglo, G.I., Kotenev, A.S. Forming textures in powder magnets in alternating and steady magnetic fields 87−18485
Yaglo, G.I., Kotenev, A.S. Structure formation of barium ferrite powder magnets in variable and constant fields 87−65580
Yaglo, G.I., Polishchuk, A.I., Gusev, Yu.V., Stolyar, V.F., Serdyukov, E.P., Egorova, S.I. Magnetic structure of a powder magnet based on a REM-cobalt alloy 87−38650
Yaglom, A.M. Einstein's 1914 paper on the theory of irregularly fluctuating series of observations 88−11837
Yagmurov, V.Kh. *see* Danilov, S.V. 88−39877
Yagnik, H.K., Acharya, B.L., Rai, R.K., Sharma, R.C., Mathur, I.C., Sharma, K.D. Ionospheric absorption at vertical and oblique incidence at low latitudes 85−7642
Yago, M. *see* Kurita, O. 85−3347, 85−25738
Yagola, A.G. *see* Babichenko, S.I. 85−47957
Yagola, G.K., Proskuryakova, S.F. Induction teslameter for pulsed magnetic fields 86−44401
Yagola, G.K., Vasil'ev, D.R., Kazantsev, Yu.I. Hyperconducting inductive measure of magnetic induction 86−44400
Yagola, G.K. *see* Cheburov, D.I. 88−22752
Yagola, G.K. *see* Vasil'ev, D.R. 87−29262
Yagshyev, O. *see* Kolomoets, N.V. 87−58340
Yaguang Jiang, Linsen Chen, Leith, E.N. Optical tomography—a new holographic inverse filter technique for three-dimensional X-ray imaging 88−34167
Yagubov, Z.Kh. *see* Kengerlinskii, Yu.S. 85−2808
Yagubskii, E.B., Shchegolev, I.F., Laukhin, V.N., Shibaeva, R.P., Kostyuchenko, E.E., Khomenko, A.G., Sushko, Yu.V., Zvarykina, A.V. Superconducting transition in the dielectric α phase of iodine-doped (BEDT-TTF)$_2$I$_3$ compound 85−35330
Yaguchi, E. *see* Izumi, H. 85−65523
Yaguchi, E. *see* Shimamoto, S. 87−12091, 88−65098
Yaguchi, E. *see* Tada, E. 87−67979
Yaguchi, E. *see* Tsuji, H. 86−58725
Yaguchi, H., Yuki, H., Miyake, Y., Kubo, S. Mesopic luminous efficiency functions measured with a Lagorio's color chart 88−47696
Yaguchi, K. *see* Yokoyama, K. 87−28832
Yaguchi, T., Oura, Y., Tsuboi, A., Andow, F. In-service experience and reliability evaluation of protective relay systems with built-in automatic testing and supervision devices 86−51108
Yaguchi, T. *see* Kanuma, A. 87−17159
Yaguchi, T. *see* Komatsu, M. 87−28272
Yagudaev, B.M., Sirota, I.M., Bogachenko, A.E., Maslyanik, V.V. Conditions for electrical safety accompanying resonance earthing of neutral in 6-10 kV networks in mining works 87−21970
Yagudaev, B.M. *see* Nazarov, V.V. 87−15228
Yagudaev, B.M. *see* Shchutskii, V.I. 85−60627
Yagudin, Sh.I. *see* Abdulsabirov, R.Yu. 87−26356
Yagudin, Sh.I. *see* Shkadarevich, A.P. 86−42508
Yagup, V.G. Using signal graphs to obtain the equations of state of electrical circuits 86−634
Yagup, V.G. Multi-operation of electric circuits with controlled switches 86−62408
Yagupol'skii, L.M. *see* Demchuk, M.K. 86−54215
Yagushkin, N.I. *see* Bordina, N.M. 88−17929
Yagushkin, N.I. *see* Buyanov, Yu.I. 85−48037
Yagushkin, N.I. *see* Gostishchev, E.A. 87−29221
Yagushkin, N.I. *see* Kononov, B.A. 88−71270
Yagushkin, N.I. *see* Sapozhkov, Yu.I. 87−359
Yagushkin, N.I. *see* Veretel'nik, V.I. 86−11669
Yagyu, H. *see* Kamiya, T. 86−14585
Yagyu, H. *see* Watanabe, K. 86−39161
Yagyu, M. *see* Itoh, H. 85−33859
Yagyu, M. *see* Kamikawai, R. 88−24931
Yahagi, K. *see* Katakai, S. 85−40954
Yahagi, K. *see* Nagasawa, K. 85−24297, 85−35526, 86−22136, 86−42286
Yahagi, M., Satoh, M., Kuriyama, K., Iwamura, K., Kim, C., Shiraishi, F. Ion channeling study of damage in neutron transmutation doped semiconductors: application to GaAs 85−55687
Yahagi, M. *see* Hamanaka, H. 85−6808, 85−55685, 86−58387
Yahagi, M. *see* Kimura, S. 85−36933
Yahagi, M. *see* Satoh, M. 87−37877
Yahagi, T. An adaptive echo canceller using parallel Kalman filters 87−19787
Yahagi, T. Minimax observers 87−39731
Yahagi, T., Kato, Y. Restoration of blurred images using two-dimensional digital filters with noise suppression 85−19533
Yahagi, T., Saito, N. An echo canceller using parallel Kalman filters based on divided estimation of impulse response 86−42867
Yahagi, T., Suga, A., Takamura, M. Compression of digital images based on vector quantization with variable block size 88−46269
Yahagi, T. *see* Kitajima, H. 85−41992
Yahagi, T. *see* Sun, X.-H. 88−34799
Yahalom, R. *see* Tomita, Y. 88−20744 to 20745
Yahalom, Y. East Mesa geothermal plant utilizes 26 ORC turbines 88−5574
Yahara, T. *see* Terai, M. 85−22598
Yahata, A. *see* Obokata, T. 86−63040
Yahata, H., Saeki, T. High feature terminals and VLSI 87−1595
Yahata, K., Takahashi, T., Yamaguchi, I., Kuroda, T., Hakozaki, M. Development of telex booth equipment for business offices 85−19711
Yahata, T. EX series network system for complete control of factory automation 87−69672
Yahia, A.H., Shaalan, N.M. Investigation of integrated circuits by holographic technique 87−18232
Yahia, A.H., Shaalan, N.M. Infrared thermal mapping of microelectronic circuits 87−18237
Yahia, A.H., Shaalan, N.M., El Sharkawy, A.A., Hassan, S.A. Permittivity measurement by cavity perturbation method 87−41590
Yahia, A.H., Shaalan, N.M., El-Sharkawy, M.A. Frequency characteristics of multivalued nonlinear convertors 87−59151
Yahia, A.H., Shaalan, N.M., El-Sharkawy, M.A., Gamaleldin, W. Parametric conversion with multivalued nonlinearities 87−73580
Yahia, A.H., Shaalan, N.M., El Sharkawy, M.A., Hassan, S.A. Permittivity measurement by cavity perturbation method 87−14492
Yahia, A.H., Shaalan, N.M., Nazmy, T.M. Describing functions of entrained oscillators 88−605
Yahia, A.H., Shaalan, N.M., Shaalan, M.S., Jamjoum, O.M. Modelling of CdS/CuInSe$_2$ solar cells 87−78924
Yahia, A.H., Shaalan, N.M., Shaalan, M.S., Jamjoum, O.M. Modelling of CdS/CuInSe$_2$ solar cells 88−37419
Yahia, A.H., Shalaan, N.M., El-Sharkawy, M.A. Switching mechanism of multivalued nonlinear devices 87−60408
Yahia, A.H., Shalan, N.M., Baeraky, T.A. Synchronization of semiconductor device oscillators 87−37046
Yahia, A.H. *see* Shaalan, N.M. 88−39619
Yahiro, H., Eguchi, Y., Eguchi, K., Arai, H. Oxygen ion conductivity of the ceria−samarium oxide system with fluorite structure 88−75921
Yahiro, H. *see* Iida, K. 87−13232
Yahong Li *see* Fangqing Zhang 88−40055
Yahr, W.Z. *see* Byrd, C.L. 85−53098
Yahraus, T.G. Mock HID lamp development 85−65604
Yahraus, T.G. Examining inaccuracies experienced during incandescent modelling of HID photometric lamps 86−52036
Yahya, A.A. *see* Juma, S.M. 87−17676
Yahya, N.B. Some laser applications in medicine 87−42005
Yahya Ould Hamidoune, Las Vergnas, M. Directed switching games on graphs and matroids 86−57307
Yahyabey, N. *see* Barillet, R. 88−58400
Yai-Nan Yu On multi-level dynamic security control 87−71554
Yaici, B. *see* Lorenzo, E. 88−17460
Yailenko, L.P. *see* Afanasenko, I.A. 85−6055
Yair, A. *see* Epstein, E. 86−56326
Yair, E. *see* Medan, Y. 87−62058
Yaitskii, V.D. *see* Barbanov, A.D. 86−34801
Yaji, T., Katsube, T., Hara, M., Nakagawa, Y. High rate preparation of iridium oxide films and its application to optical attenuator 87−58979
Yaji, T. *see* Katsube, T. 88−42227
Yaji, T. *see* Nakagawa, Y. 86−32391, 88−37727
Yajima, A. *see* Isomae, S. 86−63178
Yajima, A. *see* Yokomizo, G. 87−60665
Yajima, H. Effective use of the radio spectrum 85−19641
Yajima, H. The prospect of OEIC's in the optical measurement technology 88−2036
Yajima, H., Shimada, J. Optoelectronic integrated circuits 85−24418
Yajima, H. *see* Hiyama, M. 86−9867
Yajima, H. *see* Mukai, S. 85−41378, 85−56612, 85−62598, 86−36490, 87−7345, 87−46569, 87−61150, 88−20690
Yajima, H. *see* Okayama, Y. 87−35031
Yajima, H. *see* Suzuki, Y. 87−46859
Yajima, H. *see* Takano, Y. 87−12502
Yajima, H. *see* Uetsuka, H. 88−65362
Yajima, H. *see* Watanabe, M. 87−26242, 87−39203, 87−54328, 88−27288, 88−34010, 88−45063
Yajima, H. *see* Yumoto, J. 85−41207
Yajima, K., Yamaguchi, T. A further study on the microstructure of glass-bonded Ag thick-film conductors 85−17996
Yajima, K. *see* Morinaga, S. 85−27506
Yajima, K. *see* Morita, H. 88−52589
Yajima, M. *see* Fukamachi, H. 88−48201
Yajima, M. *see* Hashiguchi, S. 86−63594, 87−11078
Yajima, M. *see* Ohtari, Y. 87−35706
Yajima, N. *see* Fukuda, T. 87−15967 to 15968
Yajima, R. Determination of temperature and humidity: temperature 87−34905
Yajima, R. Humidity measurement 87−35252
Yajima, S. VLSI-oriented hardware algorithms and logic design methodologies 86−15208
Yajima, S. *see* Hataokua, N. 87−19609
Yajima, S. *see* Ishiura, N. 85−45020, 86−27269, 86−41060, 87−59081, 88−25128
Yajima, S. *see* Kawahara, K. 85−17578
Yajima, S. *see* Kimura, S. 86−67172, 88−688, 88−32172
Yajima, S. *see* Sakagami, I. 87−24297
Yajima, S. *see* Takagi, N. 86−2261, 86−62572, 88−72774
Yajima, T., Suda, K. Switching system software design for ISDN 87−13528
Yajima, T., Tomita, A., Suda, K. Digital switching system software for ISDN 86−23635
Yajima, T. *see* Hamada, Y. 85−52239
Yajima, T. *see* Ishida, Y. 85−29785, 86−9771, 86−15783, 86−58898, 87−54412, 88−20594
Yajima, T. *see* Lin Lihuang 87−12551
Yajima, T. *see* Watanabe, A. 86−22470, 87−75219, 88−10148
Yajima, Y. On estimation of a regression model with long-memory stationary errors 86−52354
Yajima, Y., Zhu, Q., Fujigaki, T., Hiramatsu, K., Sawaki, N., Akasaki, I. Measurement of lateral and indepth profile of defect distribution of InGaAsP epitaxial layer by LBIC 87−17771
Yajima Kiyoshi *see* Kiyoshi Yajima
Yajubaitis, E.A., Trainin, S.B. Transport stations and gateways for computer networks 87−28026
Yajun Li Oscillations and discontinuity in the focal shift of Gaussian laser beams 87−19025
Yajun Li Autocorrelation function of a bar code system 88−21297
Yajun Liu *see* Zhan Chen 86−58963
Yajun Wu *see* Wu Yajun
Yak, Y.W. *see* Wong, K.K. 85−863
Yakabe, T., Kamata, S., Yabe, H. Recent advances in microwave power combining techniques in Japan 87−24435
Yakabe, T. *see* Kamata, S. 87−24436
Yakabu, K.S. *see* Akcasu, O.E. 86−34465
Yakabu, K.S. *see* Bouknight, J.L. 88−71754
Yakahama, T. *see* Nakamura, N. 85−23460
Yakar, A. *see* Caruthers, A.W., III 87−16371
Yakasaki, F. *see* Abe, K. 88−16629
Yakely, F. Features, advantages, and applications of high performance ECL logic array 87−706
Yakely, F. Features, advantages, and applications of high performance ECL logic array 87−6865
Yakely, F. *see* Conway, J. 85−28441
Yakeyasu, K. *see* Matsushima, J. 87−40747
Yakhilevich, F.M., Semenov, A.N., Glebov, V.P., Pikus, V.Yu., Kalmaru, A.M., Maarend, Ya.A., Kurashkina, L.M., Kurm, Yu.A. A power boiler with a fluidised-bed furnace operating on Baltic shale 85−48839
Yakhilevich, F.M., Semenov, A.N., Glebov, V.P., Pikus, V.Yu., Kurashkina, L.M. Investigation the fluidised bed of the furnace of a power-generating shale-fired boiler 87−42673
Yakhkind, E.Z. *see* Lemanov, V.V. 85−43106
Yakhnin, V.G., Frantsev, E.P., Lozinskiy, V.M., Shnyrev, E.F. Apparatus for the remote control of transmitting and receiving short-wave radio communications centers 86−23660
Yakhov, G.A. *see* Bunkin, F.V. 85−59491
Yakh'ya, M.A. *see* Gremyakov, A.A. 88−23316
Yakh'ya, M.A. *see* Vennikov, V.A. 88−68791
Yakihara, T., Hamasaki, K., Yamashita, T., Matsui, T., Hayashi, R. All-NbN edge junction nanobridges as Josephson mixers 86−68213
Yakihara, T. *see* Hamasaki, K. 87−67890
Yakihara, T. *see* Kobayashi, T. 88−20305
Yakimchuk, D.Yu. *see* Talakin, K.N. 87−58925
Yakimchuk, G.S. *see* Kitaev, A.V. 86−56973
Yakimenko, A.N. *see* Bezlyudnyi, S.V. 86−35285
Yakimenko, A.N. *see* Vainer, A.Ya. 85−50356
Yakimenko, A.P., Makusev, P.G. Electromagnetic cleaning of feed at livestock-breeding farms 85−65678
Yakimenko, I.P. *see* Gvozdetskii, V.S. 87−43686
Yakimenko, M.N. *see* Aleksandrov, Yu.M. 87−6801, 87−18837, 88−13843
Yakimenko, V.G. *see* Gol'din, R.G. 86−61454
Yakimenko, V.I. Protecting transmission lines from flashovers caused by large birds [insulators] 86−44997
Yakimenko, Yu.I. A circuit model of a piezoelectric transformer 87−53856
Yakimets, I.V., Narovlyanski, V.G., Matveikin, V.M. Transformers with regulation for supply networks 85−32538
Yakimets, I.V., Narovlyanskii, V.G., Matveikin, V.M. Regulated transformers for electric supply networks 85−39059
Yakimets, I.V., Narovlyanskii, V.G., Zakharova, O.V. Transients during switching of magnetic circuits 87−51311
Yakimets, I.V. *see* Vershinin, Yu.N. 85−65380, 86−39208
Yakimetz, I.V., Bashkirov, Yu.A. Superconductor screens as components of AC electric power units 86−48624
Yakimoto, A., Narahara, H., Funakubo, H., Dohi, T., Sakuma, I., Komeda, T. Development of basic units for a mobile robot system for bedridden patients 86−32342
Yakimov, A.E. *see* Prokopchik, V.V. 86−61098
Yakimov, A.V. Flicker noise and aging of point-contact resistance 85−23184
Yakimov, A.V. A computer-oriented procedure for analyzing fluctuations in generator systems 87−16920

Yakimov, A.V. Spectral analysis of wideband amplitude and phase fluctuations in signal-generator system 88−3047
Yakimov, A.V. *see* Bogoslovskii, N.N. 87−32492
Yakimov, A.V. *see* Krevskii, M.A. 85−630
Yakimov, A.V. *see* Krevskiy, M.A. 86−20807
Yakimov, A.V. *see* Orlov, V.B. 85−18044
Yakimov, A.V. *see* Zaitsev, V.V. 85−11087
Yakimov, E.B. *see* Starkov, V.V. 87−60166
Yakimov, Eu.B. *see* Koveshnikov, S.V. 88−33076
Yakimov, S.S. *see* Goncharov, V.Ya. 87−41345
Yakimov, S.S. *see* Rzhanov, A.E. 88−50674
Yakimov, T.N. *see* Simeonova, S.V. 88−50399
Yakimova, R. Preparation and some properties of scandium-doped indium arsenide 86−7744
Yakimova, R., Roth, A.P., Williams, D.F., Sundaram, V.S. Morphology of tin doped gallium arsenide grown by low pressure MOVPE 85−6707
Yakimova, R. *see* Roth, A.P. 85−6817, 86−8757
Yakimova, R. *see* Sundaram, V.S. 85−16926
Yakimova, R.T., Trifonova, E.P., Karagiozov, L., Petrov, S. Structural and electrical characteristics of iodidely synthesized $Pb_{1-x}Sn_xTe$ crystals 85−18108
Yakimovich, A.P. Threshold light modulator for analog-to-digital image conversion 85−12659
Yakimovich, A.P. Holographic three-dimensional vision of robots 85−13003
Yakimovich, A.P. Control of the form of the characteristic curve of light modulators by internal electrooptic feedback 86−9617
Yakimovich, A.P. Diffraction efficiency of coupled transmission-reflection holograms 88−72449
Yakimovich, O.E. *see* Svintilov, M.V. 88−50019
Yakin, M.Zafer *see* Zafer Yakin, M.
Yakirin, R.V., Sverdlik, G.I. Metrological certification of high-precision testers 86−31642
Yakka, A.Y. *see* El-Hosseiny 88−37269
Yaklubovich, S.-D. *see* Plavenek, A.G. 87−46893
Yako, H. *see* Yamaguchi, N. 86−69771
Yakobi, Yu.A., Grigor'ev, P.V., Malov, A.N., Rudnitskii, A.L., Soloukhin, R.I., Studenikin, Yu.E., Fedorov, S.Yu. Tunable lasers with intracavity separation of the emission lines 85−56733
Yakobs, A.I., Gridneva, T.T. Error analysis in calculating the electrical characteristics of earthing devices 86−65778
Yakobs, A.I. *see* Demin, Vu.V. 86−51154
Yakobson, A.V. *see* Garasim, S.I. 86−65776
Yakobson, N.N. *see* Aleksandrov, E.B. 87−21213
Yakobson, V.E. *see* Basiev, T.T. 88−58664
Yakobson, Ya.A. *see* Karnitis, E.K. 87−20175
Yakobson, Ya.A. *see* Pirogov, V.V. 86−8569
Yakolenko, S.I. *see* Bunkin, F.V. 87−2080
Yakoleva, T.V. *see* Vladimirskii, L.L. 86−25621
Yakoob, N. *see* Hardwick, M. 86−41408
Yakota, M. *see* Tsuda, M. 85−40802
Yakoumidakis, M. *see* Papadrakakis, M. 87−52017
Yakov, S. *see* Bossi, A. 86−51716
Yakov, S. *see* Cesari, S. 85−56002
Yakova, I.V. *see* Achapovskaya, A.M. 86−26525
Yakovchuk, N.S. *see* Grekhov, I.V. 86−45509, 87−38184, 88−55434, 88−71511
Yakovchuk, V.Yu. *see* Aleksandrov, K.S. 87−26507
Yakovchuk, V.Yu. *see* Burkova, L.V. 86−15339
Yakovchuk, V.Yu. *see* Frolov, G.I. 85−29428
Yakovchuk, V.Yu. *see* Seredkin, V.A. 85−24082
Yakovenko, A.V. *see* Gorelik, V.A. 88−52456
Yakovenko, D.A. *see* Goncharok, M.Kh. 85−8270
Yakovenko, G.N. *see* Vinogradova, E.L. 85−56380
Yakovenko, I.N. *see* Chebulaev, V.V. 86−33033
Yakovenko, N.A. *see* Bregeda, I.D. 87−18598
Yakovenko, N.A. *see* Dorosh, V.S. 85−1968
Yakovenko, N.A. *see* Ivanov, V.N. 85−41203, 87−74826
Yakovenko, N.I. *see* Sannikov, D.I. 87−9545
Yakovenko, N.S. *see* Kirichuk, V.S. 85−2865, 87−69252
Yakovenko, N.S. *see* Kosykh, V.P. 85−2866
Yakovenko, V.A. Design of matching networks for wideband parallel-type diode frequency multipliers 86−41269
Yakovenko, V.A. Maximally flat matching of complex loads using simple circuits 87−45019
Yakovenko, V.A., Rudas, Yu.D., Karlan, G.D. On the formation of a residual magnetic field in an induction motor 87−64596
Yakovenko, V.A., Rydas, Yu.D., Kharlan, G.D. The configuration of the residual magnetic field of an induction motor 88−5692
Yakovenko, V.A. *see* Bogatyreva, L.I. 86−39688
Yakovenko, V.A. *see* Manuilov, B.D. 86−43049
Yakovenko, V.A. *see* Potekhin, S.K. 86−47079
Yakovenko, V.A. *see* Tityukov, Yu.G. 87−59809, 87−72246
Yakovenko, V.M. *see* Bass, F.G. 85−36028
Yakovenko, V.M. *see* Beletskii, N.N. 88−32939
Yakovenko, V.M. *see* Bulgakov, A.A. 86−1777
Yakovenko, V.V. A ferromagnetic detector with unipolar pulse excitation 85−17026
Yakover, I.M. H_{10} mode scattering by a thin resonant impedance rod in a rectangular waveguide 85−41682
Yakover, I.M. H_{10}-mode scattering by a narrow conducting plate in a rectangular waveguide 85−57091
Yakover, I.M. *see* Braver, I.M. 88−45744
Yakover, I.M. *see* Burak, I.F. 87−29185
Yakover, I.M. *see* Garb, Kh.L. 85−57093, 86−22656
Yakover, I.M. *see* Makarov, S.V. 87−19257
Yakovets, V.P. *see* Sotnichenko, N.A. 85−54399
Yakovich, A.T. *see* Muizhnieks, A.R. 86−66361, 88−34261
Yakovin, D.V. *see* Apolonskii, A.A. 86−22273
Yakovin, D.V. *see* Ersh, I.G. 85−62420
Yakovkin, I.B. *see* Dobrynin, A.V. 88−13614
Yakovkin, I.B. *see* Gurevich, S.A. 87−74747
Yakovkin, I.B. *see* Il'ich, A.A. 86−53970
Yakovkin, I.B. *see* Ilyich, A.A. 86−22153
Yakovkin, I.B. *see* Kikarin, S.M. 85−50934
Yakovkin, I.B. *see* Kikkarin, S.M. 88−45186
Yakovkin, I.B. *see* Kolosovksy, E.A. 87−18658
Yakovkin, I.B. *see* Kolosovskii, E.A. 88−26839
Yakovkin, I.B. *see* Makogon, V.V. 88−1847
Yakovkin, I.B. *see* Petrov, D.V. 88−65322
Yakovkin, I.B. *see* V'yun, V.A. 87−60156, 87−77372, 88−20229, 88−39759
Yakovlenko, S.I. *see* Arteev, M.S. 86−22293, 87−46761
Yakovlenko, S.I. *see* Azimdzhanov, B.A. 86−29040
Yakovlenko, S.I. *see* Belov, A.L. 85−24482
Yakovlenko, S.I. *see* Berdnikov, A.A. 88−58435
Yakovlenko, S.I. *see* Boiko, V.A. 85−18832, 86−15625
Yakovlenko, S.I. *see* Bryunetkin, B.A. 87−33107
Yakovlenko, S.I. *see* Bunkin, F.V. 85−56506, 86−3036, 86−36388, 86−63755, 87−33094, 87−54241
Yakovlenko, S.I. *see* Bunkon, F.V. 87−74971
Yakovlenko, S.I. *see* Derzhiev, V.I. 87−26310, 87−68358, 88−65578, 88−65594
Yakovlev, A. Designing self-timed systems 86−15236
Yakovlev, A.A. Statistically stable image recognition 88−59196
Yakovlev, A.D. *see* Levin, B.M. 86−22769, 86−43001
Yakovlev, A.G. *see* Gafurov, Kh.G. 86−9780, 86−22308
Yakovlev, A.G. *see* Kridach, D.P. 88−27095
Yakovlev, A.G. *see* Krindach, D.P. 87−18922, 88−27223
Yakovlev, A.I. *see* Kharisov, V.N. 85−57379
Yakovlev, A.I. *see* Kopylov, I.P. 88−30699
Yakovlev, A.N. *see* Alpatov, Yu.N. 87−31628
Yakovlev, A.N. *see* Kuklinskii, B.D. 88−38979
Yakovlev, A.N. *see* Perevodchikov, V.I. 85−44098
Yakovlev, A.R. *see* Bol'shanin, A.A. 88−74471
Yakovlev, A.V. *see* Aruev, N.N. 85−26379
Yakovlev, A.V. *see* Dorokhol'skii, N.L. 87−51208
Yakovlev, A.V. *see* Erofeev, A.V. 88−55060
Yakovlev, A.V. *see* Gradov, V.M. 85−24622, 85−41440
Yakovlev, A.V. *see* Popova, T.S. 85−34000
Yakovlev, A.V. *see* Varshavskii, A.I. 86−57900
Yakovlev, A.V. *see* Varshavskii, V.I. 87−18191, 88−59421
Yakovlev, A.V. *see* Zelenkov, G.S. 85−13218
Yakovlev, B.A. *see* Nikanorov, V.B. 87−58047
Yakovlev, B.N. *see* Trutaev, V.I. 88−61822
Yakovlev, B.S. *see* Babaev, A.I. 88−61157
Yakovlev, D.R. *see* Alferov, Zh.I. 85−61725, 87−6433
Yakovlev, E.B. *see* Veiko, V.P. 85−12380
Yakovlev, E.I. *see* Kozlov, M.Ya. 87−36287
Yakovlev, F.A. *see* Nesterova, I.L. 85−10217
Yakovlev, G.K. *see* Knichevskaya, L.V. 88−38669
Yakovlev, G.K. *see* Knishevskaya, L.V. 87−45161
Yakovlev, G.Ya. *see* Andreev, V.Ya. 85−4427
Yakovlev, I.A. *see* Ivanov, M.A. 86−36933, 86−43176, 86−43178, 87−39658, 87−48399, 87−54860, 88−21195, 88−72724
Yakovlev, I.A. *see* Shibaev, V.P. 86−9453
Yakovlev, I.V. *see* Maleiko, L.V. 85−14779
Yakovlev, I.Ya. *see* Ivanov, M.A. 87−62839
Yakovlev, K.I. *see* Gulko, V.M. 88−68199
Yakovlev, K.I. *see* Voitenko, V.A. 88−36273
Yakovlev, K.P. *see* Egorov, A.G. 88−42444
Yakovlev, L.A. Ultrasonic investigation of the constants of TsTBS-3 (PBZT) piezoelectric ceramic 87−73174
Yakovlev, L.A. *see* Goldenberg, L.M. 85−7890
Yakovlev, L.A. *see* Peregudov, A.N. 87−65587
Yakovlev, L.A. *see* Rodin, E.A. 87−61825
Yakovlev, L.A. *see* Rymkevich, N.S. 85−44344
Yakovlev, M.F. *see* Molchanov, I.N. 85−28172
Yakovlev, M.L. *see* Belyantsev, A.M. 87−1267
Yakovlev, M.M., Novikov, Yu.D., Nanii, V.V., Orlov, V.I. Loss analysis in the components of explosion-proof gas-sealed induction motors 87−64598
Yakovlev, M.M. *see* Oleinikov, A.M. 87−9566
Yakovlev, N.A. *see* Ivanov, M.A. 87−19369
Yakovlev, N.N. *see* Bobkov, A.M. 88−548
Yakovlev, O.I., Yakovleva, G.D., Matyugov, S.S. Altitude profile of the refractive index of radio waves in the Venusian atmosphere 86−22688
Yakovlev, O.I. *see* Dolbezhev, G.G. 87−47180
Yakovlev, O.I. *see* Efimov, A.I. 85−36030
Yakovlev, O.I. *see* Kalashnikov, I.E. 87−26777
Yakovlev, S.A., Evyazhskaya, I.A. A luminescence photometer as an instrument for evaluating the efficiency of laser pumping sources 85−35838
Yakovlev, S.A. *see* Yurchakevich, E.R. 86−26016
Yakovlev, S.G. *see* Burtseva, V.A. 88−6545
Yakovlev, S.M. *see* Ivanov, A.I. 88−4348
Yakovlev, S.P. *see* Vasilevskaya, Yu.A. 85−28900
Yakovlev, S.V. *see* Wasserman, A.L. 86−40292
Yakovlev, V.A. *see* Ageikin, V.A. 87−35215
Yakovlev, V.A. *see* Andreev, V.I. 86−11598
Yakovlev, V.A. *see* Antonov, E.N. 87−68581
Yakovlev, V.A. *see* Granovskii, A.B. 87−77275
Yakovlev, V.A. *see* Ishanin, G.G. 88−9981
Yakovlev, V.A. *see* Kotyuk, A.F. 85−56761
Yakovlev, V.A. *see* Kozachenko, M.L. 87−75204
Yakovlev, V.A. *see* Meer, V.V. 85−25694, 88−70567
Yakovlev, V.A. *see* Tikhomirov, E.L. 85−10133
Yakovlev, V.A. *see* Ukraseev, M.A. 88−5921
Yakovlev, V.A. *see* Voronov, S.A. 88−20416
Yakovlev, V.A. *see* Zhizhin, G.N. 85−18723, 86−53969
Yakovlev, V.G. *see* Kustarev, A.S. 88−29665
Yakovlev, V.I. Optimal internal source of electric and magnetic fields in the problem of MHD motion of a plate 87−68712
Yakovlev, V.I. An economical parallel-loop rectifier for arc-discharge supply 88−31236
Yakovlev, V.I. *see* Bityutskii, N.L. 86−19213
Yakovlev, V.I. *see* Bukhenskii, A.F. 87−54138, 88−34677
Yakovlev, V.I. *see* Danilevich, Ya.B. 86−6677, 86−19214
Yakovlev, V.I. *see* Lobachev, V.V. 88−30537
Yakovlev, V.I. *see* Lonskii, A.P. 86−46639
Yakovlev, V.I. *see* Papernov, L.Z. 85−37361
Yakovlev, V.I. *see* Veryaiskaya, L.A. 87−42782
Yakovlev, V.M. A property of motion of charged particles in a stationary electromagnetic field 85−62734
Yakovlev, V.M. A direct combination algorithm of numeric solution of the Laplace equation 88−18547
Yakovlev, V.N. *see* Bogoslovskiy, A.V. 87−45052
Yakovlev, V.N. *see* Grislis, V.Ya. 88−7590
Yakovlev, V.N. *see* Mednikov, M.I. 88−31197
Yakovlev, V.P. *see* Abramovich, S.V. 88−60553
Yakovlev, V.P. *see* Ivanov, V.Ya. 87−32057
Yakovlev, V.P. *see* Pogribnoi, V.A. 87−44272
Yakovlev, V.T. A method of basic error determination for a light-beam oscillograph time marker 85−48014
Yakovlev, V.T. A method of determining dynamic measurement errors due to oscillographs 88−29499
Yakovlev, V.V. Phase distortions in germanium avalanche photodiodes 85−2152
Yakovlev, V.V. *see* Katok, V.B. 87−68834
Yakovlev, V.V. *see* Nizhenskii, A.D. 85−20272
Yakovlev, V.V. *see* Osintsev, A.V. 86−22554
Yakovlev, V.V. *see* Petrov, M.P. 88−30150
Yakovlev, V.V. *see* Pisarev, V.S. 85−29952, 88−20775
Yakovlev, V.V. *see* Tran'kov, S.N. 88−911
Yakovlev, Ya.A. Improvement of accuracy in production of thick-film resistors 86−8660
Yakovlev, Ya.A. *see* Medved', O.E. 85−34383
Yakovlev, Yu.A. *see* Ryzhkov, V.D. 86−5805
Yakovlev, Yu.O. *see* Kochikyan, R.V. 86−63864
Yakovlev, Yu.P. *see* Aitieva, G.T. 86−20060
Yakovlev, Yu.P. *see* Andreev, I.A. 86−27973, 87−68289, 88−1414, 88−25949
Yakovlev, Yu.P. *see* Argunova, T.S. 88−20509
Yakovlev, Yu.P. *see* Averkiev, N.S. 88−27168
Yakovlev, Yu.P. *see* Bagraev, N.T. 86−1719
Yakovlev, Yu.P. *see* Baranov, A.N. 85−62449, 87−33200, 87−39125, 87−54325, 88−7333, 88−27171
Yakovlev, Yu.P. *see* Bessolov, V.N. 85−18153, 86−13745
Yakovlev, Yu.P. *see* Danilova, T.N. 87−74080
Yakovleva, A.I. *see* Ivanov, M.A. 87−19369
Yakovleva, A.V. *see* Volkova, G.A. 86−13166
Yakovleva, G.D. *see* Yakovlev, O.I. 86−22688
Yakovleva, L.S. *see* Skipetrov, V.V. 86−39699
Yakovleva, M.V. *see* Solov'ev, V.I. 88−42309
Yakovleva, O.I., Liberman, A.A. Measuring installation to determine the absorption coefficient for pulse radiation 88−2344
Yakovleva, T.G. *see* Detinenko, N.E. 87−26587
Yakovleva, T.G. *see* Ivanov, A.A. 86−70064, 87−66757
Yakovleva, T.S. *see* Ornov, V.G. 88−61823
Yakovleva, T.S. *see* Venevtsev, Yu.S. 86−32660
Yakovleva, T.V. *see* Evtikhiev, N.N. 86−42654
Yakovleva, T.V. *see* Shkunov, V.V. 86−58988, 87−68651
Yakovleva, T.V. *see* Vladimirskii, L.L. 86−65698
Yakovleva, T.V. *see* Zel'dovich, B.Ya. 85−7557
Yakowitz, S., Karlsson, M. Nearest neighbour extensions to time series analysis 86−49029
Yakshin, M.A. *see* Fomichev, A.A. 85−46370
Yakshin, M.A. *see* Grafenstein, S.G. 85−51153
Yakubaitis, E.A. Open computer network architecture 85−25461

Yakubaitis, E.A. Communications subnetworks of local-area networks 86−23431
Yakubaitis, E.A. Architecture of computer networks for large offices 86−64695
Yakubaitis, E.A. Concept of a wide-area computer network 87−20168
Yakubaitis, E.A., Beiner, E.T., Kaltygin, M.I., Pelipeiko, V.A., Treis, P.P. Packet-switching node based on local-area network principles 86−10590
Yakubaitis, S. *see* Bilinsky, I. 86−37037
Yakubaitis, S. *see* Mikelson, A. 85−30270
Yakubenya, M.P. *see* Bozhkov, V.G. 86−63099, 87−17782
Yakubenya, M.P. *see* Romanova, I.D. 86−58322, 88−13003
Yakubenya, M.P. *see* Vilisova, M.D. 87−36702
Yakubov, A.N. *see* Azimdzhanova, Z.Kh. 87−63338
Yakubov, A.N. *see* Vil'danov, R.R. 88−21327
Yakubov, M. *see* Abdullaev, M.A. 86−32888
Yakubov, V.P., Simakova, N.A. The inverse problem of refraction in the Earth's atmosphere 88−66082
Yakubov, Yu.N. Effective use of solar energy by means of heat accumulators 86−19515
Yakubovich, B.I. *see* Kapshin, Yu.S. 87−37602
Yakubovich, B.I. *see* Kashin, Yu.S. 85−55200
Yakubovich, D.S. *see* Plyavenek, A.G. 87−68520
Yakubovich, E.D. *see* Dzliev, S.V. 88−49997
Yakubovich, S.B. *see* Magnitskii, S.A. 86−29240
Yakubovich, S.D. *see* Goldobin, I.S. 85−2339, 85−35787, 86−9858, 86−36496, 88−20662, 88−34041
Yakubovich, S.D. *see* Kocherov, D.A. 88−51901
Yakubovich, S.D. *see* Korolev, A.E. 88−2395
Yakubovich, S.D. *see* Lunchev, V.A. 85−56797
Yakubovich, S.D. *see* Malakhova, V.I. 86−9861, 86−68542
Yakubovich, S.D. *see* Vasil'ev, M.G. 86−9859, 86−9862, 87−18975
Yakubovich, S.D. *see* Volkov, L.A. 88−60732
Yakubovskaya, A.V. *see* Kuz'ko, A.V. 86−35734
Yakubovskii-Lipskii, Yu.O. *see* Valuev, N.P. 87−56842
Yakubowski, C. *see* Knappenberger, J.R. 85−445
Yakubowski, C. *see* Lahey, G.L. 85−6616, 85−11796
Yakubowski, C. *see* Levine, J.E. 85−28842
Yakubson, G.G. *see* Strelkov, V.I. 87−9189
Yakubson, G.G. *see* Strelkov, V.M. 87−4453, 87−15922
Yakubson, G.I. *see* Feoktistov, V.P. 87−58404
Yakunin, A.G., Gos'kov, P.I. Methods of correcting aperture distortions in CCD-photodetectors 88−22637
Yakunin, A.G., Gos'kov, P.I. Use of synthetic aperture regime in an OED, implemented on the basis of photodiode arrays 88−72217
Yakunin, A.G. *see* Gos'kov, P.I. 87−70466, 88−29380
Yakunin, M.V. Magnetophonon resonance of holes in uniaxially deformed Ge 85−23415
Yakunin, S.A. *see* Maikov, A.R. 87−53116, 87−73348
Yakunin, V.I. *see* Petukhov, G.B. 88−35761
Yakunin, V.P. *see* Andriyakhin, V.M. 85−12930
Yakunin, V.P. *see* Kireev, S.E. 87−2216
Yakushenko, E.I. *see* Apollonskii, S.M. 85−65205
Yakushenkov, A. Satellite navigation systems for the USSR merchant marine 85−25945
Yakushenkov, A.A. *see* Obozhin, A.L. 87−41136
Yakushenkov, Yu.G. *see* Solomatin, V.A. 87−14722, 88−26980
Yakushenkov, Yu.G. *see* Titov, V.S. 85−29715
Yakushev, A.K. *see* Belofortsev, Ye.V. 88−34695
Yakushev, A.K. *see* Gordeev, V.N. 86−14322, 88−837
Yakushev, A.K. *see* Kuchinskii, A.G. 86−44234
Yakushev, E.M. *see* Ibraeva, Z.Zh. 86−62990
Yakushev, V.F. *see* Alberini, C. 86−65387
Yakushev, V.F. *see* Badino, G. 85−48177
Yakushev, V.P. *see* Belov, A.S. 86−44534, 87−50106
Yakushev, V.S. *see* Bredikhin, S.V. 85−3916
Yakushev, V.S. *see* Efimov, V.M. 85−3917
Yakushev, Yu.F. The joint distribution of queues in some two-phase systems with nonordinary flow 88−31602
Yakusheva, E.R. *see* Vladimirskii, L.L. 86−25621
Yakusheva, N.A., Prinz, V.Ya., Bolkhovityanov, Yu.B. Discovery of electron traps in LPE GaAs grown from a bismuth melt 86−57450
Yakusheva, N.A., Sikorskaya, G.V., Sozinov, V.N. Electrical properties of germanium-doped GaAs layers obtained from a bismuth solution-melt 86−63034
Yakusheva, N.A., Sozinov, V.N. Tellurium doping of GaAs during liquid-phase epitaxy from a bismuth melt 87−36699
Yakusheva, N.A. *see* Maronchuk, Yu.E. 85−22478
Yakushiji, H. *see* Tatsuki, M. 86−973, 86−47772
Yakushin, V.K. *see* Bogdankevich, O.V. 86−22357 to 22358
Yakushin, V.K. *see* Pakseev, V.E. 87−18808
Yakushin, V.K. *see* Panasyuk, E.I. 86−66801
Yakushin, V.N. *see* Kachmin, V.A. 88−53476
Yakushina, Z.K. *see* Rubichev, N.A. 86−37075
Yakushkin, I.G. Intensity fluctuations during small-angle scattering of wave fields (review) 86−36692
Yakushkin, I.G. *see* Belousov, S.I. 87−33407
Yakushkin, R.Kh. *see* Yuferov, F.M. 86−39733
Yakushkin, S.V., Sukhanov, I.I., Troitskii, Yu.V. Measurement and stabilization of direction of laser-beam axis 88−58642
Yakushkin, S.V. *see* Sukhanov, I.I. 86−63857, 87−74963
Yakushkov, A.V. *see* Levin, N.N. 85−16281, 87−22315
Yakushkov, A.V. *see* Nikulin, V.I. 87−22803
Yakut, L.I. *see* Volkogon, V.P. 87−53608
Yakutik, K.V. *see* Losev, V.V. 85−25272
Yakutin, A.E. *see* Antyukhov, V.A. 86−60637
Yakuyama, T. *see* Eboshi, A. 88−63081
Yakymyshyn, C.P., Pollock, C.R. Split analog-to-digital converter for intensity-modulated optical fibre sensors 87−54059
Yakymyshyn, C.P., Pollock, C.R. Differential absorption fibre-optic liquid level sensor 87−68096
Yakymyshyn, C.P. *see* Morris, J.A. 88−4361
Yakymyshyn, C.P. *see* Pinto, J.F. 88−51911
Yalabik, M.C., Gunton, J.D., Neofotistos, G., Diff, K. Simulation of charge transport in a GaAs MESFET using the time dependent Schrodinger equation 88−33266
Yalabik, N., Yarman-Vural, F., Mansur, A. A new approach to template selection for speaker independent word recognition 88−72892
Yalabik, N. *see* Unal, F. 85−51592
Yalamanchili, S., Aggarwal, J.K. Analysis of a model for parallel image processing 85−36380
Yalamanchili, S. *see* Lee, S.-Y. 87−39924
Yalamanchili, S. *see* Lee, S.Y. 86−4049
Yalamanchili, S. *see* Oseth, T. 87−76381
Yalamova, E.T. How arc-quenching chamber material influences arc characteristics in low-volume oil breakers [switchgear] 85−21752
Yalamova, E.T. How the products of decomposition of the insulation of an arc-quenching chamber influence arc quenching in minimum-oil circuit breakers 85−60345
Yalandin, M.I. *see* Bratman, V.L. 86−2997
Yalandin, M.I. *see* Bykov, N.M. 86−27805, 88−71277
Yalandin, M.I. *see* Denisov, G.G. 85−18024
Yalandin, M.I. *see* El'chaninov, A.S. 86−8694
Yalandin, M.I. *see* Korovin, S.D. 86−58208
Yale, B. *see* Kitchen, C.A. 88−5894, 88−37459
Yale, J. *see* Wood, G. 86−17614
Yale, N. *see* Gelfond, L. 85−21527
Yale Patt, N. *see* Wen-mei Hwu 87−66245
Yali Qin *see* Qin Yali
Yalich, M. *see* Jabs, R.H. 85−43690
Yalimg Shi *see* Shi Yalimg
Yalin Fan *see* Fan Yalin
Yaling Shi *see* Shi Yaling
Yalinich, V.P. *see* Dubovets, V.G. 88−51915
Yal'ishev, A.U. *see* Evdokimov, V.I. 87−29076
Yal'ishev, A.U. *see* Korovin, N.I. 85−49743
Yalkapov, P.Ya. *see* Podlazov, V.S. 87−62591
Yallup, K. *see* De Veirman, A. 88−32944, 88−33064
Yallup, K.J., Godfrey, D.J. Shallow junction source/drain regions in CMOS/VLSI technologies 85−45884
Yallup, K.J., Godfrey, D.J. Shallow junction source/drain regions in CMOS/VLSI technologies 86−28486
Yallup, K.J., Godfrey, D.J., McMahon, R.A., Ahmed, H. Rapid isothermal processing with electron beams of small-geometry CMOS devices 87−67556
Yallup, K.J. *see* Cowern, N.E.B. 86−41603, 87−6567
Yallup, K.J. *see* Edwards, S.P. 88−64569
Yallup, K.J. *see* Roberts, M.C. 86−58392
Yallup, P. *see* Lockett, G. 86−57145
Yalova, A.Ya., Pavlovskii, E.P., Verstat, E.Sh., Evseev, A.V., Rogozhin, Yu.D. Use of electrodialysis plants for treating waste waters from regeneration of water preparation plants [boiler feedwater preparation] 87−78503
Yalovega, G.I. *see* Slipchenko, N.I. 87−36947, 87−65916
Yalovenko, S.N. *see* Kochkin, M.I. 86−41246
Yalovets, T.N. *see* Borodin, V.A. 87−237
Yalovoj, I.N. *see* Averichev, S.A. 86−44522
Yalow, R.S. Biological effects of small radiation doses 86−32387
Yalowitz, J.S. *see* Gupta, A.K. 87−13048
Yaloz, H. *see* Goldsmith, S. 87−37780
Yam, A. *see* Bradley, G.C. 86−10737
Yama, Y. *see* Kondoh, T. 87−68309
Yamaashi, K. *see* Hashimoto, K. 86−68674, 87−68788
Yamabayashi, M. *see* Okubo, H. 88−41507
Yamabayashi, M. *see* Otomo, D. 87−62831
Yamabayashi, N. *see* Okuda, H. 86−54051
Yamabayashi, N. *see* Takada, H. 87−20543
Yamabayashi, N. *see* Terauchi, H. 86−54044
Yamabayashi, Y. *see* Franzen, D.L. 87−41619
Yamabe, C., Nakamura, T., Ishihara, H., Takagi, S., Akiyama, H., Horii, K. Fundamental study on power transmission using laser beams−direct energy converter from laser energy to electricity 87−4346
Yamabe, C. *see* Akiyama, H. 85−12788
Yamabe, C. *see* Hiramatsu, M. 85−12777
Yamabe, K., Imai, K. Nonplanar oxidation and reduction of oxide leakage currents at silicon corners by rounding-off oxidation 87−67097
Yamabe, K., Taniguchi, K. Time-dependent dielectric breakdown of thin thermally grown SiO_2 films 85−34660
Yamabe, K. *see* Hattori, T. 85−23568
Yamabe, K. *see* Horiguchi, F. 88−38525
Yamabe, K. *see* Imai, K. 87−32436
Yamabe, K. *see* Sekine, M. 86−41712, 87−1425
Yamabe, K. *see* Suzuki, T. 85−40552, 86−47416
Yamabe, K. *see* Yamada, K. 86−46854
Yamabe, M., Furukawa, Y., Inagaki, T. Electron emission from ⟨100⟩ LaB_6 cathodes with large cone angles and flat tips 85−6639
Yamabe, M., Kitamura, Y., Furukawa, Y., Inagaki, T. Production efficiency and intensity distribution of Pd X-ray source for lithography 88−13221
Yamabe, M. *see* Furukawa, Y. 85−11830
Yamabuchi, T., Kagawa, Y. Finite element approach to unbounded Poisson and Helmholtz problems using hybrid-type infinite element 85−41550
Yamabuchi, T., Kagawa, Y. Finite element approach to unbounded Poisson and Helmholtz problems using hybrid-type infinite element 87−2252
Yamabuchi, T., Kagawa, Y. Finite element simulation of piezoelectric motors/actuators 88−62401
Yamada, A. Design and test of gate arrays 85−33813
Yamada, A. Development and possibilities of salt sensor using voltammetry method 86−38335
Yamada, A. Deconvolution filtering of the high resolution ultrasonic pulse-echo measurement 88−52472
Yamada, A. On-line deconvolution for the high resolution ultrasonic pulse-echo measurement with narrow-band transducer 88−60993
Yamada, A., Abe, K. Processing of ultrasonic pulse echo signals for removing the electro-acoustic conversion distortion 87−27413
Yamada, A., Kawasaki, T., Kawashima, M. SOI by wafer bonding with spin-on glass as adhesive 87−24988
Yamada, A., Kawasaki, T., Kawashima, M. Bonding silicon wafer to silicon nitride with spin-on glass as adhesive 87−38011
Yamada, A., Kenne, J., Konagai, M., Takahashi, K. Wide band-gap, fairly conductive *p*-type hydrogenated amorphous silicon carbide films prepared by direct photolysis; solar cell application 85−23457
Yamada, A., Konagai, M., Takahashi, K. Excimer-laser-induced chemical vapor deposition of hydrogenated amorphous silicon 86−26897
Yamada, A., Matumoto, M., Tadokoro, Y., Abe, K. Inverse filter signal processing system for ultrasonic nondestructive evaluation 86−34424
Yamada, A., Nishida, S., Konagai, M., Takahashi, K. Photochemical vapor deposition of single-crystal silicon at a very low temperature of 200°C 87−31546
Yamada, A., Oasa, M., Nagabuchi, H., Kawashima, M. Direct adhesion of single-crystal GaAs wafers 88−50628
Yamada, A., Shigehara, K., Hara, M. Electronic conductivity of metallophthalocyanine crystal thin films 87−53285
Yamada, A., Shimizu, H. Accurate analysis of $\Delta v/v$ surface acoustic waveguides on a piezoelectric anisotropic substrate 87−1829
Yamada, A., Shimizu, H. Approximate analysis of surface acoustic $\Delta v/v$ waveguides on anisotropic substrates 87−25752
Yamada, A., Shimizu, H. Properties and classification of surface acoustic waves having complex transverse wave numbers on anisotropic substates 87−53862
Yamada, A., Shimizu, H. Accurate analysis of $\Delta v/v$ surface acoustic waveguides on a piezoelectric anisotropic substrate 88−13636
Yamada, A., Shimizu, H. Analysis of coupling waves between the adjacent surface acoustic $\Delta v/v$ waveguides on anisotropic substrates 88−20230
Yamada, A. *see* Kenne, J. 86−7008
Yamada, A. *see* Koide, T. 86−60465
Yamada, A. *see* Konagai, M. 87−16648
Yamada, A. *see* Miyoshi, T. 86−53404
Yamada, A. *see* Mochizuki, K. 88−53434
Yamada, A. *see* Nishida, S. 86−62215
Yamada, A. *see* Nishimoto, S. 87−64491
Yamada, A. *see* Umeki, T. 88−38563
Yamada, A. *see* Yamamoto, Y. 85−31682
Yamada, A. *see* Yanagimachi, A. 87−34715
Yamada, C., Ueki, Y., Itoh, M., Satoh, A., Ohya, K. A 470 MHz 5 V CATV tuner 86−14078
Yamada, C. *see* Yoshii, Y. 85−28592
Yamada, D.K. *see* Toups, C.E. 86−63002

Yamada, E., Izumi, K., Tsuji, M., Oyama, J. Comparison between computed and test results of a vector controlled induction motor using microprocessor 87–22371
Yamada, E., Tsuji, M., Izumi, K., Morisaki, N., Oyama, J. Application of the linear sampled-data model of an induction motor driven by voltage source inverter 85–48956
Yamada, E. *see* Imamura, A. 86–43660
Yamada, E. *see* Izumi, K. 86–6796
Yamada, E. *see* Kuroda, K. 86–31459
Yamada, E. *see* Oyama, J. 87–51185, 88–43209, 88–75597
Yamada, E. *see* Tsuji, M. 86–6769, 86–39803, 87–22379, 87–43020, 88–17615
Yamada, E. *see* Yamaguchi, J. 88–69308
Yamada, F., Tsutiya, Y., Ogino, K., Maeno, S. Online pole transformer inspection system [power transformers] 85–39069
Yamada, H. Torque characteristics of reluctance motors 85–9860
Yamada, H. Prototype self-driven reluctance-type motors 85–27404
Yamada, H. Complete Euclidean distance transformation by parallel operation 85–30374
Yamada, H. A prototype accelerometer using hydrodynamic air bearing 85–47906
Yamada, H. Characteristics of a hysteresis motor using permanent magnet particles 85–48981
Yamada, H. A prototype hysteresis servo motor using solid stator core 85–60219
Yamada, H. A prototype cylindrical hysteresis motor using plank magnets 86–6816
Yamada, H. Microprocessor based guide dog robot 'POCHI-1' 87–4021
Yamada, H. A torque analysis of a hysteresis motor 87–51266
Yamada, H. Modernization of protective interlocking system at DC substation in a suburb of a large city 87–51389
Yamada, H. Timing tank mechanical filter 88–38609
Yamada, H. Some cognitive aspects of human interface [brain analysis] 88–68339
Yamada, H., Fabre, B. Computer simulation of 'Neutron Ball'; the new generation spin spectrometer 86–44609
Yamada, H., Hamajima, T., Xiang, S., Nishizawa, N. Six-phase cylindrical linear pulse motor as linear oscillatory actuator 88–55376
Yamada, H., Hasegawa, K., Mori, T., Sakai, H., Aono, K. A microprogrammable real-time image processor 88–32244
Yamada, H., Hirata, M., Nagai, H., Takahashi, K. A high-speed string-search engine 88–6902
Yamada, H., Hori, M., Morita, S., Hattori, S. Self development of polymethylmethacrylate by synchrotron radiation exposure 88–57523
Yamada, H., Ichimiya, Y., Ishida, A. Carry time of magnetically coupled Josephson adder circuits 85–28442
Yamada, H., Ito, H., Inaba, H. Anisotropic reactive ion etching technique of GaAs and AlGaAs materials for integrated optical device fabrication 85–50416
Yamada, H., Kasvand, T. DP matching method for recognition of occluded, reflective and transparent objects with unconstrained background and illumination 87–48063
Yamada, H., Kataoka, H., Sampei, T., Yano, T. High-speed digital switching technology using space-division-switch LSIs 86–63442
Yamada, H., Murata, Y., Maeda, T., Ikeda, R., Motohashi, K., Takahashi, K. Real-time string search engine LSI for 800-Mbit/sec LANs 88–64767
Yamada, H., Nirei, M., Kawakatsu, K., Shu-Jiang Xiang, Yamamoto, S., Ebihara, D., Jin-Neng Qiang A comparison of characteristic values between linear pulse motors and stepping motors 88–55379
Yamada, H., Nirei, M., Kawakatu, K., Yamamoto, Y., Miwa, Z. Characteristics of assist device for artificial heart using linear pulse motor 88–54627
Yamada, H., Ohira, Y., Yamamoto, Y., Ebihara, D. Current research and development of linear electromagnetic actuators in Japan 87–15795
Yamada, H., Ohno, T., Miyazaki, Y. Evaluation of contact resistance using normal probability paper [relays] 86–27673
Yamada, H., Ota, H., Ogasawara, T., Watabe, Y. Proposal of blood circulation simulator which utilized two linear DC motors 88–61450
Yamada, H., Sasaki, T., Takano, S., Numai, T., Kitamura, M., Mito, I. Low threshold operation of 1.55 μm GaInAsP/InP DFB-BH LDs entirely grown by MOVPE on InP gratings 88–27145
Yamada, H., Sato, T. Electro-optical measurement of pre-breakdown current in dielectric liquids 85–55993
Yamada, H., Sato, T., Cooke, C.M. Electro-optical measurement of breakdown time lag along dielectric surfaces in transformer oil 88–33420
Yamada, H., Takahashi, K. Non-busy access system for bubble memory chips 86–28715
Yamada, H., Tanaka, T. Proposal of dual-powered superconducting logic circuits 85–61213
Yamada, H., Tanaka, T. Josephson resistor coupled gate considering current density limit 86–14163
Yamada, H., Tanaka, T. Josephson resistor-coupled gate considering current density limit 87–52506
Yamada, H., Tanaka, T., Ichimiya, Y. Punch-through probability of Josephson logic gates 85–24229
Yamada, H., Torii, Y. Reservoir-type liquid metal ion source of Al 86–65325
Yamada, H., Torii, Y. Low-temperature film growth of Si by reactive ion beam deposition 87–31499
Yamada, H., Torii, Y. Low-temperature heteroepitaxial film growth of Si on sapphire by reactive ion beam deposition 88–399
Yamada, H., Torii, Y. Low-temperature homoepitaxial film growth of Si by reactive ion beam deposition 88–63307
Yamada, H., Uchiyama, S., Takeuchi, K., Wakiwaka, H., Kishimoto, S., Ito, M. Noncontact measurement of bending stress using a magnetic anisotropy sensor 88–60928
Yamada, H., Watanabe, H., Ito, H., Inaba, H. Surface-emitting GaAs light-emitting diode/laser diode with modified coaxial transverse junction (CTJ) structure 88–20513
Yamada, H., Yamaguchi, M., Gohdo, Y., Ota, H., Takeuchi, K., Yamagami, H. Continuous electromagnetic launcher using solenoid coil 88–52172
Yamada, H., Yamaguchi, M., Gohdo, Y., Ota, H., Takeuchi, K., Yamagami, H., Hanyuda, Y., Wakiwaka, H. A consideration on the control of movement speed of ferromagnetic substances by a solenoid-coil type electromagnetic launcher 88–8428
Yamada, H., Yamamoto, K. Recognition of echocardiogram by dynamic programming matching method 88–61705
Yamada, H., Yamamoto, K., Matsuura, M. Recognition of ultrasonic human kidney organ images by the two-dimensional DP matching method 86–18324
Yamada, H., Yamamoto, K., Matsuura, M. Recognition of human kidney ultrasonic organ images by two-dimensional DP matching method 87–15116
Yamada, H., Yamamoto, M., Murata, K., Yamamoto, Y., Taguchi, K., Fukunaga, S., Nishizawa, N., Wakiwaka, H., Yamakawa, K. Application of linear pulse motor to artificial heart actuator 87–42023
Yamada, H. *see* Aiyer, C.R. 88–64446
Yamada, H. *see* Akiyama, O. 88–42049
Yamada, H. *see* Aoki, K. 85–20042, 85–25609
Yamada, H. *see* Aono, K. 87–24259, 87–52624
Yamada, H. *see* Deguchi, F. 85–3283, 85–47372
Yamada, H. *see* Ebihara, D. 86–39835
Yamada, H. *see* Fujihira, M. 86–58834, 88–72222
Yamada, H. *see* Hatsuzawa, T. 87–24730
Yamada, H. *see* Hattori, S. 87–11885
Yamada, H. *see* Hirano, M. 86–52814, 87–7052, 87–59295, 88–13700
Yamada, H. *see* Hirata, M. 87–59597, 88–51003
Yamada, H. *see* Hori, M. 87–60229
Yamada, H. *see* Hospital, M. 87–62391
Yamada, H. *see* Imori, M. 88–56139
Yamada, H. *see* Ishii, M. 86–14060
Yamada, H. *see* Ishikawa, O. 86–47092
Yamada, H. *see* Ito, H. 86–2987
Yamada, H. *see* Ito, K. 87–78706
Yamada, H. *see* Kamada, M. 87–19950
Yamada, H. *see* Kanazawa, H. 85–2209, 86–3088
Yamada, H. *see* Kawahito, S. 87–52559, 88–733, 88–32111
Yamada, H. *see* Kikuchi, K. 86–53785
Yamada, H. *see* Kishimoto, T. 86–49135
Yamada, H. *see* Kitamura, M. 88–65663, 88–65684
Yamada, H. *see* Lessing, P.A. 87–9724
Yamada, H. *see* Masuda, W. 85–62506, 86–3079, 87–18881
Yamada, H. *see* Masuko, H. 86–6134, 87–15068
Yamada, H. *see* Matsuda, K. 86–40310
Yamada, H. *see* Matsuzawa, A. 87–60432, 87–63149, 88–843
Yamada, H. *see* Montasser, K. 87–52188
Yamada, H. *see* Mori, T. 87–17163
Yamada, H. *see* Nakane, H. 88–13703
Yamada, H. *see* Nakazawa, K. 88–71566
Yamada, H. *see* Ohira, Y. 86–6957, 88–55685
Yamada, H. *see* Ohta, K. 87–10526, 88–23207
Yamada, H. *see* Sakaguchi, H. 85–64181
Yamada, H. *see* Sakai, H. 86–53786
Yamada, H. *see* Sakairi, N. 88–41969, 88–42050
Yamada, H. *see* Sakamaki, T. 87–14093
Yamada, H. *see* Sasano, K. 85–4009
Yamada, H. *see* Sekita, I. 88–14794
Yamada, H. *see* Takahashi, K. 85–18594, 88–17220
Yamada, H. *see* Tomikawa, Y. 85–21029, 86–62297
Yamada, H. *see* Torii, Y. 85–15143
Yamada, H. *see* Tsuchiya, T. 87–34544, 87–49102
Yamada, H. *see* Wakahara, A. 87–65548
Yamada, H. *see* Yamamoto, Y. 85–48972, 87–22450
Yamada, H. *see* Yano, S. 87–66034
Yamada, H. *see* Yano, T. 88–39778
Yamada, H. *see* Yoneda, T. 87–6517
Yamada, H. *see* Yusa, A. 86–50112, 86–65125
Yamada, I. A review of ionized cluster beam technology 85–16990
Yamada, I. Electric-car overhead line 87–58386
Yamada, I. Electric car cables 87–79019
Yamada, I., Inokawa, H., Fukushima, K., Takagi, T. Ai metallization by ionized-cluster beam deposition and epitaxy 85–44725
Yamada, I., Inokawa, H., Takagi, T. Epitaxial growth of Al on Si(111) and Si(100) by ionized-cluster beam 85–10683
Yamada, I., Inokawa, H., Takagi, T. Film deposition and buried layer formation by mass-analyzed ion beams 85–34875
Yamada, I., Inokawa, H., Takagi, T. Ion beam deposition 85–54511
Yamada, I., Takagi, T. Ionized cluster beam deposition technique 85–33487
Yamada, I., Takagi, T. Metallization by ionized cluster beam deposition 87–52176
Yamada, I., Takagi, T. Current status of ionized-cluster beam technique: a low energy ion beam deposition 87–52194
Yamada, I., Takagi, T. Metallization and interconnects by ionized cluster beam 87–67167
Yamada, I., Takagi, T., Younger, P.R., Blake, J. Ionized clusters: a technique for low energy ion beam deposition 86–489
Yamada, I., Tanaka, K. Random-dot model in the presence of signal 88–34686
Yamada, I., Usui, H., Inokawa, H., Takagi, T. Film and interface properties of epitaxial metal/insulator/semiconductor systems formed by ionized cluster beam deposition 86–47422
Yamada, I. *see* Fukushima, K. 85–18263
Yamada, I. *see* Hara, S. 88–20330
Yamada, I. *see* Inokawa, H. 85–12224
Yamada, I. *see* Jin, H.-S. 87–52103
Yamada, I. *see* Matsuda, R. 85–24221
Yamada, I. *see* Minami, T. 86–23458, 86–55311
Yamada, I. *see* Ueda, K. 86–42168
Yamada, I. *see* Usui, H. 85–10806
Yamada, J. Selector-line merged built-in ECC technique for DRAMs 88–6838
Yamada, J., Date, S., Mano, T. A multi-bit-wide dynamic RAM with a built-in ECC circuit 86–41117
Yamada, J., Fujita, Y., Shiba, T., Toyama, T. A unidirectional SAW transducer with different finger pairs between sending and reflecting electrodes 88–33491
Yamada, J., Fujita, Y., Shiba, T., Toyama, T. Low loss SAW TV IF filter without adjustment for impedance matching 88–51122
Yamada, J., Fujita, Y., Yuhara, A. Wide-band and low-loss unidirectional SAW filter 87–12027
Yamada, J., Hagimoto, K., Ohkawa, N. F-1.6 G repeater [optical links] 87–56112
Yamada, J., Hagimoto, K., Ohkawa, N. F-1.6G repeater [optical fibre system] 87–62983
Yamada, J., Hazama, K. SAW device design and its applications in consumer electronics 86–35961
Yamada, J., Mano, T., Date, S. Built-in ECC techniques for LSI memories 85–17419
Yamada, J.; Mano, T., Date, S. Built-in ECC techniques for LSI memories 87–52565
Yamada, J., Mano, T., Inoue, J., Nakajima, S., Matsuda, T. A submicron 1 Mbit dynamic RAM with a 4-bit-at-a-time built-in ECC circuit 85–22876
Yamada, J., Miura, K., Fujita, F., Shiomi, M. New video DOC system with miniaturized low frequency SAW device in home VTR 86–11297
Yamada, J., Miura, K., Fujita, Y., Shiomi, M. New miniaturized SAW device in low frequency range for SAW video DOC system in home VTR 86–15325
Yamada, J., Nishida, K., Tanaka, Y., Nagata, A. CD player technologies 88–60494
Yamada, J., Okamoto, M., Toyonaga, T. Fiber-optic sensor for temperature and pressure using polarization maintaining single-mode fiver 86–31413
Yamada, J., Yuhara, A., Shiba, T. 400 MHz SAW IF filter for satellite broadcast receiver without any adjustments 86–47945
Yamada, J., Yuhara, A., Shiba, T., Toyama, T. High frequency SAW filters stretched over non-overlapped electrodes for satellite broadcast receivers 86–21936
Yamada, J. *see* Fujita, Y. 88–13643
Yamada, J. *see* Hagimoto, K. 85–14265
Yamada, J. *see* Hagishima, K. 85–20182
Yamada, J. *see* Inoue, J. 88–19154
Yamada, J. *see* Mano, T. 87–59486
Yamada, J. *see* Nakagawa, K. 87–40941
Yamada, J. *see* Nakamura, Y. 86–5008

Yamada, J. *see* Ogura, T. 87−44839
Yamada, J. *see* Ohta, N. 86−17367
Yamada, J. *see* Shiba, T. 85−18524
Yamada, J. *see* Shimazu, Y. 87−73510
Yamada, J. *see* Yoshikai, N. 85−7802, 87−28573
Yamada, J. *see* Yuhara, A. 87−12026, 88−13644
Yamada, J.-I. *see* Kawanishi, S. 88−72741
Yamada, J.-I. *see* Yoshikai, N. 86−23854
Yamada, J.I. *see* Ohkawa, N. 86−30785
Yamada, K. Facility maintenance for nuclear power plant by automatic inspection system 86−39307
Yamada, K. Thermodynamical approach to a new high dielectric capacitor structure: $W/HfO_2/W$ 87−32115
Yamada, K., Aoki, Y., Shibata, T. Development of new boron-treated steel 86−57055
Yamada, K., Echizenya, K., Yoshimura, H., Kawasaki, K. New large capacity LCD modules 87−77341
Yamada, K., Hatano, T., Denda, A., Okamura, H., Kusunose, N., Takamori, K. High integration BiCMOS-4A 88−19054
Yamada, K., Inoue, T. Reliability of PK4 series surface mounted potentiometer 88−50427
Yamada, K., Kohda, H., Nakanishi, H., Hoshikawa, K. Elimination of grown-in dislocations in In-doped liquid encapsulated Czochralski GaAs 87−10358
Yamada, K., Komiyama, S., Nozato, K. Technology of connecting different computers in total instrumentation system: Hitachi instrumentation system 87−2892
Yamada, K., Kubo, K. Tracking servo system using four different frequency pilot signals 86−38092
Yamada, K., Maruyama, T. Magnetic properties and domain observations for CoZr/NiFe multilayer films 86−68154
Yamada, K., Maruyama, T., Ohmukai, M., Tatsumi, T., Urai, H. CoZrMo amorphous films as a soft adjacent layer for biasing magnetoresistive elements with a current shunt layer 88−64976
Yamada, K., Maruyama, T., Tanaka, H. Magnetic properties and microstructure of bias-sputtered CoZr films 88−64896
Yamada, K., Minoh, M., Sakai, T. A representation method of color pictures by arranging fixed size dots of the primary colors 87−20708
Yamada, K., Minou, M., Sakai, T. A new bi-level representation of continuous tone images adapt to the gray level structures in a mesh 85−51785
Yamada, K., Miyazaki, K., Hasama, T., Sato, T. Generation of single short tunable UV pulses using a simple short-cavity dye laser 86−36524
Yamada, K., Miyazaki, K., Hasama, T., Sato, T. Simple picosecond excimer laser system 86−68425
Yamada, K., Miyazaki, K., Hasama, T., Sato, T. 1-ns high-power high-repetitive excimer laser oscillator 88−40127
Yamada, K., Omi, T., Matsumura, S., Nishimura, T. Characterization of 4-inch $LiTaO_3$ single crystals for SAW device application 86−2554
Yamada, K., Omi, T., Matsumura, S., Nishimura, T. Growth and fabrication of high-quality 4-inch large $LiTaO_3$ SAW substrate 86−7748
Yamada, K., Shimizu, H. Toroidal and conical piezoelectric polymer transducers for long range focusing 85−38371
Yamada, K., Shimizu, H. Thickness-extensional trapped-energy mode transducers with no inharmonic spurious modes for any size of vibration area 86−6167
Yamada, K., Shimizu, H. Some modifications of toroidal long-range-focusing transducers for sidelobe reduction 86−18624
Yamada, K., Shimizu, H. Planar-structure focusing lens for acoustic microscope 87−4175
Yamada, K., Shimizu, H., Minakata, M. Planar-structure focusing lens for operation at 200 MHz and its application to the reflection-mode acoustic microscope 87−71415
Yamada, K., Sugie, N., Inaba, A. A color monitor system for color anomaly inspection 88−29556
Yamada, K., Takara, N., Imada, H., Miura, N., Hamaguchi, C. Chaotic conductivity oscillation in n-type Si by impact-ionization in freezeout temperature range 88−39048
Yamada, K., Tsuji, Y., Fukui, M., Katoh, T. Satellite communication 86−4570
Yamada, K., Wakuta, Y. 1 GeV storage ring for synchrotron radiation facility 88−42373
Yamada, K., Watanbe, I., Tanaka, K., Nakada, M. Pit shape at overwriting of thermal magneto-optical recording 88−65154
Yamada, K., Yamabe, K., Tsunashima, Y., Imai, K., Kashio, T., Tango, H. A deep-trenched capacitor technology for 4 megabit dynamic RAM 86−46854
Yamada, K., Yamamoto, T., Tsutsui, H., Taniguchi, K. New health care systems proposed by engineering side 88−68328
Yamada, K., Yamaoka, N., Okuyama, A., Nakamura, M., Hada, M., Kawazoe, T. GPS navigator 86−43915
Yamada, K. *see* Aimi, T. 86−2131 to 2132
Yamada, K. *see* Clark, A.J. 85−38323
Yamada, K. *see* Doyama, Y. 87−13965
Yamada, K. *see* Fukahori, T. 87−21396
Yamada, K. *see* Hasama, T. 87−54227
Yamada, K. *see* Ichimura, T. 85−10792
Yamada, K. *see* Iizuka, H. 86−64219
Yamada, K. *see* Kaneko, M. 85−52713
Yamada, K. *see* Kasuga, T. 87−34696
Yamada, K. *see* Kawasaki, K. 88−16361
Yamada, K. *see* Kimura, A. 86−13149
Yamada, K. *see* Kinugawa, M. 88−71804
Yamada, K. *see* Kohda, H. 86−394
Yamada, K. *see* Koiwa, I. 86−13789, 87−5434
Yamada, K. *see* Kurosawa, A. 86−27388, 87−59086
Yamada, K. *see* Kuzuma, Y. 88−17778
Yamada, K. *see* Maeda, M. 86−4425
Yamada, K. *see* Maruyama, T. 88−57958
Yamada, K. *see* Masuda, S. 85−2486
Yamada, K. *see* Matsuda, Y. 86−26267
Yamada, K. *see* Matsuhisa, T. 86−61693
Yamada, K. *see* Matsuoka, Y. 86−5293, 86−70103
Yamada, K. *see* Miyamoto, H. 86−46835
Yamada, K. *see* Miyazaki, K. 87−12366
Yamada, K. *see* Morimoto, T. 85−15298
Yamada, K. *see* Morito, M. 87−17133
Yamada, K. *see* Munakata, I. 86−14746
Yamada, K. *see* Murayama, M. 85−47309
Yamada, K. *see* Nakanishi, H. 85−33403
Yamada, K. *see* Nakashiba, H. 86−67957, 87−31818, 87−44765
Yamada, K. *see* Nishi, K. 88−8335
Yamada, K. *see* Nishihara, M. 86−11570
Yamada, K. *see* Nishikawa, T. 88−4336
Yamada, K. *see* Oishi, K. 88−65073
Yamada, K. *see* Oshima, K. 87−5158
Yamada, K. *see* Sasaki, T. 88−58009
Yamada, K. *see* Seki, Y. 85−7186
Yamada, K. *see* Shibata, T. 85−49878
Yamada, K. *see* Shigaki, M. 88−19365, 88−38722
Yamada, K. *see* Shimada, S. 85−26320, 86−5294
Yamada, K. *see* Shinohara, M. 86−20053, 86−20056
Yamada, K. *see* Shinohara, T. 85−27344
Yamada, K. *see* Suguro, K. 86−28034
Yamada, K. *see* Suzuki, M. 86−34854
Yamada, K. *see* Takahashi, S. 85−63019
Yamada, K. *see* Takahashi, T. 86−34714
Yamada, K. *see* Takasago, H. 86−62979, 88−25739
Yamada, K. *see* Takeuchi, S. 85−64188
Yamada, K. *see* Takuma, Y. 88−65270
Yamada, K. *see* Takura, T. 87−22442
Yamada, K. *see* Tamae, T. 88−29753
Yamada, K. *see* Tamai, H. 86−63559
Yamada, K. *see* Tamogami, M. 86−49209
Yamada, K. *see* Tanaka, Y. 88−51405
Yamada, K. *see* Tashiro, T. 86−34848
Yamada, K. *see* Tsunashima, Y. 86−41985
Yamada, K. *see* Uchida, K. 87−50804
Yamada, K. *see* Urano, Y. 86−4243, 86−37294
Yamada, K. *see* Wakuta, Y. 88−1882
Yamada, K. *see* Watanabe, K. 85−1291, 88−16562
Yamada, K. *see* Yamamoto, H. 85−42775
Yamada, K. *see* Yazu, T. 87−27283
Yamada, M. Rise of inner pressure of diver's watch in saturation diving 86−38607
Yamada, M. New types of antennas for satellite communications 86−55262
Yamada, M. Monolithic crystal filters for 800 to 900 MHz radio communications equipment 86−62671
Yamada, M. Hadamard matrices generated by an adaptation of generalized quaternion type array 86−66694
Yamada, M. Theory of mode competition noise in semiconductor injection lasers 86−68535
Yamada, M. International mobile radio communications 86−69637
Yamada, M. Time keeping device used in diving operation 87−63531
Yamada, M. Theoretical analysis of line-broadening due to mode competition and optical feedback in semiconductor injection lasers 88−40240
Yamada, M. On a series of Hadamard matrices of order 2^t and the maximal excess of Hadamard matrices of order 2^{2t} 88−56090
Yamada, M., Fujishima, K., Mashiko, K., Hatanaka, M., Sato, S. A plastic package 256 Kbit dynamic MOS RAM 85−17408
Yamada, M., Fukuda, T. Eye-movement control technique in word processor speeds communication for profoundly handicapped 86−5967
Yamada, M., Fukuda, T. Development of a gazing point analyser (vision analyser) and its application to broadcasting 86−18287
Yamada, M., Fukuda, T. Analysis of television pictures using eye movement 86−55422
Yamada, M., Fukuda, T. A word processor and peripheral controller using eye movement 87−4020
Yamada, M., Fukuda, T. Quantitative evaluation of eye movements as judged by sight-line displacements: comparison of eye-movement patterns during 525-line and HDTV viewing, and evaluation of moving images 87−34764
Yamada, M., Fukuda, T. Eye word processor (EWP) and peripheral controller for the ALS patient 87−50383
Yamada, M., Hiwatashi, T., Mitsuhashi, T., Yoshida, K. A multi-layer router for standard cell LSIs 86−57796
Yamada, M., Janos, A., Jardin, S., Young, P. Injection of magnetic fluxes into spheromak plasma thru an inductive transformer 87−22498
Yamada, M., Karasawa, Y., Yasunaga, M., Arbesser-Rastburg, B. An improved prediction method for rain attenuation in satellite communications operating at 10-20 GHz 88−20903
Yamada, M., Kitabatake, O., Fujita, T., Tsuda, N., Aoki, K. Clock generator/driver μPD71611 for V60 microprocessor 87−37419
Yamada, M., Nakaya, N. Reduction of the intensity noise of AlGaAs injection laser by means of electric negative feedback 85−56669
Yamada, M., Nakaya, N., Funaki, M. Characteristics of mode-hopping noise and its suppression with the help of electric negative feedback in semiconductor lasers 88−2243
Yamada, M., Ogita, S., Miyabo, T., Nashida, Y. A theoretical analysis of lasing gain and threshold current in GaAs-AlGaAs SCH lasers 87−18986
Yamada, M., Ogita, S., Yamagishi, M., Tabata, K. Anisotropy and broadening of optical gain in a GaAs/AlGaAs multiquantum-well laser 85−62582
Yamada, M., Ogita, S., Yamagishi, M., Tabata, K., Nakaya, N., Asada, M., Suematsu, Y. Polarization-dependent gain in GaAs/AlGaAs multi-quantum-well lasers: theory and experiment 85−2284
Yamada, M., Ohki, M., Yamamoto, H. Proposal and analysis of an integrated laser with external injection of spontaneous emission 87−18987
Yamada, M., Omi, K. Optimum structure of a potential controlled low threshold laser 88−72328
Yamada, M., Omi, K., Nashida, Y., Gamo, M. Proposal of a potential controlled low threshold laser 87−54347
Yamada, M., Saito, M., Miura, M., Tanaka, K., Konishi, K., Okada, S. In-line double gap thin film head for the electronic still camera system 87−25801
Yamada, M., Sakuda, K. Adjustable gain and bandwidth light amplifiers in terms of distributed-feedback structures 87−33189
Yamada, M., Sakuda, K. Analysis of almost-periodic distributed feedback slab waveguides via a fundamental matrix approach 87−74662
Yamada, M., Sato, S., Furuta, I., Ozaki, H., Nagayama, Y. A 1M-bit CMOS dynamic RAM 88−6842
Yamada, M., Tabata, K., Ogita, S., Yamagishi, M. Calculation of lasing gain and threshold current in GaAs-AlGaAs multi-quantum-well lasers 85−35790
Yamada, M., Takekoshi, Y., Fujita, T., Tanitsu, M., Aoki, K. System bus controller μPD71613 for V60 microprocessor 87−37420
Yamada, M., Takizawa, M., Fukinuki, T. Fiberoptic digital video transmission equipment 87−20492
Yamada, M., Terui, H., Yamada, Y., Himeno, A., Kobayashi, M. Efficient photodiode-waveguide coupling for hybrid integrated optical circuits 87−74941
Yamada, M., Yasui, S. Measurement of DC and AC spectral sensitivities of retinal horizontal cells by 'voltage clamp by light' 88−74842
Yamada, M., Yasukawa, K., Furuta, O., Karasawa, Y., Baba, N. A propagation experiment on Earth-space paths of low elevation angles in the 14 and 11 GHz bands using the INTELSAT-V satellite 86−64004
Yamada, M. *see* Aizawa, I. 86−11303
Yamada, M. *see* Ara, K. 86−51267
Yamada, M. *see* Araki, S. 88−4176
Yamada, M. *see* Arimoto, K. 86−41127, 87−37285
Yamada, M. *see* Asano, H. 87−4460
Yamada, M. *see* Chiba, T. 88−31501
Yamada, M. *see* Ellis, R.A., Jr. 87−22497
Yamada, M. *see* Furuta, O. 85−47585, 85−51423
Yamada, M. *see* Hioki, T. 88−41871
Yamada, M. *see* Hiwatashi, T. 87−1635
Yamada, M. *see* Honma, H. 88−6995
Yamada, M. *see* Ishikawa, S. 85−30366
Yamada, M. *see* Karasawa, Y. 85−57040, 88−66065
Yamada, M. *see* Kawai, K. 88−15750
Yamada, M. *see* Kobayashi, F. 86−62636
Yamada, M. *see* Kobayashi, M. 87−33000
Yamada, M. *see* Kobayashi, T. 87−10859, 87−17089
Yamada, M. *see* Kondow, R. 85−65012
Yamada, M. *see* Konishi, K. 86−54897
Yamada, M. *see* Masaki, A. 85−35132, 88−179

Yamada, M. *see* Mashiko, K. 85−22870, 87−10872, 88−6819
Yamada, M. *see* Matsumoto, H. 86−14228
Yamada, M. *see* Mine, K. 87−21274
Yamada, M. *see* Miyamoto, H. 88−6837
Yamada, M. *see* Mizugutch, Y. 86−68899
Yamada, M. *see* Murakata, M. 87−36901
Yamada, M. *see* Muraoka, M. 85−38578
Yamada, M. *see* Muratani, T. 86−49519
Yamada, M. *see* Nagasaki, S. 85−38513
Yamada, M. *see* Nishimoto, H.M. 88−7542
Yamada, M. *see* Nomoto, S. 87−26978
Yamada, M. *see* Ohtaka, M. 88−58924
Yamada, M. *see* Okada, M. 88−18194
Yamada, M. *see* Ota, K. 85−20189
Yamada, M. *see* Shigematsu, K. 88−24695
Yamada, M. *see* Shiokawa, T. 85−52320, 85−63616, 86−64954
Yamada, M. *see* Tanioka, S. 87−31093
Yamada, M. *see* Tanioka, S.-I. 86−33880
Yamada, M. *see* Tsubota, T. 88−19058
Yamada, M. *see* Tsukamoto, K. 87−64791
Yamada, M. *see* Watanabe, F. 85−63617, 87−27005
Yamada, M. *see* Yamada, Y. 88−67377
Yamada, M. *see* Yamauchi, H. 86−28624
Yamada, M. *see* Yao, X. 88−71707
Yamada, M. *see* Yasukawa, K. 86−22684
Yamada, M. *see* Yasunaga, M. 87−20472, 87−47406
Yamada, M. *see* Yoneda, M. 87−24189
Yamada, N., Motoda, H. A plant diagnosis method based on the knowledge of system description 85−27247
Yamada, N., Ohno, E., Akahira, N., Nishiuchi, K., Nagata, K., Takao, M. High speed overwritable phase change optical disk material 88−45046
Yamada, N., Takao, M., Takenaga, M. Te-Ge-Sn-Au phase change recording film for optical disk 87−38724
Yamada, N., Takeyama, S.; Sakakibara, T., Goto, T., Miura, N. Effect of the Mn-Mn exchange interaction on the high-field magnetoresistance and magnetization in *n*-type $Hg_{1-x-y}Cd_xMn_yTe$ 87−6394
Yamada, N. *see* Akahira, N. 88−65155
Yamada, N. *see* Jaafer, F.B. 88−69042
Yamada, N. *see* Kinoshita, M. 88−48751
Yamada, N. *see* Matsushima, J. 87−40747
Yamada, N. *see* Miwazawa, S. 87−4795
Yamada, N. *see* Miyazawa, S. 88−49039
Yamada, N. *see* Okuyama, M. 86−43775
Yamada, N. *see* Otonari, T. 87−78141
Yamada, N. *see* Sugawara, N. 87−8115
Yamada, N. *see* Tajima, N. 88−23863
Yamada, N. *see* Takahashi, N. 88−56678
Yamada, N. *see* Tanaka, T. 86−15302
Yamada, O. Development of error-correcting method for broadcast data packets multiplexed on NTSC TV signals 85−42219
Yamada, O. Development of an error-correction method for teletext 86−37398
Yamada, O. Signal transmission and protection 86−69071
Yamada, O. Development of an error-correction method for data packet multiplexed with TV signals 87−34785
Yamada, O., Yanagimachi, A., Isobe, T. Development of an error-correcting method for coded transmission teletext 86−23423
Yamada, O., Yanagimachi, A., Kuroda, T. An error-correcting LSI for data broadcasting and its error-correction capability 87−76949
Yamada, O. *see* Hashimoto, O. 87−38236, 88−71538
Yamada, O. *see* Masuda, T. 87−64148
Yamada, O. *see* Ohtaka, T. 87−11869
Yamada, R. Dϕ detector 86−11850
Yamada, R. *see* Fast, R. 85−24250
Yamada, R. *see* Fast, R.W. 86−50261
Yamada, R. *see* Grimson, J. 85−26713
Yamada, R. *see* Hayashide, Y. 85−26687
Yamada, R. *see* Minemura, H. 85−56255
Yamada, R. *see* Shiraishi, H. 87−39118, 87−68519
Yamada, R.T. *see* Bloom, A.R. 88−38408
Yamada, S. Development of integrated flat I/O device, FIOS-6440 87−3442
Yamada, S. Optical scanning image sensor 88−22635
Yamada, S. Status of HERA and its physics 88−22868
Yamada, S., Fujikawa, H. Hybrid local area network system 85−13930
Yamada, S., Fujikawa, H. New data transmission and acquisition method for a process control system 88−46619
Yamada, S., Fukui, T., Saito, H. Mobility anisotropy and magnetoresistance at an $(InAs)_1(GaAs)_1$-InP heterointerface grown on a (001) vicinal InP substrate 88−12982
Yamada, S., Fukui, T., Sugimura, A. Non-equilibrium cyclotron resonances in GaInAs/InP two-dimensional electron gas 87−6451
Yamada, S., Fukunaga, K., Kasai, T. Improvement of computational efficiency in a graph space method 85−39640
Yamada, S., Fukunaga, K., Kasai, T. Comparison of heuristic methods for the circuit placement problem 86−9228
Yamada, S., Fukunaga, K., Kasai, T. Placement of circuit modules using a graph space approach 87−65650
Yamada, S., Fukunaga, K., Kasai, T. Circuit module placement method based on physical model 88−56401
Yamada, S., Futagami, S. Data flow controlled switching system architecture, fully utilizing concurrency inherent in call processing programs 87−8126
Yamada, S., Harashima, K., Kasai, T. Analysis of heuristic algorithms for planar assignment problem 86−40810
Yamada, S., Harashima, K., Kasai, T. Analysis of a heuristic algorithm for planar assignment problem 87−72956
Yamada, S., Hattori, T., Fujino, T., Fukushima, T., Morimoto, T., Tojyo, E., Yoshida, K., Murakami, T. Inductive tuning of gap voltage distribution in IH linac 85−15114
Yamada, S., Ikeda, S., Wada, K., Sato, H., Watanabe, K., Gando, Y., Takasu, M., Kudo, N. Expansion technology development for NEAX61 multiprocessor digital switching system 88−3733
Yamada, S., Kasai, T. A fast heuristic algorithm for two-way partitioning graphs 85−22333
Yamada, S., Kasai, T. An efficient algorithm for planar assignment problem 87−65741
Yamada, S., Ohsaki, I., Ikeuchi, M., Niki, H. Non-adaptive and adaptive SAOR-CG algorithms 85−54366
Yamada, S., Sakai, S., Iguchi, Y., Sakamoto, M. Optical scanning image sensor 88−36076
Yamada, S., Sano, T., Saito, M., Motohashi, M., Oki, H., Tsuruya, H. A VLSI chip set for a small mainframe processor 88−64772
Yamada, S., Taguchi, A., Sugimura, A. Nonparabolic subband structure of $Ga_{0.47}In_{0.53}$As-InP quantum wells 85−34557
Yamada, S., Takeuchi, A., Bessho, K. New high-speed induction motor driven by a commercial source 88−55350
Yamada. S., Takeuchi, A., Sudani, T., Bessho, K. High· ,peed AC motor including the function of a magnetic frequency tripler 87−30519
Yamada, S. *see* Abe, T. 88−5566
Yamada, S. *see* Arakawa, H. 86−49112
Yamada, S. *see* Asai, H. 88−12968, 88−18718
Yamada, S. *see* Baba, H. 87−2843
Yamada, S. *see* Bessho, K. 86−29321, 86−39717, 87−2267, 87−26647
Yamada, S. *see* Enokizono, M. 88−72514
Yamada, S. *see* Fujikawa, H. 86−51672
Yamada, S. *see* Fujita, K. 88−60581
Yamada, S. *see* Fukunaga, K. 85−49700, 86−66911, 87−44442
Yamada, S. *see* Futagami, S. 86−30208
Yamada, S. *see* Iida, K. 87−71711
Yamada, S. *see* Izumi, S. 86−4223
Yamada, S. *see* Kasai, T. 85−22334
Yamada, S. *see* Katayama, T. 85−31643
Yamada, S. *see* Kitao, M. 85−1324, 86−8816, 86−27890
Yamada, S. *see* Kojima, Y. 85−62151
Yamada, S. *see* Kondo, K. 86−64926
Yamada, S. *see* Kuwabara, H. 86−9666
Yamada, S. *see* Maeda, Y. 85−18076
Yamada, S. *see* Mashiko, T. 85--24923
Yamada, S. *see* Momota, H. 85−46104
Yamada, S. *see* Murayama, H. 86−64944, 88−10462
Yamada, S. *see* Nakanishi, T. 87−41660
Yamada, S. *see* Nakazato, H. 87−24136
Yamada, S. *see* Nikaido, T. 87−7914, 87−20328
Yamada, S. *see* Ogura, T. 87−24172, 87−37287, 87−44839
Yamada, S. *see* Satow, T. 85−62270
Yamada, S. *see* Shintani, H. 85−3277
Yamada, S. *see* Sorimachi, K. 88−4495
Yamada, S. *see* Taguchi, A. 87−60094
Yamada, S. *see* Takahashi, T. 86−49212
Yamada, S. *see* Takano, Y. 85−40457, 86−27943, 87−53206, 88−1401
Yamada, S. *see* Taki, H. 86−8785
Yamada, S. *see* Toyoda, K. 85−41090
Yamada, S. *see* Ueda, N. 85−15097, 86−24908, 87−8802, 87−14673, 87−41770, 87−50016
Yamada, S. *see* Watanabe, S. 88−74660
Yamada, S. *see* Yoshimoto, T. 87−26634, 88−52109
Yamada, S. *see* Yoshimoto, Y. 88−52128
Yamada, S.-I. *see* Ogura, T. 86−34781
Yamada, S.E. A mechanism for board warpage by thermal expansion of surface mounted connector 87−45371
Yamada, S.E. Stress analysis of partially yielded soldered joint for surface mount connectors 88−1161
Yamada, T. Multiple bridging faults in unate two-level irredundant AND-OR circuits 85−22823
Yamada, T. Syndrome-testable design and syndrome computing method for large PLAs 85−54849
Yamada, T. Syndrome-testable design and syndrome computing method for large PLAs 86−67166
Yamada, T. A generalization of multi-dimensional product codes 87−54982
Yamada, T., Fujimori, M., Ueda, T., Sakurai, T. 'No-battery' analog quartz watch 86−31674
Yamada, T., Hanazawa, T., Ono, H., Saito, K. Digital switching control system using VLSI processors 85−3278
Yamada, T., Hatsugai, N. 7.2 kV advanced type vacuum circuit breaker 88−24088
Yamada, T., Higuchi, Y., Tani, N., Ishikawa, M., Ota, Y., Nakamura, K., Itoh, A. Sputtering target for production of CoNiCr/Cr sputtered hard disk 88−443
Yamada, T., Hirano, K., Hosoe, T., Tsunashima, E. FDIC-101 facsimile data conversion and interface processing software system 85−3079
Yamada, T., Hosoe, T., Fuju, H. FDIC communication processing software system 85−36664
Yamada, T., Ikeda, K., Suzuki, N. A line-address CCD image sensor 87−63282
Yamada, T., Inoue, T., Norigoe, I., Mullett, C. A new noise suppressor with amorphous saturable reactor 86−66198
Yamada, T., Ishizaki, T. Prevention measures of electrostatic damage to semiconductor devices 86−41727
Yamada, T., Kagoshima, K., Itami, Y. Design and characteristics of sector/cosecant-square shaped beam antenna 85−30099
Yamada, T., Kagoshima, K., Itami, Y. Design and characteristics of sector/cosecant−square shaped beam antenna 86−68874
Yamada, T., Kotani, H., Matsushima, J., Inoue, M. A 4-Mbit DRAM with 16-bit concurrent ECC 88−32194
Yamada, T., Kubota, M., Ohmiya, T. CHILL personal OS for MMI integration around switching systems 86−49397
Yamada, T., Mashiko, T., Adachi, S. The interactions between a dipole antenna and the spheroidal man model 86−68909
Yamada, T., Miki, S. Switching control multiprocessor system 85−52155
Yamada, T., Nanya, T. Stuck-at fault tests in the presence of undetectable bridging faults 85−716
Yamada, T., Niwa, A. Design and evaluation of switching control multiprocessor 87−34270
Yamada, T., Ohsato, Y., Yoshinuma, M., Tanaka, T., Itoh, K. Arc fusion splicer with profile alignment system for high-strength low-loss optical submarine cable 87−7132
Yamada, T., Otsuka, K., Okutani, K., Sahara, K. Low stress design of flip chip technology for Si on Si multichip modules 86−52284
Yamada, T., Sakai, Y., Muraoka, T., Sugaya, T. A 16 MB 3.5 inch Ba-ferrite flexible disk drive with dual track following servo modes 88−57962
Yamada, T., Shiba, T., Hosaka, N., Toyama, T. High stability SAW resonators in UHF range 87−67675
Yamada, T., Sone, J. Current-injection Josephson latch employing a single-flux quantum. II 86−46686
Yamada, T., Sone, J., Ema, S. Current injection Josephson latch circuit 85−45013
Yamada, T., Suzuki, S., Honda, Y. Digital gateway switching system for communications processing services 85−52241
Yamada, T., Tajima, K., Aikawa, M. High capacity subscriber radio 87−34383
Yamada, T., Tani, N., Ishikawa, M., Ota, Y., Nakamura, K., Itoh, A. CoNiCr/Cr sputtered thin film disks 86--28671
Yamada, T., Tsunashima, E., Waki, E., Miyabe, H. FDIC/computer protocol [facsimile] 85−3083
Yamada, T:, Wada, S., Ito, S., Suga, Y. A 1.2 GHz single-chip NMOS PLL 86--14076
Yamada, T., Waki, E., Miyabe, H. Facsimile communication protocol between computers and FDIC 85−36666
Yamada, T., Yuasa, T., Kamon, K., Shimazu, M., Ishii, M. Pair-groove-substrate GaAs/AlGaAs multiquantum-well lasers with a self-aligned stripe geometry 87−12462
Yamada, T. *see* Abe, H. 88−51119
Yamada, T. *see* Aizawa, M. 87−53475
Yamada, T. *see* Akahori, H. 85−38966
Yamada, T. *see* Ando, T. 88−570
Yamada, T. *see* Arakawa, O. 88−55511
Yamada, T. *see* Arimune, H. 88−2073
Yamada, T. *see* Chikamura, T. 86−5047
Yamada, T. *see* Fujiyoshi, Y. 88−10546
Yamada, T. *see* Fukazu, T. 87−72214
Yamada, T. *see* Fuse, G. 88−19166
Yamada, T. *see* Hagiwara, R. 85−25684
Yamada, T. *see* Harada, Y. 86−35645
Yamada, T. *see* Hasegawa, J. 87−78010
Yamada, T. *see* Hishiyama, K. 87−55670
Yamada, T. *see* Ieda, M. 88−24828
Yamada, T. *see* Ikeda, B. 87−67984
Yamada, T. *see* Inamori, K. 85−3078
Yamada, T. *see* Ishikawa, M. 87−25824
Yamada, T. *see* Itoh, H. 85−33859
Yamada, T. *see* Iwamoto, M. 86−58720
Yamada, T. *see* Iwaoka, A. 88−28874
Yamada, T. *see* Kakuno, K. 88−33515
Yamada, T. *see* Kamagata, K. 86−41397, 87−51839
Yamada, T. *see* Kan, H. 87−14862

Yamada, T. *see* Kaneda, Y. 85−15138
Yamada, T. *see* Kaneko, M. 86−53888
Yamada, T. *see* Kani, K. 87−17736
Yamada, T. *see* Kitamura, Y. 87−17021
Yamada, T. *see* Koseki, Y. 86−21793
Yamada, T. *see* Kosugi, M. 85−3082
Yamada, T. *see* Kotani, H. 88−768
Yamada, T. *see* Levy, G.S. 87−28712
Yamada, T. *see* Matsuda, T. 86−48021
Yamada, T. *see* Matsumoto, A. 85−58909
Yamada, T. *see* Matsumoto, Y. 87−71966
Yamada, T. *see* Miyajima, H. 85−17572
Yamada, T. *see* Miyamoto, M. 88−65212
Yamada, T. *see* Miyazaki, T. 86−13204
Yamada, T. *see* Mizoshita, Y. 86−35994
Yamada, T. *see* Murayama, T. 87−58200
Yamada, T. *see* Nakajima, C. 87−62625
Yamada, T. *see* Nakamura, S. 85−65230
Yamada, T. *see* Nakatani, N. 86−2897, 86−18188, 86−24446, 86−31720, 87−21282 to 21283, 88−22627
Yamada, T. *see* Nakatani, S. 88−3849
Yamada, T. *see* Nakatsu, Y. 87−66591
Yamada, T. *see* Nishikawa, R. 86−9381
Yamada, T. *see* Nishiyama, Y. 85−28014
Yamada, T. *see* Niwa, A. 86−41149
Yamada, T. *see* Nozaki, H. 85−58418
Yamada, T. *see* Ogita, M. 87−21103, 87−70638
Yamada, T. *see* Ohima, S. 87−25263
Yamada, T. *see* Ohsawa, Y. 87−34770
Yamada, T. *see* Okamura, M. 87−44570
Yamada, T. *see* Onodera, T. 87−74687
Yamada, T. *see* Ota, Y. 85−18567
Yamada, T. *see* Otsuka, K. 87−51874, 88−24563
Yamada, T. *see* Reed, M.K. 87−46832
Yamada, T. *see* Saito, N. 86−27891, 87−6386
Yamada, T. *see* Sakakibara, S. 85−4438
Yamada, T. *see* Sakamoto, H. 88−74819
Yamada, T. *see* Sano, K. 85−8999
Yamada, T. *see* Sato, T. 87−46324
Yamada, T. *see* Shinmi, A. 87−7471
Yamada, T. *see* Sone, J. 86−46685, 88−19907
Yamada, T. *see* Suzukawa, I. 85−15103
Yamada, T. *see* Tado, S. 87−1926
Yamada, T. *see* Tani, N. 88−13680
Yamada, T. *see* Tate, A. 86−7823, 86−28806
Yamada, T. *see* Terakawa, S. 86−5046
Yamada, T. *see* Tsuji, K. 86−66731
Yamada, T. *see* Tsuji, Y. 87−14861
Yamada, T. *see* Uwabu, T. 88−24297
Yamada, T. *see* Watanabe, A. 85−46377
Yamada, T. *see* Watanabe, T. 85−36844
Yamada, T. *see* Yamamoto, S. 86−28763, 88−65063, 88−71990
Yamada, T. *see* Yoneoka, S. 88−51327
Yamada, T. *see* Yuasa, T. 87−12447, 87−54361, 87−75097, 88−58546
Yamada, T. *see* Zhu, J. 87−13558
Yamada, U., Abe, Y., Kuroda, Y., Hasegawa, K., Nabae, A., Akagi, Y. Research into active filters for the control of higher harmonics in the power system 87−30081
Yamada, W., Kadokawa, Y., Tanaka, M. Consideration on random error correcting ability of doubly-encoded *b*-adjacent code 86−16145
Yamada, W. *see* Uchiyama, H. 88−59006
Yamada, W.E. *see* Janousek, B.K. 88−50887
Yamada, Y. A series of graphic equalizer ICs 87−77040
Yamada, Y. Merits of application of visual sensors for appearance test automation 88−16186
Yamada, Y., Ebine, Y., Nakajima, N. Base station/vehicular antenna design techniques employed in high-capacity land mobile communications system 87−48951
Yamada, Y., Ebine, Y., Nakajima, N., Nara, T. Design of base station/vehicular antennas used in NTT high-capacity land-mobile communications system (MCS-L2) 87−26996
Yamada, Y., Fujita, T., Nakajima, A., Nakamura, O., Fudou, H., Akisada, M., Yokouchi, K., Takaoka, N., Suga, S. Development of new kinds of fuses for 20 kV rated power distribution. II. Development of fuses for 33 kV power distribution 85−60358
Yamada, Y., Fujita, T., Nakamura, O., Sera, T., Kimura, J., Sasano, Y. Development of a lightning arrester for 400 V power distribution 86−12510
Yamada, Y., Goto, T., Tanaka, K. NMR fast line-scan imaging using a line-shaped focusing field 88−48108
Yamada, Y., Haraguchi, N., Oi, K., Sasaki, M. Two-dimensional jaw tracking and EMG recording system implanted in the freely moving rabbit 88−68424
Yamada, Y., Kagoshima, K. Design of sidelobe characteristics of offset parabolic reflector antenna with cluster feed by receiving mode analysis 85−13250
Yamada, Y., Kagoshima, K., Kobayashi, T. Low-sidelobe multibeam antennas fed by cluster horns 87−27007
Yamada, Y., Kaida, Y. Fast two-dimensional numerical analyses of GaAs MESFETs using two-particles simulation and regional simulation 87−38568
Yamada, Y., Kajitani, M., Ohgishi, T. Development of a CMOS D/A converter for CD players 87−77047
Yamada, Y., Kajitani, M., Ohgishi, T. A 16-bit CMOS D/A converter for digital audio applications 88−12453
Yamada, Y., Kawachi, M., Yasu, M., Kobayashi, M. Carbon-dioxide-laser processing of porous glass layers for optical waveguides 85−29530
Yamada, Y., Kawachi, M., Yasu, M., Kobayashi, M. High-silica multimode channel waveguide structure for minimizing fiber-waveguide-fiber coupling loss 86−48109
Yamada, Y., Kitagawa, Y., Yokoyama, M. High-energy deuteron beam generated by a plasma focus device 85−52957
Yamada, Y., Kobayashi, M. Single-mode optical fiber connection to high-silica waveguide with fiber guiding-groove 88−26774
Yamada, Y., Kondo, A. Beam steering characteristics of multibeam antenna by subreflector drive 88−2740
Yamada, Y., Kuroda, H., Izumi, H., Soezima, T., Wakamatsu, H., Hori, S. *X* and *Ku* band high power GaAs FETs 88−71108
Yamada, Y., Mitarai, G., Kaji, Y. A super-low-noise Bi-FET operational amplifier 86−34570
Yamada, Y., Mori, Y. Pinch temperatures in Rankine cycle power generation utilizing heat sources of medium and small temperature differences 86−25867
Yamada, Y., Murakami, K., Yamamoto, T. Fundamental properties of integrated photo-sensor array with amorphous Si 87−14330
Yamada, Y., Murase, S., Sasaki, M., Namamura, E., Kumakura, H., Togano, K., Tachikawa, K. Nb_3Al superconducting tape prepared by CO_2 laser beam irradiation 87−7040
Yamada, Y., Ogawa, S., Suyama, M., Hori, Y. Fault recovery processing in a switching control multiprocessor 88−53098
Yamada, Y., Tanaka, K., Abe, Z. NMR Fresnel transform imaging using a scannable nonlinear field gradient 88−54500
Yamada, Y., Tazaki, S. Successive approximation vector quantization 85−57267
Yamada, Y., Tazaki, S. Successive approximation vector quantization 87−7650
Yamada, Y., Tazaki, S. Digitally companded vector quantization 87−33712
Yamada, Y., Yamada, M., Kobayashi, M. Guided-wave chip-to-chip optical interconnections 88−67377
Yamada, Y., Yamaga, J. Gas turbine-steam turbine combined cycle using two step heating by coal and oil combustion 86−39538
Yamada, Y., Yanagisawa, H., Ohhashi, Y. Sea clutter analysis for adaptive CFAR design 85−47583
Yamada, Y., Yasunami, M. High power chopper for railway use 85−16302
Yamada, Y. *see* Abe, K. 88−16629
Yamada, Y. *see* Aizawa, K. 88−46283
Yamada, Y. *see* Fujii, Y. 85−14267
Yamada, Y. *see* Hamabe, R. 85−2782
Yamada, Y. *see* Haraguti, E. 87−30526
Yamada, Y. *see* Hasegawa, S. 88−60183
Yamada, Y. *see* Hayasaka, E. 86−56449
Yamada, Y. *see* Hemmi, Y. 87−63624
Yamada, Y. *see* Henmi, T. 88−15761
Yamada, Y. *see* Himeno, A. 88−67385
Yamada, Y. *see* Ichiyanagi, K. 86−25940
Yamada, Y. *see* Igarashi, R. 85−20735
Yamada, Y. *see* Inoue, T. 87−34471, 87−48985
Yamada, Y. *see* Iwai, R. 88−23988
Yamada, Y. *see* Izumo, T. 86−7299
Yamada, Y. *see* Karikomi, M. 88−45772
Yamada, Y. *see* Kawachi, M. 85−35448
Yamada, Y. *see* Kawakami, Y. 88−45757
Yamada, Y. *see* Kitamura, A. 86−50145, 86−50763, 86−51164
Yamada, Y. *see* Kobayashi, M. 87−33000
Yamada, Y. *see* Komatsu, S. 88−18354
Yamada, Y. *see* Konno, T. 86−49655
Yamada, Y. *see* Kumakura, H. 86−36087
Yamada, Y. *see* Kumazawa, H. 88−27608
Yamada, Y. *see* Mitarai, G. 85−17170
Yamada, Y. *see* Morimoto, M. 88−39786
Yamada, Y. *see* Nabeshima, H. 86−49619, 87−26049, 87−28608
Yamada, Y. *see* Nagai, H. 86−36079
Yamada, Y. *see* Nakano, A. 86−50865
Yamada, Y. *see* Nakazima, A. 86−50988, 87−4768
Yamada, Y. *see* Nakazima, J. 87−4417, 87−4848
Yamada, Y. *see* Noguchi, E. 86−51771
Yamada, Y. *see* Nomura, N. 87−60232
Yamada, Y. *see* Nomura, S. 87−40529
Yamada, Y. *see* Ogawa, T. 88−64386
Yamada, Y. *see* Ohta, H. 85−56214, 88−20279
Yamada, Y. *see* Ohta, M. 87−34829
Yamada, Y. *see* Ohtomo, I. 87−7600
Yamada, Y. *see* Ohtsuka, K. 87−71479
Yamada, Y. *see* Orito, F. 87−31494
Yamada, Y. *see* Osada, K. 88−62998
Yamada, Y. *see* Osaka, J. 87−24774
Yamada, Y. *see* Otsuki, Z. 86−50989
Yamada, Y. *see* Sagisaka, Y. 87−4691
Yamada, Y. *see* Shino, T. 86−21575
Yamada, Y. *see* Sumida, S. 86−69782
Yamada, Y. *see* Tamaru, K. 86−41902
Yamada, Y. *see* Tanabe, T. 87−30736 to 30737
Yamada, Y. *see* Tanaka, H. 85−59630, 85−60139, 86−12652, 86−50866, 86−51464
Yamada, Y. *see* Tazaki, S. 85−13487, 86−22923, 88−45964
Yamada, Y. *see* Terui, H. 85−56355, 88−47130
Yamada, Y. *see* Tsuchida, N. 87−47896
Yamada, Y. *see* Wada, H. 85−35331
Yamada, Y. *see* Wake, M. 88−45018
Yamada, Y. *see* Watanabe, K. 87−59616, 88−44186
Yamada, Y. *see* Watanabe, T. 88−39784, 88−39787
Yamada, Y. *see* Yamada, M. 87−74941
Yamada, Y. *see* Yamshita, K. 88−39649
Yamada, Y. *see* Yanagawa, S. 86−8490
Yamada, Y. *see* Yokoo, T. 87−70648
Yamada, Y. *see* Yoshida, S. 87−4466
Yamada, Y. *see* Yoshikawa, K. 87−58391
Yamada Sunao *see* Sunao Yamada
Yamadaya, T. *see* Sugiura, H. 87−49998
Yamade, T. *see* Nemoto, M. 86−5536
Yamadera, T. *see* Soda, F. 85−27243
Yamafuji, K., Iwakuma, M., Tomita, Y., Funaki, K., Sumiyoshi, F., Fukutsuka, T., Ogawa, R., Miyatake, T., Matsumoto, K. Development of Nb_3Sn superconducting wires for AC use 87−74554
Yamafuji, K., Tokoh, K. Taste sensing system 87−29066
Yamafuji, K. *see* Chikaba, J. 86−48067, 87−67970
Yamafuji, K. *see* Funaki, K. 86−48033, 87−67964
Yamafuji, K. *see* Hashimoto, T. 88−26710
Yamafuji, K. *see* Hayashi, K. 86−18353
Yamafuji, K. *see* Kohjiro, S. 87−53922, 88−39823
Yamafuji, K. *see* Noda, M. 87−1925
Yamafuji, K. *see* Sumiyoshi, F. 86−32775, 86−36088
Yamafuji, K. *see* Takeo, M. 87−67929
Yamafuji, K. *see* Yoshida, K. 87−74573, 88−13716
Yamafuji, K. *see* Zhang, Q.F. 85−15621, 85−29485
Yamaga, J. *see* Yamada, Y. 86−39538
Yamaga, M., Yusa, K., Miyazaki, Y. Optical waveguide of Nd-doped garnet thin film RF-sputtered on $Y_3Al_5O_{12}$ substrate 86−36167
Yamaga, M., Yusa, K., Miyazaki, Y. Theoretical analysis of waveguide laser amplifier using Nd doped garnet crystalline thin film 87−18952
Yamaga, M. *see* Kaiya, H. 87−36104
Yamaga, M. *see* Naoe, M. 86−35971
Yamaga, S., Yoishikawa, A., Kasai, H. Growth of low-resistivity ZnS films by MOCVD 88−18712
Yamaga, S., Yoshikawa, A., Kasai, H. Growth of polycrystalline CdS films by low-pressure metalorganic chemical vapor deposition 87−65555
Yamaga, S., Yoshikawa, A., Kasai, H. Electrical and optical properties of donor doped ZnS films grown by low-pressure MOCVD 88−32784
Yamaga, S. *see* Yoshikawa, A. 85−16930, 86−7836, 86−57475, 88−33864, 88−38241, 88−70319
Yamagami, H., Kawai, R., Tsuruta, S. Improved user interface for the videotex terminal 87−34093
Yamagami, H. *see* Yamada, H. 88−8428, 88−52172
Yamagami, K., Hokuyo, S., Ueda, K., Igi, S., Sonoda, T. Gallium arsenide semiconductor devices for satellites 88−7050
Yamagami, K., Kurokawa, K., Tani, T. Morphological survey of photovoltaic power generation systems in the world 86−56666
Yamagami, K. *see* Kurokawa, K. 86−56665
Yamagami, K. *see* Yoshida, S. 88−37597
Yamagami, T., Kurata, R., Nomura, Y., Toyama, S. The reliability of a computer diagnosis of atrial fibrillation in routine work 86−12000
Yamagami, T., Matsushita, K., Suetsugu, H., Nishimura, S., Sugiura, Y., Imaoka, N. Multifunction telephone set TH5500 85−30757
Yamagami, T., Sasaki, O., Okazaki, A. A computation algorithm for the singular value decomposition of complex matrices 85−54228
Yamagami, T. *see* Hirasima, Y. 88−22938
Yamagami, T. *see* Nagai, H. 86−17147
Yamagami, T. *see* Okamoto, J. 87−56758
Yamagami, T. *see* Tatsuta, H. 85−14914
Yamagami, T. *see* Yamanaka, M.D. 87−71327
Yamagami, T. *see* Yoshimori, M. 88−29935
Yamagata, H., Abe, K.-i., Hoshimiya, N. Adaptive voltage clamp method for biological membranes supported by multimicroprocessor 86−11925
Yamagata, H. *see* Takesita, M. 87−34754
Yamagata, J., Takemoto, K. A study on fiber optic multi-media access system 86−17085
Yamagata, J., Takemoto, K., Okada, K. Architecture of fiber optic broadband interactive distribution system 86−55307

Yamagata, J., Takemoto, K., Okada, K. Architecture of fiber optic broadband interactive distribution system 87−62941
Yamagata, J., Yoneda, E., Nakajima, S., Hisaki, T., Koyamada, Y. Development of fiber-optic broadband interactive distribution network 87−40109
Yamagata, J. *see* Hashimoto, K. 87−34540, 87−49098
Yamagata, J. *see* Miki, T. 87−28585
Yamagata, J. *see* Takemoto, K. 86−43865
Yamagata, J. *see* Yamamoto, Y. 85−42114
Yamagata, J. *see* Yoneda, E. 86−54697
Yamagata, K., Nagumo, F., Kosaka, H., Kawamoto, H. Miniature CCD cameras: a new technology for machine vision 85−37472
Yamagata, K., Nii, K., Fujii, M., Kojima, A., Kume, H., Tokanaga, K. Improving display and indication lights (development of a high-reliability energy saving pilot lamp) 86−13164
Yamagata, K. *see* Yonehara, T. 88−18707
Yamagata, M. *see* Odajima, M. 85−33644
Yamagata, M. *see* Tamaki, T. 85−53030
Yamagata, N., Matsushita, T., Suzuki, I., Moriya, H., Sato, T., Jimbo, S. Advanced System for Prospect of Equipment and Concentration Task of Telecommunication (ASPECT) 88−41208
Yamagata, N. *see* Ogawa, K. 86−47107
Yamagata, S. Report on connection between disabled people and personal computers in UK 87−29791
Yamagata, S. *see* Yamamoto, K. 88−5801
Yamagata, T. *see* Abe, K. 88−16629
Yamagata, T. *see* Arimoto, K. 86−41127, 87−37285
Yamagata, T. *see* Itahashi, T. 87−71065
Yamagata, T. *see* Miwa, M. 88−28862
Yamagata, T. *see* Miyamoto, H. 88−6837
Yamagata, T. *see* Oda, N. 87−35087, 87−46649, 88−47525
Yamagata, Y., Kawai, T. Automatic grid generation with conformal mapping 87−65430
Yamagata, Y. *see* Higuchi, M. 88−19138
Yamagata, Y. *see* Kamaya, M. 87−31897
Yamagawa, H. *see* Takara, T. 88−72785
Yamagishi, A. *see* Date, M. 88−52152
Yamagishi, A. *see* Inoue, T. 88−20041
Yamagishi, C., Kimura, T., Akiyama, M., Kaminishi, K. Recrystallization of Ge on SiO$_2$ using SrF$_2$ seed by pseudo-line electron beam annealing 87−65514
Yamagishi, C., Sano, Y., Nonaka, T., Ishida, T., Kaminishi, K. Crystallization of germanium films on silicon by ionized cluster beam deposition 85−16952
Yamagishi, C. *see* Ishida, T. 85−50532
Yamagishi, C. *see* Kimura, T. 88−18700
Yamagishi, F., Hasegawa, S., Ikeda, H., Inagaki, T. Lensless holographic line scanner 87−12635
Yamagishi, F. *see* Hasegawa, S. 88−27325
Yamagishi, F. *see* Ikeda, H. 88−27315
Yamagishi, F. *see* Inagaki, T. 87−47001
Yamagishi, F.G. *see* Efron, U. 85−12663
Yamagishi, H. Characteristics of WN/GaAs Schottky contacts formed by reactive RF sputtering 85−23542
Yamagishi, H. Barrier height of metal/InP Schottky contacts with interface oxide layer 88−71350
Yamagishi, H., Kida, H., Kamada, T., Okamoto, H., Hamakawa, Y. Analysis of light and current induced effects in hydrogenated amorphous silicon 86−8808
Yamagishi, H., Kida, H., Kamada, T., Okamoto, H., Hamakawa, Y. The effects of light soaking and current injection on $\mu\tau$ product and localized electronic state in a-Si:H 87−12303
Yamagishi, H., Miyauchi, M. Au/TaN/WN/GaAs structure Schottky gate formation for self-aligned GaAs MESFET 86−21598
Yamagishi, H., Takada, J., Yamaguchi, M., Hiroe, A., Nishimura, N., Kondo, M., Tsuge, K., Nakayama, T., Mizukami, S., Tawada, Y. Optimization of stable a-SiC/a-Si tandem solar cell with blocking barriers 88−17973
Yamagishi, H., Yamaguchi, M., Hiroe, A., Takada, J., Kondo, M., Tsuge, K., Mizukami, S., Tawada, Y. Stability and performances of amorphous silicon multijunction and single junction solar cells 87−78904
Yamagishi, H., Yamaguchi, M., Kondo, M., Hosokawa, Y., Tsuge, K., Nakayama, T., Tawada, Y. Study of light-induced change in a-SiH solar cells and films by intense light pulse irradiation 88−31013
Yamagishi, H., Yamamoto, Y. Characterization of WN$_x$/GaAs Schottky contacts formed by reactive RF sputtering 87−37973
Yamagishi, H. *see* Anzai, T. 86−71137
Yamagishi, H. *see* Hiroe, A. 88−37548
Yamagishi, H. *see* Kondo, M. 88−37477
Yamagishi, H. *see* Matsumoto, K. 86−14075
Yamagishi, H. *see* Sriyudthsak, M. 88−74803
Yamagishi, H. *see* Takada, J. 87−43461
Yamagishi, H. *see* Tawada, Y. 86−40075, 87−16032, 87−30990, 87−72416
Yamagishi, H. *see* Tsuge, K. 87−9796
Yamagishi, H. *see* Yamaguchi, M. 87−6383, 88−33860
Yamagishi, K., Tarui, Y. Photo-CVD of tantalum oxide film from pentamethoxy tantalum for VLSI dynamic memories 86−52522
Yamagishi, K. *see* Majima, T. 85−24204
Yamagishi, K. *see* Matsui, M. 88−49872
Yamagishi, K. *see* Petricevic, V. 88−40170
Yamagishi, K. *see* Segawa, Y. 87−54276
Yamagishi, K. *see* Tabuchi, T. 87−36805
Yamagishi, K. *see* Tarui, Y. 88−18755, 88−39576
Yamagishi, M., Takechi, M., Ikuzaki, K., Fujita, M., Murata, S., Nogami, K., Asano, M., Masaki, A. A subnanosecond 18K-gate CMOS gate array with 4.6K-bit on-chip RAM 86−46723
Yamagishi, M. *see* Miura, N. 85−55187
Yamagishi, M. *see* Yamada, M. 85−2284, 85−35790, 85−62582
Yamagishi, N. *see* Chiba, M. 88−13663, 88−44954
Yamagishi, N. *see* Horiba, I. 85−53037 to 53038
Yamagishi, N. *see* Iwata, A. 85−15308, 86−70403
Yamagishi, T. *see* Nishii, J. 88−26783, 88−72013
Yamagishi, T. *see* Nomura, T. 86−44731, 86−65481
Yamagishi, T. *see* Shimada, R. 85−5212
Yamagishi, W., Henmi, Z. A new temperature-sensitive material of a sintered NdCo$_5$ compound 85−62185
Yamagishi, Y. Schottky contacts on n-InP surface treated by plasma-induced oxygen radicals 87−17786
Yamagishi, Y., Anan, S., Takatsuka, T. Outline of small-diameter shield tunneling method (D1200-M2) 86−23646
Yamagishi, Y., Ishizuka, T., Yagishita, T., Ikegami, K., Okuyama, H. Holographic recording material containing poly-N-vinylcarbazole 87−12605
Yamagishi, Y., Tsutsumi, M. The tracking system of yachts utilizing ARGOS system 88−28949
Yamagishi, Y. *see* Asano, Y. 87−29494, 87−77538 to 77539
Yamagishi, Y. *see* Horiba, I. 87−29755
Yamagishi, Y. *see* Mochizuki, A. 87−77145
Yamagiwa, A. *see* Ikeda, K. 87−59608
Yamagiwa, H. *see* Tonuma, T. 85−58350
Yamagiwa, K. *see* Kawamata, M. 85−20372
Yamagiwa, T., Ozawa, J. Generalization of equal voltage-time area criterion for estimating voltage-time characteristics of various arrangements in SF$_6$ gas 86−68063
Yamagiwa, T. *see* Anzai, Y. 85−8737
Yamagiwa, T. *see* Endo, F. 86−39992
Yamagiwa, T. *see* Hosokawa, M. 87−50842
Yamagiwa, T. *see* Minemura, H. 85−56255
Yamagiwa, T. *see* Ozawa, J. 87−30873
Yamagiwa, T. *see* Shintomi, T. 86−25062, 86−44519
Yamagiwa, Y., Fukase, M., Kuriki, K. Plasma source for Hall accelerator 85−31963
Yamaguchi, A. Color TV: larger screens no longer mean poor pictures 88−15793
Yamaguchi, A., Kita, S., Fujisawa, K. Noise comparison of biased and unbiased even-harmonic Josephson mixers 85−41051
Yamaguchi, A., Shigehara, H., Sato, K., Iseki, H., Sekiguchi, H., Tsunoda, J., Koyama, M., Suzuki, T., Ishikawa, T., Chimoto, H., Sugi, N. Signal processors for isolated word recognition 87−62138
Yamaguchi, A., Shimomura, T. Studies of anisotropic conducting adhesive film for fine-pitch connectors 88−16359
Yamaguchi, A., Yamamoto, H., Miyazawa, S. Manufacturing and testing for FACOM K-series R model 88−18447
Yamaguchi, A. *see* Fujisawa, K. 85−41055
Yamaguchi, A. *see* Isozumi, S. 88−38182
Yamaguchi, A. *see* Iwata, T. 85−44552
Yamaguchi, A. *see* Kitagaki, T. 88−27124
Yamaguchi, A. *see* Kitamura, T. 88−26935
Yamaguchi, A. *see* Komiya, S. 86−28976
Yamaguchi, A. *see* Kondo, M. 87−23681
Yamaguchi, A. *see* Terauchi, H. 86−54044
Yamaguchi, C., Kobayashi, Y., Sakai, T. A 7 GHz PNP transistor for complementary bipolar LSI 88−7587
Yamaguchi, C. *see* Craddock, M.K. 86−31908
Yamaguchi, C. *see* Shiono, N. 87−11861
Yamaguchi, D. *see* Shiraki, K. 86−4139
Yamaguchi, E. Theory of defect scattering in two-dimensional multisubband electronic systems on III-V compound semiconductors 85−1605
Yamaguchi, E. Transport properties of n-channel inversion layers on InP and InAs MISFETs 85−40780
Yamaguchi, E. Electron subbands and transport properties in inversion layers of InAs and InP 86−8895
Yamaguchi, E., Takayasu, I., Minato, T., Kawashima, M. Growth of ZnSe on Ge(100) substrates by molecular-beam epitaxy 87−73066
Yamaguchi, E., Tsuneyasu, I. Impulse flashover phenomena of negative rod to plane gaps in compressed air 85−55348
Yamaguchi, E. *see* Hirota, Y. 87−25298
Yamaguchi, E. *see* Mikami, O. 85−29211, 85−45728
Yamaguchi, E. *see* Okamura, M. 87−60476, 88−64578
Yamaguchi, F. Applications of the 4×4 determinant method 88−40594
Yamaguchi, F., Fukuda, T., Nishitani, K., Abe, K. Single-chip Y/C signal-processing LSI for 8 mm VCR system 88−12509
Yamaguchi, F. *see* Nagao, M. 86−45627
Yamaguchi, G.T., Baldwin, D.E. Trim coils and magnet alignment in MFTF-B 85−1907
Yamaguchi, H. Efficient encoding of colored pictures in *R*, *G*, *B* components 85−14420
Yamaguchi, H. Optimum quantization of Laplace density signal and its characteristics 85−19326
Yamaguchi, H. High efficiency encoding of colored pictures based on visual property−vector quantization of differential luminance and chrominance signals 85−30357
Yamaguchi, H. Vector quantization of differential luminance and chrominance signal 85−46694
Yamaguchi, H. KDD system sends color images on voice-grade phone lines 86−10689
Yamaguchi, H. Polarization diversity receivers using error-control codes for heterodyne detection lightwave transmission systems 87−8322
Yamaguchi, H. Analysis of error propagation and design of filter cut-off frequency in a quantized feedback DC-restoration system 87−69865
Yamaguchi, H. INVITE: meeting the new visual communications challenge 88−21535
Yamaguchi, H. Polarization diversity receivers using error-control codes for heterodyne detection lightwave transmission systems 88−35469
Yamaguchi, H. Line dose dependence of silicon and gallium arsenide removal by a focused gallium ion beam 88−39211
Yamaguchi, H. The head-mounted display 88−67966
Yamaguchi, H., Hongo, M., Miyauchi, T., Mitani, M. Laser cutting of aluminium stripes for debugging integrated circuits 86−35762
Yamaguchi, H., Kato, Y., Shiota, N., Yanagisawa, M. Co-Pt-M thin film media for high density recording 87−7008
Yamaguchi, H., Shimase, A., Haraichi, S., Miyauchi, T. Characteristics of silicon removal by fine focused gallium ion beam 85−29142
Yamaguchi, H., Sugi, T., Kinuhata, K. Movement-compensated frame-frequency conversion of television signals 88−9738
Yamaguchi, H., Wada, M. Encoding color video signals for 64 kb/s integrated video communication 86−31003
Yamaguchi, H., Wada, M., Hachizuka, Y., Shimizu, M., Iida, M., Miura, K. Standardization trends of OSI Higher Systems 88−67007
Yamaguchi, H., Wada, M., Hayashi, N., Otsuka, H., Komatsu, F. The INVITE 64 video telephone system 88−46473
Yamaguchi, H., Wada, M., Imaiida, S., Suzuki, M., Suzuki, R. The INVITE64 videoconferencing system 88−73721
Yamaguchi, H., Wada, M., Yamamoto, H. 64 kb/s integrated visual telecommunication system 87−8471
Yamaguchi, H., Wada, M., Yamamoto, H. A 64 kbit/s integrated visual communication system−new communication medium for the ISDN 87−13227
Yamaguchi, H., Yamamura, S. Electromagnetic levitation system by means of salient-pole type magnets and trapezoidal laminated rails 87−64909
Yamaguchi, H. *see* Deguchi, F. 88−52860
Yamaguchi, H. *see* Doke, T. 88−16644
Yamaguchi, H. *see* Fuji, M. 86−53273
Yamaguchi, H. *see* Fujino, Y. 85−36876
Yamaguchi, H. *see* Hasegawa, F. 88−18717, 88−38171, 88−49858
Yamaguchi, H. *see* Homma, K. 88−28463
Yamaguchi, H. *see* Horikoshi, Y. 87−16615, 88−38167
Yamaguchi, H. *see* Imai, T. 85−20185
Yamaguchi, H. *see* Isshiki, N. 87−42749
Yamaguchi, H. *see* Kubota, J. 88−38288
Yamaguchi, H. *see* Maruyama, T. 85−42774
Yamaguchi, H. *see* Mochizuki, A. 87−77145
Yamaguchi, H. *see* Murai, M. 85−52059
Yamaguchi, H. *see* Nakagawa, A. 85−55857
Yamaguchi, H. *see* Nakazawa, M. 85−62165
Yamaguchi, H. *see* Ohta, S. 87−48285
Yamaguchi, H. *see* Oku, K. 87−30735
Yamaguchi, H. *see* Tsukioka, H. 86−51685
Yamaguchi, H. *see* Usuzaka, N. 88−64912
Yamaguchi, H. *see* Wada, M. 85−51630, 85−57529, 86−69157, 87−56415
Yamaguchi, H. *see* Yamamoto, H. 85−42775
Yamaguchi, H. *see* Yamamura, S. 87−5065
Yamaguchi, H. *see* Yamane, I. 87−35316
Yamaguchi, H. *see* Yanagisawa, N. 86−71069
Yamaguchi, H. *see* Yoshikawa, K. 86−70171
Yamaguchi, I. Parallel optical processing 86−29983

Yamaguchi, I. Automatic measurement of in-plane translation by speckle correlation using a linear image sensor 87−49972
Yamaguchi, I. Holographic and laser speckle techniques for deformation and vibration measurements 88−22859
Yamaguchi, I. Holography and speckle techniques for deformation measurements 88−40397
Yamaguchi, I., Furukawa, T., Ueda, T., Ogita, E. Accelerated laser speckle strain gauge 86−60234
Yamaguchi, I., Kuroda, M., Sugihara, S., Hashida, Y. Plain paper copier FP-2520 85−27900
Yamaguchi, I., Shinoda, S. On the number of admittance measurements required in the element value calculation 86−687
Yamaguchi, I., Shinoda, S. On the minimum number of admittance measurements required in the element-value calculation 88−24939
Yamaguchi, I., Shinoda, S., Ozawa, T. Conditions on the parameter-value determinability of linear analog circuits 87−65760
Yamaguchi, I. *see* Kurihara, M. 86−62434
Yamaguchi, I. *see* Ohkami, Y. 88−36590
Yamaguchi, I. *see* Okamoto, T. 88−74437
Yamaguchi, I. *see* Shinoda, S. 85−17608
Yamaguchi, I. *see* Takahashi, T. 88−9051
Yamaguchi, I. *see* Yahata, K. 85−19711
Yamaguchi, J. Two-color thermal recording paper 87−65009
Yamaguchi, J., Maeda, S., Iemura, M. Harmonics analysis on the lag type operating circuit for the high pressure mercury arc lamp 85−5489
Yamaguchi, J., Toba, S., Higuchi, T., Yamada, E. Principle and fundamental characteristics of half-wave rectified brushless synchronous motor 88−69308
Yamaguchi, J. *see* Kurisu, M. 85−21514
Yamaguchi, J. *see* Maeda, S. 86−52029, 88−37722
Yamaguchi, K. An extended stream-function method for computer analysis of nonplanar structures 87−18054
Yamaguchi, K. Local area network systems in Fujitsu 87−62626
Yamaguchi, K. Nonperiodic oscillations correlated with saddle-loops in the solutions of Duffing-van der Pol's equation 87−73366
Yamaguchi, K. Recent crystal units and their applications 88−44934
Yamaguchi, K., Igarashi, M., Tabata, H., Suzuki, H. Screen printing grade polyimide paste for alpha-particle protection 86−62284
Yamaguchi, K., Imai, H. Highly reliable multilevel channel coding system using binary convolutional codes 87−75701
Yamaguchi, K., Imai, H. A highly reliable trellis-coded modulation using binary convolutional codes 88−59029
Yamaguchi, K., Ishihara, T., Fujimoto, N. 600 Mbit/s bidirectional transmission on single-mode fiber using 1.3 μm edge-emitting LEDs and optical couplers 88−47131
Yamaguchi, K., Kanetani, K., Todokoro, H., Nakano, T., Akimoto, K., Ogiue, K. An ECL 4K-bit bipolar RAM with an effective access time of 2.5 ns and on-chip address latches 85−49899
Yamaguchi, K., Kato, K. A measuring method of pressure distribution between contact surfaces by means of powder 85−37795
Yamaguchi, K., Kitasagami, H., Kawai, M., Amemiya, I., Touge, T., Tamada, H., Kokado, M., Sugimoto, M. Gigabit receiver ICs for optical communications 88−50988
Yamaguchi, K., Kitasagami, H., Motegi, M., Ogawa, F., Nishimoto, H., Iwamoto, H., Kokado, M. 400 Mbit/s optical regenerator integrated circuits 86−17414
Yamaguchi, K., KJitasagami, H., Motegi, M., Ogawa, F., Nishimoto, H., Iwamoto, H., Kokado, M. 400 Mbit/s optical regenerator integrated circuits 86−43825
Yamaguchi, K., Murakami, K. Broadband ISDN technology 88−73683
Yamaguchi, K., Murata, T., Yamamoto, Y. Contact type high speed image sensor by bipolar ICs 86−5113
Yamaguchi, K., Murata, T., Yamamoto, Y., Nakamura, T., Takizawa, Y. Contact-type image sensor by bipolar ICs 85−56435
Yamaguchi, K., Nambu, H., Kanetani, K., Homma, N., Nishioka, Y., Uchida, A., Ogiue, K. A 3.5 ns, 2W, 20 mm^2 16 Kb ECL bipolar RAM 87−17083
Yamaguchi, K., Nishimura, R., Hagiwara, T., Sumami, H. Theoretical characterization of corrugated capacitor cell (CCC) structure devices by a time-dependent numerical analysis in two dimensions and three dimensional DC simulation 86−57840
Yamaguchi, K., Nishimura, R., Hagiwara, T., Sunami, H. Two-dimensional numerical model of memory devices with a corrugated capacitor cell structure 85−35172
Yamaguchi, K., Nishina, Y. Inelastic tunneling characteristics in Bi-GaS(GaSe)-Bi and Pb-GaS(GaSe)-Bi junctions 86−53488
Yamaguchi, K., Ohtoshi, T. CAD technologies for designing optoelectronic devices 88−8081
Yamaguchi, K., Ohtoshi, T., Kanai-Nagaoka, C., Uda, T., Murayama, Y., Chinone, N. Two-dimensional device simulator for laser diodes: HILADIES 86−58920
Yamaguchi, K., Ohtsuka, T., Taniguchi, A. Digital optical CATV system using hubbed distribution architecture 88−47313
Yamaguchi, K., Ohtsuka, T., Taniguchi, A., Fujimoto, N., Ishihara, T. 8-channel, multi-drop digital video transmission equipment using 800 Mbit/s, 3-level optical transmission 88−4201
Yamaguchi, K., Okamoto, K., Imai, T. High-resistive epitaxial layers of GaAs by MO-CVD 85−39808
Yamaguchi, K., Okamoto, K., Imai, T. Selective epitaxial growth of GaAs by metalorganic chemical vapor deposition 86−26844
Yamaguchi, K., Uchida, M., Wada, N., Isogimi, K. The development of pressure distribution measuring device using laser light 88−53926
Yamaguchi, K., Yagami, H., Fujii, T. New method of time domain analysis of the performance of multilayered ultrasonic transducers 87−29981
Yamaguchi, K., Yamamoto, Y., Moritoki, K., Murata, T., Fujiwara, S. Bipolar IC image sensor using thyristor shift register 88−29435
Yamaguchi, K., Yoshida, N. Forced oscillations in a self-oscillatory system with nonlinear restoring force 87−31744
Yamaguchi, K. *see* Araki-Mishima, N. 87−60485, 88−64597
Yamaguchi, K. *see* Aritaka, N. 87−40590
Yamaguchi, K. *see* Fujimoto, N. 88−46714
Yamaguchi, K. *see* Homma, N. 87−10862
Yamaguchi, K. *see* Horiuchi, M. 85−50555, 86−41812
Yamaguchi, K. *see* Iguchi, K. 86−55312
Yamaguchi, K. *see* Isobe, K. 88−40133, 88−51737
Yamaguchi, K. *see* Iwama, T. 87−46726, 88−72235
Yamaguchi, K. *see* Johansen, W.E. 88−16769
Yamaguchi, K. *see* Kameo, K. 87−28818, 87−49050
Yamaguchi, K. *see* Kanai, C. 86−48413
Yamaguchi, K. *see* Katayama, M. 85−5131
Yamaguchi, K. *see* Kinoshiro, H. 86−29273
Yamaguchi, K. *see* Kusunoki, S. 85−27830
Yamaguchi, K. *see* Mada, J. 85−45967
Yamaguchi, K. *see* Maki, N. 88−55320, 88−69327
Yamaguchi, K. *see* Minami, T. 86−23458, 86−55311, 86−69770
Yamaguchi, K. *see* Mizuta, H. 88−13423
Yamaguchi, K. *see* Nambu, H. 87−37298, 88−12362
Yamaguchi, K. *see* Nishimoto, H. 87−40950
Yamaguchi, K. *see* Nishioka, Y. 86−47779, 87−74408
Yamaguchi, K. *see* Ohtoshi, T. 87−39114, 87−54343
Yamaguchi, K. *see* Ohtsuka, T. 88−22092, 88−53307
Yamaguchi, K. *see* Okada, T. 86−20116
Yamaguchi, K. *see* Okamoto, K. 86−40727, 88−43887
Yamaguchi, K. *see* Okita, Y. 88−64751
Yamaguchi, K. *see* Oozumi, K. 87−62966
Yamaguchi, K. *see* Oyama, A. 88−74191
Yamaguchi, K. *see* Smith, C.F. 88−16768
Yamaguchi, K. *see* Sunami, H. 85−40899, 85−50726
Yamaguchi, K. *see* Tago, H. 85−33857
Yamaguchi, K. *see* Todokoro, H. 86−41885
Yamaguchi, M. Observations of radar sea backscatter using modified marine radar 85−24815
Yamaguchi, M. Electrical conductivity of hydrogenated amorphous silicon alloy films 86−27919
Yamaguchi, M. State of photo ICs and their technical trends 88−60728
Yamaguchi, M., Amano, C. Numerical analysis for radiation-resistant GaAs heteroface solar cell structures 85−27647
Yamaguchi, M., Amano, C. Efficiency calculations of thin-film GaAs solar cells on Si substrates 86−19485
Yamaguchi, M., Amano, C., Sugiura, H., Yamamoto, A. High efficiency AlGaAs-GaAs tandem solar cells with tunnel junction 88−37598
Yamaguchi, M., Ando, K. Mechanism for radiation resistance of InP solar cells 88−69689
Yamaguchi, M., Ando, K., Yamamoto, A., Uemura, C. Injection-enhanced annealing of InP solar-cell radiation damage 85−60430
Yamaguchi, M., Dohi, Y. Home automation systems using nonlicensed RF devices 86−69744
Yamaguchi, M., Dohi, Y., Kobayashi, T., Okamoto, A. Home information system YL-800M 85−49319
Yamaguchi, M., Emura, K., Kitamura, M., Mito, I., Kobayashi, K. InGaAsP carrier injection modulator integrated with DFB LD 87−38948
Yamaguchi, M., Fritzsche, H. Effect of the surface condition on the conductance of hydrogenated amorphous silicon 85−6720
Yamaguchi, M., Hamajima, T., Okuma, H., Ichikawa, H., Miura, A., Sawada, Y. Development of a 12 T forced-cooling toroidal field coil 85−41088
Yamaguchi, M., Hashimoto, K., Uzawa, K., Kogo, H. High frequency operation for resin-coated BAW beam devices 85−18530
Yamaguchi, M., Hashimoto, K.Y., Makita, H. Finite element method analysis of dispersion characteristics for 1-3 type piezoelectric composites 88−57838
Yamaguchi, M., Hayasaka, A., Horizaki, K., Murakami, K., Hojo, H. Applications of magnetic coaxial pipe to current detection 88−55080
Yamaguchi, M., Horiuchi, T., Murakami, K. Core noise and an anomalous phenomenon in amorphous tape wound cores used for sensitive magnetic amplifier 87−18531
Yamaguchi, M., Itoh, Y. Efficiency considerations for poly crystalline GaAs thin-film solar cells 86−66328
Yamaguchi, M., Itoh, Y., Ando, K. Room-temperature annealing of radiation-induced defects in InP solar cells 85−21798
Yamaguchi, M., Itoh, Y., Ando, K., Yamamoto, A. Room-temperature annealing effects on radiation-induced defects in InP crystals and solar cells 87−22742
Yamaguchi, M., Kanayama, K., Kikuchi, K. Two-dimensional image direct switching matrix using liquid crystal polarization controllers 88−45229
Yamaguchi, M., Kaneko, K., Seo, H. Fluorescent indicator panel with simple diode construction 88−16315
Yamaguchi, M., Kawabata, K. Power line information carrier technology 86−69564
Yamaguchi, M., Kikuchi, K. Tuning characteristics and inverter/inverted-output flip-flop operation of tandem-electrode laser diode 87−33156
Yamaguchi, M., Kitamura, M., Murata, S., Mito, I., Kobayashi, K. Wide range wavelength tuning in 1.3 μm DBR-DC-PBH-LDs by current injection into the DBR region 85−18931
Yamaguchi, M., Koizumi, Y., Numai, T., Mito, I., Kobayashi, K. High single longitudinal mode yield in 1.55 μm phase shifted DFB-DC-PBH LDs with a novel cavity end structure 88−45449
Yamaguchi, M., Kubota, R., Hayashi, H., Midorikawa, M. New electro-pneumatic valve positioner VP100 88−71870
Yamaguchi, M., Maeno, S. Private videotex system Wide-KTOS/VDX of computer school MELON in Kobe 87−20164
Yamaguchi, M., Murakami, K. Control of magnetization curve of amorphous magnetic cores up to 1 MHz 87−25851
Yamaguchi, M., Murakami, K. CMC for amorphous magnetic cores in a 100 KHz-1 MHz frequency range 87−67773
Yamaguchi, M., Murakami, K. Flux resetting characteristics of amorphous thin-tape cores up to megahertz region 88−57986
Yamaguchi, M., Shinozuka, T., Matsumoto, T., Hisamatsu, H. ISDN user access system at the basic and primary rate interface 87−48383
Yamaguchi, M., Takada, J., Hosokawa, Y., Tawada, Y. The study of carrier transport in thin a-SiH films by the aid of transient and steady-state photocurrent measurement 86−27905
Yamaguchi, M., Takada, J., Hosokawa, Y., Yamagishi, H., Hiroe, A., Tawada, Y. Study of carrier transport in a-Si:H films 87−6383
Yamaguchi, M., Uemura, C. Changes in the electrical properties of GaAs due to electron irradiation 85−23442
Yamaguchi, M., Yamagishi, H., Kondo, M., Hiroe, A., Hosokawa, Y., Tsuge, K., Nakayama, T., Mizukami, S., Tawada, Y. Study of electron transport and light-induced effects in a-SiH films 88−33860
Yamaguchi, M., Yamamoto, A. Present status and future prospects of InP solar cells 88−49138
Yamaguchi, M., Yamamoto, A., Itoh, Y. Effect of dislocations on the efficiency of thin-film GaAs solar cells on Si substrates 86−45663
Yamaguchi, M., Yamamoto, A., Itoh, Y., Nishioka, T. High efficiency GaAs and InP thin-film solar cells fabricated on Si substrates 88−37427
Yamaguchi, M., Yamamoto, A., Uchida, N., Uemura, C. A new approach for thin film InP solar cells 87−36143
Yamaguchi, M., Yamamoto, A., Uemura, C. Impurity concentration effects on radiation defect introduction in InP examined by in situ measurement 85−18071
Yamaguchi, M. *see* Amano, C. 86−13040, 88−5853, 88−24127, 88−69687
Yamaguchi, M. *see* Ando, K. 85−28948, 86−13032, 87−4956
Yamaguchi, M. *see* Emura, K. 87−56156
Yamaguchi, M. *see* Fukada, N. 86−33667
Yamaguchi, M. *see* Hashimoto, K. 85−12464, 85−20551, 85−48498, 86−15320, 86−15542, 86−28556, 87−12275, 87−56123, 87−74462, 88−13648, 88−51106

Yamaguchi, M. *see* Hashimoto, K.Y. 86−2896, 87−1834, 87−67629
Yamaguchi, M. *see* Hashimoto, S. 85−47557
Yamaguchi, M. *see* Hasimoto, K. 86−15318
Yamaguchi, M. *see* Henmi, N. 88−53269
Yamaguchi, M. *see* Hirose, S. 87−37332
Yamaguchi, M. *see* Horiuchi, T. 86−63927, 88−12201
Yamaguchi, M. *see* Horizaki, K. 87−67806
Yamaguchi, M. *see* Ito, M. 87−41825
Yamaguchi, M. *see* Itoh, Y. 86−40078, 86−51917, 87−30938, 87−43430, 88−55618
Yamaguchi, M. *see* Iwamura, S. 88−21829, 88−52763
Yamaguchi, M. *see* Iwase, S. 88−9069
Yamaguchi, M. *see* Kashiwakura, A. 86−60252
Yamaguchi, M. *see* Kato, Y. 85−35753
Yamaguchi, M. *see* Katsumoto, S. 85−60434
Yamaguchi, M. *see* Kawanishi, H. 88−65701
Yamaguchi, M. *see* Kitamura, M. 85−7438, 85−51169, 86−36505
Yamaguchi, M. *see* Kondo, M. 88−37477
Yamaguchi, M. *see* Masuzawa, T. 86−30386
Yamaguchi, M. *see* Minemura, K. 87−40911
Yamaguchi, M. *see* Mito, I. 86−3166
Yamaguchi, M. *see* Mitsui, T. 85−58132
Yamaguchi, M. *see* Miyazaki, T. 86−13204
Yamaguchi, M. *see* Nagai, H. 88−53793
Yamaguchi, M. *see* Nagata, S. 88−41661
Yamaguchi, M. *see* Nakagawa, T. 88−15001
Yamaguchi, M. *see* Nishimoto, H. 87−26428, 88−20653
Yamaguchi, M. *see* Nishioka, T. 88−39076
Yamaguchi, M. *see* Noto, K. 85−41087
Yamaguchi, M. *see* Numai, T. 88−27159
Yamaguchi, M. *see* Ohyama, N. 87−19868
Yamaguchi, M. *see* Okayasu, K. 85−57932, 88−14973
Yamaguchi, M. *see* Okazaki, T. 87−8049, 88−9144
Yamaguchi, M. *see* Otu, H. 87−8658
Yamaguchi, M. *see* Saeki, H. 88−53792
Yamaguchi, M. *see* Sakaki, Y. 87−32877
Yamaguchi, M. *see* Sangen, M. 88−6014
Yamaguchi, M. *see* Senoo, Y. 87−57714
Yamaguchi, M. *see* Shibukawa, A. 86−7110
Yamaguchi, M. *see* Sugiura, H. 88−43385
Yamaguchi, M. *see* Sugo, M. 86−26292, 87−51458, 88−38159
Yamaguchi, M. *see* Sy, K.K. 88−3528
Yamaguchi, M. *see* Takada, J. 87−43461, 87−64821
Yamaguchi, M. *see* Tanahashi, M. 87−70431
Yamaguchi, M. *see* Tanaka, K. 85−35544
Yamaguchi, M. *see* Tashiro, T. 86−34848
Yamaguchi, M. *see* Tawada, Y. 86−40075, 87−16032, 87−30990, 87−72416
Yamaguchi, M. *see* Tsuge, K. 87−9796
Yamaguchi, M. *see* Uchida, N. 88−18701
Yamaguchi, M. *see* Wakimoto, A. 85−17467
Yamaguchi, M. *see* Weinberg, I. 87−78952, 88−5878
Yamaguchi, M. *see* Yamada, H. 88−8428, 88−52172
Yamaguchi, M. *see* Yamagishi, H. 87−78904, 88−17973, 88−31013
Yamaguchi, M. *see* Yamamoto, A. 86−13033, 86−26287
Yamaguchi, M. *see* Yamamoto, M. 88−69286
Yamaguchi, M. *see* Yamashita, T. 86−47258
Yamaguchi, M. *see* Yamazaki, S. 85−35752, 86−23849, 86−49693
Yamaguchi, M. *see* Yamomoto, M. 85−48566
Yamaguchi, M. *see* Yanase, T. 86−22405
Yamaguchi, N., Aoki, S. A microchannel plate X-ray collimator 88−29932
Yamaguchi, N., Funabashi, T., Iwasaki, K., Shimura, T., Hagiwara, Y., Minorikawa, K. A self-testing method for modular structured logic VLSIs 85−40877
Yamaguchi, N., Yako, H., Ohnishi, M. An advanced 405 Mbit/s optical regenerator for longer repeater spacing 86−69771
Yamaguchi, N. *see* Iwasaki, K. 85−54850, 86−2331, 86−67169
Yamaguchi, N. *see* Iwaskai, K. 88−19079
Yamaguchi, N. *see* Kanazawa, H. 87−74970
Yamaguchi, N. *see* Kondoh, T. 88−36401
Yamaguchi, N. *see* Maeno, K. 86−3076
Yamaguchi, N. *see* Sato, I. 87−14653, 87−41782
Yamaguchi, N. *see* Watanabe, T. 87−76945
Yamaguchi, N. *see* Yamasaki, J. 87−25765
Yamaguchi, R., Komatsu, K., Moriya, S., Harada, K. Integrated electrical vernier to measure registration accuracy 87−1586
Yamaguchi, R., Nose, T., Sato, S. Properties of nematic liquid-crystal cells with axially symmetrical molecular orientations 88−47651
Yamaguchi, R. *see* Fukui, M. 86−53746, 87−59088
Yamaguchi, R. *see* Iwadate, K. 87−38378
Yamaguchi, R. *see* Matsuda, T. 85−35165
Yamaguchi, S. Analysis of the magnetic dielectric zinc ferrites using electron diffraction 86−2590
Yamaguchi, S., Fukunishi, K., Takata, Y., Taniguruma, R., Ono, T. High performance remote controlled X-ray diagnostic table, model ZS-30 85−38105
Yamaguchi, S., Hosono, T. Propagation characteristics of electromagnetic waves guided by an inhomogeneous plasma slab 85−62793
Yamaguchi, S., Narimatsu, K. MOS-1 VTIR data processing software 87−41507
Yamaguchi, S., Suzuki, M. Power level controlled optical sweep oscillator using a GaAs semiconductor laser 88−20704
Yamaguchi, S. *see* Almuallim, H. 88−3174
Yamaguchi, S. *see* Doke, T. 88−16644
Yamaguchi, S. *see* Hamada, T. 88−46606
Yamaguchi, S. *see* Hosono, T. 85−41135, 85−50972, 87−53963
Yamaguchi, S. *see* Ichiyama, T. 86−40792
Yamaguchi, S. *see* Kakunai, S. 88−72433
Yamaguchi, S. *see* Kamada, Y. 85−58945
Yamaguchi, S. *see* Kamei, H. 88−60918
Yamaguchi, S. *see* Kannari, F. 85−2247
Yamaguchi, S. *see* Kobayashi, F. 86−38779, 87−21550
Yamaguchi, S. *see* Komatsu, N. 88−50428
Yamaguchi, S. *see* Mori, K. 85−18728, 87−53960, 87−68741
Yamaguchi, S. *see* Niiyama, S. 88−50437
Yamaguchi, S. *see* Nishimura, N. 86−36026
Yamaguchi, S. *see* Ohkuma, H. 87−33090
Yamaguchi, S. *see* Ohsaki, T. 88−25747
Yamaguchi, S. *see* Sawabe, E. 85−37193
Yamaguchi, S. *see* Suzuki, A. 87−59494
Yamaguchi, S. *see* Suzuki, I. 87−73812
Yamaguchi, S. *see* Suzuki, M. 86−68516, 88−52626
Yamaguchi, S. *see* Suzuki, S. 88−66607
Yamaguchi, S. *see* Tado, S. 87−1926
Yamaguchi, S. *see* Takahashi, K. 86−23804
Yamaguchi, S. *see* Takahashi, M. 87−1190
Yamaguchi, S. *see* Tomimitsu, Y. 88−19243
Yamaguchi, S. *see* Wahori, Y. 88−41102
Yamaguchi, S. *see* Yamamoto, H. 88−42229
Yamaguchi, S. *see* Yamamoto, K. 85−43213
Yamaguchi, S. *see* Yamashita, M. 88−60867
Yamaguchi, T. Linear motor control systems 85−32515
Yamaguchi, T. A new tape path analysis system for all VCR tape transport systems 86−11302
Yamaguchi, T. Effects of essay axis rotation of magnetic properties in (110) [001] Si-Fe with loss thickness 86−58663
Yamaguchi, T. Some location problems on grid graphs 87−186
Yamaguchi, T. Bulk density and its automatic continuous measurements 87−63534
Yamaguchi, T. Monolithic 3-beam semiconductor laser: now a practical reality 88−2265
Yamaguchi, T., Fujita, K. The relation between measured two-color temperature and the true temperature 88−22834
Yamaguchi, T., Imamura, M. Hysteresis loss in thinned single crystals of 3% Si-Fe 88−1857
Yamaguchi, T., Ishida, Y. A professional-use digital-audio tape recorder 87−49420
Yamaguchi, T., Kageyama, M. Effect of RuO_2 on the behavior of silver at thick-film terminations 88−38943
Yamaguchi, T., Kimura, T. Stabilized light source 88−26993
Yamaguchi, T., Kurihara, M., Kaji, I. Facility location problem on a cycle-graph according to minimean median criterion 86−46211
Yamaguchi, T., Morimoto, S., Park, H.K., Eiden, G.C. Process and device performance of submicrometer-channel CMOS devices using deep-trench isolation and self-aligned $TiSi_2$ technologies 85−35166
Yamaguchi, T., Takeda, K. Effects of crystallographic misorientation on power loss in (110) [001] three per cent Si-Fe sheets with low thickness 85−35290
Yamaguchi, T., Ueda, F., Takeda, K. Automatic measurement of Preisach distributions in soft magnetic materials 88−1855
Yamaguchi, T., Yu, Y.-S., Lane, E., Lee, J., Patton, E., Herman, R., Ahrendt, D., Drobny, V., Garuts, V. 70 ps ECL gate Si bipolar technology using Borosenic-poly process with coupling-base implant 88−64750
Yamaguchi, T., Yu, Y.-C.S., Lane, E.E., Lee, J.S., Patton, E.E., Herman, R.D., Ahrendt, D.R., Drobny, V.F., Yuzuriha, T.H., Garuts, V.E. Process and device performance of a high-speed double poly-Si bipolar technology using borosenic-poly process with coupling-base implant 88−64746
Yamaguchi, T. *see* Ando, T. 85−41089
Yamaguchi, T. *see* Goto, H. 85−51871, 87−48390
Yamaguchi, T. *see* Hayashi, K. 87−73797
Yamaguchi, T. *see* Hiranaka, K. 87−25297, 87−74314, 88−26253
Yamaguchi, T. *see* Hirano, M. 87−66287
Yamaguchi, T. *see* Iga, K. 86−68540
Yamaguchi, T. *see* Imamura, M. 85−12479
Yamaguchi, T. *see* Ito, H. 87−8116
Yamaguchi, T. *see* Katane, T. 85−26443
Yamaguchi, T. *see* Kikkawa, S. 87−50245
Yamaguchi, T. *see* Kimura, M. 86−7308
Yamaguchi, T. *see* Kitamura, A. 87−34309, 87−76490
Yamaguchi, T. *see* Koga, K. 88−24694
Yamaguchi, T. *see* Konishi, T. 88−39006
Yamaguchi, T. *see* Matsubara, K. 86−60326
Yamaguchi, T. *see* Miyazawa, I. 86−34451
Yamaguchi, T. *see* Murata, E. 85−25528
Yamaguchi, T. *see* Murayama, H. 86−64944
Yamaguchi, T. *see* Nakai, R. 85−33401
Yamaguchi, T. *see* Natori, N. 88−10464
Yamaguchi, T. *see* Niwa, H. 87−34314
Yamaguchi, T. *see* Oikado, T. 87−66841
Yamaguchi, T. *see* Okada, T. 86−29386
Yamaguchi, T. *see* Okamoto, S. 87−39397
Yamaguchi, T. *see* Onishi, K. 87−55161, 88−47382
Yamaguchi, T. *see* Ono, T. 87−55151
Yamaguchi, T. *see* Park, H. 87−25249
Yamaguchi, T. *see* Park, H.K. 87−18095
Yamaguchi, T. *see* Saito, N. 85−10764, 86−27891, 86−63061, 87−6386, 88−72212
Yamaguchi, T. *see* Shiba, K. 85−47905
Yamaguchi, T. *see* Shikata, Y. 85−40017
Yamaguchi, T. *see* Shimizu, M. 87−16037
Yamaguchi, T. *see* Sugawara, K. 87−16036
Yamaguchi, T. *see* Sukegawa, T. 85−34843
Yamaguchi, T. *see* Suzuki, H. 87−27848
Yamaguchi, T. *see* Takahashi, M. 87−45527
Yamaguchi, T. *see* Takeda, K. 86−58662, 88−57912
Yamaguchi, T. *see* Takeuchi, T. 85−19987, 85−52246, 87−13520, 88−15296, 88−46722
Yamaguchi, T. *see* Tsukamoto, T. 86−5356
Yamaguchi, T. *see* Ueda, F. 87−3725
Yamaguchi, T. *see* Umeda, N. 87−14523
Yamaguchi, T. *see* Uozumi, K. 88−10129
Yamaguchi, T. *see* Watanabe, N. 88−48680
Yamaguchi, T. *see* Yagi, K. 87−68518, 88−40239
Yamaguchi, T. *see* Yajima, K. 85−17996
Yamaguchi, T. *see* Yodoshi, K. 85−43049, 88−40238
Yamaguchi, T. *see* Yoshimura, T. 87−17777, 87−53298
Yamaguchi, Y. Image-scale and look-direction effects on the detectability of lineaments in radar images 85−43470
Yamaguchi, Y., Abe, T., Sekiguchi, T. Experimental study of radio propagation characteristics in an underground street and corridors 86−63990
Yamaguchi, Y., Abe, T., Sekiguchi, T. Radio propagation characteristics in underground streets crowded with pedestrians 88−52209
Yamaguchi, Y., Abe, T., Sekiguchi, T., Chiba, J. Attenuation constants of UHF radio waves in arched tunnels 85−57023
Yamaguchi, Y., Banno, T., Shishido, A., Kobayashi, T. 12-inch flat face high resolution color display tube 86−5390
Yamaguchi, Y., Banno, T., Shishido, A., Kobayashi, T. 12-inch flat face high resolution color display tube 86−5395
Yamaguchi, Y., Hase, H., Yano, Y., Kinugasa, Y. Lineament analysis of radar images and associated soil gas surveys in the Hohi geothermal area 86−6062
Yamaguchi, Y., Hirano, N. Echo distortion in optical FM communication systems 87−8321
Yamaguchi, Y., Ishino, J., Hida, N. Evaluation of creep of load cells utilizing strain gauges 86−11579
Yamaguchi, Y., Kawamoto, H., Tanimura, N. 256K pseudostatic RAM suits small systems 85−17412
Yamaguchi, Y., Majima, O., Sakuma, M., Abe, T. Radio wave propagation in the underground street 85−62789
Yamaguchi, Y., Nihei, K., Abe, T., Sekiguchi, T. Radio propagation characteristics in underground street crowded with pedestrians 88−20909
Yamaguchi, Y., Ohtaki, Y., Abe, T. Propagation characteristics of electromagnetic waves in groove guides [mobile radio systems] 87−7539
Yamaguchi, Y., Ohtaki, Y., Abe, T. Propagation characteristics of electromagnetic waves in groove guides 88−34293
Yamaguchi, Y., Ohtaki, Y., Watanabe, K., Kidou, Y., Abe, T. Experimental study of road guided waves in a snowy mountain 87−26781
Yamaguchi, Y., Ootaki, Y., Abe, T. Propagation analysis of road guided waves by ray method 86−68777
Yamaguchi, Y., Sekiguchi, M. Round cylindrical components designed for multimount technology 87−45424
Yamaguchi, Y., Shioya, J., Mizoguchi, A., Ueba, Y., Matsubara, H., Murakami, S. Synthesis and properties of highly conductive graphite fibers and films 87−44390
Yamaguchi, Y., Takahashi, K., Fujita, H., Kuwahara, K. Flow induced vibration of magnetic head suspension in hard disk drive 87−25831
Yamaguchi, Y. *see* Banno, T. 85−18034
Yamaguchi, Y. *see* Futatsugi, T. 87−38214, 87−45906, 88−39417
Yamaguchi, Y. *see* Hayashi, S. 85−20505
Yamaguchi, Y. *see* Imanaka, N. 86−24496, 87−14280, 87−63374
Yamaguchi, Y. *see* Ishiuchi, H. 87−74320
Yamaguchi, Y. *see* Kawamoto, H. 85−22874
Yamaguchi, Y. *see* Kikumoto, Y. 87−55658
Yamaguchi, Y. *see* Kitamura, M. 88−51339

Yamaguchi, Y. *see* Kobayashi, M. 85—4229, 86—44560
Yamaguchi, Y. *see* Kobayshi, M. 86—44561
Yamaguchi, Y. *see* Kurafuji, Y. 86—29602
Yamaguchi, Y. *see* Kusunoki, S. 88—64374
Yamaguchi, Y. *see* Miyazaki, H. 85—19054
Yamaguchi, Y. *see* Nakagawa, A. 86—47605, 87—25330, 87—38289, 87—46000, 88—19940, 88—70541
Yamaguchi, Y. *see* Ohnishi, T. 85—6948, 85—40783
Yamaguchi, Y. *see* Ohtaki, Y. 88—52210
Yamaguchi, Y. *see* Oishi, K. 86—34811
Yamaguchi, Y. *see* Onodera, H. 85—24193
Yamaguchi, Y. *see* Ooka, T. 86—50124
Yamaguchi, Y. *see* Petricevic, V. 88—40170
Yamaguchi, Y. *see* Segawa, Y. 87—54276
Yamaguchi, Y. *see* Shibatomi, A. 88—13330
Yamaguchi, Y. *see* Takasaki, M. 86—31869
Yamaguchi, Y. *see* Tokuyama, M. 88—51329
Yamaguchi, Y. *see* Yamamoto, T. 88—36479
Yamaguchi, Y. *see* Yamamoto, Y. 88—74848
Yamaguchi, Y. *see* Yamauchi, H. 85—45962, 86—28624
Yamaguchi, Y. *see* Yokote, K. 88—53790
Yamaguchi Tetsuo *see* Tetsuo Yamaguchi
Yamagudhi, M. *see* Yamamoto, A. 87—72391
Yamaguti, Y. *see* Hisano, A. 86—55849, 87—47995
Yamahata, H. *see* Nakagawa, K. 88—19192
Yamahata, S., Adachi, S. Be^+/P^+ and Be^+/As^+ dual implantations into $Al_xGa_{1-x}As$ 88—50622
Yamahata, S., Adachi, S., Ishibashi, T. Electrical properties of Be^+ ion-implanted $Al_xGa_{1-x}As$ *p-n* junctions 88—1421
Yamahata, S., Adalchi, S., Ishibashi, T. Be-ion implantation in $Al_xGa_{1-x}As$ 87—11607
Yamahata, S. *see* Adachi, S. 88—7303
Yamahira, T. Traffic surveillance 88—43453
Yamahira, T. *see* Kudo, Y. 86—17664
Yamai, H. *see* Yamaoka, H. 88—29605
Yamaikin, V.E. *see* Alishev, Ya.V. 87—49189
Yamaji, A. *see* Hirai, T. 85—27614
Yamaji, A. *see* Itao, K. 87—60995, 88—20329
Yamaji, A. *see* Koike, K. 88—15367
Yamaji, A. *see* Tobishima, S.-I. 85—16217
Yamaji, H., Miyoshi, M., Kano, M., Okumura, K. High accuracy and automatic measurement of the pattern linewidth on very large scale integrated circuits 85—62001
Yamaji, H. *see* Miyoshi, M. 86—53738, 86—58583
Yamaji, H. *see* Yoshino, M. 88—53721
Yamaji, K. Review on energy economics 86—32887
Yamaji, K. *see* Kasuga, T. 88—15717
Yamaji, M. *see* Doi, Y. 87—32404
Yamaji, M. *see* Nakata, M. 87—21163
Yamaji, N. *see* Matsumura, S. 88—51143
Yamaji, N. *see* Oishi, T. 87—36504
Yamaji, T. *see* Mizumata, H. 88—43037
Yamaji, T. *see* Sakamoto, K. 86—21652
Yamaka, E. Application of IR technology to remote sensing 85—37480
Yamakage, Y. *see* Hirose, M. 86—9034
Yamakage, Y. *see* Yokoyama, S. 85—45606, 86—2031, 86—53560
Yamakami, T. *see* Baba, K. 87—3717
Yamakawa, A., Doi, Y., Kamijo, E., Miyake, M., Honda, M., Saitoh, Y., Higuchi, M. The development of high strength ZrO_2 (HIPed-PSZ) 86—52534
Yamakawa, A. *see* Kamijo, E. 85—33518
Yamakawa, H., Watanabe, I., Uchiyama, N.S., Koyama, F., Iga, K. Fabrication and characteristics of GaInAsP/InP surface emitting laser with circular buried heterostructure 87—68529
Yamakawa, H., Yui, K., Kiyota, T., Kouno, I., Sasaki, R., Hirata, A., Kimijima, F., Komiya, S. All aluminium alloy sputter equipment of small scale 86—13804
Yamakawa, H. *see* Gonohe, N. 87—65517
Yamakawa, H. *see* Ibe, H. 88—45452
Yamakawa, H. *see* Kang, H.J. 88—1340
Yamakawa, H. *see* Okano, S. 87—67206
Yamakawa, H. *see* Saito, T. 87—60287
Yamakawa, H. *see* Suzuki, M. 87—6556
Yamakawa, K. Development of the hydrogen detector performing real-time prediction of plant damage 86—38334
Yamakawa, K. Electric car of private railway 88—31097
Yamakawa, K. Electric railcars of private railway companies 88—31105
Yamakawa, K., Doi, K. The study for an advanced use of satellite communication—the development of the distributed videotex database retrieval system using satellite communication 88—28794
Yamakawa, K., Hirata, K., Takeda, K. CS-2 pilot program [satellite communications] 87—40789
Yamakawa, K., Nakamkura, Y., Iwasaki, S. Effect of domain structure of main pole film on reproducing sensitivity of SPT head 86—68166
Yamakawa, K., Nakamura, Y., Iwasaki, S. Effect of domain structure of main pole film on reproducing sensitivity of SPT head 86—58686
Yamakawa, K. *see* Iwasaki, S. 88—1869, 88—26670
Yamakawa, K. *see* Nakamura, Y. 86—28683
Yamakawa, K. *see* Sakurakouji, M. 88—22445
Yamakawa, K. *see* Yamada, H. 87—42023
Yamakawa, M. *see* Hosoya, S. 88—6987
Yamakawa, O. *see* Itoh, R. 87—41842
Yamakawa, S. *see* Inagaki, M. 85—25316
Yamakawa, S. *see* Itoh, H. 85—1994, 85—35517
Yamakawa, S. *see* Murata, N. 85—12562
Yamakawa, S. *see* Shuto, Y. 85—1993
Yamakawa, S. *see* Wagatsuma, M. 87—7162
Yamakawa, T. CMOS multivalued circuits in hybrid mode 86—963
Yamakawa, T. Relationship between outdoor exposure and accelerated aging tests of painted items 86—19868
Yamakawa, T. Post binary computer 87—11925
Yamakawa, T. Fuzzy hardware systems of tomorrow 88—70677
Yamakawa, T., Einaga, M. Hybrid-mode multiple-valued logic circuits based on Nyquist expansion 87—643
Yamakawa, T., Honda, S., Ohkoshi, M., Kusuda, T. A study on magnetic hysteresis loops in columnar perpendicular magnetic films having the statistical dispersions of easy axes 86—9387
Yamakawa, T., Kabuo, H. A programmable fuzzifier integrated circuit—synthesis, design, and fabrication 88—64792
Yamakawa, T., Kabuo, H., Miki, T. Implementation of programmable membership function circuits in the p-MOS technology 87—24086
Yamakawa, T., Miki, T. The fuzzy logic semicustom IC fabricated by using the standard p-MOS process 85—741
Yamakawa, T., Miki, T. The current mode fuzzy logic integrated circuits fabricated by the standard CMOS process 86—40993
Yamakawa, T., Miki, T., Ueno, F. Basic fuzzy logic circuit formed by using p-MOS current mirror circuits 85—28496
Yamakawa, T., Miki, T., Ueno, F. The design and fabrication of the current mode fuzzy logic semicustom IC in the standard CMOS IC technology 86—2404
Yamakawa, T., Miki, T., Ueno, F. Basic fuzzy logic circuit formed by using p-MOS current mirror circuits 87—52504
Yamakawa, T., Sato, S., Kitamura, H., Takasaki, E., Shioya, T., Mitsuhashi, T., Kihara, M., Lesmond, C. The construction of the superconducting vertical wiggler and its operation in the Photon Factory 86—60450
Yamakawa, T. *see* Honda, S. 86—28598
Yamakawa, T. *see* Hori, T. 85—58119
Yamakawa, T. *see* Sato, S. 86—5675
Yamakawa, T. *see* Yonehara, H. 86—32064
Yamakawa, Y., Furuya, H., Tanaka, Y., Suzuki, Y. AC spindle drive system for small-sized machine tool FRENIC 5000M 86—61768
Yamakawa, Y., Furuya, H., Toyoshima, S., Kato, M. AC spindle drive system for machine tool FRENIC 5000V2/VH2 86—61767
Yamakawa, Y. *see* Aoki, S. 87—14768
Yamaki, H. A conjecture of Frobenius and the sporadic simple groups. II 86—52346
Yamaki, H. *see* Enami, K. 87—27619
Yamaki, J. *see* Sakurai, Y. 85—44153, 87—78877
Yamaki, J. *see* Tobishima, S. 86—13012, 87—72381
Yamaki, J.-I. *see* Hirai, T. 85—27614
Yamaki, J.-I. *see* Shin-ichi Tobishima 86—51879
Yamaki, J.-I. *see* Tobishima, S.-I. 85—16217
Yamaki, J.I. *see* Sakurai, Y. 88—37367
Yamaki, M. *see* Oshima, K. 85—63661
Yamaki, N. *see* Yabe, H. 88—11896
Yamaki Jun-ichi *see* Jun-ichi Yamaki
Yamakido, K., Kokubo, M., Kozaki, T., Nishita, S., Nishihara, T., Miyake, N., Ohwada, K. A subscriber digital signal processor LSI for PCM applications 88—59872
Yamakido, K., Nishita, S., Kokubo, M., Shirasu, H., Ohwada, K., Nishihara, T. A voiceband 15 b interpolative converter chip set 87—20297
Yamakido, K. *see* Kozaki, T. 88—46770
Yamakita, J. *see* Rokushima, K. 88—20872, 88—45196
Yamakita, J. *see* Tominaga, K. 88—2067
Yamakoshi, H. *see* Hakata, H. 87—78999
Yamakoshi, H. *see* Yoshida, S. 87—12354
Yamakoshi, H. *see* Yoshimoto, H. 86—58870
Yamakoshi, K., Kawarada, A., Kamiya, A., Shimazu, H., Ito, H. Long-term ambulatory monitoring of indirect arterial blood pressure using a volume-oscillometric method 86—5883
Yamakoshi, K. *see* Kawarada, A. 87—14857
Yamakoshi, K. *see* Shimazu, H. 85—26778
Yamakoshi, K. *see* Takahashi, M. 88—50470
Yamakoshi, K. *see* Tanaka, S. 88—16789
Yamakoshi, S., Tanaka, K., Wakao, K., Aoki, O., Nakai, K. InGaAsP/InP flat-surface BH laser embedded with iron-doped SI-InP 88—65721
Yamakoshi, S. *see* Endo, T. 87—51844
Yamakoshi, S. *see* Fujii, T. 85—35794, 85—44720, 86—9706
Yamakoshi, S. *see* Ishikawa, H. 86—48436, 87—40893, 87—68515
Yamakoshi, S. *see* Kamite, K. 86—42530
Yamakoshi, S. *see* Kotai, Y. 86—42537
Yamakoshi, S. *see* Nakai, K. 88—64253
Yamakoshi, S. *see* Sanada, T. 85—24417, 88—2226
Yamakoshi, S. *see* Shirasaki, M. 86—36506
Yamakoshi, S. *see* Soda, H. 87—68469
Yamakoshi, S. *see* Tanaka, K. 86—15686, 87—52119
Yamakoshi, S. *see* Wada, O. 85—7435, 85—46295, 85—51072
Yamakoshi, S. *see* Wakao, K. 85—35756, 87—68485, 88—2249
Yamakoshi, S. *see* Yano, M. 87—18968
Yamakoshi, T. *see* Tanno, Y. 88—60709
Yamakoshi, Y. Navigation 85—3541
Yamakoshi, Y., Atoda, N., Shimizu, K., Sato, T., Shimizu, Y. High-resolution X-ray lithography using a phase mask 86—41629
Yamakoshi, Y., Atoda, N., Shimizu, K., Sto, T., Shimizu, Y. X-ray lithography system: analysis and an optimum construction 86—41628
Yamakoshi, Y. *see* Fukui, C. 86—32714
Yamakoshi, Y. *see* Sato, T. 87—21278, 87—70841
Yamaletdinov, A.G. *see* Akmanov, A.G. 86—48376, 87—61210
Yamamaoto, S.-i., Sawada, F., Kasai, K. Observations of the magnetosphere and ionosphere by Dynamics Explorer satellite. V. Unmanned operational system for receiving S-band signals form the DE-1 88—36648
Yamamaru, M. *see* Yamauchi, T. 87—36063
Yamamasu, Y., Abe, H., Igeta, M. Development of molten carbonate fuel cell electrodes and electrolyte tiles 86—61727
Yamamasu, Y. *see* Sato, S. 88—37375
Yamamato, M. *see* Morikawa, H. 88—67303
Yamamichi, Y., Ito, T., Oosuga, T. Recent application of induction generators 86—33392
Yamamitsu, C., Ide, A., Iketani, A., Juri, T. An experimental digital VTR capable of 12-hour recording 88—15828
Yamamitsu, C., Kamura, T., Togashi, S., Agari, H. 1-inch high-definition VTR 86—38085
Yamamitsu, C., Suesada, K., Ogura, I., Iketani, A. High density recording and bit rate reduction for a 2-hour digital VTR 86—38109
Yamamitsu, C. *see* Iketani, A. 86—36929
Yamamitsu, C. *see* Nishigori, Y. 88—15778
Yamamizu, S., Chubachi, N. Ultrasonic transducer composed of two piezoelectric layers with variable weighting 86—18625
Yamamizu, S. *see* Sakaguchi, K. 87—12020
Yamamori, K. New 103 key telephone system—Howdy Home telephone 86—49342
Yamamori, K. Automatic balancing anti-sidetone network design for telephone sets 88—53073
Yamamori, K., Kato, K. Howdy Cordlessphone—a newly designed cordless telephone system 86—59700
Yamamori, K., Konno, S., Yoshitoshi, M., Watanabe, T. Network construction for all-electronic telephone sets 85—3224
Yamamori, K., Suzuki, T., Fujiwara, T. High density recording characteristics for Ba-ferrite flexible disks 87—32862
Yamamori, K. *see* Hashimoto, K. 85—12464
Yamamori, K. *see* Henrich, G. 85—54002
Yamamori, K. *see* Ishimaru, K. 85—3229
Yamamori, S. *see* Aida, M. 86—30469
Yamamori, T. New hospital information system by distributed processing method 87—29792
Yamamota, S., Morinaga, M. Self-controlled submarine cable laying machine 88—35332
Yamamoti, K. *see* Takebayashi, T. 87—28241
Yamamoto, A., Arai, O., Yoshino, K. The system for weighing torpedo car under tapping 86—11752
Yamamoto, A., Araoka, O., Doi, Y., Hosoyama, K., Inagaki, T., Kawano, K., Kurokawa, S., Mito, T., Mitsunobu, S., Sato, T., Shintomi, T., Suzuki, Y., Tadano, M., Taino, M., Takasaki, M., Tsuchiya, K., Hirabayashi, H. A superconducting secondary beam line in the 12 GeV proton synchrotron at KEK 87—63601
Yamamoto, A., Itoh, Y., Yamagudhi, M. High conversion efficiency and high radiation resistance InP solar cells 87—72391
Yamamoto, A., Kichimi, H., Kimura, N., Inoue, H., Yamaoka, H., Haruyama, T., Mito, T., Araoka, O., Tadano, M., Suzuki, S., Kondo, Y., Kawai, M., Doi, Y., Hirabayashi, H. Performance of the TOPAZ thin superconducting solenoid wound with an internal winding method 86—63598
Yamamoto, A., Kimura, N., Kichimi, H., Inoue, H., Yamaoka, H., Mito, T., Hirabayashi, H., Ikeda, M., Ohishi, K., Shiba, E., Sato, T., Okada, I., Shiozawa, S. Test results of the TOPAZ thin superconducting solenoid wound with the internal winding method 86—50263
Yamamoto, A., Mito, T., Haruyama, T., Makida, Y., Inoue, H., Kimura, N., Yamaoka, H., Doi, Y., Nakamura, K., Nishimura, J. Conceptual design of a thin superconducting solenoid for particle astrophysics 88—65080
Yamamoto, A., Mito, T., Kimura, H., Haruyama, T., Inoue, H., Yamaoka, H., Shiba, E., Kichimi, H., Doi, Y., Ohba, T., Ohmori, T. Cryogenic characteristics of the TOPAZ thin superconducting solenoid 88—39843

Yamamoto, A., Mito, T., Kimura, N., Haruyama, T., Yamaoka, H., Araoka, O., Tadano, M., Suzuki, S., Kondo, Y., Kawai, M., Kichimi, H., Doi, Y. Quench characteristics and operational stability of the TOPAZ thin superconducting solenoid 86−63599
Yamamoto, A., Nishigaki, T. Approximate analysis of multiple-class queueing network models containing a server with FCFS scheduling disciplines 85−22306
Yamamoto, A., Yamaguchi, M., Uemura, C. High efficiency homojunction InP solar cells 86−13033
Yamamoto, A., Yamaguchi, M., Uemura, C. Fabrication of high-efficiency n^+-p junction InP solar cells by using group VIb element diffusion into p-type InP 86−26287
Yamamoto, A. *see* Abo, T. 87−43608
Yamamoto, A. *see* Amano, C. 88−24127
Yamamoto, A. *see* Ando, K. 87−4956
Yamamoto, A. *see* Arai, O. 87−70501
Yamamoto, A. *see* Dijkstra, H. 87−46424
Yamamoto, A. *see* Doi, Y. 86−25116, 87−38707
Yamamoto, A. *see* Fujii, T. 85−49080
Yamamoto, A. *see* Fukui, M. 86−53746, 87−59088
Yamamoto, A. *see* Haruyama, T. 88−33576, 88−39844
Yamamoto, A. *see* Ikeda, M. 87−38677
Yamamoto, A. *see* Itoh, Y. 87−30938, 87−43430, 88−55618
Yamamoto, A. *see* Kamae, T. 87−21432
Yamamoto, A. *see* Katsumoto, S. 85−60434
Yamamoto, A. *see* Kichimi, H. 87−8716
Yamamoto, A. *see* Maeda, Y. 88−47671
Yamamoto, A. *see* Matsumoto, F. 86−49208
Yamamoto, A. *see* Nakamura, Y. 86−12549
Yamamoto, A. *see* Ohba, T. 88−58810
Yamamoto, A. *see* Ohmori, T. 87−41721
Yamamoto, A. *see* Shibukawa, A. 86−7110
Yamamoto, A. *see* Shimano, T. 88−47957
Yamamoto, A. *see* Suga, T. 86−30293
Yamamoto, A. *see* Sugino, T. 87−46905
Yamamoto, A. *see* Sugiura, H. 88−43385
Yamamoto, A. *see* Sugo, M. 86−26292, 87−51458, 88−38159
Yamamoto, A. *see* Taguchi, A. 86−43588
Yamamoto, A. *see* Takigawa, S. 88−14178
Yamamoto, A. *see* Tanaka, S. 85−34581
Yamamoto, A. *see* Uchida, N. 88−18701
Yamamoto, A. *see* Ueda, T. 85−47977, 88−7859
Yamamoto, A. *see* Yamaguchi, M. 85−18071, 85−60430, 86−45663, 87−22742, 87−36143, 88−37427, 88−37598, 88−49138
Yamamoto, A. *see* Yamamoto, T. 87−64781
Yamamoto, A. *see* Yoshida, K. 88−8373
Yamamoto, A. *see* Yoshikawa, A. 87−68458
Yamamoto, A. *see* Yukami, N. 88−59555
Yamamoto, A. *see* Nishimura, J. *(editor)* 88−11620
Yamamoto, E. *see* Gotoh, T. 85−36442
Yamamoto, E. *see* Hata, T. 85−10795
Yamamoto, E. *see* Ichino, H. 87−701, 87−44751
Yamamoto, E. *see* Makino, T. 85−18769
Yamamoto, E. *see* Togashi, S. 85−20676, 86−5416, 86−18038
Yamamoto, F. Jacketing of optical fibers with ordered thermotropic liquid crystal polyesters 88−39896
Yamamoto, F., Kobayashi, K., Umetani, Y. A comparative study of two vectorized LU decomposition algorithms for large unstructured sparse matrix [circuit simulation] 86−57568
Yamamoto, F., Takahashi, S. A vectorized LU decomposition for large scale circuit simulation 85−40870
Yamamoto, F., Takahashi, S. Vectorized LU decomposition algorithms for large-scale circuit simulation 86−633
Yamamoto, F., Umetani, Y., Takahashi, S. Complete LU decomposition/conjugate residual method and its applicability to large-scale circuit simulation 87−36886
Yamamoto, F. *see* Hanafusa, H. 86−22088, 86−36146, 87−25942, 88−26785, 88−39952
Yamamoto, F. *see* Hibino, Y. 86−42248
Yamamoto, F. *see* Kishi, M. 87−66703
Yamamoto, F. *see* Mizutani, T. 85−49203
Yamamoto, F. *see* Nakamura, S. 88−60701
Yamamoto, F. *see* Shuto, Y. 85−1993, 86−63639, 86−68285, 87−38839, 88−13795, 88−67380
Yamamoto, F. *see* Takeuchi, Y. 86−2804
Yamamoto, F. *see* Wagatsuma, M. 87−7162
Yamamoto, G. *see* Horita, M. 88−70905
Yamamoto, G. *see* Iijima, Y. 88−19270, 88−56760
Yamamoto, G. *see* Nishi, M. 87−24320, 87−73544
Yamamoto, H. Satellite communication 85−20121
Yamamoto, H. Measuring equipment being improved to support fiber optic cable advantages 85−48117
Yamamoto, H. Recent advances in arc welding equipment and their application 85−53991
Yamamoto, H. On secret sharing systems using (k, L, n) threshold scheme 86−16143
Yamamoto, H. Small diameter pipe jacking method for communication services 86−30538
Yamamoto, H. Outline of new electric construction system 86−33893
Yamamoto, H. Measuring spectrum for fiber-optic communications 86−44217
Yamamoto, H. Multibeam satellite communication system 86−55241
Yamamoto, H. On secret sharing communication systems with two or three channels 86−59211
Yamamoto, H. Secret sharing system using (k,L,n) threshold scheme 87−7639
Yamamoto, H. Resonant tunnelling condition in a one-dimensional rectangular double-barrier structure 87−32336
Yamamoto, H. Very low bit-rate coding of moving pictures for video conference and video telephone 87−76973
Yamamoto, H. Well width determination in rectangular double-barrier quantum-well structures 88−64290
Yamamoto, H., Arimoto, S., Ohno, H., Hasegawa, H. Amorphous silicon MOSFETs by anodic oxidation 85−45726
Yamamoto, H., Asada, M., Suematsu, Y. Electric-field-induced refractive index variation in quantum-well structure [electro-optic switching device application] 85−50234
Yamamoto, H., Asada, M., Suematsu, Y. Intersectional waveguide type optical switch with quantum well structure 86−29021
Yamamoto, H., Fujii, S., Kakiuchi, T., Yano, K., Fujita, T. Reliable tungsten encapsulated Al-Si interconnects for submicron multilevel interconnection 88−39262
Yamamoto, H., Furukawa, T. Application of CAM to burst error correcting systems 85−57269
Yamamoto, H., Hara, T., Edamatsu, K. Autofocus camera system for FA 88−53438
Yamamoto, H., Hatakeyama, S., Norimura, T., Tsuchiya, T. A radiation detector fabricated from silicon photodiode 85−31716
Yamamoto, H., Hatori, Y. Recent technology of video conferences and video telephones—very low bit-rate coding of color moving pictures 88−29149
Yamamoto, H., Hirosawa, S., Fujimura, S., Tokuhara, K., Nagata, H., Sagawa, M. Metallographic study on Nd-Fe-Co-B sintered magnets 88−51173
Yamamoto, H., Inoue, A., Mase, K., Kajiwara, M. An alternate routing scheme with extended far-to-near rotation [telephony] 85−25591
Yamamoto, H., Ishii, K., Tanaka, M. High rate syntheses of high T_c superconducting NbC_xN_{1-x} films by hollow type target sputtering 85−28255
Yamamoto, H., Ishii, K., Tanaka, M. Preparation of NbC_xN_{1-x} thin films by high rate reactive sputtering 85−46035
Yamamoto, H., Ishii, K., Tanaka, M. High-rate synthesis of high T_c superconducting NbC_xN_{1-x} films by hollow-type target sputtering 87−53908
Yamamoto, H., Ishiwara, H., Furukawa, S. Enhancement of lateral solid phase epitaxial growth in evaporated amorphous Si films by phosphorus implantation 85−22465
Yamamoto, H., Ishiwara, H., Furukawa, S. On the mechanisms of lateral solid phase epitaxial growth of amorphous Si films evaporated on SiO_2 patterns 85−39724
Yamamoto, H., Ishiwara, H., Furukawa, S. Enhanced lateral solid phase epitaxial growth in phosphorus doped amorphous Si films 85−44746
Yamamoto, H., Ishiwara, H., Furukawa, S. Enhanced growth of doped amorphous Si films in lateral solid phase epitaxy 86−13778
Yamamoto, H., Ishiwara, H., Furukawa, S. Orientation dependence of lateral solid-phase-epitaxial growth in amorphous Si films 86−57446
Yamamoto, H., Ishiwara, H., Furukawa, S., Tamura, M., Tokuyama, T. Lateral solid phase epitaxy of evaporated amorphous Si films onto SiO_2 patterns 85−33462
Yamamoto, H., Ishiwara, H., Furukawa, S., Tamura, M., Tokuyama, T. Lateral solid phase epitaxy of evaporated amorphous Si films onto SiO_2 patterns 86−7813
Yamamoto, H., Iwashita, M., Nakanishi, H. A high reliability and high usage subscriber optical fiber cable network 87−34606
Yamamoto, H., Koshiishi, H., Naka, M., Homma, K., Matsumoto, K. Noise rejection in CCD images by relaxation techniques 85−57521
Yamamoto, H., Kurosawa, Y., Fujimoto, M. Arena lighting plan for Kobe Port-island hall 86−61805
Yamamoto, H., Matsukiyo, H., Suzuki, T., Kanehisa, O. Factors inducing deterioration of phosphors by electron irradiation 86−28980
Yamamoto, H., Matsuura, Y., Fujimura, S., Sagawa, M. Magnetocrystalline anisotropy of $R_2Fe_{14}B$ tetragonal compounds 85−18543
Yamamoto, H., Megumi, K., Kasano, H., Kanehisa, O., Uehara, Y., Morita, Y. An orange-emitting phosphor (Ca, Mg)S:Mn, for terminal display tubes 87−74924
Yamamoto, H., Mochizuki, K., Namihira, Y., Niiro, Y. Design and test results of optical fiber units for optical submarine cable 85−58139
Yamamoto, H., Mukai, M. New inspection and repairing techniques for underground conduit 86−59752
Yamamoto, H., Murakami, H., Matsumoto, S., Sato, G., Kobayashi, H., Yamazaki, N., Matsunaga, A., Hirabayashi, T., Hatakeyama, S. International field test of digital television transmission with 15/30 Mbit/s universal codec 86−49776
Yamamoto, H., Nagakura, M. High quality anisotropic lead system ferrite magnets 87−53881
Yamamoto, H., Nagakura, M., Ogiwara, M. Magnetic properties of Nd-Fe-Co system alloy sheets produced by a rapid quenching technique 86−47953
Yamamoto, H., Nagakura, M., Ono, H. Magnetic properties of Ba-Zn-Al-La system *W*-type hexagonal ferrite magnets 88−51245
Yamamoto, H., Nagakura, M., Saito, M. Magnetic properties of melt-spun Ce-(Fe,CO)-(B,Si) system alloys 87−25771
Yamamoto, H., Nakamura, T., Tanaka, M., Naoe, M. Compositionally modulated Gd-Co amorphous films by bias sputtering 87−44374
Yamamoto, H., Nakata, M., Kikuchi, S. Cooling system for the FACOM M-780 88−37981
Yamamoto, H., Ohtomo, I., Tanaka, M. Communications equipment for multibeam satellites 86−55259
Yamamoto, H., Oikawa, H., Iwashita, M. Highly reliable subscriber cable network construction 87−76222
Yamamoto, H., Oikawa, H., Yamamoto, Y. Multi-stage concentrated distribution system in subscriber optical feeder cable network 85−25592
Yamamoto, H., Sato, K., Inokuchi, S. Range imaging system based on binary image accumulation 87−48085
Yamamoto, H., Sato, Y., Ibe, E., Suzuoki, A. Development of fluctuation monitor type sodium ionization detector 87−4520
Yamamoto, H., Sudoh, K., Jusō, H. Signal processing method of digital audio tape recorder with GLU 85−58441
Yamamoto, H., Tanaka, M. Homoepitaxial growth of Nb_3Ge on Nb_3Ge 85−46034
Yamamoto, H., Ushioda, Y., Tanaka, M., Yamaguchi, S., Enjoji, H. A multicolor electrochromic display using phthalocyanine films with a solid electrolyte 88−42229
Yamamoto, H., Yamada, K., Mihira, K., Yamaguchi, H., Iwahashi, T., Hidaka, I. Development of a videoconference system 85−42775
Yamamoto, H., Yamamoto, Y. Plant expansion in the subscriber optical fiber cable network 85−25593
Yamamoto, H., Yamamoto, Y. Design of plant expansion in subscriber optical fiber cable network 85−37059
Yamamoto, H., Yamamoto, Y., Matsuura, M. Determination of installation cable size and the ratio of common fibers to total fibers in a subscriber optical fiber cable network 85−31060
Yamamoto, H., Yamamoto, Y., Matsuura, M. Determination of installation cable size and the ratio of common fibers to total fibers in subscriber optical fiber cable network 86−69766
Yamamoto, H., Yamamoto, Y., Oikawa, H. Design of plant expansion in subscriber optical fiber cable network 87−8313
Yamamoto, H. *see* Abe, H. 88−28912
Yamamoto, H. *see* Arimoto, S. 85−52964, 88−43384
Yamamoto, H. *see* Awaji, N. 87−6353
Yamamoto, H. *see* Chiba, Y. 88−54412
Yamamoto, H. *see* Fujita, S. 85−10660
Yamamoto, H. *see* Hasegawa, H. 86−2071, 88−39207
Yamamoto, H. *see* Hashimoto, H. 87−43120, 88−43349
Yamamoto, H. *see* Hashizume, M. 88−70675
Yamamoto, H. *see* Hayashi, T. 85−9297, 88−54694
Yamamoto, H. *see* Hirao, K. 86−44729, 86−65480
Yamamoto, H. *see* Hirosawa, S. 87−18536, 87−25860
Yamamoto, H. *see* Hosokawa, M. 88−50438
Yamamoto, H. *see* Iida, T. 86−10197
Yamamoto, H. *see* Ikeda, H. 86−14602, 87−11791
Yamamoto, H. *see* Inoue, A. 88−21399
Yamamoto, H. *see* Ishi, T. 85−43156
Yamamoto, H. *see* Ishibashi, H. 88−45241, 88−65134
Yamamoto, H. *see* Ishiguro, I. 86−1471
Yamamoto, H. *see* Ishiwara, H. 86−441
Yamamoto, H. *see* Kakiuchi, T. 88−7524
Yamamoto, H. *see* Kan, Y. 86−9668
Yamamoto, H. *see* Kanehisa, O. 88−31782
Yamamoto, H. *see* Kaneko, M. 85−52713, 87−33628
Yamamoto, H. *see* Kasano, H. 85−2137
Yamamoto, H. *see* Katayama, S. 86−38218
Yamamoto, H. *see* Kato, S. 85−20142, 87−76659, 88−9475, 88−15410 to 15411

Yamamoto, H. *see* Kawakami, H. 86−40001
Yamamoto, H. *see* Kawata, M. 85−8689
Yamamoto, H. *see* Kinuhata, K. 87−41199
Yamamoto, H. *see* Kitamura, M. 88−51339
Yamamoto, H. *see* Kume, H. 88−38540
Yamamoto, H. *see* Manabe, T. 87−77077
Yamamoto, H. *see* Maruyama, T. 85−42774
Yamamoto, H. *see* Matsumoto, S. 86−30998, 86−54446, 87−34790
Yamamoto, H. *see* Matsuura, M. 85−20216, 86−69765
Yamamoto, H. *see* Minami, S. 88−33839
Yamamoto, H. *see* Miwada, K. 86−38285, 87−34975, 88−22640
Yamamoto, H. *see* Murakami, H. 85−8527, 85−8575, 85−14443, 85−19516, 87−34487, 87−62715
Yamamoto, H. *see* Murotani, M. 86−55258
Yamamoto, H. *see* Muto, S. 88−58330
Yamamoto, H. *see* Namihira, Y. 85−29628
Yamamoto, H. *see* Niino, S. 88−62666
Yamamoto, H. *see* Niiro, Y. 85−31061, 86−59901, 87−3176
Yamamoto, H. *see* Ohta, T. 87−66460
Yamamoto, H. *see* Oikawa, H. 87−8253, 87−8314, 87−28614
Yamamoto, H. *see* Okayasu, Y. 88−1390
Yamamoto, H. *see* Okuda, T. 88−51266
Yamamoto, H. *see* Onodera, H. 85−24193
Yamamoto, H. *see* Sagawa, M. 85−24187, 86−42145, 87−60789
Yamamoto, H. *see* Sakamoto, Y. 86−3555
Yamamoto, H. *see* Sasano, A. 85−47861
Yamamoto, H. *see* Sato, K. 87−49579
Yamamoto, H. *see* Satoh, T. 87−41567
Yamamoto, H. *see* Sawa, K. 86−12840
Yamamoto, H. *see* Taguchi, T. 87−2737, 87−2739
Yamamoto, H. *see* Tamura, M. 85−16929
Yamamoto, H. *see* Tatekura, K.-I. 87−13704
Yamamoto, H. *see* Toki, M. 88−59958
Yamamoto, H. *see* Tsukada, T. 85−50287
Yamamoto, H. *see* Uchiike, H. 87−1162, 88−16312
Yamamoto, H. *see* Utsumi, K. 88−28860
Yamamoto, H. *see* Yamada, M. 87−18987
Yamamoto, H. *see* Yamaguchi, A. 88−18447
Yamamoto, H. *see* Yamaguchi, H. 87−8471, 87−13227
Yamamoto, H. *see* Yamamoto, Y. 85−42116
Yamamoto, H. *see* Yamanishi, M. 85−56425, 85−56454
Yamamoto, H. *see* Yamauchi, H. 85−45962, 86−28624
Yamamoto, H. *see* Yano, K. 87−57706
Yamamoto, H. *see* Yokoyama, M. 85−25590
Yamamoto, H. *see* Yoshida, T. 86−40083
Yamamoto, H.-I., Morita, K., Kamata, T., Matsumoto, S., Sango, J.I. Digital microwave radio system 85−8312
Yamamoto, I., Kaba, A., Kanagawa, A. Attachment of membrane separator for removal of radon to ionization chamber installed for tritium stack monitor 88−47979
Yamamoto, I. *see* Andou, H. 86−21795
Yamamoto, I. *see* Aoki, T. 86−32981
Yamamoto, I. *see* Imaeda, K. 86−25126
Yamamoto, I. *see* Kagawa, K. 88−65566
Yamamoto, I. *see* Katoh, S. 85−52458
Yamamoto, I. *see* Wada, T. 88−10185
Yamamoto, I. *see* Yamashita, N. 86−22231
Yamamoto, I. *see* Yokokawa, T. 86−31274
Yamamoto, J. Far infrared detector cooling technology 87−35091
Yamamoto, J. Project of supercritical helium cooled superconducting test magnet (SHETEM) at Osaka University 87−38708
Yamamoto, J., Kawano, K., Takasugi, M., Kawasaki, M. Electric hybrid meter with color LCD 88−42193
Yamamoto, J. *see* Ichibakase, T. 85−41241
Yamamoto, J. *see* Mohideen, U. 87−74402
Yamamoto, J. *see* Murakami, Y. 86−53932
Yamamoto, J. *see* Nagai, H. 87−70432
Yamamoto, J. *see* Ohuchi, N. 85−35363, 87−67960, 88−45023
Yamamoto, J. *see* Okamura, Y. 87−32428
Yamamoto, J. *see* Sone, T. 85−40404
Yamamoto, J. *see* Tsujikawa, K. 88−53794
Yamamoto, J. *see* Yotsuya, T. 88−29680
Yamamoto, J. *see* Zhu Xian 87−14263
Yamamoto, J.S. *see* Malavazi, H.J.F. 87−2811
Yamamoto, K. High power transponder and antenna for broadcasting satellites 86−56226
Yamamoto, K. Standardization of electronic components. III. Standardizing electronic components for the world market 87−16379
Yamamoto, K. A uniform solution of double diffraction by the geometrical theory of diffraction 87−47160
Yamamoto, K. Outline of safety regulations and administrations for commercial nuclear power plants in Japan 88−30484
Yamamoto, K. The analysis of a DC current detector in a highly accurate DC-DC converter 88−56464
Yamamoto, K., Asagi, Y., Akima, H. Development of an automatic transmission control unit 85−5463
Yamamoto, K., Ayugase, N. A home terminal system using the Home Area Information Network 85−19639
Yamamoto, K., Fujii, S., Matsuoka, K. A single chip FSK modem 85−30772
Yamamoto, K., Fujii, Y., Kotooka, Y., Katayama, T. Highly stable silicon pin photodiode 87−29490
Yamamoto, K., Handa, N., Yamanaka, R., Shimada, N. Three dimensional (3D) real space display and its applications 88−10079
Yamamoto, K., Hisatsune, F., Tamaru, S., Yamagata, S., Fujii, H. Molded-case circuit breakers with vapor jet control 88−5801
Yamamoto, K., Kurihara, Y., Kawabata, Y. Measurement control system for evaluation test of 4WD vehicle automotive transmission 88−4300
Yamamoto, K., Kuronuma, H., Koinuma, T., Tashiro, N. A study of magnetron noise 87−53113
Yamamoto, K., Masamura, T., Nagai, Y. Reliability of on-board satellite communication equipment by standby redundant configuration model 87−34504
Yamamoto, K., Matsubara, I., Konoshita, H., Oka, S. Analysis of induced voltage surge due to lightning stroke to ground in the vicinity of overhead distribution line 85−4646
Yamamoto, K., Nakajima, A., Sawada, H. Communication processing technology for the mobile communication network 88−9460
Yamamoto, K., Nihei, S., Tanaka, S., Katano, T. Terrain for suppressing interference by sea reflection on VOR [VHF omnidirectional range] 86−68774
Yamamoto, K., Ogawa, H., Imai, N. Design and performance of transmitter/receiver for 20 G-D 2 system 85−3348
Yamamoto, K., Ogawa, H., Imai, N. Design and performance of transmitter/receiver for 20G-D2 system 85−25739
Yamamoto, K., Ohtake, H., Kume, H. An analog front end for 2400-bit/s split-band full-duplex modems 87−20310
Yamamoto, K., Ohtake, H., Maruyama, J. An analog front end for 2400 b/s split-band full-duplex modems 87−20317
Yamamoto, K., Onozuka, K. On developing a new type high density digital recorder with a rotary head scanner 85−26380
Yamamoto, K., Takegawa, K., Okada, T., Kayamori, H., Fujimoto, T. Construction of T&C land station facilities in Yamaguchi satellite communication office 86−30702
Yamamoto, K., Terunuma, T., Watanabe, Y., Shibano, H. On-line curvature measurement of steel pipes on moving rollers 88−4629
Yamamoto, K., Yamaguchi, S., Terada, Y. New structure of two-dimensional position sensitive semiconductor detector and application 85−43213
Yamamoto, K. *see* Aoki, K. 86−21603, 86−53351
Yamamoto, K. *see* Doi, K. 88−43504
Yamamoto, K. *see* Endo, Y. 86−66414
Yamamoto, K. *see* Fujioka, Y. 88−16296
Yamamoto, K. *see* Haga, K. 86−34384
Yamamoto, K. *see* Hanabusa, T. 85−55261
Yamamoto, K. *see* Harada, R. 86−25206
Yamamoto, K. *see* Hayashi, N. 85−43341
Yamamoto, K. *see* Ikeda, S. 85−58345
Yamamoto, K. *see* Imai, N. 85−34182, 85−45217
Yamamoto, K. *see* Imori, M. 87−35365
Yamamoto, K. *see* Inuzuka, E. 87−20928
Yamamoto, K. *see* Ishibori, K. 86−27800
Yamamoto, K. *see* Ito, S. 85−36612
Yamamoto, K. *see* Iwasawa, Y. 88−71713
Yamamoto, K. *see* Kamada, M. 87−19950
Yamamoto, K. *see* Kamiyama, S. 87−50891
Yamamoto, K. *see* Kawabata, H. 86−42388
Yamamoto, K. *see* Kawachi, T. 86−71147
Yamamoto, K. *see* Kawashima, M. 88−41834
Yamamoto, K. *see* Kishimoto, Y. 87−13233
Yamamoto, K. *see* Koizumi, T. 88−10465
Yamamoto, K. *see* Kondo, K. 85−30815
Yamamoto, K. *see* Kudo, Y. 86−42380, 88−33790
Yamamoto, K. *see* Kudoh, Y. 88−45234
Yamamoto, K. *see* Kurita, O. 85−3347
Yamamoto, K. *see* Kyuwa, N. 88−21915
Yamamoto, K. *see* Maehara, N. 85−21025
Yamamoto, K. *see* Mashiyama, T. 86−11608
Yamamoto, K. *see* Matsuita, A. 86−12653
Yamamoto, K. *see* Matsuo, T. 88−43033
Yamamoto, K. *see* Matsuoka, G. 87−38379, 88−18520
Yamamoto, K. *see* Miyake, M. 88−28725
Yamamoto, K. *see* Mori, Y. 85−14913
Yamamoto, K. *see* Nagai, T. 86−1391
Yamamoto, K. *see* Nakajima, A. 87−76604
Yamamoto, K. *see* Nishigori, Y. 88−15778
Yamamoto, K. *see* Nonomura, K. 87−8397
Yamamoto, K. *see* Ogata, T. 86−11060, 86−30823, 86−61642
Yamamoto, K. *see* Ogawa, H. 85−20027, 85−25702
Yamamoto, K. *see* Ohnishi, H. 86−36324
Yamamoto, K. *see* Ohsugi, T. 88−29851
Yamamoto, K. *see* Okada, T. 85−33484
Yamamoto, K. *see* Sakaguchi, K. 85−20694
Yamamoto, K. *see* Sakayori, M. 87−34478, 87−48991
Yamamoto, K. *see* Sato, M. 86−42039
Yamamoto, K. *see* Sekita, I. 88−14794
Yamamoto, K. *see* Shibagaki, H. 85−63254
Yamamoto, K. *see* Shimizu, H. 88−30365
Yamamoto, K. *see* Tai, H. 88−68071
Yamamoto, K. *see* Takagi, N. 85−58296
Yamamoto, K. *see* Takei, G. 87−65174
Yamamoto, K. *see* Taniuchi, T. 88−40347, 88−58684, 88−65871
Yamamoto, K. *see* Teshirogi, T. 87−56063
Yamamoto, K. *see* Tohmon, G. 88−65709
Yamamoto, K. *see* Usami, A. 87−4961
Yamamoto, K. *see* Yamada, H. 86−18324, 87−15116, 88−61705
Yamamoto, K. *see* Yamashita, S. 86−42378
Yamamoto, K. *see* Yamashita, T. 88−15394, 88−39007
Yamamoto, K. *see* Yamazaki, H. 85−44294
Yamamoto, K. *see* Yokoya, N. 88−34805
Yamamoto, K. *see* Yokoyama, S. 85−53354
Yamamoto, K. *see* Yoshiyasu, H. 86−40024
Yamamoto, M. Direct estimation of 3-D motion parameters from image sequence and depth 85−51775
Yamamoto, M. Robot systems applied to electronic circuit board assembly 86−1555
Yamamoto, M. Direct estimation of 3-D motion parameters from image sequence and depth 86−69156
Yamamoto, M. Three-dimensional motion analysis of scene containing multiple moving objects from image sequence and depth 86−69169
Yamamoto, M. Determining three-dimensional structure from image sequences given by horizontal and vertical moving camera 87−28857
Yamamoto, M. Multiconditioner cluster system may adapt to new uses 87−49621
Yamamoto, M. Mask repair using focused ion beam technology 88−7419
Yamamoto, M. Network management in local INS−VISION network management system 88−15190
Yamamoto, M. Equipment and software for digital line applications 88−41183
Yamamoto, M., Aizawa, M. Loosely-coupled multiprocessor of SX system 88−9143
Yamamoto, M., Akiyoshi, I., Nakanishi, H., Sanada, H., Tezuka, Y. Delay analysis of window controlled network with finite input buffer 87−33847
Yamamoto, M., Akiyoshi, I., Nakanishi, H., Sanada, H., Tezuka, Y. Approximate analysis for window controlled packet network with finite input queue and optimal window allocation 88−21389
Yamamoto, M., Akiyoshi, I., Nakanishi, H., Sanada, H., Tezuka, Y. Window allocation based on fairness for window flow controlled packet network 88−46331
Yamamoto, M., Fukuchi, H., Kozu, T., Igarashi, M., Takeuchi, M., Sugimoto, Y., Ohuchi, C., Ishizuka, J. Transmission characteristics of BSE transponder 86−37842
Yamamoto, M., Fukuchi, H., Takeuchi, M., Ishizuka, J. Up-link power control experiment using BSE 86−37845
Yamamoto, M., Goto, K., Toyoda, M., Nagaoka, O. On the enhancement of the seismic detection capability of the newly installed Kyushu Seismic Telemetering System 86−70524
Yamamoto, M., Hirabayashi, K., Harima, H., Nakajima, M., Sakai, T. A high-speed, high-density 256 Kbit EPROM 86−34791
Yamamoto, M., Ikeda, M., Tanaka, Y., Matsumoto, K., Ishigohka, T., Tsukamoto, O. Development of 50 Hz disc-type superconducting coil 87−67928
Yamamoto, M., Ishigohka, T., Mizukami, N., Ohshima, K. A feasibility study on a superconducting power transformer 87−22459
Yamamoto, M., Ishigohka, T., Shimohka, T., Mizukami, N., Yamaguchi, M. Preliminary study on AC superconducting machines 88−69286
Yamamoto, M., Kobayashi, Y., Hanai, Y. FETEX-LAN 87−62627
Yamamoto, M., Mikuriya, K., Sato, M., Hanawaka, M., Ohya, A. Test system for measuring mechanical and recording characteristics of optical disks 87−56510
Yamamoto, M., Mori, T., Kawasaki, T., Tsutsui, K., Itoh, T., Yagisawa, T. A design study of amorphous core transformer 85−27466
Yamamoto, M., Morita, H., Fujimori, H. Soft magnetic properties of a-CoNbTi/SiO_2 layered films 88−33511
Yamamoto, M., Nakanishi, H., Hara, S. Read power effect on bit error characteristics [optical recording] 87−60991
Yamamoto, M., Nakanishi, H., Hara, S. Crosstalk and overwrite noise characteristics in magneto-optical recording 88−58266
Yamamoto, M., Oba, N., Ishiwatari, N. Town guide CAPTAIN terminal NC-1N 88−52815

Yamamoto, M., Ohashi, S., Shibuya, K., Kumazawa, Y., Hayashida, M., Kojima, T. Development and supply of optical fiber cables for nuclear power plants 85−3470
Yamamoto, M., Okamoto, K., Imai, T. Tungsten films prepared by bias splitting and fabrication of μm-grating 85−39809
Yamamoto, M., Sato, M., Kyogoku, H., Aita, K., Nakagawa, Y., Yasaka, A., Takasawa, R., Hattori, O. Submicron mask repair using focused ion beam technology 87−11533
Yamamoto, M., Takeda, Y., Oishi, T. Output coefficient of synchronous motors 86−33337
Yamamoto, M., Watabe, A., Ukita, H. Optical pregroove dimensions: design considerations 87−28825
Yamamoto, M., Yamashita, S., Ikeda, H., Yanabu, S. New short-circuit testing facilities to cope with the recent development of GIS [SF$_6$ switchgear] 85−32644
Yamamoto, M., Yokoyama, M. Typhoons and an analysis of the effects of sea salt deposition (Miyazaki Prefecture) 87−35675
Yamamoto, M. *see* Ando, T. 86−42798
Yamamoto, M. *see* Fujita, K. 85−52148
Yamamoto, M. *see* Fujita, S. 85−45048
Yamamoto, M. *see* Furusaki, T. 87−5436
Yamamoto, M. *see* Hashimoto, K. 87−48993
Yamamoto, M. *see* Horio, Y. 86−820, 86−62710, 86−67320
Yamamoto, M. *see* Ikeda, H. 85−16159
Yamamoto, M. *see* Imanishi, M. 87−73813
Yamamoto, M. *see* Ishigohka, T. 88−55289
Yamamoto, M. *see* Ishii, M. 88−57077
Yamamoto, M. *see* Ishikawa, M. 85−27561, 86−9843, 86−29130, 86−68551, 87−26425
Yamamoto, M. *see* Ishiwatari, N. 85−57746, 87−48526, 88−15036
Yamamoto, M. *see* Kasuga, T. 88−15717
Yamamoto, M. *see* Kato, S. 87−29932
Yamamoto, M. *see* Katoh, K. 88−65136
Yamamoto, M. *see* Kawamori, Y. 87−43117
Yamamoto, M. *see* Kawatake, K. 86−44854
Yamamoto, M. *see* Koike, M. 86−34798, 87−31899
Yamamoto, M. *see* Koitabashi, M. 88−64215
Yamamoto, M. *see* Kozu, T. 86−37843
Yamamoto, M. *see* Mori, H. 88−6445
Yamamoto, M. *see* Nagaoka, N. 86−44973
Yamamoto, M. *see* Nakagawa, Y. 88−64455
Yamamoto, M. *see* Nakagawa, Z. 88−57540
Yamamoto, M. *see* Nohara, N. 85−43365
Yamamoto, M. *see* Ohba, Y. 86−54154, 87−16596
Yamamoto, M. *see* Ohtsuki, M. 87−34087
Yamamoto, M. *see* Okajima, M. 85−35796
Yamamoto, M. *see* Oku, H. 85−844
Yamamoto, M. *see* Oshima, K. 88−62822
Yamamoto, M. *see* Saito, S. 88−16839
Yamamoto, M. *see* Sakai, T. 85−54901
Yamamoto, M. *see* Satonaka, S. 88−18815
Yamamoto, M. *see* Seki, H. 85−606
Yamamoto, M. *see* Seko, S. 86−58482
Yamamoto, M. *see* Shouda, M. 88−19193
Yamamoto, M. *see* Shugyo, S. 86−2390, 87−74437
Yamamoto, M. *see* Suehiro, Y. 86−15259
Yamamoto, M. *see* Sugimoto, Y. 86−37844, 87−74438
Yamamoto, M. *see* Tada, M. 87−7921
Yamamoto, M. *see* Takagi, H. 85−36842
Yamamoto, M. *see* Takahashi, M. 87−70406
Yamamoto, M. *see* Takaku, K. 87−22265
Yamamoto, M. *see* Takeda, Y. 85−27376
Yamamoto, M. *see* Tanaka, E. 87−29721
Yamamoto, M. *see* Tanaka, Y. 87−67968, 88−51403
Yamamoto, M. *see* Terashima, T. 85−52058
Yamamoto, M. *see* Tokuda, K. 87−76946
Yamamoto, M. *see* Tomitani, T. 85−43366
Yamamoto, M. *see* Tsuda, T. 86−23977
Yamamoto, M. *see* Tsukamoto, O. 87−67994
Yamamoto, M. *see* Urakawa, T. 88−23987
Yamamoto, M. *see* Watabe, A. 88−20331
Yamamoto, M. *see* Watanabe, Y. 85−37628
Yamamoto, M. *see* Yamada, H. 87−42023
Yamamoto, M. *see* Yamamoto, S. 88−31222
Yamamoto, M. *see* Yamana, M. 87−70720
Yamamoto, M. *see* Yamauchi, Y. 85−11227
Yamamoto, M. *see* Yokobayashi, M. 86−61253
Yamamoto, M. *see* Yoshimoto, S. 87−74534
Yamamoto, N. A method for computing singular points of nonlinear equations involving parameters 85−332
Yamamoto, N. A consideration of an implementation of an address translation mechanism in a multi-processor system with a Cache in a crossbar switch 86−41263
Yamamoto, N. Degradation of MOS characteristics caused by internal stresses in gate electrodes 88−20151
Yamamoto, N., Bhuiyan, M.R., Hormozi, F.J., Anderson, P.M. Reliability analysis of the IPP HVDC system 88−10843
Yamamoto, N., Fujita, Y., Ando, O., Tsubomura, H. Metal-semiconductor diodes sensitive to silane at room temperature 85−8829
Yamamoto, N., Irokawa, H. Translucent polycrystalline alumina for high pressure sodium lamp 85−53910
Yamamoto, N., Iwata, S., Kobayashi, N., Yagi, K., Wada, Y. Sub-micron tungsten gate process compatible with silicon gate process 85−23981
Yamamoto, N., Iwata, S., Kume, H. Influence of internal stresses in tungsten-gate electrodes on degradation of MOSFET characteristics caused by hot carriers 87−45947
Yamamoto, N., Kume, H., Iwata, S., Yagi, K., Kobayashi, N., Mori, N., Miyazaki, H. Fabrication of highly reliable tungsten gate MOS VLSIs 86−58537
Yamamoto, N., Kume, H., Iwata, S., Yagi, K., Kobayashi, N., Mori, N., Miyazaki, H. Characteristics of tungsten gate devices for MOS VLSIs 87−6620
Yamamoto, N., Muto, S. Direct observation of Al$_x$Ga$_{1-x}$As/GaAs superlattices by REM 85−18143
Yamamoto, N., Takayama, T., Pamplin, B.R. Liquid phase epitaxial growth of CuGaS$_2$ 85−16945
Yamamoto, N. *see* Hara, N. 87−31588
Yamamoto, N. *see* Iwata, S. 85−1533, 87−38127
Yamamoto, N. *see* Kobayashi, N. 85−50461, 87−1793, 87−60369
Yamamoto, N. *see* Matsumura, T. 88−62800
Yamamoto, N. *see* Miyauchi, T. 88−63283
Yamamoto, N. *see* Saito, M. 88−19855
Yamamoto, N. *see* Soon-Kwon Nam 88−74680
Yamamoto, O., Hara, T., Hayashi, M., Isa, H., Hara, T., Sugiyama, N. Improvement of breakdown characteristics in pressurized SF$_6$ gas by means of alumina coating 86−68067
Yamamoto, O., Hayashi, H., Miyauchi, N., Maei, S., Kawanishi, H., Morimoto, T., Yamamoto, S., Yano, S., Hijikata, T. Stable single-longitudinal-mode operation in visible (AlGa)As semiconductor lasers coupled with a short external cavity 87−33183
Yamamoto, O., Hayashi, H., Miyauchi, N., Maei, S., Morimoto, T., Kawanishi, H., Yamamoto, S. Wavelength stabilization in VSIS lasers coupled with an external cavity 87−68528
Yamamoto, O., Iino, T. Remote guard system receiver PR-2000 88−9410
Yamamoto, O., Takeda, Y., Kanno, R., Noda, M. Perovskite-type oxides as oxygen electrodes for high temperature oxide fuel cells 87−30932
Yamamoto, O., Uenosono, C., Hayashi, M. Studies on V-t curve and space charge produced by corona prior to flashover in short rod-plane air gaps [transmission line design] 86−39184
Yamamoto, O. *see* Fujii, A. 87−28529
Yamamoto, O. *see* Haga, I. 88−60098
Yamamoto, O. *see* Hayashi, H. 86−42573
Yamamoto, O. *see* Hayashi, M. 85−56000, 85−56044
Yamamoto, O. *see* Hosono, M. 85−3647
Yamamoto, O. *see* Kanno, R. 86−45647, 86−66243, 87−78891
Yamamoto, O. *see* Kashihara, J. 86−69356
Yamamoto, O. *see* Kawanishi, H. 87−54336
Yamamoto, O. *see* Matsui, S. 85−12838, 85−24569
Yamamoto, O. *see* Shimizu, K. 85−58773
Yamamoto, O. *see* Takeda, Y. 85−16212, 85−33470, 85−39185
Yamamoto, O. *see* Takiguchi, H. 85−24570
Yamamoto, O. *see* Tamagawa, S. 88−60096
Yamamoto, O. *see* Tsuji, J. 86−54911
Yamamoto, O. *see* Yamamoto, S. 85−29801
Yamamoto, R., Asazawa, H., Ueda, K., Nagao, H. 1 GHz two-modulus low power GaAs prescalar IC 86−57904
Yamamoto, R., Ueda, K., Nagao, H., Morimura, T., Eguchi, I., Kudoh, M., Kinuhata, K., Nuspl, P. Fabrication of low power, high-speed GaAs LSI on-board baseband switching matrix 86−67561
Yamamoto, R. *see* Inatomi, Y. 88−25204
Yamamoto, R. *see* Iwata, T. 86−44552
Yamamoto, R. *see* Izumiya, T. 88−1696
Yamamoto, R. *see* Kudoh, M. 86−52988
Yamamoto, R. *see* Ogawa, Y. 87−73376
Yamamoto, R. *see* Onoda, T. 85−49762, 86−782
Yamamoto, R. *see* Takahashi, M. 88−63950
Yamamoto, R.K. *see* Chen, M. 88−42430, 88−74764
Yamamoto, R.K. *see* Leiste, R. 88−74769
Yamamoto, R.K. *see* Murphy, T. 87−8854
Yamamoto, S. A method of attitude determination of the ISS-b satellite using a geomagnetic sensor 85−26863
Yamamoto, S. Telecommunications Services in future−expectation for broadband network 86−4129
Yamamoto, S. Semiconductor lasers for optical disks 86−48404
Yamamoto, S. Semiconductor laser linewidth analyser 87−68586
Yamamoto, S., Fujita, Y., Shibata, T., Selvi, S. Characteristics of BGO scintillator for use in neutron capture cross section measurements 86−70330
Yamamoto, S., Gounji, T., Shimizu, J. Wideband timing tank filters for digital transmission systems 87−31985
Yamamoto, S., Hamakawa, W., Ikeuchi, A., Ejiri, Y., Izawa, T. Remotely controlled jetting burier for submarine cable (MARCAS-200 Crawler) 88−53114
Yamamoto, S., Higuchi, N. Trends of speech synthesis technology 87−27230
Yamamoto, S., Hijikata, T. Continuous control of coherence length in separately pumped (AlGa)As lasers 87−12451
Yamamoto, S., Hijikata, T. Very low-threshold V-channeled substrate inner stripe lasers using high-resistive Al$_{0.85}$Ga$_{0.15}$As burying layer 87−61155
Yamamoto, S., Kure, T., Ohgo, M., Matsuzama, T., Tachi, S., Sunami, H. A two-dimensional etching profile simulator: ESPRIT 87−60322
Yamamoto, S., Kuwazuri, M., Wakabayashi, H., Iwamoto, Y. Analysis of chirp power penalty in 1.55-μm DFB-LD high-speed optical fiber transmission systems 88−22091
Yamamoto, S., Miura, K., Seto, M., Fuse, K., Kajiwara, M. A new coloring system by liquid pigment injection method 86−47116
Yamamoto, S., Miura, S., Iida, H., Kanno, I. A BGO detector unit for a stationary high resolution positron emission tomograph 87−8905
Yamamoto, S., Miura, S., Kanno, I. A BGO detector using a new encoding scheme for a high resolution position emission tomograph 86−65351
Yamamoto, S., Miyamoto, Y., Kazama, M. Telegraphic receiving terminal using printers for personal computers 87−34049
Yamamoto, S., Miyauchi, N., Maei, S., Morimoto, T., Yamamoto, O., Yano, S., Hijikata, T. High output power characteristics in broad-channeled substrate inner stripe lasers 85−29801
Yamamoto, S., Nagai, K., Akinaga, N., Onishi, K., Sawabe, U., Takeda, K., Nakiri, K., Yamamoto, M. Fully automatic washing machine with dryer ES-X1 88−31222
Yamamoto, S., Nakamura, Y., Iwasaki, S. Read spacing loss in perpendicular magnetic recording 86−36019
Yamamoto, S., Nakamura, Y., Iwasaki, S. Read spacing loss in perpendicular magnetic recording 86−58685
Yamamoto, S., Nakamura, Y., Iwasaki, S. Extremely high bit density recording with single-pole perpendicular head 88−44973
Yamamoto, S., Nakamura, Y., Iwasaki, S. High density recording with single pole head 88−64933
Yamamoto, S., Nakano, T., Ozeki, O. Real-time range measurement device using slit-ray projection 86−70225
Yamamoto, S., Noro, K. Method of evaluating VDT screen layout by eye movements 88−42231
Yamamoto, S., Okamura, Y. Magneto-optical branching waveguides and their application to nonreciprocal optical devices 87−33014
Yamamoto, S., Oshima, S., Ito, K., Hirato, H. APEX D3 data communication feature [digital EPBX] 86−43661
Yamamoto, S., Ozeki, O. Conducted noise measurements of automotive electrical and electronic devices using artificial network 85−31585
Yamamoto, S., Sakaguchi, H., Nunokawa, M., Iwamoto, Y. Studies of design for 1.55 μm optical fiber submarine cable systems 86−43831
Yamamoto, S., Sakaguchi, H., Nunokawa, M., Iwamoto, Y. 1.55-μm fiber-optic transmission experiments for long-span submarine cable system design 88−41647
Yamamoto, S., Sakaguchi, H., Seki, N. Measurement of mode partition in DFB lasers 86−63823
Yamamoto, S., Sakaguchi, S., Iwamoto, Y. Transmission performance impairment due to degradation of optical spectrum in 1.55 μm DFB laser 86−42529
Yamamoto, S., Taguchi, S., Aida, T., Oi, T., Kawase, S. Electron emission properties and surface atom behavior of impregnated cathodes with rare earth oxide mixed matrix base metals 85−28892
Yamamoto, S., Taguchi, S., Watanabe, I., Kawase, S. Electron emission properties and surface atom behavior of an impregnated cathode coated with a tungsten thin film containing Sc$_2$O$_3$ 86−67616
Yamamoto, S., Taguchi, S., Watanabe, I., Kawase, S. Impregnated cathode coated with tungsten thin film containing Sc$_2$O$_3$ 88−1316
Yamamoto, S., Tanimura, N., Minato, O. 256 Kbit static RAM 'HM62256' 86−41093
Yamamoto, S., Tanimura, N., Nagasawa, K., Meguro, S., Yasui, T., Minato, O., Masuhara, T. A 256K CMOS SRAM with variable impedance data-line loads 86−20532
Yamamoto, S., Tomimatsu, N. CRT color-display monitors 87−20916
Yamamoto, S., Uchibori, K., Nagasawa, K., Meguro, S., Yasui, T., Minato, O., Masuhara, T. A 256K CMOS SRAM with variable-impedance loads 86−14219
Yamamoto, S., Wakabayashi, H., Iwamoto, Y. Study of the 1.55 μm optical submarine cable system 88−28848

Yamamoto, S., Yamada, T. Initial magnetic field decay of the superconducting magnet in persistent current mode 88−65063
Yamamoto, S., Yamada, T., Iwamoto, M. Quench protection of persistent current switches using diodes in cryogenic temperature 88−71990
Yamamoto, S., Yamada, T., Morita, M., Matsuda, T., Iwamoto, M. Field correction of a high-homogeneous field superconducting magnet using a least squares method 86−28763
Yamamoto, S., Yamanaka, T., Ueda, Z. Properties of Sn-doped In_2O_3 by reactive magnetron sputtering and subsequent annealing 88−6506
Yamamoto, S., Yamauchi, Y., Azehara, T., Kimijima, K. APEX D series hotel system 86−43662
Yamamoto, S., Yoneda, K., Hayashi, S.A., Kobayashi, K., Kimura, I., Suzuki, T., Nishihara, H., Kanazawa, S. Application of iron-filtered neutrons to radiography of a copper step within a large iron block and to computer tomography of metallic cylinders 85−459
Yamamoto, S. *see* Ando, A. 86−12717
Yamamoto, S. *see* Arai, K. 85−37313
Yamamoto, S. *see* Araki, K. 87−67875
Yamamoto, S. *see* Ejiri, Y. 88−9379
Yamamoto, S. *see* Fukuda, N. 87−16697
Yamamoto, S. *see* Furudera, M. 86−45219
Yamamoto, S. *see* Haga, H. 88−72096
Yamamoto, S. *see* Hayakawa, T. 85−18937, 86−20040, 86−63809, 87−279, 87−5400, 87−7334, 87−54335, 88−2217, 88−20677, 88−27137, 88−33988, 88−40246, 88−58553
Yamamoto, S. *see* Hayashi, H. 86−42573
Yamamoto, S. *see* Hayashi, T. 87−62745, 88−36625
Yamamoto, S. *see* Himono, Y. 86−4647
Yamamoto, S. *see* Hirose, Y. 85−38099
Yamamoto, S. *see* Horiuchi, K. 86−5745
Yamamoto, S. *see* Ihara, A. 86−54643
Yamamoto, S. *see* Ikeda, S. 87−28790, 87−70242, 88−41857
Yamamoto, S. *see* Inaji, T. 88−24198
Yamamoto, S. *see* Inoue, M. 88−51221
Yamamoto, S. *see* Inuzuka, H. 88−65338
Yamamoto, S. *see* Isomae, S. 86−63178, 87−60321
Yamamoto, S. *see* Itakura, T. 85−28917, 86−21085
Yamamoto, S. *see* Iwamoto, Y. 88−41645
Yamamoto, S. *see* Kaneiwa, S. 85−29806, 85−46403
Yamamoto, S. *see* Kanno, I. 86−18305
Yamamoto, S. *see* Kawanishi, H. 87−54336
Yamamoto, S. *see* Kitayama, S. 85−57821, 86−30449
Yamamoto, S. *see* Kokado, H. 87−18824
Yamamoto, S. *see* Kotani, Y. 88−42216
Yamamoto, S. *see* Kubo, I. 88−72209
Yamamoto, S. *see* Kuwazuru, M. 86−22377
Yamamoto, S. *see* Machida, Y. 85−40813, 85−50678, 86−2271, 86−8922
Yamamoto, S. *see* Matsuda, T. 86−48021
Yamamoto, S. *see* Matsui, S. 85−12838, 85−24569
Yamamoto, S. *see* Miki, A. 88−40037, 88−51538
Yamamoto, S. *see* Miki, R. 87−21394
Yamamoto, S. *see* Miyake, K. 86−35775
Yamamoto, S. *see* Miyauchi, N. 86−9869
Yamamoto, S. *see* Mochizuki, K. 88−47114
Yamamoto, S. *see* Mori, T. 86−18992
Yamamoto, S. *see* Nagai, K. 87−70245
Yamamoto, S. *see* Nakajima, H. 87−41204
Yamamoto, S. *see* Nakakita, T. 86−5011
Yamamoto, S. *see* Nakamura, A. 87−49755
Yamamoto, S. *see* Nakamura, Y. 87−18501
Yamamoto, S. *see* Namihira, Y. 87−12114, 88−60133
Yamamoto, S. *see* Negami, T. 88−70361
Yamamoto, S. *see* Ohgo, M. 87−60525
Yamamoto, S. *see* Okamura, Y. 85−7203, 85−24332, 85−52358, 86−36176, 86−42309, 86−48114, 86−63622, 87−18745, 87−32428, 88−26844
Yamamoto, S. *see* Ozeki, O. 85−58541, 86−70075
Yamamoto, S. *see* Ryu, S. 87−7352, 88−15454, 88−41628
Yamamoto, S. *see* Sakai, S. 87−5454
Yamamoto, S. *see* Sakai, Y. 85−49887
Yamamoto, S. *see* Sakamoto, K. 88−19446
Yamamoto, S. *see* Sasaki, K. 88−14216
Yamamoto, S. *see* Sato, K. 85−15022, 85−20721
Yamamoto, S. *see* Sugaya, M. 86−3566
Yamamoto, S. *see* Sunami, H. 88−71722
Yamamoto, S. *see* Suyama, T. 88−34018, 88−51825
Yamamoto, S. *see* Suzuki, M. 87−46372
Yamamoto, S. *see* Takahashi, K. 87−7381
Yamamoto, S. *see* Takeuchi, M. 85−41644
Yamamoto, S. *see* Tamae, T. 88−29753
Yamamoto, S. *see* Tanaka, S. 88−16789
Yamamoto, S. *see* Togoshi, T. 87−48393
Yamamoto, S. *see* Tsutsui, T. 88−42118
Yamamoto, S. *see* Yamada, H. 88−55379
Yamamoto, S. *see* Yamamoto, O. 87−33183, 87−68528
Yamamoto, S.-i. *see* Ondoh, T. 88−34337
Yamamoto, S.-i. *see* Sawada, F. 88−35861
Yamamoto, S.S. *see* Ishikawa, K. 88−61055
Yamamoto, S.S. *see* Kishida, T. 87−35344
Yamamoto, S.S. *see* Kuze, M. 87−77533
Yamamoto, T. The Symm-Wilkinson method for improving an approximate eigenvalue and its associated eigenvector 85−10638
Yamamoto, T. A hand-held personal radio transceiver 85−25768
Yamamoto, T. A unified derivation of several error bounds for Newton's process 85−49469
Yamamoto, T. Error bounds for Newton's iterates derived from the Kantorovich theorem 86−34262
Yamamoto, T. A method for finding sharp error bounds for Newton's method under the Kantorovich assumptions 86−62154
Yamamoto, T. Practical activity on reliability control of the components 88−260
Yamamoto, T. A convergence theorem for Newton-like methods in Banach spaces 88−6384
Yamamoto, T. On the method of tangent hyperbolas in Banach spaces 88−18643
Yamamoto, T. World demand for digital networks to satisfy wide-ranging telecommunications growth 88−59403
Yamamoto, T., Aoki, Y. Holographic *B*-scope imaging using wide-band chirped ultrasound 85−7927
Yamamoto, T., Fujii, S., Aoki, T. Holographic imaging system using wideband chirped ultrasound 86−12208
Yamamoto, T., Hashimoto, H., Wakabayashi, M., Hamazu, K. A radar rain-gauge system 85−4451
Yamamoto, T., Igarashi, H., Okazaki, K. Electrical and mechanical properties of SiC whisker reinforced PZT ceramics 86−2465
Yamamoto, T., Inoue, D. Full-automatic multi-die-bonding machine applied for hybrid IC assembly 86−20981
Yamamoto, T., Kihara, Y., Nishikawa, A., Takagi, T. New type 12 kV metal-clad switchgear 87−36069
Yamamoto, T., Kikkawa, S., Koizumi, M. Lithium secondary battery using monoclinic NbS_3 prepared under high pressure 87−9721
Yamamoto, T., Kikuta, T. 15 kV metal-clad switchgear for oversea markets (HICLAD-15J) 88−55533
Yamamoto, T., Kitami, T., Matsumura, H., Amikura, K. The modern power supplies for digital control systems 87−59170
Yamamoto, T., Kugisawa, H. Design of CAI system for practical examination of the operation of synchroscope 88−31326
Yamamoto, T., Lawless, P.A., Sparks, L.E. Narrow-gap point-to-plane corona with high velocity flows 87−38608
Yamamoto, T., Matsuki, H., Murakami, K. An optimum design method used for cloth-structured magnetic device 88−51336
Yamamoto, T., Matsumoto, K., Yusa, A. Analysis of SIT *I-V* characteristics by two-dimensional simulation 87−45992
Yamamoto, T., Miyamoto, Y., Tanikawa, K. Minority carrier lifetime in the region close to the interface between the anodic oxide and CdHgTe 86−8777
Yamamoto, T., Morikawa, Y. Integrated centralized extension system−IPC 30 exchange system 86−4420
Yamamoto, T., Nakamura, T., Oh-ishi, Y. Analysis of MOS phototransistor operation by 2-D simulation using cylindrical coordinates 88−40085
Yamamoto, T., Okada, H., Nakanishi, Y. Analysis of token-passing ring networks with transmission priority 85−13674
Yamamoto, T., Sato, M., Matsui, T., Amano, K. Relative humidity detector for centralised control of heater power source [switchgear heaters] 85−39101
Yamamoto, T., Shimizu, T. Design of MF2 facsimile 86−4226
Yamamoto, T., Shimizu, T., Komiya, K., Jimbo, Y. MF 2 facsimile design 85−25375
Yamamoto, T., Sparks, L.E. Numerical simulation of three-dimensional tuft corona and particle sneakage [electrostatic precipitators] 86−42781
Yamamoto, T., Sparks, L.E. Numerical simulation of three-dimensional tuft corona and electrohydrodynamics 87−11989
Yamamoto, T., Takada, A., Hashimoto, K. Data circuit terminating equipment for digital data network 87−8032
Yamamoto, T., Tanaka, J. Selection and application of explosion-proof device for explosion-proof instrumentation−level gauge 88−36111
Yamamoto, T., Toda, J., Takagi, H., Iwama, H., Kobayashi, K. Recording characteristics of rigid disks for perpendicular magnetic recording 86−36021
Yamamoto, T., Watanabe, E., Omatu, S. A consideration on control of NO_x concentration level in Tokushima City by the STR method 87−57414
Yamamoto, T., Yamamoto, Y., Yasuhara, K., Yamaguchi, Y., Yasumo, W., Yoshida, A. Measurement of low-resistance points on the skin by dry roller electrodes 88−36479
Yamamoto, T., Yamamoto, Y., Yoshida, A. Formative mechanisms of current concentration and breakdown phenomena dependent on direct current flow through the skin by a dry electrode 86−50458
Yamamoto, T., Yoshimoto, M. Optical encoder 86−11600
Yamamoto, T., Yumura, T., Shimegi, H. Development of high performance head positioner for an optical disk storage system 87−43089
Yamamoto, T., Zama, M., Hishinuma, M., Yamamoto, A. Lithium secondary cells using LiX ($X=ClO_4$, BF_4) as electrolyte and poly(2,5-pyrrolylene) and poly(2,5-thienylene) as materials for positive electrodes 87−64781
Yamamoto, T. *see* Aragaki, N. 88−46704
Yamamoto, T. *see* Arai, H. 87−6331
Yamamoto, T. *see* Chigira, E. 88−46827
Yamamoto, T. *see* Chigusa, Y. 88−58095
Yamamoto, T. *see* Ensor, D.S. 88−37946
Yamamoto, T. *see* Fukitani, Y. 86−33517
Yamamoto, T. *see* Funada, Y. 87−10815
Yamamoto, T. *see* Furukawa, S. 86−47566
Yamamoto, T. *see* Furuya, K. 88−50820
Yamamoto, T. *see* Guo, B. 88−58731
Yamamoto, T. *see* Hamabe, K. 87−4552
Yamamoto, T. *see* Hamakawa, Y. 87−35151
Yamamoto, T. *see* Hasegawa, F. 86−439, 87−31550, 87−73134, 88−49858, 88−63312
Yamamoto, T. *see* Hasegawa, Y. 87−16199
Yamamoto, T. *see* Hashimoto, S. 87−31299
Yamamoto, T. *see* Hirakawa, K. 86−24042
Yamamoto, T. *see* Hirano, K. 87−24719
Yamamoto, T. *see* Hirano, M. 87−30394
Yamamoto, T. *see* Hirata, S. 88−14173
Yamamoto, T. *see* Hiyamizu, S. 85−40895
Yamamoto, T. *see* Homma, A. 87−14690
Yamamoto, T. *see* Hori, T. 87−14687
Yamamoto, T. *see* Ikegami, M. 86−6183, 87−50288, 87−54433
Yamamoto, T. *see* Imoto, F. 88−6491
Yamamoto, T. *see* Ito, O. 88−45060
Yamamoto, T. *see* Iwama, K. 88−6017
Yamamoto, T. *see* Kobayashi, K. 87−46368
Yamamoto, T. *see* Kohno, M. 86−5592
Yamamoto, T. *see* Komiyama, S. 88−14162, 88−27117
Yamamoto, T. *see* Kyoto, M. 88−58151
Yamamoto, T. *see* Li, C.-Y. 88−59328
Yamamoto, T. *see* Masuda, I. 85−12412
Yamamoto, T. *see* Matsuki, H. 87−18488, 87−66601, 88−71145
Yamamoto, T. *see* Matsumoto, F. 86−49208
Yamamoto, T. *see* Miyahara, S. 88−71604
Yamamoto, T. *see* Murakami, K. 86−31339, 87−67201, 88−438, 88−35967
Yamamoto, T. *see* Muramatsu, T. 85−58443, 86−58661
Yamamoto, T. *see* Nagao, K. 86−2421
Yamamoto, T. *see* Nakano, S. 88−8975
Yamamoto, T. *see* Nakatsuka, K. 85−12596
Yamamoto, T. *see* Naruse, H. 87−35201, 88−42293
Yamamoto, T. *see* Ochi, H. 85−30652, 86−10713
Yamamoto, T. *see* Ogita, M. 86−55680, 87−21103, 87−70638
Yamamoto, T. *see* Ogoshi, K. 86−42213
Yamamoto, T. *see* Okumura, Y. 87−34231, 87−40092
Yamamoto, T. *see* Ono, Y. 87−72839
Yamamoto, T. *see* Ooe, M. 88−45159
Yamamoto, T. *see* Peng, K.J. 88−18846
Yamamoto, T. *see* Rinard, G. 87−39317
Yamamoto, T. *see* Saito, T. 87−37359
Yamamoto, T. *see* Sakamoto, Y. 86−5606
Yamamoto, T. *see* Sawada, K. 88−5043
Yamamoto, T. *see* Shimizu, H. 85−37571
Yamamoto, T. *see* Shoji, T. 88−75901
Yamamoto, T. *see* Takahashi, S. 86−11300
Yamamoto, T. *see* Takashima, H. 85−57899
Yamamoto, T. *see* Takebe, T. 86−14386
Yamamoto, T. *see* Takeda, S. 86−24914, 88−54176
Yamamoto, T. *see* Toda, J. 86−58687, 86−68168
Yamamoto, T. *see* Ueno, T. 88−60507
Yamamoto, T. *see* Velkoff, H.R. 88−27414
Yamamoto, T. *see* Watanabe, I. 86−14871
Yamamoto, T. *see* Yamada, K. 88−68328
Yamamoto, T. *see* Yamada, Y. 87−14330
Yamamoto, T. *see* Yamamoto, Y. 85−38002, 86−25177, 88−16741, 88−74848
Yamamoto, T. *see* Yamaoka, H. 87−42642
Yamamoto, T. *see* Yokoyama, T. 87−53525
Yamamoto, T. *see* Yoshida, K. 86−9405
Yamamoto, T. *see* Yoshimizu, Y. 88−69142
Yamamoto, W. *see* Neuman, C. 88−53163
Yamamoto, Y. A variable dimension fixed point algorithm and the orientation of simplices 85−10615
Yamamoto, Y. Advanced television network assignment and switching control system 85−31152

Yamamoto, Y. Development of robot arm, an application of shape memory alloys to robotics 86−515
Yamamoto, Y. Application of amorphous metals in distribution transformers 87−46391
Yamamoto, Y. Error performance evaluation method for digital data transmission with HDLC 87−55390
Yamamoto, Y. SAW resonator for broad band tunable VCO 88−13642
Yamamoto, Y., Fujima, S., Takada, H., Segawa, Y., Ishibashi, K., Shim, T.E., Itoh, T., Suzuki, S. Recoil implantation of Si into GaAs by As ion bombardment 87−38095
Yamamoto, Y., Fujisawa, K., Takemura, T., Kita, S. A dielectric rod waveguide coupled with metal rectangular waveguide 88−38664
Yamamoto, Y., Fujita, S. Generation of fault-detection input vectors in *P*-valued combinational logic circuits by a tabular method 86−34726
Yamamoto, Y., Imoto, N. Internal and external field fluctuations of a laser oscillator. I. Quantum mechanical Langevin treatment 87−12340
Yamamoto, Y., Inokuchi, S., Hara, Y. Frequency identification of two nearby frequencies by phase characteristics 85−37705
Yamamoto, Y., Kisoda, A., Yamada, A., Niki, H., Kitagawa, Y., Yamanaka, M., Yokoyama, M., Yamanaka, C. Localization of neutrons generated in a dense plasma focus 85−31682
Yamamoto, Y., Kobayashi, H., Takahashi, T., Inada, T. Electrical and crystallographic evaluation of SOS implanted with silicon and/or oxygen 85−45465
Yamamoto, Y., Kobayashi, H., Takahashi, T., Inada, T. Influence of implantation induced damage in sapphire upon improvement of crystalline quality of silicon on sapphire 86−20021
Yamamoto, Y., Komatsu, Y., Harada, M. A consolidation process for spent burnable poison rod assemblies 85−65104
Yamamoto, Y., Koyamada, Y., Oikawa, H. Construction of subscriber optical fiber cable network 86−49609
Yamamoto, Y., Koyamada, Y., Oikawa, H., Maekawa, E. An economical method of constructing subscriber optical fiber cable networks 86−4627
Yamamoto, Y., Machida, S. High-impedance suppression of pump fluctuation and amplitude squeezing in semiconductor lasers 87−54339
Yamamoto, Y., Miyanaga, H., Kobayashi, Y., Terada, Y., Yamanaka, N. A novel concept for high-speed time switch approaching memory read cycle limit 87−8104
Yamamoto, Y., Miyanaga, H., Sakai, T. Schottky diode for bipolar LSIs consisting of an impurity-controlled Si substrate and Al(2%Si) electrode 85−40885
Yamamoto, Y., Morimoto, M. SAW diffraction analysis and correction by waveguide approximation 87−1839
Yamamoto, Y., Nagaoka, Y., Nakajima, Y., Murao, T. Super compact plastic projection lenses for projection televisions 87−13911
Yamamoto, Y., Nakayama, S., Sawamura, H., Kikuchi, T., Goda, M., Sasahara, H., Suzuki, K., Tanabe, K., Kusakari, S. An un-manned production line for electronics product final assembly and testing (ORANGE LINE) 88−11711
Yamamoto, Y., Nilsson, O., Saito, S. Theory of a negative frequency feedback semiconductor laser 86−29147
Yamamoto, Y., Nomoto, K., Okuno, T., Moriuchi, S., Nakata, Y., Inoguchi, T. A role of composition graded layer in p/i interface of amorphous silicon solar cell 88−37523
Yamamoto, Y., Ogata, Y. Subjective evaluation of white noise effect on picture quality of improved television 85−58301
Yamamoto, Y., Ohta, Y., Hashimoto, K., Hashirano, M., Kunihira, T., Kakimoto, T., Okada, S., Nakamura, F. Video-processing ICs and servo-control ICs for VTRs 86−34850
Yamamoto, Y., Saito, S., Sakai, J. Coherent optical transmission 86−43828
Yamamoto, Y., Sannomiya, H., Yokota, A., Nakaya, Y., Inoguchi, T. Germanium and carbon composition graded layer in p/i interface of a-SiGe:H solar cell 88−37434
Yamamoto, Y., Sugiura, T. A new BRAM DC current detector for a highly accurate DC-DC constant current converter 87−22568
Yamamoto, Y., Takahashi, K. Transmission performance specification for high-speed digital leased-circuit services 86−37241
Yamamoto, Y., Tobita, T., Matsuoka, Y. Fine differential pressure transmitter using new semiconductor sensor 86−31370
Yamamoto, Y., Tsuboi, T., Yamagata, J. Transmission performance objectives allocation plan for ISDN 85−42114
Yamamoto, Y., Tsumori, K., Takeda, S., Hori, T., Suemine, S., Kimura, N., Okuma, J., Sawai, T. Improvement of the RF system for the prebuncher. II 87−14672
Yamamoto, Y., Wakana, T. Howling prevention conditions in multi-point teleconferencing systems 88−59849
Yamamoto, Y., Yamada, H. Analysis of magnetic circuit and starting characteristics of flat-type linear pulse motor with permanent magnets 85−48972
Yamamoto, Y., Yamada, H., Fukunaga, S., Murashita, J., Hamanaka, Y., Wakiwaka, H. Artificial heart driver using flat type linear pulse motor 87−22450
Yamamoto, Y., Yamamoto, H., Oikawa, H. Access network design with optical fibers 85−42116
Yamamoto, Y., Yamamoto, T. Characteristics of skin admittance for dry electrodes and the measurement of skin moisturisation 86−25177
Yamamoto, Y., Yamamoto, T. Measurement of electrical bio-impedance and its applications 88−16741
Yamamoto, Y., Yamamoto, T., Yasuhara, K., Ozawa, T. A portable device for moisturization measurement of stratum corneum using skin admittance 85−38002
Yamamoto, Y., Yamamoto, T., Yasuhara, K., Yamaguchi, Y., Yasumo, W., Yoshida, A. Searching device for low resistance point on the skin using a three-roller electrode 88−74848
Yamamoto, Y., Yokota, A., Sannomiya, H., Moriuchi, S. High rate deposition of amorphous silicon films and impurity doping effects 87−5464
Yamamoto, Y. *see* Adachi, F. 86−64600
Yamamoto, Y. *see* Asatani, K. 85−30551
Yamamoto, Y. *see* Brown, D. 88−68107
Yamamoto, Y. *see* Chiba, J. 85−42502
Yamamoto, Y. *see* Echigo, H. 86−70185
Yamamoto, Y. *see* Egami, T. 85−60212
Yamamoto, Y. *see* Fujii, H. 88−29957
Yamamoto, Y. *see* Hara, K. 85−5570, 88−11531
Yamamoto, Y. *see* Haus, H.A. 87−36937
Yamamoto, Y. *see* Hirakawa, K. 86−24042
Yamamoto, Y. *see* Hirata, M. 87−33996
Yamamoto, Y. *see* Hongo, T. 87−43569
Yamamoto, Y. *see* Ishizaki, A. 87−9523
Yamamoto, Y. *see* Itoh, M. 88−55633
Yamamoto, Y. *see* Kakimoto, S. 88−34012
Yamamoto, Y. *see* Kato, J. 86−63149
Yamamoto, Y. *see* Kawabata, T. 87−43226, 87−78788, 88−30864, 88−75772
Yamamoto, Y. *see* Kawamoto, H. 85−8537
Yamamoto, Y. *see* Kobayashi, Y. 86−41765
Yamamoto, Y. *see* Kobe, T. 87−16018
Yamamoto, Y. *see* Konaka, S. 85−40046, 86−47776, 87−38509
Yamamoto, Y. *see* Kumano, M. 86−56670
Yamamoto, Y. *see* Machida, S. 86−36493, 86−59903, 87−39123, 88−34044
Yamamoto, Y. *see* Matsuda, N. 87−28346
Yamamoto, Y. *see* Matsuoka, Y. 86−5293, 86−70103
Yamamoto, Y. *see* Matsuura, M. 85−20216, 86−63830, 86−69765, 86−69781
Yamamoto, Y. *see* Miyanaga, H. 85−40104, 85−49898, 87−745
Yamamoto, Y. *see* Mizuki, I. 88−45288
Yamamoto, Y. *see* Morii, K. 85−32593
Yamamoto, Y. *see* Morimoto, M. 88−39786
Yamamoto, Y. *see* Mukaiyama, T. 87−70271
Yamamoto, Y. *see* Murayama, K. 88−12094
Yamamoto, Y. *see* Nakanishi, H. 86−69780
Yamamoto, Y. *see* Nihei, F. 87−70054
Yamamoto, Y. *see* Nilsson, O. 85−24553, 87−12341
Yamamoto, Y. *see* Obi, M. 87−14522
Yamamoto, Y. *see* Oikawa, H. 87−8253, 87−8314, 87−28614, 87−34589
Yamamoto, Y. *see* Okada, T. 86−23596
Yamamoto, Y. *see* Okumura, Y. 88−50995
Yamamoto, Y. *see* Ono, S. 87−76979
Yamamoto, Y. *see* Sagawa, M. 86−21960
Yamamoto, Y. *see* Saito, S. 85−24534, 86−3179
Yamamoto, Y. *see* Sakai, T. 86−47777, 87−60623, 88−7726
Yamamoto, Y. *see* Sakakibara, Y. 86−22399
Yamamoto, Y. *see* Shim, T.E. 86−35543, 87−53180
Yamamoto, Y. *see* Shimogaki, K. 85−60522
Yamamoto, Y. *see* Takahashi, K. 88−46452
Yamamoto, Y. *see* Tanabe, Y. 88−20136
Yamamoto, Y. *see* Tanifuji, T. 86−30781, 86−31414
Yamamoto, Y. *see* Tashiro, T. 87−34491
Yamamoto, Y. *see* Torii, T. 88−13514
Yamamoto, Y. *see* Tse, E.K. 88−21847
Yamamoto, Y. *see* Watanabe, T. 88−39784 to 39785, 88−39787
Yamamoto, Y. *see* Yamada, H. 87−15795, 87−42023, 88−54627
Yamamoto, Y. *see* Yamagishi, H. 87−37973
Yamamoto, Y. *see* Yamaguchi, K. 85−56435, 86−5113, 88−29435
Yamamoto, Y. *see* Yamamoto, H. 85−25592 to 25593, 85−31060, 85−37059, 86−69766, 87−8313
Yamamoto, Y. *see* Yamamoto, T. 86−50458, 88−36479
Yamamoto, Y. *see* Yamanaka, N. 87−8130, 87−17013, 88−15292
Yamamoto, Y. *see* Yanagawa, T. 85−7422, 86−15684
Yamamoto, Y. *see* Yokoyama, A. 88−36110
Yamamoto, Z., Hirosawa, H., Nomura, T. Dual speed PN ranging system for tracking of deep space probes 88−15567
Yamamoto, Z., Nomura, T. Performance of DLL for *PN* sequences with bit errors 85−28423
Yamamoto, Z., Nomura, T. Performance of DLL for PN sequences with bit errors 87−2403
Yamamoto, Z., Nomura, T., Hirosawa, H. Dual speed *PN* ranging system 85−63766
Yamamoto, Z. *see* Zhu, J. 88−27805
Yamamoto Junya *see* Junya Yamamoto
Yamamura, H. Disaster countermeasures in telecommunication power systems 86−6882
Yamamura, H., Oagaswara, M. Diesel generation set with self-diagnosis function 85−65161
Yamamura, H. *see* Tada, E. 88−65037
Yamamura, H. *see* Tsuji, H. 88−65066
Yamamura, H. *see* Uchino, K. 87−67657, 87−74461
Yamamura, K. Dry type calorimeter for 10 GHz band power standard 87−41596
Yamamura, K., Horiuchi, K. Steady-state analysis of nonlinear oscillatory circuits by iterative decomposition method 86−7919
Yamamura, K., Horiuchi, K. Quasi-neutron method for sparse systems of nonlinear equations 86−52399
Yamamura, K., Horiuchi, K. Steady-state analysis of nonlinear oscillatory circuits by iterative decomposition method 87−5701
Yamamura, K., Horiuchi, K. A Newton algorithm for the steady-state analysis of nonlinear oscillatory circuits 87−37054
Yamamura, K., Horiuchi, K. Quadratic convergence of Newton's method for computing bifurcation values of periodic solutions 88−6386
Yamamura, K., Horiuchi, K. Accurate shooting methods for computing periodic solutions of nonlinear systems 88−24949
Yamamura, K., Inoue, T., Endo, M. Automatic calibration system for laser power standard. I. Design and construction 86−65282
Yamamura, K., Inoue, T., Endo, M. Automatic calibration system for laser power standard. II. Experiments and performance evaluation 87−7425
Yamamura, K., Inoue, T., Yokoshima, I. RF power standards using a thermocouple 86−65244
Yamamura, K., Kubo, H., Horiuchi, K. A globally convergent algorithm based on fixed-point homotopy for the solution of nonlinear resistive circuits 88−18892
Yamamura, K., Oishi, S., Horiuchi, K. Acceleration techniques for iterative decomposition algorithm for the solution of nonlinear equations 85−10641
Yamamura, K., Oishi, S., Horiuchi, K. Simplified homotopy method for the solution of nonlinear two-point boundary value problems 85−28183
Yamamura, K., Oishi, S., Horiuchi, K. A decomposition method and acceleration techniques for a fixed point algorithm 85−39672
Yamamura, K., Oishi, S., Horiuchi, K. Iterative decomposition method with mesh refinements for numerical solution of nonlinear two-point boundary value problems 85−60895
Yamamura, K., Oishi, S., Horiuchi, K. Simplified homotopy method for the solution of nonlinear two-point boundary value problems 87−224
Yamamura, K. *see* Doke, T. 88−16644
Yamamura, K. *see* Inoue, T. 86−3267, 88−26759
Yamamura, K. *see* Kubo, H. 88−56422
Yamamura, K. *see* Nukii, T. 86−11660
Yamamura, K. *see* Takase, T. 85−10946
Yamamura, M., Favor, G. Z80000 32-bit microprocessor 85−17491
Yamamura, M., Favor, G. Z80000 32-bit microprocessor 85−17528
Yamamura, M., Hojo, J., Hirota, I., Ueda, Y., Matsumoto, H. A 1/2-in. CCD imager with 510×492 pixels 87−70453
Yamamura, M., Yatabe, T., Matsuzawa, H., Kadokura, S., Sobajima, S. Wear properties of perpendicular magnetic recording media 87−18493
Yamamura, M. *see* Kumesawa, T. 86−4846
Yamamura, S. Measurement of discrimination on navigation marks at night 85−31121
Yamamura, S. Theory of analysis of transient phenomena of AC machines via phase separation method and decaying vector symmetrical component method 86−39662
Yamamura, S. Modern theory of AC motors: phase segregation method, OR vector and field acceleration methods 87−51191
Yamamura, S. Observing vessels by using LANDSAT TM data 87−56060
Yamamura, S. Modern theory of AC motor drives−analysis and control of AC traction motor drive 87−64854
Yamamura, S., Nakagawa, S., Kawamura, A. Voltage type control of induction motor by means of field acceleration method 85−65239

Yamamura, S., Nakamori, K., Kondo, F. Theory of analysis of torque control of synchronous motor as control motor 86–26012
Yamamura, S., Yamaguchi, H. Electromagnetic levitation system by means of salient-pole type magnets coupled with laminated slotless rails 87–5065
Yamamura, S. *see* Kasami, T. 86–16134
Yamamura, S. *see* Nakagawa, T. 86–40229, 87–9900, 88–55669
Yamamura, S. *see* Yamaguchi, H. 87–64909
Yamamura, T., Anpo, H. Mass production of 256Kbit static RAM starts 86–62598
Yamamura, T., Kasaba, M., Mizuno, M., Mori, M., Itoh, M., Urabe, S. Dynamic analysis computer program PAPS/DJ for HTGR 87–57811
Yamamura, T., Onuki, T., Kakita, K., Hashimoto, M. Characteristics of the tubular linear induction motor with square cross section energised by optimized primary current 88–49002
Yamamura, T., Onuki, T., Sekine, H. Tubular linear induction motor with square section 87–15806
Yamamura, T., Saito, Y., Nakamura, H. Calculations on the temperature distribution of DC-machine armature by finite element method 87–43076
Yamamura, T., Sumida, S., Murata, H. Structural design for nonmetallic optical fiber cables made of high-modulus and low linear-expansion coefficient polymer tubes 87–8301
Yamamura, T. *see* Onuki, T. 88–11898
Yamamura, T. *see* Saito, Y. 85–23171
Yamamura, T. *see* Yashiro, T. 87–38838
Yamamura, Y. *see* Enami, Y. 88–3440
Yamamura, Y. *see* Levis, C.A. 88–73863
Yamamura Masahiro *see* Masahiro Yamamura
Yamamuro, H. PC board refinements pose challenges in designing with computer systems 86–8573
Yamamuro, H., Wada, I., Nakane, H. Electromagnetic flowmeter 85–3979
Yamamuro, H. *see* Masuda, H. 86–5297
Yamamuro, K. *see* Ohuchi, N. 85–35363
Yamamuro, N. *see* Igashira, M. 86–50377
Yamana, M., Kashiwazaki, N., Yamamoto, M., Nakano, T. A storage type electrochromic display utilizing poly-co-QTPP films 87–70720
Yamana, M. *see* Fujita, M. 88–52013
Yamana, S. *see* Akimoto, K. 86–4334
Yamanaka, A., Kodera, T., Fujikawa, K., Kita, H. Conductive characteristic of nafion membranes sensing humidity 88–74328
Yamanaka, C. Energy development by lasers 86–22569
Yamanaka, C., Fujiwara, E., Naka, T., Takeda, T., Yamanaka, T., Yamanaka, C. Copper vapor lasers for isotope separation 87–26325
Yamanaka, C. *see* Akiba, T. 87–56934, 87–75146
Yamanaka, C. *see* Arai, Y. 87–26343
Yamanaka, C. *see* Hirose, Y. 87–26372
Yamanaka, C. *see* Ichikawa, Y. 85–52768, 86–29082, 88–2163, 88–2335
Yamanaka, C. *see* Kanabe, T. 86–28897, 86–58857
Yamanaka, C. *see* Kinoshita, K. 87–57039
Yamanaka, C. *see* Miyamoto, S. 85–1222, 88–30796
Yamanaka, C. *see* Mochizuki, T. 88–13235
Yamanaka, C. *see* Ohigashi, N. 87–33216, 87–75145
Yamanaka, C. *see* Ozaki, T. 86–11808
Yamanaka, C. *see* Sasaki, W. 87–12553
Yamanaka, C. *see* Shimomura, O. 88–34107
Yamanaka, C. *see* Stapf, R.O. 87–29507
Yamanaka, C. *see* Toide, E. 85–24629
Yamanaka, C. *see* Uehara, Y. 86–9764
Yamanaka, C. *see* Yamamoto, Y. 85–31682
Yamanaka, C. *see* Yamanaka, C. 87–26325
Yamanaka, C. *see* Yokotani, A. 86–48070, 86–48489
Yamanaka, C. *see* Yoshida, K. 85–5495, 86–9643
Yamanaka, E. *see* Tatsuta, M. 88–75784
Yamanaka, G. *see* Yumikura, T. 88–6046
Yamanaka, H. The dielectric measurement using a *H*-plane dielectric-loaded cavity with three layers 85–48068
Yamanaka, H. Dielectric measurements by H-plane dielectric loaded cavity with three layers 86–70196
Yamanaka, H., Farooq, U. On the dielectric measurement by *H*-plane dielectric loaded resonator 85–4080
Yamanaka, H., Farooq, U. Dielectric measurement by H-plane dielectric loaded resonator 85–37726
Yamanaka, H., Koike, S. A degradation due to surface oxidations in GaAlAs red light emitting diodes and a prevention of it 85–46290
Yamanaka, H. *see* Liang, Y.C. 87–38845, 88–26833
Yamanaka, H. *see* Nozue, H. 87–11528
Yamanaka, K. Molecular beam epitaxial system 85–28222
Yamanaka, K. Tungsten trioxide/liquid electrolyte electrochromic devices with amorphous iron tungstate counter electrodes—response characteristics and cell reliability 87–1978
Yamanaka, K. Analysis of subsurface cracks in acoustic microscopy 87–15110
Yamanaka, K. GaAs solar cells set record for efficiency 88–5862
Yamanaka, K. Acoustic microscopy—principles and application to materials evaluation 88–16947
Yamanaka, K. Electrodeposited films from aqueous tungstic acid-hydrogen peroxide solutions for electrochromic display devices 88–26884
Yamanaka, K., Enomoto, Y., Tsuya, Y. Acoustic microscopy of ceramic surfaces 85–53219
Yamanaka, K., Haraguchi, M., Tsuya, Y. Evaluation of machined ceramic surfaces by using quantitative acoustic microscopy 88–56358
Yamanaka, K., Oakamoto, H., Kidou, H., Kudo, T. Peroxotungstic acid coated films for electrochromic display devices 87–12249
Yamanaka, K., Sugihara, R. Finite-element-analysis of fields radiated from ICRF antenna 85–2647
Yamanaka, K., Sugihara, R. Finite-element-analysis of fields radiated from ICRF antenna 85–19212
Yamanaka, K. *see* Imanaka, Y. 88–71248
Yamanaka, K. *see* Miura, A. 85–18751, 86–5192
Yamanaka, K. *see* Naritsuka, S. 86–13762
Yamanaka, K. *see* Nomura, Y. 85–22482
Yamanaka, K. *see* Ochi, S. 88–18703
Yamanaka, K. *see* Yokomori, K. 86–60117
Yamanaka, K. *see* Yuasa, T. 85–23433
Yamanaka, M. Color display cathode-ray tube for car use 87–70425
Yamanaka, M., Daimon, H., Sakuma, E., Misawa, S., Endo, K., Yoshida, S. Temperature dependence of electrical properties of nitrogen-doped 3C-SiC 87–53217
Yamanaka, M., Daimon, H., Sakuma, E., Misawa, S., Yoshida, S. Temperature dependence of electrical properties of *n*- and *p*-type 3C-SiC 87–32273
Yamanaka, M., Hayashi, Y. SnO_2/n-Si solar cells 85–44176
Yamanaka, M., Hayashi, Y., Iida, H., Mishuku, T., Karasawa, H., Ito, A., Shiba, N. Transparent conductive films and amorphous silicon solar cells 86–33650
Yamanaka, M., Hayashi, Y., Karasawa, H. Amorphous silicon solar cells using a metal substrate 87–64793
Yamanaka, M., Sakata, H., Miyauchi, H. High density thick film hybrid IC 87–73929
Yamanaka, M., Sato, M., Hayashi, Y., Sakata, I., Ito, A., Mori, Y. Growth of a:Si:H by low frequency glow discharge decomposition of SiH_4—glow discharge excitation frequency dependence 85–39787
Yamanaka, M., Senba, N., Sasamoto, T., Nitta, H. High density hybrid IC 'COMPACT' 88–50561
Yamanaka, M. *see* Daimon, H. 86–67750
Yamanaka, M. *see* Diamon, H. 88–19992
Yamanaka, M. *see* Hayashi, Y. 86–26874
Yamanaka, M. *see* Ichikawa, Y. 85–52768, 86–29082, 88–2163, 88–2335
Yamanaka, M. *see* Ishii, K. 87–64795
Yamanaka, M. *see* Kinoshita, K. 87–57039
Yamanaka, M. *see* Kondo, Y. 87–1511, 87–45973
Yamanaka, M. *see* Miyamoto, H. 87–70426
Yamanaka, M. *see* Miyashita, K. 88–53624
Yamanaka, M. *see* Okajima, S. 85–46322
Yamanaka, M. *see* Sakat, I. 87–37904
Yamanaka, M. *see* Sakata, I. 85–41234, 85–46245, 86–53321, 87–60214
Yamanaka, M. *see* Sasaki, W. 87–12553
Yamanaka, M. *see* Sato, M. 86–26875
Yamanaka, M. *see* Shinohara, M. 88–43886
Yamanaka, M. *see* Stapf, R.O. 87–29507
Yamanaka, M. *see* Tanuma, T. 88–31846
Yamanaka, M. *see* Uehara, Y. 85–18852, 86–9764
Yamanaka, M. *see* Yamamoto, Y. 85–31682
Yamanaka, M. *see* Yoshida, S. 87–11796, 88–44563
Yamanaka, M.D., Hirosawa, H., Matsuzaka, Y., Tanaka, H. 'Glow-discharge' ionic anemometer 85–38348
Yamanaka, M.D., Matsuzaka, Y., Nishimura, J., Yamagami, T., Tanaka, H. Stratospheric balloon-borne 'adapted Gill-type' propeller anemometer 87–71327
Yamanaka, M.D. *see* Fukao, S. 88–74028
Yamanaka, N., Kawakami, M., Terada, Y. High-speed time division switch operating at 256 Mb/s 86–17162
Yamanaka, N., Kikuchi, S. High-speed time-division switch for broadband ISDN 88–46836
Yamanaka, N., Miyanaga, H., Yamamoto, Y. Newly structured 512 Mbit/s high-speed time-division switch 87–8130
Yamanaka, N., Miyanaga, H., Yamamoto, Y. Low-power Si-bipolar multi-Gbit/s logics having the same function as ECL100K family 87–17013
Yamanaka, N., Miyanaga, H., Yamamoto, Y. High-speed time division switch for 32-Mbit/s bearer rate signals 88–15292
Yamanaka, N. *see* Hirata, M. 87–33996
Yamanaka, N. *see* Yamamoto, Y. 87–8104
Yamanaka, N. *see* Yoshikuni, Y. 85–7421
Yamanaka, R. *see* Yamamoto, K. 88–10079
Yamanaka, S., Fukada, T., Sawa, G., Ieda, M. Residual voltage of γ-irradiated low-density polyethylene 88–5355
Yamanaka, S., Yoshida, S., Konagai, M., Takahashi, K. Efficiency improvement in amorphous SiGe:H solar cells by the use of a graded bandgap layer at the i/n interface 87–30979
Yamanaka, S., Yoshida, S., Konagai, M., Takahashi, K. High-performance hydrogenated amorphous silicon-germanium solar cells fabricated by photochemical vapor deposition 87–72398
Yamanaka, S. *see* Hoshi, Y. 85–10801, 85–18551, 85–46033
Yamanaka, S. *see* Igarashi, T. 88–57761
Yamanaka, S. *see* Matsuoka, M. 85–10802, 85–16972, 85–44773
Yamanaka, S. *see* Onga, M. 85–3683
Yamanaka, S. *see* Ozaki, T. 86–30673
Yamanaka, S. *see* Suzuki, T. 86–27074
Yamanaka, S. *see* Terada, N. 85–24071, 85–46028
Yamanaka, S. *see* Usami, K. 85–33498
Yamanaka, S. *see* Yoshida, S. 88–37546
Yamanaka, T., Esaki, M., Kinoshita, M. Measurement of TDC in engine by microwave technique 86–11717
Yamanaka, T., Esaki, M., Kinoshita, M. Measurement of TDC in engine by microwave technique 86–31641
Yamanaka, T., Furukawa, K., Ishikawa, M. Retroreflectance and color measurement of traffic sign sheet materials 85–26488
Yamanaka, T., Hashimoto, N., Kawamoto, Y., Sakai, Y., Honjo, S., Minato, O. A folded resistor and capacitor (FRC) static memory cell with triple poly-Si structures 88–6872
Yamanaka, T., Koshimaru, S., Kudoh, O., Ozawa, Y., Yasuoka, N., Ito, H., Asai, H., Harashima, N., Kikuchi, S. A 25 ns 64K static RAM 85–22867
Yamanaka, T., Ryugo, T., Sumatani, S., Youseff, M.G. Supervisory-control and data-acquisition (SCADA) systems and telecommunication systems for power utilities abroad 87–9105
Yamanaka, T. *see* Arai, Y. 87–26343
Yamanaka, T. *see* Ban, K. 88–7051
Yamanaka, T. *see* Fukushima, H. 88–6528, 88–38268
Yamanaka, T. *see* Hanamura, S. 87–59499
Yamanaka, T. *see* Ichikawa, Y. 85–52768, 86–29082, 88–2163, 88–2335
Yamanaka, T. *see* Kinoshita, K. 87–57039
Yamanaka, T. *see* Sakai, Y. 85–49887
Yamanaka, T. *see* Sonoyama, S. 86–25342
Yamanaka, T. *see* Stapf, R.O. 87–29507
Yamanaka, T. *see* Tamahashi, K. 87–5446, 87–16662
Yamanaka, T. *see* Yamamoto, S. 88–6506
Yamanaka, T. *see* Yamanaka, C. 87–26325
Yamanaka, T. *see* Yokotani, A. 86–48489
Yamanaka, T. *see* May, G.L. *(editor)* 87–10029
Yamanaka, Y., Morimoto, Y. Instrumentation, control, and electrical systems for nuclear power plants 88–5469
Yamanaka, Y., Nakayama, N., Takagi, K., Ohara, A., Kaneda, M. The MELFAS 4570 facsimile transceiver 87–76261
Yamanaka, Y., Ohara, A. The MELFAS 4570 facsimile transceiver 87–20154
Yamanaka, Y., Sugiura, A. Measurements of effective radiated power from V/UHF antenna by means of in-phase synthetic method 86–5451
Yamanaka, Y. *see* Aoki, T. 86–32981
Yamanaka, Y. *see* Arai, N. 85–40042
Yamanaka, Y. *see* Katayama, R. 88–45410
Yamanaka, Y. *see* Kawana, T. 85–64231, 86–64014
Yamanaka, Y. *see* Kitagawa, M. 87–50906
Yamanaka, Y. *see* Matsukawa, T. 87–9675, 87–22544
Yamanashi, F. *see* Fujiwara, Y. 86–54014
Yamanashi, W.S., Fesen, M.R., Anderson, D.W., Sy, A.M., Lester, P.D. Field-focusing hyperthermia and magnetic resonance imaging (MRI) with a grounded probe and a commercial MRI scanner 86–32353
Yamanashi, W.S. *see* Anderson, D.W. 87–14853
Yamane, D., Tatebayashi, K. CAD system for digital-filter with real-time simulator 86–14421
Yamane, D. *see* Ochi, H. 87–32021
Yamane, D. *see* Tatebayashi, K. 86–41243
Yamane, F. *see* Kuroiwa, T. 86–58752
Yamane, H., Hattori, M., Koga, H. Induced overvoltage reduction design method for optical fiber cable interstitial quads using arresters 85–63712
Yamane, H., Hattori, M., Koga, H. 3-electrode arrester ground resistance design for reduction of induced overvoltages along telecommunication lines 86–37698
Yamane, H., Hattori, M., Koga, H. 3-electrode arrester ground resistance design for reducing induced overvoltage in telecommunications lines 87–62811

Yamane, H., Kikkawa, S., Koizumi, M. Preparation and electrochemical properties of double-metal nitrides containing lithium 87—72360
Yamane, H., Motomitsu, T., Hattori, M., Ohtsuki, F., Koga, H. Lightning surge transverse voltages induced in overhead telecommunication lines 85—3331
Yamane, H., Motomitsu, T., Kanamori, H., Ideguchi, T. Experimental study on the shielding effects for shielded cable in a metallic duct 88—44403
Yamane, H., Yamane, M., Ishii, T. Development of a super-high brightness monolithic-type GaP green LED flat display device 88—42235
Yamane, H. *see* Hattori, M. 85—3247, 85—47392
Yamane, H. *see* Ishida, R. 87—1157
Yamane, H. *see* Motomitsu, T. 85—3248, 86—4465
Yamane, H. *see* Tokuda, Y. 85—18249
Yamane, I., Arakita, Y., Kitagawa, K., Okamoto, Y. Coherent betatron oscillation accompanying the extraction bump orbit of the PS-booster 87—70974
Yamane, I., Yamaguchi, H. A new type of stripping carbon foil for H^- charge-exchange injection into a synchrotron 87—35316
Yamane, I. *see* Ezawa, M. 87—4051
Yamane, I. *see* Imamura, M. 85—20859
Yamane, I. *see* Kihara, M. 88—36305
Yamane, K., Maeda, S., Matsuo, M. A construction method of terrain height map with stereo radar 85—20254
Yamane, K., Matsuo, M. A reconstruction method of non-distorted SAR images using stereo radar technique 85—30360
Yamane, K., Matsuo, M. A proposal for detection method of target motion with synthetic aperture radar 87—8343
Yamane, K. *see* Sakamoto, H. 88—42215
Yamane, K. *see* Sugano, K. 85—62854
Yamane, M., Kawazoe, H., Yasumori, A., Takahashi, T. Gradient-index glass rods of PbO-K_2O-B_2O_3-SiO_2 system prepared by the sol-gel process 88—43951
Yamane, M., Shinohara, M., Kawaguchi, T., Nagasawa, S., Misawa, K., Kinoshita, K. Automatic high-speed oil analysis in liquefied carbonic acid by gas chromatography 88—74622
Yamane, M. *see* Masuda, W. 85—62506
Yamane, M. *see* Ohro, M. 87—76597
Yamane, M. *see* Takahashi, I. 86—45585, 87—30772
Yamane, M. *see* Usagawa, T. 88—39403
Yamane, M. *see* Yamane, H. 88—42235
Yamane, N., Morikawa, Y., Hamada, H. The theory for reconstructing an image from its projections in discrete-space systems and its applications 85—57508
Yamane, N., Morikawa, Y., Hamada, H. A fast image filtering processor using the Fermat number transform 86—49023
Yamane, N., Morikawa, Y., Hamada, H. A new image data compression method—extrapolative prediction-discrete sine transform coding (in the case of one-dimensional coding) 87—7847
Yamane, N., Morikawa, Y., Hamada, H. A fast image filtering processor using the fermat number transform 87—63344
Yamane, N., Morikawa, Y., Hamada, H. A new image data compression method—extrapolative prediction-discrete sine transform coding (in the case of one-dimensional coding) 88—28007
Yamane, N., Morikawa, Y., Hamada, H. An image data compression method using extrapolative prediction-discrete sine transform: the case of two-dimensional coding 88—73232
Yamane, N., Norikawa, Y., Hamada, H. A fast image filtering processor—FIFP 87—19936
Yamane, N. *see* Morikawa, Y. 85—39607, 87—232
Yamane, S., Moritan, N., Sakai, K., Ueno, H., Ikeda, H. Direct-drive capstan motor for extremely small 'headphone stereos' 85—39041
Yamane, S. *see* Murata, H. 86—65135
Yamane, T. *see* Nakajima, H. 88—65337
Yamane, T. *see* Nakano, H. 85—13225, 85—13242
Yamane, T. *see* Suzuki, Y. 88—51735
Yamane, T. *see* Takenaka, H. 86—58903
Yamane, T. *see* Watanabe, S. 88—51778
Yamane, T. *see* Yoshino, Y. 87—68674
Yamane, Y., Imamura, Y., Iwadate, K., Hirayama, M. A new self-aligned GaAs MESFET with Ge/GaAs 86—53681
Yamane, Y., Izumi, M., Noguchi, Y., Takakura, M., Kako, N. Image processing DMA controller 87—69337
Yamane, Y., Takahashi, Y., Ishii, H., Hirayama, M. Selectively grown non-alloyed ohmic contacts to n-GaAs 87—24942
Yamane, Y., Takahashi, Y., Ishij, H., Hirayama, M. Selective formation of ohmic contacts to *n*-GaAs 87—45678
Yamane, Y. *see* Hiramoto, S. 86—7336
Yamane, Y. *see* Kako, N. 88—14805
Yamane, Y. *see* Kondo, M. 88—59954
Yamane, Y. *see* Onodera, K. 88—71610
Yamane, Y. *see* Takakura, M. 86—10489
Yamane, Y. *see* Utsumi, H. 88—11532
Yamani, A., Bennett, J.C. Depth-of-field improvements and removal of distortion in long wavelength imaging systems 85—42897
Yamani, A. *see* Bodechtel, J. 85—64749
Yamanishi, A. *see* Ota, Y. 88—61914
Yamanishi, A. *see* Susumago, I. 86—52172
Yamanishi, C. Development of double insulation technology for disc grinder 85—15978
Yamanishi, H., Yashihara, H., Kitahara, H., Hosokawa, N. Characteristics of TiN thin films prepared by inline sputtering system for VLSI 88—12056
Yamanishi, H. *see* Iida, T. 88—36525
Yamanishi, K., Minowa, Y., Shuhara, A. SiO_2 films by ionized cluster beam 85—16992
Yamanishi, K. *see* Ina, T. 87—10364, 88—43939
Yamanishi, K. *see* Osaka, T. 87—74519, 88—13667, 88—57926
Yamanishi, M. Electric field-induced changes in optical properties of quantum well structures and their application to optical devices 87—12252
Yamanishi, M. Field-induced optical nonlinearity due to virtual transitions in semiconductor quantum-well structures 87—74861
Yamanishi, M., Kan, Y., Minami, T., Suemune, I., Yamamoto, H., Usami, Y. Quenching of photoluminescence from GaAs/AlGaAs single quantum well by an electric field at high temperature 85—56425
Yamanishi, M., Kurosaki, M. Ultrafast optical nonlinearity by virtual charge polarization in DC-biased quantum well structures 88—40332
Yamanishi, M., Lee, Y. Phase dampings of optical dipole moments and gain spectra in semiconductor lasers 87—46815
Yamanishi, M., Usami, Y., Kan, Y., Suemune, I. Transient response of photoluminescence for electric field in a $GaAs/Al_{0.7}Ga_{0.3}As$ single quantum well: evidence for field-induced increase in carrier life time 86—9667
Yamanishi, M., Yamamoto, H., Suemune, I. Size effect modulation light sources-possibility of LED mode operation at room temperature 85—56454
Yamanishi, M. *see* Bylsma, R.B. 86—15685
Yamanishi, M. *see* Fujii, H. 85—56635
Yamanishi, M. *see* Gunshor, R.L. 86—8842
Yamanishi, M. *see* Kan, Y. 85—35793, 86—9668, 87—18957, 87—24881, 87—74094
Yamanishi, M. *see* Kolodziejski, L.A. 85—44706
Yamanishi, M. *see* Nagai, H. 86—67714, 87—24880
Yamanishi, M. *see* Nigami, T. 86—42532
Yamanishi, M. *see* Ogura, I. 88—19725
Yamanishi, M. *see* Ohmi, K. 88—31841
Yamanishi, M. *see* Sakaki, H. 88—27281
Yamanishi, M. *see* Suemune, I. 85—18912, 86—9824, 86—42578, 86—42590, 87—7365, 87—16676
Yamanishi, M. *see* Takeoka, T. 87—39115
Yamanishi, N. *see* Takubo, Y. 86—48215
Yamanishi, Y., Takahashi, J., Kaneko, T. Silicon microwave transistor series 86—58062
Yamanka, C. *see* Nose, Y. 87—74904
Yamanka, T. *see* Yokotani, A. 86—48070
Yamano, F. *see* Hayakawa, M. 85—42267
Yamano, M., Hinotani, K., Hayama, H., Kishimoto, S., Sugishita, S., Matsudaira, M. A color flat cathode ray tube 86—8705
Yamano, M., Ikeda, H., Takesada, H., Yamasaki, M., Okita, Y., Sugibuchi, S., Sasaki, Y. a-Si TFT active-matrix full color LC TV 85—14421
Yamano, M., Takesada, H. Full color liquid crystal television addressed by amorphous silicon TFTS 86—44360
Yamano, M., Takesada, H., Yamasaki, M., Okita, Y., Hada, H. The 5-inch size full color liquid crystal television addressed by amorphous silicon thin film transistors 85—37231
Yamano, M., Takesada, H., Yamazaki, M., Okita, Y., Hada, H. The 5 inch size full color liquid crystal television addressed by amorphous silicon transistors 85—37257
Yamano, M. *see* Ohima, S. 87—25263
Yamano, N. *see* Beonio-Brocchieri, F. 88—62036
Yamano, S., Kumozaki, K., Mano, F. Design philosophy and performance for ISDN basic access digital subscriber loops 88—3649
Yamano, S., Ogiwara, H. DC-DC converter circuit design for two-wire digital subscriber loops 87—31711
Yamano, S. *see* Imai, K. 85—42394
Yamano, S. *see* Komiya, R. 87—8147, 88—35335
Yamano, S. *see* Ohsawa, T. 87—59510, 88—6822
Yamano, S. *see* Uehara, K. 88—65488
Yamano, T. *see* Kotani, N. 86—21746, 87—67358
Yamano, T. *see* Miyatake, S. 85—42912, 85—52662, 87—34970
Yamano, T. *see* Nakagiri, A. 88—44946
Yamano, Y., Kobayashi, S., Takahashi, Y. Influence of surfactants on the flashover of an interrupted insulator surface 85—1772
Yamano, Y., Kobayashi, S., Takahashi, Y. Improvement of flashover strength and reduction of surface charge-induced field enhancement of insulating material 86—47883
Yamanoi, M., Naganawa, H. Optimum charging of a battery and its effects on charging efficiency 88—37374
Yamanoi, T. *see* Henmi, T. 88—15761
Yamanoi, T. *see* Sunada, K. 88—53408
Yamanouchi, C., Yoshihiro, K., Kinoshita, J., Inagaki, K., Moriyama, J., Baba, S., Kawaji, S., Murakami, K., Igarashi, T., Endo, T., Koyanagi, M., Nakamura, A. Hall effect in silicon MOS inversion layers for h/e^2 determination 85—63940
Yamanouchi, C. *see* Endo, T. 85—58835, 86—24688
Yamanouchi, C. *see* Kinoshita, J. 86—21612, 87—11789, 87—14466, 88—16417
Yamanouchi, C. *see* Yoshihiro, K. 86—24689, 86—53325, 86—53474, 87—11790
Yamanouchi, H. *see* Kino, H. 86—52580
Yamanouchi, I. High-performance optical fiber cable coverage throughout Japan 86—49667
Yamanouchi, I. *see* Uenoya, T. 87—12194
Yamanouchi, K. Fine lithography and SAW devices 85—56072
Yamanouchi, K. Submicron fabrication techniques using electron beam exposure and acoustic surface wave devices 86—2514
Yamanouchi, K. Ultra-high speed analog signal processing techniques 88—67725
Yamanouchi, K., Chen, Z.-H., Meguro, T. New low-loss surface acoustic wave transducers 88—1845
Yamanouchi, K., Chen, Z.H., Meguro, T. New fabrication technique for single-phase unidirectional SAW filter (EMUDT) in UHF range 85—61362
Yamanouchi, K., Chen, Z.H., Meguro, T. UHF range single phase unidirectional transducers using new fabrication techniques 87—1843
Yamanouchi, K., Chen, Z.H., Meguro, T. GHz-range step-type unidirectional low-loss filters and 5 GHz-range conventional IDT filters 87—60751
Yamanouchi, K., Furuyashiki, H. Low-loss SAW filter using internal reflection types of single-phase unidirectional transducer 85—1817
Yamanouchi, K., Furuyashiki, H. New low-loss SAW filter using internal floating electrode reflection types of single-phase unidirectional transducer 85—12462
Yamanouchi, K., Furuyashiki, H. Low-loss SAW filter using internal reflection types of new single-phase unidirectional transducer 86—2529
Yamanouchi, K., Inada, T. Analysis and experiments of nonlinear phenomena in piezoelectric semiconductors 85—35284
Yamanouchi, K., Inada, T. Analyses and experiments of nonlinear phenomena in piezoelectric semiconductors 87—53178
Yamanouchi, K., Meguro, T., Chen, Z.H. GHz-range wide band SAW unidirectional low loss filters with large reflection coefficients 88—51133
Yamanouchi, K., Meguro, T., Zhuo Hui Chen 5 GHz range SAW filter fabricated by electron beam exposure with O_2-plasma ashing techniques 87—12028
Yamanouchi, K., Oba, M. New air gap type piezoelectric composite thin film resonators 88—51098
Yamanouchi, K., Takeuchi, M. New types of SAW reflector and resonator with alternative (positive and negative) reflection coefficients 86—2550
Yamanouchi, K., Takeuchi, M., Meguro, T., Wagatsuma, Y. Positive/negative reflection-type SAW reflectors on ST-quartz using new fabrication technique 86—2504
Yamanouchi, K. *see* Cho, Y. 86—47901, 86—63519, 87—33700, 87—60759, 87—67633
Yamanouchi, K. *see* Takeuchi, M. 85—7129, 86—15324, 86—15331, 86—63520, 87—1849, 87—53849, 88—13641
Yamanouchi, M. Achieving reliability and performance with HEMT devices 87—74284
Yamanouchi, M. *see* Hayashi, K. 87—73797
Yamanouchi, M. *see* Kadowaki, Y. 87—73776
Yamanouchi, S. *see* Nagasaki, S. 85—38513
Yamanouchi, S. *see* Tsuno, K. 87—50216
Yamanouti, Y. *see* Chiba, S. 88—4861
Yamanouti, Y. *see* Sugimoto, M. 87—21507
Yamanov, D.N. *see* Konstantinov, P.A. 85—25119
Yamanov, D.N. *see* Paramonov, A.A. 86—43242
Yamanura, E.K. *see* Reilly, M.H. 85—30041
Yamao, Y. Design of digital signal processing quadrature modulator for digital FM and analog FM signals 86—67110
Yamao, Y. Design of digital signal processing quadrature modulator for digital FM and analog FM signals 88—15398
Yamao, Y., Mitsuishi, T., Shinohara, O. Air-to-land telephone service 87—3068
Yamao, Y., Sugeta, T. GaAs broadband monolithic switches 85—40774
Yamao, Y., Sugeta, T. GaAs broadband monolithic switches 87—53695
Yamao, Y. *see* Osafune, K. 85—50044
Yamao, Y. *see* Suzuki, H. 85—3372, 85—3375, 86—43752
Yamaoka, A. *see* Tanioka, S. 87—31093

Yamaoka, H. NTC thermistors: wide variety, high reliability 88−1032
Yamaoka, H., Kadota, K., Yamai, H., Kano, S.S., Fujita, J. Instantaneous measurement of magnetic field strength with combining beam probe and Doppler-tuned laser spectroscopy 88−29605
Yamaoka, H., Kato, T., Yamamoto, T. High performance controllers 'HISEC 04-M/L, F' [thermal power plants] 87−42642
Yamaoka, H. *see* Doi, Y. 87−38707
Yamaoka, H. *see* Katayama, H. 88−65389
Yamaoka, H. *see* Kichimi, H. 87−8716
Yamaoka, H. *see* Kodaka, H. 86−15417
Yamaoka, H. *see* Okada, T. 86−15437
Yamaoka, H. *see* Satoh, H. 88−45246
Yamaoka, H. *see* Takahashi, A. 87−38881, 88−65386
Yamaoka, H. *see* Yamamoto, A. 86−50263, 86−63598 to 63599, 88−39843, 88−65080
Yamaoka, H. *see* Yoshida, H. 85−46047
Yamaoka, I., Kimura, M., Todome, A., Chiba, T. Maritime coin telephone 85−25586
Yamaoka, K. *see* Kutaragi, K. 88−20244, 88−29121
Yamaoka, M. *see* Tsuzuki, Y. 87−67300
Yamaoka, N. $SrTiO_3$-based boundary-layer capacitors 87−1012
Yamaoka, N. The dynamic scan using the Shimadzu single photon emission computed tomograph for head, SET-031 87−8920
Yamaoka, N. *see* Higashi, Y. 85−38100
Yamaoka, N. *see* Kaino, D. 86−47098
Yamaoka, N. *see* Sasazawa, K. 86−58038, 86−67530
Yamaoka, N. *see* Tosaka, S. 85−34406, 86−14747
Yamaoka, N. *see* Yamada, K. 86−43915
Yamaoka, S., Kusuhara, A., Okabe, Y. Liquid dropping resin for IC encapsulation 87−65215
Yamaoka, S., Kusuhara, A., Okabe, Y. Liquid dropping resin for IC encapsulation 88−37982
Yamaoka, S. *see* Mishima, O. 88−7357
Yamaoka, S. *see* Sato, A. 86−14740
Yamaoka, S. *see* Suzuki, S. 87−5068
Yamaoka, T., Koshiba, M., Kamoshida, Y., Takahashi, H., Harita, Y. Application of halogenated polymethylstyrenes to X-ray resists 88−13268
Yamaoka, T. *see* Fujimaki, N. 85−28437
Yamaoka, T. *see* Harada, N. 85−24230
Yamaoka, T. *see* Igarashi, T. 87−38686
Yamaoka, T. *see* Imamura, T. 85−56173, 86−2629, 86−42165
Yamaoka, T. *see* Konishi, T. 87−55649
Yamaoka, T. *see* Kotani, S. 85−61219
Yamaoka, T. *see* Matsuda, A. 87−23709
Yamaoka, T. *see* Morohashi, S. 86−28734
Yamaoka, T. *see* Nakagawa, Y. 88−64455
Yamaoka, T. *see* Sagara, K. 88−68247
Yamaoka, T. *see* Shibatomi, A. 87−45934
Yamaoka, T. *see* Shibayama, H. 85−62239
Yamaoka, T. *see* Tamura, H. 86−22044
Yamaoto, F., Takahashi, S. A vectorized LU decomposition algorithm for large scale circuit simulation 85−45827
Yamaoto, S. *see* Hayakawa, T. 88−72321
Yamas, J. An HF dynamic range amplifier using feedforward techniques 87−65887
Yamasaki, A., Ihara, M., Kawasaki, H. Audio output transistors 88−57618
Yamasaki, A. *see* Ogino, Y. 87−41337
Yamasaki, E. *see* Takeda, E. 87−25490, 87−46128
Yamasaki, E. *see* Takeuchi, K. 88−6871
Yamasaki, H. A note on minimal deadlocks of petri nets 86−331
Yamasaki, H. Sensing technology. II. Trend of intelligent sensors 86−55616
Yamasaki, H. Profile of SICE committee for research on fault detection and prediction 87−58744
Yamasaki, H. Recent progress in sensor technology for fault detection and prediction 87−63381
Yamasaki, H. Frontier of advanced sensor technology 88−16081
Yamasaki, H., Ando, T. Optical multiplication in solid-state imaging devices with an inherent MNOS memory gate 85−31397
Yamasaki, H., Ando, T. Novel solid-state imaging devices with inherent MNOS memory gate 85−42892
Yamasaki, H., Ando, T. Analysis of optical writing mode in solid-state imaging devices with inherent MNOS memory gate 86−5097
Yamasaki, H., Goto, M., Harayama, M., Takahashi, K. Tactile sensing system utilizing noncontact measuring techniques 86−5291
Yamasaki, H., Honda, S., Chin, T.J., Kuromori, K. Analysis of dynamics of magnetic flowmeters with potential distribution over conductive pipe wall 86−31415
Yamasaki, H., Kabashima, S., Yoshikawa, K., Harada, N., Okuno, Y., Okamura, T., Shioda, S., Hasegawa, Y., Yokota, T., Ishimura, M., Matsutani, K., Sasaki, T. Recent results of power generation experiments with the FUJI-1 facility 85−21833
Yamasaki, H., Kimura, Y. Superconducting properties of Chevrel phase $PbMo_6S_8$ wires produced by the powder process 87−67838
Yamasaki, H., Shimokawa, M., Mitsuhashi, W. New structure for intelligent sensors 86−55643
Yamasaki, H. *see* Ando, S. 86−5108
Yamasaki, H. *see* Ando, T. 86−28489
Yamasaki, H. *see* Harada, N. 85−21830
Yamasaki, H. *see* Maki, D.W. 85−1058, 85−17835
Yamasaki, H. *see* Mitsuhashi, W. 87−76875
Yamasaki, H. *see* Nakagawa, Y. 87−32903
Yamasaki, H. *see* Okuno, Y. 86−19510, 88−43390
Yamasaki, H. *see* Pauley, R.G. 86−35112
Yamasaki, H. *see* Schellenberg, J.M. 85−55165
Yamasaki, H. *see* Tamura, Y. 86−6194, 86−24786, 87−29974, 88−10140
Yamasaki, H. *see* Watkins, E.T. 86−8487
Yamasaki, H. *see* Yoshikawa, K. 85−21533
Yamasaki, H. *see* Yoshikawa, Y. 85−21831
Yamasaki, I., Aizawa, M. Variation of control vertices and curve of uniform cubic B-spline with shifting a knot point 88−6405
Yamasaki, I. *see* Nariai, Y. 86−10814
Yamasaki, J., Mohri, K., Manabe, T., Teshima, N., Fukuda, S. Torque sensors using wire explosion magnetostrictive alloy layers 87−18542
Yamasaki, J., Mohri, K., Ogawa, M. Preparation and magnetostrictive layers by wire explosion spraying and its application to torque sensors 88−33543
Yamasaki, J., Mohri, K., Watari, K., Narita, K. Domain wall induced anisotropy during annealing in amorphous ribbons 85−24079
Yamasaki, J., Soeda, H., Yanagida, M., Mohri, K., Teshima, N., Kohmoto, O., Yoneyama, T., Yamaguchi, N. Misch metal-Fe-B melt spun magnets with 8 MGOe energy product 87−25765
Yamasaki, J. *see* Kinoshita, F. 88−33517
Yamasaki, J. *see* Manabe, T. 88−33516
Yamasaki, J. *see* Mohri, K. 85−3970, 85−24220, 86−28707, 86−32227, 87−49737
Yamasaki, J. *see* Yoshino, K. 88−16448, 88−16672
Yamasaki, K., Hirayama, M. Determination of effective saturation velocity in n^+ self-aligned GaAs MESFETs with submicrometer gate lengths 87−25282
Yamasaki, K., Kato, N., Hirayama, M. Buried p-layer SAINT for very high-speed GaAs LSI's with submicrometer gate length 86−21580
Yamasaki, K., Kato, N., Matsuoka, Y. Digital integrated circuit technologies 88−56601
Yamasaki, K., Mizutani, T., Kato, N. GaAs self-aligned MESFET technology: SAINT 85−35193
Yamasaki, K. *see* Enoki, T. 86−20814, 88−25458
Yamasaki, K. *see* Ikegami, T. 87−25594
Yamasaki, K. *see* Iri, E. 87−74166, 88−67816
Yamasaki, K. *see* Kato, N. 86−46840
Yamasaki, K. *see* Muraguchi, M. 86−67494
Yamasaki, K. *see* Murguchi, M. 87−24464
Yamasaki, K. *see* Osafune, K. 86−67511, 87−31805
Yamasaki, K. *see* Sasabe, S. 87−58301
Yamasaki, K. *see* Sugitani, S. 88−7302
Yamasaki, K. *see* Takada, T. 86−27229
Yamasaki, K. *see* Wong, T. 87−698
Yamasaki, M., Murakami, N. Flowed-out power switching device 86−33520
Yamasaki, M., Tsukiji, T. Numerical analysis of triangular double loop antenna by moment method. II 85−57137
Yamasaki, M. *see* Katagishi, T. 87−3294
Yamasaki, M. *see* Sawa, S. 87−60941
Yamasaki, M. *see* Takiguchi, S. 88−42995
Yamasaki, M. *see* Tsukiji, T. 85−13335, 85−57103
Yamasaki, M. *see* Yamano, M. 85−14421, 85−37231
Yamasaki, N., Ohkawa, M. Demand assignment procedures in video TDMA system 87−40038
Yamasaki, N. *see* Koga, K. 86−29741, 87−47492
Yamasaki, N. *see* Shinonaga, H. 87−20443
Yamasaki, N. *see* Watanabe, T. 86−23814
Yamasaki, S. Digital signal processing type adaptive phase-locked circuits controlling loop-orders 88−46097
Yamasaki, S. Optical absorption edge of hydrogenated amorphous silicon studied by photoacoustic spectroscopy 88−50636
Yamasaki, S., Matsumoto, M., Haibara, T., Miyauchi, M. Self alignment effect and the mechanism in V-groove method 88−39949
Yamasaki, S., Nakagawa, M. Third-order digital phase-locked loop with improved stability 87−5728
Yamasaki, S., Nakagawa, M. Third-order digital phase-locked loop with improved stability 88−12255
Yamasaki, S., Nakagawa, M., Tsunogae, T. New dual digital phase-locked loop 85−39968
Yamasaki, S., Nakagawa, M., Tsunogae, T. New dual-loop DPLL using digital signal processing 85−39971
Yamasaki, S., Nakagawa, M., Tsunogae, T. New dual digital phase locked loop 87−556
Yamasaki, S., Satake, T., Tachikura, M., Kashima, N. Study of single mode multifiber splice using elastic V-groove 88−72068
Yamasaki, S. *see* Hayashi, S. 85−11952
Yamasaki, S. *see* Nakanishi, Y. 86−28971, 88−2109
Yamasaki, S. *see* Okushi, H. 86−28026
Yamasaki, S. *see* Shimogaki, K. 85−60522
Yamasaki, T. Optical power meter 88−4538
Yamasaki, T., Hinata, T., Hosono, T. Analysis of electromagnetic fields in inhomogeneous media by Fourier series expansion methods 85−19075
Yamasaki, T., Hinata, T., Hosono, T. Electromagnetic-field analysis of planar-gratings with periodic distribution of dielectric constant 85−30024
Yamasaki, T., Hinata, T., Hosono, T. Electromagnetic-field analysis of planar gratings with periodic distribution of dielectric constant 86−68656
Yamasaki, T., Murayama, K., Suzuki, N., Morimura, Y. Mobile type 72 kV switchgear 88−37274
Yamasaki, T., Sakata, T., Akasa, R. An automated robot assembly center for MIC production 85−28729
Yamasaki, T. *see* Hosono, T. 86−63969
Yamasaki, T. *see* Ishibashi, M. 87−77016
Yamasaki, T. *see* Itoga, M. 88−15823, 88−41872
Yamasaki, T. *see* Komori, S. 88−6813, 88−32243
Yamasaki, T. *see* Matsuura, K. 87−24083
Yamasaki, T. *see* Matumoto, T. 88−16709
Yamasaki, T. *see* Oikawa, M. 87−26073
Yamasaki, T. *see* Okuda, E. 85−2075, 86−42361
Yamasaki, T. *see* Seki, M. 87−76744, 88−67408
Yamasaki, T. *see* Shimada, Y. 88−2035
Yamasaki, Y., Okoshi, M., Itow, T. Acoustic signal acquisition by personal computer 86−31162
Yamasaki, Y. *see* Endoh, K. 87−19777
Yamasaki, Y. *see* Kobayashi, K. 88−28626
Yamasaki, Y. *see* Nirasawa, N. 86−53979
Yamasaki, Y. *see* Ohnishi, H. 88−16334
Yamasaki, Y. *see* Oyabu, K. 85−5539, 85−49212
Yamasawa, K. Performance of temperature-sensitive magnetic actuators 86−42804
Yamasawa, K. Planar-type micro-magnetic cores 87−67776
Yamasawa, K., Iwahashi, S. A new potential transformer using orthogonal-flux-type amorphous core 86−66134
Yamasawa, K., Koujou, H. A new thermomagnetic proximity sensor using a temperature-sensitive planar-core 88−53628
Yamasawa, K., Matsumoto, K., Hojo, H. A new hybrid proximity sensor using a planar-type micro-magnetic core 88−53631
Yamasawa, K. *see* Kouzaki, Y. 87−41474
Yamasawa, M. *see* Murano, K. 85−25603
Yamase, T. *see* Inoue, T. 87−24847, 87−26200, 87−51443
Yamashiki, T. *see* Mathuhisa, T. 88−17777
Yamashiki, T. *see* Matsuhisa, T. 86−61693
Yamashiki, T. *see* Nishiwaki, K. 86−71019
Yamashima, H. *see* Suzuki, T. 85−9395
Yamashina, M., Enomoto, T., Kunio, T., Sato, M., Tamitani, I., Harasaki, H., Nishitani, T., Koichi, K. A realtime microprogrammable video signal LSI 87−62392
Yamashina, M., Enomoto, T., Kunio, T., Tamitani, I., Harasaki, H., Endo, Y., Nishitani, T., Satoh, M., Kikuchi, K. A microprogrammable real-time video signal processor (VSP) for motion compensation 88−63705
Yamashina, M., Enomoto, T., Kunio, T., Tamitani, I., Harasaki, H., Nishitani, T., Satoh, M., Kikuchi, K. A microprogrammable real-time video signal processor (VSP) LSI 88−19178
Yamashina, M., Ohno, K., Obashi, F., Ujiie, M. Text input and processing technology for the Japanese Teletex terminal 85−3041
Yamashina, M. *see* Enomoto, T. 87−59594
Yamashina, M. *see* Harasaki, H. 87−63150, 88−53587
Yamashina, M. *see* Nishitani, T. 87−20710
Yamashina, M. *see* Oura, N. 86−42053
Yamashina, M. *see* Sato, K. 87−58485
Yamashina, M. *see* Tamitani, I. 88−44219
Yamashiro, O. *see* Eguchi, K. 85−45021
Yamashiro, O. *see* Takahashi, T. 85−690
Yamashiro, S. Online secure-economy preventive control of power systems by pattern recognition 86−56367
Yamashiro, S. Online secure-economy preventative control of power systems by pattern recognition 87−4268
Yamashiro, S., Koike, T. Methods for on-line transient stability assessment of power system 86−32651
Yamashiro, S., Nara, K., Koike, T. Transient security enhancement of power systems using pattern recognition 86−39018
Yamashiro, S. *see* Nakamura, K. 85−43898, 88−11149, 88−37094

Yamashiro, S. *see* Nakamura, Y. 85—43535, 86—12280 to 12281, 86—61052 to 61053, 87—42373, 87—71527, 88—10743 to 10744, 88—36792, 88—68743

Yamashiro, S. *see* Nara, K. 85—43550, 87—9076, 88—10742, 88—36758

Yamashiro, T. *see* Hori, T. 85—58119

Yamashiro, Y. *see* Arai, K.I. 88—57909

Yamashita, A., Kondo, K. Physics noise to calorimetry at the SSC 88—4830

Yamashita, A., Nakamura, T., Tozawa, Y., Katoh, T., Moriwaki, M. A new path memory for Viterbi decoders 88—45951

Yamashita, A. *see* Balka, L. 88—47985

Yamashita, A. *see* Hayashide, Y. 85—26687

Yamashita, A. *see* Serikawa, S. 87—21253

Yamashita, A. *see* Shimoda, K. 87—27201, 87—39664

Yamashita, A. *see* Tamari, K. 88—71880

Yamashita, A. *see* Wagner, R.G. 88—47989

Yamashita, A. *see* Yasuoka, K. 88—47988

Yamashita, E., Bai Yi Wang, Atsuki, K. Effects of side-wall grooves on transmission characteristics of suspended strip lines 86—8418

Yamashita, E., Bai Yi Wang, Atsuki, K., Ke Ren Li Effects of side-wall grooves on transmission characteristics of suspended striplines 86—29516

Yamashita, E., Li, K.R., Kaneko, E., Suzuki, Y. Characterization method and simple design formulas of MCS lines proposed for MMICs 87—73763

Yamashita, E., Li, K.R., Suzuki, Y. Characterization method and simple design formulas of MCS lines proposed for MMIC's 88—25470

Yamashita, E., Nakajima, M., Atsuki, K. Analysis method for generalized suspended strip lines 87—7578

Yamashita, E., Nakajima, M., Atsuki, K. Analysis method for generalized suspended striplines 87—19247

Yamashita, E., Ozeki, S., Atsuki, K. A new method for the modal analysis of optical fibers having symmetrically distributed multiple cores 85—18736

Yamashita, E., Ozeki, S., Atsuki, K. Modal analysis method for optical fibers with symmetrically distributed multiple cores 85—56318

Yamashita, E. *see* Atsuki, K. 87—46589, 88—65196

Yamashita, E. *see* Kishi, N. 85—11541, 87—7108, 88—63863, 88—72069

Yamashita, E. *see* Suzuki, Y. 87—26573, 87—68160, 88—14291, 88—67740

Yamashita, E. *see* Wang, B.Y. 87—26904, 88—14459

Yamashita, F. Amateur radio satellite JAS-1 'Fuji' 88—15412

Yamashita, F., Kan, M., Kondo, T., Shioya, H., Matsui, M. Amateur satellite JAS-1 87—29857

Yamashita, F., Kan, M., Kondoh, T., Sakai, R., Masumoto, Y., Matsui, M., Ikeda, T. Japan's first amateur radio satellite; JAS-1 87—70005

Yamashita, F., Sakano, T. High-temperature allyl-system unsaturated polyester premix compound for insert mold applications [motor moldings] 85—38962

Yamashita, H. Illumination light guide using quartz rod 88—7923

Yamashita, H. Vibration analysis of large-sized structure using CW laser holographic interferometry 88—40401

Yamashita, H. Vibration analysis of large-sized structure using CW laser holographic interferometry 88—53949

Yamashita, H. Future prospects of household appliance service and maintenance techniques 88—62805

Yamashita, H., Hanaoka, M., Amano, H. Prebreakdown phenomena in hydrocarbon liquids 88—44906

Yamashita, H., Izumi, S., Suetaka, S., Amano, H. The effect of space charge in DC conduction in transformer oil under nonuniform field 85—50810

Yamashita, H., Nakamae, E., Yoshimoto, H. Electric network analysis including a region of finite element analysis 88—49940

Yamashita, H., Nishi, H., Sato, T., Izuta, H., Furuta, H. Signal-processing linear ICs for high-quality VHS VCRs 87—13972

Yamashita, H., Okada, T., Amano, H. Pre-breakdown current and light emission in transformer oil 85—50797

Yamashita, H., Sasanishi, K., Masamori, I. Vibration analysis of automotive bodies using continuous wave laser holographic interferometry 88—40414

Yamashita, H., Shaikh, Z.H., Nakamae, E., Hammam, M.S.A.A. Novel finite element analysis method using magnetic flux density directly as an unknown variable 85—46523

Yamashita, H., Suzuki, Y., Shimada, J. High-speed optical-optical logic gate for optical computers 85—29733

Yamashita, H., Todokoro, Y. 50 nm line fabrication in 0.5 μm PMMA film on silicon substrates with a 20 kV e-beam 85—55619

Yamashita, H., Todokoro, Y. Characterization of diazo-type photoresists using e-beam exposure and metal-ion-free developers 86—2269

Yamashita, H. *see* Akiyama, H. 85—8915

Yamashita, H. *see* Fujita, T. 86—52048

Yamashita, H. *see* Fujiwara, K. 87—73286

Yamashita, H. *see* Hayashi, T. 85—54897, 86—34806, 88—6836

Yamashita, H. *see* Horimatsu, T. 86—11100

Yamashita, H. *see* Imamura, M. 85—20859

Yamashita, H. *see* Murooka, Y. 87—32749

Yamashita, H. *see* Nomura, T. 85—21669

Yamashita, H. *see* Ohta, T. 88—41097

Yamashita, H. *see* Ohtsuka, T. 88—53307

Yamashita, H. *see* Omori, H. 86—12936

Yamashita, H. *see* Shaikh, Z.H. 86—68669, 88—45613

Yamashita, H. *see* Soejima, T. 87—20576

Yamashita, H. *see* Tanaka, H. 87—59496

Yamashita, H. *see* Todokoro, Y. 87—11917, 88—13214

Yamashita, H. *see* Watanabe, T. 85—36844

Yamashita, I., Kikushima, K. The statistical design method for loss compensation of an optical subscriber transmission system 86—49628

Yamashita, I., Kikushima, K. Statistical design method of loss budget for the optical subscriber transmission system 87—76728

Yamashita, I., Koyama, M. Optical communications 85—20201

Yamashita, I. *see* Hase, H. 88—33513

Yamashita, I. *see* Konayashi, I. 87—40111

Yamashita, I. *see* Mitsuda, A. 86—39555

Yamashita, I. *see* Ohnishi, K. 85—3237

Yamashita, I. *see* Takeda, M. 87—56764, 88—16292

Yamashita, I. *see* Zschunke, W. 85—47694

Yamashita, J., Matsumaru, Y. Studies on the microstructure of the positive lead—acid battery plate and its electrochemical reactivity 88—75903

Yamashita, J., Miyake, Y., Niakagawa, E., Itoh, S., Watanabe, H., Sakazaki, Y., Namizaki, H. DIP type single mode fiber laser diode module with high reliability 86—68549

Yamashita, J., Saito, S. BWR operating experience with axially two-zoned initial core 85—43816

Yamashita, J. *see* Takano, H. 88—41741

Yamashita, J. *see* Watanabe, H. 88—72325

Yamashita, K. From the standpoint of communication technology 87—69440

Yamashita, K. Packet exchange network applications in Kinki Nippon Tourist Co. Ltd 87—69478

Yamashita, K. Introduction of the standard powder 88—479

Yamashita, K., Fujishima, T. Discussion on time base corrector for video disc player 85—3737

Yamashita, K., Fujiwara, O., Amemiya, Y. A method for estimating discontact rate by impulse response to noise currents of pantograph 87—5036

Yamashita, K., Fujiwara, O., Azakami, T. A new method of estimating discontact rate of pantograph using noise currents in arc discharge 88—55693

Yamashita, K., Fujiwara, O., Katoh, K., Azakami, T. Error reduction of discontact rate estimated by impulsive responses of non-gaussian BPF to noise currents of pantograph 87—64891

Yamashita, K., Furukawa, S., Maekawa, E., Koyamada, Y. Measuring equipment for optical subscriber cables 87—8258

Yamashita, K., Ishii, H., Nakagawa, M., Kurosaki, A., Himeki, S., Murakami, T., Inoue, M. Sunlighting systems for buildings 86—57026

Yamashita, K., Kanasugi, A., Hijiya, S., Goto, G., Matsumura, N., Shirato, T. A wafer-scale 170000-gate FFT processor with built-in test circuits 87—59589

Yamashita, K., Kanasugi, A., Hijiya, S., Goto, G., Matsumura, N., Shirato, T. A wafer-scale 170000-gate FFT processor with built-in test circuits 88—51004

Yamashita, K., Kanasugi, A., Tsuchiya, S., Goto, G. Potentiality and limit of wafer scale LSI 88—13493

Yamashita, K., Kinoshita, T., Maeda, M., Nakazoto, K. Simple common-collector full-monolithic preamplifier for 560 Mbit/s optical transmission 86—29015

Yamashita, K., Kinoshita, T., Takasaki, Y., Maeda, M., Kaji, T., Maeda, N. Wideband and high-gain negative-feedback AGC amplifier for high-speed lightwave digital transmission systems 85—44895

Yamashita, K., Kinoshita, T., Takasaki, Y., Maeda, M., Kaji, T., Maeda, N. A variable transimpedance preamplifier for use in wide dynamic range optical receivers 86—47773

Yamashita, K., Koyamada, Y., Hatano, Y. Launching condition dependence of bandwidth in graded-index multimode fibers fabricated by MCVD or VAD method 85—62315

Yamashita, K., Miyagi, H. LQI-type load frequency control with control delay of one sampling time under generation constraints 88—5255

Yamashita, K., Nagai, S., Tamari, K., Kubota, M., Takamiya, S. Laser diodes for DRAW optical disk system 87—47037

Yamashita, K., Nomura, N., Takemoto, T. Holographic nanometer alignment for a wafer stepper 87—25486

Yamashita, K., Ono, Y., Itoh, K. Hemispherical large-area surface-emitting SH GaAlAs LED with very low nonlinear distortion characteristics 86—42450

yamashita, K., Sasaki, S., Takasaki, Y., Takiyasu, Y., Maeda, M., Maeda, N. A single-chip three-level regenerator IC for high-speed optical transmission systems applying duo-binary coding schemes 87—20498

Yamashita, K., Sohma, S. A CAI system combined with laser disk units 88—11639

Yamashita, K., Takasaki, Y., Maeda, M., Kaji, T., Maeda, N. 100 Mb/s monolithic integrated optical transmitter using a 1.3 μm LED 86—43845

Yamashita, K., Takasaki, Y., Maeda, M., Maeda, N. Master-slice monolithic integration design and characteristics of LD/LED transmitters for 100-400 Mbit/s optical transmission systems 86—48301

Yamashita, K., Takasaki, Y., Takahashi, Y., Maeda, M. 100-Mbit/s LED-p-i-n transmitter and receiver modules for high-speed local area networks 85—62458

Yamashita, K., Takeuchi, G., Iwabuchi, K., Kubota, Y., Miyairi, H. Sendust sputtered ferrite flying erase head 85—24143

Yamashita, K., Tamari, K. The ML6000 series of high-power laser diodes 87—12492

Yamashita, K., Taniguchi, T. On the estimation of the transient state of a synchronous machine by an optimal observer 85—38975

Yamashita, K., Taniguchi, T. Optimal observer design for load-frequency control 86—61036

Yamashita, K., Tateda, M. Fibre probe far-field technique for mode-field diameter measurement of single-mode fibres 88—20339

Yamashita, K., Watanabe, T. Interactive powerhouse operation planning system utilizing optimization methods 86—6300

Yamashita, K. *see* Bakoshi, T. 85—52278

Yamashita, K. *see* Dong, S. 88—34614

Yamashita, K. *see* Egawa, S. 88—48214

Yamashita, K. *see* Fujii, K. 85—2895

Yamashita, K. *see* Fujiwara, C. 85—42031, 86—23204, 87—48255

Yamashita, K. *see* Fujiwara, O. 87—64890

Yamashita, K. *see* Fukatsu, N. 88—11350

Yamashita, K. *see* Fukushima, M. 86—33316, 87—9495

Yamashita, K. *see* Gamo, K. 85—29078

Yamashita, K. *see* Harada, Y. 86—949, 86—27244, 87—31843, 87—52505

Yamashita, K. *see* Harima, Y. 85—21797

Yamashita, K. *see* Hatano, Y. 87—17029, 87—66022

Yamashita, K. *see* Hattori, R. 88—27176

Yamashita, K. *see* Hayasaka, E. 85—58136

Yamashita, K. *see* Hirosawa, H. 86—44755

Yamashita, K. *see* Hosokawa, S. 86—4297

Yamashita, K. *see* Ikeda, K. 87—12493

Yamashita, K. *see* Kaneko, T. 87—69414

Yamashita, K. *see* Kinoshita, T. 86—27085, 86—40918, 87—23944, 88—589, 88—3992, 88—18932

Yamashita, K. *see* Koshino, M. 85—3678, 87—12015

Yamashita, K. *see* Koshizaka, S. 86—43783

Yamashita, K. *see* Kotera, N. 88—20164

Yamashita, K. *see* Kuramitsu, M. 86—57715

Yamashita, K. *see* Maekawa, E. 87—34913

Yamashita, K. *see* Matsukawa, T. 87—9675, 87—22543, 87—64520

Yamashita, K. *see* Miyagi, H. 87—35534

Yamashita, K. *see* Murata, E. 85—25528

Yamashita, K. *see* Nakane, H. 85—11210

Yamashita, K. *see* Nakao, M. 88—56497

Yamashita, K. *see* Nishimuta, I. 86—36720

Yamashita, K. *see* Nomura, N. 87—60232

Yamashita, K. *see* Nomura, T. 86—23837

Yamashita, K. *see* Ohishi, H. 88—5636 to 5637

Yamashita, K. *see* Ohyama, T. 85—59601

Yamashita, K. *see* Okamoto, J. 85—2894, 86—3804, 87—69065

Yamashita, K. *see* Ruan, Y. 85—2924

Yamashita, K. *see* Sano, K. 86—33350

Yamashita, K. *see* Takahashi, Y. 85—47539

Yamashita, K. *see* Takasaki, Y. 85—20242

Yamashita, K. *see* Takayama, Y. 86—8186

Yamashita, K. *see* Takeda, M. 87—22545

Yamashita, K. *see* Taniguchi, R. 87—14792

Yamashita, K. *see* Tsuda, M. 85—40802, 85—55640, 86—1963

Yamashita, K. *see* Ueno, M. 86—69165

Yamashita, K. *see* Yagi, T. 87—47035

Yamashita, K. *see* Yodo, T. 87—52142, 88—31771

Yamashita, K. *see* Yoshida, K. 88—45500

Yamashita, M. Parallel processing system for communication control 85—25278

Yamashita, M. Bandwidth reduction technology for video transmission—intraframe and interframe codecs 85—52558

Yamashita, M. Laser applications of biomedical technology 86−22568
Yamashita, M. Novel method for stabilizing the optical output of pulsed light sources 86−24466
Yamashita, M. Geometrical correction factor for resistivity of semiconductors by the square four-point probe method 86−50196
Yamashita, M. Disconnection problems of high-tension distribution line for automatic signaling [railways] 86−66419
Yamashita, M. Parallel processing system for communication control 86−69422
Yamashita, M. Wavelength dependence of temperature coefficients of the quantum efficiency in PMTs with bialkali photocathode 87−11310
Yamashita, M. Sputter type HF ion source for ion beam deposition apparatus 87−52186
Yamashita, M. A widely applicable configuration method for communication control equipment−degeneration of parallelism in communication control processing 87−69694
Yamashita, M. Resistivity correction factor for four-probe method on circular semiconductors. I 88−4582
Yamashita, M. Colliding-pulse mode-locked CW ring dye laser 88−8250
Yamashita, M. Present state and perspectives of diversified telephone services 88−9029
Yamashita, M. Resistivity correction factor for the four-probe method 88−22739
Yamashita, M. Resistivity correction factor for four-probe method on circular semiconductors. II 88−74554
Yamashita, M., Agu, M. Geometrical correction factor for semiconductor resistivity measurements by four-point probe method 85−26444
Yamashita, M., Agu, M. Geometrical correction factor in four-point probe resistivity measurements 85−61662
Yamashita, M., Akiyama, M. A data flow control electronic exchange DATAFLEX-1 86−69518
Yamashita, M., Ibaraki, T. Distances defined by neighbourhood sequences 86−52352
Yamashita, M., Ishikawa, M., Torizuka, K., Sato, T. Femtosecond-pulse laser chirp compensated by cavity-mirror dispersion 86−68486
Yamashita, M., Shimizu, J. Sputter type HF ion source for ion beam deposition apparatus 85−15147
Yamashita, M., Shimizu, K., Shimizu, H., Matsumoto, G. A quantitative evaluation method for the biological effects of ion-current 87−53765
Yamashita, M., Torizuka, K., Sato, T. A chirp-compensation technique using incident-angle changes of cavity mirrors in a femtosecond pulse laser 88−27220
Yamashita, M., Torizuka, K., Sato, T. Intracavity femtosecond-pulse compression with the addition of highly nonlinear organic materials 88−27266
Yamashita, M., Yamaguchi, S., Enjoji, H. Resistivity correction factor for the four-probe method: experiment I 88−60867
Yamashita, M. *see* Abe, M. 86−41021
Yamashita, M. *see* Ae, T. 88−28441
Yamashita, M. *see* Akiyama, M. 85−25688, 85−52175, 87−2998
Yamashita, M. *see* Fujit, S. 87−60617
Yamashita, M. *see* Fujita, S. 88−52593
Yamashita, M. *see* Hanabusa, T. 85−55261
Yamashita, M. *see* Hasegawa, H. 87−55660
Yamashita, M. *see* Kamiya, M. 86−68546
Yamashita, M. *see* Kohyama, M. 86−58998
Yamashita, M. *see* Kunii, T. 85−54522, 88−12856
Yamashita, M. *see* Kuriyama, H. 88−37682
Yamashita, M. *see* Maruyama, M. 85−3166
Yamashita, M. *see* Matsumoto, H. 88−8901
Yamashita, M. *see* Nagai, S. 87−41888
Yamashita, M. *see* Nishino, A. 86−1401
Yamashita, M. *see* Oya, G. 85−56197
Yamashita, M. *see* Sato, S. 86−30294
Yamashita, M. *see* Shimodaira, M. 87−40906
Yamashita, M. *see* Sugano, O. 88−13130
Yamashita, M. *see* Sukegawa, T. 86−46302
Yamashita, M. *see* Suzuki, Y. 87−59282
Yamashita, M. *see* Taguchi, K. 86−54296, 87−34667, 88−35599, 88−41765
Yamashita, M. *see* Takeda, Y. 86−51663
Yamashita, M. *see* Takeuchi, S. 86−46620
Yamashita, M. *see* Tanatsugu, N. 86−6049
Yamashita, M. *see* Toyomoto, H. 86−34790
Yamashita, M. *see* Usui, H. 87−23460
Yamashita, M. *see* Vamamoto, M. 88−19128
Yamashita, M. *see* Yoro, T. 85−14643
Yamashita, M. *see* Yuasa, Y. 88−75424
Yamashita, N. IIa-VIb compound phosphors 88−8053
Yamashita, N., Ohkoshi, M., Honda, S., Kusuda, T. Substrate bias voltage effect on Co-Cr sputtered films 86−9378
Yamashita, N., Yamamoto, I., Ninigawa, K., Wada, T., Yamashita, Y., Nakao, Y. Investigation of TLD phosphors by optical excitation. Luminescence of Eu^{2+} centers in $MgSO_4$, $CaSO_4$, $SrSO_4$ and $BaSO_4$ 86−22231
Yamashita, N. *see* Arai, M. 88−41510
Yamashita, N. *see* Honda, S. 85−18549
Yamashita, N. *see* Naruse, N. 87−56765
Yamashita, N. *see* Ogawa, R. 88−15756, 88−29044
Yamashita, N. *see* Takahashi, I. 85−61308
Yamashita, R. *see* Tsuge, M. 88−5224
Yamashita, S., Ikeda, M., Hara, K. Preparation of garnet films for hybrid head by RF-sputtering 88−24755
Yamashita, S., Nakatsuka, S., Tanaka, T., Ono, Y., Chinone, N., Kajimura, T. GaAlAs gain-guided semiconductor lasers with a curved facet 88−14181
Yamashita, S., Yamamoto, K., Murakami, N., Shimamura, S., Mizuki, K., Tanaka, N., Ooyama, N. The relation between magneto-optic recording and coercive force on Tb-Fe perpendicular magnetic films 86−42378
Yamashita, S. *see* Hirao, M. 86−9879
Yamashita, S. *see* Ishikura, Y. 86−71046
Yamashita, S. *see* Kamada, Y. 85−58945
Yamashita, S. *see* Koshizaka, S. 86−43783
Yamashita, S. *see* Nakano, H. 86−63734
Yamashita, S. *see* Noguchi, S. 88−74683
Yamashita, S. *see* Osawa, H. 88−45962
Yamashita, S. *see* Oshima, S. 85−17926
Yamashita, S. *see* Sagawa, M. 85−34034
Yamashita, S. *see* Suzuki, M. 88−60185
Yamashita, S. *see* Tamae, H. 88−24113
Yamashita, S. *see* Tanaka, M. 86−62189
Yamashita, S. *see* Tomoda, T. 85−4226, 85−48173
Yamashita, S. *see* Uchida, Y. 85−39199
Yamashita, S. *see* Yamamoto, M. 85−32644
Yamashita, T. Piezoelectric buzzers remain popular as sound sources for consumer products 85−9394
Yamashita, T. Application of electromagnetic levitation on aluminum extrusion process 86−54261
Yamashita, T. Kinetic momentum quantum transition device 87−1921
Yamashita, T. Ceramic piezoelectric buzzers meet demands for smaller and thinner technology 87−67650
Yamashita, T., Ando, T., Yamaguchi, M., Masumoto, M., Nozaki, K. Automatic and digital measuring systems for camera tube performances 86−47258
Yamashita, T., Hamasaki, K. Epitaxial growth of superconducting materials for Josephson devices 88−13736
Yamashita, T., Hamasaki, K., Kodaira, Y., Komata, T. Nano-meter bridge with epitaxially deposited NbN on MgO film 85−56209
Yamashita, T., Hamasaki, K., Matsumoto, K., Kodaira, Y., Komata, T. Nanometer bridge on edge junction 85−24244
Yamashita, T., Hamasaki, K., Matsumoto, K., Kodaira, Y., Komata, T. Edge-junction type nanometer bridge 87−53915
Yamashita, T., Hosokawa, K. Measurement of effective magnetic flux of NBN nanobridges in a DC-SQUID 88−20300
Yamashita, T., Kaga, K. Ceramitone speaker uses thin piezoelectric ceramic 87−49384
Yamashita, T., Karakama, Y., Sato, S., Masuda, N., Yanagisawa, K., Fujimoto, R. Remote fault location in overhead distribution lines by means of electromagnetic-wave detection 88−61952
Yamashita, T., Kawakami, A., Iwai, Y., Takata, M. Shapiro-steps in I-V curves of Josephson point-contacts made of Ba-Y-Cu-O ceramics 88−20309
Yamashita, T., Kawakami, A., Nishihara, T., Takata, M. Shapiro steps in I-V curves of Josephson point contacts made of Ba-Y-Cu-O ceramics 88−7826
Yamashita, T., Matano, M., Inoue, N., Katoh, M. Efficient light deflection of a narrow guided beam in $LiNbO_3$ using two SAW pulses 85−35563
Yamashita, T., Matsuo, H., Fujiyama, H., Oshige, T. Relationship between photo-emission and propagation velocity of local discharge on electrolytic surfaces 88−26570
Yamashita, T., Muroyama, S., Sakakibara, K. Transient voltage characteristics of telecommunications DC power distribution systems 86−70658
Yamashita, T., Nishijima, S., Takahata, K., Okada, T., Fukutsuka, T., Matsumoto, K., Hamada, M. Effect of mechanical disturbances on stability of impregnated windings 88−65052
Yamashita, T., Ogata, T., Yamamoto, K. Lightweight TWT power supply for a multi-beam communications satellite 88−15394
Yamashita, T., Ogata, T., Yamamoto, K. Lightweight TWT power supply for a multi-beam communications satellite 88−39007
Yamashita, T., Schichijyo, S., Takemura, T., Matsushige, K. Light scattering loss in plastic optical fibers 88−13893
Yamashita, T., Tomita, T., Sakurai, T. Calculations of molecular beam flux from liquid source 87−65506
Yamashita, T. *see* Abe, K. 88−16629
Yamashita, T. *see* Amano, S. 88−45396
Yamashita, T. *see* Carey, G.P. 85−34568
Yamashita, T. *see* Ekin, J.W. 85−62229
Yamashita, T. *see* Fujii, Y. 87−6388
Yamashita, T. *see* Fujimoto, Y. 86−39901
Yamashita, T. *see* Fujiyama, H. 87−5461
Yamashita, T. *see* Gill, H.S. 85−18547
Yamashita, T. *see* Hamasaki, K. 85−46038, 85−62228, 87−38698, 87−67890
Yamashita, T. *see* Hosokawa, H. 88−67838
Yamashita, T. *see* Inoue, T. 85−23777
Yamashita, T. *see* Kato, H. 87−34476, 87−48989
Yamashita, T. *see* Kawamura, T. 85−45366, 87−34791
Yamashita, T. *see* Kobayashi, H. 88−61145
Yamashita, T. *see* Kobayashi, T. 87−37992, 88−20305, 88−33264
Yamashita, T. *see* Kurashige, M. 87−56370
Yamashita, T. *see* Matsuda, J. 86−67627, 87−60042
Yamashita, T. *see* Matsuda, Y. 85−32692
Yamashita, T. *see* Matsuzaki, T. 86−52875
Yamashita, T. *see* Murayama, K. 87−2873
Yamashita, T. *see* Nishii, J. 88−72013
Yamashita, T. *see* Nishijima, S. 88−45019
Yamashita, T. *see* Ohtsu, S. 88−55402
Yamashita, T. *see* Okino, M. 86−43909
Yamashita, T. *see* Sakayori, M. 87−34478
Yamashita, T. *see* Shimizu, K. 88−61269
Yamashita, T. *see* Sorimachi, Y. 88−26690
Yamashita, T. *see* Sueoka, T. 87−6341
Yamashita, T. *see* Sugimoto, Y. 85−869
Yamashita, T. *see* Sumiyoshi, T. 88−74661
Yamashita, T. *see* Takahashi, T. 88−12065
Yamashita, T. *see* Takanaka, K. 85−12515
Yamashita, T. *see* Takeuchi, S. 86−28748
Yamashita, T. *see* Tomita, T. 87−29335
Yamashita, T. *see* Uchida, H. 86−50497
Yamashita, T. *see* Ueda, K. 86−42168
Yamashita, T. *see* Wakui, K. 85−8552, 85−8572
Yamashita, T. *see* Yakihara, T. 86−68213
Yamashita, T. *see* Yoshida, K. 87−46380, 88−13679, 88−71936
Yamashita, T. *see* Yoshimasu, T. 87−6733
Yamashita, Y. Simulation of body surface potential maps in electrocardiology 85−9184
Yamashita, Y., Furukawa, O., Harata, M., Takahashi, T., Inagaki, K. A new lead perovskite Y5S dielectric for multilayer ceramic capacitor 86−58637
Yamashita, Y., Hashimoto, H. Concept of SPS Offshore Receiving Station and potential sites 86−6615
Yamashita, Y., Inagaki, K., Handa, K., Watanabe, T. A large capacitance Y5U MLC based on modified lead zinc niobate 87−52915
Yamashita, Y., Jinbo, H., Kawazu, R., Ohno, S., Asano, T., Kobayashi, K., Nagamatsu, G. New PCM (HR-PCM) technique using novolak-diazide type photoresists as a bottom layer 88−13272
Yamashita, Y., Kawazu, R., Itoh, T., Kawamura, K., Ohno, S., Kobayashi, K., Asano, T., Nagamatsu, G. Formation of thick and narrow-spacing metal patterns by lift-off technique using negative photoresists, LMR and LMR-UV 86−21680
Yamashita, Y., Kawazu, R., Kawamura, K., Ohno, S., Asano, T., Kobayashi, K., Nagamatsu, G. New, deep UV resist (LMR) for lift-off technique 85−34874
Yamashita, Y., Mukaeda, S., Inagaki, K., Ohba, N., Handa, K. Medium voltage large capacitance multilayer ceramic capacitors employing lead perovskite ferroelectric material 88−25587
Yamashita, Y., Taniguchi, K., Mizoguchi, R., Yanagida, M., Kakusho, O. A support system for constructing rule base for speech synthesis by rule−automatic extraction of synthesis rules 88−72786
Yamashita, Y., Yanagida, M., Mizoguchi, R., Kakusho, O. Discrimination of voiced plosives by using regression lines of the acoustic parameters 86−48822
Yamashita, Y. *see* Abe, K. 88−4802
Yamashita, Y. *see* Furukawa, O. 88−26573
Yamashita, Y. *see* Handa, K. 85−1086, 85−28258
Yamashita, Y. *see* Ichinose, N. 86−50098, 86−55735
Yamashita, Y. *see* Imaeda, K. 86−25126
Yamashita, Y. *see* Inuzuka, T. 88−19134
Yamashita, Y. *see* Itoh, T. 87−17871
Yamashita, Y. *see* Joshin, K. 85−40777
Yamashita, Y. *see* Kaifu, K. 87−38403
Yamashita, Y. *see* Kawazu, R. 86−35519
Yamashita, Y. *see* Kino, H. 86−52580
Yamashita, Y. *see* Kosemura, K. 88−985
Yamashita, Y. *see* Mitsuda, A. 86−39555
Yamashita, Y. *see* Nakamoto, M. 85−26337
Yamashita, Y. *see* Nomura, S. 86−53876
Yamashita, Y. *see* Shimada, Y. 87−72841, 88−38945
Yamashita, Y. *see* Takahashi, T. 86−56169
Yamashita, Y. *see* Tanuma, C. 88−33432
Yamashita, Y. *see* Uebayashi, T. 88−29903
Yamashita, Y. *see* Yamashita, N. 86−22231
Yamashita, Y. *see* Yanagida, M. 86−48796
Yamaski, K., Kato, N., Hirayama, M. Below 10 ps/gate operation with Buried *p*-layer SAINT FETs 85−12274

Yamasumi, K., Otsubo, M., Nagano, H., Nieda, H. Analysis of the surface of cathode materials used in impulse discharges in low pressure air 86-14795
Yamasumi, K. *see* Otsubo, M. 85-18501
Yamataka, Y. *see* Yabuzaki, S. 87-6271, 88-1086
Yamatake, M. *see* Kelsch, A. 86-34542
Yamatake, M. *see* Widlar, R. 86-52684, 86-52688
Yamatake, M. *see* Widlar, R.J. 87-23948, 87-31727, 87-38206, 88-50036
Yamatake, S., Inoue, T., Nomura, S., Furukawa, S., Oki, K. A high-speed visual inspection system 86-52299
Yamatani, T. *see* Nakajima, M. 86-61568
Yamate, K. NUKEM ultrasonic rotary head equipment ROTA-40/90R(F) and ROTA system 87-42279
Yamate, T. *see* Hasegawa, F. 86-439
Yamato, H. *see* Uegaki, A. 86-35174
Yamato, I., Tokunaga, N., Matsuda, Y., Amano, H., Suzuki, Y. New conversion system for UPS using high frequency link 88-75775
Yamato, K. *see* Hikita, M. 86-40579, 87-51898
Yamato, K. *see* Miyoshi, Y. 86-36982, 87-19567, 87-75743, 88-8712
Yamato, K. *see* Nakashima, K. 87-23429
Yamato, S. *see* Tamura, H. 85-52663
Yamato, Y. *see* Hayasino, T. 88-74772
Yamatoku, S. *see* Kato, T. 85-4838
Yamatoku, S. *see* Tsunoda, T. 85-59954
Yamauchi, A., Washimi, H., Konishi, T., Fujita, Y., Okuda, T., Toyota, M., Shoji, Y., Shimada, H. Thin-film electroluminescent display 87-49853
Yamauchi, F. *see* Tsukagoshi, T. 88-53634
Yamauchi, F. *see* Wasa, Y. 88-53854
Yamauchi, H., Hiroyoshi, H., Yamaguchi, Y., Yamamoto, H., Sagawa, M., Matsuura, Y., Yamamoto, H. Magnetic properties of a new permanent magnet based on Nd-Fe-B compound. II. Magnetization 85-45962
Yamauchi, H., Kaneko, T., Kobayashi, T., Iwata, A., Ono, S. An 18-bit floating-point signal processor VLSI with an on-chip 512 W dual-port RAM 86-14278
Yamauchi, H., Yamada, M., Yamaguchi, Y., Yamamoto, H., Hirosawa, S., Sagawa, M. Magnetic properties of $R_2Fe_{14}B$ compounds 86-28624
Yamauchi, H. *see* Hasegawa, T. 85-63650
Yamauchi, H. *see* Hattori, T. 85-23568
Yamauchi, H. *see* Kaneko, T. 87-769, 87-17139, 88-63692
Yamauchi, H. *see* Kimura, H. 88-63551
Yamauchi, H. *see* Nakamura, M. 88-3389
Yamauchi, H. *see* Nakanishi, T. 86-67176
Yamauchi, H. *see* Okuno, Y. 87-31822
Yamauchi, H. *see* Suzuki, T. 85-40552
Yamauchi, H. *see* Yagi, K. 87-68518, 88-40239
Yamauchi, I., Hatori, M. The improvement in the convergence characteristics of an adaptive digital filter echo canceller by means of linear transforming the error signal 87-47645
Yamauchi, I. *see* Makita, Y. 88-1955, 88-33618
Yamauchi, I. *see* Nomura, T. 88-70309
Yamauchi, I. *see* Seki, Y. 85-7186
Yamauchi, J., Imada, G., Nakano, H. Helicoidal director for circularly polarised waves 87-75574
Yamauchi, J., Imada, G., Nakano, H. Circularly-polarized-wave directors operating over a wide range of frequencies 88-45773
Yamauchi, J. *see* Nakano, H. 85-7757, 85-13225, 85-13242, 85-13300, 85-13329, 85-41583, 85-41711, 85-41727, 85-51483, 85-57100, 86-22798, 86-42951, 86-64083, 86-68845, 87-7607, 87-27018, 87-47277, 87-47361, 88-2718, 88-52292
Yamauchi, K., Yoshizawa, Y., Nakajima, S. Magnetic properties of cobalt-rich amorphous alloys for saturable cores 88-64910
Yamauchi, K. *see* Kimura, I. 86-29377, 86-68758
Yamauchi, K. *see* Kobayashi, T. 86-36002
Yamauchi, K. *see* Koide, M. 88-4955
Yamauchi, K. *see* Mori, Y. 88-50966
Yamauchi, K. *see* Moriya, H. 86-35785
Yamauchi, K. *see* Nakajima, S. 87-19158, 88-51344
Yamauchi, K. *see* Nakamura, K. 85-27566
Yamauchi, K. *see* Takahashi, K. 88-58126
Yamauchi, K. *see* Takashi, K. 87-46549
Yamauchi, K. *see* Yoshizawa, Y. 86-63569, 87-67774
Yamauchi, M. Data acquisition system for TOPAZ detector at TRISTAN 88-42436
Yamauchi, M., Nakamura, M., Hirota, M., Noboru, M. Low noise block downconverter for satellite broadcasting 88-4180
Yamauchi, M. *see* Enomoto, R. 88-61123
Yamauchi, M. *see* Ishihara, H. 85-38101
Yamauchi, M. *see* Itoh, R. 87-41842
Yamauchi, M. *see* Kamae, T. 87-21432
Yamauchi, M. *see* Miyake, M. 88-28725
Yamauchi, M. *see* Ochiai, Y. 88-64454
Yamauchi, M. *see* Oikawa, S. 87-7845
Yamauchi, M. *see* Osabe, Y. 86-30978, 86-55442
Yamauchi, M. *see* Shirahashi, A. 88-68216
Yamauchi, M. *see* Shirai, S. 85-40408
Yamauchi, N. Modal expansion theory by almost periodic functions for dielectric gratings 85-30021
Yamauchi, N. Higher order Bragg diffraction by dielectric gratings 86-10091
Yamauchi, N. A metal-insulator-semiconductor (MIS) device using a ferroelectric polymer thin film in the gate insulator 86-47587
Yamauchi, N. Higher-order Bragg diffraction by dielectric gratings 86-68691
Yamauchi, N. Anomalous diffraction of Gaussian beams by a sinusoidally modulated layer 86-68719
Yamauchi, N. An application of the dry liftoff method by molybdenum oxide sublimation to CMOS isolation 87-1749
Yamauchi, N. Analysis of phase-shifted DFB lasers 88-20673
Yamauchi, N. A process for a CMOS channel-stop implantation self-aligned to the p-well and p-well active area 88-26508
Yamauchi, N., Kozawaguchi, H., Kogure, O., Tsujiyama, B. A multicolor thin-film electroluminescent device with patterned phosphors 88-16332
Yamauchi, N., Yachi, T., Wada, T. A pattern edge profile simulation for oblique ion milling 85-29139
Yamauchi, N. *see* Kadowaki, M. 86-9529
Yamauchi, N. *see* Ohwaki, J. 87-68298
Yamauchi, N. *see* Saeed, I. 85-6347
Yamauchi, N. *see* Sugano, K. 85-62854
Yamauchi, R., Miyamoto, M., Abiru, T., Nishide, K., Ohashi, T., Fukuda, O., Inada, K. Design and performance of Gaussian-profile dispersion-shifted fibers manufactured by VAD process 87-7109
Yamauchi, R., Sugawara, Y., Murayama, T. Characteristics of quasi-monomode fibers 85-24329
Yamauchi, R., Sugawara, Y., Murayama, T. Characteristics of quasi-monomode fibers 87-1941
Yamauchi, R. *see* Akiyama, M. 86-9538
Yamauchi, R. *see* Kakuta, T. 86-9541
Yamauchi, R. *see* Kikuchi, Y. 86-2790
Yamauchi, R. *see* Kosaka, K. 86-9555
Yamauchi, R. *see* Miyamoto, M. 86-36241, 88-65212
Yamauchi, R. *see* Sugawara, Y. 86-2819
Yamauchi, R. *see* Tanaka, S. 86-9564, 87-18621
Yamauchi, R. *see* Wada, A. 88-45140
Yamauchi, R. *see* Wade, A. 86-9544
Yamauchi, S. Sensing technology. V. New sensing materials 87-29067
Yamauchi, S., Hariu, T., Matsushita, K. Low temperature epitaxial growth of highly-conductive ZnSe layers in mixed plasma of hydrogen and hydrogen chloride 87-65507
Yamauchi, S., Kiyata, Y. LAN in FA from the developer's point-of-view to utilise and introduced software 88-9139
Yamauchi, S. *see* Hariu, T. 87-23683
Yamauchi, S. *see* Igari, T. 86-59727
Yamauchi, S. *see* Ikariyama, Y. 88-22572
Yamauchi, S. *see* Kita, Y. 87-4636
Yamauchi, S. *see* Maruyama, T. 85-5536
Yamauchi, S. *see* Mizusaki, J. 85-37555
Yamauchi, T., Ogawa, A., Yamamaru, M., Kato, T. Testing methods for gas-insulated switchgear 87-36063
Yamauchi, T., Onuma, A., Okuno, M. Operation experience of 10000 times in 15 years with the first GCB in Japan 86-45622
Yamauchi, T. *see* Deguchi, T. 88-39676
Yamauchi, T. *see* Fujimoto, Y. 86-39901
Yamauchi, T. *see* Hayashi, K. 87-36061
Yamauchi, T. *see* Hotta, T. 88-50933
Yamauchi, T. *see* Kobayashi, S. 88-19131
Yamauchi, T. *see* Mieno, F. 88-38179
Yamauchi, T. *see* Nagaoka, H. 88-20121
Yamauchi, T. *see* Nagata, K. 88-26221
Yamauchi, T. *see* Ohtsuka, H. 88-64473
Yamauchi, T. *see* Yamazaki, T. 86-49160
Yamauchi, Y. Official inspection of Ryuhi distribution station for Seikan tunnel 87-78085
Yamauchi, Y., Ishibashi, T. Equivalent circuit and ECL ring oscillators of graded-bandgap base GaAs/AlGaAs HBTs 86-21508
Yamauchi, Y., Ishibashi, T. Dependence of switching performance on emitter resistance and current gain in GaAs/AlGaAs HBT ECL gates 86-67179
Yamauchi, Y., Ishibashi, T. Electron velocity overshoot in the collector depletion layer of AlGaAs/GaAs HBTs 87-18094
Yamauchi, Y., Ishibashi, T. Application of AlGaAs/GaAs HBTs for wideband direct-coupled amplifiers 87-31726
Yamauchi, Y., Ishida, A. A falling edge-triggered single shot pulse generator with Josephson devices 85-645
Yamauchi, Y., Nagata, K., Nakajima, O., Ito, H., Ishibashi, T., Hirata, K. Ultra-high-speed emitter coupled logic circuits using AlGaAs/GaAs HBTs 88-56607
Yamauchi, Y., Nagata, K., Nakajima, O., Ito, H., Nittono, T., Ishibashi, T. 22 GHz 1/4 frequency divider using AlGaAs/GaAs HBTs 87-73398
Yamauchi, Y., Sato, M., Morinaga, N., Namekawa, T. Improvement of multiple access capability in M-ary-FSK/direct-sequence SSMA 87-2670
Yamauchi, Y., Sato, M., Moringa, N., Namekawa, T. Improvement of multiple access capability in M-ary-FSK/direct-sequence SSMA 85-30501
Yamauchi, Y., Sato, M., Namekawa, T. In-house wireless optical digital SSMA 86-43844
Yamauchi, Y., Sato, M., Namekawa, T. In-house wireless optical digital SSMA 87-76727
Yamauchi, Y., Uwai, K., Mikami, O. Photoluminescence of InP doping superlattice grown by vapor phase epitaxy 85-16931
Yamauchi, Y., Yamamoto, M., Miyahara, K., Ishida, A. Timing control circuit for Josephson 1 K RAM 85-11227
Yamauchi, Y. *see* Ishibashi, T. 87-46160, 87-46176, 88-33169, 88-39392
Yamauchi, Y. *see* Makimoto, T. 88-38169
Yamauchi, Y. *see* Nagata, K. 86-53605, 88-33166
Yamauchi, Y. *see* Nakajima, O. 87-18084, 87-45903, 88-26219
Yamauchi, Y. *see* Ono, S. 87-65455
Yamauchi, Y. *see* Sakiyama, K. 86-28500
Yamauchi, Y. *see* Shimizu, R. 85-37889
Yamauchi, Y. *see* Shirakawa, S. 88-55084
Yamauchi, Y. *see* Yamamoto, S. 86-43662
Yamauchi Koudo *see* Koudo Yamauchi
Yamaue, S. *see* Kitgawa, M. 87-65474
Yamaura, H. A new method of computation for nonlinear quadratic problems using inverse Riccati transformation 87-23532
Yamaura, I. Some technical points in conversion from VTAM-F to VTAM-G. I. In VTAM application programs for the online measurement, code-independent transmission, or mass data transmission 85-3124
Yamaura, I. *see* Komiyama, K. 85-29940
Yamaura, J. *see* Toyoguchi, Y. 87-36106
Yamaura, M. *see* Ohura, Y. 87-30049
Yamaura, S. *see* Kurokawa, Y. 87-34757
Yamaura, S. *see* Miyakoshi, K. 88-53411
Yamaura, S. *see* Yoneno, K. 88-15795 to 15796
Yamaura, T. *see* Inagaki, S. 88-8033
Yamaura, T. *see* Rho, D. 87-77424
Yamaura, Y. *see* Levis, C.A. 86-59854
Yamawaki, H. *see* Kimura, T. 87-16637
Yamawaki, H. *see* Yasunaka, T. 85-10846
Yamawaki, K. *see* Fujimoto, Y. 85-58478
Yamawaki, K. *see* Matsushita, K. 86-43688, 87-8113
Yamawaki, M., Ueno, M., Hine, S., Asai, S., Kimata, M., Uemastu, S., Kondo, T., Tsubouchi, N. A 1/2 inch format color image sensor with 485×510 pixels 87-41376
Yamawaki, M. *see* Kurosawa, S. 85-29110, 87-53352
Yamawaki, S. *see* Hirosawa, H. 86-65482
Yamawaki, S. *see* Nomura, T. 86-44731
Yamawaki, T. *see* Murakami, T. 86-29139, 87-68456
Yamawaki, T. *see* Ninomiya, K. 87-29849
Yamawaki, T. *see* Otaki, K. 88-65724
Yamawaki, T. *see* Sandoh, H. 88-43723
Yamawaki, T. *see* Shima, A. 87-54323
Yamaya, T., Shiba, S., Yagi, N. 25 kV thyristor-controlled electric locomotives for Turkish State Railways (TCDD) 88-18176
Yamaya, T., Shinozuka, T., Kotajima, K., Fujioka, M., Onodera, T. A small cold cathode heavy ion source for a compact cyclotron 85-15121
Yamaya, T. *see* Onodera, T. 88-61053
Yamaya, Y. *see* Aoki, K. 87-55359
Yamayee, Z.A. Long-range generation planning: use of optimization- and simulation-based computer programs 85-27005
Yamayee, Z.A. Solar energy in the northwest USA 86-12739
Yamayee, Z.A. Electric resource planning in a predominantly hydro system: optimization and simulation 87-71623
Yamayee, Z.A. Stochastic modelling of harmonics due to existing and prospective harmonic sources 88-54859
Yamayee, Z.A., Hikimmashhadi, H. Production simulation for power system studies 86-32700
Yamayee, Z.A., Kazibwe, W.E. Probabilistic modelling of distribution harmonics: data collection and analysis 87-78097
Yamayoshi, Y. *see* Konno, M. 87-38636
Yamazaki, A. *see* Bamba, T. 87-49337
Yamazaki, A. *see* Hosokawa, S. 86-28701
Yamazaki, A. *see* Igarashi, M. 86-67532
Yamazaki, A. *see* Motohashi, Y. 87-59032
Yamazaki, A. *see* Yoshikawa, Y. 88-15308
Yamazaki, D. *see* Ueda, T. 86-55657, 87-8621, 87-35183, 88-22578
Yamazaki, E. Themes for high-resolution full-color display 88-22712
Yamazaki, E. *see* Ando, K. 86-30980, 87-3289

Yamazaki, E. *see* Fujino, T. 85−13462, 85−19351, 86−68960
Yamazaki, E. *see* Hirayama, H. 87−40377
Yamazaki, E. *see* Miyake, M. 85−42345, 86−22922, 87−48756
Yamazaki, E. *see* Moriyama, T. 87−40378
Yamazaki, E. *see* Morrell, A.M. 85−14894
Yamazaki, F. *see* Aoki, H. 86−23260
Yamazaki, F. *see* Hagiwara, E. 87−28475
Yamazaki, F. *see* Nakajima, S. 88−3937
Yamazaki, F. *see* Terada, N. 87−70014
Yamazaki, H. Sensor applications for home appliances 86−71140
Yamazaki, H., Honda, T., Ishida, S., Kawasaki, Y. Improvement of field-effect transistor threshold voltage uniformity by using very low dislocation density liquid encapsulated Czochralski-grown GaAs 85−18449
Yamazaki, H., Honda, T., Ishii, Y. Si ion implantation for GaAs IC fabrication 85−34817
Yamazaki, H., Ohtake, Y. Discoloration-free invar mask color picture tubes 87−1154
Yamazaki, H., Takeda, T., Yamamoto, K., Nakano, S., Tanaka, N. Compact self-ballasted fluorescent lamps with a newly developed Globular structure 85−44294
Yamazaki, H., Uchida, M., Yoshizawa, K., Tezuka, M. A digital graphics terminal 88−3556
Yamazaki, H., Yagi, S. Study on high-density recording of an ablative-type optical disk 87−74648
Yamazaki, H., Yagi, S., Fujimori, S., Funakoshi, N. Reversible phase change Sb-Te films for optical disk 88−45065
Yamazaki, H. *see* Aoki, Y. 85−21837
Yamazaki, H. *see* Homma, A. 87−14790
Yamazaki, H. *see* Hyuga, F. 87−53176
Yamazaki, H. *see* Idda, M. 85−45060
Yamazaki, H. *see* Ino, M. 88−19165
Yamazaki, H. *see* Ishihara, S. 87−18790
Yamazaki, H. *see* Ishii, W. 87−11906
Yamazaki, H. *see* Kayukawa, N. 85−21838
Yamazaki, H. *see* Matsumoto, K. 86−2223
Yamazaki, H. *see* Matsuoka, Y. 87−60496
Yamazaki, H. *see* Miyagi, M. 88−45049
Yamazaki, H. *see* Mizumoto, T. 85−17802, 85−34128
Yamazaki, H. *see* Osaka, T. 87−51444
Yamazaki, H. *see* Sangen, M. 88−6013
Yamazaki, H. *see* Sawamura, T. 86−60397
Yamazaki, H. *see* Sugimoto, H. 88−62803
Yamazaki, H. *see* Sugitani, S. 88−7302
Yamazaki, H. *see* Suzuki, K. 85−19731
Yamazaki, H. *see* Watabe, A. 88−20331
Yamazaki, H. *see* Yabuta, M. 88−19889
Yamazaki, H. *see* Yagi, S. 88−45045
Yamazaki, I., Kume, H., Tamai, N., Tuchiya, K., Oba, K. Microchannel-plate photomultiplier and its application to the time-correlated single-photon counting method 86−35276
Yamazaki, I., Michioka, R., Tosaka, S. Trends of LAN development in factory automation: S-NET 87−2885
Yamazaki, I. *see* Ichinose, M. 86−3519
Yamazaki, I. *see* Iguchi, M. 87−48995
Yamazaki, I. *see* Oda, T. 86−36814
Yamazaki, I. *see* Otsu, Y. 87−48996
Yamazaki, J., Kosugi, M., Shidara, K., Kawamura, T. New apparatus for measuring photoconductive characteristics linked to vacuum evaporation equipment 87−34912
Yamazaki, J. *see* Kurashige, M. 86−41486, 86−41490, 86−47257
Yamazaki, J. *see* Tanioka, K. 87−74928
Yamazaki, J. *see* Tsuji, K. 88−19632
Yamazaki, J. *see* Yonehara, H. 86−32064
Yamazaki, K. A view of heat pump systems in Europe 85−27808
Yamazaki, K. Basic characteristics and applications of an iron-nickel lead material 86−52266
Yamazaki, K. Communication network technology in CIM 88−9133
Yamazaki, K., Fukugawara, T., Soejima, T. Fiber-optic subscriber loop network 87−28562
Yamazaki, K., Himori, T., Nakagawa, M., Hirota, O. Performance analysis of optical PPM and OOK in photon communication 88−45855
Yamazaki, K., Hirota, O., Nakagawa, M. Comparison between photon communication systems and quantum coherent communication systems 88−15500
Yamazaki, K., Hirota, O., Nakagawa, M., Uyematsu, T., Ohya, M. Effect of error correcting code in photon communications with energy loss 88−9593
Yamazaki, K., Ichikawa, T., Ikeda, H., Inagaki, T. Optical design for POS hologram scanner 87−12634
Yamazaki, K., Ikeda, H., Inagaki, T. Optical design techniques for POS hologram scanner 87−47002
Yamazaki, K., Matsuoka, F., Iijima, H., Saito, E. A wide-range, highly efficient refrigerating-cycle control system 85−5528
Yamazaki, K., Nakagawa, M. Digital fiber optic communication systems using multidimensional coding method 86−29742
Yamazaki, K., Yoneda, M., Ogawa, S., Ueda, M., Akiyama, S., Terui, Y. Fabrication technologies for dual 4-kbit stacked SRAM 87−44847
Yamazaki, K. *see* Baba, N. 87−76486
Yamazaki, K. *see* Hamada, Y. 85−2508
Yamazaki, K. *see* Hamano, K. 85−10766
Yamazaki, K. *see* Hayakawa, J. 88−74185
Yamazaki, K. *see* Hirota, O. 87−20573, 87−40938
Yamazaki, K. *see* Ikeda, H. 85−13008
Yamazaki, K. *see* Ikeda, Y. 87−62794
Yamazaki, K. *see* Kawakita, J. 88−21673
Yamazaki, K. *see* Kawamura, R. 86−6411 to 6412
Yamazaki, K. *see* Kobayashi, Y. 87−59613
Yamazaki, K. *see* Kuwabara, S. 85−14277
Yamazaki, K. *see* Nishio, Y. 87−59378
Yamazaki, K. *see* Numasawa, Y. 86−40766
Yamazaki, K. *see* Ogawa, S. 87−45831, 87−66994
Yamazaki, K. *see* Oikawa, S. 85−38098, 87−7845
Yamazaki, K. *see* Okada, Y. 85−35074, 85−40866
Yamazaki, K. *see* Sato, I. 85−38486
Yamazaki, K. *see* Shimada, Y. 88−30755
Yamazaki, K. *see* Shirahata, I. 86−3461
Yamazaki, K. *see* Sugai, I. 85−59047
Yamazaki, K. *see* Takashima, Y. 88−41479
Yamazaki, M. Recent video conference techniques 86−55470
Yamazaki, M. An assembly program for a personal computer to receive data from a multichannel pulse height analyzer via RS-232C 88−54445
Yamazaki, M., Iide, S. Electromagnetic compatibility system design integration of spacecraft 85−7671
Yamazaki, M., Miyakawa, T. A theory of photon-drag current in InAs-GaSb type semiconductor superlattices 88−1423
Yamazaki, M., Yamazaki, N. Wire bonding [IC manufacture] 86−35253
Yamazaki, M. *see* Kandatsu, K. 87−64745
Yamazaki, M. *see* Kohanawa, A. 87−64746
Yamazaki, M. *see* Maruyama, T. 85−42774
Yamazaki, M. *see* Nakayama, N. 88−3466
Yamazaki, M. *see* Ogura, U. 87−35840
Yamazaki, M. *see* Saito, T. 87−6915
Yamazaki, M. *see* Suzuki, Y. 88−70344
Yamazaki, M. *see* Tominaga, H. 87−47529
Yamazaki, M. *see* Yamano, M. 85−37257
Yamazaki, N. *see* Murakami, H. 85−8527
Yamazaki, N. *see* Sato, K. 86−31985
Yamazaki, N. *see* Wakakuwa, H. 86−49471
Yamazaki, N. *see* Yamamoto, H. 86−49776
Yamazaki, N. *see* Yamazaki, M. 86−35253
Yamazaki, N. *see* Yokoyama, S. 86−25629
Yamazaki, O., Wasa, K., Kawaguchi, T., Manabe, Y., Adachi, H., Higashino, H., Setsune, K. High-speed PLZT optical switches 85−2090
Yamazaki, O. *see* Adachi, H. 86−46368, 86−54019, 88−24798
Yamazaki, O. *see* Higashino, H. 86−53967
Yamazaki, O. *see* Kawaguchi, T. 87−54047
Yamazaki, O. *see* Mitsuhashi, K. 88−64433
Yamazaki, O. *see* Mitsuyu, T. 87−10372
Yamazaki, O. *see* Nakata, H. 88−28863
Yamazaki, O. *see* Ohkawa, K. 87−23682, 88−6464, 88−31778
Yamazaki, O. *see* Setsune, K. 86−2512, 86−15334
Yamazaki, O. *see* Shiono, T. 87−38848
Yamazaki, O. *see* Shirakawa, K. 88−19981
Yamazaki, O. *see* Wasa, K. 85−12654
Yamazaki, S. Perceived D/U ratio measuring equipment for TV ghost images 85−3646
Yamazaki, S. Tungsten wire for lamps 85−53911
Yamazaki, S. Metal-insulator-semiconductor structures 86−21267
Yamazaki, S. An objective method for evaluation of TV pictures impaired by ghosts 86−49805
Yamazaki, S. 9.9% conversion efficiency achieved by amorphous silicon photovoltaic cell 86−58831
Yamazaki, S., Abe, M., Nagayama, S., Shibata, K., Susukida, M., Fukada, T., Kinka, M., Kobayashi, I., Inushima, T., Suzuki, K. Fabrication of the large-area integrated a-Si solar cells 87−22778
Yamazaki, S., Arata, H. Rejection of sporadic-E interference in TV reception using notch filters 85−63822
Yamazaki, S., Emura, K., Shikada, M., Yamaguchi, M., Mito, I. Realisation of flat FM response by directly modulating a phase tunable DFB laser diode 85−35752
Yamazaki, S., Emura, K., Shikada, M., Yamaguchi, M., Mito, I., Minemura, K. Long-span optical FSK heterodyne single-filter detection transmission experiment using a phase-tunable DFB laser diode 86−23849
Yamazaki, S., Emura, K., Shikada, M., Yamaguchi, M., Mito, I., Minemura, K. 140 Mb/s 243 km optical FSK heterodyne single filter detection transmission experiment using a phase tunable DFB laser diode 86−49693
Yamazaki, S., Hashimoto, S., Iimura, J. Customer terminals and their technologies in the INS Model System 85−14064
Yamazaki, S., Hashimoto, S., Iimura, J. Customer equipment and technologies in the INS Model System 85−47062
Yamazaki, S., Ishii, N. Overview on the media services in the Information Network System 85−42080
Yamazaki, S., Itoh, K., Watabe, S., Mase, A., Urata, K., Shibata, K., Shinohara, H. Maskless fabrication of a-Si solar cell using laser scribe process 86−7035
Yamazaki, S., Kikuchi, S., Ito, H. Influence of field factors on 'perceived DU ratio' measurement in TV ghost interference 85−14422
Yamazaki, S., Koyama, Y. An automatic metering system 88−42905
Yamazaki, S., Murata, S., Komatsu, K., Koizumi, Y., Fujita, S., Emura, K. 1.2 Gbit/s optical DPSK heterodyne detection transmission system using monolithic external-cavity DFB LDs 87−76735
Yamazaki, S., Nakajima, K., Kishi, Y. Liquid phase epitaxial growth for (111)A InP/GaInAs heterostructure avalanche photodiodes 85−10681
Yamazaki, S., Noguchi, Y., Kuronuma, H. Relation between APD/CRD of automobile ignition noise and resultant TV picture degradation 86−15967
Yamazaki, S., Ohori, T. Numerical analysis of multi-point boundary value problem by linear programming 85−301
Yamazaki, S., Shiraishi, T., Adler, D. Isomerization model for photo-induced effects in a-Si:H 85−18099
Yamazaki, S., Watabe, S., Itoh, K. Laser scribing lithography [solar cell fabrication] 86−7016
Yamazaki, S. *see* Akutagawa, N.K.T. 87−40379
Yamazaki, S. *see* Arata, H. 87−34742 to 34743
Yamazaki, S. *see* Emura, K. 86−17366, 86−43860, 87−8271, 87−56156, 88−67404
Yamazaki, S. *see* Honmou, H. 87−13693
Yamazaki, S. *see* Katagiri, K. 86−52438
Yamazaki, S. *see* Kobayashi, F. 86−62636
Yamazaki, S. *see* Kobayashi, M. 85−7318
Yamazaki, S. *see* Komatsu, K. 88−13933
Yamazaki, S. *see* Manome, K. 88−47144
Yamazaki, S. *see* Minemura, K. 87−40911
Yamazaki, S. *see* Miyazawa, H. 85−26001, 86−4832
Yamazaki, S. *see* Murata, S. 87−12464
Yamazaki, S. *see* Nakajima, K. 85−44732, 86−26839
Yamazaki, S. *see* Takanohashi, T. 85−23510, 86−53405
Yamazaki, S. *see* Tomiyama, C. 87−73131
Yamazaki, T. Requirements for wafer inspection technologies toward submicron geometries 85−62046
Yamazaki, T., Araseki, T. Subjective evaluation of displayed characters quality 88−42202
Yamazaki, T., Hosono, K., Inoue, M., Fuki, M., Kadota, Y., Miura, I. Beam dynamics for a proposed RCNP ring cyclotron 85−59067
Yamazaki, T., Ito, T., Ishikawa, H. Disilane photo-epitaxy for VLSI 85−50674
Yamazaki, T., Kobayashi, M., Nishinaka, H. A coil-permanent magnet system for integrating current balance 85−48040
Yamazaki, T., Kobayashi, N. Thermal fatigue strength of epoxy supporting insulators with embedded electrodes 86−32805
Yamazaki, T., Miura, I., Hosono, K., Ando, A., Saito, T., Itahashi, T., Shimizu, A., Katayama, I., Noro, T., Kondo, M., Ogata, H. Control system of RCNP ring cyclotron 88−42357
Yamazaki, T., Nagumo, Y., Shimada, Y. Optical branching devices. Optical coupler, wavelength division multi-demultiplexer, optical attenuator 88−28887
Yamazaki, T., Noguchi, T., Sugiyama, S., Mikado, T., Chiwaki, M., Tomimasu, T. Generation of quasi-monochromatic photon beams from Compton backscattered laser light as ETL electron storage ring 86−32139
Yamazaki, T., Sugino, R., Ito, T., Ishikawa, H. Photochemical effects for low-temperature Si epitaxy 87−31545
Yamazaki, T., Tei, T., Kadota, Y., Saito, T., Hosono, K., Miura, I. Radial-longitudinal coupling in proposed RCNP injector cyclotron 86−24894
Yamazaki, T., Tsukiyama, M., Taguchi, T., Yamauchi, T. Applications of the packet exchange method to the communication networks for electric power systems 86−49160
Yamazaki, T., Watanabe, S., Sugii, T., Ito, T. Ultra-shallow p^+ junction formed by photon-enhanced low-temperature epitaxy 88−39125
Yamazaki, T. *see* Andrews, B.J. 88−42578
Yamazaki, T. *see* Aoki, S. 85−25954
Yamazaki, T. *see* Arizumi, M. 87−31938
Yamazaki, T. *see* Flood, C.J. 88−33878
Yamazaki, T. *see* Fujita, Y. 85−4239
Yamazaki, T. *see* Goto, K. 88−49031
Yamazaki, T. *see* Iizuka, S. 87−19522
Yamazaki, T. *see* Ishido, Y. 88−74993
Yamazaki, T. *see* Ishii, H. 88−26805

Yamazaki, T. *see* Ishizaki, Y. 87-48380
Yamazaki, T. *see* Iwase, S. 88-41778
Yamazaki, T. *see* Kobayashi, M. 85-31546
Yamazaki, T. *see* Koike, Y. 86-57890
Yamazaki, T. *see* Masuda, Y. 88-43091
Yamazaki, T. *see* Matsumoto, F. 86-49208
Yamazaki, T. *see* Matsuoka, T. 86-4365
Yamazaki, T. *see* Mikado, T. 87-14714
Yamazaki, T. *see* Miura, K. 87-11896
Yamazaki, T. *see* Nara, Y. 88-13147
Yamazaki, T. *see* Nohara, M. 87-28473
Yamazaki, T. *see* Ogawara, T. 86-1155, 86-57891
Yamazaki, T. *see* Ohsugi, T. 86-49660
Yamazaki, T. *see* Okochi, K. 85-51987
Yamazaki, T. *see* Sakai, T. 86-31258, 88-42211
Yamazaki, T. *see* Sakurada, Y. 85-37891
Yamazaki, T. *see* Satoh, S. 85-49893, 85-61275
Yamazaki, T. *see* Shimizu, A. 85-15101
Yamazaki, T. *see* Shirakawa, S. 88-55084
Yamazaki, T. *see* Sugawara, M. 88-19227
Yamazaki, T. *see* Sugii, T. 88-7574, 88-7586
Yamazaki, T. *see* Sugino, R. 88-19843
Yamazaki, T. *see* Suzuki, H. 86-65128
Yamazaki, T. *see* Suzuki, M. 88-42207
Yamazaki, T. *see* Suzuki, T. 88-49868
Yamazaki, T. *see* Suzuki, Y. 85-1443, 85-50650, 87-25029, 87-38048
Yamazaki, T. *see* Takano, H. 88-41741
Yamazaki, T. *see* Tanaka, H. 87-25264, 88-16320
Yamazaki, T. *see* Tomimasu, T. 86-32138, 87-21347, 88-30055
Yamazaki, T. *see* Toyama, M. 88-16323
Yamazaki, T. *see* Ueda, N. 85-15097
Yamazaki, T. *see* Yatsuzuka, Y. 87-27340, 87-40794
Yamazaki, T. *see* Yoneda, M. 87-24189, 88-26054
Yamazaki, T. *see* Yonezaki, G. 87-8700
Yamazaki, T. *see* Yoshioka, N. 87-74159
Yamazaki, Y. G4 facsimile apparatus 85-42196
Yamazaki, Y. Recent advances in facsimile communications-Group 4 facsimile and mixed mode of operation 86-54829
Yamazaki, Y., Ejiri, Y., Furusawa, K. Design and test results of an optical fiber feedthrough for an optical submarine repeater 85-37029
Yamazaki, Y., Higo, T., Takata, K. Study of alternating-periodic-structure cavities with a disk-loaded waveguided model 88-54088
Yamazaki, Y., Kaneshi, M., Urashima, K., Tanaka, S. Numerical analysis of fiber strain for tight structure cable 86-4684
Yamazaki, Y., Nawata, T., Obayashi, C. The integrated office system 87-7924
Yamazaki, Y. *see* Abe, H. 88-28912
Yamazaki, Y. *see* Ando, T. 87-15962
Yamazaki, Y. *see* Endoh, T. 85-30358, 85-46954, 86-69350, 87-7997, 87-39960
Yamazaki, Y. *see* Fujiyasu, H. 87-5421
Yamazaki, Y. *see* Higo, T. 86-31987, 88-61047
Yamazaki, Y. *see* Iwano, H. 88-20676
Yamazaki, Y. *see* Kanamori, G. 85-63183
Yamazaki, Y. *see* Kishimoto, Y. 87-13233
Yamazaki, Y. *see* Kitamura, T. 85-14653
Yamazaki, Y. *see* Kobayakawa, H. 86-65311
Yamazaki, Y. *see* Koiwa, I. 86-63535, 88-51208
Yamazaki, Y. *see* Le Hong Shon 87-53257
Yamazaki, Y. *see* Matsumoto, H. 88-54060
Yamazaki, Y. *see* Matsumoto, J. 85-42081
Yamazaki, Y. *see* Matsuoka, T. 87-34846
Yamazaki, Y. *see* Mizuno, H. 88-61050
Yamazaki, Y. *see* Namikawa, T. 86-474
Yamazaki, Y. *see* Niiro, Y. 85-31061, 87-3176
Yamazaki, Y. *see* Nirasawa, N. 86-43855
Yamazaki, Y. *see* Nohara, M. 88-46986
Yamazaki, Y. *see* Osaka, T. 87-18484, 87-32857, 87-60783
Yamazaki, Y. *see* Taniguchi, A. 86-30750
Yamazaki, Y. *see* Yasuda, Y. 85-51990
Yamazawa, M. *see* Inoue, N. 85-45479
Yamazoe, H. *see* Fujita, S. 87-56763, 88-42208
Yamazoe, K. *see* Saraie, J. 85-6012
Yamazoe, M. *see* Inokuma, T. 86-14737
Yamazoe, M. *see* Ohsawa, H. 86-13130
Yamazoe, N. Gas sensing devices for biosensors 87-77223
Yamazoe, N., Hisamoto, J., Miura, N., Kuwata, S. Potentiometric solid-state oxygen sensor using lanthanum fluoride operative at room temperature 88-22568
Yamazoe, N., Miura, N. Solid electrolytes as chemical sensor materials 88-16053
Yamazoe, N., Miura, N., Arai, H., Seiyama, T. Development of proton conductor gas sensor 86-55699
Yamazoe, N., Seiyama, T. Sensing mechanism of oxide semiconductor gas sensors 86-55706
Yamazoe, N., Shimizu, Y. Humidity sensors: principles and applications 87-41492
Yamazoe, N. *see* Miura, N. 85-20575, 86-5195, 88-60985
Yamazoe, Y. *see* Okuda, H. 86-54051
Yamazono, K. *see* Kawada, H. 88-17798
Yamazuki, T. *see* Miura, I. 85-59097
Yamazumi, T. *see* Ikezawa, S. 88-10107
Yamdagni, N. *see* Alner, G.J. 88-10288
Yamdagni, N. *see* Cattai, A. 85-43181
Yamin, H., Gorenshtein, A., Penciner, J., Sternberg, Y., Peled, E. Lithium sulfur battery. Oxidation/reduction mechanisms of polysulfides in THF solutions 88-62564
Yamin, P. IBCM: internal bunch coordinate monitor 88-54126
Yamin, P., Ahrens, L., Auerbach, E., Raka, E., Ratner, L. A fast transition jump scheme at the Brookhaven AGS 88-54230
Yamin, P. *see* Adams, M.R. 85-64467
Yamin, P. *see* Engelmann, R. 85-26652
Yamin, S.P. *see* Lee, Y.Y. 88-54006
Yamin Bai *see* Bai Yamin
Yamini Dan *see* Dan Yamini
Yaminskii, I.V. *see* Belov, A.A. 86-67632
Yaminskii, I.V. *see* Karoblev, O.I. 86-70013
Yaminysharif, M., Durrani, T.S. Adaptive signal processing using a modified gradient estimation technique 86-10465
Yaminysharif, M., Durrani, T.S. Adaptive signal processing using a modified gradient estimation technique 87-27521
Yamishita, K., Azuma, H., Tateda, M. Core diameter measurement of graded-index multimode fibers by the side launch excitation technique 88-72029
Yammine, Z., Lee, B.W., Nurre, J.H., Hall, E.L. Error specification for stereo imaging 88-43725
Yamnitskiy, V.A. *see* Simonov, Yu.L. 87-47734
Yamnyi, V.E. *see* Doroshev, V.P. 86-20649, 86-67273, 87-37392
Yamnyi, V.E. *see* Levko, I.A. 86-17890
Yamomoto, M., Yamaguchi, M., Fujiwara, N., Hamajima, T., Konukai, T. A study of power transmission system with superconducting devices 85-48566
Yamori, Y. *see* Fukuoka, M. 87-41917
Yamoto, T., Lawless, P.A., Sparks, L.E. Triangle-shaped DC corona discharge device for molecular decomposition 88-27449
Yamoto, Y. Countermeasures against poor short-circuit sensitivity in large subharmonic track circuit 86-57001
Yamour, J. *see* Brayton, R.K. 85-40005
Yampol'skii, A.E. *see* Belyaev, A.A. 88-53895
Yampol'skii, A.E. *see* Danilov, A.I. 86-12689
Yampol'skii, I.R. *see* Zaitsev, V.I. 85-26433
Yampol'skii, L.S. *see* Gergi, D.I. 87-22933
Yampol'skii, V.B. *see* Pokhoriler, V.L. 87-22206
Yampol'skii, V.M. *see* Katsiya, K.V. 85-27874
Yampol'skii, V.M. *see* Nerovnyi, V.M. 86-66515, 88-11518
Yampol'skii, V.N. *see* Levchenko, V.I. 85-39364
Yampol'skiy, V.G. Measurement of small reflection coefficients 87-47133
Yampol'skiy, V.G. *see* Frolov, O.P. 86-37751, 87-12717
Yampol'skiy, V.G. *see* Nafikov, Yu.I. 87-55144
Yampolsky, J.S. *see* Foushee, F.C. 85-43814
Yampolsky, V.G., Frolov, O.P. The influence of antenna directivity on signal properties on tropospheric scatter links 88-58869
Yampolsky, V.G., Frolov, O.P., Tsurikov, G.G. Method of reducing aperture antenna side-lobes 87-75565
Yampurin, N.P. The functional properties of pyramidal frequency-synthesis systems and methods of designing them 87-44643
Yampurin, N.P. *see* Kangin, V.V. 87-73506
Yampurin, N.P. *see* Shishov, S.Ya. 86-34597, 87-47712
Yamshchikov, V.A. *see* Apollonov, V.V. 85-51103, 85-62503, 86-15747, 87-33106
Yamshchikov, V.A. *see* Appollonov, V.V. 85-18875
Yamshchikov, V.S., Shkuratnik, V.L., Danilov, V.N., Ermolin, A.A., Malyshkin, A.S. A method of adjusting the frequency characteristics of an electroacoustic sensor 86-24454
Yamshchikov, V.S., Sirota, D.N., Shkuratnik, V.L. Improved sensitivity of ultrasonic instruments 87-31595
Yamshchikov, V.S. *see* Danilov, V.N. 85-49641
Yamshchikova, L.N. *see* Kravtseva, I.I. 87-53823
Yamshita, K., Nomura, N., Yamada, Y., Suzuki, M., Takemoto, T. Holographic nanometer alignment system for a half-micron wafer stepper 88-39649
Yan, A. A multi-machine subsynchronous resonance studies and excitation control 86-61088
Yan, A. *see* Dommel, H.W. 86-51687
Yan, A.P. *see* Gusev, O.Z. 85-3834
Yan, B.-D., Meilink, S.L., Warren, G.W., Wynblatt, P. Water adsorption and surface conductivity measurements on α-alumina substrates 88-1234
Yan, B.D., Meilink, S.L., Warren, G.W., Wynblatt, P. Water adsorption and surface conductivity measurements on α-alumina substrates 86-62319
Yan, B.D., Warren, G.W., Wynblatt, P. Examination of the failure of electronic devices by cyclic voltammetry and potential step methods 87-36529
Yan, C.-W. *see* Chang, S.-K. 87-47910
Yan, G.-T. New digital notch filter structures with low coefficient sensitivity 85-951
Yan, H. *see* An, T. 88-74311
Yan, H. *see* Fischl, R. 86-70604
Yan, H. *see* Wang, D. 88-25902
Yan, H.H. *see* Barker, J.R. 88-23331
Yan, H.J. *see* Chiong, K.N. 85-1450
Yan, I. Fundamental features of personal computers [use in circuit CAD] 87-52286
Yan, J. *see* Blauer, M. 86-64681
Yan, J.-H., Mazumdar, M. A comparison of several component-testing plans for a series systems 87-23412
Yan, J.-H., Mazumdar, M. A component-testing procedure for a parallel system with type II censoring 88-6318
Yan, J.-S., Eisenstadt, W.R. S-parameter measurement prediction for bipolar transistors using a physical device simulator 88-12615
Yan, J.B., Trew, R.J., Stoneking, D.E. GaAs power MESFET performance sensitivity to profile and process parameter variations 88-71055
Yan, J.B. *see* Stoneking, D.E. 88-71124
Yan, K.Y. *see* Tan, H.S. 86-53455
Yan, L., Li, Y., Liu, D. Experimental investigation on normal zone propagation in a close-packed superconducting solenoid 88-65056
Yan, L., Lin, Q., Li, Y. A high current density bath-cooled superconducting solenoid with varnish-coated conductor 88-65047
Yan, L., Ling, J.-D., Ho, P.-T., Lee, C.H., Burdge, G.L. An actively mode-locked continuous wave Nd:phosphate glass laser oscillator and regenerative amplifier 88-40175
Yan, L., Ling, J.D., Ho, P.-T., Lee, C.H. Picosecond-pulse generation from a continuous-wave neodymium:phosphate glass laser 86-68509
Yan, L., Qin, J., Zhang, H. Stability test of the superconductor for large saddle magnet for MHD experimental generator no. 1 88-65057
Yan, L., Tsuchiya, K., Hirabayashi, H. Some results from the first test of a double-shell Nb_3Sn dipole 88-26729
Yan, L. *see* Jungst, K.P. 85-24248, 85-56234, 86-42187
Yan, L.-W. *see* Yu, Z.-S. 86-12431
Yan, M., McCanny, J.V., Kaouri, H.A. Systolic array system for vector quantization using transformed sub-band coding 88-63770
Yan, M.F., Ling, H.C., O'Bryan, H.M., Gallagher, P.K., Rhodes, W.W. Processing of ceramic superconductors 88-65001
Yan, M.F., Rhodes, W.W. Efficient process for volume production of TiO_2 varistor powder 85-17004
Yan, M.F. *see* Chou, Ye.T. 88-12091
Yan, M.F. *see* Huo, T.C.D. 86-31549, 87-3670
Yan, M.F. *see* Quek, H.M. 87-65579
Yan, P., Lichtin, N.N. Amorphous silicon, germanium, and silicon-germanium alloy thin-film transistor performance and evaluation 87-53504
Yan, P. *see* Lei, X. 87-69214
Yan, P. *see* Mitchell, K.W. 87-9789
Yan, P. *see* Xu, L. 87-62096
Yan, P.Y. *see* Khoo, I. 87-39211
Yan, P.Y. *see* Khoo, I.C. 88-34089, 88-51945
Yan, R., Wang, F.F.Y., Corderman, R.R., Khattak, C.P., Leipold, M.H., Jr. Refinements in The determination of minority-carrier diffusion length measurements of polycrystalline silicon materials by the surface photovoltage method 88-7284
Yan, R. *see* Hausken, T.R. 88-33899
Yan, R.H. *see* Coldren, L.A. 88-7972
Yan, R.H. *see* Mendoza-Alvarez, J.G. 88-33773, 88-72158
Yan, S. *see* Zhang, S.-C. 88-2304
Yan, T., Clare, L.P. Performance analysis of replication ALOHA for fading mobile communications channels 87-20417
Yan, T., Wang, C.C. An optimized bandwidth efficient demand assigned protocol for integrated mobile satellite services 86-54617
Yan, T. *see* Li, V.O.K. 86-59869
Yan, T. *see* Wang, C.C. 87-34513
Yan, T.-P. *see* Clare, L.P. 85-42034
Yan, T.-Y. Network design considerations of a satellite-based mobile communications system 86-59856
Yan, T.-Y., Li, V.O.K. Performance analysis of an adaptive multiple access scheme for the message service of a land mobile satellite experiment (MSAT-X) 85-14196
Yan, T.-Y., Li, V.O.K. A variable bandwidth assignment scheme for the land mobile satellite experiment 86-11000
Yan, T.-Y., Li, V.O.K. A retransmission protocol for the message service of a land mobile satellite experiment 86-23825
Yan, T.-Y., Li, V.O.K. A reliable pipeline protocol for the message service of a land mobile satellite experiment 87-56046

Yan, T.-Y., Li, V.O.K., Yuen, J.H. An adaptive multiple-access scheme for the integrated services of a land mobile satellite experiment 85−42542
Yan, T.-Y. *see* Clare, L.P. 86−10999
Yan, T.-Y. *see* Li, V.O.K. 85−3396, 85−14140
Yan, T.-Y. *see* Wang, C.C. 88−2933, 88−47000
Yan, T.Y. An incremental model for coal evaluation. I. Liquefaction 87−64222
Yan, T.Y. An incremental model for coal evaluation. II Gasification 88−30435
Yan, T.Y., Naderi, F.M. A proposed architecture for a satellite-based mobile communications network: the lowest three layers 87−34509
Yan, T.Y., White, J.R. Economics of electric power generation options and sulfur oxide emission control 88−5270
Yan, T.Y. *see* Chan, H.W. 87−70018
Yan, W., Yang, Q., Li, Z., Qiu, Z., Fan, M. Finite element analysis of static and dynamic characteristics of electromagnets 88−52148
Yan, W. *see* Cheng, L.-C. 88−13612
Yan, W. *see* Fan, M. 86−42708
Yan, W. *see* Meng, Q. 88−52081
Yan, W. *see* Miao, Y. 88−49733
Yan, Y. *see* Shi, M. 88−68816
Yan, Y. *see* Wang, Y.P. 87−47217
Yan, Y.-H., Maxumdar, M. A comparison of several component-testing plans for a parallel system 88−6317
Yan, Y.T. Energy gain and trapping threshold of the counterstreaming electron-beam wake-field accelerator 88−4712
Yan, Y.T. Acceleration of protons or electrons by the counterstreaming-electron-beam accelerators 88−29739
Yan, Y.T., Dawson, J.M. AC free-electron laser 87−7397
Yan, Y.T. *see* Joshi, C. 88−2293, 88−27246, 88−45480
Yan, Y.T. *see* Katsouleas, T. 86−31849
Yan, Y.T. *see* Lin, A.T. 86−21038
Yan, Z. High voltage engineering education in the People's Republic of China 87−23041
Yan, Z., Li, J.X., Dong, Z.Y., Zhu, Y. Prediction and improvement of the electric field distribution in high voltage AC substations 87−30708
Yan, Z., Sheng, J.N., Wen, C., Qin, B.L., Gela, G., Sebo, S.A. Sensitivity studies of ionized field quantities in air under HVDC transmission lines 87−30227
Yan, Z. *see* DeVore, R.A. 87−23543
Yan, Z. *see* Qin, B.L. 88−48591
Yan, Z. *see* Sheng, J.N. 88−52049
Yan, Z. *see* Wen, C. 86−70700
Yan, Z.-T. *see* Cheng, B. 86−7219
Yan Bao-ping *see* Wang Xing-gang 86−23639
Yan Bao-zong *see* Yu Xue-wu 85−57287
Yan Benda, Shi Changxin, Xin Shangheng, Zhou Wenying Preparation of extra-thin channel with high carrier concentration in GaAs by Si ion implantation through SiN film 88−57671
Yan Chai *see* Chai Yan
Yan Chen, Fan Mingwu, Miao Yixin A new design of air-core resistive NMR imaging magnet 85−7597
Yan Chen, Yang Jingang, Li Zhichang Reoptimizing calculation for the Beijing QDDD spectrograph 87−63689
Yan Chen *see* Chen Yan
Yan Fang Large side-aperture waveguide couplers 87−59820
Yan Fengzhang *see* Ma Jinglin 85−34485
Yan Fuju, Teng Yueli, Cheng Zhusheng, Li Xiaotu, Huang Dezao, Zhu Zhenghua Spectral and lasing properties of J-series blue-green new laser dye 88−65603
Yan Fujun, Huang Dezao, Cheng Zhusheng, Teng Yueli Spectral and laser properties of a new laser dye in blue-green spectral region 87−54260
Yan Fujun, Huang Dezhao, Cheng Zhusheng, Teng Yueli Spectral and laser properties of laser dye carbostyil 124 88−2185
Yan Gao, Guang-Yao Chen Low cost laser-based system for manipulator repeatability measurements 88−51979
Yan Gong-tao Second order recursive digital filter structures with low coefficient sensitivity and low roundoff error 85−11420
Yan Guizhen *see* Zhung Lichun 86−41002
Yan Hanmei *see* Ni Yucai 85−46455
Yan Heum Park *see* Miyata, S. 88−14007
Yan Jia *see* Lingming Wang 88−72406
Yan Jialie, Xu Jianjian, Shao Huimin, Ding Shiying, Zhang Changgui, Shi Kexin A simple apparatus for measuring susceptibility of superconducting materials 85−37731
Yan Jianhua *see* Xu Li 85−45377
Yan Jie *see* Ma Chi-mao 85−48178, 86−18233
Yan Jie *see* Ma Ji-Mao 85−59199, 88−22911
Yan Junqi *see* Gu Benguang 88−10201
Yan Lan *see* Lan Yan
Yan Li *see* Li Yan
Yan Liu *see* Liu Yan
Yan Luguang Applied superconductivity work at the Institute of Electrical Engineering, Academia Sinica 87−67926
Yan Luguang, Liu Decheng, Zhang Fengyuan, Chang Hong A 30 cm bore wax-filled superconducting solenoid: design, construction and test results 86−42198
Yan Luo *see* Luo Yan
Yan Mao-Xun, Wu Shu-Xiang, Xu Hui-Ying, Wu En, Mao Jin-Chang, Lin Xuan-Ying, Zhang Guang-Hua, Liu Jia Photovoltaic detection of magnetic resonance in a-Si:H solar cell 88−69678
Yan Maosong *see* Shen Shande 85−9826
Yan Meiqiong *see* Shen Yong 88−36357
Yan Ming-shen, Mao Yu-hai Convolution and deconvolution by generalized discrete Fourier transformation 88−59115
Yan Muhong The numerical calculation of space charge layer due to the corona discharge of metallic ground points under thunderstorm 87−15375
Yan Nan *see* Nan Yan
Yan Ninchak *see* Bulitko, V.K. 88−56151
Yan Ping Fan *see* Ping Fan Yan
Yan Pingfan, Gao Lin, Xu Lei Inference of depositional facies from seismic records: application of pattern recognition in seismic exploration 87−77834
Yan Pingfan, Huang Jianzhong A family of generalized adaptive algorithms 88−66460
Yan Rongliang *see* Zhu Hui 88−64345
Yan Ruifu *see* Lin Changlu 88−8593
Yan Sheng Zhang *see* Zhang Yan Sheng
Yan Sheng-sheng *see* Wu Chong-ruo 86−1623
Yan Shensheng, Chen Yifang, Si Chengcai The study of surface and interface on ZnS-HgCdTe passive film 88−39199
Yan Shi *see* Shi Yan
Yan Shijian *see* Huang Huizhi 85−35359
Yan Shuqin *see* Zhang Chunping 86−3335
Yan Sun *see* Sun Yan
Yan Taixuan The measurement of a ferrite ring for the RF cavity of a PS synchrotron with high repetition rate 86−70262
Yan Tie-chang A study of helix-coupled vane slow wave structure 86−62997
Yan Tu *see* Tu Yan
Yan Wang *see* Lin Chao Lu 88−18599
Yan Wang *see* Minhang Bao 87−70605
Yan Wang *see* Wang Yan
Yan Wei-ping *see* Wang Xian-ren 86−63068
Yan Wu-guang *see* Wang Tai-jie 87−8879
Yan Xiong *see* Xiong Yan
Yan Yihua *see* Jiang Zongrong 87−26608, 87−30508
Yan Yin, Baraniak, T. A photon beam position and angle shift measurement system for Aladdin 86−60494
Yan Yin-bai *see* Yin-bai Yan
Yan Yingbai, Yu Dongxiao, Chin kuo-fan Making CGH by using electron beam 88−40396
Yan Yiqun The error estimate of rule coefficient on mean value voltmeter 86−24617
Yan Yong-hong, He Yu-liang, Wu Ru-lin The effect of crystallization on conductance of GD a-Si:H films 85−11949
Yan Yuan, Wu Wei-shu, Chen Ying-li Formation of amplitude grating in real-time holographic recording medium BSO crystal 88−34161
Yan Yuhe *see* Yang Xichen 88−65919
Yan Zhang-gen *see* Yin Zhi-qiang 86−36292
Yan Zhi-xin *see* Zhou Hong 87−60444
Yan Zhixin Application of B spline function in DC characteristics simulation of short channel MOS devices 85−34902
Yan Zhixin Application of *B* spline function in DC characteristics simulation of short-channel MOS device 86−47411
Yan Zhixin, Wang Bijuan, Yao Linsheng Application of B spline function device interpolation modeling in circuit simulation program SPICE 86−67822
Yan Zhong *see* Ding Zi-ming 86−65031
Yan Zhong-hen *see* Zeng Qing-yu 85−15493
Yan Zhonghen *see* Zeng Qingyu 87−71586
Yan Zhongmin *see* Zhou Ruming 88−30479
Yan Zhuang *see* Zhuang Yan
Yan-bin Zhang *see* Zhang Yan-bin
Yan-Bing, L. *see* Xu, H. 88−22616
Yan-fang Liu *see* Liu Yan-fang
Yan-Kuin Su Liquid-phase epitaxial growth of ternary $InAs_xSb_{1-x}$ for small amounts of InAs 86−13758
Yan-Kuin Su *see* Chen, S.C. 87−6726
Yan-Kuin Su *see* Tian-Tsair Su 88−40215
Yan-lin Wang *see* Wang Yan-lin
Yan-ming Liu *see* Liu Yan-ming
Yan-Ming Ye, Cheng-Zai Lu, Yu-Fen Li, Kang-Sun Wang New laser device for ophthalmology 85−31869
Yan-Pei Wu *see* Fu-Chaw Yu 88−38371
Yan-Qing Xu *see* Xu Yan-Qing
Yan-Qun Zhou *see* Zhou Yan-Qun
Yan-song Chen *see* Chen Yan-song
Yan-tao Shi *see* Shi Yan-tao
Yan-xu Ma *see* Ma Yan-xu
Yan-yi, C., Nakayama, K. A band-limited signal extrapolation algorithm using waveform synthesis digital filter 88−46090
Yan-ying Guo *see* Guo Yan-ying
Yan-Yun Zhang *see* Zhang Yan-Yun
Yan-zheng Zhang *see* Zhang Yan-zheng
Yan-Zhong Zhang *see* Zhang Yan-Zhong
Yana, K., Fukuda, M., Takano, N. EOG cancelling in EEG: an adaptive filter approach for ERP estimation 88−54568
Yana, K., Marushima, H., Niijima, H., Takeuchi, N., Takikawa, Y. Estimation of the frequency of spontaneous quantal transmitter release at synapses of biological systems using high-order spectrum 88−42245
Yanabu, S., Homma, M., Kaneko, E., Tamagawa, T. Post arc current of vacuum interrupters [circuit breakers] 85−32646
Yanabu, S., Honda, M., Aoyagi, H., Murano, M. Breakdown characteristics of coated electrodes in SF_6 gas 86−68066
Yanabu, S., Kaneko, E., Tamagawa, T., Matsumoto, K., Homma, M. Post-arc current after high-current interruption in vacuum 86−12958
Yanabu, S., Ohishi, M., Ozaki, Y., Murayama, Y. Development of UHV gas circuit-breaker and disconnecting switch, and their performance tests 88−55541
Yanabu, S., Okawa, M., Kaneko, E., Tamagawa, T. Use of axial magnetic fields to improve high current vacuum interrupters 87−43312
Yanabu, S., Okawa, M., Kaneko, E., Tamagawa, T. Use of axial magnetic fields to improve high-current vacuum interrupters 88−30951
Yanabu, S., Okubo, H., Matsumoto, S., Aoyagi, H., Kobayashi, N. Metallic particle motion in 3-phase SF_6 gas insulated bus 87−35626
Yanabu, S., Satoh, Y., Honma, M., Tamagawa, T., Kaneko, E. Post arc current in vacuum interrupters 87−30875
Yanabu, S., Satoh, Y., Ishikawa, M., Tamagawa, T., Kaneko, E. Post arc current in vacuum interrupters 86−33570
Yanabu, S., Satoh, Y., Tamagawa, T., Kaneko, E., Sohma, S. Ten years' experience in axial magnetic field-type vacuum interrupters 87−30874
Yanabu, S. *see* Goto, K. 88−49031
Yanabu, S. *see* Haginomori, E. 85−65386
Yanabu, S. *see* Ikeda, H. 85−16159, 87−22652
Yanabu, S. *see* Ishikawa, M. 85−27561
Yanabu, S. *see* Kawada, H. 88−24082
Yanabu, S. *see* Kobayashi, A. 86−51686
Yanabu, S. *see* Nojima, K. 88−11324
Yanabu, S. *see* Oishi, M. 86−71020
Yanabu, S. *see* Okawa, M. 85−60365, 87−37776, 87−43313, 88−30952, 88−38962
Yanabu, S. *see* Okubo, H. 87−35985
Yanabu, S. *see* Yamamoto, M. 85−32644
Yanabu, S. *see* Yasuoka, K. 88−20572
Yanada, T. *see* Chikamura, T. 85−52686
Yanada, T. *see* Hayafuji, Y. 85−12048, 86−7811, 86−35535
Yanadori, M., Hijikata, K., Mori, Y., Uchida, M. Fundamental study of laminar film condensation heat transfer on a downward horizontal surface 86−191
Yanaga, M. *see* Endo, K. 85−53142
Yanaga, M. *see* Ichikawa, T. 86−192
Yanaga, T. *see* Ichimaru, Y. 85−20928, 87−21528, 88−10379
Yanaga, Y., Saeki, H. Non-reflection type of surface light emitting fluorescent indicator panel 87−70433
Yanagawa, F. A thin AlGaAs barrier n^+-Ge gate MISFET with high transconductance 87−25335
Yanagawa, F. *see* Arai, K. 85−24232, 86−9152, 86−41801, 86−53692
Yanagawa, F. *see* Hasumi, Y. 85−24235
Yanagawa, F. *see* Hirano, M. 85−23772, 86−53638, 87−6462, 88−26334
Yanagawa, F. *see* Maezawa, K. 86−67731, 87−1521
Yanagawa, F. *see* Mizutani, T. 85−45877, 85−55811, 86−15156, 86−53693
Yanagawa, F. *see* Nagata, K. 85−28490
Yanagawa, F. *see* Oe, K. 85−50540, 87−6744
Yanagawa, F. *see* Shinohara, M. 88−410
Yanagawa, F. *see* Uematsu, M. 88−19691
Yanagawa, H., Hayakawa, H., Watanabe, K., Ogai, M. Single-mode wavelength division multiplexer/demultiplexer for two channel bidirectional transmission 88−47150
Yanagawa, H., Ochiai, T., Hayakawa, H., Miyazawa, H. Fused taper/filter hybrid single-mode wavelength division multi/demultiplexer 88−33716
Yanagawa, H., Ochiai, T., Hayakawa, H., Miyazawaa, H. Miniature fibre optic polariser 88−51442
Yanagawa, H. *see* Ando, M. 86−50007
Yanagawa, H. *see* Fuse, K. 85−37005
Yanagawa, H. *see* Tachigami, S. 85−18735, 86−2689
Yanagawa, S., Yamada, Y., Itoh, M., Arai, K., Tomita, N. High-power and high-efficiency ion-implanted power GaAs FETs for C and X bands 86−8490
Yanagawa, S. *see* Oda, Y. 88−71063
Yanagawa, S. *see* Shino, T. 86−21575
Yanagawa, T., Muta, T., Ishiguro, G., Sakita, K. New public telephone for the INS Model System 85−13719
Yanagawa, T., Saito, S., Machida, S., Yamamoto, Y., Noguchi, Y. Frequency stabilization of an InGaAsP distributed feedback laser to an NH_3

absorption line at 15137 Å with an external frequency modulator 86−15684
Yanagawa, T., Saito, S., Yamamoto, Y. Frequency stabilization of 1.5-μm InGaAsP distributed feedback laser to NH_3 absorption lines 85−7422
Yanagawa, T. *see* Endoh, N. 87−71449
Yanagawa, T. *see* Ishiguro, G. 85−47288
Yanagawa, T. *see* Tada, M. 87−7921
Yanagawa, Y. *see* Kowase, Y. 86−2411
Yanage, T. *see* Ichimaru, Y. 85−59309
Yanagi, H., Sukegawa, T., Hashimoto, M., Miya, K. A study on repairing nuclear reactor fuel cladding by CO_2 laser welding 87−15476
Yanagi, H., Takagi, T., Sugimoto, M., Someya, K., Miya, K., Tani, J. Experimental investigation of the quench energy for the point disturbances with use of electron pulse heating 87−46426
Yanagi, H. *see* Miya, K. 88−65093
Yanagi, H. *see* Shimoda, H. 88−48860
Yanagi, H. *see* Sumi, M. 85−62104
Yanagi, K. On the capacity of a class of mismatched Gaussian channels 85−30134
Yanagi, K., Maeda, T., Tsukada, T. A practical method of optical measurement for the minute surface roughness of cylindrical machined parts 86−70227
Yanagi, K., Nakamura, M. An indirect optical measuring method of surface roughness on internal ground surface 88−47672
Yanagi, K. *see* Ogata, T. 88−26673
Yanagi, K. *see* Ohura, H. 88−33512
Yanagi, K. *see* Tamura, H. 85−52663
Yanagi, S., Sasaki, M. Availability analysis for a fleet system 87−16444
Yanagi, S., Sasaki, M. Determination of spare quantity assuming a general failure distribution 87−51899
Yanagi, T., Nishi, O., Seike, T., Shiotani, Y. Development of a fusion splicer for mono-coated fibers and fiber ribbons 88−58153
Yanagi, T., Yoshida, K., Imai, M., Sakamoto, N., Genkawa, H. Type NR-H on-load tap changers 86−33461
Yanagi, T. *see* Tanaka, H. 86−18166
Yanagibashi, M. *see* Mitomi, O. 87−70055, 88−67393
Yanagibayashi, T. *see* Hirakawa, K. 88−21988
Yanagida, H. Research and development of ceramics grows in importance in electronics 85−33517
Yanagida, H. Guiding principle to seek novel ceramic materials of exotic electronic properties 88−63387
Yanagida, H. *see* Chen, Z. 86−38371
Yanagida, H. *see* Fujitsu, S. 87−52213, 88−57703
Yanagida, H. *see* Jian-bao Li 88−50641
Yanagida, H. *see* Koumoto, K. 88−25914
Yanagida, H. *see* Marra, R.A. 86−67721
Yanagida, H. *see* Miyayama, M. 88−35977
Yanagida, H. *see* Namba, S. 85−34536
Yanagida, H. *see* Nishi, T. 88−26596
Yanagida, H. *see* Ogata, T. 86−31387
Yanagida, H. *see* Ohara, Y. 86−26923
Yanagida, I., Sano, M., Fujisawa, A., Sawamura, M. Distribution automation system 88−17152
Yanagida, I. *see* Nishizawa, H. 88−75502
Yanagida, K. *see* Fujimura, S. 88−7537
Yanagida, K. *see* Furusawa, T. 86−62265
Yanagida, K. *see* Mieno, F. 88−38179
Yanagida, K. *see* Shioya, Y. 87−11698
Yanagida, K. *see* Takeuchi, M. 87−23724
Yanagida, M., Kakusho, O. Estimation of antiresonance frequencies by using an over-determined high-order Yule-Walker equation 87−19476
Yanagida, M., Kakusho, O. Weighted linear prediction analysis of speech 88−45982
Yanagida, M., Yamashita, Y., Kakusho, O., Graham-Stuart, D. Some properties of the Givens' reduction applied to linear prediction analysis of speech 86−48796
Yanagida, M. *see* Kaiki, N. 85−63017
Yanagida, M. *see* Miyoshi, Y. 86−36982, 87−19567, 87−75743, 88−8712
Yanagida, M. *see* Nakamichi, K. 85−63018
Yanagida, M. *see* Tsunoda, M. 87−55024
Yanagida, M. *see* Yamasaki, J. 87−25765
Yanagida, M. *see* Yamashita, Y. 86−48822, 88−72786
Yanagida, T. *see* Nakagawa, K. 86−55737
Yanagidaira, H. *see* Kawai, K. 85−25735
Yanagihara, M., Maezawa, H., Sasaki, T., Suzuki, Y., Iguchi, Y. Performance tests of a 2-meter grasshopper monochromator at the photon factory 85−37846
Yanagihara, M. *see* Eda, K. 87−18097
Yanagihara, M. *see* Inada, M. 88−26220
Yanagihara, M. *see* Koide, T. 86−60465
Yanagihara, M. *see* Kubota, Y. 87−40872, 87−62987, 88−19452, 88−73943
Yanagihara, M. *see* Ota, Y. 88−64531
Yanagihara, M. *see* Takeda, K. 87−11094
Yanagihara, N. *see* Mitsumata, T. 86−19454
Yanagihara, T. *see* Tsujino, J. 86−18627
Yanagihara, Y., Sugahara, T., Uyama, C. Detection of blood vessels on coronary cineangiograms 88−74829
Yanagihara, Y., Tanura, S., Tanaka, M. A method for generating optimum decision tree for image retrieval 85−63116
Yanagihara, Y. *see* Inada, M. 87−25251
Yanagimachi, A. Digital television receiver 85−37238
Yanagimachi, A. Coding and data transmission system [teletext] 86−69366
Yanagimachi, A., Yamada, A. Advanced broadcasting systems−multiplex broadcasting 87−34715
Yanagimachi, A. *see* Ohya, A. 87−13838
Yanagimachi, A. *see* Sawabe, E. 88−15035
Yanagimachi, A. *see* Yamada, O. 86−23423, 87−76949
Yanagimachi, T. *see* Hasebe, N. 88−61120
Yanagimachi, T. *see* Yoshimori, M. 88−29935
Yanagisawa, A. *see* Nakamura, K. 87−11921
Yanagisawa, H. *see* Sugita, S. 85−20501
Yanagisawa, H. *see* Yamada, Y. 85−47583
Yanagisawa, I., Kozuka, S., Muraki, A., Kishimoto, T., Ishii, K., Nakamura, M., Morimoto, M., Wakami, F., Taguchi, K., Yasuda, Y., Sakai, T., Fujisawa, T. OA software 88−46569
Yanagisawa, K. *see* Ichikawa, M. 86−19021
Yanagisawa, K. *see* Nishimura, C. 88−51198
Yanagisawa, K. *see* Sato, K. 86−14225
Yanagisawa, K. *see* Tago, A. 86−9380, 88−44956
Yanagisawa, K. *see* Yamashita, T. 88−61952
Yanagisawa, M., Nakamura, K., Kikuchi, M. Trench transistor cell with self-aligned contact (TSAC) for Megabit MOS DRAM 87−44842
Yanagisawa, M., Shigemitsu, S., Akatsuka, T. Registration of locally distorted images by multiwindow pattern matching and displacement interpolation: the proposal of an algorithm and its application to digital subtraction angiography 85−36458
Yanagisawa, M. *see* Goto, F. 87−46366
Yanagisawa, M. *see* Iguchi, I. 87−53917, 88−20313
Yanagisawa, M. *see* Nakamura, K. 85−50727
Yanagisawa, M. *see* Sasaki, S. 87−4055
Yanagisawa, M. *see* Sugishita, A. 87−74602
Yanagisawa, M. *see* Suzuki, S. 85−22875
Yanagisawa, M. *see* Yamaguchi, H. 87−7008
Yanagisawa, N., Yamaguchi, H., Shinobu, Y., Yoshikawa, M., Matsuki, K. Performance of direct expansion solar heat pump system 86−71069
Yanagisawa, S. *see* Hashimoto, H. 87−43120, 88−43349
Yanagisawa, S. *see* Hiranaka, K. 87−25297
Yanagisawa, S. *see* Hirayama, H. 86−31057
Yanagisawa, S. *see* Kawai, S. 85−64196
Yanagisawa, S. *see* Mishima, Y. 86−28272
Yanagisawa, S. *see* Moriyama, T. 87−40378
Yanagisawa, S. *see* Yoshimura, T. 87−17777, 87−53298
Yanagisawa, T. Changes in properties of GaN blue light-emitting diodes over time 86−63728
Yanagisawa, T. Trends of color liquid crystal display devices 86−70173
Yanagisawa, T. Temperature dependence of light-induced degradation in a-Si solar cells 88−5879
Yanagisawa, T. Driving scheme of LCD 88−53777
Yanagisawa, T., Imai, K. Possibility of piezo-electric loudspeaker driven directly with PCM-signal 87−74480
Yanagisawa, T., Kasahara, K., Okada, Y., Sakai, K., Komatsubara, Y., Fukui, I., Mukai, N., Ide, K., Matsumoto, S., Hori, H. A 3.1 inch a-Si TFT addressed colour LCD 86−5435
Yanagisawa, T., Kasahara, K., Okada, Y., Sakai, K., Komatsubara, Y., Fukui, I., Mukai, N., Ide, K., Matsumoto, S., Hori, H. A 3.1-in. TFT-addressed color LCD 86−50168
Yanagisawa, T. *see* Fujii, N. 88−38619
Yanagisawa, T. *see* Hagiwara, H. 88−32313
Yanagisawa, T. *see* Hariwara, H. 88−879
Yanagisawa, T. *see* Hatoh, H. 86−31542
Yanagisawa, T. *see* Ishikawa, M. 87−73543
Yanagisawa, T. *see* Isobe, H. 87−57105, 88−42510, 88−42524, 88−54514
Yanagisawa, T. *see* Kasahara, K. 85−14906
Yanagisawa, T. *see* Kikuchi, H. 86−67380, 87−37471, 88−19280 to 19281, 88−56809
Yanagisawa, T. *see* Kumazawa, M. 85−17658, 85−40184, 85−49983, 87−52711
Yanagisawa, T. *see* Nishio, K. 88−12506
Yanagisawa, T. *see* Sato, E. 87−57049 to 57050, 88−54515
Yanagisawa, T. *see* Takagi, S. 88−38621, 88−70907
Yanagisawa, Y. New applications for the optique: an early depth-sensation viewer 87−3301
Yanagisawa, Y. *see* Aoki, S. 87−14768
Yanagisawa, Z. *see* Sawai, T. 88−15592
Yanagita, T. *see* Nemoto, M. 88−46821
Yanagiura, H. *see* Kobayashi, H. 87−8257
Yanagiwara, M., Ohshima, S., Yoshimura, N. Inspection of defects in wood by impact excitation method 87−15113
Yanagiya, T. *see* Sawada, F. 88−35861
Yanaguira, H., Kobayashi, H., Takagi, J., Tomita, N. A new high-density cylindrical accommodation block for a large number of optical fiber splices 86−69784
Yanaguira, H. *see* Takagi, J. 86−69785
Yanahira, H. *see* Matsumoto, J. 85−42081
Yanai, A. *see* Toyonaga, K. 86−35803
Yanai, H. *see* Horio, K. 86−9245, 86−47359, 86−67845, 87−1233
Yanai, K. *see* Asami, K. 86−70752
Yanai, K. *see* Ito, T. 87−71841
Yanai, M. *see* Hiroshima, M. 87−25873
Yanai, T. *see* Ohnishi, T. 87−77021
Yanai, Y. Compact u.p.s. for offices 88−11282
Yanai, Y., Maehara, T., Suzuki, Y., Tatsumi, H. Super Line J and K: new series of general-purpose induction motors 85−5093
Yanai, Y. *see* Kimura, S. 85−36933
Yanai, Y. *see* Kokubun, M. 85−9878
Yanai, Y. *see* Naiki, K. 87−66812, 88−39020
Yanai, Y. *see* Sakabe, S. 87−78672
Yanai, Y. *see* Yano, S. 85−49148
Yanaka, K., Horiguchi, S., Kobayashi, Y., Endo, T. Multimedia teleconference terminal CT-1 88−28533
Yanaka, K., Kobayashi, Y., Matsuoka, T. Videotex terminal based on personal computer 87−34091
Yanaka, K., Matsuoka, T., Kobayashi, Y. A run-length code for CAPTAIN 85−52022
Yanaka, S. *see* Horiba, I. 86−5924
Yanakiev, K. *see* Shivarov, N. 85−21982
Yanan Guo *see* Guo Yanan
Yanan Jiang *see* Jiang Yanan
Yanan Zhao *see* Zhao Yanan
Yananbu, S. *see* Okawa, M. 87−72333
Yanar, H. *see* Ozis, U. 85−27347
Yanari, T. *see* Teranishi, T. 85−32546
Yanari, T. *see* Yoshida, H. 88−26608
Yanaru, T. *see* Fukagawa, Y. 85−22305, 85−36482, 86−13618, 86−40612 to 40613, 86−46160, 86−69200, 88−14850 to 14851
Yanase, A. *see* Sakui, M. 86−57612
Yanase, M. *see* Hagiwara, N. 87−14481, 87−14551
Yanase, M. *see* Nabeshima, H. 87−26049, 87−28608
Yanase, M. *see* Nakano, A. 86−50865
Yanase, M. *see* Tanaka, K. 86−50864
Yanase, S. *see* Toyama, T. 87−49355
Yanase, T., Majima, T. Improvement of bubble propagation at conductor crossing 87−60835
Yanase, T., Mori, H. High-sound quality film resistor 88−57005
Yanase, T., Sugou, S., Kitamura, M., Katou, Y., Nishi, K., Nishimoto, H., Yamaguchi, M., Mito, I. 1.5 μm InGaAsP double-channel planar-buried heterostructure laser diodes fabricated by two-step vapor phase and liquid phase epitaxial growth 86−22405
Yanase, T. *see* Amatsu, M. 86−36078
Yanase, T. *see* Inoue, H. 86−28712
Yanase, T. *see* Kato, Y. 85−35753, 88−20675
Yanase, T. *see* Majima, T. 85−24204
Yanase, T. *see* Mori, S. 85−49895, 86−41977
Yanase, T. *see* Nakagawa, Y. 86−36077
Yanase, T. *see* Orihara, S. 88−7805
Yanase, T. *see* Sugou, S. 86−15705, 86−42579, 88−65529
Yanase, T. *see* Tashiro, Y. 87−68287
Yanase, T. *see* Watanabe, T. 88−1463
Yanase, T. *see* Yonekura, Y. 86−28713, 86−36076, 87−60834
Yanase, T. *see* Yoshikawa, K. 85−49879
Yanasse, M. *see* Hagiwara, N. 88−16423
Yanaura, S. *see* Tsunoda, S. 88−71619
Yanaus, A.Ya. Improving the accuracy of fixing devices [power overhead lines] 86−25608
Yanauskas, A. *see* Piskarskas, A. 85−41512
Yanazawa, H., Hasegawa, N., Kurosaki, T., Hashimoto, N., Nonogaki, S. High resolution, high precision i-line stepper processing 86−8944
Yanazawa, H. *see* Kotera, N. 86−35910
Yanazawa, H. *see* Matsunaga, N. 88−20167
Yanazawa, H. *see* Tanaka, H. 87−59496
Yanazawa, T. *see* Iwase, N. 87−74401
Yanbiao Liao *see* Liao Yanbiao
Yanbin Zhang *see* Zhang Yanbin
Yanbin Zhu *see* Zhu Yanbin
Yanbukhtin, I.R. *see* Boiko, A.V. 88−68086
Yanbykh, G.F. Topological synthesis of a computer network for a hierarchical control system 86−23179
Yanbykh, G.F. Optimizing the structure of ring data transmission 87−28029
Yanbykh, G.F. Optimum placement of remote information concentrators in a centralized data transmission network taking into account the reliability of communication channels 87−40074
Yancai He *see* He Yancai
Yancey, C.M. *see* Linsenmeier, R.A. 88−54468
Yanch, J.C. *see* Wilson, B.C. 86−44695
Yancharina, A.M. *see* Berdnikov, A.A. 88−58435
Yancharina, A.M. *see* Bunkin, F.V. 87−54241
Yancharina, A.M. *see* Bunkon, F.V. 87−74971
Yanchenko, V.S. *see* Dubikhina, V.S. 88−30979

Yanchev, I.Y., Evtimova, S.K. Electron mobility in heavily doped and compensated gallium arsenide due to scattering by potential fluctuations 85−45392
Yanchev, I.Y., Evtimova, S.K. Electron mobility in heavily doped indium phosphide due to scattering by potential fluctuations 87−74014
Yanchuk, V.G. *see* Kuratev, I.I. 86−9809
Yanchula, S. *see* Huterer, J. 85−43702
Yanchun Liang *see* Liang Yanchun
Yanchurov, V.A. *see* Dobrov, V.A. 87−65913
Yanchurov, V.A. *see* Gubler, M.I. 86−18079
Yancy, R.J. The Masters in Technical Management: Southern Technical Institute's new degree which teaches engineers to manage 87−23215
Yanda Li *see* Li Yanda
Yanenko, E.O. *see* Romanov, E.G. 86−60182
Yanenko, N.N. *see* Berezin, Yu.A. 85−18046
Yanes, N. Demands imposed on electrical power systems in developing countries with particular reference to Syria 86−12269
Yanev, A., Spasov, A., Georgiev, P. Mutually synchronized IMPATT-diode oscillators 85−6885
Yanev, K. *see* Boyanov, K. 86−64739
Yanev, P.I. *see* Eder, S.J. 88−48643
Yanev, T.B. *see* Michailov, M.N. 85−52990
Yanevskii, G.D. *see* Gutman, M.B. 85−65682
Yaney, D.S., Desko, J.C., Kelly, M.J., Lancaster, L.T., Lin, A.M.-R., Manocha, A.S., McGuire, T.K., Pieffer, F.R., Kirsch, H.C. Technology for the fabrication of a 1-Mb CMOS DRAM 86−46853
Yaney, D.S., Lu, C.Y., Kohler, R.A., Kelly, M.J., Nelson, J.T. A meta-stable leakage phenomenon in DRAM charge storage-variable hold time 88−38528
Yaney, D.S. *see* Kirsch, H.C. 86−14226
Yaney, D.S. *see* Lu, C.-Y. 88−71765
Yaney, D.S. *see* Pearce, C.W. 85−55826
Yanfang Bi *see* Bi Yanfang
Yanfang Liu *see* Liu Yanfang
Yanfang Zheng *see* Zheng Yanfang
Yanfu Xia *see* Xia Yanfu
Yang, A.C.M., Brown, H.R. Solvent induced crack-like defects in adhered polyimide films 87−23760
Yang, A.T. *see* Saab, D.G. 88−70712
Yang, B. Processing technique for a linear FM pulse array 87−27431
Yang, B., Bohme, J.F. Systolic implementation of a general adaptive array processing algorithm 88−73130
Yang, B. *see* Potts, J.E. 88−34033
Yang, B. *see* Song, S.T. 85−39817
Yang, B.C., Kondo, A., Shimakawa, K., Inagaki, Y. On the statistical time-lag of avalanche breakdown in dielectric materials 86−68035
Yang, B.H. *see* Ye, S.Z. 86−52437
Yang, B.J.L. *see* Lin, B.J. 87−17872
Yang, B.T. *see* Lixin Chen 87−14595
Yang, B.X., Kirz, J., Kao, Y.H., Sham, T.K. Soft X-ray spectroscopy with a scintillation detector 86−60558
Yang, B.X., Kirz, J., McNulty, I. Variable pressure ion chamber for relative and absolute flux measurement 87−14812
Yang, B.X., Kirz, J., Xu, S. Characterization of phosphors in the soft X-ray region 87−71041
Yang, B.X. *see* Anderhub, H. 87−21420
Yang, B.Y. *see* Mu, X.C. 86−15045
Yang, C. A cost-effective digital decoder for PAL signals 85−37279
Yang, C., Kummel, M., Soeberg, H. A transit-time flow meter for measuring milliliter per minute liquid flow 88−36290
Yang, C., Mehta, S., Davies, P. The composition and interfacial properties of CVD tungsten films 87−67143
Yang, C., Multani, J., Paine, D., Bravman, J. Junction leakage of selectively deposited LPCVD tungsten for contact fill applications 87−67156
Yang, C. *see* Burnett, D. 88−13000
Yang, C. *see* Ho, S. 86−46909
Yang, C. *see* Lam, W. 88−71068
Yang, C. *see* Matsuura, K. 87−71698
Yang, C. *see* Yao, C. 88−1799
Yang, C.-C. Evaluating particle scattering effects by using turbulence scattering theories 87−12690
Yang, C.-C., Yeh, K.C. Transport of the mutual coherence functions and the intensity of a backscattered pulse in a random medium 85−62744
Yang, C.-J., Chen, Z. Queueing analysis of the structured buffer pool scheme for a packet node 88−8909
Yang, C.-L., Masson, G.M. Hybrid fault diagnosability with unreliable communication links 87−2410
Yang, C.B., Lue, J.T., Hwang, H.L., Peng, M.L. The annealing of phosphorus-ion-implanted cadmium telluride by a pulsed electron beam 86−21362
Yang, C.B., Peng, M.L., Lue, J.T., Hwang, H.L. Electron beam annealing of phosphorus implanted cadmium telluride 86−28111
Yang, C.C. Average intensity and contrast of light amplified by a partially homogeneously broadened, slightly saturated laser amplifier with stochastic gain distributions 88−51741
Yang, C.C., Yeh, K.C. The behaviour of the backscattered power from an intensely turbulent ionosphere 85−51437
Yang, C.C., Yeh, K.C. The enhancement effect of the backscattered intensity in a random medium 88−52190
Yang, C.C. *see* Chang, S.K. 87−7832
Yang, C.C. *see* Pan, D.S. 85−34196
Yang, C.C. *see* Tarng, J.H. 88−9663
Yang, C.H., Shih, H.D. Improved $Al_xGa_{1-x}As/Ga_{1-y}In_yAs/GaAs$ strained-layer double barrier resonant tunnelling structure 88−44735
Yang, C.H. *see* Topmiller, D.A. 86−39828
Yang, C.J., Ray, R., O'Handley, R.C. Magnetic hardening in melt-spun Fe-R-B alloys 88−64916
Yang, C.K. *see* Lee, M.H. 87−53798
Yang, C.N. *see* Tran, A. 87−47523
Yang, C.S., Wang, J.F., Lee, J.Y., Boesch, F.T. The number of spanning trees of the regular networks 88−24634
Yang, C.S. *see* Hadlock, D. 87−21484
Yang, C.S. *see* Huang, S.J. 88−23130
Yang, C.W. *see* Chen, Y.-C. 88−42699
Yang, C.Y., Haughton, K.E., Chiao, S.H., Joy, R.C. Industry's contributions to a quality engineering education 86−52171
Yang, C.Y. *see* Lin, C.E. 88−58470
Yang, C.Y. *see* Paine, D.C. 87−36788
Yang, C.Y. *see* Tran, A. 87−53279
Yang, C.Y. *see* Wu, N.R. 87−25361
Yang, D., Ambo, K.S., Holm-Kennedy, J.W. Four-color discriminating sensor using amorphous silicon drift-type photodiode 88−47532
Yang, D., Guo, Z., Frank, A.A. Control and response of continuously variable transmission (CVT) vehicles 86−7284
Yang, D., Li, W. A new adaptive echo canceller used in the ISDN U-interface 88−67111
Yang, D. *see* Esfandiari, R. 87−59902, 87−73732
Yang, D. *see* Ma, W. 88−43849
Yang, D. *see* Raccah, P.M. 88−13105
Yang, D.C., Esfandiari, R., Lin, T.S., O'Neill, T. Wideband GaAs MMIC receiver 87−59894
Yang, D.C., Esfandiari, R., Lin, T.S., O'Neill, T. Wideband GaAs MMIC receiver 87−73712
Yang, D.K. *see* Yang, E.S. 86−35647
Yang, D.L. *see* Alfrey, A.J. 87−46838
Yang, D.T. *see* Xi, Z.H. 86−7115
Yang, E.S., Wu, X., Evans, H.L., Ho, P.S. Silicide-silicon interface states 87−11456
Yang, E.S., Yang, D.K., Hua, Q.H., Yang, G.S. Tunneling in a metal-semiconductor-semiconductor thin-film diode 86−35647
Yang, E.S. *see* Evans, H.L. 85−29033, 87−25209
Yang, E.S. *see* Jalali, B. 88−13355, 88−47513
Yang, E.S. *see* Jerng-Sik Song 87−6372
Yang, E.S. *see* Liehr, M. 88−19737
Yang, E.S. *see* Ng, C.C. 87−45899
Yang, E.S. *see* Poon, E. 85−24369
Yang, E.S. *see* Schmidt, M.T. 88−64321
Yang, E.S. *see* Song, J.S. 86−9652
Yang, E.S. *see* Wu, X. 86−1803, 88−36183
Yang, F.C., Baum, C.E. Electromagnetic topology: measurements and norms of scattering parameters of subshields 87−7543
Yang, F.C., Lee, K.S.H. Natural frequencies of a post with a lightning return stroke 88−58930
Yang, F.C., Lee, K.S.H., Andersh, D.J., Steil, J. Lightning response of aircraft 88−58765
Yang, F.H. *see* Blouke, M.M. 88−16194
Yang, G. *see* Feng, X. 88−48976
Yang, G. *see* Zhu, J. 88−27805
Yang, G.Ben *see* Ben Yang, G.
Yang, G.L. Application of renewal theory to continuous sampling plans 86−206
Yang, G.L. *see* Xu, Y. 85−24094
Yang, G.Q. *see* Goodarzi, G.A. 86−45773
Yang, G.S. *see* Yang, E.S. 86−35647
Yang, H., Alexopoulos, N.G. Uniaxial and biaxial substrate effects on finite characteristics 87−33476
Yang, H., Yost, W.T., Cantrell, J.H. Effect of aging on the third-order elastic moduli of 18 Ni maraging steel 88−49930
Yang, H., Zhou, S. The Fourier and Walsh power-spectrum analysis of EEG 88−54563
Yang, H.-S., Beyer, J.B. Radiation patterns of a mode transducing antenna 85−24956
Yang, H.-Y., Alexopoulos, N.G. Uniaxial and biaxial substrate effects on uniform finlines and finline step discontinuities 87−6004
Yang, H.-Y., Alexopoulos, N.G. Analysis of an aperture coupled dipole antenna—a microstrip fed slot and a slotline fed dipole 88−2785
Yang, H.-Y., Alexopoulos, N.G. Characterization of the finline step discontinuity on anisotropic substrates 88−20958
Yang, H.-Y., Alexopoulos, N.G. Multi-level proximity coupled transitions for microwave and millimeter wave applications 88−32405
Yang, H.-Y., Alexopoulos, N.G. A dynamic model for microstrip-slotline transition and related structures 88−34377
Yang, H.-Y., Alexopoulos, N.G. Basic blocks for high-frequency interconnects: theory and experiment 88−63833
Yang, H.-Y., Alexopoulos, N.G., Jackson, D.R. Analysis of microstrip open-end and gap discontinuities in a substrate-superstrate configuration 88−72634
Yang, H.Bin *see* Bin Yang, H.
Yang, H.C., Liang, L.K., Horng, H.E. Oscillations of Josephson supercurrent in $Pb/Al/AlO_x/Pb$ junctions 88−20284
Yang, H.C. *see* Finnemore, D.K. 85−50861
Yang, H.C. *see* Huang, K.F. 87−45609
Yang, H.G., Im, H.B. Effects of $CdCl_2$ on the electrical properties of sintered CdS films 86−27870
Yang, H.G., Im, H.B. Preparation and properties of sintered CdS films 86−62240
Yang, H.J. *see* Collins, A.S. 87−70636
Yang, H.M. *see* Fang, Y.K. 88−50749
Yang, H.O. *see* Song, S.N. 88−20280
Yang, H.Q., Jin, B.Y., Shen, Y.H., Wong, H.K., Hilliard, J.E., Ketterson, J.B. Computer-controlled four-gun multisubstrate sputtering system for the preparation of composition-modulated structures 85−33499
Yang, H.S., Kak, A.C. Determination of the identity, position and orientation of the topmost object in a pile: some further experiments 86−59360
Yang, H.S. *see* Moon, Y.H. 87−71510
Yang, H.T. *see* Sato, R.N. 87−44749
Yang, H.W., Wang, Y.Y., Wan, C.C. A study of the preparation variables of tubular positive electrodes for lead/acid batteries 85−53807
Yang, H.W. *see* Kuo, F.Y. 88−17901
Yang, H.Y., Alexopoulos, N.G. A dynamic model for microstrip-slotline transition and related structures 87−73649
Yang, H.Y., Alexopoulos, N.G. Gain enhancement methods for printed circuit antennas through multiple superstrates 87−75559
Yang, H.Y., Alexopoulos, N.G. Generation of nearly hemispherical and high gain azimuthally symmetric patterns with printed circuit antennas 88−8575
Yang, H.Y. *see* Teng, K.F. 88−64147
Yang, J. Performance of tandem and triple multijunction solar cells 88−5864
Yang, J., Glatfelter, T., Ross, R., Mohr, R., Fournier, J.P., Guha, S. Crucial parameters and device physics of amorphous silicon alloy tandem solar cells 88−31011
Yang, J., Ross, R., Mohr, R., Fournier, J.P. High efficiency solar cells using amorphous silicon and amorphous silicon-germanium based alloys 87−16008
Yang, J., Ross, R., Mohr, R., Fournier, J.P. Physics of high efficiency multijunction solar cells 88−49151
Yang, J., YU, Z., Tang, D. The defects in $Hg_{0.8}Cd_{0.2}Te$ annealed at high temperature 86−8778
Yang, J. *see* Emery, K.A. 87−9769
Yang, J. *see* Guha, S. 86−66321
Yang, J. *see* Hack, M. 86−7051
Yang, J. *see* Ovshinsky, S.R. 87−72415, 88−17992
Yang, J. *see* Rangan, R. 87−65845
Yang, J. *see* Ross, R. 88−37439
Yang, J. *see* Wilcox, J.Z. 88−2214
Yang, J.-F., Kaveh, M. Adaptive eigensubspace algorithms for direction or frequency estimation and tracking 88−34649
Yang, J.C.H. *see* Bayoumi, M.A. 87−67414
Yang, J.F., Kaveh, M. Adaptive signal-subspace algorithms for frequency estimation and tracking 87−62039
Yang, J.F., Kaveh, M. Wideband adaptive arrays based on the coherent signal-subspace transformation 87−62075
Yang, J.F., Kaveh, M. Digital realizations of the real-time coherent signal-subspace transformation for array signal processing 88−73112
Yang, J.J. Status of high-power semiconductor diode lasers 87−61175
Yang, J.J., Hong, C.S., Niesen, J., Figueroa, L. High-power single longitudinal mode operation of inverted channel substrate planar lasers 86−22394
Yang, J.J., Hons, C.S., Niesen, J., Figueroa, L. High-power operation of index-guided inverted channel substrate planar (ICSP) lasers 85−56637
Yang, J.J., Jansen, M. Single-lobed emission from phase-locked array lasers 86−22370
Yang, J.J., Jansen, M., Sergant, M. Surface-emitting GaAlAs/GaAs laser with etched mirrors 86−42534
Yang, J.J., Jansen, M., Sergant, M., Ou, S.S., Wilcox, J.Z. High-power broad-area lasers fabricated by selective area growth 88−27154
Yang, J.J., Lee, F.C. Computer-aided design and analysis of series resonant converters 88−24997
Yang, J.J., Lee, L., Jansen, M., Sergant, M., Ou, S.S., Wilcox, J. Monolithic two-dimensional surface emitting arrays of GaAs/AlGaAs lasers 88−65922
Yang, J.J., Ou, S.S., Jansen, M., Wilcox, J., Sergant, M. Index guided single stripe lasers fabrication by selective area growth in a metalorganic chemical vapor deposition system 88−2251

Yang, J.J., Sergant, M., Jansen, M., Ou, S.S., Eaton, L., Simmons, W.W. Surface-emitting GaAlAs/GaAs linear laser arrays with etched mirrors 87−12453
Yang, J.J. *see* Hong, C.S. 87−75121
Yang, J.J. *see* Hsin, W. 88−40245
Yang, J.J. *see* Jansen, M. 87−7354, 87−61178
Yang, J.J. *see* Mawst, L.J. 88−45416, 88−65676
Yang, J.J. *see* Neil, W. 88−47977
Yang, J.J. *see* Ogura, M. 88−14180, 88−34023
Yang, J.J. *see* Oruganti, R. 87−78786
Yang, J.J. *see* Ou, S.S. 88−65675
Yang, J.J. *see* Wang, S. 86−63803
Yang, J.J. *see* Wilcox, J.Z. 87−26396, 87−54298, 87−61198
Yang, J.J.J. *see* Craig, R.R. 85−18930
Yang, J.P. *see* Chiong, K.N. 85−1450 to 1451
Yang, J.W., Pratt, W.T. Mitigation of internally initiated severe accidents for a BWR Mark-II power plant 85−53526
Yang, J.W. *see* Perkins, K.R. 85−53525
Yang, J.Y., Liu, K. A segmentation algorithm of a polyhedral scene using three dimensional information 87−48093
Yang, J.Y. *see* Gu, W.K. 85−30427, 87−47908
Yang, J.Y.S. Graphical technique simplifies solenoid design 86−3462
Yang, K. *see* Beyer, K.D. 88−7376
Yang, K. *see* Du, S. 87−27111
Yang, K. *see* Pandya, K.I. 87−35332
Yang, K.H. Optical imaging method for investigation of surface irregularity 85−45497
Yang, K.H. A preferential etch for silicon crystals 85−55735
Yang, K.H. An optical imaging method for wafer warpage measurements 85−58881
Yang, K.H., Chen, L., Zhang, S.Y. Laser interferometer using a dual interference method 87−56840
Yang, K.H., Tan, T.Y. On the interaction of intrinsic and extrinsic gettering schemes in silicon 86−28122
Yang, K.H., Zhang, S.Y., Lu, Z.N., Chen, L. Thickness measurement of thin films using an improved laser probe 88−53882
Yang, K.H. *see* Braunig, D. 86−21107
Yang, K.H. *see* Lean, E.G. 85−35553
Yang, K.H. *see* Liu, K. 85−43046
Yang, K.H. *see* Tan, T.Y. 85−34853
Yang, K.J., He, H.B. Miniature expansion turbines with grooved self-acting gas bearings 85−49213
Yang, L., Chakharapani, R., Long, S.I. A high-speed dynamic domino circuit implemented with GaAs MESFETs 88−6742
Yang, L., Chakharapani, R., Long, S.I. High speed dynamic circuits implemented with GaAs MESFETs 88−19111
Yang, L., Liao, Y. Self-similar bifurcation structures from Chua's circuit 87−44117
Yang, L., Long, S.I. New method to measure the source and drain resistance of the GaAs MESFET 86−41796
Yang, L., Yuen, A.T., Long, S.I. A simple method to improve the noise margin of III-V DCFL digital circuit coupling diode FET logic 86−40990
Yang, L. *see* Abeles, B. 86−63082
Yang, L. *see* Eberhardt, W. 88−71361
Yang, L. *see* Holland, J.W. 85−53133
Yang, L. *see* Jin, S. 86−66867
Yang, L. *see* Kane, M.G. 87−5787
Yang, L. *see* Namjoo, M. 88−44228
Yang, L.H. *see* Nichols, C.S. 88−26040
Yang, L.S. *see* MacDiarmid, A.G. 87−43363
Yang, M., Yaniv, Z., Vijan, M., Cannella, V. Short channel length planar TFT's using amorphous silicon alloys 87−25357
Yang, M. *see* Hack, M. 86−35728
Yang, M. *see* Shur, M. 86−41827
Yang, M.C. *see* Angus, J.C. 86−71153
Yang, M.C. *see* Thai, P. 87−17070
Yang, M.C.K., Chong-Kyo Kim, Kuo-Young Cheng, Chung-Chun Yang, Liu, S.S. Automatic curve fitting with quadratic B-spline functions and its applications to computer-assisted animation 86−46234
Yang, M.C.K., Hollien, H., Huntley, R. A speaker identification system for field use 87−55046
Yang, M.C.K., Tse Chin Mo Distribution-free confidence bound for $\Pr\{Y<X\}$ of an r-out-of-k system 86−34122
Yang, M.C.K. *see* Chang, S.K. 87−7832
Yang, M.C.K. *see* Chu, C. 87−69312
Yang, M.H. *see* Hsu, H.J. 85−39711
Yang, M.H. *see* Hwang, H.L. 85−16961, 85−52976
Yang, M.H. *see* Lin, J.L. 86−28138, 86−47449, 87−11595
Yang, M.H. *see* Ouyang, H. 86−8984
Yang, M.H. *see* Pierce, K. 87−697
Yang, M.L., Laih, C.S., Harn, L., Shenoi, B.A. Linear phase 2-D FIR filter design based on digital spectral transformation 88−19293
Yang, M.M. *see* Youvan, D.C. 88−22485
Yang, N., Harrington, R.F. Characteristic impedance of transmission lines with arbitrary dielectrics under the TEM approximation 86−48629
Yang, N.L. *see* Ho, P.P. 88−2379
Yang, O.W.W., Mark, J.W. Design issues in metropolitan area networks 87−28168
Yang, O.W.W., Mark, J.W. Analysis of correlation effect in integrated services 87−40178
Yang, O.W.W. *see* Mark, J.W. 87−34181
Yang, P. An efficient ordering algorithm in the modified nodal approach for VLSI circuit simulations 86−28430
Yang, P. Capacitance modeling for MOSFET 87−53560
Yang, P., Hocevar, D.E., Cox, P.F., Machala, C., Chatterjee, P.K. An integrated and efficient approach for MOS VLSI statistical circuit design 86−46446
Yang, P. *see* Aur, S. 86−41850, 88−26542, 88−33403, 88−39723
Yang, P. *see* Burch, R. 88−71789
Yang, P. *see* Chatterjee, A. 87−25584, 88−7747, 88−13578, 88−57810
Yang, P. *see* Chern, J. 86−62594
Yang, P. *see* Chern, J.H. 86−20527, 87−46225
Yang, P. *see* Cox, P. 85−35174, 86−2399, 88−25152
Yang, P. *see* Hall, J.E. 85−50734, 85−55956, 87−38457, 88−13479
Yang, P. *see* Hocevar, D.E. 85−39869, 86−35825, 88−51030
Yang, P. *see* Machala, C.F., III 86−47575
Yang, P. *see* Seeley, G.W. 88−29971
Yang, P. *see* Seitchik, J.A. 86−28288, 87−38531, 88−39355
Yang, P. *see* Weng, K.C. 87−24192
Yang, P. *see* Weng, K.C.-K. 85−26447
Yang, P. *see* Weng, K.C.K. 87−25555
Yang, P.J. *see* Zhang, H.K. 87−25624
Yang, P.P.N., Narasimha, M.J. Prime factor decomposition of the discrete cosine transform and its hardware realization 86−16381
Yang, P.P.N., Song, M.S., Narashimha, M.J. On the design of optimal narrowband linear and minimum phase FIR filters 87−59757
Yang, P.P.N. *see* Narasimha, M.J. 85−14031, 85−57854
Yang, P.P.N. *see* Song, M.S. 88−67146
Yang, P.Q. *see* Yu-Chi Ho 87−31388
Yang, Q., Chosal, D., Bhuyan, L.N. Performance analysis of multiple token ring and multiple slotted ring networks 87−34183
Yang, Q., Morrison, I.F. Fast digital distance algorithm using FIR filtering 86−18780
Yang, Q. *see* Chua, L.O. 87−10635
Yang, Q. *see* Lu, J. 88−68891
Yang, Q. *see* Morrison, L.F. 88−69080
Yang, Q. *see* Yan, W. 88−52148
Yang, Q.S. *see* Johns, A.T. 85−32230
Yang, R. Microbending loss in single-mode triple-clad fibers 85−35394
Yang, R., Liu, B., Lim, Y.C. A new structure of sharp transition FIR filters using frequency-response masking 88−70914
Yang, R., Mittra, R. Coupling between two arbitrarily oriented dipoles through multilayered shields 85−62714
Yang, R., Unger, H.-G. Single-mode multiple-clad fibres with dispersion compensation and low micro-bending loss 86−2670
Yang, R., Unger, H.-G. Single-mode limit of optical fibres from spotsize parameters 86−28787
Yang, R., Wu, C., Yip, G.L. Approximate formulas for the microbending loss in single-mode fibers 87−54028
Yang, R. *see* Frantsesson, A.V. 86−42240
Yang, S., Gallawa, R.L. Some issues in optical fiber bandwidth measurements 86−15509
Yang, S., Gu, J. Accelerated life evaluation methods for low-voltage insulation system of electric motors 86−70845
Yang, S., Miyamoto, Y., Watanabe, C., Nagashima, M., Furuya, K., Suematsu, Y. Gain and loss of GaInAsP/InP ($\lambda_g = 1.5\ \mu m$) grown by OMVPE estimated from lasing characteristics 86−9872
Yang, S. *see* Abbas, G.L. 87−68524, 88−58541
Yang, S. *see* Cimini, L.J. 88−41622
Yang, S. *see* Gallawa, R.L. 86−42230
Yang, S. *see* Katagishi, K. 87−29756
Yang, S. *see* Malaiya, Y.K. 85−33828
Yang, S. *see* Nagashima, M. 86−15724
Yang, S. *see* Reisman, S.S. 88−10387
Yang, S. *see* Stone, J. 85−62287
Yang, S. *see* Swanson, E.A. 87−26419
Yang, S. *see* Zhou, G. 88−46908
Yang, S.-C. *see* Choi, J.-S. 88−20964
Yang, S.-N., Lu, T.-M. Control of cluster size in nozzle jet expansion 87−38387
Yang, S.H., Lee, C. Mechanism of the high-temperature conductivity kinks in hydrogenated amorphous silicon 86−47325
Yang, S.I. *see* Senior, T.B.A. 85−14328
Yang, S.J., Akindale, K. Unipolar flux waves in single-phase machines 85−5078
Yang, S.J., Brown, R.D., Wilkinson, P. Start-up torsional vibrations in large synchronous motor drives—a comparison of variable frequency supply with fixed frequency supply 87−22289
Yang, S.J., Dhariwal, R.S. Characteristics of large machine stator coils when subjected to a sharp-fronted impulse voltage 87−42814
Yang, S.J., Ellison, A.J. Machinery noise measurement 86−26487
Yang, S.J. *see* Brown, R.D. 86−33756
Yang, S.J. *see* Chang, C.F. 87−18577
Yang, S.J. *see* Chiang, C.D. 88−24712
Yang, S.J. *see* Dhariwal, R.S. 85−5052, 87−22213
Yang, S.J. *see* Greig, R.E. 88−74596
Yang, S.J. *see* Gupta, B.K. 85−60124
Yang, S.J. *see* Kai-feng Huang 87−17815
Yang, S.J. *see* Lan, H. 87−31514, 88−38143
Yang, S.J. *see* Wang, C.H. 85−51033, 85−60957
Yang, S.J. *see* Wignall, A.N. 88−51342
Yang, S.J. *see* Wu, T.B. 88−71389
Yang, S.N. *see* Selvaraj, R. 87−67170
Yang, S.Z. *see* Wu, P.H. 88−13719 to 13720, 88−26719
Yang, T., Templeton, J.G.C. A survey on retrial queues 88−18558
Yang, T. *see* Leung, C.W. 88−64773
Yang, T.-C., Munro, N., Brameller, A. A new decentralized stabilization method with application to power system stabilizer design for multimachine systems 88−10705
Yang, T.-S. *see* Devlin, T. 88−47995
Yang, T.-S. *see* Wooley, B.A. 88−26464
Yang, T.C., Chen, O.F. Reliability modeling and analysis of a generalized responsive redundancy scheme 86−46144
Yang, T.C., Chiou, C.W. Syndrome testable design with minimal input insertion for multiple faults 87−52551
Yang, T.C., Chiou, C.W. Design of self-checking PLAs using alternating logic 88−12344
Yang, T.C. *see* Chow, K.K. 86−17007
Yang, T.C. *see* Neely, W.C. 88−68519
Yang, T.F., LeClaire, R.J., Bobrov, E.S., Bromberg, L., Cohn, D.R., Williams, J.E.C. A demountable toroidal field coil system for a commercial tokamak reactor 86−27649
Yang, T.H. *see* Lai, T.H. 88−34876
Yang, T.S., Horowitz, M.A., Wooley, B.A. A 4 nsec 4 K×1 bit two-port BiCMOS SRAM 88−63685
Yang, T.S. *see* Lu, C.-Y. 88−71765
Yang, T.S. *see* Williams, T.E. 87−66155
Yang, T.T., Burde, D.H., Merry, G.A., Harris, D.G., Pugh, L.A., Tillotson, J.H., Turner, C.E., Jr., Copeland, D.A. Spectra of electron-beam pumped XeF lasers 88−27010
Yang, T.T. *see* Blauer, J.A. 85−18827
Yang, T.Y. *see* Shao, K. 88−26694
Yang, W., Carleson, T.E. Several effects of electric fields on liquid extraction 88−27396
Yang, W., Jayaraman, R., Sodini, C.G. Optimization of low-pressure nitridation/reoxidation of SiO_2 for scaled MOS devices 88−64562
Yang, W. *see* Anassontzis, E. 86−32202
Yang, W. *see* Dunn, G.J. 88−50670
Yang, W. *see* Jayaraman, R. 87−46017
Yang, W.-J., Lee, J.-C., Chang, Y.-C., Wang, H.-C. Hidden Markov model for Mandarin lexical tone recognition 88−66327
Yang, W.C. *see* Farrell, E.J. 85−15281
Yang, W.J. *see* Poon, T.C. 87−52579
Yang, W.L. *see* Lee, C.L. 88−39135
Yang, W.M.C. Preflow solder ceramic lids for hermetic packages 85−22259
Yang, W.Y. *see* Poon, T.C. 86−1062
Yang, W.Z. *see* Funaki, K. 87−46406
Yang, X. *see* Chen, K. 86−1352
Yang, X. *see* Chen, S.-C. 88−66380
Yang, X. *see* Cupal, J.J. 88−48172
Yang, X. *see* Sarkar, T.K. 87−58863
Yang, X. *see* Shen, D. 86−54700
Yang, X.-Y., Wu, M.-S., Chin, K.-F. Measuring two dimensional OTF applying CT principle 86−42221
Yang, Y. *see* Coon, D. 85−9073
Yang, Y. *see* Fan, H. 88−66563
Yang, Y. *see* Gellermann, W. 86−36447, 87−46842
Yang, Y. *see* Jin, L. 87−20274
Yang, Y. *see* Koenderink, R.J. 87−20266
Yang, Y. *see* Xu, Z. 88−37536
Yang, Y.-C.E., Kong, J.A., Gu, Q. Time-domain perturbational analysis of nonuniformly coupled transmission lines 86−22732
Yang, Y.-H. *see* Streicker, J. 87−52550
Yang, Y.-K. An enhanced data model for CAD/CAM database systems 88−70441
Yang, Y.-Y. *see* Jin, L. 85−19877
Yang, Y.D. *see* Wu, X.Z. 87−77527
Yang, Y.E. *see* Lin, F.C. 86−65020
Yang, Y.H., Fichter, J.M. Image sequence segmentation in time 86−10537
Yang, Y.H. *see* Leung, M.K. 87−39921
Yang, Y.J., Hsieh, K.Y., Kolbas, R.M. Continuous room-temperature operation of an InGaAs-GaAs-AlGaAs strained-layer laser 87−68442
Yang, Y.J., Hsieh, K.Y., Kolbas, R.M. Continuous room-temperature operation of an InGaAs-GaAs-AlGaAs strained-layer quantum well laser 88−34020
Yang, Y.J., Lo, Y.C., Lee, G.S., Hsieh, K.Y., Kolbas, R.M. Transverse junction stripe laser with a lateral heterobarrier by diffusion enhanced alloy disordering 87−7339
Yang, Y.J. *see* Katsuyama, T. 87−46713, 88−33890

Yang, Y.N., Coon, D.D., Shepard, P.F. Thermionic emission in silicon at temperatures below 30K 85—6727
Yang, Y.Y., Kyung, C.M. A semi-two-dimensional numerical scheme for solving impurity profile in semiconductors 86—8723
Yang, Y.Y. *see* Kyung, C.M. 86—63120
Yang, Z. Petri nets: the specification and verification of communication protocols 85—19881
Yang, Z. Particle velocity estimation using Kalman filtering 85—57358
Yang, Z.-q. *see* Fukao, T. 88—30691
Yang, Z.H. *see* Lin, A.T. 88—64187 to 64188
Yang, Z.L. *see* Chen, T.R. 86—2660
Yang, Z.M. *see* Dewan, S.B. 86—45433
Yang Baifang *see* Jiang Zengxue 88—10198
Yang Bao-Zhong *see* You Tie-Jian 87—14764
Yang Baojun *see* Baojun Yang
Yang Baoshan *see* Zhao Yumin 87—74520
Yang Ben-chi *see* Wang Zhi-jiang 87—33255
Yang Benghou *see* Cheng Shangqin 85—4323
Yang Benhou A filtering algorithm with low distortion for ECG analysis 85—4322
Yang Benqi, Jin Linfa, Zhang Hongfen Broadband coatings in etalon used for laser beams 85—62421
Yang Binan *see* Binan Yang
Yang Bing Xin *see* Bing Xin Yang
Yang Bing-chuan *see* Bing-chuan Yang
Yang Bingfan *see* Qin Jiuchang 88—47756
Yang Bingzhong IF and IB calculations of T- and L-connected capacitor motors with arbitrarily displaced windings 87—43048
Yang Bo Study of flying characteristics of the magnetic head in 5.25 Winchester disk 88—33533
Yang Bum Jin *see* Bum Jin Yang
Yang Caibing *see* Shi Xiangqing 88—20271
Yang Caibing *see* Shi Xianqing 86—15424
Yang Canqian *see* Canqian Yang
Yang Chang-Biau *see* Chang-Biau Yang
Yang Chaosu *see* Chaosu Yang
Yang Chau-Wing *see* Chau-Wing Yang
Yang Cheh-Suei *see* Cheh-Suei Yang
Yang Cheng-Chung *see* Cheng-Chung Yang
Yang Cheul Kee *see* Cheul Kee Yang
Yang Chia-Hsiang *see* Chia-Hsiang Yang
Yang Chien-Chiao *see* Chien-Chiao Yang
Yang Chun-Xiang *see* Gu Yi-Fan 87—57019
Yang Chung Won *see* Won Yang Chung
Yang Chung-Chun *see* Chung-Chun Yang
Yang Congbin *see* Lin Taiji 86—54077
Yang Dailun, Wu Guanghan A method of treatment of integration and differentiation in analytical derivation of kernels on computer 85—28184
Yang Daoyuan, Gao Jianyu An automatic routing system for non-standard two-layer printed boards on minicomputers 85—55252
Yang Datong *see* Lin Xuanyong 87—43418
Yang Deli, Wu Ping Simulation analysis for the microcomputer local network—Omninet 88—59646
Yang Deli *see* Wu Ping 88—21679
Yang Delin *see* Du Guotong 85—56621, 86—15696, 86—48463, 87—18954
Yang Delin *see* Xiao Jianwei 87—7343
Yang Delin *see* Delin Yang
Yang Dewei *see* Huang Zhang-yong 87—38730
Yang Dewei *see* Huang Zhangyong 86—68328
Yang Dong-Hai *see* Dong-Hai Yang
Yang En-ze, Yang Tong-you Optical fiber communications and its development in China 85—14232
Yang En-ze *see* Li Lin-lin 88—40191
Yang Ense *see* Li Linlin 88—40294
Yang Enze *see* Guo Yili 88—22097
Yang Feng, Liu Jiarui A target chamber for ion implantation and ion beam analysis 88—50703
Yang Feng *see* Feng Yang
Yang Fu-Ming, En Ke, Zhao Xi-Chao, de Boer, F.R., Sinnema, S. Magnetic properties of $(Nd,Tb)_{16.7}Fe_{75.5}B_{7.8}$ compounds 87—6996
Yang Fu-Ming, Zhao Xi-Chao, Zhao Ru-Wen, Yu Zhi-Hjong, Zhang Shou-Gong, Zhou Xi-Jian, Sun Tian-Duo The magnetic anisotropy of Nd-Fe-B and Y-Fe-B magnets 86—21958
Yang Fu-sheng *see* Liu Sen 87—8932
Yang Fuhua *see* Jiang Pihuan 86—41569, 87—11394
Yang Fusheng *see* Gao Shangkai 85—9147
Yang Fuzi, Cao Zhuangqi, Fang Tunxin Propagation characteristics of nonlinear TE waves in dielectric waveguides 85—62874
Yang Fuzi *see* Fuzi Yang
Yang Gan-ning *see* Zhu Jin-kang 88—58980
Yang Gan-shan *see* Zhang Shi-sheng 88—63271
Yang Gong-Xia *see* Gong-Xia Yang
Yang Guan-ling, He Zhen-jing Recognizing kinds of surface defects in a workpiece by dynamic optical matrix method 87—21245
Yang Guan-ling *see* Huang Shang-lian 87—18699
Yang Guancheng Allocation of telecontrol measuring points in power network 87—71753
Yang Guang-song, Shan Xiao-qiang Monitoring the accumulation of damage in GFRP by acoustic emission 88—18829
Yang Guangrong, Wang Xiangming, Qin Fuguang Silicon epitaxy on sapphire under a low-temperature condition 85—33419
Yang Guo Ben *see* Guo Ben Yang
Yang Guo-zhen *see* Gu Ben-yuan 86—10327, 87—33761
Yang Guo-zhen *see* Zheng Shi-hai 86—63875
Yang Guoguang *see* Guoguang Yang
Yang Guozhen *see* Guozhen Yang
Yang Hae Won *see* Hae Won Yang
Yang Hae-Seung *see* Hae-Seung Yang
Yang Hai Won *see* Hai Won Yang
Yang Han-kuo A new type of test instrument for quick yield strength measurement 85—64340
Yang Hao *see* Zong Xiang-fu 85—45380
Yang Heung-Seok *see* Heung-Seok Yang
Yang Heung-Suk *see* Heung-Suk Yang
Yang Hio Dob, Wu Hyen Kwon, Che Young Kim Universal test sets for programmable storage/logic arrays 86—935
Yang Ho Choi, Je In Baek, Jae Kyoon Kim Performance improvement on the combined convolutional coding and binary CPFSK modulation 87—27145
Yang Honggeng, Liu Zhuo, Fang Gongshou Computation of optimal power flow by guiding the search direction 87—21839
Yang Hongji The EG-3200 multi-function server 88—21643
Yang Hongji The multiplex communication controller and the mainframe server 88—21854
Yang Hongji, Sun Fu Simple servers and users 88—21644
Yang Huai *see* Liu Mingye 88—70417
Yang Huazhong *see* Chen Huailu 86—11906
Yang Hwa-yueh *see* Hwa-yueh Yang
Yang Hyun S. *see* Hyun S. Yang
Yang Jae-Hoo *see* Jae-Hoo Yang
Yang Jenn-Ming *see* Jenn-Ming Yang
Yang Jeon Wook *see* Jeon Wook Yang
Yang Ji-lian *see* Ji-lian Yang
Yang Jia Xiang *see* Jia Xiang Yang
Yang Jiade *see* Zhou Shiren 88—44781
Yang Jian *see* Jian Yang
Yang Jianjun, Fang Dagang, Sha Kan Computation of self-impedance and mutual coupling of electromagnetically coupled microstrip dipoles using exact image method 87—47297
Yang Jianling, Zhang Youwen The design analysis and experiment of a new kind of high speed silicon video tube 88—25844
Yang Jianxun *see* Qiu Bingsheng 88—40120
Yang Jie *see* Fu Xinding 85—55702
Yang Jie *see* Xiong Qiusi 86—51873
Yang Jie-Fu Strict linearity graduation for using radioisotope transmission liquid level and activity distribution of radioactive source 85—43131
Yang Jienxun *see* Xing Fuhao 88—27008
Yang Jingang *see* Yan Chen 87—63689
Yang Jingfeng *see* Hong Jing 88—38865
Yang Jingfu Some problems in the development of an atmospheric transducer 86—6089
Yang Jingguo, Du Dingxu, Xue Kang, Zhou Zhongbi Laser pulse compression and amplification by stimulated Brillouin scattering 87—33262
Yang Jingran Formation and microstructure of silicon film deposited by laser light 88—70341
Yang Jingran, Peng Guifang Pulsed-laser induced vapor deposition of silicon film 88—6507
Yang Jingwei *see* Cha Hongkui 85—46309
Yang Jinhua *see* Mo Peigen 87—6374
Yang Jinxin *see* Wang Wucheng 86—22444
Yang Joon Mook *see* Joon Mook Yang
Yang Joon-Mook *see* Joon-Mook Yang
Yang Jun *see* Li Jianyi 88—40386
Yang Jun Chung *see* Hyun Shik Kang 87—22743
Yang June Jung, Choon Tae Choi, Hyung Jae Lee Room temperature characteristics of GaAs 87—37894
Yang Junhui, E Yun, Qiu Jiabai, Ding Ruisong, Du Jinhuan Holographic recording characteristics of poly-N-vinylcarbazole photosensitive film 85—29941
Yang Jyh Shinn *see* Jyh Shinn Yang
Yang Kai *see* Yao Jun'en 85—1216
Yang Kang-shu *see* Chen Cang 87—70997
Yang Kang-shu *see* Chen Chang 87—70996
Yang Ke-min *see* Wang Yin-jun 88—7786
Yang Keun-Young *see* Keun-Young Yang
Yang Kezhong, Zhang Rirong, Wang Hanli Corrugated circular waveguide with dual-depth corrugations 86—29537
Yang Kezhong *see* Zhang Rirong 85—19277, 86—68881
Yang Kun Design of a broadband high-directivity directional coupler 86—14464
Yang Kung-Wei *see* Kung-Wei Yang
Yang Kwang Min *see* Kwang Min Yang
Yang Kyung Hoon *see* Kyung Hoon Yang
Yang Lei *see* Chen Shi 85—59623
Yang Li *see* Wu Yupu 85—2877
Yang Liangmin *see* Sun Baoding 85—64620
Yang Lijian, Chen Xueyun, Liu Chao Computation of optimal power flow by retaining nonlinearity 85—21045
Yang Lin *see* Tan Gen-lin 88—26184
Yang Lin *see* Wu Ying-jian 88—39350
Yang Lin-bao *see* Zhang Gui-cheng 86—2978
Yang Lingyun, Mao Duli A scanning low energy electron probe for measuring the secondary emission of thermionic cathodes 88—19578
Yang Luo *see* Luo Yang
Yang Maojie *see* Liu Qili 87—50156
Yang Mengzhuo A study on the dynamic theory of the conventional electrocardiograph 86—44665
Yang Min *see* Bao Ximao 86—14868
Yang Ming-Jen *see* Ming-Jen Yang
Yang Ming-Qi *see* Zhang Chang-Tai 86—23698
Yang Park Jin *see* Jin Yang Park
Yang Peiran *see* Chen Lie 88—20298
Yang Ping *see* Ping Yang
Yang Qi-ji *see* Gao Feng 88—40680
Yang Qi-ji *see* Kou Ting-yao 88—8606, 88—38655
Yang Qiangsheng, Qian Binjiang, Deng Xinyuan Thermal analysis of crossflow cooling tower 86—70811
Yang Qiangsheng, Tong Jungeng Solution of combined conduction and radiation problems in insulating materials by using a two-flux model 85—35245
Yang Qiansuo *see* Gong Zhenglie 85—29905
Yang Qianzhi *see* Zou Yuanxi 86—21148
Yang Qiji *see* Zheng Jingliang 88—21031
Yang Qiru *see* Lai Weiquan 88—53966
Yang Qiuheng *see* Yu Erkeng 87—50678
Yang Quanlin Application of decoupled principle of state feedback to the design of magnetic suspension bearing 88—69255
Yang Quen-rong, Chen Yi-yuan Characteristics of antipodal fin-line 85—19175
Yang Rui *see* Li Chao'an 87—71503
Yang Ryong *see* Ryong Yang
Yang Sai *see* Sai Yang
Yang Senzu *see* Wu Peiheng 87—32907
Yang Seung-Hun *see* Seung-Hun Yang
Yang Seung-Hung *see* Seung-Hung Yang
Yang Seung-in *see* Seung-in Yang
Yang Shanyuan *see* Liu Yixian 88—65784
Yang Shao *see* Li Luo 87—26029
Yang Shaoqi A synthesis sparse matrix algorithm for computer aided circuit design 85—10917
Yang Shaoyu *see* Yuan Suoxiang 85—43144
Yang Shen *see* Shen Yang
Yang Shoumin, Li Kang Solution of transient temperature distribution and calculation of thermal stress for steam turbine rotors 87—51037
Yang Shu-lin Power spectra of Markov sequences 88—24628
Yang Shui-Yuan *see* Shui-Yuan Yang
Yang Shuji *see* Yi Minyu 86—68187
Yang Shuzhen *see* Shen Xianjie 87—57330
Yang Shuzi *see* Zheng Xiaojun 88—60549
Yang Spring-Zu *see* Spring-Zu Yang
Yang Suichun *see* Qin Jiuchang 88—47756
Yang Sung Wha *see* Sung Wha Yang
Yang Taosheng *see* Cao Quancheng 87—50878
Yang Tianlong *see* Wang Qi 88—72401
Yang Tianziang, Tang Jian Intermodulation analysis and calculation of multi-level SCPC system in satellite communications 86—55247
Yang Tiejian *see* Huang Gen 88—48789
Yang Tien Tsai *see* Tien Tsai Yang
Yang Tong-Chun *see* Tong-Chun Yang
Yang Tong-you *see* Yang En-ze 85—14232
Yang Tonghua *see* Zhang Pengfa 86—11863
Yang Tsung-Yuan *see* Tsung-Yuan Yang
Yang Wang *see* Brennan, K.F. 88—32912
Yang Wang Ping *see* Wang Ping Yang
Yang Wei Yi *see* Wei Yi Yang
Yang Wei-Tzen *see* Wei-Tzen Yang
Yang Weihan, Chen Junlin, Bao Yankang The use of PDP-11 minicomputer assisted with FORTRAN program to plan electric power production 86—44915
Yang Weimin *see* Qin Jiuchang 88—47756
Yang Weirong *see* Qiu Mingxin 85—12794
Yang Wen, Zhuo Zhong-jiang, Qiou Pei-ji, Rhen Yi-you The generalized analysis of the induction motor with dual symmetrical three-phase stator windings with a discussion on the Wanlass three-phase induction motor 87—15756
Yang Wen-cai, Jiao Fu-guang Velocity imaging from reflection seismic data by joint inversion techniques 88—27874
Yang Wenfu, Ho Wenxing Board-structure and operation principle of C-NET CNI [Cromemco network interface] 85—25606
Yang Wenfu *see* Ho Wenxing 85—25485
Yang Wenyu, Xie Shixuan Temporal media filtering for enhancement of image sequences 86—23166
Yang Xi Yian Breaking one public-key distribution system based on matrix ring 88—66284
Yang Xi-rong *see* Ding Hui-liang 85—31714, 86—65388
Yang Xian Hua *see* Zhang Wen Xun 86—68904
Yang Xiang *see* Xiang Yang
Yang Xiangchun, Zhang Xinnan, Liu Ye Tunable laser source at wavelength down to 218.3 nm 87—33263
Yang Xiangyang *see* Xiangyang Yang
Yang Xianhong *see* Zhu Jinsong 86—29226
Yang Xiaodong *see* Zhao Huimin 86—48038
Yang Xiaojian, Sun Shuxin Extension of holocycle fourier algorithm 88—34625
Yang Xichen, Yan Yuhe, Wang Xingkai, Gu Hongwu Laser cladding of NiCrSiB alloy 88—65919

Yang Xin, Cui Shuqing Planning, design and implementation of radio communication system for a hydroelectric station 88—60021
Yang Xin-wei *see* Wu Yi-zun 88—35463
Yang Xing-yu, Feng Qi-yuan Theoretical analysis of laser coherence modulation with the aid of the Raman-Nath standing-wave acoustooptic effect 88—27261
Yang Xing-yu *see* Xing-yu Yang
Yang Xinping *see* Xinping Yang
Yang Xinwei *see* Wu Yizun 85—35474, 87—28557
Yang Xiquan *see* Ruan Shengyang 85—55520
Yang Xirong *see* Kong Guanglin 85—2122
Yang Xiuzhen, Ge Youfang, Huang-Guijuan, Sun Xiuying, Tong Feiming Relation between performances of PV detectors and crystal quality of HgCdTe 88—40051
Yang Xiuzhen *see* Fei-Ming Tong 88—47528
Yang Xuanmin *see* Xuanmin Yang
Yang Xuanming *see* Han Guangyao 85—62696
Yang Xuanzong *see* Jiang Diming 85—5180
Yang Xue-liang *see* Xue-liang Yang
Yang Xue-Yu, Zhu Li-Li An adjustable parameter and high-Q bandpass filter circuit 88—865
Yang Xueguang *see* Zhu Jianping 86—54223
Yang Xueyan *see* Wang Tianxi 85—59481
Yang Xueyu, Liao Yanbiao, Wu Gengsheng, Pan Anpei Analysis of detection system of fiber current sensors 88—36009
Yang Yanming *see* Jin Ge 88—29929
Yang Yanming *see* Xiong Yan 88—59587
Yang Yanxin, Liang Wenxue, Zhang Jiquan, Diao Guangyue Data acquisition storage and processing system for hydrogen beam probes 87—3513
Yang Yanzhang *see* Li Zingjiao 87—73807
Yang Yau-po *see* Yau-po Yang
Yang Yee Hong *see* Yee Hong Yang
Yang Yeong Yil *see* Yeong Yil Yang
Yang Yeu-Haw *see* Yeu-Haw Yang
Yang Yi *see* Pan Huizhen 86—3190
Yang Yi Xian New public-key distribution systems 87—54856
Yang Yi Xian Improved (conference) public-key distribution system based on matrices 87—75700
Yang Yi Xian Pieprzyk's public-key cryptosystem is insecure 87—75703
Yang Yi Xian Existence of one-dimensional perfect binary arrays 88—14564
Yang Yi Xian Correlation-immunity of Boolean functions 88—14583
Yang Yi Xian Relationship between MDS codes and threshold schemes 88—27748
Yang Yi-gong, Jiang Yu-xin, Liang Hai Study on optimization of reactive power compensation in power system 85—4527
Yang Yi-Pei A comparison of two selfcalibration techniques for radio interferometric data 88—29008
Yang Yigang, Ren Guoliang , Zhou Chuanren, Zhang Qinyi Theory and application of complex loss formula coefficients 86—39046
Yang Yigang *see* Ao Zefeng 87—15147
Yang Yihan *see* Hao Yushan 86—12641
Yang Yihe *see* He Bin 88—73176
Yang Yiher *see* Zhou Weizhen 88—72908
Yang Yin, Li Yuxiong, DeLuca, P.M., Jr., Otte, R., Rowe, E.M. Neutron field measurements at the Aladdin Synchrotron Light Source 86—32389
Yang Ying-chang, Xu Li-gang, Li Xue-dong Intrinsic and permanent magnetic properties of $R_2(Fe_{1-x}Al_x)_{14}B$ (R=Nd and Y) 87—6991
Yang Ying-chang *see* Ying-chang Yang
Yang Ying-Kuei *see* Ying-Kuei Yang
Yang Yixian Some notes on Johnson bound and Graham bound of constant weight codes 88—21084
Yang Yonfeng *see* Yonfeng Yang
Yang Yong-yao *see* Yong-yao Yang
Yang Yonggao How to link remote workstations with Omninet local network 88—28383
Yang Youwei *see* Li Wei 88—52648
Yang Yuan Wang *see* Wang Yang Yuan
Yang Yuanhai The design of echo spot and optical focusing in automatic laser tracking 86—36624
Yang Yuanlong, Kong Qinggen, Ye Yanming, Li Fuming Output characteristics of long pulse xenon ion laser at 364.5 nm 86—68433
Yang Yuanlong, Sun Diechi, Li Fuming Investigation of the characteristics of a single-frequency quasi-CW argon ion laser 85—29744
Yang Yuanlong *see* Ye Yanming 88—27340
Yang Yue Fei *see* Yue Fei Yang
Yang Yuefei, Wang Weiyuan Electron saturation velocity in short gate GaAs MESFET 86—53619
Yang Yuefei *see* Chang Zhaonian 87—6695
Yang Yuefei *see* Wu Dingfen 87—67291
Yang Yufen, Liu Yanfang A 2 mm IMPATT diode microwave oscillator 85—17813
Yang Yuhao Some views on CCITT recommendation for testing bit error rate 85—42059
Yang Yuhao Analysis and calculation of probability of missing information 88—58982
Yang Yuifei *see* Yuifei Yang
Yang Yukum *see* Zhao Huimin 86—48038
Yang Yun-nian A theoretical analysis on the intermodulation noise in analog microwave trunks 86—69571
Yang Yunnian A study of transmission characteristics in FM microwave trunk 88—53156
Yang Yurui *see* Cao Dongxu 88—23217
Yang Yuyan An evaluation of safety of a cracked generator rotor by the method of fracture mechanics 88—5652
Yang Zan *see* Tarumi, Y. 85—58253
Yang Ze-mo *see* Wang Yu-zhi 88—40116
Yang Ze-mo *see* Ze-mo Yang
Yang Zeng-huan *see* Xu Ke-bin 87—12933
Yang Zhao *see* Zhao Yang
Yang Zhaomin *see* Zhang Zhongxuan 86—40912
Yang Zhaoming, Zhou Yanping, Ge Reihong Charging and discharging of dielectric films irradiated by high-/medium-/low-energy electrons 88—13609
Yang Zhaumin *see* Xu Jiasheng 87—17060
Yang Zhen-pen *see* He Zhen-ya 86—62725
Yang Zheng, Liu Jian-zhong, Zheng Pei, Geng Sheng-li, Chen Zi-yu Preparation and magnetic properties of Co and Ti substituted Ba-ferrite fine platelet particles 88—51251
Yang Zheng, Lu Yue-e, Liu Xing-fen Mechanical properties of ferrites for magnetic head 88—39800
Yang Zhengming *see* Luo Zhongnan 88—20589
Yang Zhengming *see* Yu Jirong 88—40281
Yang Zhenjun *see* Cui Huanhua 86—11893
Yang Zhenjun *see* Wang Shicheng 86—11894
Yang Zhilian, Shen Ming, Zhang Jianren, Xu Lizhu, Zhang Ping, Zhang Jin, Xiang Cailan An automatic IC layout system applicable to standard cell method 88—56588
Yang Zhilian *see* Zhang Jin 88—56394
Yang zhong-hua The application of the continuation method in the direct method for computing high order folds 88—49728
Yang Zhong-Hua *see* Zhong-Hua Yang
Yang Zhong-xing *see* Zhou Jun-ming 86—63069, 87—24827
Yang Zhong-xing *see* Zhong-xing Yang
Yang Zhonghai, Li Mingguang, Cheng Cide, Lin Chingwen, Li Jiayin, Liu Shenggang First experiment of gyrotron tube with quasi-optical cavity of special configuration 86—67630
Yang Zhonghai, Liu Shenggang Gyrotron with quasi-optical cavity of special configuration 85—55374
Yang Zhonghai *see* Liu Shenggang 87—12338
Yang Zhou-jing, Blackburn, J.A., Smith, H.J.T. Waveform display for slowly varying signals 87—14376
Yang Zhoughac *see* Zhoughac Yang
Yang Ziming *see* Chen Guangming 86—65569
Yang Zirong *see* Yu zhongqiang 88—29914
Yang Zishao *see* Zishao Yang
Yang Zoya *see* Wu Rulin 85—54494
Yang Zuo-gui *see* Wang Shou-she 86—38370
Yang Zuo-ya, Chen Kun-ji, Wu Ru-lin Investigation of electrical and optical properties of a-GaAs films 87—60083
Yang Zuo-ya *see* Chen Kun-ji 86—26890
Yang-Bai Park *see* Byung-Chul Kwak 87—50482
Yang-Fang Chen, Ying-Sheng Huang An explanation of optically induced excess conductivity in compensated *a*-Si-H films 88—2093
Yang-Mo Kim Development status of electric trains around the world 88—49234
Yang-soon Lee Competition between fibre-optic cables and satellites on transatlantic routes 88—22115
Yang-Sun Jo *see* Tachi, S. 87—24769
Yang-xi Zhang *see* Zhang Yang-xi
Yang-yuan Wang *see* Wang Yang-yuan
Yangfang Sun *see* Sun Yangfang
Yanghee Choi, Wonung Lee R&D for computer communications in Korea 88—21709
Yangman Liu *see* Liu Yangman
Yangmei Fan *see* Fan Yangmei
Yangqiang Ruan *see* Ruan Yangqiang
Yangsheng Wang *see* Wang Yangsheng
Yangwu Ma *see* Ma Yangwu
Yangxian Wu *see* Wu Yangxian
Yangyuan Wang, Jinhua Chen, Jiang Tao, Sunqui Feng, Ai-Zhen Zhang, Stimmell, J.B., Hopkins, C.G., Strathman, M.D., Herman, M.H. The morphology and characteristics of $TaSi_2/Si$ films oxidized at high pressure 88—26074
Yangyuan Wang *see* Wang Yangyuan
Yangzeng Hu *see* Hu Yangzeng
Yanhua Zhang *see* Zhang Yanhua
Yani, Y. *see* Falomkin, I.V. 85—52981
Yanichkin, V.I. *see* Kolosov, A.A. 88—42279
Yanichko, S.E. *see* Shogan, R.P. 86—51219
Yanigihara, K. *see* Nishikawa, Y. 88—57936
Yanina, T.I. *see* Landa, K.A. 85—41166
Yanishevskiy, A.A. The design of a video amplifier having large overload capacity 85—33694
Yanisov, V.V., Yanisova, L.K. Problems of contrast transfer in tomosynthesis 85—49628
Yanisov, V.V., Yanisova, L.K. Detectability of defects in optical synthesis of tomograms from X-ray photographs made at various fan angles 86—540
Yanisov, V.V. *see* Popov, A.A. 87—361
Yanisov, V.V. *see* Simanchuk, V.I. 85—10860
Yanisova, L.K. *see* Yanisov, V.V. 85—49628, 86—540
Yanitskene, D.Yu. *see* Yefanov, A.I. 88—48730
Yanitskii, V.A., Bachilo, S.N., Staseva, G.I. Computerised automatic monitoring and analysis of deviations from temperature norms in boiler steam and water 86—39516
Yaniv, Z., Baron, Y., Cannella, V., McGill, J., Lien, A. A new amorphous-silicon alloy PIN liquid-crystal TV display 87—1992
Yaniv, Z., Cannella, V., Baron, Y., Lien, A., McGill, J. Amorphous silicon alloy technology for active matrix displays 87—29218
Yaniv, Z., Cannella, V., Hansell, G., Vijan, M. Short channel amorphous silicon MOS structures with reduced capacitance 86—35725
Yaniv, Z., Cannella, V., Hansell, G., Willner, C., Vijan, M. Novel thin-film α-Si approach to drive active matrices displays 86—67873
Yaniv, Z., Cannella, V., Lien, A., McGill, J., den Boer, W. Progress in two and three terminal amorphous silicon switching devices for matrix addressed LCDs 87—21166
Yaniv, Z., Hansell, G., Vijan, M., Cannella, V. A one-micrometer channel length α-SI thin-film field-effect transistor 85—50603
Yaniv, Z., Lien, A., den Boer, W., Catchpole, C.E. A novel amorphous silicon switching device for driving active matrix liquid crystal displays 86—31545
Yaniv, Z. *see* Cannella, V. 86—28271, 87—18073
Yaniv, Z. *see* Den Boer, W. 86—38457, 88—44741
Yaniv, Z. *see* Hack, M. 86—35728
Yaniv, Z. *see* Hyun, C. 85—18315
Yaniv, Z. *see* McGill, J. 87—25222
Yaniv, Z. *see* Shur, M. 86—41827
Yaniv, Z. *see* Silver, N. 88—1427
Yaniv, Z. *see* Swartz, L. 88—45312
Yaniv, Z. *see* Vijan, M. 88—16324
Yaniv, Z. *see* Yang, M. 87—25357
Yank Kun, Zhang Baoheng Calculating the thermal stress of steam turbine rotors by curves as the variation of steam temperature is nonlinear 88—48796
Yanka, R.W. *see* Bicknell, R.N. 85—381, 85—44705, 86—13773
Yanka, R.W. *see* Myers, T.H. 85—33427
Yankang Bao *see* Bao Yankang
Yankaskas, B.C. *see* Perry, J.R. 85—31817
Yankauskas, A. *see* Danelyus, R. 86—29111
Yankauskas, A. *see* Piskarskas, A. 85—24521, 86—29236, 86—48494, 87—75253
Yankauskas, A. *see* Vasilyauskas, V. 86—63861, 87—75235
Yankauskas, V.Yu. Adaptive methods for assessing regression with variable parameters 85—49441
Yankauskas, V.Yu. *see* Kugelevichyus, I.B. 85—53974
Yankauskas, Z.K. Helicon electromagnetic beams with zero diffraction 86—64011
Yankel, A.J. The respective costs of serving large and small residential customers 88—61864
Yankeleva, I.I. *see* Shangin, V.A. 87—63417
Yankelevich, E.B. *see* El'chaninov, A.S. 88—68197
Yankelevich, E.B. *see* Mesyats, G.A. 86—27788
Yankelevich, Yu.B. *see* Barengol'ts, Yu.A. 87—6312
Yankevich, A.V. *see* Vyzhikovski, R. 88—8760
Yankevich, E.M. *see* Liberman, A.A. 88—2343
Yankevich, Z.A. *see* Kravchenko, V.I. 86—22341
Yankin, E.G. *see* Vasilevskaya, Yu.A. 85—28900
Yankin, E.G. *see* Vasilevskii, M.A. 87—78830
Yanko, D.J. *see* Czyz, M.P. 88—466
Yankov, P., Saltiel, S. Generation of single 6 ps laser pulses with repetition rate 2 Hz 86—68491
Yankov, P.D. *see* Saltiel, S.M. 86—54188, 87—33261
Yankova, A., Do Thanh, L., Balk, P. Effects of thermal nitridation on the trapping characteristics of SiO_2 films 87—67018
Yankovskii, O.F. *see* Grinev, A.Yu. 86—43052
Yankovskii, V.M. *see* Komarov, F.F. 85—24224
Yankulov, P.D. *see* Staikov, G. 86—19456
Yanling Hu *see* Hu Yanling
Yanming Liu *see* Liu Yanming
Yanming Yang *see* Yang Yanming
Yanming Ye *see* Ye Yanming
Yanming Zhang *see* Zhang Yanming
Yannakakis, M. On a class of totally unimodular matrices 85—54279
Yannakakis, M. Linear and book embeddings of graphs 88—1758
Yannakakis, M. *see* Papadimitriou, C.H. 87—23480
Yanney, R.M., Hayes, J.P. Fault recovery in distributed processing loop networks 88—73563
Yannitell, D.M. Barge transportation of reactor pressure vessel and other low specific activity waste 87—57766
Yannitsos, G.L., Hara, E.H. SUPER-PBX: an optomechanical matrix switch 88—67037
Yannone, R.M. Use of Cholesky square roots amidst the UD-factorization implementation of Kalman filters in real-time airborne tracking systems 85—52413

Yannone, R.M. An adaptive UD-factorized Kalman filter for real-time tactical aircraft track-while-scan systems 86–10461
Yannone, R.M. The role of expert systems in the advanced tactical fighter of the 1990s 86–12104
Yannone, R.M. An adaptive UD-factorized Kalman filter for real-time tactical aircraft track-while-scan systems 86–37946
Yannone, R.M. Expert systems in the fighter of the 1990s 86–43890
Yannone, R.M. UD factorization applied to airborne Kalman-filter-based fusion 88–68562
Yannone, R.M. Electronic warfare situation assessment processing requirements for fighter aircraft of the 1990s 88–68684
Yannopoulos, L.N. Antimony-doped stannic oxide-based thick-film gas sensors 87–70607
Yannopoulos, L.N. A p-type semiconductor thick film gas sensor 88–4391
Yannopoulos, P.-P. Gramme-ring plate secondary for linear motor 88–55371
Yannopoulos, P.P., Tegopoulos, J.A. Three dimensional eddy current distribution in cylinders due to rotating magnetic fields 88–52132
Yannopoulos-Lascaratos, P.P., Tegopoulos, J.A. Eddy currents and loss in cylindrical structures of finite thickness due to circular currents. I. Circular currents inside hollow cylinder 87–33380
Yannopoulos-Lascaratos, P.P., Tegopoulos, J.A. Eddy currents and loss in cylindrical structures of finite thickness due to circular currents. II. Circular currents outside hollow cylinder 87–33381
Yannucci, D.A. *see* Girgis, R.S. 85–9965, 87–51302
Yannucci, D.A. *see* Poyser, T.D. 85–32551
Yano, A. Introducing the distributed high-throughput packet switching systems into the DDX-P network 87–55902
Yano, A. *see* Akino, K. 88–21880
Yano, A. *see* Hara, R. 88–3362
Yano, A. *see* Ohkura, T. 86–5394
Yano, A. *see* Okura, T. 86–5386
Yano, A. *see* Takada, K. 88–53657
Yano, E. *see* Hagiwara, S. 86–1938
Yano, F., Ninomija, S.P. A consideration of the weighted periodgram method in a computer-assisted fetal QRS complex detection method 87–57155
Yano, F. *see* Kodama, H. 88–36470
Yano, F. *see* Ninomija, S.P. 87–50369, 87–57191
Yano, H. Trend of sensory evaluation 85–8806
Yano, H. Compact multiplexer for business information network 88–28589
Yano, H., Kawahara, T. Ultra-thin inverted conical diaphragm speaker 88–74190
Yano, H., Kobayashi, Y., Nezu, Y., Pontius, P.E., Rands, J.B. On the results of interactional comparison of calibrated values of 1 g carrier weights based on each National Standard 86–11747
Yano, H. *see* Akazaki, M. 85–20773
Yano, H. *see* Fujimura, S. 88–7537, 88–57526
Yano, H. *see* Fukuoka, Y. 88–47724
Yano, H. *see* Hasegawa, H. 87–18343
Yano, H. *see* Kitahara, N. 88–38112
Yano, H. *see* Kobayashi, Y. 85–8674
Yano, H. *see* Nakato, Y. 88–75889
Yano, H. *see* Noda, S. 87–9700
Yano, H. *see* Sakawa, M. 86–19968 to 19969, 86–40655, 87–44171, 88–49725 to 49726, 88–56166
Yano, H. *see* Sasaki, A. 86–29020
Yano, H. *see* Sawada, A. 85–37790
Yano, H. *see* Shin, S. 86–18150
Yano, H. *see* Sudo, S. 86–69505
Yano, H. *see* Toda, K. 86–2510, 86–28583
Yano, H. *see* Wakabayashi, H. 85–37034
Yano, I. *see* Kobayashi, M. 87–1893
Yano, J. *see* Nakayama, T. 87–69641
Yano, J. *see* Nishizono, T. 86–23199
Yano, J. *see* Tsuge, M. 88–52169
Yano, K., Aoki, M., Masuhara, T. PARAMOST–a new parasitic resistance model for deep submicron MOS transistors 87–25329
Yano, K., Aoki, M., Masuhara, T. Hot carrier degradation masking due to velocity saturation in low temperature operated MOSFETs 88–19985
Yano, K., Tanaka, S., Takayama, M., Fukushi, Y., Sabato, A. Communication technologies in business communication networks 85–51869
Yano, K., Tanimura, S., Ueda, T., Fujita, T. Submicron gap planarization with photo CVD and spin-on-glass multi-layers for multi-level interconnections 88–7523
Yano, K., Yamamoto, H., Takasaki, M., Sugino, Y., Okamoto, Y. Study on distribution-line fault detection systems (development of broken-wire detection equipment) 87–57706
Yano, K. *see* Aoki, M. 86–47858, 87–32691, 87–32694, 88–7610
Yano, K. *see* Chikamura, T. 85–41271, 85–52686, 86–5047
Yano, K. *see* Fujita, T. 87–67605
Yano, K. *see* Funada, F. 87–3694
Yano, K. *see* Harada, N. 86–5048
Yano, K. *see* Ishii, Y. 86–31247
Yano, K. *see* Namiki, J. 87–8236
Yano, K. *see* Shimayama, H. 85–42524, 85–47489
Yano, K. *see* Shimizu, H. 88–30365
Yano, K. *see* Takahata, F. 87–39600
Yano, K. *see* Tanaka, G. 87–46545, 88–33619
Yano, K. *see* Watabe, T. 86–65971
Yano, K. *see* Yamamoto, H. 88–39262
Yano, K. *see* Yano, T. 87–30482
Yano, K. *see* Yokota, H. 86–36232
Yano, M., Kanno, Y., Ishikawa, H., Imai, H. Effect of stress relaxation on polarization of InGaAsP buried heterostructure lasers by a repetitive temperature change 87–33187
Yano, M., Kotaki, Y., Ishikawa, H., Yamakoshi, S., Imai, H., Chikama, T., Touge, T. Extremely low-noise facet-reflectivity-controlled InGaAsP distributed-feedback lasers 87–18968
Yano, M., Suzuki, K., Nakatani, K., Okaniwa, H. Roll-to-roll preparation of a hydrogenated amorphous silicon solar cell on a polymer film substrate 87–36153
Yano, M. *see* Furusawa, H. 87–28794
Yano, M. *see* Gersho, A. 86–10505
Yano, M. *see* Kamite, K. 86–42530, 87–68499
Yano, M. *see* Kasai, T. 85–18761, 85–18894 to 18895
Yano, M. *see* Kato, I. 86–40769
Yano, M. *see* Kawagishi, K. 86–6903
Yano, M. *see* Kotaki, Y. 87–39100
Yano, M. *see* Koyama, K. 88–1479
Yano, M. *see* Koyama, M. 86–40216, 86–71075
Yano, M. *see* Matsushima, I. 85–18980, 87–50202
Yano, M. *see* Morii, K. 85–32593
Yano, M. *see* Nakamura, M. 87–35382
Yano, M. *see* Ogita, S. 86–54136, 87–39103, 87–46861
Yano, M. *see* Ono, Y. 87–72839
Yano, M. *see* Owadano, Y. 85–18768, 85–19016, 87–61276, 88–40118
Yano, M. *see* Sugimoto, H. 86–6770, 88–75751
Yano, M. *see* Tamai, S. 88–30723
Yano, M. *see* Tomie, T. 85–18893, 88–50770
Yano, M. *see* Udaka, M. 85–49149
Yano, N. *see* Hagimoto, K. 87–74321
Yano, N. *see* Nagaoka, H. 87–31976
Yano, O. *see* Morooka, K. 87–15935
Yano, S., Kato, S., Kano, M., Kamijo, Y. New type of dye stuff for guest-host liquid crystal displays 87–1986
Yano, S., Kawara, T. Electronic analytical balance using the hybrid method 86–18158
Yano, S., Koide, S., Okada, H. Performance of a network architecture 85–17053
Yano, S., Nishi, Y., Asaeda, T., Komiya, H., Yanai, Y. Large-capacity AC motor drives using variable-frequency inverters 85–49148
Yano, S., Tarutani, Y., Mori, H., Yamada, H., Hirano, M., Kawabe, U. Fabrication and characteristics of NbN-based Josephson junctions for logic LSI circuits 87–66034
Yano, S. *see* Furutsuka, T. 85–49842
Yano, S. *see* Hatano, Y. 88–12446
Yano, S. *see* Hayakawa, T. 85–18937, 86–20040, 87–279, 87–5400
Yano, S. *see* Hayashi, H. 86–42573
Yano, S. *see* Hirano, M. 86–42176, 86–52814, 87–7052, 87–52507, 87–59295, 88–13700
Yano, S. *see* Iiyoshi, T. 85–27845
Yano, S. *see* Kaneiwa, S. 85–29806, 85–46403
Yano, S. *see* Kawanishi, H. 88–65701
Yano, S. *see* Kitamura, A. 88–16616
Yano, S. *see* Koyama, M. 86–40216, 86–71075
Yano, S. *see* Matsui, S. 85–12838, 85–24569
Yano, S. *see* Matsumoto, M. 86–9848, 86–9868, 87–54299
Yano, S. *see* Miyauchi, N. 86–9869
Yano, S. *see* Murano, H. 86–41892
Yano, S. *see* Muraoka, T. 86–18157
Yano, S. *see* Nakane, H. 85–11210
Yano, S. *see* Nishigaki, S. 86–53264, 87–66789, 88–7237, 88–7761, 88–32391, 88–57210
Yano, S. *see* Shiseki, N. 87–21940
Yano, S. *see* Takiguchi, H. 85–24570
Yano, S. *see* Taneya, M. 86–3123, 86–63824, 87–61132
Yano, S. *see* Tatsuki, K. 88–26556
Yano, S. *see* Yamamoto, O. 87–33183
Yano, S. *see* Yamamoto, S. 85–29801
Yano, S. *see* Yuyama, I. 86–31007, 86–55429
Yano, T., Fukui, I., Sato, E., Yamada, H., Inui, O., Katabuchi, K. Piezoelectric impact printer head 88–39778
Yano, T., Fukukita, H., Ueno, S., Fukumoto, A. 40 MHz ultrasound diagnostic system for dermatologic examination 88–61324
Yano, T., Miyahara, N., Horiguchi, S. Advanced bipolar and CMOS masterslices 87–31825
Yano, T., Okamoto, H. Fast fault diagnostic method using fault dictionary for electron beam tester 88–22459
Yano, T., Saen, H., Sugawara, K. Applications of all plastic optical fiber cord for consumer electronics equipment 88–22130
Yano, T., Takao, K. Adaptive image processing to suppress noise and clutter 85–47605
Yano, T., Tone, M., Fukumoto, A. 1 MHz ultrasonic transducer operating in air 87–21799
Yano, T., Tone, M., Fukumoto, A. Range finding and surface characterization using high-frequency air transducers 87–50590
Yano, T., Yano, K. Torque characteristics of swing motor with DC field winding 87–30482
Yano, T. *see* Fukukita, H. 86–25201
Yano, T. *see* Hanazawa, T. 86–69625
Yano, T. *see* Kikkawa, S. 88–70203
Yano, T. *see* Kira, H. 86–54900
Yano, T. *see* Kuji, N. 86–15207
Yano, T. *see* Miyahara, N. 86–34670
Yano, T. *see* Takahashi, S. 86–47931, 88–33471
Yano, T. *see* Takao, K. 87–27061
Yano, T. *see* Yamada, H. 86–63442
Yano, T. *see* Yokokawa, T. 87–37637
Yano, Y., Iwasaki, J., Sato, Y., Iwata, T., Nakagawa, K., Ueda, M. A 32b CMOS VLSI microprocessor with on-chip virtual memory management 87–17155
Yano, Y., Koumoto, Y., Sato, Y. V60/V70 microprocessor and its systems support functions 88–44231
Yano, Y. *see* Goto, A. 85–59069
Yano, Y. *see* Kimura, S. 88–50179
Yano, Y. *see* Sasaki, H. 86–5755
Yano, Y. *see* Shimakawa, K. 85–7302, 87–18818
Yano, Y. *see* Someya, H. 86–26144
Yano, Y. *see* Suzuki, M. 87–37335
Yano, Y. *see* Yamaguchi, Y. 86–6062
Yano Takashi *see* Takashi Yano
Yanof, A.W., Resnick, D.J., Jankoski, C.A., Johnson, W.A. X-ray mask distortion: process and pattern dependence 87–11535
Yanof, A.W. *see* Johnson, W.A. 87–38037
Yanof, A.W. *see* Levy, R.A. 88–39297
Yanokura, E., Mizuta, H., Mori, M., Takahashi, S. GaAs MESFETs fabricated by new selfalignment technology 88–20010
Yanokura, M. *see* Ishii, S. 87–14700
Yanokura, M. *see* Kase, M. 85–58993
Yanokura, M. *see* Kohno, I. 86–50994
Yanokura, M. *see* Kuboi, O. 85–407, 85–61007
Yanokura, M. *see* Odera, M. 85–15096, 85–64358
Yanossy, M. *see* Fujii, K. 86–36425
Yanov, V.P., Skogorev, I.V. State and prospects of the Soviet electric locomotive industry 88–31122
Yanov, V.P., Sverdlov, V.Va., Shtepenko, P.K. The type VL85 twelve-axle two-section electric locomotive for the railways of the Soviet Union 87–58398
Yanov, V.P., Vol'vich, A.G. Automating the control of an electric locomotive on the basis of microprocessor equipment 87–58400
Yanov, V.P. *see* Kopanev, A.S. 87–5015
Yanova, T.V. *see* Vishnevskii, Yu.I. 85–65379
Yanover, B.I. *see* Aleyner, R.Sh. 88–8768, 88–72950
Yanovick, E.A. System reduces costs of power cabling 86–25582
Yanovskaya, M.I. *see* Kukuev, V.I. 88–71369
Yanovskii, A.P., Yudin, M.F., Uryaev, I.A., Kuznetsov, Yu.V., Bukhonko, M.I., Popruzhko, L.A., Fominykh, V.I. Set of means for checking stationary radiation-monitoring apparatus without dismounting 85–48175
Yanovskii, G.Ya. *see* Astaf'ev, S.V. 85–3836
Yanovskii, G.Ya. *see* Zubkov, A.A. 87–57136
Yanovskii, M.S., Knyaz'kov, B.N. Quasi-optical continuous rotator of the polarization plane 87–59829
Yanovskii, V.P. *see* Goncharov, S.F. 85–56906
Yanovskii, V.P. *see* Romanova, I.D. 86–58322, 88–13003
Yanovskii, V.Ya. *see* Belyaev, M.F. 86–18142
Yanowitz, F.G. *see* Yeh, M.P. 88–29945
Yanowski, E., Stix, R.K., Lee, T.C. New land-to-sea FO cable jointing system 87–13737
Yanping Zhang *see* Zhang Yanping
Yanping Zhou *see* Zhou Yanping
Yanqiu Gao *see* Gao Yanqiu
Yanqiu Guo *see* Guo Yanqiu
Yansen, D., Sardella, J., Madison, F., Knutrud, P. Digital microscopy applied to CDs, registration and inspection 88–13504
Yansen, D.E. Electrons, light gauge submicrometer sizes 87–52841
Yanseng Han *see* Han Yanseng
Yanshen Guan *see* Guan Yanshen
Yansheng Liu *see* Liu Yansheng
Yansheng Xu *see* Xu Yansheng
Yanshi Lu *see* Lu Yanshi
Yanshin, E.V., Yanshin, K.V., Korobejnikov, S.M. Space charge and pre-breakdown bubbles formation near point electrodes under pulse voltage 85–55998
Yanshin, E.V. *see* Korobejnikov, S.M. 88–44905
Yanshin, E.V. *see* Ovchinnikov, I.T. 88–33424
Yanshin, K.V. *see* Yanshin, E.V. 85–55998
Yanshina, I.V. *see* Goncharov, B.V. 87–65589
Yanshu Ji *see* Ji Yanshu
Yanson, Kh.A. *see* Tatarinov, A.M. 86–38768
Yanson, Yu. *see* Cherepanova, T. 87–44338
Yansouni, P. *see* Chan, Y.T. 86–16393

Yansouni, P.A. Bias-free estimates of the variance of time of arrival differences 85−46798
Yansouni, P.A., Inkol, R.J. The use of linear constraints to reduce the variance of time of arrival difference estimates for source location 85−2818
Yanta Li *see* Li Yanta
Yanting Hu *see* Hu Yanting
Yantovskii, E.I. Net energy in electrical power engineering 87−78134
Yantovskii, E.I. *see* Verkhivker, G.P. 85−65050
Yantovskii, L.I. *see* Dan'ko, V.G. 87−4724
Yants, Yu.A. *see* Dmitriyev, E.A. 88−70500
Yanuka, M., Topp, G.C., Zegelin, S., Zebchuk, W.D. Multiple reflection and attenuation of time domain reflectometry pulses: theoretical considerations for applications to soil and water 88−74961
Yanuka, M. *see* Topp, G.C. 88−74962
Yanukenas, V.I. *see* Kazakyavichyus, K.A. 87−44402
Yanushefski, K.A. *see* Hokanson, J.L. 88−47163
Yanushefski, K.A. *see* Shastri, K.R. 88−65740
Yanushefski, M.J. *see* Hokanson, J.L. 88−47163
Yanushevskii, N.I. *see* Brodin, M.S. 86−54118, 86−54121, 88−8162, 88−58516
Yanushkevich, A.A. *see* Koval'kov, G.A. 86−39678
Yanushkevich, E.P., Manyukova, L.G., Ulezko, D.N., Legeza, V.F. Device for measuring average diameter of female thread 86−5518
Yanushkevichus, Z.I. *see* Kirmonas, A.A. 86−60787
Yanushkin, V.N. *see* Mironenko, A.V. 86−5152, 86−55835
Yanushyavichyus, S.P. *see* Burneikis, Yu.P. 86−25949, 88−5598
Yanutsh, D.A. *see* Sozon-Yaroshevich, E.A. 87−27604
Yanwen Zhou *see* Zhou Yanwen
Yanwu, D., Jie, T., Yongchen, S. Relations between the acoustic nonlinearity parameter and sound speed and tissue composition 88−61234
Yanxin Yang *see* Yang Yanxin
Yanxin Zhang *see* Zhang Yanxin
Yanxun, Yu. Asynchronous operation analysis of power system after failure to maintain stability. II 88−30227
Yanyi Chou *see* Chou Yanyi
Yanysh, A.K. *see* Semenchinskii, S.G. 87−77177
Yanyuan Liu *see* Liu Yanyuan
Yanyuk, V.I. *see* Arkhontov, L.B. 86−28895
Yanyun Zhang *see* Zhang Yanyun
Yanzen Zhao *see* Zhao Yanzen
Yanzeng Zhao, Hardesty, R.M. Technique for correcting effects of long CO_2 laser pulses in aerosol-backscattered coherent lidar returns 88−67486
Yanzeng Zhao, Ting Kaung Lea, Schotland, R.M. Correction function for the lidar equation and some techniques for incoherent CO_2 lidar reduction 88−67487
Yanzeng Zhao *see* Zhao Yanzeng
Yanzhang Yang *see* Yang Yanzhang
Yanzhen Qu *see* Qu Yanzhen
Yanzuo Li *see* Li Yanzuo
Yao, A.C. How to generate and exchange secrets 87−33642
Yao, C., Tzou, J., Cheung, R., Chan, H. Temperature dependence of CMOS device reliability 87−1756
Yao, C., Tzou, J., Cheung, R., Chan, H., Fung, J., Chuang, P. An advanced CMOS technology with novel bipolar transistors 88−71716
Yao, C., Tzou, J., Cheung, R., Chan, H., Yang, C. Structure and frequency dependence of hot-carrier-induced degradation in CMOS VLSI 88−1799
Yao, C. *see* Tzou, J. 86−21616
Yao, C.C., Tzou, J.J., Cheung, R., Chan, H. Temperature dependence of latch-up characteristics in LDD CMOS devices 86−41954
Yao, C.C. *see* Chan, H. 87−44855
Yao, C.C. *see* Tzou, J.J. 85−23802, 85−45706, 86−2165, 86−41787, 87−1315
Yao, C.G. Effects of slots/holes in disks on frequencies of TM_{01} and EH_{11} waves in disk-loaded waveguides 86−5648
Yao, C.G., Ecklund, S. Increasing the energy of SLC by transient wake field 86−60501
Yao, C.G. *see* Hoag, H.A. 87−41817
Yao, C.T., Lin, H.C., Oristian, J., Iwai, H., Walker, J.T., Dutton, R.W. Comments, with reply, on 'Small geometry MOS transistor capacitance measurement method using simple on-chip circuits' 85−26448
Yao, C.T., Mack, I.A., Lin, H.C. Accuracy of effective channel-length extraction using the capacitance method 86−47579
Yao, C.T., Mack, I.A., Lin, H.C. Short-channel effects on MOSFET terminal capacitances 87−60505
Yao, C.T., Peckerar, M., Friedman, D., Hughes, H. Hot electron effect on MOSFET terminal capacitances 87−1560
Yao, C.T., Peckerar, M., Friedman, D., Hughes, H. On the effect of hot-carrier stressing on MOSFET terminal capacitances 88−39452
Yao, C.T., Peckerar, M.C., Wasilik, J.H., Amazeen, C., Bishop, S. A novel three-dimensional microstructure fabrication technique for a triaxial tactile sensor array 88−42079
Yao, C.T. *see* Radacks, D.J. 86−21832
Yao, D.D., Shanthikumar, J.G. A closed queueing network of counting processes 88−38058
Yao, D.D. *see* Shanthikumar, J.G. 88−18559
Yao, E. *see* Faurie, J.P. 88−64274
Yao, E.Y. *see* Hwang, F.K. 85−33287
Yao, H. *see* Amano, K. 88−20444
Yao, H. *see* Kobayashi, T. 88−39994
Yao, H. *see* Takeda, O. 85−31598
Yao, H.-H. *see* Freude, W. 88−33647
Yao, H.D., Compaan, A., Hale, E.B. Raman studies of heavily implanted, dye-laser-annealed GaAs 86−15034
Yao, H.D. *see* Compaan, A. 88−1364
Yao, I., Diadiuk, V., Hauser, E.M., Bouman, C.A. High-speed optoelectronic track-and-hold circuits in hybrid signal processors for wideband radar 87−29038
Yao, I., Hauser, E.M., Bouman, C.A., Flynn, G.T., Cafarella, J.H. Wideband radar signal processor based on SAW convolvers 86−4738
Yao, J., Rastogi, A., Du, N., Wu, X.W., John, P.K., Tong, B.Y., Wong, S.K. Doped microcrystalline silicon produced by LPCVD 87−5474
Yao, J. *see* Chik, K.P. 86−27936
Yao, J. *see* Zhang, P.X. 88−25873
Yao, J.T.P. *see* Michael, H.L. 88−24449
Yao, K. Maximum energy window with constrained spectral values 87−2527
Yao, K. *see* An, S.H. 87−39827, 87−39832, 88−34668
Yao, K. *see* Biglieri, E. 86−64293
Yao, K. *see* Chang, C.Y. 86−63422, 87−52548, 87−54873
Yao, K. *see* Chen, M.-J. 88−73166
Yao, K. *see* Chen, M.J. 87−52592, 88−40914
Yao, K. *see* Kalson, S. 86−16394, 86−64313, 87−13018
Yao, K. *see* Konstantinides, K. 85−33980, 86−16106, 86−20599, 88−52316
Yao, K. *see* Kostantinides, K. 87−33584
Yao, K. *see* Lei, S.-M. 88−66595
Yao, K. *see* Liu, K.R. 88−63585, 88−71673
Yao, K. *see* Lu, D. 88−15556, 88−34531, 88−34962
Yao, K. *see* Masuda, N. 85−49208
Yao, K. *see* Yasutsune, S. 86−19634
Yao, M. *see* Bonifield, T. 88−71452
Yao, M. *see* Ito, H. 88−74120
Yao, M. *see* Itoga, M. 88−41026
Yao, M. *see* Urasaki, S. 85−25812
Yao, M. *see* Watanabe, T. 87−76945
Yao, M. *see* Xing, D. 87−54912
Yao, M.F. *see* Hemment, P.L.F. 85−34655, 85−50288
Yao, M.F. *see* Mynard, J.E. 85−34774
Yao, N.P. *see* DeLuca, W.H. 85−49183
Yao, N.P. *see* Lee, J. 86−71043
Yao, N.P. *see* Shimotake, H. 85−49186
Yao, P.C. *see* Kuo, F.Y. 88−17901
Yao, Q., Zhou, F. Intra-frame DPCM picture coding with application to pattern recognition 87−48199
Yao, R.L. *see* Striffler, C.D. 88−54204
Yao, S. *see* Zhou, Z. 86−45379
Yao, S.-K. Wideband Bragg cell efficiency enhancement techniques 86−36283
Yao, S.-K. Optical consideration in target alignment using non-actinic wavelength microscope 88−1587
Yao, S.-K. *see* Forouhar, S. 85−7283
Yao, S.-K. *see* Nuhn, M. 88−20053
Yao, S.B. *see* Wu, O.Q. 85−19888
Yao, S.J., Chan, L.-T., Wolfson, S.K., Jr., Krupper, M.A., Zhou, H.F. The low-potential approach of glucose sensing 86−44623
Yao, S.J., Zia, Q.Z., Chan, L.T., Wolfson, S.K., Jr., Chung, D.D.L. Stainless steel as electrode material for intracellular pH determination 88−68345
Yao, S.J. *see* Chan, L.-T. 88−54476
Yao, S.K., Chen, T. High efficiency Bragg cell using quasi-planar phased array 88−27668
Yao, S.K., Chen, T.S., Delaney, M.J. Wideband ZnO phased array techniques 85−13364
Yao, S.K. *see* Chen, T.S. 85−14687, 86−36284, 87−26109
Yao, S.K. *see* Nuhn, M. 88−1581
Yao, S.K. *see* Stearns, R.C. 85−8412
Yao, S.S. *see* Seaton, C.T. 87−18573
Yao, S.Z. *see* Levy, C.D.P. 85−26674, 85−64429
Yao, T. Molecular beam epitaxy of Zn-chalcogenides 86−26847
Yao, T. Research on operation and maintenance problems in molecular-beam epitaxy systems 86−46344
Yao, T. The effect of lattice misfit on lattice parameters and photoluminescence properties of atomic layer epitaxy grown ZnSe on (100)GaAs substrates 86−66834
Yao, T. Dynamic reflection high-energy electron diffraction observations of the atomic layer epitaxy growth of Zn chalcogenides 87−36749
Yao, T., Okada, Y. Phosphorus acceptor levels in ZnSe grown by molecular beam epitaxy 86−63169
Yao, T., Okada, Y., Kawanami, H., Matsui, S., Imagawa, A., Ishida, K. Residual stress in GaAs layer grown on 4°-off (100)Si by MBE 88−38191
Yao, T., Okada, Y., Matsui, S., Ishida, K., Fujimoto, I. The effect of lattice deformation on optical properties and lattice parameters of ZnSe grown on (100)GaAs 87−36736
Yao, T., Takeda, T., Watanuki, R. Photoluminescence properties of ZnSe single crystalline films grown by atomic layer epitaxy 86−57436
Yao, T., Taneda, H., Funaki, M. Reflection high-energy electron diffraction oscillations during molecular beam epitaxial growth of ZnSe on (001)GaAs 87−36750
Yao, T. *see* Kan, Y. 86−9668
Yao, T. *see* Kumashiro, Y. 85−39712
Yao, T. *see* Matsumoto, K. 85−50520, 86−2223, 86−41040, 86−53691, 87−18089, 87−25245
Yao, T. *see* Ogura, M. 85−35792, 85−40725, 85−46386
Yao, T. *see* Taguchi, T. 85−12717
Yao, T. *see* Takeda, T. 87−5422
Yao, T. *see* Tanino, H. 88−56238
Yao, T. *see* Wada, T. 85−40561
Yao, W.W., Wu, I.W., Fulks, R.T., Vander Plas, H.A. Metal step coverage improvement in double level metal with oxide spacers 86−28438
Yao, W.W. *see* Huang, T. 87−46024
Yao, W.W. *see* Huang, T.-Y. 87−38529
Yao, W.W. *see* Naguib, H.M. 87−67602
Yao, X. Ceramic capacitor in China, past record and perspective 87−52913
Yao, X., Fang, C., Chen, Z., Cross, L.E. Dielectric and pyroelectric properties of doped triglycine sulphate crystals 86−68073
Yao, X., Yamada, M., Liu, C.L. A new approach to the pin assignment problem 88−71707
Yao, X. *see* He, Z. 87−56815
Yao, X.G. *see* Rogers, J.G. 87−8911
Yao, X.S. Fused tree WDM with high wavelength isolation over wide wavelength range 88−13859
Yao, Y. Josephson junction circuit model and its global bifurcation diagram 87−7050
Yao, Y., Cheng, S. An ARQ scheme for point-to-multipoint satellite communication systems 87−55445
Yao, Y. *see* Chua, L.O. 87−10635
Yao, Y. *see* Sharaf, A.M. 87−30757
Yao, Y.-D., Sheikh, A.U.H. Performance analyses of a packetized data communication system on mobile radio channels 88−73412
Yao, Y.-D., Sheikh, A.U.H. Performance of multisubchannel direct-sequence spread-spectrum multiple-access communications over multipath fading channels 88−73416
Yao, Y.C. Estimation of noisy telegraph processes: nonlinear filtering versus nonlinear smoothing 85−57368
Yao, Y.C., Zhang, Z.G. Fluctuation mechanism and statistical characteristics of active-passive mode locking in giant pulse solid-state lasers 86−63777
Yao, Y.D., Cheng, S.X. Generalization of Hadamard matrices and a class of two-dimensional error-correcting codes 87−27210
Yao, Y.D., Cheng, S.X. The compatibility of DS and FH spread spectrum systems 87−40667
Yao, Y.D. *see* Jen, S.U. 87−67723
Yao, Y.L. *see* Chamberlain, S.G. 86−67888
Yao, Y.L. *see* Gutleben, C.D. 88−42024
Yao, Z.J. *see* Chen, M.B. 85−59081
Yao Chen *see* Chen Yao
Yao Ching *see* Ching Yao
Yao Chong-Guo *see* Chong-Guo Yao
Yao Chongguo A scheme of raising the beam blow-up (BBU) threshold current of constant impedance structures 87−3835
Yao Chongguo, Lai Qiji, Chen Yimei The application of a bridge with variable ratio to feedback electron linac 85−58959
Yao De-min *see* De-min Yao
Yao Dianhong *see* Zeng Youngwu 86−3018
Yao Dianhong *see* Zheng Yongwu 85−29746
Yao Gang *see* Ke Jingtang 88−51986
Yao Gang-Zhao *see* Gang-Zhao Yao
Yao Guangtao *see* Chen Youming 88−65611
Yao Guo-rong *see* Hu Nan-shan 88−25721
Yao Guonong *see* Hu Nanshan 86−14575
Yao Huang Kao, Jeun Chyuan Huang, Yin Shun Gou Physical properties of transition to chaos in RF-driven Josephson junction analog 86−53919
Yao Huihai *see* Chen Zhihao 87−74681
Yao Iwen *see* Iwen Yao
Yao Ji-yong *see* Chang Ying 85−45345
Yao Jianpin *see* Zhang Dake 86−3017
Yao Jianquan, Li Yu, Liu Yan-ming Intracavity frequency-doubling of quasi-CW pumped YAG laser 88−14141
Yao Jianya *see* Wang Guogan 86−32186, 87−50155
Yao Jie, Chen Bao-qiong, Wang Hong-kai Inversion of p-type silicon to n-type by pulsed laser irradiation 85−40423

Yao Jie *see* Zhang Pei-xian 88−25895
Yao Jun'en, Yang Kai Calculation on electron probe system with magnetic field superimposed field emission gun 85−1216
Yao Junjie *see* Shen Yongsheng 88−23164
Yao Kan Sioe *see* Sioe Yao Kan
Yao Kun *see* Li, Y.P. 88−45521
Yao Kun *see* Wang Bao-cheng 88−42531
Yao Kung *see* Kung Yao
Yao Li, Eichmann, G. Coherent optical generation of Hartley transform of real images 86−23136
Yao Li, Eichmann, G., Alfano, R.R. Optical computing using hybrid encoded shadow casting 87−2558
Yao Li, Eichmann, G., Dorisinville, R., Alfano, R.R. Parallel digital and symbolic optical computation via optical phase conjugation 88−58287
Yao Li, Eichmann, G., Dorsinville, R., Alfano, R.R. Parallel digital optical computation based on optical phase conjugation (OPC) 88−65436
Yao Li, Eichmann, G., Xin Luo, Ping Pei Ho, Alfano, R.R. Noncollinear second-harmonic-generation-based ultrafast optical signal processing for optical digital computing 88−13979
Yao Li *see* Conner, M. 86−16498
Yao Li *see* Eichmann, G. 86−36578, 87−33258, 87−75877
Yao Li *see* Eichmann, G.A. 88−66609
Yao Li *see* Li Yao
Yao Lin *see* Ruan Yaozhong 86−70186
Yao Linsheng *see* Yan Zhixin 86−67822
Yao Minyan, Lou Caiyun, Guo Yili Analysis on the parameters of Raman laser frequency expander 86−58968
Yao Minyan *see* Minyan Yao
Yao Nai-guo *see* Wang Yuan-ling 86−31926
Yao Pei-Chih *see* Pei-Chih Yao
Yao Pei-Chin *see* Pei-Chin Yao
Yao Qingdong, Chen Cunchun, Zhang Shoumiao Synthetic high coding for the PAL luminance signal 85−52522
Yao Qinglin *see* Shi Shiwen 87−50848
Yao Qinglin *see* Zhao Jianguo 85−15975
Yao Quantai Determination of uranium content in ores measured with fission-track method in uranium exploration 86−11901
Yao Rong *see* Chen Ting-huai 88−59571
Yao Roping *see* Roping Yao
Yao Ruoping *see* Gong Lian 87−72195
Yao Shi-kay *see* Shi-kay Yao
Yao Shouyou *see* Huang Shaogang 87−15708
Yao Shu-tong *see* Shang Song-quan 87−18979
Yao Shutong, Xie Linzhen Extension of the current continuous frequency tuning range of GaAlAs laser diodes by the external cavity 88−27175
Yao Sing Tao *see* Tao Yao Sing
Yao Tianren *see* Wang Shu 88−34635
Yao Tsu-Ren A medium frequency motor-generator set of special construction 87−51218
Yao Wang *see* Wang Yao
Yao Xiaoguang The intrinsic efficiency in NaI, BGO, BaF_2, CsF and plastic scintillator for gamma-ray with energy below 1.5 MeV 88−36361
Yao Xixian The effect of the charging energy and thermal fluctuation of the phase coherence between superconductors of Josephson tunneling junctions 86−68196
Yao Ye *see* Jue Duanlin 85−61669
Yao Yong, Wang Ai Simplification of matrix signal flow graphs 86−3886
Yao Yongbang, Ma Shusen, Zhu Xiaojie, Qin Yuying, Wang Guangchang, Wang Shaoqing Output energy increment from a XeCl laser by increasing the number of UV preionization sparks 88−27018
Yao Yongbang *see* Ma Shusen 86−22275, 87−33114
Yao Yu Guo *see* Guo Yao Yu
Yao Yudong, Chen Zhongjin m-sequences and inverse m-sequences used as telecontrol commands 87−55662
Yao Yulan *see* Liu Zhiguo 85−18839
Yao Yulan *see* Lu Kecheng 85−18970
Yao Yun-jiang *see* Huang Shang-lian 87−18699
Yao Yuqiu *see* Lin Jingu 87−7278
Yao Zewu *see* Du Kangsen 86−12620
Yao Zhishi *see* He Yongda 88−62533
Yao Zhixin, Xia Tiejun, Sun Wei An energy level degeneracy effect on efficient pulsed discharge metal vapor laser 88−27045
Yao Zhixing *see* Sun Wei 87−7263
Yao Zhixing *see* Zhixing Yao
Yao Zong-yuan *see* Wang De-wu 88−42418
Yao Zonglun *see* Shi Mingliang 85−4140
Yao-guang Jian *see* Jian Yao-guang
Yao-Huan Gong *see* Gong Yao-Huan
Yao-Hwa Wu, Werner, M., Shyh Wang Channeled-substrate GaAs/AlGaAs multiple quantum well lasers grown by molecular beam epitaxy 85−2297
Yao-Hwa Wu, Werner, M., Wang, S., Flood, J., Merz, J.L. Effects of dopants on disordering of AlGaAs-GaAs superlattice by zinc diffusion 86−21174
Yao-hwa Wu *see* Minghuang Hong, J. 86−15701
Yao-lin Wang *see* Wang Yao-lin
Yao-lin Zhang *see* Xue-liang Yang 87−48651
Yao-ming Wang *see* Wang Yao-ming
Yao-Nan Lien, Wah, B.W. Design and performance study of DDBLMN: a distributed database on a local computer system 87−69709
Yao-ping Wang *see* Wang Yao-ping
Yao-qin Chen *see* Chen Yao-qin
Yao-Wang Lin *see* Lin Yao-Wang
Yao-wen Su *see* Su Yao-wen
Yao-wu Liu *see* Liu Yao-wu
Yao-wu Sun *see* Sun Yao-wu
Yao-xiang Wu *see* Wu Yao-xiang
Yao-Zhi Hu Scrubbing characteristics of CCl_4 and C_2F_6 with a titanium sublimation trap [sputter etching] 88−71415
Yao-zhou Xu *see* Xu Yao-zhou
Yaofu Xiao *see* Xiao Yaofu
Yaogang Liu *see* Liu Yaogang
Yaogen Ding *see* Ding Yaogen
Yaohui Wang *see* Wang Yaohui
Yaohui Zheng *see* Zheng Yaohui
Yaohui Zhu *see* Zhu Yaohui
Yaoita, A. Numerical analysis for double optical path temperature of hot gas with cylindrical symmetric property. I. Basic equations 85−48122
Yaoita, A. A proposal of temperature measuring devices using double optical path method 86−24817
Yaoita, A., Matsushima, I. Computer assisted treatments for image pattern data of laser plasma experiments 87−75854
Yaoita, A. *see* Owadano, Y. 88−40118
Yaoita, A. *see* Tanimoto, M. 85−51102, 86−36401
Yaoita, A. *see* Tomie, T. 88−50770
Yaokang Le *see* Le Yaokang
Yaoliang Lu *see* Lu Yaoliang
Yaolin Wang *see* Wang Yaolin
Yaoling Niu *see* Niu Yaoling
Yaoming Hu *see* Hu Yaoming
Yaoming Ju *see* Ju Yaoming
Yaoqun Huang *see* Huang Yaoqun
Yaosen Dai *see* Dai Yaosen
Yaosong Chen *see* Chen Yaosong
Yaosong Wang *see* Wang Yaosong
Yaotang Li *see* Li Yaotang
Yaouanc, A. *see* Dalmas de Reotier, P. 86−15360, 86−15368
Yaowang Lin *see* Lin Yaowang
Yaoxin Li *see* Li Yaoxin
Yaoyuan Tu *see* Tu Yaoyuan
Yaozhong Ge *see* Ge Yaozhong
Yaozhong Ruan *see* Ruan Yaozhong
Yaozhong Xu, John, V.I., Dawson, G.E. Steady-state analysis of three-phase bridge converter supplying an active load 88−55473
Yaozhong Xu, Sharaf, A.M. A novel approach to efficiency maximization for a variable speed DC motor drive system 87−36206
Yaozhong Xu, Sharaf, A.M., Luke, D.McG., Doraiswami, R. A microprocessor-based efficient variable speed DC motor drive system 87−31032
Yaozhong Xu *see* Saxena, A. 87−31034
Yaozhong Zai *see* Zai Yaozhong
Yaozhu Song *see* Song Yaozhu
Yaozong, F. Statistical prediction of rain attenuation 87−26788
Yaozu Song *see* Song Yaozu
Yap, C.L., Poh, B.S. Stability analysis of the simpler laser model incorporating the Statz-de Mars rate equations 85−2326
Yap, C.L. *see* Poh, B.S. 85−56645
Yap, C.T. *see* Anicin, I.V. 87−77583
Yap, C.T. *see* Tang, S.M. 86−25125
Yap, D., Johnson, L.M. Coupling between successive $Ti:LiNbO_3$ waveguide bends and branches 85−1971
Yap, D., Johnson, L.M. Radiation-field coupling in optical waveguide structures with closely spaced abrupt bends and branches 85−46130
Yap, D., Liau, Z.L., Tsang, D.Z., Walpole, J.N. High-performance InGaAsP/InP buried-heterostructure lasers and arrays defined by ion-beam-assisted etching 88−51791
Yap, D., Liau, Z.L., Walpole, J.N., Diadiuk, V. Fabrication of miniature lenses and mirrors for InGaAsP/InP lasers 88−65777
Yap, D. *see* Johnson, L.M. 85−1970
Yap, D. *see* Walpole, J.N. 87−46943
Yap, H.S., Zakarevicius, R.A. Practical realization of asynchronous chirp waveform Fourier transformers 86−2537
Yap, M. Comms made easy 88−31325
Yap, P. *see* Hack, M. 88−44772
Yap, P.K. *see* Martin, R.A. 88−39472
Yap, R.W. *see* Wright, R.A. 88−5587
Yaping Wang *see* Wang Yaping
Yapoujian, N. Gas-discharge systems furnish circuit protection 85−55419
Yapoujian, N.N. Surge protectors must be fast-acting and fail-safe 86−19795
Yappert, M.C., Kimbrell, S.M., Yeung, E.S. Two-dimensional spatial imaging based on acoustooptical deflectors 88−2075
Yapsir, A.S., Hadizad, P., Lu, T.-M., Corelli, J.C., Corbett, J.W., Lanford, W.A., Bakhru, H. Defect centers and changes in the electrical characteristics of Al/*n*-type Si Schottky diodes induced by hydrogen-ion implantations 88−57376
Yapsir, A.S., Hadizad, P., Lu, T.-M., Corelli, J.C., Lanford, W.A., Bakhru, H. Effects of hydrogen ion implantation on Al/Si Schottky diodes 87−53270
Yapsir, A.S., Lu, T.-M., Hadizad, P., Corelli, J.C., Sugerman, A., Bakhru, H. Electrical characteristics of hydrogen implanted silicon Schottky diodes having large difference in metal work function 88−64505
Yapsir, A.S. *see* Hadizad, P. 87−38099
Yapsir, A.S. *see* Jin, H.-S. 87−52103
Yaqian Gong *see* Gong Yaqian
Yaqien Gong *see* Gong Yaqien
Yar-Ming Wang *see* Gagnon, E.G. 88−17867
Yarak, D., Hogeboom, J., Anderson, A., Harrison, D. A 2.56 Mb/s digital local-loop transmitter/receiver 86−10864
Yarak, D. *see* Anderson, A. 86−4437
Yarak, D. *see* Lynch, D. 86−10846
Yaramanoglu, M. *see* Cabraal, A. 87−4631
Yarar, B., Trefny, J., Schowengerdt, F., Mitra, N., Pine, G. Manufacture and testing of high-T_c superconducting materials 87−59016
Yarashyunas, K.Yu. *see* Vaitkus, Yu.Yu. 87−66909
Yarba, V.A. *see* Ageev, A.I. 88−47779
Yarba, V.A. *see* Balbekov, V.I. 85−26562
Yarba, V.A. *see* Goncharov, V.A. 87−29030, 87−29675
Yarba, V.A. *see* Myznikov, K.P. 85−31661
Yarba, V.A. *see* Vasilev, A.A. 86−38661
Yarber, R.K. *see* Gardner, D.L. 87−68098
Yarberry, W.A., Jr., Jetton, N. The telecommunications review−getting started 87−43848
Yarborough, W. *see* Mohideen, U. 87−74402
Yarbrough, T.W. *see* Musselman, R.P. 87−11209
Yarbrough, W. *see* Lukaszek, W. 86−41962, 88−13591
Yarbrough, W.A., Gururaja, T.R., Cross, L.E. Materials for IC packaging with very low permittivity via colloidal sol-gel processing 87−52212
Yard, K. Compatibility with other services 86−11220
Yard, T.K. *see* Nagarajan, R.M. 88−64797
Yardeni, D. *see* Kaplan, B.Z. 88−6683
Yardeni, D. *see* Wulich, D. 88−3803
Yardley, J.T. Laser chemistry. Processing at the micron level 86−68653
Yardley, S. A point in the right direction: PCB drill repointing 86−8623
Yarema, I.T. *see* Sorokin, G.M. 88−38307
Yarema, R. *see* Bedeschi, F. 88−48021
Yarema, R. *see* Ruchti, R. 85−43275, 87−41845
Yarema, R. *see* Snider, F. 88−48022
Yarema, R.J., Binkley, M., Foster, W., Kadel, R., Kephart, R., Wagner, R., Zimmerman, T., Kondo, K. A surface mount amplifier-shaper-discriminator and preamplifier for the Fermilab CDF tracking chambers 86−47674
Yarema, S. *see* Orzechowski, T.J. 85−35808, 86−3233
Yarema, S.M. *see* Barletta, W.A. 85−62613
Yarema, S.M. *see* Hopkins, D.B. 87−39151
Yarema, S.M. *see* Orzechowski, T.J. 87−2161, 87−12519
Yarema, S.M. *see* Orzenchowski, T.J. 86−3196
Yaremchuk, A.F. *see* Nikolaev, I.V. 88−13024
Yaremchuk, V.A. *see* Gorshkov, B.G. 86−22170
Yaremchuk, V.A. *see* Kutakhov, V.P. 85−8441
Yaremenko, N.G. *see* Gulyayev, Yu.V. 88−19649
Yaremenko, N.N. *see* Donishev, V.G. 88−26093
Yaremenko, Yu.I. *see* Kazantseva, T.P. 85−2678
Yaremenko, Yu.I. *see* Milyutin, Ye.R. 86−23931, 86−64465
Yaremko, M., Lizzi, F.L., Feleppa, E.J., Coleman, D.J., King, D.L. Two-dimensional power spectrum analysis for ultrasonic tissue characterization 87−71119
Yaremy, E.M. International assistance to the plant operator for improved safety 88−36969
Yaremy, E.M. *see* Paulson, C.K. 86−6535
Yareshchenko, A.I. *see* Lakhodanov, S.V. 85−6185
Yarets, V.V. *see* In'kov, Yu.M. 87−9907
Yargomskii, Yu.I. *see* Posse, A.V. 88−18911
Yarichin, E.M., Shurygin, N.A. Multichannel amplifier 87−65880
Yario, W.R. *see* Kuhn, E. 86−12593
Yariv, A. The beginning of integrated optoelectronic circuits 85−12751
Yariv, A. Spectral and dynamic features of quantum well semiconductor lasers 86−68562
Yariv, A., Kwong, S.-Z., Kyuma, K. Optical associative memories based on photorefractive oscillations 87−12619
Yariv, A., Sze-Keung Kwong Theory of laser oscillation in resonators with photorefractive gain 86−3242
Yariv, A., Sze-Keung Kwong Associative memories based on message-bearing optical modes in phase-conjugate resonators 86−36603
Yariv, A., Sze-Keung Kwong, Kyuma, K. Demonstration of an all-optical associative holographic memory 86−48508

Yariv, A., Vahala, K. Noise and dynamic aspects of semiconductor lasers 85−2351
Yariv, A. *see* Agranat, A. 87−53703
Yariv, A. *see* Arakawa, Y. 85−7430, 86−9831, 86−15689, 86−22387, 86−36458, 86−36467, 87−2130, 87−7364, 88−34038
Yariv, A. *see* Bar-Chaim, N. 85−2346
Yariv, A. *see* Chen, H.Z. 88−2275, 88−8180, 88−14192, 88−18680, 88−34084, 88−40242, 88−40247
Yariv, A. *see* Chen, T.R. 85−2278, 87−45883, 87−46722, 87−68305
Yariv, A. *see* Chen, Z.H. 85−45428
Yariv, A. *see* Chiu, L.C. 85−35783
Yariv, A. *see* Cronin-Golomb, M. 85−51248, 85−56819, 86−3285, 86−15763, 86−54127, 86−63831, 87−46984, 87−68630
Yariv, A. *see* Crosignani, B. 85−7520, 86−42295, 88−33655, 88−39899
Yariv, A. *see* Derry, P.L. 87−61143, 88−51812, 88−65667
Yariv, A. *see* Friedman, A. 88−51840
Yariv, A. *see* Hori, Y. 85−41259
Yariv, A. *see* Izadpanah, S.H. 85−2298, 85−46380
Yariv, A. *see* Kaede, K. 86−50096
Yariv, A. *see* Kalem, S. 88−71302
Yariv, A. *see* Kan, S.C. 88−64276
Yariv, A. *see* Kapon, E. 85−2295, 85−18916, 85−24527, 85−24627, 86−42589
Yariv, A. *see* Katz, J. 85−12842
Yariv, A. *see* Kwong, S. 87−7407
Yariv, A. *see* Kwong, S.-K. 87−13117
Yariv, A. *see* Kwong, S.K. 86−29225
Yariv, A. *see* Lang, R.J. 85−51172, 86−22389, 86−42557, 86−42602, 86−58924, 87−2220, 87−33227, 87−39163, 87−46878, 88−34066
Yariv, A. *see* Larsson, A. 86−11591, 86−22374, 86−63817, 86−70137, 87−46910, 88−65481, 88−67396
Yariv, A. *see* Lau, K.Y. 85−2282, 85−2352 to 2353, 85−7415, 85−18915, 85−29802, 85−35772, 85−46404, 85−56601, 85−56609, 85−62607, 86−37904, 87−68573, 88−27135
Yariv, A. *see* Lee, Y.H. 86−42621
Yariv, A. *see* Lindsey, C. 85−56630, 86−3127
Yariv, A. *see* Lindsey, C.P. 85−7416, 87−68466
Yariv, A. *see* Mehuys, D. 88−13921, 88−20651, 88−65816
Yariv, A. *see* Mittelstein, M. 85−51156, 87−26387
Yariv, A. *see* Mukai, S. 85−7423
Yariv, A. *see* Paslaski, J. 88−45293
Yariv, A. *see* Rakulijic, G.A. 87−26505
Yariv, A. *see* Rakuljic, G.A. 88−65120
Yariv, A. *see* Salzman, J. 85−24551, 85−51176, 85−56605, 85−56614, 85−56661, 85−62558, 85−62621, 86−68587, 87−2109, 87−7333, 87−33228, 87−39168
Yariv, A. *see* Smith, J.S. 86−7753
Yariv, A. *see* Sze-Keung Kwong 85−19007, 85−56821, 86−36560
Yariv, A. *see* Tomita, Y. 88−20744 to 20745
Yariv, A. *see* Vahala, K. 85−2292, 85−46378, 85−56663, 87−26381, 87−33147
Yariv, A. *see* Venkatesan, T. 86−36558, 87−6525
Yariv, A. *see* Wang, H. 87−75087
Yariv, A. *see* Warren, M. 87−33305
Yariv, A. *see* Won, T. 88−50809, 88−71518
Yariv, A. *see* Yi, M.B. 85−29803, 86−28994, 88−45294
Yariz, N.A. *see* Borisov, V.A. 88−30350
Yariz, N.A. *see* Gel'fand, Ya.S. 87−9186
Yarkoni, E. *see* Jackel, S. 88−14140
Yarkoni, E. *see* Zigler, A. 88−40158
Yarkony, G., Jaeger, R., Williamson, T., Kralj, A., Quintern, J., Wu, Y. Standing by functional neuromuscular stimulation in the laboratory and the home: case reports of 18 paraplegic individuals 88−61473
Yarkov, V.S. *see* Starking, G.N. 88−4214
Yarkulov, U. Energy dependence of silicon amorphization during ion implantation. I 87−32402
Yarkulov, U. Silicon amorphization during heavy ion implantation. II 88−1347
Yarlagadda, R., Bednar, J.B., Watt, T.L. Fast algorithms for *l*p deconvolution 85−46771
Yarlagadda, R., Hershey, J. A naturalness-preserving transform for imaging coding and reconstruction 86−10473
Yarlagadda, R., Hershey, J.E. Spectral properties of the Thue-Morse sequence 85−2807
Yarlagadda, R., Lansford, J.L., Kriel, C.W. Robust spectral estimation 88−40917
Yarlagadda, R. *see* Bednar, J.B. 86−10426, 87−19660
Yarlagadda, R. *see* Day, D.D. 86−12231, 88−73120
Yarlagadda, R. *see* Hershey, J.E. 85−30508, 87−39842
Yarlagadda, R. *see* Lansford, J. 88−66412
Yarlagadda, R. *see* Schroeder, J. 87−19738, 87−56595
Yarling, C. *see* Hancock, S. 85−40592
Yarling, C.B. The use of rapid thermal annealing in a systematic ion implantation monitoring process 85−50399
Yarling, C.B., Current, M.I. Ion implantation for the challenges 88−57748
Yarling, C.B., Keenan, W.A. Troubleshooting ion implantation processes 88−57450
Yarlott, J.M. *see* Roberts, G.C. 85−45325
Yarlykov, M.S., Mironov, M.A., Artemenkov, V.S. Optimum, complex nonlinear processing of continuous and pulsed signals 85−41909
Yarlykov, M.S., Mironov, M.A., Filatov, P.P. Optimal data-processing in complex differential range-finding systems 87−49202
Yarlykov, M.S., Mironov, M.A., Filatov, P.P. Optimization of algorithms for eliminating uncertainty in the readouts of pulsed-phase difference range-finding systems 88−9677
Yarlykov, M.S., Mironov, M.A., Moiseyenko, Yu.N. Optimization of data-processing algorithms in a composite radio altimeter 86−30905
Yarlykov, M.S. *see* Mironov, M.A. 88−14707
Yarman, B.S. Modern approaches to broadband matching problems [microwave amplifiers] 85−34168
Yarman, B.S. New circuit configurations for designing 0-180° digital phase shifters 87−59674
Yarman, B.S., Akcakaya, E. Computer aided design of lossless two-ports for microwave circuitry 88−50406
Yarman, B.S., Rosen, A., Curtice, W.R., Stabile, P. Low-loss millimeter-wave digital phase shifters suitable for monolithic implementation 85−23144
Yarman, B.S., Sharma, A.K. Extension of the simplified real frequency technique and a dynamic design procedure for designing microwave amplifiers 85−23108
Yarman-Vural, F., Ataman, E. Noise, histogram and cluster validity for Gaussian-mixtured data 87−69311
Yarman-Vural, F. *see* Yalabik, N. 88−72892
Yarmchuk, E. *see* Dove, D. 88−14367
Yarmchuk, E.J. Spatial structure of media noise in film disks 87−25815
Yarmemchuk, V.V. *see* Hermel, W. 87−9945
Yarmiichuk, V.D. *see* Vasil'ev, V.P. 86−65625, 87−9094, 87−64049
Yarmilko, P.F. *see* Egorov, D.F. 86−18367
Yarmis, J.L. Networking software 85−52037
Yarmoff, J.A., McFeely, F.R. Constant final-state photoemission study of silicon fluoride reaction layer created during etching: morphology of the reaction layer 88−39237
Yarmoff, J.A., McFeely, F.R. Mechanism for chemical-vapor deposition of tungsten on silicon from tungsten hexafluoride 88−63359
Yarmoff, J.A. *see* Karlsson, U.O. 87−1324, 87−1329, 88−19760
Yarmoff, J.A. *see* Rieger, D. 87−17813
Yarmola, V.V. A method for reduction of computational expenditures in signal-discrimination problems 88−52445
Yarmolenko, V.I. *see* Sovpel', V.B. 86−6748
Yarmolik, V.N. A method of determining the connection topology of a modulo-2 adder for generating a shifted copy of an M-sequence 85−22822
Yarmolik, V.N. On the validity of binary sequence data control by the method of signature analysis 86−14096
Yarmolik, V.N. Hardware-controlled test pattern generators 86−24556
Yarmolik, V.N. Design of multichannel signature analyzers 86−31137
Yarmolik, V.N. Built-in hardware for the self-testing of LSI circuits 87−5795
Yarmolik, V.N. Use of signature analysis for testing and diagnostics of digital network structures 87−16979
Yarmolik, V.N. The shift and addition property of *M*-sequences 88−8690
Yarmolik, V.N. Analysis of signature testability of digital network elements 88−63587
Yarmolik, V.N., Kalosha, E.P. Reliability of signature analysis 88−57738
Yarmolik, V.N., Katsnel'son, E.I. Reliability of the analysis by check-sum method and signature analysis method in testing and diagnosis of network discrete structures 87−37139
Yarmolik, V.N. *see* Katsnel'son, E.I. 88−38439
Yarmolkevich, A.R. *see* Shkadarevich, A.P. 86−42508
Yarmolyuk, V.K. *see* Artemenko, V.A. 87−68715
Yarmolyuk, V.P. *see* Kuritnyk, I.P. 87−51352
Yarmoshenko, Yu.M. *see* Dolgikh, V.E. 86−44615
Yarmoshevich, E.I. *see* Yukhno, P.M. 88−34334
Yarmusevich, Ya.S. *see* Der-Shvarts, G.V. 85−45349
Yarn, K.F., Wang, Y.H., Chang, C.Y., Jame, M.S. A new GaAs bipolar-unipolar transition negative differential resistance device (BUNDR) 88−39402
Yarn, K.F., Wang, Y.H., Liou, C.P., Jame, M.S., Chang, C.Y. Effects of the third-electrode positions on three-terminal GaAs $p^+n^-\delta(p^+)n^-n^+$ switching devices 87−67309
Yarn, K.F. *see* Wang, Y.H. 87−73843
Yarom, M. Dynamic systems of differential inclusions for the bargaining sets 85−54251
Yarosh, V.E. *see* Rezvov, V.A. 85−15193
Yaroshchuk, I.O. *see* Klyatskin, V.I. 86−3489
Yaroshenko, I.F. *see* Voronin, A.A. 88−8074
Yaroshenko, M.S. *see* Dvorkina, G.Sh. 86−39924
Yaroshenko, N.A. *see* Zakharchuk, V.A. 86−60178
Yaroshenko, N.G. *see* Zakharov, M.A. 86−21001
Yaroshenko, T.I. *see* Bratuta, E.G. 88−17382
Yaroshetskii, I.D. *see* Belyakov, L.V. 86−58321, 87−60174, 88−13025
Yaroshetskii, I.D. *see* Burova, T.V. 86−24371
Yaroshetskii, I.D. *see* Ganichev, S.D. 86−5321, 86−50105, 88−14001
Yaroshetskii, I.D. *see* Zinov'ev, N.N. 86−53335
Yaroshevich, O.V. *see* Biryulin, Yu.F. 88−49802
Yaroshevich, V.V. *see* Kirillo, L.R. 85−64246
Yaroshevskii, Yu.N. Accelerated preparation for production and fabrication of modules using thin wire 87−66747
Yaroshinskii, B.G. *see* Shinkarenko, G.V. 88−17196
Yaroshinskii, V.G. *see* Gobrei, R.N. 87−30865
Yaroslaskiy, L.P. *see* Grinev, A.Yu. 85−36131
Yaroslavkii, M.I. *see* Gruzinenko, V.B. 86−15315
Yaroslavskii, A.I. *see* Boiko, V.A. 85−24487
Yaroslavskii, L.P. Possibility of holography using intensity-modulated radiation 85−51302
Yaroslavskii, L.P. On redundancy of stereoscopic pictures 85−57430
Yaroslavskii, L.P. *see* Karnaukhov, V.N. 85−57501
Yaroslavskii, L.P. *see* Kim, V. 85−57439
Yaroslavskii, L.P., Rosenfeld, A., Wilhelmi, W. *(editor)* Computer Analysis of Images and Patterns. Proceedings of the II. International Conference CAIP '87 on Automatic Image Processing 88−11601
Yaroslavskii, M.I. *see* Kochetkov, Yu.A. 86−42021
Yaroslavskii, M.I. *see* Kolesnik, V.V. 87−32783
Yaroslavskii, V.N., Zhuravlev, E.N. The equivalent-charge method with automatic basis construction 87−7491
Yaroslavskii, V.N. *see* Boyarin, N.A. 86−31295
Yaroslavskiy, L.P. The possibility of parallel recursive organization of digital filters 86−35015
Yaroslavsky, L. *see* Vitkus, R. 88−14833
Yaroslavtsev, A.A. *see* Bartolomei, P.I. 86−50792
Yaroslavtsev, E.V. *see* Baginskii, B.A. 87−44539
Yaroslovskiy, L.P. *see* Bajla, I. 87−2603
Yarov, A.S. *see* Bashmakov, Yu.A. 85−26557, 86−18223
Yarov, A.S. *see* Orlov, V.A. 86−11814, 86−44497
Yarov, V.M. *see* Zakharov, V.G. 87−16831
Yarova, A.G. *see* Basov, N.G. 87−68350
Yarova, A.G. *see* Drozhbin, Yu.A. 85−56770, 88−40318
Yarovenko, V.I. *see* Gogosha, P.I. 86−38483
Yarovenko, V.I. *see* Labii, Yu.Ya. 86−31731, 87−57939
Yarovinskii, Yu.L. *see* Kosovich, V.A. 87−72632
Yarovoi, A.A. *see* Aleshin, N.P. 86−52565
Yarovoi, A.A. *see* Volchenko, V.N. 88−18780
Yarovoi, A.G. Scattering characteristics of uneven surface in lamellar medium 87−39362
Yarovoi, A.G. *see* Zhuk, N.P. 87−33411
Yarovoi, A.N. *see* Shidlovskii, A.K. 87−78104
Yarovoi, G.P. *see* Komov, A.N. 87−19261
Yarovoi, I.F., Denisov, A.I. Application of a spectral method to the calculation of transient processes in rectifier systems 86−26159
Yarovoi, L.K. *see* Dianov, E.M. 87−29364
Yarovoi, L.K. *see* Svirid, V.A. 85−19069
Yarranton, A. Surface acoustic wave devices 86−42069
Yarranton, A., Milne, J.D. Ferrite devices 86−42146
Yarrow, K.G. Production testing of optical fibers and cables 86−30768
Yartsev, I.M. *see* Polishchuk, V.P. 87−66815
Yartsev, V.I. *see* Bakumenko, V.M. 87−26255
Yartsev, V.I. *see* Shevyrev, A.S. 87−2079
Yartsev, V.P. *see* Antyukhov, V.V. 86−9749
Yartseva, O.N. *see* Bogolyubskii, S.L. 88−49163
Yartseva, T.S. *see* Rozanov, A.V. 85−6661, 85−56961
Yarukhin, A.I. *see* Zakharov, Yu.N. 86−14083
Yarunchenko, G.A. *see* Khramov, N.Ya. 86−39723
Yarushkin, Yu.P. *see* Anan'ev, L.M. 85−11001
Yarworth, S. Common pitfalls in evoked potential technology 88−29997
Yarygin, A.P. *see* Koluchev, S.A. 85−2584
Yarygin, A.S. *see* Shepelevskii, L.Yu. 85−4171, 85−58517
Yarygin, N.N. *see* Ageyev, A.I. 88−45015
Yarygin, V.I. *see* Gorodetskii, D.A. 85−28897
Yarygin, V.I. *see* Gun'ko, V.M. 85−32719
Yarykin, N.A. *see* Koveshnikov, S.V. 88−33076
Yaryna, V.P. *see* Grigor'ev, E.I. 87−29439
Yaryna, V.P. *see* Sevast'yanov, V.D. 87−35329
Yaryshev, S.N. *see* Andreev, A.L. 87−63866
Yasaitis, J.A. *see* Herndon, T.O. 85−23900
Yasaka, A. *see* Yamamoto, M. 87−11533

Yasaka, H., Fukuda, M., Ikegami, T. Current tailoring for lowering linewidth floor [semiconductor lasers] 88−58529
Yasaka, H., Yoshikuni, Y., Motosugi, G., Oe, K. Optical frequency scanning of a stabilised and linewidth-reduced multielectrode DFB laser using current feedback 87−75088
Yasaka, H., Yoshikuni, Y., Nakano, Y., Oe, K. Optical frequency stabilisation and linewidth reduction of a multielectrode DFB laser with current feedback 88−2238
Yasaka, H. *see* Hata, S. 88−64627
Yasaka, H. *see* Kawaguchi, H. 87−75096, 88−20773
Yasaka, H. *see* Nakano, Y. 87−76734
Yasaka, H. *see* Takeuchi, H. 87−60943
Yasaka, M. *see* Ishihara, K. 85−27843, 86−52069
Yasaka, T., Hatsuda, T. Geostationary tether satellite system and its application to communication systems 88−46963
Yasaka, T. *see* Kumazawa, H. 88−27608
Yasaka, T. *see* Minomo, M. 87−12823
Yasaka, Y. *see* Noda, A. 86−24939
Yasaki, N., Miyazawa, Y., Okada, K. TOSNIC 2000 series−uninterruptible power system using new GTOs 85−39119
Yasan, E.D. *see* Cazabat, C.R. 87−70637
Yasanuga, S. *see* Murakami, H. 86−7339
Yase, K. *see* Inaoka, K. 88−43882
Yasenev, M.V. *see* Aulchenko, V.M. 88−16637
Yasha, C. *see* Tran, T. 86−2424
Yashchenko, N.M. *see* Koshelev, P.A. 86−45858
Yashchin, E. Some aspects of the theory of statistical control schemes 87−72871
Yashchishin, E.M. *see* Charplin, A.F. 87−19227
Yashchuk, S.Ya. *see* Abramovich, R.D. 86−33271
Yashchuk, V.P. *see* Belyi, M.U. 88−67797
Yashihara, H. *see* Yamanishi, H. 88−12056
Yashikuni, Y. *see* Kawamura, Y. 86−36245
Yashima, H., Mori, S. Intermodulation effects in PSK, MSK and QORC modulation systems 87−27148
Yashima, H., Mori, S. Intermodulation effects in PSK, MSK, and QORC modulation systems 88−2938
Yashima, H., Nogami, T., Mikawa, H. Lithium batteries and electric double-layer capacitors composed of activated carbon fibre electrodes 85−39186
Yashima, H., Sasase, I., Mori, S. Improvement of intermodulation effects by block division slot setting 88−72726
Yashima, H. *see* Mikawa, H. 86−6988
Yashima, H. *see* Sasase, I. 88−45871
Yashima, I. *see* Miura, N. 86−5195
Yashima, M. *see* Hara, M. 85−21230
Yashima, S. Identification of deterioration and its mechanism [steam generator tubes] 85−38761
Yashima, S. *see* Sato, T. 87−7346
Yashima, Y., Hashimoto, H. Simulation of intraframe DPCM coding for high resolution TV signals 86−30999
Yashima, Y., Sawada, K. Adaptive intraframe/interframe coding for HDTV signals by using extrapolative and interpolative prediction 87−41175
Yashima, Y., Sawada, K. A highly efficient coding method for HDTV signals 88−4187
Yashima, Y. *see* Toriwaki, J. 85−36454
Yashin, A.A. Modelling of components of solid-state integrated circuits using algorithms for successive transformations 85−17079
Yashin, A.A. Standardization of conformal transformations by the Christoffel-Schwarz integral in designing hybrid and semiconductor IC components 86−34269
Yashin, A.A. Application of a class of approximate conformal transformations for calculating microstripline parameters 86−36812
Yashin, A.A. Quasiregular minimal-length planar transitions for microstrip lines 86−47042
Yashin, A.A. Estimate of the associated distributed electrical and thermal parameters of microwave monolithic ICs with a groove line 86−53041
Yashin, A.A. A universal method of analyzing strip lines in a quasi-*T* approximation taking the actual configuration of the conductors into account 87−68841
Yashin, A.A. An experimental-analytical method of calculating the Schwarz-Christoffel integral constants in problems of modeling integrated microwave structures 88−63941
Yashin, A.A., Choban, Ya.M. Synthesis of optimum smooth junction in a grooved microstrip line of microwave integrated circuits 85−50046
Yashin, I.I. *see* Alalykin, V.G. 86−1652
Yashin, I.V. *see* Fedorov, A.N. 88−50020
Yashin, N.M. Identification of interference bands by cell-wall discontinuities 87−61261
Yashin, S.L. *see* Shuster, K.Sh. 88−55385
Yashin, S.N. *see* Morozov, V.A. 86−65340
Yashin, V.E. *see* Bayanov, V.I. 85−2270, 87−33128
Yashin, V.E. *see* Karpukhin, S.N. 85−24651, 85−41502
Yashin, V.E. *see* Kryzhanovskii, V.I. 88−58499
Yashin, V.E. *see* Vasil'ev, A.F. 88−14274
Yashin, Yu.N. *see* Gutman, I.Yu. 87−4424
Yashin, Yu.N. *see* Solomatov, V.N. 87−21958
Yashina, N.O. *see* Kalikhman, V.L. 85−34239
Yashina, N.P. *see* Sirenko, Yu.K. 88−66153
Yashina, T.V. *see* Andreev, S.I. 88−1903
Yashiro, H. *see* Ohno, J. 88−22767, 88−60920
Yashiro, H. *see* Sarro, P.M. 88−47533
Yashiro, K., Miyazaki, M., Ohkawa, S. Boundary element method approach to magnetostatic wave problems 85−35325
Yashiro, K., Nagumo, M., Ohkawa, S., Kinoshita, Y. Effect of additional heavy metal layer on ZnO-Si monolithic SAW devices 85−7125
Yashiro, K., Ohkawa, S. Boundary element method for electromagnetic scattering from cylinders 85−41581
Yashiro, K., Ohkawa, S. A new development of an equivalent circuit model for magnetostatic forward volume wave transducers 88−57999
Yashiro, K. *see* Kaneta, M. 88−71951
Yashiro, K. *see* Kojima, E. 86−26534, 87−58577
Yashiro, K. *see* Miyazaki, M. 85−46016
Yashiro, K.'i., Nishihara, Y., Ohkawa, S. Ultrasonic beam scanning by frequency sweep 88−16963
Yashiro, M. *see* Baglee, D.A. 86−47745, 87−752
Yashiro, M. *see* Ebihara, D. 88−69422
Yashiro, M. *see* Imai, H. 85−19348, 87−2414
Yashiro, T., Kikuchi, Y., Matsubayashi, Y., Moriizumi, H. The effects of barium ferrite particles added to VHS tapes 87−46347
Yashiro, T., Murata, H., Yamamura, T., Tanabe, T. Application of liquid crystal polymer materials to optical fiber cables 87−38838
Yashiro, T. *see* Arakawa, K. 86−11095
Yashiro, T. *see* Mochizuki, S. 86−49651, 88−7878
Yashiro, T. *see* Ohhashi, N. 86−53270
Yashiro, Y., Hachimura, K., Kikunaga, J. Multifunctional regulator 88−24985
Yashiro, Z., Aoki, M., Nishiwaki, M. Hardware design for a high-throughput packet switching system 87−33938
Yashiro, Z., Nishiwaki, M., Aoki, M., Honda, T. High-throughput packet switching equipment 86−64639
Yashiro, Z., Tonami, S., Nishiwaki, M., Ishino, F. A distributed high-throughput packet switching system 86−30394
Yashiro, Z. *see* Tonami, S. 88−35283
Yashkin, I.L. *see* Belyi, V.I. 87−17960
Yashkir, O.V., Yashkir, Yu.N. Characteristics of nonlinear optical excitation of modes in planar waveguide structures 88−20409
Yashkir, O.V., Yashkir, Yu.N. Nonlinear optical processes in planar waveguides and excitation of surface polaritons 88−51503
Yashkir, Yu.N. Fluctuation-dissipation theory of four-photon parametric frequency up-converters 85−41506
Yashkir, Yu.N. *see* Galaichuk, Yu.A. 85−41511, 86−22523
Yashkir, Yu.N. *see* Strizhevskii, V.L. 88−20750
Yashkir, Yu.N. *see* Yashkir, O.V. 88−20409, 88−51503
Yashkov, O.V. *see* Pis'menetskii, V.A. 87−70507, 88−21202
Yashkov, S.F. Analysis of a system with priority-based processor sharing 86−10593
Yashkov, V.A. A mathematical model for predicting security of supply under complicated natural and climatic conditions 87−78212
Yashkov, V.A. Finding the frequency of testing of 6-10 kV cable lines as a function of length 88−5363
Yashkul', D.M. Experience in operating the hydraulic structures of the Borisoglebsk hydroelectric station 86−33191
Yashnik, V.M. *see* Ivanov, V.N. 87−73707
Yashukov, V.P. *see* Dimakov, S.A. 87−68361
Yashukov, V.P. *see* Kimakov, S.A. 86−9755
Yashunskii, A.Ya. *see* Palevich, K.K. 85−22007
Yasi Jiang *see* Jiang Yasi
Yasida, T. *see* Goulianos, K. 88−68290
Yasin, H. *see* Hamed, M. 88−10827
Yasin, J., Gwozdz, J.C. Gasification combined cycle poses challenges, opportunities 88−30594
Yasin, M.M. *see* Thomas, P.G. 86−37514, 87−48634, 87−76369
Yasinskaya, N.V. *see* Bochkovskii, B.B. 85−15636, 86−32782
Yasinskaya, N.V. *see* Burgsdorf, V.V. 87−4420
Yasinskaya, N.V. *see* Sherentsis, A.N. 86−25607
Yasinski, K.M. *see* Aberson, J.A. 86−11099
Yasinski, K.M. *see* Judy, A.F. 88−26826
Yasinskii, A.V. *see* Vigak, V.M. 86−22448
Yasinskii, V.M. *see* Gudelev, V.G. 85−2219
Yasinskii, V.M. *see* Shpak, I.V. 87−68369
Yasinyavichene, G.M. Logic models of macroelements fabricated from defective current switches 88−32089
Yaskevich, A.P. *see* Gumirov, R.Z. 86−44265
Yas'ko, A.A. *see* Gorodetskii, D.A. 85−28897
Yasko, O.I. *see* Vashkevich, V.A. 85−6635
Yaskorskii, A.V. Operating quality criterion for contour detectors 88−28003
Yas'kov, D.A. *see* Bakin, A.S. 88−38149
Yas'kov, D.A. *see* Dedegkaev, T.T. 86−66846
Yaskovets, I.I. *see* Shpinar, L.I. 85−18047
Yasng, J., Ross, R., Mohr, R., Fournier, J.P. Status of fluorinated amorphous silicon alloy multijunction solar cells 87−22776
Yasni, E., Carrington, C.G. Off-design exergy audit of a thermal power station 88−75432
Yasnitskii, L.N. *see* Samoilovich, Yu.A. 86−3463
Yasnogorodskii, A.M. *see* Kumshaev, S.B. 85−26193
Yasnogorodsky, A.M., Ostashko, V.V. Polarized ^{3}He target device at the U-240 cyclotron 87−3871
Yaso, A. Osaka Traffic Bureau, System 20 VVVF inverter trains 87−9903
Yasohama, K., Morita, K., Ogasawara, T. Superconducting properties of Cu-NbTi composite wires with fine filaments 87−67831
Yasohama, K. *see* Ohkubo, H. 85−62216
Yasohama, K. *see* Okada, T. 86−28731
Yasohara, M. *see* Hasegawa, M. 88−23986
Yasojima, M. *see* Hoshimiya, N. 88−61456
Yasojima, Y. *see* Tanaka, T. 86−15302
Yasoveev, V.Kh. *see* Urakseev, M.A. 86−56833
Yasrebi, M., Lipovski, G.J. A state-of-the-art SIMD two-dimensional FFT array processor 85−20559
Yassa, F.F. Optimizing the convergence factor for the frequency domain adaptive algorithm 86−3921
Yassa, F.F. A generalized filter structure for IIR adaptive filters 86−14401
Yassa, F.F. Optimality in the choice of the convergence factor for gradient-based adaptive algorithms 87−33679
Yassa, F.F., Jasica, J.R., Hartley, R.I., Noujaim, S.E. A silicon compiler for digital signal processing: methodology, implementation, and applications 88−6917
Yassa, F.F., Kratzer, S.G. A VLSI implementation of the partial rank algorithm for adaptive signal processing 87−60575
Yassa, F.F., Mikhael, W.B. A comparative study of new and existing stable recursive adaptive filters 85−17720
Yassa, F.F., Murcek, R.J. A microcomputer-controlled implementation of programmable analog and sampled-data filters for signal processing 86−54525
Yassa, F.F., Murcek, R.J. Implementation of adaptive filters using microcomputer-controlled programmable analog filters 86−54526
Yassa, F.F., Mureck, R.J. Hardware realization of an adaptive algorithm using a microcomputer-controlled programmable analog filter 87−5942
Yassaie, M.H. IMS A100−A high performance signal processing component 87−37387
Yassaie, M.H., Creasey, D.J. Doppler scanning correlator 85−51534
Yassale, H. *see* King-Smith, T. 87−19640
Yassen, M.L. *see* Dvoryankina, G.G. 87−37887
Yassen, M.L. *see* Luft, B.D. 86−28192
Yassievich, I.N. *see* Dmitriev, A.P. 87−45588
Yassievich, I.N. *see* Khalfin, V.B. 86−14864
Yassin, G., Laine, D.C. Rectangular flat-roof microwave resonator for molecular beam masers 86−9709
Yassin, G., Laine, D.C. Rotation of elliptical oscillation in a molecular beam maser in a weak axial magnetic field 86−22267
Yassin, K. *see* Croitoru, N. 85−61712
Yassine, H.M. Four first-order switched capacitor circuits 85−11403
Yassine, H.M. General analogue-to-digital transformation [discrete-time filters] 86−34496
Yassine, H.M. A new approach to *s-z* transformations 86−57948
Yassine, H.M. Exact discrete time synthesis [ladder filters] 86−62683
Yassine, H.M. *see* Marnane, W.P. 88−25265
Yassine, H.M. *see* Moore, W.R. 88−530
Yastrebenetskii, M.A., Vinogradskaya, S.V., Plotkin, V.A. Operating reliability of automation devices in thermal power stations 85−21441
Yastrebenetskii, M.A. *see* Gol'dman, V. 85−21305
Yastrebenetskii, M.A. *see* Gritskov, V.I. 85−21278
Yastrebkov, A.B. *see* Akhrarov, M. 87−26292
Yastrebkov, A.B. *see* Shatalov, A.A. 85−2831
Yastrebkov, A.B. *see* Vasil'ev, B.I. 85−18868
Yastrebov, I.A. *see* Bykov, V.L. 85−36994
Yastrebov, I.G., Babichev, L.P., Brashevan, G.A. Methods of measuring the magnetostriction of magnetically soft alloys 88−53833
Yastrebov, N.I. Improving the efficiency of symbolic-analysis decomposition algorithms 87−10624
Yastrebov, N.I. *see* Trokhimenko, Ya.K. 87−44466
Yastrebov, P.P. More about vector diagrams a transformer equivalent circuit 86−6841
Yastrebov, S.A., Fridkin, R.Z., Gladuscko, O.A., Ivanova, E.G. Determining the spectral absorptivity of window glass 87−25909
Yastrebov, V.D. *see* Chernov, A.A. 86−10384, 86−12058
Yastrebova, N.M. *see* Zoninashvili, V.V. 86−31742

Yastrebova, T.V. *see* Betin, A.A. 87−26460
Yastremskii, I.Yu. *see* Tsarenko, A.I. 88−58613
Yasu, M., Kawachi, M., Kobayashi, M. Fabrication of SiO_2-TiO_2 glass planar optical waveguides by soot deposition process 85−62384
Yasu, M., Kawachi, M., Kobayashi, M. Fabrication of SiO_2-TiO_2 glass planar optical waveguides by soot deposition process 87−53965
Yasu, M. *see* Kawachi, M. 85−35448
Yasu, M. *see* Sumida, S. 86−69782
Yasu, M. *see* Takato, N. 86−36149, 88−67409, 88−72095
Yasu, M. *see* Terada, K. 88−6052
Yasu, M. *see* Yamada, Y. 85−29530, 86−48109
Yasu, Y. *see* Ikeno, M. 85−3913
Yasu, Y. *see* Ohska, T.K. 86−50422
Yasu, Y. *see* Shinoda, T. 87−24209
Yasuaki Okuda New digital satellite service−advanced reservation service 87−76660
Yasuami, S., Fukuta, K., Nakanisi, T. Preferential in-water oxidation around defect in undoped LEC semi-insulating GaAs wafers 86−15052
Yasuami, S., Fukuta, K., Watanabe, M., Nakanisi, T. Composition effect on CV profile and threshold voltage for MESFETs fabricated in undoped LEC SI GaAs 87−32556
Yasuami, S. *see* Naritsuka, S. 88−18698
Yasuami, S. *see* Terashima, K. 86−52435
Yasuami, S. *see* Usuda, K. 88−19788, 88−50701
Yasuda, A., Itabashi, M., Kondo, H., Mori, H., Seto, J. An electrochromic display using viologen-cyclodextrin inclusion complex 88−42228
Yasuda, A., Kuwashima, S., Kanai, Y. A shipborne-type wave-height meter for oceangoing vessels, using microwave Doppler radar 85−53185
Yasuda, A. *see* Kobayashi, H. 87−30611, 88−43321
Yasuda, A. *see* Kuwashima, S. 85−48484
Yasuda, A. *see* Nitta, S. 88−456, 88−24766
Yasuda, B.J. *see* Vroombout, L.O. 87−14175
Yasuda, E. *see* Kennedy, W.M. 86−66129
Yasuda, E.J. *see* Legate, A.C. 88−49080
Yasuda, H. Video telecommunication systems 85−37332
Yasuda, H. Video telecommunications−broadband visual communication 87−34845
Yasuda, H. Future prospect of image processing LSIs 87−74367
Yasuda, H. International standardization of colour still picture coding 88−28040
Yasuda, H. *see* Hamaguchi, S. 88−39307
Yasuda, H. *see* Hirano, M. 87−63351, 88−9991
Yasuda, H. *see* Karibe, I. 88−15800
Yasuda, H. *see* Kato, Y. 87−34850
Yasuda, H. *see* Kurosu, T. 87−61011
Yasuda, H. *see* Mikuriya, H. 85−58388
Yasuda, H. *see* Ochii, K. 86−14222
Yasuda, H. *see* Okamura, K. 86−67079
Yasuda, H. *see* Okumura, K. 88−12241
Yasuda, H. *see* Takahashi, K. 87−36101
Yasuda, I., Yoshisato, Y., Yoshikawa, H., Taketa, K., Yazaki, T. Double track video heads for magnetic disk 86−58689
Yasuda, K., Aoki, T., Imori, Y. Evaluation of contact resistance characteristics for tin plated connector contacts in accelerated degradation test 87−11128
Yasuda, K., Aoki, T., Imori, Y. Evaluation of contact resistance characteristics for tin plated connector contacts in accelerated degradation test 87−73850
Yasuda, K., Hasegawa, J. Electric energy storage system and its optimal operation 88−69722
Yasuda, K., Hayakawa, T., Saji, M. Annealing effects of Al/n-type 6H SiC rectifying contacts 87−74105
Yasuda, K., Kaneko, R. R/W experiment using high-speed flexible disk 88−26666
Yasuda, K., Masuda, H., Takeda, M., Ikuta, S., Wada, T., Yoshida, A. High-energy electron irradiation of silicon single crystal. I. Resistivity-electron fluence relations 85−34475
Yasuda, K., Nakano, K., Ando, Y., Kanai, T. Insertion force reduction in multi-pin connectors with various tip shapes 88−57048
Yasuda, K., Takeda, M., Masuda, H., Yoshida, A. Radiation effects in a photo-coupler with high-energy electrons and γ-rays and recovery by current annealing 85−41272
Yasuda, K., Takeda, M., Masuda, H., Yoshida, A. Radiation effects in semiconductor devices. II. Electron and gamma-ray irradiation of photocoupler 85−56439
Yasuda, K., Umemura, S., Aoki, T. Degradation mechanisms in tin and gold plated connector contacts 87−37646
Yasuda, K. *see* Hasegawa, J. 87−78012
Yasuda, K. *see* Hata, K. 86−19646
Yasuda, K. *see* Inoue, H. 86−22726 to 22727
Yasuda, K. *see* Ishitobi, M. 86−58751
Yasuda, K. *see* Kon, T. 88−64118
Yasuda, K. *see* Mashiko, K. 87−10872
Yasuda, K. *see* Masuda, H. 88−31845
Yasuda, K. *see* Mohri, K. 88−53625, 88−53636
Yasuda, K. *see* Sasakura, K. 86−14614
Yasuda, K. *see* Tsukamoto, O. 88−69833
Yasuda, K. *see* Tsuya, H. 86−21116
Yasuda, K. *see* Wada, T. 85−45553
Yasuda, K.-i. *see* Umemura, S. 88−12699
Yasuda, K.I., Umemura, S., Aoki, T. Degradation mechanism in tin and gold-plated connector contacts 88−19469
Yasuda, M. Apparent depths of figures and a model for size constancy 87−8398
Yasuda, M., Isono, H. Apparent motion perception under light-adapted condition 87−63175
Yasuda, M., Isono, H. Apparent motion perception under light-adapted conditions and its connection with a retina model 88−42232
Yasuda, M., Ohgushi, K. Vision and hearing 85−37235
Yasuda, M., Ohnishi, H., Nakano, K., Murakami, T., Asada, A. Circuit protector for control equipment 87−64764
Yasuda, M. *see* Hasegawa, K. 86−50362
Yasuda, M. *see* Isono, H. 88−9749, 88−42555
Yasuda, M. *see* Nagata, S. 86−4242
Yasuda, M. *see* Sato, T. 85−58051
Yasuda, M. *see* Yoshida, T. 87−34085
Yasuda, N., Ichihara, K., Hori, A. Preparation of terbium-cobalt thin films for erasable optical memory disk 87−5510
Yasuda, N., Mori, M., Shimanuki, S., Terashima, Y., Ichihara, K., Hori, A. Amorphous RE-TM thin film disk memory−magneto-optical disk with improved oxidation and crack-resistance 86−42382
Yasuda, N. *see* Fujimoto, S. 87−46259
Yasuda, N. *see* Ichihara, K. 86−42156, 87−25757, 88−44945, 88−64951
Yasuda, N. *see* Iwasaka, Y. 85−37113
Yasuda, N. *see* Kikuchi, E. 87−45361
Yasuda, N. *see* Shimanuki, S. 87−67694
Yasuda, N. *see* Tanaka, R. 88−51598
Yasuda, N. *see* Tanimoto, H. 88−50649
Yasuda, R. *see* Morimoto, K. 88−29577
Yasuda, S., Nakamura, S. An approach of realizing a programmable FIR digital filter 85−17692
Yasuda, S., Nakamura, S. A realization of composite FIR filters 87−45104
Yasuda, S. *see* Ariyoshi, T. 88−70843
Yasuda, S. *see* Fuyuki, T. 88−37470
Yasuda, S. *see* Matsumoto, K. 87−37422
Yasuda, S. *see* Matsunami, H. 88−18749
Yasuda, S. *see* Nakamura, S. 85−61378
Yasuda, S. *see* Nishizawa, T. 86−36971
Yasuda, S. *see* Ohtomo, T. 87−27249, 87−75758, 88−27853, 88−45992
Yasuda, S. *see* Takai, T. 86−34856
Yasuda, S. *see* Takeuchi, H. 86−44066
Yasuda, S. *see* Tokuno, A. 87−8427
Yasuda, T., Hara, K., Kukimoto, H. Low resistivity Al-doped ZnS grown by MOVPE 87−10424
Yasuda, T., Hara, K., Mitsuishi, I., Kukimoto, H. Metalorganic chemical vapor deposition of wide gap II-VI compound semiconductors 88−12061
Yasuda, T., Hara, K., Mizuta, M., Kukimoto, H., Ito, S., Morimoto, K. Manganese doped ZnS grown by plasma-assisted MOCVD 85−44801
Yasuda, T., Hashimoto, Y., Yokoi, S., Toriwaki, J. Planning support system for craniofacial surgery using CT images 88−23067
Yasuda, T., Komiyama, H., Tanaka, K. Gas-sensitive electrical conduction and its mechanism in a Ag-insulator system with locally discontinuous structure 87−63382
Yasuda, T., Mitsuishi, I., Kukimoto, H. Metalorganic vapor phase epitaxy of low-resistivity *p*-type ZnSe 88−24702
Yasuda, T., Topriwaki, J., Yokoi, S., Katada, K. A three-dimensional display system of CT images for surgical planning 85−38126
Yasuda, T. *see* Engels, E., Jr. 87−29488
Yasuda, T. *see* Hamada, Y. 87−49351
Yasuda, T. *see* Nomura, T. 87−379, 87−57451, 87−60769, 88−13637
Yasuda, T. *see* Ogihara, S. 86−26644
Yasuda, T. *see* Ohsaki, T. 88−25747
Yasuda, T. *see* Tabayshi, S. 85−26983
Yasuda, T. *see* Tanabe, T. 85−53930
Yasuda, T. *see* Yokoi, S. 87−57196
Yasuda, Y. Recent trends of image coding technology 86−54543
Yasuda, Y. Structure theory for projective sets in the plane with countable sections 87−36607
Yasuda, Y., Hirata, Y. Decoding method for low rate forward error correcting code 85−19352
Yasuda, Y., Komagata, H., Hagiwara, E. An experimental study on Viterbi decoder output error characteristics 88−45927
Yasuda, Y., Mawatari, K. Outline of information networks 88−41197
Yasuda, Y., Ohashi, M., Sugaya, F., Okinaka, H., Hirata, Y. Field experiment on digital maritime satellite communication systems 88−46998
Yasuda, Y., Tokuda, Y., Zaima, S., Pak, K., Nakamura, T., Yoshida, A. Realization of quaternary logic circuits by n-channel MOS devices 86−34704
Yasuda, Y., Yamazaki, Y., Kamae, T., Kobayashi, K. Advances in FAX [facsimile communication] 85−51990
Yasuda, Y. *see* Hagiwara, E. 86−55251, 88−10459
Yasuda, Y. *see* Hamada, T. 87−40763
Yasuda, Y. *see* Hirata, Y. 85−14183
Yasuda, Y. *see* Ishida, M. 86−26858, 86−57469
Yasuda, Y. *see* Kashiki, K. 85−13492, 86−23822
Yasuda, Y. *see* Kato, S. 87−75900, 88−46286
Yasuda, Y. *see* Kawahito, S. 86−27490
Yasuda, Y. *see* Maenaka, K. 87−3728
Yasuda, Y. *see* Namiki, J. 87−34258
Yasuda, Y. *see* Pak, K. 85−39723, 87−17953, 87−32250
Yasuda, Y. *see* Sakai, T. 88−35432
Yasuda, Y. *see* Takase, A. 88−9306
Yasuda, Y. *see* Tanaka, S. 86−54836
Yasuda, Y. *see* Tanaka, T. 87−32487
Yasuda, Y. *see* Yanagisawa, I. 88−46569
Yasuda, Y. *see* Zaima, S. 85−40049, 87−24756, 88−32935
Yasue, H. *see* Muramatsu, T. 85−58443, 86−58661
Yasue, M. *see* Tanabe, T. 87−63616
Yasue, T. *see* Kitazume, Y. 87−19575
Yasue, T. *see* Shima, Y. 86−52306, 87−60025, 88−70153
Yasufuku, M. A historical survey of Fujitsu semiconductor devices 86−26596
Yasufuku, S., Inohara, T. Carbon-fiber technology and its application to the electrical industry in Japan 88−24815
Yasugi, T. *see* Ito, K. 87−41224
Yasugi, T. *see* Tsukada, K. 87−40908
Yasuhara, F. *see* Oyama, K.I. 86−6102
Yasuhara, H. Development of computer-controlled interlocking system 85−16311
Yasuhara, H. High-speed rotary test apparatus 85−47831
Yasuhara, K. *see* Yamamoto, T. 88−36479
Yasuhara, K. *see* Yamamoto, Y. 85−38002, 88−74848
Yasuhara, M. Model reference adaptive control system applied to signal encoding 88−34714
Yasuhara, M., Hashimoto, K. Speech coding by model reference adaptive control 88−8714
Yasuhara, T., Duncan, W.J. An intelligent field instrumentation system employing fiber optic transmission 86−11441
Yasuhara, T., Gomi, M., Abe, M. Sputter-deposition of spinel-ferrite films for magneto-optic memory 86−9635
Yasuhara, T., Gomi, M., Abe, M. Role of Cr^{3+} on perpendicular magnetic anisotropy in CoCr ferrite thin films for magneto-optic memory 88−33524
Yasuhara, T., Kuroiwa, S. Fiber optic field instrumentation system 88−4293
Yasuhara, T., Nabeta, E., Tamai, M., Kuroiwa, S., Kohno, M. New field instrumentation system employing optical fibers 86−2837
Yasuhara, Y. *see* Kodama, T. 87−12022, 87−25753, 87−60747, 88−12484
Yasuhira, T. *see* Kato, Y. 87−42212
Yasuhisa, N. *see* Mori, S. 87−25474
Yasuhisa, N. *see* Watanabe, T. 88−1463
Yasuho, H. Bipolar-CMOS digital LSI for personal computers to large machines 88−12279
Yasuho, T. *see* Tsuboi, Y. 88−74174
Yasui, H., Nakashima, K., Kazumi, I. Design of INS Model System customer equipment 85−13722
Yasui, H., Nakashima, K., Kazumi, I. Design of INS Model Systems customer equipment 85−47066
Yasui, H. *see* Ogawa, Y. 86−11455
Yasui, H. *see* Takeya, K. 88−75435
Yasui, H. *see* Tanimoto, M. 86−31006, 86−54559, 88−41024
Yasui, J., Ogawa, S.-i., Yoshida, T., Terui, Y. Low resistivity tungsten/titanium-silicide/silicon contact for submicron VLSI 88−19858
Yasui, J. *see* Fuse, G. 88−19166
Yasui, J. *see* Kubota, S. 87−64084
Yasui, J. *see* Miyauchi, M. 88−44785
Yasui, J. *see* Noyori, M. 85−6970
Yasui, J. *see* Uya, M. 85−22800
Yasui, K., Nakagawa, T., Osaki, S. A summary of optimum replacement policies for a parallel redundant system 88−70183
Yasui, K., Nakagawa, T., Sawa, Y. Inspection policies for a computer with *n*-1/*n* parallel redundant system 86−253
Yasui, K., Sakaguchi, I., Hukuhara, K., Aoki, K. Research report concerning flow speeds inside seawater pipes and biological material cohesion. II. Wall roughness and biofouling [power plant cooling pipes] 85−59843
Yasui, K., Tanaka, M., Yagi, S. Unstable resonator with phase-unifying coupler for high-power lasers 88−34064
Yasui, K. *see* Kusaku, T. 86−18178
Yasui, K. *see* Matsuita, A. 86−12653
Yasui, K. *see* Miyazaki, H. 85−19054
Yasui, K. *see* Nakagawa, T. 88−31423
Yasui, M., Maekawa, K., Naganuma, Y., Suzuki, K., Kojima, Y., Ando, H. Removal of icy snow accumulation on the transmission line by applying LC-Spiral rod 87−78158
Yasui, M., Murooka, M. Practical design of AC 1000 kV insulator assemblies 88−48598

Yasui, M., Naito, K., Hasegawa, Y. AC withstand voltage characteristics of insulator string covered with snow 88-69020
Yasui, M. *see* Herak, T.V. 85-18786
Yasui, M. *see* Ikeda, T. 87-34872
Yasui, M. *see* Morishita, S. 86-51048
Yasui, M. *see* Sawada, Y. 86-51001
Yasui, M. *see* Sunata, T. 86-31543, 87-3669
Yasui, M. *see* Takuma, T. 86-6327
Yasui, M. *see* Uchiyama, M. 88-23638
Yasui, S. *see* Iseki, T. 88-18238
Yasui, S. *see* Matsumoto, M. 86-58141
Yasui, S. *see* Teshima, T. 87-77337
Yasui, S. *see* Yamada, M. 88-74842
Yasui, T. Telecommunications network principles and structure towards information network system 87-33990
Yasui, T. Qualifications of engineers for network construction work 88-6136
Yasui, T., Goto, H. Overview of optical switching technologies in Japan 87-56139
Yasui, T., Sampei, T. Highspeed and broadband switching systems 88-3732
Yasui, T. *see* Hagiwara, T. 86-8256
Yasui, T. *see* Hiraide, K. 88-15295
Yasui, T. *see* Kawamoto, H. 85-22874
Yasui, T. *see* Kikuchi, K. 88-4044
Yasui, T. *see* Meguro, S. 85-50721
Yasui, T. *see* Odaka, M. 86-34816
Yasui, T. *see* Ogiue, K. 86-46822
Yasui, T. *see* Shirase, K. 88-72432
Yasui, T. *see* Yamamoto, S. 86-14219, 86-20532
Yasui, T. *see* Yatsuda, Y. 85-17381, 85-35170
Yasui, T. *see* Yoshizaki, K. 86-8252
Yasui, Y., Igi, Y., Ito, H. Development of voice storage system for offices 85-63230
Yasui, Y. *see* Higuchi, H. 85-47657
Yasuishi, S. *see* Ohsugi, T. 88-61125
Yasukana, H., Furukawa, I., Ishiyama, Y. Characteristics of acoustic echo cancellers using subband sampling and decorrelation methods 88-66325
Yasukawa, A., Sakamoto, T. Stress analysis and hybrid technology 88-44499
Yasukawa, H. Multi-purpose equipment practice for communication office terminals and its cooling characteristics 85-22260
Yasukawa, H. Multipurpose equipment practice for communication office terminals and its cooling characteristics 87-2725
Yasukawa, H., Nishino, M., Ishimaru, K., Murakami, H. Echo return loss required for acoustic echo canceller based on subjective assessment 87-19218
Yasukawa, H., Shimada, S. Voice-band bothway repeater using echo cancellers for automatic call-transfer service 86-64847
Yasukawa, H. *see* Furukawa, I. 87-39409, 88-34364, 88-45725
Yasukawa, H. *see* Shimada, S. 85-51945, 87-75760, 88-21804
Yasukawa, J. *see* Kamamori, H. 85-14945
Yasukawa, J. *see* Suginoya, M. 88-40045
Yasukawa, K., Araki, K., Kashiki, K., Aruga, T. Research and development activities of optical ISLs in Japan 88-67297
Yasukawa, K., Date, M., Igarashi, M., Sawada, Y. Power regeneration type inverter THYFREC-VT86XR 88-23859
Yasukawa, K., Yamada, M. The 11.9 GHz rain attenuation and site diversity effect on the Earth-space paths of low elevation angles 86-22684
Yasukawa, K. *see* Date, M. 88-24050, 88-53891
Yasukawa, K. *see* Karasawa, Y. 85-57040, 88-66065
Yasukawa, K. *see* Kodama, T. 88-23923
Yasukawa, K. *see* Muratani, T. 86-49519
Yasukawa, K. *see* Yamada, M. 86-64004
Yasukawa, S., Fujita, S., Hasebe, T., Sato, K. Development of an on-board energy saving train operation system for the Shinkansen electric railcars 88-37678
Yasukawa, S., Kaneda, H., Kitayama, T., Tanino, T. Development of a microprocessor-based monitoring system for the Shinkansen electric cars 86-33788
Yasukawa, T. *see* Machida, H. 88-72004
Yasuki, S. *see* Kawai, K. 88-15750
Yasukochi, K. Superconducting magnetic technology 85-18620
Yasukochi, K. *see* Ando, T. 85-1925, 85-41089
Yasukochi, K. *see* Momota, H. 85-46104
Yasukochi, K. *see* Ohkubo, H. 85-62216
Yasukochi, K. *see* Okada, T. 86-28731
Yasukochi, K. *see* Satow, T. 85-62270
Yasukochi, K. *see* Shimamoto, S. 85-1893, 85-1927, 85-41077
Yasukochi, K. *see* Toyoda, K. 85-41090
Yasukouchi, Y. *see* Thorpe, L. 88-74130
Yasumatsu, M.A. *see* Bretzlaff, R.S. 88-20196
Yasumi, S. *(editor)* Proceedings of the First Workshop on the Neutron Lifetime (KEK 87-26) 88-37855
Yasumo, W. *see* Yamamoto, T. 88-36479
Yasumo, W. *see* Yamamoto, Y. 88-74848
Yasumori, A. *see* Yamane, M. 88-43951
Yasumori, T., Ilguni, Y., Sakai, H. A new adaptive noise canceller in the presence of crosstalk 88-52246
Yasumoro, K. Signal engineering in private railways 86-33793
Yasumoto, H. *see* Suzuki, H. 86-14588
Yasumoto, K. Three-mode coupling in a dielectric slab waveguide with doubly periodic surface corrugations 85-29582
Yasumoto, K. Characteristics of three-wave interactions in a linear active system 85-46558
Yasumoto, K. Scattering and absorption of electromagnetic plane waves by a column of magnetized hot plasma 86-68785
Yasumoto, K., Banfuku, K. Reflection of electromagnetic plane waves from a semi-bounded plasma with a diffuse reflection boundary 85-13142
Yasumoto, K., Banfuku, K. Characteristics of reflection of electromagnetic plane waves from a semibounded plasma with a diffuse scattering boundary 86-29412
Yasumoto, K., Fukudome, N. Scattering of electromagnetic plane waves by a column of magnetized hot plasma 86-68787
Yasumoto, K., Hirashima, A., Miyamoto, T. Numerical analysis of two-parallel embedded optical waveguides 88-1986
Yasumoto, K., Murayama, M. A rigorous analysis of a thin-film dielectric waveguide with a sinusoidal surface corrugation 87-75551
Yasumoto, K., Murayama, M. A rigorous analysis of a thin-film dielectric waveguide with a sinusoidal surface corrugation 88-20981
Yasumoto, K., Tanaka, T. Radiative leakage of space-charge waves by a modulated thin-sheet electron beam propagating parallel to a reflection grating 88-27437
Yasumoto, K. *see* Kubo, H. 88-51539
Yasumoto, K. *see* Tanaka, T. 87-37825, 87-61336, 87-61420, 88-25831, 88-71281
Yasumoto, M. Hilbert irreducibility sequences and nonstandard arithmetic 87-58803
Yasumoto, M., Hayama, H., Enomoto, T. Promising new fabrication process developed for stacked LSIs 85-50763
Yasumoto, M. *see* Enomoto, T. 86-8372
Yasumoto, M.-A. *see* Enomoto, T. 85-61395
Yasumoto, S. *see* Kashio, J. 86-23453
Yasumoto, S. *see* Takahashi, M. 85-52082
Yasumoto, T., Nishida, N., Takemura, K., Fukuzaki, K., Inooka, T., Tani, M., Uota, T., Iwano, T. Japanese teletext receiver for code transmission scheme 85-13844
Yasumoto, T. *see* Takeuchi, H. 86-43510
Yasumoto, Y., Kageyama, S., Inouye, H., Uwabata, H., Abe, Y. An extended definition television system using quadrature modulation of the video carrier with inverse Nyquist filter 88-15780
Yasumoto, Y., Kageyama, S., Inouye, S., Uwabata, H., Abe, Y. A wide aspect ratio television system with full NTSC compatibility 88-41836
Yasumoto, Y., Medioni, G. Experiments in estimation of 3-D motion parameters from a sequence of image frames 86-10560
Yasumoto, Y., Medioni, G. Robust estimation of three-dimensional motion parameters from a sequence of image frames using regularization 86-69129
Yasumoto, Y., Medioni, G. Corner detection and curve representation using cubic B-splines 88-34800
Yasumoto, Y. *see* Medioni, G. 86-59369
Yasumura, G. High-speed ZIF connectors use shape memory alloys and flexible circuits 88-38824
Yasumura, K. *see* Komine, Y. 88-29414
Yasumura, M., Ouchi, K., Iwasaki, S. Fabrication of Co-Cr films with large perpendicular anisotropy by using a roll-coater sputtering system 88-43928
Yasumura, M., Ouchi, K., Iwasaki, S. Self-epitaxial Co-Cr media: preferable for fabrication by roll coater sputtering system 88-51206
Yasumura, M., Sakamoto, H., Okada, Y., Koshiba, H. A new magnetic flux control SMPS and the multiscan deflection system 87-13910
Yasumura, Y. *see* Gekka, Y. 85-54483, 88-6502
Yasumura, Y. *see* Sato, K. 86-9083
Yasunaga, H. *see* Asano, S. 86-43584
Yasunaga, M., Karasawa, Y., Shiokawa, T. A simplified fading reduction technique in maritime satellite communications 86-42852
Yasunaga, M., Karasawa, Y., Shiokawa, T., Yamada, M. Characteristics of *L*-band multipath fading due to sea surface reflection in aeronautical satellite communications 87-20472
Yasunaga, M., Watanabe, F., Shiokawa, T., Yamada, M. Phased array antennas for aeronautical satellite communications 87-47406
Yasunaga, M. *see* Karasawa, Y. 86-42853
Yasunaga, M. *see* Takahata, F. 87-56047
Yasunaga, M. *see* Yamada, M. 88-20903
Yasunaga, N. *see* Mineta, S. 87-59018
Yasunaga, S., Murakami, H. Development trends of electron beam machining 87-31096
Yasunaga, S., Ohmine, M. High-speed, precision processing using an electron beam 88-33103
Yasunaga, S., Sunahara, S., Ihokura, K. Effects of tetraethyl orthosilicate binder on the characteristics of SnO$_2$ ceramic type semiconductor gas sensor 86-55710
Yasunaga, S., Wake, Y., Tanaka, S., Usuki, K., Ozawa, K. Application of 16 kbps/9.6 kbps multi-pulse speech codec family 87-48732
Yasunaga, S. *see* Hara, K. 85-16490
Yasunaga, S. *see* Iijima, H. 87-7927
Yasunaga, S. *see* Kamio, M. 86-7340
Yasunaga, T. *see* Tanaka, T. 85-58343
Yasunaka, T., Iwao, N., Furuya, N., Kimura, K., Yamawaki, H. J_{Ic} measurement and its evaluation for high strength steels using both ultrasonic through transmission and angle beam reflection methods 85-10846
Yasunami, M., Nakamura, K., Sakaue, T. Application of power electronics to rolling stock 87-51535
Yasunami, M. *see* Ando, M. 87-51540
Yasunami, M. *see* Yamada, Y. 85-16302
Yasunari, K. *see* Hamada, N. 86-10715
Yasunari, K. *see* Nakashima, K. 86-37381
Yasunari, K. *see* Suzuki, T. 88-35252
Yasunari, K. *see* Tadauchi, M. 86-23400
Yasunari, T., Itoh, Y. Outline of broadcasting standard [facsimile] 88-3460
Yasunari Zempo *see* Huang Heng-ji 85-6686
Yasuno, T. Present status of research and development on a very high-temperature gas-cooled reactor (VHTR) in Japan 85-38680
Yasuno, T. Research and development on nuclear steel-making technology 85-39366
Yasuno, T., Komatsu, S., Sato, S. Xe-10 Service Subsystem's Program 86-4430
Yasuno, T. *see* Ikeda, K. 87-9678
Yasuno, T. *see* Nakazawa, H. 86-4433
Yasunobu, K. Power flow calculation in large scale electric power system by the shadow admittance method 87-4355
Yasunobu, K., Nakaba, J., Osawa, S. Some new applications by means of pumped-storage power generation 85-65177
Yasuo, A., Fukada, T., Ohno, Y., Kawamura, K. Vibrations of rotor with coolant pass having free surface 87-58026
Yasuo, H. *see* Kondo, K. 87-77291
Yasuo, H. *see* Kotani, T. 88-56258
Yasuo, N. *see* Nakashima, H. 87-79244
Yasuo Tsuzuki *see* Toki, M. 85-35267
Yasuoka, H., Ojima, M., Terao, M., Nishida, T. Novel 1-beam-overwriting method for phase-change erasable disk 88-45054
Yasuoka, H. *see* Ojima, M. 88-65153
Yasuoka, K., Inoue, H. IR heterodyne radiation detectors 85-31481
Yasuoka, K., Kaneko, E., Terai, K., Yanabu, S. Characteristics and applications of new electrode system for high power CO$_2$ laser 88-20572
Yasuoka, K., Mikamo, S., Kamon, T., Yamashita, A. Response maps of the CDF central electromagnetic calorimeter with electrons 88-47988
Yasuoka, K. *see* Balka, L. 88-47985
Yasuoka, K. *see* Nishikawa, H. 85-16434
Yasuoka, K. *see* Wagner, R.G. 88-47989
Yasuoka, N. *see* Yamanaka, T. 85-22867
Yasuoka, Y. Removal of random striping noise in remotely sensed images 85-57525
Yasuoka, Y., Harakawa, K., Gamo, K., Namba, S. Fabrication and properties of antenna-coupled thin-film warm carrier devices 85-40786
Yasuoka, Y., Harakawa, K., Gamo, K., Namba, S. Fabrication of thin-film warm carrier infrared laser detectors using nitrocellulose self-developing resist 87-29124
Yasuoka, Y., Harakawa, K., Gamo, K., Namba, S. Focused ion beam etching of nitrocellulose 87-38396
Yasuoka, Y., Harakawa, K., Gamo, K., Namba, S. Self-developing characteristics of nitrocellulose exposed to ion beams 88-1481
Yasuoka, Y., Harakawa, K., Gamo, K., Namba, S. Antenna properties of thin-film warm-carrier devices fabricated by using focused ion beam milling 88-60727
Yasuoka, Y., Okuda, T., Inoue, N. n-InSb point contact warm carrier infrared laser detectors 88-60729
Yasuoka, Y. *see* Harakawa, K. 85-14814, 86-35592
Yasuoka, Y. *see* Inoue, N. 85-20622, 85-45479, 85-52767, 87-56698, 88-24806
Yasuoka, Y. *see* Kaneko, H. 88-57536
Yasuoka, Y. *see* Mizonobe, T. 88-50564
Yasura, H. *see* Ishiura, N. 87-59081
Yasusaka, Y. *see* Takahira, A. 88-10463
Yasutake-Baker, K.M., Henley, E.J. A heuristic method to upgrade system availability for hot or cold standby, and voting systems 86-13561
Yasutsune, S., Yao, K., Hiyoshi, K., Takahashi, S. Live inverter air conditioners 86-19634
Yasutsune, S.I. *see* Masuda, N. 85-49208
Yasuura, H. Complexity theory of logic circuits 86-14146
Yasuura, H. Design and analysis of hardware algorithms 87-59338
Yasuura, H. *see* Ishiura, N. 85-45020, 86-27269, 86-41060
Yasuura, H. *see* Takagi, N. 86-2261

Yasuura, H. *see* Thompson, C.D. 86−15214, 87−5338
Yasuura, K., Murayama, M. Numerical analysis of diffraction from a sinusoidal metal grating 86−48567
Yasuura, K., Murayama, M. Analysis of diffraction from a metal grating 86−68716
Yasuura, K., Murayama, M. Numerical analysis of diffraction from a sinusoidal metal grating 88−8430
Yasuura, K., Okuno, Y. Numerical method for calculating surface current density on a two-dimensional scatterer with smooth contour 86−22651
Yasuura, K., Okuno, Y. Numerical method for calculating surface current density on a two-dimensional scatterer with smooth contour 86−63976
Yasuura, K. *see* Miyamoto, T. 86−15498, 87−7079
Yasuyama, T. *see* Saito, S. 85−14484
Yasyukevich, A.S. *see* Ivanov, N.A. 87−46820
Yasyukov, V.B. *see* Chistyakov, V.A. 87−3784
Yasyulenis, R.Yu. Recording efficiency of NaI(Tl) crystals for γ radiation of hollow cylindrical sources 86−60594
Yat Man Choi Recent developments in millimetric waveguide systems 88−7005
Yat Man Choi, Harris, D.J. Groove guide for short millimetric waveguide systems 85−55101
Yata, A., Ikuno, H. Uniform asymptotic solution of the guided modes in inhomogeneous slab waveguides with an even polynomial refractive-index profile 88−33751
Yata, A., Ikuno, H. Guided modes of diffused slab waveguides 88−33752
Yata, A. *see* Ikuno, H. 86−63658
Yata, H. *see* Harada, T. 86−16063
Yata, K. *see* Tamura, S. 87−50281
Yata, M., Toda, A., Nagatsuyu, H., Hariu, T., Nakada, T., Tsukui, K., Osaka, T. Ultrahigh vacuum in situ transmission electron microscopy observations of molecular-beam epitaxially grown InSb $(\bar{1}\bar{1}\bar{1})$ 88−56225
Yata, M. *see* Naoe, M. 88−51262
Yata, M. *see* Ueda, R. 85−5996
Yatabe, H. *see* Miyayama, M. 88−35977
Yatabe, S. *see* Akiyama, J. 87−25800, 87−67744, 88−26676
Yatabe, S. *see* Iwasaki, H. 88−26653, 88−57959
Yatabe, T. *see* Yamamura, M. 87−18493
Yatabe, T. *see* Zhang, S. 88−31783
Yatagai, T. Precision machining and high-precision optical interferometry 86−5604
Yatagai, T. Recent progress of optical interferometry 86−22572
Yatagai, T. Optical cellular logic computers and space-variant logic gate array 88−8010
Yatagai, T. Surface defect detection method and detection apparatus 88−31882
Yatagai, T. Interferometric testing technology developments and applications in Japan 88−53878
Yatagai, T., Inabu, S., Suzuki, M. Automatic flatness testing using a Fizeau interferometer 86−28403
Yatagai, T., Ohmura, K., Iwasaki, S., Tonomura, A., Endo, J., Hasegawa, S. Use of fringe scanning method in electron holographic interferometry 88−40379
Yatagai, T. *see* Lai, G. 88−45577
Yatagai, T. *see* Lai Guanming 88−40381
Yatagai, T. *see* Nunome, K. 86−18105
Yatagai, Y., Ohmura, K., Iwasaki, S., Hasegawa, S., Endo, J., Tonomura, A. Quantitative phase analysis in electron holographic interferometry 87−26555
Yataki, M.S., Payne, D.M., Varnham, M.P. All-fibre polarising beamsplitter 85−29560
Yataki, M.S., Payne, D.N., Varnham, M.P. All-fibre wavelength filters using concatenated fused-taper couplers 85−29559
Yataki, M.S., Varnham, M.P., Payne, D.N. An all-fibre polarising beam splitter and spectral filter 85−41184
Yataki, M.S. *see* Morishita, K. 87−40882, 87−60929
Yataki, M.S. *see* Payne, F.P. 85−46134, 85−50909, 86−42340, 87−12112
Yatani, T., Itoh, T., Soga, T., Hibino, K. Personal computer communication network system configuration 87−69642
Yatani, T., Shimazu, Y., Iwabuchi, A. Message handling system programs 85−25264
Yates, A.J. Characteristics of electronic interchange services 87−20084
Yates, B. Surface mounting: don't forget the connector 86−1577
Yates, B. *see* Cerrina, F. 88−48046
Yates, B.C. *see* Sequeira, H.B. 86−22747
Yates, C.E. ISDN−an applications marketing perspective 88−3423
Yates, C.E. Telemarketing and technology: perfect business partners 88−21526
Yates, G. *see* Ogle, J.W. 88−10032
Yates, G. *see* Vine, B. 88−50605
Yates, G.J., Bujnosek, J.J., Jaramillo, S.A., Walton, R.B., Martinez, T.M., Black, J.P. Radiation effects on video imagers 86−49980
Yates, G.J., Jaramillo, S.A. Characterization of new focus projection and scan (FPS) vidicons for scientific imaging applications 88−47294
Yates, G.J., Jaramillo, S.A., Pagano, T.S., Black, J.P. Shuttering efficiencies of nanosecond-gated photoemissive shutter tubes 87−11306
Yates, G.J., Jaramillo, S.A., Zagarino, P., Thomas, M. Stripline microchannel plate image intensifier tubes (MCPTs) for nanosecond optical gating applications 87−53135
Yates, G.J. *see* Dunbar, D.L. 87−11305
Yates, G.J. *see* Jaramillo, S.A. 87−53130
Yates, G.J. *see* King, N.S.P. 87−14148
Yates, G.J. *see* Pagano, T.S. 87−14146
Yates, H.M., Maung, N., McDonald, M., Williams, J.O. Room temperature photoluminescence of epitaxial $ZnSe_{1-y}S_y$ ($0 \leqslant y \leqslant 0.25$) grown by atmospheric pressure metal organic vapour phase epitaxy 87−68263
Yates, H.M., Williams, J.O. Structural and compositional integrity of lattice-matched $ZnSe_{0.95}S_{0.05}$ on (100) orientated GaAs 88−6441
Yates, H.M. *see* Hua, Y.L. 87−41573
Yates, H.M. *see* Yulin Hua 88−39362
Yates, H.W. *see* Epstein, E.S. 85−9363
Yates, I. Database links 'islands of automation' 85−16767
Yates, I. Electronic design [CAD systems] 86−14637
Yates, I. How to overcome the obstacles to the CAE/CAD integration of electronic systems 87−36871
Yates, I., Caccia, A. Integrated design of electronic systems 87−38349
Yates, J. Trends in protection of AC motors 85−60165
Yates, J. *see* Haque, A.K.M.M. 87−10840, 87−50455
Yates, J.B. 2000 MW link England-France: submarine cable laying 86−12453
Yates, J.B., Arnold, R. Demand patterns make submarine cross channel link economic 85−32135
Yates, J.C. Business formation 88−6188
Yates, J.E. *see* Gladney, G.A. 86−49407
Yates, J.T., Jr. *see* Bozso, F. 85−49547
Yates, K.W. An M-ary modulation scheme for noncoherent spread spectrum mobile radio 86−49492
Yates, K.W., Beach, M.A., Copping, A.J. Binary sequence with a high crosscorrelation with each member of a subset of Gold codes 87−2419
Yates, K.W. *see* Beach, M.A. 87−54750
Yates, K.W. *see* McGeehan, J.P. 87−13620
Yates, L.A. Electrical tapes for coils, other applications 87−6940
Yates, M.H.J. Microprocessor controlled cable jointing equipment 85−63491
Yates, M.N. Testing and identification of leased audio music lines 87−13856
Yates, M.S. *see* Harrison, R.A. 88−61592
Yates, P. *see* Pidgeon, B.G. 85−31099
Yates, R.B. *see* Footner, P.K. 87−18207, 87−74380
Yates, R.E. *see* Shieh, L. 85−60831
Yates, R.E. *see* Shieh, L.S. 87−405
Yates, R.E. *see* Tsai, J.S.H. 88−63224
Yates, R.K. *see* Tooth, A.G. 86−17084
Yates, S. Phonetic synthesis 86−36981
Yates, W.D., III METS meets the F-15E supportability challenge 88−61540
Yates, W.D., III RAES: Reliability Advisor Expert System 88−68580
Yates-Mercer, P.A. *(editor)* Future Trends in Information Science and Technology. Proceedings of the Silver Jubilee Conference of the City University's Department of Information Science 88−62902
Yathke, J. *see* Walf, G. 86−49133
Yatis, A.A. *see* Ardyshev, V.M. 87−1399
Yatis, A.A. *see* Bozhkov, V.G. 86−63099, 87−17782
Yatmanov, B.A. *see* Deinega, V.P. 85−47901
Yato, F., Asami, T., Higuchi, N. Speech understanding system using knowledge engineering techniques 87−19552
Yato, F. *see* Higuchi, N. 87−27304
Yato, F. *see* Kitayama, S. 85−57821, 86−30449
Yatom, H., Ruppin, R. Excitation of a circular loop through a small aperture 85−24957
Yatomi, T., Iwasaki, K., Magara, T., Shida, S., Makino, B. Wire-cut EDM characteristics and application engineering 88−11527
Yatomi, T. *see* Aramaki, J. 85−44339
Yatrou, P., Mermelstein, P. Ensuring predictor tracking in ADPCM speech coders under noisy transmission conditions 88−40783
Yatseng Chen *see* Chen Yatseng
Yatsenko, A.A. Main circuits for particularly high-power converter substations with the transformer windings for thyristors connected in series 85−44091
Yatsenko, A.A. Improving technical and economic characteristics of instrumentation in an automated electrical heating plant 86−26411
Yatsenko, A.A. Techniques of increasing the efficiency of multiphase convertor substations 86−51763
Yatsenko, A.A. Physical modeling and full-scale laboratory tests on static sources of reactive power 86−61041
Yatsenko, A.A. The functional units of a conventional-ideal arrangement of static reactive-power compensators in 6-10 and 35 kV distribution systems with asymmetrical nonsteady-state loads 87−35618
Yatsenko, A.A. Methods of achieving competitiveness of static reactive power compensators in 6, 10 and 35 kV power supply systems 88−5239
Yatsenko, A.A. Characteristics of polyphase converter configurations using phase-shifting transformers connected to neutral points 88−55394
Yatsenko, A.A., Ivanov, V.S., Tropin, V.V. A fast regulator and a dynamic model for a 6-10 and 35 kV static thyristor compensator 85−16122
Yatsenko, A.A., Tarakanov, V.P. Harmonic analysis of a line current in a double balanced converter in the case of a switching-circuit asymmetry and ways of compensating for noncanonical components of the current 85−5183
Yatsenko, A.A., Tarakanov, V.P. Minimising the noncanonical harmonics of the input current and output voltage of a two-bridge converter 87−51349
Yatsenko, A.A., Tochilin, V.V., Ponomarev, V.A. Analysis of parameters of single-winding phase-rotating autotransformers in 12-pulse thyristor wattless power compensators 87−43161
Yatsenko, A.A., Tochilin, V.V., Ponomarev, V.A., Matyunin, Yu.V. A cybernetic model of a phase control system using a thyristor-switched reactive power compensator 88−30302
Yatsenko, A.A., Tochilin, V.V., Vakhnina, V.V., Kosheleva, D.N. Modified frequency characteristics for two-frequency compensating filters 88−50232
Yatsenko, A.A., Vakhnina, V.V., Ponomarev, V.A., Tochilin, V.V. Conditions for obtaining type uniformity of reactors and for the protection of power resonant and combined filters 88−24004
Yatsenko, A.A. *see* Buryak, S.F. 87−57499
Yatsenko, A.A. *see* Kulish, A.K. 88−44276
Yatsenko, A.F. *see* Bakhtizin, R.Z. 87−6314
Yatsenko, A.I. *see* Bolychevtsev, A.D. 88−53518
Yatsenko, B.P. *see* Kurunov, R.F. 86−58889, 87−26328
Yatsenko, L.A. *see* Bulgakov, Yu.V. 85−23414
Yatsenko, L.P. *see* Danileiko, M.V. 86−3098, 86−29053, 86−36415, 86−63852, 86−68448 to 68449, 87−2075, 87−38988
Yatsenko, L.P. *see* Danileiko, N.M. 87−68553
Yatsenko, L.P. *see* Danileyko, M.V. 86−48363
Yatsenko, L.P. *see* Voitsekhovich, V.S. 87−46962
Yatsenko, L.V. *see* Poberezhnyuk, M.M. 88−24276
Yatsenko, S.G. *see* Breskin, V.A. 86−37687
Yatsenko, V.A. *see* Listovnichii, V.E. 88−41983
Yatsenko, V.P., Klering, P.G. A coordinatometric method of examining nerve-cell parameter with an automatic microobject analyzer 88−61227
Yatsenko, V.V. *see* Angelskii, O.V. 85−56868, 86−22558
Yatsenko, Yu.A. *see* Tonkal, V.E. 88−75051
Yatsenko, Yu.A. *see* Zhuikov, V.Ya. 87−36015
Yatsenko, Yu.P. *see* Kir'yanov, A.V. 87−39057
Yatsenko, Yu.P. *see* Kornienko, L.S. 86−48377, 86−63784, 87−54278, 87−68591
Yatsevich, N.N., Shevlik, N.V. Lens array screen for stereoscopic microscope 88−16294
Yatsimirskiy, M.N., Petrishin, O.I. The features of the application of base-two fast algorithms to two-dimensional Fourier transforms 88−6428
Yatskar, G.S. Calculation of the characteristics of *H*-plane waveguide *T*-isolators for the short-wave part of the MM band 88−19341
Yatskevich, V.A. A broadband microwave device based on a log-periodic structure 85−61440
Yatskevich, V.A. The synthesis of log-periodic antennas of specified geometry 86−42994
Yatskevich, V.A. Measurement of microwave device parameters with the aid of multiterminal reflectometers 88−22759
Yatskevich, V.A., Fedosenko, L.L. Antennas for radiation of very-wide-band signals 87−33523
Yatskevich, V.A., Lyakhova, I.P. A coupled-inductance log-periodic antenna 87−12840
Yatskevich, V.A., Nikitenko, M.V. Approximate analysis of broadband dipole-slot antennas 88−27627
Yatskevich, V.A., Samusenko, A.I. An electrodynamic analysis of helical dipoles 85−7718
Yatskevich, Yu.E. *see* Zakharov, V.K. 86−67314, 88−63539
Yatskiv, D.Ya. *see* Prokhorenko, V.I. 87−75207, 88−27100
Yatskiv, Ya.S. *see* Matveenko, L.I. 86−30929
Yatskov, N.V. *see* Sandulyak, A.V. 86−36675
Yatsobosi, R. *see* Torii, N. 88−67224
Yatsuboshi, R. Multi-media communication technology 88−73684
Yatsuboshi, R., Fujisaki, Y., Akiyama, R. Data and voice encryption 87−20036
Yatsuboshi, R., Tazaki, K., Mita, T. Flexible network synchronization technology for ring networks 85−19852
Yatsuboshi, R. *see* Akiyama, R. 85−25035
Yatsuboshi, R. *see* Hasui, K. 85−57327

Yatsuboshi, R. *see* Kawashima, M. 85−13932
Yatsuboshi, R. *see* Sengoku, M. 86−62329, 88−27722
Yatsuboshi, R. *see* Takahashi, O. 87−20227
Yatsuda, Y., Hagiwara, T., Minami, S., Nabetani, S., Uchida, K., Yasui, T. A byte erasable 5-V-only 64 Kbit, EEPROM 85−17381
Yatsuda, Y., Nabetani, S., Ichida, K., Minami, S., Terasawa, M., Hagiwara, T., Katto, H., Yasui, T. Hi-MNOS II technology for a 64-kbit byte-erasable 5-V-only EEPROM 85−35170
Yatsuda, Y. *see* Kaga, T. 85−35008
Yatsugi, K. A simulation program for basic computer circuit experiment 88−12163
Yatsuhashi, M. *see* Kakuta, T. 87−7126
Yatsuhashi, M. *see* Kohno, I. 86−50994
Yatsui, H. *see* Itoh, H. 85−51973
Yatsui, K. *see* Kawano, Y. 88−62499
Yatsui, K. *see* Matsuzawa, T. 86−25084
Yatsui, K. *see* Nakamura, S. 85−15119
Yatsui, K. *see* Yoshikawa, T. 85−15154, 85−20803
Yatsui, K. *(editor)* Proceedings of the Collaborating Research Meeting on Particle Beam Applications to Fusion Research (IPPJ-678) 85−15094
Yatsuk, K.P., Boiko, S.N. Spectrum of plane logarithmic spiral waves accompanying asymmetrical excitation 86−22664
Yatsuk, K.P., Boiko, S.N. Symmetrical excitation of flat logarithmic spiral on gyrotropic support with screen 87−68758
Yatsuk, K.P. *see* Krivokhizha, V.P. 87−75575
Yatsuk, L.P., Gorbach, I.V., Kostenyuk, E.A. Transverse nonresonant slots in a rectangular waveguide with ridged delay structure 87−39450
Yatsuk, L.P., Katrich, V.A. Slots in waveguide with dielectric layer 86−10157
Yatsuk, L.P., Penkin, Yu.M. The influence of the scatterer on the energy parameter of the slot in a waveguide 87−68835
Yatsuk, L.P., Zhironkina, A.V., Katrich, V.A., Penkin, Yu.M. The solution of the problem of the excitation of a rectangular waveguide by a magnetic current 88−27573
Yatsuk, L.P. *see* Lyakhovskii, A.F. 87−19265
Yatsuk, L.P. *see* Penkin, Yu.M. 88−72669
Yatsuk, V.A. *see* Shmorgun, E.I. 86−50139, 88−36121
Yatsuk, V.G. *see* Berezhnykh, E.A. 86−33481
Yatsuka, H. *see* Takano, T. 85−17859
Yatsunenko, A.G. *see* Burgsdorf, V.V. 87−4420
Yatsunenko, Yu.A. *see* Barabash, L.S. 85−52969
Yatsuo, M. *see* Minehisa, S. 86−45859
Yatsuo, T., Nagano, T., Fukui, H., Okamura, M., Sakurada, S. Ultrahigh-voltage high-current gate turn-off thyristors 85−18310
Yatsuo, T. *see* Ikeda, Y. 87−53499
Yatsuo, T. *see* Konishi, N. 86−28992
Yatsuo, T. *see* Mori, M. 88−20011, 88−33161
Yatsuo, T. *see* Nagano, T. 87−60440
Yatsuo, T. *see* Shimizu, Y. 87−67247
Yatsurugi, Y. *see* Imai, M. 87−31472, 88−70304
Yatsurugi, Y. *see* Kuboi, O. 85−407, 85−61007
Yatsushiro, K. *see* Suzuki, Y. 87−36653
Yatsutsenko, A.Ya. *see* Dobrynin, S.V. 87−47740
Yatsutsenko, A.Ya. *see* Solodovnikov, G.K. 86−16341
Yatsuya, S. *see* Babulanam, S.M. 88−45268
Yatsuzuka, Y. Application of 32 and 16 kb/s speech encoding techniques to digital satellite communications and their subjective qualities 85−3413
Yatsuzuka, Y. A 16 Kbit/s APC with maximum likelihood quantization and its implementation by DSP chips 86−64199
Yatsuzuka, Y., Iizuka, S., Yamazaki, T. A variable rate coding by APC with maximum likelihood quantization from 4.8 kbit/s to 16 kbit/s [speech coding] 87−27340
Yatsuzuka, Y., Okinaka, H., Koishi, N., Nojiri, H. Hardware implementation of 9.6/16 kbit/s APC-MLQ speech codec and its applications for mobile satellite communications 88−3693
Yatsuzuka, Y., Yamazaki, T., Iizuka, S. 16 kb/s high quality voice encoding for satellite communication networks 87−40794
Yatsuzuka, Y. *see* Fukasawa, A. 87−19514
Yatsuzuka, Y. *see* Hosoda, K. 88−40775
Yatsuzuka, Y. *see* Iizuka, S. 87−19522
Yatsynina, N.L., Chernousova, N.N. Measurement of electromagnetic parameters of materials at high and very-high frequencies 88−4581
Yatsyshin, V.I., Batalina, T.V. Generalised spectra of harmonic noise in electric networks 88−17120
Yatsyuk, M.I. *see* Zaporozhets, V.V. 88−25401
Yatsyuk, V.G. *see* Anatychuk, L.I. 87−78965
Yatuzaka, Y. Speech coding at medium and high bit rates 88−14625
Yau, A.W. *see* Sagawa, E. 88−36671
Yau, C.W. Concurrent test generation using AI techniques 87−31840
Yau, C.W. ILIAD: a computer-aided diagnosis and repair system 88−25633
Yau, G. *see* Xu, Z. 88−68806
Yau, J. *see* Ashkenazi, V. 87−21750
Yau, J. *see* Wittke, P.H. 85−13793
Yau, K.H., Malek, M. Real-time error correction by intelligent retry in parallel communication networks 88−28440
Yau, K.L. An explanation of the anisotropic magnetoresistance in lead sulphide at liquid helium temperature 86−41560
Yau, L., Hong, C., Crook, D. Passivation material and thickness effects on the MTTF of Al-Si metallization 86−15086
Yau, L.D. Determination of the Fowler-Nordheim tunneling barrier from nitride to oxide in oxide:nitride dual dielectric 86−63141
Yau, L.D., Chen, S.O. Effects of barrier asymmetry on the electrical properties of thin oxide-nitride dielectrics 86−21926
Yau, L.D. *see* Kawamoto, G.H. 88−26059
Yau, R. *see* Sabo, D.G. 86−67966
Yau, T.S. *see* Kalhammer, K.R. 86−50875
Yau, W., Schellenberg, J.M. An N-way broadband planar power combiner/divider 87−24427
Yau, W., Schellenberg, J.M., Shih, Y.C. A new *N*-way broadband planar power combiner/divider 87−6036
Yau, W., Watkins, E.T., Wang, S.K., Wang, K., Klatskin, B. A four stage V-band MOCVD HEMT amplifier 87−73795
Yau, W. *see* Carandang, R. 87−32088
Yau Chuk *see* Chuk Yau
Yau Goucan *see* Xu Zhengxiong 87−71633
Yau Shu Wong Preconditioned conjugate gradient methods applied to certain symmetric linear systems 86−52401
Yau Shu Wong Preconditioned gradient type methods applied to nonsymmetric linear systems 88−24663
Yau You-Wen *see* You-Wen Yau
Yau-Hwang Kuo, Ruey-Rong Wang, Ling-Yeung Kung Logic design using the PLAs with limited I/O pins and product terms 88- 38469
Yau-po Yang, Change-huan Liu Microcomputer loop communication network design 86−30380
Yauch, D.W. *see* DeShazer, J.K. 85−26236
Yauk, Ya.Ya. *see* Marakhtanov, M.K. 88−55244
Yaun Yi-quan The investigation on a new wideband transducer with piezoelectric layered ring 87−42273
Yaung, J.Y. A model for proton damage in silicon and GaAs solar cells 86−7126
Yaure, A.G., Shafirov, Z.E. Application of asynchronous short-circuited motors for travel mechanisms of freight-elevator cranes 86−39774
Yaure, A.G. *see* Pevzner, E.M. 85−44228, 88−11422
Yavatkar, R. *see* Comer, D. 88−66972, 88−67043
Yavdoshak, Ya.I. Expanding the range of speed regulation for low-speed rectifier motors 88−30642
Yavdoshak, Ya.I. *see* Belyaeva, S.A. 88−36239
Yavelak, J.J. Bulk-zero stress standard—AISI 1018 carbon-steel specimens 86−5544
Yavelow, C. Digital sampling on the Apple Macintosh 86−55499
Yavelow, C. MIDI and the Apple Macintosh 87−14041
Yavelow, C. Personal computers and music: the state of the art 87−49397
Yavelow, C. *see* Byrd, D. 86−49895
Yavich, A.L. *see* Bachinina, Ye.L. 86−39873
Yavich, B.S. *see* Abdullaev, Kh.O. 88−33849
Yavich, B.S. *see* Alferov, Zh.I. 87−25306, 87−33202, 88−12976
Yavich, B.S. *see* Belyantsev, A.M. 87−1267
Yavich, B.S. *see* Ber, B.Ya. 87−16633
Yavich, B.S. *see* Bogdanovich, M.S. 86−36336
Yavich, B.S. *see* Il'inskaya, N.D. 88−24739
Yavich, B.S. *see* Konnikov, S.G. 88−25920
Yavich, B.S. *see* Korol'kov, V.I. 88−8056
Yavich, B.S. *see* Volkov, L.A. 86−36305
Yavich, B.S. *see* Zhmakin, A.I. 87−23662
Yavich, L.R. *see* Zelyakh, E.V. 85−33552
Yavin, Y. The numerical solution of three stochastic differential games 85−5886
Yavin, Y. A stochastic two-target pursuit-evasion differential game with three players moving in a plane 87−65312
Yavin, Y. Pursuit-evasion differential games with deception or interrupted observation 87−65314
Yavin, Y. *see* Pachter, M. 87−16460 to 16461
Yavnyi, A.I. *see* Bogatchuk, S.A. 86−27510
Yavor, S.Ya. *see* Baranova, L.A. 87−45542, 88−29766, 88−40494, 88−68188
Yavor, V.M. *see* Zakharov, V.G. 87−64144
Yavor, Ya.S. *see* Baranova, L.A. 87−68728
Yavorchuk, A.V. *see* Kosarev, V.M. 86−9674
Yavorskaya, M.I. *see* Lugin, A.I. 86−46442
Yavorskii, B.I. A digital recursive resonator 85−49994
Yavorskii, B.I., Dombrovskii, Z.I. A test signal for recursive digital filters 85−11435
Yavorskii, B.I., Dombrovskii, Z.I., Yavorskii, V.I., Lototskii, Ya.V. The sampling frequency when designing digital bandpass filters 86−47007
Yavorskii, B.I. *see* Dragan, Ya.P. 87−55093
Yavorskii, B.I. *see* Pogribnoi, V.A. 87−24340
Yavorskii, I.N. Application of Buys-Ballot scheme in statistical analysis of rhythmic signals 87−47717
Yavorskii, V.I. *see* Yavorskii, B.I. 86−47007
Yavorskii, Ya.Ya. *see* Kopylov, I.P. 86−56758
Yavorskiy, B.I., Dombrovskiy, Z.I. Determination of the noise variance in recursive band-pass digital filters 86−29892
Yavorskiy, I.N. The statistical analysis of periodically correlated random processes 86−48726
Yavovskii, Ya.Ya. Mathematical modelling of electromagnetic transient processes in a generalized asynchronous electrical machine 87−30575
Yavuz, H. *see* Koymen, H. 87−71417
Yavuz Oruc, A. New algorithms for realizing paths and permutations through cube-connected networks 86−46421
Yavuz Oruc, A. Designing cellular permutation networks through coset decompositions of symmetric groups 88−1726
Yaw, D.F. Wide sector coverage antennas [for EW systems] 85−13286
Yaw, D.F. Antenna radar cross section 85−14339
Yaw, Y. *see* Ramamoorthy, C.V. 87−20200, 87−20205
Yaw, Y. *see* Ramamorthy, C.V. 87−33850
Yaw-Shing Tang Noise autocorrelation in magnetic recording system 86−28661
Yaw-shing Tang, Osse, L. Zig-zag domains and metal film disk noise 88−57930
Yawata, K., Mimitsuka, T., Miyazaki, T., Koshita, Y., Tachimoto, H. CAD system application to diversified FIP development 86−5392
Yawei Yin *see* Yin Yawei
Yaxiong Lu *see* Lu Yaxiong
Yayama, H., Tomokiyo, A., Hashimoto, T., Kuzuhara, T., Li, R., Sahashi, M., Inomata, K. Specific heat of regenerative material RNi$_2$ system 88−51215
Yayama, H., Tomokiyo, A., Hirakawa, K. Application of metal hydride electrode to secondary battery 88−11369
Yayama, H. *see* Hashimoto, T. 88−51214
Yayama, H. *see* Kuzuhara, T. 87−32836
Yayama, H. *see* Sahashi, M. 88−51216, 88−71883
Yayun Gao *see* Gao Yayun
Yaz, E. On state-feedback stabilization of two-dimensional digital systems 86−1284
Yazaki, N. Optical sensors come down in price as the list of applications grows 85−12732
Yazaki, N. *see* Konishi, K. 88−3611
Yazaki, S. Development of turbine-compressors for fuel cells 86−61732
Yazaki, T. Magnet wire for hermetic motor applications 86−40311
Yazaki, T. *see* Ohnishi, M. 88−31852
Yazaki, T. *see* Shirahata, I. 86−3461
Yazaki, T. *see* Yasuda, I. 86−58689
Yazami, R. *see* Touzain, Ph. 85−39184
Yazawa, A., Nakatsuka, S., Naito, H., Hizaki, H., Takahashi, Y., Matsushita, T. Programmable remote control LSI series 87−31939
Yazawa, H. *see* Saito, J. 86−16669, 86−59478
Yazawa, J. *see* Kobayashi, T. 85−41880
Yazawa, J. *see* Shirai, K. 87−19596
Yazawa, K., Masuya, H. Sequentially evaporated thin film of Bi and Co-Ni with high coercive force 85−18541
Yazawa, K. *see* Kita, T. 85−52127
Yazawa, K. *see* Miyairi, K. 85−34219, 87−52902
Yazawa, K. *see* Morisaki, H. 85−12063, 87−9702
Yazawa, N. *see* Kumamoto, T. 88−844, 88−32284
Yazawa, N. *see* Kusunoki, S. 88−6948
Yazawa, N. *see* Nakajima, Y. 87−41249
Yazawa, R. *see* Itoh, K. 85−843, 87−17127
Yazawa, S. *see* Meazawa, S. 88−16305
Yazawa, T., Numazawa, T., Hashimoto, T., Kuriyama, T., Nakagome, H., Ogiwara, H. The characteristics of Dy$_3$Al$_5$O$_{12}$ as a refrigerant for a Carnot magnetic refrigerator 87−32849
Yazawa, T. *see* Kuriyama, T. 87−32895
Yazawa, T. *see* Nakagome, H. 87−32894
Yazbeck, J. *see* Savadogo, O. 85−6773
Yazdan-Bakhsh, M.M. Infrarotspektroskopische Untersuchung von luftgetragenen Aerosolen nach korngrossenseparierender Probenahme (Infrared spectroscopic investigation of size segregated airborne particles) 85−43481
Yazdani, M., Audric, M., Langle, P. Study and implementation of a data transmission system intended for omnidirectional communication in underwater acoustics 88−21816
Yazdani, M. *see* Pyo, S.S. 88−63643
Yazdani, R., Christou, N., Derenyi, E. Potential applications of digital image analysis systems for displaying satellite altimetry data 88−30153
Yazdani-Ardakani, S., Kesavan, S.K., Chu, M.L. An experimental technique to study impulse-wave propagation in materials 86−52572
Yazdankhah, A. *see* Lotfalian, M. 86−18750, 86−56332
Yazdankhah, A. *see* Rastgoufard, P. 88−54855
Yazdankhah, A.S. *see* Schlueter, R.A. 88−42753
Yazgan, E. High-frequency analysis of off-focus-fed axisymmetric antennas 86−29618
Yazgan, E. A compact form of UTD for hyperboloidal and ellipsoidal antennas [uniform theory of diffraction] 86−68846

Yazgan, E. The radiation pattern of a surface loaded ellipsoidal reflector 87–54650
Yazgan, E. Radiation pattern of a RIM loaded ellipsoidal antenna 88–2804
Yazgan, E. High frequency methods in near-field of a symmetric paraboloidal reflector 88–34445
Yazgan, E., Safak, M. Comparison of UTD and UAT in axially symmetric reflectors 87–47338
Yazgan, E. *see* Safak, M. 85–62890
Yazhen Liu *see* Liu Yazhen
Yazi, T. *see* Saito, F. 86–65716
Yaz'kov, V.V. *see* Zhidkov, V.O. 86–32834, 87–22853
Yazovskii, A.A. *see* Valeev, V.G. 88–40907
Yazovskikh, V.M., Belen'kii, V.Ya. Effect of beam current on its focusing in electron beam welding 86–7337
Yazu, S. *see* Itozaki, H. 88–20265
Yazu, T., Morito, M. A study of rule synthesis technology 86–48804
Yazu, T., Yamada, K. The speech synthesis system for an unlimited Japanese vocabulary 87–27283
Yazynin, M.P. *see* Romanov, I.A. 85–8892
Ybarra, G.A., Alexander, S.T. Effects of ill-conditioned data on least squares adaptive filters 88–72992
Yde, J. *see* Defraeye, P. 85–63411
Yde-Andersen, S. *see* Jensen, J. 86–66306
Ye, D.-B. *see* Murakami, K. 88–35967
Ye, D.-B. *see* Ogita, M. 86–55680
Ye, F. *see* Lin, X. 86–68060
Ye, H., Tuffelli, D. Deterministic characteristics of LPC distances: an inconsistency with perceptual evidence 87–61624
Ye, H. *see* Uvacek, B. 88–74882
Ye, J.G., Zhao, L.H. Computer simulation of SCNs with improved nodal approach 86–67323
Ye, P.-D. *see* Tian, F. 88–13816
Ye, P.-D. *see* Tian Feng 88–45178
Ye, Q., Danielsson, P.E. Visual inspection of printed circuit boards using connectivity preserving shrinking 87–45378
Ye, Q. *see* Rhee, S.S. 88–64279
Ye, Q.-Z., Danielsson, P.-E. On minimum error thresholding and its implementations 88–52546
Ye, R.H., Teves, H., Fischer, A.G. DC-electroluminescent II-VI-film display with cermetic injector electrodes addressed by matrix of p- and n-type thin-film transistors made of germanium 86–5434
Ye, S. *see* Bandler, J.W. 88–71051
Ye, S.Z., Liu, X.L., Jiao, J.H., Yang, B.H., Zhao, J.Q. Preparation of low dislocation density InP crystal with controlled carrier concentration by multi-doping technique 86–52437
Ye, W. *see* Gasser, J.-L. 87–52652
Ye, X. *see* Xu, H. 86–70851
Ye, X.-Y. *see* Maruyama, T. 88–4399
Ye, Y. *see* Hu, L. 88–68881
Ye, Y. *see* Zheng, M. 88–68809
Ye, Y.-G.J., Anderson, W.A., Tsuo, Y.S. Thickness dependence of photoelectrical properties of intrinsic amorphous silicon 88–45279
Ye, Y.D. *see* Lin, F.Y. 85–34724
Ye, Z. Some results on error probability and free distance bounds for two-user tree and trellis codes on multiple access channels 87–55394
Ye, Z.-J. *see* Sun, Y.-Q. 85–16892
Ye, Z.-Q. A systematic computational design system for turbine cascades, airfoil geometry, and blade-to-blade analysis 85–15826
Ye Bin Xin, Meng Xin-Min, Wang Chuan-Jin The characteristics of the No.1 CCD system at Yunnan Observatory 86–24351
Ye Bin-xun *see* Livingston, W.C. 85–3877
Ye Chao *see* Wang Runwen 86–9939
Ye Chu *see* Chu Ye
Ye Chun *see* Huang Shang-lian 87–18699
Ye Daoyi *see* Liu Siping 86–65934
Ye Dong-ying *see* Lei Yuan-han 87–61378
Ye Gui-mu *see* Zhuang Jie-jia 86–9914
Ye Hai-tao *see* Shi Zi-kang 85–40944
Ye Han *see* Han Ye
Ye Jiaxiong Phase noise of single mode semiconductor lasers 88–40198
Ye Jiaxiong *see* Lin Ning 88–73177
Ye Li *see* Li Ye
Ye Liang, Zhang Hong-rui, Mao Er-wang, Ye Qiu-yi, Fang Guo-ping DLTS study of the oxygen I-G effect on Si wafer 88–26047
Ye Liang *see* Mao Er-Wang 87–24964
Ye Lincai *see* Ma Qingyun 87–77825
Ye Liu *see* Liu Ye
Ye Lo *see* Liqun Xu 88–25413
Ye Luo *see* Liqun Xu 88–56833
Ye Luqing, Liu Yueqi, Wei Shouping Microprocessor-based adaptive governor with variable PID parameters for a hydroelectric generating unit 86–51510
Ye Luqing, Wei Shouping, Zeng Yuming Multiprocessor-based fault tolerant adaptive parameter-optimized governor for water turbine 86–19156
Ye Mao-dong, Huang Da-ren The accurate derivative error bound of quadric interpolation splines 86–34212
Ye Miaogen *see* Su Jinwen 85–46302
Ye Minghan, Zheng Zhipeng BEPC, the Beijing electron-positron collider 88–16571
Ye Minghan, Zheng Zhipeng BEPC, the Beijing electron-positron collider 88–47767
Ye Minghan, Zheng Zhipeng BEPC, the Beijing Electron-Positron Collider 88–74670
Ye Pei Da *see* Ren Xiao Min 88–65677
Ye Pei-xian *see* Fu Pan-ming 85–19009
Ye Peida *see* Zhang Lintao 88–65768
Ye Qiang A class of iterative algorithms for solving inverse eigenvalue problems 87–65391
Ye Qiang The unsolvability of inverse eigenvalue problems for Hermitian matrix almost everywhere 88–11920
Ye Qijin *see* Shen Hongyuan 87–18951, 87–26355
Ye Qijing *see* Qijing Ye
Ye Qiu-Yi, Zrenner, A., Koch, F., Zeller, C., Dorda, G. Interface degradation in Si-metal-oxide-semiconductor structures by homogeneous, microwave heating of channel carriers 88–32936
Ye Qiu-yi *see* Ye Liang 88–26047
Ye Qiu-yi *see* Qiu-yi Ye
Ye Quanshu *see* Gao Wenqi 85–19049
Ye Rongxue, Wang Jinqiao Determination of optical condition of circulating water system 88–48777
Ye Runtao, He Jixin, Xu Jiaquan Temperature effect of MOS power transistor characteristics 87–67289
Ye Sheng Method of the super-highly precise measurement of strong magnetic field 85–52848
Ye Sheng *see* Sheng Ye
Ye Shixun, Huang Shaochen Developing μP-based telecontrol equipment for HVDC transmission systems 85–38491
Ye Shixun, Tao Xiaonong, Que Lianyuan A kind of remote terminal unit with polling protocol 88–61806
Ye Shixun, Tao Xiaonong, Que Lianyuan, Chen Liqun The polling system protocol—an introduction to the Westinghouse's remote operation protocol 88–30273
Ye Shizhong *see* Lin Lanying 87–37878
Ye Shuichi *see* Mai Zhenhong 86–47435, 87–74141
Ye Shuichi *see* Zhou Shiren 88–44781
Ye Tailan *see* Feng Rui 86–56250
Ye Wanren *see* Gu Guobiao 87–22269
Ye Xuchu *see* Pan Wenquan 86–45311
Ye Xuwai *see* Zhu Anli 87–71627
Ye Yan-Ming *see* Yan-Ming Ye
Ye Yanming, Yang Yuanlong, Xia Jingfang, Li Fuming, Li Yufen Single pulse cancer diagnosis by laser excited autofluorescence 88–27340
Ye Yanming *see* Yang Yuanlong 86–68433
Ye Yao *see* Yao Ye
Ye Yilin *see* Hu Lihua 86–56453
Ye Yilin *see* Liang Heqing 87–71680
Ye Yizheng *see* Mai Zhenhong 86–47435, 87–74141
Ye Yizheng *see* Zhou Shiren 88–44781
Ye Yumei *see* Jiang Aibao 86–54076
Ye Yupu *see* Gu Hanzhen 85–1855
Ye Yutang *see* Yutang Ye
Ye Zhihe *see* Gu Guobiao 87–22269
Ye Zhihua *see* Shi Xizhi 88–4954
Ye Zhijiang, Sun Yongqiang Solving systems of linear functional equations 85–54372
Ye Zhijiang, Sun Yongqiang Solving systems of nonlinear functional equations 86–62152
Ye Zhijiang *see* Sun Yongqiang 85–54373
Ye Zhisheng *see* Ren Guoquan 88–45574
Ye Zhisheng *see* Wu Xing 88–40409
Ye Zong-Yuan *see* Gu Yi-Fan 87–57019
Ye Zonglin The interference problems in VHF radar caused by TV and FM broadcasting 86–30885
Ye Zongnan *see* Shen Changquan 88–29886
Ye Zongxiu *see* Xu Baoxiang 85–38336
Ye Zongyuan, Li Jingwen, Yue Gang, Shi Detang A high energy γ-radioactive source—a new application of a Am-Be neutron source 86–70300
Ye-jin Chang *see* Chang Ye-jin
Ye-Wei Liang *see* Liang Ye-Wei
Yeack-Scranton, C.E. Novel piezoelectric transducers to monitor head-disk interactions 87–25828
Yeack-Scranton, C.E. Microscopic fluctuations in air bearings measured by novel piezoelectric sensors 88–51341
Yeager, C.A. *see* Sartin, D.E. 85–8916
Yeager, D.A. 5ESS switch performance metrics 88–3746
Yeager, E., Cahan, B.D., Scherson, D., Hanson, M. Spectroscopic studies of electrochemical interfaces 86–33583
Yeager, E.B. *see* Appleby, A.J. 86–51889
Yeager, H.R., Dutton, R.W. Circuit simulation models for the high electron mobility transistor 86–53648
Yeager, H.R. *see* Hwang, C.G. 87–46011
Yeager, J.D. *see* Allen, W.R., Jr. 88–22454
Yeager, J.R. Measuring capacitor leakage 85–23156
Yeager, K.E. Generation for the 1990s—the role of coal 86–61213
Yeager, K.E. *see* Balzhiser, R.E. 88–11088
Yeager, R. Loop gain compensation in phase-locked loops 86–57729
Yeager, R. Control and automate PLL phase-detector gain 87–5726
Yeakle, J. *see* Rubayi, N. 87–31615
Yeal Park Joon *see* Joon Yeal Park
Yean-Kuen Fang *see* Jiann-Ruey Chen 87–73146
Yean-Shan Hu, Her-Rern Liauh, Ming-Chein Chang High density input protection circuit design in 1.2 μm CMOS technology 88–51021
Yean-Woei Kiang, Liu, C.H. Multiple phase-screen simulation of HF wave propagation in the turbulent stratified ionosphere 85–57041
Yean-Yuen Fang *see* Wu, B.S. 86–22240
Yeap, T.H., Loucks, W.M., Snelgrove, W.M., Zaky, S.G. Implementing the VASTOR architecture using a VLSI array of 1-bit processors 86–47712
Yeaple, D. Motor control system pulls host out of the loop 87–762
Yeaple, F. Lower cost electronics enhance control of fluid power 85–28427
Yeaple, F. Digital display shows cost of phone call 87–48742
Yearbury, K. Community participation in hydroelectric power development 88–23784
Yeargain, J. *see* Chang, K.Y. 88–70707
Yeargain, J. *see* Gerosa, G. 86–46849
Yeargain, J.R. *see* Ku, Y.H. 88–13183, 88–39196, 88–57645
Yeargain, J.R. *see* Kuo, C. 86–41130
Yeargan, J.R. Developing a program in analog electronics (with a lot of help from our industry friends) 86–19772
Yeargan, J.R., Day, R.L., Nguyen, T. Printed circuit board design for advanced Schottky family 86–20915
Yeargan, J.R., Day, R.L., Nguyen, T. Crosstalk in multilayer printed circuit boards 88–50481
Yeargan, J.R., Day, R.L., Nguyen, T.V. Effects of printed circuit board transmission lines and loading on gate performance 87–73407
Yeargan, J.R. *see* Langham, R. 86–21766
Yearn Ik Choi Acute angle etching of silicon dioxide layer 86–41701
Yearn-Ik Choi Power MOSFET 86–15165
Yearn-Ik Choi The study of factors that influence the surface electric field of high voltage planar PN junctions 87–32471
Yearn-Ik Choi, Kwan, W. On the surface electric field of junction diodes with a tapered window 87–38194
Yearn-Ik Choi *see* Jong-Oh Kim 87–45970
Yearout, R.D., Reddy, A.P., Grosh, D.L. Standby redundancy in reliability—a review 87–5277
Yeater, M.L. *see* Hoernes, P.E. 87–22038
Yeater, O.R. *see* Diggs, S.L. 85–60754
Yeater, R. *see* Emerson, C. 86–56165
Yeates, D.B., Mayhugh, M. A phoswich multidetector probe for measuring tracheal mucus velocity 85–26754
Yeates, N.J. Monitoring and evaluation of the Telesoftware and Primary Education Project 85–13854
Yeates, P.D. *see* Lipson, J. 85–42581
Yeates, R. Viewdata. Lessons from Prestel and new opportunities for libraries 85–47182
Yeates, R. Videotex in libraries and information centres 86–43505
Yeates, R. Prestel indexing from the user's point of view 88–41279
Yeazel, L.A. Trends in optical media 88–20332
Yebes, F. *see* Lorenzo, E. 88–17460
Yebra, J.L.A. *see* Fiol, M.A. 87–62642
Yebra, J.L.A. *see* Gomez, J. 86–49329
Yechouroun, C. Attenuation of the effect of the torque pulsation in an asynchronous machine fed by a current source inverter 86–66090
Yechouroun, C. The simulator of photovoltaic cells 87–15966
Yeckel, A., Middleman, S. A model of growth rate nonuniformity in the simultaneous deposition and doping of a polycrystalline silicon film by LPCVD 87–66878
Yeckel, A. *see* Middleman, S. 87–10490
Yedlin, M.J., Jones, I.F., Narod, B.B. Application of the Karhunen-Loeve transform to diffraction separation 87–35480
Yedwab, D. Critical factors in selecting IXCs 88–34956
Yee, A.T., Lessard, C.S. A design for an experimental field effect monitor 87–71089
Yee, B. An expert system for planimetric feature extraction 87–69394
Yee, B. An expert system for planimetric feature extraction 88–5129
Yee, D. *see* Alessi, J.G. 88–47789
Yee, D. *see* Gough, R.A. 87–35273
Yee, D.S., Floro, J., Mikalsen, D.J., Cuomo, J.J., Ahn, K.Y., Smith, D.A. Stress modification of $WSi_{2.2}$ films by concurrent low energy ion bombardment during alloy evaporation 86–20084
Yee, D.S. *see* Krusin-Elbaum, L. 87–60353
Yee, E., Paulson, K.V. The canonical decomposition and its relationship to other forms of magnetotelluric impedance tensor analysis 88–16891

Yee, E.H., Tan, B.C. Some output characteristics of a coaxial flashlamp-pump dye laser 85−2253
Yee, F.G., Marshall, T.C. Design of an efficiency-enhanced Raman FEL oscillator 86−22416
Yee, F.G., Marshall, T.C., Schlesigner, S.P. Efficiency and sideband observations of a Raman FEL oscillator with a tapered undulator 88−65749
Yee, F.G., Masud, J., Marshall, T.C., Schlesinger, S.P. Power and sideband studied of a Raman FEL 87−75143
Yee, F.G. *see* Masud, J. 86−48449, 87−2184, 87−33222, 88−2296
Yee, H., Wu, K. Printed circuit transmission-line characteristic impedance by transverse modal analysis 87−19241
Yee, H. *see* Zhou, R.J. 85−48506
Yee, H.-Y. Transverse modal analysis of printed circuit transmission lines 85−62868
Yee, H.P., Lauritzen, P.O. SPICE models for power MOSFETs: an update 88−50862
Yee, J. Test methods for programmable logic 85−11133
Yee, J. Berkeley Nucleonics—light pulse generator—model 6020 85−14826
Yee, J. Second-generation programmable logic devices extend design capabilities 85−45008
Yee, J. Programmable logic with flexible output architecture 86−20427
Yee, J. Digital delay generators become the only option 87−59248
Yee, J. *see* Purvis, R. 88−19241
Yee, J.H. *see* Abreu, V.J. 85−64653
Yee, J.H. *see* Mayhall, D.J. 87−17642
Yee, J.H. *see* Orvis, W.J. 87−45878, 88−50784
Yee, J.M. A remote field data logging system 87−70476
Yee, J.R. *see* Lin, H.-C. 88−52927
Yee, K.S. *see* Taflove, A. 88−45612
Yee, M. *see* Kliment, M. 86−67185
Yee, M.L. *see* DeVore, R.V. 88−42831
Yee, P.W. Noise considerations in high-accuracy A/D converters 87−17176
Yee, R. *see* Wilhemsen, F. 85−6531
Yee, R.C. *see* Knollman, G.C. 88−63403
Yee, S.R. *see* Park, K.S. 85−49389
Yee, T. *see* Gyurcsik, R.S. 85−17090, 85−17092
Yee, T.K. Analysis of the intensity noise of nearly single-longitudinal-mode semiconductor lasers 86−42551
Yee, T.K., Welford, D. A multimode rate-equation analysis for semiconductor lasers applied to the direct intensity modulation of individual longitudinal modes 87−12476
Yee, T.K. *see* Abbas, G.L. 86−22382, 86−23874
Yee, W., Naseem, H.A. Formation of ohmic contacts to n-GaAs via heterojunction by using indium and gold 88−64327
Yee Fan Tso *see* Tso Yee Fan
Yee Hong Yang *see* Jian Xu 88−46194
Yee Hung Yuet *see* Hung Yuet Yee
Yee Jeng-Hwa *see* Jeng-Hwa Yee
Yee-Chaung See *see* Sood, L.C. 86−14223
Yeend, J.S. Marine transportation facilities inspection 85−475
Yefanov, A.I., Kaminskas, V.A., Lavrukhin, V.S., Rimidis, A.P., Yanitskene, D.Yu. Identification of fast power reactance in a nuclear power reactor 88−48730
Yefimov, A.P. Cable stereo systems 86−37984
Yefimov, N.S. *see* Taranets, G.M. 86−27101
Yefimov, V.N. *see* Golant, M.B. 88−71286
Yefimov, Y.A., Isakevich, V.V., Klenov, V.I. Elimination of intersymbol interference by using mutual bases 88−45817
Yefremov, B.Ya., Belik, Ye.P. Hand multimeter 87−3646
Yefremov, V.Ya., Belikov, Ye.R. A multimeter with electronic scale selection 88−22687
Yefremov, V.Ya., Mishandin, D.S., Nisnevich, M.Ye. SMPTE time code at TV Centre 87−63114
Yefremov, V.Ya., Ovchinnikov, A.Ye. The use of tape recorder for storing service information at radio-TV-centres 86−15400
Yefremov, Ye.L. *see* Babkina, T.V. 86−28860
Yeg, H.-G., Yeh, H.-Y. Implementation of the discrete Fourier transform on 2-dimensional systolic processors 87−59531
Yegani, P. *see* Hughes, H. 87−39999, 87−62698, 88−21617
Yegerov, A.N. The efficiency of energy transmission by an electromagnetic beam and its conversion in a rectenna 86−29507
Yegna Narayanan, S.S., Johnny, V.J. Contributions to the steady state analysis of wind-turbine driven self-excited induction generators 86−56754
Yegnanarayana, B. Significance of group-delay functions in signal processing 85−19468
Yegnanarayana, B. Signal processing through group delay functions 87−47803
Yegnanarayana, B., Chandran, S., Agarwal, A. On improvement of performance of isolated word recognition for degraded speech 85−13528
Yegnanarayana, B., Fathima, S.T., Murthy, H.A. Reconstruction from Fourier transform phase with applications to speech analysis 87−61652
Yegnanarayana, B., Naik, J.M., Childers, D.G. Voice simulation: factors affecting quality and naturalness 85−36237
Yegnanarayana, B., Raghunathan, A. Representation of images through group-delay functions 87−39883
Yegnanarayana, B., Raman, S., Sundar, R. Signal-dependent analysis for speech recognition 86−48838
Yegnanarayana, B., Sreekanth, J., Rangarajan, A. Waveform estimation using group delay processing 86−10343
Yegnanarayana, B., Sreekumar, T. Signal-dependent matching for isolated word speech recognition systems 85−13527
Yegnanarayana, B. *see* Ananth, A.S. 86−16228
Yegnanarayana, B. *see* Childers, D.G. 86−16205
Yegnanarayana, B. *see* Thomas, J.A. 86−16199
Yegnanaryana, B., Duncan, G., Murthy, H.A. Formant extraction from group delay function 88−27866
Yegorov, A.A. *see* Khatskelevich, Ya.D. 86−36934
Yegorov, E.I. *see* Favorov, Yu.N. 87−68811
Yegorov, E.S., Klyuyev, V.I. A class of finite signals which do not produce transients in linear channels 87−47440
Yegorov, N.V. *see* Alamazov, A.A. 88−38972
Yegorov, V.G., Yeliseeva, T.A., Seryakov, K.I. Use of adaptive mathematical modelling methods in the development of AC and DC gas-blast breakers 86−26200
Yegorov, V.N. Calculation of the *Q*-factor of a dielectric resonator 86−27557
Yegorov, V.N. *see* Bun'kov, S.N. 88−70972
Yegorov, V.V. *see* Gut, R.E. 88−6429
Yegorova, N.P., Tret'yakov, O.A. Investigation of the diffraction of wave bundles on the basis of Green's function of the boundary-value problem 85−7627
Yegorova, S.A. *see* Lobov, V.I. 86−56749
Yegorova, T.I. A system for gathering and processing data on the reliability of TV broadcasting technical facilities 85−63838
Yegorova, T.I., Karminsky, V.A. Reliability and quality of technical TV broadcast facilities 86−30954
Yegorychev, D.V. *see* Anastasjuk, N.V. 85−63872
Yegorychev, M.N. *see* Belomesthnykh, S.A. 85−15111
Yegupov, N.D., Kornyushin, Yu.P., Shestopalov, A.M. A Walsh function algorithm for the spectral analysis of deterministic signals in discrete systems and circuits 88−27959
Yeh, B. *see* Guterman, D. 87−44857
Yeh, C. A planar back-to-back Schottky-barrier photodiode 85−46271
Yeh, C. A unified treatment of the impedance of transit-time devices 86−1365
Yeh, C. Projection approach to bearing estimations 87−12994
Yeh, C. Guided-wave modes in cylindrical optical fibers 87−38762
Yeh, C. Projection approach to bearing estimations 87−56215
Yeh, C. On single-mode polarization preserving multi-layered optical fiber 88−60153
Yeh, C., Bayri, H.M. High resolution bearing estimations by covariance matrix approximation 87−62037
Yeh, C., Gerla, M. Integrated optical circuits in ultra-high speed fiber optics LANs 87−12239
Yeh, C., Manshadi, F. On weakly guiding single-mode optical waveguides 85−41153
Yeh, C., Shimabukura, F. Design of new millimeter waveguides using optical concepts 86−35060
Yeh, C. *see* Gerla, M. 85−13963, 88−53280
Yeh, C. *see* Huang, J. 86−55015
Yeh, C. *see* Ishimaru, A. 85−7624
Yeh, C. *see* Liu, J.M. 87−61226
Yeh, C. *see* Mariki, G.E. 85−62867
Yeh, C. *see* Patel, A. 85−40872
Yeh, C. *see* Shimabukuro, F.I. 88−63832
Yeh, C.-C., Hong, Y., Ucci, D.R. The performance of a far-field-steering Applebaum array with a finite distance signal source 85−30121
Yeh, C.-C., Hong, Y.J., Ucci, D.R. The performance of a defocused adaptive array with a finite-distance signal source 88−66215
Yeh, C.-C., Honge, Y.J., Ucci, D.R. Use of the tapped delay line adaptive array to increase the number of degrees of freedom for interference suppression 88−27658
Yeh, C.-C., Lee, J.-H., Chen, Y.-M. Estimating two-dimensional angles of arrival in coherent source environment 88−73154
Yeh, C.-C., Leou, M.-L. Estimating angles arrivals in the presence of mutual coupling 88−2872
Yeh, C.-C. *see* Bayri, H.M. 88−8788, 88−21035
Yeh, C.-C. *see* Chen, Y.-M. 88−74085
Yeh, C.-C. *see* Hong, Y.J. 88−66214
Yeh, C.-C. *see* Pei, S.-C. 88−34483
Yeh, C.-L. Color image-sequence compression using adaptive binary-tree vector quantization with codebook replenishment 87−62271
Yeh, C.-S. *see* Hsu, I.-S. 85−13477
Yeh, C.-S. *see* Truong, T.K. 85−45185
Yeh, C.C., Haber, F., Bar-Ness, Y. Effects of random amplitude and steering phase errors on the behavior of the hybrid array 85−41778
Yeh, C.C., Hong, Y.J., Ucci, D.R. Suppressing more than *K*-1 interferers using a *K* element array 88−2823
Yeh, C.C., Hong, Y.J., Ucci, D.R. A study of a de-focused adaptive array using a finite distance signal source 88−2827
Yeh, C.C. *see* Bayri, H.M. 87−56213
Yeh, C.C. *see* Hong, Y.J. 87−33513, 87−75619
Yeh, C.H., Hagler, M., Kristiansen, M. Voltage recovery measurements in a high energy spark gap 85−4059
Yeh, C.H., Krompholz, H., Hagler, H., Kristiansen, M. Recovery measurements in a spark gap 85−27125
Yeh, C.K. *see* Hou, W.S. 88−27463
Yeh, C.L. Image compression using nonadaptive vector quantization with adaptive overhead transmission for codevector replacement 88−46290
Yeh, C.L. *see* Chin, R.T. 85−57476
Yeh, C.P. *see* Griswold, N.C. 87−55348
Yeh, C.S., Li, S.S., Loo, R.Y. A simple model for calculating the displacement damage in electron and proton irradiated AlGaAs/GaAs/InGaAs (or Ge) multijunction solar cells 87−9775
Yeh, C.S., Li, S.S., Loo, R.Y. Computer simulations of the proton irradiated (AlGa)As-GaAs solar cells 88−37387
Yeh, C.S., Li, S.S., Loo, R.Y. Numerical simulation of radiation damage in 1 MeV electron irradiated $Al_{0.335}Ga_{0.67}As$ solar cell under normal and omnidirectional incidence 88−37483
Yeh, C.W. *see* Gerla, M. 85−63655
Yeh, D.C., Kang, S.M., Rao, V.B. CMOS logic circuit partitioning for equal chip complexity 88−25166
Yeh, D.C., Sibley, W.A., Suscavage, M.J. Efficient frequency upconversion of Tm^{3+} ions in Yb^{3+} doped barium-thorium fluoride glass 88−58656
Yeh, D.C., Trick, T.N. Suboptimal and optimal algorithms for PLA folding 86−62576
Yeh, D.C. *see* Sibley, W.A. 87−18574, 88−45539
Yeh, G.-J. *see* Ko, W.H. 87−70537
Yeh, G.J., Dendo, I., Ko, W.H. Switched capacitor interface circuit for capacitive transducers 86−55646
Yeh, G.J. *see* Ko, W.H. 85−38017
Yeh, G.J. *see* Suminto, J. 88−4405
Yeh, G.P. *see* Snider, F. 88−48022
Yeh, H. The role of structural stability in the reliability of microwave vacuum devices 87−37815
Yeh, H. Adaptive noise cancellation for speech with a TMS32020 87−61725
Yeh, H.-G. Application of microprocessor in adaptive suspension systems 85−5476
Yeh, H.-G. Power spectrum estimation by using digital frequency tracking filter 87−7788
Yeh, H.-G. Kalman filtering and systolic processors 87−27459
Yeh, H.-G. Matrix-based discrete Fourier transform and its implementation on systolic arrays 88−822
Yeh, H.-G. *see* Yeh, H.-Y. 87−66816
Yeh, H.-H., Banda, S.S., Lynch, P.J. Control of unknown systems via deconvolution 88−46124
Yeh, H.-Y. Stress analysis applications to service failures of traveling-wave tubes 85−34433
Yeh, H.-Y., Yeh, H.-G. Failure analysis of ceramic feedthroughs used in traveling-wave tubes 87−66816
Yeh, H.-Y. *see* Yeg, H.-G. 87−59531
Yeh, H.C., Kastenberg, W.E., Catton, I. Nuclear power station simulation 87−9266
Yeh, H.J., Jagadeesh, J.M. High resolution 3-D reconstruction using work space efficient octree encoding 88−36540
Yeh, H.L. *see* Moskowitz, P.A. 86−67611
Yeh, J. *see* Chin, K.K. 88−13021
Yeh, J.-J., Nogami, J., Friedman, D.J., Cao, R., Hwang, J., Koch, S., Wahi, A., Lindau, I. An illustration on the measurement of the net yield of the SSRL beamline I-I monochromator 86−60480
Yeh, J.-J. *see* Sam, R.C. 88−65793
Yeh, J.J., Friedman, D.J., Cao, R., Hwang, J., Nogami, J., Lindau, I. The oxidation behavior of the $\sqrt{3}\times\sqrt{3}$ Ag and Au/Si(111) surfaces at room temperature studied by photoemission 87−6608
Yeh, J.L., Hills, G.W., Cochran, W.T. Reverse pillar and maskless contact—two novel recessed metal schemes and their comparisons to conventional VLSI metallization schemes 88−71457
Yeh, J.L., Rana, V.V.S., Aldridge, B.E., Hey, H.P.W., Cochran, W.T., Sinha, A.K. Applications of selective tungsten on aluminum in multilevel metal technologies 87−67151
Yeh, J.L. *see* Hey, H.P.W. 87−45829
Yeh, J.L. *see* Moharram, A.H. 86−13049, 86−19504
Yeh, J.L. *see* Thoma, M.J. 87−67601
Yeh, J.T. *see* Seong-Ju Park 87−18005

Yeh, J.T.C., Grebe, K.R., Palmer, M.J. Magnetic field enhanced reactive ion etching of polyimide 85−12174
Yeh, K.C. *see* Spatz, D.E. 88−58863
Yeh, K.C. *see* Vaccione, J.D. 88−5162
Yeh, K.C. *see* Wagen, J.-F. 86−68748
Yeh, K.C. *see* Yang, C.-C. 85−62744
Yeh, K.C. *see* Yang, C.C. 85−51437, 88−52190
Yeh, L.S., Kao, C.Y., Lin, F.L. Minghu: Taiwan's first pumped-storage project 87−57960
Yeh, M. *see* Huang, Y.F. 87−19573, 87−40269
Yeh, M.P., Adams, T.D., Gardner, R.M., Yanowitz, F.G. Turbine flowmeter vs. Fleisch pneumotachometer: a comparative study for exercise testing 88−29945
Yeh, N.H. A negative transition width in perpendicular recording? 85−45985
Yeh, N.H. Review of head-media coupling in magnetic recording 86−28648
Yeh, N.H., Hansen, M.E. Suppressed write spacing loss in magnetic recording 86−36032
Yeh, N.H., Iwasaki, S. Comparison of reproduction performance of a single pole head and a ring head 85−24129
Yeh, N.H., Olson, C.R. Bit error rate in digital azimuth recording 88−51312
Yeh, P. Photorefractive coupling in ring resonators 85−2360
Yeh, P. Scalar phase conjugator for polarization correction 85−2406
Yeh, P. Theory of phase-conjugate oscillators 85−46456
Yeh, P. Theory of unidirectional photorefractive ring oscillators 86−22518
Yeh, P., Chiou, A.E.T. Optical matrix-vector multiplication through four-wave mixing in photorefractive media 87−26534
Yeh, P., Khoshnevisan, M. Phase-conjugate ring gyros and photorefractive-based ring gyros 85−35820
Yeh, P., Khoshnevisan, M., Ewbank, M.D., Tracy, J. Possibility of relative position sensing by using double phase-conjugate resonators 86−42634
Yeh, P., McMichael, I., Khoshnevisan, M. Phase-conjugate fiber-optic gyro 86−42227
Yeh, P. *see* Beckwith, P.H. 87−61237
Yeh, P. *see* Chiou, A.E. 86−49005, 87−13118, 88−59234
Yeh, P. *see* Ewbank, M.D. 86−9898, 87−12586
Yeh, P. *see* McMichael, I. 87−18670, 87−60924, 88−20759, 88−22625
Yeh, P. *see* Yokobori, N. 86−59362
Yeh, R.T. *see* Sun, Y.-Q. 85−16892
Yeh, R.Y. *see* Chung, D.Y. 88−62122
Yeh, S. *see* Hui, A. 88−70701
Yeh, S. *see* Ting, C.H. 85−40645, 86−2287
Yeh, S.W. *see* Kortz, H.P. 86−22336
Yeh, T.-F. *see* Krakow, W.T. 88−50207, 88−70834
Yeh, T.P. *see* Fu, S.L. 85−54529
Yeh, W. *see* Khurana, N. 86−15279
Yeh, W.C. Bump internal-thermal enhancement [IC packaging] 85−39555
Yeh, W.J. *see* Da-Ren He 85−29509
Yeh, Y.-S., Hluchyj, M.G., Acampora, A.S. The knockout switch: a simple, modular architecture for high-performance packet switching 88−15275
Yeh, Y.-S., Wilson, J.C., Schwartz, S.C. Outage probability in mobile telephony with directive antennas and macrodiversity 85−3363
Yeh, Y.-S. *see* Eng, K.Y. 88−21372
Yeh, Y.-S. *see* Jansen, B.H. 87−4009
Yeh, Y.C.M., Chang, K.I., Tandon, J.L. Large scale OM-CVD growth of GaAs solar cells 85−65449
Yeh, Y.C.M., Ho, F., Iles, P.A., Chang, K.I. Overview of GaAs solar cell production 85−49111
Yeh, Y.C.M., Ho, F.F., Iles, P.A. Progress in GaAs solar cells produced by OMCVD systems 87−42136
Yeh, Y.C.M. *see* Chang, K.I. 85−61767, 87−4910, 88−37428
Yeh, Y.C.M. *see* Gersten, S.W. 87−10414
Yeh, Y.C.M. *see* Hamdi, A.H. 85−29005
Yeh, Y.C.M. *see* Iles, P.A. 87−4933, 87−72404, 87−78930
Yeh, Y.C.M. *see* Tandon, J.L. 85−44730
Yeh, Y.S., Greenstein, L.J. A new approach to space diversity combining in microwave digital radio 85−52267
Yeh, Y.S., Hluchyj, M.G., Acampora, A.S. The knockout switch: a simple, modular architecture for high-performance packet switching 87−76474
Yeh, Y.S. *see* Eng, K.Y. 88−3779, 88−52636
Yeh, Y.S. *see* Greenstein, L.J. 85−52268
Yeh, Y.S. *see* Winters, J.H. 86−55166
Yeh Chia-Lung *see* Chia-Lung Yeh
Yeh Chien-Chung *see* Chien-Chung Yeh
Yeh Fei-Fan *see* Fei-Fan Yeh
Yeh Hen-Geul *see* Hen-Geul Yeh
Yeh Hsien-Yang *see* Hsien-Yang Yeh
Yeh Jyh-Jye *see* Jyh-Jye Yeh
Yeh Liu Lu-Min *see* Liu Lu-Min Yeh
Yeh Maw lin *see* Maw lin Yeh
Yeh Pen-Shu *see* Pen-Shu Yeh
Yeh Pochi *see* Pochi Yeh
Yeh Weijiang *see* Chen Lie 88−20298
Yeh-Hao Chin *see* Fuhua Cheng 86−20629
Yeh-Ren Kao, Mei-Wen Wang, Huey-Liang Hwang Fabrication of $Pb_{1-x}Sn_xTe$/PbTe heterojunctions by liquid phase epitaxy 85−33451
Yeh-Ren Kao *see* Mei-Wen Wang 85−33396
Yeh-Sun Hong Calculation of proportional solenoids using the finite element method 85−2493
Yeheskel, J., Avida, R., Friedman, M., Levron, D., Gazit, D. Three-dimensional computations of magnetic fields and electron trajectories for a ribbon-beam electron gun 87−45488
Yehezkel, C., Furst, M., Goldstein, J.L. Computerized intonator: design of a microprocessor pitch-aid 88−74883
Yehia, S.A. *see* Zaky, A.A. 85−56005
Yeisley, P.A. *see* Perry, M.W. 85−37027, 85−37031
Yekrangian, A. *see* Yu, C. 87−74785
Yekutieli, G. *see* Dado, S. 87−29448
Yel Park Huk *see* Huk Yel Park
Yelekoyeva, E.K. *see* Granat, S.M. 86−37605
Yelenskiy, V.G. *see* Shvarts, N.Z. 88−19383
Yeling Zhao *see* Zhao Yeling
Yelinson, M.I. *see* Dyuzhikov, I.N. 88−45197
Yeliseeva, T.A. *see* Yegorov, V.G. 86−26200
Yeliseyev, N.I. *see* Veselov, G.I. 88−953
Yeliseyev, S.N. *see* Budishov, V.P. 86−29903
Yeliseyev, V.A. *see* Lebedev, V.V. 87−49373
Yelistratov, S.M. *see* Byalyy, L.I. 87−19718
Yelistratov, V.V. *see* Andreyev, N.I. 85−26650
Yelistratov, V.V. *see* Balbekov, V.I. 85−26562
Yell, R.W. Standards and calibration systems for microwave radiation hazard monitors 85−15359
Yell, R.W. Antenna gain measurement by the extrapolation technique [automated system] 86−31578
Yell, R.W. *see* Bayer, H. 86−38503
Yell, R.W. *see* Holland, K.P. 86−31188
Yelland, C.P. New developments in the protection of medium voltage (AC) motors from steep fronted surges 85−9833
Yelland, H.J. HV and LV power factor correction 85−64796
Yelland, J., Chan, W. Design of high power solid state S-band amplifiers 87−73671
Yelland, J.V. Inverter power supplies for travelling wave tube amplifiers 85−54674
Yelland, J.V. *see* Finney, C.L.M. 86−53067
Yelland, J.V. *see* Thompson, A. 85−14370
Yelle, H. *see* Chalifoux, J.P. 86−44485
Yellen, S.L. *see* Waters, R.G. 88−58521
Yellin, A.M. Entrainment of heartbeat: application of evoked-potential averaging techniques 85−59312
Yellin, A.M. Application of computer averaging techniques to the study of learned volitive heartbeat control 87−63774
Yellin, E.L. *see* Meisner, J.S. 87−8949
Yellin, N., Szapiro, S. Vapor transport of nonstoichiometric CdTe in closed ampoules 85−33394
Yellin, N., Zemel, A., Tenne, R. Electrical properties of CdTe crystals grown by VUVG from nonstoichiometric charges 85−45393
Yellin, N. *see* Marcu, V. 87−60319
Yellin, S. *see* Ashford, V. 86−50391, 87−41835
Yellin, S. *see* Hallewell, G. 88−68213
Yellin, S. *see* Johnson, R. 88−68277
Yellin, S. *see* Spencer, E. 88−61189
Yellin, S. *see* Va'Vra, J. 88−61103
Yellin, S. *see* Williams, S. 85−43247
Yellin, S.J. *see* Bharadwaj, V.K. 85−31695
Yellman, T.W. Comments on 'Reliability prediction' 86−34081
Yelon, A. *see* Andrianjohaninarivo, J. 88−26568
Yelon, A. *see* Azelmad, A. 88−32990
Yelon, A. *see* Belanger, M. 88−33769
Yelon, A. *see* Brebner, J.L. 86−6995
Yelon, A. *see* Leclerc, G. 88−55612
Yelon, A. *see* Okoniewski, A.M. 88−50637
Yelon, A. *see* Perluzzo, G. 88−32991
Yelon, W.B. *see* Bleeker, E.J. 86−5739
Yemc, D. *see* McDonald, J. 87−11851
Yemc, D.J. *see* King, D.C. 86−35509
Yemelianov, G.F., Maksimenko, L.V., Prosvirnin, V.G., Semiakin, F.V. The development and study of an equipment set of one-way underwater audio communication 86−23346
Yemelyanov, B.K. Improving magnetic flux measurement accuracy in calibration tapes 88−60512
Yemel'yanov, G.S. Discrimination of random signals with bounded amplitude distributions 87−47743
Yemel'yanov, N.P., Semenov, A.S. The aggregate corona characteristics for transmission line quasi-stationary overvoltage analysis 86−25590
Yemel'Yanov, N.P., Sitzer, M.M., Kostyushko, V.A., Tamazov, A.I. The corona power losses on 750 and 1150 kV transmission lines 88−10855
Yemel'yanov, Yu.I. *see* Glinka, V.I. 88−3724
Yemin, V.I., Petrich, A.V. Noise immunity of the reception of optical multiposition pulse-time modulated signals under intersymbol noise conditions 86−30818
Yemin, V.I. *see* Blushke, A. 88−4004
Yemin, V.I. *see* Gavlin, M.E. 86−28862
Yemini, Y. Research directions in distributed computing and communications 85−19869
Yemini, Y. *see* Barghouti, N. 87−34211
Yemini, Y. *see* Kurose, J.F. 85−19779, 86−4091, 88−28151
Yemini, Y. *see* Nounou, N. 85−42130, 86−54629
Yemini, Y. *see* Pinsky, E. 86−55177, 87−13564, 87−19994
Yemini, Y. *see* Suda, T. 85−8214, 85−13758, 86−23312, 86−37233
Yemini, Y. *(editor)* Current advances in distributed computing and communications 87−16265
Yen, B.L., Huang, T.S. Determining 3D motion/structure of a rigid body over two frames using correspondences of straight lines lying on parallel planes 85−36409
Yen, C., Crawford, R.D. The use of directed optical beams in wireless computer communications 86−54930
Yen, D., Linholm, L.W., Glendinning, W.B. An electrical test structure for proximity effects measurement and correction 85−61993
Yen, D. *see* Linholm, L.W. 86−24785
Yen, D.L.W., Rao, G.K. Process integration with spin-on-glass sandwich as an intermetal dielectric layer for 1.2 μm CMOS DLM process 88−71810
Yen, H. *see* Blauvelt, H. 85−14234
Yen, H.-C. *see* Rosier, L.E. 87−2400
Yen, H.C., Basay, P., Anderson, R. Noise performance of millimeter-wave mixed tunneling and avalanche transit-time (MITATT) oscillators 85−6510
Yen, H.C., Ghanta, S., Du, H.C. A path selection algorithm for timing analysis 88−70727
Yen, H.C. *see* Berenz, J. 87−59878
Yen, H.C. *see* Lam, W. 88−71068
Yen, H.C. *see* Schaffner, J.H. 88−71624
Yen, H.C. *see* Yen, Y.E. 87−52838
Yen, H.C. *see* Yonaki, J. 88−63964
Yen, H.W., Gee, C.M., Blauvelt, H. High-speed optical modulation techniques 86−37903
Yen, H.W., Wechsberg, M., Lee, J.J., Popa, A.E. EHF fiber optic-based antenna array 88−72696
Yen, H.W. *see* Gee, C.M. 85−56284, 86−69838, 87−8325, 87−49083, 87−49123, 88−67373, 88−73867
Yen, H.W. *see* Lam, J.F. 85−18650
Yen, H.W. *see* Newberg, I.L. 88−73956
Yen, H.W. *see* Ng, W. 88−20635
Yen, H.W. *see* Pedinoff, M.E. 87−34579
Yen, H.W. *see* Popa, A.E. 87−19324
Yen, J.J. *see* Shimkunas, A.R. 87−11534
Yen, J.L. *see* Haykin, S. *(editor)* 85−22072
Yen, K. *see* Alloca, B. 87−52417
Yen, K.H. *see* Elliott, J.H. 87−6964, 87−32824, 87−60756
Yen, K.H. *see* Lau, K.F. 85−18537, 87−992
Yen, K.H. *see* Stokes, R.B. 85−62178
Yen, K.H. *see* Wang, J.S. 86−42082
Yen, K.K. *see* Andrian, J.H. 87−53574, 88−44727
Yen, L.S. *see* Ku, H.C. 86−28619, 87−46321
Yen, M.M., Fuchs, W.K., Abraham, J.A. Designing for concurrent error detection in VLSI: application to a microprogram control unit 87−66294
Yen, M.Y. *see* Bethea, C.G. 88−16102, 88−65459
Yen, M.Y. *see* Grunthaner, F.J. 85−50231
Yen, M.Y. *see* Lee, T.C. 87−277
Yen, M.Y. *see* Madhukar, A. 85−54439, 86−447
Yen, P. *see* Kai Chang 86−8438
Yen, P. *see* Tahim, R.S. 87−6082
Yen, P. *see* Yen, Y.E. 87−52838, 88−12591
Yen, P.-K. *see* Fei, Z.-S. 87−14384
Yen, P.C.H. *see* Kai Chang 86−27587
Yen, R. *see* Dutta, D.K. 85−35735
Yen, R. *see* Dutta, N.K. 85−2308, 85−46381, 85−51161
Yen, R. *see* Henry, C.H. 85−35826
Yen, R. *see* Koch, T.L. 85−56606
Yen, R. *see* Nordland, W.A. 85−54474
Yen, R. *see* Wilt, D.P. 85−51195
Yen, R.T. *see* Gnauck, A.H. 86−23873
Yen, S. *see* Henderson, R.S. 87−63618
Yen, S.P.S., Shen, D., Fitzgerald, D., Vasquez, R.P., Somoano, R.B. Performance and properties of arsenic passivated lithium-titanium disulfide cells 88−17896
Yen, S.P.S., Somoano, R. Materials-related degradation phenomena in pulse power capacitors 87−30886
Yen, S.P.S., Somoano, R., Mauldin, G.H. Materials performance analysis of perfluorocarbon liquid/plastic film capacitors 87−24499
Yen, S.P.S. *see* Ott, F.M. 85−34215
Yen, S.P.S. *see* Shen, D.H. 87−22695
Yen, S.P.S. *see* Somoano, R. 86−40059
Yen, S.P.S. *see* Somoano, R.B. 85−40948
Yen, S.P.S. *see* Subba Rao, S. 88−16862
Yen, T.F. *see* DeLangis, P.A. 87−50379
Yen, T.F. *see* McDougall, J. 88−61603
Yen, T.R. *see* Hou, W.S. 88−27463
Yen, W. *see* Buhks, E. 88−40056
Yen, W.M., Jaccarino, V., Elias, L.R. Scientific applications of the University of California-Santa Barbara free electron laser 86−29174

Yen, W.M. *see* Brundage, R.T. 86−15664
Yen, W.M. *see* Elias, L.R. 86−3230
Yen, W.M. *see* Kimel, I. 86−36518
Yen, Y., Sakallah, K.A. SAM0: An automatic MOS circuit partitioner 87−60664
Yen, Y.-T. *see* Sakallah, K.A. 88−26321
Yen, Y.E., English, D., Grote, A., Hayashibara, G., Pham, T., Ngan, Y.C., Yen, P., Wandinger, L., Freibergs, E. W-band, microstrip integrated circuit transceiver 88−12591
Yen, Y.E., Hayashibara, G., Yen, P., Ngan, Y.C., Yen, H.C., Saito, Y. W-band, 20 W microstrip integrated circuit combiner 87−52838
Yen, Y.E. *see* Ngan, Y.C. 88−19381
Yen Bin-Shan *see* Ren Wen-Bin 85−59065
Yen Chi-lin *see* Chi-lin Yen
Yen Hsu-Chun *see* Hsu-Chun Yen
Yen Huan-Wun *see* Huan-Wun Yen
Yen Li *see* Li Yen
Yen Maoseng Decision theory approach to bad data removal for power system state estimation 87−71507
Yen Maosong *see* Maosong Yen
Yen Sun Chung *see* Sun Chung Yen
Yen Tsu-Chiang *see* Tsu-Chiang Yen
Yen Wang Comparison of digital radiographic units 87−14867
Yen Wang, Best, D.E., Hoffman, J.G., Horii, S.C., Lehr, J.L., Lodwick, G.S., Morse, R.R., Murphy, L.L., Nelson, O.L., Perry, J., Thompson, B.G., Zielonka, J.S. ACR-NEMA Digital Imaging and Communications Standards: minimum requirements 88−54686
Yen Wang, Lodwick, G.S., Zielonka, J.S., Horii, S.C., Lehr, J.L. Overview of ACR-NEMA Digital Imaging and Communication Standard 86−32401
Yen Wang *see* Horii, S.C. 87−18521, 88−23146
Yen Wu *see* Wu Yen
Yen Yu-Sze *see* Yu-Sze Yen
Yen-Chu Wang Comparisons of MESFET, bipolar transistor and static induction transistor class C amplifiers 86−776
Yen-Chu Wang Fundamental performance limitations for transit-time devices: a zeroth-order analysis 86−2088
Yen-chu Wang Singular perturbation applied to the relaxation oscillations of the Van der Pol oscillator 88−6688
Yen-chu Wang, Hadi Jahandoost Solid-state travelling-wave amplifiers based on multistream instability 85−55146
Yen-Lu Chow *see* Rohlicek, J.R. 88−66395
Yen-Ping Shih *see* Cheng-Chiian Liu 87−10297
Yen-Shiang Shih *see* Chih-Chung Chou 87−9101
Yen-yang Shi *see* Shi Yen-yang
Yenamandra, R. *see* Long, J.F. 87−42726
Yenawine, D.L. *see* Spitz, D.M. 87−66766
Yenawine, D.L. *see* Wolverton, W.M. 87−66769
Yenchek, M.R. The Bureau of Mines shock-prevention research program—an overview 87−10104
Yenchek, M.R., Trutt, F.C., Kohler, J.L., Morley, L.A., Novak, T. Sensitive DC ground fault relays for coal-mines 87−78199
Yenchek, M.R. *see* Cataltepe, T. 86−52094
Yencho, S., Walz, D.R. A high-resolution phosphor screen beam profile monitor 86−24867
Yencho, S.A. *see* Conradson, S. 87−43965
Yenerim, S. Multi-channel modulation in VHF broadband communications installations. II. Experiments 85−63795
Yenguan Hu *see* Hu Yenguan
Yenina, Ye.P. *see* Trifonov, A.P. 85−36280, 85−51616
Yennadhiou, P., Cassidy, S.A. An optical space switch based on D-fibre 88−72070
Yennadhiou, P. *see* Cassidy, S.A. 86−43859, 88−15455
Yennadhiou, P. *see* Hornung, S. 86−48156, 87−8283
Yennadhiou, P. *see* Reeve, M.H. 86−11054
Yenping Wang *see* Wang Yenping
Yenshun Yu *see* Yu Yenshun
Yeo, D. *see* Rao, M.K. 87−13680
Yeo, K. *see* Ezis, A. 85−12167
Yeo, K.K., Tjhung, T.T. Effects of premodulation pulse shaping on digital FM performance 85−41847
Yeo, K.K. *see* Tjhung, T.T. 87−12885
Yeo, K.K. *see* Tjung, T.T. 85−46662
Yeo, P.S. *see* Tjhung, T.T. 88−27972
Yeo, S.P., Ang, A.L. Six-port reflectometer 88−4599
Yeo, S.P. *see* Cullen, A.L. 86−65262, 87−37504, 88−25355
Yeo, S.P. *see* Kooi, P.S. 86−62809
Yeo, S.P. *see* Leong, M.S. 87−66464
Yeo, T.S. *see* Bates, R.H.T. 86−29514
Yeo, T.S. *see* Seagar, A.D. 85−9162
Yeo, Y.K., Hengehold, R.L., Yong Yun Kim, Ezis, A., Park, Y.S., Ehret, J.E. Substrate-dependent electrical properties of low-dose Si implants in GaAs 86−14857
Yeo Hwan Kim *see* Jong Son Lyu 86−2179
Yeo In-Seon *see* In-Seon Yeo
Yeo Xi-xian *see* Wei Wang 88−65018
Yeoh, C.C., Young, J.B. Nonequilibrium through-flow analyses of low-pressure, wet steam turbines 85−21437
Yeoh, F.S., Xydeas, C.S. Split-band coding of speech signals using a transform technique 85−19396
Yeoh, F.S.C., Lim Hui Lin, Tao Yao Sing Using a PC LAN for integrated office applications 88−9187
Yeoh, F.S.C., Xydeas, C.S. 16 Kbps ADPCM with backward noise spectral shaping 85−19406
Yeol, K.Woo *see* Woo Yeol, K.
Yeol Kim Woo *see* Woo Yeol Kim
Yeole, M.K. *see* Nehate, L.D. 87−37511
Yeoman, M.L. Laser particle monitors in industry 87−54449
Yeomans, B.R. Developing the business: the role of insurance 87−40847
Yeomans, J. Integrating ISDN and packet communication. A suitable role for the PABX 85−3312
Yeon Ki Park *see* Sung, C.S. 86−44276
Yeon-Bae Chung *see* Heung-Joon Park 87−29141
Yeon-Seok Lee, Sang-Uk Lee, Jang-Gyu Lee A real implementation of an adaptive self-tuning filter using an NEC 7720 DSP 87−73568
Yeon-Tack Jung, Kyung-Hee Han, Lak-Hoon Hwang A study on the multi-current source inverter drives 88−37653
Yeong Jin Kim, Kilnam Chon A study on addressing and routing for internet multicast 86−69214
Yeong Lee Gyoo *see* Gyoo Yeong Lee
Yeong Shoon Lau *see* Lau Yeong Shoon
Yeong Sik Kim, Sang Soo Lee Small acousto-optical modulation for active mode locking in the iodine photodissociation laser and the effect of supplementary saturable absorber 85−29778
Yeong Yil Yang, Chong Min Kyung Characterization of two-dimensional impurity profile in silicon 87−45762
Yeong Yil Yang, Chong Min Kyung, Hyeong Cheol Oh Comparison of numerical methods for obtaining 2-D impurity profile in a semiconductor 86−1663
Yeong Yil Yang *see* Tae Sung Jung 86−936
Yeong-Chang Lien *see* Iliadis, I. 88−52324
Yeong-Han Kim *see* Kil-Yeong Song 87−78006
Yeong-jer Lin, Hughes, R.G. Structural features of a microburst-producing storm in Colorado revealed by JAWS dual-Doppler radars 88−41735
Yeong-ruey Lin *see* Chih-hao Lee 88−68295
Yeong-Tae Kim *see* Kil-Yeong Song 86−12736, 87−78555
Yeong-wen Daih *see* Ching-yuan Wu 86−15172
Yeotikar, S.P., Sachchidanand, S.R.D. Digital simulation of a three-phase AC-DC PWM converter motor system using a new state space converter model 87−43243
Yeou-Chong Simon Yu *see* Ming-Zen Lin 87−18038
Yeou-Yen Cheng, Wyant, J.C. Phase shifter calibration in phase-shifting interferometry 86−2490
Yeow, Y.-T. Measurement and numerical modeling of short-channel MOSFET gate capacitances 88−26269
Yeow, Y.T. *see* Liang, M.-S. 85−1601
Yeow, Y.T. *see* Premaratne, L.P.J.P. 88−1433
Yeow, Y.T. *see* Seog-Ju Oh 88−57396
Yep, R. *see* Abbate, H. 86−14032, 86−34598
Yepanechnikov, V.A. *see* Remizov, L.T. 87−19211
Yepanechnikov, V.Yu., Tsukkerman, I.I. Structural noise reduction in adaptive group coding of TV images 88−22299
Yepifanov, N.I. *see* Gofizen, O.V. 88−4157
Yepiskoposyan, R.A. Automatic telegram indexing in message sorting centers 86−16817
Yepiskoposyan, R.A. *see* Arenyan, K.A. 88−34999
Yer-An Liang, Teng-Pin Lin, Jean-Ming Lee, Chung-Mu Hwang, Ja-Ling Wu The longest vertical constraint graph path channel router 86−20191
Yereance, R.A. Electrical fire analysis 88−31279
Yeremenko, A.I., Koval'chuk, N.S., Malyarevskiy, N.M. A controlled RC-oscillator with improved stability 85−33713
Yeremian, A. *see* Adamski, J.L. 86−31819
Yeremian, A. *see* Robinson, K.E. 87−75137
Yeremian, A. *see* Slater, J. 87−2164
Yeremian, A.D. *see* Adamski, J.L. 86−31806
Yeremin, A.V. *see* Chepigin, V.I. 87−14740
Yeremin, N.M., Afrin, M.I., Litunenko, A.N. Service life and wear-out characteristics of video heads 87−3323
Yeremin, S.M. Green's function for Maxwell's equations in an anisotropic plasma 88−72569
Yeremin, S.M. *see* Akindinov, V.V. 86−29413, 86−64099
Yeremin, V.P. *see* Bayburin, V.B. 85−6654
Yeremin, Yu.A. *see* Sveshnikov, A.G. 86−22659
Yergakov, V.S., Moiseyev, M.A. A two-resonator oscillator with delayed external feedback 88−974
Yergakov, V.S., Shaposhnikov, A.A. The problem of low-frequency fluctuations of the oscillations in a gyrotron 86−21048
Yerganzhiev, N.A. *see* Beliaeva, N.N. 85−63837
Yergeau, F. *see* Galarneau, P. 86−3281
Yergiyev, G.N., Ivanitskiy, A.M. A narrow-band two-section active piezoelectric RC filter 88−33464
Yerjemenko, T.M. *see* Buryak, V.P. 85−50864
Yerkes, J.W. Photovoltaics—the next ten years [photovoltaic power systems] 85−53618
Yerkes, J.W. Photovoltaics in the twenty-first century 86−39633
Yermakov, B.A. *see* Voznitskiy, M.V. 88−65492
Yermakov, V.A. *see* Prilepskiy, V.V. 87−47750
Yermakov, V.B., Kolosov, M.A., Pozhidayev, V.N. Methods of predicting rain attenuation statistics in the 10-100 GHz band. Inclined paths 86−49523
Yermakova, Ye.Yu. How the new 'Vertical' camera stabilizer was developed 88−22301
Yerman, A. *see* Korman, C.S. 88−75803
Yerman, A.J., Burgess, J.F. Temperature-humidity-bias tests with aluminum triple track chips at 130 deg. C and 85% RH 87−51872
Yerman, A.J., Hudda, F.G., Zak, D.S. A comparison of two methods of measuring thermal resistance of IGT's 86−47633
Yerman, A.J. *see* Burgess, J.F. 86−63066, 87−25363
Yerman, A.J. *see* Ngo, K.D.T. 87−78810
Yerman, A.J. *see* Will, F.G. 88−1567
Yermashkevich, V.N., Sheludyakov, Ye.G. Effect of the properties of the pumped liquid on the efficiency of an ejector used to raise the NPSH of a liquid H_2O_4 pump 86−32978
Yermilov, V.A. *see* Dmitriyev, E.A. 88−70500
Yermolayev, M.V., Kanavets, V.I., Terebilov, A.V., Cherepenin, V.A. Transient effects, modulation and energy exchange during the interaction of electrons with a spatially inhomogeneous electromagnetic field 88−40488
Yermolayev, S.I., Chibisov, V.A. Automation in programme transmissions 87−3275
Yermolayev, V.A. Variational synthesis of the input signals of nonlinear filters from their response at a fixed instant of time 88−66502
Yermolin, A.K. A magnetic sound-and-video synchronizing device 85−26038
Yermolovich, A.B., Petrov, V.V. Magnetic head positioning with an optical raster 87−60818
Yermuratskii, P.V. *see* Netushil, A.V. 85−17890
Yerna, J.S. Resistance-measurements of quartz crystals at very low drive levels 85−56056
Yernaux, M.I., Battochio, C., Verlinden, P., van de Wiele, F. A one-dimensional model for the quantum efficiency of front-surface-field solar cells 85−10109
Yerofeyev, S.N. *see* Iskhakov, K.F. 88−46843
Yerokhin, A.N., Time, I.V. Signal detection at a Poisson noise background 87−47782
Yerokhin, A.N. *see* Ageyev, A.I. 88−45015
Yerokhin, G.A. Attainable characteristics in three-dimensional passive scattered synthesis problems 88−14380
Yerokhin, G.A., Kocherzhevskiy, V.G., Gofman, V.G. Design of an efficient surface-wave exciter 87−61435
Yerokhin, G.A., Lazarov, N.L. Improved directivity of traveling-wave antennas 88−40695
Yerokhin, G.A., Shkvarin, V.V. Method of synthesizing periodic reflecting arrays 88−14537
Yerokhin, V.F. *see* Burachenko, D.L. 87−61886
Yerokhina, S.I. *see* Gershkovich, Ya.M. 86−17563
Yeroshchenkov, Ye.K., Yeshichev, A.B., Zav'yalov, M.A., Kazakov, A.A., Kudryashov, Yu.V. Calculation of electron-optical systems (EOS) with an annular cathode and an electrostatic compressor 85−46536
Yerry, M.M. *see* Howell, T.D. 87−25822
Yershevich, V.V. On a new voltage level for AC networks 86−39107
Yershevich, V.V. *see* Borodkin, Yu.D. 86−66480
Yershov, L.A., Glushenko, A.G. Application of the functional integration method to the analysis of nonlinear inertialess conversions of random processes 88−24631
Yershov, V.A., Bondar, N.A. Optimization of channel bunches in a network by the random-search method 88−28150
Yershov, V.A., Nasiyev, A.K. Multisection switching fields with waiting and losses with limited queue length 86−49046
Yershov, V.A., Peneva, Ya.P. Calculation of the loss probability in switching systems with a nonuniform load 85−8252
Yershov, Yu.K. Analysis of transients in axisymmetric systems allowing for the effect of eddy currents in solid parts of the magnetic core 85−50842
Yerukhimovich, Yu.A., Nepomnyashchiy, I.L. A method of reducing the level of the first sidelobes in aperture antennas 88−27636
Yerushalmi, J., Wohlfarth, A., Schwartz, M., Luria, S. Power from oil shale 88−37055
Yeryomenko, A.A. *see* Bunkin, F.V. 85−45570
Yeryshov, N.M. *see* Belozerova, L.P. 86−22703

Yeselov, G.I., Alekhin, Yu.N., Litvinovich, V.V. Diffraction in a periodic slow-wave system of finite length 86–36780
Yeserentant, H. Hierarchical bases on finite-element spaces in the discretization of nonsymmetric elliptic boundary value problems 86–7699
Yeserkegenov, A.S. The influence of deformation on electrical parameters of a balanced cable 86–30546
Yesha, Y. *see* Xin He 88–6368, 88–31634
Yeshichev, A.B. *see* Yeroshchenkov, Ye.K. 85–46536
Yeshov, V.A. *see* Bondar, N.A. 87–48784
Yesilkaya, M. An excess torque protection for NC machines 88–11184
Yesipenko, V.I. Noise immunity of FSK signal reception with split frequencies on a fluctuation noise background 86–16335
Yeskel, F.J. Digital image processing algorithm for high frequency information 85–41952
Yesufu, A.K. Computer-based access in medical mobile radio 85–63553
Yesufu, A.K. Telecommunications infrastructure and rural service: a case for cellular radio 88–67279
Yetter, J., Forsyth, M., Jaffe, W., Tanksalvala, D., Wheeler, J. A 15 MIPS 32 b microprocessor 87–59601
Yetter, J. *see* Forsyth, M. 88–6896
Yetter, J.D., Lotz, J.P., Jaffe, W.S., Forsyth, M.A., DeLano, E.R. HP Precision Architecture NMOS-III single-chip CPU 88–12412
Yetter, W.E. *see* Glocker, D.A. 87–18471
Yetung Paul Chiang The study of universal array 86–1022
Yeu Wen-Shiann *see* Wen-Shiann Yeu
Yeu-Haw Yang, Chung-Yu Wu, Wen-Yang Chen A new method for determining the terminal series resistances and high-injection coefficient of bipolar transistors in CMOS integrated circuits for computer-aided circuit modeling 88–39691
Yeu-Haw Yang *see* Chung-Yu Wu 86–9297
Yeuching Zhang *see* Zhang Yeuching
Yeun Park Chong *see* Chong Yeun Park
Yeung, C., Mavaddat, F. A procedural cell layout specification environment for VLSI design 87–25470
Yeung, C. *see* Pulver, M. 87–32670
Yeung, C.A., Mersereau, R.M. Maximum entropy signal restoration 87–7857
Yeung, D.Y., Chan, C. Identification of unaspirated plosives using integrated temporal and spectral features in dynamic representation as acoustic cues 86–16267
Yeung, E.S. *see* Yappert, M.C. 88–2075
Yeung, K., Rath, O., Rao, K.R. Generation of the fast 2D discrete Fourier transform 87–52088
Yeung, K. *see* Rath, O. 88–371, 88–72925
Yeung, K.K., Lawrence, P.D. A low cost three-dimensional vision system using space-encoded spot projections 87–49561
Yeung, K.S. An open and short-circuit technique for analyzing electronic circuits 87–36864
Yeung, K.S. Hybrid representation of coupled coils 87–52919
Yeung, K.S., Kumbi, F. Symbolic matrix inversion with application to electronic circuits 88–31684
Yeung, M., Langston, J., Sparkes, C. Increasing the registration accuracy of step and repeat systems through software improvement 87–11516
Yeung, M.R. Radiological consideration of nuclear power plant siting 87–50929
Yeung, M.R. *see* Charbonneau, S. 87–50960
Yeung, P., Shergill, R.S., Wang, T., Tucci, P.A. A 300 MHz bipolar-CMOS video shift register with FIFO 87–59416
Yeung, P.K.K., Kim, Y. Computer-aided design of digital filters and their simulation 87–52772
Yeung, P.S., Shackleton, D.A. User-friendly simulation modeling of generic power devices 85–61115
Yeung, R. *see* Berger, T. 88–34590
Yeung, T.B., Lee, C.S.G. Efficient parallel algorithms and VLSI architectures for manipulator Jacobian computation 88–63725
Yeung, W., Kong, F. Time domain deconvolution when the kernel has no spectral inverse 87–7725
Yeung, W.K. Low cost isolation amplifier 88–25021
Yeung, W.K., Evans, S. Time-domain microwave target imaging 86–5495
Yeung, W.K., Evans, S., Kong, F.N. A new generalized inverse definition for linear discrete systems 86–64283
Yeung, W.K., Narasimhan, M.S., Karthikeyan, M. Comments on and extensions to 'Evaluation of Fourier integrals using a FFT with improved accuracy and its applications' [and reply] 85–60931
Yeung, W.K. *see* Reader, H.C. 85–41754
Yeung, Y.P. *see* Chan, F.H.Y. 88–76034
Yeung Cheung *see* Cheung Yeung
Yeung Dit-Yan *see* Dit-Yan Yeung
Yeung-Cho Ip A distributed-end-system interworking unit 88–9204
Yevak, R.J. *see* Morrison, P.W. 86–1925
Yevdokimov, V.N. Calculating the field of multistrip electrostatic deflection systems 86–22629
Yevdokimov, V.N., Shimanskaya, A.V. Modeling of electron gain in a multiplier channel using the Monte Carlo method and generating functions 88–71289
Yevdokunin, G.A. *see* Aleksandrov, G.N. 88–61924
Yevel'son, R.L. Quasiwave asymptotic form of the diffraction of a plane wave by an impedance cylinder with an arbitrary cross section 87–26740
Yeves, F., Castro, M., Peire, J., Artime, J. Spanish sun inverter market 86–45288
Yeves, F., del Valle, J., Peire, J., Aldana, F. A new technique in drive and control circuits for power electronic systems 88–43113
Yeves, F., Peire, J., Aldana, F. An optimal solar inverter for the Spanish market 86–6911
Yeves, F. *see* del Valle, J. 88–43201
Yeves, F. *see* Peire, J. 86–33525, 86–45589, 86–66173
Yevick, D. A split-step Fourier transform based analysis of the spontaneous emission factor 85–29857
Yevick, D. A review of recent beam propagation method results in integrated optics, semiconductor laser theory and fiber optics 85–56361
Yevick, D., Bardyszewski, W. The influence of screening on the Auger coefficient of 1.3 μm InGaAsP lattice matched to InP 87–39106
Yevick, D., Hermansson, B. New approach to lossy optical waveguides 86–9467
Yevick, D., Hermansson, B. New approach to perturbed optical waveguides 86–28848
Yevick, D., Hermansson, B. New fast Fourier transform and finite-element approaches to the calculation of multiple-stripe-geometry laser modes 86–42615
Yevick, D. *see* Bardyszewski, B. 85–18073
Yevick, D. *see* Bardyszewski, W. 86–3151, 86–8838
Yevick, D. *see* Fisher, R.A. 85–2410
Yevick, D. *see* Hermansson, B. 85–12600, 85–12965, 87–33190
Yevick, D. *see* Patzak, E. 85–41413, 86–22384
Yevick, D. *see* Streifer, W. 85–2287, 85–2350, 85–7468, 85–62624
Yevick, D. *see* Vogelzang, E. 85–51401, 85–51418
Yevlashina, M.L., Mingalev, V.S., Alad'yev, G.A. Effect of the principal ionospheric trough on the propagation of short radio waves 87–39370
Yevlashina, M.L., Mingalev, V.S., Krivilev, V.N., Mingaleva, G.I. The effect of the nonuniform structure of the wintertime high-latitude ionosphere on the propagation of short radiowaves 87–75427
Yevlashina, M.L. *see* Mingalev, V.S. 88–72543
Yevseyev, V.L. *see* Sverdlik, M.B. 87–58897
Yevseyev, Yu.A., Seleninov, K.L. The ratio of diffusion and drift during spreading of the 'on' state in p-n-p-n structures 87–11761
Yevstaf'yev, B.N. *see* Romanov, S.K. 87–44696
Yew, P., Wyatt, J.L., Jr. A variational approach to delay in MOS logic circuits 85–17321
Yew, T.R., Comfort, J.H., Garverick, L.M., Burger, W.R., Reif, R. Cross-sectional TEM characterization of low temperature (750-800°C) epitaxial silicon by very low pressure (6 mTorr) chemical vapor deposition with and without plasma enhancement 88–43878
Yew, T.R., O, K., Reif, R. Silicon epitaxial growth on (100) patterned oxide wafers at 800°C by ultralow-pressure chemical vapor deposition 88–49799
Yew, T.R. *see* Burger, W.R. 87–38204
Yew, T.R. *see* Cheng, H.C. 85–54447, 87–10463
Yew, T.R. *see* Garverick, L.M. 88–7286
Yewen, J. High-precision composite op-amps 87–31723
Yext, W., Hayduk, E.A., Jr., Fisher, C.K. A study of various nitrogen-based furnace atmospheres and their effects on copper thick-film conductors and dielectrics 86–53244
Yext, W., Hayduk, E.A., Jr., Fisher, C.K. A study of various nitrogen-based furnace atmospheres and their effects on copper thick-film conductors and dielectrics 87–24634
Yext, W.F. *see* Taschler, D.R. 88–1220
Yey, Y.S. Taipower moves to 18 month cycles [nuclear power stations] 88–17267
Yeye He *see* He Yeye
Yeying Zhao *see* Zhao Yeying
Yeyios, A. On the optimization of an extrapolation method 85–10633
Yezerski, T.R., Miller, M.L. Economics of power plant RAM—Pennsylvania Power and Light Co. ECORAM capability described 87–9365
Yezerskiy, V.V. *see* Atayants, B.A. 88–3041
Yezhov, V.A. Coherent-optical correlator with combined modulation of the spatial carrier 87–39957
Yezhov, Yu.M., Ivanov, V.S., Kurbatov, N.D. Investigation of the interference in coaxial cables used for digital transmission systems 85–8290
Yhann, S.R., Lindquist, C.S. Spectral estimation from nonuniformly sampled data and new matrix inversion methods 88–46130
Yhann, S.R. *see* Lindquist, C.S. 88–46133
Yhou Hong Chi *see* Chi Yhou Hong
Yi, A. *see* Arsenault, R.H. 87–68217
Yi, B.Y. *see* Kang, S.T. 87–57047
Yi, C., Brechna, H., Alff, J.J. Electrical properties of silicon rectifier diodes at cryogenic temperatures 86–47526
Yi, C. *see* Schmidt, C. 88–64993
Yi, H. *see* Jun-Ming, Z. 86–62234
Yi, K.-S., Park, H.-L., Chun, J.S. The effects of deposition variables on the electrical properties of silicon nitride films by chemical vapor deposition 87–24961
Yi, K.S., Porod, W., Grondin, R.O., Ferry, D.K. Temporal structure of Si (111) surface oxidation 85–29132
Yi, M. *see* Hori, Y. 85–41259
Yi, M. *see* Kapon, E. 85–18916, 85–24627
Yi, M.B., Lu, L.T., Kapon, E., Rav-Noy, Z., Margalit, S., Yariv, A. Cd diffused mesa-substrate buried heterostructure InGaAsP/InP laser 85–29803
Yi, M.B., Paslaski, J., Liu, Y.Y., Chen, T.R., Yariv, A. High-speed front-illuminated GaInAsP/InP pin photodiode 88–45294
Yi, M.B., Paslaski, J., Lu, L.-T., Margalit, S., Yariv, A., Blauvelt, H., Lau, K. InGaAsP *p-i-n* photodiodes for optical communication at the 1.3-μm wavelength 86–28994
Yi, M.B. *see* Chen, T.R. 87–45883
Yi, S.-H., Kim, J.-K. An analysis of electromagnetic scattering from lossy dielectric cylinders using boundary integral equation method 88–27490
Yi, T.Y. Investigation of long term storage effects on aerospace nickel-cadmium cell performance 87–22702
Yi, T.Y. Effects of long term storage on aerospace nickel-cadmium cell performance 88–16853
Yi, Y.Z. *see* Zhang, H.K. 87–25624
Yi, Z., Wang, P.-y., Zhou, X.-X. An algorithm for simulation of power system states from transient stability to long term dynamics via the theory of homotopy 88–68746
Yi, Z.B. *see* Xiang, W.F. 88–23901
Yi Bae Jung *see* Jung Yi Bae
Yi Chen *see* Berger, P.R. 88–45175
Yi Chen *see* Utpal Das 88–13905
Yi Cheng, Shi Shiwen Algorithm for computer-based loss-of-field protection and its analyses [synchronous generator protection] 86–45366
Yi Cheng-bin, Chang Peng A new scheme for realizing frequency-to-voltage conversion in low frequency region 85–23079
Yi Cheng-bin, Zhang Peng, Chen Tian-shou A study of the phase-locked frequency multiplier for low frequency wide band applications 85–17763
Yi Cheon He *see* Cheon He Yi
Yi Cheon Hee *see* Cheon Hee Yi
Yi Ding *see* Ding Yi
Yi Fang Lie *see* Lie Yi Fang
Yi Feng *see* Du Jia-fang 87–60313
Yi Fulan *see* Zhuang Wenjun 87–53580
Yi Gang Chen *see* Patterson, R. 86–25185
Yi Guang Lu, Kawai, H., Tamura, S. Measurement of binocular eye movements using fast normalized template matching unit 88–36438
Yi Guoguang *see* Liu Li 87–54365
Yi Guoguang *see* Lui Li 85–18884
Yi Huang *see* En-Jun Zhu 87–25252
Yi Huang *see* Yong-sheng Wu 88–44573
Yi Huang *see* Huang Yi
Yi Jae Gyun *see* Jae Gyun Yi
Yi Jae-yel *see* Jae-yel Yi
Yi Jia Wei *see* Jia Wei Yi
Yi Jingrong *see* Cai Yingshi 86–15519
Yi Jingrong *see* Xu Huale 88–2159
Yi Jong Chang *see* Jong Chang Yi
Yi Kyoung-soo *see* Kyoung-soo Yi
Yi Li A new method for computing radiation fields of reflector antennas—Chebyshev-Bessel series technique 88–18632
Yi Li *see* Li Yi
Yi Lian-xing *see* Su De-fu 88–11940
Yi Liu *see* Nasrabadi, N.M. 88–46236
Yi Lu *see* Lu Yi
Yi Luo *see* Luo Yi
Yi Ma *see* Ma Yi
Yi Ming *see* Han Guangyao 85–62696
Yi Ming *see* Ming Yi
Yi Mingguang A precision monolithic video absolute-value converter 85–982
Yi Mingguang On 'a testing method for op-amp K_{CMR}' 85–33673
Yi Mingguang Expression for the temperature dependence of the bandgap voltage of silicon 87–66871
Yi Mingguang, Li Qingsong Cubic non-linear error of Gilbert multiplier 86–15129
Yi Minyu, Zhang Yuanjin, Gu Hengsheng, Yang Shuji, Liu Xiguang, Fang Junren A new type copper stabilised multifilamentary Nb$_3$Sn superconductor—a study of Nb-phosphorus bronze replacing Ta as a diffusion barrier 86–68187
Yi Pen-zhong *see* Cai Zheng-ping 86–11739
Yi Peng *see* Peng Yi
Yi Qin *see* Qin Yi
Yi Quanrui *see* Sun Daku 86–21953
Yi Qun Zhang, Jun Jie Zhu Advances of wire chambers in Mossbauer spectroscopy 87–21404

Yi Sang Lee *see* Jin Jang 88−49129
Yi Shugen Using feedforward compensation control to improve stability of open-loop excitation system 88−61812
Yi Song *see* Xiao-Dong Chen 87−74562
Yi Sun *see* Sun Yi
Yi Wang *see* Wang Yi
Yi Wang Bai *see* Bai Yi Wang
Yi Wu *see* Pommier, D. 87−3061
Yi Wu *see* Wu Yi
Yi Xian Yang *see* Yang Yi Xian
Yi Xin Chen *see* Yu Heng Zhao 88−57953
Yi Yang *see* Yang Yi
Yi Yang Wei *see* Wei Yi Yang
Yi Zhang *see* Zhang Yi
Yi Zhang Bing *see* Zhang Bing Yi
Yi Zheng *see* Basart, J.P. 87−8371
Yi-ang Zhuang *see* Zhuang Yi-ang
Yi-biao Yu *see* Yu Yi-biao
Yi-bin Chen *see* Houng-June Chao 87−57788
Yi-Bo Zhang *see* Zhang Yi-Bo
Yi-Chen Cheng *see* Sunh-Huei Lin 86−47292
Yi-Cheng Kuo *see* Yi-Hua Liu 88−51240
Yi-Chi Shih, Long Q. Bui, Itoh, T. Millimeter-wave diplexers with printed circuit elements 86−27550
Yi-Ching Pao, Liu, D., Lee, W.S., Harris, J.S. Effect of hydrogen on undoped and lightly Si-doped molecular beam epitaxial GaAs layers 86−52444
Yi-Chong Liu *see* Liu Yi-Chong
Yi-chuang Sun *see* Sun Yi-chuang
Yi-chun Qin *see* Qin Yi-chun
Yi-De Wang, Fuchs, J.J. On the extension of the method of goniometry [signal processing] 88−21250
Yi-Fan Gong, Haton, J.-P. A specialist society for continuous speech understanding 88−72840
Yi-fan Gu *see* Gu Yi-fan
Yi-Fan Li, Lit, J.W.Y. Transmission properties of a multimode optical-fiber taper 85−29572
Yi-Fan Li, Lit, J.W.Y. Temperature effects of a multimode biconical fiber coupler 86−58739
Yi-Fan Li, Lit, J.W.Y. General formulas for the guiding properties of a multilayer slab waveguide 87−38768
Yi-Fan Li, Lit, J.W.Y. Contribution of low-index layers to mode number in multilayer slab waveguides 88−26850
Yi-Fan Li, Lit, J.W.Y. Guided even and odd modes in symmetric periodic stratified dielectric waveguides 88−65320
Yi-Fan Li, Lit, W.Y. Coupling efficiency of a multimode biconical taper coupler 85−62328
Yi-feng Zhang *see* Zhang Yi-feng
Yi-Gang Xie *see* Xie Yi-Gang
Yi-gong Yang *see* Yang Yi-gong
Yi-He Huang *see* Lee, H.P. 88−24705
Yi-hua Li *see* Li Yi-hua
Yi-Hua Liu, Liang-Mo Mei, De-Xin Wang, Yi-Cheng Kuo Soft magnetic CoFeNiNbSiB amorphous film 88−51240
Yi-hua Wang *see* Wang Yi-hua
Yi-Hua Yu Intra-cell automatic router 85−35117
Yi-Jei, Z., Wen-Ge, C. Adaptive correlation regions for a multi-target multi-sensor tracking system 87−55202
Yi-Jie Zhang *see* Zhang Yi-Jie
Yi-jun Quin *see* Quin Yi-jun
Yi-Kang He *see* He Yi-Kang
Yi-Liang Liu *see* Liu Yi-Liang
Yi-lin Zhang *see* Zhang Yi-lin
Yi-min Sun *see* Sun Yi-min
Yi-ming Chin An optimum method of accuracy design of instruments 86−60103
Yi-ming Chu *see* Chu Yi-ming
Yi-nan Quan *see* Quan Yi-nan
Yi-nan Shen *see* Shen Yi-nan
Yi-Pei Yang *see* Yang Yi-Pei
Yi-Ping Chao, C., Shiang-Chyong Luo, M., Cheng-Sheng Pan, S., Chih-Tang Sah Hydrogenation of boron acceptor in silicon during electron injection by Fowler-Nordheim tunneling 87−24950
Yi-ping Cheng *see* Cheng Yi-ping
Yi-ping Gao *see* Gao Yi-ping
Yi-qi Zhuang *see* Zhuang Yi-qi
Yi-qian Xu *see* Xu Yi-qian
Yi-qiu Wang *see* Wang Yi-qiu
Yi-quan Yaun *see* Yaun Yi-quan
Yi-quan Yuan *see* Yuan Yi-quan
Yi-rang Yuan *see* Yuan Yi-rang
Yi-Ren Woo, Yoganathan, A.P. Two-component laser Doppler anemometer for measurement of velocity and turbulent shear stress near prosthetic heart valves 86−32260
Yi-Sang Chen *see* Gautrea, R. 88−24399
Yi-Sheng Zhu, Wai-Kai Chen Realizability of lossless reciprocal and nonreciprocal broadband matching networks 86−609
Yi-Sheng Zhu, Wai-Kai Chen Broadband matching with maximally-flat group delay characteristic 86−57587
Yi-sheng Zhu, Wai-kai Chen On complex-normalized reflection coefficients of a terminated lossless two-port network 88−63437
Yi-Sheng Zhu *see* Zhu Yi-Sheng
Yi-Shung Juang *see* Jacobs, A.M. 88−23015
Yi-song Liu Equivalent complex baseband notation for a QPSK/TDMA channel 87−2677
Yi-Song Liu, Shi-Qin Feng The TDMA burst-mode link analyser with least-squares algorithm 88−53208
Yi-song Zou *see* Zou Yi-song
Yi-Teh Lee, Silverman, H.F. On a general time-varying model for speech signals 88−66356
Yi-Teh Lee *see* Silverman, H.F. 88−40850
Yi-ting Zhang *see* Zhang Yi-ting
Yi-wei Deng *see* Deng Yi-wei
Yi-Xi Xie *see* Hui-Qun Jin 87−68772
Yi-xi Xie *see* Xie Yi-xi
Yi-xin Hua *see* Hua Yi-xin
Yi-xing Ni *see* Ni Yi-xing
Yi-xuan Xia *see* Xia Yi-xuan
Yi-Yan, A., Carru, H., Correc, P. Analysis of rib waveguide grating resonator filters 87−74906
Yi-Yan, A., Carru, H., Correc, P., Chandouineau, J.P., Dugrand, L., Carre, M. GaAs/GaAlAs rib waveguide grating filters for $\lambda = 1.5$ μm 87−53978
Yi-Yan, A. *see* Riviere, L. 85−56320, 86−9587
Yi-yang Zheng *see* Zheng Yi-yang
Yi-Ying Zhang *see* Zhang Yi-Ying
Yi-Yong Nie, Thomee, V. A lumped mass finite-element method with quadrature for a non-linear parabolic problem 86−13694
Yi-yong Yuan *see* Yuan Yi-yong
Yi-you Rhen *see* Rhen Yi-you
Yi-yuan Chen *see* Chen Yi-yuan
Yi-Yuan Ding *see* Ding Yi-Yuan
Yi-Yung Chiu, Che-Ho Wei On the realization of multimemory block structure digital adaptive filter using distributed arithmetic 87−45095
Yi-zeng Qiao *see* Qiao Yi-zeng
Yi-zhong Jin *see* Jin Yi-zhong
Yi-zhuang Huang *see* Huang Yi-zhuang
Yi-zun Wu *see* Wu Yi-zun
Yia-Chung Chang Enhancement of optical nonlinearity in *p*-type semiconductor quantum wells due to confinement and stress 85−41453
Yia-Chung Chang Transient response of nonlinear optical interactions in semiconductor superlattices 86−42631
Yia-chung Chang, James, R.B. Free-carrier absorption and saturation of intervalence-band transitions in p-type semiconductor quantum wells 88−8295
Yia-Chung Chang *see* Brennan, K. 85−34496
Yia-Chung Chang *see* Efron, U. 88−7990, 88−58236
Yia-Chung Chang *see* Herrmannsfeldt, G.A. 87−18863
Yia-Chung Chang *see* Hsu, T.-Y. 88−59233
Yia-Chung Chang *see* Masselink, W.T. 86−21206
Yia-Chung Chang *see* Miller, R.C. 86−21209
Yia-Chung Chang *see* Pearah, P.J. 86−53396
Yia-Chung Chang *see* Sanders, G.D. 86−8857
Yia-Chung Chang *see* Ting, D.Z.-Y. 87−1248
Yiallouros, G. *see* Johnson, E.L. 87−57197
Yian Li-Shian *see* Allen, P.E. 86−21872
Yian Yang Xi *see* Yang Xi Yian
Yianakopoulos, G. *see* Vanderschueren, J. 87−18436
Yiang I *see* Po Lung Yu 88−25602
Yianneskis, M. Thermal monitoring by liquid crystals 87−21272
Yianying Wang *see* Wang Yianying
Yiao Xiao-guang *see* Wang Man 87−70998
Yiaowang Lin *see* Lin Yiaowang
Yibai Meng *see* Meng Yibai
Yiben Cui *see* Cui Yiben
Yibin, H. Trinity algebra and full-decompositions of sequential machines 87−17016
Yibin Du *see* Du Yibin
Yibing Cheng *see* Cheng Yibing
Yibing Ding *see* Ding Yibing
Yibing Lee *see* Lee Yibing
Yibing Zhao *see* Zhao Yibing
Yibo Chi *see* Chi Yibo
Yibo Yuan *see* Yuan Yibo
Yichao, W., O'Reilly, J.J. Repeatered optical fiber communication based on line-coded digital PPM transmission 86−55316
Yichao, W., O'Reilly, J.J. Synchronisation of line-coded digital PPM in repeatered transmission systems 87−61561
Yichao, W. *see* O'Reilly, J.J. 86−3746
Yicheng Chen *see* Chen Yicheng
Yicheng Guo *see* Guo Yicheng
Yicheng Song *see* Song Yicheng
Yichuan Huang *see* Huang Yichuan
Yide Su *see* Su Yide
Yide Zhang *see* Zhang Yide
Yie, C. *see* Wang, Z.Y. 88−60586
Yie He *see* He Yie
Yie Ho *see* Ho Yie
Yie Jin-de, Xu Shu-tan, Xie Jin-ru, Zheng Yu-liang A low-cost home receiver for 700 MHz band DBS service 85−3675
Yie-Der Shen *see* Nelson, D.A., Jr. 88−19664
Yieh-Hwang Wan *see* Hung-Po Chao 86−12355
Yiepen Zhen *see* Zhen Yiepen
Yifan Gu *see* Gu Yifan
Yifang Chen *see* Chen Yifang
Yifang Wu *see* Wu Yifang
Yifang Zhang *see* Zhang Yifang
Yifeng, Wu. *see* Maitre, H. 88−3230
Yifeng Wu, Maitre, H. Reflecting similarity measure error of dynamic programming for rotating picture registration 87−75933
Yifeng Yuan *see* Yuan Yifeng
Yifeng Zhang *see* Zhang Yifeng
Yiftah, S. A combined hydro-nuclear-solar project for electric power production 86−12587
Yiftah, S. The BOT (build-operate-transfer) model for building nuclear power stations in developing countries 88−75357
Yiftah, S., Hellens, R.L. The user's perspective in nuclear technology transfer 86−39462
Yig-Cheng Shih *see* Murakami, M. 88−57379
Yigang Chen *see* Carey, J. 87−14845
Yigang Yang *see* Yang Yigang
Yiguang Zhao *see* Zhao Yiguang
Yih, B. *see* Kruger, R.A. 85−59275
Yih, B.C. *see* Kruger, R.A. 86−11944
Yih, J.-S., Hughes, H.D. Modelling of a prioritized CSMA/CD protocol 87−8066
Yih, J.-S. *see* Hughes, H. 88−21617
Yih, T.C., Mitra, S.K. New local search method for finite word-length digital FIR filter design 88−900
Yih, T.S., Wu, H.H., Wang, H.S., Chen, Y.L., Hsu, Y.C. Observation of tunable ultraviolet emission in sodium under multiphoton excitation 88−8301
Yih-Cheng Shih *see* Murakami, M. 88−7363 to 7364
Yih-Chiao Liu, Wise, G.L. On the relative efficiency between the correlation detector and the sign detector 86−3905
Yih-Chiao Liu, Wise, G.L. A note on estimation with quantized data 86−29720
Yih-Chiao Liu, Wise, G.L. An analysis of a CSMA/CD collision resolution scheme 86−64749
Yih-Long Chang, Shen, S. Simulation investigation on message based CSMA/CD priority protocols 88−59378
Yih-Shyang Cheng *see* Wen-Sheng Perng 88−45227
Yih-Wen Chen *see* Cahen, D. 85−10076
Yih-Yih Wu *see* Chyun-Shin Cheng 88−9873
Yihan Yang *see* Yang Yihan
Yihe Huang Some imaging properties of volume reflection holography 86−42650
Yihe Yang *see* Yang Yihe
Yiher Yang *see* Yang Yiher
Yihjye Twu, Dienes, A., Shyh Wang, Whinnery, J.R. High power coupled ridge waveguide semiconductor laser arrays 85−7413
Yihjye Twu, Kuo-Liang Chen, Shyh Wang, Whinnery, J.R., Dienes, A. Eigenmode analysis of phase-locked semiconductor laser arrays 86−29129
Yihong Shen *see* Shen Yihong
Yihua Hu *see* Hu Yihua
Yihua Liu *see* Liu Yihua
Yihua Yan *see* Yan Yihua
Yijan Tang *see* Tang Yijan
Yijiang Chen Tapered polarizing anisotropic fibers 88−65200
Yijiang Chen, Hung-chia Huang Anisotropic fiber with a depressed-cladding profile 87−38788
Yijiang Chen, Hung-chia Huang Microbending and macrobending behaviour of bow-tie fibers and similar anisotropic optical fibers 88−51457
Yijiang Chen *see* Chen Yijiang
Yijie Zhang *see* Zhang Yijie
Yijing Shi *see* Shi Yijing
Yijuan Zhang *see* Shu, D. 88−48053
Yike Zheng *see* Zheng Yike
Yikun Lin *see* Lin Yikun
Yil Kim Kwang *see* Kwang Yil Kim
Yil Yang Yeong *see* Yeong Yil Yang
Yilbas, B.S. The absorption of incident beams during laser drilling of metals 86−29274
Yilbas, B.S. The study of plasma behaviour during pulsed laser drilling with different drilling medium and pressures 87−12639
Yilbas, B.S. Study of affecting parameters in laser hole drilling of sheet metals 88−27365
Yilbas, B.S. Investigation into drilling speed during laser drilling of metals 88−34185
Yilbas, B.S., Danisman, K., Yilmaz, M., Yilbas, Z. The development of the computer controlled electro-fiber-optic system for surface roughness measurement of metals 88−42292
Yilbas, B.S., Yilbas, Z. Plasma transients during laser drilling in subatmospheric pressure atmospheres of air 87−12647
Yilbas, B.S., Yilbas, Z. A study of parameters affecting the continuous CO_2 laser cuts 88−34178
Yilbas, B.S., Yilbas, Z. The study of the propagation of a laser beam through the atmosphere 88−40579
Yilbas, B.S., Yilbas, Z. Effects of plasma on CO_2 laser cutting quality 88−65927
Yilbas, B.S., Yildiz, M.E. The measurement of the output of pulsed lasers using cone calorimeter 87−12540
Yilbas, Z. *see* Yilbas, B.S. 87−12647, 88−34178, 88−40579, 88−42292, 88−65927
Yildiz, M.E. *see* Yilbas, B.S. 87−12540
Yildizli, A. *see* Tuncay, R.N. 87−15805
Yili Guo *see* Minyan Yao 88−45497
Yili Guo *see* Guo Yili

Yili Liu *see* Liu Yili
Yilin Chang *see* Chang Yilin
Yilin Sun *see* Sun Yilin
Yilin Ye *see* Ye Yilin
Yilmaz, B. *see* Vollenbroek, F.A. 86−21674
Yilmaz, H. Cell geometry effect on IGT latch-up 86−2161
Yilmaz, H., Benjamin, J.L., Dyer, R.F., Jr., Chen, L.-S.S., Van Dell, W.R., Pifer, G.C. Comparison of the punch-through and non-punch-through IGT structures 86−67861
Yilmaz, H., Benjamin, J.L., Dyer, R.F., Chen, L.S., Van Dell, W.R., Pifer, G.C. Comparison of the punch through and non-punch through IGT structures 86−41843
Yilmaz, H., Benjamin, J.L., Owyang, K., Chang, M.F., Van Dell, W.R. Recent advances in insulated gate bipolar transistor technology 87−38218
Yilmaz, H., Chen, L.-S., Van Dell, W.R., Benjamin, J., Chang, M., Owyang, K. 50 A 1200 V *n*-channel IGT 86−15160
Yilmaz, H., Owyang, K., Shafer, P., Borman, C. Optimization of power MOSFET body diode for speed and ruggedness 87−38324
Yilmaz, H., Takiguchi, Y., Tsuchiya, Y., Hiruma, T. Direct test of the isotropy of the velocity of light using a streak camera system 87−14579
Yilmaz, H., van Dell, W.R. Floating metal rings (FMR)−a novel high-voltage blocking technique 86−21514
Yilmaz, H., Van Dell, W.R., Owyang, K., Chang, M.F. Insulated gate transistor modeling and optimization 85−50574
Yilmaz, H., Van Dell, W.R., Owyang, K., Chang, M.F. Insulated gate transistor physics: modeling and optimization of the on-state characteristics 86−21587
Yilmaz, H. *see* Chang, M. 88−32081
Yilmaz, H. *see* Chang, M.F. 85−50575, 87−32600, 87−46124
Yilmaz, H. *see* Chow, T.P. 86−47604
Yilmaz, H. *see* Li-shu Chen 86−41844
Yilmaz, H. *see* Owyang, K. 87−37763
Yilmaz, M. *see* Yilbas, B.S. 88−42292
Yilmaz, U.M. *see* Gibbins, C.J. 85−41622, 88−8472
Yim, A. *see* Haller, G.M. 88−61187
Yim, A. *see* Lo, C.C. 88−61177
Yim, A.K. *see* Lo, C.C. 88−68224
Yim, C. *see* Choi, Y. 88−46693
Yim, C.-H. *see* Choi, Y. 88−28509
Yim, C.-H. *see* Suh, C.-J. 88−28508
Yim, C.H. *see* Hartmann, H.L. 85−42000
Yim, H.J., Greeneich, E.W. Improved cutoff frequency in vertical bipolar transistors fabricated with focused ion beam lateral base profiles 87−18088
Yim, J. The development of laser spectroscopy as a method of determining moisture levels in semiconductor packages 87−51875
Yim, J. Moisture measurement in semiconductor housings 88−11706
Yim Han-Suck *see* Han-Suck Yim
Yim Jae-Hag *see* Jae-Hag Yim
Yiman Wang *see* Wang Yiman
Yimei Chen *see* Chen Yimei
Yimen Zhang *see* Zhang Yimen
Yimin, Z., Hirasawa, K., Fujimoto, K. Performance on power inversion adaptive array with the effect of mutual coupling 86−64141
Yimin Chu *see* Chu Yimin
Yimin Diao *see* Diao Yimin
Yimin Li *see* Li Yimin
Yimin Qiao *see* Qiao Yimin
Yimin Zhang *see* Zhang Yimin
Yimin Zhou *see* Gusten, H. 87−2095
Yiming Hong On the nonexistence of nontrivial perfect *e*-codes and tight 2*e*-designs in Hamming schemes $H(n,q)$ with $e \geqslant 3$ and $q \geqslant 3$ 86−66692
Yiming Zhou *see* Zhou Yiming
Yimo Zhang, Zai chun Li An improved holographic technique for imaging through fog 88−34169
Yimo Zhang *see* Zhang Yimo
Yin, B.H., Politopoulos, A.S. ATR system: a Ford Aerospace perspective [automatic target recognition] 88−22223
Yin, B.H. *see* Kato, D.N. 88−53379
Yin, D., Ohita, H., Hashimoto, F. GERT analysis of reliability problems 86−7555
Yin, D.H. *see* Meditch, J.S. 86−54635
Yin, D.H.-L. *see* Meditch, J.S. 87−33844
Yin, D.H.L., Meditch, J.S. Delay analysis of Expressnet with integrated voice/data services 87−34146
Yin, Dingzhen *see* Chang, Tianbao 87−57031
Yin, D.L. *see* Shao, K. 88−26694
Yin, G. *see* Zhu, Y.M. 88−46072
Yin, G.Y. *see* Caro, R.G. 87−12352
Yin, G.Y. *see* Walker, D.J. 88−14111
Yin, G.Z., Jillie, D.W. Orthogonal design for process optimization and its application in plasma etching 87−60340
Yin, H., Civanlar, S., Grainger, J.J. Loss minimization on electric distribution systems by feeder reconfiguration 87−57634
Yin, H.-B. *see* Despouys, J.-B. 87−18727
Yin, H.-Y. *see* Meditch, J.S. 85−57574
Yin, H.B. New connector and attenuator offers important advantages: monomode optaball connector 87−74792
Yin, J., Naito, Y., Mizu-Moto, T. Edge-guided mode in a symmetric coplanar waveguide with ferrite substrate and overlayer 88−38675
Yin, J. *see* Naito, Y. 88−8450
Yin, J.H., Wu, W.Q., Zhang, D., Shui, Y.A. Temperature characteristics of Rayleigh wave in SiO_2/128° *Y-X* $LiNbO_3$ structure 88−51141
Yin, J.M. *see* Bao, X.M. 87−16575
Yin, L. *see* Zou, L. 87−62125
Yin, L.I. *see* Lieu, R. 86−32201
Yin, M.-T. *see* Chang, M.-C. 87−60584
Yin, M.T. Layout verification of VLSI designs 86−2301
Yin, N., Li, S.-q., Stern, T.E. Congestion control for packet voice by selective packet discarding 88−46353
Yin, N., Stern, T.E., Li, S. Performance analysis of a priority-oriented packet voice system 87−62513
Yin, P. *see* Chan, T. 87−59475
Yin, P. *see* Walker, R. 86−2419
Yin, Q.-Y., Zou, L.-H. Separately estimating the frequency-wavenumber of coherent sources by signal eigenvector smoothing technique 88−73153
Yin, W.J. *see* Zhang, H.K. 88−51665
Yin, X., Schowengerdt, R.A. Efficient quadtrees for image processing 86−49034
Yin, X.-K., Sheng, B.-Z. Some aspects of accelerated life testing by progressive stress 87−58732
Yin, Y. Experience on overcoming beam RF interference to DCCT 86−24868
Yin, Y.-Z., Ying, R.-J., Bekefi, G. Generation of electromagnetic radiation from a drifting and rotating electron ring in a rippled magnetic field 88−2298
Yin, Y.Q., Krishnaiah, P.R. On some nonparametric methods for detection of the number of signals 88−14666
Yin, Y.Z. *see* Destler, W.W. 85−51202
Yin, Y.Z. *see* Fajans, J. 85−24595, 85−51204
Yin, Z., Peng, C., Zheng, E. On-line system for analysis of nystagmus 87−57179
Yin, Z. *see* Zheng, E. 86−56149
Yin, Z.W. Recent development of PLZT ceramics research in Shanghai Institute of Ceramics 87−53780
Yin Baolong *see* Cao Hongru 88−72249
Yin Baolong *see* Hu Xuejin 86−68435
Yin Bo *see* Naugle, D.G. 87−65559
Yin Chunyong, Li Qingxiang, Gao Huifen Optical design of the acousto-optic frequency-preshifted laser Doppler velocimeter 86−10035
Yin Daheng *see* Liu Huifen 88−18896
Yin Daren A discussion on spatial resolution of IR scanner 88−29429
Yin Dinzhen *see* Dinzhen Yin
Yin Fang *see* Fang Yin
Yin Gengshen, Sun Zhixin The 8086 microcomputer and telecontrol. II 87−15150
Yin Gengsheng, Li Yuhua Synthesis of dynamic characteristic for synchronous generator used in dynamic analogue 85−16023
Yin Guang-Yu *see* Guang-Yu Yin
Yin Guangyu *see* Guangyu Yin
Yin Guanyu *see* Zhang Zhengquan 88−72255
Yin Hong-shan *see* Shao An-min 88−29479
Yin Honghui *see* Gin Ganming 88−71377
Yin Huan-Ben *see* Huan-Ben Yin
Yin Janhua *see* Lu Chuengang 85−23665
Yin Jianping, Bas Ren, Zhang Bingquan Experimental research on temporal coherence of Ar^+ laser light 88−20712
Yin Jianping, Lu Junfa Theoretical analysis of highest space-frequency formula on holographic grating structure with wide angle and great scene 88−65891
Yin Jing-mei *see* Bao Xi-mao 86−63030
Yin Kening HVDC transmission technique and its future trends in Japan 85−21174
Yin Khin Maung *see* Khin Maung Yin
Yin Lian-sheng An exchange places method for precise phase shift measurement of large microwave systems 87−63499
Yin Lifeng, Dou Rensheng, Han Liying A quasi-CW power supply for experimental study of HCD lasers 85−29879
Yin Lifeng *see* Hu Qiquan 86−36541, 86−57010
Yin Lifeng *see* Zhang Yanping 85−56485
Yin Lin *see* Wang Zhenxi 88−64913
Yin Liu *see* Fucheng Chou 87−67734
Yin Lo I *see* Lo I Yin
Yin Ming *see* An De-xiang 88−26105
Yin Shi *see* Shi Yin
Yin Shiduan, Zhang Jingping, Gu Quan, Lu Minhua CW CO_2 annealing behavior of silicon implanted with lead 88−19654
Yin Shiduan *see* Li Baoqi 87−53272
Yin Shiduan *see* Zhu Peiran 88−20018
Yin Shun Gou *see* Yao Huang Kao 86−53919
Yin Wen Lin *see* Lin Yin Wen
Yin Xianggen, Chen Deshu A new digital generator protection based on the fault component against asymmetrical faults 87−72123
Yin Xianhua *see* Liang Baogen 88−40270
Yin Xiao-ming *see* Wei Ce-jun 86−63276
Yin Xiao-wei *see* Wang Ke 88−35337
Yin Xiezheng *see* Wei Fuyuan 88−59589
Yin Xiuyu *see* Zhu Wensen 85−12821
Yin Xixiong *see* Sun Wei 87−7263
Yin Yan *see* Yan Yin
Yin Yang *see* Yang Yin
Yin Yawei *see* Wei Fuyuan 88−59589
Yin Yixian, Zhen Xiangguang, Hu Shihua, Ni Shize, Shen Tieliu, Han Pu Principle of mutual exclusion and suppression of laser noise [He-Ne laser] 85−46314
Yin Yonbai *see* Li Changjian 88−26933
Yin Yonbai *see* Xu Wnyuan 86−27933
Yin Young Pah *see* Young Pah Yin
Yin Yuan-Zhao *see* Yuan-Zhao Yin
Yin Yuanzhao Spontaneous emission coefficient and stimulated Raman emission of FEL with a linearly polarized wiggler and an axially guiding field 85−46420
Yin Yuanzhao *see* Ying Runjie 87−46920
Yin Yuhni *see* Lu Yi 86−62626
Yin Zhang *see* Zhang Yin
Yin Zhaosheng, Xu Jianming Some methods of producing a local skew quadrupole field in an accelerator ring 88−68128
Yin Zhaosheng *see* Xu Jianming 88−29758
Yin Zhi-ping *see* Li Si-yuan 86−8883
Yin Zhi-qiang, Wei Zhi yuan, Chou Ban-Wei, Yan Zhang-gen, Harding, G.L. Chromium-oxygen films and solar absorbing selective surfaces 86−36292
Yin Zhiqiang, Harding, G.L. Optical properties of DC reactively sputtered thin films 85−24262
Yin Zhiyi *see* Jin Bianjun 85−18140, 87−6400
Yin-bai Yan *see* Kuo-fan Chin 86−58978
Yin-ho Sheh *see* Sheh Yin-ho
Yin-juan You *see* You Yin-juan
Yin-jun Wang *see* Wang Yin-jun
Yin-Mao Hsu Study of beta spectra by a NE102A plastic scintillation detector system 87−57035
Yin-Pao Chen An overview of real-time hardware-in-the-loop missile simulation system facility in missile dynamic simulation laboratory 87−8973
Yin-Pao Chen, Krishna Mudunuri, B. An anti-vignetting technique for super wide field of view mosaicked images 87−39901
Yin-yue Wang *see* Wang Yin-yue
Yin-zhi Huang *see* Huang Yin-zhi
Yinan Li *see* Li Yinan
Yinan Quan *see* Quan Yinan
Yinbao Chen *see* Chen Yinbao
Yinchun Hou *see* Hou Yinchun
Yine-Ping Ting RETRAN analysis of the San Onofre Unit 2 turbine trip from 100% power 85−65094
Yinfang Luo *see* Luo Yinfang
Yinfei Pan *see* Pan Yinfei
Yinfu Guo *see* Guo Yinfu
Ying, C. *see* Liu, Y. 87−60757
Ying, C.F., Zhang, S.Y., Shen, J.Z. Scattering of ultrasound in solids as visualized by the photoelastic technique 86−13879
Ying, C.S., Hong, X.L., Wang, E.Q. DRAFT: an efficient area router based on global analysis 88−24906
Ying, K.L. *see* James, A.N. 88−48033
Ying, L. Exploiting seasonal energy from small hydropower stations 85−38911
Ying, L. A novel approach−thermoplastic die attach adhesive 86−62984
Ying, L. A reworkable high reliability thermoplastic die attach adhesive 88−1253
Ying, L. A novel approach−thermoplastic die attach adhesive 88−7245
Ying, L. Tactile hearing prosthesis based on computer speech automatic recognition 88−68487
Ying, L. *see* Riley, P. 88−23560
Ying, L.X. *see* Xu, Y. 88−48141
Ying, Q., Liang, M., Sang, J., Wang, P., Jiang, F., Fan, Z., Huang, Y. Development of 500 kV techniques in China 86−70675
Ying, Q.Y. *see* Kwok, H.S. 88−38228
Ying, R.-J. *see* Yin, Y.-Z. 88−2298
Ying, R.L.P., Chua, L.O. Piecewise-linear analysis−canonical form and solution algorithms 85−22624
Ying, S. *see* Ge, J. 86−68114
Ying, W.-P., Mathews, J.D., Rastogi, P.K. Interference detection and correction applied to *D* region incoherent scatter radar power spectral measurements 87−56245
Ying, W.-P. *see* Rastogi, P.K. 88−53372
Ying, W.Li *see* Li Ying, W.
Ying, Z., Zhu, Z. Power transformers for switched mode power supplies 85−33652
Ying, Z. *see* Zhu, Z. 85−37232
Ying Chang *see* Chang Ying
Ying Cheng, Oxley, J. On weakly symmetric graphs of order twice a prime 87−44142
Ying Cheng, Wells, A.L., Jr. Switching classes of direct graphs 86−46189
Ying Chong-Fu *see* Li Yue 87−33714
Ying Chung-Fu *see* Lin Chong-Mao 86−12214
Ying Ding *see* Ding Ying
Ying Du Kai *see* Kai Ying Du
Ying Gao *see* Gao Ying
Ying Gen-yu, Huang Zhong-shou The planar magnetron sputtering target for a-Si:H thin film deposition 86−34389
Ying Hong *see* Hong Ying

Ying Jie Guo *see* Guo Ying Jie
Ying Lifeng *see* Jin Chunyang 86−9773
Ying Lu *see* Lu Ying
Ying Pang *see* Pang Ying
Ying Qin *see* Qin Ying
Ying Rui-xiang *see* Ma Wei-zhen 88−56200
Ying Runjie, Yin Yuanzhao The influence of equilibrium self-fields on the spontaneous emission and stimulated emission of FEL with a linearly polarized wiggler 87−46920
Ying Su *see* Su Ying
Ying Sun, Bergerson, E. Automated 3D reconstruction of tree-like structures from two orthogonal views 88−73268
Ying Tian *see* Tian Ying
Ying Wang *see* Wang Ying
Ying Wong Oi *see* Wong Oi Ying
Ying Xuan-tong *see* Xuan-tong Ying
Ying Xuantong, Chen Weifeng, Huong Xiangyong A new type of phase only CGH for on-axis image reconstruction 87−54438
Ying Zhang *see* Zhang Ying
Ying Zheng *see* Zheng Ying
Ying Zuxan *see* Zuxan Ying
Ying-bo Hua *see* Sarkar, T.K. 88−41775
Ying-chang Yang, Hai-ying Chen, Feng Xing, Wen-Wang Ho, Peng Wu, Ji-lian Yang, Bai-shen Zhang, Hui-ming Zhou, Lan Jin, Zhi-jiang Xu, Xiang-xin Zeng Neutron and X-ray diffraction study of $Y_2Co_{17-x}Zr_x$ and $Y_2Co_{17-y}Mn_y$ compounds 86−28614
Ying-chang Yang, Wen-Wang Ho, Hai-ying Chen, Jin Wang, Jian Lan Magnetic and crystallographic properties of $Nd_{15}B_7(Fe_{1-x}M_x)_{78}$ 85−56082
Ying-Chang Yang *see* Wen-Wang Ho 86−21961
Ying-chang Yang *see* Yang Ying-chang
Ying-Chao Ruan, Ching, W.Y. An effective dipole model for predicting band offsets in semiconductor heterojunctions 87−24842
Ying-Chao Ruan, Paranjape, B.V., Jing-Qing Tang A mathematical study of general analytical models for step *p-n* semiconductor junctions 86−8836
Ying-Chun Li *see* Li Ying-Chun
Ying-guang Shi *see* Shi Ying-guang
Ying-jian Wu *see* Wu Ying-jian
Ying-kin Xiao *see* Xiao Ying-kin
Ying-Kuei Yang Naturally modeling electric circuit data domain with network representation scheme in AI 88−63457
Ying-li Chen *see* Chen Ying-li
Ying-Li Luo, Shi-Peng Huang Analysis of field harmonics of pole-changing pumped storage machines in view of distribution factor 86−39665
Ying-ping Zhang *see* Zhang Ying-ping
Ying-Sheng Huang, Sen-Bin Tseng, Chuang-Jan Chang, Hun-Mei Chen, Gwo-Jen Jan Microcomputer-controlled measurement of the electrolyte electroreflectance of $Ga_{1-x}Al_xAs$ 86−55528
Ying-Sheng Huang *see* Yang-Fang Chen 88−2093
Ying-sheng Ni *see* De-min Yao 87−39228
Ying-Shi Cai *see* Cai Ying-Shi
Ying-Wah Wu *see* Basar, T. 86−3765
Ying-Xiang Zhang *see* Zhang Ying-Xiang
Ying-xiong Luo *see* Luo Ying-xiong
Ying-Yong FAn Dye flaw detection of magnetism in complex magnetic field 88−18825
Ying-yuan Jiang *see* Jiang Ying-yuan
Ying-zhu Zhang *see* Zhang Ying-zhu
Yingang Zhang *see* Zhang Yingang
Yingbai Yan *see* Yan Yingbai
Yingcai Li *see* Bates, B. 85−56382, 88−13958
Yingduo Han *see* Han Yingduo
Yinger, R.J. *see* El-Sharkawi, M.A. 88−68786
Yinger, R.W. *see* El-Sharkawi, M.A. 88−30701
Yinger, S.A. *see* Lee, F.S. 87−693
Yinggang Lu *see* Lu Yinggang
Yingho Sheh *see* Sheh Yingho
Yinghua Min *see* Min Yinghua
Yinghua Zhang *see* Zhang Yinghua
Yinghua Zhu *see* Zhu Yinghua
Yingji Zhang *see* Zhang Yingji
Yinglie Liu *see* Liu Yinglie
Yingling, C.D. *see* Fein, G. 85−43392
Yingling, J.C. *see* Berzonsky, B.E. 86−13241
Yingling, R.D. *see* Biegelsen, D.K. 88−49797
Yingmei Gu *see* Gu Yingmei
Yingming Xu *see* Xu Yingming
Yingning Chang *see* Chang Yingning
Yingping Zhang *see* Zhang Yingping
Yingpu Xie *see* Xie Yingpu
Yingshi Cai *see* Cai Yingshi
Yingshi Chen *see* Chen Yingshi
Yingst, T.E. Development of high power RF and switching tubes 85−1227
Yingwei Wu *see* Wu Yingwei
Yingwen Wu *see* Wu Yingwen
Yingyi Lin *see* Lin Yingyi
Yingying Ma *see* Ma Yingying
Yingzhong Lu *see* Lu Yingzhong
Yinn-Nien Huang, Kang Cheng, Sen-Wen Chen On the detection of acoustic-gravity waves generated by typhoon by use of real time HF Doppler frequency shift sounding system 85−64746
Yinn-Nien Huang, Spring-Zu Yang Fabrication of matched cladding and depressed cladding single mode optical fibers 87−38766
Yinnan Shi *see* Shi Yinnan
Yinnian Pan *see* Pan Yinnian
Yinpeng Zhao *see* Zhao Yinpeng
Yinshan Yu *see* Yu Yinshan
Yinshang, S. A PLL based clock and data recovery circuit with high input jitter tolerance 88−70606
Yinshi Cai *see* Cai Yinshi
Yinting Wang *see* Wang Yinting
Yinwen Lin *see* Lin Yinwen
Yinxia Zhang *see* Zhang Yinxia
Yinyue Wang *see* Wang Yinyue
Yinzao Zhou *see* Zhou Yinzao
Yionoulis, S.M. *see* Pisacane, V.L. 86−23995
Yiourgalis, N., Kokkinakis, G. Synthesis of Greek vowels using an improved formant-synthesizer and reduced memory 86−36986
Yip, E.L. A note on the stability of solving a rank-*p* modification of a linear system by the Sherman-Morrison-Woodbury formula 86−46270
Yip, E.L., Chiavetta, R.J. Comparison of uniform asymptotic expansions of diffraction integrals 88−14376
Yip, E.L. *see* Kas, A. 87−39344
Yip, G.L., Albert, J. Characterization of planar optical waveguides by K^+-ion exchange in glass 85−29598
Yip, G.L. *see* Albert, J. 86−15443, 87−68005, 88−45182, 88−65343
Yip, G.L. *see* Belanger, M. 85−1962, 85−29568, 86−36256, 86−48159, 88−13939
Yip, G.L. *see* Finak, J. 85−29645
Yip, G.L. *see* Haruna, M. 85−46204
Yip, G.L. *see* Wu, C. 87−60926
Yip, G.L. *see* Yang, R. 87−54028
Yip, G.W. *see* Koval, D. 85−27002
Yip, H.T., Weller, G.C., Allan, R.N. Reliability evaluation of protection devices in electrical power systems 85−15674
Yip, H.T. *see* Sanderson, J.V.H. 87−51329
Yip, K.L. *see* Sezan, M.I. 88−10316, 88−36453
Yip, P., Ramamohan Rao, K. Fast discrete transforms 88−46082
Yip, P., Rao, K.R. Fast decimation-in-time algorithms for a family of discrete sine and cosine transforms 85−49531
Yip, P., Rao, K.R. DIT and DIE algorithms for discrete sine and cosine transforms 86−57412
Yip, P., Rao, K.R. On the shift property of DCTs and DSTs [transforms] 87−36565
Yip, P., Rao, K.R. The decimation-in-frequency algorithms for a family of discrete sine and cosine transforms 88−31584
Yip, P. *see* Sesay, A.B. 87−62100
Yip, P. *see* Shah, S.C. 88−48419
Yip, P. *see* Wong, K.M. 88−73126
Yip, P. *see* Zhang, Q.T. 87−61993
Yip, P.C., Etter, D.M. An adaptive technique for multiple echo cancellation in telephone networks 87−62546
Yip, P.C., Rao, K.R. DIF algorithms for DCT and DST 86−16382
Yip, P.K. *see* Lewis, J.A. 88−7649
Yip, P.K. *see* Yu, M.L. 85−40060
Yip, S. *see* Kwok, T. 87−67159, 88−1569
Yip, W. *see* Fette, B. 88−66394
Yip, W.C., Kongable, L. Advanced digital television system 87−20691
Yip, Y. *see* Lee, S.Y. 88−44978
Yip Tsoi-ching *see* Tsoi-ching Yip
Yip-Wah Chung *see* Stair, K.A. 86−1818
Yiping He *see* He Yiping
Yiping Hu, Frieden, B.R. Restoration of longitudinal images 88−34737
Yiping Wang The direct derivation of the path integral solution for the parabolic wave equation 87−75392
Yiping Xu, Mar, A., Wade, G., Hu, E., Landry, J. New technique for submicron linewidth measurement 88−57755
Yiping Zheng *see* Zheng Yiping
Yipo Chi *see* Chi Yipo
Yiqi Zhuang *see* Zhuang Yiqi
Yiqiu Wang *see* Wang Yiqiu
Yiquan Wu *see* Wu Yiquan
Yiqun Lu, Palais, J.C., Yue Chen Coupling efficiency of single-mode fiber components using GRIN-rod lenses 88−39873
Yiqun Lu *see* Lu Yiqun
Yiqun Yan *see* Yan Yiqun
Yiqun Zhang *see* Zhang Yiqun
Yirang Yuan *see* Yuan Yirang
Yirong Xing *see* Xing Yirong
Yisha Wang *see* Wang Yisha
Yisheng Luo *see* Luo Yisheng
Yishuen Yu *see* Yu Yishuen
Yiting Cao *see* Cao Yiting
Yitref, M. *see* Sirany, R. 86−24827
Yiu, B. *see* Kruger, R.A. 86−50544
Yiu, J.T. *see* Lucas, J.E. 88−24538
Yiu, K.P. *see* Drukarev, A.I. 86−54437
Yiu, T. *see* Lee, S. 87−44852
Yiu Dexin *see* Li Zingjiao 87−73807
Yiu-Fai Chan Programmable logic replaces gate arrays 85−45009
Yiu-Sang Moon, Wing-Hong Cheung Design and implementation of a distributed processing environment with personal computers connected to a time-sharing system 85−52054
Yiwan Wong Hierarchical circuit verification 86−21788
Yiwen Wu *see* Wu Yiwen
Yixian Huan *see* Huan Yixian
Yixian Liu *see* Liu Yixian
Yixian Yang *see* Yang Yixian
Yixian Yin *see* Yin Yixian
Yixin Chen *see* Chen Yixin
Yixin Miao *see* Miao Yixin
Yixin Zhang *see* Zhang Yixin
Yixiong Wu *see* Wu Yixiong
Yiyan Xiong *see* Xiong Yiyan
Yiyang Zheng *see* Shouwu Wang 87−53464
Yiyang Zheng *see* Zheng Yiyang
Yiying Zhang *see* Zhang Yiying
Yiyou Ren *see* Ren Yiyou
Yiyuan Zhuang *see* Zhuang Yiyuan
Yiyun Feng *see* Feng Yiyun
Yizheng Cao *see* Cao Yizheng
Yizheng Lan *see* Lan Yizheng
Yizheng Ye *see* Ye Yizheng
Yizhi Gao *see* Gao Yizhi
Yizhi Qi *see* Qi Yizhi
Yizhi Sun *see* Sun Yizhi
Yizhi Xu *see* Xu Yizhi
Yizhong Kuang *see* Kuang Yizhong
Yizhong Wang *see* Wang Yizhong
Yizhuang Huang *see* Huang Yizhuang
Yizun, W., Kejian, G., Tong, Y., Feng, T. Experiment on 1500 nm stabilised Zeeman laser 87−38976
Yizun Wu Equivalent current theory of optical waveguide coupling 88−1989
Yizun Wu *see* Wu Yizun
Ykema, T. Transient ground potential rises in gas insulated substations with respect to earthing systems 87−51392
Ykema, Th., van Wunnik, A.W.M., van de Water, C.J. Trends in energy consumption and energy supply 87−15173
Ykema, Th., Vos, C.W.M., Adami, H. The choice of conductors for the new 380 kV stations of the NV SEP [Co-operative Electricity Production Undertakings] 86−12954
Yla-Jaaski, J. Fast adaptive transform of images for transmission and storage 85−57432
Yla-Jaaski, J., Kubler, O. Automatic segmentation and fast display of medical 3D images 87−77664
Yla-Jaaski, J., Kubler, O. A system for a fast display of medical 3D images 88−61336
Yla-Pietila, S. *see* Hirvensalo, J. 85−47356
Ylatalo, I. Switching-in current surges in distribution transformers 85−44028
Yli-Harja, O., Astola, J., Heinonen, P., Neuvo, Y. Performance of edge preserving median type filters in noisy conditions 88−44306
Yli-Harja, O. *see* Astola, J. 87−69354
Ylilammi, M. Thin and thick film technologies in sensor fabrication 85−11799
Ylilammi, M., Lehtinen, L. Numerical analysis of a theoretical one-dimensional amperometric enzyme sensor 88−23032
Ylinen, J. *see* Jukkala, P. 88−29627
Ylitalo, J., Greenleaf, J.F., Bahn, R.C. Coherent high-resolution ultrasound reflection mode CT imaging 87−71110
Ylitalo, J. *see* Greenleaf, J.F. 87−71111
Ylitalo, J. *see* Harrison, W.B. 87−53782
Ylitalo, J. *see* Tervola, K. 86−12209
Yllera, J. *see* Camarinopoulos, L. 85−44538
Ylo, E. *see* Browne, J.M. 87−53786
Ylo, E.E., III, Wheeler, M., Halliyal, A., Bhalla, A.S., Newnham, R.E. Piezoelectric properties and microstructure of glass-ceramics in the BaO-SrO-SiO_2-TiO_2 system 87−53795
Ylonen, M. *see* Jokela, K. 85−38260
Yngvesson, K.S. Imaging front-end systems for millimeter waves and submillimeter waves 87−20649
Yngvesson, K.S., Johansson, J., Kollberg, E.L. A new integrated array for multi-beam systems with application to millimeter imaging 87−33553
Yngvesson, K.S., Johansson, J.F., Kollberg, E.L. A new integrated slot element feed array for multibeam systems 87−12849
Yngvesson, K.S., Schaubert, D.H., Korzeniowski, T.L., Kollberg, E.L., Thungren, T., Johansson, J.F. Endfire tapered slot antennas on dielectric substrates 86−22808
Yngvesson, K.S. *see* Hegazi, G.M. 86−27589
Yngvesson, K.S. *see* Kim, Y. 88−27680
Yngvesson, K.S. *see* Schaubert, D.H. 86−36846
Yngvesson, K.S. *see* Winkler, D. 87−33559
Yngvesson, S. *see* Hegazi, G. 86−8505
Yntema, G.B. Niobium superconducting magnets 87−74612
Yntema, J.L., Billquist, P.J. Formation of negative ions in Cs sputter sources 86−55983
Yo, Y. *see* Toba, E. 88−10019
Yo Chul Hyun *see* Chul Hyun Yo
Yo Hwan Koh, Choong Ki Kim, Chong Min Kyung Experimental analysis and suppression method of CMOS latch-up phenomena 86−41958

Yo-Hui Kim, Ki-Yon Cho, Chong-Soo Kim, Soon-Man Kwon Development of a digital watthour meter 88−5408
Yo-Hui Kim, Kwan-Ho Kim Trends in the application of digital technology to electric power systems 87−64032
Yo-Hui Kim *see* Sang-Bong Han 87−60973
Yo-Hui Kim *see* Young-Hyun Moon 85−38544
Yo-Hwan Koh, Choong-Ki Kim Latch-back-free self-aligned power MOSFET structure with silicided source and body contact 88−71555
Yo-Hwan Koh, Jin-Ho Choi, Choong-Ki Kim A self-aligned metal gate MOSFET structure utilizing the oxidation rate variation on the impurity concentration 88−13399
Yo-Ping Huang *see* Garg, U. 87−23813, 87−33869
Yo-Yu Sun Doppler effect and its influence on low-altitude CW altimeters 85−14338
Yoav, Y. *see* Jacobson, S. 88−48267
Yochi, N. *see* Ozawa, T. 88−19132
Yocky, D. *see* Roehrig, H. 88−36159
Yocom, P.N. *see* Crandall, R.S. 88−14019
Yocom, P.N. *see* Kane, J. 86−36326
Yocum, M. *see* Cramer, S.P. 88−42425
Yoda, B., Ikeda, C., Sekii, Y., Kanaoka, M. Development of 500 kV cross-linked polyethylene insulated power cable 85−32170
Yoda, F. *see* Kato, H. 88−74026
Yoda, F. *see* Maeda, Y. 87−48168
Yoda, H. Automatic LSI wafer pattern inspection machine 88−37937
Yoda, H., Motoike, J., Ejiri, M., Yuminaka, T. A measurement method of the number of passengers using real-time TV image processing techniques 87−28859
Yoda, H., Ohuchi, Y., Taniguchi, Y., Ejiri, M. An automatic wafer inspection system using pipelined image processing techniques 88−33297
Yoda, H. *see* Sakou, H. 87−25462, 88−26413
Yoda, H. *see* Shinohara, T. 85−27344
Yoda, K. *see* Toyoda, K. 85−41090
Yoda, M. *see* Rhoads, K.G. 87−21228
Yoda, O. *see* Muto, S. 87−61109, 88−27130
Yoda, T. *see* Momota, H. 85−46104
Yoda, T. *see* Nakamura, E. 86−39144
Yoda, T. *see* Satow, T. 85−62270
Yoda, Y. *see* Nozaki, T. 86−43690
Yoda, Y. *see* Tada, M. 87−7923
Yoder, D. *see* Horden, I. 88−75551
Yoder, E.L. *see* Kolyer, J.M. 88−19547
Yoder, M.A., Jamieson, L.H. Simulation of a highly parallel system for word recognition 86−16255
Yoder, M.A., Jamieson, L.H. Simulation of a word recognition system on two parallel architectures 86−28511
Yoder, M.N. Distributed, traveling wave monolithic amplifiers 85−54710
Yoder, M.N. Distributed, monolithic travelling-wave amplifiers 85−55144
Yoder, M.N. Military applications of GaAs integrated circuits 87−45276
Yoder, M.N. Semiconducting diamond technology 88−39045
Yoder, M.N. Synthetic diamond, its properties and synthesis 88−43860
Yoder, N.R. *see* Ayres, R.L. 86−24883
Yoder, N.R. *see* Martin, E.R. 86−60408
Yoder, R.C. *see* Glasgow, G.P. 86−60845
Yoder, S.D. Cable limiters for three phase padmounted transformers 85−27477
Yoder, S.D. Arc-reflection method locates cable faults 88−5391
Yoder, S.K., Jamieson, L.H. Speaker-independent recognition of stop consonants 87−61705
Yoder-Short, D.R. *see* Debska, U. 85−39707
Yodh, G. *see* Amos, N. 87−21405
Yodh, G.B. *see* Mincer, A.I. 85−43160, 85−64477
Yodlowski, R. *see* Wolrich, G. 85−22932
Yodlowski, R.A.J. *see* McLellan, E.J. 88−20132, 88−70786
Yodo, T., Koyama, T., Yamashita, K. Growth of high-quality ZnSe by MOVPE on (100) ZnSe substrate 88−31771
Yodo, T., Oka, H., Koyama, T., Yamashita, K. Epitaxial growth of high quality ZnSe on GaAs substrate by atmospheric pressure MOVPE using dimethylzinc and hydrogen selenide 87−52142
Yodo, T. *see* Fujita, S. 85−44739, 85−44750, 86−7777
Yodogawa, E. A quantitative measure of perceived orientation strength of dot patterns 86−49032
Yodogawa, E. *see* Shakunaga, T. 85−36334
Yodogawa, E. *see* Yokosawa, K. 87−13073
Yodogawa, M. Zinc oxide varistors provide urgent surge control 88−1031
Yodogawa, Y. *see* Matsumura, N. 85−54458, 86−7779, 88−31775
Yodogawa, Y. *see* Saraie, J. 87−1341, 88−24761
Yodoshi, K., Hamada, H., Minakuchi, K., Komeda, K., Honda, S., Shono, M., Tabuchi, N., Yamaguchi, T., Niina, T. 3-beam semiconductor laser 88−40238
Yodoshi, K., Yamaguchi, T., Niina, T. A high-brightness monolithic display device using GaP green-light-emitting diodes 85−43049
Yoeli, M. Structured design of the control parts of self-time VLSI systems 87−66139
Yoeli, M. *see* Aharon, A. 87−66241
Yoeli, M. *see* Brzozowski, J.A. 88−673, 88−1796
Yoenhara, H., Fukuda, Y., Shirakawa, T. Development of super miniaturized and ultra high density packed resistor module 88−50541
Yoerger, D.R. Telerobotics and deep ocean science 88−54758
Yoerger, D.R., Newman, J.B. Demonstration of closed-loop trajectory control of an underwater vehicle 86−65561
Yoerger, D.R. *see* Harris, S.E. 87−29919
Yoffa, E.J., Hauge, P.S. ACORN: a local customization approach to DCVS physical design 86−21879
Yoffa, E.J. *see* Hauge, P.S. 85−7013, 85−28454, 85−44983, 87−6838, 88−24896
Yoffa, E.J. *see* Kurtzberg, J.M. 85−55900
Yoffa, E.J. *see* Schlag, M.D.F. 85−39981
Yoffe, A.D., Phillips, R.T. DC electrical conductivity of highly disordered elemental semiconductors 87−66928
Yoffe, G.W., Schlom, D.G., Harris, J.S., Jr. Modulation of light by an electrically tunable multilayer interference filter 88−20434
Yoffe, G.W., Schlom, D.G., Harris, J.S., Jr. Light modulation by tunable interference filter 88−33900
Yoffe, G.W., Schlom, D.G., Harris, J.S., Jr. Molecular-beam epitaxial growth of tunable multilayer interference optical modulators 88−51561
Yoffe, G.W. *see* Hellman, E.S. 86−46337
Yoffe, G.W. *see* Koch, S.M. 87−36724
Yoganandam, Y. *see* Ajaya Kumari, K. 88−9622
Yoganandam, Y. *see* Reddy, V.U. 87−75818
Yoganathan, A.P. *see* Yi-Ren Woo 86−32260
Yoganathan, S., Chari, M.V.K., Hoole, S.R.H. Use of smoothness criterion in refining meshes in axisymmetric field problems 87−68697
Yoganathan, S. *see* Hoole, S.R.H. 86−59009, 88−2466
Yogeshwar, G.K. Stabilized C-band GaAs FET oscillator 86−47069
Yogeshwar, G.K., Singh, V.P., Rangari, K.P., Chatterjee, C.K. A low-noise microwave frequency synthesizer using varactor tuned dielectric resonator oscillator 87−44658
Yogi, T., Terao, K., Furui, Y. A design method and CAD tool for bipolar analog LSI 88−13569
Yogi, T. *see* Asato, T. 86−6364
Yogi, T. *see* Chi, C.C. 85−46078
Yogi, T. *see* Dueholm, B. 85−46081
Yogi, T. *see* Murakami, M. 85−7178, 85−24225
Yogi, T. *see* Tesche, C.D. 85−46070, 85−56217
Yogi, T. *see* Vanneste, C. 85−35354
Yogo, H., Inagaki, N. A simple feature extraction method for vowels by a combination of moving-averages 86−54483
Yogo, H., Minoura, A., Inagaki, N. Pattern recognition using Prolog 87−2462
Yogo, H., Sawamura, H., Inagaki, N. Basic properties of Walsh-Hadamard Q-spectra and their applications to the recognition of CV-monosyllables 86−16152
Yoh, J. *see* Hayashide, Y. 85−26687
Yoh, K., Harris, J.S., Jr. A p-channel double heterojunction GaAs/AlGaAs modulation doped field effect transistor 87−25340
Yoh, K., Harris, J.S., Jr. Complementary MODFET circuits consisting of pseudomorphic NMODFET and double heterojunction PMODFET by selective molecular beam epitaxy 88−44890
Yoh-Han Pao, Dy Liacco, T.E. Artificial intelligence and the control of electric power systems 86−12300
Yoh-Han Pao, El-Sherbini, A. ARMA processing for NDE ultrasonic imaging 85−6090
Yohda, H., Takahashi, K., Sasaki, S., Kaminaka, N. Multi-channel thin-film head for perpendicular magnetic recording 85−56116
Yohda, H. *see* Nakamura, K. 88−57951
Yohda, H. *see* Takahashi, K. 88−51295
Yoho, H. *see* Willey, T. 86−3852
Yoi, K. Electric carpet with microcomputer 88−18224
Yoishikawa, A. *see* Yamaga, S. 88−18712
Yokell, M.D., Larson, B.A. Excess capacity: what it is and what to do about it 87−50680
Yokell, M.D., Marcus, D.I. Rate making for sales of power to electric utilities 85−32078
Yokhanning, D. *see* Ferster, M. 86−25412
Yokhno, N.Y. *see* San'kov, Yu.A. 85−22011
Yoko, T., Kamiya, K., Sakka, S. Photoelectrochemical properties of TiO_2 films prepared by the sol-gel method 87−74920
Yokobayashi, M., Yoshida, K., Kohsaka, A., Yamamoto, M. Development of reactor accident diagnostic system DISKET using knowledge engineering technique 86−61253
Yokobayashi, M. *see* Berg, O. 87−57814
Yokobayashi, M. *see* Yoshida, K. 88−48689
Yokobori, K. *see* Kuwata, N. 87−33801
Yokobori, N., Yeh, P., Rosenfeld, A. Sub-pixel geometric correction of picture by calibration and decalibration 86−59362
Yokobori, T. *see* Ohara, H. 87−7047
Yokochi, A. *see* Kishino, K. 85−12846
Yokochi, M. *see* Kyuzaki, T. 85−8315
Yokoe, K. *see* Yoshiyagawa, M. 86−34407
Yokoe, T. *see* Akutsu, S. 86−10954
Yokogama, K. *see* Akiyama, Y. 85−8621
Yokogawa, K. *see* Triplett, B.B. 88−19790
Yokogawa, M., Nishine, S., Matsumoto, K., Morishita, H., Fujita, K., Akai, S. Effects of whole ingot annealing on photoluminescence and electrical properties in 2-inch/3-inch undoped/lightly Cr doped LEC-grown GaAs 86−1731
Yokogawa, M. *see* Matsumoto, K. 86−7750
Yokogawa, M. *see* Nambu, K. 88−56214
Yokogawa, S. *see* Hashimoto, K. 86−41128
Yokogawa, S. *see* Kinugawa, M. 86−41986
Yokogawa, S. *see* Nakayama, Y. 86−37637
Yokogawa, S. *see* Nogami, K. 87−10860
Yokogawa, S. *see* Okuzaki, Y. 87−36094
Yokogawa, S. *see* Sakaurai, T. 87−17086
Yokogawa, S. *see* Shigaki, M. 87−59864, 88−19365, 88−38722, 88−63885
Yokogawa, T., Ogura, M., Kajiwara, T. ZnSe-ZnS strained-layer superlattice grown by low pressure metalorganic vapor phase epitaxy using methylalkyls 87−23624
Yokogawa, T., Ogura, M., Kajiwara, T. High quality ZnSe films grown by low pressure metalorganic vapor phase epitaxy using methylalkyls 87−52104
Yokogawa, T., Ogura, M., Kajiwara, T. Low-loss short-wavelength optical waves using ZnSe-ZnS strained-layer superlattices 88−26837
Yokohama, I., Chida, K., Hanafusa, H., Noda, J. Novel mass-fabrication of fibre couplers using arrayed fibre ribbons 88−72018
Yokohama, I., Kawachi, M., Okamoto, K., Noda, J. Polarisation-maintaining fibre couplers with low excess loss 87−1945
Yokohama, I., Noda, J., Okamoto, K. Fiber-coupler fabrication with automatic fusion-elongation processes for low excess loss and high coupling-ratio accuracy 87−68091
Yokohama, I., Okamoto, K., Kawachi, M., Noda, J. Polarising fibre coupler with high extinction ratio 85−14249
Yokohama, I., Okamoto, K., Noda, J. Fibre-optic polarising beam splitter employing birefringent-fibre coupler 85−46132
Yokohama, I., Okamoto, K., Noda, J. Optical circulator consisting of a YIG spherical lens, PANDA-fibre polarisers and a fibre-optic polarising beam splitter 85−56305
Yokohama, I., Okamoto, K., Noda, J. Polarisation-independent optical circulator consisting of two fibre-optic polarising beam splitters and two YIG spherical lenses 86−42245
Yokohama, I., Okamoto, K., Noda, J. Analysis of fiber-optic polarizing beam splitters consisting of fused-taper couplers 87−12126
Yokohama, I. *see* Noda, J. 88−7869, 88−13805, 88−65268
Yokohama, I. *see* Okamoto, K. 86−30780
Yokohama, I. *see* Sasaki, Y. 87−56134
Yokohama, I. *see* Takada, K. 87−53950
Yokohama, S. *see* Kuwahara, H. 86−67970
Yokohara, T. *see* Doi, Y. 87−32404
Yokohata, H. *see* Ito, K. 88−31210
Yokohira, T., Nishida, T., Miyahara, H. Analysis of dynamic behavior in p-persistent CSMA/CD using cusp catastrophe 87−69406
Yokoi, A. Improved 32 kb/s ADPCM for V.29 modem signal transmission 88−28575
Yokoi, H., Kuma, H. Optimum presentation speed of character sequence based on time continuous model of short-term memory 88−29558
Yokoi, H., Morimura, Y. Line-up of 72 kV gas superclad 88−17782
Yokoi, H. *see* Ito, K. 87−21809
Yokoi, H. *see* Nakagawa, T. 85−22019
Yokoi, K., Satoh, S., Mori, A. Ultrafine coaxial cable for high speed transmission 88−19449
Yokoi, K. *see* Matsushita, N. 88−27369
Yokoi, K. *see* Tanie, K. 88−75631
Yokoi, M., Kojina, M., Hoken, J. Comparative studies of telecommunications and computer penetration 87−48327
Yokoi, S. VRS: video response system 85−47733
Yokoi, S. New video response system (VRS)—the starting of 'Medical VRS' 87−28851
Yokoi, S., Sokawa, M. Natural images of useful information come alive for you with the Video Response System 88−3487
Yokoi, S., Watanabe, Y., Miyazaki, K., Kawata, K., Honma, Y., Inada, Y. Advanced pellet recognition system for die bonder 86−3979
Yokoi, S., Yasuda, T., Hashimoto, Y., Toriwaki, J.-I., Fujioka, M., Nakajima, H. A craniofacial surgical planning system 87−57196
Yokoi, S. *see* Kagawa, K. 86−29268
Yokoi, S. *see* Kawase, Y. 85−51769
Yokoi, S. *see* Matsumoto, T. 85−19535
Yokoi, S. *see* Nakayama, T. 85−41981
Yokoi, S. *see* Oshita, H. 88−4908
Yokoi, S. *see* Sugimoto, M. 88−35044
Yokoi, S. *see* Toriwaki, J. 85−36454, 85−51766

Yokoi, S. *see* Yasuda, T. 85−38126, 88−23067
Yokoi, T. End-to-end blocking probability in telecommunication networks and repeated call attempts 88−21475
Yokoi, T. End-to-end blocking probability in telecommunication networks and repeated call attempts 88−41210
Yokoi, T., Kumagaya, T., Onuki, T. Three-dimensional analysis of magnetic field with open space by hybrid finite-element and boundary-element method 86−59004
Yokoi, T. *see* Ebihara, D. 86−33437
Yokoi, T. *see* Ishiyama, A. 87−68730, 87−71094, 88−68355
Yokoi, T. *see* Kawashima, K. 86−59446, 87−19987
Yokoi, T. *see* Onuki, T. 86−36666, 87−43090
Yokoi, T. *see* Tateiba, M. 86−68866, 87−75447
Yokoi, T. *see* Ueno, S. 87−40037
Yokoi, Y. *see* Chiba, A. 85−4647
Yokoi, Y. *see* Isaka, K. 86−6002, 86−6360, 86−32809
Yokoi, Y. *see* Kagaya, Y. 85−31913
Yokoi, Y. *see* Nagata, M. 85−45917
Yokoi, Y. *see* Yoshikawa, T. 85−31936
Yokokawa, H. Delay lines for video device miniaturization and image quality improvement 87−6960
Yokokawa, S. *see* Nakamura, T. 85−41671, 86−22816, 87−2326, 87−2370, 87−47249, 87−47330, 88−14488
Yokokawa, S. *see* Ohtsuka, K. 86−66029, 87−71479
Yokokawa, T., Hinohara, K., Nagai, A. A study on the design of ultraminiature reed switches 87−24524
Yokokawa, T., Kawakita, C. Stabilization of contact resistance of reed switch with rhodium contacts in low level load 85−34256
Yokokawa, T., Yamamoto, I. Errors expected in a manual tracking system for curves recorded on strip charts and accuracy improvement by a new transforming mechanism using a photo-diode array sensor 86−31274
Yokokawa, T., Yano, T., Kawakita, C., Hinohara, K., Nagai, A., Kobayashi, T. A study on the thickness of rhodium oxide film produced by the surface deactivation treatment of rhodium-plated contact reed switches 87−37637
Yokokura, K. *see* Masaki, N. 86−56910
Yokokura, K. *see* Nishikawa, H. 85−16434
Yokokura, K. *see* Okawa, M. 85−60365
Yokomachi, Y., Shiojima, K., Okuda, T., Ohtsuka, H., Mizumaki, H. Development of mechanism of digital audio tape recorder and optimization of head shape 85−58446
Yokomachi, Y., Tabuchi, T., Shiojima, K., Oomori, M. Study of a head/disc interface at an electronic still camera 87−70254
Yokomachi, Y., Tohmon, R., Nagasawa, K., Ohki, Y. Hydrogen bond of OH-groups in silica glass and its relation to the 1.39 μm absorption 88−26786
Yokomachi, Y. *see* Asai, S. 86−58694
Yokomizo, G., Yajima, A., Okamura, Y., Sato, T. HICE: hierarchical circuit extraction system for layout verification 87−60665
Yokomizo, G. *see* Matsuo, H. 85−23821, 87−53694
Yokomizo, H. *see* Doi, M. 87−77056
Yokomori, K., Yamanaka, K., Toida, K., Akiyama, M. AC magnetization characteristics measuring system 86−60117
Yokomoto, C.F., Buchanan, W., Ware, R. A preliminary study of student attitudes toward ethical dilemmas 88−24427
Yokomoto, C.F., Ware, R. Individual differences in cognitive tasks 85−33007
Yokono, H. *see* Suzuki, S. 86−57007
Yokoo, H. An improved Ziv-Lempel coding scheme for universal source coding 86−3893
Yokoo, H. Modeling by MDL criterion for adaptive data compression 87−7745
Yokoo, H. An improved Ziv-Lempel coding scheme for universal source coding 87−39622
Yokoo, H. Modeling by MDL criterion for adaptive data compression 88−40890
Yokoo, H. *see* Shiragaki, K. 85−14869
Yokoo, K. *see* Mikami, N. 88−50469
Yokoo, K. *see* Nago, K. 87−66631
Yokoo, K. *see* Razeghi, M. 86−14807
Yokoo, K. *see* Sato, N. 86−21052
Yokoo, T. Reception system for direct broadcasting satellite and high definition TV in Japan 86−49769
Yokoo, T. The DBS system in Japan 87−13815
Yokoo, T., Kamiya, K., Sakka, S. Preparation of TiO_2 film by the sol-gel method and its application to photoelectrochemical electrodes 87−5433
Yokoo, T., Shibata, K., Kuwano, Y. Application of pyroelectricity of $LiTaO_3$ for infrared detectors 86−55734
Yokoo, T., Shibata, K., Takeuchi, K., Tanaka, T., Kamino, M., Nakano, S., Kuwano, Y., Tsuji, M., Ikeda, M., Yamada, Y. Modulation type pyroelectric IR detector 87−70648
Yokoo, T. *see* Mita, T. 88−55987
Yokoo, T. *see* Shibata, K. 86−50099, 88−29329
Yokoo, Y. *see* Fuchigami, T. 87−60949
Yokosawa, A. Polarization of antiprotons by antilambda decay 86−70296
Yokosawa, K., Yodogawa, E. Perception of characters and line figures 87−13073
Yokoshi, N., Moriizumi, T. Automatic measurement system for pH calibration curve of ISFET 85−64141
Yokoshima, I., Matsui, T. Small dipole antenna for VHF-UHF wide band field strength standards 86−3694
Yokoshima, I. *see* Inoue, T. 85−31581, 87−12546, 88−14255
Yokoshima, I. *see* Kanda, M. 86−38544
Yokoshima, I. *see* Kato, Y. 87−49903, 87−77069, 88−29608, 88−29610
Yokoshima, I. *see* Komiyama, K 85−29940, 86−3497, 86−68783
Yokoshima, I. *see* Komoyama, K. 88−23150
Yokoshima, I. *see* Nakane, H. 86−22819, 86−29428, 87−14407, 88−16445
Yokoshima, I. *see* Sasaki, M. 86−11687
Yokoshima, I. *see* Yamamura, K. 86−65244
Yokoshima, T. *see* Inoue, T. 88−26759
Yokoshmia, I. *see* Nakane, H. 87−14494
Yokosuka, H., Kobayashi, Y., Arai, K., Karai, K., Watanabe, O. Active transceiver cable for local area networks 88−21901
Yokosuka, H. *see* Sato, N. 86−49638
Yokosuka, H. *see* Tamaki, Y. 87−7140
Yokosuka, Y. *see* Ito, F. 86−26606
Yokota, A., Asaumi, S. Introduction of the resist 86−1876
Yokota, A. *see* Asaumi, S. 87−32362
Yokota, A. *see* Ishii, W. 87−11906
Yokota, A. *see* Tsuda, M. 85−12211, 85−55640, 85−61591, 86−1963, 86−35506, 87−18227
Yokota, A. *see* Yamamoto, Y. 87−5464, 88−37434
Yokota, H. On a conjecture of M.N. Bleicher and P. Erdos 86−66715
Yokota, H. Latest developments in fiber manufacture by VAD 87−38801
Yokota, H. Building block type standard cell is getting full-fledged with abundant cell library 88−63634
Yokota, H. RISC-type 32-bit microprocessors usage in different application fields of the CISC type 88−63713
Yokota, H., Fujiwara, O., Amemiya, Y. Influence of electrostatic fields on movement of insect group 86−29294
Yokota, H., Iguchi, H., Kuriyama, T. 6.3 Mb/s single-mode fiber optic system for subscriber loop 87−34609
Yokota, H., Kanamori, H., Tanaka, G., Yano, K. Performance of pure silica core matched cladding single mode fibers 86−36232
Yokota, H., Kato, M., Shiraishi, A. Optical system for an electronic still video camera 88−45259
Yokota, H., Kishi, T. Analytic potential expression of a three-plane parallel-electrode system with special apertures 87−39315
Yokota, H., Kojima, I., Tanaka, Z. Mega-cells and Module Generator as the key to designing large-scale ASIC 88−63633
Yokota, H., Nagami, K. Optical properties of a symmetrical slit electron lens 87−45547
Yokota, H. *see* Akiba, R. 88−17430
Yokota, H. *see* Dazai, M. 85−58118
Yokota, H. *see* Hirano, K. 86−61562
Yokota, H. *see* Horita, T. 85−60066, 87−30423
Yokota, H. *see* Ichimaru, K. 85−59180
Yokota, H. *see* Kanamori, H. 87−7127, 88−65213
Yokota, H. *see* Kishi, T. 87−75326
Yokota, H. *see* Matsui, H. 88−21836
Yokota, H. *see* Ninomiya, K. 86−44733
Yokota, H. *see* Shigematsu, M. 88−45141
Yokota, H. *see* Suganuma, H. 86−36236
Yokota, H. *see* Tanaka, G. 87−46545
Yokota, H. *see* Tanaka, T. 88−28861
Yokota, H. *see* Urano, A. 88−45144
Yokota, H. *see* Watanabe, M. 86−36223, 86−42312
Yokota, H. *see* Yumoto, S. 88−58257
Yokota, K. Kinetics of natural oxidation of hydrogenated amorphous silicon 87−67113
Yokota, K., Kageyama, T., Katayama, S. Oxidation and stress relief in air at room temperature of amorphous silicon hydrogenated in a glow discharge 85−61696
Yokota, K., Miyaura, T., Tamura, S. Growth of crystalline Si films on dielectric substrates by means of ion beam deposition technique 85−61001
Yokota, K., Muta, K., Kimura, M., Tamura, S., Ishihara, S., Kimura, I. Halogen and mercury lamp annealing of arsenic implanted into silicon 87−38049
Yokota, K., Nakayama, S., Katayama, S. XPS measurements of thicknesses of oxide films grown on a-Si:H films in air at room temperature and oxidation mechanism 85−61867
Yokota, K., Nakayama, S., Ohno, Y., Katayama, S. Growth of hydrogenated amorphous silicon by an inductive coupling glow discharge reactor 87−58976
Yokota, K., Tamura, S., Ishihara, S., Kimura, I. Annealing behavior of arsenic and gallium implanted in silicon with thin native-oxide films 85−29115
Yokota, K., Tamura, S., Katayama, S. Epitaxial growth of GaAs films on Cr-doped GaAs substrates by ionized Ga and As beam deposition 86−66815
Yokota, K. *see* Hosoda, K. 86−4551
Yokota, K. *see* Suzuki, Y. 85−22261
Yokota, K. *see* Tamura, S. 85−39804, 86−66839
Yokota, M., Kudou, T., Fukumitsu, O. High-frequency scattering of a Hermite-Gaussian beam mode by a perfectly conducting cylinder 87−33406
Yokota, M., Takenaka, T., Fukumitsu, O. Relations between conventional and complex beams 86−29347
Yokota, M., Takenaka, T., Fukumitsu, O. Scattering of Hermite-Gaussian beams by parallel conducting cylinders 86−42818
Yokota, M., Takenaka, T., Fukumitsu, O. Relation between conventional and complex-argument Hermite-Gaussian beams and its application to scattering by cylinders 86−68614
Yokota, M., Takenaka, T., Fukumitsu, O. Scattering of a Hermite-Gaussian beam mode by a ferrite-coated conducting cylinder 87−54529
Yokota, M., Takenaka, T., Fukumitsu, O. Scattering of Hermite-Gaussian beams by parallel conducting cylinders 87−75348
Yokota, M., Yoshitake, H., Tamati, T. On the output synthesis division of a natural language understanding system, IMAGES-I 88−27856
Yokota, M. *see* Asano, H. 87−30878
Yokota, M. *see* Asao, T. 85−5349, 87−41301
Yokota, M. *see* Kera, Y. 86−33639
Yokota, M. *see* Koide, M. 88−4955
Yokota, M. *see* Makita, Y. 85−45533
Yokota, M. *see* Nose, Y. 87−29778
Yokota, M. *see* Ogawa, Y. 87−14717
Yokota, M. *see* Ohsawa, S. 87−14686
Yokota, M. *see* Otake, Y. 88−42361
Yokota, M. *see* Sasaki, S. 85−59767
Yokota, M. *see* Takahashi, K. 85−35511
Yokota, M. *see* Takenaka, T. 87−47151
Yokota, M. *see* Watanabe, Y. 85−38035, 88−30014
Yokota, M. *see* Yoshitake, H. 85−20552
Yokota, N., Ozawa, K., Hirata, A. ISO 8802-3 compatible CSMA/CD fiber optic local area network 88−35178
Yokota, N., Ozawa, K., Nakayama, R. Expansion methods for the optical LAN system 87−69645
Yokota, N. *see* Miyazawa, M. 88−46583
Yokota, O., Ishii, Y. Detection of reinforcing bar in concrete constructions by electromagnetic induction testing 88−18820
Yokota, R. *see* Fujii, M. 87−29564
Yokota, R. *see* Nishii, J. 88−26783
Yokota, S. Steps in developing equipment to process bigger wafers 85−6843
Yokota, S., Hamada, Y., Kawashima, M. Maintenance and test for the digital switching system D70(D) and subscriber lines 85−52240
Yokota, S., Nakano, K. On extending the intelligent potential of a cylindrical choke type instantaneous flowmeter 88−60715
Yokota, S. *see* Nakano, K. 87−70867
Yokota, S. *see* Nguyen Chanh Khe 85−24376 to 24377
Yokota, S. *see* Ohaku, K. 87−18804
Yokota, S. *see* Peters, M. 88−63375
Yokota, T., Bekki, K., Hamada, N. A VLSI design automation system using frames and logic programming 87−44488
Yokota, T. *see* Isono, H. 86−48241
Yokota, T. *see* Mizutani, T. 85−49203
Yokota, T. *see* Nakajima, H. 87−41204
Yokota, T. *see* Ninomiya, K. 88−60765
Yokota, T. *see* Ono, H. 88−54751
Yokota, T. *see* Tsuji, S. 85−58427
Yokota, T. *see* Yamasaki, H. 85−21833
Yokota, Y. Transmitter-receiver of code for signals (two types) 87−8176
Yokota, Y. Safety information transmitter 88−31139
Yokota, Y. Development of linear motorcar 88−43457
Yokota, Y., Moriguchi, M., Suzuki, Y., Takayama, K. Controller for cooler of transformer (control for VVVF with reducing harmonics rectifier) 86−61700
Yokota, Y. *see* Mukaiyama, T. 87−70271, 88−47353
Yokota, Y. *see* Tone, Y. 86−51211
Yokota, Y. *see* Yoshikawa, K. 85−21533
Yokotani, A., Sasaki, T., Yamanaka, T., Yamanaka, C. Temperature dependence of phase-matching angle of second and third harmonic generation in type-II KDP crystal 86−48489
Yokotani, A., Sasaki, T., Yoshida, K., Yamanka, T., Yamanaka, C. Improvement of the bulk laser damage threshold of potassium dihydrogen phosphate crystals by ultraviolet irradiation 86−48070
Yokotani, A. *see* Shimomura, O. 88−34107

Yokotani, Y., Kato, J., Nishida, M., Kawashima, S., Ouchi, H. Dielectric properties of $Pb(Mg_{1/3}Nb_{2/3})(Zn_{1/3}Nb_{2/3}) (Fe_{2/3}W_{1/3})O_3$ ceramics 86—47903
Yokotani, Y. *see* Kato, J. 86—47902, 88—32492
Yokotani Fujio *see* Fujio Yokotani
Yokote, H., Suzuki, A., Watanabe, K. A DC motor servo system 88—75624
Yokote, K., Nakatani, H., Kuwazawa, N., Arai, Y., Yamaguchi, Y., Kitamura, H., Sunohara, H. MultiSync monochrome display model 'MultiSync GS' 88—53790
Yokoto, K. *see* Saito, N. 86—25420
Yokoto, K. *see* Shimizu, H. 86—65523
Yokoto, T. *see* Ono, M. 86—3495
Yokotsuka, T., Narusawa, T., Uchida, Y., Nakashima, H. X-ray photoelectron spectroscopy study of Schottky barrier formation and thermal stability of the LaB_6/GaAs(001) $c(4\times4)$ interface 87—37969
Yokotsuka, T. *see* Nakashima, H. 88—19742
Yokotsuka, T. *see* Takatani, S. 88—26351, 88—33248
Yokotsuka, T. *see* Uchida, Y. 87—38183
Yokouchi, H., Czapko, J. New dimensions for cellular telephones 88—35414
Yokouchi, H. *see* Kamiya, M. 87—14874
Yokouchi, H. *see* Matsuoka, G. 86—8936
Yokouchi, H. *see* Suzuki, R. 88—4905
Yokouchi, H. *see* Takahashi, T. 85—37473
Yokouchi, K., Kamehara, N., Niua, K. LSI is directly dipped in liquid for cooling of computers 88—13494
Yokouchi, K., Kamehara, N., Niwa, K. Immersion cooling for high density packaging 87—72849
Yokouchi, K. *see* Hirata, S. 88—15701
Yokouchi, K. *see* Kamehara, N. 88—49535
Yokouchi, K. *see* Niwa, K. 88—18762
Yokouchi, K. *see* Yamada, Y. 85—60358
Yokoya, E. Induction motor [structures, starting, operating principles] 86—66064
Yokoya, K. Quantum correction to beamstrahlung due to the finite number of photons 87—3817
Yokoya, K. Calculation of the equilibrium polarization of stored electron beams using Lie algebra 87—70965
Yokoya, K. *see* Bialowons, W. 87—41688, 87—70916
Yokoya, K. *see* Chen, P. 88—74686
Yokoya, K. *see* Chin, Y. 85—15106
Yokoya, K. *see* Itoh, I. 88—74392
Yokoya, K. *see* Kamada, S. 86—24878
Yokoya, N., Tamura, H., Funakubo, N. 3-D view of serial section images by binocular stereo 85—38125
Yokoya, N., Yamamoto, K., Funakubo, N. Fractal-based analysis of 3D natural shapes and its application to terrain modeling 88—34805
Yokoyama, A., Inoue, T., Yamamoto, Y. Selection and application of explosion-proof devices for explosion-proof instrumentation—flowmeter (differential pressure type, electromagnetic type) 88—36110
Yokoyama, A., Mayeda, T., Sekine, Y. Eigenvalue sensitivity with respect to operating point for eigenvalue control of power system 88—30230
Yokoyama, A., Sekine, Y. A new parallel processing method for load flow calculation using sensitivity matrix and its comparison with the diakoptics-based method 86—25495
Yokoyama, A., Sekine, Y. Eigenvalue control of midterm stability of power system 88—17067
Yokoyama, A. *see* Maeda, T. 88—36753
Yokoyama, B. *see* Tamura, Y. 86—43869
Yokoyama, H. Photoinduced surface morphology improvement and preferential orientation enhancement in film deposition of evaporated ZnS 87—10373
Yokoyama, H. Barium ferrite superfine particles for high density magnetic recording media 87—67741
Yokoyama, H., Iwata, H., Onabe, K., Suzuki, T. Application of picosecond light pulses generated from an AlGaInP visible diode laser for photoluminescence decay measurement of GaAs/AlGaAs quantum wells 88—53904
Yokoyama, H., Iwata, H., Sugimoto, M., Onabe, K., Lang, R. Study on decrease in lasing threshold current of GaAs/AlGaAs single quantum-well lasers through introduction of superlattice waveguide layers 88—58548
Yokoyama, H., Koike, Y., Suzuki, T. Barium ferrite particulate perpendicular magnetic recording media 86—42132
Yokoyama, H. *see* Fujii, K. 86—36425
Yokoyama, H. *see* Fukaya, T. 87—32868, 87—60807
Yokoyama, H. *see* Hirabayashi, M. 85—53615
Yokoyama, H. *see* Ido, T. 86—42131, 87—25779, 87—32843
Yokoyama, H. *see* Inagaki, N. 86—68852
Yokoyama, H. *see* Itoh, S. 86—68925
Yokoyama, H. *see* Kobayashi, T. 85—21197
Yokoyama, H. *see* Kubo, O. 88—44963, 88—51303
Yokoyama, H. *see* Kurisu, S. 88—51253
Yokoyama, H. *see* Shigematsu, K. 88—24695
Yokoyama, H. *see* Tamagami, M. 86—4221
Yokoyama, I. *see* Fujisawa, T. 85—59006, 85—64356, 86—32009
Yokoyama, I. *see* Shimizu, K. 85—59012
Yokoyama, I. *see* Wada, T. 85—64357, 86—24885
Yokoyama, K. Magnetic recording apparatus for analog information 85—41030
Yokoyama, K. Introduction for magnetic recording technology 86—21981
Yokoyama, K. Drift velocity comparison between high-electron mobility transistors and doped-channel field-effect transistors at very small dimensions 88—33252
Yokoyama, K., Abe, H., Kasahara, H., Shibaya, H., Yaguchi, K., Shirai, T., Abe, K., Kamijou, K., Ninomiya, Y., Ohtsuka, Y. Development of a VTR for the high-definition television 87—28832
Yokoyama, K., Hess, K. High field transient transport in modulation doped heterostructures 87—6442
Yokoyama, K., Inoue, K., Hashimoto, M., Katayama, N., Haruno, T., Ohashi, S., Tomita, H. Telemetry and command subsystem of deep space ground station 86—44756
Yokoyama, K., Ishii, N., Suzumura, N., Naka, K. Morphological analysis of neurons by computer 85—31809
Yokoyama, K., Koshimoto, Y. A trend in magnetic recording 86—15392
Yokoyama, K., Sakaki, H. Importance of low-field drift velocity characteristics for HEMT modeling 87—38263
Yokoyama, K., Tomizawa, M., Yoshii, A. Accurate modeling of AlGaAs/GaAs heterostructure bipolar transistors by two-dimensional computer simulation 85—1574
Yokoyama, K., Tomizawa, M., Yoshii, A. Two-dimensional analysis of AlGaAs/GaAs heterostructure devices 85—23819
Yokoyama, K., Tomizawa, M., Yoshii, A. Scaled performance for submicron GaAs MESFETs 86—21818
Yokoyama, K., Tomizawa, M., Yoshii, A. Ballistic transport of quasi-two-dimensional electron gas at AlGaAs/GaAs interface 87—24877
Yokoyama, K., Tomizawa, M., Yoshii, A., Sudo, T. Semiconductor device simulation at NTT 86—21472
Yokoyama, K. *see* Endo, S. 85—32003
Yokoyama, K. *see* Fujimura, R. 86—24091
Yokoyama, K. *see* Harada, N. 86—17980
Yokoyama, K. *see* Hayashi, T. 88—16893
Yokoyama, K. *see* Horibata, S. 87—7012
Yokoyama, K. *see* Hotta, S. 87—3695
Yokoyama, K. *see* Iwaibana, K. 85—58349
Yokoyama, K. *see* Morishita, M. 85—58348
Yokoyama, K. *see* Nakamura, Y. 85—29454
Yokoyama, K. *see* Nomura, T. 87—56406, 88—22329
Yokoyama, K. *see* Numazawa, J. 86—42122, 87—46376, 87—56397
Yokoyama, K. *see* Senda, T. 85—10837
Yokoyama, K. *see* Takata, K. 88—61366
Yokoyama, K. *see* Tanaka, S. 87—56347
Yokoyama, K. *see* Tanuma, C. 87—14198
Yokoyama, K. *see* Tazawa, S. 87—45984
Yokoyama, K. *see* Tomizawa, M. 85—11982, 85—55827, 88—19906, 88—33208
Yokoyama, K. *see* Tomoda, K. 85—58563
Yokoyama, K. *see* Yoneda, Y. 87—46377
Yokoyama, K. *see* Yoshi, A. 87—74236
Yokoyama, K. *see* Yoshida, M. 88—15174
Yokoyama, M. Improvement on degree of accuracy of speech analysis by homomorphic prediction 85—13531
Yokoyama, M. BPSK system with sounder to combat Rayleigh fading in mobile radio communication 85—36942
Yokoyama, M. Optimal queueing disciplines for various grades of delay 86—19896
Yokoyama, M. Genealogy of bandwidth compressive modulation-demodulation technology for mobile radio communication 86—55211
Yokoyama, M. Basic problems in materials for organic photoreceptor 87—54155
Yokoyama, M., Kajiwara, M., Yamamoto, H. A multi-bit-rate substitute-communication system 85—25590
Yokoyama, M., Kashiro, K., Ohta, S. High quality zinc sulfide epitaxial layers grown on (100) silicon by molecular beam epitaxy 87—243
Yokoyama, M., Kashiro, K., Ohta, S. Substrate temperature effect on crystallographic quality and surface morphology of zinc sulfide films on (100)-oriented silicon substrates by molecular-beam epitaxy 87—23638
Yokoyama, M., Kashiro, K., Ohta, S. Molecular beam epitaxial growth of ZnS on a (100)-oriented Si substrate 87—36712
Yokoyama, M., Kishimoto, Y., Kushabayashi, S. Image storage on an organic photoreceptor utilizing switching phenomena in Cu·TCNQ charge transfer complexes 86—3419
Yokoyama, M., Miyake, K., Nakajima, I. Packet-switched network planning system architecture and network optimization algorithms 88—67018
Yokoyama, M., Miyake, K., Nakazima, I. Packet-switched network planning system architecture and network optimization algorithms 88—41145
Yokoyama, M., Ohta, S. Growth of crystalline zinc sulfide films on a (111)-oriented silicon by molecular-beam epitaxy 86—52454
Yokoyama, M., Saruwatari, T. Spread-spectrum mobile radio communications 86—69645
Yokoyama, M., Satake, Y. Delay characteristics of reservation multiple access scheme for packet-switched satellite communication 86—64376
Yokoyama, M., Uose, H., Mase, K., Kajiwara, M. Communication media control schemes in an integrated service circuit switching network environment 85—3321
Yokoyama, M., Uose, H., Mase, K., Kajiwara, M. Communication media control schemes in an integrated service circuit switching network environment 86—69196
Yokoyama, M. *see* Fujino, M. 85—35588
Yokoyama, M. *see* Itoh, S. 88—19581
Yokoyama, M. *see* Kamio, Y. 87—62823
Yokoyama, M. *see* Kaneda, S. 87—10386
Yokoyama, M. *see* Kishimoto, T. 88—10157
Yokoyama, M. *see* Kitamura, T. 88—33847 to 33848
Yokoyama, M. *see* Kohno, Y. 85—36987
Yokoyama, M. *see* Miyake, K. 88—34840
Yokoyama, M. *see* Muratani, T. 86—4788
Yokoyama, M. *see* Mutoh, N. 87—46644
Yokoyama, M. *see* Nakamura, M. 87—27889
Yokoyama, M. *see* Ohta, S.-I. 88—56237
Yokoyama, M. *see* Sampei, S. 86—69662
Yokoyama, M. *see* Sasaoka, H. 87—56010
Yokoyama, M. *see* Satake, Y. 86—49060
Yokoyama, M. *see* Takahashi, R. 87—17741
Yokoyama, M. *see* Tamura, S. 88—46556
Yokoyama, M. *see* Yamada, Y. 85—52957
Yokoyama, M. *see* Yamamoto, M. 87—35675
Yokoyama, M. *see* Yamamoto, Y. 85—31682
Yokoyama, N. Resonant-tunneling hot electron transistors (RHET): potential applications 87—25244
Yokoyama, N., Imamura, K. Flip-flop circuit using a resonant-tunnelling hot electron transistor (RHET) 87—10781
Yokoyama, N., Imamura, K., Muto, S., Hiyamizu, S., Nishi, H. A new functional, resonant-tunneling hot electron transistor (RHET) 86—21522
Yokoyama, N., Imamura, K., Muto, S., Hiyamizu, S., Nishi, H. A resonant-tunnelling hot electron transistor (RHET) 86—53611
Yokoyama, N., Imamura, K., Ohnishi, H., Mori, T., Muto, S., Shibatomi, A. Resonant-tunneling hot electron transistor (RHET) 88—33184
Yokoyama, N., Imamura, K., Ohshima, T., Nishi, H., Muto, S., Kondo, K., Hiyamizu, S. Characterization of double heterojunction GaAs/AlGaAs hot electron transistors 85—50503
Yokoyama, N., Nishi, H. Heterojunction bipolar transistors 86—67841
Yokoyama, N., Ohnishi, T., Misugi, T. Refractory-metal silicides for high-temperature stable Schottky contacts to GaAs 86—28035
Yokoyama, N., Ohnishi, T., Nakamura, T., Nishi, H. Refractory silicide Schottky contacts to GaAs 87—11446
Yokoyama, N., Onodera, H., Shinoki, T., Ohnishi, H., Nishi, H. A 3-ns GaAs 4K×1-bit static RAM 86—8241
Yokoyama, N. *see* Abe, M. 87—46211
Yokoyama, N. *see* Futatsugi, T. 87—38214, 87—45906, 88—39417
Yokoyama, N. *see* Imamura, K. 85—61921, 87—6666, 87—6679, 87—25250, 87—74254, 87—74264, 88—33171, 88—57611, 88—71606
Yokoyama, N. *see* Ishii, K. 87—45694
Yokoyama, N. *see* Kumagai, T. 86—1460
Yokoyama, N. *see* Mori, T. 87—25227
Yokoyama, N. *see* Muto, S. 85—50489, 86—67732, 87—24474
Yokoyama, N. *see* Ohnishi, H. 86—2126, 87—60427, 88—64599
Yokoyama, N. *see* Ohnishi, T. 85—6948, 85—40783, 85—45708
Yokoyama, N. *see* Ohshima, T. 86—35855
Yokoyama, N. *see* Onodera, H. 85—18332
Yokoyama, N. *see* Onodera, T. 86—21576
Yokoyama, N. *see* Shibatomi, A. 88—13330, 88—19901
Yokoyama, N. *see* Tsunakawa, H. 87—77851
Yokoyama, R. Remote sensing and environment of local society 87—57328
Yokoyama, R., Bae, S.H., Morita, T., Sasaki, H. Multiobjective optimal generation dispatch based on probability security criteria 88—10795
Yokoyama, R., Bae, S.H., Morita, T., Sasaki, H. Multiobjective optimal generation dispatch based on probability security criteria 88—54920
Yokoyama, R. *see* Aoki, K. 87—42295
Yokoyama, R. *see* Bae, S.H. 87—71568
Yokoyama, R. *see* Fukaya, H. 86—4798
Yokoyama, R. *see* Masuda, Y. 88—9911
Yokoyama, R. *see* Mogi, S. 87—57589
Yokoyama, R. *see* Okada, K. 87—78001, 88—42823
Yokoyama, R. *see* Okumura, H. 87—57554
Yokoyama, R. *see* Sasaki, H. 87—77936
Yokoyama, R. *see* Suzuki, M. 85—59625
Yokoyama, S. Determination of antenna direction using TV signal strength data 85—14163

Yokoyama, S. Distribution surge arrester behavior due to lightning induced voltages 86−39241
Yokoyama, S. Nagoya railroad operated by private company 86−51998
Yokoyama, S., Inoue, T., Yamakage, Y., Hirose, M. Laser-induced photochemical etching of GaAs and its characterization by X-ray photoelectron spectroscopy and luminescence 86−53560
Yokoyama, S., Itahashi, S. Properties of minimal pairs in Japanese 86−36983
Yokoyama, S., Kakinuma, T. Study of the frequency characteristics of induction type protective relay by duality theory 87−4459
Yokoyama, S., Mitani, H., Miyake, K., Yamazaki, N. Corroboration of induced lightning voltage suppressing effect of overhead ground wire using natural lightning 86−25629
Yokoyama, S., Miyake, K., Mitani, H. Advanced observations of lightning induced voltage on power distribution lines 86−51097
Yokoyama, S., Otsuka, O. Model CAH custom-made air-source heat-pump chillers 87−16184
Yokoyama, S., Yamakage, Y., Hirose, M. Laser-induced chemical dry etching of SiO_2 85−45606
Yokoyama, S., Yamakage, Y., Hirose, M. Laser-induced photochemical etching of SiO_2 studied by X-ray photoelectron spectroscopy 86−2031
Yokoyama, S., Yamamoto, K., Kinoshita, H. Analogue simulation of lightning induced voltages and its application for analysis of overhead-ground-wire effects 85−53354
Yokoyama, S., Yui, D., Shiraishi, T., Kawabe, M. Low temperature growth of GaAs on Si by migration enhanced molecular beam epitaxy 88−18699
Yokoyama, S. *see* Hayamizu, S. 86−29760
Yokoyama, S. *see* Hirose, M. 86−9034
Yokoyama, S. *see* Iida, T. 88−36525
Yokoyama, S. *see* Itahashi, S. 85−7843
Yokoyama, S. *see* Kobayashi, T. 86−67033
Yokoyama, S. *see* Shimoseko, S. 86−37851
Yokoyama, S. *see* Yoshimo, S. 88−15258
Yokoyama, T. Automatic handling and storage system in cold storage warehouse. IHI PALE-CARRY system 88−5959
Yokoyama, T., Hide, I., Sawaya, T., Matsuyama, T., Maeda, Y. The new process of the spinning method and silicon sheet characteristics 87−9817
Yokoyama, T., Hirasawa, H. Development of the glass delay line using longitudinal ultrasonic wave for high vision TV system 87−63145
Yokoyama, T., Kinjo, N., Wakashima, Y. Silicone elastomer vulcanized by the hydrosilation reaction and its influence on properties of a modified MOS device 85−55835
Yokoyama, T., Kinjo, N., Wakashima, Y. Influencing factors and calculation of residual currents for modified metal-oxide-semiconductor devices covered with various silicone elastomers 86−67866
Yokoyama, T., Kinjo, N., Wakashima, Y. Influence of polar groups and metal salts on the residual currents of semiconductor devices covered with polyimides 87−53538
Yokoyama, T., Kinjo, N., Wakashima, Y., Miyadera, Y. The effect of the polymer coating on residual current of MOS devices 85−55836
Yokoyama, T., Maeda, K. Advanced materials of single crystals for solid-state lasers 88−8166
Yokoyama, T., Matsui, Y., Ikemoto, K., Inoyama, M. Technique on overvoltage phenomenon analysis for vacuum switching equipment 87−36073
Yokoyama, T., Shirai, M., Otaguro, H., Ohara, S. High-density optical digital datalink with double-sided packaging 86−65014
Yokoyama, T., Suzuki, M., Yamamoto, T., Saito, J., Ishikawa, T. Reduction of backgating effect in MBE-grown GaAs/AlGaAs HEMTs 87−53525
Yokoyama, T. *see* Azukizawa, T. 87−5062
Yokoyama, T. *see* Hayakawa, H. 88−14148
Yokoyama, T. *see* Hide, I. 87−23613
Yokoyama, T. *see* Ishii, A. 86−43657, 86−43665
Yokoyama, T. *see* Kadota, Y. 86−1726
Yokoyama, T. *see* Kato, M. 87−62217
Yokoyama, T. *see* Kawahira, H. 88−27395
Yokoyama, T. *see* Maeda, Y. 85−10755, 86−7131, 87−44296
Yokoyama, T. *see* Mazumder, M.K. 88−27420
Yokoyama, T. *see* Morishita, M. 87−5061
Yokoyama, T. *see* Ogino, T. 85−21333, 86−39314
Yokoyama, T. *see* Ohashi, K. 88−64894
Yokoyama, T. *see* Sano, K. 88−41103, 88−61317
Yokoyama, T. *see* Takagi, S. 87−64908
Yokoyama, Y., Gotoh, N. Dual-resonance broadband microstrip antenna 86−68862
Yokoyama, Y., Hiroshima, T. Green Power remote-control breakers−construction and essential technological features 85−60354
Yokoyama, Y., Kimura, O. Illumination of Isejin's Katsuta Store featuring glareless fixture and graded dimming control 85−16416
Yokoyama, Y., Tanaka, T., Koshizuka, N., Okumura, T. Amorphous Tb-Fe-Co/iron garnet composite films on glass substrates 88−44966
Yokoyama, Y., Tsukahara, S., Tanaka, T. Thermomagnetic recording characteristics of amorphous Tb-Fe/$(BiY)_3(FeGa)_5O_{12}$ 85−29442
Yokoyama, Y. *see* Andoh, S. 87−17409
Yokoyama, Y. *see* Ikeno, H. 88−51582
Yokoyama, Y. *see* Kataoka, H. 85−13822, 85−47153
Yokoyama, Y. *see* Kokubu, A. 88−58267
Yokoyama, Y. *see* Koshizuka, N. 86−9485
Yokoyama, Y. *see* Suzuki, Y. 85−13820
Yokoyama, Y. *see* Taguchi, S. 88−3860
Yokoyama, Y. *see* Tsukahara, S. 86−42118
Yokozawa, M. Hi-Vision broadcasting [HDTV] 88−22250
Yokozawa, M., Sega, S., Matsuzaki, H. Color TV display with AC-PDP 85−14902
Yokozawa, M. *see* Kasashima, T. 87−6408
Yokozawa, M. *see* Tsubaki, K. 87−53478
Yokozawa, M. *see* Udea, D. 86−58481
Yokozawa, M. *see* Wakana, T. 85−37684
Yokozawa, N. Present and future on circumstances on transformers 86−61561
Yokozawa, N. Display devices 87−35146
Yokozawa, N. *see* Hotta, M. 85−49951, 86−46929
Yokozawa, N. *see* Maio, K. 86−8329, 86−34898
Yokozawa, N. *see* Onishi, H. 85−39064
Yokozawa, Y. *see* Fujimori, H. 86−38563
Yokozuka, T., Miyake, H. Characteristics of 2-winding capacitor motors with tapped auxiliary windings 87−78660
Yokozuka, T., Sekine, H., Baba, E., Ikeda, S. Accelerating characteristics of PM motors 87−78625
Yoldas, B.E., O'Keefe, T. Deposition of optically transparent IR reflective coatings on glass 85−7297
Yoldas, B.E., Partlow, D.P. Formation of broad band antireflective coatings on fused silica for high power laser applications 86−15546
Yoldas, B.E., Smith, H.D., Milam, D., Lowdermilk, W.H. Laser damage studies of polymer oxide coated silica optics at 350 nm 85−41232
Yole, S.S. A smart motor control IC featuring: motor speed control, stall sense, interval timer 86−67973
Yolodin, V.V., Gamm, A.Z., Grishin, Yu.A., Palamarchuk, S.I., Plotnikov, I.L. Approximate analysis of electric power systems based on estimates of states 85−64807
Yom, D.H., Ann, S. Directed graph representation for root-signal set of median filters 88−19253
Yom, D.H., Ann, S. Spiking filtering of all-pass filter impulse responses 88−25302
Yom, D.H. *see* Jeon, B. 88−27863
Yom, S.S. *see* Perkowitz, S. 87−53258
Yom-Tov, S. FPU−floating point unit support for 16/32 bit micro processors 86−27377
Yomamoto, K. *see* Nonumura, K. 87−34749
Yomiyama, A. *see* Seko, M. 85−32679
Yomo, T., Kaneko, Y., Osanai, T. New wireless paging system 88−9437
Yomoto, M., Sakai, T. Electrification phenomena on insulating materials in an ion flow field 85−56940
Yomtov, B. *see* Subbarao, W.V. 88−54465
Yon, C.H., Un, C.K. Frequency bin fast transversal filter for adaptive filtering 88−21223
Yon, J.J. *see* Barla, K. 87−25143
Yon, K.M., Bostian, C.W., Stutzman, W.L. The relationship between annual and worst month statistics for attenuation, depolarisation, and rain rate 85−19143
Yon, K.M. *see* Stutzman, W.L. 86−30716
Yon-Pon Lin *see* Houng-June Chao 87−57788
Yon-Tack Chung, Kyung-Hee Han, Jong-Soo Lee Three phase stair case waves PWM inverter of complementary transistor bridge method 87−65841
Yon-Tack Chung, Kyung-Hee Han, Yong-Joo Kim, Jong-Cheol Lee, Seung-Wook Kang Chopper control system of electric motorcar 88−43461
Yon-Tack Chung, Kyung-Hee Han, Yong Joo Kim, Young Il Lee, Bong Hwan Oh A study of two phase chopper system with four separate groups of DC motors in powering 88−11237
Yon-Tack Chung, Yong-Soo Seo, Lak-Hoon Hwang A study of the converter drive by means of series and parallel connection 85−21854
Yon-Tack Chung, Young-Dong Kim A study on the capacitor self-excited three-phase synchronous generator 85−38972
Yonaki, J., Aust, M., Nakano, K., Dow, G., Liu, L.C.T., Hsieh, E., Dia, R., Yen, H.C. A *Q*-band monolithic three-stage amplifier 88−63964
Yonas, H. *see* Herron, J.M. 85−38055
Yonbai Yin *see* Yin Yonbai
Yone, K., Omoto, O. One dimensional analysis of behaviour on heterojunction-CCD 87−60490
Yoneda, E., Suto, K., Sano, K. Fiber optic subscriber transmission for the broadband distribution system 87−49101
Yoneda, E., Suto, K., Sano, K., Okada, K. Optical subscriber loop system for broadband distribution system 87−34543
Yoneda, E., Yamagata, J. Role of fiber-optic transmission systems for service-integrated telecommunication networks 86−54697
Yoneda, E. *see* Kinoshita, T. 86−55288
Yoneda, E. *see* Nagase, H. 86−4626, 86−49608
Yoneda, E. *see* Watanabe, N. 87−27845
Yoneda, E. *see* Yamagata, J. 87−40109
Yoneda, H., Horioka, K., Kim, Y., Kasuya, K. Thomson parabola ion energy analyzer with a coincident and jitter-free applied electric field ramp 88−54090
Yoneda, H., Horioka, K., Ohbayashi, K., Kasuya, K. Anode-temperature dependence of ion beam turn-on time in magnetically insulated pulsed ion diodes 86−50288
Yoneda, H., Tomita, H., Horioka, K., Kasuya, K. Research on anode plasma behavior of flashover pulsed ion sources 88−62498
Yoneda, H. *see* Horioka, K. 86−11823, 88−62500
Yoneda, H. *see* Kasuya, K. 86−21908, 87−21383, 88−29774
Yoneda, H. *see* Nagaosa, M. 88−75513
Yoneda, H. *see* Nishino, A. 86−1401
Yoneda, H. *see* Takahashi, T. 85−26671
Yoneda, K. Percentile delay calculation for the infinite population nonpersistent CSMA/CD 85−63141
Yoneda, K. Electrical double layer capacitor 'Gold Capacitor' 88−63986
Yoneda, K., Aoe, H., Dan, T., Nakanishi, S. Low temperature epitaxial growth of silicon through plasma-enhanced chemical vapor deposition 87−73109
Yoneda, K., Hishida, Y., Ishii, H. Deep electron traps in undoped molecular beam epitaxially grown ZnSe 86−8753
Yoneda, K., Hishida, Y., Toda, T., Ishii, H., Niina, T. Growth of undoped, high purity, high resistivity ZnSe layers by molecular beam epitaxy 85−22461
Yoneda, K., Kaji, T. On a preamble size for FDDI-II network distributed clocking 87−28617
Yoneda, K., Kojima, S. A comparison of mean value analysis approximation algorithms 86−69224
Yoneda, K., Sawada, T. Simulation of spacing between magnetic band and medium on video floppy 87−46381
Yoneda, K., Sawada, T. Simulation of spacing between magnetic head and medium of video floppy 88−15829
Yoneda, K., Taniguchi, T., Uchida, H., Okada, H., Oishi, H., Miyai, Y., Inoue, M. Trench capacitor using RTO for mega bit DRAMs 88−6869
Yoneda, K., Utsumi, T. Monochrome flat CRT 87−70428
Yoneda, K. *see* Fujine, S. 85−15288, 85−19527, 85−28276
Yoneda, K. *see* Harada, K. 86−18354
Yoneda, K. *see* Miyai, Y. 88−33043
Yoneda, K. *see* Morita, Y. 88−20149
Yoneda, K. *see* Ohdomari, I. 85−12127
Yoneda, K. *see* Satoh, M. 87−37877, 88−32781
Yoneda, K. *see* Sawada, T. 85−24140, 86−28687
Yoneda, K. *see* Suezawa, T. 86−11363
Yoneda, K. *see* Yamamoto, S. 85−459
Yoneda, M., Satoh, S., Ozaki, H., Hirayama, M., Yamada, M., Yamazaki, T. Trench capacitor cell with double diffused structure for megabit dynamic RAMs 87−24189
Yoneda, M., Yamazaki, T. Semiconductor process and electrochemistry. Semiconductor dry etching techniques 88−26054
Yoneda, M. *see* Abe, H. 85−18441
Yoneda, M. *see* Akiyama, S. 86−41979
Yoneda, M. *see* Koyama, H. 85−40648
Yoneda, M. *see* Nagatomo, M. 87−44845
Yoneda, M. *see* Nishioka, K. 87−45808
Yoneda, M. *see* Satoh, S. 85−49893, 85−61275
Yoneda, M. *see* Yamazaki, K. 87−44847
Yoneda, N. *see* Hoshi, A. 87−58206
Yoneda, N. *see* Takahashi, S. 85−10083
Yoneda, S. Bilateral optoisolator amplifier with multiple feedback loops 86−8012
Yoneda, S., Abe, Y., Sasaki, I., Kasai, T. A consideration of the problems in switched-capacitor realization of nonrecursive and recursive filters 88−44278
Yoneda, S., Fukui, Y. Application of a switched-capacitor circuit to converting a two-wire to a four-wire hybrid function 85−45153
Yoneda, S., Nakamura, I., Sasaki, I., Kasai, T. Switched-capacitor non-recursive lowpass filter 86−27477
Yoneda, S., Tsutsui, K., Fukui, Y. Wideband echo suppression using an improved bilateral opto-isolator circuit 85−42406
Yoneda, S. *see* Masuda, S. 85−55960
Yoneda, S. *see* Miura, M. 88−8059
Yoneda, S. *see* Nakamura, M. 87−77630
Yoneda, S. *see* Sasaki, I. 86−20716, 86−65154, 87−55059, 88−38418, 88−60658
Yoneda, S. *see* Shibata, K. 85−39032, 86−40936, 88−38625

Yoneda, S. *see* Todokoro, H. 86—41885, 87—32636
Yoneda, T., Kimura, T. Master control techniques for TV programs 85—37189
Yoneda, T., Morita, S., Ishibashi, S., Hori, M., Hattori, S. Characteristics of plasma polymerized (MMA, 6FBMA) as X-ray resists 86—1917
Yoneda, T., Morita, S., Ishibashi, S., Hori, M., Yamada, H., Hattori, S. Synchrotron orbital radiation vacuum lithography using a plasma polymerized resist 87—6517
Yoneda, T., Satoh, S., Mohri, M. Development of rechargeable batteries with hydrogen storage alloys 88—17881
Yoneda, T., Tohma, Y. The container control for relaying packets in fault-tolerant computer networks 87—2684
Yoneda, T. *see* Hori, M. 86—53511, 87—60229
Yoneda, T. *see* Mohri, M. 86—45645
Yoneda, Y., Fukuyama, S. Plasma-developable electron-beam resists 87—45727
Yoneda, Y., Miyagawa, M., Fukuyama, S., Narusawa, T., Okuyama, H. Plasma-developable electron-beam resists 86—1900
Yoneda, Y., Numazawa, J. Wavelength characteristics of the carrier to noise ratio in Co-Cr/Ni-Fe double layer media 86—68158
Yoneda, Y., Numazawa, J., Nakagawa, S. Recording characteristics of main pole drive head at short wavelength 86—63557
Yoneda, Y., Numazawa, J., Yokoyama, K. Wide band recording characteristics of perpendicular magnetic recording 87—46377
Yoneda, Y. *see* Asahara, Y. 87—18742
Yoneda, Y. *see* Numazawa, J. 86—4873, 86—36017, 86—42122, 87—46376, 87—56397, 88—57949
Yonehar, H. *see* Tokuda, N. 86—24991
Yonehara, H., Kasuga, T., Konoshita, T., Hasumoto, M. The effect of field error of an undulator magnet on the tune 88—20250
Yonehara, H., Kasuga, T., Matsudo, O., Kinoshita, T., Hasumoto, M., Yamazaki, J., Kato, T., Yamakawa, T. Undulator and wiggler of UVSOR 86—32064
Yonehara, H. *see* Kasuga, T. 86—24899, 86—25070, 86—31820, 88—36318, 88—54066
Yonehara, H. *see* Katayama, T. 87—35277
Yonehara, H. *see* Noda, A. 85—15117
Yonehara, K. *see* Gamo, K. 87—67090
Yonehara, T., Nishigaki, Y., Mizutani, H., Kondoh, S., Yamagata, K., Ichikawa, T. Selective growth of nuclei on amorphous substrates 88—18707
Yonehara, T., Smith, H.I., Palmer, J.E., Thompson, C.V. Surface-energy-driven graphoepitaxy in ultrathin films of Ge 85—44748
Yonehara, T., Smith, H.I., Thompson, C.V., Palmer, J.E. Graphoepitaxy of Ge on SiO_2 by solid-state surface-energy-driven grain growth 85—367
Yonehara, T. *see* Smith, H.I. 85—12044
Yonehata, Y., Matsuura, T., Matsumoto, S., Kasahara, K., Nakatani, T. A new series of static-inverter auxiliary power sources for rolling stock 88—5956
Yonehata, Y., Mine, S. High-power inverters as auxiliary power supplies for rolling stock 85—60319
Yonehata, Y. *see* Matsunaga, K. 88—5954
Yonei, H. *see* Maeda, S. 86—69946
Yonei, H. *see* Tanaka, T. 87—13960
Yonei, K., Omoto, O. Computer simulation of bulk-charge transport in small geometry depletion-MES charge-coupled device 85—50561
Yonei, K., Omoto, O. Performance studies on a new two-phase small-geometry buried-channel CCD by computer simulation 87—1568
Yonei, K., Omoto, O. Computer simulation of bulk-charge transport in small-geometry depletion-MES charge-coupled device 87—53697
Yonekawa, I. *see* Kurihara, K. 85—4859
Yonekubo, M. *see* Kogure, S. 88—45240
Yonekura, A. *see* Aomine, T. 85—46065
Yonekura, N. *see* Ando, H. 87—66251
Yonekura, Y., Brill, A.B. Film analysis systems and applications [in medical imaging] 85—4320
Yonekura, Y., Yanase, T. Study on a 2 μm period Permalloy bubble propagation track 86—36076
Yonekura, Y., Yanase, T., Majima, T. Magnetic characteristics of fine Permalloy patterns 87—60834
Yonekura, Y., Yanase, T., Majima, T., Watanabe, H. Study on less-than-4-μm-period permalloy propagation tracks using a new narrow-gap delineation technique 86—28713
Yonekura, Y. *see* Hayashi, N. 85—43341
Yonekura, Y. *see* Hirose, Y. 87—8919
Yonekura, Y. *see* Komori, M. 88—36557
Yonekura, Y. *see* Omae, Y. 85—31327
Yonekura, Y. *see* Senda, M. 86—18306
Yonemitsu, J. *see* Kondo, T. 88—45968
Yonemitsu, M., Okai, M., Mochinaga, Y. Results of booster transformer omission test inside the tunnel of Tokaido Shinkansen line 86—40230
Yonemori, H., Nagai, S., Nakaoka, M., Maruhashi, T. System evaluations of utility grid-connected solar photovoltaic static generator 88—48819
Yonemori, H. *see* Nakaoka, M. 88—69554
Yonemori, K. *see* Kakunou, H. 86—43479
Yonemoto, E., Matsue, M., Ito, A. FACOM 2270 series still picture system 85—31222
Yonemoto, J.T., Burgess, G.E. Space station tracking subsystem sensor evaluation 87—42062
Yonemoto, K. *see* Itoh, T. 85—22498
Yonemura, M. Wavelength-change characteristics of semiconductor lasers and their application to holographic contouring 85—24579
Yonemura, M., Hagihara, S. Fringe visibility in electronic speckle pattern interferometry 88—46261
Yonemura, M. *see* Ando, A. 86—12717
Yonenaga, K. *see* Sakai, K. 88—72206
Yonenaga, K. *see* Shinguryo, S. 87—7501
Yonenaga, T. *see* Kato, J. 88—12921
Yoneno, H. *see* Inaba, R. 88—61671
Yoneno, K., Kaneko, K., Ara, K., Miyakoshi, K., Yamaura, S. Multi-sync video projector PJ-1200NJ2 88—15796
Yoneno, K., Miyakoshi, K., Ara, K., Kaneko, K., Yamaura, S. Multi-sync video projector PJ-R461NJ1 88—15795
Yoneno, K. *see* Kurokawa, Y. 87—34757
Yoneno, K. *see* Miyakoshi, K. 88—53411
Yoneno, K. *see* Tomoda, K. 85—58563, 86—24087 to 24088
Yoneoka, S., Ooe, T., Takahashi, M. Design considerations for negative pressure head sliders 85—45972
Yoneoka, S., Yamada, T., Aruga, K., Ooe, T., Takahashi, M. Fast take-off negative pressure slider 88—51327
Yonesu, K. On the durability test of watthour meters with ceramic ball bearing 86—70733
Yonesu, K., Endoh, N. Effects of harmonics on single-phase induction watthour meters 85—26357
Yonetani, K. *see* Konno, K. 88—74189
Yoneya, K. *see* Kimura, K. 88—54800
Yoneya, S. *see* Nakajima, A. 87—4646
Yoneyama, H. *see* Furuichi, S. 88—59515
Yoneyama, H. *see* Igarashi, K. 86—25455
Yoneyama, H. *see* Iwakura, C. 87—58280
Yoneyama, H. *see* Sakai, T. 87—58278
Yoneyama, M., Nagao, T., Miura, K. Formation of organic heterostructures into p-n heterojunctions by surface pressure control 88—71340
Yoneyama, M. *see* Kamakura, T. 85—37362
Yoneyama, M. *see* Matsumoto, H. 87—2465
Yoneyama, M. *see* Nakagawa, Y. 86—5928, 87—8925, 87—21555, 87—71116, 88—23066
Yoneyama, M. *see* Saito, K. 88—72223
Yoneyama, M. *see* Sawai, H. 88—27841, 88—34602
Yoneyama, M. *see* Yoshida, M. 85—61278, 86—14211, 87—52567
Yoneyama, O. *see* Mamine, T. 85—18941
Yoneyama, S. *see* Oguchi, K. 88—57549
Yoneyama, T. Nonradiative dielectric waveguide 85—55100
Yoneyama, T., Kuroki, F., Nishida, S. Design of nonradiative dielectric waveguide filter 85—17626
Yoneyama, T., Kuroki, F., Nishida, S. Design of nonradiative dielectric waveguide filters 85—22982
Yoneyama, T., Kuroki, F., Nishida, S. Experimental design of millimeter-wave nonradiative dielectric waveguide filters 85—40228
Yoneyama, T., Kuwahara, T., Nishida, S. Experimental study of nonradiative dielectric waveguide leaky wave antenna 86—64088
Yoneyama, T., Nishida, S. Nonradiative dielectric waveguide T-junctions for millimeter-wave applications 86—20796
Yoneyama, T., Nishida, S., Kuroki, F. Experimental design of millimeter-wave nonradiative dielectric waveguide filters 87—973
Yoneyama, T., Ohshiro, T., Hayashi, K. Improved finite element analysis of nonradiative dielectric waveguide 87—75540
Yoneyama, T., Tamaki, H., Nishida, S. Analysis and measurements of nonradiative dielectric waveguide bends 86—67456
Yoneyama, T., Tamaki, H., Nishida, S. Analysis and measurements of nonradiative dielectric waveguide bends 87—6006
Yoneyama, T., Tozawa, N., Nishida, S. Loss measurements of nonradiative dielectric waveguide 85—4094
Yoneyama, T., Uno, M., Kuroki, F., Nishida, S. Equivalent circuit parameter of NRD-guide iris 86—27559
Yoneyama, T. *see* Kurihara, M. 85—44232
Yoneyama, T. *see* Kuroki, F. 87—37522
Yoneyama, T. *see* Nishida, S. 85—55099
Yoneyama, T. *see* Sato, I. 88—23868
Yoneyama, T. *see* Yamasaki, J. 87—25765
Yoneyama, Y. *see* Kuroe, Y. 86—66078
Yonezaki, G. A comparator for AC-DC thermal standard converters by CAM 88—22715
Yonezaki, G., Yamazaki, T. 10 mA low frequency AC current standards using single junction type thermal AC-DC transfer converters 87—8700
Yonezaki, G. *see* Shida, K. 87—14462, 88—15899
Yonezawa, H., Okazaki, Y., Watanabe, M., Fukuda, S., Saito, Y., Anami, S., Tanaka, J., Lee, T., Konrad, G. 150 MW klystron 87—14680
Yonezawa, H. *see* Cantrell, T.W. 85—22910
Yonezawa, H. *see* Funabashi, T. 85—28604, 85—45897
Yonezawa, H. *see* Katsura, K. 85—45896, 86—20601
Yonezawa, H. *see* Lee, T.G. 86—21040
Yonezawa, H. *see* Maejima, H. 85—33977
Yonezawa, H. *see* Mitachi, S. 86—22137
Yonezawa, M. New low-firing materials for multilayer capacitors 86—68017
Yonezawa, M., Miyauchi, M., Utsumi, K., Saito, S. A new low firing X7R multilayer ceramic capacitors 87—66592
Yonezawa, M. *see* Awamura, D. 87—68677
Yonezawa, M. *see* Inoue, T. 87—841
Yonezawa, M. *see* Murotsu, Y. 86—7554
Yonezawa, M. *see* Shohata, N. 87—52150
Yonezawa, N. *see* Nishiguchi, N. 86—35830
Yonezawa, S., Tsuyoshi, T. Sector servo data file optical disk memory 85—52547
Yonezawa, S. *see* Tamamura, Y. 85—42216
Yonezawa, T. *see* Aoyama, M. 85—6873
Yonezawa, T. *see* Kurokawa, H. 88—57943
Yonezawa, T. *see* Nomura, N. 85—50676, 86—21307
Yonezawa, T. *see* Shiragasawa, T. 85—6325
Yonezawa, T. *see* Tanabe, T. 86—28543
Yonezawa, Y. Binaural sensitivity to direction cue in an acoustic spatial sensor 87—8948
Yonezawa, Y., Ninomiya, I., Nishiura, N. A printed implantable electrode for recording neural signals in awake animals 88—48164
Yonezawa, Y., Ninomiya, I., Nishiura, N., Kajita, S. An analyzer for autonomic nerve activities in acute and chronic animals 86—32321
Yonezawa, Y. *see* Itoh, K. 86—44688
Yonezawa, Y. *see* Kouguchi, N. 86—65035
Yonezawa, Y. *see* Kumeda, M. 85—1323
Yonezu, H. NEC compound semiconductor devices 86—2089
Yonezu, H. *see* Sato, M. 86—50998
Yonezu, H. *see* Tazima, T. 87—8811
Yonezu, K. *see* Asai, K. 86—19459
Yonezu, K. *see* Matsumoto, K. 86—34858
Yonezu, K. *see* Tokunaga, A. 87—58277
Yonezu, R. *see* Ueda, M. 86—8183
Yonfeng Yang, Garside, B.K., Jessop, P.E. Heterolayer lead-salt diode lasers 88—33997
Yong, A., Juanatey, M. A microprogrammable peripheral unit and the FFT 85—47880
Yong, C. *see* Wende, W. 88—43215
Yong, F.N. Managing technological change in a symbolic VLSI design system 86—9255
Yong, L. *see* Liang-Ying, X. 86—64357
Yong, M., Davidson, G., Gersho, A. Encoding of LPC spectral parameters using switched-adaptive interframe vector prediction [speech coding] 88—66429
Yong, M. *see* Davidson, G. 87—61773
Yong, P., Siew Wah Hoon, Lau Yeong Shoon Application of decision theory in thick film manufacturing 87—66781
Yong, S. *see* Albano, A.M. 85—24427
Yong, S. *see* Baowen, L. 88—63157
Yong, V.T. *see* McCormick, D.J. 87—71183
Yong, Y.-K. Three-dimensional finite-element solution of the Lagrangean equations for the frequency-temperature behavior of *Y*-cut and *NT*-cut bars 88—5217
Yong, Y.K. Three-dimensional finite element solution of the Lagrangean equations for the frequency-temperature behavior of Y-cut and NT-cut bars 87—32802
Yong, Y.K. A Lagrangean, high frequency plate element for the static temperature behavior of low frequency quartz resonators 88—20212
Yong, Y.K. On the use of 1-D finite elements for the temperature behavior of a contoured and partially plated SC-cut resonator 88—54780
Yong, Y.K. *see* Lee, P.C.Y. 85—62158
Yong Bum Kim, Sang Sik Park, Chel Sik Cho, Jong Duk Lee Design of dynamic NMOS shift register used for image sensor 88—47555
Yong Ching Lim An interpolation technique for computing the DFT of a sparse sequence 86—29663
Yong Ching Lim *see* Lim Yong Ching
Yong Cho Hyun *see* Hyun Yong Cho
Yong Choe Il *see* Il Yong Choe
Yong Chwa Kyung *see* Kyung Yong Chwa
Yong Dae Choi *see* Hyun Shik Kang 87—22743
Yong Duk Kim *see* Hyun Jae Lee 88—45087, 88—67817
Yong Guo *see* Rebeiz, G.M. 88—58973
Yong Guo *see* Guo Yong
Yong Han *see* Han Yong
Yong Hong Li *see* Li Yong Hong
Yong Hoon Lee, Kassam, S.A. Nonlinear edge preserving filtering techniques for image enhancement 86—3915
Yong Hoon Lee, Soon Young Park Edge enhancement using order statistic Laplacian 88—34832
Yong Hoon Lee, Yongjoo Lee, Fam, A.T. Successive partitioning and selection filters 87—39987
Yong Huayong *see* Lin Hai 87—75229
Yong Hwan Kim *see* Dong Hyuk Shin 86—42567

Yong Hwan Kim *see* Dong Kwan Shin 88−47047
Yong Hyuk Kim, Ho Gi Kim, Deok Chool Lee Piezoelectric properties of 0-3 composite with PZT/epoxy 88−13615
Yong Hyun Cho *see* Hang Gu Bahk 88−46808
Yong Hyun Lee *see* Sung Pil Lee 87−49688
Yong Jae Lee, Moon Key Lee, Bong Ryul Kim The effect of ion implantation on the barrier height in PtSi/n-Si Schottky diode 87−25213
Yong Jae Lee, Moon Key Lee, Bong Ryul Kim The Schottky diode of optimal stepped oxide layer for high breakdown voltage 87−32470
Yong Jeong Jae *see* Jae Yong Jeong
Yong Joo Kim *see* Yon-Tack Chung 88−11237
Yong Kim Dong *see* Dong Yong Kim
Yong Lee *see* Suemune, I. 86−42578
Yong Lee Hee *see* Hee Yong Lee
Yong Liu Shi *see* Shi Yong Liu
Yong Peng *see* Peng Yong
Yong Qiao *see* Qiao Yong
Yong Qin *see* Qin Yong
Yong Rho Seung *see* Seung Yong Rho
Yong Seo Koo *see* Sang Hoon Chai 87−46164
Yong Seo Koo *see* Sang Hoon Choi 87−24073
Yong Serk Kim, Dong Il Song, Young Woong Kim, Kuen Young Lee R-S decoder design for single error correction and erasure generation 87−27187
Yong Shen *see* Shen Yong
Yong Sin Kwong *see* Kwong Yong Sin
Yong Son *see* Jung Uck Seo 86−59506
Yong Sung Gun *see* Gun Yong Sung
Yong Tak Lee *see* Dong Hyuk Shin 86−42567
Yong Woon Seo *see* Ki Woong Whang 88−33060
Yong Wu *see* Wu Yong
Yong Xiang, Sugiura, T., Mizushina, S. Numerical analysis of large waveguide applicator for hyperthermia 88−2748
Yong Xing *see* Xing Yong
Yong Yao *see* Yao Yong
Yong Yu, Shen Yongchao A functional simulator for digital systems 87−73387
Yong Yun Kim *see* Yeo, Y.K. 86−14857
Yong Zeng *see* Zeng Yong
Yong Zhang *see* Zhang Yong
Yong Zheng *see* Zheng Yong
Yong-An Shui *see* Shui Yong-An
Yong-bing Wan *see* Wan Yong-bing
Yong-Chan Tzeng *see* Lih-Ren Tzeng 88−71180
Yong-chu Wang A new correction method for control systems and instruments 86−60102
Yong-Cong Chen Macroscopic quantum tunneling in a DC SQUID 87−18561
Yong-de Wang *see* Wang Yong-de
Yong-Fa Wang *see* Ji-Tao Wang 87−5465
Yong-fen Xu *see* Xu Yong-fen
Yong-fu Shao *see* Shao Yong-fu
Yong-Fu Zhou Indirect method for the measurement of bubble collapse field in negative temperature range 88−51258
Yong-Gang Su, Shao-Jun Fu, Yun-Wu Zhang An improved optical design for a microscopy beam line at Hefei 86−60497
Yong-geng Qian *see* Qian Yong-geng
Yong-Geun Kim *see* Wha-Tek Kim 88−44559
Yong-gong Gu *see* Chatterjee, I. 86−18382
Yong-Hae Lee Present status of and prospects for the integrated automation of power equipment 87−78214
Yong-Hiu Shu *see* Yun-Yi Wang 86−27583
Yong-ho Chong, Gyu-hyong Cho Dynamical theory and technological trends in uninterruptible power supply equipment 87−36025
Yong-Ho Lee Disaccommodation in amorphous ferromagnets measured with pulse method 88−51180
Yong-hong Yan *see* Yan Yong-hong
Yong-Hoon Yun *see* Gardner, P.D. 85−6767
Yong-hui Shu *see* Yun-yi Wang 86−14522
Yong-Hwan Kim *see* Man-Scop Lee 88−28900
Yong-Hyuk Kim, Chang-Seob Oh, Young-Sir Chung, Ho-Gi Kim Dielectric properties of the composite ceramic capacitor 86−47102
Yong-Hyun Paek Simulation of gas discharge using Boltzmann equation 86−47893
Yong-Hyun Paek, Sung-Chul Ha, Bok-Heui Lee, Hee-Taek Kim, Jung-Sup Kim Measurement of the ionization coefficient in gases by the luminous-flux method 86−14774
Yong-Jik Park, Jung-Yun Huang, Jong-Jean Kim Period-doubling nonlinear piezoelectric oscillations in KH_2PO_4 crystal near ferroelectric transition 86−53845
Yong-Jin Park, Heng-Bong Kang Research trends in computer-based multimedia communications 87−62475
Yong-Jin Shin High permeability amorphous magnetic materials 86−9376
Yong-Joo Kim *see* Yon-Tack Chung 88−43461
Yong-kang Li *see* Yong-sheng Wu 88−44573
Yong-kang Li *see* Li Yong-kang
Yong-kang Zhang *see* Zhang Yong-kang
Yong-Kwan Park *see* Joon-Tae Song 86−63516
Yong-Kwon Kim *see* Song-Yop Hahn 86−53923
Yong-Kyu Lim Safety aspect of nuclear energy 86−56538
Yong-le Lou *see* Lou Yong-le
Yong-Lian Fan *see* Tian-Jin Wang 88−51255
Yong-ming Li *see* Li Yong-ming
Yong-nian Hu *see* Hu Yong-nian
Yong-nian Xu *see* Xu Yong-nian
Yong-Qiang Sun *see* Sun Yong-Qiang
Yong-qing Liu *see* Liu Yong-qing
Yong-Quan, X. *see* Dun-Fu, F. 86−62209
Yong-Sheng Ding *see* Ding Yong-Sheng
Yong-sheng Wu, Yi Huang, Yong-kang Li, Zhong-xing Yang, Jun-ming Zhou Photoconductivity of a modulation-doped GaAs/AlGaAs heterostructure induced by fast neutron irradiation 88−44573
Yong-sheng Wu *see* Wu Yong-sheng
Yong-sheng Zhu *see* Zhu Yong-sheng
Yong-Soo Seo *see* Yon-Tack Chung 85−21854
Yong-tai Zhu *see* Zhu Yong-tai
Yong-Teh Lee Applicability of data communication system for the distribution of agricultural produce 85−19796
Yong-wei Xia *see* Xia Yong-wei
Yong-Whan Kim Development of broadband business and residential network systems 87−27784
Yong-Woon Seo, Ki-Woong Whang Design method of the quartz crystal thickness monitor and its characteristics 88−42296
Yong-xi Long *see* Long Yong-xi
Yong-Xiao Chen *see* Chen Yong-Xiao
Yong-yao Yang, Yong-zai Lu Dynamic model based optimization control for reheating furnaces 88−53906
Yong-yuan Cheng *see* Cheng Yong-yuan
Yong-yuan Feng *see* Feng Yong-yuan
Yong-zai Lu *see* Yong-yao Yang 88−53906
Yong-zhao Wang *see* Wang Yong-zhao
Yong-zhong Song *see* Song Yong-zhong
Yongacoglu *see* Makrakis, D. 87−68950
Yongacoglu, A., Feher, K. DCTPSK: an efficient modulation technique for differential detection 86−16119
Yongacoglu, A., Feher, K. DCTPSK−differentially detected controlled transition PSK 87−39586
Yongacoglu, A., Makrakis, D., Feher, K. 1-bit differential detection of GMSK with data-aided phase control 87−33591
Yongacoglu, A., Makrakis, D., Feher, K. Differential detection of GMSK using decision feedback 88−59003
Yongacoglu, A., Makrakis, D., Ohnishi, H., Feher, K. A new receiver for differential detection of GMSK 87−39820
Yongacoglu, A. *see* Makrakis, D. 87−75688, 88−2937, 88−9463, 88−45933, 88−46095, 88−46129, 88−46131, 88−72769
Yongbang Yao *see* Yao Yongbang
Yongbiao Cai *see* Cai Yongbiao
Yongbing Wan, Fahmy, M.M. Design of 2-D digital filters with finite wordlength coefficients 88−63815
Yongchang Du, Yufeng Zhang, Xiangti Meng Effects of hydrogen on defects in neutron irradiated silicon 85−55456
Yongchang Du *see* Du Yongchang
Yongchang Hu *see* Hu Yongchang
Yongchao Duan *see* Duan Yongchao
Yongchao Shen *see* Shen Yongchao
Yongchen, S. *see* Yanwu, D. 88−61234
Yongchun Li *see* Li Yongchun
Yongchun Liu *see* Liu Yongchun
Yongda He *see* He Yongda
Yongdao Wang *see* Wang Yongdao
Yongdong Jin *see* Jin Yongdong
Yongduk Kim *see* Chil-Min Kim 85−35667, 87−2056, 87−18890, 88−49991, 88−65581, 88−70491
Yongduk Kim *see* Kyoung-Hwan Oh 87−74990
Yongduk Kim *see* Moonsu Oh 88−53709, 88−60748
Yonge, M. Feature film sound for television 86−49869
Yonge, M., Fisher, J. Stereo sound for television 86−60017
Yonge, M., Fisher, J. Stereo sound for television. II. Conclusion 87−3279
Yonge, M., Fisher, J. Surround monitoring for television [surround sound] 88−60477
Yong'en Chen *see* Chen Yong'en
Yongfang Zhang *see* Zhang Yongfang
Yongfeng Lu *see* Lu Yongfeng
Yongfeng Ruan *see* Ruan Yongfeng
Yongfeng Zhang *see* Zhang Yongfeng
Yongfu Shao *see* Shao Yongfu
Yongfu Zhao *see* Zhao Yongfu
Yonggang Su *see* Guoguang Yang 88−34784
Yonggao Yang *see* Yang Yonggao
Yonghai Wang *see* Wang Yonghai
Yonghua Cao *see* Cao Yonghua
Yonghua Song *see* Song Yonghua
Yonghuan Han *see* Han Yonghuan
Yonghui Shu *see* Shu Yonghui
Yongji Guo *see* Guo Yongji
Yongjia Qian *see* Qian Yongjia
Yongjian Zeng *see* Zeng Yongjian
Yongjian Zou *see* Zou Yongjian
Yongjiang Wang, Wei Sun, Zhixing Yao, Baoju Shi A practical CuBr laser with flowing buffer gas 86−9760
Yongjiang Wang *see* Wang Yongjiang
Yongjoo Lee *see* Yong Hoon Lee 87−39987
Yongkai Huang *see* Huang Yongkai
Yongkang Cheng *see* Cheng Yongkang
Yongkang Li *see* Li Yongkang
Yongkang Zhang *see* Zhang Yongkang
Yongli Ma *see* Ma Yongli
Yonglian Tang *see* Tang Yonglian
Yonglian Zeng *see* Zeng Yonglian
Yongliang Ruan *see* Fujiwara, C. 87−48255
Yongling Lu *see* Lu Yongling
Yongmin Kim, Alexander, T. An IBM PC/AT-based image acquisition and processing system for quantitative image analysis 87−14872
Yongmin Kim *see* Alexander, T. 87−28117
Yongming Zhang *see* Zhang Yongming
Yongming Zhuy *see* Zhuy Yongming
Yongnian, Y., Hickey, C.F., Gibson, U.J. ZnS molecular beam epitaxy on silicon substrates 87−73112
Yongqian Shi *see* Shi Yongqian
Yongqiang Chen *see* Chen Yongqiang
Yongqiang Shi *see* Shi Yongqiang
Yongqiang Sun *see* Sun Yongqiang
Yongqing Liu *see* Liu Yongqing
Yongquan Liu *see* Liu Yongquan
Yongquist, R.C. *see* Sakai, I. 87−68095
Yongrong Chen *see* Chen Yongrong
Yongsheng Dai *see* Dai Yongsheng
Yongsheng Shen *see* Shen Yongsheng
Yongsheng Wu *see* Wu Yongsheng
Yongshi Wu *see* Wu Yongshi
Yongshou Chen *see* Chen Yongshou
Yongshun Cheng *see* Cheng Yongshun
Yongtai Zhu *see* Zhu Yongtai
Yongtan, L., Fangyu, H., Xiande, M. A modified LMS algorithm 86−62142
Yongtan, L. *see* Taifan, Q. 86−65022
Yongtang Qi *see* Qi Yongtang
Yongtang Zhu *see* Zhu Yongtang
Yongwei Xia *see* Xia Yongwei
Yongwu Zheng *see* Zheng Yongwu
Yongxi Sheng *see* Sheng Yongxi
Yongxiang Tao *see* Tao Yongxiang
Yongxiang Xia *see* Xia Yongxiang
Yongxin Wu *see* Wu Yongxin
Yongxiu Pang *see* Pang Yongxiu
Yongyi Wang *see* Wang Yongyi
Yongzhen Huang *see* Huang Yongzhen
Yongzong Zhou *see* Zhou Yongzong
Yonke, W.A., Landy, R.J., Cushing, J.M. Integrated flight/propulsion control: HIDEC modes 85−9325
Yonke, W.A. *see* Landy, R.J. 87−63893
Yonker, D. *see* Kukla, B. 88−6264, 88−62817
Yonnet, J. *see* Arignon, M. 85−48171
Yonnet, J.-P. A non-conventional type of permanent magnet bearing 86−15414
Yonnet, J.-P. *see* Akoun, G. 85−24714
Yonnet, J.-P. *see* Brissonneau, P. 85−27403
Yonnet, J.-P. *see* Lemarquand, G. 86−26009
Yonnet, J.-P. *see* Logcais, E. 88−52000
Yonnet, J.-P. *see* Redarce, T. 85−27381
Yonnet, J.P. *see* Olivier, E. 86−70942
Yonnet, J.P. *see* Ruas, O. 88−69797, 88−75992
Yono, F.W., Rao Tummala, V.M., Baker, W.J. Evaluation of seismic design strategies for nuclear power plants using decision analysis 85−32301
Yono, H., Tone, F., Miyabo, K., Asano, I. DIPS small scale communication control processor 87−69644
Yono, H. *see* Shoji, T. 88−9309
Yono, H. *see* Takei, Y. 86−59448
Yonomoto, T. *see* Kumamaru, H. 87−4523
Yontz, R.E. *see* McElroy, R.K. 87−78053
Yoo, B.K., Sung, C.S. Optimal age-replacement policy for equipment monitored by a stochastically failing indicator 85−54197
Yoo, H.-J., Kwon, Y.-S. A vertical integration of laser diode and transistor 88−26994
Yoo, H.-J. *see* Kim, J.H. 88−3106
Yoo, H.I. *see* Cheng, L.J. 86−1729
Yoo, H.J. *see* Jeon, Y.J. 88−71434
Yoo, H.J. *see* Kim, J.H. 87−53679
Yoo, H.Y. *see* Comstock, C.S. 88−64977
Yoo, I.K., Burton, L.C., Stephenson, F.W. Instability of insulation resistance for thick film capacitors 86−53227
Yoo, I.K., Burton, L.C., Stephenson, F.W. Electrical conduction mechanisms of barium-titanate-based thick-film capacitors 88−1046
Yoo, J.S. *see* Park, C.S. 86−26900
Yoo, K.B., Uberall, H. The origin of spurious resonances in composite resonators 85−45923
Yoo, K.B. *see* Moser, P.J. 85−13073
Yoo, K.C., Johnson, S.M. The influence of a non-equilibrium carbon concentration on the electrical and structural properties of cast polycrystalline silicon 87−9805
Yoo, K.C., Johnson, S.M., Regnault, W.F. Lattice defects within grain volumes that affect the electrical quality of cast polycrystalline silicon solar-cell materials 85−44188
Yoo, K.C. *see* Regnault, W.F. 86−1687
Yoo, K.J. *see* Nelson, T.M. 87−77822
Yoo, K.M. *see* Mizutani, T. 88−51081
Yoo, S.J.B. *see* Kostenbauder, A. 88−42098
Yoo, S.S. *see* Boukerche, M. 88−12979
Yoo, S.W. An algebraic approach to a nonproduct form network 86−30069
Yoo, W. *see* Kuroda, N. 88−18708
Yoo, Y.B., Deo, N. A comparison of algorithms for terminal-pair reliability 88−63087

Yoo Byueng-Su *see* Byueng-Su Yoo
Yoo Byung Sun *see* Byung Sun Yoo
Yoo Deuk Su *see* Deuk Su Yoo
Yoo Dong-Sun *see* Dong-Sun Yoo
Yoo Hah Young *see* Hah Young Yoo
Yoo Hoi-Jun *see* Hoi-Jun Yoo
Yoo Hong-Woo *see* Hong-Woo Yoo
Yoo In-Keun *see* In-Keun Yoo
Yoo Jae H. *see* Jae H. Yoo
Yoo Ji Yoon *see* Ji Yoon Yoo
Yoo Ju-Hyun *see* Ju-Hyun Yoo
Yoo Kun Cho, Chong Sang Kim, Yung Taek Kim, Sukho Lee, Jung Tae Lee, Dong Ho Lee, Kwang Ryeol Ryu Delay time analysis on distributed switching network using staged circuit switching technique 85—63136
Yoo Kun Joong *see* Kun Joong Yoo
Yoo Kwang-Soo *see* Kwang-Soo Yoo
Yoo Seop Song *see* Kyeong Soo Kim 86—3975
Yoo Tae Kyung *see* Tae Kyung Yoo
Yoo Tae Whan *see* Tae Whan Yoo
Yoo Tae-Kyung *see* Tae-Kyung Yoo
Yoo Tong-Sun *see* Tong-Sun Yoo
Yoo Wan-Young *see* Wan-Young Yoo
Yook Chong-Chul *see* Chong-Chul Yook
Yookun Cho Heuristic layering algorithms for single row routing 86—66920
Yoon, B.-G., Lee, C., Jang, J. Effect of the statistical shift on the anomalous conductivities of *n*-type hydrogenated amorphous silicon 86—67695
Yoon, B.N. *see* Yu, W. 88—28611
Yoon, C.S., Salam, F.M.A. Modeling and control of a g-lab centrifugal accelerator 88—36599
Yoon, D.I. *see* Jung, J.S. 88—21873
Yoon, D.W., Eknoyan, O. Characterization of vapor diffused $Zn:LiTaO_3$ optical waveguides 88—72088
Yoon, D.W. *see* Anjaneyulu, Y. 86—18043, 86—54013, 87—18772
Yoon, D.W. *see* Eknoyan, O. 87—68027
Yoon, E. *see* Huelsman, A.D. 88—43915
Yoon, G., Welch, A.J., Motamedi, M., van Gemert, M.C.J. Development and application of three-dimensional light distribution model for laser irradiated tissue 88—8268
Yoon, G. *see* Lee, S. 87—44852
Yoon, H., Lee, K.Y., Liu, M.T. Performance analysis and comparison of packet switching interconnection networks 88—8917
Yoon, H., Lee, K.Y., Liu, M.T. A new approach to internetworking of integrated services local networks 88—9296
Yoon, H.S. *see* Kwon, S.J. 87—3969
Yoon, H.W. *see* Schwarz, S.A. 87—32281
Yoon, H.W. *see* Venkatesan, T. 87—6525
Yoon, J. *see* Lee, S. 87—44852
Yoon, J.-H., Lee, C., Jang, J. Temperature and electric field dependences of transient photocurrents in *a*-Si:H 85—18104
Yoon, J.W. *see* Jin, J.H. 88—19973
Yoon, M., Kouzes, R.T., Moore, W.H., McDonald, A.B., Oh, S. A measurement of the beam phase at the Princeton University AVF cyclotron 88—54231
Yoon, M., Oh, S. Analysis of the magnetic field and studies of the beam dynamics for H^- ions in the University of Manitoba cyclotron 87—35279
Yoon, M., Oh, S. A study for design of the new $N=1$ central region of the Princeton University AVF cyclotron 88—29750
Yoon, M. *see* Anderson, J. 85—64373
Yoon, M. *see* Gusdal, I. 86—31953
Yoon, M. *see* Oh, S. 86—32041
Yoon, S., Meyer, W. A p^+nn^+ BSF concentrator silicon solar cell capable of greater than 20% conversion efficiency 86—7094
Yoon, S.G. The impact of teleshopping 85—19736
Yoon, T.-S. *see* Edwards, K.W. 87—21424
Yoon, Y.-W. Systems analysis for optimization of energy resources saving in Korea 85—21285
Yoon, Y.K. *see* Jeung, W.Y. 87—1880
Yoon, Y.S. *see* Song, J.J. 87—24853, 88—19716
Yoon, Z. *see* Beigang, R. 88—40182
Yoon Byung-Do *see* Byung-Do Yoon
Yoon Dong Han *see* Dong Han Yoon
Yoon Duk-Nong *see* Duk-Nong Yoon
Yoon Duk-Yong *see* Duk-Yong Yoon
Yoon Hyun Bo *see* Hyun Bo Yoon
Yoon Hyung Kim Interactions among economic activity, energy use, and electricity use 85—59856
Yoon Hyung Sup *see* Hyung Sup Yoon
Yoon Hyunsoo *see* Hyunsoo Yoon
Yoon Jong-Hwan *see* Jong-Hwan Yoon
Yoon Joong Kim, Tae Kyun Kim A study on the image tree of the binary image using the information of the closed boundaries and its applications 88—46169
Yoon Jung Kee *see* Jung Kee Yoon
Yoon Jung Ki *see* Jung Ki Yoon
Yoon Ki Hyun *see* Ki Hyun Yoon
Yoon Ki Shin A study on applying the μ-LMS algorithm to the adaptive antenna systems 86—54379
Yoon Ki Shin, Chong Kak Lee A study on the algorithm for the frequency domain-adaptive filter 86—3872
Yoon Kim, B., Shaw, H.J. Fiber-optic gyroscopes 86—42264
Yoon Kim Byoung *see* Byoung Yoon Kim
Yoon Koo Ja *see* Ja Yoon Koo
Yoon Kyung Hyun *see* Kyung Hyun Yoon
Yoon Moon-Soo *see* Moon-Soo Yoon
Yoon Myoung-Joong *see* Myoung-Joong Yoon
Yoon Myung Hyun *see* Myung Hyun Yoon
Yoon Myung-jong *see* Myung-jong Yoon
Yoon Myung-Joong *see* Myung-Joong Yoon
Yoon Park Dae *see* Dae Yoon Park
Yoon Sang Ok *see* Sang Ok Yoon
Yoon Tae-Hoon *see* Tae-Hoon Yoon
Yoon Won Hyo *see* Won Hyo Yoon
Yoon Yoo Ji *see* Ji Yoon Yoo
Yoon-Chong Lee Present status and technological trends of small rotary-type electric motors for electronic equipment 87—35962
Yoon-Chong Lee, Dong-Hwa Chung The study on decreasing acoustic noise and oscillation of variable speed induction motor by optimal PWM strategy 87—72481
Yoon-Jong Lee, Ki-Young Seo, Dong-Wha Chung The study on optimal PWM for 3 phase induction motor drive 86—39787
Yoon-Jong Lee, Ki-Young Suh, Dong-Wha Chung Optimal PAWM strategy for variable speed drive of three phase induction motor 88—18119
Yoon-Jong Lee, Ki-Young Suh, Dong-Wha Chung New switching strategy of PWM inverter controlled by microprocessor 88—18120
Yoon-Song Chong *see* Chong Yoon-Song
Yoon-Won Kang, Pozar, D.M. Correction of error in reduced sidelobe synthesis due to mutual coupling 86—3642
Yopps, T.E., Jr., Moore, J.R. An integrated vehicle management system concept for military transports 86—70505
Yoram Shapira *see* Boscherini, F. 88—13010
Yorchak, J.P., Allison, J.E. Utilizing computer graphics display technology 86—12096
Yordanov, A.B. *see* Hlinka, V. 87—8837
Yordanov, O.I. *see* Michalev, M.A. 87—75393
Yordanova, I.M. *see* Pramatarova, L.D. 86—15038
Yorgjiang Wang *see* Wang Yorgjiang
Yorgov, V.Y. A method for constructing inequivalent self-dual codes with applications to length 56 87—39636
Yorgov, V.Y. *see* Huffman, W.C. 88—27771
Yoribayashi, Y. *see* Kurashige, H. 88—61192
Yorifuji, T. *see* Ito, H. 86—33828
Yorikane, M. *see* Takahashi, T. 86—34714
Yorina, N. *see* Tamura, Y. 88—23332
Yorinaga, M., Makino, D., Kawaguchi, K., Naito, M. A piezoelectric fan using PZT ceramics 86—52064
Yorinks, L.H. Edge effects in low sidelobe phase array antennas 86—42943
Yorinks, L.H. *see* Sheftman, F.I. 87—27088
Yorino, N., Nagashima, Y., Kubota, T., Mori, H., Tamura, Y. Parametric resonance of power systems 86—61001
Yorino, N. *see* Tamura, Y. 87—77955
Yorio, R.N. *see* Toler, D.F. 85—22042
Yorioka, Y. *see* Kishimoto, N. 88—9876
York, A.M. *see* Matlin, M.D. 85—45971
York, G. *see* Birmingham, W.P. 86—28429
York, G. *see* Cline, K. 85—12387
York, G.W., Feiock, F.D. Physics of large aperture KrF lasers 87—61098
York, G.W., Jr. *see* Rosocha, L.A. 86—36400, 87—7252
York, L. *see* Nordlinger, C.W. 87—28303
York, P.K. *see* Baillargeon, J.N. 88—72307
York, P.K. *see* Fernandez, G.E. 88—63371
York, R.C., Douglas, D.R. Optics of the CEBAF CW superconducting accelerator 88—54256
York, R.C., Reece, C. RF steering in the CEBAF CW superconducting linac 88—54261
York, R.C. *see* Douglas, D.R. 88—54257
York, R.C. *see* Grunder, H.A. 88—42341, 88—47775
York, R.C. *see* McCarthy, J.S. 85—26542
York, R.L., Dulick, M., Cornelius, W.D., van Dyck, O.B. An optically pumped polarized ion source for LAMPF 88—42405
York, R.L., Stevens, R.R., Jr., DeHaven, R.A., McConnell, J.R., Chamberlin, E.P., Kandarian, R. The development of a high current H^- injector for the proton storage ring at LAMPF 85—59158
York, R.L. *see* Stevens, R.R., Jr. 88—4769
York, R.W.R. Multichannel pulse counting 85—37497
York, R.W.R., Fursey, G.A.J. An automatic system for measuring intertransducer distance when determining the speed of ultrasound through live animal tissue 85—64565
York, R.W.R. *see* Cooper, J. 87—66861
York, T. When a storm strikes . . 85—64800
York, T. Gate array architectures 88—63630
York, T. *see* Amos, N. 87—21405
York, T.A. Investigation of power distribution strategies for wafer scale integration (WSI) 88—64711
York, T.A. *see* Cottrell, R.A. 88—50959
York-Yih Sun *see* Huang-Yuan Chung 87—10237
York-yih Sun *see* Jia-you Lee 87—65825, 88—55465
York-Yih Sun *see* Lucas, T.N. 87—36564
Yorke, J.A. *see* Hammel, S.M. 88—11905
Yorke, J.A. *see* Li, T.-Y. 85—33295
Yorke, J.A. *see* Li, T.Y. 88—6397
Yorker, J.G. Photostimulated luminescence digital radiography system characterization. II. Image-quality measurements 88—23055
Yorkey, T.J., Webster, J.G. A comparison of impedance tomographic reconstruction algorithms 87—50313
Yorkey, T.J., Webster, J.G., Tompkins, W.J. Errors caused by contact impedance in impedance imaging 86—56145
Yorkey, T.J., Webster, J.G., Tompkins, W.J. An optimal impedance tomographic reconstruction algorithm 87—50373
Yorkey, T.J., Webster, J.G., Tompkins, W.J. Comparing reconstruction algorithms for electrical impedance tomography 88—16737
Yorkey, T.J. *see* Sakamoto, K. 87—50315, 87—50372
Yorkston, J., Shotter, A.C., Syme, D.B., Huxtable, G. Interstrip surface effects in oxide passivated ion-implanted silicon strip detectors 88—22926
Yoro, T., Yamashita, M. CRT display for computer systems 85—14643
Yoroizawa, I. *see* Watanabe, K. 87—2756
Yorovskii, V.A. *see* Arteev, M.S. 86—22293, 87—46761
Yorozu, T., Hirano, M., Oka, K., Tagawa, Y. Electron spectroscopy studies on magneto-optical media and plastic substrate interface 88—33501
Yorozu, T. *see* Kawamoto, A. 88—64940
Yorozu, T. *see* Nagato, K. 88—64941
Yorz, J., Ippen, E., Shevel', S.G. Picosecond lasing of mixed $Zn_xCd_{1-x}S$ single crystals in an external resonator 85—24517
Yosef, C. *see* Engels, E., Jr. 87—29488
Yoshhiro, M. *see* Toda, T. 88—45244
Yoshi, A., Tomizawa, M., Yokoyama, K. Investigation of numerical algorithms in semiconductor device simulation 87—74236
Yoshi, A. *see* Sudo, T. 85—1660
Yoshida, *see* Shinohara, S. 88—51987
Yoshida, A., Itoh, A., Inoue, F., Kawanishi, K. Bi-substituted Y-Eu magnetic bubble films with orthorhombic anisotropy 87—60794
Yoshida, A., Kitagawa, M., Setsune, K., Hirao, T. Large area doping technique using an ion source of RF discharge with magnetic field 88—64387
Yoshida, A., Setsune, K., Hirao, T. Phosphorus doping for hydrogenated amorphous silicon films by a low-energy ion doping technique 87—67075
Yoshida, A., Setsune, K., Hirao, T. Formation of source and drain regions for a-Si:H thin-film transistors by low-energy ion doping technique 88—33204
Yoshida, A., Tamura, H., Fujii, T., Hasuo, S. Evaluation of an InGaAs/InAlGaAs heterostructure for a superconducting-base transistor 88—26715
Yoshida, A., Tamura, H., Hasuo, S. Evaluation of Josephson junction yield 87—1920
Yoshida, A., Tanahashi, I., Takeuchi, Y., Nishino, A. An electric double-layer capacitor with activated carbon fiber electrodes 87—52907
Yoshida, A., Ushiku, Y. Hot carrier induced degradation mode depending on the LDD structure in NMOSFETs 88—39466
Yoshida, A. *see* Fujino, Y. 87—43008
Yoshida, A. *see* Hirano, R. 88—26356
Yoshida, A. *see* Hirosaki, B. 86—23590
Yoshida, A. *see* Hoko, H. 87—32914
Yoshida, A. *see* Imamura, T. 86—42165
Yoshida, A. *see* Kawahito, S. 86—27490
Yoshida, A. *see* Maenaka, K. 87—3728
Yoshida, A. *see* Masuda, H. 88—31845
Yoshida, A. *see* Nishino, A. 86—1401
Yoshida, A. *see* Pak, K. 87—17953
Yoshida, A. *see* Sugai, H. 85—44769
Yoshida, A. *see* Suzuki, K. 88—68978
Yoshida, A. *see* Tamura, H. 87—37974
Yoshida, A. *see* Tanaka, S. 86—54836
Yoshida, A. *see* Toyoda, H. 86—26905, 86—57467
Yoshida, A. *see* Ushiku, Y. 87—60669, 88—51010
Yoshida, A. *see* Wakahara, A. 87—65548
Yoshida, A. *see* Yamamoto, T. 86—50458, 88—36479
Yoshida, A. *see* Yamamoto, Y. 88—74848
Yoshida, A. *see* Yasuda, K. 85—34475, 85—41272, 85—56439
Yoshida, A. *see* Yasuda, Y. 86—34704
Yoshida, A. *see* Yoshimori, M. 88—29935
Yoshida, A. *see* Yoyoda, H. 87—5459
Yoshida, A. *see* Zaima, S. 85—40049, 87—24756
Yoshida, C. *see* Iwata, S. 85—64578, 86—70406
Yoshida, E. Some experiments on a facsimile broadcasting system multiplexed with television 86—4799
Yoshida, E. *see* Tsuruta, S. 88—3461
Yoshida, F. *see* Akiyoshi, T. 87—21393
Yoshida, F. *see* Kubota, S. 87—64084
Yoshida, F. *see* Naganawa, H. 87—63240
Yoshida, F. *see* Odera, M. 85—20775, 85—64358

Yoshida, H. The CRT in high-density and large-capacity display applications 86—55553
Yoshida, H., Inoue, Y. Test methods of rotating machines 87—35881
Yoshida, H., Ishioka, Y., Suzuki, T., Yanari, T., Teranishi, T. Degradation of insulating materials of transformers 88—26608
Yoshida, H., Kataoka, T. Migration of two ions during electrolysis of glass waveguide 86—2713
Yoshida, H., Kodaka, H., Miyata, K., Yamaoka, H., Fukumoto, K., Okada, T. Irradiation on superconducting properties of Nb_3Sn superconducting composites 85—46047
Yoshida, H., Mitsiuishi, T. Control channel traffic design in a mobile telephone system 87—40766
Yoshida, H., Mitsui, H. Rotating machine insulation 87—30491
Yoshida, H., Shibata, Y., Usunaga, Y. VHF high power VD^2 MOSFET 85—50582
Yoshida, H., Shinagawa, K. Measurement of tramcar cable abrasion using CCD sensors 87—5005
Yoshida, H., Suzuki, T. Drying process of insulating materials of transformers 85—60239
Yoshida, H., Takahashi, K., Tanaka, A., Nagai, H. High voltage driver ICs for plasma display panels 87—32715
Yoshida, H., Umemoto, K. Insulation diagnosis for rotating machine insulation 87—35880
Yoshida, H., Watanabe, H. Systems and trends of direct satellite broadcasting 85—58052
Yoshida, H. *see* Abe, K. 88—16629
Yoshida, H. *see* Akahori, H. 85—38966
Yoshida, H. *see* Chang, J.-S. 85—30013
Yoshida, H. *see* Fujimoto, H. 85—63457
Yoshida, H. *see* Hirade, K. 86—69647
Yoshida, H. *see* Hirano, Y. 85—62230
Yoshida, H. *see* Inoue, T. 88—20041
Yoshida, H. *see* Iwahori, J. 86—65329
Yoshida, H. *see* Kawahara, K. 85—32179
Yoshida, H. *see* Kitani, M. 88—8374
Yoshida, H. *see* Kobayashi, M. 86—44560
Yoshida, H. *see* Kobayshi, M. 86—44561
Yoshida, H. *see* Kodaka, H. 86—15417
Yoshida, H. *see* Matsunaga, T. 88—21866
Yoshida, H. *see* Mitsui, H. 85—60123, 86—25974, 86—35944, 87—6945, 88—64834, 88—64869
Yoshida, H. *see* Miyashita, T. 88—26174
Yoshida, H. *see* Mori, S. 88—64159
Yoshida, H. *see* Murayama, Y. 88—20120
Yoshida, H. *see* Myoi, Y. 85—35813
Yoshida, H. *see* Nakano, M. 86—1107
Yoshida, H. *see* Nanba, M. 85—48519
Yoshida, H. *see* Nouchi, N. 87—18504
Yoshida, H. *see* Nukii, T. 86—11660
Yoshida, H. *see* Ogawa, K. 86—32179
Yoshida, H. *see* Osawa, A. 88—20043
Yoshida, H. *see* Osawa, H. 87—27202
Yoshida, H. *see* Saitoh, S. 86—60154, 88—22641
Yoshida, H. *see* Shibata, M. 85—58535
Yoshida, H. *see* Shinohara, K. 85—24131
Yoshida, H. *see* Shinohara, S. 85—29819, 86—54229, 87—54460, 88—9592, 88—45532
Yoshida, H. *see* Shugyo, S. 86—2390
Yoshida, H. *see* Sumiyoshi, T. 88—74661
Yoshida, H. *see* Tabata, N. 85—56549
Yoshida, H. *see* Takasaki, M. 86—31869
Yoshida, H. *see* Tanaka, Y. 88—19133
Yoshida, H. *see* Tomago, A. 86—36041
Yoshida, H. *see* Tsuji, T. 85—27351
Yoshida, H. *see* Yoshida, K. 85—5495, 86—9643, 88—65640
Yoshida, I., Bedair, S.M. AlGaAs graded index lens for integrated optics 88—65346
Yoshida, I., Morikawa, M., Ohtaka, S., Okabe, T. Low on-resistance and high-reliability power MOSFETs 88—71580
Yoshida, I. *see* Kanamori, H. 87—7127
Yoshida, I. *see* Karam, N.H. 88—43862
Yoshida, I. *see* Ohji, Y. 88—1464
Yoshida, J. Classical versus quantum mechanical calculation of the electron distribution at the n-AlGaAs/GaAs heterointerface 86—27976
Yoshida, J., Itaya, Y., Noguchi, Y., Matsuoka, T., Nakano, Y. Sufficiently side-mode-suppressed high-output-power 1.5 μm DFB lasers 86—36478
Yoshida, J., Kurata, M. Analysis of high electron mobility transistors based on a two-dimensional numerical model 85—18346
Yoshida, J., Kurata, M. Two-dimensional numerical analysis for high electron mobility transistors (HEMTs) 85—23818
Yoshida, J., Kurata, M., Morizuka, K., Hojo, A. Emitter-base bandgap grading effects on GaAlAs/GaAs heterojunction bipolar transistor characteristics 86—9100
Yoshida, J. *see* Akagi, J. 86—67846, 87—59310, 87—60428, 88—50805
Yoshida, J. *see* Fukuda, M. 88—72319
Yoshida, J. *see* Hayashi, Y. 86—49676
Yoshida, J. *see* Hiraoka, Y.S. 87—45886, 88—19942, 88—64518
Yoshida, J. *see* Hirose, M. 88—33243
Yoshida, J. *see* Katoh, R. 86—28299, 88—19946, 88—39411
Yoshida, J. *see* Kurata, M. 85—50494, 86—47550, 87—6675
Yoshida, J. *see* Morizuka, K. 85—45659, 87—25247
Yoshida, J. *see* Motosugi, G. 87—56116
Yoshida, J. *see* Sinohara, S. 88—44955
Yoshida, J. *see* Takahashi, T. 85—437, 85—28250, 85—39791
Yoshida, J. *see* Tsuda, K. 88—19417
Yoshida, J. *see* Uehara, S. 86—42583
Yoshida, J. *see* Watanabe, M.O. 85—34602, 85—50241, 86—53439
Yoshida, K. Three-dimensional transfer-matrix analysis of a linear induction machine and its simulated performance 86—33435
Yoshida, K. Theory and performance of long-stator linear synchronous motors with samarium-cobalt permanent-magnet excitation 87—15797
Yoshida, K. Layout verification 87—53647
Yoshida, K. High-speed data transmission to use public telephone circuit 87—69771
Yoshida, K. Detection of millimeter and submillimeter wave radiation 88—42263
Yoshida, K., Aoyama, Y., Isagawa, M., Shirakura, K. Evaluation of contact failure by vaporized organic gases 87—1035
Yoshida, K., Chiba, S. Hitachi device expands potential for wider user of bubble memory 85—56134
Yoshida, K., Fukushima, T., Kasuya, M., Kitami, T., Miyachi, T., Mutou, M., Tsujikawa, H., Watanabe, K., Baba, K., Endo, I., Sugitate, T., Sumi, T., Takahashi, K., Maki, T. High duty cycle, tagged and polarized photon beam from the 1.3 GeV electron synchrotron 86—25101
Yoshida, K., Hashimoto, T., Enpuku, K., Yamafuji, K. Transducer characteristics of a Josephson line as an analog amplifier 88—13716
Yoshida, K., Hashimoto, T., Nagatsuma, T., Enpuku, K. Josephson analog amplifier with large current gain 87—67858
Yoshida, K., Hirayama, Y., Yamamoto, T., Oka, Y., Iwasa, H. Perpendicular recording magnetic media using aluminium anodic films 86—9405
Yoshida, K., Hirose, S. Laser triangulation range finder available under direct sunlight 88—68032
Yoshida, K., Hirose, S. Laser triangulation range finder available under direct sunlight 88—74049
Yoshida, K., Honda, Y., Kawasaki, T., Koizumi, M., Kugiya, F., Futamoto, M., Tonomura, A. Measurement of intensity of recorded magnetization on Co-Cr film by electron holography 88—44974
Yoshida, K., Kaijima, M. Life and thrust forces in a controlled-PM linear synchronous motor with a ring-winding type of the control coil [magnetic levitation] 86—19579
Yoshida, K., Kaijima, M. Analysis of magnetic field in a controlled-PM linear synchronous motor with a ring-winding type of the control coil [magnetic levitation] 86—19580
Yoshida, K., Kakegawa, Y. A property of Euclid's algorithm on Gaussian integers 87—16451
Yoshida, K., Kato, Y., Yoshida, H., Yamanaka, C. Prediction of flashlamp explosion by stress measurements 85—5495
Yoshida, K., Kawasaki, K., Hattori, S., Kawashima, S., Shikano, S. Data transmission system using a single chip computer 86—49172
Yoshida, K., Kawashima, M., Nishiwaki, M., Doi, T. Digital data exchange network testing system (DNTS) configuration 87—69810
Yoshida, K., Kijima, H. A study on coupling coefficients between adjacent earthing systems 86—32839
Yoshida, K., Kobayashi, S., Fukuro, H. Generation of a high pretilt angle by rubbing: application to supertwisted nematic LCDs 88—42217
Yoshida, K., Kohjiro, S., Enpuku, K., Yamafuji, K. Integrated gradiometer with large β SQUID 87—74573
Yoshida, K., Komiya, R., Ohmura, M. Cable utility design for a 'ping-pong' transmission system 85—19910
Yoshida, K., Komiya, R., Ohmura, M. Cable utility design for a 200 kb/s ping-pong transmission system 85—47067
Yoshida, K., Kubota, H., Gomes, C.M., Shimomora, T., Kobayashi, S. The evaluation of multiplexability of a supertwisted nematic liquid crystal display device in terms of crosstalk ratio 88—26894
Yoshida, K., Maekawa, E., Nagasawa, S. Performance of installed optical cable for use in business premises and local area applications—field trial results 85—3464
Yoshida, K., Muta, H. Optimal robust servo system design and simulation of magnetic levitation system in controlled permanent magnet linear synchronous motor vehicle 88—37665
Yoshida, K., Nagano, S., Ishii, S. Tostight-I the vacuum pressure impregnation system for large turbine-generator insulation 86—70869
Yoshida, K., Nagatsuma, T., Kumataka, S., Enpuku, K. Millimeterwave emission from Josephson oscillator through thin film junction electrode 87—74594
Yoshida, K., Nagatsuma, T., Sueoka, K., Enpuku, K., Irie, F. Effects of junction geometry on performance of flux-flow type Josephson oscillator 85—56201
Yoshida, K., Nakajima, H., Koizumi, K., Oshikiri, M., Tsuji, H., Ando, T., Shimamoto, S. Stress analysis and mechanical tests for Demo Poloidal Coil 88—65087
Yoshida, K., Nishi, M., Tada, E., Kawano, K., Oshikiri, M., Shimamoto, S. Development of cryogenic electrical components for the Demonstration Poloidal Coils 87—67955
Yoshida, K., Nishi, M.F., Koizumi, K., Takahashi, R., Shimamoto, S., Lubell, M.S., Haubenreich, P.N. The Japanese LCT coil test results in ORNL-3 coil 86—53926
Yoshida, K., Ono, K., Nishikawa, M. High-resolution image fiber system using an image separating/reconstructing method 87—46548
Yoshida, K., Ono, K., Nishiwaki, Y., Nishikawa, M. Development of micro-optic components 85—56347
Yoshida, K., Qin, J., Enpuku, K. Coupling between Josephson oscillator and external circuits via superconducting thin film 88—26716
Yoshida, K., Tada, K., Tatsumi, M., Nishiwaki, Y. Development of a $Bi_{12}SiO_{20}$ micro-distortion measuring system 85—58892
Yoshida, K., Takaki, T. Responses of the levitation system in a controlled PMLSM type TR 06 to the guideway with sinusoidal disturbances of low and high frequencies 88—31125
Yoshida, K., Takeuchi, K., Kato, Y., Fujiwara, E., Yamashita, K., Kurosawa, K., Sasaki, W., Okamoto, H. Superpolished single-crystal molybdenum mirror for X-ray ultraviolet to X-ray radiation 88—45500
Yoshida, K., Tamaki, N. Subscriber loop noise considerations and the estimated TCM application range 86—17082
Yoshida, K., Umino, T. Dynamics of the propulsion and levitation systems in the controlled-PM LSM Maglev vehicle 88—62694
Yoshida, K., Weh, H. A method of modeling permanent magnets for analytical approach to electrical machinery 85—48937
Yoshida, K., Weh, H. Analytical approach to linear synchronous motors excited using flat type controlled permanent magnets 87—43091
Yoshida, K., Yamamoto, A., Shibayama, K., Shirasu, K. A CO_2-laser processing system 88—8373
Yoshida, K., Yamashita, T. Theoretical analysis of magnetic recording media noise 87—46380
Yoshida, K., Yamashita, T. Theoretical analysis of magnetic recording media noise 88—13679
Yoshida, K., Yamashita, T., Saito, M. Magnetic properties and media noise of Co-Ni-P plated disks 88—71936
Yoshida, K., Yokobayashi, M., Aoyagi, T., Shinohara, Y., Kohsaka, A. Development and verification of a accident diagnostic system for nuclear power plant by using a simulator 88—48689
Yoshida, K., Yoshida, H., Kato, Y. Characterization of high average power Nd:GGG slab lasers 88—65640
Yoshida, K., Yoshida, H., Kato, Y., Yamanaka, C. Highly damaged resistant, broadband, hard antireflection coating for high power lasers in the ultraviolet to near-infrared wavelength regions 86—9643
Yoshida, K., Yoshiura, T., Shimada, Y. Ceramic green sheet puncher using multilayer piezoelectric actuator 88—31495
Yoshida, K. *see* Ando, T. 85—1925, 85—41089, 87—12090, 87—46410, 88—65086
Yoshida, K. *see* Arai, S. 85—9020 to 9021
Yoshida, K. *see* Arakawa, K. 87—63405
Yoshida, K. *see* Bamba, T. 86—65067, 87—49337
Yoshida, K. *see* Endo, M. 87—77656
Yoshida, K. *see* Enpuku, K. 85—35347, 85—62253, 86—42164, 87—25889, 88—20292
Yoshida, K. *see* Fudo, H. 88—60158
Yoshida, K. *see* Fujiwara, H. 85—7155
Yoshida, K. *see* Fukuzaki, T. 86—61291
Yoshida, K. *see* Futamoto, M. 86—28593
Yoshida, K. *see* Hashimoto, T. 88—26710
Yoshida, K. *see* Hatano, S. 85—20239
Yoshida, K. *see* Hayakawa, K. 87—14671
Yoshida, K. *see* Honda, Y. 86—42098, 87—67725
Yoshida, K. *see* Ichikawa, Y. 88—2335
Yoshida, K. *see* Ikeya, T. 87—8287
Yoshida, K. *see* Imamura, M. 85—20859
Yoshida, K. *see* Irie, F. 85—50872
Yoshida, K. *see* Kamei, H. 87—58945, 88—56256
Yoshida, K. *see* Kanabe, T. 86—28897
Yoshida, K. *see* Kanda, Y. 87—53923
Yoshida, K. *see* Kawakami, K. 88—74182
Yoshida, K. *see* Kitagawa, M. 88—53446
Yoshida, K. *see* Kohjiro, S. 87—53922, 88—39823
Yoshida, K. *see* Koizumi, K. 88—65105
Yoshida, K. *see* Komiya, R. 87—13490
Yoshida, K. *see* Kugiya, F. 88—57898
Yoshida, K. *see* Kusama, Y. 87—45333
Yoshida, K. *see* Kuwano, Y. 87—78906
Yoshida, K. *see* Luton, J.N. 85—56230
Yoshida, K. *see* Matsui, Y. 85—39732, 85—39773, 86—47340, 86—62222, 87—44318, 88—56264

Yoshida, K. *see* Matsumoto, H. 88−52813
Yoshida, K. *see* Matsuzaki, T. 86−52875
Yoshida, K. *see* Mitsuhashi, T. 87−59083
Yoshida, K. *see* Mitsui, H. 86−25974, 86−35944
Yoshida, K. *see* Motrishita, T. 86−7212
Yoshida, K. *see* Nagatsuma, T. 85−18609, 86−9437
Yoshida, K. *see* Nakajima, H. 87−67956
Yoshida, K. *see* Nose, Y. 87−74904
Yoshida, K. *see* Ohnishi, M. 88−31852
Yoshida, K. *see* Ohuchi, M. 87−23349, 88−25677
Yoshida, K. *see* Okamoto, K. 85−7285
Yoshida, K. *see* Okuno, M. 86−6377
Yoshida, K. *see* Okuwaki, T. 86−28653
Yoshida, K. *see* Ooka, H. 87−44802
Yoshida, K. *see* Phelan, P.E. 88−68966
Yoshida, K. *see* Qin, J. 88−33571
Yoshida, K. *see* Saburi, A. 86−4584
Yoshida, K. *see* Saito, S. 88−57939
Yoshida, K. *see* Shikata, S. 88−13150
Yoshida, K. *see* Shimamoto, S. 85−1893, 85−1927, 85−41077, 87−12091, 88−13775, 88−65098
Yoshida, K. *see* Shimomura, O. 88−34107
Yoshida, K. *see* Suzuki, K. 87−8235
Yoshida, K. *see* Suzuki, T. 86−43850
Yoshida, K. *see* Tada, E. 87−67979
Yoshida, K. *see* Takahashi, A. 88−24090
Yoshida, K. *see* Takahashi, K. 86−54043
Yoshida, K. *see* Takahashi, Y. 85−35366, 85−56141, 86−42191, 87−67954
Yoshida, K. *see* Tamae, T. 88−29753
Yoshida, K. *see* Taniguchi, K. 86−56084
Yoshida, K. *see* Togawa, T. 87−48572
Yoshida, K. *see* Tsuji, H. 86−58725, 88−65066
Yoshida, K. *see* Tsuno, K. 87−50216
Yoshida, K. *see* Uchida, N. 85−7180, 85−24226
Yoshida, K. *see* Yamada, M. 86−57796
Yoshida, K. *see* Yamada, S. 85−15114
Yoshida, K. *see* Yanagi, T. 86−33461
Yoshida, K. *see* Yokobayashi, M. 86−61253
Yoshida, K. *see* Yokotani, A. 86−48070
Yoshida, K. *see* Yoshikawa, H. 88−11449
Yoshida, M. Sensory attributes and sensory evaluation 85−8807
Yoshida, M. Sandwich of film layers creates EL panels that 'remember' light 85−41281
Yoshida, M. General model of periodically sampled queues 86−310
Yoshida, M. A periodically sampled queue with alternative active and interruption phases 87−55391
Yoshida, M. A study on molecular-layer-epitaxial single-crystal insulator films for electronic devices 88−6471
Yoshida, M. Source of carbon contamination in GaAs grown by metalorganic-chloride $(Ga(CH_3)_3/AsCl_3/H_2)$ VPE 88−38151
Yoshida, M., Hayashi, T., Suzuki, T., Kikukawa, Y., Gozen, T., Tanaka, H., Shintani, T., Okamoto, S. Characteristics and application of rare-earth-doped optical fibers 88−26792
Yoshida, M., Hoshi, M. Digital circuit-switched network structure 86−23284
Yoshida, M., Hoshi, M., Kishino, F. Digital circuit-switched network structure 85−57620
Yoshida, M., Kaizu, Y., Sugishita, K., Kuwahara, K., Okumura, A., Kuwata, K., Kuroda, I., Nishizawa, T., Sunaga, J., Ikeda, M. High performance digital signal processing LSIs 87−37337
Yoshida, M., Kotera, M., Yokoyama, K. Experimental development of network-based file server system: concept, implementation and evaluation 88−15174
Yoshida, M., Mikami, A., Ogura, T., Tanaka, K., Taniguchi, K., Nakajima, S. Stability improvement of red-emitting CaS:EuS thin-film electroluminescence 87−3688
Yoshida, M., Nishiyama, H., Yoshie, K. Measurement of luminous intensity by the self-calibration technique 88−37723
Yoshida, M., Ohara, N., Nakagawara, K., Nishikura, H. Lighting control system using VDU electronic crossbar 87−64959
Yoshida, M., Okazaki, H. A junction network optimization method under end-to-end blocking probability constraints 85−19696
Yoshida, M., Takeshima, T., Takada, M. Scaled bit line capacitance analysis using a three-dimensional simulator 86−41124
Yoshida, M., Terao, H., Watanabe, H. GaAs growth using TMG and $AsCl_3$ 85−44733
Yoshida, M., Terao, H., Watanabe, H. Thermodynamic and experimental study of low pressure $Ga/AsCl_3/H_2$ VPE 86−66822
Yoshida, M., Tohi, A., Inoue, M. Deep p-type layer formation using Al^+ implantation and diffusion into Si 87−60292
Yoshida, M., Tohyama, D., Maeguchi, K., Kanzaki, K. Increase of resistance to hot carriers in thin oxide MOSFETs 86−47613
Yoshida, M., Watanabe, H. Thermodynamic comparison of InGaAsP vapor phase epitaxy by chloride, hydride, and metalorganic-chloride methods 85−60963
Yoshida, M., Watanabe, H. Thermodynamics of GaAs growth by MOC-VPE 86−20051
Yoshida, M., Yoneyama, M. Static analysis of a resistor load type D^2CMOS (dual depletion CMOS) associative memory cell by using the state diagram method 85−61278
Yoshida, M., Yoneyama, M. Memory characteristics of a E-D type CMOS associative memory cell 86−14211
Yoshida, M., Yoneyama, M. Static analysis of a resistor-load-type D^2 CMOS(dual depletion CMOS) associative memory cell by using the state diagram method 87−52567
Yoshida, M. *see* Asano, Y. 87−29494, 87−77538
Yoshida, M. *see* Baba, H. 88−55492
Yoshida, M. *see* Beneking, H. 86−41531
Yoshida, M. *see* Chinen, K. 87−40937
Yoshida, M. *see* Doi, K. 88−50197
Yoshida, M. *see* Fujii, Y. 87−6388, 87−31564
Yoshida, M. *see* Gotoh, T. 88−28063
Yoshida, M. *see* Hattori, H. 85−14490
Yoshida, M. *see* Hayashi, T. 88−23646
Yoshida, M. *see* Homma, K. 88−28463
Yoshida, M. *see* Ikeuchi, N. 86−30098, 86−64519
Yoshida, M. *see* Ishi, T. 85−43156
Yoshida, M. *see* Ishikawa, K. 87−66880
Yoshida, M. *see* Kamimura, K. 87−33836
Yoshida, M. *see* Kawakami, Y. 87−17157
Yoshida, M. *see* Kawashima, Y. 86−23802
Yoshida, M. *see* Kazama, T. 86−61565
Yoshida, M. *see* Kyung-ho Park 87−60375
Yoshida, M. *see* Mikami, A. 87−61048, 88−40090
Yoshida, M. *see* Mori, C. 87−77523
Yoshida, M. *see* Mori, K. 87−23688, 88−24700, 88−64250
Yoshida, M. *see* Morikawa, G. 85−37084
Yoshida, M. *see* Morita, Y. 88−20149
Yoshida, M. *see* Nagata, S. 85−49836
Yoshida, M. *see* Nakahara, M. 86−47841
Yoshida, M. *see* Niki, N. 86−44651
Yoshida, M. *see* Nomoto, T. 88−7633
Yoshida, M. *see* Ogura, T. 86−44365, 86−58836
Yoshida, M. *see* Okada, K. 88−7109, 88−34862, 88−38810
Yoshida, M. *see* Sasaguchi, K. 86−19511
Yoshida, M. *see* Sasaki, S. 87−2565, 88−41021
Yoshida, M. *see* Sasaoka, C. 88−49834
Yoshida, M. *see* Satoh, K. 88−35431
Yoshida, M. *see* Shinzawa, M. 86−37496
Yoshida, M. *see* Suzuki, S. 85−22875
Yoshida, M. *see* Takagi, Y. 86−60343
Yoshida, M. *see* Takeshima, T. 88−6853
Yoshida, M. *see* Tanaka, K. 87−68299
Yoshida, M. *see* Tomokage, H. 86−67749
Yoshida, M. *see* Toriu, T. 86−11514, 87−47891, 88−3146
Yoshida, M. *see* Usuba, S. 87−26719
Yoshida, M. *see* Watanabe, H. 86−31514
Yoshida, N., Kikuno, T., Fujii, T. Hardware algorithms implemented on systolic arrays and cell arrays with bus 86−14147
Yoshida, N., Mizuguchi, K., Murotani, T., Fujikawa, K. UV cleaning effect of GaAs surface in NH_3 gas prior to photo CVD 87−25333
Yoshida, N. *see* Aoto, T. 86−54248, 87−39357, 87−39364
Yoshida, N. *see* Fuji, T. 87−53640
Yoshida, N. *see* Fujii, T. 86−62574, 86−67170, 86−67948, 87−37175, 88−12292, 88−13524, 88−50909
Yoshida, N. *see* Ghameshlu, M. 88−19506
Yoshida, N. *see* Kashiwa, T. 85−62876, 86−48654, 87−6031, 87−75590, 88−58934
Yoshida, N. *see* Kikuno, T. 86−69466
Yoshida, N. *see* Koike, S. 85−34126, 85−57086, 86−3631, 86−41297, 86−68823, 87−24439, 87−33480, 87−45150, 88−19321, 88−27561
Yoshida, N. *see* Kukutsu, N. 87−26907, 88−26657, 88−70976
Yoshida, N. *see* Masuzuka, N. 88−7141
Yoshida, N. *see* Miura, K. 85−3736
Yoshida, N. *see* Nakatani, K. 87−38564
Yoshida, N. *see* Nakatsuka, H. 88−20990
Yoshida, N. *see* Natori, N. 88−10464
Yoshida, N. *see* Sato, M. 88−30194, 88−51097
Yoshida, N. *see* Suzuki, T. 88−71889
Yoshida, N. *see* Takagi, A. 86−2516, 86−68144
Yoshida, N. *see* Takahashi, K. 85−35511, 88−58126
Yoshida, N. *see* Takashi, K. 87−46549
Yoshida, N. *see* Tejika, Y. 87−1968, 87−72597, 88−18218
Yoshida, N. *see* Usami, A. 86−7082
Yoshida, N. *see* Wakabayashi, S. 86−66898
Yoshida, N. *see* Yamaguchi, K. 87−31744
Yoshida, N. *see* Yoshimura, M. 85−57313
Yoshida, N. *see* Yoshino, T. 86−48168
Yoshida, O. Study on CCD image lag 85−31486
Yoshida, O., Endo, Y., Egawa, Y., Harada, N. Image flicker control by CCD-chip-shift and wobble operation at double-enhanced Nyquist regions 86−5049
Yoshida, O., Hayashi, T., Watanabe, T. Modem LSI 86−4394
Yoshida, O., Iwamoto, A. Moire patterns on video pictures taken by solid state image sensor 85−14423
Yoshida, O., Nakatsuka, S., Goto, K. MSK remote control IC 88−21578
Yoshida, O., Tagawa, S., Achiha, M. Evaluation of TV picture quality with ITE test charts−utilization of the zone plate chart 85−8528
Yoshida, O. *see* Harada, N. 86−5048, 86−17852, 86−17980
Yoshida, O. *see* Tanuma, C. 87−14198
Yoshida, O. *see* Uya, S. 85−42910
Yoshida, R. Summary report of safety and automated system on grinding and finishing process of furniture 85−16509
Yoshida, R. Standardization of digital control interface 87−34707
Yoshida, R., Buchholz, D., Castoldi, C., Gobbi, B., Schluter, R., Tilden, R. Tetrode photomultiplier base for high magnetic field environments 86−50327
Yoshida, R., Nakamura, M., Hamamatsu, M. Facilities monitoring thermography: INFRA-EYE 570 88−42307
Yoshida, R. *see* Imazu, Y. 87−28949
Yoshida, R. *see* Morii, Y. 85−52524
Yoshida, R. *see* Murase, K. 87−42248
Yoshida, R. *see* Park, S. 87−41838
Yoshida, S. Electromagnetic compatibility−present situation and study problems 85−19158
Yoshida, S. Research and development progress supporting system digitization−integrated digital switching and transmission 86−30522
Yoshida, S. Recent developments in Japanese telecommunications networks 86−64503
Yoshida, S. Direct step on wafer microlithography progress 88−1510
Yoshida, S. Inevitability and problems of natural language processing 88−27842
Yoshida, S., Akiba, Y., Kurosu, T., Iida, M. A SOGICON type instability in silicon 85−6979
Yoshida, S., Ariyavisitakul, S., Ikegami, F., Takeuchi, T. A novel anti-multipath modulation technique DSK 86−54425
Yoshida, S., Chiba, T., Kawata, T., Shirakawa, I. A logic assignment scheme in LSI design 87−31828
Yoshida, S., Chiba, T., Kawata, T., Shirakawa, I., Ozaki, H. A logic assignment scheme in LSI design 85−17324
Yoshida, S., Daimon, H., Yamanaka, M., Sakuma, E., Misawa, S., Endo, K. Schottky-barrier field-effect transistors of 3C-SiC 87−11796
Yoshida, S., Endo, K., Sakuma, E., Misawa, S., Okumura, H., Daimon, H., Muneyama, E., Yamanaka, M. Electrical properties of 3C-SiC and its application to FET 88−44563
Yoshida, S., Fujii, H., Sawano, T., Endo, M., Fujioka, T. Efficient operation of a chemically pumped oxygen iodine laser utilizing dilute hydrogen peroxide 88−14081
Yoshida, S., Iizuka, K. Inspection and measuring technology on VLSI lithography 85−62048
Yoshida, S., Ikegami, F. A comparison of multipath distortion characteristics among digital modulation technique 86−37765
Yoshida, S., Ikegami, F. A simple calculation formula for power spectral density of a digitally modulated signal 87−2402
Yoshida, S., Ikegami, F. Anti-multipath modulation technique−Manchester-coded PSK (MC-PSK) 88−8673
Yoshida, S., Ikegami, F., Ariyavisitakul, S., Takeuchi, T. Delay-spread-resistant modulation techniques for mobile radio 88−46938
Yoshida, S., Ikegami, F., Ariyavisitakul, S., Takeuchi, T., Sasada, M. Artificial delay insertion diversity to extend anti-multipath capability of DSK in mobile radio 87−27208
Yoshida, S., Ikegami, F., Onoe, S. Performance comparison among digital modulation schemes subjected to Rayleigh-distributed two-ray multipath fading 85−46568
Yoshida, S., Ikegami, F., Takai, H., Matsushiba, T. Experimental study on BER characteristics of spread spectrum communication system subject to multipath fading 86−30568
Yoshida, S., Ikegami, F., Takeuchi, T. A mechanism of burst error occurrence due to multipath propagation in digital mobile radio 86−69696
Yoshida, S., Ikegami, F., Takeuchi, T. Causes of burst errors in multipath fading channel [mobile radio] 88−28701
Yoshida, S., Katsura, I. Characterization of fine magnetic grains in sediments by the suspension method 85−59422
Yoshida, S., Matsuda, S. A GaAs solar cell for space applications 87−58326
Yoshida, S., Matsumoto, H., Sato, K., Hokuyo, S., Yamagami, K. High performance connector integrated GaAs solar cells 88−37597
Yoshida, S., Matsumoto, T., Yoshioka, C. High speed interactive logic simulator 86−7904
Yoshida, S., Mitsui, K., Oda, T., Kato, M., Yukimoto, Y., Matsuda, S. Liquid phase epitaxy technology of large area AlGaAs/GaAs wafers of GaAs solar cells for space applications 85−65450
Yoshida, S., Nagasawa, T., Otsuki, H., Kitamura, A., Ogawa, T., Yamada, Y. Development of the 6.6 kV automatic fault register 87−4466
Yoshida, S., Nakajima, N. Antennas and propagation 86−68870

Yoshida, S., Nishibe, N., Kikuta, T. High quality InP grown by CF method under 27 atm phosphorus vapor pressure 88–56213
Yoshida, S., Ohnishi, K., Kawanishi, K., Namiki, M. Basic characteristics of MOS Hall sensor 87–63406
Yoshida, S., Onoe, S., Ikegami, F. The effect of sample timing on bit error rate performance in a multipath fading channel 87–28422
Yoshida, S., Saito, H., Fujioka, T., Yamakoshi, H., Uchiyama, T. New singlet oxygen generator for chemical oxygen-iodine lasers 87–12354
Yoshida, S., Sakuma, E., Okumura, H., Misawa, S., Endo, K. Heteroepitaxial growth of SiC polytypes 87–58933
Yoshida, S., Sakuma, E., Okumura, H., Misawa, S., Endo, K. Heteroepitaxial growth of SiC polytypes 88–38141
Yoshida, S., Sasaki, K., Sakuma, E., Misawa, S., Gonda, S. Schottky barrier diodes on 3C-SiC 85–40680
Yoshida, S., Tashiro, Y. Underwater optical probe for laser Doppler anemometry 87–14557
Yoshida, S., Toda, K. Photovoltaic properties of metal-Pb_2CrO_5 contact 88–20507
Yoshida, S., Toda, K. Position-sensitive photovoltage in a Pb_2CrO_5 thin film device 88–20508
Yoshida, S., Yamanaka, S., Konagai, M., Takahashi, K. Efficiency improvement in amorphous SiGe:H solar cells and its application to tandem type solar cells 88–37546
Yoshida, S. *see* Ariyavisitakul, S. 86–69674, 87–48937, 87–68939, 88–21058, 88–35352
Yoshida, S. *see* Daimon, H. 86–67750
Yoshida, S. *see* Diamon, H. 88–19992
Yoshida, S. *see* Fujiwara, Y. 87–240
Yoshida, S. *see* Fukagawa, Y. 85–22305, 85–36482, 86–13618, 86–40612 to 40613, 86–46160, 86–69200, 88–11831, 88–14850 to 14851, 88–52623
Yoshida, S. *see* Ha, D. 87–70181
Yoshida, S. *see* Ha, D.-ho. 87–34744
Yoshida, S. *see* Hara, M. 85–35210
Yoshida, S. *see* Harada, S. 87–15783
Yoshida, S. *see* Haruna, M. 88–14310
Yoshida, S. *see* Hashida, Y. 87–13273
Yoshida, S. *see* Hashimoto, N. 87–48624
Yoshida, S. *see* Ikegami, F. 85–7638, 87–8206, 88–34417
Yoshida, S. *see* Ikuzaki, K. 87–59686
Yoshida, S. *see* Iwakiri, E. 86–56985
Yoshida, S. *see* Kaneko, T. 85–1768
Yoshida, S. *see* Kato, M. 87–9774
Yoshida, S. *see* Katoh, N. 86–44013
Yoshida, S. *see* Kegami, F. 85–47442
Yoshida, S. *see* Kihara, M. 86–24938
Yoshida, S. *see* Kinoshita, M. 88–9301
Yoshida, S. *see* Kita, A. 88–17910
Yoshida, S. *see* Kondo, Y. 87–1511, 87–45973
Yoshida, S. *see* Matsuda, S. 85–65456, 87–78931
Yoshida, S. *see* Matsumoto, T. 86–57447, 88–53500
Yoshida, S. *see* Matsushima, J. 87–40747
Yoshida, S. *see* Misawa, S. 87–65503
Yoshida, S. *see* Mitsui, K. 85–62428
Yoshida, S. *see* Miyabe, H. 87–13272
Yoshida, S. *see* Munakata, I. 86–14746
Yoshida, S. *see* Nabeshima, H. 87–26049, 87–28608
Yoshida, S. *see* Nakagawa, T. 85–29203
Yoshida, S. *see* Nakamura, E. 87–30192, 88–55002
Yoshida, S. *see* Nakamura, K. 85–7519
Yoshida, S. *see* Nakano, A. 86–50865
Yoshida, S. *see* Nishizawa, J. 86–66818, 87–16607
Yoshida, S. *see* Okada, Y. 88–3459
Yoshida, S. *see* Okumura, H. 85–33453, 85–34550, 87–31511
Yoshida, S. *see* Onodera, H. 85–39037
Yoshida, S. *see* Sasaki, S. 85–59767
Yoshida, S. *see* Shimizu, M. 85–62360
Yoshida, S. *see* Shinohara, M. 88–43886
Yoshida, S. *see* Shiotake, N. 86–9222
Yoshida, S. *see* Shirai, N. 86–4655
Yoshida, S. *see* Suzuki, K. 87–30200
Yoshida, S. *see* Takahashi, H. 85–35488
Yoshida, S. *see* Takahashi, M. 86–4220
Yoshida, S. *see* Takeuchi, T. 86–4831, 86–69667, 86–69695, 87–41188, 88–72559
Yoshida, S. *see* Tamogami, M. 86–49210
Yoshida, S. *see* Tanaka, K. 86–50864
Yoshida, S. *see* Tanuma, C. 88–33432
Yoshida, S. *see* Toda, K. 88–29377, 88–51660
Yoshida, S. *see* Watanabe, Y. 88–55003
Yoshida, S. *see* Yamanaka, M. 87–32273, 87–53217
Yoshida, S. *see* Yamanaka, S. 87–30979, 87–72398
Yoshida, S. *see* Yoshimoto, T. 88–55259
Yoshida, S. *see* Zhou, J. 88–34341
Yoshida, T. Digital subscriber radio system in 26 GHz band 85–20031
Yoshida, T. Transportable digital microwave radio-relay system for emergency operation–11P-12M 86–4504
Yoshida, T. 6-component force transducer and its application 86–11576
Yoshida, T. The functions and how to use wideband 'Swemar' generator 86–24551
Yoshida, T. Point-to-Point digital subscriber radio system in the 26 GHz band 86–59782
Yoshida, T. Effective use of CD encoder for CD player production line 86–65083
Yoshida, T. Automatic carrierless wave method soldering system 87–43978
Yoshida, T. Numerical values are large and clear on LCD DMM/oscilloscope 87–49807
Yoshida, T., Einaga, K., Hori, M. Development of optical multiplex transmission system MP-5000 88–67375
Yoshida, T., Fujii, A., Takahashi, A., Mieda, Y., Asahina, T. Supporting system by computer 88–9701
Yoshida, T., Fukui, K., Yamamoto, H., Matsumura, M. New material for p-type window layer in a-Si solar cells 86–40083
Yoshida, T., Fukumoto, M., Ohzone, T. Self-aligned titanium silicided junctions formed by rapid thermal annealing in vacuum 88–33305
Yoshida, T., Hada, K., Fukumoto, K. Electrical equipment for direct reduction steel plant to PTSB, Malaysia 87–5112
Yoshida, T., Hasegawa, T., Yasuda, M., Fukuda, T., Nagata, S. Desirable color and luminance conditions of the teletext image 87–34085
Yoshida, T., Hashimoto, A. Common amplification characteristics and transmission equalization effects in a nonlinear amplifier for a 16 QAM system 85–47417
Yoshida, T., Ihara, A. Large-capacity multistage inverter for Nippon Steel Corporation for energy saving operation of fans and pumps 86–12899
Yoshida, T., Maruyama, K., Nabeta, O., Ichikawa, Y., Sakai, H., Uchida, Y. High efficiency a-Si:H two-stacked tandem solar cell 88–37545
Yoshida, T., Matsumoto, M., Shinozaki, T. New city type pole-mounted transformer 86–61567
Yoshida, T., Nakagawa, M. Spread spectrum synchronizing loop for spreading code modulated by code shift keying 85–42422
Yoshida, T., Nakagawa, M., Tsunogae, T. Improved pulse-width-modulation D-A converter 85–49949
Yoshida, T., Nakagawa, M., Tsunogae, T. Improved pulse-width-modulation D-A converter 87–52665
Yoshida, T., Okauchi, J., Maeda, S. Recent bar and wire-rod rolling mill plants 85–49220
Yoshida, T., Sakakibara, T., Terasaka, K., Miwa, I. Distribution of induced grounding current in large-capacity GIS using multipoint grounding system 87–30721
Yoshida, T., Sasaoka, M., Ohyama, M. A voice store and forward system based on DSP technique and its performance 86–37303
Yoshida, T., Shono, K., Lee, J.D. Current-voltage characteristics of BP p-n junction 85–40484
Yoshida, T., Tanakawa, K. Development of a one-chip microcomputer for IC cards 88–56683
Yoshida, T. *see* Amano, J. 85–16924
Yoshida, T. *see* Endoh, A. 87–14691
Yoshida, T. *see* Fukasawa, A. 87–3091
Yoshida, T. *see* Goto, F. 87–78882
Yoshida, T. *see* Hashimoto, A. 87–13585
Yoshida, T. *see* Hirashima, H. 86–8813, 88–25900 to 25901
Yoshida, T. *see* Ichikawa, Y. 88–5845
Yoshida, T. *see* Isshiki, M. 86–13726
Yoshida, T. *see* Katoh, J. 86–6378
Yoshida, T. *see* Kawanishi, H. 88–65701
Yoshida, T. *see* Kudoh, H. 87–6590
Yoshida, T. *see* Kuriki, K. 85–28740, 85–31911
Yoshida, T. *see* Kurita, O. 88–21975
Yoshida, T. *see* Mano, F. 88–9314, 88–15236
Yoshida, T. *see* Maruyama, K. 87–9787
Yoshida, T. *see* Masaki, N. 86–56923 to 56924, 88–55536
Yoshida, T. *see* Matsuzawa, K. 85–16156
Yoshida, T. *see* Minehara, E. 85–20789
Yoshida, T. *see* Mitsuda, Y. 88–12044
Yoshida, T. *see* Mochizuki, K. 86–7743
Yoshida, T. *see* Morimoto, Y. 88–43372
Yoshida, T. *see* Murai, Y. 87–9539
Yoshida, T. *see* Nagata, S. 86–4242
Yoshida, T. *see* Nakanishi, H. 86–38287, 87–3434
Yoshida, T. *see* Nakayama, H. 86–23689
Yoshida, T. *see* Nishikawa, H. 86–32850
Yoshida, T. *see* Obunai, T. 86–1340
Yoshida, T. *see* Oda, Y. 88–71063
Yoshida, T. *see* Ogawa, S. 86–51804
Yoshida, T. *see* Ogoshi, M. 86–61725
Yoshida, T. *see* Ohyama, K. 86–61506
Yoshida, T. *see* Okabayashi, K. 87–43362
Yoshida, T. *see* Sakai, H. 85–61006, 88–49157
Yoshida, T. *see* Sakai, K. 87–46752
Yoshida, T. *see* Sato, S. 88–37375
Yoshida, T. *see* Sato, T. 88–3865
Yoshida, T. *see* Shimizu, T. 88–44230
Yoshida, T. *see* Sugiura, S. 85–22487, 85–50774, 86–21827
Yoshida, T. *see* Takano, K. 85–42181
Yoshida, T. *see* Takayama, Y. 86–8186
Yoshida, T. *see* Tomisawa, O. 88–70857
Yoshida, T. *see* Tsukamoto, A. 87–62553
Yoshida, T. *see* Watanabe, S. 86–39079
Yoshida, T. *see* Yasui, J. 88–19858
Yoshida, W. *see* Imamura, K. 87–39641, 87–54925
Yoshida, Y. TV and video systems design strategy 85–14437
Yoshida, Y. Restoration of blurred image using a hybrid method based on a noncausal stochastic model 87–62224
Yoshida, Y. Chip-in-glass FIP for automotive use 87–70731
Yoshida, Y. Development of VAN and network society 88–66843
Yoshida, Y., Ikeda, T. Beam uniformity of magnetron ion sources 86–32144
Yoshida, Y., Ikeda, T. Effect of gas-flow inside ion gun on beam uniformity [LSI fine pattern fabrication] 86–67904
Yoshida, Y., Iwasaki, S., Abe, K., Hashimoto, M., Matsuura, N. ISDN customer access system–implementation and evaluation 86–59750
Yoshida, Y., Kurokawa, H., Tuzuki, K., Ishizuka, T., Iwasaki, S., Hisamatsu, H. VLSI design considerations regarding LAP-D handler 87–32633
Yoshida, Y., Matsuhara, M., Kumagai, N. Power coupling coefficient of polarization maintaining optical fiber with random perturbations 85–7280
Yoshida, Y., Mohri, K., Kasai, K. New high gain pulse-triggered power transistors with amorphous saturable CT cores 85–23746
Yoshida, Y., Mohri, K., Yoshino, K. PWM inverter using high gain pulse-triggered power transistors and a new PWM control method 86–6904
Yoshida, Y., Mohri, K., Yoshino, K. PWM inverter using high-gain pulse-triggered power transistors and a new PWM control method 86–70975
Yoshida, Y., Mohri, K., Yoshino, K., Nakano, M. Switching characteristics and applications of amorphous CT core pulse triggered power transistors (PTPT) 86–63257
Yoshida, Y., Murahara, Y., Kuwabara, H. An automatic filter using switched capacitors–performance as an automatic equalizer at low *S/N* 85–11416
Yoshida, Y., Murahara, Y., Kuwabara, H. An automatic filter using switched capacitors-performance as an automatic equalizer at low S/N 86–67302
Yoshida, Y., Nakamura, A., Ogura, H. A hybrid image coding technique using a noncausal stochastic model 86–10502
Yoshida, Y., Nara, S., Iwasaki, S., Matsushita, K., Sengoku, M. ISDN field trial experience 87–48389
Yoshida, Y., Nishimatsu, M. Power capacitors 87–36086
Yoshida, Y., Nishimatsu, M., Inoue, Y., Suganuma, K. Investigations on dielectric strength of film capacitors 86–67539
Yoshida, Y., Noda, F., Hirooka, H., Sugino, T., Tanaka, M. A microcomputer-controlled agitator-type washing machine 86–40315
Yoshida, Y., Ogura, H. Image noise reduction by a hybrid method based on an anisotropic stochastic model 87–27622
Yoshida, Y., Shimizu, M., Osada, M., Honda, M., Takikawa, H. Clothes washing and drying technology and applications 88–62799
Yoshida, Y., Tahara, M., Ryu, T. 6 GHz 140 Mbps digital radio repeater with 256QAM modulation 87–34380
Yoshida, Y., Tsuzuki, K., Iwasaki, S., Ishizuka, T., Hisamatsu, H., Maruyama, M., Kurokawa, H., Kohzu, Y., Hirano, S. VLSI design in ISDN protocol handler 88–46719
Yoshida, Y., Yoshimura, A. Design of phase-filters subject to prescribed error bounds by means of linear programming 86–67390
Yoshida, Y. *see* Ammar, M. 87–48145
Yoshida, Y. *see* Furuki, I. 86–50181
Yoshida, Y. *see* Hamada, T. 88–16295
Yoshida, Y. *see* Hara, H. 86–44172
Yoshida, Y. *see* Harumoto, Y. 86–6838
Yoshida, Y. *see* Hirano, K. 86–61562
Yoshida, Y. *see* Hirose, H. 87–60891
Yoshida, Y. *see* Hirota, O. 88–60195
Yoshida, Y. *see* Imai, H. 85–20923, 86–70419
Yoshida, Y. *see* Inoue, Y. 87–36087
Yoshida, Y. *see* Kabayama, Y. 86–39899
Yoshida, Y. *see* Kai, T. 85–56115
Yoshida, Y. *see* Kajiwara, M. 85–36845
Yoshida, Y. *see* Kato, T. 85–56249
Yoshida, Y. *see* Kawakami, H. 86–51692
Yoshida, Y. *see* Kawasaki, M. 88–18729
Yoshida, Y. *see* Kikuchi, K. 86–6994, 87–4876
Yoshida, Y. *see* Kitamura, A. 87–28334, 87–34309, 87–48386, 87–76490
Yoshida, Y. *see* Komine, Y. 88–29414
Yoshida, Y. *see* Kugiya, F. 88–71918
Yoshida, Y. *see* Kuwabara, M. 85–60255
Yoshida, Y. *see* Kuwahara, H. 86–67970
Yoshida, Y. *see* Lee, S.-J. 86–54482
Yoshida, Y. *see* Matsukawa, T. 87–22543, 87–64520
Yoshida, Y. *see* Matsuoka, M. 88–57482
Yoshida, Y. *see* Minami, K. 87–77532
Yoshida, Y. *see* Miyahara, M. 86–29995
Yoshida, Y. *see* Mohri, K. 87–22330

Yoshida, Y. *see* Morita, Y. 85−41740
Yoshida, Y. *see* Nagano, K. 85−36843
Yoshida, Y. *see* Nagasawa, M. 86−37304
Yoshida, Y. *see* Nakamura, M. 86−24377
Yoshida, Y. *see* Nakano, M. 88−53641
Yoshida, Y. *see* Nakayama, A. 85−2904, 85−20906, 86−70405
Yoshida, Y. *see* Nishizono, T. 85−19563, 86−64375, 86−69202
Yoshida, Y. *see* Ogura, H. 85−46829
Yoshida, Y. *see* Ohba, Y. 85−32137
Yoshida, Y. *see* Okamoto, N. 87−48818
Yoshida, Y. *see* Okuyama, D. 87−15088
Yoshida, Y. *see* Ryu, T. 87−34379
Yoshida, Y. *see* Tahara, M. 88−28686, 88−46888
Yoshida, Y. *see* Takeda, M. 87−22545
Yoshida, Y. *see* Takeda, Y. 88−8932
Yoshida, Y. *see* Tanabe, T. 87−4767, 87−30736 to 30737
Yoshida, Y. *see* Tanaka, M. 85−37682
Yoshida, Y. *see* Togano, K. 85−62226
Yoshida, Y. *see* Ueda, R. 86−39797
Yoshida Yoshinori *see* Yoshinori Yoshida
Yoshido, T. *see* Miyazaki, M. 86−40185
Yoshidomi, K. Scattering of an electromagnetic beam wave by rectangular grooves on a perfect conductor 85−7631
Yoshidomi, K. Scattering of an electromagnetic beam wave from rectangular grooves on a lossy dielectric substrate 85−62754
Yoshidomi, K., Aoki, K. Scattering by two parallel conducting rectangular cylinders 86−29349
Yoshidomi, K., Aoki, K. Scattering of H-polarized plane waves by two parallel conducting rectangular cylinders 86−63973
Yoshidomi, K., Aoki, K. Scattering of an *E*-polarized plane wave by two parallel rectangular impedance cylinders 88−58836
Yoshidomi, K., Aoki, K., Uchida, K. Excitation of the electromagnetic fields in a semi-infinite tunnel by a line source 85−62788
Yoshidomi, K. *see* Aoki, K. 85−57069, 87−33488, 88−50292
Yoshidomi, K. *see* Kage, Y. 86−15865, 87−47131, 87−47306
Yoshidomi, K. *see* Nishimoto, M. 85−19116, 86−68690
Yoshidomi, K. *see* Uchida, K. 85−46614, 85−62757
Yoshie, K., Fujita, K., Kanemaki, K., Isshiki, K. Software design of a high-throughput packet switching system 86−64640
Yoshie, K. *see* Tsuruoka, H. 86−28996
Yoshie, K. *see* Uesaka, H. 88−9030 to 9031, 88−66885 to 66886
Yoshie, K. *see* Yoshida, M. 88−37723
Yoshie, M., Kuriyama, K. Trial construction and functional comparison of three lap-timers for microcomputer based science experiments 88−12475
Yoshie, T., Imai, S., Matsuo, N., Moriyama, H. A 5V CCD video signal processor 88−1810
Yoshifuku, S. *see* Matsumoto, Y. 87−63874
Yoshiga, K. Stepping motor as drive 87−4750
Yoshigi, H. *see* Fukinuki, T. 85−8573, 86−55430, 88−47306
Yoshigi, H. *see* Hirano, Y. 86−31000 to 31001
Yoshihara, H. X-ray lithography system 86−53506
Yoshihara, H., Okada, I., Saitoh, Y., Itabashi, S. Characteristics of a gas-puff Z-pinch plasma X-ray source 87−14807
Yoshihara, H. *see* Hayashi, Y. 87−64794
Yoshihara, H. *see* Okada, I. 86−38727
Yoshihara, H. *see* Sekimoto, M. 85−34756
Yoshihara, H. *see* Une, A. 88−13213
Yoshihara, K., Sudo, T., Iida, A., Miyagi, T., Ooe, S., Saito, T. Cross-talk predictions and reducing techniques for high speed GaAs digital ICs 85−55925
Yoshihara, K. *see* Sudo, T. 86−14177
Yoshihara, K. *see* Takagi, Y. 85−41462
Yoshihara, M. *see* Fujii, A. 87−28529
Yoshihara, M. *see* Haga, I. 88−60098
Yoshihara, M. *see* Ichioka, T. 88−23922
Yoshihara, M. *see* Tamagawa, S. 88−60096
Yoshihara, R. *see* Kawakami, T. 86−49215, 87−8474
Yoshihara, S. Big Freezer 2 door refrigerator SJ31D5, SJ28D5 86−33866
Yoshihara, S., Takeshita, T., Taniguchi, M. Recent technology for preventive maintenance of thermal power plant 86−39535
Yoshihara, S. *see* Miyahara, Y. 88−20119
Yoshihara, T., Kasai, N., Hamahira, T. NEC system 8, 50/super 8, 50/38, 100/48, 100/58, 150/68, 150/78 [business computers] 85−47013
Yoshihara, T., Kayano, S. LSI memories 86−46803
Yoshihara, T., Masuda, M., Shintomi, T., Hasegawa, J. Design study of SMES system using high temperature superconductors 88−69717
Yoshihara, T. *see* Anami, K. 85−49890
Yoshihara, T. *see* Asakura, M. 88−19148
Yoshihara, T. *see* Fudo, H. 88−60158
Yoshihara, T. *see* Fujishima, K. 86−57836
Yoshihara, T. *see* Hidaka, H. 88−19146
Yoshihara, T. *see* Kayano, S. 87−24174
Yoshihara, T. *see* Konishi, Y. 87−24181
Yoshihara, T. *see* Kumanoya, M. 86−8259, 86−20530, 86−34792
Yoshihara, T. *see* Mashiko, K. 87−59481, 88−6819
Yoshihara, T. *see* Matsukawa, T. 85−54892
Yoshihara, T. *see* Shibata, T. 88−21820
Yoshihara, T. *see* Shinohara, H. 85−17409, 86−8240
Yoshihara, T. *see* Takano, S. 85−49860
Yoshihara, T. *see* Taniguchi, Y. 88−64129
Yoshihara, T. *see* Terada, Y. 88−6880, 88−32203
Yoshihara, T. *see* Yoshimoto, M. 87−66167
Yoshihiro, K., Endo, T. Quantized Hall effect and fine structure constant 85−52629
Yoshihiro, K., Kinoshita, J. A new macroscopic quantum effect in Josephson junctions−possible to operate a device via single electron transfer? 88−1908
Yoshihiro, K., Kinoshita, J., Inagaki, K., Yamanouchi, C., Endo, A., Murayama, Y., Koyanagi, M., Wakabayashi, J.-I., Kawaji, S. Observation of quantum Hall effect in Si-MOSFETs by means of conventional and Josephson potentiometer systems 87−11790
Yoshihiro, K., Kinoshita, J., Inagaki, K., Yamanouchi, C., Endo, T., Murayama, Y., Koyanagi, M., Wakabayashi, J., Kawaji, S. Observation of quantum Hall effect in Si-MOSFETs by means of convectional and Josephson potentiometer systems 86−24689
Yoshihiro, K., Kinoshita, J., Inagaki, K., Yamanouchi, C., Endo, T., Murayama, Y., Koyanagi, M., Yagi, A., Wakabayashi, J., Kawaji, S. Quantum Hall effect in silicon metal-oxide-semiconductor inversion layers: experimental conditions for determination of h/e^2 86−53474
Yoshihiro, K., Kinoshita, J., Inagaki, K., Yamanouchi, C., Murayama, Y., Endo, T., Koyanagi, M., Wakabayashi, J., Kawaji, S. Nonequilibrium electrons in the quantum Hall effect regime 86−53325
Yoshihiro, K. *see* Endo, T. 85−58835, 86−24688
Yoshihiro, K. *see* Kinoshita, J. 86−21612, 87−11789, 87−14466, 88−16417
Yoshihiro, K. *see* Yamanouchi, C. 85−63940
Yoshihiro, M. *see* Niihara, T. 88−65396
Yoshihiro, M. *see* Takagi, S. 86−24472 to 24473
Yoshihiro, M. *see* Takahashi, M. 87−25823
Yoshihiro, M. *see* Toda, T. 87−54137
Yoshihiro, S., Sakamoto, K. Organization of a hybrid drive bubble memory and high speed operation methods 86−53902
Yoshihiro, T. *see* Wani, Y. 87−35574
Yoshii, A., Adachi, T. LSI CAD. III 88−63454
Yoshii, A., Tomizawa, M. Ultra-high-speed information processing in semiconductor device designing 86−26998
Yoshii, A., Tomizawa, M. New approaches to submicron device modeling 87−67191
Yoshii, A. *see* Nakashima, T. 86−34861
Yoshii, A. *see* Sudo, T. 88−13559
Yoshii, A. *see* Takeda, T. 85−23655, 85−55661, 87−1384, 87−53351
Yoshii, A. *see* Tazawa, S. 87−45984
Yoshii, A. *see* Tomizawa, M. 85−11982, 85−55827, 88−19906, 88−33208
Yoshii, A. *see* Yokoyama, K. 85−1574, 85−23819, 86−21472, 86−21818, 87−24877
Yoshii, F. *see* Apicella, A. 88−48144
Yoshii, H., Hasebe, N. Drift chambers for the observation of multitracks in cosmic ray air showers 86−70331
Yoshii, H. *see* Hasebe, N. 88−29797, 88−61120
Yoshii, H. *see* Kirihara, Y. 86−17144
Yoshii, K. *see* Kitao, M. 85−1324, 86−8816
Yoshii, K. *see* Nokubo, J. 86−34797
Yoshii, M., Hama, H., Taguchi, K., Ishimatsu, T., Shinozuka, T., Fujioka, M., Arje, J. The ion-guide isotope separator on-line at the Tohoku University Cyclotron 87−70969
Yoshii, M. *see* Aysto, J. 87−71057
Yoshii, M. *see* Miyatake, H. 86−50293
Yoshii, M. *see* Morita, K. 87−70968
Yoshii, N. *see* Akiyama, S. 86−41979
Yoshii, N. *see* Hori, T. 88−7445
Yoshii, S. *see* Inoue, K. 88−51237
Yoshii, S. *see* Shimazaki, A. 85−40590
Yoshii, T., Hamasaki, T., Inoue, T., Higashinakagawa, I., Tango, H. Large area SOI growth by electron beam recrystallization 87−1362
Yoshii, T., Inoue, T., Suguro, K., Hamasaki, T., Tango, H., Kashiwagi, M. Silicon-on-insulator crystal growth shows promise for 3-dimensional ICs 85−55964
Yoshii, T., Taguchi, S., Tango, H. Improvement of crystalline quality of silicon films on sapphire by implantation and solid-phase epitaxy 86−26860
Yoshii, T. *see* Hamasaki, T. 86−47442, 87−25048, 87−73063
Yoshii, T. *see* Haneda, H. 86−40840
Yoshii, T. *see* Inoue, T. 85−12052
Yoshii, T. *see* Kambayashi, S. 88−18706
Yoshii, T. *see* Mizushima, I. 88−31753
Yoshii, T. *see* Suguro, K. 86−7752, 87−32450, 87−67042
Yoshii, T. *see* Yoshimi, M. 86−41978
Yoshii, Y., Asano, K., Nakamura, M., Yamada, C. An 8 bit, 100 ms/s flash ADC 85−28592
Yoshii, Y., Nakamura, M., Hirasawa, K., Kayanuma, A., Asano, K. An 8 b 350 MHz flash ADC 87−59663
Yoshii, Y. *see* Parrillo, L.C. 87−46217
Yoshiie, T. *see* Leung, S. 85−45451
Yoshiike, N., Mizuno, Y., Kondo, S. Behavior of the evaporated WO_3 film in Li-salt PC electrolytes 85−24254
Yoshijima, S. *see* Korei, Y. 86−6529
Yoshikado, S., Ichinose, M., Satake, M. SIR-B experiments in Japan: experimental results−rice crop experiment 88−53365
Yoshikado, S., Okamoto, K., Ojima, T., Masuko, H., Inomata, H., Fugono, N. Development and experiment of airborne microwave rain-scatterometer/radiometer system. II. Experimental data processing software system 87−15066
Yoshikado, S. *see* Fujita, M. 85−59484, 87−15067
Yoshikado, S. *see* Masuko, H. 86−6134
Yoshikado, S. *see* Okamoto, K. 87−15065, 87−15069
Yoshikado, S. *see* Suitz, T. 88−53361
Yoshikai, N. The effects of digital random errors on the DMI code power spectrum 86−68975
Yoshikai, N. Error-correcting code for optical-fibre transmission systems 87−34548
Yoshikai, N., Kawanishi, S. Monolithic integrated 4:1 multiplexer and demultiplexer operating up to 4.8 Gbit/s 85−30781
Yoshikai, N., Nishi, S. Very-high-speed line terminating multiplexer operating up to multi-Gbit/sec 87−40550
Yoshikai, N., Nishi, S., Yamada, J. Line code and terminal configuration for very large-capacity optical transmission system 87−28573
Yoshikai, N., Yamada, J., Kawanishi, S. Simple in-service method for monitoring DMI code errors 85−7802
Yoshikai, N., Yamada, J.-I., Suzuki, M., Konaka, S. Monolithic integrated CMI order and decoder for gigabit optical links 86−23854
Yoshikai, N. *see* Aoyama, K. 88−4024
Yoshikai, N. *see* Hayashi, Y. 88−47108
Yoshikai, N. *see* Kawanishi, S. 88−72741
Yoshikai, N. *see* Nakagawa, K. 87−40941
Yoshikai, N. *see* Nishi, S. 87−56113, 87−62771
Yoshikai, N. *see* Shimazu, Y. 88−28582
Yoshikai, N. *see* Suzuki, M. 87−56114
Yoshikai, N. *see* Wang, Q. 87−75695
Yoshikane, T. Development of remote-controlled maintenance systems for electronic switches 87−48786
Yoshikane, T. *see* Okuno, N. 87−8458
Yoshikara, K. *see* Komine, M. 85−39039
Yoshikawa, A. Microfabrication technologies for VLSI 85−45781
Yoshikawa, A., Matsumoto, T. A new type of DC magnetron-discharge plasma CVD apparatus with facing-cathodes structure 85−6010
Yoshikawa, A., Muto, S., Yamaga, S., Kasai, H. The dependence on growth temperature of the photoluminescence properties of nitrogen-doped ZnSe grown by MOCVD 88−33864
Yoshikawa, A., Muto, S., Yamaga, S., Kasai, H. Photoluminescence properties of Li-doped ZnSe films grown by metalorganic chemical vapor deposition 88−38241
Yoshikawa, A., Muto, S., Yamaga, S., Kasai, H. Photoluminescence properties of nitrogen-doped ZnSe films grown by low-pressure MOVPE 88−70319
Yoshikawa, A., Sirai, A., Yamaga, S., Kasai, H. Growth mechanism of of ZnS and ZnSe films in low-pressure MOCVD 86−57475
Yoshikawa, A., Tanaka, K., Yamaga, S., Kasai, H. Effects of $|H_2Se|/|DMZn|$ molar ratio on epitaxial ZnSe films grown by low-pressure MOCVD 85−16930
Yoshikawa, A., Utsugi, Y. Dry etching processing 86−2070
Yoshikawa, A., Yamaga, S., Tanaka, K., Kasai, H. Growth of low-resistivity high-quality ZnSe, ZnS films by low-pressure metalorganic chemical vapour deposition 86−7836
Yoshikawa, A., Yamamoto, A., Hirose, M., Sugino, T., Kano, G., Teramoto, I. A novel technology for formation of a narrow active layer in buried heterostructure laser by single-step MOCVD 87−68458
Yoshikawa, A. *see* Deguchi, K. 87−74160
Yoshikawa, A. *see* Hirose, M. 86−68554
Yoshikawa, A. *see* Namatsu, H. 87−11647
Yoshikawa, A. *see* Saito, K. 88−33094
Yoshikawa, A. *see* Sato, M. 88−1544
Yoshikawa, A. *see* Sugino, T. 87−46905
Yoshikawa, A. *see* Suzuki, M. 85−23609
Yoshikawa, A. *see* Utsugi, Y. 86−2272
Yoshikawa, A. *see* Yamaga, S. 87−65555, 88−32784
Yoshikawa, E., Kuriyama, K., Honda, M., Kimura, M., Nozaki, Y., Shimozato, M. C&C network architecture DINA-XE 87−7922
Yoshikawa, H. In-motion axle weigher 86−11756
Yoshikawa, H., Asama, H. Mobile robot in hazardous environment 88−62991

Yoshikawa, H., Hinata, T., Hosono, T. Analysis of polarization-maintaining optical fibers with crescentlike hollow pits around a circular core 87−1944
Yoshikawa, H., Ikebata, S. A microcomputer-based personal identification system 86−4001
Yoshikawa, H., Itoh, K., Tokura, K., Ukon, M., Wakabayashi, J. TOKRAC: a computer code system for real-time PWR accident tracking simulator program 85−32325
Yoshikawa, H., Sugata, A., Watanabe, M. Distributed fluid sensor using eccentrically cladded fiber 87−63403
Yoshikawa, H., Sugata, A., Watanabe, M., Ohno, Y. Distributed fluid sensor using eccentrically cladded fibers 88−47539
Yoshikawa, H., Takano, S., Hinata, T., Hosono, T. Analysis of polarization-maintaining optical fibers with crescent-like vacuum pits around a circular core 85−41180
Yoshikawa, H., Tanino, J., Yoshida, K., Tsukahara, Y., Sugiyama, Y. A new standardized residential elevator 88−11449
Yoshikawa, H., Watanabe, M., Ohno, Y. Distributed liquid sensor using eccentrically cladded fiber 88−67833
Yoshikawa, H. *see* Arai, T. 85−44477
Yoshikawa, H. *see* Endo, K. 85−53142
Yoshikawa, H. *see* Hinata, T. 86−28874, 87−53969
Yoshikawa, H. *see* Hosono, T. 85−7267, 87−18639
Yoshikawa, H. *see* Masaki, N. 88−55536
Yoshikawa, H. *see* Matsumi, Y. 87−25109
Yoshikawa, H. *see* Ozaki, R. 86−19434
Yoshikawa, H. *see* Yasuda, I. 86−58689
Yoshikawa, I. *see* Kano, K. 88−17774
Yoshikawa, J. *see* Kikuchi, H. 88−50485
Yoshikawa, K., Kabashima, S., Shioda, S. Studies on a high temperature regenerative heat exchanger for a closed cycle MHD power generator (two-dimensional heat transfer analysis) 88−31048
Yoshikawa, K., Kabashima, S., Yamasaki, H., Okuno, Y., Okamura, T., Shioda, S., Yokota, Y., Ishimura, M., Sekiya, H., Matsutani, K. Conceptual design study of 1000 MWt helium closed cycle MHD power plant 85−21533
Yoshikawa, K., Mori, S., Arai, N. An EPROM cell structure for EPLDs compatible with single poly gate process 87−24128
Yoshikawa, K., Nagakubo, Y., Kanzaki, K. Two dimensional effect on suppression of thermal oxidation rate 85−45610
Yoshikawa, K., Nomura, T., Tashiro, H., Nagata, Y., Hamada, M. A measurement for small deformation using spatial frequency modulation of holographic interferometry−application of the moire method or the multiplication method 87−35192
Yoshikawa, K., Nomura, T., Tashiro, H., Nagata, Y., Kakunai, S. A measurement of small deformation using spatial frequency modulation on holographic interferometry−automatic analysis by computer 88−4653
Yoshikawa, K., Sato, M., Mori, S., Mikata, Y., Yanase, T., Kanzaki, K., Nozawa, H. Technology requirements for mega bit SMOS EPROMS 85−49879
Yoshikawa, K., Shioda, S. Comparative studies on Ar and He closed-cycle MHD power plants combined with fossil fuel 86−25963
Yoshikawa, K., Tanoue, M., Higuchi, Y., Yamada, Y., Takeuchi, Y., Fukushima, M. Electric facilities of Fukuchiyama/San-in Lines 87−58391
Yoshikawa, K., Yamaguchi, H., Asano, T. Capacitive touch panel using uniform resistive film 86−70171
Yoshikawa, K. *see* Arakawa, Y. 88−61590
Yoshikawa, K. *see* Atsumi, S. 85−35179, 87−59489
Yoshikawa, K. *see* Inoue, T. 85−23777
Yoshikawa, K. *see* Koike, Y. 88−29535
Yoshikawa, K. *see* Mori, S. 85−49895, 86−41977, 87−25474, 88−38539
Yoshikawa, K. *see* Nagashima, R. 88−10490
Yoshikawa, K. *see* Nomura, T. 87−29280, 88−72431
Yoshikawa, K. *see* Ohtsuka, N. 88−6823
Yoshikawa, K. *see* Saito, S. 86−8257
Yoshikawa, K. *see* Sakamoto, S. 88−6034
Yoshikawa, K. *see* Sato, M. 85−49900
Yoshikawa, K. *see* Shimoda, H. 88−48860
Yoshikawa, K. *see* Shinoda, T. 88−4553
Yoshikawa, K. *see* Takano, H. 86−65667
Yoshikawa, K. *see* Tanaka, S. 86−20551, 86−63298
Yoshikawa, K. *see* Tsukakoshi, T. 86−32526
Yoshikawa, K. *see* Yamasaki, H. 85−21833
Yoshikawa, K. *see* Yoshimasu, T. 87−6733
Yoshikawa, M. NTT's improved video conferencing system 87−77029
Yoshikawa, M. Reliability technology for cellular mobile equipment 88−3868
Yoshikawa, M., Sasaki, O. Propagation characterization for long-span over-water digital microwave systems 86−69602
Yoshikawa, M., Ueda, S., Maruyama, K., Takigawa, H. The behavior of oxygen in HgCdTe 85−34490
Yoshikawa, M., Ueda, S., Takigawa, H. High-purity HgCdTe with low dislocation density, grown by LPE 86−46325
Yoshikawa, M. *see* Eguchi, Y. 87−56418
Yoshikawa, M. *see* Hirokawa, K. 87−68663
Yoshikawa, M. *see* Kira, T. 85−56119
Yoshikawa, M. *see* Kusama, Y. 87−45333
Yoshikawa, M. *see* Minakata, R. 86−58668
Yoshikawa, M. *see* Miyauchi, T. 88−26669, 88−57956
Yoshikawa, M. *see* Muramatsu, T. 85−58443, 86−58661
Yoshikawa, M. *see* Nagano, K. 87−30236
Yoshikawa, M. *see* Nakai, K. 87−2263
Yoshikawa, M. *see* Sakaki, O. 88−21957
Yoshikawa, M. *see* Sasaki, O. 86−37747, 87−13588, 87−76572
Yoshikawa, M. *see* Shiiba, K. 86−58688, 88−26668
Yoshikawa, M. *see* Takeuchi, H. 86−44066
Yoshikawa, M. *see* Takigawa, H. 86−14923
Yoshikawa, M. *see* Tashima, H. 88−58730
Yoshikawa, M. *see* Voyatzakis, Y. 87−15356
Yoshikawa, M. *see* Wakabayashi, T. 88−7882, 88−39951
Yoshikawa, M. *see* Yanagisawa, N. 86−71069
Yoshikawa, N., Akeyoshi, T., Kojima, M., Sugahara, M. Quantized current-step structure observed in RF-irradiated microbridge made of NbN granular thin film 88−20283
Yoshikawa, N., Akeyoshi, T., Kojima, M., Sugahara, M. Basic study on superconductor device using quantized charge solitons 88−20299
Yoshikawa, N., Akeyoshi, T., Kojima, M., Sugahara, M. Basic study on quantum mechanical standard of electric current 88−22721
Yoshikawa, N., Sato, I. Ultrasound diagnostic linear/convex scanner eliminating blind regions 86−25222
Yoshikawa, N., Tayama, M., Akeyoshi, T., Kojima, M., Sugahara, M. Quantization of dielectric flux in phase-quantum-tunnel junction 87−74579
Yoshikawa, N. *see* Hagiwara, E. 87−3140
Yoshikawa, N. *see* Hamada, K. 85−62579, 87−26244, 87−26401
Yoshikawa, N. *see* Hanaoka, R. 88−11272
Yoshikawa, N. *see* Kume, M. 87−68480
Yoshikawa, N. *see* Nohmi, K. 88−6015
Yoshikawa, N. *see* Otsuki, T. 86−68600
Yoshikawa, N. *see* Shimizu, H. 86−36513
Yoshikawa, N. *see* Sugahara, M. 85−56210, 86−2630, 88−26714
Yoshikawa, N. *see* Takigawa, S. 88−14178
Yoshikawa, O. Radiation control system in nuclear plant 86−39306
Yoshikawa, R., Wada, H., Goto, M., Kusakabe, H., Ikenaga, O., Tamamushi, S., Ninomiya, M., Takigawa, T. A high dose and high accuracy variable shaped electron beam exposure system for quarter-micron device fabrication 87−38377
Yoshikawa, R. *see* Hattori, K. 88−19899
Yoshikawa, R. *see* Horiike, Y. 87−67512, 88−39342
Yoshikawa, R. *see* Tamamushi, S. 88−39308
Yoshikawa, S. Laser applications to the microelectronics production 86−22567
Yoshikawa, S. Solid-state image sensors and applications 88−16187
Yoshikawa, S., Hanato, S., Itohara, Y., Tsuda, Y., Horii, Y., Kawazu, M., Kusakabe, M. Research into developing attachments for DC voltage testing of A-GIS cable connections 85−59788
Yoshikawa, S., Imada, H., Kawazu, M., Kusakabe, M. Research into improving hand-wound corrosion protection sections in cable connection boxes 85−59787
Yoshikawa, S. *see* Hara, T. 88−18818
Yoshikawa, S. *see* Hattori, S. 88−68318
Yoshikawa, S. *see* Kawatsu, M. 86−12440
Yoshikawa, S. *see* Nishida, Y. 86−49982, 88−29440
Yoshikawa, S. *see* Shingo, Y. 86−49434, 87−21941
Yoshikawa, S. *see* Takeuchi, S. 86−28748
Yoshikawa, T., Fujisaki, T. On the study of estimation method of SN in FFT with finite word length 87−7744
Yoshikawa, T., Hagiwara, E., Komagata, H., Mishima, H. Link configuration for mobile satellite communication systems 86−23824
Yoshikawa, T., Kagaya, Y., Yokoi, Y., Tahara, H. Performance characteristics of quasi-steady MPD thrusters [aerospace propulsion] 85−31936
Yoshikawa, T., Koakutsu, T. The simple estimation method of the minimum coefficient word length in FIR digital filters 86−35023
Yoshikawa, T., Konishi, M. Remarks on the moments of FIR filters for finite coefficients word length 86−1295
Yoshikawa, T., Konishi, M. On the simple method evaluating the zero's location in FIR digital filters 86−67377
Yoshikawa, T., Masugata, K., Ito, M., Matsui, M., Yatsui, K. Intense pulsed light-ion beam generated by planar type self-magnetically insulated diode 85−15154
Yoshikawa, T., Masugata, K., Ito, M., Matsui, M., Yatsui, K. Planar-type self-magnetically-insulated diode as a new source of intense pulsed light-ion beam 85−20803
Yoshikawa, T., Morikura, M., Kato, S. A precise SS-TDMA synchronization scheme employing onboard reference burst generator 86−17347
Yoshikawa, T., Oguro, Y. On the estimation of order of gain constant in IIR digital filters 88−50274
Yoshikawa, T. *see* Arakawa, A. 88−62132
Yoshikawa, T. *see* Kagaya, Y. 85−31913
Yoshikawa, T. *see* Kudo, A. 88−5739
Yoshikawa, T. *see* Nakajima, A. 87−4646
Yoshikawa, T. *see* Nakamura, Y. 87−70621
Yoshikawa, T. *see* Nakashima, H. 85−30953, 86−11026
Yoshikawa, T. *see* Suzuki, E. 87−55652
Yoshikawa, T. *see* Takahashi, T. 88−41207
Yoshikawa, T. *see* Tanaka, M. 86−64901
Yoshikawa, Y., Bamba, T., Kitagawa, M., Meguro, Y., Yamazaki, A., Kanda, S., Aso, K., Hijii, K., Nakamura, T., Endo, K. Home System 88−15308
Yoshikawa, Y., Kabashima, S., Yamasaki, H., Harada, N., Shioda, S. Dynamical behavior of disk type closed cycle MHD generator 85−21831
Yoshikawa, Y. *see* Goto, M. 85−34704
Yoshikawa, Y. *see* Mohri, N. 88−48948
Yoshikawa, Y. *see* Shimizu, E. 87−51485
Yoshiki, H. Simple thermo-level meter for He I and He II by a dynamic method 85−20752
Yoshiki, H., Ishimoto, S., Utsuro, M. Feasibility study of a strong ultra cold neutron source 87−77518
Yoshikiyo, H. *see* Aoki, K. 86−27228
Yoshikiyo, H. *see* Nakanishi, T. 86−67181, 87−66274, 88−12462
Yoshikiyo, H. *see* Ohhata, M. 87−5679, 87−74567
Yoshikiyo, H. *see* Sato, K. 87−3711
Yoshikiyo, H. *see* Tazoh, Y. 86−62538, 87−11252
Yoshikiyo, H. *see* Temmyo, J. 85−44512
Yoshikiyo, M. *see* Inoue, K. 88−51237
Yoshikubo, N. *see* Tomimori, K. 87−20484
Yoshikuni, N. *see* Manabe, Y. 86−48526
Yoshikuni, Y., Kawaguchi, H., Ikegami, T. Intensity fluctuation of 1.5 μm InGaAsP/InP distributed feedback lasers involving the optical feedback effect 85−29832
Yoshikuni, Y., Matsuoka, T., Motosugi, G., Yamanaka, N. Fine structures in the broadened line of distributed feedback lasers under high-speed direct modulation 85−7421
Yoshikuni, Y., Motosugi, G. Multielectrode distributed feedback laser for pure frequency modulation and chirping suppressed amplitude modulation 87−54333
Yoshikuni, Y., Motosugi, G., Kurumada, K., Ikegami, T. Optimum operation of DFB lasers under chirped pulse transmission 85−46390
Yoshikuni, Y., Oe, K., Motosugi, G., Matsukoa, T. Broad wavelength tuning under single mode oscillation with a multielectrode distributed feedback laser 87−12427
Yoshikuni, Y. *see* Kawamura, Y. 87−68183
Yoshikuni, Y. *see* Matsuoka, T. 86−3181, 86−15704, 86−29186, 87−54306, 87−61165, 88−35471
Yoshikuni, Y. *see* Motosugi, G. 85−2317, 85−35763
Yoshikuni, Y. *see* Nagai, H. 86−42558
Yoshikuni, Y. *see* Takeuchi, H. 87−60943
Yoshikuni, Y. *see* Wakita, K. 85−34570, 85−50233, 86−2858, 86−68329, 87−1979, 87−7179, 87−38950, 88−13940
Yoshikuni, Y. *see* Yasaka, H. 87−75088, 88−2238
Yoshimaru, M., Matsuhasi, H., Ajioka, T., Matsui, H. Moisture resistance of borophosphosilicate glass films 88−474
Yoshimaru, M. *see* Matsui, H. 85−61824
Yoshimasu, T., Yoshikawa, K., Yamashita, T., Isobe, M., Kurotobi, M., Ueda, J., Shiota, M., Nakajima, T., Matsumoto, N., Sakuno, K. SHF band low noise GaAs MESFET 87−6733
Yoshimasu, T. *see* Nakagawa, Y. 88−50386
Yoshimatsu, K., Hashimoto, H., Taguchi, T., Takeuchi, J. A method of thinking on the graphics and character recognition 88−41010
Yoshimatsu, K., Hashimoto, H., Taguchi, T., Udo, S. An implementation of speech analysis and synthesis with an 8 bits processor (on ADPCM and silence constitution) 88−40849
Yoshimatsu, K. *see* Hashimoto, H. 88−38678
Yoshimatsu, N. *see* Asada, H. 88−51361
Yoshimatu, M. *see* Horiuchi, T. 85−59204
Yoshimi, H. *see* Ohya, M. 88−58997
Yoshimi, K. *see* Morimoto, A. 85−12504
Yoshimi, K. *see* Urai, H. 85−24205
Yoshimi, M., Ochiai, K., Higuchi, T. Research into methods of detecting abnormalities by the observation of radiated magnetic fields 87−30738
Yoshimi, M., Suguro, K., Takahashi, M., Hamasaki, T., Inoue, T., Yoshii, T., Taniguchi, K., Tango, H. Stacked SOI CMOS fabricated with seeding lateral epitaxy 86−41978

Yoshimi, M., Takahashi, M., Taniguchi, K. Heat analysis on pseudo-line EB annealing using two-dimensional finite element method 87—17878

Yoshimi, M., Takahashi, M., Taniguchi, K. Heat analysis on pseudo-line EB annealing using two-dimensional finite element method 88—1471

Yoshimi, M., Tsuchiya, K., Iwase, M., Takahashi, M., Nishimura, E., Suzuki, T., Kato, Y. Study of the operation speed of half-micron design rule CMOS ring oscillators 88—26500

Yoshimi, M., Wada, T., Kato, K., Tango, H. High performance SOIMOSFET using ultra-thin SOI film 88—39477

Yoshimi, M., Wada, T., Takahashi, M., Numata, K., Kawabuchi, K. Characterization of sub-micrometer buried-channel and surface-channel PMOSFETs 85—50769

Yoshimi, M. *see* Hamasaki, T. 87—25048, 87—73063

Yoshimi, M. *see* Kawabuchi, K. 86—9140

Yoshimi, M. *see* Onga, S. 87—25313

Yoshimi, M. *see* Shigyo, N. 86—67883

Yoshimi, M. *see* Suguro, K. 86—7752

Yoshimi, M. *see* Toriumi, A. 86—41849, 86—47595, 86—53670, 87—60468, 88—64567

Yoshimi, M. *see* Uesaka, H. 88—9030, 88—66885

Yoshimi, N. *see* Nishio, M. 85—20288

Yoshimi, T. *see* Hara, T. 87—1446

Yoshimi, T. *see* Okamoto, K. 88—72227

Yoshimi, T. *see* Takamatsu, A. 85—453

Yoshimine, K. *see* Minakuchi, Y. 85—52905

Yoshimitsu, M. *see* Obana, S. 88—41206

Yoshimitsu, T. *see* Kawahara, K. 85—32179

Yoshimiya, H. Control system for lighting and air conditioning in intelligent building 88—43474

Yoshimizu, M. *see* Takahashi, A. 86—57678

Yoshimizu, T. *see* Hara, Y. 86—44366

Yoshimizu, Y., Otsubo, T., Yoshimura, N., Sumiyama, T., Abe, M., Kamitani, H., Yamamoto, T. Design and operating results of boiler plant for Shajiao Power Station B-Station Nos.1 and 2 units for Hopewell Power (China) Ltd 88—69142

Yoshimnori, S. *see* Hirose, N. 88—13758

Yoshimo, S., Furuya, N., Sakurada, H., Ronte, S., Tanaka, I. Automatic transmission test equipment for digital lines (MELN) 86—49371

Yoshimo, S., Kobayashi, S., Yokoyama, S., Ronte, S., Matsuki, Y., Saito, E. ECB-01 trunk circuit quality tester 88—15258

Yoshimochi, H. *see* Tabata, Y. 88—52249

Yoshimochi, S. *see* Ishikubo, I. 88—15757

Yoshimori, M., Okudaira, K., Hirasima, Y., Yanagimachi, T., Kondo, I., Ohki, K., Watanabe, T., Nishimura, J., Yamagami, T., Murakami, T., Ito, M., Yoshida, A. The Wide Band Spectrometer for the solar flare satellite Solar-A 88—29935

Yoshimori, S., Fukuhara, K., Kawamura, M. Millimetre-wave response of a micro-contact Josephson junction using a new structure 86—63585

Yoshimori, S., Hirose, N., Oguti, T., Harada, Y., Kawamura, M. Fabrication of planar Josephson triode 88—13759

Yoshimori, S., Kawamura, M. Analysis of response of Josephson weak-link in submillimeter wavelength region 85—24245

Yoshimori, S., Kawamura, M. Millimeter wave response of Nb-Pb-Nb planar Josephson junction 86—48001

Yoshimori, S., Kawamura, M. Analysis of Josephson triode 87—66520

Yoshimori, S., Kawamura, M. Characteristics of Nb micro-contact Josephson junctions 88—1912

Yoshimori, S. *see* Hirose, N. 86—68212, 88—71986

Yoshimori, S. *see* Nakagawa, S. 88—40252

Yoshimori, S. *see* Takashima, Y. 88—61365

Yoshimoto, A. *see* Kawai, K. 87—69749

Yoshimoto, A. *see* Suda, T. 86—23312

Yoshimoto, A. *see* Suzuki, S. 85—3641

Yoshimoto, C. Basic problems in assisting and substituting sensory systems 88—5005

Yoshimoto, C. *see* Hirahara, T. 85—13513

Yoshimoto, G.M. *see* Bickmore, T.W. 88—41972

Yoshimoto, H., Shirai, I. Introduction of home electronics for the future 88—76052

Yoshimoto, H., Yamakoshi, H., Shibukawa, Y., Uchiyama, T. A highly efficient, compact chemical oxygen-iodine laser 86—58870

Yoshimoto, H. *see* Yamashita, H. 88—49940

Yoshimoto, K. *see* Hata, K. 86—19646

Yoshimoto, K. *see* Ito, O. 88—45060

Yoshimoto, K.-i. *see* Takeo, K. 86—33176

Yoshimoto, M. Present and future trends of isolators 86—70703

Yoshimoto, M., Aizawa, K., Fuyuki, T., Matsunami, H. Effects of deposition conditions on properties of a-Si$_{1-x}$C$_x$:H diagnosed using optical emission spectroscopy 87—16673

Yoshimoto, M., Anami, K., Watabe, K., Yoshihara, T., Nagao, S., Akasaka, Y. A latch-up-free CMOS RAM cell with well-source structure 87—66167

Yoshimoto, M., Fuyuki, T., Matsunami, H. Hot electron conduction in a-Si:H/a-Si$_{0.2}$C$_{0.8}$:H super structure 87—24845

Yoshimoto, M., Fuyuki, T., Matsunami, H. Hot electron generation using amorphous super structure of Si:H/Si$_{1-x}$C$_x$:H 87—24884

Yoshimoto, M., Kai Ying Du, Fuyuki, T., Matsunami, H. Tunneling current in a-Si:H/a-Si$_{1-x}$C$_x$:H multilayer structures 86—35398

Yoshimoto, M., Nakagawa, S., Murakami, K., Asai, S., Akasaka, Y., Nakajima, Y., Horiba, Y. A digital processor for decoding of composite TV signals using adaptive filtering 87—20713

Yoshimoto, M. *see* Anami, K. 85—49890

Yoshimoto, M. *see* Doi, M. 87—77056

Yoshimoto, M. *see* Fuyuki, T. 88—37470

Yoshimoto, M. *see* Kuriyama, T. 86—30471

Yoshimoto, M. *see* Matsunami, H. 88—18749

Yoshimoto, M. *see* Murakami, K. 87—8413

Yoshimoto, M. *see* Saraie, J. 85—6012

Yoshimoto, M. *see* Yamamoto, T. 86—11600

Yoshimoto, R., Matsuyama, S., Sasaki, T., Kurakami, N., Noguchi, N., Endo, H., Fumimoto, H., Takamatsu, F. Resident facsimile 87—55657

Yoshimoto, S., Iida, T., Shimada, M., Iwasaki, K., Shimoseko, S., Morooka, T., Shoki, H., Ito, K., Orikasa, T., Fujita, S. A trade-off study on 22 GHz-band multibeam satellite broadcasting systems 86—64920

Yoshimoto, S., Suzuki, Y., Iida, T., Shimada, M., Shoki, H., Morooka, T., Fujita, S., Ito, K. A study on 22 GHz-band multibeam satellite broadcasting system 87—28477

Yoshimoto, S., Tsuzuki, N., Yamamoto, M., Sugita, Y. Development and commercialization of magnetic bubble memory 87—74534

Yoshimoto, S. *see* Hashimoto, Y. 86—11030

Yoshimoto, S. *see* Hiroshima, M. 87—25873

Yoshimoto, S. *see* Iida, T. 87—34498

Yoshimoto, S. *see* Isobe, S. 88—28801

Yoshimoto, S. *see* Kosugi, Y. 88—36502

Yoshimoto, S. *see* Sasaoka, H. 85—3353, 85—30971

Yoshimoto, S. *see* Shimada, M. 87—28476

Yoshimoto, S. *see* Sugimoto, Y. 86—37844

Yoshimoto, S. *see* Takahashi, H. 87—48994

Yoshimoto, S. *see* Veno, H. 86—66447

Yoshimoto, T. Effect of nonlinear permeability on attractive force and counter torque in a magnetic bearing model 85—24725

Yoshimoto, T., Yamada, S., Bessho, K. 3-D finite element analysis of flux reflection and flux concentration effects of eddy currents 87—26634

Yoshimoto, T., Yamada, S., Bessho, K. Four component three dimensional FEM analysis of flux concentration apparatus with four plates 88—52109

Yoshimoto, T., Yoshida, S., Bessho, K. A finite-element analysis of a three-dimensional eddy current diffusion problem and its application to a flux concentration apparatus 88—55259

Yoshimoto, T. *see* Matsumoto, K. 88—57625, 88—64532

Yoshimoto, T. *see* Matsumura, F. 86—66030

Yoshimoto, Y., Yamada, S., Bessho, K. 3-D distribution of flux density and an inference about scalar potential in a flux concentration model 88—52128

Yoshimura, A., Kitakubo, S., Kunii, H. Outline of extra-high-tension substation facilities (66 kV C-GIS) Seibuen substation (Seibu Railways) 86—51977

Yoshimura, A. *see* Sato, Y. 88—37677

Yoshimura, A. *see* Yoshida, Y. 86—67390

Yoshimura, F. *see* Ishii, O. 87—60812, 88—1867

Yoshimura, F. *see* Kimachi, Y. 88—57937

Yoshimura, F. *see* Niki, N. 85—9173

Yoshimura, F. *see* Odagiri, Y. 88—41664

Yoshimura, F. *see* Ohta, S. 87—7016, 88—1865

Yoshimura, F. *see* Oyama, N. 88—44783

Yoshimura, F. *see* Uchida, K. 87—50804

Yoshimura, H., Matsusue, T., Sakaki, H. Carrier induced change in refractive index of modulation doped n-AlGaAs/GaAs quantum wells and its application 88—19726

Yoshimura, H., Nagatani, M., Horiguchi, S. 32 bit microprocessor design 87—59559

Yoshimura, H., Nagatani, M., Tansho, K., Horiguchi, S. Hierarchical and automatic layout design method for logic VLS 85—676

Yoshimura, H. *see* Goda, M. 85—14378

Yoshimura, H. *see* Horiguchi, S. 87—59535

Yoshimura, H. *see* Kounosu, K. 87—76764

Yoshimura, H. *see* Mukawa, N. 87—17019

Yoshimura, H. *see* Nagao, M. 88—15720

Yoshimura, H. *see* Nagatani, M. 87—20687, 87—20712

Yoshimura, H. *see* Nakanishi, T. 86—67176

Yoshimura, H. *see* Nishimura, T. 87—34820

Yoshimura, H. *see* Sudo, T. 86—15211

Yoshimura, H. *see* Yamada, K. 87—77341

Yoshimura, K. Implementation of the Japan-US joint experiments, and future experimental plans 86—4783

Yoshimura, K. Development of the K-3 type VLBI system and the joint experiment plan 86—32528

Yoshimura, K., Imae, M., Urazuka, M., Morikawa, T., Yoshino, T., Kobayashi, S., Igarashi, T. Research activities on time and frequency transfer using space links 86—38569

Yoshimura, K. *see* Fujiwara, K. 87—46547

Yoshimura, K. *see* Imae, M. 86—44439

Yoshimura, K. *see* Kawano, N. 86—69871

Yoshimura, K. *see* Kimura, M. 86—56187, 87—14932, 87—63844

Yoshimura, K. *see* Kuriyama, S. 86—55490

Yoshimura, K. *see* Sagara, S. 87—57587 to 57588

Yoshimura, K. *see* Sugiura, T. 85—38084, 85—38220, 87—63767

Yoshimura, K. *see* Urazuka, M. 88—16521

Yoshimura, M., Adachi, M., Tanaka, S., Matsunami, S., Kimura, Y., Takeuchi, M. Shimadzu high contrast image amplifier 85—38110

Yoshimura, M., Fujii, K., Tanaka, S., Uemura, S., Horie, M. High-resolution VFD on-a-chip 87—8691

Yoshimura, M., Fujii, K., Torimaru, Y., Miyake, R., Uemura, S. MOS-addressed VFD image display on a chip 85—14480

Yoshimura, M., Kambe, K., Morikawa, Y., Saito, A., Kimura, Y. X-ray diagnostic system for mass survey of stomach 85—38107

Yoshimura, M., Yoshida, N. A voice alert function makes sewing machines easier to handle 85—57313

Yoshimura, M. *see* Gilstrap, M. 88—53092

Yoshimura, M. *see* Matsuura, F. 85—16450

Yoshimura, M. *see* Miyata, M. 86—62555

Yoshimura, M. *see* Suzuki, Y. 85—55903

Yoshimura, M. *see* Uemura, S. 85—14899, 85—43051

Yoshimura, N., Koike, Y., Noto, F., Fujita, S. Space charge effect associated with tree-initiation in polyethylene under square pulse conditions 86—28566

Yoshimura, N., Nishida, M., Takahashi, Y., Noto, F. Light emission characteristics of discharge associated with tracking deterioration of organic insulating materials 87—25700

Yoshimura, N., Ogasawara, Y., Kodaki, M., Asari, K., Nishida, M., Okuyama, D. Inspection of interior adhesion in plywood by means of acoustic emission 87—15114

Yoshimura, N., Watanabe, H., Katoh, S. Argon glow conditioning for high voltage electrodes 86—14773

Yoshimura, N., Watanabe, H., Katoh, S., Kobayashi, N. Microdischarges on a high-voltage electron gun under high vacuum 87—73948

Yoshimura, N. *see* Fujita, S. 86—21921, 88—31769

Yoshimura, N. *see* Harada, Y. 88—64220

Yoshimura, N. *see* Nishida, M. 86—28564, 87—9183, 88—1830

Yoshimura, N. *see* Noto, F. 87—25695

Yoshimura, N. *see* Watanabe, H. 87—32192

Yoshimura, N. *see* Yanagiwara, M. 87—15113

Yoshimura, N. *see* Yoshimizu, Y. 88—69142

Yoshimura, S., Chida, S., Sato, E., Kubota, N. Pulsed current electrodeposition of palladium 87—31552

Yoshimura, S., Kawamura, M. Nb-Pb-Nb planar Josephson junction fabricated by RIE 86—68207

Yoshimura, S. *see* Miyata, Y. 85—51321

Yoshimura, S. *see* Tokinaga, S. 86—57985, 86—65448

Yoshimura, T. An efficient channel router 85—1670

Yoshimura, T. An improved left edge channel router 85—17074

Yoshimura, T. A graph theoretical compaction algorithm [LSI] 86—63409

Yoshimura, T. The simplex method for network problems—an algorithm for LSI layout compaction 87—46102

Yoshimura, T., Goto, S. A rule-base and algorithmic approach for logic synthesis 87—37214

Yoshimura, T., Hiranaka, K., Yamaguchi, T., Yanagisawa, S. Influence of a-SiN$_x$:H composition on transfer doping and electron trapping effects in a-SiN$_x$:H/a-Si:H superlattices 87—53298

Yoshimura, T., Hiranaka, K., Yamaguchi, T., Yanagisawa, S., Asama, K. Characterization of a-Si:H near a-SiN$_x$:H/a-Si:H interface by photoluminescence spectra 87—17777

Yoshimura, T., Watanabe, M., Hori, K. Non-linear and hysteresis effects in the current-voltage characteristics of Ti/WO$_3$/Ir thin film sandwiches 86—21290

Yoshimura, T. *see* Hiranaka, K. 87—25297, 87—74314, 88—26253

Yoshimura, T. *see* Ishikawa, M. 86—58555, 87—59087, 88—24908, 88—57750

Yoshimura, T. *see* Kawata, T. 88—66854

Yoshimura, T. *see* Naganawa, H. 86—49216

Yoshimura, T. *see* Ogino, T. 86—39314

Yoshimura, T. *see* Okuno, M. 86—6377

Yoshimura, T. *see* Takahashi, R. 87—36916

Yoshimura, T. *see* Yoshinari, Y. 86—56610

Yoshimura, Y. Technical trends of lighting theory for traffic tunnel entrance 88—37740

Yoshimura, Y., Amada, K., Imai, Y. Characteristics of dynamic torque on the second-hand of clocks driven by step motor 86—31672

Yoshimura, Y. *see* Doke, T. 85—59174

Yoshimura, Y. *see* Hata, K. 86—19646

Yoshimura, Y. *see* Imanishi, N. 88−10248
Yoshimura, Y. *see* Konaka, A. 87−41862
Yoshimura, Y. *see* Kusumegi, A. 85−9052
Yoshimura, Y. *see* Shiomi, Y. 87−8394
Yoshimura, Y. *see* Takeuchi, T. 88−4663
Yoshimura, Y. *see* Kumagai, N. *(editor)* 88−70021
Yoshimuro, M. Broadcasting and radio administration 85−37187
Yoshinaga, A. *see* Iida, A. 86−60696
Yoshinaga, A. *see* Inanaga, S. 85−22102
Yoshinaga, K., Shindo, K., Ida, Y., Takioka, T. A fiber-optic vibration sensor using a photoelastic substance 87−77238
Yoshinaga, K. *see* Kyuma, K. 85−7259
Yoshinaga, M. *see* Kawamura, M. 85−17891
Yoshinaga, M. *see* Mori, N. 87−45324
Yoshinaga, M. *see* Suzuki, J. 87−45323
Yoshinaga, R. *see* Kuroda, Y. 87−29080
Yoshinaga, T., Kakutani, T. Fast and slow mode solitons on a coupled transition line 88−14453
Yoshinaga, T. *see* Hayashi, T. 88−23645 to 23646
Yoshinaga, T. *see* Jin-Zhong Yu 88−19841
Yoshinaga, Y. Mobile block system being enforced in West Germany 86−26574
Yoshinaga, Y. *see* Fukushima, Y. 88−17809
Yoshinaga, Y. *see* Furukawa, N. 88−43798
Yoshinage, K. *see* Ida, Y. 88−9986
Yoshinaka, A. *see* Mokuya, K. 85−61821
Yoshinaka, S. The XE-20 international telephone switching system 87−3009
Yoshinaka, T. *see* Hashimoto, Y. 88−29117
Yoshinami, H. *see* Moroda, N. 88−11712
Yoshinari, E. *see* Ohshima, Y. 86−58844
Yoshinari, T. *see* Minorikawa, H. 87−16135
Yoshinari, Y., Tanaka, O., Yoshimura, T. A study on the control of multiple installation systems composed of compact once-through boilers 86−56610
Yoshine, H., Kodera, H. Fiberoptic technology in Hitachi 87−18622
Yoshine, H. *see* Takeda, Y. 85−20188
Yoshinga, H. Study of low loss NRD circulators 88−25408
Yoshino, A. *see* Den, H. 87−78120
Yoshino, A. *see* Mikoshiba, H. 87−25585
Yoshino, A. *see* Naganawa, H. 87−63240
Yoshino, A. *see* Shingo, Y. 86−49434, 87−21941
Yoshino, A. *see* Suzuki, K. 86−24844
Yoshino, E. *see* Hirakawa, K. 88−21988
Yoshino, F. *see* Igarashi, H. 86−10956
Yoshino, H. *see* Horiguchi, S. 85−61777
Yoshino, H. *see* Iino, A. 88−22152
Yoshino, H. *see* Nomura, S. 86−53876
Yoshino, H. *see* Ohnishi, H. 85−12737, 85−41282
Yoshino, J., Munekata, H., Chang, L. Growth of PbTe/CdTe on GaAs (100) 87−65497
Yoshino, J. *see* Arakawa, Y. 85−28990
Yoshino, J. *see* Furuta, T. 86−35400
Yoshino, J. *see* Hirakawa, K. 85−40493, 88−19707
Yoshino, J. *see* Inoue, K. 85−18141, 85−50230, 85−61721, 86−14897, 87−6443
Yoshino, J. *see* Kawaji, S. 86−8849, 86−47377
Yoshino, J. *see* Kirakawa, K. 85−45680
Yoshino, J. *see* Sakaki, H. 85−23501, 85−60969
Yoshino, J. *see* Tanaka, M. 86−34334, 86−53407, 87−1273
Yoshino, J. *see* Tsubaki, K. 85−2119
Yoshino, J. *see* Tsuchiya, M. 85−61741
Yoshino, J. *see* Wakabayashi, J. 86−47311
Yoshino, K. Electrical conduction and dielectric breakdown in liquid dielectrics 87−25631
Yoshino, K. Carrier mobility measurement 87−32772
Yoshino, K., Hayashi, S., Tabata, M., Shiraishi, T., Kohno, Y., Ishii, G., Satoh, M., Sugimoto, R., Takiguchi, T., Takeda, S., Kaneto, K. Properties of polymers prepared by electrochemical method and their applications in electronic and electric devices 86−66866
Yoshino, K., Ikeda, M. Tandem transmission characteristics of laser diode optical switches measured by a circular pulse method 88−9519
Yoshino, K., Kaneto, K. Application of insulator-metal transition of conducting polymers 86−2863
Yoshino, K., Kaneto, K., Inuishi, Y. Electro-optical switching and memory device utilizing metal-insulator transition of conducting polymers 85−62406
Yoshino, K., Kaneto, K., Takeda, S. Applications of conducting polymers as electronics and optoelectronics devices 87−53940
Yoshino, K., Kishio, S., Ozaki, M., Sakurai, T., Mikami, N., Higuchi, R. New bistable optical switching element utilizing wound and unwound states of a ferroelectric liquid crystal 87−38872
Yoshino, K., Matsumoto, T., Mohri, K., Yamasaki, J. Noncontact mechanocardiograph sensor using an amorphous-core multivibrator 88−16672
Yoshino, K., Mohri, K., Oduda, H. Rotary encoder using amorphous star-shaped core field sensor 88−53635
Yoshino, K., Mohri, K., Yamasaki, J. Noncontact current sensor using an amorphous-core multivibrator 88−16448
Yoshino, K., Ozaki, M. Transient light scattering by domain switching in ferroelectric liquid crystal and its application as fast opto-electronics device 85−2095
Yoshino, K., Ozaki, M., Sakurai, T., Honma, M. Dependence of switching and memory times of optical switching element utilizing ferroelectric liquid crystals on thickness of cell and material 86−48224
Yoshino, K., Tabata, M., Kaneto, K., Ohsawa, T. Application and characteristics of conducting polymer as radiation shielding material 86−22718
Yoshino, K. *see* Hirayama, T. 86−63452
Yoshino, K. *see* Ikeda, M. 88−45462
Yoshino, K. *see* Kaneto, K. 85−53822, 86−1814, 87−33007, 88−39814
Yoshino, K. *see* Kim, S. 87−6944
Yoshino, K. *see* Kyokane, J. 86−47914
Yoshino, K. *see* Mohri, K. 86−32227, 87−21030, 88−16447, 88−48089
Yoshino, K. *see* Nemoto, M. 88−46821
Yoshino, K. *see* Ohnishi, H. 88−42219
Yoshino, K. *see* Onuki, T. 86−39834, 87−43090
Yoshino, K. *see* Ozaki, M. 85−56376, 86−48225
Yoshino, K. *see* Park, D.H. 87−38626
Yoshino, K. *see* Satoh, M. 86−35376, 86−40046
Yoshino, K. *see* Yamamoto, A. 86−11752
Yoshino, K. *see* Yoshida, Y. 86−6904, 86−63257, 86−70975
Yoshino, K. *see* Yun, M.S. 85−61709
Yoshino, M., Yamaji, H., Ishitobi, S., Araki, T., Ikeda, A. Development of full color image scanner 88−53721
Yoshino, M. *see* Chikamura, T. 85−52686, 86−5047
Yoshino, M. *see* Kitamura, M. 88−15763
Yoshino, M. *see* Takehama, K. 85−58319
Yoshino, R. *see* Kurihara, K. 85−4859
Yoshino, R. *see* Takagi, R. 86−47736
Yoshino, S., Tsunashima, S., Masuda, M., Uchiyama, S. Magnetostriction of amorphous GdFeCo films 88−33499
Yoshino, S. *see* Ito, A. 88−51242
Yoshino, T. Fiber-optic sensors for magnetic and electric fields 85−12609
Yoshino, T. Digital sound transmission via TV broadcasting satellite 85−14396
Yoshino, T. Still picture broadcasting 85−47628
Yoshino, T. PCM sound broadcasting 85−47630
Yoshino, T. Optical fibre sensors for magnetic field, current and electric field 86−38346
Yoshino, T. Optical fiber sensors for electric industry 88−36243
Yoshino, T. Heterodyne technology for optical sensors 88−67824
Yoshino, T., Baba, N., Kouda, Y. Electrochromic properties of V_2O_5 thin films colloid-chemically deposited onto ITO glasses 87−54111
Yoshino, T., Fujikawa, K., Kamise, C., Deki, H., Omori, S. News and relay broadcast technique 88−9699
Yoshino, T., Kawai, N. Digital sound broadcasting system 88−35642
Yoshino, T., Nara, M. Accurate fiber-optic sensors using differential heterodyne method 85−62374
Yoshino, T., Ohmi, K., Tsuji, T., Kawai, N., Komoto, T. Standard transmission system for a television satellite broadcasting 86−23805
Yoshino, T., Ohno, Y., Kurosawa, K. Design and application of fiber-optic electric and magnetic field sensors for high voltage electric system 85−62349
Yoshino, T., Tomizawa, I. Balloon and satellite observation of power line radiation over Northern Europe 86−15867
Yoshino, T., Tomizawa, I. Power line radiation observed by the satellite 'OHZORA' and the transoceanic balloon 86−69738
Yoshino, T., Tomizawa, I. Measurement of power line radiation over eastern Asia and northern Europe by the EXOS-A 'OHZORA' satellite 88−5165
Yoshino, T., Tomizawa, I., Shibata, T. Possibility of finding the direction of an epicenter by electromagnetic precursors of earthquakes and application to earthquake prediction 86−69860
Yoshino, T., Yoshida, N. Fiber-optic remote sensor for displacement using differential heterodyne interferometer 86−48168
Yoshino, T. *see* Hama, S. 88−4658
Yoshino, T. *see* Kaneko, A. 86−30926
Yoshino, T. *see* Katabuchi, K. 88−38833
Yoshino, T. *see* Kawai, N. 86−49522, 88−35651
Yoshino, T. *see* Kawano, N. 86−49761
Yoshino, T. *see* Kiuchi, H. 88−15715
Yoshino, T. *see* Kobayashi, S. 85−16119
Yoshino, T. *see* Komoto, T. 88−35442
Yoshino, T. *see* Kondo, T. 86−69870
Yoshino, T. *see* Kuriyama, S. 86−55490
Yoshino, T. *see* Kurosawa, K. 88−36022
Yoshino, T. *see* Mizuki, I. 88−45288
Yoshino, T. *see* Odawara, G. 87−66714
Yoshino, T. *see* Sugimoto, M. 85−20303
Yoshino, T. *see* Tai, H. 87−54031
Yoshino, T. *see* Takahashi, F. 86−49760
Yoshino, T. *see* Takahashi, M. 88−50470
Yoshino, T. *see* Takahashi, Y. 86−4784
Yoshino, T. *see* Yoshimura, K. 86−38569
Yoshino, Y. Microprocessors keep spectrum analyzers ahead of bandwidth measurement needs 85−47895
Yoshino, Y., Miyagawa, T., Murakami, S., Kusumi, Y., Yamane, T., Watanabe, S., Uehara, A., Hase, T. SL454A laser mask repair using laser CVD 87−68674
Yoshino, Y. *see* Tanaka, K. 88−18439
Yoshinori Yoshida *see* Imamura, A. 86−43660
Yoshinouchi, A. *see* Miyamoto, S. 85−1222
Yoshinuma, M. *see* Yamada, T. 87−7132
Yoshio, T. *see* Oda, K. 85−10835, 86−46392
Yoshioka, C. *see* Yoshida, S. 86−7904
Yoshioka, D. Fractional Quantum Hall effect 86−14914
Yoshioka, H., Miyamoto, M. Dynamic characteristics of Maglev vehicle MLU001−Guideway irregularity test 87−5054
Yoshioka, H. *see* Asano, H. 87−4460
Yoshioka, H. *see* Lofqvist, A. 85−57305
Yoshioka, H. *see* Sakurai, K. 87−72427
Yoshioka, H. *see* Suzuki, T. 88−49868
Yoshioka, H. *see* Taniguchi, K. 87−63317
Yoshioka, K. *see* Abe, H. 86−47487, 87−17852
Yoshioka, K. *see* Enokizono, M. 88−55351
Yoshioka, K. *see* Kimura, A. 88−74389
Yoshioka, K. *see* Morikawa, G. 85−37084
Yoshioka, K. *see* Utsumiya, K. 85−52042
Yoshioka, K. *see* Vanai, T. 87−1708
Yoshioka, M. Study on lasertron in Japan 87−70919
Yoshioka, M. Study of large linear collider in Japan 87−70924
Yoshioka, M., Hashimoto, H., Miyoshi, S., Kubota, K. Ion flow electrostatic printing by a slit type control electrode 85−41568
Yoshioka, M., Morikawa, Y. Design of pressure instrument line systems in time domain 86−17739
Yoshioka, M. *see* Fukushima, Y. 85−64418, 86−31986
Yoshioka, M. *see* Imanishi, A. 88−61124
Yoshioka, M. *see* Kawai, H. 85−31699
Yoshioka, M. *see* Kioi, K. 88−40084
Yoshioka, M. *see* Matsumoto, H. 88−54060
Yoshioka, M. *see* Miyao, M. 86−18227
Yoshioka, M. *see* Takeda, S. 86−5696
Yoshioka, N., Suzuki, Y., Ishio, N., Yamazaki, T. Evaluation of chlorinated polymethylstyrene as an X-ray negative resist 87−74159
Yoshioka, N., Suzuki, Y., Tamazaki, T. A high performance negative X-ray resist: CPMS-X(Pd) 86−8938
Yoshioka, N., Takada, N., Fukuda, N., Ozawa, T., Moriyama, Y. High integration technologies in NEC hybrid ICs 88−50562
Yoshioka, N., Takeuchi, S., Morimoto, H., Watakabe, Y. Low distortion X-ray mask with W-Ti absorber 88−64444
Yoshioka, N. *see* Sato, H. 85−56352
Yoshioka, N. *see* Suzuki, Y. 85−1443, 85−50650, 87−25029, 87−38048
Yoshioka, N. *see* Takeuchi, S. 88−39295
Yoshioka, N. *see* Urai, H. 85−24205
Yoshioka, N. *see* Watanabe, M. 86−2820
Yoshioka, O. *see* Hiroo, I. 86−51043
Yoshioka, O. *see* Kawanobe, T. 86−14766
Yoshioka, S., Miyazaki, T., Kanekama, N., Kimura, T. Pulsed electron beam welding of thin plate 86−13208
Yoshioka, S., Nagatomo, Y., Takahashi, S., Miyamoto, S., Uesugi, M. 4 Mb pseudo/virtually SRAM 87−59485
Yoshioka, S., Shirai, Y., Kanekama, N., Miyazaki, T. Molten zone formation and acoustic emission generation in electron beam machining 86−19660
Yoshioka, S., Takahashi, S., Nagatomo, Y., Miyamoto, S., Kiyosumi, F., Uesugi, K., Kawashima, H. Oki Electric manufactured 4-Mbit pseudo SRAM and virtual SRAM by trial 88−6845
Yoshioka, S. *see* Miyazaki, T. 85−56905
Yoshioka, T. *see* Fukaya, H. 86−60031
Yoshioka, T. *see* Hamanaka, T. 87−40905
Yoshioka, T. *see* Nemoto, M. 86−5536
Yoshioka, T. *see* Ogawa, M. 85−35643
Yoshioka, T. *see* Shimoda, M. 88−21989
Yoshioka, T. *see* Tokuda, K. 87−76946
Yoshioka, Y. *see* Inoue, K. 85−50230
Yoshioka, Y. *see* Ishino, M. 86−67723
Yoshioka, Y. *see* Kato, T. 85−10679
Yoshioka, Y. *see* Kubo, M. 86−26834, 87−52128
Yoshioka, Y. *see* Nagashima, T. 86−41475
Yoshioka, Y. *see* Nakagawa, Y. 86−26223
Yoshioka, Y. *see* Natsui, K. 88−49082
Yoshioka, Y. *see* Pichetjamroen, V. 86−19388
Yoshioka, Y. *see* Sakashita, T. 86−1713
Yoshioka, Y. *see* Sasai, Y. 85−12844
Yoshioka, Y. *see* Tokuyama, S. 86−6937, 87−71672
Yoshiro Fukuoka, Tatsuo Itoh Coplanar Schottky variable phase shifter constructed on GaAs substrate for millimeter-wave application 85−1036
Yoshisato, Y. *see* Yasuda, I. 86−58689

Yoshise, A. *see* Kojima, M. 87−44180
Yoshise, K., Itoh, M., Akazawa, H., Kimura, M. Extension of functions of VENUS-P switching equipment 87−34284
Yoshise, K. *see* Kohno, Y. 85−36987
Yoshitaka, M. *see* Ogawa, S. 88−33560
Yoshitake, C., Kanemitsu, N. Image scanner 88−16184
Yoshitake, H., Yokota, M., Tamati, T. On the syntax analyzer of a natural language understanding system, IMAGES-1 85−20552
Yoshitake, H. *see* Yokota, M. 88−27856
Yoshitake, K. *see* Tanimoto, S. 87−31766
Yoshitake, M., Takabatake, M., Hamamoto, O. Development of advanced battery electric energy storage system. Redox flow battery 88−5834
Yoshitake, M. *see* Hamamoto, O. 86−40066
Yoshitake, M. *see* Ogawa, S. 87−38712
Yoshitake, M. *see* Yotsuya, T. 87−70543, 88−29680, 88−36260
Yoshitake, N. *see* Shiragaki, K. 85−14869
Yoshitake, S. Formation of high quality epitaxial silicon films by ultra-clean technology 88−6474
Yoshitake, S. *see* Asano, S. 86−43584
Yoshitake, S. *see* Fujita, K. 87−44307
Yoshitake, S. *see* Inoue, T. 86−52431
Yoshitake, S. *see* Kawano, S. 88−59725
Yoshitake, S. *see* Kawaoka, T. 88−3537
Yoshitake, S. *see* Ohmi, T. 88−18710
Yoshitake, S. *see* Wakayama, H. 87−34262
Yoshitake, T. *see* Kubo, Y. 87−67819
Yoshitake, T. *see* Kuma, T. 88−41894
Yoshitake, T. *see* Kuroda, I. 86−58455
Yoshitake, T. *see* Seko, S. 86−58453
Yoshitome, T. *see* Matsuya, Y. 88−19217
Yoshitomi, M. *see* Nakajima, Y. 87−41249
Yoshitomi, T. *see* Watanabe, Y. 88−58263
Yoshitomi, Y. *see* Iwayama, K. 88−71893
Yoshitoshi, H., Mori, M., Murata, F., Masui, T. Development of nuclear power support: instruction system 86−39308
Yoshitoshi, M. Improved electronic key telephone system−Model EK telephone system 86−10911
Yoshitoshi, M., Ayugase, N., Harada, S. Proposed interface specifications for home bus 87−13231
Yoshitoshi, M., Ichinose, Y., Matsui, H. All-electronic sets construction and design 85−3228
Yoshitoshi, M. *see* Kawashima, I. 85−3223, 86−23564
Yoshitoshi, M. *see* Yamamori, K. 85−3224
Yoshitsugu, T. *see* Urakawa, T. 88−23987
Yoshiura, T. *see* Ebihara, D. 86−33437, 87−15819, 88−31095
Yoshiura, T. *see* Yoshida, K. 88−31495
Yoshiwa, K. *see* Miyamoto, I. 86−48622
Yoshiwa, M. *see* Nishijima, S. 87−67814, 87−67931
Yoshiwa, M. *see* Okada, T. 88−66101
Yoshiwa, M. *see* Takahata, K. 88−66010
Yoshiya, K. Comparative study on digital noise suppressors for PCM speech 85−41870
Yoshiya, K. Statistical characteristics of quantizing noise in the vector quantization of speech waveform and smoothing technique for concatenating the reproduction vectors 87−39700
Yoshiya, K. On error of least-square approximation by polynomial of degree $(n-2)$ for n real number data 88−11914
Yoshiya, K. 16 kbps adaptive predictive coding of speech using pitch prediction alone 88−14632
Yoshiya, K. Least-squares approximation by polynomials to reproduction vectors of vector quantization 88−27806
Yoshiya, K., Ohya, Y. Comparative study on optimum quantizers for signals with Laplacian density 86−3873
Yoshiya, T. *see* Onoda, S. 87−20493
Yoshiyagawa, M., Tamenori, H., Shimomura, T., Ishizaki, M., Hattori, A., Yokoe, K., Noguchi, N., Horigome, T. The preparation of high-purity silica for solar-grade silicon 86−34407
Yoshiyama, H., Tanaka, S., Mikami, Y., Ohshio, S., Nishiura, J., Kawakami, H., Kobayashi, H. Role of surface energy in thin-film growth of electroluminescent ZnS, CaS and SrS 88−31838
Yoshiyama, H. *see* Kobayashi, H. 88−40060
Yoshiyama, H. *see* Tanaka, S. 87−33062, 88−16333, 88−65475
Yoshiyama, K., Tanji, K., Sato, Y., Sugita, K., Kawai, S., Sugimura, Y. Digital image layout system for color printing 87−8573
Yoshiyama, M. Some component technologies for LCD panels 88−53778
Yoshiyama, M. Simple introduction to LCD related terminology 88−53781
Yoshiyama, M. *see* Hotta, S. 87−3695
Yoshiyama, M. *see* Nagata, S. 86−31513
Yoshiyasu, H., Takahashi, M., Murai, Y., Wada, Y., Ishii, I., Murata, S. Vapor-jet control (VJC): a new technique for current-limiting interruption 87−9689
Yoshiyasu, H., Wada, Y., Takahashi, M., Murai, Y., Murata, S., Hisatsune, F., Yamamoto, K. A new technique for current limiting interruption and its application to low voltage breakers−VJC (vapor jet control of air arcs) 86−40024
Yoshiyasu, H. *see* Wada, Y. 87−22661
Yoshizaki, A. *see* Oshida, Y. 87−11546
Yoshizaki, H. Evaluation and analysis of operational amplifiers by three-frequency method 88−6679
Yoshizaki, I. *see* Ueno, T. 88−60507
Yoshizaki, K., Takahashi, H., Kamigaki, Y., Yasui, T., Komori, K., Katto, H. A 95 ns 256K CMOS EPROM 86−8252
Yoshizaki, K., Wakata, M., Miyashita, S., Fujiwara, F., Taguchi, O., Imaizumi, M., Hashimoto, Y. Improvements in critical current densities of internal tin diffusion process Nb_3Sn wires by additions of third elements 85−56156
Yoshizaki, K. *see* Aoki, Y. 86−58624
Yoshizaki, K. *see* Imaizumi, M. 85−46043
Yoshizaki, K. *see* Miyashita, S. 87−67816
Yoshizaki, M., Shibata, N., Matsuda, C., Mizuno, T., Munemori, J. Computer-aided design for development of information networks 87−40128
Yoshizaki, M. *see* Uchino, K. 87−67657, 87−74461, 88−33477
Yoshizaki, R. *see* Fast, R.W. 85−35364, 85−43266, 85−59167, 86−50261
Yoshizaki, R. *see* Kondo, K. 86−25115
Yoshizaki, R. *see* Minemura, H. 85−56255
Yoshizaki, R. *see* Ochiai, Y. 86−27840, 88−44540
Yoshizaki, S. *see* Ozawa, P.J. 86−62953
Yoshizaki, T. Insulation displacement connectors: the new wave 87−45359
Yoshizako, Y. *see* Kobayashi, T. 88−33264
Yoshizawa, A. The current status of high-definition television program productions 86−38054
Yoshizawa, A., Matsubayashi, N. Analyses of optical anisotropy of PC substrate for M-O disc and its effect on CNR 87−38725
Yoshizawa, A., Nakane, Y., Arisawa, N., Imaizumi, H., Sugino, K., Harada, S. Ferromagnetic ultrafine alloy powders by hydrogen reduction of mixed halide vapor and its application to magnetic recording 88−51291
Yoshizawa, A. *see* Nakano, H. 85−41583, 86−68845
Yoshizawa, H. Applications of a single-chip signal processing LSI for high-quality TV 87−49278
Yoshizawa, H. Digital audio tape for broad range of applications 87−56430
Yoshizawa, H. First-generation models of DAT are on sale 88−9820
Yoshizawa, H. Use of a commercial gate array CAD system in a foundry environment 88−12348
Yoshizawa, H. Japanese manufacturers start participating in the market of modems for personal computer communication 88−15249
Yoshizawa, H., Fushiki, K. Digital technology applied to high-resolution television for home electronic devices of the next generation 87−49234
Yoshizawa, H., Torii, K., Sugimoto, Y., Itoh, T. High speed 8-bit A/D converter for video signal processing 86−34911
Yoshizawa, H. *see* Hara, H. 85−54957
Yoshizawa, H. *see* Noda, S. 86−21881
Yoshizawa, H. *see* Takagaki, T. 86−656, 86−34715
Yoshizawa, H. *see* Yabe, S. 85−6296
Yoshizawa, K., Kodama, H., Komura, H., Itoh, H. New light source using microwave discharge 85−65600
Yoshizawa, K. *see* Iwamoto, S. 88−19186
Yoshizawa, K. *see* Onuki, K. 86−40270
Yoshizawa, K. *see* Yamazaki, H. 88−3556
Yoshizawa, M., Miyake, M., Harada, H., Kiuchi, K., Tazawa, S. Secondary electron effect on electric potential of insulator surface during ion implantation 85−45546
Yoshizawa, M., Uomi, K., Ohishi, A., Ono, Y., Kawano, T., Nakashima, K., Kajimura, T. Improved self-aligned structure for GaAlAs high-power lasers 88−2270
Yoshizawa, M. *see* Katayama, T. 87−35277
Yoshizawa, M. *see* Kiryu, S. 85−48265, 88−42682
Yoshizawa, M. *see* Noda, A. 85−15117
Yoshizawa, M. *see* Sato, K. 86−31985
Yoshizawa, M. *see* Tokuda, N. 86−24991
Yoshizawa, M. *see* Watanabe, S. 88−74660
Yoshizawa, N. Estimation of submarine optical-fiber cable elongation 85−42586
Yoshizawa, N., Akaike, A., Tanaka, C., Uesugi, N. Bending strain of an optical fiber in a cable 87−54066
Yoshizawa, N., Murakami, Y., Kawata, O., Ishihara, K., Negishi, Y. Design and characteristics of optical fiber unit for submarine cable 85−42585
Yoshizawa, N., Ohnishi, M. Study on submarine cable tension during laying 87−8315
Yoshizawa, N., Ohnishi, M., Ishihara, K., Negishi, Y. Water propagation blocking properties of submarine optical fibre cable 85−63641
Yoshizawa, N., Ohnishi, M., Ishihara, K., Negishi, Y. Water propagation blocking properties of submarine optical fiber cable 87−13739
Yoshizawa, N., Ohnishi, M., Ishihara, K., Negishi, Y. Water propagation blocking properties of submarine optical fiber cables 87−76729
Yoshizawa, N., Ohnishi, M., Kawata, O., Ishihara, K., Negishi, Y. Low temperature characteristics of UV-curable resin coated optical fiber 86−2723
Yoshizawa, N., Ohnishi, M., Takahashi, T. Practical application of submarine cable cut and hold grapnel 88−21902
Yoshizawa, N., Takahashi, T., Ohnishi, M. A cut and hold grapnel for submarine cable 87−3174
Yoshizawa, N., Yabuta, T., Ohnishi, M., Ishihara, K. Submarine cable tension increase due to negative slack 85−25874
Yoshizawa, N. *see* Ishihara, K. 86−11061, 86−30824
Yoshizawa, N. *see* Kawata, O. 86−17412
Yoshizawa, N. *see* Kojima, N. 86−4672
Yoshizawa, N. *see* Negishi, Y. 85−37024, 88−35499, 88−35525
Yoshizawa, N. *see* Ohnishi, M. 87−28615, 88−35497
Yoshizawa, N. *see* Takahashi, T. 85−31063, 87−28350, 88−53249
Yoshizawa, N. *see* Yabuta, T. 85−46195
Yoshizawa, S., Saito, N., Aoki, H. Power saving non-resonant drive circuit for magnetic bubble rotating field 85−56137
Yoshizawa, S., Toyooka, T., Sugie, M., Sugita, Y., Ooomote, R., Kurokawa, S. High transfer rate 8 Mbyte magnetic bubble memory 85−35328
Yoshizawa, S. *see* Saito, G. 87−14222
Yoshizawa, T. Design of optical communication system components 85−56316
Yoshizawa, T. The latest technical and product trends of LC filters 86−8350
Yoshizawa, T. Standardization of EDTV system aiming to start broadcasting in April, 1989 88−41801
Yoshizawa, T., Fushiki, K. Element image sensor used for electronic scope 86−70039
Yoshizawa, T., Hara, S. A design method of knife-edge type magnetic tape cleaner 86−58693
Yoshizawa, T., Hirai, T. Video band LC filter 86−1212
Yoshizawa, T., Kawata, T. Novel plastic waveguides for optical wave dividers and mixers 87−7163
Yoshizawa, T., Kurokawa, T. Optical plastic components for fiber interconnection−application of accurate molding technique 86−49614
Yoshizawa, T., Suzuki, K. Automatic 3D measurement of shape by grating projection method 88−4628
Yoshizawa, T. *see* Chida, K. 85−56287
Yoshizawa, T. *see* Fuseki, K. 88−47558
Yoshizawa, T. *see* Nakamura, M. 87−27889
Yoshizawa, Y. International standard on HDTV 88−29085
Yoshizawa, Y., Nakajima, S., Yamauchi, K. Stability of Co-based amorphous wound cores used for controlling a switched-mode power supply and their optimum conversion frequency 86−63569
Yoshizawa, Y., Nakajima, S., Yamauchi, K. High frequency magnetic properties of Co-based amorphous wound cores used for controlling a switched-mode power supply 87−67774
Yoshizawa, Y., Sakuma, S. High voltage planar type triac for inductive load 88−39429
Yoshizawa, Y. *see* Nakajima, S. 87−19158, 88−51344
Yoshizawa, Y. *see* Yamauchi, K. 88−64910
Yoshizumi, K. *see* Kato, K. 85−58053
Yoshkiyo, H. *see* Tazoh, Y. 85−49821
Yoshmi, T., Sakai, H. Deposition method and properties of plasma CVD films in Si devices 85−33488
Yosida, H. Refining the color CRT for high-resolution graphics 85−26419
Yosida, K. On computational accuracy in determining the sign of an algebraic quantity 86−66652
Yosida, K. *see* Sunaga, H. 88−42590
Yosida, T. *see* Hashimoto, A. 86−37746
Yosiffov, E. *see* Borissov, M. 87−32775
Yosifov, E. *see* Borisov, M. 85−29403
Yosino, F. *see* Shimizu, T. 85−47587
Yosiro Oono *see* Khoda, T. 85−44923
Yosizawa, M. *see* Noda, K. 88−54250
Yosizawa, T. *see* Hara, S. 88−20330
Yosoi, M. *see* Ieiri, M. 87−3912
Yosoi, M. *see* Noro, T. 86−70362
Yost, B. *see* Stone, D. 87−23802
Yost, D. Cellular fundamentals for system design 85−20093
Yost, J. *see* Love, D.J. 87−79002
Yost, L. Justification of automation 88−114
Yost, R.A. *see* Clarke, K.C. 87−37239
Yost, W.T., Cantrell, J.H. Liquid-membrane coupling response of a submersible electrostatic transducer 88−61692
Yost, W.T. *see* Yang, H. 88−49930
Yostson, Yu. *see* Tokarskii, A. 86−18820
Yotsui, Y. *see* Nagano, K. 87−30236
Yotsumoto, K., Ogata, T. New power feed techniques for telephone subscribers 85−57834
Yotsumoto, K., Ohashi, Y., Kuwata, Y. Development of an efficient, lightweight switched-mode power supply for telecommunications network use 87−30804

Yotsumoto, K. *see* Kuwata, Y. 88—24989
Yotsumoto, K. *see* Ogata, T. 87—59169
Yotsutani, M. *see* Tsumura, M. 85—890
Yotsutani, S. *see* Nanaka, Y. 86—63910
Yotsuya, H. *see* Toriyama, H. 87—75578
Yotsuya, K. *see* Taniguchi, K. 86—56084
Yotsuya, K. *see* Tsuno, K. 87—50216
Yotsuya, T. Super-conductive thermometric fixed point device with thin-film resistance thermometer bulb 86—31696
Yotsuya, T., Ishibe, Z., Yoshitake, M., Suzuki, Y., Mamamoto, J. Zr-N thin film thermometer for cryogenic temperature 88—36260
Yotsuya, T., Yoshitake, M. New type cryogenic thermometer using sputtered Zr-N films 87—70543
Yotsuya, T., Yoshitake, M., Ogawa, S., Suzuki, Y., Yamamoto, J. Thin film thermometer for cryogenic temperature 88—29680
Yotsuya, T. *see* Suzuki, Y. 86—13801, 88—31850
You, A.Ho *see* Ho You, A.
You, B. *see* Speidel, R. 85—6800
You, C.M. *see* Hung, R.J. 88—60243
You, H. *see* Wang, M. 88—37507
You, M., Wong, A.K.C. An algorithm for graph optimal isomorphism 85—28134
You, T.Y. *see* Smith, A.J. 87—38980
You, X. *see* Roye, D. 88—23969
You, Y., Hayes, J.P. A self-testing dynamic RAM chip 85—35180
You, Y., Hayes, J.P. A built-in testing approach for regular VLSI circuits 86—63408
You, Y.X. *see* Zhang, E.Q. 85—50143
You, Z.-Q., Jiang, Z.-W., Sun, Y.-S., Udpa, L. Application of the substructure-frontal method for repeated solution of large sparse matrix equations to field problems 88—52017
You, Z.-Q., Sun, Y.-S., Jiang, Z.-W., Upda, L., Lusk, M. Determination of the current-equivalent parameters for the fictitious magnetic monopole model of magnetostatic problems 88—52078
You, Zhong-qing *see* Sun, Yu-shi 86—42736
You Hong Chi *see* Chi You Hong
You Jean-Luh *see* Jean-Luh You
You Jian-qi *see* Wang Chuan-jin 87—63261
You Jiang-nan *see* Chen, T.J. 88—45494
You Lu, Li Ping, Li Shenghua, Fang Shugan, Wei Shouzu, He Shaoqi, Wang Kuihua Laser active color center $F_B(II)$ in KCl:Na crystals 85—46359
You Lu, Li Ping, Li Shenghua, Fang Shugan, Wei Shouzu, He Shaoqi, Wang Kuihua Laser-active color center $F_B(II)$ in KCl:Na crystals 86—48369
You Ming-Chang A theoretical study of some problems on low-noise pyroelectric detector-amplifier systems 86—63526
You Naitan *see* Wang Guogan 87—50155
You Shouxiang *see* Xu Yuansen 88—44133
You Soon Jae *see* Soon Jae You
You Tie-Jian, Chen Hong-Fang, Yang Bao-Zhong, Tang Hsiao-Wei Self-quenching streamer discharge under extremely large amounts of quenching gas 87—14764
You Xiao-hu, He Zhen-ya An adaptive Kalman ARMA spectral estimator 88—34622
You Xiao-hu, He Zhen-ya New fixed order fast algorithms for nonsymmetric least-squares criteria 88—56169
You Yin-juan *see* Fan Yu-dian 88—12070
You Zhao-yong, Chen Xiao-jun A decomposition coordination algorithm for a large-scale programming analysis 86—7655
You Zhao-yong, Li Lei Optimal algorithms for parallel matrix multiplication on vector computer 88—63228
You Zhao-yong, Xu Zong-ben Resolvent iteration processes for constructing a solution of a nonlinear equation in Banach space 85—16891
You-Cai Zhu *see* Zhu You-Cai
You-du Huang *see* Huang You-du
You-gang Xu *see* Xu You-gang
You-guang Guo *see* Guo You-guang
You-hua Hu *see* Hu You-hua
You-Huo Tao *see* Tao You-Huo
You-kuen Que *see* Que You-kuen
You-liang Zhu *see* Zhu You-liang
You-ming Li *see* Li You-ming
You-Pang Wei, Lyons, C., Hailey, S. Timing analysis of MOS VLSI circuits 87—74447
You-qiu Hu *see* Hu You-qiu
You-qui Shi, Jing Lai, Zhi-hong Xu A new deconvolution method for image restoration in spatial domain 87—48033
You-wei Zhou *see* Zhou You-wei
You-Wen Yau *see* Lai, J.H. 86—21339
You-xing Liu *see* Ren-Chyuan Luo 85—47851
You-Zhe Li *see* Li You-Zhe
You-zheng Zhang *see* Zhang You-zheng
You-Zhi Wang *see* Wang You-Zhi
Youan Ke, Dongyu Wang A super-resolution method for target spectrum estimation 85—46820
Youan Ke *see* Dongyu Wang 85—47558
Youcai Zhu *see* Zhu Youcai
Youcef-Toumi, K., Kuo, A.T.Y. High speed trajectory control of a direct-drive manipulator 88—49192
Youdan, P. How the power semiconductor war was won 86—15146
Youden, W.J. Experimentation and measurement 85—3825
Youdou Zheng *see* Zheng Youdou
Youell, R.P. *see* Pugh, I.G. 87—57850
Youens, L.C. *see* Chang, C.B. 85—3482
Youern, K. A novel spectrum analyser based on the new pre-detector optical signal processing technique called OTIM 87—14243
Youett, C. Video—the medium of the compressed message 85—8581
Youett, C. Defence: all our tomorrows 85—13685
Youett, C. New firm aims to speed chip making 85—17275
Youett, C. Trade doubts burst bubble chip hopes 85—18593
Youfan Liu, Wang, E. Theoretical approach to the optimal preheating temperature for CW CO_2 laser annealing of semiconductors 87—74149
Youfang Ge *see* Ge Youfang
Yougang Xu *see* Xu Yougang
Youguan, H., Xiaowen, Z., Kun, M. Analysis of altering the pole-face shape for increasing excitation power [synchronous generators] 88—43181
Youguan He *see* He Youguan
Youhua Qian *see* Qian Youhua
Youl Lee Chick *see* Chick Youl Lee
Youl Youm Heung *see* Heung Youl Youm
Youla, D.C., Velasco, V. Extensions of a result on the synthesis of signals in the presence of inconsistent constraints 86—48920
Youlai Ren *see* Ren Youlai
Youlal, H., Janati-I, M., Najim, M. Convergence properties of 2-D adaptive gradient lattice 87—47826
Youlal, H., Janati-Idrissi, M., Najim, M. Convergence properties of 2-D adaptive gradient lattice algorithms 88—27880
Youle, G., Bennett, A.S. General purpose digitizer 88—42667
Youling Chu *see* Chu Youling
Youlun, Q. *see* Moritz, G. 88—68150
Youm, I., Laplaze, D., Cadene, M., N'Goran, Y. Spectral response of cadmium zinc sulfide-polyacetylene heterojunction modeling by Onsager recombination process 88—17999
Youm, I. *see* Cadene, M. 88—12998
Youm, I. *see* Duchemin, S. 87—72445
Youm, I. *see* Laplaze, D. 85—60442 to 60443
Youm, Y., Flatt, A.E. Design of a total wrist prosthesis 85—38215
Youm Heung Youl *see* Heung Youl Youm
Youmans, B.R., Goss, W.C., Bartman, R.K., Nerheim, N.M. 1.3 μm all-fiber passive optical rotation sensor 87—68147
Youmans, B.R. *see* Bartman, R.K. 88—10010
Youmans, B.R. *see* De Paula, R.P. 88—42135
Youmans, D.M. Using video in the design process 88—4222
Youmans, R. *see* Bovino, L. 85—22732, 87—17447, 87—45864
Youmans, R. *see* Kim, A. 88—71154
Youmans, R. *see* Weiner, M. 85—5325, 86—68397
Youming, C. *see* Guishen, T. 86—36534
Youming Chen *see* Chen Youming
Youmo Li *see* Guangyan Hong 88—33867
Youn, C.-H. *see* Choi, G.-Y. 88—28950
Youn, D.-H. *see* Mathews, V.J. 85—46768
Youn, D.H., Ahmed, N. Comparison of two adaptive methods for time delay estimation 85—13549
Youn, D.H., Chang, B. Multichannel lattice filter for an adaptive array processor with linear constraints 87—27059
Youn, D.H., Kim, J.-G. Short-time Fourier transform using a bank of low-pass filters 85—46772
Youn, D.H., Kim, J.H. An adaptive FIR filter with an augmented predictor 86—1316
Youn, D.H., Mathews, V.J. Adaptive realizations of the maximum likelihood processor for time delay estimation 85—2820
Youn, D.H., Mathews, V.J., Cho, S.H. An efficient algorithm for lattice filter/predictor 86—14402
Youn, D.H., Mathews, V.J., Cho, S.H. An efficient lattice predictor algorithm for instantaneous frequency estimation 86—29918
Youn, D.H. *see* Lee, B.H. 87—68904
Youn, D.H. *see* Mathews, V.J. 85—19445, 87—39755
Youn, D.H. *see* Orgren, A.C. 87—19786
Youn, D.H. *see* Park, T.H. 88—63807
Youn, H.Y., Singh, A.D. Near optimal embedding of binary tree architecture in VLSI 88—71726
Youn, L. *see* Bollini, R. 88—48510
Youn, L.T.O., Lee, K.Y., Park, Y.M. Optimal long-range generation expansion planning for hydrothermal system based on analytical production costing model 87—57944
Youn, L.T.O. *see* Park, Y.M. 85—38465, 86—12363
Youn, M. *see* Ko, J. 87—72354
Youn, M.-J. *see* Shin, H.-B. 88—31090
Youn, M.J. *see* Bien, Z. 88—43690
Youn, M.J. *see* Kwon, B.H. 87—30608
Youn, W.S., Un, C.K. Isolated word recognition based on finite-state vector quantization 87—19498
Youn Kang Chin Network function characterizing the general N-line 2N-port coupled transmission system 86—3604
Youn Kap-Koo *see* Kap-Koo Youn
Youn Kyu Koh *see* Chul Ju Kim 87—44335
Youn Myung-Joong *see* Myung-Joong Youn
Youn Shik Byun *see* Sang Hui Park 88—48150
Youn Sunhyun *see* Sunhyun Youn
Youn-Ho Park *see* Un-Ung Lee 85—21601
Youn-K Chin Matching method for the general nonsymmetrical directional coupler with arbitrary terminations [strip lines] 85—28680
Youn-Kyu Koh *see* Sung-Soo Kim 87—16678
Youn-Kyu Koh *see* Young-Ill Kang 87—16617
Youn-Min Chou, Owen, D.B. One-sided confidence regions on the upper and lower tail areas of the normal distribution 85—5896
Youn-Shik Byun, Sang-Hui Park A review of the methods of processing EMG for use as a proportional control 85—15323
Youn-Shik Byun *see* Sang-Hui Park 86—32364
Younan, H., Hodgkinson, J.M., Williams, J.G. Instrumented falling weight impact testing of PMMA 88—49916
Younan, N. *see* Feng, X. 88—23415
Younan, N. *see* Taylor, C.D. 88—27886, 88—72910
Younas, M., Sheikh, A.K. Characteristics of Birnbaum and Saunders model 88—18534
Younce, R.C. *see* Weber, L.F. 87—3689
Younes, M.A., Croft, J.R., Hill, W.J. Surface roughness assessment using the angular distribution of the back scattered field from a small laser spot 85—56915
Young, A. *see* Oldham, N.M. 87—70738
Young, A. *see* Robbins, W.P. 85—56065
Young, A.B., Rosenberg, J.J., Szendro, I. Preparation of germanium nitride films by low pressure chemical vapor deposition 88—24763
Young, A.C. *see* Van Der Ziel, A. 87—6660
Young, A.C.W. Data security management 88—3415
Young, A.J. Legal and techno-political implications of the use of nuclear power sources in outer space 87—57260
Young, A.M., Gonati, S. Mass flow measuring system based on "Coriolis" method 87—8775
Young, A.M. *see* Oldham, N.M. 88—16384
Young, A.R. *see* Hobbs, W.E. 88—25825
Young, B. Utilizing advanced amplifier technologies 88—53419
Young, B., Itoh, T. Analysis and design of Microslab waveguide 87—73586
Young, B., Itoh, T. Analysis and design of Microslab waveguide 87—73589
Young, B., Itoh, T. Effects of insulating dielectric layers in millimeter-wave planar transmission lines 88—25369
Young, B., Itoh, T. Analysis of coupled Microslab lines 88—38659
Young, B., Itoh, T. Loss reduction in superconducting microstrip-like transmission lines 88—63845
Young, B. *see* Chandler, A.J. 85—4501
Young, B. *see* Neuhauser, B. 88—61080
Young, B. *see* Sequeira, H.B. 87—17358
Young, B.A. *see* Neuhauser, B. 87—77531, 88—29681, 88—29798
Young, B.F. *see* Wilson, O.J. 88—10456, 88—16800
Young, B.G. International quality system standards 87—31322
Young, B.J., Kennedy, D.A. Managing quality in staff arenas 88—110
Young, B.K.F., Stewart, R.E., Woodworth, J.G., Bailey, J. Experimental demonstration of a 100-ps microchannel plate framing camera 87—20969
Young, C.A. Error prediction techniques for enhanced accuracy analog-to-digital converters 87—44976
Young, C.A. *see* Hokanson, J.L. 88—47163
Young, C.A. *see* Lipson, J. 85—42581
Young, C.C., Atwood, W.B., Carr, J., Chadwick, G., Csorna, S., Hansl-Kozanecka, T., Hodges, C.L., Mundy, G., Nauenberg, U., Panvini, R., Prescott, C.Y., Reeves, T.W., Rochester, L.S., Salomon, S., Simpson, K., Steiner, A. Performance of the SLD central drift chamber prototype 86—50316
Young, C.C. *see* Atwood, W.B. 87—21411
Young, C.C. *see* Hodges, C. 86—50313
Young, C.D. *see* Caples, E. 88—21405
Young, C.E. *see* Bartoli, P.D. 85—25476
Young, C.E. *see* Lukas, K. 87—55754
Young, C.G. *see* Airth-Kindree, W. 85—35556
Young, C.M., von Dadelszen, M., Elizondo, J.M., Benze, J.W., Moeny, W.M., Small, J.C. Investigation of a UV-sustained radial glow discharge opening switch 87—17450
Young, C.T., Booker, J.R., Fernandez, R., Jiracek, G.R., Martinez, M., Rogers, J.C., Stodt, J., Waff, H.S., Wannamaker, P.E. Verification of five magnetotelluric systems in the mini-EMSLAB experiment 88—61608
Young, C.W., Jr. *see* Anderson, G.W. 88—25025
Young, C.W., Jr. *see* Bucholtz, F. 85—1835

Young, D. Double Eurocards for a severe environment [microcomputers] 85–11711
Young, D., Chen, W., Tsai, C.S. Waveband noncollinear guided-wave magnetooptic interaction with magnetostatic surface waves in YIG/GGG waveguides 86–2608
Young, D., Chen, W., Tsai, C.S. Tunable wideband guided wave magneto-optic modulator using magnetostatic surface wave 88–40014
Young, D. *see* Cline, D.B. 86–24996
Young, D. *see* Smith, J.R. 87–64547
Young, D. *see* Tsai, C.S. 85–2101, 86–9634
Young, D. *see* Van Zummeren, M. 88–5214
Young, D.C., Zobniw, L.M. Adaptive test timing characterization 85–28477
Young, D.C., Zobniw, L.M. Associative clock control for signature analysis 85–28478
Young, D.C., Zobniw, L.M. Logic level detection using strobing detector 85–40001
Young, D.C. *see* King, J. 85–44958
Young, D.H. *see* Al-Abood, A.M. 86–61983
Young, D.H. *see* Lee, W.C. 88–21222
Young, D.J. How to use material safety data sheets in PWB manufacturing 86–53168
Young, D.J., Ayadurai, V. Reactive power compensation for mine winders and conveyors 86–18691
Young, D.J. *see* Dabbs, M.J. 86–12390
Young, D.J. *see* Howard-Taylor, A. 86–45024
Young, D.J. *see* Morrison, R.E. 88–5973
Young, D.J. *see* Pedersen, J. 88–68124
Young, D.J. *see* Walshe, K.A. 86–12327
Young, D.L. *see* Alvarez, A.R. 88–33295
Young, D.M., Kincaid, D.R. A tutorial on finite difference methods and ordering of mesh points 87–36672
Young, D.M., Odell, P.L., Marco, V.R. Optimal linear feature selection for a general class of statistical pattern recognition models 85–51726
Young, D.M. *see* Seaman, J.W., Jr. 88–43770
Young, D.N. Conducting burn-in without getting burned: optimizing the process reaps cost and quality benefits 87–58706
Young, D.R. Charge trapping in SiO_2 [in MOSFETs] 85–23767
Young, D.R. *see* Balk, P. 85–18181
Young, D.R. *see* Marwick, A.D. 88–44598
Young, D.R. *see* Singh, R. 85–23641
Young, D.R. *see* Weinberg, Z.A. 85–18170
Young, D.W. *see* Williams, M.W. 86–14983
Young, E.D. Easy FSK for the IC-730 85–3027
Young, E.H., Belfatto, R.V. Acousto-optic modulation and scanning in laser machining and microscopy systems 87–38885
Young, E.H., Morris, B.A., Belfatto, R.V., Bertram, C. Acousto-optic interferometric spectrum analyzer with direct RF frequency output 87–49631
Young, E.J. Engineering management education in Australia–Development, issues and directions 87–43844
Young, E.L. Freedom issues in satellite technology 87–40779
Young, E.M., Tiller, W.A. Electron population factor in light enhanced oxidation of silicon 87–25104
Young, E.S. *see* Philip, G. 87–39693
Young, F.C. *see* Apruzese, J.P. 88–58454
Young, F.C. *see* Meger, R.A. 85–1119, 85–4184
Young, F.C. *see* Neir, J.M. 88–30958
Young, F.C. *see* Neri, J.M. 87–53763
Young, F.J. *see* Murphy, A.T. 85–11698, 88–536, 88–632
Young, G. Creating broadcast functional drawings with a home computer 87–13817
Young, G.-S., Chellapa, R. 3-D motion estimation using a sequence of noisy stereo images 88–73367
Young, G.B. Control of Earth station facilities for ABC services 87–13656
Young, G.C. *see* Pigneri, A.M. 88–12803, 88–19548
Young, G.K. *see* Srikanta Kumar, P.R. 86–64395
Young, G.O. *see* Chen, P.-W. 85–25927
Young, G.R. *see* Lee, I.Y. 88–47849
Young, G.R. *see* Olsen, D.K. 87–56948
Young, G.T. Hidden troubles plague leaky networks [network security] 86–16975
Young, G.T. Keeping your information assets secure 88–9159
Young, H.F. *see* Lutz, H.A., III 87–21578
Young, H.F. *see* Moulton, R.J. 87–21577
Young, H.G.De *see* De Young, H.G.
Young, H.P. Monotonic solutions of cooperative games 85–54252
Young, H.W. *see* Weeks, W.T. 85–10933
Young, I., Waters, G. Practical error probability estimation for digital radio systems in the presence of interference and noise of finite crest factor, and the prediction of residual error rate 86–30611
Young, I., Waters, G. Practical error probability estimation for digital radio systems in the presence of interference and noise of finite crest factor, and prediction of residual error rate 87–69906
Young, I. *see* Lake, L. 87–13674
Young, I. *see* Webb, C. 87–17090
Young, I.-E. *see* Kim, E.-S. 88–20732
Young, I.A., Gasser, R.A., Jr., Kawamoto, G.H., Deeter, T.L. Interconnect considerations for 1-μm CMOS technology 86–47827
Young, I.M. *see* Beale, M.I.J. 85–44710
Young, I.M. *see* Leong, W.Y. 88–57462
Young, I.M. *see* Pickering, C. 88–43905, 88–56276
Young, I.M. *see* Pidduck, A.J. 88–57498
Young, I.M. *see* Robbins, D.J. 87–52105, 88–43904
Young, I.R., Burl, M., Collins, A.G., Hall, A.S., Harman, R.R., Butson, P.C., Gilderdale, D.J. Aspects of the engineering design of whole-body nuclear magnetic resonance machines 87–35390
Young, I.R., Rosenthal, W., Ziemer, F. A three-dimensional description of the sea surface by means of marine navigation radar 86–6133
Young, I.R. *see* Bydder, G.M. 85–53020, 86–18307
Young, I.R. *see* Cox, I.J. 87–14854
Young, I.R. *see* Gabriel, C. 87–14484
Young, I.T. *see* Coemet-Penning, M.J. 87–50221
Young, I.T., Duin, R.P.W., Biemond, J., Gerbrands, J.J. *(editor)* Signal Processing III: Theories and Applications. Proceedings of EUSIPCO-86: Third European Signal Processing Conference 87–43779
Young, J. IC-design automation strides into silicon-compilation era 85–54600
Young, J., Chu, B.B. Application of probabilistic safety analysis to plant operation: a demonstration 85–43759
Young, J., Richardson, H., MacKenzie, H.A., Abraham, E., Hagan, D.J. Cross talk between bistable elements on an InSb etalon 88–26912
Young, J., Tan, E. DAT for data [storage] 88–20249
Young, J. *see* Asselin, S.V. 85–48753
Young, J. *see* Chu, B. 85–43784
Young, J. *see* Chu, B.B. 87–78320
Young, J. *see* Gaston, H. 88–38892
Young, J. *see* Gimlett, J.L. 88–41629
Young, J. *see* Hagan, D.J. 87–33324, 87–74830
Young, J. *see* Hammad, M. 87–23534
Young, J. *see* Liu, C.C. 87–22564
Young, J. *see* MacKenzie, H.A. 88–65851
Young, J. *see* Mott, J. 87–71848
Young, J. *see* Weber, R.J. 87–32094
Young, J. *see* Wright, S.A. 88–53105
Young, J.A. *see* Lin, T.-P. 88–8912
Young, J.B. *see* Gruhl, K.G. 86–45850
Young, J.B. *see* Yeoh, C.C. 85–21437
Young, J.C. *see* Christie, W.B. 87–50138
Young, J.D. *see* Fok, F.Y.S. 88–8436
Young, J.D. *see* Gilmore, R.S. 87–29971
Young, J.D. *see* McCary, R.O. 85–26255
Young, J.D. *see* Porter, R. 88–2904
Young, J.D. *see* Walton, E.K. 85–20266
Young, J.F. The influence of material response on the properties of laser-driven grating linear accelerator structures 86–65317
Young, J.F., Jensen, H.R., Simard-Normandin, M. A simple, non-destructive optical technique to characterize ion-implanted semiconductor wafers 87–6568
Young, J.F. *see* Caro, R.G. 87–12352
Young, J.F. *see* Guang-Yu Yin 87–54250
Young, J.F. *see* Macklin, J.J. 88–58459
Young, J.F. *see* Sher, M.H. 88–14110
Young, J.F. *see* Sipe, J.E. 85–50455
Young, J.F. *see* Walker, D.J. 88–14111
Young, J.H. *see* Brezovich, I.A. 87–63827
Young, J.I. Videodisc simulation: tomorrow's technology today [educational applications] 85–3733
Young, J.K. Development of a database on commercial communications satellite earth stations 85–30987
Young, J.K. *see* Young, P.S. 86–50688
Young, J.L. The case for using authoring systems to develop courseware 85–22111
Young, J.L. *see* Singh, S.K. 85–1933, 87–67953
Young, J.M. *see* Baker, R.L. 88–57812
Young, J.M. *see* Barker, G.K. 86–53781
Young, J.M. *see* Gaston, H. 88–57152
Young, J.P. *see* Hemesath, N.V. 88–9673
Young, J.P. *see* Weber, R.J. 88–19388
Young, J.R. *see* Liu, C.-C. 88–17729
Young, J.T. Retrofitted color graphics system monitors Tennessee Valley Authority's coal-fired units 85–38851
Young, J.T. *see* Sebring, D.L. 85–4419
Young, K. Dealing with the wired world: inside a merchant bank 85–36564
Young, K. Email: just the ticket for LRT 85–57716
Young, K. Dominoes and electronic data interchange 87–55686
Young, K. Fax: the solution stands alone 88–15012
Young, K. When buildings get smart 88–34893
Young, K., Oldham, W.G. Plasma-enhanced nitridation of SiO_2–bias effects 86–20110
Young, K. *see* Mak, S.Y. 88–42240
Young, K. *see* Oldham, W.G. 85–40920
Young, K.C., Jr. *see* Jayakumar, A. 88–50999
Young, K.K., Burns, J.A. Avalanche-induced drain-source breakdown in silicon-on-insulator n-MOSFETs 88–39454
Young, K.K., Chan, T.Y., Hu, C., Oldham, W.G. Hole trapping and hot-carrier induced device instability in thin nitride/oxide IGFETs 87–25318
Young, K.K. *see* Chan, T.Y. 87–37280
Young, K.K. *see* Chen, I.C. 87–6691
Young, K.M. *see* Hill, K.W. 85–52983
Young, K.M. *see* Medley, S.S. 86–5098
Young, K.M. *see* Norris, M.E. 88–69054
Young, L., Tang, W.C., Dindo, S., Lowe, K.S. Optical transient current spectroscopy for trapping levels in semi-insulating LEC gallium arsenide 86–58232
Young, L. *see* Abdel-Motaleb, I. 87–45983, 87–52553, 87–53573
Young, L. *see* Abdel-Motaleb, I.M. 87–44780
Young, L. *see* Ahmed, M.J. 85–41196
Young, L. *see* Beggs, B.C. 88–42105, 88–44941
Young, L. *see* Cutler, R.I. 88–54357
Young, L. *see* Jaeger, N.A.F. 87–68188
Young, L. *see* Janega, P. 87–41631
Young, L. *see* Lau, W.M. 86–9129
Young, L. *see* Tang, W.C. 86–21595
Young, L.E., Wu, S.C., Dixon, T.H. Decimeter GPS positioning for surface element of sea floor geodesy system 88–10591
Young, L.E. *see* Goad, C.C. 85–59429
Young, L.E. *see* Otoshi, T.Y. 85–47618
Young, L.E. *see* Thornton, C.L. 85–43459
Young, L.H. *see* Fischer, J.H. 87–62756, 88–21840
Young, L.M., Biddle, R.S. High-power RF controls for the NBS-Los Alamos racetrack microtron 86–31791
Young, L.M., Biddle, R.S. Resonance control for a CW accelerator 88–54137
Young, L.M., Cutler, R.I. Performance of an RF beam monitor on the NBS–Los Alamos racetrack microtron 86–24861
Young, L.M., Keffler, D.R. The RF power system for the chopper/buncher system on the NBS-Los Alamos RTM 86–31792
Young, L.M. *see* Feldman, D.W. 88–2285
Young, L.M. *see* Hansborough, L.D. 87–41669, 87–50039
Young, L.M. *see* Penner, S. 86–24905
Young, L.M. *see* Stein, W.E. 86–5645
Young, L.M. *see* Wilson, M.A. 86–32055, 88–47791
Young, M. Scratch standards should not be used to predict damage threshold 85–7494
Young, M. Low-cost LCD video display for optical processing 86–42374
Young, M. Optics and lasers including fibers and optical waveguides. 3rd revised edition 87–43834
Young, M. A framework for describing troubleshooting behavior using default reasoning and functional abstraction 87–44044
Young, M. Screen process printing techniques 87–45435
Young, M., Padukone, P., Adams, N. Chip set solves disk interface problems 86–8331
Young, M., Weppner, M. Hybrid computer-optical processing with inexpensive liquid crystal television 87–55287
Young, M. *see* Accetta, M. 87–2941
Young, M. *see* Apsimon, R.J. 85–43246
Young, M. *see* Rasure, J. 88–28010
Young, M.-H., Muroga, S. Minimal covering problem and PLA minimization 87–5585
Young, M.A. History matching of DOE's cost-shared projects 86–39282
Young, M.C.J. *see* Tredgold, R.H. 85–47944, 88–34108
Young, M.H., Hunter, A.T., Baron, R., Marsh, O.J., Winston, H.V., Hart, R.R. Neutron transmutation doping of p-type Czochralski-grown gallium arsenide 85–23656
Young, M.H., Muroga, S. Symmetric minimal covering problem and minimal PLA's with symmetric variables 85–54818
Young, M.H. *see* Hunter, A.T. 85–55686
Young, M.I. Modelling and control of blade pitch in turbine power systems 88–62230
Young, M.L., Hope, D.A.O., Brozel, M.R. Electrical inhomogeneity in 1″ diameter partially dislocation-free undoped LEC GaAs 88–39068
Young, M.L. *see* Astles, M. 86–40745
Young, M.L. *see* Bass, S.J. 85–10705
Young, M.R., Singh, S. Statistical properties of a laser with multiplicative noise 88–27058
Young, M.R., Singh, S. Measurements of first-passage-time distributions in laser transients near threshold 88–51890
Young, M.R., Singh, S. Effects of multiplicative white noise on laser light fluctuations 88–72275
Young, M.S. Advanced VLSI disk controller solves system interface 85–45804
Young, M.S. Constant-density recording comes alive with new chips 87–27165
Young, M.S., Williamson, J.R. Mixing data paths expands options in system design 85–33735
Young, M.S. *see* Cox, H.M. 86–26835
Young, M.S.S. *see* Chin, A.K. 85–1289, 85–40444

Young, M.S.S. *see* Stavola, M. 85−29184
Young, N. *see* Kelly, R. 87−13989, 87−20728, 87−20744
Young, N.A. Development of a noise resistant technique for signalling on the mains and in other noisy environments 87−48842
Young, N.A. Noise resistance in mains signalling 88−3794
Young, N.A. Computer modelling of a passive sonar system 88−60294
Young, N.D., Clegg, J.B., Maydell-Ondrusz, E.A. Low-temperature annealing of shallow arsenic-implanted layers 87−60075
Young, N.D., Hight, M.J. Automated Hall effect profiler for electrical characterisation of semiconductors 86−11410
Young, N.D. *see* Brotherton, S.D. 87−25073
Young, N.E., Spinos, F.R., Pinter, G.R. Mechanical design of the TFTR X-ray crystal spectrometer 85−4251
Young, P. Status of DOI/BuRec SVU-1 wind turbine project 85−53656
Young, P. The history of STC 86−57293
Young, P. The microcomputer as an aid in teaching dynamic systems analysis 87−5171
Young, P. Standards not all they seem to be [electrical lighting] 88−62502
Young, P., Ord, J.K. The use of discounted least squares in technological forecasting 86−19719
Young, P. *see* Yamada, M. 87−22498
Young, P.C. Venture capital alternatives 88−6189
Young, P.E., Hares, J.D., Kilkenny, J.D., Phillion, D.W., Campbell, E.M. Four-frame gated optical imager with 120-ps resolution 88−47578
Young, P.E. *see* Tong, P.P. 85−20508
Young, P.J. Inspection intervals for fail-safe structure 85−20979
Young, P.L., Chen, C.C., Cech, J.M., Li, K., Oprysko, M.M. VSLI/VHSIC packaging 86−57212
Young, P.L., Chen, C.C., Cech, J.M., Oprysho, M., Chakrovorty, K. Impact of fabrication of high performance multichip packages on future manufacturing technology 87−23346
Young, P.L. *see* Cech, J.M. 87−11895
Young, P.L. *see* Chen, C.C. 88−64145
Young, P.L. *see* Oprysko, M.M. 85−55626
Young, P.M., Stuckey, R.L. An investigation into the effects of ice and snow accumulation on drumskin radome antennas and methods of their removal 87−47434
Young, P.S., Young, J.K. Satellite constellation for continuous global surveillance by above-the-horizon sensors 86−50688
Young, P.W., Germann, L.W., Nelson, R. Pointing, acquisition, and tracking subsystem for space-based laser communications 87−20523
Young, P.W. *see* Scott, P.W. 87−20524
Young, R. UNIRAM modeling of nuclear power plants to support availability improvement 87−9268
Young, R. Maintainability analyses using the UNIRAM methodology 87−9381
Young, R. High telephone-line impedance causes relaying problems 87−15388
Young, R. Make the switch! [HF bandswitch modification] 87−34336
Young, R. The phase-scanned commutated array network 88−15620
Young, R., Sloboda, A. The use of RAM methods to improve fossil plant availability and heat rate 88−11101
Young, R. *see* Calderone, J. 86−51343
Young, R. *see* Smith, C. 87−9121
Young, R.A., Kalin, R.V. Scanning electron microscopic techniques for characterization of semiconductor materials 87−24737
Young, R.C. *see* Borsellino, R.R. 87−9380
Young, R.C. *see* Morgan, E.L. 88−4950
Young, R.D. Moving stage improves accuracy of microcircuit measuring technique 85−7003
Young, R.D. *see* Hamstad, M.A. 88−18792
Young, R.D. *see* Teague, E.C. 88−29643
Young, R.E. Radar and television−interchange and spin-off 85−37089
Young, R.E. The post-war stride into aerospace. [British electronic invention] 85−38277
Young, R.E. Managing research and development 85−44454
Young, R.E. Big-system automation and telemetry 85−51996
Young, R.E. Vehicle electronics and development 85−54072
Young, R.J. *see* Cleaver, J.R.A. 88−57277
Young, R.J.De *see* De Young, R.J.
Young, R.M., Mathur, D.P., Berry, D.H. Removal of mask registration errors using full-field mask aligners 87−11556
Young, R.M. *see* Apsimon, R.J. 86−5811, 86−25138
Young, R.M. *see* Russell, R.W. 87−49540
Young, R.P., Hutchins, D.A. Measuring anisotropy in rocks using laser-generated ultrasound 88−16881
Young, R.P. *see* Hill, J.J. 86−17760
Young, R.P. *see* Hutchins, D.A. 88−56363
Young, R.T. Semiconductor processing with excimer lasers: an overview 85−12100
Young, R.T., Strand, D., Gonzalez-Hernandez, J., Ovshinsky, S.R. Tellurium alloys for reversible optical data storage 87−25914
Young, R.T., Wood, R.F. Applications of pulsed laser processing 86−8964
Young, R.T. *see* Cuevas, A. 85−49107
Young, R.T. *see* Wood, R.F. 86−8958
Young, R.W. EUREKA and production standards for HDTV 88−22270
Young, R.W., Green, B.J., Camp, G.H., Gibb, I.G., Waite, M.S. A transparent thin film CRT screen of Y_2O_3:Eu with contrast enhancement layer 86−31551
Young, R.W., Green, B.J., Camp, G.H., Gibb, I.G., Waite, M.S. A transparent thin-film CRT screen on Y_2O_3:Eu with contrast-enhancement layer 87−3432
Young, R.W. *see* Gee, A. 88−47611
Young, S. Integrated current sensing simplifies MOSFET designs 87−25546
Young, S. Current sensing HEXSense power MOSFETs simplify SMPS designs and lower losses 88−24978
Young, S. Muxes: the heart of a digital network 88−59896
Young, S., Castino, G. High frequency resonant converter using power MOSFETs 87−31714
Young, S., Grant, D. The behavior of MOSFETs with integrated current sensing 87−60507
Young, S. *see* Clemente, S. 87−11776, 88−1664
Young, S. *see* Dew, D.K. 88−10420
Young, S. *see* Land, D.V. 88−54616
Young, S.-L., Stephan, K.D. Stabilization and power combining of planar microwave oscillators with an open resonator 87−73727
Young, S.-L., Stephan, K.D. Radiation coupling of inter-injection-locked oscillators 88−19378
Young, S.-L. *see* Stephan, K.D. 88−25410, 88−52302, 88−70967
Young, S.A. A logarithmic amplifier for LIDAR receivers 87−49191
Young, S.A. Lidar system optical alignment and its verification 87−56270
Young, S.E. *see* Coggiola, M.J. 88−64173
Young, S.J. Flex header connector with ground plane 87−17457
Young, S.J., Russell, N.H., Thornton, J.H.S. Speech recognition in VODIS II 88−72798
Young, S.J. *see* Willis, A.R. 86−37340
Young, S.L. *see* Dev, P. 85−53029
Young, S.L. *see* Stephan, K.D. 87−73604
Young, S.P. *see* Master, R.N. 85−28866
Young, S.R. *see* Czaplak, D.S. 88−51611
Young, S.T. *see* Chen, C.F. 88−48163
Young, T. The Howden Orkney experience [wind turbine power] 85−48923
Young, T. Linear systems and digital signal processing 86−27
Young, T. *see* Benford, J. 86−21039
Young, T. *see* Sze, H. 86−21032
Young, T.-T. *see* Lee, J.-H. 87−66431
Young, T.C., Hutton, D.J., Bowden, A.I. A system for the automatic sectionalising of HV overhead distribution lines 85−64959
Young, T.E. *see* Byrd, C.L. 85−53098
Young, T.E. *see* Holmes, D.J. 88−59936
Young, T.F. Calibrated banding−the military approach to meet EMI/EMP cable termination requirements 87−17424
Young, T.F.T. *see* Lovelace, R.V. 85−61625
Young, T.K. *see* Sheu, B.J. 86−58623
Young, T.P. Phonix−remote voice access to office automation systems 85−57694
Young, T.P. Design of integrated optical circuits using finite elements 88−33757
Young, T.P., Smith, P. Finite element modelling of integrated optical waveguides 87−25958
Young, T.P., Smith, P. Finite analysis of the electro-optic effect in optical waveguides 87−74817
Young, T.P., Wong, K.K., O'Donnell, A.C., Parsons, N.J. A compact $LiNbO_3$ optical switch at 1.3 μm 87−38855
Young, T.S.T. *see* Sze, H. 87−60051
Young, T.Y., Gunasekaran, S. Three-dimensional motion analysis using shape change information 87−13130
Young, T.Y., Zhao, W.-Z., Qi, F.-H., Ergener, D. Computation of image velocity field using linear and nonlinear objective functions 88−28127
Young, T.Y. *see* Gunasekaran, S. 88−46309
Young, T.Y. *see* Liu, H.-H. 88−66631
Young, T.Y. *see* Nelson, R.N. 86−43328
Young, W. SCADA system dispatches jointly owned units 87−57563
Young, W., Feng, T. Fault location in $\Omega^r\Omega^{-1}$ networks 87−21993
Young, W. *see* Blosser, H. 86−25296
Young, W.A. *see* Bednarz, B. 88−10005
Young, W.A. *see* Dankowych, J.A. 87−12154
Young, W.A. *see* Jew, K. 87−68145
Young, W.A. *see* Lewis, D.H. 86−68291
Young, W.C. Design consideration for single-mode fiber connectors 85−7216
Young, W.C. Single-mode fiber connectors-design aspects 85−12625
Young, W.C., Curtis, L., Cheung, N.K., Wang, S.J., Burpee, D.S. Practical method of measuring reflection-induced power penalties in single-mode fibre transmission systems 87−25947
Young, W.C. *see* Eyssa, Y.M. 86−42190
Young, W.C. *see* Gimlett, J.L. 85−56300
Young, W.C. *see* Kazovsky, L.G. 87−34530
Young, W.C. *see* Smith, W.L. 88−41691
Young, W.C. *see* Stern, M. 86−4637, 88−28831, 88−47079
Young, W.D., McHugh, J. Coding for a believable specification to implementation mapping 87−61602
Young, W.H. The saga of Clinch River 85−32282
Young, W.H., Karplus, A.K. ADVISE: a pilot for freshman retention 88−24404
Young, W.K.W. *see* Swartzlander, E.E., Jr. 85−22933
Young, W.L. Factors for systematically comparing gate arrays, standard cell, and full custom design 87−5811
Young, W.R. *see* Miller, N.P. 85−2935
Young, Y.K., Lee, P.C.Y. Frequency-temperature behavior of flexural and thickness-shear vibrations of rectangular rotated Y-cut quartz plates 86−42049
Young Bo Lee *see* Jung Hwa Jung 85−33752
Young Cha Eiu *see* Eiu Young Cha
Young Chae Kang, Kap Seok Choi A study on the distributed amplifier using FETs with a feedback loop 85−22679
Young Cho Kim Electromagnetic fields due to moving sources in anisotropic plasma 86−54264
Young Cho Kim Field analysis of periodically slotted waveguide structures excited by an aperiodic source 86−54333
Young Choi Tae *see* Tae Young Choi
Young Choi Woo *see* Woo Young Choi
Young Chun Hee *see* Hee Young Chun
Young Fu-Wen Microprocessor control of variable-speed PWM inverter-machine drive 88−69795
Young Gill Kim, Myung Jin Chung, Zeungnam Bien A study on the supervisory control system for a remote manipulator 88−43685
Young Ham Kim *see* Tae Won Kang 87−262
Young Ho Kim *see* Chong Sang Kim 86−43481
Young Hoon Yun, Ki Cheol Park, Gyu Man Choi, Ki Wan Kim Photoconductive property of Sb_2S_3 thin film and its application 87−26165
Young Hwa An *see* Jie Young Lee 88−45907
Young Hwan Oh *see* Kyung Shik Koh 88−6753
Young Hyun Jun, Chang Woo Lee, Kijun Lee, Song Bai Park Timing simulator by waveform relaxation considering the feedback effect 88−44886
Young Hyun Jun *see* Kyung Ho Kim 88−44132
Young Hyun Moon *see* Seog Joo Kim 88−36741
Young Hyun Moon *see* Young Moon Park 87−71506
Young Il Kang *see* Hyun Kyu Yu 86−2044, 87−45969
Young Il Lee *see* Yon-Tack Chung 88−11237
Young In Eung *see* In Eung Young
Young In-Eung *see* In-Eung Young
Young Jeung Won *see* Won Young Jeung
Young Jin Lee *see* Hho Jung Kim 86−56562, 87−4519
Young Jong Cho *see* Jun Kyun Choi 86−59652
Young June Park Study on the improvement of sub-micron channel P-MOSFET 88−44758
Young June Park, Ting-Wei Tang, Navon, D.H. Modeling of surface scattering in the Monte Carlo simulation of short channel MOSFET 85−35024
Young June Park *see* Dal Soo Kim 88−44759
Young Kang Jin *see* Jin Young Kang
Young Ki Cho Analysis of a narrow slit in a parallel-plate transmission line: *E*-polarisation case 88−2655
Young Ki Cho, Hyun Son Characteristics of a parallel-plate waveguide with a narrow slit in its upper plate 87−12772
Young Kil Kim A study on a multichannel (128) ultrasound pulsed Doppler system with serial data processing for sensing the blood flow 87−3950
Young Kil Shin *see* Hoole, S.R.H. 87−68721
Young Kim Che *see* Che Young Kim
Young Kim Dae *see* Dae Young Kim
Young Kim Ho *see* Ho Young Kim
Young Koo Ja *see* Ja Young Koo
Young Kwon Kee *see* Kee Young Kwon
Young Kyoo Choi *see* Ki Jong Hah 88−44817
Young Lee Gi *see* Gi Young Lee
Young Lee Jie *see* Jie Young Lee
Young Lee Kuen *see* Kuen Young Lee
Young Lee Sang *see* Sang Young Lee
Young Leem Jae *see* Jae Young Leem
Young Ma Tae *see* Tae Young Ma
Young Man Chung *see* Kyung Hyun Park 88−47048
Young Mo Hwang, Baik Hyng Han The study on the control of pattern linewidth for the step and repeat projection imaging 86−41647
Young Moon Park, Jae Chul Kim, Young Hyun Moon, Jin Boo Choo, Tae Won Kwon Optimal meter placement for state estimation 87−71506
Young Mouh Duh A three-octave-band bandwidth Y circulator 88−70971
Young Oh Ki *see* Ki Young Oh

Young Pah Yin Ripple control for public lighting in Singapore 88—24260
Young Park Joo *see* Joo Young Park
Young Park Soon *see* Soon Young Park
Young Rhee Man *see* Man Young Rhee
Young Roh Hi *see* Hi Young Roh
Young Saeng Kim *see* Myung Chul Shin 87—2841, 87—49267
Young Saeng Kim *see* Young Wook Jang 87—46165
Young Se Kwon *see* Kee Young Kwon 87—39077
Young Se Kwon *see* Sang Bae Kim 86—62216, 87—44337, 87—68062
Young Se Kwon *see* Tae Kyung Yoo 87—46886
Young Se Kwon *see* Won Seong Lee 85—22484
Young Seok Lim, Moon Ho Lee Iterative image restoration algorithm using power spectral density 88—46177
Young Shuenn-Tsong *see* Shuenn-Tsong Young
Young Soon Kim, Tae Won Kang Studies on imaging photosensitive materials 86—58818
Young Soon Kim *see* Sakai, S. 88—446
Young Sung Man *see* Man Young Sung
Young Wei *see* Wei Young
Young Whan Lee *see* Hyiun Koon Kim 86—56564
Young Wook Jang, Young Saeng Kim, Myung Chul Shin Design and fabrication of digital volume control IC 87—46165
Young Wook Jang *see* Myung Chul Shin 87—2841, 87—49267
Young Woong Kim *see* Yong Serk Kim 87—27187
Young Yoo Hah *see* Hah Young Yoo
Young-Ahn Kwon *see* Sung-Won Rhee 85—50886
Young-Boong Chung *see* Yun-Woo Lee 87—21264
Young-Chang Kim *see* Sa-Woo Hong 86—50886
Young-Chol Kim, Eung-Je Woo, Kwang-Suk Park, Byoung-Goo Min, Heung-Seok Yang An artificial pancreas using the pole assignment self-tuning algorithm 86—18378
Young-chul Lim *see* Guee-tae Park 87—30632
Young-Deuk Moon *see* Myung-Ki Kim 86—62551
Young-Dong Kim *see* Yon-Tack Chung 85—38972
Young-Han Kim, Kang-Wan Lee Central main electrical supply automatic coordination system for the Energy Management System project 87—64078
Young-Han Kim *see* Kap-Koo Youn 85—4555
Young-Han Kim *see* Kil-Yeung Song 86—70561
Young-Han Kwon Technology of ultra-high voltage and large volume gas circuit breakers 88—49084
Young-Hee Lee, Won-Tack Choi A study on the electrical characteristics and optical transmittance of the PLZT device fabricated in memory region 85—1784
Young-Hi Chea *see* Byung-Ho Choi 88—17950
Young-Hi Chea *see* In Kil Hwang 88—23808
Young-Hi Lee, Sung-Hee Park A study on carrier injection and trapping by the high field for MAS ($Al-Al_2O_3-Si(n)$) structure 87—45713
Young-Hie Lee Co-precipitation derived $PbTiO_3$-polymer 0-3 piezoelectric composites 87—74464
Young-Ho Kim *see* Hong-Bay Chung 86—14880
Young-Hoon Chung *see* Sze-Keung Kwong 85—56821
Young-Hwa Kim The trend of towers and systems for EHV transmission 86—18857
Young-Hyun Moon Bartels-Golub decomposition of basis matrix in the linear programming technique and its applications 85—303
Young-Hyun Moon A study of fast contingency analysis algorithm [power systems application] 86—50795
Young-Hyun Moon, Yo-Hui Kim Fault current calculation by the ΔY_{BUS}-decomposition method 85—38544
Young-Ill Kang, Hee-Joong Yun, Tong-Sun Yoo, Youn-Kyu Koh A study on the epitaxial regrowth of amorphous silicon layer by CW Ar laser annealing 87—16617
Young-Jae Shim *see* Su-Il Pyun 85—41020
Young-ji Shi *see* Shi Young-ji
Young-jin Park *see* Man-young Seong 87—32444, 87—53428
Young-Jong Lee *see* Hong-Bay Chung 88—13294
Young-Joong Kim *see* Dal-Ho-Im 87—58024
Young-June Park Semiconductor technology perspective in Korea 86—53510
Young-June Park A study on the effects of staur velocity saturation on the Mosfet devices 87—74328
Young-June Park *see* Sang-Soo Lee 88—12375
Young-June Yu, Gijs Bosman, Bhattacharya, P.K. Impact ionization coefficient ratio in InGaAs/InAlAs superlattice avalanche photodiodes determined from noise measurements 88—14025
Young-Kil Kim A study on a single gate pulsed Doppler system 85—59253
Young-Kun Park, Hyun-Kyo Jung, Song-Yop Hahn Magnetic field computations of the magnetic circuits with permanent magnets using finite element method 85—2472
Young-Kwon Sung Problems and research trends of Si-SiO_2 film system 86—8891
Young-Kwon Sung, Dong-Hee Rhie, Bok-Gil Choi A study on the conduction mechanism of zinc oxide varistors 88—38776
Young-Kwon Sung, Jin-Soo Song, Bok-Gil Choi, Young-Woo Park Correlations of properties with deposition conditions for PECVD a-SiN_x:H films from SiH_4-N_2 gas mixtures 87—325
Young-Kwon Sung, Man-Young Sung, Cheol-Jee Cho, Gi-Man Ko, Beong-Deug Lee Dependence of turn-on voltage and surface state density on the silicon crystallographic orientation [gate controlled diode structure] 85—1556
Young-Kwon Sung, Seong-Jin Kim, Woo-Hyun Paik, Chan-Won Park Characteristics of the avalanche injection on SiO_2 layer in MOS structures 86—14964
Young-Lim Su *see* Conolly, S. 86—34940
Young-Lyul Han Mobile communication 87—28424
Young-Moon Hwang, Ill-Chun Lee, Kwang-Tae Kim Performance of variable-phase thyristor motor 85—5072
Young-moon Hwang, Moon-han Kim Technological trends in general purpose small motors 87—35963
Young-Moon Park, Bong-Yong Lee Optimal generation planning including pumped-storage plant based on analytic cost function and maximum principle 86—25539
Young-Moon Park, Jae-Chul Kim A new algorithm for contingency analysis 85—15464
Young-Moon Park, June-Ho Park Short-term electric load prediction considering temperature effect 87—4332
Young-Moon Park, Young-Sik Paek Study on the calculation of the optimal power operation considering line contingencies 85—15479
Young-Moon Park, Young-Sik, Paek Bo-Hyuk, Suh Joong-Lin Shin Study on the calculation of the optimal power system operation considering line contingencies and line capacities 88—17074
Young-Moon Park *see* Hyung-Sub Shin 87—72042
Young-Moon Park *see* Jai-Kil Chung 85—26947
Young-qing Liu *see* Liu Young-qing
Young-Se Kwon *see* Chang-Joon Chae 88—2234
Young-Se Kwon *see* Hoi-Jun Yoo 88—45324, 88—64287
Young-Se Kwon *see* Ki-Woong Chung 88—50660
Young-Se Kwon *see* Tae-Kyung Yoo 86—9150
Young-Sik *see* Young-Moon Park 88—17074
Young-Sik Kang *see* Dae-Seung Shin 87—36066
Young-Sik Paek *see* Young-Moon Park 85—15479
Young-Sir Chung *see* Yong-Hyuk Kim 86—47102
Young-Soon Kwak, Jung-Soo Cho, Jong-Ho Lee Effect of heat treatment and mechanical stress on the dielectric strength of low density polyethylene 88—6534
Young-Soon Kwak *see* Chung-Hoo Park 87—32746
Young-Su Noh *see* Ki-Woong Whang 87—1801
Young-Woo Lee *see* Nishida, N. 88—51719
Young-Woo Park *see* Young-Kwon Sung 87—325
Young-Yun Chun *see* Moon-Soo Park 87—56131
Youngberg, K. Increasing the functionality of a 3705 network 85—63310
Youngblood, A.V. Understanding the stress-strain properties of aramid fiber 88—26824
Youngblood, A.V. *see* Allfather, W.H. 88—28914
Youngblood, D.H. *see* May, D.P. 85—58998
Youngblood, J.L. Linearization and single-point calibration of hydrogen sulfide sensors 88—35981
Youngblood, R., Fresco, A., Papazoglou, I.A., Tsao, J. A comparative assessment of selected PWR auxiliary feedwater system reliability analyses 85—43781
Youngblood, R., Hanan, N., Fitzpatrick, R., Xue, D., Bozoki, G., Fresco, A., Papazoglou, I., Mitra, S., Macdonald, G., Chelliah, E. Methods and findings of a systems interaction study of a Westinghouse PWR 85—53425
Youngblood, R., Hanan, N., Fitzpatrick, R., Xue, D., Bozoki, G., Fresco, A., Papazoglu, I.A. Systems interaction study of a Westinghouse PWR 86—51404
Youngblood, R.W. Applications of fault tree analysis to the design process 88—70158
Youngblood Turpin, A. *see* Drake, R. 88—69106
Youngdale, E.R. *see* Hoffman, C.A. 88—64288, 88—64292
Younger, F.C., Jackson, A., Jenkins, K.D., Meads, P.F., Ng, L.S.B. Electron storage ring for X-ray lithography 88—47958
Younger, F.C., Jenkins, K.D., Meads, P.F., Ng, L.S.B. Proton therapy system 88—61426
Younger, P.R. Ion cluster beam deposition technology 85—22491
Younger, P.R. *see* Yamada, I. 86—489
Younger, S. *see* Dolcourt, J. 85—64546
Younger, S.M. *see* Jones, K.W. 87—63577
Youngman, B. *see* Bachrach, R.Z. 88—47747
Youngman, B.P. *see* Cox, A.D. 87—18538
Youngman, C. *see* Arnault, C. 87—14216
Youngman, C. *see* Burkhardt, H. 88—47997
Youngman, M.D., Tomlinson, G.R., Taylor, A.R. Personal computer based instrumentation in dynamic analysis 87—63258
Youngman, R. *see* Fischer, R. 85—61897
Youngman, R.C. *see* Erickson, L.P. 87—36708
Youngman, R.C. *see* Morkoc, H. 85—55833
Youngquist, R. *see* Mallalieu, K. 86—36206
Youngquist, R. *see* Mallalieu, K.I. 86—48184, 86—63615
Youngquist, R.C. Coherence length and output power of GaAlAs single-mode diode lasers: a rule-of-thumb relationship 85—46376
Youngquist, R.C., Brooks, J.L., Risk, W.P., Kino, G.S., Shaw, H.J. All-fibre components using periodic coupling 86—2697
Youngquist, R.C., Brooks, J.L., Shaw, H.J. Birefringent-fiber polarization coupler 85—2022
Youngquist, R.C., Wentworth, R.H., Fesler, K.A. Selective interferometric sensing by the use of coherence synthesis 88—16126
Youngquist, R.C. *see* Black, R.J. 87—18612
Youngquist, R.C. *see* Boughton, R.J. 87—38778
Youngquist, R.C. *see* Brooks, J.L. 86—22117
Youngquist, R.C. *see* Franks, R.B. 86—48186, 87—26034, 87—46503
Youngquist, R.C. *see* Kreit, D. 87—25928, 87—34552, 88—33687
Youngquist, R.C. *see* Markatos, S. 88—33686
Youngquist, R.C. *see* Risk, W.P. 85—2110, 85—24289, 86—2891
Youngquist, R.C. *see* Sakai, I. 86—36187
Youngs, F.L. *see* Hingorani, N.G. 86—12409
Youngs, G. Speeding the simulation of circuits containing VLSI chips 87—38412
Youngsheng Dai *see* Dai Youngsheng
Youngwu Zeng *see* Zeng Youngwu
Youngzhu Liu *see* Liu Youngzhu
Younis, A.T., Massara, R.E. On the design of optimal switched capacitor filters based on the use of lossy frequency-dependent negative resistance (FDNR) prototype structures 88—50254
Younis, F., Faure, A. Automated identification of the defects of the immersed solid surface 87—77153
Younis, F.A. *see* Boella, G. 86—50371
Younkin, B. *see* Gudzinowicz, B.J. 85—3828
Younkin, G.W. Industrial drive systems—update '87 88—24206
Younkins, C.D. *see* Schafft, H.A. 85—6868
Younkins, T.D., Chow, J.H., Brower, A.S., Kure-Jensen, J., Wagner, J.B. Fast valving with reheat and straight condensing steam turbines 87—57911
Younkins, T.D. *see* Brower, A.S. 85—9760
Younkins, T.D. *see* Hara, T. 88—30445
Younkins, T.D. *see* Javid, S.H. 85—60100
Younquist, R.C. *see* Farhadiroushan, M. 88—16136
Younse, J.M. Motion detection using the statistical properties of a video image 87—47960
Younse, J.M., Gove, R.J., Penz, P.A., Russell, D.E. Wide dynamic range CCD camera 85—58573
Youpin He *see* He Youpin
Your, T.R. *see* Cheng, H.C. 85—33460
Youren Xu *see* Xu Youren
Yourong Huang *see* Huang Yourong
Yourtee, J.B. *see* Wadhwa, L.H. 88—38280
Yous, B., Chafik El Idrissi, M., Donnadieu, A. Chemically vapour-deposited tungsten compounds for photothermal converter layers 86—26323
Yousaf, M. *see* Druhl, K.J. 86—63867
Yousef, N. *see* Blahnik, C. 85—65075
Youseff, M.G. *see* Yamanaka, T. 87—9105
Youshen Lin *see* Lin Youshen
Yousheng Shi *see* Shi Yousheng
Yousif, W.S., Evans, D.J. The modified alternating group explicit (MAGE) algorithm for solving tridiagonal linear equations 88—323
Yousif, W.S., Evans, D.J. Application of the AGE algorithm to the SLOR and ADI methods 88—352
Yousif, W.S. *see* Evans, D.J. 86—19979, 87—73021, 88—56194
Youssef, A.-B.M., El Tawil, M.A. Scattering of ultrasound from tissues for pathology characterization as a step for hyperthermic treatment of cancer using computer simulation 86—32358
Youssef, A.-B.M., El Tawil, M.A., Assal, H.M. Ultrasound assessment of tissue parameters for cancer treatment by radiotherapy using computer simulation 86—32361
Youssef, A.-B.M. *see* Assal, H.M. 86—32360
Youssef, E.S.A. *see* Mandour, I.A. 85—13131
Youssef, F.M.H. *see* Eish, T.D. 86—47885, 87—15295, 88—71857
Youssef, H. *see* Shragowitz, E. 88—49975
Youssef, H.A., Elhofy, H.A. Computer simulation towards a feed function for EC broaching of electrolytically drilled holes 87—72637
Youssef, H.A. *see* Hashish, M.A. 88—37622
Youssef, H.K., Abdel Aziz, M.M., Hackam, R. Steady state temperature distribution of high voltage bushings—analysis and measurements 88—10896
Youssef, H.K., Abdel Aziz, M.M., Hackam, R. Steady state temperature distribution of high voltage bushings—analysis and measurements 88—55051

Youssef, H.K., Hackam, R. Computerized thermal analysis of high voltage bushings 88—23541
Youssef, H.K., Hackam, R. Dynamic solution of distribution planning in intermediate time range 88—48520
Youssef, H.K., Hackam, R., Abu-El-Magd, M.A. Novel optimization model for long range distribution planning 86—18805
Youssef, M. *see* Sauvagerd, U. 87—47815
Youssef, M.M. *see* El-Sharkway, M.A. 87—45855
Youssef, M.N. *see* Burstein, M. 86—21771
Youssef, M.Z. Uncertainties in radiation damage limits of S/C magnets arising from uncertainties in nuclear data 88—65102
Youssef, R.D. *see* Badawy, E.H. 87—71520
Youssef, S. *see* Adams, M.R. 85—64467
Youssef, Y.M. Automatic diagnosis of X-ray images 86—32309
Youssefzaheh, E. VSATs provide a quick and economical way to create a highly sophisticated datacomm network 87—48968
Yousuf, N., Chang, K.-H. An expert system for incorporating design for testability in programmable logic arrays 88—63644
Youvan, D.C., Lickerman, E.D., Yang, M.M. Spectroscopy on a MAC 88—22485
Youwang Shen *see* Shen Youwang
Youwei Liu *see* Liu Youwei
Youwei Yang *see* Yang Youwei
Youwei Zhou *see* Zhou Youwei
Youwen Zhang, Aiqun Guo A theoretical and experimental investigation of the real-time pseudocolor encoding system 85—57437
Youwen Zhang *see* Zhang Youwen
Youxi Gui *see* Gui Youxi
Youxian Wei *see* Wei Youxian
Youxiang Wang *see* Wang Youxiang
Youxin Zhu *see* Zhu Youxin
Youyang Lin *see* Lin Youyang
Youyi Zhang *see* Zhang Youyi
Youyu Wu *see* Wu Youyu
Youyu Zhang *see* Zhang Youyu
Youyuan Zhao *see* Zhao Youyuan
Yovanovich, M.M. *see* Culham, J.R. 87—45380
Yovanovitch, D. *see* Blair, R. 85—15110
Yow, L. *see* Rezek, E.A. 86—29010, 87—75127
Yoxtheimer, T.L. Developing video courseware—a starting point 87—23225
Yoxtheimer, T.L. Utilizing short writing assignments in technical courses 87—31207
Yoyama, N. Features of wire drum type liquid level gauge in LNG tank 86—31382
Yoyoda, H., Sugai, H., Yoshida, A., Okuda, T. Formation and process of hydrogenated amorphous silicon by ion flux control 87—5459
Yoyotte, J.C. *see* Duchemin, S. 88—17994
Yozawa, K. *see* Kasahara, M. 85—42112
Yozawa, K. *see* Ishikawa, H. 86—54736
Yozi, K. *see* Nakahara, K. 87—30254
Ypiuo Chi *see* Chi Ypiuo
Ypma, T.J. Convergence of Newton-like-iterative methods 85—22376
Ypma, T.J. Relaxed Newton-like methods for stiff differential systems 87—216
Ypsilantis, T. Detectors 87—41823
Ypsilantis, T. *see* Arnold, R. 87—29443, 88—68234 to 68235
Ypsilantis, T. *see* Peskov, V. 88—54409
Yserentant, H. Hierarchical bases in the numerical solution of parabolic problems 88—24683
Ytrehus, O. *see* Dodunekov, S.M. 88—27780
Ytreoy, A.M. *see* Williams, D.A. 86—65964
Ytterbergh, C. *see* Mostrom, U. 87—41927
Ytterboe, S.N. *see* Friedman, L.J. 86—36102
Ytterboe, S.N. *see* Wennberg, A.K.M. 87—6432
Yturralde, W. *see* Castaneda, J. 85—4981
Yu, A., Atwood, J.W., Radhakrishnan, T. Enhancing a local area network for internetworking 88—15166
Yu, A. *see* Jiang, S. 85—20861
Yu, A. *see* Phillips, B. 87—59636, 87—66077, 87—73492
Yu, A.J. *see* Allen, L.H. 87—66979
Yu, A.S., Kukreti, B.M. Experience on environmental qualification of safety-related components for Darlington Nuclear Generating Station 88—37006
Yu, A.W., Agrawal, G.P., Roy, R. Noise propagation from pump to secondary lasers 88—2186
Yu, A.W., Zhu, S.L., Roy, R. Variable transmission output coupler and tuner for ring laser systems 86—15744
Yu, A.W. *see* Roy, R. 86—22340
Yu, A.Y.C. *see* Myers, G.J. 87—24244
Yu, B. *see* Chang, K. 88—25514
Yu, B.C., Chung S. Liu, Mawfang Lee, Chung Y. Chen, Chiang, B.N. A nonlinear digital filter for cardiac QRS complex detection 86—25237
Yu, B.C., Kao, T. Quantitative analysis of late potentials from the body surface QRS in patients with VT and patients with cardiac myopathy 88—36493
Yu, B.C. *see* Liu, C. 86—56155
Yu, C., Hemmatian, M.A., Niczad, A., Taghipoor, Y. A systematic study of the effect of hooking upon contact on the performance of electrolytically etched point contact MOM diodes 86—35101
Yu, C., Rusck, S., Vlastos, A.E., Alvinsson, R. The influence of surface shape of disc-type spacers on the impulse flashover in compressed SF_6 86—68058
Yu, C., Sabzali, A., Yekrangian, A. Guided transmission for 10 μm tunable lasers 87—74785
Yu, C. *see* Ding, H. 87—27513
Yu, C.-L. *see* Tsai, H.-H. 86—35760
Yu, C.C.W. *see* Alavi, M. 87—53468
Yu, C.F., Schmidt, M.T., Podlesnik, D.V., Osgood, R.M., Jr. Wavelength dependence of optically induced oxidation of GaAs(100) 88—19810
Yu, C.F., Schmidt, M.T., Podlesnik, D.V., Osgood, R.M. Optically-induced, room-temperature oxidation of gallium arsenide 88—39235
Yu, C.F. *see* Holber, W. 88—39197
Yu, C.F. *see* Schmidt, M.T. 88—64321
Yu, C.F. *see* Todorov, S.S. 87—45805
Yu, C.H. *see* Negahdaripour, S. 88—73332
Yu, D., Chen, X. A new optimal method for design centering of active filters 86—62714
Yu, D., Han, K.S. Self-inductance of air-core circular coils with rectangular cross section 88—25591
Yu, D.B. *see* Lucas, N.J.D. 87—64141
Yu, D.C., Chen, S.T. Node reordering and matrix partial refactorization study [power systems] 88—48423
Yu, D.C., Fagan, J.E. An optimal reactive flow model—by linear and separable techniques 87—30086
Yu, D.C., Fagan, J.E., Foote, B., Aly, A.A. An optimal load flow study by the generalized reduced gradient approach 86—38999
Yu, D.X. *see* Zumberge, M. 88—65261
Yu, D.Y., Kondo, T., Ohyama, N., Honda, T., Tsujiuchi, J. A holographic testing of gear tooth surface 88—40416
Yu, E.T., McGill, T.C. III-V/II-VI double-barrier resonant tunneling structures 88—64278
Yu, F. *see* Bhushan, M. 87—74577
Yu, F.S. Architecture of co-processor transit switch 86—49368
Yu, F.T.S. Color image recognition by spectral-spatial matched filtering 85—25168
Yu, F.T.S. A low-cost high quality white-light pseudocolor encoder for scientific imaging 86—10267
Yu, F.T.S. Garden of white-light optical signal processing 87—62228
Yu, F.T.S. White-light optical signal processing and its applications 88—8840
Yu, F.T.S. Coherent and incoherent optical processing architectures 88—8858
Yu, F.T.S. White-light color holography and its applications 88—40408
Yu, F.T.S., Cao, M.F. Digital-optical matrix multiplication with magneto-optic spatial light modulators 88—8004
Yu, F.T.S., Cao, M.F. Digital optical matrix multiplication based on a systolic outer-product method 88—26914
Yu, F.T.S., Cao, M.F., Lu, T.W. A hybrid optical system for linear transformation processing 87—55302
Yu, F.T.S., Cao, M.F., Lu, X.J. Real-time programmable image subtractor using a magnetooptic device 87—12272
Yu, F.T.S., Cao, M.F., Zhou, Q.H. An automatic real-time optical pattern recognition system 87—38879
Yu, F.T.S., Chen, X.X. Solar optical processing 85—13605
Yu, F.T.S., Chen, X.X. A low-cost high quality white-light pseudocolor encoder for scientific imaging 85—57436
Yu, F.T.S., Chen, X.X. A microcomputer controllable optical pseudocolor encoder for medical imaging 88—10341
Yu, F.T.S., Chen, X.X., Zhuang, S.L. Progress report on archival storage of color films utilizing a white-light processing technique 85—36362
Yu, F.T.S., Fu-Kuo Hsu Complex signal detection with broad spectral band processing 85—57458
Yu, F.T.S., Gerhart, G. White-light transmission color holographic imaging 85—12988
Yu, F.T.S., Gerhart, G. White light transmission color holography: a review 86—3357
Yu, F.T.S., Hsu, F.K. White-light Fourier holography 85—29949
Yu, F.T.S., Hsu, F.K. White-light Fourier holography 86—10004
Yu, F.T.S., Javidi, B. Experiments on real-time polychromatic signal detection by matched-spatial filtering 86—29999
Yu, F.T.S., Jutamulia, S. Application of white-light processing to interferometric studies 87—61262
Yu, F.T.S., Jutamulia, S. Implementation of symbolic substitution logic using optical associative memories 87—68633
Yu, F.T.S., Jutamulia, S., Gregory, D.A. Real-time liquid crystal TV XOR- and XNOR-gate binary image subtraction technique 87—74874
Yu, F.T.S., Jutamulia, S., Gregory, D.A. Optical parallel logic gates using inexpensive liquid-crystal televisions 88—20470
Yu, F.T.S., Jutamulia, S., Gregory, D.A. Application of inexpensive liquid crystal TV to optical parallel logic 88—58304
Yu, F.T.S., Jutamulia, S., Huang, X.L. Experimental application of low-cost liquid crystal TV to white-light optical signal processing 87—18764
Yu, F.T.S., Jutamulia, S., Lin, T.W. Adaptive real-time pattern recognition using a liquid crystal TV based joint transform correlator 87—54121
Yu, F.T.S., Jutamulia, S., Lin, T.W. Real-time polychromatic signal detection using a color liquid crystal television 87—60986
Yu, F.T.S., Jutamulia, S., Lin, T.W., Huang, X.L. Real-time pseudocolour-encoding using a low-cost liquid crystal television 87—38875
Yu, F.T.S., Jutamulia, S., Lu, T. Optical parallel logic based on magneto-optic spatial light modulator 87—74886
Yu, F.T.S., Lin, T.W., Xu, K.B. White-light optical speech spectrogram generation 85—36206
Yu, F.T.S., Lu, X.J. Real-time optical scanning correlator 85—2868
Yu, F.T.S., Lu, X.J. A real-time programmable joint transform correlator 85—13608
Yu, F.T.S., Lu, X.J. Large-capacity real-time spatial-spectral scanning optical correlator 86—38295
Yu, F.T.S., Lu, X.J., Cao, M.F. White-light optical signal processing with a programmable magneto-optic device 86—15529
Yu, F.T.S., Lu, X.J., Ludman, J.E. A real-time joint transform correlator utilizing a programmable magneto-optic spatial light modulator with a liquid crystal light valve 85—57448
Yu, F.T.S., Lu, X.J., Suzuki, Y., Wu, M. Microchannel spatial light modulator with white light processing 87—74859
Yu, F.T.S., Lu, X.J., Suzuki, Y., Wu, M. Color optical processing using a microchannel spatial light modulator under white light 88—46205
Yu, F.T.S., Ludman, J.E. Microcomputer-based programmable optical correlator for automatic pattern recognition and identification 86—59336
Yu, F.T.S., Mueller, H.M. A low-cost white-light optical processor for the undergraduate optics laboratory 86—3972
Yu, F.T.S., Nagata, T., Javidi, B. Optical architecture of acousto-optic cell real-time correlation 88—42014
Yu, F.T.S., Qi Wang Song, Xiaojing Lu Operating characteristics and applications of a microchannel spatial light modulator under white-light illumination 87—74854
Yu, F.T.S., Shaik, K.S., Zhuang, S.L. Noise performance of a white-light optical signal processor. II. Spatially partially coherent illumination 85—19494
Yu, F.T.S., Shung, K.K., Chen, X.-X. A white-light pseudocolor encoder for diagnostic imaging 85—48240
Yu, F.T.S., Song, Q.W., Lu, X.J. Implementation of Boolean logic gates using a microchannel spatial light modulator with liquid-crystal televisions 88—13986
Yu, F.T.S., Xiaojing Lu, Cao, M. Application of a magnetooptic spatial light modulator to white-light optical processing 85—12672
Yu, F.T.S., Zheng, L.-N., Fu-Kuo Hsu Measurement of noise performance for a white-light optical signal processor 85—26487
Yu, F.T.S., Zheng, L.N., Lin, T.W. Concept of holographic tomography as applied to three dimensional object fields 86—3320
Yu, F.T.S., Zheng, L.N., Lin, T.W. Holographic tomography in determining the structure of three dimensional object fields 86—58983
Yu, F.T.S. *see* Dymek, M.S. 88—27993
Yu, F.T.S. *see* Gheen, G. 87—2586
Yu, F.T.S. *see* Javidi, B. 86—48964, 86—69106, 88—34778
Yu, F.T.S. *see* Jin, Y. 88—20468
Yu, F.T.S. *see* Jutamulia, S. 88—2068
Yu, F.T.S. *see* Lu, X.J. 87—75869
Yu, F.T.S. *see* Ludman, J.E. 85—13588
Yu, F.T.S. *see* Song, Q.W. 88—45250
Yu, G. Offset-amplitude variation and controlled-amplitude processing 86—32510
Yu, G. *see* Nakaoka, M. 88—49050, 88—69554
Yu, G.P. *see* Jer-Cherng Kang 88—23691
Yu, G.Y. *see* Newhouse, V.L. 88—59180
Yu, H.J. *see* Sung, T.Y. 87—19795
Yu, H.N. *see* Arienzo, M. 85—29197
Yu, H.N. *see* Chao, H.H. 87—10904, 87—60641
Yu, H.N. *see* Ong, S. 87—17152
Yu, I. *see* Suh, B.J. 87—53919
Yu, I.H., Chen, M.S., Liang, C.C., Lun, C.T. The dynamic operation characteristics of Taiwan Power Company 85—4748
Yu, J. How to deliver a successful lecture in China 86—61879
Yu, J., Hung, J.C. The stability of Kalman filter in inertial navigation systems 86—69098
Yu, J., Liu, Z., Wu, Z. Reversible NDR two-ports 86—57534
Yu, J., Mok, F., Psaltis, D. Capacity of optical correlators 88—59267
Yu, J., Shen, F., Yu, Y., Han, M. A novel multifunctional integrated NDR device 87—66366
Yu, J., Zhang, C., Kang, Z. Controlled negative resistance devices 85—22617

Yu, J. *see* Chua, L.O. 85−23068
Yu, J. *see* Hong, J. 88−26905
Yu, J. *see* Liu, Z. 86−66982
Yu, J. *see* Marrakchi, A. 85−12983, 85−35921
Yu, J. *see* Psaltis, D. 85−12982, 86−15532
Yu, J. *see* Song, Z. 86−25093
Yu, J. *see* Xu, J. 88−38374
Yu, J. *see* Zhang, H.K. 85−40554
Yu, J.C. *see* Chen, C.-W. 87−66166
Yu, J.C. *see* Fuchs, E.A. 88−68063
Yu, J.S. *see* Rudduck, R.C. 86−48666, 87−54654
Yu, J.S. *see* Williams, J.W. 86−36786
Yu, J.Z., Iwai, S., Aoyagi, Y., Toyoda, K., Namba, S. Growth and doping characteristics of $Al_xGa_{1-x}As$ grown by LPE at 780°C 85−10725
Yu, K. Signal representation and processing in the mixed time-frequency domain 87−62019
Yu, K., Sistanizadeh, M.K. Complex deconvolution in non-coherent radar system 87−27440
Yu, K. *see* Sistanizadeh, M.K. 87−27441
Yu, K. *see* Yuan, S. 87−19848
Yu, K.-B., Cheng, S. Signal synthesis from pseudo-Wigner distribution and applications 87−75797
Yu, K.-B. *see* Bikdash, M. 88−52490
Yu, K.-B. *see* Li, G. 88−66551
Yu, K.-B. *see* Li Gang 88−53332
Yu, K.-B. *see* Qian, J. 87−27653
Yu, K.-B. *see* Rahman, M.A. 87−19812, 88−8733
Yu, K.-B. *see* Sistanizadeh, M.K. 87−75952
Yu, K.-S. *see* Mar, J. 88−13480
Yu, K.H. *see* Jannson, J. 87−19103
Yu, K.K. *see* Schellenberg, J.M. 87−73738
Yu, K.L., Lin, S.C., Li, K.K. High frequency modulation of superluminescence diodes (SLD) 87−33203
Yu, K.L. *see* Chen, T.R. 85−2278
Yu, K.L. *see* Li, K.K. 85−29810
Yu, K.M., Walukiewicz, W., Jaklevic, J.M., Haller, E.E., Sands, T. Effects of interface reactions on electrical characteristics of metal-GaAs contacts 87−66978
Yu, K.S. *see* Mar, J. 87−38463
Yu, L., Beck, R.T., Bottrell, G.W., Wong, K.N. Fault contributions of electrical machines in industrial systems 85−15597
Yu, L., Denbrock, F.A. Computer modeling of complex multiconductor high voltage transmission systems 88−68993
Yu, L., Kwong, K. Characteristics of induction conveyor motors in the generating mode 86−33747
Yu, L. *see* Beck, R.T. 88−17192
Yu, L.-H. *see* Wang, J.-M. 87−2206
Yu, L.H. Generation of intense coherent soft X-ray with electron microbunches induced and frozen by lasers 85−2182
Yu, L.H., Krinsky, S. Transverse correlations in start-up of a free electron laser from noise 87−12513
Yu, L.H., Nawrocky, R.J., Galayda, J. Studies of positional stability of the electron beam in the NSLS storage ring 86−32063
Yu, L.H. *see* Krinsky, S. 87−54355
Yu, L.H. *see* Nawrocky, R.J. 86−31765, 88−47814, 88−47853
Yu, L.P. The anatomy of a distributed electronic mail network 85−36636
Yu, L.S., Berry, C.J., Drake, R.E., Li, K., Patt, R., Radparvar, M., Whiteley, S.R., Faris, S.M. An all-niobium eight level process for small and medium scale applications 87−67887
Yu, L.S. *see* Radparvar, M. 87−67888
Yu, L.Y. *see* Bottrell, G.W. 88−62530
Yu, L.Z. *see* Moroni, A. 85−4236
Yu, M., Kubitz, W.J. Characterization of an automatic random logic layout synthesizer 87−38448
Yu, M.-C., Hanson, D.F., Butler, C.M. Numerical solutions of TM-scattering from generally-directed and TE-scattering from radially-directed multiple strips in the presence of a circular conducting cylinder 88−2538
Yu, M.-L. A new floorplan representation for VLSI design 87−60597
Yu, M.-L. Fork—a floorplanning expert for custom VLSI design 88−24923
Yu, M.A. *see* Jackson, C.M. 88−71099
Yu, M.H., Hall, D.B. Low loss fiber ring resonator 85−24291
Yu, M.H., Hall, D.B. Fiber ring resonator 85−35404
Yu, M.H., Meyer, M.P. Closed-form solution of a recursive tracking filter with a priori velocity initialization 85−52387
Yu, M.H. *see* Hall, D.B. 85−24286
Yu, M.H. *see* Sorin, W.V. 86−9899
Yu, M.L., Kubitz, W.J., Yip, P.K. Simulation/verification and database support for a cell synthesis system 85−40060
Yu, M.L., Vitkavage, D.J., Meyerson, B.S. Doping reaction of PH_3 and B_2H_6 with Si(100) 86−58228
Yu, M.L. *see* Meyerson, B.S. 85−10819
Yu, M.Y. *see* Shivarova, A. 86−36737
Yu, O. Design and construction of the Qinshan nuclear power plant 86−6537
Yu, O. *see* Faruqui, A. 86−25530
Yu, O. *see* Squitieri, R. 87−57596
Yu, O. *see* Wang, J.-L. 88−61845
Yu, P. *see* Bergman, L. 87−18235
Yu, P. *see* Bergman, L.A. 87−25571
Yu, P. *see* Lo, Y.H. 88−38200
Yu, P.C. *see* Lampert, C.M. 87−18579
Yu, P.K. *see* Li, K.K. 88−26984
Yu, P.K.L., Bradley, E., Mathis, R.F. Surface emitting lasers for optical circuitry—optical interconnect technology 88−72327
Yu, P.K.L., Lin, S.C., Li, K.K. Numerical studies of longitudinal distribution of gain and photon density profiles in laser diodes 87−68531
Yu, P.K.L. *see* Bradley, E. 87−68200, 88−51557
Yu, P.K.L. *see* Chen, W.X. 87−1281
Yu, P.K.L. *see* Fan, C. 86−68402, 87−56129, 87−73676, 88−51707
Yu, P.K.L. *see* Giorgi, D. 88−33142
Yu, P.K.L. *see* Lin, S.C. 88−13937, 88−26889
Yu, P.K.L. *see* Shi, S.L. 86−63825
Yu, P.K.L. *see* Wu, W.H. 87−38956
Yu, P.S., Krishna, C.M., Lee, Y.-H. VLSI circuit testing using an adaptive optimization model 87−67449
Yu, P.S., Krishna, C.M., Lee, Y.-H. Optimal design and sequential analysis of VLSI testing strategy 88−33293
Yu, P.W., Reynolds, D.C., Bajaj, K.K., Litton, C.W., Singh, J., Peng, C.K., Henderson, T., Morkoc, H. Photovoltaic spectra of undoped GaAs-$Al_{0.25}Ga_{0.75}As$ multiple quantum well structures: correlation with photoluminescence 86−47355
Yu, P.W., Sanders, G.D., Reynolds, D.C., Bajaj, K.K., Litton, C.W., Klem, J., Huang, D., Morkoc, H. Determination of transition energies and oscillator strengths in GaAs-$Al_xGa_{1-x}As$ multiple quantum wells using photovoltage-induced photocurrent spectroscopy 87−66947
Yu, P.W. *see* Bajaj, K.K. 87−74088
Yu, P.W. *see* Klem, J. 86−8826
Yu, P.W. *see* Litton, C.W. 88−414
Yu, P.W. *see* Look, D.C. 87−11346, 87−37892
Yu, P.W. *see* Reynolds, D.C. 85−23499, 85−45424, 86−42415
Yu, P.Y. *see* Erskine, D. 87−35169
Yu, P.Y. *see* Huang, Y. 88−31733
Yu, P.Y. *see* Ma, R.-L. 86−3275
Yu, Q., Wing, O. PLMAP—a piecewise linear MOS circuit analysis program 85−18482
Yu, Q., Wing, O. Waveform bounds of nonlinear RC trees 85−22619
Yu, Q., Wing, O. Interval-graph-based PLA folding 85−49825
Yu, Q., Wing, O. Interval-graph-based PLA folding 86−62575
Yu, Q. *see* Huang, Z.H. 87−48178
Yu, Q. *see* Liu, S. 88−68819
Yu, Q. *see* Wyatt, J.L., Jr. 85−40941
Yu, Q.X. *see* Luo, X. 88−20533
Yu, R., Kimura, M. Speaker-independent vowel recognition based on a mutual relational model of vowels 87−19438
Yu, R., Kimura, M. A relaxation technique for seeking optimal vowel candidate sequence 87−27311
Yu, R. *see* Zommer, N. 87−46040
Yu, R.J., Pelley, P.H. Dual amplifier high resolution CMOS sensing 88−32209
Yu, S., Bao, L., Lang, J. Optimal planning and/or dispatching reactive power for improvement in transfer capability and in voltage profiles 88−68856
Yu, S., Wan, S. Application of SVS to improve transmission capacity 88−68747
Yu, S., Zhang, E., Chen, L. The thermal analysis of chloride-antimony trioxide flame retardant system 86−70690
Yu, S. *see* Culik, K., II 86−27263
Yu, S. *see* Eppley, K. 86−32011, 88−19619
Yu, S. *see* Park, H. 87−25249
Yu, S. *see* Salomaa, A. 87−61586
Yu, S. *see* Shepherd, G.W. 88−74974
Yu, S.L., Liu, H.L., Li, G.L. A proposed digital multiplex sound system for teletext 85−3111
Yu, S.L. *see* Hill, R.J. 88−55696
Yu, S.S. Physics of relativistic klystrons 88−16582
Yu, S.S., Sharp, W.M., Fawley, W.M., Scharlemann, E.T., Sessler, A.M., Sternbach, E.J. Waveguide suppression of the free electron laser sideband instability 87−75157
Yu, S.S., Wilson, P., Drobot, A. Two and one-half dimension particle-in-cell simulation of high-power klystrons 86−32016
Yu, S.S. *see* Fawley, W.M. 87−41668
Yu, S.S. *see* Kheifets, S.A. 85−50144
Yu, S.S. *see* Masud, J. 87−33222
Yu, S.S. *see* Sessler, A.M. 87−63581
Yu, S.S. *see* Teague, M.R. 86−32070
Yu, T. *see* Haas, D.R. 86−24538
Yu, T. *see* Mitra, S.K. 87−27652
Yu, T. *see* Wu, Y. 88−45371
Yu, T. *see* Zhao, W. 88−68899
Yu, T.-H. *see* Saramaki, T. 87−73551
Yu, T.-K., Kang, S.M., Hajj, I.N., Trick, T.N. Statistical performance modeling and parametric yield estimation of MOS VLSI 88−13596
Yu, T.-U., Colver, G.M. Spark breakdown of particulate clouds: a new testing device 85−29377
Yu, T.H., Mitra, S.K. A new two-dimensional window 86−10363
Yu, T.H. *see* Saramaki, T. 86−67430
Yu, T.K., Kang, S.M., Hajj, I.N., Trick, T.H. Statistical modeling of VLSI circuit performances 87−38560
Yu, T.L. An undergraduate hardware project: controlling a smart robot by breadboard circuitry 88−70039
Yu, T.U., Colver, G.M. Spark breakdown of particulate clouds: a new testing device 87−38603
Yu, W., Bahk, H.G., Kang, S.Y., Lee, H. TDX-1 digital switching system 85−52198
Yu, W., Kang, S.Y., Lee, K.W. TDX-1: a distributed system architecture for high throughput telephone switching 87−48806
Yu, W., Lee, Y.G., Kang, S.Y., Kim, Y.S., Yoon, B.N., Lee, Y.K., Lee, J.S. A distributed control architecture for TDX-10 digital switching system 88−28611
Yu, W., Majithia, J.C., Wong, J.W. Distributed routing algorithm for a circuit packet switching network 85−13666
Yu, W., Majithia, J.C., Wong, J.W. Performance of a trunk frame organisation for circuit/packet switching network 86−23185
Yu, W.S., Ho, N.C. Case study: design of an FMS for producing TV tuners 86−26623
Yu, W.S. *see* Ludewig, H. 85−43751
Yu, W.Y. *see* Hsu, T.Y. 88−51560
Yu, X.-H., He, Z.-Y. A modified Yule-Walker equations method for harmonic analysis in unknown colored noise 87−62082
Yu, X.-H., He, Z.-Y. Efficient block implementation of exact sequential least-squares problems 88−34660
Yu, X.-H., He, Z.-Y. Efficient block implementation of exact sequential least-squares problems 88−66571
Yu, X.-H. *see* He, Z.-Y. 88−73085
Yu, Y., Jin, J. On site testing of partial discharges in HV instrument transformers 86−70965
Yu, Y. *see* Chua, L.O. 85−23068
Yu, Y. *see* Du, H. 87−8814
Yu, Y. *see* Majumdar, G. 87−52376
Yu, Y. *see* Post, M.J. 87−56018
Yu, Y. *see* Yu, J. 87−66366
Yu, Y. *see* Zhao, Y. 86−6001
Yu, Y.-C.S. *see* Yamaguchi, T. 88−64746
Yu, Y.-S. *see* Yamaguchi, T. 88−64750
Yu, Y.-X., Huang, C.-h., Feng, F. Reactive power steady state security region—analysis and computer power system computer control 88−68811
Yu, Y.-X. *see* Wu, F.F. 88−54848
Yu, Y.H. *see* Becker, F. 85−51716
Yu, Y.H. *see* Kittleson, J.K. 86−31713
Yu, Y.J. *see* van der Ziel, A. 87−26197
Yu, Y.L., Murray, N.M.F. A comparison of concentric needle electromyography, quantitative EMG and single fibre EMG in the diagnosis of neuromuscular diseases 85−4331
Yu, Y.N., Lim, C.M., Elangovan, S. Direct power system stabiliser design for optimal performance of multimachine systems 87−71583
Yu, Z., Dutton, R.W. Gummel plot nonlinearities in polysilicon emitter transistors—including negative differential resistance behavior 86−21510
Yu, Z., Dutton, R.W., Vanzi, M. An extension to Newton's method in device simulators—on an efficient algorithm to evaluate small-signal parameters and to predict initial guess 87−25189
Yu, Z., Moore, C.A., Collins, G.J. The use of electron and laser beams in processing microelectronic films 88−1477
Yu, Z., Zhao, X. A semi-analytical approach to the evaluation of threshold voltage in depletion MOS's with nonuniformly doped substrates 88−64566
Yu, Z. *see* Shen, Z. 87−23109
YU, Z. *see* Yang, J. 86−8778
Yu, Z.-S., Yan, L.-W. The first long distance HVDC transmission project in China 86−12431
Yu, Z.P. Some new GIC circuits of high Q and high frequency 86−67325
Yu, Z.Q. *see* Sun, D.C. 87−60226
Yu Bao Cheng *see* Bao Cheng Yu
Yu Bi A polarographic oxygen surface electrode for measuring high pO_2 values 87−8891
Yu Bo Parallel algorithm for real power economic dispatch in power systems 88−61808
Yu Boliang *see* Wang Zhenxi 88−64913
Yu Changhai, Wang Lijun X-ray microchannel plate image intensifier 85−61645
Yu Changming, Zhang Jian A numerical method for calculating temperature rise at the hottest point in large modern transformers 86−61558
Yu Chong San *see* Chong San Yu
Yu Chuang Lian *see* Chuang Lian Yu
Yu Chul-Ro *see* Chul-Ro Yu
Yu Chun Hai *see* Ma Ji Liang 86−7624
Yu Chung *see* Chung Yu
Yu Chunlian *see* Wang Pengfei 86−9775

Yu Chunlian *see* Zhang Fugeng 88—65788
Yu Dao-heng Optimal design for electronic circuit parameters by using orthogonal array method 88—38319
Yu Daoheng Quantitative qualitative effective fuzzy information (QQEFI) 86—3712
Yu Daoheng *see* Zhu Zhaoxuan 88—25045
Yu De-hao *see* De-hao Yu
Yu Dehui *see* Zong Jieli 88—19170
Yu Deming, Luo Weiming, Shi Yaling, Wang Weiyi, Xu Jianyun, Tang Chunming, Gong Huanming Three colour display of high density information 86—70022
Yu Dongxiao *see* Yan Yingbai 88—40396
Yu Dun *see* Wang Gui-hua 87—56894
Yu Dun *see* Wang Guihua 88—60668 to 60669
Yu Er-Keng *see* Fur Shu-Ti 86—12308
Yu Erkeng, Bai Xiaoming Network flow programming and its applications to power system economic dispatching. II 88—54879
Yu Erkeng, Bai Xiaoming Network flow programming and its applications to power system economic dispatch. I 88—61805
Yu Erkeng, Cui Zhi, Yang Qiuheng, Qiu Xushi, Dai Wei, Hu Xiang The application and practice of on-line state estimation in Hubei power system 87—50678
Yu Erkeng, Zhao Guohong, Wang Shiying, Xiang Niande Comparison of the computing methods of loss formula coefficient on power system economic dispatch 86—39047
Yu Erkeng, Zhou Bixia, Wang Bei, Wu Yongxin Algorithm for power system load flow implemented by microcomputer 85—38482
Yu Erkeng *see* Bai Xiaomin 88—30310
Yu Erkeng *see* Fu Shuti 86—50858
Yu Erkeng *see* Xia Qing 86—39609
Yu Erkeng *see* Zhang Boming 87—35607, 87—64080, 87—71598
Yu Erkeng *see* Zheng Ximing 86—50862
Yu Fan *see* Fan Yu
Yu Feng Yu *see* Yu Yu Feng
Yu Fu *see* Fu Yu
Yu Fu-Chaw *see* Fu-Chaw Yu
Yu Fumin, Qi Zhiru Communications between IOP and HOST [C-NET interfacing] 85—25607
Yu Fumin *see* Chang Guiran 85—25486
Yu Gang How to design a low speed, high precision multichannel data acquisition board using a PC-1500 pocket calculator 88—26520
Yu Gang *see* Qi Guiyun 85—46310
Yu Gao *see* Gao Yu
Yu Gening *see* Leu, J.-G. 88—28126
Yu Ging-Shung *see* Ging-Shung Yu
Yu Gong, Cao Yuli, Qi Guiyun, Yu Shipeng, Han Yong Investigation on tunability of CO_2 waveguide lasers 86—15610
Yu Gong *see* Xie Bomin 85—12909
Yu Guang-hua *see* Hu You-qiu 85—26896
Yu Guei-zhen *see* Zong Xiang-fu 85—45380
Yu Guifang *see* Shen Hongyuan 87—18951, 87—26355
Yu Guifang *see* Guifang Yu
Yu Guo Yao *see* Guo Yao Yu
Yu Guoliang *see* Zin Zhijun 88—40050
Yu Hai Mao *see* Mao Yu Hai
Yu Hailiang *see* Wu Yixiong 85—39368
Yu Hen Hu Adaptive methods for real-time Pisarenko spectrum estimate 86—10401
Yu Hen Hu VLSI architecture for solving covariance eigen system 86—14285
Yu Hen Hu, Phan, B.C. Novel methods for harmonic frequency tracking 88—21252
Yu Hen Hu, Pin-Kuan Chou A novel method for solving extreme eigenvectors 86—62139
Yu Hen Hu, Sun-Yuan Kung Toeplitz eigensystem solver 86—23019
Yu Heng Zhao, Yi Xin Chen, Ming Li Zhang A study on characteristics of improved perpendicular recording write head with a large-scale head model 88—57953
Yu Heqing *see* Chen Dahua 88—37713
Yu Hesheng *see* Shen Xiong 85—15077
Yu Hok Si Liwo *see* Si Liwo Yu Hok
Yu Hong Chu *see* Haralick, R.M. 85—13620, 85—13623
Yu Hong-pei On the frequency proportional conversion of longitudinal transducer designing 88—26632
Yu Hong-xuan, Neumann, R. A real-time picture memory 85—47707
Yu Hongtao, Hong Xianlong A macro cell array automatic layout system and its placement algorithm 88—18847
Yu Hongtao *see* Hongtao Yu
Yu Hsou-Tao *see* Hsou-Tao Yu
Yu Hsu En *see* En Yu Hsu
Yu Hu *see* Hu Yu
Yu Huaiquan, Lu Zhinan Design and calculation of general optical fiber digital transmission system 85—63673
Yu Huei-li The Ar spectral estimate algorithm of cancelling noise effects 86—64232
Yu Hyun Kyu *see* Hyun Kyu Yu
Yu In-Keun *see* In-Keun Yu
Yu Jen-Shun *see* Jen-Shun Yu
Yu Ji *see* Hongo, K. 87—19279
Yu Jianhua, Gong Zhivei, Qiu Junlin A theoretical discharge model of SHCD copper ion lasers 85—46308
Yu Jiaqi *see* Jiaqi Yu
Yu Jin-Liang *see* Ristici, E. 88—34131
Yu Jin-Zhong *see* Jin-Zhong Yu
Yu Jinxiang A compact sputtering PIG ion source 87—3880
Yu Jinxiang *see* Song Zhizhong 87—50119
Yu Jinzhong, Iwai, S., Aoyagi, Y. Growth and doping characteristics of $Al_xGa_{1-x}As$ grown by LPE at 780°C 85—33417
Yu Jinzhong *see* Jinzhong Yu
Yu Jirong, Lu Zhongnan, Yang Zhengming, Zhong Yuan Surface analysis of the films for He-Ne laser mirrors 88—40281
Yu Jirong *see* Luo Zhongnan 88—20589
Yu Juexian *see* Qin Jiuchang 88—47756
Yu Jun-Da *see* Zhang Feng-Yan 86—20746
Yu Junhua, Sun Shangwen, Cheng Yongkang, Zhou Li, Ma Zuguang An optically pumped S_2 blue-green laser 88—65554
Yu Kai-Bor *see* Kai-Bor Yu
Yu Kai-Zhou Practical test system for bit slice 86—27180
Yu Keming, Fan Yuzhen Theoretical analysis of a high precision laser alignment instrument 86—68648
Yu Kin Man *see* Kin Man Yu
Yu Kuo-Tung *see* Kuo-Tung Yu
Yu Li *see* Li Yu
Yu Li Min *see* Min Yu Li
Yu Li-Hua *see* Li-Hua Yu
Yu Li-Sheng *see* Jiang Xiao-Song 87—24776
Yu Li-sheng *see* Li-sheng Yu
Yu Lin *see* Lin Yu
Yu Lisheng, Liu Hongxun, Chen Weixi, He Hui, Sun Yi, Wu Lei LPE growth of $Ga_xIn_{1-x}P$-GaAs 85—372
Yu Lisheng *see* Liu Hongxun 87—37879, 88—6448
Yu Liu, D.Kuan *see* Kuan Yu Liu, D.
Yu Mei *see* Mei Yu
Yu Mei-Yun *see* Song Wen-Bin 88—31714
Yu Meifang *see* Dia Ning 88—38142
Yu Meiqin On a new method for the rated capacity test of the small-type dehumidifiers 86—38622
Yu Meiwen *see* Xie Jinghui 88—34170
Yu Meiwen *see* Yun Gang 86—3329
Yu Meng-Lin *see* Meng-Lin Yu
Yu Min-Ren, Wang Hong-Chuan, Fang Zhi-Lie, Hou Xiao-Yuan, Wang Xun Electron stimulated adsorption study of oxygen on an InP clean surface 85—29134
Yu Ming-Shing *see* Ming-Shing Yu
Yu Mingren, Zhu Furong, Wang Xun, Wang Binqi, Shao Kai, Bu Jishan, Lei Chuanren An interfacial analysis of MoNb-GaAs Schottky barrier diodes 85—45446
Yu Mingren, Zhu Furong, Wang Xun, Wang Binqi, Shao Kai, Bu Jishan, Lei Chuanren An interfacial analysis of MoNb-GaAs Schottky barrier diodes 86—28258
Yu Naixun On the brightness of reconstructed images of reflected waves for a plane hologram 86—36595
Yu Ning *see* Ning Yu
Yu Pan-Shui *see* Gu Yi-Fan 87—57019
Yu Peinuo *see* Guan Xiongjun 88—11394
Yu Peter *see* Peter Yu
Yu Ping-Kong *see* Ping-Kong Yu
Yu Po Lung *see* Po Lung Yu
Yu Qihua, Xiao Xing Digital processing of thermal images in survey of tube transferring vapour 88—4676
Yu Qing *see* Zheng Jianchao 86—12485
Yu Qingchang Transport of an intense ion beam in accelerating tubes 88—68126
Yu Qingwen, Zhang Wu The communication protocol to abolish the collisions of messages in a common channel 86—43518
Yu Qingxu *see* Ci Weixin 85—18851
Yu Rong-Tarng *see* Rong-Tarng Yu
Yu Rongjin Review on integrated optics in China over the past decade and prospect for the future 85—62397
Yu Rongjin *see* Zheng Jianhe 85—46149
Yu Ruan *see* Zhiping Zhou 88—33593
Yu Shanfu, Chen Jiayu, Zhang Fuxin, Lin Zhongwen The engineering design method and experimental checking of diffraction radiation oscillator 88—38983
Yu Shanfu *see* Liu Shenggang 88—7259
Yu Shang, D.Jer *see* Jer Yu Shang, D.
Yu Shangzhi *see* Wu Yixiong 85—39368
Yu shangzhi *see* Zhu lianshen 86—66519
Yu Sheng Sun *see* Sun Yu Sheng
Yu Shipeng *see* Qi Guiyun 85—46310
Yu Shipeng *see* Yu Gong 86—15610
Yu Shirong *see* Li Ye 87—69779
Yu Shusheng, Du Longlong A large volume UV preionized TEA CO_2 laser containing Ar 88—58415
Yu Shusheng, Lou Qihong, Du Longlong Experimental study of UV preionization in CO_2 laser medium 88—40123
Yu Si-le, Li Hua An exploration of the developing strategy and study trend of TV systems of the coming generation 88—41820
Yu Si-le *see* Li Gui-ling 88—46522
Yu Si-le *see* Zhang Ji-sheng 87—62141
Yu Song *see* Song Yu
Yu Songhai *see* Lang Jiaqi 87—71580
Yu Songyu *see* Wu Shiguang 86—24411
Yu Sun *see* Sun Yu
Yu Tan-Hua *see* Tan-Hua Yu
Yu Teo Cheng *see* Teo Cheng Yu
Yu Tian-Hu *see* Tian-Hu Yu
Yu Tong *see* Wu Yi-zun 88—35463
Yu Tong *see* Wu Yizun 87—28557
Yu Tufa *see* Wang Fuchen 87—66559
Yu Tung-xia *see* Tung-xia Yu
Yu Wang, Leeb, W.R. Sensitivity analysis and performance optimization of an optical Costas phase-locked loop 87—49064
Yu Wang, Leeb, W.R. A 90° optical fiber hybrid for optimal signal power utilization 88—7846
Yu Wang *see* Wang, X.W. 88—71353
Yu Wang *see* Wang Yu
Yu Wei, Xu Zhi-zhan Higher-order harmonics emission in Co_2 laser irradiated targets 87—54214
Yu Wei, Xu Zhi-zhan Parameter choice for a laser beat-wave accelerator 88—10180
Yu Wei *see* Ming Zhang 87—77661
Yu Wei *see* Wei Yu
Yu Wen-jie *see* Long Ao 87—70767
Yu Wenyan *see* Tang Xianzhong 88—27251
Yu Xi-tong *see* Dai Dao-xuan 86—8796
Yu Xian-zhang, Zhu Zhong-lin A microcomputer-based follow-up system for cardiac pacemaker 87—8950
Yu Xianglin *see* Hou Hailin 88—68196
Yu Xiao Li, Lu Da Jin, Mao Yu Hai Performance studies of exact least squares ladder algorithm for automatic signal processing in radar system 85—47590
Yu Xiao-wei *see* Xu Lu-sheng 87—14848
Yu Xiao-yong, Wang Ru-yun, Zhu Hui A new method for circuits design centering—center random move 86—62330
Yu Xin-Chang, Zhang Tie-Yu, Zhang Wen-Xiang The modal analysis of the stator vibration of electric machines by signal processor 87—15677
Yu Xing *see* Shi Changxin 87—67552
Yu Xu *see* Xu Yu
Yu Xue-wu, Yan Bao-zong The pseudo-Bayes estimation method for extracting speech signals from noise 85—57287
Yu Yai-Nan *see* Yai-Nan Yu
Yu Yenshun Asynchronous operation analysis of power system after failure to maintain stability. I 86—56318
Yu Yeou-Chong Simon *see* Yeou-Chong Simon Yu
Yu Yi-biao, Yuan Bao-zhong Research of a Chinese speech understanding system BJD-I 88—40848
Yu Yi-Hua *see* Yi-Hua Yu
Yu Yinshan *see* Wang Huasheng 88—14083
Yu Yishuen *see* Dai Guocai 85—35585
Yu Yong *see* Yong Yu
Yu Young-June *see* Young-June Yu
Yu Yu Feng, Kozak, J. An approach to the interpolation of nonuniformly spaced data 88—70254
Yu Yu-wen *see* Yu-wen Yu
Yu Yuan *see* Yuan Yu
Yu Yuanhuan *see* Sze Juejue 85—34648
Yu Yuehua *see* Gong Jialong 88—26646
Yu Yunfeng *see* Qin Jiuchang 88—47756
Yu Zeng-qi *see* Du Yuan-cheng 86—67780
Yu Zeng-qi *see* Zeng-qi Yu
Yu Zeng-qian Error propagation and error disappearance in CCITT R.111 system 88—59012
Yu Zeng-Qui *see* Du Yuan-Cheng 87—18032
Yu Zengqi, Lin Fengqi, Zhou Shiliang Investigation of operating conditions of glow discharge electron gun with aluminium cathode 85—28896
Yu Zengqi *see* Du Yuancheng 85—33480, 86—46352
Yu Zhang *see* Zhang Yu
Yu Zhi-Hjong *see* Yang Fu-Ming 86—21958
Yu Zhi-zhong *see* Hu Nan-shan 88—25721
Yu Zhiqiang, Song Huide, Liu Gongqiang, Fang Junxin Magnetic circular dichroism in solid material 88—33505
Yu Zhiyi, Chen Zupei, Tang Dingyuan Study of audio-frequency noise in pyroelectric detectors 88—42091
Yu Zhizhong *see* Hu Nanshan 86—14575
Yu Zhong-Giang *see* Ding Hui-Liang 86—65388
Yu Zhong-giang *see* Feng Bao-shu 85—31656
Yu Zhonghe *see* Zhang Suying 85—31480
Yu zhongqiang, Sheng Junpeng, Guo Yanan, Ding Huiliang, Yang Zirong, Dong Aiping A fast track finding trigger processor for the BES detector 88—29914
Yu Zong-qiang *see* Ding Hui-liang 85—31714
Yu Zuzhe *see* Huang Zhenguo 88—72360
Yu Zuzhe *see* Shan Huanyan 87—7256
Yu-cai Zheng *see* Zheng Yu-cai
Yu-can Zhu *see* Zhu Yu-can
Yu-Cheng Xie *see* Xie Yu-Cheng
Yu-Chi Ho, Yang, P.Q. Equivalent network, load dependent servers, and perturbation analysis: an experimental study 87—31388
Yu-Chi Ho *see* Teneketzis, D. 87—47696

Yu-Chin Hsu General block placement using variable aspect ratio blocks 86−40845
Yu-Chin Hsu Floor planning and global routing in an automated chip design system 88−529
Yu-Chong Tai, Muller, R.S. Lightly-doped polysilicon bridge as a flow meter 88−74381
Yu-chun Chen *see* Chen Yu-chun
Yu-cun Lu *see* Lu Yu-cun
Yu-dan Li *see* Li Yu-dan
Yu-dian Fan *see* Fan Yu-dian
Yu-fan Li *see* Li Yu-fan
Yu-Fen Li *see* Yan-Ming Ye 85−31869
Yu-geng Zeng *see* Zeng Yu-geng
Yu-guang Wu *see* Wu Yu-guang
Yu-Guo, D. *see* Liang-Ying, X. 86−64357
Yu-hai Mao, Xiang Xie The detection performance of an adaptive MTI based on AR map 88−15659
Yu-Hai Mao, Zu-Cheng Zhou, Xian-Yaun Meng, Fu-Qinh Xong, Sha-Yan Zhang A nonparametric CFAR detector implemented with CCD tapped delay line 86−17465
Yu-hai Mao *see* Zheng-ming Fong 85−52393
Yu-hai Mao *see* Mao Yu-hai
Yu-han Hai *see* Hai Yu-han
Yu-Hen Hu, I-Chang Jou, Parng, T.M. Subspace approximation based covariance eigensystem solver [signal processing] 87−39742
Yu-Hen Hu *see* Tze-Yun Sung 88−8755, 88−32250
Yu-hen Hu *see* Yun, D.Y.Y. 85−61050
Yu-heng Zhang *see* Zhang Yu-heng
Yu-Hong Li, Wei-Hao Qi, Wei-Qing Cao A new algorithm for automatic assembling of combined cam curves 88−49320
Yu-hong Wang *see* Wang Yu-hong
Yu-Huei Jea Some experiences in the field trial of videotex service in Taiwan 88−28330
Yu-Huei Jea, Ming Chung A PC-based videotex terminal with Chinese language capability 86−59610
Yu-hwa Lo *see* Ming-Chiang Wu 88−45400
Yu-Jeng Chang, Kroemer, H. Protection of an interrupted molecular-beam-epitaxially grown surface by a thin epitaxial layer of InAs 85−40620
Yu-kuan Mao *see* Mao Yu-kuan
Yu-lao Lin *see* Lin Yu-lao
Yu-li Chang *see* Chang Yu-li
Yu-liang He *see* He Yu-liang
Yu-liang Zheng *see* Zheng Yu-liang
Yu-Lin Li *see* Li Yu-Lin
Yu-lin Wang, Bourkoff, E. Passive mode locking of the Ar$^+$ laser 88−65547
Yu-lin Xu *see* Xu Yu-lin
Yu-lin Zhong *see* Zhong Yu-lin
Yu-Ling Teng *see* Frisch, D.C. 87−10178
Yu-liu Chen *see* Chen Yu-liu
Yu-long Duan *see* Duan Yu-long
Yu-min Wang *see* Wang Yu-min
Yu-Ming Azzawi *see* Rhodes, M.L. 87−57257
Yu-Ming Chen *see* Chen Yu-Ming
Yu-nin Guan *see* Guan Yu-nin
Yu-Ning, D., Zhen-Ya, H. A method of acquiring 3-D data of an object from stereo images 87−62240
Yu-Pin Han, Bing Ma Isolation process using polysilicon buffer layer for scaled MOS/VLSI 85−23980
Yu-ping Chen *see* Chen Yu-ping
Yu-Qi Xu *see* Xu Yu-Qi
Yu-qi Zhao *see* Zhao Yu-qi
Yu-quan Nin *see* Nin Yu-quan
Yu-run Jia *see* Wei-feng Chen 88--40383
Yu-Shan Fong, Brown, D.H. A centroid tracking scheme in a weighted coordinate system [image processing] 86−10580
Yu-Shan Fong, Faruque, A. Parallel architecture for the efficient use of memory subsystems in image processing 88−41089
Yu-Shan Fong, Jwo-Liang Chu Shape matching of two-dimensional occluded objects 88−41064
Yu-Shan Fong, Shetty, R.A. A rule-based system for the recognition of line drawings of objects 87−47975
Yu-Shan Fong *see* Johnson, K. 87−47985
Yu-shan Tu *see* Tu Yu-shan
Yu-shun Guo *see* Guo Yu-shun
Yu-Sze Yen *see* Chao, J.L. 87−25849
Yu-tang Wang *see* Wang Yu-tang
Yu-tion Liu *see* Liu Yu-tion
Yu-Wen Chang Quartz image guides for millimeter wave integrated circuits 85−17882
Yu-wen Yu *see* Chih-hao Lee 88−68295
Yu-xin Jiang *see* Jiang Yu-xin
Yu-xin Nie *see* Nie Yu-xin
Yu-ying Dong *see* Dong Yu-ying
Yu-ying Shao *see* Shao Yu-ying
Yu-yu Feng *see* Geng-zhe Chang 85−49475
Yu-yun Zhang *see* Zhang Yu-yun
Yu-zeng Du *see* Du Yu-zeng
Yu-zhang Xie *see* Xie Yu-zhang
Yu-Zhen Li *see* Li Yu-Zhen
Yu-zhi Wang The origin of the electric current in Fu's experiment—an analysis of Fu's work on realizing Maxwell's 'demon' [vacuum diode tube] 86−58204
Yu-zhi Wang, Jian-sheng Liu Direct mass spectrometric diagnostics for a CO$_2$ gas laser 86−42483
Yu-zhi Wang, Ze-mo Yang A novel mass-spectrometric sampling technique for lifetime studies of gas lasers 88−20717
Yu-zhi Wang *see* Kan Ichi Fujii 88−74692
Yu-zhi Wang *see* Wang Yu-zhi
Yu-zhi Zhou *see* Zhou Yu-zhi
Yu-zhou Chen *see* Chen Yu-zhou
Yu-Zhou Liu *see* Liu Yu-Zhou
Yu-zhu Sun *see* Sun Yu-zhu
Yuabov, Yu.M. *see* Aronov, D.A. 85−29692, 86−45676, 86−58334
Yuan, B. A circuit compiler for CML stack synthesis 86−8163
Yuan, B.-Z. *see* Li, J.-C. 87−62313, 88−66701
Yuan, B.-Z. *see* Zheng, Y.-C. 88−72831
Yuan, C.-P., Lucas, R., Chan, P., Dutton, R. Parallel electronic circuit simulation on the iPSC system 88−71676
Yuan, C.L. *see* Chiang, F.P. 88−53661
Yuan, C.P., Trick, T.N. Calculation of capacitance in VLSI circuits 85−45821
Yuan, D. *see* Baartman, R. 87−41815, 88−47930
Yuan, D.H., Baartman, R., Kendall, K.R., McDonald, M., Mosscrop, D.R., Schmor, P.W. Extraction of H$^-$ ions from a DC cusp source 88−4776
Yuan, E.L. *see* Chevrier, J.C. 87−37768
Yuan, G. Development of signal processing system in spatial averaging method 88−4934
Yuan, G. *see* Hartwig, K.T. 87−74560
Yuan, H. *see* Li, Z. 88−3809
Yuan, H.-T., Delaney, J.B., Shin, H.-D., Tran, L.T. A 4K GaAs bipolar gate array 87−17024
Yuan, H.-T. *see* Tran, L.T. 87−38201
Yuan, H.T. The status and prospect of GaAs bipolar LSI 86−47309
Yuan, H.T., McLevige, W.V., Shih, H.D. GaAs bipolar digital integrated circuits 87−46172
Yuan, H.T. *see* Shih, H.D. 85−44723
Yuan, H.T. *see* Tiku, S.K. 86−21380
Yuan, H.T. *see* Tran, L.T. 88−33368
Yuan, J. A strategy to establish a reliability model with dependent components through FMEA 85−33218
Yuan, J. A conditional probability approach to reliability with common-cause failures 85−60803
Yuan, J. A Bayes approach to reliability assessment for systems with dependent components 87−23423
Yuan, J. Pivotal decomposition to find availability and failure-frequency of systems with common-cause failures 87−58714
Yuan, J. A phase-shifting PLL frequency offsetter 88−36088
Yuan, J., Kai-Li Ko A factoring method to calculate reliability for systems of dependent components 88−43750
Yuan, J., Lin, C.H., Chang, S.J., Lai, S.H. Reliability modeling and evaluation for networks under multiple and fluctuating operational conditions 88−38029
Yuan, J., Senkel, R., Reimer, L. Recording of magnetic contrast type I by a two-detector system 88−36191
Yuan, J., Sie-Biau Chou Boolean algebra method to calculate network system reliability indices in terms of a proposed FMEA 86−34097
Yuan, J. *see* Chen, C.S. 88−66420
Yuan, J. *see* Fan, T.W. 88−32958
Yuan, J.-R., Chen, K. Bit-serial realisations of maximum and minimum filters 88−44289
Yuan, J.-S., Liou, J.J., Eisenstadt, W.R. A physics-based current-dependent base resistance mode; for advanced bipolar transistors 88−64522
Yuan, J.S., Chen, C.H., Cohen, R.M., Stringfellow, G.B. High quality Ga$_x$In$_{1-x}$P(x = 0.65, 0.69) grown by OMVPE 87−10436
Yuan, J.S., Gal, M., Taylor, P.C., Stringfellow, G.B. Doping superlattices in organometallic vapor phase epitaxial InP 85−61717
Yuan, J.S., Hsu, C.C., Cohen, R.M., Stringfellow, G.B. Organometallic vapor phase epitaxial growth of AlGaInP 85−28220
Yuan, J.S., Tsai, M.T., Chen, C.H., Cohen, R.M., Stringfellow, G.B. Organometallic growth and characterization of Ga$_x$In$_{1-x}$P (x=0.51, 0.65, 0.69) 87−250
Yuan, J.S. *see* Hsu, C.C. 86−28140, 86−52455
Yuan, J.S. *see* Liou, J.J. 88−64535
Yuan, J.S. *see* Ranganathan, R. 88−19719
Yuan, L.C.L. Recent developments of transition radiation detectors utilizing superconducting granules 87−70995
Yuan, L.C.L. *see* de Bellefon, A. 88−61082
Yuan, L.T. A W-band monolithic GaAs crossbar mixer 85−1059
Yuan, L.T. A W-band monolithic GaAs crossbar mixer 85−17836
Yuan, L.T., Asher, P.G. A W-band monolithic balanced mixer 86−8476
Yuan, L.T., Asher, P.G. A W-band monolithic balanced mixer 86−27630
Yuan, M.S., Glass, H.L., Adkins, L.R. Epitaxial barium hexaferrite on sapphire by sputter deposition 88−64921
Yuan, N. *see* Li, P. 88−55343
Yuan, P. *see* Munkholm, C. 88−54532
Yuan, R.L. *see* Tanaka, B.H. 88−27742
Yuan, S., Yu, K. Zonal sampling and bit allocation of HT coefficients in image data compression 87−19848
Yuan, S. *see* Goel, J. 85−31165
Yuan, S.-M., Agrawala, A.K. A class of optimal decentralized commit protocols 88−66801
Yuan, S.F., Querry, M., Bedrin, C. Microgeometry in laser cutting 88−45589
Yuan, V., Bowman, J.D. Study of LAMPF H$^-$ beam position motion and a predictive algorithm for noise reduction 86−24947
Yuan, W.F. *see* Gao, B.J. 86−48020
Yuan, X., Ingle, V.K., Manolakis, D.G. An adaptive image coding algorithm based on noncausal LPC and vector quantization 88−66752
Yuan, X. *see* Harrington, R.F. 88−7142
Yuan, X. *see* Jayasinghe, D. 87−69396
Yuan, X.Y. *see* Zhang, S.W. 88−54816
Yuan, Y. On the superlinear convergence of a trust region algorithm for nonsmooth optimization 85−33309
Yuan, Y. *see* Powell, M.J.D. 86−66743
Yuan, Y.F., Zhu, R.Y., Chen, B.S., Zhong, Y.J. Electro-optic deflection amplifier of film waveguide 88−51573
Yuan, Y.K. *see* Kajino, F. 85−31694, 85−31743
Yuan, Y.R., Mohammed, K., Pudensi, M.A.A., Merz, J.L. Effects of carrier confinement in graded AlGaAs/GaAs heterojunctions 85−7312
Yuan, Y.R., Vawter, G.A., Eda, K., Merz, J.L. Processing and performance of guided-wave devices in GaAs/AlGaAs 85−29644
Yuan, Y.R. *see* Merz, J.L. 85−41199
Yuan, Z. *see* Song, Z. 86−25093
Yuan Bao-zhong *see* Yu Yi-biao 88−40848
Yuan Cailai, Le Yaokang, Jiang Baocai Operating characteristics of a repetitive excimer laser without gas cycling system 85−12782
Yuan Cao *see* Cao Yuan
Yuan Chengchi *see* Komo, J.J. 88−49620
Yuan Chih-yao *see* Chih-yao Yuan
Yuan Cuoliu *see* Cuoliu Yuan
Yuan Dachang *see* Deng Guoyang 88−72257
Yuan Dai Ming *see* Dai Ming Yuan
Yuan Deng Hong *see* Hong Yuan Deng
Yuan Gu *see* Gu Yuan
Yuan Guan-Jin *see* Gu Yi-Fan 87−57019
Yuan Guoxiong *see* Hu Qiquan 86−36541
Yuan Hu *see* Hu Yuan
Yuan Huang *see* Huang Yuan
Yuan Huo *see* Huo Yuan
Yuan Jian-Min *see* Jian-Min Yuan
Yuan Jiang Xin *see* Jiang Xin Yuan
Yuan Jiang Xin *see* Xin Yuan Jiang
Yuan Jin Yun *see* Zhang Wen Xun 86−68904
Yuan Jin Yun *see* Zhang Wen Xun 86−68903
Yuan Jin-run *see* Li Chang-li 86−30448
Yuan Jing *see* Jing Yuan
Yuan Jingxia *see* Tang Xiujin 85−57372
Yuan Jingxia *see* Wen Zhongyuan 88−60649
Yuan Jixiu, Guan Jinghui Stability control apparatus employed in a China power network and fast-valving test on a steam turbine 88−36748
Yuan Junqian *see* Liao Changgeng 88−31885
Yuan Ling Wang An electron linear accelerator having an ideal beam loading characteristic 86−24919
Yuan Liq-Ji *see* Liq-Ji Yuan
Yuan Mei Wang *see* Wang Yuan Mei
Yuan Mi-cong *see* Mi-cong Yuan
Yuan Qin-Liang, Wang You-Zhi, Shi Cai-Tu, Chen Guan-Xiong, Zhang Shu-Xiang, Chen Ren-Huai, Liu Mao-San Application of permanent magnet lenses in accelerator beam transport and focusing 87−56936
Yuan Qing *see* Qing Yuan
Yuan Qinian *see* Sang Fengting 86−68432
Yuan Qinian *see* Zhaung Qi 85−62484
Yuan Qinian *see* Zhuang Qi 86−3057, 88−72254
Yuan Qiqing *see* Xiao Jingcheng 88−10203
Yuan Renkuan, Xu Junming Al$_2$O$_3$ film grown by CVD and the interface characteristics of Al$_2$O$_3$-InP and Al$_2$O$_3$-Si 85−34649
Yuan Renkuan, Xu Junming Al$_2$O$_3$ film grown by CVD and the interface characteristics of Al$_2$O$_3$-InP and Al$_2$O$_3$-Si 86−1828
Yuan Renyong *see* Shen Changquan 88−29886
Yuan Rong *see* He Zeyun 88−18428
Yuan Ruiyao *see* Gao Chunpu 85−64593
Yuan Shi-wen *see* Shen Shi-hu 85−44826
Yuan Shilin *see* Shilin Yuan
Yuan Shuzhong *see* Bao Xiaoyi 87−75025
Yuan Shuzhong *see* Guan Xinan 86−3263, 86−54081, 87−54382
Yuan Shuzhong *see* Lu Fuyun 85−29661, 88−72371
Yuan Songliu *see* Zhang Yuheng 86−35354
Yuan Suoxiang, Yang Shaoyu, Shi Weidong, Lin Xigang A broad window Mobley type magnet for compressing pulsed beam 85−43144
Yuan Wang *see* Wang Yuan
Yuan Wang Wei *see* Wei Yuan Wang
Yuan Wang Yang *see* Wang Yang Yuan
yuan Wei Zhi *see* Wei Zhi yuan
Yuan Weiben *see* Weiben Yuan

Yuan Wen Bo, Ham Sheng Li, Pan Gui Song Recent trends of local TV station in the People's Republic of China 88–15740
Yuan Xiao-ying *see* Zong Xiang-fu 85–45380
Yuan Xingchao *see* Xingchao Yuan
Yuan Xuan Fan, Eckardt, R.C., Byer, R.L., Route, R.K., Feigelson, R.S. $AgGaS_2$ infrared parametric oscillator 85–2397
Yuan Yan *see* Yan Yuan
Yuan Yi-quan The radial-longitudinal coupling and transmitting response for the finite thin piezoelectric cylinders 85–26918
Yuan Yi-rang Finite element methods with moving mesh for a class of systems of nonlinear degenerate parabolic differential equations 86–62171
Yuan Yi-yong *see* Zhao Song-ling 86–28579
Yuan Yibo *see* Hu Hefang 88–39854
Yuan Yifeng *see* Lou Qihong 86–68616
Yuan Yirang *see* Douglas, J., Jr. 87–74234
Yuan Yu *see* Qiu Junlin 88–65553
Yuan Yun The theoretical formula of MTF_i for the linear CCD array in the pushbroom mode 85–64022
Yuan Yun Measurement for the integration MTF_i of the CCPD-1024 device 85–64023
Yuan Zhang Geometric calculation of longitudinal wrapping tooling used in telecommunication cable manufacture 88–21899
Yuan Zhong *see* Zhong Yuan
Yuan Zhongxi *see* Song Zhizhong 87–50119
Yuan Zijuen *see* Zijuen Yuan
Yuan-bo Chen *see* Chen Yuan-bo
Yuan-cheng Du *see* Die-chi Sun 88–13181
Yuan-cheng Du *see* Du Yuan-cheng
Yuan-Du Di *see* Kuc, R. 88–67492
Yuan-fan Hu *see* Hu Yuan-fan
Yuan-fen Lai *see* Lai Yuan-fen
Yuan-han Lei *see* Lei Yuan-han
Yuan-ji Pei *see* Pei Yuan-ji
Yuan-Jing Gao *see* Gao Yuan-Jing
Yuan-jing Li *see* Li Yuan-jing
Yuan-Kuang Tu, Hung-Tu Chen, Way-Seen Wang, Wei-Yu Lee Focusing properties of shadow deposited lens-like waveguide 88–39962
Yuan-Kuang Tu *see* Jenn-Gwo Hwu 88–13052
Yuan-Kuang Tu *see* Wei-Yu Lee 88–39998
Yuan-Liang Lan *see* Tai-Ching Hsieh 88–8261
Yuan-Liang Li *see* Jones, R.C. 88–50970
Yuan-ling Wang *see* Wang Yuan-ling
Yuan-ling Zhan *see* Schlaak, H.F. 87–56871
Yuan-pei Xu *see* Xu Yuan-pei
Yuan-ping He *see* He Yuan-ping
Yuan-ping Hu *see* Hu Yuan-ping
Yuan-qing Li *see* Li Yuan-qing
Yuan-quan Luo *see* Luo Yuan-quan
Yuan-quan Zhou *see* Zhou Yuan-quan
Yuan-Sheng Tyan Topics on thin film CdS/CdTe solar cells 88–37394
Yuan-Shou Shen, Cote, W.D., Gould, L.J. A historic review of Ag-MeO materials 87–37620
Yuan-wen Li *see* Li Yuan-wen
Yuan-Wu Fan *see* Fan Yuan-Wu
Yuan-Yih Hisu, Chung-Yu Hsu, Chi-Jui Wu Comparison of two algorithms for power system reliability calculations 85–48525
Yuan-Yih HSU Optimisation of parameters in power system stabilisers considering exciter saturation nonlinearity 86–44916
Yuan-Yih Hsu Investigation of the low frequency oscillations in the Taiwan power system 86–50814
Yuan-Yih Hsu Design of power system stabilizers using the least-integral-square-error algorithm 87–71521
Yuan-Yih Hsu, Chern-Lin Chen Identification of optimum location for stabiliser applications using participation factors 87–57481
Yuan-Yih Hsu, Chi-Jui Wu Application of the parameter plane method to the design of a digital power system stabilizer 87–64077
Yuan-Yih Hsu, Chin-Hsing Cheng Design of a static VAr compensator using model reference adaptive control 88–23248
Yuan-yih Hsu, I-wei Tao Effect of a pumped storage plant on the generation reliability of the Taiwan power system 87–4235
Yuan-Yih Hsu, Wah-Chun Chan Optimal transmission expansion planning for electric power systems 86–6310
Yuan-Yih Hsu, Wah-Chun Chan Application of sliding modes to digital power system stabilizer design 86–56323
Yuan-Yih Hsu *see* Chern-Lin Chen 87–29991, 87–50613
Yuan-Yih Hsu *see* Chung-Yu Hsu 86–12277, 86–25473
Yuan-Yih Hu, Chi-Jui Wu The design of sampled-data load frequency controllers using parameter plane methods [for electric power systems] 86–56344
Yuan-yuan Zhong *see* Zhong Yuan-yuan
Yuan-Zhao Yin *see* Davidson, R.C. 85–18961, 85–62617
Yuan-zhi Su *see* Su Yuan-zhi
Yuan-Zhu Kuang *see* Kuang Yuan-Zhu
Yuanbo Chen *see* Chen Yuanbo
Yuancheng Du *see* Du Yuancheng
Yuancheng Si *see* Si Yuancheng
Yuancheng Zhang *see* Zhang Yuancheng
Yuanda Kuang *see* Kuang Yuanda
Yuanda Shan *see* Shan Yuanda
Yuandian Wang *see* Wang Yuandian
Yuandong Dai *see* Dai Yuandong
Yuanfang Li *see* Li Yuanfang
Yuanfen Tang *see* Tang Yuanfen
Yuang, E.K.N., Fung, S.C. A dipole radiating near a cluster of arbitrarily oriented antennas 88–2783
Yuang, M.C. Survey of protocol verification techniques based on finite state machine models 88–66806
Yuang Bing Tsuen *see* Bing Tsuen Yuang
Yuang Hailing LS-II argon ion gas laser stabilized power meter 86–55759
Yuang-Kung Tu, Chia-Chien Lin, Way-Seen Wang, Sheng-Liang Huang Characterization of reactively RF-sputtered tantalum oxide waveguides 88–51511
Yuangang Gu *see* Gu Yuangang
Yuanhai Yang *see* Yang Yuanhai
Yuanhan Dong *see* Dong Yuanhan
Yuanheng Qiu *see* Qiu Yuanheng
Yuanhua Liu *see* Liu Yuanhua
Yuanhuan Yu *see* Yu Yuanhuan
Yuanji Pei *see* Pei Yuanji
Yuanjin Zhang *see* Zhang Yuanjin
Yuanjing Zhu *see* Zhu Yuanjing
Yuankai Gao *see* Gao Yuankai
Yuankun Feng *see* Feng Yuankun
Yuankun Sun *see* Sun Yuankun
Yuanlie Lin *see* Lin Yuanlie
Yuanlin Hong *see* Hong Yuanlin
Yuanlin Wang *see* Wang Yuanlin
Yuanling Wang *see* Wang Yuanling
Yuanlong Mo *see* Mo Yuanlong
Yuanlong Yang *see* Yang Yuanlong
Yuann, R.Y. *see* Jer-Cherng Kang 88–23691
Yuanqu Lin *see* Lin Yuanqu
Yuanren, C., Qinke, Z. Computation of the force-slip characteristic of a cylindrical linear induction motor 88–49001
Yuansen Xu *see* Xu Yuansen
Yuanshan Sun *see* Sun Yuanshan
Yuansheng Chen *see* Chen Yuansheng
Yuansheng Cheng *see* Cheng Yuansheng
Yuanshou Liao *see* Liao Yuanshou
Yuanxi Zou *see* Ju Wu 88–50627
Yuanxi Zou *see* Zou Yuanxi
Yuanxiang Wu *see* Wu Yuanxiang
Yuanxiang Xie *see* Xie Yuanxiang
Yuanxing Wu *see* Wu Yuanxing
Yuanyuan Wu *see* Wu Yuanyuan
Yuanyuan Zhong *see* Zhong Yuanyuan
Yuanyue Zhang *see* Zhang Yuanyue
Yuanzhao Yin *see* Yin Yuanzhao
Yuanzi Hong *see* Hong Yuanzi
Yuasa, A. A study on recording acoustic signal under a noisy environment 88–29174
Yuasa, A., Kanai, H., Abe, M., Kido, K. Detection of flaws in ball bearings by analysis of vibration signals detected by two pick-ups 88–38283
Yuasa, F., Shimizu, S., Obara, S. Plastic moulding for high recording density disk 87–8464
Yuasa, H., Sakamoto, A., Ogawa, K., Watanabe, S. Long-term storage techniques for thermal power stations 88–75423
Yuasa, H. *see* Angelotti, J.I. 85–3865
Yuasa, H. *see* Hosoi, H. 86–34022
Yuasa, K., Mori, Y. Facsimile image—the quality and evaluation 88–41260
Yuasa, K., Suzuki, N., Shoji, S., Okamoto, S. SC-type high-performance Ni-Cd battery 'PANANICA' 87–36105
Yuasa, K. *see* Mano, T. 88–25156
Yuasa, M. *see* Okada, T. 86–4406
Yuasa, T., Asakawa, K., Mannoh, M., Shinozaki, K., Ishii, M. Reactive-ion-beam-etched cavity GaAs-AlGaAs multiquantum well lasers 86–42608
Yuasa, T., Mannoh, M., Asakawa, K., Shinozaki, K., Ishii, M. Dry-etched-cavity pair-groove-substrate GaAs/AlGaAs multiquantum well lasers 86–42521
Yuasa, T., Mannoh, M., Yamada, T., Naritsuka, S., Shinozaki, K., Ishii, M. Characteristics of molecular-beam epitaxially grown pair-groove-substrate GaAs/AlGaAs multiquantum-well lasers 87–75097
Yuasa, T., Naritsuka, S., Mannoh, M., Shinozaki, K., Yamanaka, K., Nomura, Y., Mihara, M., Ishii, M. Observation of plasmons coupled with optical phonons in n-$Al_xGa_{1-x}As$ by Raman scattering 85–23433
Yuasa, T., Yamada, T., Asakawa, K., Ishii, M., Uchida, M. Very high relaxation oscillation frequency in dry-etched short cavity GaAs/AlGaAs multiquantum well lasers 87–54361
Yuasa, T., Yamada, T., Asakawa, K., Ishii, M., Uchida, M. Performance of dry-etched short cavity GaAs/AlGaAs multiquantum-well lasers 88–58546
Yuasa, T., Yamada, T., Asakawa, K., Sugata, S., Ishii, M., Uchida, M. Short cavity GaAs/AlGaAs multiquantum well lasers by dry etching 87–12447
Yuasa, T. *see* Asakawa, K. 88–19816
Yuasa, T. *see* Gomyo, A. 87–16595
Yuasa, T. *see* Hassel Shearer, M. 88–64469
Yuasa, T. *see* Mannoh, M. 85–56638, 86–9825
Yuasa, T. *see* Nomura, Y. 85–22482
Yuasa, T. *see* Sugimoto, M. 88–20682
Yuasa, T. *see* Takado, N. 87–61145
Yuasa, T. *see* Tominaga, K. 86–1711, 86–46370, 88–24800
Yuasa, T. *see* Utsumi, K. 88–65156
Yuasa, T. *see* Yamada, T. 87–12462
Yuasa, Y., Ema, Y., Hayashi, T. Measurement of diffusion length of minority carriers in vacuum evaporated CdSe films 85–28968
Yuasa, Y., Higashi, K., Yamashita, M., Wakimoto, Y., Hirosaki, Y. An energy-saving large-capacity fan system driven by a PAM motor for the Kansai Electric Power Corporation (KEPC) 88–75424
Yuasa, Y. *see* Tsutaki, K. 86–8695
Yuba, Y., Gamo, K., Judai, Y., Namba, S. Characterization of deep level defects in reactive ion beam etched InP 85–28947
Yuba, Y., Hirai, H., Tsutsumi, K., Matsumura, A. Profilometry of 3-D diffuse objects by checker pattern projection 87–35202
Yuba, Y., Hirai, H., Tsutsumi, K., Watari, K. Rotated checker-pattern projection and its crossing-point extraction-and-tracking for 3-D object profilometry 88–59324
Yuba, Y., Ishida, T., Gamo, K., Namba, S. Characterization of ion beam etching induced defects in GaAs 88–44667
Yuba, Y. *see* Miyake, H. 88–57437
Yuba, Y. *see* Tsutsumi, K. 87–18610, 88–45183, 88–51507, 88–72131
Yubakami, K. *see* Taguchi, N. 88–31244
Yubao Sheng *see* Sheng Yubao
Yubin Chen *see* Chen Yubin
Yubo Miao *see* Miao Yubo
Yubo Piao *see* Piao Yubo
Yucai Han *see* Han Yucai
Yucai Lin *see* Lin Yucai
Yucai Ni *see* Ni Yucai
Yuce, H.H. *see* Resch, M.T. 85–6072, 86–52574
Yucel, M.D. Accurate representation of speech signals 86–29821
Yucel, M.D. *see* Tanik, Y. 86–29814
Yuceozsoy, M. *see* Trethewie, J.V. 86–30736, 87–69999
Yuchang Zhang *see* Zhang Yuchang
Yuchaun Zhang *see* Zhang Yuchaun
Yuchtman, M. *see* Pisoni, D.B. 86–16264
Yuchun Shi *see* Shi Yuchun
Yuchun Xu *see* Xu Yuchun
Yuda, K. *see* Hosono, T. 87–54540
Yuda, M., Kuroda, K., Nakano, J. Small Nb/Al-oxide/Nb Josephson junction fabrication using lift-off processes 87–38691
Yuda, M. *see* Kuroda, K. 87–31789, 87–32913, 88–45008
Yuda, T. *see* Nakamoto, A. 85–59183, 87–8842
Yudaev, V.I. *see* Bolkhovityanov, Yu.B. 86–46350
Yudakov, A.A. *see* Vasyukevich, P.V. 87–64525
Yudakov, Yu.V. *see* Baiko, A.V. 86–61531
Yudakov, Yu.V. *see* Vasil'ev, S.V. 86–53921
Yudasaka, M., Matsuoka, T., Nakanishi, K. Preparation of InSe and In_2Se_3 thin films by the double source evaporation method and their electrical properties 86–26876
Yudasaka, M., Matsuura, A., Nakanishi, K. Preparation of In_2Te_3 thin films by the evaporation method and their electrical properties 85–45408
Yudasaka, M., Nakanishi, K. Preparation of InSe thin films by the evaporation method and their electrical properties 85–33489
Yudasaka, M., Nakanishi, K., Hara, T., Tanaka, M., Kurita, S. Formation of copper phthalocyanine polymer films by the double source evaporation of tetracyanobenzene and copper 86–20094
Yude Li *see* Li Yude
Yude Zan *see* Zan Yude
Yudelev, M. *see* Faerman, S. 86–44530
Yudenkov, V.S. Synthesising the best microprocessor-based regulator for a DC motor 85–48967
Yudenkov, V.S. *see* Panasyuk, V.I. 88–11234
Yudian Fan *see* Fan Yudian
Yudilevich, E., Levi, A., Habetler, G.J., Stark, H. Restoration of signals from their signed Fourier-transform magnitude by the method of generalized projections 87–27595
Yudilevich, E., Stark, H. Spiral sampling; theory and an application to magnetic resonance imaging 88–41045
Yudilevich, E., Stark, H. Reconstruction from samples on linear and expanding spiral scans 88–73266
Yudin, A.A. *see* Navolokin, S.N. 85–54545
Yudin, A.M. *see* Filatov, Yu.V. 88–47676
Yudin, A.P. *see* Zdrok, A.G. 86–45641
Yudin, A.V. *see* Kolesov, G.V. 85–47951, 86–5074, 88–20870, 88–44510
Yudin, D.B., Sholomov, L.A. Generalized mathematical programming and choice functions 86–40653
Yudin, G.A. *see* Gulyaev, Yu.V. 86–22163, 87–26017
Yudin, G.G. *see* Garkusha, V.A. 87–9145
Yudin, G.Yu. *see* Sergienko, T.I. 86–40775

Yudin, I.I. *see* Kuz'minskii, A.S. 88−74318
Yudin, I.I. *see* Turyanitsa, I.I. 87−26054
Yudin, I.P. *see* Ayrjan, E.A. 87−63602
Yudin, I.P. *see* Shelaev, I.A. 85−26621
Yudin, L.I. *see* Bryukhanov, A.N. 86−67022
Yudin, L.I. *see* Rezvov, V.A. 85−15193
Yudin, M.F. Further improvement of the international system of units 86−44082
Yudin, M.F. *see* Garapov, E.F. 87−14698
Yudin, M.F. *see* Konstantinov, A.A. 88−22397
Yudin, M.F. *see* Yanovskii, A.P. 85−48175
Yudin, M.G. *see* Amlinskaya, L.I. 88−41909
Yudin, R.V. *see* Bergner, Yu.K. 87−56703
Yudin, S.M. *see* Vainshtein, R.A. 88−55086
Yudin, S.M. *see* Veinshtein, R.A. 87−64199
Yudin, V.N. *see* Stepin, V.M. 88−27923
Yudin, V.V. Analysis of performance of a magnetically-coupled parametric circuit [power convertor] 85−65322
Yudin, V.V. Analysis of linear EM networks by the method of unified matrices 87−75339
Yudin, V.V. *see* Gluzman, P.L. 85−10008
Yudin, V.V. *see* Khvatov, S.V. 87−43500
Yudina, E.M. *see* Kaganovich, E.B. 87−37844
Yudina, E.M. *see* Vannikov, A.V. 85−46250
Yudina, K.N. *see* Abakumov, B.V. 86−63761
Yuditskii, S.B. *see* Belonogova, L.Yu. 88−19912
Yuditskiy, A.I. *see* Levin, B.R. 88−3201
Yudkevich, M.L. *see* Gafiyatullin, R.Kh. 85−49142
Yudkevich, M.L. *see* Glumcher, A.M. 86−45624
Yudkin, R.O. ExT: an expert tester 87−55568
Yudkin, R.O. On testing communication networks 88−47427
Yudkin, R.O. On testing communications networks 88−66987
Yudong Li, Donghai Zhu, Shiyong Liu, Dingsan Gao Channeled twin-ridge substrate three-segmented large optical cavity structure GaAlAs/GaAs laser 88−58560
Yudong Liu *see* Liu Yudong
Yudong Wang *see* Wang Yudong
Yudong Yao *see* Yao Yudong
Yudov, M.F., Trubachev, S.G., Rudnev, V.N., Bukreev, L.F., Ogon'kov, V.G., Lomaev, A.M. Investigation of stator-winding insulation during motor startups 88−30646
Yudovina, G.A. *see* Kalantarov, M.A. 87−66854
Yudovskii, B.Z. *see* Glebov, B.A. 87−9938
Yudovskii, V.Z. *see* Danilov, V.S. 86−26162
Yue, A.S., Oh, S.W., Rhee, S.S. Epitaxial overgrowth of Si on SiO_2 surface 87−10452
Yue, C.S., Vyas, H., Holt, M., Borowick, J. A fast extrapolation technique for measuring minority-carrier generation lifetime [in MOS capacitors] 85−50317
Yue, C.Y., Peng, J.D., Liao, Y.B., Zhou, B.K. Fibre ring resonator with finesse of 1260 88−51444
Yue, G. *see* Chen, X. 87−27824
Yue, G. *see* Nikoonahad, M. 85−53204
Yue, H., Davison, D., Jennings, R.F., Lothongkam, P., Rinerson, D., Wyland, D. Radiation response of high speed CMOS integrated circuits 88−26513
Yue, H. *see* Witteles, A.A. 85−17394
Yue, J., Oda, S., Matsumura, M. Numerical analysis of the dynamic characteristics of amorphous silicon thin-film transistors 88−57649
Yue, J. *see* Chu, T.L. 85−11966
Yue, J. *see* Matsumura, M. 88−26350
Yue, J. *see* Uchida, Y. 87−17959
Yue, J.H., Uchida, Y., Matsumura, M. Electrical characteristics of silicon MOS structure formed by a novel low-temperature thermal oxidation method 86−21269
Yue, J.T., Funsten, W.P., Taylor, R.V. Stress induced voids in aluminum interconnects during IC processing 86−15088
Yue, J.T. *see* Lin, M.R. 87−1454
Yue, L., Chao, S.Y. SCNSOP: a switched-capacitor circuit simulation and optimisation program 86−34448
Yue, O. *see* Eng, K.Y. 86−31028
Yue, O.-C. Performance of the timed token scheme in MAP 88−46339
Yue, W., Ney, M.M. Peak power-handling capacity of finline structures 87−26911
Yue, W., Takahashi, Y., Hasegawa, T. Analysis for a multihop packet radio communication network with transmission error 86−43732
Yue, W. *see* Ney, M.M. 87−47258, 88−40641
Yue, Z. *see* Fukao, T. 87−31432
Yue Chaoyu *see* Cheng Zuhai 88−20702
Yue Chen *see* Yiqun Lu 88−39873
Yue Chuanhua *see* Gao Zhenheng 85−56564
Yue Fei Yang, Wei Yuan Wang Ion implanted GaAs MESFETs with highly doped channel and short gate 86−53682
Yue Gang *see* Ye Zongyuan 86−70300
Yue Huang Xi *see* Xi Yue Huang
Yue Kuo A theoretical study of the etchback planarization process 87−67125
Yue Kuo Planarization of multilevel metalization processes: a critical review 88−13182
Yue Li *see* Li Yue
Yue Lou *see* Lou Yue
Yue Lu *see* Lu Yue
Yue Min Zhu, Peyrin, F., Goutte, R. The Wigner-Ville transform: description of a new tool for signal and image processing 87−55056
Yue Min Zhu, Peyrin, F., Goutte, R. Utilisation of the Wigner-Ville transform for numerical analysis of signals and images: implementation and interpretation 88−21230
Yue Min Zhu *see* Peyrin, F. 87−48020
Yue Piyu *see* Guo Xiaokuan 85−15373
Yue Sun *see* Sun Yue
Yue-cheng Meng *see* Meng Yue-cheng
Yue-Ching Zhang *see* Zhang Yue-Ching
Yue-e Lu *see* Lu Yue-e
Yue-Hong Sutu, Whalen, J. Statistics for demodulation RFI in inverting operational amplifier circuits 86−27118
Yue-Hong Sutu, Whalen, J.J. Demodulation RFI in inverting and non-inverting operational amplifier circuits 86−15948
Yue-Hong Sutu, Whalen, J.J. The sensitivity of demodulation RFI predictions in op amp circuits to variations in model parameter values 86−29474
Yue-hua Chou *see* Chou Yue-hua
Yue-jing Li *see* Li Yue-jing
Yue-li Tang *see* Tang Yue-li
Yue-Sheng Liu *see* Dickey, S. 87−67317
Yue-Wang He *see* Le-Zhu Zhou 85−55379
Yue-Yuan Xia *see* Xia Yue-Yuan
Yue-zhong Chen *see* Chen Yue-zhong
Yuechang Jiang *see* Jiang Yuechang
Yuechen Zhou *see* Zhou Yuechen
Yuee Pan *see* Pan Yuee
Yuefei Yang *see* Yang Yuefei
Yuefeng Hu *see* Hu Yuefeng
Yueh, H.A. *see* Kong, J.A. 88−48315
Yueh-Se Ho *see* Jones, S.K. 88−71483
Yuehua Ren *see* Ren Yuehua
Yuehua Yu *see* Yu Yuehua
Yueli Teng *see* Teng Yueli
Yuelian Chan *see* Chan Yuelian
Yuelys-Miksis, C. *see* Jo, J.H. 86−25756
Yuemei Lu *see* Lu Yuemei
Yueming, W. *see* Lin, H. 86−44228
Yueming Chen *see* Chen Yueming
Yueming Zhang *see* Zhang Yueming
Yuen, A. *see* Chan, T. 87−59475
Yuen, A. *see* Chang, Y. 87−52682
Yuen, A. *see* Walker, R. 86−2419
Yuen, A.K.-W. *see* Perlmutter, D. 88−783
Yuen, A.T., Hu, E.L., Long, S.I., Sullivan, G.J. A self-aligned ohmic metallization GaAs-gate FET with integrated coupling diode 87−53522
Yuen, A.T., Long, S.I., Hu, E.L., Patterson, G.A. Self-aligned ohmic and self-aligned implant GaAs-gate FET with integrated diode 88−39537
Yuen, A.T., Long, S.I., Merz, J.L. Rapid thermal anneal and furnace anneal of silicon and beryllium implanted gallium arsenide 86−35337
Yuen, A.T., Zucker, E.P., Hu, E.L., Long, S.I., Hirschnitz, D. GaAs-gate field effect transistor utilizing self-aligned diffusion 88−56271
Yuen, A.T. *see* Kane, M.G. 87−5787
Yuen, A.T. *see* Yang, L. 86−40990
Yuen, C., Bandy, S.G., Salimian, S., Cooper, C.B., III, Day, M., Zdasiuk, G.A. Via hole studies on a monolithic 2-20 GHz distributed amplifier 88−63908
Yuen, C., Day, M., Bandy, S., Zdasiuk, G.A. A monolithic three-stage 2-8-GHz feedback amplifier 86−41323
Yuen, C., Nishimoto, C., Glenn, M., Pao, Y.C., Bandy, S., Zdasiuk, G. A monolithic *Ka*-band HEMT low-noise amplifier 88−63974
Yuen, C., Nishimoto, C., Glenn, M., Pao, Y.C., Bandy, S., Zdasiuk, G. A monolithic *Ka*-band HEMT low-noise amplifier 88−71045
Yuen, C., Riaziat, M., Bandy, S., Zdasiuk, G. Application of HEMT devices to MMICs 88−63923
Yuen, C. *see* Bandy, S.G. 88−25455, 88−25479
Yuen, C. *see* Chai, Y.G. 85−40758
Yuen, C. *see* Copper, C.B., III 88−19808
Yuen, C. *see* LaRue, R. 85−17843
Yuen, C. *see* Nishimoto, C. 87−59896, 87−73720
Yuen, C. *see* Suda, T. 86−54401
Yuen, C. *see* Zdasiuk, G. 87−45286
Yuen, E.H. *see* Henderson, S.W. 87−18949
Yuen, H.-T. *see* Hilal, W.B.-E.-D. 88−66920
Yuen, H.C., Crawford, D.R., Saffman, P.G. SAR imaging of bottom topography in the ocean: results from an improved model 87−57397
Yuen, H.P. Design of transparent optical networks by using novel quantum amplifiers and sources 88−3999
Yuen, J.H. New codes for deep space communications 88−2970
Yuen, J.H. *see* Divsalar, D. 85−41834, 87−39630
Yuen, J.H. *see* Shao, H.M. 85−49915, 86−16149
Yuen, J.H. *see* Yan, T.-Y. 85−42542
Yuen, M.H., Solt, J.C. Cogeneration for capitalization of heat requirements [power plants] 85−15848
Yuen, R. *see* Coy, B. 88−70698
Yuen, R. *see* Tepper, R.S. 87−59372
Yuen, S. *see* Chan, A. 87−17198
Yuen, S.M. Algorithm and systolic architecture for solving Gram-Schmidt orthogonalization (GSO) systems 86−23940
Yuen, S.M. Algorithm and systolic architecture for solving Gram-Schmidt orthogonalization (GSO) systems 86−55350
Yuen, S.M., Abend, K., Berkowitz, R.S. An efficient algorithm and systolic architecture for multiple channel adaptive filtering 88−66486
Yuen, S.M., Subbaram, H.M. A new super-resolution spectral estimation technique using staggered PRFs 86−17432
Yuen, S.Y. *see* Becla, P. 85−33431 to 33432
Yuen Lan-Guan *see* Jin Jun-Hun 86−11755
Yuening Zhang *see* Zhang Yuening
Yueong Sik Kim, Sang Soo Lee Active mode locking of an iodine photodissociation laser by using acousto-optic modulator 87−18902
Yueqi Liu *see* Liu Yueqi
Yueqin Zhang *see* Zhang Yueqin
Yueqing Jiang *see* Jiang Yueqing
Yuesheng Wang *see* Wang Yuesheng
Yuet Yee Hung *see* Hung Yuet Yee
Yuexia Li *see* Li Yuexia
Yuexiang Zhuang *see* Zhuang Yuexiang
Yuexin Li *see* Li Yuexin
Yueyan Xu *see* Xu Yueyan
Yuezhen Li *see* Li Yuezhen
Yuezhen Wei *see* Wei Yuezhen
Yuezhong Feng *see* Feng Yuezhong
Yufang Zhou *see* Zhou Yufang
Yufei Lin *see* Lin Yufei
Yufen Li *see* Li Yufen
Yufen Mao *see* Mao Yufen
Yufen Yang *see* Yang Yufen
Yufeng Zhang *see* Yongchang Du 85−55456
Yufeng Zhang *see* Zhang Yufeng
Yuferev, V.S. *see* Ber, B.Ya. 87−16633
Yuferev, V.S. *see* Grigor'ev, B.I. 86−2949
Yufereva, N.G. *see* Simuni, M.M. 88−53549
Yuferov, F.M., Alikhanyan, K.A., Osin, I.L., Yakushkin, R.Kh., Pogosyan, A.S., Khechumyan, V.K. Determining region of variation of parameters in designing a synchronous motor with permanent magnets on the basis of an asynchronous one 86−39733
Yuferov, F.M., Pakin, A.I., Kobelev, A.S. The effect of inductive leakage reactances of windings on working and starting properties of induction motors with waste-free magnetic cores 88−5689
Yufit, G.A., Smutov, A.I. Tracking-filter retuning frequency characteristics 88−27963
Yufu Wang *see* Wang Yufu
Yugai, L.Ya. *see* Blazhnova, E.I. 87−37801
Yugami, J. *see* Hiraiwa, A. 88−39176
Yugami, N. *see* Miyamoto, S. 88−30796
Yuge, S. *see* Hayatsu, R. 86−24195
Yuge, S. *see* Ichikawa, E. 87−34870 to 34871, 87−49399
Yuge, S. *see* Suzuki, T. 88−53482 to 53483
Yuge, T. Satellite communication system in JNR [Japanese National Railways] 86−11025
Yuge, T. *see* Matsumoto, Y. 87−63874
Yuge, T. *see* Todoriki, M. 85−52855
Yuge, Y. *see* Hayashi, N. 88−11475
Yuge, Y. *see* Kawakatsu, A. 86−33827
Yugeng Zeng *see* Zeng Yugeng
Yugin Sheng *see* Sheng Yugin
Yugo, S., Kimura, T., Kanai, H., Adachi, Y. Growth of diamond films by plasma CVD 88−43946
Yugo, S., Sato, T., Kimura, T. Thermoelectric figure of merit of boron phosphide 85−40437
Yugov, V.I. *see* Glotov, E.P. 87−7272
Yugova, T.G. *see* Dolginov, L.M. 85−398
Yugova, T.G. *see* Karataev, V.V. 86−26804
Yugova, T.G. *see* Markov, A.V. 86−34335
Yuguchi, H. Construction of Okinawa cable 86−10948
Yuguchi, H., Endo, S., Ohkawa, M., Makita, F. Proposed telecommunications network architecture in the Pacific Ocean region—satellite communications system using micro-terminals 88−28803
Yuguchi, R. *see* Tachigami, S. 86−48154
Yuh, C.Y., Selman, J.R. Polarization of the molten carbonate fuel cell anode and cathode 85−16223
Yuh, H.-J., Chen, C.C., Chen, I. Charge injection through Langmuir-Blodgett films into organic polymers 87−60182
Yuh Perng-fei *see* Perng-fei Yuh
Yuh-Chyoung Chen, Huey-Liang Hwang, Cheng-Ming Fou, Jung-Chen Liue Characterization of surface profiles of LPCVD silicon nitride films by RBS profile 87−60530
Yuh-Fung Huang *see* Shiuh Chao 88−65161
Yuh-Long Chen, Che-Ho Wei Performance bounds of rate−$^{1}/_{2}$ convolutional codes with QPSK on Rayleigh fading channel 86−68974
Yuh-Long Chen, Che-Ho Wei Convolutional coding for BPSK system with orthogonal sounding tone on fast Rayleigh fading channel 87−20413
Yuh-Long Chen, Che-Ho Wei Performance evaluation of convolutional codes with MPSK on Rician fading channels 87−39627

Yuh-Zen Liao, Nang-Ping Chen, Gau, T. Symbolic layout software accelerates IC design 86−58507
Yuhai Bai *see* Bai Yuhai
Yuhai Li *see* Li Yuhai
Yuhai Tang *see* Tang Yuhai
Yuhao Yang *see* Yang Yuhao
Yuhara, A., Sasaki, J., Yamada, J. SAW filters using three-transducer configuration with outer transducers weighted by comb-shaped characteristics 87−12026
Yuhara, A., Watanabe, H., Yamada, J. Sputtered Al-Ti electrodes for high frequency and high power SAW devices 88−13644
Yuhara, A. *see* Shiba, T. 85−18524
Yuhara, A. *see* Yamada, J. 86−21936, 86−47945, 87−12027
Yuhara, H. *see* Taguchi, S. 88−3860
Yuhara, H. *see* Toyonori, Y. 87−77321
Yuhara, K., Inui, K., Aoike, N. Electronic ballast for fluorescent lamps operated by constant current type push-pull inverter 85−27763
Yuhara, K., Nakaya, F., Aoike, N. High frequency operation producing double hot spots on electrodes for fluorescent lamps 88−37734
Yuhara, K. *see* Aoike, N. 85−65595
Yuhas, C.M. *see* Bernstein, L. 88−46391, 88−66986
Yuhas, M.P. *see* Gladney, G.A. 86−49407
Yuhe Chai *see* Chai Yuhe
Yuhe Feng *see* Feng Yuhe
Yuhe Yan *see* Yan Yuhe
Yuheng Zhang *see* Zhang Yuheng
Yuhni Yin *see* Yin Yuhni
Yuhong Wang *see* Wang Yuhong
Yuhong Zheng *see* Zheng Yuhong
Yuhua Feng *see* Feng Yuhua
Yuhua Han *see* Han Yuhua
Yuhua Li *see* Hsu, D.K. 85−6075
Yuhua Li *see* Li Yuhua
Yuhua Wei *see* Wei Yuhua
Yuhuan Xu *see* Xu Yuhuan
Yui, D. *see* Iimura, Y. 87−23680
Yui, D. *see* Yokoyama, S. 88−18699
Yui, H. Graphics-editing equipment for teletext 85−57743
Yui, H. *see* Murata, E. 85−25528
Yui, K., Sugimoto, T., Horikoshi, K., Kasai, S. Development of automatic microscopic inspection system using an image processing for detection of inclusions in wire rod 88−221
Yui, K. *see* Isoya, A. 85−34784
Yui, K. *see* Kawashima, S. 85−52457
Yui, K. *see* Kikuchi, R. 86−5743
Yui, K. *see* Komatsu, K. 87−53378
Yui, K. *see* Yamakawa, H. 86−13804
Yui, M. *see* Asahina, K. 85−38112
Yui, N., Nakahara, K. Spectral response measurements of solar cells under illumination of bias light 85−44178
Yui, N. *see* Nakahara, K. 85−21806, 85−44288, 87−72400
Yui, Y. *see* Araki, S. 88−4176
Yuifei Yang *see* Li Aizhen 85−44714
Yuill, F. *see* Spence, N. 86−167
Yuille, A., Leyton, M. 3D symmetry-curvature duality theorems 87−62390
Yuille, A. *see* Poggio, T. 88−59161
Yuille, A.L., Poggio, T. Fingerprints theorems for zero crossings 85−46922
Yuille, A.L., Poggio, T.A. Scaling theorems for zero crossings 86−43306
Yuin-Lei Chiou *see* Ming-Huei Shieh 86−9852
Yuito, I. *see* Kazama, N.S. 85−24065
Yuito, I. *see* Shiiki, K. 87−46370
Yuito, M. *see* Matsuo, N. 88−46336, 88−46354
Yuito, M. *see* Shimohara, K. 87−34039
Yuitoo, I. *see* Shiiki, K. 86−9410
Yuitoo, I. *see* Shiroishi, Y. 85−45992, 86−63558
Yujin Lin *see* Lin Yujin
Yujiri, A. Subjective brightness of object colors at various illuminance levels and light sources with different color rendering properties 88−47695
Yujun Qiang *see* Qiang Yujun
Yuk Kei Ko, D., Inkson, J.C. A new matrix method for tunnelling in heterostructures: Γ, X effects in single-barrier systems 88−64300
Yuk Tak Chow *see* Wherrett, B.S. 88−40036
Yukalov, V.I. *see* Emelyanov, V.I. 87−26256
Yukami, N., Ikeda, M. Thin-film composition change improves image-sensor response 85−56433
Yukami, N., Ikeda, M., Harada, Y., Nishitani, M., Nishikura, T. High-speed $CdS_{0.2}Se_{0.8}$ photoconductor and its application to line-image sensors 86−48268
Yukami, N., Ikeda, M., Harada, Y., Nishitani, M., Nishikura, T., Wada, H. High speed contact-type linear-image sensor using $CdS_{0.2}Se_{0.8}$ thin film 85−56434
Yukami, N., Ikeda, M., Yamamoto, A., Togashi, M. Contact image sensor technology 88−59555
Yukawa, A. Constraints analysis for oversampling A-to-D convertor structures on VLSI implementation 87−66283
Yukawa, A., Fujita, T., Hareyama, K. A CMOS 8-bit high speed A/D converter IC 85−61337
Yukawa, A., Maruta, R., Nakayama, K. An oversampling A-to-D converter structure for VLSI digital codec's 86−17063
Yukawa, A., Nakayama, K., Kawakami, Y., Hinooka, K., Mizukami, Y. An oversampling ADC macrocell with rail-to-rail input voltage capability 87−59660
Yukawa, A. *see* Ogawara, T. 86−1155, 86−57891
Yukawa, H. *see* Fudo, H. 88−61851
Yukawa, H. *see* Tanaka, H. 86−9490
Yukawa, J., Nomura, H., Shimodaira, M. Fiber optics system applications for private communication networks 87−40943
Yukawa, J. *see* Shimodaira, M. 87−40906, 87−48384
Yukawa, M. *see* Asaoka, M. 87−4628
Yukawa, M. *see* Kumano, M. 86−56670
Yukawa, M. *see* Takeda, Y. 85−21516
Yukawa, M. *see* Terauchi, H. 88−43487
Yukawa, N. *see* Nakamura, K. 87−26267
Yukawa, T. *see* Ishii, T. 87−30814
Yukawa, T. *see* Matsushita, Y. 88−42213
Yukawa, T. *see* Okamoto, K. 85−22494, 87−52109
Yukawa, T. *see* Soda, F. 85−27243, 85−56981
Yukawa, T. *see* Sunata, T. 86−28365, 87−3668, 88−42214
Yukawa, T. *see* Tohyama, T. 86−8706
Yukawa, Y. *see* Suzuki, K. 87−17728
Yukhimuk, A.K. *see* Kyz'yurov, Yu.V. 85−19118
Yukhin, N.A. *see* Lenivkin, V.A. 87−16206
Yukhnevich, A.V. *see* Artem'eva, S.V. 87−1410
Yukhnevich, A.V. *see* Vacher, A.A. 85−37791
Yukhno, I.A. *see* Boiko, B.T. 86−58336
Yukhno, I.N. *see* Borovinskaya, D.A. 88−33463
Yukhno, P.M., Yarmoshevich, E.I. Space-frequency characteristic of image-formation channel in presence of a local layer of scattering medium 88−34334
Yukhno, P.M. *see* Danilkina, A.F. 88−46147
Yuki, A., Matsui, Y. A numerical simulation of the reaction mechanisms in a CVD process 88−18728
Yuki, H. *see* Furuta, O. 85−51423
Yuki, H. *see* Shiokawa, T. 85−52320, 85−63616, 87−7611, 88−35433
Yuki, H. *see* Yaguchi, H. 88−47696
Yuki, M. *see* Ohta, A. 88−225
Yuki, S., Urabe, S., Kobayashi, K. Design considerations for mobile radio units used in high-capacity land mobile communications system 87−48950
Yuki, S., Urabe, S., Kobayashi, K., Nagata, K. Design considerations for mobile radio units used in high-capacity land mobile communication systems 87−28412
Yuki, S. *see* Habuka, T. 85−62818
Yuki, S. *see* Maruyama, K. 87−37077
Yuki, S. *see* Nagata, K. 87−69985
Yuki, S. *see* Nishiki, S. 85−17816
Yuki, Y. *see* Hayashi, F. 87−8281
Yuki, Y. *see* Murakami, Y. 88−13874
Yukihira, K., Miyazaki, K., Inoue, Y., Tsujimoto, K. Electromagnetic shielding effects of the guard cable on the trunk road 86−22708
Yukihira, K. *see* Hashimoto, E. 85−9442
Yukimatsu, K. A comparative cost analysis method of circuit vs. packet switched networks 86−69300
Yukimatsu, K., Watanabe, N., Honda, T. Multicast communication facilities in a high speed packet switching network 87−48435
Yukimatsu, K. *see* Watanabe, N. 87−19991, 87−27845, 88−41125
Yukimoto, Y., Aiga, M. a-SiGe:H alloy and its application to tandem-type solar cell 87−22779
Yukimoto, Y. *see* Hayafuji, N. 87−31549
Yukimoto, Y. *see* Kato, M. 87−4891, 87−9774
Yukimoto, Y. *see* Mitsui, K. 85−62428
Yukimoto, Y. *see* Mizuguchi, K. 86−56951
Yukimoto, Y. *see* Nakamura, G. 86−33665
Yukimoto, Y. *see* Nishizawa, J. 87−60441
Yukimoto, Y. *see* Yoshida, S. 85−65450
Yukimura, K. *see* Nozaki, I. 87−61085
Yukino, A. *see* Kuita, T. 87−4415
Yukino, M. *see* Naemura, S. 88−13951
Yukino, S. *see* Urakawa, T. 88−23987
Yukino, T. *see* Hiroo, I. 86−51043
Yukino, T. *see* Tsujimoto, K. 86−12511
Yukio Endoh *see* Kazutoshi Sawada 86−31512
Yukiyoshi, H. *see* Ando, K. 86−47114
Yukiyoshi, H. *see* Noguchi, E. 86−51771
Yukov, E.A. *see* Vinogradov, A.V. 85−12800
Yukov, E.M. *see* Lirin, V.N. 88−17492
Yukuan Mao, Jiangda Shao The calculation of the nearfield of curved edge paraboloid 88−66161
Yukuan Mao *see* Shunshi Zhong 86−68893
Yukuan Mao *see* Mao Yukuan
Yukum Yang *see* Yang Yukum
Yukumoto, T. *see* Wakino, S. 88−41813
Yukutake, K. *see* Suemune, I. 87−16676
Yul Kim Bong *see* Bong Yul Kim
Yul Min Sang *see* Sang Yul Min
Yulan, P. *see* Shuying, W. 87−13119
Yulan Liu *see* Liu Yulan
Yulan Peng *see* Peng Yulan
Yulan Qian *see* Qian Yulan
Yulan Yao *see* Yao Yulan
Yul'berdin, Yu.F. *see* Logginov, A.S. 85−62627 to 62628
Yuldasheb, Z.M. *see* Popechitelev, Ye.P. 86−16538
Yuldashev, A.A. *see* Kratenko, M.Yu. 87−8051
Yuldashev, A.K. *see* Kudratillaev, A.S. 88−44923
Yuldashev, G.F. *see* Mokhov, E.N. 86−34313
Yuldashev, Kh., Gaiibov, T.Sh. A submission of grid factors in optimizing 24-hour networks in large energy systems 86−65669
Yuldashev, Kh., Gaiibov, T.Sh. Optimization of the daily operating conditions of large electric power systems by dividing them into subsystems 87−15128
Yuldashev, O.I. *see* Ayrjan, E.A. 87−63602
Yule, N. The systems approach [centralised monitoring system] 86−70008
Yule, P.E. The total solution to office communication 88−59911
Yule, T.J., Bennett, E.F. Fast neutron personnel dosimeters using proton recoil proportional counters 88−68257
Yuli Cao *see* Cao Yuli
Yuliang He *see* He Yuliang
Yuliang Wan *see* Wan Yuliang
Yuliasto, T.T. *see* Parris, M.C. 85−7106
Yulin Hua, Petty, M.C., Roberts, G.G., Ahmad, M.M., Yates, H.M., Maung, N., Williams, J.O. Blue electroluminescence from ZnSe/Langmuir-Blodgett film MIS diodes 88−39362
Yulin Li, Jianhua Lu, Jialin Jiang, Guanchang Cheng Time-domain pulse property of stimulated Raman scattering in a multimode optical fiber 86−29224
Yulin Li *see* Li Yulin
Yulin Xu *see* Xu Yulin
Yulin Zheng *see* Zheng Yulin
Yuling Li *see* Li Yuling
Yuling Wang *see* Wang Yuling
Yulish, A.N. *see* Novakovskiy, S.V. 86−17583
Yum, K. *see* Saulnier, G.J. 87−62099, 88−3066
Yum, P.T.-S. *see* Chan, C.-W. 87−75976
Yum, T. *see* Chan, C. 87−27709
Yum, T. *see* Hung, K. 87−27724
Yum, T.-K., Schwartz, M. Packet-switched performance with different circuit-switched routing procedures in nonhierarchical integrated circuit-switched and packet-switched networks 87−40010
Yum, T.-S.P. The design and analysis of the scheduled-retransmission multiaccess protocol for packet satellite communications 88−3295
Yum, T.-S.P., Ngai, T.-Y. Resequencing of messages in communication networks 86−43354
Yum, T.G., Schwartz, M. Comparison of routing procedures for circuit-switched traffic in nonhierarchical networks 87−48265
Yum, T.P., Lin, H.-C. Adaptive load balancing for parallel queues with traffic constraints 85−19556
Yum, T.P., Lin, H.-C. Adaptive load balancing for parallel queues [computer communication networks] 85−19568
Yum, T.S., Wong, P.C. An integrated services local area network 87−55804
Yum, T.S. *see* Hung, K.W. 87−7878
Yum, T.S. *see* Tin-yee Ngai 86−17040
Yum, T.S. *see* Wong, P.C. 86−17035, 88−34858
Yumaguzin, T.Kh. *see* Tuktarov, R.F. 87−29150
Yumaguzin, Yu.M. *see* Bakhtizin, R.Z. 86−18221, 88−4614
Yumashev, K.V. *see* Demchuk, M.I. 85−41513, 85−56581, 86−9820, 86−15581, 86−29208, 86−63630, 87−7325, 87−68590, 88−40188
Yumashev, K.V. *see* Demchuk, M.K. 86−54215
Yumashev, V.E. *see* Arkhipov, R.N. 87−12440
Yumashev, V.M. *see* Kosarev, L.I. 86−533, 88−17295
Yumashev, V.N. *see* V'yun, V.A. 87−77372
Yumde, Y. Standardization work on the 8 mm video and its draft specification 85−8598
Yumde, Y. 8 mm video system, peculiarities of the design standard and its forward development 86−24159
Yumde, Y. *see* Arai, T. 87−20805
Yumde, Y. *see* Furuhata, T. 87−16829, 87−45014
Yumde, Y. *see* Higuchi, S. 88−41873
Yumei Jing *see* Ximin Huang 88−31721
Yumei Ye *see* Ye Yumei
Yumiba, N. *see* Honda, A. 88−22505
Yumikura, T., Fuchida, S., Yamanaka, G., Arai, T. The development of a high-temperature-boost absorption heat-pump heat transformer 88−6046
Yumin Wang *see* Wang Yumin
Yumin Wen *see* Wen Yumin
Yumin Zhang *see* Zhang Yumin
Yumin Zhao *see* Zhao Yumin
Yuminaka, T. *see* Yoda, H. 87−28859
Yumine, T. *see* Sakawa, M. 85−10583, 86−40655
Yuming Cheng *see* Cheng Yuming
Yuming Feng *see* Feng Yuming
Yuming Hu *see* Hu Yuming
Yuming Jin *see* Jin Yuming
Yuming Zeng *see* Zeng Yuming
Yumino, N. *see* Kawano, Y. 88−62499

Yumoto, J., Fukushima, S., Kubodera, K. Observation of optical bistability in CdS_xSe_{1-x}-doped glasses with 25-psec switching time 88−2372
Yumoto, J., Nakajima, M., Yajima, H., Ishihara, S. Blocking oscillation in guided-wave optical bistable devices caused by photoexciting carriers 85−41207
Yumoto, J. *see* Otsuka, K. 86−9966
Yumoto, M. *see* Sakai, T. 85−35238
Yumoto, N., Ikeda, H., Sugimoto, T., Hayashi, K., Sakamoto, F. Optical data link for automobiles 85−39285
Yumoto, S., Toki, K., Tsukamoto, Y., Habara, T., Okada, M., Yokota, H., Gokan, H. Magnetic property and structural changes in TbFeCo by heat treatment below crystallization temperature 88−58257
Yumoto, S. *see* Sakamoto, Y. 86−5606
Yumura, T. *see* Yamamoto, T. 87−43089
Yun, B.K. *see* Yung, S.I. 87−43435
Yun, C.P. *see* Kapon, E. 88−33996, 88−65678
Yun, C.z., Lee, S.Y., Lian, M.R., Abe, K., Humphrey, F.B. An extended scheme of magnetic-bubble electronic dictionary 85−56132
Yun, D.Y.Y., Rao, S.H., Pettengill, R.C., Jr., Brodnax, C. A chip planning expert system based on a personal computer AI programming environment 85−39884
Yun, D.Y.Y., Yu-hen Hu, Hari Rao S, Naiping Keng SDEDIT. A state diagram editor 85−61050
Yun, D.Y.Y., Zhang, C.-N. Time-space optimal systolic array divider using redundant binary representation 87−66454
Yun, D.Y.Y., Zhang, C.N. Binary paradigm and systolic array implementation for residue arithmetic 86−1185
Yun, D.Y.Y., Zhang, C.N. A programmable systolic array for arithmetic operation in Galois field 86−27261
Yun, D.Y.Y. *see* Ho, W.P.-C. 86−46481, 86−47711
Yun, D.Y.Y. *see* Hu, Y.H. 85−33605
Yun, D.Y.Y. *see* Shirazi, B. 88−50123
Yun, D.Y.Y. *see* Zhang, C.N. 85−17339, 88−70851
Yun, J.C. *see* Edwards, K.W. 87−21424
Yun, M.P. *see* Uglov, Yu.F. 85−22012
Yun, M.S., Yoshino, K. Doping effect on carrier mobility in poly-*p*-phenylenesulfide 85−61709
Yun, S.W., Itoh, T. Nonreciprocal wave propagation in a hollow image guide with a ferrite layer 85−13198
Yun, S.W., Itoh, T. Nonreciprocal wave propagation in a hollow image guide with a ferrite layer 85−55092
Yun, W. *see* Howells, M. 86−10008
Yun, W.Y., Bai, D.S. Optimal numbers of redundant units for parallel systems with common mode failures 87−5291
Yun, W.Y., Bai, D.S. Cost limit replacement policy under imperfect repair 87−65148
Yun, W.Y., Bai, D.S. Repair cost limit replacement policy under imperfect inspection 88−63077
Yun, W.Y. *see* Bai, D.S. 87−23276
Yun, Y.-H., Gutmann, R.J. GaAs semi-insulated-gate FETs (SIGFETs) as high power MMIC control devices 88−71118
Yun Yuan Jin *see* Yuan Jin Yun
Yun C. Chung, Shay, T.M. Frequency stabilization of a diode laser to a Fabry-Perot interferometer 88−58635
Yun Cabrera, J., Ketels, D.G. System 12 data generation 87−2995
Yun Chang-Hun *see* Chang-Hun Yun
Yun Chang-Sun *see* Chang-Sun Yun
Yun E *see* E Yun
Yun Gang, Yu Meiwen On reflection reconstruction of transmissive holograms 86−3329
Yun Guo *see* Guo Yun
Yun Hee Cheol *see* Hee Cheol Yun
Yun Hee-Joong *see* Hee-Joong Yun
Yun Hsu En *see* En Yun Hsu
Yun Jianling *see* Tan Zuowu 87−51273
Yun Kim Yong *see* Yong Yun Kim
Yun Kyung Oh *see* Kwang Mean Park 88−44782
Yun Ling Jing *see* Ling Jing Yun
Yun Mun Soo *see* Mun Soo Yun
Yun Park Chang *see* Chang Yun Park
Yun Sang Won *see* Sang Won Yun
Yun Sang-Won *see* Sang-Won Yun
Yun Su *see* Su Yun
Yun Suck Chang *see* Suck Chang Yun
Yun Tae Lee, Choong Ki Kim, Chong Min Kyung Effect of capacitance error on the A/D conversion accuracy 86−41176
Yun Xu *see* Xu Yun
Yun Yong-Hoon *see* Yong-Hoon Yun
Yun Young Hoon *see* Young Hoon Yun
Yun Yuan *see* Yuan Yun
Yun Yuan Jin *see* Yuan Jin Yun
Yun Zhengzhong *see* Hui Hengrong 88−7318
Yun Zhu *see* Fengyi Huang 88−33741
Yun-bao Shen *see* Shen Yun-bao
Yun-bo Hua *see* Hua Yun-bo
Yun-Fu Wu *see* Der-Yu Hsia 85−48757
Yun-Heng He *see* He Yun-Heng
Yun-jian Wu *see* Wu Yun-jian
Yun-jiang Yao *see* Yao Yun-jiang
Yun-Leei Chiou *see* Jenn-Gwo Hwu 86−53656
Yun-Leei Chiou *see* Jyh-Wong Hong 86−53076
Yun-Leei Chiou *see* Wei-Yu Lee 86−56950
Yun-nian Yang *see* Yang Yun-nian
Yun-Ock Cho Analysis of radio interference in the corona of a power transmission system 87−30186
Yun-ock Cho Statistical model for predicting radio noise caused by power line corona 87−30187
Yun-Ok Cho, Kwang-Wha Kim An analysis of discharge type and peak discharge time measurement inside power apparatus 88−48850
Yun-peng Fu *see* Fu Yun-peng
Yun-Peng Sun *see* Sun Yun-Peng
Yun-ping Li *see* Li Yun-ping
Yun-Seung Shin, Choong-Ki Kim The effect of Si-SiO_2 interface on the excess point defect distribution in silicon 85−55452
Yun-Woo Lee, Young-Boong Chung, In-Won Lee Performance assessment of a laboratory made laser wavemeter 87−21264
Yun-Wu Zhang *see* Yong-Gang Su 86−60497
Yun-yi Wang, Yong-hui Shu A study of W-band subharmonically pumped mixer 86−14522
Yun-Yi Wang, Yong-Hiu Shu A study of W-band subharmonically pumped mixer 86−27583
Yun-yong Wang *see* Wang Yun-yong
Yun-yu Wang *see* Er-chang Shang 88−53381
Yun-Yuan Mao *see* Mao Yun-Yuan
Yun-zhang Sun *see* Sun Yun-zhang
Yunak, Yu.I. *see* Babichev, V.V. 87−3615
Yunakov, P.A. *see* Lutov, M.F. 86−37646
Yunakovskii, A.D. *see* Zharova, N.A. 87−68742
Yunan Gu *see* Gu Yunan
Yunbo Lushen Hua *see* Hua Yunbo Lushen
Yuncai Liu *see* Juyang Weng 88−73344
Yunchang Zhang *see* Zhang Yunchang
Yunck, T.P., Sien-Chong Wu, Lichten, S.M. A GPS measurement system for precise satellite tracking and geodesy 86−37953
Yunck, T.P., Wu, S.C., Wu, J.T. Strategies for sub-decimeter satellite tracking with GPS 87−41078
Yund, E.W., Simon, H.J., Efron, R. Speech perception with an eight-channel compression hearing aid and conventional aids in a background of speech-band noise 88−54648
Yunda, N.T. Meter for the distribution of surface potential 86−11668
Yunda, N.T. *see* Aryshev, S.I. 85−8854
Yundev, D.N., Lash, A.A., Grine, V.M., Vasilenko, V.F., Grigoryev, V.A., Andrianova, L.B., Bakos, J.S., Sorlei, Z., Karpati, T. Measurement of the absorption coefficient and index of refraction of templene in the submillimetre wave range 88−68048
Yundev, D.N. *see* Bazarkin, A.N. 85−6486
Yundev, D.N. *see* Lash, A.A. 85−8736, 86−17831, 86−31615
Yundong Jin *see* Jin Yundong
Yundt, G.B. Series parallel connected composite amplifiers 85−6198
Yundt, G.B. Nonlinear compensation of self oscillating switching regulators 86−7987
Yundt, G.B. Series- or parallel-connected composite amplifiers 86−46586
Yundt, G.B. Nonlinear compensation of self-oscillating switching regulators 87−36980
Yune, Y.G., Bryant, M.D. Transient nonlinear thermal runaway (or Williamson) effects in carbon graphite electrical brushes 88−7106
Yune, Y.G., Bryant, M.D. Transient nonlinear thermal runaway effects in carbon graphite electrical brushes 88−38807
Yune, Y.G. *see* Oh, S. 88−7107, 88−38809
Yuneev, V.M. *see* Bushmarina, G.S. 85−45413
Yunfeng Yu *see* Yu Yunfeng
Yung, B. *see* Werlich, H. 85−35913
Yung, B.H. *see* Juetz, J. 85−15030, 85−47939
Yung, B.H. *see* Kran, A. 85−10659
Yung, C. *see* Hwang, C. 86−46972
Yung, E.K. On the evaluation of potential integrals in two-dimensional wave scattering 86−42833
Yung, E.Kai-Ning *see* Kai-Ning Yung, E.
Yung, E.K.N. Evaluation of the potential integral in the study of two-dimensional electromagnetic radiation and scattering 87−47161
Yung, E.K.N. Quasistatic electromagnetic fields at conductor edges: the method of conformal mapping 88−14337
Yung, H.C., Allen, C.R. A programmable VLSI array processor system for IIR/FIR digital filtering 85−49936
Yung, H.C., Allen, C.R. Constrained decomposition of binary addition for VLSI signal/image processing 86−58566
Yung, H.C., Allen, C.R. Recursive addition and its parameterisation in VLSI 87−620
Yung, H.C., Allen, C.R. Recursive and concurrent VLSI architectures for signal processing 87−59556
Yung, H.C., Allen, C.R., Liesenberg, H.K.E., Kinniment, D.J. A recursive design methodology for VLSI: theory and example 85−11305
Yung, H.C. *see* Makhlouf, M.A.R. 85−51633
Yung, H.T., Chao, K.S. A high-resolution R-2R A/D conversion technique 86−67281
Yung, H.T., Chao, K.S., Tsay, C.Y. A high-resolution charge-redistribution A/D converter 86−57898
Yung, J. *see* French, H.T. 88−28524
Yung, M. *see* Galil, Z. 86−22929
Yung, M. *see* Swanson, A. 86−35094
Yung, M.M. A secure and useful 'keyless cryptosystem' 85−57240
Yung, M.M. *see* Galil, Z. 87−76108
Yung, R. *see* Brayton, R. 87−37231
Yung, S.-Y., Burk, D.E. Informed device design and gain-speed trade-off for self-aligned polysilicon-emitter transistors 88−57623
Yung, S.-Y., Burk, D.E. Temperature-dependent study of the interfacial resistances in polysilicon-emitter contacts 88−71522
Yung, S.-Y., Burk, D.E., Fossum, J.G. Numerical simulation of temperature-dependent minority-hole transport in n^+ silicon emitters 87−18106
Yung, S.-Y. *see* Burk, D.E. 88−57622
Yung, S.I., Yun, B.K., Moon, B.K., Seo, H.G., Park, H.L. Photoacoustic determination of energy conversion efficiency and quantum efficiency of photovoltaic processes 87−43435
Yung Chee-Fai *see* Chee-Fai Yung
Yung Chi Wu, Koch, W.F., Durst, R.A. Standardization of pH measurements 88−67631
Yung Chiey Chen *see* Shiuh Chao 88−65161
Yung Hwan Oh Phoneme classification by 'multi-populational' discriminant analysis and its application 85−13495
Yung Hwan Oh Word speech recognition by the mapping of similarity between phonemes into integer space 85−36208
Yung Hwan Oh A simple algorithm for endpoints determination and voiced-unvoiced-silence classification of spoken words 85−62996
Yung Hwan Oh *see* Hyung Jin Choi 88−46171
Yung Jae Lee *see* Song-Won Cho 86−5777
Yung Jae Song *see* Kyung Tae Kim 85−39650
Yung Kou Kuei *see* Kuei Yung Kou
Yung Kwon Kim *see* Hwan Sool Oh 85−3461, 88−45181
Yung Li *see* Li Yung
Yung Shin Sang *see* Sang Yung Shin
Yung Shuy-Young *see* Shuy-Young Yung
Yung Taek Kim *see* Yoo Kun Cho 85−63136
Yung-An Chao, Attard, A. A resolution of the stiffness problem of reactor kinetics 86−6519
Yung-Chang Chen, Chi-Fa Chen A 3-D object recognition method using ultrasonic sensors and a TV-camera 86−65079
Yung-Chang Chen, Ming-Fa Tsai A scanning laser-range-finder with dual receivers 87−49190
Yung-Chang Lai, Putnam, C.U., McLain, M.E. Development of a postaccident gaseous-effluent monitor 88−22981
Yung-chen Wang *see* Wang Yung-chen
Yung-Cheng Chang, Sheng-Chung Chang, Lih-Hsing Hsu Automated layout generation using gate matrix approach 87−65714
Yung-Choa Pan, J., Tenenbaum, J.M. PIES: an engineer's do-it-yourself knowledge system for interpretation of parametric test data 87−53318
Yung-Dar Huang The channel imbalance phenomena and error bias analysis in PN code tracking loops 85−57241
Yung-Ho Kang, Byoung-Wook Rah, Tae-Jin Choi, Do-Sung Kim, Shi-Hong Do The physical characteristics of $CaSO_4$:Mn thermoluminescent dosimeter 87−21687
Yung-Ho Kang *see* Tae-Jin Choi 87−50136
Yung-Hsing Lin, Kuo-Tung Yu, Pei-Chin Yao, Shu-En Hsu Performance of $LiAl/LiI(Al_2O_3)/FeS_2$ thermal batteries 88−17863
Yung-Hyun Moon Research trends in measurement systems for power systems 87−64212
Yung-kwon Sung, Dong-ryul Shin, Bok-gil Choi, Kwang-ho Kwon Characteristics of plasma etching and plasma diagnostics of CF_4 gas with electric probe 87−45792
Yung-liang Wang *see* Wang Yung-liang
Yung-Lung Ma, Chialo Ma Fault tolerant memory system design 86−20559
Yung-Lung Ma, Chialo Ma Computer vision for intelligent robots with AIRS 87−71460
Yung-Lung Ma *see* Ma, C. 87−21805
Yung-Lung Ma *see* Tsing-Yee Tu 87−33668
Yung-moon Park Power system research and technological trends 88−23282
Yung-Sheng Chen *see* Po-Ning Chen 88−25250
Yung-Shih Chen, Fatemi, H. Au wire bonding evaluation by fractional factorial designed experiment 87−73939
Yung-Shih Chen, Fatemi, H. Au wire bonding evaluation by fractional factorial designed experiment 88−1302
Yungang Li *see* Li Yungang
Yungel, J.K. *see* Hoge, F.E. 86−32551
Yungel'son, V.G. *see* Lutfullin, R.R. 87−35240
Yunger, I.B. *see* Bortsov, Yu.A. 86−52068, 87−64570
Yungling, D.J. The KI60 Top-linear-loaded 160 meter inverted 'L' antenna 85−57120
Yunheng Huang *see* Huang Yunheng
Yunhon Wu *see* Wu Yunhon
Yunian, L. *see* Prete, G. 87−41827

Yunian, L. *see* Viesti, G. 87−14757
Yunik, M., Borys, M., Swift, G.W. A digital flute 85−63903
Yunik, M. *see* Zarowski, C.J. 86−23018, 88−40992, 88−46028
Yuning He *see* He Yuning
Yunisov, L.E. *see* Zaporozhets, V.V. 88−25401
Yunkap Kwankam, S., Ngundam, M.J. Information technology and networking: a potential boon to engineering education in developing countries 85−16638
Yunkin, V.A. *see* Koveshnikov, S.V. 88−33076
Yun'kov, M.G. New electric drive systems for oil and gas well drilling equipment 88−31252
Yun'kov, M.G., Parfenov, B.M., Kogan, A.I., Chekalina, S.A. Electrotechnical complexes of offshore drilling platforms 88−43521
Yun'kov, M.G. *see* Il'inskii, N.F. 85−65470, 88−24184
Yunlong Qian *see* Qian Yunlong
Yunmin Sun *see* Sun Yunmin
Yunn-Fang Song, Ching-lue Chen, Chu-Nan Chang, Jean-Luh You, Fu-Kwan Hwang, Chih-Ying Hsu Study of the transit time of pressure propagation in an acoustic delay line 87−29972
Yunn-Fang Song *see* Chu-Nan Chang 88−40039
Yunneng Huang *see* Huang Yunneng
Yunnian Yang *see* Yang Yunnian
Yunokawa, Y. *see* Isobe, H. 88−42524
Yunokawa, Y. *see* Sato, E. 87−57049
Yunoki, A. *see* Suzuki, S. 86−44562, 86−50375
Yunoki, K. On the frequency measurement of acoustic signals 87−21288
Yunoshef, L.S. *see* Kochanov, K.N. 85−4450
Yunoshev, L.S. *see* Vysokosov, E.P. 85−4123
Yunoshev, V.P. *see* Belomestnykh, V.A. 85−31221
Yunoshev, V.P. *see* Bogomolov, E.N. 87−3750, 88−29634
Yunovich, A.E. *see* Gorina, Yu.I. 87−53215
Yunovich, A.E. *see* Zolotov, S.I. 87−3779
Yunpeng Tian *see* Tian Yunpeng
Yunqiu Tang *see* Tang Yunqiu
Yunrong Wei *see* Wei Yunrong
Yunsham Zheng *see* Zheng Yunsham
Yunshan Li *see* Li Yunshan
Yunsheng Dai *see* Dai Yunsheng
Yunsheng Huo *see* Huo Yunsheng
Yunsheng Wang *see* Wang Yunsheng
Yunshu Zhu *see* Zhu Yunshu
Yunta, R. *see* Moreno, L. 87−52353
Yuntian Pei *see* Pei Yuntian
Yunus, K. *see* Razavi, H.M. 85−61238, 86−57803
Yunus, M.N. A method of determining blocking probability in the M(t)/M(t)/1 loss system [for telecommunication networks] 85−19612
Yunus, M.N. Approximation for mean of overflow traffic with discrete time-dependent input 88−21385
Yunus, M.N. Transient mean and variance of overflow traffic in a loss system 88−21539
Yunus, M.N. *see* Coyle, A.J. 86−26697
Yunusov, M.S. *see* Zainabidinov, S.Z. 86−35441
Yunusov, R.G. *see* Ivanov, A.V. 88−24033
Yunxia Lan *see* Lan Yunxia
Yunxiang Wang *see* Wang Yunxiang
Yunxin Tang *see* Tang Yunxin
Yunxin Zhao, Les Atlas, Xinhua Zhuang Application of the Gibbs distribution to hidden Markov modeling in isolated word recognition 88−66340
Yunxue Shen *see* Shen Yunxue
Yunyi Wang *see* Wang Yunyi
Yunying, Z. *see* Shuying, W. 87−13119
Yunying Zhao *see* Zhao Yunying
Yunyu Wang *see* Wang Yunyu
Yunzhen Wang *see* Wang Yunzhen
Yunzhu Ren *see* Ren Yunzhu
Yuodishyus, I. *see* Danelyus, R. 87−46974
Yuodishyus, I. *see* Piskarskas, A. 87−19036
Yuon Foo Bing *see* Bing Yuon Foo
Yuon Myung-Joong *see* Myung-Joong Yuon
Yuong, S.T., Gu, H. A low cost local area network using electric power lines 87−28353
Yuong Lee Sang *see* Sang Yuong Lee
Yuozapavichyus, A. *see* Danelyus, R. 86−29111
Yuozapavichyus, A. *see* Ionushauskas, G. 88−45543
Yuozapavichyus, A. *see* Piskarskas, A. 85−24521
Yupeng Wang *see* Wang Yupeng
Yuping Ho *see* Guoguang Yang 88−34785
Yuping Sun *see* Sun Yuping
Yuping Zhou *see* Hongyuan Shen 86−68502
Yuping Zhou *see* Zhou Yuping
Yupinov, Yu.L. *see* Artemyev, A.N. 88−10229
Yupu, W. *see* Shuzi, Y. 87−63254
Yupu Li *see* Li Yupu
Yupu Lin *see* Lin Yupu
Yupu Liu *see* Liu Yupu
Yupu Wu *see* Wu Yupu
Yupu Ye *see* Ye Yupu
Yuqin Chen *see* Chen Yuqin
Yuqin Lian *see* Lian Yuqin
Yuqiu Yao *see* Yao Yuqiu
Yura, H.T., Tavis, M.T. Centroid anisoplanatism 85−46572
Yura, M. *see* Matsui, N. 85−5166
Yura, M. *see* Tanabe, K. 86−34855
Yura, S. *see* Horibata, S. 87−7012
Yura, T. Development technologies for special purpose stepping motors 88−43225
Yura, T. *see* Kuwabara, M. 86−12427
Yura, T. *see* Nakajima, A. 87−4646
Yura, T. *see* Nakazima, J. 87−4417
Yura, T. *see* Tsuji, K. 86−32745
Yuraev, N.D. *see* Guseinov, G.D. 86−1756
Yurakov, Yu.D. *see* Antoshevskiy, V.S. 85−36485
Yuralov, V.D. *see* Goncharov, V.A. 87−29030
Yurashanskii, E.G., Yurin, K.E. System for interactive editing of the topology of very-large-scale integrated circuits 87−67314
Yurasov, A.M. *see* Botvinov, V.P. 85−60045
Yurasov, A.M. *see* Smokov, T.I. 85−4900
Yurasov, V.T. *see* Ananyants, S.S. 86−66021
Yurasov, V.T. *see* Mangilev, V.I. 86−39677
Yurasov, V.T. *see* Sychev, Yu.P. 87−4659
Yurchak, N.G. *see* Bogachev, V.M. 86−13943, 87−59717
Yurchak, N.S. *see* Aleksandrov, A.A. 87−19282
Yurchakevich, E.R., Binkovskii, N.F., Zayats, M.V., Marchenko, I.E., Yakovlev, S.A. Effect of saturation of a machine magnetic circuit on steady-state characteristics of the TVV-800-2YZ turbogenerator 86−26016
Yurchakevich, E.R. *see* Abramovich, R.D. 86−25978, 86−33271
Yurcheko, V.I. *see* Abrosimov, N.K. 86−25155
Yurchenko, A.A. *see* Zhitkov, V.V. 85−57709
Yurchenko, A.G., Grigor'yev, R.F. Effect of digital errors and threshold properties of PCM systems 86−29737
Yurchenko, D.S. *see* Kochetkov, L.A. 86−65859
Yurchenko, N.I. *see* Borovich, B.L. 85−41339, 85−46341, 86−22433, 88−14098
Yurchenko, N.P., Batalin, G.I. Formation of semiconductor-phase precipitates during the growth of epitaxial layers from a cooled solid solution 87−65488
Yurchenko, S.E. Large-capacity vertical Bloch line memories 87−7037
Yurchenko, S.E. Storing information on mobile magnetic domains 88−33549
Yurchenko, S.E. *see* Tikhonov, A.N. 86−36081
Yurchenko, S.M. *see* Namitokov, K.K. 87−37624
Yurchenko, V.B. Solar cells with heated charge carriers 86−26286
Yurchenko, V.B. *see* Gurevich, Yu.G. 85−12712, 85−29045
Yurchenko, V.I. *see* Vorob'ev, M.D. 87−45250
Yurchenko, V.V. *see* Tolstoi, V.P. 85−43101
Yurchenko, Yu.P. *see* Dvadnenko, V.Ya. 88−38696
Yurchenko, Yu.S. Filter design for integrated data input 86−48927
Yurchenko, Yu.S. *see* Kazarinov, Yu.M. 85−13737
Yurchenko, Yu.S. *see* Sokolov, A.ı. 87−17206, 88−41715
Yurchenko, Yu.V. *see* Skorobogatov, V.N. 85−46799
Yurchikov, E.E. *see* Serikov, V.V. 85−7160
Yurchishin, I.V. *see* Finkevich, V.A. 86−25696
Yurchuk, E.F. *see* Koryakin, N.D. 87−29144
Yurchuk, E.F. *see* Petrosyan, O.G. 86−8427, 86−38595, 87−63504
Yurchuk, S.V. *see* Gorban', I.S. 86−54096
Yurchuk, S.V. *see* Zubrilin, N.G. 85−56520
Yurek, A., Dandridge, A. Optical and electronic reduction of Rayleigh backscatter noise in fibre-coupled semiconductor diode lasers 86−53953
Yurek, A., Dandridge, A. The influence of optical and electronic feedback on 0.83 μm GaAlAs lasers pigtailed to remote sensors 88−16165
Yurek, A.M., Dandridge, A., Kersey, A.D. Coherent backscatter induced excess noise in reflective interferometric fiber sensors 88−67830
Yurek, A.M., Goldberg, L., Taylor, H.F., Weller, J.F. Millimeter-wave signal generation with an injection-locked laser diode 86−48428
Yurek, A.M., Goldberg, L., Weller, J.F., Taylor, H.F. Fringe visibility and phase noise in superluminescent diodes 88−2134
Yurek, A.M., Li, M.G., Lee, C.H. Measurements of time-varying millimeter-wave vectors by a dynamic bridge method 87−21218
Yurek, A.M., Li, M.G., Striffler, C.D., Chi H. Lee Modulation of millimeter-waves using diode laser illumination of a silicon waveguide 85−17831
Yurek, A.M., Taylor, H.F., Goldberg, L., Weller, J.F., Dandridge, A. Quantum noise in superluminescent diodes 86−42451
Yurek, A.M. *see* Bucholtz, F. 87−60829, 87−77376, 88−16151
Yurek, A.M. *see* Dandridge, A. 87−53980, 87−68097
Yurek, A.M. *see* Goldberg, L. 85−61439
Yurek, A.M. *see* Kersey, A.D. 87−76741, 88−41696
Yurek, A.M. *see* Lee, C.H. 86−14485, 87−24459
Yurek, A.M. *see* Rauscher, C. 86−55182, 87−6155
Yurek, E.J. *see* Huser, J.M. 88−63729
Yurek, G.J., Vander Sande, J.B., Rudman, D.A., Chiang, Y.-M. Superconducting microcomposites by oxidation of metallic precursors 88−33559
Yuren Liu *see* Liu Yuren
Yurenko, Yu.S. *see* Sokolov, A.I. 88−40952
Yurenkov, V.D. *see* Alekseev, V.G. 86−26126
Yur'ev, B.A. *see* Bulgakov, N.K. 87−63700
Yurev, M.s. Light-induced heating of the medium in pulsed CO_2 lasers 88−14113
Yurev, M.S. *see* Fedorov, S.V. 87−68370, 87−68588, 88−20553
Yur'ev, M.S. *see* Semenov, V.E. 86−68582
Yur'ev, M.S. *see* Sutyagin, A.N. 85−24473
Yur'ev, O.A. *see* Novitskii, S.P. 86−41257
Yur'ev, S.A., Yushchuk, S.I., Khomyak, G.E. Digital reference generator for nuclear gamma-resonance spectrometer based on NTA-1024 multichannel analyzer 87−5719
Yur'ev, V.A. *see* Lozovskii, V.N. 86−442
Yur'ev, Yu.A. *see* Marishkin, A.K. 85−60611
Yur'ev, Yu.S. *see* Kirillov, P.L. 88−17294
Yur'eva, I.M. *see* Kolin, N.G. 88−26032
Yur'eva, S.A. *see* Khazatskii, V.E. 87−20173
Yurevich, V.I. *see* Aver'yanov, N.E. 86−58868
Yurevich, V.M. *see* Shnaiderman, L.M. 86−51683
Yurganov, A.A. *see* Buevich, V.V. 87−78601
Yurganov, A.A. *see* Zhenenko, G.N. 88−75592
Yurgel, N.I., Zaretskii, E.F. Equations for investigating automatic control systems for solar electric-station heliostats 88−43100
Yurgel, N.I. *see* Baum, I.V. 87−30435
Yurgel', N.I. *see* Ermakov, V.S. 87−77318
Yuri, H. *see* Nakano, T. 85−29430
Yuri, M. *see* Ozasa, K. 88−63311
Yuri, S. *see* Kuwabara, M. 86−12427
Yurimoto, H. *see* Kamo, M. 88−70353
Yurin, K.E. *see* Yurashanskii, E.G. 87−67314
Yurin, O.N. *see* Artemenko, A.I. 88−64124
Yurino, S. *see* Sasaki, H. 88−36756
Yurish, S.Yu. *see* Kirianaki, N.V. 88−10061
Yurke, B. Optical back-action-evading amplifiers 85−46460
Yurke, B. Squeezed-state generation using a Josephson parametric amplifier 88−7039
Yurke, B., Kaminsky, P.G., Miller, R.E., Whittaker, E.A., Smith, A.D., Silver, A.H., Simon, R.W. Observation of 4.2 K equilibrium-noise squeezing via a Josephson-parametric amplifier 88−32412
Yurke, B. *see* Kaminsky, P.G. 87−56824
Yurkevich, B.N., Afonin, A.Ya., Kukarskii, S.G., Lukin, I.N. Experience of using the turbine-generator units of the Kolyma hydroelectric station for idle discharge of water 87−15580
Yurkevich, K.B. *see* Alekseev, B.V. 86−5656
Yurkevich, V.M. *see* Zakharov, A.G. 85−62720, 87−35159
Yurkin, A.M. *see* Gulev, V.S. 88−51777
Yurkin, E.K. *see* Akul'shin, A.M. 86−36495, 87−26410
Yurkin, Yu.T. *see* Voronov, S.A. 86−18258
Yurko, M. *see* Sloan, T. 88−52159
Yurkon, J. *see* Beard, K.B. 86−70325
Yurkon, J. *see* Heltsley, J.H. 88−29907
Yurkon, J.E. *see* Nolen, J.A. 85−59095
Yurkon, J.E. *see* Westfall, G.D. 85−64469
Yurkonis, C. *see* Arzbaecher, R. 87−50396
Yurkov, E.N. *see* Tyan, L.S. 87−21048
Yurkov, M.B. *see* Derbenev, Ya.S. 85−26619
Yurkov, S.N. *see* Dzhafarov, E.T. 88−50826
Yurkov, S.N. *see* Dzhafarov, Z.T. 86−21467
Yurkov, V.M. *see* Voronov, V.N. 88−5157
Yurkov, V.M. *see* Zinchenko, I.I. 88−4143
Yurkova, O.P. *see* Rudman, A.A. 86−61680
Yurkovich, S. *see* Keyhani, A. 87−43172
Yurkovich, S. *see* Ozguner, U. 87−4074
Yurkovich, V.M. *see* Kilmashevskii, I.P. 87−56776
Yurkovish, S. *see* Keyhani, A. 88−24019
Yurlov, F.F. The relationship between the Pareto principle and the reduction of systems to comparable form 86−37725
Yurlov, Yu.I. *see* Koronkevich, V.P. 85−56860
Yurlov, Yu.I. *see* Poleshchuk, A.G. 86−58982
Yurlova, L.A. *see* Maier, B.O. 85−35919
Yurman, Y. *see* Hollos, G. 88−54373
Yurmanov, V.A., Bogdanov, N.I. The effect of deaeration of feedwater on the steady concentration of oxygen in the water of an RBMK-1000 reactor [channel-type uranium-graphite boiling reactor] 86−45109
Yurmanov, V.A. *see* Andreev, V.I. 85−31281
Yurmanov, V.A. *see* Golyshevskii, O.A. 86−47035
Yurmanov, V.A. *see* Mamet, V.A. 87−22073
Yurmanov, V.A. *see* Margulova, T.Kh. 85−4782, 86−45069, 86−61281
Yurong Duan Application of penalty function method and the conjugate gradient method in economic scheduling of cascade hydropower stations 88−17423
Yurong Ma *see* Ma Yurong
Yurov, A.S. *see* Belogurov, S.V. 87−73803, 88−61152
Yurov, V.E. *see* Titova, E.E. 86−22670
Yurov, V.Yu. *see* Belyanko, A.E. 85−2232, 85−7274
Yurov, V.Yu. *see* Lipatov, N.I. 88−72276

Yurov, V.Yu. *see* Vakhterov, A.A. 86—3049
Yurov, V.Yu. *see* Zybin, D.N. 87—33246
Yurov, Ya.Ya., Sugak, M.I. An approximate method of synthesizing a broadband loaded dipole 86—54367
Yurov, Yu.Ya. Application of the theory of field similitude to calculate strip-line heating 85—7699
Yurov, Yu.Ya. A new equation of diffraction magnetodielectrics 87—19123
Yurov, Yu.Ya., Golovanov, V.N. Measurement of the amplitude of a periodic signal that is small compared with the noise 87—20828
Yurova, E.S., Fedorov, V.V., Morokhovets, M.A., Grebennikova, O.M. Characteristics of formation of an inhomogeneity of the electrical resistivity of neutron-transmutation-doped silicon 87—17906
Yurova, E.S., Kartavykh, A.V. Method of measuring the inhomogeneities of the electrophysical properties of semiinsulating gallium arsenide 88—44547
Yurova, E.S. *see* Karataev, V.V. 87—1186
Yurova, E.S. *see* Kolin, N.G. 87—17905, 88—26032
Yurova, E.S. *see* Kozhukh, M.L. 86—24264
Yurova, E.S. *see* Zabrodski, A.G. 87—53213
Yurova, E.S. *see* Zabrodskii, A.G. 87—45628
Yurovskii, A.G. A hierarchical model of real power optimisation of the operating conditions in the unified power grid of the USSR 87—15170
Yurovskii, A.G. A hierarchical electric network model for active power optimization of the USSR Power Pool 88—10718
Yurovskii, A.G. A procedure for comparing fuel consumption between power stations with different real load distributions 88—42910
Yurovskii, A.G. *see* Pershikov, S.F. 88—23252
Yurovskii, A.Yu. The asymptotic behaviour of the second moments of spectral density statistics 88—34716
Yurovskii, V.A. *see* Azimdzhanov, B.A. 86—29040
Yurovskii, V.A. *see* Bunkin, F.V. 87—33094
Yurpalov, V.D. *see* Goncharov, V.A. 87—29675
Yurre, T.A. *see* Guk, E.G. 86—21331
Yurshin, B.Ya. *see* Kiryunikov, K.V. 87—18910, 88—65592
Yurshina, L.A. *see* Gus'kov, L.N. 88—58620
Yurtal, L. *see* Price, R. 85—31340
Yurtsev, A.O. *see* Demidchik, V.I. 87—54652
Yurtsev, V.V. *see* Amiantov, I.N. 86—37074
Yurui Yang *see* Yang Yurui
Yurushkin, B.I. *see* Golovin, B.I. 85—22453
Yur'yev, B.S. *see* Gvozdev, V.I. 85—33622
Yuryshev, N.N. *see* Baikov, E.U. 85—2231
Yuryshev, N.N. *see* Basov, N.G. 85—41334, 88—14091
Yuryshev, N.N. *see* Belenov, E.M. 88—8139
Yuryshev, N.N. *see* Stepanov, A.A. 86—9751
Yuryshev, N.N. *see* Vagin, N.P. 85—24490, 86—29061, 87—12390, 88—27074
Yuryshev, N.N. *see* Zagidullin, M.V. 85—2234
Yusa, A., Nishizawa, J., Imai, M., Yamada, H., Nakamura, J., Mizoguchi, T., Ohta, Y., Takayama, M. The operational characteristics of a static induction transistor (SIT) image sensor 86—50112
Yusa, A., Nishizawa, J., Imai, M., Yamada, H., Nakamura, J., Mizoguchi, T., Ohta, Y., Takayama, M. SIT image sensor: design considerations and characteristics 86—65125
Yusa, A. *see* Matsumoto, K. 85—52772
Yusa, A. *see* Nakamura, T. 87—56537, 88—29438
Yusa, A. *see* Shimizu, E. 88—16190
Yusa, A. *see* Yamamoto, T. 87—45992
Yusa, K. *see* Yamaga, M. 86—36167, 87—18952
Yusa, M. *see* Hayatsu, R. 87—49400, 88—53484
Yusa, M. *see* Sato, W. 88—13491
Yusan Wang *see* Wang Yusan
Yuschik, M., Kobayashi, H. Top-down design of a VLSI digital filter bank 85—55046
Yuse, C., Shimizu, T., Ozawa, M. Automatic document feeder for facsimile 85—3087
Yuse, C. *see* Kobayashi, Y. 85—13839, 85—47180
Yuse, C. *see* Komiya, K. 88—15013
Yusem, S. *see* Ramasastry, J. 87—69994
Yushan Hao *see* Hao Yushan
Yushan Li *see* Li Yushan
Yushan Tan *see* Yuwen Wang 88—47707
Yushchak, P.T. *see* Zhuk, V.V. 85—49615
Yushchenko, A.G. *see* Pyatak, N.I. 87—47268
Yushchenko, B.A., Zaruba, N.I., Oleinik, S.G. Mathematical models of valve converters as systems of differential equations with minor variables 86—8670
Yushchenko, B.A. *see* Barabanov, V.A. 85—56976
Yushchenko, B.A. *see* Milyakh, A.N. 85—32837
Yushchenko, K.A. Special features of arc welding 2-4.5 mm thick strips of 12Kh 18N 10E selenium bearing steel 88—55978
Yushchenko, K.A. *see* Zakharov, L.S. 85—60600
Yushchenko, V.M. *see* Korzh, V.I. 88—36072
Yushchuk, O.I. *see* Aivazyan, Yu.M. 86—68478
Yushchuk, O.I. *see* Baev, V.M. 87—26584
Yushchuk, S.I. *see* Yur'ev, S.A. 87—5719
Yushen Zhang *see* Zhang Yushen
Yusheng, C., Dengjing, Q. A numerical study of the IEMP generated in a cylindrical cavity 86—54282
Yusheng Geng *see* Geng Yusheng
Yusheng Shen *see* Shen Yusheng
Yusheng Sun *see* Sun Yusheng
Yusheng Wang *see* Wang Yusheng
Yushin, A.V. *see* Apollonov, V.V. 87—74980
Yushin, N.K., Beige, H. Nonlinear effects in a piezoceramic resonator 88—20205
Yushin, N.K., Nasyrov, A.N., Kim, V.S. Anisotropy of acoustic losses in crystalline acoustic lines for use in ultrasonic delay lines 87—46299
Yushin, N.K. *see* Belokurova, O.I. 88—33799
Yushin, N.K. *see* Lemanov, V.V. 85—43106
Yushin, N.K. *see* Smolenskii, G.A. 86—58647
Yushin, V.D. *see* Kolerov, O.K. 86—5517
Yushina, G.A. *see* Simuni, M.M. 88—53549
Yushkaitis, R.V. *see* Kozel, S.M. 88—16128, 88—26800
Yushkenas, R.L. *see* Paulavichyus, R.B. 88—12109
Yushkievich, Yu.V. *see* Latuszynski, A. 87—57011
Yushkin, A.A. *see* Tsirlin, O.V. 86—38338, 88—16904
Yushkov, A.V. *see* Kuterbekov, K.A. 87—50188
Yushkov, D.D. *see* Troitsky, A.M. 85—39296
Yushkov, V.I. *see* Adamesku, R.A. 85—49650
Yushkov, Yu.G. *see* Artemenko, S.N. 85—41098, 87—45201
Yushkov, Yu.G. *see* Avgustinovich, V.A. 88—12568, 88—39853
Yushkov, Yu.G. *see* Didenko, A.N. 85—12526, 86—2647, 86—20788
Yushkov, Yu.G. *see* Novikov, S.A. 87—17609, 88—954, 88—39747, 88—64208
Yusif-zade, T.A. *see* Kengerlinskii, Yu.S. 85—2808
Yusipov, N.Yu. Diffusion of titanium into a $CrSi_2$ film during deposition 85—6724
Yuskesselieva, L.G., Antonov, A.S. On a laser remote sounding method for aerosol systems 85—46506
Yus'kiv, M.A. Conversion to DC supplies of transporting rail bogies 88—62705
Yusnukis, D. *see* Burleson, G.R. 86—60503
Yuspeh, A.R. Legislation on weapon system warranties 86—57281
Yusta, C.Fritsch *see* Fritsch Yusta, C.
Yuste, C. *see* Alberdi, J. 88—22967
Yusuf, R.M. The RASCOM project: a new dimension for PANAFTEL [telecommunication network] 88—34909
Yusuf Haider, A.F.M. *see* Falsini, P. 85—41475
Yusufova, V.D., Tvaradze, R.V., Garzanov, A.L. Effect of combustion of water-oil emulsion on fuel consumption and efficiency of steam generators 85—4915
Yusupbenkov, N.R., Azimov, A.A., Pinskii, A.B. Correction of errors in measuring vibration transducers by a test method 87—14295
Yusupov, A. *see* Zabrodski, A.G. 87—53213
Yusupov, A. *see* Zabrodskii, A.G. 85—34825, 87—45628
Yusupov, M. *see* Badalov, F.B. 88—70274
Yuta, S., Kurita, K., Nakajima, M. A tomographic reconstruction algorithm for X-ray CT from noisy projection data 85—48263
Yuta, S. *see* Akiyama, I. 86—5923, 87—63757, 88—61321
Yuta, S. *see* Iwata, S. 85—64578, 86—32287, 86—70406, 87—21551
Yuta, S. *see* Kusaba, R. 87—41960, 88—42537, 88—52093
Yuta, S. *see* Morozumi, T. 85—4300
Yuta, S. *see* Saito, H. 88—60885
Yuta, S. *see* Uchiyama, H. 85—15309, 86—38780
Yuta, S. *see* Ueda, M. 86—70385
Yutang Ye, Hunsperger, R.G. Ultraviolet-light-induced deposition of gold films 88—24742
Yutani, N., Kimata, M., Iwade, S., Tsubouchi, N. IrSi Schottky-barrier infrared image sensor 88—42168
Yutani, N. *see* Denda, M. 88—47570
Yutani, N. *see* Iwade, S. 88—53739
Yutani, N. *see* Kimata, M. 86—11282, 86—17970, 86—28359, 87—41383, 87—53509, 87—63284, 88—22636
Yutanov, N.Yu. *see* Bergner, Yu.K. 87—56703
Yuto, M., Hayashi, Y., Mukunashi, H., Iguchi, S. Development of short-distance optical transmission cord 85—63709
Yuu, Y. *see* Majumdar, G. 88—55507, 88—75791
Yuu, Y. *see* Takata, I. 86—41764
Yu'uchi, K. *see* Itagaki, M. 88—6049
Yuudin, I.A. *see* Iossel, Yu.Ya. 88—51042
Yuuki, A. *see* Matsui, Y. 88—444
Yuuki, M., Murayama, T., Iguchi, Y., Ebinuma, S., Ohta, S., Aono, H., Fuji, A. Development of electron beam welded rotor for turbocompressors 88—11739
Yuuki, S. *see* Shimoda, H. 88—48860
Yuuki, Y. Digital Audio tape deck RX-X100, RX-X5 88—29175
Yuvarajan, S., Ramaswami, B. Digital simulation of a thyristor-fed DC motor drive 86—7221
Yuvarajan, S. *see* Khoei, A. 86—39762, 88—75719
Yuvko, A.N. *see* Tereshin, O.N. 87—47386
Yuwen Shu *see* Shu Yuwen
Yuwen Shun *see* Shun Yuwen
Yuwen Wang, Yushan Tan, Ku, C.H. Thermal characteristics of bonded structure analysis using holography and infrared thermography 88—47707
Yuwu Zhang *see* Zhang Yuwu
Yuxia Zheng *see* Zheng Yuxia
Yuxiang Duan *see* Duan Yuxiang
Yuxin Cao *see* Cao Yuxin
Yuxin Chen *see* Chen Yuxin
Yuxing Zhao *see* Zhao Yuxing
Yuxiong Li *see* Li Yuxiong
Yuxiu An *see* An Yuxiu
Yuxiu Gao *see* Gao Yuxiu
Yuya, S. *see* Takeda, Y. 85—21516
Yuyama, H. *see* Kozuma, C. 85—5532
Yuyama, I., Hatori, Y. Simulation for television systems and transmission 86—17606
Yuyama, I., Yano, S. Picture-quality for member of the component-coding family below 4:2:2 86—31007
Yuyama, I., Yano, S. Picture-quality of high-definition television with gamma correction at the receiver 86—55429
Yuyama, I. *see* Kusaka, H. 86—55420
Yuyama, K. *see* Ogawa, Y. 87—5841
Yuyama, K. *see* Terai, H. 86—40839
Yuyama, S. Current condition of distribution system automation in Tokyo Electric Power Co 87—4233
Yuyan Yang *see* Yang Yuyan
Yuying Kang *see* Kang Yuying
Yuying Qin *see* Qin Yuying
Yuying Zhao *see* Zhao Yuying
Yuzawa, C. *see* Horikoshi, T. 88—61322
Yuzevich, Yu.V. *see* Vishenchuk, I.M. 86—17771
Yuzhakov, A.A. *see* Litsyn, S.N. 86—68978
Yuzhakov, A.N. *see* Gordeev, V.N. 86—14322
Yuzhakov, V.I. Role of electronic excitation energy migration in tunable lasers utilizing multicomponent dye solutions 87—18920
Yuzhakov, V.I. *see* Saletskii, A.M. 85—41356, 85—56570
Yuzhakova, I.P. *see* Kon'kov, A.A. 87—61083
Yuzhang Cao *see* Cao Yuzhang
Yuzhang Li *see* Li Yuzhang
Yuzhang Wang *see* Wang Yuzhang
Yuzhen Fan *see* Fan Yuzhen
Yuzheng Wang *see* Wang Yuzheng
Yuzhi Wang *see* Wang Yuzhi
Yuzhou Chen *see* Chen Yuzhou
Yuzhu Wang *see* Wang Yuzhu
Yuzinkevich, V.V. *see* Krushchev, V.V. 85—32543
Yuzong Gui *see* Gui Yuzong
Yuzuki, L., Kadekodi, N., Claproth, A., Elhatem, A., Tandon, J., Ibrahim, A. A 5732-element linear CCD image sensor 86—5055
Yuzuki, L. *see* Shey-Ping Sheu, L. 85—58577
Yuzun Gao *see* Gao Yuzun
Yuzuriha, H. *see* Nishitani, H. 87—29745
Yuzuriha, K. *see* Wada, T. 87—59504, 88—6831
Yuzuriha, T. *see* Fuoss, D. 87—60630
Yuzuriha, T.H., Early, S.R. Failure mechanisms in a 4-micron pitch 2-layer gold IC metallization process 87—1689
Yuzuriha, T.H. *see* Yamaguchi, T. 88—64746
Yuzurihara, H. *see* Tanaka, M. 88—51163
Yuzurihara, I. *see* Tanaka, J. 85—54680
Yvabov, B.M. Improving the operational reliability of substation insulation 88—62542
Yvergnaux, S. *see* De Lapeyre, F.J. 88—28456
Yvert, M. *see* Beingessner, S.P. 87—63652, 88—22945
Yvroud, E. *see* Bourhis, G. 87—71154
Yvroud, E. *see* Le Huy, P. 85—64606 to 64607
Yvroud, E. *see* Le-Huy, P. 86—32327 to 32328, 87—71145, 88—16738
Yzuel, M.J., Hernandez, A., Millan, S. Digital filtering with compensation of the modulation transfer function of a scintigraphic system 85—43375

Z, O.A.Nava *see* Nava Z, O.A.
Za Son Li *see* Li Za Son
Zaara Khaiet *see* Akimov, L.V. 88−37648
Zaatari, G.S. *see* Anderson, H.V. 87−63821
Zaba, T., Lombardi, P.J. Experience in the operation of air filters in gas turbine installations 85−43884
Zaba, W., Zabrodzki, J. An analyser of systems with microprocessors 8080A 85−8771
Zabaev, V.N. *see* Anan'in, P.S. 86−50385
Zabala, A. *see* Carlos Tobias, J. 88−61996
Zabalawi, I.H. A generalized Chebyshev channelizing filter 85−22983
Zabalawi, I.H. Selective filters with finite transmission zeros and arbitrary phase characteristics 86−67479
Zabalawi, I.H. Non-minimum phase recursive digital filters 87−59744
Zabalawi, I.H., Alseyab, S.A. Wave digital filters (WDF) with generalized Chebyshev amplitude characteristics 87−5985
Zabalawi, I.H., Kahhaleh, B.Z. Arbitrary phase polynomials for sampled-data systems 88−31669
Zabalawi, I.H., Kahhaleh, B.Z. Design of recursive digital filters with prescribed amplitude and delay characteristics 88−32344
Zabalawi, I.H., Stehle, W. Design of flat-group delay filters with prescribed amplitude characteristics 86−1205
Zabalkanskii, E.S. Synthesis of an optimum buncher for a klystron amplifier 88−25779
Zabalkanskii, E.S. *see* Grebneva, R.K. 85−17173
Zaballos, P. High speed HCMOS logic array design for systems/board level engineers 86−1004
Zaballos, P. High speed CMOS logic array design for systems/board-level engineers 86−46693
Zabar, Z., Naot, Y., Birenbaum, L., Levi, E., Joshi, P.N. Design and power conditioning for the coil-gun 88−58818
Zabar, Z., Pinto, J.F., Braz, A.T. Dynamic load simulation of distribution networks 87−78113
Zabar, Z. *see* Levi, E. 85−60130, 88−68592
Zabavin, N.D. *see* Zhukov, S.F. 86−65754
Zabavnikova, I.R. *see* Stambler, L.B. 88−62669
Zabawski, I. *see* Kraul, H.J. 88−11547
Zabaznov, A.M. *see* Demchouk, M.i. 85−62631, 86−3119
Zabaznov, A.M. *see* Demchuk, M.I. 87−68590
Zabaznov, A.M. *see* Zharikov, E.V. 87−46821
Zabberoni, F. *see* Di Biase, V.C. 88−13831
Zabegailo, V.I. *see* Radzievskii, B.V. 88−36295
Zabel, H. *see* Fischer, R. 86−46320
Zabel, H. *see* Morkoc, H. 88−32976
Zabel, H. *see* Neumann, D.A. 86−14921
Zabel, H.-J., Bader, R., Gehrig, J., Lorenz, W.J. High-quality MR imaging with flexible transmission line resonators 88−36461
Zabel, H.-J. *see* Bader, R. 87−57134
Zabel, K.C. A programmable pulse driver formatter 88−50228
Zabel, T.H. *see* Anthony, J.M. 85−55670
Zabel, T.H. *see* Donahue, D.J. 85−20858
Zabel, T.H. *see* Klouda, G.A. 85−20793
Zabele, G.S., Koplowitz, J. A transform encoding scheme for closed planar curves 85−30413
Zabele, G.S., Koplowitz, J. Fourier encoding of closed planar boundaries [pattern recognition] 85−36355
Zabelin, A.I., Shmelev, V.E. Radiolysis of the coolant in the VK-50 boiling water reactor 87−22059
Zabelin, A.I. *see* Gavrilin, A.I. 87−30323
Zabelin, A.M. *see* Babaev, I.K. 87−68356
Zabelin, A.M. *see* Belen'kii, A.M. 87−26299
Zabelin, A.M. *see* Dianov, E.M. 85−24616
Zabelin, A.V. *see* Artemyev, A.N. 88−10229
Zabelin, I.F. *see* Milin, A.I. 88−28547
Zabelin, M.V. *see* Rykov, A.V. 87−63912
Zabelina, L.G. *see* Antonova, L.I. 86−27781
Zabelkin, V.M. *see* Aronson, A.Ya. 87−35836
Zabello, E.I. *see* Bezrodnyi, V.I. 85−46354, 88−2191
Zabello, E.I. *see* Vovk, L.V. 86−29030
Zabello, E.P. Reduction of measurement errors in remote metering of electric energy consumption 88−69078
Zabelt, K. Planned maintenance, rational plant monitoring and modern technology—the basis of effective and reliable operation [power plants] 85−27140
Zabin, S., Poor, H.V. Parameter estimation for the Class A Middleton Model 87−54795
Zabita, J.M. *see* Blitshteyn, M. 87−38610
Zabka, G., Kirstein, B.-M. Investigating the reliability of technical systems 87−15439
Zabler, E. *see* Heintz, F. 88−29310
Zablocky, P. *see* Heaney, J.B. 88−24257
Zablocky, P. *see* Moller, K.D. 88−60775
Zablotskii, V.V., Ivanov, N.A., Kosmach, V.F., Leonov, N.N., Ostroumov, V.I. Doping of semiconductors by photonuclear reactions 87−11601
Zablotskin, Ya.V., Zavorotnyi, V.F. Differential amplifier with improved common mode rejection at high frequency 86−40927
Zabludowski, A., Dubalski, B. The maximal PN sequences over $GF(p)$ 88−2911
Zabludowski, A., Sobolski, A. Topological optimization of distributed computer networks subject to reliability constraints 85−19828
Zaboi, J. Digitalization of communication networks 86−30263
Zabolotnaya, N.V., Osiko, V.V., Randoshkin, V.V., Sigachev, V.B., Timoshechkin, M.I. $(Bi, Tm)_3(Fe, Ga)_5O_{12}$ films with rapidly moving domain walls 85−50830
Zabolotni, R.A. Subcircuit reduction 87−52260
Zabolotni, R.A., Laksberg, E.A. Node-reduction algorithm for analysis of active networks 85−61042
Zabolotni, R.A. *see* Sigorskii, V.P. 87−16786
Zabolotny, A.V. *see* Nelina, V.K. 86−61544
Zabolotnyi, A.P., S'yanov, A.M. Analysis of electromagnetic processes in an asynchronous motor for different forms of feed voltage 88−17600
Zabolotnyi, A.P. *see* Novosel'tsev, A.V. 86−66378
Zabolotnyi, I.P., Kaplunov, V.B., Larin, A.M., Lerner, L.G., Rogozin, G.G. Analysis of electromagnetic parameters and certain transitional processes in turbogenerators of 500 MW rating 86−39696
Zabolotnyi, N.L., Baurin, V.A. Evaluating the dielectric strength of interlayer insulation for the multilayer windings of large power transformers 85−48999
Zabolotnyi, Yu.V. *see* Chervonenko, A.G. 86−5520
Zabolotnykh, V.L. *see* Mamet, V.A. 87−22073
Zabolotnyy, A.M., Pliner, V.M. Discrete representations in metric scaling problems 87−36617
Zabolotskii, A.A. Bistability of the soliton amplitude in a ring resonator with nonlinearly absorbing media 87−26525
Zabolotskii, A.A. Soliton transverse structure and optical bistability 87−39229
Zabolotskii, S.E., Kalinushkin, V.P., Ploppa, M.G., Murina, T.M. Apparatus for investigation of clusters of electrically active impurities in semiconductors by the method of small-angle light scattering 86−7868
Zabolotskii, Yu.A. *see* Venikov, V.A. 86−25941
Zabolotskikh, I.A. *see* Blistanov, A.A. 85−46448
Zabolotsky, V.P. *see* Shishov, E.V. 88−4690
Zabora, I.G. *see* Ignatov, V.A. 85−43988
Zaborovskii, V.S., Kozlov, V.N., Segura, Kh. Sensitivity properties of power pools for the control of real power 86−44837
Zaborovskii, V.S. *see* Kozlov, V.N. 88−30303
Zaborowski, M., Grabiec, P.B. Two-level metallization for integrated circuits 87−53425
Zaborszky, J. A large system approach toward operating the electric power system by decision and control 85−9451
Zaborszky, J., Huang, G., Huang, P. A reduced model for the direct computation of individual tie line loads and frequency in emergency or AGC conditions 86−12302
Zaborszky, J., Huang, G., Leung, T.C., Zheng, B.H. Stability monitoring on the large electric power system 86−56382
Zaborszky, J., Huang, G., Lin, S.Y. Control of reactive power and voltage in emergencies 85−43515
Zaborszky, J., Huang, G., Lin, S.Y. Reactive and real power control for computationally voltage and thermal management 85−59615
Zaborszky, J., Huang, G., Lin, S.Y., Liu, J.B. Restoration of the large electric power system using a computer generated sequence of target systems 87−71607
Zaborszky, J., Huang, G., Lu, K.W. A textured model for computationally efficient reactive power control and management 85−59614
Zaborszky, J., Huang, G., Zheng, B., Leung, T.-C. On the phase portrait of a class of large nonlinear dynamic systems such as the power system 88−30244
Zaborszky, J., Huang, G., Zheng, B., Leung, T.C. New results on stability monitoring on the large electric power system 88−42907
Zaborszky, J., Huang, G., Zheng, B.H., Leung, T.C. New results for stability monitoring of the large electric power system: the phase portrait of the power system 87−71602
Zaborszky, J., Huang, G.M., Liu, J.B., Huang, P. A dynamic power system model with graded precision for fast extraction of pertinent load flow information 86−32626
Zaborszky, J., Ilic-Spong, M., Huang, G., Dobraca, F. Computer control of the large power system during faults for inherently adaptive selective protection 87−57548
Zaborszky, J. *see* Ilic-Spong, M. 85−32127
Zaborszky, J. *see* Lin, S.Y. 85−53301
Zaborszky, L. Simultaneous, accurate, independent measurement of the voltage and current on a dipole 88−75228
Zaborzky, J. *see* Huang, G. 87−57571
Zabotin, V.I. *see* Galiev, Sh.I. 85−48370
Zabounidis, C. *see* Becker, U. 88−22943
Zabowski, J. Telephone regional network technical development concept taking account of rural regions 88−66888
Zabowski, J. *see* Boglewski, A. 86−64826
Zabransky, J. Parameters of the MDA 2020 AF amplifier in the function of a power operational amplifier 86−27110
Zabre, E. A powerful supervisory control test-set equipment 88−60585
Zabroda, A.M. *see* Rysin, V.S. 87−10701
Zabrodin, B.V. *see* Afonin, O.F. 88−57421
Zabrodin, Yu.S. Appraisal criteria of output voltage quality in self-contained investers 87−44540
Zabrodin, Yu.S., Dobrovol'skii, A.N., Kuleshova, N.A., Lykov, A.I. Methods for implementing pulse-width control in independent voltage inverters 86−45506
Zabrodin, Yu.S. *see* Dudulyaka, L.L. 85−65246
Zabrodskaya, V.P. *see* Esepkina, N.A. 85−64157
Zabrodski, A.G., Evseev, V.A., Konopleva, R.F., Chekanov, V.A., Yurova, E.S., Fedorov, V.V., Saidov, M.S., Yusupov, A., Atabaev, I.G. Electrophysical properties of neutron-transmutation-doped silicon-rich Si-Ge alloys. II. Galvanomagnetic properties and inhomogeneities 87−53213
Zabrodskii, A.G., Evseev, V.A., Konopleva, R.F., Chekanov, V.A., Saidov, M.S., Yusupov, A., Atabaev, I.G. Neutron doping of $Si_{1-x}Ge_x$ at small x 85−34825
Zabrodskii, A.G., Evseev, V.A., Konopleva, R.F., Chekanov, V.A., Yurova, E.S., Fedorov, V.V., Saidov, M.S., Yusupov, A., Atabaev, I.G. Electrophysical properties of neutron-transmutation-doped silicon-rich Si-Ge alloys. I. Electrophysical parameters and ϵ_1 conduction 87−45628
Zabrodskii, A.G., Zinov'eva, K.N. Conductivity in the metal-dielectric transition range and its application in wide range low temperature convertors 85−18054
Zabrodskii, A.G., Zinov'eva, K.N. Low-temperature conductivity and metal-insulator transition in compensated n-Ge 85−28943
Zabrodskii, A.G. *see* Alekseenko, M.V. 86−1757
Zabrodskii, A.Kh. *see* Belongov, V.E. 87−56869
Zabrodskii, V.A. *see* Groshev, V.Ya. 86−65280, 87−41889
Zabrodzki, J. State of art and development perspectives of LSI and VLSI circuits 87−25403
Zabrodzki, J. *see* Manitius, K. 88−32361
Zabrodzki, J. *see* Patyra, M.J. 88−64672
Zabrodzki, J. *see* Zaba, W. 85−8771
Zabrowski, D.W., Rice, R.R., Specht, A.P. Temperature dependence of spontaneous emission from AlGaAs-GaAs laser diodes 86−48401
Zabrsa, E. The effects of printed circuit board layout and measurement systems on power MOSFET switching performance 88−71585
Zabud'ko, L.M. *see* Buksha, Yu.K. 86−56555
Zabudskii, I.P. *see* Babenko, Yu.G. 88−35973, 88−60917
Zabudskii, I.P. *see* Voichenko, G.I. 86−24519
Zabulenis, B.V., Krapovsky, O.K. Lighting the new department store in Kaunas 85−32793
Zaburannyi, A.G. *see* Dichka, I.A. 86−36926
Zaccanti, G., Bruscaglioni, P., Luzi, G. Analysis of the characteristics of a two-fiber sensor for monitorship of a turbid medium 88−48330
Zaccanti, G. *see* Battistelli, E. 86−3536
Zaccanti, G. *see* Bruscaglioni, P. 87−75451, 88−20920
Zaccaria, R. *see* Condorelli, L. 86−59998
Zaccaria, R. *see* Massone, L. 85−46908
Zaccarian, P. Standardization of the digital television tape recorder within the framework of the CCIR 86−31031
Zaccheo, R. New methods of communication [videoconferencing application] 88−35247
Zaccone, H. *see* Ansorge, R.E. 88−29842
Zacek, J. *see* Caha, Z. 88−24178
Zacek, V. *see* DeWulf, J.P. 87−21468, 88−22985
Zacek, V. *see* Kraus, H. 86−38693
Zacek, V. *see* Pidermann, B. 86−19059
Zacepin, S.I. *see* Denes, E. 85−4412
Zach, A. *see* Thulke, W. 88−27183, 88−65679, 88−65738
Zach, F.C. A new pulse width modulation control for line commutated converters minimizing the mains harmonics content 86−19394
Zach, F.C. Comparison of voltage and current spectra and of AC motor drive dynamics using various, especially optimized forms of pulse width modulation for inverters 86−51785
Zach, F.C., Ertl, H. Efficiency optimal control for AC drives with PWM inverters 86−7188
Zach, F.C., Kaiser, K.H., Kolar, J.W., Haselsteiner, F.J. New lossless turn-on and turn-off (snubber) networks for inverters, including circuits for blocking voltage limitation 85−10014
Zach, F.C., Kaiser, K.H., Kolar, J.W., Haselsteiner, F.J. New lossless turn-on and turn-off (snubber) networks for inverters, including circuits for blocking voltage limitation 86−52661
Zach, F.C., Martinez, R., Keplinger, S., Seiser, A. Dynamically-optimal switching patterns for PWM inverter drives (for minimization of the torque and speed ripples) 85−27701
Zach, F.C., Martinez, R., Keplinger, S., Seiser, A. Dynamically optical switching patterns for PWM inverter drives (for minimization of the torque and speed ripples) 86−7187

Zach, F.C. *see* Ertl, H. 87−51375, 88−17092
Zach, F.C. *see* Kolar, J.W. 88−75794
Zach, H., Payern, R. New Alarm concept for transmission equipment 88−41211
Zach, H.G. *see* Albrecht, G. 85−46069
Zach, J., Rose, H. Efficient detection of secondary electrons in low-voltage scanning electron microscopy 87−37855
Zach, M., Dutto, G., Laxdal, R.E., Mackenzie, G.H., Richardson, J.R., Trelle, R., Worsham, R. The H^- high intensity beam extraction system for TRIUMF 86−32044
Zach, M. *see* Dohan, D. 85−59083
Zach, M. *see* Mackenzie, G.H. 85−59077, 88−54311
Zach, M. *see* Pearson, J.B. 88−54352
Zach, R. *see* Nelson, R.S. 88−23050
Zach, R.D. *see* Nelson, R.S. 87−21547, 88−23052
Zach, W. Introduction of the CCITT signalling system No.7 into the Swiss telecommunication network 87−62490
Zachar, J. *see* Matal, O. 87−35729
Zachara, M. *see* Kisielewska, D. 87−56965
Zachariah, D. *see* MacKenzie, B.T. 88−17167
Zachariah, K.J., Ham, P.A.L., Finch, J.W., Farsi, M. A self-tuning voltage regulator for turbogenerators 88−48899
Zacharias, F. Cogeneration gas engine employs catalytic convertor 86−45163
Zacharias, P., Schiedung, H., Ressmuller, R. Power modulation capability of electronic current source of CO_2-lasers 87−26477
Zacharias, T. *see* Hatziadoniu, C. 88−54854
Zacharias, T. *see* Milias-Argitis, J. 87−73279, 88−55462
Zachariash, M. *see* Kasdan, H.L. 87−77619
Zacharie, G. *see* Donati, J.R. 85−38620
Zacharie, G. *see* Paris, D. 88−12103
Zacharopoulos, V., Mantakas, Ch., Dagakis, K., Caroubalos, C. An analogue scrambling scheme for television signals 86−11270
Zacharopoulos, V. *see* Mantakas, C. 85−57206
Zacharski, J. *see* McClelland, T. 88−22410
Zacharski, J.J., Reid, C.H. New trends in packaging of components in motor control centers 88−18125
Zachau, M. *see* Grutzmacher, D. 88−56268
Zachau, M. *see* Muller, F. 88−64301
Zachau, M. *see* Zrenner, A. 86−21281
Zacher, G.H. An Australian thin route satellite communications system 87−3168
Zacher, G.H. *see* Brann, G.R. 87−56099
Zachorowski, J. *see* Metcalf, D. 88−14227
Zachorowski, J. *see* Schearer, L.D. 88−27109
Zack, C. *see* Jaeger, K. 86−65099
Zack, G.W. *see* Srihari, S.N. 87−48128
Zackrison, H.B., Jr. The basic art of multipoint switching [lighting] 86−33841
Zacks, S. Estimating the shift to wear-out of systems having exponential-Weibull life distributions 85−33250
Zaczek, R., Markl, A., Balm, M., Coyle, J.T. A simple method for quantitative electroencephalographic assessment of drugs with convulsant and anticonvulsant properties 87−41974
Zaczkiewicz, A., Blachnik, M., Nawrocki, J. Identification of power system responses to short-circuit state—application of numerical computation to automatic protection 86−39212
Zadedyurin, E.V. *see* Bogdanovich, B.M. 88−28656
Zadedyurin, Ye.V. Determination of the convergence of Volterra-Wiener functional series when analyzing the nonlinear characteristics of amplifiers 87−52412
Zadedyurin, Ye.V. *see* Bogdanovich, B.M. 86−16097
Zadeh, K.N. *see* Frank, C.J. 85−59587
Zadeh, L.A. *see* Sanchez, E. *(editor)* 88−69992
Zader, R.T. *see* Sullivan, M.T. 86−37231
Zaderei, A.V., Roitel'man, N.G., Braerskii, V.N., Shishov, I.V. On the selection of an automatic isolating system for thermal power stations in emergency reduction of frequency 87−42634
Zaderei, A.V. *see* Shcherbina, Yu.V. 85−6102, 88−61824
Zaderej, V.V. Brushless DC motor inside a harmonic drive cup 85−21866
Zaderenko, V.A. Automatic reconnection of induction motor 85−5100
Zaderenko, V.A. Control of a mechanical carriage for blanks delivery 85−9877
Zaderenko, V.A. Modernised thyristor drive for machines used in mechanical assembly production 86−7194
Zaderenko, V.A. Automatic control of central drive of installation for machining components 86−40203
Zaderenko, V.A. Operating characteristics of the electric motor of a centre drive machine tool production unit 87−64601
Zaderenko, V.A. Automatic control of a lift motor in assembly production 88−23956
Zadernovskii, A.A. Acoustooptic nonreciprocal phase element 86−28929
Zadernovskii, A.A. *see* Golyaev, Yu.D. 88−14236
Zadgaonkar, A.S. *see* Tarnekar, M.G. 86−62298
Zadiranov, Yu.M., Korol'kov, V.I., Nikitin, V.G., Rozhkov, A.V. GaAs pulsed power transistors 85−50498
Zadiranov, Yu.M., Korol'kov, V.I., Ponomarev, S.I., Rozhkov, A.V., Tsvilev, G.I. High-voltage pulsed thyristors based on lightly doped gallium arsenide 88−26242
Zadiranov, Yu.M. *see* Alferov, Zh.I. 87−67311
Zadiranov, Yu.M. *see* Andreev, V.M. 87−38216
Zadiranov, Yu.M. *see* Grigor'ev, B.I. 87−11741, 87−38922
Zadirienko, I.M. Selecting the best objective function in the optimization problem for layered matching structures used with bar transducers 85−4513
Zadirienko, I.M., Kuz'menko, A.G. Radiation of short acoustic pulses by piezoelectric ceramic bar transducers driven by electrical signals of complex form 85−12468
Zadkov, V.N. *see* Abdullaev, A.Yu. 88−74269
Zado, F.M. Electrical/electronic reliability considerations in PWB manufacturing and assembly 85−34318
Zado, F.M. Effects of non-ionic water soluble flux residues 85−40350
Zadoenko, A.V., Stempkovskii, A.L. Possible increased productivity of electron ray exposure using a Gaussian pulse [lithography] 87−38052
Zadontsev, B.G. *see* Minkovich, V.P. 85−35502
Zadorin, A.S., Sharangovich, S.N. Calculation of the passband of an acoustooptical modulator with a cylindrical piezoelectric transducer 86−22196
Zadorin, A.S., Sharangovich, S.N. Wideband acoustooptical interaction in paratellurite 87−68232
Zadorina, N.A., Radionov, N.I. Independent voltage inverter with automatic commutation-current stabilization 86−45507
Zadorina, T.O., Pikovskii, A.A., Shlenov, V.V. Selecting optimum transformer capacity taking into account load rise 86−26108
Zadorina, T.O. *see* Bagiev, G.L. 88−48537
Zadorozhii, V.I. *see* Shchutskii, V.I. 85−15585
Zadorozhnaya, G.N. *see* Ivanov, V.I. 86−12836
Zadorozhnaya, L.A., Lazarenko, M.A., Lukina, I.G., Givargizov, E.I. Preparation of cadmium sulfide films on amorphous substrates by artificial epitaxy 85−28223
Zadorozhnii, N.A., Zemlyakov, V.D., Rovenskii, A.G. Analysis of an electromechanical damping action in drives having viscous friction and a mechanical elastic element 85−65474
Zadorozhnii, N.A. *see* Zemlyakov, V.D. 85−49219, 87−9878
Zadorozhnyi, V.V. Standardization of the input data in classification problems using the descent vector method 88−52540
Zadoyan, R.S. *see* Dovchenko, D.N. 87−26518
Zadra, A. *see* Anderson, K. 88−57760
Zadra, A. *see* Comby, G. 86−27764
Zadra, A. *see* Ferrando, P. 88−4812
Zadravec, M. Computer-aided design of printed circuit boards 87−59967
Zadrazil, J. *see* Hatas, J. 87−71794
Zadrazil, J. *see* Strimelsky, V. 87−64256
Zadrozny, J. I^2R losses and rated torque of DC permanent magnet servomotor 85−21663
Zadrozny, J. *see* Ceglineski, W. 85−9943
Zadrozny, S. *see* Owsinski, J.W. 87−47886
Zadubovskii, I.I., Krasnogolovyi, B.N., Nikolaenko, V.T. Sign generator with enhanced scope for synthesising signs with different formats 88−67961
Zadunaisky, P.E. *see* Rodriguez, R. 87−31458
Zaengel, T. *see* Hillen, W. 88−10323
Zaengel, T. *see* Schiebel, U. 87−14870
Zaengl, W. *see* Biasiutti, G. 85−24009
Zaengl, W. *see* Osvath, P. 86−12514, 87−8735, 88−23500
Zaengl, W.S., Osvath, P., Weber, H.J. Correlation between the bandwidth of PD-detectors and its inherent integration errors 87−25655
Zaengl, W.S. *see* Osvath, P. 87−57644
Zaengl, W.S. *see* Sato, S. 86−29291, 87−67647, 88−55065
Zaera, F. *see* Fischer, D.A. 86−60567
Zaera, J.J. *see* Blasi, A. 88−43471
Zaera, J.J. *see* Blasj, A. 87−72540
Zaets, O.L. *see* Krasnoproshina, A.A. 87−19119
Zaev, P.N. Random error of analog-digital phase meters 87−63475
Zafar, M.S. *see* Arif, Z. 86−63814
Zafar, M.S. *see* Khan, H.A. 87−29582
Zafar, M.S. *see* Shamim, A. 88−49785
Zafar, N., Konar, M.N., Oseth, T. A 24×24 bit parallel multiplier based on a further modified Booth's algorithm 86−2326
Zafar, N. *see* Arshed, M. 86−58839
Zafar, N. *see* Iqbal, M.Z. 87−56883
Zafar, N. *see* Zafar Iqbal, M. 87−38943
Zafar Iqbal, M., Grimmeiss, H.G. Oscillations in the photoconductivity of Si:Au: possible new evidence for chaos 87−38907
Zafar Iqbal, M., Jabbar, A., Baber, N., Zafar, N. An inadvertent mid-gap electron level in liquid-phase-epitaxial GaP 87−38943
Zafer Yakin, M., McFarland, J.W. Electric generating capacity planning: a nonlinear programming approach 87−50718
Zaffanella, L. *see* Silva, M. 86−26567
Zaffanella, L.E. *see* Deno, D.W. 87−35660
Zafferani, G. *see* Bosetto, D. 86−56805
Zaffiri, C. *see* Fanelli, S. 88−290
Zaffiro, C. *see* Tononi, R. 85−48737
Zafiropulo, P., Mueller, H.R., Closs, F. Data/voice integration based on the IEEE 802.5 token-ring LAN 88−35236
Zafirova, B.S. *see* Andreev, A.T. 87−12107, 88−1928
Zafirovic-Vukotic, M., Niemegeers, I.G. Analytical models of the slotted ring protocols in HSLANs 88−21733
Zafirovic-Vukotic, M., Niemegeers, I.G.M.M. Performance modelling of a HSLAN slotted ring protocol 88−59374
Zafirovic-Vukotic, M., Niemegeers, I.G., Performance modelling of the Cambridge Fast Ring protocol 88−59721
Zafirovic-Vukotic, M., Niemegeers, I.G. Performance modelling of the Orwell basic access mechanism 88−66955
Zafirovic-Vukotic, M., Niemegeers, I.G., Valk, D.S. Performance analysis of slotted ring protocols in HSLANs 88−73588
Zafonte, L., Chiu, R. UV/ozone cleaning for organics removal on silicon wafers 85−6830
Zafran, S. Electrothermal thruster diagnostics 85−31950
Zafrir, M. *see* Harzion, Z. 86−7012
Zaft, M.P., Molokovskiy, S.I. Calculation of the intrinsic magnetic field of an electron beam 85−56962
Zagaikevich, B.D. *see* Bobyl'kov, A.N. 86−51798
Zagala, M., Zmudzki, L. Auxiliary switchboards in power substations 88−75871
Zagal'skii, V.S. *see* Permovskii, O.S. 87−53037
Zagan, V.I. Energy parameters of resonant hydraulic sound generators 87−50585
Zagan, W. *see* Mazur, J. 85−53905
Zaganiaris, A. Videocommunication networks: present status and trends 88−22314
Zaganiaris, A., Karmazsin, E. Primary coating characterization 87−38806
Zaganiaris, A., le Gall, M. Optical communications: long distance high bit rate applications in France 87−49072
Zagar, B., Redinbo, R. Watchdog parity channels for digital filter protection 88−70935
Zagar, D.M. *see* Mendel, C.W., Jr. 88−29744
Zagar, G.J., Cohen, S.B., Mordowitz, V.S., Williams, J.C. Single fiber optical communications system 85−63679
Zagardo, V.S. *see* Pitts, J.F. 87−42091
Zagarino, P. *see* Yates, G.J. 87−53135
Zagarino, P.A. *see* Wang, C.L. 88−54428
Zagashev, Yu.I., Mikhalina, N.B., Bal'kin, G.F., Sapunkov, M.N. Compression and sensitivity coefficients for errors occurring when coding machine- and hand-written texts 87−62568
Zagatskii, B.A. *see* Gorlin, A.I. 86−32934
Zagel, J. *see* Beck, F. 85−26532
Zagel, J. *see* Webber, R. 88−54105
Zagel, J.R., Chapman, L.J. Smarter systems/smarter diagnostics 86−60420
Zagel, J.R., Watts, T.M., Smolucha, J.M., Bharadwaj, V.K. Tuning loop control system for the Fermilab debuncher DRF1 cavities 88−54183
Zagel, J.R. *see* Holmes, S.D. 86−31772
Zagelein, W. An observer with low parameter sensitivity for the flux components of asynchronous machine 86−39755
Zaghioul, A.-M., Elshazly-Zaghloul, M., Zehab, E.A. High voltage measurement by a laser probe 88−27368
Zaghlool, M.F., Trutt, F.C. Efficient methods for optimal scheduling of fixed head hydrothermal power systems 88−55228
Zaghloul, A.-M., Elshazly-Zaghloul, M., Aboul-Zahab, E. Optical signatures of the breakdown processes of insulating oil 88−44900
Zaghloul, A.-M., Elshazly-Zaghloul, M., Fikry, L. Combined γ-radiation and heat effects on transformer oil 88−33449
Zaghloul, A.-M., Zahab, E.A. Pre-breakdown photo-electric monitoring of AC gaps 88−26595
Zaghloul, A.-M. *see* Elshazly-Zaghloul, M. 88−33454, 88−33457
Zaghloul, A.-R.M. *see* Aziz, M.M.A. 87−25714
Zaghloul, A.I. Statistical analysis of EIRP degradation in antenna arrays 85−36125
Zaghloul, A.I., Assal, F.T., Sorbello, R.M. Multibeam active phased array system configurations for communication satellites 88−22033
Zaghloul, A.I., Freeman, D.K. Phased array synthesis for shaped beams using power matrix technique 87−27074
Zaghloul, A.I., Sorbello, R.M. 20-GHz phased array fed reflector antennas with distributed MMIC modules 85−13390
Zaghloul, A.I. *see* Assal, F.T. 88−2862
Zaghloul, A.I. *see* Geller, B.D. 85−17798
Zaghloul, A.I. *see* Rappaport, C.M. 85−13431, 86−22802
Zaghloul, A.I. *see* Siddiqi, S. 86−3701
Zaghloul, A.I. *see* Sorbello, R.M. 87−39498

Zaghloul, A.R.M., Zahab, E.A. Space-charge development in a point-to-plane gap under AC conditions 87−37788
Zaghloul, A.R.M., Zahab, E.A. Prebreakdown electrode-monitoring of gaps 87−38607
Zaghloul, A.R.M. *see* Elshazly-Zaghloul, M. 87−43303
Zaghloul, H. *see* Buckmaster, H.A. 85−64245, 88−22748
Zaghloul, M. *see* El-Leithy, N. 88−57819
Zaghloul, M.E., Gobovic, D. A new algorithm for fault diagnosis of nonlinear resistive networks 87−488
Zaghloul, M.E., Gobovic, D. Single-fault diagnosis of nonlinear resistive networks 87−23882
Zaghloul, M.E., Gobovic, D. A new fault model for physical failures in MOS VLSI circuits 87−67598
Zaghloul, M.E., Newcomb, R.W. Semistate implementation: differentiator example 86−67434
Zaghloul, M.E. *see* Konechny, E. 86−27279, 86−53773, 87−18270
Zaghloul, M.E. *see* Said, A.E. 86−46969, 86−57959
Zaghloul, M.S., El-Sharkawy, A.A., El-Dosoky, H.Y. The non-parabolic components of magnetoresistance for n-type germanium crystal at 100K and 298K 86−8731
Zagidullin, M.V., Igoshin, V.I., Katulin, V.A., Kupriyanov, N.L., Yuryshev, N.N. Advantages of pulsed operation of a chemical oxygen-iodine laser 85−2234
Zagidullin, M.V., Igoshin, V.I., Kupriyanov, N.L. Influence of translational and hyperfine relaxation on the energy characteristics of an oxygen-iodine laser 85−2243
Zagidullin, M.V., Igoshin, V.I., Kupriyanov, N.L. Kinetics of saturation of the active medium of an oxygen-iodine laser 85−18876
Zagidullin, M.V., Igoshin, V.I., Kupriyanov, N.L. Water vapor content in the active medium of an oxygen-iodine chemical laser 87−68363
Zagidullin, M.V., Igoshin, V.I., Kupriyanov, N.L., Pichugin, S.Yu. Active medium utilizing a mixture of $O_2(^1\Delta)$ and an iodine aerosol 87−68362
Zagidullin, M.V., Igoshin, V.I., Pichugin, S.Yu. Theoretical analysis of the kinetics of a laser utilizing a mixture of $O_2(^1\Delta)$ and an iodine aerosol 88−65575
Zagidullin, M.V., Zaikin, A.P., Igoshin, V.N. Free generation pulse duration of an O^*_2-I laser 88−58469
Zagidullin, M.V. *see* Basov, N.G. 87−2073, 88−51757
Zagidullin, M.V. *see* Igoshin, V.I. 87−7244
Zagidullin, R.Sh. *see* Dolgii, B.Yu. 88−12474
Zagier, D.B. *see* Buhler, J.P. 85−49471
Zagier, D.B. *see* Lagarias, J.C. 86−29659
Zaginailov, G.I., Kondratenko, A.N., Kuklin, V.M. Extracting energy of surface wave from plasmatic waveguide 86−3627
Zaginaylov, G.I. *see* Azarenkov, N.A. 88−20924
Zagirnyak, M., Nasar, S.A. Fields and permeances of flat rectangular and cylindrical DC electromagnetic structures 85−56953
Zagirnyak, M.V., Branspiz, U.A., Pai, R.M., Nasar, S.A. Forces in pulley-type electromagnetic separators 86−54273
Zagirnyak, M.V., Branspiz, Yu.A. Calculating the magnetic field in the bore of an axis-symmetrical electromagnet 87−7503
Zagirnyak, M.V., Branspiz, Yu.A. Assessment of general methods for calculating the volumetric density and the resulting interaction force between a small ferromagnetic body and field of an electromagnetic separator 88−40500
Zagirnyak, M.V., Pai, R.M., Nasar, S.A. Analysis of tubular linear induction motors, using the concept of surface impedance 86−6801
Zagirova, E.G., Nestulei, V.I., Pushkin, S.B. Comparison of time and frequency standards using the signals of long-wave pulse-position radio navigation stations 87−34901
Zagorodnii, A.G. *see* Gvozdetskii, V.S. 87−43686
Zagorodnikov, E.I. *see* Dementyev, E.N. 86−60572
Zagorodny, V.V. *see* Bedyukh, A.R. 88−62778
Zagorovskii, G.S. *see* Martynenko, N.P. 87−22199
Zagorovsky, K.O., Ginzberg, G.S., Komarova, L.F., Musin, G.A., Uakin, Ye.S. On normalizing electric power consumption for radio and TV centers 88−60383
Zagorska, M. *see* Przyluski, J. 86−66864
Zagorskaya, Z.A. *see* Denisyuk, Yu.N. 86−29260
Zagorskaya, Z.A. *see* Kalnitskaya, T.Ya. 85−12994
Zagorskaya, Z.A. *see* Semenov, G.B. 85−35920
Zagorski, R.D. Electrical testing of bare PCBs 85−50092
Zagorskii, A.E., Arakelyan, A.S. Algorithm for calculating characteristics of an asynchronous machine operating with a rotor static convertor 86−19261
Zagorskii, A.E., Galistyan, K.M. Interrelationship of dynamics and size-and-weight characteristics of frequency-controlled induction motors 85−43990
Zagorskii, A.E., Klimenko, E.P., Dzhanoyan, G.A. Features of check calculations for medium-capacity double-feed generators 86−33280
Zagorskii, A.E., Korolev, V.A. Designing electric machines of an independent unbranched electromechanical system with prescribed dynamic characteristics 85−43928
Zagorskii, A.E., Zakharova, Z.A. Investigating process of load disconnection in independent synchronous generator taking into account arcing effects 86−6703
Zagorskii, A.E., Zakharova, Z.A. Influence of nonsimultaneous breaking of contacts on variation in voltage of self-contained synchronous generators during load-shedding 86−39734
Zagorskii, A.E. *see* Radin, V.I. 85−43558, 86−45408, 88−24187
Zagorskii, A.E. *see* Shakaryan, Yu.G. 85−65199
Zagorskii, V.T., Kovalivker, G.N., Valeev, R.D. Selection and investigation of forged-switching devices for the traction converters of AC electric locomotives 86−7264
Zagorskii, V.T. *see* Muzykin, V.A. 87−25261
Zagorskii, Ya.T. Optimal fields of use for bipolar and field-effect transistors in low-noise efficient amplifiers 87−59199
Zagorskii, Ya.T. Micropower operation as the basis for improving electronic measuring instruments 87−63214
Zagorskii, Ya.T. Error autocompensation as a structural method of measuring instrument accuracy 87−70338
Zagorskii, Ya.T., Karabak, Yu.V. Effects of matrix transducer filling on the error in measuring the relative energy (power) distribution in a laser beam 85−56764
Zagorskii, Ya.T. *see* Arbekov, V.I. 85−56766
Zagorskii, Ya.T. *see* Konobeev, V.M. 87−61202
Zagorskiy, Ya.T. The dependence of the differential parameters of field effect transistors with a *P-N*-junction on the mode of supply and the temperature 85−6965
Zagorskiy, Ya.T. A method of analyzing the stability of transistor analog devices using a voltage chart 86−26616
Zagorskiy, Ya.T., Tsybulenko, N.I. Dependence of the y_s-parameters of field-effect transistors (FET) in micromode 87−45856
Zagorskiy, Ya.T., Tsybulenko, N.I. Noise properties of bipolar transistors carrying microcurrents 87−45895
Zagoruiko, N.G. *see* Lebedev, V.G. 85−63003
Zagorul'ko, V.S., Stipura, A.P., V'yunichenko, V.N. Influence of the dimensions of an angular reflector on the amplitude of the echo signal in adjustment of ultrasonic inspection units 87−73175
Zagotta, W. *see* Matthews, D. 85−7350
Zagozdzon-Wosik, W., Mizera, E. Comparison of the gettering techniques used for defect elimination in bipolar integrated circuits 88−71755
Zagozdzon-Wosik, W., Mizera, E., Kuzmicz, W. Emitter efficiency of Si bipolar transistors-structural and electrical investigations 85−23750
Zagozdzon-Wosik, W. *see* Kuzmicz, W. 88−39399
Zagozdzon-Wosik, W. *see* Kuzmioz, W. 88−12931
Zagradisnik, I., Hribernik, B. Influence of anisotropy of magnetic material on the saturation harmonics in the three-phase induction motor 88−55342
Zagranichnyi, E.N. *see* Bystrov, Yu.A. 85−35970
Zagraphos, S. Strategies for LAN implementation 86−16897
Zagray, E.C. *see* Lanterman, J. 85−59692
Zagrebelnyi, A.I. *see* Eliseev, A.A. 88−29654
Zagrebel'nyl, V.I. *see* Troitskii, V.A. 87−52226
Zagrebnyuk, V.I. Comparative analysis of a transient process in circuits with inductive and capacitive energy accumulators and nonlinear active resistance 86−7176
Zagrobelny, T. Analog-digital transmultiplexer 2×PGM 30/60-FDM 88−15261
Zagrobelny, T. Modified attenuation equalizer of random errors operating selectively 88−59951
Zagrodnik, J.P., Eskra, M.D. Zinc/bromine powered electric vehicle 88−76008
Zagrodskii, V.A. *see* Lityuk, V.N. 87−45094
Zagrudi, M.Ye. Ellipsoidal magnetostatic screens 85−35967
Zagryadskij, V.A. *see* Berzonis, M.A. 88−4794
Zagryadskiy, S.V., Rogozin, V.V. An approximate method of computing the amplitudes of magnetostatic oscillations in small ferrite samples 88−7803
Zagryadtskii, V.I. Electromagnetic compatibility in composite units containing electric machines and apparatus 85−21546
Zagryadtskii, V.I. Electromagnetic compatibility in hybrid electric machines and apparatus 85−21660
Zagulin, V.A. *see* Aruev, N.N. 85−26379
Zagulov, F.Ya. *see* El'chaninov, A.S. 86−57721
Zagulov, F.Ya. *see* Vizir', V.A. 87−66606
Zagumennyi, A.I. *see* Avanesov, A.G. 88−51772
Zagurski, T. *see* Wong, T. 87−69948
Zagurskii, V.G. *see* Tonkal', V.E. 88−12214
Zagurskii, V.V., Grebinskaya, L.N., Lavrentovich, Ya.I. Influence of track effects upon chemical etching of polyarylate 87−21462
Zagurskii, V.Ya., Semenova, N.Ya. The determination of the non-monotonic input-output characteristics of A/D converters 87−59645
Zagurskii, V.Ya., Zarumba, I.Ya., Semenova, I.Ya. Testing analog-to-digital converters by pseudo-random signal 87−59644
Zagury, N. *see* Heidmann, A. 85−46297, 85−51076
Zagyanskii, A.I. Improving the control of supervision and the marketing of energy in the Kirgiz Central Power System 88−36763
Zagyanskii, A.I., Kislitsa, N.I., Pekin, B.I. Efficiency of centralised maintenance of transformers in power systems 86−61545
Zagzebski, J.A., Madsen, E.L., Goodsitt, M.M. Quantitative tests of a three-dimensional gray scale texture model 86−37155
Zah, C., Compton, R.C., Rutledge, D.B. Efficiencies of elementary integrated circuit feed antennas 85−13316
Zah, C.-E. *see* Kikuchi, K. 88−47104
Zah, C.E., Caneau, C., Menocal, S.G., Favire, F., Lee, T.P., Dentai, A.G., Joyner, C.H. High-speed 1.3 μm GaInAsP *p*-substrate buried-crescent lasers with semi-insulating Fe/Ti-doped InP current blocking layers 88−51806
Zah, C.E., Caneau, C., Menocal, S.G., Lin, P.S.D., Gozdz, A.S., Favire, F., Lee, T.P. Narrow-linewidth 1.3 μm DFB-DCPBH lasers with $\lambda/4$-shifted first-order gratings fabricated by electron beam lithography using a new fast resist 88−20638
Zah, C.E., Kikuchi, K., Lee, T.P. Frequency stabilization of multi-channel optical carriers by AM sideband injection locking 88−47145
Zah, C.E., Osinski, J.S., Caneau, C., Menocal, S.G., Reith, L.A., Salzman, J., Shokoohi, F.K., Lee, T.P. Fabrication and performance of 1.5 μm GaInAsP travelling-wave laser amplifiers with angled facets 87−75089
Zah, C.E., Osinski, J.S., Menocal, S.G., Tabatabaie, N., Lee, T.P., Dentai, A.G., Burrus, C.A. Wide-bandwidth and high-power 1.3 μm InGaAsP buried crescent lasers with semi-insulating Fe-doped InP current blocking layers 87−26395
Zah, C.E. *see* Kikuchi, K. 87−46866
Zah, C.E. *see* Osinski, J.S. 88−2030
Zah, C.E. *see* Vahala, K.J. 88−58519
Zah Chung-en *see* Chung-en Zah
Zahab, E.A. *see* Zaghloul, A.-M. 88−26595
Zahab, E.A. *see* Zaghloul, A.R.M. 87−37788, 87−38607
Zahab, E.M.Aboul *see* Aboul Zahab, E.M.
Zaharescu, C. *see* Timotin, A. 88−50893
Zaharescu, I. The use of flue gases waste heat discharged from forging furnaces and primary thermal treatment furnaces for electric energy generation 85−27289
Zaharia, A., Chebeleu, P. Photovoltaic area simulator 88−37383
Zaharia, R. SPOT terminology 86−65571
Zaharia, R. *see* Begni, G. 86−64323
Zaharija-Tiska, D. *see* Saban, J. 85−21590, 87−72015, 88−11126
Zaharov, V. *see* Belkin, B.G. 87−77039
Zahavi, J. Probabilistic simulation incorporating single and multiple hydroelectric units with stochastic energy availabilities 86−19151
Zahavi, J., Halliwell, M. Selective gold plating using laser beams 86−7821
Zahavi, J., Pehrsson, P.E. UV laser-induced metal deposition on semiconductors from electroplating solutions 88−39272
Zahavi, J., Tamir, S., Halliwell, M. Laser-induced deposited on semiconductor and polymeric substrates 86−46357
Zahavi, J. *see* Levin, N. 85−43568, 85−48542 to 48543
Zahavi, J. *see* Tamir, S. 86−21452
Zahavi, K., Tamir, S., Halliwell, M. Laser induced metal and alloy plating with simultaneous silicide compound formation 87−23701
Zahaw, B.A.T.Al *see* Al Zahaw, B.A.T.
Zahawi, B.A.T.Al *see* Al Zahawi, B.A.T.
Zahed Sheikholeslami, M. *see* Ching Jen Chen 88−43844
Zahedi, N., Nevrekar, P. Microwave assisted curing in hybrid processing 88−1265
Zahedi, N. *see* Nevrekar, P.V. 88−1196
Zaheeruddin, M. *see* Rink, R.E. 88−62763
Zahid, G.H. *see* Asghar, S. 86−59128
Zahir, S.S. *see* Sherif, Y.S. 86−32675
Zahl, E. Design verification of semicustom integrated circuits 88−44874
Zahl, E. *see* Lewis, R.W. 88−57784
Zahn, B. Gas insulated switchgear for reliability and economy 87−51385
Zahn, B. Further development of SF_6−gas insulated switch gear 88−55529
Zahn, D.R.T. *see* Esser, N. 88−13015
Zahn, G. *see* Friesinger, G. 88−65031
Zahn, G. *see* Herz, W. 85−35365, 85−41097, 85−56233, 87−67974
Zahn, G. *see* Tsuji, H. 86−2643
Zahn, G.R. *see* Haubenreich, P.N. 87−67987
Zahn, G.R. *see* Lue, J.W. 86−28752

Zahn, G.R. *see* Luton, J.N. 87–74642
Zahn, I. A better way to surface mount pin terminals 87–17545
Zahn, I. A better way to surface mount pin terminals 88–19550
Zahn, M. Electro-optic field and space-charge mapping measurements in high-voltage stressed dielectrics 86–31625
Zahn, M. Electro-optic field and space charge mapping measurements in high voltage stressed dielectrics 86–68018
Zahn, M., Antis, L., Mescua, J. Computation methods for one dimensional bipolar charge injection 87–38866
Zahn, M., Antis, L.L., Mescua, J. Computation methods for one-dimensional bipolar charge injection 88–64631
Zahn, M., Brennan, J., Carreras, R., Cooke, C.M., Hikita, M., Masui, M., Reyes, H., Rhoads, K., Shepard, S., Sun, G., Wang, T., Wright, K.A. Kerr electro-optic field and space charge mapping measurements in high voltage stressed gas, liquid and solid dielectrics 87–43171
Zahn, M., Ericson, D.W. Electro-optic field mapping measurements in ethylene carbonate 85–40951
Zahn, M., Hikita, M., Wright, K.A., Cooke, C.M. Kerr electrooptic field mapping measurements in electron beam irradiated polymethylmethacrylate 87–18388
Zahn, M., Hikita, M., Wright, K.A., Cooke, C.M., Brennan, J. Kerr electro-optic field mapping measurements in electron beam irradiated polymethylmethacrylate 87–53758
Zahn, M., Mescua, J. Double injection charge transport in dielectrics 87–18393
Zahn, M., Mescua, J., Antis, L. Space charge effects in high voltage stressed dielectric liquids 87–25627
Zahn, M., Ohki, Y., Fenneman, D.B., Gripshover, R.J., Gehman, V.H., Jr. Dielectric properties of water and water/ethylene glycol mixtures for use in pulsed power system design 87–15879
Zahn, M., Ohki, Y., Gottwald, J., Rhoads, K., LaGasse, M. Effects of electrode material on charge injection, transport, energy storage and dissipation in highly purified water 85–29360
Zahn, M., Ohki, Y., Matsuzawa, H. Kerr electro-optic field mapping measurements in ethylene glycol/water mixtures as a function of mixture ratio 85–40950
Zahn, M., Ohki, Y., Rhoads, K., LaGasse, M., Matsuzawa, H. Effects of electrode material on charge injection and transport in highly purified water and water/ethylene glycol mixtures 85–23983
Zahn, M., Ortega, R.B. Fringing field effects in short-circuited volume-charged dielectrics 88–29570
Zahn, M., Rhee, S.W. One-dimensional small signal waves in electrofluidized beds 85–24747
Zahn, M., Shumovich, R. Labyrinthine instability in dielectric fluids 85–40945
Zahn, M., Takada, T., Ohki, Y., Gottwald, J. Charge injection and transport analysis and measurements in highly purified water 85–4061
Zahn, M. *see* Carreras, R.F. 88–51063
Zahn, M. *see* Cooke, C.M. 88–51082
Zahn, M. *see* Grimes, P.G. 85–32683
Zahn, M. *see* Hikita, M. 88–29571
Zahn, M. *see* Melcher, J. 88–55413
Zahn, M. *see* Rhoads, K.G. 87–21228
Zahn, P., Obojski, J., Kruger, C. Using the cluster- and path analysis in evaluating the safety of electrotechnical plants 87–23272
Zahn, P. *see* Noble, P. 85–4485
Zahn, R. Theoretical and experimental studies on circular backplate electret microphones 85–47736
Zahn, R. *see* Flanagan, J.L. 86–12215
Zahn, R.-J. *see* Ropcke, J. 87–14399 to 14400, 88–64218
Zahn, R.W., Miller, D., Koppe, A., Lin, C.C., Carter, D.J. Recent progress in ERS-1 wind scatterometer design 87–57376
Zahn, R.W. *see* Langemann, M. 88–5172
Zahn, S. *see* Gilbert, B. 87–31945
Zahn, S.K. *see* Peczalski, A. 87–31849, 88–51039
Zahnd, H. Central measuring units for digital transmission systems 88–3361
Zahnd, H. Hasler baseband modems for 64 kbit/s 88–3704
Zahniser, D.J. *see* Garcia, G.L. 86–50478
Zahniser, N.R. *see* Miller, J.A. 88–42509
Zahopoulos, C., Kennedy, W.L., Sridhar, S. Performance of a fully superconducting microwave cavity made of the high T_c superconductor $Y_1Ba_2Cu_3O_y$ 88–51416
Zahoransky, R., Knoringer, P., Schelling, U., Wittig, S. Notes on the application and efficiency of small power units: turbines, steam engine and screw expander 86–12537
Zahorian, S.A., Stoughton, J.W., Do, M.A. A laboratory for designing digital systems 87–16315
Zahorjan, J. *see* Eager, D.L. 86–43366
Zahorsky, D., Lacombat, M. Dimensional metrology in microelectronics 88–65926
Zahout, R. *see* Retzmann, D. 85–14711
Zahra, P., Kendall, C.M. EMC control in main frame computing systems 86–29477
Zahradka, I. 'Deaf bend'—an effective attenuator of magnetostrictive noise 87–35863
Zahradka, I. The optimal distribution number determining technique of available number of channels on more stations 87–40642
Zahradka, I. The optimal distribution number determining of available number of channels on three stations 87–55945
Zahradka, T. *see* Karasek, M. 85–46602, 85–50968, 86–68278
Zahran, M.M. *see* Fahmy, M.N.I. 87–47212
Zahringer, E. TV multichannel audio—a chipset for US stereo TV receivers using digital signal processing 86–11268
Zai, L.C., Lipo, T.A. An extended Kalman filter approach to rotor time constant measurement in PWM induction motor drives 88–30721
Zai chun Li *see* Yimo Zhang 88–34169
Zai Yaozhong *see* Wang Jinrui 88–5549
Zai-lang Guan *see* Guan Zai-lang
Zai-ming Li *see* Li Zai-ming
Zai-tian Ma *see* Ma Zai-tian
Zai-xu Lin *see* Lin Zai-xu
Zaia, I.F. *see* Harba, M.I.A. 88–23079
Zaichenko, A.G. *see* Bal'kin, G.F. 86–37378
Zaichik, L.I. *see* Akhmedov, R.B. 88–75957
Zaichikov, V.G., Eremin, A.A., Kovalev, I.F. Reliability of the brush slip-ring of a turbogenerator 87–30486
Zaichikov, V.G. *see* Fialkov, A.S. 85–44013
Zaichikov, V.G. *see* Kalinichenko, S.P. 87–78696
Zaichikova, O.V. *see* Klistorin, I.F. 86–17773
Zaid, A.I.O. *see* Habali, S.M. 87–35711, 88–37127
Zaid, M.A. *see* Lopes, L.B. 85–63558
Zaid, M.A.M.A., Lockhart, G.B. Envelope detection and correction of SSB 85–7854
Zaida, Z., Krasnevski, E., Sol'nik, V. Modelling errors on a hybrid filtration analyser HAF-1, and methods of their resolution 86–55888
Zaida Zhang *see* Zhang Zaida
Zaide Zhang *see* Zhang Zaide
Zaidel', I.N. *see* Ganichev, V.A. 88–67799
Zaidenman, I.A., Golovko, L.G. Metrological problems associated with the dynamics of ion-selective electrodes and ion-selective field-effect transistors 86–31351
Zaidi, S.H., Brueck, S.R.J. High aspect-ratio holographic photoresist gratings 88–65882
Zaidi, S.K.A. *see* Taqvi, S.G.H. 86–65292
Zaidman, B., Cevidalli, G. Project evaluation: externalities must not be disregarded 88–6186
Zaidman, E., Tajima, T., Neuffer, D., Mima, K., Ohsuga, T., Barnes, D.C. Study of the plasma fiber accelerator 86–31846
Zaients, S.L. *see* Alfeev, E.B. 88–16600
Zaigen, F., Xiaomei, H. Simulation of the non-Gaussian sea clutter by time series analysis 88–74006
Zaiguang Li *see* Zuhai Cheng 86–22427
Zaiguang Li *see* Li Zaiguang
Zaika, A.T., Ryabokon, I.P. Design of automatic compensators 85–7723
Zaika, B.M. *see* Gerasimov, V.B. 88–14235
Zaika, N.I., Mokhnach, A.V. On universal source for polarized heavy ions 87–3862
Zaika, N.I. *see* Aleshin, V.A. 87–3857
Zaika, N.I. *see* Aushev, V.E. 87–3863
Zaika, V.T. *see* Pivnyak, G.G. 88–68917
Zaika, V.V. *see* Galich, G.A. 86–3394
Zaike, K., Asano, H., Kumagai, T., Kuwabara, M. Investigation into the strength of distribution equipment against lightning (its V-t characteristics in the assembling) 87–4446
Zaike, K., Kuwabara, M., Nagasaka, S., Nakatani, M., Ono, T. Basic research into low-noise type watthour meters 85–58763
Zaike, K., Kuwabara, M., Nagasaka, S., Nakatani, M., Ono, T. Development of applied instruments of watthour meter (watthour meter with power factor indicator) 86–51162
Zaikin, A.D., Panyukov, S.V. Quantum theory of metastable current states at superconducting junctions 86–42177
Zaikin, A.D., Panyukov, S.V. Theory of quantum tunneling with linear dissipation 86–63590
Zaikin, A.D. *see* Panyukov, S.V. 88–13708
Zaikin, A.E. *see* Bezpal'ko, E.B. 88–51908
Zaikin, A.P., Kupriyanov, N.L. Theoretical investigation of stimulated enthalpy light scattering in an oxygen-iodine active medium 88–51733
Zaikin, A.P. *see* Zagidullin, M.V. 88–58469
Zaikin, E.I. *see* Kovalev, M.N. 85–65657
Zaikin, G.G. *see* Aushev, V.E. 87–3863
Zaikin, I.P. *see* Barzhin, V.Ya. 85–2679
Zaikin, S.A. *see* Kureichik, K.P. 86–7970
Zaikin, V.M. *see* Voronov, I.D. 86–5582, 86–44738
Zaiko, A.I. Determining the errors of a data-processing system in recording random signals from discrete readings 85–63924
Zaiko, A.I. *see* Bakirov, A.A. 86–31324
Zaiko, Yu.K. *see* Sagdeev, R.Z. 87–49573
Zaiko, Yu.N. Propagation of nonlinear waves in an electron beam interacting with a wave-guiding structure 88–20993
Zaikov, V.P. *see* Tadzhibaev, A.I. 85–4689
Zaikova, E.A. *see* Ikramov, Kh.D. 88–49610
Zaim, M.E. End effects in slotted solid iron rotor induction machine 88–23928
Zaima, S. Growth and properties of dielectric thin films by microwave-excited plasma 87–31585
Zaima, S., Yasuda, Y., Ito, M., Nakamura, T. Effects of fluorine ion implantation on metal-oxide-semiconductor devices of silicon-on-sapphire 88–32935
Zaima, S., Yasuda, Y., Kawaguchi, S., Tsuneyoshi, M., Nakamura, T., Yoshida, A. Piezoresistance in *n*-channel inversion layers of silicon films on sapphire 87–24756
Zaima, S., Yasuda, Y., Tokuda, Y., Pak, K., Nakamura, T., Yoshida, A. Realization of four-valued logic circuits by NMOS devices 85–40049
Zaima, S. *see* Adachi, H. 85–23312
Zaima, S. *see* Fujii, K. 85–34424
Zaima, S. *see* Uno, K. 88–26088
Zaima, S. *see* Yasuda, Y. 86–34704
Zaimin Lin *see* Lin Zaimin
Zaiming Shen, Muro, S., Hasegawa, H. Performance analysis of the Acknowledging Ethernet 87–13411
Zainabidinov, S.Z., Vlasov, S.I., Karimov, I.N., Karimov, M., Yunusov, M.S. Influence of sulfur impurities on the density of surface states in metal-insulator-semiconductor structures 86–35441
Zainabidinov, S.Z., Vlasov, S.I., Zaugol'nikova, E.G., Karimov, I.N., Daliev, Kh.S. Influence of γ irradiation on the properties of metal-insulator-semiconductor structures 85–12033
Zainabidinov, S.Z., Vlasov, S.I., Zaugol'nikova, E.G., Karimov, I.N., Khalikov, G.A. Influence of heat treatment on electrophysical properties of metal-insulator-semiconductor structures irradiated with γ rays 86–21270
Zainal, E., Garcia, R. The effects of Rayleigh fading n capture phenomenon in ALOHA channels 87–62416
Zainali, G. *see* Sohrabi, M. 87–21481
Zainchkovskii, V.N. *see* Anepir, A.A. 85–48049
Zaininger, H.W. *see* Klein, K.W. 85–57060
Zaininger, K.H. Joint research programs in the USA [semiconductors] 86–1667
Zaino, N.A., Jr. Considerations in the use of optimal preventive maintenance policies 87–72767
Zainuddin, M.Zambri *see* Zambri Zainuddin, M.
Zainudinov, S. *see* Gorina, Yu.I. 86–28135, 87–53215
Zaionchkovskii, A.Ya. *see* Vendik, O.G. 86–22040, 88–70956
Zaiss, A.W., Klein, G.W., Matthys, H. Online real-time data processing system for whole-body plethysmography 87–3937
Zaitlin, M. *see* Katzin, P.J. 88–19391
Zaitlin, M.P. Reverse breakdown in GaAs MESFETs 87–25280
Zaitlin, M.P. *see* Hoke, W.E. 88–38147
Zaitlin, M.P. *see* Schindler, M.J. 88–63947
Zaitman, G.A., Pyatigorskii, B.Ya. Software for electrophysiological apparatus with a built-in microcomputer 87–57138
Zaitong Lu *see* Lu Zaitong
Zaitov, F.A., Andersen, G.Yu., Aristova, N.V., Bovina, L.A., Stafeev, V.I. Effect of electron irradiation on the electrophysical properties of $Cd_xHg_{1-x}Te$ $(x \approx 0.2)$ 85–11923
Zaitov, F.A. *see* Atakulov, Sh.B. 85–11972, 86–42401, 87–22729
Zaitov, F.A. *see* Skipetrov, E.P. 87–37881
Zaitsev, A.A. *see* Sineok, V.I. 87–52697
Zaitsev, A.A. *see* Usenko, A.F. 86–25850
Zaitsev, A.I., Tikhomirov, V.A., Zheleznyakov, S.V. Technical-economic aspects of modernization of the electrical drives of the fans of heat-exchange installations 88–55658
Zaitsev, A.I. *see* Afonin, A.A. 88–75644
Zaitsev, A.L. *see* Armand, N.A. 86–37388
Zaitsev, A.M. *see* Kaidanov, V.I. 85–28982
Zaitsev, A.N. *see* Rubtsov, V.D. 86–68795
Zaitsev, A.P., Podlyagin, V.A. Signal synchronisation stabilisation of a relay-pulse current control system 88–5947
Zaitsev, A.P. *see* Baranovskii, V.I. 88–4371
Zaitsev, A.V. Fluctuation conductivity of microjunctions above the critical temperature 85–29511
Zaitsev, A.Yu. *see* Rozhdestvenskii, S.S. 86–39519
Zaitsev, D.B., Mironov, A.A., Savel'ev, A.V. Device for measuring noise from electricity mains 87–21128
Zaitsev, E.F., Komarov, Yu.A. Effect of the interaction between elements on the stability of an active phased antenna array with parametric amplifiers (converters) 85–7763
Zaitsev, G.D. *see* Zinchenko, N.S. 86–27782
Zaitsev, G.F., Vaipan, S.N. An algorithm of multilevel optimization of control of a hybrid system under constraints on control actions and phase coordinates [antenna control] 88–4071
Zaitsev, G.Z. *see* Bozhkov, M.I. 86–57049
Zaitsev, K.A., Sharlot, S.A. Partial discharges as a factor in monitoring the insulation of electric equipment during service 85–43056
Zaitsev, K.V. *see* Dobrov, V.A. 87–65913
Zaitsev, L.F. *see* Borovikov, A.A. 86–25137

Zaitsev, L.M., Krasilov, Yu.I., Pospelova, L.A., Senashenko, M.V. Luminophor for detecting near-IR radiation 87—38918
Zaitsev, L.M. *see* Dvoretskii, S.A. 87—75188
Zaitsev, L.N. *see* Vasilev, P.G. 86—15435
Zaitsev, N.A. *see* Marynova, O.I. 87—64394
Zaitsev, N.I., Ilyakov, E.V. Aligning and guiding a high-current relativistic electron beam in a transport channel 85—45361
Zaitsev, N.I., Kovalev, N.F. Theory of a relativistic orotron with a sinusoidal high-frequency field distribution along the electron trajectories 87—24707
Zaitsev, N.I. *see* Burtsev, V.A. 85—11849
Zaitsev, O.F. Reserve solar-battery power under conditions of radiation degradation 86—61737
Zaitsev, O.F. Optimization of parameters of a solar photoelectric unit subjected to the action of cosmic radiation 88—55625
Zaitsev, S.G. The estimation of multilayer network complexity on hybrid timer scalers 88—31909
Zaitsev, S.I. *see* Aristov, V.V. 87—25021
Zaitsev, S.I. *see* Gavrilenko, V.G. 86—10110, 86—29410
Zaitsev, S.S. Protocol-verification algorithm using the inspection method 87—20169
Zaitsev, S.V. Wave scattering on an impedance step in a flat waveguide 87—45159
Zaitsev, S.V. Electromagnetic field distribution near the edge of an impedance halfplane 87—68695
Zaitsev, S.V. Distribution of edge-wave field in an open strip structure 88—38668
Zaitsev, S.V., Chekan, A.V., Shirkovskaya, A.O. Waveguide interference measurements of continuous thickness changes of layers with high refractive indices 85—46166
Zaitsev, S.V., Fialkovskii, A.T. Symmetrical nonuniformities in a microstrip waveguide 87—32041
Zaitsev, S.V. *see* Akhmedzhanov, I.M. 88—58282
Zaitsev, S.V. *see* Alferov, Zh.I. 88—14202, 88—27173
Zaitsev, S.V. *see* Anikin, V.I. 85—56384
Zaitsev, S.V. *see* Garbuzov, D.Z. 87—39124, 88—27172, 88—65716
Zaitsev, S.V. *see* Kurenchanin, V.V. 86—27644
Zaitsev, V.A. A method of reducing the apparatus costs and increasing the speed of response in an antenna array phase computer 86—43050
Zaitsev, V.A. Improvement of pointing accuracy and positioning uniformity in an antenna array with discrete phase-shifters 87—12839
Zaitsev, V.A., Ekalo, As.V. Optimum evaluation of signals from multiple-channel data-measuring systems given systematic errors in measurements 87—13003
Zaitsev, V.A., Ekalo, A.V. Optimal evaluation of the state of several dynamic systems in the presence of interference parameters 88—72595
Zaitsev, V.A. *see* Sutokhin, A.M. 87—9404
Zaitsev, V.I., Oleinik, G.M., Yampol'skii, I.R. Nanosecond voltage pickup 85—26433
Zaitsev, V.I. *see* Borisova, L.N. 87—6252
Zaitsev, V.I. *see* Terent'ev, V.V. 88—44826
Zaitsev, V.I. *see* Trubachev, S.G. 87—6251
Zaitsev, V.M. *see* Kisel', O.B. 86—70956
Zaitsev, V.N., Podsekin, A.K. Pickup for pulse NMR spectrometer 86—27168
Zaitsev, V.N. *see* Bashkirov, V.A. 85—49635
Zaitsev, V.P., Dmitriev, S.P., Krasivskii, O.B. The development of the branch self-financing system 88—37895
Zaitsev, V.P., Zimokosov, G.A., Machekhin, Yu.P., Nikolaev, A.V. Method for calculating the gain contour shape for He-Ne lasers stabilized using the Lamb dip 88—65586
Zaitsev, V.P. *see* Gik, L.D. 86—18503
Zaitsev, V.S. *see* Zhenzhelenko, I.V. 86—25576
Zaitsev, V.V., Orlov, V.B., Yakimov, A.V. Low-frequency noise of an LSA generator 85—11087
Zaitsev, V.V., Ryabokon, M.L. A transistor-based modular power supply system for xenon projection lamps 88—56462
Zaitsev, V.V., Tyapukhin, P.V. Intrinsic noise of a distributed third harmonic generator based on a semiconductor with negative differential conductivity 88—602
Zaitsev, V.V. *see* Aleksandrov, O.V. 88—49839
Zaitsev, V.V. *see* Danilov, V.S. 86—26162
Zaitsev, V.V. *see* Glebov, B.A. 86—67028, 87—9938
Zaitsev, V.V. *see* Petrunin, A.F. 86—19319
Zaitsev, V.Yu., Raevskii, M.A. Transformation of the spatial-temporal spectrum of the wave field in a waveguide with a random boundary 86—14451
Zaitsev, Yu.A. Properties of metrological facilities used in induction vector measurements in alternating magnetic fields 88—4594
Zaitsev, Yu.A. *see* Kilevoi, V.K. 88—75683
Zaitsev, Yu.E. *see* Grammakov, A.G. 87—65958
Zaitsev, Yu.I. *see* Bershtein, I.L. 85—29534
Zaitsev, Yu.I. *see* Gelikonov, V.M. 86—48335
Zaitsev, Yu.M. *see* Aref'ev, A.V. 87—29514
Zaitsev, Yu.M. *see* Borisov, V.A. 87—42527
Zaitseva, E.M., Kholmyanskii, V.A. High-temperature compensating leads for carbide thermocouples 87—29331
Zaitseva, L.A. *see* Sharonova, L.V. 88—57370
Zaitseva, N.V. *see* Baitamaev, B. 85—18507
Zaitz, M.A. *see* Bergendahl, A.S. 85—29286
Zaitzev, S.V. *see* Anikin, V.I. 86—28840
Zaixiang Chu, Bijuan Li, Baoming Liu Radiant emission characteristics of freezing point cylindro-inner cones 87—35219
Zaixiang Chu, Chenggeng Wang, Bijuan Li Bandwidth effective emissivities of a nonisothermal blackbody furnace for calibrating broadband pyrometers 87—35218
Zajac, B.P., Jr. Dial-up communication lines: can they be secured? 88—73497
Zajac, C. *see* Beblowska, M. 86—59897, 87—74655
Zajac, F. *see* Zhao, W. 87—71130
Zajac, G.W. *see* Chambers, F.A. 86—66824
Zajac, G.W. *see* Johnson, B.C. 86—66838
Zajac, G.W. *see* Vojak, B.A. 86—29131
Zajac, H. *see* Daley, M.L. 86—15899
Zajac, J., Stark, M., Chapman, B., Gorin, G. Automated plasma etch systems for VLSI 85—7050
Zajac, J. *see* Kowalski, T.Z. 87—3888
Zajac, J. *see* Ostrowski, K.W. 87—29454
Zajac, M. Numerical method for the programmable control of drive systems with elastic elements 88—18130
Zajac, M. *see* Nowak, J. 85—51305, 85—56872, 86—42656
Zajac, M. *see* Nowak, R. 85—51713
Zajac, M.L. ISDN in evolution: ongoing benefits of combined voice/data communications 88—3407
Zajac, M.L. *see* Briley, B.E. 88—21747
Zajacskowski, A.M. *see* Arendt, D. 88—30710
Zajaczek, M. *see* Gorny, R. 86—19215
Zajaczkowski, A.M. Method of synthesis of an optimum stabilisation control with feedback of an induction motor operating with controlled stator current 88—30711
Zajaczkowski, J.A. An introduction to the CCITT/ISO standard on transfer syntax and notation 88—8945
Zajaczkowski, Z. *see* Goral, S. 87—55718
Zajc, B. Semiconductor devices up until the integrated circuit era 87—45836
Zajczyk, R. *see* Matulewicz, W. 86—39610, 88—11128
Zajdel, A. New principles for the design of wiring systems in multi-family housing 88—61917
Zajdel, A. *see* Wartanowicz, T. 85—35946
Zajec, D., Babic, M. Determination of the round-trip transfer function of a transmitter/receiver ultrasonic transducer 87—14852
Zajec, E. *see* Staples, J. 85—26641
Zajec, E. *see* Stover, G. 86—32129
Zajic, A. *see* Vostracky, Z. 85—21753, 88—17765
Zajic, J.E. Considerations in the injection technology for microbial enhanced oil recovery 86—39289
Zajic, V. Process of closure of a VHV circuit-breaker 85—32651
Zajic, V. Circuit-breaker testing by synthetic methods: development of ideas, methods and techniques 85—32655
Zajic, V. *see* Berneryd, S. 86—6825
Zajic, V. *see* Koch, B. 85—32657
Zajicek, G. *see* Weinreb, M., Jr. 85—20910
Zajko, J.K. *see* Denes, E. 85—4412
Zajkowski, P.J. *see* Hahn, E.F. 88—74273
Zajnudinov, S. *see* Mollmann, K.-P. 87—17903
Zajt, T. Effect of amplitude and phase detector characteristics on measurement accuracy of amplitude-phase frequency characteristic 86—5241
Zajt, T., Krzyzanski, M. A system voltmeter for use in automatic testers 86—55770
Zak, A.B. Numerical modeling of complex rectifier systems (diakoptics approach) 87—44440
Zak, A.B. *see* Ivenskii, G.V. 87—43205
Zak, B. Possibilities for application of the system ASM-TS for testing of large internal combustion engines 86—65897
Zak, D.D., Sayood, K. Noise reduction in DPCM using residual correlation 88—2974
Zak, D.S. *see* Yerman, A.J. 86—47633
Zak, E.A. Principles of construction of fibre-optic converters with external modulation 88—33669
Zak, E.A. *see* Dmitriev, A.V. 86—9512
Zak, E.I. *see* Bryukhnevich, G.I. 86—8699
Zak, H. *see* Dyczek, J. 87—23751
Zak, S.H. On the polynomial matrix equation $AX+YB=C$ 86—19882
Zak, S.H., Lee, E.B. The simplified derivation of the completion theorem to a unimodular matrix over $R\ [z_1, z_2]$ 85—28086
Zak, S.H., Lee, E.B., Lu, W.-S. Realizations of 2-D filters and time-delay systems 87—17251
Zak, S.H. *see* Faber, T.D. 88—672
Zak, U. *see* Shapira, D. 88—17838
Zak, V.L. Construction of a strategy of evading several pursuers for dynamical systems 85—54259
Zak, Z. *see* Huang, H. 88—69361
Zaka, J. *see* Mason, J.J. 87—5469
Zaka, Y., Abo-Namous, S.A., Crumpton, D., Fane, R.W. Composition and properties of unhydrogenated amorphous silicon produced by sputtering in argon or neon gas 85—33504
Zaka, Y., Abo-Namous, S.A., Fane, R.W. Control of electrical and optical properties of unhydrogenated neon-sputtered amorphous silicon by preparation conditions 85—61700
Zaka, Y. *see* Abo-Namous, S.A. 85—35604, 85—61699
Zakaib, G.D. On-power containment integrity monitoring in CANDU multi-unit stations 86—32947
Zakaib, G.D., Koziak, W.W. Development of the Darlington dousing system 85—65067
Zakalinskii, I.A. *see* Volgin, E.G. 86—18314
Zakarevicius, R.A., Feher, K. On the speed tolerance of certain classes of data transmission systems 87—2394
Zakarevicius, R.A., Fooks, E.H., Phillips, C.J.E. The integrator as a time delay estimator 87—24383
Zakarevicius, R.A. *see* Yap, H.S. 86—2537
Zakaria, M.F., Vroomen, J., Zsombor-Murray, P.J.A., Van Kessel, J.M.E.M. Real-time computation of moment invariants 88—3235
Zakaria, M.F., Vroomen, L.J., Zsombor-Murray, P.J.A., Van Kessel, J.M.H.M. Fast algorithm for the computation of moment invariants 88—14792
Zakaria, S. The installation of LWG-components in local areas [light waveguides] 87—70039
Zakarias, L., Kiraly, Sz., Sipocz, I., Farkas, J., Mesterhazy, T., Toth, G., Sarkany, T. Protection switching equipment for the third generation radio relay system GTT-80/KTT-80 85—47425
Zakariasen, K.L. *see* Dederich, D.N. 88—61418
Zakarlyuk, N.M., Noskov, V.Ya. Universal current source for avalanche transit diodes 86—27071
Zakar'yaev, Z.R. Five-channel time switch [for physics experiments] 87—66635
Zakaryan, A.S., Rabinovich, G.I. Temperature measurements of a super-high-pressure xenon lamp cathode 86—40279
Zakatov, L.P. *see* Basmanov, A.B. 87—66818
Zakatov, L.P. *see* Dolgachev, G.I. 88—37335
Zakatov, L.P. *see* Gorev, V.V. 86—1626, 86—41472
Zakatov, M.M. *see* Golikov, E.G. 85—49638, 86—558, 86—52569
Zake, G. *see* Dular, J. 86—39342
Zakelj, M. *see* Rozic, S. 86—32694
Zakem, A.J. Comparing utility rates 87—42377
Zaker Abdi, I. *see* Spanulescu, I. 87—6379
Zakgeim, A.L. *see* Mak, A.A. 87—75068
Zakharchenko, I.N. *see* Biryukov, S.V. 87—24979
Zakharchenko, I.V. *see* Belyi, M.U. 85—18910
Zakharchenko, N.V. *see* An Un Nam 86—43115
Zakharchenko, N.V. *see* Nam An Un 87—19358
Zakharchenko, N.Z. *see* Egorov, A.F. 87—77839
Zakharchenko, V.N. *see* Borisova, P.I. 86—42438
Zakharchenko, Yu.F. *see* Golant, M.B. 88—71286
Zakharcheno, Yu.F. Simplified nonstationary nonlinear equations of M-type beam tubes 85—34435
Zakharchenya, B.P., Malinenko, V.P., Stefanovich, G.B., Terman, M.Yu., Chudnovskii, F.A. Switching in vanadium dioxide metal-oxide-metal structures 86—1853
Zakharchenya, B.P. *see* Bugaev, A.A. 87—26565
Zakharchuk, D.V. *see* Nikitin, B.A. 88—16484
Zakharchuk, O.V. *see* Nikitin, B.A. 88—4791
Zakharchuk, V.A., Zori, A.A., Savkova, E.O., Ryndin, A.V., Yaroshenko, N.A. M-222-computer-based aerodynamic-data acquisition and processing system 86—60178
Zakharei, Zh.M. *see* Boyar-Sozonovich, S.P. 88—63985
Zakharenko, S.I. *see* Lukovinkov, V.I. 88—43187
Zakharenko, S.I. *see* Lukovnikov, V.I. 87—51194
Zakharenko, S.K., Semenov, Yu.G. Measurement of the internal thermal resistance of semiconductor devices 86—28248
Zakharenko, T.I. *see* Filatov, V.N. 87—3642
Zakharenko, V.V. *see* Komov, A.N. 86—14993
Zakharenko, V.V. *see* Terusalimov, M.E. 88—72472
Zakharenkov, L.F., Kuz'min, I.A., Samorukov, B.E., Sokolova, M.A. Liquid epitaxy growth of InP layers 86—46326
Zakharenkov, L.F., Zykov, A.M., Samorukov, B.E. Doping of indium phosphide with group IV elements 86—35547
Zakharenkov, V.K. *see* Kolynina, V.I. 87—44403
Zakharevskii, A.I. *see* Alekseeva, Z.M. 85—50483
Zakharia, M. *see* Flandrin, P. 85—51653, 88—22226
Zakharia, M.E. *see* Bouhier, M.E. 87—28699
Zakhariev, P. *see* Parvanov, P. 87—43193
Zakharieva, R. *see* Borisov, M. 85—29403
Zakharin, A.M. Models of queueing networks of objects with regard for their life dynamics 87—16457

Zakharin, M.I., Romanovskii, V.A., Sokol, V.F. Algorithmic method of reducing dynamic components of errors in digital filters 87–24337
Zakharin, V.E. *see* Agurok, I.P. 85–54353
Zakharin, V.S., Kaganov, Z.G., Kiselev, A.V., Medvedeva, L.S. Analysis of transients in loaded circuits with distributed parameters 85–54616
Zakharin, V.S., Kaganov, Z.G., Medvedeva, L.S. Resonance phenomena in loaded ladder networks 85–54982
Zakharin, V.S. *see* Glazkov, A.I. 88–56736
Zakharkin, B.I., Kulevskii, L.A., Kushnir, V.R., Mikhailov, V.Yu., Nikolaev, V.N., Rustamov, S.R., Toropkin, G.N. Mechanism of the influence of the irradiated imperfection in nonlinear lithium iodate crystal on output parameters of continuous and quasi-continuous AIG:Nd^{3+}-lasers with intracavity second harmonic generation 87–46847
Zakharkin, B.I. *see* Azarov, V.V. 85–51230
Zakharkin, I.S. *see* Gurzadyan, G.G. 88–27259
Zakharkin, R.Ta. *see* Pustogarov, A.V. 87–64828
Zakharnev, A.P. Comparative analysis of methods of measuring the impulse response of an OED (opto-electronic device) using the slit and random tests 87–18798
Zakharnev, A.P. Error of experimental estimates of the impulse and transfer characteristics of optoelectronic devices 87–56448
Zakharnev, A.P. *see* Afonin, A.V. 86–5318
Zakharov, A.A., Astrov, D.N., Belyanskii, L.B., Dedikov, Yu.A., Polunin, S.P. Mercury interference manometer 87–63567
Zakharov, A.A., Astrov, D.N., Belyanskii, L.B., Dedikov, Yu.A., Polunin, S.P. Measuring the pressure in a gas thermometer 88–22842
Zakharov, A.A., Omel'yanenko, A.C. Electromagnetic induction during measurement of resistance of AC earthing devices 86–6431
Zakharov, A.A., Ryzhii, V.I. High-frequency characteristics of bipolar heterotransistors under conditions of conservative transport of hot electrons in the base 87–1490
Zakharov, A.A. *see* Arzumanyan, Yu.V. 85–13448, 87–69179
Zakharov, A.A. *see* Astrov, D.N. 86–44421
Zakharov, A.A. *see* Barybin, A.A. 86–1717
Zakharov, A.A. *see* Ershov, V.I. 87–44315
Zakharov, A.A. *see* Ginzburg, V.V. 88–40762
Zakharov, A.A. *see* Polunin, S.P. 88–22542
Zakharov, A.A. *see* Vokhmyanin, V.M. 86–33183, 88–5595
Zakharov, A.E. *see* Aksenov, Yu.P. 87–43187
Zakharov, A.G. Effect of transducer size and calibration method on measurements of electric-field strength 86–11540
Zakharov, A.G., Kandikov, S.N., Yurkevich, V.M. Calculation of integral parameters of an electrode system comprising two hollow spherical segments 85–62720
Zakharov, A.G., Yurkevich, V.M. Computational and design procedure for a miniature two-component electric field-strength sensor 87–35159
Zakharov, A.I. New geodetic instruments 86–50737
Zakharov, A.I. *see* Bochkar', E.P. 87–21186, 87–41519, 87–76780, 88–33883
Zakharov, A.I. *see* Bockhar', E.P. 88–15023
Zakharov, A.I. *see* Rzhiga, O.N. 85–8474
Zakharov, A.P. *see* Brogdanov, A.L. 86–47444
Zakharov, A.V. Synthesis of wide-range oscillator systems 85–11088
Zakharov, A.V. Synthesis of a stepped capacitance-loaded oscillatory system from its natural frequencies 85–50035
Zakharov, A.V. Synthesis of oscillator systems from segments of stepped lines 85–50036
Zakharov, A.V. Input functions of nonuniform line sections 86–22740
Zakharov, A.V. Tuning curves for resonators with multisectional contactless pistons 86–27558
Zakharov, A.V. Direct and inverse problems in the sensitivity theory of oscillatory systems 86–46615
Zakharov, A.V., Timoshenkov, Yu.A. Ultrasonic detection method for flaws with a low reflection factor 87–36830
Zakharov, A.V., Timoshenkov, Yu.A. Some features of the use of ultrasonic spectral analysis for measurement of the thickness of parts 88–4620
Zakharov, A.V. *see* Biryukov, A.S. 86–36395
Zakharov, A.V. *see* Trifonov, A.P. 86–59284, 87–39780
Zakharov, B.V. Instrument for checking alternating current shunts 85–9557
Zakharov, B.V., Shchekaturov, V.M. Errors of type TLSh-72 measurement current transformer during a transient 88–69452
Zakharov, B.V. *see* Stognii, B.S. 86–5219
Zakharov, D.S. *see* Ainbund, M.R. 85–9082
Zakharov, E.V., Pimenov, Yu.V., Danilov, A.V. A method of solving problems of the diffraction of electromagnetic waves by a cylindrical surface with an infinite element 87–61369
Zakharov, E.V., Safronov, S.I. A method of numerical solution of axiosymmetric problems of diffraction of a nonstationary electromagnetic field on nonclosed rotation surfaces 87–61321
Zakharov, E.V., Sobyanina, I.V. On a method of numerical solution of singular integrodifferential equations 86–57409
Zakharov, G.P. Some trends in the development of telecommunications 86–37246
Zakharov, G.P., Lokhmotko, V.V. Model of structural optimization for large computer networks 86–59613
Zakharov, I.I. *see* Astapkovich, K.F. 86–37621
Zakharov, I.I. *see* Buyanov, V.F. 85–30255
Zakharov, I.L. *see* Aleksandrov, Yu.A. 85–22536
Zakharov, I.P. Dynamic error in measuring energy of single microwave pulses using ponderomotive transducers 85–31583
Zakharov, I.P. Determining time constant of aperiodic measuring transducers 88–35930
Zakharov, I.P. *see* Didyk, L.A. 88–9946
Zakharov, I.P. *see* Egorov, A.B. 87–20859
Zakharov, I.S. Steady-state characteristics of the photocurrent in sillenite type crystals 86–2914
Zakharov, I.S. *see* Artyshevskii, P.P. 86–13177
Zakharov, I.S. *see* Efimenko, I.M. 87–33009
Zakharov, I.S. *see* Petukhov, P.A. 87–11491
Zakharov, I.S. *see* Pushkarev, A.I. 85–18180, 86–47501
Zakharov, I.S. *see* Romanovskiy, M.N. 87–45709
Zakharov, I.S. *see* Shirokov, A.A. 86–28051, 86–47414
Zakharov, L.F. Analysis of the steady-state mode of operation of continuously switched secondary power supplies when supplied from the AC power lines 87–51344
Zakharov, L.F. *see* Kolkanov, M.F. 88–11285
Zakharov, L.F. *see* Stoyanov, G.S. 86–34512
Zakharov, L.P. Increasing the resolution of photoelectric angle-to-code converters 86–70096
Zakharov, L.S., Yushchenko, K.A. Effects of the baking temperature of electrodes on the porosity in welds in high-alloy steels 85–60600
Zakharov, M.A., Molchanov, M.I., Yaroshenko, N.G. Excitation of a helium-neon discharge plasma 86–21001
Zakharov, M.I. *see* Belkin, A.M. 88–27216
Zakharov, M.S. *see* Antonov, V.E. 86–68193
Zakharov, M.V. *see* Gerasimov, V.B. 87–19003
Zakharov, N.D., Gavrikov, S.I. Use of brightness amplifier based on microchannel plate in high-resolution transmission electron microscope 88–32737
Zakharov, S.I., Korado, V.A. Detection of a sinusoidal signal on a background of stationary Gaussian correlated interference with unknown parameters using the maximum likelihood criterion 86–29879
Zakharov, S.M. *see* Kaplun, V.A. 88–14378
Zakharov, V. Local area computer network Ethernet. I 87–40370
Zakharov, V. The Ethernet–a local computer network. II 87–48602
Zakharov, V.A., Popov, E.I., Shaidyuk, L.P. Calculating process of dynamic reversal of magnetisation of conducting ferromagnetic sheet 86–2581
Zakharov, V.G., Yarov, V.M. An analytical approach to analysis of linear electrical networks 87–16831
Zakharov, V.G., Yavor, V.M. Analysis of multiloop linear electrical networks 87–64144
Zakharov, V.I., Olesk, A.O., Sheftel', I.T. Film temperature-sensitive resistors for hybrid microcircuits and microelectronic devices 86–67521
Zakharov, V.I. *see* Tuchin, V.A. 85–43086
Zakharov, V.K., Kochetkov, Yu.D., Yatskevich, Yu.E. Designing voltage-controlled current source based on operational amplifier 86–67314
Zakharov, V.K., Yatskevich, Yu.E. Regulating transfer coefficients of amplifying stages based on operational amplifiers 88–63539
Zakharov, V.M., Mel'nikova, Ye.N. Comparison of the dynamic characteristics of AGC circuits of the static and astatic types 87–44615
Zakharov, V.M. *see* Baydan, I.E. 86–27124
Zakharov, V.P., Kulish, V.V. Polarization effects during the interaction of electromagnetic waves in the plasma of a high-current relativistic electron beam 85–35973
Zakharov, V.P. *see* Boldyrev, G.A. 86–35745
Zakharov, V.P. *see* Butuzov, V.V. 86–22704
Zakharov, V.V. Use of statistical model of radiowave propagation when designing radio networks in the 30-1000 MHz band 87–62819
Zakharov, V.V., Krutikov, V.N. A statistical method for the computation of the conjugate directions 86–7675
Zakharov, Yu.I. Recording of widely spaced random pulses with an S8-12 storage oscilloscope 86–18018
Zakharov, Yu.I. *see* Barabanov, I.R. 86–5836
Zakharov, Yu.N., Kovbanyuk, I.I., Yarukhin, A.I. Device for monitoring pulse amplitude 86–14083
Zakharov, Yu.V. The accuracy of orthogonal expansion of a spectral density 85–63061
Zakharov, Yu.V. *see* Fil'shtinskaya, E.P. 86–39570, 86–51429
Zakharova, A.A. Some details of the characteristics of n-p-n double heterostructure bipolar transistors under conditions of heating and cooling of the electrons and holes in the base 88–13326
Zakharova, A.A. *see* Ryzhii, V.I. 85–61899
Zakharova, E.A. *see* Lobachev, A.G. 87–30336
Zakharova, E.G. *see* Mironova, A.I. 85–65652
Zakharova, G.V. Smooth limiting of a sum of signals 87–47481
Zakharova, G.V. *see* Buravtsev, A.V. 87–43517
Zakharova, I.N. *see* Prokuntsev, A.F. 85–26401
Zakharova, Kh.M. A compensation method of suppressing crosstalk in overhead communication lines 86–30537
Zakharova, O.V. *see* Yakimets, I.V. 87–51311
Zakharova, S.E. *see* Nazarova, N.K. 88–57201
Zakharova, T.V. Optimal arrangements for systems with an optimal service discipline 88–31611
Zakharova, Z.A. *see* Radin, V.I. 88–24187
Zakharova, Z.A. *see* Zagorskii, A.E. 86–6703, 86–39734
Zakhary, S.G. *see* Abdel-Aziz, M.E. 86–32109
Zakhary, S.G. *see* Abdelaziz, M.E. 88–47937, 88–47940
Zakharyan, M.V., Pozhidayev, V.N. Probability of attenuation of different optical waves in fogs along horizontal paths 88–27519
Zakharyan, S.M., Prokhorov, N.L., Raev, V.K. An analysis of the functional possibilities of CMD microcircuit structures with combined asynchronous information sampling 86–42154
Zakhar'yash, T.I. *see* Atuchin, V.V. 85–24319
Zakhar'yash, V.F. Effect of resonant amplifier-limiter and frequency phase locking on frequency measurement 85–62480
Zakharyash, V.F. *see* Chebotayev, V.P. 85–20440
Zakhar'yash, V.F. *see* Gol'dort, V.G. 86–36397
Zakhar'yash, V.F. *see* Gol'drot, V.G. 86–60359
Zakharyevsky, A.V. *see* Aleinikova, V.I. 85–39300
Zakheim, J. Sinusoidal generators: theory of operation and stability 85–49775
Zakheim, J. Systems of guidance and of radiodirection finding 87–49205
Zakhidov, E.A. *see* Dianov, E.M. 85–12615, 86–68622, 87–74708
Zakhidov, E.A. *see* Gur'yanov, A.N. 85–62331
Zakhidov, M.Sh. *see* Abdurakhmanova, M.F. 88–41230
Zakhidov, R.A., Klychev, Sh.I. Kinematics of SES heliostats 87–42718
Zakhidov, R.A. *see* Abdurakhmanov, A. 85–19048
Zakhidov, R.A. *see* Alimov, A.K. 86–25959
Zakhidov, R.A. *see* Khodzhaev, A.Sh. 87–63359
Zakhidov, R.A. *see* Klychev, Sh.I. 87–30436, 87–51090
Zakhidov, R.A. *see* Sizov, Yu.M. 86–51521
Zakhlenyuk, N.A., Salkov, E.A., Sokolov, V.N. On the possibility of determining the composition of Cd$_x$Hg$_{1-x}$Te solid solutions 86–35333
Zakhor, A., Izraelevitz, D. A note on the sampling of zero crossings of two-dimensional signals 87–13013
Zakhor, A., Oppenheim, A.V. Quantization errors in the computation of the discrete Hartley transform 88–14586
Zakhor, A., Oppenheim, A.V. Sampling schemes for reconstruction of multidimensional signals from multiple level threshold crossing 88–72969
Zakhorov, A.V. Design of broadband stepped resonators using sensitivity theory 86–35077
Zakhov, T. Measurement of the main parameters of the U-matic video cassette recorders 87–77018
Zakhtarenko, V.S. *see* Andriyanov, A.V. 85–4096
Zaki, A.M., Hassan, M.A., El-Sobky, S.M. A new approach for optimal allocation and economical capacity of generation reserve 87–42403
Zaki, A.S. The impact of electronic information carriers on the United States Postal Service: an exploratory survey 86–16830
Zaki, F.W., El-Awady, R.M., Ghoneem, Y.Z. A new approach for adaptive digital filters realisation 85–34093
Zaki, K. *see* Clark, C.J. 87–45292
Zaki, K. *see* Newcomb, R.W. 86–795
Zaki, K.A., Chen, C. Field distribution of hybrid modes in dielectric loaded waveguides 86–8421
Zaki, K.A., Chen, C. Loss mechanisms in dielectric loaded resonators 86–8441
Zaki, K.A., Chen, C. New results in dielectric-loaded resonators 86–62814
Zaki, K.A., Chen, C. Coupling of dielectric resonators to rectangular waveguides 87–6044
Zaki, K.A., Chen, C. Coupling between hybrid mode dielectric resonators 87–73645
Zaki, K.A., Chen, C. Complex models in dielectric loaded waveguides 88–927
Zaki, K.A., Chen, C. Coupling of non-axially-symmetric hybrid modes in dielectric resonators 88–25379

Zaki, K.A., Chen, C., Atia, A.E. Dual mode dielectric resonator filters without iris 87—73618
Zaki, K.A., Chen, C., Atia, A.E. Canonical and longitudinal dual-mode dielectric resonator filters without iris 88—25378
Zaki, K.A., Chen, C., Atia, A.E. A new realization of dual mode dielectric resonator filters 88—32401
Zaki, K.A., Chen, C., Atia, A.E. Modeling of coupling by probes in dual mode cavities 88—70988
Zaki, K.A., Chunming Chen Loss mechanisms in dielectric-loaded resonators 86—27547
Zaki, K.A., Chunming Chen Intensity and distribution of hybrid-mode fields in dielectric-loaded waveguides 86—29518
Zaki, K.A. *see* Butler, D. 88—63933
Zaki, K.A. *see* Butler, D.L. 88—25442
Zaki, K.A. *see* Chen, S.-W. 88—72625
Zaki, K.A. *see* Clark, C.J. 87—46730
Zaki, K.A. *see* Krowne, C.M. 88—70958
Zaki, K.A. *see* Mostafa, A.A. 87—75498, 88—2667, 88—25361, 88—27558
Zaki, L. *see* Ali, G.AE-F. 86—42399
Zaki, M. Circuit design using an interactive graphics system 85—33576
Zaki, M., Khamis, M. Fault diagnosis of sequential logic arrays. II 88—56569
Zaki, M., Khamis, M. Fault diagnosis of sequential logic arrays. I 88—70644
Zakidalskii, A.I. *see* Sinkov, M.V. 87—29717
Zakirov, A.S., Igamberdiev, Kh.T., Kakharov, S.S., Mamadalimov, A.T., Khabibullaev, P.K. Photoelectric properties of mercury-compensated silicon 86—28950
Zakirov, B.S., Kapitsa, S.P., Leonov, B.I., Luk'yanenko, E.A., Melekhin, V.N., Tokarev, Yu.E. RMD-10T radiation microtronic flaw detector 88—6555
Zakirov, G.G., Khaibullin, I.B., Shtyrkov, E.I. Laser and thermal annealing of ultradisperse implanted germanium layers 85—50381
Zakirov, G.G. *see* Khaibullin, I.B. 86—28167
Zakirov, L.A. *see* Madzhidov, N.M. 86—50625
Zakirov, Sh.Kh., Mirzaev, A.T., Sharakhimov, M.Sh., Shayakhov, R.F. Wideband optical phase detector 86—68650
Zakirov, Sh.Kh., Shayakhov, R.F. Phase detector with expanded measurement range 87—65962
Zakirov, Sh.Kh. *see* Ishmukhamedov, B.N. 86—25415
Zakirov, V.I. A method of linearizing the modulation characteristic of oscillators 85—6213
Zakis, E. *see* Miller, W.H., Jr. 88—109
Zaklikiewicz, A.M. *see* Lobzowski, A. 88—33137
Zaknarov, V.A. *see* Vdovin, Yu.A. 86—36676
Zakon, S.J. An architecture for routing in the ISO connectionless Internet 86—43350
Zakonjsek, J. *see* Ogorelec, A. 86—39121
Zakopal, E. *see* Bartos, S. 87—36211
Zakorin, V.A., Volin, S.A. Multiple-frequency mode in magnetron oscillators 87—17617
Zakorin, V.A. *see* Volin, S.A. 86—41482
Zakosarenko, V.M., Il'ichev, E.V., Nikiforova, T.V., Tulin, V.A. YBa$_2$Cu$_3$O$_x$ superconducting quantum interferometer operating at temperatures from 4-77 K 88—65020
Zakovryashin, A.I. Individual forecasting method using small sample on basis of polynomials with non-redundant power polynomials 87—16530
Zakowicz, W., Bledowski, A. High-power laser beam guidance in periodic system of lenses with holes 88—72378
Zakowicz, W. *see* Pellegrini, C. 85—26633
Zakrevskii, G.S. *see* Zhuikov, V.Ya. 87—64714
Zakrevskii, I.G., Cherepov, S.V. Dilatometer with inductive sensor 88—67765
Zakrevskii, S.I. *see* Gorbachev, M.N. 87—9654
Zakrevskii, S.I. *see* Volkov, I.V. 86—6827
Zakrevskii, S.I. *see* Volkov, V.L. 87—61086
Zakrevskii, V.A. *see* Berezhanskii, V.B. 87—60696
Zakrevskii, V.A. *see* Dakhiya, M.S. 85—29353
Zakri, M.M. *see* Saloum, S.N. 87—39840
Zakruzhnyi, E.G. Results of measuring HF parameters along a conducting cable in a 220 kV line 87—4421
Zakruzhnyi, E.G., Lisitsyn, F.F. The use of steel lightning-shield wires on 220 kV overhead lines for carrier-current communication 86—37695
Zakruzhnyi, E.G., Messerman, D.G., Chaplygin, V.N., Shkarin, Yu.P. Results of measurements and calculations of the high-frequency characteristics of a 220 kV power transmission line above permafrost 88—17171
Zakrzewska, K., Pisarkiewicz, T., Czapla, A. Scattering of charge carriers in reactively sputtered CdIn$_2$O$_4$ thin films 87—45607
Zakrzewska, K. *see* Pisarkiewicz, T. 88—18740
Zakrzewski, A. *see* Klimek, A. 87—70089
Zakrzewski, A. *see* Kowalski, A. 87—76781
Zakrzewski, K. Application of two-dimensional models to the calculation of stray fields in special transformers 85—60251
Zakrzewski, K. Physical modelling of leakage field and stray losses in steel constructional parts of electrotechnical devices 86—29285
Zakrzewski, K. Scale modelling of electromagnetic devices taking into account magnetic nonlinearity of iron construction parts 88—23974
Zakrzewski, K. *see* Wiak, S. 88—14349
Zakrzewski, Z. *see* Lubanski, M. 88—58872
Zakrzewski, Z. *see* Moisan, M. 88—12569
Zakrzewski, Z. *see* Moutoulas, C. 88—51760
Zaks, I.M. *see* Gryaznov, I.M. 88—70109
Zaks, J. Nearly-neighborly families of tetrahedra and the decomposition of some multigraphs 88—63167
Zaks, L.M. *see* Gryaznov, I.M. 88—63013
Zaks, M.B. *see* Bogatov, I.M. 86—66323
Zaks, M.B. *see* Bogatov, N.-M. 86—51900
Zaks, M.B. *see* Bogatov, N.M. 85—16231
Zaks, M.B. *see* Efremov, A.I. 87—30942
Zaks, M.I., Kaganskii, B.A., Paramonov, S.V., Sharov, A.Yu. Transistorized unit for multistation argon-arc welding 88—37783
Zaks, S. *see* Harpaz, Z. 86—64388
Zaks, S. *see* Korach, E. 87—62404
Zaks, S. *see* van Leeuwen, J. 88—40773
Zaks, V.S. *see* Yadernyy, V.G. 88—74497
Zakusilo, O.K. A queueing system with periodic input stream 87—62408
Zakusilo, O.K. *see* Petrenko, V.A. 85—47527
Zakutin, V.V., Kushnir, V.A., Romas'ko, V.P., Shenderovich, A.M. Deflector system for intrapulse phase shift of particles of linear-accelerator beam 88—61035
Zakutin, V.V. *see* Fursov, G.L. 87—41716
Zakutin, V.V. *see* Vishnyakov, V.A. 88—61044
Zaky, A. *see* Ismail, F. 88—17614, 88—69808
Zaky, A.A., Megahed, I.Y., Dawoud, R.A. Effect of additives on the direct breakdown voltage of silicon oil in highly nonuniform fields 88—33453
Zaky, A.A., Megahed, I.Y., Yehia, S.A. The direct breakdown voltage of silicone oil under uniform fields 85—56005
Zaky, A.A. *see* Elkamchouchi, H. 85—27507
Zaky, S. *see* Nishimura, R. 86—17039
Zaky, S.G. *see* Abd-El Barr, M.H. 86—2199, 86—40992, 86—57754, 86—57756
Zaky, S.G. *see* Isenor, D.K. 86—49008
Zaky, S.G. *see* Sanwalka, A.K. 87—69733
Zaky, S.G. *see* Tang, Y.J. 86—17044, 86—55018
Zaky, S.G. *see* Tang Yijan 87—8011
Zaky, S.G. *see* Vranesic, Z.G. 86—30351
Zaky, S.G. *see* Yeap, T.H. 86—47712
Zakzouk, A.K.M. An empirical model for the performance of a photovoltaic power system (PVPS) 88—43103
Zakzouk, A.K.M., Alamoud, A.R.M., Khoshaim, B.H. Factors affecting the performance of a photovoltaic power system (PVPS) 87—64481
Zakzouk, A.K.M. *see* El-Shobokshy, M.S. 85—27643
Zala, C. *see* Milinazzo, F. 87—44096
Zala, C.A., Barraodale, I., Kennedy, J.S. High-resolution signal and noise field estimation using the *L*1 (least absolute values) norm 87—69122
Zala, C.A. *see* Barrodale, I. 87—69389
Zala, C.A. *see* Ozard, J.M. 87—69236
Zalai, S. *see* Sagdeev, R.Z. 87—49573
Zalanyi, Z. *see* Felea, I. 86—65590
Zalar, B. Electronic SPC subscriber exchange ETC-K28 86—49379
Zalc, B. Analysis of the mathematical model of semiconductor structures with the aid of the finite element method 87—45847
Zaldivar, J.S.De *see* De Zaldivar, J.S.
Zaldivar, J.Solo de *see* Solo de Zaldivar, J.
Zaldo, C. *see* Arizmendi, L. 87—60974
Zalesak, Z. Gusty wind as the cause of the 400 kV transmission line breakdown 86—70695
Zaleski, A. *see* Foner, S. 85—46045
Zaleski, A.J., Orlando, T.P., Zieba, A., Schwartz, B.B., Foner, S. Low-frequency losses at high fields in multifilamentary superconductors 85—18600
Zalesna, A. *see* Krakowski, M. 86—10067
Zalesskii, V.Yu. Gas consumption in pulse-periodic and CW operation of a photodissociation laser 86—54086
Zaletin, V.M., Krivozubov, O.V., Torlin, M.A., Fomin, V.I. Energy resolution of HgI$_2$ detectors of X-ray and gamma quanta 88—54390
Zaletin, V.M., Krivozubov, O.V., Torlin, M.A., Fomin, V.I. Radiometric and dosimetric characteristics of HgI$_2$ detectors 88—74737
Zaletin, V.M. *see* Bulatetskii, K.G. 85—26710
Zalevskiy, O.A. Linearization of the modulation characteristic of a tunable microwave oscillator 87—44664
Zalewska, A. *see* Anzivino, G. 87—41861, 88—22961
Zalewska, A. *see* Caccia, M. 87—77553
Zalewska, A. *see* Evensen, L. 88—68219
Zalewski, E.F. NBS photodetector spectral response calibration transfer program 88—67630
Zalewski, E.F., Gladden, W.K. Absolute spectral irradiance measurements based on the predicted quantum efficiency of a silicon photodiode 85—8975
Zalewski, E.F., Gladden, W.K. Interpolation of silicon photodiode quantum efficiency as an absolute radiometric standard 87—14349
Zalewski, E.J. 1986 Report on ASTM magnet wire activities 87—24508
Zalewski, J. Power capacitors with synthetic film and non-PCB fluid 85—39164
Zalewski, J. *see* Drzycimski, Z. 87—27125
Zalewski, J.S. *see* Gibbons, D.T. 88—68481
Zalewski, R.A. *see* Taflove, A. 86—26600 to 26601
Zalewski, S. Vulnerability of the 15 kV network equipment and the supply reliability of electric energy consumers in the Strzelce Opolskie Power Region 88—75155
Zalewski, S. *see* Podgorski, A. 88—37338
Zalikhanov, B.Zh. *see* Volkov, A.D. 88—36366
Zalis, K. *see* Tomcik, J. 86—33275
Zalis, K. *see* Veverka, A. 85—43911
Zalivako, E.K. *see* Ermakov, V.S. 85—58923
Zalizskii, A.G. *see* Kobzarenko, L.N. 86—33135
Zalkind, M.S. *see* Stone, J.L. 86—65431
Zalkind, V.I., Kirillov, V.V., Sinel'shchikov, V.A., Tikhotskii, A.S., Hernberg, R. Measurement of transient temperature fields on the electrode walls of the MHD duct 85—21825
Zalkind, V.I. *see* Bashilov, V.A. 85—21824
Zalkind, V.I. *see* Kazakevich, O.Ya. 85—5392
Zalkind, V.M., Kotsubanov, V.D., Fedotov, S.I. A device for recording nanosecond optical pulses in the presence of a quasistationary background 85—26256
Zalkind, V.M. *see* Fedotov, S.I. 88—53660
Zallen, R. *see* Feng, G.F. 88—44697
Zallen, R. *see* Holtz, M. 86—41677
Zallmann, K. Process data transfer and remote control techniques in the Ursatron 5000 system 85—8168
Zallmann, K. Light wave conductor meta-block interface Ursadat 5000 86—30808
Zallo, A. *see* Amendolia, S.R. 85—15169
Zallo, A. *see* Bianco, S. 85—43171
Zalm, P.C. Ion-beam assisted etching of semiconductors 87—38152
Zalm, P.C., Beckers, L.J. Secondary electron yields from clean polycrystalline metal surfaces bombarded by 5-20 keV hydrogen or noble gas ions 85—18012
Zalm, P.C., Bulle-Lieuwma, C.W.T., Maree, P.M.J. Silicon molecular beam epitaxy on GaP and GaAs 87—52146
Zalm, P.C., Maree, P.M.J., Olthof, R.I.J. Silicon molecular beam epitaxy on gallium arsenide 85—33414
Zalm, P.C., Rogalla, H. Thin layers of superconducting oxides; material aspects, properties and applications 88—58036
Zalm, P.C. *see* Bulle-Lieuwma, C.W.T. 87—74212
Zalm, P.C. *see* Hasegawa, S. 86—9022
Zalmai, G.J. Duality for a class of continuous-time homogeneous fractional programming problems 87—10286
Zalnieriunas, A. *see* Stahl, J. 87—49499
Zaloga, R., Miecielica, M. Properties of ultrasound transducers working under high hydrostatic pressure 88—10631
Zaloga, R. *see* Miecielica, M. 85—4075
Zalogin, A.N., Kozel, S.M., Listvin, V.N., Shatalin, S.V. Determination of the cutoff wavelength in a single-mode optical fiber 87—60930
Zalogin, A.N. *see* Grigor'yants, V.V. 87—32973
Zalogin, N.N. *see* Aksenov, V.I. 88—15561
Zalogin, N.N. *see* Belyayev, R.V. 86—27126
Zalogin, N.N. *see* Kalinin, V.I. 85—61444
Zalph, B.L. Immersion etching accelerated with ultrasonic energy 85—45365
Zalpuri, K. *see* Acharya, Y.B. 85—48471
Zaltash, A. *see* Bowen, J. 86—57583, 88—63472
Zal'tsman, E.B. Two new forms of waveguide load 86—41303
Zal'tsman, E.B. *see* Brekhovskikh, S.M. 86—60322
Zal'tsman, F.Zh. *see* Zelichenko, A.S. 86—61149
Zal'tsman, Kh.F. *see* Kesel'man, L.M. 86—65726
Zaltsman, Z. *see* Sanders, R. 88—61068
Zal'tsman, Zh.F. *see* Kesel'man, L.M. 86—32781
Zalucki, W. Mathematical model of single phase induction motor fed by frequency converter 85—9907
Zalucki, W. *see* Wojcik, J. 87—9562
Zalud, V. Spread spectrum radiocommunication systems 86—4475
Zalud, V. Accurate measurement of the noise figure and the Q-factor of receivers 86—44414
Zalud, V. Transistor wideband amplifiers with distributed amplification 86—58068
Zalud, V. The first monolithic decoder circuit for the D2-MAC/Paket television standard 88—35688
Zaluska, E.J. *see* Allerton, D.J. 87—14987
Zaluzec, N.J. *see* Strauss, M.G. 87—56535, 88—42424
Zaluzhnyi, A.A. *see* Abramovich, D.I. 86—5182
Zalvidar, J.Solo de *see* Solo de Zalvidar, J.
Zalyubinskaya, L.N., Ignatov, A.V., Pasternak, V.A., Serdyuk, V.V. Effects caused by copper electrodiffusion into thin films of cadmium sulphide 86—8994
Zalyubinskaya, L.N., Serdyuk, V.V. Photostimulated diffusion of copper in thin layers of cadmium sulfide 86—21190
Zalyubovskii, I.I., Kuznichenko, A.V., Lebedev, V.N., Levon, A.I., Onishchenko, G.M. Pulsed system for reducing the repetition frequency of particle bunches in a cyclotron beam 86—5677

Zama, H. *see* Takahashi, S. 88−12058
Zama, M. *see* Yamamoto, T. 87−64781
Zaman, A.J.M. *see* Long, S.A. 85−10876
Zamana, A. *see* Ancona, M. 86−46216
Zamani, J.H. On-line balance-of-plant performance monitoring system using a personal computer 88−62088
Zamani, M., Charalambous, S. Dose rate dependence on the response of CR-39 SSNT-detector 86−11851
Zamani, M., Charalambous, S. Light particle discrimination using CR-39 86−50403
Zamani, M., Jokic, S., Fernandez, F., Debeauvais, M., Ralarosy, J. A study of electrochemical etched alpha and proton tracks in CR-39 as function of energy 87−21480
Zamani, M., Manolopoulou, M., Charalambous, S. Etching properties of CN-85 plastic track detector 86−50404
Zamani, M., Sampsonidis, D., Charalambous, S. Dose rate effects on CR-39 SSNT detector 87−21470
Zamani, M., Sampsonidis, D., Jokic, S., Fernandez, F., Ralarosy, J., Debeauvais, M. Electrochemically developed α-particle tracks in CN-85 cellulose nitrate 86−44584
Zamani, M., Savvides, E., Petrakis, J., Charalambous, S. Gamma dose discrimination properties of SSNT detectors 87−21474
Zamani, M. *see* Fernandez, F. 87−14777
Zamani, M. *see* Savvides, E. 87−21475
Zamani, N.G. A finite element based collocation method for eigenvalue calculations 88−326
Zamanian, B. *see* Ajmera, P.K. 88−449
Zamanian, M. *see* Liou, F.T. 88−64774
Zamansky, L.Ya., Marchevsky, R.M. Enumeration and computation of the number of ordinary cycles in the graph 88−291
Zamarayev, B.D., Fuks, I.M. Frequency and angle-of-incidence dependence of the average scattering coefficient of some surfaces 88−72534
Zamarayev, V.P. *see* Gurman, P.E. 86−23364
Zamarro, J.M. *see* Hernandez, A. 86−44409
Zamarro, J.M. *see* Munoz, J. 88−29629
Zamarro, J.M. *see* Sanchez, M.C. 87−6015, 87−24415
Zamarron, J.M. *see* Henriksson, M.E. 85−38757
Zamastil, J. New types of semiconductor devices at CKD Praha 86−53575
Zamastil, J. Power semiconductor components for the eighth five-year plan 87−31692
Zamastil, J. New development areas of semiconductor power devices 87−58181
Zamastil, J. *see* May, J. 88−7467
Zamastil, J. *see* Simko, T. 86−63271
Zamayatina, L.A. *see* Kragel'skii, I.V. 88−22446
Zambardi, F. *see* de Agostino, E. 88−48674
Zambelli, A. *see* Camplani, A. 87−15436
Zambelli, G. *see* Pasquini, V. 88−4192
Zambelli, M. *see* Bohrer, W. 85−33671
Zambelli, M. *see* Fasce, F. 86−58465, 87−11763
Zambelli, M. *see* Fuochi, P. 86−53574
Zambelli, M. *see* Passerini, B. 85−61912
Zambelli, M. *see* Pensotti, S. 87−63649
Zambelli, M. *see* Tenconi, S.M. 87−38234
Zambon, A. *see* Tiziani, A. 88−45587
Zambon, B. *see* Arimondo, E. 87−75010, 88−65845
Zambon, B. *see* Hennequin, D. 88−40138
Zamboni, F. *see* Camani, M. 86−33215, 86−45300
Zamboni, M. *see* Civera, P. 87−66240
Zamboni, M. *see* Civera, P.L. 87−60619
Zamboni, M. *see* Danese, G. 88−46543
Zamboni, M. *see* Del Corso, D. 86−20473
Zambonin, P.G. *see* Bicelli, L.P. 86−26310
Zambotti, L.G., Hardy, R.E. LSI-CP: VLSI microprocessor emulates military processors 86−1110
Zambrano, C. *see* Ramio, J. 87−37032
Zambrano, V.O., Makram, E.B., Harley, R.G. Transient response of synchronous and asynchronous machines to asymmetrical faults in an unbalanced network 88−48425
Zambrano, V.O., Makram, E.B., Harley, R.G. Stability of a synchronous machine due to an unsymmetrical fault in unbalanced power systems 88−55328
Zambrano, V.O. *see* Makram, E.B. 88−43185, 88−55327, 88−69310
Zambreanu, V. *see* Baltog, I. 87−26282
Zambreanu, V. *see* Ludu, A. 87−43486
Zambreanu, V. *see* Novac, B. 87−43262
Zambreanu, V. *see* Ursu, I. 87−43264, 88−49059
Zambreanu, V. *see* Zoita, V. 87−43263
Zambri Zainuddin, M. Application of self-scanned photodiode array for astronomical spectroscopy 88−14031
Zamfir, E. *see* Bratescu, G.G. 87−12531
Zamfir, M.D. *see* Livinf, G. 87−51241
Zamfira, C. *see* Canciu, L. 85−38981, 86−6742
Zamfirescu, C. *see* Dan, I. 88−11428, 88−69734
Zamidra, A.I. *see* Emets, Yu.P. 86−22616
Zamidra, A.I. *see* Vasetskii, Yu.M. 86−36644, 88−34258
Zamir, S. *see* Gerard-Varet, L.A. 87−65321
Zamir, S. *see* Mertens, J.-F. 85−54248
Zamira, Yu.V., Ronzhin, A.A., Ryabov, E.V., Sharov, V.M., Christyakov, A.A. A study of the mechanical characteristics of turbogenerators of a unified powers series 63, 110, 160 and 800 MW 87−30483
Zamiralov, Ya.S. *see* Kalashnikov, N.I. 87−21757
Zamkov, E.A. *see* Gripas, V.A. 87−4422
Zamkov, V.A. *see* Rozhdestvenskaya, N.B. 88−36272
Zamkov, V.N., Shevelev, A.D., Arsenyuk, V.V., Kushnirenko, N.A., Topol'skii, V.F. Improving the technology for electron beam welding the titanium alloy VT23 85−53964
Zamkovoi, A.S. Eigenmodes in a uniformly-twisted waveguide allowing for a finite conductivity of the walls 85−2636
Zammit, A.C.A. *see* Di Marcantonio, U. 85−18785
Zammit, R.J. *see* Cosgriff, G.O. 85−14676
Zammit, U. *see* Vitali, G. 85−12070
Zamojski, J.H. Present state of design methods of traction DC machines at the Institute of Electrotechnics 86−33432
Zamojski, J.H. Present state of design methods of traction DC machines at the Institute of Electrotechnics 86−56995
Zamora, M. *see* Jimenez, J. 85−26305
Zamora, R.J. *see* Gossard, E.E. 85−26901
Zamore, P.H. *see* Laber, G. 85−25318
Zamorsky, M.K. *see* Dovgy, Ya.-O. 88−40148
Zamotrinskii, V.A., Kovalenko, E.S., Kolchina, G.A., Shangina, L.I. Two methods of calculating the spatial-coherence function 85−41447
Zamozhskii, V.D. *see* Fainer, N.I. 86−34285
Zampaglione, V. *see* Rosatelli, F. 85−46112
Zampariolo, H. *see* Innorta, M. 85−27151
Zamperoni, P. Some reversible image operators from the point of view of cellular automata 87−48045
Zamperoni, P. *see* Dohler, H.-U. 85−41855
Zamperoni, P. *see* Klette, R. 88−14776
Zampi, M.J. *see* Davison, J. 86−70506
Zampini, A. *see* Templeton, M.K. 88−13257
Zamulin, O.L. *see* Chavka, G.G. 88−38330
Zamuruev, S.N. *see* Kaganov, V.I. 87−65870
Zamuruyev, S.N. *see* Kaganov, V.I. 87−59205
Zamyatin, A.V. *see* Bazhenov, I.A. 86−61460
Zamyatin, I.P., Losev, B.I., Chuloshnikov, P.L. Resistance seam welding of aluminium alloys 85−16498
Zamyatin, N.I. Multichannel memory-scanning time-mark units 88−25110
Zamyatin, Ye.V., Prosvirnin, S.L. Diffraction of electromagnetic waves by an array with small random fluctuations of the dimensions 87−19176
Zamyatin, Yu.P. *see* Kragel'skii, I.V. 88−22446
Zamyatina, V.V. *see* Fedyukovich, A.K. 87−77239
Zamyatnin, D.V. *see* Talyshinskii, I.T. 86−12807, 87−64575
Zamyatnin, D.V. *see* Talyshinsku, I.T. 87−64572
Zamzow, H. Recording fast movements in real time. Analysing motion with the random access tracking system 88−35678
Zamzow, P. Possibilities for production of communication cables [optical fibres] 86−17403
Zamzow, P.E. *see* Haag, H.G. 85−31037, 85−52353, 85−58137, 86−23899, 86−49664, 88−28917
Zamzow, P.E. *see* Unger, H.-G. 87−53959
Zan Shi-xian *see* Liu Bao-yan 87−66809
Zan Yang *see* Yang Zan
Zan Yude *see* Sze Juejue 85−34648
Zanabili, M. New servo-type dotted-line recorders 86−38441
Zanabria, M. *see* Puseljic, D. 88−61100
Zanabria, M. *see* Ruchti, R. 88−68221
Zanadvorov, N.P., Flegontov, Yu.A. Calculation of controllable apodizing diaphragms based on the Pockels effect 85−46214
Zanantoni, C. *see* Graziani, G. 85−78
Zanao Sun *see* Sun Zanao
Zanarini, G. *see* Andretta, M. 85−40400, 87−1131
Zanarini, S. *see* Rinaldi, M. 86−39716
Zanbelli, M. *see* Passerine, B. 85−29205
Zanca, M., Rossi, M., Bernier, P., Lamarque, J.L. MRI signal analysis with an imaging system at 0.35 T 87−50267
Zanchim, C.I. Teaching experience with an operational amplifier 88−24383
Zandanova, C.I. *see* Arsen'yan, T.I. 88−66098
Zandart, Ya.Ya. *see* Anishev, E.Yu. 87−78960
Zandee, P. *see* Vlugt, D.N. 85−64933
Zanden, J.Van Der *see* Van Der Zanden, J.
Zander, C. *see* Thiel, E. 87−18928, 87−54266
Zander, C.-P. New diesel-electric locomotives for Turkish State Railway−a co-operation model for the transfer of know-how 88−31158
Zander, C.-P., Schonenberger, A. Modern shunting locomotives 85−60497
Zander, E. Networking and cost. The effect of unquantifiable factors 85−42053
Zander, E. *see* Kraft, D. 85−65541
Zander, H. Signal monitoring. (Programmable amplifiers in data collecting systems) 85−6177
Zander, H. Fundamentals and techniques of digital audio electronics. III. Sources of error in A/D conversion 85−14518
Zander, H. The principles and procedures in digital audio technology. IV. A/D convertors 85−26111
Zander, H. The principles and procedure for digital audio technology. VI. System specific noise sources 85−26112
Zander, H. Fundamentals and techniques of digital audio electronics. V. System-specific sources of noise. II 85−30257
Zander, H. Fundamentals of digital audio systems. VI. Retracing processes 85−47738
Zander, H. Basics and methods in digital audio techniques. VII. D/A convertors 85−49943
Zander, H. Basics and methods of digital audio techniques. VIII. Digital magnetic tape recording 85−62193
Zander, H. Principles and methods of digital audio technology. IX. Digital sound disc 86−11370
Zander, H. Analogue division 86−14427
Zander, H. Principles and methods of digital audio technology. X(ii). Error correction methods 86−22899
Zander, H. Fundamentals and methods in digital audio techniques. X/1. Code translation rates, codes 86−24185
Zander, H. Fundamentals and methods in digital audio-technique. XI. Digital filters 86−34991
Zander, H. Basis and practice of digital audio technique. XII. Digital processing 86−44046
Zander, H. Room acoustics alteration using electro-acoustic systems 87−9042
Zander, J., Forchheimer, R. High-level packet communication 85−47200
Zander, K. The development of a multifunctional broadband communication system−MBCS 88−41358
Zander, K. The development of a multifunctional broadband communications system−MBCS 88−59456
Zander, K. *see* Debler, E. 85−48926
Zander, M.E. *see* Fuka, M.A. 88−54143
Zander, U. *see* Hakanson, L. 88−70073
Zandi, B. *see* Casperson, L.W. 87−25925
Zandman, D. *see* Slonim, M.A. 85−9998
Zandra, G. Data networks: Is standardisation in sight? Efforts towards standardisation 85−13724
Zandra, G. The lower OSI layers in local data networks. Status quo of the interrelationship between OSI and local data networks. I 85−57779
Zandra, G. Total communication. HES: The household LAN of tomorrow 87−40356
Zandra, G. Glass fibre LANs 88−35085
Zandra, G. Internetworking: linking of LANs over large distances 88−66985
Zandt, L.L.van *see* van Zandt, L.L.
Zandveld, F. P9X00 hardware 88−21487
Zandveld, P. *see* van Antwerpen, G. 87−49644
Zandwijk, N.van *see* van Zandwijk, N.
Zanella, G. *see* Balestra, F. 85−37946
Zanella, G. *see* Benetello, A. 87−71011
Zanellato, G. Flexible vectorial quantisation, basis of speech recognition 88−21158
Zanellato, G. *see* Boite, R. 87−47601
Zanellato, O. *see* Righi, R. 86−69555
Zanelli, E. *see* Hennigan, A.J. 85−44021
Zanelli, S. A 250 MHz digital word generator 88−53746
Zanello, A. Remarks on the use of an air-air heat pump in buildings air-conditioning 85−10239
Zanello, D. *see* DeWulf, J.P. 87−21468, 88−22985
Zanello, L. *see* Albrow, M.G. 88−29872
Zanello, L. *see* Bauer, G. 87−29544, 87−77572
Zanello, L. *see* Bettini, A. 87−29545
Zanello, L. *see* Busetto, G. 87−14788
Zanetta, G.A. *see* Bernante, R. 86−61470
Zanetti, L.J. *see* Bythrow, P.F. 88−30163
Zanetti, L.J. *see* Potemra, T.A. 85−9257, 85−53164
Zanetti, O. *see* Gambino, G. 86−66580
Zanetti Polzi, L. *see* Butto, M. 87−13638
Zaneveld, R. *see* Soutar, A. 86−60965
Zanevitchius, D.J., Bashkys, A.I., Sakalauskas, L.L. System modelling of integrated circuits 86−28416
Zanevitchius, D.J. *see* Bashkys, A.I. 87−46107
Zanevskii, E.S., Legotkina, T.S., Litsyn, N.M. Modeling of transients in an automated system for programmed hardening of long conical products 86−45407
Zanevskii, Yu.V., Movchan, S.A., Peshekhonov, V.P., Chan Dyk Tkhan, Aleksandrov, I.V., Zisman, A.N., Stishov, S.M. One-dimensional position-sensitive detector for X-ray studies at ultrahigh pressures 88−36370
Zanevskii, Yu.V., Peshekhonov, V.D., Smykov, L.P. Low-pressure multistage cascade chamber 86−70340
Zanevskii, Yu.V. *see* Anisimov, Yu.S. 87−63670
Zanevsky, Yu.V. *see* Abdushukurov, D.A. 85−59187
Zanevsky, Yu.V. *see* Anisimov, Yu.S. 85−48227, 87−14745, 87−23788, 87−29693
Zanfi, M. Communications networks 88−41191

Zang, C.J., Micci, M.M. Thermal analysis of a magnetic induction thruster [aerospace propulsion] 85–31933
Zang, D.Y., Tsai, C.S. Single-mode waveguide microlenses and microlens arrays fabrication in $LiNbO_3$ using titanium indiffused proton exchange technique 85–41194
Zang, D.Y., Tsai, C.S. Titanium-indiffused proton-exchanged waveguide lenses in $LiNbO_3$ for optical information processing 86–63682
Zang, D.Y. *see* Le, P. 88–51541, 88–51558
Zang, D.Y. *see* Tsai, C.S. 86–2883, 86–36286
Zang, G. Telephone recorder ASN 200 D from ASC: always on stand-by 85–52105
Zang, W., Wolf, J.K. Rate 1/2 and 2/3 majority logic decoding binary burst error-correcting codes 87–33599
Zang Wenxiu *see* Chen Xianggao 86–11881, 86–11883
Zang Wenxiu *see* Zhang Zhongkui 86–11882
Zang Zhu-quan A note on the theorem of Lakshmikantham and Leela 87–73014
Zang-Hee Cho *see* Hong, K.S. 87–77646
Zanger, H., Webster, L. Fiber optic data bus using frequency division multiplexing (FDM) and an asymmetric coupler 85–8395
Zanger, P. *see* Langenberg, K.J. 87–75387
Zanger, R.De *see* De Zanger, R.
Zangqi Lin *see* Lin Zangqi
Zani, A. *see* Cembali, F. 85–61673
Zanic, V., Radonic, D. Automated design of the synchronous generators with cylindrical rotor 85–65225
Zanichkovskaya, L.V., Karpinsky, N.P., Kochan, V.A. Refinements concerning lamp burning hours in abnormal conditions [life testing] 85–39306
Zaninelli, D. *see* Tironi, E. 88–68757
Zanini, A. Applicability of international standards to assess the reliability of electrical equipments employed in the African equatorial climates 85–5869
Zanini, A. *see* Iuculano, G. 85–5803, 87–23405, 88–12664
Zanini, A. *see* Manfredotti, C. 85–48356
Zaninotto, G. *see* Papeschi, G. 85–20885
Zanio, K., Hay, K. Modeling of HgCdTe heterojunction devices 87–66967
Zanio, K. *see* Kay, R. 88–29378
Zanio, K.R. *see* Bean, R.C. 86–66828
Zanis, L.J. Integration of cogeneration and refrigeration systems into total energy facilities 87–4580
Zank, A. Radar-system ground-loop problems reduced through single-power-supply data converter 87–70136
Zankel, K. *see* Beer, A. 85–9043
Zankel, K. *see* Burckhart, H.J. 86–44551
Zankel, K. *see* Fischer, H.M. 87–21417
Zanker, A. Optimum air duct selection for air conditioning and ventilation 87–72616
Zankl, M. *see* Drexler, G. 86–18396
Zann, B. *see* Kruchten, P. 86–23620
Zanne, C. *see* Menezes, B.R. 88–69613
Zannella, S. *see* Asdente, M. 85–50863, 85–62223
Zannella, S. *see* Bruzzese, R. 87–46407
Zannetti, R.J. Achieving stepless control of electric heater batteries 85–27793
Zannini, P. *see* Voci, C. 88–29943
Zannis, J. Transistor provides thyristor control 86–58462
Zannol, S. Automatic insertion of ICs 86–1532
Zannol, S. Waveform synthesizers: advanced technologies and new approaches to synthesis 88–22666
Zannol, S. *see* Maige, P. 86–716
Zannol, S. *see* Quadri, F. 87–37272
Zannoli, S. The monitoring of network disturbances 85–8761
Zannoli, S. Specification of VMEbus 85–13894
Zannoli, S. Logic analyser, desk top computer and controller in a simple instrument 85–14705
Zannoli, S. A personal instrument for memory and logic array programming 85–28520
Zannoli, S. Personal instruments oriented towards waveform analysis 85–31317
Zannoli, S. High speed A/D-D/A conversion 85–33996
Zannoli, S. A 12 channel recorder 85–37654
Zannoli, S. New spectrum analyser applications 86–5149
Zannoli, S. Programmable logic systems 86–14126
Zannoli, S. Three signal sources in one 86–17990
Zannoli, S. Protocol analysers 86–18006
Zannoli, S. A novel 1 GHz frequency synthesizer 86–20339
Zannoli, S. Testing of modems 86–24294
Zannoli, S. Developments in automatic testing 86–24295
Zannoli, S. A versatile FFT analyser 86–24427
Zannoli, S. Spectrum analysers: towards the applications simplicity 86–31287
Zannoli, S. More than DAC on one chip 86–41173
Zannoli, S. DAC deployment in TTL for ECL ambient 86–41174
Zannoli, S. Automatic calibration systems 86–44103
Zannoli, S. Simulation and testing with the protocol analyser 86–44215
Zannoli, S. The advantages of 'in-circuit' programming 86–62590
Zannoli, S. Complete logic states analyser 87–20989
Zannoli, S. Timing and state analysis for μPs 87–24231
Zannoli, S. A flash 11-bit A/D convertor 87–37400
Zannoli, S. Compact, high performance instruments 87–41428
Zannoli, S. Spectral analyses and video recording 87–41431
Zannoli, S. Scalar network analysers 87–41432
Zannoli, S. A portable data logger 87–41552
Zannoli, S. Instrumentation for fibre optics: technological challenge 87–46457
Zannoli, S. DMM: a counter up to 32999 87–49798
Zannoli, S. Measurements with fibre optics 87–53988
Zannoli, S. Automation of the scalar analysis of a network 87–56477
Zannoli, S. Telecommunication network protocol analysers 87–62624
Zannoli, S. Supermicro- and minicomputers in CAD and CAE 87–66700
Zannoli, S. The personal workstation: advanced technologies and expert systems. [PCB CAD] 87–66701
Zannoli, S. Time-interval analysis at very high speeds 87–70679
Zannoli, S. Protocol analysers for all applications 88–4286
Zannoli, S. Low cost function generators for frequencies up to 5 MHz 88–16217
Zannoli, S. Complementarity between analogue and digital operation. [multimeter] 88–22679
Zannoli, S. ZTO for switching 1 MW up to 50 kHz 88–33191
Zannoli, S. DSP applications with VMEbus 88–35897
Zannoli, S. A versatile logic state analyser 88–50071
Zannoli, S. Measurements in fibre optics 88–51449
Zannoli, S. Digital oscilloscopes–high frequency, high precision and simplicity in use 88–53755
Zannoli, S. Low cost digital IC for vocal synthesis 88–56722
Zannoli, S. Application of spectrum analysis up to 10 MHz 88–74303
Zannoli, S. *see* Ableidinger, B. 85–31316
Zannoli, S. *see* Boothman, G. 85–46580
Zannoli, S. *see* Cofield, J. 85–34015
Zannoli, S. *see* Gauen, K. 86–6954
Zannoli, S. *see* Gledhill, S.J. 86–31286
Zannoli, S. *see* Jaques, A. 86–9480
Zannoli, S. *see* Joshi, S. 86–16600
Zannoli, S. *see* Kleindienst, P. 87–37100
Zannoli, S. *see* McKenzie, A. 87–14231
Zannoli, S. *see* McMillan, I.D. 85–45307
Zannoli, S. *see* Rudkin, A.M. 87–29143
Zannoli, S. *see* Rumi, G. 85–42932
Zannoli, S. *see* Saladin, H. 85–28664
Zannoli, S. *see* Weathers, T.W. 85–54089
Zannoli, S. *see* Wong, R.Y. 86–29764
Zannoni, R. *see* Benetello, A. 87–71011
Zanobetti, D. *see* Amendola, A. 85–59920
Zanobetti, D. *see* Colla, F. 87–58259
Zanobetti, D. *see* Nucci, C.A. 85–55204
Zanochkin, L.A. *see* Bratuta, E.G. 88–17382
Zanolli, A. *see* Kent, R. 87–15062
Zanon, G. *see* Oberto, G. 88–2632
Zanoni, E., Giannini, M., Senin, A., Simeone, G., Canali, C. Observation of latch-up time evolution in CMOS IC's by means of SEM stroboscopic voltage contrast techniques 87–38533
Zanoni, E., Lugli, P., Canal, C., Alberigi Quaranta, A. Ultrahigh-speed VLSI devices: from gallium arsenide to heterostructures 88–20152
Zanoni, E., Lugli, P., Canali, C., Alberigi, A. High velocity electronic devices: from silicon to gallium arsenide 87–53517
Zanoni, E. *see* Canali, C. 85–6952, 85–55809, 86–41803, 86–53442, 86–53828, 87–1759, 87–38283, 88–20118, 88–33375, 88–51015
Zanoni, E. *see* Corsi, F. 88–57798
Zanoni, E. *see* Fantini, F. 85–55982, 86–35871
Zanoni, E. *see* Mattana, G. 87–153
Zanoni, E. *see* Paccagnella, A. 88–50871
Zanoni, E. *see* Rocchelli, R. 86–21814
Zanoni, E. *see* Scorzoni, A. 86–47568
Zanoni, R. *see* Assanto, G. 88–65309
Zanoni, R. *see* Karaguleff, C. 85–35851
Zanoni, R. *see* Stegeman, G.I. 88–2043, 88–58228, 88–72146
Zanotti, G. *see* Dominici, G. 88–74271
Zanotti, G. *see* Perrone, A. 88–60111
Zanotti, L. *see* Alessandrello, A. 87–14733, 87–29540
Zanotti, L. *see* Battistoni, G. 86–50396
Zanotti, L. *see* Fornari, R. 86–381, 87–73047, 88–18053
Zanotti, L. *see* Giling, L.J. 87–23599
Zanotti, L. *see* Paorici, C. 86–388
Zanotti, L. *see* Rakovics, V. 87–74175
Zanotti, L. *see* Razzetti, C. 85–16917
Zanotti, L. *see* Razzini, G. 86–66331
Zanotti, L. *see* Romeo, N. 86–57481, 88–18002
Zanotti, L. *see* Tarricone, L. 85–2124, 86–27966, 87–1286, 87–54167
Zanotti, L.P. *see* Romeo, N. 87–5477
Zanovello, R. On an integral of powers of hypergeometric or trigonometric functions 87–36675
Zansky, Z. Phase-modulated AC supply exhibits high efficiency 86–13965
Zant, H.S.J.van der *see* van der Zant, H.S.J.
Zanten, N.Van *see* Van Zanten, N.
Zantinge, J.F. *see* de Haas, J. 86–51856
Zantis, F.-P. Pulsed operation for DC motors. Pulse width adjuster 87–78685
Zantout, H. *see* Tosser, A.J. 87–53877
Zanutto, B.S., Shinjo de Corvetto, A. Single-channel single processor for electronic cochlea stimulation 86–38815
Zanza, V. *see* Bartiromo, R. 87–56969
Zanzottera, E. *see* Bordonali, C. 86–12189
Zanzottera, E. *see* Draghi, S. 88–10597
Zanzottera, E. *see* Ferrario, A. 88–10598
Zanzucchi, P.J. *see* Ladany, I. 86–36289
Zanzucchi, P.J. *see* Pampalone, T.R. 87–11506
Zao, J.P., Hu, J.D. A new iterative method for solving linear equations 86–66934
Zao, S.-H. *see* Shi, C.-S. 87–33416
Zao, X., Zhang, J., Chen, K. The design, transmission matrix and beam emittance for the INR cyclotron beam-extraction system 85–59068
Zao Huanqing *see* Chen Zhiyong 88–38231
Zao Xiaofeng *see* Song Huixian 86–32093
Zao-Cheng Zhai *see* Zhai Zao-Cheng
Zaouk, A., Constant, G. GaAs crystal growth from coordination compounds using the organometallic chemical vapor deposition process for solar cells 86–66336
Zapalowski, L., Leeman, S., Fiddy, M.A. The Born and Rytov approximations and imaging from scattered field 85–46972
Zapalowski, L. *see* Ibison, M.C. 86–10577, 86–48985, 86–59342
Zapal'skaya, V.M., Rudman, A.A. Analysis of remote protection of an autotransformer with a four-angled relay resistance characteristic 86–26095
Zapal'skaya, V.M. *see* Rudman, A.A. 86–61680
Zapara, G.N., Sinel'nikova, L.A., Belugina, T.O., Lyakhovets, O.G. Error in checking high-voltage dividers by the compensation method 85–8917
Zapart, W. *see* Krukiewicz, R. 87–75341
Zapasnik, B. Optical fibre lines–survey of structural solutions and production engineering 87–8311
Zapasnik, R. Low wattage induction motors: present and future 86–19283
Zapasskaya, E.S. An analytical method for simplifying the diagnostics of the control units of quasi-electronic automatic long-distance telephone exchanges 85–8269
Zapata, E.L., Bruguera, J., Mira, J. Design of a multigate resource fault-tolerant controller 86–14292
Zapata, E.L., Doallo, R., Rivera, F.F., Ismail, M.A. A VLSI systolic architecture for fuzzy clustering 88–70817
Zapata, E.L. *see* Plata, O. 87–33862, 88–67019
Zapata, L.E. Continuous-wave 25-W Nd^{3+}:glass fiber bundle laser 88–8159
Zapata, L.E. Medium power Nd^{3+}:glass fiber array laser 88–27129
Zapata, L.E., De Young, R.J. Efficient flashlamp-pumped IBr laser 85–29758
Zapata Ferrer, J., Blanco Escobar, C., Rebollar Machain, J.M. Microwave thermograph for breast cancer detection 86–32298
Zapata-Ferrer, A.R. Optic-electronic system to evaluate the thermocutaneous threshold to pain in man 86–60774
Zapata-Ferrer, A.R., Alvarado-Calvillo, R. Design and construction of an electronic stimulator with isolator unit to be used in experimental epilepsy (kindling) 85–43319
Zapata-Ferrer, A.R., Danglada, O., Perez-Guerrero, I.A. Biofeedback system with interchangeable modules for applied research and clinical practice in underdeveloped countries 87–14912
Zapata-Ferrer, A.R., Jimenez, C.M., Aguillon-Pantaleon, M.A. Electronic system for behavioral research 88–48086
Zapesochnyi, I.P. *see* Veresh, M.F. 88–20562
Zapesochnyi, I.P. *see* Vokhmin, P.A. 88–27053
Zapevalov, V.E. Interaction between gyrotron modes resonant with a beam at different harmonics 85–1235
Zapevalov, V.E., Malygin, S.A., Pavel'ev, V.G., Tsimring, Sh.E. Coupled-resonator gyrotrons with mode conversion 86–1630
Zapevalov, V.E. *see* Fix, A.Sh. 85–55362
Zapevalov, V.E. *see* Pavel'ev, V.G. 87–73959
Zapevalov, V.Ye. *see* Nusinovich, G.S. 86–29023
Zapevin, M.I. *see* Blagoveshchenskii, A.B. 87–21762
Zapf, F. *see* Dierckx, R. 87–76155

Zapf, F. *see* Szechenyi, K. 87−13480, 87−40085
Zapf, H.L. *see* Lemaitre, B. 87−67196
Zapf, T., Wijnaendts-van-Resandt Confocal laser microscope for submicron structure measurement 87−33347
Zapka, W. Measuring film thicknesses and surface profiles by frequency-modulated laser beams 85−4111
Zapka, W., Haug, W., Bohlen, H. Precise mask-to-wafer gap sensing established in the EBP-lithography tool 86−21667
Zapka, W., Haug, W., Bohlen, H. Accurate mask-to-wafer gap measurements in the EBP lithography tool 87−11514
Zapka, W., Nehmiz, P., Behringer, U., Haug, W., Keyser, J., Bohlen, H. Electron beam proximity printing: step and scan technique for future small groundrule lithography 86−1964
Zapka, W., Nehmiz, P., Bohlen, H. High resolution distortion measurements of electron-beam transmission masks 85−29084
Zapka, W. *see* Behringer, U. 85−12360, 85−45496
Zapka, W. *see* Bohlen, H. 85−7032
Zapka, W. *see* Nehmiz, P. 85−29083
Zapka, W. *see* Tam, A. 85−32041
Zaplan, B.Z. *see* Rabinovici, R. 86−36650
Zaplatin, N.L. *see* Alenitckiy, Y.G. 86−48051
Zaplatin, N.L. *see* Alenitskij, Y.G. 88−68103
Zaplatin, N.L. *see* Glazov, A.A. 85−64408
Zaplatinskaya, I.M. *see* Novoselov, S.S. 87−64399
Zaplatinskaya, I.M. *see* Svetlichnyi, V.A. 88−17337
Zaplotnik, J. *see* Fatur, B. 87−57526
Zaplotynskii, B.A. *see* Rysin, V.S. 87−10701, 87−44626
Zapodovnikov, K.I. Wideband amplifier using general-purpose operational-amplifier integrated circuits 87−65877
Zapolin, R.E. Modern but failsafe—application of distributed technology to fossil power plants 86−6560
Zapol'skii, A.F. *see* Velikanov, S.D. 85−41345
Zapol'skii, N.A. *see* Avakyan, R.O. 86−44571
Zaporovski, B. The use of coal gasification in a combined steam/gas electric power station 85−53559
Zaporozhchenko, A.A. *see* Prokhorenko, P.P. 86−20130
Zaporozhchenko, R.G. *see* Apanasevich, P.A. 85−7534, 85−19030, 87−19034
Zaporozhchenko, V.A., Kachinskii, A.V., Rakush, V.V., Stavrov, A.A., Tylets, N.A. Generation of short light pulses by laser with fast Q-switching 87−61122
Zaporozhchenko, V.A. *see* Apanasevich, P.A. 85−7534, 85−18907, 85−19030, 87−19034, 87−75199
Zaporozhets, A.S. *see* Koryakov, V.I. 87−29368
Zaporozhets, N.N. *see* Bron, O.B. 87−64750
Zaporozhets, T.E., Odulov, S.G., Slyusarenko, S.S., Soskin, M.S. Nonstationary energy exchange under nonsymmetric bringing of beams together in the nonlinear layer with local response 87−19104
Zaporozhets, V.M., Marchevskii, F.N., Strizhevskii, V.L. Reconstruction of the polarization of light in a multimode optical fiber by holographic phase conjugation 88−72048
Zaporozhets, V.M., Marchevskii, F.N., Strizhevskii, V.L., Timonin, P.V. Suppression of spatial noise in optical fibres through holographic phase conjugation 88−26801
Zaporozhets, V.M. *see* Volyar, A.V. 87−74726
Zaporozhets, V.V., Koberidze, A.V. A study of microwave signals arbitrarily modulated in amplitude and phase by the method of instantaneous values 87−33587
Zaporozhets, V.V., Koberidze, A.V., Oleinik, V.V. A method of measuring the amplitude and phase modulation coefficients of microwave radiation in guiding systems 86−16005
Zaporozhets, V.V., Koberidze, A.V., Yunisov, L.E., Yatsyuk, M.I. Experimental investigation of microwave p-i-n diode attenuators at a high-power level 88−25401
Zaporoznets, V.V., Oleinik, V.V. The investigation of dynamic magneto-elastic parameters for nickel-zinc microwave ferrites 85−50832
Zapp, R. Controlling thin fluorescent lamps 85−27759
Zapp, R., Ho, B., Li, L. High range resolution ultrasonic C scan for nondestructive evaluation of composite materials 88−31893
Zapp, R. *see* Byrne, W. 86−60772
Zapp, R. *see* Hoshal, G. 85−38133, 85−59276
Zapp, R. *see* Siyami, S. 87−70390
Zappala, J.F. New vapor phase solderable thermoplastic materials for connectors 87−17462
Zapparoli, G., Tommasino, L., Djeffal, S., Maiorana, A. Additional results with electrochemically etched CR-39 neutron dosemeters 87−29635
Zappatore, S. *see* Braccini, C. 87−33772, 87−48016
Zappe, G. The telex network increases in size—what is the reason? 86−4191
Zappe, H. Automatic information and control system for industrial and transport applications 88−60065
Zappe, H.P. Switchable power supply to prevent latchup damage to CMOS integrated circuits 85−44878
Zappe, H.P., Chenming Hu Device characteristics of MOSFETS in MeV implanted substrates 87−53732
Zappe, H.P., Gupta, R.K., Sakai, I., Hu, C. Operation of CMOS devices with a floating well 87−38537
Zappe, H.P., Gupta, R.K., Terrill, K.W., Hu, C. Floating well CMOS and latchup 86−47855
Zappe, H.P., Hu, C. Characteristics of CMOS devices in high-energy boron-implanted substrates 88−64756
Zappe, H.P. *see* Terrill, K.W. 85−50742
Zappella, P.I., Adams, K.K., Hawk, W.E., Dotan, Y., Linn, J.B., Sparks, F.B. Indium bump flip chip hybrid technology for large mosaic arrays with real time contact yielding electronic readout 88−7233
Zappen, W. *see* Reimers, U. 87−56363
Zappen, W.H. *see* Reimers, U.H. 85−52473
Zappi, R. *see* Como, A. 86−4435
Zappitelli, E. *see* Barsotti, R. 86−45033
Zappulla, R. *see* Farrell, E.J. 85−15281
Zappulla, R. *see* Greenblatt, E. 88−74841
Zappulla, R.A. *see* Farrell, E.J. 87−57120
Zapunnyi, A.P. *see* Borodii, Yu.N. 87−32816
Zapuskalov, V.G., Ksenzenko, A.Ya. Transducers for identification of moving items in an automatic production control system 88−42051
Zapuskalov, V.G., Legkobyt, A.K., Ksenzenko, A.Ya. Multichannel device for coupling force-moment transducers to a control computer 86−38314
Zapuskalov, V.G. *see* Dun, L.M. 86−38362
Zapyanov, S.A. *see* Pantaleyev, V.V. 88−66241
Zaquine, I. *see* Regent, A. 85−41064
Zara, R.V., Henke, D.R. Building a layered database for design automation 86−20226
Zara, R.V., Rose, K., Nurie, G., Sarin, H. An abstract machine data structure for non-procedural functional models 86−20500
Zarabadi, S.R. *see* Ismail, M. 86−793 to 794
Zarabi, M.J. *see* Bandyopadhyay, A. 85−7097
Zarabi, M.J. *see* Govindacharyulu, P.A. 85−62084
Zarabi, M.J. *see* Roy, J.N. 88−13583
Zarabi, M.J. *see* Roychaudhuri, A. 88−26277
Zaraga, F. *see* Bulloni, M. 88−51977
Zaragocin, L. *see* Fischl, R. 86−70604
Zaragoza, L.J. Routine emissions and accidental releases of toxic air pollutants—risk, response and planning 87−50574
Zarakhovich, A.I. *see* Gitman, V.A. 87−4435
Zarambo, M. Evolution of a digital microwave network 87−48912
Zarand, P., Polgar, I., Katona, E., Weisz, Cs. Relative standard deviation of thermoluminescence dosimetry: comparison of the experiments with theory 85−38274
Zarandy, A. *see* Farago, M. 85−37437
Zaraska, W. *see* Nowak, S. 85−5466
Zarauz, J., Cantero, J.C.M., Arana, J., Villate, J. Experience with industrial evaluations as a base for a program of technology transfer 86−39347
Zarbakhsh, F. *see* Mar, J. 87−38463, 88−13480
Zarbaliev, M.M. *see* Godzhaev, E.M. 86−24493
Zarcone, R.P. Overlapped seal rod technique for gas panel manufacturing 85−4046
Zardini, C., Pistre, J.D., Aucouturier, J.L., Rodes, F. Water cooled copper clad invar hybrid power circuit 88−1267
Zardini, C., Pistre, J.D., Rodes, F., Aucouturier, J.L. Infrared thermography. Assessment of joint quality of power transistors 87−18156
Zardini, C., Pistre, J.D., Rodes, F., Aucouturier, J.L. Water-cooled copper-clad Invar hybrid power circuit 88−25737
Zardini, C. *see* Pistre, J.D. 88−22202
Zardini, P. *see* Vassanelli, C. 85−59306
Zare, R.N. *see* Kung, A.H. 85−7511
Zare, R.N. *see* Rettner, C.T. 85−19024
Zare, R.N. *see* Spencer, B. 88−74565
Zare-Moodi, J. *see* Rahnavard, M.H. 88−2326
Zareba, A. *see* Nadolny, A.J. 85−35581
Zaremba, D.L., Jr. How current sense technology improves power MOSFET switching applications 87−1566
Zaremba, D.L., Jr. *see* Cordonnier, C.-E. 88−13404
Zaremba, D.L., Jr. *see* Frank, R.K. 87−1659, 87−44560
Zaremba, D.L., Jr. *see* Mansmann, J.G. 87−44602
Zaremba, J., Janicke, K.-H. Local computer network LANCELOT 86−16960
Zaremba, L.S. Existence of a value in games of survival 85−49437
Zaremba, L.S. Existence theorems for games of survival 86−26717
Zaremba, L.S. On discrete lower π-strategies 88−6359
Zaremba, M. *see* Prazewska, M. 87−65171
Zaremba, M.B. *see* Bock, W.J. 87−70858, 88−16068
Zaremba, R. *see* Sliwinski, G. 87−33081
Zaremba, R. *see* Stanco, J. 87−18880, 88−14076
Zaremba, S. *see* Bol, J.L. 88−61009
Zaremba, S. *see* Wosinski, T. 86−2105
Zaremba, T. *see* Hayes, J.R. 88−50187
Zaremba, V.V. *see* Smeliakov, S.V. 87−64147
Zarembinski, S., Kachniarz, J. High performance, point-contact SQUID sensors know-how description 85−29512
Zarembinski, S., Kachniarz, J. Easy-to-make, reliable point-contact SQUID sensors working up to 18K 85−52753
Zarembo, L.A. The usefulness of voice recognition on the floor of the New York Stock Exchange 87−55041
Zarembo, L.K., Karpachev, S.N. Magnetoacoustic-resonance flaw detection of ferrite crystals 88−6553
Zarembskii, S.R. *see* Bobrovskii, Yu.L. 87−24662, 87−66824, 88−32717
Zarembskiy, S.R. *see* Bobrovskiy, Yu.L. 87−19147
Zaremskii, S.R. *see* Bobrovskii, Yu.L. 87−45502
Zarenin, A.Yu. *see* Babich, A.A. 88−41234
Zaretskii, A.I., Kirillov, G.A., Kormer, S.B., Kochemasov, G.G., Murugov, V.M., Sukharev, S.A. Investigations using the 'Iskra-4' ('Spark-4') installation 86−15624
Zaretskii, A.V., Petrenko, V.F. Experimental study of relaxation, and the mechanism of excess electrical conductivity, for dislocation motion in zinc selenide single crystals 85−28967
Zaretskii, D.F., Nersesov, E.A., Oganesyan, K.B., Fedorov, M.V. Laser utilizing free electrons moving in transverse gradient fields 87−2136
Zaretskii, E.F. *see* Baum, I.V. 87−30435
Zaretskii, E.F. *see* Dubilovich, V.M. 88−37095, 88−55240
Zaretskii, E.F. *see* Yurgel, N.I. 88−43100
Zaretskii, E.I. *see* Serezhkina, L.P. 85−4925
Zaretskii, V.Z. *see* Marid, S.I. 86−39523
Zaretskii, Ya.D. *see* Kochkarev, Yu.A. 87−4586
Zaretsky, E.V. *see* Loewenthal, S.H. 86−40180
Zaretsky, M.C., Melcher, J.R. Complex permittivity measurements of thin films using microdielectrometry 88−53827
Zarev, A. *see* Brago, E. 85−63927
Zarev, Z., Ahegukian, A., Petrova, V., Popova, E. A multicomputer configuration based on the BOS2 operating system 87−40404
Zarfl, H. *see* Kofler, H. 86−51589
Zargaryan, D.N. *see* Begushin, G.K. 87−63916, 87−63918
Zargar'yants, M.N. Relation between LED degradation rate and the modulation characteristics of radiation from heterostructures 85−46292
Zargar'yants, M.N., Grudin, O.M., Galkina, N.B., Gorelova, E.L. High-efficiency combined laser and photodetector in a monolithic integrated-optics module utilizing coupled waveguides 86−36248
Zargar'yants, M.N., Grudinin, O.M., Kurbatov, L.N. Injection laser with a reflector in the form of two combined diffraction gratings 88−20694
Zargar'yants, M.N., Kurnosov, A.B., Mezin, Yu.S. Injection superluminescence of a double heterostructure in the 240-420K temperature range 85−24583
Zargar'yants, M.N. *see* Gershoig, A.V. 87−54016
Zargar'yants, M.N. *see* Grudin, O.M. 87−7146
Zargar'yants, M.N. *see* Kurbatov, L.N. 85−46412, 85−50935
Zargham, B. High-performance, dial-up communications systems using multi-carrier modulation technology 87−62758
Zargham, M.R. Parallel channel routing 88−64720
Zargham, M.R., Purcell, R.D. A protocol for load balancing on CSMA networks 86−30427
Zargham, M.R. *see* Sridharan, K. 86−49066
Zarghamee, M.S., Antebi, J. On surface accuracy and beam position of Cassegrain antennas 85−13309
Zarghamee, M.S., Antebi, J. Surface accuracy of Cassegrain antennas 85−62905
Zarharia, I. *see* Popescu, I. 88−61981
Zaric, M., Mandic, M. Corrosive-erosive products in pressurized light-water reactors 85−38714
Zaridze, R.S., Karkashadze, D.D., Talakvadze, G.M., Khatiashvili, D.Sh., Tsverikmazashvili, Z.S. A method of auxiliary sources in applied electrodynamics 87−75327
Zaridze, R.S., Khatiashvili, D.Sh., Karkashadze, D.D., Dzhaparidze, D.A., Kharshiladze, O.A. Investigation of the resonant properties of a certain metal-dielectric structure 85−35998
Zarifyants, Yu.A., Silaev, E.A., Beklemishev, V.I., Starikova, T.I. Determination of the microinhomogeneity of implanted semiconductor and Insulator surfaces by thermodesorption 85−34804
Zarif'yants, Yu.A. *see* Nevzorov, A.N. 85−45402
Zarinetchi, F., Meyer, R.E., Sanders, G.A., Ezekiel, S. Passive resonator gyro 85−24292
Zaripov, A.G. *see* Lutfullin, R.R. 87−35240
Zaripov, M.M. *see* Khaibullin, I.B. 86−28167
Zaripov, M.M. *see* Petukhov, V.Yu. 87−1397
Zaripov, R.F. *see* Bakhtizin, R.Z. 88−7252

Zaripov, R.Kh. Algorithmization of melodies by the method of borrowed intonations 88—74209

Zaripov, T.Kh., Zarukin, A.I. An alternating voltage amplifier 86—27105

Zaritskaya, E.A., Kotserzhinskii, B.A., Pershin, N.A., Taranenko, V.P., Tkachenko, L.A. Multidiode millimeter-wave power combiners—review 87—45245

Zaritskii, V.I., Kokin, V.N., Lekhovitskii, D.I., Salamatin, V.V. Recurrent adaptive processing algorithms under condition of central symmetry of space-time reception channels 86—37030

Zarka, A., Capelle, B., Detaint, J., Schwartzel, J. Studies of quartz resonators by stroboscopic topography 88—20208

Zarka, A. *see* Detaint, J. 86—40709, 87—32792, 87—58913

Zarkadis, D.J., Evans, B.G. 16 kbit/s adaptive predictive coding of speech with adaptive postfiltering 87—39683

Zarkadis, D.J., Evans, B.G. Performance evaluation of a 16 kb/s APC system with adaptive postfiltering [speech coding] 88—45997

Zarkadis, D.J., Evans, B.G. A 16 kb/s APC system with adaptive postfilter and evaluation of its performance 88—72841

Zarkasi, A.S. *see* Gobbi, P.G. 85—24599

Zarki, M.E. *see* Li, S. 88—46607

Zarki, M.El *see* El Zarki, M.

Zarkovskii, Yu.V. *see* Gluzshtein, Yu.O. 86—33265

Zarlingo, B. *see* Allyn 86—31289

Zarlingo, B. *see* Allyn, J. 85—8751

Zarlingo, S.P. Clad metals for contact and spring members in connectors (new insights and industry tolerances and ranges) 88—38836

Zarnani, H., Rocca, J.J., Bishop, D., Cody, N.W., Collins, G.J. Chemical vapor deposition of silicon insulating films induced with a perpendicular electron beam 86—26912

Zarnani, H. *see* Boyer, P.K. 85—10763

Zarnani, H. *see* Emery, K. 85—413

Zarnani, H. *see* Emery, K.A. 85—49605

Zarnani, H. *see* Solanki, R. 87—5500

Zarnipov, A. *see* Alkarov, I.Sh. 88—58056

Zarnovican, J., Blanarik, M. Contribution to three-parameter Weibull's distribution 87—50808

Zarnovican, V., Korec, J. Advances in the surveillance of NPP ageing with a computerized control system 88—48704

Zarobila, C.J., Freal, J.B., Lampman, R.L., Davis, C.M. Two fiber-optic accelerometers 88—67855

Zarobila, C.J., Rand, J.D., Lampman, R.L., Davis, C.M. Fiber-optic interferometric temperature sensor 88—29428

Zarobila, C.J. *see* Conley, M.P. 88—16163

Zarobila, C.J. *see* Davis, C.M. 88—16895, 88—42121

Zarobila, C.J. *see* Freal, J.B. 87—71282

Zarobila, C.J. *see* Rand, J.D. 88—36068

Zaromb, S., Stetter, J.R. Theoretical basis for identification and measurement of air contaminants using an array of sensors having partly overlapping selectivities 85—43493

Zaromb, S. *see* Otagawa, T. 86—31404

Zaromb, S. *see* Stetter, J.R. 85—43123

Zarone, G. *see* Fucito, M. 85—51582

Zarone, G. *see* Pescatori, L. 85—19580

Zarone, G. *see* Vitiello, R. 87—33614

Zaroni, R. *see* Micu, D. 88—62700

Zaroshchinskii, O.I. *see* Grubrin, I.V. 87—47392

Zaroshchinskii, O.I. *see* Samoilenko, V.I. 87—47313

Zaroslov, D.Yu., Kuz'min, G.P., Tarasenko, V.F. Sliding discharge in CO_2 and excimer lasers 85—35695

Zaroslov, D.Yu. *see* Bogdanov, A.L. 86—58362, 87—38393, 88—13261

Zaroslov, D.Yu. *see* Brogdanov, A.L. 86—47444

Zaroslov, D.Yu. *see* Valiev, K.A. 88—20721

Zaroslova, O.S. *see* Grin, L.E. 88—40149

Zarouri, T. *see* Luquet, H. 87—23642

Zarowin, C.B. A theory of plasma-assisted chemical vapor transport processes 85—28246

Zarowski, C.J., Yunik, M. Spectral filtering using the fast Walsh transform 86—23018

Zarowski, C.J., Yunik, M., Card, H.C. Generalizing autoregressive difference equations via the theory of group representations 88—40992

Zarowski, C.J., Yunik, M., Martens, G.O. DFT spectrum filtering 88—46028

Zarowski, C.Z. *see* Shome, T. 88—736

Zarrabi, H.J., Wang, W.B., Alfano, R.R. Time-resolved kinetics of *e-h* plasma in GaAsP under intense picosecond laser pulse excitation 85—29703

Zarrabi, J. *see* Wang, C.S. 88—14049

Zarrella, J. How silicon compilation will affect engineers 86—643

Zarrillo, G., Aguiar, K. Closed-form low-frequency solutions for electromagnetic waves through a frequency selective surface 88—40531

Zarrin, F. *see* Dovichi, N.J. 88—16507

Zarrouati, O. A simple analytic method for the evaluation of the performance of a radiolocation system 87—34665

Zarrouati, O. Macro-measurements concept: a tool for specification of radio-localisation systems 88—15696

Zarrow, P. Panel/convection IR reflow 88—71198

Zarsav, N. High frequency ultrasonic measurements 88—61703

Zarsav, N., Bridge, B. Design, construction and trials of a precision double-probe ultrasonic goniometer for high frequency measurements 87—10534

Zarschizky, H. *see* Hentschel, W. 85—35917

Zartner, A. *see* Alt, H. 88—35483

Zartov, G.D., Panajotov, K.P., Pejeva, R.A. Polarization bistability with a mirrorless hybrid device 88—7971

Zartov, G.D., Panajotov, K.P., Peyeva, R.A. Multilayer electro-optical modulator properties dependent on the orientation of the modulator anisotropic medium 86—9620

Zartov, G.D., Panajotov, K.P., Peyeva, R.A. Bistable optical switching by the incident angle 86—9961

Zartov, G.D., Panajotov, K.P., Peyeva, R.A. Optical bistability polarization dependences with an interference modulator 86—28894

Zartov, G.D., Panajotov, K.P., Peyeva, R.A. Optical bistability with multilayer interference laser light modulator 87—12244

Zartov, G.D., Panajotov, K.P., Peyeva, R.A. Hybrid bistable device driven by light polarization 87—26530

Zartov, G.D., Panajotov, Kr.P., Peyeva, R.A. Optical bistability parameters with an interference laser light modulator 87—26506

Zartov, G.D., Peyeva, R.A., Panajotov, K.P. Absorbing multilayers and their application for laser light modulation 85—56755

Zartov, G.D., Peyeva, R.A., Panajotov, Kr.P. Angular characteristics of a laser light interference modulator 86—22188

Zartov, G.D., Peyeva, R.A., Panayotov, K.P. Tunable multilayer interference laser light modulator 85—46213

Zartov, G.D., Peyeva, R.A., Panayotov, K.P. Polarization effect at multilayer interference laser light modulator 85—50995

Zartov, G.D. *see* Angelov, A.K. 86—11068

Zartov, G.D. *see* Panajotov, K. 88—65830

Zaruba, I.I., Dymenko, V.V. Effects of droplet metal transfer on the stability of the AC welding arc 85—27854

Zaruba, N.I. *see* Yushchenko, B.A. 86—8670

Zarubanov, V.V., Il'inskiy, A.S. A spectral method for computation of losses per unit of length in single and coupled microstrip transmission lines. The infinitely thin strip model 86—22738

Zarubii, A.M. *see* Bolsunov, I.A. 86—59160

Zarubin, A.B. *see* Artemov, V.S. 88—47796

Zarubin, A.B. *see* Kapchinskiy, I.M. 87—41647, 87—41676

Zarubin, A.M. *see* Berik, E.B. 86—63773

Zarubin, A.M. *see* Bykovskii, Yu.A. 86—58993, 87—33337

Zarubin, A.V. *see* Benvenuti, A.C. 85—15254

Zarubin, L.A. *see* Kapinos, V.M. 86—31635

Zarubin, L.I. *see* Ponomareva, T.O. 86—38594

Zarubin, P.V. *see* Bardakovskii, S.V. 85—56518

Zarubin, P.V. *see* Bykov, A.D. 87—68347

Zarubin, P.V. *see* Galushkin, M.G. 86—63757

Zarubin, V.P. *see* Kurshin, A.P. 88—74588

Zarubinskaya, L.Ya. *see* Naumov, N.M. 88—10098

Zarubinskiy, M.V., Poberezhskiy, Ye.S. Formation of readouts of quadrature components in digital receivers 87—61888

Zarudi, M.E. An ellipsoidal magnetostatic screen 85—29982

Zarudnev, Yu.N., Benkin, I.N., Zarudneva, L.N. Slot-leakage permeance coefficients for electrical machines using corrugated tooth zone 86—45335

Zarudnev, Yu.V. *see* Borovikov, V.M. 87—66262

Zarudneva, L.N. *see* Zarudnev, Yu.N. 86—45335

Zarudnyi, A.A. *see* Lagutin, M.F. 85—29786

Zarudnyi, D.I. *see* Golovanov, A.G. 87—65636

Zaruka, I.I., Dymenko, V.V. Effects of short-circuiting the arc gap with molten metal on the stability of the welding process 85—53963

Zarukin, A.I. *see* Volgin, L.I. 86—57728

Zarukin, A.I. *see* Zaripov, T.Kh. 86—27105

Zarumba, I.Ya. *see* Zagurskii, V.Ya. 87—59644

Zaryarnyi, D.A. *see* Baranov, V.V. 86—22318

Zarycki, M.H. *see* Chiang, A. 87—18159

Zarzycki, J. Nonlinear ladder-filters for the least-squares AR prediction of higher-order random sequences 85—17731

Zarzycki, J. Orthogonal ladder-form representations of nonlinear prediction filters of the Volterra-Wiener class 87—2539

Zarzycki, J. Nonlinear Levinson algorithm: a geometric approach [prediction filter] 87—2546

Zarzycki, J. *see* Bourret, D. 85—31571

Zarzycki, J. *see* Maham, Y. 85—8936

Zarzycki, M.H. *see* Chiang, A. 85—12434, 85—49844

Zarzycki, P.P. *see* Pace, S.J. 86—56088

Zarzycki, R. The application of Intel 8080 microcomputer system to measurement and control of energy and power of steam 88—17389

Zarzycki, R. *see* Nowinski, M. 88—4687

Zarzyucki, J. *see* Gabor, A. 85—53231

Zasadych, Yu.B. *see* Kulidzhanov, F.G. 87—29515

Zasadzinski, J.F. *see* Segre, C.U. 87—67728

Zasavitskii, I.I., Kiseleva, K.V., Senkov, V.M., Shotov, A.P. Induced short-circuit current in $PbS_{1-x}Se_x$ p-n junctions 86—28005

Zasavitskii, I.I., Lischka, K., Heinrich, H. Jahn-Teller centers in $Pb_{1-x}Sn_xTe$ 86—15553

Zasavitskii, I.I. *see* Astakhov, V.I. 88—68631

Zasavitskii, I.I. *see* Boichenko, V.L. 85—2416

Zasavitskii, I.I. *see* Nadezhdinskii, A.I. 85—56654

Zasavitskii, I.I. *see* Zhdan, A.G. 87—3714

Zasche, D. *see* Edwards, A.W. 87—14756

Zaschel, J. Digital signal processing in vibration analysis 86—29921

Zaschke, H. *see* Pelzl, G. 86—11639

Zasedatelev, G.F. *see* Chkalov, L.A. 85—5561

Zasedatelev, I.B., Shifrin, S.A. Changes in optical characteristics of transparent covers 88—43383

Zaseev, S.G. *see* Astorga, V.I. 88—17557

Zasekan, V.P. *see* Shevelenko, V.D. 85—44880

Zasenko, V.E. Small-scale structure of the F-region of the ionosphere 86—29376

Zasimenko, V.M., Samchenko, G.P. Digital pyrometers 'Smotrich-4P' and 'Smotrich-5P' for building blocks of complex pyrometric transforms 87—49756

Zasimowich, R.F. *see* Kern, F.A. 86—60867

Zasio, J.J. Non stuck fault testing of CMOS VLSI 86—2402

Zask, J., Varoquaux, W. Trade in electricity in Europe—the French example 86—65641

Zaskalicky, P. Evaluation of the measurement of the moment of inertia using a computer 88—60982

Zaskalicky, P. Calculation of the slip of an asynchronous motor based on the quantities measured at the motor terminals 88—62347

Zaslavets, B.I., Prudaev, V.P. Operative monitoring of electricity consumption in industrial enterprise 87—21871

Zaslavets, B.I. *see* Belykh, B.P. 86—7357

Zaslavskaya, T.B. *see* Absadykova, G.A. 88—75054

Zaslavskii, A.V., Ivanov, M.D. High-precision current regulator for electromagnetic lenses 85—49742

Zaslavskii, B.I., Sotnikov, I.M. Method of measuring the turbulent velocity fluctuation components 86—31712

Zaslavskii, G.M., Moiseev, S.S., Chernikov, A.A. Dynamics and radiation emission by particles trapped by an electrostatic wave in a transverse magnetic field 87—39314

Zaslavskii, G.M. *see* Abdullaev, S.A. 85—18716

Zaslavskii, G.M. *see* Abdullaev, S.S. 88—20369

Zaslavskii, I.F. *see* Panfilov, E.N. 86—66507

Zaslavskii, V.Ya., Przhevskii, S.S., Shalomeeva, N.V. Recording the spatial distribution of coherent-radiation intensity 87—75203

Zaslavskiy, A.M., Mezhuyev, D.I., Semenov, E.A., Suchkov, S.G. Theoretical and experimental investigation of the temperature characteristics of devices employing surface-skimming volume acoustic waves 86—21943

Zaslavskiy, A.M., Posadskiy, V.N., Semenov, E.A. Investigation of the filtering properties of a synchronized microwave oscillator employing surface acoustic waves 87—31743

Zaslavskiy, A.M. *see* Mezhuyev, D.I. 86—68146

Zaslavsky, T. The biased graphs whose matroids are binary 87—44151

Zaslawsky, M. *see* Karpenko, V.N. 88—54286

Zasloff, R.H. BITBUS(TM) technology for automation 86—69471

Zasnevskii, Yu.V. *see* Budilov, A.A. 86—44588

Zasovenko, V.G., Chumachenko, V.P. Diffraction of E-modes by cylinders of polygonal cross section 85—62749

Zasovin, E.A., Dovchenko, N.K. Waveguide (integrated) optics. Classification and definitions 86—48206

Zaspel, A., Gurth, H., March, F. Universal computer controlled circuit board test bench 88—7140

Zastava, A.P. Measuring the thickness of layers by ultrasonic spectrum analysis 86—55832

Zastawny, A. *see* Gadalinski, A. 85—39150

Zastrogin, Yu.F., Matveev, V.V. Laser measuring system with frequency modulation for checking the parameters of mechanical vibrations 85—48094

Zastrow, K.D. *see* LaSala, K.P. 87—44085

Zastrow, O.W. Estimating cathodic protection requirements for electric cables in contact with soil 86—65722

Zastrow, O.W. Estimating cathodic protection requirements for electric cables in contact with soil 88—48557

Zasukhin, B.A. *see* Ekaterinchuk, V.I. 87—63537

Zasuwa, G. *see* Dumler, F. 85—64547

Zasypkin, A.S. Application of a small-parameter asymptote for the generalisation of results of numerical analysis of transients in nonlinear power networks 85—4608

Zasypkin, A.S., Ivankov, V.F., Mogiliev, G.P. Analysis of relay protection currents in shunting reactors 85−38574

Zasypkin, A.S., Rogachevskii, V.I., Frenkel, V.Yu. Relay protection of a transformer having split windings 85−65293

Zasypkin, A.S. *see* Alliluev, V.A. 88−17679

Zatet, M.C., Gunther, L., Ratnam, B.A., Tedrow, P.M. Electron tunneling into Bi thin films under pressure 86−21289

Zatezalo, B. *see* Macek, M. 88−36826, 88−62096

Zatisev, M.M. *see* Gubrienko, K.I. 88−16575

Zatkovic, J. Spectral methods of temperature measurement 85−52889

Zatkovic, J. Contactless measurement of the real temperature of thermal radiation 86−60371

Zatkovic, J., Hubner, K., Jediny, V., Krempasky, J. Determining the thermodynamic temperature of a thermal emitter from spectroscopic measurements 88−36261

Zatolokin, A.A., Pekker, I.I. Application of a selective amplifier for measuring changes in harmonic components of alternating magnetic fields 85−43077

Zatolokin, A.A., Zubkova, V.A., Pekker, I.I. Calculation of transfer coefficients of windings encompassing a magnetised circuit 88−55295

Zatorski, A. Equipment for gas pipe diagnostics by a magnetic method 85−39566

Zatorski, W. Nonlinear analogue-stochastic-digital convertor with nonlinear stochastic-stochastic phase conversion 88−12458

Zatorski, W., Gornisiewicz, W. The Measurement Laboratory System for Fourier analysis 87−14080

Zatorski, W. *see* Zielinski, J.S. 87−15363

Zatovskii, V.G. *see* Braterskaya, G.N. 85−34238

Zatovskii, V.G. *see* Nichiporenko, O.S. 87−17428

Zatrubshchikov, N.B. Asynchronous thyristor drive with a closed system of quasifrequency control 87−72478

Zatrubshchikov, N.B. *see* Gusyatskii, Yu.M. 87−58360

Zatsepin, G.T. *see* Alberini, C. 86−65387

Zatsepin, G.T. *see* Badino, G. 85−48177

Zatsepin, N.N., Gorbash, V.G., Kozharinov, V.V. Calculating the magnetic field of a concentrator in the magnetic field of a rectangular slot 87−356

Zatsepin, N.N., Tsukerman, V.L., Mal'ko, I.I. UTTs-1 digital eddy-current thickness gauge 88−74327

Zatsepin, N.N. *see* Astashenko, P.P. 87−31598

Zatsepin, N.N. *see* Chernyshev, A.V. 87−23769

Zatsepin, N.N. *see* Kozharinov, V.V. 88−4619

Zatsepin, N.N. *see* Mal'ko, I.I. 88−74500

Zatsepin, O.I. *see* Greben'kov, Zh.A. 85−15783

Zatsepin, S.I. *see* Sagdeev, R.Z. 87−49573

Zatsepina, L.G. *see* Bogoroditskii, A.A. 87−10125

Zatsepina, L.P., Zimin, B.I., Zontov, L.B., Pozdeyev, V.N., Seryogin, Yu.A. Design of a convective cloud seeding experiment for the Volga River Basin 88−15578

Zatsepina, Z.Ya., Onishchenko, E.V., Khodzhaev, M.N. Comparative efficiency of utilization of natural gas in gas-pumping installations and for electrical-energy applications 87−36286

Zatserklyanyi, A.E. *see* Popov, V.F. 88−36365

Zatserkovnyi, S.A. *see* Dudko, D.A. 87−43687

Zatti, S., Janson, P. Interconnecting heterogeneous networks to OSI with a global name scheme and gateway address mapping 88−59724

Zatti, S., Janson, P. Interconnecting OSI and non-OSI networks using an integrated directory service 88−73565

Zatulovskii, L.M. Shaped sapphire and its prospects for utilization in the electric-equipment industry 85−39718

Zatulovskii, L.M. *see* Ageev, B.M. 85−62508

Zatykin, A.A., Morshnev, S.K., Frantsesson, A.V. Thermooptic fiber switch 85−50939

Zatyko, D.R. Economic advantages of cathode heat cutoff in fluorescent lighting systems 87−43638

Zatyko, D.R. *see* Hammer, E.E. 86−45802

Zatz, C., Koons, P. New generation ROMs 85−17440

Zatz, I.J., Materna, P., Loesser, D., Cargulia, G., Barnes, G. TFTR TF-coil lead stem assemblies−design and analysis 85−2504

Zatz, I.J. *see* Ellis, R.A., III 88−65993

Zatz, I.J. *see* Loesser, D. 85−2505

Zatzkowski, H. Control of MOSFETs with CMOS drivers 85−62073

Zatzkowski, H. The functional mode of chopper-stabilised operational amplifiers 86−57664

Zaugg, P. Energy storage by means of natural gas or air 86−51925

Zaugol'nikov, V.F. *see* Degtyarev, V.N. 87−30522, 88−5277

Zaugol'nikova, E.G. *see* Zainabidinov, S.Z. 85−12033, 86−21270

Zaugol'nyi, R.V. Majority redundancy of output channels for analogue data in an automatic process control system 86−55038

Zaulin, I.A., Ponomarenko, V.P. Analysis of tracking loss and acquisition processes in a delay-synchronization system subject to nonrandom interference 88−8771

Zaumseil, P., Winter, U., Morgenstern, G. X-ray triple-crystal diffractometer and TEM investigation of arsenic implanted silicon after pulsed laser irradiation 86−28165

Zaumseil, P. *see* Borchardt, A. 87−67114

Zaumseil, P. *see* Cembali, F. 87−25086

Zauner, A. *see* Feld, H. 86−51814

Zauner, K. *see* Herrmann, H. 86−49416

Zaushitsyn, V.L., Kulik, O.V., Repin, V.M. Unified CAMAC microprocessor module for preliminary data processing 86−4975

Zavacky, J. Problems with macromodelling 87−53600

Zavacky, J. *see* Mihalik, J. 88−12539

Zavada, E.S. *see* Scovill, S.K. 86−56267

Zavada, J.M., Jenkinson, H.A., Larson, D.C. Proton bombarded gallium arsenide: opto-electronic effects 87−11361

Zavada, J.M., Jenkinson, H.A., Wilson, R.G., Sadana, D.K. Depth distributions and damage characteristics of protons implanted in *n*-type GaAs 85−40602

Zavada, J.M. *see* Jenkinson, H.A. 85−18087

Zavada, J.M. *see* Liou, L.L. 87−12098

Zavada, J.M. *see* Mentzer, M.A. 85−29732, 85−41200, 85−46198

Zavada, J.M. *see* Peng, S.T. 88−7934

Zavada, J.M. *see* Sadana, D.K. 86−8972

Zavada, J.M. *see* Wilson, R.G. 85−50921

Zavada, L.M. *see* Beloglazov, V.I. 88−64203

Zavada, R.J. *see* Powell, S.J. 86−60036

Zavadskii, V.G. *see* Losev, E.A. 86−25537

Zavadskiy, Yu.V., Kovrigo, V.M., Korshunov, V.N., Novokhatko, S.M. Pneumatic parameters of an optical cable 88−47042

Zavadtsev, A.A., Zverev, B.V., Nechaev, N.N., Ruzin, V.V., Sobenin, N.P. Measuring the shunt resistance of three-dimensional resonators and delay systems 85−20692

Zavalishina, T.M. *see* Golovanov, O.V. 86−33987

Zavaljevski, A., Zivanovic, G. A technique for frequency estimation using FFT 86−29943

Zavaljevski, A. *see* Zivanovic, G. 86−27163

Zavalko, V.A. *see* Chernokhlebov, V.E. 87−5023, 87−58402

Zavaritskaya, E.I. Temperature dependence of Hall's coefficient at the cleavage surface of germanium in liquid helium 85−18061

Zavaritskaya, E.I. Transport phenomena in germanium bicrystals in the region of nonmetallic conductivity 85−34469

Zavaritskaya, E.I. Hopping conductivity of germanium bicrystals in strong electric fields at $T<1$K 85−61671

Zavaritskaya, E.I., Sokol, E.G. Photo-EMF at a cleaved germanium surface in liquid helium 87−17690

Zavaritskaya, V.A., Kudinov, A.V., Milyaev, V.A., Nikitin, V.A., Prokhorov, A.M., Shirkov, A.V. Investigation of recombination of nonequilibrium carriers in silicon by microwave method 85−46246

Zavaritskii, N.B., Zavaritskii, V.N., Petrov, S.V. Liquid-nitrogen-temperature superconductor magnetometer 88−51393

Zavaritskii, V.N. *see* Veselago, V.G. 87−45704

Zavaritskii, V.N. *see* Zavaritskii, N.B. 88−51393

Zavartsev, Yu.D. *see* Danilov, A.A. 88−27122

Zavartsev, Yu.D. *see* Zharikov, E.V. 88−58492

Zavatskii, S.V. *see* Gritsenko, N.I. 88−64342

Zavatskii, V.L., Eidel'man, Yu.A. Automatic weighing and weight indication 87−14570

Zavattarelli, R. *see* Michelizzi, C. 87−64423

Zavattaro, M.G. *see* Bonzani, I. 87−73007

Zavatti, F. *see* Bendinelli, O. 85−2875, 88−8811

Zavatti, R. Design and development of a multiloop digital controller based on a 16 bit microprocessor 85−52631

Zavattini, E. Precision experiments 87−29381

Zave, P. A distributed alternative to finite-state-machine specifications 85−30531

Zave, P. *see* Berliner, E.F. 87−63004

Zavecz, T.E., Banks, E.L. Photomask protection using glass coverplates 88−1596

Zavecz, T.E. *see* Hilton, R.T. 86−13521

Zaveri, K. Influence of tripods and microphone clips on the frequency response of microphones 86−31729

Zavertyaev, M.V. *see* Devitsin, E.G. 88−29890

Zavertyaev, M.V. *see* Gus'kov, B.N. 86−60601

Zavertyaev, M.V. *see* Voichishin, M.N. 86−60593

Zaveryukhin, B.N., Iskanderov, A., Ismailov, Kh.Kh., Krevchik, V.D., Rasulov, K., Tursunov, M.N. Peculiarities of the electric and photoelectric characteristics of heterostructures based on P-Al$_x$Ga$_{1-x}$As-p-GaAs-n-GaAs 87−60135

Zaveryukhin, B.N., Krevchik, V.D., Muminov, R.A., Shamagdiev, A.Sh. Characteristics of the effect of ultrasound on Si:Li detectors with an inhomogeneous distribution of the electric field 86−70314

Zaveryukhin, B.N. *see* Aronov, D.A. 86−60590

Zaveryukhin, B.N. *see* Gaibov, A.G. 85−48182

Zaveryukhin, B.N. *see* Muminov, R.A. 85−52962

Zavetova, M. *see* Akimchenko, I.P. 88−2107

Zavgorodneva, S.I., koval'chuk, L.V., Rodionov, A.Yu. Investigation of an unstable resonator with a perforated mirror 87−12525

Zavgorodneva, S.I., Koval'chuck, L.V., Semenov, V.E., Sherstobitov, V.E. Calculation of the spatial characteristics of radiation emitted by a laser with an unstable resonator containing random small-scale phase inhomogeneities 85−2393

Zavialov, V.V. *see* Kapitza, S.P. 87−75166

Zavickis, E. A theory of linear induction motor 85−65257

Zavidei, V.I. *see* Gordeev, V.F. 87−58489

Zavidei, V.I. *see* Kucherov, Ya.R. 85−5562

Zavidei, V.I. *see* Pustogarov, A.V. 85−6640

Zavidei, V.I. *see* Zhukov, M.F. 87−24664

Zavidei, V.I. *see* Zhupanov, V.G. 87−66813

Zavidovique, B., Foulloy, L., Gerbet, D. Towards the adaptive laser robot 85−46507

Zavidovique, B., Merlo, X., Foulloy, L. Hey robot, . . . looking for cones? [Vision processing system] 86−4028

Zavidovique, B. *see* Adam, P. 87−27645

Zavidovique, B. *see* Boubekraoui, A. 85−36419

Zavidovique, B. *see* Burg, B. 87−19895, 87−47055, 87−48166

Zavidovique, B. *see* Devos, F. 85−22936

Zavidovique, B. *see* Eccher, M. 88−3249

Zavidovique, B. *see* Garando, L. 86−23135

Zavidovique, B. *see* Garda, P. 86−34741

Zavidovique, B. *see* Lamotte, E. 88−34190

Zavidovique, B. *see* Merlo, X. 88−46134

Zavidovique, B. *see* Missakian, P. 87−19465

Zavidovique, B. *see* Palmier, L. 86−63467

Zavidovique, B. *see* Safir, A. 87−67504

Zavislan, J.M. *see* Fairlie, M.J. 88−36224

Zavislyak, I.V., Kotsarenko, N.Ya., Rapoport, Yu.G. Transformation of magnetostatic waves into an acoustic wave with a large decrease in frequency in a ferromagnetic wafer 86−42097

Zavitnevich, Yu.V., Kozlov, A.A., Mirovitskaya, S.D. An instrument for checking the diameters of light guides by comparison with a standard 85−12589

Zavitnevich, Yu.V., Kozlov, A.A., Mirovitskaya, S.D. Monitoring of the outside diameter of optical fibers by a diffraction-pattern comparison method 86−36211

Zavitz, H.J. Point to multipoint microwave subscriber radio 86−59783

Zavitz, H.J. *see* Beaupre, D.M. 88−3850

Zavitz, H.J. *see* Le-Ngoc, T. 85−57977

Zavitz, H.J. *see* Morris, M.J. 88−59988

Zavitz, J. *see* Le-Ngoc, T. 88−3826

Zavodchikov, V.M. *see* Bozhkov, V.G. 86−63099, 87−17782

Zavodinskii, V.G., Zotov, A.V., Korobtsov, V.V. Solid-phase epitaxial growth of amorphous silicon films deposited onto Si(100) 86−57451

Zavodinskii, V.G. *see* Kaverina, I.G. 85−10728

Zavodinskii, V.G. *see* Lifshits, V.G. 85−28215

Zavod'ko, I.V. *see* Gusev, V.I. 87−3584

Zavodovskii, A.M. A technique of optimum load distribution between district heating turbine units [power plants] 86−33048

Zavodovskii, A.M., Demina, B.G. Procedure for treatment of initial operational data on PT-type turbogenerator sets 87−57855

Zavoli, W.B. *see* Honey, S.K. 87−41114, 87−43603

Zavolod'ko, Yu.K. *see* Mnukhin, A.G. 86−26468

Zavol'skii, N.A. *see* Ginzburg, N.S. 87−17611

Zavol'skiy, N.A. *see* Ginzburg, N.S. 88−71280

Zavolsky, N.A. *see* Ginzburg, N.S. 87−24690

Zavorin, A.V. *see* Abramov, V.A. 87−39382

Zavorokhin, V.A. *see* Bogomolov, A.M. 86−6505, 86−56554

Zavorotniy, V.U. Backscattering of waves by a surface with dual scale roughness with consideration of reflection 85−24833

Zavorotnyi, S.I., Mkheidze, G.P., Ovchinnikov, A.A., Savin, A.A. Simultaneous beam-initiated operation of two lasers with a common working mixture 86−58888

Zavorotnyi, S.I. *see* Golubkov, G.G. 86−25114

Zavorotnyi, V.F., Poplavko, Yu.M. Method of plane temperature waves in the autooscillation regime 86−18168

Zavorotnyi, V.F. *see* Zablotskin, Ya.V. 86−40927

Zavorotnyi, V.U. Image intensity fluctuations of an incoherent source observed through a turbulent medium 86−64009

Zavracky, P.M. Piezoelectrically driven resonant ribbons 86−55656

Zavracky, P.M. *see* Gale, R.P. 88−31031, 88−75934

Zavrazhnov, Yu.V. Stability of FET power amplifiers 85−6196

Zavrazhnov, Yu.V. Variation of the noise-to-signal ratio in a power amplifier 86−14028

Zavrazhnov, Yu.V. The noise factor of a field-effect transistor power amplifier 86−27102

Zavrazhnov, Yu.V. Input impedance of a FET power amplifier 87−44635

Zavrazhnov, Yu.V. The operation of a radio transmitter in to a high-Q antenna 87−47281

Zavrazhnov, Yu.V., Meshcheryakov, Ye.Ya., Shanin, V.A. A method of broadband transmitter-antenna matching 85−63807
Zavrazhnov, Yu.V., Trukhin, N.A. Suppression of undesirable oscillations in a radio-transmitter 87−62821
Zavrel, R. State-of-the art ICs simplify SSB-receiver design 87−13559
Zavrel, R.J. IF chip form audio decibel-level detector 86−46576
Zavrel, R.J. ICs simplify design of single sideband receivers 86−49795
Zavrel, R.J., Jr. Digital modulation using the NCMO 88−53748
Zavrel, R.J., Jr. *see* Anderson, D. 86−4498
Zavrieva, M.K. One method of searching for stationary points on coupled maximin 87−65372
Zavrieva, M.K. Estimating convergence of various versions of a penalty method in a maxmin search with connected variables 88−38101
Zavrsnik, B. *see* Ziberna, M. 86−28885
Zavrtanik, D., Sever, F., Plesko, M., Music, M., Kernel, G., Tanner, N.W., Michaelis, E.G., Stanovnik, A. A long liquid Cherenkov counter for 300 to 460 MeV/c pion beams 85−20814
Zavrtanik, D. *see* Kernel, G. 86−44601
Zavrtanik, D. *see* Stanovnik, A. 86−5780
Zav'yalkin, F.M., Kvasnitsa, M.S., Osipov, S.P. Estimating the performance of a differential counting method of measuring material thickness 86−55831
Zav'yalkin, F.M., Osipov, S.P. Dependence of the mean value and fluctuations of the absorbed energy on the scintillator dimensions 86−65326
Zav'yalkin, F.M., Osipov, S.P. Selection of dimensions of scintillation detectors and of the correction energy with the use of the dual energy method in computerized tomography 87−3942
Zav'yalkin, F.M., Osipov, S.P. Calculation of the scattering function of a multichannel scintillation detector used to record high-energy photon radiation 87−14720
Zav'yalkin, F.M., Zubkov, Yu.G., Osipov, S.P. Dependence of the signal-to-noise ratio on the radius of cylindrical scintillators 86−534
Zav'yalov, M.A., Luk'yanov, L.A., Murashov, A.S., Perevodchikov, V.I., Shemetov, M.P. Electron guns for technological applications 85−40392
Zav'yalov, M.A., Neganova, L.A., Tezikov, P.F., Tskhay, V.N. Experimental study of an electron-optical system with a plasma anode 85−11837
Zav'yalov, M.A. *see* Batrak, I.K. 85−1220
Zav'yalov, M.A. *see* Guseva, G.I. 85−51370
Zav'yalov, M.A. *see* Mikhaylov, A.V. 87−47104
Zav'yalov, M.A. *see* Yeroshchenkov, Ye.K. 85−46536
Zav'yalov, P.S. *see* Lyakin, V.I. 86−31296
Zav'yalov, V.G. *see* Orlov, G.I. 86−13202
Zav'yalov, V.I. Stability of an independent inverter 85−39084
Zav'yalov, V.I. The existence of steady-state processes in converters 85−39103
Zav'yalov, V.I. Synthesis of a control system for an independent inverter 87−22525
Zav'yalov, V.I. Designing an inverter 87−58197
Zav'yalov, V.I. A method for investigating the stability of nonlinear systems 87−59120
Zav'yalov, V.I. Methodological aspects of analysis of converter circuits 88−38327
Zavyalova, L.V., Ivanov, A.M., Svechnikov, S.V., Smertenko, P.S., Choni, V.G. Current flow study in cadmium sulphide longitudinal photodetectors produced by chemical vapour deposition 85−24388
Zav'yalova, L.V., Nichiporovich, A.S., Svechnikov, G.S., Torchun, N.M. Structure of epitaxial films of cadmium and zinc sulfides obtained from chelate organometallic compounds 87−65486
Zav'yalova, L.V., Smovzh, A.K., Stepanchuk, V.P., Choni, V.G. Voltage-current, lux-current and spectral characteristics of photoresistor sandwich structures on chemically deposited cadmium sulphide layers 88−8047
Zav'yalova, L.V. *see* Svechnikov, S.V. 88−63378
Zavyalova, L.V. *see* Zharovsky, L.F. 86−13812
Zaw-Sing Su, Mathis, J.E. Internetwork accommodation of network dynamics: organizational structure 86−10830
Zaw-Swing Su, Mathis, J.E. Internetwork accommodation of network dynamics: naming and addressing 86−37538
Zawacki, J.J. *see* Shemanski, J.J. 85−16518
Zawacki, R.M. *see* Pappas, A.M. 86−50558
Zawada, T., Ogonowska, E. Method and calculating program of differential leakage reactance coefficient in AC machines with three-phase symmetrical windings 87−4676
Zawadaka, E., Roguski, W. Piezoelectric ceramic ultrasonic microphones functioning in the open air 85−4509
Zawadka, B. Simulation of influence of space charge in optoelectronic systems 86−2909
Zawadzki, A., Gierczak, E., Mendrela, E.A. Calculation method of linear induction motor supplied from symmetrical voltage source 88−55370
Zawadzki, I. *see* Calheiros, R.V. 87−71380
Zawadzki, M. Clock scheme recovery for optical fibre transmission 87−70092
Zawadzki, W. Thermodynamics of two-dimensional electron gas in a magnetic field 85−34455
Zawadzki, W. *see* Horst, M. 85−23525
Zawadzki, W. *see* Justice, R.J. 88−44567
Zawadzki, W. *see* Robert, J.L. 86−47349
Zawdzkas, G. *see* Seaman, J.F. 85−4182
Zawiejski, L. *see* Kisielewska, D. 87−56965
Zawilak, J. Balancing of the three phase commutable winding of a two speed induction motor 85−9898
Zawilak, J. Asynchronous motors with multiple-speed ring rotors 85−32491
Zawilak, J. On the possibilities of construction of synchronous machines with two rotational speeds 87−64565
Zawilak, J. Pole-changing windings of AC machines 87−72098
Zawirski, K. Optimal control synthesis of synchronous motor excitation 85−21593
Zawirski, K., Kaczmarek, T. Calculation of parameters of current and speed regulators of inverter-fed synchronous machine 86−66057
Zawirski, K. *see* Deskur, J. 88−18121
Zawislak, F.C. *see* Guimaraes, R.B. 87−1389, 88−44709, 88−57547, 88−64438
Zawolik, W. *see* Kaczmarek, M. 87−4250
Zayach, N.D., Vodovozov, V.M. Noise-immune displacement transducer using synchros 85−47959
Zayachuk, D.M., Omel'yanyuk, I.V., Starik, P.M. Some characteristics of the Hall effect in $Pb_{1-x}Sn_xTe$ single crystals with a low hole density 85−40476
Zayachuk, D.M. *see* Starik, P.M. 85−28969, 87−6538
Zayakhanov, A.S. *see* Dagurov, P.N. 86−59139
Zayakov, D., Davis, J.A., Strassburger, A.G. Helms pumped storage project can operate on base load 86−12734
Zayarnyi, D.A. *see* Baranov, V.V. 85−12793
Zayarnyi, D.A. *see* Basov, N.G. 85−35697, 86−22283, 86−22309, 86−54093, 86−68445 to 68446, 87−26291, 88−33934
Zayats, A.G. Optimal meter of the delay time between random stationary signals 88−22806
Zayats, M.V. *see* Yurchakevich, E.R. 86−26016
Zayats, N.D. *see* Vodovozov, V.M. 87−9888
Zayats, V.M., Kalashnikov, N.I., Ungerman, M.N. Elements of dynamic analysis of amplifiers with operational memory 86−38927
Zayavlin, V.R. *see* Vasil'ev, V.V. 88−43380
Zaychenko, A.G. *see* Golosnoy, V.I. 88−46512
Zaychenko, Yu.P., Andropov, V.M. An efficient accelerated sorting method for topological optimization of information networks 87−19979
Zaychenko, Yu.P., Shvetsov, A.V. Locating computer facilities in the territory of an economic region 86−10744
Zaychenko, Yu.P., Vishtal', D.M. A dialogue system for planning and dispatching of computations in a network of shared-time computers 85−8193
Zayed, M.Mustafa *see* Mustafa Zayed, M.
Zayegh, A., Simcock, A.L. A highly reliable intensive care monitor based on multiprocessing techniques 87−63798
Zayegh, A. *see* Kalam, A. 87−42799
Zayek, F., McKnight, S.W., Vittoria, C., Maisch, W., Stauss, G. Effect of magnetic relaxation times on electromagnetic pulse shielding 88−72592
Zayentsev, V.V., Minkin, M.A. Load properties of microwave amplifiers with power summing in a common load 85−55129
Zayezdny, A. *see* Kazovsky, L.G. 85−2843
Zayezdny, A.M. A receiver with high noise immunity 85−63079
Zayezdny, A.M., Druckmann, I. Data compression by using the varying coefficients of a second order differential equation 87−47795
Zayezdny, A.M. *see* Marble, A.E. 86−3906
Zayhowski, J.J. *see* Goodhue, W.D. 88−57350
Zayhowski, J.J. *see* Isaacs, E.D. 86−36457
Zayhowski, J.J. *see* Le, H.Q. 87−74087
Zaykoski, J. *see* Orehotsky, J. 86−15127
Zaymus, V. *see* Asztalos, P. 86−51556
Zaytsev, A.L. *see* Rzhiga, O.N. 85−8474
Zaytsev, A.N. *see* Rubtsov, V.D. 85−51459, 88−8774
Zaytsev, D.F. Optimization of the noise characteristics of preamplifiers for fast-response photoreceivers of fiber-optic communication lines 86−63722
Zaytsev, E.F. *see* Babenko, A.I. 86−42927, 87−52823
Zaytsev, V.G. Investigation of a bimodal paramagnetic filter 86−34943
Zaytsev, V.G. Frequency-selective limiting in paramagnetic microwave filters 88−955
Zaytseva, L.A. *see* Breyman, Ye.I. 87−49586
Zaytseva, L.A. *see* Butlitskiy, I.M. 86−37215
Zaza, J.M., Ferrieux, J.P., Perard, J. A high frequency resonant flyback switching power supply 88−69534
Zazanis, M. *see* Suri, R. 85−49444
Zazanis, M.A. Weak convergence of sample path derivatives for the waiting time in a single server queue 88−31612
Zazhirko, N.V. Use of Kalman filtering apparatus in magnetic measurements 85−64084
Zazhirko, V.N., Chulovskii, V.I. Parameter analysis of quasi-static-state digital/phase drives 85−49146
Zazhirko, V.N., Kavko, V.G. Slip mode analysis in polyphase electromechanical converter systems 88−43282
Zazhirko, V.N., Kostyuk, V.A. Formation of an algorithm of control and the operating conditions of a low-frequency converter with pulse-duration modulation 88−75733
Zazhirko, V.N., Medvedev, I.L., Pitaev, I.M. Efficiency of application of the Boolean sets in algorithms for trees enumeration and for structural graph transformations 86−26957
Zazhivikin, V.V. *see* Gordeev, A.v. 85−61621
Zazkowski, J.M. *see* Henderson, B.C. 88−50380
Zazula, D., Turkulin, K., Gyergyek, L., Vezjak, M., Jager, F., Solina, F. A 8-bit microcomputer for online analyses of exercise electrocardiograms 85−15338
Zazula, D., Vezjak, M., Turkulin, K., Gyergyek, L., Solina, F., Mihelic, F. A microcomputer for on-line analysis of exercise electrocardiographic signals 86−18357
Zazula, J.M. *see* Cloth, P. 86−56023
Zazulin, V.S., Kuznetsov, V.I., Makuni, B.M., Chugai, T.V., Shavtvalov, L.Ya. Magnetic-lens β spectrometer with a silicon detector and a sawtooth-like changing current 86−5849
Zazzu, V. *see* Dingwall, A. 85−17566
Zazzu, V. *see* Dingwall, A.G.F. 85−17558, 86−8327, 86−34899
Zbanez, A. *see* Ros, S. 88−8496
Zbarskaya, E.R. *see* Goryagin, V.F. 87−9476
Zbarskii, L.A., Shirnin, I.G., Goryagin, V.F., Figotina, M.I., Porshnev, Yu.V. Characteristics of asynchronous explosion-proof motors of the VAO2 series with a power of 200-2000 kW 88−43188
Zbarskii, L.A., Teplitskii, B.E., Porshnev, Yu.V. Estimate of the JP54 equipment adequacy of protection for large electrical machines 85−21633
Zbarskii, L.A. *see* Goryagin, V.F. 87−58074
Zbarskii, L.A. *see* Shirnin, I.G. 88−11226
Zbarsku, L.A. *see* Vaneen, B.N. 86−34068
Zbasnik, G., Tice, G.A., Dilla, T.A., Gese, R.A., Henderson, J.R. Coal dust control and explosion mitigation 86−61386
Zbasnik, H.J., Chiu, V., Theodosopoulos, M. Programmable logic controllers in the retrofit world 87−71948
Zbasnik, J. *see* Kozman, T. 87−67949
Zbasnik, J. *see* Wang, S.T. 85−1921
Zbasnik, J.P., Kozman, T.A., Shimer, D.W., Hathaway, D.R. Construction and operation of the 12-T superconducting coils for the Mirror Fusion Test Facility 87−67977
Zbasnik, J.P. *see* Scanlan, R.M. 85−56247
Zbasnik, J.P. *see* VanSant, J.H. 87−67978
Zbengheci, I. *see* Albert, H. 88−36730
Zbierzchowski, B. *see* Wronski, L. 87−70091
Zbigniew Zdun *see* Sabah Dagher 88−17697
Zbinden, F. Concept and systems for introduction of new data services and telephone services 85−25303
Zbinden, F. *see* Wuhrmann, K.E. 87−76111
Zbinden, K., Barragan, E., Pederson, R. 150-kV and 110-kV XLPE submarine cable installations between Morcote and Brusino, Switzerland 88−53113
Zbinden, K., Stalder, M., Schmid, M. Submerged installation of 150 kV and 110 kV cables between Morcote and Brusino 87−4404
Zbinden, K. *see* Borer, W.J. 88−75180
Zbinden, K. *see* Frigg, K. 87−43554
Zbinden, K. *see* Renner, H.J. 85−59779
Zbinden, M. Electromagnetic flowmeters 88−29311
Zbinden, M., Dutilleul, M., Rastoix, M. Liquid sodium flow rate measurement by means of fluctuating signal cross correlation 86−24833
Zbinden, P., Fawer, U. CHIPS: a fully automated mask generator for an SC-ladder filter chip 88−12502
Zbinden, S. *see* Burkhard, D. 87−77303
Zbiral, G., Moraw, G. Lightning stroke on the radio mast of the Kainachtal transformer station 85−53731
Zboray, L. Design of control of a DC drive with an observer 86−33736
Zborovskii, I.A. A compensated twelve-phase converter with a transformer-reactor 85−65320
Zborovskii, I.A. Analytical study of EM phenomena in a 12-phase compensated converter 86−45499
Zborovskii, I.A., Stal'makhovich, G.V. Asymmetric regimes of a bridge thyristor converter 87−64690
Zborovskii, I.A. *see* Vinnik, V.Z. 86−33738
Zborowska, J. Accurate binary microwave phase modulator 86−58044
Zborowska, J., Morawski, T. Analysis of the microwave phase shifter with a non-ideal 3 dB coupler 86−47049

Zborowska, J., Morawski, T. The influence of the coupler parameters on the microwave binary phase shifter properties 88–50327
Zborowska, J. *see* Morawski, T. 85–17858, 88–25406
Zborowski, M. *see* Lewandowski, J.J. 88–54475
Zborshchenko, A.D. *see* Gorbanenko, A.D. 86–39509
Zborucki, A. Linearization of the characteristic of resistance thermometers with Ni-100 sensors 85–42977
Zborucki, A. *see* Cichonski, M. 88–18918
Zborucki, A. *see* Stefanowicz, J. 88–22558
Zbrodov, N.A. *see* Bratkevich, V.V. 86–1153
Zbroszczyk, E. *see* Kobierski, Z. 87–30372
Zbrzezny, B. *see* Gonera, M. 88–60565
Zbykovskaya, N.I. *see* Fesh, R.N. 86–28094
Zbykovskaya, N.I. *see* Kovalyuk, Z.D. 86–35548
Zbyrad, S., Bajorek, R. Telecommunication optical fibres 87–40940
Zbyrad, S. *see* Bajorek, R. 87–62978, 87–74752
Zbytniewski, J.D. *see* Haller, K.A. 86–38230
Zdan, D.W. *see* Graff, F.N., Jr. 86–10899
Zdaniewski, W.A., Maher, J.P. Effect of surface roughness on dielectric strength of thick film dielectrics 87–74452
Zdanovskii, V.G., Bozenenkov, I.I. Improvements in the reliability, cost and manoeuvrability of 200 MW power blocks under lengthy operating conditions 86–33045
Zdanovskii, V.G. *see* Golyshev, L.V. 88–17239
Zdanowicz, E. *see* Zdanowicz, W. 85–28979
Zdanowicz, L. *see* Hupfer, A. 88–1527
Zdanowicz, L. *see* Pocztowski, G. 85–28236
Zdanowicz, L. *see* Weclewicz, C. 85–28972
Zdanowicz, L. *see* Zdanowicz, W. 85–61701
Zdanowicz, W., Cisowski, J., Zdanowicz, L., Portal, J.C. Some aspects of classical and quantum transport in thin films of cadmium arsenide 85–61701
Zdanowicz, W., Zdanowicz, E., Portal, J.C., Lazarev, V.B., Sokolovski, K.A., Marenkin, S.F. Some aspects of electrical conductivity in n-type $CdAs_2$ as a function of magnetic field at low temperatures 85–28979
Zdan'ski, A.K. *see* Braginskii, A.P. 85–6049
Zdansky, K. *see* Kratena, L. 88–8185
Zdarek, J. *see* Sima, J. 88–75341
Zdarko, R.W. *see* Ash, W.W. 88–10244
Zdasiuk, G., Riaziat, M., LaRue, R., Yuen, C., Bandy, S. Enhanced performance ultrabroadband distributed amplifiers 87–45286
Zdasiuk, G. *see* LaRue, R. 85–17843, 86–67502, 87–6161
Zdasiuk, G. *see* Nishimoto, C. 87–59896, 87–73720
Zdasiuk, G. *see* Riaziat, M. 86–11512, 87–6115, 87–66538
Zdasiuk, G. *see* Yuen, C. 88–63923, 88–63974, 88–71045
Zdasiuk, G.A. *see* Bandy, S.G. 88–25455, 88–25479
Zdasiuk, G.A. *see* Chai, Y.G. 85–40758
Zdasiuk, G.A. *see* LaRue, R.A. 87–32072
Zdasiuk, G.A. *see* Yuen, C. 86–41323, 88–63908
Zdasyuk, B.E. *see* Burovoi, I.E. 86–44108
Zdeb, V.B. *see* Shmorgun, E.I. 86–50139
Zdeb, V.D. *see* Shmorgun, E.I. 88–36121
Zdebel, P.J., Balda, R.J., Hwang, B.-Y., de la Torre, V., Wagner, A. MOSAIC III—a high performance bipolar technology with advanced self-aligned devices 88–13567
Zdebel, P.J. *see* Hwang, B.-Y. 88–13568
Zdebskii, A.P., Korchnaya, V.L., Torchinskaya, T.V., Sheinkman, M.K. Ultrasonically induced changes in the electrical and luminescence characteristics of InGaAs:Si light-emitting diodes 87–12329
Zdebskii, A.P., Lisyanskii, M.I., Luk'yanchikova, N.B., Sheinkman, M.K. Effect of ultrasonic processing on the voltage-current and noise characteristics of GaAs tunnel diodes 88–50800
Zdebskii, A.P., Olikh, Yu.A., Savchuk, A.U. Saturation and oscillation of current in semiconductors subjected to uniaxial deformation 85–35595
Zdebskii, A.P. *see* Annaniyazov, A.N. 87–60100
Zdenek, D. 25 MW high-speed electric drive with thyristor speed control 86–52092
Zdenek, D. 90 years of the ČKD Elektrotechnika factory Prague and its further development 87–5204
Zdenek, D. The contemporary state and perspectives of large high speed controlled AC drives in ČKD Prague 87–9881
Zdenko, P., Boris, G., Mladen, R., Zrinka, M., Branko, T. IND in the local Zagreb network 88–35223
Zdepski, J., Daut, D.G. An image vector quantizer using a perceptually-based preprocessor 87–39970
Zderic, I., Sajfar, I. Batteries in telecommunication equipment power supply 87–4862
Zdesenko, Yu.G., Kostezh, A.B., Kropivyanskii, B.N., Kuts, V.N., Mytsyk, I.A., Nikolaiko, A.S. Low-background semiconductor spectrometer 87–71037
Zdesenko, Yu.G., Kropivyanskii, B.N. Detection of light flashes in a CsI(Tl) scintillator with the aid of a semiconductor detector 86–25131
Zdesenko, Yu.G., Nikolaiko, A.S., Ryzhikov, V.D., Silin, V.I. Spectrometric characteristics of cadmium sulfide-based scintillators 86–60632
Zdesenko, Yu.G. *see* Bondarenko, O.A. 87–71000
Zdetsis, A.D. A CPA description of the electronic and transport properties of α-GeH, α-SiH and α-SiGeH 87–11379
Zdetsis, A.D., Economou, E.N., Papaconstantopoulos, D.A., Flytzanis, N. Electronic and transport properties of hydrogenated amorphous silicon 85–34474
Zdor, S.E., Chernov, V.S. Effect of the parameters of optoelectronic devices on the spatial scanning rate 86–38387
Zdor, S.G., Shinkarenko, V.N. Adjustment of the turn controllers of a turbine at Kursk atomic power station 87–71793
Zdor, Yu.A. *see* Khrunich, A.N. 87–42589
Zdorikov, S.V., Puida, S.K. Derivation of terminal node conductivity matrix for subcircuits described in the basis of state variables 87–59057
Zdorov, M.V. *see* Zhukov, S.A. 85–27293
Zdrahal, Z. *see* Marik, V. 87–14081
Zdravko, B. *see* Cibej, I. 88–6223
Zdrok, A.G., Lysenko, Yu.V., Yudin, A.P. Present directions of improvement in charging of chemical current sources 86–45641
Zdun, R. Experimental videophone network in France 86–59536
Zdun, R. Automation and robots in the telecommunication and electronics industry 87–10137
Zdun, R. Modern techniques using ultrasonic methods of connecting elements in the electronics industry 87–14629
Zdun, R., Kasperczak, J. Teleelectronic industry during forty years of Polish People's Republic 85–25226
Zdun Zbigniew *see* Zbigniew Zdun
Zdunek, K. Design considerations for trunked radio systems in Band III 85–20099
Zdunek, K. Design considerations for trunked radio systems 87–3081
Zdzivch, Z. *see* Kalinowski, B. 88–69053
Ze, M., Cheng, J. The ohmic heating power supply for HL-1 tokamak 87–15892
Ze-cun Zhou *see* Zhou Ze-cun
Ze-feng Su *see* Su Ze-feng
Ze-han Wang *see* Wang Ze-han
Ze-He Tang *see* Tang Ze-He
Ze-mo Yang *see* Yu-zhi Wang 88–20717
Ze-mo Yang *see* Yang Ze-mo
Ze-pu Mao *see* Mao Ze-pu
Ze-rong Chen *see* Chen Ze-rong
Ze-rong Huang *see* Huang Ze-rong
Ze-rong Hunag *see* Hunag Ze-rong
Ze-xiang Zhang *see* Zhang Ze-xiang
Zea, F. *see* Allona, J.D. 86–30889
Zean Ding *see* Ding Zean
Zebchuk, W.D. *see* Topp, G.C. 88–74962
Zebchuk, W.D. *see* Yanuka, M. 88–74961
Zebda, Y., Bhattacharya, P., Tobin, M.S., Simpson, T.B. Design and performance of very high-speed $In_{0.53}Ga_{0.47}As/In_{0.52}Al_{0.48}As$ p-i-n photodiodes grown by molecular beam epitaxy 88–20500
Zebda, Y. *see* Das, U. 88–2112
Zebergs, V.A. *see* Knaps, A.R. 87–78474
Zebib, A., Wo, Y.K. A two-dimensional conjugate heat transfer model for forced air cooling of an electronic device 86–46106
Zebick, H.E. Technically communicating via engineers from today's school 88–31359
Zebick, H.E., De Crescenzo, D. Problems inherent in transitioning people between projects in a matrix organization—a system approach to resolution 86–13393
Zebick, H.E., Hoerster, M.G. R&M in a systematic trade study process 86–57252
Zebick, H.E. *see* DeCrescenzo, D. 87–44062
Zebker, H.A., Goldstein, R.M. Topographic mapping from interferometric synthetic aperture radar observations 86–69823
Zebker, H.A., Norikane, L. Radar polarimeter measures orientation of calibration corner reflectors 88–28945
Zebker, H.A., van Zyl, J.J., Held, D.N. Imaging radar polarimetry from wave synthesis 87–63930
Zebker, H.A. *see* Goldstein, R.M. 87–71396
Zebker, H.A. *see* van Zyl, J.J. 87–70119
Zeblisky, R. Dump electroless 87–53001
Zebo, T.J. Circuit maintenance operations on digital loop carrier channels in an integrated network environment 86–54708
Zebo Huang *see* Huang Zebo
Zebo Peng Integration of VLSI design tools by a unified design representation 87–1711
Zebo Peng Let's design asynchronous VLSI systems 88–70666
Zebo Peng *see* Kuchcinski, K. 87–1712
Zebo Zhang *see* Zhang Zebo
Zeborski, E., Starr, C. Use of probabilistic analysis in the life cycle management of construction deficiencies [nuclear plants] 85–53432
Zebro, J. *see* Krawczyk, B. 88–5376
Zebroski, E.L. Review of nuclear power plant advanced concepts: implications of the Chernobyl accident 87–42618
Zebrowski, A. The analysis of corrugated circular waveguides 87–75536
Zebrowski, E., Jr. Power output of the Otto cycle engine 85–9694
Zebrowski, E., Jr. Aiming a satellite dish 88–66203
Zebrowski, J.J., Sukiennicki, A. On the inhibition of dynamic conversion in bubble garnet domains by a thin midplane layer 85–24108
Zebrowski, Z.F. *see* Lobzowski, A. 88–33137
Zecca, A. *see* Brusa, R.S. 85–64428
Zecca, M., Foster, S., Tanski, F. Remote switching means a remote testing scheme 86–16852
Zecca, V. *see* Fusco, G. 88–334
Zecchin, P. Loadcell development nears shear perfection 86–11524
Zecchin, P. Weighing up the pros and cons [loadcells] 88–53604
Zecchina, L. *see* Fornari, R. 87–73047
Zecchina, L. *see* Paorici, C. 86–20036, 87–16661
Zech, G. *see* Arnault, C. 87–14216
Zech, G. *see* Burkhardt, H. 88–47997
Zech, G. *see* Roderburg, E. 87–21409
Zech, G. *see* Walenta, A.H. 88–29845
Zech, G. *see* Zimmermann, W. 86–32195
Zechel, K.E. Model railway: order in the station—train coding simplifies shunting operations 85–12750
Zechikhin, B.S., Starovoitova, N.P., Tsybakova, O.Yu. Electromagnetic fields and parameters of synchronous machines with rare-earth permanent magnets without pole pieces 88–69331
Zechikhin, B.S. *see* Alekseev, I.I. 86–26018, 87–22253
Zechnall, W. *see* Neukirchner, E.-P. 86–69844
Zechnall, W. *see* Neukirchner, E.P. 87–41104
Zechnall, W. *see* Suchowerskyj, W.E. 88–69888
Zechuan Xu *see* Xu Zechuan
Zedan, F.M. *see* Wilhelm, H.E. 88–44504
Zeddam, A., Caron, A., Djebari, B. Electromagnetic field coupling to telecommunication network 85–7662
Zeddam, A., Degauque, P. Disturbing currents induced on buried telecommunication cables 85–63480
Zeddam, A., Degauque, P. Coupling of an electromagnetic field radiated by a lightning discharge to an aerial or buried telecommunications line 87–7485
Zeddam, A., Degauque, P. Comparison of predicted and measured currents induced on telecommunication cables by a lightning discharge 88–8513
Zeddam, A., Degauque, P. Current and voltage induced on telecommunication cables by a lightning stroke 88–58786
Zeddam, A. *see* Caron, A. 86–15953
Zeddam, A. *see* Degauque, P. 88–40611
Zeddam, A. *see* Godoc, A. 85–8044
Zeddam, A. *see* Roubertou, D. 86–3596
Zeder, S.L. *see* Re, M.E. 87–25810
Zediker, M.S., Prelas, M.A., Miley, G.H. Energy storage of the atomic carbon laser in an electrical discharge 85–41320
Zediker, M.S. *see* Prelas, M.A. 85–18879
Zedler, G. Bit-rate reduction with speech: situation as regards application in telecommunication networks 86–16162
Zedler, L. *see* Unger, S. 88–14842
Zedzierski, Z. *see* Tasak, D.E. 88–55986
Zee, J.Van *see* Van Zee, J.
Zee, P.van der *see* van der Zee, P.
Zee, R.H. *see* Wilcox, R.C. 88–63384
Zee, S.K. *see* Turinsky, P.J. 86–13607
Zee, T. *see* Wilhelmsen, F. 85–55860
Zee, T. *see* Wilhemsen, F. 85–6531
Zeeber, Kh. *see* Kuvaldin, A.B. 86–19614
Zeeberg, B.R., Soucaille, J.F., Carson, R., Bacharach, S., Green, M.V., Larson, S.M. An efficient algorithm for reconstruction of SPECT images in the presence of spatially varying attenuation 85–59251
Zeeberg, B.R. *see* Bacharach, S.L. 88–4924
Zeebroek, G. *see* Belmans, R. 85–32499, 87–42998
Zeebroek, G. *see* de Doncker, R. 87–22596
Zeedijk, H. Air pollution monitoring based on the use of simple home computers 87–29961
Zeelen, R. *see* Duin, R.P.W. 87–17255, 87–19878
Zeelenberg, C. *see* Algra, A. 88–4965
Zeelenberg, C. *see* Meij, S.H. 88–10392
Zeemann, E. *see* Jez, H. 85–52831
Zeeuw, P.M.de *see* de Zeeuw, P.M.
Zeeuw, P.W.de *see* de Zeeuw, P.W.
Zeeuw, W.J.De *see* De Zeeuw, W.J.
Zeevi, J. *see* Williams, T. 88–13899
Zeevi, Y.Y., Gavriely, A., Shamai, S. Image representation by zero and sine-wave crossings 88–14781
Zeevi, Y.Y., Rotem, D. Information in zero crossings of images 86–3949
Zeevi, Y.Y. *see* Gavriely, A. 86–3950, 86–30046
Zeevi, Y.Y. *see* Hason, B. 88–41080
Zeevi, Y.Y. *see* Hilsenrath, O.A. 88–41074

Zeevi, Y.Y. *see* Porat, M. 88−66624
Zeevi, Y.Y. *see* Rotem, D. 87−13067
Zeevi, Y.Y. *see* Shitz, S. 86−29852, 86−29934
Zeevi, Y.Y. *see* Shlomot, E. 88−41070
Zefeng Ao *see* Ao Zefeng
Zega, B. Magnetron sputtering−of interest for optical films? 85−10787
Zegel, F.H. *see* Silver, A. 88−74427
Zegelin, S. *see* Topp, G.C. 88−74962
Zegelin, S. *see* Yanuka, M. 88−74961
Zegenhagen, J. *see* Eng, P.J. 88−48047
Zeger, J., Meyer, F., Stolba, G. Apparatus for separating, observing, and sorting single coated particles in a heated cell 86−50451
Zeger, K., Gersho, A. Real-time vector predictive coding of speech 88−3001
Zeger, K. *see* Chen, J.-H. 88−2999
Zeger, K.A., Gersho, A. Zero redundancy channel coding in vector quantisation 87−75697
Zeger, K.A. *see* Kitson, F.L. 87−19515
Zegers, P., Reay, D.A. Fuel cell interest awakens in Europe 88−17922
Zegers-van Duynhoven, A.T.A. *see* te Velde, T.S. 86−48231
Zegers-Van Duynhoven, A.T.A. *see* Wolters, D.R. 87−32748, 88−71837
Zegers-Van Duynhoven, T.A. *see* Te Velde, T.S. 86−5405
Zeggel, W. *see* Moldaschl, H. 88−17324
Zeghbroeck, B.J.Van *see* Van Zeghbroeck, B.J.
Zeghbroeck, B.Van *see* Van Zeghbroeck, B.
Zeghlache, D., Soliman, S.S. Adaptive locally optimal detectors for CPFSK in nonGaussian noise 87−68943
Zeghlache, D., Soliman, S.S. Use of the EM algorithm in impulsive noise channels 88−73158
Zeghlache, D., Soliman, S.S., Schucany, W.R. Adaptive detection of CPFSK signals in non-Gaussian noise 88−52482
Zeghlache, H., Mandel, P. Influence of detuning on the properties of laser equations 85−24426
Zeghlache, H., Mandel, P., Abraham, N.B., Hoffer, L.M., Lippi, G.L., Mello, T. Bidirectional ring laser: stability analysis and time-dependent solutions 88−27229
Zegong Zhou *see* Zhou Zegong
Zegrya, G.G. *see* Gel'mont, B.L. 87−54324
Zeguers, J.D.M. *see* de Mol, A.W.J.C. 88−76043
Zeh, H.J. Monitoring tester output signals 85−47894
Zeh, J. *see* Hewer, G.A. 87−47686
Zeh, K.A. Electromagnetic field interaction with the human body: a critical review 87−57241
Zehab, E.A. *see* Zaghioul, A.-M. 88−27368
Zehaf, M., Mathian, G., Pasquinelli, M., Martinuzzi, S. Influence of aluminum diffusion on electronic properties of p type cast polycrystalline silicon 86−35304
Zehaf, M., Mathian, G., Pasquinelli, M., Martinuzzi, S. Improvement of P-type polysilicon by low temperature diffusion of aluminium or copper 86−41526
Zehaf, M. *see* Ammor, L. 86−41521
Zehaf, M. *see* Martinuzzi, S. 87−6370, 87−66884
Zehavi, E. Estimation of time of arrival for rectangular pulses 85−25084
Zehavi, E., Wolf, J.K. On the performance evaluation of trellis codes 87−47510
Zehavi, E., Wolf, J.K. On the performance evaluation of trellis codes 87−54893
Zehavi, E., Wolf, J.K. On run-length-codes 87−54900
Zehavi, E., Wolf, J.K. On saving decoder states for some trellis codes and partial response channels 88−34566
Zehavi, E., Wolf, J.K. On runlength codes 88−45893
Zehe, A. Quantum fine-structures and microelectronics 88−64303
Zehe, A., Adan, A., Mader, M. A regenerative switching device in a silicon-earthalkalifluoride heterostructure grown by molecular beam epitaxy 88−71630
Zehe, A. *see* Buschel, M. 87−32448
Zehe, A. *see* Vigil Santos, E. 85−46287
Zeheb, E., Landau, P. A new approach to the design of coupling networks 85−17055
Zeheb, E. *see* Bose, N.K. 86−62732, 86−67388
Zeheb, E. *see* Hertz, D. 85−63040, 86−29668, 87−36557
Zeheb, E. *see* Landau, P. 85−39845
Zehendner, K. TELEGON 8−a modern equipment development in the field of DF technique 86−4474
Zehentner, J. Resistivity calculation of a cylindrical chip of a Gunn diode with known conductivity profile 87−6650
Zehentner, J. Characteristic impedance and effective permittivity of modified microstrip line for high power transmission 87−59818
Zehetmayer, A. *see* Appeltauer, D. 85−57883
Zehhula, K. Flow measurement 85−52908
Zehl, O., Bonney, R., Price, M.G., Rosenbaum, J. Features of birefringent diffraction in wideband Bragg cells 85−29659
Zehl, O., Price, M., Kremen, J., Hubin, T., Depietro, R., Northcutt, W. Wideband photorecorder design issues 85−41229
Zehl, O.G. *see* Rosenbaum, J. 85−46228
Zehlein, H. Approximate description of local deformations of large superconducting toroidal field coils 85−1885
Zehlein, H. Shear stress peaks in a superconductor cable during the winding of a large toroidal field coil 85−1904
Zehlein, H. Residual strains and stresses in some new superconductors with composite cross sections 86−48044
Zehlein, H. Geometrical considerations for the bending of superconductors for planar and non-planar magnets 87−78151
Zehlein, H. *see* Jeske, U. 85−1918
Zehlein, H. *see* Messemer, G. 85−1886
Zehlein, M. *see* Nyilas, A. 87−12089
Zehnder, A. Revox B-250 amplifier and B-260 tuner 88−53494
Zehnder, A. *see* Twerenbold, D. 87−35330
Zehnder, H. *see* Edelmann, X. 86−32990
Zehnder, U. Electric storage heating appliances changing in time 88−37746
Zehner, A. *see* Kroger, I. 88−54892
Zehner, B., Kaschte, W. A pipelined digital filter chip with a throughput rate of 100 Mbit/s 85−61383
Zehner, B., Mattausch, H., Matthiesen, F., Tielert, R., Grallert, H. A CMOS VLSI chip for filtering of TV pictures in two dimensions 87−5968
Zehner, B., Mattausch, H., Tielert, R., Graller, H. A CMOS two-dimensional digital filter for TV pictures 87−17269
Zehner, B. *see* Grallert, H.-J. 85−6448
Zehner, B. *see* Klar, H. 87−39648
Zehner, D.M. Surface studies of pulsed laser irradiated semiconductors 86−8961
Zehner, D.M. *see* Snowdon, K.J 88−61038
Zehner, S.P. *see* Currie, N.C. 88−15536
Zehner, S.P. *see* Williamson, F.R. 86−17497
Zehnle, V., Mandel, P. Bifurcation diagrams for second harmonic generation in passive cavities 88−51859
Zehnula, K. *see* Matyas, V. 85−32043
Zehnwirth, B. *see* Defris, L.V. 86−59468
Zehr, G. Memory management units for 68000 architectures 87−5859
Zehr, S.W. *see* Cheng, W.H. 87−26377, 87−68439, 88−8208, 88−14186
Zehr, S.W. *see* Hess, K.L. 87−44378
Zehua Wu *see* Wu Zehua
Zei, D. *see* Picardi, G. 87−28638
Zeid, A., Rosenberg, R.C. Eigenvalue spectra and bounds for certain classes of dynamic systems having tree bond graphs 87−16770
Zeiderman, M.R., Wilson, I.J., Price, R. An objective test of muscle function using the BBC microcomputer 85−37988
Zeidler, G. *see* Blanche, J. 88−8927
Zeidler, G. *see* Haag, H.G. 86−64994
Zeidler, G. *see* Oestrich, U. 85−14261
Zeidler, G. *see* Schneider, H. 85−46155
Zeidler, G.H. The state of and further developments with monomode optical fibre technology 86−22144
Zeidler, G.H. Planning transmission links with monomode and multimode optical fibres 86−23897
Zeidler, G.H. Fiber, cable and interconnect technologies for future low-cost single-mode subscriber loop systems 88−46775
Zeidler, H. *see* Celletti, F. 85−9042
Zeidler, J.R. *see* Moazed, K.L. 88−64317
Zeidler, J.R. *see* Murphy, J.D. 88−19399
Zeier, W. *see* Liptak, G. 85−56038
Zeigarnik, Yu.A., Lamden, D.I., Mostinskii, I.L., Filippov, V.N. Evaluating the effectiveness of a combustion chamber as a plasma generator for a magnetohydrodynamic power station 87−72071
Zeiger, H.J. Theory of the effect of traps on the spectral characteristics of diode lasers 86−3124
Zeiger, S.G., Pelyukhova, E.B. Study of the coupled generator-amplifier system by the method of effective reflection coefficients 85−24613
Zeigler, B.P. *see* Sevinc, S. 88−41314
Zeigler, J., Carcagno, R., Weichold, M. Experimental measurements of radiation damage to power diodes at cryogenic temperature 88−50803
Zeigler, J. *see* Aucoin, M. 85−48613, 85−59803
Zeigler, J. *see* Fan, M. 88−54306
Zeigler, J. *see* Huson, F.R. 86−31828
Zeigler, J.C. *see* Colvin, J.C. 88−68232
Zeigler, J.F. *see* Chalet, A. 87−40595
Zeigler, J.M., Harrah, L.A., Johnson, A.W. Self-developing polysilane deep-UV resists−photochemistry, photophysics, and submicron lithography 86−1901
Zeigler, W., Jr. Training for competence 85−54
Zeiher, A. *see* Wollschlager, H. 86−60724
Zeijl, P.T.M.van *see* van Zeijl, P.T.M.
Zeijlmans, M.C.S. *see* Blok, H. 87−75381
Zeilenga, J. *see* Wang, S.P. 85−4275
Zeiler, R. *see* Dietrich, D. 88−5467
Zeiliger, A.N., Kolganova, N.A., Malkin, P.A., Gusev, A.P. A method for evaluating the systems effectiveness of 330-750 kV overhead lines with increased natural capacity 87−35664
Zeiliger, A.N. *see* Galanov, V.I. 88−68887
Zeilik, M. *see* Laubscher, B.E. 88−42164
Zeilikovich, I., Platonov, E., Spornik, N. Focusing holographic systems 86−36598
Zeilikovich, I.S., Karnaukhov, N.V., Platonov, E.M., Spornik, N.M. Methods of compensating the aberrations of hologram substrates 86−36601
Zeilikovich, I.S., Lyalikov, A.M. Tunable two-frequency dye laser for holographic interferometry 88−27353
Zeilikovich, I.S., Lyalikov, A.M. Reconstruction of an aberrationless wave front in the higher diffraction orders 88−58716
Zeilikovich, I.S., Lyalikov, A.M., Platanov, E.M., Spornik, N.M. Ruby laser having a resonator telescope for holography 88−72302
Zeilikovich, I.S., Lyalikov, A.M., Spornik, N.M. Dye laser for holographic interferometry 87−26335
Zeilikovich, I.S., Lyalikov, A.M., Spornik, N.M. Color schlieren methods for studying reconstructed wave fronts 88−27321
Zeilikovich, I.S., Platonov, E.M. Interferometer with holographic optics 85−56864
Zeilikovich, I.S., Platonov, E.M. Sensitivity of a holographic sharp-focusing technique 87−19105
Zeilikovich, I.S., Platonov, E.M., Spornik, N.M. Holographic sharp-focusing method 86−36613
Zeilikovich, I.S., Pul'kin, S.A., Gaida, L.S. Interaction of the strong light field of a dye laser radiation with a two-level system 85−46352
Zeilikovich, I.S., Pulkin, S.A., Gaida, L.S. Holographic-spectroscopy measurement of polarizabilities of neon excited states on a laser transition 87−74993
Zeilinkovich, I.S., Lyalikov, A.M. Use of holographic methods for increasing the sensitivity of measurements for monitoring the surface of optical components 88−51957
Zeiller, R. The third development phase of the 380 kV system of Wiener Stadtwerke-Elektrizitatswerke 87−78066
Zeiller, R. *see* Holland, K.H. 86−6371
Zeimer, U. *see* Both, W. 87−33175
Zeimer, U. *see* Rechenberg, I. 88−8182
Zein, A., Lallemand, M., Lallemand, A. Modeling of a solar refrigeration system made of solar collectors with direct evaporation and moto-compressor 87−4972
Zein, C. *see* Eiseman, S.E. 86−50425
Zein, D.A. Solution of a set of nonlinear algebraic equations for general-purpose CAD programs 86−7894
Zein, D.A. Solution of a set of nonlinear algebraic equations for general purpose CAD programs 87−52321
Zein, D.A., Chang, C.S., Selbo, K.M.A. Efficient method for computing noise in a general purpose CAD program in APL 85−49695
Zein, D.A. *see* Hill, L.O. 86−57294
Zein, G.El *see* El Zein, G.
Zein El-Din, H.M. Small signal stability of large power systems using multi-area approach 87−64083
Zein El-Din, M. *see* Olcayto, E. 85−40187
Zeinalov, Sh.S. *see* Sokol, E.A. 86−50381, 87−14741
Zeinalov, S.S. *see* Sokol, E.A. 86−70322
Zeinapur, V.A. *see* Broitman, M.D. 86−7595
Zeindl, H.P., Wegehaupt, T., Eisele, I., Oppolzer, H., Reisinger, H., Tempel, G., Koch, F. Growth and characterization of a delta-function doping layer in Si 87−53347
Zeindl, H.P. *see* Tempel, G. 88−32755
Zeiner, W. Uber die Messmethode 'freie Beschleunigung' (ECE-R24) zur Beurteilung von Dieselfahrzeugen im Strassenverkehr ('Free acceleration' (ECE-R24) as a measuring method for the evaluation of the soot-emission of vehicles equipped with diesel engines in road traffic) 85−43496
Zeinstra, M. *see* Bakker, P. 88−66435
Zeira, E. Adaptive vector quantization of speech signals 86−29809
Zeira, E. *see* Koch, S. 86−30870
Zeise, M. *see* Neundorf, R. 87−3376
Zeise, R. The personal computer as an interactive planning instrument for power supply networks 86−12342
Zeisel, T. *see* Gyorfi, Z. 85−2761
Zeisel, T. *see* Nguyen Quang, A. 86−64743
Zeisel, T. *see* Nguyen Quang A 88−72748
Zeisler, F.L., Brauer, J.R. Automotive alternator electromagnetic calculations using three dimensional finite elements 86−45380
Zeisler, P., Ruge, I. Device performance degradation of short channel MOS transistors due to hot-carrier injection and drain profile engineering 86−67983
Zeisloft, D. Factory product identification technology using bar codes 87−10140
Zeisse, C.R., Taylor, M.J., Boisvert, J.C. Drift in indium phosphide insulated gate structures 87−18184
Zeisse, C.R., Wilson, R.G., Hopkins, C.G. Implantation of dopants into indium phosphide 85−34811
Zeisse, C.R. *see* Johnson, J.G. 88−33194

Zeiter, P. Project organisation, and overall planning and design [Rabenstein hydro power station] 88 – 23776
Zeiter, P. *see* Schmidt-Prestin, B. 88 – 67013
Zeitler, K.-H. *see* Noll, B. 88 – 28890
Zeitlin, A.D. *see* Love, W.D. 86 – 18471, 86 – 44740
Zeitlin, B., Ozeryansky, G., Hemachalam, K., King, C., Hazelton, D., Walker, M., Scudiere, J. The state of the art ultra fine filament Nb$_3$Sn and NbTi superconductors at IGC 86 – 53928
Zeitlin, B. *see* Kanithi, H. 88 – 64987
Zeitlin, B. *see* King, C. 87 – 74553
Zeitlin, B. *see* Larbalestier, D.C. 85 – 56148
Zeitlin, B.A., Ozeryansky, G.M., Hemachalam, K. An overview of the IGC internal tin Nb$_3$Sn conductor 85 – 56154
Zeitlin, B.A., Phillips, D., Hemachalam, K., Ozeryansky, G., Scudiere, J.D., King, C., Hazelton, D.W., Markiewicz, W.D. Improved Nb$_3$Sn superconductor wire for high field laboratory magnets 87 – 38716
Zeitlin, B.A. *see* King, C.G. 88 – 38274
Zeitlin, P.A. *see* Derbenjova, T.A. 87 – 328
Zeitnitz, B. *see* Gemmeke, H. 88 – 68204, 88 – 68208
Zeitnitz, B. *see* Giroginis, G. 87 – 3894
Zeitnitz, C. *see* Braunschweig, W. 88 – 29874, 88 – 68282
Zeitoun, A.G. *see* El-Morshedy, A. 86 – 61604, 88 – 23551
Zeitoun, D., Imbert, M., Brun, R. Numerical study of a two-dimensional laser cavity flow 86 – 3246
Zeitoun, R.F. *see* Bowen, R.R. 85 – 20157
Zeitoun-Fakiris, A. The anode hot spot regime in vacuum prebreakdown 86 – 9320
Zeitoun-Fakiris, A., Juttner, B. Effect of gas liberation at the anode on prebreakdown currents in vacuum 87 – 37771
Zeitoun-Fakiris, A., Juttner, B. Effect of anode gas liberation on prebreakdown currents in vacuum 88 – 38963
Zeitoun-Fakiris, A., Juttner, B. The effect of gases on the emission currents from metallic micropoints in ultra-high vacuum 88 – 57246
Zeitouni, O. On the tightness of some error bounds for the nonlinear filtering problem 85 – 2799
Zeitouni, O. An extension of the Benes filter and some identification problems solved by nonlinear filtering methods 85 – 7849
Zeitouni, O. *see* Dembo, A. 88 – 46029
Zeitullaev, P.F. *see* Tugov, A.I. 88 – 55241
Zeitvogel, H.D. *see* Geipel, W. 85 – 15818
Zeitvogel, T. Freeze-frame video teleconferencing 85 – 8622
Zeitz, D. *see* Stephens, J.W. 87 – 7315
Zeitz, M. *see* Juen, G. 85 – 37153
Zeitz, R. *see* Biermann, W.-D. 87 – 54739
Zeitz, R. *see* Greving, G. 85 – 7769, 86 – 42934
Zeitzoff, P.M., Anagnostopoulos, C.N., Wong, K.Y., Brandt, B.P. An isolated vertical n-p-n transistor in an n-well CMOS process 85 – 45863
Zejia Jiang *see* Jiang Zejia
Zekeriya, V., Ma, T.-P. Dependence of X-ray generation of interface traps on gate metal induced interfacial stress in MOS structures 85 – 23579
Zekeriya, V., Ma, T.-P. Dependence of radiation-induced interference traps on gate electrode material in metal/SiO$_2$/Si devices 85 – 55577
Zekeriya, V., Wong, A., Ma, T.-P. Spatial distribution of radiation-induced interface traps under the gate of an Al/SiO$_2$/Si capacitor 85 – 23565
Zekkel', A.S. Assessment of the quality of control and technique of automatic field control stabilisation for generators 88 – 62297
Zekkel', A.S., Koshcheev, L.A., Shleifshtein, V.A., Koshelev, A.I. Effect of the type of compensation for the lossless power in 1150 kV lines on their steady-state stability and transmissive capacity 86 – 32715
Zekkel', A.S. *see* Esipovich, A.Kh. 87 – 30758, 88 – 54861
Zekowski, J. The C-17 Program: a model supportability/sustainability 88 – 68701
Zekri, N. *see* Bardin, G. 87 – 77536
Zekry, A., Eldallal, G. Effect of MS contact on the electrical behaviour of solar cells 88 – 24142
Zekry, A., Gerlach, W. Reduction of the current gain of the n-p-n transistor component of a thyristor due to the doping concentration of the p-base 88 – 39426
Zekry, A. *see* El-Emawy, A. 88 – 57361
Zekry, A. *see* Gamal, S.H. 87 – 56827
Zekser, M.G. *see* Tsimerman, A.B. 86 – 66501
Zektser, D.M. Results of studying the leakage permeance of plane magnetic circuits 87 – 61303
Zektser, D.M., Klimenko, B.A. Size optimisation of housings for low voltage apparatus and equipment 85 – 5784
Zektser, D.M., Klimenko, B.V., Omel'chenko, O.V. Physical parameters and thermal stability of aluminum-copper conductors 87 – 6164
Zektser, D.M., Zektser, M.D. Analysis of permeances of electromagnetic mechanisms 85 – 56946
Zektser, M.D. *see* Zektser, D.M. 85 – 56946
Zektzer, D.M. Computational relationships for coils and buses made from copper-clad aluminum conductor 88 – 50420
Zekun Feng *see* Huahui He 87 – 67798
Zel-dovich, B.Ya., Krivoshchekov, V.A., Mamaev, A.V., Mel-nikov, N.A., Pilipetskii, N.F., Shkunov, V.V. Effect of depolarization on conjugation (inversion) quality in stimulated scattering in optical fibers 86 – 58974
Zelan, H. *see* LaPrade, N. 86 – 62846
Zelaya, O., Sanchez-Sinencio, F., Mendoza-Alvarez, J.G., Farias, M.H., Cota-Araiza, L., Hirata-Flores, G. Large grain size CdTe films grown on glass substrates 88 – 31836
Zelaya, O., Sanchez-Sinencio, F., Mendoza-Alvarez, J.G., Pena, J.L. Growth of polycrystalline CdTe films by hot walls close-spaced vapor transport technique 88 – 457
Zelaya, O. *see* Cardenas, M. 85 – 10772
Zelaya, O. *see* Falcony, C. 85 – 428
Zelaya, O. *see* Figueroa, J.M. 87 – 10510
Zelaya, O. *see* Mendoza-Alvarez, J.G. 88 – 31839
Zelaya de la Parra, H., Excell, P.S. Microprocessor control of a doubly-fed induction machine with a cycloconverter in the rotor circuit 87 – 16113
Zeldin, P.E., Miller, F.D., Siegfried, E.M., Wright, J.R. Knowledge based loop maintenance operations: the ACE system 87 – 34244
Zeldin, P.E. *see* Miller, F.D. 86 – 37342
Zeldin, Y. Topological analysis of large networks 87 – 73216
Zeldor, E. *see* Stoddart, H.A. 85 – 24373
Zeldov, E., Viturro, R.E., Weiser, K. Determination of bandtail parameters and recombination mechanisms in *a*-Si:H by comparative study of photoabsorption and photoconductivity 86 – 14879
Zeldov, E., Weiser, K. Dispersive and nondispersive transport in amorphous semiconductors in presence of bias illumination 85 – 1338
Zeldov, E. *see* Ritter, D. 87 – 7197, 88 – 25906, 88 – 25908, 88 – 32824
Zel'dovich, B.Ya., Izotov, A.N., Kapitskii, Yu.E., Krivoshchekov, V.A., Mamaev, A.V., Mel'nikov, N.A., Pilipetskii, N.F., Tabrin, V.N., Shevelevich, R.S., Shkunov, V.V. Experimental investigation of stimulated Brillouin scattering in an amplified medium 86 – 29113
Zel'dovich, B.Ya., Kapitskii, Yu.E., Krivoshchenkov, V.A., Pilipetskii, A.N., Pilipetskii, N.F., Shkunov, V.V. Stimulated Brillouin scattering in a fiber waveguide with linear amplification 88 – 58667
Zel'dovich, B.Ya., Mirovitskii, D.I., Rostovtseva, N.., Serov, O.B. Characteristics of two-layer phase holograms 85 – 7558
Zel'dovich, B.Ya., Nemkova, E.A., Shkunov, V.V. Brillouin reversal of optical fields with a time-dependent speckle structure 86 – 48492
Zel'dovich, B.Ya., Nemkova, E.A., Shkunov, V.V. Theory of phase conjugation quality under stimulated Brillouin scattering conditions in multimode waveguides 88 – 58668
Zel'dovich, B.Ya., Shkunov, V.V. Theory of reconstruction of volume holograms of speckle fields 85 – 41524
Zel'dovich, B.Ya., Tabiryan, N.V. Optical bistability associated with orientational nonlinearity of liquid crystals 85 – 46488
Zel'dovich, B.Ya., Yakovleva, T.V. Theory of a two-layer hologram 85 – 7557
Zel'dovich, B.Ya. *see* Bel'dyugin, I.M. 86 – 48455
Zel'dovich, B.Ya. *see* Esayan, A.A. 88 – 65323
Zel'dovich, B.Ya. *see* Evtikhiev, N.N. 86 – 42654
Zel'dovich, Ya.B., Rozhanskii, L.V., Starobinskii, A.A. Rotating bodies and electrodynamics in a rotating coordinate system 87 – 68694
Zele, F. *see* Rauch, H.E. 88 – 22179
Zelekin, N.V., Kask, N.E., Leksina, E.G., Prokof'eva, Zh.S., Fedorov, G.M., Fedorovich, O.V., Chopornyak, D.B., Chopornyak, D.B., Yaborov, M.T. The threshold temperatures of the physicochemical processes on laser heating of glasses 86 – 68220
Zelekson, L.A. *see* Bakunov, M.I. 88 – 72568
Zelen, H. *see* LaPrade, N. 86 – 62466
Zelenay, B. *see* Kainthla, R.C. 87 – 30889
Zelenchenko, A.P. *see* Nekrasov, V.I. 88 – 24224
Zelenevskii, V.S. *see* Bezvenyuk, V.E. 87 – 28914
Zelenevskii, Z.L., Kuprik, A.A. Modification of turbine runner blades at the Chirkey hydroelectric station 88 – 11121
Zelenevskii, Z.L. *see* Glebov, I.A. 85 – 60048
Zelenin, I.A., Dinges, S.I. Formation of the color bar signal by a multifrequency digital synthesis method 86 – 17621
Zelenin, V.A., Goncharov, V.Ya., Minin, V.A., Panaov, A.E. Development of an industrial technique for electron beam welding heat exchanging equipment 86 – 26445
Zelenin, V.A. *see* Gurskii, L.I. 85 – 34619
Zelenin, V.E. *see* Bryukhanov, N.S. 86 – 18257
Zelenin, V.E. *see* Gubrienko, K.I. 88 – 16575
Zelenin, V.N., Konstantinov, I.E., Pavlov, V.V. Possibility of using an atmospheric laser-Doppler-anemometer apparatus for sounding large single particles 85 – 4448
Zelenin, V.T. *see* Nemkov, V.S. 87 – 43651
Zelenka, J. AT and BT-cut quartz resonator frequency spectrum in the neighbourhood of the third and fifth harmonic overtone 86 – 47934
Zelenka, J. The temperature dependence of the polarizing effect 86 – 53846
Zelenka, J. The SAW filter group-delay and the load impedance influence 87 – 1865
Zelenka, J. *see* Nosek, J. 86 – 1162
Zelenka, J.S., Falk, T. SAR image quality effects of damped phase and amplitude errors 88 – 60213
Zelenka, K.R., Barton, T.H. A fast acting current limit for a d.c. motor drive 85 – 27714
Zelenka, K.R., Barton, T.H. A fast-acting current limit for a DC motor drive 87 – 16078
Zelenka, R. *see* Kaplan, H. 87 – 17539
Zelenkevich, M. *see* Sklin'ski, R. 88 – 30965
Zelenkevich, M. *see* Vendik, O.G. 85 – 61668
Zelenkevich, R.L. *see* Pan, V.M. 87 – 67827
Zelenkevich, V.M., Kaplun, V.A., Terekhovich, A.B. Automating the design of antenna-radome radiating systems 85 – 36140
Zelenkov, A.L. *see* Vasil'ev, S.S. 85 – 49619
Zelenkov, A.V. Increasing pulse resolution in additive signals using inverse filtering and linear prediction 85 – 63026
Zelenkov, A.V. Methods of increasing the accuracy of measurements of the mutual shifts of two interfering pulses using nonlinear reverse filtering and linear prediction 86 – 69079
Zelenkov, G.S., Mikerov, A.K., Polyakhov, N.D., Putov, V.V., Yakovlev, A.V. Adaptive control of inboard radar antennas 85 – 13218
Zelenkov, G.S. *see* Belen'kii, Yu.M. 87 – 36186
Zelenokhat, N.I., Kokorev, N.A., Lakazov, K.Z., Blotskii, N.N., Sarkisyan, V.V., Tsgoev, R.S., Shakaryan, Yu.G. An investigation of the regimes of an intersystem tie with desynchronized electromechanical frequency converters 86 – 12898
Zelenokhat, N.I. *see* Venikov, V.A. 87 – 22112
Zelenov, A. *see* Bobkov, S. 85 – 15181
Zelenov, A.A. *see* Kuprevich, V.V. 86 – 50161
Zelenov, L.A. *see* Burtsev, V.A. 88 – 65808
Zelenov, V.I. *see* Leikin, V.N. 86 – 18268
Zelenova, O.V. *see* Golubev, L.V. 85 – 49572, 86 – 20059
Zelenskaya, T.E., Shandarov, S.M. Acoustical-photorefractive recording of acoustical oscillations 88 – 48399
Zelenskii, A.A., Lukin, V.V. Digital image recovery from shifted phase holograms 87 – 33749
Zelenskii, A.A. *see* Gorbunenko, B.F. 85 – 2440
Zelenskii, A.N., Kokhanovskii, S.A., Lobashev, V.M., Polushkin, V.G. A laser source of polarized protons and H$^-$ ions 86 – 50291
Zelenskii, A.N., Kokhanovskii, S.A., Lobashev, V.M., Polushkin, V.G. Laser source of polarized protons and H$^-$ ions 87 – 3858
Zelenskii, A.N., Kokhanovskii, S.A., Lobashev, V.M., Polushkin, V.G., Vishnevskii, K.N. High-intensity, pulsed, optically pumped polarized proton and H- ion source 86 – 60514
Zelenskii, V.G., Magadeev, V.Sh., Plotnikov, V.P., Zharkova, L.P. Investigating reliability of reheat systems of 300 MW power-generating units with TGMP-314A and TGMP-314P boilers with steam temperature of 545-565°C 88 – 30559
Zelenskiy, V.I. *see* Galanskiy, V.L. 88 – 19583
Zelensky, G. *see* Kettler, D.J. 85 – 59887
Zelentsov, B.P., Sutorikhin, N.B. A more-accurate system of indicators of the reliability of switching junctions and exchanges 85 – 8253
Zelentsov, B.P. *see* Golomshtok, L.V. 86 – 30504
Zelentsov, V.I. *see* Al'shits, V.M. 87 – 36188
Zelentsova, T.N. *see* Rusov, V.D. 87 – 50185
Zeleny, Ya. *see* Tsvang, L.R. 85 – 43475
Zelenyak, I.A. Organising the maintenance of generators in nuclear power stations 86 – 65829
Zelenyanszki, E. *see* Bognar, A. 85 – 1796, 87 – 38594
Zelepukhin, M.V., Krupin, S.V., Meleshko, E.A., Morozov, A.G., Chechin, A.I., Voronin, A.V., Sokolov, A.D. Time and frequency characteristics of scintillation and semiconductor X-ray detectors 86 – 18247
Zelepukhin, M.V. *see* Andronova, N.V. 86 – 25162
Zelepukin, S.A. *see* Antyukhov, V.A. 86 – 60637
Zeleznikar, Z. Digital information system DIPS-85 86 – 6343
Zelic, G., Sribar, J., Butkovic, Z. Calculation of spreading resistance correction factor 88 – 32993
Zelic, I. Analysis of ungrounded and grounded plant fence touch voltages 86 – 51127
Zelic, I. Measures for power plant fences touch voltage reducing 86 – 51128
Zelic, I., Medic, I. Influence of a buried fence loop on the earth potential distribution 86 – 51129
Zelichenko, A.S., Kesel'man, L.M., Khotinskii, V.G., Zurina, L.V., Rykova, T.I., Zal'tsman, F.Zh. Technical and economic basis of design of transmission line conductors in terms of limiting states 86 – 61149
Zelichenko, A.S. *see* Burgstorf, V.V. 86 – 39174
Zelichowski, J. Electronic test-measuring devices 86 – 38398

Zeliger, A.N., Niter, B. Noise immunity of an optimal optical-signal demodulator in the presence of intersymbol interference 87−49097
Zelik, V.P., Maksimov, M.A. Diagnostics and prediction of the technical state of drives for flexible production models 87−22813
Zelikman, E.I. *see* Fremd, V.M. 87−77841
Zelikman, E.I. *see* Volodin, A.A. 86−44792, 87−63917
Zelikson, D.L. Grain-size analysis for a conducting powder in a planar capacitor 87−65593
Zelikson, D.L., Motyl', D.N., Filimonova, T.A. A wedge-type capacitor for dispersive analysis of electrically conducting powders 87−32111
Zelikson, D.L. *see* Bulgakova, N.G. 85−31605
Zelingher, R. *see* Ruschin, S. 85−41321
Zelingher, S. *see* Stewart, J.R. 86−18847
Zelinka, B. Neighbourhood tournaments 87−10270
Zelinka, I. Limited distance data transfer system 88−3494
Zelinka, J. *see* Kortan, J. 88−8184
Zelinka, J. *see* Nohavica, D. 88−6450
Zelinka, J. *see* Prochazkova, O. 86−58922
Zelinka, T., Hejda, P., Kropacek, V. Vibrating-sample magnetometer for measuring magnetically weak materials 85−47961
Zelinka, T., Hejda, P., Kropacek, V. The vibrating-sample magnetometer and Preisach diagram 87−57331
Zelinski, A.A. *see* Selwood, R.K. 86−62959
Zelinski, J.S. *see* Hibner, E. 86−19322
Zelinski, R. A microphone array with adaptive post-filtering for noise reduction in reverberant rooms 88−74178
Zelinskii, A.Yu., Teslenko, V.V. System for automatic measurement of beam dimensions in electron accumulator 88−68185
Zelinskii, I.N., Chernykh, V.T., Ishmukhametova, S.G. Analysis of holographic interferometry for the study of gas flows in a chamber with cylindrical protective walls 85−51299
Zelinskij, A.Y. *see* Boldyshev, V.F. 88−54012
Zelinskij, A.Yu. *see* Gladkikh, P.I. 88−68163
Zelinskiy, A.M., Kornyshev, Yu.N., Nazarov, I.D. Use of recurrent flow in analyzing a queueing system 85−60843
Zelinskiy, A.M. *see* Douz, V.I. 86−30251
Zelinskiy, D.I. The influence of signal correlation on the reliability of reception using multiposition frequency modulation in the case of multiplicative noise 85−19462
Zelinskiy, D.I. The influence of instability of frequency positions of a signal on the noisy immunity of a frequency-phase data-transmission system 87−20014
Zelinsky, M.A. *see* Takeuchi, E.S. 88−17833
Zelisko, V.S. *see* Liniichuk, I.A. 86−21466
Zelitzki, M. Millimeter wave frequency synthesizer 86−27140
Zeljko, M. *see* Granic, G. 85−15465
Zelkowski, J. NO_x formation in the combustion of coal and NO_x emissions in slag-tap pulverized coal firing 87−9035
Zelkowski, J. *see* Jacobs, J. 87−78470
Zell, W., Becker, J.A., Bachmann, P.K., Hermann, W.G. Low-loss fusion splicing of PCVD-DFSM fibers 88−13820
Zell, W. *see* Becker, J.A. 86−22150
Zellama, K., Cohen, J.D., Harbison, J.P. Capacitance studies of light-induced effects in undoped hydrogenated amorphous silicon 86−35370
Zellama, K. *see* Bisaro, R. 86−34363
Zellar, A.F. *see* Harwood, L.H. 86−24711
Zelle, J. *see* Arseneau, R. 87−14419
Zelle, J.J. *see* Arseneau, R. 88−16381
Zeller, A. *see* Nolen, J.A., Jr. 88−74731
Zeller, A.F., Laumer, H., Nolen, J.A. Operation of liquid helium level sensors at elevated pressures 88−47511
Zeller, A.F., Nolen, J.A., Dubois, M.J., DeKamp, J.C., Swanson, R.T. Design and construction of a low current, cryogenically efficient beam line quadrupole 85−59075
Zeller, A.F., Nolen, J.A., Tanaka, S., Swanson, R.T., Hay, R.D. An adjustable permanent magnet focussing system for heavy ion beams 88−68157
Zeller, A.F., Swanson, R.T., Nolen, J.A., Landry, D., Dubois, M.J., DeKamp, J.C. Construction and testing of a low current beamline quadrupole 86−50283
Zeller, A.F. *see* Antaya, T.A. 88−74718
Zeller, A.F. *see* Dekamp, J.C. 85−59035, 87−70961
Zeller, A.F. *see* Nolen, J.A. 85−26648, 85−59095
Zeller, C. *see* Ye Qiu-Yi 88−32936
Zeller, H.R. Thermodynamics of water treeing 86−68031
Zeller, H.R. Breakdown and prebreakdown phenomena in solid dielectrics 87−53753
Zeller, H.R. Thermodynamics of water treeing 88−26567
Zeller, H.R., Hibma, T., Pfluger, P. Electrofracture mechanics of dielectric ageing 85−35223
Zeller, H.R. *see* Baumann, T. 87−18383, 88−51093
Zeller, H.R. *see* Hibma, T. 86−68039
Zeller, H.R. *see* Hkibma, T. 85−37748
Zeller, H.R. *see* Pfluger, P. 85−40971, 88−26563
Zeller, H.R. *see* Wiesmann, H.J. 88−51054
Zeller, J. *see* Merrill, W. 85−20993
Zeller, K. *see* Haussmann, W. 87−31441
Zeller, M. The Tennessee Valley Authority (TVA) current saving campaign under the magnifying glass 87−42316
Zeller, P. *see* Bandelier, B. 88−50444
Zeller, R. Automated testing sequences with laser interferometry during inspection of coordinate measuring instruments 86−18107
Zeller, R. *see* Robinson, D. 88−28253
Zeller, R. *see* Schepperle, K. 86−18124
Zeller, R.T., Fang, F.F., Goldberg, B.B., Wright, S.L., Stiles, P.J. Floating-gate technique applied to two-dimensional systems 86−28061
Zeller, R.T. *see* Cutts, D. 87−14217
Zeller, W. *see* Borer, K. 85−15187
Zeller-Pendrey, J.I. *see* Beltz, L.P. 88−21895
Zellerhoff, T. *see* Kraemer, H. 87−3207
Zellers, E.T., White, R.M., Wenzel, S.W. Computer modelling of polymer-coated ZnO/Si surface-acoustic-wave and Lamb-wave chemical sensors 88−47492
Zellers, E.T. *see* White, R.M. 87−49680
Zellmer, K.H. *see* Thiel, K.P. 85−40819
Zellner, R., Hagele, J. A double-beam UV-laser differential absorption method for monitoring tropospheric trace gases 86−6111
Zellweger, A. FAA's advanced automation system: strategies for achieving a highly available and extensible air traffic control system 88−36643
Zellweger, A.G. Man-machine interface implementation in the air traffic control automation system 85−64681
Zellweger, A.G. The next generation air traffic control automation system: designing machines for people 86−70515
Zellweger, A.G. *see* Hunt, V.R. 87−42195
Zellweger, A.G. *see* Kloster, G.V. 87−42197
Zellweger, J. *see* Horvath, I. 85−1935
Zellweger, J. *see* Vecsey, G. 85−56231
Zellweger, J. *see* Zichy, J.A. 85−56232
Zellweger, P.T., Terry, D.B., Swinehart, D.C. An overview of the Etherphone system and its applications 88−41256
Zellweger, R.J. Statistics for practice. I 87−23451
Zelmon, D.E., Borland, W.C., Jackson, H.E., Boyd, J.T. Near cutoff propagation in low loss optical waveguides formed on SiO_2/Si substrate 88−7931
Zelmon, D.E., Boyd, J.T., Jackson, H.E. Low loss optical waveguides fabricated by thermal nitridation of oxidized silicon 86−2668
Zelmon, D.E., Jackson, H.E., Boyd, J.T. Use of thermal nitridation to fabricate low loss planar optical waveguides in SiO_2 87−12233
Zelmon, D.E. *see* Borland, W.C. 87−68047
Zelmon, D.E. *see* Boyd, J.T. 85−41201, 85−46126
Zelnio, E.G. *see* Fath, J.L. 88−4080
Zelnis, D.G. *see* Wyatt, P.W. 87−71769
Zelon, J.L. *see* Tice, S. 85−48375
Zelterman, D. Approximating the distribution of goodness of fit tests for discrete data 85−22353
Zelterman, D. Parameter estimation in the generalized logistic distribution 87−65331
Zeltin'sh, B.F., Lobanov, L.P., Terskov, V.A., Timofeev, G.S. Evaluating the performance of multiprocessor computer systems in case of collisions in a block-structured common memory 87−27673
Zel'tsburg, L.M. Need to vary economic current density 86−18829
Zel'tsburg, L.M., Karpova, E.L. A procedure for finding the annual load energy losses [power transmission] 86−25545
Zeltser, A.N. *see* Shkarin, Yu.P. 86−51058
Zeltser, M.J., El-Arini, M.B. The impact of cross-rate interference on LORAN-C receivers 85−37120
Zeltser, M.J. *see* El-Arini, M.B. 87−42200, 88−16871
Zel'tser, R.E., Sherman, E.B. Development of dimension series of optimal capacities for specialized production of electrical products 85−170
Zeltwanger, H. A stethoscope on the chip 85−49810
Zeltwanger, H. SMD technology in small and medium size firms: a necessity with prospects and difficulties 85−55294
Zeltwanger, H. No compromise with speed and output: battery operated storage systems 86−1034
Zeltwanger, H. Chip sets for controlling Winchester disc drives 86−14316
Zeltwanger, H. Protection processor and software key: copying protection for programs and access protection for data 87−2420
Zeludziewicz, T. *see* Bailey, R. 85−15164
Zeludziewicz, T. *see* Suzuki, M. 88−22964
Zel'vinskii, Ya.D. *see* Varezhkin, A.V. 87−22058
Zelyakh, E.V. Quasi-regular connections of four-terminal networks 87−44447
Zelyakh, E.V., Fel'dshtein, A.L., Yavich, L.R., Brilon, V.S. Theory and application of irregularly connected long lines 85−33552
Zelyakh, E.V., Igoshin, A.A. The correlation of linear circuit transfer functions 85−33554
Zelyakh, E.V., Sherepa, I.V. Active piezoelectric filters utilizing an overlapping ladder circuit with negative capacitances 86−14344
Zelyavskii, V.B. *see* Voitenko, A.G. 87−45187
Zelyutkov, G.G. *see* Kaluzhskii, P.M. 87−72477
Zelyutkov, G.G. *see* Kuluzhskii, P.M. 86−4968
Zemach, C. A conformal map formula for difficult cases 86−19991
Zeman, H.D., Hughes, E.B., Otis, J.N., Thompson, A.C., Walton, J.T. Veiling-glare of a linear multichannel Si(Li) detector 86−11946
Zeman, H.D., Hughes, E.B., Otis, J.N., Thompson, A.C., Walton, J.T. Veiling glare of a linear multichannel Si(Li) detector 86−60760
Zeman, H.D., Hughes, E.G., Otis, J.N., Brown, G.S., Thompson, A.C. High-speed rotating-drum X-ray beam choppers for line-scan dual-energy medical imaging 86−50506
Zeman, H.D. *see* Hughes, E.B. 86−60694
Zeman, H.D. *see* Thompson, A.C. 88−48121
Zeman, H.D. *see* Walton, J.T. 86−50511
Zeman, J. Optimization of computer designed CMOS integrated circuits to suppressing the parasitic effects of four structures 88−13575
Zeman, J. *see* Kritofik, J. 85−55468
Zeman, J. *see* Mares, J.J. 87−11366
Zeman, J.E. *see* Chen, B.U. 87−49067
Zeman, K. *see* Lettl, J. 86−7182, 87−22808
Zeman, M. Uniqueness of solutions to the initial-value problem for partial differential equations with multiple characteristics 85−44657
Zeman, M., Ruzinsky, M. The use of the amorphous silicon films 86−21157
Zeman, R. *see* Mun, S.K. 88−29980
Zeman, Z.P. The rising challenge of Japanese C and C 87−48562
Zeman, Z.P. Microchip imports add fuel to US-Japanese trade fire 88−13449
Zemanek, Z. Determination of the measurement point and correction coefficient for velocity measurement by laser Doppler anemometer 86−44430
Zemanian, A.H. The driving-point immittances of infinite cascades of nonlinear resistive two ports 85−6416
Zemanian, A.H. Unending cascades of nonlinear resistive two-ports 85−22616
Zemanian, A.H. Operator-valued transmission lines as models of a horizontally layered Earth under transient two-dimensional electromagnetic excitation 85−41657
Zemanian, A.H. Operator-valued transmission lines in the analysis of two-dimensional anomalies imbedded in a horizontally layered Earth under transient polarized electromagnetic excitation 86−15989
Zemanian, A.H. Nonlinear infinite networks and related open problems 86−52639
Zemanian, A.H. A theory for finitely powered excitations from infinity of an infinite electrical network 87−65617
Zemanian, A.H. Infinite electrical networks with finite sources at infinity 88−24953
Zemanian, A.H. A finite-difference procedure for the exterior problem inherent in capacitance computations for VLSI interconnections 88−64662
Zemanian, A.H., Anderson, B. Modeling of borehole resistivity measurements using infinite electrical grids 88−30139
Zemanian, A.H., Davis, A.M. Realizability and synthesis for infinite grids of positive resistances 85−33613
Zemanian, A.H., Hantgan, J.C. The synthesis of infinite resistive grids and an application to an inverse problem in geophysical exploration 86−6088
Zemanian, A.H., Zemanian, T.S. Driving-point conductance matrices for spherical grids 86−57540
Zemanian, T.S. *see* Zemanian, A.H. 86−57540
Zemann, H., Weissbacher, L., Mayer, N., Amberg, C. In-service supervision of a prestressed concrete pressure vessel 86−31668
Zemany, J. *see* Thaw, C. 88−11755, 88−24576
Zembitskaya, G.M. *see* Voityanov, E.M. 86−43963
Zembutsu, S., Kobayashi, M. The growth of *c*-axis-oriented GaN films by d.c.-biased reactive sputtering 86−13813
Zembutsu, S., Sasaki, T. Growth of GaN single crystal films using electron cyclotron resonance plasma excited metalorganic vapor phase epitaxy 86−40729
Zembutsu, S., Sasaki, T. Low temperature growth of GaN single crystal films using electron cyclotron resonance plasma excited metalorganic vapor phase epitaxy 87−10411
Zembutsu, S. *see* Kim, B.G. 87−74664
Zembutsu, S. *see* Ohki, A. 88−57305
Zembutsu, S. *see* Sasaki, T. 87−58928, 87−73104
Zembutsu, S. *see* Shibata, N. 86−52477, 87−73106, 88−408, 88−31770, 88−38170, 88−45289, 88−49833

Zembutsu, S. *see* Tomaru, S. 87–54400
Zemchenkov, V.S. *see* Bogatin, Ya.G. 86–9390
Zemel, A., Sher, A., Eger, D. Anomalous Hall effect in p-type $Hg_{1-x}Cd_xTe$ liquid-phase-epitaxial layers 87–74004
Zemel, A., Tell, B., Leheny, R.F., Harrison, T., Bridges, T.J., Burkhardt, E.G., Liao, A.S.H., Beebe, E.D. Be-implanted $In_{0.53}Ga_{0.47}As$ diodes with ideal forward current-voltage characteristics 85–1564
Zemel, A. *see* Eger, D. 85–50198
Zemel, A. *see* Gallant, M. 88–58369
Zemel, A. *see* Mordowicz, D. 88–26932
Zemel, A. *see* Sher, A. 85–23432, 86–67681
Zemel, A. *see* Yellin, N. 85–45393
Zemel, J.N. *see* D'Amico, A. 85–41012, 86–55683
Zemel, J.N. *see* El-Sherif, M. 86–55716
Zemel, J.N. *see* Fare, T.H. 86–53483
Zemel, J.N. *see* Fare, T.J. 87–49716
Zemel, J.N. *see* Fare, T.L. 86–35437
Zemel, J.N. *see* Feygenson, A. 85–12145, 87–53170
Zemel, J.N. *see* Frederick, J.R. 85–52770
Zemel, J.N. *see* Helsel, M. 88–47493
Zemel, J.N. *see* Hesketh, P. 85–52771
Zemel, J.N. *see* Ogita, M. 85–23710
Zemel, J.N. *see* Rosenblatt, D.J. 88–13260
Zemel'man, M.A. Classifying measurement errors 86–38175
Zemel'man, M.A., Kashlakov, V.M., Tseitlin, V.G. Relation between measurement errors in monitoring and reliability indices in monitoring product-specimen parameters 87–65166
Zemin Pan *see* Pan Zemin
Zeming, J. A spatially homogeneous anisotropic surface model with variable parameters for scattering from bare soil 87–57386
Zemke, R. Microcomputer activities in a Senior Day Care Center 85–59322
Zemla, A. *see* Bieniek, J. 88–69162
Zemlo, L. *see* Atencio, L.G. 86–25141
Zemlyakov, E.P. *see* Ershov, A.M. 86–39248
Zemlyakov, V.D. Dynamicity coefficient in electric drives of rolling mills 87–9887
Zemlyakov, V.D., Fisenko, S.A. On reducing dynamic loads in electric drives of rolling mills 88–76055
Zemlyakov, V.D., Zadorozhnii, N.A., Rovenskii, A.G. Asymmetric auto-oscillations in thyristor-controlled drives 85–49219
Zemlyakov, V.D., Zadorozhnii, N.A., Rovenskii, A.G., Fisenko, S.A. The damping of elastic oscillations in an electric drive having a two-mass mechanical system 87–9878
Zemlyakov, V.D. *see* Vlasov, K.P. 86–45734
Zemlyakov, V.D. *see* Zadorozhnii, N.A. 85–65474
Zemmouri, J. *see* Segard, B. 87–19038
Zemmrich, D., Mardesich, N., MacFarlane, B., Loo, R. Gallium arsenide: solar panel assembly technology 86–7048
Zemmrich, D.K., Arnold, J.H., Jr., Mardesich, N. Rigid lightweight GaAs solar array design 87–9778
Zemmrich, D.K. *see* Cavicchi, B.T. 88–31032
Zemon, S., Black, J., Norris, P., Lee, J., Lambert, G. Characterization of LP-MOCVD grown (Al,Ga)As/GaAs heterostructures by photoluminescence: single heterojunction and inadvertent quantum wells 85–23512
Zemon, S., Jagannath, C., Shastry, S.K., Lambert, G. Observation of the $n=2$ excited states of the light and heavy hole excitons in GaAs grown directly on Si by OMVPE 88–49885
Zemon, S. *see* Armiento, C.A. 88–7307
Zemon, S. *see* Black, J. 86–15563
Zemon, S. *see* Norris, P. 85–10713
Zemon, S. *see* Oren, M. 86–53561, 87–11692
Zemon, S. *see* Shastry, S.K. 87–245, 87–10427, 87–65528, 88–49856
Zemon, S. *see* Yacobi, B.G. 88–31730
Zemp, F., Dey, W., Heymann, H., Prim, A., Kuffer, F., Beguin, C. Computerised remote measurement data collection and processing 85–36670
Zemplenyi, J., Dirks, D., Gilman, S. Probe-determined hearing-aid gain compared to functional and coupler gains 86–5989
Zempo Yasunari *see* Yasunari Zempo
Zemskii, V.I., Kolesnikov, Yu.L., Meshkovskii, I.K. Properties of a solid-state active medium with emitting dyes 87–26369
Zemskii, V.I. *see* Eremenko, A.S. 87–75034
Zemskii, V.N. *see* Limanov, A.B. 87–52154
Zemskov, A.I., Mokeev, A.N., Prut, V.V. Pressurized 40-kV, 300-kA three-electrode discharger 85–16277
Zemskov, B.G. *see* Vartanov, V.S. 87–8840, 88–22913
Zemskov, E.M. *see* Bel'dyugin, I.M. 85–19029, 85–35891
Zemskov, E.M. *see* Emel'yanov, V.I. 85–41448
Zemskov, G.G., Semko, I.A., Boldyrev, A.V. Automated system of bipolar measurements 86–4971
Zemskov, G.G., Semko, I.A., Boldyrev, A.V., Bordachev, E.V. Monitoring system for positioning of stepping feed drive 87–30634
Zemskov, K.I., Kazaryan, M.A., Matveev, V.M., Petrash, G.G., Samsonova, M.P., Skripnichenko, A.S. Laser machining of objects with simultaneous visual monitoring in a copper vapor oscillator-amplifier system 85–2452
Zemskov, K.I., Kazaryan, M.A., Petrash, G.G. Visualization of intensified IR images in a nonlinear interaction of beams in saturable amplifiers 86–31209
Zemskov, K.I. *see* Aleinikov, V.S. 85–12607
Zemskov, K.I. *see* Dumarevskii, Yu.D. 88–4549
Zemskov, V.M. *see* Voronov, S.A. 86–18258
Zemskov, V.S., Raukhman, M.R. Effect of zero gravity and magnetic field on liquation processes in indium antimonide crystals 88–31707
Zemskov, V.S., Raukhman, M.R., Gel'fgat, Yu.M., Sorkin, M.Z., Mgaloblishvili, D.P. Effect of the magnetic field on temperature fluctuations in the melt and layered heterogeneity of single crystals of indium antimonide 87–10353
Zemskov, V.S., Raukhman, M.R., Mgaloblishvili, D.P. Effect of the magnetic field on solute heterogeneities in single crystals of indium antimonide 86–40698
Zemskov, V.S., Raukhman, M.R., Mgaloblishvili, D.P., Gel'fgat, Yu.M., Sorkin, M.Z. Coefficients of distribution of solutes in growth of single crystals of indium antimonide in the conditions of the effect of the magnetic field on the melt 87–236
Zemtsov, M.P., Dobrovol'skii, Yu.V., Nikol'skii, S.G. Evaluating the strength of parts of brittle materials by the acoustic emission method [failure load determination of insulators] 86–40807
Zemtsov, V.A. The effect of two-layer ground on lightning damage to communications cable 86–23643
Zen Zhaoxin *see* Dai Fa 88–40293
Zen-xing, H., Zheng, W. Range ambiguity resolution in multiple PRF pulse Doppler radars 87–63043
Zenatti, D. *see* Amingual, D. 87–31536
Zenaty, J. *see* Wirth, M.O. 85–26056
Zenchenko, S.A., Ivanov, V.I., Malevich, I.A., Shulekin, S.F. Switching of the emission wavelengths of a copper vapor laser 85–51222
Zenchenko, V.P. *see* Budyanu, V.A. 85–6742, 86–14911
Zenchev, G.G. *see* Gorchakov, E.V. 85–20845
Zencirci, N. *see* Garrigues, M. 88–50682
Zencke, P., Hettich, R. Directional derivatives for the value-function in semi-infinite programming 87–72969
Zendel, M., Prussin, S.G., Rengan, K., Massey, T.N., Meyer, R.A. Modification of a gas jet transport system for the suppression of heavy-mass fission product homologues 87–41807
Zenetti, C. *see* Jennings, T. 88–68335
Zenewicz, P.P. *see* Elder, W.H. 85–29277
Zeng, B.R. *see* Tian, J.F. 86–27948
Zeng, D. Impulse breakdown characteristics of an SF_6 spark gap switch with rise times less than 1-2 microseconds 86–68065
Zeng, F., Shi, H., Hua, N., Guo, S. Effects of accelerated weather aging on the dielectric properties of polymeric insulator weathershed materials 86–68128
Zeng, G., Dubes, R.C. A test for spatial randomness based on k-NN distances 85–36325
Zeng, G. *see* Karni, S. 88–34652
Zeng, H.X., Li, Q., Du, X.F., He, C.S. New advances in Ferry testing approaches [for protocols] 88–59617
Zeng, H.X., Rayner, D. Gateway testing techniques 85–36766
Zeng, H.X., Rayner, D. The impact of the Ferry concept on protocol testing 86–69464
Zeng, L.-R., Wang, Y.X. Accurate solutions of elliptical and cylindrical striplines and microstrip lines 86–42896
Zeng, N. *see* Zhao, W. 88–68899
Zeng, T., Chen, D.Y., Lee, F.C. Variations of quasi-resonant DC-DC converter topologies 87–16882
Zeng, X.-F., Chung, D.D.L., Amir Lakhani Effect of heating on the structure of Au/GaAs encapsulated with SiO_2 88–13027
Zeng, X.H. *see* Shao, K. 88–26694
Zeng, Z.-H. Application of single-phase reclosing on 500 kV transmission lines 88–68874
Zeng Bai Chuang *see* Hatanaka, Y. 85–34438
Zeng Chao-Ming *see* Chao-Ming Zeng
Zeng Chunlin, Zhang Xiangchun, Wang Wentan WDJ-A type μC-based security monitoring device for regional power network 88–61987
Zeng Guangzhou *see* Guangzhou Zeng
Zeng Hong, Zheng Xinyuan Maintenance and Markov process of 300 MV turbine-generator set produced in China 87–51036
Zeng Huanxing *see* Wang Hong 87–31593
Zeng Huazhi *see* Wang Aiying 88–56676
Zeng Jianhe *see* Li Yushan 85–29566
Zeng Jin-ping *see* Wang Jin-xian 88–63213
Zeng Ling-ru Accurate solution of elliptical and cylindrical striplines and microstrip lines 86–64031
Zeng Lingru Calculation of characteristic impedances of transmission line with coupled regular polygon bars between parallel plates 85–13171
Zeng Naicai *see* Guo Manjiu 86–11904
Zeng Qing-yu, Liu Zeng-huang, Yan Zhong-hen, Fan Fu-er Power system stabilizer for damping low frequency oscillations 85–15493
Zeng Qingke *see* Qingke Zeng
Zeng Qingming Temperature distribution and safe operating area for bipolar transistors 86–15130
Zeng Qingyu, Yan Zhonghen The field tests on power system stabilizers for damping low frequency oscillation 87–71586
Zeng Ruirong *see* Shen Hongyuan 87–18951, 87–26355
Zeng Ruirong *see* Ruirong Zeng
Zeng Shurong *see* Fu Chunyin 87–37928
Zeng Tiangliang, Jiang Zhigeng Deposition of CVD BPSG films and its reflow mechanism 86–67693
Zeng Xian-Fu *see* Xian-Fu Zeng
Zeng Xianfu *see* Xianfu Zeng
Zeng Xiang-xin *see* Xiang-xin Zeng
Zeng Xiantang, Shi Zongren, Guo Taichang, Li Guohua Three crystal pair spectrometer 86–11916
Zeng Yong *see* Chen Yu-liu 87–71601
Zeng Yongjian, Qiu Mingxin, Su Genbuo, He Youpin, Huang Bingrong Second harmonic generation with urea crystal by Ar^+ laser light 87–33265
Zeng Yonglian *see* Gu Yuangang 85–29902
Zeng Youngwu, Chen Shaohui, Yao Dianhong, Hu Jie A new type of sealed-off miniature stable UV nitrogen laser 86–3018
Zeng Yu-geng *see* Chen Jian-jun 86–64044, 87–47355
Zeng Yugeng, Liu Jingsheng, Xue Xiangdong Geometric optimization and discrete variables optimization of antenna structures 87–47302
Zeng Yuming *see* Ye Luqing 86–19156
Zeng Zhao-gen *see* Chen Yu-chun 88–42718
Zeng Zhao-hong *see* Liu Bai-yong 85–54767
Zeng Zhaochang The self-tuning prediction of nonstationary time series and its application [load forecasting] 87–50725
Zeng Zhau-Pan Estimate of asymptotic stability region of large-scale systems 88–48452
Zeng Zhongfan *see* Gao Xiangyang 88–61804
Zeng-hai Li *see* Li Zeng-hai
Zeng-huan Yang *see* Yang Zeng-huan
Zeng-huang Liu *see* Liu Zeng-huang
Zeng-qi Yu *see* Die-chi Sun 88–13181
Zeng-qi Yu *see* Yu Zeng-qi
Zeng-qian Yu *see* Yu Zeng-qian
Zeng-Qui Yu *see* Yu Zeng-Qui
Zeng-rong Chen *see* Chen Zeng-rong
Zengel, W. *see* Katz, C. 85–27072
Zenger, M., Schostek, S. SIFERRIT N67—an extremely low-loss power transformer material for frequencies above 200 kHz 86–26111
Zengerink, A.J. Programmable logic opens new perspectives 87–37187
Zengerink, A.J. Programmable logic tentatively applied 87–44739
Zengerink, A.J. Designing digital circuits with a PC-design system 87–52281
Zengerink, A.J. Design in windows [computer-aided electronic engineering] 88–43999
Zengerle, F., Wagner, W. Custom designed liquid crystal display for an electrical stimulation unit 86–70032
Zengerle, R. Light propagation in singly and doubly periodic planar waveguides 88–20407
Zengerle, R., Leminger, O. Tunable wavelength-selective asymmetrical single-mode fibre directional couplers with an intermediate layer 87–25997
Zengerle, R., Leminger, O. Limits on the frequency-selectivity of single-mode fiber directional couplers 88–1977
Zengerle, R., Leminger, O. Wavelength selectivity limits of single-mode fiber couplers 88–7887
Zengerle, R., Leminger, O.G. Optical edge filters made of single-mode fibers 86–22203
Zengerle, R., Leminger, O.G. Wavelength selective directional coupler made of nonidentical single-mode fibers 86–42338
Zengerle, R., Leminger, O.G. Narrow-band wavelength-selective directional couplers made of dissimilar single-mode fibers 88–13821
Zengerle, R. *see* Leminger, O. 87–38740, 87–38780
Zengerle, R. *see* Leminger, O.G. 86–2738, 87–54044
Zengfang Qi *see* Qi Zengfang
Zenggui Chen *see* Chen Zenggui
Zenghai Li *see* Li Zenghai
Zenghuang, L. *see* Qingyu, Z. 86–12318
Zengju Tian *see* Tian Zengju
Zengqi Yu *see* Yu Zengqi
Zengrong Shi *see* Shi Zengrong
Zenguo Chen *see* Chen Zenguo
Zengwei Jin *see* Jin Zengwei
Zengxiu Fan *see* Fan Zengxiu
Zengxue Jiang *see* Jiang Zengxue
Zengyong Liang *see* Liang Zengyong
Zenick, R. *see* Schardt, M. 85–58575
Zenie, A. Colored stochastic Petri nets 86–7647
Zenin, A.G. *see* Gorlin, A.I. 86–32934
Zenin, E.I. *see* Kadochnikov, A.I. 87–16740
Zenisek, A. *see* Feistauer, M. 87–36664
Zenisek, J. *see* Jiru, V. 87–10995
Zenisek, J. *see* Prchal, J. 88–21844

Zeniya, Y. *see* Stewart, T.I. 88–1264
Zenk, W. *see* Emery, W.J. 87–71378
Zenke, N. *see* Fujieda, T. 88–25216
Zenke, W. Alphanumerical station name display 87–49567
Zenkel, D. The control of electrical drives under varying loads 85–27685
Zenkel, D. A new universal testing plant of the laboratory course 'electric drives' 86–52162
Zenker, E.G., Jr. Model creation and validation using bispectral estimation 88–49641
Zenker, U. *see* Zscherpe, G. 87–54453
Zenkevich, V.B., Baev, V.P., Zheltov, V.V. Influence of overheating on losses in superconducting composites 87–67839
Zenkin, S.S. *see* Anfilov, I.V. 88–20477
Zenkov, D.I. *see* Bosamykin, V.S. 88–25850
Zenkov, Yu.V. *see* Chechenin, N.G. 87–67038
Zenkov, Yu.V. *see* Dobrynina, E.S. 87–67039
Zen'kovich, A.V. Measurement extremely small nonlinear distortion of FM waves by transmission networks 88–53847
Zen'kovich, A.V. New method for measuring extremely small nonlinear distortion in FM receivers 88–53848
Zennaki, M. *see* Ros, D. 86–30406
Zennaro, M. Natural continuous extensions of Runge-Kutta methods 86–34251
Zennaro, M. P-stability properties of Runge-Kutta methods for delay differential equations 86–62181
Zennaro, M. Natural Runge-Kutta and projection methods 88–63262
Zennaro, M. *see* Bellen, A. 86–366
Zennaro, P. *see* Medeot, N. 85–21001
Zenner, A. *see* de la Hamette, J. 85–27840
Zenobio, D.De *see* De Zenobio, D.
Zenobio, D.Di *see* Di Zenobio, D.
Zenone, B. *see* Patangia, H.C. 85–17666
Zenoni, A. *see* Balestra, F. 85–37946, 87–63677
Zenoni, A. *see* Bendiscioli, G. 85–26690
Zensen, W., Piciorgros, A., Schieder, R., Winnewisser, G. Acousto-optical spectrometers for the Cologne 3m-radiotelescope 87–20654
Zensen, W. *see* Winnewisser, G. 87–13805
Zensius, D.P., Draher, M., Osbrink, N.K. Device and construction refinements yield first 33 to 50 GHz GaAs FET YTO 87–995
Zensius, D.P., England, M.B., Osbrink, N.K. YIG oscillator and VCO assembly offer 2-GHz to 18-GHz performance 88–38710
Zentai, G. *see* Fustoss-Wegner, M. 88–20492
Zentai, G. *see* Hajto, E. 87–53199
Zentai, G. *see* Kolomiets, B.T. 85–18789
Zentai, Gy. *see* Fustoss-Wegner, M. 88–26952
Zentai, Gy. *see* Hajto, E. 87–25028
Zenteno, L.A. Design of a magneto-optic slab isolator for integrated optics 87–74887
Zenteno, L.A., Avramopoulos, H., New, G.H.C. Detailed analysis of active mode-locking 86–63739
Zentis, A. *see* Brockerhoff, P. 87–71914
Zentsov, V.A., Chupik, R. Fast discrete transforms in bases of piecewise-quadratic functions 87–27389
Zenxin Gui *see* Gui Zenxin
Zenxing Gui *see* Gui Zenxing
Zenyuh, J. *see* Reising, J. 88–68576
Zenyuh, J.P., Mazur, K.M., Reising, J.M., Hickox, J.C. A study of dot matrix display recognition using critical feature enhancement 88–4569
Zenyuh, J.P., Reising, J.M. A comparison of three methods for controlling aircraft systems 87–21733
Zenyuh, J.P., Reising, J.M., McClain, J.E., Barbato, D.J., Hartsock, D.C. Advanced head-up display (HUD) symbology: aiding unusual attitude recovery 88–30116
Zenyuh, J.P. *see* Curry, D.G. 86–12094, 86–70482
Zenyuh, J.P. *see* Opp, R.E., II 88–5067
Zenyuk, E.M. *see* Gurevich, I.D. 85–44500
Zenyuk, E.M. *see* Gutenkov, G.M. 86–45854
Zenyuk, E.M. *see* Kostylev, R.F. 85–44347
Zenzie, H. *see* Knights, M.G. 87–46844
Zenzinov, A.B., Shchetnikov, A.A. Application of the holographic wave-front correction method in interferometry to monitor the shape of reflecting surfaces 85–46498
Zenzo, S.Di *see* Di Zenzo, S.
Zeoli, G.W. The effect of constant velocity error on SAR focus 87–34636
Zeoli, G.W. *see* Sivaswamy, R. 86–43882
Zepei Ren *see* Ren Zepei
Zeper, W.B., Spruijt, A.M.J. Domain size measurements on GdTbFe-based thin-film structures for magneto-optical recording 88–44959
Zepnik, S. Copper-clad epoxy-glass laminates for printed circuit boards of microelectronics 86–67590
Zepp, G., Wick, A., Boubakra, A., Fabre, G., Ritoux, G. Surface microwave propagation of HE$_{11}$ mode 88–66129
Zeppenfeld, K. *see* van Schaik, H. 86–14814, 86–31467
Zeppenfeld, O. *see* Heinrich, W. 86–4468, 86–10953, 87–34426
Zeps, V. *see* Trainor, T.A. 87–3876
Zeps, V.J. *see* Sromicki, J. 87–50107
Zepter, R. *see* Tiedge, W. 88–60405
Zerbe, S. *see* Coumaros, D. 88–48218
Zerbes, H.P. *see* Bischof, H. 87–42912
Zerbes, H.P. *see* Huttenloher, D. 86–33344
Zerbi, M. *see* Ezquerra, N. 88–10336
Zerbian, E., Freitag, R. Electronic overcurrent relays 88–75223
Zerbini, D. *see* Lorenzini, E. 85–48701
Zerbino, L. *see* Rabal, H. 88–66646
Zerdoum, R., Mayet, L., Gavand, M., Laugier, A. Al$_{0.2}$Ga$_{0.8}$As solar cells made by improved liquid phase epitaxy 88–18051
Zerdoum, R. *see* Boyeaux, J.P. 88–18076
Zerdoum, R. *see* Gavand, M. 88–37612
Zerega, A.M. A technology transfer program for a generic research and development program 86–7439
Zerega, P. *see* Cimbrico, P.L. 86–25993
Zerkus, M. Device for quantitative position and motion analysis 88–54486
Zerlaut, G.A. Solar radiometry instrumentation, calibration techniques, and standards 87–29937
Zermizoglou, P. *see* Rancy, F. 87–40796
Zerna, T. RAM-EPROM-Assembly for K1520 87–748
Zerna, W. Engineering education in West Germany in view of the future European market 88–55867
Zernike, F. *see* Barosi, N. 85–7048
Zernike, F. *see* Sewell, H. 85–7069
Zernov, N.N. Reflection of one-dimensional wave field from a half space with conductivity fluctuations 88–2506
Zerobin, F. Interference of the electrical and mechanical design of damper shields in superconducting AC-machines 87–15706
Zerobin, F. *see* Bodner, B. 87–69285
Zerobin, F. *see* Kofler, H. 85–53687, 86–51612, 87–15656, 87–42913 to 42914
Zerobin, F. *see* Telser, E. 87–14589
Zerres, I. *see* Zerres, M.P. 87–27363
Zerres, M.P. Applications of teletext in Germany 87–48518
Zerres, M.P., Zerres, I. Cost analysis for data compression in data banks, with special reference to the process of the German Federal Post Office 87–27363
Zerressen, W. *see* Kraemer, W. 88–5492
Zerubia, J., Alengrin, G., Rix, H. Performance evaluation of an ARMA estimator 88–73078
Zerubia, J., Barlaud, M., Menez, J., Alengrin, G. Improvement of parameter estimation of a non-stationary model: application to noise-corrupted speech signals 88–21153
Zerubia, J. *see* Charbonnier, R. 87–47789
Zervakis, M.E., Vanetsanopoulos, A.N. Design of three dimensional spherically symmetric infinite impulse response digital filters 86–52966
Zervakis, M.E., Venetsanopoulos, A.N. Design of 3-D IIR filters via transformations of 2-D circularly symmetric rotated filters 87–19769
Zervakis, M.E., Venetsanopoulos, A.N. Design of three-dimensional digital filters using two-dimensional rotated filters 88–25331
Zervakis, M.E. *see* Venetsanopoulos, A.N. 86–67402, 88–21364
Zervas, M.N., Giles, I.P. Optical-fiber phase modulator with enhanced modulation efficiency 88–53707
Zervas, M.N., Giles, I.P. Resonant-loop optical fibre phase modulator 88–65256
Zervas, M.N., Kriezis, E.E. Integral formulation for the calculation of the field and the forces in a system of conducting cylindrical shells: a general approach 87–73799
Zervas, M.N., Markatos, S., Giles, I.P. Polarizing beam splitter utilising surface plasmon waves 88–65277
Zervas, M.N. *see* Giles, I.P. 88–74464
Zervas, M.N. *see* Kriezis, E.E. 85–24726
Zervas, M.N. *see* Markatos, S. 88–33609
Zervas, V. *see* Manolakis, D. 87–69218
Zervos, A., Huberson, S., Hemon, A. Three-dimensional free wake calculation of wind turbine wakes 88–48834
Zervos, N., Pasupathy, S., Venetsanopoulos, A. Low complexity maximum likelihood equalizers 85–19306
Zervos, N., Pasupathy, S., Venetsanopoulos, A. The unified decision theory of non-linear equalization 85–41822
Zervos, P. Ein Verfahren zur Langenmessung bewegten Messgutes nach dem Doppler-Effekt (A method for length measuring using the Doppler effect) 85–8961
Zervos, P. Contactless measurement of length 85–64289
Zervos, P. Influence of measuring angle on the length measurement of moving materials by the laser reference beam–Doppler process 86–11695
Zervos, P. Effects of form deviations of the surface on length measurement according to the Doppler effect 86–60351
Zerwekh, W.D. *see* Lucero, J.P. 88–54455
Zes, D. *see* Bass, R.w. 86–10451
Zesch, G., Leminger, O. Calculation of light propagation in two-dimensional dielectric structures using the beam propagation method 88–44323
Zesch, J.C. *see* Biegelsen, D.K. 85–349
Zesheng, C.Chen *see* Chen Zesheng, C.
Zeskind, R.M. *see* Cox, H. 86–16055, 86–68831, 88–3111, 88–8729, 88–27890
Zet, D.Van *see* Van Zet, D.
Zet, G., Gherghel, M., Gherasimescu, E., Rosca, I., Mihai, I. On the photoelectric properties of Al-Chl-Cu system 86–53484
Zet, G., Gherghel, M., Rosca, I., Gherasimescu, E., Mihai, I. Studies concerning the realization of SnO$_x$ thin films for photoconductive devices by means of the liquid phase reaction method 85–44727
Zet, G. *see* Bursuc, I. 85–44726
Zeta, A., Monnet, M. Shell-temperature monitoring provides early warning of damage to cement kilns 86–44450
Zetlen, B. *see* Gage, B. 85–35417
Zetner, P., Becker, K., Westerveld, W.B., McConkey, J.W. Detection of polarized light in the vacuum UV 85–3984
Zeto, R.J. *see* Gann, R.G. 88–33035
Zeto, R.J. *see* Trombetta, L.P. 86–21393, 87–74121
Zeto, R.J. *see* Wilmsen, C.W. 86–2050
Zett, J.A. Evaluating and testing LAN performance 88–9161
Zetta, L. *see* Annunziata, M. 87–3512, 88–695, 88–74261
Zetta, L. *see* Bassini, R. 85–43298, 86–27149
Zettel, J. *see* Gunhold, R. 87–2993, 87–6225
Zettel, L. Checksum more 87–47498
Zetter, M. *see* Labs, W. 87–56794
Zetterberg, B. The TV-conference idea and its realisation 86–17661
Zetterberg, L.H., Johansson, A. Approximation of recursively estimated AR-parameters for speech encoding 87–2498
Zetterberg, L.H. *see* Carlsson, S. 85–13634
Zetterberg, L.H. *see* Johansson, A. 86–10443
Zettergren, J. Electron beam lithography: customised gate arrays fast 87–32594
Zetterlund, B., Steckl, A.J. Low-temperature operation of silicon surface-channel charge-coupled devices 87–32527
Zetterquist, N. *see* Fuhs, C. 87–5495
Zetterquist, N.E. *see* Ray Chiu, K.C. 87–59002
Zetti, F. *see* Apollinari, G. 87–21436, 87–29489, 88–22966
Zetti, F. *see* Bedeschi, F. 86–50310, 88–48021
Zetti, F. *see* Bertolucci, S. 88–47987
Zettl, F. *see* Anthony, I. 86–32209
Zettl, F. *see* Kellie, J.D. 86–18262
Zettl, G. *see* Prohaska, B. 86–23749
Zettl, G. *see* Winkelmann, R. 87–48765
Zettl, H. Professional video camera KCF-1 of Bosch. Studio quality–any situation 85–20338
Zettl, H. *see* Reimers, U. 87–56363
Zettl, H.F. *see* Reimers, U.H. 85–52473
Zettler, C. RF systems for accelerators 88–4730
Zettler, C. *see* Schelten, J. 86–5663
Zettler, J., Sud, R. Extension of thermocouple gauge sensitivity to atmospheric pressure 88–74354
Zettler, T., Kotthaus, J.P. Characterisation of the charge density modulation in periodic MOS structures by plasmon spectroscopy 88–39160
Zettler, Z. *see* Alefeld, B. 86–5737
Zetzmann, W. VHF mini-stereo receiver 87–49260
Zetzmann, W. *see* Badenius, E. 88–22587
Zetzmann, W. *see* Schuylenburg, J.A. 85–47655
Zetzsche, A. *see* Heinig, K.-H. 86–28172
Zetzsche, A. *see* Panknin, D. 86–41662
Zeuch, W.R. *see* Wang, C.Y. 86–6552
Zeumer, A. High and low power relays in the electronic age 85–11634
Zeumer, A. Motor contactors of modular design 85–21738
Zeumer, A. Contactors and relays for industrial processes 85–65374
Zeungnam Bien *see* Il Hong Suh 86–12866
Zeungnam Bien *see* Jae-Yong Lee 87–78458
Zeungnam Bien *see* Jee Hong Kim 88–11051
Zeungnam Bien *see* Young Gill Kim 88–43685
Zeuthen, A.W. Welding nuclear plant components 87–22084
Zeveke, T.A., Babushkina, T.S., Nikolaeva, L.E., Rubtsova, R.A., Gudkova, N.V., Abrosimova, L.N., Tolomasov, V.A., Zotova, T.M. Effect of growth conditions on the structure of GaAs layers in the OM-hydride process 86–420
Zeveke, T.A. *see* Babushkina, T.S. 85–10727
Zevelev, V.L. *see* Ananishnov, V.V. 86–16673
Zevenbergen, L.A. *see* Aaron, W.S. 85–59125
Zewen, H. *see* Moustafa, S.M.A. 85–60081
Zewu Yao *see* Yao Zewu
Zexiang Chu *see* Chu Zexiang
Zexuan Zhou *see* Zhou Zexuan
Zeyen, C.M.E., Rem, P.C., Hartmann, R.A., van de Klundert, L.J.M. Optimal neutron Larmor precession magnets 88–68307
Zeyi Wang *see* Wang Zeyi
Zeylmans, M.C.S. *see* Blok, H. 88–27482
Zeyun He *see* He Zeyun
Zeze, M. *see* Taniguchi, H. 86–64682
Zezelj, R. CAD of outdoor lighting 85–32790
Zezheng Li *see* Li Zezheng
Zezulka, Z. *see* Roubicek, O. 85–16285, 87–79266

Zezyul'kin, G.G. Analysis of circuits with piecewise-sinusoidal amplitude modulation [linear circuits] 85−61053
Zezyul'kin, G.G., Fomin, A.P. Analysis of transients in electrical networks under piecewise sinusoidal actions [thyristor convertor networks] 85−32598
Zezyul'kin, G.G., Vasilevskii, S.I. Analysing the transient and steady-state processes in thyristor converter circuits having piecewise-sinusoidal output voltages 86−52666
Zez'yulkin, G.G., Vasilevskii, S.I., Ignatov, V.D. Application of composite switching functions for the study of pulse networks with cyclic changes of the interrupt frequency 86−34498
Zezza, L.J. Steam generator nozzle dam system 86−25798
Zgaga, L. *see* Derzanic, F. 86−4403
Zgliczynski, J.B. *see* Giegler, D.P. 86−33018
Zglinski, K. *see* Au, A. 85−39151
Zgodinski, T. *see* Dabrowski, M. 85−21647
Zgodzinski, T. *see* Dabrowski, M.I. 88−17548
Zguladze, M.G. *see* Avakov, S.N. 85−46183
Zguris, G.C. Composite/flexible laminates: the future of electric insulation 85−29387
Zguris, G.C., LaPlante, J.B. Thermal aging of inorganic insulation—what is really important? 86−42019
Zguris, G.C., Winkeler, M. Testing for motorette construction variations 88−37244
Zgursky, A.V. *see* Bozhko, A.A. 88−33462
Zgutka, S. *see* Szlendak, J. 85−33547
Zha, M.Z., Gunter, P. Nonreciprocal optical transmission through photorefractive KNbO$_3$:Mn 85−35884
Zha, M.Z. *see* Gunter, P. 86−3297
Zha, X. *see* Oelmann, J. 86−44482
Zha Hongkui *see* Chen Zhaogu 86−15738
Zha Hongkui *see* Cheng Zhaogu 85−12781
Zha Hongkui *see* Gutu, I. 86−22274, 86−48321
Zha Kaide *see* Guo Yili 88−22097
Zha Qiang-zhong Exact design of switched-capacitor filters using signal-flow graphs and two-integrator-loop 86−1217
Zha Xueqin *see* Xueqin Zha
Zha Ziying, Wang Shoushan, Wu Fang, Chen Guolong, Li Yuanfang, Zhu Jianhuan Measurement of extremely low level dose with LiF(Mg,Cu,P) TL chips 87−50461
Zhabeev, V.P., Karpenko, V.A., Krotevich, V.A. Digital regulator based on the K580IK80 microprocessors 86−67241
Zhabeev, V.P. *see* Nurzhanov, B.G. 88−17336
Zhabko, G.P., Lykova, T.A., Petrov, V.V., Fedorova, V.V. Semiconducting coatings for the stator windings of high-voltage electric machines 87−58005
Zhabo, V.V., Gavrilov, A.F., Fedechkina, E.L. Influence of the components of fuel on SO$_2$ content in flue gases of power boilers 85−48850
Zhabo, V.V. *see* Volkov, E.P. 85−43711
Zhabotinksii, M.E. *see* Aleksandrov, I.V. 85−18710
Zhabotinski, M.E. *see* Lapides, A.A. 85−46939
Zhabotinskii, M.E., Lapides, A.A. Investigation of accuracy of coherent optics spectral analysis of signals by a shade graphics method 85−2787
Zhabotinskii, M.E. *see* Aleksandrov, I.V. 85−41165
Zhabotinskii, V.A. *see* Belenov, E.M. 85−61893
Zhabrovskii, A.V. *see* Sagirov, Kh.N. 85−39381
Zhadan, L.I. *see* Demin, N.S. 85−7876
Zhadan, S.Z. *see* Shchetinina, N.A. 88−24278
Zhadanov, A.V. *see* Leonov, B.I. 85−49614
Zhad'ko, I.P., Kozlovskii, S.I., Romanov, V.A. Transverse Dember effect in semiconductors with an inhomogeneous anisotropy of the electrical conductivity 86−58226
Zhad'ko, I.P., Romanov, V.A., Serdega, B.K., Mikhailenko, I.V. Differential strain gauge transistor 87−67224
Zhad'ko, I.P. *see* Boiko, I.I. 86−21097, 86−47280
Zhaglo, V.P. *see* Bondarenko, B.N. 88−919
Zhai, H.-C. *see* Jager, D. 87−46968
Zhai, H.C., Iyechika, Y., Jager, D. Increasing absorption bistability in hybrid silicon devices and the control of the characteristics 88−65846
Zhai, H.R. *see* Xu, Y. 85−24094
Zhai, Z.C., Huang, H.X., Jiang, G.X., Luo, W.H., Lu, J.F., Lin, C.F. The new generation of hydrogen maser at Shanghai Observatory 88−20526
Zhai Peng-Ji *see* Kang Tie-Sheng 87−71030
Zhai Pengji, Kang Tiesheng The effect of swelling on the determination of bulk etching rate by fission fragment track diameter 86−11859
Zhai Pengji, Kang Tiesheng Determination of trace uranium in atmospheric precipitation in the Xiangjiang River valley 86−11907
Zhai Pengji *see* Huang Maorong 86−11858
Zhai Pengji *see* Kang Tiesheng 86−11869
Zhai Xiao-ming *see* Hu Yong-nian 85−53136
Zhai Xingyao *see* Xingyao Zhai
Zhai Zao-Cheng, Zhuang Qi-Xiang, Huang Hang-Xiang, Kou Wen-Wei, Du Xiu-Feng A brief introduction to the atomic time and frequency standards at Shanghai Observatory 85−58913
Zhainakov, A.Zh. *see* Mechev, V.S. 85−5575, 85−16478, 85−32844
Zhakhov, V.V. *see* Nesterova, Z.V. 88−1933
Zhakhov, V.V. *see* Petrun'kin, V.Yu. 86−36217
Zhakov, S.V. *see* Kuleev, V.G. 88−485
Zhalilov, F.Kh. *see* Bogatenkov, I.M. 87−43168
Zhalman, M. *see* Firago, B.I. 86−61762
Zhalyaletdinova, V.K. *see* Flos, S.L. 86−39522
Zhammova, V.I. *see* Savitskii, E.M. 85−12513
Zhamsueva, G.S. *see* Chimitdorzhiev, N.B. 88−8471
Zhamsuyeva, G.S. *see* Chimitdorzhiyev, N.B. 88−14389
Zhan, J. *see* Xu, X.-L. 88−50688
Zhan Chen, Wei Chen, Jia-biao Zheng, Wen-chen Wang, Zhi-ming Zhang Surface enhanced SHG study on Langmuir-Blodgett mono-molecular layers 85−56810
Zhan Chen, Yajun Liu, Wencheng Wang, Jiabiao Zheng, Zhiming Zhang Optical sum-frequency generation in transmission with two counter-propagating SPWs 86−58963
Zhan Dejian *see* Zheng Yongwu 85−29746
Zhan Ji-deng *see* Chen Zhong-mou 88−39497
Zhan Jianzhong *see* Dong Xiaoyi 88−72015
Zhan Juan *see* Li Hui 88−12916
Zhan Qianbao *see* Mo Peigen 87−6374
Zhan Qingsu *see* Dang Jianwu 88−41330
Zhan Ting-xiong *see* Liu Ding-yuan 85−16881
Zhan Wen-long, Zhang Zhen, Shen Wen-qing, Zhu Yong-tai, Feng En-pu Large area parallel plate avalanche counter for time-of-flight measurement 88−47975
Zhan Yuan-ling *see* Yuan-ling Zhan
Zhan Zhonghui *see* Zhou Qingchang 86−56348
Zhan-Fu Sun *see* Sun Zhan-Fu
Zhan-Ming Li, Sullivan, B.T., Parsons, R.R. Use of the 4×4 matrix method in the optics of multilayer magnetooptic recording media 88−45230
Zhan-Qing Zhu *see* Zhu Zhan-Qing
Zhanaev, Ts.T. Increasing the reliability and carrying capacity of the overhead transmission lines of a power system 88−30398
Zhang, B., Forouhar, S., Huang, S.Y., Chang, W.S.C. C_2F_6 reactive ion-beam etching of LiNbO$_3$ and Nb$_2$O$_5$ and their application to optical waveguides 85−7284
Zhang, B., Zhang, D., Fan, L. Investigation on applied voltage ratio of metal oxide surge arrester 88−69071
Zhang, B. *see* Bai, J. 88−68880
Zhang, B. *see* Marshall, E.D. 87−74108
Zhang, B. *see* Pai, C.S. 85−34888
Zhang, B. *see* Ray, A.E. 88−51195
Zhang, B. *see* Wang, X. 88−68822
Zhang, B.L. *see* Luo, J.Y. 88−68812
Zhang, C. Universal logic gate transmission gate array 86−884
Zhang, C. An improvement for Domino CMOS logic 87−67318
Zhang, C. *see* Bai, J. 88−68880
Zhang, C. *see* Fan, L. 88−69072
Zhang, C. *see* Liu, R. 85−35294
Zhang, C. *see* Tzoar, N. 85−55538
Zhang, C. *see* Ullrich, B. 88−58339
Zhang, C. *see* Yu, J. 85−22617
Zhang, C.-J. *see* Kao, C. 87−14414, 88−16373
Zhang, C.-N., Irwin, M.J. A mesh-connected VLSI design for binary addition 85−17587
Zhang, C.-N. *see* Yun, D.Y.Y. 87−66454
Zhang, C.H. *see* Callcott, T.A. 87−21511
Zhang, C.N., Martin, H.L., Yun, D.Y.Y. Parallel algorithms and systolic array designs for RSA cryptosystem 88−70851
Zhang, C.N., Yun, D.Y.Y. Multi-dimensional systolic networks for discrete Fourier transform 85−17339
Zhang, C.N. *see* Shirazi, B. 88−50123
Zhang, C.N. *see* Yun, D.Y.Y. 86−1185, 86−27261
Zhang, C.Q. *see* Li, H.J. 87−47211
Zhang, C.S. *see* Ji, B.H. 86−7124
Zhang, D. Perspective invariant description of planar point sets and their application in matching 87−48227
Zhang, D., Nakanishi, H., Sanada, H., Tezuka, Y. On the SPE routing algorithm with estimated message and varying updating interval for computer networks 86−4315
Zhang, D., Shui, Y.A., Wu, W.Q. Untuned low insertion loss surface leaky wave filter 85−50818
Zhang, D., Zhang, Y. The absorption character of ferrite-ceramic complex material 87−75359
Zhang, D. *see* Lu, M. 88−853
Zhang, D. *see* Wang, R. 86−9885
Zhang, D. *see* Yin, J.H. 88−51141
Zhang, D. *see* Zhang, B. 88−69071
Zhang, D.-K. *see* Parker, D.L. 85−23892
Zhang, D.-P. *see* Li, Z.-R. 85−36427
Zhang, D.-Q. *see* Hu, H.-X. 86−13089
Zhang, D.H., Haneman, D. Origin of field-enhanced conductivity in amorphous hydrogenated silicon 88−25897
Zhang, D.H. *see* Haneman, D. 87−38906
Zhang, D.L. *see* Zhou, J.H. 88−64266
Zhang, D.Y., Tschu, K.K. Propagation of electromagnetic pulse with a Gaussian envelope through an inhomogeneous anisotropic plasma layer 87−68789
Zhang, D.Z., Li, C.C. An image filtering algorithm based on selective averaging by hypothesis testing 85−30394
Zhang, E. On the magnetron cathode 87−1134
Zhang, E., Lou Huazhou, Jin Zengwei, Liu Fengming Three-dimensional surface asperities parameters and their evaluation 88−53860
Zhang, E. *see* Cheng, N. 88−54330
Zhang, E. *see* Yu, S. 86−70690
Zhang, E.Q., You, Y.X., Cheng, Y.J., Cai, W.H. A pressed multi-layer nickel matrix cathode 85−50143
Zhang, F. *see* Gutman, I. 87−179
Zhang, F.-Q. *see* Chen, G.-H. 85−23470
Zhang, F.L. *see* Meng, X.Y. 88−15666
Zhang, F.O., Zhang, Y.F., Liu, Z., Chen, G.H. A study of electroluminescence in a-Si$_{1-x}$C$_x$:H and a-Si:H devices with various structures 88−26963
Zhang, F.S., Hu, S.C., Huang, X., Zhu, X.G., Zhang, S.J., He, S.W. Improvement of quantum efficiency at short wavelengths in a high-low junction emitter silicon solar cell made by diffusion 87−4922
Zhang, F.Y. *see* Han, Y.S. 86−48535
Zhang, G. On-line network constrained reactive power control using an incremental reactive current model 86−70628
Zhang, G. *see* Li, T. 88−68751
Zhang, G. *see* Shi, L. 88−68895
Zhang, G. *see* Xu, Y. 88−57997
Zhang, G.-C. *see* Kao, C. 87−14414, 88−16373
Zhang, G.-M., Zhao, F.-Z. Generalized injected voltage method for the establishment of multidecade inductive voltage divider standard 87−49864
Zhang, G.C. *see* Wu, Z. 88−32856
Zhang, G.C. *see* Zhang, H.K. 88−51665
Zhang, G.F., Li, H.J. Analytical model for effective medium temperature and its application 86−64000
Zhang, G.F. *see* Li, H.J. 86−64005, 87−47211
Zhang, H., Bourquin, J.J., Zhengwen Chi A program for the DC nonlinear analysis of bipolar circuits using a personal computer 86−57578
Zhang, H., Kanoh, H., Sugiura, O., Oda, S., Uchida, Y., Hattori, T., Matsumura, M. Normal-pressure and low-temperature thermal oxidation of silicon 88−26077
Zhang, H., Matsumura, M. A-Si MOS FET with native-oxide gate grown by normal-pressure and low-temperature thermal-oxidation method 88−44773
Zhang, H., Niu, F., Feng, K. Calculation of the natural resonances of a vertical rod over the imperfect ground 88−2683
Zhang, H. *see* Bond, L.J. 88−42703
Zhang, H. *see* Foner, S. 85−46045
Zhang, H. *see* Niu, H. 86−5088
Zhang, H. *see* Okada, H. 87−11800
Zhang, H. *see* Tang, W. 86−67771
Zhang, H. *see* Uchida, Y. 86−67881, 88−1548
Zhang, H. *see* Wang, J. 87−68493
Zhang, H. *see* Yan, L. 88−65057
Zhang, H. *see* Zheng, P. 87−61739
Zhang, H.K., Pan, D.C., Wen, J.-X. IR photoconductivity of β-CuPc/poly (NVK-BMA) 88−26962
Zhang, H.K., Yang, P.J., Yi, Y.Z. The morphological effect of uniaxially-stretched PI films on their conductivity and dielectric losses 87−25624
Zhang, H.K., Yin, W.J., Pan, D.C., Jin, X.F., Zhang, G.C., Min, S.G. Photoconductivity of PVK-ZnO(RhB) system 88−51665
Zhang, H.K., Yu, J., Tang, W.L. Investigation of mobile ions in polyimide films using MPOS structures 85−40554
Zhang, H.L. *see* Maloney, C.E. 85−55351
Zhang, J., Barton, T.H. Microprocessor based primary current control for cage induction motor drive 87−78680
Zhang, J., Fujimori, H., Inoue, A., Masumoto, T. Specific heat behaviour on soft magnetic thick amorphous ribbons of an Fe-B-Si alloy 88−64904
Zhang, J., Haken, H., Ohno, H. Self-pulsing instability in inhomogeneously broadened traveling-wave lasers 85−24608
Zhang, J., Liu, L. Optical logical operation and moire pattern 88−51637
Zhang, J., Liu, X.L. Some calculations of the resonator in the INR cyclotron 86−31983
Zhang, J., Modestino, J.W. A model-fitting approach to cluster validation with application to stochastic model-based image segmentation 88−66747
Zhang, J., Neave, J.H., Dobson, P.J., Joyce, B.A. Effects of diffraction conditions and processes on RHEED intensity oscillations during the MBE growth of GaAs 87−44309
Zhang, J. *see* Cui, X. 88−54166
Zhang, J. *see* Gardner, R.P. 86−32171
Zhang, J. *see* Joyce, B.A. 85−40440, 88−31725
Zhang, J. *see* McCammon, D. 86−50329, 88−36396
Zhang, J. *see* Moseley, S.H. 88−61205
Zhang, J. *see* Zao, X. 85−59068
Zhang, J.-G., Zhu, M.-D. Lubricant testing for electronic connectors 88−12698

Zhang, J.-N. *see* Kang, H.-G. 88−61325
Zhang, J.F. *see* Fang, M.T.C. 86−26234, 87−22649
Zhang, J.P. *see* Harith, M.A. 85−49549
Zhang, J.Q. *see* Lei, X.L. 86−47347, 86−67734, 87−37956
Zhang, J.T. *see* Han, S.K. 87−26755
Zhang, K. A computerized two-channel telemetry arrhythmia monitor 86−60798
Zhang, K. *see* Chen, Z. 86−38371
Zhang, K. *see* He, H. 85−46017
Zhang, K. *see* Shi, C. 88−24894
Zhang, K.-C. *see* Fei, Z.-S. 87−14384
Zhang, K.J. *see* Horne, C.J. 85−53074
Zhang, K.Q. *see* Li, D.J. 86−6170
Zhang, L. Designing a new architecture for packet switching communication networks 88−8890
Zhang, L. Comparison of two bridge routing approaches 88−52868
Zhang, L., Chandler, P.J., Townsend, P.D. Ion-implanted planar waveguides in barium sodium niobate 88−72083
Zhang, L., Xu, C. A criterion for breakdown mechanism on surface of the high-voltage silicon p^+pnn^+ junctions 86−67741
Zhang, L. *see* Boning, K. 85−64445
Zhang, L. *see* Chandler, P.J. 88−65290
Zhang, L. *see* Clark, D.D. 88−59349
Zhang, L. *see* Glavas, E. 88−58196
Zhang, L. *see* Thomopoulos, S.C.A. 88−72943
Zhang, L. *see* Wang, L. 88−51629
Zhang, L.C., Cheung, S.K., Liang, C.L., Cheung, N.W. Thermal stability and barrier height enhancement for refractory metal nitride contacts on GaAs 87−37968
Zhang, L.C., Cheung, S.K., Liang, C.L., Cheung, N.W. Shannon contact formation on GaAs with interfacial nitrogen incorporation 88−32921
Zhang, L.C., Liang, C.L., Cheung, S.K., Cheung, N.W. Refractory metal nitride rectifying contacts on GaAs 88−25966
Zhang, L.C. *see* Wu, X.W. 87−32320
Zhang, L.S. A possible mechanism of the self quenching streamer mode 86−60605
Zhang, M., Garmire, E.M. Single-mode fiber-film directional coupler 87−46478
Zhang, M. *see* Adesida, I. 85−18201
Zhang, M. *see* Qiu, Y. 87−18397, 87−25672
Zhang, M.C. *see* Haralick, R.M. 85−57539
Zhang, M.C. *see* Lee, S.J. 85−46887
Zhang, M.C. *see* Qiu, Y. 87−53769
Zhang, N., Ito, H., Inaba, H. Bandwidth-limited, single longitudinal mode ps optical pulse generation from a strongly Re-modulated distributed feedback GaInAsP diode laser at 1.54 μm 88−41623
Zhang, N., Mori, S. Improved digital phase-locked loop with rotational frequency comparator 85−22729
Zhang, N., Onodera, N., Ito, H., Inaba, H. Bandwidth-limited, single-longitudinal-mode, ultrashort optical pulse generation by a strongly RF-modulated, distributed Bragg reflector InGaAsP diode laser at 1.3 μm 87−13695
Zhang, N., Terukina, A., Ito, H., Inaba, H. Compression of picosecond optical pulses from a strongly RF modulated InGaAsP DBR diode laser using a Gires-Tournois interferometer 88−45530
Zhang, P.X., Wu, X.W., Yao, J., Wong, S.K., John, P.K., Tong, B.Y. Hydrogenation of low-pressure chemical-vapor-deposition silicon thin films 88−25873
Zhang, Q. A sequence of diagnosis and repair for a 2-state repairable system 87−58710
Zhang, Q. Entropy-based receiver for detection of random signals 88−73122
Zhang, Q., Cheng, J. The technique of slow motion display and its application on ultrasonic diagnosis 88−48139
Zhang, Q., Fukuoka, Y., Itoh, T. Analysis of a suspended patch antenna excited by an electromagnetically coupled inverted microstrip feed 85−62889
Zhang, Q., Fukuoka, Y., Itoh, T., Su, L. Analysis of a suspended patch antenna excited by an electromagnetically coupled inverted microstrip feed 85−13278
Zhang, Q., Itoh, T. Analysis of waveguide scattering problems by the spectral domain method 86−64033
Zhang, Q., Itoh, T. Spectral-domain analysis of scattering from E-plane circuit elements 87−37510
Zhang, Q., Itoh, T. Analysis and design of evanescent mode waveguide filter with non-touching E-plane fins 88−25309
Zhang, Q., Itoh, T. Computer-aided design of evanescent-mode waveguide filter with nontouching *E*-plane fins 88−32389
Zhang, Q., Mei, Q. Reliability analysis for a real non-coherent system 88−6320
Zhang, Q. *see* Fukuoka, Y. 85−40862, 85−51467
Zhang, Q. *see* Hayashi, T. 87−79221
Zhang, Q. *see* Pitchumani, V. 87−74354
Zhang, Q. *see* Tzuang, C.-K. 87−6010
Zhang, Q.-J. *see* Bandler, J.W. 86−40869, 88−25439
Zhang, Q.-T., Haykin, S. Radar clutter suppression schemes 85−14355
Zhang, Q.-T. *see* Haykin, S. 88−3101
Zhang, Q.F., Sumiyoshi, F., Irie, F., Yamafuji, K. A trial fabrication of a system for measuring losses in superconducting cables by using a race-track magnet 85−15621
Zhang, Q.F., Sumiyoshi, F., Nagaishi, H., Irie, F., Miyahara, K., Yamafuji, K. Eddy-current loss in a fully-stabilized multifilamentary superconducting wire 85−29485
Zhang, Q.J. *see* Bandler, J.W. 85−40221, 86−46509, 86−62375, 87−73664, 88−70499, 88−71051
Zhang, Q.L. *see* Hu, J.K. 88−23204
Zhang, Q.L. *see* Hutchins, D.A. 88−56363
Zhang, Q.T., Yip, P. On the use of X^2-test in signal detection 87−61993
Zhang, Q.T. *see* Wong, K.M. 88−73126
Zhang, Q.Z., Kozicki, M.N., Schroder, D.K. The effects of nonuniform oxide thickness on MOSFET performance 88−64573
Zhang, Q.Z., Schroder, D.K. A new long-channel MOSFET model 87−74325
Zhang, R., Guan, G. A study on the differences between the flashover voltages of contaminated insulators under AC and DC voltages 86−68043
Zhang, R. *see* Du, S. 87−27111
Zhang, R. *see* Ko, W.H. 88−68484
Zhang, R. *see* Liu, G. 87−27112
Zhang, R. *see* Zhao, T. 88−69030
Zhang, R.-H. Microstrip CP antenna for dual frequency bands operation 87−33527
Zhang, R.-H. Terminal microstrip dual frequency CP antenna 87−45206
Zhang, R.R. A large aperture calibration source for remote sensors 87−14584
Zhang, S., Kinto, H., Yatabe, T., Iida, S. Nitrogen and phosphorus doping in ZnS layers grown by vapor phase epitaxy on GaAs substrates 88−31783
Zhang, S. *see* Grossinger, R. 88−57991
Zhang, S. *see* Liu, E. 88−37445
Zhang, S. *see* Wei, L. 87−71409
Zhang, S. *see* Zhou, J. 87−1864
Zhang, S.-C., Yan, S. A large-orbit nonwiggler free-electron laser 88−2304
Zhang, S.-L., Ostling, M., Niemi, E., Norstrom, H., Petersson, C.S. Selective LPCVD-W deposition on silicides 88−26104
Zhang, S.-Q. *see* Xie, H.-L. 87−4918
Zhang, S.-Y. On solving the polynomial diophantine equation 85−54230
Zhang, S.-y. *see* Liu, C.-y. 88−42731
Zhang, S.B., Cohen, M.L., Louie, S.G. Structural and electronic properties of the Al-GaAs(110) interface 86−67751
Zhang, S.B. *see* Grosskopf, G. 88−34102
Zhang, S.F. *see* Sun, D. 88−66110
Zhang, S.H. *see* Guo, Y.Q. 88−40792
Zhang, S.J., Humphrey, F.B. Effects of helium ion double implantation on CD bubble device 85−50853
Zhang, S.J. *see* Zhang, F.S. 87−4922
Zhang, S.K. *see* Shih, I. 85−49587, 86−57463
Zhang, S.L. *see* Houdre, R. 88−1377
Zhang, S.N. *see* Ramsden, D. 88−54416
Zhang, S.R., Wang, W.Y. The inverse electromagnetic scattering of inhomogeneous lossy dielectric slabs 88−2549
Zhang, S.W., Hu, A., Shen, Q., Yuan, X.Y., Lu, Z.N., Feng, D. SAW velocity of Nb/Cu superlattices measured by ultrasonic technique 88−54816
Zhang, S.Y. *see* McNerney, A. 87−41812
Zhang, S.Y. *see* Yang, K.H. 87−56840, 88−53882
Zhang, S.Y. *see* Ying, C.F. 86−13879
Zhang, S.Y. *see* Zhou, M.L. 87−14709
Zhang, T., Jiang, D. Selective stimulation in a nerve trunk and its application in urology 88−54602
Zhang, T.J. Experimental study of electrical properties at the Nd-doped Si-SiO_2 interface 87−53295
Zhang, T.J., Li, S.Y. Electrical properties at the Nd-doped Si-SiO_2 interface 87−67016
Zhang, T.J. *see* Li, S.Y. 85−40543
Zhang, T.R. *see* Downer, M.C. 87−46667
Zhang, W. An analytical solution of the Fokker-Planck equation in the phase-locked loop transient analysis 87−65938
Zhang, W. Lightning incoming surge protection scheme and insulation coordination for 500 kV GIS substation 88−69654
Zhang, W., Derin, H., Kelly, P.A. A study of relationships between Markov-type random process models 87−51950
Zhang, W., Wu, Z. Application and development of epoxy mica paper insulation of resin-rich tape in large generators 86−70847
Zhang, W. *see* Kuo, W. 88−31547
Zhang, W. *see* Li, Z. 87−6139
Zhang, W. *see* Pandit, S.M. 87−4080
Zhang, W. *see* Shampine, L.F. 88−43841
Zhang, W. *see* Y, Y.-N. 88−69155
Zhang, W.-R. *see* Wu, J.-Y. 88−63161
Zhang, W.-X., Bo, Y.-M. Pattern synthesis for linear equal-spaced antenna array using an iterative eigenmodes method 88−52295
Zhang, W.A. *see* Chen, Y.X. 85−62703
Zhang, W.Z. *see* Gruebler, W. 86−55965
Zhang, W.Z. *see* Schmelzbach, P.A. 87−3855, 87−8815
Zhang, X. The general equations of IR systems' acquisition and tracking range 88−29466
Zhang, X., Fang, J., Mei, K.K., Liu, Y. Calculations of the dispersive characteristics of microstrips by the time-domain finite difference method 88−34374
Zhang, X., Freyer, J. High-efficiency single-drift GaAs IMPATT diodes for 72 GHz 85−1026
Zhang, X., Freyer, J., Weimann, G., Schlapp, W. MBE GaAs Impatt diodes with reduced drift region for MM-wave frequencies 85−11560
Zhang, X., Kanno, A. On the preventive maintenance cycle of the alarm device with consideration of operational data 87−65149
Zhang, X., McCall, D.L. Current modeling of alpha-particle induced soft errors in bipolar memories 88−12382
Zhang, X., Mei, K.K. Time-domain finite difference approach for the calculation of microstrip open-circuit end effect 88−72605
Zhang, X. *see* Fang, J. 88−917
Zhang, X. *see* Jin, L. 87−23124
Zhang, X. *see* Meng, Y. 86−62269
Zhang, X. *see* Striffler, C.D. 88−54204
Zhang, X. *see* van der Ziel, A. 87−1488
Zhang, X. *see* Xu, M. 86−68020
Zhang, X.-C., Chang, S.-K., Nurmikko, A.V., Kolodziejski, L.A., Gunshor, R.L., Datta, S. Time-resolved exciton recombination in $CdTe/Cd_{1-x}Mn_xTe$ multiple quantum wells 85−55516
Zhang, X.-C., Jain, R.K. Measurement of on-chip waveforms and pulse propagation in digital GaAs integrated circuits by picosecond electro-optic sampling 86−27174
Zhang, X.-C., Jain, R.K. Analysis of high speed GaAs ICs with electro-optic probes 88−39630
Zhang, X.-C. *see* Jain, R.K. 87−32096
Zhang, X.-C. *see* Kolodziejski, L.A. 86−8825
Zhang, X.-D., Takeda, H. An approach to time series analysis and ARMA spectral estimation 87−75798
Zhang, X.-H. *see* Hu, H.-X. 86−13089
Zhang, X.-J. *see* Cheng, H. 85−34627
Zhang, X.-Z. *see* Liu, Y.-F. 88−75752
Zhang, X.D. *see* Wang, J.F. 87−2611
Zhang, X.J. *see* Jiang, W.D. 88−63343
Zhang, X.N., van der Ziel, A. Test for the presence of injection-extraction and of Umklapp quantum 1/f noise in the collector of silicon transistors 86−63262
Zhang, X.N., van der Ziel, A., Morkoc, H. Location of 1/f noise source in bipolar transistors 86−67849
Zhang, X.N. *see* Zhu, X.C. 85−6897, 85−50548
Zhang, X.Y. *see* Ching-Ray Chang 88−51292
Zhang, X.Y. *see* Wu, P.H. 88−13719 to 13720, 88−26719
Zhang, X.Z. *see* Minassian, V. 87−27109
Zhang, Y., Cai, L. Rainbow holographic image reconstructed by spatial extended white light source 85−56850
Zhang, Y., Gao, G.Z., Wang, Z.K., Wang, X.Y., Qiao, X.F., Zhao, B.Z. A superconducting magnet system for the gyrotron 86−42195
Zhang, Y., Grant, C.L., Russell, R., Zhujun, Z., Ma, W., Seitz, W.R., Sundberg, D. Polyvinyl alcohol as a matrix for indicators for fiber optic chemical sensors 88−53714
Zhang, Y., Hirasawa, K., Fujimoto, K. Opened parasitic elements nearby a driven dipole 86−64054
Zhang, Y., Hirasawa, K., Fujimoto, K. Signal bandwidth consideration of mutual coupling effects on adaptive array performance 87−54733
Zhang, Y., Hirasawa, K., Fujimoto, K. Analysis of power inversion adaptive array performance by moment method 88−72703
Zhang, Y., Joines, W.T. Some properties of T-septum waveguides 87−66471
Zhang, Y., Joines, W.T. Attenuation and power-handling capability of T-septum waveguides 87−75493
Zhang, Y., Qu, M., Webster, J.G., Tompkins, W.J. Impedance cardiography for ambulatory subjects 86−56148
Zhang, Y., Qu, M., Webster, J.G., Tompkins, W.J., Ward, B.A., Bassett, D.R., Jr. Cardiac output monitoring by impedance cardiography during treadmill exercise 87−21563
Zhang, Y., Qu, X. Thermal oxidation and stability of thin manganese films 88−63385
Zhang, Y., Wang, S. Solution of finite-element for the aperture field of cut-corner quadrate horn 86−43041
Zhang, Y., Wu, Y., Ren, C., Fu, X., Chen, G. A reactive ion beam etching and coating system 85−34844
Zhang, Y. *see* Bai, Y. 86−68023
Zhang, Y. *see* Edelstein, R.M. 87−41839
Zhang, Y. *see* Gao, G. 88−68898
Zhang, Y. *see* Han, S. 88−69718

Zhang, Y. *see* Qu, M. 87−21562
Zhang, Y. *see* Shao, K. 88−26694
Zhang, Y. *see* Song, C. 88−69065
Zhang, Y. *see* Zhang, D. 87−75359
Zhang, Y. *see* Zou, J.Y. 86−51932
Zhang, Y.-C., Chiang, D.T. Convex dynamic programming and its applications to hydroelectric energy [hydroelectric power stations] 85−60057
Zhang, Y.-F. *see* Chen, G.-H. 85−23470
Zhang, Y.-N. *see* Wu, Y.-L. 87−14550
Zhang, Y.-X. Two kinds of 'blueward shift' in the NEP spectral curves of InSb detectors 85−47976
Zhang, Y.-X. *see* Shen, L.C. 88−16887
Zhang, Y.-Z. Indirect synthesis of stable binary sequences 85−720
Zhang, Y.D. *see* Liao, C. 86−9455
Zhang, Y.D. *see* Liu, Z.Z. 87−15890
Zhang, Y.F. *see* Zhang, F.O. 88−26963
Zhang, Yi. The stability of the zero solution of neutral differential equations with infinite delay 88−6346
Zhang, Y.K. *see* Wu, J. 88−2585
Zhang, Y.M., Wu, P.H. A numerical calculation of the height of the first zero-field step in long overlap Josephson tunnel junction 88−13747
Zhang, Y.N. *see* Marshall, S.A. 88−32393
Zhang, Y.P. *see* Abegg, R. 85−37899
Zhang, Y.S. *see* Cutteridge, O.P.D. 85−12256
Zhang, Y.S. *see* Wang, W.C. 87−6973
Zhang, Y.T., Patton, C.E., Srinivasan, G., White, G.O., Brower, C.J., Edmondson, C.A. Measurement of the spin-wave instability threshold h_{crit} in microwave ferrites 87−49905
Zhang, Y.W., Planat, M. Bulk waves radiated from an interdigital metallic transducer deposited on an anisotropic substrate 87−29977
Zhang, Y.W., Planat, M. Anisotropy dependence of the focused field radiated into a piezoelectric half-space by an interdigital transducer 88−33483
Zhang, Y.Z. *see* Ivers, J.D. 88−47836
Zhang, Z., Berger, T. Multiple description source coding with excess rate 87−54916
Zhang, Z., Berger, T. Estimation via encoded information 87−54953
Zhang, Z., Berger, T. New results in binary multiple descriptions 87−75664
Zhang, Z., Berger, T. Estimation via compressed information 88−66247
Zhang, Z., Berger, T., Massey, J.L. Some families of zero-error block codes for the two-user binary adder channel with feedback 88−27760
Zhang, Z., Berger, T., Schalkwijk, J.P.M. New outer bounds to capacity regions of two-way channels 86−59173
Zhang, Z., Chen, D. An adaptive digital distance protection of EHV transmission lines 88−69068
Zhang, Z., Simaan, M. A rule-based interpretation system for segmentation of seismic images 87−42217
Zhang, Z. *see* Cuk, S. 86−63928, 87−17415, 88−75822
Zhang, Z. *see* Fan, G. 88−2522
Zhang, Z. *see* Gary, C. 87−15334
Zhang, Z. *see* Jin, S. 86−66867
Zhang, Z. *see* Knowles, D.S. 88−65637
Zhang, Z. *see* Marsan, M.A. 88−45942
Zhang, Z. *see* Raccah, P.M. 85−34498, 86−66853, 86−67686, 88−13105
Zhang, Z. *see* Xiao, Y. 85−29471
Zhang, Z. *see* Xu, H. 86−70851
Zhang, Z. *see* Zhou, Z. 86−62270, 88−68807
Zhang, Z.-H., Wang, D.-A. A NMR magnetic field meter for measuring the high field at the liquid helium temperature 87−14499
Zhang, Z.-H., Wang, D.-A. An NMR magnetic field meter for measuring high fields at liquid-helium temperatures 88−16444
Zhang, Z.-J. *see* Zhen, L. 88−10918, 88−55066
Zhang, Z.G. *see* Yao, Y.C. 86−63777
Zhang, Z.L. *see* Lu, I.T. 87−75351
Zhang, Z.M. *see* Dixon, G.J. 88−33982
Zhang, Z.W. *see* Poiares Baptista, J.P. 86−43770
Zhang, Z.W. *see* Schmelzbach, P.A. 87−77504
Zhang Ai-Zhen, Wang Yang-Yuan The characteristics of polysilicon films oxidized in high pressure oxidation system for VLSI applications 86−21432
Zhang Ai-Zhen *see* Wang Yang-Yuan 86−21431
Zhang Ai-Zhen *see* Ai-Zhen Zhang
Zhang Aizhen, Wang Yangyuan Study of the oxidation characteristics of polycrystalline silicon films in dry-O_2 ambient 85−34837
Zhang Aizhen, Wang Yangyuan Characteristics of polysilicon films oxidized in high pressure oxidation system 86−67799
Zhang Aizhen *see* Wang Yangyuan 87−25142
Zhang Ankang Failure mechanism analysis of semiconductor devices with deep level transient spectroscopy 87−67179
Zhang Bai-rong *see* Chen Jin-guang 87−37498
Zhang Bai-shen *see* Bai-shen Zhang
Zhang Bang-xing *see* Bang-xing Zhang
Zhang Bao-he *see* Xu Zhu 88−51968
Zhang Bao-ling *see* Ni Yi-xing 85−4526, 85−15492
Zhang Bao-zhu *see* Ge Bao-zhang 86−32248
Zhang Baocheng *see* Li Kun 85−17780
Zhang Baoheng Thermal stress and life expenditure of steam turbine rotor for cycling service 86−56632
Zhang Baoheng *see* Yank Kun 88−48796
Zhang Baohui, Lou Donggang, Ge Yaozhong Numerical calculation of current transformer transient performance 86−19324
Zhang Bei *see* Bei Zhang
Zhang Bing Yi *see* Wang Feng Xiang 86−45391
Zhang Bingquan *see* Yin Jianping 88−20712
Zhang Bingzhong *see* Du Yongchang 85−18051
Zhang Bo, Bao Zheng An improvement on detection performance of hard-limited phase-coded signals 88−15533
Zhang Boming Sparse vector method with applications to power system calculations 88−23284
Zhang Boming, Xiang Niande, Wang Shiying Fast algorithms for large disturbance sensitivity analysis in electric power systems 88−61796
Zhang Boming, Xiang Niande, Wang Shiying, Yu Erkeng, Sun Saosien A fast loop-based algorithm for automatic contingency selection 87−71598
Zhang Boming, Xiang Niande, Wang Shiying, Yu Erkeng, Sun Shaoxian Loop analysis of generalized network flow in electric power systems: calculations with online applications. I. Theory and approach 87−35607
Zhang Boming, Xiang Niande, Wang Shiying, Yu Erkeng, Sun Shaoxian Loop analysis of generalized network flows in electric power systems calculations with on-line applications. II. Applications to on-line load flow calculations 87−64080
Zhang Boming *see* Xia Qing 88−23406
Zhang Chang-shuan *see* Long Ao 87−70767
Zhang Chang-Tai, Yang Ming-Qi NMD frequency selection for mobile communication of multi-system with overlapping coverage 86−23698
Zhang Changgui *see* Yan Jialie 85−37731
Zhang Chao-Jie The economic-analytical method for selection of boiler feed pump system 86−39544
Zhang Chaoji *see* Han Shuo 85−18624
Zhang Chen *see* Chen Tie-Nian 86−70936
Zhang Chen *see* Wang Chingyue 87−61110
Zhang Chen Heng *see* Chen Heng Zhang
Zhang Chihong *see* Chihong Zhang
Zhang Chong-ren *see* Li Si-hai 85−46280
Zhang Chongren Theoretical analysis of front illuminated structure for long wavelength InGaAs diffusion PIN photodiode 87−68291
Zhang Chuang *see* Fang Shou-Xian 86−65318
Zhang Chuifen *see* Zhao Huimin 86−48038
Zhang Chun *see* Zhang Shi-chang 85−45359
Zhang Chunlin *see* Zhao Yanzen 85−62541, 86−50740
Zhang Chunping, Zhang Guangying Effects of stress mirror cavity on polarization characteristics of lasers 85−46441
Zhang Chunping, Zhang Guanyin, Cong Hui, Zhao Lin, Yan Shuqin, Bi Xianlin Calculation and measurement of the diffraction efficiency of a dilute developed silver halide holographic plate 86−3335
Zhang Chunping, Zhang Guangyin, Gu Rong, Shang Meiru Investigation of beam direction of internal-mirror He-Ne lasers 88−27017
Zhang Cunhao *see* Sang Fengting 86−68432
Zhang Cunhao *see* Sun Siyuan 85−12762
Zhang Cunhao *see* Zhang Rongyao 88−27015
Zhang Cunhao *see* Zhaung Qi 85−62484
Zhang Cunhao *see* Zhuang Qi 86−3057, 88−40119, 88−72254
Zhang Cunshan, Xie Jingtao Study of recombination property in DH lasers with lasing delay method 88−45407
Zhang Da-ke *see* Lei Shi-zhan 85−12766
Zhang Daihong *see* Zhang Yanxin 88−74403
Zhang Dake Gain characteristics of free-electron lasers using the Smith-Purcell effect 86−54165
Zhang Dake, Lei Shizhan, Chen Jianwen Free-electron laser with gradient magnetic field 85−56671
Zhang Dake, Lei Shizhan, Chen Jianwen Free-electron laser with gradient magnetic field 86−48442
Zhang Dake, Wang Xiaoyi, Ni Jinzhi, Yao Jianpin, Fu Shufen, Chen Jianwen Effect of amplified spontaneous emission on space coherence of the XeCl laser 86−3017
Zhang Dake *see* Chen Jianwen 85−56672, 87−7393
Zhang Danning Interface system of Apple II with digital storage oscilloscope 87−77294
Zhang Dapeng, Wang Kuanquan, Li Zhongrong Hadamard transform image texture analysis method 87−13072
Zhang Dapeng *see* Li Zhongrong 86−70523
Zhang De, Shui Yong-An, Wu Wen-Qui Untuned low insertion loss SLW filters 88−51100
Zhang Dengguo, Lin Weigan A new design method of H-plane waveguide circulator 88−25424
Zhang Dengguo, Lin Weigan A new design method of H-plane waveguide circulator 88−50313
Zhang Dengguo, Peng Shirong, Huang Futiang A ferrite sphere Y-junction waveguide circulator 88−25425
Zhang Dengguo, Peng Shirong, Huang Futiang A ferrite sphere Y-junction waveguide circulator 88−50314
Zhang DeSong *see* DeSong Zhang
Zhang Dezun *see* Dai Guocai 85−35585
Zhang Di Optimal isoparametric finite element 87−65377
Zhang Dian-De Trunk network signalling circuits using 555 IC 88−19295
Zhang Dongping, Wang Shilin, Gong Bangrui, Wu Yunhon, Lin Jinting X-band GaAs monolithic medium-power amplifiers 87−66558
Zhang Dongxuan *see* Wang Shouwu 85−50289
Zhang Dongxuan *see* Xia Yongwei 85−1404
Zhang En-Qiu Instabilities of thermionic emission in oxide cathodes 85−1212
Zhang En-Qiu Thermionic emission from dispenser cathodes 85−34423
Zhang En-qiu Electron emission from practical thermionic cathodes 86−14775
Zhang Enguan *see* Zhang Shouyun 86−38625
Zhang Fa-wen Design and application of multivariable control systems in power plants 87−71969
Zhang Fang-qing, Xu Xi-xiang, Chen Guanghua Study of adsorbate and surface state in a-Si_xC_{1-x}:H 87−17733
Zhang Fang-qing *see* Wang Yin-yue 87−61010
Zhang Fangqing, Xu Xixiang, Chen Guanchua Persistent photoconductivity in a-Si:H/a-$Si_{1-x}C_x$:H multilayers 87−46660
Zhang Fangqing, Zhang Yafei, Chen Guanghua Blue-white electroluminescence in an a-$Si_{1-x}C_x$:H/pn$^-$in structure 87−68264
Zhang Fangqing, Zhang Yafei, Chen Guanghua Blue-white electroluminescence in *a*-$Si_{1-x}C_x$:H/*pn*$^-$ in structure 88−72228
Zhang Fangqing *see* Chen Guanghua 85−23459
Zhang Fangqing *see* Xu Xixiang 87−46642
Zhang Fangqing *see* Fangqing Zhang
Zhang Fawen A practical method for calculation of controllers' optimum parameters 88−48772
Zhang Feng *see* Liu Shunsheng 86−11890
Zhang Feng *see* Qian Wei Zhong 87−37813
Zhang Feng *see* Feng Zhang
Zhang Feng-Yan, Yu Jun-Da, Luan De-Zhi Characteristics and applications of high precision analogue multipliers TD4206 and TD4214 86−20746
Zhang Fengyuan *see* Yan Luguang 86−42198
Zhang Fu Geng *see* Fu Geng Zhang
Zhang Fu Xue The method to increase reliability of piezoelectric angular rate sensors 87−70592
Zhang Fu-ji *see* Fu-ji Zhang
Zhang Fugeng, Yu Chunlian Laser output of nile blue A sulfate-xanthene in ethyl alcohol under coaxial flashlamp pumping 88−65788
Zhang Fuquan *see* Li Chenfang 85−24444
Zhang Fuxin *see* Liu Shenggang 88−7259
Zhang Fuxin *see* Yu Shanfu 88−38983
Zhang Gong-li Mapping form one- to multidimension for DFT and circular convolution algorithms 88−24686
Zhang Gong-xu A new type of realization method for cause-selecting charts−the method of standard transformation 85−54178
Zhang Gongzhong The system structure and performance of NOVELL local network 88−52894
Zhang Gongzhong, Liu Bing A new generation of distributed processing microcomputer local network 88−59653
Zhang Guan qiang *see* Fan Guang-quan 88−38599
Zhang Guan-Shen *see* Guan-Shen Zhang
Zhang Guang-Hua *see* Yan Mao-Xun 88−69678
Zhang Guang-yuan *see* Guo You-guang 88−61632
Zhang Guangchun *see* Xing Zhizhong 88−22801
Zhang Guanghua The principle and mechanism of a planetary target neutron generator 88−29786
Zhang Guangming Study of HgI_2 X-ray detectors and their applications 88−10254
Zhang Guangyi Data acquisition system of computer forecast control for impulse load of a power network 85−9458
Zhang Guangyin *see* Guo Zhuanyun 85−31591
Zhang Guangyin *see* Zhang Chunping 88−27017
Zhang Guangying *see* Zhang Chunping 85−46441
Zhang Guangzhao, Hu Jinglu, Zhao Jinfu Study of the FIR bandpass filters consisting of two resonant grids 86−42398
Zhang Guangzhao, Zhao Jinfu Study of metallic resonant grid SMMW bandpass filters 86−52926
Zhang Guanyin *see* Zhang Chunping 86−3335
Zhang Gui-cheng, Chen Rui-zhang, Yang Lin-bao Study of I-V characteristics in InGaAsP/InP DH LEDs 86−2978
Zhang Gui-qing, Wang Yan-lin The investigation of the prediction of short wave fadeout by the open-loop threshold autoregressive model 88−27495
Zhang Guicheng, Shen Pangnian Observation and study on the dark defects in InGaAsP/InP double-heterostructure LEDs 88−20514

Zhang Guicheng *see* Zou Yuanxi 86-21148
Zhang Guifen Color center crystals for Q-switching of alexandrite lasers 88-40282
Zhang Guifen, Li Bailing, Ma Xiaoshan Mode selection characteristics of alexandrite laser with an output coupling aperture 88-27217
Zhang Guifen, Ma Xiaoshan Improvement of laser performances of alexandrite crystals 88-2195
Zhang Guifen *see* Zhuang Dounan 86-68492
Zhang Guifeng, Zhang Shouduo, Xu Shizhong, Ma Xiaoshan, Fan Qingru A tunable alexandrite laser 87-7318
Zhang Guilian *see* Qin Jiuchang 88-47756
Zhang Guiyan *see* Hu Qiquan 86-57010
Zhang Guiyan *see* Jin Chunyang 86-9773
Zhang Guiyan *see* Tan Jinrong 88-40164
Zhang Guo-bin *see* Long Ao 87-70767
Zhang Guobing, Wang Yangyuan, Lin Shi-Chang, Zhang Yan Sheng, Fan Bin Lin Tantalum and niobium silicides formed by scanning electron beam 87-11524
Zhang Guobing *see* Deng Xinlu 86-11870
Zhang Guobing *see* Wu Guoying 86-26895
Zhang Guorui IPSCON (interactive power system security control and analysis): a brief description 87-15148
Zhang Guowei A correlated tuning theory of double-frequency dye lasers 88-72372
Zhang Guowei *see* Liu Qing 88-27237
Zhang Guoxuan, Lin Yupu, Zhang Yinghua, Liu Jinjun Design and analysis of resonators for the CW dye laser pumped by an Ar^+ laser 85-62623
Zhang Guoxuan *see* Zhang Yinghua 88-72368
Zhang Hai-lan On variational principles of a piezoelectric body 86-2459
Zhang Haifan The error logger 88-21648
Zhang Hailan *see* Cao Dongxu 88-23217
Zhang Hanyi, Li Jian, Wang Jianglin, Zhou Bingkun Mode selectivity of multisegment composite-cavity semiconductor lasers 88-27264
Zhang Hanyi, Zhou Jianging, Wu Yuanxing, Li Jian, Pang Zhengyu, Zhou Bingkun Long-term stabilization of single longitudinal mode for external cavity semiconductor lasers 88-72374
Zhang Hanyi *see* Zhou Bingkun 86-3135, 88-2314
Zhang Hanyi *see* Zhoun Bingkun 87-39091
Zhang Hao-yun *see* Lu Chang-guo 87-70999, 88-4842
Zhang Heyi *see* Li Xinzhang 85-56889
Zhang Hin-chang *see* Zheng Yi-yang 87-60395
Zhang Hong, Pan Rong Size effect and temperature dependence of the longitudinal resistance of a NbTi-Cu multifilamentary superconducting composite 86-68190
Zhang Hong *see* Chen Huailu 86-11906
Zhang hong *see* Ma Shimo 88-36885
Zhang Hong *see* Hong Zhang
Zhang Hong-jun, Dai Jian-hua, Wang Peng-ye A new type of oscillation in optical bistability 85-46463
Zhang Hong-jun, Dai Jian-hua, Wang Peng-ye, Gao Cun-xiu, Lu Tuan-sun, Liu Wen-hu, Xu Liang-ying Application of Fe-doped $LiNbO_3$ crystal degenerate four-wave mixing in optical image processing 85-19492
Zhang Hong-jun, Dai Jian-hua, Wang Peng-ye, Jin Chao-ding, Hao Bai-lin Analytical study of a bimodal mapping related to a hybrid optical bistable device using liquid crystal 85-46462
Zhang Hong-jun *see* Dai Jian-hua 86-9934
Zhang Hong-jun *see* Wang Peng-ye 85-62410, 86-22475
Zhang Hong-jun *see* Hong-jun Zhang
Zhang Hong-qing *see* Wang Ming 87-10341
Zhang Hong-rui *see* Ye Liang 88-26047
Zhang Hongfa *see* Xu Baoxiang 85-38336
Zhang Hongfen *see* Yang Benqi 85-62421
Zhang Hongjun *see* Lu Tuansun 85-46918
Zhang Hongjun *see* Xu Yizhi 88-10181
Zhang Hongtian, Wang Min, Cao Shan, Li Shizhuo Investigation on the binding power between film and substrate by acoustic emission 88-18816
Zhang Hongwei *see* Meng Qingju 85-2300
Zhang Hua-guang *see* Hua-guang Zhang
Zhang Huaguang, Xu Weiyong A simulation study in the control of 200 MW unit 88-48774
Zhang Huaihuai *see* Li Guohua 86-22277
Zhang Huan-Wen Photocathode processing of picosecond streak image tube and improving of background 87-37840
Zhang Huanguo *B*-adjacent chip error correcting codes 85-13465
Zhang Huanguo Codes for locating errors in B-adjacent chips 86-43139
Zhang Huanguo, Qin Zhongping A new class of tEC code and tBEL code 88-59011
Zhang Huanwen *see* Zhang Xiaoqiu 85-50171
Zhang Huanying *see* Tang Yonglian 87-2903
Zhang Huasheng System design of ZDYD-1D4 μC-based telecontrol device 87-50879
Zhang Huayi *see* Wang Keli 88-47800
Zhang Hui-ran *see* Liang Dan 88-16504
Zhang Huifen *see* Huifen Zhang
Zhang Huiping *see* Pan Linzhang 86-55816
Zhang Hung-Rei *see* Mao Er-Wang 87-24964
Zhang Ji *see* Ji Zhang
Zhang Ji-deng *see* Chen Zhong-mou 86-63004
Zhang Ji-kang, Mee, C.H.B. Commercial mercury lamps adapted to give a long-life source of ultraviolet radiation 86-52037
Zhang Ji-Ping Method and technology of voice on CAI system 88-15875
Zhang Ji-sheng, Yu Si-le Research on a kind of picture insert in picture colour television system 87-62141
Zhang Ji-ying *see* Fan Xi-wu 85-35645
Zhang Ji-yuan Optimal coefficients in four-step linear methods 88-11938
Zhang Jia-bei Revised method of electricity capacity estimating by time series 85-1082
Zhang Jia-lu *see* Jia-lu Zhang
Zhang Jia-quan *see* Wang Xiao-liang 85-64496, 87-57045
Zhang Jia-wen *see* Xu Zhi-qing 88-22910
Zhang Jialin, Tao Xuezhong, Bai Liming The full automatic wire bonder 85-1202
Zhang Jian *see* Gui Yuzong 88-19627
Zhang Jian *see* Hu Song-yao 87-30545
Zhang Jian *see* Yu Changming 86-61558
Zhang Jian-guo A family of iteration methods in $C^1(R^1)$, with global convergence and without derivatives of higher order 86-34210
Zhang Jiangbo *see* Wang Shikang 88-40162
Zhang Jianliang *see* Gao Xuan 86-66886
Zhang Jianren *see* Yang Zhilian 88-56588
Zhang Jianxing *see* Gong Huixing 86-5027
Zhang Jiao-Ping, Wei Yu Flaw plane identification: a new imaging technique in nondestructive testing 88-18804
Zhang Jiaping A study of algebraic reconstruction techniques by computer simulations 85-36317
Zhang Jichang *see* Li Jinlin 87-33049
Zhang Jie *see* Jie Zhang
Zhang jierong, Xu Guozheng, Xu Changreng Research into rotating arc in a SF_6 circuit breaker 86-33567
Zhang Jiging *see* Xie Guang Xuan 87-77816
Zhang Jin, Yang Zhilian An algorithm of channel routing for cells with uneven pin spacing and nonuniform pin width 88-56394
Zhang Jin *see* Yang Zhilian 88-56588
Zhang Jin-chi *see* Liu Guang-yu 87-41463
Zhang Jinchang *see* Zheng Yiyang 85-18277, 85-55750
Zhang Jinchang *see* Jinchang Zhang
Zhang Jing-Ming Analysis of four-layer leaky optical waveguide in semiconductors. II. The strong coupling approximation and exact solution 87-1938
Zhang Jing-Ping *see* Jing-Ping Zhang
Zhang Jing-yuan *see* Zhao Li-zeng 86-22474
Zhang Jingjian, Wei Qun, Wang Liangyuan, Zhang Songnian Laser speckle technique for hydraulic structure model test 88-51985
Zhang Jingjiang, Wang Shuying, Bao Cailong Conjugate wavefront generation and image reconstruction by real-time holography 86-10007
Zhang Jingjiang, Wang Shuying, Bao Cailong Conjugate wavefront generation and image reconstruction by real-time holography 86-59335
Zhang Jingjiang *see* Pan Jinfang 88-14298
Zhang Jingjiang *see* Wang Shuying 88-33599
Zhang Jingjiang *see* Jingjiang Zhang
Zhang Jingjuan *see* Jingjuan Zhang
Zhang Jingming Analysis of four-layer leaky optical waveguide in semiconductors. II. The strong coupling approximation and the accurate solution 86-9460
Zhang Jingming, Zheng Baozhen Analysis of leaky optical waveguide of semiconductors with four layers 85-46123
Zhang Jingping *see* Yin Shiduan 88-19654
Zhang Jingshan *see* Zhuang Yuexiang 88-40423
Zhang Jingshao *see* Xie Baixing 88-71344
Zhang Jingxia *see* Cao Zhiping 86-50399
Zhang Jingyuan *see* Wang Wei 85-35737, 86-54134
Zhang Jingyuan *see* Zheng Yuhong 88-58324
Zhang Jinping *see* Zhu Peiran 88-20018
Zhang Jintang, Fei Zhengyao, Cui Xiang Computation of complex 3-dimensional electric field by advanced optimum charged simulation method 86-36641
Zhang Jintang *see* Han Shukun 87-7518
Zhang Jinyou, Wu Jixian A fuzzy clustering algorithm for image noise soothing 88-27991
Zhang Jinyun *see* Jinyun Zhang
Zhang Jiquan *see* Yang Yanxin 87-3513
Zhang Jisheng *see* Chen Hui 87-37984, 88-7371
Zhang Jishi, Jiang Jiguang Three dimensional analysis of the negative sequence eddy current field of turbo-generators using the T-Ω method 87-78611
Zhang Jiying *see* Jiying Zhang
Zhang Kai-jun *see* Qin Zi-kai 88-51099
Zhang Kaiyuan An overview of local computer networks 87-13355
Zhang Kang-ping *see* Kang-ping Zhang
Zhang Ke-sen *see* Ren Shu-chu 88-54786
Zhang Kebang, Tang Junjie Calculating the method of distance functions for the problem of optimization with constraints and its convergence 85-60873
Zhang Kehong *see* Cai Zuoqian 86-66847
Zhang Kemin *see* Zhang Shoudu 85-18896
Zhang Kun-ming *see* Cen Zhao-chang 87-38332
Zhang Lehui, Lin Chengtian, Liu Hairun, Liu Lin, Zhu Huanan, Lin Xi Investigation in growth and laser properties of GGG:(Nd, Cr) single crystals 85-56587
Zhang Lehui, Liu Lin, Liu Hairun, Lin Chengtian Growth and investigation of substituted gadolinium gallium garnet laser crystals 87-52093
Zhang Lehui *see* Xun Damin 88-2196
Zhang Lei *see* Thomopoulos, S.C.A. 88-41432
Zhang Lei *see* Zou Li-xun 85-56787
Zhang Lei *see* Lei Zhang
Zhang Li, Xia Wuying A stepped statistical testing method for optimized extraction of GP model parameters of bipolar transistors 86-53595
Zhang Li, Xia Wu-Ying A stepped statistical testing method for optimized extraction of GP model parameters of bipolar transistors 87-53488
Zhang Li *see* Li Zhang
Zhang Lian-sheng A constrained quasi-Newton method with an augmented $\mathcal{L}$-type penalty function equality constraint 86-57360
Zhang Lian-shui *see* Fu Guang-sheng 87-58957
Zhang Liang-sheng *see* Xu Zhi-qing 88-22910
Zhang Liangduo, Zhang Yingang, Hu Zhenjiang Microprocessor-based electric power/demand analyzer 88-60821
Zhang Liangrui *see* Cao Zhenfu 88-296
Zhang Liangsheng An interpretation of the formation of a self-quenching streamer 86-65383
Zhang Liangsheng *see* Chen Lejun 88-10286
Zhang Liansheng *see* Deng Xinlu 86-11870
Zhang Libao, Ge Huang, Ma Xiangbin, Ling Zhonggui Au-Si eutectic alloy liquid metallic ion source 87-16660
Zhang Lidong *see* Zhou Shouzeng 86-28615
Zhang Lifen *see* Chu Cheng 87-33217, 87-46928, 87-75133
Zhang Lihua Network topology for real-time power systems 85-9412
Zhang Lihua Dispatcher's package for on-line load flow computation and static security analysis 87-71516
Zhang Limin, Gao Limo The application of E-NET Chinese-English LAN to the experimental teaching of computer networks 88-59590
Zhang Lin *see* Lin Zhang
Zhang Lin Tao *see* Ren Xiao Min 88-65677
Zhang Ling *see* Ren Yunzhu 87-66989
Zhang Lintao, Ren Xiaomin, Ye Peida Theory of feedback phase stabilization of external cavity semiconductor lasers 88-65768
Zhang Liping, He Dayu, Zhu Taixiu Optimal power flow and optimal reactive power compensation by Newton's method 87-50677
Zhang Liren *see* Liren Zhang
Zhang Lixia *see* Lixia Zhang
Zhang Liyuan *see* Zhang Xia 86-68189
Zhang Lu *see* Huang Da-wei 88-56768
Zhang Lu *see* Zhung Lichun 86-41002
Zhang Luo, Liu Guang-Di, Shi Song-Yao Practical application of amorphous soft magnetic alloys 87-46327
Zhang Maocai, Ma Deqing, Jiang Xiuling, Liu Shiqiang Effects of additive elements on magnetic properties of sintered Nd-B-Fe magnet 86-22016
Zhang Meizhen, Li Chengfu, Zhou Yongzong Lasing characteristics of high quality Nd:YAG crystals grown by temperature gradient technique 85-29795
Zhang Meizhen *see* Li Chengfu 85-46440
Zhang Min Defect control in advanced CMOS processes 88-44878
Zhang Ming *see* Tong Feiming 85-45633
Zhang Ming *see* Ming Zhang
Zhang Ming Li *see* Ming Li Zhang
Zhang Mingbao *see* Xu Jiasheng 87-17060
Zhang Mingbao *see* Zhang Zhongxuan 86-40912
Zhang Mingchao Investigation on ns pulse width of UV laser 88-65552
Zhang Mingheng *see* Wang Kangsun 88-74863
Zhang Molan *see* Shang Zhenkui 85-18008
Zhang Nai-Jian *see* Anassontzis, E. 86-32202
Zhang Naisen *see* Zhou Xiaogang 88-36400
Zhang Nan-lun An application of pan-Boolean algebra in the switching circuits 87-37476
Zhang Nengli *see* Xu Youren 88-40415
Zhang Nien fan *see* Nien fan Zhang
Zhang Ning TDC-1 type bidirectional ultrasonic Doppler blood flow detector 87-77613
Zhang Ning *see* Liu, Y.T. 85-53194
Zhang Ning-jie *see* Zheng Zhi-peng 85-4224
Zhang Pei *see* Liu Hongxun 87-37879, 88-6448
Zhang Pei-Kun, Tao You-Huo The CMOS-LED and CMOS-LCD display circuits and their applications. II 88-4548
Zhang Pei-Kun, Tao You-Huo Combined CMOS-LED and CMOS-LCD display circuits and their applications. I 88-22698
Zhang Pei-xian, Yao Jie, Peng Shao-qi The compensation of defects and doping in LPCVD a-Si films 88-25895

Zhang Peirong *see* Huang Xiaokang 87−7214, 88−20498
Zhang Peng *see* Sun Zhong-kang 85−47549
Zhang Peng *see* Yi Cheng-bin 85−17763
Zhang Pengfa, Yang Tonghua, Meng Wu, Deng Xinlu, Hao Xiuhong, Guan Jiayu Recording of fission fragments by stretched polyester film 86−11863
Zhang Ping A study of the systematic error of surface pyrometer 88−29381
Zhang Ping *see* Yang Zhilian 88−56588
Zhang Qi A calculation method of parameters for flash X-ray tube 86−38730
Zhang Qi, Xia Neng-qiao, Li Ti-xing, Zhao Zhong-Hong, Zheng Bao-hong, Su Yao-wen, Wu Meng, Wang Qing Microsecond Marx generator 88−36334
Zhang Qi *see* Li Guozheng 87−66051
Zhang Qi Tu *see* Qi Tu Zhang
Zhang Qian-Ling *see* Qian-Ling Zhang
Zhang Qiang *see* Chen Kaimao 85−12017, 86−1827
Zhang Qiang-ji *see* Chang Ying 85−45345
Zhang Qiangji *see* Hong Feng 87−53271
Zhang Qianyu Design and implementation of the data-link layer for DGCNET 86−64658
Zhang Qin *see* Qin Zhang
Zhang Qing *see* Wang Yuling 88−57463
Zhang Qing-guong, Du Zhui-kui, Lu Zheng-jia, Jin Cheng-Jia, Zhao Su-rong A new method of machining honeycomb spherical nonintercepting grid and theoretical calculation 85−61638
Zhang Qing-zhong A quasi-two-dimensional analysis model for short-channel MOSFET's 87−38240
Zhang Qinghuan *see* Hong Guangyan 85−46360
Zhang Qinghui Near-field-effect errors calculation of two-element antenna array 88−34489
Zhang Qinghui, Sun Daoli, Deng Shaofan Consideration of the design of 3-element antenna array of simulated target 87−12841
Zhang Qingping *see* Lu Deji 87−3763
Zhang Qingrong, Hu Yongchang Measurement of critical current of superconducting materials at the changing magnetic field 86−68192
Zhang Qingyue *see* Wang Lijun 87−37970, 88−25957
Zhang Qinhai, Tang Pushan A router for CMOS gate array 86−14114
Zhang Qinyi *see* Yang Yigang 86−39046
Zhang Qiujiang *see* Liu Jiatai 85−1583
Zhang Quan, Zhao Jing, Pei Run, Lan Pusen, Wang Tong A microcomputer based wave generation system 88−29206
Zhang Quan sheng, Wu Rong han Carrier transport in the heterostructure base region and carrier confinement factor in the lasing region of GaAs/GaAlAs pnpn laser 87−26391
Zhang Quan-sheng *see* Wang Shou-wu 85−29840, 87−33294
Zhang Quansheng, Wu Ronghan Carrier transport in the heterostructure base region and carrier confinement factor in the lasing region of a GaAs/GaAlAs pnpn laser 86−53378
Zhang Quansheng, Wu Rongham, Li Zhaoyin Light-activated GaAs/GaAlAs heterostructure negative resistance lasers 87−7342
Zhang Quansheng *see* Wang Shouwu 86−42525
Zhang Quanshou, Zhou Jianfeng A new technique for protocol description and verification 87−69425
Zhang Quingan *see* He Jiakun 86−39048
Zhang Renbo, Sun Peifen A hardware interface connecting a TP-801 single board microcomputer 85−54933
Zhang Renhua Far distance emissivity measurement of object by CO_2 laser 87−54456
Zhang Renyu *see* Guan Zhicheng 86−70702, 87−9200, 88−48601
Zhang Rirong, Wang Hanli, Yang Kezhong Dual-shaped offset reflector antennas with circular aperture for realizing low crosspolarization 86−68881
Zhang Rirong, Yang Kezhong, Wan Hanli Analysis of orthogonality of hybrid modes in corrugated conical horn 85−19277
Zhang Rirong *see* Yang Kezhong 86−29537
Zhang Rirong *see* Zhou Wanpu 87−75582
Zhang Robing *see* Wang Chingyue 87−61110
Zhang Rongyao, Chen Fang, Song Xueqin, Zhuang Qi, Zhang Cunhao A photoinitiated pulsed oxygen-iodine chemical laser utilizing CF_3I or CH_3I as iodine atom donors 88−27015
Zhang Roulei, Sheh Yingho Finite element analysis of the transient thermal field using time elements with variable time steps 85−10618
Zhang Rubing *see* Zhao Xinmiao 88−72352
Zhang Ruduan *see* Hou Xun 86−11465
Zhang Rui-feng *see* Xiao Shu-yi 85−1320
Zhang Sha-Yan *see* Sha-Yan Zhang
Zhang Shan-jie, Jin Jian-ming The solution of the dyadic Green's functions for cylindrical cavities by the image method 85−13176
Zhang Shan-jie, Jin Jian-ming Finite element analysis of waveguide partially filled with anisotropic dielectric material 86−3612
Zhang Shan-jie *see* Jin Jian-ming 87−39427
Zhang Shan-Mou *see* Chen Wei 88−40718
Zhang Shan-zhong, Che Ren-sheng, Hu Yuan A new computer data processing method used for checking flatness−iteration approach method 87−36627
Zhang Shangqiong, Zhang Yanbin, Shi Hu A study on the quantum efficiency of the $In_{0.53}Ga_{0.47}As$/InP PIN photodiode from front side incidence 87−68290
Zhang Shanmin *see* Pan Linzhang 86−55816
Zhang Shaofeng *see* Liang Peihui 88−65173, 88−72367
Zhang Shaofong *see* Wo Mingzheng 88−27343
Zhang Shaoshi *see* Gu Molin 86−8475
Zhang Sheng-li *see* Zhu Ben-ren 87−10316
Zhang Sheng-qiong *see* Li Si-hai 85−46280
Zhang Shengliang, Liu Enke, Jia Quanxi Research on charge stored effect in silicon nitride for improving performance of MIS/IL solar cell 87−51483
Zhang Shi-chang Simplified model of the equilibrium electron beam in a gyrotron and its application 85−11840
Zhang Shi-chang, Zhang Chun Evolution of momentum spreads in gyrotron and its saturation mechanism 85−45359
Zhang Shi-Chang *see* Shi-Chang Zhang
Zhang Shi-Feng *see* Shi-Feng Zhang
Zhang Shi-Li *see* Shi-Li Zhang
Zhang Shi-liang *see* Hu Yong-nian 85−53136
Zhang Shi-min, Qian Lin-jun Iteration algorithms for multiple-rate in Chinese remainder theorem and their BASIC program 85−16884
Zhang Shi-sheng, Yang Gan-shan On the solution by determinantal series to Volterra integral equation of the second kind with convolution-type kernel 88−63271
Zhang Shichang Cylindrical waveguide gyro-peniotron (TM_{mn} modes) 88−7262
Zhang Shichang *see* Liu Shenggang 87−12338
Zhang Shichang *see* Luo Jirun 88−19605
Zhang Shichang *see* Shichang Zhang
Zhang Shichao *see* Wang Tiangji 88−51967
Zhang Shili *see* Wang Jitao 85−33479
Zhang Shinpo, Wang Feng-hzen Detection of slowly moving targets in clutter 85−47601
Zhang Shiying *see* Wang Zhenping 87−73160
Zhang Shou-Gong *see* Yang Fu-Ming 86−21958
Zhang Shou-yu *see* Chen Cang 87−70997
Zhang Shou-yu *see* Chen Chang 87−70996
Zhang Shoudu, Zhang Kemin Experiment on laser performance of alexandrite crystals 85−18896
Zhang Shouduo *see* Zhang Guifeng 87−7318
Zhang Shoumiao *see* Yao Qingdong 85−52522
Zhang Shouyi, Chen Rujun Further discussion about the effect of superposed sampling coefficient on improvement of resolution for CCD push-bloom imaging system in its flying direction 86−70021
Zhang Shouyun, Zhang Enguan, Dai Guangshen, Liu Damin, Cao Guogao, Li Gang A miniature pulsed electron beam accelerator 86−38625
Zhang Shouyun *see* Cheng Nianan 86−28706
Zhang Shu-li *see* Xiao Zuo 88−27875
Zhang Shu-lian, Feng Tie-sun, Tien Qian Principle of ring laser weak magnetic field sensor 87−4104
Zhang Shu-lin Vacuum metallurgy facility. II. Vacuum electron beam furnace 85−5547
Zhang Shu-Xiang *see* Yuan Qin-Liang 87−56936
Zhang Shu-yi *see* Chen Li 88−64634
Zhang Shu-yi *see* Shu-yi Zhang
Zhang Shu-ying A study of FS-PDMP system 87−55054
Zhang Shu-yuan *see* Shu-yuan Zhang
Zhang Shuangming *see* Shuangming Zhang
Zhang Shulian *see* Shulian Zhang
Zhang Shuming, Li Changlin, Lan Ruizhi, Luo Baoping, Hui Lin, Sun Wei Preparation of nuclear track microfilters by heavy ion beam 86−11900
Zhang Shuming, Sun Wei, Lan Ruizhi, Hui Lin The pore size measurement of nuclear track microporous membrane by flowing rate method 88−10287
Zhang Shun-yi *see* Shun-yi Zhang
Zhang Shunfu, Shao Fangyin The effects and calculation of electrostatic induction on communication lines crossed and approach by transmission lines 87−71677
Zhang Shunyi, Gui Zhenxing, Shen Guirong, Wang Runwen A sealed-off CW CO laser with gold electrodes 88−65555
Zhang Shunyi, Gui Zhengxing, Wang Yumin Observation on correlation of CO laser transitions by optogalvanic spectroscopy 85−46313
Zhang Shunyi *see* Gui Zenxing 85−46307, 87−53100, 88−40125
Zhang Shunyi *see* Wang Yumin 85−56486, 86−9729
Zhang Shuyuan *see* Xu Daoquan 88−74698
Zhang Sijing The IBM-PC users [network uses] 88−21647
Zhang Songnian *see* Zhang Jingjian 88−51985
Zhang Su-Wen *see* Su-Wen Zhang
Zhang Suying, Chen Quansen, Gong Shuxing, Qiao Yimin, Yu Zhonghe PbTe/PbSnTe heterojunction infrared detector 85−31480
Zhang Suying, Qiao Yimin Temperature dependence of junction resistance of n-PbTe/p-PbSnTe heterostructure diodes 85−45632
Zhang Taiping New technology for using positive photoresist−low temperature development 85−12069
Zhang Taiwu *see* Zhao Yanan 85−31798
Zhang Tao Analysis of a novel optical bistability system without feedback mirrors 86−68617
Zhang Tao, Wan Liangfeng Theoretical analysis on time-invariant linear system made by monomode fibers 86−68233
Zhang Tao *see* Liu Lanfen 87−63576
Zhang Tian-xu, Peng Jia-xiong On the general theory and method of optimizing for template matching 88−41003
Zhang Tianbao *see* Tianbao Zhang
Zhang Tianwen *see* Tianwen Zhang
Zhang Tianxu *see* Peng Jiaxiong 85−2876
Zhang Tie-Yu *see* Yu Xin-Chang 87−15677
Zhang Tieqin *see* Lu Kecheng 85−18970
Zhang Ting, Jin Ruobing A piezoelectric stress gauge for measuring dynamic stress in soil and rock mediums 87−70822
Zhang Tingjie, Wang Keguang, Wu Xiaozu, Li Chengren, Zhou Nong Microstructure of high Jc NbTi50/Cu superconducting composite wire 85−46052
Zhang Tingjie *see* Wu Xiaozu 88−64981
Zhang Tingjie *see* Wu Xiazu 86−47991
Zhang Tingqing, Ren Jianmin, Liu Jialu, Chui Jinwei, Wang Yan The measurements and computer simulation of ion-implantation distribution in p^- well and channel region 87−74441
Zhang Tingxuan, Teng Xinkang Measurement of AC losses in Nb-Ti multifilamentary superconducting wires in DC bias magnetic field 85−46054
Zhang Tong-he, Wu Yu-guang, Luo Yan The influence of recoil oxygen on As^+ enhanced diffusion during rapid thermal annealing 88−39185
Zhang Tong-jun *see* Li Si-yuan 86−8883
Zhang Tonghe *see* Ma Yi 86−41670
Zhang Toughe *see* Lu Diantong 87−37866
Zhang Tundao *see* Gu Guobiao 87−42707
Zhang W-X *see* W-X Zhang
Zhang Waiwai *see* Li Zhenang 85−50168
Zhang Wanchun *see* Dong Yuanhan 88−61803
Zhang Wei, Gao Kuiming, Xie Zhi Development of an extended blackbody source for the calibration of infrared systems. I 88−74421
Zhang Wei *see* Chen Guozhu 88−50041
Zhang Wei *see* Gao Kuiming 88−74422
Zhang Wei *see* Wang Neng 88−21641
Zhang Wei-ping, Qin Yi-chun Amelioration of Chinese articulation by speech processing 88−30041
Zhang Wei-tao Computation of asymptotic expansion of Neumann problem 86−62174
Zhang Weibao *see* Ding Xiaoqing 88−22780
Zhang Weiging *see* Lin Lihuang 86−68493
Zhang Weili, Cai Danyu Research and applications of infrared thermal imaging systems suitable for developing countries 86−38270
Zhang Weiqin *see* Xie Zhiming 86−29094
Zhang Weiqing *see* Liang Peihui 86−15611, 88−65173
Zhang Weiqing *see* Meng Shaoxian 85−46348, 86−22334
Zhang Weixian, Wang Jiapeng Calculation and analysis of elasticity-plasticity and loss of life for welded rotor [steam turbines] 88−5551
Zhang Weixin, Zhao Yibing The temperature characteristics of an H_2S-sensitive Pd-gate MOS transistor 88−74382
Zhang Weizai *see* Chen Heming 87−7344
Zhang Weizai *see* Wang Hailong 87−75076
Zhang Weizai *see* Zhu Xiaochun 85−46399
Zhang Wen Xun, Yuan Jin Yun On the impedances of twin loop antennas 86−68903
Zhang Wen Xun, Yuan Jin Yun, Yang Xian Hua The optimization of twin loop antennas 86−68904
Zhang Wen-Ping *see* Jian Xiang-Liu 86−26920
Zhang Wen-Xiang *see* Yu Xin-Chang 87−15677
Zhang Wen-Xun, Hong Wei On the integral equations for wire antennas 88−34440
Zhang Wen-Xun *see* Wen-Xun Zhang
Zhang Wenbin, Jiang Jiading Effects of the space charge layer and the bias voltage on D_λ^* of infrared photovoltaic detectors 88−2113
Zhang Wenhua *see* Lin Xilei 85−59195
Zhang Wenlong, Chen Liajiu Analysis and tuning of generating unit load feedback control system, as turbine is equipped with power-frequency control system 86−39579
Zhang Wenren *see* Shen Xianjie 87−57330
Zhang Wenzhan *see* Lin Xing 87−54397
Zhang Wu *see* Pei Guo-Xi 87−14659
Zhang Wu *see* Yu Qingwen 86−43518
Zhang Wutao *see* Xu Lizi 87−9106
Zhang Xi-kang, Wang Ying, Bei Guo-ren, Jiang Mian-heng, Wang Qi-min Influence of oxygen on the photo-induced effect in a-Si:H 85−45379
Zhang Xia, Zhang Liyuan The effect of spin fluctuations on the superconducting transition temperature of transition metals 86−68189
Zhang Xiancao *see* Wu Jianping 86−49287

Zhang Xiang Hua *see* Xiang Hua Zhang
Zhang Xiang-ling Electron optical distortions caused by inhomogeneity of focussing magnet in electron image projector 86—1965
Zhang Xiangchun *see* Zeng Chunlin 88—61987
Zhang Xiangjiu A new explanation for the dependence of the pinning position of Fermi level on the composition of GaAs (100) surface 88—19728
Zhang Xiangjiu *see* Xiangjiu Zhang
Zhang Xiangsu *see* Liu Shou 88—72434
Zhang Xianke Counterexample and correction about genus fields of number fields 86—57330
Zhang Xianqan *see* Pan Linzhang 86—55816
Zhang Xianzhi *see* Fang Hubao 88—42093
Zhang Xiao-Feng *see* Fur Shu-Ti 86—12308
Zhang Xiao-min *see* Du Jia-fang 87—60313
Zhang Xiaofeng *see* Fu Shuti 86—50858
Zhang Xiaolin, Shun Yuwen On the spatial resolution of the IR remote sensing systems 86—60224
Zhang Xiaolin *see* Shu Yuwen 88—29465
Zhang Xiaoming *see* Xiaoming Zhang
Zhang Xiaoqiu, Jiang Zhichao, Zhang Yongfeng, Zhang Huanwen, Pang Qichang The technique of photocathode transfer and cold pressing indium seal for making picosecond high-speed photography image tube 85—50171
Zhang Xiaozhong *see* Qian Zhenxing 86—9328
Zhang Xilan Explaining D/A and A/D convertor characteristic parameters 88—830
Zhang Xin *see* Ren Yunzhu 87—66989
Zhang Xin-bo *see* Wang Feng-zhen 87—63008
Zhang Xing-Quan *see* Li Guo-Kun 86—22036
Zhang Xingkang *see* Guo Chu 85—62525
Zhang Xingnian *see* Chen Xiaofeng 86—11873
Zhang Xingyi *see* Li Zhenang 85—50168
Zhang Xingying, Peng Yong 28 cases of female urethral polypus cured by Nd:glass laser 85—59335
Zhang Xinnan *see* Yang Xiangchun 87—33263
Zhang Xiobo *see* Xiobo Zhang
Zhang Xiu-cheng Automatic magnetotelluric equipment run by microprocessor 86—56243
Zhang Xiu-ju, Jiao Pei-nan, Jiang Bing-wu LSTID measured by the technique of the HF backscattering sounder 88—74009
Zhang Xiu-ju *see* Jiao Pei-nan 86—3501
Zhang Xiu-lan *see* Zhao Li-zeng 86—22474
Zhang Xiumiao A method to determine directly by C-t parameters the generation lifetime of minority carriers in unknown doping concentrations 85—45374
Zhang Xiumiao, Gu Feng, Xie Kexun Effect of gamma irradiation on Al-SiO_2-Si system and its annealing characteristics 85—18174
Zhang Xiumlao Determination of the generation lifetime profile from I-C transient curve of pulsed MOS structure 86—67757
Zhang Xiurong, Wu Guangzhao TEM_{00} and tuning operations of a CW Nd^{3+}:YAG laser at 1.32 μm 86—9789
Zhang Xu-guang Calculation of the input impedance of a probe type coaxial line-rectangular waveguide transducer 88—32373
Zhang Xu-xin *see* Wang Yin-jun 88—7786
Zhang Xue-bin *see* Shen Nai-cheng 86—3093
Zhang Xue-xia, Ma Li-zhuang Theoretical analysis and CAD of radio anechoic chamber 87—63294
Zhang Yafei *see* Zhang Fangqing 87—68264, 88—72228
Zhang Yafei *see* Yafei Zhang
Zhang Yan Sheng *see* Zhang Guobing 87—11524
Zhang Yan-bin *see* Li Si-hai 85—46280
Zhang Yan-Yun *see* Lin Yao-Wang 85—39750
Zhang Yan-zheng *see* Chang Man 85—36005
Zhang Yan-Zhong Optimum coefficients for recursively computing DFTs 86—26794
Zhang Yanbin *see* Zhang Shangqiong 87—68290
Zhang Yang-xi *see* Zhu You-liang 85—42979
Zhang Yanhua *see* Ruan Shengyang 85—55520
Zhang Yanming Improvement on transmission of integrated total power from traditional to microcomputer based telequipment 87—71519
Zhang Yanping, Yin Lifeng, Lin Fucheng Experimental study of opto-galvanic effect in the He-Cd+ hollow cathode discharge tube 85—56485
Zhang Yanping *see* Hu Qiquan 86—57010
Zhang Yanping *see* Tang Jinrong 88—40424
Zhang Yanxin, Guo Zhuanyun, Zhang Daihong, Song Qingxi An investigation on the temperature dependence of spectral quantum efficiency $\eta(\lambda)$ of InSb(PV) infrared detectors 88—74403
Zhang Yanyun *see* Lin Yaowang 85—10675
Zhang Yao-lin *see* Yao-lin Zhang
Zhang Yeuching, Zhu Youcai, Li Dianying, Wang Lijun Gain and frequency bandwidth of Fabry-Perot type GaAs-GaAlAs DH laser amplifier 87—68526
Zhang Yi, Heiden, C. Thin film RF-SQUID with pulse trimmed microbridge pair 88—39836
Zhang Yi Qun *see* Yi Qun Zhang
Zhang Yi-Bo Study of relationship between spontaneous radiation and stimulated radiation in Cerenkov free electron lasers 88—34057
Zhang Yi-feng GTD analysis of the radiation pattern of a shaped subreflector with a conical flange 85—57133
Zhang Yi-Jie A new type alpha Beta tracking filter with range and rate measurements 86—30850
Zhang Yi-lin *see* Ning Ding 88—32374
Zhang Yi-ting *see* Li Neng-jing 85—47566
Zhang Yi-Ying, Zhu Qing-Yuan, Zhang Yong-Kang Experimental study of calcium action mechanism in calcium and barium aluminate impregnated cathode 85—61618
Zhang Yi-Ying *see* Zhang Yong-Kang 85—61617
Zhang Yide *see* Zhou Xiaojun 88—19579
Zhang Yifang *see* Xu Bingxing 86—244
Zhang Yifeng *see* Dai Guocai 85—35585
Zhang Yijie *see* Wang Sanmin 88—15530
Zhang Yijuan *see* Yijuan Zhang
Zhang Yimen, DeMassa, T.A. Small-signal MOSFET one-dimensional admittance model 85—18355
Zhang Yimin *see* Wang Tianxi 85—59481
Zhang Yimo *see* Ren Guoquan 88—45574
Zhang Yimo *see* Sun Yuankun 88—26756
Zhang Yimo *see* Yimo Zhang
Zhang Yin Convergence of the SAOR method 88—63215
Zhang Ying *see* Xu Shiru 88—64272
Zhang Ying-ping *see* Xu Zhi-qing 88—22910
Zhang Ying-Xiang *see* Zhou Qing-Yi 87—56927
Zhang Ying-zhu *see* Zheng Yi-yang 87—60395
Zhang Yingang *see* Zhang Liangduo 88—60821
Zhang Yinghua, Fu Baoxiang, Zhang Guoxuan, Liu Yupu A real-time and rapid scanning autocorrelator for measuring duration of femtosecond laser pulses 88—72368
Zhang Yinghua *see* Zhang Guoxuan 85—62623
Zhang Yingji *see* Bassini, R. 88—47993
Zhang Yingping *see* Chen Lejun 88—10286
Zhang Yinxia The research progress of laser crystals in China 85—18899
Zhang Yinxia The research progress of laser crystals in China 85—56589
Zhang Yinxia Research and production of laser crystals in China 86—29115
Zhang Yiqun, Wang Congrong A multiwire proportional chamber for the curved crystal spectrometer 85—43157
Zhang Yixin, Cheng Meiqiao Behavior and main origin of heat-induced microdefects at the surface of Si wafer 85—50185
Zhang Yiying *see* Zhang Yongkang 88—25770
Zhang Yong *see* Li Chun-yang 88—18243
Zhang Yong-kang Vacuum science and technique needs for development of VLSI 85—1619
Zhang Yong-kang Vacuum science and technique needs for development of VLSI. II 85—1620
Zhang Yong-Kang Vacuum science and technique needs for development of VLSI 85—29235
Zhang Yong-Kang Vacuum technique and development of VLSI. IV 86—2298
Zhang Yong-Kang, Zhu Qing-Yuan, Zhang Yi-Ying AES analysis of evaporation of impregnated cathodes 85—61617
Zhang Yong-Kang *see* Zhang Yi-Ying 85—61618
Zhang Yongfang *see* Li Ziaguang 85—56554
Zhang Yongfeng *see* Zhang Xiaoqiu 85—50171
Zhang Yongkang, Zhu Qingyuan, Zhang Yiying Research on the evaporation property of impregnated dispenser cathode by AES 88—25770
Zhang Yongming, Fan Minhua, Cheng Qiheng Simulator experiments on Josephson junction fundamental and harmonic mixers 88—45006
Zhang You-zheng *see* Peng Yi 85—44582
Zhang You-zheng *see* Tang Su 87—59221
Zhang Youwen *see* Yang Jianling 88—25844
Zhang Youwen *see* Youwen Zhang
Zhang Youyi A maximum algorithm for thinning digital patterns 87—27569
Zhang Youyu *see* Chang Zhaonian 87—6695
Zhang Yu *see* Lu Chang-guo 85—64495, 87—70999, 88—4842
Zhang Yu *see* Lu Wei-da 85—48180
Zhang Yu *see* Ma Jin-yuan 85—48185
Zhang Yu-heng, Gao Yi-ping The *V-H* and *V-t* relations for the SQUID with double junction 86—68195
Zhang Yu-yun *see* Hao Wei-cheng 87—15025
Zhang Yu-yun *see* Shao An-min 88—29479
Zhang Yuan *see* Yuan Zhang
Zhang Yuancheng, Song Qian Light pulse signal amplification by optical bistable device 88—72259
Zhang Yuanjin *see* Yi Minyu 86—68187
Zhang Yuanyue Silicon photodiode of surface type sensitive to ultraviolet rays 86—28984
Zhang Yuchang *see* Han Guangyao 85—62696
Zhang Yuchaun Atmospheric nitrogen laser with a single ceramic block 86—54082
Zhang Yue-Ching, Zhu You-Cai, Li Dian-Ying, Wang Li-Jun Gain and frequency bandwidth of the Fabry-Perot type DH GaAlAs semiconductor laser amplifier 87—12498
Zhang Yueming *see* Ding Yibing 87—43068
Zhang Yuening *see* Qu Jianan 88—72253
Zhang Yueqin *see* Chen Quansen 88—7454
Zhang Yufeng *see* Du Yongchang 85—18051
Zhang Yufeng *see* Song Ximing 88—27631
Zhang Yufeng *see* Yufeng Zhang
Zhang Yuheng, Liu Hongbao, Cao Xiaowen *I-V* characteristics of anomalous Josephson tunneling junction 87—32906
Zhang Yuheng, Yuan Songliu, Zhou Guien, Wang Changsui, Cao Xiaowen, Wei Qin New phases in the phase transition in amorphous InSb films 86—35354
Zhang Yuheng *see* Mao Xianglei 86—68191
Zhang Yumin *see* Chen Guozhu 88—50041
Zhang Yun-Wu *see* Yun-Wu Zhang
Zhang Yunchang *see* Shen Yusheng 85—3939
Zhang Yushen *see* Feng Rui 86—56250
Zhang Yuwu, Xiong Hua, Shen Yunxue, Tuo Wanlu, Zhuang Shunchang, Gao Zhengxiang, Cao Liezhao Thermal resistors as thermometers for use at low temperature and in high field 87—14262
Zhang Zaida *see* Chen Xian-ming 87—72110
Zhang Zaide *see* Chen Xianming 85—9977
Zhang Ze-xiang A method for identifying gyrotron output mode compositions 86—14806
Zhang Zebo *see* Li Zhaolin 88—24752
Zhang Zebo *see* Zhu Wensen 85—12821
Zhang Zhang-Miao *see* Zhang-Miao Zhang
Zhang Zhao-hong, Wu Hong-shi Theoretical and experimental study of cavities in TWT 86—67635
Zhang Zhao-xien Analysis on the monitoring results of the short wave signals from the satellite Dong-Fang-Hong I 86—63977
Zhang Zhao-Xien *see* Zhao-Xien Zhang
Zhang Zhaotang *see* Liu Qishan 88—22761
Zhang Zhaowen *see* Wei Xiwen 87—1175
Zhang Zhaoyang *see* Tang Xingli 86—3096
Zhang Zhe A new fault calculation method for power systems 86—65609
Zhang Zhen *see* Zhan Wen-long 88—47975
Zhang Zhen *see* Zhen Zhang
Zhang Zhen-Gang *see* Li Jian-ping 88—47974
Zhang Zhen-xi, Lu Bao-ling The theory of FTIR-Q switch resonator 86—63840
Zhang Zhen-Xiang *see* Chen Pi-jin 85—50130
Zhang Zhen-yue On the perturbations of the eigenvalues of a non-defective matrix 86—57406
Zhang Zheng *see* Zheng Zhang
Zhang Zheng-xian *see* Lei Shi-zhan 85—12766
Zhang Zhengqing *see* Chen Weiqian 85—14237
Zhang Zhengquan, Lu Renxiang, Yin Guanyu Soft X-ray population inversion of Na XI levels by inter-combination line resonant photoexcitation 88—72255
Zhang Zhengquan *see* Zhengquan Zhang
Zhang Zhengyi *see* Xiao Yaofu 86—21955
Zhang Zhi-ben An improved algorithm of arctangent function for radar real time data processing 85—47550
Zhang Zhi-ming *see* Zhi-ming Zhang
Zhang Zhi-ni *see* Zhi-ni Zhang
Zhang Zhi-shun *see* Fan Xi-wu 85—35645
Zhang Zhichong The development of an intelligent acidity/ion/temperature measurement instrument 88—67670
Zhang Zhiguo *see* Han Quansheng 85—46344
Zhang Zhiguo *see* Zhu Wensen 85—12821
Zhang Zhihong *see* Xu Limin 85—63063
Zhang Zhijian *see* Xu Zhongming 86—23809
Zhang Zhijing Computer distance relaying: theoretical study and prototype development 88—36886
Zhang Zhiming *see* Chen Zhiyong 88—38231
Zhang Zhiming *see* Zhiming Zhang
Zhang Zhinan *see* Wang Shicheng 86—11897
Zhang Zhipeng, Shi Shouyong Theoretical analyses and calculations of cylindrical step-index optical fiber with a spherical lens excited with GaAs lasers 85—29564
Zhang Zhipeng, Shi Shouyong Analysis of errors in regulation of cylindrical step-index optical waveguide fiber with a spherical lens excited with GaAs lasers 86—53939
Zhang Zhipeng *see* Zhipeng Zhang
Zhang Zhiqing *see* Lin Weigan 85—40226
Zhang Zhiying Comprehensive decision for precision tracking radar in dealing with angle noise 88—15655
Zhang Zhizhe A new algorithm for directional impedance relay of digital type 87—71725
Zhang Zhizhe, Chen Deshu A study of theoretical bases of adaptive microprocessor-based distance protection. I. Construction of the function, information and time-order of distance protection system 86—56458
Zhang Zhizhe, Chen Deshu A study of theoretical bases of adaptive microprocessor-based distance protection. II. Basic problems of adaptive distance protection system 86—56459
Zhang Zhong Chen *see* Zhong Chen Zhang
Zhang Zhong-Xue *see* Zhong-Xue Zhang
Zhang Zhong-yuan *see* Qin Zi-kai 88—51099
Zhang Zhongkui, Chen Xianggao, Zang Wenxiu Fission track dating and uplift rate of the kangmar pluton Xizang 86—11882
Zhang Zhongkui *see* Chen Xianggao 86—11881, 86—11883
Zhang Zhongmu, Lai Weiquan, Jiao Souhua The 6 MV tandem accelerator at Shanghai Institute of Nuclear Research 88—47761
Zhang Zhongmu *see* Lai Weiquan 88—53966
Zhang Zhongxiao *see* Zhongxiao Zhang
Zhang Zhongxien The theory and experiment of vibration measurement by interference with a multimode single optic fiber probe 86—36166

Zhang Zhongxuan, Li Zhijian Effect of defect clustering on VLSI yield statistics and statistical parameters as a function of chip area 88–57709
Zhang Zhongxuan, Yang Zhaomin, Zhang Mingbao, Xu Jiasheng A flip-flop sense amplifier with high sensitivity for HMOS-SRAM 86–40912
Zhang Zhongxuan *see* Xu Jiasheng 87–17060
Zhang Zi-Bin *see* Zi-Bin Zhang
Zhang Zierong The calculation of the coil temperature rise in SF_6 gas insulated transformer under natural gas circulation 87–51318
Zhang Zin-ling, Guo Min-yan A method for calculating the basic parameters of three dimensional cavity resonators 85–46603
Zhang Zixian *see* Deng Renliang 85–56730
Zhang Zong-jin *see* Zheng Zhi-peng 85–4224
Zhang Zongling *see* Wang Xianzhong 87–58020
Zhang Zongming *see* Xu Jiasheng 87–74431
Zhang Zongpeng *see* Zong Shinjun 85–52661
Zhang Zu Hua *see* Padmanabhan, K.R. 87–11693
Zhang Zunlin *see* Ren Guoquan 88–45574
Zhang Zunlin *see* Wu Xing 88–40409
Zhang-gen Yan *see* Yan Zhang-gen
Zhang-Miao Zhang, Macnee, A.B. A new method for wideband amplifier design and practical realization with K-transformation 86–58043
Zhang-Yang Xu *see* Xu Zhang-Yang
Zhang-yong Huang *see* Huang Zhang-yong
Zhang-yun Li *see* Li Zhang-yun
Zhang-Zhong-hua, Lu Zu-liang A new method for reducing the end-effect error of the cross-capacitor with a movable guard rod 86–5485
Zhangchao Chen *see* Chen Zhangchao
Zhangfen Qi *see* Qi Zhangfen
Zhangqi Cao *see* Fuzi Yang 87–25923
Zhangyan Jin *see* Jin Zhangyan
Zhangyong Huang *see* Huang Zhangyong
Zhangyu Wu *see* Wu Zhangyu
Zhangzhi Wang *see* Wang Zhangzhi
Zhantian Zhong *see* Zhong Zhantian
Zhanyi Zheng *see* Zheng Zhanyi
Zhao, B.Z. *see* Zhang, Y. 86–42195
Zhao, C. *see* Qiu, P. 88–51121
Zhao, C.Z. *see* Murphy, T. 87–8854
Zhao, D. Spatial multichannel holography: longitudinal multiplexed Fourier storage 88–40378
Zhao, D.Y. *see* Lu, C.B. 88–69479
Zhao, F.-Z. *see* Zhang, G.-M. 87–49864
Zhao, F.S. *see* Wang, D.W. 86–22015
Zhao, G. *see* Zhou, Z. 86–62270
Zhao, G.Z. *see* Huang, G.C. 86–63698
Zhao, H.-A. *see* So, F.C.T. 87–25158
Zhao, J., Lin, P.M. Direct synthesis of constant resistance one-port networks 86–66968
Zhao, J., Shi, M., Chen, T. Security and stability analysis of interconnected power systems 88–68824
Zhao, J. *see* Green, M.A. 88–49128
Zhao, J. *see* Jun Shen 88–52574
Zhao, J.G. *see* Sellmyer, D.J. 87–67720
Zhao, J.H., Li, A.Z., Schlesinger, T.E., Milnes, A.G. On the carrier profiling of GaAsSb/GaAs heterostructures 88–56236
Zhao, J.Q. *see* Ye, S.Z. 86–52437
Zhao, K. *see* Sikora, J. 88–54362
Zhao, K.G., Blabla, J., Helmcke, J. $^{127}I_2$-stabilized ^3He-^{22}Ne laser at 640 nm wavelength 85–56496
Zhao, K.G., Helmcke, J. $^{127}I_2$-stabilized He-^{22} Ne laser at 640 nm wavelength 86–22332
Zhao, L.-C., Krishnaiah, P.R., Bai, Z.-D. Remarks on certain criteria for detection of number of signals 87–39744
Zhao, L.C., Krishnaiah, P.R., Bai, Z.D. On detection of number of signals in presence of spatially colored noise using information theoretic criteria 87–55183
Zhao, L.C. *see* Bai, Z.D. 87–62003, 87–63762
Zhao, L.H. *see* Ye, J.G. 86–67323
Zhao, M., Jin, X., Wen, B. Study of the stress stability of PZT composites 87–53783
Zhao, N., Iijima, T. A theory of feature extraction by the stable view-points tree 85–57512
Zhao, P.-Y., He, Z.-Y. Efficient order recursive LS algorithms for 2D SAR model fitting 88–67456
Zhao, Peng *see* Cheng, Li-Chun 88–26586
Zhao, Q., Kawamata, M., Higuchi, T. A new property of optimal realizations of CRSD 2-D digital filters and its application to the direct spatial-domain design 87–17256
Zhao, Q., Kawamata, M., Higuchi, T. Equivalent relation between balanced realizations and optimal realizations of digital filters and its application to time domain design 87–27417
Zhao, Q., Kawamata, M., Higuchi, T. A unified design method of state-space digital filters using system balancing concept 87–27485
Zhao, Q., Kawamata, M., Higuchi, T. Analysis and minimization of roundoff noise in separable denominator multi-dimensional digital filters 88–6996
Zhao, Q., Sadler, G.W., Leonard, J.J. Transient simulation of flat-plate solar collectors 88–37624
Zhao, Q., Schafer, F.P., Szatmari, S. 170 fs pulse generation by optical pulse compression at 308 nm 88–58619
Zhao, Q., Tadokoro, Y. A simple design of FIR filters with powers-of-two coefficients 88–27976
Zhao, Q., Tadokoro, Y. A simple design of FIR filters with powers-of-two coefficients 88–56784
Zhao, Q. *see* Kawamata, M. 86–67385
Zhao, Q. *see* Tan, G. 86–48479, 86–50750
Zhao, S. Discussion of fuzzy clustering 87–48154
Zhao, S. *see* Li, B. 87–55347
Zhao, T., Zhang, R., Xue, J. The influence of pressure on AC flashover characteristics of contaminated insulators 88–69030
Zhao, W., Bourkoff, E. Femtosecond pulse propagation in optical fibers: higher order effects 88–39879
Zhao, W., Boylls, C., Zomlefer, M.R., Zajac, F. Improvement of the Selspot system 87–71130
Zhao, W., Koch, F., Ziegler, J., Maier, H. Conductivity studies for an electron surface layer on $Hg_{1-x}Cd_xTe$ 85–34504
Zhao, W., Ramamritham, K. A virtual time CSMA protocol for hard real time communication 87–34196
Zhao, W., Ramamritham, K. Virtual time CSMA protocols for hard real-time communication 87–69413
Zhao, W., Stankovic, J.A., Ramamritham, K. A multi-access window protocol for transmission of time constrained messages 88–66802
Zhao, W., Zeng, N., Yu, T. The first bulk long distance HVDC project in China–The Gesha HVDC link 88–68899
Zhao, W. *see* Bourkoff, E. 87–38786, 87–54022, 88–58146
Zhao, W. *see* He, D. 88–68890
Zhao, W. *see* Reeve, M.H. 88–41625
Zhao, W.-Z. *see* Young, T.Y. 88–28127
Zhao, X. New comparator-type calibrator for instrument transformers 88–22719
Zhao, X. *see* Chen, K. 86–1352, 86–1356
Zhao, X. *see* Pan, J. 88–61382
Zhao, X. *see* Shen, S. 86–66998
Zhao, X. *see* Yu, Z. 88–64566
Zhao, X.-A., Banwell, T.C., Nicolet, M.-A. Influence of interfacial oxide on ion mixing of Al bilayers: measurement of interfacial oxide 87–11431
Zhao, X.-A. *see* Banwell, T.C. 86–47336
Zhao, X.-A. *see* Hwa-Yueh Yang 88–39259
Zhao, X.-A. *see* Kolawa, E. 87–59007
Zhao, X.-A. *see* So, F.C.T. 87–60377, 88–24790
Zhao, X.F. *see* Giannakis, G.B. 87–61994
Zhao, X.F. *see* Gupta, R.C. 88–54222
Zhao, X.F. *see* Lee, S.Y. 88–54219 to 54220
Zhao, X.F. *see* Lee, Y.Y. 88–54006
Zhao, Y., Gambe, E. Analysis on partial overflow queueing systems with two kinds of class 88–8894
Zhao, Y., Yu, Y., Zhong, Z., Sun, B. Experiment at studies of high frequency radiation hygiene standard 86–6001
Zhao, Y. *see* Atlas, L.E. 87–69088
Zhao, Y. *see* Meditch, J.S. 86–17028
Zhao, Y. *see* Schotland, R.M. 88–28956
Zhao, Y. *see* Wen, Y. 88–69480
Zhao, Y. *see* Zhuang, X. 88–73330
Zhao, Y.-C. On the representation of the graph determinant by cascade graph 85–19566
Zhao, Y.Q. *see* Sheng, J. 88–52076
Zhao, Y.Q. *see* Sheng, J.N. 88–69069
Zhao, Z. Broad-band electrical matching of transducers for acoustic microscopy 87–35522
Zhao, Z. Partial discharge measurement of shunt reactors on site for 500 kV Jin-Liao system 88–68942
Zhao, Z. *see* Fang, Z. 88–69478
Zhao, Z.R. *see* Sellmyer, D.J. 87–67720
Zhao, Z.R. *see* Strzeszewski, J. 88–64919
Zhao, Z.X. *see* Clem, J.R. 86–15438
Zhao Bairu *see* Zheng Jiaqi 88–68608
Zhao Bolin, Zhu Yuanjing, Han Qingyuan Experimental study on the characteristics of atmospheric attenuation in microwave band 87–75421
Zhao Caifu *see* Caifu Zhao
Zhao Caiming, Ding Minhua Automatic control of substation reactive power compensator with a computer 85–9558
Zhao Chao An 8-channel storage oscilloscope 88–22669
Zhao Chengmou As the Chinese see military radar 87–76857
Zhao Conglong, Snider, J.B., Hogg, D.C. Computer fast sampling demodulation technique for a comparison radiometer 88–29333
Zhao Cui-Kui On matrix equations in a class of complete and completely distributive lattices 87–58765
Zhao Daru *see* Zhao Yumin 87–74520
Zhao Dazun *see* Xie Jinghui 88–34170
Zhao De-lin The frequency prediction by oblique ionogram 88–72539
Zhao Deman The digital PLL circuit analysis and applications 88–56516
Zhao Dianjia, Wang Shunhuang, Xi Aiming Application of a single board computer to the speed control system of a DC motor 87–9569
Zhao Donghuan, Chen Jianwen, Lei Shizhan Effect of uniform magnetic field on the gain of free-electron laser and study of its operating condition 85–46422
Zhao Donghuan, Lei Shizhan Effect of electron beam divergence on gain of FEL 88–40248
Zhao Donghuan, Lei Shizhan Effect of charged particle self-field on the gain of FELs 88–40249
Zhao Donghuan, Lei Shizhan, Chen Jianwen Gain properties of free-electron lasers under the action of a gradient magnetic field 87–12515
Zhao Donghuan *see* Lei Shizhan 85–46421, 88–40250
Zhao Donghuan *see* Zhuang Dounan 85–29743
Zhao Dongming *see* Dongming Zhao
Zhao Duan-cheng *see* Cen Zhao-chang 87–38332
Zhao Feng-zhi An algorithm of unconstrained optimization 88–63191
Zhao Fengguang *see* Evans, D.J. 88–49744
Zhao Fu-Tan, Chao Li-Yun, Xu Xu-Rong The energy transfer between Ce and Tb ions in LaOBr:Ce,Tb 87–3459
Zhao Fukang *see* Tang Xingli 86–3096
Zhao Guangwei *see* Zhuang Yuexiang 88–40423
Zhao Guo-tian On a distinctive feature of tone 3 in Chinese 85–36226
Zhao Guo-tian *see* Guo-tian Zhao
Zhao Guohong *see* Chen Xueqing 86–12728
Zhao Guohong *see* Yu Erkeng 86–39047
Zhao Guoqing *see* Jin Weiguo 86–11874, 86–70335
Zhao Guotian On speech input of Chinese character 86–48876
Zhao Hai-tian, Quan Yi-nan, Ma Zhao-yan An algorithm for optimal metering in state estimation via sequential elimination 87–71505
Zhao Haiquan *see* Wang Dewu 88–68354
Zhao Haitian *see* Ma Zhaoyan 87–21992
Zhao Heyun *see* Qian Jiadong 88–68607
Zhao Hong *see* Li Xinzhang 85–56889
Zhao Hong-zhi, Dong Tai-qian A new type of quantum mechanical amplifier–transition beat amplifier 88–32010
Zhao Hongfeng *see* Liu Changzhi 88–48106
Zhao Honglin Monte Carlo study of sensitivity of V_T in short channel MOSFET 86–41779
Zhao Honglin *see* Pan Ji 85–50380
Zhao Huan-qing *see* Huan-qing Zhao
Zhao Huiling *see* Gong Shiming 87–7053
Zhao Huimin, Wu Chuihua, Lu Jinlin, Zhang Chuifen, Chen Zenguo, Yang Yukum, Yang Xiaodong Fabrication and superconducting property of NbTi composite superconductor with high Cu/SC ratio 86–48038
Zhao Ji-ran *see* Xu De-wei 85–46452
Zhao Jia-bi Stability analysis of current controlled induction motor drive system 85–27675
Zhao Jiaming *see* Tu Shigu 88–20730, 88–27007
Zhao Jianguo, Yao Qinglin Undervoltage loss of excitation relay provided by a new design method 85–15975
Zhao Jianhua *see* Jianhua Zhao
Zhao Jie, Thompson, D.A. Ion beam mixing for ohmic contact formation to *n*-type GaAs 88–57373
Zhao Jiexiong *see* Guo Naijian 85–29889
Zhao Jin-rong *see* Jin-rong Zhao
Zhao Jinfu *see* Zhang Guangzhao 86–42398, 86–52926
Zhao Jing *see* Zhang Quan 88–29206
Zhao Jing-An, Tung Shou-sheng, Ruan Liang A study of liquid crystal light valve for large screen projection TV 87–38870
Zhao Jingtai *see* Wu Yupu 85–2877
Zhao Jingwei A self-optimizing control system using a microcomputer [automatic antenna tracking] 87–27092
Zhao Jun *see* Ling Sen 88–34157
Zhao Kang *see* Kang Zhao
Zhao KeZhong *see* Li Guo-Kun 86–22036
Zhao Kuidong, Xi Ruihua, Chen Yueming Use of a novel scintillator PMP for counting α-emitters 88–68261
Zhao Kuiyuan *see* Sun Dengwen 88–21381
Zhao Kuo-nan, Xie Shuag, Guo Yu-shun The online fault diagnosis of analog IC 86–67898
Zhao Lengchu Complex capacitance of MOSFET inversion layer 2DEG in subband tail region 86–28049
Zhao Lengchu MODFETs model utilized in E/D mode integrated circuits 87–67288
Zhao Lengzhu Dependence of electron mobility of HEMT on parameters of device 87–53507
Zhao Li The analyses of ring-plane slow-wave circuit 87–11297
Zhao Li, Hua Yi-xin The dispersion analysis for ring-plane slow-wave circuit 87–60054
Zhao Li-qun *see* Li-qun Zhao
Zhao Li-zeng, Lei Zi-ming, Zhang Xiu-lan, Jiang De-yi, Shen Li-kang, Lu Zhen-zhong, Nie Yu-xin, Zhang Jing-yuan, Gao Ren-he, Jin Shu-heng, Li Qiong-ru Spectral characteristics of UV coherent radiation generated by four-wave parametric process in sodium vapour 86–22474

Zhao Lin *see* Zhang Chunping 86—3335
Zhao Lingeng, Luo Zhicheng Regional compensative thoracic plethysmography for separating cardiac and respiratory information 88—48171
Zhao Liqing *see* Huang Xi 85—12858
Zhao Lugurng Measurement of carrier lifetime of junction lasers with pulse threshold method 86—36471
Zhao Meicun, Zhu Lizhi, Qian Yulan, Tang Xingli A single-mode pulsed dye laser pumped by a copper vapour laser 88—58480
Zhao Mengle Alpha track survey's results for finding out uranium deposit in the area of sand-conglomerates 86—11902
Zhao Ming The selection of optimum smoothness and the estimation of accuracy of an observational data series 85—59415
Zhao Ming *see* Li Chaoan 86—39044
Zhao Ming *see* Ming Zhao
ZHao Mingxi, Hsu Dahsiung, Fei Zhuzeng The CGH made by dot matrix printer 88—40395
Zhao Mingzhou *see* Qian Zhenxing 86—9328
Zhao Muyu *see* Tang Guangping 87—16584, 88—397
Zhao Muyu *see* Xu Baokun 85—371
Zhao Peng *see* Cheng Li-chun 87—38615
Zhao Ping-Ya, He Zhen-Ya A fast spatial recursive algorithm for 2-D adaptive LS filtering and prediction 88—73173
Zhao Po-zhang The input methods of Chinese information processing system 86—68997
Zhao Qiangfu, Kawamata, M., Higuchi, T. Direct design of separable denominator 3-D state-space digital filters 87—59751
Zhao Qiangfu, Kawamata, M., Higuchi, T. A unified approach to the minimization of quantization effects in separable denominator multi-dimensional digital filters 88—25343
Zhao Qinchun, Dong Jingyuan, Qian Linzing, He Huijuan Ps dye laser with double-prism beam expander and grating 88—20588
Zhao Qinchun, Dong Jinyuan, Qian Linxing, He Huijuan 550-689 nm laser synchronously pumped by a repetitive pulsed YAG laser 88—40161
Zhao Qing-ming Theoretical analysis of the cross-bar transition from coaxial line to rectangular waveguide 86—62803
Zhao Qingfu Speed up the development of dispatch automation for power networks in China 86—18659
Zhao Qungchun, Dong Jingyuan, Qian Linxing, He Huijuan Dye laser synchronously pumped by repetitive pulsed YAG laser with an average power of 1.4 mW 87—7279
Zhao Rongchun *see* Jue Duanlin 85—61669
Zhao Ru-Wen *see* Yang Fu-Ming 86—21958
Zhao Rui-min, Zhuang Zhen-quan A new algorithm to decompose large networks 88—56378
Zhao Run-qiao *see* Zhuang Jie-jia 86—9914
Zhao Shifu *see* Han Daxing 86—48249
Zhao Shifu *see* Qiu Changhua 87—26183
Zhao Shifu *see* Shifu Zhao
Zhao Shijie *see* Hong Jing 88—38865
Zhao Shiping *see* Wei Chongde 87—25878
Zhao Shou-zhen *see* Bai He-xiang 85—45346
Zhao Shounan *see* Gin Ganming 88—71377
Zhao Shu-qing *see* Dong Shao-ping 85—45158
Zhao Shuang-ren The application of 'mutual energy theorem' in expansion of radiation field in spherical waves 88—27465
Zhao Shulai *see* Shulai Zhao
Zhao Song-ling, Yuan Yi-yong On an impedance transformer for piezoelectric transducers 86—28579
Zhao Songnian, Xiong Xiaoyun An interference-immune trigger circuit for strong-motion recording in earthquake engineering 88—36650
Zhao Songsan *see* Li Xun 88—8181
Zhao Songshan, Wang Dechao, Wu Youyu, Wang Yuzhang 1.3 μm InGaAsP/InP double-channel planar buried heterostructure lasers 86—54133
Zhao Su-rong *see* Zhang Qing-guong 85—61638
Zhao Suwei *see* Lan Guang 88—40295
Zhao Tianren *see* Tianren Zhao
Zhao Tiesong, Jin Hanmin, Deng Jingcuan, Wu Fengwen, Song Jihua, Shi Yan Domain patterns of sintered NdFeB permanent magnet at different magnetized states 86—28623
Zhao Weizhong *see* Guan Anmin 85—59162, 86—50295
Zhao Wen-xia *see* Xie Shi-jian 85—12411
Zhao Wenqing, Tang Pushan PLA folding and automatic generation of mask pattern 85—17257
Zhao Xi-Chao *see* Yang Fu-Ming 86—21958, 87—6996
Zhao Xiao-qun *see* Shen shi-hu 87—37439
Zhao Xiaodong Representation theorem of fuzzy lattices and its applications in fuzzy topology 88—18580
Zhao Xiaomin *see* Shi Jiayan 87—9503
Zhao Xijun *see* Liu Jishang 87—75043
Zhao Xin-an *see* Xin-an Zhao
Zhao Xin-miao *see* Xin-miao Zhao
Zhao Xinmiao, Zhang Rubing, Xiang Wanghua, Xing Qirong, Wang Qingyue Theoretical analysis and experimental study of stability of a six mirror ring cavity with large radius of curvature 88—72352
Zhao Xiren Parameter self-tuning of 2-order digital phase-locked loop 86—67102
Zhao Xueshu, Li Guohua, Han Hexiang, Wang Zhaoping, Shi Szhiwen, Wang Liming, Tang Ruming Study of modulating frequency on GaAs-Al$_x$Ga$_{1-x}$As DH light emitting diodes 86—68405
Zhao Yanan, Xie Hongyi, Zhang Taiwu, Wu Yuanyuan Use of thermography in diagnosis of the earliest pregnancy and localization of the embryoblast 85—31798
Zhao Yang *see* Liu Hongxun 87—37879
Zhao Yanzen, Wu Shaomin, Jin Huishu, Zhang Chunlin, Huang Zhongfang, Huang Qirong An electro-optically fast tuning ruby laser for water vapor sounding in atmosphere 85—62541
Zhao Yanzen, Wu Shaomin, Jin Huishu, Zhang Chunlin, Huang Zhongfang, Huang Qirong An electro-optically fast tuning ruby laser for water vapor sounding in the atmosphere 86—50740
Zhao Yanzeng *see* Jin Huishu 86—9774
Zhao Yanzeng *see* Yanzeng Zhao
Zhao Yeling *see* Xie Jinghui 88—34170
Zhao Yeying *see* Bao Xuecheng 88—53872
Zhao Yibing *see* Zhang Weixin 88—74382
Zhao Yiguang *see* Guo Changzhi 88—20713
Zhao Yinpeng *see* Tsien Peihsin 87—18313
Zhao Yongfu, Xu Xuchang The method of mathematical simulation of a pulverized coal boiler furnace with platen superheaters 85—9684
Zhao Youyuan *see* Wu Zhongchi 85—50184
Zhao Yu Heng *see* Yu Heng Zhao
Zhao Yu-qi *see* Liu Ding-yuan 85—16881
Zhao Yumin, Wang Zhenxi, Zhao Zhongren, Lui Jiarui, Zhoa Junsi, Yang Baoshan, Zhao Daru, Luo Wenhao Experimental investigation of ion implanted magnetic recording material 87—74520
Zhao Yunxin *see* Yunxin Zhao
Zhao Yunying *see* Pan Jinfang 88—14298
Zhao Yunying *see* Wang Shuying 88—33599
Zhao Yuxing, Liang Baogen, Tang Xinli Study of long life-time sealed-off copper-bromide vapor laser 88—65551
Zhao Yuxing, Tan Xingli, Liang Baogen Study of role of bromine in CuBr lasers 88—72251
Zhao Yuxing, Tang Xingli Computation method and program design of Cu-laser model 88—72260
Zhao Yuying *see* Li Zhaolin 88—24752
Zhao Yuying *see* Zhu Wensen 85—12821
Zhao Zhaoyi *see* Fu Gang 86—61255
Zhao Zhen-Feng A full frequency range video signal mixer 86—24107
Zhao Zhengsheng *see* Hu Xuejin 86—68435
Zhao Zhensheng *see* Cao Hongru 88—72249
Zhao Zhensheng *see* Diegelmann, M. 86—54072
Zhao Zhi-fang, Xu Fu-rong The comparison between the pseudo-random correlation method (PRCSM) and the step response method (SRM) on the dynamical model of turbine-boiler units 85—4890
Zhao Zhi-mei, Xie Xi-jun Study of dynamometer bridge connections 85—26399
Zhao Zhida Some considerations on lightning protection and insulation coordination of EHVDC overhead lines 85—4666
Zhao Zhida Lightning performance analysis and lightning protection of HVDC overhead lines 85—38543
Zhao Zhida *see* Li Xiaorong 87—9148
Zhao Zhige *see* Xue Hongxi 87—31779
Zhao Zhixi *see* Liu Zhongyou 86—36368
Zhao Zhiyong, Guan Zialing, Sun Qinren Some problems in negative radio-frequency quadrupole accelerators 88—10182
Zhao Zhong-Hong *see* Zhang Qi 88—36334
Zhao Zhongren *see* Zhao Yumin 87—74520
Zhao Zinlin A GaAs FET oscillator with a dielectric resonator feedback 88—7066
Zhao Zong-gui *see* Long Yong-xi 86—4695
Zhao Zuolian Nonlinear observer for induction motor 86—66076
Zhao Zuolian Nonlinear observers and application to speed control of induction motor 88—37220
Zhao-chang Cen *see* Cen Zhao-chang
Zhao-feng Na *see* Xin-rong Jiang 87—39308
Zhao-gen Zeng *see* Zeng Zhao-gen
Zhao-Haon Huang *see* Xian-Fu Zeng 87—10467
Zhao-hong Zeng *see* Zeng Zhao-hong
Zhao-hong Zhang *see* Zhang Zhao-hong
Zhao-hua Wang *see* Wang Zhao-hua
Zhao-jun Huang *see* Huang Zhao-jun
Zhao-Kui Tang *see* Tang Zhao-Kui
Zhao-lin Wu *see* Wu Zhao-lin
Zhao-ming Lu *see* Lu Zhao-ming
Zhao-nian Cheng *see* Cheng Zhao-nian
Zhao-nian Li *see* Li Zhao-nian
Zhao-peng Liu *see* Liu Zhao-peng
Zhao-Qi Wang *see* Guo-guang Mu 88—34134, 88—59236
Zhao-qing Chen *see* Chen Zhao-qing
Zhao-Xien Zhang Very long life of a satellite-borne infrared spectrometer in space. I. Principle 86—18563
Zhao-xien Zhang *see* Zhang Zhao-xien
Zhao-yan Ma *see* Ma Zhao-yan
Zhao-yin Li *see* Li Zhao-yin
Zhao-yong You *see* You Zhao-yong
Zhaochang Zeng *see* Zeng Zhaochang
Zhaoda, Z. On optimal rank quantization threshold of nonparametric radar detectors 88—67458
Zhaoda, Z. *see* Zhenru, Y. 88—67460
Zhaofa Gao *see* Gao Zhaofa
Zhaogu Chen *see* Chen Zhaogu
Zhaogu Cheng *see* Cheng Zhaogu
Zhaohao Wu *see* Wu Zhaohao
Zhaohong Fang, Taylor, R. Determination of thermal diffusivity of liquids by laser flash method 88—22822
Zhaohua Geng *see* Duan Feng 86—58964
Zhaohua Geng *see* Geng Zhaohua
Zhaohui Lin *see* Lin Zhaohui
Zhaoji Li *see* Li Zhaoji
Zhaolin Li *see* Li Zhaolin
Zhaomin Tao *see* Tao Zhaomin
Zhaomin Wang *see* Wang Zhaomin
Zhaomin Yang *see* Yang Zhaomin
Zhaoming Hu *see* Hu Zhaoming
Zhaoming Huang *see* Huang Zhaoming
Zhaoming Qian *see* Qian Zhaoming
Zhaoming Wang *see* Wang Zhaoming
Zhaoming Yang *see* Yang Zhaoming
Zhaonian Chang *see* Chang Zhaonian
Zhaopeng Liu *see* Liu Zhaopeng
Zhaoping Wang *see* Wang Zhaoping
Zhaoqi Bian *see* Bian Zhaoqi
Zhaoqi Wang *see* Wang Zhaoqi
Zhaoqin Wu *see* Wu Zhaoqin
Zhaoshen Wang *see* Wang Zhaoshen
Zhaosheng Yin *see* Yin Zhaosheng
Zhaotang Zhang *see* Zhang Zhaotang
Zhaowen Zhang *see* Zhang Zhaowen
Zhaoxiang Shi *see* Shi Zhaoxiang
Zhaoxin Zen *see* Zen Zhaoxin
Zhaoxing Sun *see* Sun Zhaoxing
Zhaoxu Liu *see* Liu Zhaoxu
Zhaoxu Ti *see* Ti Zhaoxu
Zhaoxuan Zhu *see* Zhu Zhaoxuan
Zhaoyan Ma *see* Ma Zhaoyan
Zhaoyang Zhang *see* Zhang Zhaoyang
Zhaoyi Zhao *see* Zhao Zhaoyi
Zhaoyin Li *see* Li Zhaoyin
Zhaoyu Li *see* Li Zhaoyu
Zharenov, V.A. *see* Astapkovich, K.F. 86—37621
Zhargal, Ch. *see* Baldin, S.A. 86—60622
Zharikhina, L.P. *see* Krugluk, G.S. 88—40189
Zharikov, A.A. *see* Sedel'nikov, E.S. 86—38929
Zharikov, B.N. *see* Lebedev-Krasin, Yu.M. 85—11119
Zharikov, E.V., Il'chev, N.N., Kalitin, S.P., Laptev, V.V., Malyutin, A.A., Osiko, V.V., Pashinin, P.P., Prokhorov, A.M., Saidov, Z.S., Smirnov, V.A., Umyskov, A.F., Shcherbakov, I.A. Spectral, luminescence, and lasing properties of a yttrium scandium gallium garnet crystal activated with chromium and erbium 87—12438
Zharikov, E.V., Il'ichev, N.N., Kalitin, S.P., Laptev, V.V., Malyutin, A.A., Osiko, V.V., Ostroumov, V.G., Pashinin, P.P., Prokhorov, A.M., Smirnov, V.A., Umyskov, A.F., Shcherbakov, I.A. Color centers and absorption from Cr^{3+} excited state in a GSGG crystal 86—9795
Zharikov, E.V., Kalitin, S.P., Laptev, V.V., Ostroumov, V.G., Saidov, Z.S., Smirnov, V.A., Shcherbakov, I.A. Chromium-doped scandium gallium garnet crystals as active media of lasers utilizing Ho^{3+} and Tm^{3+} infrared transitions 86—54119
Zharikov, E.V., Kolerov, A.N., Laptev, V.V., Prokhorov, A.M., Shcherbakov, I.A. Laser spectral analyzer based on a gadolinium-scandium-gallium garnet:Cr^{3+} crystal 87—18999
Zharikov, E.V., Koptev, V.G., Mironenko, S.I., Umyskov, A.F., Shkadarevich, A.P., Shcherbakov, I.A. A lamp-pumped tunable GSGG:Cr^{3+} laser 88—27116
Zharikov, E.V., Kuratev, I.I., Laptev, V.V., Nasel'skii, S.P., Ryabov, A.I., Toropkin, G.N., Shestakov, A.V., Shcherbakov, I.A. Effect of UV- and γ-irradiation on the lasing characteristics of neodymium lasers 86—9794
Zharikov, E.V., Laptev, V.V., Natarov, S.Yu., Osiko, V.V., Pashinin, P.P., Prokhorov, A.M., Shklovskii, E.I., Shcherbakov, I.A. Amplification of single pulses in a gadolinium scandium gallium garnet crystal activated with Cr^{3+} and Nd^{3+} 86—48375
Zharikov, E.V., Laptev, V.V., Ostroumov, V.G., Privis, Yu.S., Smirnov, V.A., Shcherbakov, I.A. Investigation of a new laser active medium in the form of gadolinium scandium gallium garnet crystals activated with chromium and neodymium 85—24522
Zharikov, E.V., Lavrishchev, S.V., Laptev, V.V., Ostroumov, V.G., Saidov, Z.S., Smirnov, V.A., Shcherbakov, I.A. New possibilities for Cr^{3+} ions as activators of the active media of solid-state lasers 85—7404
Zharikov, E.V., Nasel'skii, S.P., Ryabov, A.I., Shcherbakov, I.A. Short-lived absorption in excited gadolinium scandium gallium garnet crystals activated with Cr and Nd [solid-state laser efficiency] 87—75057

Zharikov, E.V., Osiko, V.V., Prokhorov, A.M., Shcherbakov, I.A. Crystals of rare-earth gallium garnets with chromium as active media for solid-state lasers 86−9790
Zharikov, E.V., Zabaznov, A.M., Prokhorov, A.M., Shkadarevich, A.P., Shcherbakov, I.A. Use of GSGG:Cr:Nd crystals with photochromic centers as active elements in solid lasers 87−46821
Zharikov, E.V., Zavartsev, Yu.D., Nikol'skii, M.Yu., Prokhorov, A.M., Studenikin, P.A., Umyskov, A.F., Shcherbakov, I.A. Acoustooptic modulation of radiation from a CSGG-Cr-Nd laser operating at high pump energies 88−58492
Zharikov, E.V., Zhitnyuk, V.A., Kuratev, I.I., Laptev, V.V., Smirnov, V.A., Shestakov, A.V., Shcherbakov, I.A. Laser based on a GSGG: Cr^{3+}, Nd^{3+} crystal, which operates on the $^4F_{3/2}\rightarrow{}^4I_{9/2}$ transition at room temperature 86−9792
Zharikov, E.V. *see* Allat'ev, A.N. 87−39039
Zharikov, E.V. *see* Alpat'ev, A.N. 88−14154
Zharikov, E.V. *see* Arkhipov, R.N. 87−12440
Zharikov, E.V. *see* Ashurov, M.Kh. 86−9791
Zharikov, E.V. *see* Avanesov, A.G. 88−51772
Zharikov, E.V. *see* Babushkin, A.V. 86−68501
Zharikov, E.V. *see* Basiev, T.T. 86−63780
Zharikov, E.V. *see* Danilov, A.A. 88−27122
Zharikov, E.V. *see* Demchuk, M.I. 87−68590
Zharikov, E.V. *see* D'yakonov, G.I. 88−65643
Zharikov, E.V. *see* Gondra, A.D. 88−14152
Zharikov, E.V. *see* Grigor'ev, V.N. 87−46822
Zharikov, O.V. Anomalous magnetoresistance of germanium bicrystals at low temperatures 86−27846
Zharikov, O.V., Osip'yan, Yu.A., Shevchenko, S.A. Anomalous magnetoresistance of plastically deformed germanium 85−1281
Zharikov, V.M., Zubov, V.V., Lesnoi, M.A., Lyabin, N.A., Chursin, A.D. Thermal gas lens in a copper vapor laser 85−18860
Zharinov, A.V., Sanochkin, Yu.V. Meniscus shape and equilibrium condition of the liquid-metal surface in a cathode spot in a vacuum arc 85−11827
Zharinov, A.V. *see* Vybornov, S.I. 86−21053
Zharinov, E.I. *see* Chernyshev, V.K. 88−43301
Zharinov, S.E. Graphical method of confirming unimodality 85−33279
Zharkin, A.F. *see* Kuznetsov, V.G. 87−21840
Zharkov, F.P. One method of determining reactive power 85−64828
Zharkov, M.A., Chitishvili, T.I. Computer synthesis of toll networks with common channel signaling 86−16784
Zharkov, M.A., Novikova, O.S., Spintsis, A.A., Stankevich, V.I. Features of the construction of signaling units in the 'Kvarts' quasi-electronic telephone office 86−37645
Zharkov, M.A. *see* Basharin, G.P. 86−16783
Zharkov, M.A. *see* Bocharov, P.P. 86−16675
Zharkov, Yu.D. *see* Dmitriyev, B.S. 88−74571
Zharkov, Yu.I. Future prospects for the automation of traction substations using microprocessors 85−60352
Zharkov, Yu.V. *see* Maksimov, B.K. 87−36996
Zharkova, E.A. *see* Bilenko, D.I. 85−55155
Zharkova, G.M., Khachaturyan, V.M. The study of a liquid crystalline heat flow transducer 86−70117
Zharkova, G.M., Kiselev, G.A., Khachaturyan, V.M. Liquid-crystal heat flux indicators 87−56751
Zharkova, G.M. *see* Gromov, A.N. 88−40285
Zharkova, L.P. *see* Zelenskii, V.G. 88−30559
Zharkova, L.V. *see* Dobromyslov, V.A. 86−20126
Zharkovskii, D.Ya. *see* Tangribergenov, T.B. 87−15401
Zharnikov, M.P. *see* Kalacheva, N.I. 87−14607
Zharov, V.A. Asymptotic theory of open unstable optical resonators of telescopic type with active medium 85−45226
Zharov, V.A. Asymptotic theory of a Fabry-Perot resonator with an active medium at large Fresnel numbers 87−7413
Zharov, V.E. *see* Blinov, N.S. 86−4779
Zharov, V.P., Amer, N.M. Laser calorimetric spectroscopy on flows 87−70866
Zharova, N.A., Litvak, A.G., Petrova, T.A., Sergeev, A.M., Yunakovskii, A.D. Collapse and multiple fractionation of nonlinear wave structures 87−68742
Zharova, N.Ya., Kobylyanskii, G.E., Ratnikov, M.V., Sterlikov, A.V. Metrological support to physiological research of respirators 85−59319
Zharovsky, L.F., Zavyalova, L.V., Svechnikov, G.S. Metal chalcogenide films prepared from chelate organometallic compounds 86−13812
Zhasanov, R.A. *see* Trunin, E.S. 87−72174
Zhashkov, A.A. *see* Vladimirtsev, Yu.V. 85−51231
Zhau Heqin, Wu Wenqi, Shen Xubang The μPD7720 signal processing computer and its application 88−25256
Zhau-Pan Zeng *see* Zeng Zhau-Pan
Zhaug Lihua *see* Chang Songquan 85−38455
Zhaumin Yang *see* Yang Zhaumin
Zhaung, X., Haralick, R.M., Joo, H. A simplex like algorithm for relaxation labeling process 87−48078
Zhaung Qi, Huang Ruiping, Cui Tieji, Yuan Qinian, Sang Fengting, Zhang Cunhao Generation of NF($b^1\Sigma^+$) in the F-F$_2$-NH$_3$ system via a supersonic regime—a potential visible chemical laser medium 85−62484
Zhaung Songlin *see* Bao Xuecheng 88−53872
Zhauyin Li *see* Li Zhauyin
Zhavoronkov, A.A. *see* Volkov, S.A. 87−1003
Zhavoronkov, M.I. *see* Apollonov, V.V. 85−51103
Zhavoronkov, N.V. *see* Batavin, V.V. 85−28952
Zhavoronkov, V.G. *see* Muzhitskii, V.F. 88−43961
Zhavoronkov, V.N. *see* Vvedenskii, Yu.V. 87−2364
Zhbanov, A.I., Prokhorov, V.V., Telezhnikov, Yu.F., Shvartsman, L.G. Using the finite-element method to improve heat-field calculations for power-cable couplings 87−71689
Zhdan, A.G., Zasavitskii, I.I., Lifshits, T.M., Ryl'kov, V.V., Shotov, A.P. Apparatus for measuring fast relaxation processes in extrinsic photoconductors 87−3714
Zhdan, A.G. *see* Antonenko, V.I. 87−53300
Zhdan, A.G. *see* Vedeneev, A.S. 86−14954
Zhdan, P.A., Nizovskii, A.I., Rzhanov, A.V., Edel'man, F.L. Auger and ESCA depth profiling of silicon-nitride films after oxidation 85−12193
Zhdan-Pushkin, V.V., Ustimenko, V.A. Classical groups and metric association schemes 88−6371
Zhdanok, S.A., Soloukhin, R.I., Khizhnyak, S.M. Kinetics of vibrational energy transfer in gas-dynamic CO laser 88−20544
Zhdanok, S.A. *see* Khizhnyak, S.M. 86−3074
Zhdanov, A.A. *see* Askarov, S.M. 86−51901
Zhdanov, B.V. *see* Abdullin, U.A. 85−12975
Zhdanov, B.V. *see* Akhamanov, S.A. 85−35890
Zhdanov, D.G. *see* Sidel'nikov, V.N. 88−75726
Zhdanov, E.A. *see* Boiko, B.B. 88−14151
Zhdanov, E.A. *see* Kruglik, G.S. 87−18939
Zhdanov, M.S. *see* Berdichevskiy, M.N. 85−15399
Zhdanov, N.N., Kharchenko, O.I., Starostenko, V.V. Investigating pin-type T-shaped retardation system in rectangular waveguide 87−17317
Zhdanov, N.N., Pisarenko, V.M., Starostenko, V.V. Investigating twin comb with different heights [travelling wave tubes] 87−37836
Zhdanov, N.N. *see* Golovash, S.A. 85−28692
Zhdanov, V.D. *see* Klistorin, I.F. 88−63714
Zhdanov, V.S., Uspenskii, B.S. Power facilities of the Moscow Canal 88−48803
Zhdanov, V.S. *see* Abil'siitov, G.A. 86−38805
Zhdanov, V.S. *see* Babenkov, M.I. 87−14731
Zhdanov, V.V. High-power voltage-to-current converter for inductive load 87−37492
Zhdanov, Yu.N. *see* Tskhvirashvilin, D.G. 86−33268
Zhdanova, T.Ya. *see* Petrosyan, O.G. 86−8427, 86−38595, 87−63504
Zhdanovich, N.S. *see* Svanbaev, E.A. 88−38236
Zhdanovskii, V.A., Zolotovskaya, E.F., Snopko, V.N. Polarimeter-Wattmeter for CO$_2$ laser radiation 86−44447
Zhe Wu Multidimensional state-space model Kalman filtering with application to image restoration 86−29978
Zhe Zhang *see* Zhang Zhe
Zhe-fu Zhong *see* Zhong Zhe-fu
Zhe-Sheng, L. An approach to improving dynamic stability of superconducting generator using Q-axis damper winding feedback control 87−42761
Zhe-Sheng Li Comparison between single shield with damping winding and two-shield damping system for superconducting generators 86−39664
Zhe-sheng Li *see* Li Zhe-sheng
Zhe-sheng Liu *see* Liu Zhe-sheng
Zhebelev, Yu.A., Solov'eva, Z.I. Right-bank earth dam of the Bratsk hydroelectric station 85−60052
Zhebelev, Yu.A. *see* Solov'eva, Z.I. 85−53593
Zhebit, V.A. Superconductivity and measures for producing a progressive energy conservation technology [energy storage] 86−26325
Zhebit, V.A. Superconductivity and progressive energy conservation technology 87−22790
Zhebit, V.A., Ter-Gazaryan, A.G. Features of design of underground inductive energy storage 88−11404
Zheen Wang *see* Wang Zheen
Zheenbaev, N.Zh., Mamytbekov, M.E., Otorbaev, D.K. Spatial distributions of translational and vibrational temperatures of molecules in a waveguide CO$_2$ laser plasma 88−27052
Zhegalov, V.I. On a boundary-value problem for the Lavrent'ev-Bitsadze equation in polar coordinates 85−44664
Zhegalov, V.I. A boundary value problem with displacements for a fourth-order equation of mixed type 85−54397
Zhegen Chen *see* Chen Zhegen
Zheglov, V.A. *see* Wasserman, A.L. 86−40292
Zheguo Fu *see* Fu Zheguo
Zhehua Wu *see* Wu Zhehua
Zhekov, V.I., Lobachev, V.A., Murina, T.M., Prokhorov, A.M. Cooperative phenomena in yttrium erbium aluminium garnet crystals 85−2268
Zhekov, V.I., Murina, T.M., Prokhorov, A.M., Studenikin, M.I., Georgescu, S., Lupei, V., Ursu, I. Cooperative process in Y$_3$Al$_5$O$_{12}$:Er^{3+} crystals 86−63781
Zhekov, V.I. *see* Bagdasarov, Kh.S. 86−15673, 88−72304
Zhekov, V.I. *see* Georgescu, S. 85−12836, 87−33136
Zhelankin, O.G. *see* Deryugin, L.N. 85−14282
Zhelatelev, S.G. *see* Zykin, F.A. 85−31421
Zhelenkov, S.R. *see* Abramyan, L.E. 87−34679
Zhelev, Z. *see* Penev, I. 85−31758
Zhelev, Zh. *see* Penev, I. 87−63634
Zhelev, Z.T. *see* Angelov, A.H. 85−31651
Zhelezko, Yu.S. Errors in the recording of electrical energy [power measurement] 86−32862
Zhelezko, Yu.S. Reducing losses and raising the power quality in networks are objectives for power engineering and consumers 87−35550
Zhelezko, Yu.S., Kopytov, Yu.V., Stan, V.V. Application of allowances and increases to the tariff for the quality of the electric power 85−26984
Zhelezko, Yu.S., Mamoshin, R.R., Nikiforova, V.N. On improving the standardisation of electrical power quality 87−64021
Zhelezko, Yu.S., Vasil'chikov, E.A. Rational methods of finding the number of hours at greatest loss levels and the form factor of the load graph 88−36734
Zhelezko, Yu.S., Vorotnitskii, V.E., Biryukova, R.P., Khavkina, O.K. Using computers to calculate the intervals of indeterminacy in the rate of power consumed by transport in 6-110 kV open networks 85−32121
Zheleznikova, E.A. *see* Bogdankevich, O.V. 86−15496
Zheleznov, B.P. *see* Seinov, S.V. 88−16483
Zheleznov, V.V. *see* Amnosov, R.M. 88−12908
Zheleznova, M.A. *see* Alekseev, M.B. 88−39023
Zheleznyak, A.L., Kogan, V.R. A solution of one class of singularity perturbed boundary-value problems 87−65447
Zheleznyak, A.L. *see* Belyantsev, A.M. 86−1661
Zheleznyak, L.M. *see* Apakhov, M.I. 86−564
Zheleznyak, M.M., Kashin, V.A., Kozik, V.I. Phase synthesis of the radiation patterns of antenna arrays using parametric coupling for unknown phases 87−54741
Zheleznyak, T.K. Long-period seismometer 86−44774
Zheleznyak, T.K. Transients in long-period channels 87−63962
Zheleznyakov, S.V. *see* Zaitsev, A.I. 88−55658
Zheleznyakov, V.V. Cyclotron radiation in astrophysics (review) 88−35626
Zheleznykh, I.M., Plotnikov, A.F., Sadygov, Z.Ya., Shubin, V.E. Semiconductor photodetectors and the design of experiments on deep underwater muon and neutrino detection (DUMAND project) 86−11606
Zheleznykh, I.M. *see* Aleinikov, S.Ya. 86−11607
Zheleznykh, I.M. *see* Markov, M.A. 86−65375
Zhelezovskii, B.E. Energy characteristics of amplification of two AM signals in an O-type traveling-wave tube 88−64211
Zhelezovskiy, B.Ye. *see* Alekseyev, Yu.V. 88−7031
Zhelezovskiy, Ye.Ye., Iofin, O.N., Lazerson, A.G. Spectral characteristics of a stochastic process with frequency modulation 88−40946
Zhelikhovskii, Kh.M. *see* Kobazev, V.P. 85−59760
Zheljazov, Zh.J., Botev, N.D., Zonev, B.M., Djakov, D.A. Magnetic disc memory devices 85−1842
Zhelkobaev, Zh. *see* Bogdankevich, O.V. 87−3756
Zhelninskaya, E.A. *see* Skalyga, A.N. 85−48138
Zhelnov, V.N. Evaluation on the stability of the passband of synchronous filters 86−34938
Zhelokova, M.Z., Maksimova, I.F. Influence of the level of electromagnetic loads on the weight of a short-time operation generator 87−58006
Zheltikov, V.A. Investigation of the residual voltage at the output of an optron phase detector 87−54194
Zheltov, A.I. *see* Nichiporovich, G.F. 85−52892
Zheltov, K.A., Kuchai, S.A. Resonance generation of high-voltage pulses 85−60290
Zheltov, K.A., Kuchai, S.A. Theory and application of resonance multiplication of voltage 88−62407
Zheltov, K.A., Malygin, A.V., Petrenko, A.N., Shalimanov, V.F. Resonant megavolt pulse generator 88−25056
Zheltov, K.A., Petrenko, A.N. Subnanosecond high-current electron accelerator 86−60438
Zheltov, V.V. *see* Zenkevich, V.B. 87−67839
Zheludev, N.I. *see* Aleksandrovskii, A.L. 86−22520
Zheludev, N.I. *see* Dovchenko, D.N. 87−26518
Zheludev, N.I. *see* Saltiel, S.M. 87−33261
Zheludev, N.I. *see* Vysloukh, V.A. 87−75200

Zhemerov, B.N., Ignatieva, N.V., Titov, Yu.M., Khomenko, V.A. The ITHS-2 interactive television information-measuring system 86–17622
Zhemerov, G.G. *see* Annopol'skii, Yu.F. 85–21732
Zhemerov, G.G. *see* Annppol'skii, Yu.F. 86–51775
Zhemerov, G.G. *see* Brailovskii, M.I. 86–7967
Zhen, L., Zhang, Z.-J. Studies of distance protection with a microprocessor for short transmission lines 88–10918
Zhen, L., Zhang, Z.-J. Studies of distance protection with a microprocessor for short transmission lines 88–55066
Zhen, W. *see* Kobayashi, T. 88–20305
Zhen, Y.P. *see* Huang, Y.H. 88–49808
Zhen, Y.P. *see* Suski, T. 88–44575
Zhen Guangrong *see* Cheng Guangming 88–72375
Zhen Qui Ma *see* Patterson, R.L. 88–63146
Zhen Ren *see* Ren Zhen
Zhen Wu *see* Wu Zhen
Zhen Xiangdong *see* Tang Guishen 87–74952
Zhen Xiangguang *see* Yin Yixian 85–46314
Zhen Yiepen *see* Kong Meiying 88–24725
Zhen Zhang, Berger, T. Improved upper bound for the capacity of the random-access channel 86–68953
Zhen Zhang *see* Zhang Zhen
Zhen-an Liu *see* Liu Zhen-an
Zhen-dong Han *see* Han Zhen-dong
Zhen-Feng Zhao *see* Zhao Zhen-Feng
Zhen-Gang Zhang *see* Zhang Zhen-Gang
Zhen-he Zhu *see* Zhu Zhen-he
Zhen-Hong Mai *see* Da-Wen Pang 87–31562
Zhen-hong Mai *see* Mai Zhen-hong
Zhen-hua Lin *see* Lin Zhen-hua
Zhen-huan Lei *see* Lei Zhen-huan
Zhen-jing He *see* He Zhen-jing
Zhen-lin Mao *see* Mao Zhen-lin
Zhen-min Li *see* Li Zhen-min
Zhen-pen Yang *see* Yang Zhen-pen
Zhen-quan Zhuang *see* Zhuang Zhen-quan
Zhen-rou Guan *see* Guan Zhen-rou
Zhen-xi Zhang *see* Zhang Zhen-xi
Zhen-xian Fang *see* Fang Zhen-xian
Zhen-Xiang Zhang *see* Zhang Zhen-Xiang
Zhen-xing Li *see* Li Zhen-xing
Zhen-ya, H. *see* Wei, G. 87–62255
Zhen-Ya, H. *see* Yu-Ning, D. 87–62240
Zhen-Ya Dong *see* Dong Zhen-Ya
Zhen-ya He *see* He Zhen-ya
Zhen-yang Wu *see* Wu Zhen-yang
Zhen-ye Xu *see* Xu Zhen-ye
Zhen-yong Cheng *see* Cheng Zhen-yong
Zhen-yue Zhang *see* Zhang Zhen-yue
Zhen-zhong Lu *see* Lu Zhen-zhong
Zhen-zhou Zhou *see* Zhou Zhen-zhou
Zhenang Li *see* Li Zhenang
Zhenbin Chen *see* Chen Zhenbin
Zhenbin Liang *see* Liang Zhenbin
Zhenchun Li *see* Puru Liu 88–71894
Zhendong Sun *see* Sun Zhendong
Zhendubaev, V.N. *see* Egorov, A.B. 87–20859
Zhenenko, G.N., Ladvishchenko, B.G. Algorithm for adaptive adjustment of the regulation factors of automatic excitation regulation for the synchronous generators of complex power systems 87–42839
Zhenenko, G.N., Ladvishchenko, B.G., Yurganov, A.A., Kozhevnikov, V.A. Mathematical modelling of a brushless excitation system 88–75592
Zhenenko, G.N. *see* Degtyarev, V.N. 88–5277
Zheneva, S. *see* Popov, A. 88–17937
Zhenfu Cao *see* Cao Zhenfu
Zheng, B. *see* Wenbia, D. 88–67455
Zheng, B. *see* Zaborszky, J. 88–30244, 88–42907
Zheng, B. *see* Zhuang, W. 85–62594
Zheng, B.H. *see* Zaborszky, J. 86–56382, 87–71602
Zheng, B.Z. *see* Zhuang, W.H. 86–3184
Zheng, C.-Y. The field measurement of surge impedance of the 500 kV large crossing tower in Degang 88–69039
Zheng, C.E. *see* Boffa, V. 88–2315
Zheng, C.E. *see* Di Lazzaro, P. 87–39169
Zheng, D., Uchiyama, Y., Ishida, M. Energy-utilization diagrams for two types of LNG power-generation systems 86–56678
Zheng, D. *see* Ishida, M. 87–64346
Zheng, D. *see* Michalski, K.A. 87–47326
Zheng, D.J. *see* Lee, B. 88–20303
Zheng, E., Wang, Z., Yin, Z., Fang, Q. Impedance measurement of skeletal muscle from 1 Hz to 1 MHz 86–56149
Zheng, E. *see* Huang, Z. 88–61379
Zheng, E. *see* Wang, Z. 87–57163
Zheng, E. *see* Yin, Z. 87–57179
Zheng, E. *see* Zheng, X. 88–68344
Zheng, E.X. *see* Xu, Y. 88–48141
Zheng, G.Q. *see* Au, R. 85–64363
Zheng, G.W. *see* Chen, K.S. 88–72631
Zheng, H.Z., Choi, K.K., Tsui, D.C., Weimann, G. Size effect in the quantum Hall regime 86–53413
Zheng, H.Z., Tsui, D.C., Chang, A.M. Distribution of the quantized Hall potential in GaAs-$Al_xGa_{1-x}As$ heterostructures 86–8861
Zheng, H.Z., Wei, H.P., Tsui, D.C., Weimann, G. Gate-controlled transport in narrow $GaAs/Al_xGa_{1-x}As$ heterostructures 87–11803
Zheng, J., Patton, J.A., Pickens, D.R., King, P.H., Price, R.R. Three dimensional (3-D) reconstruction with cone beam geometry applied to nuclear medicine imaging 87–63755
Zheng, J.-B. *see* Snow, J.B. 86–27808
Zheng, J.P., Menard, K., Kwok, H.S. Subnanosecond laser pulse from a grazing incidence dye laser 87–68399
Zheng, J.P., Sen, U., Benenson, D.M., Kwok, H.S. Observation of periodicity multiplication in a synchronously pumped dye laser 87–18930
Zheng, J.P. *see* Kwok, H.S. 88–38228, 88–49862
Zheng, J.Y. Recursive dissociation analysis—one CAA way to deal with ultra-large-scale network problems 86–57564
Zheng, L., Chen, J. Electron beam annealing for phosphorus and arsenic implantation 85–34789
Zheng, L., Wang, C., Wu, Y. Nearly degenerate four wave mixing and high order effects in a He Ne Zeeman laser 87–2082
Zheng, L.-N. *see* Yu, F.T.S. 85–26487
Zheng, L.N. *see* Yu, F.T.S. 86–3320, 86–58983
Zheng, L.R., Doolittle, L.R., Mayer, J.W. Silicon transport in lateral silicide growth of $CrSi_2$ 87–17801
Zheng, L.R., Hung, L.S., Feng, S.Q., Revesz, P., Mayer, J.W., Miles, G. Interaction of $TiSi_2$ layers with polycrystalline Si 86–41586
Zheng, L.R., Hung, L.S., Mayer, J.W. Redistribution and influence of arsenic in chromium silicide formation 86–28037
Zheng, L.R., Hung, L.S., Mayer, J.W., Choi, K.W. Effects of arsenic ion irradiation on Ti silicide formation 85–45449
Zheng, L.R., Mayer, J.W. Suppression of lateral diffusion in the Cr-Si system by ion irradiation 85–1387
Zheng, L.R., Zingu, E., Mayer, J.W. Lateral silicide growth 85–34635
Zheng, L.R. *see* Chen, S.H. 85–23554, 86–28042
Zheng, L.Z. *see* Guo, W.L. 87–66939
Zheng, M., Ye, Y., Li, X. Power system stability considering the dynamical performance of HVDC transmission 88–68809
Zheng, N., Mori, S. All digital phase-locked loop with nonlinear multilevel quantized phase comparator 85–33726
Zheng, N., Mori, S. Performance of a digital phase-locked loop for tracking NRZ signals 86–14070
Zheng, N., Mori, S. Performance of an all digital phase-locked loop for tracking NRZ coded binary signals 86–62496
Zheng, N. *see* Hikawa, H. 86–46632, 86–67113, 87–73369
Zheng, P., Zhang, H. A new idea of code book design in vector quantization of speech 87–61739
Zheng, Q. *see* Lin, W. 88–70731
Zheng, S.-Q. *see* Gonzalez, T. 88–26453
Zheng, Shaoming, Wang, Renhang A new method for the solution of three-dimensional magnetostatic fields, using a scalar potential 86–42737
Zheng, T. *see* Becker, R.S. 86–6966, 86–28963
Zheng, W. The complex resonant frequencies of open composite dielectric resonators 88–25436
Zheng, W. *see* Luo, G. 88–68749
Zheng, W. *see* Strom, S. 87–75371, 88–27390, 88–66022
Zheng, W. *see* Xing, X.Z. 88–16489
Zheng, W. *see* Zen-xing, H. 87–63043
Zheng, W.M. Analytical results for steps of the resistivity shunted Josephson junctions 87–25893
Zheng, X., Huang, Z., Peng, C., Zheng, E. Design of fast-response clinical thermometer 88–68344
Zheng, X. *see* Fard, N.S. 87–58715
Zheng, X.-H. Theory of resonant absorption effect and its application to single-mode single-polarization fibers 88–72031
Zheng, X.-H., Henry, W.M., Snyder, A.W. Polarization characteristics of the fundamental mode of optical fibers 88–72035
Zheng, X.-H. *see* Ankiewicz, A. 87–12123
Zheng, X.-I., He, J.-I. New method of calculating short-circuit long distance EHV AC transmission lines 88–68938
Zheng, X.C., Han, S. Stable normal zones in superconducting coils 85–62264
Zheng, X.H. Geometric birefringence in fibres due to asymmetric cladding 86–53952
Zheng, X.H., Shyder, A.W. Fused couplers: condition for insensitivity to external refractive index 87–38735
Zheng, X.H., Snyder, A.W. Pattern of radiation from dielectric tapers 88–1972
Zheng, Y., Basart, J.P. Automatic image segmentation, modeling, and restoration with a rule-based expert system 88–3248
Zheng, Y.-C., Yuan, B.-Z. Text-dependent speaker identification using circular hidden Markov models 88–72831
Zheng, Y.-D., Chang, Y.H., McCombe, B.D., Farrow, R.F.C., Temofonte, T., Shirland, F.A. Observation of a quasi-two-dimensional electron gas at an InSb/CdTe interface 87–11392
Zheng, Y.-D., Chang, Y.H., McCombe, B.D., Farrow, R.F.C., Temofonte, T., Shirland, F.A., Noreika, A.J. Observation of a quasi-two-dimensional electron gas at an InSb/CdTe interface prepared by MBE 87–37946
Zheng, Y.D. *see* Kim, T.W. 88–12984
Zheng, Z.P. *see* Adachi, T. 87–35337
Zheng Bao *see* Bao Zheng
Zheng Bao-hong *see* Zhang Qi 88–36334
Zheng Baozhen *see* Xu Zhongying 86–53379
Zheng Baozhen *see* Zhang Jingming 85–46123
Zheng Baozhen *see* Zhuang Weihua 85–35736
Zheng Bingru *see* Kong Guanglin 85–2122
Zheng Bingru *see* Ruan Shengyang 85–55520
Zheng Chen *see* Chen Zheng
Zheng Cheng-En *see* Cheng-En Zheng
Zheng Chengan *see* Lou Qihong 86–15609
Zheng Chengen Thermal effects in transverse-flow discharge gas lasers 85–29748
Zheng Chengen, Cao Hongmin, Liu Bo, Wei Yunrong, Ding Aizhen, Lou Qihong Effect of discharge circuit inductance on laser output energy and discharge properties in an avalanche discharge XeCl excimer laser 85–29742
Zheng Chengen, Lo, D. Preionization electron decay process in XeCl avalanche discharge lasers 88–27019
Zheng Chengen *see* Cheng Xusan 86–54079
Zheng Chengen *see* Lou Qihong 85–46434, 85–62487, 87–54220
Zheng Cui *see* Cui Zheng
Zheng Da-wei, Dong Da-nan Realization of narrow band filtering of polar motion data with a multi-stage filter 87–55055
Zheng Dazhong A simple algorithm on the characteristic polynomial of a square matrix 86–7587
Zheng Erxin *see* Erxin Zheng
Zheng Fang-Jing *see* Fang-Jing Zheng
Zheng Fengshi *see* Fei Renyan 86–70883
Zheng Fungshih *see* Fungshih Zheng
Zheng Guanglin *see* Shi Daojun 86–22445
Zheng Guoxian *see* Peng Shaojin 85–49542
Zheng Haixing, Gan Fuxi Investigation of glasses doped with Er^{3+} ions used as laser materials 87–26350
Zheng Hang, Zhu Shiyao, Fang Junxin Theoretical study of nondegenerate two-photon optical multistability 88–26909
Zheng Hao Shi *see* Sheng-He Sun 86–17901
Zheng Hong Wei *see* Hong Wei Zheng
Zheng Hongwei *see* Chen Lejun 88–10286
Zheng Houzhi, Cheng Wenchao, Zhu Yongtang, Wang Xinghua, Li Yuexia, Bi Kekui, Li Chengfang, Jiang Pihuan Transport properties of Si MOS inversion layers in high magnetic fields at low temperature 87–1314
Zheng Hu *see* Hu Zheng
Zheng Huanqun *see* Wang Yuhong 88–18843
Zheng Ji-yu *see* Jin Xing-hua 88–25059
Zheng Jia-biao *see* Jia-biao Zheng
Zheng Jia-dong, Xiang Xin-min The finite element analysis for the equation system coupling the complex Schrodinger and real Boussinesq fields 87–65449
Zheng Jia-qing *see* Liu Guo-ding 85–30656
Zheng Jiabiao *see* Jiabiao Zheng
Zheng Jialong *see* Chen Daoduo 85–49770
Zheng Jian-xin *see* Wang Shou-she 86–38370
Zheng Jianchao, Liu Yansheng, Su Zhiyi, Yu Qing Studies on performance of insulators for HVDC lines under polluted conditions 86–12485
Zheng Jianhe, Li Yushan, Wang Shurong, Huang Kuan, Yu Rongjin Proton-exchanged optical waveguides in $Ti:LiNbO_3$ 85–46149
Zheng Jiaqi, Song Siyuan, Wu Peijun, Liu Wei, Rong Xishen, Tian Xiuqing, Tian Shuqing, Zhao Bairu Study of the superconducting gravimeter 88–68608
Zheng Jingliang, Wang Dazhong, Yang Qiji Experimental research of conformal arrays of slots on a circular cylinder with an electrically large radius covered by a dielectric layer 88–21031
Zheng Jiyi *see* Chai Tianen 87–53477
Zheng Jun-li *see* Gong Ming-fu 87–59133
Zheng Le-min *see* Jin Hao-ran 88–27276
Zheng Lemin *see* Tang Junxiong 88–65601
Zheng Lemin *see* Wu Yifang 88–72351
Zheng Leping *see* Hu Chumin 85–20283
Zheng Li-xing, Guo Shao-zhang, Wan Liang-feng Laser emission of F_3^+ color centers in LiF crystals at room temperature 86–22344
Zheng Lizhen, Wang Mingqian Study on the low energy responses of LiF(Mg, Ti) and $CaSO_4$(Tm) 88–29887
Zheng Lizhen *see* Wang Mingsqian 88–10293
Zheng Neng *see* Huang Zhang-yong 87–38730
Zheng Neng *see* Huang Zhangyong 86–68328
Zheng Pei *see* Yang Zheng 88–51251
Zheng Ping *see* Huang Gen 88–48789
Zheng Qi, Liu Chitang Gas temperature measurement inside diesel engine cylinder and heat release calculation—two-zone calculation model based on measured temperature and pressure 88–53913

Zheng Qi-lun *see* Huang Zhi-hai 86−14110
Zheng Qian Cong *see* Qian Cong Zheng
Zheng Qinfen, Wu Jiankang, Wang Wentao A study of decision tree classifier 88−36679
Zheng Quan *see* Zhuang Song-lin 86−16494
Zheng Shaying *see* Zhou Juncheng 87−50535
Zheng Shengnan *see* Xu Li 85−45377
Zheng Shi-hai, Yang Guo-zhen, Lin Qing-jing, Li Guo-zhen A new method for performing optical Mellin transform 86−63875
Zheng Shi-hai *see* Gu Ben-yuan 86−10327
Zheng Shiming Stable power supply with three-phase Flotrol for CW lasers 85−56749
Zheng Shouqi *see* Fu Taiqi 88−25225
Zheng Shu *see* Xu Lu-sheng 87−14848
Zheng Shunxuan *see* Feng Shiyu 85−29903
Zheng Si-hua, Li You-ming A new algorithm for near-field synthetic seismograms with a broad frequency band 86−56242
Zheng Si-Qing *see* Si-Qing Zheng
Zheng Tang *see* Tang Zheng
Zheng Tianpi *see* Xu Shiru 88−64272
Zheng Wang *see* Wang Zheng
Zheng Weimin *see* Weimin Zheng
Zheng Wen-xin *see* Wen-xin Zheng
Zheng Wenxin *see* Shao Hanguang 85−10567
Zheng Xiangbing *see* Li Zingjiao 87−73807
Zheng Xiao-Ci *see* Han, S. 86−48032, 86−48043
Zheng Xiaoci, Han Shuo Stable normal zones in superconducting coils 87−7059
Zheng Xiaoci, Lin Qitang, Han Shuo Measurement of transient heat transfer behaviors of superconducting composites 86−68216
Zheng Xiaojun, Yang Shuzi, Zhou Anfa, Shi Hanmin A knowledge-based diagnosis system for automobile engines 88−60549
Zheng Xilan Computer-aided calculation of short-circuit transient for long distance UHV transmission line 86−56405
Zheng Ximing, Yu Erkeng Sparse linear programming and optimal technique applied to electric power system 86−50862
Zheng Xin-yu, Li Zhi-jian Pulse-$Q(V)$ method assisted by pulsed and steady infrared illumination for study of Si/SiO_2 interface states 86−1826
Zheng Xingshi *see* Xing Fuhao 88−27008
Zheng Xinyu, Li Zhijian Pulse $Q(V)$ method assisted by pulsed and steady infrared illumination for Si/SiO_2 interface states study 85−12016
Zheng Xinyu, Li Zhijian MOS interface state charge transient spectroscopy 86−8884
Zheng Xinyuan *see* Wei Xianying 86−56633
Zheng Xinyuan *see* Zeng Hong 87−51036
Zheng Xu, Gamo, K., Namba, S. Characteristics of maskless ion beam assisted etching of SiO_2 88−26081
Zheng Xu, Kenji Gamo, Namba, S. Ion beam assisted etching of SiO_2 and Si_3N_4 88−57480
Zheng Xu *see* Gamo, K. 88−57538
Zheng Xue-Heng Single-mode single-polarisation fibre using resonant absorbing effect 87−25943
Zheng Xue-heng An application of conformal mapping in fibre optics 88−51469
Zheng Xue-Heng Fused couplers function in a broad range of wavelength 88−65182
Zheng Xue-Heng *see* Xue-Heng Zheng
Zheng Xue-ren *see* Liu Bai-yong 85−54767
Zheng Yanfang *see* Fu Xinding 85−55702
Zheng Yang *see* Yang Zheng
Zheng Yaohui On the limit theorems for a Markovian system with random input 85−262
Zheng Yi *see* Yi Zheng
Zheng Yi-yang, Zhang Hin-chang, Liu Yan-fang, Peng Shao-jin, Lu Wen-hong, Shen Gui-xian, Zhang Ying-zhu, Su Gui-xing, Jia Kiu-you $In_{0.53}Ga_{0.47}As$ Hall device with highly sensitivity 87−60395
Zheng Yike *see* Li Zingjiao 87−73807
Zheng Ying *see* Xia Wuying 85−55777
Zheng Yiping *see* Liang Jiben 88−43868
Zheng Yiyang Stationary domain originated from the cathode deep recess doping distribution in GaAs transferred electron devices 85−50477
Zheng Yiyang Uniform static field distribution of the stationary domain originating from the cathode deep recess doping distribution in GaAs transferred electron devices 86−9072
Zheng Yiyang Experimental result of the stationary domain originating from the cathode deep recess in GaAs transferred electron devices 86−9073
Zheng Yiyang Computer simulation and experimental observation of features and stability for four kinds of stationary domains in transferred electron devices 88−19374
Zheng Yiyang, Zhang Jinchang Super-wide-band negative resistance of stationary domains originating from the cathode deep recess doping distribution in GaAs transferred electron devices 85−18277
Zheng Yiyang, Zhang Jinchang, Liu Yanfang GaAs Hall elements fabricated by epitaxial growth 85−55750
Zheng Yiyang *see* Yiyang Zheng
Zheng Yong *see* Jiang Aidong 87−31483
Zheng Yongwu, Chen Shaohui, Yao Dianhong, Zhan Dejian, Hu Jie A sealed-off nitrogen laser 85−29746
Zheng Youdou, Jiang Ruolian, Xu Junming Study of PECVD SiO_2-InP MIS structures 88−7389
Zheng Youdou *see* Jiang Ruolian 85−55584
Zheng Yu-cai Verification on object of main lens in camera tube being cross-over 87−37839
Zheng Yu-liang *see* Yie Jin-de 85−3675
Zheng Yuhong, Miao Yubo, Tian Huiliang, Si Yuancheng, Zhang Jingyuan Etching technique of diffraction gratings in InP and InGaAsP 88−58324
Zheng Yulin *see* Cong Shong 87−67226
Zheng Yunsham *see* Lin Xing 87−54397
Zheng Yuxia *see* Tang Xianzhong 88−27251
Zheng Zhang, Berger, T., Massey, J.L. Some families of zero-error codes for the 2-user binary adder channel with feedback 86−64205
Zheng Zhanyi *see* Qin Jiuchang 88−47756
Zheng Zhi-peng, Zhu Yu-can, Shao Yu-ying, Lun Jun-guang, Sun Han-sheng, Zhang Ning-jie, Wei Xin-gui, Du Guan-oun, Zhang Zong-jin, Jiang Chong-yi The tests to the properties of BaF_2 scintillator made in China 85−4224
Zheng Zhigin *see* Wang Enyao 85−64222
Zheng Zhijie A structured addition antialiasing zoom algorithm for binary images 88−46152
Zheng Zhipeng *see* Ye Minghan 88−16571, 88−47767, 88−74670
Zheng Zhiqin, Wang Qian, Wang Enyao, Sun Kunzhe, Li Yuezhen, Zhu Xuewu, Li Hanqi, Qian Jiakuang, Wang Kuiwu Superconducting magnet system used in a steady state magnetic mirror device 85−29513
Zheng Zhiqin *see* Wang Enyao 85−20683
Zheng Zhong *see* Zhong Zheng
Zheng Zhonghou *see* Liu Tongyu 87−3470
Zheng Zinyu, Li Xhijian Gate charge relaxation mechanism of MOS structure with zero biased source and transient spectroscopic measurement of Si/SiO_2 interface state distribution near minority carrier band edge 88−44597
Zheng Zou *see* Zou Zheng
Zheng-bin Luo *see* Luo Zheng-bin
Zheng-de Wu *see* Wu Zheng-de
Zheng-Dong Huang *see* Huang Zheng-Dong
Zheng-fan Li *see* Li Zheng-fan
Zheng-fu Chen *see* Chen Zheng-fu
Zheng-Guo, W. Loop analysis of switched-capacitor networks with arbitrary K-phase and general inputs 87−65791
Zheng-he, F. Broadband dielectric waveguide coupler and six-port network 87−6042
Zheng-he, F. An analysis of EM wave circuit problems by network-boundary element method 87−7560
Zheng-jia Hu, Zhi-yong Lai, Ben-shan Jiang, Kang-ping Zhang A multi-bus radio LAN 88−21712
Zheng-jia Lu *see* Lu Zheng-jia
Zheng-min Mao *see* Mao Zheng-min
Zheng-ming Fong, Yu-hai Mao Some results on radar clutter spectra measurements 85−52393
Zheng-ming Li *see* Hui Kang 86−59204
Zheng-Ou Zhou *see* Zhou Zheng-Ou
Zheng-ping Cai *see* Cai Zheng-ping
Zheng-quan Xue *see* Xue Zheng-quan
Zheng-song Wang The wave propagation in random media: the analytical solutions of the m-nth moment equations with different wave numbers 87−47213
Zheng-wei Gao *see* Gao Zheng-wei
Zheng-xian Zhang *see* Zhang Zheng-xian
Zheng-xin Jiang *see* Jiang Zheng-xin
Zheng-xiu Chen *see* Chen Zheng-xiu
Zheng-ying Li Improved $CuSO_4$ HV pulse divider 88−74321
Zhengbiao Ouyang *see* Ouyang Zhengbiao
Zhengchang Jiang *see* Jiang Zhengchang
Zhengchuan He *see* He Zhengchuan
Zhengdong Shi *see* Shi Zhengdong
Zhengfang Song *see* Song Zhengfang
Zhengfei Liu *see* Liu Zhengfei
Zhengfu Peng *see* Peng Zhengfu
Zhenggou Liu *see* Liu Zhenggou
Zhenghao, S. *see* Shenghe, S. 88−60588
Zhenghe Feng *see* Feng Zhenghe
Zhenghe Fung *see* Fung Zhenghe
Zhenghu Niu *see* Niu Zhenghu
Zhenghua Zhu *see* Zhu Zhenghua
Zhenghui Lin *see* Lin Zhenghui
Zhengiao Ouyang *see* Ouyang Zhengiao
Zhengkuan Jiao *see* Jiao Zhengkuan
Zhengliang Wu *see* Wu Zhengliang
Zhenglie Gong *see* Gong Zhenglie
Zhengmei Xiong *see* Xiong Zhengmei
Zhengmi Du, Ding Hanyi, Lin Zhi Chang Synthesis of bandpass grid filter for linear polarized millimeter waves 88−25417
Zhengming Chen *see* Chen Zhengming
Zhengming Ji *see* Ji Zhengming
Zhengming Yang *see* Yang Zhengming
Zhengping Gao *see* Gao Zhengping
Zhengqing Zhang *see* Zhang Zhengqing
Zhengqiu Wang *see* Wang Zhengqiu
Zhengquan Zhang, Renxiang Lu, Guangyu Yin Soft X-ray population inversion of Na XI levels by intercombination line resonant photoexcitation 88−14077
Zhengquan Zhang *see* Zhang Zhengquan
Zhengrong Liang *see* Hart, H. 88−61309
Zhengrong Liu *see* Liu Zhengrong
Zhengsheng Shan *see* Shan Zhengsheng
Zhengsheng Zhao *see* Zhao Zhengsheng
Zhengsheng Zhu *see* Zuxan Ying 85−579
Zhengshun Sun *see* Sun Zhengshun
Zhenguang, H. *see* Srivastava, R. 88−51536
Zhenguo Huang *see* Huang Zhenguo
Zhenguo Shan *see* Shan Zhenguo
Zhengwen Chi *see* Zhang, H. 86−57578
Zhengxiang Gao *see* Gao Zhengxiang
Zhengxiao Wang *see* Wang Zhengxiao
Zhengxing Gui *see* Gui Zhengxing
Zhengxiong Xu *see* Xu Zhengxiong
Zhengyan Ge *see* Ge Zhengyan
Zhengyao Fei *see* Fei Zhengyao
Zhengyi Hu *see* Hu Zhengyi
Zhengyi Zhang *see* Zhang Zhengyi
Zhengying Liu *see* Liu Zhengying
Zhengyu Mi *see* Mi Zhengyu
Zhengyu Pang *see* Pang Zhengyu
Zhengyuan Wang *see* Wang Zhengyuan
Zhengzhi Li *see* Li Zhengzhi
Zhengzhong Yun *see* Yun Zhengzhong
Zhengzhuo Zhou *see* Zhou Zhengzhuo
Zhenheng Gao *see* Gao Zhenheng
Zhenhong Mai *see* Mai Zhenhong
Zhenhu Song *see* Song Zhenhu
Zhenhua, G., Tittel, F.K., Wilson, W.L., Jr., Smayling, M.C. Experimental study of the triatomic excimer Kr_2F laser 85−12774
Zhenhua Guo *see* Guo Zhenhua
Zhenhua Ma *see* Fengxian Zhou 88−16917
Zhenhua Ma *see* Ma Zhenhua
Zhenhua Wang *see* Wey, H. 86−31335
Zhenhua Xia *see* Xia Zhenhua
Zhenhuai Li *see* Li Zhenhuai
Zhenjiang Hu *see* Hu Zhenjiang
Zhenjun Yang *see* Yang Zhenjun
Zhenkui Shang *see* Shang Zhenkui
Zhenkung Wu *see* Wu Zhenkung
Zhenli Chen *see* Chen Zhenli
Zhenlin Mao *see* Mao Zhenlin
Zhenmin, L., Robinson, G.M. A high precision method for comparing large masses using load cells 88−47691
Zhenmin Chen *see* Chen Zhenmin
Zhenming Chai *see* Ming Zhang 87−77661
Zhenming Wang *see* Wang Zhenming
Zhenpeng Liu *see* Liu Zhenpeng
Zhenping Wang *see* Wang Zhenping
Zhenqi Lin *see* Lin Zhenqi
Zhenqiu Hu *see* Hu Zhenqiu
Zhenru, Y., Zhaoda, Z., Xinping, H. CFAR analysis for medium PRF airborne pulse Doppler radars 88−67460
Zhenshan Wang *see* Wang Zhenshan
Zhensheng Zhao *see* Zhao Zhensheng
Zhenshu Zhou *see* Zhou Zhenshu
Zhenui Wang *see* Wang Zhenui
Zhenwu Lu *see* Lu Zhenwu
Zhenwu Pan *see* Pan Zhenwu
Zhenxi Wang *see* Wang Zhenxi
Zhenxiang Han *see* Han Zhenxiang
Zhenxing Gui *see* Gui Zhenxing
Zhenxing Qian *see* Qian Zhenxing
Zhenyao Wu *see* Wu Zhenyao
Zhenye Xu *see* Xu Zhenye
Zhenyu Dai *see* Dai Zhenyu
Zhenyuan Ni *see* Ni Zhenyuan
Zhenyuan Wu *see* Weiguang Wen 85−46018
Zhenzhelenko, I.V., Zaitsev, V.S., Zinochenko, A.N. Problems of monitoring and controlling asymmetrical conditions in three-phase distribution networks 86−25576
Zhenzhen Wang *see* Wang Zhenzhen
Zhenzhi Li *see* Li Zhenzhi
Zhenzhou Lei, Min-Xiu Chen, Feher, K. Burst interference in TDMA radio systems 86−37718
Zhenzhuang Wang *see* Wang Zhenzhuang
Zhenzhuo Zhou *see* Zhou Zhenzhuo
Zherbin, E.A., Ermakov, I.A., Masarky, L.I., Saltykova, L.M., Chervyakov, A.M. Substantiation of a permissible error in the determination of dose exposures in X-ray examination of patients 85−38255
Zherdev, N.K. A combined method for failure prediction 86−13540
Zherdienko, V.V., Lesnik, S.A., Khizhnyak, A.I. Forward four-wave mixing in resonance media with thermal nonlinearity 86−29246
Zherebov, V.Yu. *see* Ukhlinov, G.A. 85−47910
Zherebtsov, I.M. *see* Khristich, V.A. 88−23761
Zherebtsov, L.D. *see* Gruzdeva, N.I. 87−35379
Zherebtsov, V.A., Semenov, E.A., Shestakova, N.G. Determination of the work function of a gas-filled thermionic diode collector 87−51489
Zherebtsov, V.A., Talanova, V.D. Decay of plasma in a low-pressure pulsed thermionic converter 86−7175
Zherikhin, N.V. *see* Bogomolov, A.F. 86−30925
Zherlitsyn, A.G., Kuznetsov, S.I., Mel'nikov, G.V., Fomenko, G.P., Tsvetkov, V.I. Generation of intense microsecond-length microwave pulses in a virtual-cathode triode 86−58209
Zherlitsyn, A.G. *see* Borisov, A.R. 86−5679
Zherlitsyn, A.G. *see* Didenko, A.N. 85−11850, 88−64205
Zherlitsyn, A.G. *see* Grigor'ev, V.P. 88−64207

Zherlitsyn, A.G. *see* Vintizenko, I.I. 88−19618
Zherlitsyy, A.G. *see* Grigor'yev, V.P. 86−32094
Zherlygin, V.I. *see* Baltakhanov, A.M. 88−37626, 88−62639
Zhernov, A.I., Pronkin, N.S., Khakhalin, V.V. Threshold signal shaper for detector operating under increased loads 87−8871
Zhernov, S.A. *see* Omel'yanenko, I.F. 87−73210
Zhernovskii, E.L., Mikhailovskaya, R.V. Characteristics of cooling devices DTs-40 and DTs-63 for power transformers 87−72184
Zheru, I.I. *see* Shmelev, G.M. 85−18120
Zherve, G.K. Anomalies of experimental curves for self-braking of large machines 88−23881
Zherzdev, A.V. *see* Andreev, A.A. 85−7307, 85−24375
Zherzdev, A.V. *see* Svanbaev, E.A. 88−38236
Zhesheng Li *see* Li Zhesheng
Zhesterev, A.Ye., Titov, A.V. Characteristics of two types of digital filters of linearly varying signals 88−66503
Zhestkov, V.F., Shevchenko, N.B. A circle diagram for irregular transmission lines 86−42875
Zhestkova, N.D. *see* Gaigerov, B.A. 85−8677
Zhetchev, D.P. *see* Popadyin, St.V. 87−16099
Zheu, S.-H. *see* Wang, C.-H. 87−63319
Zhevelev, B.Ya. *see* Ermakov, S.L. 86−5335
Zhewang Ma *see* Ma Zhewang
Zhexina Xie *see* Xie Zhexina
Zhezheleknko, I.V., Shimanskii, O.B. Electromagnetic interference in industrial power supply systems 85−21189
Zhezhelenko, I.V., Fedotov, E.N. Technical and economic comparison of electrical conductors in factory networks 85−43596
Zhezhelenko, I.V., Fedotov, E.N. A rational arrangement for transformer substations in a factory distribution network 86−6842
Zhezhelenko, I.V., Lipskii, A.M., Chubar', L.A. Efficiency of wattless power static thyristor compensators as devices for reducing voltage fluctuations 87−42360
Zhezhelenko, I.V., Lipskii, A.M., Krivonosov, V.E. Application of induction motors in harmonic filter circuits 88−44269
Zhezhelenko, I.V., Lipskii, A.M., Saenko, Yu.L. The equivalent heating current of conductors in power supply systems feeding industrial plants 86−12416
Zhezhelenko, I.V., Marchenko, I.I. Parameters and equivalent circuits of overhead transmission lines for conductor-conductor deicing schemes 85−59759
Zhezhelenko, I.V., Marchenko, I.I. Parameters and equivalent circuits for overhead transmission lines using the 'conductor-earth' deicing scheme 85−59761
Zhezhelenko, I.V., Marchenko, I.I. Studying the input impedance of a short-circuited line with distributed parameters under conditions of resonance at harmonic frequencies 86−61153
Zhezhelenko, I.V., Marchenko, I.I. Calculating current harmonic levels and their effect on communications lines when melting ice on overhead power lines 86−70698
Zhezhelenko, I.V., Polyakov, G.N. Dynamic characteristics of the means of operational control of the electrical energy quality indices 88−54867
Zhezhelenko, I.V., Saenko, Yu.L. Methods of calculating reactive capacitance under non-sinusoidal conditions 86−32725
Zhezhelenko, I.V., Saenko, Yu.L. Calculating the parameters of filter compensation plant when there are harmonics on the supply system 86−39099
Zhezhelenko, I.V., Saenko, Yu.L. Reactive power in power engineering problems 87−42432
Zhezhelenko, I.V., Saenko, Yu.L. Reactive power in power supply problems 88−42837
Zhezhelenko, I.V., Shimanskii, O.B. Electromagnetic interference in industrial plant power supply systems 85−21161
Zhezhelenko, I.V., Slepov, Yu.V., Abilov, R.D. Analysing influence of voltage quality on operational efficiency of 88−75981
Zhezhelenko, I.V., Stepanov, V.P. Basic principles and tenets of a complex approach to determining calculation characteristics of electrical load graphs 88−48450
Zhezhelenko, I.V., Stepanov, V.P., Braslavskaya, E.V. Estimating the electromagnetic compatibility of networks as regards heating and effective load maxima 88−23462
Zhezhelenko, I.V., Stepanov, V.P., Bykhovskaya, O.V. Allowance for the probabilistic nature of load graphs when reevaluating peak factors at different time intervals 88−23254
Zhezhelenko, I.V., Stepanov, V.P., Bykhovskaya, O.V., Braslavskaya, E.V. Probabilistic models for averaging intervals of power curves [power system load] 87−15123
Zhezhelenko, I.V., Stepanov, V.P., Bykhovskaya, O.V., Tokmak, E.V. Assessing effect of form of load curve correlation function on size of calculated maximum 86−5199
Zhezhelenko, I.V. *see* Stepanov, V.P. 85−21173
Zhezhenko, I.V., Saenko, Yu.L. Choosing the rated powers of power transformers 85−53738
Zhezherin, V.R., Knyazev, L.V. The use of analog linear frequency modulated signals for atmospheric sounding 87−71357
Zhgoon, S.A. Broad band bulk ultrasonic wave transducers for signal processing 88−42693
Zhgun, S.A. Wideband ultrasonic bulk-wave transducers for signal processing 88−33480
Zhgutova, O.S. *see* Bogorodskii, O.V. 86−35666
Zhi Chang Lin *see* Lin Zhi Chang
Zhi Chen *see* Chen Zhi
Zhi Cheng Wang *see* Wang Zhi Cheng
Zhi Cui *see* Cui Zhi
Zhi Fu Wang, Greene, S.J., Plum, M.A. High precision floating wire measurements of large dipole magnets at LAMPF 86−38722
Zhi Gao *see* Gao Zhi
Zhi jian Li *see* Li Zhi jian
Zhi Long Xu *see* Xu Zhi Long
Zhi Tingting *see* Chen Lanrong 85−46260
Zhi Xie *see* Xie Zhi
Zhi Xiong Li *see* Li Zhi Xiong
Zhi yuan Wei *see* Wei Zhi yuan
Zhi Zhong Gou *see* Gou Zhi Zhong
Zhi Zu Shi *see* Shi Zhi Zu
Zhi-ben Zhang *see* Zhang Zhi-ben
Zhi-chao Wang *see* Wang Zhi-chao
Zhi-cheng Chen *see* Chen Zhi-cheng
Zhi-Cheng Wang *see* Hui Xie 87−1931
Zhi-cheng Wang *see* Qiu-yi Ye 85−29058
Zhi-fang Zhao *see* Zhao Zhi-fang
Zhi-fei Guo *see* Guo Zhi-fei
Zhi-gang, D. Linear stepping motors and microprocessor control 88−49014
Zhi-Gang Ding *see* Ding Zhi-Gang
Zhi-gang Li *see* Li Zhi-gang
Zhi-Guang, S. *see* Guang-Pu, L. 85−23001
Zhi-guang Cheng *see* Cheng Zhi-guang
Zhi-Guang Shen *see* Shen Zhi-Guang
Zhi-guang Wang *see* Wang Zhi-guang
Zhi-guo Cai *see* Cai Zhi-guo
Zhi-hai Huang *see* Huang Zhi-hai
Zhi-hao Cao · *see* Cao Zhi-hao
Zhi-He Qiu, Cassara, F.A. Steady-state analysis of a class of carrier synchronizers 87−27380
Zhi-Hjong Yu *see* Yu Zhi-Hjong
Zhi-Hong Wang *see* Wang Zhi-Hong
Zhi-hong Xu *see* You-qui Shi 87−48033
Zhi-hua Fan *see* Fan Zhi-hua
Zhi-jian Li *see* Li Zhi-jian
Zhi-jiang Wang *see* Wang Zhi-jiang
Zhi-jiang Xu *see* Ying-chang Yang 86−28614
Zhi-juan He *see* He Zhi-juan
Zhi-jun Ni *see* Ni Zhi-jun
Zhi-Lie Fang *see* Fang Zhi-Lie
Zhi-long Ma *see* Ma Zhi-long
Zhi-mei Zhao *see* Zhao Zhi-mei
Zhi-min Liu *see* Liu Zhi-min
Zhi-min Wang *see* Wang Zhi-min
Zhi-Ming Bao *see* Farison, J.B. 86−3742
Zhi-ming Song, De-xin Xie, Cheng-qian Hou The finite element solution of transient axisymmetrical nonlinear eddy-current field problems 86−42763
Zhi-ming Zhang *see* Zhan Chen 85−56810
Zhi-ni Zhang, Hong Zhang, Tian-ge Zhuang One-dimensional signal extraction of paper-written ECG image and its archiving 88−48154
Zhi-peng Chen *see* Chen Zhi-peng
Zhi-peng Zheng *see* Zheng Zhi-peng
Zhi-ping Fu *see* Fu Zhi-ping
Zhi-ping Tang *see* Tang Zhi-ping
Zhi-ping Yin *see* Yin Zhi-ping
Zhi-qi Meng *see* Meng Zhi-qi
Zhi-qiang Cai *see* Cai Zhi-qiang
Zhi-Qiang Liu, Caelli, T.M. Adaptive post-filter matching technique for detecting signals in non-white noise 86−54531
Zhi-Qiang Liu *see* Caelli, T.M. 88−59246
Zhi-qiang Yin *see* Yin Zhi-qiang
Zhi-qiao Long *see* Long Zhi-qiao
Zhi-qing Xu *see* Xu Zhi-qing
Zhi-ren Li *see* Li Zhi-ren
Zhi-ren Ni *see* Ni Zhi-ren
Zhi-sheng Chan *see* Chan Zhi-sheng
Zhi-shun Zhang *see* Zhang Zhi-shun
Zhi-Wang *see* Sheng-He Sun 86−18093
Zhi-Wang *see* Shrnh-He Sun 86−18092
Zhi-Wei Gao *see* Gao Zhi-Wei
Zhi-xi Fang *see* Fang Zhi-xi
Zhi-xiao Sun *see* Sun Zhi-xiao
Zhi-xin Yan *see* Yan Zhi-xin
Zhi-xing Xie *see* Xie Zhi-xing
Zhi-ying Jin *see* Jin Zhi-ying
Zhi-yong Chen, Rong-cai Ji, Huan-qing Zhao Study on the performance of the liquid crystal light valve 88−33786
Zhi-yong Gao *see* Gao Zhi-yong
Zhi-yong Lai *see* Zheng-jia Hu 88−21712
Zhi-yuan Lin *see* Lin Zhi-yuan
Zhi-Yuan Wu *see* Wu Zhi-Yuan
Zhi-zhan Xu *see* Xu Zhi-zhan
Zhi-zhan Xu *see* Xu Zhi-zhan
Zhi-zhong Yu *see* Yu Zhi-zhong
Zhibang Zhou *see* Zhou Zhibang
Zhibing Cong *see* Shu, D. 86−60645, 88−48053
Zhibinov, A.S., Kroneberg, Yu.N. The excitation field of magnetic circuits of machines with radial permanent magnets without pole pieces 88−55296
Zhichang Chen *see* Chen Zhichang
Zhichang Li *see* Li Zhichang
Zhichao Feng *see* Feng Zhichao
Zhichao Jiang *see* Jiang Zhichao
Zhicheng Chen *see* Chen Zhicheng
Zhicheng Guan *see* Guan Zhicheng
Zhicheng Liang *see* Liang Zhicheng
Zhicheng Luo *see* Luo Zhicheng
Zhichong Zhang *see* Zhang Zhichong
Zhida Zhao *see* Zhao Zhida
Zhidiyatov, A.M., Osintsev, V.V., Gordeev, S.V., Kuznetsova, G.N., Martynova, M.I., Ivanova, N.I., Radchenko, Yu.A., Kozlov, S.A., Dubovtsev, L.I., Smakov, A.M., Ryzhov, A.A., Shcherba, N.I., Veshnyakov, E.K., Reznik, O.A., Poligradov, B.G. The results of converting a PF-fired boiler of steam capacity 89 kg/s to burning water/coal suspension 88−5555
Zhidkikh, V.F. *see* Timoshenko, N.I. 88−5442
Zhidkov, A.A. *see* Mironov, V.D. 85−59996
Zhidkov, A.G. *see* Derzhiev, V.I. 88−65578, 88−65594
Zhidkov, A.V. *see* Baranskii, P.I. 85−45394
Zhidkov, E.P. *see* Ayrjan, E.A. 87−63602
Zhidkov, K.P., Firsin, Yu.A., Khrustalev, V.A. Selecting the working vacuum on the basis of oeprating conditions with increased flow rate of steam [steam power stations] 87−9368
Zhidkov, N.K. *see* Abashidze, L.I. 86−25133, 86−60633
Zhidkov, V.O., Yaz'kov, V.V. Quasistability of damage insulation at point of single-phase earth fault 86−32834
Zhidkov, V.O., Yaz'kov, V.V. Accumulation and revelation of damage to insulation of flexible excavator cables 87−22853
Zhidkov, V.V. *see* Pilipovich, V.A. 86−14982
Zhidomirova, E.M., Nosov, V.V. Portable complex of apparatus for recording noise in industrial environment 86−38439
Zhidong Song *see* Song Zhidong
Zhidov, R.N. *see* Sutokhin, A.M. 87−9404
Zhidovetskii, M.L. *see* Gitman, V.A. 87−43150
Zhidovlenko, I.Yu. *see* Gusev, V.D. 87−68778, 88−8475
Zhidunova, S.E. *see* Kovalev, L.M. 87−4700
Zhidyaev, N.A. *see* Bogomol'nyi, V.M. 85−24051
Zhifang Fan *see* Fan Zhifang
Zhifang Wu *see* Wu Zhifang
Zhifeng Li *see* Li Zhifeng
Zhigalko, E.K., Kamaletdinov, A.Z., Tokranov, P.N. The effect of intensive cooling on the characteristics of a transformer 87−58163
Zhigalko, M.I. *see* Konev, V.A. 87−73168
Zhigalov, I.E., Il'in, V.N., Lantsov, V.N. Broader possibilities for use of the Volterra-series formalism in CAD programs 87−16800
Zhigalov, I.E. *see* Bogdanovich, B.M. 88−28656
Zhigalov, I.E. *see* Il'in, V.N. 87−10588
Zhigalov, I.Ye. *see* Lantsov, V.N. 87−44519
Zhigalov, V.S., Vershinina, L.I., Frolov, G.I. Magnetic and semiconducting properties of iron nitride films 85−23492
Zhigan, I.P. Optimising multi-channel measurement with partially preset parameters 85−42826
Zhigang Fan, Cohen, F.S. Unsupervised textured image segmentation 88−66687
Zhigang Fan *see* Cohen, F.S. 87−62196
Zhigang He *see* He Zhigang
Zhigang Li *see* Li Zhigang
Zhige Zhao *see* Zhao Zhige
Zhigeng Jiang *see* Jiang Zhigeng
Zhigilei, V.V. Planning the number of measurements when determining design electrical loads 87−9066
Zhigin Zheng *see* Zheng Zhigin
Zhigina, A.F., Gromova, N.F. Review of the modern state of fibre-optic equipment 86−36194
Zhiglinskii, A.G., Kuchinskii, V.V., Milovanov, N.P., Parchevskii, S.G. Use of a phase-shifting layer for extending the operating spectral region of interference mirrors 86−36544
Zhiglinskii, A.G. *see* Arikhipov, M.V. 88−14242
Zhiguang Wang *see* Wang Zhiguang
Zhigulev, V.N. The solution of the univariate signal reconstruction problem 88−3042
Zhigulev, V.N., Sapegin, S.S. Solution of frame reconstruction problem 88−66682
Zhigulin, I.V. *see* Belushkina, A.A. 88−42409
Zhigulin, Yu.V. *see* Fomin, B.I. 86−40198
Zhigunov, V.P. *see* Balandin, V.P. 88−61037
Zhiguo Liu *see* Liu Zhiguo
Zhiguo Lu *see* Lu Zhiguo
Zhiguo Xia *see* Xia Zhiguo
Zhiguo Zhang *see* Zhang Zhiguo
Zhihao Chen *see* Chen Zhihao
zhihe Wu *see* Wu zhihe
Zhihe Ye *see* Ye Zhihe
Zhihong Feng *see* Feng Zhihong
Zhihong Zhang *see* Zhang Zhihong
Zhihua Jin *see* Jin Zhihua
Zhihua Ye *see* Ye Zhihua
Zhihuan, W. *see* Lipei, J. 88−62825
Zhijian Hou *see* Hou Zhijian
Zhijian Li *see* Li Zhijian
Zhijian Wang *see* Wang Zhijian
Zhijian Zhang *see* Zhang Zhijian
Zhijiang Wang *see* Jian Yang 87−11562
Zhijiang Wang *see* Wang Zhijiang
Zhijiang Ye *see* Ye Zhijiang

Zhijie Pan *see* Pan Zhijie
Zhijie Zheng *see* Zheng Zhijie
Zhijie Zou *see* Zou Zhijie
Zhijing Zhang *see* Zhang Zhijing
Zhijun Mao *see* Mao Zhijun
Zhijun Tong, Kinney, L.L., Kain, R.Y. Microprocessor testing 86−63419
Zhijun Zin *see* Zin Zhijun
Zhikang Chou *see* Chou Zhikang
Zhikharev, A.N. *see* Valuev, N.P. 88−36387
Zhikhareva, E.A. *see* Shamshurin, A.V. 87−68268
Zhil'berberg, Ya.Ye., Movshovich, M.Ye. An operating algorithm for a synthesizer of a specified frequency 87−47754
Zhil'chenkov, V.D. *see* Goncharov, V.A. 87−29030
Zhilenis, A.A. *see* Balitskas, S.K. 86−68219
Zhilenis, S.G. *see* Bernotas, K.E. 87−41468
Zhili Wang *see* Wang Zhili
Zhilian Guan *see* Guan Zhilian
Zhilian Yang *see* Yang Zhilian
Zhiliang Chen *see* Chen Zhiliang
Zhiliang Hong *see* Hong Zhiliang
Zhiliang Huang *see* Huang Zhiliang
Zhiliang Jin *see* Jin Zhiliang
Zhilich, V.N. *see* Aulchenko, V.M. 87−21406
Zhilichev, J. Magnetic field and inductance of a torus conductor with constant density current flow 86−15847
Zhilichev, Yu., Seryogin, O. Determination of pole configuration of an iron core assembly for impulsive magnetization 85−56122
Zhilichev, Yu.N. Determining shape of solid ferromagnetic poles taking into account surface effect in generating magnetising fields with given topology 85−13053
Zhilichev, Yu.N. *see* Dikin, Yu.I. 86−42670
Zhilichev, Yu.N. *see* Drozdov, V.A. 87−64666
Zhilin, A.A. *see* Nezhentsev, V.V. 85−16514
Zhilin, A.N. *see* Alekseev, V.N. 85−51148, 88−8285
Zhilin, N.S. Frequency synthesizers and problems associated with signal synthesizing 86−70152
Zhilin, N.S., Maystrenko, V.A., Nikonov, A.V. Investigation of the conversion linearity of the amplitude of a high-frequency signal by ring discrete-sampling converters 87−17289
Zhilin, V.G., Zvyagin, K.V., Ivochkin, Yu.P. Dynamic response and spectral resolution in fiber-optics liquid-metal velocity sensors 87−77261
Zhilin, V.G. *see* Ankudinov, V.B. 88−22630
Zhilin, Yu.V. *see* Misevra, V.I. 88−32366
Zhilina, V.I. *see* Vinogradov, A.V. 88−16665
Zhiling Lan *see* Lan Zhiling
Zhilinskas, E. *see* Baltrameyunas, R. 88−50715
Zhilitch, V.N. *see* Belomesthnykh, S.A. 85−15111
Zhilkin, V.A., Zinov'ev, V.B. Interaction between a resistance-type strain gauge and the surface of the article being tested [observed using interferometry] 87−36844
Zhilkina, V.M. *see* Fel'dman, G.G. 87−53133, 88−42158
Zhilkina, V.M. *see* V'yugina, T.S. 86−27810
Zhilko, V.V. *see* Barkovskii, L.M. 86−54010
Zhilkov, V.S. A nonequidistant converter used to measure the reflection factor modulus of waveguide loads 87−32040
Zhillang Huang *see* Huang Zhillang
Zhil'tsov, L.Ya. *see* Bel'zer, L.I. 88−36369
Zhil'tsov, V.I., Klimashina, A.G., Mnuskin, V.E., Nikiforov, V.G., Tokareva, A.N., Trinchuk, B.F. Dye laser tunable over the 217-3100-nm range 86−54106
Zhil'tsov, V.I. *see* Alekseev, V.A. 86−9788
Zhil'tsov, V.I. *see* Dorofeev, S.N. 86−9787
Zhilyaev, T.B., Linova, L.S., Granovskaya, V.N., Golovan, N.I. Investigation into the aging of cellulose electrical insulating materials in transformer oil 85−48997
Zhilyaev, T.B. *see* Golovan', G.D. 87−4754
Zhilyaev, Yu.V. *see* Astafurov, A.G. 86−2146
Zhilyaev, Yu.V. *see* Belyaeva, O.A. 87−45912
Zhilyaev, Yu.V. *see* Botnaryuk, V.M. 85−40720
Zhilyaev, Yu.V. *see* Delimova, L.A. 88−57606
Zhilyaev, Yu.V. *see* Vainshtein, S.N. 87−38230, 87−60439
Zhilyakov, V.I. Synthesis of relay control systems for positional drives 87−43507
Zhimerin, D.G. The main task is to ensure uninterrupted and reliable power supplies 85−64805
Zhimerin, D.G., Lavrenenko, D.D. The USSR power industry 88−75031
Zhimin Lu *see* Lu Zhimin
Zhimin Qu *see* Qu Zhimin
Zhiming Gao *see* Gao Zhiming
Zhiming Li Wave-field extrapolation by the linearly transformed wave equation 87−12967
Zhiming Li *see* Li Zhiming
Zhiming Xie *see* Xie Zhiming
Zhiming Zhang *see* Zhan Chen 86−58963
Zhiming Zhang *see* Zhang Zhiming
Zhimolokhov, O.M., Osternik, E.S. Predicting vibration in turbogenerator stator windings 88−37160
Zhimolokhov, O.M. *see* Al'tshuler, I.B. 86−52067
Zhinan Lu *see* Lu Zhinan
Zhinan Zhang *see* Zhang Zhinan
Zhingarev, M.Z. *see* Andreev, I.A. 86−27973
Zhingarev, M.Z. *see* Andreev, V.M. 85−61724, 86−48279
Zhingarev, M.Z. *see* Bazhenov, N.L. 87−2033, 87−46661
Zhini Zhu Principles and design of bidirectional optical ISL using GaAlAs laser at $\lambda=0.85$ μm and direct detection PPM 88−67292
Zhinzhikov, G.M., Kislov, V.I., Luk'yanov, G.A., Pavlova, N.O. Efficiency of a plasma-dynamic laser 88−45370
Zhipeng Zhang, Qin Zhang Magnetic field sensitivity analysis of an optical fibre with metallic glass strips 88−42112
Zhipeng Zhang *see* Zhang Zhipeng
Zhipeng Zheng *see* Zheng Zhipeng
Zhiping Cao *see* Cao Zhiping
Zhiping Chen *see* Chen Zhiping
Zhiping Song *see* Song Zhiping
Zhiping Wang *see* Wang Zhiping
Zhiping Xu *see* Xu Zhiping
Zhiping Zhou, Yu Ruan Optimization of information pit shape and read-out system in read-only and write-once optical storage systems 88−33593
Zhiqi Lu *see* Lu Zhiqi
Zhiqiang Hu *see* Hu Zhiqiang
Zhiqiang Yin *see* Yin Zhiqiang
Zhiqiang Yu *see* Yu Zhiqiang
Zhiqin Chai *see* Chai Zhiqin
Zhiqin Zheng *see* Zheng Zhiqin
Zhiqing Xu *see* Xu Zhiqing
Zhiqing Zhang *see* Zhang Zhiqing
Zhirkov, L.F. *see* Ignatiev, N.K. 88−42236
Zhirnov, A.V. *see* Bogomolov, A.M. 86−56554
Zhirnov, E.L. *see* Kornev, V.E. 88−30602
Zhirnova, N.B. *see* Tokarev, A.B. 88−24032
Zhirong Lin *see* Lin Zhirong
Zhironkina, A.V. *see* Yatsuk, L.P. 88−27573
Zhironkina, Z.L. *see* Bortnik, I.M. 86−51850
Zhirov, V.V. *see* Belov, A.S. 86−35064
Zhiru Qi *see* Qi Zhiru
Zhishen, H. A new algorithm for on-line security constrained economic dispatch 87−42324
Zhisheng Ye *see* Ye Zhisheng
Zhishi Yao *see* Yao Zhishi
Zhislin, G.M. *see* Belikovich, V.V. 87−26771
Zhitar, V.F. *see* Moldovyan, N.A. 87−26175
Zhitar, V.V. *see* Andriesh, A.M. 87−54006
Zhitenev, N.B. *see* Dolgopolov, V.T. 85−29057
Zhitenev, N.B. *see* Dorozhkin, S.I. 87−32352
Zhitinskaya, M.K. Investigation of the electrical homogeneity of lead telluride 86−63058
Zhitinskii, G.P. *see* Voityanov, E.M. 86−43963
Zhitkevich, I.V. *see* Novikov, S.I. 85−60029
Zhitkov, V.V. Spectra of multiphase spread-spectrum signals 87−47482
Zhitkov, V.V., Kukharev, A.D., Solovyev, G.A., Yurchenko, A.A. The RTA-80 automated electronic telegraph equipment 85−57709
Zhitkova, M.B. *see* Dobrovol'skii, A.V. 86−9793
Zhitneva, G.P. *see* Kolovskii, V.B. 85−46342
Zhitnikov, R.A. *see* Blinov, E.V. 88−10104
Zhitnikov, V.K. *see* Shchutskii, V.I. 85−9489, 86−33555
Zhitnikova, M.N., Chernyshev, K.V. Inhomogeneous matching system for single-mode waveguides 85−41679
Zhitnyuk, V.A. *see* Angert, N.B. 88−65645
Zhitnyuk, V.A. *see* Bagdasarov, Kh.S. 86−54114
Zhitnyuk, V.A. *see* Zharikov, E.V. 86−9792
Zhitnyuk, V.S., Melkov, G.A., Solov'ev, D.A., Tsymbal, A.P. Controlled ferrite filter with magnetic memory 87−46397
Zhitomirskii, B.M. *see* Popov, V.N. 87−41822
Zhitomirskii, M.Ya., Liskin, V.M., Maistrenko, A.A., Mashtalir, V.P., Putyakin, E.P. Method for constructing functional matched with geometric image conversions 88−14753
Zhitomirsky, I.S., Bandos, T.V., Nechiporenko, I.N. Critical currents in hyperconducting windings 85−50061
Zhivaev, A.S. *see* Abryutin, A.A. 86−61809
Zhivei Gong *see* Gong Zhivei
Zhivilova, L.M. The status of future development of work on automatic operational monitoring of the water-chemistry conditions of power stations 87−42677
Zhivilova, L.M., Shcherbakova, K.N., Fomichev, Yu.P., Perekhozhev, S.V., Mogilevskii, D.I. An information system monitoring coolant quality in 300 MW power generating units 86−6572
Zhivkov, A.P. *see* Il'chenko, M.E. 88−63775
Zhivkov, P. *see* Stankov, A. 86−69883
Zhivoderov, A.N. *see* Glebov, A.S. 85−11994
Zhivotovskiy, L.A. Generalized Stokes parameters. Equidistant polarization ellipses in space 86−22660
Zhivotovskiy, L.A. A modification of the polarization sphere for representing partially polarized electromagnetic waves 86−63958
Zhiwei Gong *see* Gong Zhiwei
Zhiwei Luo *see* Kato, A. 88−35053
Zhiwei Tian *see* Tian Zhiwei
Zhiwen Pan *see* Xianggui Kong 87−54358
Zhixi Fang *see* Kazmerczak, A. 88−46627
Zhixi Zhao *see* Zhao Zhixi
Zhixiang Jiang *see* Jiang Zhixiang
Zhixiang Xu *see* Xu Zhixiang
Zhixin Feng *see* Feng Zhixin
Zhixin Li *see* Li Zhixin
Zhixin Sun *see* Sun Zhixin
Zhixin Yan *see* Yan Zhixin
Zhixin Yao *see* Yao Zhixin
Zhixing Xie *see* Xie Zhixing
Zhixing Yao *see* Yongjiang Wang 86−9760
Zhixing Yao *see* Yao Zhixing
Zhixiong Gong *see* Gong Zhixiong
Zhixiu Guo *see* Guo Zhixiu
Zhiya Zhu *see* Zhu Zhiya
Zhiyan Jiang *see* Jiang Zhiyan
Zhiyi Su *see* Su Zhiyi
Zhiyi Yin *see* Yin Zhiyi
Zhiyi Yu *see* Yu Zhiyi
Zhiyi Zou *see* Zou Zhiyi
Zhiying Wang *see* Wang Zhiying
Zhiying Zhang *see* Zhang Zhiying
Zhiying Zhou *see* Zhou Zhiying
Zhiyong Chen *see* Chen Zhiyong
Zhiyong Peng *see* Peng Zhiyong
Zhiyong Zhao *see* Zhao Zhiyong
Zhiyu Gu *see* Gu Zhiyu
Zhiyuan Gao *see* Gao Zhiyuan
Zhizdyuk, T.B., Zhukov, N.D., Kalinichenko, V.M., Kuz'min, A.N., Ryabtsev, G.I., Sokolov, S.N. Degradation of GaAs-(Al,Ga)As heterolasers soldered on heat sinks 86−36504
Zhizhe Zhang *see* Zhang Zhizhe
Zhizheng Chai *see* Chai Zhizheng
Zhizhenkova, L.N. *see* Gurevich, G.L. 86−28585, 86−42076
Zhizhin, G.N., Silin, V.I., Yakovlev, V.A. Prism coupling of infrared electromagnetic surface waves by Gaussian light beams 86−53969
Zhizhin, G.N., Sychugov, V.A., Silin, V.I., Yakovlev, V.A. Investigation of the reflection of infrared surface electromagnetic waves by a corrugated metal surface 85−18723
Zhizhnyak, N.A. *see* Gorobets, N.N. 86−16038
Zhizhong Guo *see* Guo Zhizhong
Zhizhong Song *see* Song Zhizhong
Zhizhong Wang *see* Wang Zhizhong
Zhizhong Xing *see* Xing Zhizhong
Zhizhong Yu *see* Yu Zhizhong
Zhizhou Lin *see* Lin Zhizhou
Zhmak, S.V. *see* Gudilin, A.E. 88−29295
Zhmakin, A.I., Ipatova, I.P., Makarov, Yu.N., Fursenko, A.A. Numerical simulation of the growth of GaAs films in flowing-medium vapor-phase epitaxy reactors 86−34339
Zhmakin, A.I., Ipatova, I.P., Makarov, Yu.N., Sinitsyn, M.A., Fursenko, A.A., Yavich, B.S. Factors determining the uniformity of thickness of epitaxial gallium arsenide layers in the system $Ga(CH_3)_3$-AsH_3-H_2 87−23662
Zhmerik, N.G. *see* Storozhuk, Ya.P. 86−61368
Zhmud', A.A. *see* Bobrik, V.I. 87−68523
Zhmurko, V.A., Koval', A.Yu., Mitsai, A.D., Rogozin, G.G. Commutating capacity of high voltage breakers 85−5283
Zhmurov, S.E., Marchenko, V.F. Nonlinear properties of the capacitance of an illuminated metal-insulator-semiconductor structure 87−17804
Zhmurov, S.E., Marchenko, V.F., Trofimenko, I.T. Measuring light radiation intensity using a parametron 88−42104
Zhmurov, V.P. *see* Grinshtein, B.I. 86−45511, 87−61338
Zhmurov, V.V. *see* Simonov, Yu.L. 87−38191, 87−65948
Zho Baoqing *see* Mi Zhengyu 88−29622
Zho Guo Lu *see* Lu Zho Guo
Zho Po-zhang On the design of internal processing code for Chinese character information processing systems 87−39615
Zhoa Junsi *see* Zhao Yumin 87−74520
Zhodzinskii, M.I. *see* Demin, M.P. 87−48317
Zhodzishskii, M.I. *see* Veytsel', V.A. 88−46058
Zhodzishskii, Yu.I. *see* Veytsel', V.A. 88−46058
Zhodzishskiy, A.I., Zhodzishskiy, Yu.I. Potential estimates of signal delay time under strict conflict conditions 85−7893
Zhodzishskiy, Yu.I. Maximum guaranteed noise immunity of bit-by-bit reception with limiting of interference mean power 88−45816
Zhodzishskiy, Yu.I. *see* Zhodzishskiy, A.I. 85−7893
Zhogal, A.V. *see* Boevkin, V.I. 87−19685
Zhogin, D.Yu. *see* Akhmedov, R.B. 86−19524, 86−51524, 86−66367
Zhoglo, V.O. *see* Samkharadze, T.G. 87−69812
Zhogun, V.N. *see* Bezdenezhnykh, S.V. 88−53580
Zholents, A.A. Sophisticated accelerator techniques for colliding beam experiments 88−29755
Zholents, A.A. *see* Avdienko, A.A. 85−26586
Zholents, A.A. *see* Blinov, A.E. 85−26540, 86−18202
Zholents, A.A. *see* Derbenev, Ya.S. 85−26619
Zholobenko, A.B. *see* Maslov, A.F. 87−39509
Zholobova, L.A. *see* Khagemeister, E.A. 86−33279
Zholobova, V.F. *see* Parol', N.V. 86−14800
Zholudev, G.K. *see* Litovchenko, V.G. 87−36760 to 36761
Zhon Hong-ying *see* Jin Xing-hua 88−25059

Zhong, G.-Q., Ayrom, F. Periodicity and chaos in Chua's circuit 85−44861
Zhong, G.-Q. *see* Ayrom, F. 87−10632
Zhong, G.-Q. *see* Chua, L.O. 85−54624
Zhong, G.Q., Ayrom, F. Experimental confirmation of chaos from Chua's circuit 85−22697
Zhong, G.Z. *see* Bryant, F.J. 85−62461
Zhong, S.-C. *see* Zhou, X.-G. 88−54185
Zhong, W.L. *see* Stansfield, R.F.D. 85−15231
Zhong, Y.-L. *see* Onnagawa, H. 86−36267
Zhong, Y.J. *see* Yuan, Y.F. 88−51573
Zhong, Y.X. Information criterion and image processing 85−2908
Zhong, Z. *see* Zhao, Y. 86−6001
Zhong Cao *see* Cao Zhong
Zhong Chen Zhang Compatibility of 144 kbit/s ISDN digital signals with existing systems 87−76014
Zhong Chengang *see* Shen Zongshu 87−4617
Zhong Gongming *see* Xie Xireng 87−28090
Zhong Gou Zhi *see* Gou Zhi Zhong
Zhong Haihong *see* Chen Boshi 88−69814
Zhong Hongsheng *see* Cheng Renjie 88−24975
Zhong Hu Li *see* Li Zhong Hu
Zhong Hui-li *see* Han Jie-ping 85−55866
Zhong Jianhua *see* Xu Ke 88−48903
Zhong Julin *see* Liu Changen 85−15398
Zhong Jun On the characterization and strong uniqueness of best copositive approximation 88−49753
Zhong Kuang *see* Kuang Zhong
Zhong Lei, Shi Jinxing, She Seming Charged precipitate scattering of electrons in silicon 88−50619
Zhong Li Wan *see* Wan Zhong Li
Zhong Lichen, Guo Yili Steady-state characteristic analysis for bistable laser diodes 88−33998
Zhong Lichen, Guo Yili Critical slowing down and critical exponents in LD/PIN bistable optical semiconductor lasers 88−72399
Zhong Lichen, Tang Yunxin, Qin Ying, Guo Yili Optical fiber coupled optical bistable semiconductor lasers 87−54305
Zhong Lu *see* Lu Zhong
Zhong Qian Wei *see* Qian Wei Zhong
Zhong Shi-ke, Fu Min-gong, Guo Shu-wen Substrate type ion sensitive field effect transistor (ISFET) 87−41459
Zhong Shiyu *see* Gong Xinggen 88−43295
Zhong Shun-Shi *see* Shun-Shi Zhong
Zhong Shunshi *see* Shunshi Zhong
Zhong Tan *see* Tan Zhong
Zhong Wang *see* Wang Zhong
Zhong Xian-xin *see* Xian-xin Zhong
Zhong Xiangfu *see* Li Zingjiao 87−73807
Zhong Ximing A new type of microwave measuring instrument−AV3921 'whole scene' receiver 88−4598
Zhong Xin-qun *see* Chen Cun-li 86−63095
Zhong Yan *see* Yan Zhong
Zhong Yu-lin *see* Kang Bao-wei 88−33112
Zhong Yuan *see* Luo Zhongnan 88−20589
Zhong Yuan *see* Yu Jirong 88−40281
Zhong Yuan-yuan *see* Pu Huan-shun 85−64450
Zhong Yuanyuan *see* Pu Huanshun 87−21399
Zhong Zhantian, Chen Zonggui, Xing Yirong, Sun Dianzhao, Shen Guangdi Interface reactions and vacuum annealing effects of MBE Al/GaAs 86−41589
Zhong Zhantian, Chen Zonggui, Xing Yirong, Sun Dianzhao, Shen Guangdi Interface reactions and vacuum annealing effects of MBE Al/GaAs 87−24915
Zhong Zhe-fu, Du Pin-zhong The electromagnetic field in a cylindrical cavity with an axial magnetized plasma 88−32715
Zhong Zheng *see* Chen Xuepan 87−49869
Zhong-an Tan, James, D.W. Major factors impacting costs of nuclear power plants 86−25715
Zhong-an Wang *see* Wang Zhong-an
Zhong-can Ou-Yang *see* Ou-Yang Zhong-can
Zhong-ci Shi *see* Shi Zhong-ci
Zhong-de Wang *see* Wang Zhong-de
Zhong-gao Ji *see* Ji Zhong-gao
Zhong-giang Yu *see* Yu Zhong-giang
Zhong-hen Yan *see* Yan Zhong-hen
Zhong-Hong Zhao *see* Zhao Zhong-Hong
Zhong-hua Feng *see* Feng Zhong-hua
Zhong-Hua Yang, Keller, H.B. A direct method for computing higher order folds 86−46274
zhong-hua Yang *see* Yang zhong-hua
Zhong-ji Li *see* Li Zhong-ji
Zhong-jiang Zhuo *see* Zhuo Zhong-jiang
Zhong-kang Sun *see* Sun Zhong-kang
Zhong-li Wu *see* Wu Zhong-li
Zhong-li Zhou The demodulation method of dimensional measurement using CCD sensor 86−60341
Zhong-lin Chen *see* Chen Zhong-lin
Zhong-lin Zhu *see* Zhu Zhong-lin
Zhong-Mao Lin *see* Lin Zhong-Mao
Zhong-min Gan *see* Gan Zhong-min
Zhong-Mou Bao *see* Bao Zhong-Mou
Zhong-mou Chen *see* Chen Zhong-mou
Zhong-qi Ding *see* Ding Zhong-qi
Zhong-qing Lin *see* Lin Zhong-qing
Zhong-quan Wu *see* Wu Zhong-quan
Zhong-Ren, G., Crosetto, D. Microcomputer controlled PAL programmer 86−20474
Zhong-rong Li *see* Li Zhong-rong
Zhong-shou Huang *see* Huang Zhong-shou
Zhong-xing Deng *see* Deng Zhong-xing
Zhong-xing Yang *see* Yong-sheng Wu 88−44573
Zhong-xing Yang *see* Yang Zhong-xing
Zhong-Xue Zhang *see* Hui Kang 86−59204
Zhong-yi Hua *see* Hua Zhong-yi
Zhong-yi Zhou *see* Zhou Zhong-yi
Zhong-yu Fan *see* Fan Zhong-yu
Zhong-yuan Wang *see* Wang Zhong-yuan
Zhong-yuan Zhang *see* Zhang Zhong-yuan
Zhong-Yue Ren, Fu-Siu Tscheng Microcomputer-aided electrical-machine test 87−15667
Zhongan Wang *see* Wang Zhongan
Zhongbi Zhou *see* Zhou Zhongbi
Zhongbiao Ouyang *see* Shougguang Liu 86−54063
Zhongcai Chen *see* Chen Zhongcai
Zhongchi Wu *see* Wu Zhongchi
Zhongde, Z., Cheung, N.W., Lemnios, Z.J., Strathman, M.D., Stimmell, J.B. Tungsten silicide Schottky contacts on GaAs 87−24929
Zhongde Wang On computing the discrete Fourier and cosine transforms 86−20017
Zhongde Wang, Shenglong Xu Comments on 'On the computation and the effectiveness of discrete sine transform' 87−2387
Zhongde Zhu *see* Zhu Zhongde
Zhongdi Pei *see* Pei Zhongdi
Zhongfan Zeng *see* Zeng Zhongfan
Zhongfang Huang *see* Huang Zhongfang
Zhonggan Chen *see* Chen Zhonggan
Zhonggan Wang *see* Wang Zhonggan
Zhonggui Chen *see* Chen Zhonggui
Zhonggui Ling *see* Ling Zhonggui
Zhonghai Yang *see* Yang Zhonghai
Zhonghan Pan *see* Pan Zhonghan
Zhonghe Xi *see* Xi Zhonghe
Zhonghe Yu *see* Yu Zhonghe
Zhonghen Yan *see* Yan Zhonghen
Zhonghong Wang *see* Wang Zhonghong
Zhonghou Qian *see* Qian Zhonghou
Zhonghou Zheng *see* Zheng Zhonghou
Zhonghu Li *see* Li Zhonghu
Zhonghua Tang *see* Tang Zhonghua
Zhonghui Zhan *see* Zhan Zhonghui
Zhongjin Chen *see* Chen Zhongjin
Zhongkui Zhang *see* Zhang Zhongkui
Zhongli, H. *see* Xiaozhang, Z. 85−38914
Zhongli Wu *see* Wu Zhongli
Zhonglie Wang *see* Wang Zhonglie
Zhonglin Sun *see* Sun Zhonglin
Zhonglin Xie *see* Xie Zhonglin
Zhongmin Wang *see* Wang Zhongmin
Zhongmin Wen *see* Wen Zhongmin
Zhongmin Yan *see* Yan Zhongmin
Zhongming Li *see* Li Zhongming
Zhongming Liu *see* Liu Zhongming
Zhongming Shen *see* Shen Zhongming
Zhongming Wang *see* Wang Zhongming
Zhongming Xu *see* Xu Zhongming
Zhongmu Zhang *see* Zhang Zhongmu
Zhongnan Lu *see* Lu Zhongnan
Zhongnan Luo *see* Luo Zhongnan
Zhongpan Wang *see* Wang Zhongpan
Zhongping Liu *see* Liu Zhongping
Zhongping Qin *see* Qin Zhongping
Zhongqi Jing, Fam, A.T. An algorithm for computing continuous Chebyshev approximations 87−52037
Zhongqi Lin *see* Lin Zhongqi
zhongqiang Yu *see* Yu zhongqiang
Zhongren Chen *see* Chen Zhongren
Zhongren Zhao *see* Zhao Zhongren
Zhongrong Li *see* Tianwen Zhang 87−12916
Zhongrong Li *see* Li Zhongrong
Zhongru Gu *see* Gu Zhongru
Zhongsheng Wang *see* Wang Zhongsheng
Zhongtai, Q. *see* Lingziang, L. 88−70940
Zhongtuo Wang *see* Wang Zhongtuo
Zhongwei Guo *see* Guo Zhongwei
Zhongwen Kuang *see* Kuang Zhongwen
Zhongwen Lin *see* Lin Zhongwen
Zhongxi Yuan *see* Yuan Zhongxi
Zhongxian Lian *see* Lian Zhongxian
Zhongxiang Wu *see* Wu Zhongxiang
Zhongxiao Zhang *see* Lingming Wang 88−72406
Zhongxien Zhang *see* Zhang Zhongxien
Zhongxin Shen *see* Shen Zhongxin
Zhongxuan Zhang *see* Zhang Zhongxuan
Zhongxue Lei *see* Lei Zhongxue
Zhongyan Guo *see* Guo Zhongyan
Zhongyi, W. *see* Guoliang, W. 88−48929
Zhongyi Wu *see* Wu Zhongyi
Zhongying Li *see* Li Zhongying
Zhongying Xu *see* Xu Zhongying
Zhongyong Shen *see* Shen Zhongyong
Zhongyou Liu *see* Liu Zhongyou
Zhongyu, Z. *see* Xiaozhang, Z. 85−38914
Zhongyu Chen *see* Chen Zhongyu
Zhongyu Liu *see* Liu Zhongyu
Zhongyuan Chang *see* Chang Zhongyuan
Zhongyuan Wen *see* Wen Zhongyuan
Zhongze Wu *see* Wu Zhongze
Zhongzhi Wang *see* Wang Zhongzhi
Zhorin, V.A. *see* Berlin, Yu.A. 86−21164
Zhornyak, A.F. *see* Oliker, V.E. 86−26440, 86−45866
Zhorov, S.I. *see* Verber, O.L. 85−43980, 86−39765
Zhorov, V.A. Mathematical model of the transformation of lateral inflow and its use for calculating inflow into reservoirs of Siberian hydroelectric plants 87−78239
Zhosan, I.A., Kozhinskiy, A.A., Lapidus, A.Yu. A computer-aided engineering line for designing line-of-sight radio relay links 88−28681
Zhou, B. *see* Anderhub, H. 87−21420
Zhou, B. *see* Antreasyan, D. 87−21413
Zhou, B. *see* Becker, U. 88−22943
Zhou, B. *see* Wang, J. 87−68493
Zhou, B.B. A new bit-serial systolic multiplier over GF(2^m) 88−63620
Zhou, B.B., Brent, R.P. A high throughput systolic implementation of the second order recursive filter 88−70929
Zhou, B.K. *see* Yue, C.Y. 88−51444
Zhou, B.L. *see* Wu, Z. 88−32856
Zhou, C., Haber, F. Decorrelation filters by spatial diversity 88−3069
Zhou, C., Maglaris, B.S. Adaptive routing in computer networks within two-level procedures; delay performance and effect on network flows 86−54610
Zhou, C.S. *see* Sun, D. 88−66110
Zhou, D. *see* Dwyer, R. 86−25130
Zhou, D.F. *see* Gao, B.J. 86−48020
Zhou, E., Jiang Ai-quan The analysis of the variable-frequency performance of the new type reluctance motors 88−17575
Zhou, E., Lin Mingyao The analysis of the starting and pull-in performances of the new type of reluctance machines 88−48916
Zhou, E., Wang, Z., Chen, S. Reduced-order selective mode analysis method and its application to study the damping of large AC/DC power system 88−68808
Zhou, F., Chen, Z., Meng, Y., Li, X. Investigation of linear PTC thermistors based on (Ba-Sr)TiO_3 87−52895
Zhou, F., Ma, M., Wang, W., Hua, M. Characteristics of a liquid metal ion source 85−37875
Zhou, F. *see* Li, X. 86−68025
Zhou, F. *see* Meng, Y. 86−62269
Zhou, F. *see* Sun, Z. 88−68889
Zhou, F. *see* Wen, W. 86−41675
Zhou, F. *see* Yao, Q. 87−48199
Zhou, G., Curtis, T., Chen, R. A GaAs microwave MESFET with extremely low distortion 87−73750
Zhou, G., Wang, H. Angle coding and its application in pattern recognition 87−48196
Zhou, G., Yang, S. Real-time frequency selection and HF spectrum monitor 88−46908
Zhou, G. *see* Li, X. 86−63490
Zhou, G.-D. *see* Becker, R.S. 86−8910
Zhou, G.-G., Kowel, S.T., Srinivasan, M.P. A capacitance sensor for on-line monitoring of ultrathin polymeric film growth 88−53615
Zhou, G.L. *see* Jiang, W.D. 88−63343
Zhou, G.Y. *see* Luan, D.F. 85−11092
Zhou, H., Kumar, K.S.P. An investigation of correlation region in maneuvering multi-target tracking 85−42628
Zhou, H., Kumar, K.S.P. A direct method for estimating tangential and normal accelerations of maneuvering targets in three dimensional space 86−3895
Zhou, H. *see* Bergmann, J. 87−47348, 88−27617
Zhou, H. *see* Brown, R.C. 86−16011, 87−27027, 87−39478, 87−54720, 88−34478
Zhou, H. *see* Kumar, K.S.P. 85−52412
Zhou, H.F. *see* Yao, S.J. 86−44623
Zhou, J., Mailfert, A., Kubler, H. Optimization program for hybrid stepping motors 86−51664
Zhou, J., Shito, S., Yoshida, S. On interference from switching power supplies from the viewpoint of electromagnetic compatibility 88−34341
Zhou, J., Zhang, S., Wei, K. Observation of bifurcations and chaos in SAW on substrate of *Y-Z* $LiNbO_3$ 87−1864
Zhou, J. *see* Goto, H. 86−66833, 87−73105
Zhou, J. *see* Huang, Y. 88−64310
Zhou, J. *see* Ren, P. 86−68083
Zhou, J.-F. *see* Martyn, H.-U. 87−41865
Zhou, J.-Y., Wu, L.-D. An AI-structural approach to edge detection 88−73391
Zhou, J.H., Huang, L., Kong, G.L. Staebler-Wronski effect is a bulk effect 86−48255
Zhou, J.H., Kong, G.L., Zhang, D.L. Non-Ohmic conduction in glow-discharge a-Si:H films 88−64266
Zhou, Jing-hua *see* Guo You-guang 88−61632
Zhou, J.Y. *see* Castillejo, M. 88−45174
Zhou, K.-C. A Chinese text-to-speech synthesis system using the logarithmic magnitude filter 87−39692
Zhou, K.-C., Cole, T. A chip designed for Chinese text-to-speech synthesis 85−25044
Zhou, K.D. *see* Shao, K.R. 86−42683, 88−52002
Zhou, L., Wei, D., Liu, S. Fetal ECG processing by adaptive noise cancellation 86−56152
Zhou, L. *see* Comallonga, J. 88−22469
Zhou, L. *see* Wang, J.R. 86−47979

Zhou, L.-G., Lu, X.-D., Hu, G.-S. Biomedical signal processing 87-57072
Zhou, L.-G. *see* Xu, H. 88-61388
Zhou, M.L., Jin, J.N., Zhang, S.Y., Xu, D.O., Jin, S.S. The production of ^{211}At and its complexation with crown ethers 87-14709
Zhou, N.-S. *see* Fujita, S. 85-12209
Zhou, N.H. Single-pole operational amplifier effects on the performance of switched-capacitor filters 85-17676
Zhou, N.S. *see* Fujita, S. 85-50438
Zhou, P., Lavers, J.D. High frequency losses in multi-turn coils using a boundary element model 87-24505
Zhou, P. *see* Harris, G.L. 87-60124
Zhou, P. *see* Huang, S.J. 88-69650
Zhou, Q. *see* Lin, H. 88-69070
Zhou, Q. *see* Shahriari, M.R. 88-53708, 88-67864
Zhou, Q.H. High capacity scanning correlation system and the analysis of correlation plane displacement 88-27995
Zhou, Q.H. *see* Yu, F.T.S. 87-38879
Zhou, R., Mavretic, A. Multiple-valued programmable logic array with application to pipelined signal processing 87-37372
Zhou, R.G. *see* Luo, J.Y. 88-68812
Zhou, R.J., Yee, H., Wilson, W.J. Coherency analysis of large electric power systems 85-48506
Zhou, S. *see* Ferrari, D. 87-34161
Zhou, S. *see* Gu, L. 86-70693
Zhou, S. *see* Luo, J. 88-54564
Zhou, S. *see* Yang, H. 88-54563
Zhou, S.-X. *see* Liu, C. 87-42296
Zhou, S.H. *see* Kwiatkowski, K. 85-4237
Zhou, T. *see* Hood, S.J. 88-342
Zhou, T. *see* Thomsen, C. 86-42408
Zhou, T.-M., Wang, L.-Z., Hollister, D.D., Berman, S.M., Richardson, R.W. Magnetic enhancement of ultraviolet radiation efficiency of low-pressure Hg-Ar discharge 87-64946
Zhou, T.M. *see* Zhou, X.H. 88-6011
Zhou, T.S. *see* Kuang, A.X. 87-52374
Zhou, W. The free electron maser and self-excited microwave undulator 85-35322
Zhou, W. *see* Chu, X.W. 86-32027
Zhou, W.B., Itoh, T. Field distribution in the trapped image guide 85-28679
Zhou, X.-G., Zhong, S.-C. Phasing system for the injector of Beijing electron positron collider (BEPC) 88-54185
Zhou, X.-X. *see* Yi, Z. 88-68746
Zhou, X.H., Zhou, T.M., Lu, Y.C. Improving the spectral characteristics of fluorescent lamps by using narrow-band phosphors 88-6011
Zhou, Y., Chellappa, R. Linear feature extraction based on an AR model edge detector 87-62245
Zhou, Y., Chellappa, R., Bekey, G. Estimation of intramuscular EMG signals from surface EMG signal analysis 87-29782
Zhou, Y., Chellappa, R., Venkateswar, V. Edge detection using zero crossing of directional derivatives of a random field model 87-19955
Zhou, Y., Chellappa, R., Venkateswar, V. Edge detection using the directional derivatives of a correlated random field model 87-55320
Zhou, Y. *see* Dahanayake, B.W. 87-69230
Zhou, Y. *see* Johnson, S.A. 86-12228
Zhou, Y. *see* Kwong, D.L. 87-25618
Zhou, Y. *see* Xu, T. 88-69029
Zhou, Y. *see* Zhu, G. 88-69645
Zhou, Y.-Q. *see* Kao, C. 87-14414, 88-16373
Zhou, Y.-T., Chellappa, R., Vaid, A., Jenkins, B.K. Image restoration using a neural network 88-66619
Zhou, Y.S. *see* Shick, D.V. 88-51120
Zhou, Y.T., Chellappa, R. Stereo matching using a neural network 88-66706
Zhou, Z., Lu, S., Zhang, Z. A simplified eigenvalue analysis method for interconnected power system small-signal stability studies 88-68807
Zhou, Z., Mei, Y., Chen, L., Luo, H.L. Study on γ-Fe_2O_3 thin films 87-18466
Zhou, Z., Yao, S. Determination of the rectangular teeth geometry of the VR motor 86-45379
Zhou, Z., Zhang, Z., Zhao, G. A new multifunctional sensitive ceramics BTS 86-62270
Zhou, Z. *see* Jiang, S. 85-20861
Zhou, Z. *see* Mueller, R.K. 87-4172
Zhou, Z.-X. Narrow-band switched-capacitor filters with reduced total capacitance 85-17665
Zhou, Z.Q. *see* Mueller, R.K. 87-71419
Zhou, Z.Q. *see* Rudd, E.P. 87-29973
Zhou, Z.Y. *see* Jiang, J. 87-69226
Zhou Ailian *see* Han Hanmin 85-35358
Zhou Anfa *see* Zheng Xiaojun 88-60549
Zhou Bao-min An exponentially fitted difference scheme of second order uniform convergence for singular perturbation problems 87-44246
Zhou Baoqing *see* Jiang Qinghua 88-611
Zhou Bigian *see* Sun Siyuan 85-12762
Zhou Bin *see* Bin Zhou
Zhou Bing-lin, Chen Zheng-xiu On the low mobility of GaAs 86-14852
Zhou Bingkun, Wang Jianglin, Zhang Hanyi Improvement of side-mode suppression ratio of a single-mode SCC semiconductor laser 86-3135
Zhou Bingkun, Wang Jianglin, Zhang Hanyi Single longitudinal mode characteristics of short-coupled-cavity (SCC) semiconductor lasers 88-2314
Zhou Bingkun *see* Zhang Hanyi 88-27264, 88-72374
Zhou Bingkun *see* Bingkun Zhou
Zhou Binglin *see* Liang Bingwen 87-60097
Zhou Bixia *see* Yu Erkeng 85-38482
Zhou Chen *see* Chen Zhenli 85-51683
Zhou Chenghao *see* Jin Bianjun 87-6400
Zhou Chi Sheng *see* Chi Sheng Zhou
Zhou Chuanren *see* Yang Yigang 86-39046
Zhou Chun Rong, Ling Jing Yun, Pan Gui Song A prospect of TV broadcasting engineering in CCTV [China Central TV] 85-20302
Zhou Chunbo *see* Hong Bingrong 88-63589
Zhou Chunguang The PDP-11/23$^+$ file server and multi-user station 88-52895
Zhou Da-Zhuang Plastic scintillator response to charged particles 87-14746
Zhou Dian, Tang Pushan An analytic algorithm for two dimensional placement of LSI 85-18367
Zhou Dian, Tang Pushan A channel routing algorithm using hybrid graph 86-53697
Zhou Dong-xiang *see* Dong-xiang Zhou
Zhou Entao *see* Zhou Shichang 88-47510
Zhou Erzhuan, Wang Zhonggan, Chen Shousun Improving damping characteristic of interconnected power system by static VAr system 88-48460
Zhou Faqing, Pan Zhijie, Tai Yachuan An analysis of failure modes of high pressure safety injection system for nuclear power plant 86-65843
Zhou Feng *see* Li Xinjiao 86-15307
Zhou Feng *see* Li Zingjiao 87-73807
Zhou Fengsheng *see* Ma Mingxiu 87-56976
Zhou Fengxian *see* Fengxian Zhou
Zhou Fu-Sheng, Xu Dong-Liang Key of quality improvement of FZ(H) dislocation-free silicon single crystal by controlled O, C and H in the growing process 88-31723
Zhou Fu-Sheng *see* Xu Dong-Liang 88-32767
Zhou Fu-xin *see* He Guang-sheng 86-22479
Zhou Fuzheng, Shen Liqing, Zou Chingchun, Zhu Jian CCD for laser parameter measurement 85-29878
Zhou Fuzheng *see* Jin Deyun 85-62643
Zhou Guang-yuan *see* Luan De-fu 85-11068
Zhou Guanxiong A table analysis algorithm for segmentation in picture processing 87-27568
Zhou Guanxiong, Wang Hongyuan Angle coding for arbitrary geometric configuration 88-34555
Zhou Guian *see* Huang Mei 87-78047
Zhou Guien *see* Zhang Yuheng 86-35354
Zhou Guixing *see* Huang Jiayu 85-4532
Zhou Guo-fu Fourth-order finite difference analogues for Poisson's equation 86-7713
Zhou Guo-Ping *see* Guo-Ping Zhou
Zhou Guo-quan *see* Wu Feng-mei 86-67711, 87-24749
Zhou Guoliang *see* Guoliang Zhou
Zhou Guoping *see* Guoping Zhou
Zhou Hai *see* Hai Zhou
Zhou Heping *see* Zhu Yanbin 88-40297
Zhou Hetian *see* Wang Weili 88-8037, 88-72201
Zhou Hong, Xia Wuy-ying, Yan Zhi-xin Partitioned method of optimizing extraction of MOS3 DC model parameters 87-60444
Zhou Hong *see* Cai Zheng-ping 86-11739
Zhou Hu-Cheng, Xiao Wei-Rong The multi-objective optimal design of REPM generators 87-15668
Zhou Hua-Shi *see* Ding Hui-Liang 86-65388
Zhou Huan *see* Tanaka, K.O. 86-52971
Zhou Hui-ming *see* Hui-ming Zhou
Zhou Huotang A general method for the coordinated control system designing of thermal generating unit 88-48775
Zhou Ji-yu, Xu Yi-qian, Wei Qi-dong Numerical analysis of temperature field and stress field for JS-2 MHD generator electrodes 85-27666
Zhou Jian Bai *see* Jian Bai Zhou
Zhou Jian-wei Positiveness and convexity for Bernstein polynomials over triangles 86-62108
Zhou Jianfeng *see* Zhang Quanshou 87-69425
Zhou Jianghuai, Kong Guanglin Investigations of low-temperature conductivity and the Staebler-Wronski effect in a-Si:H 87-53196
Zhou Jianging *see* Zhang Hanyi 88-72374
Zhou Jianying *see* Zhoun Bingkun 87-39091
Zhou Jiawei CMOS standard cell gate array technology 86-62542
Zhou Jicai *see* Huang Suiyang 88-51564
Zhou Jie *see* Gao Xiaoping 86-67824
Zhou Jie *see* Ma Chi-mao 85-48178, 86-18233
Zhou Jie *see* Ma Ji-mao 88-22911
Zhou Jie *see* Ruan Shengyang 85-55520
Zhou Jin, Gao Wenqi Encoding of pseudocolor equidensities using combined Ronchi gratings 87-55254
Zhou Jin-wen *see* Wan Chong-yi 86-3072
Zhou Jinshui *see* Wang Yan 88-74759
Zhou Jiqun Logic function testing of the Am2901 microprocessor using the 1600A logic state analyser 88-25077
Zhou Juming, Huang Yi, Li Yongkang, Jia Wei Yi Growth and properties of AlGaAs/GaAs heterostructures on GaAs (110) surface 87-36726
Zhou Jun-cheng An all-digital frame synchronizing code recognizer 85-54768
Zhou Jun-ming, Huang Yi, Meng Qing-hui, Cheng Wen-qin, Wu Yong-sheng, Li Yong-kang, Yang Zhong-xing Growth and transport properties of modulation doped GaAs/AlGaAs heterostructures 86-63069
Zhou Jun-ming, Huang Yi, Meng Qing-hui, Cheng Weng-qin, Wu Yong-sheng, Li Yong-kang, Yang Zhong-xing Growth and transport properties of modulation-doped GaAs/AlGaAs heterostructures 87-24827
Zhou Jun-Ming *see* Jun-Ming Zhou
Zhou Juncheng, Zhou Xun, Cheng Anlong, An Yuxiu, Han Keli, Zheng Shaying Model DCM-1 digital observation system for geomagnetic pulsations 87-50535
Zhou Junming *see* Wu Yongsheng 87-74049
Zhou Junsi *see* Liu Jiarui 88-71394
Zhou Keding *see* Shao Keran 85-24704, 85-24722
Zhou Le-zhu, Xu Cheng-he Design of microwave open resonators with given RF field profiles 85-11839
Zhou Le-Zhu *see* Le-Zhu Zhou
Zhou Li *see* Huang Xuedong 88-21113
Zhou Li *see* Xu Zuyan 85-29784
Zhou Li *see* Yu Junhua 88-65554
Zhou Li Jianqiang *see* Li Jianqiang Zhou
Zhou Li-gao *see* Liu Sen 87-8932
Zhou Li-wei *see* Ai Ke-cong 87-19139 to 19140
Zhou Lian *see* Wu Xiazu 86-47991
Zhou Liang *see* Huang Wei-shi 88-40387
Zhou Lianxiang *see* Lianxiang Zhou
Zhou Lianzuo *see* Li Layuan 86-10476
Zhou Liwei, Qiu Baicang, Ni Guoqiang An inverse design of magnetic focusing coil for electrostatic and magnetic imaging 88-20855
Zhou Maolun *see* Xu Daoquan 88-74698
Zhou Mian, Shi Changxin Beryllium ion implantation in semi-insulating GaAs substrates 85-55658
Zhou Mian, Wang Wei-yuan Carrier transport in metal-thin insulator *n*-GaAs barrier diodes 85-18316
Zhou Mian, Wang Weiyuan GaAs metal-thin insulator-semiconductor Schottky barrier FET with high-doped channel 85-34954
Zhou Mian, Wang Weiyuan GaAs MIS Schottky barrier and its application in GaAs FETs with high-doped channel 86-14967
Zhou Mian, Wang Weiyuan GaAs metal-thin-insulator-semiconductor Schottky barrier FET with highly-doped channel 86-21542
Zhou Mian, Xin Shangheng, Shi Changxin Si, Be dual implantation into SI-GaAs 87-74011
Zhou Nai *see* Shen Zhongxin 87-337
Zhou Ning *see* Li Xun 88-8181
Zhou Nong *see* Wu Xiaozu 88-64981
Zhou Nong *see* Wu Xiazu 86-47991
Zhou Nong *see* Zhang Tingjie 85-46052
Zhou Nong *see* Nong Zhou
Zhou Peilin *see* Liu Yixian 88-65784
Zhou Ping Nuclear power development in China 87-71802
Zhou Ping *see* Gu Benguang 88-10201
Zhou Qibo *see* Qibo Zhou
Zhou Qin *see* Chen Shi 85-59623
Zhou Qing-Yi, Wang Shu-Hong, Pan Hui-Bao, Luo Zi-Hua, Xiao Len-Rong, Zhang Ying-Xiang Design, construction and beam test of the Beijing 35 MeV proton linear accelerator 87-56927
Zhou Qingchang, Zhan Zhonghui The present status of power network cycling and future suggestions 86-56348
Zhou Quan *see* Quan Zhou
Zhou Ruiying *see* Ma Jinglin 85-34485
Zhou Ruming, Wu Dizhong, Yan Zhongmin The evaluation of site characteristics for Guangdong Nuclear Power Plant 88-30479
Zhou Shanyu *see* Tu Shigu 88-20730, 88-27007
Zhou Shaomin *see* Shaomin Zhou
Zhou Sheng *see* Li Shuhong 87-50611
Zhou Shi-Chun *see* Shi-Chun Zhou
Zhou Shi-Fang *see* Shi-Fang Zhou
Zhou Shichang, Cao Xingmin, Zhou Entao Magnetosensitive displacement sensor—a non-contact type sensor 88-47510
Zhou Shichang *see* Cao Xingmin 86-71128
Zhou Shichang *see* He Huahui 88-51597
Zhou Shichang *see* Shichang Zhou
Zhou Shiliang *see* Yu Zengqi 85-28896
Zhou Shiren, Ji Yanshu, Kong Quigmao, Gao Yuankai, Wang Shouyu, Han Changlin, Fu Zheguo Research of technology on magnetic-field-applied CZ 87-31474
Zhou Shiren, Ye Yizheng, Ye Shuichi, Mai Zhenhong, Dai Daoyang, Yang Jiade, Chen Muzhang Research on application of double gettering technique on CCD and it's increased gettering effect 88-44781
Zhou Shiren *see* Mai Zhenhong 86-47435, 87-74141
Zhou Shixun *see* Shixun Zhou

Zhou Shouzeng, Li Lin, Zhang Lidong, Hu Qin The magnetic properties and domains of sintered Pr-Fe-B permanent magnets 86−28615
Zhou Shu A 90 MeV electron linac of IHEP 87−41705
Zhou Shuangxi *see* Liu Chu 87−21837
Zhou Shunqing Approximation and realization of optimal transfer function of receivers in full-response digital fiber-optic communication systems 85−46124
Zhou Shuquan Micrometer-order displacement measurement of vibrating objects with laser Doppler effect 88−68022
Zhou Su-hua *see* Wang Chen-hao 87−41409
Zhou Su-hua *see* Wang Zuo-qing 86−68142
Zhou Ting-yang *see* Ma Fei 88−32306
Zhou Tongheng An NP-complete problem 87−72945
Zhou Wanpu, Wang Guoying, Zhang Rirong An auto-tracking parabolic sensing antenna with dual mode archimedian spiral feed 87−75582
Zhou Wanzhi, Lu Zhenwu Optical testing using a point diffraction holographic interferometer 88−40417
Zhou Wei *see* Wei Zhou
Zhou Weizhen, Yang Yiher An estimation algorithm for video tracking 88−72908
Zhou Wen Free electron laser and free electron maser 85−51200
Zhou Wen The higher order modes damping of reentrant accelerating cavity and the design of 'monochromatic' cavity 85−64391
Zhou Wen *see* Fewell, N. 86−31969
Zhou Wen-Zhuang *see* Cao Fu-Tian 86−55878
Zhou Wenbiao Determination of the characteristics of TEM transmission line with arbitrary cross-section by boundary element method 87−47247
Zhou Wenbiao The cut-off frequency and mode chart of image waveguide 88−20975
Zhou Wenjin *see* Shi Yijing 88−40267
Zhou Wenying *see* Yan Benda 88−57671
Zhou Xi-Jian *see* Yang Fu-Ming 86−21958
Zhou Xian-wen, Hu Yuan-fan Beam current loop-locked control of ion-beam etching 86−9038
Zhou Xianming, Qiu Daxiong, He Jankun A dynamic rural energy model and its application 88−42818
Zhou Xiao-Feng, Shen Zhi-Guang Signal flow graph analysis of switched-capacitor networks 85−39894
Zhou Xiaogang, Chen Xiuwei, Tu Xiaolin, Sun Yangfang, Zhang Naisen An on-line single photon time resolved spectrometer 88−36400
Zhou Xiaojun, Zhang Yide, Xu Bo, Wang Yuzhi A new gun for cathode luminescent instrument 88−19579
Zhou Xiaolin A surface-field approach to electromagnetic scattering from a rough surface 88−42636
Zhou Xijian *see* Sun Tiandao 86−21957
Zhou Xilang *see* Gu Ruilong 86−67469
Zhou Xinxiang *see* Xu Yuansen 88−44133
Zhou Xiugmeng *see* Wu Fengmei 87−53539
Zhou Xiuji A correction to remote sensing by sodar 88−60285
Zhou Xuan *see* Li Fengyin 85−35029
Zhou Xuan *see* Li Jinlin 85−54734
Zhou Xuehua, Chen Haitao Simplified model for calculating concentration field of diffusion-type CW HF chemical lasers 85−12780
Zhou Xuehua, Chen Liyin, Chen Haitao Characteristics of a CW HF chemical laser calculated from a simplified two-dimensional model 86−54097
Zhou Xuehua *see* Chen Liyin 88−2157
Zhou Xun *see* Zhou Juncheng 87−50535
Zhou Yan-Qun, Wang Xiao-Ming The principle and application of 5G7216D-10 MHz single-chip frequency meter 86−21815
Zhou Yanping *see* Yang Zhaoming 88−13609
Zhou Yanwen *see* Lou Fengge 88−30024
Zhou Yimin *see* Yimin Zhou
Zhou Yiming *see* Gao Zhenheng 85−56564
Zhou Yinzao, Ren Guoxiao Dependence of response of plastic track detector CR-39 (DOP) on registration temperature 87−50182
Zhou Yong-Fu *see* Yong-Fu Zhou
Zhou Yongzong *see* Zhang Meizhen 85−29795
Zhou You-wei *see* Huang Hung-chia 88−65239
Zhou Youwei *see* Cao Xuelong 88−72084
Zhou Yu-zhi *see* Liu Rui-yuan 86−3500
Zhou Yuan-quan Bayesian limits, fiducial limits and classical limits for reliable life of normal distribution 86−61966
Zhou Yuechen Designing wide-band IF cophasal combiners 88−56519
Zhou Yufang *see* Dai Guocai 85−35585
Zhou Yuping *see* Shen Hongyuan 87−18951, 87−26355
Zhou Yuping *see* Yuping Zhou
Zhou Ze-cun, Wu, C.Y., Cheng, T.C., Wu, C.T. A simulation study on the switching transient behavior of transmission lines with nonlinear insulators 85−27058
Zhou Zegong *see* Cao Tianjie 88−49623
Zhou Zexuan *see* Shi Yaling 87−54451
Zhou Zhen-zhou, Shao Mei-zhen, Qiu Ming-xin, Qiu Fu-yuan New UV and visible laser transitions of iodine and bromine 85−24443
Zhou Zheng-Ou, Ding Yi-Yuan, Gong Yao-Huan, Huang Shun-Ji Noncontact measurement of permittivity of a smooth convex target with bistatic radar 85−4079
Zhou Zheng-Ou, Ding Yi-Yuan, Gong Yao-Huan, Huang Shun-Ji A bistatic radar for geological probing 85−9367
Zhou Zheng-Ou, Ding Yi-Yuan, Gong Yao-Huan, Huang Shun-Ji Geological measurements of dielectric constant 85−15400
Zhou Zheng-ou *see* Huang Shun-ji 85−52434
Zhou Zhengzhuo, Li Ding, Qiu Mingxin Si-photocell with ultra-shallow junction by GILD and its characteristics 88−40062
Zhou Zhengzhuo *see* Qiu Mingxin 85−12794
Zhou Zhenshu, Liao Jianghong, Gu Yunan, Quwu, G. An interferometric method for measuring optical spherical surfaces using holographic phase conjugate compensation 88−40413
Zhou Zhenzhuo *see* Qiu Mingxin 88−45605
Zhou Zhibang Analysis of a two unit standby redundant fail-safe system 87−65250
Zhou Zhiping *see* Zhiping Zhou
Zhou Zhiying A real time algorithm for two dimensional convex hull problem 85−44614
Zhou Zhiying An algorithm for reporting intersections of rectangles in *d* dimensions 85−54273
Zhou Zhong-li *see* Zhong-li Zhou
Zhou Zhong-yi *see* Hai Yu-han 86−9664
Zhou Zhongbi *see* Yang Jingguo 87−33262
Zhou Zhuying *see* Jin Weiguo 86−11874, 86−70335
Zhou Zu-cheng, Men Xiang-sheng, Guo Zhi-fei Programmable doppler filter-bank using charge-coupled devices 87−40990
Zhou Zu-Cheng *see* Zu-Cheng Zhou
Zhou Zucheng, Feng Yiyun, Wang Lisheng Analysis of the data processing behaviour of track-while-scan radars 88−22176
Zhou Zue-song Self-calibration methods of six-port reflectometer 86−18086
Zhou Zue-song An analysis of optimum design criteria of six-port circuits 87−36859
Zhou Zuyao *see* Zuyao Zhou
Zhou-jing Yang *see* Yang Zhou-jing
Zhoughac Yang *see* Shouggang Liu 86−54063
Zhouhua Xu *see* Xu Zhouhua
Zhoumin Chen *see* Chen Zhoumin
Zhoun Bingkun, Zhang Hanyi, Wu Yuanxiang, Zhou Jianying, Li Jianying, Li Jian, Pan Zhenwu 24 h frequency stabilisation of an SLM external-cavity semiconductor laser 87−39091
Zhouren Qin *see* Qin Zhouren
Zhovtanetskii, O.I. *see* Fit'o, V.M. 88−20782
Zhrng Bohou, Xie Guanxiang, Wang Zicong, Sun Birou Preparation of polycrystalline n-type semiconductor n-CdSe$_x$Te$_{1-x}$ photoelectrode and a study of its photoelectrochemical behaviour 86−41627
Zhu, B.M., Fukaya, Y. Balanced and mutually complementary type circuits used for logarithmic amplifier 85−33685
Zhu, C. *see* He, H. 85−46017
Zhu, C.Z. *see* Dunham, C.B. 88−63210
Zhu, D. *see* Rognon, J.-P. 88−24210
Zhu, F., Wendt, H., von Alvensleben, L., Hassen, P. FIM atomprobe studies of permanent magnets 85−18583
Zhu, F.Y., Bedrosian, S.D. Monochrome images: an approach to choosing fuzzy distributions 87−33750
Zhu, G., Zhou, Y. Study of TRV for 500 kV circuit breakers 88−69645
Zhu, H. *see* Maalej, N. 88−68346
Zhu, H. *see* Shao, K. 88−26694
Zhu, H.Y. The construction status of Beijing Electron-Positron Collider (BEPC) 86−38660
Zhu, J. Performance of spread spectrum synchronous access communication system using orthogonal sequences 85−47415
Zhu, J., Bertram, H.N. Computer modeling of the write process in perpendicular recording 87−18502
Zhu, J., Bertram, H.N. Comparison of thin film and ring heads for perpendicular recording 87−46360
Zhu, J., Martin, R.A., Chen, J.Y. Punchthrough current for submicrometer MOSFETs in CMOS VLSI 88−26275
Zhu, J., Nomura, T., Yamada, T. Performance of spread spectrum synchronous access communication system by orthogonal sequences 87−13558
Zhu, J., Yang, G., Nomura, T., Yamamoto, Z. Linear mapping for bent sequences 88−27805
Zhu, J. *see* Goldberg, J. 88−33332
Zhu, J. *see* Koyanagi, M. 87−46019
Zhu, J.-X., Wang, H. A performance comparison of smoothing approaches for high-resolution active direction-finding of completely-correlated targets 88−74078
Zhu, J.H., Sun, T.D., Wang, D.W., Sao, W.T., Lan, D.N. Magnetic properties of Sm(Co, Cu, Fe)$_7$ alloys 85−29472
Zhu, J.H. *see* Wang, D.W. 86−22015
Zhu, J.X., Wang, H. Adaptive beamforming for correlated signal and interferences: A frequency-domain smoothing approach 88−72705
Zhu, J.X., Wang, H. On fundamental performance limitation of direction finding of multiple narrow-band sources under sensor position and pattern perturbations 88−74079
Zhu, J.X. *see* Wang, H. 87−62113
Zhu, L., Wu, B., Sheng, C. Real frequency technique applied to synthesis of lumped broadband matching networks with arbitrary nonuniform losses for MMICs 88−71080
Zhu, L. *see* Bennett, F.E. 88−11868
Zhu, L.-Y., Bogy, D.B. A comparison of head-to-disk spacing fluctuation on hard and stretch-surface recording disks 88−51321
Zhu, L.D., Chan, K.T., Ballantyne, J.M. Very high mobility InP grown by low pressure metalorganic vapor phase epitaxy using solid trimethylindium source 85−54442
Zhu, L.D., Chan, K.T., Ballantyne, J.M. MOCVD growth and characterization of high quality InP 86−7793
Zhu, L.D., Chan, K.T., Ballantyne, J.M. Ultrahigh mobility InP and In$_{0.53}$Ga$_{0.47}$As grown by metal-organic chemical vapor deposition for high speed device applications 86−63043
Zhu, L.D., Chan, K.T., Wagner, D.K., Ballantyne, J.M. Photoluminescence study of the growth of indium phosphide by metalorganic chemical vapor deposition 85−56422
Zhu, L.D., Feak, G.A.B., Davis, R.J., Ballantyne, J.M. Low threshold ridge waveguide single quantum well laser processed by chemically assisted ion beam etching 87−39110
Zhu, L.D., Feak, G.B., Ballantyne, J.M., Wagner, D.K., Tihanyi, P. In-phase coupling between ridge guide lasers by introducing distributed saturable absorption regions in subordinate laser cavities 87−54301
Zhu, L.D., Sulewski, P.E., Chan, K.T., Muro, K., Ballantyne, J.M., Sievers, A.J. Two-dimensional electron gas in In$_{0.53}$ Ga$_{0.47}$ As/InP heterojunctions grown by atmospheric pressure metalorganic chemical-vapor deposition 86−8839
Zhu, L.D. *see* Chan, K.T. 85−54441
Zhu, L.Y. *see* Shi, W.K. 87−53885
Zhu, M.-D. *see* Zhang, J.-G. 88−12698
Zhu, M.F., Hamdi, A.H., Nicolet, M.-A. Stable ohmic contact to GaAs with TiN diffusion barrier 85−18169
Zhu, M.F., So, F.C.T., Pan, E.T.-S., Nicolet, M.-A. Investigation of amorphous W$_{60}$Zr$_{40}$ film as a diffusion barrier in metallization schemes 85−23720
Zhu, M.F., Suni, I., Nicolet, M.-A., Sands, T. Reaction of amorphous Ni-W and Ni-N-W films with substrate silicon 85−12005
Zhu, N., Landstorfer, F.M. Quality factor optimisation of coaxial resonators 88−63848
Zhu, P.Y., Fung, A.K. Effective medium approximation for effective propagation constant calculation in a dense random medium 87−57427
Zhu, P.Y., Fung, A.K., Wong, K.W. Effective propagation constants in dense random media under effective medium approximation 87−54533
Zhu, Q., Hiramatsu, K., Sawaki, N., Akasaki, I. Measurement of the defect distribution of an InGaAsP/GaAs heterojunction diode by LBIC 87−60159
Zhu, Q. *see* Yajima, Y. 87−17771
Zhu, Q.G. *see* Jiao, P.N. 85−41638
Zhu, R. *see* Ephremides, A. 87−40004
Zhu, R.Y. *see* Yuan, Y.F. 88−51573
Zhu, S., Lu, E. The whole design and synthetical analysis of waveguide ferrite phaser 87−24417
Zhu, S. *see* Jones, E.V. 86−52750, 87−39624
Zhu, S. *see* Roy, R. 86−22340
Zhu, S.-B. *see* Lin, S.-C. 85−2217
Zhu, S.-G., Chen, K.-M., Chuang, H.-R. Interaction of the near-zone fields of a slot on a conducting sphere with a spherical model of man 85−4375
Zhu, S.L. *see* Yu, A.W. 86−15744
Zhu, S.Z. *see* Sun, N.H. 87−47378
Zhu, W. *see* Deka, B.K. 87−26264
Zhu, W. *see* Izatt, J.R. 87−33082, 88−27078
Zhu, W. *see* Shen, Y. 85−48860
Zhu, W. *see* Wang, Y. 87−62280
Zhu, W. *see* Xu, M. 86−68020
Zhu, X., Breur, M.A. A knowledge based TDM selection system 87−37203
Zhu, X., van der Ziel, A. The Hooge parameters of n$^+$-p-n and p$^+$-n-p silicon bipolar transistors 85−40698
Zhu, X. *see* Hu, Y. 85−58969
Zhu, X. *see* Ishido, M. 88−60711
Zhu, X. *see* van der Ziel, A. 85−45693
Zhu, X. *see* Wang, Y. 88−52341
Zhu, X.-L., Gandhi, O.P. Design of RF needle applicators for optimum SAR distributions in irregularly shaped tumors 88−54604
Zhu, X.C., Pawlikiewicz, A., Van der Ziel, A. 1/*f* noise in *n*$^+$-*p*-*n* microwave transistors 85−50047
Zhu, X.C., Van Der Ziel, A., Duh, K.H. Low-frequency noise spectra in MOSFETs made by the DMOS process 85−50551
Zhu, X.C., Wu, X., van der Ziel, A., Kelso, E.G. The Hooge parameters for n- and p-type Hg$_{1-x}$Cd$_x$Te 85−55462

Zhu, X.C., Zhang, X.N., van der Ziel, A., Bozler, C.O. Low-frequency noise in permeable base transistors 85—6897
Zhu, X.C., Zhang, X.N., van der Ziel, A., Pawlikiewicz, A. Noise in permeable base transistors (PBTs) 85—50548
Zhu, X.C. *see* Duh, K.H. 85—34994
Zhu, X.C. *see* Lee, K. 85—6932
Zhu, X.G. *see* Zhang, F.S. 87—4922
Zhu, X.P. *see* Checkley, D.R. 86—56101
Zhu, Y., Chen, W. On the design of a diplexer having Butterworth characteristics 86—59166
Zhu, Y., Li, C.C. Quadratic surface fitting Laplacian operators 87—48177
Zhu, Y., Li, S. Estimation of the highly damped sinusoidal signals in additive noise 88—73055
Zhu, Y., Sauerbrey, R.A., Tittel, F.K., Wilson, W.L., Nighan, W.L. Multiwavelength excimer laser studies 87—7251
Zhu, Y., Sauerbrey, R.A., Tittel, F.K., Wilson, W.L., Jr., Nighan, W.L. Injection controlled operation of a broadband excimer laser 88—14074
Zhu, Y., Takeda, Y., Sasaki, A. DX-center-like traps in AlGaSb 88—19745
Zhu, Y. *see* Dubois, R. 86—50321
Zhu, Y. *see* Marowsky, G. 85—56478, 86—9725
Zhu, Y. *see* Nighan, W.L. 85—7348, 87—38979, 88—8136
Zhu, Y. *see* Sauerbrey, R. 85—51094, 87—61204
Zhu, Y. *see* Takeda, Y. 88—64260
Zhu, Y. *see* Tittel, F.K. 85—12771, 87—12363
Zhu, Y. *see* Yan, Z. 87—30708
Zhu, Y.-S., Chen, W.-K. Realizability of lossless reciprocal and nonreciprocal broadband matching networks 85—39885
Zhu, Y.-S., Chen, W.-K. Broad-band matching with maximally flat group delay characteristics 87—59053
Zhu, Y.-S., Chen, W.-K. Unified theory of compatibility impedances 88—56366
Zhu, Y.-S., Thakor, N.V. P-wave detection by an adaptive QRS-T cancellation technique 88—4972
Zhu, Y.-S., Thakor, N.V. Ventricular fibrillation detection by sequential hypothesis testing 88—54576
Zhu, Y.C. *see* Chen, Q. 86—15938
Zhu, Y.M., Yin, G. Adaptive filters with constraints and correlated nonstationary signals 88—46072
Zhu, Y.N. *see* He, X.M. 87—31478
Zhu, Y.P. *see* Vallet, R. 88—22001
Zhu, Y.X. *see* Schuette, M.A. 87—2457
Zhu, Z., Iga, K. Index profiling of distributed-index lenses by a total reflection method 87—54145
Zhu, Z., Nomura, T., Miyoo, M., Hagino, M. Molecular beam epitaxial growth of ZnSe on GaP 88—12005
Zhu, Z., Ying, Z. EMI caused by line deflection circuits 85—37232
Zhu, Z. *see* Hong, Z. 87—50356
Zhu, Z. *see* Jin, S. 86—66867
Zhu, Z. *see* Kean, P.N. 88—58645
Zhu, Z. *see* Ying, Z. 85—33652
Zhu, Z.C., Clark, A.P. Rotationally invariant coded PSK signals 87—27169
Zhu, Z.C., Clark, A.P. Near-maximum-likelihood decoding of convolutional codes 88—27757
Zhu, Z.H., Pan, C.L., Lo, Y.H., Wu, M.C., Wang, S., Kolner, B.H., Wang, S.Y. Electro-optic measurement of standing waves in a GaAs coplanar waveguide 87—46442
Zhu, Z.H., Weber, J.-P., Wang, S.Y., Wang, S. New measurement technique: CW electro-optic probing of electric fields 87—3702
Zhu, Z.H., Wu, M.C., Lo, Y.H., Pan, C.L., Wang, S.Y., Wang, S. Measurements on standing waves in GaAs coplanar waveguide at frequencies up to 20.1 GHz by electro-optic probing 88—70952
Zhu, Z.Q., Chen, Y.X. On the calculation of acoustic power radiated by an electrical machine 88—17547
Zhu Ai-qiang, Xu Yi-qian The calculation and thermodynamic analysis for the projects of a 10 MW coal-fired MHD-steam combined cycle pilot power plant 85—27364
Zhu Aibing *see* Fan Dianyuan 85—46429
Zhu Aiping *see* Qian Xianggeng 86—8286
Zhu Anli Short-term forecasting of grid load using the time series analysis adaptive model 85—9457
Zhu Anli, Ye Xuwai A practical model of adaptive forecasting daily electrical load and load analysis 87—71627
Zhu Aoxin The graphs of non-coloring-contradiction and the algorithm for coloring a graph 85—54271
Zhu Baoliang *see* Deng Renliang 85—56730
Zhu Ben-ren On the ADIF method and its related problems 86—34226
Zhu Ben-ren, Jin Mao-yuan, Zhang Sheng-li Iterative methods for inverse eigenvalue problems 87—10316
Zhu Bing, Bao Ximao, Li Hesheng, Pan Maohong, Mao Baohua, Sheng Yongxi Fabrication of ohmic contact on n-InP by CW-CO_2 laser 85—12001
Zhu Bing-lin Frequency response characteristics of a class of n-way planar hybrid power dividers 85—45214
Zhu Bingou *see* Tang Difang 85—63836
Zhu Changchang *see* Changchang Zhu
Zhu Chengchang *see* Cheng Xuemin 85—27341
Zhu Daxin Developing three dispatching automation systems for different scales of power networks and serial telecontrol devices 88—30272
Zhu Daxing *see* Chen Liqun 88—61810
Zhu De-guang, Wu Ding-fen A method to determine the specific contact resistance of metal-semiconductor contacts—the circular ring structure method 88—7358
Zhu Deguang The effects of non-zero metal resistance and metalization on the determination of specific contact resistance 87—66990
Zhu Donghai *see* Donghai Zhu
Zhu En-jun A heterojunction-barrier controlled ballistic-electron transistor (HCBT) 87—59840
Zhu En-Jun *see* En-Jun Zhu
Zhu En-zun *see* En-zun Zhu
Zhu Er-ming *see* Wu Chong-ruo 86—1623
Zhu Fang *see* Fang Sili 86—50860
Zhu Feizhang *see* Cha Guigen 85—46361
Zhu Furong *see* Yu Mingren 85—45446, 86—28258
Zhu Gao Qing *see* Qing Zhu Gao
Zhu Ginbin *see* Chu Youling 87—70753
Zhu Gongzhao, Chou Yanyi Study of transient recovery voltage for 500 kV circuit-breakers 87—9691
Zhu Guanghua, Ding Xunliang The applications of ion beam analysis in the investigations of radiation hardening 88—71815
Zhu Guangrui Characters of stationary non-aftereffect streams 87—31383
Zhu Guo-sheng *see* Lu Chang-guo 87—70999, 88—4842
Zhu Guo-yi *see* Gu Yi-fan 86—44568, 87—57019
Zhu Guoqin *see* Gong Dingfu 86—11835
Zhu Guozhen, Xu Laoli Measurements of viscosity and density by a vibrational sphere 85—64344
Zhu Hanliang *see* Hanliang Zhu
Zhu Hong-e *see* Shi Kai-jian 87—73872
Zhu Hongjun *see* Shen Wei 88—74684
Zhu Huan-Wen Television tracker range equation 88—9804
Zhu Huanan *see* Xun Damin 88—2196
Zhu Huanan *see* Zhang Lehui 85—56587
Zhu Hui, Yan Rongliang, Wang Yu, He Jinming The effects of gate oxide thickness on radiation damage in MOS system 88—64345
Zhu Hui *see* Yu Xiao-yong 86—62330
Zhu Jia-zheng, Wang Rong-wen, Wu Pin-cheng, Liu Dan, Jia Hong-dao A polarized ion source for the HI-13 tandem accelerator at Beijing 87—3874
Zhu Jiaju *see* Chu Pinchang 86—56602
Zhu Jian *see* Zhou Fuzheng 85—29878
Zhu Jian-Gang *see* Jian-Gang Zhu
Zhu Jianhuan *see* Zha Ziying 87—50461
Zhu Jianping, Yang Xueguang White light reconstructed holograms made with orthogonal cylindrical lenses 86—54223
Zhu Jianxin *see* Jianxin Zhu
Zhu Jiawei Interface and system design for microcomputers 85—17453
Zhu Jiawei An introduction to ASIC. I 88—50961
Zhu Jiawei An introduction to ASIC. II 88—57804
Zhu Jiawei An introduction to ASIC. III 88—63632
Zhu Jie Advances of digital simulation in power system automation. I 86—18662
Zhu Jie Advances of digital simulation in power system automation. II 86—25468
Zhu Jie Advances of digital simulation in power system automation. III 86—38990
Zhu Jie, Liang Zhicheng, Sun Guanghui Digital simulation of fast valving control equipment in a power plant 88—61999
Zhu Jieqing, Allan, G.L., Legge, G.J.F., McCullum, J.C., McKenzie, C.D., Camarkaris, J. Recent advances with the scanning proton microprobe 86—63012
Zhu Jikang *see* Ma Shusen 86—22275
Zhu Jin-jin *see* Jin-jin Zhu
Zhu Jin-kang, Yang Gan-ning Constructing bent sequences by trace function 88—58980
Zhu Jinghan *see* Li Wei 87—74500
Zhu Jinlin, Wu Hongshi Diffraction theory and engineering calculation of open resonators of the circular and coaxial waveguide types for gyrotron 86—16004
Zhu Jinmin *see* Wang Yongjiang 88—58413
Zhu Jinsong, Yang Xianhong SHG study of the anomalous properties of $LiNbO_3$ crystal near 75°C 86—29226
Zhu Ju-zhen *see* Du Jia-fang 87—60313
Zhu Jun, Jin Dongming, Xiong Daqing, Li Zhijian Theory and erase/write characteristics of FLOTOX EEPROM memory cell 86—8202
Zhu Jun Jie *see* Jun Jie Zhu
Zhu Kunbao *see* Cheng Yuansheng 87—66882
Zhu Lei *see* Lei Zhu
Zhu Li-Li *see* Yang Xue-Yu 88—865
Zhu lianshen, Yu shangzhi A study on stability of lower power arc in GTAW 86—66519
Zhu Ling-ying *see* Hua Xin-bang 87—8931
Zhu Liyan *see* Shi Wenkang 88—1871
Zhu Lizhi *see* Zhao Meicun 88—58480
Zhu Long-de *see* Wang Qi-ming 86—9822
Zhu Luo *see* Luo Zhu
Zhu Meifang *see* Meifang Zhu
Zhu Min Effects of electron beam prebunching on small and large signal characteristics in the gyroklystron 87—60052
Zhu Min *see* Min Zhu
Zhu Mingshan The analysis for two basic combination models of energy system and its effect-factor 87—9102
Zhu Peiran, Liu Jiarui, Zhang Jinping, Yin Shiduan MeV He^+ microbeam analysis applied to semiconductor integrated circuits 88—20018
Zhu Pengxia *see* Shi Mingliang 85—4140
Zhu Pingping *see* Chen Boshi 88—69814
Zhu Qi-Ming *see* Ding Hui-Liang 86—65388
Zhu Qing *see* Lin Chenglu 87—52170
Zhu Qing-Qi, Wu Shi-Pei Simulation calculation for detection efficiency in the measurement of cosmic ray hadron spectra 85—59198
Zhu Qing-Yuan *see* Zhang Yi-Ying 85—61618
Zhu Qing-Yuan *see* Zhang Yong-Kang 85—61617
Zhu Qingyuan *see* Zhang Yongkang 88—25770
Zhu Ren-quan *see* Wei Kai-yu 88—22871
Zhu Renquan *see* Chen Jianpu 88—36320
Zhu Rong-Zhu *see* Rong-Zhu Zhu
Zhu Ronghua *see* Wang Shoujue 88—6725
Zhu Rongjin *see* Xu Yuansen 88—44133
Zhu Shangyong A parallel solution of Warshall's algorithm for computing transitive closure R^+ 86—19933
Zhu Sheg-chuan *see* Sheg-chuan Zhu
Zhu Sheng-Bai *see* Sheng-Bai Zhu
Zhu Sheng-chuan The phase shift and loss of microstrip ferrite phaser 85—45213
Zhu Sheng-chuan, Lu En-sheng Research on the wave impedance and its matching in a TE_{10} rectangular waveguide with a centred ferrite toroid 86—15992
Zhu Sheng-Chuan *see* Sheng-Chuan Zhu
Zhu Shengshi *see* Shen Guorong 88—36884
Zhu Shengyun, Dong Mingli, Zuo Tao, Shen Weiqi Four-detector time differential perturbed angular correlation spectrometer 88—54448
Zhu Shengyun, Li Donghong, Li Yuexin TDPAC study on annealing behavior of In in Si after recoil implantation 88—12917
Zhu Shiquan *see* Han Qiping 85—18587
Zhu Shiyao, Fang Junxin The nonlinear and thermal effects of the refractive index of optical fibre material 86—48081
Zhu Shiyao *see* Zheng Hang 88—26909
Zhu Shouzheng *see* Chen Hankui 88—45770
Zhu Song-Ran, Song Hui-Min Self-discharge of low-mercury zinc/silver-oxide button cells 88—37372
Zhu Taixiu *see* Zhang Liping 87—50677
Zhu Tiancheng The applications of SSNTD in neutron dosimetry, environment and life sciences 86—11886
Zhu Wei *see* Liu Yixian 88—65784
Zhu Weile *see* Chen Tirong 87—18059
Zhu Weiwen *see* Li Xiqiang 87—17720
Zhu Weiwen *see* Weiwen Zhu
Zhu Wen-sen, Deka, B.K., Izatt, J.R. High power continuously tunable far infrared Raman NH_3 laser pumped using a high pressure TE CO_2 laser 88—45338
Zhu Wensen, Zhang Zebo, Zhang Zhiguo, Cha Xinwei, Zhao Yuying, Gao Qichang, Qin Chuansheng, Liu Jisan, Yin Xiuyu Laser characteristics of flashlamp pumped DCM dye 85—12821
Zhu Wensen *see* Wensen Zhu
Zhu Wenzhen *see* Sun Yuping 86—14986
Zhu Xi-an *see* Xi-an Zhu
Zhu Xi-Kai *see* Spolaore, P. 85—64501
Zhu Xian, Junya Yamamoto Forced cooling of low temperature current lead 88—64008
Zhu Xian, Yamamoto, J. Effect of magnetic field on CuFe-NiCr thermocouple 87—14263
Zhu Xiaochun, Coa Gendi, Zhang Weizai, Wang Hailong $Pb_{1-x}Sn_xTe$ and $Pb_{1-y}Sn_ySe$ laser crystals 85—46399
Zhu Xiaochun *see* Chen Heming 87—7344
Zhu Xiaochun *see* Wang Hailong 87—75076
Zhu Xiaojie *see* Yao Yongbang 88—27018
Zhu Xiaolin *see* Cong Shong 87—67226
Zhu Xieqing The computation of dynamic correction in electron beam focusing and deflection systems 88—27438
Zhu Xihui, Fei Lin, Wang Kejun A $^{14}CO_2$-$^{12}CO_2$ isotope laser 87—18883
Zhu Xikai The effects of mechanical errors in quadrupoles on the beam of the 2×6 MV tandem accelerator 88—36323
Zhu Xikai, Li Mingyao Transplantation and modification of the beam-optics program OPTIC 356L 88—10204
Zhu Xinming, Fan Dianyuan, Gong Jian Electro-optical switches with ferrite lines 87—7177
Zhu Xinming, Nie Shaofeng A passively mode-locked Nd:YAG laser with unstable resonator 86—36529

Zhu Xiong-guo, Gu De-ren, Huang Xiang-fu The indefinite scattering matrix and the equi-cofactor-sum matrix 87−58764
Zhu Xu *see* Xu Zhu
Zhu Xue-long *see* Wang Yao 87−36677
Zhu Xuewu *see* Zheng Zhiqin 85−29513
Zhu Xuhui *see* Fei Lin 86−22276
Zhu Yanbin, Shen Xiaowei, Zhou Heping Judgement and measurement of Gaussian beams 88−40297
Zhu Yanbin, Tang Chuanjin, Hong Ling, Sun Qiang, Li Guangling Study on a single-flashlamp and double-ruby-rod laser 88−65612
Zhu Yanbin *see* Wang Liangcai 88−74585
Zhu Yaohui *see* Wang Pengfei 86−9775
Zhu Yi-Sheng, Thakor, N.V. P-wave recognition by adaptive cancellation of QRS-T complex 87−50371
Zhu Yi-Sheng *see* Yi-Sheng Zhu
Zhu Yinghua *see* Shi Daojun 86−22445
Zhu Yong-sheng *see* Chen Cang 87−70997
Zhu Yong-sheng *see* Chen Chang 87−70996
Zhu Yong-tai *see* Wu Zhong-li 85−31767
Zhu Yong-tai *see* Zhan Wen-long 88−47975
Zhu Yongtai *see* Guo Zhongyan 87−63663
Zhu Yongtai *see* Wu Zhongli 85−43158
Zhu Yongtai *see* Xie Yuanxiang 87−63697
Zhu Yongtang *see* Zheng Houzhi 87−1314
Zhu You-Cai *see* Zhang Yue-Ching 87−12498
Zhu You-liang, Zhang Yang-xi Development of temperature compensated high elongation resistance strain gauges for use up to 250°C 85−42979
Zhu Youcai *see* Zhang Yeuching 87−68526
Zhu Youxin *see* Lin Taiji 86−54077
Zhu Yu-can *see* Zheng Zhi-peng 85−4224
Zhu Yuanjing *see* Zhao Bolin 87−75421
Zhu Yue Min *see* Yue Min Zhu
Zhu Yun *see* Yun Zhu
Zhu Yunshu *see* Ding Yaogen 86−14808
Zhu Zhan-Qing The development trends in scientific literature search and transmission automation 86−23541
Zhu Zhaoxuan, Yu Daoheng Frequency demultiplication phase-locking of relaxation oscillations 88−25045
Zhu Zhen-he Comments on the fluctuation model of passively mode-locked lasers 85−46298
Zhu Zhen-he Theoretical calculation of pulsed active-passive mode-locked solid-state lasers. I. Theoretical model 85−62539
Zhu Zhen-he Theoretical calculation of pulsed active-passive mode-locked solid-state lasers. II. Computer simulation 85−62540
Zhu Zhenghua *see* Yan Fuju 88−65603
Zhu Zhengsheng *see* Zhengsheng Zhu
Zhu Zhini *see* Zhini Zhu
Zhu Zhiya *see* Liu Qili 87−50156
Zhu Zhong-lin *see* Yu Xian-zhang 87−8950
Zhu Zhongde, Chen Xian, Ning Baojun, Sheng Shimin A low power polysilicon resistive load 4K bit NMOS random access memory 85−766
Zhu Zi-Qiang *see* Chen Yong-Xiao 87−15674
Zhu Ziao-Fan *see* Ziao-Fan Zhu
Zhu Ziqiang, Zou Yongjian, Xu Yu Tunable directional spatial filtering 86−68364
Zhu-ji Tao *see* Tao Zhu-ji
Zhu-Qing Feng *see* En-Jun Zhu 87−25252
Zhu-quan Zang *see* Zang Zhu-quan
Zhu-xi Wang *see* Wang Zhu-xi
Zhuan-heng Lei *see* Lei Zhuan-heng
Zhuang, B.H. *see* Ih, C.S. 88−51962
Zhuang, F., Balasubramanian, R. Bad data suppression in power system state estimation with a variable quadratic-constant criterion 85−48534
Zhuang, F., Balasubramanian, R. A transformation-decoupled estimator for power system state estimation 85−59641
Zhuang, F., Balasubramanian, R. Bad data processing in power system state estimation by direct data deletion and hypothesis tests 87−57487
Zhuang, F., Galiana, F.D. Towards a more rigorous and practical unit commitment by Lagrangian relaxation 88−10792
Zhuang, F. *see* Galiana, F.D. 87−71502
Zhuang, H. *see* Chu, X.W. 86−32027
Zhuang, Q., Klepczynski, W.J., Lukac, C.F. Positioning and timing study of GPS C/A code receivers 88−22049
Zhuang, Q. *see* Jin, S. 86−66867
Zhuang, S.L. *see* Yu, F.T.S. 85−19494, 85−36362
Zhuang, W., Zheng, B., Xu, J., Li, Y., Xu, J., Chen, P. Carrier loss resulting from Auger recombination in InGaAsP/InP double heterojunction laser diodes: spectroscopy of 950 nm high energy emission 85−62594
Zhuang, W.-C. *see* Snyder, R.V. 85−40224
Zhuang, W.H., Chen, P.L., Zheng, B.Z., Xu, J.Y., Li, Y.Z., Xu, J.Z. The free carrier leakage and Auger recombination in 1.55 μm InGaAsP/InP double heterojunction laser diode 86−3184
Zhuang, W.H. *see* Chmielowski, M. 88−32832
Zhuang, W.H. *see* Suski, T. 88−44575
Zhuang, W.J. *see* Liu, M.L. 86−66893
Zhuang, X., Haralick, R.M. Two view motion analysis 86−4065
Zhuang, X., Haralick, R.M., Zhao, Y. From depth and optical flow to rigid body motion 88−73330
Zhuang, X., Huang, T.S. Multi-scale edge detection with Gaussian filters 87−27639
Zhuang, X., Huang, T.S., Chen, H.H. Multi-scale edge detector using Gaussian filtering 87−2641
Zhuang, X., Huang, T.S., Haralick, R.M. From two-view motion equations to three-dimensional motion parameters and surface structure: a direct and stable algorithm 86−59366
Zhuang, X., Huang, T.S., Haralick, R.M. A simple procedure to solve motion and structure from three orthographic views 88−52511
Zhuang, X., Ostevold, E., Haralick, R.M. A differential equation approach to maximum entropy image reconstruction 87−39882
Zhuang, X. *see* Haralick, R.M. 86−64326, 87−62360, 87−69276, 88−73374
Zhuang, X.H., Ostevold, E. Maximum entropy image reconstruction by differential equation method 85−30390
Zhuang, Y., Feliachi, A. Identification of optimal location for power system stabilizers 88−54874
Zhuang, Y., Xu, Q. The broadband sandwich composite (3-3) transducer 87−57455
Zhuang, Y. *see* Chen, T.R. 87−68305
Zhuang, Y.H. *see* Chen, T.R. 87−45883, 87−46722
Zhuang, Y.H. *see* Derry, P.L. 88−65667
Zhuang, Z. *see* Odawara, G. 87−5603
Zhuang, Z.Q., Huan, M.J., Jang, S.J., Cross, L.E. Low temperature dielectric, piezoelectric and elastic properties of pure (undoped) PZT ceramics 87−53793
Zhuang Dakui *see* Qiu Peihua 87−33264
Zhuang Dakui *see* Zhuang Deunan 87−54381
Zhuang Deunan, Zhuang Dakui Investigation of temporal and spatial resolution for laser-material interaction 87−54381
Zhuang Dounan, Zhang Guifen, Lin Weiping LiF:F_2^- Q-switched Nd^{3+}:phosphate-glass laser oscillator 86−68492
Zhuang Dounan, Zhao Donghuan Simulation computation on dynamical processes of high pressure 16 μm CO_2 lasers 85−29743
Zhuang Guoliang *see* Chu Cheng 87−75133
Zhuang Guorong *see* Chen Lixin 87−11384
Zhuang Guoxuan *see* Shen Jialin 85−37780
Zhuang Hong-lin *see* Chen Chang 87−70996
Zhuang Huiming *see* Lin Xing 87−54397
Zhuang Jiaren *see* Peng Wenda 86−51860
Zhuang Jie-jia An inverse Cherenkov focusing laser accelerator 85−9015
Zhuang Jie-jia, Zhao Run-qiao, Ye Gui-mu, Dai Li-sheng Theoretical analysis and experimental demonstration of the radially polarized laser field 86−9914
Zhuang Jie-jia *see* Pu Huan-shun 85−64450
Zhuang Jiejia An inverse Cherenkov focusing laser accelerator 85−59025
Zhuang Jiejia *see* Pu Huanshun 87−21399
Zhuang Li *see* Li Zhuang
Zhuang Minxia Application of diakoptics to dynamic digital simulation of multi-bridge converter HVDC system 87−9149
Zhuang Nan Design of ternary ECL circuits based upon modulo-algebra 86−962
Zhuang Qi, Huang Ruiping, Cui Tieje, Yuan Qinian, Sang Fengting, Zhang Cunhao Direct production of excited NF($b^1\Sigma^+$) in the F-F_2-HN_3 system via a supersonic regime 86−3057
Zhuang Qi, Huang Ruiping, Sang Fengting, Cui Tieji, Yuan Qinian, Zhang Cunhao Studies of visible chemical lasers. I. Electronic transition IF chemical laser 88−72254
Zhuang Qi, Wang Chengdong, Zhang Cunhao Modelling of pulsed oxygen-iodine chemical lasers 88−40119
Zhuang Qi *see* Feng Hao 88−58414
Zhuang Qi *see* Sang Fengting 86−68432
Zhuang Qi *see* Sun Siyuan 85−12762
Zhuang Qi *see* Zhang Rongyao 88−27015
Zhuang Qi-Xiang *see* Zhai Zao-Cheng 85−58913
Zhuang Qingde *see* Tong Qinyi 85−35157
Zhuang Shunchang *see* Zhang Yuwu 87−14262
Zhuang Song-lin, Zheng Quan The inverse source problem in partially coherent optical information processing 86−16494
Zhuang Tian-ge *see* Tian-ge Zhuang
Zhuang Weihua, Zheng Baozhen, Xu Junying, Li Yuzhang, Xu Jizong, Chen Peili The 950 nm emission from InGaAsP/InP double heterojunction laser diode and Auger recombination 85−35736
Zhuang Weihua *see* Xu Zhongying 86−53379
Zhuang Wen-jun, Wang Shou-jiao A method based on overall consideration for routing on the single plane 85−45739
Zhuang Wen-jun *see* Gao Chun-hua 87−74342
Zhuang Wenjun, Cheng Kexing, Bo Jianguo, Niu Zhenghu, Gao Chunhua, Yi Fulan LSIS-II automatic layout design system 87−53580
Zhuang Wenjun, Gao Chunhua Automatic channel routing and physical design with two-directional unequal grid 88−44882
Zhuang Wenjun *see* Cheng Kexing 85−18370, 86−67905
Zhuang Wenjun *see* Gao Chunhua 86−53696
Zhuang Xinhua *see* Xinhua Zhuang
Zhuang Yan *see* Sun Xuanren 87−74339
Zhuang Yi-ang *see* Chou Shanzhong 85−617
Zhuang Yi-qi, Sun Qing On surface 1/f noise in MOSFETs 88−57635
Zhuang Yiqi, Sun Qing On surface 1/*f* noise in bipolar transistors 88−19922
Zhuang Yiyuan *see* Liu Qishan 88−22761
Zhuang Yuexiang, Gong Weizhen, Zhang Jingshan, Liu Jun, Ma Peiqi, Chen Guoyuan, Kong Xiaoming, Zhao Guangwei, Li Lin Experimental research of breaking outside body stone using YAG laser optical fiber with drug tube 88−40423
Zhuang Zhen-quan *see* Zhao Rui-min 88−56378
Zhuangqi Cao *see* Cao Zhuangqi
Zhuangzi, W. *see* Briggs, D. 85−43242
Zhuanyun Guo *see* Guo Zhuanyun
Zhubaev, S.T. *see* Berezhnoi, V.N. 87−37994
Zhubaev, S.T. *see* Dobrovol'skii, V.N. 87−11473, 87−32337
Zhuchkov, M.I. Industry-wide system for management of inventories of commodities and materials 88−18403
Zhuchkov, N.A. *see* Bazarov, A.E. 86−28836
Zhuchkov, V.M., Strebkov, D.S., Unishkov, V.A. Measuring the diffusion length of minority charge carriers in the base region of a high-voltage photoconverter 87−33050
Zhuchkov, V.M., Strebkov, D.S., Unishkov, V.A., Maiorov, V.A. High-voltage multijunction silicon photocells 87−58317
Zhuchkov, V.M. *see* Evdokimov, V.M. 87−22732
Zhufang Gong *see* Gong Zhufang
Zhuganar', F.I. *see* Klistorin, I.F. 86−34904
Zhuge, X.B. *see* Sun, W. 86−58896
Zhuguo Tu *see* Tu Zhuguo
Zhuhua Mao, Strickland, R.N. Image sequence processing for target estimation in forward looking infrared (FLIR) imagery 88−66674
Zhui-kui Du *see* Du Zhui-kui
Zhuikov, A. *see* Romantsov, V.V. 86−33049
Zhuikov, V.J. *see* Ryszard, S. 87−30834
Zhuikov, V.J. *see* Strzelecki, R. 86−61621
Zhuikov, V.Y. Servo control of self-contained voltage inverters 88−75734
Zhuikov, V.Ya., Kovalski, M.P. Determination of the steady-state periodical conditions in gate circuits by the method of differential images 86−41768
Zhuikov, V.Ya., Petrashko, M., Stzheletski, R. The moment transformation and its application to the analysis of radioelectronic devices 87−44498
Zhuikov, V.Ya., Streletsky, R. Peculiarities of lead control of valve converters 88−55429
Zhuikov, V.Ya., Suchik, V.E., Denisyuk, S.P. Construction of nonidentical fillings of the structural graph of a passive subcircuit of an electronic circuit by a set of two-pole components 87−45018
Zhuikov, V.Ya., Suchik, V.E., Denisyuk, S.P., Yatsenko, Yu.A. Continuous current conditions in the reactor of a pulse-width converter 87−36015
Zhuikov, V.Ya., Zakrevskii, G.S. Calculation of steady-state conditions for inverters with nonlinear elements 87−64714
Zhuikov, V.Ya. *see* Tonkal', V.E. 87−78087, 88−75051
Zhujun, Z. *see* Seitz, W.R. 88−16716
Zhujun, Z. *see* Zhang, Y. 88−53714
Zhuk, A.I. *see* Val'denberg, Yu.S. 85−21279
Zhuk, A.K., Anisimov, Ya.F. Method of calculating electromagnetic processes in the system: feed circuit−rectifier−pulse-width converter 85−21731
Zhuk, B.V., Zhukov, I.A., Zlenko, A.A. Structure of an *n*-ZnSe-*p*-GaAs heterojunction and its photoelectric properties 86−22209
Zhuk, B.V., Zhukov, I.A., Zlenko, A.A. Photovoltaic properties and anomalous effects in the ZnSe-GaAs heterojunction 86−28966
Zhuk, B.V., Zhukov, I.A., Zlenko, A.A., Razov, E.N., Chernyavskii, V.D. Photoelectric response of a nZnSe-pGaAs heterostructure with illumination by light at two different wavelengths 88−51683
Zhuk, B.V. *see* Devyatykh, G.C. 85−16936
Zhuk, B.V. *see* Devyatykh, G.G. 85−18152
Zhuk, D.V. *see* Goncharov, V.K. 86−9912
Zhuk, I.P., Karolik, V.A., Kuz'mina, N.E., Mikhailov, V.S., Ksenofontov, V.A. Experimental investigation of liquid crystal heat indicators 87−56774
Zhuk, K.D. *see* Panasyuk, V.I. 86−33735
Zhuk, N.P. Integral equations of electrodynamics for stratified media 86−36697
Zhuk, N.P. Mean-field modes in a randomly irregular plane waveguide 87−26058
Zhuk, N.P. Average field above a half space with a rough surface 88−34307
Zhuk, N.P., Tret'yakov, O.A. Green's functions for Maxwell's equations for a plane-layered medium 86−29288
Zhuk, N.P., Tret'yakov, O.A. Equivalent parameters of an optical waveguide with random volume perturbations 87−38832
Zhuk, N.P., Tret'yakov, O.A., Yarovoi, A.G. Impedance of a rough conducting boundary in a layered medium 87−33411

Zhuk, N.P. *see* Aleshin, V.I. 87—68759, 88—72616
Zhuk, N.P. *see* Bogomolov, N.M. 88—6559
Zhuk, N.P. *see* Danilevich, S.B. 86—42717
Zhuk, N.P. *see* Efanov, I.M. 88—21004
Zhuk, O.P. *see* Brailovskii, V.V. 85—8820
Zhuk, S.V. *see* Gromov, G.G. 88—1473
Zhuk, S.Ya. *see* Ponomarev, S.N. 87—47721
Zhuk, V.A. *see* Baryshnikov, F.F. 87—46935
Zhuk, V.L. *see* Grinevich, F.B. 85—8837
Zhuk, V.V., Yushchak, P.T., Rad'ko, V.P. Ultrasonic inspection of friction welded joints in propeller shafts 85—49615
Zhuk, V.V. *see* Kozlovskii, V.V. 88—52257
Zhukauskas, K.P. *see* Serapinas, K.L. 85—49393
Zhukinskii, I.N. *see* Nizhenskii, A.D. 85—20272
Zhukov, A.A. *see* Esepkina, N.A. 85—42685
Zhukov, A.B. *see* Levashov, A.V. 85—61407
Zhukov, A.G. *see* Berman, L.V. 86—22208
Zhukov, A.I. *see* Ageev, V.P. 87—75005
Zhukov, A.N., Ivannikov, A.N., Tonakanov, O.S. Phase calibration of the intensity meter in an acoustic interferometer 88—74997
Zhukov, A.N. *see* Ageev, V.P. 87—2085, 87—46801
Zhukov, A.N. *see* Atezhev, V.V. 88—51752
Zhukov, A.P. *see* Babayan, R.R. 87—17569
Zhukov, A.V., Makhov, V.N., Rzhendinskaya, S.N. High-speed spectrometric analog-digital converter 85—26725
Zhukov, A.V., Sorokin, A.P., Ushakov, P.A., Matyukhin, N.M., Titov, P.A., Bogoslovskaya, G.P., Tikhomirov, B.B. An analysis of hot spots in fast reactor fuel assembly cores 88—17297
Zhukov, A.V. *see* Kirillov, P.L. 88—17294
Zhukov, A.V. *see* Tsybakov, B.S. 88—3294
Zhukov, A.Yu. *see* Kozlo, V.K. 88—49239
Zhukov, B.S. *see* Abergel, A. 88—10028
Zhukov, B.S. *see* Sagdeev, R.Z. 87—49573
Zhukov, E.A. *see* Andreev, N.F. 86—15770
Zhukov, E.A. *see* Betin, A.A. 86—29239, 87—19037
Zhukov, I.A. *see* Gritchenko, V.N. 87—62765
Zhukov, I.A. *see* Zhuk, B.V. 86—22209, 86—28966, 88—51683
Zhukov, I.N. *see* Mamonov, E.S. 86—37604
Zhukov, K.V. *see* Tver'yanovich, E.V. 88—55239
Zhukov, L.F. *see* Shevchenko, A.I. 85—26402
Zhukov, M.B. Two sided welding T joints with two arcs in a common pool 88—55991
Zhukov, M.F., Pustogarov, A.V., Kucherov, Ya.R., Zavidei, V.I. Investigation of thermochemical zirconium cathodes in nitrogen 87—24664
Zhukov, M.V. *see* Aksenova, G.P. 86—1082
Zhukov, N.D. *see* Adlivankin, A.S. 85—51193
Zhukov, N.D. *see* Voronin, V.F. 86—36503, 86—42577, 87—75120
Zhukov, N.D. *see* Zhizdyuk, T.B. 86—36504
Zhukov, O.K. *see* Solodukha, A.M. 85—16975
Zhukov, O.N., Medvinskii, M.D., Ryk, V.I. Setting systems of automatic time regulation of amplification of ultrasonic flaw detection apparatus without reference specimens 87—52228
Zhukov, O.N. *see* Vopilkin, A.Kh. 86—52557
Zhukov, S.A., Zdorov, M.V., Istratov, A.Yu., Kashtanov, S.V., Lapenin, A.N., Pupkov, K.A. Microprocessor system for control of economical operation of thermoelectric power station units 85—27293
Zhukov, S.F. Computerising the diagnostics of relay protection and automatic control equipment 88—32831
Zhukov, S.F. Tests of relay protection and automation devices based on integrated microcircuits 86—58097
Zhukov, S.F. The tests for integrated microcircuit relay protection and automatic apparatus 87—64194
Zhukov, S.F. A method of synthesizing tests for relay-protection and automation devices 87—71739
Zhukov, S.F. Self-diagnosis indicators of failures in relay protection and automatic-control circuits 88—17190
Zhukov, S.F. Using a distinguishability criterion when optimising a program for diagnosing relay protection and automatic-control systems 88—30408
Zhukov, S.F., D'Yachenko, M.D., Kravchenko, V.N. Modelling of the measuring elements used in relay protection and the automation and design of test procedures 88—75220
Zhukov, S.F., D'yachenko, M.D., Lyukh, M.A., Lyashko, A.A. Automated system of forming diagnostic actions for relay protection devices and automatic equipment of electric power systems 88—42893
Zhukov, S.F., Gavrilenko, A.N. Optimization of test-diagnostic algorithms for complex relay-protection equipment 85—38567
Zhukov, S.F., Gavrilenko, A.N., Grushin, A.N. A test program for diagnostics of remotely-controlled protection 87—4436
Zhukov, S.F., Kravchenko, V.N. An improved method of fault-finding in relay protection and automatic-control systems under dynamic conditions 86—70731
Zhukov, S.F., Kravchenko, V.N., Kuznik, Yu.S. Estimating the cost effectiveness of programs and instruments for diagnosing relay protection and automatic-control systems 85—59807
Zhukov, S.F., Lyashko, A.A., Dyachenko, M.D., Lyukh, M.A., Kuznik, Yu.S. Automation of facilities for checking relay protection devices and automatic equipment 87—78187
Zhukov, S.F., Mutesidi, K.N. A self-training algorithm for diagnosing relay-protection and automatic-control systems 87—78190
Zhukov, S.F., Zabavin, N.D., Lyashko, A.A., Kravchenko, V.N., Kravenko, N.L., Izrailevskii, N.L., Boldyrev, A.N. Specialised equipment for diagnosing distance protection 86—65754
Zhukov, S.Ja., Chistovich, L.A. Perceptual parameters of front vowels 86—22954
Zhukov, S.P. *see* Koren, N.N. 87—315
Zhukov, S.V. Boundary conditions for variable magnetic field of busses 85—10034
Zhukov, S.V., Mukhin, S.V., Sloka, V.K., Chekurov, G.I. Method of resolving signals that overlap in time and coincide in frequency for fast digital processing algorithms 85—57378
Zhukov, S.V. *see* Gusyatskii, Yu.M. 87—58360
Zhukov, V.A., Kalabushev, K.A. Magnitude of the Boersch effect in three-electrode electron guns 85—50139
Zhukov, V.A. *see* Golikova, S.N. 86—15676
Zhukov, V.M., Aksenov, M.S., Fursey, G.N. Field and explosive electron emission of tantalum and niobium points in the nanosecond region 85—6641
Zhukov, V.M. *see* Andriyanov, Yu.V. 88—7248, 88—71274
Zhukov, V.M. *see* Grishanov, B.I. 87—63621
Zhukov, V.V. The effect of a complex load on the asymmetric short-circuit currents in electrical plant rates up to 1000 V 86—39100
Zhukov, V.V. The calculation of short-circuit currents in electrical networks up to 1000 V 87—4349
Zhukov, V.V. Method of calculating short-circuit currents in house supplies of a heat and power plant allowing for induction motors 87—78424
Zhukov, V.V. Determination of resistance of cables during short-circuit heating in 0.4 kV networks 88—48575
Zhukov, V.V. *see* Artamonov, A.A. 86—5824
Zhukov, V.V. *see* Gushchin, E.M. 86—38713
Zhukov, Yu.N. Basic trends in conservation of labor and material resources in electric-machine manufacturing processes 85—44496
Zhukov, Yu.P., Myrashov, A.G., Navrotskii, V.V. Liquid mass flowmeter based on vibrating densimeter 85—64338
Zhukov, Yu.P., Tsygankov, M.P. Design of excitation system for vibrational density transducer 86—11541
Zhukova, E.M., Kornev, V.V., Kostyuk, V.K., Nasel'skii, S.P., Pavlova, I.A., Khalilov, V.Kh. Spectral and lasing characteristics of laser reflectors made of quartz ceramic with a glazed surface 86—29200
Zhukova, G.A. *see* Khvatov, L.A. 85—49621, 85—49625, 87—31599
Zhukova, G.N. *see* Azarenok, V.V. 86—40275
Zhukova, L.A. *see* Osvenskii, V.B. 87—1405
Zhukova, L.V. *see* Artyushenko, V.G. 86—68222
Zhukova, O.V., Tartakovskii, D.F. Measuring electrical resistivity of moving fluids 85—14979
Zhukova, O.Yu., Belousov, Yu.F. Equalising potentials around industrial buildings and installations 86—32835
Zhukova, T.B. *see* Valatska, K. 86—63160
Zhukovets, Zh.G. *see* Buzhinskii, I.M. 85—8819
Zhukovskaya, E.B., Kapinos, V.I., Kheruntsev, P.E. Modelling asynchronous drives with quasi-frequency control 88—55663
Zhukovskaya, E.B., Lotar, V.V., Kheruntsev, P.E. Simulation of step conditions of operation of an asynchronous electric drive 87—58380
Zhukovskaya, L.D. *see* Danilov, V.V. 86—28912
Zhukovskaya, O.A. *see* Simuni, M.M. 88—53549
Zhukovskaya, T.A. *see* Galun, S.A. 86—43266
Zhukovskii, A.P., Kostromina, N.V., Nuzhdin, V.M. The uncertainty function of a signal scattered with respect to three parameters 86—42843
Zhukovskii, E.A. *see* Mardynskii, Yu.S. 86—25300
Zhukovskii, E.I. *see* Parashin, V.B. 85—48213
Zhukovskii, V.E., Kuvaldin, A.B. Induction low-temperature heating units for various technical processes 87—43649
Zhukovskii, V.E. *see* Artyshevskii, P.P. 86—13177
Zhukovskii, V.S. Analysis of pulling forces in the laying of power cables with turnings of routes 87—35667
Zhukovskii, V.V. *see* Burakov, V.S. 88—45376
Zhukovskii, V.V. *see* Vlasov, A.B. 87—48869
Zhulev, O.N., Valtonen, P. The type VL86F electric locomotive with asynchronous traction motors 87—58399
Zhulina, E.M. *see* Alebastrov, V.A. 87—68777
Zhulina, Yu.V. Compensation of phase distortions in discrete apertures when the object being observed is moving 88—21194
Zhul'kov, N.I., Markina, G.N., Degtyareva, N.I., Masyutina, N.S. An investigation into the cleaning of waste waters from thermal power station demineralising plants by the method of electrodialysis with soda-lime pretreatment 85—15841
Zhulovyan, V.V., Komarov, A.V., Mainik, I.F. On calculating the permeance of an air gap for one-sided and two-sided slotting 88—37152
Zhulovyan, V.V., Pastukhov, V.V. Use of capacitors for securing static stability of motors with electromagnetic regulation 86—66035
Zhulovyan, V.V. *see* Kutuzov, E.I. 87—51506
Zhum, E.J., Fischer, R., Henderson, T., Morkoc, H. An emitter guard-ring structure for GaAs high-gain heterojunction bipolar transistors 85—29198
Zhumabayev, B.T. *see* Gerasimov, G.I. 87—39380
Zhumagazin, B.A. *see* Vyshkov, Yu.D. 85—56973, 87—68684
Zhumagulov, A. *see* Kradinova, L.V. 87—45631
Zhumaksanov, Sh.M. *see* Prokof'eva, L.V. 88—32827
Zhumanov, Kh.A. *see* Bunkin, A.F. 88—30176
Zhumei Chen *see* Chen Zhumei
Zhunan Huang *see* Huang Zhunan
Zhung, G.-L. *see* Kao, C. 87—14414, 88—16373
Zhung Lichun, Ni Xuewen, Shen Timing, Yan Guizhen, Zhang Lu, Ji Lijiu 5 μm silicon gate high speed C^2L CMOSIC 86—41002
Zhunghou Wang *see* Wang Zhunghou
Zhuo Dunshui, Xu Wenjuan, Jiang Yasi Water in phosphate laser glasses and its removal 85—56586
Zhuo Dunshui, Zu Wenjuan, Jiang Yasi Water in phosphate laser glasses and its removal 86—48370
Zhuo Hui Chen *see* Yamanouchi, K. 87—12028
Zhuo Liu *see* Liu Zhuo
Zhuo Qin *see* Qin Zhuo
Zhuo Zhong-jiang *see* Yang Wen 87—15756
Zhuo-liang Cao *see* Cao Zhuo-liang
Zhuogun Liu *see* Liu Zhuogun
Zhuomin Chen *see* Chen Zhuomin
Zhupanov, V.G., Zavidei, V.I., Konotopov, A.N., Kuznetsov, V.V., Pustogarov, A.V., Povalyaev, O.A. Apparatus for determination of hot-cathode emissivity 87—66813
Zhurakhovskii, A.V., Kinash, B.M., Danilyuk, A.V. Choice of voltage setting for a static thyristor compensator working under conditions of voltage stabilization 88—61801
Zhurakhovskii, A.V. *see* Lysyak, G.N. 88—54866
Zhurakhovskii, V.A. Theory of a relativistic anomalous Doppler effect tube operating under conditions of through gyroresonance 87—32202
Zhurakhovskii, V.A. Theory of a relativistic peniotron 87—32203
Zhurakhovskii, V.A., Razilov, I.A. Deceleration of an electron beam by a TEM wave in an increasing magnetic field 86—29311
Zhurakhovskiy, V.A. Normalized average equations for the helical motion of relativistic electrons in gyroresonance regimes 85—19094
Zhurakhovskiy, V.A. Normalized average equations for the helical motion of relativistic electrons in gyroresonance regimes. Quasiplane approximation 85—19095
Zhurakhovskiy, V.A. Automatically phase-stabilized gyroresonance electron-beam retarder (a gyroretarder) relativistic nonlinear theory 88—72507
Zhurakhovskiy, V.A., Kurayev, A.A. Exact and averaged integrals of motion of electrons in the fields of traveling waves 85—46535
Zhurakovskii, A.V., Danilyuk, A.V., Komarov, V.I., Pavlova, E.I. Application of sources of reactive power in the Crimean power supply complex 88—54840
Zhurakovskii, Yu.P., Poltorak, V.P. Generalised Hemming codes in radio channel transmission systems 85—62974
Zhurakovskiy, V.A. Nonquasiplanar theory of a relativistic gyrotron 87—66831
Zhurakovskiy, V.A. Nonquasiplanar theory of a master at cyclotron autoresonance (MCAR) 87—66843
Zhurakovskiy, V.N. *see* Kazakov, D.L. 86—29889
Zhurauskas, S.V. *see* Dargis, A.Yu. 85—6699, 86—63078, 88—39044
Zhurauskene, N.Yu. *see* Dargis, A.Yu. 88—39044
Zhurav, S.M. Emission from a thick-walled planar waveguide 85—24911
Zhurav, S.M. Investigation of magnetic waves from a plane waveguide with thick walls 86—29521
Zhurav, S.M. The radiation of electric waves from three planar waveguides 86—29526
Zhurav, S.M. Emission of electric waves from a flat waveguide with thick walls 86—29530
Zhurav, S.M. Diffraction of electric waves by a small symmetrical step in a flat waveguide 86—29531
Zhurav, S.M. Radiation of magnetic waves from two and three plane waveguides 86—36776
Zhurav, S.M. Edge loss in metal plates of rectangular cross section 88—27380

Zhurav, S.M. On ohmic losses in an infinite impedance grating 88−66050
Zhurav, S.M., Kaloshin, V.A. Diffraction of an electromagnetic plane wave by a perfectly conducting semiinfinite plate 88−40546
Zhurav, S.M., Korshunkov, S.Yu. Radiation of TEM waves from four flat waveguides 87−45160
Zhurav, S.M., Korshunkov, S.Yu. Emission of electrical waves from five plane waveguides 88−7014
Zhurav, S.M. *see* Vainshtein, L.A. 87−54629
Zhurav, S.M. *see* Voskresenskiy, G.V. 88−12558
Zhurava, F.A. *see* Dubnistchev, Yu.N. 88−29702
Zhuravel, V.I. Simulation for substantiating online solutions in the fuel and power supply system of the national economy 86−6224
Zhuravel, V.M., Kashuba, V.A. Worker health and safety during operations with industrial laser units 88−58402
Zhuravel, V.M. *see* Abaliev, A.E. 88−58418
Zhuravelev, A.B. *see* Alferov, Zh.I. 87−61164
Zhuravin, L.G., Marinenko, M.A., Sememov, E.I. Extrapolation restoration in digital analog-data transmission systems 85−36591
Zhuravin, L.G., Pevzner, A.G. Encoding of readings in information-measurement system with zero-order extrapolation 85−14565
Zhuravin, L.G., Pevzner, A.G., Semenov, E.I. Multiple-channel telemetry with high metrological reliability 86−10718
Zhuravin, L.G., Pevzner, A.G., Semenov, E.I. Filtering output signals of dynamic elements given restrictions imposed on standard deviation of perturbations 88−8754
Zhuravin, L.G., Semenov, E.I., Troshkin, V.A. Optimising parameters of Telemetry system with regular differential measurement representation and zero-order extrapolation 86−37387
Zhuravin, L.G., Semenov, E.I., Troshkin, V.A. Correcting accumulation error in transmission of measurement data in increments 86−69992
Zhuravin, L.G., Semenov, E.I., Troshkin, V.A. Rejection of anomalous errors when receiving samples in telemetering systems 87−62575
Zhuravina, L.N., Peschanskii, V.A. Minimizing the number of '1' positions in the subsets of code sets corresponding to groups of coded elements in the synthesis of PLA circuits 87−37141
Zhuravitskii, Yu.I. Applications of air-arc cutting in the Stankolit plant 85−39363
Zhuravlev, A.A. *see* Levin, M.G. 87−51512
Zhuravlev, A.B., Pak, G.T., Portnoi, E.L., Stel'makh, N.M. Dispersion of the refractive indices and RF spectra of intermode beats of a heterojunction laser in a dispersive external resonator 87−2124
Zhuravlev, A.K. Angular coordinate estimation in the presence of spatially correlated interference in adaptive radar systems 88−22184
Zhuravlev, A.K., Ermolin, M.V. Fast adaptation of antenna array in the presence of space-correlated noise 87−33541
Zhuravlev, A.K., Mashtakov, O.N. The characteristics of a digital compensator with orthogonal transformation of external space-correlated noise 87−39791
Zhuravlev, B.I., Nikitinskii, V.A., Gaponenko, A.T. Cold-cathode gas-discharge ion source 86−60547
Zhuravlev, B.V. *see* Godonyuk, V.A. 86−17950
Zhuravlev, E.N. *see* Boyarin, N.A. 86−31295
Zhuravlev, E.N. *see* Yaroslavskii, V.N. 87−7491
Zhuravlev, G.A., Chernyy, V.V. Calculated characteristics of planar single-mode GaInAsP/InP heterostructures in the λ 1.06-1.67 μm wavelength band 87−18983
Zhuravlev, G.I. *see* Belousov, V.I. 86−13764
Zhuravlev, G.S. *see* Danilevich, Ya.B. 86−56691
Zhuravlev, G.S. *see* Glebov, I.A. 85−5057, 87−4674
Zhuravlev, G.V. Optimizing power-interconnection regimes on the basis of natural indices 87−64071
Zhuravlev, I.A., Maslova, T.I., Radionova, L.Kh. Metrological certification of measuring equipment for magnetically soft materials 88−53831
Zhuravlev, I.Ya., Dovnar', A.I. Determining the signal level in schemes for forming a sinusoidal voltage using the area factor 88−21196
Zhuravlev, I.Ya., Zolotoverkhii, Yu.N. Compensating nonlinearity of adjustable resistances based on field-effect transistors 87−17279
Zhuravlev, I.Ya., Zolotoverkhii, Yu.N. Error in approximating sine curve of inverse arm of drain characteristic of FET in triode region 87−67284
Zhuravlev, K.A. *see* Vladimirova, E.V. 87−38186
Zhuravlev, K.S. *see* Bagduev, R.I. 87−53136
Zhuravlev, L.S. *see* Man'kina, N.N. 86−65826
Zhuravlev, N.I. *see* Antyukhov, V.A. 86−60637
Zhuravlev, N.I. *see* Georgiev, A. 87−49654
Zhuravlev, N.I. *see* Morozov, V.A. 86−50437
Zhuravlev, O.A. *see* Shorin, V.P. 86−70244, 88−37064
Zhuravlev, S.N. *see* Kokhlov, E.V. 86−24540
Zhuravlev, S.V. *see* Mirkotan, S.F. 85−7646
Zhuravlev, V.A., Kopelev, S.Z., Likherzak, E.E. Characteristics of a turbine cascade with end injection 87−64434
Zhuravlev, V.A. *see* Aleksandrov, A.F. 85−13049
Zhuravlev, V.G. Influence of power measurement errors in a thermal station on automatic process control system used to assess overconsumption of fuel 86−39541
Zhuravlev, V.G. Discretely controlled plants in power engineering 87−64047
Zhuravlev, V.G., Rozenkrants, E.A. Analysis of steady-states in electrical networks by a unitising method 85−59554
Zhuravlev, V.G., Rozenkrants, E.A. Aggregate representation of electric power systems in steady-state regimes 87−4278
Zhuravlev, V.I., Firstov, A.V. Optimal circuit of frequency control (AFC) 87−47719
Zhuravlev, V.M., Kovalenko, V.A., Il'yasov, T.A. Use of computer simulation methods to study responses of electronics components to shock loads 85−28081
Zhuravlev, V.N. *see* Bondaletova, I.V. 86−67024
Zhuravlev, V.Ye. *see* Aganbekyan, K.A. 87−52863
Zhuravlev, Yu.E. *see* Matlashov, A.N. 87−50205
Zhuravlev, Yu.I. *see* Aizenberg, N.N. 87−69345
Zhuravlev, Yu.M. *see* Abdullaev, D.A. 87−64453
Zhuravlev, Yu.N. Synthesis of control system for active magnetic support as from tenets of inverse dynamics problems 87−64879
Zhuravlev, Zh.P., Mel'nik, V.G., Mogilevskii, V.M., Surdu, M.N. Structure and algorithm of the operation of a universal extremal AC microprocessor bridge, P5084 86−11638
Zhuravleva, A.A. *see* Veller, V.N. 86−38323
Zhuravleva, L.L. *see* Epifanov, M.S. 87−32290
Zhuravleva, O.B. *see* Petrov, V.P. 87−3731, 88−22758
Zhuravleva, V., Savina, O., Sumrov, V. Surface state density spectrum determination on the semiconductor-dielectric boundary by an equivalent three element circuit of an MDS-structure 87−11470
Zhuravlevo, O.V., Kozlov, A.A., Pyt'ev, Yu.P. Maximum possible scope of second-order measuring transducers 87−70626
Zhuravskii, A.G., Cherepanov, A.V. Instrument for nondestructive check of stampability of steel 85−26514
Zhurbenko, E.M. Electrical characteristics of rhombic antennas 86−36793
Zhurbenko, E.M. The field of a plane ring magnetic current 87−61446
Zhurbenko, I.G., Kozhevnikova, I.A., Klindukhova, O.V. Isolating periodic components in pseudorandom number sequences 85−60849
Zhurikhin, A.V. Estimate of the noise due to thermally generated charges in charge-coupled devices 85−23816
Zhurina, V.I. *see* Brazovskii, V.P. 87−71935
Zhurkin, B.G. *see* Aksenov, V.P. 86−68608
Zhurkin, B.G. *see* Artemenko, S.N. 87−66505
Zhurkin, B.G. *see* Bespalov, V.A. 88−49840
Zhushan Pan *see* Pan Zhushan
Zhusheng Cheng *see* Cheng Zhusheng
Zhutang Wen *see* Wen Zhutang
Zhutao Cheng *see* Cheng Zhutao
Zhuting Wu *see* Wu Zhuting
Zhutyaev, S.G. *see* Blinov, N.N. 86−18316
Zhuy Yongming *see* Hu Hefang 88−39854
Zhuying Zhou *see* Zhou Zhuying
Zhuzeng Fei *see* Fei Zhuzeng
Zhuzhin, M.G. *see* Pravoverov, N.L. 88−31482
Zhvaniya, T.L. *see* Abesadze, T.S. 87−58145
Zhvavyi, S.P., Sadovskaya, O.L. Phase transitions in nanosecond laser annealing of silicon 88−71382
Zhvavyi, S.P. *see* Afanas'ev, A.A. 86−9953
Zhwming Song *see* Song Zhwming
Zhyaunis, A.P. *see* Tass, O.A. 86−25858
Zi Hua Wang, Seshadri, S.R. Quasi-optics of the evanescent wave excitation of planar dielectric waveguides 88−13917
Zi Hua Wang, Seshadri, S.R. Asymptotic theory of guided modes in two parallel, identical dielectric waveguides 88−58194
Zi-Bin Zhang A high abundance sensitivity mass spectrometer with double-directional focus 87−71056
Zi-Guang Shi *see* Shi Zi-Guang
Zi-hua Luo *see* Luo Zi-hua
Zi-kai Qin *see* Qin Zi-kai
Zi-kang Shi *see* Shi Zi-kang
Zi-ming Ding *see* Ding Zi-ming
Zi-ming Lei *see* Lei Zi-ming
Zi-ping Fu *see* Fu Zi-ping
Zi-ping Li *see* Li Zi-ping
Zi-Qiang Zhu *see* Zhu Zi-Qiang
Zi-xun Tan *see* Tan Zi-xun
Zi-yu Chen *see* Chen Zi-yu
Zi-Zheng Guo *see* Sicong Ren 86−12091
Zia, Q.Z. *see* Yao, S.J. 88−68345
Ziachkowsky, J. *see* Gatti, G. 87−6111
Ziade, H. *see* Velazco, R. 86−46915
Ziady, G.N. *see* Bunz, W.J. 85−21495
Ziaguang Li *see* Li Ziaguang
Ziak, D.V. *see* Onishchuk, A.G. 85−40252
Zialing Guan *see* Guan Zialing
Zian Ding *see* Ding Zian
Ziani, R. *see* Limnios, N.E. 87−31338
Zianjie Li *see* Li Zianjie
Ziao Zongyao, Chen Lianyong, Xin Huifang A comprehensive measurement method of parameters for semiconductor lasers and its application 86−68521
Ziao-Fan Zhu, Iga, K. Index profile of a planar microlens by ion exchange/diffusion 87−18744
Ziaonan Tan *see* Tan Ziaonan
Ziaran, L. Contribution to the optimum design of the shape and mass of contacts and of the moving contact paths of some microswitches of Czechoslovak origin 87−17432
Ziaran, S. *see* Kosorin, D. 86−35154
Ziaran, S. *see* Palencar, R. 85−17922
Ziatdinov, S.I., Pokrovskii, A.V. Analysis of frequency discriminator with Hilbert transform 85−44939
Ziatdinov, S.I., Pokrovskii, A.V. Quadrature signal generator 85−52791
Ziatdinov, S.I., Pokrovskii, A.V. Adaptive digital complex rejector filters 86−47005
Ziavras, R. *see* Alexandridis, N.A. 86−37164
Ziavras, S.G., Alexandridis, N.A. Improved algorithms for translation of pictures represented by leaf codes 88−28029
Ziavras, S.G. *see* Alexandridis, N.A. 87−27662
Zibarev, A.Yu. *see* Afanas'ev, V.V. 88−23978
Zibell, H.G. *see* Kokkinowrachos, K. 88−48816
Ziberna, M., Bevc, D., Zavrsnik, B. Fibre optics fault locator with microprocessor control and statistical averaging 86−28885
Zibert, K., Boning, W., Brunner, R., Crichton, G., Helow, R., Schonberger, F., Wagner, W., Veit, K., Voland, G. Designing an Advanced DMA controller for 16-bit microcomputers 85−6298
Zibert, K. *see* Geiger, G. 87−70403
Zibert, K. *see* Gorlich, S. 88−22460
Zibin, D.K. *see* Baumgart, V.F. 86−10743, 87−48556
Zibis, P. UHF low loss SAW filters for front end applications 87−67679
Zibis, P. *see* Olbrich, G. 85−62174
Zibold, H., Fischer, T. D2-MAC−a new feature for digital TV 87−13876
Zibold, H. *see* Gillies, D. 88−41811
Ziboni, M. *see* Bassani, C. 88−1025
Ziboon, H.T. *see* Brewster, R.L. 86−64849
Zibov, A.S. *see* Velichanskii, V.L. 87−46902
Zibrov, A.S. *see* Abul'shin, A.M. 87−68381
Zibrov, A.S. *see* Akul'shin, A.M. 86−36495, 87−26410
Zibrov, A.S. *see* Baev, V.M. 86−9818
Zibulsky, H., Kottan, J.J., Pasciak, W.J., Castrogivanni, M.A., Banerjee, S. Evaluation of nonradiological water chemistry at power reactors 88−55152
Zic, J. *see* Parkin, I.A. 85−25859
Zic, J.J. Extensions to communicating sequential processes to allow protocol performance specification 88−66782
Zicarelli, P.C., Green, D.G. Power system 'plant' for microprocessor experiments 85−32990
Zicarelli, Z. M and Jam Factory 88−35755
Zicari, R. *see* Tisato, F. 86−37559
Zich, R. *see* Daniele, V. 85−57087, 86−29551
Zich, R. *see* Mantica, P.G. 86−63963
Zich, R. *see* Orta, R. 85−24918, 86−10176, 87−2340, 87−33507, 87−54510, 87−75561, 88−27469, 88−34499, 88−40651, 88−44333
Zicha, J.H. Civil aspects of Maglev design 87−5053
Zicherman, D.S. *see* Lai, F.J. 87−1743
Zicherman, D.S. *see* Lai, F.S. 86−47854
Zicherman, D.S. *see* Sai-Halasz, G.A. 88−1654, 88−39721
Zicherman, D.S. *see* Sun, J.-Y.-C. 87−32563
Zicherman, D.S. *see* Wong, C.Y. 88−71429
Zichermann, D. *see* Dori, L. 88−7607
Zichichi, A. *see* Alberini, C. 86−65387, 87−35339
Zichichi, A. *see* Bari, G. 87−8843
Zichichi, A. *see* Basile, M. 86−5785
Zichichi, Z. *see* Basile, M. 85−43273
Zichy, J.A. Review of instrumentation for superconducting magnets 88−39847
Zichy, J.A., Jakob, B. Full-array test results of the Swiss LCT coil 88−65030
Zichy, J.A., Jakob, B., Vecsey, G., Horvath, I., Marinucci, C., Weymuth, P. Performance and status of the Swiss LCT coil 86−53925
Zichy, J.A., Vecsey, G. Design and testing results of the Swiss LCT coil 87−67939
Zichy, J.A., Vecsey, G., Horvath, I., Jakob, B., Marinucci, C., Weymuth, P., Zellweger, J. Instrumentation and test of the Swiss LCT-coil 85−56232
Zichy, J.A. *see* Horvath, I. 85−1935
Zichy, J.A. *see* Lubell, M.S. 88−13773, 88−65028
Zichy, J.A. *see* Lue, J.W. 86−28752
Zichy, J.A. *see* Luton, J.N. 85−56230, 87−74642
Zichy, J.A. *see* Maix, R.K. 87−38703
Zichy, J.A. *see* Okuno, K. 87−74641
Zichy, J.A. *see* Shen, S.S. 87−67971, 88−65106
Zichy, J.A. *see* Vecsey, G. 85−56231, 87−67975
Zick, K.E. *see* Wright, F.H. 86−45428, 86−70898
Zickar, F. Electrostatic powder-coated wire for transformers 86−2485

Zicker, J.E. *see* Candy, J.V. 87−54589
Zickler, J. *see* Minkler, W.S. 88−73597
Zicolillo, M. *see* Canali, C. 85−6952
Zicollelo, P. Testing video RAMs 86−27308
Zicong Wang *see* Wang Zicong
Zidalis, J., Scott, D.K., Williams, C.H., Huang, D. Helicopter used to construct Swan Lake transmission line 88−17181
Zidan Wang *see* Wang Zidan
Zidar, J. *see* Lanz, O.E. 85−27546
Zidon, A. *see* Katz, C. 85−27072
Zieba, A. *see* Foner, S. 85−46045
Zieba, A. *see* Zaleski, A.J. 85−18600
Zieba, J. *see* Kowalski, K. 88−36018
Zieblinski, R. *see* Bem, D.J. 86−4802
Zieboll, W. Balance: development trends in power electronics 85−50523
Zied, M.Z., El-Shaer, H., Sharf El-Din, H., El-Beltagy, M.S. Determination of some parameters used for distribution network design in rural areas of Egypt 85−9498
Ziedler, H. *see* Dietl, H. 85−48166
Ziedrich, W. Problems connected with the employment of cars produced in series as radio engineering vans to be applied in mobile transmission and production units of the Deutsche Post radio services 86−24028
Ziegeler, B. *see* Colignon, P. 86−51961
Ziegenbein, D. *see* Herrmann, D. 85−43680
Ziegenhagen, J.A. *see* Hart, D.L. 88−761
Zieger, R. *see* Milutinovic, V. 87−17104
Zieger, R.M. *see* Hein, C.E. 87−66205
Zieger, R.M. *see* Helbig, W.A. 86−46901
Zieglebner, D. The technique and application of SMD capacitors 87−24546
Ziegler, A., Rucker, W. The optimization of the radiation characteristic of linear antenna arrays by means of the evolution strategy 86−29620
Ziegler, B. *see* Bangert, R. 87−49570
Ziegler, B. *see* Dowell, D.H. 87−35371
Ziegler, C. *see* Bowes, J. 85−17627, 85−30967
Ziegler, C. *see* Friedman, E. 87−20019, 87−55429
Ziegler, D.-V. *see* Rusin, D.G. 86−4187
Ziegler, E., Feuerbaum, H.P. IC testing using optical beam induced currents generated by a laser scan microscope 88−39597
Ziegler, E. *see* Nelson, R.S. 88−23052
Ziegler, E. *see* Oppermann, H. 86−378
Ziegler, E. *see* Ruegger, M. 88−9864
Ziegler, E. *see* Schaezle, D.R. 88−10047, 88−11260
Ziegler, E.J. *see* Ball, J.R. 85−53408
Ziegler, E.J. *see* Crowley, J.H. 86−39460
Ziegler, F. Interference problems within the Mode S data link of the air-traffic-control 87−57308
Ziegler, G. *see* Bogman, M.C.A. 85−53662
Ziegler, G. *see* Glasow, P. 88−67804
Ziegler, G. *see* Pensl, G. 88−44654
Ziegler, G. *see* Schneider, K. 85−64971
Ziegler, G.F.W., Herweg, R. Low-current arc discharge characteristics of cadmium electrodes for ignition studies 86−35931
Ziegler, H. Digital sensors. Principles and examples 86−50043
Ziegler, H. Measurement of temperature by quartz frequency 87−70838
Ziegler, H., Rolf, K. Quartz sensor for automatic dew-point hygrometry 87−35060
Ziegler, H. *see* Brucksch, M. 87−54098
Ziegler, H. *see* Schaudel, D. 88−53602
Ziegler, H. *see* Voight, M. 86−24278
Ziegler, H.-J. Rational energy use through building-energy-simulation 85−32821
Ziegler, J. *see* Baars, J. 88−33007
Ziegler, J. *see* Geibel, C. 87−31537
Ziegler, J. *see* Maier, H. 87−3487
Ziegler, J. *see* Mosser, V. 88−64350
Ziegler, J. *see* Schilz, J. 88−32788
Ziegler, J. *see* Stadler, J.P. 86−14859
Ziegler, J. *see* Zhao, W. 85−34504
Ziegler, J.F. High energy ion implantation 85−34786
Ziegler, J.F. *(editor)* Ion implantation science and technology 85−32897
Ziegler, J.P., Lesniewski, E.K., Hemminger, J.C. Polycrystalline n-SrTiO$_3$ as an electrode for the photoelectrochromic switching of Prussian blue films 87−60972
Ziegler, K. Future of large tandems plus boosters 86−31875
Ziegler, K. Chrysler ups quality with PLC-driven latch testers 88−49494
Ziegler, K. *see* Arndt, P. 88−53976
Ziegler, K. *see* Busse, W. 86−55918
Ziegler, K. *see* Martin, B. 85−59050
Ziegler, K. *see* Pelzer, W. 85−52934
Ziegler, K. *see* Renner, D. 88−47763
Ziegler, L., Jantoss, W., Herms, W. The potential gradient in metal-semiconductor-metal sandwiches 85−1426
Ziegler, N.F., Richardson, E.G., Mills, G.D., McPherson, R.L., Mann, J.E., Juras, R.C., Jones, C.M., Hoglund, D.E., Haynes, D.L., Biggerstaff, J.A., Alton, G.D. Status of the Oak Ridge 25 URC accelerator 86−55913
Ziegler, N.F., Schulze, G.K., Rochelle, J.W., Milner, W.T., Meigs, M.J., McPherson, R.L., Juras, R.C. Recent electronic improvements to the Oak Ridge 25URC accelerator 88−54082
Ziegler, N.F. *see* Jones, C.M. 86−38627, 88−47754, 88−53960
Ziegler, N.F. *see* Juras, R.C. 88−53984
Ziegler, N.F. *see* Olsen, D.K. 87−29399
Ziegler, N.F. *see* Raatz, J.E. 86−38641
Ziegler, R. Low-cost electronics and CAD packages: faster path from circuit diagram to PCB 86−53140
Ziegler, R. *see* Bohnke, P. 87−51532
Ziegler, R. *see* Crabb, R. 85−45319
Ziegler, R. *see* Pfannerstill, E. 85−63032
Ziegler, R.F. *see* Ambardar, A. 85−64558
Ziegler, S. *see* Kubler, W. 88−61275
Ziegler, W. Amplitude control with level independent transient time 85−34099
Ziegler, W. *see* Hoffert, M.I. 88−54695
Ziegler, W. *see* Rauch, H. 86−52015
Ziegler, W. *see* Wassermann, J. 88−35885
Ziegler, W.L. Engineering problem analysis with microcomputer spreadsheets 88−43755
Ziegler, W.L. Computer generated presentations: an animated approach 88−63120
Ziegler, W.L. *(editor)* Proceedings of the 1987 IEEE Southern Tier Technical Conference (Cat. No.87CH0157-8) 88−43586
Ziegler, W.P. *see* Dowell, D.H. 87−35371
Ziegner, B.A. High performance MMIC hermetic packaging 87−24449
Zieher, K.W., Fishbine, B., Humphries, S., Jr., Woodall, D.M. Beam measurements on the electron injector for a high current betatron 86−25102
Zieher, K.W. *see* Fishbine, B.H. 87−21357
Zieher, M., Zitterbart, M. NETMON−a distributed monitoring system 88−73660
Zieher, M. *see* Gantenbein, D. 88−9203
Zieher, M. *see* Schill, A. 88−21729
Ziel, A.van der *see* van der Ziel, A.
Ziel, G.Vander *see* Vander Ziel, G.
Ziel, J.P.van der *see* van der Ziel, J.P.
Zielas, W. *see* Grund, F. 87−438
Zielasko, H. Position changing protection switch devices for increasing safety levels of electric plugs 86−53118
Zieleniewski, W. *see* Michalik, K. 86−25573
Zielenkiewicz, M. *see* Sowa, A. 87−53343
Zielie, P.A. *see* Retzler, J.P. 88−65167
Zieliger, A.N., Faibisovich, D.L. On the efficiency of utilizing increased real-power transmission networks in the power grids of the Soviet Union 88−5349
Zielinger, J.P. *see* Serpi, A. 86−36304
Zielinger, J.P. *see* Tapiero, M. 86−402
Zielinska-Lipiec, A. *see* Tasak, D.E. 88−55986
Zielinski, A. Matrix formulation for Dolph-Chebyshev beamforming 87−26929
Zielinski, A. A digital double integrating filter for heave measurements [ocean] 87−42253
Zielinski, A., Caldera, M. Digital acoustic communication in multipath underwater channels 86−64492
Zielinski, A. *see* Arman, J. 85−52366
Zielinski, A. *see* Barjasz, W. 88−73457
Zielinski, A. *see* Kowar, J. 87−74764 to 74765, 87−74772
Zielinski, B. A mathematical model of a subsynchronous converter cascade 87−58179
Zielinski, E., Schweizer, H., Hausser, S., Stuber, R., Pilkuhn, M.H., Weimann, G. Systematics of laser operation in GaAs/AlGaAs multiquantum-well heterostructures 87−68488
Zielinski, E., Schweizer, H., Maile, B., Pilkuhn, M.H., Griffiths, G., Subbana, S., Kroemer, H. Recombination effects and laser properties of GaSb/AlSb multiple quantum well structures 86−54163
Zielinski, E. *see* Hausser, S. 86−9878
Zielinski, E. *see* Schweizer, H. 87−68489
Zielinski, G. *see* Pocztowski, G. 85−28236
Zielinski, G.A. A method of conversion of angle of phase discrepancy of harmonic oscillations on voltage at automatic synchronization of power stations 87−35838
Zielinski, H.-G. The state of standardisation of fibre optic components 86−23895
Zielinski, H.-G. Connection technology in light wave conductors 87−68118
Zielinski, H.-G. *see* Blume, G. 86−23889
Zielinski, H.-G. *see* Hillerich, B. 86−64996
Zielinski, H.G. *see* Bambach, W. 86−11117
Zielinski, H.G. *see* Blume, G. 86−28838
Zielinski, J., Rozycki, S., Fikus, M. Influence of electric fields on living cells 87−35448
Zielinski, J. *see* Blaszczyk, M. 85−39360
Zielinski, J. *see* Kukula, L. 86−54314, 87−74277
Zielinski, J.E. *see* Horton, E.M. 88−41232
Zielinski, J.S. Some remarks on the solution of Telegraphist's equations with application of the method of characteristics to power lines 86−61112
Zielinski, J.S., Brulinski, P. Transient analysis in a three-phase power line with an application of the method of characteristics 85−27025
Zielinski, J.S., Duda, J., Kacejko, L., Kacejko, P., Rabiega, R. Comments on the 15/0.4 kV transformer operation in pole-stations of the ZE (Power Supply Establishment) Zamosc 86−19339
Zielinski, J.S., Rabiega, R. Arcing ground suppression in the 15 kV system using high-speed grounding switches 85−64938
Zielinski, J.S., Rabiega, R., Zatorski, W. Spectral analysis of arcing ground overvoltages in an isolated neutral distribution system 87−15363
Zielinski, J.S., Smolka, J. Three dimensional matrices in chain line theory 87−42429
Zielinski, J.S., Smolka, J. Choice of the multipoles number for multiphase long line modelling in transient analysis 87−42430
Zielinski, J.S. *see* Gajda, J. 87−58605
Zielinski, J.S. *see* Hibner, E. 86−19323
Zielinski, K., Indulska, J., Krasowski, R. The UMMLAN-2−a local computer network 87−48603
Zielinski, K. *see* Goscinski, A. 85−25499, 85−36697
Zielinski, K. *see* Krasowski, R. 88−3564
Zielinski, P. *see* Kordecki, A. 87−15657
Zielinski, R. One-path coding disc as a precious potentiometer 87−24280
Zielinski, R. *see* Bem, D.J. 86−15944, 88−8613
Zielinski, R. *see* Grono, A. 86−70649
Zielinski, T. *see* Kanber, H. 86−13757
Zielinski, T.P. On a software implementation of the Wigner-Ville transform 88−66464
Zielinski, Z. The EKP-1 device for checking power limit overstepping 86−18897
Zielinski, Z. Frequency transients connected with emergency unloading of electric power systems 88−10730
Zielinski, Z. Methods of actions against system failures 88−75045
Zielinski, Z., Vetter, W.J., Howse, D. Realtime removal of source heave effects from marine seismic profiles 85−31111
Zielinski, Z. *see* Kern, J. 86−44114, 88−1605
Zielinski, Z. *see* Szewczyk, B. 85−14615
Zielke, C.R. *see* Bierenbaum, H.S. 87−64985
Zielke, G. Local area networks: compatibility versus connectivity 85−57784
Zielke, G. Evaluating the need for network design software 86−30260
Zielke, G. Report on test matrices for generalized inverses 86−34224
Zielke, G. Voice/data integration: promise or practice? 86−64446
Zielke, G. Local area networks−what about performance? 88−35104
Zielke, H. The Tapepak IC housing 87−58675
Zielke, R.L. *see* Hilson, D.W. 87−72217
Zielke, W.H. *see* Hilton, S.O. 86−33201
Zielonka, J. *see* Horii, S.C. 88−23146
Zielonka, J. *see* Wang, Y. 88−36568
Zielonka, J.S. *see* Horii, S.C. 87−18521
Zielonka, J.S. *see* Reavis, R.J. 87−29841
Zielonka, J.S. *see* Yen Wang 86−32401, 88−54686
Zielonka, M. *see* Domanski, A.W. 88−7932
Zielonko, R. *see* Bartosinski, B. 85−37542, 87−47653
Zielosko, G. Improvement of the quality of ultimate electronic products 88−18525
Ziemacki, M.S. Diesel injector needle lift sensor 86−47694
Ziemann, G. *see* Matt, K. 87−70616
Ziemann, K. *see* Klar, H. 88−44799
Ziemann, P. Ion implantation−a modern tool to produce metastable systems 85−23649
Ziemann, T. *see* Struder, L. 88−68207
Ziemek, G. *see* Meshchanov, G.I. 85−64922
Ziemek, G. *see* Rohner, P. 88−28909
Ziemer, A. High definition TV-electronic picture production method of the future? 86−24084
Ziemer, A. Broadcasting, satellites and the ISDN: new networks for television of tomorrow 87−20662
Ziemer, A. The controversy: HDTV via glass fibre or satellite? 87−63140
Ziemer, A. HDTV: 'We need a world standard' 88−22247
Ziemer, A. Area-coverage reception is at stake [DBS] 88−47262
Ziemer, A. Transmitting authorities. Contacting the ISDN world 88−59754
Ziemer, A. *see* Kramer, D. 87−49236, 87−56317
Ziemer, C.B. *see* Shibib, M.A. 86−63238
Ziemer, E. *see* Atanassov, V. 86−6136
Ziemer, F., Rosenthal, W. On the transfer function of a shipborne radar for imaging ocean waves 88−10582
Ziemer, F. *see* Atanassov, V. 85−32005
Ziemer, F. *see* Young, I.R. 86−6133
Ziemer, P.L. *see* Barton, T.B. 85−4222
Ziemer, P.L. *see* Ipe, N.E. 86−60609
Ziemer, R. An overview of millimetre wave communications 85−57966
Ziemer, R., Wicker, M., Liebetreu, J. Computer-assisted evaluation of SDI communications system alternatives 88−53147
Ziemer, R. *see* Libertreu, J. 88−28668
Ziemer, R. *see* Nazari, N. 88−46865
Ziemer, R.E. An overview of millimeter wave communications 85−8311
Ziemer, R.E. Channel distortion effects on direct sequence spread spectrum signal demodulation 87−34362

Ziemer, R.E., Peterson, R.L. Digital communications and spread spectrum systems 86−33973
Ziemer, R.E. *see* Bowker, R.E. 88−73891
Ziemer, R.E. *see* Nazari, N. 87−40702, 88−21940, 88−53123
Ziemer, R.E. *see* Reed, D.E. 88−74008
Ziemienski, B.V. Reliable obstructed path coverage determination [VHF/UHF radio relay links] 87−20393
Ziemienski, B.V. Point-to-point microwave system design and coordination 87−40739
Zieminski, A. *see* Aronson, S. 88−61122
Zieniuk, J.K., Latuszek, A. Ultrasonic pin scanning microscope: a new approach to ultrasonic microscopy 87−71423
Zieniutycz, W. *see* Citerne, J. 85−62869
Zieniutycz, W. *see* Mazur, J. 85−1858
Zienkiewicz, R. RSLA-36011 equipment system 88−66890
Zienko, S.I. Thyristor high-voltage nanosecond pulse shapers 85−22740
Zienko, S.I. Shaping high-voltage nanosecond voltage drops with serial semiconductor diodes with a drift voltage-recovery mechanism 86−860
Zienko, S.I. Nanosecond pulse shapers with power summing of thyristor switches 86−864
Zienko, S.I. Shaper for high-voltage subnanosecond voltage jumps by means of semiconductor diodes with avalanche-breakdown delay 86−20392
Zienko, S.I. Square-pulse shaper for unmatched load 87−16961
Zienko, S.I. Pulse shapers with diode peaking and a drift mechanism of voltage recovery 87−59267
Zienko, S.I. Use of semiconductor diodes with ohmic relaxation for clipping of high-voltage swings 87−73377
Zienko, S.I., Gruden', M.N., Smerdov, V.Yu. Current pulse generation with power MOS transistors [for laser excitation] 86−13993
Zienko, S.I., Pak, G.T., Smerdov, V.Yu. Pulse generator for powering semiconductor light emitters 85−22709
Zienko, S.I. *see* Apollonov, V.V. 85−62503, 86−15747, 88−53592, 88−60697
Zienko, S.I. *see* D'yakanov, V.P. 87−65831
Zientalski, M., Smolenski, L., Protasewicz, I. Devices for the measurement of the error rate in PCM systems 86−23645
Zientalski, M. *see* Krzyzniewski, H. 86−4144
Zientalski, M. *see* Kusiuk, A. 85−30786
Zientara, G.P., Neuringer, L.J. Medical imaging for the 21st century 88−68378
Zientara, J. Telecommunication development to the year 2010 88−59415
Zientara, J. Prospective development of Polish telecommunication till the year 2010 88−73435
Zientek, V. *see* Branny, K. 87−58484
Zientkiewicz, J., Miskowicz, J., Piotrowski, L. Optical fibre 8-channel transmission system 86−43838
Zientkiewicz, J.K. All-optical fibre networks for coal mines 88−22107
Ziep, O., Mocker, M., Keiper, R. New aspects in the theory of impact ionization 86−8789
Ziep, O. *see* Suhrke, M. 88−19693
Zier, D. *see* Kessel, W. 85−28605
Zier, D. *see* Liebsch, W. 87−37350, 87−41203, 88−29294, 88−46166
Zier, H. *see* Niegemann, R. 86−43763, 86−69615
Zierau, H. *see* Kilian, E.A. 87−37020
Ziere, R. *see* Brand, K. 88−35876
Zieren, V., Luitjens, S.B., Schrauwen, C.P.G., Bernards, J.P.C., de Bie, R.W., Piena, M. Properties of one-sided probe heads on double-layer perpendicular recording media 87−18499
Zieren, V., Ruigrok, J.J.M., Piena, M.J., Luitjens, S.B., Sillen, C.W.M.P., Verbunt, J.P.M. Efficiency improvement of one-sided probe heads for perpendicular recording on double-layer media 88−57950
Zieren, V. *see* Bernards, J.P.C. 87−46311, 88−71916
Zieren, V. *see* de Bie, R.W. 88−44980
Zieren, V. *see* Luitjens, S.B. 85−24126, 86−28673
Zierenner, U. *see* Mann, B. 86−65087
Zierhut, A. *see* Schejbal, V. 87−68879
Zierhut, L.G. *see* Cosimini, G.J. 88−64975
Zierhut, L.G. *see* Lo, D.S. 86−36082
Ziermann, A. Linear reciprocal N-ports without active and reactive power 85−10943
Ziermann, E. *see* Kirch, N. 86−45179
Ziermann, E. *see* Kruger, K. 86−51369
Ziermann, H.-B. The silicon computer−a new aid for workstations 86−2368
Ziermann, H.-B., Gregorcyk, A.J. Developing around a reference chip 87−37108
Ziermann, H.B., Bek, R. ASIC development with Valid and VAX stations 87−18198
Ziermann, H.Burghardt *see* Burghardt Ziermann, H.
Zierong Zhang *see* Zhang Zierong
Zierren, V. *see* Schruwen, C.P.G. 88−57917
Zies, G. *see* Sobe, G. 86−13808
Ziesche, P. *see* Kunze, K. 88−64304
Ziesemer, M. Software orientated convertors for measurement 87−41476
Ziesemer, M. *see* Borst, W. 88−22530
Zieseniss, C.-H. High-frequency operation of fluorescent lamps 85−27758
Zieseniss, C.H. Modern light sources−development state and trends 88−49266
Ziesmann, M., Heitmann, D., Chang, L.L. Interaction of optical phonons with electrons in an InAs quantum well 87−53254
Ziesse, N.G., Werko, J.R., Dishman, J.M., Schlosser, W.O. Power bus transients in very high speed logic systems 85−54682
Ziesse, N.G. *see* Bowman, W.C. 88−55494, 88−62429
Ziesse, N.G. *see* Magalhaes, F.M. 88−75817
Ziesse, N.G. *see* Nitz, W.A. 88−55495
Zietak, K. The Chebyshev approximation of a rectangular matrix by matrices of smaller rank as the limit of l_p-approximation 85−22355
Zietak, K. The Chebyshev solution of the linear matrix equation $AX+YB=C$ 85−54360
Zietak, K. Properties of the l_1-solutions of the linear matrix equation $AX+YB=C$ 87−52020
Zietak, W. Plans for the development of the telecommunication system 88−73452
Zietkiewicz, J.F. *see* Woznicki, J.M. 86−63007
Zietkowiak, A. Currents and potentials in system of auxiliary earth electrodes [underground cables] 85−32172
Zietlow, D.C. *see* Mehta, D.P. 86−31276, 87−4334
Zietlow, T.C. *see* Halle, L.F. 88−39510
Zietlow, T.C. *see* Krantz, R.J. 88−25991
Zieu Dao Tkhai *see* Dao Tkhai Zieu
Zifcak, M., Simpson, S. Pinless grid array connector 87−45362
Zifeng Hou *see* Hou Zifeng
Zifferman, E.O. Assessment and short-term planning of electrical conditions in the Urals power pool 87−4324
Zifferman, E.O. *see* Ayuev, B.I. 87−15166
Ziffermayer, G. *see* Perotto, C. 88−23674
Zigangirov, K.S. *see* Cedervall, M. 85−19333
Zigangirov, K.S. *see* Johannesson, R. 85−30186
Zigangirov, K.Sh. New upper bounds for decoding error probability for convolutional codes 86−36931
Zigangirov, K.Sh. New asymptotic lower bounds on the free distance for time-constant convolution codes 87−33609
Zigangirov, K.Sh., Kolesnik, V.D. Centered codes 85−51547
Zigangirov, K.S.H. *see* Sidorenko, V. 87−55003
Zigel', V.V. *see* Arbuzov, S.N. 85−45581
Ziger, D.H., Reightler, J.W. Process factors in ammonia catalyzed image reversal 88−57556
Ziger, I. *see* Hajro, N. 87−21816
Ziger, I. *see* Santak, M. 87−43859
Zighed, A. *see* Terrenoire, M. 88−45820
Zigler, A., Kishenevsky, M., Yarkoni, E., Givon, M. A new method for the creation of high density, high temperature elongated plasma 88−40158
Zigler, A., Ludmirsky, A., Jackel, S., Givon, M., Gilath, I., Gazit, Y., Borowitz, A., Arad, B., Kishinevsky, M. Laser-generated shock-wave velocity measurements using a visible backlighting technique 86−50247
Zigler, A. *see* Jackel, S. 87−39040, 88−14140
Zigler, E.L. *see* Li, T.P.L. 85−7042
Ziglin, S.L. *see* Gubankov, V.N. 85−24242
Ziglinn, S.L. Estimation of the rate of convergence of approximations for a version of the generalized WKB method 85−16846
Zigliotto, M. *see* Bolognani, S. 88−76005
Zigmund, J. Active equalizers for digital signal repeaters 85−20001
Zignani, F. *see* Bentini, G.G. 86−45705
Zignani, F. *see* Galloni, R. 88−18045
Zigouris, E. Digital filter implementation using an enhanced 16-bit μC 86−35028
Zigouris, E. *see* Renfors, M. 85−49997, 88−50262
Zigouris, E. *see* Skodras, A.N. 88−44288
Zihai Guo *see* Guo Zihai
Zihlmann, H.-R. Investigations supplementing the experimental videotex service in Switzerland 85−8115
Zihong Lu, Weimin Hua, Zuchang Ding Au-Zn/Au-Sb/GaP ohmic contact of GaP LED 88−39137
Zihong Xu *see* Xu Zihong
Zijdemans, P.J. The INMARSAT solar array; the first ARA to fly 87−77802
Zijian Han *see* Han Zijian
Zijlstra, E. *see* Beijderwellen, P. 88−62829
Zijlstra, F. *see* van Ommeren, J. 87−50220
Zijlstra, G.J. Chances for distributors [electric power distribution] 86−45313
Zijlstra, G.J. New-style distribution undertakings: load management and production control 86−70579
Zijlstra, G.J., Renaud, P.W. Energy saving and decentralised capacity by public power distribution concerns 87−42399
Zijlstra, H. Application of permanent magnets in electromechanical power converters; the impact of Nd-Fe-B magnets 86−15342
Zijlstra, H. Permanent magnet systems for NMR tomography 86−38773
Zijlstra, H. Permanent magnet system for magnetic resonance imaging 86−50553
Zijlstra, P. *see* Kerkhoff, H.F. 86−4000
Zijlstra, R.J.J. *see* Hendriks, E.A. 86−63331, 88−33222 to 33224, 88−33227, 88−57659
Zijlstra, R.J.J. *see* Hofman, F. 88−32802
Zijlstra, R.J.J. *see* Van Rheenen, A.D. 87−38171
Zijlstra, W.G. *see* Schepel, S.J. 87−35383
Zijp, J.van der *see* van der Zijp, J.
Zijsling, T.P. *see* van der Moezel, B. 88−68654
Zijuan Shan *see* Shan Zijuan
Zijuen Yuan *see* Guanchao Sun 88−40384
Zika, J. Power semiconductor components for large power output and operating frequency 85−65326
Zika, J. Thirty years of modern power semiconductor components in the CKD enterprise of Prague 87−32451
Zika, J. How can one contribute to increasing the operational reliability 87−32501
Zikang Shi *see* Shi Zikang
Zikang Tang *see* Tang Zikang
Zikovsky, L., Chah, B. A computer program for calculating Ge(Li) detector counting efficiencies with large volume samples 88−29804
Zikrillaev, N.F. *see* Bakhadyrkhanov, M.K. 85−46247
Zilahi-Sebess, L. *see* Bowen, R.W. 86−38940
Zilbar, S. *see* Littwitz, E. 87−62602
Zil'ber, F.I. *see* Mandryka, O.R. 88−30730
Zilber, J. Fiberoptic sensor market development 85−62363
Zilber, J. Fiberoptic sensor markets: a patent-based model for growth 88−16149
Zil'berberg, Ya.Ye., Olegova, N.T. Approximation frequency-network synthesis 88−25039
Zil'berblat, M.E., Maletski, V.I., Barinov, G.N. Increasing capacity of supply sources for main drive engines in horizontal rolls of 1150 slabbing mill 86−19649
Zil'bergleit, A.S., Kopilevich, Yu.I. A property of a quadratic operator pencil determining the normal modes of an elastic cylinder with a free surface 85−57078
Zilberman, D. *see* Hochman, E. 85−32378
Zil'berman, G.A. *see* Bragin, A.A. 86−24251
Zil'berman, P.E. *see* Pomylalov, A.V. 87−25759
Zil'berman, P.Ye., Kazakov, G.T., Tikhonov, V.V. Separate measurement of the parameters of the useful signal and pickup in transmission lines for magnetostatic waves 86−42149
Zil'berman, P.Ye., Kazakov, G.T., Tikhonov, V.V. Magnetostatic and fast magnetoelastic waves in yttrium-iron garnet films with an irregular domain structure 88−71902
Zil'berman, P.Ye. *see* Andreyev, A.S. 87−12044
Zil'berman, P.Ye. *see* Galkin, O.L. 86−22607
Zil'berman, V.A. On the selectivity and sensitivity of relay protection of the power-supply leads for in-house needs of electric power stations 87−64204
Zil'Berman, V.A., Epshtein, I.M., Petrischchev, L.S., Rozhdestvenskii, G.G. The effect on overvoltages and operation of relay protection of the type of grounding of the neutral in auxiliary networks for a 500 MW power unit 88−23421
Zil'berman, V.A., Vas'kov, L.A., Fainberg, E.V. Increasing the reliability of circuits for locking the disconnection of 500 kV lines 86−32818
Zil'bershtein, I.M. *see* Bdulenko, A.P. 86−67618
Zilberstein, R.M., Queenan, J. Large copper substrates for surface-mounted components 86−14715
Zilberstein, R.M. *see* Stennes, M.J. 88−12570
Zilch, W. *see* Ertl, F. 87−20337
Zile, S.M. *see* Baylog, J.G. 87−41010
Zilembo, N. *see* Varriale, A. 85−44357
Ziles, L.D. On suppression of ferroresonance in 110-500 kV transformers 87−35972
Ziles, L.D. *see* Bielakow, N.N. 85−16143
Zilger, J. *see* Bodechtel, J. 85−64749
Ziliani, M. Optocouplers work well in local data networks 86−9700
Ziliani, M. HP optocouplers for industrial control and data communications systems: theoretical and practical considerations 86−30347
Ziliani, M. Constant control for car engines [optocoupler application] 86−45787
Ziliani, M. Current loops correctly configured: optocouplers contain 20 mA drivers and receivers 86−48264
Ziliani, M. Contrast enhancement techniques for sunlight viewable displays 86−49991
Ziliani, M.A., Pelenc, L. High power rigid solar array 87−4901
Ziliani, R. *see* Cantoni, V. 87−45477
Zilinec, J. *see* Orech, J. 88−34194
Ziling, K.K. *see* Atuchin, V.V. 85−18719
Ziling, K.K. *see* Gershinskii, A.E. 85−23547
Ziling, K.K. *see* Vasil'ev, V.V. 87−25981
Zilinskas, E.V. *see* Pranevicius, L.J. 86−35597
Zilinskas, M.A., Ivashka, V.P., Sakalauskas, S.Yu. Fixed probe identification of electrostatic potential 87−49865
Zilinskas, M.A., Ivaska, V.P., Jasinavicius, R.P. Magnetic losses in ferrite heads 87−32874

Zilinskas, M.A., Ivaska, V.P., Jasinavicius, R.P. An investigation of losses in ferrite heads and dielectric structures with quasistatic diffraction 87—46385
Zilinskas, M.A. *see* Ivashka, V.P. 87—75411
Zilka, Z. *see* Col, K. 88—44430
Zilko, J. *see* Stall, R.A. 85—39731
Zilko, J.L., Van Haren, D.L., Lu, P.Y., Schumaker, N.E., Leung, S.Y. The effect of gas temperature on the growth of InP by atmospheric pressure metal-organic chemical vapor deposition using trimethyl indium and PH_3 sources 86—7798
Zilko, J.L. *see* Cheng, C.-L. 87—6711, 88—73921
Zilko, J.L. *see* Cheng, C.L. 88—33904
Zilko, J.L. *see* Dutta, N.K. 86—58916, 86—63801, 87—39156, 88—40100
Zilko, J.L. *see* Swaminathan, V. 85—12716, 85—50207
Zill, J. *see* Budig, P.-K. 86—6761
Ziller, J. *see* Tam, S. 88—70780
Zillich, H. Experiences in planning of instrumentation and control equipment for flue gas desulphurization plants 87—15542
Zillich, H. *see* Germeau, J.P. 87—64405
Zillich, P. *see* Peceli, G. 86—18274
Zilligen, H. *see* Kreutzkampf, F. 88—6080
Zilling, F. Topographical presentation of surfaces 88—16478
Zillinger, L.Z. *see* Bartschi, B. 88—36670
Zilliox, C. *see* Tellier, N. 85—38765
Zillman, J. Electronic picture recording and evaluation by means of an endoscope 85—10856
Zillman, S.E. *see* Connolly, R.D. 86—55106
Zilouchan, A. *see* Carroll, R.L. 86—47002
Zilouchian, A., Carroll, R.L. On the optimal synthesis of 2-D state-space digital filters 86—20733
Zilouchian, A., Carroll, R.L. A coefficient sensitivity bound in 2D state-space digital filtering 86—62736
Zilouchian, A., Carroll, R.L. Synthesis of minimum roundoff noise in 3-D state space digital filters 86—62778
Zilouchian, A., Carroll, R.L. Optimal realization of multidimensional digital filters 87—59775
Zilouchian, A., Sudhakar, R., Erdol, N. Approximation and implementation of multidimensional digital filters 88—63816
Zilov, S.A. *see* Tokarev, A.G. 88—72296
Zilpimiani, D. *see* Bella, F. 88—48317
Zilverschoon, D. Computerized production of twisted turbine blades 88—31468
Zilvold, G. *see* Hermens, H.J. 85—31843, 87—57174
Zilz, L. *see* Tan, G. 86—59497
Zima, A.A. *see* Chernousova, N.N. 88—4595
Zima, M.A. *see* Loshakov, L.N. 88—20894
Zima, P.J. *see* Rutherford, H.G. 85—4269, 85—31820
Zima, S.M. *see* Cheng, C.L. 88—33904
Zima, S.M. *see* Wang, K.W. 87—74051
Zima, V., Vlcek, M. Synthesis of distributed systems with two coupled propagating modes 86—62391
Zima, V. *see* Vlcek, M. 87—397
Zima, V., Kvasil, J. *(editor)* Circuit Theory and Design 85. Proceedings of the 1985 European Conference 87—20
Zimaglia, C., Pessina, G., Fava, M.V. Unconventional AC drives for large speed ranges 88—18139
Zimaglia, C. *see* Pessina, G. 85—33215, 85—54180, 85—65290, 86—18654, 86—33325, 86—45321, 87—15753, 87—22512, 87—42808, 87—42978
Zimaglia, C. *see* Rizzo, M. 85—32513
Ziman, G.C. Another angle on rotary position sensing 88—29651
Ziman, V., Kmoshena, Yu. The human factor and the part it plays in failures of the normal operation of water-cooled, water-moderated WWER-440 reactors at the Bohunice Nuclear Power Plant 85—21326
Ziman, Ya.L. *see* Mishev, D. 86—25453
Ziman, Ya.L. *see* Sagdeev, R.Z. 87—49573
Zimany, E.J. *see* Daubert, S.J. 88—71784
Zimcik, D.F. *see* Chan, K.K. 88—34498
Zimcik, D.G. *see* Martins-Camelo, L. 86—43009
Zimenko, V.I., Konakova, R.V., Lysenko, V.S., Osiuyk, I.N., Snitko, O.V., Sytenko, T.M., Tkhorik, Yu.A., Filatov, M.Yu., Khakimov, T.M., Grusha, S.A. Effect of electron irradiation on the reconstruction of the radiation defects in gallium arsenide diode structures 86—14926
Zimenko, V.I. *see* Lysenko, V.S. 86—21283
Zimering, R., Allen, R. Computerization of a large relay setting file 86—35156
Zimering, R. *see* Mustaphi, K.K. 88—55081
Zimich, B. *see* Gsodam, H. 88—13616
Zimichev, Yu.I. *see* Kapinos, V.M. 86—31635
Zimin, A.M., Khvesyuk, V.I., Tsydypov, B.D. Dynamics of processes on activated cathodes 87—17595
Zimin, B.I. *see* Gordiyenko, V.N. 87—62394
Zimin, B.I. *see* Zatsepina, L.P. 88—15578
Zimin, D.B., Kaplun, I.V., Kholshchevnikov, M.Yu. Dynamic measurement of the directional properties of planar discrete-switching phase arrays [antennas] 86—48692
Zimin, D.B., Kaplun, I.V., Kholshchevnikov, M.Yu. Measurement of the gain of a phased antenna array (PAA) by a dynamic method 88—40740
Zimin, E.F. Analysis and calculation of contactless transformer sensors 86—24517
Zimin, E.F., Kasparyan, V.G., Kochanov, E.S., Mirzoyan, G.A. A method for measuring the electric field in the sea in the ultra-low frequency range with primary transducer noise taken into account 85—59421
Zimin, E.F., Kochanov, E.S. Optimization of electromagnetic velocity meters 85—20756
Zimin, E.F. *see* Kochanov, E.S. 88—10062
Zimin, E.N. *see* Valov, M.I. 86—19514
Zimin, L.S. Designing vibration-protected structures of rectangular inductors 87—72591
Zimin, L.S., Sutyagin, A.F. Analysis of vibration and acoustic characteristics of square-shape inductors 87—36252
Zimin, L.S. *see* Boikov, Yu.N. 88—31198
Zimin, L.S. *see* Rapoport, E.Ya. 87—9947
Zimin, N.I. *see* Bulgakov, N.K. 87—63700
Zimin, N.I. *see* Filatova, N.A. 86—32196, 88—10285
Zimin, N.I. *see* Golovatyuk, V.M. 85—52982
Zimin, V.A. *see* Paderno, Yu.B. 87—16679
Zimin, Ye.F. *see* Kochanov, E.S. 88—22562
Zimin, Yu.A. *see* Anufriev, A.V. 88—46179, 88—73200
Zimin, Yu.A. *see* Bakut, P.A. 86—23091, 86—58989, 88—8483
Zimin, Yu.A. *see* Ustinov, N.D. 86—30031, 86—48997, 86—64346, 86—68642, 87—75871, 88—73202
Zimin Su *see* Su Zimin
Ziming Yang *see* Yang Ziming
Ziminsky, P.V. *see* Kosstrin, H.M. 88—5525
Zimmels, Y. Magnetocentrifugal separation of particulates: theory and principles of operation 87—2283
Zimmels, Y. *see* Resnick, W. 88—66007
Zimmer, A. Modern relays for fast switching of digital signals and analogue measurement data 86—62886
Zimmer, A. *see* Schneider, H.-J. 87—28180
Zimmer, C. A flexible design with effective heat removal 88—18484
Zimmer, C., Ulrich, B., Reber, F. Dense and cold: compressing complex hardware with thick film and heat evacuation 88—1272
Zimmer, C. *see* Ryser, H. 87—13290
Zimmer, E.Z. *see* Divon, M.Y. 85—37999
Zimmer, G. Technology for the compatible integration of silicon detectors with readout electronics 85—9074
Zimmer, G., Fiedler, H. The FhG-IMS as a partner for technology transfer 87—65267
Zimmer, G. *see* Brockherde, W. 86—38818
Zimmer, G. *see* Buddefeld, J. 87—24326
Zimmer, G. *see* Buttler, W. 86—34591, 87—29679
Zimmer, G. *see* Dobos, K. 85—58660, 86—55684, 88—54766
Zimmer, G. *see* Fiedler, H.-L. 87—40605
Zimmer, G. *see* Fiedler, H.L. 86—37594
Zimmer, G. *see* Hofmann, R. 85—9106
Zimmer, G. *see* Holl, P. 87—63655
Zimmer, G. *see* Hosticka, B.J. 85—37563, 85—43297, 85—62082
Zimmer, G. *see* Kleine, U. 85—45152
Zimmer, G. *see* Kraft, U. 87—54674
Zimmer, G. *see* Lutz, G. 88—22994
Zimmer, G. *see* Mokwa, W. 88—22565
Zimmer, G. *see* Pandel, J. 85—61375, 86—34975
Zimmer, G. *see* Roettcher, U. 86—34630
Zimmer, G. *see* Schmidt, G. 87—44931
Zimmer, G. *see* Schwendt, R. 87—16791
Zimmer, G. *see* Troster, G. 86—67940
Zimmer, G. *see* Vogt, H. 86—53531
Zimmer, H.H., Schwab, A.J. Humidity corrector for partial discharge initial voltages in aerial cable lines and switching gear 86—12458
Zimmer, H.H., Schwab, A.J. Influence of humidity on AC and DC corona from electrodes with technical dimensions 86—28547
Zimmer, J., Janovsky, K. Two-way contracts in testing using international cooperation practices 87—5207
Zimmer, J. *see* Fischer, H.M. 87—21417
Zimmer, J.T. Millimeter-wave tracking and fire control radar 87—40994
Zimmer, K.W., Calboreanu, A., Salagean, O. The charge equilibration mechanism in position sensitive gas detectors 86—25136
Zimmer, M. Lambda probe: measured technique for combustion optimisation 86—38603
Zimmer, M., Mocinic, Z. System AOM 101 for telecommunication systems maintenance and operation 85—30547
Zimmer, M. *see* Eckerlin, G. 88—22999
Zimmer, M. *see* Vukovic-Bombek, N. 86—4414
Zimmer, M.B. A practical guide to video conferencing 88—53042
Zimmer, M.J., Jones, B.E. Cogeneration: boon or bane to consumers? 86—70810
Zimmer, R. *see* Martin, R.W. 87—29748
Zimmer, R. *see* Nelson, J.A. 85—34314, 86—27704
Zimmer, R.M. *see* Fourman, M.P. 88—63475
Zimmer, S. *see* Bently, D.E. 86—50022, 86—57195, 86—66603
Zimmer, V.G., Wunder, H.-G. Wireless H-field-probe for the VHF and UHF range with laser as optical transmitter 86—10074
Zimmer, W.M.X. Multiple beamformer performance analysis of the coherent mode 86—16467
Zimmer, W.M.X. Logarithmic least mean square sound-field estimation 87—63080
Zimmerer, G. *see* Moller, T. 86—60669
Zimmerer, G. *see* Nikitin, M.M. 86—5870
Zimmerer, K. *see* Fischer, V. 85—8062
Zimmerhackl, E. *see* Meier, H. 86—28952
Zimmerl, L. *see* Fickert, L. 87—64149
Zimmerl, L. *see* Kasztler, M. 86—6410
Zimmerlee, G.A. *see* Brauer, J.R. 88—55315
Zimmerli, T. Faulty operation of electronic equipment due to electrostatic discharges 85—24707
Zimmerman, A. *see* Flynn, M.J. 86—55195
Zimmerman, A.H. Effects of cadmium electrode properties on nickel-cadmium cell performance 87—43383
Zimmerman, A.H. Real time charge efficiency monitoring for nickel electrodes in nickel-cadmium and nickel-hydrogen cells 88—16855
Zimmerman, A.H., Effa, P.K. The effect of additives on nickel electrode discharge 85—45915
Zimmerman, B.A. CCD detectors and the Palomar 200 inch telescope 85—47864
Zimmerman, B.A. *see* Gunn, J.E. 88—4465
Zimmerman, C. Bull and standardization [computer products interconnection] 85—30726
Zimmerman, C. *see* Bolt, M.J.B. 88—7603
Zimmerman, D.E. *see* Culver, J.W. 88—70889
Zimmerman, D.E. *see* Panasik, C.M. 87—837, 88—51138
Zimmerman, D.E. *see* Witkowski, L.C. 86—35115
Zimmerman, D.K., Shipley, S.A. Mod-2 wind turbine loads test correlations 86—61440
Zimmerman, D.L., Providakes, G.F., Post, D.L., Talbot, S.H. SHF/EHF ray bending 86—59876
ZImmerman, D.L. *see* Christensen, M.L. 85—16538, 86—45882
Zimmerman, D.P. Effects of computer conferencing on the language use of emotionally disturbed adolescents 87—62592
Zimmerman, F. Hybrid circuit construction for routing switchers 86—17618
Zimmerman, G. LAN gateways—separating the practical from the theoretical 86—10801
Zimmerman, G. A new area and shape function estimation technique for VLSI layouts 88—64715
Zimmerman, G. *see* Esfahanian, A.-H. 88—52667
Zimmerman, G.A. *see* Satorius, E.H. 88—3107
Zimmerman, G.H., III *see* Muise, R.W. 87—20081
Zimmerman, G.L. *see* Wechsler, H. 88—34825
Zimmerman, G.O. *see* Kaplan, A. 87—21204
Zimmerman, H. *see* Richard, F. 85—3207
Zimmerman, H.R. *see* Dirksen, R.D.H. 86—57855
Zimmerman, J. *see* Depreeuw, D. 88—64603
Zimmerman, J.B., Pizer, S.M. Evaluation of the effectiveness of adaptive histogram equalization 86—69183
Zimmerman, J.B. *see* Johnston, R.E. 86—32269
Zimmerman, J.B. *see* Pizer, S.M. 86—70389, 87—77671
Zimmerman, J.E. Recent developments in self-contained cryocoolers for SQUIDS and other low-power cryoelectronic devices 85—39343
Zimmerman, J.E., Beall, J.A., Cromar, M.W., Ono, R.H. Operation of a Y-Ba-Cu-O RF SQUID at 81 K 87—67845
Zimmerman, J.E., Beall, J.A., Cromar, M.W., Ono, R.H. Equivalent flux noise in a $YBa_2Cu_3O_x$ RF SQUID 88—33573
Zimmerman, K. *see* Lam, C.F. 87—62297
Zimmerman, M. An added dimension: industry-university collaboration in the teaching of proposal writing 87—36373
Zimmerman, M. *see* von Rappard, A. 85—27315
Zimmerman, M.A. *see* Christensen, R.N. 86—25802
Zimmerman, P.W. Video/data projectors 87—49301
Zimmerman, R. Resolvers as velocity and position encoding devices 87—35056
Zimmerman, R., Broitman, E. Applications of thin films in microelectronics 87—66778
Zimmerman, R., Hunt, D.L. Multiple-input excitation using burst random for modal testing 86—25355
Zimmerman, R. *see* Goodman, W. 85—39554
Zimmerman, R.A. *see* Atlas, S.W. 88—4915
Zimmerman, R.E., Grayton, P.M., Buono, J.A. X-ray micro-radiography for real-time imaging of microelectronic failure sites 87—10134
Zimmerman, R.E. *see* Fahey, F.H. 86—38766, 87—41945
Zimmerman, R.E. *see* Lanza, R.C. 86—50500
Zimmerman, R.L. *see* de Paula, M.H. 85—20976
Zimmerman, R.L. *see* Wong, C.L. 87—49963

Zimmerman, S. *see* Barsotti, E. 88−54403
Zimmerman, S.A. *see* Echerd, R.S. 87−78442
Zimmerman, T. *see* Snider, F. 88−48022
Zimmerman, T. *see* Yarema, R.J. 86−47674
Zimmerman, T.A. Personal computer software increases engineering access to CAD tools 85−44848
Zimmerman, T.A. Integrating software design and development into CAE 87−23862
Zimmerman, T.A. Integrated design instrumentation in the CAE environment 87−36922
Zimmerman, T.A. PC-based CAE today−an overview 87−44483
Zimmerman, T.A., Richardson, N.A. Advanced technology in the transportation industry 85−60510
Zimmerman, T.A. *see* Proctor, I.D. 88−47762
Zimmerman, T.N. *see* Fast, R.W. 86−50261
Zimmerman, W.F., Wu, C. Real-time hierarchically distributed processing network interaction simulation 88−46640
Zimmerman, W.R. Demonstration of a time-domain integrated electromagnetic-field circuit-analysis program 85−17073
Zimmerman, W.R., Valentine, N. Recent testing experience in a large motor test facility 85−38944
Zimmermann, A. Market research−how to recognize the future before it arrives 86−57151
Zimmermann, A., Jarne, S. Class Be4/4+Bt motorcoach trains with chopper drives for shuttle services on the Frauenfeld-Wil Railway 86−19561
Zimmermann, A. *see* Rothen, A. 88−67259
Zimmermann, B. *see* Buhler, P. 86−24094
Zimmermann, C. Fibre-optic sensors in materials testing 87−8619
Zimmermann, C. On the use of fibre optic sensors in dynamic material testing 87−23793
Zimmermann, D. Hi-Fi phonographs with direct drive and tangential arm 87−49403
Zimmermann, D.C. *see* Culbertson, R.B. 88−63970
Zimmermann, D.C. *see* Drury, D.M. 86−14521
Zimmermann, D.E., Panasik, C.M. A 16 tap hybrid programmable transversal filter using monolithic GaAs dual-gate FET array 86−14524
Zimmermann, D.E. *see* Drury, D.M. 86−14521
Zimmermann, E. The principle and variations of He-Ne lasers 88−8100
Zimmermann, E. *see* Pfitzner, G. 87−58147
Zimmermann, E.L., Fowler, C.M., Foley, E., Parker, J.V. HIMASS electromagnetic launcher at Los Alamos 87−26725
Zimmermann, E.L. *see* Fowler, C.M. 87−26673, 88−40511
Zimmermann, E.L. *see* Veeser, L.R. 85−3975
Zimmermann, F. Data flies higher on a bird [satellite communications] 87−49003
Zimmermann, F. *see* Raudszus, G. 87−35220
Zimmermann, F. *see* Reimers, U. 87−56363
Zimmermann, F. *see* Shimabukuro, T. 85−25831
Zimmermann, F.S. *see* Vuong, X.T. 88−60082
Zimmermann, G. Top-down design of digital systems 87−52486
Zimmermann, G., Kittel, L. The effects of fading upon message decoding in digital radio telephony 86−23733
Zimmermann, G., Kories, R. Image sequence processing as an aid for three-dimensional display 87−49646
Zimmermann, G. *see* Kories, R. 85−36408, 85−36424, 87−49951
Zimmermann, G. *see* Rao, P. 85−757
Zimmermann, G. *see* Simon, R. 86−23719
Zimmermann, H. Distributed processing in OSI−the UNIX track 87−20277
Zimmermann, H., Burckhardt, P. SF$_6$ self-extinguishing circuit-breaker of type HE−a new generator and heavy-duty breaker 86−19395
Zimmermann, H., Burckhardt, P. E-type generator circuit breakers save space 88−37337
Zimmermann, H. *see* de Forcrand, P. 88−25172
Zimmermann, H. *see* Hantsch, H. 86−52077
Zimmermann, H. *see* Riedel, D. 85−38595
Zimmermann, H.-R. V40/V50: nuclear products of the V series 86−1097
Zimmermann, H.-R. 16-bit CMOS μC is data oriented 87−24227
Zimmermann, H.-R., Gupta, S. The V series: CMOS microprocessors of the new generation 85−674
Zimmermann, H.-R., Gupta, S. The 'V-Series': CMOS-μPs possess integrated additional functions. II 85−11288
Zimmermann, J. Lights on−automatic switch for staircases with several switch-on times and all-night light 85−55059
Zimmermann, J., Fauquembergue, R., Pernisek, M., Thobel, J. High field carrier transport in semiconductors: from basic physics to submicron device simulation 88−25892
Zimmermann, J., Wu, Y. Diffusion coefficients of two-dimensional electron gas in heterojunctions 88−32896
Zimmermann, J., Wu Yen Study of two-dimensional electron dynamics in heterojunctions 88−19696
Zimmermann, J., Wu Yen, Perri, F. Study of two-dimensional gas transport properties: an approach to electron transport in TEGFETs 85−45430
Zimmermann, J. *see* Chu Hao 85−34685
Zimmermann, J. *see* Chu-Hao 85−55596
Zimmermann, J. *see* Constant, E. 88−57690
Zimmermann, J. *see* Godts, P. 88−56908
Zimmermann, J. *see* Gots, P. 88−63887
Zimmermann, J. *see* Salmer, G. 88−64615
Zimmermann, K. One optimization problem with max-min operations 88−18612
Zimmermann, K. ACE: circuit diagram input quickly and simply 88−24867
Zimmermann, K. Operation becomes simpler [circuit CAD] 88−24870
Zimmermann, K.P. Linear feedback models for polarization and magnetization 85−35287
Zimmermann, K.P. On frequency-domain and time-domain phase unwrapping 87−47729
Zimmermann, L. *see* Garvey, E. 87−60297
Zimmermann, M. *see* Ohletz, M.J. 87−67573
Zimmermann, M. *see* Orenstein, M. 88−47227
Zimmermann, O. *see* Kampfer, K. 88−6706
Zimmermann, P. Digital band-pass filter, based on the principle of superposition 85−946
Zimmermann, P. A proposed standard format for RSA cryptosystems 87−7649
Zimmermann, P. *see* Batelaan, P.D. 88−41777
Zimmermann, P. *see* Essen, H. 88−68618
Zimmermann, P. *see* Kobs, G. 88−69953
Zimmermann, P. *see* Quente, J. 88−62812
Zimmermann, P. *see* Waters, J.W. 85−38345
Zimmermann, P. *see* Winnewisser, G. 87−34699
Zimmermann, P.H. *see* Chung, H.K. 85−35626
Zimmermann, P.H. *see* Norton, P.W. 87−49764
Zimmermann, R. Colour and graphics in Bildschirmtext 85−8096
Zimmermann, R. New ways of using cable TV 85−52545
Zimmermann, R. Monolithic integrated bipolar initiator switching circuits B303D, B304D, B305D, B306D 85−55069
Zimmermann, R. Information systems with speech input and output 86−64221
Zimmermann, R. Electronic picture input for videotex systems 86−69369
Zimmermann, R. Torque generation in inverter fed asynchronous machines 87−4701
Zimmermann, R. Fourier analysis of the voltages and currents of asynchronous machines fed with intermediate circuit invertor 87−4703
Zimmermann, R. Rationalisation by means of new information transfer systems 87−34089
Zimmermann, R. Technological trends in office communications systems 88−9147
Zimmermann, R. The gap between the makers offers and the real needs of an office communications system 88−73495
Zimmermann, R. *see* Andrae, W. 86−20294
Zimmermann, R.H. *see* Goela, J.S. 87−4644
Zimmermann, S.K. Low voltage vacuum contactors a good alternative to air break? 87−36078
Zimmermann, S.K. Low-voltage vacuum contactors: a good alternative to air break? 88−50466
Zimmermann, U. Linear and combinatorial sharing problems 87−192
Zimmermann, U. Duality for balanced submodular flows 87−16484
Zimmermann, U. *see* Schubert, I.S. 86−19970
Zimmermann, W. Problems and limits of the applications of gate-turn-off-thyristors 85−5178
Zimmermann, W. Semiconductor stress and output power of voltage-fed inverters with high pulse frequencies at different operating modes 86−12894
Zimmermann, W. Power system planning and calculations 87−42398
Zimmermann, W. On the stability of a multi-motor drive with converter-fed synchronous machines with AC-excitation 88−55640
Zimmermann, W. Invertor drive with sinusoidal machine voltages and vector control 88−75969
Zimmermann, W., Hepp, V., Kellogg, R.G., Schmitt, M., Skuja, A., Backer, A., Grupen, C., Suhr, H., Zech, G., Magnussen, N., Meyer, H. Helium-propane as drift chamber gas 86−32195
Zimmermann, W. *see* Fettback-Heyden, K.-H. 88−17099
Zimmermann, W. *see* Szeless, A. 87−64236
Zimnov, M.Kh. *see* Kyurkchan, A.G. 87−19326
Zimny, P., Jakubiuk, K., Skiba, A. Calculation of the current density distributions in busbars 85−60356
Zimoglyad, V.G. *see* Golubev, V.N. 88−67548
Zimoglyadova, E.A. *see* Verbovetskiy, A.A. 85−29955
Zimokosov, G.A. *see* Zaitsev, V.P. 88−65586
Zimourtopoulos, P., Sahalos, J.N. On the gain maximization of a dual frequency and direction array consisting of wire antennas 85−62915
Zimourtopoulos, P. *see* Demacopoulos, E. 86−54366
Zimov, V.Ye. *see* Rzhiga, O.N. 85−8474
Zimpel, M. *see* Berus, T. 85−12238
Zin Zhijun, Li Chi, Feng Wenqing, Yu Guoliang The measurement of carrier lifetime and interference effect in HgCdTe using optical modulation absorption 88−40050
Zin-ling Zhang *see* Zhang Zin-ling
Zinamon, Z. *see* Markovits, M. 85−34432
Zinamon, Z. *see* More, R.M. 88−2333
Zinamon, Z. *see* Nardi, E. 88−71273
Zinan Lu *see* Lu Zinan
Zinburg, E. *see* Gockenbach, E. 86−12393
Zinchenko, A.I. *see* Filatova, N.A. 88−10285
Zinchenko, A.I. *see* Gus'kov, B.N. 86−60601
Zinchenko, A.I. *see* Voichishin, M.N. 86−60593
Zinchenko, A.N. The K-220-130/3600 steam turbine 86−6569
Zinchenko, B.N., Lyapkalov, Yu.M., Omelayenko, O.L. On the question of ion protection of the cathode of a three-electrode gun 86−27787
Zinchenko, B.N. *see* Artamoshkin, A.N. 85−56963
Zinchenko, E.A., Perova, V.I., Pometun, B.V., Tkachenko, N.N., Serdega, B.K. Transversal photo-EMF in polycrystalline silicon 85−51030
Zinchenko, I.F. *see* Molchanov, A.A. 87−31673
Zinchenko, I.I., Burov, A.B., Vdovin, V.F., Voronov, V.N., Demkin, V.M., Kislyakov, A.G., Krasil'nikov, A.A., Lapinov, A.V., Pirogov, L.E., Shanin, V.N., Yurkov, V.M. Spectral radio astronomical observations in the 2-4 mm wavelength range 88−4143
Zinchenko, M.I., Rubinov, Yu.A., Sosnov, E.N. Radiation transmission losses in a hollow dielectric waveguide 88−26857
Zinchenko, M.I. *see* Bertsev, V.V. 87−26309
Zinchenko, N.S., Afanas'yev, V.I., Sokolova, V.A., Timashov, V.A., Vasilyuk, M.P., Klyuyev, K.N., Chayka, N.V. Study of an electron gun with longitudinal compression in a low vacuum 87−32196
Zinchenko, N.S., Afanas'ev, V.I., Zaitsev, G.D., Sokolova, V.A., Khoroshailo, N.E. High-perveance electron guns with vacuum-tight cermet bodies 86−27782
Zinchenko, S.A., Machusskii, E.A. Design elements and efficiency of the oscillating systems of solid state microwave oscillators 87−65901
Zinchenko, S.A. *see* Diyachenko, S.M. 85−23136
Zinchenko, S.I. *see* Ageyev, A.I. 88−45015
Zinchenko, V.F., Budovskii, V.P., Kudin, V.G., Moizhes, V.M. A hybrid semiconductor electromagnetic relay 86−25647
Zinchenko, V.F. *see* Budovskii, V.P. 86−25650, 87−15384
Zinchenko, V.N. Effect of the air gap on resonant-frequency measurements for electrodeless piezoelectric ceramic plates 87−32778
Zinchenko, V.N., Belova, L.A. Measurement of the thickness of nickel electrodes for piezoelectric elements 88−29319
Zinchenko, V.P. Algorithm for processing radiometric information in betatron flaw inspection 85−49636
Zinchenko, Yu.I. *see* Adamenko, A.I. 87−64597
Zinchik, Yu.S. *see* Vul', A.Ya 87−24983, 87−32361, 88−26986
Zinck, J.J., Brewer, P.D., Jensen, J.E., Olson, G.L., Tutt, L.W. Excimer laser assisted deposition of GaAs, AlAs, and (Al,Ga)As from Lewis acid base adducts 88−38186
Zinck, J.J., Brewer, P.D., Jensen, J.E., Olson, G.L., Tutt, L.W. Excimer laser-assisted metalorganic vapor phase epitaxy of CdTe on GaAs 88−43865
Zinck, J.J. *see* Jensen, J.E. 88−63320
Zinecker, J.R. *see* Richards, W.F. 85−13321
Zinets, O.S., Kil'chitskaya, S.S., Strikha, V.I. Characteristics of solar cells with a Schottky barrier, taking account of currents through surface states 86−19481
Zinevich, A.N. *see* Belova, V.I. 86−11994
Zinevich, A.N. *see* Grushin, V.F. 87−4008
Zingale, A. The semi-custom revolution: how to thrive or survive 85−1705
Zingale, D. *see* Williams, D. 86−46947
Zingales, A. *see* Zingales, G. 86−13983
Zingales, G., Zingales, A. HVDC generators for wet and pollution tests 86−13983
Zingarelli, V. Adaptive multiplication-free transversal equalizers for 16-QAM digital radio systems 85−36912
Zingarelli, V. Adaptive multiplication-free transversal equalizers for 16-QAM digital radio systems 85−42452
Zingarelli, V. *see* Damosso, E. 87−34394, 87−76560
Zingarelli, V. *see* D'Aria, G. 86−30662, 87−3106, 87−8185, 87−39597, 87−40768, 87−62843 to 62844, 88−3841, 88−21948, 88−41546
Zingarelli, V. *see* Dionisi, S. 87−69905
Zingarelli, V. *see* Muratore, F. 86−37810, 86−55275
Zingarelli, V. *see* Palestini, V. 87−76622, 88−60031
Zingarelli, V. *see* Pirani, G. 85−6437, 85−8301, 85−25709
Zinger, B.Kh. Shade generation in a three-dimensional visual scene synthesis system 85−30291
Zinger, B.Kh. Implementation of spatial sorting by priorities 85−30292

Zinger, D. *see* Profumo, F. 88–17611
Zinger, D.S., Novotny, D.W. Automated small signal analysis of AC drive systems 85–32742
Zinger, D.S. *see* Nordin, K.B. 85–27698, 86–7190
Zinger, G.M. *see* Bochkarev, A.E. 85–40505
Zinger, J. *see* Hoogerwerf, A. 85–53764, 86–39940
Zinger, M.N. *see* Plotkin, E.R. 85–38855
Zinger, N.M., Barmina, L.S. Operational modes and control of heat supply in group heating substations of open heat supply systems 87–71936
Zinger, N.M., Bunin, V.S., Vasil'ev, M.K., Baibakov, S.A. Choice of the main parameters of a system of heat supply from nuclear heat and power stations 87–9260
Zinger, N.M., Kononovich, Yu.V., Burd, A.L. Investigation of unsteady mode of supply of heat energy for space heating 85–49205
Zinger, N.M. *see* Sokolov, E.Ya. 87–22116, 87–71934
Zinger, P.C., Dobbs, B., White, E.L., Marchese, M.J., Slenski, G.A. Verification of electronic material properties and characterization of electronic component failures 88–70185
Zinger, V.Sh. *see* Fiskina, M.V. 88–48312
Zingerenko, Yu.A. Analysis of the quantized feedback circuit in unbalanced code repeaters 86–37683
Zingerenko, Yu.A., Oksman, V.A. Nonlinear interference in the compensating amplifiers of balanced-code regenerators 86–49180
Zingerenko, Yu.A. *see* Plotkin, M.A. 87–62946
Zingg, J. *see* Guttuso, J. 88–53555
Zingg, R. *see* Liu, S.T. 86–21868
Zingg, R.P., Neudeck, G.W., Hoefflinger, B., Liu, S.T. Epitaxial lateral overgrowth of silicon over steps of thick SiO_2 87–1748
Zingjiao Li *see* Li Zingjiao
Zingu, E. *see* Zheng, L.R. 85–34635
Zini, A. *see* Bisio, G.M. 88–70829
Zini, G. Basic considerations on static and dynamic performances of very long distance AC transmission systems with voltage support 85–38489
Zini, G. *see* Ercolini, G. 85–38495
Zini, G. *see* Giglioli, R. 86–44951
Zini, G. *see* Longo, A. 86–44868
Zini, G. *see* Paris, L. 86–50957
Zini, L. *see* Romeo, N. 88–38245
Zini, P. *see* Borgonovo, F. 85–63325
Zini, P. *see* Coltelli, P. 88–9210
Zini, P. *see* Rizzo, L. 88–9199
Zini, Q. *see* Bentini, G.G. 86–45705
Zinichev, V.A. *see* Belenov, A.F. 86–42846
Ziniewicz, G. *see* Stallard, B.R. 88–33104
Zinin, E.F., Konovalov, V.V., Dulitskaya, G.M., Panin, A.L. Basic trends in the development and investigation of electrical insulating materials 85–40984
Zinin, E.F. *see* Dulitskaya, G.M. 85–40990
Zinin, E.I. *see* Allsalu, M.-L.Yu. 87–68270
Zinjian, Yi. *see* Mochizuki, K. 85–6009
Zink, E.D. *see* Bair, G.L. 88–74038
Zink, L. *see* Inguscio, M. 88–20757
Zink, L. *see* Scalabrin, A. 86–15619
Zink, L.R. *see* Saykally, R.J. 87–68332
Zink, R.A. *see* Larson, E.T. 88–45029
Zinkann, G. *see* Aron, J. 86–55920
Zinkann, G.P. Operating experience with $\beta=0.16$ superconducting resonators 86–55931
Zinkann, G.P. *see* Shepard, K.W. 85–59027
Zinke, H. Integrated circuits B511N and B589N for cheap temperature measurement 86–52673
Zinke, M. *see* Dammann, H. 86–42310, 87–26100, 87–54133
Zinke, M. *see* Pross, E. 86–9586, 88–65344
Zinke, P. *see* Congalton, R. 88–10575
Zinkiewicz, L. *see* Figueroa, L. 88–8202
Zinkiewicz, L. *see* Niesen, J. 87–75126, 88–14050
Zinkiewicz, L.M. *see* Hong, C.S. 87–75121
Zinkiewicz, L.M. *see* Morrison, C.B. 85–35761, 85–51196, 86–2979, 86–42587, 87–12331, 87–75093
Zinkiewicz, Z. *see* Figueroa, L. 86–15585
Zinkiewizcz, L.M. *see* Figueroa, L. 87–12478
Zinkin, A.A. *see* Gulyaev, I.M. 87–42492
Zinkl, C. Load dispatch system for the Umm Al Nar steam power plant 87–57906
Zin'kovskii, V.N., Nikitenko, A.N. Influence of residual atmosphere on the generation of oscillations in crossed fields 86–21051
Zin'kovskii, V.N., Nikitenko, A.N., Chuprov, Yu.Yu. Influence of residual gases on noise in magnetron oscillator 87–17618
Zin'kovskii, Yu.F., Nelin, E.A. Calculation and optimization of the parameters of fan-shaped surface acoustic wave transducers 87–53855
Zinky, J.A., Etkin, J. Integrating executable models into the network development life cycle 87–34184
Zinlin Zhao *see* Zhao Zinlin
Zinn, B.T. Pulse combustion: characteristics, applications and research needs 87–43475
Zinn, E.-G. *see* Simon, R. 86–23719
Zinn, E.G. *see* Gamst, A. 86–4526
Zinn, E.G. *see* Simon, R. 87–76623
Zinneman, T.E. *see* Timm, R.E. 85–130
Zinner, A. *see* Biallas, R. 87–21587
Zinner, C.R. An alternate approach to digital system modelling for computer simulation 87–36911
Zinner, H. Determining the kinematic parameters of a moving imaging sensor by processing spatial and temporal intensity changes 87–3436
Zinnikas, M.J., Cooper, T.R., Lindsay, P.D., Heidt, R.C., Hubbard, J.D. DS1 facility performance: Digital radio as long-haul technology 88–3832
Zinnikas, M.J. *see* Vijaya Kumar, B.V.K. 87–55264
Zinniker, P. Predicting the reliability of electronic units 85–5822
Zinniker, R. Capacitor backs up CMOS RAMs 85–10979
Zinniker, R. 64K CMOS memory card with capacitor back-up 85–45036
Zinniker, R. Circuit checks remaining battery capacity 87–49602
Zinochenko, A.N. *see* Zhenzhelenko, I.V. 86–25576
Zinov, V.G., Selikov, A.V. Random pulse generator 86–20369
Zinov, V.G., Selikov, A.V. High-speed logic modules with programmable functions [computerised monitoring] 88–67675
Zinov, V.G. *see* Antyukhov, V.A. 86–60637
Zinov, V.G. *see* Boreiko, V.F. 88–68298
Zinov, V.G. *see* Budagov, Yu.A. 88–16024
Zinov, V.G. *see* Dzhelepov, V.P. 88–61136
Zinov, V.G. *see* Filchenkov, V.V. 86–56038
Zinov, V.G. *see* Georgiev, A. 87–49654
Zinov, V.G. *see* Gradets, I. 87–8873
Zinov, V.G. *see* Morozov, V.A. 86–65340
Zinov'ev, A.L., Mikolenko, D.A., Uglov, O.D. Space-time correlation function of interfering reflections of a radar signal 88–35574
Zinov'ev, A.S., Kozorez, V.V., Slavko, G.V. Determination of the position of the potential energy minimum of two coaxial ideally-conducting rings, magnetic interaction 87–61319
Zinov'ev, E.V. Design principles for managing information processes and resources for a computer network 86–59615
Zinov'ev, E.V. Concept of designing an integrated multifunctional network service 87–20176
Zinov'ev, G.G. *see* Lukovnikov, V.I. 85–60460
Zinov'ev, G.S. Some contradictions of power theory 86–70558
Zinov'ev, G.S. A direct method of calculating the effective values of currents in networks with non-sinusoidal voltages 87–50749
Zinov'ev, G.S. On the reactive power of an electric circuit 87–59150
Zinov'ev, G.S. Direct method of calculating power coefficients for single class converters 88–24062
Zinov'ev, K.V. *see* Koledov, L.A. 86–9651
Zinov'ev, N.N., Ivanov, L.P., Kovalev, D.I., Yaroshetskii, I.D. Impact ionization of excitons and shallow impurities in gallium arsenide subjected to crossed electric and magnetic fields 86–53335
Zinov'ev, P.A. *see* Norenkov, I.P. 85–17076
Zinov'ev, V.A., Litsyn, S.N. Shortening of codes 85–19342
Zinov'ev, V.A., Litsyn, S.N. Dual distance of BCH codes 87–75721
Zinov'ev, V.A., Litsyn, S.N. General code shortening construction 88–27793
Zinov'ev, V.B. *see* Zhilkin, V.A. 87–36844
Zinov'ev, V.G., Lapkina, I.A., Slavtsov, K.B., Ufimtsev, V.B., Morgun, A.I. Interaction between impurities in Bi- and Zn-doped InSb epitaxial layers 87–52113
Zinov'ev, V.S. *see* Kurbatov, L.N. 85–10666
Zinov'ev, V.V. *see* Dolinskii, Yu.M. 88–38814
Zinov'eva, K.N. *see* Zabrodskii, A.G. 85–18054, 85–28943
Zinoviev, L.P. *see* Averichev, S.A. 86–44522
Zinoviev, L.P. *see* Buldakovsky, V.N. 86–32036
Zinoviev, L.P. *see* Shelaev, I.A. 85–26621
Zinoviev, V.A. *see* Ericson, T. 88–27766
Zinov'yev, A.G. Analysis of bandpass filters based on coupled circuits 86–34941
Zinovyev, A.N. The software for a communications measurement system with multiple access 86–30197
Zinov'yev, A.N., Shestakov, V.V. A time-delay device for a digital communications system 88–8897
Zins, E. *see* Smith, G., II 87–44078
Zins, E.E., Smith, G., II R&M attributes of VHSIC/VLSI technology 87–46129
Zins, E.E. *see* Smith, G., II 87–44859
Zins, R., Pfeiffer, P.L. Trends of drive developments for the European cement industry market 86–19554
Zinser, G., Erhardt, A., Bille, J. Reconstruction of 3D light microscopic images 85–36319
Zinser, G., Erhardt, A., Komitowski, D., Bille, J. Reconstruction of three-dimensional light-microscopic images 85–36438
Zinser, G. *see* Schmitt, B. 87–48057
Zinser, R.L. An efficient, pitch-aligned high-frequency regeneration technique for RELP vocoders 86–17061
Zinser, R.L., Frey, R.L., Puckette, C.M. Intelligibility tests for digital speech coders with synthetic regeneration during fades 87–28247
Zinser, R.L., Silverstein, S.D., Anderson, J.B. A robust 9.6 kb/s subband coder design for the Rayleigh fading channel 85–20025
Zinser, R.L., Jr., Mirchandani, G., Evans, J.B. Some experimental and theoretical results using a new adaptive filter structure for noise cancellation in the presence of crosstalk 86–14406
Zinser, W. *see* Horchens, H. 86–70998
Zinsli, P. The messaging telephone in the integrated office 85–8016
Zinsmeyer, K. *see* Donaldson, A.L. 87–26666
Zinsmeyer, K. *see* Harjes, H. 85–3976
Zinszner, R. *see* Piguet, C. 86–21625
Zinszner, R. *see* Rijmenants, J. 88–71779
Zinterhof, P. Gratis lattice points for multidimensional integration 87–65416
Zinth, W. *see* Dobler, J. 86–42496
Zinth, W. *see* Nuss, M.C. 85–24615
Zintz, W. Communications software on the move 86–43538
Zinyu Zheng *see* Zheng Zinyu
Zinzindohoue, P. Experimental investigation of energy broadening in thermal field emission electron beams 87–11281
Zinzindohue, P. *see* Troyon, M. 88–50570
Ziober, J. *see* Crisp, J. 86–31917
Ziobro, A. *see* Pradel, W. 87–41270
Ziock, K.-P., Little, W.A. One Tesla rare-earth permanent quadrupole magnet for spin separation of metal clusters 87–46394
Ziogas, M. *see* Boost, M. 87–78790
Ziogas, P. *see* Manias, S. 87–73281
Ziogas, P. *see* Moran, L. 87–78787, 88–30902, 88–54869
Ziogas, P. *see* Vandalec, J.P. 87–73829
Ziogas, P. *see* Vandelac, J.P. 87–44585
Ziogas, P.D., Kang, Y.-G., Stefanovic, V.R. Optimum system design of a three-phase PWM rectifier-inverter type frequency changer 85–32621
Ziogas, P.D., Kang, Y., Stefanovic, V.R. Rectifier-inverter frequency changers with suppressed DC link components 86–45572
Ziogas, P.D., Kang, Y., Stefanovic, V.R. Rectifier-inverter frequency changers with suppressed DC link components 87–30773
Ziogas, P.D., Kang, Y.G., Stefanovic, V.R. PWM control techniques for rectifier filter minimization 85–5259
Ziogas, P.D., Kang, Y.G., Stefanovic, V.R. PWM control techniques for rectifier filter minimization 86–7949
Ziogas, P.D., Kang, Y.G., Stefanovic, V.R. Optimum system design of a three-phase rectifier-inverter type of frequency changer 86–12896
Ziogas, P.D., Khan, S.I., Rashid, M.H. Some improved forced commutated cycloconverter structures 85–27529
Ziogas, P.D., Khan, S.I., Rashid, M.H. Some improved forced commutated cycloconverter structures 86–12897
Ziogas, P.D., Khan, S.I., Rashid, M.H. Analysis and design of forced commutated cycloconverter structures with improved transfer characteristics 86–12938
Ziogas, P.D., Khan, S.I., Rashid, M.H. Analysis and design of forced commutated cycloconverter structures with improved transfer characteristics 87–4791
Ziogas, P.D., Manias, S., Wiechmann, E.P. Application of current source inverters in UPS systems 85–9993
Ziogas, P.D., Wiechmann, E.P. An analysis and design approach for static power converters based on digital simulation 86–39970
Ziogas, P.D., Wiechmann, E.P., Stefanovic, V.R. A computer aided analysis and design approach for static voltage source inverters 85–32620
Ziogas, P.D., Wiechmann, E.P., Stefanovic, V.R. A computer-aided analysis and design approach for static voltage source inverters 86–7895
Ziogas, P.D. *see* Boost, M. 87–22581
Ziogas, P.D. *see* Boost, M.A. 88–55440
Ziogas, P.D. *see* Enjeti, P. 87–43221, 88–30670 to 30671, 88–62444
Ziogas, P.D. *see* Khan, S.I. 86–51790, 87–30753, 87–43223, 87–78767, 88–30889
Ziogas, P.D. *see* Manias, S. 86–12937, 86–26136, 86–45570, 86–45592, 86–46570, 87–22520, 87–30777, 87–43238, 87–64692, 87–73303, 88–6658, 88–69593
Ziogas, P.D. *see* Prasad, A.R. 88–30897, 88–55508, 88–75722
Ziogas, P.D. *see* Salazar, L. 87–73316
Ziogas, P.D. *see* Vandelac, J.-P. 88–75721
Ziogas, P.D. *see* Weichmann, E.P. 87–51346
Ziogas, P.D. *see* Wiechmann, E.P. 85–5262, 85–15543, 86–7950, 86–45550
Ziolkowki, R.W. New electromagnetic effects associated with cavity-backed apertures 88–969
Ziolkowska-Pawlak, B. *see* Turlo, J. 85–55481
Ziolkowski, A. Deconvolution 86–23
Ziolkowski, A.M. *see* Unger, R. 87–42208
Ziolkowski, M. *see* Gratkowski, S. 87–43033
Ziolkowski, M. *see* Klamka, J. 85–1030
Ziolkowski, M. *see* Lipinski, W. 85–53658

Ziolkowski, M. *see* Sikora, R. 85−9882, 85−35958, 85−38967, 85−56932, 86−3416, 86−66031
Ziolkowski, M. *see* Tworog, J. 85−1031
Ziolkowski, R. Tribological wear of contact coatings. Basic processes and test methods 88−31900
Ziolkowski, R.W. New electromagnetic resonance effects associated with cavity-backed apertures 87−66496
Ziolkowski, R.W., Deschamps, G.A. Asymptotic evaluation of high-frequency fields near a caustic: an introduction to Maslov's method 85−2568
Ziolkowski, R.W., Grant, J.B. Vortex formation near an iris in a rectangular waveguide 87−19242
Ziolkowski, R.W., Grant, J.B. Scattering from cavity-backed apertures: the generalized dual series solution of the concentrically loaded *E*-pol slit cylinder problem 87−61348
Ziolkowski, R.W., Johnson, W.A. Pseudodecoupling ansatz for electromagnetic aperture coupling in three dimensions 87−54528
Ziolkowski, R.W., Johnson, W.A., Casey, K.F. Applications of Riemann-Hilbert problem techniques to electromagnetic coupling through apertures 85−24705
Ziolkowski, R.W. *see* Schmucker, R.F. 88−2648
Ziolo, Z. Protection against the damage caused by two-phase working [motors] 87−22232
Ziomek, L.J. Linear time-invariant space-variant filters and the parabolic equation approximation 85−57042
Ziomek, L.J., Blount, R.J., Jr. Underwater acoustic model-based signal processing 88−14679
Ziomek, L.J., Chan, F. Frequency domain adaptive beamforming for planar arrays 88−2700
Ziomek, L.J., Vos, J. Linear time-invariant space-invariant filters and the WKB approximation 86−10408
Zioutas, K. *see* Adiels, L. 86−44602
Zioutas, K. *see* Schiltz, A. 85−43159
Zipay, J.W. *see* Roseke, S.B. 85−23958
Ziperovich, P. *see* Palmer, D. 88−57932
Zipfel, C.L. *see* Chin, A.K. 85−56452
Zipfel, C.L. *see* King, W.C. 85−56451
Zipfel, C.L. *see* Saul, R.H. 85−56449
Zipfl, P. *see* Lieberoth-Leden, B. 88−19629
Zipfl, P. *see* Pfeiffer, W. 88−20182
Ziph, B. *see* Meijer, R.J. 86−33804, 86−40362
Ziph-Schatzberg, L. *see* Agam, U. 88−47228
Zipin, H. *see* Lubezky, I. 87−44392
Zippe, W., Weissing, H. New diagnostic vibration meter based on parameter K 87−3768
Zippel, R. *see* Katzenelson, J. 88−57792
Zippel, R. *see* Sodini, C. 87−73455
Zippel, R.E., Penfield, P., Jr., Glasser, L.A., Leiserson, C.E., Wyatt, J.L., Jr., Leighton, F.T., Allen, J. Recent results in VLSI CAD at MIT 87−38439
Zippel, R.E. *see* Clark, G.C. 86−40861
Zippel, R.E. *see* Wade, J.P. 88−6938
Zipperian, T.E. A survey of materials and device technologies for high-temperature (t>300°C), power semiconductor electronics 87−45843
Zipperian, T.E., Brennan, T.M., Hammons, B.E. GaAs/(Al,Ga)As, heterojunction bipolar transistors and semiconductor controlled rectifiers for high-temperature (*T*>300°C), power semiconductor electronics 88−33164
Zipperian, T.E., Dawson, L.R. A GaP/(Al,Ga)P, heterojunction, semiconductor controlled rectifier for high-temperature electronic applications 86−53615
Zipperian, T.E., Dawson, L.R., Barnes, C.E., Wiczer, J.J., Osbourn, G.C. InGaAs/GaAs, strained-layer superlattice (SLS), junction photodetectors, LEDs, injection lasers, and FETs for optoelectronic IC applications 85−51073
Zipperian, T.E., Dawson, L.R., Drummond, T.J., Schirber, J.E., Fritz, I.J. GaAs/(In,Ga)As, *p*-channel, multiple strained quantum well field-effect transistors with high transconductance and high peak saturated drain current 88−39498
Zipperian, T.E., Drummond, T.J. Strained-quantum-well, modulation-doped, field-effect transistor 85−61922
Zipperian, T.E., Drummond, T.J. A GaAs/$In_{0.25}Ga_{0.75}As$/GaAs modulation-doped, single, strained quantum-well FET 86−53677
Zipperian, T.E., Drummond, T.J., Fritz, I.J. Operation of a p-channel, GaAs/(In,Ga)As, strained quantum well field-effect transistor at 4 K 88−39534
Zipperian, T.E. *see* Bulman, G.E. 85−56444, 86−11590, 86−48261, 86−63702, 87−2031
Zipperian, T.E. *see* Dawson, L.R. 86−2990
Zipperian, T.E. *see* Drummond, T.J. 87−1503, 88−57344
Zipperian, T.E. *see* Gourley, P.L. 86−63074, 86−68363, 87−77285, 88−7966, 88−65454
Zipperian, T.E. *see* Hughes, R.C. 87−70573, 88−74898
Zipperian, T.E. *see* Kurtz, S.R. 88−51672
Zipperian, T.E. *see* Martin, S.J. 86−55648, 87−49991, 88−60989
Zipperian, T.E. *see* Myers, D.R. 86−67791, 87−25075
Zipperian, T.E. *see* Osbourn, G.C. 88−16110
Zipperian, T.E. *see* Picraux, S.T. 85−45537
Zipperian, T.E. *see* Ricco, A.J. 86−50074
Zipperian, T.E. *see* Schirber, J.E. 85−61742
Zipperian, T.E. *see* Wiczer, J.J. 85−24398, 85−35623
Zipse, D.W. Grounding for process control computers and distributed control systems−the National Electrical Code and present grounding practice 86−39953
Zipser, E.J. *see* Augustine, J.A. 87−63940
Ziqiang Zhu *see* Zhu Ziqiang
Zirath, H. High-frequency noise and current-voltage characteristics of MM-wave platinum n-n^+-GaAs Schottky barrier diodes 87−1478
Zirath, H., Nilsen, S., Kollberg, E., Andersson, T., Kelly, W. Noise in microwave and millimeter-wave Pt-GaAs Schottky diodes 85−15020
Zirath, H. *see* Jelenski, A. 85−17879
Zirath, H. *see* Kollberg, E.L. 87−6461
Zirath, H.H.G. *see* Jelenski, A. 87−18069
Zirger, A.J., Jr. *see* Barrett, A.J. 87−23055
Zirger, B.J. *see* Maidique, M.A. 85−16674
Zirilli, F. *see* Aluffi-Pentini, F. 85−28187 to 28188
Zirin, H. *see* Hurford, G.J. 85−31137
Zirino, A. *see* Fuhrmann, R. 88−48329
Zirka, S.E. Equivalent circuits for pulse transformers without ferromagnetic cores 87−59927
Zirka, S.E. *see* Vdovin, S.S. 87−11089, 87−45327
Zirka, S.Ye., Moroz, Yu.I. Calculation of pulse correction circuits in a pulse generator 86−20375
Zirka, S.Ye., Moroz, Yu.I. Transients in an artificial line with mutual inductances 86−46642
Zirka, S.Ye. *see* Vdovin, S.S. 88−44089
Zirkes-Falco, M.B., Baer, D.A., Engleman, J.H., Bogner, R.S., Pickett, D.F., Jr. Prediction model for life of nickel cadmium geosynchronous orbit satellite batteries 87−43382
Zirkle, T.E., Backus, C.E., Schroder, D.K. The role of base electric field in enhancing the superlinearity in Si concentrator cells 88−37578
Zirkle, T.E., Dondero, R.C., Backus, C.E., Schroder, D.K. The superlinear behavior of short-circuit current in silicon concentrator cells at concentrations up to 1400 suns 88−18018
Zirkle, T.E. *see* Dondero, R.C. 87−16049
Zirkovits, E. The generators [Rabenstein hydro power station] 88−23778
Zirn, W. PLC for beginners. V. PLC software provision from the logic of switches and contact plans 87−10787
Zirn, W. PLC for beginners. VI. PLC software production for timers and for their application circuits 87−37091
Zirngibl, M., Sachot, R., Baer, W., Ilegems, M. High sensitive and fast photodetectors at 820 nm 88−74405
Zirong Yang *see* Yang Zirong
Zironi, F. The Trefftz-Fichera method using semigroups. Power-type potential 85−28176
Zirwick, K. Extended VHF-UHF receiver family ESM 500 86−30902
Zirwick, K. ESM 1001−much more than just a VHF-UHF receiver 87−13614
Zisa, M. *see* Pellicano, R. 88−75989
Zischank, D. Coupling of several camera heads LKK 25 with a CCD-line camera ZFK 1021 87−70414
Zischank, W. The influence of building materials on the proximity of lightning discharge conductors 86−32820
Zischank, W. The influence of materials on the impulse voltage strength of proximities of lightning strokes 86−52586
Zischank, W. Material erosion and impulse operation methods of isolated spark paths during direct lightning strokes 86−56501
Zishang Ding, Gaorong Han Comparison of a-Si:H from plasma deposition and chemical vapour deposition 88−43923
Zishao Yang An achromatic holographic imaging system free from Seidel aberrations 88−51958
Zisk, S.H. How an edge looks to a camera 87−49558
Zisk, S.H., Witttels, N. Camera edge response 88−52553
Zisk, S.H. *see* Wittels, N. 87−51610
Ziska, M., Shivaraman, M.S., Engstrom, O. MNMOS as optical charge storage devices 87−12264
Ziska, M. *see* Csabay, O. 85−61754, 86−67765
Ziska, M. *see* Harmatha, L. 87−1313
Ziskind, I., Wax, M. Maximum likelihood estimation via the alternating projection maximization algorithm 87−62114
Ziskind, I. *see* Wax, M. 88−73128
Zislis, P.M. *see* Martersteck, K.E. 86−54650
Zisman, A.N. *see* Zanevskii, Yu.V. 88−36370
Zisman, L.M. Approximate allowance for transients in modeling of sampled-data control systems [power plant control] 86−12534
Zisman, M. Good fits, bad fits and misfits [document interchange technology] 85−25373
Zisman, M. *see* Bisognano, J. 86−70268
Zisman, M.S. ZAP and its application to the optimization of synchrotron light source parameters 88−47855
Zisman, M.S. *see* Bisognano, J. 86−31945
Zisman, M.S. *see* Chattopadhyay, S. 88−47955
Zisman, M.S. *see* Cornacchia, M. 87−2146
Zisman, M.S. *see* Jackson, A. 87−19015
Zisman, M.S. *see* Selph, F. 88−47960
Zisserman, A., Saunders, R., Caldwell, J. A Legendre polynomial BEM for axisymmetric coil systems including iron 86−42803
Zisserman, A., Saunders, R., Caldwell, J. The effects of iron on the fields of axisymmetric conductors using a Legendre polynomial approach 87−33369
Zisserman, A., Saunders, R., Caldwell, J. Analytic solutions for axisymmetric magnetostatic systems involving iron 88−27431
Zisserman, A. *see* Blake, A. 86−37168, 87−62185
Zisserman, A. *see* Caldwell, J. 85−1838, 85−24766
Zisserman, A. *see* McCauley, C.J. 88−52079
Zisu, T. Accurate distance marker [pulse generator] 86−40965
Zisu, T. Programmable attenuators application in optoelectronic receivers 88−8066
Zisu, T. *see* Barbonie, T. 85−20273
Zitelli, L. *see* Seppi, E. 87−4030
Zitkovic, P. *see* Milicevic, D. 85−21568
Zitny, K. *see* Marek, I. 87−36670
Zito, G. *see* Albrizio, R. 88−74766
Zito, G. *see* Bagliesi, G. 88−48025
Zito, G. *see* Baldini, R. 87−8865
Zito, G. *see* Catanesi, M.G. 86−60606
Zitouni, K., Kadri, A., Aulombard, R.L. Effect of hydrostatic pressure and alloy composition on sulfur- and selenium-related impurity states in heavily doped *n*-type $Ga_xIn_{1-x}Sb$ 87−1196
Zitser, B.S. The nuclear plant problem needs a federal solution 85−21098
Zitser, M.M., Tamazov, A.I. Measurement of power losses in EHV lines 86−65700
Zitser, M.M. *see* Emel'yanov, N.P. 87−15225
Zitta, H. *see* Koroncai, A. 88−56440
Zitterbart, J. What do loudspeakers really deliver? 88−41900
Zitterbart, M. *see* Zieher, M. 88−73660
Zitti, E.Di *see* Di Zitti, E.
Zitzen, S. *see* Bergstein, H. 88−61130
Zitzer, M.M. *see* Emelyanov, N.P. 86−51027
Ziuchkovski, M.V. *see* Barrow, W.A. 87−3684
Ziv, A. *see* Gal, S. 85−22318
Ziv, J. On universal quantization 85−57181
Ziv, J. Complexity and coherence of sequences 85−62951
Ziv, J. Universal decoding for finite-state channels 86−3719
Ziv, J. On classification with empirically observed statistics and universal data compression 88−66249
Ziv, J. *see* Lempel, A. 86−48970
Ziv, J. *see* Ozarow, L. 87−54805
Ziv, J. *see* Wolf, J.K. 85−2749
Zivanic, J., Mitrakovic, B. The influence of magnetic induction in air gap on the geometry of the universal motor rotor 85−65278
Zivanovic, G., Zavaljevski, A., Ristic, B. Signal processor based demodulator: a step towards all digital HF receiver 86−27163
Zivanovic, G. *see* Zavaljevski, A. 86−29943
Ziviani, N. *see* Luna, H.P.L. 88−14848
Zivic, A. *see* Jelenkovic, E. 87−66193
Zivic, A. *see* Zivic, Z. 85−35192
Zivic, Z. Digitization schemes in the ISDN integrated service digital network 85−30584
Zivic, Z., Zivic, A., Stojadinovic, N. A new CMOS IC structure and its characterization 85−35192
Zivitz, M. *see* White, L.S. 85−794
Zivkovic, G. *see* Whittle, A. 87−76100
Zivkovic, R. *see* Marinovic, N. 86−12772
Zivkovic, V. Laser interferometer application for testing line measures and gauge blocks 85−43094
Zivkovic, Z., Markovic, A. Third harmonic injection increasing the efficiency of high-power HF amplifiers 86−30970
Zivkovic, Z., Markovic, A. Increasing the efficiency of the high-power triode HF amplifier−why not with the second harmonic? 86−52700
Zivkovic-Dzunja, Z., Markovic, A. Optimal design of the high-power plate and grid modulated HF amplifier by high modulation levels 87−59194
Zivkovic-Dzunja, Z., Markovic, A. The drive-wave shape influence on the class C tuned HF high-power amplifiers 87−59195
Zivlak, B. Ice coating of conductors in Vojvodina during the period 1981-2 85−32196
Zivonjnovic, V.E. *see* Matic, S. 87−54949
Ziwen Shao *see* Shao Ziwen
Zixian Zhang *see* Zhang Zixian
Zixin Lin *see* Lin Zixin
Zixing Cai Power thyristor starter for aircraft engine 86−12943
Ziyao Chen *see* Chen Ziyao
Ziying Zha *see* Zha Ziying
Ziyou He *see* He Ziyou
Ziyu Chen *see* Chen Ziyu
Ziyu Wu *see* Wu Ziyu
Zizek, F. Braking of an induction traction motor with a current inverter 85−9868

Zizek, F. *see* Kurka, J. 88—58045
Zizek, F. *see* Peceny, J. 87—22208
Zizic, O., Stojic, M., Stosic, B. Hall effect and electrical resistivity in the paramagnetic region of $Hg_{1-x}Mn_xSe$ crystals 85—55503
Zizka, G. *see* Leskovar, B. 87—41373
Zizka, G. *see* Turko, B.T. 87—50254
Zizka, T. *see* Firet, P. 87—70509
Zizong Xu *see* Xu Zizong
Zizur Rhama, B.M., Davies, J.B. Penalty function improvement of waveguide solution by finite elements 85—2633
Zizzi, S. Automating artwork generation 87—45395
Zizzo, A. *see* Corbi, L. 88—30572
Zizzo, C. Optical circulator for fiber-optic transceivers 87—74661
Zizzo, C. *see* De Silvestri, S. 88—58632
Zkoutajan, M. Measurements and testing of protective devices against dangerous contact voltages in factory farms 85—22184
Zlabinger, H. *see* Hebenstreit, E. 88—44743
Zlahtic, F., Podlesnik, B., Panter, F. Behaviour of variables of states in the electric power system of Slovenia 85—9419
Zlamal, M. Finite element solution of the fundamental equations of semiconductor devices. I 86—35632
Zlamal, M. Finite element solution of the fundamental equations of semiconductor devices 87—38177
Zlamal, M. *see* Cermak, L. 87—5312
Zlamal, W. CMOS for high-density gate arrays 85—11156
Zlamal, W. Gate arrays: printed conductors as a last step 85—11177
Zlatanovici, D. Thermal limits in the continuous, under-excited duty of hydrogenerators 86—56696
Zlatanovici, D. Considerations regarding the operation of the national grid generators in under-excited duty 86—70855
Zlatanovici, D. The operation of high power turbogenerators in asynchronous regime during loss of excitation 87—72145
Zlatanovici, D., Balan, G., Engster, F. Determination of the insulation state of electric generator stator windings using prophylactic measurements 85—5043
Zlatarov, V.K., Ivanov, R.M., Mikhov, G.S., Nedel'chev, N.M., Dinov, R.V. Microprocessor systems for the design of amplifiers in the dialog regime 85—17174
Zlatarski, I. *see* Filljov, K. 88—69875
Zlatev, M.P., Nicolov, Z.A., Ivandjiiski, V.I., Vachkov, P.I. Some problems of modelling and optimization of invertor—convertor transformers 86—41368
Zlatev, Z. Application of predictor-corrector schemes with several correctors in solving air pollution problems 85—22427
Zlatev, Z. General scheme for solving linear algebraic problems by direct methods 85—33351
Zlatev, Z. Mathematical model for studying the sulphur pollution over Europe 85—59506
Zlatev, Z. Variable stepsize variable formula methods based on predictor-corrector schemes 86—358
Zlatev, Z. A survey of the advances in the exploitation of the sparsity in the solution of large problems 88—11907
Zlatev, Z., Nielsen, H.B. Solving large and sparse linear least-squares problems by conjugate gradient algorithms 88—43830
Zlatev, Z., Wasniewski, J., Schaumburg, K. Exploiting the sparsity in the solution of linear ordinary differential equations 86—13692
Zlatic, V.Z. *see* Bosan, D.A. 88—71265
Zlatilova, P., Balkanov, I., Geronov, Y. Thin foil lithium-aluminium electrode. The effect of thermal treatment on its electrochemical behaviour in nonaqueous media 88—69672
Zlatin, D.R. *see* Ferguson, I.A. 88—73496
Zlatkin, A.A. *see* Baidak, A.F. 86—16286
Zlatkin, A.A. *see* Pukhov, G.E. 86—62664, 88—57874
Zlatkin, A.T. *see* Lube, E.L. 87—354
Zlatopol'skii, A.A. Image segmentation along discontinuous boundaries 86—54488
Zlatoustov, V.A. *see* Sarychev, V.A. 86—12085
Zlatov, J.M. *see* Alexeev, N.N. 86—31903
Zlatovsky, I. The use of the 8253 circuit for interfacing the MT 100 type digital voltmeter to a computer 87—56506
Zlatovsky, I. A parametric stabiliser of DC current 88—32004
Zlatovsky, I. *see* Longauer, M. 88—15973
Zlebek, S. Traction alternator for a combined power transmission in diesel-electric locomotives 86—26370
Zlebir, S. Control of stability of magnetic steel strips 85—53366
Zlenko, A.A. *see* Devyatykh, G.G. 85—18152
Zlenko, A.A. *see* Zhuk, B.V. 86—22209, 86—28966, 88—51683
Zlenko, O.V. *see* Kozina, N.V. 88—55110
Zlenko, V.K. *see* Devyatykh, G.C. 85—16936
Zlobec, S. Two characterizations of Pareto minima in convex multicriteria optimization 85—22339
Zlobec, S. Input optimization. I. Optimal realizations of mathematical models 85—33308
Zlobec, S. Characterizing an optimal input in perturbed convex programming: corrigendum 86—66750
Zlobec, S. Regions of stability for ill-posed convex programs: an addendum 87—190
Zlobec, S. *see* Semple, J. 86—46226
Zlobin, A.V., Filimonov, G.F. Estimating the maximum efficiencies of klystrons 87—17610
Zlobin, A.V. *see* Andreyev, N.I. 86—53933
Zlobin, A.V. *see* Gertsev, K.F. 88—65034
Zlobin, V.A., Kolomeitsev, M.I., Naumov, A.E. Investigation and simulation of alloy profiles for the ion implantation of boron in monocrystalline silicon over a wide concentration range 87—60276
Zlobin, V.A. *see* Bogorodskii, O.V. 86—35666
Zlobin, Yu.L. *see* Vishnevskii, A.V. 85—9079
Zlobina, R.D. *see* Tskhvirashvilin, D.G. 86—33268
Zlochin, I.Kh. *see* Rozenson, A.E. 87—33279
Zlomanczuk, J. *see* Abashidze, L.I. 86—25133, 86—60633
Zlomanov, B.P. *see* Golovanova, N.S. 86—28132
Zlomanov, V.P. *see* Aytikeeva, T.D. 86—58278
Zlomanov, V.P. *see* Krylyuk, O.N. 87—23660
Zlomanov, V.P. *see* Kuznetsov, V.L. 86—34279
Zlomanov, V.P. *see* Varavin, V.S. 88—39099
Zlomnczuk, J. *see* Budilov, A.A. 86—44588
Zlonkiewicz, Z. *see* Janowski, T. 85—32839
Zlonkiewicz, Z. *see* Ratajewicz, Z. 85—34254
Zlotnik, I.Ya. *see* Kureichik, K.P. 88—67728
Zlotnik, M.A. Applying electro-tactile display technology to fighter aircraft—flying with feeling again 88—68557
Zlotov, A.V. *see* Avetisyan, D.A. 86—34453
Zmasek, R. *see* Schulze, B. 88—18819
Zmatlo, M. *see* Kripsky, A. 88—43065
Zmaznev, E.M., Abramov, A.I. Communications terminal with synchros and its use for control systems for active zones in an atomic power plant 85—48697
Zmaznev, E.M. *see* Val'denberg, Yu.S. 85—21279
Zmeskal, O. *see* Nespurek, S. 85—12007
Zmeskal, O. *see* Salyk, O. 88—24781
Zmeskal, O. *see* Schauer, F. 87—24804
Zmievskii, O.N. *see* Alimov, A.K. 88—55761
Zmievskoi, G.N., Krobka, N.I. Effect of spatial fluctuations of the parameters of the active medium on the operation of a travelling-wave gas optical amplifier 86—29068
Zmigrodzki, W. Origins and production development of high voltage equipment in Poland 88—62528
Zmija, J., Majchrowski, A. New piezoelectric and acoustooptic materials 86—53839
Zmija, J. *see* Opara, T. 87—14575
Zmija, J. *see* Warkocki, S. 88—4862
Zmitruk, V.F. *see* Sorokin, V.L. 86—26955
Zmiyevskiy, V.V. *see* Kondratenko, A.P. 86—29887
Zmood, R.B. Motional eddy currents in a non-magnetic conducting laminate backed with an iron substrate 85—46529
Zmood, R.B., Anand, D.K., Kirk, J.A. The influence of eddy currents on magnetic actuator performance 87—43322
Zmood, R.B. *see* Anand, D.K. 87—42054
Zmud, R.W. *see* Link, A.N. 86—40435
Zmuda, E.I., Say, D.L., Lucchesi, B.F. The conical field focus (CFF) electron lens—a new dimension in color electron optics 85—40407
Zmuda, H. Computer aided design of broadband matching networks with optimal delay characteristics 88—49980
Zmuda, H. *see* Carlin, H.J. 86—9532, 87—32957
Zmuda, K. *see* Popczyk, J. 86—12455
Zmudzin, S., Chichocki, J., Fiok, A., Krolak, S., Slowikowski, A. Automated system for measurements of quartz resonator parameters 86—47938
Zmudzin, S., Fick, A.J., Cichocki, J. Use of a-prior information for intelligent testing of multiresonance elements 86—60143
Zmudzin, S. *see* Fiok, A. 86—5455
Zmudzin, S. *see* Fiok, A.J. 87—60724
Zmudzin, S.S. Method of automated measurements of unwanted resonances in quartz resonators 86—47937
Zmudzinksi, C.A. *see* Givens, M.E. 88—63301
Zmudzinski, C.A., Givens, M.E., Bryan, R.P., Coleman, J.J. Nonplanar index-guided quantum well heterostructure periodic laser array 88—72306
Zmudzinski, C.A., Mawst, L.J., Givens, M.E., Emanuel, M.A., Coleman, J.J. Phase locked narrow zinc diffused stripe laser arrays 86—58913
Zmudzinski, C.A. *see* Baillargeon, J.N. 88—72307
Zmudzinski, C.A. *see* Givens, M.E. 87—33145
Zmudzinski, C.A. *see* Leopold, M.M. 87—61136
Zmudzinski, C.A. *see* Mawst, L.J. 86—3138, 86—54130, 87—18966 to 18967, 87—36770, 87—68454
Zmudzinski, C.A. *see* Zory, P.S. 86—42540, 86—63805
Zmudzki, B. *see* Majkowshi, I. 85—1805
Zmudzki, L. *see* Zagala, M. 88—75871
Znamenskaya, E.M. *see* Bryskin, V.Z. 86—36604
Znamenskaya, E.M. *see* Smaev, V.P. 87—26569
Znamenskiy, A.Ye. Design of coupled-circuit filters using a microcomputer 87—66314
Znamenskiy, A.Ye., Kovalenko, Yu.F. A method of designing microwave AFR and PFR equalizers 86—47026
Znamenskiy, A.Ye., Nesterov, M.I. Design of matched transformers for microwave power amplifiers 86—35083
Znamenskiy, A.Ye. *see* Gritskiv, R.D. 88—25306
Znamirowski, W. *see* Molenda, J. 87—74023
Znamirowski, Z., Martan, J. SiO_2 layer implanted with N_2^+ ions as a negative inorganic resist for ion beam lithography 85—45757
Znati, T., Ni, L.M. A prioritized multiaccess protocol for distributed real-time applications 88—8914
Znati, T., Ni, L.M. Performance modeling of distributed multiaccess protocols 88—52654
Znatnov, E.V., Korolev, V.D., Matveev, V.V., Prut, V.V., Smirnov, V.P., Chernenko, A.S. MIR—a high-power X-ray source 86—44614
Znojkiewicz, M.E. 8 GHz low noise bias tuned VCO 85—17875
Znojkiewicz, M.E., Vassilakis, B. Phase transients in digital radio local oscillators 87—76553
Znotins, T. Industrial applications of excimer lasers 87—75292
Znotins, T. Industrial applications of excimer lasers 88—8379
Znotins, T., Poulin, D., Reid, J. Ablation of organic materials with excimer lasers 88—20817
Znotins, T. *see* Petra, R. 88—24058
Znotins, T. *see* Poulin, D. 88—71221
Znotins, T.A. Excimer lasers: an emerging technology in semiconductor processing 87—2250
Znotins, T.A. Excimer lasers: new vistas in semiconductor processing 87—32373
Znotins, T.A., Fisher, C.H., DeHart, T.E., McDaniel, J.P., Ewing, J.J. High efficiency 3-J mercury bromide discharge laser 85—24442
Znotins, T.A., Poulin, D., Reid, J. Excimer lasers: an emerging technology in materials processing 87—75273
Znotins, T.A. *see* Brimacombe, R.K. 85—35670
Znotins, T.A. *see* Kushner, M.J. 85—12772, 85—41318
Znov, A.M. *see* Kononenko, E.V. 87—46393
Zo-Yi Lee *see* Weiguang Wen 85—46018
Zoabi, H. *see* Dinstein, I. 88—45710
Zobel, M. *see* Aschmoneit, F. 85—48575, 85—59690
Zobel, R.N. Digital filter design, simulation and evaluation software for PC based systems 87—45117
Zobel, R.N., Tang, P.S. A high performance multi-channel decimating FIR digital filter system for microprocessor based data acquisition 86—62757
Zobel, W. Determination of radioactivity distribution in nuclear power plant systems 86—25721
Zobin, D. *see* Chang, Y.F. 87—78372
Zobniw, L.M. *see* King, J. 85—44958
Zobniw, L.M. *see* Young, D.C. 85—28477 to 28478, 85—40001
Zoboli, M. *see* Bassi, P. 88—33658
Zobrist, A.L. *see* Bryant, N.A. 86—18544
Zobrist, G.J. *see* Deel, J.C. 88—60578
Zobrist, G.W., Bertnolli, E.C. Design and implementation of a university linkage program involving Brazil and the USA 87—23072
Zobrist, G.W. *see* Leonard, J.V. 88—48269
Zobrist, H. Telephone traffic forecasts for the planning of groups of junction lines 85—36620
Zobrist, H. Telephone traffic forecast for the planning of groups of junction lines 86—4083
Zocchi, F. A new class of thermionic electron emitters: cesium tungsten bronzes Cs_xWO_3 85—11831
Zoccola, A. *see* Pinciroli, F. 85—53065
Zoch, C.G., Bahram, N.K. The MC 68020 bus 87—37324
Zoch, C.K., Bahram, N.K. 68020 dynamically adjusts its data transfers to match peripheral ports 85—22914
Zoch, D.R. *see* Skapura, D.M. 87—40314
Zochbauer, M. The ultraviolet photometer 'Radas' as a monitor of processes 85—20619
Zoche, P. *see* Saage, D. 88—59442
Zocher, A.G. *see* Merkelo, H. 88—40069
Zocher, K.-P., Liebe, R., Blankenburg, W. Analysis of the manufacturing process and application of industrial robot systems in the precision mounting of components 85—28044
Zocholl, R. *see* Krauss, K.-H. 85—24410
Zochovec, S.V. *see* Habovick, P. 86—27862
Zochowski, A. A variational interpretation of homogenization and its extensions 86—66660
Zochowski, K. Arrangements for automatic welding by the MIG/MAG method 86—19667
Zocola, A. *see* Moody, G.B. 87—21582
Zoda, H. *see* Konishi, T. 86—55423
Zodl, J. Designing an active low-pass RC-filter for sharp bands-separation 85—917
Zodl, J. Selected problems of symmetrical and control amplifiers in the AF range 85—39930

Zodl, J. Synthesis of amplifiers with transformerless symmetric output, resistant to short circuit 87−37018

Zodl, J. Synthesis of digital processor for sound mixing consoles 87−56437

Zoeller, R. *see* Heaney, J.B. 88−24257

Zoeller, R.G. *see* Moller, K.D. 88−60775

Zoepfl, F.J. *see* Abbott, E.C. 85−43706

Zoerner, G. *see* Fiene, E. 87−76414

Zoerner, W.E. *see* Joyce, J.C. 85−27286

Zoestbergen, P. *see* Poorter, T. 85−50566

Zoete, J.M.M.de *see* de Zoete, J.M.M.

Zoetelief, J., Schlegel-Bickmann, D., Schraube, H., Dietze, G. Characteristics of Mg/Ar ionisation chambers used as gamma-ray dosemeters in mixed neutron-photon fields 87−21698

Zogalla, H.P. A custom VLSI solution for MIL-STD-1553 B 87−73513

Zogbi, R., Laplaze, D. Design and construction of a sun tracker 85−26319

Zogg, A. Multipath delay spread in a hilly region at 210 MHz 88−34296

Zogg, A. Multipath delay spread in a hilly region at 210 MHz 88−58866

Zogg, A., Debrunner, W.E. Measurement of ground reflections at VHF band 88−53439

Zogg, A. *see* Debrunner, W.E. 87−40665

Zogg, H. Strain relief in epitaxial fluoride buffer layers for semiconductor heteroepitaxy 87−5404

Zogg, H., Blunier, S. Molecular beam epitaxial growth of high structural perfection CdTe on Si using a $(Ca,Ba)F_2$ buffer layer 87−23621

Zogg, H., Huppi, M. Growth of high quality epitaxial PbSe onto Si using a $(Ca,Ba)F_2$ buffer layer 85−54448

Zogg, H., Maier, P., Melchior, H. Graded IIa fluoride buffer layers for heteroepitaxy of lead chalcogenides and CdTe on Si 87−36739

Zogg, H., Norton, P. Heteroepitaxial PbTe-Si and (Pb, Sn)Se-Si structures for monolithic 3-5 μm and 8-12 μm infrared sensor arrays 86−49990

Zogg, H., Vogt, W., Melchior, H. Hetero-epitaxial narrow-band semiconductor structures on silicon for use in infrared sensors [photodiodes] 85−39722

Zogg, H., Vogt, W., Melchior, H. MIS capacitors on BaF_2/PbSe layers and epitaxial Si/BaF_2/PbSe structures for IR detection 85−40528

Zogg, H., Vogt, W., Melchior, H. Growth of heteroepitaxial lead chalcogenide infrared detector arrays on fluoride covered silicon substrates 87−16644

Zogg, H., Vogt, W., Melchior, H. Heteroepitaxial IV-VI infrared sensors on Si substrates with fluoride buffer layers 87−29126

Zogg, H., Vogt, W., Melchior, H. Growth and applications of heteroepitaxial narrow gap IV-VI infrared detectors on silicon 87−41525

Zogg, H. *see* Vogt, W. 85−50339

Zoglin, P. *see* Gordon, J.M. 87−15599

Zographos, S. Future trends and complexities in network management and control 85−83

Zographos, S. An annotated bibliography of micro/mainframe links 87−28141

Zographos, S. OSI and SNA 88−15119

Zographos, S. *(editor)* Micro/mainframe links. State of the art report 87−22982

Zohdy, M.A. *see* Abdel Aziz, M.M. 87−78146

Zohrul Kabir, A.B.M. A new graphic presentation of cost optimal age replacement policies 87−23277

Zohrul Kabir, A.B.M. Inspection policy based on minimization of fractional dead time 88−205

Zohrul Kabir, A.B.M., Aziz El Tamimi, A. Inspection policy based on specified fractional dead time 88−49566

Zohta, Y. Influence of transmission resonance on current-voltage characteristics of semiconductor diodes including a quantum well 85−1358

Zohta, Y. Negative resistance of semiconductor heterojunction diodes owing to transmission resonance 85−40491

Zohta, Y. Influence of transmission resonance on carrier collection in a semiconductor quantum well 86−27979

Zohta, Y., Tsuda, K., Hiraoka, Y.S. Anomalous *I-V* characteristics of semiconductor heterojunction diodes due to transmission resonance 86−53586

Zohta, Y. *see* Kamata, A. 87−23732

Zoicas, A. Chip set recognises spoken words 85−11367

Zoicas, A. Further developments in speech recognition 85−61299

Zoicas, A. Signal processor compresses speech data 86−17880

Zoicas, A. Command sets used correctly [image processor μPD7281] 86−27342

Zoicas, A. Second generation signal processors 86−44210

Zoicas, A., Grohe, K. Priceworthy speech recognition 86−22935

Zoicas, A., Look, G. Data-controller processor speeds up image processing 85−28557

Zoicas, A., Matsukawa, S. Signal processor improves the quality of pictures 88−38554

Zoicas, A., Plate, J. Speech-recognition module: ears for the computer 85−19371

Zoikas, A. A 32-bit mobile figure DSP (Digital Signal Processor) 87−44888

Zoita, V. New type drivers for the plasma focus 87−43488

Zoita, V., Dumitrescu-Zoita, C., Zambreanu, V., Ludu, A., Novac, B. Numerical simulation of a plasma focus device with inductive energy storage 87−43263

Zoita, V. *see* Ludu, A. 87−43486

Zoita, V. *see* Novac, B. 87−43262

Zoita, V. *see* Ursu, I. 87−43264, 88−49059

Zojer, B., Petschacher, R. An 8-bit/120 MHz full-Nyquist analog-to-digital converter 86−41179

Zojer, B., Petschacher, R. A/D converter with direct conversion. A simple principle, but difficult to make 86−62645

Zojer, B., Petschacher, R., Luschnig, W. A 6 bit/200 MHz full Nyquist A/D converter 85−61338

Zojer, B. *see* Petschacher, R. 86−34909

Zokaites, D. Detecting the edges of a square using a two-level data hierarchy 88−28035

Zolatarev, V.A. *see* Bashkin, A.S. 88−27049

Zolcinski, M.J. *see* Minkler, W.S. 88−73597

Zolecki, R. *see* Rauchas, A. 86−32131

Zoledziowska, D.J., Menzel, E.R., Agarwal, V.K., Hatfield, L.L. Laser excited fluorescence probes to study insulator damage 88−20198

Zoledziowski, S. *see* Babula, E. 85−56001

Zolek, A. Optical guides technology contributions to communication 86−23936

Zolek, A. Assembly and measurement outline of optical fibre cables 86−43839

Zolek, A. Construction criteria of optical fibre cable lines 87−8312

Zolek, A. Telecommunication cables new mounting technology 87−40630

Zolek, A. Optical fibre cables construction 87−49119

Zolek, A. Thermoplastic insulation cable joints 87−55937

Zolek, A. Installation problems of optical fibre cable lines in home communication network 87−62979

Zolek, A. Thermoshrinkable products in telecommunication 87−76517

Zolek, A. Methods used abroad for the installation and connection of fibre optic cables [outside Poland] 88−53308

Zolek, A. Modernization of rural telecommunication networks in Sweden 88−67211

Zolek, A. *see* Dmowski, E. 86−23928

Zolek, A. *see* Sikora, J. 86−55140

Zolesi, B. *see* Cander, L.R. 87−47220

Zolesio, J.-L. Discrete Fourier transforms; fast algorithms 86−13712

Zolesio, J.-P. *see* Delfour, M. 86−26783

Zolesio, J.-P. *see* Delfour, M.C. 86−46019

Zolesio, J.L. Adaptive signal processing and mapping in Doppler radar 88−72978

Zolf, D. The regulation of broadcasting in Canada and the United States: straws in the wind 88−60358

Zolfaghari, A. *see* Dwersteg, B. 86−31975

Zolghardr, F. *see* Darnell, M. 88−27758

Zolin, V.F. *see* Aslanov, G.K. 87−68267

Zolin, V.F. *see* Kochikyan, R.V. 86−63864

Zolin, V.F. *see* Markushev, V.M. 86−63783

Zoline, K.O., Lidinsky, W.P. An approach for interconnecting SNA and XNS networks 86−23520

Zolkina, L.A. *see* Blaivas, A.S. 85−47949

Zolla, A.E., Tura, D.D. 250 Ah/90 Ah active lithium-thionyl chloride cell for Centaur-G application 87−42146

Zolle, G. Radio remote control of industrial locomotives in the Federal Republic of Germany 85−60496

Zolle, G., Finger, K.-H., Krutschke, S., Hainke, P. Radio control systems for shunting engines 87−5035

Zoller, E.C. *see* Hutter, F. 86−50856

Zoller, P. *see* Bohn, T. 86−45175

Zollers, B., Kara, J., Profera, C. Shaped-beam antennas for hybrid communication satellites 88−2741

Zollinger, K.L., O'Mahony, C.P., Chang, M.S. Impact on 1X reticle defects for submicron production lithography 87−11553

Zollinger, R., Morrison, H.F., Lazenby, P.G., Becker, A. Airborne electromagnetic bathymetry 88−5183

Zollman, D., Noble, M.L., Curtin, R. Modelling the motion of an athlete: an interactive video lesson for teaching physics 87−43831

Zollman, D. *see* Lee, R.L. 88−48545

Zollman, P.M. Propagation modelling for cellular RF system planning 88−60067

Zollner, D. *see* Unger, K.-D. 85−32853

Zollner, D.H., Taube, T., Lauterbach, I. Graphite electrodes for modern electrode systems—requirements and characteristics 85−44328

Zollner, J.-P., Paasch, G., Ubensee, H. The influence of quantum effects on the semiconductor LF- and HF-capacitance 87−45659

Zollner, J.-P., Ubensee, H., Paasch, G., Fiedler, T., Gobsch, G. A novel self-consistent theory of the electronic structure of inversion layers in InSb MIS structures 86−47419

Zollner, J.-P. *see* Paasch, G. 87−6730

Zollner, J.-P. *see* Ubensee, H. 86−41614, 87−53307, 88−64348, 88−71363

Zollner, P., Ubensee, H., Paasch, G. On the effect of doping and temperature on the electronic structure of InSb inversion layers 86−67689

Zollner, R. *see* Kornhaas, W. 85−58375

Zollner, S. *see* Cebulla, U. 88−32905

Zollo, J. *see* Karalekas, N. 88−35843

Zollo, J. *see* Karelekas, N. 87−20891

Zollo, S. Instrument checks out audio systems 85−14862

Zollo, S. Domino-like modules build computers 85−19930

Zollo, S. Digital filter handles 24-bit data 85−23031

Zolnai, L. *see* Bartha, L. 86−38648

Zolnay, S.L. 5 watt, solid-state EHF transmitter 86−23803

Zolnierczyk, T. *see* Miedzinski, B. 85−50082, 87−37632

Zol'nikov, P.P. *see* Varnavskii, V.V. 88−6556

Zolomy, I. Metal-(tunnel) insulator-semiconductor switch (MISS) with negative resistances both in forward and reverse directions 85−34922

Zolomy, I. A survey of new bipolar amplifying and negative-resistance devices 85−50499

Zolomy, I. Switching processes in the metal-insulator-semiconductor thyristor (MIST) 85−55798

Zolomy, I. Preparation and investigation of extreme thin (tunneling) SiO_2 layers 86−15055

Zolomy, I. A bipolar transistor structure with tunnel-oxide emitter 87−53491

Zolomy, I. A comprehensive theory of MISS devices including punch-through and avalanche-induced switchings 87−53544

Zolotaikin, A.V. *see* Averin, A.P. 87−63416

Zolotaikin, A.V. *see* Kuz'michev, V.M. 88−29324

Zolotarenko, V.L. *see* Khakimov, R.A. 85−42992

Zolotarev, A.I. Requirements on the degree of coherence of the emission from the source in an optical correlator which incorporates a Fourier transformation 88−28002

Zolotarev, A.I., Morozov, V.N., Popov, Yu.M. Recognition reliability of a holographic correlator using an injection laser 85−62691

Zolotarev, B.V. *see* Kizim, I.A. 86−45148

Zolotarev, I.D. Method of investigating transient process using partial pulse characteristics of components of channel in measuring information system 85−31282

Zolotarev, I.D. Transient amplitude-phase conversion in electronic systems 86−27521

Zolotarev, M.V. *see* Bel'dyugin, I.M. 85−7538, 85−56740, 86−48455, 87−2076

Zolotarev, N.A. Mathematical model of magnetisation of a ferromagnet in a unidirectional field 85−7138

Zolotarev, N.A. Mathematical theory of magnetisation of ferromagnets in a unidirectional field 85−29423

Zolotarev, N.A. Mathematical model of magnetisation of ferromagnet in a unidirectional field 86−21946

Zolotarev, N.A. Capacitor discharge through a choke: residual induction at the choke centre 86−54260

Zolotarev, N.A. Mathematical theory describing the magnetisation of a ferromagnet in a unidirectional field. III. Fundamental characteristics of the process of magnetisation 87−6995

Zolotarev, N.A. A mathematical model of uniaxial planar remagnetisation of an isotropic ferromagnetic 87−39303

Zolotarev, N.A., Mikhailov, V.V. Equivalent circuits for magnetic cares for the evaluation of stray fluxes 86−2603

Zolotarev, N.A., Mikhailov, V.V. The EMF of an inductive element used as a current transductor 86−10076

Zolotarev, V.A. *see* Bashkin, A.S. 87−12389, 88−27050

Zolotarev, V.A. *see* Bykovskii, Yu.A. 86−22139, 86−48120, 88−45185

Zolotarev, V.A. *see* Presnyakov, I.N. 85−63053

Zolotarevskaya, O. *see* Ashkinazi, G. 88−64498

Zolotarevski, L. *see* Ashkinazi, G. 88−64498

Zolotarevskii, A.V. *see* Bezpal'ko, E.B. 88−51908

Zolotarevskii, L.Ya. *see* Askinazi, G.A. 85−34927

Zolot'ko, A.S. *see* Kroo, N. 85−19013

Zolotov, A.B. *see* Belyi, M.V. 87−65290

Zolotov, A.V. *see* Grebenshchikov, A.V. 86−5526

Zolotov, E.M., Kazanskii, A.G., Kazanskii, P.G., Chernykh, V.A. Photoinduced light extraction from Ti:$LiNbO_3$ waveguides with rotation of the plane of polarization 85−12614

Zolotov, E.M., Kazanskii, A.G., Kazanskii, P.G., Chernykh, V.A. Possible mechanism for the photoinduced extraction of light from Ti:$LiNbO_3$ waveguides with rotation of the plane of polarization 85−41177

Zolotov, E.M., Kazanskii, P.G., Chernykh, V.A. Effects of annealing on the properties of lithium niobate optical waveguides 86−15503

Zolotov, E.M., Pelekhatyi, V.M., Tavlykaev, R.F. Expansion of the bandwidth of integrated-optics traveling-wave modulators 88−72150
Zolotov, E.M., Tavlykaev, R.F. Investigation of an integrated optical Mach-Zehnder interferometer with coupled waveguides 88−26885
Zolotov, E.M., Tavylkaev, R.F. Rigid contact between a channel $LiNbO_3$:Ti waveguide and single-mode fiber waveguides 87−68113
Zolotov, E.M. *see* Akhmedzhanov, I.M. 85−12685
Zolotov, E.M. *see* Angelov, A.K. 85−18754
Zolotov, E.M. *see* Buritskii, K.S. 85−18721, 85−24664, 85−41167
Zolotov, E.M. *see* Dokhikyan, R.G. 85−18747
Zolotov, M.V. *see* Gurtov, V.A. 86−53467, 87−17811
Zolotov, O.A., Kazantsev, V.P. Variational inequalities in electrostatics and magnetostatics 88−40483
Zolotov, S.I., Yunovich, A.E. Photoluminescence power and quantum yield in narrow-gap semiconductors 87−3779
Zolotov, S.I. *see* Gorina, Yu.I. 87−53215
Zolotova, I. Representation of visual information by means of a 'quadtree' 85−30287
Zolotova, I. Quadtree of a picture and methods of its encoding 85−63089
Zolotoverkhii, Yu.N. *see* Ogorodneichuk, I.F. 88−28655
Zolotoverkhii, Yu.N. *see* Zhuravlev, I.Ya. 87−17279, 87−67284
Zolotovskaya, E.F. *see* Zhdanovskii, V.A. 86−44447
Zolotovskii, V.I. *see* Boriskin, A.S. 86−70181
Zolotovsky, V.E. Digital network structures oriented to simulation of systems with distributed and lumped parameters 88−537
Zolotukhin, M.N. *see* Kveder, V.V. 85−28936
Zolotukhin, Yu.N. *see* Bredikhin, S.V. 85−3916
Zolotukhin, Yu.N. *see* Gusev, O.Z. 85−3834
Zolotukhina, M.A. *see* Bredikhin, S.V. 85−3916
Zolotukhina, M.A. *see* Efimov, V.M. 85−3917
Zolper, J.C., Barnett, A.M. Thin-film polycrystalline GaAs solar cells 86−40122
Zolper, J.C., Barnett, A.M. GaAs solar cells on Si by solution growth 88−37463
Zolper, J.C., Bohm, M., Barnett, A.M. The influence of grain boundaries on the performance of polycrystalline gallium arsenide solar cells 87−9858
Zolper, J.C. *see* Barnett, A.M. 86−13074
Zoltai, J. *see* Erdelyi, J. 86−19826
Zoltai, L. EEG-signal analyzer. Type: EJK-81 86−18351
Zoltan, D., Wood, C., Stapfer, G. Measurement of Seebeck coefficient using a light pulse 85−52861
Zoltan, D. *see* Wood, C. 85−52860, 88−60903
Zoltani, C.K., White, K.J., Di Bianca, F.A. Flash X-ray computed tomography facility for microsecond events 86−44648
Zoltani, C.K. *see* Frieden, B.R. 86−54545
Zoltowski, M. On the acquisition behaviour of a first-order digital phase-locked loop with negligible and binary quantization effects 85−28422
Zoltowski, M. The ARMA representation based speech recognition and synthesis 87−55023
Zoltowski, M., Haber, F. A vector space approach to direction finding in a coherent multipath environment 87−8368
Zoltowski, M., Haber, F. A vector space approach to direction finding in a coherent multipath environment 87−27534
Zoltowski, M. *see* Haber, F. 86−64108
Zoltowski, M.D. Solving the semi-definite generalized eigenvalue problem with application to ESPRIT 87−62121
Zoltowski, M.D. Maximum likelihood based angle-of-arrival estimation in a diffuse multipath environment 88−2580
Zoltowski, M.D. Solving the generalized eigenvalue problem with singular forms 88−18543
Zoltowski, M.D. On the performance analysis of the MVDR beamformer in the presence of correlated interference 88−58968
Zoltowski, M.D. Novel techniques for estimation of array signal parameters based on matrix pencils, subspace rotations, and total least squares 88−72648
Zoltowski, M.D., Haber, F. A modified ML approach to multiple source parameter estimation 87−55123
Zoltowski, M.D., Haber, F. A multiply constrained minimum variance approach to multiple source parameter estimation 87−75805
Zombeck, M.V. *see* Pfeffermann, E. 88−23023
Zombory, L. Comments on 'Stochastic geometry effects in MOS transistors' 87−45944
Zombory, L. On the energy propagation in lossy media 87−75375
Zombory, L., Veszely, G. Classical field theory in the education of microelectronics 87−65111
Zombory, L. *see* Petre, P. 88−45661
Zomer, J.A. A network access control structure 88−46625
Zomlefer, M. *see* Khalili, D. 88−36495
Zomlefer, M.R. A novel application of robotics to rehabilitation 86−44706
Zomlefer, M.R. *see* Zhao, W. 87−71130
Zommer, M. *see* Grimblatov, V.M. 85−46474
Zommer, N. High frequency performance characteristics of Fourth Generation MOSFETs 87−32568
Zommer, N. MegaMOS, the high current/high voltage power MOSFET family 87−67303
Zommer, N., Biran, J. Power current mirror devices and their applications 87−31703
Zommer, N., Biran, J. Power current mirror devices and their applications 87−52377
Zommer, N., Chen, G., Barron, M. An improved MOS insulated gate transistor that handles 800 V, 50 A 88−1663
Zommer, N., Yu, R., Chen, G. Characteristics and applications of an improved MOS insulated gate transistor that handles 800 V, 50 A 87−46040
Zomorrodi, M., Cheung, L.-F. A self-adjusting paper path sensor using charge rundown A/D conversion [for reprographic machines] 86−2328
Zon Shichang *see* Lin Chenglu 86−53315, 87−16650
Zon Tonpin *see* Li Zaiguang 87−61243
Zondervan, A., Verhoef, L., Lindholm, A., Neugroschel, A. Electrical short-circuit current decay: Practical utility and variations of the method 88−67985
Zondervan, A., Verhoef, L.A., Lindholm, F.A. Measurement circuits for silicon-diode and solar-cell lifetime and surface recombination velocity by electrical short-circuit current decay 88−29633
Zondervan, A. *see* Verhoef, L.A. 88−62596
Zondervan, J. Linear semiconductors from Texas Instruments. Seminar organised by manufacturer 85−6874
Zondervan, J. Acoustic microscope 85−15446
Zondlo, F.C. *see* Bresler, M.I. 88−54487
Zondy, J.J., Le Berre, M., Ressayre, E., Tallet, A. Spatiotemporal instabilities in a saturable homogeneously broadened ring cavity 87−72412
Zonev, B.M. *see* Zheljazov, Zh.J. 85−1842
Zong Jian *see* Feng Suo-chun 86−28580
Zong Jieli, Liu Jinbo, Yu Dehui, Wang Lianxiang The firmware of a bit-sliced high-speed FFT processor 88−19170
Zong Sha *see* Hui-Qun Jin 87−68772
Zong Shinjun, Zhang Zongpeng Theoretical analysis of a new dimension in X-ray image intensifiers 85−52661
Zong Xiang-fu, Gu Xiao-yi, Qi Sheng-yong, Shen Cheng-fu, Luo Lin-ji, Huang Huei-ling, Yu Guei-zhen, Yuan Xiao-ying, Qin Tao, Yang Hao, Chan Zhi-sheng The experimental research of oxygen intrinsic gettering 85−45380
Zong-ben Xu *see* Xu Zong-ben
Zong-da Pan *see* Pan Zong-da
Zong-ge Li *see* Rudnicky, A.I. 88−72805
Zong-gui Zhao *see* Zhao Zong-gui
Zong-jin Zhang *see* Zhang Zong-jin
Zong-lin Huang *see* Huang Zong-lin
Zong-qi Lin *see* Hsu Chang 86−36237
Zong-Qi Lin *see* Xi-Sheng Fang 86−2725, 86−22099
Zong-qi Lin *see* Lin Zong-qi
Zong-qiang Yu *see* Yu Zong-qiang
Zong-sen Wang *see* Wang Zong-sen
Zong-tae Bae *see* Jinjoo Lee 87−10083
Zong-ti Bao *see* Bao Zong-ti
Zong-weng Li *see* Li Zong-weng
Zong-yong Shen *see* Shen Zong-yong
Zong-yuan Yao *see* Yao Zong-yuan
Zong-Yuan Ye *see* Ye Zong-Yuan
Zong-zhi Chen *see* Chen Zong-zhi
Zongda Pan *see* Pan Zongda
Zonggi Lin *see* Lin Zonggi
Zonggui Chen *see* Chen Zonggui
Zonghan Wu *see* Wu Zonghan
Zonghou Ma New tools to support ODA and ODIF [electronic documents] 87−27916
Zonghou Ma, Tuck, B. Multimedia document systems over wideband networks 87−20140
Zonghua Huan *see* Xuanmin Yang 88−14248
Zonghua Huang *see* Huang Zonghua
Zongjun Xie *see* Xie Zongjun
Zonglian Fei *see* Wai-kai Chen 88−56412
Zonglin Han *see* Han Zonglin
Zonglin Huang *see* Huang Zonglin
Zonglin Li *see* Li Zonglin
Zonglin Ye *see* Ye Zonglin
Zongling Zhang *see* Zhang Zongling
Zonglun Yao *see* Yao Zonglun
Zongming Bao *see* Bao Zongming
Zongming Zhang *see* Zhang Zongming
Zongnan Ye *see* Ye Zongnan
Zongpei Wang *see* Wang Zongpei
Zongpeng Zhang *see* Zhang Zongpeng
Zongqi, L. *see* Shangyuan, H. 86−28816
Zongqin Jiang *see* Jiang Zongqin
Zongren Shi *see* Shi Zongren
Zongrong Jiang *see* Jiang Zongrong
Zongru Jin *see* Jin Zongru
Zongshu Shen *see* Shen Zongshu
Zongxin Wang *see* Wang Zongxin
Zongxiu Ye *see* Ye Zongxiu
Zongyao Xiao *see* Xiao Zongyao
Zongyao Ziao *see* Ziao Zongyao
Zongyong Shen *see* Shen Zongyong
Zongyuan Ye *see* Ye Zongyuan
Zongzhi Wang *see* Wang Zongzhi
Zoni, U. *see* Abram, M. 86−6586
Zoninashvili, V.V., Messerschmidt, U., Melik-Shakhnazarov, V.A., Naskidashvili, I.A., Yastrebova, N.M. Apparatus for acoustical investigations in the process of plastic deformation at temperatures of 4.2-300K 86−31742
Zonjee, N. *see* Hartjes, F. 87−41860
Zonkhoev, G.B. *see* Buyantuev, S.L. 88−49083
Zonov, I.V. *see* Glukhov, N.A. 87−35517
Zontek, T. Results of sprinkler system testing on an experimental cooling tower 88−69137
Zontov, L.B. *see* Zatsepina, L.P. 88−15578
Zoocolante, G. Innovations in water purification 87−46101
Zook, E.E. Amorphous metal foil for brazing copper electrical joints 86−66144
Zook, J.D., Venkatasetty, H.V. Nonaqueous electrochemical gas sensors 86−55696
Zope, J.K. *see* Gadkari, A.B. 88−71317
Zope, J.K. *see* Muragi, B.D. 87−60109, 87−74028
Zope, J.K. *see* Zope, M. 88−71315
Zope, J.K. *see* Zope, M.J. 85−6718, 86−1737
Zope, M., Muragi, B.D., Zope, J.K. Electrical conductivity measurements in a Ge-Se-Ti system 88−71315
Zope, M.J., Zope, J.K. Nonlinear I-V behaviour and conductivity measurements in amorphous semiconducting Ge-As-Te system 85−6718
Zope, M.J., Zope, J.K. Effect of γ-irradiation on non-linear I-V behaviour and thermoelectric measurements in amorphous semiconducting As-Se-Te system 86−1737
Zoppellaro, D. *see* Crawford, C. 88−59840
Zoppi, E. *see* Quarta, P. 87−65181
Zoppo, A.Del *see* Del Zoppo, A.
Zoppo, R.Del *see* Del Zoppo, R.
Zoppoli, R. *see* Aicardi, M. 87−2685
Zoppoli, R. *see* Bartolini, G. 85−25208
Zorabedian, P., Kamins, T.I. Lateral seeding of silicon-on-insulator using an elliptical laser beam: a comparison of scanning methods 85−50331
Zorabedian, P., Kamins, T.I., Drowley, C.I. Laser scan registration for lateral epitaxy of silicon-on-insulator stripes on silicon substrates 85−49552
Zorabedian, P., Trutna, W.R., Jr., Cutler, L.S. Bistability in grating-tuned external-cavity semiconductor lasers 88−20714
Zorabedian, P. *see* Drowley, C.I. 85−12045
Zorabedian, P. *see* Sorin, W.V. 88−13822
Zoran, J. *see* Darko, M. 85−51652
Zoran, M. Expert system for security monitoring and control of an electric power system 87−57566
Zoran, P.R., Slavenko, R.B. Comparative analysis of the calculated and measured data of electromagnetic field level on mixed paths (sea-land) in the VHF band 86−29399
Zorat, A. Construction of a fault tolerant grid of processors for wafer-scale integration 87−67315
Zorbach, G. The operational information network of the DBP for the operation of ground stations 87−3131
Zorbas, N., Neyland, B.A. Derivation of induction motor equivalent circuit using space-phasor concepts 87−58080
Zorbas, N., Neyland, B.A. The measurement of AC machine transients using space-phasors 88−48892
Zorcher, H. *see* Glitscher, W. 85−60594
Zore, Z., Kosmac, M., Skvarca, M. Spindle drive for tool machines 87−15947
Zore, Z. *see* Kosmac, M. 86−19312, 87−15946
Zorev, N.N. *see* Vinogradov, A.V. 88−16665
Zorge, R.A. *see* Huber, C. 86−50052
Zorger, P.H. Maintainability technology 86−57170
Zori, A.A. *see* Zakharchuk, V.A. 86−60178
Zorian, Y., Agarwal, V.K. Higher certainty of error coverage by output data modification 85−33820
Zorian, Y., Agarwal, V.K. A general scheme to optimize error masking in built-in self-testing 86−67134
Zorian, Y., Agarwal, V.K. Ensured reduction in error masking by output data modification 87−20902
Zorian, Y., Agarwal, V.K. On improving the effectiveness of the standard BIST approach 87−67480
Zorica, M. *see* Darko, M. 85−51652
Zorica, N. *see* Mihajlo, S. 85−24874
Zoricic, D., Peles, Z., Nemec, D., Mehmedovic, M., Stojsavljevic, M. Digital voltage control of synchronous generators 86−61498
Zorii, V.I., Pasichnik, T.V., Popov, B.A. Finding parameters of piecewise-polynomial expressions for approximating conversion function of thermal convertors 85−55085
Zorii, V.I. *see* Shmorgun, E.I. 86−50139
Zoriktuev, V.Ts., Isaev, Sh.G. A device for measuring the electrical conductivity of the contact between tool and workpiece in cutting control 85−48057

Zorin, A.B. Quantum noise in SIS mixers 85−56211
Zorin, A.B. Sensitivity of SQUIDS employing low-capacitance Josephson tunnel junctions 86−22052
Zorin, A.B., Likharev, K.K. Limiting sensitivity of microwave mixers employing superconducting junctions 86−49458
Zorin, A.B. *see* Devyatov, I.A. 87−1916
Zorin, A.B. *see* Likharev, K.K. 85−56212
Zorin, A.B. *see* Odintsov, A.A. 87−66032
Zorin, A.D., Glazov, V.V., Glazov, V.M., Feshchenko, I.A., Klimov, K.N., Umilin, V.A., Vanchagova, V.K., Korshunov, I.A. Selection of cathode metal for low-background gas counter 87−71022
Zorin, D.M. *see* Brusentseva, S.A. 87−42265
Zorin, G.N. *see* Baldin, S.A. 86−60622
Zorin, I.V. *see* Voronin, A.N. 88−29322
Zorin, V.M. *see* Margulova, T.Kh. 85−4782, 88−55132
Zorin, V.N., Sapfirov, S.G., Sukhodoev, V.V. Automated system for recording parameters of cutaneogalvanic reaction 87−21569
Zorin, V.P. *see* Abazov, V.M. 88−16758, 88−48224
Zorin, V.V., Demov, A.D. Compensation for the wattless power in electrical networks, allowing for economical stability 85−53325
Zorin, V.V., Talyzin, V.N. A method of studying the data load of dispatcher communications channels 87−75659
Zorinsky, E.J., Spratt, D.B., Virkus, R.L. The 'ISLANDS' method−a manufacturable porous silicon SOI technology 87−46222
Zorkal'tsev, A.V. Choice of optimal window size for a packet-switched network 86−30348
Zorkal'tsev, A.V. Dynamic evaluation of the error level in the data link of a packet-switching computer network 88−66773
Zorkal'tsev, A.V., Nazarov, A.A. Asymptotic analysis of frame sequence delay in a data link of a packet switching network 87−48252
Zorkal'tseva, N.N. *see* Asanov, O.M. 88−32779
Zorko, R. *see* Donlagic, D. 85−52636
Zorkoczy, P.I. *(editor)* Oxford surveys in information technology. Vol.4 88−43575
Zorn, N.F., Schueller, G.I. On the failure probability of the containment under accidental aircraft impact 86−45063
Zorner, K.H. *see* Nestler, W. 85−14797
Zorner, W., Kohler, G. Leakage tests [nuclear steam turbines and heat exchangers] 85−4741
Zorner, W. *see* Bergmann, D. 87−4596
Zornig, J.G. Standard networks for telecommunications management 88−59458
Zorov, N.P., Tsarev, V.A. Neutrino beams of an undelayed channel amplifier collider 88−61040
Zorowski, C.F. Product Design Merit: relating design to ease of assembly 87−43943
Zorpette, G. High-tech batteries for power utilities 85−21168
Zorpette, G. EE programs [electrical engineering] 85−22125
Zorpette, G. Technology '85: microprocessors 85−28574
Zorpette, G. The high-tech hobbyhorse [computerised hobbies] 85−52259
Zorpette, G. HVDC: wheeling lots of power 85−53303
Zorpette, G. The beauty of 32 bits [microprocessor chip] 86−8280
Zorpette, G. The telecommunication bazaar 86−23219
Zorpette, G. Advanced batteries for power systems 86−26240
Zorpette, G. Monitoring the tests 86−69352
Zorpette, G. High voltage DC transmission 87−4359
Zorpette, G. The shrinking US electric equipment market 87−22456
Zorpette, G. Evacuation planning for Lilco's Shoreham plant 87−71799
Zorpette, G. 32 bit processing 87−73474
Zorpette, G. Breaking the enemy's code 88−2952
Zorpette, G. The global automobile−lessons learned: what went wrong? 88−24242
Zorpette, G. An underwater visit to Aquarius 88−41504
Zorpette, G., Pyko, K. Can power engineering education be re-energized? 87−31167
Zorpette, G. *see* Firschetti, M.A. 85−32386
Zorpette, G. *see* Fischetti, M.A. 86−32615, 87−42643
Zorpette, G. *see* Fitsgerald, K. 88−23613
Zorpette, G. *see* Guterl, F. 86−2704, 87−49048
Zorpette, G. *see* Kaplan, G. 85−22126
Zorpette, G. *see* Perry, T.S. 87−29905
Zorpette, G. *see* Voelcker, J. 88−55936
Zorpette, G. *see* Wallich, P. 86−23224
Zorpette, G. *see* Wollard, K. 88−36781
Zory, P.S., Reisinger, A.R., Mawst, L.J., Costrini, G., Zmudzinski, C.A., Emanuel, M.A., Givens, M.E., Coleman, J.J. Anomalous length dependence of threshold for thin quantum well AlGaAs diode lasers 86−42540
Zory, P.S., Reisinger, A.R., Waters, R.G., Mawst, L.J., Zmudzinski, C.A., Emanuel, M.A., Givens, M.E., Coleman, J.J. Anomalous temperature dependence of threshold for thin quantum well AlGaAs diode lasers 86−63805
Zory, P.S. *see* Carlson, N.W. 88−45431
Zory, P.S. *see* Evans, G.A. 88−40194
Zory, P.S. *see* Rosenberg, A. 88−72312
Zory, P.S., Jr. *see* Reisinger, A.R. 87−68491
Zorya, V.I., Zueva, I.Yu., Randoshkin, V.V., Sigachev, V.B., Timoshechkin, M.I. Domain wall velocity in (Eu, Lu, Bi)$_3$ (Fe, Ga, Al)$_5$O$_{12}$ films 85−35300
Zorzano, L. *see* Roy, A. 87−13994
Zorzi, K.J. Synchronous modems and dial-up lines solve applications problems 88−28363
Zorzi, R. Automatic control of electric systems−payback in a few months 85−21964
Zorzi, R. *see* Berno, S. 85−65642
Zorzoli, P. *see* Garue, S. 85−40896
Zorzy, J. Refresh your thinking about microwave cable 87−6180
Zorzy, J. 18 GHz mode-resonant-free standard MIL-C-39012 TNC connectors 87−66643
Zorzy, J. A closer look at noninsertable-device measurements 88−55952
Zorzy, J. *see* Kubota, J. 85−34257
Zosel, P. *see* Schmidt, H. 85−26453
Zoshchenko, A.V. *see* Mostovyak, I.V. 88−75731
Zosi, G. *see* Alemanni, M. 86−32213
Zosimov, V.V., Lyamshev, L.M. Use of active media for the measurement of sound fields, and the quantum-noise problem 86−15440
Zosimov, V.V. *see* Barmenkov, Yu.O. 87−68667, 88−26747
Zoso, L. *see* di Tria, P. 87−31965, 87−61575
Zoteev, O.G. *see* Armand, N.A. 86−37388
Zoth, G. *see* Bergholz, W. 88−13519
Zotikov, B.D., Neifel'd, A.A. Design of discrete stationary recursive polynomial filters with a higher order of lag 87−61820
Zotkin, V.B., Korobkov, D.L. Frequency-domain adaptive matrix equalization 86−43261
Zotkin, V.B., Korobkov, D.L. The rapid alignment of a matrix corrector in the frequency domain 87−55148
Zotkin, V.B., Korobkov, D.L. Optimization of a signaling system for Gaussian channels with intersymbol interference 88−45814
Zotos, J. *see* Nayeb-Hashemi, H. 87−73189
Zotos, P.A. Ground grid design in large industrial plants 87−35686
Zotos, P.A. Ground grid design in large industrial plants 88−68925
Zotov, A.I., Kuznetsov, V.N., Savel'yev, V.V. A deep-sea instrumentation complex for hydroacoustic investigations 85−43488
Zotov, A.I. *see* Dmitrevskii, N.N. 85−9376
Zotov, A.V. *see* Kaverina, I.G. 85−10728
Zotov, A.V. *see* Lifshits, V.G. 86−41618
Zotov, A.V. *see* Zavodinskii, V.G. 86−57451
Zotov, A.Ya., Fominykh, Yu.A., Volkov, V.A. Influence of automatic reconnection of 6 to 10 kV lines on selective operation of expulsion safety devices 86−61679
Zotov, A.Ya., Ovsienko, L.F., Shishkin, V.F. Study of anti-corona capability of fusible inserts for 35-110 kV expulsion fuses 87−4834
Zotov, A.Ya., Ovsienko, L.F., Shishkin, V.F. Designing corona-resistant fuse links for expulsion fuses 88−25624
Zotov, A.Ya., Shishkin, V.F. Protecting 110 kV fuses in step-down transformers with earthed neutral 86−18875
Zotov, A.Ya., Shishkin, V.F. On the selection of fuses for 35/6-10 kV substations 86−19403
Zotov, A.Ya., Shishkin, V.F. Protecting 110 kV stepdown transformers with earthed neutrals by means of fuses 87−9630
Zotov, A.Ya. *see* Nikonenko, I.U. 87−78197
Zotov, E.A., Koretskii, V.E., Skvortsova, N.A. Long-term planning of a branch of industry under new conditions of management 88−43655
Zotov, E.A. *see* Golovanov, O.V. 86−33987
Zotov, L.P. *see* Popov, V.P. 88−11977
Zotov, L.V., Grigor'ev, V.K., Petrovskii, V.I. Effect of Debye shielding on the volt-farad characteristic of the Schottky barrier 87−37976
Zotov, L.V., Petrovskii, V.I., Shvedova, O.I. Current-voltage characteristic of a Schottky diode 85−12246
Zotov, M.G. Solution algorithm for a Wiener-Hopf integral equation system by a modified method of indeterminate coefficients 86−370
Zotov, N.M., Ponomarev, A.S., Chmutin, A.M., Chuiko, V.A. Application of laser Doppler anemometry for the investigation of displacements 88−4627
Zotov, N.M. *see* Chmutin, A.M. 85−48103
Zotov, P.A. *see* Golovin, Yu.F. 85−18989
Zotov, S.D. *see* Baranov, A.N. 87−46770
Zotov, V.V. *see* Baranov, V.N. 86−25857
Zotova, N.V., Karandashev, S.A., Matveev, B.A., Stus', N.M., Talalakin, G.N. Coherent emission at 3.9 μm in InAsSbP p-n structures 87−75111
Zotova, N.V. *see* Aidaraliev, M. 88−27167, 88−27174
Zotova, N.V. *see* Esina, N.P. 85−12009
Zotova, T.M. *see* Zeveke, T.A. 86−420
Zotter, B. Multi-stage wakefield accelerators 86−5691
Zotter, B. Transverse instabilities due to wall impedances in storage rings 86−31928
Zotter, B. Betatron frequency shifts due to image and self fields 86−44513
Zotter, B. *see* Besnier, G. 86−18203
Zotter, B. *see* Chao, A. 88−16611
Zotter, B. *see* Furman, M. 88−47872
Zotter, B. *see* Hofmann, A. 86−31930
Zotter, B. *see* Level, M.P. 85−64394, 86−31931
Zotter, F. *see* Nemeth, A. 88−35287
Zottmaier, R., Over, H.H., Schubert, F., Nickel, H. Influence of cyclic temperature transients on the creep behaviour of heat exchanger tubes 87−9296
Zotto, P. *see* Bauer, G. 87−77572
Zotto, P.L. *see* Bauer, G. 87−29544
Zotto, P.L. *see* Bettini, A. 87−29545
Zou, G., Weinrichter, H. Performance degradation of Viterbi algorithm with reduced cost 88−45876
Zou, G., Weinrichter, H. Comparison of decoding algorithms for trellis coded modulation using Viterbi algorithm in the presence of intersymbol interference 88−45877
Zou, G., Weinrichter, H. Bounded metric Viterbi decoding of trellis coded modulation in presence of intersymbol interference 88−66282
Zou, J.Y., Han, S., Zhang, Y. The vector potential and current distribution of the inductive shielding SMES 86−51932
Zou, J.Y. *see* Han, S. 88−69718
Zou, L., Liu, B. On resolving two-dimensional sinusoids in white noise using different spectral estimates 88−72918
Zou, L., Yin, L. Spatio-temporal spectral analysis by SVD of signal matrix 87−62125
Zou, L.-H. *see* Yin, Q.-Y. 88−73153
Zou, M.-Y., Unbehauen, R. On the evaluation of two-dimensional correlation sequences 87−75660
Zou, R. Fault diagnosis of analog circuit by maximum rank generalized inverse of matrix 86−62338
Zou, S.-B. *see* Kang, H.-G. 88−61325
Zou, W.K. *see* Ho, P.P. 88−2379
Zou, W.X., Vawter, G.A., Merz, J.L., Coldren, L.A. Behavior of SiN$_x$ films as masks for Zn diffusion 87−74179
Zou, Y. *see* Wu, J. 85−11914
Zou Chingchun *see* Zhou Fuzheng 85−29878
Zou Haiming *see* Li Layuan 87−14246
Zou Ji-qing *see* Xiao Zuo 88−27875
Zou Junping *see* Junping Zou
Zou Li-xun, Zhang Lei, Wan Li-de, Ll Chun-fei Optical bistable device using a TE-TM mode interference waveguide modulator 85−56787
Zou Mou-yan, Liu Rui-rong I$_1$-cosh window function and its applications 85−46751
Zou Mou-Yan, Unbehauen, R. Stability test for $B(z_1, z_2) = \Sigma\ \Sigma b_{mn} z_1{}^m z_2{}^n$ in closed form 86−52949
Zou Qun *see* Wang Wenshan 87−31479
Zou Qun *see* Qun Zou
Zou Shi-chang *see* Shen Zong-yong 86−63435
Zou Shichang *see* Shen Zongyong 87−5392
Zou Shouxiang *see* Huang Runheng 88−42654
Zou Showen Computerized measurements of phase-frequency characteristics of RLC VF circuits 88−22731
Zou Tiejian *see* Tong Datie 85−22782
Zou Wenlu *see* Liu Shenggang 88−7259
Zou Yi-song, Li Yu-dan A theoretical analysis of the performance of microchannel image tube 86−21068
Zou Yongjian *see* Zhu Ziqiang 86−68364
Zou Yuanxi, Mo Peigen, Yang Qianzhi, Min Huifang, Zhang Guicheng A tentative indentification of certain deep levels in GaAs and related compounds 86−21148
Zou Yuanxi *see* Liang Bingwen 87−60097
Zou Yuanxi *see* Yuanxi Zou
Zou Zheng *see* Du Guotong 88−58523
Zou Zhijie *see* Liu Jinshou 85−29747
Zou Zhiyi *see* Chen Miao 88−36324
Zouabi, B., Ellouze, N., Slimane, A.B. Morphological treatment of one-dimensional signals 88−21241
Zoubek, N., Langbein, K., Junior, P., Schempp, A., Klein, H., Riehl, G. Beam transport experiments using a RFQ channel 87−50054
Zoubir, N.Hadj *see* Hadj Zoubir, N.
Zoude, E. *see* Mordon, S. 88−67880
Zoughi, R., Wu, L.K., Moore, R.K. SOURCESCAT: a very fine resolution radar scatterometer 86−43895
Zoughi, R. *see* Swanson, R. 88−61626
Zouhar, M. *see* Munich, M.J. 85−32809
Zoul, A. Influence of deep surface levels on *C-U* Schottky doping profiles of n-GaAs VpE layers 85−23448
Zoul, A., Stejskal, J. Characterization of (Ga,In)As/InP epitaxial structures 88−7332
Zoulfakar, E.M. A simple but complete op amp macromodel suitable for SHC studies 85−11059
Zounon, A. *see* Crozat, P. 86−34738
Zoutendijk, A. *see* Okx, W.J.C. 87−29462, 88−29796
Zoutendyk, J. *see* Benumof, R. 85−12258, 86−28289, 87−60472, 88−64574

Zoutendyk, J.A. Soft-error due to heavy-ion tracks in bipolar integrated circuits 85—40106
Zoutendyk, J.A. Accelerators for critical experiments involving single-particle upset in solid-state microcircuits 85—59052
Zoutendyk, J.A., Malone, C.J. Field funneling and range straggling in partially depleted silicon surface-barrier detectors 85—20843
Zoutendyk, J.A., Malone, C.J., Smith, L.S. Experimental determination of single-event upset (SEU) as a function of collected charge in bipolar integrated circuits 85—18442
Zoutendyk, J.A., Smith, L.S., Soli, G.A., Lo, R.Y. Experimental evidence for a new single-event upset (SEU) mode in a CMOS SRAM obtained from model verification 88—25190
Zoutendyk, J.A., Smith, L.S., Soli, G.A., Smith, S.L., Atwood, G.E., Thierberger, P. Empirical modeling of single-event upset (SEU) in NMOS depletion-mode-load static RAM (SRAM) chips 87—31883
Zoutendyk, J.A., Smith, L.S., Soli, G.A., Thieberger, P., Wegner, H.E. Single-event upset (SEU) model verification and threshold determination using heavy ions in a bipolar static RAM 86—35849
Zoutendyk, J.A. *see* Giddings, A.E. 86—35884
Zoutendyuk, J.A., Schwartz, H.R., Watson, R.K. Single-event upset (SEU) in a DRAM with on-chip error correction 88—25192
Zouwei Li *see* Li Zouwei
Zouwen-Assink, E.A.van der *see* van der Zouwen-Assink, E.A.
Zovikyan, M. *see* Beshkov, G. 86—26818
Zowarka, R.C. Switching for an earth-to-space rail launcher 85—2515
Zowarka, R.C. Design, fabrication, and testing of a liquid nitrogen-cooled aluminum inductor 85—5161
Zowarka, R.C. *see* Driga, M.D. 87—19167
Zowarka, R.C. *see* Laughlin, R.L. 87—26689
Zowarka, R.C. *see* Peterson, D.R. 87—17448
Zowarka, R.C., Jr., Rech, B.M., Nalty, K.E. Testing of a homopolar generator, energy storage inductor, opening-switch railgun system 87—26726
Zowarka, R.C., Jr. *see* Peterson, D.R. 87—26699
Zowarka, R.C., Jr. *see* Rech, B.M. 87—30601
Zowarka, R.C., Jr. *see* Wu, A.Y. 87—26724
Zoya Yang *see* Yang Zoya
Zozawaguchi, H. *see* Hirabayashi, K. 88—51684
Zozolly, M. Quality assurance and modernization of a factory for professional electronic equipment 88—63008
Zozulin, Yu.V., Cheremisov, I.Ya. Norm-setting method for prolonged permissible nonsine load of turbogenerators 86—39695
Zozulin, Yu.V., Kil'dishev, V.S., Cheremisov, I.Ya., Keshishev, V.G. Effect of AC current frequency rating on characteristics of large-power turbogenerators 87—64508
Zozulin, Yu.V., Kil'dishev, V.S., Cheremisov, I.Ya., Keshishev, V.G. How high-power turbogenerator characteristics are influenced by the rated frequency 88—62294
Zozulin, Yu.V. *see* Kabanov, P.S. 85—59714, 85—60149
Zozulin, Yu.V. *see* Kasparov, E.A. 88—55265
Zozulya, B.I. *see* Gorban', A.P. 85—14801
Zozulya, Yu.I. *see* Gorban', A.P. 85—14801
Zrading Cheng *see* Shouggang Liu 86—54063
Zraenko, S.M., Kobernichenko, V.G. Digital aperture synthesis with piecewise-lincar approximation of reference functions 88—40897
Zrazhevskaya, Z.S. *see* Kochkin, V.I. 86—33482
Zrelov, P.V. *see* Azhgirei, L.S. 88—61154
Zrelov, V.P., Lupil'tsev, V.P., Mirokhin, I.V. Measurement of average proton energy in $\sim$1-GeV region by two-cone and differential Cherenkov methods 87—71017
Zrelov, V.P., Lupiltsev, V.P., Ruzicka, J. On the problem of the unthresholdness of Vavilov-Cherenkov radiation. X 88—61143
Zrelov, Yu.D. *see* Chakhlov, V.L. 87—63583
Zrelova, T.I. *see* Aksenova, G.P. 86—1082
Zrenner, A., Koch, F. Dynamic conductivity measurements on Si-SiO_2 interfaces degraded by oxide charge and avalanche injection 85—23569
Zrenner, A., Koch, F., Ploog, K. Facts and fancies about the δ-doping layer of Si in MBE-grown GaAs 88—56262
Zrenner, A., Zachau, M., Koch, F. Channel carrier heating and MOS depletion layer capacitance 86—21281
Zrenner, A. *see* Koch, F. 87—66918
Zrenner, A. *see* Ye Qiu-Yi 88—32936
Zribi, M., Chiasson, J. Control of a PM stepper motor using nonlinear observers and controllers 88—37251
Zrida, J., Chow, F.C., Birdwell, J.D. Utility substation data modeling 87—9072
Zrida, J., Chow, F.C., Birdwell, J.D. Analysis of household load data 87—9140
Zrilic, D. *see* Sabo, R. 88—14970
Zrillic, D., Mavretic, A., Freedman, M. Arithmetic ternary operations on delta-modulated signal and their application in the realization of digital filters 85—63047
Zrimsek, C.J., Gonzalez, J.J., Peinado, O.A., Vicare, D.E. Automatic control for the position and speed of an antenna 87—75646
Zrinka, M. *see* Zdenko, P. 88—35223
Zrnic, D.S. Three-body scattering produces precipitation signature of special diagnostic value 87—34660
Zrnic, D.S., Burgess, D.W., Hennington, L.D. Automatic detection of mesocyclonic shear with Doppler radar 87—71325
Zrnic, D.S., Mahapatra, P. Two methods of ambiguity resolution in pulse Doppler weather radars 85—59472
Zrnic, D.S., Mahapatra, P. Two methods of ambiguity resolution in pulse Doppler weather radars 86—17451
Zrnic, D.S., Sachidananda, M. A switched pattern radar antenna array 88—14526
Zrnic, D.S. *see* Brewster, K.A. 87—63944
Zrnic, D.S. *see* Doviak, R.J. 85—58202
Zrnic, D.S. *see* Mahapatra, P.R. 86—17504, 87—57310
Zrnic, D.S. *see* Mazur, V. 87—76848
Zrnic, D.S. *see* Sachidananda, M. 85—57158, 85—63765, 86—42950, 86—48581, 86—64078, 87—4128, 88—61642
Zrnic, D.S. *see* Steinhorn, I. 88—5179
Zrnic, D.S. *see* Uyeda, H. 87—71332
Zrnick, D.S. *see* Doviak, R.J. 87—63965
Zroichikov, N.A. *see* Rikhter, L.A. 86—6566
Zrubec, V. Input inductance of double-hole symmetric SQUID with negative feedback loop 86—2635
Zrudsky, D.R. Channeling control in ion implantation 88—57455
Zrudsky, D.R., Myron, D.D. Tilt gradient dose error in an electrostatically scanned ion implanter 87—67086
Zrudsky, D.R. *see* Myron, D.D. 87—60278
Zschauer, K.-H. Depletion layers in semiconductor devices 87—25183
Zschauer, K.-H. *see* Druminski, M. 86—36489
Zschauer, K.-H. *see* Krauser, J. 87—74656
Zschauer, K.-H. *see* Traeger, G. 88—38156
Zschauer, K.H. *see* Lengyel, G. 86—22388
Zschech, E. EXAFS investigations of the impurity atom/hole correlation in alloys for electrical microconductor systems 88—64431
Zscherpe, E.-C. *see* Kammerlander, K. 86—23728
Zscherpe, G., Reisse, G., Exner, H., Ochlich, H.-M., Seifert, U., Zenker, U. Modification of solid body surfaces and layers by means of laser 87—54453
Zscherpe, G. *see* Brauns, B. 86—48467
Zscherpe, G. *see* Fritzsche, K. 87—19107
Zscherpe, G. *see* Johansen, H. 86—41509
Zscherpe, G. *see* Schafer, D. 85—29523
Zschetke, J. *see* Stade, K.C. 86—19016
Zschiesche, H.-U. *see* Kurth, P. 88—38050
Zschimmer, G. Impulse soldering—the alternative for SMDs 87—31091
Zschimmer, G. Assembly and soldering of surface mounting components on flexible printed circuits 88—50512
Zschunke, W. Data transmission with vestigial-sideband-4-phase-shift-keying (VSB-4-PSK) 88—34922
Zschunke, W., Suto, K., Yamashita, I. Optical fiber transmission of high definition television signals by analog intensity modulation 85—47694
Zschunke, W. *see* Bertelsmeier, M. 85—3455
Zschunke, W. *see* Binder, J. 87—403
Zschunke, W. *see* Habermann, J. 85—20164
Zse-Cherng Lin, Hua Lee, Wade, G., Schueler, C.F. Computer-assisted tomographic acoustic microscopy for subsurface imaging 86—12229
Zsembery, J. *see* Zweizig, J.G. 88—22996
Zsenei, M. *see* Denes, E. 85—37436, 87—20753
Zsenei, M. *see* Sagdeev, R.Z. 87—49573
Zsigmond, G. Method of nodal potentials used for the analysis of harmonic voltages generated by thyristor equipment 85—32606
Zsigmond, G. *see* Rosta, L. 88—74688
Zsoldos, B. *see* Bessenyei, G. 85—11593
Zsoldos, B. *see* Gerstenmayer, G. 86—14681
Zsoldos, B. *see* Sonkoly, A. 88—64135
Zsoldos, B. *see* Vertesy, M. 85—61450
Zsoldos, E. *see* Jaroli, E. 87—37977
Zsoldos, L. Electron microscopy and diffraction 86—21084
Zsolnay, E. Questions of reactor dosimetry for supervisory investigation on reactor vessels at nuclear power plant 87—64247
Zsolt, G., Kovacs, Gy., Porjesz, T., Karman, T., Gombos, G. Avalanche current relaxation in p-Si MOSFET-s 88—1645
Zsolt, G. *see* Kovacs, G. 88—1447
Zsolt, G. *see* Porjesz, T. 88—1644, 88—26304
Zsombor Murray, P. *see* Vega Perez, M. 86—5884
Zsombor-Murray, P.J. *see* Akben, M.G. 86—62310
Zsombor-Murray, P.J., Vroomen, L.J., Hamza, M.H. *(editor)* Proceedings of the ISMM International Symposium: Mini and Microcomputers and their Applications 86—61845
Zsombor-Murray, P.J.A. *see* Zakaria, M.F. 88—3235, 88—14792
Zsoter, A. A cellprocessor based on 16-state cells 87—25508
Zszkowksi, W. Survey of communication mechanisms 86—10776
Zu, J.-R., Liu, X.-Q., Wang, Z.-Z. On adaptive noise cancelling for ECG signal 88—54571
Zu Cheng-He, Li Zhang Theoretical analysis of cyclotron amplifier with undulated waveguide 85—55384
Zu Duanyi Study of image structure in the focal plane in microphotolithography system 86—15011
Zu Fuying *see* Chen Ziyao 87—6357
Zu Hua Zhang *see* Zhang Zu Hua
Zu Putlitz, G. *see* Badertscher, A. 85—64417
zu Putlitz, G. *see* Grafstrom, S. 87—12652
zu Putlitz, G. *see* Harbarth, U. 87—49973
zu Putlitz, G. *see* Karner, C. 86—25109
zu Schwabedissen, Ch.Meyer *see* Meyer zu Schwabedissen, Ch.
Zu Shi Zhi *see* Shi Zhi Zu
Zu Wen Chao, Jih Liang Chu General analysis of frequency-modulation reticles 88—66273
Zu Wen Chao, Jih Liang Chu Parameter analysis for frequency-modulation reticle design 88—66274
Zu Wenjuan *see* Zhuo Dunshui 86—48370
Zu-Cheng Zhou *see* Yu-Hai Mao 86—17465
Zu-cheng Zhou *see* Zhou Zu-cheng
Zu-De Liu *see* Liu Zu-De
Zu-De Tan *see* Tan Zu-De
Zu-Han Gu, Lee, S.H. Optical implementation of the Hotelling trace criterion for image classification 85—25175
Zu-Han Gu, Lee, S.H. Classification of multi-classed stochastic images buried in additive noise 87—55284
Zu-Han Gu, Lee, S.H. Statistical recognition of color images 87—69250
Zu-Han Gu *see* Tian, Q. 86—64352
Zu-hua, S. Public-key cryptosystem and digital-signature schemes based on linear algebra over a local ring 87—75705
Zu-Hua Shao *see* Shao Zu-Hua
Zu-Kang Lu, Hui Meng Holography of semi-transparent spherical droplets 87—19071
Zu-liang Lu *see* Lu Zu-liang
Zu-qing Cao *see* Cao Zu-qing
Zu-yin Weng *see* Weng Zu-yin
Zu-Zhi Xia *see* Xia Zu-Zhi
Zuamot, S. *see* Anani, A. 88—37128
Zub, R.W., Anderson, C.E. Three-level facility planning method yields management and cost benefits for FAA 88—68603
Zuba, G. Numerical calculation of electromagnetic fields of a shape meter for rolling mills 88—55744
Zubair, M. *see* Madan, B.B. 87—24154, 87—65997
Zubairov, R.M., Shcherbakov, S.B. Independent digital recorder of high-speed processes 88—60653
Zubairuev, R.Z. *see* Amirkhanov, Kh.I. 87—66935
Zubairy, M.S., McIver, J.K. Analytic approach to second-harmonic generation with depletion and diffraction 85—29934
Zubairy, M.S., McIver, J.K. Second-harmonic generation by a partially coherent beam 87—68627
Zubairy, M.S. *see* Ashraf, I. 88—72292
Zubairy, M.S. *see* Becker, W. 85—51207, 87—2235
Zubairy, M.S. *see* Rauf, Z. 87—65875
Zubarev, I.G. *see* Anikeev, I.Yu. 85—41510, 87—46933, 87—75170, 88—51938
Zubarev, I.G. *see* Basov, N.G. 87—19035, 88—58691
Zubarev, I.G. *see* Glazkov, D.A. 88—20410
Zubarev, L.S. *see* Filatov, A.V. 87—71929
Zubarev, Yu.B., Buymistryuk, G.Ya. Adaptation of a spectral-band television system with a priori uncertainty 87—63133
Zubarev, Yu.B., Samarin, M.S. Evaluation of non-linear distortions in amplifiers 88—586
Zubarev, Yu.B. *see* Bezrukov, V.N. 85—20307
Zubarev, Yu.Ya., Kobrin, G.A. Calculation of voltage curve in independent electrical power system with direct frequency convertor based on polynomial relationships 86—26148
Zubarevich, E.N. *see* Ankirskii, E.S. 86—66505
Zubarevich, S.E., Lebed'ko, E.G., Stoev, N.A. Method of stabilising levels of signals received in opto-electronic range finders 87—14530
Zubarovskii, V.M. *see* Bondar, M.V. 85—7399
Zubatenko, V.S. *see* Molchanov, I.N. 85—28172
Zubauskas, G.A. *see* Anufriev, A.N. 87—46603
Zubchenko, A.S. *see* Merkulov, B.A. 85—39379
Zubchenko, A.S. *see* Poletaev, Yu.V. 88—55997
Zubchenok, V.Ya., Nakhan'kov, A.A., Reznikov, I.V., Tverdokhlebov, E.D. General-purpose programmable voltage divider for photomultipliers with increased loads 88—31997
Zubchuk, V.I., Mikul'chenko, O.I. Models of integrated circuits of analog switches 87—53723
Zube, H. *see* Selwitschka, R. 85—49360
Zubeck, I. *see* Riaziat, M. 87—6115

Zubeck, I.V., Tan, Z.C.H. Reproducibility and yield study of electron-beam-generated quarter-micron and sub-quarter-micron gate-length GaAs FETs 88−64467
Zubek, J. *see* El-Antably, A. 86−45385
Zubekova, M. *see* Pincik, E. 88−50677
Zubel, I. *see* Barycka, I. 86−41692, 86−53549, 87−45793
Zuber, B.L. *see* Elster, S.M. 85−64611
Zuber, G. *see* Giloi, W.K. 87−13443, 88−41357
Zuber, J.R. *see* Kim, O.K. 85−35630
Zuber, M., Bralic, Z., Volf, Z. Data transmission for the Universiade '87 88−34954
Zuber, M., Jovanovic, M., Jovanovic, R. Five years of operation for the AXB 20 telegraphic centre at Zagreb 88−21557
Zuber, M.J. A wide-bandwidth, high accuracy logarithmic amplifier for line-scan imaging systems 87−59210
Zuber, M.T. Commissioning the steam generators [Superphenix] 87−64261
Zubereck, W.M. Timed Petri net models of queueing systems 88−49626
Zuberek, W.M. SPICE-PAC, a package of subroutines for interactive simulation and optimization of circuits 85−33597
Zuberek, W.M. Numerical approximation of gradients for circuit optimization 86−652
Zuberek, W.M. Modified D-timed Petri nets, timeouts, and modelling of communication protocols 86−59693
Zuberek, W.M. Inhibitor D-timed Petri nets and performance analysis of communication protocols 87−7887
Zuberek, W.M. Preemptive *D*-timed Petri nets, timeouts, modelling and analysis of communication protocols 87−55572
Zuberek, W.M. Circuit decompilation in the SPICE-PAC package of simulation subroutines 87−65661
Zuberek, W.M. Parameterized subcircuits in the SPICE-PAC package of simulation subroutines 88−38355
Zuberek, W.M., Gillard, P. Enhanced circuit simulation using the SPICE-PAC package 86−57574
Zuberek, W.M. *see* Gillard, P. 85−61051
Zubi, A.W. *see* Garbin, F. 88−23754
Zubiar, M. *see* Madan, B.B. 87−7780
Zubiel, S. Predict PLL transient response with computer simulation 85−61170
Zubielik, P. *see* Grzybowski, S. 87−25720
Zubik, K. *see* Salyk, O. 88−24781
Zubilevich, A.L. Investigation of electrically conducting polymer shields for flexible cables 88−69013
Zubin, V.A. *see* Ivanenko, V.N. 88−36952
Zubko, V.M. *see* Budzko, I.A. 85−32193, 85−38520
Zubkov, A.A., Shul'man, E.I., Yanovskii, G.Ya. Synchronous digital accumulation of physiological signals 87−57136
Zubkov, A.I. *see* Lyakh, G.E. 87−16754
Zubkov, A.I. *see* Maryukov, M.A. 86−68276
Zubkov, A.S., Korobchenko, V.P., Lokhnin, V.V., Poyarkov, A.M. Improving collector-type rotors in magnetoelectric generators 86−25999
Zubkov, G.P. *see* Berlin, N.S. 87−4365
Zubkov, M.V. *see* Oreshkin, P.T. 85−29043
Zubkov, N.I. *see* Anashin, V.V. 86−58721
Zubkov, N.P. Creating a production version of a regulating valve with increased resistance to cavitation 87−9366
Zubkov, P.I., Lukyanchikov, L.A., Ten, K.A. Open switching under shock compression of disperse media 88−43306
Zubkov, P.T. *see* Volkov, E.P. 85−38848, 87−9345
Zubkov, V.I., Epanechnikov, V.A. Spectrum of surface magnetostatic waves in a planar structure with three ferromagnetic components separated by dielectric layers 87−67800
Zubkov, V.I. *see* Vashkovskii, A.V. 85−12496, 85−12499
Zubkov, V.I. *see* Vashkovskiy, A.V. 86−62667
Zubkov, V.I. *see* Vavilov, Yu.V. 88−36257
Zubkov, V.P. *see* Arkhangel'skii, V.B. 86−70124, 87−56617, 88−29323
Zubkov, V.P. *see* Bakhmend, A.B. 86−28802
Zubkov, V.P. *see* Boroduzin, Yu.B. 87−51153
Zubkov, V.P. *see* Gamazov, Yu.A. 85−8821
Zubkov, V.P. *see* Glagolev, S.F. 85−59828
Zubkov, Yu.G. *see* Zav'yalkin, F.M. 86−534
Zubkov, Yu.P. Applying structural coding theory to the synthesis of algorithms for predicting correction signals 88−21088
Zubkov, Yu.P., Kravchenko, V.F. An approach to the solution of the problem of the integral reception of compound signals containing redundancy 88−27699
Zubkov, Yu.P., Kravchenko, V.F., Rvachev, V.L. A method for the generalized representation of signals 88−46014
Zubkova, T.V. *see* Sheinkman, A.G. 85−15740, 88−30511
Zubkova, V.A. *see* Zatolokin, A.A. 88−55295
Zubkovskii, S.L. *see* Tsvang, L.R. 85−43475
Zublasing, R., Merlo, A. The specific trouble indicator for machine building and control panels realized by means of text displays 88−47636
Zubov, A.V. *see* Abachev, M.K. 87−60425
Zubov, A.V. *see* Butakova, N.G. 86−15139, 86−41759, 87−53240
Zubov, E.A. *see* Azhippo, V.A. 87−3829
Zubov, I.V. *see* Aleinikov, V.S. 86−28855
Zubov, I.V. *see* Artyushenko, V.G. 86−2749
Zubov, I.V. *see* Frolov, K.V. 87−64534
Zubov, J.V. *see* Artjushenko, V.G. 85−7233
Zubov, P.T., Khotuntsev, Yu.L. Spectrum of oscillations in Doppler autoheterodynes 85−3490
Zubov, P.T., Khotuntsev, Yu.L. Comparison of the performance characteristics of Doppler short-range systems 88−71013
Zubov, P.T., Leshchukov, B.Ye., Khotuntsev, Yu.L. Measurement of the flicker noise parameters of mixer and varactor diodes 88−22770
Zubov, P.T. *see* Grunenkov, A.A. 88−71011
Zubov, V.A. *see* Borkova, V.N. 88−40394, 88−58714
Zubov, V.E. *see* Gribkov, V.L. 85−18574
Zubov, V.V., Lyabin, N.A., Chursin, A.D. Efficient master-oscillator-amplifier system utilizing copper vapor laser active elements 87−54237
Zubov, V.V. *see* Belyaev, V.P. 85−51105
Zubov, V.V. *see* Vas'kov, V.A. 87−19013
Zubov, V.V. *see* Zharikov, V.M. 85−18860
Zubov, Yu.G., Lebedeva, N.S., Morozov, V.M. Production of megavolt neutron beams with a relative energy spread of 5×10^{-4} 88−4714
Zubovskiy, L.I. *see* Kiselev, L.K. 88−34525
Zubrenkov, B.I., Kaplin, A.I., Malyshev, V.S., Manyukov, M.F. The evaluation of magnetic vibrations in a squirrel-cage induction motor with the aid of coherence functions 88−37211
Zubrilin, A.V., Kitaev, G.I. Influence of polarity and form of lightning overvoltages on the electrical strength of long chains 87−42512
Zubrilin, A.V. *see* Volkova, O.V. 87−53767, 88−55049
Zubrilin, N.G., Milanich, A.I., Chernomorets, M.P., Yurchuk, S.V. Lasing of XeCl, XeF, and KrF excimer molecules in two-component mixtures 85−56520
Zubrilin, N.G. *see* Gorban, I.S. 85−24445, 86−54096, 87−26286
Zubrilov, A.S., Kuz'min, V.A., Mnatsakanov, T.T., Pomortseva, L.I., Shuman, V.B. Influence of radiation defects on the current-voltage characteristics of silicon multilayer structures 86−67718
Zubrilov, A.S., Shuman, V.B. Avalanche breakdown at high current densities 88−64506
Zubrinic, Z. *see* Hlaca, D. 88−41327
Zubritskii, V.V., Zyul'kov, V.A., Chirvonyi, V.S., Yablonskii, G.P., Gribkovskii, V.P. Stimulated radiation emitted from zinc selenide single crystals under streamer excitation conditions 85−62544
Zubrzycki, J. *see* Oliphant, A. 88−4183
Zubrzycki, J.T. A multiplexed routing system for a digital TV studio centre. II. Technical details of the system 87−28811
Zubrzycki, J.T. *see* Oliphant, A. 87−13935
Zubrzycki, J.T. *see* Wilson, J.P. 85−651
Zubrzycki, L. *see* Smolinska, B. 85−57449
Zubtsov, V.I. *see* Fomitsa, L.N. 86−38359
Zubyuk, G.G., Ivachevskii, A.I., Vul'chin, Yu.G., Smereka, A.S. Method for finishing the ends of fiber lightguides 87−26012
Zucca, A. *see* Alfano, G. 85−46539
Zucca, R., Bajaj, J., Blazejewski, E.R. Light emission from HgCdTe diodes 88−65506
Zucca, R. *see* Deming, R.N. 85−22803, 85−54857
Zucca, R. *see* Gilbert, B.K. 85−45097
Zuccalli, G. *see* Fornari, R. 86−381
Zuccaro, D.R. *see* Rich, F.J. 85−9256
Zucchelli, E. *see* Caneschi, F. 86−43585
Zucchelli, S. *see* Amos, N. 87−21405
Zucchelli, S. *see* DeSalvo, R. 87−63653
Zucchiatti, A. New dipole resonances excited by radiative capture reactions: a proposal for NAC 85−37943
Zucchiatti, A. Preliminary results on 'Hagar' a high energy anticoincidence gamma ray spectrometer 86−44608
Zucchiatti, A., Sellschop, J.P.F. Monte Carlo design of an anticoincidence scintillation gamma detector for 200-MeV proton in-beam spectrometry 86−70373
Zucchini, W. *see* Hefftner, G. 88−42564
Zucchino, P. *see* Everett, P. 85−47859
Zucco, E. *see* Berardi, L. 88−61550
Zuccon, J.F., Mandelis, A. High-frequency differential piezoelectric photoacoustic investigation of ion-implanted (100) silicon wafers via laser beam position modulation 88−32999
Zuch, E.L. Linear power supplies revisited 87−59177
Zuchang Ding *see* Zihong Lu 88−39137
Zucheng Zhou *see* Zhou Zucheng
Zuchner, K. *see* Meyer, B.U. 88−4892
Zuchowski, A. On the operational transfer function of moving-coil measuring system being an objective of scientific research 85−37666
Zuchowski, A. On the possibility of using simplified models for analysing the dynamics of nonlinear measuring instruments 85−58482
Zuchowski, A. The problems of continuous recording of signals according to the theory of dynamic measurements 86−44198
Zuchowski, A. On a simplified optimum model of the dynamics of measuring channels 88−53522
Zuchowski, A. On a new simplified model of the dynamics of linear measuring instruments 88−60521
Zuchowski, A. About the measurements of characteristics $y(x)$ defined by parametric relationships $x(t)$, $y(t)$ under interference conditions 88−67624
Zuchowski, A. *see* Antkowiak, R. 88−22695
Zuchowski, L.A. *see* Vijuk, R.P. 87−71904
Zuchowski, N.P. *see* Renk, T.J. 87−17442
Zucker, E.P. *see* Yuen, A.T. 88−56271
Zucker, F.J. 'Augmented ray theory' in phase-space electrodynamics 85−13244
Zucker, J., Clarke, R., Narciso, R. Transient attenuation in connectors to PCS fibers and in glass-on-glass fibers induced by pulsed X-rays 85−35423
Zucker, J. *see* Roberts, D. 88−13844
Zucker, J.E., Bar-Joseph, I., Sucha, G., Koren, U., Miller, B.I., Chemla, D.S. Electrorefraction in GaInAs/InP multiple quantum well heterostructures 88−45214
Zucker, J.E., Hendrickson, T.L. Electro-optic phase modulation in GaAs/AlGaAs quantum well waveguides 88−39988
Zucker, J.E., Hendrickson, T.L., Burrus, C.A. Low-voltage phase modulation in GaAs/AlGaAs quantum well optical waveguides 88−21056
Zucker, J.E., VonLehmen, A., Chemla, D.S., Heritage, J.P. Dynamics of below-gap photoexcitation in GaAs quantum wells 87−45676
Zucker, M., Erhart, J.J. Capacitors near loads? The engineering viewpoint 85−44136
Zucker, M.S. An improved method for the stabilization of NaI-photomultiplier gamma detectors against thermal and other drift 86−27816
Zucker, O., Long, J. Multipulse induction accelerator 85−4187
Zucker, O., Long, J. The 'Meat Grinder', a reversible inductive storage and transfer system 85−5160
Zucker, O., Long, J., Giorgi, D., Lindner, K., Navapanich, T. Theory, experiments and applications of Meatgrinder circuits 88−43312
Zucker, O., Long, J., Giorgi, D., Lindner, K., Navapanich, T. The generation of 100 TW with an explosive generator driven single step Meatgrinder 88−43313
Zucker, O., Long, J., Lindner, K., Giorgi, D., Navapanich, T. Inductive energy transfer circuit proof of principle experiment 86−56962
Zucker, O. *see* Giorgi, D. 87−22507, 87−22797, 87−22799, 87−26675, 87−73822
Zucker, O. *see* Lindner, K. 87−26691, 87−47128
Zucker, O. *see* Long, J. 88−38333
Zucker, O.S.F. *see* Giorgi, D. 88−33142
Zucker, R., Wong, T. Simplifying the design of high speed analogue circuits 87−59200
Zucker, R., Wong, T. Fast analogue circuits in practice. Application of the wide-band operational amplifier LH 4101 88−25011
Zucker, S.H. *see* Christian, K.B. 87−28451
Zucker, S.W. Early orientation selection: inferring trace, tangent, and curvature fields 87−48099
Zucker, S.W. *see* Dubuc, B. 88−41079
Zucker, S.W. *see* Hummel, R.A. 86−4061
Zucker, S.W. *see* Leclerc, Y. 85−30371
Zucker, S.W. *see* Leclerc, Y.G. 87−47905
Zucker, S.W. *see* Sander, P.T. 87−48213, 87−62333
Zuckerberger, A., Alexandrovitz, A. Determination of commutation sequence with a view to eliminating harmonics in microprocessor-controlled PWM voltage inverter 87−4790
Zuckerberger, A., Alexandrovitz, A. Controller design for CSIM drive operating under slip frequency strategy 88−69726
Zuckerberger, A., Alexandrovitz, A. Controller design for current source induction motor drives 88−69809
Zuckerberger, A. *see* Alexandrovitz, A. 87−72136
Zuckerman, D.N. *see* Cetti, S. 87−33978
Zuckerman, D.N. *see* Mines, J.A. 85−13760
Zuckerman, D.S., Driemeyer, D.E., Waganer, L.M., Dudziak, D.J. An induction linac driven heavy-ion fusion systems model 88−47734
Zuckerman, D.S. *see* Harris, D.B. 87−61290
Zuckerman, D.S. *see* Wilson, D.C. 88−48626
Zuckerman, G.J. *see* Whisnant, R.A. 87−16011
Zuckerman, L. Determining performance parameters for a military power supply specification 85−28376
Zuckerman, L. Isolated feedback techniques for switching mode power supplies 86−34538
Zuckerman, M.M. Innovative display technologies—why a flat panel when you can have a CRT? 85−4055
Zuckermann, I.A. *see* Khutoretskii, G.M. 86−51553
Zuckerwar, A.J., Mazel, D.S., Hodges, D.Y. Ultrasonic level sensor for liquids under high pressure 87−8610

Zuckmantel, E., Heddergott, H., Holland, C.R. Optical engine oil level sensor 86−50083
Zuckmantel, E., Holle, H.T. Multiplex systems for vehicles—evolution instead of revolution 86−52018
Zucong Tao *see* Tao Zucong
Zudin, O.S. Integrated network system for automation of research 86−10618
Zudin, O.S. Data identification in an integrated data-logging and -processing network system 86−60170
Zudinov, J.B. *see* Alexeev, N.N. 86−31903
Zudinov, J.B. *see* Goldin, L.L. 88−54010
Zue, V.W. The use of speech knowledge in automatic speech recognition 86−22949
Zue, V.W. Acoustic phonetic approaches to speech recognition 86−48830
Zue, V.W., Cyphers, D.S. The MIT spire system 86−4920
Zue, V.W., Cyphers, D.S., Kassel, R.H., Kaufman, D.H., Leung, H.C., Randolph, M., Seneff, S., Unverferth, J.E., III, Wilson, T. The development of the MIT Lisp-machine based speech research workstation 87−19463
Zue, V.W., Lamel, L.F. An expert spectrogram reader: a knowledge based approach to speech recognition 87−19555
Zue, V.W. *see* Aull, A.M. 86−16256
Zue, V.W. *see* Glass, J.R. 86−16261, 86−59263, 87−27323, 88−72795
Zue, V.W. *see* Leung, H.C. 86−59264, 87−27319, 88−72793
Zue-song Bao *see* Bao Zue-song
Zue-song Zhou *see* Zhou Zue-song
Zuech, N. *see* Negin, M. 86−13537
Zuegel, M.A. Organic insulators [semiconductor technology] 86−1943
Zueger, S. *see* Gueth, R. 86−4340
Zuehlke, R. *see* Dahmen, M. 85−29282
Zuehlke, R. *see* Polmann, K. 85−17288
Zuehlke, R.G. *see* Owens, W.R. 87−77793
Zuei Dao Tchai *see* Dao Tchai Zuei
Zueltzke, W. *see* Herrmann, R. 88−8026
Zuercher, J.C. A fully integrated, MOS based thermal printhead actuator 88−39729
Zuev, A.B. *see* Vvedenskii, Yu.V. 85−3823, 85−62309, 86−40964
Zuev, A.P. *see* Aristov, V.V. 88−70384
Zuev, L.I. *see* Farkhadzade, E.M. 86−32697
Zuev, V.A., Kryuchkov, A.A., Repkin, Yu.A., Romanov, S.F., Tselikovskaya, A.I. Tests of a U_3O_8 tubular feeder 86−52211
Zuev, V.A., Popov, V.G., Evtukh, A.A. Sensitization of photoelectric effects in the Si-SiO_2-Si_3N_4 system due to ultraviolet irradiation 85−12700
Zuev, V.A. *see* Drazhan, A.V. 85−28953
Zuev, V.A. *see* Gavrilenko, V.I. 85−28932
Zuev, V.E. Laser sounding of the atmosphere 87−21781
Zuev, V.E. Signals and noise in laser ranging 88−41753
Zuev, V.E., Godlevskii, A.P., Kopytin, Yu.D., Lazarev, S.V., Sharin, P.P. Sounding of atmospheric parameters based on the method of coherent intracavity laser reception of weak lidar returns 87−61297
Zuev, V.E., Kavkyanov, S.I., Krekov, G.M. Interpretation of data on laser sensing of aerosol atmosphere from space 86−6090
Zuev, V.E., Kopytin, Yu.D. New laser atmosphere sounding techniques based on nonlinear effects 86−65511
Zuev, V.I. *see* Akulov, A.T. 86−39600
Zuev, V.M. *see* Gromov, Yu.V. 85−6046
Zuev, V.M. *see* Kogan, A.V. 85−58716
Zuev, V.S., Kanaev, A.V., Mikheev, L.D. Some features of the use of a mixture of H_2-He gases as the active medium of an optically pumped laser 85−2233
Zuev, V.S., Kanaev, A.V., Mikheev, L.D. Optical pumping of xenon and gas lasers 88−20554
Zuev, V.S., Kashnikov, G.N., Kozlov, N.P., Mamaev, S.B., Orlov, V.K., Protasov, Yu.S., Sorokin, V.A. Characteristics of an XeF (*C-A*) laser emitting visible light as a result of optical pumping by surface-discharge radiation 87−54239
Zuev, V.S., Komel'kova, L.A., Kruglenko, V.P., Logunov, O.A., Povstyanoi, M.V., Startsev, A.V., Stollov, Yu.Yu., Timoshin, A.A. Imitrines. V. Dependences of the fluorescence quantum efficiencies and of the lasing efficiencies on the chemical structure of imitrines 85−2258
Zuev, V.S., Korol'kov, K.S., Nosach, O.Yu., Orlov, E.P. Effects of the laser field on an inhomogeneity wave in the active medium of an iodine photodissociation laser 85−24478
Zuev, V.S., Korol'kov, K.S., Nosach, O.Yu., Orlov, E.P. Transient regime of stimulated enthalpy scattering of light by ultrasound in iodine lasers 85−35698
Zuev, V.S., Korol'kov, K.S., Nosach, O.Yu., Orlov, E.P. Inertial nonlinear processes in laser media and their effects on high-power laser beams 87−68582
Zuev, V.S., Logunov, O.A., Startsev, A.V., Stoilov, Yu.Yu. Kinetics of low-threshold stimulated thermal scattering of light in gases near the critical point 85−24665
Zuev, V.S., Mikheev, L.D., Stavrovskii, D.B. Photodissociation XeF laser operating with an efficiency of about 1% 85−18870
Zuev, V.S., Mikheev, L.D., Stavrovskii, D.B. Efficiency of an optically pumped XeF laser 85−35699
Zuev, V.S. *see* Basov, N.G. 86−29065, 86−48326, 86−48328 to 48329, 87−74978
Zuev, V.S. *see* Bazhulin, S.P. 86−15623, 87−18895, 87−18900, 87−26290, 87−75004
Zuev, V.S. *see* Skala, I. 85−41336
Zuev, V.S. *see* Stirand, O. 87−68360
Zuev, V.V. *see* Andreev, Yu.M. 88−58662
Zuev, Yu.A. Representations of Boolean functions by systems of linear inequalities 86−57355
Zuev, Yu.F. *see* Valitov, V.M. 88−10103
Zueva, I.Yu. *see* Zorya, V.I. 85−35300
Zueva, L.I. *see* Farkhadzade, E.M. 86−26208
Zueva, N.A. *see* Sorokin, V.L. 86−26955
Zueva, N.M. *see* Naumov, N.M. 88−10098
Zueva, W.K. An automatic system for registration of cardiological data 87−41975
Zufan Jiang *see* Jiang Zufan
Zuffada, C., Engheta, N. Field uniformity criteria for the design of a two-wire EMP simulator 88−72570
Zuffada, C. *see* Conciauro, G. 85−13184
Zuffada, M., Sacchi, F. Single-chip multistandard sound and video IF demodulator 87−13909
Zuffante, C. *see* Corda, S. 88−17837
Zufferey, C. *see* Aguet, M. 86−51026
Zufferey, C. *see* Werner, R. 88−35385
Zufiria, J.J., Garcia, N. Image compression through transform coding techniques 88−3188
Zug, R. *see* Dove, D. 88−14367
Zugarek, G. *see* Bock, H. 87−78330
Zugarek, G. *see* Hammer, J. 87−68683
Zugck, J. *see* Deuflhard, P. 88−6398
Zugelder, U., Roulston, D.J. Analytic results for the base region of bipolar transistors based on computer simulations 87−67231
Zuger, H.P. Prefabricated relay-circuit boards 86−20903
Zugich, M.H. *see* Houston, T.W. 85−22885
Zugich, M.H. *see* Meulenberg, A. 88−26178
Zugich, M.H. *see* Schott, J.T. 88−25194
Zugrav, M. *see* Draganescu, V. 88−14161
Zuguang Ma *see* Ma Zuguang
Zuguang Wang *see* Wang Zuguang
Zuhai Cheng, Xuhui He, Zaiguang Li Output characteristics of an unstable confocal resonator 86−22427
Zuhai Cheng *see* Cheng Zuhai
Zuhlsdorf, J. Heterostructures and superlattices on silicon 88−64306
Zuhr, R.A., Appleton, B.R., Herbots, N., Larson, B.C., Noggle, T.S., Pennycook, S.J. Low-temperature epitaxy of Si and Ge by direct ion beam deposition 88−406
Zuhr, R.A. *see* Appleton, B.R. 87−44341, 88−31813
Zuhr, R.A. *see* Herbots, N. 86−40772, 87−5478
Zuhr, R.A. *see* Sonder, E. 87−32405
Zuidema, J. *see* Janssen, M. 86−52578
Zuidema, R.J. A 2 cm aperture X-ray preionized TEA CO laser 87−46797
Zuidema, R.J., Ernst, G.J. Characteristics of an X-ray preionized TEA CO laser 87−68325
Zuidervaart, J.C. *see* Geril, P. *(editor)* 87−31149
Zuiderveld, K. *see* Pizer, S.M. 87−77671
Zuiderveld, K.J. *see* ter Haar Romeny, B.M. 88−36563
Zuiderwyk, M. *see* Jorgensen, F.R.A. 85−52886
Zuijdervliet, P.C. Memory control in the 80386 microprocessor 87−37354
Zuikov, V.Ya., Suchik, V.E., Gritsenko, V.Yu. Solution of the state equations of electric circuits with pulse-amplitude modulation of actions 88−18885
Zuikova, A.M. *see* Ermakov, S.A. 88−5184
Zuikova, N.V. *see* Gavrilov, V.F. 88−45498
Zujeva, R.S. The effect of reducing silver content in the 8P color positive motion-picture films on photographic indices of sound records 87−3349
Zujkow, W.J. *see* Jablonski, W. 88−24862
Zuk, D. *see* Bair, M.E. 87−70447
Zuk, D. *see* Gleichman, K. 88−53733
Zuk, J. *see* Hilsberg, M. 85−37105
Zukang Xu *see* Xu Zukang
Zukauskas, A.A., Ulinskas, R.V., Daunoras, P.I. Efficiency of heat exchange in banks of rough tubes subject to transverse streamline flow 86−39898
Zukauskas, S. *see* Matukas, J. 87−53470
Zukeran, C., Afuso, C., Kameyama, M., Higuchi, T. Design of low-power quaternary CMOS logic circuits 85−61232
Zukeran, C., Afuso, C., Kameyama, M., Higuchi, T. Design of new low-power quaternary CMOS logic circuits based on multiple ion implants 86−2405
Zukeran, C., Afuso, C., Kameyama, M., Higuchi, T. Design of low-power quaternary CMOS logic circuits 86−67989
Zukeran, C., Afuso, C., Kameyama, M., Higuchi, T. Design of micro-power CMOS-quaternary memory circuits 87−37194
Zukeran, C., Afuso, C., Kameyama, M., Higuchi, T. Design of micropower CMOS quaternary memory circuits 88−32220
Zukeran, C., Hachimine, G. An integral type quaternary signal generator 85−898
Zukerman, M. On packet switching capacity in QPSX 88−46832
Zukerman, M., Rubin, I. Queue size and delay analysis for a communication system subject to traffic activity mode changes 86−54584
Zukerman, M., Rubin, I. On multi-channel queueing systems with fluctuating parameters 86−59395
Zukerman, M., Rubin, I. Queuing performance of demand-assigned multi-access communication systems under bursty traffic conditions 87−33845
Zukerman, M., Rubin, I. Performance of flow-controlled communications systems under bursty traffic 87−40188
Zukerman, M., Rubin, I. Queueing performance of a multi-channel system under bursty traffic conditions and state dependent service rates 88−28139
Zukotynski, S. *see* Koo, Y.C. 88−43929
Zukotynski, S. *see* Kruzelecky, R.V. 88−71316
Zukotynski, S. *see* Kruzelekcky, R.V. 86−28153
Zukotynski, S. *see* Nakagawa, H. 85−1277
Zukowski, A. *see* Czerwinski, A.A. 85−18458
Zukowski, C.A. Relaxing bounds for linear *RC* mesh circuits 86−52635
Zukowski, C.A., Wyatt, J.L., Jr. Sensitivity of nonlinear one-port resistor networks 85−11397
Zukowski, C.A., Wyatt, J.L., Jr., Glasser, L.A. Bounding techniques and applications for VLSI circuit simulation 86−57749
Zukowski, C.A. *see* Wyatt, J.L., Jr. 86−52925
Zukunft, G. *see* Walther, G. 85−5607
Zul', N.M. *see* Budzko, A.I. 88−23398
Zul, N.M. *see* Budzko, I.A. 85−65675
Zulauf, U. Brushless DC servo drive for extreme conditions 87−9610
Zulch, J., Haitz, P. Physiological constraints related to work at VDU terminals 86−65133
Zuleeg, R. Is GaAs ready for VLSI? 85−23936
Zuleeg, R. Responsivity of ion-implanted p-n junction in a GaAs electroabsorption avalanche detector 86−65194
Zuleeg, R. Radiation effects in GaAs integrated circuits 87−46106
Zuleeg, R., Friebertshauser, P.E., Stephens, J.M., Watanabe, S.H. Al-Ge ohmic contacts to n-type GaAs 87−17781
Zuleeg, R., Notthoff, J.K., Nichols, D.K. SEU of complementary GaAs static RAMs due to heavy ions 85−17387
Zuleeg, R. *see* Burke, E.A. 88−25882
Zuleeg, R. *see* Campbell, A.B. 87−32543
Zuleeg, R. *see* Flesner, L.D. 86−47345
Zuleeg, R. *see* Knudson, A.R. 86−35702
Zuleeg, R. *see* Lehovec, K. 85−55473
Zuleeg, R. *see* Roach, J.W. 86−21540, 87−38282
Zuleeg, R. *see* Wieder, H.H. 86−54026
Zulian, F., Maccianti, T. Design of a VLSI 32-bit microprocessor to be used on the CPU (IDP) of the Honeywell DPS4 follow-on computer 87−52630
Zuliani, L. *see* Bertotti, L. 88−5094
Zuliani, M. *see* Winter, A.E. 86−37816
Zulinski, R.E. A high-efficiency self-regulated class E power inverter/converter 87−4798
Zulinski, R.E. A high performance class E amplifier for use in power inversion applications 87−31736
Zulinski, R.E., Steadman, J.W. Performance evaluation of class-E frequency multipliers 86−47034
Zulinski, R.E., Steadman, J.W. Effect of component variation on the performance of class E amplifiers and frequency multipliers 86−57649
Zulinski, R.E., Steadman, J.W. Idealized operation of class-E frequency multipliers 87−17286
Zulinski, R.E., Steadman, J.W. Class E power amplifiers and frequency multipliers with finite DC-feed inductance 88−6671
Zullig, F. *see* Randin, J.P. 87−70598
Zulpa, P.A. *see* Herschbein, S.B. 85−6864
Zumberge, M., Wyatt, F., Yu, D.X. An optical fiber strainmeter and test of its stability 88−65261
Zumberge, M.A. Frequency stability of a Zeeman-stabilized laser 85−56476
Zumberge, M.A. *see* Johnson, H.O. 88−27012
Zumbro, J.D. *see* Burleson, G.R. 86−60503
Zumbusch, L. *see* Krefft, M. 87−49001
Zumbusch, L. *see* Laufer, K. 86−37854
Zumdieck, J. *see* Eggleston, J.M. 87−12433
Zumdieck, J. *see* Shemwell, D.M. 87−75175, 88−2318
Zumdieck, J.F. *see* Petr, R.A. 85−5230
Zumer, S. *see* Doane, J.W. 86−36261
Zumerle, G. *see* Anguilar-Benitez, M. 87−71031
Zumerle, G. *see* Barichello, G. 87−29503
Zumerle, G. *see* Blumenfeld, H. 85−43184
Zumerle, G. *see* Checchia, P. 86−65330
Zummeren, M.Van *see* Van Zummeren, M.
Zumoto, N., Sokabe, N., Murai, A. A CO_2 laser of Pyrex waveguide type—construction and performance 87−68364
Zumoto, N. *see* Sokabe, N. 86−9735
Zumpetta, G. Data acquisition systems: an approach to better programs 88−15977

Zumrikova, E. *see* Kosturiak, A. 86—2580
Zumstein, J.M. *see* O'Brien, C.R. 87—14200
Zun-Xiao Liu *see* Wen-Wang Ho 86—21961
Zuna, I. *see* Raeth, U. 85—43342
Zund, H., Fuchs, H. Technical and operational aspects of the Chernobyl accident 87—4493
Zundel, T., Courcelle, E., Mesli, A., Muller, J.C., Siffert, P. Field-enhanced neutralization of electrically active boron in hydrogen implanted Schottky diodes 86—58439
Zundel, T., Muller, J.C., Siffert, P. Boron neutralization by hydrogen ion implantation in silicon [solar cells] 88—18007
Zundel, T. *see* Ababou, Y. 86—41525
Zundu Luo *see* Luo Zundu
Zung Chan' Tkhi Ngok *see* Chan' Tkhi Ngok Zung
Zung Le Gui *see* Le Gui Zung
Zunger, A. Electronic structure of electronic materials for photovoltaic applications 86—8729
Zunger, A. Stability and electronic structure of ultrathin superlattices and alloys 88—12966
Zunger, A. *see* Wei, S.H. 88—19688
Zunger, A. *see* Deb, S.K. *(editor)* 87—65093
Zungi Lin *see* Lin Zungi
Zunic, M. Digital transmission line systems using coaxial cable 88—21900
Zuniga, J.N.Su *see* Su Zuniga, J.N.
Zuniga, J.S., Aparicio Marzo, J.L. Power circuits in DC/DC converters. I 86—731
Zuniga, J.Sebastian *see* Sebastian Zuniga, J.
Zuniga, O.A., Haralick, R.M. Integrated directional derivative gradient operator 87—69282
Zuning Wang *see* Wang Zuning
Zunino, D. *see* Caviglia, D.D. 87—32731
Zunino, F. *see* Cimbrico, P.L. 86—25993
Zunino, P. *see* Cazcarra, V. 85—50407
Zunko, P., Mihalic, R. Simulation of short-circuit network faults by means of personal computers 88—68879
Zunlan Shi *see* Shi Zunlan
Zunlin Zhang *see* Zhang Zunlin
Zunqi Lin *see* Wehnua Chen 88—58669
Zunser, B.E., Meier, C.D., Warner, H.J., Hemmaplardh, K., Sackett, S.A., Williamson, D., Vartuli, D. An historical information spreadsheet for power system operation 86—50908
Zunser, B.E., Meier, C.D., Warner, H.J., Hemmaplardh, K., Sackett, S.A., Williamson, D., Vartuli, D. An historical information spreadsheet for power system operation 87—30063
Zunt, V. *see* Vlach, J. 86—71120
Zuo Ni *see* Ni Zuo
Zuo Tao *see* Zhu Shengyun 88—54448
Zuo Xiao *see* Xiao Zuo
Zuo Xu *see* Xu Zuo
Zuo-chen Chi Recognition for 3-D surface shape using multiple distance features 87—49933
Zuo-gui Yang *see* Yang Zuo-gui
Zuo-qing Wang *see* Wang Zuo-qing
Zuo-ya Yang *see* Yang Zuo-ya
Zuolian Zhao *see* Zhao Zuolian
Zuoqian Cai *see* Cai Zuoqian
Zuowu Tan *see* Tan Zuowu
Zuoyi Chen *see* Chen Zuoyi
Zuoyong Li *see* Li Zuoyong
Zuozhi Li *see* Li Zuozhi
Zuozhu Huang *see* Huang Zuozhu
Zupa, P. *see* Ahtiainen, A. 86—37541
Zupac, D. *see* Dimitrijev, S. 87—74286, 88—13584
Zupan, F. *see* Langus, J. 86—17748
Zupancic, C. A simplified algorithm for momentum estimation in magnetic spectrometers 86—65390
Zupancic, C. *see* Benvenuti, A.C. 85—15254, 88—4860
Zupancic, M. *see* Hribar, M. 88—67602
Zupei Chen *see* Chen Zupei
Zuping Liu *see* Liu Zuping
Zupko, A.J. *see* Nyer, W.W., Jr. 87—4576
Zupko, H.M. *see* Taylor, C.R. 87—52974
Zupnik, A.E., Tishenin, Yu.V., Bun'kova, T.A., Rogatskina, N.E. Calculating the optimal thickness of buffer coatings for cast measurement transformers 86—41367
Zuppiger, J. *see* Real, M.G. 87—58444
Zuppiroli, L. *see* Kormann, R. 86—63053
Zupunski, I., Miljanic, P. AC power calibration with a precision digital wattmeter in the feedback loop 87—14380
Zupunski, I., Miljanic, P.N. AC power calibrator with a precision digital wattmeter in the feedback loop 88—16395
Zuqiu, L. *see* Burr, W.E. 88—73979
Zuquan Cai *see* Cai Zuquan
Zuquan Ding *see* Ding Zuquan
Zur, A., Katzir, A. Use of infrared fibers for low-temperature radiometric measurements 86—38377
Zur, A., Katzir, A. Fibers for low-temperature radiometric measurements 87—49740
Zur, A. *see* Katzir, A. 88—16713
Zur, A. *see* Schlesinger, T.E. 86—1782
Zur, A. *see* Stepanov, G. 86—9039
Zur, I. *see* Navon, U. 88—48477
zur Gathen, J.von *see* von zur Gathen, J.
Zur Vert, S. *see* Feddern, U. 87—45544
zur Verth, S. Silicon eyes 86—31438
Zur Verth, S. *see* Feddern, U. 85—42888
Zurabov, Y.G., Moskvin, G.I. Long-term future of the COSPAS-SARSAT system 87—41144
Zurabyan, N.Y. *see* Frankevich, E.L. 86—14873
Zurada, J. Programmable and self-tuning filters: RC and SC 86—1258
Zurada, J., Smith, J.M. Self-tuning SC filters 85—17668
Zurada, J.M. Accurate predistorted design of single op amp active filters 86—52944
Zurada, J.M. Delay estimate in a capacitively loaded URC line 88—540
Zurada, J.M., Kang, M.J. Summing networks using neural optimisation concept 88—51027
Zurada, J.M., Liu, T. Equivalent dominant pole approximation of capacitively loaded VLSI interconnection 87—38356
Zurada, J.M., Smith, J.M. Self-tuning filter for instrumentation 85—915
Zurada, J.M., Steinbeiser, C.F. Design considerations for a NMOS PLA layout generator 86—57804
Zurakhinskii, V.I. Methods of constructing algorithms for the interpolation of plane surfaces 87—72991
Zurakowski, M.P. *see* Figueredo, D.A. 87—1310, 88—44751
Zuras, D., McAllister, W.H. Balanced delay trees and combinatorial division in VLSI 87—5792
Zuras, D. *see* McAlister, W.M. 87—17020
Zurauskas, S. *see* Dargys, A. 85—6697
Zurauskas, S. *see* Krotkus, A. 87—53219
Zuravlev, G.S. *see* Glebov, I.A. 86—19197
Zuraw, M.R. *see* Krishna Verma, K. 88—66876
Zurawski, M. Problems of supervision and maintenance of digital networks 88—14940
Zurawski, R.J. *see* Blakley, J.R. 88—21148
Zurawski, R.Z. Power transmission line routing—systems approach 86—44930
Zurawsky, W.P., Stolt, K., Drickamer, H.G. High-pressure studies of interface states induced in CdS by Ag and Cu 85—50269
Zurbrick, L.S. *see* Brooks, G.W. 85—62011
Zurbriggen, J. Timing recovery using a digital phase lock loop (DPLL) applied to a local digital transmission 86—49131
Zurcher, B. *see* Jaquier, J.J. 87—28003
Zurcher, F. *see* Le Guyader, A. 88—66311
Zurcher, J.-F. MICROS3—a CAD/CAM program for fast realization of microstrip masks—description and typical applications 86—14490
Zurcher, J.-F. Optical fibre link between Berne and Neuchatel 87—3189
Zurcher, J.-F. Transmission of radio and TV programmes from Weissenstein to Solothurn through glass fibres 88—67369
Zurcher, J.-F., Barlatey, L., Gardiol, F. Computer aided method to measure the permittivity of microstrip substrates 87—17326
Zurcher, J.-F., Gardiol, F. Six-port microwave reflectometer 85—14990
Zurcher, J.-F., Gardiol, F. Computer-aided design of Wilkinson power dividers on microstrip 87—17331
Zurcher, J.-F., Gardiol, F. Computer-aided design of bandpass filters on microstrip 88—50350
Zurcher, J.-F., Gardiol, F.E. A computer-aided technique for the design of printed antennas 86—62801
Zurcher, J.-P. *see* Schumann, W. 86—13277
Zurcher, J.F. MICROS 3—a CAD/CAM program for fast realization of microstrip masks 86—8422
Zurcher, J.F. *see* Le Guyader, A. 87—19523
Zurcher, P., Nelson, A.J., Johnson, P., Lapeyre, G.J., Noufi, R. Soft X-ray photoemission investigation of the oxidation of CuInSe$_2$ thin films 88—37531
Zurcher, P. *see* Gennser, U. 88—19714
Zurcher, P. *see* Gessert, T.A. 88—1410
Zurcher, P. *see* Katnani, A.D. 85—34587
Zurchur, B. *see* Jaquier, J.-J. 87—20165
Zurek, O. *see* Zvolanek, J. 87—50851
Zurek, P.M. *see* Durlach, N.I. 88—54646
Zuretti, U. *see* Babare, A. 85—16072
Zurfluh, E.A., Muller, H.R. Automatic configuration for fiber-based LANs 88—73654
Zurfluh, E.A. *see* Keller, H. 86—54931
Zurhorst, B. Shaping a new German telecommunications policy 88—52691
Zurin, M.V. *see* Bobrovskii, A.N. 88—33939
Zurina, L.V. *see* Zelichenko, A.S. 86—61149
Zurita, G.R., Uribe, R.D. Jones formalism for polarisation incorporated to spatial filtering for an intermediate course on waves 88—58336
Zurk, R.Van *see* Van Zurk, R.
Zurkowski, H. *see* Leighton, W. 88—50382
Zurletto, C. *see* Martinuzzi, S. 87—66884
Zurletto, C. *see* Poitevin, H. 88—18081
Zurmerle, G. *see* Blumenfeld, H. 85—9048
Zurmuhle, R.W. *see* Behrooz, A.M. 87—77587
Zurn, J., Hoffmann, T. Crack depth-measurement and crack shape-reproduction by the eddy-current-technique 88—6565
Zurn, M. Surface mount repair at E.F. Johnson 88—19540
Zurn, M., Ulrich, R. Elasto-optic loss modulation on side-polished fibre 88—58084
Zurn, M., Voigt, J., Brinkmeyer, E., Ulrich, R., Poole, S.B. Line narrowing and spectral hole burning in single-mode Nd^{3+}-fiber lasers 87—54285
Zurn, M. *see* Brinkmeyer, E. 86—29135
Zusheng Cheng *see* Cheng Zusheng
Zushi, H. *see* Uo, K. 85—32808
Zushi, T. *see* Kato, H. 88—28852
Zushi, T. *see* Kuzushita, H. 88—26793, 88—26828
Zusman, F.S., Ottey, H.R., Shreve, M.T. A multilevel/mixed architecture for SDI simulation 88—17021
Zusman, F.S. *see* Davison, J. 85—37165
Zusman, F.S. *see* Ottey, H.R. 86—64917
Zusman, G.V., Nikulin, A.A., Petrovich, V.I. Piezoelectric vibration sensor with thermal compensation 87—3567
Zusman, G.V. *see* Petrovich, V.I. 87—4541, 88—22849
Zusman, M.I. *see* Balakshii, V.I. 86—48238
Zusman, M.V. *see* Dvorchik, S.E. 87—78959
Zusmanovich, L.B., Fedorov, V.I. Determination of optimal flow of circulation water in an 800 MW generating unit [turbine condensers] 85—15839
Zuspan, G.W. *see* Rosen, R.L. 85—32992
Zussman, A. Electrical properties of Schottky diodes of Ti on highly doped GaAs 86—53585
Zussman, A. *see* Kapon, E. 85—24574
Zussman, A. *see* Mordowicz, D. 88—26932
Zussman, A. *see* Shahar, A. 87—10385, 87—39112
Zutavern, F., O'Malley, M., Buttram, M., Stygar, W. Photoconductive semiconductor switching for the pulsed power applications 87—18851
Zutavern, F.J., Buttram, M.T., O'Malley, M.W. Dielectric breakdown distributions of large dielectric constant liquids 85—24001
Zutavern, F.J., O'Malley, M.W. Engineering limits of photoconductive semiconductor switches in pulsed power applications 87—43310
Zuther, H. Public data networks—can we improve the quality of service? 87—28182
Zutobradic, S. Grounding of neutral point for 10/20 kV network 85—38547
Zutobradic, S. Contribution to typification of grounding in 10 (20)/0.4 kV transformer substations 86—19341
Zutobradic, S. Calculation of complex grounding grids impulse characteristics 86—51126
Zutobradic, S. Probability of flashover on electric power distribution lines 86—65728
Zutobradic, S. Condition of overhead lines in a grounding system 87—57662
Zutobradic, S., Delbianco, L. A analysis of internal overvoltages in networks grounded by resistor 88—61982
Zutobradic, S., Filipovic-Grcic, B. Calculation of internal overvoltage in distribution nets grounded by resistor 85—15577
Zutobradic, S., Filipovic, B. Introduction to calculation of impulse characteristics of grounding systems 85—64945
Zutobradic, S., Filipovic-Greic, B. Design of industry TS 110/6 kV grounding leads 86—39209
Zutobradic, S. *see* Filipovic-Grcic, B. 86—51095
Zutter, D.De *see* De Zutter, D.
Zuwu Lai *see* Lai Zuwu
Zuxan Ying, Zhengsheng Zhu Safety precautions of deflection-derived power supplies 85—579
Zuyan Xu *see* Xu Zuyan
Zuyao Zhou *see* Ning Yu 87—38098
Zuydwijk, F.S. Thermal power plant—salvation for paper factory 86—33885
Zuydwijk, F.S. Look out for a disappearing symbol [low-voltage over head lines] 87—30218
Zuydwijk, F.S. New unit consumes 600000 m^3 of blast-furnace gas per hour: gain of 360 MW for the Velsen power station of the Provincial Electricity Company of North-Holland 87—78479
Zuydwijk, F.S. Electric utility improvement at Texel by considerable renovation 88—42737
Zuyin Chen *see* Chen Zuyin
Zuylen, P.van *see* van Zuylen, P.
Zuyong Xia *see* Xia Zuyong
Zuzek, J., Spence, R., Scholz, D. New horizons for communications satellites 85—20119
Zuzek, J.E. *see* Miller, E.F. 88—47007
Zuzeng Wu *see* Wu Zuzeng
Zuzhe Yu *see* Yu Zuzhe
Zuzhen Cheng *see* Cheng Zuzhen
Zuziak, P. Optimization of the squirrel cage design of HV asynchronous motors based on the stress analysis 88—5681
Zvane, G.Ya. *see* Drits, M.S. 88—30709
Zvanut, M.E., Feigl, F.J., Butler, S.R., Titcomb, S.L. Electrical properties of silicon dioxide films fabricated at 700°C. II. Low pressure hydride deposition 85—39807
Zvanut, M.E. *see* Trombetta, L.P. 86—21393
Zvara, J. *see* Kostelansky, P. 85—26008
Zvara, M., Hlidek, P., Hoschl, P., Koubele, V., Kucera, Z., Prosser, V., Szocs, V. Landau levels and phonon oscillations in photovoltage response of Cd$_x$Hg$_{1-x}$Te diodes 87—1266
Zvarich, V.N., Marchenko, B.G., Protsenko, L.D. Vibration analysis and detection of electric-machine malfunctions 87—22216

Zvarykina, A.V. *see* Yagubskii, E.B. 85−35330
Zvavamwe, W. *see* El Missiry, M.M. 88−69396
Zveiter, E. *see* Shore, N.L. 86−12403
Zvekov, A.N. *see* Kononov, A.A. 85−13567
Zvenigorodskaya, A.N. *see* Kalashnikov, R.V. 86−10117
Zvenigorodskii, E.G., Kaminskii, Yu.D. Prospects of using laser Doppler interferometry methods for highly accurate flow measurements 87−29359
Zverev, A.I., Karlov, V.I., Krasil'shchikov, M.N. Determination of an optimal of measurements using the maximum principle 85−58484
Zverev, B.A., Pakhomov, S.V., Savostin, P.I. Device for the pulse-amplitude modulation of laser beam power 86−9910
Zverev, B.V. *see* Zavadtsev, A.A. 85−20692
Zverev, G.A. *see* Avatkov, E.S. 86−7255
Zverev, G.M. Lasers in electronic manufacturing 88−27349
Zverev, G.M., Golyaev, Yu.D., Shalaev, E.A., Shokin, A.A. Neodymium activated yttrium-aluminium-garnet (YAG:Nd) lasers 88−2201
Zverev, G.M. *see* Bagdasarov, Kh.S. 86−54114
Zverev, L.P. *see* Germanenko, A.V. 85−18122, 86−58250
Zverev, L.P. *see* Radantsev, V.F. 86−27882, 87−53193
Zverev, M.M. *see* Bogdankevich, I.L. 86−3114
Zverev, M.M. *see* Bogdankevich, O.V. 86−22357 to 22358, 86−22362, 87−75030, 87−75056, 88−14209
Zverev, N.N., Komarov, V.A., Rubtsov, V.I. Electromagnetic-acoustical instrument for inspecting the quality of heat treatment on ferromagnetic steels 86−565
Zverev, P.G. *see* Basiev, T.T. 88−27115, 88−58664, 88−65655
Zverev, V.A. The role of condensate polishing for two-loop nuclear power stations 85−15742
Zverev, V.A. The development of nuclear power engineering in the USSR, taking as an example the Novovoronezh Nuclear Power Station 85−48705
Zverev, V.A., Krupennikov, V.P., Efremov, A.A. The V-440 simulator for operators of nuclear power stations 86−25693
Zverev, V.A., Luchkin, V.G., Sotnikov, A.F., Golubchikova, I.G., Monakhov, A.S., Bulanov, A.V., Osipova, I.V. Experience of in-service cleaning of a steam generator of a unit with a VVER-440 reactor [nuclear power stations] 85−48703
Zverev, V.A. *see* Ermakov, S.V. 88−62033
Zverev, V.A. *see* Margulova, T.Kh. 86−61282
Zverev, V.A. *see* Monakhov, A.S. 85−15739
Zverev, V.N. Periodic photoconductivity oscillations in *n*-type GaAs illuminated with infrared radiation and subjected to a magnetic field 85−41247
Zverev, V.N., Shovkun, D.V. Magnetoimpurity oscillations of photoconductivity in n-GaAs 86−54030
Zverev, V.V. *see* Brekhovskikh, G.L. 85−29921
Zverev, Yu.K. A method of checking the surface of the secondary mirror in the RATAN-600 86−37963
Zverev, Yu.K. Geodetic adjustment of the RATAN-600 radiotelescope 88−15714
Zverev, Yu.K. *see* Esepkina, N.A. 85−25960, 87−34682
Zverev, Yu.K. *see* Glumov, A.P. 87−34685
Zvereva, F.G. *see* Shcheglov, O.S. 88−25761
Zvereva, G.I. The effective carrying capacity of a link in a packet-switching network with independent errors 86−37184
Zvereva, G.I., Shvartsman, V.O. The organization of the preventive maintenance of communication equipment 85−7985
Zvereva, M.L. *see* Arapov, Yu.G. 86−21139
Zvereva, M.L. *see* Tsidil'kovskii, I.M. 87−24788
Zverkov, M.V. *see* Abul'shin, A.M. 87−68381
Zverkov, M.V. *see* Akul'shin, A.M. 86−36495, 87−26410
Zverkov, M.V. *see* Bykovskii, Yu.A. 87−13716, 88−40241
Zverkov, M.V. *see* Dedushenko, K.B. 87−18989, 87−68507, 87−68522
Zverkov, M.V. *see* Goncharov, I.G. 85−56737
Zverkov, V.M. *see* Bogdanov, V.A. 85−32057
Zverkov, V.V., Ivanov, V.A., Okorokov, V.R., Borovkov, V.M., Kulikova, G.G. The time factor in fuel utilization at an atomic electric power plant 87−35745
Zverkov, V.V. *see* Andrusheckho, S.A. 86−61251
Zverkov, V.V. *see* Ivanov, V.A. 85−38621
Zverkov, V.V. *see* Pytkin, Yu.N. 86−39407
Zverkov, V.V. *see* Veretennikov, G.A. 86−65825
Zvezdin, S.M., Bondarenko, O.P., Popovskii, V.Yu. An information-measuring system for controlling the parameters of welding and surfacing processes 86−66517
Zviedris, A.P., Kanter, V.K. Calculating the characteristics of salient pole synchronous machines on the basis of generalised magnetisation characteristics 85−16018
Zviedris, A.P., Makhnitko, A.E. Automation of calculation of the AC field in electric machines, allowing for eddy currents 86−45322
Zvizdic, D. Numerical calculations of mining transformers steady state temperature rise 85−21678
Zvodar, J. *see* Drahos, I. 86−12686
Zvolanek, J., Zurek, O. Protection of the resonant circuit of receivers in remote control applications 87−50851
Zvonar, Z.Z., Kovacevic, M.D. CPM direct sequence spread spectrum carrier modulation using noncoherent demodulation 88−2946
Zvonkov, S.A., Shchavelin, V.M. Calibration of acoustic-emission receivers by a random-noise technique 88−5213
Zvonkovich, V.R., Kokoshkin, V.P., Safonov, P.V., Sitnyakovskiy, I.V. Analysis of a method of speech-signal interpolation 87−55013
Zvonnikov, A.V. *see* Pisarev, V.V. 88−23623, 88−23625
Zvontsov, A.A., Kas'yanov, V.A., Chakhlov, V.L. Multiorbit induction accelerators 86−55952
Zvontsov, A.A. *see* Chakhlov, V.L. 87−63583
Zvorygin. V.P., Pushin, V.S., Chakhlov, V.L. Injection system for small betatron 86−25078
Zvorygin, V.P. *see* Chakhlov, V.L. 87−63583
Zvorykin, V.B. *see* Kozlo, V.K. 86−51629, 88−49239
Zvorykin, V.D. *see* Basov, N.G. 86−58866, 87−68350
Zvorykin, V.D. *see* Danilychev, V.A. 86−3270
Zvorykin, V.D. *see* Drozhbin, Yu.A. 85−56770, 88−40318
Zvyagaina, K.N. *see* Borisov, S.N. 86−19480
Zvyagin, I.P. Planar conduction in inhomogeneous films. Application to amorphous silicon 85−18100
Zvyagin, I.P. Temperature dependence of the mobility edge of hydrogenated amorphous silicon 85−28976
Zvyagin, I.P., Kurova, I.A., Ormont, N.N. Thermal quenching of photoconductivity in doped a-Si:H films 87−26174
Zvyagin, I.P., Kurova, I.A., Ormont, N.N., Chitaya, K.B. Characteristics of recombination processes in doped hydrated amorphous silicon films 88−33852
Zvyagin, K.V. *see* Zhilin, V.G. 87−77261
Zvyagin, V.F. Identifying triggering levels in logic circuit with global feedback 86−34709
Zvyagin, V.F. Test re-edition subsystem 88−674
Zvyagin, V.F., Nemolochnov, O.F., Sloev, B.A. Method of synthesizing correct sequences for logic circuits with M-S flip-flops 85−22765
Zvyagin, V.F., Nemolochnov, O.F., Sloyev, B.A. Recurrent-retrospective covers for synchronous flip-flops for building correct sequences 86−41004
Zvyagin, V.F. *see* Golynichev, V.N. 85−6254
Zvyagina, K. *see* Vasil'ev, A.M. 86−66324
Zvyagina, K.N. *see* Borisov, S.N. 85−44167
Zvyagina, K.N. *see* Grigor'eva, G.M. 85−45418
Zvyagintsev, A.A., Batrakov, D.O. A numerical analysis of the polarisation properties of fields scattered by cylindrical surfaces with significant impedance 88−20897
Zvyagintsev, A.M. *see* Balakireva, S.D. 88−74228
Zwaag, H.van der *see* van der Zwaag, H.
Zwaag, J.J.van der *see* van der Zwaag, J.J.
Zwaal, P. Interactive design of printed circuit boards 86−1489
Zwach, H. Data processing in the laboratory coat pocket. VII. Calculation of values in statistical quality control 85−49363
Zwack, F. *see* Barber, D.P. 85−48157
Zwadil, Z., Stika, I. Neutron radiography in CSRS 88−49912
Zwaenepoel, W. Protocols for large data transfers over local networks 86−23509
Zwaenepoel, W. *see* Johnson, D.B. 87−69721
Zwaenpoel, W. *see* Cheriton, D.R. 85−8133
Zwagerman, P.K. Air-to-ground ranging using electronic roll stabilization of monopulse data 88−60271
Zwagg, J.J.van der *see* van der Zwagg, J.J.
Zwahlen, H.T., Adams, C.C., Jr., Schwartz, P.J. Safety aspects of cellular telephones in automobiles 88−67278
Zwahlen, H.T., DeBald, D.P. Safety aspects of sophisticated in-vehicle information displays and controls 87−28978
Zwahlen, H.T., DeBald, D.P. Safety aspects of CRT touch panel controls in automobiles 87−72559
Zwahlen, H.T., Kothari, N. Effects of positive and negative image polarity VDT screens 87−20973
Zwahlen, K.W. *see* Potisk, G. 87−43285
Zwahlen, M. TELOC-UAS−software for the evaluation of data electronically recorded on a speed measurement system for railways 87−56856
Zwahlen, R. *see* Frosch, R. 85−39247
Zwahr, H. *see* Clausen, C.P. 86−51466
Zwahr, H. *see* Grunewald, B. 88−30546
Zwak, P. The UB 857-D universal timing circuit 88−70943
Zwally, H.J., Major, J.A., Brenner, A.C., Bindschadler, R.A. Ice measurements by GEOSAT radar altimetry 88−10510
Zwan, R.Van der *see* Van der Zwan, R.
Zwanenburg, R. The Fokker Strongback solar array 87−77803
Zwang, N. *see* Dado, S. 87−29448
Zwang Qu-Tu *see* Qu-Tu Zwang
Zwanzger, H.F., Bloss, L. Two new Grundig oscilloscopes, MO 20/MO 22 87−41554
Zwanzig, C., Landgraf, C. Speed-estimation for DC-motors with constant flux by the MRAS principle using current and voltage measurements only 86−70925
Zwanzig, C. *see* Landgraf, C. 86−39124
Zwar, M. *see* Harter, J. 86−9298
Zwarg, R. Starlan chips reduce network costs 87−53598
Zwart, K. Resolution versus dose in a Picker Digicon 260D digital subtraction unit 88−42533
Zwart, M.De *see* De Zwart, M.
Zwart, P., Rabou, L.P.L.M., Langedijk, G.J., Jeavons, A.P., Kaan, A.P., Akkerman, H.J.M., Mijnarends, P.E. The new two-dimensional angular correlation apparatus at ECN 87−29530
Zwart, S.T.De *see* De Zwart, S.T.
Zwart, W.de *see* de Zwart, W.
Zwas, G. *see* Breuer, S. 85−5950
Zweben, C. *see* Thaw, C. 88−11755, 88−24576
Zweben, S.J. *see* Cosso, F. 85−37549
Zwehl, W. *see* Ong, K.W. 85−9174
Zweiacker, P. *see* Daout, B. 88−2473
Zweibaum, F. Radiometry and the military 87−29074
Zweibaum, F.M. Radiometry's new roles in military research 86−11601
Zweibel, K. Thin films light way to practical solar cells 86−26297
Zweibel, K., Hermann, A. Cadmium telluride (CdTe) solar cells 86−19497
Zweibel, K., Jackson, B., Hermann, A. Comment on 'Critical materials assessment program' (S.A. Smith and R. Watts, Battelle Memorial Institute) [$CuInSe_2$-CdS solar cells] 86−66350
Zweibel, K., Mitchell, R., Hermann, A. Polycrystalline thin film solar cells 87−9854
Zweibel, K., Surek, T. Terrestrial photovoltaic research and development 86−40099
Zweibel, K., Ullal, H., Mitchell, R. The DOE/SERI polycrystalline thin-film solar cell program 88−37575
Zweibel, K. *see* Chu, T.L. 88−37594
Zweibel, K. *see* Hermann, A. 86−7111
Zweig, A.D., Weber, H.P. Mechanical and thermal parameters in pulsed laser cutting of tissue 88−8363
Zweig, D.A. *see* Zweig, G. 85−20897
Zweig, G., Mulcahy, J.L. X-ray system requirements for multilayer and populated boards 87−17523
Zweig, G., Zweig, D.A. Radioluminescent imaging: factors affecting light output 85−20897
Zweig, K. *see* Moritz, G. 88−68150
Zweijpfenning, R.C.J.V. *see* Schellart, N.A.M. 87−14850
Zweizig, J.G., Cheze, J.B., Ellett, J., Erhan, S., Jackson, R., Medinnis, M., Schlein, P.E., Zsembery, J. Test of a data-driven trigger processor for experiment UA8 88−22996
Zwemer, D. *see* Beilin, S. 87−8673
Zwerina, H. *see* Haubner, P. 88−29046
Zwetzig, R. *see* Dondale, S. 86−8075
Zwetzig, R.W. Integration of supercells and standard cells in ASIC design 87−586
Zwibel, H.S., Risser. V.V. Using an expert system for PV technology transfer 88−17462
Zwibel, H.S., Risser, V.V., Wrasman, B. PV system reliability studies and failure impact simulation 86−45304
Zwick, D. Strong uniqueness of best spline approximation for a class of piecewise n-convex functions 88−6394
Zwick, H., Bloom, K.R., Beatrice, E.S. Permanent visual change associated with punctate foveal lesions 86−65465
Zwick, H., Garcia, T.A., Beatrice, E.S., Bloom. K.R. Effect of broad-banded eye protection on dark adaptation 86−65472
Zwick, H., Monroe, D., Sherman, L. Computer visual simulation of contrast sensitivity deficits induced by laser and chemical antidote exposure 86−65463
Zwick, H.H. *see* Lee, H.S. 86−5123
Zwick, J.W. Effect of surface flatness on interface heat transfer 88−49547
Zwick, R. *see* Rosenbauer, H. 85−53170
Zwick, R. *see* Schanda, E. 87−21778
Zwick, S.A. *see* Fee, D.C. 87−43413
Zwick, U. Optic fibre waveguides−the state of the art 85−18688
Zwick, U. Standardising optical fibre cables 86−23894
Zwick, U., Freidinger, R., Wittmann, M. Fiber with high tensile strength 87−38811
Zwicker, G., Csepregi, L., Huber, H.-L., Windbracke, W., Heuberger, A. Fabrication of 0.5 μm poly-Si and aluminum interconnections by means of X-ray lithography and plasma etching 88−64450
Zwicker, U.T. Auditory recognition of diotic and dichotic vowel pairs 85−57304
Zwicker, W.K. *see* Khurgin, J. 86−15662

Zwickert, H. Investigation of the contact conditions at the current transfer to the welding wire 88−37785
Zwicknagl, P., Mukherjee, S.D., Capani, P.M., Lee, H., Griem, H.T., Rathbun, L., Berry, J.D., Jones, W.L., Eastman, L.F. Very low resistance Au/Ge/Ni/Ag based Ohmic contact formation to $Al_{0.25}/Ga_{0.75}As/GaAs$ and $Al_{0.48}In_{0.52}As/Ga_{0.47}In_{0.53}As$ heterostructures: a behavioral comparison 86−53448
Zwicknagl, P., Mukherjee, S.D., Jones, W.L., Lee, H., Capani, P.M., Griem, T., Berry, J.D., Rathburn, L., Eastman, L.F. Very low resistance ohmic contact fabrication for $Al_{0.25}Ga_{0.75}As/GaAs$ and $Al_{0.48}In_{0.52}As/Ga_{0.47}In_{0.53}$ as lateral devices: a comparison [sic. For $Ga_{0.47}In_{0.53}$ read $Ga_{0.47}In_{0.53}As$] 86−2226
Zwicknagl, P. *see* Capani, P.M. 86−58320
Zwicknagl, P. *see* Humer-Hager, T. 88−25881, 88−44545
Zwicknagl, P. *see* Kelting, K. 86−36316
Zwicknagl, P. *see* Mukherjee, S.D. 86−28355
Zwicknagl, W. *see* Binder, E. 87−57998
Zwicky, M. Breakdown phenomena in SF_6 and very inhomogeneous large rod-plane gaps under 50-Hz-AC and positive impulse voltages 87−67619
Zwicky, R. Actual trends in power electronics 87−10643
Zwicky, R. *see* Hammerli, B. 88−69383
Zwicky, R. *see* Jenni, F. 88−69604, 88−69769
Zwiebler, R. *see* Fruhauf, U. 88−1294
Zwier, G. *see* Jongen, H.Th. 87−52006
Zwiers, R.J.M., Braat, J.J.M., Dortant, G.C.M. A replicated bi-aspherical readout lens for optical disc systems 87−46626
Zwiers, R.J.M., Dortant, G.C.M. Aspherical lenses produced by a fast high-precision replication process using UV-curable coatings 86−22198
Zwieten, J.W.F.van *see* van Zwieten, J.W.F.
Zwigt, A. Lasers in medicine 88−61312
Zwijnenburg, A., Klumper, A., Roos, C.M., Jansen, H.M., van der Schoot, J.B., van Zandwijk, N., Marcuse, H.R. Lung volume calculations from $^{81}Kr^m$ SPECT for the quantification of regional ventilation 88−61244
Zwijsen, W., Duijndam, C., Behagel, F., Verhe-jen, C., Otten, H. An experimental CMOS TV synchronization IC 86−38032
Zwijsen, W. *see* van Glabbeek, H. 88−22288
Zwillinger, D. Random combinations of sine waves 86−48897
Zwimpfer, L.E. Emerging information services in New Zealand 85−47113
Zwimpfer, L.E. *see* Sirbu, M.A. 85−42257
Zwingelslein, G., Nguyen Van Nghi, B. The interactive videodisc in maintenance operations 87−78361
Zwingelstein, G., Adam, T. Diagnostics of failures of sensors of nuclear plants with the parity space methodology 85−37613
Zwingelstein, G., Adam, T. Signal validation techniques for pressurized water reactors 86−25741
Zwingelstein, G. *see* Papin, B. 88−48679
Zwink, E. *see* Kobbing, H. 88−34745, 88−53850
Zwinkels, A.C. *see* Mulder, R.J. 85−57891
Zwol, J.van *see* van Zwol, J.
Zwolinski, M. *see* Kazmierski, T.J. 88−18881
Zwoll, K. Local area networks-characteristics and products 88−21719
Zwoll, K. *see* van der Hart, A. 87−35291
Zyablin, V.L., Kilin, S.F., Kulakova, A.F., Kushakevich, Yu.P., Rozman, I.M., Shoniya, V.M. Longevity of plastic scintillators 87−29517
Zyablitsev, V.V. *see* Vorob'yev, L.A. 87−62731
Zyablov, V.V., Portnoi, S.L. Modulation/coding system for a Gaussian channel 88−52351
Zyablov, V.V., Shavgulidze, S.A. Generalized unit-memory convolutional concatenated codes 87−75720
Zyablov, V.V., Shavgulidze, S.A. A bound on the distance of unit memory generalized convolutional concatenated codes 88−27792
Zyablov, V.V. *see* Barg, A.M. 88−45909
Zyatin, V.M., Polyakhov, V.I. Checking a group of transformer winding connections by the two-voltmeter method, with programmed calculations on a microcalculator 88−69445
Zyat'kov, E.A., Kazakov, V.N., Kolesnik, V.G., Lanskov, V.M., Khamidov, A.Sh. Device for measurement of magnetic-field distribution of Siluet accelerator 88−60888
Zyazyulya, F.E., Korenchenko, S.M., Smirnov, V.S. Shock tensometer for multiwire chambers 87−21291
Zyazyulya, F.E. *see* Baranov, V.A. 87−14796
Zybell, G. Basic price tariffs no longer up to date? [electricity supply] 86−32666
Zybell, G. *see* Duwall, P. 86−25500
Zybin, D.N., Lipatov, N.I., Pashinin, P.P., Petrov, A.N., Prokhorov, A.M., Yurov, V.Yu. Outlook for the use of the oxides $Ln_{1-x}Sr_xCoO_3$ (Ln: La, Nd) as the cathodes of CO_2 waveguide lasers 87−33246
Zybov, V.N. Choice of frequency and phase of a switching multiplier for a single-channel device using a two-frequency control method 85−50017
Zybov, V.N., Mizyuk, L.Ya., Teterko, A.Ya. Design principle for single-channel signal processing devices using two-frequency eddy current control 85−52715
Zybura, A. *see* Pokora, L. 85−56537
Zybura, E. Reliability of solid-state power devices 85−1545
Zybura, E. Effect of the irregularity of the current flow in series/parallel solid-state valve systems on the reliability of rectifier blocks 85−1546
Zybura, E. Reliability of semiconductor rectifiers subassemblies 85−33219
Zybura, E. Probabilistic analysis of semiconductor diodes 85−34918
Zybura, E. Assessment of the reliability of central leakage protection systems in mining electric power networks 86−13244
Zybura, E. Problems arising in the assessment of thyristors 86−53612
Zybura, E. Thyristor reliability parameters in static conditions: estimation methodology 87−25260
Zybura, E. Probabilistic analysis of thyristors 87−32500
Zybura, E. Methods of assessment of the reliability of thyristors in dynamic conditions 87−38228
Zybura, E. Influence estimation of electrophysical parameters dispersion of thyristors on their reliability 88−13361
Zybura, E. Analytic method of determining the main reliability parameters of power diodes 88−26209
Zybura, E. Admissible electrothermal load carrying capacity of power semiconductor devices in random conditions 88−39347
Zybura, E. Method of determining the intervals of the scatter of the characteristics of electronic power components 88−50781
Zych, D. Traction motors for new types of trams manufactured at CKD, Prague 86−26369
Zych, L.J., Spadini, G. Techniques for optical measurement of registration 86−18123
Zych, L.J., Spadini, G., Hasan, T.F., Arden, B.A. Electrical methods for precision stepper column optimization 87−11550
Zych, L.J.., Spadini, G., Vidusek, D.A., Legenza, M.W. Optimization of a bilayer resist process for polysilicon gate lithography 87−11911
Zych-Bugno, W. A simulation system of physical and chemical conditions in closed-circuit cooling 88−75417
Zychowski, E.M. *see* Gadhok, J.S. 85−41532
Zycki, Z. The accuracy of the magnetic systems with permanent magnets computation 88−20253
Zyda, M.J., McGhee, R.B., Ross, R.S., Smith, D.B., Streyle, D.G. Flight simulators for under $100000 88−36707
Zydzik, G. *see* Dutta, N.K. 85−62569
Zydzik, G.J. *see* Chin, A.K. 86−15044
Zydzik, G.J. *see* Gualtieri, G.J. 87−1479
Zygierewicz, J. High quality television for satellite broadcasting TV systems 88−67327
Zygourakis, K. *see* Glass, M.W. 87−21007 to 21008
Zykanov, V.N. *see* Novikov, S.R. 86−24253
Zykin, F.A. On efficiency of improving power measurement accuracy in electric power stations, using an automated process control system 85−27274
Zykin, F.A. Higher harmonic filter for secondary power measurement convertor 86−45035
Zykin, F.A. Estimating the extent by which distorting loads lower the quality of the energy 88−17113
Zykin, F.A. Phenomena in power supply systems with loads that impair the quality of electric power 88−23253
Zykin, F.A., Kazakov, M.K. Periodic signal integrators 88−70941
Zykin, F.A., Plotnikova, T.S., Petrov, V.M. Voltage quality and secondary power in systems supplying distorting loads 86−56342
Zykin, F.A., Plotnikova, T.S., Zhelatelev, S.G., Sidorov, V.A. Periodic signal integrator with amplifier zero drift compensation 85−31421
Zykin, Yu.V. *see* Popov, V.A. 88−42868
Zykoff, F.B. *see* Olah, W.W. 85−10519
Zykov, A.M. *see* Zakharenkov, L.F. 86−35547
Zykov, G.A., Levandovskiy, V.G., Panichevskaya, V.I., Panfilova, S.V., Chayka, G.Ye. Effect of current flow on the reliability of Schottky-barrier diodes 87−18074
Zykov, G.A. *see* Buzaneva, E.V. 85−34806
Zykov, L.I., Kormer, S.B., Kulikov, S.M., Sukharev, S.A., Shkapa, A.F. Feasibility of increasing the maximum gain of an optical quantum amplifier 86−36394
Zykov, N.V. Characteristics of a transistor based on a heterostructure with a quantum two-dimensional electron channel 88−39516
Zykov, N.V., Suris, R.A. Electrical transient process in a semiconductor with dispersive transport 87−11395
Zykov, V.M. *see* Aryshev, S.I. 85−8854
Zykov, V.M. *see* Dinov, Yu.S. 85−61647
Zykov, Yu.V. *see* Golovanov, A.A. 87−70668
Zyl, J.J.van *see* van Zyl, J.J.
Zyl, O.van *see* van Zyl, O.
Zylberajch, S. *see* Brisson, J.C. 86−50423
Zylberberg, T. X.25 packet layer protocol over local area networks 86−54927
Zylberberg, T. PABXs, LANs, ISDN: how do they fit together? 87−2774
Zylberberg, T. The state of local area network standardization 87−13444
Zylberstejn, A. *see* Detoeuf, J.-F. 88−29857
Zylkowski, J.R. *see* Gamble, R.L. 86−33147
Zymmer, K. Power-loss measuring methods in transient state of thyristors 85−5196
Zynek, J. Theoretical analysis of nonlinear distortions introduced into signal by PIN diode 86−2104
Zyngier, H. Hamiltonian formulation of optical perturbations in storage rings 86−24955
Zyngier, H., Dael, A., Damany, A., Labeque, A., Laclare, J.L., Leleux, G., Level, M.P., Marin, P.C., Monet-Descombey, C., Sommer, E.M., Souchet, R., Tkatchenko, A., Arzelier, G. The VUV radiation source Super-ACO 86−25104
Zyngier, H. *see* Baconnier, Y. 85−37840
Zyngier, H. *see* Level, M.P. 85−64394, 86−31931, 88−47964
Zyoute, M. *see* Najim, M. 88−66408
Zyozkowski, W. General characteristics of the WWER reactors 86−39429
Zyrin, A.V. *see* Islamgaliev, R.K. 88−57007
Zyryanov, A.G. *see* Belyakov, Yu.P. 88−55227
Zyryanov, O.Ya. *see* Andreev, Yu.M. 85−24667, 86−22524
Zyryanov, V.M. *see* Bushuev, V.V. 88−75954
Zyryanov, V.N., Khlestkin, D.A. An experimental investigation of critical discharge of boiling water through a channel with a model valve 88−36946
Zyryanov, V.N. *see* Khlestkin, D.A. 88−75360
Zyryanov, V.Ya., Epshtein, V.Sh. Measurement of refractive indices of liquid crystals using a tunable source of coherent infrared radiation 88−36256
Zyskind, J.L., Burrus, C.A., Caneau, C., Dentai, A.G., Pollack, M.A., Srivastava, A.K., Bowers, J.E., DeWinter, J.C. GaInAsSb detectors and lasers for mid-infrared optical communications 88−15479
Zyskind, J.L., Srivastava, A.K., DeWinter, J.C., Pollack, M.A., Sulhoff, J.W. Liquid-phase-epitaxial $InAs_ySb_{1-y}$ on GaSb substrates using GaInAsSb buffer layers: growth, characterization, and application to mid-IR photodiodes 87−52117
Zyskind, J.L. *see* Bowers, J.E. 86−31424
Zyskind, J.L. *see* Caneau, C. 85−62557, 86−63806, 87−7348, 88−2220
Zyskind, J.L. *see* Chelluri, B. 87−23623, 87−36737
Zyskind, J.L. *see* Chiu, T.H. 87−36743
Zyskind, J.L. *see* Dentai, A.G. 87−10377
Zyskind, J.L. *see* DeWinter, J.C. 86−13755
Zyskind, J.L. *see* Srivastava, A.K. 86−48259, 86−63071, 87−1259
Zyskind, J.L. *see* Tell, B. 88−44634
Zyskind, J.L. *see* Tsang, W.T. 86−66807
Zyskowski, A. *see* Edgar, A. 86−11673
Zysman, E. *see* Cosnard, M. 87−60685
Zysman, G.I. *see* Tarallo, J.A. 87−69967, 88−73826
Zyss, J. Nonlinear organic materials for integrated optics: a review 86−28773
Zyss, J., Ledoux, I. Organic molecules and optical signal processing 87−70032
Zyss, J., Nicoud, J.F., Coquillay, M. Chirality and hydrogen bonding in molecular crystals for phase-matched second-harmonic generation: *N*-(4-nitrophenyl)-(*L*)-prolinol (NPP) 85−12952
Zyss, J. *see* Kajzar, F. 88−8287
Zyss, J. *see* Ledoux, I. 86−42210, 86−58961
Zyss, J. *see* Chemla, D.S. *(editor)* 88−62862
Zysset, B., Beaud, P., Hodel, W. Generation of optical solitons in the wavelength region 1.37-1.49 μm 87−54394
Zysset, B. *see* Beaud, P. 86−29091, 88−20341, 88−20593
Zysset, B. *see* Gilgen, H.H. 88−47701
Zysset, B. *see* Novak, R.P. 88−1959
Zysset, B. *see* Stierlin, R. 87−53948
Zysset, U. *see* Burkhalter, F. 85−30641
Zytkiewicz, Z.R. Electrotransport of As in Ga-As solution: a model of experimental analysis 87−52130
Zyubrovskii, L.G., Potapenko, V.Ya. A comparative appraisal of methods for analysing the energetic dependence of drives for ball mills 87−43508
Zyubrovskii, L.G. *see* Avilov-Karnaukhov, B.N. 85−49218
Zyuganov, A.N., Koren', N.N., Smertenko, P.S. Characteristics of double injection in wide-gap semiconductors 88−71295
Zyuganov, A.N., Kostyukevich, E.V., Svechnikov, S.V. Parameter characterisation of quasi-monopolar photoconductors using singular points of the lux-current response 85−12698
Zyuganov, A.N. *see* Dyakin, V.V. 88−8045
Zyuganov, A.N. *see* Gusev, M.Yu. 88−19648

Zyuko, V.A. Synthesis of a signal of minimum duration 85−41818

Zyuko, V.A. Synthesis of a signal of minimum duration for a fixed energy of the working signal 86−16309

Zyuko, V.A. Minimization of the duration of a signal when there are limitations 87−19678

Zyul'kov, V.A. *see* Zubritskii, V.V. 85−62544

Zyuryukin, Yu.A., Ushakov, N.M. Instrumental distortion function of an acoustooptic modulator with the generation of hypersound by slow-wave studies 86−9637

Zyuryukina, O.V. *see* Dolotov, L.E. 87−26494

Zyuzev, A.M. *see* Braslavskii, I.Ya. 85−65243

Zyuzev, G.N. *see* Dorofeev, I.A. 87−19004

Zyuzin, M.V. Algorithm for assembling inverse filters 88−44285

Zyuzin, V.A. *see* Belikovich, V.V. 86−36708

Zyuzin, V.A. *see* Berezin, I.V. 88−34302

Zyuzin, V.A. *see* Boiko, G.N. 85−24823, 86−36730, 86−42845

Zyuzin, V.D. *see* Babenko, B.F. 88−29735

Zyuzin, V.N. *see* Gertsenshteyn, M.Ye. 86−36761

Zyuzin, V.N. *see* Levinzon, F.A. 85−47867

Zyuzin, Yu.N., Kurbasov, V.V. Investigation of the time characteristics of FEU-130 photomultipliers in photon counting 86−1650

Zyuzin, Yu.V., Novozhenov, Yu.V., Oikhman, E.G. Structured data model for interactive graphic systems for printed circuit design 86−8568

Zyuz'kin, V.G. *see* Kapinos, V.M. 86−31635

Zyuz'ko, A.K. Characteristics of a narrow-band stationary random process at the output of a system with logarithmic amplitude characteristic 87−23452

Zyuz'ko, A.K. Determination of the characteristics of a random process at the output of a divider 88−31621

Zyvoloski, G. *see* Murphy, H. 86−19142

Zywietz, C., Alraun, W., Willems, J.L. Results of ECG program noise tests within the CSe project 85−59299

Zywietz, C., Spitzenberger, U., Palm, C., Wetjen, A. A new approach to determine the sampling rate for ECGs 85−9214

Zywietz, C. *see* Alraun, W. 85−9212

Zywietz, C. *see* Joseph, G. 88−4967

Zywietz, C. *see* Willems, J.L. 86−11975, 88−23074

Zzolnay, E.M. *see* Szondi, E.J. 88−10967

CUMULATIVE BIBLIOGRAPHY INDEX
1985—1988

This index refers to those articles abstracted in *Electrical & Electronics Abstracts* in the period 1985—1988 which contain a bibliography or significant list of references on the subjects listed.

Each entry gives the subject of the bibliography and the number of citations it contains. The number following the entry e.g. 88—12345 indicates the year and number of the abstract in *Electrical & Electronics Abstracts.*

BIBLIOGRAPHY INDEX

16-bit microprocessor selection and evaluation (56 refs.) ... 86−27351
16-bit microprocessors, peripherals and software (56 refs.) ... 85−11333
2-D digital filters (65 refs.) ... 88−21364
2n-port networks, Brune and Darlington types (10 refs.) ... 85−22607
A decade of accelerator R&D for heavy ion fusion (53 refs.) ... 88−61008
a-Gd-Co alloys for magnetic bubble applications (114 refs.) ... 88−7807
AC and pulse capacitor technology (68 refs.) ... 87−45312
AC conduction in amorphous semiconductors (151 refs.) ... 87−74024
AC conduction in chalcogenide glasses (99 refs.) ... 87−32268
AC-DC transfer standards (46 refs.) ... 85−58645
AC drives (88 refs.) ... 88−62668
AC machines, pole-changing windings (114 refs.) ... 87−72098
AC motor protection (173 refs.) ... 86−56766
Accelerated electron irradiation industrial applications (56 refs.) ... 85−60602
Acoustic emission (53 refs.) ... 88−43967
Acoustic emission testing of fibre reinforced composites (63 refs.) ... 88−12121
Acoustic fibres (51 refs.) ... 88−54783
Acoustic holography in nondestructive inspection (58 refs.) ... 88−70379
Acoustic noise measurement (98 refs.) ... 86−31747
Acoustic oceanography (51 refs.) ... 86−44806
Acoustical technology application in electrical insulation (59 refs.) ... 85−33535
Acoustics and gas discharges (81 refs.) ... 88−22349
Acousto-optic cells, waveguide technology (50 refs.) ... 87−2003
Acousto-optic signal processing devices (127 refs.) ... 87−1998
Acousto-optical methods and devices (53 refs.) ... 87−60997
Acquisition, tracking and pointing systems (51 refs.) ... 88−61593
Activated laser crystals, physics and spectroscopy (184 refs.) ... 85−24515
Active matrix techniques for displays (56 refs.) ... 87−70725
Active media in excimer lasers (168 refs.) ... 88−51758
Active vision (54 refs.) ... 88−66639
Adaptive antenna arrays (214 refs.) ... 87−33534
Adaptive control in power systems (98 refs.) ... 87−57543
Adaptive equalisation (130 refs.) ... 86−3883
Adaptive equaliser for digital land mobile communications (83 refs.) ... 87−76596
Adaptive filter techniques for digital image enhancement (66 refs.) ... 86−23145
Adaptive filtering (56 refs.) ... 87−69143
Adaptive filters in speech coding (50 refs.) ... 87−55015
Adaptive grid generation (98 refs.) ... 88−11928
Adaptive image transform coding techniques (20 refs.) ... 86−23157
Adaptive techniques for communications signal processing (50 refs.) ... 86−16687
Advanced accelerator concepts and electron-positron colliders (77 refs.) ... 88−42346
Advances and challenges in IR technology (82 refs.) ... 86−60254
Aerospace R&D (50 refs.) ... 88−18409
Aging problems for wire chambers (74 refs.) ... 87−29455
Air-hydrocarbon explosions, probabilistic studies of accidents (228 refs.) ... 85−16704
Airborne laser hydrography (52 refs.) ... 86−65516
Airborne microwave rain scatterometer/radiometer system, rain measurement (55 refs.) ... 87−15067
Aircraft maneuverability and control (71 refs.) ... 85−4415
Aircraft turbine engine control (118 refs.) ... 85−20993
AlGaAs-GaAs heterostructure band offsets (70 refs.) ... 86−28009
AlGaAs-GaAs selectively doped heterojunctions (107 refs.) ... 88−19695
AlGaAs integrated optoelectronic transmitters (66 refs.) ... 88−22084
Algebraic combinatorics (67 refs.) ... 87−23473
Algebraic tools for error-correcting codes (58 refs.) ... 87−68993
Alkali halide thermoluminescence (310 refs.) ... 86−48258
Alkaline fuel cells (90 refs.) ... 86−51888
Alloy semiconductor electronics (103 refs.) ... 85−28923
AM valve radios, 1900 to 1935 (106 refs.) ... 87−13883
American Sign Language encoding (81 refs.) ... 86−23096
AMIGO Project interim report (53 refs.) ... 88−59512
Amorphisation and crystallisation of semiconductors (125 refs.) ... 85−45504
Amorphisation and recrystallisation in semiconductors (60 refs.) ... 85−45526
Amorphous power compact space (97 refs.) ... 85−54270
Amorphous Si (601 refs.) ... 86−14877
Amorphous Si alloys (292 refs.) ... 88−1393
Amorphous Si solar cell technology in Japan (77 refs.) ... 85−65454
Amorphous Si solar cells (51 refs.) ... 87−43443
Amorphous Si solid phase crystallisation kinetics (138 refs.) ... 88−70322
Amorphous Si technology in optoelectronic devices (60 refs.) ... 85−56395
Amorphous silicon (652 refs.) ... 87−11376
Amorphous silicon alloys for solar cells (88 refs.) ... 86−40094
Amorphous silicon bibliography 1983 (607 refs.) ... 85−28978
Amorphous silicon device technology (75 refs.) ... 86−14874
Amorphous silicon solar cell technology (56 refs.) ... 86−40168
Analog circuit fault diagnosis techniques (178 refs.) ... 86−1195
Analogue CMOS design (87 refs.) ... 87−67565
Analogue IC CAD (53 refs.) ... 87−1650
Analogue IC CAD (53 refs.) ... 87−25409
Analytic transformations on computers (106 refs.) ... 86−13604
Anisotropic etching of Si (68 refs.) ... 88−33054
Annotated placement bibliography (62 refs.) ... 86−52596
Antenna array radiation pattern synthesis (56 refs.) ... 88−66206
Antenna developments, history (147 refs.) ... 87−54683
Antenna research and development in Australia (112 refs.) ... 88−34406
Antenna technology at INTELSAT (50 refs.) ... 86−10186
Antenna test-range calibration (61 refs.) ... 88−8636
Antennae, development since 1905 (63 refs.) ... 88−45751
Antennas external characteristics measurement review (83 refs.) ... 85−62892
Applications of high temperature superconductivity (53 refs.) ... 88−33563
Applications of photoelectric spectroscopy in quality control of semiconductor materials (78 refs.) ... 88−25863
Applied potential tomography (64 refs.) ... 85−4337
ARMA models, time-dependent (51 refs.) ... 87−61911
Array processing (53 refs.) ... 88−14741
Array radars (165 refs.) ... 87−41001
ASIC CAD (53 refs.) ... 87−67346
ASIC techno-economics (56 refs.) ... 87−65967
Assisted processes in VLSI and ULSI (76 refs.) ... 87−18345
Associative processors and memories (51 refs.) ... 87−67374
Astronomical computer communications and data networks (66 refs.) ... 87−40336
Astronomical observing techniques (433 refs.) ... 87−31180
Asymptotic behaviour of maps (69 refs.) ... 86−57324
Atmosphere incoherent scatter radar probing (57 refs.) ... 87−4129
Atmospheric multipath measurements and digital system performance review (60 refs.) ... 85−24841
Atomic clocks (112 refs.) ... 85−63934
Atomic layer epitaxy (22 refs.) ... 86−26852
Atomic layer epitaxy (67 refs.) ... 87−5411
Atomic transport in amorphous alloys (53 refs.) ... 87−25419
Au/oxide/InP junctions (70 refs.) ... 85−61778
Auditory-evoked potentials for sinusoidal tone modulation (75 refs.) ... 87−71137
Auger electron spectroscopy in microelectronics (50 refs.) ... 87−25464
Auger recombination coefficients in semiconductor materials (84 refs.) ... 86−8838
Aurora KrF laser system for ICF (67 refs.) ... 87−61278
Auroral F region ionosphere plasma density structuring (61 refs.) ... 85−63763
Australian radioastronomy (55 refs.) ... 88−60353
Automated cancer cell detection system (297 refs.) ... 85−59270
Automated diagnostic testing (67 refs.) ... 85−54110
Automatic analysers in clinical biochemistry (61 refs.) ... 86−38735
Automatic generation control modernisation (60 refs.) ... 85−43509
Automatic layout of ICs (98 refs.) ... 88−7691
Automatic pattern recognition error probability (141 refs.) ... 88−66629
Automatic placement and routing (73 refs.) ... 87−66046
Automatic random logic layout synthesis (93 refs.) ... 87−10827
Automatic reliability (155 refs.) ... 87−64880
Automatic-repeat-request error-control schemes (52 refs.) ... 85−13483
Automatic speech recognition (142 refs.) ... 87−33657
Automatic testing of control systems (85 refs.) ... 87−41334
Avalanche diodes (59 refs.) ... 86−14510
Band-band Auger effect in semiconductors (69 refs.) ... 88−19652
Battery technology (95 refs.) ... 87−36100
Bayesianism (70 refs.) ... 88−31586
Beam processing of silicon (83 refs.) ... 86−8965
Beam recrystallised polycrystalline silicon (96 refs.) ... 86−8746
Beamforming, approach to spatial filtering (73 refs.) ... 88−72913
β-alumina, solid electrolyte (154 refs.) ... 85−39180
β-SiC, epitaxial growth and electronic properties (69 refs.) ... 86−20062
Bibliography industrial experience for education (57 refs.) ... 88−31337
Bidirectional ring laser (102 refs.) ... 88−27229
Bifacial solar cells (60 refs.) ... 88−5881
Bioelectrode electrical properties (60 refs.) ... 85−31848
Biological effects of RF radiation (245 refs.) ... 85−48343
Biological NMR imaging techniques (153 refs.) ... 86−56100
Biomedical images (59 refs.) ... 87−35411
Biomedical signal analysis by linear modelling (149 refs.) ... 85−59285
Biosensor technology (58 refs.) ... 88−68336
Biospecific surface-selective sensors (99 refs.) ... 88−4884
Bipolar device metallization (331 refs.) ... 88−71529
Bipolar device technologies (93 refs.) ... 86−9271
Bipolar IC technology (60 refs.) ... 87−25539
Bispectrum estimation (126 refs.) ... 87−75827
Bistable optoelectronic devices (80 refs.) ... 88−51943
Bistatic/multistatic radar (262 refs.) ... 87−13772
Bit-mapped colour imaging of human evoked potentials (68 refs.) ... 87−50332
Blocking system with simultaneous resource possession (76 refs.) ... 86−23175
Blood-brain barrier microwave effects (144 refs.) ... 85−4377
Blood partial pressure of gases measurement (61 refs.) ... 86−5886
Blood partial pressure of gases measurement (70 refs.) ... 86−5887
Bonner sphere detectors in neutron field dosimetry (83 refs.) ... 85−26799
Borophosphosilicate glass films (87 refs.) ... 86−490
British television 1922 to 1939 (899 refs.) ... 88−62873
Brittle fracture in composite insulators (52 refs.) ... 85−59791
Broadband ISDN (50 refs.) ... 88−46658
Broadband matching problems (34 refs.) ... 85−34168
Broadcasting satellites (74 refs.) ... 85−36961
Brushes for homopolar machines (61 refs.) ... 87−43062
Bubble propagation circuits, design (85 refs.) ... 88−58005
C-radiotelephone network (68 refs.) ... 88−53174
Cable television (108 refs.) ... 85−52534
Cable television, invasion of privacy, legal rights (172 refs.) ... 87−49327
Cable television, legislation (99 refs.) ... 85−52533
Cable TV: USA legislation (371 refs.) ... 88−29106
CAD packages improve circuit optimisation methods (51 refs.) ... 85−54606
CAD procedures for nonlinear radio circuits (67 refs.) ... 87−10588
Cadmium electrodes (44 refs.) ... 87−4869
Canadian telephone deregulation proposals (62 refs.) ... 87−2807
Carbide field emitters (61 refs.) ... 88−12877
Cardiac activity models and ECG simulation (183 refs.) ... 88−68403
Cardiovascular laser therapy (104 refs.) ... 88−8360
Carrier transport at grain boundaries in semiconductors (156 refs.) ... 85−11875
Catalysis in gas sensors (51 refs.) ... 87−29351
Cation vacancy model for MnO_2 (59 refs.) ... 85−32685
CdTe junction phenomena (72 refs.) ... 88−32883
CdTe, ohmic and rectifying contacts (137 refs.) ... 85−55569
Ceramic sensors (50 refs.) ... 86−50032
Ceramic sensors and transducers (123 refs.) ... 85−37586
Cerebral blood flow measurement techniques (35 refs.) ... 87−63741
Chalcogenide glass optical fibres (52 refs.) ... 88−39904
Chalcogenide glasses for optical applications (89 refs.) ... 85−62281
Chalcogenide glasses in integrated and fibre optics (137 refs.) ... 87−18572
Channel routing (64 refs.) ... 87−53644

Channel waveguide lithium niobate integrated optics (224 refs.) ...... 88−51543
Channelised optical waveguides on Si (50 refs.) ...... 88−2006
Chaotic behaviour in optics (52 refs.) ...... 86−54214
Charged particle track simulation in radiation detectors (52 refs.) ... 86−25143
Chemical and biological sensors (94 refs.) ...... 86−5227
Chemical lasers principles and recent developments (57 refs.) ...... 85−12761
Chemical sensing and analysis using optical fibres (83 refs.) ...... 87−68166
Chemical sensors development (66 refs.) ...... 85−64134
Chemical spectroscopy in NDT of fibre reinforced plastics (164 refs.) ...... 88−12126
Chemical system reliability (156 refs.) ...... 88−63085
Chemical systems reliability (91 refs.) ...... 85−16554
Chemical vapour deposition (149 refs.) ...... 88−7431
Chemisorption and charge transfer at ionic semiconductor surfaces (53 refs.) ...... 86−24507
Cherenkov radiation ring spectrometers (67 refs.) ...... 88−54449
Chinese information processing system (100 refs.) ...... 86−68997
Chirality and hydrogen bonding in molecular crystals (70 refs.) ...... 85−12952
CHP and district heating (247 refs.) ...... 87−35769
Chromatic dispersion measurements for single-mode fibres (58 refs.) ...... 87−46525
CIM environments, communication (51 refs.) ...... 87−28180
Cinema television in the UK (50 refs.) ...... 86−24017
Cineradiography application to nuclear reactor safety (135 refs.) ...... 85−4818
Circuit analysis pole-zero computation (66 refs.) ...... 88−31935
Circuit breaker testing (50 refs.) ...... 85−32655
Circuit layout problems (103 refs.) ...... 87−52303
Circuit optimisation (109 refs.) ...... 88−31930
Civil engineering reliability (404 refs.) ...... 86−40587
Cleaning and contamination of electronic components (159 refs.) ...... 87−16381
Closed-cycle pulsed lasers (52 refs.) ...... 86−22272
Closed-loop control of blood pressure, ventilation and anesthesia delivery (53 refs.) ...... 87−63800
Cluster analysis, combinatories and probability (112 refs.) ...... 87−65337
CMOS epitaxial processing for latch-up hardening (52 refs.) ...... 85−7098
CMOS/SOS IC reliability (71 refs.) ...... 85−1748
CMOS/SOS micron and submicron technology (55 refs.) ...... 87−53733
CMOS/SOS reliability (55 refs.) ...... 86−67985
CMOS technology (65 refs.) ...... 86−47823
CMOS technology (241 refs.) ...... 87−25573
CMOS VLSI technology trends (65 refs.) ...... 86−58611
Coal gasification (396 refs.) ...... 87−78236
Coal liquefaction, environmental considerations (144 refs.) ...... 85−9572
Coaxial transmission lines and connectors, history (50 refs.) ...... 85−219
Cochlear implant devices for the profoundly hearing impaired (56 refs.) ...... 87−63837
Coding for satellite communications (81 refs.) ...... 87−56052
Coding techniques for fault tolerant, self-checking, and fail-safe circuits (90 refs.) ...... 86−67183
Coding theory for fault tolerant computer systems (72 refs.) ...... 86−68992
Coercimetric method for fine structure investigation (37 refs.) ...... 86−26953
Coherence and time delay estimation (74 refs.) ...... 87−41045
Coherence and time delay estimation (71 refs.) ...... 88−14743
Coherent fibre optic communications (143 refs.) ...... 86−30804
Coherent interaction of radiation pulses with multilevel media (77 refs.) ...... 86−22521
Coherent laser optical transmission (62 refs.) ...... 86−43828
Coherent optical fibre communication systems (44 refs.) ...... 86−49683
Coherent optical fibre communication systems (66 refs.) ...... 87−34568
Coherent optical fibre transmission (100 refs.) ...... 87−56151
Coherent optical fibre transmission systems (69 refs.) ...... 85−58084
Coherent optical fibre transmission systems (69 refs.) ...... 87−70050
Coherent optical pattern recognition (50 refs.) ...... 85−36370
Coherent UV and VUV sources (484 refs.) ...... 86−68423
Colour centre lasers (158 refs.) ...... 86−36452
Colour coding for computer-driven displays ...... 85−20507
Colour design in aviation cartography (57 refs.) ...... 86−32446
Colour displays—visual perception phenomena (59 refs.) ...... 85−26408
Colour holography (62 refs.) ...... 85−12985
Colour imaging of somatosensory potential fields (72 refs.) ...... 85−48287
Colour LCD devices (61 refs.) ...... 86−70173
Colour plasma displays (152 refs.) ...... 85−34442
Combinatorial algorithm analysis and design (56 refs.) ...... 87−23505
Commercial viability of fibre optic sensors (52 refs.) ...... 87−68058
Communication networks, computer-aided modelling, analysis, and design (146 refs.) ...... 88−34897
Communication networks data collection and analysis (56 refs.) ...... 88−59444
Communication networks management (308 refs.) ...... 87−72675
Communication technology (50 refs.) ...... 85−36190
Compandor measurements, unified, channel simulator use (52 refs.) ...... 87−56424
Composite electroceramics (57 refs.) ...... 87−11976
Compositionally graded semiconductors (39 refs.) ...... 87−11575
Computation of Abel transform (68 refs.) ...... 85−36345
Computer-aided design of magnetic deflection systems (158 refs.) ...... 87−6346
Computer communications networks, simulation techniques (54 refs.) ...... 88−35091
Computer generated holograms (173 refs.) ...... 88−8309
Computer generated holograms in pattern recognition (70 refs.) ...... 86−3343
Computer generated holograms in pattern recognition (69 refs.) ...... 86−10015
Computer graphics in medicine (175 refs.) ...... 88−54459
Computer modelling of semiconductor interfaces (110 refs.) ...... 88−7436
Computer-music interfaces (89 refs.) ...... 86−31094
Computer music system architectures (69 refs.) ...... 86−31092
Computer networks (478 refs.) ...... 85−13877
Computer networks and distributed systems (590 refs.) ...... 88−52892
Computer networks, performance evolution (69 refs.) ...... 85−47222
Computer networks, protocols, standards and interfaces (110 refs.) ...... 88−24335
Computer processing of Indian languages and scripts (160 refs.) ...... 85−41903
Computer science combinatorics (290 refs.) ...... 86−19766
Computer test systems survey (68 refs.) ...... 86−38217
Computer vision systems, architecture (92 refs.) ...... 86−60190
Computer vision techniques for semiconductor industry (41 refs.) ...... 85−12326
Computerised blood pressure analysis and modelling (73 refs.) ...... 88−23034
Computerised tomography with ionising radiation (58 refs.) ...... 85−17015
Computers and Automation Institute in Budapest, Hungary, publications (261 refs.) ...... 88−25568
Condensed and compressed gas lasers (148 refs.) ...... 87−18913
Constrained optimisation (50 refs.) ...... 88−63190
Contact metallisation (235 refs.) ...... 88−57514
Contactless inspection of polymer coating thickness (49 refs.) ...... 87−36832
Continuous phase modulation (103 refs.) ...... 86−64172
Contrast-detail curve measurement and analysis in radiological imaging (58 refs.) ...... 88−68384
Convergence acceleration methods 1975-85 (86 refs.) ...... 85−49467
Cooking equipment design and thermal efficiency (172 refs.) ...... 86−26433
Coordinate measurements using holographic recording (62 refs.) ...... 88−34145
Copyright law and the Semiconductor Chip Protection Act (72 refs.) ...... 87−65125
Correlation function implementation (106 refs.) ...... 86−29843
Correspondence analysis with least absolute residuals (52 refs.) ...... 87−72978
Corrosion in steam generating systems (124 refs.) ...... 85−21311
Corrosion studies of magnetic thin film materials (64 refs.) ...... 87−73152
COST-72 project for precipitation measurement (92 refs.) ...... 86−18580
Covariant EM theory for inertial frame and substratum flow (51 refs.) ...... 86−3417
Covering radius of codes (80 refs.) ...... 85−57231
Crop identification and assessment (94 refs.) ...... 85−59516
Cryogenic wind tunnel test technology (47 refs.) ...... 86−6026
Cryptanalysis (144 refs.) ...... 88−66305
Cryptographic techniques and network security (64 refs.) ...... 85−13484
Cryptography, discrete logarithms in finite fields (72 refs.) ...... 87−69025
Cryptology in academia (100 refs.) ...... 87−47541
Crystal growth of GaAs (59 refs.) ...... 86−7749
Crystalline silicon solar cells (69 refs.) ...... 88−11388
Crystals for quartz resonators (119 refs.) ...... 85−29411
CuInSe_2 solar cells (117 refs.) ...... 86−19496
Current conveyors (78 refs.) ...... 85−34051
Current density profiles of neural prosthesis electrodes (52 refs.) ...... 88−16785
Custom VLSI module planning (105 refs.) ...... 87−74394
CVD for spectrally selective surfaces (90 refs.) ...... 85−39813
CVD growth of InGaAs (111 refs.) ...... 87−16626
CVD of electronic materials (53 refs.) ...... 87−16684
CVD of III-V semiconductors (68 refs.) ...... 85−16957
CVD of III-V semiconductors (53 refs.) ...... 85−22535
CVD of silicon on insulator films (50 refs.) ...... 85−10809
CW beam processing of gallium arsenide (60 refs.) ...... 86−8967
CW transfer chemical lasers (209 refs.) ...... 86−9751
Cyclotron radiation in astrophysics (56 refs.) ...... 88−35626
Cylindrical and mirror slotted lines (86 refs.) ...... 88−63839
Darrieus vertical axis wind turbines (93 refs.) ...... 88−69240
Data communication systems development (52 refs.) ...... 87−13373
Data communications and distributed networks (108 refs.) ...... 88−31353
Data compression (80 refs.) ...... 88−72909
Data display CRT resolution measurement (59 refs.) ...... 86−49972
Data inversion in electrical and EM investigation (66 refs.) ...... 88−10495
Data processing of exercise ECGs (61 refs.) ...... 87−41969
Data protection guaranteeing public communication networks (84 refs.) ...... 88−73598
Data security in LANs, classified bibliography (121 refs.) ...... 88−9168
DC motors (190 refs.) ...... 87−58107
Deaf speech intelligibility, effect of temporal structure correction (53 refs.) ...... 85−7829
Decision analysis in project management (96 refs.) ...... 85−33062
Decision quality and information load (50 refs.) ...... 87−58786
Defect generation/control related to isolation technology (68 refs.) ...... 87−67065
Defect types and nondestructive testing (76 refs.) ...... 88−63411
Dental imaging and restoration (50 refs.) ...... 88−29952
Deposition and characterisation of ternary materials for photovoltaic applications (64 refs.) ...... 87−72451
Design for testability (366 refs.) ...... 86−67128
Designing with programmable logic (52 refs.) ...... 87−10831
Detection and classification phenomena of biological systems (75 refs.) ...... 85−57417
Developments in high T_c superconductors (82 refs.) ...... 88−51386
Diagnostics for antiproton+proton colliders (148 refs.) ...... 85−37835
Diagnostics of nonequilibrium states in molecular lasers (215 refs.) ... 88−8114
Diamondlike carbon films and applications as overcoats on thin film magnetic recording media (176 refs.) ...... 88−20245
Dielectric films in VLSI (64 refs.) ...... 86−58499
Dielectric gas mixtures (73 refs.) ...... 85−29365
Dielectric measurement at millimetre-wave frequencies (74 refs.) ...... 85−31573
Dielectric measurement techniques (119 refs.) ...... 87−21208
Differential predictive encoding (51 refs.) ...... 85−2761
Diffracted waves in ultrasonic nondestructive testing (54 refs.) ...... 86−20128
Diffraction gratings (404 refs.) ...... 85−50988
Diffraction tomography (44 refs.) ...... 85−62762
Diffusion in GaAs and InP (80 refs.) ...... 86−1723
Diffusion mechanisms in II-VI semiconductors (119 refs.) ...... 88−32791
Diffusion model of ohmic contacts to GaAs (99 refs.) ...... 85−55571
Diffusion role in semiconductor ion implantation (606 refs.) ...... 88−26031
Digital all-pass filters (72 refs.) ...... 88−32349
Digital audio and entertainment industry (73 refs.) ...... 86−24221
Digital audio in the home (86 refs.) ...... 86−24222
Digital filters for electronic instrumentation (57 refs.) ...... 87−24357
Digital filters, limit cycles (242 refs.) ...... 86−47012
Digital filters, lossless inverse scattering and estimation theory (65 refs.) ...... 85−2801
Digital filters, low noise and sensitivity (94 refs.) ...... 88−44299
Digital FIR filter design (61 refs.) ...... 88−44296
Digital flowfield imaging (33 refs.) ...... 87−77464
Digital IC delta-I noise model (52 refs.) ...... 87−73428
Digital ICs, technology (57 refs.) ...... 87−37105
Digital image processing and analysis (90 refs.) ...... 88−14844
Digital integrated circuit technologies (84 refs.) ...... 88−56601
Digital music synthesis development (97 refs.) ...... 85−20432
Digital radiography (60 refs.) ...... 85−38078
Digital radiography (155 refs.) ...... 88−68382
Digital signal processing in NDT (55 refs.) ...... 86−66873
Digital signal processing of animal acoustical communication (83 refs.) ...... 87−27221
Digital system testing (73 refs.) ...... 85−54766
Digital TV transmission and encoding (93 refs.) ...... 85−52470
Digital ultrasonic imaging, fundamentals (68 refs.) ...... 85−9150
Digital VISI simulation (57 refs.) ...... 87−65966
Diode laser in atomic physics (171 refs.) ...... 86−3131
Diode laser-pumped solid-state lasers (53 refs.) ...... 88−45393
Diode laser-pumped solid-state lasers (140 refs.) ...... 88−65618

Directional couplers, history (51 refs.) 85–225
Discharge characteristics of gaseous dielectrics (64 refs.) 87–25662
Discharge simulation (94 refs.) 86–47882
Discrete transforms (64 refs.) 85–260
Discrete transforms (124 refs.) 86–16320
Dislocation reduction in Bibliography GaAs and InP (57 refs.) 87–239
Dislocations in melt-grown GaAs and InP (86 refs.) 87–23596
Dispersion properties determination of multimode fibre waveguides (167 refs.) 85–41168
Display devices (57 refs.) 87–35146
Display devices, nonCRT (97 refs.) 85–37684
Distributed fibre-optic sensors (64 refs.) 87–12149
DLTS in semiconductors (64 refs.) 87–24747
Dopant redistribution in silicide-silicon bilayered structures (75 refs.) 88–26044
Doped silicon and germanium infrared detectors (106 refs.) 85–47984
Doping of HgCdTe by ion implantation and heat treatment (80 refs.) 88–33001
Doping superlattices (95 refs.) 87–53234
Doping superlattices – n-i-p-i crystals (65 refs.) 87–6418
Doppler effect theory, approximate methods of solution (68 refs.) 85–2540
Dose equivalent survey meters (70 refs.) 85–26801
Dose limits for radiologically significant isotopes (75 refs.) 88–23143
DRAM alpha particle induced soft errors (88 refs.) 87–24169
Drift chamber development (134 refs.) 88–54435
Dry etching for microelectronics (1105 refs.) 85–22063
Dry etching of III-V semiconductors (113 refs.) 86–63198
Duplex telegraphy history (72 refs.) 86–23365
Dynamic programming for engineering network optimisation (50 refs.) 87–58824
Dynamic-single-mode lasers (83 refs.) 86–15720
Dynamic-single-mode lasers for communications (97 refs.) 88–40243
Dynamical stochasticity and lasers (55 refs.) 88–51717
Dynamical systems and quasi-periodicity (138 refs.) 88–70486
Dynamically-adaptive grids in numerical soln. of partial differential equations (71 refs.) 85–33366
Dynamics in bio-mathematical perspectives (72 refs.) 87–34907
Early image processing, parallel computations of optic flow (54 refs.) 85–2888
Earth Radiation Budget Experiment (333 refs.) 86–65515
ECG wave detection for automated analysis (107 refs.) 88–36480
Eddy currents and modelling (171 refs.) 86–36653
Edge covering by cliques (77 refs.) 85–22325
Edge detection (57 refs.) 86–48973
Editing processes in technical communication (149 refs.) 85–44436
e^+e^- colliders in the TeV range (66 refs.) 88–47772
EFG process for silicon ribbon production (81 refs.) 88–384
EISCAT radar (56 refs.) 86–25423
Elbow prosthesis design emulator system (62 refs.) 88–10432
Electrets (310 refs.) 88–39741
Electric arc welding (230 refs.) 87–79245
Electric conduction in dielectric liquids (47 refs.) 86–35922
Electric-discharge CO_2 laser (101 refs.) 88–8113
Electric fuses (47 refs.) 87–66653
Electric heating of food (59 refs.) 87–64981
Electric impedance measurements theory and cardiac applications (265 refs.) 86–38736
Electric motor design (52 refs.) 87–64536
Electric power generating systems, performance (85 refs.) 86–25868
Electric power generation planning strategies (55 refs.) 86–70741
Electric power industry (55 refs.) 86–44843
Electric power systems, estimation and identification (62 refs.) 86–56345
Electric propulsion developments in Europe (51 refs.) 88–48297
Electric tension-regulating drives in hot strip mills (58 refs.) 85–60595
Electric utility deregulation in USA (51 refs.) 85–43564
Electrical birefringence measurement using Pockels cell (58 refs.) 88–51578
Electrical breakdown in vacuum (163 refs.) 86–21912
Electrical contacts, fretting (61 refs.) 86–34399
Electrical impedance imaging (67 refs.) 87–35421
Electrical insulating solid polymers (51 refs.) 88–51080
Electrical insulation and dielectrics in space environment (94 refs.) 88–39762
Electrical insulation, history (79 refs.) 87–18419
Electrical machine estimation and control (59 refs.) 87–58028
Electrical measurement techniques (50 refs.) 86–5441
Electrical properties of contacts (884 refs.) 85–22060
Electrical properties of insulator-semiconductor interfaces on III-V compounds (145 refs.) 86–28069
Electrical units and standards, history (64 refs.) 86–24259
Electrical usage of Cu (97 refs.) 86–47110
Electricity and electric energy measurement (73 refs.) 88–17220
Electricity and socialism (65 refs.) 87–65264
Electricity charging methods (98 refs.) 86–25505
Electricity economy law (181 refs.) 85–16659
Electricity economy laws, Germany (203 refs.) 87–30040
Electricity economy legislation 1985 (258 refs.) 86–32620
Electricity in subsea environment (150 refs.) 87–62813
Electro-optic and electronic components for Gb/s optical fibre systems (66 refs.) 85–20219
Electro-optic devices using liquid crystals (76 refs.) 87–74882
Electro-optic sampling in GaAs IC (52 refs.) 86–42366
Electro-optic target detection and object recognition (93 refs.) 87–75888
Electro-optical studies of semiconductor compounds for electroluminescent and laser devices (85 refs.) 87–61127
Electro-stimulation and bone fracture/disease treatment (173 refs.) 87–41987
Electrochemical current sources in Czechoslovakia (50 refs.) 86–26244
Electrochemical oxygen gas sensors (50 refs.) 88–9949
Electrochemical sensors in the biomedical sciences (78 refs.) 85–38012
Electrochromic displays, thin film type (126 refs.) 86–42367
Electrochromic materials (55 refs.) 87–12104
Electrochromic materials for energy efficient windows (162 refs.) 85–18638
Electrodeposition of semiconductors (75 refs.) 86–26869
Electroless plated magnetic media for perpendicular recording (50 refs.) 86–15396
Electroluminescent thin film materials (84 refs.) 87–46673
Electromagnetic devices, computational techniques for design (106 refs.) 86–42695
Electromagnetic fields (74 refs.) 88–34202
Electromagnetic interference control in measurement systems (93 refs.) 87–14073
Electromagnetic rough surface problem (62 refs.) 87–2294
Electromagnetic scattering problems solution by iterative computations (60 refs.) 88–8434
Electromagnetic sensors (109 refs.) 86–60242
Electromagnetic suspension and levitation techniques (150 refs.) 88–40491
Electromagnetic wave scattering (52 refs.) 86–48561
Electromagnetics, hybrid MM/Green's function method (82 refs.) 88–45676
Electromedicine (68 refs.) 85–48318
Electromigration in interconnects and contacts (125 refs.) 88–57516
Electron beam doping in semiconductors (54 refs.) 86–15019
Electron beam excited KrF laser model (94 refs.) 85–51096
Electron beam experiments in space (86 refs.) 86–25417
Electron beam metrology and inspection (76 refs.) 88–26399
Electron beam microprocessing tool (128 refs.) 87–72630
Electron beam pumped II-VI lasers (74 refs.) 86–9799
Electron beam resists and X-ray resists (86 refs.) 88–7434
Electron beam testing (79 refs.) 87–25426
Electron beam testing (54 refs.) 88–39578
Electron beam testing of VLSI chips (53 refs.) 88–39624
Electron device $1/f$ noise (97 refs.) 88–44726
Electron guns for high speed electron beam inspection (87 refs.) 85–40393
Electron holography applications (96 refs.) 87–75267
Electron lithography for microelectronic device fabrication (168 refs.) 85–55644
Electron microscopical characterisation of electronic materials (77 refs.) 86–34425
Electron-optical convertors and image luminance amplifiers (72 refs.) 88–50604
Electron states in semiconductor heterostructures (88 refs.) 87–6413
Electron transport in chalcogenide glasses (72 refs.) 85–50221
Electronic and opto-electronic properties of polydiacetylenes (51 refs.) 88–27304
Electronic Communication Privacy Act of 1986 (440 refs.) 88–41254
Electronic component simulation in CAD (97 refs.) 87–52291
Electronic document delivery (59 refs.) 87–13247
Electronic equipment heat transfer (237 refs.) 86–190
Electronic hardware implementations of neural networks (56 refs.) 88–19121
Electronic mail in libraries (86 refs.) 88–35022
Electronic mobility in semiconductor heterostructures (57 refs.) 87–6421
Electronic music notation possibilities (65 refs.) 86–55506
Electronic news services (57 refs.) 88–59568
Electronic oscillography and circulation parameters (69 refs.) 85–4256
Electronic power convertors (102 refs.) 88–69522
Electronic power systems magnetics (52 refs.) 85–17154
Electronic properties of semiconductor alloy systems (180 refs.) 85–61664
Electronic properties of semiconductor heterostructures in a magnetic field (84 refs.) 85–29027
Electronic publishing and impact on books and libraries (77 refs.) 86–49115
Electronic sound modification history (75 refs.) 85–8665
Electronic transport in semiconductors (52 refs.) 86–1668
Electronics in UK agriculture and horticulture (76 refs.) 87–63213
Electrooptic, linear and nonlinear optical properties of KDP and isomorphs (122 refs.) 87–60872
Electrophotography (123 refs.) 85–29999
Electroplating (432 refs.) 85–49223
Electrostatic discharge and protection (79 refs.) 87–46249
Electrostatic gas cleaning for particulate removal (83 refs.) 86–3455
Electrostatic precipitators (82 refs.) 88–58802
Electrostatic precipitators, impact of pulse energisation (70 refs.) 88–27444
ELF/VLF/LF propagation and system design (121 refs.) 87–26795
EM field problem analysis (67 refs.) 85–51353
EM fields human exposure models (61 refs.) 85–4369
EM inverse scattering problem (113 refs.) 87–47162
EM scattering from general periodic screens (53 refs.) 87–2284
EM signal generation in ionosphere (50 refs.) 88–34299
EM system identification (53 refs.) 88–14562
EM wave fields, intensity fluctuations during small-angle scattering (114 refs.) 86–36692
EM waves propagation in space, history (70 refs.) 88–72523
Embedded optical sensors in fibre reinforced plastics (81 refs.) 87–68055
EMC/EMI measurement (84 refs.) 85–46590
EMC measurements using absorber lined chambers (76 refs.) 86–3587
EMG-activated feedback alarms for nocturnal bruxism (58 refs.) 88–30022
EMI endurance of polling-type local area networks (57 refs.) 88–73553
EMI in microelectronics (53 refs.) 86–15946
Emission track detector (76 refs.) 86–44570
Emulsion techniques, contribution to particle physics (52 refs.) 88–61173
Encryption algorithms, ordering according to quality (45 refs.) 88–14578
Energy and environment (69 refs.) 87–15414
Energy resources (54 refs.) 86–18920
Engineering aspects of optics (274 refs.) 86–61887
Engineering design using nondifferentiable optimisation (92 refs.) 87–43935
Engineering economics (189 refs.) 88–18411
Engineering education, future directions (54 refs.) 88–24416
Engineering research, education and systems theory (67 refs.) 87–58607
Environmental measurement instruments (509 refs.) 85–4455
Environmental monitoring systems (67 refs.) 85–15438
Environmental remote sensing from space (106 refs.) 85–9364
Environmental testing (73 refs.) 88–11726
EPCRA effects on PV industry (58 refs.) 88–70068
Epidemiological studies review of human exposure to RF radiation (57 refs.) 85–48344
Epitaxial deposition of semiconductors by magnetron sputtering (63 refs.) 87–67033
Epitaxial growth of compound semiconductors using sputter deposition techniques (58 refs.) 85–10732
Epitaxial growth of GaAs (108 refs.) 86–7808
Epitaxial growth of InP and related alloys (149 refs.) 87–16625
Epitaxial growth techniques (51 refs.) 87–23635
Epitaxial mercury cadmium telluride (99 refs.) 86–26853
Epitaxy of ion implanted Si layers (63 refs.) 87–17916
Equalisation, intersymbol interference in digital communications (78 refs.) 87–68932
Equilibrium point theorems for two person games (64 refs.) 85–286
Ergonomics in information technology (83 refs.) 86–19807
Etching and surface preparation of GaAs (63 refs.) 86–9040
Etching techniques, emerging technologies (50 refs.) 86–9048

European contribution to laser development (200 refs.) 86—15598
European optical fibres and passive components (96 refs.) 86—63627
Evolution of CAD tools toward third generation custom VLSI design (84 refs.) 87—31648
Excimer lasers in imaging technology (73 refs.) 87—32143
Exercise-responsive cardiac pacemaker (63 refs.) 85—31873
Experimental design (24 refs.) 88—49485
Expert system development (70 refs.) 86—13371
Expert systems for equipment maintenance and diagnostics (99 refs.) 88—31435
Extracellular neural recording with multichannel microelectrodes (72 refs.) 87—4004
Extractive nonferrous metallurgy (134 refs.) 85—32836
Extreme UV lasers (66 refs.) 85—62482
Fabrication of A-15 superconductors (82 refs.) 87—67810
Facsimile communication (94 refs.) 85—51990
Failure detection and isolation in complex process plants (51 refs.) 88—11808
Far-infrared heterodyne detectors (53 refs.) 87—29133
Far infrared optically pumped lasers (79 refs.) 87—26280
Far infrared photoconductive detectors (52 refs.) 87—29137
Far IR, waveguide and distributed-feedback gas lasers (174 refs.) 86—15636
Faraday rotator materials (74 refs.) 88—1922
Fast discrete transforms (52 refs.) 88—46082
Fast ionic conduction and crystal structure (88 refs.) 86—66227
Fast laser photographic and cinematographic techniques (57 refs.) 86—59000
Fault simulation in VLSI environment (70 refs.) 86—67129
Fault tolerant multiprocessors and VLSI based system communication architecture (125 refs.) 86—69442
Fault tolerant techniques for IC production (185 refs.) 86—63381
Fault tree analysis (148 refs.) 86—229
Fault tree analysis (60 refs.) 87—5269
Fe particle stabilised Al conductors (50 refs.) 86—67514
Femtosecond spectroscopy (49 refs.) 85—41458
Ferrite films for microwave and MM-wave devices (65 refs.) 88—33531
Ferroelectric liquid crystal devices and applications (100 refs.) 88—33780
Ferroelectric materials, trends and appls (90 refs.) 86—42011
Ferromagnetic alloys made by rapid solidification (64 refs.) 88—62412
FFT implementation alternatives in advanced measurement systems (61 refs.) 87—41436
Fiber optic level transducers (55 refs.) 87—29073
Fiber optic sensing of pulsed currents (51 refs.) 88—60753
Fiber optics (158 refs.) 87—54060
Fibre attachment to guided-wave devices (71 refs.) 88—72021
Fibre crystal growth (43 refs.) 86—34290
Fibre nonlinearities in optical communications (94 refs.) 87—46497
Fibre optic communication receivers (53 refs.) 87—70048
Fibre optic detection and ranging (74 refs.) 88—15687
Fibre optic magnetic sensors (38 refs.) 88—16145
Fibre optic rotary connectors (54 refs.) 88—45109
Fibre optic sensor modulating techniques review (56 refs.) 86—38355
Fibre optic sensors (129 refs.) 85—62307
Fibre optic sensors 85—62392
Fibre optic sensors (59 refs.) 86—70111
Fibre optic sensors (108 refs.) 87—46502
Fibre optic sensors (147 refs.) 88—7928
Fibre optic sensors (45 refs.) 88—58102
Fibre-optic sensors: distributed and multiplexed (107 refs.) 88—67829
Fibre optic transducers of physical field parameters (88 refs.) 85—2026
Fibre-optics and optical sensors in medicine (52 refs.) 88—23040
Fibre optics in military and civil fields (52 refs.) 88—20383
Fibre optics, theory, propagation and nonlinear phenomena (79 refs.) 87—26055
Field-access bubble devices, patterned ion-implanted layers (75 refs.) 88—7806
Field effect chemical microsensors (220 refs.) 87—29063
Field emission and vacuum breakdown (78 refs.) 86—8678
Field emission electron sources (96 refs.) 86—14801
Field spectroscopy in remote sensing (115 refs.) 88—36656
Film analysis systems and medical applications (49 refs.) 85—4320
Filtering and redundancy for multisensor navigation (242 refs.) 87—50490
Filtering for stochastic processes (215 refs.) 87—72685
Finite element analysis of waveguides (82 refs.) 87—26905
Finite element mesh generation (73 refs.) 88—24657
Finite element methods (242 refs.) 88—18619
FIR filters for high sample rate applications (52 refs.) 87—66375
Fire modelling techniques (195 refs.) 85—33117
Flashlamp pumping systems for dye lasers (185 refs.) 88—2188
Flicker noise in electron devices (126 refs.) 87—53436
Flow cytometry applications in biology and medicine (269 refs.) 85—4260
Fluidised bed combustion (50 refs.) 86—65898
Fluorescence decay measurements in studies of biological systems (65 refs.) 85—19064
Flux-gate magnetometers (50 refs.) 87—63398
Focused ion beam technology (174 refs.) 87—74157
Force and weight measurement (63 refs.) 86—5551
Formation and electrical properties of metal-semiconductor contacts (77 refs.) 88—33122
Fossil-fueled power plant technology (52 refs.) 86—56611
Fractional quantum Hall effect (77 refs.) 87—6420
Free electron laser kinetic description of sideband instability (54 refs.) 87—2207
Free electron laser sideband instability (73 refs.) 88—2309
Free electron laser sideband instability anal (74 refs.) 87—39147
Free electron lasers (176 refs.) 86—36523
Free electron lasers (115 refs.) 87—68542
Free electron lasers (139 refs.) 88—58583
Free-electron lasers in Europe (100 refs.) 86—15731
Free electron lasers in extreme UV (64 refs.) 88—58594
Frequency domain optical storage (88 refs.) 86—48484
Frequency reuse radio channel cross polarisation interference canceller (53 refs.) 87—40637
Frequency stabilisation in semiconductor lasers (58 refs.) 88—65706
Frequency synthesizers (74 refs.) 87—23985
Functional electrodes (84 refs.) 85—15267
Functional testing of microprocessors and microprocessor systems (55 refs.) 85—49923
Fusion welding (241 refs.) 88—11521
G-induced losses of consciousness (54 refs.) 88—5032
GaAs, AlAs and $Ga_{1-x}Al_xAs$, material parameters for use in research and device applications (174 refs.) 85—61687
GaAs-AlGaAs based heterojunction ICs (118 refs.) 88—56949
GaAs crystal growth for solar cell technology (66 refs.) 85—33400
GaAs device subsurface burnout (55 refs.) 88—64625
GaAs devices and circuits (1367 refs.) 88—11575
GaAs digital IC design (155 refs.) 88—56600
GaAs digital integrated circuit technology (96 refs.) 86—8082
GaAs FET digital IC technology (123 refs.) 85—235
GaAs ICs, present status and future prospects (53 refs.) 87—60555
GaAs ICs, radiation effects (72 refs.) 87—46106
GaAs IMPATT diodes (52 refs.) 86—9089
GaAs interfaces, unified defect model (68 refs.) 87—45692
GaAs ion implantation (58 refs.) 85—45563
GaAs, ion implantation and annealing (111 refs.) 87—38106
GaAs ion-implanted MESFETs deep levels (67 refs.) 88—56914
GaAs material for ICs (62 refs.) 88—57416
GaAs material preparation and characterisation (209 refs.) 87—44308
GaAs MESFET gate electrode fabrication technologies (58 refs.) 87—18142
GaAs MESFETs (111 refs.) 86—9169
GaAs microprocessor design (72 refs.) 86—46907
GaAs microwave monolithic circuits (53 refs.) 86—8470
GaAs MMIC design (87 refs.) 88—56947
GaAs MMICs (125 refs.) 87—1726
GaAs MMICs overview (81 refs.) 87—66571
GaAs monolithic ICs for military radar (56 refs.) 87—3232
GaAs/Si nucleation and growth (63 refs.) 88—38130
GaAs, status and directions (55 refs.) 86—47307
GaAs surface passivation technologies (53 refs.) 87—74020
GaAs technology (161 refs.) 87—45747
GaAs technology and properties (101 refs.) 86—27864
GaAs technology, devices for signal processing (70 refs.) 88—26395
GaAs transferred electron devices (104 refs.) 86—9075
GaAs vapour phase epitaxial growth (87 refs.) 85—10721
$Ga_{0.47}In_{0.53}As$ for high speed devices (91 refs.) 85—6711
Galerkin approximations to nonlinear two-point boundary-value problems (60 refs.) 88—360
Gamma-ray build up factors (50 refs.) 88—36335
Garnet films for high bubble velocities and mobilities (52 refs.) 88—7808
Garnet substrates, crystal growth and quality (72 refs.) 85—54437
Garnet substrates for magnetic bubble films (67 refs.) 88—7792
Gas-insulated cables (268 refs.) 86—25593
Gas-insulated equipment (204 refs.) 87—22648
Gas lasers with solar excitation (86 refs.) 87—54253
Gas sensors based on catalytic metal gate field effect devices (66 refs.) 87—41493
Gas turbine power plants (101 refs.) 86—61403
GaSb-based alloys for 2.0-4.5 μm optical communications (53 refs.) 87—36767
Gate metallisation (111 refs.) 88—57816
Generalised inverses in Banach and Hilbert spaces (58 refs.) 88—6393
Generation scheduling and control (66 refs.) 88—30312
Geodetic strainmeters and tiltmeters (268 refs.) 87—15043
Geographic applications of remote sensing (64 refs.) 85—59459
Geometrical programming (90 refs.) 86—344
Geometrical theories of wave propagation (110 refs.) 86—42841
Geometrical theory of diffraction (91 refs.) 88—27480
Geometrical theory of diffraction (79 refs.) 88—34278
Geophysical well logging (159 refs.) 86—32505
Geothermal resources exploration (243 refs.) 86—32509
GeSe/polymer bilevel photoresist system (84 refs.) 85—40583
Ge_xSi_{1-x}/Si heterostructure physics and applications (65 refs.) 88—39089
Gettering and precipitation phenomena in semiconductors (59 refs.) 86—28124
Gettering in processed Si (59 refs.) 86—1928
Gettering in silicon device technology (90 refs.) 87—67062
Getters and gettering (74 refs.) 85—45357
Glass science, technology and applications (100 refs.) 88—56333
Global concave minimisation (29 refs.) 87—5353
Global error estimation (56 refs.) 86—34260
Glossary of mathematics of computing terminology (156 refs.) 87—22983
Glow-discharge laser radiation power stabilisation (64 refs.) 88—8122
Goal planning (50 refs.) 86—13656
Grain boundaries in polycrystalline silicon (79 refs.) 86—27848
Graph codes and a definition of structural similarity (50 refs.) 88—49656
Graph invariants relations (89 refs.) 85—28130
Graph theory (66 refs.) 85—33286
Graph theory (54 refs.) 86—338
Graph theory (504 refs.) 86—19767
Grating structures in integrated optics (51 refs.) 85—56360
Gravity and geomagnetic surveys (73 refs.) 86—32507
Ground potentials from power faults (96 refs.) 88—62007
Growth and characterisation of AlGaAs-GaAs quantum well lasers (63 refs.) 85—12870
Guided wave chemical sensors (77 refs.) 88—10023
Gyrotron oscillators (83 refs.) 88—71278
Gyrotrons (103 refs.) 85—55394
H^- ion source development (69 refs.) 87—35323
Hall effect in inhomogeneous magnetic fields (80 refs.) 85—20604
Hall effect measurement methods for liquid state (37 refs.) 88—22772
Halogenated plasma etching of silicides (53 refs.) 88—44677
Handicapped aid technology (81 refs.) 85—31863
Hardware accelerators used in CAD, survey (50 refs.) 85—6116
HDTV technology evolution (69 refs.) 88—22249
Health care and the technological revolution (52 refs.) 85—31864
Health hazards of display terminals (103 refs.) 88—23125
Health risks of VDTs (83 refs.) 88—18422
Hearing aids for the profoundly deaf (81 refs.) 85—38218
Heavy-ion fusion reactors, assessment implications (90 refs.) 88—48625
Heavy metal fluoride glasses and fibres (64 refs.) 85—12532
Helical wiggler free electron laser (54 refs.) 87—7395
Hemicyanine LB films, electron diffraction study (50 refs.) 87—26515
HEMTs for MM-waves and digital ICs (68 refs.) 88—38744
Heterojunction transistors (125 refs.) 87—24899
Heterostructure band discontinuities as device design parameters (50 refs.) 87—45666
Heterostructure lasers, history of development (75 refs.) 85—12860
Heterostructures in MODFETs (52 refs.) 88—20000
HF power conversion (52 refs.) 86—75797
HF skywave radar, ship detection applications (55 refs.) 86—65529

HgCdTe detectors for thermal imaging (73 refs.) 85–8850
$Hg_{1-x}Cd_xTe$-$Hg_{1-x}Cd_xTe$ heterostructures (176 refs.) 85–51043
HgTe based superlattice growth and properties (47 refs.) 87–6415
Hidden Markov models (72 refs.) 88–66520
High bandwidth fibre optic radiation sensors (60 refs.) 87–12166
High-definition television (47 refs.) 88–28024
High-dose implantation into silicon (83 refs.) 85–45561
High electron mobility transistors (72 refs.) 86–53673
High electron mobility transistors HEMTs (107 refs.) 86–53623
High energy density heat sources (69 refs.) 87–79248
High energy ion implantation (131 refs.) 85–34786
High energy laser plasma accelerators (98 refs.) 86–24930
High field electron transport in SiO_2 (56 refs.) 87–17837
High field research status (80 refs.) 86–48014
High-field thin films electroluminescent displays (54 refs.) 88–4550
High frequency diffraction by wedges (56 refs.) 85–41580
High-level image interpretation methods (58 refs.) 88–59249
High-power chemical lasers (56 refs.) 85–51119
High power semiconductor lasers (82 refs.) 88–8202
High-pressure plasma etching (78 refs.) 86–9043
High pressure volume discharges in gas lasers (131 refs.) 87–18914
High purity materials requirement (50 refs.) 86–58221
High-resolution ECG recording instrumentation (85 refs.) 88–68404
High resolution electronic particle detector (114 refs.) 85–37939
High resolution image processing (66 refs.) 85–25186
High-resolution TV for motion pictures production (54 refs.) 85–26095
High speed electric field and voltage measurement (65 refs.) 86–60303
High-speed fibre drawing (65 refs.) 87–7116
High temperature solution growth of garnets (268 refs.) 85–56101
High-voltage circuit-breaker reliability tests (67 refs.) 86–39979
History of microwaves (106 refs.) 88–49596
Hodoscopic photomultipliers (54 refs.) 88–16646
Holographic interferometry (66 refs.) 87–68642
Holography applications (69 refs.) 88–40376
Holography in biomedical sciences (112 refs.) 88–42530
Holography in Europe (60 refs.) 86–10018
Holography in Japan (58 refs.) 86–10017
Holography in medicine and biology (96 refs.) 88–2419
Holography use in high resolution track detectors (104 refs.) 87–29534
Home monitoring in children at risk of sudden infant death (53 refs.) 88–61224
Home videotaping, US copyright issues (110 refs.) 86–44037
Hospital-based proton beam treatment centre (100 refs.) 88–74864
Hot carriers in quasi-2D polar semiconductors (109 refs.) 87–6422
Hot electrons in selectively doped heterostructures (54 refs.) 88–25921
Hot-press ferrites for magnetic recording heads (77 refs.) 85–12483
Hot wire anemometry (225 refs.) 87–29941
Hough transforms, principles and appls (76 refs.) 86–19890
H_3PO_4 fuel cells (115 refs.) 86–51887
Human sleep model-based monitor (56 refs.) 88–61346
Humidity sensors (57 refs.) 87–41492
HV circuit breakers (54 refs.) 86–71018
HV vacuum insulation, electrical discharges (214 refs.) 85–12449
HVDC convertor stations arrester protection guide (133 refs.) 85–39089
HVDC systems, applications and analysis (51 refs.) 85–15566
Hybrid optical/digital image pattern recognition (84 refs.) 86–23147
Hydrogen passivation of active defects in polycrystalline silicon solar cells (57 refs.) 86–45718
Hydrogenated amorphous Si alloys (92 refs.) 85–34524
Hydrogenated amorphous silicon (63 refs.) 86–27847
Hydrothermal coordination problems (53 refs.) 87–71566
Hydrothermal growth of aluminium phosphate (42 refs.) 86–34291
Hypergraph matchings and covers (274 refs.) 88–56135
Hypernuclei identification in nuclear emulsions (56 refs.) 87–21500
IC CAD (57 refs.) 87–25451
IC CAD optimisation based systems (57 refs.) 88–49956
IC channel routeing (92 refs.) 86–53765
IC design, floor planning and global routing (63 refs.) 88–529
IC fabrication using particle beams (107 refs.) 87–25453
IC interconnection issues (51 refs.) 88–26370
IC packaging (50 refs.) 87–60031
IC structures on anisotropic substrates (99 refs.) 86–8461
IC yield (58 refs.) 88–25075
Idea processors for document composition (69 refs.) 86–57117
II-V semiconductors (53 refs.) 88–64358
II-V semiconductors growth, characterisation and applications (264 refs.) 87–16571
II-VI compounds, MOVPE (70 refs.) 86–7774
II-VI semiconductor compounds preparation (170 refs.) 88–7430
II-VI semiconductor films preparation for solar cells (58 refs.) 87–30947
II-VI semimagnetics, properties and applications (65 refs.) 86–8780
III-V bipolar devices (77 refs.) 87–38223
III-V compound defect detection by image analysis (144 refs.) 87–53173
III-V compound inversion layer transport (170 refs.) 86–28070
III-V compound MIS devices (240 refs.) 86–28360
III-V heterostructures for laser emission (53 refs.) 88–58561
III-V semiconductor compound synthesis (106 refs.) 86–57431
III-V semiconductor compounds (65 refs.) 88–7429
III-V semiconductor IGFET (58 refs.) 86–58466
III-V semiconductor-insulator interface for MIS applications (121 refs.) 86–28068
III-V semiconductor MESFET and MISFET interfaces (243 refs.) 87–45995
III-V semiconductor ohmic contacts (95 refs.) 87–32331
III-V semiconductor optical detectors (68 refs.) 85–12728
III-V semiconductor strained layer superlattices (55 refs.) 87–24844
III-V semiconductor surface interactions (252 refs.) 86–28033
III-V semiconductors for communications (64 refs.) 86–8756
III-V semiconductors for optoelectronics (68 refs.) 88–57307
III-V semiconductors MBE growth and properties (95 refs.) 85–28228
Illumination methods for machine vision (90 refs.) 87–51612
Image acquisition technology (60 refs.) 85–52665
Image analysis in materials science (53 refs.) 88–56347
Image analysis methods (116 refs.) 87–48134
Image coding using vector quantisation (114 refs.) 88–73188
Image convertor tubes and display devices (57 refs.) 86–58213
Image flow constraint equation (68 refs.) 86–69113
Image flow equations closed-form solutions (60 refs.) 87–62317
Image identification and restoration, survey (51 refs.) 88–46293
Image information system (69 refs.) 88–41041
Image information theory, fundamentals (125 refs.) 87–33754
Image matching algorithms (67 refs.) 86–23144
Image matching techniques (67 refs.) 87–19910
Image pattern recognition (58 refs.) 86–30060
Image pattern recognition (69 refs.) 87–39918
Image processing (52 refs.) 85–30463
Image processing (62 refs.) 85–46948
Image processing (66 refs.) 85–51736
Image processing and display in medical imaging (43 refs.) 85–4319
Image processing techniques (196 refs.) 85–36359
Image processing techniques (221 refs.) 87–33755
Image quality measurement (81 refs.) 87–39974
Image reconstruction from projections, use of optimization techniques (113 refs.) 88–3135
Image representation in biological and machine vision (49 refs.) 88–66624
Image restoration (51 refs.) 85–19520
Image restoration and reconstruction (330 refs.) 87–15
Image segmentation (72 refs.) 85–51699
Image segmentation (108 refs.) 88–41030
Image sensors (60 refs.) 87–41377
Image sequences (157 refs.) 87–48214
Image understanding (56 refs.) 88–3265
Image understanding research (79 refs.) 88–3267
Impact ionisation in III-V semiconductors in high electric fields (118 refs.) 87–45588
IMPATT diodes in mm-band devices (64 refs.) 85–23136
Impedance cardiogram and systolic time intervals measurement (53 refs.) 86–11990
Implantable integrated sensor packaging (62 refs.) 86–44630
Impurity states and electron transport in gapless semiconductors (180 refs.) 85–50197
Incoherent scatter radar (254 refs.) 86–12168
Indexing systems, computerized, for visual materials (76 refs.) 88–73546
Indian work on fibre optics, survey (66 refs.) 87–34563
Inductance simulation (54 refs.) 87–59706
Induction convertor analysis (59 refs.) 88–30712
Induction machine stray losses (69 refs.) 85–60186
Induction motor PWM inverter drives (57 refs.) 86–51953
Industrial lightguide technology in Poland (76 refs.) 88–20346
Industrial power electronics course (75 refs.) 86–19771
Industrial power system relaying (71 refs.) 86–56494
Inertial technology (95 refs.) 85–9290
Information outlet, ULAN versus ISDN (56 refs.) 87–48596
Information recording on thermoplastic materials (34 refs.) 85–7549
Information sector growth in developing countries (64 refs.) 87–20009
Information technical management of workplaces (64 refs.) 88–60833
Information theory (76 refs.) 86–64152
Information theory (58 refs.) 87–39537
Information theory and ergodic theory (65 refs.) 87–54787
Infrared thermography application to welding (57 refs.) 88–68066
InGaAs/InP heterostructure avalanche photodiodes (65 refs.) 85–51046
InGaAsP/InP distributed feedback lasers (53 refs.) 85–51188
InGaAsP/InP laser diodes (52 refs.) 85–29824
InGaAsP/InP laser reliability (67 refs.) 85–41404
InGaAsP lasers emitting at 1.3 and 1.55 micron for optical systems (61 refs.) 86–22369
Injection laser research at FIAN (127 refs.) 85–29852
Injection lasers (63 refs.) 88–8224
Inorganic laser crystals (97 refs.) 86–29098
InP-based optical waveguides (51 refs.) 86–32988
InP physical properties and solid state applications (94 refs.) 86–22022
Input microwave amps, EMC requirements (77 refs.) 87–45266
INS, research and development progress (61 refs.) 86–30522
Insertion device beam line optics (39 refs.) 87–26117
Inspection, automated visual (660 refs.) 88–31511
Instabilities in laser systems (197 refs.) 85–24425
Instabilities in semiconductors (51 refs.) 87–53154
Insulating composite electrical properties (59 refs.) 87–67648
Insulating liquids dielectric properties testing (78 refs.) 87–60707
Insulating materials for electronics (52 refs.) 87–32771
Insulating polymers (175 refs.) 87–18427
Insulating solid polymers (50 refs.) 87–18428
Integrated circuit/switched computer network, topological optimisation (61 refs.) 85–57811
Integrated communication and work efficiency (51 refs.) 87–33882
Integrated communications strategies, annotated bibliography 85–8032
Integrated finline technology (85 refs.) 86–41306
Integrated finline technology (41 refs.) 86–53018
Integrated guided wave optics on III-V semiconductors (84 refs.) 88–58209
Integrated optical parametric devices (44 refs.) 86–48503
Integrated optics (43 refs.) 87–12220
Integrated optics (63 refs.) 87–68187
Integrated optics (57 refs.) 88–58227
Integrated optics developments and trends (100 refs.) 85–12639
Integrated optics for sensors in Italy (58 refs.) 88–10027
Integrated optics lasers (79 refs.) 86–9612
Integrated optics research using periodic structures (109 refs.) 86–68307
Integrated optics semiconductor lasers (175 refs.) 88–20665
Integrated optoelectronic circuits (50 refs.) 88–58383
Integrated semiconductor magnetic field sensors (177 refs.) 87–3589
Integrated Si magnetic field sensors (137 refs.) 87–41491
Integrated switching networks (68 refs.) 88–8902
Integrated thin-film DC SQUID sensors (56 refs.) 87–67892
Integrated voice/data switching (52 refs.) 88–59756
Intelligent image processing, key trends (64 refs.) 87–47972
INTELSAT 21st century satellite communications (133 refs.) 87–56041
INTELSAT monopoly, cost estimation and policy implications (52 refs.) 87–76685
INTELSAT, United States policy (108 refs.) 88–28755
Interaction of microwaves with snow cover (152 refs.) 88–10565
Interactions in metallisation system for integrated circuits (118 refs.) 85–23717
Interactions of H_2 and D_2 with silica optical fibres (97 refs.) 87–60919
Interactive videodisc and computer-based instruction (39 refs.) 85–16598
Interconnection networks and graph-theoretical methods (57 refs.) 87–40019
Interdiffusion in thin films (89 refs.) 86–28103
Interface states in SiO_2-on-Si structures (88 refs.) 86–8886
Interferometric metrology (120 refs.) 88–53877
Interior lighting design (58 refs.) 86–40264

Internal gettering on Czochralski Si (66 refs.) ... 86-28117
Interplanetary navigation (75 refs.) ... 85-31125
Interpretation of gravity and magnetic anomalies (149 refs.) ... 88-61628
Intersatellite transmission using semiconductor lasers (56 refs.) ... 88-47008
Interval programming (57 refs.) ... 88-38090
Intrinsic infrared detectors (727 refs.) ... 88-16114
Inverse methods in electromagnetics (56 refs.) ... 87-26739
Inverter driven multi-split-type air conditioner (53 refs.) ... 86-57045
Iodine photodissociation laser (53 refs.) ... 85-2204
Ion beam assisted etching of semiconductors (81 refs.) ... 87-38152
Ion-beam lithography (119 refs.) ... 88-57567
Ion beam lithography and ion implantation (65 refs.) ... 87-53620
Ion beam microlithography (58 refs.) ... 85-29271
Ion bombardment during film deposition from vapour phase (71 refs.) ... 87-52200
Ion engine system control (51 refs.) ... 85-48446
Ion engineering (59 refs.) ... 85-10789
Ion-exchanged glass waveguides (78 refs.) ... 88-72094
Ion-exchanged optical waveguides and components (75 refs.) ... 88-65315
Ion implantation and annealing in III-V heterojunctions (81 refs.) ... 86-35419
Ion implantation and damage in GaAs (141 refs.) ... 86-8996
Ion implantation doping of semiconductors (61 refs.) ... 88-57422
Ion implantation doping of semiconductors (61 refs.) ... 88-57441
Ion implantation in GaAs (61 refs.) ... 87-38092
Ion implantation, introduction (66 refs.) ... 86-47452
Ion projection lithography (56 refs.) ... 87-45740
Ion-selective electrode use for measurement at very low concentrations (67 refs.) ... 88-4685
Ion sources (62 refs.) ... 85-64419
Ion surface interactions during crystal growth from vapour phase (55 refs.) ... 85-10805
Ionic conductive glasses (69 refs.) ... 85-65436
Ionisation chamber optimisation for dual-energy chest radiography (62 refs.) ... 88-61284
Ionised cluster beam technology (54 refs.) ... 85-16990
Ionospheric equatorial radio propagation (79 refs.) ... 88-58868
Ionospheric radio propagation models and prediction (69 refs.) ... 87-7534
Ionospheric research since 1930s (124 refs.) ... 87-47178
IR fibers measurement for telecommunication applications (72 refs.) ... 87-70106
IR technology advances and challenges 1975-94 (86 refs.) ... 85-46116
IR thermography application to electronics testing (62 refs.) ... 88-64684
Iron dominated magnets (128 refs.) ... 87-50072
Iron-rare earth permanent magnets (70 refs.) ... 86-22011
ISDN (129 refs.) ... 86-69268
ISDN basic access loop transmission (69 refs.) ... 87-13177
ISDN, Japan and US national policies comparison (103 refs.) ... 86-59515
ISDN multiplexing (52 refs.) ... 87-40229
ISDN software protocol for packet-switched network (50 refs.) ... 87-13176
ISO/OSI Reference Model upper layers (62 refs.) ... 87-20224
Iterative linear-equation solvers for codes (89 refs.) ... 86-46251
Iterative methods for solution of linear systems by extrapolation, relaxation and other techniques (84 refs.) ... 88-11932
Japan fibre optic transmission systems (70 refs.) ... 86-64981
Japanese experience with ventricular assist devices (56 refs.) ... 86-65459
Japanese telecom. market challenge (104 refs.) ... 87-62432
Japanese telecommunications industry changes and opportunities (70 refs.) ... 85-47002
Joint spatial/spatial frequency representation (59 refs.) ... 88-34790
Josephson junction applications (55 refs.) ... 85-29492
Josephson junctions, static and dynamic interactions (161 refs.) ... 85-1881
Josephson transmission lines (121 refs.) ... 85-50872
Josephson tunnel junctions, device applications (120 refs.) ... 85-56220
Judgments of size and distance with imaging displays (51 refs.) ... 86-6022
Kerr voltage sensor (51 refs.) ... 88-60698
Knowledge-based interpretation of remotely sensed images (106 refs.) ... 86-65574
Ku-band satellite broad casting (60 refs.) ... 85-36007
L_1-norm based statistical data analysis (95 refs.) ... 87-72946
LAMPF 45 GeV proton accelerator design (309 refs.) ... 86-65309
LAN access protocols (154 refs.) ... 88-41313
LAN technology and performance (59 refs.) ... 86-10772
Land mobile radio, digital modems (180 refs.) ... 85-57999
Land mobile radio systems (70 refs.) ... 85-58008
Langmuir-Blodgett film device applications (145 refs.) ... 88-7777
Langmuir-Blodgett films (168 refs.) ... 86-14753
Langmuir-Blodgett films and molecular electronics (74 refs.) ... 86-27767
Langmuir-Blodgett films as chemical sensors (58 refs.) ... 88-74802
LANs annotated bibliography (245 refs.) ... 86-43529
Large diameter Czochralski silicon crystal growth (50 refs.) ... 88-387
Large interconnect power systems, computerised control (53 refs.) ... 85-9451
Large-scale distributed computing systems (59 refs.) ... 88-52856
Large scale electric power systems dynamics (131 refs.) ... 85-38394
Laser and electric-spark surface hardening (255 refs.) ... 88-65924
Laser annealing of semiconductors (65 refs.) ... 86-35529
Laser applications progress in China (67 refs.) ... 85-29963
Laser applications progress in China (67 refs.) ... 86-3388
Laser applications to measurement (57 refs.) ... 86-22566
Laser biology and medicine (76 refs.) ... 85-59342
Laser biostimulation (88 refs.) ... 88-10409
Laser direct writing of materials ... 86-26903
Laser-driven particle accelerators (74 refs.) ... 85-35943
Laser epitaxy of materials for electronics (106 refs.) ... 85-10724
Laser etching and deposition (126 refs.) ... 87-25100
Laser generated microstructures (154 refs.) ... 85-56894
Laser glass research and development in China (53 refs.) ... 85-56588
Laser glasses research and development in China (53 refs.) ... 85-18898
Laser gyro history (60 refs.) ... 85-35930
Laser heterodyning (49 refs.) ... 86-15823
Laser-induced surface chemistry (88 refs.) ... 85-12355
Laser microfabrication of thin films (73 refs.) ... 87-36781
Laser microfabrication of thin films (111 refs.) ... 87-36782
Laser ocular surgery (50 refs.) ... 87-57213
Laser physics and engineering (70 refs.) ... 86-3403
Laser processing of semiconductors (136 refs.) ... 86-8958
Laser radiation field gas kinetics (68 refs.) ... 85-56484
Laser radiation selective effect on cancer cells (65 refs.) ... 86-38806
Laser ranging (131 refs.) ... 88-41753
Laser remote sensing of the atmosphere (40 refs.) ... 87-77871
Laser spectroscopic techniques for chemical analysis (58 refs.) ... 88-58735
Laser spectroscopy (77 refs.) ... 88-74821
Laser spectroscopy applied to energy, environmental and medical research (103 refs.) ... 88-58740
Laser spectroscopy for chemical processes study (74 refs.) ... 88-58736
Laser techniques in high-pressure geophysics (54 refs.) ... 87-77838
Laser use in the treatment of cardiovascular disease (49 refs.) ... 85-20952
Laser velocimetry developments (142 refs.) ... 88-22795
Lasers and photodetectors in Europe (73 refs.) ... 86-64979
Lasers excited by photodissociation (173 refs.) ... 86-63747
Lasers in acoustics (223 refs.) ... 88-29719
Lasers in biology (51 refs.) ... 85-59257
Lasers operating at cascade transitions of linear triatomic molecules (54 refs.) ... 88-51759
Lasers pumped by solar radiation (52 refs.) ... 85-2239
Lasers with wavefront-reversing mirrors (65 refs.) ... 86-48455
Lasing of complex organic compound vapours (60 refs.) ... 86-15637
Lateral-field excitation of berlinite (74 refs.) ... 85-62163
Lattice wave digital filters (51 refs.) ... 85-23033
Law and technology transfer (64 refs.) ... 86-7448
LCD panels, component technologies (68 refs.) ... 88-53778
Leadless ceramic chip carriers (53 refs.) ... 87-58678
Least-squares problems (63 refs.) ... 85-5932
Legal case to illustrate stretching of copyright act to cover nationwide retransmission of TV programmes (319 refs.) ... 88-41782
LF antennas in magnetoactive plasma (90 refs.) ... 86-29413
LF fields human exposures evaluation (81 refs.) ... 85-48345
Li battery technology (688 refs.) ... 85-22065
Li primary cell technology (77 refs.) ... 88-17845
Li secondary batteries (42 refs.) ... 85-44154
Light pollution (48 refs.) ... 88-49282
Light propagation in turbulent atmosphere (51 refs.) ... 85-51451
Light source development trend (143 refs.) ... 88-6012
Lightguide technology (77 refs.) ... 85-18738
Lightwave space-time structure by stimulated scattering in hypersound (74 refs.) ... 88-58691
Lightwave system engineering (104 refs.) ... 86-30790
Limit theorems for sums of dependent random variables (84 refs.) ... 88-18571
$LiNbO_3$ integrated optic components (62 refs.) ... 88-73963
$LiNbO_3$ integrated optical devices (101 refs.) ... 88-13932
$LiNbO_3$ integrated optics (75 refs.) ... 88-72140
Line-focus-beam acoustic microscopy for material characterisation (56 refs.) ... 85-53208
Linear algebra algorithms for matrix based signal processing (56 refs.) ... 87-19703
Linear memoryless networks (65 refs.) ... 85-6428
Linear singular systems (95 refs.) ... 86-66965
Linear time-varying optimal filtering (73 refs.) ... 87-47695
Linear traction motors for high-speed surface transport (76 refs.) ... 87-22410
Linearized circuits and systems (109 refs.) ... 85-28320
Liquid crystal bistable displays (64 refs.) ... 86-68339
Liquid crystal displays (107 refs.) ... 87-1985
Liquid crystal TV displays (338 refs.) ... 87-72676
Liquid crystals, displays and devices for optical processing (71 refs.) ... 87-49852
Liquid phase electroepitaxy of semiconductors (68 refs.) ... 87-16620
Lithium batteries (52 refs.) ... 85-10094
Lithium niobate waveguide fabrication techniques (73 refs.) ... 88-39959
Lithographic materials (138 refs.) ... 86-1942
Lithography simulation (85 refs.) ... 87-67362
Load forecasting (71 refs.) ... 88-30333
Local area networks, software and related issues (75 refs.) ... 87-69663
Local communication system interconnection (104 refs.) ... 88-21478
Local networks (67 refs.) ... 85-19778
Logic design of VLSI electronic circuits (65 refs.) ... 86-21845
Logic synthesis (53 refs.) ... 85-40015
Logical signal processing with optically connected threshold gates (51 refs.) ... 86-37138
Long term integrity of nuclear plant buildings and systems (84 refs.) ... 86-45110
LOS microwave channels measurement (55 refs.) ... 88-53164
Loudspeaker meas. and relationship to listener preferences (83 refs.) ... 86-55486
Loudspeaker sound quality and listener performance measurement (61 refs.) ... 85-31235
Loudspeakers, measurements and relationship to listener preferences (58 refs.) ... 86-49877
Low-dimensional chalcogenide secondary cathodic materials (45 refs.) ... 87-15959
Low-frequency electrical properties of rocks (61 refs.) ... 86-32504
Low-frequency spaceborne radio array (51 refs.) ... 88-47247
Low-noise concepts and techniques (71 refs.) ... 85-227
Low-pass filters for signal averaging (54 refs.) ... 86-55597
Low probability events in nuclear power plants (102 refs.) ... 87-22033
Low temperature electronics (82 refs.) ... 85-28920
Lower polar ionosphere reflection properties (72 refs.) ... 86-63991
LPE growth of garnets (65 refs.) ... 85-10722
LPE growth of InGaAs/InP and AlGaInAs/InP structures (95 refs.) ... 87-16622
LPE growth of InP and related alloys (97 refs.) ... 87-16624
LPE of buried heterostructure lasers (62 refs.) ... 87-16623
LPE of HgCdTe (54 refs.) ... 88-31758
LSI electronic circuit modelling (65 refs.) ... 87-53607
LSI IC production cleanrooms (68 refs.) ... 88-39554
LSI layout CAD (63 refs.) ... 87-52485
Luminescent materials for displays (42 refs.) ... 85-51037
Luminophors based on silicates (91 refs.) ... 85-41258
LV electron-beam testing of ICs (64 refs.) ... 86-41886
Machine vision techniques for inspection (60 refs.) ... 87-146
Magnetic bubble domain devices (101 refs.) ... 87-7038
Magnetic bubble memories, field-access permalloy devices (63 refs.) ... 88-7805
Magnetic materials for electrical machines (76 refs.) ... 88-57897
Magnetic materials for recording (62 refs.) ... 85-45980
Magnetic media, plating on disks (128 refs.) ... 87-60804
Magnetic, photometric temperature and computer-aided measurement (96 refs.) ... 88-29602
Magnetic properties of cobalt metallic glasses (135 refs.) ... 88-57981
Magnetic properties of R-Fe-B magnets (59 refs.) ... 88-13668
Magnetic properties of R-Fe-B permanent magnets (60 refs.) ... 88-13669

Magnetic recording materials (77 refs.) ... 86–28702
Magnetic recording systems (64 refs.) ... 87–25848
Magnetic suspension and balance systems (63 refs.) ... 87–71231
Magnetic suspension systems, use in wind tunnels (63 refs.) ... 88–61526
Magnetic thin films for high-density recording (63 refs.) ... 86–58703
Magnetism, progress and trends (226 refs.) ... 85–41013
Magneto-optical recording (92 refs.) ... 87–26103
Magnetooptics of gas lasers (168 refs.) ... 88–58431
Magnetostatic wave signal processing (62 refs.) ... 88–32439
Management communications (56 refs.) ... 86–13369
Management policies for value analysis (72 refs.) ... 88–139
Manganese dioxide as a battery chemical (311 refs.) ... 86–19444
Mass communication audiences, biometric assessment (158 refs.) ... 85–42047
Material requirements for optical processing and computing devices (111 refs.) ... 85–46896
Materials considerations in particulate recording media (67 refs.) ... 87–18509
Materials for IR fibre optics (225 refs.) ... 87–60873
Materials issues underlying compound semiconductor devices (72 refs.) ... 86–58263
Materials preparation by discharge plasmas (34 refs.) ... 86–34391
Mathematical modelling and optimisation in power industry (52 refs.) ... 87–31237
Mathematical programming necessary optimality conditions (61 refs.) ... 88–43805
Matrix computation; combinatorial problems (58 refs.) ... 87–211
Maximum entropy technique for 2D isotropic random fields (50 refs.) ... 88–52431
MBE for optoelectronic and integrated optics devices (97 refs.) ... 88–56221
MBE growth and characterisation of III-V/III-V and IV/III-V heterostructures (70 refs.) ... 85–28231
MBE growth of II-VI and IV-VI compounds and alloys (63 refs.) ... 85–28229
MBE growth of Zn chalcogenides (240 refs.) ... 86–26847
MBE III-V semiconductors: dopant incorporation, characteristics and behaviour (109 refs.) ... 85–29130
MBE of semiconductor, dielectric and metal films (61 refs.) ... 87–10454
MBE surface science studies (95 refs.) ... 85–28227
MBE technology for multistructure optoelectronic and integrated optics devices (97 refs.) ... 88–43894
MBE using RHEED oscillations (237 refs.) ... 87–65520
Measurement techniques for medical US equipment (63 refs.) ... 86–50529
Measuring System of Yugoslavia (78 refs.) ... 85–14564
Mechanical circulatory support (68 refs.) ... 86–60817
Mechanical strength of optical fibres (66 refs.) ... 87–7154
Mechanically reliable ceramics (83 refs.) ... 85–33515
Mechanistic studies of ion-selective electrodes (111 refs.) ... 85–59244
Medical chemical sensors (72 refs.) ... 88–36422
Medical imaging video cameras (61 refs.) ... 85–38040
Megabit RAM device aspects of submicron technology (95 refs.) ... 87–73447
Melt growth of large crystals (46 refs.) ... 86–34288
Melting model of pulsed laser annealing of semiconductors (103 refs.) ... 86–8960
Memory testing (58 refs.) ... 87–52590
MESFET modelling trends (81 refs.) ... 87–67271
Mesopause dynamics (61 refs.) ... 85–31989
Mesoscopic coherence phenomena in semiconductor devices (57 refs.) ... 88–64478
Mesosphere turbulence (62 refs.) ... 86–25424
Metal-air batteries, effect of FePc catalyst (50 refs.) ... 85–27614
Metal-insulator-GaAs structures (101 refs.) ... 86–8900
Metal-organic chemical vapour deposition (60 refs.) ... 87–52206
Metal organic chemical vapour deposition of III-V semiconductors (70 refs.) ... 85–28256
Metal-organic molecular beam epitaxy (54 refs.) ... 88–56217
Metal organic vapour phase epitaxy (83 refs.) ... 88–43866
Metal oxide varistors (67 refs.) ... 88–1033
Metal patterning and etching methods (179 refs.) ... 88–57513
Metal-semiconductor contact theoretical models (80 refs.) ... 87–1305
Metallic electromigration (66 refs.) ... 88–38801
Metallic glass magnetic films (60 refs.) ... 85–62187
Metallic glasses in the electronics industry (63 refs.) ... 86–28685
Metallic glasses, magnetostrictive, piezomag. props (100 refs.) ... 85–1827
Metallic wear (109 refs.) ... 88–6527
Metallisation for GaAs devices and circuits (244 refs.) ... 86–9062
Metallisation techniques (142 refs.) ... 88–57512
Metallisation technology for GaAs integrated circuits (68 refs.) ... 88–57823
Metalorganic chemical vapour deposition of III-V semiconductors (304 refs.) ... 86–7834
Metalorganic CVD of wide gap II-VI semiconductors (89 refs.) ... 88–12061
Meteor burst communication and system design (98 refs.) ... 87–26797
Methanol from ocean thermal energy (76 refs.) ... 85–9800
Metrological problems in microelectronics (60 refs.) ... 86–2274
MHD generators (73 refs.) ... 87–51488
MHD power generation (57 refs.) ... 87–72070
MIC analysis using spectral-domain approach (110 refs.) ... 86–8462
Microcircuit inspection with electron beams (52 refs.) ... 86–220
Microelectronic ion sensors (54 refs.) ... 86–5212
Microelectronic materials characterisation by SIMS (99 refs.) ... 87–24738
Microelectronic packaging reliability, environmentally related (50 refs.) ... 87–72864
Microelectronics and applied mathematics (60 refs.) ... 87–52012
Microelectronics applications of thermal wave physics (53 refs.) ... 87–60565
Microelectronics corrosion failure during accelerated tests (152 refs.) ... 87–38369
Microfabrication techniques for low dimensional experiments (65 refs.) ... 85–50372
Micrographics, video technology and 'fair use' (202 refs.) ... 85–26083
Microionic gas sensor for pollution and energy control (63 refs.) ... 88–35957
Microlithography for VLSI (51 refs.) ... 86–2335
Microlithography materials (163 refs.) ... 88–7415
Microlithography, Monte Carlo simulation (180 refs.) ... 88–57562
Microlithography polymers (183 refs.) ... 88–1502
Microphones, historical survey (73 refs.) ... 87–63177
Microphones literature bibliography (91 refs.) ... 85–63884
Microprocessor-controlled systems (505 refs.) ... 86–52185
Microstrip antenna analysis (115 refs.) ... 86–10178
Microstrip CAD (57 refs.) ... 87–17304
Microstrip circuits, design and layout (61 refs.) ... 88–63876
Microstrip structures design and layout (74 refs.) ... 88–50306
Microstructure of sputter deposited coatings (75 refs.) ... 87–23713
Microvertex detectors, trends and future perspectives (61 refs.) ... 87–29539
Microwave acoustic frequency sources (126 refs.) ... 87–11037
Microwave acoustics, history (86 refs.) ... 85–233
Microwave analysis and amplifier design (84 refs.) ... 87–65112
Microwave and optical waveguide analysis by finite element methods (82 refs.) ... 88–14460
Microwave CAD software, models and nonlinearities (140 refs.) ... 86–14483
Microwave devices (79 refs.) ... 85–50154
Microwave digital radio multipath fading channel models (88 refs.) ... 87–20402
Microwave effects on immunity systems (68 refs.) ... 86–65462
Microwave electronics computational experiment (67 refs.) ... 87–17334
Microwave energy, history of biological effects and medical applications (181 refs.) ... 85–239
Microwave ferrite devices (147 refs.) ... 88–33542
Microwave ferrite devices, history (142 refs.) ... 85–229
Microwave FETs, physical aspects (142 refs.) ... 88–19383
Microwave field theory, history (141 refs.) ... 85–224
Microwave filter R&D, history (91 refs.) ... 85–226
Microwave filters (156 refs.) ... 88–19324
Microwave heating (185 refs.) ... 85–240
Microwave hyperthermia for cancer therapy (199 refs.) ... 87–63811
Microwave induced plasma generation instrumentation (63 refs.) ... 85–23319
Microwave instrumentation, history (57 refs.) ... 85–236
Microwave links, 10 to 30 GHz, propagation factors (142 refs.) ... 86–30624
Microwave planar circuit analysis and design (47 refs.) ... 86–8463
Microwave power standards (59 refs.) ... 86–38536
Microwave remote sensing (74 refs.) ... 85 -59453
Microwave remote sensing (61 refs.) ... 88–61629
Microwave research in China (69 refs.) ... 87–5999
Microwave semiconductor devices (197 refs.) ... 85–34897
Microwave semiconductor devices (72 refs.) ... 87–37542
Microwave tubes (21 refs.) ... 86–27799
Microwire production, properties and applications (99 refs.) ... 87–66612
Microzone recrystallisation in SOI structures (37 refs.) ... 86–34294
Mid-IR fibers for telecommunication applications (72 refs.) ... 88–15468
Middle atmosphere ionic mobility, mean mass and conductivity (70 refs.) ... 88–61649
Millimeter wavelength maser amplifiers (148 refs.) ... 86–8451
Millimetre and submillimetre-wave measurement techniques (45 refs.) ... 85–26467
Millimetric waveguide systems (63 refs.) ... 88–7005
Minimum sum of absolute errors regression (65 refs.) ... 87–44118
Mining equipment reliability (102 refs.) ... 87–31110
Minority carrier transport in heavily doped Si (68 refs.) ... 85–45382
Minority carrier transport modelling in heavily doped emitters (67 refs.) ... 88–19932
MIS electron transport processes modelling (86 refs.) ... 87–38546
MIS transistor degradation (65 refs.) ... 87–45977
Mixed integer programming representability (62 refs.) ... 87–51993
mm-band nonreciprocal ferrite devices (80 refs.) ... 86–36058
MM-wave antennas and devices (survey) (121 refs.) ... 86–42978
mm-wave diode power combining (43 refs.) ... 87–45245
MM-wave passive components (54 refs.) ... 88–63830
MM-waves and sub-MM-waves, history (77 refs.) ... 85–232
MMIC history (67 refs.) ... 85–222
MMIC nonlinear modelling (48 refs.) ... 87–59892
MnO$_2$ synthesis (290 refs.) ... 86–13010
MNOS-type memory devices (164 refs.) ... 85–45056
Mobile ions in SiO$_2$ layers on Si (61 refs.) ... 87–60204
Mobile radio, bandwidth compressive modulation-demodulation technology (50 refs.) ... 86–55211
Mobile radio communications (203 refs.) ... 87–48943
Mobile radio systems coverage prediction (128 refs.) ... 88–60042
MOCVD Al$_x$Ga$_{1-x}$As solar cells (54 refs.) ... 87–22745
MOCVD and MBE for heterojunction devices (52 refs.) ... 85–10708
Modal analysis: history and future prospects (59 refs.) ... 87–51849
Mode nomenclature of circular gyromagnetic and anisotropic waveguides (50 refs.) ... 88–14461
Model (60 refs.) ... 86–3526
Model based recognition and localisation (57 refs.) ... 85–25149
Modeling of MODFETs (115 refs.) ... 88–64615
Modem design, VLSI/microprocessor-based (295 refs.) ... 86–23582
MODFETs (249 refs.) ... 86–67874
Modification of silicon properties with lasers, electron beams, and incoherent light (206 refs.) ... 85–34699
Modulating techniques for fibre optic sensors (56 refs.) ... 87–32950
Modulation doping of semiconductor heterostructures (56 refs.) ... 85–29028
Modulation transfer noise effects (62 refs.) ... 86–64174
Molecular beam epitaxy (161 refs.) ... 86–40756
Molecular beam epitaxy—GaAs device structures (50 refs.) ... 87–31544
Molecular beam epitaxy technology (74 refs.) ... 88–31742
Molecular electronic devices based on electrooptical behaviour of heme-like molecules (54 refs.) ... 88–1290
Molecular long-wavelength lasers (174 refs.) ... 85–24480
Molten carbonate fuel cells (102 refs.) ... 86–51890
Molten carbonate fuel cells (60 refs.) ... 88–69677
Monomode fibre optic interferometers and their applications in sensing systems (75 refs.) ... 88–7892
Monomolecular films, electronics applications (56 refs.) ... 85–55494
Monopolar semiconductor structures (52 refs.) ... 85–11944
Monopoly cable television franchising (520 refs.) ... 87–63155
MOS chemical gas sensors (64 refs.) ... 85–14749
MOS device modelling (122 refs.) ... 87–67296
MOS power technologies (109 refs.) ... 85–40767
MOS processes for VLSI (71 refs.) ... 85–7100
MOS technology VLSI (71 refs.) ... 86–15268
MOS transistor models (63 refs.) ... 85–40904
MOS VLSI, physical limitations and technological barriers (76 refs.) ... 85–18456
MOSFET interface state generation (57 refs.) ... 85–23768
Moulded epoxy resin composite processing (73 refs.) ... 86–20115
Moving-coil loudspeakers, dynamic linearity and power consumption (57 refs.) ... 87–14019
MOVPE-grown GaAs, oriented overgrowths (57 refs.) ... 88–31795
MOVPE of compound semiconductors (233 refs.) ... 87–36759
MOVPE semiconductor growth (70 refs.) ... 88–6475
MQW waveguide modulators (90 refs.) ... 88–72156
MSW technology (84 refs.) ... 88–33545
Multi-access communication channels, perspective (56 refs.) ... 85–51514
Multi-channel skin resistance measurements (51 refs.) ... 87–57141

Multi-sensor processing for object detection and identification (66 refs.) .... 88−59269
Multichannel plate detectors (104 refs.) .... 85−9076
Multichannel statistical time analysis of random signals (82 refs.) .... 88−35905
Multicomponent composites and electrical networks (55 refs.) .... 87−65621
Multidimensional circuit and systems theory (65 refs.) .... 85−17046
Multidimensional digital signal processing and appls (65 refs.) .... 88−27877
Multidimensional signal processing (61 refs.) .... 88−21227
Multifactor ageing of insulation systems (54 refs.) .... 86−68074
Multihop packet radio networks (80 refs.) .... 87−34449
Multijunction concentrator solar cells (46 refs.) .... 87−4892
Multijunction thermal converters (60 refs.) .... 88−17736
Multilayer resist lithography (70 refs.) .... 86−58368
Multilevel line-codes (51 refs.) .... 87−39625
Multilevel metallisation schemes (187 refs.) .... 88−57515
Multilevel test pattern generation (18 refs.) .... 87−16357
Multioscillator ring laser gyroscope (135 refs.) .... 86−36630
Multipath propag. studies (69 refs.) .... 86−29362
Multiple access channel codes (57 refs.) .... 88−59340
Multiple access protocols and time constraints communication (61 refs.) .... 85−19779
Multiple access protocols, tree type collision resolution (55 refs.) .... 87−27774
Multiple criteria decision making (96 refs.) .... 85−54262
Multiple-valued logic (212 refs.) .... 85−17281
Multiplexing in fibre optic links (61 refs.) .... 86−30832
Multiplexing technique for fibre interferometer sensor arrays (66 refs.) .... 88−16146
Multiplexing techniques for interferometric fibre sensors (53 refs.) .... 88−45126
Multipurpose noncentrosymmetric laser crystals (59 refs.) .... 87−33129
Multispectral image classification (55 refs.) .... 86−23154
Multistage interconnection networks, survey (52 refs.) .... 85−42281
Multistage networks, packet switching (54 refs.) .... 85−42282
Music and artificial intelligence (155 refs.) .... 86−31091
Mutual phase-locking in Josephson junction arrays (118 refs.) .... 85−1874
Myoelectric control of prostheses (143 refs.) .... 86−38810
Nanostructures (157 refs.) .... 87−11263
Nanotechnology (78 refs.) .... 88−18668
Narrow bandgap semiconductor devices (54 refs.) .... 87−74136
Narrowband visual communication (61 refs.) .... 87−34846
Nb-Ti supermagnet material (57 refs.) .... 87−53906
NbN Josephson tunnel junctions and devices (100 refs.) .... 88−51394
NBS measurement assurance program (68 refs.) .... 85−8682
NBS Measurement Assurances Program (54 refs.) .... 85−8681
Nb_3Sn superconductors (61 refs.) .... 85−62235
NDE of fibre reinforced composites (51 refs.) .... 86−46408
NDT techniques for solid state devices (24 refs.) .... 85−12389
Nd:YAG lasers (104 refs.) .... 88−2201
Near-field antenna measurements (70 refs.) .... 87−47324
Near-field antenna measurements overview (85 refs.) .... 86−36804
Near-millimetre-wave radiation sources (70 refs.) .... 85−28725
Nearest matched filter classification of spatiotemporal patterns (74 refs.) .... 87−55249
Negative resistance devices (69 refs.) .... 85−23068
Neonatal oxycardiorespirogram (87 refs.) .... 85−9124
Network protocols and tools to help produce them (63 refs.) .... 88−46591
Network reliability analysis (40 refs.) .... 87−5272
Network security analysis, real time (87 refs.) .... 87−71572
Networks and filters (50 refs.) .... 87−10071
Neuroelectric medicine (67 refs.) .... 85−9220
Neutron depth profiling for microelectronic materials (62 refs.) .... 87−24740
Neutron dosimetry, damage track detectors characteristics (175 refs.) .... 85−26808
Newtonian gravitational constant (1108 refs.) .... 88−35769
Newtonian gravitational constant determination (65 refs.) .... 85−63942
NHK's TV camera development (77 refs.) .... 85−8572
Nitrogen lasers (359 refs.) .... 85−46337
NMR imaging (75 refs.) .... 88−23039
NMR proton imaging (106 refs.) .... 85−31793
NO_2 plumes from power plants (60 refs.) .... 88−37034
Noise and nonlinear distortions of signals in fibre-optic systems (79 refs.) .... 85−20213
Noise in hydraulics (63 refs.) .... 87−2317
Noise in microstructures (50 refs.) .... 87−25186
Non-hydride group V sources for OMVPE (80 refs.) .... 88−63316
Non-invasive measurements in medicine (57 refs.) .... 86−5888
Nondestructive inspection using the Barkhausen effect (98 refs.) .... 85−10863
Nonideal quantum well structures (105 refs.) .... 88−8217
Nonlinear characteristics of superconducting point contacts (47 refs.) .... 85−41466
Nonlinear constants of quartz crystals (119 refs.) .... 88−20188
Nonlinear digital filters (78 refs.) .... 88−40974
Nonlinear effects in optical fibres and fibre devices (70 refs.) .... 87−54402
Nonlinear equation solution (140 refs.) .... 88−24675
Nonlinear fibre optics (105 refs.) .... 88−65193
Nonlinear guided waves (60 refs.) .... 87−46991
Nonlinear image restoration (59 refs.) .... 86−23146
Nonlinear integrated optics (170 refs.) .... 86−22182
Nonlinear microwave CAD techniques (123 refs.) .... 88−32407
Nonlinear microwave circuit analysis and design (77 refs.) .... 87−10633
Nonlinear network studies (57 refs.) .... 88−6634
Nonlinear optical and electro-optical material advances (124 refs.) .... 87−12105
Nonlinear optical interactions and signal processing (66 refs.) .... 87−75252
Nonlinear optical phase conjugation (100 refs.) .... 86−36585
Nonlinear optical properties of liquid crystals (59 refs.) .... 86−3301
Nonlinear optics and laser spectroscopy in the VUV (84 refs.) .... 86−3317
Nonlinear optics in fibres (104 refs.) .... 87−7121
Nonlinear optics of semiconductor lasers (118 refs.) .... 88−8225
Nonlinear optimisation algorithms (88 refs.) .... 85−22348
Nonlinear organic materials for integrated optics (71 refs.) .... 86−28773
Nonlinear refraction in semiconductor lasers (86 refs.) .... 85−56655
Nonlinear wave propagation in quartz (61 refs.) .... 87−32801
Nonparametric bilinear signal representations (161 refs.) .... 88−14739
NP-completeness (65 refs.) .... 87−65350
NTSC and beyond, improved TV systems (70 refs.) .... 88−4181
Nuclear accidents, failure analysis, probabilistic assessment (74 refs.) .... 88−36944
Nuclear driven flashlamps (107 refs.) .... 88−33917
Nuclear plant probabilistic risk assessment methods (56 refs.) .... 85−43738
Nuclear polarisation in ^{3}He by laser optical pumping (66 refs.) .... 86−11820
Nuclear power plant life expectancy (65 refs.) .... 88−10967
Nuclear power plant operating shift personnel qualification and training (120 refs.) .... 86−32961
Nuclear power plant simulation and reactor safety (57 refs.) .... 87−71892
Nuclear power plant siting near consumers, probabilistic safety approaches (96 refs.) .... 87−57802
Nuclear power station instrumentation and control guidebook] (117 refs.) .... 85−38745
Nuclear radiation detectors (60 refs.) .... 87−29521
Nucleation fields of permanent magnets (55 refs.) .... 88−51155
Numerical analysis (62 refs.) .... 87−72974
Numerical computation (178 refs.) .... 87−165
Numerical computation, state-of-the-art (76 refs.) .... 86−52376
Numerical computation state-of-the-art (111 refs.) .... 86−66755
Numerical conformal mapping methods (75 refs.) .... 86−19982
Numerical integration of semidiscrete parabolic problems (221 refs.) .... 85−10645
Ocean acoustic propagation by finite difference methods (54 refs.) .... 88−15692
Ocean data telemetry (62 refs.) .... 88−30179
Ocean thermal energy conversion (72 refs.) .... 88−62267
ODE initial-value problems, developments in numerical methods (50 refs.) .... 85−22411
Ohmic contacts and doping of CdTe (62 refs.) .... 88−1443
Open and closed models for networks of queues (69 refs.) .... 85−19549
Open cycle MHD electrical power generation (207 refs.) .... 85−21524
Operational amplifiers (85 refs.) .... 88−6679
Operations scheduling of power systems (76 refs.) .... 88−30311
Optical absorption edge in a-Si:H (59 refs.) .... 88−50636
Optical absorption near band gap of quantum-well structures, electric field dependence (65 refs.) .... 85−55536
Optical and electrical properties of pulsed laser annealed Si (107 refs.) .... 86−8744
Optical and electronic processing of medical images (160 refs.) .... 86−25223
Optical and fibre optic sensors (184 refs.) .... 86−9496
Optical bistability (154 refs.) .... 86−36586
Optical bistability (60 refs.) .... 88−20736
Optical bistability in semiconductor injection lasers (77 refs.) .... 87−33171
Optical bistability in semiconductor lasers (111 refs.) .... 87−68614
Optical bistability in semiconductors (68 refs.) .... 85−51244
Optical bistability, photonic logic and optical computation (61 refs.) .... 86−54197
Optical communication light sources and photodetectors (50 refs.) .... 86−49632
Optical communication receivers (148 refs.) .... 86−30799
Optical computing device materials (111 refs.) .... 85−36368
Optical connections in VHSIC (107 refs.) .... 88−14056
Optical data processing (66 refs.) .... 88−28014
Optical fibre couplers (71 refs.) .... 87−25955
Optical fibre digital links (62 refs.) .... 86−4676
Optical fibre dispersion, meas. methods and state-of-the-art (78 refs.) .... 86−48093
Optical fibre fabrication techniques (55 refs.) .... 87−68067
Optical fibre-grating pulse compressors (94 refs.) .... 88−45093
Optical fibre mechanical reliability (102 refs.) .... 85−41165
Optical fibre OTDR (59 refs.) .... 88−16527
Optical fibre reflectometry techniques (71 refs.) .... 86−2740
Optical fibre sensing using light scattering techniques (84 refs.) .... 88−13829
Optical fibre sensors (77 refs.) .... 85−12581
Optical fibre sensors (70 refs.) .... 86−5229
Optical fibre sensors (57 refs.) .... 87−70580
Optical fibre sensors for industrial applications (58 refs.) .... 85−62342
Optical fibre techniques in medium UV (64 refs.) .... 87−74796
Optical fibre to transmission system (134 refs.) .... 88−35508
Optical fibre WDM transmission (69 refs.) .... 87−28606
Optical fibres, materials and fabrication (212 refs.) .... 87−65058
Optical fibres measurement (64 refs.) .... 86−9493
Optical fibres, purity requirements (30 refs.) .... 86−58767
Optical fibres reliability issues (91 refs.) .... 87−74782
Optical frequency measurement (99 refs.) .... 86−38587
Optical guided-wave devices (43 refs.) .... 86−15514
Optical heterodyne reception (66 refs.) .... 85−47507
Optical image processing (50 refs.) .... 85−51747
Optical information processing devices (154 refs.) .... 88−59329
Optical integration technology (60 refs.) .... 88−7953
Optical lithography (145 refs.) .... 87−25455
Optical materials for UV and far IR transmission (44 refs.) .... 88−1925
Optical matrix processors (71 refs.) .... 88−8842
Optical NDT methods for fibre reinforced composites (47 refs.) .... 88−12123
Optical nonlinearities in direct-gap semiconductors (69 refs.) .... 88−27294
Optical nonlinearity, bistability and signal processing in semiconductors (81 refs.) .... 85−56794
Optical nonlinearity of CdS (117 refs.) .... 88−51919
Optical phase conjugation (57 refs.) .... 88−27284
Optical phenomena in thin-film waveguides (110 refs.) .... 85−29603
Optical processing and Space Station automation (78 refs.) .... 86−65488
Optical receivers (72 refs.) .... 87−8296
Optical recording using a-Si:H (55 refs.) .... 85−63118
Optical remote sensing (83 refs.) .... 85−59452
Optical switching systems, classification review (38 refs.) .... 86−59716
Optical technologies for intersatellite links (58 refs.) .... 87−20448
Optical time domain reflectometry instrumentation principles (61 refs.) .... 86−53966
Optical waveguide educational courses (59 refs.) .... 85−32951
Optical waveguide processors (157 refs.) .... 88−20467
Optical waveguide sensors (45 refs.) .... 87−26047
Optical waveguides in sensors use in physical reactions (67 refs.) .... 85−18708
Optical waveguides, mid-IR range (61 refs.) .... 87−60932
Optically controlled transparencies employing liquid crystals (86 refs.) .... 85−18760
Optically pumped molecular lasers (116 refs.) .... 88−27025
Optically pumped molecular lasers for the 10 μm to 2 mm spectral range (59 refs.) .... 85−12778
Optically-pumped near-millimetre-wave lasers (214 refs.) .... 85−29775
Optimal control applications in electric power systems (83 refs.) .... 87−72680
Optimal maintenance scheduling of generating units (50 refs.) .... 86−61205
Optimal queueing system admission control (66 refs.) .... 85−60839
Optimal seismic deconvolution (167 refs.) .... 85−10363
Opto-electronic materials (59 refs.) .... 86−9647
Optoelectronic device integration (109 refs.) .... 86−29019
Optoelectronic devices (70 refs.) .... 87−38892

Optoelectronic ICs research (117 refs.) .... 88−65511
Optoelectronic integrated circuit progress (119 refs.) .... 86−68408
Optoelectronic integrated circuits (73 refs.) .... 88−65512
Optoelectronic microwave pulse generation (50 refs.) .... 87−17342
Optoelectronic microwave switching (56 refs.) .... 85−34160
Optoelectronic production of short microwave pulses (50 refs.) .... 87−45258
Optoelectronic signal processing (74 refs.) .... 88−3145
Orbit estimation (82 refs.) .... 85−59375
Ordered polymeric thin film applications (56 refs.) .... 88−1500
Organic film nonlinear integrated optics structures (106 refs.) .... 88−2043
Organic materials in electronics (216 refs.) .... 88−38951
Organic molecule semiconductor devices (162 refs.) .... 87−60119
Organic Rankine cycle (52 refs.) .... 86−39554
Organometallic CVD of $Al_xGa_{1-x}As$ (75 refs.) .... 87−16681
Orthogonal polynomials and Christoffel functions (484 refs.) .... 87−23548
Oscillation with photorefractive gain (55 refs.) .... 87−7407
OSI annotated bibliography (399 refs.) .... 88−14967
OSI internetworking in heterogeneous LAN and WAN environment (53 refs.) .... 88−9203
OTEC cold-water pipe research (49 refs.) .... 85−53610
Oxide/III-V compound semiconductor interfaces (120 refs.) .... 86−28217
Oxygen in silicon (64 refs.) .... 88−389
Oxygen-iodine chemical laser theoretical analysis (60 refs.) .... 88−51757
Oxygen sensors (51 refs.) .... 88−47495
Packet radio networks (69 refs.) .... 87−34446
Packet-switched voice communication (53 refs.) .... 87−62522
Packet switching (42 refs.) .... 88−9359
Palatoglossus muscle, electromyographic signals (72 refs.) .... 86−11977
Parallel logic simulation (61 refs.) .... 87−5828
Parametric processing algorithms for prewindowed signals (63 refs.) .... 86−59289
Parametric time-frequency representations (66 refs.) .... 88−14740
Partial discharge measurement (61 refs.) .... 88−64805
Partial discharge measurement and detection (120 refs.) .... 88−42268
Partial discharges measurement (120 refs.) .... 88−26576
Particle optics (169 refs.) .... 88−6154
Particle physics technology and applications (73 refs.) .... 88−4732
Partition detector characterisation with Markov dependent data (57 refs.) .... 87−3251
Passivation for microelectronic packages (52 refs.) .... 88−189
Passivation phenomena in Si substrates (127 refs.) .... 87−60342
Passive detectors for neutron fluence measurement (76 refs.) .... 85−26809
Passive fibre optic components (51 refs.) .... 86−48150
Passive microwave remote sensing (136 refs.) .... 86−32557
Passive Q-switching and mode-locking for pulse generation (348 refs.) .... 88−51878
Pattern recognition in China (117 refs.) .... 87−48070
Pattern recognition methods (88 refs.) .... 88−73390
Pb-based ferroelectric relaxors for capacitors (78 refs.) .... 87−52898
PbO_2 electrode chemistry and discharge reaction (106 refs.) .... 86−51882
PBS telephone, intelligent system (86 refs.) .... 86−64569
PC boards CAD algorithms (46 refs.) .... 85−40301
PCB electroless deposition processes (60 refs.) .... 85−55262
PCB in electrical equipment, health hazards (66 refs.) .... 88−5743
PCB inspection by image processing methods (72 refs.) .... 85−1133
Perception of synthetic speech (63 refs.) .... 86−22952
Performance of the DELPHI hadron calorimeter (72 refs.) .... 88−68097
Permalloy magnetoresistive sensors (80 refs.) .... 86−65173
Permanent magnet alloys (152 refs.) .... 85−29426
Permanent magnet Fe-Cr-Co alloys (101 refs.) .... 85−41016
Permanent magnet materials (210 refs.) .... 87−25861
Permanent magnet materials (85 refs.) .... 88−26656
Permanent magnetic materials (848 refs.) .... 87−7023
Permanent magnets based on 4f-3d compounds (50 refs.) .... 88−51154
Permanent magnets in electrical machines (234 refs.) .... 88−55299
Personal communications course for engineers (52 refs.) .... 85−5666
Personal computers (57 refs.) .... 87−8513
pH sensitive ISFETs (72 refs.) .... 85−14750
Phase analysis, magnetic and thermoelectric methods (80 refs.) .... 87−16725
Phase conjugate mirrors (137 refs.) .... 85−35888
Phase-conjugate solid-state lasers (94 refs.) .... 88−65836
Phase conjugation of pulsed CO_2 laser emission (119 refs.) .... 88−58692
Phase noise in semiconductor lasers (61 refs.) .... 86−48517
Phase retrieval (112 refs.) .... 86−23156
Phoneme recognition systems, automatic, basic studies (119 refs.) .... 85−19383
Phonetic invariant properties on antimetrical vocal tract area functions (155 refs.) .... 85−13526
Photo-initiated deposition and etching relevant to semiconductor devices (365 refs.) .... 88−447
Photocurrent decay in amorphous semiconductors (50 refs.) .... 87−18818
Photodetectors and amplifiers for light wave systems (54 refs.) .... 85−31478
Photoelectric linear and angular displacement converters (64 refs.) .... 85−48098
Photoelectrochemical behaviour of mixed TiNb oxide electrodes (57 refs.) .... 87−22687
Photoelectrochemical cell studies with semiconductor electrodes, 1975-83 (1308 refs.) .... 86−26298
Photoelectrochemical cells (53 refs.) .... 86−66346
Photoelectrochemical cells (112 refs.) .... 88−5818
Photoelectrochemical cells (54 refs.) .... 88−75891
Photoelectrochemical cells for solar energy conversion (187 refs.) .... 85−21804
Photoelectrochemical energy conversion materials (319 refs.) .... 85−27596
Photoelectrochemical methods for solar energy (144 refs.) .... 86−51875
Photoelectrochemical solar cell thin film preparation (66 refs.) .... 87−16002
Photoelectromagnetic effect in semiconductors (593 refs.) .... 87−68255
Photoformation of dielectric materials (50 refs.) .... 87−25063
Photomultiplier characteristics (67 refs.) .... 85−28915
Photomultiplier characteristics as functions of temperature (72 refs.) .... 88−25847
Photon counting systems (58 refs.) .... 88−36349
Photon detector efficiencies (120 refs.) .... 87−57017
Photopolymers research (93 refs.) .... 85−61013
Photorefractive tungsten bronze crystals (66 refs.) .... 86−36113
Photovoltaic cells (59 refs.) .... 87−60214
Photovoltaic measurements (40 refs.) .... 85−39211
Photovoltaic power systems (62 refs.) .... 86−56666
Photovoltaic properties of Cu_2O (55 refs.) .... 86−28964
Photovoltaic solar energy conversion (262 refs.) .... 86−61748
Physical diagnostic techniques (45 refs.) .... 88−61248
Physical models for semiconductor devices (116 refs.) .... 87−67189
Physical processes in gas lasers (275 refs.) .... 88−8106
Physics and applications of Ge_xSi_{1-x}/Si strained-layer heterostructures (51 refs.) .... 87−6419
Physics of amorphous silicon-carbon alloys (250 refs.) .... 88−12960
Physics of the quantum well laser (57 refs.) .... 87−75132
Pickup techniques (250 refs.) .... 87−34969
Picosecond and femtosecond white laser pulse generation (84 refs.) .... 88−20729
Picosecond distributed feedback dye lasers (57 refs.) .... 87−7281
Picosecond photoconductive devices for optoelectronic switching (57 refs.) .... 85−56448
Picosecond pulse development of Nd:glass lasers (87 refs.) .... 85−62545
Picosecond pulses in fibre-optic waveguides (64 refs.) .... 85−35498
Picture encoding (111 refs.) .... 85−51737
Picture processing (1252 refs.) .... 85−51684
Picture processing (66 refs.) .... 85−51703
Picture processing (61 refs.) .... 85−57484
Picture processing (119 refs.) .... 86−3973
Picture processing (53 refs.) .... 86−64356
Piezoelectric and pyroelectric PVDF films (91 refs.) .... 87−67622
Piezoelectric applications of ferroelectric ceramics (41 refs.) .... 85−18509
Piezoelectric ceramics (77 refs.) .... 87−6934
Piezoelectric ZnO RF magnetron sputter deposition (50 refs.) .... 85−22524
Pipeline interleaved DSPs, data flow programming (57 refs.) .... 87−73476
PLA-based digital circuit design system (60 refs.) .... 86−34734
PLA design (52 refs.) .... 85−33797
PLA fault detection (56 refs.) .... 86−62544
Placement in automatic layout systems (89 refs.) .... 87−5615
Planar antenna trends (63 refs.) .... 85−46626
Planar strip gratings (93 refs.) .... 85−46551
Planar wiggler free electron laser, harmonic instabilities (52 refs.) .... 86−29176
Planarisation of multilevel metallisation (61 refs.) .... 88−13182
Planetary atmosphere radio occultations (68 refs.) .... 86−48582
Plant root growth measurement using conductivity meter (65 refs.) .... 86−25181
Plasma assisted CVD thin films (98 refs.) .... 87−10491
Plasma deposition (61 refs.) .... 86−58551
Plasma deposition of a-Si:H films (213 refs.) .... 88−56286
Plasma diagnostics and end-point detection (95 refs.) .... 86−9047
Plasma etching for Si devices (167 refs.) .... 86−9042
Plasma etching for silicon-based technology (55 refs.) .... 85−40639
Plasma etching in semiconductor technology (127 refs.) .... 88−7495
Plasma etching of refractory gates (73 refs.) .... 85−12188
Plasma etching of silicides and polycides (50 refs.) .... 86−63203
Plasma-induced and plasma-assisted CVD (132 refs.) .... 86−20105
Plasma sources for X-ray lithography (116 refs.) .... 86−8955
Plasma switches and thyratrons (64 refs.) .... 87−43266
Plastic structural design, analytical methods (283 refs.) .... 85−5745
PLZT electrooptic materials and applications (76 refs.) .... 87−68197
Point-contact diodes (59 refs.) .... 85−1554
Point defect effects in Si technology (136 refs.) .... 88−32984
Point defects and diffusion processes in Si (79 refs.) .... 85−23428
Polarisation-maintaining fibres (238 refs.) .... 87−7118
Polarisation modulation (102 refs.) .... 86−44445
Polarised electrets, radiation dosimetry applications (67 refs.) .... 85−53109
Polarised electron sources and detectors (65 refs.) .... 87−21371
Polarised ion sources and targets (62 refs.) .... 86−70301
Poly-Si emitter transistors (60 refs.) .... 88−64526
Poly-Si MOSFETs (68 refs.) .... 85−35171
Polycrystalline $CuInSe_2$ thin films (75 refs.) .... 86−57483
Polycrystalline silicon (396 refs.) .... 86−35298
Polycyclic aromatic hydrocarbons emission from power stations (57 refs.) .... 88−5521
Polyhedral proof methods in combinatorial optimisation (53 refs.) .... 86−57321
Polymer chemistry in solar energy (406 refs.) .... 88−75521
Polymer dissolution rates measurements (59 refs.) .... 85−50645
Polymer liquid crystals (108 refs.) .... 87−7183
Polymer molecules for ultrathin films (136 refs.) .... 88−1499
Polymer optical fibres (66 refs.) .... 88−72037
Polymeric optical disk recording media (61 refs.) .... 86−66863
Polymeric optical fibre (69 refs.) .... 87−46446
Polymers as data storage media and substrates (64 refs.) .... 88−26746
Polymers as electronic materials (53 refs.) .... 85−54539
Polymers in plasmas (91 refs.) .... 88−7676
Polynomial preconditioning for conjugate gradient methods (66 refs.) .... 88−70266
Polyolefin sulfone electron beam resists (53 refs.) .... 87−11509
Polysilicon films for VLSI (60 refs.) .... 87−17709
Position-sensitive detector in time-resolved electron energy loss spectroscopy (84 refs.) .... 87−3904
Position sensitive proportional counters for X-ray astronomy (65 refs.) .... 88−61161
Positron emission tomography (271 refs.) .... 86−44634
Positron emission tomography instrumentation (117 refs.) .... 87−77652
Potassium turbine shaft seals (76 refs.) .... 88−62177
Potential distributions in abrupt heterojunction semiconductor devices (58 refs.) .... 88−50648
Power device technology (83 refs.) .... 85−12230
Power diode ambipolar Auger-coefficient (51 refs.) .... 86−35638
Power electronics and machine electronics (354 refs.) .... 87−10669
Power generation technology (317 refs.) .... 88−23596
Power line carrier systems (54 refs.) .... 86−32675
Power line lightning induced voltages (53 refs.) .... 85−9516
Power plant and industrial furnace emission control (89 refs.) .... 86−60975
Power plant and power system simulation (55 refs.) .... 87−57536
Power semiconductor switching devices (58 refs.) .... 87−32455
Power sources and convertor technology (156 refs.) .... 87−72259
Power station components, lifetime prediction in corrosive environments (66 refs.) .... 85−21284
Power station water chemistry (84 refs.) .... 86−61352
Power supplies for primary electric propulsion, technology status in United States (85 refs.) .... 85−31897
Power system (159 refs.) .... 88−54857
Power system harmonics (276 refs.) .... 85−9428
Power system harmonics (259 refs.) .... 85−9429
Power system relay protection (127 refs.) .... 85−48615
Power system reliability, security and stability (110 refs.) .... 85−26980
Power system security analysis (93 refs.) .... 88−30314
Power system simulation (77 refs.) .... 86−38990
Power system stability (50 refs.) .... 88−75042

Power system stability and transients (59 refs.) ... 86–18681
Power system stability improvement using discrete controls (135 refs.) ... 87–57547
Power systems dynamic equivalents (57 refs.) ... 85–4587
Power transformer design optimisation (64 refs.) ... 85–60249
Power transmission line techniques (52 refs.) ... 86–39090
Power transmission networks (80 refs.) ... 88–5365
Power transmission using supertension cables (68 refs.) ... 88–54974
Precision SAW oscillators (81 refs.) ... 88–57877
Predictive deconvolution (108 refs.) ... 86–29871
Predictive deconvolution (132 refs.) ... 86–37035
Preparation and thermal conductivity of doped semiconductors (325 refs.) ... 87–16572
Preparation of active layers for GaAs ICs (57 refs.) ... 86–2353
Presentations, effectiveness (9 refs.) ... 87–43828
Pressure vacuum standards (71 refs.) ... 85–43130
Primary LiSO$_2$ batteries (99 refs.) ... 85–27601
Primary lithium batteries (55 refs.) ... 85–27602
Private international communications satellite systems (86 refs.) ... 86–43777
Private local networks (51 refs.) ... 86–43404
Probabilistic models for power system planning (52 refs.) ... 86–32700
Probability risk assessment for nuclear reactor containment (60 refs.) ... 85–4754
Process measurement sensors for nuclear reactors (50 refs.) ... 86–5255
Processing related defects in Si (61 refs.) ... 87–38057
Programable logic devices, design techniques (52 refs.) ... 85–33794
Programming languages for computer music (70 refs.) ... 86–31093
Property rights in technology (68 refs.) ... 85–22169
Property rights in technology, basics (68 refs.) ... 85–16692
Protecting rights in technology (94 refs.) ... 87–65133
Protection of technology (92 refs.) ... 86–45981
Protocol description languages (141 refs.) ... 87–28023
Protocol development, evaluation of formal description techniques (64 refs.) ... 85–25564
Protocol development tools (113 refs.) ... 88–21424
Protocol specifications and implementations, methods and tools for design and validation (122 refs.) ... 88–35180
Protocol verification techniques (60 refs.) ... 86–43374
Protocol verification using discrete-event models (67 refs.) ... 88–73423
Protocols and complexity in computer communications (47 refs.) ... 87–13186
Public-key cryptography (117 refs.) ... 88–66304
Public-key cryptosystem complexity (57 refs.) ... 88–45916
Pulsating instabilities and chaos in lasers (296 refs.) ... 86–42470
Pulse power supplies for injection lasers (83 refs.) ... 87–65831
Pulsed beam processing of GaAs (90 refs.) ... 86–8962
Pulsed CO$_2$ laser annealing of semiconductors (71 refs.) ... 86–8963
Pulsed laser annealing effects in Si (67 refs.) ... 85–23608
Pulsed lasers for holographic interferometry (51 refs.) ... 86–3397
Pulsed light sources (634 refs.) ... 86–7291
Pulsed power systems (176 refs.) ... 87–15879
Pulsed power systems, circuit opening systems (77 refs.) ... 88–31054
Pursuit-evasion differential games (783 refs.) ... 87–65318
PV cell manufacturing toxicology (54 refs.) ... 88–75927
PV power generation (79 refs.) ... 88–30615
PVD instrumentation and processing techniques (71 refs.) ... 86–66860
PVDF film transducers, acoustic characts (65 refs.) ... 85–45931
PVDF, piezoelectric props. and appls (117 refs.) ... 85–45918
Pyroelectric devices and materials (122 refs.) ... 87–32745
QAM digital radio systems (53 refs.) ... 86–23663
Quadratic integer programming (72 refs.) ... 88–38094
Quadrative mirror filters (45 refs.) ... 87–75778
Quadrature formula obtained by variable transformation and the DE-rule (31 refs.) ... 85–49504
Quality and reliability of complex electronic systems (66 refs.) ... 88–31524
Quality control, history and evolution (56 refs.) ... 87–23364
Quantum fine structures in microelectronics (61 refs.) ... 88–64303
Quantum well laser diodes (54 refs.) ... 87–39141
Quantum well laser diodes (70 refs.) ... 88–58563
Quantum well lasers (95 refs.) ... 87–7364
Quantum well lasers (60 refs.) ... 87–39138
Quantum well nonlinear optics and electro-optics (61 refs.) ... 87–24897
Quantum well semiconductor lasers (67 refs.) ... 86–29142
Quartz bulk resonator sensor technologies (76 refs.) ... 88–57851
Quartz crystal oscillators (60 refs.) ... 88–20218
Quartz crystal oscillators, acceleration sensitivity (60 refs.) ... 88–57849
Quartz resonators, flicker freq. noise (63 refs.) ... 88–57883
Queueing systems (120 refs.) ... 88–31598
Queueing systems equivalence and decomposition (54 refs.) ... 86–306
Queueing systems with vacations (50 refs.) ... 87–65297
Queueing theory recent developments (62 refs.) ... 86–40609
R&D facilities location (51 refs.) ... 88–49442
R&D planning techniques (65 refs.) ... 88–6183
R&D project selection (61 refs.) ... 87–60
Radar antijamming techniques (214 refs.) ... 88–11577
Radar cross-section measurement (57 refs.) ... 87–49161
Radar cross-sections of birds and insects (166 refs.) ... 85–47553
Radar detection of hail (52 refs.) ... 87–35487
Radar, development prospects for the '80s and beyond (112 refs.) ... 85–14366
Radar differential reflectivity technique for rain measurement (54 refs.) ... 87–15049
Radar ECM and ECCM (75 refs.) ... 85–47566
Radar ECM and ECCM (169 refs.) ... 87–76860
Radar, evasive targets (54 refs.) ... 86–23951
Radar glint survey (93 refs.) ... 85–63729
Radar imaging (65 refs.) ... 85–8486
Radar in the 1980s (158 refs.) ... 86–69828
Radar measurements of upper middle atmosphere winds (55 refs.) ... 88–36664
Radar polarisation diversity (125 refs.) ... 86–43887
Radar scattering from wind-generated waves (135 refs.) ... 87–63970
Radar sensing of ocean (69 refs.) ... 85–53183
Radar signal processing (47 refs.) ... 85–52384
Radar signals, automatic detection (51 refs.) ... 88–15518
Radar techniques ... 87–72688
Radiation damage in optoelectronic materials (62 refs.) ... 88–7943
Radiation effects in fibre optics (82 refs.) ... 86–48137
Radiation effects on Ge and Si semiconductor devices (252 refs.) ... 86–67768
Radiation hardness assurance for electronics (60 refs.) ... 86–35771
Radiation monitoring instrumentation (1156 refs.) ... 85–22150
Radiation protection around particle accelerators (133 refs.) ... 85–26811
Radiation sensors (76 refs.) ... 88–61158
Radio interferometry (86 refs.) ... 87–77837
Radio licenses and frequency spectrum use property rights (108 refs.) ... 88–29015
Radio receivers, origins and types (64 refs.) ... 88–73788
Radio science review 1981-1983 (2389 refs.) ... 85–39422
Radioastronomy (225 refs.) ... 87–22980
Radioastronomy absolute flux scale (64 refs.) ... 87–20644
Radioastronomy, near-millimeter-wave technology (166 refs.) ... 85–31136
Radiodetermination satellite service and international regulatory recognition (97 refs.) ... 86–49527
Radiofrequency quadrupoles, present status (58 refs.) ... 86–32060
Radiofrequency radiation protection (50 refs.) ... 86–60846
Radiography of fibre reinforced composites (44 refs.) ... 88–12120
Radionuclide release from severe nuclear plant accidents (199 refs.) ... 86–6479
Radiowave propagation at near-millimetre-wave frequencies (90 refs.) ... 85–30036
Radiowave propagation in ionosphere and magnetosphere (850 refs.) ... 86–13279
Radiowave propagation in random inhomogeneous ocean (62 refs.) ... 85–57042
Railways (63 refs.) ... 88–76032
Random magnets (57 refs.) ... 87–1879
Random marked point processes (84 refs.) ... 88–18572
Rapid isothermal processing (565 refs.) ... 88–64361
Rapid thermal annealing of ion implanted GaAs (60 refs.) ... 87–32397
Rapid thermal processing (13 refs.) ... 87–11596
Rapid thermal processing in semiconductor technology (91 refs.) ... 88–57414
Rapid thermal processing of shallow junctions (57 refs.) ... 86–35418
Rare earth-iron-boron permanent magnet materials (64 refs.) ... 87–12034
Rare earth-transition metal alloy permanent magnets (306 refs.) ... 88–44994
Rare earth-transition metal permanent magnet materials (79 refs.) ... 86–63543
Rayleigh wave oscillators and resonators (51 refs.) ... 87–1872
Rayleigh wave technology (77 refs.) ... 87–1876
Rb clock (50 refs.) ... 86–38573
RC active filters (67 refs.) ... 85–45143
Reactive ion-beam etching (57 refs.) ... 86–9046
Reactive ion etching (138 refs.) ... 86–9044
Reactive ion plating (32 refs.) ... 85–10796
Reactive power and voltage control (231 refs.) ... 87–57541
Real-time photogrammetry (50 refs.) ... 88–68621
Receiving and transmitting microwave semiconductor devices intermodulation distortion (58 refs.) ... 85–23137
Rechargeable lithium cells (63 refs.) ... 85–27605
Recognition, introductory reading (9 refs.) ... 85–36207
Recombination centres in heat treated Si (72 refs.) ... 85–50395
Recording techniques (87 refs.) ... 87–32872
Recording techniques, magnetic and optical (159 refs.) ... 85–35315
Redox batteries (60 refs.) ... 87–43348
Reflector antennas developments, review (109 refs.) ... 86–29583
Reflector antennas for satellite systems (48 refs.) ... 85–7750
Refractory materials for MOS VLSI gate applications (172 refs.) ... 87–60660
Refractory semiconductors for thermoelectric energy conversion (51 refs.) ... 88–49166
Regulation of video and telecommunications information systems (92 refs.) ... 86–40427
Relaxation based electrical simulation (64 refs.) ... 85–1618
Relaxation labelling algorithms (127 refs.) ... 86–48989
Reliability apportionment/allocation (121 refs.) ... 87–23419
Reliability specifications in engineering design (78 refs.) ... 86–13584
Reliability theory for system subject to inspection and repair (61 refs.) ... 85–5857
Remote sensing ... 87–72683
Remote sensing by laser beam (116 refs.) ... 88–36658
Remote sensing in geophysics (82 refs.) ... 86–32508
Remote sensing in soil science (505 refs.) ... 88–23
Remote sensing photometry and polarisation (496 refs.) ... 88–24340
Remote sensing radiometry (102 refs.) ... 85–59454
Remotely sensed image correction (86 refs.) ... 87–29911
Remotely sensed images classification (114 refs.) ... 87–51721
Renewable energy resources (98 refs.) ... 88–23600
Research management (76 refs.) ... 86–57146
Resists for microlithography (202 refs.) ... 88–57551
Resonant tunnelling and perpendicular transport in superlattices (54 refs.) ... 87–6426
Resonator sensors (87 refs.) ... 85–26306
Retrial queues (65 refs.) ... 88–18558
RF attenuation measurement (78 refs.) ... 86–38503
RF dielectric properties measurement (187 refs.) ... 86–38521
RF-LINAC free electron lasers (56 refs.) ... 88–58589
RF measurement standards (90 refs.) ... 86–38532
RF radiation cumulative effects of long-term exposure (102 refs.) ... 85–48365
Ring laser gyros (103 refs.) ... 85–29877
Ring lasers (50 refs.) ... 87–46939
Ring quantum-mechanical oscillator theory in magnetic field (88 refs.) ... 88–51866
RISC architectures for VLSI computers (55 refs.) ... 87–66235
Robust adaptive beamforming (66 refs.) ... 88–8729
Robust signal processing techniques (209 refs.) ... 85–46803
Room-temperature colour centre lasers (111 refs.) ... 88–65634
Rotating cylinder electrode technology design and application to continuous production of metal (69 refs.) ... 85–32841
Runge-Kutta methods for stiff nonlinear differential equations (168 refs.) ... 85–54414
Safety considerations in clinical engineering (72 refs.) ... 86–38856
Satellite broadcasting in USA, interim regulations and implications (91 refs.) ... 85–37204
Satellite communication systems, modulation and coding (62 refs.) ... 85–8377
Satellite communications, innovation paradox (58 refs.) ... 87–28466
Satellite communications, precipitation studies (58 refs.) ... 86–17284
Satellite power systems (83 refs.) ... 87–8962
Satellite services, breaking INTELSAT's monopoly (233 refs.) ... 86–64909
Satellite systems, modulation and coding (62 refs.) ... 85–36968
SAW filters using single-phase unidirectional transducers (60 refs.) ... 87–46291
SAW gas sensors (55 refs.) ... 87–29097
Scanning acoustic microscope (66 refs.) ... 87–9040
Scanning electron beam testing (142 refs.) ... 88–38045

Schottky barrier formation on III-V semiconductor surfaces (139 refs.) 86–67743
Schottky barriers (71 refs.) 88–19730
Schottky barriers and ohmic contacts (53 refs.) 86–47398
Schottky contacts (65 refs.) 87–53288
Schottky contacts on GaAs (110) (94 refs.) 88–25961
Schottky contacts on GaAs (110) (50 refs.) 88–25962
Schottky diodes and ohmic contacts for III-V semiconductors (217 refs.) 86–28277
Scientific research evaluation (47 refs.) 87–65131
Scintillator-photodiode systems (58 refs.) 86–5805
Screen-film mammography (59 refs.) 85–38057
Sea surface temp. remote sensing using IR radiometry (143 refs.) 87–71397
Sea surface temperature measurement (57 refs.) 86–32563
Second harmonic generation in organic molecules (65 refs.) 87–7440
Security constrained load dispatching and optimal power flow (59 refs.) 88–10761
Seismic data migration (52 refs.) 85–15407
Selective fading links, dig. countermeasures (82 refs.) 86–29369
Selectively doped heterostructure transistor (140 refs.) 87–45996
Self-action of wave packets in a nonlinear medium and femtosecond laser pulse generation (201 refs.) 87–54425
Self-tuning control of hypertension during ENT surgery (57 refs.) 88–36494
SEM microcharacterisation of crystals (58 refs.) 86–34426
SEM voltage measurement (72 refs.) 88–57281
Semiconducting black phosphorus (55 refs.) 86–41506
Semiconductor-based chemical sensors (56 refs.) 85–38013
Semiconductor chip protection (67 refs.) 87–72741
Semiconductor chip protection act (392 refs.) 87–65124
Semiconductor device manufacture using excimer lasers (57 refs.) 85–34739
Semiconductor device modelling (188 refs.) 85–29181
Semiconductor device modelling (126 refs.) 87–45849
Semiconductor device simulation (64 refs.) 87–67192
Semiconductor diode laser phase-locked arrays (55 refs.) 86–42547
Semiconductor diode microwave phase modulators (35 refs.) 85–61167
Semiconductor diodes in microwave control devices (55 refs.) 88–63912
Semiconductor heterojunction interfaces (53 refs.) 85–34587
Semiconductor heterojunction theory (50 refs.) 85–29026
Semiconductor heterojunctions (178 refs.) 86–28007
Semiconductor heterostructure devices (84 refs.) 88–57584
Semiconductor industry in Japan (87 refs.) 85–12079
Semiconductor injection laser phase-locked arrays (56 refs.) 87–61176
Semiconductor interface formation during molecular beam epitaxy (98 refs.) 88–31815
Semiconductor interfaces (71 refs.) 87–11389
Semiconductor interfaces (123 refs.) 87–24815
Semiconductor interfaces and devices (114 refs.) 87–45638
Semiconductor laser applications in telecommunication (50 refs.) 86–22398
Semiconductor laser design (69 refs.) 87–33205
Semiconductor laser dynamics and emission spectra (251 refs.) 88–8199
Semiconductor laser failure (49 refs.) 87–33193
Semiconductor laser linewidth broadening (245 refs.) 87–33176
Semiconductor laser optical bistability (86 refs.) 86–29228
Semiconductor laser picosecond pulse generation and measurement (65 refs.) 86–31685
Semiconductor laser reliability (76 refs.) 85–41401
Semiconductor laser self-coupling effects (107 refs.) 87–33204
Semiconductor lasers (96 refs.) 85–51187
Semiconductor lasers (50 refs.) 87–18988
Semiconductor lasers and photodetectors by MBE (66 refs.) 85–29859
Semiconductor lasers for long-wavelength optical communications systems (442 refs.) 88–69989
Semiconductor lasers, nonlinear dynamics and chaos (61 refs.) 87–33210
Semiconductor lasers prepared by MBE (79 refs.) 85–7445
Semiconductor masers using cyclotron resonance (62 refs.) 87–68313
Semiconductor material for electronic device applications (60 refs.) 86–41500
Semiconductor memories (100 refs.) 87–24179
Semiconductor microcomponent self consistent Monte Carlo particle model (84 refs.) 86–53579
Semiconductor microstructure growth by MBE (46 refs.) 87–5409
Semiconductor optical ICs (64 refs.) 88–65523
Semiconductor optoelectronic devices for transmission (63 refs.) 88–9551
Semiconductor potential for optical integrated circuits (101 refs.) 85–56363
Semiconductor properties for integrated optics (54 refs.) 87–7170
Semiconductor quantum effect devices (73 refs.) 87–60160
Semiconductor struct., ballistic transport (110 refs.) 85–1267
Semiconductor superlattices and quantum wells (105 refs.) 86–47384
Semiconductor superlattices and quantum wells (196 refs.) 87–6412
Semiconductor superlattices and quantum wells (53 refs.) 88–32857
Semiconductor superlattices and quantum wells through development of MBE (113 refs.) 85–29025
Semiconductor superlattices, quantum wells and heterostructures (104 refs.) 87–1280
Semiconductor surfaces and interfaces research using ETBM (61 refs.) 86–1763
Semiconductor technology (2467 refs.) 85–22061
Semiconductor technology for supercomputer applications (163 refs.) 88–71654
Semiconductor technology in the ULSI era (163 refs.) 87–74364
Semiconductor thermal and temperature testing (265 refs.) 88–53920
Semiconductor transient annealing (660 refs.) 85–61812
Semiconductors diffusion barriers (55 refs.) 86–21457
Sensor-based electronic instrumentation systems development (109 refs.) 88–9942
SF_6-based dielectric gas mixtures (73 refs.) 85–24002
SF_6 breakdown characteristics (122 refs.) 87–32774
SF_6 corona controlled breakdown (55 refs.) 85–1783
SHG in centrosymmetric semiconductors (76 refs.) 87–26528
Short-term hydrothermal coordination (53 refs.) 88–37082
Si crystals for VLSI technologies (64 refs.) 85–361
Si epitaxial growth for advanced device structures (61 refs.) 88–33321
Si epitaxy and integrated circuits (68 refs.) 85–39759
Si material criteria for VLSI (175 refs.) 85–40923
Si micro (57 refs.) 88–62399
Si molecular beam epitaxy (93 refs.) 87–44332
Si oxidation (67 refs.) 87–38143
Si p-n junction solar cells (266 refs.) 87–72421
Si plasma CVD (91 refs.) 87–5462
Si, polycrystalline, chemical vapour deposition (100 refs.) 85–442
Si RIE damage and contamination removal (54 refs.) 88–13143
Si-SiO_2 interface characterisation (279 refs.) 87–45715
Si VPE reactor technology (93 refs.) 88–44617
SiC semiconductor devices development (52 refs.) 87–37914
Sidelobe cancelling and adaptive array processing (56 refs.) 88–14476
Signal and image processing, deconvolution theory (67 refs.) 87–47929
Signal detection (79 refs.) 88–59124
Signal detection and parameter estimation (73 refs.) 88–21185
Signal detection is non-Gaussian environment (100 refs.) 88–8780
Signal detection theory in medical imaging (56 refs.) 85–4314
Signal filtering theory developments in USSR (89 refs.) 86–16342
Signal processing and Toeplitz matrices (124 refs.) 88–14744
Signal processing computational needs (63 refs.) 87–55109
Signal processing hardware developments (91 refs.) 87–63329
Signal processing in modern surveillance radars (76 refs.) 87–40984
Signal processing in VLSI era (60 refs.) 85–46808
Signal processing software (64 refs.) 88–27935
Signals and systems, change detection, survey (71 refs.) 88–3063
Si:H ambient sensors (67 refs.) 85–61945
Si:H FET addressed LCD panel (62 refs.) 85–62412
Si:H photovoltaic cells, prep. and physical props (76 refs.) 86–505
Silane purification and analysis for semiconductor manufacture (76 refs.) 88–50690
Silicide formation and dopant level (56 refs.) 88–71400
Silicides and rapid thermal annealing (89 refs.) 87–11711
Silicides for VLSI interconnects (58 refs.) 86–28407
Silicides for VLSI technology (133 refs.) 87–38168
Silicon compiler and programmable chip for language recognition (75 refs.) 87–65655
Silicon compilers (50 refs.) 88–18879
Silicon compilers for VLSI (64 refs.) 87–67370
Silicon defects and device processing (248 refs.) 87–17890
Silicon diffusion modelling (196 refs.) 86–21114
Silicon meltstock processing (126 refs.) 88–385
Silicon molecular beam epitaxy device applications (55 refs.) 87–74174
Silicon-on-insulator formed by ion implantation (67 refs.) 87–17921
Silicon on silicon WSI (131 refs.) 88–64143
Silicon wafers for integrated circuit processes (75 refs.) 86–67601
Simulation of inverter fed and induction motor drives (55 refs.) 88–75971
Simultaneous cardiovascular studies by electrical impedance (54 refs.) 86–32221
Single-longitudinal-mode semiconductor lasers (140 refs.) 88–72393
Single mode depressed cladding optical fibre design (56 refs.) 85–37021
Single-mode fibre components (112 refs.) 88–20378
Single mode fibre optics (305 refs.) 85–62388
Single mode fibres for sensing applications (40 refs.) 88–16148
Single-mode fibres with modified dispersion characteristics (87 refs.) 87–7106
Single mode optical fibres (58 refs.) 87–68065
SiO_2 films on Si, growth mechanisms (144 refs.) 87–60341
SiO_2/Si interface, chemical and electronic structure (224 refs.) 87–37993
Sliding discharge in CO_2 and excimer lasers (63 refs.) 85–35695
Small angle analogue applications of high T_c superconductors (50 refs.) 88–39824
Small antennas for transportation, research (66 refs.) 88–34428
Small expansion power units (77 refs.) 86–12537
Small HTR in underground silo (186 refs.) 87–15493
SnO_2 films prepared by reactive sputtering (50 refs.) 87–45303
Soft decoding techniques (71 refs.) 86–48767
Soft magnetic amorphous materials application (111 refs.) 88–20243
Soft X-ray beam line mirrors (40 refs.) 88–22888
Soft X-ray microscopes (135 refs.) 85–31773
Software design method for protocol and communication software development (53 refs.) 88–73564
Software-oriented computer architecture for VLSI and single chips (56 refs.) 87–60566
SOI for circuits applications (60 refs.) 88–13505
Solar batteries (78 refs.) 87–22725
Solar cell developments (70 refs.) 88–37614
Solar cell manufacture using thick film technology (101 refs.) 86–13052
Solar cells (57 refs.) 85–39198
Solar cells (160 refs.) 88–17939
Solar cells, a-Si:H deposition methods (93 refs.) 85–65444
Solar collector coatings (62 refs.) 88–24165
Solar conversion devices (133 refs.) 88–33587
Solar energy conversion (50 refs.) 86–45671
Solar power satellites (110 refs.) 87–9421
Solar thermal electric power systems (64 refs.) 85–48901
Solder joint reliability (205 refs.) 86–20968
Solid ceramic electrolytes (53 refs.) 85–448
Solid dielectric surface flashover (75 refs.) 87–18371
Solid electrolyte sensors (79 refs.) 87–8595
Solid phase growth of silicon and germanium (56 refs.) 85–33472
Solid-state detectors, signal processing (176 refs.) 86–65389
Solid state devices, materials (60 refs.) 87–32611
Solid state devices, technological development (75 refs.) 85–35190
Solid-state electrochemical gas sensors (61 refs.) 87–70610
Solid-state, gas and liquid lasers (74 refs.) 86–22269
Solid-state imaging technology, trends (50 refs.) 88–42155
Solid state lasers (153 refs.) 87–18953
Solid state lasers (63 refs.) 88–14161
Solid state lasers (684 refs.) 88–65654
Solid state lasers nonstationary behavior (70 refs.) 88–51886
Solid-state lasers with semiconductor pumping (62 refs.) 86–15672
Solid-state microwave limiters (52 refs.) 87–17311
Solid state nuclear track personnel neutron dosimeters (75 refs.) 85–38264
Solid-state physical transducers for biomedical research (81 refs.) 86–44625
Solid state potentiometric O_2 gas sensors (60 refs.) 86–70110
Solid-state power devices and costs (83 refs.) 86–67019
Solid state power devices in millimeter wave range (75 refs.) 88–19384
Solid-state slab laser design (50 refs.) 87–75051
Solvents for Li battery technology (66 refs.) 85–27600
Sorting, VLSI complexity (53 refs.) 86–15214
SOS and other heteroepitaxial SOI technologies (93 refs.) 85–50328
SOS films (205 refs.) 87–53301
Sound, time-varying spectra editing (52 refs.) 87–55097
Sources and detectors for fibre optic communications (97 refs.) 86–55296
Space remote sensing systems (176 refs.) 87–22975
Space solar power and energy storage (95 refs.) 87–43417
Spacecraft electrical power systems (62 refs.) 87–42121

Spacecraft multi-beam and contoured-beam antennas (65 refs.) ... 87–61472
Sparse matrix methods in optimisation (93 refs.) ... 85–5942
Sparse matrix techniques (57 refs.) ... 87–51908
Sparse nonlinear least squares problem (51 refs.) ... 88–18636
Sparsity exploitation for solution of large problems (109 refs.) ... 88–11907
Spatial light modulators (66 refs.) ... 88–8088
Speaker recognition (51 refs.) ... 87–19418
Spectral analysis and discrimination by zero-crossings (63 refs.) ... 87–27402
Spectral control of gain-switched lasers by injection-seeding (176 refs.) ... 87–18912
Spectral correlation theory of cyclostationary time series (56 refs.) ... 86–64159
Spectral estimation (71 refs.) ... 86–59266
Spectral estimation, high resolution modelling methods (56 refs.) ... 85–46810
Spectrally selective surfaces (135 refs.) ... 88–33586
Spectrometers with large-volume detectors (66 refs.) ... 85–26731
Speech analysis by parametric modelling, survey (66 refs.) ... 85–62988
Speech as temporal pattern, psychoacoustical profile (63 refs.) ... 85–63000
Speech coding (50 refs.) ... 88–59053
Speech coding, medium-rate (137 refs.) ... 88–66335
Speech communication (45 refs.) ... 88–59052
Speech knowledge in automatic speech recognition (54 refs.) ... 86–22949
Speech perception, Pavlov Institute research (59 refs.) ... 85–62999
Speech perception research studies (51 refs.) ... 87–75751
Speech perception, word recognition and lexicon structure (65 refs.) ... 85–63002
Speech processing for cochlear implant prostheses (108 refs.) ... 85–15352
Speech production and linguistic units (91 refs.) ... 88–2988
Speech recognition (59 refs.) ... 86–10286
Speech recognition (146 refs.) ... 86–29779
Speech recognition and understanding (100 refs.) ... 88–45977
Speech recognition by machine (359 refs.) ... 88–69990
Speech recognition by machine, bibliography (4790 refs.) ... 88–59108
Speech, shadows, echoes and auditory anal., (45 refs.) ... 85–62998
Speech synthesis (79 refs.) ... 86–29788
Speech synthesizer, hybrid time-frequency domain articulatory system (55 refs.) ... 87–69057
Speech, vocal-tract state relation to acoustic meas (49 refs.) ... 85–46711
Speed control of asynchronous motors (80 refs.) ... 86–66062
Spherical steel reactor containments, failure internal pressure (74 refs.) ... 86–32986
Spontaneous and stimulated emission from quasifree electrons (121 refs.) ... 88–51840
Spray pyrolysis processing of optoelectronic materials (129 refs.) ... 88–6487
Spread spectrum communication, interference suppression (54 refs.) ... 88–73783
Spread spectrum mobile communications, research and applications (149 refs.) ... 87–40758
Spread spectrum packet radio systems (86 refs.) ... 87–34448
Sputter deposition technology for VLSI (74 refs.) ... 86–7844
Sputtered VLSI materials (66 refs.) ... 88–12073
Stability of linear systems (79 refs.) ... 87–73245
Standard and phase-matched grazing-incidence and DFB FIR gas lasers (70 refs.) ... 87–38971
Standards for experiment automation systems (69 refs.) ... 87–49481
Standby redundancy in reliability (156 refs.) ... 87–5277
Stationary field synthesis and identification (53 refs.) ... 86–48525
Statistical characteristics of wave in random media with space-time inhomogeneities (85 refs.) ... 88–2505
Statistical classification techniques (68 refs.) ... 86–46169
Statistical literature on quality and productivity (129 refs.) ... 87–65228
Steam-injected gas turbines (51 refs.) ... 87–51061
Steam turbine blades reliability (76 refs.) ... 85–21479
Steam turbine development and production (54 refs.) ... 85–15816
Steam turbines (117 refs.) ... 86–61354
Steiner problem in networks (92 refs.) ... 87–51982
Stereo TV market forces and issues (50 refs.) ... 86–38047
Stereo vision (106 refs.) ... 88–47648
Stereochemistry, local order, and defects (65 refs.) ... 88–71972
Stimulated Raman scattering of laser radiation (113 refs.) ... 88–51933
Stochastic cooling for colliding beam experiments (140 refs.) ... 85–37853
Stochastic filtering, linear and nonlinear (48 refs.) ... 88–14738
Stochastic functional analog-digital conversion (81 refs.) ... 85–60645
Stochastic programming (56 refs.) ... 87–5345
Strained-layer superlattices (53 refs.) ... 87–6417
Strained-layer superlattices (57 refs.) ... 87–24852
Stripe-geometry laser diodes waveguiding (79 refs.) ... 85–18945
Structural methods in automatic speech recognition (145 refs.) ... 86–22950
Structure and applications of ferroelectric polymers (90 refs.) ... 86–53841
Submarine optical fibre cable transmission systems in Japan (52 refs.) ... 86–23870
Submersibles, unmanned (52 refs.) ... 86–32582
Submicron CMOS technology (137 refs.) ... 87–25574
Submicron device modelling (51 refs.) ... 87–67191
Submicron lithography (51 refs.) ... 87–25519
Submillimeter wave applications of submicron Schottky diodes (50 refs.) ... 87–29134
Subminiature/thin-membrane resonators (62 refs.) ... 87–1854
Subsurface radar (224 refs.) ... 88–67467
Subsynchronous resonance between rotating machines and power systems (145 refs.) ... 85–38433
Superchip architecture for implementation large integrated systems (55 refs.) ... 88–44197
Superconducting bolometers (87 refs.) ... 86–5322
Superconducting films in microwave electronics (56 refs.) ... 85–23088
Superconducting linac structures (51 refs.) ... 87–35302
Superconducting magnets for mirror fusion devices (50 refs.) ... 85–1922
Superconducting magnets instrumentation (53 refs.) ... 88–39847
Superconducting material research at the High Field Laboratory for Superconducting Materials (97 refs.) ... 87–53911
Superconducting proximity effect (65 refs.) ... 88–51395
Superconducting quantum interferometers (211 refs.) ... 85–24233
Superconductor-insulator-superconductor quasiparticle mixers with bow-tie antennas (50 refs.) ... 88–50369
Superconductors critical field (60 refs.) ... 85–64256
Superdielectric polymers (135 refs.) ... 87–18358
Superlattice p-i-n photodetectors, tunable (61 refs.) ... 88–65481
Surface acoustic wave devices (58 refs.) ... 87–60736
Surface arc discharges on spacecraft dielectrics (67 refs.) ... 86–47886
Surface charge decay on insulating films (54 refs.) ... 88–65955
Surface-emitting grating-coupled lasers (55 refs.) ... 88–65542
Surface measurement techniques in IC manufacture (56 refs.) ... 87–53630
Surface mount solder joint fatigue analysis (54 refs.) ... 87–16383
Surface mounting attachment reliability (47 refs.) ... 85–28079
Surface orientation and structure computation using grid coding (55 refs.) ... 87–39899
Surface studies of pulsed laser irradiated semiconductors (73 refs.) ... 86–8961
Surveillance radar signal processing techniques (82 refs.) ... 86–17499
Surveillance radars (135 refs.) ... 86–4716
Switched capacitor circuits (78 refs.) ... 88–12500
Switched capacitor circuits analysis and design (58 refs.) ... 86–695
Switched capacitor network synthesis (55 refs.) ... 87–10642
Switched-mode power supplies (68 refs.) ... 88–69593
Switches for inductive energy storage (118 refs.) ... 85–5279
Switchgear educational literature (271 refs.) ... 86–33553
Switching dynamics of optical bistable devices (63 refs.) ... 88–34101
Switching, state-of-the-art (55 refs.) ... 86–30489
SYCO silicon compiler (54 refs.) ... 88–7696
Synchronously pumped tunable picosecond lasers (120 refs.) ... 86–68418
Synchrotron radiation X-ray lithography (82 refs.) ... 88–57560
Synthetic diamonds in electronics (190 refs.) ... 86–21095
Tachyarrhythmias control by electrical stimulation (53 refs.) ... 85–4364
Tactical communications in urban environment (54 refs.) ... 86–59469
Tapered optical fibre couplers (61 refs.) ... 88–45097
Tax legislation for German electricity economy (51 refs.) ... 87–30041
TDMA and SCPC systems onboard DSP (51 refs.) ... 87–56049
Technical education in the UK, history (96 refs.) ... 86–19758
Technical innovation (63 refs.) ... 86–19784
Technological applications of functionalised polymers (453 refs.) ... 86–66865
Technology protection (94 refs.) ... 88–6194
Telecommunication network reliability models (68 refs.) ... 87–13226
Telecommunication network synchronisation (103 refs.) ... 86–16096
Telecommunication optical fibres characteristics (65 refs.) ... 87–34560
Telecommunication system reliability (163 refs.) ... 86–10225
Telecommunications (63 refs.) ... 88–3327
Telecommunications and libraries (84 refs.) ... 88–35037
Telecommunications and networks (76 refs.) ... 88–66849
Telecommunications and travel relationships (135 refs.) ... 86–59499
Telecommunications, critical review (354 refs.) ... 88–59412
Telecommunications for managers (13 refs.) ... 85–19624
Telecommunications, integrated optics and optoelectronics (60 refs.) ... 88–22105
Telecommunications, overview of modern techniques (72 refs.) ... 85–25221
Telecommunications policy issues (71 refs.) ... 88–46428
Telecommunications regulations (56 refs.) ... 87–13245
Telecommunications transmission trends (89 refs.) ... 85–13731
Teleconferencing (96 refs.) ... 85–52560
Teleconferencing ... 86–17671
Telegraphs and Telephones Act, 1904, in the Netherlands (112 refs.) ... 85–42163
Telemedicine history (59 refs.) ... 85–25286
Telemetry for instrumentation and test systems (43 refs.) ... 88–15966
Teleshopping (61 refs.) ... 85–19736
Teletex in Australia, introduction plans (82 refs.) ... 86–37357
Temperature and pressure measurement techniques (126 refs.) ... 87–14585
Temperature measurement (95 refs.) ... 86–18162
Temperature scales, secondary reference points (144 refs.) ... 85–48126
Terrestrial microwave links, multipath propagation (94 refs.) ... 88–34320
Terrestrial mm-wave links, attenuation (51 refs.) ... 88–3823
Test generation for digital systems (326 refs.) ... 86–67127
Test matrices for generalised inverses (85 refs.) ... 86–34224
Testability designs for ICs (53 refs.) ... 87–1100
Testable VLSI chips design tools (84 refs.) ... 87–10834
Tethered satellite system (72 refs.) ... 87–57370
Text-based information systems (51 refs.) ... 88–41842
Text-to-speech conversion for English (352 refs.) ... 87–75745
Text to speech, present and future (86 refs.) ... 87–61809
Texture analysis (131 refs.) ... 85–41946
Thermal sensors based on Seebeck effect (57 refs.) ... 87–41490
Thermally induced phase conjugation by transient real-time holography (66 refs.) ... 86–36567
Thermionic deposition devices (60 refs.) ... 86–46372
Thermochromic VO_2 films (88 refs.) ... 87–68013
Thermoelectric devices and materials (50 refs.) ... 87–9872
Thermoelectric energy conversion materials (88 refs.) ... 85–39223
Thermoelectric energy conversion materials (287 refs.) ... 88–49164
Thermographic phosphors ... 87–46671
Thermooptics of solid-state lasers (154 refs.) ... 88–45387
Thermosphere incoherent scatter radar measurements (59 refs.) ... 86–12164
Thick film components (52 refs.) ... 86–14730
Thick-film sensors (45 refs.) ... 87–29098
Thin film analysis and characterisation (69 refs.) ... 88–65494
Thin film CdTe solar cells (88 refs.) ... 86–13042
Thin film electroluminescent displays (66 refs.) ... 85–14915
Thin-film inductive heads (74 refs.) ... 88–13682
Thin film materials with extreme sheet resistance (51 refs.) ... 87–52891
Thin film media for magnetic recording (108 refs.) ... 86–63560
Thin film microfabrication limits (64 refs.) ... 88–39338
Thin film preparation by spray pyrolysis for solar cells (47 refs.) ... 87–52160
Thin film recording media (72 refs.) ... 87–25846
Thin film sputter deposition (56 refs.) ... 87–65563
Thin films for magnetic recording technology (59 refs.) ... 85–56111
Thin films for magnetic recording technology (154 refs.) ... 86–36038
Thin films for optical data storage (52 refs.) ... 85–56265
Thin films technology for VLSI (58 refs.) ... 86–15232
Thin metal film sensors (103 refs.) ... 86–17914
Third order nonlinear integrated optics (105 refs.) ... 88–72146
Three-component laser Doppler anemometry (54 refs.) ... 88–42324
Three-dimensional digitized picture processing (51 refs.) ... 85–51766
Three-terminal superconducting devices (67 refs.) ... 86–28737
Thresholding techniques (52 refs.) ... 88–34740
Time dependent queueing systems, diffusion approximations (53 refs.) ... 87–12870
Time resolved measurements during pulsed laser irradiation of Si (134 refs.) ... 86–8745
Time series analysis (133 refs.) ... 87–31393
Toeplitz systems, stability of solutions (67 refs.) ... 85–33322
Token ring network modelling (69 refs.) ... 88–41381
Topological optimisation of multiple-level array logic (57 refs.) ... 88–12310
Tracking and treeing phenomena (52 refs.) ... 87–25695

Transborder data flow framework (91 refs.) 87-20048
Transborder retransmissions of TV signals (88 refs.) 86-19787
Transcutaneous transducer garments for physiological applications (59 refs.) 86-12011
Transducers for industrial measurement of low value capacitances (34 refs.) 88-35934
Transformer core sheet metallurgy (50 refs.) 87-72181
Transformerless three-terminal network synthesis (73 refs.) 85-491
Transient methods in EM imaging (61 refs.) 85-51411
Transient stability analysis of power systems (70 refs.) 86-32683
Transient thermal processing of Si (148 refs.) 86-47447
Transmission network overvoltages (175 refs.) 86-50782
Transparent ferroelectric ceramics (66 refs.) 86-35943
Transport in submicrometer devices (70 refs.) 87-60102
Transport properties of $CuInSe_2$ (85 refs.) 86-58285
Transputer reference manual (67 refs.) 88-56694
Trilayer resists (63 refs.) 86-8954
Tropospheric radio propagation (76 refs.) 85-46566
Tunable alexandrite lasers (47 refs.) 86-22349
Tunable coherent X-rays (72 refs.) 85-62472
Tunable far infrared semiconductor lasers (80 refs.) 88-27166
Tunable hot hole FIR lasers and CR masers (55 refs.) 86-29118
Tunable paramagnetic ion lasers (116 refs.) 86-68515
TV broadcasting techniques, program production (83 refs.) 87-34709
TV ghost interference measurement (99 refs.) 85-26001
TV, historic evolution (96 refs.) 86-4834
TV image information theory (119 refs.) 85-36358
TV image processing, industrial and medical appls (182 refs.) 85-36360
TV multiplex broadcasting (59 refs.) 87-34715
TV pickup apparatus (211 refs.) 85-37484
TV program production techniques (88 refs.) 85-37188
TV programming overseas market place (63 refs.) 86-49763
TV programs, master control techniques (69 refs.) 85-37189
TV programs, master control techniques (58 refs.) 87-34710
TV receiver technology (64 refs.) 87-34741
TV receiving techniques and wave interference (78 refs.) 85-37233
TV reception techniques (50 refs.) 87-34739
TV vision and hearing, quality evaluation (190 refs.) 85-37235
Twisted nematic displays (67 refs.) 87-41572
Two-dimensional digital filters (53 refs.) 85-21010
Two-dimensional spatial light modulator technology (152 refs.) 88-2062
Two-frequency radiative transfer equation for scalar waves (64 refs.) 86-3493
Two-mode gas lasers in spectroscopy and as optical frequency standards (59 refs.) 85-18871
Two-queue models (94 refs.) 87-31384
UA5 experiment for antiproton & proton physics at 546 GeV (218 refs.) 88-10288
UHF over-the-horizon propagation (104 refs.) 88-72545
UHF/SHF SATCOM propagation and system design (73 refs.) 87-26798
UHV electric power transmission (84 refs.) 86-6305
UK cable TV regulatory options (51 refs.) 85-26055
ULSI yield loss and defect tolerance (66 refs.) 88-64734
Ultra-high speed semiconductor lasers (65 refs.) 85-35772
Ultra-high-speed transistors (63 refs.) 86-21523
Ultra-low loss optical fibres (22 refs.) 85-18658
Ultra strong magnetic fields (59 refs.) 88-40470
Ultralow-loss glasses (77 refs.) 87-12103
Ultrashort pulse generation and measurement techniques (83 refs.) 88-27252
Ultrasonic alcofer transducers, piezomagnetic props (50 refs.) 88-16967
Ultrasonic inspection of austenitic weld joints (43 refs.) 87-344
Ultrasonic nondestructive evaluation (340 refs.) 86-26950
Ultraviolet and ozone surface cleaning techniques (73 refs.) 85-55726
Uncertainty and information measures (52 refs.) 88-8640
Underground object imaging using wave signals (55 refs.) 87-56525
Underwater acoustic signal processing (63 refs.) 87-69108
Underwater acoustics, threshold signal processing (62 refs.) 87-69105
Unfolding activation and multisphere detector data (54 refs.) 85-26800
Unilateral Z transforms (61 refs.) 87-72686
Universal telephone service, preservation (50 refs.) 88-46405
Unorthodox semiconductor devices (99 refs.) 86-41726
Unstable resonator modes (216 refs.) 88-8260
US semiconductor mask protection (125 refs.) 87-18193
US tissue characterisation (241 refs.) 85-15274
USA and other countries regulation and deregulation (69 refs.) 85-30522
Vacuum contamination control for materials processing (77 refs.) 87-74156
Vacuum gauges (68 refs.) 85-37793
Vacuum gauges calibration (114 refs.) 88-42320
Vacuum metrology (51 refs.) 88-36274
Vacuum science and techniques for VLSI development (88 refs.) 85-1620
Vacuum science and techniques for VLSI development (156 refs.) 85-29235
Vacuum technology (61 refs.) 87-1376
Vapour phase axial deposition (63 refs.) 87-7113
Vapour-phase soldering (86 refs.) 88-57220
Variational calculus and dynamics (52 refs.) 87-36560
VDU radiation effects (50 refs.) 88-10442
Vector optimisation (135 refs.) 87-16509
Vector quantisation in speech coding (143 refs.) 86-22947
Vertex detectors (54 refs.) 88-42441
Vibration techniques for NDT of fibre reinforced plastics (47 refs.) 88-12124
Vibrations in orthopaedics (84 refs.) 88-54466
Video and related fields, new technology (414 refs.) 86-43935
Video camera technology (58 refs.) 87-34788
Video cameras, solid-state and tube types (58 refs.) 85-37282
Video compression techniques review (92 refs.) 85-41995
Video display terminal stress syndrome (154 refs.) 85-20517
Video recording, history (84 refs.) 87-41257
Video signals, redundancy reduction coding (64 refs.) 86-65061
Video technology, industrials applications (107 refs.) 87-34843
Videoconferencing (68 refs.) 85-52561
Videoconferencing (116 refs.) 86-24178
Videoconferencing (67 refs.) 88-29151
Videodisc in public schools (54 refs.) 88-41879
Videotex (66 refs.) 87-40321
Videotex, data protection problems (113 refs.) 85-63266
Videotex systems (68 refs.) 85-42204
Visible surface representations (65 refs.) 88-66622
Visual disability, use of closed-circuit TV reading machines and optical aids (67 refs.) 87-71152
VLBI (58 refs.) 87-70161
VLBI geodesy and astrometry (100 refs.) 88-60354
VLSI algorithmics (475 refs.) 85-22330
VLSI algorithmics and related issues (475 refs.) 85-35031
VLSI applications (65 refs.) 87-67368
VLSI architectures, special purpose (61 refs.) 85-45792
VLSI CAD (52 refs.) 86-9253
VLSI CAD tools and environments (156 refs.) 87-60562
VLSI circuit design advancements (65 refs.) 87-67353
VLSI computation (67 refs.) 88-20032
VLSI contact optimisation (58 refs.) 85-45763
VLSI, defect control and gettering (114 refs.) 85-1716
VLSI design for testability (59 refs.) 87-67369
VLSI development and vacuum technique (195 refs.) 86-2298
VLSI engineering (477 refs.) 88-57817
VLSI fabrication analysis technology (153 refs.) 87-74377
VLSI fault and error models (87 refs.) 86-63380
VLSI in graphics (52 refs.) 88-71669
VLSI layout and design (62 refs.) 88-7690
VLSI, optimal layout (50 refs.) 86-66921
VLSI processing physics and simulation (387 refs.) 86-47690
VLSI Si material criteria (175 refs.) 85-62119
VLSI signal propagation delays, computational models (8 refs.) 85-35030
VLSI/software engineering technology transfer (60 refs.) 86-67927
VLSI theory (57 refs.) 85-55868
VLSI yield prediction (62 refs.) 86-46455
Voice communication in poor conditions, model eval (57 refs.) 86-49079
Voiceband data modems (156 refs.) 88-35268
Voltage contrast developments for IC testing (55 refs.) 88-57815
VPE of III-V semiconductors (66 refs.) 86-34343
VTR development for HDTV (76 refs.) 87-28832
Wafer scale integration (53 refs.) 88-50957
Water chemistry in power stations (64 refs.) 86-61353
Water chemistry of power plants (58 refs.) 88-75412
Water-polymer interactions by sorption, diffusion and permeation (113 refs.) 87-60709
Water treeing in solid dielectrics (227 refs.) 85-18513
Wave digital filters (435 refs.) 86-41244
Wave digital filters (44 refs.) 88-38626
Wave measurements and wave data utilisation (66 refs.) 85-15436
Waveform oscillographs (63 refs.) 86-24601
Waveform sampling analysis (75 refs.) 85-46804
Waveguide fabrication techniques in GaAs/GaAlAs (43 refs.) 85-46196
Waveguide filter design (50 refs.) 87-10579
Waveguides, history of multiple rediscovery (68 refs.) 85-218
Wavelength division multiplexer, technological trends (77 refs.) 88-9606
Wavelength division multiplexing (86 refs.) 85-52365
Wavelength division multiplexing using diffraction gratings (45 refs.) 85-37010
WDM components for optical fibre communication (44 refs.) 85-8413
WDM technology for optical communication (82 refs.) 85-8419
Weather forecasting radar (78 refs.) 86-12167
Weibull-Gnedenko distribution parameter estimation (64 refs.) 88-31624
Welding and cutting survey (245 refs.) 88-31239
West German alternative energy sources (95 refs.) 86-61206
West German electricity industry (99 refs.) 86-61014
West German nuclear power (65 refs.) 86-61215
Wet etching for IC manufacture (570 refs.) 88-7494
Wet etching SiO_2 and PSG films (76 refs.) 86-67808
Whiskers from the In-Pb system (64 refs.) 86-28732
Wide-gap II-VI superlattices (37 refs.) 87-6416
Wind energy (62 refs.) 88-37123
Wind energy conversion (75 refs.) 88-17487
Wind rotors, power augmentation (48 refs.) 87-9449
Wind tunnel testing (135 refs.) 85-4402
Winds and waves in middle atmosphere (123 refs.) 85-31986
Wireless communication and electronics, chronology of developments (138 refs.) 87-44093
Wireless indoor communications (51 refs.) 87-76561
Wires and cable insulations for local network installations, aging and lifetime (62 refs.) 86-49433
WISP/HF experiment (60 refs.) 87-39386
Writer's purpose, audience and tasks (105 refs.) 87-43827
X-ray lithography (51 refs.) 87-24999
X-ray lithography (70 refs.) 88-1487
X-ray lithography for IC production (51 refs.) 87-74214
X-ray photoelectron spectroscopy and microelectronic materials (76 refs.) 87-24739
X-ray studies of batteries and fuel cells (75 refs.) 88-49123
X-ray synchrotron radiation monochromators (176 refs.) 87-71067
X.25 standard for computer communication (53 refs.) 85-42257
Yield simulation for integrated circuits (205 refs.) 88-20144
YIG film growth technology (53 refs.) 86-22024
Zero shifting technique and applications (70 refs.) 86-40813

CUMULATIVE BOOK INDEX 1985—1988

This index lists the titles of books abstracted in *Electrical & Electronics Abstracts* in the period 1985—1988. Most books are abstracted as a single monograph but, where appropriate, individual chapters of the book may also be abstracted. Where this is so the abstract for the book as a whole is indicated by *'(introductory abstract)'*.

Reference to the entry in *Electrical & Electronics Abstracts* is made in the form 88 – 12345, i.e. abstract 12345 of 1988. Where there are a number of entries for a book, e.g. for individual chapters, a range of numbers is shown in the form 88 – 12345 to 12356, i.e. abstract 12345 of 1988 to abstract 12356 of 1988 inclusive.

Example of typical entry



Microelectronic processing: inorganic materials characterization; *L.A. Casper (editor/s)* [Washington, DC, USA: American Chemical Society 1986] 87 – 22979 (introductory abstract), 87 – 23385, 87 – 23727, 87 – 23798, 87 – 24736 to 24743, 87 – 24767 to 24768, 87 – 25131, 87 – 25463 to 25466, 87 – 29301

BOOK INDEX

1000 Begriffe fur den Praktiker. Elektroinstallation (1000 concepts for the practical engineer. Electro-installation); *Muller, R. (editor/s),* [Berlin, West Germany: VEB Verlag Technik 1985, DM23.00] 85−44381
16 bit microprocessors; Aumiaux, M., *Nelson, J.C.C. (translator/s),* [Hemel Hempstead, UK: Prentice Hall 1988] 88−50200
32-bit microprocessors; *Mitchell, H.J. (editor/s),* [London, UK: Collins 1986] 87−770
68000 microcomputer systems. Designing and troubleshooting; Wilcox, A.D., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £15.95] 87−51724
68020, 68030 microprocessors and their coprocessors; *Loyns, A. (editor/s), Stewart, M.J. (translator/s),* [Basingstoke, UK: Macmillan Education 1988, £12.00] 88−56693
80386 technical reference; Strauss, E., [New York, NY, USA: Brady Books 1987, £27.70] 88−44215
8080, 8085, and Z80. Hardware, software, programming, interfacing, and troubleshooting; LaLond, D., [Englewood Cliffs, NJ, USA: Prentice-Hall 1988, £16.95] 88−56696
8086/8088 family: Design, programming, and interfacing; Uffenbeck, J., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £15.95] 87−51725
A commonsense approach to the theory of error correcting codes; Arazi, B., [Cambridge, MA, USA: MIT Press 1988, £20.25] 88−49354
A first course in coding theory; Hill, R., [Oxford, UK: Clarendon Press 1986, £25.00] 86−57125
A sourcebook of Titanium Alloy superconductivity; Collings, E.W., [New York, NY, USA: Plenum Press 1983, $83.40] 85−14
Active solar collectors and their applications; Rabl, A., [New York, NY, USA: Oxford 1985, £55.00] 87−58343
Adaptive digital filters and signal analysis; Bellanger, M.G., [New York, NY, USA: Marcel Dekker 1987, $95.50] 88−18369
Adaptive filters; *Cowan, C.F.N. Grant, P.M. (editor/s),* [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £48.25] 86−26
Adaptive signal processing; Widrow, B. Stearns, S.D., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985] 86−22
Advanced topics in signal processing; *Lim, J.S. Oppenheim, A.V. (editor/s),* [Englewood Cliffs, NJ, USA: Prentice Hall 1988, £48.15] 88−37828
Advances in computer-aided engineering design. Vol.1. Computer-aided design of VLSI circuits and systems; *Sangiovanni-Vincentelli, A. (editor/s),* [Greenwich, CT, USA: JAI Press 1985] 86−33916 (introductory abstract), 86−34455 to 34456, 86−34656, 86−34734, 86−35806
Advances in electronics and electron physics. Vol.69; *Hawkes, P.W. (editor/s),* [London, UK: Academic Press 1987, £43.50] 88−55805, 88−57281, 88−57562, 88−59329
Advances in information systems science. Vol.9; *Tou, J.T. (editor/s),* [New York, NY, USA: Plenum 1985, .50] 86−33915 (introductory abstract), 86−34733
Advances in radar techniques; *Clarke, J. (editor/s),* [London, UK: Peter Peregrinus 1985] 85−32902
Advances in solar energy technology. Vol.1. Collection and storage systems; Garg, H.P., [Dordrecht, Netherlands: Reidel 1987, $99.00] 87−36311
Advances in solar energy technology. Vol.2. Industrial applications of solar energy; Garg, H.P., [Dordrecht, Netherlands: Reidel 1987, $86.00] 87−36312
Advances in solar energy technology. Vol.3. Heating, agricultural and photovoltaic applications of solar energy; Garg, H.P., [Dordrecht, Netherlands: Reidel 1987, $79.00] 87−36313
Advancing surface mount technology. An IFS executive briefing; *McClelland, S. (editor/s),* [Kempston, Bedford, UK: IFS Publications 1988, £85.00] 88−69991 (introductory abstract), 88−71167 to 71170, 88−71185 to 71189, 88−71224 to 71235
AI business. The commercial uses of artificial intelligence; *Winston, P.H. Prendergast, K.A. (editor/s),* [Cambridge, MA, USA: MIT Press 1984, £12.95] 85−10940
Aksial'nye induktornye mashiny (Axial induction machines); Dombur, L.E., [Riga, USSR: Izdatel'stvo 'Zinatne' 1984] 85−27927
Amorphous semiconductor technologies & devices. 1984; *Hamakawa, Y. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $95.00] 86−28 (introductory abstract), 86−466, 86−501 to 504, 86−1747, 86−1795, 86−1937, 86−2070 to 2071, 86−2119, 86−2655, 86−2932, 86−5102 to 5103, 86−5327, 86−7016 to 7020
An artificial intelligence approach to test generation; Singh, N., [Norwell, MA, USA: Kluwer Academic Publishers 1987, $36.95] 88−22
An introduction to satellite television; Wilson, F.A., [London, UK: Bernard Babani (Publishing) March 1988, £5.95] 88−37830
Analog electronic circuits; Glasford, G.M., [Englewood Cliffs, NJ, USA: Prentice-Hall 1986, £45.95] 86−57080
Analog integrated circuits; Soclof, S., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £49.15] 85−44442
Analog VLSI design nMOS abd CMOS; Haskard, M.R. May, I.C., [Sydney, NSW, Australia: Prentice Hall 1988, £17.95] 88−55886
Analyse numerique; notes d'optimisation (Numerical analysis: optimisation notes); Faurre, P., [Palaiseau, France: Ecole Polytechnique 1988] 88−56182
Analysis of polling systems; Takagi, H., [Cambridge, MA, USA: MIT Press 1986, £22.50] 87−16
Angle modulation: The theory of system assessment; Roberts, J.H., [London, UK: Peter Peregrinus 1977] 87−36310
Annual review of biophysics and biophysical chemistry. Vol.14; *Engelman, D.M. Cantor, C.R. Pollard, T.D. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1985, $50.00] 86−11963
Annual review of computer science. Vol.2; *Traub, J.F. Grosz, B.J. Lampson, B.W. Nilsson, N.J. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1987, $42.00] 88−46591
Annual review of energy. Vol.10; *Hollander, J.M. Brooks, H. Sternlight, D. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1985] 86−33914 (introductory abstract), 86−39491 to 39493, 86−40094
Annual review of energy. Vol.11; *Hollander, J.M. Brooks, H. Sternlight, D. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1986] 87−22977
Annual review of energy. Vol.12; *Hollander, J.M. Brooks, H. Sternlight, D. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1987, $59.00] 88−24339
Annual review of energy. Vol.9; *Hollander, J.M. Brooks, H. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1984] 85−39420 (introductory abstract), 85−43564, 85−43718, 85−43826, 85−44205
Annual review of materials science. Vol.14; *Huggins, R.A. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1984] 85−18509
Annual review of materials science. Vol.15; *Huggins, R.A. Giordmaine, J.A. Wachtman, J.B., Jr. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1985] 86−26486 (introductory abstract), 86−26852 to 26853, 86−26869, 86−26903, 86−27847 to 27848, 86−28103, 86−28702
Annual review of materials science. Vol.16; *Huggins, R.A. Giordmaine, J.A. Wachtman, J.B., Jr. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1986, $67.00] 87−10018 (introductory abstract), 87−11263, 87−11575, 87−11976, 87−12034, 87−12103 to 12105, 87−15959
Annual review of materials science. Vol.17; *Huggins, R.A. Giordmaine, J.A. Wachtman, J.B., Jr. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1987, $67.00] 88−27 (introductory abstract), 88−386 to 387, 88−1033, 88−1193, 88−1501 to 1502
Annual review of nuclear and particle science. Vol.34; *Jackson, J.D. Gove, H.E. Schwitters, R.F. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1984] 85−37845, 85−37939
Annual review of nuclear and particle science. Vol.37; *Jackson, J.D. Gove, H.E. Schwitters, R.F. (editor/s),* [Palo Alto, CA, USA: Annual Reviews 1987, $37.00] 88−42346, 88−42443
Antennas. Vol.1. General principles; Roubine, E. Bolomey, J.C., *Sanders, M. (translator/s),* [London, UK: North Oxford Academic Publishers 1987] 88−18368
Antennas. Vol.2. Applications; Drabowitch, S. Ancona, C., *Sanders, M. (translator/s),* [London, UK: North Oxford Academic Publishers 1988, £35.00] 88−24387
Appliance switch standards. Approvals and safe electrical control; Honey, G., [London, UK: Granada 1984, £15.00] 85−22154
Applications of analog integrated circuits; Soclof, S., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £51.60] 85−44385
Applied analysis; Krall, A.M., [Dordrecht, Netherlands: Reidel 1986, $89.50] 87−36369
Applied digital control; *Tzafestas, S.G. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $63.00] 86−56779, 86−57041
Applied electromagnetics. Second Edition; Parton, J.E. Owen, S.J.T. Raven, M.S., [Basingstoke, Hants., UK: Macmillan 1986, £20.00] 86−40372
Applied superconductivity, metallurgy and physics of titanium alloys. Vol.1. Fundamentals; Collings, E.W., [New York, NY, USA: Plenum 1986] 87−58519
Applied superconductivity, metallurgy, and physics of titanium alloys. Vol.2. Applications; Collings, E.W., [New York, NY, USA: Plenum 1986] 87−58525
Architecture of small computer systems. Second Edition; Lippiatt, A.G. Wright, G.G.L., [London, UK: Prentice-Hall 1985, £7.95] 86−13333
Array signal processing; *Haykin, S. Justice, J.H. Owsley, N.L. Yen, J.L. Kak, A.C. (editor/s),* [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £48.25] 85−22072
Artificial intelligence approach to VLSI routing; Joobbani, R., [Dordrecht, Netherlands: Kluwer Academic Publishers 1986, £34.50] 87−10015
Astronomical observations. An optical perspective; Walker, G., [Cambridge, UK: Cambridge 1987, $79.50] 87−31180
ATE: Automatic test equipment; Stover, A.C., [New York, NY, USA: McGraw-Hill 1984, £26.95] 86−16
Audio. Elements of electronics - book 6; Wilson, F.A., [London, UK: Bernard Babani 1985] 88−37831
Basic electrical engineering and instrumentation for engineers. Third edition; Bell, E.C. Whitehead, R.W., [London, UK: Collins 1987] 88−11573
Basic electronics. First metric edition; Grob, B., [Singapore: McGraw-Hill 1987, £11.95] 88−31351
Basic principles of nuclear magnetic resonance imaging; Valk, J. MacLean, C. Algra, P.R., [Amsterdam, Netherlands: Elsevier 1985] 86−52112
Basic VLSI design. Principles and applications; Pucknell, D.A. Eshraghian, K., [Sydney, NSW, Australia: Prentice-Hall 1985, £37.95] 86−13341
Basic VLSI design: systems and circuits. Second edition; Pucknell, D.A. Eshraghian, K., [Sydney, NSW, Australia: Prentice-Hall 1988, £17.95] 88−56403
Basics of communications and coding; Chambers, W.G., [Oxford, UK: Oxford 1985, £25.00] 85−60690
Biological effects and health implications of radiofrequency radiation; Michaelson, S.M. Lin, J.C., [New York, NY, USA: Plenum 1987, $79.50] 88−6098
Biomechanical measurement in orthopaedic practice; *Whittle, M. Harris, D. (editor/s),* [Oxford, UK: Oxford 1985, £35.00] 86−26484 (introductory abstract), 86−32235 to 32238, 86−32289 to 32294, 86−32370 to 32374
BKSTS dictionary of audio-visual terms; [London, UK: Focal Press 1983, £14.50] 87−31122
BMS meteor observer's handbook. Vol.V: Radio scatter meteor work. 6th edition; [Dover, UK: British Meteor Soc. 1986] 86−45962
Boardroom report: advanced manufacturing technology; *Powley, C. (editor/s),* [Horton Kirby, Kent, UK: Findlay Publications 1985] 86−7552, 86−10046, 86−13147
British television, the formative years; Burns, R.W., [London, UK: Peter Peregrinus 1986, £48.00] 88−62873
Broadband data communications and local area networks; Willson, R.G. Squibb, N., [London, UK: Collins 1986, £25.00] 86−66562
Buckley's guide to office automation; *Newman, C. (editor/s),* [London, UK: I.T. Publishing 1986, £3.00] 86−49156
Bulk acoustic wave theory and devices; Rosenbaum, J.F., [Norwood, MA, USA: Artech House 1988, £50.00] 88−74998
Business of electronic product development; Monds, F., [London, UK: Peter Peregrinus 1984] 85−5717
Cardiac preexcitation syndromes. Origins, evaluation, and treatment; *Benditt, D.G. Benson, D.W., Jr. (editor/s),* [Boston, MA, USA: Martinus Nijhoff 1986, $105.00] 87−22976
CD ROM: the new papyrus. The current and future state of the art; *Lambert, S. Ropiequet, S. (editor/s),* [Redmond, WA, USA: Microsoft Press 1986, $21.95] 86−59224, 86−59349, 86−60060 to 60061, 86−60085, 87−67, 87−3259
Ceramic source '86; [Columbus, OH, USA: American Ceramic Soc. 1986] 86−40371
Challenges and change: Australia's information society; *Barr, T. (editor/s),* [Melbourne, Vic., Australia: Oxford University Press 1987, £7.95] 88−49355 (introductory abstract), 88−49597 to 49600
Chemistry of the semiconductor industry; *Moss, S.J. Ledwith, A. (editor/s),* [Glasgow, UK: Blackie 1987, £50.00] 88−6096 (introductory abstract), 88−6475 to 6476, 88−7427 to 7436, 88−7494 to 7495, 88−7675 to 7676

Choosing and using CMOS; *Walsh, M.J. (editor/s),* [London, UK: Collins 1985, £25.00] 86−33912

Circuit analysis by computer from algorithms to package; Spence, R. Burgess, J.P., [Englewood Cliffs, NJ, USA: Prentice-Hall 1986, $39.95] 86−45913

Circuit analysis, simulation and design. General aspects of circuit analysis and design; *Ruehli, A.E. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $49.50] 87−51716 (introductory abstract), 87−51908, 87−52057, 87−52267, 87−52304, 87−52321, 87−53490, 87−53559 to 53561, 87−53924

Circuit interruption. Theory and techniques; *Browne, T.E., Jr. (editor/s),* [New York, NY, USA: Marcel Dekker 1984, $95.25] 86−19

Circuits, signals and systems; Siebert, W.McC., [Cambridge, MA, USA: MIT Press 1985, £34.95] 86−33976

Classification of remotely sensed images; Thomas, I.L. Benning, V.M. Ching, N.P., [Bristol, UK: Adam Hilger 1987, £29.50] 87−51721

Cleaning and contamination of electronics components and assemblies; Ellis, B.N., [Ayr, UK: Electrochemical Publications 1986, £55.00] 87−16381

Coaxial AC bridges; Kibble, B.P. Rayner, G.H., [Bristol, UK: Adam Hilger 1984, £25.00] 85−39419

Cogeneration - combined heat and power (CHP). Thermodynamics and economics; Horlock, J.H., [Oxford, UK: Pergamon 1987, $16.00] 88−31350

Color Doppler flow imaging and other advances in Doppler echocardiography; *Roelandt, J. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1986, $86.00] 87−36309

Colour science in television display systems; Sproson, W.N., [Bristol, UK: Adam Hilger June 1983, £20.00] 85−26011

Combinatorics for computer science; Williamson, S.G., [Rockville, MD, USA: Comput. Sci. Press 1985] 86−19766

Combined heat and power generating systems; Marecki, J., [London, UK: Peter Peregrinus 1988, £35.00] 88−62867

Commercial electronic mailbox systems; Wilson, P.A., [Manchester, UK: NCC Publications 1983, £4.50] 86−13270

Communication networks management; Terplan, K., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £57.05] 87−72675

Communication services via satellite. A handbook for design, installation and service engineers; Lewis, G.E., [Oxford, UK: BSP Professional Books 1988, £45.00] 88−55812

Communication systems analysis and design. A systems approach; Williams, R.A., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £14.95] 87−58580

Communications electronics: systems, circuits, and devices; Barker, F., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £14.95] 87−43835

Communications standards. State of the art report; *Stokes, A.V. (editor/s),* [Maidenhead, Berks., UK: Pergamon Infotech 1986] 86−61837 (introductory abstract), 86−64413, 86−64473 to 64480, 86−64593, 86−64684 to 64691

Compstat lectures. Vol.2. Computational methods for parsimonious data fitting; Ribaric, M., [Vienna, Austria: Physica-Verlag 1984, DM.58.00] 86−304

Compstat lectures. Vol.3; *Chambers, J.M. Gordesch, J. Klas, A. Lebart, L. Sint, P.P. (editor/s),* [Vienna, Austria: Physica-Verlag 1984, DM.44.00] 85−39609

Computer-aided design and VLSI device development; Kit Man Cham Soo-Young Oh Daeje Chin Moll, J.L., [Dordrecht, Netherlands: Kluwer Academic Publishers 1986, £42.50] 87−18256

Computer networks. Protocols, standards, and interfaces; Black, U., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £17.95] 88−24335

Computer speech processing; *Fallside, F. Woods, W.A. (editor/s),* [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £39.95] 86−26482 (introductory abstract), 86−29773 to 29790, 86−30450

Concise databook of optical materials. A selection of optical and physical data for the laser and optics laboratory; Donaldson, R.W. Edwards, J.G., [Teddington, Middx., UK: National Physical Laboratory 1983, £17.00] 85−10321

Continuous and discrete linear systems; Neff, H.P., Jr., [London, UK: Harper & Row 1984, £12.95] 85−39464

Control aspects of biomedical engineering; *Nalecz, M. (editor/s),* [Oxford, UK: Pergamon 1987] 88−24338

Coupled mode theory as applied to microwave and optical transmission; Huang Hung-chia, [Utrecht, Netherlands: VNU Science Press 1984, DM.118.00] 85−22068

Crystalline semiconducting materials and devices; *Butcher, P.N. March, N.H. Tosi, M.P. (editor/s),* [New York, NY, USA: Plenum 1986, $89.50] 87−31125

Current advances in distributed computing and communications; *Yemini, Y. (editor/s),* [Rockville, MD, USA: Computer Science Press 1987, $49.95] 87−16265 (introductory abstract), 87−18257, 87−19993 to 19994, 87−20073, 87−20166, 87−20254

Current topics in materials science. Vol.11; *Kaldis, E. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $96.25] 85−54437, 85−54533, 85−56101

Current topics in photovoltaics. Vol.2; *Coutts, T.J. Meakin, J.D. (editor/s),* [London, UK: Academic Press 1987, £38.00] 88−55884

Cycles in graphs; *Alspach, B.R. Godsil, C.D. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $59.25] 86−19936

Data communications and distributed networks. Second edition; Black, U.D., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, $25.95] 88−31353

Data communications and networks; *Brewster, R.L. (editor/s),* [London, UK: Peter Peregrinus 1986, £28.00] 88−69986 (introductory abstract), 88−73462 to 73468, 88−73625, 88−73693 to 73694, 88−73748 to 73749, 88−73757

Data communications and teleprocessing systems. Second edition; Housley, T., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £14.95] 87−43837

Data networks; Bertsekas, D. Gallager, R., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £16.95] 87−48635

Data privacy and security. State of the art report; *Kenny, J.J.P. (editor/s),* [Maidenhead, Berks., UK: Pergamon Infotech 1985] 86−22924, 86−24112

Deconvolution; Ziolkowski, A., [Dordrecht, Netherlands: Reidel 1984, £27.95] 86−23

Deregulation of the radio spectrum in the UK; [London, UK: HMSO 1987, £9.50] 87−58524

Design and analysis VLSI circuits; Glasser, L.A. Dobberpuhl, D.W., [Reading, MA, USA: Addison-Wesley 1985, £18.95] 86−40418

Design methodologies; *Goto, S. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $69.95] 87−58520 (introductory abstract), 87−59335 to 59339, 87−59555 to 59559, 87−60568 to 60573

Designing for systems maturity. State of the art report; *Evans, L. (editor/s),* [Maidenhead, Berks., UK: Pergamon Infotech 1985] 86−37664

Designing microprocessor-based digital circuitry; Cahill, S.J., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £9.95] 85−60686

Designing with plastics and advanced plastic composites; *Dorgham, M.A. (editor/s),* [Geneva, Switzerland: Inderscience Enterprises 1986] 87−14

Developments in geophysical exploration methods-5; *Fitch, A.A. (editor/s),* [Barking, Essex, UK: Applied Science Publishers 1983, £34.00] 85−38330

Diagnostic ultrasound. Principles, instrumentation and exercises. Second edition; Kremkau, F.W., [Orlando, FL, USA: Grune & Stratton 1984, $29.50] 86−90

Dictionary of audio, radio and video; Roberts, R.S., [Sevenoaks, Kent, UK: Butterworth 1983, £19.95] 87−31121

Dictionary of electrical, electronics and computer abbreviations; Brown, P., [Sevenoaks, Kent, UK: Butterworth 1985, £19.95] 87−31123

Dictionary of electronics; Amos, S.W., [Sevenoaks, Kent, UK: Butterworth 1986, £21.00] 87−43760

Dictionary of electronics. Second edition; Amos, S.W., [Guildford, UK: Butterworth 1987, £25.00] 88−69979

Dictionary of energy technology; Gilpin, A. Williams, A., [Sevenoaks, Kent, UK: Butterworth 1982, £26.50] 87−31124

Dictionary of microelectronics and microcomputer technology. Deutsch/Englisch, Englisch/Deutsch; Attiyate, Y.H. Shah, R.R., [Dusseldorf, West Germany: VDI Verlag 1984, DM78.00] 87−22981

Dictionary of microelectronics. English-German, German-English; [Amsterdam, Netherlands: Elsevier 1984, $109.50] 85−22062

Digital, analog, and data communication. Second edition; Sinnema, W., [Englewood Cliffs, NJ, USA: Prentice-Hall 1986, $26.95] 88−6155

Digital and data communications; Alisouskas, V.F. Tomasi, W., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985] 86−24

Digital circuits. Logic and design; Emery, R.C., [New York, NY, USA: Marcel Dekker 1985, $39.75] 85−60691

Digital communication systems; Peebles, P.Z., Jr., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £16.95] 87−43836

Digital communication systems design; Roden, M.S., [Englewood Cliffs, NJ, USA: Prentice-Hall 1988. £16.95] 88−37829

Digital communications and spread spectrum systems; Ziemer, R.E. Peterson, R.L., [New York, NY, USA: Macmillan 1985, £38.00] 86−33973

Digital communications: fundamentals and applications; Sklar, B., [Englewood Cliffs, NJ, USA: Prentice-Hall 1988, £19.95] 88−37883

Digital filters analysis and design; Antoniou, A., [New Delhi, India: Tata McGraw-Hill 1983, £7.50] 85−11442

Digital filters and signal processing; Jackson, L.B., [Dordrecht, Netherlands: Kluwer Academic Publishers 1986, £32.95] 87−10069

Digital image processing techniques; *Ekstrom, M.P. (editor/s),* [London, UK: Academic Press 1984, $49.50] 85−27926

Digital instrumentation; Bouwens, A.J., [New York, NY, USA: McGraw-Hill 1984, £26.75] 86−15

Digital line-of-sight radio links: a handbook; Townsend, A.A.R., [Hemel Hempstead, UK: Prentice Hall 1988, £70.00] 88−55815

Digital logic techniques. Principles and practice; Stonham, T.J., [Wokingham, Berks., UK: Van Nostrand Reinhold 1984, £5.75] 85−10362

Digital phase modulation; Anderson, J.B. Aulin, T. Sundberg, C.-E., [New York, NY, USA: Plenum 1986, $65.00] 87−10020

Digital seismic inverse methods; *Robinson, E.A. (editor/s),* [Dordrecht, Netherlands: Reidel 1983, £45.75] 86−17

Digital signal transmission: line circuit tecnhology; Hart, B., [Wokingham, UK: Van Nostrand Reinhold (UK) 1988, £8.95] 88−37825

Digital transmission systems and networks. Vol.1. Principles; Miller, M.J. Ahamed, S.V., [Rockville, MD, USA: Computer Science Press 1987, $36.95] 88−24389

Digital transmission systems and networks. Vol.2. Applications; Miller, M.J. Ahamed, S.V., [Rockville, MD, USA: Computer Science Press 1988, $36.95] 88−24390

Direct and alternating current machinery; Rosenblatt, J. Friedman, M.H., [New Delhi, India: Tata McGraw-Hill 1980, £5.95] 85−5694

Disorder and order in the solid state. Concepts and devices; *Pryor, R.W. Schwartz, B.B. Ovshinsky, S.R. (editor/s),* [New York, NY, USA: Plenum 1988, $62.50] 88−71972

Disordered semiconductors; *Kastner, M.A. Thomas, G.A. Ovshinsky, S.R. (editor/s),* [New York, NY, USA: Plenum 1987, $138.00] 87−66927 to 66928, 87−68260 to 68262, 87−72449, 87−73980, 87−73992, 87−74116, 88−454 to 456, 88−1403 to 1406, 88−2106 to 2107

Distribution switchgear. Construction, performance, selection and installation; Blower, R.W., [London, UK: Collins 1986, £25.00] 86−56873

Dry etching for microelectronics; *Powell, R.A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $69.25] 85−22063

Dynamic semiconductor RAM structures. A patent-oriented survey; Cardon, A. Fransen, L.J.L., [Oxford, UK: Pergamon 1984, $95.00] 85−5636

Eddy currents in linear conducting media; Tegopoulos, J.A. Kriezis, E.E., [Amsterdam, Netherlands: Elsevier 1984, $68.50] 85−60687

Electrets. Second enlarged edition; *Sessler, G.M. (editor/s),* [New York, NY, USA: Springer-Verlag 1987, $54.50] 88−69977

Electric circuit analysis; Boctor, S.A., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £14.95] 87−43838

Electric circuits and networks. Second edition; Strum, R.D. Ward, J.R., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £43.00] 85−60689

Electric motor handbook; Chalmers, B.J., [Guildford, UK: Butterworth 1988, £57.50] 88−49351

Electric power industry in China 1984-1985; [Hong Kong: Canal Promotion Centre 1986] 87−22978

Electrical and electronic instrumentation; Chiang, H.H., [New York, NY, USA: Wiley 1984, £66.45] 85−44378

Electrical and electronics trades directory 1985. The blue book. 103rd edition; [Stevenage, Herts., UK: Peter Peregrinus 1985] 85−54029

Electrical craft principles. Vol.1. Revised 2nd edition; Whitfield, J.F., [Stevenage, Herts., UK: Peter Peregrinus 1984] 85−27992

Electrical distribution in buildings; Poole, C.D., [Oxford, UK: BSP Professional Books 1987, £25.00] 88−18372

Electrical fire analysis; Yereance, R.A., [Springfield, IL, USA: Charles C. Thomas 1987, $44.75] 88−31279

Electrical machines. An introduction to principles and characteristics. Second edition; Edwards, J.D., [Basingstoke, Hants., UK: Macmillan 1986, £18.00] 86−61501

Electrical power system design; Deshpande, M.V., [New Delhi, India: Tata McGraw-Hill 1984, £5.95] 85−27990

Electrical wiring. Commercial. Sixth edition. Based on the 1987 national electrical code; Mullin, R.C. Smith, R.L., [Albany, NY, USA: Delmar Publishers 1987] 88−18370

Electrical wiring. Industrial. Sixth edition. Based on the 1987 national electrical code; Smith, R.L. Herman, S.L., [Albany, NY, USA: Delmar Publishers 1987] 88−18371

Electricity and buildings; *Hughes, G.J. (editor/s),* [London, UK: Peter Peregrinus 1984] 85−18

Electro-optical and magneto-optical properties of liquid crystals; Blinov, L.M., [Chichester, West Sussex, UK: Wiley 1983, £35.95] 85−5633

Electromagnetic fields and waves including electric circuits. Third edition; Lorrain, P. Corson, D. Lorrain, F., [New York, NY, USA: W.H. Freeman 1988, £19.95] 88−37885

Electromagnetic sounding interpretation data over three-layer Earth; Verma, R.K., [New York, NY, USA: Plenum 1982] 86−19770

Electromagnetic suspension: dynamics and control; Sinha, P.K., [London, UK: Peter Peregrinus 1987, £48.00] 88−62869
Electronic abbreviations, symbols and terms. Second edition; [Basingstoke, UK: Macmillan Education 1985, £1.95] 86−19723
Electronic communications. Third edition; Roddy, D. Coolen, J., [Reston, VA, USA: Reston Publishing 1984, £32.90] 85−22064
Electronic design with off-the-shelf integrated circuits. Second edition; *Parker, G.E. (editor/s),* [Englewood Cliffs, NJ, USA: Prentice-Hall 1984, £36.75] 85−60649
Electronic devices, circuits and systems. Third edition; *Cirovic, M.M. Harter, J.H. (editor/s),* [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £17.95] 88−55885
Electronic instrumentation and measurement techniques. 3rd edition; Cooper, W.D. Helfrick, A.D., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £36.85] 86−18
Electronic mail and message handling; Vervest, P., [London, UK: Frances Pinter (Publishers) 1985, £25.00] 85−60652
Electronic processor systems; Gibson, J.R., [London, UK: Edward Arnold 1987, £13.50] 88−31352
Electronic properties of doped semiconductors; Shklovskii, B.I. Efros, A.L., [Berlin, West Germany: Springer-Verlag 1984] 85−15
Electronic speech recognition. Techniques, technology and applications; *Bristow, G. (editor/s),* [London, UK: Collins 1986, £30.00] 87−10070
Electronics through systems; Geddes, M., [London, UK: Peter Peregrinus 1983] 86−91
Electrostatics: principles, problems and applications; Cross, J., [Bristol, UK: Adam Hilger 1987, £50.00] 88−6103
Elements of digital satellite communication. Vol.1; Wu, W.W., [Rockville, MD, USA: Computer Science Press 1984] 85−10326
Elements of digital satellite communication. Vol.II Channel coding and integrated services digital satellite networks; Wu, W.W., [Rockville, MD, USA: Comput. Sci. Press 1985] 86−13276
Emission standards for major air pollutants from energy facilities in OECD member countries; [Paris, France: OECD 1984] 85−44380
Encyclopedia of semiconductor technology. Encyclopedia reprint series; *Grayson, M. (editor/s),* [New York, NY, USA: Wiley 1984] 85−22061
Energy methods in electromagnetism; Hammond, P., [Oxford, UK: Clarendon Press 1986, £12.50] 87−31126
Energy resources. Geology, supply and demand; Brown, G.C. Skipsey, E., [Milton Keynes, Bucks., UK: Open University Press 1986, $10.95] 87−43761
Energy world. Reference book and buyers' guide of the Institute of Energy. 3rd edition; [London, UK: Manor House Press 1987, £32.50] 87−51719
Energy world yearbook 1988. Reference book and buyers' guide to the Institute of Energy. 4th edition; *Field, A. Webb, G.G. (editor/s),* [London, UK: Manor House Press 1988, £35.00] 88−49352
Engineering instrumentation and control. Second edition; Ramsay, D.C., [Cheltenham, UK: Stanley Thornes (Publishers) 1984, £5.75] 86−33975
Engineering network analysis; Hostetter, G.H., [New York, NY, USA: Harper & Row 1984, £13.50] 85−49295
Engineering offshore. Engineering implications of an Australian 200 mile exclusive economic zone; [Barton, ACT, Australia: Institution of Engineers, Australia 1985, $45.00] 85−53192
Engineering optics; Iizuka, K., [Berlin, West Germany: Springer-Verlag 1985] 86−61887
Epitaxial silicon technology; *Baliga, B.J. (editor/s),* [Orlando, FL, USA: Academic Press 1986, $69.50] 87−51711
Equivalents of the axiom of choice, II; Rubin, H. Rubin, J.E., [Amsterdam, Netherlands: North-Holland 1985, $45.00] 86−19768
Essential metallurgy for engineers; Alexander, W.O. Davies, G.J. Heslop, S. Reynolds, K.A. Whittaker, V.N., [Wokingham, Berks., UK: Van Nostrand Reinhold 1985, £7.50] 85−49261
European wind energy technology. State of the art of wind energy converters in the European Community (EUR 10759); Schmid, J. Palz, W., [Dordrecht, Netherlands: Reidel 1986] 87−43762
Evaluation of ultrasonic signals. Guidance and recommendations on evaluation of ultrasonic signals in manual weld examination, and on defect acceptance/rejection criteria; [Abington, Cambridge, UK: Welding Inst. 1987] 88−495
Expansion planning for electrical generating systems. A guidebook; [Vienna, Austria: IAEA 1984] 85−32898
Fast algorithms for digital signal processing; Blahut, R.E., [Reading, MA, USA: Addison-Wesley 1985, £37.95] 86−13338
Fault-tolerant computing. Theory and techniques; *Pradhan, D.K. (editor/s),* [Englewood Cliffs, NJ, USA: Prentice-Hall 1986] 86−66534 (introductory abstract), 86−67127 to 67129, 86−67183, 86−68992, 86−69442
Ferrites at microwave frequencies; Baden Fuller, A.J., [London, UK: Peter Peregrinus 1987, £38.00] 88−71949
Festkorperprobleme. Advances in solid state physics. 26; *Grosse, P. (editor/s),* [Braunschweig, West Germany: Friedrich Vieweg 1986, £55.75] 87−51714 (introductory abstract), 87−52206, 87−53154, 87−53266, 87−53288, 87−53736
Fiber optics. Devices and systems; Cheo, P.K., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £37.90] 85−22073
Field and wave electromagnetics; Cheng, D.K., [Reading, MA, USA: Addison-Wesley 1983] 86−13340
Fields and waves in communication electronics. Second edition; Ramo, S. Whinnery, J.R. Van Duzer, T., [New York, NY, USA: Wiley 1984, £36.05 (pbk £13.45)] 85−10323
Filtering for stochastic processes with applications to guidance. Second edition; Bucy, R.S. Joseph, P.D., [New York, NY, USA: Chelsea Publishing Company 1987, $19.35] 87−72685
Finite difference methods on irregular networks. A generalized approach to second order elliptic problems; Heinrich, B., [Basel, Switzerland: Birkhauser 1987, SFR68.00] 88−56197
Finite fields for computer scientists and engineers; McEliece, R.J., [Norwell, MA, USA: Kluwer Academic Publishers 1987, $39.95] 88−2916
Focus on ITU documentation; El-Zanati, A.G., [Geneva, Switzerland: International Telecommunication Union 1987] 87−43765
Foundations of computer music; *Roads, C. Strawn, J. (editor/s),* [Cambridge, MA, USA: MIT Press 1985, £55.95] 85−60651
Foundations of magnetic recording; Mallinson, J.C., [San Diego, CA, USA: Academic Press 1987, $29.95] 88−43572
From optical bistability towards optical computing. The European joint optical bistability project; *Mandel, P. Smith, S.D. Wherrett, B. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, $89.00] 88−24334
Functional electronics; Ramanan, K.V., [New Delhi, India: Tata McGraw-Hill 1984] 85−22157
Fundamental physical constants and the frontier of measurement; Petley, B.W., [Bristol, UK: Adam Hilger 1985, £28.50] 85−44441
Fundamentals of electric circuits; Oppenheimer, S.L., [Englewood Cliffs, NJ, USA: Prentice-Hall 1984] 85−22155
Fundamentals of electric circuits. Third edition; Bell, D.A., [Reston, VA, USA: Reston Publishing 1984, £32.90] 85−32964
Fundamentals of hot wire anemometry; Lomas, C.G., [Cambridge, UK: Cambridge 1986, $52.50] 87−29941
Fundamentals of logic design and switching theory; Friedman, A.D., [Rockville, MD, USA: Computer Science Press 1986, $26.95] 86−52183
GaAs devices and circuits; Shur, M., [New York, NY, USA: Plenum 1987, $75.00] 88−11575
GaAs integrated circuits; *Mun, J. (editor/s),* [Oxford, UK: BSP Professional Books 1988, £50.00] 88−55814 (introductory abstract), 88−56600 to 56601, 88−56720, 88−56947 to 56949, 88−57416, 88−57824
Gallium arsenide materials, devices, and circuits; *Howes, M.J. Morgan, D.V. (editor/s),* [Chichester, West Sussex, UK: Wiley 1985, £38.95] 86−7372, 86−7749, 86−7808, 86−8082, 86−8470, 86−8797, 86−8900, 86−8996, 86−9040, 86−9062, 86−9075, 86−9089, 86−9169, 86−9648
Gate arrays. Design and applications; *Read, J.W. (editor/s),* [London, UK: Collins 1985] 85−44383
Get connected. A guide to telecommunications; Kieffer, T. Hansen, T., [Culver City, CA, USA: Ashton-Tate 1984, £18.00] 85−39423
Graph theory. Application to the calculation of electrical networks; Vago, I., [Amsterdam, Netherlands: Elsevier 1985] 86−19722
Graphs. Second revised edition; Berge, C., [Amsterdam, Netherlands: North-Holland 1985] 86−19767
Guide to printed circuit board design; Hamilton, C., [London, UK: Butterworth 1984, £7.50] 85−5634
Handbook of digital signal processing: engineering applications; *Elliott, D.F. (editor/s),* [San Diego, CA, USA: Academic Press 1987, $135.00] 88−43570 (introductory abstract), 88−44271, 88−44296 to 44300, 88−46081 to 46087, 88−47462
Handbook of electric motors: Use and repair; Traister, J.E., [Englewood Cliffs, NJ, USA: Prentice-Hall 1984, £28.70] 85−22158
Handbook of microelectronics packaging and interconnection technologies; *Sinnadurai, F.N. (editor/s),* [Ayr, UK: Electrochemical Publications 1985] 86−7375
Handbook of optical fibers and cables; Murata, H., [New York, NY, USA: Marcel Dekker 1988, $107.50] 88−55810
Handbook of photovoltaic applications. Building applications and system design considerations; *Williams, A.F. (editor/s),* [Atlanta, GA, USA: Fairmont Press 1986, £49.50] 86−61432
Handbook of practical I.C. circuits; Helms, H.L., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £41.00] 87−72687
Handbook on synchrotron radiation. Vol.2; *Marr, G.V. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, Dfl.450.00] 88−31280
Hertz and the Maxwellians. A study and documentation of the discovery of electromagnetic wave radiation, 1873-1894; O'Hara, J.G. Pricha, W., [London, UK: Peter Peregrinus 1987, £24.00] 88−69985
Hidden manager: communication technology and information networks in business organisations; Andrews, D. Kent, J., [London, UK: Taylor Graham 1986, $25.00] 87−34137
High performance fibre composites; *Morley, J.G. (editor/s),* [London, UK: Academic Press 1987, £30.00] 88−69978
High performance loudspeakers. Third edition; Colloms, M., [London, UK: Pentech Press 1985] 85−32901
High-power lasers: improvements and applications. A literature study; *Sigmond, J. Terpstra, M. (editor/s),* [London, UK: Elsevier Applied Science Publishers 1988, £50.00] 88−69981
Highlights from the executive seminar Networking: A large organization perspective; [Melbourne, FL, USA: Harris Executive Seminars 1987] 87−65057 (introductory abstract), 87−65132, 87−65136, 87−69539 to 69541, 87−69702, 87−70011
Holography and deformation analysis; Schumann, W. Zurcher, J.-P. Cuche, D., [Berlin, West Germany: Springer-Verlag 1985, DM 119] 86−13277
Hot-electron transport in semiconductors; *Reggiani, L. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985, DM124] 86−33909
Hybrid microelectronic technology; [New York, NY, USA: Gordon & Breach 1984] 85−22067 (introductory abstract), 85−23293 to 23302
Image recovery: theory and application; *Stark, H. (editor/s),* [Orlando, FL, USA: Academic Press 1987, $75.00] 88−55804
Image restoration and reconstruction; Bates, R.H.T. McDonnell, M.J., [Oxford, UK: Clarendon Press 1986, £35.00] 87−15
Industrial electricity and electronics; Seippel, R.G., [Reston, VA, USA: Reston Publishing 1984, £32.15] 85−27929
Industrial laser annual handbook. 1987 edition; *Belforte, D. Levitt, M. Belleville, L. (editor/s),* [Tulsa, OK, USA: PennWell Publishing 1987] 88−69982
Industrial lasers and their applications; Luxon, J.T. Parker, D.E., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £37.90] 85−22159
Industrial software technology; *Mitchell, R. (editor/s),* [London, UK: Peter Peregrinus 1987, £37.00] 88−73626 to 73627
Industrial solid-state electronics. Devices and systems. Second edition; Maloney, T.J., [Englewood Cliffs, NJ, USA: Prentice-Hall 1986, £15.95] 87−65114
Information technology and the print and publishing industries; *Blunden, B. (editor/s),* [Maidenhead, Berks., UK: Pergamon Infotech 1985] 86−49157 (introductory abstract), 86−48824, 86−49158, 86−49228. 86−49853
Infrared and millimeter waves. Vol.11. Millimeter components and techniques, part III; *Button, K.J. (editor/s),* [Orlando, FL, USA: Academic Press 1984, $75.00] 85−54028 (introductory abstract), 85−55100 to 55101, 85−55161, 85−55394 to 55395, 85−56728, 85−58866, 85−58873
Infrared and millimeter waves. Vol.12. Electromagnetic waves in matter, part II; *Button, K.J. (editor/s),* [Orlando, FL, USA: Academic Press 1984, $69.00] 85−35706, 85−38514
Infrared optical materials and their antireflection coatings; Savage, J.A., [Bristol, UK: Adam Hilger 1985, £24.00] 85−50898
Instabilities in silicon devices. Silicon passivation and related instabilities. Vol.1; *Barbottin, G. Vapaille, A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $92.50] 87−58521 (introductory abstract), 87−60127, 87−60203 to 60205, 87−60341 to 60343, 87−60386
Instrument science and technology. Vol.3; *Jones, B.E. (editor/s),* [Bristol, UK: Adam Hilger 1985, £11.00] 86−30 (introductory abstract), 86−584, 86−4938, 86−4944, 86−5250 to 5255, 86−5484, 86−5551, 86−5886 to 5888, 86−6185
Instrumentation for environmental monitoring. Vol.1. Radiation. Second edition; Budnitz, R.J. Nero, A.V. Murphy, D.J. Graven, R., [New York, NY, USA: Wiley 1983, £142.50] 85−22150
Instruments for physical environmental measurements with special emphasis on atmospheric instruments. Second edition; Wang, J.Y. Felton, C.M.M., [Dubuque, IA, USA: Kendall/Hunt Publishing 1983, $16.95] 85−4455
Insulators for high voltages; Looms, J.S.T., [London, UK: Peter Peregrinus 1988, £45.00] 88−62866

Integrated circuit quality and reliability; Hnatek, E.R., [New York, NY, USA: Marcel Dekker 1987, $99.75] 88−6101
Integrated optics: theory and technology; Hunsperger, R.G., [Berlin, West Germany: Springer-Verlag 1982, $29.10] 86−19721
Intelligent instrumentation. Microprocessor applications in measurement and control; Barney, G.C., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £12.95] 86−26485
Interface fundamentals in microprocessor-controlled systems; Georgopoulos, C.J., [Dordrecht, Netherlands: Reidel 1985, $32.00] 86−52185
Intermediate-level image processing; *Duff, M.J.B. (editor/s),* [London, UK: Academic Press 1986, $58.00] 87−72678 (introductory abstract), 87−75843, 87−75903 to 75917, 87−77659
International power systems 1984; [New York, NY, USA: McGraw Hill 1984, $15.00] 85−4528 (introductory abstract), 85−4563 to 4564, 85−4611 to 4613, 85−4626 to 4628, 85−4654, 85−4944 to 4948, 85−4981, 85−4996
International power systems 1987; *Schweiger, R.G. Elliott, T.C. Catalano, L. Leone, M. (editor/s),* [New York, NY, USA: McGraw-Hill 1987] 88−18314 (introductory abstract), 88−23242, 88−23660 to 23664, 88−23754 to 23757, 88−23832
International submarine cable systems; *Shimura, S. (editor/s),* [Tokyo, Japan: KDD Engineering and Consulting 1984, $38.00] 85−32899
International water power and dam construction handbook 1988; *Bartle, A. (editor/s),* [Sutton, UK: Reed Business Publishing 1988] 88−31281
Intershock project. Science objectives, mission overview, instrumentation and data processing; *Fischer, S. (editor/s),* [Ondrejov, Czechoslovakia: Astronomical Institute of the Czechoslovak Academy of Sciences 1985] 86−50749
Introduction to CAD for VLSI; Trimberger, S.M., [Boston, MA, USA: Kluwer Academic Publishers 1987, $46.00] 88−11576
Introduction to data communications and LAN technology; Da Silva, E., [London, UK: Collins 1986, £14.95] 86−66533
Introduction to electronics design; Mitchell, F.H., Jr. Mitchell, F.H., Sr., [Englewood Cliffs, NJ, USA: Prentice-Hall 1988, £15.95] 88−55887
Introduction to information theory; Mansuripur, M., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, $42.10] 87−54793
Introduction to local area networks with microcomputer experiments; Reiss, L., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £42.80] 88−9165
Introduction to microcomputer engineering; Fraser, D.A. Gregory, R. Hawken, B. Holdsworth, B. Jones, G. Ryal, M., [Chichester, West Sussex, UK: Ellis Horwood 1985, £13.75] 86−20622
Introduction to microjoining; *Johnson, K.I. (editor/s),* [Abington, Cambridge, UK: Welding Institute 1985] 87−36308
Introduction to microprocessor systems. Microprocessors, microprocessor controlled systems; [Basingstoke, UK: Macmillan Education 1985, £5.95] 86−13337
Introduction to passive, linear, and digital electronics; Kale, C.O., [Reston, VA, USA: Reston Publishing 1985, £44.80] 86−7418
Introduction to printed circuit board technology; Scarlett, J.A., [Ayr, UK: Electrochemical Publications 1984] 85−27928
Introduction to VLSI systems; Mead, C. Conway, L., [Reading, MA, USA: Addison-Wesley 1980, £21.95] 86−40417
Introduction to VLSI testing; Feugate, R.J., Jr. McIntyre, S.M., [Englewood Cliffs, NJ, USA: Prentice-Hall 1988, £39.60] 88−43574
Ion beam modification of insulators; *Mazzoldi, P. Arnold, G.W. (editor/s),* [Amsterdam, Netherlands: Elsevier 1987, $170.75] 88−7943
Ion implantation and beam processing; *Williams, J.S. Poate, J.M. (editor/s),* [Sydney, NSW, Australia: Academic Press 1984, $57.50] 85−44377 (introductory abstract), 85−45462, 85−45504 to 45505, 85−45560 to 45563
Ion implantation science and technology; *Ziegler, J.F. (editor/s),* [Orlando, FL, USA: Academic Press 1984, $55.00] 85−32897
ISDN im buro - HICOM (ISDN in the office - HICOM); [Munich, West Germany: Siemens AG 1985] 86−13272
Knowledge based CAD and microelectronics; Holden, T., [Amsterdam, Netherlands: North-Holland 1987, Dfl.160.00] 88−18312
Kommunikation per Satellit. Ein internationales Handbuch. (Communications by satellite. An international handbook); Kabel, R. Stratling, T., [Berlin, West Germany: Vistas Verlag 1985] 86−13278
Lambda calculus. Its syntax and semantics; Barendregt, H.P., [Amsterdam, Netherlands: North-Holland 1984, $35.00] 85−60861
Land mobile radio systems; *Holbeche, R.J. (editor/s),* [London, UK: Peter Peregrinus 1985] 86−7419, 86−10107 to 10108, 86−10214, 86−10246 to 10247, 86−10605, 86−10924, 86−10991 to 10997
Large power transformers; Karsai, K. Kerenyi, D. Kiss, L., [Amsterdam, Netherlands: Elsevier 1987] 88−31277
Laser damage in optical materials; Wood, R.M., [Bristol, UK: Adam Hilger 1986, £19.50] 87−10016
Laser handbook. Vol. 4; *Stitch, M.L. Bass, M. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $107.50] 86−33913 (introductory abstract), 86−36452, 86−36523, 86−36585 to 36586, 86−36630
Laser handbook. Vol.5; *Bass, M. Stitch, M.L. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $122.25] 86−66532 (introductory abstract), 86−68423, 86−68515, 86−68653
Laser welding, cutting and surface treatment; [Cambridge, UK: Welding Institute 1984] 85−49259 (introductory abstract), 85−51237, 85−51322 to 51334
Lasers for ultrashort light pulses; Herrmann, J. Wilhelmi, B., [Amsterdam, Netherlands: North-Holland 1987, Dfl.175.00] 88−11637
Layout design and verification; *Ohtsuki, T. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $49.50] 87−51710 (introductory abstract), 87−52302 to 52303, 87−52485, 87−52543, 87−53644 to 53648
Light emitting diodes. An introduction; Gillessen, K. Schairer, W., [Hemel Hempstead, Herts., UK: Prentice-Hall 1987, £29.95] 87−51785
Light. Vol.2: Laser light dynamics; Haken, H., [Amsterdam, Netherlands: North-Holland 1985] 85−62473
Linear programming. Active set analysis and computer programs; Best, M.J. Ritter, K., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £40.20] 86−13335
Linear systems and digital signal processing; Young, T., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £43.65] 86−27
Liquid crystal TV displays: Principles and applications of liquid crystal displays; Kaneko, E., [Dordrecht, Netherlands: Reidel 1987, $99.00] 87−72676
Lithium battery technology; *Venkatasetty, H.V. (editor/s),* [New York, NY, USA: Wiley 1984, £30.90] 85−22065 (introductory abstract), 85−27600 to 27606
Local area and multiple access networks; *Pickholtz, R.L. (editor/s),* [Rockville, MD, USA: Computer Science Press 1986] 86−69429 (introductory abstract), 86−69226, 86−69430 to 69441
Local area networks: Selection guidelines; Fritz, J.S. Kaldenbach, C.F. Progar, L.M., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £21.80] 85−22071
Logic design and simulation; *Horbst, E. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $49.50] 87−51712 (introductory abstract), 87−52486 to 52489, 87−52544 to 52545, 87−53649 to 53651
Logic testing and design for testability; Fujiwara, H., [Cambridge, MA, USA: MIT Press 1985] 86−19769
Machinery noise measurement; Yang, S.J. Ellison, A.J., [Oxford, UK: Oxford 1985, £25.00] 86−26487
Magnetic and electromagnetic shielding; Rikitake, T., [Dordrecht, Netherlands: Reidel 1987, $84.00] 87−72677
Magnetic bubbles; *Jouve, H. (editor/s),* [London, UK: Academic Press 1986, $56.00] 88−6097 (introductory abstract), 88−7792, 88−7805 to 7808
Magnetic tape recording; *Camras, M. (editor/s),* [New York, NY, USA: Van Nostrand Reinhold 1986, £54.50] 86−52115
Making computers talk: an introduction to speech synthesis; Witten, I.H., [Englewood Cliffs, NJ, USA: Prentice-Hall 1986, £19.20] 87−17
Man/machine integration. State of the art report; *Bevan, N. Murray, D. (editor/s),* [Maidenhead, Berks., UK: Pergamon Infotech 1985] 85−47183 (introductory abstract), 85−47143, 85−47184, 85−47776
Management for engineers; Johnston, D.L., [London, UK: Peter Peregrinus 1987, £20.00] 88−62870
Management of research, development and design in industry. Second edition; McLeod, T., [Aldershot, UK: Gower Technical Press 1988, £28.50] 88−31355
Marketing for engineers; Bayliss, J.S., [London, UK: Peter Peregrinus 1985] 85−39424
Marketing of technology; Ryan, C.G., [London, UK: Peter Peregrinus 1984] 85−17
Massively Parallel Processor; *Potter, J.L. (editor/s),* [Cambridge, MA, USA: MIT Press 1985, £29.95] 86−34221, 86−34804, 86−35898
Materials for semiconductor devices. A study of patents and patent applications; *Terpstra, M. (editor/s),* [Barking, Essex, UK: Elsevier Applied Science Publishers 1986, $49.50] 87−31127
Mathematical foundations for communication engineering. Vol.1. Determinate theory of signals and waves; Cattermole, K.W., [London, UK: Pentech Press 1985, £26.00] 87−31129
Mathematical foundations for communication engineering. Vol.2. Statistical analysis and finite structures; Cattermole, K.W., [London, UK: Pentech Press 1986, £32.00] 87−31130
Mathematics and computers in biomedical applications; *Eisenfeld, J. Delisi, C. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $40.00] 86−26488 (introductory abstract), 86−27040, 86−29791 to 29793, 86−29926
Matrix and space-phasor theory of electrical machines; Retter, G.J., *Vas, P. (translator/s),* [Budapest, Hungary: Akademiai Kiado 1987, £33.50] 87−51786
McGraw-Hill dictionary of electronics and computer technology; *Parker, S.P. (editor/s),* [New York, NY, USA: McGraw-Hill 1984, £28.50] 85−32900
Measuring systems and transducers for industrial applications; Horne, D.F., [Bristol, UK: Adam Hilger 1988, £57.50] 88−55889
Metodi i sredstva probrazovania informatsii. Vypusk 5. Mikroprotessornye sistemy kontrolya i upravleniya (Methods and facilities of information conversion. No.5. Microprocessor systems for testing and control); *Baums, A.K. (editor/s),* [Riga, USSR: Izdatel'stvo Zinatne 1986] 88−9887
Micro/mainframe links. State of the art report; *Zographos, S. (editor/s),* [Maidenhead, Berks., UK: Pergamon Infotech 1986] 87−22982 (introductory abstract), 87−28136 to 28141, 87−28311
Microcircuit production technology; Horne, D.F., [Bristol, UK: Adam Hilger 1986, £29.50] 87−5128
Microcomputer systems: The 8086/8088 family. Architecture, programming, and design. Second edition; Liu, Y.-C. Gibson, G.A., [Englewood Cliffs, NJ, USA: Prentice-Hall 1986, £15.95] 87−51723
Microcomputers; Jones, D.G.C., [Bristol, UK: Adam Hilger 1985, £2.95] 86−13334
Microcomputers and laboratory instrumentation; Malcolme-Lawes, D.J., [New York, NY, USA: Plenum 1984, $35.00] 85−5635
Microcomputing. State of the art report; *Jones, P.L. (editor/s),* [Maidenhead, Berkshire, UK: Pergamon Infotech 1985] 86−16982
Microelectronic processing: inorganic materials characterization; *Casper, L.A. (editor/s),* [Washington, DC, USA: American Chemical Society 1986] 87−22979 (introductory abstract), 87−23385, 87−23727, 87−23798, 87−24736 to 24743, 87−24767 to 24768, 87−25131, 87−25463 to 25466, 87−29301
Micromachining and micropackaging of transducers; *Fung, C.D. Cheung, P.W. Ko, W.H. Fleming, D.G. (editor/s),* [Amsterdam, Netherlands: Elsevier 1986, $64.75] 87−22974
Microprocessor system servicing; Ferguson, J.D. Macari, L. Williams, P., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £14.95] 87−65113
Microprocessors and microcomputers. Hardware and software. Third edition; Tocci, R.J. Laskowski, L.P., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £14.95] 87−51722
Microprocessors and programmed logic. Second edition; Short, K.L., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £15.95] 87−51720
Microprocessors. Hardware and applications; Veronis, A.M., [Reston, VA, USA: Reston Publishing 1984, £51.45] 85−22153
Microprocessors: Hardware, software and design applications; Subbarao, W.V., [Reston, VA, USA: Reston Publishing 1984, £30.85] 85−32963
Microwave circuit analysis and amplifier design; Liao, S.Y., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £50.30] 87−65112
Microwave circuits. Analysis and computer-aided design; Fusco, V.F., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £14.95] 87−72674
Microwave devices and circuits. Second edition; Liao, S.Y., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £51.60] 85−60688
Microwave frequency synthesizers; Stirling, R.C., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £39.95] 87−65054
Microwave impedance measurement; Somlo, P.I. Hunter, J.D., [London, UK: Peter Peregrinus 1985] 86−26483
Microwave measurement; *Bailey, A.E. (editor/s),* [London, UK: Peter Peregrinus 1985] 86−26536
Microwave theory, components, and devices; Seeger, J.A., [Englewood Cliffs, NJ, USA: Prentice-Hall 1986, £42.75] 87−5178
Modelling and control of dynamic flows in communication networks; Filipiak, J., [Berlin, West Germany: Springer-Verlag 1988, DM108.00] 88−49356
Modern aspects of electrochemistry. No.15; *White, R.E. Bockris, J.O'M. Conway, B.E. (editor/s),* [New York, NY, USA: Plenum 1983, $49.50] 85−10094
Modern electrical communications: analog, digital, and optical systems. Second edition; Stark, H. Tuteur, F.B. Anderson, J.B., [Englewood Cliffs, NJ, USA: Prentice-Hall 1988] 88−37827
Modern electronics and integrated circuits; Stanier, B.J., [Bristol, UK: Adam Hilger 1985, £10.00] 86−13336
Modern microwave technology; Veley, V.F., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £45.65] 88−11572
Modern MOS technology: Processes, devices and design; Ong, D.G., [New York, NY, USA: McGraw-Hill 1984, £28.75] 85−44376

Modern power system analysis; Nagrath, I.J. Kothari, D.P., [New Delhi, India: Tata McGraw-Hill Oct. 1985] 86−57124
Modern radar techniques; *Scanlan, M.J.B. (editor/s),* [London, UK: Collins 1987, £35.00] 87−72688 (introductory abstract), 87−76832, 87−76858 to 76862
Modern semiconductor fabrication technology; Gise, P. Blanchard, R., [Englewood Cliffs, NJ, USA: Prentice-Hall 1986, £34.20] 86−52111
Modern spectral estimation: theory and application; Kay, S.M., [Englewood Cliffs, NJ, USA: Prentice-Hall 1988, £57.05] 88−31283
Modern thermoelectrics; Rowe, D.M. Bhandari, C.M., [London, UK: Holt, Rinehart & Winston 1983] 85−10361
Monolithic integrated circuits. Techniques and capabilities; Herbst, L.J., [Oxford, UK: Oxford 1985, £45.00] 86−33974
Multi-level simulation for VLSI design; Hill, D.D. Coelho, D.R., [Boston, MA, USA: Kluwer Academic Publishers 1986, $39.95] 87−31131
Multi-microprocessor systems for real-time applications; *Conte, G. Del Corso, D. (editor/s),* [Dordrecht, Netherlands: Reidel 1985, $44.00] 86−20473
Multibus design guidebook. Structures, architectures, and applications; Johnson, J.B. Kassel, S., [New York, NY, USA: McGraw-Hill 1984, £26.75] 86−52184
Multilayer printed circuit board handbook; *Scarlett, J.A. (editor/s),* [Ayr, UK: Electrochemical Publications 1985] 86−13273
Multiple choice questions in electrical installation work. Third edition; Lewis, M.L., [London, UK: Hutchinson 1986, $5.95] 87−10097
Networks. Second edition; Connor, F.R., [London, UK: Edward Arnold 1986, £5.95] 87−10071
New hacker's handbook; Cornwall, H., [London, UK: Century Hutchinson 1985, £6.95] 86−49305
New telecommunications services. Videotex development strategies; [Paris, France: OECD 1988, $16.50] 88−62864
Noise and the solid state; Bell, D.A., [London, UK: Pentech Press 1985, £26.50] 86−13332
Non-destructive testing of fibre-reinforced plastics composites. Vol.1; *Summerscales, J. (editor/s),* [London, UK: Elsevier Applied Science Publishers 1987, £42.00] 88−11574 (introductory abstract), 88−12120 to 12126
Noninvasive imaging of cardiac metabolism. Single photon scintigraphy, positron emission tomography and nuclear magnetic resonance; *Van der Wall, E.E. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1987, $105.50] 87−58523
Nonlinear optical properties of organic molecules and crystals. Vol.1; *Chemla, D.S. Zyss, J. (editor/s),* [Orlando, FL, USA: Academic Press 1987, $79.50] 88−62862
Nonlinear optics of semiconductor lasers; *Basov, N.G. (editor/s),* [Commack, NY, USA: Nova Science Publishers 1987, $102.00] 88−6105 (introductory abstract), 88−7944, 88−8224 to 8232
Nuclear power plant instrumentation and control. A guidebook; [Vienna, Austria: IAEA 1984] 85−38745
Nuclear techniques in diagnostic medicine; *Van Rijk, P.P. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1986, $156.50] 87−10017
Numerical solution of partial differential equations. Finite difference methods. Third edition; Smith, G.D., [Oxford, UK: Clarendon Press 1985, £20.00] 86−52182
Numerical solution of Volterra equations; Brunner, H. van der Houwen, P.J., [Amsterdam, Netherlands: North-Holland 1986, $55.50] 87−36370
Open systems interconnection. State of the art report; *Burrows, B.C. Mayne, A.J. (editor/s),* [Maidenhead, UK: Pergamon Infotech 1987] 88−11579 (introductory abstract), 88−14965 to 14967, 88−15010, 88−15044, 88−15118 to 15121
Operational amplifiers and linear integrated circuits. Third edition; Coughlin, R.F. Driscoll, F.F., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £14.95] 87−51717
Optical fiber communications. Principles and practice; Senior, J.M., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985] 85−32966
Optical fiber splices and connectors. Theory and methods; Miller, C.M. Mettler, S.C. White, I.A., [New York, NY, USA: Marcel Dekker 1986] 87−10019
Optical fibers: materials and fabrication; Izawa, T. Sudo, S., [Dordrecht, Netherlands: Reidel 1987] 87−65058
Optical fibres; Geisler, J. Beaven, G. Boutruche, J.P., [Oxford, UK: Pergamon InfoLine 1986, $150.00] 87−13
Optical nonlinearities and instabilities in semiconductors; *Haug, H. (editor/s),* [San Diego, CA, USA: Academic Press 1988, $65.00] 88−69980
Optical signal processing; *Horner, J.L. (editor/s),* [San Diego, CA, USA: Academic Press 1987, $72.00] 88−31282
Optics and lasers including fibers and optical waveguides. 3rd revised edition; Young, M., [Berlin, West Germany: Springer-Verlag 1986, DM64.00] 87−43834
Optics of charged particles; Wollnik, H., [Orlando, FL, USA: Academic Press 1987, $60.00] 88−6154
Optimal control applications in electric power systems; Christensen, G.S. El-Hawary, M.E. Soliman, S.A., [New York, NY, USA: Plenum 1987, $39.50] 87−72680
Optimal seismic deconvolution. An estimation-based approach; Mendel, J.M., [New York, NY, USA: Academic Press 1983, $37.50] 85−10363
Optimised radar procesors; *Farina, A. (editor/s),* [London, UK: Peter Peregrinus 1987, £28.00] 88−69984
Organic semiconductors. Part B; Gutmann, F. Keyzer, H. Lyons, L.E. Somoano, R.B., [Malabar, FL, USA: Robert E. Krieger Publishing 1983, $46.50] 85−22152
Oxford surveys in information technology. Vol.4; *Zorkoczy, P.I. (editor/s),* [Oxford, UK: Oxford University Press 1987, £35.00] 88−43575 (introductory abstract), 88−46428
Parallel processing. State of the art report; *Jesshope, C. O'Gorman, R.J. Stewart, J.M. (editor/s),* [Maidenhead, UK: Pergamon Infotech 1987] 88−11578 (introductory abstract), 88−12430, 88−14822
Pediatric and fundamental electrocardiography; *Liebman, J. Plonsey, R. Rudy, Y. (editor/s),* [Boston, MA, USA: Martinus Nijhoff 1987, $105.00] 88−6100
Performance analyais of multiple access protocols; Tasaka, S., [Cambridge, MA, USA: MIT Press 1986, £24.95] 87−2929
Permanent-magnet and brushless DC motors; Kenjo, T. Nagamori, S., [Oxford, UK: Oxford 16 Jan. 1986, £25.00] 86−40370
Personal computing. State of the art report; *Jackson, B. Balthazor, W. (editor/s),* [Maidenhead, Berks., UK: Pergamon Infotech 1984] 85−13927
Perspectives on project management; *Burbridge, R.N.G. (editor/s),* [London, UK: Peter Peregrinus 1988, £20.00] 88−62868
Petroleum exploration: a quantitive introduction; Sengbush, R.L., [Dordrecht, Netherlands: Reidel 1986, £54.25] 87−42221
Petroleum handbook. Sixth edition; [Amsterdam, Netherlands: Elsevier 1983, £140.00] 88−23176
Phase conjugation of laser emission; *Basov, N.G. (editor/s), Hendzel, K.S. (translator/s),* [Commack, NY, USA: Nova Science Publishers 1988, $91.00] 88−55809 (introductory abstract), 88−58691 to 58692
Phase-locked loops. Theory, design and applications; Best, R.E., [New York, NY, USA: McGraw-Hill 1984, £26.75] 85−49258
Photodetectors: An introduction to current technology; Dennis, P.N.J., [New York, NY, USA: Plenum 1986, $35.00] 87−21104
Photometry and polarization in remote sensing; Egan, W.G., [Amsterdam, Netherlands: Elsevier 1985, $76.75] 88−24340
Photonics buyers' guide to products and manufacturers. Optical industry and systems purchasing directory 1987. Book 1. 33rd edition; *Trotti, P.L. (editor/s),* [Pittsfield, MA, USA: Laurin Publishing 1987, $84.50] 88−25
Photonics design and applications handbook. Optical industry and systems purchasing directory 1987. Book 2. 33rd edition; *Morgenstein, D.L. (editor/s),* [Pittsfield, MA, USA: Laurin Publishing 1987, $51.00] 88−26
Photonics dictionary. Optical industry and systems purchasing directory 1987. Book 3. 33rd edition; *Morgenstein, D.L. (editor/s),* [Pittsfield, MA, USA: Laurin Publishing 1987, $28.00] 88−24
Physics and chemistry of III-V compound semiconductor interfaces; *Wilmsen, C.W. (editor/s),* [New York, NY, USA: Plenum 1985] 86−26538 (introductory abstract), 86−28033, 86−28068 to 28070, 86−28217, 86−28277, 86−28360
Physics of hydrogenated amorphous silicon I. Structure, preparation and devices; *Joannopoulos, J.D. Lucovsky, G. (editor/s),* [Berlin, West Germany: Springer-Verlag 1984] 85−22149
Physics of magnetic recording; Mee, C.D., [Amsterdam, Netherlands: North-Holland 1986, $29.50] 87−65055
Physics of semiconductor devices. Fourth edition; Fraser, D.A., [Oxford, UK: Clarendon Press 1986, £20.00] 87−46
Physics, technology and use of photovoltaics; Van Overstraeten, R.J. Mertens, R.P., [Bristol, UK: Adam Hilger 1986, £35.00] 86−61748
Picosecond optoelectronic devices; *Lee, C.H. (editor/s),* [London, UK: Academic Press 1984, £42.00] 85−49294
Plasma etching in semiconductor fabrication; Morgan, R.A., [Amsterdam, Netherlands: Elsevier 1985, $72.25] 85−60647
Polarized electrons in surface physics; *Feder, R. (editor/s),* [Singapore: World Scientific 1985, £59.30] 87−21371
Polymers, liquid crystals and low-dimensional solids; *March, N. Tosi, M. (editor/s),* [New York, NY, USA: Plenum 1984, $89.50] 85−39465
Power electronics; Thorborg, K., [Hemel Hempstead, UK: Prentice-Hall 1988, £18.95] 88−37826
Power electronics. Circuits, devices, and applications; Rashid, M.H., [Englewood Cliffs, NJ, USA: Prentice-Hall 1988, £19.95] 88−62865
Power plant performance; Gill, A.B., [London, UK: Butterworth 1984, £54.00] 85−10320
Power sources for electric vehicles; *McNicol, B.D. Rand, D.A.J. (editor/s),* [Amsterdam, Netherlands: Elsevier 1984, $211.50] 86−20
Power station engineering and economy; *Skrotzki, B.G.A. Vopat, W.A. (editor/s),* [New Delhi, India: Tata McGraw-Hill 1983, £7.25] 85−27925
Power supplies. Part A. Linear power supplies, DC-DC converters; Ferenczi, O., [Amsterdam, Netherlands: Elsevier 1987, $175.50] 88−31349
Power supplies. Part B. Switched-mode power supplies; Ferenczi, O., [Amsterdam, Netherlands: Elsevier 1987] 88−31354
Power system control technology; Cegrell, T., [Englewood Cliffs, NJ, USA: Prentice-Hall 1986, £35.00] 86−57079
Powerplant technology; El-Wakil, M.M., [New York, NY, USA: McGraw-Hill 1984, £34.95] 85−32962
Practical digital and data communications...with LSI applications; Bates, P., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £39.95] 87−58579
Prentice-Hall encyclopedia of information technology; Edmunds, R.A., [Englewood Cliffs, NJ, USA: Prentice-Hall 1987] 88−6102
Principles and practice of multi-frequency telegraphy; Ralphs, J.D., [London, UK: Peter Peregrinus 1985] 85−22069
Principles and practice of photochemical machining and photoetching; Allen, D.M., [Bristol, UK: Adam Hilger 1986, £22.50] 87−5129
Principles of industrial measurement for control applications; Smith, E., [Research Triangle Park, NC, USA: Instrument Society of America 1984, £47.95] 86−33910
Principles of measurement and instrumentation; Morris, A.S., [Hemel Hempstead, UK: Prentice Hall 1988] 88−55888
Principles of microwave circuits; *Montgomery, C.G. Dicke, R.H. Purcell, E.M. (editor/s),* [London, UK: Peter Peregrinus 1987, £38.00] 88−62871
Principles of optical disc systems; Bouwhuis, G. Braat, J. Huijser, A. Pasman, J. Van Rosmalen, G. Immink, K.S., [Bristol, UK: Adam Hilger 1985, £30.00] 87−31128
Probabilites et statistique (Probability and statistics); Ruegg, A., [Lausanne, Switzerland: Presses Polytechniques Romandes 1985] 85−32967
Process and device modeling; *Engl, W.L. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $60.00] 87−65052 (introductory abstract), 87−67189 to 67192, 87−67233, 87−67296 to 67298, 87−67360 to 67365
Programmable logic handbook; Bostock, G., [London, UK: Collins 1987, £25.00] 88−693
Progress in medical and environmental physics. Vol.1. Imaging with ionizing radiations; Kouris, K. Spyrou, N.M. Jackson, D.F., [Glasgow, UK: Surrey University Press 1982, £35.00] 87−36307
Progress in optics. Vol.XXII; *Wolf, E. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985] 86−19724 (introductory abstract), 86−22471, 86−22666, 86−25223
Progress in optics. Vol.XXIII; *Wolf, E. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $59.25] 87−36306
Progress in optics. Vol.XXIV; *Wolf, E. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, $100.00] 88−8260
Progress in optics. Vol.XXVI; *Wolf, E. (editor/s),* [Amsterdam, Netherlands: North-Holland 1988, $108.00] 88−72393
Propagation of radio waves. The theory of radio waves of low power in the ionosphere and magnetosphere; Budden, K.G., [Cambridge, UK: Cambridge 1985, $89.50] 86−13279
Propagation of short radio waves; *Kerr, D.E. (editor/s),* [London, UK: Peter Peregrinus 1987, £48.00] 88−62929 (introductory abstract), 88−66086 to 66092, 88−67450
Properties of amorphous silicon. EMIS datareview series no.1; [London, UK: INSPEC 1985, £85.00 UK, £110.00 elsewhere] 85−44382
Properties of gallium arsenide. EMIS datareviews series no.2; [London, UK: INSPEC 1986] 86−40373
Properties of mercury cadmium telluride. EMIS datareviews series no.3; *Brice, J. Capper, P. (editor/s),* [London, UK: INSPEC 1987] 87−72682
Pulsed light sources; Marshak, I.S., [New York, NY, USA: Consultants Bureau 1984, $75.00] 86−7291

Radar anti-jamming techniques; Maksimov, M.V. Bobnev, M.P. Shustov, L.N. Krivitskiy, B.K. Gorgonov, G.I. Il'in, V.A. Stepanov, B.M., [Dedham, MA, USA: Artech House 1979] 88−11577

Radar days; Bowen, E.G., [Bristol, UK: Adam Hilger 1987, £12.50] 87−65059

Radar electronic counter-countermeasures; *Johnston, S.L. (editor/s),* [Dedham, MA, USA: Artech House 1980] 88−6104

Radio receivers; *Gosling, W. (editor/s),* [London, UK: Peter Peregrinus 1986, £48.00] 88−69987 (introductory abstract), 88−70574, 88−70593, 88−70603, 88−73788 to 73794, 88−73813 to 73814, 88−74077, 88−74115 to 74116

Radio wave propagation; Boithias, L., *Beeson, D. (translator/s),* [London, UK: North Oxford Academic Publishers 1987, £35.00] 88−24337

Radiotelescopes. Second Edition; Christiansen, W.N. Hogbom, A., [Cambridge, UK: Cambridge 1985, £25.00] 86−19765

Recent developments in resonant power conversion; *Kit Sum, K. (editor/s),* [Ventura, CA, USA: Intertec Communications 1988] 88−75736

Recognition of speech my machine - a bibliography; House, A.S., [London, UK: Academic Press 1988, £24.50] 88−59108

Reflector antenna analysis and design; Wood, P.J., [London, UK: Peter Peregrinus 1986] 86−33917

Relaxation techniques for the simulation of VLSI circuits; White, J.K. Sangiovanni-Vincentelli, A., [Boston, MA, USA: Kluwer Academic Publishers 1987, $35.95] 87−32629

Reliability assessment of large electric power systems; Billinton, R. Allan, R.N., [Boston, MA, USA: Kluwer Academic Publishers 1988, $52.50] 88−55813

Reliability engineering for electronic design; Fuqua, N.B., [New York, NY, USA: Marcel Dekker 1987, $60.75] 87−43764

Reliability of non-destructive inspection. Assessing the assessment of structures under stress; Silk, M.G. Stoneham, A.M. Temple, J.A.G., [Bristol, UK: Adam Hilger 1987, £29.95] 88−31278

Remote sensing for the control of marine pollution; *Massin, J.-M. (editor/s),* [New York, NY, USA: Plenum 1984, $72.50] 86−70533

Remote sensing in soil science; Mulders, M.A., [Amsterdam, Netherlands: Elsevier 1987, $86.75] 88−23

Remote sensing sourcebook. A guide to remote sensing products, services, facilities, publications and other materials; Carter, D.J., [London, UK: McCarta 1986, £15.00] 87−72684

Remote sensing yearbook 1987; *Cracknell, A. Hayes, L. (editor/s),* [London, UK: Taylor & Francis 1987, £70.00] 87−72683

Research on laser theory; *Orayevskiy, A.N. (editor/s), Hendzel, K.S. (translator/s),* [Commack, NY, USA: Nova Science Publishers 1988, $110.00] 88−49353 (introductory abstract), 88−51717, 88−51757 to 51759, 88−51866

Review of radio science 1981-1983; *Bowhill, S.A. (editor/s),* [Brussels, Belgium: International Union of Radio Science 1984, $20.00] 85−39422

Review of radio science 1984-1986; *Hyde, G. (editor/s),* [Brussels, Belgium: International Union of Radio Science 1987] 88−37832

Robot sensors. Vol.1. Vision; *Pugh, A. (editor/s),* [Kempston, Bedford, UK: IFS (Publications) Dec. 1985, £34.00] 86−45911

RPL dosimetry. Radiophotoluminescence in health physics; Perry, J.A., [Bristol, UK: Adam Hilger 1987, £27.50] 88−24341

Satellite communication systems; *Evans, B.G. (editor/s),* [London, UK: Peter Peregrinus 1987, £48.00] 88−69988 (introductory abstract), 88−72671, 88−72761, 88−73871 to 73889, 88−74089

Satellite oceanography. An introduction for oceanographers and remote-sensing scientists; Robinson, I.S., [Chichester, UK: Ellis Horwood 1985, £42.50] 88−31348

Scientific guide to surface mount technology; Lea, C., [Ayr, UK: Electrochemical Publications 1988, £57.00] 88−43573

Seismic data processing. Theory and practice; Hatton, L. Worthington, M.H. Makin, J., [Oxford, UK: Blackwell Scientific Publications 1986, £19.50] 88−24336

Seismic instrumentation; Pieuchot, M., [London, UK: Geophysical Press 1984, $48.00] 85−16631

Selected papers on automatic power transmission; Ishihara, T., [Tokyo, Japan: Publishing Committee for Selected Papers of Professor Tomoo Ishihara Nov. 1985] 87−9927

Semiconductor contacts. An approach to ideas and models; Henisch, H.K., [Oxford, UK: Oxford 1984] 85−22060

Semiconductor electrodes; *Finklea, H.O. (editor/s),* [Amsterdam, Netherlands: Elsevier 1988, $179.00] 88−43571

Semiconductor lasers for long-wavelength optical-fibre communications systems; Adams, M.J. Steventon, A.G. Devlin, W.J. Henning, I.D., [London, UK: Peter Peregrinus 1987, £25.00] 88−69989

Semiconductor physics; *Tuchkevich, V.M. Frenkel, V.Ya. (editor/s),* [New York, NY, USA: Consultants Bureau 1986, $89.50] 87−45554, 87−45627, 87−45668, 87−45913, 87−51482

Semiconductor technologies 1984; *Nishizawa, J. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $95.00] 86−7374 (introductory abstract), 86−7847 to 7849, 86−8372, 86−8728, 86−8880 to 8881, 86−8901 to 8902, 86−8957, 86−9050 to 9051, 86−9109, 86−9118, 86−9170, 86−9240 to 9242, 86−9281, 86−13060

Semiconductors and semimetals. Vol.17. CW beam processing of silicon and other semiconductors; *Gibbons, J.F. (editor/s),* [Orlando, FL, USA: Academic Press 1984] 86−7377 (introductory abstract), 86−8746, 86−8882, 86−8965 to 8967

Semiconductors and semimetals. Vol.21: Hydrogenated amorphous silicon. Part D: Device applications; *Pankove, J.I. (editor/s),* [London, UK: Academic Press 1984, $65.00] 85−60644, 85−61657, 85−61894, 85−61905, 85−61943 to 61945, 85−62412, 85−62443, 85−62452, 85−62455, 85−63118, 85−64491, 85−65444 to 65445

Semiconductors and semimetals. Vol.23: Pulsed laser processing of semiconductors; *Wood, R.F. White, C.W. (editor/s),* [Orlando, FL, USA: Academic Press 1984] 86−7376 (introductory abstract), 86−8744 to 8745, 86−8958 to 8964

Sensors and transducers; Usher, M.J., [Basingstoke, Hants., UK: Macmillan Dec. 1985, £18.00] 86−52180

Signal processor chips; *Quarmby, D.J. (editor/s),* [London, UK: Granada 1984] 85−10324

Signal recovery from noise in electronic instrumentation; Wilmshurst, T.H., [Bristol, UK: Adam Hilger 1985, £17.50] 85−60646

Signals, systems and transforms; Cadzow, J.A. Van Landingham, H.F., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £40.20] 86−25

Silicon integrated circuits. Part C; *Kahng, D. (editor/s),* [Orlando, FL, USA: Academic Press 1985] 86−45912 (introductory abstract), 86−47447, 86−47484, 86−47690

Silicon processing for photovoltaics II; *Khattak, C.P. Ravi, K.V. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, $84.50] 88−20 (introductory abstract), 88−382 to 385, 88−2105, 88−5880 to 5881

Single-chip microcomputers; *Lister, P.F. (editor/s),* [London, UK: Granada 1984] 85−16 (introductory abstract), 85−846 to 851

Single-mode fiber optics. Principles and applications; Jeunhomme, L.B., [New York, NY, USA: Marcel Dekker 1983] 85−62388

Solar electric systems; *Warfield, G. (editor/s),* [Washington, DC, USA: Hemisphere Publishing 1984, $44.50] 85−9562 (introductory abstract), 85−5974, 85−9563 to 9570, 85−9801 to 9806, 85−9817, 85−10110 to 10112

Solar energy: Principles of thermal collection and storage; Sukhatme, S.P., [New Delhi, India: Tata McGraw-Hill 1984, £5.95] 85−27991

Soldering handbook. A practical guide to process and quality control; Skipp, R., [Oxford, UK: BSP Professional Books 1988, £29.95] 88−69983

Solid-state AC motor controls. Selection and application; Campbell, S.J., [New York, NY, USA: Marcel Dekker 1987, $71.50] 87−72681

Solid state gas sensors; *Moseley, P.T. Tofield, B.C. (editor/s),* [Bristol, UK: Adam Hilger 1987, £35.00] 88−55808

Solid state video cameras; Cristol, Y., [Oxford, UK: Pergamon Infoline 1986, $55.00] 87−65051

Space remote sensing systems. An introduction; Chen, H.S., [Orlando, FL, USA: Academic Press 1985, $65.00] 87−22975

Spectral techniques in digital logic; Hurst, S.L. Miller, D.M. Muzio, J.C., [London, UK: Academic Press 1985] 86−13274

Speech recognition by machine; Ainsworth, W.A., [London, UK: Peter Peregrinus 1988, £35.00] 88−69990

Spherical near-field antenna measurements; *Hansen, J.E. (editor/s),* [London, UK: Peter Peregrinus 1988, £48.00] 88−62872

Spread spectrum communications. Vol.II; Simon, M.K. Omura, J.K. Scholtz, R.A. Levitt, B.K., [Rockville, MD, USA: Computer Science Press 1985] 85−60648

Spread spectrum communications. Vol.III; Simon, M.K. Omura, J.K. Scholtz, R.A. Levitt, B.K., [Rockville, MD, USA: Comput. Sci. Press 1985] 86−13339

Spread spectrum in communication; Skaug, R. Hjelmstad, J.F., [London, UK: Peter Peregrinus 1985] 86−29

Spread spectrum signal design. LPE and AJ systems; Nicholson, D.L., [Rockville, MD, USA: Computer Science Press 1988] 88−55811

Stability of Runge-Kutta methods for stiff nonlinear differential equations; Dekker, K. Verwer, J.G., [Amsterdam, Netherlands: North-Holland 1984, $36.50] 85−54414

Standards for open systems interconnection; Knowles, T. Larmouth, J. Knightson, K.G., [Oxford, UK: BSP Professional Books 1987, £30.00] 88−9166

Standards in information technology and industrial control. Contributions from IFIP working group 5.4; *Malagardis, N.M. Williams, T.J. (editor/s),* [Amsterdam, Netherlands: North-Holland 1988, $71.00] 88−55927, 88−59455 to 59456, 88−59690 to 59693

Stepping motors: A guide to modern theory and practice. Revised second edition; Acarnley, P.P., [London, UK: Peter Peregrinus 1984] 85−47

Stokhasticheskoe funktsional'noe preobrazovanie, modeli, prilozheniya (**Stochastic funtional conversion, models and applications**); Viksna, A.Zh. Elsts, M.A., [Riga, USSR: Izdatel'stvo 'Zinatne' 1984] 85−60645

Strategies for integrated communications. State of the art report; *Scantlebury, R. (editor/s),* [Maidenhead, Berks., UK: Pergamon Infotech 1984] 85−5638 (introductory abstract), 85−8028 to 8032, 85−8198 to 8201, 85−8273, 85−8282

Superconductivity: a practical guide for decision makers; Vanston, J.H. Schumann, P.A., Jr. Bigham, G.T. Crowley, C. Prestwood, D.C.L., [Austin, TX, USA: Technology Futures 1988] 88−58021

Surface mounted assemblies; *Pawling, J.F. (editor/s),* [Ayr, UK: Electrochemical Publications 1987, £46.00] 87−51718

Synthesis of digital designs from recursion equations; Johnson, S.D., [Cambridge, MA, USA: MIT Press 1984, £28.50] 85−54851

Synthesis of electrical networks; Baher, H., [Chichester, W. Sussex, UK: Wiley 1984, £23.00] 85−5695

Systematic electronics; Vaughan, P., [London, UK: Edward Arnold 1987] 88−24388

Systemes d'information sur l'energie (**Information systems on energy**); Blamoutier, F., [Grenoble, France: DRUG 1984, 60.00F] 85−10322

Systems with small dissipation; Braginsky, V.B. Mitrofanov, V.P. Panov, V.I., *Gliner, E. (translator/s),* [Chicago, IL, USA: University of Chicago Press 1985, £10.95] 86−57081

Talking chips; Morgan, N., [New York, NY, USA: McGraw-Hill 1984, £19.75] 85−5637

Technical development of broadcasting in the Asia Pacific region 1964-1984; *Shepherd, F.M. (editor/s),* [Kuala Lumpur, Malaysia: Asia Pacific Broadcasting Union 1984] 85−22070

Technologies and markets; Verschuur, J.J., [London, UK: Peter Peregrinus 1984] 85−10325

Technology of chemicals and materials for electronics; *Howells, E.R. (editor/s),* [Chichester, West Sussex, UK: Ellis Horwood 1984, £32.50] 85−22066

Tele-informatics: Data and computer communications; Macchi, C. Guilbert, J.-F., *St.Quinton, J.M.-A. (translator/s),* [Amsterdam, Netherlands: North-Holland 1985, $89.00] 86−52113

Telecommunication technologies 1984; *Inose, H. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $95.00] 85−22074 (introductory abstract), 85−25069, 85−25131, 85−25188, 85−25228 to 25229, 85−25287 to 25296, 85−25346, 85−25381, 85−25412, 85−25541, 85−25603, 85−25677, 85−25824, 85−25902 to 25903, 85−26044, 85−26097

Telecommunication technologies 1985/1986; *Inose, H. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $86.00] 86−52181 (introductory abstract), 86−52887, 86−53055, 86−53763 to 53764, 86−54907 to 54913, 86−55040, 86−55044, 86−55054 to 55056, 86−55070, 86−55108, 86−55252 to 55263, 86−55309, 86−56226

Telecommunications engineering; Dunlop, J. Smith, D.G., [Wokingham, Berks., UK: Van Nostrand Reinhold 1984, £13.50] 85−16559

Telecommunications for management; Meadow, C.T. Tedesco, A.S., [New York, NY, USA: McGraw-Hill 1985, DM109.00] 86−13271

Telecommunications industry. The Challenges of structural change; [Paris, France: OECD 1988, $18.00] 88−62863

Telecommunications: making sense of new technology and new legislation; *Divilbiss, J.L. (editor/s),* [Urbana, IL, USA: University of Illinois at Urbana-Champaign 1985, $15.00] 87−16264

Telecommunications primer; Langley, G., [London, UK: Pitman 1983, £4.95] 85−16558

Telecommunications. Telephone networks 1; *Nicholl, A. (translator/s),* [Bromley, Kent, UK: Chartwell-Bratt 1986, £14.50] 87−31182

Telecommunications: voice/data with fiber optic applications; Tomasi, W. Alisouskas, V.F., [Englewood Cliffs, NJ, USA: Prentice-Hall 1988, £16.95] 88−37884

Teleconferencing. State of the art report; *Cross, T.B. (editor/s),* [Maidenhead, Berks., UK: Pergamon Infotech 1985] 86−13275 (introductory abstract), 86−16806 to 16807, 86−17665 to 17671

The 68000 hardware and software; Jaulent, P., *Stewart, M.J. (translator/s),* [Basingstoke, Hants., UK: Macmillan 1985, £9.50] 85−39421

The making of a profession: a century of electrical engineering in America; McMahon, A.M., [New York, NY, USA: IEEE 1984, $39.95] 86−31

The methane age; *Lee, T.H. Linden, H.R. Dreyfus, D.A. Vasko, T. (editor/s),* [Dordrecht, Netherlands: Kluwer Academic Publishers 1988, $140.00] 88−70064

The space business; Marsh, P., [Harmondsworth, Middlx., UK: Penguin Books 1985] 86−21

Theory and practice of scanning optical microscopy; Wilson, T., [London, UK: Academic Press 1984] 85−22151

Theory of alternating current machinery. Second edition; Langsdorf, A.S., [New Delhi, India: Tata McGraw-Hill 1983, £5.95] 85−5693

Thermal design of electronic circuit boards and packages; Dean, D.J., [Ayr, UK: Electrochemical Publications 1985, £63.00] 86−45910

Thin-film optical filters. Second edition; Macleod, H.A., [Bristol, UK: Adam Hilger 1986, £49.50] 86−52114

Tools of radio astronomy; Rohlfs, K., [Berlin, West Germany: Springer-Verlag 1986, DM 118] 87−22980

Total pressure measurements in vacuum technology; Berman, A., [Orlando, FL, USA: Academic Press 1985] 86−26537

Transducers for microprocessor systems; Cluley, J.C., [Basingstoke, Hants., UK: Macmillan Dec. 1985, £12.95] 86−52110

Transducers in measurement and control. Third edition; Sydenham, P.H., [Bristol, UK: Adam Hilger 1985] 85−44379 (introductory abstract)

Transesophageal echocardiography; De Bruijn, N.P. Clements, F.M. Hill, R., [Norwell, MA, USA: Martinus Nijhoff 1987, $45.00] 88−21

Transforms for engineers. A guide to signal processing; Beauchamp, K.G., [Oxford, UK: Clarendon Press 1987] 88−6099

Transient phenomena in electrical machines; Kovacs, P.K., [Amsterdam, Netherlands: Elsevier 1984] 85−5692

Transmission and propagation of electromagnetic waves. Second edition; Sander, K.F. Reed, G.A.L., [Cambridge, UK: Cambridge 1986, ∪.60 hardcover; ‡.95 paperback] 87−10072

Transputer reference manual; [Hemel Hempstead, UK: Prentice Hall 1988, £19.95] 88−56694

Trends of change in telecommunications policy; [Paris, France: OECD 1987] 87−72679

Tutorial on precision signal handling and converter-microprocessor interface techniques; Travers, D., [Research Triangle Park, NC, USA: ISA 1984] 85−32965

Uninterruptible power supplies: a select bibliography; [London, UK: IEE 1986] 87−36314

UNIX system readings and applications. Vol.1. UNIX time-sharing system; [Englewood Cliffs, NJ, USA: Prentice-Hall 1987, £18.15] 87−44481, 87−44909, 87−48474, 87−48803

Videodisc and optical memory systems; Isailovic, J., [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £40.55] 85−60650

Vision and information processing for automation; Browne, A. Norton-Wayne, L., [New York, NY, USA: Plenum 1986, $59.50] 87−51713

VLSI and modern signal processing; *Kung, S.Y. Whitehouse, H.J. Kailath, T. (editor/s),* [Englewood Cliffs, NJ, USA: Prentice-Hall 1985, £51.60] 85−44384 (introductory abstract), 85−44642, 85−45092 to 45097, 85−45184 to 45185, 85−45792, 85−46808 to 46817, 85−46951 to 46952

VLSI architecture for concurrent data structures; Dally, W.J., [Norwell, MA, USA: Kluwer Academic Publishers 1987, $44.50] 88−33328

VLSI electronics. Microstructure science. Vol.10. Surface and interface effects in VLSI; *Einspruch, N.G. Bauer, R.S. (editor/s),* [Orlando, FL, USA: Academic Press 1985, $71.50] 87−43758 (introductory abstract), 87−45638, 87−45666 to 45667, 87−45692, 87−45715 to 45716, 87−45995

VLSI electronics. Microstructure science. Vol.11. GaAs microelectronics; *Einspruch, N.G. Wisseman, W.R. (editor/s),* [Orlando, FL, USA: Academic Press 1985, $75.50] 87−43759 (introductory abstract), 87−43996, 87−44308, 87−44718, 87−45275 to 45276, 87−45747, 87−45996, 87−46106, 87−46172, 87−46211, 87−49906

VLSI electronics. Microstructure science. Vol.14. VLSI design; *Einspruch, N.G. (editor/s),* [Orlando, FL, USA: Academic Press 1986, $43.00] 87−65056 (introductory abstract), 87−65655, 87−66234 to 66235, 87−67369 to 67370

VLSI electronics. Microstructure science. Vol.15. VLSI metallization; *Einspruch, N.G. Cohen, S.S. Gildenblat, G.Sh. (editor/s),* [Orlando, FL, USA: Academic Press 1987, $75.00] 88−55806 (introductory abstract), 88−57511 to 57516, 88−57770, 88−57816, 88−57823

VLSI electronics. Microstructure science. Vol.16. Lithography for VLSI; *Einspruch, N.G. Watts, R.K. (editor/s),* [Orlando, FL, USA: Academic Press 1987, $69.00] 88−55807 (introductory abstract), 88−57563 to 57570

VLSI electronics. Microstructure science. Vol.8. Plasma processing for VLSI; *Einspruch, N.G. Brown, D.M. (editor/s),* [London, UK: Academic Press 1984, $69.00] 86−7373 (introductory abstract), 86−7844 to 7846, 86−8954 to 8956, 86−9041 to 9049

VLSI electronics microstructure science. Vol.9; *Einspruch, N.G. (editor/s),* [Orlando, FL, USA: Academic Press 1985, $79.50] 87−60561 (introductory abstract), 87−60101 to 60102, 87−60385, 87−60562 to 60567, 87−60628, 87−60660, 87−60736

VLSI engineering; Dillinger, T.E., [Englewood Cliffs, NJ, USA: Prentice-Hall 1988, £19.95] 88−57817

VLSI image processing; *Offen, R.J. (editor/s),* [London, UK: Collins 1985, £25.00] 86−33911

VLSI Signal processing: A bit-serial approach; Denyer, P.B. Renshaw, D., [Wokingham, UK: Addison Wesley 1985, £19.95] 86−23080

VLSI technology and design; *McCanny, J.V. White, J.C. (editor/s),* [London, UK: Academic Press 1987, $59.50] 87−65053 (introductory abstract), 87−66188, 87−66232 to 66233, 87−67366 to 67368, 87−67539, 87−67569 to 67571

VLSI testing; *Williams, T.W. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $49.50] 87−51715 (introductory abstract), 87−52490, 87−52546, 87−52590, 87−53056, 87−53652 to 53653, 87−53737

Waves. Second edition; Connor, F.R., [London, UK: Edward Arnold 1986, £5.50] 87−31181

Welding cast irons; Cottrell, C.L.M., [Abington, Cambridge, UK: Welding Institute 1985] 87−43763

Welding dissimilar metals; *Bailey, N. (editor/s),* [Abington, Cambridge, UK: Welding Institute 1986] 87−58522

Welding technology Japan; [Cambridge, UK: Welding Institute 1984] 85−49260 (introductory abstract), 85−53412 to 53413, 85−53989 to 53992

Wind energy 1987. Wind turbine shipments and applications; [Great Falls, VA, USA: Wind Data Center 1987, £300.00] 88−18313

Work out electromagnetic fields; Buckley, R.V., [Basingstoke, UK: Macmillan Education 1988, £7.50] 88−43617

Worked examples in electrical installation; Lewis, M.L., [London, UK: Hutchinson 1984, £6.95] 85−22156

Working with microprocessors; Sinclair, I., [London, UK: Collins 1986, £25.00] 86−61838

Yield simulation for integrated circuits; Walker, D.M.H., [Norwell, MA, USA: Kluwer Academic Publishers 1987, £39.95] 88−20144

Z **transform theory and applications;** Vich, R., *Basch, M. (translator/s),* [Dordrecht, Netherlands: Reidel 1987, $69.00] 87−72686

Z80 microprocessor. Hardware, software, programming and interfacing; Brey, B.B., [Englewood Cliffs, NJ, USA: Prentice-Hall 1988, £16.95] 88−56695

CUMULATIVE CONFERENCE INDEX
1985—1988

This index lists conferences from which papers have been abstracted in *Electrical & Electronics Abstracts* in the period 1985—1988. Conferences reported in journals are also included in this index. The abstract relating to the conference as a whole is indicated by '*(introductory abstract)*'.

Reference to the entry in *Electrical & Electronics Abstracts* is made in the form 88—12345, i.e. abstract 12345 of 1988. Where there are a number of entries for a conference e.g. for individual papers, a range of numbers is shown in the form 88—12345 to 12356, i.e. abstract 12345 of 1988 to abstract 12356 of 1988 inclusive.

Example of typical entry



Solid dielectrics; Proceedings of the 2nd International Conference on Conduction and Breakdown in Solid Dielectrics (Cat. No. 86CH2124-6), Erlangen, West Germany, 7-10 July 1986, (IEEE) [New York, NY, USA: IEEE 1986] 87 – 16269 (introductory abstract), 87 – 16713, 87 – 17410, 87 – 17734, 87 – 17795, 87 – 17820, 87 – 18361 to 18365, 87 – 18377 to 18388, 87 – 18431 to 18437, 87 – 18824, 87 – 24981, 87 – 25623 to 25625, 87 – 25634 to 25648, 87 – 25712 to 25713

Conferences date (s)
Conference/publication title
Short title
Conference location
Publication date
Year and abstract number of entry
Conference sponsor (s)
Publisher

CONFERENCE INDEX

12 GeV PS experiments; Proceedings of the Workshop on 12 GeV PS Experiments (KEK 87-24), Tsukuba-shi, Ibaraki-ken, Japan, 12-13 Oct. 1987, *Kumagai, N. Sasao, N. Chiba, J. Tsuru, T. Yoshimura, Y. (editor/s),* [Tsukuba-shi, Ibaraki, Japan: Nat. Lab. High Energy Phys. Jan. 1988] 88−70021 (introductory abstract)

68000 family; Conference on Applying the 68000 Family, London, UK, 30 Oct. 1984, [Sept. 1984] 85−6365 (introductory abstract), 85−6366 to 6367

A/D conversion techniques; IEE Colloquium on 'Advanced A/D Conversion Techniques' (Digest No.48), London, UK, 15 April 1987, *(IEE)* [London, UK: IEE 1987] 87−43819 (introductory abstract), 87−44974 to 44983

Absorption heat pumps; Absorption Heat Pumps Congress (EUR 10007 EN), Paris, France, 20-22 March 1985, *(Centre d'Essais Recherches Utilisation Gaz; Inst. Francais Petrole; Agence Francaise Maitrise Energie)* [Luxembourg: Comm. Eur. Communities 1985] 86−40388 (introductory abstract)

AC and DC power transmission; Fourth International Conference on AC and DC Power Transmission (Conf. Publ. No. 255), London, UK, 23-26 Sept. 1985, [London, UK: IEE 1985] 86−12500 (introductory abstract), 86−9119 to 9124, 86−12243 to 12245, 86−12315 to 12337, 86−12369 to 12371, 86−12378, 86−12380 to 12382, 86−12385 to 12412, 86−12431, 86−12449 to 12453, 86−12472 to 12473, 86−12483 to 12486, 86−12501, 86−12526 to 12528, 86−12881 to 12883, 86−12902 to 12916, 86−12991 to 12992, 86−12996

Accelerator control systems; Accelerator Control Systems. Proceedings of the Second International Workshop, Los Alamos, NM, USA, 7-10 Oct. 1985, [1 June 1986] 86−60400 (introductory abstract), 86−60401 to 60436, 86−60541, 86−60573, 86−60848

Accelerator mass spectrometry; Proceedings of the Third International Symposium on Accelerator Mass Spectrometry, Zurich, Switzerland, 10-13 April 1984, *(Swiss Acad. Sci.; Swiss Inst. Nucl. Res.; Swiss Federal Inst. Technol. et al)* [Nov. 1984] 85−20762 (introductory abstract), 85−20765, 85−20779, 85−20787 to 20799, 85−20856 to 20864

Accelerator mass spectrometry; Fourth International Symposium on Accelerator Mass Spectrometry, Niagara-on-the-Lake, Ont., Canada, 27-30 April 1987, *(NSF; USDOE; Univ. Rochester; et al)* [Nov. 1987] 88−18293 (introductory abstract)

Accelerator physics; CAS CERN Accelerator School. General Accelerator Physics. Proceedings (CERN 85-19), Gif-sur-Yvette, France, 3-14 Sept. 1984, *(CERN) Bryant, P. Turner, S. (editor/s),* [Geneva, Switzerland: CERN 27 Nov. 1985] 86−38678 to 38679, 86−44503 to 44516

Accelerator physics; CERN Accelerator School. Advanced Accelerator Physics. Proceedings (CERN 87-03), Oxford, UK, 16-27 Sept. 1985, *(Rutherford Appleton Lab) Turner, S. (editor/s),* [Geneva, Switzerland: CERN 21 April 1987] 87−63586 (introductory abstract), 87−63587 to 63589, 87−63604 to 63612, 87−63622

Accelerators; Advanced Accelerator Concepts, Madison, WI, USA, Aug. 1986, [1987] 87−70899 (introductory abstract), 87−70900 to 70927, 87−70952 to 70960, 87−70976 to 70977

Accelerators in research and industry; Proceedings of the 8th Conference on the Application of Accelerators in Research and Industry, Denton, TX, USA, 12-14 Nov. 1984, *(USDOE; NSF; NBS; Bur. Radiol. Health; et al)* [15 May 1985] 85−54574 to 54575, 85−55421 to 55423, 85−55439, 85−55590, 85−55642, 85−55669 to 55674, 85−56725, 85−58962 to 58974, 85−59052 to 59063, 85−59141 to 59161, 85−59189 to 59194, 85−59216, 85−59227 to 59230, 85−59261 to 59264, 85−59343, 85−59369 to 59371, 85−59447 to 59449

Accelerators in research and industry; Ninth International Conference on the Application of Accelerators in Research and Industry, Denton, TX, USA, 10-12 Nov. 1986, *(USDOE; NSF; NBS; et al)* [April 1987] 87−50026 to 50040, 87−50089 to 50090, 87−50111 to 50118, 87−50152 to 50154, 87−50200, 87−54611, 87−56930 to 56931, 87−56947 to 56964, 87−56989 to 56999, 87−57033 to 57034, 87−57097 to 57098, 87−60308, 87−63620

Accident prevention and security; Zweite UNIPEDE-Konferenz uber Unfallverhutung und Sicherheit (Second UNIPEDE Conference on Accident Prevention and Security), London, UK, 3-5 June 1987, [20 Feb. 1988] 88−31259 (introductory abstract), 88−31374, 88−31414 to 31419, 88−36841

Accident sequence modeling; International Seminar on Accident Sequence Modeling, Munich, West Germany, 24-25 Aug. 1987, [1988] 88−55801 (introductory abstract), 88−55878, 88−62038 to 62048, 88−62115 to 62121, 88−62175

Acoustic imaging; Acoustical Imaging. Proceedings of the 14th International Symposium, The Hague, Netherlands, 22-25 April 1985, *(Inst. Appl. Geosci. TNO; KLM R. Dutch Airlines; KEMA; MASSCOMP Eur.; et al) Berkhout, A.j. Ridder, J. Van der Wal, L.F. (editor/s),* [New York, NY, USA: Plenum 1985] 87−13152, 87−13795, 87−15118, 87−19918, 87−20632, 87−21555 to 21556, 87−21796 to 21797, 87−21799 to 21801, 87−21808 to 21811

Acoustic remote sensing of atmosphere and oceans; Third International Symposium on Acoustic Remote Sensing of the Atmosphere and Oceans, Paris, France, 14-17 Oct. 1985, [Dec. 1986] 87−22952 (introductory abstract)

Acoustic wave devices; IEE Colloquium on 'Physics and Device Applications of Acoustic Waves' (Digest No.69), London, UK, 22 May 1987, *(IEE)* [London, UK: IEE 1987] 87−51758 (introductory abstract), 87−53846, 87−53866 to 53873, 87−54142 to 54143

Acoustical imaging; Acoustical Imaging. Vol.13. Proceedings of the Thirteenth International Symposium, Minneapolis, MN, USA, 26-28 Oct. 1983, *(IEEE) Kaveh, M. Mueller, R.K. Greenleaf, J.F. (editor/s),* [New York, NY, USA: Plenum 1984] 86−7389 (introductory abstract), 86−10455 to 10457, 86−10547 to 10549, 86−11967 to 11973, 86−12162, 86−12188, 86−12205 to 12213, 86−12219 to 12223, 86−12228 to 12231

Acoustical Society of America meeting; 111th Meeting of the Acoustical Society of America (papers in summary form only received), Cleveland, OH, USA, 12-16 May 1986, [Spring 1986] 86−45899 (introductory abstract)

Acoustical Society of America meeting; 113th Meeting of the Acoustical Society of America (papers in summary form only received), Indianapolis, IN, USA, 11-15 May 1987, [Spring 1987] 87−51698 (introductory abstract)

Acoustical Society of America meeting; 114th Meeting of the Acoustical Society of America (papers in summary form only received), Miami, FL, USA, 16-20 Nov. 1987, [Fall 1987] 88−11554 (introductory abstract)

Acoustical Society of America meeting; 115th Meeting of the Acoustical Society of America (papers in summary form only received), Seattle, WA, USA, 16-20 May 1988, [Spring 1988] 88−43549 (introductory abstract)

Acoustics; Midwest Acoustics Conference MAC 84, Chicago, IL, USA, 5 May 1984, [July-Aug. 1984] 85−11 (introductory abstract), 85−3795 to 3796, 85−3811, 85−3929

Acoustics, speech and signal processing; ICASSP 85. Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing (Cat. No. 85CH2118-8), Tampa, FL, USA, 26-29 March 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−13285 (introductory abstract), 86−7615, 86−7682, 86−8389 to 8392, 86−10092, 86−10185, 86−10237 to 10238, 86−10294 to 10317, 86−10400 to 10449, 86−10500 to 10529, 86−10695, 86−11249, 86−11339 to 11341, 86−11368, 86−11393 to 11394, 86−11966, 86−12040, 86−13608, 86−13614, 86−13682, 86−13686, 86−13717 to 13723, 86−14173 to 14174, 86−14277 to 14290, 86−14324 to 14326, 86−14333, 86−14389 to 14420, 86−15238, 86−16055, 86−16106 to 16107, 86−16148 to 16150, 86−16179 to 16280, 86−16363 to 16479, 86−16549 to 16575, 86−17061 to 17065, 86−17101 to 17102, 86−17271 to 17272, 86−17431 to 17435, 86−17481, 86−17522, 86−17687, 86−17723, 86−17896 to 17897, 86−18325, 86−18585 to 18586, 86−18629

Acoustics, speech and signal processing; ICASSP 86 Proceedings. IEEE-IECEJ-ASJ International Conference on Acoustics, Speech and Signal Processing (Cat. No.86CH2243-4), Tokyo, Japan, 7-11 April 1986, *(IEEE; Inst. Electron. & Commun. Eng. Japan; Acoust. Soc. Japan)* [New York, NY, USA: IEEE 1986] 87−16271 (introductory abstract), 87−16452 to 16453, 87−16455, 87−16466, 87−16523, 87−16533, 87−16767, 87−16954, 87−16972 to 16973, 87−17019, 87−17131 to 17150, 87−17181, 87−17196, 87−17258 to 17267, 87−17282 to 17283, 87−17478, 87−18525, 87−19117, 87−19218, 87−19370 to 19373, 87−19405 to 19407, 87−19439 to 19625, 87−19732 to 19831, 87−19919 to 19966, 87−20101 to 20106, 87−20156, 87−20293 to 20295, 87−20316, 87−20343, 87−20365, 87−20426, 87−20636, 87−20706 to 20711, 87−20772 to 20778, 87−20801 to 20805, 87−20814 to 20820, 87−21292, 87−21527, 87−21574, 87−21627, 87−21667 to 21668, 87−23559 to 23560, 87−23872, 87−24002 to 24003, 87−24092, 87−24250 to 24252, 87−24283, 87−24365 to 24368, 87−24383, 87−26935 to 26936, 87−27058 to 27067, 87−27131, 87−27207, 87−27257 to 27349, 87−27421 to 27531, 87−27632 to 27658, 87−27701 to 27702, 87−27824 to 27825, 87−28240 to 28243, 87−28657 to 28662, 87−28685 to 28689, 87−28698 to 28703, 87−28705, 87−28717 to 28719, 87−28795, 87−29021 to 29023, 87−29140, 87−29374, 87−29707 to 29709, 87−29751 to 29758, 87−29779 to 29784, 87−29920, 87−29974

Acoustics, speech and signal processing; Proceedings: ICASSP 87. 1987 International Conference on Acoustics, Speech, and Signal Processing (Cat. No.87CH2396-0), Dallas, TX, USA, 6-9 April 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87−58530 (introductory abstract), 87−58672, 87−58771, 87−58863 to 58864, 87−58898 to 58905, 87−59041, 87−59104, 87−59342 to 59343, 87−59469, 87−59561 to 59575, 87−59695, 87−59752 to 59786, 87−60574 to 60578, 87−60776, 87−61410, 87−61468, 87−61527, 87−61551 to 61552, 87−61568 to 61569, 87−61589 to 61598, 87−61624 to 61784, 87−61918 to 62132, 87−62231 to 62300, 87−62502, 87−62546 to 62547, 87−62717 to 62726, 87−62750 to 62751, 87−62906, 87−63028 to 63030, 87−63042 to 63045, 87−63073 to 63080, 87−63150 to 63152, 87−63182, 87−63759 to 63762, 87−63793, 87−63846, 87−63921 to 63926, 87−64000, 87−64011, 87−64014, 87−64385, 87−64898

Acoustics, speech and signal processing; ICASSP 88: 1988 International Conference on Acoustics, Speech, and Signal Processing (Cat. No.88CH2561-9), New York, NY, USA, 11-14 April 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88−69997 (introductory abstract), 88−63136 to 63141, 88−63274, 88−63427, 88−63720 to 63722, 88−63762, 88−63815 to 63818, 88−66265 to 66266, 88−66317 to 66319, 88−66338 to 66430, 88−66520 to 66601, 88−66698 to 66758, 88−66799, 88−66892 to 66895, 88−67030, 88−67111, 88−67146 to 67147, 88−67165 to 67166, 88−67229, 88−67273 to 67274, 88−67453 to 67457, 88−67582 to 67584, 88−68394 to 68399, 88−70193 to 70195, 88−70198, 88−70204 to 70205, 88−70260, 88−70290 to 70301, 88−70679 to 70683, 88−70828 to 70830, 88−70888, 88−70925 to 70933, 88−71672 to 71673, 88−71777 to 71778, 88−72536, 88−72647 to 72648, 88−72704 to 72707, 88−72727 to 72728, 88−72762 to 72765, 88−72790 to 72862, 88−72968 to 73156, 88−73244 to 73281, 88−73732 to 73734, 88−73741 to 73742, 88−73795, 88−73801, 88−74002 to 74005, 88−74033, 88−74053 to 74058, 88−74078 to 74085, 88−74177 to 74179, 88−74217, 88−74323, 88−74832 to 74833, 88−74882 to 74885, 88−74910, 88−75003 to 75004, 88−75012

Acousto-, electro-, and magneto-optic devices; Acousto-Optic, Electro-Optic, and Magneto-Optic Devices and Applications, Los Angeles, CA, USA, 15-16 Jan. 1987, *(SPIE)* [1987] 88−37810 (introductory abstract), 88−39859, 88−39903, 88−40001, 88−40012 to 40015, 88−40019 to 40028, 88−40040, 88−40046, 88−40286, 88−40312, 88−41052, 88−42014

Acousto-optic techniques; IEE Colloquium on Acousto-Optic Techniques (Digest No.78), London, UK, 1 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85−27974 (introductory abstract), 85−29665 to 29671, 85−29884, 85−31104 to 31105

Acquisition, tracking and pointing; Acquisition, Tracking, and Pointing, Orlando, FL, USA, 3-4 April 1986, *(SPIE)* [1987] 88−24324 (introductory abstract)

Acquisition, tracking and pointing; Acquisition, Tracking and Pointing II, Los Angeles, CA, USA, 14-15 Jan. 1988, *(SPIE)* [1988] 88−55794 (introductory abstract), 88−60119, 88−60173, 88−60281, 88−60915, 88−61493 to 61494, 88−61527, 88−61535 to 61536, 88−61593 to 61595

Ada applications and environments; IEEE Computer Society 1984 Conference on Ada Applications and Environments (Cat. No. 84CH2083-4), St. Paul, MN, USA, 15-18 Oct. 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−30668

Adaptive filters; IEE Colloquium on 'Adaptive Filters' (Digest No.76), London, UK, 10 Oct. 1985, *(IEE)* [London, UK: IEE 1985] 86−7404 (introductory abstract), 86−8395, 86−10239, 86−10324 to 10325, 86−10464 to 10465, 86−10683, 86−10867, 86−10883, 86−12012

Adaptive man-machine interfaces; IEE Colloquium on 'Adaptive Man-Machine Interfaces' (Digest No.110), London, UK, 4 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87−20151 to 20152

Adaptive optics; Adaptive Optics, Arlington, VA, USA, 10-11 April 1985, *(SPIE)* [1985] 86−45906 (introductory abstract), 86−48208, 86−48220, 86−48237, 86−48411, 86−48514, 86−49014 to 49016, 86−50235 to 50237

Adaptive processing and biomedical applications; IEE Colloquium on Adaptive Processing and Biomedical Applications (Digest No. 81), London, UK, 24 Oct.

1984, *(IEE)* [London, UK: IEE 1984] 85—16582 (introductory abstract), 85—17612, 85—19412 to 19413, 85—20930 to 20933, 85—20968

Adaptive radar processing; IEE Tutorial Seminar on 'Adaptive Radar Processing', London, UK, 22-23 Oct. 1987, *(IEE)* [London, UK: IEE 1987] 88—11611 (introductory abstract), 88—14476, 88—14542 to 14543, 88—15518 to 15519, 88—15609

Adaptive systems in control and signal processing; Adaptive Systems in Control and Signal Processing 1983. Proceedings of the IFAC Workshop, San Francisco, CA, USA, 20-22 June 1983, *(IFAC; American Autom. Control Council; CNRS) Landau, I.D. Tomizuka, M. Auslander, D.M. (editor/s),* [Oxford, UK: Pergamon 1984] 85—19318, 85—19483 to 19487, 85—21597

Adaptive systems in control and signal processing; Adaptive Systems in Control and Signal Processing 1986. Proceedings of the 2nd IFAC Workshop, Lund, Sweden, 1-3 July 1986, *(IFAC) Astrom, K.J. Wittenmark, B. (editor/s),* [Oxford, UK: Pergamon 1987] 88—8793 to 8795, 88—10614, 88—10640

ADCs for radar, sonar and communications; IEE Colloquium on 'Systems Aspects and Applications of ADCs for Radar, Sonar and Communications' (Digest No.92), London, UK, 3 Nov. 1987, *(IEE)* [London, UK: IEE 1987] 88—11614 (introductory abstract), 88—12463 to 12469, 88—15681

Advanced control techniques; Advanced Control Techniques Move from Theory to Practice. Techniques that have Made it. Proceedings of the Twelfth Annual Advanced Control Conference, West Lafayette, IN, USA, 15-17 Sept. 1986, *(Purdue Univ.; Control Eng) Morris, H.M. Kompass, E.J. Williams, T.J. (editor/s),* [Barrington, IL, USA: Control Engineering 1986, $30.00] 87—35708, 87—35809

Advanced gas-cooled reactor control; IEE Colloquium on Advanced Gas-Cooled Reactor Control (Digest No.71), London, UK, 23 April 1985, *(IEE)* [London, UK: IEE 1985] 85—44409 (introductory abstract), 85—48770 to 48772, 85—48818 to 48820

Advanced manufacture, UK research; UK Research in Advanced Manufacture, London, UK, 10-11 Dec. 1986, *(IMechE; Sci. Eng. Res. Council; IEE; Instn. Prod. Eng)* [London, UK: Mech. Eng. Publications 1986] 88—5928

Advanced manufacturing; BRA-10 - New Frontiers in Manufacturing. Proceedings of the 10th Annual British Robot Association Conference, Birmingham, UK, 12-14 May 1987, *(British Robot Assoc.; Assoc. Robotique Ind. Athena; Assoc. Francaise Robotique; et al) Teale, D.C. (editor/s),* [Kempston, UK: British Robot Assoc. May 1987] 88—49571, 88—50529 to 50530

Advanced materials technology; 32nd International SAMPE Symposium and Exhibition. Vol.32. Advanced Materials Technology '87, Anaheim, CA, USA, 6-9 April 1987, *Carson, R. Burg, M. Kjoller, K.J. Riel, F.J. (editor/s),* [Covina, CA, USA: Soc. Adv. Mater. & Process Eng. 1987, $60.00] 87—72712 (introductory abstract)

Advanced neutron sources; ICANS-VII. Proceedings of the Seventh Meeting of the International Collaboration on Advanced Neutron Sources (AECL-8488), Chalk River, Ont., Canada, 13-16 Sept. 1983, *Schriber, S.O. (editor/s),* [Chalk River, Ont., Canada: AECL 1984] 86—72 (introductory abstract), 86—5661 to 5664, 86—5712 to 5717, 86—5747 to 5775

Advanced steady-state neutron facility; Advanced Steady-State Neutron Facility. Proceedings of the Workshop, Gaithersburg, MD, USA, 16-18 Dec. 1985, *(USDOE; NBS)* [15 Aug. 1986] 86—70258 to 70260

Advanced technology systems; Optical System Design, Analysis, and Production for Advanced Technology Systems, Innsbruck, Austria, 15-17 April 1986, *(SPIE)* [1986] 88—24320 (introductory abstract), 87—61003, 87—68569 to 68570, 87—68658, 88—25845, 88—26404, 88—26888, 88—26929, 88—27066, 88—29395 to 29403, 88—29450 to 29451, 88—29668, 88—29691, 88—30079, 88—30166, 88—30184

Aerodynamics; Second National Conference on Aerodynamics, Bangalore, India, 19-20 Dec. 1986, *(Aeronaut. Soc India; Indian Space Res. Organ.; et al)* [Nov.-Dec. 1986] 88—69968 (introductory abstract), 88—74912, 88—75017

Aeronautical acoustics; 9eme Colloque d'Acoustique Aeronautique AAAF-GALF. 'Rayonnement, Propagation, Couplage Fluide-Structure' (9th AAAF-GALF Aeronautical Acoustic Colloquium. 'Radiation, Propagation, Connecting Fluid Structure'), Compiegne, France, 14-16 Nov. 1984, [1985] 85—62171, 85—64073, 85—64663

Aerospace and electronics; Proceedings of the IEEE 1984 National Aerospace and Electronics Conference. NAECON 1984 (IEEE Cat. No. 84CH2029-7), Dayton, OH, USA, 21-25 May 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—5647 (introductory abstract), 85—5700 to 5701, 85—5722 to 5724, 85—5743, 85—5754 to 5755, 85—5778 to 5779, 85—5801 to 5802, 85—5820, 85—6204, 85—6374 to 6377, 85—6411, 85—6451, 85—6583, 85—7106, 85—7120, 85—7165, 85—7298, 85—7677, 85—7792, 85—7822 to 7823, 85—7905 to 7907, 85—7943 to 7946, 85—7980, 85—8233, 85—8334 to 8336, 85—8457 to 8460, 85—8475 to 8482, 85—8494 to 8495, 85—8711, 85—8778 to 8779, 85—8841, 85—8914, 85—9176, 85—9245 to 9246, 85—9263, 85—9267 to 9282, 85—9298 to 9349, 85—9351 to 9354, 85—9922

Aerospace and electronics; Proceedings of the IEEE 1985 National Aerospace and Electronics Conference NAECON 1985 (Cat. No. 85CH2189-9), Dayton, OH, USA, 20-24 May 1985, *(IEEE; Aerosp. Electron. Syst. Soc)* [New York, NY, USA: IEEE 1985] 86—7390 (introductory abstract), 86—7424, 86—7462 to 7463, 86—7996, 86—8349, 86—8394, 86—10191, 86—10248 to 10250, 86—10321, 86—10458 to 10462, 86—10550 to 10551, 86—10818 to 10819, 86—11042, 86—11135 to 11140, 86—11176, 86—11320, 86—11332, 86—11342 to 11343, 86—11445, 86—11490, 86—11588 to 11589, 86—11662 to 11663, 86—12009 to 12011, 86—12017, 86—12042 to 12043, 86—12062, 86—12070 to 12081, 86—12088 to 12108, 86—12118 to 12119, 86—12126, 86—12848, 86—12943 to 12944, 86—13355, 86—13408 to 13409, 86—13464, 86—13473, 86—13483, 86—13590, 86—15240, 86—16066, 86—17055, 86—17214, 86—17355 to 17356, 86—17418, 86—17483, 86—18048, 86—18132, 86—18410, 86—18483

Aerospace and electronics; Proceedings of the IEEE 1986 National Aerospace and Electronics Conference, NAECON 1986 (Cat. No.86CH2307-7), Dayton, OH, USA, 19-23 May 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86—66547 (introductory abstract), 86—66564 to 66567, 86—66592, 86—66609 to 66610, 86—66625, 86—66644 to 66645, 86—67066, 86—67137, 86—67212 to 67213, 86—67263 to 67267, 86—67968, 86—68804, 86—68867, 86—68993 to 68994, 86—69031 to 69032, 86—69095 to 69098, 86—69192 to 69194, 86—69590, 86—69740 to 69743, 86—69790 to 69791, 86—69829 to 69837, 86—69841 to 69842, 86—69862 to 69863, 86—70017, 86—70055 to 70057, 86—70092, 86—70409 to 70411, 86—70426, 86—70436 to 70437, 86—70444 to 70453, 86—70457 to 70510, 86—70512, 86—70940

Aerospace and electronics; IEEE 1987 National Aerospace and Electronics Conference: NAECON 1987 (Cat. No.87CH2450-5), Dayton, OH, USA, 18-22 May 1987, *(IEEE; Aerosp. & Electron. Syst. Soc)* [New York, NY, USA: IEEE 1987] 87—72887 (introductory abstract), 87—73324 to 73326, 87—73436 to 73438, 87—73456, 87—73493, 87—73513 to 73514, 87—73524, 87—73545, 87—75569 to 75570, 87—75655, 87—75676, 87—75845, 87—76381 to 76386, 87—76814 to 76815, 87—76834, 87—76867 to 76869, 87—76899 to 76900, 87—77075, 87—77155, 87—77183, 87—77702, 87—77743 to 77746, 87—77755 to 77778, 87—77792 to 77797, 87—78803, 88—48, 88—115 to 117, 88—265 to 266, 88—761, 88—1027, 88—1078, 88—1673, 88—2646 to 2647, 88—2947, 88—3004 to 3005, 88—3081 to 3082, 88—3222, 88—3817 to 3818, 88—3888, 88—3954 to 3956, 88—4057, 88—4114, 88—4309 to 4310, 88—4569, 88—4666, 88—4982, 88—5032 to 5033, 88—5049 to 5056, 88—5066 to 5085, 88—5091 to 5093

Aerospace and electronics; Proceedings of the IEEE 1988 National Aerospace and Electronics Conference: NAECON 1988 (Cat. No.88CH2596-5), Dayton, OH, USA, 23-27 May 1988, *(IEEE; Aerosp. & Electron. Syst. Soc)* [New York, NY, USA: IEEE 1988] 88—62900 (introductory abstract), 88—62944 to 62950, 88—62974 to 62976, 88—63107, 88—63687 to 63688, 88—63733, 88—64153, 88—64726 to 64727, 88—65273, 88—65951, 88—66093, 88—66277, 88—66321, 88—66602 to 66605, 88—66771, 88—67071, 88—67234, 88—67330 to 67333, 88—67438, 88—67458 to 67463, 88—67483 to 67484, 88—67501, 88—67693, 88—67883, 88—68073, 88—68335, 88—68440 to 68442, 88—68512 to 68513, 88—68515 to 68516, 88—68522 to 68530, 88—68547 to 68587, 88—68602, 88—68670 to 68671, 88—68675 to 68682, 88—68684 to 68685, 88—68687 to 68703, 88—70156, 88—70185, 88—71172, 88—71247, 88—72599, 88—74931 to 74933, 88—75014 to 75016, 88—75634

Aerospace applications; 1987 IEEE Aerospace Applications Conference Digest (Cat. No.87TH0160-2), Vail, CO, USA, 8-13 Feb. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87—58552 (introductory abstract), 87—59427, 87—59688, 87—60823, 87—61469, 87—61817, 87—62576, 87—62827, 87—62923, 87—63062 to 63063, 87—63096, 87—63876, 87—63884 to 63886

Aerospace century; Aerospace Century XXI. Proceedings of the 33rd Annual AAS International Conference, Boulder, CO, USA, 26-29 Oct. 1986, *Morgenthaler, G.W. May, G.L. (editor/s),* [San Diego, CA, USA: Univelt 1987] 88—70028 (introductory abstract)

Aerospace environment at high altitude; Aerospace Environment at High Altitudes and Its Implications for Spacecraft Charging and Communications (AGARD-CP-406), The Hague, Netherlands, 2-6 June 1986, [Neuilly sur Seine, France: AGARD May 1987] 88—31307 (introductory abstract)

Aerospace simulation; Aerospace Simulation II. Proceedings of the Conference, San Diego, CA, USA, 23-25 Jan. 1986, *Ung, M. (editor/s),* [San Diego, CA, USA: SCS 1986] 86—45930 (introductory abstract), 86—48962, 86—50690 to 50691, 86—50694 to 50702

Aerospace simulation; Aerospace Simulation III. Proceedings of the SCS Multiconference on Aerospace Simulation III, San Diego, CA, USA, 3-5 Feb. 1988, *Ung, M. (editor/s),* [San Diego, CA, USA: SCS 1987, $40.00] 88—62906 (introductory abstract), 88—63030, 88—63240, 88—68531 to 68538, 88—68704 to 68715

Aerospace testing; Proceedings of the 9th Aerospace Testing Seminar, Los Angeles, CA, USA, 15-17 Oct. 1985, *(Inst. Environ. Sci.; Aerosp. Corp)* [Mount Prospect, IL, USA: Inst. Environ. Sci. 1985] 86—57097 (introductory abstract), 86—59156, 86—60244 to 60245, 86—60859 to 60865, 86—60879 to 60892, 86—60899, 86—60911 to 60914, 86—60920

AFIPS national computer conference; AFIPS Conference Proceedings: 1985 National Computer Conference, Chicago, IL, USA, 15-18 July 1985, *(AFIPS; ACM; Data Process. Manage. Assoc.; IEEE; SCS) Wojcik, A.S. (editor/s),* [Reston, VA, USA: AFIPS Press 1985] 86—26737, 86—27312, 86—27366 to 27368, 86—28413, 86—37665, 86—37677 to 37678

AFIPS national computer conference; AFIPS Conference Proceedings. Vol.56: 1987 National Computer Conference, Chicago, IL, USA, 15-18 June 1987, *(AFIPS; ACM; IEEE; SCS; Data Process. Manage. Assoc)* [Reston, VA, USA: AFIPS Press 1987] 88—12431, 88—14985, 88—15123 to 15131, 88—15212 to 15214, 88—15380, 88—16730

Africa, technological and educational infrastructure; AFRICON '87. IEEE Region 8 International Workshop Proceedings: Future Development of Technological and Educational Infrastructure in Africa (Cat. No.87TH0217-0), Abidjan, Ivory Coast, 30 Nov.-2 Dec. 1987, *Ruchardt, H. (editor/s),* [New York, NY, USA: IEEE 1987] 88—62901 (introductory abstract), 88—62951 to 62965, 88—62977 to 62978, 88—63132, 88—66830 to 66835, 88—66881, 88—67135, 88—67235, 88—67279 to 67280, 88—68759, 88—68839 to 68840, 88—69088, 88—69097, 88—69706

A.I.C.A. '86; A.I.C.A. 86 Annual Conference Proceedings, Palermo, Italy, 24-26 Sept. 1986, [Palermo, Italy: Assoc. Italiana Inf. & Calcolo Autom. 1986] 87—23006 (introductory abstract), 87—24566, 87—28197, 87—32154, 87—32190, 87—32656 to 32657, 87—32731, 87—33443, 87—34018, 87—34077, 87—34199 to 34200, 87—34299, 87—34884, 87—35596 to 35597

Air traffic control; Effective Conduct of Individual Flights and Air Traffic or Optimum Utilization of Modern Technology (Guidance, Control, Navigation, Communication, Surveillance and Processing Facilities) for the Overall Benefit of Civil and Military Airspace Users (AGARD-CP-410), Brussels, Belgium, 10-13 June 1986, *Benoit, A. (editor/s),* [Neuilly sur Seine, France: AGARD Dec. 1986] 87—51746 (introductory abstract), 87—56031, 87—56105, 87—56255 to 56257, 87—56303 to 56304, 87—57268, 87—57286 to 57288, 87—57304, 87—57311 to 57319

Air warfare and ground strike operations; Advanced Computer Aids in the Planning and Execution of Air Warfare and Ground Strike Operations (AGARD-CP-404), Kongsberg, Norway, 12-16 May 1986, [Neuilly sur Seine, France: AGARD Feb. 1987] 87—55246, 87—57293

Air warfare, impact of electronic technology; Potential Impact of Developments in Electronic Technology on the Future Conduct of Air Warfare. Vol.3 (AGARD-AR-232), The Hague, Netherlands, 21-25 Oct. 1985, [Neuilly sur Seine, France: AGARD Dec. 1986, D870-87003-e] 87—43800 (introductory abstract)

Airborne and spaceborne lasers; Airborne and Spaceborne Lasers for Terrestrial Geophysical Sensing, Los Angeles, CA, USA, 14-15 Jan. 1988, *(SPIE)* [1988] 88—69975 (introductory abstract)

Airborne reconnaissance; Airborne Reconnaissance VII, San Diego, CA, USA, 23-24 Aug. 1983, *(SPIE)* [1983] 85—3 (introductory abstract), 85—2112, 85—3498 to 3499, 85—3727, 85—3878 to 3886, 85—3920 to 3921, 85—4404 to 4406, 85—4425

Airborne reconnaissance; Airborne Reconnaissance VIII, San Diego, CA, USA, 21-22 Aug. 1984, *(SPIE)* [1984] 85—60639 (introductory abstract)

Airborne reconnaissance; Airborne Reconnaissance IX, San Diego, CA, USA, 20-21 Aug. 1985, *(SPIE)* [1985] 87—10012 (introductory abstract), 87—10067, 87—12262, 87—12320, 87—13141 to 13142, 87—13568, 87—13775, 87—14190, 87—14966, 87—14997 to 15008, 87—15022, 87—15041

Airborne reconnaissance; Airborne Reconnaissance X, San Diego, CA, USA, 19-20 Aug. 1986, *(SPIE)* [1987] 87—65042 (introductory abstract)

Airborne reconnaissance; Airborne Reconnaissance XI, San Diego, CA, USA, 17-18 Aug. 1987, *(SPIE)* [1988] 88—43568 (introductory abstract), 88—45710, 88—46263, 88—47210, 88—47230, 88—47263, 88—47437, 88—47531, 88—47588 to 47591, 88—48262, 88—48277 to 48278, 88—48308, 88—48390, 88—48410, 88—48412, 88—48416

Airborne waste management and air cleaning; Proceedings of the 18th DOE Nuclear Airborne Waste Management and Air Cleaning Conference (CONF-840806), Baltimore, MD, USA, 12-16 Aug. 1984, *(USDOE; Harvard Air*

Cleaning Lab) First, M.W. (editor/s), [Cambridge, MA, USA: Harvard Air Cleaning Lab. 1985] 86−19023 to 19027

Airborne weapon systems; Information Management and Decision Making in Advanced Airborne Weapon Systems (AGARD-CP-414), Toronto, Ont., Canada, 15-18 April 1986, [Neuilly sur Seine, France: AGARD Feb. 1987] 87−65091 (introductory abstract), 87−57261, 87−57290 to 57292, 87−69037, 87−69080 to 69086, 87−69756, 87−71248

Aircraft design and operation; Computer Applications in Aircraft Design and Operation, Paris, France, June 1987, *(Comput. Mech. Inst) Murthy, T.K.S. Fielding, J.P. (editor/s),* [Southampton, UK: Comput. Mech. Publications 1987, $68.00] 87−77818, 87−77823

ALARA, principles, practice, consequences; ALARA: Principles, Practice and Consequences. Proceedings of the Symposium on 'ALARA' - Quantitative Optimization Techniques for Radiation Protection in the Nuclear Industry, London, UK, 18 Sept. 1986, *Lakey, J.R.A. Lewins, J.D. (editor/s),* [Bristol, UK: Adam Hilger 1987, £16.00] 87−57850

Algebraic algorithms and ECCs; Algebraic Algorithms and Error-Correcting Codes. 3rd International Conference, AAECC-3. Proceedings, Grenoble, France, 15-19 July 1985, *Calmet, J. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986] 87−65082 (introductory abstract), 87−65282 to 65287, 87−65292, 87−65366, 87−68990 to 69006

Algorithm theory; Theory of Algorithms, Pecs, Hungary, 16-21 July 1984, *Lovasz, L. Szemeredi, E. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $66.75] 87−6855

Algorithms and architectures for signal processing; Advanced Algorithms and Architectures for Signal Processing II, San Diego, CA, USA, 18-19 Aug. 1987, *(SPIE)* [1987] 88−37819 (introductory abstract), 88−38121, 88−38476 to 38477, 88−40911 to 40934, 88−41056, 88−41719 to 41720, 88−41756

All-fibre devices; IEE Colloquium on 'All-Fibre Devices' (Digest No.90), London, UK, 3 June 1988, *(IEE)* [London, UK: IEE 1988] 88−62904 (introductory abstract), 88−65274 to 65285, 88−65400, 88−67176

Alloys, oxides and expanders for lead batteries; Improvements in Alloys, Oxides and Expanders for Lead Batteries. International Meeting of Battery Technologists and Lead Industry Representatives, Meriden, Warwicks., UK, April 1984, [London, UK: Lead Dev. Assoc. 1984] 85−22087 (introductory abstract), 85−27620 to 27622

Alternative energy sources; Proceedings of Condensed Papers 7th Miami International Conference on Alternative Energy Sources, Miami Beach, FL, USA, 9-11 Dec. 1985, *Nejat Veziroglu, T. (editor/s),* [Coral Gables, FL, USA: Clean Energy Res. Inst. 1985, $85.00] 87−36321 (introductory abstract)

Alternative energy systems; Alternative Energy Systems. Electrical Integration and Utilisation. Proceedings of the Conference, Coventry, UK, 10-12 Sept. 1984, *(Sea Energy Associates; City of Coventry Leisure Services Dept) West, M. White, P. Duckers, L. Loughridge, B. Lockett, P. Peatfield, T. (editor/s),* [Oxford, UK: Pergamon 1984, $48.00] 85−10338 (introductory abstract), 85−15709 to 15710, 85−15911, 85−15918 to 15927, 85−15929, 85−15944 to 15945, 85−15967 to 15968, 85−16030, 85−16043, 85−16131, 85−16180, 85−16278

Alvey conference report; Alvey Conference. Conference Report, Brighton, Sussex, UK, 1-4 July 1986, *Owen, K. (editor/s),* [London, UK: Alvey Directorate 1986] 87−16299 (introductory abstract)

Alvey IKBS research theme, expert systems; Alvey IKBS Research Theme: Expert Systems. Deep Knowledge. Workshop No.2, Cambridge, UK, 15-17 April 1986, *(Alvey)* [London, UK: Alvey Directorate 1986] 87−24614

Alvey programme, image processing; IEE Colloquium on 'Image Processing Activities within the Alvey Programme' (Digest No.16), London, UK, 27 Jan. 1987, *(IEE; Alvey Directorate)* [London, UK: IEE 1987] 87−31867

Alvey vision; 1985 Alvey Computer Vision and Image Interpretation Meeting, Brighton, UK, Sept. 1985, [Nov. 1985] 86−45898 (introductory abstract), 86−48985 to 48989, 86−50524

Alvey vision conference; Second Alvey Vision Conference, Bristol, UK, Sept. 1986, [May 1987] 87−58508 (introductory abstract)

Ambulatory long term or personal monitoring; IEE Coloquium on 'Ambulatory Long Term or 'Personal' Monitoring' (Digest No.73), London, UK, 10 July 1987, *(IEE)* [London, UK: IEE 1987] 88−60 (introductory abstract), 88−4983

American control conference; Proceedings of the 1984 American Control Conference (IEEE Cat. No. 84CH2024-8), San Diego, CA, USA, 6-8 June 1984, *(American Autom. Control Council)* [New York, NY, USA: IEEE 1984] 85−23 (introductory abstract), 85−267 to 268, 85−298 to 299, 85−317, 85−2862 to 2864, 85−3480 to 3483, 85−3495 to 3497, 85−3528, 85−3826, 85−3907, 85−4580 to 4581, 85−4708, 85−4794, 85−4904, 85−4952, 85−5523, 85−5775, 85−5884, 85−5900, 85−6618 to 6619, 85−7748, 85−7900 to 7904, 85−8087, 85−8453 to 8456, 85−8838, 85−9356, 85−9451 to 9454, 85−9464, 85−9757 to 9760, 85−9767, 85−9792, 85−9908, 85−10192, 85−10235, 85−10267, 85−15526 to 15527, 85−15594

American control conference; Proceedings of the 1985 American Control Conference (Cat. No. 85CH2119-6), Boston, MA, USA, 19-21 June 1985, *(IEEE; American Autom. Control Council)* [New York, NY, USA: IEEE 1985] 86−1298, 86−3405, 86−3738 to 3740, 86−4704 to 4711, 86−4739, 86−4758 to 4759, 86−6040, 86−6056, 86−6145, 86−6206 to 6207, 86−6278, 86−6499, 86−6548, 86−6580 to 6582, 86−6673, 86−6765, 86−7284 to 7285, 86−7306, 86−10450 to 10454, 86−11155, 86−12068, 86−12242, 86−12671

American Nuclear Society annual meeting; 1984 Annual Meeting of the American Nuclear Society, New Orleans, LA, USA, 3-7 June 1984, *(ANS)* [1984] 85−472, 85−1126, 85−4225 to 4227, 85−4759 to 4777, 85−4819 to 4838, 85−5015, 85−5514, 85−9659 to 9660

American Nuclear Society annual meeting; American Nuclear Society 1985 Annual Meeting (papers in summary form only), Boston, MA, USA, 9-14 June 1985, *(ANS)* [1985] 85−48702, 85−50658 to 50659, 85−50688, 85−50710 to 50716, 85−53402 to 53411, 85−53466 to 53497, 85−53915 to 53920

American Nuclear Society annual meeting; 1986 Annual Meeting of the American Nuclear Society (papers in summary form only received), Reno, NV, USA, 15-19 June 1986, *(ANS)* [1986] 86−56547, 86−56671 to 56674, 86−56681, 86−57242, 86−58313, 86−58722 to 58728, 86−59112, 86−60130 to 60131, 86−60641, 86−61231 to 61235, 86−61283 to 61296, 86−61751 to 61752, 86−65844 to 65853, 86−65882 to 65888

American Nuclear Society annual meeting; 1987 Annual Meeting of the American Nuclear Society (papers in summary form only received), Dallas, TX, USA, 7-11 June 1987, [1987] 87−53555, 87−53636 to 53639, 87−53687, 87−57041, 87−57295 to 57296, 87−57298, 87−57762 to 57796, 87−57834 to 57839, 87−57885 to 57888, 87−57931, 87−63861, 87−64270 to 64282, 87−64317 to 64318

American Nuclear Society annual meeting; 1988 Annual Meeting of the American Nuclear Society (papers in summary form only received), San Diego, CA, USA, 12-16 June 1988, [1988] 88−49349 (introductory abstract), 88−51383, 88−55031, 88−57588, 88−57661, 88−57686, 88−57764 to 57765, 88−57893, 88−58366, 88−61062 to 61063, 88−61162 to 61163, 88−61318 to 61319, 88−61423, 88−61487 to 61488, 88−61580 to 61583, 88−61668 to 61669, 88−62056 to 62091, 88−62122 to 62135, 88−64372 to 64373

American Nuclear Society winter meeting; American Nuclear Society 1985 Winter Meeting, San Francisco, CA, USA, 10-14 Nov. 1985, *(ANS)* [1985] 86−13607, 86−18726 to 18731, 86−19013 to 19015, 86−19801 to 19803, 86−25335 to 25337, 86−25458, 86−25708 to 25730, 86−25769 to 25827

American Nuclear Society winter meeting; 1986 Winter Meeting of the American Nuclear Society, Washington, DC, USA, 16-20 Nov. 1986, [1986] 87−16262 (introductory abstract), 87−21369 to 21370, 87−21444 to 21454, 87−22035 to 22051, 87−22075 to 22090, 87−22125, 87−28792, 87−28856, 87−29384, 87−29522, 87−29897, 87−30314 to 30320, 87−30337 to 30340, 87−31075, 87−35818

American Nuclear Society winter meeting; 1987 Winter Meeting of the American Nuclear Society (papers in summary form only received), Los Angeles, CA, USA, 15-19 Nov. 1987, [1987] 88−15949, 88−16652, 88−16859, 88−17324, 88−17361, 88−17400, 88−18208, 88−18808 to 18810, 88−22343, 88−22575, 88−22865, 88−22981, 88−23628 to 23659, 88−23676 to 23705

American Society for Quality Control; American Society for Quality Control 38th Annual Quality Congress Transactions, Chicago, IL, USA, 14-16 May 1984, [Milwaukee, WI, USA: American Soc. Quality Control 1984] 85−10543 (introductory abstract), 85−10544 to 10549, 85−14578

American Vacuum Society and Electrochemical Society joint conference; Joint Meeting of the Illinois Chapter of the American Vacuum Society and the Chicago Chapter of the Electrochemical Society, Chicago, IL, USA, 4 Oct. 1985, [1986] 86−66530 (introductory abstract), 86−66838

American Vacuum Society national symposium; Proceedings of the 31st National Symposium of the American Vacuum Society, Reno, NV, USA, 4-7 Dec. 1984, [1985] 85−54020 (introductory abstract), 85−54147, 85−54463 to 54467, 85−54506 to 54509, 85−54539, 85−55464, 85−55531 to 55533, 85−55559 to 55565, 85−55630, 85−55667 to 55668, 85−55716 to 55727, 85−55739 to 55740, 85−55763 to 55764, 85−56111, 85−56265, 85−56463, 85−58936 to 58937, 85−59106 to 59109, 85−60759, 85−60772 to 60773, 85−60964, 85−61010, 85−61433, 85−61762, 85−61861 to 61862, 85−61870 to 61871, 85−64121 to 64123, 85−64329 to 64331, 85−64389 to 64390

American Vacuum Society national symposium; Proceedings of the 32nd National Symposium of the American Vacuum Society, Houston, TX, USA, 19-22 Nov. 1985, [May-June 1986] 86−62228 to 62231, 86−62247 to 62258, 86−62989, 86−63045, 86−63050, 86−63082 to 63083, 86−63100 to 63105, 86−63129 to 63130, 86−63151, 86−63166 to 63167, 86−63192 to 63196, 86−63209 to 63212, 86−63322, 86−63374 to 63376, 86−63448 to 63449, 86−63481, 86−63560 to 63563, 86−65175 to 65178, 86−66334 to 66335, 86−66824, 86−66848, 86−67611, 86−67631, 86−67662, 86−67748, 86−67804 to 67805, 86−67925, 86−67981, 86−70114, 86−70257, 86−70285, 86−70443

American Vacuum Society national symposium; 34th National Symposium of the American Vacuum Society, Anaheim, CA, USA, 2-6 Nov. 1987, [May-June 1988] 88−63317 to 63318, 88−63364 to 63365, 88−64169, 88−64228, 88−64321 to 64323, 88−64356, 88−64408 to 64415, 88−64441 to 64442, 88−64667 to 64668, 88−64872, 88−67793, 88−69690, 88−70318, 88−70351 to 70354, 88−71267 to 71268, 88−71298, 88−71349, 88−71360 to 71361, 88−71379, 88−71415 to 71421, 88−71938, 88−72438, 88−74353 to 74354, 88−74657, 88−74789

Amorphous and liquid semiconductors; Proceedings of the 11th International Conference on Amorphous and Liquid Semiconductors, Rome, Italy, 2-6 Sept. 1985, *(IUPAP)* [11 Dec. 1985] 86−26474 (introductory abstract), 86−26888 to 26890, 86−27840 to 27841, 86−27893 to 27945, 86−27981 to 27995, 86−28026, 86−28056 to 28058, 86−28145 to 28152, 86−28204, 86−28246, 86−28267 to 28272, 86−28341 to 28344, 86−28774, 86−28825, 86−28953 to 28960, 86−28973 to 28974, 86−28998, 86−29012, 86−33661 to 33670, 86−34368 to 34380, 86−35289, 86−41554 to 41555, 86−41580, 86−41825 to 41827, 86−42435, 86−44316, 86−44360

Amorphous and liquid semiconductors; Twelfth International Conference on Amorphous and Liquid Semiconductors, Prague, Czechoslovakia, 24-28 Aug. 1987, *(IUPAP; Czechoslovak Acad. Sci.; Inst. Chem. Technol.; et al)* [11 Dec. 1987] 88−24312 (introductory abstract), 88−19995, 88−24767 to 24783, 88−24829, 88−25584, 88−25903 to 25911, 88−25933 to 25938, 88−26040 to 26042, 88−26180, 88−26231, 88−26295 to 26301, 88−26350, 88−26745, 88−26941 to 26955, 88−26963, 88−26990, 88−29444 to 29445, 88−31008 to 31013

Amorphous metals and nonequilibrium processing; Amorphous Metals and Non-Equilibrium Processing, Strasbourg, France, 5-8 June 1984, *(Council Eur.; Eur. Phys. Soc.; Agence Francaise pour la Maitrise de l'Energie; CNRS; et al) Von Allmen, M. (editor/s),* [Les Ulis, France: Editions de Phys. 1984] 86−35432, 86−40793

Amorphous metals and semiconductors; International Conference on Metallic and Semiconducting Glasses (MSG-86), Hyderabad, India, 16-20 Dec. 1986, *(Dept. Sci. & Technol, India; Univ. Grants Comm., India; CSIR, India; et al)* [1987] 87−73823, 87−74028 to 74034, 87−74187, 87−74508, 87−74535, 87−77227, 87−78731

Amorphous semiconductors for microelectronics; Amorphous Semiconductors for Microelectronics, Los Angeles, CA, USA, 21-22 Jan. 1986, *(SPIE)* [1986] 87−16253 (introductory abstract), 87−17658, 87−17732, 87−17789, 87−18073, 87−18100, 87−18146, 87−18820 to 18823, 87−20943 to 20945, 87−21050, 87−21165 to 21166, 87−21203

Amorphous silicon; Amorphous Silicon Semiconductors - Pure and Hydrogenated. Symposium, Anaheim, CA, USA, 21-25 April 1987, *(Mater. Res. Soc.) Madan, A. Thompson, M. Adler, D. Hamakawa, Y. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88−43591 (introductory abstract), 88−43945, 88−44540, 88−44554 to 44558, 88−44644 to 44645, 88−44732, 88−44741, 88−44748, 88−44768 to 44777, 88−45284 to 45287, 88−45310 to 45314, 88−47534, 88−48824, 88−49150 to 49157, 88−56308 to 56313

Amorphous silicon alloy materials and devices; Stability of Amorphous Silicon Alloy Materials and Devices, Palo Alto, CA, USA, 28-30 Jan. 1987, *(Solar Energy Res. Inst.; USDOE; AIP; et al)* [1987] 87−72656 (introductory abstract), 87−74025 to 74026, 87−74907 to 74910, 87−78900 to 78911, 88−1387 to 1390, 88−2089, 88−5839 to 5851

Amorphous silicon technology; Materials Issues in Applications of Amorphous Silicon Technology, San Francisco, CA, USA, 15-17 April 1985, *(Mater. Res. Soc) Adler, D. Madan, A. Thompson, M.J. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1985] 86−33937 (introductory abstract), 86−34393 to 34396, 86−35309, 86−35359 to 35372, 86−35421 to 35424, 86−35433 to 35434, 86−35468, 86−35565 to 35566, 86−35627, 86−35650, 86−35663, 86−35724 to 35730, 86−36309 to 36315, 86−36346 to 36349, 86−38457, 86−40167 to 40168

Amplifiers; IEE Colloquium on 'Amplifiers' (Digest No.94), London, UK, 3 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87−5153 (introductory abstract), 87−5693 to 5696, 87−5964, 87−6926, 87−8337, 87−8483

Analog optical processing and computing; Analog Optical Processing and Computing, Cambridge, MA, USA, 25-26 Oct. 1984, *(SPIE)* [1985] 86−13263 (introductory abstract), 86−15522, 86−15529, 86−15538 to 15541, 86−15545, 86−15791, 86−15813, 86−16530 to 16536, 86−18321

Analogical and inductive inference; Analogical and Inductive Inference. International Workshop AII '86 Proceedings, Wendisch-Rietz, East Germany, 6-10 Oct. 1986, *Jantke, K.P. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987, DM36.00] 88−34733

Analogue IC design; IEE Colloquium on 'Analogue IC Design' (Digest No.94), London, UK, 5 Nov. 1987, *(IEEE; IERE)* [London, UK: IEE 1987] 88−11617 (introductory abstract), 88−12144, 88−12176, 88−12221, 88−12238 to 12239, 88−12478, 88−12510 to 12512, 88−12620, 88−13555, 88−13593

Analysis and optimization of systems; Analysis and Optimization of Systems. Proceedings of the Seventh International Conference, Antibes, France, 25-27 June 1986, *(AFCET; IEEE; IFAC; INSERM; SEE; IIASA) Bensoussan, A. Lions, J.L. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986] 86−62063, 86−62779, 86−64310, 86−64397

Anatomy of space; Anatomy of Space-'86. IEEE EASCON 86: 19th Annual Electronics and Aerospace Systems Conference (Cat. No.86CH2311-9), Washington, DC, USA, 8-10 Sept. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−22996 (introductory abstract), 87−27091, 87−28169, 87−28520 to 28531, 87−28692, 87−28706, 87−29846 to 29847, 87−29863 to 29886, 87−29942, 87−29967

Aneutronic power; International Symposium on the Feasibility of Aneutronic Power: Review of Searches for Nonradioactive Nonproliferating Nuclear Energy, Princeton, NJ, USA, 10-11 Sept. 1987, *(Living Phys. Educ. Forum)* [1 Aug. 1988] 88−74693 to 74694, 88−74943, 88−75269 to 75270

Antenna bandwidth extension techniques; IEE Colloquium on 'Antenna Bandwidth Extension Techniques' (Digest No. 87), London, UK, 28 Oct. 1985, *(IEE)* [London, UK: IEE 1985] 86−7408 (introductory abstract), 86−8447, 86−10192 to 10195, 86−10215 to 10216

Antenna measurements; IEE Colloquium on New Developments and Techniques in Antenna Measurements (Digest No. 9), London, UK, 29 Jan. 1985, *(IEE)* [London, UK: IEE 1985] 85−22094 (introductory abstract), 85−24939 to 24946, 85−24989 to 24990

Antennas; JINA '86: Journees Internationales de Nice sur les Antennes (JINA '86: Intenational Conference at Nice on Antennas), Nice, France, 4-6 Nov. 1986, *(IEEE)* [Cap d'Ail, France: CNET 1986] 88−31287 (introductory abstract), 88−34213, 88−34281 to 34289, 88−34398 to 34405, 88−34440 to 34473, 88−34495 to 34500, 88−34514 to 34519, 88−36467, 88−40573, 88−40648, 88−40701 to 40707, 88−40743 to 40751, 88−41749, 88−41757, 88−41775, 88−43688 to 43689, 88−44330, 88−45746, 88−45758, 88−45775 to 45776, 88−48129, 88−48226 to 48227

Antennas; Antennen (Antennas), Wurzburg, West Germany, 24-27 March 1987, [1987] 87−51701 (introductory abstract), 87−54660 to 54676, 87−54704, 87−54738 to 54739, 87−54761 to 54764, 87−56241, 87−56299, 87−56308, 87−61445, 87−61461 to 61466, 87−61485 to 61498, 87−61519 to 61521, 87−63751

Antennas and propagation; South African Institute of Electrical Engineers Symposium on Antennas and Propagation, Johannesburg, South Africa, 16-18 May 1983, [Johannesburg, South Africa: South African Inst. Electr. Eng. 1983] 85−39427 (introductory abstract), 85−41576, 85−41615 to 41616, 85−41685, 85−41709, 85−41744 to 41749, 85−41780 to 41781, 85−42453, 85−42467 to 42470, 85−42495, 85−42666, 85−46569, 85−46632 to 46636, 85−46645, 85−46652 to 46653, 85−47431, 85−47555, 85−47582

Antennas and propagation; 1984 International Symposium Digest. Antennas and Propagation (Catalog No. 84CH2043-8), Boston, MA, USA, 25-29 June 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85−10335 (introductory abstract), 85−11519 to 11531, 85−12626, 85−13029 to 13034, 85−13062, 85−13083 to 13107, 85−13130, 85−13142, 85−13173, 85−13192 to 13195, 85−13226 to 13273, 85−13291 to 13314, 85−13335 to 13358, 85−13383 to 13411, 85−13423 to 13433, 85−13580, 85−14204 to 14205, 85−14344 to 14353, 85−14369, 85−14958, 85−15424, 85−15940 to 15943, 85−19079, 85−19117, 85−19135 to 19143, 85−19234 to 19240, 85−19273 to 19277, 85−20028, 85−20257, 85−33149, 85−35983, 85−36012, 85−36089 to 36090, 86−22647, 86−22674, 86−22799 to 22802, 86−22830 to 22831, 86−22857

Antennas and propagation; Fourth International Conference on Antennas and Propagation (ICAP 85) (Proceedings No.248), Coventry, UK, 16-19 April 1985, [London, UK: IEE 1985] 85−39440 (introductory abstract), 85−39549, 85−40219, 85−41592 to 41593, 85−41617 to 41638, 85−41653 to 41654, 85−41686, 85−41697 to 41698, 85−41710 to 41732, 85−41750 to 41764, 85−41782 to 41802, 85−41809 to 41811, 85−41936 to 41937, 85−42473, 85−42499 to 42502, 85−42555 to 42564, 85−42640 to 42641, 85−42657 to 42658, 85−42677 to 42678, 85−42692 to 42694, 85−42713 to 42716, 85−43320, 85−43455

Antennas and propagation; AP-S International Symposium 1985: Antennas and Propagation. Symposium Digest (Cat. No.85CH2128-7), Vancouver, BC, Canada, 17-21 June 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−40382 (introductory abstract), 86−41280 to 41282, 86−42396, 86−42659, 86−42719 to 42721, 86−42820 to 42840, 86−42855, 86−42869, 86−42878, 86−42910 to 42912, 86−42930 to 42976, 86−42981 to 42985, 86−43005 to 43048, 86−43067 to 43086, 86−43093 to 43100, 86−43707, 86−43888, 86−44372, 86−44398, 86−48479, 86−48568 to 48571, 86−48590 to 48593, 86−48655 to 48661, 86−48666 to 48672, 86−48697 to 48705, 86−48710 to 48711, 86−49717 to 49718, 86−49732, 86−50750

Antennas and propagation; ISAP Japan 1985. Proceedings of the 1985 International Symposium on Antennas and Propagation, Japan - A Step to New Radio Frontiers, Kyoto, Japan, 20-22 Aug. 1985, [Tokyo, Japan: Inst. Electron. Commun. Eng. Japan 1985] 86−61850 (introductory abstract), 86−62801, 86−62818, 86−63904 to 63906, 86−63917, 86−63960 to 63976, 86−63997 to 64006, 86−64043, 86−64067 to 64078, 86−64084 to 64089, 86−64100 to 64104, 86−64125 to 64142, 86−64144 to 64149, 86−64950 to 64955, 86−67477 to 67478, 86−68286, 86−68614, 86−68674, 86−68714 to 68736, 86−68754 to 68783, 86−68786 to 68787, 86−68802 to 68803, 86−68824 to 68826, 86−68844 to 68866, 86−68886 to 68909, 86−68918 to 68940, 86−69588, 86−69600 to 69610, 86−69690 to 69700, 86−69733 to 69739, 86−69806 to 69811, 86−69819 to 69827, 86−69860 to 69861, 86−69867 to 69875, 86−69900, 86−70185, 86−70210, 86−70519, 86−70534

Antennas and propagation; AP-S International Symposium 1986. 1986 International Symposium Digest Antennas and Propagation (Cat. No.86CH2325-9), Philadelphia, PA, USA, 8-13 June 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−22994 (introductory abstract), 87−19130, 87−19287 to 19302, 87−19307 to 19308, 87−19316, 87−19328 to 19338, 87−19346 to 19347, 87−19835, 87−20476, 87−20637 to 20638, 87−24408, 87−26607, 87−26630, 87−26744 to 26756, 87−26783 to 26789, 87−26868, 87−26894, 87−26914, 87−26937 to 26957, 87−26966 to 26993, 87−27011 to 27046, 87−27068 to 27090, 87−27097 to 27112, 87−27532 to 27534, 87−28393, 87−28500 to 28502, 87−28621, 87−28663 to 28670, 87−28690, 87−28720 to 28721, 87−29257, 87−29272 to 29273, 87−29921, 87−33415 to 33418, 87−33493, 87−33506 to 33512, 87−33525 to 33532, 87−33551 to 33557, 87−33564 to 33570, 87−34650, 87−35479

Antennas and propagation; AP-S International Symposium 1987. 1987 International Symposium Digest: Antennas and Propagation (Cat. No. CH2435-6), Blacksburg, VA, USA, 15-19 June 1987, [New York, NY, USA: IEEE 1987] 88−34 (introductory abstract), 88−82 to 88, 88−927 to 931, 88−960 to 965, 88−1017 to 1018, 88−1061, 88−1413, 88−2014, 88−2402 to 2403, 88−2448 to 2453, 88−2472, 88−2517 to 2550, 88−2576 to 2585, 88−2592, 88−2665 to 2668, 88−2678 to 2695, 88−2711 to 2742, 88−2750 to 2800, 88−2821 to 2885, 88−2889 to 2905, 88−3068 to 3071, 88−3213, 88−3941 to 3943, 88−4047, 88−4079 to 4083, 88−4104, 88−4133 to 4134, 88−4144, 88−4573, 88−4586, 88−4591, 88−4609 to 4610, 88−4921, 88−5065

Antennas and propagation; Fifth International Conference on Antennas and Propagation (ICAP 87) (Conf. Publ. No.274), York, UK, 30 March-2 April 1987, [London, UK: IEE 1987] 87−43815 (introductory abstract), 87−45170 to 45171, 87−45205 to 45208, 87−47151 to 47164, 87−47187 to 47225, 87−47274 to 47275, 87−47293 to 47308, 87−47316 to 47327, 87−47353 to 47381, 87−47406 to 47425, 87−47433 to 47439, 87−48891, 87−48917 to 48920, 87−49014 to 49015, 87−49153, 87−49209 to 49210, 87−49215 to 49216, 87−49907, 87−50561, 87−50578, 87−54448, 87−54543 to 54545, 87−54558 to 54584, 87−54586, 87−54619 to 54620, 87−54683 to 54684, 87−54717 to 54722, 87−54747 to 54755, 87−54766 to 54768, 87−56222, 87−56258 to 56261, 87−56305 to 56306, 87−56816, 87−56854, 87−56922 to 56924

Antennas, electronically scanned; IEE Colloquium on 'Electronically Scanned Antennas' (Digest No.13), London, UK, 21 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88−31320 (introductory abstract), 88−32466 to 32468, 88−34414, 88−34503 to 34508

Antennas for mobile satellite ground stations; IEE Colloquium on 'Antennas for Mobile Satellite Ground Stations' (Digest No.62), London, UK, 14 May 1987, *(IEE)* [London, UK: IEE 1987] 87−51755 (introductory abstract), 87−54685, 87−54723 to 54728, 87−54756, 87−54769

Antennas, mechanical technology; Second ESA Workshop on Mechanical Technology for Antennas (ESA SP-261), Noordwijk, Netherlands, 20-22 May 1986, *Rolfe, E.J. (editor/s),* [Noordwijk, Netherlands: ESTEC 1986] 87−10038 (introductory abstract), 87−12810 to 128[illegible], 87−12821 to 12830, 87−12844 to 12845, 87−12851 to 12862, 87−13658, 87−14989

Antiproton interactions; Antiproton 1984. Proceedings of the VII European Symposium on Antiproton Interactions, Durham, UK, 9-13 July 1984, *Pennington, M.R. (editor/s),* [Bristol, UK: Adam Hilger 1985] 85−37831

Antiprotons for colliding beam facilities; CERN Accelerator School on Antiprotons for Colliding Beam Facilities. Proceedings (CERN 84-15), Geneva, Switzerland, 11-21 Oct. 1983, *Bryant, P. Newman, S. (editor/s),* [Geneva, Switzerland: CERN 1984] 85−37849 (introductory abstract), 85−37832 to 37837, 85−37850 to 37859, 85−37893 to 37895

APL; APL 86: APL in Action. Conference Proceedings and Tutorials, Manchester, UK, 7-11 July 1986, [1986] 86−70638

APL in transition; APL87 Dallas: APL in Transition, Dallas, TX, USA, 10-14 May 1987, *(ACM)* [1987] 88−15048

Applied algebra, algorithmics and ECCs; Applied Algebra, Algorithmics and Error-Correcting Codes. 2nd International Conference, AAECC-2 Proceedings, Toulouse, France, 1-5 Oct. 1984, *Poli, A. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986, DM40.50] 87−65081 (introductory abstract), 87−65277 to 65281, 87−65364 to 65365, 87−68945, 87−68978 to 68989, 87−69724

Applied control, filtering and signal processing; Applied Control, Filtering and Signal Processing. Proceedings of the IASTED International Symposium, Geneva, Switzerland, 15-18 June 1987, *(IASTED) Hamza, M.H. (editor/s),* [Anaheim, CA, USA: ACTA Press 1987, $85.00] 88−43588 (introductory abstract), 88−38575 to 38576, 88−38641, 88−39705, 88−40989 to 40991, 88−41110 to 41111, 88−43217, 88−43431, 88−44157, 88−44306 to 44311, 88−45704 to 45705, 88−45869 to 45870, 88−45956, 88−46007 to 46009, 88−46132 to 46139, 88−46304 to 46314, 88−46462, 88−47200, 88−47352, 88−48088, 88−48247, 88−48402, 88−48512

Applied geodesy for particle accelerators; CAS CERN Accelerator School: Applied Geodesy for Particle Accelerators (CERN-87-01), Geneva, Switzerland, 14-18 April 1986, *Turner, S.,(editor/s),* [Geneva, Switzerland: CERN 9 Feb. 1987] 87−41150 (introductory abstract), 87−41151 to 41157, 87−41722 to 41728, 87−42226 to 42228

Applied informatics; Proceedings of the IASTED Symposium: Applied Informatics, AI '86, Innsbruck, Austria, 18-20 Feb. 1986, *Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1986] 87−31155 (introductory abstract), 87−31863, 87−32743, 87−33646, 87−34885, 87−35023, 87−35698, 87−36041

Applied informatics; Proceedings of the IASTED International Symposium Applied Informatics - AI '87, Grindelwald, Switzerland, 17-19 Feb. 1987, *Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1987] 88−11875, 88−12133, 88−12167, 88−12356, 88−12445, 88−12528, 88−13548, 88−14970, 88−15153 to 15156, 88−16038, 88−17641

Applied materials characterisation; Applied Materials Characterization, San Francisco, CA, USA, 15-18 April 1985, *Katz, W. Williams, P. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1985] 87−6381, 87−6399, 87−6539, 87−6614, 87−11438 to 11440, 87−11486, 87−11578, 87−11628, 87−11680, 87−11733

Applied power electronics; APEC IEEE Applied Power Electronics Conference and Exposition. Conference Proceedings 1986 (Cat. No. 86CH2312-7), New Orleans, LA, USA, 28 April-1 May 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86−61853 (introductory abstract), 86−61920, 86−61938, 86−62379 to 62381, 86−62447 to 62449, 86−62663, 86−62871, 86−63248, 86−63343 to 63344, 86−65191, 86−65696, 86−66146, 86−66186 to 66201

Applied power electronics; APEC '87: Second Annual IEEE Applied Power Electronics Conference and Exposition. Conference Proceedings 1987 (Cat. No.87CH2402-6), San Diego, CA, USA, 2-6 March 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87−43795 (introductory abstract), 87−44492, 87−44562 to 44583, 87−45350, 87−45909, 87−50631, 87−51110, 87−51232, 87−51330, 87−51377 to 51379

Applied power electronics; APEC '88: Third Annual IEEE Applied Power Electronics Conference and Exposition. Conference Proceedings 1988 (Cat. No.88CH2504-9), New Orleans, LA, USA, 1-5 Feb. 1988, *(IEEE)* [New

York, NY, USA: IEEE 1988] 88−49366 (introductory abstract), 88−50022 to 50026, 88−50449 to 50450, 88−50861 to 50863, 88−52176 to 52177, 88−54719, 88−54869, 88−55301, 88−55360, 88−55389, 88−55494 to 55514, 88−55664, 88−55697 to 55698

Applied simulation and modelling; Proceedings of the IASTED International Symposium: Applied Simulation and Modelling - ASM '85, Montreal, Que., Canada, 3-5 June 1985, *Koval, D. Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1985] 87−31153 (introductory abstract), 87−23459, 87−23873, 87−24149 to 24151, 87−26794, 87−28206, 87−29112, 87−30018, 87−30104, 87−30138, 87−30179 to 30181, 87−30431, 87−30750, 87−31002, 87−31031, 87−31100, 87−32504, 87−33462, 87−35546, 87−36206, 87−36267

Applied superconductivity; 1986 Applied Superconductivity Conference, Baltimore, MD, USA, 28 Sept.-3 Oct. 1986, *(IEEE; Appl. Superconductivity Conference)* [March 1987] 87−72658 (introductory abstract), 87−65822, 87−66027 to 66034, 87−66175 to 66176, 87−66469, 87−66528 to 66530, 87−66983, 87−67028, 87−67268, 87−67814 to 67838, 87−67843 to 67844, 87−67848 to 67895, 87−67928 to 67979, 87−67990 to 68000, 87−68311, 87−70644, 87−70928 to 70940, 87−70961, 87−71094, 87−71700, 87−71735, 87−72074, 87−72090, 87−72458 to 72463, 87−73127, 87−73179, 87−74537 to 74540, 87−74548 to 74560, 87−74563, 87−74568 to 74596, 87−74612 to 74630, 87−74644, 87−77203, 87−77347, 87−77476, 87−77530 to 77531, 87−77571, 87−77632 to 77634, 87−77832, 87−78640, 87−78967 to 78968

Applied surface analysis; Proceedings of the Sixth Symposium on Applied Surface Analysis, Dayton, OH, USA, 6-8 June 1984, [April 1985] 85−55350 to 55351, 85−56079

Applied surface analysis; Proceedings of the Seventh Symposium on Applied Surface Analysis, College Park, MD, USA, 15-17 May 1985, [May 1986] 86−58501, 86−58673, 86−61753

Aquaculture automation and DP; Automation and Data Processing in Aquaculture. Proceedings of the IFAC Symposium, Trondheim, Norway, 18-21 Aug. 1986, *(IFAC; Eur. Aquaculture Soc) Balchen, J.G. (editor/s),* [Oxford, UK: Pergamon 1987] 87−57114 to 57115

Architectures and algorithms for controllers; IEE Colloquium on 'Novel Architectures and Algorithms for Controllers' (Digest No.18), London, UK, 2 Feb. 1987, *(IEE)* [London, UK: IEE 1987] 87−37385, 87−42821

Architectures and algorithms for digital image processing; Architectures and Algorithms for Digital Image Processing II, Los Angeles, CA, USA, 24-25 Jan. 1985, *(SPIE)* [1985] 86−26477 (introductory abstract), 86−29276, 86−30017 to 30029, 86−31010, 86−32596 to 32597

Architectures and algorithms for digital image processing; Architectures and Algorithms for Digital Image Processing, Cannes, France, 5-6 Dec. 1985, *(SPIE)* [1986] 87−17004 to 17005, 87−17255, 87−18231, 87−18322, 87−19906 to 19910, 87−20996, 87−21793

Architectures for spatially distributed data; Computer Architectures for Spatially Distributed Data. Proceedings of the NATO Advanced Study Institute, Cetraro, Italy, 6-17 June 1983, *(NATO) Freeman, H. Pieroni, G.G. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 87−73426 to 73427, 87−74395, 87−75761

Array 1987; Proceedings of the 1987 Array Conference, Montreal, Que., Canada, 26-29 April 1987, [Portland, OR, USA: Array Users Group 1987, $35.00] 88−1787, 88−2648

Artificial intellegence and advanced computer technology; Proceedings of the Second Annual Artificial Intelligence and Advanced Computer Technology Conference, Long Beach, CA, USA, 29 April-1 May 1986, [Wheaton, IL, USA: Tower Conference Manage. 1986] 88−67145, 88−70092, 88−70155, 88−70825, 88−74917

Artificial intelligence; Applications of Artificial Intelligence II, Arlington, VA, USA, 9-11 April 1985, [1985] 86−637, 86−5919, 86−6147

Artificial intelligence; Proceedings AAAI-86: Fifth National Conference on Artificial Intelligence, Philadelphia, PA, USA, 11-15 Aug. 1986, *(American Assoc. Artificial Intelligence; Univ. Pennsylvania)* [Menlo Park, CA, USA: American Assoc. Artificial Intelligence 1986] 87−36889 to 36892, 87−38059 to 38060, 87−38437, 87−40587

Artificial intelligence; ECAI '86. 7th European Conference on Artificial Intelligence. Proceedings, Brighton, UK, 21-25 July 1986, [London, UK: Conference Services 1986] 87−19971 to 19972

Artificial intelligence; CIIAM 86. Proceedings of the 2nd International Conference on Artifical Intelligence, Marseilles, France, 1-5 Dec. 1986, [Paris, France: Editions Hermes 1986] 88−37835 (introductory abstract), 88−40873 to 40876, 88−42195, 88−42751

Artificial intelligence; Proceedings of the Australian Joint Artificial Intelligence Conference - AI '87, Sydney, NSW, Australia, 2-4 Nov. 1987, *(Fujitsu) Gero, J. Sudweeks, F. (editor/s),* [Sydney, NSW, Australia: Univ. Sydney 1987] 88−44022

Artificial intelligence; GWAI-87: 11th German Workshop on Artificial Intelligence. Proceedings, Geseke, West Germany, 28 Sept.-2 Oct. 1987, *Morik, K. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987, DM59.00] 88−31954, 88−34734, 88−41112 to 41113

Artificial intelligence and advanced computer technology; Proceedings of the Third Annual Artificial Intelligence and Advanced Computer Technology Conference, Long Beach, CA, USA, 22-24 April 1987, [Wheaton, IL, USA: Tower Conference Manage. 1987, $75.00] 88−9017, 88−9078, 88−9191 to 9192, 88−9793, 88−9888, 88−10483

Artificial intelligence and advanced computer technoloy; Artificial Intelligence and Advanced Computer Technology Conference/Exhibition. 2nd Presentation. Conference Proceedings, Rhein-Main-Halle, Wiesbaden, West Germany, 23-25 Sept. 1986, [Liphook, UK: TCM Expositions 1986] 87−6225

Artificial intelligence and expert systems; 1st International Symposium on Artificial Intelligence and Expert Systems, Berlin, West Germany, 18-22 May 1987, [Berlin, West Germany: AMK Berlin 1987] 87−75955

Artificial intelligence and information-control systems of robots; Artificial Intelligence and Information-Control Systems of Robots-87. Proceedings of the Fourth International Conference, Smolenice, Czechoslovakia, 19-23 Oct. 1987, *Plander, I. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, Dfl.170.00] 88−21110, 88−21363, 88−23666, 88−24157, 88−24935, 88−25654

Artificial intelligence and robot information-control systems; Artificial Intelligence and Information-Control Systems of Robots. Proceedings of the Third International Conference, Smolenice, Czechoslovakia, 11-15 June 1984, *(Acad. Sci. USSR; Slovak Acad. Sci) Plander, I. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $57.75] 85−7056

Artificial intelligence and robotics; Artificial Intelligence and Robotics (AGARD-LS-142), Trondheim, Norway, 26-27 Sept. 1985, *(AGARD)* [Neuilly sur Seine, France: AGARD Sept. 1985] 86−34026, 86−38286

Artificial intelligence and robotics; Proceedings of the Second International Conference on Artificial Intelligence and Robotics. AIRCON 2, Arlington, VA, USA, 10-11 June 1985, *(IIT Res. Inst.; IFS; Robotic Ind. Assoc.; SME)* [Chicago, IL, USA: IIT Res. Inst. 1985] 86−52243

Artificial intelligence and simulation; Artificial Intelligence and Simulation: The Diversity of Applications. Proceedings of the SCS Multiconference on Artificial Intelligence and Simulation: The Diversity of Applications, San Diego, CA, USA, 3-5 Feb. 1988, *Henson, T. (editor/s),* [San Diego, CA, USA: SCS 1988, $28.00] 88−71190, 88−75128

Artificial intelligence and simulation; AI Papers, 1988. Proceedings of the Conference on AI and Simulation, Orlando, FL, USA, 18-21 April 1988, *Uttamsingh, R.J. (editor/s),* [San Diego, CA, USA: SCS 1988, $40.00] 88−70033 (introductory abstract), 88−74922, 88−74934 to 74935

Artificial intelligence applications; First Conference on Artificial Intelligence Applications (Cat. No. 84CH2107-1), Denver, CO, USA, 5-7 Dec. 1984, *(IEEE; American Assoc. Artificial Intelligence)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−39547 to 39548, 85−39881, 85−42914, 85−43389

Artificial intelligence applications; Applications of Artificial Intelligence IV, Innsbruck, Austria, 15-16 April 1986, *(SPIE)* [1986] 87−12916, 87−13140, 87−21805

Artificial intelligence applications; Proceedings of the Third Conference on Artificial Intelligence Applications (Cat. No.87CH2408-3), Kissimmee, FL, USA, 23-27 Feb. 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−44044, 87−44487 to 44489, 87−45450, 87−48451

Artificial intelligence, applications; Applications of Artificial Intelligence III, Orlando, FL, USA, 1-3 April 1986, *(SPIE)* [1986] 87−10129, 87−11922 to 11923, 87−13121 to 13138, 87−13774, 87−14103 to 14104

Artificial intelligence applications; Proceedings of the Fourth Conference on Artificial Intelligence Applications (Cat. No. 88CH2552-8), San Diego, CA, USA, 14-18 March 1988, *(IEEE; American Assoc. Artificial Intelligence)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−49367 (introductory abstract), 88−50533 to 50534, 88−50973 to 50974, 88−53327, 88−53560, 88−54947, 88−55191, 88−55414

Artificial intelligence applications; Applications of Artificial Intelligence VI, Orlando, FL, USA, 4-6 April 1988, *(SPIE)* [1988] 88−63457, 88−63546, 88−66660 to 66673, 88−67017, 88−67447, 88−67479, 88−67899, 88−67968, 88−68654, 88−69111

Artificial intelligence applied to simulation; AI Applied to Simulation. Proceedings of the European Conference, Ghent, Belgium, 25-28 Feb. 1985, *(Belgium Nat. Sci. Res. Found; Minist. Educ.; Comm. Eur. Communities) Kerckhoffs, E.J.H. Vansteenkiste, G.C. Zeigler, B.P. (editor/s),* [San Diego, CA, USA: SCS 1986] 86−65659

Artificial intelligence in computer application; Proceedings of the Seventh Biennial Conference of the Canadian Society for Computational Studies of Intelligence, Edmonton, Alta., Canada, 6-10 June 1988, *Goebel, R. (editor/s),* [Toronto, Ont., Canada: Univ. Alberta Press 1988, $35.00] 88−72884, 88−73379 to 73381, 88−73496

Artificial intelligence in engineering; Artificial Intelligence in Engineering Symposium, Washington, DC, USA, 21-23 Oct. 1985, *(IEEE; Inst. Manage. Sci.; ORSA)* [March-April 1987] 87−58812, 87−62153, 87−64393

Artificial intelligence in planning for production control; IEE Colloquium on 'Artificial Intelligence in Planning for Production Control' (Digest No.85), London, UK, 20 May 1988, *(IEE)* [London, UK: IEE 1988] 88−49982

Artificial intelligence - inference; IEE Colloquium on 'Inference' (Digest No.37), London, UK, 14 March 1988, *(IEE)* [London, UK: IEE 1988] 88−37955, 88−40847

Artificial intelligence techniques application to sensor; IEE Colloquium on 'The Application of Artificial Intelligence Techniques to Sensor Systems' (Digest No.49), London, UK, 22 April 1987, *(IEE)* [London, UK: IEE 1987] 87−51749 (introductory abstract), 87−55245, 87−56264, 87−56288 to 56291, 87−56545, 87−57289

Asian-Pacific astronomy meeting; Third Asian-Pacific Regional Meeting of the International Astronomical Union, Kyoto, Japan, 30 Sept.-5 Oct. 1984, [Jan. 1986] 86−30917 to 30924, 86−37966 to 37967

ASIC design projects; IEE Colloquium on 'Managing ASIC Design Projects' (Digest No.57), London, UK, 19 April 1988, *(IEE)* [London, UK: IEE 1988] 88−49388 (introductory abstract), 88−49486, 88−50079 to 50082, 88−50986

ASICs impact on equipment design; IEE Colloquium on 'The Impact of ASICs on Equipment Design' (Digest No.08), London, UK, 14 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87−31161 (introductory abstract), 87−32673 to 32674, 87−36234

ASICs impact on equipment design; IEE Colloquium on 'The Impact of ASICs on Equipment Design' (Digest No.5), London, UK, 11 Jan. 1988, *(IEE)* [London, UK: IEE 1987] 88−24374 (introductory abstract), 88−24503, 88−26488 to 26489, 88−31173

ASME/IEEE joint railroad conference; IEEE Technical Papers Presented at the 1985 Joint ASME/IEEE Railroad Conference (Cat. No. 85CH2167-5), New York, NY, USA, 16-18 April 1985, *(IEEE; ASME)* [New York, NY, USA: IEEE 1985] 86−40 (introductory abstract), 86−7271 to 7276

Assembly automation; Proceedings of the 8th International Conference on Assembly Automation, Copenhagen, Denmark, 31 March-2 April 1987, *(IFS (Conferences); Tech. Univ. Denmark; Jutland Technol. Inst.; et al) Andreasen, M.M. (editor/s),* [Kempston, UK: IFS (Publications) March 1987] 87−43940 to 43943, 87−43965 to 43969, 87−43980, 87−45448 to 45449

Assembly automation; Developments in Assembly Automation - Japan vs Europe; Product Design for Assembly; Assembly Automation. Proceedings of the 9th International Conference, London, UK, 15-17 March 1988, *Pugh, A. (editor/s),* [Kempston, Bedford, UK: IFS Publications 1988, £59.00] 88−50531 to 50532, 88−55369, 88−57135, 88−57228, 88−61700

Assembly technology; Assembly Technology Expo '84. Conference Transcripts, Chicago, IL, USA, 16-18 Oct. 1984, [Des Plaines, IL, USA: Assembly Technol. Expo 1984] 85−39436 (introductory abstract)

Astrodynamics; Astrodynamics. Papers presented at the 35th Congress of the International Federation of Astronautics, Lausanne, Switzerland, 8-13 Oct. 1984, [Oct. 1985] 86−33896 (introductory abstract)

Astromag workshop; Proceedings of the Astromag Workshop (KEK 87-19), Tsukuba, Ibaraki, Japan, 9-10 July 1987, *Nishimura, J. Nakamura, K. Yamamoto, A. (editor/s),* [Tsukuba-gun, Ibaraki-ken, Japan: Nat. Lab. High Energy Phys. Oct. 1987] 88−11620 (introductory abstract)

Astronautics; 37th Congress of the International Astronautical Federation, Innsbruck, Austria, 4-11 Oct. 1986, [May 1988] 88−72651, 88−73849, 88−74086, 88−74907, 88−74936, 88−74949

Astronomical data networks; Second Meeting on Astronomical Data Networks, Strasbourg, France, 29-30 May 1986, [Nov. 1986] 87−40335 (introductory abstract), 87−40336

ATE; Automatic Testing Test and Measurement Conference. ATE '85 Conference Proceedings, Wiesbaden, West Germany, 19-21 March 1985, [Wunstorf, West Germany: Network GmbH 1985] 86−17787 (introductory abstract), 86−13455 to 13460, 86−13531, 86−14645, 86−14696, 86−17788 to 17803, 86−17850

ATE; ATE 1987 Conference Proceedings, London, UK, 28-29 April 1987, [Buckingham, UK: Network Events 1987, £35.00 per volume] 88−62892 (introductory abstract), 88—62973, 88—63028 to 63029, 88—63037, 88—63659 to 63660, 88—64068 to 64069, 88—64078, 88—64115 to 64116, 88—64119, 88—64134, 88—64722 to 64724, 88—67046, 88—67689 to 67692, 88—68674

ATE and instrumentation; Proceedings of ATE and Instrumentation East '87, Boston, MA, USA, 22-25 June 1987, *(Electron. Test Magazine; Circuits Manuf. Magazine)* [Boston, MA, USA: MG Expositions Group 1987] 88—56603 (introductory abstract), 88—55931 to 55934, 88—55964 to 55972, 88—56405 to 56406, 88—56604 to 56605, 88—56962, 88—57056 to 57059, 88—57136 to 57154, 88—57783 to 57791, 88—60591 to 60602, 88—60621, 88—60824, 88—61772

ATE and instrumentation; TEST 1988: ATE and Instrumentation Conference West Proceedings, Anaheim, CA, USA, 11-14 Jan. 1988, *(Electron. Test; Circuits Manuf.; EOS/ESD Technol)* [Boston, MA, USA: MG Expositions Group 1988] 88—70013 (introductory abstract), 88—70077, 88—70091, 88—70093, 88—70127 to 70131, 88—70146, 88—70742, 88—70775, 88—71171, 88—71239 to 71241, 88—71730 to 71734, 88—73737, 88—73751, 88—73768, 88—74280 to 74283, 88—74541

ATE East; Proceedings of ATE East, Boston, MA, USA, 10-13 June 1985, *(Electronics Test)* [Boston, MA, USA: Morgan-Grampian Expositions 1985] 86—34065 (introductory abstract), 86—34027 to 34030, 86—34483, 86—34660, 86—34748, 86—35187, 86—35192, 86—35216 to 35231, 86—35839 to 35841, 86—38249 to 38254, 86—38294, 86—38465

ATE northwest; Proceedings ATE NORTHWEST, San Mateo, CA, USA, 16-18 April 1985, *(Electron. Test)* [Boston, MA, USA: Morgan-Grampian Publishing 1985, $50.00] 86—2342 (introductory abstract), 86—169 to 173, 86—223, 86—1129, 86—1495, 86—1567 to 1574, 86—1592, 86—5022 to 5023

ATE West; Proceedings ATE West, Anaheim, CA, USA, 14-17 Jan. 1985, *(Electronics Test)* [New York, NY, USA: Morgan-Grampian Expositions Group 1985] 86—11443 (introductory abstract), 86—7514 to 7515, 86—7534, 86—8170, 86—8244 to 8245, 86—8295, 86—8578, 86—8636 to 8644, 86—9247 to 9249, 86—11444

Atmospheric electricity; Proceedings of the VIIth International Atmospheric Electricity Conference, Albany, NY, USA, June 1984, [30 June 1985] 85—59359, 85—59478 to 59480, 85—59717

Atmospheric spectroscopy; International Workshop on Atmospheric Spectroscopy, Didcot, UK, 19-21 July 1983, *(SERC; IOP; Int. Comm. Planetary Atmos. & their Evolution)* [Nov.-Dec. 1984] 85—38345 to 38346

Atmospheric studies by optical methods; Atmospheric Studies by Optical Methods, Cambridge, UK, Aug. 1986, [June 1987] 88—17 (introductory abstract)

Atomic and molecular collisions in a laser field; Atomic and Molecular Collisions in a Laser Field, Abbaye de Royaumont, France, 26-30 March 1984, [Jan. 1985] 85—35872

Atomic and molecular physics of ionised gases; ESCAMPIG 86. Eighth European Sectional Conference on the Atomic and Molecular Physics of Ionized Gases (papers in summary form only received), Greifswald, East Germany, 26-29 Aug. 1986, *(Euratom; VEB Kernkraftwerk 'Bruno Leuschner'; Rat der Stadt Greifswald) Bethke, A. (editor/s),* [Greifswald, East Germany: E.-M.-Arndt-Univ. Greifswald 1986] 87—12410 to 12411, 87—14399 to 14400

Atomic and molecular physics of ionized gases; ESCAMPIG 84. Seventh European Sectional Conference on the Atomic and Molecular Physics of Ionized Gases (papers in summary form only received), Bari, Italy, 28-31 Aug. 1984, [Petit-Lancy, Switzerland: Eur. Phys. Soc. 1984] 85—12202 to 12203, 85—12814 to 12815, 85—18880

Atomic collisions in solids; Atomic Collisions in Solids. Proceedings of the Eleventh International Conference, Washington, DC, USA, 4-9 Aug. 1985, *(NBS; Georgetown Univ.; Office Naval Res.; NSF; et al)* [1 March 1986] 86—40772, 86—41704, 86—44567

Atomic collisions in solids; Twelfth International Conference on Atomic Collisions in Solids, Okayama, Japan, 12-16 Oct. 1987, *(Japan Soc. Appl. Phys.; Okayama Univ. Sci.; et al)* [June 1988] 88—71478

Atomic masses and fundamental constants; Atomic Masses and Fundamental Constants. Proceedings of the 7th International Conference, Darmstadt-Seeheim, West Germany, 3-7 Sept. 1984, *Klepper, O. (editor/s),* [Darmstadt, West Germany: Tech. Hochschule Darmstadt 1984] 85—64383, 85—64509 to 64513

Atomic, molecular and solid-state theory and computational quantum chemistry; Proceedings of the International Symposium on Atomic, Molecular and Solid-State Theory and Computational Quantum Chemistry, Flagler Beach, FL, USA, 1-15 March 1984, *(USDOE; Office of Naval Res.; NSF; Indiana Univ.; Gould Corp.; Univ. Florida)* [1984] 85—35854

Atomic physics with positrons; Atomic Physics with Positrons. Proceedings of a NATO Advanced Research Workshop, London, UK, 15-18 July 1987, *Humbertston, J.W. Armour, E.A.G. (editor/s),* [New York, NY, USA: Plenum 1987, $89.50] 88—72513

Atomic spectroscopy and highly ionised atoms; Symposium on Atomic Spectroscopy and Highly Ionised Atoms, Lisle, IL, USA, 16-21 Aug. 1987, *(Nat. Res. Council)* [April 1988] 88—51738

AUSSAT; AUSSAT '86 - New Horizons. Conference Papers, Sydney, NSW, Australia, 5-6 Nov. 1986, [Sydney, NSW, Australia: AUSSAT 1987] 87—58540 (introductory abstract), 87—51788, 87—56088 to 56102, 87—56329 to 56330, 87—62909 to 62921, 87—63115 to 63118, 87—63153

Australian computer conference; ACC '84. Proceedings of the Australian Computer Conference, Sydney, NSW, Australia, 4-9 Nov. 1984, *(IBM Australia) Clarke, R. (editor/s),* [Sydney, NSW, Australia: Australian Comput. Soc. 1984] 85—45828, 85—47265

AutoCADCON; AutoCADCON Proceedings, Schaumburg, IL, USA, 20-21 Feb. 1986, [Schaumburg, IL, USA: Cadcon Corp. 1986] 86—58124, 86—58177

AUTOMACH Australia; AUTOMACH Australia '86 Conference Proceedings, Sydney, NSW, Australia, 26-29 May 1986, *(Soc. Manuf. Eng)* [Dearborn, MI, USA: Soc. Manuf. Eng. 1986] 87—16369, 87—17540 to 17541

Automata, languages and programming; Twelfth International Colloquium on Automata, Languages and Programming, Nafplion, Greece, 15-19 July 1985, [1987] 87—76108

Automata, languages and programming; Automata, Languages and Programming. 13th International Colloquium. Proceedings, Rennes, France, 15-19 July 1986, *(Eur. Assoc. Theor. Comput. Sci) Kott, L. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986] 86—66653, 86—66723 to 66727, 87—7670

Automata, languages and programming; Automata, Languages and Programming. 14th International Colloquium Proceedings, Karlsruhe, West Germany, 13-17 July 1987, *(Eur. Assoc. Theor. Comput.Sci) Ottmann, T. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987, DM72.00] 88—31648, 88—38087 to 38089, 88—38102, 88—40773

Automata, languages and programming; Automata, Languages and Programming. 15th International Colloquium Proceedings, Tampere, Finland, 11-15 July 1988, *(Eur. Assoc. Theor. Comput. Sci) Lepisto, T. Salomaa, A. (editor/s),* [Berlin, West Germany: Springer-Verlag 1988] 88—70237, 88—70774, 88—73420

Automated assembly; IEE Colloquium on 'Making Automated Assembly Work' (Digest No.67), London, UK, 21 May 1987, *(IEE)* [London, UK: IEE 1987] 87—60018 (introductory abstract), 87—60019, 87—62705

Automated deduction; 8th International Conference on Automated Deduction. Proceedings, Oxford, UK, 27 July-1 Aug. 1986, *Siekmann, J.H. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986, DM96.00] 87—65357

Automated design and engineering for electronics; Automated Design and Engineering for Electronics - East. Proceedings of the Technical Sessions, Boston, MA, USA, 15-17 Oct. 1985, [Des Plaines, IL, USA: Cahners Exposition Group 1985] 86—45933 (introductory abstract), 86—45972, 86—46023 to 46033, 86—46073 to 46074, 86—46497 to 46500, 86—46664 to 46665, 86—46776 to 46781, 86—46917, 86—46952, 86—47154 to 47155, 86—47219, 86—47751 to 47755, 86—47872, 86—49904, 86—49965

Automated design and engineering for electronics; Automated Design and Engineering for Electronics West. Proceedings of the Technical Sessions, San Francisco, CA, USA, 11-13 March 1986, [Des Plaines, IL, USA: Cahners Exposition Group 1986] 86—66551 (introductory abstract), 86—66626 to 66627, 86—66940 to 66964, 86—67138 to 67140, 86—67581, 86—67969, 86—70018

Automated design and engineering for electronics; Automated Design and Engineering for Electronics - East. Proceedings of the Technical Sessions, Boston, MA, USA, 30 Sept.-2 Oct. 1986, [Des Plaines, IL, USA: Cahners Exposition Group 1986, $65.00] 87—36332 (introductory abstract), 87—23859 to 23862, 87—24022 to 24023, 87—24143 to 24145, 87—24551, 87—24564 to 24565, 87—25505 to 25506, 87—36419 to 36420, 87—36920 to 36925, 87—37008, 87—37129, 87—37255 to 37256, 87—37428, 87—37680 to 37686, 87—37740 to 37741, 87—38224, 87—38484 to 38487, 87—38578, 87—40462 to 40465

Automated design and engineering for electronics; Automated Design and Engineering for Electronics - West. Proceedings of the Technical Sessions, Anaheim, CA, USA, 31 March-2 April 1987, [Des Plaines, IL, USA: Cahners Exposition Group 1987] 88—11597 (introductory abstract), 88—11685, 88—11699 to 11700, 88—11729 to 11732, 88—12164 to 12166, 88—12217, 88—12284 to 12286, 88—12347 to 12350, 88—12442 to 12443, 88—12508, 88—12744 to 12753, 88—12840, 88—13538 to 13546, 88—15960, 88—17640

Automated guided vehicle systems; Proceedings of the 4th International Conference on Automated Guided Vehicle Systems. AGVS-4, Chicago, IL, USA, 24-26 June 1986, *Hammond, G.C. (editor/s),* [Kempston, UK: IFS (Conferences) 1986, $85.00; £49.00] 87—5220 to 5221, 87—8127, 87—8336

Automated inspection and high speed vision architectures; Automated Inspection and High Speed Vision Architectures, Cambridge, MA, USA, 3-4 Nov. 1987, *(SPIE)* [1988] 88—55784 (introductory abstract), 88—49502, 88—50606, 88—52562, 88—53368, 88—53551, 88—53595, 88—53729 to 53730, 88—53871, 88—56349, 88—56684, 88—57755, 88—59263 to 59266, 88—60569 to 60572, 88—60766 to 60767, 88—62738

Automated inspection and measurement; Automated Inspection and Measurement, Cambridge, MA, USA, 28-30 Oct. 1986, *(SPIE)* [1987] 87—72672 (introductory abstract), 87—73861 to 73863, 87—73941, 87—74226, 87—74379, 87—77101, 87—77178 to 77179, 87—77410 to 77415

Automated inspection and product control; Proceedings of the 7th International Conference on Automated Inspection and Product Control, Birmingham, UK, 26-28 March 1985, *(IFS (Conferences); Quality Today Magazine; Gauge & Tool Makers Assoc.; et al) McKeown, P.A. (editor/s),* [Kempston, Bedford, UK: IFS (Publications) 1985] 85—44533 (introductory abstract), 85—44534 to 44537, 85—45328, 85—46966 to 46967, 85—47838, 85—47863, 85—47877, 85—47987, 85—48102, 85—48119

Automated inspection and production control; Automated Inspection and Product Control. Proceedings of the 8th International Conference: AIPC 8, Chicago, IL, USA, 23-25 June 1987, *(American Soc. Quality Control; Fraunhofer Inst. Production Autom.; Gauge & Toolmakers Assoc.; et al) McKee, K.E. (editor/s),* [Kempston, UK: IFS (Publications) June 1987] 87—72693 (introductory abstract), 87—72881 to 72882, 87—77151 to 77154, 88—219 to 220, 88—1179, 88—4444, 88—4639

Automated manufacturing; Automated Manufacturing. Proceedings of the 4th European Conference, Birmingham, UK, 12-14 May 1987, *(IFS (Conferences); British Robot Assoc.; Assoc. Robotique Ind. Athena; Australian Robot Assoc.; et al) Hundy, B.B. (editor/s),* [Kempston, UK: IFS (Publications) 1987, £59.00] 88—141, 88—222 to 223

Automated mapping facilities management; AM/FM International European Division Automated Mapping Facilities Management European Conference III. Proceedings, Montreux, Switzerland, 7-9 Oct. 1987, [Basel, Switzerland: AM/FM Int. 1987] 88—52750, 88—52774, 88—54944 to 54946

Automated materials handling; Proceedings of the 3rd International Conference on Automated Materials Handling, Birmingham, UK, 19-21 March 1986, *(IFS (Conferences)) Hollier, R.H. (editor/s),* [Kempston, UK: IFS (Publications) March 1986, £53.00 UK; $85.00 elsewhere] 86—55229, 86—56939 to 56940, 86—57002

Automated NDT; IEE Colloquium on 'Automated NDT' (Digest No.54), London, UK, 30 April 1987, *(IEE)* [London, UK: IEE 1987] 87—51759 (introductory abstract), 87—51891, 87—56513 to 56517, 87—57466 to 57468

Automated NDT data reduction; IEE Colloquium on 'Automated NDT Data Reduction' (Digest No.87), London, UK, 29 May 1986, *(IEE)* [London, UK: IEE 1986] 86—57115 (introductory abstract), 86—57515, 86—60187 to 60188, 86—60208

Automatic control; Automatic Control in Petroleum, Petrochemical and Desalination Industries. Proceedings of the IFAC Workshop, Kuwait, 6-8 Jan. 1986, *(IFAC) Kotob, S. (editor/s),* [Oxford, UK: Pergamon 1986] 87—29111, 87—30103, 87—31107

Automatic control; Memoria del VI Colloquio de Control Automatico (Proceedings of the VI Colloquium on Automatic Control), Mexico City, Mexico, 3-4 Sept. 1987, [Mexico City, Mexico: Centro Investigacion Estudios Avanzados-IPN 1987] 88—59562, 88—63553, 88—67686, 88—68833, 88—69167

Automatic identification and bar codes; AIM (UK) '85. Combined Conference and Exhibition on Automatic Identification, London, UK, 17-19 April 1985, *(AIM UK)* [Halifax, UK: AIM (UK) 1985] 86—14709

Automatic image processing; Computer Analysis of Images and Patterns. Proceedings of the II. International Conference CAIP '87 on Automatic Image Processing, Wismar, East Germany, 2-4 Sept. 1987, *Yaroslavskii, L.P. Rosenfeld, A. Wilhelmi, W. (editor/s),* [Berlin, East Germany: Akademie-Verlag Berlin 1987] 88—11601 (introductory abstract), 88—11881 to 11882, 88—14735 to 14736, 88—14831 to 14842

Automatic inspection and measurement; International Conference on Automatic Inspection and Measurement, San Diego, CA, USA, 20-21 Aug. 1985, *(SPIE; Sira)* [1985] 87—16257 (introductory abstract), 87—16415, 87—17529 to 17530, 87—18236, 87—18522 to 18523, 87—20856 to 20858, 87—20951, 87—20998 to 20999, 87—21051, 87—21249 to 21250, 87—22875

Automatic measurement and control in woodworking industry; Automatic Measurement and Control in Woodworking Industry (Lignoautomatica '86). Selected Papers from the IFAC Symposium, Bratislava, Czechoslovakia, 17-21 Nov. 1986, *(IFAC) Hruz, B. Cicel, M. (editor/s),* [Oxford, UK: Pergamon 1988] 88—34194 to 34196, 88—36082 to 36084

Automatic optical inspection; Automatic Optical Inspection, Innsbruck, Austria, 15-18 April 1986, *(SPIE; SIRA)* [1986] 87−43751 (introductory abstract), 87−43955, 87−44018 to 44019, 87−46541, 87−47009 to 47011, 87−47971, 87−49486 to 49489, 87−49547 to 49549, 87−49710, 87−49934 to 49942, 87−49957, 88−14305, 88−14326, 88−14354, 88−15833 to 15835, 88−16722, 88−16834 to 16835

Automatic production; L'Automatique, la Productique et les Outils Informatiques. Convention Automatique Productique 1987 (Automation, Production and Information Tools. Automatic Production Conference 1987), Paris, France, 7-10 April 1987, [Paris, France: GIIPRA April 1987] 87−72702 (introductory abstract), 87−72816 to 72817, 87−76390 to 76393

Automatic programming; Systems Analysis and Simulation 1985. Proceedings of the 2nd International Symposium, Berlin, West Germany, 26-31 Aug. 1985, *Sydow, A. Thoma, M. Vichnevetsky, R. (editor/s),* [Oxford, UK: Pergamon 1985] 86−26703 to 26704, 86−27186, 86−28253, 86−28416, 86−30113 to 30114, 86−30269, 86−30521, 86−30868, 86−31111, 86−31128, 86−32641 to 32644, 86−32926, 86−39501 to 39502, 86−39560, 86−39715

Automatic test equipment; IEE Colloquium on 'Managing Complexity in Automatic Test Equipment (ATE) Systems' (Digest No.13), London, UK, 23 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87−31162 (introductory abstract), 87−31233, 87−31662, 87−32150, 87−34956

Automatic testing; Proceedings of Automatic Testing and Test Instrumentation '84, Paris, France, 2-4 Oct. 1984, [Buckingham, UK: Network Events 1984] 86−34 (introductory abstract), 86−167, 86−213, 86−646, 86−748, 86−870, 86−1058, 86−1494, 86−1559 to 1562, 86−2306 to 2310, 86−4440, 86−4991 to 4998, 86−5191, 86−6672

Automatic testing; Proceedings of AUTOTESTCON '85. IEEE International Automatic Testing Conference (Cat. No.85CH2177-4), Uniondale, NY, USA, 22-24 Oct. 1985, *(IEEE; AIAA)* [New York, NY, USA: IEEE 1985] 86−33922 (introductory abstract), 86−33991, 86−34657, 86−34735, 86−35186, 86−37342, 86−38221 to 38245, 86−38406, 86−38888 to 38890, 86−40500, 86−40854, 86−41158, 86−41909, 86−42617, 86−43903, 86−43907, 86−44086, 86−44129 to 44144, 86−44189, 86−44227, 86−44334, 86−44354, 86−44410 to 44411, 86−44750

Automatic testing; Proceedings: AUTOTESTCON 86. IEEE International Automatic Testing Conference 'Advancing Test Concepts and the User' (Cat. No.CH2299-6), San Antonio, TX, USA, 8-11 Sept. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−16267 (introductory abstract), 87−16350, 87−16953, 87−16969 to 16971, 87−17440, 87−17537 to 17539, 87−18260, 87−20606, 87−20862 to 20898, 87−21002, 87−21110, 87−21725 to 21729

Automatic testing; Proceedings of 'International Test and Measurement Exhibition '84 Conference', London, UK, 30 Oct.-1 Nov. 1984, [Buckingham, UK: Network Events 1984] 85−60667 (introductory abstract), 85−60711, 85−60755 to 60757, 85−61117, 85−61582 to 61584, 85−62037 to 62039, 85−63222, 85−63535, 85−63592, 85−63630 to 63631, 85−63715, 85−64006 to 64017

Automatic testing; Proceedings AUTOTESTCON '87. IEEE International Automatic Testing Conference. 'Bridging Standards to Advancing Technology (Cat. No.87CH2510-6), San Francisco, CA, USA, 3-5 Nov. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88−31292 (introductory abstract), 88−24534, 88−25084, 88−25126, 88−29253 to 29266, 88−29478, 88−30083, 88−30113, 88−30223, 88−32168, 88−32654 to 32655, 88−35825 to 35857, 88−36176, 88−36197 to 36198, 88−36608 to 36609, 88−36634, 88−36697 to 36698, 88−36705, 88−36713 to 36717

Automatic testing and inspection; France-United States Seminar on Applications on Automatic Testing and Inspection, Washington, DC, USA, 15-19 Aug. 1983, [Dec. 1984] 85−16810 (introductory abstract), 85−17007, 85−20452

Automation; IEE Colloquium on 'Automation - The Way to Quality?' (Digest No.25), London, UK, 16 Feb. 1988, *(IEE)* [London, UK: IEE 1988] 88−37856 (introductory abstract), 88−37952 to 37953

Automation in manufacturing industries; Methodologie Generale d'Automatisation pour les Industries Manufacturieres: Convention Automatique Productique (General Methods of Automation in the Manufacturing Industries: Automatic Production Conference), Paris, France, 2-4 Dec. 1985, [Paris, France: GIIPRA Dec. 1985] 88−70434, 88−75168

Automation in manufacturing industry; Moyens d'Automatisation dans les Industries Manufacturieres: Convention Automatique Productique 1986 (Automation in Manufacturing Industry: Automatic Production Conference 1986), Paris, France, 28-30 May 1986, [Paris, France: GIIPRA May 1986] 88−70188, 88−75853

Automation in mining, mineral and metal processing; Automation in Mining, Mineral and Metal Processing 1986. Selected Papers from the 5th IFAC symposium, Tokyo, Japan, 24-29 Aug. 1986, *(IFAC) Yoshitani, Y. (editor/s),* [Oxford, UK: Pergamon 1987] 88−20820, 88−22505, 88−22767, 88−24290, 88−24846, 88−30320, 88−31210

Automation, tools for tomorrow; AFCET Congres Automatique 1985. The Tools for Tomorrow, Toulouse, France, 23-25 Oct. 1985, *(AFCET)* [Paris, France: AFCET 1985] 86−34102, 86−37550 to 37552, 86−37859, 86−38781, 86−39503, 86−39648, 86−39967 to 39969, 86−40177

Automobile design and construction, computer applications; Computers in Design, Manufacture and Operation of Automobiles, Geneva, Switzerland, 10-12 March 1987, *Murthy, T.K.S. Brebbia, C.A. (editor/s),* [Southampton, UK: Comput. Mech. Publications 1987, $68.00] 87−55814, 87−56742

Automotive applications of electronics; IEEE 1986 Workshop on Automotive Applications of Electronics (Cat. No.86CH2377-0), Dearborn, MI, USA, 23-24 Oct. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−36333 (introductory abstract), 87−43586 to 43587, 87−43608 to 43618

Automotive applications of microprocessors; Automotive Applications of Microprocessors. Proceedings of the Workshop (Cat. No. 84CH2072-7), Dearborn, MI, USA, 25-26 Oct. 1984, *(IEEE) Neuman, J.G. Martinsons, R. (editor/s),* [New York, NY, USA: IEEE 1984] 86−22943, 86−23468 to 23469, 86−24296, 86−26382 to 26386

Automotive electronics; Fifth International Conference on Automotive Electronics, Birmingham, UK, 29 Oct.-1 Nov. 1985, *(IMechE; IEE; Assoc. Elettrontech. & Elettronica Italiana; IEEE; et al)* [London, UK: Mech. Eng. Publications 1985] 86−40376 (introductory abstract), 86−43904, 86−43995, 86−45775 to 45781, 86−45789 to 45799, 86−46093, 86−46569, 86−47694, 86−48151, 86−48620 to 48621, 86−48826, 86−49161, 86−49936 to 49937, 86−50082 to 50085, 86−50769, 86−52004, 86−52014 to 52024

Automotive electronics; Sixth International Conference on Automotive Electronics (Conf. Publ. No.280), London, UK, 12-15 Oct. 1987, [London, UK: IEE 1987] 87−72703 (introductory abstract), 87−72808, 87−74336, 87−75478 to 75479, 87−76394, 87−76574, 87−77123, 87−79166 to 79189, 87−79227, 88−1119, 88−3717, 88−4115, 88−4410 to 4411, 88−4641, 88−4655, 88−4697, 88−5989 to 5999

Automotive electronics reliability; IEE Colloquium on 'Guaranteeing the Reliability of Automotive Electronics' (Digest No.79), London, UK, 18 May 1988, *(IEE)* [London, UK: IEE 1988] 88−49392 (introductory abstract), 88−50212, 88−52250, 88−55705 to 55708

Automotive microelectronics; Automotive Microelectronics. Proceedings of the Advanced Course on Information Technology for Fuel Economy, Emission Control and Safety in Motor Vehicles, Capri, Italy, 20-28 Oct. 1983, *Bianco, L. La Bella, A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $86.25] 86−57107 (introductory abstract)

Automotive technologies; Forum International sur les Nouvelles Technologies Automobiles. Textes des Communications (International Forum on New Automotive Technologies. Proceedings), Monte-Carlo, Monaco, 29 Jan.-2 Feb. 1985, [Croydon, UK: Automotive Automation 1985] 86−19589 (introductory abstract)

Automotive technology and automation; ISATA 84 Proceedings. International Symposium on Automotive Technology and Automation, Milan, Italy, 24-28 Sept. 1984, [Croydon, Surrey, UK: ISATA 1984] 85−16352 (introductory abstract), 85−10834, 85−13019 to 13021, 85−14621 to 14625, 85−14682, 85−14743, 85−14789 to 14790, 85−15046 to 15047, 85−15051, 85−15067, 85−15072 to 15074, 85−15076, 85−15087, 85−15093, 85−16326 to 16328, 85−16353 to 16371, 85−21921, 85−27878

Automotive technology and automation; ISATA 85: In Pursuit of Technical Excellence. International Symposium on Automotive Technology and Automation, Graz, Austria, 23-27 Sept. 1985, *(AVL LIST GesmbH)* [Croydon, UK: Automotive Autom. 1985] 86−20625, 86−21471, 86−22601, 86−23170, 86−24330 to 24332, 86−24523, 86−24547, 86−24782, 86−24845, 86−26390 to 26393

Automotive technology and automation; ISATA 86 Proceedings. 15th Internatioanl Symposium on Automotive Technology and Automation with Particular Reference to Computer Integrated Manufacture, Flims, Switzerland, 6-10 Oct. 1986, *(Intel Int)* [Croydon, UK: Automotive Autom. (1984) 1986, £130.00] 87−20271 to 20273, 87−20756, 87−21062, 87−23801, 87−28173 to 28180

Automotive technology and automation; 16th ISATA: In Pursuit of Technical Excellence. Proceedings of the 16th International Symposium on Automotive Technology and Automation, with Particular Reference to Automotive Micro-Electronics, Vehicle Management Systems and Computer-Aided Testing, Florence, Italy, 11-15 May 1987, *(Casa Risparmio Firenze; Province Florence; Thermotech. Assoc. Tuscany; Univ. Florence)* [Croydon, UK: Automotive Autom. (1984) 1987] 87−72691 (introductory abstract), 87−69199, 87−70165, 87−70404, 87−70485, 87−70634, 87−70731, 87−70859, 87−72528 to 72529, 87−72532 to 72560, 87−79163 to 79165

Automotive technology and automation; ISATA 17th International Symposium on Automotive Technology and Automation Proceedings, Munich, West Germany, 25-30 Oct. 1987, [Croydon, UK: Allied Autom. 1987] 88−37886, 88−38016, 88−41380, 88−43670, 88−44850, 88−46641 to 46642, 88−47175 to 47176, 88−47431 to 47433, 88−48398, 88−49264

Automotive technology and automation; Programme - 18th International Symposium on Automotive Technology and Automation, Florence, Italy, 30 May-3 June 1988, *(Energia Nucl. & Energie Alternative; Cassa Risparmia Firenze; IOP; et al)* [Croydon, UK: Allied Autom. 1988] 88−62891 (introductory abstract), 88−62992, 88−62998 to 62999, 88−63023 to 63027, 88−63081, 88−63103 to 63106, 88−63150, 88−63197, 88−63275, 88−65917, 88−66112, 88−67278, 88−67500, 88−67687 to 67688, 88−67720, 88−67777 to 67780, 88−67948, 88−68078 to 68079, 88−68088 to 68089, 88−68096, 88−68601, 88−69659, 88−69852 to 69855, 88−69873 to 69908

AUTOTESTCON '84; Proceedings of AUTOTESTCON '84 (Cat. No. 84CH1921-6), Washington, DC, USA, 5-7 Nov. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85−27942 (introductory abstract), 85−29315, 85−29973, 85−31132, 85−31334 to 31374, 85−31584, 85−31623, 85−31896, 85−31900, 85−31968

Avionics in conceptual system planning; Eighth Annual IEEE/AESS Dayton Chapter Symposium 'Avionics in Conceptual System Planning' (Cat. No.86TH0171-9), Dayton, OH, USA, 3 Dec. 1986, *(IEEE; AESS)* [New York, NY, USA: IEEE 1986] 87−72711 (introductory abstract), 87−77779 to 77786

Avionics systems; Design, Development and Testing of Complex Avionics Systems (AGARD-CP-417), Las Vegas, NV, USA, 27 April-1 May 1987, [Neuilly sur Seine, France: AGARD Dec. 1987] 88−55841 (introductory abstract), 88−51025, 88−54704 to 54715, 88−60066, 88−61547 to 61563, 88−61733, 88−61773

Batteries; First Asian Battery Conference, Hong Kong, 10-13 Aug. 1986, *(Zinc & Lead Asian Service)* [Feb.-March 1987] 87−51699 (introductory abstract), 87−58281 to 58303, 87−58414, 87−58477

Batteries; Second Asian Battery Conference, Singapore, 17-19 Aug. 1987, *(Zinc & Lead Asian Service)* [May-June 1988] 88−49332 (introductory abstract), 88−54768, 88−54929 to 54930, 88−55245, 88−55472, 88−55585 to 55607, 88−55688, 88−55745

Batteries for medium scale applications; IEE Colloquium on 'Recent Developments in Batteries for Medium Scale Applications' (Digest No.04), London, UK, 8 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87−23030 (introductory abstract), 87−30457 to 30458, 87−30928 to 30929, 87−31054

Batteries, maintenance free, for standby power; Maintenance Free Batteries for Standby Power. Proceedings of the 4th Battery Seminar and Exhibition (ERA 85-0025), London, UK, 29 Jan. 1985, [Leatherhead, UK: ERA Technology 1985, £27.00] 86−13307 (introductory abstract), 86−19446 to 19450, 86−19460 to 19468

Battery condition monitoring and charging; IEE Colloquium on 'Traction and Stationary Battery Condition Monitoring and Charging' (Digest No.108), London, UK, 4 Dec. 1985, *(IEE)* [London, UK: IEE 1985] 86−26514 (introductory abstract), 86−33527 to 33528, 86−33638

Battery powered vehicles for disabled people; IEE Colloquium on 'Battery-Powered Vehicles for Disabled Persons' (Digest No.44), London, UK, 9 April 1987, *(IEE)* [London, UK: IEE 1987] 87−43813 (introductory abstract), 87−50394, 87−51574 to 51575

Battery testing; Extended Abstracts of the First International Workshop on Battery Testing, Heidelberg, West Germany, 30 Sept.-2 Oct. 1985, *(FRG Bundesministerium fur Forschung & Technol.; USDOE)* [Jan.-April 1986] 86−61834 (introductory abstract), 86−62303, 86−66223, 86−66258 to 66296, 86−66436 to 66437

Battery workshop; NASA/Goddard Space Flight Center Battery Workshop, Greenbelt, MD, USA, 19-21 Nov. 1985, [Aug.-Sept. 1986] 87−16239 (introductory abstract), 87−21736, 87−22689 to 22691, 87−22694 to 22712

Battery workshop; 1986 NASA/GSFC Battery Workshop, Greenbelt, MD, USA, 18-19 Nov. 1986, [Oct.-Nov. 1987] 88−11557 (introductory abstract), 88−16848 to 16857, 88−17826 to 17828, 88−17873 to 17875

Beam-solid interactions and phase transformations; Beam-Solid Interactions and Phase Transformations, Boston, MA, USA, 2-4 Dec. 1985, *Kurz, H. Olson, G.L. Poate, J.M. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−5432, 87−5437, 87−5478, 87−6550 to 6555, 87−6600 to 6601

Beam-solid interactions and transient processes; Beam-Solid Interactions and Transient Processes Symposium, Boston, MA, USA, 1-4 Dec. 1986, *Thompson, M.O. Picraux, S.T. Williams, J.S. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88−6482 to 6484, 88−7299, 88−7468, 88−12021, 88−12026 to 12031, 88−13096, 88−13173, 88−13192, 88−13411, 88−13786 to 13787

Beta particle and X-ray dosimetry; Dosimetry of Beta Particles and Low Energy X Rays. Proceedings of a Workshop, Saclay, France, 7-9 Oct. 1985, *(USDOE; Eur. Radiat. Dosimetry Group)* [1986] 86−56211 to 56218

Bioelectrical growth and repair; Symposium on Mechanisms of Bioelectrical Growth and Repair and Proceedings of the 1st Annual Meeting of the International Society for Bioelectricity, Boston, MA, USA, 1 Oct. 1983, [1984] 85−53089

Bioengineering; Proceedings of the Eleventh Annual Northeast Bioengineering Conference (Cat. No.85CH2203-8), Worcester, MA, USA, 14-15 March 1985, *(IEEE; 3M Co.; Worcester Polytech. Inst.; Whitaker Found) Kuklinski, W.S. Ohley, W.J. (editor/s),* [New York, NY, USA: IEEE 1985] 86−40381 (introductory abstract), 86−44633, 86−44654, 86−44679, 86−44690, 86−44699 to 44702, 86−44707, 86−44725, 86−45808, 86−50463 to 50464, 86−50478 to 50482, 86−50555 to 50558, 86−50588 to 50594, 86−50617 to 50619

Bioengineering; Proceedings of the Twelfth Annual Northeast Bioengineering Conference (Cat. No. 86CH2329-1), New Haven, CT, USA, 13-14 March 1986, *(IEEE; Whitaker Found.; Yale Univ) Orphanoudakis, S.C. (editor/s),* [New York, NY, USA: IEEE 1986] 87−26 (introductory abstract), 87−3926 to 3927, 87−3935 to 3938, 87−3981 to 3983, 87−4012 to 4013, 87−4022 to 4023, 87−4032 to 4033, 87−4041 to 4043, 87−8935 to 8937

Bioengineering; Proceedings of the Thirteenth Annual Northeast Bioengineering Conference (Cat. No.87CH2436-4), Philadelphia, PA, USA, 12-13 March 1987, *(IEEE; Drexel Univ.; Univ. Pennsylvania) Foster, K.R. (editor/s),* [New York, NY, USA: IEEE 1987] 88−46 (introductory abstract), 88−4874, 88−4886, 88−4935 to 4942, 88−4979 to 4981, 88−4988 to 4992, 88−8797, 88−9623, 88−9989, 88−10300 to 10301, 88−10310 to 10311, 88−10346 to 10350, 88−10393 to 10398, 88−10405 to 10407, 88−10441, 88−10635, 88−16682 to 16683, 88−16747 to 16748, 88−16755, 88−16790

Bioengineering and peripheral vascular diseases; Bioengineering Aspects of Noninvasive Diagnosis of Peripheral Vascular Diseases: Symposium Presented at the 67th Annual FASEB Meeting, Chicago, IL, USA, 13 April 1983, *(Bioeng. Soc)* [1984] 85−20913

Biological Engineering Society meeting; 27th Annual Scientific Meeting of the Biological Engineering Society, Oxford, UK, 2-4 Sept. 1987, [April 1988] 88−37805 (introductory abstract), 88−42481 to 42483, 88−42508, 88−42547, 88−42577 to 42578

Biomedical engineering; Biomedical Engineering IV: Recent Developments. Proceedings of the Fourth Southern Biomedical Engineering Conference, Jackson, MS, USA, 11-12 Oct. 1985, *Sauer, B.W. (editor/s),* [New York, NY, USA: Pergamon 1985] 86−57102 (introductory abstract)

Biomedical engineering, critical emerging issues; Proceedings of a Special Symposium on Critical Emerging Issues in Biomedical Engineering (Cat. No. 86CH2369-7), Fort Worth, TX, USA, 7-10 Nov. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−42017 (introductory abstract), 87−36555, 87−41903 to 41913, 87−41962 to 41963, 87−41980 to 41982, 87−41989, 87−42006, 87−42018 to 42022, 87−42026, 87−42035

Biomedical technologies; IEEE MONTECH '87 Conferences: Biomedical Technologies Conference (Cat. No.87CH2519-7), Montreal, Que., Canada, 10-12 Nov. 1987, [New York, NY, USA: IEEE 1987] 88−43600 (introductory abstract), 88−47015, 88−48102, 88−48146, 88−48191 to 48193, 88−48208 to 48211, 88−48241 to 48243, 88−48248 to 48249, 88−48258 to 48259

Biosensors; Proceedings of the Symposium on Biosensors (Cat. No. 84CH2068-5), Los Angeles, CA, USA, 15-17 Sept. 1984, *(IEEE; NSF; Alliance for Eng. Med. & Biol.; AIChE; Assoc. Adv. Med. Instrum.; Biomed. Eng. Soc.; Rehabilitation Soc. North America) Potvin, A.R. Neuman, M.R. (editor/s),* [New York, NY, USA: IEEE 1984] 85−32926 (introductory abstract), 85−35528, 85−37616, 85−37796, 85−38011 to 38028, 85−38134 to 38136, 85−38172 to 38174, 85−38186 to 38189, 85−38237 to 38238

Biostereometrics; Biostereometrics '85, Cannes, France, 3-6 Dec. 1985, *(SPIE)* [1986] 87−51703 (introductory abstract), 87−57100 to 57103, 87−62189, 87−63724, 87−63754 to 63755, 87−63807, 87−63816

Biotech 84, USA; World Biotech Report 1984. Vol.2 : USA, Washington, DC, USA, 10-12 Sept. 1984, [Pinner, UK: Online Publications 1984] 86−26495 (introductory abstract), 86−27769

Bipolar circuits and technology; Proceedings of the 1987 Bipolar Circuits and Technology Meeting (Cat. No.87CH2509-8), Minneapolis, MN, USA, 21-22 Sept. 1987, *(IEEE; Univ. Minnesota) Jopke, J. (editor/s),* [New York, NY, USA: IEEE 1987] 88−11600 (introductory abstract), 88−12220, 88−12237, 88−12351 to 12355, 88−12379 to 12382, 88−12444, 88−12459, 88−12476 to 12477, 88−12509, 88−12615 to 12616, 88−12931, 88−13000 to 13001, 88−13339 to 13359, 88−13547, 88−13560 to 13570, 88−14060, 88−15502, 88−16468

Black Data Processing Associates - a decade of professional growth; 7th Annual National Convention and 10th Anniversary of Black Data Processing Associates 'A Decade of Professional Growth', Philadelphia, PA, USA, 19-22 Sept. 1985, *(Mellon Bank) Bemley, J.L. (editor/s),* [Philadelphia, PA, USA: Black Data Process. Associates 1985] 86−49328

Boron, borides, carbides, nitrides and related compounds; Proceedings of the 8th International Symposium on Boron, Borides, Carbides, Nitrides and Related Compounds, Tbilisi, USSR, 8-12 Oct. 1984, [March 1986] 86−53319 to 53320, 86−53858, 86−54027

Boron-rich solids; Boron-Rich Solids. International Conference on the Physics and Chemistry of Boron and Boron-Rich Borides, Albuquerque, NM, USA, 29-31 July 1985, *(APS; Callery Chem.; Eagle-Picher Ind.; et al)* [1986] 86−57465, 86−58274 to 58276, 86−63016 to 63017, 86−63053 to 63055

Boundary and interior layers; BAIL IV. Proceedings of the Fourth International Conference on Boundary and Interior Layers - Computational and Asymptotic Methods, Novosibirsk, USSR, 7-11 July 1986, *Godunov, S.K. Miller, J.J.H. Novikov, V.A. (editor/s),* [Dun Laoghaire, Ireland: Boole Press 1986] 88−24348 (introductory abstract)

Boundary element technology; Betech 86. Proceedings of the 2nd Boundary Element Technology Conference, Cambridge, MA, USA, June 1986, *Connor, J.J. Brebbia, C.A. (editor/s),* [Southampton, UK: Comput. Mech. Publications 1986] 86−61857 (introductory abstract), 86−63907 to 63909, 86−63912 to 63913, 86−65733, 86−66114

Boundary elements; Boundary Elements. Proceedings of the Fifth International Conference, Hiroshima, Japan, 8-11 Nov. 1983, *Brebbia, C.A. Futagami, T. Tanaka, M. (editor/s),* [Southampton, Hants., UK: Comput. Mech. Centre 1983] 85−13028, 85−13056, 85−16029

Boundary elements; Boundary Elements VII. Proceedings of the 7th International Conference, Lake Como, Italy, 24-27 Sept. 1985, *Brebbia, C.A. Maier, G. (editor/s),* [Southampton, UK: Comput. Mech. Publ. 1985] 86−14802, 86−16008

Braille production, computerized; Computerised Braille Production. Proceedings of the 5th International Workshop, Winterthur, Switzerland, 30 Oct.-1 Nov. 1985, *Ebersold, J.M. Schwyter, Th. Slaby, W.A. (editor/s),* [Eichstatt, West Germany: Katholische Univ. Eichstatt 1986] 87−27942, 87−28006

Bridging the present and future; Bridging the Present and the Future. IEEE Professional Communication Society Conference Record (Cat. No.85CH2237-6), Williamsburg, VA, USA, 16-18 Oct. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−40448 (introductory abstract), 86−40423 to 40424, 86−40449 to 40484, 86−40487 to 40488, 86−43394, 86−43453, 86−45967, 86−45983 to 45996, 86−49203 to 49204, 86−49867

Broadcasting; IBC 84. International Broadcasting Convention (Proceedings No. 240), Brighton, UK, 21-25 Sept. 1984, *(Electron. Eng. Assoc.; IEEE; IEE; IERE; R. Telev. Soc.; Soc. Motion Picture & Telev. Eng)* [London, UK: IEE 1984] 85−24 (introductory abstract), 85−613, 85−2682, 85−3111 to 3112, 85−3431 to 3434, 85−3574 to 3619, 85−3627 to 3634, 85−3672 to 3677, 85−3700 to 3706, 85−3722, 85−3759 to 3764, 85−3807 to 3809, 85−4456

Broadcasting; IBC 86. International Broadcasting Convention (Conf. Publ. No.268), Brighton, UK, 19-23 Sept. 1986, *(IEE; IEEE; Electron. Eng. Assoc.; IERE; et al)* [London, UK: IEE 1986] 87−10022 (introductory abstract), 87−10997, 87−11008, 87−11060, 87−11307, 87−12742, 87−12820, 87−13153 to 13154, 87−13656, 87−13828 to 13856, 87−13860 to 13865, 87−13895 to 13902, 87−13929 to 13944, 87−13948, 87−13983 to 13989, 87−14009, 87−14040, 87−14206, 87−14514

Broken symmetry; Broken Symmetry in Condensed Matter Physics and Field Theory, Gwatt, Switzerland, Oct. 1985, [1986] 86−70282

Bus/board users conference; BUSCON 86 West. Proceedings of the Bus/Board Users Show and Conference, San Jose, CA, USA, 15-16 Jan. 1986, [Cerritos, CA, USA: BUSCON Jan. 1986] 86−34866 to 34867, 86−34930 to 34932, 86−37549, 86−40031

Bus/board users conference; Proceedings of the BUSCON 86 East Bus/Board Users Show and Conference, Woburn, MA, USA, 30 Sept.-2 Oct. 1986, [Cerritos, CA, USA: MultiDynamics 1986, $100.75] 87−52658, 87−56671

Bus/board users conference; BUSCON/87 West Proceedings and SYSCON West, Los Angeles, CA, USA, 20-21 Jan. 1987, [Cerritos, CA, USA: BUSCON 1987, $84.50] 87−59425, 87−59624 to 59627, 87−59975 to 59976, 87−60616, 87−62703, 87−62758

Bus/board users conference; Proceedings of the BUSCON UK Bus/Board Users Show and Conference, London, UK, 12-14 Oct. 1987, [Cerritos, CA, USA: Conference Manage. Corp. 1987] 88−32264, 88−33399, 88−34965, 88−36601

Business telecom; Telecoms Liberalisation - Objectives and Realities. Proceedings of Business Telecom '85, London, UK, 21-23 May 1985, *(Online Conferences Ltd.)* [Pinner, Middx., UK: Online Publications 1985, £45.00] 86−19740 (introductory abstract), 86−23239 to 23250, 86−23327 to 23330, 86−23358, 86−23783

Cable discharge detection; IEE Colloquium on Discharge Detection in Cables (Digest No.83), London, UK, 8 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85−27959 (introductory abstract), 85−32158, 85−32251 to 32256

Cable Television; CATCOM. Erster Internationaler Kabelfernseh-Kongress (First International Cable Television Congress), Lucerne, Switzerland, 1-3 Nov. 1984, [Bern, Switzerland: Verband Schweizerischer Kabelfernsehbetriebe 1985] 85−44405 (introductory abstract), 85−47399, 85−47695 to 47705, 85−52256, 85−52322, 85−52380, 85−52535 to 52540

Cables, conductors and winding wires; CABLEWIRE - 87. 2nd International Seminar on Cables, Conductors and Winding Wires, New Delhi, India, 15-16 Oct. 1987, *(Electr. Cable Dev. Assoc)* [Bombay, India: Indian Electr. & Electron. Manuf. Assoc. 1987] 88−49382 (introductory abstract), 88−50454 to 50455, 88−53110, 88−53112, 88−53315, 88−54991 to 54993, 88−55015 to 55028, 88−55047, 88−55056, 88−55303 to 55304, 88−55767

CAD/CAM; Effective CADCAM 1985, Cambridge, UK, 8-10 July 1985, *(IMechE; IEE; Inst. Production Eng)* [London, UK: Mech. Eng. Publications 1985] 85−59357

CAD/CAM; CADCAM '87 Conference, Birmingham, UK, 24-26 March 1987, [London, UK: EMAP Conferences 1987] 87−43846 to 43847, 87−43970 to 43971, 87−43981, 87−44491, 87−45403, 87−46177, 87−50797, 87−50861

CAD/CAM and computer graphics; MICAD 87. Proceedings of the 6th European Conference on CADCAM and Computer Graphics, Paris, France, 23-27 Feb. 1987, [Paris, France: Editions Hermes 1987] 88−42822, 88−43754, 88−44018 to 44020, 88−44302, 88−45609, 88−47725

CAD/CAM and computer graphics; MICAD '88. Proceedings of the 7th European Conference on CADCAM and Computer Graphics, Paris, France, 21-25 March 1988, [Paris, France: Editions Hermes 1988] 88−62292

CAD/CAM software and applications; Papers from the IUSC Workshop in CAD/CAM Software and Applications, Cranfield, Bedford, UK, 6-7 Jan. 1987, [Harpenden, UK: Tektronix UK 1987] 88−24890 (introductory abstract)

CAD contributions; Contributions to Computer Aided Design. Proceedings of the IASTED International Symposium: Computer Aided Design and Applications, Montreal, Que., Canada, 4-5 June 1985, *Hassan, Y.E. (editor/s),* [Anaheim, CA, USA: Acta Press 1985] 87−23010 (introductory abstract), 87−23236, 87−23867, 87−25517, 87−31035

CAD, modelling and simulation; Computer Aided Design, Modelling and Simulation. IASTED International Conferences Computer Aided Design and Applications, and Applied Simulation and Modelling, Vancouver, BC, Canada, June 1986, *Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1986] 87−23868 to 23869, 87−24152 to 24154, 87−24212, 87−24527, 87−24611, 87−25351, 87−27734, 87−27957, 87−28207. 87−28694, 87−30279, 87−30385, 87−30407, 87−30588, 87−30881, 87−31036

CAD of integrated circuits; 1985 International Conference on Computer-Aided Design of Integrated Circuits, Santa Clara, CA, USA, 18-21 Nov. 1985, [Oct. 1986] 87−24060 (introductory abstract), 87−23827 to 23838, 87−24061 to 24064, 87−24232, 87−24619, 87−25071, 87−25278 to 25279, 87−25554

CAD of microwave circuits; IEE Colloquium on 'Computer Aided Design of Microwave Circuits' (Digest No. 99), London, UK, 11 Nov. 1985, *(IEE)* [London, UK: IEE 1985] 86−13312 (introductory abstract), 86−13942, 86−14490, 86−14532 to 14542

CAD of microwave electron devices with time-varying fields; IEE Colloquium on CAD of Microwave Electron Devices with Time-Varying Fields (Digest No.69), London, UK, 7 Oct. 1983, *(IEE)* [London, UK: IEE 1983] 85−27965 (introductory abstract)

CAD tools for VLSI system design; Computer Aided Tools for VLSI System Design, Newcastle-upon-Tyne, UK, July 1985, *Russell, G. (editor/s),* [London, UK: Peter Peregrinus 1987, £30.00] 88−70026 (introductory abstract), 88−70468 to 70478, 88−70746, 88−71745

CADMAT in undergraduate courses; IEE Colloquium on 'CADMAT in Undergraduate Courses' (Digest No. 85), London, UK, 23 Oct. 1985, *(IEE)* [London, UK: IEE 1985] 86−7410 (introductory abstract), 86−7425 to 7431

Canadian Nuclear Society annual conference; 26th Annual Conference of the Canadian Nuclear Association 'Innovation Leads the Way'. Proceedings, Toronto, Ont., Canada, 8-10 June 1986, [Toronto, Ont., Canada: Canadian Nucl. Assoc. 1986] 87—9265, 87—9310 to 9314

Canadian Nuclear Society annual conference; Canadian Nuclear Society Proceedings of the Seventh Annual Conference, Toronto, Ont., Canada, 9-10 June 1986, [Toronto, Ont., Canada: Canadian Nucl. Soc. 1986, $55.00] 87—50953 (introductory abstract), 87—50954, 87—50971 to 50974

Canadian Nuclear Society annual conference; Canadian Nuclear Society 8th Annual Conference 1987 Proceedings, Saint John, NB, Canada, 16-27 June 1987, [Toronto, Ont., Canada: Canadian Nucl. Soc. 1987, $75.00] 88—31316 (introductory abstract), 88—29741, 88—30507 to 30509, 88—30528, 88—36975 to 36978, 88—37005 to 37013

Canadian Pulp & Paper Association; 70th Annual Meeting of the Technical Section of the Canadian Pulp and Paper Association (preprints), Montreal, Que., Canada, 31 Jan.-1 Feb. 1984, [Montreal, Que., Canada: Canadian Pulp & Paper Assoc. 1984] 85—5589 (introductory abstract), 85—123, 85—2622, 85—4149, 85—4501, 85—4584, 85—4594, 85—4953 to 4954, 85—5337 to 5338, 85—5415, 85—5590 to 5594

Canadian Pulp and Paper Association meeting; 72nd Annual Meeting of the Technical Section of the Canadian Pulp and Paper Association. Preprints, Montreal, Que., Canada, 28-31 Jan. 1986, [Montreal, Que., Canada: Canadian Pulp & Paper Assoc. 1986] 86—45939 (introductory abstract)

CANDU fuel; International Conference on CANDU Fuel. Conference Proceedings, Chalk River, Ont., Canada, 6-8 Oct. 1986, *(Canadian Nucl. Soc.; ANS) Hastings, I.J. (editor/s),* [Toronto, Ont., Canada: Canadian Nucl. Soc. 1986, $50.00] 87—57845 to 57846

CANDU maintenance; Proceedings of the CANDU Maintenance Conference, Toronto, Ont., Canada, 22-24 Nov. 1987, *(Canadian Nucl. Soc.; Canadian Nucl. Assoc)* [Toronto, Ont., Canada: Canadian Nucl. Soc. 1987, $50.00] 88—70003 (introductory abstract), 88—75280 to 75298, 88—75366 to 75390

Capacitors; Developments in Small Capacitors. One-Day Seminar and Exhibition (ERA-80-109), London, UK, 18 Sept. 1980, [Leatherhead, UK: ERA Technol. 1984] 86—65 (introductory abstract), 86—1406 to 1416, 86—7177

Capture gamma-ray spectroscopy; Capture Gamma-Ray Spectroscopy and Related Topics - 1984. Proceedings of the Fifth International Symposium, Knoxville, TN, USA, 10-14 Sept. 1984, *(APS; ANS; EPS; USDOE; NSF; Oak Ridge Nat. Lab)* [1985] 85—37860, 85—37970 to 37971

Capture gamma-ray spectroscopy; Capture Gamma-Ray Spectroscopy 1987. Proceedings of the Sixth Conference on Gamma-Ray Spectroscopy, Leuven, Belgium, 31 Aug.-4 Sept. 1987, *(Eur. Phys. Soc.; Belgian NSF; Minist. Nat. Educ.; Sabena) Abrahams, K. Van Assche, P. (editor/s),* [Bristol, UK: IOP 1988, £65.00] 88—61014, 88—61073, 88—61164, 88—61204, 88—61663

Carbon fibres; Carbon Fibres: Uses and Prospects - CFIII. 3rd International Conference, London, UK, 8-10 Oct. 1985, [London, UK: Plastics & Rubber Inst. 1985] 86—45934 (introductory abstract)

Carbon fibres; Carbon Fibres - Properties and Applications, Salford, UK, 15-17 Sept. 1986, [14 March 1987] 87—44407

Cartography, automation; Proceedings of Auto Carto London. International Conference on the Acquisition, Management and Presentation of Spatial Data, London, UK, 14-19 Sept. 1986, *(ICL; Laserscan Labs.; SysScan U.K) Blakemore, M. (editor/s),* [London, UK: Auto Carto London 1986, £40.00] 87—20757, 87—21957, 87—29924, 87—30137

Category theory and computer science; Category Theory and Computer Science. Proceedings, Edinburgh, UK, 7-9 Sept. 1987, *Pitt, D.H. Poigne, A. Rydeheard, D.E. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 88—38315

Cathode research; Progress in Cathode Research. 4th Tri-Service Cathode Workshop, Washington, DC, USA, 3-5 April 1984, [Oct.-Dec. 1985] 86—13247 (introductory abstract), 86—14777 to 14794, 86—14803, 86—14811

CCD Cameras; IEE Colloquium on 'CCD Cameras' (Digest No.112), London, UK, 7 Dec. 1987, *(IEE)* [London, UK: IEE 1987] 88—37866 (introductory abstract), 88—41856 to 41858

CEGB/EDF/ENEL power system planning; IEE Colloquium on 'CEGB/EDF/ENEL Collaboration on Power System Planning and Operation' (Digest No.42), London, UK, 21 March 1988, *(IEE)* [London, UK: IEE 1988] 88—43609 (introductory abstract), 88—48459, 88—48516, 88—48533 to 48534, 88—48788

Cellular and mobile communications; Cellular and Mobile Communications International. Proceedings of the International Conference, London, UK, 5-7 Nov. 1985, [Pinner, UK: Online Publications 1985, £60.00] 86—19730 (introductory abstract), 86—23211 to 23212, 86—23761 to 23782

Cellular and paging marketing; Marketing Cellular and Paging. Proceedings of the Conferences Cellular Communications '86 and Paging Systems '86, San Francisco, CA, USA, 11-13 Nov. 1986, [New York, NY, USA: Online Publications 1986, £80.00] 87—51743 (introductory abstract), 87—56020 to 56030

Cellular communications; Cellular Communications '85. Proceedings of the Conference, New York, NY, USA, 28-30 Oct. 1985, [New York, NY, USA: Online Publications 1985, £45.00] 87—24 (introductory abstract), 87—3107 to 3122

Cellular radio; Second National Conference on Cellular Radio. Conference Papers, London, UK, 18-19 Feb. 1986, [London, UK: IBC Tech. Services 1986, £48.00] 88—62874 (introductory abstract), 88—67261 to 67272

Cement industry; Twenty-Seventh IEEE Cement Industry Technical Conference (Cat. No.85CH2169-1), New Orleans, LA, USA, 19-24 May 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86—13286 (introductory abstract), 86—18652, 86—19230, 86—19392, 86—19553 to 19555, 86—19670 to 19680

Cement industry; Record of Conference Papers. 28th IEEE Cement Industry Technical Conference (Cat. No.86CH2257-4), Salt Lake City, UT, USA, 19-22 May 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87—10027 (introductory abstract), 87—12679 to 12680, 87—15423, 87—15943, 87—16095, 87—16217 to 16224

Cement industry; Record of Conference Papers. 29th IEEE Cement Industry Technical Conference (Cat. No.87CH2457-0), San Francisco, CA, USA, 26-28 May 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87—58538 (introductory abstract), 87—58635 to 58638, 87—63566, 87—65012 to 65019

Cement industry technical; 26th IEEE Cement Industry Technical Conference (Catalog No. 84CH1989-3), Anaheim, CA, USA, 21-24 May 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—10334 (introductory abstract), 85—10435, 85—14629, 85—15595, 85—15688, 85—16292, 85—16515 to 16528

Ceramic properties measurement; International Workshop on the Properties of Ceramics and their Measurements, Soverato, Italy, 22-27 Sept. 1986, [Sept.-Oct. 1986] 87—5124 (introductory abstract), 87—6934, 87—8710

Ceramic science; Tailoring Multiphase and Composite Ceramics. Proceedings of the Twenty-First University Conference on Ceramic Science, University Park, PA, USA, 17-19 July 1985, *Tressler, R.E. Mesing, G.L. Pantano, C.G. Newnham, R.E. (editor/s),* [New York, NY, USA: Plenum 1986, $115.00] 87—37591, 87—38331, 87—38593, 87—38619 to 38620, 87—44404 to 44405

Ceramic surfaces and surface treatments; Proceedings of the Meeting on Ceramic Surfaces and Surface Treatments, London, UK, 10-21 Dec. 1983, *(British Ceramic Soc)* [Aug. 1984] 85—6019

Ceramics; Austceram 84 - The Eleventh Australian Ceramic Conference, Sydney, NSW, Australia, 29-31 Aug. 1984, [1984] 85—56021

Ceramics; Thirteenth International Conference on Science of Ceramics, Orleans, France, 9-11 Sept. 1985, [Feb. 1986] 86—45900 (introductory abstract)

Ceramics; Better Ceramics Through Chemistry II Symposium, Palo Alto, CA, USA, 15-19 April 1986, *(Mater. Res. Soc) Brinker, C.J. Clark, D.E. Ulrich, D.R. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87—23017 (introductory abstract)

Ceramics, electronic structure and phase stability; International Conference on Electronic Structure and Phase Stability in Advanced Ceramics, Argonne, IL, USA, 17-19 Aug. 1987, [May 1988] 88—57006, 88—57835

Ceramics in advanced energy technologies; Ceramics in Advanced Energy Technologies. Proceedings of the European Colloquium, Petten, Netherlands, 20-22 Sept. 1982, *(Comm. European Communities; Committee of Senior COST Officials) Krockel, H. Merz, M. Van der Biest, O. (editor/s),* [Dordrecht, Netherlands: Reidel 1984, $79.50] 85—10339 (introductory abstract)

Ceramics industry; 17th Annual Symposium of the South African Ceramic Society Proceedings -Manufacturing and Marketing in the Ceramics Industry, Pretoria, South Africa, 4 Sept. 1985, *(South African Ceramic Soc.)* [Pretoria, South Africa: South African Ceramic Soc. 1985] 86—45929 (introductory abstract)

CERN Accelerator School second general accelerator physics course; CERN Accelerator School Second General Accelerator Physics Course. Proceedings (CERN 87-10), Aarhus, Denmark, 15-26 Sept. 1986, *Turner, S. (editor/s),* [Geneva, Switzerland: CERN 23 July 1987] 88—65 (introductory abstract), 88—4729 to 4733, 88—4756 to 4763, 88—4788

CERN school of computing; 1984 CERN School of Computing (CERN 85-09), Aiguablava, Catalonia, Spain, 9-22 Sept. 1984, *(CERN) Verkerk, C. (editor/s),* [Geneva, Switzerland: CERN 1985] 86—15239, 86—17008, 86—17869

CERN school of physics; 1986 CERN School of Physics Proceedings (CERN 87-02), Sandhamn, Sweden, 8-21 June 1986, [Geneva, Switzerland: CERN 30 March 1987] 87—57044

Chaos; CHAOS 87: International Conference on the Physics of Chaos and Systems far from Equilibrium, Monterey, CA, USA, 11-14 Jan. 1987, *(Lawrence Livemore Nat. Lab)* [Nov. 1987] 88—32045, 88—33965, 88—39898, 88—40074, 88—44539

Chaos, noise and fractals; Chaos, Noise and Fractals, Como, Italy, 18-19 Sept. 1986, *Pike, E.R. Lugiato, L.A. (editor/s),* [Bristol, UK: Adam Hilger 1987, £19.50] 88—72721

Characterisation of defects in materials; Characterization of Defects in Materials Symposium, Boston, MA, USA, 1-2 Dec. 1986, *Siegel, R.W. Weertman, J.R. Sinclair, R. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 87—74335, 88—426 to 427, 88—1353, 88—1446, 88—1557

Charged particle optics; Second International Conference on Charged Particle Optics, Albuquerque, NM, USA, 19-23 May 1986, [15 Aug. 1987] 87—70943 (introductory abstract), 87—74167, 87—77492, 87—77515

Chemical engineering computing; Process Systems Engineering - PSE '85. The Use of Computers in Chemical Engineering. Institution of Chemical Engineers Symposium, Cambridge, UK, 31 March-4 April 1985, [Rugby, UK: Instn. Chem. Eng. 1985] 86—26451 to 26452

Chemical reactions and the electron microscope; Workshop on Chemical Reactions and the Electron Microscope, Wickenburg Inn, AZ, USA, 11-15 Jan. 1987, *(NSF; ASU)* [1987] 88—20058

Chemical sensors; 2nd International Meeting on Chemical Sensors, Bordeaux, France, 7-10 July 1986, [Aug.-Sept. 1987] 87—65048 (introductory abstract), 87—70609 to 70613, 87—70661, 87—70898, 88—4386 to 4395, 88—22568 to 22572

Chemical vapour deposition; Proceedings of the Ninth International Conference on Chemical Vapor Deposition 1984, Cincinnati, OH, USA, 7-10 May 1984, *Robinson, Mc.D. Van Den Brekel, C.H.J. Cullen, G.W. Blocher, J.M., Jr. Rai-Choudhury, P. (editor/s),* [Pennington, NJ, USA: Electrochem. Soc. 1984] 85—10345 (introductory abstract), 85—10738 to 10753, 85—10810 to 10820, 85—12393, 85—12634, 85—16957, 85—16996 to 16997

Cherenkov detectors; Proceedings of the Seminar on Cherenkov Detectors and their Applications in Science and Technology, Moscow and Troitsk, USSR, 11-17 July 1984, [15 July 1986] 86—65352 to 65375, 86—65394 to 65395, 86—65418

Chernobyl; Understanding Chernobyl, London, UK, 2 Sept. 1986, [London, UK: Uranium Inst. 1986, £6.00] 87—50975 (introductory abstract)

CHMT symposium; Proceedings of the 1st IEEE CHMT Symposium: CHMT Tokyo '84, Tokyo, Japan, 1-3 Oct. 1984, *(IEEE; Inst. Electron. & Commun. Eng. Japan; Inst. Electr. Eng. Japan; et al)* [New York, NY, USA: IEEE Aug. 1985] 86—4 (introductory abstract), 86—189, 86—517, 86—566, 86—1583, 86—1598, 86—5213, 86—13302 to 13303, 86—13410, 86—13502 to 13509, 86—14177, 86—14562 to 14563, 86—14577, 86—14579, 86—14588, 86—14603, 86—14635, 86—14649, 86—14716 to 14717, 86—14736 to 14737, 86—14747 to 14751, 86—14769 to 14772, 86—15184, 86—15247, 86—15312, 86—15334, 86—15551, 86—17961, 86—17986, 86—19299, 86—19508

Chronometry International Congress; CIC 84. 11th International Congress of Chronometry, Besancon, France, 4-6 Oct. 1984, [1984] 86—13248 (introductory abstract)

Chronometry - Swiss Society congress; SSC-ASMT-85. Societe Suisse de Chronometrie et Association Suisse de Microtechnique 59e Congress (SSC-ASMT-85. Swiss Society of Chronometry and Swiss Association of Microtechnology 59th Congress), Interlaken, Switzerland, 4-5 Oct. 1985, [Interlaken, Switzerland: Swiss Soc. Chronometry 1985] 86—33935 (introductory abstract)

CIMAP; CIMAP. The DTI Map Event, Birmingham, UK, 1-5 Dec. 1986, [Horton Kirby, UK: CIMAP 1986] 87—23007 (introductory abstract), 87—28198 to 28204

Circuit and device modelling/analysis; IEE Colloquium on 'Modelling and Analysis of Circuits and Devices' (Digest No.111), London, UK, 4 Dec. 1987, *(IEE)* [London, UK: IEE 1987] 88—18340 (introductory abstract), 88—18881 to 18882, 88—19271, 88—19418 to 19420, 88—19510, 88—19670, 88—19772, 88—19908 to 19909, 88—19947, 88—19988, 88—20994 to 20995, 88—22160

Circuit design using workstations; IEE Half-Day Colloquium on 'Circuit Design Using Workstations' Digest No.44), London, UK, 26 April 1985, *(IEE)* [London, UK: IEE 1985] 85—44418 (introductory abstract), 85—44855, 85—44961, 85—45300, 85—45844

Circuit Expo; Circuit Expo '85 Proceedings, Boston, MA, USA, 19-21 Nov. 1985, [Libertyville, IL, USA: Worldwide Convention Manage. 1985, $60.00] 86—33940 (introductory abstract)

Circuit Expo 84; Circuit Expo '84 Proceedings, Worcester, MA, USA, 16-18 Oct. 1984, *(Electri.onics Magazine; Microelectron. Manuf. & Testing Magazine; Hybrid Circuit Technol. Magazine)* [Libertyville, IL, USA: Worldwide Convention Management 1984, $50.00] 85—32922 (introductory abstract), 85—32923, 85—33076, 85—33173 to 33175, 85—33196, 85—33213 to 33214, 85—33986, 85—34261, 85—34276 to 34277, 85—34289 to 34290, 85—34348 to 34365, 85—34394, 85—34411 to 34412, 85—36052

Circuit Expo 86 West; Circuit Expo West '86. Proceedings, Long Beach, CA, USA, 3-5 June 1986, [Libertyville, IL, USA: Worldwide Convention Manage. 1986, $60.00] 87—35 (introductory abstract)

Circuit theory and design; Circuit Theory and Design 85. Proceedings of the 1985 European Conference, Prague, Czechoslovakia, 2-6 Sept. 1985, *Zima, V. Kvasil, J. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985] 87—20 (introductory abstract), 87—114, 87—167, 87—169, 87—188, 87—233 to 234, 87—393 to 404, 87—434 to 439, 87—468 to 474, 87—483 to 496, 87—499 to 500, 87—531 to 533, 87—537, 87—547 to 550, 87—564 to 569, 87—572, 87—581, 87—646 to 651, 87—754, 87—771, 87—810, 87—838 to 840, 87—844 to 845, 87—859 to 887, 87—915 to 946, 87—962, 87—966, 87—982, 87—1109, 87—1121, 87—1169, 87—1470, 87—1620 to 1627, 87—1760 to 1762, 87—1823, 87—1865 to 1867, 87—2323, 87—2408 to 2409, 87—2494 to 2496, 87—2540 to 2547, 87—2602 to 2606, 87—2683, 87—2757, 87—2809, 87—2948, 87—2966, 87—2989, 87—3036, 87—3050, 87—3205 to 3206, 87—3933, 87—4010, 87—4039 to 4040, 87—4140, 87—4770, 87—4818 to 4819

Circuit theory and design education; IEE Colloquium on 'Education in Circuit Theory and Design - Are the Needs of Industry being Satisfied' (Digest No.118), London, UK, 11 Dec. 1987, *(IEE)* [London, UK: IEE 1987] 88—24373 (introductory abstract), 88—24493 to 24497, 88—24936

Circuit theory and electronic networks; VIII Krajowa Konferencja Teoria Obwodow i Uklady Elektroniczne (8th National Conference on Circuit Theory and Electronic Networks), Poznan, Poland, 15-18 Oct. 1985, [Poznan, Poland: Wydawnictwo Politech. Poznan 1985] 86—45942 (introductory abstract)

Circuits and systems; 1984 IEEE International Symposium on Circuits and Systems. Proceedings (Cat. No. 84CH1993-5), Montreal, Que., Canada, 7-10 May 1984, *(IEEE; Concordia Univ)* [New York, NY, USA: IEEE 1984] 85—16562 (introductory abstract), 85—16774 to 16775, 85—16867 to 16868, 85—16893, 85—17046 to 17049, 85—17061 to 17065, 85—17088 to 17096, 85—17099 to 17101, 85—17107 to 17111, 85—17116 to 17128, 85—17178 to 17183, 85—17188, 85—17199 to 17205, 85—17227, 85—17240 to 17244, 85—17319 to 17326, 85—17424, 85—17480 to 17481, 85—17557 to 17562, 85—17585, 85—17603 to 17611, 85—17618 to 17621, 85—17642 to 17681, 85—17693 to 17746, 85—17762, 85—18276, 85—18306, 85—18363, 85—18420 to 18431, 85—18446, 85—18482 to 18488, 85—18617 to 18618, 85—19164, 85—19173, 85—19299 to 19300, 85—19353 to 19354, 85—19467 to 19478, 85—19536 to 19539, 85—19565 to 19566, 85—19844, 85—20022, 85—20256, 85—20359, 85—20416, 85—20557, 85—21130 to 21136, 85—21157, 85—21194, 85—21595, 85—21637, 85—21734, 85—22160, 85—22236, 85—22336 to 22338, 85—22379 to 22381, 85—22573, 85—22580 to 22584, 85—22600 to 22601, 85—22605 to 22606, 85—22608 to 22609, 85—22615 to 22625, 85—22660, 85—22687 to 22689, 85—22705, 85—22729, 85—22840 to 22841, 85—22941, 85—22990, 85—23011 to 23026, 85—23044 to 23050, 85—23083, 85—23108, 85—23144, 85—23907 to 23910, 85—23974 to 23976, 85—25132 to 25133, 85—25620, 85—25630, 85—25826, 85—26767, 85—26994 to 26996, 85—27009 to 27011, 85—27031

Circuits and systems; 1985 International Symposium on Circuits and Systems. Proceedings (Cat. No.85CH2114-7), Kyoto, Japan, 5-7 June 1985, *(IEEE; IECE (Japan))* [New York, NY, USA: IEEE 1985] 86—61839 (introductory abstract), 86—57243, 86—57297 to 57299, 86—57343 to 57347, 86—57384, 86—57412 to 57414, 86—57534 to 57538, 86—57561 to 57570, 86—57585, 86—57593 to 57600, 86—57605, 86—57749, 86—57795 to 57802, 86—57840, 86—57921 to 57922, 86—57935 to 57948, 86—57972 to 57987, 86—58024, 86—58194, 86—58555 to 58567, 86—58620 to 58624, 86—59114, 86—59166, 86—59296 to 59299, 86—59350, 86—61908, 86—61919, 86—61985, 86—61995, 86—62048 to 62062, 86—62323 to 62329, 86—62337 to 62343, 86—62366 to 62375, 86—62386 to 62387, 86—62389, 86—62391, 86—62397 to 62403, 86—62411 to 62418, 86—62420 to 62421, 86—62442 to 62443, 86—62462 to 62463, 86—62479 to 62485, 86—62495 to 62497, 86—62501, 86—62510 to 62511, 86—62554 to 62577, 86—62632 to 62635, 86—62647 to 62649, 86—62661 to 62662, 86—62668 to 62670, 86—62672 to 62675, 86—62692 to 62721, 86—62740 to 62774, 86—62817, 86—62835, 86—63392 to 63413, 86—63455 to 63469, 86—63525, 86—63928, 86—64124, 86—64177, 86—64196 to 64199, 86—64227, 86—64285 to 64299, 86—64363 to 64367, 86—64385 to 64386, 86—64481 to 64491, 86—64692, 86—64792, 86—64797, 86—64810, 86—64847, 86—65026, 86—65121 to 65122, 86—65154, 86—65448, 86—65598 to 65601, 86—65643 to 65645, 86—65655 to 65657, 86—65671 to 65672, 86—66058, 86—66078

Circuits and systems; Proceedings of the Twenty-Seventh Midwest Symposium on Circuits and Systems, Morgantown, WV, USA, 11-12 June 1984, *Swartwout, R.E. (editor/s),* [Morgantown, WV, USA: West Virginia Univ. (Distributed by Western Periodicals Co.) 1984] 86—50 (introductory abstract), 85—60758, 85—60862, 85—61027, 85—61035, 85—61060, 85—61064, 85—61361, 85—61385 to 61388, 85—62859, 85—62987, 85—63077 to 63080, 85—63126, 85—63247, 85—64052, 85—64079, 86—108, 86—135, 86—298 to 299, 86—301, 86—335 to 336, 86—368, 86—596, 86—609, 86—652 to 654, 86—683 to 686, 86—688, 86—692 to 693, 86—696, 86—700, 86—792 to 801, 86—818 to 826, 86—850 to 852, 86—968 to 971, 86—1197 to 1205, 86—1215, 86—1248 to 1260, 86—1299 to 1312, 86—1353 to 1354, 86—1378 to 1379, 86—2201 to 2202, 86—2315 to 2317, 86—2407, 86—3611, 86—3709, 86—3742, 86—3754 to 3755, 86—3903 to 3916, 86—4088 to 4089, 86—4337, 86—4354, 86—4379, 86—4478, 86—4611 to 4612, 86—4833, 86—5016 to 5017, 86—5135, 86—5171 to 5172, 86—5952, 86—5998, 86—6088, 86—6286 to 6289, 86—6326, 86—6352, 86—6388 to 6389, 86—6468, 86—6799, 86—6916, 86—6949, 86—7221, 86—7915, 86—8025 to 8027, 86—8326, 86—8342, 86—8355, 86—10318 to 10320, 86—10881, 86—11131

Circuits and systems; Conference Proceedings. 28th Midwest Symposium on Circuits and Systems, Louisville, KY, USA, 19-20 Aug. 1985, *(Univ. Louisville) Cole, J.D. Miller, E.J. (editor/s),* [Louisville, KY, USA: Univ. Louisville 1985] 86—57091 (introductory abstract), 86—57127 to 57129, 86—57294, 86—57300, 86—57304, 86—57348 to 57351, 86—57521 to 57522, 86—57540 to 57541, 86—57573 to 57580, 86—57586 to 57589, 86—57601 to 57603, 86—57646 to 57649, 86—57689 to 57695, 86—57710 to 57716, 86—57750, 86—57804, 86—57841 to 57842, 86—57873 to 57874, 86—57896 to 57898, 86—57906 to 57907, 86—57911 to 57913, 86—57923, 86—57949 to 57967, 86—57989 to 58001, 86—58025, 86—58041 to 58043, 86—58070, 86—58571 to 58572, 86—58625, 86—59039, 86—59115, 86—59194, 86—59225, 86—59260, 86—59301 to 59312, 86—59351 to 59353, 86—59391, 86—59720, 86—59775, 86—59921, 86—59939, 86—59953, 86—60164 to 60165, 86—60184 to 60185, 86—60258, 86—60930 to 60931, 86—61011, 86—61086 to 61089, 86—61124, 86—61647 to 61648

Circuits and systems; 1986 IEEE International Symposium on Circuits and Systems (Cat. No.86CH2255-8), San Jose, CA, USA, 5-7 May 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86—66545 (introductory abstract), 86—62344, 86—62406 to 62407, 86—62419, 86—62676 to 62677, 86—62781 to 62786, 86—64317, 86—64371, 86—66654 to 66656, 86—66728 to 66737, 86—66781, 86—66892 to 66893, 86—66900 to 66905, 86—66928 to 66939, 86—66968 to 66971, 86—66979 to 66999, 86—67059 to 67063, 86—67081 to 67087, 86—67111 to 67114, 86—67135 to 67136, 86—67184 to 67197, 86—67246 to 67252, 86—67278 to 67283, 86—67293, 86—67298 to 67301, 86—67322 to 67355, 86—67382 to 67432, 86—67443 to 67444, 86—67453 to 67454, 86—67479, 86—67496, 86—67606, 86—67609, 86—67823, 86—67888 to 67891, 86—67938 to 67956, 86—67994 to 67995, 86—68682, 86—68941 to 68942, 86—68958 to 68959, 86—69026 to 69030, 86—69085 to 69094, 86—69188 to 69191, 86—69249 to 69250, 86—69312 to 69313, 86—69465 to 69466, 86—69486, 86—69506 to 69507, 86—69554, 86—69589, 86—69990, 86—70090 to 70091, 86—70133, 86—70549, 86—70602 to 70609, 86—70646

Circuits and systems; 1987 IEEE International Symposium on Circuits and Systems (Cat. No.87CH2394-5), Philadelphia, PA, USA, 4-7 May 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87—65076 (introductory abstract), 87—65274 to 65276, 87—65358 to 65363, 87—65402, 87—65615, 87—65617 to 65619, 87—65627 to 65632, 87—65737 to 65754, 87—65761 to 65763, 87—65774 to 65785, 87—65789 to 65793, 87—65796 to 65798, 87—65854 to 65857, 87—65893 to 65894, 87—65921 to 65924, 87—65952, 87—65989 to 65990, 87—66134 to 66138, 87—66194, 87—66246 to 66254, 87—66279 to 66285, 87—66298 to 66300, 87—66339 to 66368, 87—66394 to 66427, 87—66473, 87—66568, 87—67182, 87—67197, 87—67236, 87—67248, 87—67305 to 67306, 87—67485 to 67502, 87—67543 to 67544, 87—67593 to 67598, 87—68853, 87—69077 to 69078, 87—69200 to 69221, 87—69353 to 69363, 87—69423, 87—69553 to 69554, 87—69764, 87—69859, 87—69899, 87—70469, 87—70536 to 70539, 87—71621, 87—72483

Circuits, systems and computers; Conference Record of the Seventeenth Asilomar Conference on Circuits, Systems and Computers (cat. no. 83CH1939-8), Pacific Grove, CA, USA, 31 Oct.-2 Nov. 1983, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—21 (introductory abstract), 85—117, 85—197 to 198, 85—259 to 260, 85—296 to 297, 85—333, 85—489 to 490, 85—529, 85—693, 85—763 to 764, 85—862, 85—900, 85—904, 85—938 to 941, 85—968 to 971, 85—1149 to 1150, 85—2597, 85—2626, 85—2648, 85—2700, 85—2727, 85—2783, 85—2850 to 2861, 85—2905 to 2907, 85—2925, 85—2989, 85—3182 to 3183, 85—3491 to 3494, 85—3523 to 3525, 85—3544, 85—3699, 85—3758, 85—3769, 85—4069, 85—4304 to 4305, 85—4413, 85—4522, 85—5396, 85—5476

Circuits, systems and computers; Conference Record Eighteenth Asilomar Conference on Circuits, Systems and Computers (Cat. No. 85CH2200-4), Pacific Grove, CA, USA, 5-7 Nov. 1984, *(IEEE; Naval Postgraduate Sch.; Univ. Santa Clara) Kirk, D.E. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86—71 (introductory abstract), 86—300, 86—302, 86—320, 86—337 to 338, 86—352, 86—610 to 612, 86—676, 86—687, 86—697 to 698, 86—701, 86—853, 86—1021 to 1022, 86—1081, 86—1132 to 1135, 86—1206, 86—1261 to 1263, 86—1313 to 1320, 86—3602, 86—3794, 86—3836, 86—3920 to 3933, 86—4015 to 4018, 86—4713 to 4715, 86—4748 to 4749, 86—4765 to 4766, 86—5174, 86—6918

Circuits, systems and computers; Conference Record. Nineteenth Asilomar Conference on Circuits, Systems and Computers (Cat. No.86CH2331-7), Pacific Grove, CA, USA, 6-8 Nov. 1985, *(Naval Postgraduate Sch.; IEEE) Kirk, D.E. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87—5134 (introductory abstract), 87—5338, 87—5387, 87—5572, 87—5595 to 5596, 87—5745 to 5746, 87—5817 to 5819, 87—5918, 87—5938, 87—5942, 87—5963, 87—5977 to 5980, 87—6817 to 6818, 87—6892 to 6893, 87—7525, 87—7631 to 7633, 87—7647, 87—7669, 87—7701, 87—7747 to 7782, 87—7851 to 7858, 87—8344 to 8349, 87—8362, 87—8365, 87—8624, 87—8636, 87—8801, 87—9053, 87—9531, 87—10607 to 10610, 87—10640, 87—10708 to 10709, 87—12917, 87—13041 to 13045, 87—13779 to 13781, 87—15045

Civil and structural engineering computing; CIVIL-COMP 85. Proceedings of the Second International Conference on Civil and Structural Engineering Computing, London, UK, 3-5 Dec. 1985, *Topping, B.H.V. (editor/s),* [Edinburgh, UK: Civil-Comp Press 1985] 87—9450

Classification and data analysis methods; Classification and Related Methods of Data Analysis. Proceedings of the First Conference of the International Federation of Classification Societies (IFCS), Aachen, West Germany, 29 June-1 July 1987, *Bock, H.H. (editor/s),* [Amsterdam, Netherlands: North-Holland 1988] 88—56112 to 56119, 88—56157 to 56158, 88—56167, 88—59330 to 59331, 88—60522

Climate - building - housing; Third International Symposium on Climate - Building -Housing, Karlsruhe, West Germany, 22-26 Sept. 1986, [22 March 1988] 88—37799 (introductory abstract)

CNA proceedings; 27th Annual Conference of the Canadian Nuclear Association 'Meeting Society's Goals'. Proceedings, Saint John, NB, Canada, 14-17 June 1987, [Toronto, Ont., Canada: Canadian Nucl. Assoc. 1987, $45.00] 88—31296 (introductory abstract), 88—36963 to 36972, 88—37004

Co-orbiting platform elements; COPE: Co-Orbiting Platform Elememts. Proceedings of an ESA Workshop (ESA SP-1093), Noordwijk, Netherlands, 7-8 April 1987, *Duc Guyenne, T. (editor/s),* [Noordwijk, Netherlands: ESA Sept. 1987] 88—11608 (introductory abstract)

Coal technologies; Newer Coal Technologies. Implications for Energy and Development Policies in Asia and the Paciic, Honolulu, HI, USA, 17-24 April 1985, *(USDOE; East-West Center, Honolulu; Minist. Coal Ind. China)* [Nov.-Dec. 1986] 87—51696 (introductory abstract)

Coatings for large-scale metallurgical, optical and electronic applications; Proceedings of the 14th Annual Symposium of the Greater New York Chapter of the AVS on Coatings for Large-Scale Metallurgical, Optical and Electronic Applications, Annandale, NJ, USA, 13 June 1984, [Oct.-Dec. 1984] 85—16544 (introductory abstract), 85—16958, 85—18319, 85—18780, 85—21800 to 21801

Coherence and energy transfer in glasses; Coherence and Energy Transfer in Glasses. Proceedings of the NATO Workshop, Cambridge, UK, Sept. 1982, *Fleury, P.A. Golding, B. (editor/s),* [New York, NY, USA: Plenum 1984] 85—50220 to 50221, 85—50978, 85—51289

Coherent and nonlinear optics; Proceedings of the Eleventh All-Union Conference on Coherent and Nonlinear Optics, Erevan, USSR, 22-25 Nov. 1982, [1983] 85—18651 to 18652, 85—18832, 85—18892, 85—18979, 85—19010 to 19015, 85—29534, 85—29782 to 29783, 85—29888, 85—29898, 86—14843

Coherent and nonlinear optics; 12th All-Union Conference on Coherent and Nonlinear Optics, Moscow, USSR, 26-29 Aug. 1985, [1986] 87—72662 (introductory abstract), 87—67038 to 67039, 87—68318, 87—68334, 87—68414, 87—68582 to 68585, 87—68604 to 68605, 87—68644, 87—70866, 87—74688 to 74689, 87—74953, 87—74971 to 74972, 87—75026, 87—75048 to 75050, 87—75199 to 75200, 87—75233 to 75235, 87—77881 to 77882, 88—14086, 88—14271 to 14272, 88—16905, 88—16929

Coherent optical devices; IEE Colloquium on Advances in Coherent Optic Devices and Technologies (Digest No.30), London, UK, 26 March 1985, *(IEE)* [London, UK: IEE 1985] 85—39447 (introductory abstract), 85—41184 to

41188, 85−41204, 85−41217, 85−41412 to 41414, 85−41542, 85−41938, 85−42625 to 42627, 85−43115 to 43116

Coherent technology in fiber optic systems; Coherent Technology in Fiber Optic Systems, San Diego, CA, USA, 19 Aug. 1985, *(SPIE)* [1985] 87−9996 (introductory abstract), 87−12173, 87−12650, 87−13721 to 13727

Coil winding; ICWA 1986 Coil Winding Proceedings: Coil Winding '86, Rosemont, IL, USA, 30 Sept.-2 Oct. 1986, [Minneapolis, MN, USA: Int. Coil Winding Assoc. 1986] 87−58541 (introductory abstract)

College computing; SCCS - Proceedings of the 19th Annual Small College Computing Symposium, Rapid City, SD, USA, 11-12 April 1986, [Rapid City, SD, USA: Small Coll. Comput. Symposium 1986] 86−59690

Colliders to supercolliders; Workshop on From Colliders to Super Colliders, Madison, WI, USA, 11-22 May 1987, [Aug. 1987] 88−16629 to 16632

Colour displays; International Conference on Colour in Information Technology and Visual Displays (Publ. No.61), Guildford, UK, 27-28 March 1985, [London, UK: IERE 1985, £25.00] 86−69 (introductory abstract), 86−5115 to 5122, 86−5173, 86−5436 to 5437, 86−6045

Colour in computer generated displays; Proceedings of the 1986 AIC Interim Meeting on Color in Computer Generated Displays, Toronto, Ont., Canada, 19-20 June 1986, *(ACM; Canadian Soc. Colour; Kodak Res. Labs.; et al)* [1986] 86−66524 (introductory abstract), 86−69903, 86−70023 to 70029, 86−70381 to 70382, 86−70392

Columbus I - utilization aspects; Columbus I. Proceedings of the First Columbus Workshop - Utilization Aspects, Capri, Italy, 17-21 June 1985, [1986] 86−66525 (introductory abstract)

Columbus symposium; Third Columbus Symposium: Columbus III, Capri, Italy, 30 June-2 July 1987, [1988] 88−43569 (introductory abstract)

Columbus workshop; Second Columbus Workshop, Hannover, West Germany, 9-11 June 1986, *(Bundesministerium Forschung & Technol.; ESA; et al)* [1987] 87−65050 (introductory abstract)

Combinatorial methods in mathematical programming; 'Joint US/FRG Seminar: Applications of Combinatorial Methods in Mathematical Programming', Gainesville, FL, USA, 18-22 March 1985, [Nov. 1986] 87−16468 (introductory abstract), 87−16469 to 16484

Combinatorial optimisation; School on Combinatorial Optimization, Rio de Janeiro, Brazil, 8-19 July 1985, [Nov. 1987] 88−14848

Command, control and communication; International Conference on Advances in Command, Control and Communication Systems: Theory and Applications (Conf. Publ. No. 247), Bournemouth, UK, 16-18 April 1985, *(IEE)* [London, UK: IEE 1985] 85−63151, 85−63217 to 63219, 85−63274, 85−63381 to 63382, 85−63386 to 63388

Command, control, communications, management information systems; Second International Conference on Command, Control, Communications and Management Information Systems (Conf. Publ. No.275), Bournemouth, UK, 1-3 April 1987, [London, UK: IEE 1987] 87−40256 to 40257, 87−48450, 87−49734

Communicaions; IEEE International Conference on Communications '87: Communications-Sound to Light. Proceedings (Cat. No.87CH2424-0), Seattle, WA, USA, 7-10 June 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88−31 (introductory abstract), 88−110 to 112, 88−129, 88−208 to 217, 88−246 to 247, 88−289, 88−617 to 620, 88−799, 88−889 to 890, 88−1011 to 1016, 88−2044, 88−2572 to 2575, 88−2602 to 2603, 88−2924 to 2941, 88−2966 to 2974, 88−2999 to 3002, 88−3064 to 3067, 88−3209 to 3212, 88−3295 to 3309, 88−3383 to 3405, 88−3445 to 3446, 88−3486, 88−3590 to 3598, 88−3649 to 3651, 88−3693, 88−3709 to 3710, 88−3713 to 3715, 88−3744 to 3755, 88−3773 to 3779, 88−3805 to 3815, 88−3825 to 3845, 88−3879 to 3882, 88−3925 to 3940, 88−4017 to 4046, 88−4187 to 4189, 88−4201, 88−6708, 88−6767, 88−6947, 88−8452, 88−8499, 88−8670 to 8677, 88−8696 to 8698, 88−8718 to 8719, 88−8785 to 8792, 88−8856 to 8857, 88−8907 to 8912, 88−8938, 88−9008 to 9015, 88−9047, 88−9169 to 9179, 88−9289 to 9295, 88−9299, 88−9355 to 9356, 88−9363 to 9366, 88−9401, 88−9454 to 9463, 88−9494 to 9503, 88−9595 to 9596

Communication and data communication; Conference on Communication and Data Communication, Nivelles, Belgium, 25-27 May 1987, [1987] 88−62846 (introductory abstract), 88−62966, 88−62993, 88−63108, 88−66811 to 66813, 88−66841 to 66842, 88−66882, 88−66908 to 66909, 88−66922, 88−66933, 88−66963 to 66972, 88−67085 to 67086, 88−67138, 88−67179

Communication, control and computing; Proceedings of the Twenty-third Annual Allerton Conference on Communication, Control, and Computing, Monticello. IL, USA, 2-4 Oct. 1985, *(Univ. Illinois)* [Urbana-Champaign, IL, USA: Univ. Illinois 1985] 86−61848 (introductory abstract), 86−62079, 86−62139 to 62141, 86−62376 to 62378, 86−62578 to 62579, 86−62777 to 62778, 86−63417 to 63422, 86−63835, 86−64161 to 64165, 86−64178, 86−64203 to 64211, 86−64228, 86−64302 to 64309, 86−64368 to 64370, 86−64387 to 64396, 86−64747 to 64750, 86−65009 to 65010

Communication, control and computing; Proceedings of the Twenty-Fourth Annual Allerton Conference on Communication, Control, and Computing, Monticello, IL, USA, 1-3 Oct. 1986, *(Univ. Illinois)* [Urbana-Champaign, IL, USA: Univ. Illinois 1986] 87−43788 (introductory abstract), 87−36563, 87−36588, 87−36927 to 36931, 87−37261 to 37263, 87−37475, 87−38492 to 38494, 87−38584, 87−39517, 87−39572 to 39576, 87−39673 to 39677, 87−39717, 87−39856 to 39863, 87−39986 to 39994, 87−40056 to 40058, 87−40487, 87−40702 to 40706, 87−40964, 87−41500 to 41501, 87−44113 to 44114, 87−44121 to 44122, 87−44167, 87−44452, 87−44813, 87−47023, 87−47540, 87−47854 to 47870, 87−48248, 87−49149

Communication equipment protection; IEE Colloquium on Protection of Communications Equipment against EMP and other Hazards (Digest No.28), London, UK, 22 March 1985, *(IEE)* [London, UK: IEE 1985] 85−32942 (introductory abstract), 85−36054 to 36062, 85−36095, 85−36119

Communication satellite systems; AIAA 11th Communication Satellite Systems Conference. Collection of Technical Papers, San Diego, CA, USA, 17-20 March 1986, *(AIAA; Inst. Electron. & Commun. Eng. Japan; Deutsche Gesellschaft Luft-Und Ruamfahrt; et al)* [New York, NY, USA: AIAA 1986] 86−57094 (introductory abstract), 86−57696 to 57697, 86−58071 to 58072, 86−58212, 86−59063, 86−59137, 86−59152 to 59155, 86−59164, 86−59196, 86−59392 to 59394, 86−59840 to 59862, 86−59967, 86−60853 to 60858, 86−62465 to 62466, 86−62468, 86−62999 to 63003, 86−64813, 86−64917 to 64949, 86−64958

Communication satellites for TV transmission; IEE Colloquium on 'Operational Experience in the Use of the European Communication Satellites for Television Transmission' (Digest No.32), London, UK, 6 March 1986, *(IEE)* [London, UK: IEE 1986] 86−33959 (introductory abstract), 86−37864 to 37865, 86−38001 to 38003

Communication services; New Communication Services: A Challenge to Computer Technology. Proceedings of the Eighth International Conference on Computer Communication, Munich, West Germany, 15-19 Sept. 1986, *(Int. Council Comput. Commun) Kuehn, P.J. (editor/s).* [Amsterdam, Netherlands: North-Holland 1986, $70.00] 87−43770 (introductory abstract), 87−47529, 87−48288 to 48309, 87−48327, 87−48422 to 48447, 87−48475, 87−48494 to 48501, 87−48517, 87−48546, 87−48638 to 48675, 87−48804, 87−48826 to 48830, 87−48914 to 48915, 87−49006 to 49008, 87−55547 to 55550, 87−55625, 87−55753 to 55759, 87−55837 to 55840, 87−55914

Communication services of the future; Les Services de Communication du Futur. Actes des 8^e Journees Internationales (Communication Services of the Future. Proceedings of the 8th International Congress), Montpellier, France, 17-19 Nov. 1986, [Nov. 1986] 88−2 (introductory abstract), 88−3343 to 3348, 88−3435, 88−3495, 88−3695, 88−3787, 88−3853, 88−3896, 88−4166 to 4167, 88−4195, 88−4224, 88−14875, 88−14896 to 14905, 88−14974, 88−14993, 88−15024 to 15027, 88−15051 to 15052, 88−15186 to 15187, 88−15219, 88−15354 to 15355, 88−15725 to 15726, 88−15770 to 15771, 88−15810 to 15814

Communication systems for band III; IEE Colloquium on Communication Systems for Band III (Digest No. 91), London, UK, 8 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85−16595 (introductory abstract), 85−20054, 85−20094 to 20105, 85−20295, 85−20362

Communications; IEEE International Conference on Communications 1985 (Cat. No. 85CH2175-8), Chicago, IL, USA, 23-26 June 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−13281 (introductory abstract), 86−13342, 86−13373 to 13374, 86−13527 to 13528, 86−14073, 86−14332, 86−14440, 86−16100 to 16105, 86−16117 to 16120, 86−16176 to 16177, 86−16357 to 16362, 86−16546 to 16548, 86−16609 to 16623, 86−16724 to 16755, 86−16808 to 16813, 86−16985 to 17003, 86−17054, 86−17060, 86−17079 to 17088, 86−17100, 86−17138 to 17139, 86−17158 to 17161, 86−17210 to 17211, 86−17233, 86−17267, 86−17339 to 17350, 86−17358, 86−17404 to 17414, 86−17628, 86−17785, 86−20623 to 20624, 86−21724, 86−22410 to 22412, 86−22691 to 22692, 86−22728 to 22729, 86−22817, 86−22874, 86−22888 to 22892, 86−22925 to 22926, 86−22962 to 22966, 86−23081 to 23082, 86−23169, 86−23209 to 23210, 86−23311 to 23323, 86−23357, 86−23400 to 23403, 86−23499 to 23504, 86−23543, 86−23546, 86−23574 to 23576, 86−23589 to 23590, 86−23620 to 23622, 86−23635 to 23636, 86−23680 to 23682, 86−23689 to 23695, 86−23759 to 23760, 86−23817 to 23830, 86−23937, 86−23952, 86−24035, 86−24077, 86−24105, 86−24181 to 24182, 86−25339, 86−25349, 86−26546, 86−27618, 86−27743, 86−29391, 86−29495, 86−29689, 86−29701 to 29702, 86−29744, 86−29794 to 29797, 86−30104, 86−30151, 86−30205 to 30212, 86−30266 to 30267, 86−30393 to 30397, 86−30445, 86−30451 to 30453, 86−30475, 86−30518 to 30519, 86−30532, 86−30573 to 30578, 86−30633 to 30637, 86−30678 to 30679, 86−30724 to 30727

Communications ; Conference on Communications - An Industry on the Move (Conf. Publ. No.262), Birmingham, UK, 13-15 May 1986, *(IEE)* [London, UK: IEE 1986] 86−66538 (introductory abstract), 86−68957, 86−69302 to 69311, 86−69332, 86−69344, 86−69443 to 69445, 86−69543 to 69544, 86−69553, 86−69599, 86−69684 to 69689, 86−69727 to 69732

Communications; IEEE International Conference on Communications '86. ICC '86: 'Integrating the World Through Communications'. Conference Record (Cat. No.86CH2314-3), Toronto, Ont., Canada, 22-25 June 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−22995 (introductory abstract), 87−23387 to 23393, 87−23960, 87−23988, 87−24307, 87−26790 to 26793, 87−26869 to 26870, 87−27132 to 27134, 87−27151 to 27154, 87−27208 to 27210, 87−27350, 87−27535 to 27549, 87−27659 to 27665, 87−27703 to 27733, 87−27826 to 27868, 87−28156 to 28168, 87−28244 to 28247, 87−28259 to 28260, 87−28278, 87−28291 to 28292, 87−28312 to 28319, 87−28330 to 28337, 87−28371 to 28381, 87−28394 to 28404, 87−28437 to 28448, 87−28503 to 28519, 87−28622 to 28632, 87−28691, 87−28861, 87−31322, 87−31764, 87−31947, 87−32633, 87−33440 to 33442, 87−33513, 87−33558, 87−33582 to 33584, 87−33589 to 33592, 87−33632 to 33641, 87−33664 to 33667, 87−33718 to 33725, 87−33812 to 33816, 87−33843 to 33849, 87−33893, 87−33966 to 33978, 87−34039 to 34042, 87−34065 to 34066, 87−34074 to 34076, 87−34091 to 34092, 87−34163 to 34166, 87−34222, 87−34230 to 34233, 87−34242 to 34246, 87−34254 to 34260, 87−34271, 87−34294 to 34296, 87−34313 to 34316, 87−34365 to 34366, 87−34376 to 34386, 87−34461 to 34462, 87−34508 to 34514, 87−34611 to 34624, 87−34840, 87−34880

Communications; IEEE MONTECH '87 Conferences: Communications - Telecommunications Today and Tomorrow (Cat. No.87CH2517-1), Montreal, Que., Canada, 9-11 Nov. 1987, [New York, NY, USA: IEEE 1987] 88−43578 (introductory abstract), 88−38574, 88−40803, 88−41144 to 41146, 88−41222, 88−41365 to 41367, 88−41459 to 41460, 88−41468, 88−45701, 88−45821, 88−45851, 88−45929 to 45933, 88−45997 to 45999, 88−46088, 88−46281 to 46282, 88−46429 to 46431, 88−46592, 88−46689, 88−46855 to 46856, 88−46931 to 46933, 88−46976 to 46977, 88−47093 to 47096, 88−47252, 88−47305, 88−47371, 88−48256

Communications; Proceedings of the Thirteenth Biennial Symposium on Communications, Kingston, Ont., Canada, 2-4 June 1986, [Kingston, Ont., Canada: Queen's Univ. 1986] 88−43596 (introductory abstract), 88−38426, 88−38595, 88−38643, 88−39707, 88−40777, 88−40805 to 40812, 88−40878 to 40879, 88−40992 to 40999, 88−41376 to 41379, 88−41473, 88−41520 to 41521, 88−41572 to 41576, 88−41600 to 41601, 88−41726, 88−45707, 88−45837 to 45841, 88−45957 to 45959, 88−46141, 88−46315 to 46316, 88−46374 to 46376, 88−46639, 88−46790, 88−46805, 88−46878, 88−47013 to 47014

Communications activities in the Alvey Programme; IEE Colloquium on 'Communications Activities in the Alvey Programme' (Digest No.22), London, UK, 11 Feb. 1986, *(IEE)* [London, UK: IEE 1986] 86−33950 (introductory abstract), 86−37315, 86−37377, 86−37579 to 37585

Communications and energy; International Communications and Energy Conference (Cat. No. 84CH2041-2), Montreal, Que., Canada, 2-4 Oct. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 86−38 (introductory abstract), 85−30165, 85−31434, 85−32122 to 32123, 85−32155 to 32157, 85−32202, 85−32247, 85−32570, 85−32622, 85−32651 to 32657, 86−1297, 86−2836, 86−3666, 86−3737, 86−3752, 86−3783 to 3784, 86−3808, 86−3901, 86−3996 to 3998, 86−4086 to 4087, 86−4325 to 4329, 86−4476, 86−4521, 86−4603 to 4605, 86−4692, 86−5334, 86−5445, 86−6272 to 6277, 86−6299, 86−6351, 86−6428 to 6429, 86−6579, 86−6724, 86−6764, 86−6899 to 6901, 86−6947, 86−7268

Communications architectures and protocols; SIGCOMM 84 Tutorials and Symposium on Communications, Architectures and Protocols, Montreal, Que., Canada, 6-8 June 1984, *(ACM)* [1984] 85−5622 (introductory abstract), 85−7948 to 7952, 85−8125 to 8153

Communications architectures and protocols; ACM SIGCOMM '86 Symposium on Communications Architectures and Protocols, Stowe, VT, USA, 5-7 Aug. 1986, *(ACM)* [Aug. 1986] 87−16232 (introductory abstract), 87−19980, 87−20019 to 20021, 87−20185 to 20222, 87−20429 to 20430

Communications, computers and signal processing; IEEE Pacific Rim Conference on Communications, Computers and Signal Processing. Conference Proceedings (Cat. No.87CH2482-8), Victoria, BC, Canada, 4-5 June 1987, *(IEEE; Univ. Victoria)* [New York, NY, USA: IEEE 1987] 87−65095 (introductory abstract), 87−65954 to 65955, 87−66154, 87−66256 to 66257, 87−66429 to 66439, 87−66510, 87−67198, 87−67527, 87−68926, 87−68946 to

68952, 87−69040 to 69048, 87−69087 to 69088, 87−69226 to 69245, 87−69383 to 69401, 87−69427 to 69433, 87−69556 to 69559, 87−69733 to 69744, 87−69757, 87−69765, 87−69902, 87−69988 to 69992, 87−70022 to 70025, 87−70107 to 70109, 87−70126, 87−70139, 87−71476

Communications, control and computing; Proceedings of the Twenty-Fifth Annual Allerton Conference on Communication, Control, and Computing, Monticello, IL, USA, 30 Sept.-2 Oct. 1987, *(Coordinated Sci. Lab.; Univ. Illinois)* [Urbana-Champaign, IL, USA: Univ. Illinois 1987] 88−31304 (introductory abstract), 88−31612 to 31614, 88−31627 to 31628, 88−31649 to 31655, 88−31682 to 31683, 88−31686, 88−31905 to 31908, 88−31916, 88−31948 to 31952, 88−32175 to 32178, 88−34540 to 34541, 88−34554, 88−34582 to 34595, 88−34619 to 34620, 88−34722 to 34731, 88−34826 to 34836, 88−34874 to 34878, 88−34962, 88−35188 to 35193, 88−35241, 88−35368 to 35369, 88−37251

Communications IEEE; Links for the Future. Science, Systems & Services for Communications. Proceedings of the International Conference on Communications-ICC 84, Amsterdam, Netherlands, 14-17 May 1984, *(IEEE; IEE; EUREL; Klvl) Dewilde, P. May, C.A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984] 85−16563 (introductory abstract), 85−11058, 85−11325, 85−13128 to 13129, 85−13453 to 13454, 85−13493, 85−13576 to 13578, 85−13631 to 13643, 85−13676 to 13680, 85−13743 to 13771, 85−13793 to 13794, 85−13814, 85−13825 to 13826, 85−13929 to 13938, 85−13979, 85−13985, 85−13999, 85−14010 to 14011, 85−14028 to 14033, 85−14053 to 14060, 85−14074, 85−14086, 85−14117 to 14125, 85−14149, 85−14189 to 14202, 85−14293 to 14295, 85−14429, 85−14449, 85−14458, 85−14506, 85−17747, 85−18025, 85−18732 to 18735, 85−18952, 85−19129 to 19134, 85−19259, 85−19301 to 19308, 85−19313 to 19317, 85−19393 to 19404, 85−19479 to 19480, 85−19567 to 19574, 85−19598 to 19599, 85−19657 to 19672, 85−19702 to 19705, 85−19720 to 19726, 85−19754 to 19760, 85−19845 to 19867, 85−19966 to 19976, 85−19987, 85−19996, 85−20023 to 20026, 85−20035 to 20049, 85−20084 to 20091, 85−20135 to 20158, 85−20219 to 20242, 85−20309 to 20310, 85−20347 to 20348, 85−20360 to 20361, 85−20386 to 20388

Communications networking in dense electromagnetic environments; Communications Networking in Dense Electromagnetic Environments, Los Angeles, CA, USA, 14-15 Jan. 1988, *(SPIE)* [1988] 88−49343 (introductory abstract), 88−49635, 88−51873, 88−52321 to 52322, 88−52902, 88−53130, 88−53147, 88−53226 to 53227, 88−53281 to 53283, 88−53322, 88−53370

Communications processing techniques; Impact of Processing Techniques on Communications. Proceedings of the NATO Advanced Study Institute, Bonas, France, 11-22 July 1983, *(NATO) Skwirzynski, J.K. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1985] 85−60656 (introductory abstract), 85−54938 to 54939, 85−57271 to 57272, 85−57322 to 57324, 85−57516 to 57519, 85−57568, 85−58613, 85−61313 to 61314, 85−61352, 85−62173, 85−62949 to 62951, 85−62983 to 62985, 85−63068 to 63072, 85−63147 to 63149

Communications satellite on-board processing; IEE Colloquium on Communications Satellite On-Board Processing (Digest No. 94), London, UK, 15 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85−10349 (introductory abstract), 85−14223 to 14230

Communications tomorrow; International Institute of Communications Annual Conference Edinburgh 1986. Background Papers, Edinburgh, UK, Sept. 1986, *(BBC Scotland; British Telecom (Scotland); Committee Scottish Clearing Bankers; et al)* [London, UK: Int. Inst. Commun. 1986] 88−6112 (introductory abstract)

COMPCON 84 small computers; Proceedings COMPCON Fall '84. The Small Computer (R)Evolution (Cat. No. 84CH2070-1), Arlington, VA, USA, 16-20 Sept. 1984, *(IEEE)* [Silver Spring, VA, USA: IEEE Comput. Soc. Press 1984] 85−33595, 85−36768 to 36770, 85−36927 to 36928, 85−37321, 85−38004, 85−38657, 85−40839, 85−41933, 85−42188, 85−42292

COMPCON Spring '84; Digest of Papers COMPCON Spring '84. Twenty-Eighth IEEE Computer Society International Conference (IEEE Cat. No. 84CH2017-2), San Francisco, CA, USA, 27 Feb.-1 March 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−514 to 518, 85−742, 85−852 to 856, 85−1181 to 1182, 85−1669, 85−2099, 85−3175 to 3181, 85−3872, 85−4055

COMPCON Spring '85; Digest of Papers COMPCON Spring 85. Thirtieth IEEE Computer Society International Conference. Technological Leverage: A Competitive Necessity (Cat. No. 85CH2135-2), San Francisco, CA, USA, 25-28 Feb. 1985, *(IEEE)* [Los Alamitos, CA, USA: IEEE Comput. Soc. Press 1985] 86−2302 (introductory abstract), 86−642 to 645, 86−2303 to 2305, 86−2400 to 2402, 86−2877 to 2878, 86−3994, 86−4321 to 4324, 86−4449 to 4450

COMPCON Spring 88; Digest of Papers: COMPCON Spring 88. Thirty-Third IEEE Computer Society International Conference (Cat. No.88CH2539-5), San Francisco, CA, USA, 29 Feb.-3 March 1988, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−44151, 88−44173, 88−44225 to 44236, 88−44986, 88−47652, 88−49972, 88−50120 to 50122

COMPINT '87; IEEE MONTECH '87 Conferences: COMPINT (Cat. No.87CH2518-9), Montreal, Que., Canada, 9-12 Nov. 1987, [New York, NY, USA: IEEE 1987] 88−38950, 88−39666 to 39667, 88−41000 to 41001, 88−41114 to 41120, 88−41382, 88−42539, 88−42561, 88−43087, 88−43669, 88−44919, 88−45969, 88−46508, 88−49093

Complexity of approximately solved problems; Symposium on the Complexity of Approximately Solved Problems, New York, NY, USA, 17-19 April 1985, [Oct. 1985] 86−57531

Complexity of approximately solved problems; Second Symposium on Complexity of Approximately Solved Problems, New York, NY, USA, 20-24 April 1987, [March 1988] 88−49616, 88−56164, 88−56174, 88−59161

Component TV measurements; IEE Half-Colloquium on Component TV Measurements and Their Relevance (Digest No. 23), London, UK, 8 March 1985, *(IEE)* [London, UK: IEE 1985] 85−39446 (introductory abstract), 85−42753 to 42755, 85−42915, 85−43015

Component TV measurements; IEE Colloquium on 'Component Television Measurements' (Digest No.42), London, UK, 6 April 1987, *(IEE)* [London, UK: IEE 1987] 87−56376 (introductory abstract), 87−56377 to 56379, 87−56408

Components for fiber optic applications; Components for Fiber Optic Applications, Cambridge, MA, USA, 22-24 Sept. 1986, *(SPIE)* [1987] 88−11561 (introductory abstract), 88−12013, 88−13857 to 13877, 88−13924, 88−14037, 88−14047 to 14048, 88−14057, 88−14212, 88−15476 to 15483, 88−16111 to 16112

Components for fiber optic applications; Components for Fiber Optic Applications II, San Diego, CA, USA, 17-18 Aug. 1987, *(SPIE)* [1988] 88−43565 (introductory abstract), 88−45097 to 45111, 88−45303 to 45305, 88−45325 to 45326, 88−45438 to 45439, 88−47060 to 47062

COMPSAC 84; Proceedings COMPSAC 84. The IEEE Computer Society's Eighth International Computer Software & Applications Conference (Cat. No. 84CH2096-6), Chicago, IL, USA, 7-9 Nov. 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−45006, 85−46983, 85−47144, 85−47337, 85−47383

Computation theory; Colloquium on Computation Theory - CCT '86, Berlin, East Germany, 8-12 Sept. 1986, [1987] 88−25203

Computational acoustics; Computational Acoustics. Proceedings of the 1st IMACS Symposium, New Haven, CT, USA, 6-8 Aug. 1986, *(IMACS; Office Naval Res.; Yale Univ.; Naval Underwater Syst. Center) Lee, D. Sternberg, R.L. Schultz, M.H. (editor/s),* [Amsterdam, Netherlands: North-Holland 1988, $144.00] 88−36685

Computational and applied mathematics; Proceedings of the International Conference on Computational and Applied Mathematics, Leuven, Belgium, 24-27 July 1984, *(Belgian Nat. Sci. Found.; Sabena; Kredietbank; IBM)* [May 1985] 85−49466 (introductory abstract), 85−49467, 85−49469, 85−49478 to 49480, 85−49495 to 49496, 85−49502 to 49506, 85−49511 to 49512, 85−49528, 85−53058, 85−54333 to 54336, 85−54354 to 54357, 85−54363 to 54366, 85−54374, 85−54376 to 54380, 85−54402 to 54405, 85−54422 to 54424, 85−54431, 85−56995, 85−59506

Computational and applied mathematics; 2nd International Conference on Computational and Applied Mathematics, Leuven, Belgium, 21-26 July 1986, *(Belgian Nat. Sci. Found.; Kredietbank; IBM Belgium; et al)* [Nov. 1987] 88−11555 (introductory abstract), 88−11828, 88−11887, 88−11906 to 11913, 88−11932 to 11936, 88−11946, 88−18598, 88−18625 to 18627, 88−18642, 88−18651 to 18656, 88−18662 to 18663, 88−19567

Computational linguistics; 10th International Conference on Computational Linguistics. 22nd Annual Meeting of the Association for Computational Linguistics. Proceedings of Coling 84, Stanford, CA, USA, 2-6 July 1984, [Morristown, NJ, USA: Assoc. Comput. Linguistics 1984] 85−36236 to 36237

Computational linguistics; 23rd Annual Meeting of the Association for Computational Linguistics. Proceedings of the Conference, Chicago, IL, USA, 8-12 July 1985, [Morristown, NJ, USA: Assoc. Comput. Linguistics 1985] 86−22967

Computational linguistics; 11th International Conference on Computational Linguistics. Proceedings of Coling '86, Bonn, West Germany, 25-29 Aug. 1986, [Bonn, West Germany: Inst. Angewandte Kommunikations & Sprachforschung 1986] 87−33631, 87−33661 to 33663

Computational mathematics; Informal Proceedings of the Symposium on Computational Mathematics - State of the Art (ANL/MCS-TM-42), Argonne, IL, USA, 20-21 Sept. 1984, *(Apple Computer; CRAY Res. Inc.; DOE; IBM; IMSL; NSF; NAG; Office of Naval Res.; Oxford Univ. Press; SIAM)* [Argonne, IL, USA: Argonne Nat. Lab. 1984] 85−54326 (introductory abstract), 85−54231, 85−54332, 85−54368 to 54371, 85−54415

Computational methods and experimental measurements; Computational Methods and Experimental Measurements. Proceedings of the 2nd International Conference, QE2; New York, NY, USA to Southampton, UK, June-July 1984, *(Int. Soc. Comput. Methods Eng.; Southampton Univ) Brebbia, C.A. Keramidas, G.A. (editor/s),* [Southampton, UK: Comput. Mech. Centre 1984] 85−64297, 85−64767, 85−65029

Computational quantum chemistry; Proceedings of the International Symposium on Atomic, Molecular and Solid-State Theory, Scattering Problems, Many Body Phenomena, and Computational Quantum Chemistry, Marineland, FL, USA, 18-23 March 1985, [1985] 86−53653

Computational techniques and applications; Computational Techniques and Applications: CTAC-85. Proceedings, Melbourne, Vic., Australia, 25-28 Aug. 1985, *Noye, J. May, R. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $95.00] 87−5132 (introductory abstract), 87−5369, 87−5380 to 5382, 87−7415, 87−10310, 87−10322 to 10323, 87−11024, 87−13151

Computer-aided design; IEEE International Conference on Computer-Aided Design, ICCAD - 84. Digest of Technical Papers (Cat. No. 84CH2026-3), Santa Clara, CA, USA, 12-15 Nov. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85−39438 (introductory abstract), 85−39869 to 39879, 85−39896 to 39897, 85−39976, 85−40054 to 40066, 85−40868 to 40882, 85−40939 to 40943, 85−44851 to 44853, 85−45018 to 45033, 85−45629 to 45630, 85−45660, 85−45729 to 45732, 85−45814 to 45827, 85−45852, 85−45900 to 45903, 86−630 to 633, 86−920 to 922, 86−1235, 86−2170, 86−2262 to 2264, 86−2379 to 2381

Computer-aided design; IEEE International Conference on Computer-Aided Design: ICCAD-85. Digest of Technical Papers (Cat. No.85CH2233-5), Santa Clara, CA, USA, 18-21 Nov. 1985, *(IEEE; ACM)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86−40856 (introductory abstract), 86−26739, 86−27017 to 27025, 86−27264 to 27278, 86−27388, 86−27698, 86−28423 to 28431, 86−28512 to 28522, 86−31318, 86−34462 to 34481, 86−34658, 86−34869, 86−35722, 86−35824 to 35825, 86−40857 to 40865, 86−41080 to 41081, 86−41408, 86−41851, 86−41924 to 41926, 86−41940, 86−41988 to 41995

Computer-aided design; IEEE International Conference on Computer-Aided Design: ICCAD-86. A Conference for the EE CAD Professional. Digest of Technical Papers (Cat. No.86CH2353-1), Santa Clara, CA, USA, 11-13 Nov. 1986, *(IEEE; ACM)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−36322 (introductory abstract), 87−36618, 87−36651, 87−36894 to 36910, 87−36938, 87−37034, 87−37114 to 37121, 87−37205 to 37233, 87−37360 to 37366, 87−37431, 87−37679, 87−38178, 87−38441 to 38465, 87−38556 to 38573, 88−517 to 519, 88−665 to 669, 88−850, 88−1718 to 1719, 88−1794, 88−1805, 88−12157 to 12158, 88−12310 to 12314, 88−13476 to 13481, 88−13595 to 13596

Computer-aided design; IEEE International Conference on Computer-Aided Design: ICCAD-87. Digest of Technical Papers (Cat. No.87CH2469-5), Santa Clara, CA, USA, 9-12 Nov. 1987, *(IEEE; ACM)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−24353 (introductory abstract), 88−24891 to 24919, 88−24952, 88−25036, 88−25065, 88−25127 to 25158, 88−25218 to 25219, 88−25324, 88−25348, 88−25653, 88−25741, 88−26198, 88−26321 to 26323, 88−26423 to 26448, 88−26526 to 26530, 88−26541 to 26543, 88−27986

Computer-aided engineering; International Conference on Computer Aided Engineering (Conf. Publ. No.243), Coventry, UK, 10-12 Dec. 1984, *(IEE)* [London, UK: IEE 1984] 85−54036, 85−54608, 85−55928, 85−56978, 85−63375 to 63376

Computer-aided methods in radiation protection; Computer Aided Methods in Radiation Protection. Proceedings of the Hungarian-Austrian-Yugoslavian Health Physicists' Meeting, Budapest, Hungary, 22-25 Oct. 1985, [1986] 86−44540 to 44542, 86−44580, 86−44599, 86−44712 to 44721

Computer-aided process design; Computer-Aided Process Design. 25th CONICET International Conference - INTEC, Santa Fe, Argentina, 15-25 Aug. 1983, *(Interamerican Dev. Bank; CONICET)* [1985] 86−19668

Computer-aided techniques in manufacturing, engineering, management; Introducing Computer-Aided Techniques in Manufacturing, Engineering and Management, Beijing, China, 1-3 April 1987, [April 1987] 87−36868 to 36870, 87−40079

Computer-aided technologies; Proceedings of COMPINT 85: Computer Aided Technologies (Cat. No.85CH2136-0), Montreal, Que., Canada, 8-12 Sept. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985]

86−40447, 86−40528, 86−40846 to 40853, 86−41062 to 41063, 86−41156 to 41157, 86−41456, 86−41907, 86−43274 to 43275, 86−43393, 86−43444, 86−43484, 86−43513 to 43514, 86−43572 to 43578, 86−43619, 86−43638, 86−43697, 86−43793, 86−43848, 86−43920, 86−44074, 86−44128, 86−44485, 86−44677, 86−44832, 86−44893, 86−45073 to 45074, 86−48825

Computer algebra; EUROCAL '85. European Conference on Computer Algebra, Linz, Austria, 1-3 April 1985, *Buchberger, B. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 86−62014, 86−62078, 86−62127 to 62138, 86−62191 to 62193, 86−64200, 87−9071

Computer algebra, trends; Trends in Computer Algebra. International Symposium Proceedings, Bad Neuenahr, West Germany, 19-21 May 1987, *(IBM Germany) Janssen, R. (editor/s),* [Berlin, West Germany: Springer-Verlag 1988] 88−70020 (introductory abstract), 88−70196, 88−70199

Computer and communications security and protection; SECURICOM 84. 2nd Worldwide Congress on Computer and Communications Security and Protection, Cannes, France, 29 Feb.-2 March 1984, [Paris, France: SEDEP 1984] 86−23324 to 23325

Computer and communications security and protection; SECURICOM 86. 4th Worldwide Congress on Computer and Communications Security and Protection, Paris, France, 4-6 March 1986, *(Agence Inf.; Agence Protection Programmes; Alarmes Protection Securite; et al)* [Paris, France: SEDEP 1986] 87−33629 to 33630, 87−33964 to 33965, 87−34156 to 34159

Computer and communications security and protection; SECURICOM 87: 5th Worldwide Congress on Computer and Communications Security and Protection, Paris, France, 4-6 March 1987, *(Agence Inf.; Agence Protection Programmes; Alarmes Protection Securite; et al)* [Paris, France: SEDEP 1987] 88−6192 (introductory abstract), 88−6193, 88−8699, 88−9016, 88−9077, 88−9189 to 9190

Computer animation and digital effects; Computer FX 84. Computer Animation and Digital Effects. Proceedings of the Conference, London, UK, 9-11 Oct. 1984, [Pinner, UK: Online Publications 1984] 85−26059

Computer applications in medical care; Proceedings of the Eighth Annual Symposium on Computer Applications in Medical Care (Cat. No. 84CH2090-9), Washington, DC, USA, 4-7 Nov. 1984, *(IEEE) Cohen, G.S. (editor/s),* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−60692, 85−63120, 85−63371 to 63373, 85−63878 to 63879, 85−64545 to 64547, 85−64580 to 64584, 85−64604 to 64607, 85−64618, 85−64637

Computer applications in medical care; Proceedings of the Ninth Annual Symposium on Computer Applications in Medical Care (Cat. No.85CH2227-7), Baltimore, MD, USA, 10-13 Nov. 1985, *(IEEE) Ackerman, M.J. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86−49308, 86−50462, 86−50477, 86−50540 to 50546, 86−50586 to 50587, 86−50615 to 50616

Computer applications in medical care; Proceedings of the Tenth Annual Symposium on Computer Applications in Medical Care (Cat. No.86CH2341-6), Washington, DC, USA, 25-26 Oct. 1986, *(IEEE) Orthner, H.F. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−34155, 87−35407 to 35412, 88−16696, 88−16806

Computer applications in medical care; Proceedings of the Eleventh Annual Symposium on Computer Applications in Medical Care (Cat. No.87CH2446-3), Washington, DC, USA, 1-4 Nov. 1987, *(IEEE; George Washington Univ. Med. Center; Alliance Continuing Med. Educ.; et al) Stead, W.W. (editor/s),* [New York, NY, USA: IEEE 1987] 88−28088, 88−28430 to 28437, 88−29140 to 29143, 88−29950 to 29953, 88−29992 to 29993, 88−30020 to 30021

Computer applications in production engineering; Computer Applications in Production and Engineering - CAPE '86. Preprints of the 2nd International Conference, Copenhagen, Denmark, 20-23 May 1986, *(IFIP; Int. Federation Comput. Users in Eng. & Archit.; IFORS) Bo, K. Warman, E.A. Estensen, L. (editor/s),* [Copenhagen, Denmark: Databehandlingsforeningens Forlag ApS 1986, Dkr 300] 86−67141, 86−67214, 86−67582

Computer applications, software and systems; Compas '84. Computer Applications, Software and Systems. Software as a Product, Berlin, West Germany, 9-12 Oct. 1984, [Berlin, West Germany: VDE-Verlag 1984, DM.154.00] 85−22277, 85−30592, 85−30737

Computer architecture; 11th Annual International Symposium on Computer Architecture. Conference Proceedings (Cat. No. 84CH2051-1), Ann Arbor, MI, USA, 5-7 June 1984, *(IEEE; ACM)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−16567 (introductory abstract), 85−17338 to 17339, 85−17426 to 17427, 85−17482 to 17485, 85−19357 to 19359, 85−19872 to 19873, 85−20559 to 20560

Computer architecture; 12th Annual International Symposium on Computer Architecture Conference Proceedings (Cat. No. 85CH2144-4), Boston, MA, USA, 17-19 June 1985, *(ACM; IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86−1010, 86−2441

Computer architecture; 13th Annual International Symposium on Computer Architecture (Cat. No.86CH2291-3), Tokyo, Japan, 2-5 June 1986, *(IEEE; ACM; Inf. Process. Soc. Japan)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 86−57877, 86−58577 to 58579

Computer architecture; 14th Annual International Symposium on Computer Architecture. Conference Proceedings (Cat. No.87CH2420-8), Pittsburgh, PA, USA, 2-5 June 1987, *(IEEE; ACM)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987, $70.00] 87−58548 (introductory abstract), 87−59426, 87−59628 to 59630, 87−60617 to 60619, 87−60693 to 60694

Computer architecture; 15th Annual International Symposium on Computer Architecture. Conference Proceedings (Cat. No.88CH2545-2), Honolulu, HI, USA, 30 May-2 June 1988, *(IEEE; ACM)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988, $80.00] 88−64776, 88−66807

Computer architecture and software; Proceedings of the Workshop on Future Directions in Computer Architecture and Software, Charleston, SC, USA, 5-7 May 1986, *(US Army Res. Office)* [Research Triangle Park, NC, USA: US Army Res. Office 1986] 87−10886, 87−11973 to 11974, 87−13046, 87−17050, 87−20275

Computer architecture for pattern analysis and image database management; 1985 IEEE Computer Society Workshop on Computer Architecture for Pattern Analysis and Image Database Management (Cat. No.85CH2229-3), Miami Beach, FL, USA, 18-20 Nov. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86−34063, 86−34111, 86−34740, 86−34868, 86−35822 to 35823, 86−37156 to 37158, 86−38793

Computer architecture for pattern analysis and machine intelligence; Proceedings of the 1987 Workshop on Computer Architecture for Pattern Analysis and Machine Intelligence: CAPAMI '87 (Cat. No.TH0203-0), Seattle, WA, USA, 5-7 Oct. 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−25300

Computer architectures - Rochester FORTH; 1987 Rochester Forth Conference on Comparative Computer Architectures, Rochester, NY, USA, 1987, *(Johns Hopkins Univ.; Oak Ridge Nat. Lab.; IEEE; et al)* [1987] 88−49962, 88−50186 to 50187, 88−52888, 88−53588, 88−54470

Computer arithmetic; Proceedings of 7th Symposium on Computer Arithmetic (Cat. No. 85CH2146-9), Urbana, IL, USA, 4-6 June 1985, *(IEEE; Univ. Illinois) Kai Hwang (editor/s),* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 85−61356, 85−62051 to 62058, 85−62120 to 62121, 86−353, 86−1185 to 1186, 86−2333 to 2334, 86−2440, 86−3788 to 3790

Computer arithmetic; Proceedings of the 8th Symposium on Computer Arithmetic (Cat. No.87CH2419-0), Como, Italy, 19-21 May 1987, *(IEEE; Pennsylvania State Univ.; Politecnico Milano) Irwin, M.J. Stefanelli, R. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−58542 (introductory abstract), 87−58856, 87−58865, 87−59412 to 59413, 87−60607 to 60610, 87−60683 to 60685

Computer assisted learning; CAL '85. Computer Assisted Learning '85 Symposium, Nottingham, UK, 10-13 April 1985, [1986] 86−19698 (introductory abstract), 86−19756, 86−23409, 86−24137, 86−25493

Computer assisted learning; Proceedings of the International Conference on Computer Assisted Learning in Post-Secondary Education, Calgary, Alta., Canada, 5-7 May 1987, *(Univ. Calgary) Norrie, D. (editor/s),* [Calgary, Alta., Canada: Univ. Calgary 1987] 88−89 to 97

Computer assisted learning; CAL '87: Computer Assisted Learning '87 Symposium, Glasgow, UK, 31 March-3 April 1987, [1988] 88−41891

Computer assisted radiology; Computer Assisted Radiology - CAR '85. Proceedings of the International Symposium, Berlin, West Germany, 26-29 June 1985, *Lemke, H.U. Rhodes, M.L. Jaffee, C.C. Felix, R. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 86−57096 (introductory abstract)

Computer assurance; Computer Assurance: COMPASS '88 (Cat. No.88CH2628-6), Gaithersburg, MD, USA, 27 June-1 July 1988, *(IEEE; Syst. Safety Soc.; Comput. Sci. Corp.; et al)* [New York, NY, USA: IEEE 1988] 88−70009 (introductory abstract), 88−74887, 88−74929 to 74930

Computer audit, control and security; 2nd European Conference on Computer Audit, Control and Security. Conference Proceedings, Amsterdam, Netherlands, 4-6 Nov. 1987, [Amsterdam, Netherlands: Dutch Assoc. Inf. (NGI) 1987] 88−46620 to 46625

Computer automation for electronic design, test and manufacturing; Proceedings CADCON West, Anaheim, CA, USA, 14-17 Jan. 1985, *(Digital Design; Circuits Manufacturing; Electronics Test; Electronic Imaging Magazines)* [New York, NY, USA: Morgan-Grampian Expositions Group 1985] 85−44404 (introductory abstract), 85−44854, 85−45298 to 45299, 85−45835 to 45836, 85−48375

Computer-based message services; Computer-Based Message Services. Proceedings of the IFIP WG 6.5 Working Conference, Nottingham, UK, 1-4 May 1984, *Smith, H.T. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $40.50] 85−22083 (introductory abstract), 85−25347 to 25372, 85−25460

Computer communication; Computer Communication for Developing Countries. Proceedings of the Special Conference of the International Council for Computer Communication. Delegate Edition, New Delhi, India, 27-30 Oct. 1987, *Ramani, S. Garg, A. (editor/s),* [Amsterdam, Netherlands: Elsevier 1987] 88−18319 (introductory abstract), 88−21414 to 21415, 88−21519 to 21522, 88−21569, 88−21590, 88−21707 to 21718, 88−21799 to 21801, 88−21874 to 21875, 88−22052

Computer communications; New World of the Information Society. Proceedings of the Seventh International Conference on Computer Communication, Sydney, NSW, Australia, 30 Oct.-2 Nov. 1984, *(Int. Council Comput. Commun) Bennett, J.M. Pearcey, T. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $60.00] 86−33918 (introductory abstract), 86−33990, 86−37198 to 37205, 86−37221 to 37223, 86−37284 to 37311, 86−37339 to 37341, 86−37350, 86−37357 to 37363, 86−37389 to 37390, 86−37402 to 37403, 86−37517 to 37542, 86−37674 to 37676, 86−37914, 86−43186, 86−43374 to 43376, 86−43445 to 43451, 86−43465, 86−43579 to 43588, 86−43678, 86−43698, 86−43794 to 43799, 86−43849

Computer communications; Networks 84. Proceedings of the European Computer Communications Conference, London, UK, 3-5 July 1984, [Pinner, UK: Online Publications 1984, £85.00] 85−27 (introductory abstract), 85−81 to 83, 85−87, 85−2927, 85−2992 to 3000, 85−3044 to 3047, 85−3114 to 3115, 85−3185 to 3208, 85−3312 to 3314

Computer communications; IEEE INFOCOM '87. The Conference on Computer Communications. Proceedings. Sixth Annual Conference -Global Networks: Concept to Realization (Cat. No.87CH2412-5), San Francisco, CA, USA, 31 March-2 April 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−58535 (introductory abstract), 87−55432 to 55449, 87−55479, 87−55556 to 55578, 87−55631 to 55632, 87−55642, 87−55674, 87−55779 to 55812, 87−55871, 87−55920, 87−55974, 87−56017 to 56018, 87−56195, 87−56418, 87−62410 to 62419, 87−62507 to 62519, 87−62679 to 62695, 87−62825 to 62826, 87−62907 to 62908, 87−63005

Computer communications; IEEE INFOCOM '88 - The Conference on Computer Communications Proceedings. Seventh Annual Joint Conference of the IEEE Computer and Communcations Societies - Networks: Evolution or Revolution? (Cat. No.88CH2534-6), New Orleans, LA, USA, 27-31 March 1988, [New York, NY, USA: IEEE 1988] 88−49361 (introductory abstract), 88−52323 to 52324, 88−52394 to 52395, 88−52633 to 52664, 88−52747 to 52749, 88−52804, 88−52822, 88−52915 to 52951, 88−53026 to 53034, 88−53043 to 53044, 88−53309 to 53313, 88−59387 to 59392, 88−59458 to 59460, 88−59696 to 59708, 88−59837 to 59839

Computer communications technology; ACM SIGCOMM 87 Workshop: Frontiers in Computer Communications Technology, Stowe, VT, USA, 11-13 Aug. 1987, *(ACM; SRI Int.; Cybertree)* 88−62845 (introductory abstract), 88−59347 to 59351, 88−59605 to 59615, 88−59741, 88−59964, 88−61524, 88−66238, 88−66775 to 66782, 88−66952 to 66962

Computer conferencing; Second Guelph Symposium on Computer Conferencing Proceedings, Guelph, Ont., Canada, 1-4 June 1987, [Guelph, Ont., Canada: Univ. Guelph 1987] 88−49364 (introductory abstract), 88−46502 to 46505, 88−46635, 88−46742 to 46749, 88−53045 to 53060

Computer design - VLSI in computers and processors; Proceedings of the 1987 IEEE International Conference on Computer Design: VLSI in Computers and Processors - ICCD '87 (Cat. No.87CH2473-7), Rye Brook, NY, USA, 5-8 Oct. 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−24356 (introductory abstract), 88−18877, 88−19093 to 19098, 88−19160 to 19161, 88−19204 to 19210, 88−19291, 88−19305 to 19307, 88−20075 to 20083, 88−20132 to 20134, 88−20146 to 20147, 88−24535, 88−24571, 88−24856, 88−24920 to 24932, 88−25085, 88−25159 to 25174, 88−25220, 88−25270 to 25280, 88−25299, 88−25344, 88−25619, 88−26449 to 26471, 88−26531 to 26534, 88−26689, 88−26995, 88−27820 to 27821, 88−28429, 88−28524, 88−29305, 88−29528

Computer developments for high energy physics; Proceedings of the Symposium on Recent Developments in Computing, Processor and Software Research for High-Energy Physics, Guanajuato, Mexico, 8-11 May 1984, *(CoNaCyt (Mexico); Fermilab; NSF; Secretaria de Educacion Publica; Univ. Guanajuato; Univ. Mexico; Univ. Massachusetts; USDOE) Donaldson, R. Kreisler, M.N. (editor/s),* [Batavia, IL, USA: Fermilab 1984] 85−48162 to 48163, 85−48183

Computer for each student; A Computer for Each Student. Proceedings of the IFIP WG 3.2 Conference on a Computer for Each Student and its Impact on Teaching and the Curriculum, Delft, Netherlands, 21-23 April 1987, *Lewis, R.E. Tagg, E.D. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, Dfl.95.00] 88—18329 (introductory abstract), 88—18399 to 18400

Computer-generated holography; Computer-Generated Holography II, Los Angeles, CA, USA, 11-12 Jan. 1988, *(SPIE)* [1988] 88—62856 (introductory abstract), 88—65819, 88—65897 to 65914, 88—66659

Computer graphics; Computer Graphics '84. Proceedings of the International Conference, London, UK, 9-11 Oct. 1984, [Pinner, Middx., UK: Online Publications 1984, £60.00] 85—31545, 85—37691 to 37692

Computer graphics; Proceedings of the Sixth Annual Conference and Exposition: Computer Graphics '85. Vol. III, Technical Sessions, Dallas, TX, USA, 14-18 April 1985, *(Nat. Comput. Graphics Assoc.)* [Fairfax, VA, USA: Nat. Comput. Graphics Assoc. 1985] 86—20408, 86—21741, 86—26633, 86—27013 to 27014, 86—27825, 86—30043 to 30044, 86—32218, 86—32356 to 32357

Computer graphics; Computer Graphics Tokyo 1985, Tokyo, Japan, 21-24 April 1985, [1986] 87—28133, 87—29749

Computer graphics; Proceedings of Trends and Applications 1985: Utilizing Computer Graphics (Cat. No.85CH2148-5), Silver Spring, MD, USA, 20-22 May 1985, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86—31059

Computer graphics; Computer Graphics '85. Proceedings of the International Conference, London, UK, 16-18 Oct. 1985, *(Online Conferences)* [Pinner, UK: Online Publications 1985, £80.00] 86—35191, 86—35817, 86—35907, 86—39059

Computer graphics; Advanced Computer Graphics. Proceedings of Computer Graphics Tokyo '86, Tokyo, Japan, 1986, *(Japan Manage. Assoc.; ACM; IEEE; Eur. Assoc. Comput. Graphics) Kunii, T.L. (editor/s),* [Tokyo, Japan: Springer-Verlag 1986] 87—36888, 87—38435 to 38436, 87—41979

Computer graphics; Proceedings of the Seventh Annual Conference and Exposition: Computer Graphics '86, Anaheim, CA, USA, 11-15 May 1986, *(Comput. Graphics. Assoc)* [Fairfax, VA, USA: Nat. Comput. Graphics Assoc. 1986] 88—43580 (introductory abstract), 88—44017, 88—44145, 88—44221 to 44222, 88—44444, 88—44526, 88—46527, 88—47233, 88—47338 to 47339, 88—48083 to 48084, 88—48094, 88—48130 to 48135, 88—48199, 88—48228, 88—48234, 88—48504, 88—48528

Computer graphics; EUROGRAPHICS '86. Proceedings of the European Computer Graphics Conference and Exhibition: The Computer Interface, Lisbon, Portugal, 25-29 Aug. 1986, *Requicha, A.A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986] 88—56697 to 56698, 88—63718, 88—64697

Computer graphics; Techniques for Computer Graphics, Stirling, UK, 1986, *(British Comput. Soc.; Comput. Graphics Soc) Rogers, D.F. Earnshaw, R.A. (editor/s),* [New York, NY, USA: Springer-Verlag 1987] 88—71669 to 71670

Computer graphics; Computer Graphics '86. Proceedings of the International Conference, London, UK, Oct. 1986, [Pinner, UK: Online Publications 1986, £75.00] 87—17495

Computer graphics; Proceedings of NCGA's Computer Graphics '87 Eighth Annual Conference and Exposition, Philadelphia, PA, USA, 22-26 March 1987, *(Nat. Comput. Graphics Assoc)* [Fairfax, VA, USA: Nat. Comput. Graphics Assoc. 1987] 87—55815, 87—57065 to 57066, 87—57118 to 57126, 87—57196, 87—57221 to 57222

Computer graphics; USENIX Association Third Computer Graphics Workshop Proceedings, Monterey, CA, USA, 20-21 Nov. 1986, *(USENIX Assoc)* [El Cerrito, CA, USA: USENIX Assoc. 1987, $10.00] 87—41216, 87—41260

Computer graphics; USENIX Association Fourth Computer Graphics Workshop, Cambridge, MA, USA, 8-9 Oct. 1987, *(USENIX Assoc)* [Berkeley, CA, USA: USENIX Assoc. 1987, $10.00] 88—46637, 88—47387

Computer graphics; Third International Conference on Computer Graphics, Dubrovnik, Yugoslavia, 22-24 June 1988, [1988] 88—59190 to 59192

Computer graphics applications for management and productivity; CAMP '85. Computer Graphics: Applications for Management and Productivity. European Conference and Exhibition, Berlin, West Germany, 24-27 Sept. 1985, *(World Comput. Graphics Assoc)* [Berlin, West Germany: AMK Berlin 1985, DM 148] 86—20183 to 20188, 86—20982, 86—24608, 86—25587

Computer integrated assembly; Proceedings of CAM-I's 15th Annual Meeting and Technical Conference: Computer Integrated Assembly 'Getting it Together - to put it Together', San Antonio, TX, USA, 14-16 Oct. 1986, [Arlington, TX, USA: Comput. Aided Manuf.-Int. 1986] 87—24612 to 24613

Computer integrated manufacturing; Computer Integrated Manufacturing. Proceedings of the 3rd CIM Europe Conference, Knutsford, UK, 19-21 May 1987, *Rathmill, K. MacConaill, P. (editor/s),* [Kempston, UK: IFS (Publications) 1987] 88—46463 to 46464

Computer integrated manufacturing; 1988 International Conference on Computer Integrated Manufacturing, Troy, NY, USA, 23-25 May 1988, *(ALCOA; Digital Equip. Co.; Eastman Kodak; et al)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88—71242

Computer law; 1987 Computer Law Symposium. Documentation, London, UK, 28-29 April 1987, [London, UK: Legal Studies & Services 1987] 87—67518

Computer message systems; Computer Message Systems - 85. Proceedings of the IFIP TC 6 International Symposium, Washington, DC, USA, 5-7 Sept. 1985, *(IFIP) Uhlig, R.P. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $50.00] 86—66543 (introductory abstract), 86—69333 to 69334, 86—69345 to 69349, 86—69446 to 69454, 86—69513, 86—69545 to 69549, 86—69959 to 69960

Computer network usage; Computer Network Usage: Recent Experiences. Proceedings of the IFIP TC 6 Working Conference COMNET '85, Budapest, Hungary, 4-7 Oct. 1985, *Csaba, L. Tarnay, K. Szentivanyi, T. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $95.00] 86—61843 (introductory abstract), 86—64494 to 64497, 86—64613 to 64617, 86—64693 to 64745, 86—64916

Computer networking; Proceedings of the Computer Networking Symposium (Cat. No. 84CH2106-3), Gaithersburg, MD, USA, 11 Dec. 1984, *(IEEE; NBS)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85—44399 (introductory abstract), 85—47112, 85—47145, 85—47260 to 47263, 85—47486

Computer networking; Proceedings of the Computer Networking Symposium (Cat. No.86CH2347-3), Washington, DC, USA, 17-18 Nov. 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87—31143 (introductory abstract), 87—33856 to 33864, 87—34178 to 34193, 87—34463

Computer networking; Proceedings of the Computer Networking Symposium (Cat. No.88CH2547-8), Washington, DC, USA, 11-13 April 1988, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88—62893 (introductory abstract), 88—52670 to 52671, 88—52794, 88—52962 to 52978, 88—53037 to 53039, 88—63184, 88—66803 to 66806, 88—67047 to 67060, 88—67116 to 67119, 88—67437

Computer networks in education; IEE Colloquium on 'Computer Networks in Education' (Digest No.9), London, UK, 20 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86—26524 (introductory abstract), 86—27027, 86—30437 to 30440

Computer networks simulation; Proceedings of the 1987 Symposium on the Simulation of Computer Networks (Cat. No.87CH2466-1), Colorado Springs, CO, USA, 4-7 Aug. 1987, *(IEEE; ACM)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987, $50.00] 88—49 (introductory abstract), 88—3612 to 3632, 88—3819, 88—3957

Computer networks, software; IEE Colloquium on 'Software in Computer Networks' (Digest No.10), London, UK, 18 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88—24375 (introductory abstract), 88—28443 to 28447

Computer performance; Proceedings of Performance '86 and ACM SIGMETRICS 1986. Joint Conference on Computer Performance Modelling, Measurement and Evaluation, Raleigh, NC, USA, 28-30 May 1986, *(IFIP; ACM)* [May 1986] 86—61835 (introductory abstract), 86—64381, 86—64667 to 64670

Computer science; 26th Annual Symposium on Foundations of Computer Science (Cat. No.85CH2224-4), Portland, OR, USA, 21-23 Oct. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86—19902, 86—19939 to 19945, 86—19998 to 20001, 86—21798 to 21801, 86—22877, 86—22927 to 22930, 86—23331

Computer science; 1986 ACM Fourteenth Annual Computer Science Conference: CSC '86 Proceedings, Cincinnati, OH, USA, 4-6 Feb. 1986, *(ACM)* [New York, NY, USA: ACM 1986] 86—46419, 86—46421, 86—46501 to 46502, 86—46782, 86—47756, 86—48781, 86—49174, 86—49322 to 49326, 86—49905, 86—50924

Computer science and statistics; Computer Science and Statistics. Proceedings of the Sixteenth Symposium on the Interface, Atlanta, GA, USA, March 1984, *Billard, L. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $43.00] 86—13538, 86—18766, 86—29691

Computer science education; Sixteenth SIGCSE Technical Symposium on Computer Science Education, New Orleans, LA, USA, 14-15 March 1985, *(ACM)* [March 1985] 85—44440

Computer science education; Eighteenth SIGCSE Technical Symposium on Computer Science Education, St. Louis, MO, USA, 19-20 Feb. 1987, *(ACM)* [Feb. 1987] 88—6146

Computer science foundations; 25th Annual Symposium on Foundations of Computer Science (Cat. No. 84CH2085-9), Singer Island, FL, USA, 24-26 Oct. 1984, *(IEEE; ACM; Florida Atlantic Univ)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85—32917 (introductory abstract), 85—33299 to 33301, 85—33553, 85—33880 to 33882, 85—33985, 85—36298, 85—36494 to 36496, 85—41860 to 41866

Computer science problems; Problems of Computer Science, Budapest, Hungary, Sept. 1987, [1987] 88—24332 (introductory abstract), 88—24888, 88—25081, 88—27968

Computer science - theoretical aspects; STACS 86. 3rd Annual Symposium on Theoretical Aspects of Computer Science, Orsay, France, 16-18 Jan. 1986, *(Gesellschaft fur Inf.; AFCET) Monien, B. Vidal-Naquet, G. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986] 86—46260, 86—48734

Computer science, theoretical aspects; STACS 87. 4th Annual Symposium on Theoretical Aspects of Computer Science. Proceedings, Passau, West Germany, 19-21 Feb. 1987, *Brandenburg, F.J. Vidal-Naquet, G. Wirsing, M. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987, DM60.50] 87—73223

Computer simulation; Proceedings of the 1985 Summer Computer Simulation Conference, Chicago, IL, USA, 22-24 July 1985, *(SCS)* [San Diego, CA, USA: SCS 1985] 86—7383 (introductory abstract), 86—8083, 86—10606 to 10608, 86—10815 to 10816, 86—13588, 86—13938 to 13939, 86—14421, 86—14441, 86—16121, 86—16481, 86—17273, 86—17352 to 17353, 86—17534, 86—18047, 86—18379, 86—18741 to 18742, 86—18916, 86—18960 to 18961, 86—19087, 86—19297 to 19298

Computer simulation; Proceedings of the 1986 Summer Computer Simulation Conference, Reno, NV, USA, 28-30 July 1986, *(SCS) Crosbie, R. Luker, P. (editor/s),* [San Diego, CA, USA: SCS 1986] 87—5370, 87—5383, 87—5597, 87—5710, 87—6825, 87—7512, 87—7644 to 7645, 87—7783, 87—7939, 87—7981, 87—8062 to 8066, 87—8161, 87—8177, 87—8350, 87—8542, 87—8939, 87—8969 to 8977, 87—9118 to 9120, 87—9266, 87—9315 to 9316, 87—9362, 87—9951, 87—13990, 87—14208 to 14209, 87—14988, 87—15023, 87—15544 to 15545

Computer simulation conference; Proceedings of the 1987 Summer Computer Simulation Conference, Montreal, Que., Canada, 27-30 July 1987, *(SCS) Chou, J.Q.B. (editor/s),* [San Diego, CA, USA: SCS 1987, $90.00] 88—6170, 88—7000, 88—8800, 88—8940, 88—9018, 88—9297 to 9298, 88—9634, 88—9668, 88—10478 to 10479, 88—10486, 88—10991 to 10993, 88—12287, 88—13601 to 13603, 88—13899, 88—14597, 88—15433, 88—15598 to 15608, 88—16816 to 16821, 88—17003 to 17024, 88—17236, 88—17292 to 17293, 88—17390, 88—17569 to 17570

Computer Society international conference; Digest of Papers. COMPCON Spring '87. Thirty-Second IEEE Computer Society International Conference. Intellectual Leverage (Cat. No.87CH2409-1), San Francisco, CA, USA, 23-27 Feb. 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87—43790 (introductory abstract), 87—44814, 87—44939 to 44940, 87—46142, 87—47541, 87—48550, 87—48702 to 48712, 87—48806, 87—49124 to 49127, 87—49359, 87—50956

Computer software and applications; Proceedings of COMPSAC 85. The IEEE Computer Society's Ninth International Computer Software and Applications Conference (Cat. No.85CH2221-0), Chicago, IL, USA, 9-11 Oct. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86—43593, 86—43679

Computer software and applications; Proceedings 10th Anniversary COMSAC '86. The IEEE Computer Society's Tenth Annual International Computer Software and Applications Conference (Cat. No.86CH2356-4), Chicago, IL, USA, 8-10 Oct. 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87—32642, 87—33850 to 33851, 87—40054, 87—40459, 87—40590

Computer software and applications; Proceedings of COMPSAC 87. The Eleventh Annual International Computer Software and Applications Conference (Cat. No.87CH2447-1), Tokyo, Japan, 7-9 Oct. 1987, *(IEEE; Inf. Process. Soc. Japan)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88—20074, 88—21409, 88—21696 to 21697, 88—21797 to 21798, 88—21869

Computer software control; Software for Computer Control 1986. Selected Papers from the Fourth IFAC/IFIP Symposium, Graz, Austria, 20-23 May 1986, *(IFAC; Austrian Minist. Sci. & Res.; Gov. Styria; City Graz) Florian, D. Haase, V. (editor/s),* [Oxford, UK: Pergamon 1987] 88—11725, 88—15122, 88—17082

Computer standards; Proceedings of the Computer Standards Conference 1988 - Computer Standards Evolution: Impact and Imperatives (Cat. No.88CH2549-4), Washington, DC, USA, 21-23 March 1988, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88—43675, 88—46465, 88—46507, 88—46643 to 46644

Computer standards conference; Proceedings of the Computer Standards Conference 1986. Striking a Balance Between Technology, Economics, Politics, and Reality - For Substance, not Form (Cat. No.86CH2283-0), San Francisco, CA, USA, 13-15 May 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 86−61909, 86−62382, 86−63430, 86−64761 to 64762

Computer system performance models; PERFORMANCE '84: Models of Computer System Performance. Proceedings of the Tenth International Symposium, Paris, France, 19-21 Dec. 1984, *(Secretariat d'Etat Charge Univ.; Univ. Paris Sud; CNET; Inst. Nat. Recherche Inf. & Autom.; Univ. Pisa) Gelenbe, E. (editor/s),* [Amsterdam, Netherlands: Elsevier 1984, $68.00] 86−26497 (introductory abstract), 86−26706 to 26716, 86−26738, 86−30115, 86−30224, 86−30271, 86−30415 to 30417, 86−30610, 86−31058

Computer systems architecture and operation; Architektur und Betrieb von Rechensystemen. Vortrage der NTG/GI-Fachtagung (Architecture and Operation of Computer Systems. Proceedings of the NTG/GI Meeting), Stuttgart, West Germany, 10-12 March 1986, *(NTG; GI; IEEE)* [1986] 86−66527 (introductory abstract), 86−67163, 86−67223 to 67224, 86−67239, 86−69354, 86−69416 to 69418

Computer systems for process control; Computer Systems for Process Control. Proceedings of a Brown Boveri Symposium, Baden, Switzerland, 2-3 Sept. 1985, *Guth, R. (editor/s),* [New York, NY, USA: Plenum 1986, £59.50] 87−30019

Computer systems management and performance evaluation; CMG XV International Conference on the Management and Performance Evaluation of Computer Systems. Conference Proceedings, San Francisco, CA, USA, 4-7 Dec. 1984, *Deese, D.R. Artis, H.P. Von Mayrhauser, A.K. Domanski, B. Finehirsh, S. Shane, J. Gaffney, J. (editor/s),* [Phoenix, AZ, USA: Comput. Meas. Group 1984, $45.00] 85−42307, 85−44464, 85−44665, 85−47259

Computer systems measurement and modeling; 1988 ACM SIGMETRICS Conference on Measurement and Modeling of Computer Systems, Santa Fe, NM, USA, 24-27 May 1988, [May 1988] 88−56095, 88−56100, 88−59373 to 59376, 88−59670 to 59671

Computer technology and persons with disabilities; Proceedings of the Conference 'Computer Technology and Persons with Disabilities', Northridge, CA, USA, 17-19 Oct. 1985, *Murphy, H.J. Dunnigan, J.A. (editor/s),* [Northridge, CA, USA: California State Univ. 1986, $12.95] 87−56405, 87−56442 to 56443, 87−65115, 87−70212, 87−71087, 87−71172

Computer technology for the handicapped; Computer Technology for the Handicapped. Proceedings from the 1984 Closing the Gap Conference, Minneapolis, MN, USA, 13-16 Sept. 1984, *Gergen, M. Hagen, D. (editor/s),* [Henderson, MN, USA: Closing the Gap 1985] 85−44449 to 44450, 85−47268

Computer technology in construction; Computer Technology in Construction. Proceedings of Institution of Civil Engineers Conference, London, UK, 25-27 Sept. 1984, *(Instn. Civil Eng.; Instn. Highways & Trans.; Instn. Structural Eng.; et al)* [London, UK: Thomas Telford 1985, £16.00 UK; £20 overseas] 86−30426

Computer technology in the construction industry; Impact of Computer Technology on the Construction Industry, London, UK, 25-27 Sept. 1984, *(Inst. Civil Eng.; Inst. Highways & Transportation; Inst. Structural Eng.; Inst. Water Eng. & Sci.; Fed. Civil Eng. Contractors; Local Authorities Manage. Services)* [London, UK: Inst. Civil Eng. 1984] 85−47269

Computer technology/special education/rehabilitation; Proceedings of the Second Annual Conference 'Computer Technology/Special Education/Rehabilitation', Northridge, CA, USA, 16-18 Oct. 1986, *Murphy, H.J. (editor/s),* [Northridge, CA, USA: California State Univ. 1987, $14.95] 87−58582 to 58583, 87−62434, 87−63170 to 63171, 87−63202

Computer vision; Proceedings of the First International Conference on Computer Vision (Cat. No.87CH2465-3), London, UK, 8-11 June 1987, *(IEEE; Int. Assoc. Pattern Recognition)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−58539 (introductory abstract), 87−62134, 87−62316 to 62391

Computer vision; Proceedings of the IEEE Computer Society Workshop on Computer Vision (Cat. No.87TH0210-5), Miami Beach, FL, USA, 30 Nov.-2 Dec. 1987, [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−24363 (introductory abstract), 88−24934, 88−28090 to 28134, 88−28985, 88−29467

Computer vision and pattern recognition; Proceedings CVPR '85: IEEE Computer Society Conference on Computer Vision and Pattern Recognition (Cat. No. 85CH2145-1), San Francisco, CA, USA, 19-23 June 1985, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86−7397 (introductory abstract), 86−1136 to 1137, 86−3934 to 3939, 86−4019 to 4066, 86−10323, 86−10553 to 10587, 86−11513 to 11514, 86−12163

Computer vision and pattern recognition; Proceedings CVPR '86: IEEE Computer Society Conference on Computer Vision and Pattern Recognition (Cat. No.86CH2290-5), Miami Beach, FL, USA, 22-26 June 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−2549 to 2551, 87−2615 to 2642, 87−3305

Computer vision and pattern recognition; Proceedings CVPR '88: The Computer Society Conference on Computer Vision and Pattern Recognition (Cat. No.88CH2605-4), Ann Arbor, MI, USA, 5-9 June 1988, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−70005 (introductory abstract), 88−71727, 88−73291 to 73378, 88−74051, 88−74134, 88−74834, 88−74990

Computer workstations; Proceedings of the 1st International Conference on Computer Workstations (Cat. No.85CH2228-5), San Jose, CA, USA, 11-14 Nov. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86−41407, 86−41922 to 41923, 86−44367

Computer workstations; Proceedings of the 2nd IEEE Conference on Computer Workstations (Cat. No.88CH2441-4), Santa Clara, CA, USA, 7-10 March 1988, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−41223, 88−41240 to 41241, 88−41256

Computerized electromyography; First International Conference on Computerized Electromyography, New York, NY, USA, 14 April 1981, [Nov.-Dec. 1985] 87−2 (introductory abstract), 87−3992 to 3997

Computers; AFIPS Conference Proceedings of the 1984 National Computer Conference, Las Vegas, NV, USA, 9-12 July 1984, *Frailey, D.J. (editor/s),* [Reston, VA, USA: AFIPS Press 1984] 85−28307, 85−28833, 85−36524

Computers; AFIPS Conference Proceedings. Vol.55. 1986 National Computer Conference, Las Vegas, NV, USA, 16-19 June 1986, *(AFIPS; ACM; Data Process. Manage. Assoc.; IEEE; SCS) Mattox, A. (editor/s),* [Reston, VA, USA: AFIPS Press 1986] 87−24090, 87−28143 to 28144

Computers; 1986 Proceedings of the Fall Joint Computer Conference (Cat. No.86CH2345-7), Dallas, TX, USA, 2-6 Nov. 1986, *(IEEE; ACM) Stone, H.S. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−34090, 87−34160 to 34162, 87−36380 to 36381, 87−36619, 87−36649 to 36650, 87−36671 to 36673, 87−36893, 87−37201 to 37204, 87−37357 to 37359, 87−37678, 87−38438 to 38440, 87−38555, 87−38853 to 38854, 87−38894, 87−38967, 87−39974, 87−40429 to 40430, 87−40952 to 40953

Computers; Digest of Papers. COMPCON Spring 86. Thirty-First IEEE Computer Society International Conference (Cat. No.86CH2285-5), San Francisco, CA, USA, 3-6 March 1986, *(IEEE) Bell, A.G. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 86−52198, 86−52629 to 52633, 86−52889 to 52890, 86−53769 to 53772, 86−54754 to 54758, 86−54978 to 54980, 86−55195 to 55196, 86−55230, 86−55415, 86−55466

Computers; Australian Computer Conference - 1987. Proceedings, Melbourne, Vic., Australia, 8-11 Sept. 1987, [Darlinghurst, NSW, Australia: Australian Comput. Soc. 1987] 88−35242 to 35243

Computers and applications; First International Conference on Computers and Applications (Cat. No. 84CH2039-6), Beijing, China, 20-22 June 1984, *(IEEE; Chinese Inst. Electron)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−16568 (introductory abstract), 85−16843, 85−16892, 85−17354 to 17356, 85−17586 to 17588, 85−17953, 85−19577, 85−19762, 85−19876 to 19892

Computers and applications; Second International Conference on Computers and Applications (Cat. No.87CH2433-1), Beijing, China, 23-27 June 1987, *(IEEE; Chinese Comput. Federation; Nat. Natural Sci. Found. China)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−65262, 87−66139, 87−66454, 87−67503 to 67508, 87−69424 to 69425, 87−69555, 87−69581, 87−69712 to 69720, 87−69842, 87−71259

Computers and communications; Third Annual International Phoenix Conference on Computers and Communications. 1984 Conference Proceedings (Catalog No. 84CH2010-7), Phoenix, AZ, USA, 19-21 March 1984, *(IEEE; Arizona State Univ)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−10333 (introductory abstract), 85−10560, 85−11214, 85−11266, 85−12387 to 12388, 85−13647 to 13648, 85−13815, 85−13939 to 13943, 85−14203

Computers and communications; Fourth International Conference: Phoenix Conference on Computers and Communications. 1985 Conference Proceedings (Cat. No. 85CH2154-3), Scottsdale, AZ, USA, 20-22 March 1985, *(IEEE; Arizona State Univ)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86−45918 (introductory abstract), 86−45964, 86−46058, 86−46707, 86−46812, 86−47505, 86−47695 to 47697, 86−48731, 86−49063 to 49067, 86−49162 to 49164, 86−49310 to 49316, 86−49368, 86−49387 to 49388, 86−49420 to 49423

Computers and communications; Fifth Annual International Phoenix Conference on Computers and Communications: PCCC'86. 1986 Conference Proceedings (Cat. No.86CH2371-3), Scottsdale, AZ, USA, 26-28 March 1986, *(IEEE; Arizona State Univ)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−16275 (introductory abstract), 87−16534, 87−16813, 87−17037 to 17040, 87−17165, 87−17271, 87−18271, 87−19383 to 19385, 87−19409 to 19411, 87−19627, 87−19833 to 19834, 87−19969 to 19970, 87−19996 to 20001, 87−20082 to 20083, 87−20265 to 20270, 87−20306, 87−20319, 87−20394 to 20397, 87−20475, 87−20608

Computers and communications; Proceedings of IEEE INFOCOM '86. Fifth Annual Conference on 'Computers and Communications Integration Design, Analysis, Management' (Cat. No.86CH2284-8), Miami, FL, USA, 8-10 April 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86−52137 (introductory abstract), 86−54460, 86−54626 to 54638, 86−54759 to 54770, 86−54855, 86−54981 to 55019, 86−55129, 86−55138, 86−55176 to 55178, 86−55277, 86−55328, 86−59395 to 59400, 86−59686, 86−59802 to 59803, 86−59869 to 59871, 86−60050

Computers and communications; Sixth Annual International Phoenix Conference on Computers and Communications. 1987 Conference Proceedings (Cat. No.87TH0179-2), Scottsdale, AZ, USA, 25-27 Feb. 1987, *(IEEE; Arizona State Univ) Friesen, O. Golshani, F. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−51729 (introductory abstract), 87−44703, 87−44928 to 44929, 87−47486 to 47487, 87−47530 to 47532, 87−47784 to 47785, 87−48012, 87−48310 to 48313, 87−48764, 87−52550 to 52552, 87−52650 to 52651, 87−53667, 87−54848, 87−55324, 87−55428 to 55431, 87−55555, 87−55763 to 55777, 87−56192 to 56194, 87−56253

Computers and communications; Seventh Annual International Phoenix Conference on Computers and Communications. 1988 Conference Proceedings (Cat. No.TH0188-3), Scottsdale, AZ, USA, 16-18 March 1988, *(IEEE; Arizona State Univ)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−49362 (introductory abstract), 88−49626 to 49627, 88−50123, 88−50201 to 50202, 88−52332 to 52333, 88−52355, 88−52665 to 52669, 88−52952 to 52956, 88−53035 to 53036, 88−53079, 88−53105, 88−53142, 88−53162, 88−53238 to 53239, 88−53314, 88−66766 to 66769, 88−67038 to 67041, 88−67193

Computers and communications technology; Proceedings of TENCON 87: 1987 IEEE Region 10 Conference 'Computers and Communications Technology Toward 2000' (Cat. No.87CH2423-2), Seoul, South Korea, 25-28 Aug. 1987, *(IEEE; Korea Inst. Electron. Eng.; Minist. Commun.; et al)* [New York, NY, USA: IEEE 1987] 88−24350 (introductory abstract), 88−18866 to 18875, 88−18929, 88−19092, 88−19157 to 19159, 88−19284, 88−19905, 88−19973, 88−20005, 88−21097 to 21100, 88−21220 to 21224, 88−21333 to 21336, 88−21410 to 21413, 88−21518, 88−21589, 88−21698 to 21704, 88−21858, 88−21870 to 21873, 88−24647, 88−24740, 88−24805, 88−24999, 88−25035, 88−25267, 88−25292, 88−25352, 88−25864, 88−25889, 88−26357, 88−26417 to 26421, 88−26525, 88−26631, 88−26645, 88−26994, 88−27186 to 27187, 88−27490 to 27491, 88−27520, 88−27598, 88−27638 to 27639, 88−27743, 88−27809 to 27819, 88−27860 to 27863, 88−27971 to 27984, 88−28082 to 28084, 88−28162, 88−28254 to 28257, 88−28421 to 28423, 88−28501 to 28509, 88−28563 to 28564, 88−28576, 88−28606 to 28613, 88−28673 to 28676, 88−28726 to 28727, 88−28804 to 28805, 88−28898 to 28901, 88−28936, 88−28950, 88−29151, 88−29252, 88−29412, 88−29427, 88−29687, 88−29989, 88−30019, 88−30336, 88−30364, 88−30755, 88−30920, 88−31087 to 31091

Computers and industrial engineering; Proceedings of the 8th Annual Conference on Computers and Industrial Engineering, Orlando, FL, USA, 19-21 March 1986, [1986] 87−5179, 87−7872, 87−8100, 87−8985, 87−11160, 87−13952, 87−14969

Computers and industrial engineering; 9th Annual Conference on Computers and Industrial Engineering, Atlanta, GA, USA, 18-20 March 1987, [1987] 88−2978, 88−3505 to 3507, 88−7167, 88−9111

Computers and the handicapped; Proceedings of the Third Annual Workshop on Computers and the Handicapped (Cat. No. 84CH2102-2), Wichita, KS, USA, 8-9 Nov. 1984, *(IEEE; ACM; Cerebral Palsy Res. Found. Kansas)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86−5997

Computers for purchasing; Computers for Purchasing - A Practical Approach. Institute of Purchasing Conference, London, UK, 9 Oct. 1985, [Stamford, UK: Inst. Purchasing & Supply 1985] 86−23388

Computers in cardiology; Computers in Cardiology 10th Annual Meeting (IEEE Cat. No. 83CH1927-3), Aachen, West Germany, 4-7 Oct. 1983, *(IEEE; Nat. Inst. Health; Eur. Soc. Cardiology; Deutsche Gesellschaft fur Herz- und Kreislaufforschung)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1983] 85−5640 (introductory abstract), 85−9130 to 9131, 85−9174, 85−9190 to 9219, 85−15310, 85−15334 to 15338, 85−15353 to 15354, 85−20925 to 20929

Computers in cardiology; Computers in Cardiology (Cat. No. 84CH2078-4), Salt Lake City, UT, USA, 18-21 Sept. 1984, *(IEEE; LDS Hospital; Univ. Utah;*

Nat. Inst. Health; Eur. Soc. Cardiology) [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−49264 (introductory abstract), 85−52317, 85−53060 to 53082, 85−53098 to 53099, 85−59245, 85−59275 to 59278, 85−59295 to 59313, 85−59354

Computers in cardiology; Computers in Cardiology (Cat. No.CH2476-0), Boston, MA, USA, 7-10 Oct. 1986, *(IEEE; Harvard-MIT; Univ. Massachusetts Med. Sch.; et al) Ripley, K.L. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−37 (introductory abstract), 88−4922 to 4924, 88−4963 to 4978, 88−5015 to 5018, 88−10342 to 10344, 88−10368 to 10392, 88−10404, 88−10440, 88−10458

Computers in cardiology; Computers in Cardiology (Cat. No.85CH2217-8), Linkoping, Sweden, 8-11 Sept. 1985, *(IEEE; CardioData; Hewlett-Packard Svenska; AB Hassle; et al) Ripley, K.L. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 87−21528, 87−21558 to 21559, 87−21579 to 21619, 87−21628 to 21629, 87−21669

Computers in critical care and pulmonary medicine; Computers in Critical Care and Pulmonary Medicine. Sixth Annual International Symposium (papers in summary form only received), Heidelberg, West Germany, 4-7 June 1984, [Mannheim, West Germany: Univ. Heidelberg 1984] 85−44395 (introductory abstract)

Computers in education; Computers in Education. Proceedings of the IFIP TC3 4th World Conference on Computers in Education - WCCE 85, Norfolk, VA, USA, 29 July-2 Aug. 1985, *(IFIP) Duncan, K. Harris, D. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $75.00] 86−33977, 86−34458, 86−37365, 86−37404, 86−37544 to 37545, 86−38121

Computers in engineering education; Computers in Engineering Education. Proceedings of a Conference, London, UK, 13-15 July 1987, *(Comput. Initiative Support Service) Gardner, N. (editor/s),* [Bath, UK: Univ. Bath April 1988, £4.00] 88−46488

Computers in environmental studies; ENVIROSOFT 86. Proceedings of the International Conference on Development and Application of Computer Techniques to Environmental Studies, Los Angeles, CA, USA, Nov. 1986, *Zannetti, P. (editor/s),* [Southampton, UK: Comput. Mech. Publications 1986] 87−27668, 87−29961 to 29963, 87−30102, 87−31106

Computers in manufacturing; Computers in Manufacturing. Proceedings of the 1984 Conference, San Francisco, CA, USA, 28-30 Nov. 1984, *(Nat. Inst. Manage. Res) Newman, D.T. (editor/s),* [Santa Monica, CA, USA: Nat. Inst. Manage. Res. 1984] 86−17018 to 17022, 86−19843 to 19844, 86−20971, 86−24607

Computers in project management; IEE Colloquium on 'Computers in Project Management - The Tools and Visions' (Digest No.89), London, UK, 2 Feb. 1988, *(IEE; Instn. Civil Eng.; IMechE; et al)* [London, UK: IEE 1988] 88−37868 (introductory abstract), 88−37928 to 37930

Computers in psychology; 15th Annual Meeting of the Society for Computers in Psychology, Boston, MA, USA, 21 Nov. 1985, [April 1986] 86−57117 to 57118, 86−59226

Computers in psychology; 14th Annual Conference of the Society for Computers in Psychology, San Antonio, TX, USA, 7 Nov. 1984, [April 1985] 86−10273 to 10274

Computers in psychology; 16th Annual Meeting of the Society for Computers in Psychology, New Orleans, LA, USA, 12 Nov. 1985, [April 1987] 87−61603 to 61604, 87−61821, 87−62145, 87−62592

Computers in quality control; IEE Colloquium on 'Using Computers in Quality Control' (Digest No.117), London, UK, 17 Dec. 1987, *(IEE)* [London, UK: IEE 1987] 88−24367 (introductory abstract), 88−24601 to 24602

Computing in high energy physics; Computing in High Energy Physics. Proceedings of the Conference, Amsterdam, Netherlands, 25-28 June 1985, *(City Amsterdam; Dutch Phys. Soc.; Found. 'Physica'; Found. 'Quantoptica'; et al) Hertzberger, L.O. Hoogland, W. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $66.75] 87−10021 (introductory abstract), 87−13425 to 13440, 87−13655, 87−14216 to 14218, 87−14635 to 14637, 87−14788

Computing in high energy physics; International Conference on Computing in High Energy Physics, Asilomar, CA, USA, 2-6 Feb. 1987, *(USDOE; NSF; et al)* [Aug. 1987] 87−77528, 88−3326, 88−3508

Computing knows no borders; ECOO/AEDS Conference Proceedings on 'Computing Knows no Borders', Toronto, Ont., Canada, 21-26 April 1985, *Wilton, J.A. (editor/s),* [Toronto, Ont., Canada: Educ. Comput. Organ. Ontario 1985] 86−30299

Computing methods in applied sciences and engineering; Eighth International Conference on Computing Methods in Applied Sciences and Engineering. Preprints, Versailles, France, 14-18 Dec. 1987, [Le Chesnay, France: Inst. Nat. Recherche Inf. & Autom. 1987] 88−43843 to 43845, 88−43848, 88−44729, 88−45645

Computing, new directions; International Symposium on New Directions in Computing (Cat. No.85CH2134-5), Trondheim, Norway, 12-14 Aug. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86−19744 (introductory abstract), 86−21797, 86−23522, 86−23639

Computing theory; Fourteenth Annual ACM-SIGACT Symposium on the Theory of Computing, San Francisco, CA, USA, 5-7 May 1982, *(ACM)* [April 1984] 85−10 (introductory abstract), 85−1656, 85−2760, 85−3161

Concurrent languages in distributed systems; Concurrent Languages in Distributed Systems. Hardware Supported Implementation. Proceedings of the IFIP WG 10.3 Workshop, Bristol, UK, 26-28 March 1984, *Reijns, G.L. Dagless, E.L. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $32.75] 85−44403 (introductory abstract), 85−45116, 85−45834, 85−47266 to 47267

Condensed matter; Proceedings of the 4th General Conference of the Condensed Matter Division of the EPS, The Hague, Netherlands, 19-22 March 1984, [Dec. 1984] 85−23519 to 23521, 85−23649, 85−23966, 85−24061, 85−24378, 85−24593, 85−24767

Condensed matter; 6th General Conference of the Condensed Matter Division of the European Physical Society, Stockholm, Sweden, 22-25 March 1986, [1986] 87−39231, 87−39930, 87−45622, 87−46690, 87−46826

Condensed matter; 7th General Conference of the Condensed Matter Division of the European Physical Society, Pisa, Italy, 7-10 April 1987, *(Ansaldo; Univ. Pisa; Consiglio Nazionale Richerche; et al)* [1987] 88−18691, 88−19961, 88−25886 to 25887, 88−25948, 88−26194, 88−26656, 88−27165 to 27166, 88−27304 to 27306, 88−28879

Condensed matter theory; Proceedings of the International School of Physics 'Enrico Fermi'; Course LXXXIX. Highlights of Condensed-Matter Theory, Varenna, Italy, 28 June-16 July 1983, *Bassani, F. Fumi, F. Tosi, M.P. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985] 86−29249

Condition monitoring; International Conference on Condition Monitoring, Brighton, UK, 21-23 May 1986, *(British Hydromech. Res. Assoc.; Instn. Diagnostic Eng.; SIRA)* [Cranfield, UK: British Hydromech. Res. Assoc. 1986, £46.00 UK; $49.00 elsewhere] 87−16287 (introductory abstract), 87−16334 to 16335, 87−16421, 87−16768, 87−20903, 87−21272, 87−21284, 87−21812, 87−22149, 87−22153, 87−22163, 87−22201 to 22203, 87−22237, 87 22951

Conducting polymers; Conducting Polymers. Special Applications. Proceedings of the Workshop, Sintra, Portugal, 28-31 July 1986, *(US Army Res) Alcacer, L. (editor/s),* [Dordrecht, Netherlands: Reidel 1987, $69.00] 88−9974

Connectors and interconnection technology; Seventeenth Annual Connectors and Interconnection Technology Symposium Proceedings, Anaheim, CA, USA, 19-21 Sept. 1984, *(Adapt Ind. Inc.; Adv. Interconnections Corp.; AirBorn Inc.; Witco Chem. Corp.; et al)* [Fort Washington, PA, USA: Electron. Connector Study Group 1984] 85−10332 (introductory abstract), 85−10471 to 10474, 85−10491 to 10495, 85−10526, 85−10822 to 10824, 85−10829 to 10830, 85−11625, 85−11667 to 11696, 85−11733, 85−11782, 85−12452 to 12454, 85−12622 to 12625, 85−14729, 85−15654

Connectors and interconnection technology; Nineteenth Annual Connectors and Interconnection Technology Symposium Proceedings, Anaheim, CA, USA, 7-9 Oct. 1986, *(Autosplice; Belden Corp.; Brush Wellman; Precision Plating; et al)* [Fort Washington, PA, USA: Electron. Connector Study Group 1986] 87−16279 (introductory abstract), 87−16371, 87−16384, 87−16406 to 16408, 87−16706, 87−16715 to 16716, 87−17420 to 17422, 87−17424, 87−17430, 87−17455 to 17472, 87−17479, 87−17545 to 17547, 87−17550 to 17551, 87−18738, 87−19221 to 19222, 87−20578 to 20580, 87−21730

Connectors and interconnection technology; 20th Annual Connectors and Interconnection Technology Symposium, Philadelphia, PA, USA, 19-21 Oct. 1987, *(Electron. Connector Study Group)* [Deerfield, IL, USA: Electron Connector Study Group 1987] 88−37843 (introductory abstract), 88−37970 to 37972, 88−38266 to 38267, 88−38272, 88−38277 to 38280, 88−38308, 88−38796 to 38798, 88−38815 to 38816, 88−38835 to 38853, 88−38932 to 38939, 88−39655, 88−39954 to 39956, 88−40603, 88−41712

Consumer electronics; 1984 IEEE International Conference on Consumer Electronics. Digest of Technical Papers (Cat No. 84CH2016-4), Rosemont, IL, USA, 6-8 June 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85−9 (introductory abstract), 85−659, 85−868 to 869, 85−890, 85−1035, 85−1086, 85−2969, 85−3098 to 3105, 85−3404 to 3405, 85−3460, 85−3641 to 3645, 85−3682 to 3686, 85−3718 to 3720, 85−3735 to 3740, 85−3790 to 3793, 85−4003, 85−17238, 85−17756, 85−18026 to 18027, 85−19375, 85−19639, 85−19693 to 19694, 85−20301, 85−20321, 85−20339, 85−20368 to 20372, 85−20666, 85−33118 to 33119, 85−33924, 85−34440, 85−36235, 85−36297, 85−36600 to 36601, 85−36692 to 36695, 85−36952 to 36955, 85−36997, 85−37206 to 37210, 85−37254 to 37267, 85−37290 to 37292, 85−37300 to 37304, 85−37322, 85−37347 to 37349, 85−37363 to 37365, 85−37371, 85−39337

Consumer electronics; 1985 International Conference on Consumer Electronics, Rosemont, IL, USA, 5-7 June 1985, *(IEEE)* [Aug. 1985] 86−7362 (introductory abstract), 86−8032, 86−8061 to 8062, 86−8281, 86−8320, 86−8363, 86−8704 to 8706, 86−9278, 86−10637, 86−10712, 86−10728 to 10731, 86−10767, 86−10844 to 10845, 86−10852 to 10853, 86−11235 to 11242, 86−11258 to 11269, 86−11286 to 11287, 86−11297 to 11304, 86−11359, 86−11385 to 11386, 86−11421, 86−11455, 86−12423, 86−13007

Consumer electronics; International Conference on Consumer Electronics, Rosemount, IL, USA, 3-6 June 1986, *(IEEE)* [Aug. 1986] 87−9985 (introductory abstract), 87−10696, 87−10743, 87−10871 to 10873, 87−10907, 87−10935, 87−10969, 87−11949, 87−12015, 87−12283, 87−12734, 87−13070, 87−13230 to 13234, 87−13318, 87−13328 to 13330, 87−13491, 87−13554, 87−13710, 87−13822 to 13823, 87−13872 to 13881, 87−13908 to 13917, 87−13958 to 13966, 87−14003, 87−14018, 87−14032 to 14037, 87−14135 to 14137, 87−15950 to 15951, 87−17190, 87−20674, 87−20689 to 20692, 87−20750, 87−20780, 87−20797

Consumer electronics; 1987 International Conference on Consumer Electronics (ICCE '87), Rosemount, IL, USA, 3-5 June 1987, *(IEEE)* [Aug. 1987] 88−11553 (introductory abstract), 88−12415 to 12416, 88−12453, 88−12501, 88−12518 to 12519, 88−15034, 88−15088 to 15089, 88−15234, 88−15362 to 15363, 88−15409, 88−15466, 88−15732 to 15739, 88−15748 to 15759, 88−15777 to 15784, 88−15815 to 15816, 88−15823 to 15828, 88−15867, 88−16064, 88−16275 to 16276, 88−18354, 88−19180 to 19181, 88−20155, 88−20244, 88−21633, 88−21829, 88−22269, 88−22287 to 22288, 88−22312, 88−22356, 88−22371, 88−22704 to 22705

Consumer electronics; 1986 IEEE International Conference on Consumer Electronics. Digest of Technical Papers. ICCE (Cat. No.86CH2319-2), Rosemount, IL, USA, 3-6 June 1986, *(IEEE) Luplow, W.C. Creek, E. (editor/s),* [New York, NY, USA: IEEE 1986] 87−31156 (introductory abstract), 87−31766 to 31768, 87−31864 to 31866, 87−32023, 87−32214, 87−32672, 87−33647, 87−33822, 87−34020, 87−34093, 87−34203 to 34205, 87−34729, 87−34767 to 34772, 87−34803 to 34808, 87−34841 to 34842, 87−34875, 87−34886, 87−36097, 87−36112 to 36115

Consumer electronics; IEEE 1988 International Conference on Consumer Electronics. Digest of Technical Papers. ICCE (Cat. No.88CH2564-3), Rosemount, IL, USA, 8-10 June 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88−70011 (introductory abstract)

Containment design; Proceedings of International Conference on Containment Design, Toronto, Ont., Canada, 17-20 June 1984, *(Canadian Nucl. Soc) Black, R.K. (editor/s),* [Toronto, Ont., Canada: Canadian Nucl. Soc. 1984, $50.00] 85−65067 to 65077, 85−65114 to 65129

Containment integrity; Second Workshop on Containment Integrity, Crystal City, Arlington, VA, USA, 13-15 June 1984, *(US Nucl. Regul. Comm)* [1985] 86−32984 (introductory abstract), 86−32947, 86−32985 to 32986

Containment integrity; Third Workshop on Containment Integrity, Washington, DC, USA, 21-23 May 1986, *(US Nucl. Regul. Comm)* [1987] 88−17316

Contemporary optical instrument design; Contemporary Optical Instrument Design, Fabrication, and Testing, Innsbruck, Austria, 17-18 April 1986, *(SPIE)* [1986] 87−76871, 87−77100, 87−77133, 87−77156, 87−77438, 87−77890

Continental lithosphere; Second International Symposium on Deep Seismic Reflection Profiling of the Continental Lithosphere, Cambridge, UK, 15-18 July 1986, [April 1987] 87−42208

Continuing engineering education; Proceedings. 1986 World Conference on Continuing Engineering Education (Cat. No.86CH2246-7), Lake Buena Vista, FL, USA, 7-9 May 1986, *(IEEE; American Soc. Eng. Educ) Grayson, L.P. Biedenbach, J.M. (editor/s),* [New York, NY, USA: IEEE 1986] 87−22987 (introductory abstract), 87−23051 to 23198, 87−23257 to 23263, 87−30841, 87−31183 to 31206, 87−33892

Continuous system simulation languages; Conference on Continuous System Simulation Languages. Proceedings of the Conference, San Diego, CA, USA, 23-25 Jan. 1986, *Cellier, F.E. (editor/s),* [San Diego, CA, USA: SCS 1986] 86−48662, 86−51426

Control; International Conference - Control 85 (Conf. Publ. No. 252), Cambridge, UK, 9-11 July 1985, *(IEE)* [London, UK: IEE 1985] 85−61108, 85−64296, 85−64791, 85−64848 to 64851, 85−65358, 85−65564, 86−6279 to 6281, 86−6604

Control; Proceedings of the 1986 American Control Conference (Cat. No.86CH2336-6), Seattle, WA, USA, 18-20 June 1986, *(American Autom. Control Council)* [New York, NY, USA: IEEE 1986] 87−150, 87−502, 87–1980, 87–2552 to 2553, 87–3210, 87–3236 to 3239, 87–3606, 87–4058, 87–4071 to 4077, 87–4084 to 4085, 87–4101, 87–4474, 87–4573, 87–5043, 87–5094, 87–7784 to 7789, 87–8351, 87–8360, 87–9130, 87–9320

Control; Proceedings of the 1987 American Control Conference, Minneapolis, MN, USA, 10-12 June 1987, *(American Autom. Control Council)* [Green Valley, AZ, USA: American Autom. Control Council 1987] 88–3083, 88–5673, 88–6255, 88–6331, 88–8653, 88–8678, 88–8799, 88–9193, 88–9632 to 9633, 88–9654 to 9656, 88–9666 to 9667, 88–10477, 88–11114, 88–11151, 88–11403, 88–11509

Control; Proceedings of the 1988 American Control Conference, Atlanta, GA, USA, 15-17 June 1988, *(American Autom. Control Council)* [Green Valley, AZ, USA: American Autom. Control Council 1988] 88–73161 to 73163

Control; International Conference on CONTROL 88 (Conf. Publ. No.285), Oxford, UK, 13-15 April 1988, [London, UK: IEE 1988] 88–42823, 88–43046, 88–43323, 88–43737, 88–46634, 88–47214, 88–47510, 88–48411, 88–48514 to 48515, 88–48532, 88–48815, 88–48899 to 48900, 88–48931, 88–48989, 88–48999, 88–49017, 88–49218 to 49219, 88–49251

Control and estimation theory, limitations; IEE Colloquium on 'Limitations in Control and Estimation Theory' (Digest No.96), London, UK, 8 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87–15142

Control engineering; Proceedings of the Sixth Annual Control Engineering Conference, Rosemount, IL, USA, 19-21 May 1987, *(Control Eng)* [Barrington, IL, USA: Control Eng. 1987] 87–76395 to 76399, 87–77447, 87–78334, 87–78475, 87–79006, 87–79256

Control flow and data flow; Control Flow and Data Flow: Concepts of Distributed Programming. Proceedings of NATO Advanced Study Institute International Summer School, Marktoberdorf, West Germany, 31 July-12 Aug. 1984, *(NATO) Broy, M. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 86–28422

Control in transportation systems; Control in Transportation Systems. Proceedings of the 4th IFAC/IFIP/IFORS Conference, Baden Baden, West Germany, 20-22 April 1983, *(IFAC; IFIP; IFORS) Klamt, D. Lauber, R. (editor/s),* [Oxford, UK: Pergamon 1984, $105.00] 87–36227, 87–37200

Control in transportation systems; Control in Transportation Systems (1986). Proceedings of the 5th IFAC/IFIP/IFORS Conference, Vienna, Austria, 8-11 July 1986, *(IFAC; IFIP; IFORS) Genser, R. Etschmaier, M.M. Hasegawa, T. Strobel, H. (editor/s),* [Oxford, UK: Pergamon 1987, $99.00] 87–58427, 87–58758, 87–59560, 87–63252, 87–64893 to 64897

Control problems for systems described by PDE and applications; Control Problems for Systems Described by Partial Differential Equations and Applications. Proceedings of the IFIP-WG 7.2 Working Conference, Gainesville, FL, USA, 3-6 Feb. 1986, *(IFIP) Lasiecka, I. Triggiani, R. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987, DM108.00] 88–45629

Control science and technology; Bridge Between Control Science and Technology. Proceedings of the Ninth Triennial World Congress of IFAC, Budapest, Hungary, 2-6 July 1984, *(IFAC; IMACS; IFIP; IFORS; IMEKO; UNESCO; UNIDO) Gertler, J. Keviczky, L. (editor/s),* [Oxford, UK: Pergamon Press 1985] 85–65066, 86–608, 86–1116, 86–3894 to 3896, 86–4730, 86–4752, 86–6723, 86–8067, 86–10398 to 10399, 86–10810 to 10814, 86–10925, 86–11037, 86–11400, 86–11800, 86–11995, 86–12031 to 12036, 86–12241, 86–12300 to 12314, 86–12359 to 12363, 86–12367 to 12368, 86–12430, 86–12539 to 12540, 86–12634 to 12637, 86–12664 to 12668, 86–12797 to 12798, 86–12847, 86–12866, 86–13148, 86–18740, 86–18765, 86–19155

Control system implementation, equipment choice; IEE Colloquium on 'Choice of Equipment in the Implementation of Control Systems' (Digest No.132), London, UK, 18 Dec. 1986, *(IEE)* [London, UK: IEE 1986] 87–30401

Control systems; Proceedings of the First Workshop on Control Systems (KEK 87-25), Tsukuba, Ibaraki, Japan, 26-27 Nov. 1987, *Kanaya, N. Katoh, T. Kurokawa, S. Pak, C.O. (editor/s),* [Ibaraki-ken, Japan: Nat. Lab. High Energy Phys. Jan. 1988] 88–37869 (introductory abstract), 88–40190, 88–42355 to 42362, 88–42436, 88–42575, 88–43000 to 43001, 88–43160, 88–43326, 88–68402

Control technology transfer mechanisms; IEE Colloquium on 'Control Technology Transfer Mechanisms: Success or Failure?' (Digest No.28), London, UK, 9 March 1987, *(IEE)* [London, UK: IEE 1987] 87–43802

Controlled ecological life support systems; Controlled Ecological Life Support Systems. Proceedings of Workshop II of the COSPAR Twenty-Sixth Plenary Meeting, Toulouse, France, 30 June-11 July 1986, *(COSPAR; Int. Acad. Astronautics)* [1987] 88–11549 (introductory abstract)

Controls West conference; Proceedings of the Controls West Conference. Part of the International Industrial Controls Conference and Exhibition/Controls West '85, Long Beach, CA, USA, 16-18 Sept. 1985, [Wheaton, IL, USA: Tower Conference Manage. Co. 1985] 86–41381, 86–41453, 86–42349, 86–44302 to 44304, 86–44323, 86–44465 to 44466, 86–44706

CORPCON '86; 1986 CORPCON Proceedings, Los Angeles, CA, USA, 23-25 Sept. 1986, *(Nat. Inst. Manage. Res) Morris, L. (editor/s),* [Santa Monica, CA, USA: Nat. Inst. Manage. Res. 1986] 87–47539, 87–48701

Corrosion in power generating equipment; Corrosion in Power Generating Equipment. Proceedings of the Eighth International Brown Boveri Symposium, Baden, Switzerland, 19-20 Sept. 1983, *Speidel, M.O. Atrens, A. (editor/s),* [New York, NY, USA: Plenum 1984] 85–16581 (introductory abstract), 85–21283 to 21284, 85–21311, 85–21453, 85–21477 to 21482, 85–21501 to 21502, 85–21575 to 21577

Cosmic physics; 2nd National Meeting on Cosmic Physics, L'Aquila, Italy, 29 May-2 June 1984, [Nov.-Dec. 1984] 85–44372 (introductory abstract), 85–48176 to 48177, 85–51709, 85–52859, 85–52978, 85–52994

Cosmic rays; 18th International Cosmic Ray Conference. Conference Papers, Bangalore, India, 22 Aug.-3 Sept. 1983, *(IUPAP) Durgaprasad, N. Ramadurai, S. Ramana Murthy, P.V. Rao, M.V.S. Sivaprasad, K. (editor/s),* [Bombay, India: Tata Inst. Fundamental Res. Aug. 1983] 85–15238 to 15240

Countersurveillance; Extracts from the Symposium on Countersurveillance '83 (MRL-R-921), Melbourne, Vic., Australia, 27-28 April 1983, [Ascot Vale, Vic., Australia: Mater. Res. Lab. 1984] 85–10341 (introductory abstract), 85–12816, 85–13165 to 13167, 85–13582, 85–13649 to 13652, 85–14795

Cross polar cancellation; IEE Colloquium on 'Cross Polar Cancellation Techniques' (Digest No.111), London, UK, 9 Dec. 1985, *(IEE)* [London, UK: IEE 1985] 86–19753 (introductory abstract), 86–22693 to 22695, 86–23683, 86–23833 to 23835

Cryogenic engineering; Advances in Cryogenic Engineering Materials. Vol.30. Proceedings of the Fifth International Cryogenic Materials Conference, Colorado Springs, CO, USA, 15-17 Aug. 1983, *Clark, A.F. Reed, R.P. (editor/s),* [New York, NY, USA: Plenum 1984] 85–32903 (introductory abstract), 85–33514, 85–33521, 85–33550, 85–41070, 85–43619, 85–43937, 85–45964, 85–46023 to 46046, 85–46058 to 46059, 85–50857 to 50866, 85–50887 to 50888

Cryogenic engineering; Proceedings of the Tenth International Cryogenic Engineering Conference, Helsinki, Finland, 31 July-3 Aug. 1984, *(Finnish Min. Educ.; Helsinki Univ. Technol.; OY LM Ericsson; Fincoil-Teollisuus OY; Huure OY; Instrumentarium OY; Kone OY; et al) Collan, H. Berglund, P. Krusius, M. (editor/s),* [Guildford, Surrey, UK: Butterworth 1984] 85–32906 (introductory abstract), 85–35332, 85–35355 to 35356, 85–35364 to 35367, 85–37848, 85–38127 to 38129, 85–39343 to 39345, 85–41046 to 41047, 85–41071, 85–41083 to 41097, 85–42987 to 42989, 85–43081, 85–43154, 85–43266, 85–43331, 85–43416 to 43418, 85–44016, 85–46047 to 46052, 85–46113, 85–46115, 85–47787 to 47788, 85–47837, 85–47964 to 47965, 85–48129 to 48130, 85–48164, 85–48217 to 48218, 85–48322 to 48323, 85–48566, 85–48598, 85–48936, 85–48970, 85–48973, 85–48983, 85–49001, 85–49127 to 49135, 85–49188, 85–49213, 85–50867, 85–50876 to 50879, 85–50889 to 50890, 85–51388 to 51389, 85–52753 to 52754, 85–52953, 85–53150, 85–53686 to 53687, 85–53718, 85–53768, 85–53902, 85–53956

Cryogenic engineering; Proceedings of the Eleventh International Cryogenic Engineering Conference. ICEC 11, Berlin, West Germany, 22-25 April 1986, *(Free Univ. Berlin; Berlin Senat; Messer Griesheim) Klipping, G. Klipping, I. (editor/s),* [Guildford, UK: Butterworths 1986, £65.00] 87–23021 (introductory abstract), 87–25881, 87–25899 to 25901, 87–29419 to 29420, 87–29762, 87–32835 to 32836, 87–32847 to 32849, 87–32894 to 32897, 87–32916, 87–37829, 87–38677 to 38683, 87–38698 to 38702, 87–38706 to 38716, 87–41458, 87–41502 to 41503, 87–41594, 87–41640, 87–41719 to 41721, 87–41964 to 41965, 87–42486, 87–42852, 87–43125, 87–43178, 87–44398, 87–46404 to 46412, 87–46426 to 46427, 87–50225

Cryogenic engineering; Advances in Cryogenic Engineering. Vol.33. Proceedings of the 1987 Cryogenic Engineering Conference, St. Charles, IL, USA, 14-18 June 1987, *(Air Products & Chem.; Alabama Cryogenic Eng.; Astronautics Corp. America; et al) Fast, R.W. (editor/s),* [New York, NY, USA: Plenum 1988, $125.00] 88–43602 (introductory abstract), 88–33564, 88–37629, 88–37991, 88–39796, 88–39832, 88–39842 to 39848, 88–42302, 88–42331, 88–42409, 88–42435, 88–42603, 88–42610 to 42611, 88–42625, 88–42862 to 42863, 88–43256, 88–45014 to 45033, 88–45657, 88–47511, 88–47905, 88–48147, 88–48194 to 48195, 88–48584, 88–49068, 88–49170

Cryogenic materials; Advances in Cryogenic Engineering: Materials. Vol.34. Proceedings of the Seventh International Cryogenic Materials Conference, St. Charles, IL, USA, 14-18 June 1987, *Clark, A.F. Reed, R.P. (editor/s),* [New York, NY, USA: Plenum 1988, $125.00] 88–37859 (introductory abstract), 88–33565, 88–38274, 88–39817 to 39820, 88–39833 to 39836, 88–39849 to 39851, 88–42864, 88–45003, 88–45034, 88–48263

Cryogenic technology for wind tunnel testing; Special Course on Cryogenic Technology for Wind Tunnel Testing (AGARD-R-722), Rhode-Saint-Genese, Belgium, 22-26 April 1985, *(Von Karman Inst.; AGARD)* [Neuilly sur Seine, France: AGARD July 1985] 86–33934 (introductory abstract)

Cryptology; Advances in Cryptology. Proceedings of EUROCRYPT 84 - A Workshop on the Theory and Application of Cryptographic Techniques, Paris, France, 9-11 April 1984, *(Int. Assoc. Cryptographic Res.; UER Maths., Logique Formelle, Inf) Beth, T. Cot, N. Ingemarsson, I. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 87–65083 (introductory abstract), 87–65367, 87–66255, 87–69007 to 69036, 87–69079

Cryptology; Advances in Cryptology - CRYPTO '86 Proceedings, Santa Barbara, CA, USA, 11-15 Aug. 1986, *(Int. Assoc. Cryptologic Res.; IEEE) Odlyzko, A.M. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 88–37850 (introductory abstract), 88–40814 to 40846

Crystal growth; Proceedings of the Third Hungarian Conference on Crystal Growth - HCCG-3, Budapest, Hungary, 19-21 Sept. 1983, [1985] 86–1 (introductory abstract), 86–377 to 384, 86–411 to 412, 86–3277

Crystal growth; Eighth International Conference on Crystal Growth, York, UK, 13-18 July 1986, *(BDH Chem.; Barr & Stroud; British Assoc. Crystal Growth; et al)* [Dec. 1986] 87–23594 to 23613, 87–23649 to 23655, 87–23698, 87–23779, 87–24760, 87–25973, 87–31475 to 31484, 87–31516 to 31522, 87–32303 to 32307

Crystal growth; Symposium on Crystal Growth, Calcutta, India, 29-31 Jan. 1986, [July 1987] 87–72660 (introductory abstract), 87–73038 to 73040, 88–373 to 376

Crystal growth; Fourth Hungarian Conference on Crystal Growth HCCG-4 with International Participation, Budapest, Hungary, 22-25 July 1986, [1987] 87–73052 to 73057, 87–73993, 87–74045, 87–74175, 87–74646, 87–74852

Crystal growth; Seventh American Conference on Crystal Growth, Monterey, CA, USA, 12-17 July 1987, *(Army Night Vision Labs.; Solar Energy Res. Inst.; Airtron; Allied Corp.; et al)* [Nov. 1987] 88–11556 (introductory abstract), 88–11949 to 11957, 88–11980 to 11987, 88–12039, 88–13073 to 13074, 88–13101, 88–13810, 88–16431, 88–18219 to 18220

Crystal growth of electronic materials; Crystal Growth of Electronic Materials. 5th International Summer School on Crystal Growth and Materials Research, Davos, Switzerland, 3-10 Sept. 1983, *(Int. Organ. Crystal Growth; Int. Union Crystallogr.; Schweiz Naturforschende Gesellschaft; et al) Kaldis, E. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985] 86–33923 (introductory abstract), 86–34288 to 34295, 86–34342 to 34343, 86–34391, 86–34425 to 34427, 86–35335, 86–36117

Current measurement; Proceedings of the IEEE Third Working Conference on Current Measurement (Cat. No.86CH2305-1), Airlie, VA, USA, 22-24 Jan. 1986, *(IEEE) Appell, G.F. Woodward, W.E. (editor/s),* [New York, NY, USA: IEEE 1986] 87–5140 (introductory abstract), 87–8746, 87–9006 to 9032

Custom and semi-custom ICs; 4th International Conference on Custom and Semi-Custom ICs, London, UK, 6-8 Nov. 1984, [Saffron Walden, UK: Prodex 1984] 86–33925 (introductory abstract), 86–34736, 86–35807 to 35815, 86–35853 to 35854, 86–35899 to 35906, 86–40999, 86–41064 to 41075, 86–41910 to 41911, 86–41937 to 41938, 86–41968 to 41969, 86–43996, 86–44678

Custom and semi-custom ICs; 5th International Conference on Custom and Semi-Custom ICs, London, UK, 5-7 Nov. 1985, [Saffron Walden, UK: Prodex 1985] 87–5135 (introductory abstract), 87–115, 87–136, 87–441 to 442, 87–668 to 677, 87–774, 87–1629, 87–1718, 87–1765 to 1766, 87–2810, 87–5199, 87–5820 to 5827, 87–5894, 87–6819 to 6824, 87–6867, 87–6894 to 6896

Custom and semi-custom ICs; 6th International Conference on Custom and Semicustom ICs, London, UK, 4-6 Nov. 1986, [Saffron Walden, UK: Prodex 1986] 87–65074 (introductory abstract), 87–65217 to 65218, 87–65988, 87–66120 to 66133, 87–66193, 87–67467 to 67483, 87–67541 to 67542, 87–67586 to 67592, 87–69748, 87–70535

Custom integrated circuits; Proceedings of the IEEE 1985 Custom Integrated Circuits Conference (Cat. No. 85CH2157-6), Portland, OR, USA, 20-23 May 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86–53 (introductory abstract), 86–655 to 671, 86–802, 86–872, 86–972 to 985, 86–1062 to 1065, 86–1119 to 1120, 86–1163 to 1164, 86–1180, 86–1591, 86–2098, 86–2203 to 2209, 86–2318 to 2332, 86–2358 to 2360, 86–2408 to 2439, 86–3917, 86–4380 to 4381, 86–4441, 86–4451, 86–4553, 86–4885, 86–5110 to 5114, 86–5136, 86–5303, 86–5891

Custom integrated circuits; Proceedings of the IEEE 1986 Custom Integrated Circuits Conference (Cat. No.86CH2258-2), Rochester, NY, USA, 12-15 May 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86–66546 (introductory abstract), 86–67198 to 67201, 86–67253 to 67256, 86–67284 to 67286, 86–67294 to 67295, 86–67356 to 67357, 86–67957 to 67966, 86–67971 to 67974, 86–67996 to 68013, 86–68185, 86–69701, 87–68, 87–137, 87–443 to 448, 87–573, 87–678 to 701, 87–775 to 779, 87–811, 87–832, 87–888, 87–947 to 948, 87–1107, 87–1377 to 1379, 87–1471, 87–1560 to 1562, 87–1631 to 1651, 87–1719 to 1720, 87–1767 to 1776, 87–2811, 87–2949 to 2950, 87–3017, 87–3207 to 3208

Custom integrated circuits; Proceedings of the IEEE 1987 Custom Integrated Circuits Conference (Cat. No.87CH2430-7), Portland, OR, USA, 4-7 May 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87–58532 (introductory abstract), 87–58686, 87–59107 to 59110, 87–59210, 87–59260 to 59261, 87–59285, 87–59357 to 59411, 87–59474 to 59480, 87–59586 to 59597, 87–59654 to 59658, 87–59684, 87–59721, 87–59788 to 59790, 87–59974, 87–60035, 87–60367, 87–60505 to 60506, 87–60580 to 60598, 87–60629 to 60634, 87–60663 to 60682, 87–61599, 87–62133, 87–62707, 87–62753 to 62755, 87–62861 to 62862, 87–63000 to 63001, 87–63134, 87–63289, 87–63321, 87–63465, 87–64851, 87–64933

Custom integrated circuits; Proceedings of the IEEE 1988 Custom Integrated Circuits Conference (Cat. No.88CH2584-1), Rochester, NY, USA, 16-19 May 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88–62884 (introductory abstract), 88–63064 to 63065, 88–63461 to 63462, 88–63648 to 63649, 88–63680 to 63685, 88–63727, 88–63763, 88–63768, 88–64066 to 64067, 88–64702 to 64713, 88–64748 to 64751, 88–64765 to 64775, 88–64794, 88–65740, 88–67167, 88–67233, 88–68043, 88–68490, 88–70119, 88–70403, 88–70437 to 70438, 88–70483, 88–70501 to 70502, 88–70575 to 70576, 88–70604 to 70606, 88–70625 to 70628, 88–70684 to 70707, 88–70765 to 70766, 88–70831 to 70847, 88–70871 to 70880, 88–70886, 88–70908 to 70909, 88–70934, 88–71501, 88–71574 to 71575, 88–71622, 88–71675 to 71693, 88–71753 to 71754, 88–71779 to 71787, 88–73695, 88–73750, 88–74167, 88–74272 to 74275, 88–74296, 88–74853, 88–74886

Cybernetics and systems; Cybernetics and Systems '88. Proceedings of the Ninth European Meeting on Cybernetics and Systems Research, Vienna, Austria, 5-8 April 1988, *(Federal Minist. Sci. & Res.; Municipality Vienna; Vienna Tourist Board) Trappl, R. (editor/s),* [Dordrecht, Netherlands: Kluwer 1988, $349.00] 88–43676, 88–45842, 88–46323, 88–47391, 88–48103, 88–48196 to 48197, 88–48990, 88–49621, 88–49645, 88–52401, 88–52497, 88–52602, 88–54963, 88–55515

Cyclotrons and their applications; Tenth International Conference on Cyclotrons and their Applications (Cat. No. 84CH1996-3), East Lansing, MI, USA, 30 April-3 May 1984, *(IEEE; APS; IUPAP; Michigan State Univ.; DOE; NSF) Marti, F. (editor/s),* [New York, NY, USA: IEEE 1984] 85–54032 (introductory abstract), 85–54102, 85–56257 to 56259, 85–58975 to 59024, 85–59066 to 59098, 85–59163 to 59165, 85–59218, 85–59279, 85–59349, 85–64362 to 64378, 85–64398 to 64413, 85–64429 to 64436, 85–64498, 85–64508, 85–64579, 85–64628 to 64632

Data acquisition systems; Proceedings of the Second Data Acquisition System Workshop (KEK Report 87-27), Tsukuba, Ibaraki, Japan, 18-19 July 1986, *Ohska, T.K. (editor/s),* [Tsukuba-shi, Ibaraki-ken, Japan: Nat. Lab. High Energy Phys. Feb. 1988] 88–49376 (introductory abstract)

Data analysis and informatics; Data Analysis and Informatics, IV. Proceedings of the Fourth International Symposium, Versailles, France, 9-11 Oct. 1985, *(ADI; ANVAR; ASU; CNET; CEA; CNRS; ISI; INRA; SFC) Diday, E. Escoufier, Y. Lebart, L. Pages, J. Schektman, Y. Tomassone, R. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $109.25] 87–23520

Data analysis in astronomy; Data Analysis in Astronomy. Proceedings of the International Workshop, Erice, Italy, 28 May-4 June 1984, *Di Gesu, V. Scarsi, L. Crane, P. Friedman, J.H. Levialdi, S. (editor/s),* [New York, NY, USA: Plenum 1985, $85.00] 88–49379 (introductory abstract)

Data analysis in astronomy; Data Analysis in Astronomy II. Proceedings of the Second International Workshop on Data Analysis in Astronomy, Erice, Italy, 17-30 April 1986, *Di Gesu, V. Scarsi, L. Crane, P. Friedman, J.H. Levialdi, S. (editor/s),* [New York, NY, USA: Plenum 1986, $69.50] 88–49380 (introductory abstract)

Data and knowledge systems for manufacturing and engineering; Proceedings of the International Conference on Data and Knowledge Systems for Manufacturing and Engineering, Hartford, CT, USA, 19-20 Oct. 1987, *(IEEE; ACM; Univ. Connecticut; Hartford Graduate Center; et al)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88–18878

Data communication and computer networks; NETWORKS India 84. International Symposium on Data Communication and Computer Networks. Conference Record, Madras, India, 19-21 Oct. 1984, *(Comput. Soc. India; IFIP; UNESCO) Mahabala, H.N. Lakshmanan, K.B. Srinivasan, S. (editor/s),* [Bombay, India: Comput. Soc. India Oct. 1984] 85–22081 (introductory abstract), 85–25306, 85–25554 to 25576, 85–25838 to 25839

Data communications; Proceedings of the Ninth Data Communications Symposium (Cat. No.85CH2137-8), Whistler Mountain, BC, Canada, 10-13 Sept. 1985, *(IEEE; ACM)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86–19732 (introductory abstract), 86–22875, 86–23387, 86–23506 to 23521, 86–23637 to 23638, 86–23831 to 23832, 86–24342

Data communications; IBERICOM '87: 1st Iberian Conference on Data Communications, Lisbon, Portugal, 19-21 May 1987, *(Fed. Espanola Soc. Inf.; IFIP)* [Lisbon, Portugal: Assoc. Portuguesa Inf. 1987] 88–9222 (introductory abstract), 88–8919 to 8923, 88–9019 to 9020, 88–9079, 88–9223 to 9235

Data communications and networks; IEE 4th Vacation School on Data Communications and Networks, London, UK, 22-27 Sept. 1985, *(IEE)* [London, UK: IEE 1985] 86–7401 (introductory abstract), 86–10673 to 10682, 86–10839, 86–10891

Data engineering; International Conference on Data Engineering (Catalog No. 84CH2031-3), Los Angeles, CA, USA, 24-27 April 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85–18432, 85–19868

Data engineering; International Conference on Data Engineering (Cat. No.86CH2261-6), Los Angeles, CA, USA, 5-7 Feb. 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 86–52605, 86–52626, 86–57234

Data engineering; Proceedings of the Third International Conference on Data Engineering (Cat. No.87CH2407-5), Los Angeles, CA, USA, 3-5 Feb. 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87–44860

Data engineering; Proceedings Fourth International Conference on Data Engineering (Cat. No.88CH2550-2), Los Angeles, CA, USA, 1-5 Feb. 1988, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88–34879, 88–35194

Data organization; Foundations of Data Organization. Proceedings of the International Conference, Kyoto, Japan, 21-24 May 1985, *(Organ. Committee of Int. Conference on Found. Data Organ.; Japan Soc. Promotion Sci.; IEEE Comput. Soc.; et al)* [Kyoto, Japan: Kyoto Sangyo Univ. 1985, $28.00] 86–35816

Data processing; Data Processing: Opportunities and Drawbacks. Proceedings of Convention Informatique 1985, Paris, France, 16-20 Sept. 1985, [Paris, France: Convention Inf. 1985] 86–26552, 86–26624, 86–26655, 86–27376, 86–28417 to 28418, 86–28948, 86–30155, 86–30222, 86–30297 to 30298, 86–30405 to 30412, 86–34025, 86–37312, 86–37366 to 37369, 86–37405 to 37413, 86–37546 to 37547

Data processing: from discourse to method; Data Processing: From Discourse to Method. Convention Informatique 1986, Paris, France, 15-19 Sept. 1986, [Paris, France: Convention Inf. 1986] 87–10024 (introductory abstract), 87–10085, 87–13256 to 13258, 87–13286, 87–13303 to 13306, 87–13317, 87–13334 to 13340, 87–13444 to 13465, 87–13541 to 13542, 87–13991

Data processing in design; Datenverarbeitung in der Konstruktion '86 (Data Processing in Design '86), Munich, West Germany, 28 Oct. 1986, [Dusseldorf, West Germany: VDI Verlag 1986] 87–16823 to 16824, 87–17055, 87–17496 to 17499, 87–17575, 87–18295, 87–22055, 87–24623

Data security; International Data Security Conference 1985, London, UK, 18-19 Feb. 1985, [Brighton, UK: Open Comput. Security 1985, £45.00] 85–47116, 85–47270

Databanks and videotex; INFODIAL-VIDEOTEX: 6th International Congress and Exhibition on Data Banks and Videotex, Paris, France, 15-18 Sept. 1987, [Paris, France: SICOB 1987] 88–31302 (introductory abstract)

Database '86; Mezinarodni Konference DATABASE '86 (International Conference DATABASE '86), Prague, Czechoslovakia, 8-10 Oct. 1986, [Prague, Czechoslovakia: CSVTS 1986] 87–28205

Database applications; New Applications of Data Bases. Based on Proceedings of a Workshop, Cambridge, UK, 2-3 Sept. 1983, *Gardarin, G. Gelenbe, E. (editor/s),* [London, UK: Academic Press 1984] 85–33608, 85–38334

Database/software/computer conference; SCIL 1987. The Second Annual Software/Computer/Database Conference and Exposition for Librarians and Information Managers Conference Proceedings, Arlington, VA, USA, 30 March-1 April 1987, [Westport, CT, USA: Meckler Publishing 1987] 87–55579, 87–62700 to 62701, 87–76379

Database systems for the office, technology and science; Datenbank-Systeme fur Buro, Technik und Wissenschaft. GI-Fachtagung (Database Systems for the Office, Technology and Science. GI Proceedings), Karlsruhe, West Germany, 20-22 March 1985, *Blaser, A. Pistor, P. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 85–54609 to 54610

Database technology; Advances in Database Technology - EDBT '88. International Conference on Extending Database Technology. Proceedings, Venice, Italy, 14-18 March 1988, *Schmidt, J.W. Ceri, S. Missikoff, M. (editor/s),* [Berlin, West Germany: Springer-Verlag 1988] 88–73485, 88–73640

Databases and videotex; INFODIAL-VIDEOTEX. 4th International Congress and Exhibition on Data Bases and Videotex, Paris, France, 16-20 Sept. 1985, [Paris, France: Infodial Videotex 1985] 86–30336 (introductory abstract), 86–30300 to 30303, 86–30337 to 30341, 86–30425

Databases, VLDB conference; Very Large Data Bases. Proceedings of the Eleventh International Conference, Stockholm, Sweden, 21-23 Aug. 1985, *(SAS Data; IBM Sweden; ENEA Data; Univ. Stockholm; et al) Pirotte, E. Vassiliou, Y. (editor/s),* [Brussels, Belgium: Philips Res. Lab. 1985] 86–40866

DBS TV and radio; IEE Colloquium on 'Direct Broadcast Satellite Television and Radio' (Digest No.95), London, UK, 5 Nov. 1985, *(IEE)* [London, UK: IEE 1985] 86–7412 (introductory abstract), 86–11045, 86–11221 to 11229, 86–11250

DC railway electrification in UK; Railway Engineers Forum on 'Current DC Electrification in the UK', London, UK, 23 March 1987, [London, UK: IMechE 1987] 87–58546 (introductory abstract), 87–64899 to 64901

DC reference sources; IEE Colloquium on Recent Progress in DC Reference Sources (Digest No.10), London, UK, 30 Jan. 1985, *(IEE)* [London, UK: IEE 1985] 85–27963 (introductory abstract), 85–31290, 85–31378, 85–31551 to 31556

DEC user conference; DEC User Conference, London, UK, 15-17 Oct. 1985, *(DEC User Magazine)* [London, UK: EMAP Int. Exhibitions 1985] 86–34870, 86–37226, 86–37561 to 37564

DEC Users Society,; Proceedings of the Digital Equipment Computer Users Society 1985 DECUS Europe Symposium, Cannes, France, 16-20 Sept. 1985, [Marlboro, MA, USA: Digital Equipment Corp. 1985] 86–26500 (introductory abstract), 86–30419 to 30423, 86–32694, 86–33240

DEC Users Society conference; Proceedings of the Digital Equipment Computer Users Society Europe 1984, Amsterdam, Netherlands, 24-28 Sept. 1984, [Petit-Lancy, Switzerland: Decus Europe 1983] 85–32913 (introductory abstract), 85–33984, 85–36772, 85–38166 to 38170, 85–42298 to 42305

Decision and control; Proceedings of the 23rd IEEE Conference on Decision and Control (Cat. No. 84CH2093-3), Las Vegas, NV, USA, 12-14 Dec. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85–49408 to 49409, 85–49412, 85–49428, 85–49432 to 49437, 85–49444 to 49446, 85–49500, 85–49710, 85–50000, 85–51660 to 51681, 85–51813, 85–51838 to 51840, 85–51962, 85–52226, 85–52411 to 52414, 85–52445, 85–53086, 85–53246, 85–53274 to 53284, 85–53301, 85–53552 to 53553, 85–53688, 85–53719, 85–54218, 85–54229 to 54230, 85–54323 to 54325, 85–55051, 85–57195, 85–57394 to 57396, 85–57571 to 57574, 85–57653, 85–57808, 85–57833, 85–58180 to 58181

Decision and control; Proceedings of the 24th IEEE Conference on Decision and Control (Cat. No.85CH2245-9), Fort Lauderdale, FL, USA, 11-13 Dec. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86–52331, 86–52372 to 52374, 86–52588 to 52590, 86–52623, 86–52636, 86–52639, 86–52925, 86–52964 to 52967, 86–54343, 86–54459, 86–54508 to 54521, 86–54566 to 54569, 86–54939, 86–55327, 86–55541, 86–55858, 86–56307 to 56315, 86–56381 to 56385, 86–56395, 86–56780, 86–57717, 86–59141, 86–59195, 86–59202, 86–59261, 86–59609, 86–59929 to 59930

Decision and control; Proceedings of the 25th IEEE Conference on Decision and Control (Cat. No.86CH2344-0), Athens, Greece, 10-12 Dec. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87–51902, 87–51910, 87–51929 to 51930, 87–52010, 87–52047, 87–52322, 87–52375, 87–52463 to 52464, 87–52755 to 52756, 87–54830, 87–55006, 87–55187 to 55207, 87–55322 to 55323, 87–55409 to 55427, 87–55554, 87–55626, 87–56302, 87–57501 to 57504, 87–57569 to 57574, 87–57601, 87–58027 to 58028, 87–58213 to 58214, 87–58452

Decision and control; Proceedings of the 26th IEEE Conference on Decision and Control (Cat. No.87CH2505-6), Los Angeles, CA, USA, 9-11 Dec. 1987, *(IEEE; SIAM; ORSA)* [New York, NY, USA: IEEE 1987] 88–38047, 88–38057 to 38058, 88–38061, 88–38360, 88–38640, 88–40772, 88–40804, 88–40980 to 40987, 88–41147 to 41148, 88–41432, 88–41514 to 41517, 88–41725, 88–42731, 88–42752 to 42755, 88–42801 to 42807, 88–42907, 88–43045, 88–43171, 88–43198, 88–43317, 88–43763 to 43765, 88–43796 to 43797, 88–44301, 88–45836, 88–46108 to 46125, 88–46292 to 46298, 88–46367 to 46372, 88–46618, 88–48279 to 48280, 88−48417 to 48419, 88−48453 to 48454, 88−48505 to 48506, 88−48879, 88−48918, 88−48951, 88−49192, 88−49295

Decision sciences; Proceedings of the 16th Annual Meeting of the American Institute for Decision Sciences, Toronto, Ont., Canada, 5-7 Nov. 1984, [Atlanta, GA, USA: American Inst. Decision Sci. 1984] 85−16741, 85−19769, 85−21152, 85−21853

Decision support systems; DSS-86 Transactions. Sixth International DSS-86 Conference on Decision Support Systems, Washington, DC, USA, 21-24 April 1986, *(Inst. Manage. Sci) Fedorowicz, J. (editor/s),* [Claremont, CA, USA: Claremont Graduate Sch. 1986] 86−54753

Decommissioning; Proceedings of the 1987 International Decommissioning Symposium (CONF-871018), Pittsburgh, PA, USA, 4-8 Oct. 1987, *(USDOE) Tarcza, G.A. (editor/s),* [Springfield, VA, USA: NTIS 1987] 88−48719 to 48724, 88−48752

Deep knowledge; Alvey Workshop on 'Deep' Knowledge, Brighton, UK, 10-12 July 1985, [London, UK: Alvey Directorate 1985] 88−63472

Deep knowledge in expert systems; First Alvey Workshop on Deep Knowledge. Alvey IKBS Research Theme. Expert Systems, Brighton, UK, 10-12 July 1986, [London, UK: Alvey Directorate 1985] 86−57583, 86−58178

Defect correction methods; Defect Correction Methods. Theory and Applications. Proceedings of a Working Conference on 'Error Asymptotics and Defect Correction', Oberwolfach, West Germany, July 1983, [1984] 86−345 (introductory abstract)

Defect recognition and image processing in III-V compounds; Defect Recognition and Image Processing in III-V Compounds. Proceedings of the International Symposium, Montpellier, France, 2-4 July 1985, *Fillard, J.P. (editor/s),* [Amsterdam, Netherlands: Elsevier 1985, $84.50] 87−16284 (introductory abstract), 87−16641, 87−17721 to 17725, 87−17771, 87−17884, 87−17929, 87−18174, 87−18282 to 18283, 87−18827, 87−18992

Defects and properties of semiconductors; Defects and Properties of Semiconductors: Defect Engineering. Symposium on 'Defects and Qualities of Semiconductors', Tokyo, Japan, 17-18 May 1984, *(Soc. Non-Traditional Technol) Chikawa, J. Sumino, K. Wada, K. (editor/s),* [Dordrecht, Netherlands: Reidel 1987, $94.00] 88−59 (introductory abstract), 88−388 to 389, 88−1674

Defects in crystals; Proceedings of the 7th InternationalSchool on Defects in Crystals, Szczyrk, Poland, 23-30 May 1985, *Mizera, E. (editor/s),* [Singapore: World Scientific 1987] 88−70328, 88−71312, 88−71341, 88−71397 to 71398, 88−71755

Defects in glasses; Defects in Glasses, Boston, MA, USA, 2-4 Dec. 1985, *Galeener, F.L. Griscom, D.L. Weber, M.J. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−6556, 87−7064 to 7067

Defects in insulating crystals; Proceedings of the International Conference on Defects in Insulating Crystals, Salt Lake City, UT, USA, 20-24 Aug. 1984, [1985] 86−21355, 86−22345 to 22346

Defects in semiconductors; Thirteenth International Conference on Defects in Semiconductors, Coronado, CA, USA, 12-17 Aug. 1984, *(TMS-AIME; Def. Adv. Res. Projects Agency; NASA; Office of Naval Res; et al) Kimerling, L.C. Parsey, J.M., Jr. (editor/s),* [Warrendale, PA, USA: Metall. Soc. AIME 1985] 85−39439 (introductory abstract), 85−39815, 85−40432 to 40434, 85−40508 to 40509, 85−40610 to 40611, 85−40668, 85−40785, 85−44200

Defects in semiconductors; 14th International Conference on Defects in Semiconductors, Paris, France, 18-22 Aug. 1986, *(Brucker; CNRS; Direction Recherche Etudes Tech.; et al)* [1986] 87−51700 (introductory abstract), 87−53163, 87−53187 to 53189, 87−53332, 87−53539, 87−58941, 87−60077, 87−60197, 87−60336 to 60337, 87−60407

Defects in solids, characterization; Advanced Photon and Particle Techniques for the Characterization of Defects in Solids Symposium, Boston, MA, USA, 27-29 Nov. 1984, *(Mater. Res. Soc) Roberto, J.B. Carpenter, R.W. Wittels, M.C. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1985] 86−21120, 86−21813

Design and quality; IEE Colloquium on 'Design = Quality. True or False?' (Digest No. 22), London, UK, 7 March 1985, *(IEE)* [London, UK: IEE 1985] 85−32941 (introductory abstract), 85−39049

Design and testability; IEE Colloquium on Design for Testability (Digest No. 82), London, UK, 24 Oct. 1984, *(IEE)* [London, UK: IEE 1984] 85−10343 (introductory abstract), 85−12390, 85−16015 to 16016

Design automation; ACM IEEE 21st Design Automation Conference Proceedings 84 (cat. no. 84CH2049-5), Albuquerque, NM, USA, 25-27 June 1984, *(IEEE; ACM)* [New York, NY, USA: IEEE 1984] 85−20 (introductory abstract), 85−80, 85−146 to 148, 85−519 to 525, 85−677 to 692, 85−743 to 762, 85−793, 85−857 to 861, 85−1147 to 1148, 85−1201, 85−1670 to 1714, 85−1729, 85−1749 to 1759, 85−3906

Design automation; 22nd ACM/IEEE Design Automation Conference Proceedings 1985 (Cat. No.85CH2142-8), Las Vegas, NV, USA, 23-26 June 1985, *(IEEE; ACM)* [New York, NY, USA: IEEE 1985] 86−19737 (introductory abstract), 86−19838, 86−19879, 86−20195 to 20227, 86−20486 to 20508, 86−20916 to 20919, 86−21342, 86−21767 to 21796, 86−21812, 86−21879 to 21900, 86−23085

Design automation; 23rd ACM/IEEE Design Automation Conference. Proceedings 1986 (Cat. No.86CH2288-9), Las Vegas, NV, USA, 29 June-2 July 1986, *(IEEE; ACM)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−5137 (introductory abstract), 87−5598 to 5630, 87−5680, 87−5828 to 5847, 87−6220 to 6224, 87−6282, 87−6750, 87−6828 to 6851, 87−6905 to 6917, 87−7562

Design automation; 24th ACM/IEEE Design Automation Conference Proceedings 1987, Miami Beach, FL, USA, 28 June-1 July 1987, *(IEEE; ACM)* [New York, NY, USA: IEEE 1987] 87−65073 (introductory abstract), 87−65374, 87−65694 to 65734, 87−65980 to 65987, 87−66107 to 66119, 87−66192, 87−66711 to 66715, 87−67061, 87−67436 to 67466, 87−67579 to 67585

Design automation; 25th ACM/IEEE Design Automation Conference. Proceedings 1988 (Cat. No.88CH2540-3), Anaheim, CA, USA, 12-15 June 1988, *(ACM; IEEE)* [New York, NY, USA: IEEE 1988, $120.00] 88−62885 (introductory abstract), 88−63463 to 63470, 88−63650 to 63657, 88−64714 to 64720, 88−70095, 88−70404 to 70407, 88−70440 to 70456, 88−70629 to 70634, 88−70708 to 70728, 88−70848 to 70849, 88−71694 to 71712, 88−71788 to 71789, 88−72607, 88−73290

Design databases; IEE Colloquium on 'Design Databases' (Digest No.29), London, UK, 3 March 1986, *(IEE)* [London, UK: IEE 1986] 86−34484

Design engineering; Spring National Design Engineering Show and Conference. Conference Papers, Chicago, IL, USA, 24-27 March 1986, [Stamford, CT, USA: Cahners Exposition Group 1986] 86−52142 (introductory abstract)

Design engineering; Fall National Design Engineering Show and Conference. Conference Proceedings, New York, NY, USA, 16-18 Sept. 1986, [Stamford, CT, USA: Cahners Exposition Group 1986] 87−10033 (introductory abstract), 87−14915, 87−14935 to 14937

Design engineering; Winter National Design Engineering Show and Conference, San Francisco, CA, USA, 11-13 Nov. 1986, [Stamford, CT, USA: Cahners Exposition Group 1986, $85.00 USA; $98.00 other] 87−23302, 87−28211, 87−28892, 87−29698

Design engineering; Spring National Design Engineering Show and Conference. Conference Proceedings, Chicago, IL, USA, 2-5 March 1987, [Stamford, CT, USA: Cahners Exposition Group 1987] 87−72697 (introductory abstract), 87−72781 to 72782, 87−74931, 87−77269, 87−77690 to 77691, 87−78714

Design for manufacture; IEE Colloquium on 'Design for Manufacture' (papers in summary form only received) (Digest No.65), Edinburgh, UK, 4 May 1988, *(IEE)* [London, UK: IEE 1988] 88−55846 (introductory abstract)

Design for tactical avionics maintainability; AGARD Conference Proceedings No. 361. Design for Tactical Avionics Maintainability (AGARD-CP-361), Brussels, Belgium, 7-10 May 1984, [Neuilly sur Seine, France: AGARD Oct. 1984] 85−32924 (introductory abstract), 85−20989 to 20990, 85−33254, 85−34027, 85−35204, 85−37466 to 37468, 85−37545, 85−38299 to 38304, 85−38308

Design for testability; IEE Colloquium on 'Design for Testability' (Digest No.98), London, UK, 11 Nov. 1985, *(IEE)* [London, UK: IEE 1985] 86−19748 (introductory abstract), 86−20509 to 20510, 86−20995, 86−21802 to 21806, 86−21901, 86−24348

Design for testability; IEE Colloquium on 'Design for Testability - What should be Taught and Why?' (Digest No.98), London, UK, 9 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87−10041 (introductory abstract), 87−10073 to 10075, 87−10116

Design for testability; IEE Colloquium on 'Design for Testability' (Digest No.32), London, UK, 3 March 1988, *(IEE)* [London, UK: IEE 1988] 88−37863 (introductory abstract), 88−38505 to 38513, 88−39709

Designing against RF emission; IEE Second Vacation School on 'Designing against RF Emission', Brighton, UK, 1-6 Sept. 1985, *(IEE)* [London, UK: IEE 1985] 86−13315 (introductory abstract), 86−14650, 86−15973 to 15986, 86−15991

Designing for yield; International Workshop on Designing for Yield, Oxford, UK, 30 June-3 July 1987, *(Univ. Oxford; IEE; IEEE)* [Oxford, UK: Univ. Oxford 1987] 88−31305 (introductory abstract), 88−33338 to 33354, 88−33396 to 33398, 88−33407

Detectors; Third Pisa Meeting on Advanced Detectors, Castiglione della Pescaia, Italy, 3-7 June 1986, *(Italian Inst. Nucl. Phys.; Univ. Pisa; Eur. Phys. Soc.; Italian Phys. Soc)* [1 Jan. 1988] 88−18292 (introductory abstract), 88−22942 to 22966, 88−22984 to 22986, 88−22994 to 23000

Device physics technologies and modelling for the sub-micron era; IEE Colloquium on Device Physics Technologies and Modelling for the Sub-Micron Era (Digest No.90), London, UK, 23 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85−27968 (introductory abstract)

Device research; 42nd Annual Device Research Conference (papers in summary form only received), Santa Barbara, CA, USA, 18-20 June 1984, *(IEEE)* [Dec. 1984] 85−16546 (introductory abstract)

Device research; 43rd Annual Device Research Conference (papers in summary form only received), Boulder, CO, USA, 17-19 June 1985, *(IEEE)* [Nov. 1986] 86−19706 (introductory abstract)

Device research; 44th Annual Device Research Conference (papers in summary form only received), Amherst, MA, USA, 23-25 June 1986, *(IEEE)* [Nov. 1986] 87−22955 (introductory abstract)

Device research; 45th Annual Device Research Conference (papers in summary form only received), Santa Barbara, CA, USA, 22-24 June 1987, *(IEEE)* [Nov. 1987] 88−24308 (introductory abstract), 88−31745, 88−32081, 88−32207, 88−32429 to 32430, 88−32491, 88−32921, 88−32998, 88−33139, 88−33161 to 33171, 88−33212 to 33218, 88−33244 to 33250, 88−33296, 88−33367 to 33368, 88−33383 to 33387, 88−33402 to 33403, 88−33408 to 33409, 88−33874, 88−33890, 88−33898 to 33904, 88−34018 to 34023, 88−35995, 88−36146, 88−39176, 88−39390, 88−39443 to 39447, 88−39566, 88−42037 to 42038, 88−42099 to 42100

DHSS equipment evaluation; IEE Colloquium on the DHSS Equipment Evaluation Programme (Digest No. 103), London, UK, 29 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85−16591 (introductory abstract), 85−20880, 85−20934, 85−20944 to 20947, 85−20969

Diagnostic imaging in medicine; Diagnostic Imaging in Medicine. Proceedings of the NATO Advanced Study Institute, Pascoli, Italy, 10-24 Oct. 1981, *(NATO) Reba, R.C. Goodenough, D.J. Davidson, H.F. (editor/s),* [Boston, MA, USA: Martinus Nijhoff 1984] 85−34 (introductory abstract), 85−4314 to 4320

Diagnostic visual optics; Advances in Diagnostic Visual Optics. Proceedings of the Second International Symposium, Tucson, AZ, USA, 23-25 Oct. 1982, *Breinin, G.M. Siegel, I.M. (editor/s),* [Berlin, West Germany: Springer-Verlag 1983] 85−4306 to 4313, 85−4344

Diamond crystallization; ICDC '85. International Conference on Diamond Crystallization under Reduced Pressure, Warsaw, Poland, 27-30 June 1985, *(Minist. Sci., Higher Educ. & Technol)* [1986] 87−14265

Dielectric films on compound semiconductors; Proceedings of the Symposium on Dielectric Films on Compound Semiconductors, Las Vegas, NV, USA, 14-17 Oct. 1985, *(Electrochem. Soc.) Kapoor, V.J. Connolly, D.J. Wong, Y.H. (editor/s),* [Pennington, NJ, USA: Electrochem. Soc. 1986] 87−16291 (introductory abstract), 87−16642, 87−16688, 87−17845 to 17848, 87−17979 to 17985, 87−18177 to 18186, 87−18284, 87−18343

Dielectric liquids; Conference Record. Eighth International Conference on Conduction and Breakdown in Dielectric Liquids (Cat. No. 84CH2055-2), Pavia, Italy, 24-27 July 1984, *(IEEE) Molinari, G. Vivani, A. (editor/s),* [New York, NY, USA: IEEE 1984] 85−49263 (introductory abstract), 85−50786, 85−50795 to 50797, 85−50809 to 50813, 85−55204 to 55205, 85−55984, 85−55992 to 56010, 85−56040 to 56044, 85−56970, 85−60261, 85−60453

Dielectric liquids; Conference Record. Ninth International Conference on Conduction and Breakdown in Dielectric Liquids (Cat. No. 87CH2403-4), Salford, UK, 27-31 July 1987, *(IEEE; Univ. Salford)* [New York, NY, USA: IEEE 1987] 88−24343 (introductory abstract), 88−26557, 88−26574 to 26575, 88−26611 to 26612, 88−26960, 88−29590, 88−33418 to 33424, 88−33429, 88−33438 to 33440, 88−33448 to 33458, 88−34231, 88−36188, 88−44897 to 44907, 88−44928 to 44931, 88−49030

Dielectric materials; Conference Record of the 1985 International Conference on Properties and Applications of Dielectric Materials (Cat. No.85CH2115-4), Xian, China, 24-29 June 1985, *(IEEE; Xian Jiaotong Univ.; Chinese Electrotech. Soc)* [New York, NY, USA: IEEE 1985] 86−66537 (introductory abstract), 86−66866 to 66867, 86−67534 to 67539, 86−67547 to 67550, 86−67573, 86−67741, 86−67771, 86−68018 to 68025, 86−68028 to 68051, 86−68054 to 68067, 86−68072 to 68073, 86−68080 to 68094, 86−68097 to 68126, 86−68128, 86−70183 to 70184, 86−70199 to 70200, 86−70212 to 70213, 86−70671 to 70694, 86−70700, 86−70707 to 70713, 86−70749, 86−70755, 86−70844 to 70851, 86−70868 to 70870, 86−70962 to 70965, 86−71027, 86−71032

Dielectric materials, measurement and applications; Fourth International Conference on Dielectric Materials, Measurements and Applications, Lancaster, UK, 10-13 Sept. 1984, *(IEE)* [London, UK: IEE 1984] 85−118 to 122, 85−1778, 85−1785, 85−1789 to 1790, 85−1796 to 1803, 85−3875, 85−3978, 85−4082 to 4083

Dielectric materials measurements and applications; Fifth International Conference on Dielectric Materials, Measurements and Applications (Conf. Publ

No.289), Canterbury, UK, 27-30 June 1988, [London, UK: IEE 1988] 88—62896 (introductory abstract), 88—64017, 88—64801 to 64802, 88—64815 to 64816, 88—64823, 88—64837, 88—64849 to 64868, 88—65473, 88—67984, 88—68003 to 68005, 88—68957 to 68964, 88—69009 to 69011, 88—69075, 88—69304 to 69306, 88—71831 to 71832, 88—71838 to 71839, 88—71847, 88—71854 to 71858, 88—71860, 88—74561, 88—75187 to 75190, 88—75212 to 75213, 88—75561

Dielectric phenomena; Proceedings of the Symposium on Dielectric Phenomena in Honor of the 70th Birthday of Professor Robert H. Cole (Cat. No. 85CH2100-6), Providence, RI, USA, 14-15 Jan. 1985, *(IEEE; Brown Univ)* [New York, NY, USA: IEEE 1985] 85—64251, 86—28536, 86—33654

Diffraction phenomena in optical engineering applications; Diffraction Phenomena in Optical Engineering Applications, San Diego, CA, USA, 20 Aug. 1985, *(SPIE)* [1986] 87—33023, 87—33025, 87—33345, 87—33413

Digital audio signal in studio centres; IEE Colloquium on Digital Audio Signals in Studio Centres (Digest No.42), London, UK, 24 April 1985, *(IEE)* [London, UK: IEE 1985] 85—44408 (introductory abstract), 85—45126, 85—46877, 85—47646 to 47648, 85—47746 to 47749, 85—47769 to 47770

Digital avionics systems; Proceedings of the AIAA/IEEE 6th Digital Avionics Systems Conference (Cat. No. 84CH-2132-9), Baltimore, MD, USA, 3-6 Dec. 1984, *(IEEE; AIAA)* [New York, NY, USA: AIAA 1985] 86—13284 (introductory abstract), 86—14105, 86—14172, 86—14387 to 14388, 86—16178, 86—16624, 86—16759, 86—17006 to 17007, 86—17268 to 17270, 86—17351, 86—17430, 86—17478 to 17480, 86—17895, 86—18415 to 18418, 86—18433 to 18479, 86—18485, 86—18489, 86—18532

Digital avionics systems; Proceedings of the IEEE/AIAA 7th Digital Avionics Systems Conference (Cat. No.86CH2359-8), Fort Worth, TX, USA, 13-16 Oct. 1986, *(IEEE; AIAA)* [New York, NY, USA: IEEE 1986] 87—43776 (introductory abstract), 87—36478, 87—36509, 87—37127 to 37128, 87—37246, 87—37379 to 37380, 87—37427, 87—40227, 87—40537, 87—40700, 87—40774 to 40775, 87—40961 to 40963, 87—41009, 87—41393, 87—41499, 87—42070 to 42077, 87—42091 to 42108, 87—42191, 87—48961, 87—49009, 87—49017, 87—49574, 87—49641, 87—50483 to 50484, 87—50494 to 50526, 87—50534

Digital communications; 1986 International Zurich Seminar on Digital Communications. New Directions in Switching and Networks. Proceedings (Cat. No.86CH2277-2), Zurich, Switzerland, 11-13 March 1986, *(IEEE) Kundig, A. Hartmann, R. (editor/s),* [Zurich, Switzerland: IEEE 1986] 87—16270 (introductory abstract), 87—13185 to 13189, 87—13259 to 13260, 87—13466, 87—13520 to 13525, 87—18328, 87—19995, 87—20076 to 20081, 87—20260 to 20264, 87—20327, 87—20357, 87—20425, 87—20575 to 20577, 87—20755

Digital communications; Digital Communications. Proceedings of the Second Tirrenia International Workshop, Tirrenia, Italy, 2-6 Sept. 1985, *(Consiglio Nazionale Richerche; IEEE; Politecnico Torino; Univ. Pisa) Biglieri, E. Prati, G. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $55.25] 86—61849 (introductory abstract), 86—62780, 86—64166 to 64167, 86—64179 to 64183, 86—64212 to 64213, 86—64229 to 64230, 86—64311 to 64315, 86—64498 to 64501, 86—64751 to 64755, 86—65011

Digital communications; WESCANEX 88: Digital Communications Conference Proceedings (Cat. No.88CH2595-7), Saskatoon, Sask., Canada, 11-12 May 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88—62883 (introductory abstract), 88—63726, 88—65249, 88—65739, 88—66276, 88—66320, 88—66866, 88—66896, 88—66931 to 66932, 88—67032 to 67037, 88—67148, 88—67159, 88—67215, 88—67230 to 67232, 88—67275 to 67277, 88—67328, 88—67432 to 67436, 88—67591

Digital communications; 1988 International Zurich Seminar on Digital Communications: Mapping New Applications onto New Technologies (Cat. No.88TH0202-2), Zurich, Switzerland, 8-10 March 1988, *(IEEE; Assoc. Elettrotecnica Elettronica Italiana; Convention Nat. Soc. Electr. Eng. Western Eur.; et al) Plattner, B. Gunzburger, P. (editor/s),* [Zurich, Switzerland: IEEE 1988] 88—55828 (introductory abstract), 88—59393 to 59394, 88—59462, 88—59710 to 59726, 88—59840 to 59844, 88—59856 to 59857, 88—59931 to 59934, 88—59943, 88—60200 to 60201

Digital electronic image standards; IEE Colloquium on Standards for Digital Electronic Images (Digest No.37), London, UK, 12 April 1985, *(IEE)* [London, UK: IEE 1985] 85—39449 (introductory abstract), 85—42222, 85—42717, 85—42779

Digital image processing; Proceedings of the Second South African Symposium on Digital Image Processing, Durban, South Africa, 25-26 July 1984, *(IBM) Sartori-Angus, A.G. (editor/s),* [Durban, South Africa: Univ. Natal 1984] 85—27943 (introductory abstract), 85—28155, 85—30214, 85—30285, 85—30473 to 30477

Digital image processing; Proceedings of the Third South African Symposium on Digital Image Processing, Durban, South Africa, 22-23 July 1985, *Sartori-Angus, A.G. (editor/s),* [Durban, South Africa: Univ. Natal 1985] 86—54832, 86—55447

Digital image processing ; Applications of Digital Image Processing VII, San Diego, CA, USA, 12-24 Aug. 1984, *(SPIE)* [1984] 85—27916 (introductory abstract), 85—28646, 85—28802 to 28803, 85—30308 to 30340, 85—31077 to 31078, 85—31413, 85—31792, 85—34296, 85—36318 to 36323, 85—37087 to 37088, 85—37118, 85—37327 to 37328, 85—37816, 85—38074 to 38075, 85—38356 to 38357

Digital image processing; Digital Image Processing. 1985 SPIE Conference, Los Angeles, CA, USA, 22-23 Jan. 1985, *(SPIE)* [1985] 86—19715 (introductory abstract), 86—23143 to 23156, 86—23948, 86—24178, 86—24372, 86—25219

Digital image processing applications; Applications of Digital Image Processing VIII, San Diego, CA, USA, 20-22 Aug. 1985, *(SPIE)* [1985] 87—16245 (introductory abstract), 87—16756, 87—17254, 87—19701, 87—19883 to 19904, 87—20291 to 20292, 87—20303, 87—20590 to 20591, 87—20940, 87—20994, 87—21548 to 21549, 87—21792

Digital image processing applications; Applications of Digital Image Processing IX, San Diego, CA, USA, 20-22 Aug. 1986, *(SPIE)* [1986] 87—36305 (introductory abstract), 87—36568, 87—39809, 87—39945 to 39956, 87—41209, 87—41253, 87—41957, 87—47064, 87—47959 to 47969, 87—49369, 87—50283, 88—40139 to 40145, 88—40187, 88—40277 to 40279, 88—40287 to 40289, 88—40314 to 40320, 88—40437 to 40444, 88—45365 to 45367, 88—45528, 88—45597 to 45603, 88—47560

Digital image processing applications; Applications of Digital Image Processing X, San Diego, CA, USA, 19-21 Aug. 1987, *(SPIE)* [1987] 88—55798 (introductory abstract), 88—58723, 88—58993, 88—59024, 88—59277 to 59314, 88—59561, 88—60657, 88—60769, 88—61309 to 61311, 88—61667

Digital image processing in industrial applications; Digital Image Processing in Industrial Applications. Proceedings of the First IFAC Workshop, Espoo, Finland, 10-12 June 1986, *(IFAC) Ollus, M. (editor/s),* [Oxford, UK: Pergamon 1987] 88—11581 (introductory abstract), 88—14823 to 14830, 88—15953

Digital image processing in meteorology; Digital Image Processing and Visual Communications Technologies in Meteorology, Cambridge, MA, USA, 27-28 Oct. 1987, *(SPIE)* [1987] 88—43561 (introductory abstract)

Digital image recovery and synthesis; Digital Image Recovery and Synthesis, San Diego, CA, USA, 17-18 Aug. 1987, *(SPIE)* [1987] 88—43564 (introductory abstract), 88—45572 to 45573, 88—45709, 88—46250 to 46260, 88—47577

Digital methods in waveform metrology; Digital Methods in Waveform Metrology. Proceedings of the Seminar (NBS-SP-707), Gaithersburg, MD, USA, 18-19 Oct. 1983, *Bell, B.A. (editor/s),* [Washington, DC, USA: NBS Oct. 1985] 86—33947 (introductory abstract), 86—38255, 86—38310 to 38311, 86—38316 to 38317, 86—38407, 86—38474, 86—38506, 86—38579

Digital mobile radio; IEE Colloquium on 'Digital Mobile Radio' (Digest No. 84), London, UK, 22 Oct. 1985, *(IEE)* [London, UK: IEE 1985] 86—7409 (introductory abstract), 86—10130, 86—10269, 86—10609, 86—11002 to 11007

Digital NDT equipment design; IEE Colloquium on 'Recent Developments in Digital NDT Equipment Design' (Digest No.30), London, UK, 1 March 1988, *(IEE)* [London, UK: IEE 1988] 88—37864 (introductory abstract), 88—38309 to 38311, 88—42542, 88—42708 to 42710

Digital networks, space and terrestrial systems; Digital Networks and their Evolution, Space and Terrestrial Systems. 33rd International Congress on Electronics/ 26th International Meeting on Space Joint Conference. Proceedings, Rome, Italy, 18-20 March 1986, [Rome, Italy: Rassegna Int. Energia Inf. Spazio Telecommun. 1986] 87—31140 (introductory abstract), 87—33981 to 33995, 87—34044 to 34045, 87—34067 to 34068, 87—34168 to 34171, 87—34247, 87—34317 to 34324, 87—34516 to 34523, 87—34526 to 34527, 87—34626 to 34627, 87—34852, 87—35458, 87—35475 to 35476

Digital optical circuit technology; AGARD Conference Proceedings No.362. Digital Optical Circuit Technology (AGARD-CP-362), Schliersee, West Germany, 11-12 Sept. 1984, *Dove, B.L. (editor/s),* [Neuilly sur Seine, France: AGARD 1985] 85—54048 (introductory abstract), 85—55940, 85—56363, 85—56371, 85—56448, 85—56836 to 56843, 85—58219, 85—58721

Digital optical computing; Digital Optical Computing, Los Angeles, CA, USA, 13-14 Jan. 1987, *(SPIE)* [1987] 88—31270 (introductory abstract), 88—32151, 88—33598, 88—33670, 88—33765, 88—33800, 88—33816 to 33828, 88—34049, 88—34155 to 34156, 88—34775 to 34776

Digital processing for sonar; IEE Colloquium on 'Digital Processing for Sonar' (Digest No.47), London, UK, 30 April 1985, *(IEE)* [London, UK: IEE 1985] 85—49277 (introductory abstract), 85—49939, 85—51534, 85—51822, 85—52381, 85—52446 to 52454

Digital radio, clock recovery and synchronisation; IEE Colloquium on 'Clock Recovery and Synchronization in Digital Radio' (Digest No.106), London, UK, 30 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87—10056 (introductory abstract), 87—12932, 87—13579 to 13580, 87—13590, 87—13633 to 13634

Digital signal processing; Digital Signal Processing - 84. Proceedings of the International Conference, Florence, Italy, 5-8 Sept. 1984, *(Eur. Assoc. Signal Processing; IEEE; Univ. London; et al) Cappellini, V. Constantinides, A.G. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984] 85—44394 (introductory abstract), 85—44643, 85—44674 to 44675, 85—45115, 85—45139, 85—45188 to 45190, 85—46744 to 46746, 85—46838 to 46873, 85—47611, 85—47860, 85—47908 to 47909, 85—49935 to 49937, 85—49996 to 49999, 85—50824, 85—51539, 85—51578 to 51595, 85—51639 to 51659, 85—51794 to 51812, 85—51837, 85—51939 to 51940, 85—52253, 85—52408 to 52410, 85—52438, 85—52444, 85—52529, 85—53009 to 53013, 85—53040 to 53045, 85—53083 to 53085, 85—53123, 85—53151 to 53154, 85—53194, 85—54577, 85—57328, 85—57392 to 57393, 85—57532 to 57537, 85—57756, 85—58179, 85—58218, 85—58260, 85—58288 to 58289, 85—59280, 85—59314

Digital signal processing; IEE Colloquium on 'Digital Signal Processing' (Digest No.115), London, UK, 12 Dec. 1985, *(IEE)* [London, UK: IEE 1985] 86—19755 (introductory abstract), 86—20338, 86—20636, 86—23087 to 23089, 86—23173 to 23174, 86—23547 to 23548

Digital signal processing; IEE Colloquium on 'Digital Signal Processing' (Digest No.14), London, UK, 26 Jan. 1987, *(IEE)* [London, UK: IEE 1986] 87—23033 (introductory abstract), 87—24370 to 24372, 87—27136, 87—27353 to 27356, 87—27553 to 27554, 87—27670, 87—28384, 87—28707, 87—29787

Digital signal processing devices; IEE Colloquium on 'Digital Signal Processing Devices' (Digest No.80), London, UK, 8 Oct. 1987, *(IEE)* [London, UK: IEE 1987] 88—6128 (introductory abstract), 88—6949, 88—8801 to 8804

Digital signal processing in communications; International Conference on Digital Processing of Signals in Communications (Publ. No. 62), Loughborough, UK, 22-26 April 1985, [London, UK: IERE 1985] 85—44392 (introductory abstract), 85—44943, 85—45187, 85—46654, 85—46677, 85—46683 to 46684, 85—46700 to 46707, 85—46737 to 46743, 85—46835 to 46837, 85—46962 to 46965, 85—46984 to 46987, 85—47421 to 47423, 85—47485, 85—47644, 85—47683, 85—47778, 85—48500, 85—49995, 85—51576, 85—51632 to 51638, 85—51791 to 51793, 85—52092, 85—52129, 85—52264 to 52265, 85—52443, 85—52527, 85—52569

Digital techniques in microwaves; IEE Colloquium on 'Applications of Digital Techniques in Microwaves' (Digest No.130), London, UK, 15 Dec. 1986, *(IEE)* [London, UK: IEE 1986] 87—24482 (introductory abstract), 87—24483 to 24487, 87—28383, 87—29274

Digital techniques in simulation, communication and control; Digital Techniques in Simulation, Communication and Control. Proceedings of the IMACS European Meeting, Patras, Greece, 9-12 July 1984, *Tzafestas, S.G. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $63.00] 86—33939 (introductory abstract), 86—34112, 86—34175, 86—34270, 86—34499, 86—35027 to 35034, 86—36945 to 36947, 86—36986, 86—37101 to 37102, 86—37160 to 37165, 86—38246, 86—38752, 86—38782, 86—39061, 86—39504 to 39505, 86—39612, 86—39751, 86—39854, 86—39970, 86—40615, 86—40956, 86—42086, 86—43137, 86—43187 to 43188, 86—43456, 86—43595 to 43599, 86—43630, 86—43680 to 43681, 86—43722, 86—43767, 86—43873

Digitally implemented radios; IEE Colloquium on 'Digitally Implemented Radios' (Digest No. 81), London, UK, 18 Oct. 1985, *(IEE)* [London, UK: IEE 1985] 86—7403 (introductory abstract), 86—10971 to 10973, 86—11515

Digitally implemented radios; IEE Colloquium on 'Digitally Implemented Radios' (Digest No.40), London, UK, 1 April 1987, *(IEE)* [London, UK: IEE 1987] 87—43810 (introductory abstract), 87—44706, 87—47871 to 47872, 87—48889 to 48890

Diluted magnetic (semimagnetic) semiconductors; Diluted Magnetic (Semimagnetic) Semiconductors, Boston, MA, USA, 1-3 Dec. 1986, *(Mater. Res. Soc.) Aggarwal, R.L. Furdyna, J.K. von Molnar, S. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88—43895, 88—44548 to 44550, 88—44643, 88—45283, 88—45309

Direct broadcast by satellite; Direct Broadcast by Satellite Conference, London, UK, 16-17 June 1988, [London, UK: Consert 1988, £25 members: £30 non-members] 88—70024 (introductory abstract), 88—73893 to 73896, 88—74103 to 74106, 88—74117 to 74118

Direction finding systems; IEE Colloquium on 'Direction Finding Systems in their Operating Environment' (Digest No.10), London, UK, 21 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86–26518 (introductory abstract), 86–29962 to 29963, 86–30908 to 30914

Discharges and electrical insulation in vacuum; 11th International Symposium on Discharges and Electrical Insulation in Vacuum, Berlin, East Germany, 24-28 Sept. 1984, *(Acad. Sci. GDR)* [Aug. 1985] 86–7363 (introductory abstract), 86–8539, 86–8674, 86–8678 to 8683, 86–8689 to 8690, 86–9316, 86–9319 to 9324, 86–9335, 86–11806, 86–11824 to 11825, 86–12958 to 12961, 86–21908, 86–21913, 86–26207

Discharges and electrical insulation in vacuum; Proceedings of the XIIth International Symposium on Discharges and Electrical Insulation in Vacuum (Cat. No. 86CH2194-9), Shoresh, Israel, 22-25 Sept. 1986, *(IEEE; Tel Aviv Univ; US Air Force Eur. Office Aerosp. Res.; et al) Boxman, R.L. Goldsmith, S. (editor/s),* [New York, NY, USA: IEEE 1986] 87–36324 (introductory abstract), 87–37771 to 37785, 87–37792, 87–37802 to 37804, 87–37808 to 37812, 87–37828, 87–38598, 87–38623 to 38624, 87–38628 to 38629, 87–42190, 87–43311 to 43316, 88–38959 to 38964, 88–38966 to 38968, 88–38980 to 38981, 88–38984, 88–39763, 88–39767 to 39768, 88–39771, 88–43333

Discrete event simulation and operations research; Discrete Event Simulation and Simulation and Operations Research. Proceedings of the European Simulation Multiconference, Vienna, Austria, 7-10 July 1987, *Adelsberger, H. Broeckx, F. (editor/s),* [Ghent, Belgium: SCS Eur. 1987] 88–25714, 88–30329

Discrete event systems; Discrete Event Systems: Models and Applications. IIASA Conference, Sopron, Hungary, 3-7 Aug. 1987, *(IIASA) Varaiya, P. Kurzhanski, A.B. (editor/s),* [Berlin, West Germany: Springer-Verlag 1988, DM 64.00] 88–73168, 88–73421 to 73423, 88–73668

Dislocations in semiconductors; Fifth International Conference on the Properties and Structures of Dislocations in Semiconductors, Moscow, USSR, 17-22 March 1986, [1987] 88–44745, 88–47694

Display; 6th International Display Research Conference: Japan Display '86, Tokyo, Japan, 30 Sept.-2 Oct. 1986, *(SID; Inst. Telev. Eng. Japan)* [1987] 88–37809 (introductory abstract), 88–38568, 88–39858, 88–40000, 88–40009 to 40010, 88–40045, 88–40054, 88–42159, 88–42207 to 42232, 88–42524, 88–42555, 88–43467

Display device technology; Proceedings of the Electronic Displays 1985 Conference, London, UK, 29-31 Oct. 1985, [Buckingham, UK: Network Events 1985, £25.00 per vol.] 86–45938 (introductory abstract), 86–48832, 86–49991 to 49995, 86–50180 to 50187, 86–50714 to 50717

Display research; Third International Display Research Conference (Japan Display '83), Kobe, Japan, 3-5 Oct. 1983, [1984] 85–39417 (introductory abstract), 85–40386, 85–40406 to 40408, 85–41253 to 41254, 85–41282, 85–43048 to 43051, 85–61616, 85–62405 to 62406, 85–64201 to 64210

Display research; Conference Record of the 1985 International Display Research Conference (Cat. No. 85CH2239-2), San Diego, CA, USA, 15-17 Oct. 1985, *(IEEE; SID; et al)* [New York, NY, USA: IEEE 1985] 86–31535 (introductory abstract), 86–27752, 86–27790, 86–27821 to 27822, 86–28127, 86–28364 to 28365, 86–28900, 86–28917, 86–28977, 86–29006 to 29009, 86–30343, 86–31256 to 31261, 86–31536 to 31553, 86–34401, 86–35241, 86–36267 to 36270, 86–36324, 86–36326 to 36327, 86–36454, 86–38287 to 38288, 86–38458 to 38464

Display technology; Advances in Display Technology IV, Los Angeles, CA, USA, 24-25 Jan. 1984, *(SPIE)* [1984] 85–5624 (introductory abstract), 85–7545, 85–8541, 85–8718 to 8725, 85–8902 to 8910

Display technology; Advances in Display Technology V, Los Angeles, CA, USA, 24-25 Jan. 1985, *(SPIE)* [1985] 86–13264 (introductory abstract), 86–17776, 86–17833 to 17843, 86–18043 to 18045, 86–18413, 86–18432

Display technology; Advances in Display Technology VI, Los Angeles, CA, USA, 23-24 Jan. 1986, *(SPIE)* [1986] 87–16255 (introductory abstract), 87–16349, 87–18838, 87–18854, 87–20946 to 20950, 87–21167 to 21176, 87–21713

Display technology and the need for visualisation; Technologies d'Affichage et les Besoins en Visualisation (Display Technology and the Need for Visualisation), Nantes, France, 26-28 April 1983, [May-July 1984] 85–10318 (introductory abstract), 85–4054, 85–12383, 85–12660, 85–12721, 85–14917 to 14919

Distributed algorithms; Distributed Algorithms. 2nd International Workshop Proceedings, Amsterdam, Netherlands, 8-10 July 1987, *Van Leeuwen, J. (editor/s),* [Berlin, West Germany: Springer-Verlag 1988, DM55.00] 88–73418 to 73419, 88–73486, 88–73664 to 73666

Distributed and travelling wave solid state circuits and devices; IEE Colloquium on 'Distributed and Travelling Wave Solid State Circuits and Devices' (Digest No.45), London, UK, 29 April 1985, *(IEE)* [London, UK: IEE 1985] 85–44417 (introductory abstract), 85–44911 to 44913, 85–45243 to 45248

Distributed computer control systems; Distributed Computer Control Systems 1986. Proceedings of the Seventh IFAC Workshop, Mayschoss/Bad Neuenahr, West Germany, 30 Sept.-2 Oct. 1986, *(IFAC; IFIP) Rodd, M.G. Muller, K.D. (editor/s),* [Oxford, UK: Pergamon 1987] 88–11590 (introductory abstract), 88–15143 to 15149, 88–16577 to 16579, 88–16605, 88–17372

Distributed computing systems; Proceedings of the 4th International Conference on Distributed Computing Systems (Cat. No. 84CH2021-4), San Francisco, CA, USA, 14-18 May 1984, *(IEEE; ACM; Inf. Process. Soc. Japan; Inst. Nat. Recherche & Inf. & Autom)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85–22078 (introductory abstract), 85–22843, 85–23913, 85–25547 to 25553

Distributed computing systems; Proceedings of the 5th International Conference on Distributed Computing Systems (Cat. No. 85CH2149-3), Denver, CO, USA, 13-17 May 1985, *(IEEE; ACM; Inf. Process. Soc. Japan; Inst. Nat. Recherche & Inf. & Autom)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86–4090 to 4091, 86–4338 to 4343

Distributed computing systems; 6th International Conference on Distributed Computing Systems Proceedings (Cat. No. 86CH2293-9), Cambridge, MA, USA, 19-23 May 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 86–59402, 86–59691 to 59693, 86–64404 to 64405, 86–64782 to 64789, 86–65047

Distributed computing systems; 7th International Conference on Distributed Computing Systems (Cat. No.87CH2439-8), Berlin, West Germany, 21-25 Sept. 1987, *(IEEE; Hahn-Meitner-Inst. Berlin; Gesellschaft fur Inf) Popescu-Zeletin, R. Le Lann, G. Kim, K.H. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88–8913 to 8915, 88–9181 to 9184, 88–9296, 88–9464, 88–15134 to 15142

Distributed computing systems; 8th International Conference on Distributed Computing Systems (Cat. No.88CH2541-1), San Jose, CA, USA, 13-17 June 1988, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88–66801 to 66802, 88–66920, 88–67043 to 67045, 88–71726, 88–73637 to 73639

Distributed intelligence; Proceedings of the SEAS Annivesary Meeting 1984. Distributed Intelligence, Garmisch-Partenkirchen, West Germany, 24-28 Sept. 1984, [Nijmegen, Netherlands: SEAS 1984, Dfl.128.00] 85–42313 to 42315, 85–42388, 85–42405, 85–47146, 85–47272, 85–47547

Distributed optical fibre sensors; IEE Colloquium on 'Distributed Optical Fibre Sensors' (Digest No.74), London, UK, 12 May 1986, *(IEE)* [London, UK: IEE 1986] 86–45956 (introductory abstract), 86–48182 to 48194, 86–50093

Distributed parameter systems control; Control of Distributed Parameter Systems 1986. Proceedings of the 4th IFAC Symposium, Los Angeles, CA, USA, 30 June-2 July 1986, *(IFAC) Rauch, H.E. (editor/s),* [Oxford, UK: Pergamon 1987] 87–36775, 87–43172

Distributed parameter systems modelling and simulation; Proceedings of the IMACS/IFAC International Symposium on Modelling and Simulation of Distributed Parameter Systems, Hiroshima, Japan, 6-9 Oct. 1987, *(IMACS; IFAC) Sunahara, Y. Tzafestas, S.G. Futagami, T. (editor/s),* [Hiroshima, Japan: Hiroshima Inst. Technol. 1987] 88–56413, 88–56423, 88–56885, 88–58807, 88–58906, 88–58937, 88–59332 to 59333, 88–60921, 88–62095, 88–62401

Distributed simulation; Distributed Simulation, 1988. Proceedings of the SCS Multiconference on Distributed Simulation, San Diego, CA, USA, 3-5 Feb. 1988, *Unger, B. Jefferson, D. (editor/s),* [San Diego, CA, USA: SCS 1988, $40.00] 88–70480 to 70481

Distributed software and database systems; Proceedings of the Fourth Symposium on Reliability in Distributed Software and Database Systems (Cat. No. 84CH2082-6), Silver Spring, MD, USA, 15-17 Oct. 1984, *(IEEE; ACM) Gligor, V.D. Ng, P.A.B. (editor/s),* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85–32916 (introductory abstract), 85–36491 to 36493, 85–37541

Distribution switchgear; Second International Conference on Developments in Distribution Switchgear (Conf. Publ. No.261), London, UK, 14-16 May 1986, *(IEE)* [London, UK: IEE 1986] 86–52128 (introductory abstract), 86–56425, 86–56451, 86–56483 to 56484, 86–56909 to 56930

Domesday Project; IEE Colloquium on 'The Domesday Project - Engineering Aspects' (Digest No.115), London, UK, 7 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87–16301 (introductory abstract), 87–20744 to 20745

Drax power station project management; Project Management Forum Colloquium on 'Project Management Lessons Learned from the Drax Completion Project', London, UK, 8 Jan. 1986, *(Instn. Civil Eng.; IMechE; IEE; Instn. Chem. Eng.; Nat. Econ. Dev. Office)* [London, UK: IEE 1986] 86–61864 (introductory abstract)

Drilling methods in mining and geophysics; Drillex '87, Stoneleigh, Warwicks., UK, 7-10 April 1987, [London, UK: Instn. Min. & Metall. 1987] 87–51748 (introductory abstract)

Drives, motors, controls; Proceedings of the Conference on Drives/Motors/Controls 84, Brighton, Sussex, UK, 24-26 Oct. 1984, [London, UK: Peter Peregrinus 1984] 85–5657 (introductory abstract), 85–5725, 85–6169, 85–6892, 85–6909 to 6910, 85–6916 to 6917, 85–6978, 85–8842 to 8843, 85–9822 to 9823, 85–9861, 85–9923 to 9926, 85–9950 to 9953, 85–10028, 85–10075, 85–10156 to 10165, 85–10282

Dry etching and plasma deposition in microelectronics; 3eme Symposium International sur la Gravure Seche et le Depot Plasma en Microelectronique (3rd International Symposium on Dry Etching and Plasma Deposition in Microelectronics), Cachan, France, 26-29 Nov. 1985, *(Union Int. Sci. & Tech. & Applications du Vide; Ministere Redeploiement Ind. & Commerce Exterieur; Minstre Recherche & Technol)* [Nov.-Dec. 1985] 86–57078 (introductory abstract), 86–57488, 86–58219, 86–58371 to 58373, 86–58386, 86–58406 to 58430, 86–58549 to 58551, 86–58618, 86–58654, 87–1435, 87–1610

Dynamic modelling and control of national economies; Dynamic Modelling and Control of National Economies 1986. Proceedings of the 5th IFAC/IFORS Conference, Budapest, Hungary, 17-20 June 1986, *(IFAC; IFORS; IFIP; IEEE; et al) Martos, B. Pau, L.F. Ziermann, M. (editor/s),* [Oxford, UK: Pergamon 1987] 88–17083, 88–17096, 88–17423

Dynamical phenomena at surfaces, interfaces and superlattices; Dynamical Phenomena at Surfaces, Interfaces and Superlattices. Proceedings of an International Summer School, Erice, Italy, 1-13 July 1984, *(Italian Minst. Educ.; Italian Minist. Sci. & Technol. Res.; Sicilian Regional Gov.; et al) Nizzoli, F. Rieder, K.H Willis, R.F. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 87–1280

Dynamical processes in the excited states of solids; Fifth International Conference on Dynamical Processes in the Excited States of Solids, Villeurbanne, France, 1-4 July 1985, [Oct. 1985] 86–29107, 86–29174

Dynamical systems, nonlinear phenomena and chaos; Nonlinear Phenomena and Chaos, Malvern, Worcs., UK, 23-25 April 1985, *Sarkar, S. (editor/s),* [Bristol, UK: Adam Hilger 1986, £27.50] 86–54015

Dynamical systems theory, applications; Theory of Dynamical Systems and its Applications to Nonlinear Problems, Kyoto, Japan, 4-7 July 1984, *Kawakami, H. (editor/s),* [Singapore: World Scientific 1984, £38.45] 85–54042 (introductory abstract)

Earth observations; 24th International Meeting on Space. Cooperation Between Developing and Industrialized Countries in Earth Observations, Rome, Italy, 22-23 March 1984, [Rome, Italy: Rassegna Int. Elettronica Nucl. & Aerosp. 1984] 85–21012 (introductory abstract)

Earth remote sensing; Earth Remote Sensing Using the Landsat Thematic Mapper and SPOT Sensor Systems, Innsbruck, Austria, 15-17 April 1986, *(SPIE)* [1987] 88–18305 (introductory abstract), 88–18806, 88–20247, 88–20785 to 20797, 88–22438, 88–22559, 88–22626, 88–22787 to 22788, 88–22795, 88–22799, 88–22846, 88–22859, 88–23063

Earth stations for the fixed satellite services; IEE Colloquium on Earth Stations for the Fixed Satellite Services (Digest No. 78), London, UK, 11 Oct. 1984, *(IEE)* [London, UK: IEE 1984] 85–10340 (introductory abstract), 85–14213 to 14222

Earthquake prediction and warning; Proceedings of Practical Approaches to Earthquake Prediction and Warning, Tokyo and Tsukuba, Japan, 7-11 Nov. 1983, *(Japan Soc. Promotion Sci.; NSF)* [1985] 86–23260, 86–25380

ECG body surface mapping; Electrocardiographic Body Surface Mapping. Proceedings of the Third International Symposium on Body Surface Mapping, Nijmegen, Netherlands, 11-13 June 1985, *(Astra; Eli Lilly; Interspace; Knoll; et al) Van Dam, R.T. Van Oosterom, A. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1986, $75.00] 87–23027 (introductory abstract)

Economics and artificial intelligence; Economics and Artificial Intelligence. Proceedings of the IFAC/IFORS/IFIP/IASC/AFCET Conference, Aix-en-Provence, France, 2-4 Sept. 1986, *(IFAC; IFORS; IFIP; et al) Roos, J.-L. (editor/s),* [Oxford, UK: Pergamon 1987] 87–57565

ECR ion sources and their applications; International Conference on ECR Ion Sources and their Applications (NSCL-R-MSUCP-47), East Lansing, MI, USA, 16-18 Nov. 1987, *(APS; Anatech; DOE; et al) Parker, J. (editor/s),* [East Lansing, MI, USA: Nat. Superconducting Cyclotron Lab. Dec. 1987] 88–70006 (introductory abstract), 88–70362, 88–71283, 88–71435, 88–74699 to 74736

Education; Proceedings EdCompCon '84. Computers as Knowledge Delivery Systems: The Changing Face of Education (Cat. No. 84CH2103-0), San Jose, CA, USA, 8-10 Nov. 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85–54064

Education; Proceedings of the 1986 Frontiers in Education Conference (Cat. No.86CH2360-6), Arlington, TX, USA, 12-15 Oct. 1986, *(IEEE; ASEE) Grayson, L.P. Biedenbach, J.M. (editor/s),* [New York, NY, USA: IEEE 1986] 87−31138 (introductory abstract), 87−23201 to 23233, 87−25483 to 25484, 87−31207 to 31232, 87−31377, 87−31712, 87−32022, 87−33494 to 33495, 87−33726, 87−34651

Education; Proceedings 1987 Frontiers in Education Conference (Cat. No.87CH2455-4), Terre Haute, IN, USA, 24-27 Oct. 1987, *(IEEE; ASEE) Grayson, L.P. Biedenbach, J.M. (editor/s),* [New York, NY, USA: IEEE 1987] 88−24357 (introductory abstract), 88−24402 to 24492, 88−28262, 88−29139

Educational computing; 1986 Tenth Western Educational Computing Conference, Irvine, CA, USA, 20-21 Nov. 1986, *(California Educ. Comput. Consortium)* [Sacramento, CA, USA: California Educ. Comput. Consortium 1986, $90.35] 87−55778

Educational implications of connecting tools and devices to microcomputers; MICROS PLUS: Educational Peripherals. Proceedings of the IFIP TC 3/WG 3.3 Working Conference on the Educational Implications of Connecting Tools and Devices to Micro-Computers, Wollongong, NSW, Australia, 28-30 Aug. 1986, *(Australian Comput. Soc.; IFIP; Univ. Wollongong) Wills, S. Lewis, R. (editor/s),* [Amsterdam, Netherlands: North-Holland 1988, $58.00] 88−31363

e^+e^- physics at high energies; e^+e^- Physics at High Energies. Proceedings of the 14th International Winter Meeting on Fundamental Physics, Sant Feliu de Guixols, Spain, 17-22 March 1986, *(Comision Asesora Investigacion Cientifica & Tecnica; Inst. Estudios Nucl) Fernandez, E. Mendez, A. (editor/s),* [Singapore: World Scientific 1987, £55.65] 88−31297 (introductory abstract), 88−36309, 88−36378 to 36380

EISCAT science; Third International EISCAT Workshop: EISCAT Science, Bad Lauterberg, West Germany, 23-27 March 1987, [April-May 1988] 88−49330 (introductory abstract), 88−53340 to 53354, 88−54734 to 54735

Electonics and aerospace; IEEE EASCON'85: 18th Annual Electronics and Aerospace Systems Conference (Cat. No.85CH2213-7), Washington, DC, USA, 28-30 Oct. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−45926 (introductory abstract), 86−46351, 86−49539 to 49543, 86−49749, 86−50652 to 50654, 86−50660 to 50689, 86−50712 to 50713, 86−50719, 86−50721 to 50722, 86−50724, 86−50755

Electrets; 5th International Symposium on Electrets (ISE 5) (Cat. No. 85CH2166-7), Heidelberg, West Germany, 4-6 Sept. 1985, *(IEEE; EPS; German Phys. Soc) Sessler, G.M. Gerhard-Multhaupt, R. (editor/s),* [New York, NY, USA: IEEE 1985] 86−52118 (introductory abstract), 86−47103, 86−47227, 86−47459, 86−47885 to 47886, 86−47948, 86−50204, 86−50210 to 50211, 86−53834 to 53835, 86−53848 to 53849, 86−53871, 86−53877 to 53878, 86−54266 to 54268, 86−55639, 86−55881, 86−56050 to 56055, 86−56112, 86−56188, 86−56279 to 56280, 86−56794

Electric and magnetic fields in medicine and biology; International Conference on Electric and Magnetic Fields in Medicine and Biology (Conf. Publ. No.257), London, UK, 4-5 Dec. 1985, *(IEE)* [London, UK: IEE 1985] 86−19749 (introductory abstract), 86−25189 to 25190, 86−25251, 86−25290 to 25292, 86−25303 to 25304, 86−32219, 86−32243 to 32245, 86−32341, 86−32382, 86−32384 to 32386

Electric and nonelectric measurements; Technique of Measurements of Electric and Nonelectric Quantities in Industrial and Laboratory Applications, Poland, 25-27 Sept. 1984, [1984] 85−39418 (introductory abstract), 85−39566, 85−39835, 85−39898 to 39899, 85−40139, 85−41031 to 41032, 85−42835 to 42836, 85−42856, 85−42904 to 42905, 85−42942 to 42943, 85−42975 to 42977, 85−43033 to 43035, 85−43053, 85−43066 to 43067, 85−43079, 85−43108 to 43109, 85−43112, 85−43114, 85−43120, 85−43124, 85−43133, 85−43469, 85−43979

Electric ceramics; Electrical Ceramics, London, UK, 17-18 Dec. 1984, [Oct. 1985] 86−40365 (introductory abstract), 86−40794 to 40796, 86−41358, 86−41546, 86−41853 to 41854, 86−41997, 86−42008, 86−44244

Electric energy generation, transmission, distribution and utilisation; Electric Energy Conference 1985. 'Modern Trends in the Generation, Transmission, Distribution and Utilisation of Electrical Energy', Newcastle, NSW, Australia, 15-17 Oct. 1985, *(Instn. Eng. Australia; IEE; IEEE)* [Barton, ACT, Australia: Instn. Eng., Australia Aug. 1985, A$35.00] 86−40387 (introductory abstract), 86−40425 to 40426, 86−44148, 86−44848 to 44850, 86−44900 to 44912, 86−44927 to 44931, 86−44940 to 44941, 86−44964 to 44967, 86−44970 to 44971, 86−44992 to 44993, 86−45007 to 45008, 86−45024, 86−45030, 86−45039 to 45040, 86−45180 to 45182, 86−45216, 86−45249 to 45250, 86−45393, 86−45436, 86−45486 to 45489, 86−45593 to 45594, 86−45622, 86−45754, 86−45851, 86−45893

Electric energy systems; Electric Energy Conference 1986. 'Electric Energy Systems - Today and Tomorrow'. Preprints, Brisbane, Qld., Australia, 20-22 Oct. 1986, *(Coll. Electr. Eng.; Instn. Eng. Australia; IEE; IEEE)* [Barton, ACT, Australia: Instn. Eng. Australia 1986, $A42.00 book; $A24.00 fiche] 87−36336 (introductory abstract), 87−36382 to 36383, 87−38599, 87−40635, 87−42307, 87−42385 to 42393, 87−42411 to 42416, 87−42424 to 42427, 87−42457 to 42460, 87−42466 to 42467, 87−42506 to 42508, 87−42531, 87−42540 to 42541, 87−42656, 87−42681, 87−42713, 87−42733, 87−42753, 87−42799 to 42802, 87−42967, 87−43174 to 43177, 87−43319 to 43320, 87−43332, 87−43542, 87−43588 to 43590

Electric fuses; 2nd International Conference on Electric Fuses. Digest of papers. (ERA - 84-0119), Trondheim, Norway, 13-15 June 1984, [Leatherhead, UK: ERA Technol. 1984] 86−60 (introductory abstract)

Electric machines and drives; Electric Energy Conference 1987. An International Conference on Electrical Machines and Drives, Adelaide, SA, Australia, 6-9 Oct. 1987, *(Instn. Eng. Australia; Instn. Radio Electron. Eng. Australia; IEE; IEEE)* [Barton, ACT, Australia: Instn. Eng. Australia Sept. 1987] 88−43585 (introductory abstract), 88−42756 to 42757, 88−43149 to 43153, 88−43177 to 43181, 88−43202 to 43206, 88−43214 to 43216, 88−43233 to 43235, 88−43253 to 43254, 88−43430, 88−43659, 88−48456, 88−48508, 88−48881 to 48897, 88−48919 to 48929, 88−48952 to 48982, 88−48996 to 48997, 88−49001 to 49003, 88−49012 to 49015, 88−49063, 88−49102, 88−49195 to 49215, 88−49243 to 49250, 88−49305 to 49306, 88−49317 to 49318

Electric machines with permanent magnets; Electric Machines with Permanent Magnets, Wroclaw, Poland, 11-13 June 1987, [1987] 88−18295 (introductory abstract), 88−20241, 88−20252 to 20253, 88−23865 to 23866, 88−23896, 88−23960 to 23965, 88−23990, 88−24233

Electric power applications in industry; IEE Colloquium on 'Electrical Power for Efficiency and Productivity' (Digest No.37), Chester, UK, 26 March 1987, *(IEE)* [London, UK: IEE 1987] 87−43808 (introductory abstract), 87−50820, 87−51521 to 51522, 87−51640, 87−51679, 87−51683

Electric power industry; 13th INTER-RAM: Internationsl Reliability, Availability, Maintainability Conference for the Electric Power Industry. Proceedings, Syracuse, NY, USA, 2-5 June 1986, [Wescosville, PA, USA: Pennsylvania Power & Light Co. 1986, $25.00] 87−5142 (introductory abstract), 87−5182, 87−5194 to 5197, 87−5297 to 5306, 87−9005, 87−9037 to 9038, 87−9121 to 9129, 87−9138 to 9139, 87−9144, 87−9147, 87−9158 to 9159, 87−9231 to 9236, 87−9268 to 9286, 87−9317 to 9319, 87−9363 to 9365, 87−9380 to 9395, 87−9455, 87−9694 to 9696, 87−9723

Electric power industry; 14th Inter-RAM: International Reliability, Availability, Maintainibility Conference for the Electric Power Industry, Toronto, Ont., Canada, 26-29 May 1987, *(Canadian Nucl. Soc.; American Soc. Quality Control; ASME; IEEE; et al)* [Wescoville, PA, USA: Pennsylvania Power & Light Co. 1987] 88−6120 (introductory abstract), 88−267 to 268, 88−5249 to 5252, 88−5294, 88−5450 to 5455, 88−5493, 88−5587 to 5591, 88−5657, 88−6171, 88−6219, 88−10712 to 10715, 88−10799 to 10813, 88−10825 to 10826, 88−10831 to 10835, 88−10840, 88−10842 to 10843, 88−10866, 88−10884 to 10886, 88−10897 to 10898, 88−10934 to 10945, 88−10994 to 11010, 88−11076 to 11079, 88−11098 to 11102, 88−11106, 88−11109, 88−11278 to 11279, 88−11339

Electric propulsion; JSASS/AIAA/DGLR 17th International Electric Propulsion Conference, Tokyo, Japan, 28 May-2 June 1984, [Tokyo, Japan: Inst. Space & Astronautical Sci. 1984] 85−27945 (introductory abstract), 85−28740, 85−31526, 85−31599, 85−31685, 85−31892, 85−31897, 85−31901 to 31967, 85−32658, 85−32770 to 32772

Electric railway systems; International Conference on 'Electric Railway Systems for a New Century' (Conf. Publ. No.279), London, UK, 22-25 Sept. 1987, [London, UK: IEE 1987] 87−72716 (introductory abstract), 87−79097 to 79155, 88−5969 to 5986

Electric Supply Authority Engineers Institute of New Zealand; Transactions of the Fifty-Fourth Annual Conference of the Electric Supply Authority Engineer's Institute of New Zealand Inc, Nelson, New Zealand, 19-22 Sept. 1983, [1983] 85−10317 (introductory abstract), 85−10360, 85−10380, 85−15519 to 15521, 85−15617, 85−15933

Electric Supply Authority Engineers' Institute of New Zealand; Transactions of the Fifty-Sixth Annual Conference of the Electric Supply Authority Engineers' Institute of New Zealand Inc, New Plymouth, New Zealand, 16-18 Sept. 1985, [1985] 86−52108 (introductory abstract), 86−56357 to 56359, 86−56436, 86−56659, 86−56818

Electric Supply Authority Engineers Institute of New Zealand; Fifty-Seventh Annual Conference of the Electric Supply Authority Engineers' Institute of New Zealand Inc, Dunedin, New Zealand, 15-17 Sept. 1986, [1986] 87−58517 (introductory abstract), 87−64090 to 64091, 87−64152, 87−64211, 87−64674, 87−64988

Electric vehicle electronics and control; IEE Colloquium on 'Electric Vehicle Electronics and Control' (Digest No.123), London, UK, 21 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87−16304 (introductory abstract), 87−20904, 87−21649, 87−22865 to 22871

Electric vehicles; 1984 EVS 7. Septieme Symposium International du Vehicule Electrique Routier (7th International Symposium on Electric Vehicles), Versailles, France, 26-29 June 1984, [Paris, France: Comite 1984 EVS 7 1984] 85−60661 (introductory abstract), 85−65426 to 65431, 85−65505 to 65563, 85−65569 to 65574

Electrical and electronic engineers in Israel convention; 14th Convention of Electrical and Electronic Engineers in Israel Proceedings (Cat. No.85CH2075-0), Tel Aviv, Israel, 26-28 March 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−26496 (introductory abstract), 86−26705, 86−26721 to 26722, 86−26968, 86−27015, 86−27139 to 27140, 86−27161, 86−27377, 86−27429 to 27430, 86−27564, 86−27621 to 27622, 86−28361, 86−28419, 86−28506 to 28508, 86−28540, 86−28588 to 28590, 86−28940, 86−29004, 86−29171, 86−29222, 86−29248, 86−29352, 86−29395, 86−29501 to 29504, 86−29509, 86−29544, 86−29567, 86−29589, 86−29614 to 29616, 86−29640 to 29641, 86−29690, 86−29706 to 29708, 86−29752, 86−29809 to 29810, 86−29932 to 29935, 86−30045 to 30048, 86−30223, 86−30270, 86−30413 to 30414, 86−30607 to 30609, 86−30869 to 30871, 86−30936, 86−31226, 86−32295 to 32296, 86−32330, 86−32381, 86−32693, 86−32708, 86−32789, 86−32840, 86−33308, 86−33349, 86−33523, 86−33680

Electrical and related properties of organic solids; ERPOS 4. Electrical and Related Properties of Organic Solids 4th Conference, Zamek Ksiaz, Poland, 26 June-2 July 1984, [1984] 85−11955 to 11957, 85−11969 to 11971, 85−12006, 85−12086, 85−14775, 85−16238

Electrical contacts; 30th Annual Holm Conference on Electrical Contacts, Chicago, IL, USA, 17-21 Sept. 1984, *(IEEE; Illinois Inst. Technol.; ASTM)* [March 1985] 85−49247 (introductory abstract), 85−49657, 85−50070 to 50075, 85−50081 to 50082, 85−50086 to 50087, 85−50114 to 50115, 85−53324, 85−53712, 85−53777 to 53791

Electrical contacts; Electrical Contacts - 1986. Proceedings of the Thirty Second Meeting of the IEEE Holm Conference on Electric Contact Phenomena (Cat. No.86CH2370-5), Boston, MA, USA, 27-29 Oct. 1986, *(IEEE; AMP; AT&T Bell Lab.; Batelle-Columbus Lab.; et al)* [New York, NY, USA: IEEE 1986] 87−36327 (introductory abstract), 87−37619 to 37622, 87−37637, 87−37646 to 37648, 87−37751, 87−38615, 87−39418, 87−42455 to 42456, 87−42517, 87−43062 to 43064, 87−43317 to 43318, 87−43605 to 43607

Electrical contacts; Electrical Contacts - 1987. Proceedings of the Thirty Third Meeting of the IEEE Holm Conference on Electrical Contacts (Cat. No.87CH2453-4), Chicago, IL, USA, 21-23 Sept. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88−11587 (introductory abstract), 88−7103 to 7110, 88−7118 to 7119, 88−7130 to 7131, 88−11188, 88−11238, 88−11334 to 11336, 88−11726, 88−12657, 88−12665 to 12669, 88−12681, 88−12697 to 12704, 88−13612, 88−17788, 88−37982 to 37983, 88−38282, 88−38801 to 38811, 88−38817 to 38819, 88−38828, 88−38943, 88−38945, 88−39561, 88−42879, 88−43137

Electrical contacts, electromechanical components and applications; Proceedings of the International Conference on Electrical Contacts, Electromechanical Components and their Applications. Memory for 350th Research and Engineering Meeting, Nagoya, Japan, 15-18 July 1986, *(Res. & Eng. Meeting of Electromech. Components Assoc.; Inst. Electron. & Commun. Eng. Japan; IEEE; et al)* [Nagoya, Japan: Electromech. Components Assoc. July 1986] 88−11585 (introductory abstract)

Electrical drives; Symposium on Electrical Drive, Cagliari, Italy, 15-17 Sept. 1987, [Naples, Italy: Univ. Naples 1987] 88−11592 (introductory abstract), 88−13686, 88−17542 to 17543, 88−17562 to 17568, 88−17606 to 17616, 88−17636 to 17639, 88−17654, 88−17665 to 17671, 88−18128 to 18135, 88−18182, 88−18242, 88−18283 to 18284

Electrical/electronics insulation; Proceedings of the 17th Electrical/Electronics Insulation Conference (Cat. No.85CH2133-7), Boston, MA, USA, 30 Sept.-3 Oct. 1985, *(IEEE; Nat. Electr. Manuf. Assoc)* [New York, NY, USA: IEEE 1985] 86−61847 (introductory abstract), 86−61904, 86−61962 to 61963, 86−61992, 86−62272 to 62282, 86−62311 to 62317, 86−62874 to 62884, 86−62907 to 62908, 86−62959, 86−62971, 86−63416, 86−63477 to 63478, 86−63485, 86−63489, 86−63495 to 63498, 86−63502 to 63511, 86−63571 to 63572, 86−64020 to 64024, 86−65257, 86−65306, 86−65602, 86−65721, 86−65957, 86−66013, 86−66040 to 66046, 86−66098, 86−66112, 86−66142 to 66145

Electrical engineering; Canadian Engineering Centennial Convention - Electrical Engineering Sessions Proceedings (Cat. No.87TH0186-7), Montreal, Que., Canada, 18-22 May 1987, *(IEEE; Canadian Electr. Assoc.; Canadian Soc. Electr. Eng)* [New York, NY, USA: IEEE 1987] 88–18342 (introductory abstract), 88–18416, 88–18764, 88–20105 to 20107, 88–20821, 88–21288, 88–21364, 88–21455, 88–22056 to 22058, 88–22161, 88–23153, 88–23429, 88–23442, 88–23787 to 23788, 88–24286

Electrical engineering history; 1986 History of Electrical Engineering Weekend, Edinburgh, UK, 4-6 July 1986, [London, UK: IEE 1987] 88–11621 (introductory abstract)

Electrical engineering problems in the rubber and plastics industries; IEEE Conference Record of 1986 Thirty-Eighth Annual Conference of Electrical Engineering Problems in the Rubber and Plastics Industries (Cat. No. 86CH2300-2), Akron, OH, USA, 7-8 April 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87–27 (introductory abstract), 87–2935, 87–3123, 87–3605, 87–4720, 87–4820, 87–4852, 87–5083

Electrical engineering steels and alloys; Proceedings of the Seventh All-Union Conference on the Physics and Metals Science of Electrical-Engineering Steels and Alloys, Vladimir, USSR, Dec. 1984, [1985] 87–8715

Electrical equipment condition monitoring; IEE Colloquium on 'Continuous On-Line Condition Monitoring of Electrical Equipment' (Digest No.111), London, UK, 4 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87–10059 (introductory abstract), 87–15686 to 15690, 87–15775 to 15776, 87–15842

Electrical fuses and applications; Proceedings of the ICEFA: Third International Conference on Electrical Fuses and their Applications, Eindhoven, Netherlands, 11-13 May 1987, *Kalasek, V.K.I. van den Heuvel, W.M.C. (editor/s)*, [Eindhoven, Netherlands: Eindhoven Univ. Technol. 1987] 87–65090 (introductory abstract), 87–66653 to 66672, 87–72339 to 72349

Electrical insulation; Conference Record of the 1984 IEEE International Symposium on Electrical Insulation (Cat. No. 84CH1964-6-EI), Montreal, Que., Canada, 11-13 June 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85–27930 (introductory abstract), 85–29354 to 29363, 85–29365 to 29375, 85–29390 to 29402, 85–31753, 85–32175 to 32191, 85–32207 to 32213, 85–32564 to 32565, 85–32669, 85–35215 to 35218, 85–35230 to 35231, 85--35249 to 35253, 85–38516, 85–38526, 85–38541, 85–38966, 85–39005

Electrical insulation; 5th BEAMA International Electrical Insulation Conference, Brighton, UK, 19-22 May 1986, [London, UK: Federation of British Electrotech. & Allied Manuf. Assoc. 1986] 88–62875 (introductory abstract), 88–63989, 88–64010 to 64015, 88–64813, 88–64822, 88–64831 to 64836, 88–64843 to 64847, 88–64869, 88–67950, 88–69023 to 69025, 88–69248 to 69253, 88–69294 to 69298, 88–69373, 88–69471 to 69476, 88–69639 to 69642, 88–69664 to 69665, 88–69851

Electrical insulation; Conference Record of the 1986 IEEE International Symposium on Electrical Insulation (Cat. No.86CH2196-4-DEI), Washington, DC, USA, 9-11 June 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87–22993 (introductory abstract), 87–23287 to 23289, 87–24499, 87–24966, 87–24982, 87–25320, 87–25626 to 25627, 87–25649 to 25660, 87–25665 to 25685, 87–25699, 87–25714 to 25727, 87--25731, 87–25754, 87–26618, 87–29250, 87–30208 to 30216, 87–30227, 87–30241 to 30242, 87–30278, 87–30475 to 30476, 87–30748 to 30749, 87–30886

Electrical insulation and dielectric phenomena; 1984 Annual Report of the Conference on Electrical Insulation and Dielectric Phenomena (Cat. No. 84CH1994-3), Claymont, DE, USA, 21-25 Oct. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85–32911 (introductory abstract), 85–34209, 85–35219 to 35224, 85–35232 to 35238, 85–35241 to 35244, 85–35254 to 35261, 85–35519 to 35527, 85–37610, 85–37747 to 37748, 85–39213, 85–39819, 85–40554, 85–40559, 85–40948 to 40952, 85–40960 to 40971, 85–40987, 85–40995 to 41003, 85–41570, 85–43663, 85–43938, 85–44065, 85–44139

Electrical insulation and dielectric phenomena; CEIDP - Conference on Electrical Insulation and Dielectric Phenomena, Amherst, NY, USA, 21-23 Oct. 1985, *(IEEE)* [Oct. 1985] 86–19704 (introductory abstract), 86–21906, 86–21912, 86–25593

Electrical insulation and dielectric phenomena; 1986 Annual Report: Conference on Electrical Insulation and Dielectric Phenomena (Cat. No.86CH2315-0), Claymont, DE, USA, 2-6 Nov. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 88–49358 (introductory abstract), 88–49882, 88–49894, 88–49922, 88–50637, 88–50684 to 50685, 88–51043 to 51046, 88–51050 to 51061, 88–51063 to 51067, 88–51075 to 51077, 88–51080 to 51093, 88–51491, 88–51665 to 51666, 88–52061 to 52065, 88–53808 to 53809, 88–53827, 88–55013, 88–55411 to 55413, 88–55538, 88–55612

Electrical insulation and dielectric phenomena; 1987 Annual Report: Conference on Electrical Insulation and Dielectric Phenomena (Cat. No.87CH2462-0), Gaithersburg, MD, USA, 18-22 Oct. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88–24362 (introductory abstract), 88–19573, 88–20173 to 20175, 88–20181 to 20185, 88–20190, 88–20197 to 20200, 88–22792, 88–24536, 88–24825 to 24828, 88–25588, 88–25607, 88–25892 to 25893, 88–25913, 88–26562 to 26566, 88–26576 to 26585, 88–26602, 88–26614 to 26626, 88–26962, 88–27427, 88–29267 to 29268, 88–29568 to 29572, 88–29586, 88–29594, 88–30084, 88–30382 to 30391, 88–30405, 88–39741, 88–39762, 88–39766, 88–42268

Electrical machines; Second International Conference on Electrical Machines - Design and Applications (Conf. Publ. No. 254), London, UK, 17-19 Sept. 1985, *(IEE)* [London, UK: IEE 1985] 86–26504 (introductory abstract), 86–33309 to 33325, 86–33350 to 33367, 86–33402 to 33412, 86–33427 to 33432, 86–33436 to 33439, 86–33445, 86–33756 to 33760, 86–33806

Electrical machines; ICEM '86 Munchen. International Conference on Electrical Machines, Munchen, West Germany, 8-10 Sept. 1986, *Bausch, H. Lorenzen, H.W. Schroder, D. (editor/s)*, [Munchen, West Germany: Tech. Univ. Munchen 1986] 87–10039 (introductory abstract), 87–12003, 87–12056. 87–15613, 87–15630, 87–15656 to 15682, 87–15702 to 15716, 87–15745 to 15772, 87–15785 to 15787, 87–15790 to 15806, 87–15817 to 15820, 87–15840 to 15841, 87–16097 to 16099, 87–16128 to 16129, 87–17416, 87–19224, 87–21885 to 21887, 87–22164, 87–22185, 87–22188, 87–22238 to 22243, 87–22268 to 22312, 87–22346 to 22397, 87–22403 to 22407, 87–22414, 87–22429 to 22451, 87–22503 to 22505, 87–22593 to 22602, 87–22831 to 22840, 87–22859 to 22863, 87–22921, 87–26608, 87–26649, 87–26729, 87–30398, 87–30507 to 30513, 87–30539 to 30550, 87–30580 to 30586, 87–30617 to 30621, 87–30851

Electrical machines; Proceedings of the International Conference on Electrical Machines, Lausanne, Switzerland, 18-21 Sept. 1984, *Reichert, K. (editor/s)*, [Zurich, Switzerland: Swiss Federal Inst. Technol 1984] 87–35970 (introductory abstract), 87–31680, 87–31722, 87–32837, 87–33363, 87–33367, 87–33370 to 33373, 87–33378 to 33381, 87–35911 to 35912, 87–35950, 87–35994 to 36005, 87–36042, 87–39535, 87–42023, 87–42394 to 42396, 87–42707, 87–42734 to 42735, 87–42754 to 42756, 87–42803 to 42820, 87–42853 to 42918, 87–42968 to 43049, 87–43065 to 43086, 87–43090 to 43107, 87–43126 to 43136, 87–43279 to 43284, 87–43326, 87–43543 to 43548, 87–43591 to 43601, 87–43667, 87–43702, 87–43717, 87–43719, 87–43731, 87–51180 to 51186, 87–51216 to 51218, 87–51267 to 51274, 87–51692

Electrical machines and converters, modelling and simulation; Electrical Machines and Converters, Modelling and Simulation. Proceedings of the IMACS International Symposium, Liege, Belgium, 17-18 May 1984, *Buyse, H. Robert, J. (editor/s)*, [Amsterdam, Netherlands: North-Holland 1984, $42.25] 85–27934 (introductory abstract), 85–28322, 85–28761, 85–32416, 85–32446 to 32447, 85–32465 to 32475, 85–32493 to 32501, 85–32513 to 32514, 85–32517 to 32518, 85–32527, 85–32568 to 32569, 85–32608 to 32613, 85–32742

Electrical machines and drives; Third International Conference on Electrical Machines and Drives (Conf. Publ. No.282), London, UK, 16-18 Nov. 1987, [London, UK: IEE 1987] 88–6127 (introductory abstract), 88–11011, 88–11080, 88–11113, 88–11189 to 11196, 88–11209 to 11211, 88–11231, 88–11240 to 11241, 88–11243, 88–11428, 88–17545 to 17553, 88–17571 to 17575, 88–17617 to 17630, 88–17642 to 17649, 88–17655, 88–17672 to 17677, 88–17806, 88–18137 to 18147, 88–18184, 88–18232

Electrical machines CAD/CAM; IEE Colloquium on 'Computer-Aided Design and Manufacture of Electrical Machines' (Digest No.38), London, UK, 18 March 1986, *(IEE)* [London, UK: IEE 1986] 86–40394 (introductory abstract), 86–40395, 86–40504, 86–45360 to 45361, 86–45623

Electrical overstress/electrostatic discharge; Electrical Overstress/Electrostatic Discharge Symposium Proceedings 1986, Las Vegas, NV, USA, 23-25 Sept. 1986, *(EOS/ESD Assoc.; IIT Res. Inst)* [Westmorland, NY, USA: EOS/ESD Assoc. 1986] 87–43787 (introductory abstract), 87–44000, 87–44723, 87–45878, 87–46032 to 46033, 87–46140 to 46141, 87–46236 to 46237, 87–47091 to 47097, 87–51865 to 51866, 87–53194, 87–53571 to 53572, 87–53669 to 53672, 87–53690, 87–53741 to 53745, 87–57277

Electrical overstress/electrostatic discharge; Electrical Overstress/Electrostatic Discharge Symposium Proceedings 1987, Orlando, FL, USA, 29 Sept.-1 Oct. 1987, *(EOS/ESD Assoc.; ITT Res. Inst)* [Rome, NY, USA: EOS/ESD Assoc. 1987] 88–49369 (introductory abstract), 88–49507 to 49512, 88–49541 to 49542, 88–49572, 88–49893, 88–49895, 88–50125, 88–50153, 88–50205, 88–50535, 88–50693, 88–50784, 88–50821 to 50822, 88–50864 to 50865, 88–50900, 88–50975 to 50979, 88–51020 to 51024, 88–51033 to 51035, 88–51062, 88–52066 to 52071, 88–52249, 88–53065, 88–54703, 88--55704

Electrical properties of organic solids; ERPOS 5: 5th International Conference on Electrical and Related Properties of Organic Solids, Szlarska Poreba, Poland, 24-29 June 1987, [1987] 88–44607, 88–44717, 88–44914

Electrical rotating machines; ELROMA-88: 2nd International Seminar on Electrical Rotating Machines, Bombay, India, 28-29 Jan. 1988, [Bombay, India: Indian Electr. & Electron. Manuf. Assoc. 1988] 88–37858 (introductory abstract), 88–38795, 88–42759, 88–43088 to 43090, 88–43154 to 43159, 88–43182, 88–43218 to 43219, 88–43324, 88–43433 to 43435, 88–43505, 88–43514

Electrical safety; IEE Colloquium on 'Electrical Safety of Medical Equipment' (Digest No.05), London, UK, 9 Jan. 1987, *(IEE; Inst. Phys. Sci. Medicine; IERE; Biol. Eng. Soc)* [London, UK: IEE 1987] 87–23029 (introductory abstract), 87–29824 to 29828

Electrical shock safety criteria; Electrical Shock Safety Criteria. Proceedings of the First International Symposium, Toronto, Ont., Canada, 7-9 Sept. 1983, *(Ontario Hydro; EPRI; Canadian Electr. Assoc) Bridges, J.E. Ford, G.L. Sherman, I.A. Vainberg, M. (editor/s)*, [New York, NY, USA: Pergamon 1985, $82.50] 87–10032 (introductory abstract)

Electrical standards and methods of calibration; Electrical Standards and Methods of Calibration, Wroclaw, Poland, Sept. 1987, [1987] 88–18294 (introductory abstract), 88–18917 to 18918, 88–19300 to 19302, 88–19426, 88–22395 to 22396, 88–22399 to 22402, 88–22412 to 22413, 88–22516, 88–22558, 88–22695 to 22697, 88–22713 to 22714, 88–22717, 88–22736, 88–22740 to 22743, 88–22750, 88–22755, 88–24009

Electrical technology; AFRICON '83. African Electrical Technology Conference Proceedings (IEEE Cat. No. 83CH2054-5), Nairobi, Kenya, 7-9 Dec. 1983, *(IEEE) Bilal, A.Y. Patel, D.D. Rosenberg, J. (editor/s)*, [New York, NY, USA: IEEE 1983] 85–5642 (introductory abstract), 85–5696 to 5699, 85–5720 to 5721, 85–5727, 85–5869, 85–6120, 85–6250 to 6251, 85–6301 to 6302, 85–6434, 85–6915, 85–7037, 85–7323, 85–7791, 85–7844, 85–7941, 85–7990, 85–8037 to 8043, 85–8058 to 8060, 85–8229, 85–8255, 85–8274, 85–8310, 85–8320, 85–8369, 85–8445 to 8446, 85–8534 to 8535, 85–9402, 85–9407, 85–9446 to 9450, 85–9461 to 9463, 85–9475, 85–9481, 85–9498 to 9500, 85–9520, 85–9530, 85–9560, 85–9574, 85–9766, 85–9789 to 9791, 85–9808, 85–9821, 85–9947, 85–10013, 85–10064, 85–10114, 85–10152, 85–10244

Electrically active defects in semiconductor-insulator systems; Proceedings of the First Workshop on Process-Related Electrically Active Defects in Semiconductor-Insulator Systems, Research Triangle Park, NC, USA, 1-2 Sept. 1987, *(Microelectron. Center North Carolina; North Carolina State Univ.; Sandia Nat. Labs.,; et al)* [Research Triangle Park, NC, USA: Microelectron. Center North Carolina 1987] 88–18328 (introductory abstract)

Electricity and modern techniques; Electricite et Techniques Avancees (Electricity and Modern Techniques), Bordeaux, France, 9-12 Oct. 1985, [Paris, France: Soc. Electr. Electron. & Radioelectr. 1985] 87–10025 (introductory abstract), 87–5514, 87–8327, 87–9267, 87–9707, 87–9929, 87–12345, 87–13155, 87–13745 to 13746, 87–15699, 87–16166

Electricity distribution; CIRED 1985. 8th International Conference on Electricity Distribution (Conf. Publ. No.250), Brighton, UK, 20-24 May 1985, *(IEE)* [London, UK: IEE 1985] 85–60581 (introductory abstract), 85–54103, 85–54264, 85–57733 to 57735, 85–57924, 85–58162, 85–59635 to 59638, 85–59647 to 59648, 85–59677 to 59709, 85–59721, 85–59748 to 59749, 85–59774 to 59778, 85–59793 to 59800, 85–59816 to 59817, 85–59824, 85–59833 to 59834, 85–60262 to 60269, 85–60360 to 60370, 85–60377, 85–60468, 85–60596, 85–60620

Electricity distribution; CIRED 1987: 9th International Conference on Electricity Distribution, Liege, Belgium, 4-8 May 1987, [Liege, Belgium: Assoc. Ingenieurs Electr. sortis Inst. Montefiore 1987] 88–11591 (introductory abstract), 88–15309, 88–17039 to 17040, 88–17086 to 17090, 88–17097 to 17099, 88–17108, 88–17116, 88–17130 to 17159, 88–17203 to 17208, 88–17225 to 17229, 88–17705 to 17706, 88–17742 to 17743, 88–17789 to 17791, 88–17804, 88–18180 to 18181, 88–22129, 88–23373, 88–23467 to 23470, 88–23513 to 23517, 88–23530 to 23534, 88–23547, 88–24013 to 24018, 88–24093 to 24102, 88–24111 to 24112, 88–24263

Electricity in clay and ceramics; IEE Colloquium on 'Electricity in Clay and Ceramics' (Digest No.82), Stoke-on-Trent, UK, 5 June 1986, *(IEE)* [London, UK: IEE 1986] 86–61863 (introductory abstract), 86–65651, 86–66402, 86–66496 to 66498

Electricity in food and drink industry; IEE Colloquium on 'Electricity in the Food and Drink Industry' (Digest No. 86), Nottingham, UK, 24 Oct. 1985, *(IEE)* [London, UK: IEE 1985] 86–7406 (introductory abstract), 86–12945, 86–13181, 86–13233 to 13234, 86–13246

Electricity in nonferrous industries; IEE Colloquium on 'Electricity in Non-Ferrous Industries' (Digest No.107), Coventry, UK, 30 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87—10058 (introductory abstract), 87—16167 to 16168, 87—16174 to 16178, 87—16194

Electricity in paper and board industry; IEE Colloquium on 'Electricity in the Paper and Board Industry' (Digest No.18), Manchester, UK, 28 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88—37862 (introductory abstract), 88—43047, 88—43436, 88—43509 to 43512

Electricity in pharmaceuticals and specialised organics; IEE Colloquium on 'Electricity in Pharmaceuticals and Specialised Organics' (Digest No.19), Manchester, UK, 30 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86—33951 (introductory abstract), 86—40293, 86—40341 to 40347

Electricity in product finishing; IEE Colloquium on 'Electricity in Product Finishing' (Digest No.52), Cambridge, UK, 14 April 1988, *(IEE)* [London, UK: IEE 1988] 88—49393 (introductory abstract), 88—50536, 88—55727, 88—55749 to 55751

Electricity supply; IEE Half Day Colloquium on Electrical Energy for Everyone - The Early Supply and Use of Electricity (Digest No. 90), London, UK, 7 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85—16586 (introductory abstract), 85—16653, 85—21055 to 21056

Electricity's role in low energy living; IEE Colloquium on 'Electricity's Role in Low Energy Living' (Digest No.51), London, UK, 28 April 1987, *(IEE)* [London, UK: IEE 1987] 87—51754 (introductory abstract), 87—58468 to 58470, 87—58478 to 58479

Electrics/hydraulics/pneumatics; European Conference on Electrics versus Hydraulics versus Pneumatics, London, UK, 22 Oct. 1985, *(IMechE; Assoc. Hydraulic Equipment Manuf.; British Compressed Air Soc.; et al)* [London, UK: Mech. Eng. Publications 1985] 86—45916 (introductory abstract)

Electro/84; Electro 84. Electronic Show and Convention, Boston, MA, USA, 15-17 May 1984, *(IEEE)* [Los Angeles, CA, USA: Electron. Conventions 1984] 85—10387 to 10398, 85—10475 to 10476, 85—10941 to 10942, 85—11215 to 11217, 85—11267 to 11273, 85—11697 to 11699, 85—12408, 85—13160 to 13164, 85—13579, 85—13861 to 13864, 85—14366 to 14368, 85—16576, 85—16702 to 16703, 85—16742 to 16743, 85—16776, 85—16783 to 16784, 85—16820, 85—17154 to 17157, 85—17362 to 17363, 85—17436 to 17444, 85—17564 to 17566, 85—17907 to 17908, 85—19407 to 19409, 85—19727 to 19729, 85—19941, 85—20517, 85—20879, 85—20911 to 20912

Electro/85; ELECTRO/85. Conference Record, New York, NY, USA, 23-25 April 1985, *(IEEE; METSAC; ERA)* [Los Angeles, CA, USA: Electron. Conventions Manage. 1985] 86—45915 (introductory abstract), 86—46022, 86—46055 to 46056, 86—46090 to 46092, 86—46143, 86—46568, 86—46649, 86—46690 to 46706, 86—46807 to 46811, 86—46886 to 46887, 86—47087 to 47091, 86—47135, 86—47590 to 47593, 86—47691 to 47693, 86—47819 to 47821, 86—48150, 86—48210, 86—49229, 86—49355, 86—49417 to 49419, 86—49538, 86—49632 to 49637, 86—49784 to 49787, 86—49817 to 49818, 86—49989, 86—50176 to 50178, 86—50537 to 50539, 86—50614, 86—50659, 86—51781 to 51784

Electro/86 and Mini/Micro Northeast; Electro/86 and Mini/Micro Northeast. Conference Record, Boston, MA, USA, 13-15 May 1986, *(IEEE; ERA)* [Los Angeles, CA, USA: Electron. Conventions Manage. 1986, $325.00] 87—28 (introductory abstract), 86—62601, 86—62637 to 62639, 86—66577, 86—67202 to 67211, 86—67257 to 67262, 86—67580, 86—67967, 86—68014 to 68015, 86—69828, 86—69997, 86—70134, 87—47 to 49, 87—100 to 103, 87—122, 87—138 to 140, 87—163, 87—449 to 454, 87—582 to 590, 87—702 to 712, 87—756 to 759, 87—780 to 790, 87—1060, 87—1065, 87—1126 to 1128, 87—1563 to 1566, 87—1652 to 1661, 87—1721 to 1722, 87—1777 to 1779, 87—2133, 87—2411 to 2412, 87—2703, 87—2759 to 2762, 87—2812 to 2813, 87—2936 to 2937, 87—2983, 87—3209, 87—3222 to 3223, 87—3369, 87—3416 to 3417, 87—3649, 87—4726 to 4728

Electro and Mini Micro; Electro/87 and Mini/Micro Northeast: Focusing on the OEM. Conference Record, New York, NY, USA, 7-9 April 1987, *(IEEE; ERA)* [Los Angeles, CA, USA: Electron. Conventions Manage. 1987, $325.00] 88—6117 (introductory abstract), 88—114, 88—154, 88—166, 88—633 to 635, 88—726 to 728, 88—758 to 760, 88—816 to 821, 88—895, 88—6194 to 6195, 88—6199, 88—6622 to 6624, 88—6722, 88—6783 to 6805, 88—6857 to 6864, 88—6927 to 6936, 88—6999, 88—7071, 88—7697 to 7704, 88—7741 to 7742, 88—8067 to 8068, 88—8233 to 8234, 88—8538, 88—8720, 88—9597 to 9599, 88—9707, 88—9765 to 9769, 88—9918, 88—44146 to 44150, 88—44842 to 44845, 88—44864, 88—44874, 88—47428

Electro-culture; Electro-Culture '84, Arlington, VA, USA, 1-2 May 1984, *(SPIE; IEEE)* [1984] 85—29961, 85—30515 to 30516, 85—30692

Electro-optic and photorefractive materials; Electro-Optic and Photorefractive Materials. Proceedings of the International School on Material Science and Technology, Erice, Italy, 6-17 July 1986, *(Eur. Phys. Soc.; Italian Minist. Educ.; Italian Minist. Sci. & Technol. Res.; et al) Gunter, P. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987, DM 98] 87—72708 (introductory abstract), 87—68014, 87—68176, 87—68209, 87—68630 to 68632, 87—68664 to 68665, 87—69380, 87—70259, 87—74096, 87—74451, 87—74467 to 74469, 87—74824, 87—74850 to 74851, 87—74882, 87—75254, 87—76818

Electro-optical imaging systems integration; Electro-Optical Imaging Systems Integration, Los Angeles, CA, USA, 13-14 Jan. 1987, *(SPIE)* [1987] 87—72671 (introductory abstract), 87—74521, 87—75887 to 75889, 87—76074, 87—77134 to 77137, 87—77754

Electrocardiology; Electrocardiology '83. Proceedings of the 10th International Congress, Bratislava, Czechoslovakia, 16-19 Aug. 1983, *(Slovak Acad. Sci) Ruttkay-Nedecky, I. Macfarlane, P. (editor/s),* [Amsterdam, Netherlands: Excerpta Medica 1984, $98.25] 86—58 (introductory abstract), 86—5932, 86—5953 to 5963, 86—11996 to 12008

Electrochemical cell design; Electrochemical Cell Design. Selected Contributions from a Symposium on Recent Advances in Electrochemical Cell Design, Houston, TX, USA, 27-31 March 1983, *White, R.E. (editor/s),* [New York, NY, USA: Plenum 1984] 85—27952 (introductory abstract), 85—28197, 85—32673 to 32684, 85—32696 to 32697, 85—32701, 85—32841, 85—32873

Electrochemical corrosion testing; Electrochemical Corrosion Testing with Special Consideration of Practical Applications. International Workshop, Ferrara, Italy, 11-13 Sept. 1985, *(Eur. Federation Corrosion; Electrochem. Soc) Heitz, E. Rowlands, J.C. Mansfield, F. (editor/s),* [Frankfurt am Main, West Germany: Dechema 1986] 86—66542 (introductory abstract)

Electrochemical sensors; IEE Colloquium on 'Electrochemical Sensors for Biomedical Applications' (Digest No.51), London, UK, 10 April 1986, *(IEE)* [London, UK: IEE 1986] 86—52143 (introductory abstract), 86—55723, 86—56093 to 56099, 86—56116 to 56117

Electrochemical Society Fall meeting; Extended Abstracts of the 166th Electrochemical Society Fall Meeting, New Orleans, LA, USA, 7-12 Oct. 1984, [Manchester, NH, USA: Electrochem. Soc. 1984] 85—22085 (introductory abstract)

Electrochemical Society Fall meeting; Extended Abstracts of the Electrochemical Society Fall Meeting 1985, Las Vegas, NV, USA, 13-18 Oct. 1985, [Pennington, NJ, USA: Electrochem. Soc. 1985] 86—13306 (introductory abstract)

Electrochemical Society meeting; 172nd Meeting of the Electrochemical Society (papers in summary form only received), Honolulu, HI, USA, 18-23 Oct. 1987, *(Electrochem. Soc.; Electrochem. Soc. Japan; Japan Soc. Appl. Phys)* [Aug. 1987] 88—18290 (introductory abstract)

Electrochemical Society Spring meeting; Extended Abstracts of the 165th Spring Meeting of the Electrochemical Society, Cincinnati, OH, USA, 6-11 May 1984, [Pennington, NJ, USA: Electrochemical Soc. 1984] 85—5652 (introductory abstract)

Electrochemical Society Spring meeting; Extended Abstracts of the Electrochemical Society Spring Meeting 1985, Toronto, Ont., Canada, 12-17 May 1985, [Pennington, NJ, USA: Electrochem. Soc. 1985] 85—39445 (introductory abstract)

Electrofinishing for metals and plastics; IEE Colloquium on Electrofinishing for Metals and Plastics (Digest No. 112), Leicester, UK, 13 Dec. 1984, *(IEE)* [London, UK: IEE 1984] 85—22092 (introductory abstract), 85—23267, 85—27800, 85—27882 to 27887

Electromagnetic aspects of optical devices; IEE Half Day Colloquium on Electromagnetic Aspects of Optical Devices (Digest No. 19), London, UK, 26 Feb. 1985, *(IEE)* [London, UK: IEE 1985] 85—32936 (introductory abstract), 85—35530 to 35531, 85—35734, 85—35799 to 35800, 85—35895

Electromagnetic compatability design; IEE Third Vacation School on Designing for Electromagnetic Compatability, London, UK, 13-18 Sept. 1987, *(IEE)* [London, UK: IEE 1987] 88—18341 (introductory abstract), 88—19260, 88—20848, 88—20937 to 20948, 88—20954

Electromagnetic compatibility; IEEE 1985 International Symposium on Electromagnetic Compatibility (Cat. No.85CH2116-2), Wakefield, MA, USA, 20-22 Aug. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86—26489 (introductory abstract), 86—26539, 86—27116 to 27118, 86—27447, 86—27662, 86—27683, 86—27697, 86—29290, 86—29295 to 29299, 86—29305, 86—29350 to 29351, 86—29444 to 29494, 86—29508, 86—29543, 86—29563 to 29564, 86—29588, 86—29612 to 29613, 86—30203 to 30204, 86—30548 to 30549, 86—30570 to 30572, 86—30676 to 30677, 86—30722 to 30723, 86—30749, 86—30885 to 30886, 86—30956, 86—31117, 86—31134, 86—31312, 86—31419, 86—31560, 86—31577, 86—32383, 86—32396, 86—32431 to 32432, 86—32857, 86—33521

Electromagnetic compatibility; 1984 International Symposium on Electromagnetic Compatibility (Cat. No. 84CH2097-4), Tokyo, Japan, 16-18 Oct. 1984, *(IEEE; Inst. Electron. & Commun. Eng. Japan; Inst. Electr. Eng. Japan)* [New York, NY, USA: IEEE 1984] 86—35 (introductory abstract), 85—61049, 85—61172, 85—61402, 85—61420 to 61421, 85—61442 to 61443, 85—61498, 85—61946, 85—62174, 85—62206, 85—62725, 85—62732, 85—62756 to 62757, 85—62786 to 62789, 85—62813 to 62855, 85—62858, 85—62899, 85—63073 to 63074, 85—63119, 85—63409 to 63410, 85—63478 to 63483, 85—63496, 85—63529 to 63530, 85—63626, 85—63712, 85—63736, 85—63821 to 63822, 85—63852, 85—64076 to 64077, 85—64188, 85—64231, 85—64262, 85—64270 to 64271, 85—64937, 86—1352, 86—1356, 86—1424, 86—1448, 86—3495 to 3498, 86—3533 to 3534, 86—3564 to 3600, 86—3606 to 3610, 86—3651 to 3652, 86—3664 to 3665, 86—3693 to 3699, 86—3897 to 3900, 86—4170, 86—4457 to 4459, 86—4465, 86—4731, 86—4777, 86—4830 to 4832, 86—5442 to 5444, 86—5451, 86—5469, 86—5502, 86—5877 to 5878, 86—5889, 86—5984 to 5986, 86—6000 to 6005, 86—6012, 86—6017, 86—6360

Electromagnetic compatibility; 1986 IEEE International Symposium on Electromagnetic Compatibility. Symposium Record (Cat. No.86CH2294-7), San Diego, CA, USA, 16-18 Sept. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87—22986 (introductory abstract), 87—23046 to 23050, 87—23317, 87—23930, 87—24019, 87—24406, 87—24539, 87—25467, 87—26613 to 26617, 87—26780 to 26781, 87—26817 to 26865, 87—26891 to 26893, 87—26932 to 26933, 87—27010, 87—28343 to 28344, 87—28349, 87—28392, 87—28434, 87—28680, 87—28731, 87—28769, 87—28869, 87—28897, 87—28927, 87—29102 to 29103, 87—29222 to 29223, 87—29238 to 29240, 87—29249, 87—30176, 87—30207, 87—30256

Electromagnetic compatibility; International Conference on Electromagnetic Compatibility, Guildford, Surrey, UK, 18-21 Sept. 1984, *(IERE)* [London, UK: IERE 1984] 85—2599 (introductory abstract), 85—51, 85—612, 85—2464 to 2465, 85—2545 to 2546, 85—2600 to 2621, 85—2649, 85—2681, 85—3249, 85—3361, 85—3806, 85—3873, 85—4091, 85—4105, 85—4381, 85—4397, 85—4414, 85—4685, 85—4709

Electromagnetic compatibility; Electromagnetic Compatibility 1985. 6th Symposium and Technical Exhibition, Zurich, Switzerland, 5-7 March 1985, *(Assoc. Swiss Electrotech) Dvorak, T. (editor/s),* [Zurich, Switzerland: ETH Zentrum - IKT 1985] 86—13293 (introductory abstract), 86—13463, 86—13911, 86—14175, 86—14557, 86—14586, 86—14630 to 14631, 86—14646 to 14648, 86—15407, 86—15838 to 15839, 86—15848, 86—15866 to 15869, 86—15918 to 15969, 86—15990, 86—16023 to 16025, 86—16122, 86—16485 to 16487, 86—17175 to 17176, 86—17180, 86—17186 to 17187, 86—17213, 86—17274 to 17279, 86—17354, 86—17540 to 17542, 86—17594, 86—17811 to 17814, 86—17905, 86—18058, 86—18060, 86—18096, 86—18102, 86—18383 to 18389, 86—18420, 86—18879 to 18880, 86—19320, 86—19394

Electromagnetic compatibility; 1987 IEEE International Symposium on Electromagnetic Compatibility. Symposium Record (Cat. No. 87CH2487-7), Atlanta, GA, USA, 25-27 Aug. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88—11586 (introductory abstract), 88—12653 to 12656, 88—12693 to 12696, 88—12716, 88—14051, 88—14337, 88—14341 to 14344, 88—14351, 88—14381 to 14382, 88—14408 to 14449, 88—14457 to 14458, 88—14475, 88—14503 to 14505, 88—14540 to 14541, 88—14895, 88—14968, 88—15132, 88—15307, 88—15311, 88—15327, 88—16394, 88—16408, 88—16434 to 16435, 88—16452, 88—16471 to 16472, 88—16802, 88—17163, 88—17193, 88—17541, 88—17741, 88—17803, 88—18178

Electromagnetic compatibility; Electromagnetic Compatibility 1987. 7th International Zurich Symposium and Technical Exhibition on Electromagnetic Compatibility, Zurich, Switzerland, 3-5 March 1987, *(Assoc. Swiss Electrotech) Dvorak, T. (editor/s),* [Zurich, Switzerland: Swiss Federal Inst. Technol. 1987] 88—6111 (introductory abstract), 88—632, 88—863, 88—1099, 88—1118, 88—2454, 88—2473 to 2478, 88—2487, 88—2604 to 2643, 88—2650 to 2652, 88—2669, 88—2696, 88—3072, 88—3846, 88—3883 to 3885, 88—4307, 88—4350, 88—4509, 88—4616, 88—5019, 88—5165, 88—5347, 88—5354, 88—5392, 88—5559, 88—8504 to 8537, 88—8542 to 8545, 88—8580, 88—8602, 88—8631 to 8632, 88—10119, 88—11427

Electromagnetic compatibility; Electromagnetic Compatibility. Fifth International Conference (Publ. No.71), York, UK, 1-3 Oct. 1986, *(IERE)* [London, UK: IERE 1986, £45.00] 87—10047 (introductory abstract), 87—10076 to 10077, 87—10112 to 10113, 87—10184, 87—10741, 87—11138 to 11139, 87—12665, 87—12672, 87—12753 to 12768, 87—12780 to 12781, 87—12800 to 12801, 87—13197 to 13198, 87—13552, 87—13629 to 13631, 87—13866, 87—14123 to 14124, 87—14257, 87—14329, 87—15944

Electromagnetic fields computation; 1985 Conference on the Computation of Electromagnetic Fields - COMPUMAG, Fort Collins, CO, USA, 3-6 June 1985, *(IEEE)* [Nov. 1985] 86−40366 (introductory abstract), 86−40521, 86−40657 to 40658, 86−40683, 86−41287 to 41289, 86−41487, 86−42088, 86−42095, 86−42099, 86−42104 to 42105, 86−42108 to 42109, 86−42139, 86−42676 to 42712, 86−42728 to 42729, 86−42735 to 42742, 86−42745, 86−42752 to 42768, 86−42795, 86−42802 to 42803, 86−42861, 86−42882, 86−44371, 86−44399, 86−44429, 86−44486 to 44487, 86−44640, 86−45348, 86−45376 to 45381, 86−45419 to 45420, 86−45479, 86−45609, 86−45762, 86−45823

Electromagnetic fields computation; Conference on the Computation of Electromagnetic Fields (COMPUMAG), Graz, Austria, 25-28 Aug. 1987, *(IEEE; Inst. Electr. Eng. Japan; Magn. Soc. Japan)* [Jan. 1988] 88−49328 (introductory abstract), 88−49733 to 49734, 88−49769, 88−49904, 88−50308 to 50309, 88−50444 to 50445, 88−50601, 88−51152, 88−51169 to 51171, 88−51276, 88−51342, 88−51400, 88−51991, 88−51997 to 52001, 88−52003 to 52036, 88−52055 to 52057, 88−52073 to 52085, 88−52095, 88−52099 to 52126, 88−52140, 88−52147 to 52151, 88−52163 to 52164, 88−52253, 88−53759 to 53760, 88−53934, 88−53957, 88−54392, 88−54718, 88−55280 to 55286, 88−55309 to 55317, 88−55340 to 55343, 88−55366, 88−55401, 88−55575, 88−55744

Electromagnetic fields computation; Workshop on Electromagnetic Field Computation. Proceedings (Cat. No.87TH0192-5), Schenectady, NY, USA, 20-21 Oct. 1986, *(IEEE)* [New York, NY, USA: IEEE 1987] 88−6122 (introductory abstract), 88−333, 88−536, 88−2462 to 2467, 88−2480, 88−2497, 88−6409 to 6410, 88−6412, 88−6582, 88−7018, 88−7093, 88−7142, 88−7216, 88−7546, 88−7555, 88−7716, 88−7790, 88−7794, 88−7801, 88−7835, 88−8397 to 8404, 88−8411, 88−8415 to 8421, 88−8429, 88−8457 to 8462, 88−8548, 88−8633 to 8634, 88−9375 to 9376, 88−9890, 88−9972, 88−11208, 88−11230, 88−11239, 88−11256

Electromagnetic induction in Earth and Moon; 7th Workshop on Electromagnetic Induction in the Earth and the Moon, Ile Ife, Nigeria, 15-22 Aug. 1984, *(Int. Union Geodesy & Geophys.; Nigerian Union Planetary & Radio Sci.; Int. Assoc. Geomagnetism & Aeronomy; et al)* [April 1986] 86−60921 to 60922

Electromagnetic isotope separators; Eleventh International Conference on Electromagnetic Isotope Separators and Techniques Related to their Applications, Los Alamos, NM, USA, 18-22 Aug. 1986, [May 1987] 87−57000 to 57013, 87−67982, 87−70966 to 70969, 87−70983 to 70990, 87−71044 to 71061

Electromagnetic launch technology; 3rd Symposium on Electromagnetic Launch Technology 1986, Austin, TX, USA, 20-24 April 1986, *(IEEE)* [Nov. 1986] 87−22956 (introductory abstract), 87−24661, 87−25698, 87−26627, 87−26654 to 26692, 87−26694 to 26726, 87−30593 to 30602, 87−30779 to 30781, 87−30871

Electromagnetic measurements; 1985 British Electromagnetic Measurements Conference. Conference Digest, Teddington, Middx., UK, 1-3 Oct. 1985, [Teddington, UK: NPL 1985, £10.00] 86−26512 (introductory abstract), 86−27536, 86−31188 to 31189, 86−31319, 86−31487, 86−31555, 86−31561 to 31563, 86−31578, 86−31589 to 31590, 86−31619 to 31623, 86−31630 to 31632, 86−38247 to 38248, 86−38309, 86−38479 to 38481, 86−38484 to 38486, 86−38518 to 38519, 86−38539 to 38540, 86−38577 to 38578

Electromagnetic theory; Santiago Symposium on Electromagnetic Theory, Santiago, Spain, 23-26 Aug. 1983, *(Int. Sci. Radio Union)* [Sept.-Oct. 1984] 85−5631 (introductory abstract), 85−5927, 85−6483 to 6485, 85−7266 to 7267, 85−7570, 85−7612 to 7626, 85−7643 to 7644, 85−7657, 85−7695 to 7697, 85−7733 to 7735, 85−8450, 85−8502, 85−9171, 85−9235 to 9236

Electromagnetic theory; U.R.S.I. International Symposium on Electromagnetic Theory, Budapest, Hungary, 25-29 Aug. 1986, *(URSI: Hungarian Acad. Sci) Bercelli, T. (editor/s),* [Amsterdam, Netherlands: Elsevier 1986, $275.50] 87−72694 (introductory abstract), 87−73242 to 73243, 87−73590 to 73598, 87−73652 to 73658, 87−73798, 87−73934, 87−74406, 87−74450, 87−74466, 87−74528, 87−74532, 87−74801 to 74804, 87−74959, 87−75184, 87−75310 to 75317, 87−75321, 87−75325, 87−75327 to 75329, 87−75361 to 75419, 87−75439 to 75448, 87−75451 to 75455, 87−75486 to 75487, 87−75520 to 75553, 87−75561 to 75568, 87−75579 to 75584, 87−75603 to 75610, 87−75626 to 75634, 87−75649 to 75654, 87−75844, 87−76007, 87−76833, 87−77393, 87−77597, 87−77660 to 77662, 87−77674, 87−77685, 87−77694, 87−78164, 87−78632, 88−505, 88−932 to 933, 88−969, 88−1311, 88−2015 to 2017, 88−2455 to 2460, 88−2551 to 2557, 88−2593, 88−2645, 88−2653, 88−2670 to 2671, 88−2801 to 2810, 88−2907 to 2908, 88−3792, 88−4926 to 4933, 88−5001, 88−5020 to 5021, 88−7035, 88−8410, 88−8453 to 8455, 88−8478, 88−8485 to 8486, 88−8546 to 8547, 88−8558 to 8561, 88−8566 to 8568, 88−8603 to 8618, 88−8637, 88−9504 to 9505, 88−10088, 88−10345, 88−19318, 88−19382, 88−20432, 88−20875 to 20892, 88−20919 to 20920, 88−20922 to 20923, 88−20979 to 20981, 88−21011, 88−21032, 88−21040, 88−21188, 88−23064

Electromagnetic waves; Second National Radio Science Symposium 1984, Cairo, Egypt, 10-12 March 1984, [Cairo, Egypt: Int. Union of Radio Sci. 1984] 85−5650 (introductory abstract), 85−6133, 85−6488, 85−6504, 85−6539 to 6540, 85−6975, 85−7632, 85−7648 to 7651, 85−7703 to 7705, 85−7725 to 7726, 85−7749, 85−7908, 85−7947, 85−8370, 85−8461, 85−8938, 85−11059, 85−11113, 85−11419, 85−11568, 85−12472 to 12473, 85−13108, 85−13131, 85−13274 to 13276, 85−13315, 85−14579, 85−15415 to 15416, 85−15640

Electromagnetic waves; URSI National Radio Science Symposium on Electromagnetic Waves, Cairo, Egypt, 21-22 Feb. 1983, [Cairo, Egypt: Military Technical College 1983] 85−16589 (introductory abstract), 85−16654, 85−17803, 85−18538, 85−19144 to 19146, 85−19168, 85−19211, 85−19220 to 19222, 85−19264 to 19266, 85−19271 to 19272, 85−19278, 85−19488, 85−20051 to 20053, 85−20172, 85−20258 to 20260, 85−20271

Electromagnetic waves; Third National Radio Science Symposium 1985, Cairo, Egypt, 23-25 Feb. 1985, [Cairo, Egypt: Mil. Tech. Coll. 1985] 85−32934 (introductory abstract), 85−33611, 85−34059, 85−34092 to 34094, 85−34192 to 34195, 85−35018 to 35019, 85−36004, 85−36034, 85−36078, 85−36094, 85−36116 to 36118, 85−36134 to 36135, 85−36238, 85−36301, 85−37086, 85−37100, 85−37112, 85−37293, 85−37334, 85−37730, 85−37743, 85−38335

Electromechanics and industrial electronics applied to manufacturing processes; Symposium on Electromechanics and Industrial Electronics Applied to Manufacturing Processes, S. Felice Circeo Latina, Italy, 17-19 Sept. 1985, *(CNR)* [Italy: ANSALDO Trasporti 1985] 86−33941 (introductory abstract), 86−36658, 86−36674, 86−39716 to 39718, 86−39752 to 39754, 86−39803 to 39809, 86−39829 to 39833, 86−39840 to 39841, 86−39855 to 39856, 86−39971 to 39973, 86−40225

Electron and optical beam testing of integrated circuits; First European Conference on Electron and Optical Beam Testing of Integrated Circuits, Grenoble, France, 9-11 Dec. 1987, [1987] 88−37808 (introductory abstract), 88−38045, 88−38730, 88−38863, 88−39031 to 39032, 88−39459, 88−39578 to 39605, 88−39686 to 39688, 88−39717

Electron beam applications in industry; IEE Colloquium on 'High Energy Beam Processes for Industrial Applications' (Digest No.44), Middlesborough, UK, 23 March 1988, *(IEE)* [London, UK: IEE 1988] 88−55845 (introductory abstract), 88−56009 to 56010, 88−57251, 88−58473, 88−61489, 88−62807 to 62808, 88−62842

Electron beam techniques for submicrometer lithographies; Electron Beam, X-Ray, and Ion-Beam Techniques for Submicrometer Lithographies IV, Santa Clara, CA, USA, 14-15 March 1985, *(SPIE)* [1985] 86−7370 (introductory abstract), 86−8715, 86−8931 to 8949, 86−9155, 86−9222, 86−11813, 86−11831, 86−11921 to 11923

Electron-beam, X-ray and ion-beam lithographies; Electron-Beam, X-Ray, and Ion-Beam Lithographies VI, Santa Clara, CA, USA, 5-6 March 1987, *(SPIE)* [1987] 88−11564 (introductory abstract), 88−13080, 88−13207 to 13236, 88−13496 to 13497, 88−13558

Electron-beam, X-ray and ion-beam lithographies; Electron-Beam, X-Ray, and Ion-Beam Technology: Submicrometer Lithographies VII, Santa Clara, CA, USA, 2-4 March 1988, *(SPIE)* [1988] 88−62859 (introductory abstract), 88−64174, 88−64444 to 64470, 88−64581, 88−64682 to 64683, 88−64761 to 64762, 88−64797 to 64798, 88−65969, 88−68198, 88−68318

Electron devices; International Electron Devices Meeting. Technical Digest (Cat. No. 84CH2099-0), San Francisco, CA, USA, 9-12 Dec. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85−49265 (introductory abstract), 85−49300, 85−49842, 85−49875 to 49885, 85−50140 to 50143, 85−50152 to 50160, 85−50162 to 50164, 85−50193, 85−50212, 85−50261 to 50262, 85−50324 to 50327, 85−50436 to 50438, 85−50459 to 50465, 85−50501 to 50507, 85−50513 to 50515, 85−50562 to 50593, 85−50661 to 50668, 85−50689, 85−50718 to 50763, 85−50798, 85−51054 to 51058, 85−51072 to 51073, 85−51194 to 51196, 85−52318 to 52319, 85−52425, 85−52678 to 52687, 85−52751 to 52752, 85−52786 to 52788, 85−52907, 85−53100, 85−54852 to 54854, 85−54892 to 54896, 85−55162, 85−55357, 85−55396 to 55400, 85−55789 to 55791, 85−55856 to 55858, 85−55922 to 55924, 85−55972 to 55974, 85−56442 to 56447, 85−56456 to 56457, 85−57098, 85−58543

Electron devices; International Electron Devices Meeting. Technical Digest (Cat. No. 85CH2252-5), Washington, DC, USA, 1-4 Dec. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−45928 (introductory abstract), 86−46379, 86−46775, 86−46840 to 46859, 86−47028, 86−47092 to 47093, 86−47215, 86−47226, 86−47233 to 47244, 86−47250 to 47255, 86−47282, 86−47361 to 47362, 86−47402, 86−47425 to 47426, 86−47460, 86−47485 to 47490, 86−47495 to 47496, 86−47511, 86−47527 to 47529, 86−47542 to 47553, 86−47560 to 47561, 86−47595 to 47625, 86−47742 to 47750, 86−47777 to 47781, 86−47840 to 47871, 86−48009 to 48010, 86−48179, 86−48245, 86−48282 to 48289, 86−48297, 86−48307, 86−48311, 86−48438 to 48440, 86−48451 to 48452, 86−49990, 86−50088 to 50092, 86−50111 to 50113, 86−50179, 86−50212, 86−50484, 86−51917

Electron devices; International Electron Devices Meeting 1986. Technical Digest (Cat. No.86CH2381-2), Los Angeles, CA, USA, 7-10 Dec. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−43777 (introductory abstract), 87−43999, 87−44345, 87−44801 to 44803, 87−44841 to 44857, 87−44927, 87−45277 to 45284, 87−45491 to 45494, 87−45515 to 45521, 87−45527 to 45536, 87−45569 to 45570, 87−45669 to 45671, 87−45693 to 45695, 87−45717 to 45718, 87−45748 to 45752, 87−45777, 87−45807 to 45813, 87−45828 to 45834, 87−45875, 87−45898 to 45908, 87−45914 to 45917, 87−45997 to 46026, 87−46122 to 46128, 87−46173 to 46176, 87−46215 to 46231, 87−46698 to 46699, 87−46736, 87−46848, 87−46905 to 46907, 87−46929, 87−46989, 87−49120, 87−49729 to 49732, 87−49861, 87−50100 to 50101, 87−50217, 87−53117 to 53120, 87−53124, 87−53492 to 53494, 87−53565 to 53569, 87−53666, 87−53689, 87−53738 to 53740, 87−56536 to 56541, 87−56709

Electron devices; 1987 International Electron Devices Meeting, IEDM. Technical Digeset (Cat. No.87CH2515-5), Washington, DC, USA, 6-9 Dec. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88−37837 (introductory abstract), 88−38178 to 38179, 88−38487 to 38488, 88−38523 to 38543, 88−38750 to 38758, 88−38974 to 38978, 88−38982, 88−38989 to 39000, 88−39008 to 39017, 88−39027, 88−39052 to 39053, 88−39124 to 39125, 88−39164 to 39167, 88−39180, 88−39230, 88−39260 to 39264, 88−39341, 88−39355 to 39357, 88−39371 to 39372, 88−39402 to 39417, 88−39430 to 39431, 88−39466 to 39493, 88−39523 to 39528, 88−39639 to 39653, 88−39672 to 39677, 88−39693 to 39704, 88−39721 to 39727, 88−39735 to 39738, 88−39788 to 39789, 88−39816, 88−39829 to 39831, 88−40083 to 40085, 88−40106 to 40108, 88−40242 to 40247, 88−40253 to 40254, 88−42072 to 42075, 88−42105 to 42107, 88−42165 to 42170, 88−44513, 88−44521, 88−44524, 88−44602, 88−44685, 88−44724, 88−44788, 88−44846, 88−44875, 88−44890, 88−45221, 88−45443 to 45444

Electron, ion and photon beams; Proceedings of the 1984 International Symposium on Electron, Ion and Photon Beams, Tarrytown, NY, USA, 29 May-1 June 1984, *(American Vacuum Soc.; IEEE; Electrochem. Soc)* [Jan.-Feb. 1985] 85−27917 (introductory abstract), 85−28243 to 28244, 85−28712, 85−28910, 85−29075 to 29093, 85−29118 to 29120, 85−29141 to 29146, 85−29185, 85−29194, 85−29257 to 29264, 85−29994 to 29995, 85−31308, 85−33525, 85−34417 to 34419, 85−34702 to 34724, 85−34842, 85−34874, 85−34959 to 34962, 85−35046 to 35048, 85−35337, 85−35578, 85−35822, 85−35972, 85−35975 to 35976, 85−37862 to 37863

Electron, ion and photon beams; Proceedings of 29th International Symposium on Electron, Ion and Photon Beams, Portland, OR, USA, 28-31 May 1985, *(IEEE; American Vacuum Soc.; Electrochem. Soc.)* [Jan.-Feb. 1986] 86−33901 (introductory abstract), 86−34381 to 34382, 86−35260 to 35263, 86−35273, 86−35277, 86−35396, 86−35451, 86−35485 to 35523, 86−35550, 86−35584 to 35593, 86−35659 to 35660, 86−35707 to 35708, 86−35790 to 35794, 86−38557, 86−38680 to 38681, 86−38727

Electron, ion and photon beams; 30th International Symposium on Electron, Ion, and Photon Beams, Boston, MA, USA, 27-30 May 1986, *(American Vac. Soc.; IEEE)* [Jan.-Feb. 1987] 87−36294 (introductory abstract), 87−36486, 87−36579, 87−37755, 87−37832, 87−37848, 87−37854, 87−37949, 87−38022 to 38047, 87−38077 to 38078, 87−38129 to 38133, 87−38166 to 38167, 87−38302 to 38304, 87−38371 to 38373, 87−38375 to 38377, 87−38379 to 38405, 87−38848 to 38849, 87−39306 to 39312, 87−41803 to 41805

Electron, ion and photon beams; 31st International Symposium on Electron, Ion, and Photon Beams, Woodland Hills, CA, USA, 26-29 May 1987, *(IEEE; American Vacuum Soc)* [Jan.-Feb. 1988] 88−37807 (introductory abstract), 88−38238, 88−39102 to 39104, 88−39218 to 39221, 88−39255, 88−39293 to 39334, 88−39363, 88−39458, 88−39514 to 39515, 88−39574 to 39575, 88−39716, 88−39822, 88−40487, 88−42401, 88−44639, 88−44666 to 44673, 88−44712 to 44716, 88−44819, 88−47910 to 47911

Electron microscopy; Electron Microscopy 1984. Proceedings of the Eighth European Congress on Electron Microscopy (EUREM 84), Budapest, Hungary, 13-18 Aug. 1984, *Csanady, A Rohlich, P. Szabo, D. (editor/s),* [Budapest,

Hungary: Programme Committee Eighth Eur. Congress Electron Microscopy 1984] 86—7380 (introductory abstract)

Electron microscopy; Materials of the XII All-Union Conference on Electron Microscopy, Sumy, Ukrainian SSR, USSR, 1982, [1984] 86—7365 (introductory abstract), 86—8711 to 8713, 86—9212

Electron microscopy and analysis; Electron Microscopy and Analysis, 1985. Proceedings of the Institute of Physics Electron Microscopy and Analysis Group Conference, Newcastle-upon-Tyne, UK, 2-5 Sept. 1985, *Tatlock, G.J. (editor/s),* [Bristol, UK: Adam Hilger 1986, £49.50] 87—6466, 87—6522, 87—9867

Electron microscopy and analysis; Electron Microscopy and Analysis, 1987. Proceedings of the Institute of Physics Electron Microscopy and Analysis Group Conference (EMAG 87), Manchester, UK, 8-9 Sept. 1987, *Brown, M.L. (editor/s),* [Bristol, UK: IOP 1987, £40.00] 88—39040, 88—44503, 88—44530 to 44532, 88—44630, 88—44725

Electron microscopy and electron-diffraction; Proceedings of the All-Union Symposium on Electron Microscopy and Electron-Diffraction Methods in the Investigation of the Formation, Structure and Property of Solids, Zvenigorod, USSR, May 1983, [1984] 86—20039, 86—20079

Electron microscopy, high resolution; High-Resolution Electron Microscopy. Proceedings of the Arizona State University Centennial Symposium, Tempe, AZ, USA, 7-11 Jan. 1985, *(Univ. Arizona; NSF; AMAX Found.; et al)* [1985] 86—26851, 86—28032, 86—28066, 86—28212

Electron microscopy in materials science; First Conference on Frontiers of Electron Microscopy in Materials Science, Argonne, IL, USA, 20-23 April 1986, *(Argonne Nat. Lab.; AIME; Midwest Soc. Electron Microscopists)* [1987] 87—56535

Electron optical systems; Electron Optical Systems for Microscopy, Microanalysis and Microlithography. Proceedings of the 3rd Pfefferkorn Conference, Ocean City, MD, USA, 9-14 April 1984, *(Scanning Electron Microscopy)* [1984] 85—44375 (introductory abstract), 85—45352 to 45356, 85—45373, 85—45503, 85—48027

Electron scattering in nuclear and particle science; Workshop on Electron Scattering in Nuclear and Particle Science, Urbana-Champaign, IL, USA, 23-24 Oct. 1986, [1987] 88—16566 (introductory abstract), 88—16567 to 16568, 88—16613

Electron tubes and vacuum electronics; Elektronenrohren und Vakuumelektronic. Vortrage der NTG-Fachtagung (Electron Tubes and Vacuum Electronics. Proceedings of the NTG Meeting), Garmisch-Partenkirchen, West Germany, 5-7 May 1986, *(NTG; IEEE)* [1986] 87—5126 (introductory abstract), 87—6320 to 6321, 87—6323 to 6330, 87—6333 to 6338, 87—6344 to 6345, 87—6351, 87—8238, 87—8670, 87—8883, 87—10675, 87—11274, 87—11278 to 11280, 87—11285 to 11288, 87—11297 to 11298, 87—11300 to 11304, 87—11312, 87—12338, 87—12394 to 12396, 87—12646, 87—13922, 87—14142, 87—14800 to 14803, 87—15335, 87—15936

Electronic banking networks; Proceedings of the 3rd International Symposium and Workshop on Electronic Banking. Networks Providing Solutions for Banking and the Other Financial Industries, Berlin, West Germany, 9-13 June 1986, *(AMK Berlin)* [Berlin, West Germany: AMK Berlin 1986] 87—13262, 87—13471 to 13472, 87—13526

Electronic communications; Proceedings of the Fifth Middle East Electronic Communications Show and Conference. MECOM 87, Bahrain, 13-15 Jan. 1987, [London, UK: Overseas Exhibition Services 1987] 88—44 (introductory abstract), 88—3414 to 3420, 88—3450, 88—3487 to 3488, 88—3610, 88—3761, 88—3849, 88—3886 to 3887, 88—3951 to 3953, 88—4055, 88—4220 to 4221, 88—5821

Electronic components; 34th Electronic Components Conference, New Orleans, LA, USA, 14-16 May 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—23162, 85—23182, 85—23205, 85—23261 to 23263, 85—23273, 85—23278, 85—23289 to 23290, 85—23305 to 23306, 85—23888 to 23892, 85—24034, 85—25376, 85—25886, 85—26217

Electronic components; 35th Electronic Components Conference (Cat. No. 85CH2184-0), Washington, DC, USA, 20-22 May 1985, *(IEEE; Electron. Ind. Assoc)* [New York, NY, USA: IEEE 1985] 86—13296 (introductory abstract), 86—13465 to 13466, 86—13484 to 13499, 86—13536 to 13537, 86—13591 to 13595, 86—13903, 86—14530, 86—14558 to 14561, 86—14571 to 14576, 86—14587, 86—14615 to 14618, 86—14632 to 14634, 86—14710 to 14715, 86—14721 to 14722, 86—14726 to 14727, 86—14732 to 14735, 86—14740 to 14746, 86—14761 to 14768, 86—15065, 86—15078 to 15079, 86—15127, 86—15144, 86—15243, 86—15273 to 15274, 86—15292, 86—15307, 86—15333, 86—18176, 86—19522

Electronic components; 36th Electronic Components Conference Proceedings 1986 (Cat. No.86CH2302-8), Seattle, WA, USA, 5-7 May 1986, *(IEEE; Electron. Ind. Assoc)* [New York, NY, USA: IEEE 1986] 86—62972 (introductory abstract), 86—61927, 86—61939 to 61951, 86—61964, 86—61986 to 61988, 86—62267 to 62270, 86—62283 to 62286, 86—62319 to 62320, 86—62580, 86—62636, 86—62847, 86—62856 to 62857, 86—62861 to 62868, 86—62896, 86—62901 to 62904, 86—62909 to 62910, 86—62915, 86—62943 to 62947, 86—62950 to 62954, 86—62960 to 62969, 86—62973 to 62980, 86—62982 to 62986, 86—63066, 86—63219, 86—63228, 86—63345, 86—63423 to 63429, 86—63434, 86—63474, 86—63490, 86—63681, 86—63736, 86—63836, 86—65012 to 65014, 86—65253

Electronic components; 1987 Proceedings of the 37th Electronic Components Conference (Cat. No.87CH2448-9), Boston, MA, USA, 11-13 May 1987, *(IEEE; Electron. Ind. Assoc)* [New York, NY, USA: IEEE 1987] 87—65067 (introductory abstract), 87—65213 to 65215, 87—66567, 87—66594 to 66600, 87—66645 to 66649, 87—66689, 87—66710, 87—66773, 87—66777, 87—66795, 87—66800 to 66801, 87—67371, 87—68309, 87—72837 to 72851, 87—72880, 87—73147, 87—73151, 87—73160 to 73161, 87—73164, 87—73213, 87—73428, 87—73805 to 73807, 87—73817 to 73819, 87—73853, 87—73868, 87—73887, 87—73921 to 73925, 87—73930 to 73933, 87—73943 to 73946, 87—74219 to 74221, 87—74271, 87—74332, 87—74339, 87—74398 to 74403, 87—74448, 87—74481, 87—74798, 87—74945, 87—76811 to 76812, 87—79255

Electronic components; 1988 Proceedings of the 38th Electronics Components Conference (88CH2600-5), Los Angeles, CA, USA, 9-11 May 1988, *(IEEE; Electron. Ind. Assoc)* [New York, NY, USA: IEEE 1988] 88—62882 (introductory abstract), 88—62994, 88—63049 to 63063, 88—63385, 88—63394 to 63396, 88—63428 to 63429, 88—63990 to 63999, 88—64046 to 64050, 88—64060 to 64065, 88—64114, 88—64118, 88—64125 to 64126, 88—64128 to 64133, 88—64141 to 64152, 88—64156 to 64163, 88—64271, 88—64327, 88—64472, 88—64489, 88—64508, 88—64700 to 64701, 88—64747, 88—64876, 88—65001 to 65007, 88—65247 to 65248, 88—65363, 88—66126, 88—67429 to 67431, 88—68020, 88—68514, 88—69705

Electronic defects in semiconductors; Microscopic Identification of Electronic Defects in Semiconductors, San Francisco, CA, USA, 15-18 April 1985, *(Mater. Res. Soc) Johnson, N.M. Bishop, S.G. Watkins, G.D. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1985] 86—20066, 86—20149, 86—21121 to 21122, 86—21148 to 21149, 86—21353, 86—21621, 86—21807

Electronic delivery of data and software; Conference on Electronic Delivery of Data and Software (Publ. No.69), London, UK, 16-17 Sept. 1986, *(IERE)* [London, UK: IERE 1986] 87—10049 (introductory abstract), 87—11975, 87—12884, 87—13341 to 13353, 87—13473, 87—13857 to 13858, 87—13949 to 13951

Electronic device and board ATE; IEE Colloquium on 'Automatic Test Technology for Electronic Devices and Boards' (Digest No.109), London, UK, 5 Dec. 1985, *(IEE)* [London, UK: IEE 1985] 86—19751 (introductory abstract), 86—20511, 86—21808, 86—24349 to 24350

Electronic engineering; Electronic Engineering, the Way Ahead Conference Proceedings, Hull, UK, 27-29 March 1984, [Hull, UK: Univ. Hull 1984] 85—5651 (introductory abstract)

Electronic filters; IEE 1985 Saraga Colloquium on 'Electronic Filters' (Digest No.66), London, UK, 29 May 1985, *(IEE)* [London, UK: IEE 1985] 85—49279 (introductory abstract), 85—49969 to 49970, 85—49984 to 49989, 85—50001

Electronic filters; 1986 Saraga Colloquium on 'Electronic Filters' (Digest No.76), London, UK, 14 May 1986, *(IEE)* [London, UK: IEE 1986] 86—45953 (introductory abstract), 86—46511, 86—46953, 86—46985 to 46987, 86—47015 to 47017, 86—47058, 86—50146

Electronic filters; 1987 Saraga Colloquium on 'Electronic Filters' (Digest No.35), London, UK, 24 March 1987, *(IEE)* [London, UK: IEE 1987] 87—43811 (introductory abstract), 87—45008 to 45011, 87—45059 to 45062, 87—45120 to 45121

Electronic filters; IEE 1988 Saraga Colloquium on 'Electronic Filters' (Digest No.77), London, UK, 16 May 1988, *(IEE)* [London, UK: IEE 1988] 88—49395 (introductory abstract), 88—50049, 88—50237, 88—50253 to 50258, 88—50281 to 50282, 88—51040, 88—52499 to 52501

Electronic imaging; SPSE 26th Fall Symposium: Fifth International Conference on Electronic Imaging, Arlington, VA, USA, Oct. 1986, [Aug. 1987] 87—72663 (introductory abstract), 87—77127 to 77128, 87—77328

Electronic manufacturing technology; IEEE/CHMT International Electronic Manufacturing Technology Symposium Proceedings 1986 (Cat. No.86CH2295-0), San Francisco, CA, USA, 15-17 Sept. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87—22997 (introductory abstract), 87—16382 to 16383, 87—16398 to 16405, 87—16705, 87—16714, 87—17542 to 17544, 87—17572 to 17574, 87—18272 to 18274, 87—23293, 87—23328 to 23331, 87—23346 to 23352, 87—23432, 87—24463, 87—24605 to 24607, 87—24640, 87—24654 to 24657, 87—25482, 87—28170, 88—24525, 88—24544, 88—24559 to 24562, 88—25286, 88—25450, 88—25677 to 25680, 88—25754 to 25757, 88—26108, 88—26384

Electronic manufacturing technology; Third IEEE/CHMT International Electronic Manufacturing Technology Symposium 'Manufacturing Technology - The Competitive Advantage' (Cat. No.87CH2483 6), Anaheim, CA, USA, 12-14 Oct. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88—24366 (introductory abstract), 88—24517, 88—24537 to 24538, 88—24580 to 24583, 88—24599 to 24600, 88—24814, 88—25638, 88—25655, 88—25708 to 25713, 88—25742 to 25748, 88—25758 to 25760, 88—26183, 88—26477 to 26487, 88—26892, 88—27369 to 27370, 88—29653, 88—31047

Electronic materials and processes; 1st International SAMPE Electronics Conference. Vol.1. Electronic Materials and Processes, Santa Clara, CA, USA, 23-25 June 1987, *Kordsmeier, N.H., Jr. Harper, C.A. Lee, S.M. (editor/s),* [Covina, CA, USA: Soc. Adv. Mater. & Process. Eng. 1987, $60.00] 88—18327 (introductory abstract), 88—18483, 88—18498 to 18508, 88—18695 to 18696, 88—18768 to 18774, 88—18813, 88—19461, 88—19492 to 19494, 88—19509, 88—19546 to 19548, 88—19551, 88—19560 to 19562, 88—19569 to 19571, 88—19668 to 19669, 88—19840, 88—20196, 88—20202, 88—23152, 88—24547, 88—24572 to 24576, 88—24696, 88—24741, 88—24813, 88—24816, 88—24820 to 24824, 88—24853 to 24854, 88—25577, 88—25635 to 25637, 88—25706 to 25707, 88—25720, 88—25775, 88—25877, 88—25890 to 25891, 88—26474, 88—26561

Electronic materials and processing; Frontiers in Electronic Materials and Processing. First Topical Conference, Houston, TX, USA, 19-21 Nov. 1985, [1986] 86—57071 (introductory abstract), 86—57135, 86—57211 to 57212, 86—57431, 86—58287 to 58288, 86—58316, 86—58374, 86—58431, 86—58466, 86—58493 to 58500, 86—58603, 86—58703, 86—58705, 86—58737, 86—58802, 86—58812 to 58813, 86—58911

Electronic materials deposition and characterisation; Deposition and Characterization of Electronic Materials: DCEM '87 Conference, Manchester, UK, 15-17 July 1987, [Dec. 1987] 88—43535 (introductory abstract), 88—43866 to 43867, 88—43920 to 43922, 88—43959

Electronic message systems; Electronic Message Systems. Proceedings of the International Business Strategy Conference, London, UK, Oct. 1986, [Pinner, UK: Online Publications 1986, £80.00] 87—20122 (introductory abstract), 87—20084 to 20085, 87—20123 to 20149, 87—20286 to 20287

Electronic message systems; Electronic Message Systems 87. Proceedings of the International Conference, London, UK, Nov. 1987, [Pinner, UK: Online Publications 1987] 88—73510 to 73534, 88—73636

Electronic microscopy; Annual Meeting of the Societe Francaise de Microscopie Electronique, Montpellier, France, 21-24 May 1984, [July 1984] 85—5629 (introductory abstract), 85—6733, 85—6750, 85—6759, 85—6798, 85—7020, 85—9388, 85—11871 to 11872, 85—13059, 85—18010

Electronic packaging; Proceedings: Internepcon Electronic Packaging Conference, Brighton, UK, 6-8 Oct. 1987, [Twickenham, UK: Cahners Exhibitions 1987] 88—43597 (introductory abstract), 88—31504 to 31507, 88—32566, 88—37711, 88—43639, 88—43674, 88—43691, 88—43700 to 43701, 88—43710 to 43714, 88—44159, 88—44417, 88—44445 to 44447, 88—44479 to 44481, 88—44488, 88—45734 to 45735, 88—46395, 88—46487, 88—48283

Electronic packaging and corrosion in microelectronics; Electronic Packaging and Corrosion in Microelectronics. Proceedings of ASM's Third Conference on Electronic Packaging: Materials and Processes and Corrosion in Microelectronics, Minneapolis, MN, USA, 28-30 April 1987, *(ASM Int.; Univ. Minnesota; IEEE; NACE) Nicholson, M.E. (editor/s),* [Metals Park, OH, USA: ASM Int. 1987, $69.00] 87—72704 (introductory abstract), 87—65180, 87—65219 to 65221, 87—65612 to 65614, 87—66692, 87—66765 to 66769, 87—66774, 87—66802 to 66803, 87—67144, 87—67519 to 67521, 87—72855 to 72865, 87—72888 to 72889, 87—73152, 87—73165, 87—73870 to 73871, 87—73913, 87—73935, 87—74222

Electronic packaging and production; Proceedings of the Technical Program of NEPCON EAST: Packaging, Production, Testing. National Electronic Packaging and Production Conference, Boston, MA, USA, 19-21 June 1985, [Des Plaines, IL, USA: Cahners Exposition Group 1985] 86—57099 (introductory abstract), 86—57205 to 57210, 86—57222 to 57223, 86—57292, 86—57514, 86—57924, 86—58093, 86—58105, 86—58112 to 58114, 86—58120 to 58123, 86—58144 to 58174, 86—58183 to 58184, 86—58195

Electronic packaging and production; Proceedings of the Technical Program of the National Electronic Packaging and Production Conference - NEPCON West '87, Anaheim, CA, USA, 24-26 Feb. 1987, [Des Plaines, IL, USA: Cahners Exposition Group 1987, $90.00] 88—11593 (introductory abstract),

88−11684, 88−11727 to 11728, 88−11743 to 11747, 88−11769 to 11773, 88−11789 to 11791, 88−11809, 88−12378, 88−12717 to 12721, 88−12742 to 12743, 88−12803 to 12839, 88−12862, 88−12864 to 12867, 88−14450, 88−18207, 88−18418, 88−18481 to 18482, 88−18497, 88−19453, 88−19472, 88−19491, 88−19507 to 19508, 88−19531 to 19545, 88−19550, 88−19554

Electronic packaging materials science; Electronic Packaging Materials Science. Materials Research Society Symposia Proceedings, Boston, MA, USA, 27-29 Nov. 1984, *Giess, E.A. King-Ning Tu Uhlmann, D.R. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1985] 86−13304 (introductory abstract), 86−13474, 86−13510 to 13512, 86−13841 to 13846, 86−13904 to 13905, 86−14636, 86−14718, 86−14752, 86−15068 to 15069, 86−15097 to 15100

Electronic packaging materials science; Electronic Packaging Materials Science II Symposium, Palo Alto, CA, USA, 15-18 April 1986, *Jackson, K.A. Pohanka, R.C. Uhlmann, D.R. Ulrich, D.R. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−23022 (introductory abstract), 87−23355 to 23362, 87−23749, 87−23753 to 23755, 87−23759 to 23762, 87−23802 to 23804, 87−24500 to 24503, 87−24552 to 24553, 87−24641 to 24642, 87−24651 to 24652, 87−24658 to 24659, 87−25363, 87−25529 to 25531, 87−25628

Electronic POS systems; IEE Colloquium on Developments in Electronic Point of Sale (Digest No.102), London, UK, 13 Dec. 1983, *(IEE)* [London, UK: IEE 1983] 85−30739 to 30740

Electronic processes in conducting polymers; Conference on Electronic Processes in Conducting Polymers, Vadstena, Sweden, 18-20 Aug. 1986, [Aug. 1987] 88−5835, 88−7325

Electronic product design; IEE Vacation School on 'Electronic Product Design', Guildford, Surrey, UK, 20-25 Sept. 1987, *(IEE)* [London, UK: IEE 1987] 88−6130 (introductory abstract), 88−6231 to 6239, 88−6256 to 6257, 88−6284 to 6285, 88−6627, 88−7152, 88−7549, 88−8539

Electronic production efficiency; Proceedings of the Electronic Production Efficiency Exposition 84, Birmingham, UK, 1-3 May 1984, [Buckingham, UK: Network Events 1984, £125.00] 85−32905 (introductory abstract), 85−32968, 85−33075, 85−33131, 85−33160 to 33161, 85−33194, 85−33211, 85−33832, 85−33923, 85−34275, 85−34286 to 34288, 85−34339 to 34347, 85−34393, 85−35126

Electronic production efficiency; Electronic Production Efficiency Exposition '85 Conference Proceedings, Birmingham, UK, 30 April-2 May 1985, [Buckingham, UK: Network Events 1985, £25.00] 86−13292 (introductory abstract), 86−13461, 86−13482, 86−13535, 86−13589, 86−14703 to 14708, 86−19811, 86−19837, 86−20309 to 20310, 86−20476, 86−20626, 86−20873, 86−20913 to 20914, 86−20972 to 20973, 86−21742 to 21743, 86−23505, 86−24336 to 24341

Electronic properties of two-dimensional systems; Electronic Properties of Two-Dimensional Systems. Proceedings of the Yamada Conference XIII, Kyoto, Japan, 9-13 Sept. 1985, *(Yamada Sci. Found)* [April 1986] 86−53325, 86−53346, 86−53370, 86−53408 to 53433, 86−53478 to 53479, 86−53665 to 53673

Electronic properties of two-dimensional systems; Seventh International Conference on Electronic Properties of Two-Dimensional Systems - EP2DS-VII, Santa Fe, NM, USA, 27-31 July 1987, *(IUPAP; Bell Commun. Res.; IBM; et al)* [March 1988] 88−31276 (introductory abstract), 88−32913 to 32914, 88−32949 to 32952, 88−33120, 88−33234 to 33235

Electronic publishing; Electronic Publishing: Corporate and Commercial Publishing. Proceedings of the International Conference, London, UK, 5-7 Nov. 1985, [Pinner, UK: Online Publications 1985, £75.00] 86−37453 (introductory abstract), 86−37454 to 37455, 86−38100 to 38104

Electronic publishing; Electronic Publishing: The New Way to Communicate. Proceedings of the Symposium (EUR-10978-EN), Luxembourg, 5-7 Nov. 1986, *Mastroddi, F. (editor/s),* [London, UK: Kogan Page 1987] 88−28294, 88−28329, 88−28496, 88−29137

Electronic publishing; Electronic Publishing. Proceedings of the International Conference, London, UK, 30 Sept.-2 Oct. 1986, [Pinner, UK: Online Publications 1986, £75.00] 87−13470

Electronic spatial sensing for the blind; Electronic Spatial Sensing for the Blind. NATO Advanced Research Workshop on Visual Spatial Prothesis for the Blind, Lake Arrowhead, CA, USA, 10-13 Sept. 1984, *(NATO) Warren, D.H. Strelow, E.R. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1985] 86−33946 (introductory abstract)

Electronic turbine governing; Technical Workshop on Electronic Turbine Governing, Loughborough, UK, 20 March 1986, [April 1987] 87−43743 (introductory abstract), 87−51027 to 51029

Electronic workplace, evolutions; ERGODESIGN 86 - The Evolution of the Electronic Workplace, Montreux, Switzerland, 21-24 Oct. 1986, [July-Sept. 1987] 88−18285 (introductory abstract), 88−18422, 88−18435, 88−18539, 88−22700

Electronically tunable microwave oscillators; IEE Colloquium on 'Electronically Tunable Microwave Oscillators' (Digest No.02), London, UK, 7 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87−31158 (introductory abstract), 87−32102 to 32107

ELECTRONICOM '85; IEEE ELECTRONICOM '85. Conference Proceedings (Cat. No.85CH2238-4), Toronto, Ont., Canada, 7-9 Oct. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 87−22989 (introductory abstract), 87−23199, 87−23430, 87−23877, 87−23887, 87−24001, 87−24186, 87−24246 to 24247, 87−24300, 87−24322, 87−24358 to 24363, 87−24460 to 24461, 87−24498, 87−25470, 87−25577 to 25578, 87−26060 to 26061, 87−26576 to 26578, 87−26606, 87−26782, 87−26866, 87−26911 to 26913, 87−26934, 87−27056 to 27057, 87−27130, 87−27149 to 27150, 87−27205 to 27206, 87−27255 to 27256, 87−27420, 87−27628 to 27629, 87−27695 to 27699, 87−27822 to 27823, 87−27900, 87−27941, 87−28005, 87−28145 to 28151, 87−28275 to 28276, 87−28329, 87−28345, 87−28353, 87−28368 to 28370, 87−28435 to 28436, 87−28493 to 28499, 87−28618 to 28620, 87−28655 to 28656, 87−28681 to 28683, 87−28821, 87−28928 to 28931, 87−29018 to 29020, 87−29191, 87−29271, 87−29302, 87−29706, 87−29817 to 29818, 87−29891, 87−30016, 87−30094 to 30100, 87−30135 to 30136, 87−30188 to 30189, 87−30226, 87−30257, 87−30274 to 30276, 87−30286, 87−30455 to 30456, 87−30606 to 30607, 87−30745 to 30747, 87−30842 to 30844, 87−30880, 87−30882 to 30884, 87−31084

Electronics and aerospace systems; Proceedings IEEE EASCON '84. 17th Annual Electronics and Aerospace Conference (Cat. No. 84CH2074-3), Washington, DC, USA, 10-12 Sept. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85−27939 (introductory abstract), 85−22173, 85−23145, 85−23914 to 23916, 85−24835, 85−24985, 85−25230 to 25231, 85−25305, 85−25328, 85−25621 to 25623, 85−25728, 85−25831 to 25837, 85−25937, 85−25987, 85−26098, 85−26846, 85−26870, 85−26876, 85−27879, 85−28730, 85−29306, 85−29664, 85−30122, 85−30590 to 30591, 85−30622, 85−30735, 85−30942, 85−31012 to 31013, 85−31227, 85−31970

Electronics and aerospace systems; EASCON 87: 20th Annual Electronics and Aerospace Systems Conference - Technology for Space Leadership. Conference Proceedings (Cat. No.87CH2491-9), Washington, DC, USA, 14-16 Oct 1987, *(IEEE; AT&T; COMSAT; Eastman Kodak; et al)* [New York, NY, USA: IEEE 1987] 88−24355 (introductory abstract), 88−25268 to 25269, 88−27608, 88−28816, 88−28937, 88−30067 to 30075, 88−30129 to 30130, 88−30168 to 30169, 88−30209 to 30210

Electronics and automation; Electronics and Automation '84, Oslo, Norway, 9-13 Oct. 1984, [Oslo, Norway: Norges Varemesse 1984] 86−49 (introductory abstract)

Electronics and vacuum physics; Seventh Czechoslovak Conference on Electronics and Vacuum Physics, Bratislava, Czechoslovakia, 3-6 Sept. 1985, [July-Sept. 1986] 87−10454, 87−16654, 87−17596 to 17597, 87−18042, 87−21177

Electronics assembly; 1987 International Electronics Assembly Conference, Minneapolis, MN, USA, 5-7 Oct. 1987, [Norcross, GA, USA: Inst. Ind. Eng. 1987] 88−70007 (introductory abstract), 88−70090, 88−70120 to 70126, 88−71237 to 71238, 88−71728, 88−74278 to 74279, 88−75029

Electronics in mining; Electronics in Mining Symposium, Randburg, South Africa, 18-20 Sept. 1984, [Marshalltown, South Africa: South African Inst. Electr. Eng. 1984] 85−39434 (introductory abstract), 85−39513, 85−39546, 85−42198, 85−42294 to 42296, 85−42471, 85−42496 to 42498, 85−42919 to 42920, 85−43092, 85−43472 to 43473, 85−43499, 85−43654 to 43655, 85−43939, 85−44280, 85−44362 to 44363

Electronics in power systems measurement; IEE Colloquium on 'Electronics in Power Systems Measurement' (Digest No.54), London, UK, 18 April 1988, *(IEE)* [London, UK: IEE 1988] 88−43610 (introductory abstract), 88−48567, 88−48618 to 48620, 88−49283

Electronics in social development; IETE Mid-Term Symposium on 'Electronics in Social Development', Lucknow, India, 5 Oct. 1986, [May 1987] 87−72659 (introductory abstract), 87−72796, 87−76052 to 76054, 87−76196, 87−77606, 87−78522

Electronics packaging; Proceedings of the Technical Conference. 3rd Annual International Electronics Packaging Conference, Itasca, IL, USA, 24-26 Oct. 1983, [Glen Ellyn, IL, USA: Int. Electron. Packaging Soc. 1983] 85−22077 (introductory abstract)

Electronics packaging; Fifth Annual International Electronics Packaging Conference. Proceedings of the Technical Conference, Orlando, FL, USA, 21-23 Oct. 1985, [Glen Ellyn, IL, USA: Int. Electron. Packaging Soc. 1985] 86−45937 (introductory abstract), 86−45973 to 45974, 86−46075 to 46076, 86−46082, 86−46098 to 46116, 86−46122, 86−47138, 86−47148 to 47150, 86−47156 to 47157, 86−47206 to 47209, 86−47212 to 47213, 86−47217, 86−47633, 86−47757 to 47758, 86−48308, 86−52215, 86−52242, 86−52277 to 52285, 86−52537, 86−52888, 86−53126, 86−53136 to 53137, 86−53154 to 53155, 86−53207 to 53208, 86−53214, 86−53580

Electronics packaging; IEPS: Proceedings of the Technical Conference. Sixth Annual International Electronics Packaging Conference, San Diego, CA, USA, 17-19 Nov. 1986, [Wheaton, IL, USA: Int. Electron. Packaging Soc. 1986] 87−36341 (introductory abstract), 87−36487, 87−36511 to 36516, 87−37592, 87−37660 to 37663, 87−37742 to 37746, 87−37767 to 37768, 87−38501 to 38502, 87−44002 to 44008, 87−44088, 87−44414, 87−45169, 87−45362, 87−45380, 87−45451, 87−45472, 87−46144, 87−46238, 87−46563, 87−46586, 87−46914, 87−49736, 87−49989, 87−51793, 87−51867 to 51880, 87−52211, 87−52382, 87−52972 to 52978, 87−52995, 87−53058 to 53060, 87−53062 to 53064, 87−53073, 87−53088

Electronics technology; Optical, Acoustical and Filmtechnical Society Symposium on Electronics Technology. Proceedings, Budapest, Hungary, 15-18 Sept. 1987, [Budapest, Hungary: Opt. Acoust. & Filmtech. Soc. 1987] 88−49374 (introductory abstract)

Electrons and ions in condensed matter; Physics and Chemistry of Electrons and Ions in Condensed Matter. Proceedings of the NATO Advanced Study Institute, Cambridge, UK, 6-17 Sept. 1983, *Acrivos, J.V. Mott, N.F. Yoffe, A.D. (editor/s),* [Dordrecht, Netherlands: Reidel 1984, Dfl.245.00] 86−1848

Electrons in atoms and solids; Electrons in Atoms and Solids. Proceedings of the Symposium Honoring Professor Gregory Wannier, Eugene, OR, USA, 19-20 May 1983, [Aug. 1984] 85−6761

Electrostatic accelerator technology; Proceedings of the Fourth International Conference on Electrostatic Accelerator Technology and Associated Boosters, Buenos Aires, Argentina, 15-19 April 1985, [15 Feb. 1986] 86−38626 (introductory abstract), 86−31871 to 31875, 86−32084 to 32090, 86−38627 to 38650, 86−38665 to 38666, 86−38682 to 38689

Electrostatic and associated linear accelerators; Electrostatic and Associated Linear Accelerators. Proceedings of the Symposium of Northeastern Accelerator Personnel, Argonne, IL, USA, 21-24 Oct. 1985, *(Argonne Nat. Lab.; Univ. Chicago)* [May 1986] 86−52106 (introductory abstract), 86−52523, 86−53533, 86−53870, 86−54050, 86−55555, 86−55572, 86−55597, 86−55628, 86−55812, 86−55815, 86−55822, 86−55844 to 55845, 86−55880, 86−55895 to 55896, 86−55911 to 55937, 86−55945 to 55949, 86−55982 to 55990, 86−56049, 86−56075 to 56076, 86−56109, 86−56962

Electrostatic charge migration; Electrostatic Charge Migration. Papers from a One-Day Meeting of the Static Electrification Group of the Institute of Physics, London, UK, 9 March 1988, *(IOP; IEE) Sproston, J.L. (editor/s),* [Bristol, UK: IOP 1988] 88−62903 (introductory abstract), 88−65952 to 65956, 88−69044

Electrostatic damage in electronics; Electrostatic Damage in the Electronics Industry. Proceedings of a One-Day Meeting of the Static Electrification Group of the Institute of Physics, London, UK, 9 Dec. 1987, *(IOP; IEE) Sproston, J.L. (editor/s),* [Bristol, UK: IOP 1987] 88−18339 (introductory abstract), 88−18429 to 18430, 88−18470 to 18473, 88−19791, 88−20104

Electrostatics; Proceedings Fifth International Conference on Electrostatics, Uppsala, Sweden, 3-5 June 1985, *(R. Swedish Acad. Eng. Sci)* [May 1985] 85−44370 (introductory abstract), 85−44763 to 44765, 85−45453, 85−45783 to 45784, 85−45921, 85−46537 to 46540, 85−50791, 85−51374 to 51376

Electrostatics; Electrostatics 1987. Invited and Contributed Papers from the Seventh International Conference on Electrostatic Phenomena, Oxford, UK, 8-10 April 1987, *Sproston, J.L. (editor/s),* [Bristol, UK: IOP 1987, £37.50] 88−31285 (introductory abstract), 88−25764 to 25765, 88−27403 to 27412, 88−27446, 88−31022, 88−32703, 88−33329, 88−33447, 88−34211 to 34212, 88−34216 to 34230, 88−34245, 88−34248 to 34256, 88−35979, 88−36134, 88−36138, 88−36206 to 36207, 88−36497

Electrotechnics; 6th European Conference on Electrotechnics - EUROCON 84. Computers in Communication and Control (Conf. Publ. No. 22), Brighton, UK, 26-28 Sept. 1984, *(IEEE; EUREL)* [London, UK: Peter Peregrinus 1984] 85−60655 (introductory abstract), 85−60720, 85−61311 to 61312, 85−62980 to 62982, 85−63142 to 63146, 85−63215 to 63216, 85−63242 to 63243, 85−63260, 85−63363 to 63370, 85−63430, 85−63454 to 63458, 85−63470, 85−63491, 85−63527 to 63528, 85−63553, 85−63624 to

63625, 85−63851, 85−64003, 85−64670, 85−64841 to 64843, 85−65019, 85−65137, 85−65216, 85−65265, 85−65624

Electrotechnologies; MONTECH '87 Conference: Electrotechnologies Conference (Cat. No.87CH2516-3), Montreal, Que., Canada, 11-12 Nov. 1987, *(IEEE; Canadian Committee Electrotechnol)* [New York, NY, USA: IEEE 1987] 88−55840 (introductory abstract), 88−56326, 88−58796, 88−58821, 88−61868, 88−61884, 88−62333, 88−62674, 88−62765 to 62766, 88−62780 to 62787, 88−62806, 88−62827, 88−62833, 88−62835

Elementary particles; Proceedings of the International School of Physics 'Enrico Fermi' Course XCII: Elementary Particles, Varenna, Italy, 26 June-6 July 1984, *Cabibbo, N. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, Dfl.300.00] 88−16653

EM inspection; Electromagnetic Inspection. Proceedings of a One-Day Meeting of the Materials and Testing Group of the Institute of Physics, London, UK, 22 March 1988, [Bristol, UK: IOP Publishing 1988] 88−43606 (introductory abstract), 88−43982 to 43988

EM interference in cardiac pacemakers; IEE Colloquium on Electromagnetic Interference and Cardiac Pacemakers (Digest No.7), London, UK, 22 Jan. 1985, *(IEE)* [London, UK: IEE 1985] 85−32928 (introductory abstract), 85−38239 to 38248, 85−39080

EM interference problems in microprocessor systems; IEE Colloquium on 'Electromagnetic Interference Problems in Microprocessor Systems' (Digest No.44), London, UK, 2 April 1986, *(IEE)* [London, UK: IEE 1986] 86−45944 (introductory abstract), 86−48625 to 48626

EMC suppression components, filters and screening; Suppression Components, Filters and Screening for EMC (ERA 86-0006), London, UK, 6 Feb. 1986, [Leatherhead, UK: ERA Technol. May 1986] 87−23008 (introductory abstract), 87−26871 to 26885

Emerging office technologies; IEE Colloquium on 'Emerging Office Technologies' (Digest No.58), London, UK, 20 April 1988, *(IEE)* [London, UK: IEE 1988] 88−52402

Emission electronics; Materials of the XIXth All-Union Conference on Emission Electronics, Tashkent, USSR, 2-5 Oct. 1984, [1985] 87−5123 (introductory abstract), 87−6309 to 6315, 87−6484

Emission spectrometric equipment; Emission Spectrometric Equipment. 36th Pittsburgh Conference and Exhibition, New Orleans, LA, USA, 1985, [1985] 86−11489

EMP interaction with avionics systems; Interaction Between EMP, Lightning and Static Electricity with Aircraft and Missile Avionics Systems (AGARD-LS-144), Ankara, Turkey, 29-30 May 1986, *(AGARD)* [Neuilly sur Seine, France: AGARD May 1986] 87−10043 (introductory abstract), 87−12667, 87−12745 to 12752, 87−14401

EMTAS '84 (manufacturing); EMTAS '84 Conference, Raleigh, NC, USA, 9-11 Oct. 1984, *(Soc. Manuf. Eng)* [Dearborn, MI, USA: Soc. Manuf. Eng. 1984] 86−44 (introductory abstract), 86−96 to 98, 86−105, 86−142, 86−147, 86−180, 86−197, 86−217, 86−1563, 86−1588 to 1590

Encryption for cable and DBS; IEE Colloquium on 'Encryption for Cable and DBS' (Digest No.24), London, UK, 19 Feb. 1986, *(IEE)* [London, UK: IEE 1986] 86−33956 (introductory abstract), 86−37460 to 37461, 86−37998 to 38000, 86−38075

Energy beam-solid interactions and transient thermal processing; Energy Beam-Solid Interactions and Transient Thermal Processing Symposium, Boston, MA, USA, 14-17 Nov. 1983, *(U.S. Army Res. Office) Fan, J.C.C. Johnson, N.M. (editor/s),* [New York, NY, USA: North-Holland 1984] 85−10344 (introductory abstract), 85−10669 to 10673, 85−10736 to 10737, 85−10759 to 10762, 85−10809, 85−11910 to 11912, 85−12042 to 12056, 85−12094 to 12116, 85−12158 to 12169, 85−12216 to 12219, 85−12315 to 12317, 85−12391 to 12392, 85−12409, 85−12434, 85−22514, 85−23674, 85−23723

Energy beam-solid interactions and transient thermal processing; Energy Beam-Solid Interactions and Transient Thermal Processing/1984 Symposium, Boston, MA, USA, 26-30 Nov. 1984, *(Mater. Res. Soc) Biegelsen, D.K. Rozgonyi, G.A. Shank, C.V. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1985] 86−26509 (introductory abstract), 86−7819, 86−8752, 86−9003 to 9010, 86−13737, 86−13768 to 13772, 86−15070 to 15071, 86−15248, 86−15283 to 15284, 86−15516, 86−20074 to 20075, 86−21343 to 21352, 86−21380, 86−26815, 86−26861, 86−27852 to 27853, 86−27884, 86−27951, 86−28108 to 28111, 86−28176

Energy conservation; Soviet-American Symposium on Energy Conservation, Moscow, USSR, June 1985, [Oct.-Nov. 1987] 88−6082 (introductory abstract)

Energy conversion engineering; 19th Intersociety Energy Conversion Engineering Conference (Cat. No. 84CH2101-4), San Francisco, CA, USA, 19-24 Aug. 1984, *(ANS; SAE; American Chem. Soc.; AIAA; ASME; IEEE; AIChE)* [LaGrange Park, IL, USA: American Nucl. Soc. 1984] 85−49262 (introductory abstract), 85−45915, 85−48382 to 48444, 85−48447 to 48448, 85−48551 to 48553, 85−48646, 85−48669 to 48670, 85−48715, 85−48860 to 48867, 85−48880 to 48881, 85−48883, 85−48905 to 48906, 85−48915 to 48919, 85−49027, 85−49066, 85−49071 to 49084, 85−49087 to 49088, 85−49111 to 49113, 85−49118 to 49120, 85−49125 to 49126, 85−49173 to 49187, 85−49215 to 49216, 85−49230 to 49232, 85−50084, 85−50899, 85−51021, 85−52827, 85−52861, 85−52910 to 52911, 85−52980, 85−53116 to 53117, 85−53126 to 53135, 85−53386 to 53388, 85−53420 to 53421, 85−53509 to 53520, 85−53548 to 53551, 85−53568 to 53575, 85−53579, 85−53583 to 53587, 85−53599, 85−53602, 85−53614 to 53633, 85−53639 to 53657, 85−53685, 85−53812 to 53815, 85−53826 to 53829, 85−53834 to 53838, 85−53845 to 53866, 85−53899 to 53901, 85−53932, 85−53942 to 53948, 85−53952 to 53955, 85−54000 to 54003, 85−54013, 85−59353, 85−59396, 85−59405, 85−59911, 85−59966 to 59969, 85−60009 to 60010, 85−60086 to 60097, 85−60574, 85−60619

Energy conversion engineering; Proceedings of the 20th Intersociety Energy Conversion Engineering Conference. Energy for the Twenty-First Century, Miami Beach, FL, USA, 18-23 Aug. 1985, *(IEEE; SAE; ACS; AIChE; ASME; AIAA; ANS)* [Warrendale, PA, USA: SAE 1985] 86−26492 (introductory abstract), 86−31700, 86−32375 to 32379, 86−32421, 86−32458 to 32490, 86−32918 to 32925, 86−33021 to 33023, 86−33126 to 33132, 86−33167 to 33169, 86−33178, 86−33182, 86−33232 to 33239, 86−33522, 86−33587, 86−33611 to 33636, 86−33642 to 33644, 86−33679, 86−33705 to 33713, 86−33717 to 33727, 86−33754, 86−33855, 86−34024, 86−34407, 86−34530, 86−38562, 86−38870 to 38871, 86−38887, 86−38891 to 38921, 86−39276 to 39289, 86−39394 to 39395, 86−39497 to 39500, 86−39550 to 39558, 86−39586, 86−39594 to 39599, 86−39623 to 39642, 86−39948 to 39950, 86−40040, 86−40051 to 40070, 86−40073 to 40074, 86−40098 to 40103, 86−40170, 86−40174, 86−40180 to 40189, 86−40254 to 40259, 86−40314, 86−40362

Energy efficiency and solar energy conversion; Optical Materials Technology for Energy Efficiency and Solar Energy Conversion III, San Diego, CA, USA, 21-23 Aug. 1984, *(SPIE)* [1984] 85−28238, 85−28272, 85−29518 to 29519, 86−19518 to 19521

Energy efficiency and solar energy conversion; Optical Materials Technology for Energy Efficiency and Solar Energy Conversion V, Innsbruck, Austria, 15-18 April 1986, *(SPIE)* [Aug. 1987] 88−6084 (introductory abstract), 87−74015, 87−74043, 87−74863 to 74864, 87−74917, 87−75268, 88−6509 to 6511, 88−7315, 88−7346, 88−7868, 88−11389 to 11392, 88−11400 to 11401, 88−11480

Energy efficiency and solar energy conversion; Optical Materials Technology for Energy Efficiency and Solar Energy Conversion VI, San Diego, CA, USA, 18-19 Aug. 1987, *(SPIE)* [1987] 88−43559 (introductory abstract), 88−45267 to 45273, 88−51564, 88−51585, 88−51959 to 51960, 88−55631 to 55632

Energy for isolated communities; IEE Colloquium on 'Energy for Isolated Communities' (Digest No.40), Reading, UK, 18 March 1988, *(IEE)* [London, UK: IEE 1988] 88−37867 (introductory abstract), 88−42811, 88−43105, 88−43110 to 43111, 88−43389

Energy in the ceramics industry; 16th Annual Symposium of the South African Ceramic Society. Proceedings, Pretoria, South Africa, 5 Sept. 1984, [Pretoria, South Africa: South African Ceramic Soc. 1984, $25.00] 85−27944 (introductory abstract)

Energy options; Fifth International Conference on Energy Options - The Role of Alternatives in the World Energy Scene (Conf. Publ. No.276), Reading, UK, 7-9 April 1987, [London, UK: IEE 1987] 87−36350 (introductory abstract), 87−42417 to 42419, 87−42548, 87−42564 to 42568, 87−42657 to 42661, 87−42690, 87−42708 to 42710, 87−42736 to 42737, 87−43050 to 43051, 87−43414, 87−51074 to 51075, 87−51078 to 51081, 87−51111 to 51115, 87−51128 to 51134, 87−51483

Energy planning; Analytic Techniques for Energy Planning. Proceedings of the First Symposium, USA, 7-8 June 1983, *Lev, B. Bloom, J.A. Murphy, F.H. Gleit, A.S. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $53.75] 85−37 (introductory abstract), 85−4503, 85−4595 to 4598, 85−4735, 85−4905 to 4906, 85−4998

Energy programmes abroad; Symposium on Energy Programmes Abroad, Vienna, Austria, 24-25 Oct. 1984, [April 1985] 85−44373 (introductory abstract), 85−48656 to 48664

Energy sources: conservation and renewables; Energy Sources: Conservation and Renewables, Washington, DC, USA, April 1985, [1985] 86−33897 (introductory abstract)

Energy sources for portable telecommunications equipment; IEE Colloquium on 'Energy Sources for Portable Telecommunications Equipment' (Digest No.110), London, UK, 6 Dec. 1985, *(IEE)* [London, UK: IEE 1985] 86−26513 (introductory abstract), 86−33586, 86−33588 to 33589, 86−33637

Energy strategy for UK; IEE Colloquium on 'An Energy Strategy for the UK' (Digest No.89), London, UK, 29 Oct. 1985, *(IEE; Inst. Energy; Instn. Gas Eng.; IMechE)* [London, UK: IEE 1985] 86−7407 (introductory abstract)

Energy systems, risks and benefits; Risks and Benefits of Energy Systems. Proceedings of an International Symposium, Julich, West Germany, 9-13 April 1984, [Vienna, Austria: IAEA 1984] 85−27936 (introductory abstract), 85−32049, 85−32268 to 32273, 85−32330 to 32333, 85−32369

Energy technology; Energy Technology XII: 'Prices and Uses'. Proceedings of the Twelfth Energy Technology Conference, Washington, DC, USA, 25-27 March 1985, *Hill, R.F. (editor/s),* [Rockville, MD, USA: Gov. Inst. Aug. 1985, $69.00] 86−33938 (introductory abstract)

Energy technology, applications and economics; Energy Technology XI. 'Applications and Economics'. Proceedings of the Eleventh Energy Technology Conference, Washington, DC, USA, 19-21 March 1984, *Hill, R.F. (editor/s),* [Rockville, MD, USA: Government Inst. 1984] 85−16573 (introductory abstract), 85−16683 to 16687, 85−16700 to 16701, 85−18737, 85−21054, 85−21137 to 21150, 85−21158, 85−21294 to 21295, 85−21309 to 21310, 85−21444 to 21452, 85−21474 to 21476, 85−21499, 85−21526 to 21527, 85−21573, 85−21596, 85−21790 to 21794, 85−21850 to 21852, 85−21873, 85−21910 to 21911, 85−21962, 85−21965 to 21967, 85−22021 to 22022, 85−22036, 85−22038, 85−27152 to 27153, 85−27216, 85−27283 to 27285, 85−27329 to 27331, 85−27357, 85−27813 to 27816, 85−27890 to 27893, 85−29779, 85−32398, 85−32417 to 32419, 85−32717

Energy transfer processes in condensed matter; Energy Transfer Processes in Condensed Matter. Proceedings of a NATO Advanced Study Institute, Erice, Italy, 16-30 June 1983, [New York, NY, USA: Plenum 1984] 85−51031, 85−53830

Engine technology; Proceedings of the Institution of Mechanical Engineers International Conference on Computers in Engine Technology, Cambridge, UK, 24-26 March 1987, *(IMechE; R. Aeronaut. Soc.; ASME; et al)* [London, UK: IMechE 1987] 88−62878 (introductory abstract)

Engineering and computing in health care; Frontiers of Engineering and Computing in Health Care - 1984. Proceedings - Sixth Annual Conference of the IEEE Engineering in Medicine and Biology Society (Cat. No. 84CH2058-6), Los Angeles, CA, USA, 15-17 Sept. 1984, *(IEEE) Semmlow, J.L. Welkowitz, W. (editor/s),* [New York, NY, USA: IEEE 1984] 85−32910 (introductory abstract), 85−36785, 85−37489, 85−37609, 85−37985, 85−38005 to 38008, 85−38130 to 38133, 85−38161 to 38165, 85−38180 to 38185, 85−38225 to 38235, 85−39429, 85−42293, 85−43319, 85−43332 to 43336, 85−43382 to 43388, 85−43402 to 43413, 85−43419, 85−43430, 85−43435 to 43445, 85−44445, 85−48198 to 48207, 85−48219 to 48221, 85−48266 to 48274, 85−48304 to 48314, 85−48324 to 48325, 85−48338 to 48340

Engineering and computing in health care; Proceedings of the Seventh Annual Conference of the IEEE/Engineering in Medicine and Biology Society. Frontiers of Engineering and Computing in Health Care - 1985 (Cat. No. 85CH2198-0), Chicago, IL, USA, 27-30 Sept. 1985, *(IEEE) Lin, J.C. Feinberg, B.N. (editor/s),* [New York, NY, USA: IEEE 1985] 86−45923 (introductory abstract), 86−49938, 86−50120, 86−50465 to 50467, 86−50483, 86−50559 to 50562, 86−50595 to 50600, 86−50620, 86−50649 to 50650, 86−52186, 86−52963, 86−55818, 86−56079 to 56082, 86−56089 to 56092, 86−56113 to 56115, 86−56131 to 56162, 86−56166 to 56172, 86−56176 to 56181, 86−56190 to 56199, 86−56219 to 56223, 86−60706 to 60709, 86−60721, 86−60769 to 60775, 86−60796 to 60799, 86−60804 to 60805, 86−60832 to 60834

Engineering ceramics; Proceedings of the International Symposium on Engineering Ceramics, Jerusalem, Israel, 16-20 Dec. 1984, *(Israel Nat. Council for Res. & Dev)* [May 1985] 85−54536, 85−56597, 85−57171

Engineering communication; PCC 84. The Practical Aspects of Engineering Communication. Conference Record (Cat. No. 84CH2092-5), Atlantic City, NJ, USA, 10-12 Oct. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85−39430 (introductory abstract), 85−39466 to 39483, 85−39497 to 39501, 85−42179, 85−44446 to 44448, 85−44566 to 44574

Engineering conference - Australia; National Engineering Conference: 'The Community and Technology - Growing Together Through Engineering'. Preprints, Melbourne, Vic., Australia, 2-8 March 1985, [Barton, ACT, Australia: Instn. Eng. Australia Jan. 1985] 86−40377 (introductory abstract), 86−33993 to 33995, 86−38816 to 38817, 86−39290, 86−40421, 86−40501, 86−43452, 86−43765, 86−43911, 86−44751, 86−44824, 86−45259

Engineering design; Engineering Design '86 Congress, Birmingham, UK, 23-26 Sept. 1986, [London, UK: IMechE 1986] 88−24514 (introductory abstract), 88−24346, 88−24391 to 24393, 88−24501, 88−24515, 88−28161, 88−31167 to 31168

Engineering design; Proceedings of the 1987 International Conference on Engineering Design. 1987 International Congress on Planning and Design Theory, Boston, MA, USA, 17-20 Aug. 1987, *Eder, W.E. (editor/s),* [New York, NY, USA: ASME 1987] 88−31317 (introductory abstract)

Engineering design education; IEE Colloquium on 'Engineering Design Education in the Light of Sartor' (Digest No.18), London, UK, 30 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86−33949 (introductory abstract), 86−33979 to 33984

Engineering design management; IEE Colloquium on 'Engineering Design Management' (Digest No.97), London, UK, 6 Nov. 1985, *(IEE; IMechE; Design Council)* [London, UK: IEE 1985] 86−13311 (introductory abstract)

Engineering focuses on excellence; Proceedings of the 1987 ASEE Annual Conference: 'Engineering Focuses on Excellence', Reno, NV, USA, 21-25 June 1987, *Grayson, L.P. Biedenbach, J.M. (editor/s),* [Washington, DC, USA: ASEE 1987] 88−18315 (introductory abstract), 88−18376 to 18397, 88−18548, 88−18591, 88−18666, 88−18876, 88−19530, 88−20822, 88−21037, 88−21705 to 21706, 88−22467 to 22468, 88−22521, 88−24156, 88−24352, 88−24395 to 24401, 88−24516, 88−26422, 88−27985, 88−28427 to 28428, 88−29138, 88−29559, 88−30327

Engineering for nuclear plant operation and maintenance; Topical Meeting on Engineering for Nuclear Plant Operation and Maintenance (papers in summary form only received), Myrtle Beach, SC, USA, 17-20 April 1988, *(ANS)* [1988] 88−37824 (introductory abstract), 88−42944 to 42985, 88−43006 to 43012

Engineering in medicine and biology; Proceedings of the 37th Annual Conference on Engineering in Medicine and Biology, Los Angeles, CA, USA, 15-19 Sept. 1984, [Bethesda, MD, USA: Alliance for Eng. in Med. & Biol. 1984] 85−27951 (introductory abstract)

Engineering in medicine and biology; Proceedings of the 38th Annual Conference on Engineering in Medicine and Biology (papers in summary form only received), Chicago, IL, USA, 30 Sept.-2 Oct. 1985, [Washington, DC, USA: Alliance Eng. Med. & Biol. 1985] 88−29 (introductory abstract)

Engineering in medicine and biology; Proceedings of the 39th Conference on Engineering in Medicine and Biology, Baltimore, MD, USA, 14-16 Sept. 1986, [Washington, DC, USA: Alliance Eng. Med. & Biol. 1986] 87−36339 (introductory abstract)

Engineering in medicine and biology; Proceedings of the Ninth Annual Conference of the IEEE Engineering in Medicine and Biology Society (Cat. No.87CH2513-0), Boston, MA, USA, 13-16 Nov. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88−37841 (introductory abstract), 88−36409 to 36413, 88−36426, 88−36488 to 36493, 88−36498 to 36500, 88−36507, 88−36516 to 36521, 88−42171, 88−42472 to 42479, 88−42491 to 42495, 88−42538, 88−42557 to 42560, 88−42571, 88−42580, 88−42593 to 42594, 88−48085 to 48087, 88−48097 to 48099, 88−48136 to 48142, 88−48156 to 48182, 88−48201 to 48207, 88−48235 to 48237, 88−48257, 88−52480, 88−53714, 88−53924, 88−54460 to 54465, 88−54472 to 54480, 88−54524 to 54538, 88−54558 to 54590, 88−54597 to 54602, 88−54613, 88−54629 to 54639, 88−54657 to 54658, 88−54687 to 54692, 88−61210 to 61216, 88−61235 to 61236, 88−61335 to 61344, 88−61367 to 61389, 88−61399 to 61405, 88−61428 to 61442, 88−61454 to 61460, 88−61469, 88−61481, 88−61490, 88−66516, 88−68331 to 68334, 88−68343 to 68351, 88−68386 to 68393, 88−68432 to 68438, 88−68455 to 68458, 88−68469, 88−68477 to 68489, 88−68493 to 68500, 88−68509, 88−74804 to 74805, 88−74830 to 74831, 88−74849 to 74852, 88−74860 to 74862, 88−74877 to 74881, 88−74889 to 74892, 88−74906

Engineering in medicine and biology; Proceedings of the Eighth Annual Conference of the IEEE/Engineering in Medicine and Biology Society (Cat. No. 86CH2368-9), Fort Worth, TX, USA, 7-10 Nov. 1986, *(IEEE; Kendall Co.; Eli Lilly Co.; IVAC Corp.; et al) Kondraske, G.V. Robinson, C.J. (editor/s),* [New York, NY, USA: IEEE 1986] 87−43814 (introductory abstract), 87−50226, 87−50305 to 50308, 87−50357 to 50376, 87−50395 to 50399, 87−50402 to 50403, 87−50416 to 50426, 87−52772, 87−55240 to 55241, 87−55832, 87−57053 to 57055, 87−57068 to 57081, 87−57127 to 57135, 87−57159 to 57192, 87−57198 to 57210, 87−57223 to 57229, 87−57238 to 57239, 87−57259, 87−63290, 87−63709 to 63718, 87−63727 to 63730, 87−63764 to 63768, 87−63795 to 63796, 87−63808 to 63810, 87−63822 to 63830, 87−63847 to 63848, 87−71071 to 71072, 87−71089 to 71091, 87−71130 to 71131, 87−71146 to 71147, 87−71154 to 71161, 87−71173 to 71178

Engineering in medicine and biology; Proceedings of the 40th Annual Conference on Engineering in Medicine and Biology (papers in summary form only received), Niagara Falls, NY, USA, 10-13 Sept. 1987, [Washington, DC, USA: Alliance Eng. Med. & Biol. 1987] 88−18336 (introductory abstract)

Engineering management; Engineering Management Conference, Washington, DC, USA, 1-3 June 1982, *(IEEE)* [Nov. 1984] 85−16671 to 16672, 85−44457

Engineering management; '86 ICEM. Proceedings First International Conference on Engineering Management, Arlington, VA, USA, 22-24 Sept. 1986, *(IEEE; AIChE; ASME; American Soc. Eng. Manage.; IIE; SME; Nat. Soc. Prof. Eng.; Chinese Soc. Astronaut. & Aeronaut)* [Rolla, MO, USA: American Soc. Eng. Manage. 1986] 87−43774 (introductory abstract), 87−43775, 87−43842 to 43844, 87−43863 to 43895, 87−43898, 87−43900 to 43901, 87−43939, 87−43960, 87−44038 to 44041, 87−44062, 87−45447, 87−50952

Engineering of computer-based medical systems; Proceedings of the Symposium on the Engineering of Computer-Based Medical Systems (Cat. No.88CH2606-2), Minneapolis, MN, USA, 8-10 June 1988, *(IEEE; Comput. Soc.; Univ. Minnesota Med. Sch)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−63732, 88−66770, 88−68459

Engineering problems in rubber and plastics industries; IEEE Conference Record of 1987 Thirty-Ninth Annual Conference of Electrical Engineering Problems in the Rubber and Plastics Industries (Cat. No.87CH2474-5), Akron, OH, USA, 6-7 April 1987, *(IEEE)* [New York, NY, USA: IEEE 1987, $38.00] 87−65080 (introductory abstract), 87−65611, 87−69900, 87−72222, 87−72484 to 72485

Engineering software; Engineering Software IV. Proceedings of the 4th International Conference, London, UK, June 1985, *Adey, R.A. (editor/s),* [Southampton, UK: Comput. Mech. Centre 1985] 86−18595, 86−19088

Engineering software for microcomputers; Engineering Software for Microcomputers. Proceedings of the First International Conference, Venice, Italy, 2-5 April 1984, *Schrefler, B.A. Lewis, R.W. Odorizzi, S.A. (editor/s),* [Swansea, UK: Pineridge Press 1984] 85−21509

Environment effects on systems performance; Workshop on Effects of the Environment on Systems Performance, Arlington, VA, USA, 8-10 April 1985, *(SPIE)* [1985] 86−19717 (introductory abstract)

Environmental Sciences Institute 31st annual technical meeting; 31st Annual Technical Meeting of the Institute of Environmental Sciences, Las Vegas, NV, USA, May 1985, [July-Aug. 1985] 86−26473 (introductory abstract), 86−26602, 86−26645

Environmental stress screening of electronic hardware; Proceedings of the 3rd National Conference and Workshop on Environmental Stress Screening of Electronic Hardware, Philadelphia, PA, USA, 10-13 Sept. 1984, [Mount Prospect, IL, USA: Inst. Environmental Sci. 1984] 85−44398 (introductory abstract)

Environmental stress screening of electronic parts; Proceedings of the National Conference and Workshop on Environmental Stress Screening of Electronic Parts, San Jose, CA, USA, 1-3 Oct. 1985, *(Inst. Environ. Sci)* [Mount Prospect, IL, USA: Inst. Environ. Sci. 1985] 86−45936 (introductory abstract)

Epitaxial growth; Initial Stages of Epitaxial Growth. Symposium, Anaheim, CA, USA, 21-24 April 1987, *(Mater. Res. Soc.) Hull, R. Gibson, J.M. Smith, D.A. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88−43904 to 43911

Epitaxy and passivation of III-V compounds; Comptes Rendu des Journees d'Etude sur l'Epitaxie et la Passivation des Composes III-V (Proceedings of the Conference on Epitaxy and Passivation of III-V Compounds), Plestin les Greves, France, 23-24 April 1986, [March-April 1986] 86−45909 (introductory abstract)

Equatorial aeronomy; 7th International Symposium on Equatorial Aeronomy, Hong Kong, 22-29 March 1984, *(URSI; IUGG; IAGA; et al)* [Aug.-Oct. 1985] 86−15876 to 15877

ERG components origin; Origin of Electroretinogram Components. 23rd Symposium of the International Society for Clinical Electrophysiology of Vision (ISCEV), Mie, Japan, 22-25 May 1985, [15 July 1986] 86−65407, 86−65428 to 65429

Ergonomics; Contemporary Ergonomics 1987. Proceedings of the Ergonomics Society's 1987 Annual Conference - 'Ergonomics Working for Society', Swansea, UK, 6-10 April 1987, *Megaw, E.D. (editor/s),* [London, UK: Taylor and Francis 1987, £25.00] 87−72585

Erosion and growth of solids stimulated by atom and ion beam; Erosion and Growth of Solids Stimulated by Atom and Ion Beams. Proceedings of the NATO Advanced Study Institute, Heraklion, Crete, Greece, 16-27 Sept. 1985, *(NATO) Kiriakidis, G. Carter, G. Whitton, J.L. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1986] 87−31544, 87−32433, 87−32477, 87−32631 to 32632, 87−32912

ESM components; IEE Colloquium on ESM Components and Techniques (Digest No.70), London, UK, 13 Oct. 1983, *(IEE)* [London, UK: IEE 1983] 85−22100 (introductory abstract), 85−22735, 85−24878 to 24885, 85−25939, 85−26853

ESM systems for signal processing; IEE Colloquium on 'Signal Processing for ESM Systems' (Digest No.62), London, UK, 26 April 1988, *(IEE)* [London, UK: IEE 1988] 88−49383 (introductory abstract), 88−50210, 88−52498, 88−53333, 88−53584, 88−54824 to 54828

ESPRIT; ESPRIT '84. Status Report of Ongoing Work, Brussels, Belgium, 10-14 Sept. 1984, *Roukens, J. Renuart, J.F. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $55.50] 86−7395 (introductory abstract), 86−7876, 86−7909 to 7910, 86−8308, 86−8646, 86−9267, 86−10322, 86−10831 to 10835, 86−11142, 86−13224

ESPRIT '86; ESPRIT '86: Results and Achievements, Brussels, Belgium, 29 Sept.-1 Oct. 1986, [Amsterdam, Netherlands: North-Holland 1987] 88−69995 (introductory abstract), 88−70144, 88−70436, 88−71370, 88−71668, 88−71752, 88−71776, 88−71824, 88−73629, 88−73758, 88−74540

Etched track neutron dosimetry; Etched Track Neutron Dosimetry Workshop, Harwell, UK, 12-14 May 1987, [1987] 88−18310 (introductory abstract), 88−23012, 88−23130 to 23139

EUROCON '86; 7th European Conference on Electrotechnics: Advanced Technologies and Processes in Communication and Power Systems. EUROCON 86, Paris, France, 21-23 April 1986, *(IEEE; EUREL; SEE)* [Paris, France: Comite EUROCON 86 April 1986] 87−51726 (introductory abstract), 87−51900 to 51901, 87−52149, 87−52214, 87−52222 to 52223, 87−52268, 87−52305, 87−52373, 87−52492 to 52494, 87−52547, 87−52647 to 52649, 87−52707, 87−52735 to 52736, 87−52891, 87−53097, 87−53107, 87−53156, 87−53309, 87−53343, 87−53395, 87−53457, 87−53491, 87−53562 to 53564, 87−53654 to 53665, 87−53688, 87−53761, 87−53771, 87−53779, 87−53877, 87−54191, 87−54348 to 54349, 87−55029 to 55030, 87−55158 to 55159, 87−55314 to 55315, 87−55478, 87−55551 to 55553, 87−55760, 87−55881 to 55882, 87−55965 to 55967, 87−56083 to 56084, 87−56212, 87−56251, 87−56594, 87−56664 to 56667, 87−57116, 87−57195, 87−57299, 87−57309 to 57310, 87−57335, 87−57453, 87−57566 to 57568, 87−57600, 87−57655, 87−57709, 87−57711, 87−57733 to 57734, 87−58054, 87−58174, 87−58212, 87−58259, 87−58503

Eurodisplay '84; Fourth Display Research Conference. Eurodisplay '84 Proceedings, Paris, France, 18-20 Sept. 1984, *(Soc. Inf. Display)* [Paris, France: Soc. Electr. Electron. & Radioelectr. 1984] 86−32 (introductory abstract), 86−2193, 86−2656 to 2657, 86−2865 to 2867, 86−2874 to 2875, 86−2879, 86−2942 to 2943, 86−2976 to 2977, 86−3453, 86−3995, 86−5104, 86−5398 to 5435, 86−7283

Euromicro; EUROMICRO 85. Short Notes, Brussels, Belgium, 3-6 Sept. 1985, [Sept.-Oct. 1985] 86−19711 (introductory abstract), 86−20175 to 20177, 86−20452, 86−20604 to 20605, 86−21833 to 21834, 86−22908, 86−23053, 86−23366, 86−23477, 86−23582, 86−24308, 86−24364, 86−24407 to 24409

Europe from Space; Europe from Space. An ESA/EARSeL Symposium (ESA-SP-258), Lyngby, Denmark, 25-27 June 1986, [Noordwijk, Netherlands: ESA Dec. 1986] 87−51734 (introductory abstract)

European hadron facility; A European Hadron Facility, Mainz, West Germany, 10-14 March 1986, [5 Jan. 1987] 87−29379 (introductory abstract), 87−29380 to 29381

EUUG '86; EUUG Autumn '86 Conference Proceedings, Manchester, UK, 22-25 Sept. 1986, [Buntingford, UK: Eur. UNIX Syst. User Group 1986] 87−20276 to 20285, 87−20824 to 20825

EXAFS and near edge structure; EXAFS and Near Edge Structure III. Proceedings of an International Conference, Stanford, CA, USA, 16-20 July 1984, *Hodgson, K.O. Hedman, B. Penner-Hahn, J.E. (editor/s),* [Berlin, West Germany: Springer-Verlag 1984] 85−50222

EXAFS and near edge structure; Fourth International Conference on EXAFS and Near Edge Structure IV, Fontevraud, France, 7-11 July 1986, [Dec. 1986] 87−35048, 87−35331 to 35332, 87−35373 to 35375

Excimer lasers; Excimer Lasers, Their Applications and New Frontiers in Lasers, Arlington, VA, USA, 1-2 May 1984, *(SPIE)* [1984] 85−10308 (introductory abstract), 85−10765, 85−12120, 85−12689, 85−12768 to 12776, 85−12929, 85−12945 to 12947

Excimer lasers and optics; Excimer Lasers and Optics, Cambridge, MA, USA, 18-19 Sept. 1986, *(SPIE)* [1987] 88−6090 (introductory abstract), 88−6512, 88−7293, 88−7421, 88−7490, 88−8127 to 8137, 88−8379, 88−11393

Excited state processes in condensed matter; International Conference on Luminescence - Excited State Processes in Condensed Matter, Beijing, China, 17-21 Aug. 1987, *(Beijing Chem. Works; Beijing Gen. Res. Inst. Nonferrous Metals; Beijing Normal Univ.; et al)* [Feb. 1988] 88−31721, 88−32856, 88−33867, 88−33888, 88−33974 to 33975, 88−36157, 88−38165 to 38166, 88−39137, 88−39362, 88−39395, 88−40052, 88−40055 to 40060, 88−40089 to 40091, 88−40094 to 40096, 88−40216 to 40218, 88−42204, 88−42585

Exoelectron emission and applications; Proceedings of the 8th International Symposium on Exoelectron Emission and Applications, Osaka, Japan, 25-30 Aug. 1985, *(Japan Soc. Appl. Phys.)* [1985] 86−65117

Expanding microwave horizons; 1984 IEEE MTT-S International Microwave Symposium Digest. Expanding Microwave Horizons (Cat. No. 84CH2034-7), San Francisco, CA, USA, 29 May-1 June 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85−16564 (introductory abstract), 85−17184, 85−17206, 85−17228, 85−17327, 85−17622 to 17631, 85−17774 to 17778, 85−17787 to 17802, 85−17805 to 17812, 85−17835 to 17881, 85−17932, 85−18020 to 18021, 85−18364, 85−18537, 85−18586, 85−18590 to 18591, 85−18736, 85−19191 to 19210, 85−19260 to 19263, 85−19269 to 19270, 85−20027, 85−20159, 85−20243, 85−20269, 85−20481 to 20483, 85−20508, 85−20558, 85−20611, 85−20698 to 20701, 85−20714 to 20717, 85−20907 to 20909, 85−20961, 85−20977, 85−20988, 85−21517, 85−22694, 85−22981 to 22982, 85−23094 to 23096, 85−23115 to 23119, 85−24194, 85−24572, 85−24898 to 24902, 85−25702, 85−26192, 85−26466 to 26468

Experimental apparatus at future high energy machines; Proceedings of the Topical Seminar on Perspectives for Experimental Apparatus at Future High Energy Machines, S. Miniato, Italy, 21-25 May 1984, *(Ist. Nazionale di Fisica Nucl.; Regione Toscana)* [1 April 1985] 85−39410 (introductory abstract), 85−43137 to 43138, 85−43169 to 43185, 85−43274, 85−43276 to 43281

Experimental apparatus at future high energy machines; Second Topical Seminar on Perspectives for Experimental Apparatus at Future High Energy Machines, San Miniato, Italy, 5-9 May 1986, *(Univ. Bologna; Univ. Firenze; INFN; et al)* [1 July 1987] 87−63642 (introductory abstract), 87−62972, 87−63643 to 63661, 87−63680, 87−63684 to 63685

Expert planning systems; IEE Colloquium on 'Expert Planning Systems - A New Application for Control Theory' (Digest No.59), London, UK, 13 May 1987, *(IEE)* [London, UK: IEE 1987] 87−53681

Expert systems; Expert Systems and their Applications. 5th International Workshop, Avignon, France, 13-15 May 1985, [Paris la Defense, France: Agence de l'Informatique 1985, FF600 EEC; FF800 elsewhere] 86−29808, 86−30335, 86−34459 to 34460

Expert systems; Second International Expert Systems Conference, London, UK, 30 Sept.-2 Oct. 1986, *(Expert Syst)* [Oxford, UK: Learned Inf. 1986] 87−41451

Expert systems; Proceedings of the SEAS Spring Meeting 1986. Expert Systems, Heidelberg, West Germany, 6-11 April 1986, [Nijmegen, Netherlands: SEAS 1986] 86−52199, 86−55029 to 55034

Expert systems; Research and Development in Expert Systems III. Proceedings of Expert Systems '86, the Sixth Annual Technical Conference of the British Computer Society Specialist Group on Expert Systems, Brighton, UK, 15-18 Dec. 1986, *Bramer, M.A. (editor/s),* [Cambridge, UK: Cambridge 1987] 87−27135

Expert systems; Research and Development in Expert Systems IV. Proceedings of Expert Systems '87, Seventh Annual Technical Conference of the British Computer Society Specialist Group on Expert Systems, Brighton, UK, 14-17 Dec. 1987, *Moralee, D.S. (editor/s),* [Cambridge, UK: Cambridge Univ. Press 1988] 88−21876, 88−28614

Expert systems; WESTEX-87. Proceedings of the Western Conference on Expert Systems (Cat. No.87CH2463-8), Anaheim, CA, USA, 2-4 June 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−63831, 87−63887, 87−64111, 87−64293

Expert systems and their applications; 6th International Workshop on Expert Systems and their Applications, Avignon, France, 28-30 April 1986, [Paris la Defense, France: Agence Inf. 1986] 86−69475, 86−70800

Expert systems for advanced manufacturing technology; First Annual ESD/SMI Expert Systems Conference and Exposition for Advanced Manufacturing Technology Proceedings, Dearborn, MI, USA, 9-11 June 1987, *(Eng. Soc. Detroit; Soc. Machine Intelligence; Oakland Univ.; Automotive Ind. Action Group)* [Detroit, MI, USA: Eng. Soc. Detroit 1987] 88−20009, 88−21859, 88−28438, 88−29146

Expert systems in government; Expert Systems in Government Symposium (Cat. No.85CH2225-1), McLean, VA, USA, 24-25 Oct. 1985, *(IEEE; MITRE Corp.; AIAA) Karna, K.N. (editor/s),* [Washington, DC, USA: IEEE Comput Soc. Press 1985] 86−40565, 86−43345, 86−43454 to 43455, 86−43594, 86−43642, 86−43766, 86−44655, 86−45142, 86−45800

Expert systems in government; Expert Systems in Government Symposium (Cat. No.86CH2349-9), McLean, VA, USA, 22-24 Oct. 1986, *(IEEE; AIAA)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−37659, 87−39985, 87−40255, 87−40314, 87−41010, 87−41365, 87−42204, 87−42625

Expert systems in government; Third Annual Expert Systems in Government Conference Proceedings (Cat. No.87CH2467-9), Washington, DC, USA, 19-23 Oct. 1987, *(IEEE) Antonisse, H.J. Benoit, J.W. Silverman, B.G. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−28316, 88−28819 to 28820, 88−30505

Expert systems in telecommunications; Expert Systems in Telecommunications. Proceedings of a Symposium, New York, NY, USA, 9 March 1987, *(Human Factors Soc) Root, R.W. (editor/s),* [Santa Monica, CA, USA: Human Factors Soc. 1987] 88−55827 (introductory abstract), 88−59461, 88−59490, 88−59709, 88−59930

Expert systems in testing; IEE Colloquium on Expert Systems in Testing and Fault Diagnosis (Digest No. 13), London, UK, 7 Feb. 1985, *(IEE)* [London, UK: IEE 1985] 85−60669 (introductory abstract)

Exploring technology: today and tomorrow; Proceedings 1987 Fall Joint Computer Conference - Exploring Technology: Today and Tomorrow (Cat. No.87CH2468-7), Dallas, TX, USA, 25-29 Oct. 1987, *(IEEE; ACM)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−31294 (introductory abstract), 88−26472, 88−27987, 88−28163, 88−31577 to 31579, 88−32258, 88−34717, 88−34961, 88−35155 to 35157, 88−36600, 88−36643 to 36645

Explosives detection for security applications; ASTM Symposium on Explosives Detection for Security Applications, Philadelphia, PA, USA, 11 April 1983, *(ASTM)* [May 1985] 85−49248 (introductory abstract)

Extreme UV laser techniques; Second Topical Meeting on Laser Techniques in the Extreme Ultraviolet, Boulder, CO, USA, 5-7 March 1984, *(Opt. Soc. America)* [1984] 85−7337 (introductory abstract), 85−6777, 85−7349 to 7359, 85−7461 to 7464, 85−7510 to 7517

Facility operations-safeguards interface; American Nuclear Society 3rd International Conference on Facility Operations-Safeguards Interface (papers in summary form only received), San Diego, CA, USA, 29 Nov.-4 Dec. 1987, *(ANS)* [1987] 88−26807, 88−29894

Factory 2000; FACTORY 2000: Integrating Information and Material Flow (Publ. No.80), Cambridge, UK, 31 Aug.-2 Sept. 1988, [London, UK: IERE 1988] 88−70035 (introductory abstract), 88−71243 to 71244, 88−73673 to 73675

Far-infrared science and technology; Far-Infrared Science and Technology, Quebec City, Que., Canada, 5-6 June 1986, *(SPIE; Nat. Res. Council Canada; Univ. Laval; Defence Res. Establ. Valcartier)* [1986] 87−22972 (introductory abstract), 87−24711, 87−26319 to 26321, 87−26448, 87−26501, 87−29133 to 29138

Fast breeder reactors; Fast Breeder Reactors: Experience and Trends. Proceedings of an International Symposium, Lyons, France, 22-26 July 1985, [Vienna, Austria: IAEA 1986] 86−65856 (introductory abstract), 86−65857 to 65865, 86−65893 to 65896

Fast electrical and optical measurements; Fast Electrical and Optical Measurements. Proceedings of the NATO Advanced Study Institute on Fast Electrical and Optical Diagnostic Principles and Techniques, Castelvecchio Pascoli, Italy, 10-24 July 1983, *(NATO) Thompson, J.E. Luessen, L.H. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1986] 86−57084 (introductory abstract), 86−58203, 86−58789, 86−58800, 86−58995, 86−59000, 86−59104, 86−59113, 86−59295, 86−59920, 86−60104, 86−60163, 86−60183, 86−60207, 86−60241 to 60243, 86−60301 to 60304, 86−60507 to 60510, 86−60704, 86−61186 to 61187

Fast-prototyping of VLSI; Fast-Prototyping of VLSI. Selection of Papers from the IFIP WG 10.5 Workshop, Grenoble, France, 17-19 March 1987, *(AFCET; CNET; Inst. Nat. Polytech. Grenoble; et al) Saucier, G. Read, E. Trilhe, J. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, Dfl.130.00] 88−18330 (introductory abstract), 88−18401 to 18402, 88−18419, 88−18879 to 18880, 88−19022 to 19024, 88−19114 to 19117, 88−19212 to 19213, 88−20087 to 20096, 88−20135

Fast reactor safety; Science and Technology of Fast Reactor Safety. Proceedings of an International Conference, Guernsey, UK, 12-16 May 1986, *(British Nucl. Energy Soc.; Eur. Nucl. Soc.; ANS)* [London, UK: Thomas Telford 1987, £150.00 UK; £170.00 overseas] 88−31284 (introductory abstract), 88−30187 to 30188, 88−36375, 88−36952 to 36953, 88−37000 to 37002, 88−72967, 88−74271

Fast turnaround techniques for semi-custom devices; IEE Colloquium on 'Fast Turnaround for Semi-Custom Devices' (Digest No.75), London, UK, 13 May 1986, *(IEE)* [London, UK: IEE 1986] 86−45954 (introductory abstract), 86−46786, 86−47768 to 47770, 86−47875

FASTBUS software workshop; FASTBUS Software Workshop Proceedings (CERN 85-15), Geneva, Switzerland, 23-24 Sept. 1985, *(CERN)* [Geneva, Switzerland: CERN 1985] 86−25148 to 25149

Fault detection and reliability; Fault Detection and Reliability; Knowledge Based and Other Approaches. Proceedings of the Second European Workshop on Fault Diagnostics, Reliability and Related Knowledge Based Approaches, Manchester, UK, 6-8 April 1987, *(Comm. Eur. Communities) Singh, M.G. Hindi, K.S. Schmidt, G. Tzafestas, S.G. (editor/s),* [Oxford, UK: Pergamon 1987, $77.00] 88−31288 (introductory abstract), 88−31435, 88−31535 to 31537, 88−31570 to 31572, 88−33330, 88−33406, 88−34579, 88−35824, 88−36744 to 36746, 88−36912, 88−36961 to 36962, 88−37201, 88−37694

Fault-tolerant computing; Fourteenth International Conference on Fault-Tolerant Computing. Digest of Papers (Cat. No. 84CH2050-3), Kissimmee, FL, USA, 20-22 June 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−17340 to 17353, 85−17428, 85−17486 to 17489, 85−18433, 85−19360 to 19363, 85−19874 to 19875, 85−19940, 85−19977

Fault-tolerant computing; Fifteenth Annual International Symposium on Fault-Tolerant Computing FTCS 15. Digest of Papers. (Cat. No. 85CH2143-6), Ann Arbor, MI, USA, 19-21 June 1985, *(IEEE Comput. Soc.; Univ. Michigan; IFIP)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86−63 (introductory abstract), 86−672, 86−873 to 875, 86−1011 to 1020, 86−1080, 86−1126 to 1128, 86−2210, 86−2340 to 2341, 86−2442

Fault-tolerant computing; FTCS 17: Digest of Papers. The Seventeenth International Symposium on Fault-Tolerant Computing (Cat. No.87CH2418-2), Pittsburgh, PA, USA, 6-8 July 1987, *(IEEE; Carnegie Mellon Univ.; IFIP)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−66140 (introductory abstract), 87−66141 to 66152, 87−66195 to 66196, 87−68974 to 68977, 87−69426, 87−69721 to 69722, 87−69843

Fault-tolerant computing; Eighteenth International Symposium on Fault-Tolerant Computing. Digest of Papers. FTCS-18 (Cat. No.88CH2543-7), Tokyo, Japan, 27-30 June 1988, *(IEEE; Inst. Electron. Inf. & Commun. Eng)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−70635, 88−70736 to 70741, 88−70771 to 70773, 88−70935, 88−71801, 88−71817, 88−72774

Fault-tolerant computing; Evolution of Fault-Tolerant Computing. In the Honor of William C. Carter, Baden, Austria, 30 June 1986, *Avizienis, A. Kopetz, H. Laprie, J.C. (editor/s),* [Vienna, Austria: Springer-Verlag 1987, DM118.00] 88−53102

Fault-tolerant computing systems; Fault-Tolerant Computing Systems. 2nd GI/NTG/GMR Conference, Bonn, West Germany, 19-21 Sept. 1984, *(Gesellschaft fur Inf.; Nachrichtentech. Gesellschaft; Gesellschaft fur Mess-und Regelungstech) Grosspietsch, K.-E. Dal Cin, M. (editor/s),* [Berlin, West Germany: Springer-Verlag 1984] 85−33879, 85−45017, 85−45061, 85−45812 to 45813, 85−46708 to 46709, 85−47111, 85−47255

Fault-tolerant computing systems; FTCS Digest of Papers. 16th Annual International Symposium on Fault-Tolerant Computing Systems (Cat. No.86CH2335-8), Vienna, Austria, 1-4 July 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−2456 (introductory abstract), 86−66608, 86−67130 to 67134, 86−67227, 87−440, 87−662 to 667, 87−755, 87−773, 87−831, 87−1105 to 1106, 87−1628, 87−1763 to 1764, 87−2410, 87−2457 to 2458, 87−2684, 87−2932 to 2934, 87−4299

Fault-tolerant computing systems; Fault-Tolerant Computing Systems. 3rd International GI/ITG/GMA Conference Proceedings, Bremerhaven, West Germany, 9-11 Sept. 1987, *Belli, F. Gorke, W. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 88−741, 88−827 to 828, 88−1103, 88−1781 to 1782, 88−1802, 88−3432 to 3433, 88−3647

Fault-tolerant hardware/software architecture for flight critical function; Fault Tolerant Hardware/Software Architecture for Flight Critical Function (AGARD-LS-143), Edwards, CA, USA, 1-2 Oct. 1985, *(AGARD)* [Neuilly sur Seine, France: AGARD 1985] 86−19747 (introductory abstract), 86−23332, 86−25365 to 25369

Fault-tolerant ICs/WSI; IEE Colloquium on 'Fault Tolerant ICs/Wafer Scale Integration' (Digest No.23), London, UK, 17 Feb. 1986, *(IEE)* [London, UK: IEE 1986] 86−33958 (introductory abstract), 86−34820 to 34821, 86−35842 to 35846

Fault-tolerant systems coomputing; Software Diversity in Computerized Control Systems, Baden, Austria, 27-28 June 1986, *Voges, U. (editor/s),* [Vienna, Austria: Springer-Verlag 1988, DM75.00] 88−56084

Fermentation processes, modelling and control; Modelling and Control of Fermentation Processes, Cambridge, UK, July 1986, [London, UK: Peter Peregrinus 1987, £35.00] 88−67732

Ferrite materials, devices and techniques; IEE Colloquium on Ferrite Materials, Devices and Techniques (Digest No. 15), London, UK, 14 Feb. 1985, *(IEE)* [London, UK: IEE 1985] 85−27978 (introductory abstract), 85−28702 to 28704, 85−28909, 85−29433 to 29434, 85−29476 to 29477, 85−32659

Ferroelectric materials and their applications; Proceedings of the 5th Meeting on Ferroelectric Materials and their Applications (FMA-5), Kyoto, Japan, 29-31 May 1985, [1985] 86−45901 (introductory abstract), 86−46306, 86−46366 to 46371, 86−47098, 86−47129, 86−47899 to 47904, 86−47927 to 47932, 86−47945, 86−47947, 86−48117, 86−48215 to 48216, 86−48224 to 48225, 86−48233, 86−50098 to 50099, 86−52064

Ferroelectric materials and their applications; 6th Meeting on Ferroelectric Materials and their Applications (FMA-6), Kyoto, Japan, 3-5 June 1987, [1987] 88−24314 (introductory abstract), 88−24797 to 24800, 88−24808, 88−25587, 88−26556, 88−26573, 88−31495, 88−32056, 88−32492 to 32493, 88−33432, 88−33469 to 33477, 88−33491 to 33493, 88−35937

Ferroelectric physics; 11th All-Union Conference on Ferroelectric Physics, Chernovitsy, Ukrainian SSR, USSR, Feb. 1987, [1987] 88−57853

Ferroelectricity; Proceedings of the Sixth International Meeting on Ferroelectricity, Kobe, Japan, 12-16 Aug. 1985, *(IUPAP; Int. Union Crystallogr.; Crystallogr. Soc. Japan)* [1985] 86−52104 (introductory abstract), 86−52425, 86−53841 to 53847, 86−53863 to 53868, 86−53875 to 53876, 86−53879 to 53880, 86−53967, 86−54008 to 54009, 86−54019, 86−54022, 86−55619, 86−55734 to 55738, 86−55878, 86−56278, 86−56792, 86−56955, 86−58038, 86−58637

Ferroelectricity; Sixth European Meeting on Ferroelectricity, Poznan, Poland, 7-11 Sept. 1987, *(Inst. Molecular Phys.; Polish Acad. Sci)* [May 1988] 88−70584, 88−71862 to 71865

Ferroelectricity Soviet-Japanese symposium; Third Soviet-Japanese Symposium on Ferroelectricity, Novosibirsk, USSR, 9-14 Sept. 1984, [June 1985] 86−2461 (introductory abstract), 86−2462 to 2466, 86−2492, 86−3287, 86−3330

Ferroelectrics; ISAF '86. Proceedings of the Sixth IEEE International Symposium on Applications of Ferroelectrics (Cat. No.86CH2358-0), Bethlehem, PA, USA, 8-11 June 1986, *(IEEE; Army Res. Office; Office Naval Res.; et al)* [New York, NY, USA: IEEE 1986] 87−43773 (introductory abstract), 87−44393, 87−46245, 87−46259 to 46260, 87−46282, 87−46554 to 46559, 87−46596 to 46597, 87−46621, 87−46986 to 46988, 87−52150, 87−52207 to 52209, 87−52215 to 52219, 87−52374, 87−52892 to 52895, 87−52913 to 52915, 87−53227, 87−53310 to 53311, 87−53752, 87−53780 to 53819, 87−53838 to 53845, 87−53863 to 53865, 87−56668 to 56670, 87−56708, 87−56775, 87−56814 to 56815, 87−57237, 87−57454 to 57457

Ferroelectrics and ferroelastics; Proceedings of All-Union Seminar on Switching Processes and Relaxation Phenomena in Ferroelectrics and Ferroelastics, Kalinin, USSR, 7-13 Dec. 1983, [1984] 86−8835, 86−9364

Ferroelectrics and related dielectric phenomena; 20th British Dielectrics Society Meeting on Ferroelectrics and Related Dielectric Phenomena in Ordered Material, Cambridge, UK, 7-9 April 1987, [Dec. 1987] 88−30189

Few-body physics; Theoretical and Experimental Investigations of Hadronic Few-Body Systems. European Workshop on Few-Body Physics, Rome, Italy, 7-11 Oct. 1986, *(INFN)* [1986] 87−41654 to 41656, 87−41802

Fiber communications and computer networks; Fiber Telecommunications and Computer Networks, Cambridge, MA, USA, 23-24 Sept. 1986, *(SPIE)* [1987] 87−65040 (introductory abstract), 87−68150 to 68152, 87−69684 to 69690, 87−70066 to 70078, 87−70268, 88−43858, 88−45040, 88−45260, 88−45302, 88−45708, 88−46209 to 46211, 88−47225 to 47229, 88−47490, 88−47522 to 47528, 88−47562 to 47574, 88−47705 to 47706, 88−48267, 88−48323 to 48325, 88−48408 to 48409, 88−49139

Fiber optic and laser sensors; Fiber Optic and Laser Sensors III, San Diego, CA, USA, 20-23 Aug. 1985, *(SPIE)* [1985] 87−9995 (introductory abstract), 87−12146 to 12172, 87−12222, 87−12331, 87−12497 to 12498, 87−14297 to 14298, 87−14610, 87−15060, 87−16755, 87−18679 to 18698, 87−18869, 87−20516, 87−21139 to 21140, 87−21219, 87−21301, 87−21441

Fiber optic and laser sensors; Fiber Optic and Laser Sensors IV, Cambridge, MA, USA, 22-24 Sept. 1986, *(SPIE)* [1987] 88−11562 (introductory abstract), 88−13881 to 13882, 88−14266, 88−15687, 88−16139 to 16168, 88−16679, 88−16895

Fiber optic and laser sensors; Fiber Optic and Laser Sensors V, San Diego, CA, USA, 17-19 Aug. 1987, *(SPIE)* [1988] 88−37823 (introductory abstract), 88−38821, 88−39938 to 39946, 88−41699, 88−42056, 88−42123 to 42150, 88−42642, 88−45122 to 45128, 88−47088, 88−47547 to 47552, 88−48276

Fiber optic applications; Reliability Considerations in Fiber Optic Applications, Cambridge, MA, USA, 25-26 Sept. 1986, *(SPIE)* [1987] 87−72670 (introductory abstract), 87−73418, 87−74378, 87−74782 to 74790, 87−75117 to 75118, 87−76784 to 76788, 87−77280

Fiber optic broadband networks; Fiber Optic Broadband Networks, Cannes, France, 28-29 Nov. 1985, *(SPIE)* [1986] 87−16258 (introductory abstract), 87−18723 to 18728, 87−18793, 87−18933, 87−20059, 87−20532 to 20560

Fiber optic communications and LANS; FOC/LAN '87 and MFOC-WEST Proceedings. The Eleventh Annual International Fiber Optic Communications and Local Area Networks Exposition including MFOC-WEST, Anaheim, CA, USA, 26-30 Oct. 1987, *Berube, R. Kennelly, C. Polishuk, P. (editor/s),* [Boston, MA, USA: Information Gatekeepers 1987] 88−31299 (introductory abstract), 88−33698 to 33704, 88−33768, 88−33894, 88−33908, 88−34056, 88−34869, 88−35162 to 35178, 88−35541 to 35570, 88−35698, 88−36062

Fiber optic couplers; Fiber Optic Couplers, Connectors, and Splice Technology II, San Diego, CA, USA, 20-21 Aug. 1985, *(SPIE)* [1985] 87−9999 (introductory abstract), 87−12175 to 12196, 87−13728 to 13730

Fiber optic gyros; Fiber Optic Gyros. 10th Anniversary Conference, Cambridge, MA, USA, 24-26 Sept. 1986, *(SPIE)* [1987] 88−6092 (introductory abstract), 88−7871 to 7872, 88−7963, 88−9997, 88−13878 to 13880, 88−14049 to 14050, 88−14241, 88−16129 to 16138

Fiber optic sensors; Fiber Optic Sensors, Cannes, France, 26-27 Nov. 1985, *(SPIE)* [1986] 87−22970 (introductory abstract), 87−23793, 87−26031 to 26045, 87−26089, 87−29080 to 29090, 87−29298, 87−29326, 87−29341, 87−29703, 87−29742, 87−29810, 87−29890, 87−29985 to 29986

Fiber optic systems; Fiber Optic Networks and Coherent Technology in Fiber Optic Systems II, San Diego, CA, USA, 17-19 Aug. 1987, *(SPIE)* [1988] 88−43566 (introductory abstract), 88−39928 to 39937, 88−40237, 88−41342 to 41345, 88−41426, 88−41679 to 41698, 88−41973, 88−42015, 88−42305, 88−45112, 88−47063 to 47081

Fiber optic systems for mobile platforms; Fiber Optic Systems for Mobile Platforms, San Diego, CA, USA, 20-21 Aug. 1987, *(SPIE)* [1987] 88−37817 (introductory abstract), 88−39921 to 39926, 88−41673 to 41678, 88−42121 to 42122, 88−42618 to 42620, 88−43468 to 43470

Fiber optics in adverse environments; Fiber Optics in Adverse Environments III, Cambridge, MA, USA, 25 Sept. 1986, *(SPIE)* [1987] 88−11560 (introductory abstract), 88−13781, 88−13844 to 13856, 88−14045 to 14046, 88−15474 to 15475

Fiber optics reliability; Fiber Optics Reliability: Benign and Adverse Environments, San Diego, CA, USA, 17-18 Aug. 1987, *(SPIE)* [1988] 88−43567 (introductory abstract), 88−44765, 88−44786, 88−45113 to 45121, 88−45322, 88−45440 to 45442, 88−46581, 88−47082 to 47087

Fibre optic and laser sensors; Fiber Optic and Laser Sensors II, Arlington, VA, USA, 1-2 May 1984, *(SPIE)* [1984] 85−22054 (introductory abstract), 85−24278 to 24286, 85−24336, 85−25865, 85−26287

Fibre optic communication technology; Fiber Optic Communication Technology, San Diego, CA, USA, 23-24 Aug. 1984, [1985] 85−49252 (introductory abstract), 85−50957 to 50961, 85−52360 to 52365

Fibre optic communications and LAN; Proceedings of the Papers Presented at the Eighth International Fibre Optic Communications and Local Area Networks Exposition in the USA, Las Vegas, NV, USA, 17-21 Sept. 1984, *(Information Gatekeepers) Barry, J. O'Bryant, M.A. Polishuk, P. (editor/s),* [Boston, MA, USA: Information Gatekeepers 1984] 85−10337 (introductory abstract), 85−12627 to 12633, 85−12747, 85−13796, 85−13816, 85−13944 to 13966, 85−14034 to 14035, 85−14296 to 14323, 85−14450, 85−14461 to 14464, 85−14507, 85−14826

Fibre optic communications and LANs; EFOC/LAN 86 Proceedings. Papers Presented at: The Fourth Annual European Fibre Optic Communications and Local Area Networks Exposition, Amsterdam, Netherlands, 23-27 June 1986, *Fasano, D. Kennelly, C. Polishuk, P. (editor/s),* [Boston, MA, USA: Inf. Gatekeepers 1986] 88−31286 (introductory abstract), 88−33694 to 33697, 88−33754, 88−34054 to 34055, 88−34960, 88−35136 to 35153, 88−35236 to 35239, 88−35527 to 35539, 88−36059 to 36060, 88−41353 to 41364, 88−41431, 88−41708 to 41711, 88−41865

Fibre optic communications and LANs; EFOC/LAN 87. Papers Presented at: The Fifth Annual European Fibre Optic Communications and Local Area Networks Exposition. Proceedings, Basel, Switzerland, 3-5 June 1987, [Basel, Switzerland: IGI Europe 1987, SFr.200.00] 88−53 (introductory abstract), 88−2018, 88−2127 to 2128, 88−2281 to 2282, 88−3324, 88−3426 to 3427, 88−3635 to 3643, 88−4058 to 4069, 88−7634, 88−7884 to 7891, 88−7947 to 7949, 88−7969 to 7970, 88−9197 to 9217, 88−9326, 88−9600 to 9615, 88−9779, 88−10020

Fibre optic communications and LANs; EFOC/LAN-88. Papers Presented at: The Sixth European Fibre Optic Communications and Local Area Networks Exposition. Proceedings, Amsterdam, Netherlands, 29 June-1 July 1988, [Basel, Switzerland: IGI Europe 1988] 88−70008 (introductory abstract), 88--72070 to 72081, 88−72132 to 72133, 88−72151, 88−72331 to 72332, 88−72463 to 72464, 88−73543, 88−73641 to 73663, 88−73959 to 73988, 88−74140 to 74141, 88−74451 to 74466, 88−74545

Fibre optic couplers, connectors and splice technology; Fibre Optic Couplers, Connectors and Splice Technology, Arlington, VA, USA, 1-2 May 1984, *(SPIE)* [1984] 85−5626 (introductory abstract), 85−7212 to 7225, 85−8393 to 8400

Fibre optic sensors; Fibre Optic Sensors. Two-Day Workshop of the Instrument Science and Technology Group of The Institute of Physics, Glasgow, UK, 13-14 July 1987, *(IOP)* [Bristol, UK: IOP 1987] 88−63 (introductory abstract), 88−2025 to 2027, 88−4413 to 4423, 88−4446, 88−5057, 88−5086

Fibre optics; Fibre Optics '84, London, UK, 1-3 May 1984, *(SPIE)* [1984] 85−27911 (introductory abstract), 85−24268 to 24277, 85−25860 to 25864, 85−26286, 85−27231, 85−29536 to 29541, 85−29642, 85−29808, 85−30693, 85−31018 to 31026

Fibre optics; Fibre Optics '85, London, UK, 30 April-2 May 1985, *(SPIE; Electron. Components Ind. Federation; Inst. Meas. & Control; et al)* [1985] 86−33902 (introductory abstract), 86−36195 to 36209, 86−37888 to 37902, 86−38774 to 38777

Fibre optics; Fiber Optics: Short-Haul and Long-Haul Measurements and Applications II, San Diego, CA, USA, 21-22 Aug. 1984, *(SPIE)* [1984] 85−39408 (introductory abstract), 85−41114 to 41125, 85−41310, 85−42565 to 42572

Fibre optics; Fibre Optics '86, London, UK, 29 April-1 May 1986, *(SPIE; Electron. Components Ind. Federation; IERE; et al)* [1986] 87−43747 (introductory abstract), 87−38819 to 38830, 87−38945, 87−39137, 87−40927 to 40928, 87−46534 to 46538, 87−48613 to 48617, 87−48771, 87−49070 to 49079, 87−49338

Fibre optics; Fiber Optics: Short-Haul and Long-Haul Measurements and Applications III, San Diego, CA, USA, 21-22 Aug. 1985, *(SPIE)* [1985] 87−22969 (introductory abstract), 87−23663, 87−26020 to 26030, 87−28602 to 28604, 87−29325, 87−32983, 87−33005, 87−33203, 87−34579 to 34588, 87−34676, 87−35092

Fibre optics in adverse environments; Fiber Optics in Adverse Environments II, San Diego, CA, USA, 22-24 Aug. 1984, *(SPIE)* [1984] 85−32880 (introductory abstract), 85−35406 to 35430, 85−35572, 85−35623 to 35624, 85−35738, 85−37005 to 37008, 85−37496, 85−37569

Fibre optics in control and process engineering; IEE Colloquium on 'The Application of Fibre Optics in Control and Process Engineering' (Digest No.31), London, UK, 17 March 1987, *(IEE)* [London, UK: IEE 1987] 87−43805 (introductory abstract), 87−46564 to 46568, 87−49129, 87−49952

Fibre waveguide devices; IEE Colloquium on 'Advanced Fibre Waveguide Devices' (Digest No.79), London, UK, 20 May 1986, *(IEE)* [London, UK: IEE 1986] 86−45957 (introductory abstract), 86−48195 to 48203, 86−48222

Field emission; 31st International Field Emission Symposium, Paris, France, 16-20 July 1984, *(Ministere de l'Ind. & Recherche; Ministere des Relations Exterieures; CNRS; Ministere de la Defence; et al)* [Dec. 1984] 85−22059 (introductory abstract), 85−29467, 85−34425, 85−34446 to 34447, 85−37880 to 37887

Field emission; 32nd International Field Emission Symposium, Wheeling, WV, USA, 14-19 July 1985, *(USDOE; NSF; VG Instrum)* [March 1986] 86−47224

Field emission; 33rd International Field Emission Symposium, Berlin, West Germany, 7-11 July 1986, *(Deutsche Forschungsgemeinschaft; Deutscher Akad. Austauschdienst; Max-Planck-Gesellschaft; et al)* [Nov. 1986] 87−20990, 87−21739

Field emission; 34th International Field Emission Symposium, Osaka, Japan, 13-17 July 1987, *(Commemorative Assoc. Japan World Exposition; Japan Soc. Promotion Sci.; DOE; et al)* [Nov. 1987] 88−32705, 88−36337 to 36338, 88−39211, 88−42510, 88−42627

Finnish Physical Society; Proceedings of the XIX Annual Conference of the Finnish Physical Society (papers in summary form only received) (Report No. 104), Oulu, Finland, 8-9 Feb. 1985, [Oulu, Finland: Univ. Oulu 1985] 85−42778, 85−43073, 85−43267 to 43272, 85−43310, 85−43337 to 43338, 85−43414, 85−44758, 85−45385, 85−46100 to 46101

Flash photolysis; Symposium on Flash Photolysis and its Applications, London, UK, 14-16 July 1986, [Dec. 1986] 87−39023

Flashlamp pumped laser technology; Flashlamp Pumped Laser Technology, Los Angeles, CA, USA, 21-22 Jan. 1986, *(SPIE)* [1986] 87—36299 (introductory abstract), 87—39027, 87—39049 to 39051, 87—39172, 87—39188 to 39195

Flat information displays; Flat Information Displays - 1985, San Jose, CA, USA, 29-30 Oct. 1985, *(Stanford Resources; Int. Planning Inf)* [San Jose, CA, USA: Stanford Resources 1985] 87—16272 (introductory abstract)

Flat panel displays; Flat Panel Displays 1985 International Conference, Cannes, France, 26-27 Sept. 1985, [San Jose, CA, USA: Stanford Resources 1985, $110] 87—10026 (introductory abstract)

Flavour mixing in weak interactions; Flavor Mixing in Weak Interactions. Proceedings of the Europhysics Topical Conference, Erice, Italy, 5-10 March 1984, *(Brookhaven Nat. Lab.; EPS; Gen. Dynamics; Italian Min. Educ.; et al) Chau, L.-L. (editor/s),* [New York, NY, USA: Plenum 1984, $120.00] 85—48151

Flexible manufacturing systems; Proceedings of the 3rd International Conference on Flexible Manufacturing Systems and 17th Annual IPA Conference, Boeblingen, West Germany, 11-13 Sept. 1984, *(IFS (Conferences); Fraunhofer Inst. Produktionstech. Autom.; et al) Warnecke, H.-J. (editor/s),* [Kempston, UK: IFS (Publications) 1984] 85—5777, 85—6610, 85—10281

Flexible manufacturing systems; FMS Second Conference on Flexible Manufacturing Systems. Proceedings, Milan, Italy, 27-29 March 1984, [Cinisello Balsamo, Italy: Centro Esposizioni UCIMU May 1984] 85—19903, 85—20489

Flexible manufacturing systems; Proceedings of the 4th International Conference on Flexible Manufacturing Systems, Stockholm, Sweden, 15-17 Oct. 1985, *(Swedish Manage. Group; Jutland Technol. Inst.; Finnish Assoc. Mater. Manage.; Fraunhofer Inst. Production Autom.; IIE, USA; IFS (Conferences) Ltd.; et al) Lindholm, R. (editor/s),* [Kempston, UK: IFS (Publications) 1985] 86—26623

Flexible manufacturing systems; Flexible Manufacturing Systems '85 Conference, Dallas, TX, USA, 11-14 March 1985, *(Comput. & Autom. Syst. Assoc. of SME)* [Dearborn, MI, USA: Comput. & Autom. Syst. Assoc. of SME 1985] 85—50068, 85—50113

Flexible manufacturing systems; Proceedings of the 5th International Conference on Flexible Manufacturing Systems, Stratford-upon-Avon, UK, 3-5 Nov. 1986, *(IFS (Conferences); British Robot Assoc.; Int. FMS Club; et al) Rathmill, K. (editor/s),* [Kempston, UK: IFS (Publications) 1986] 87—24608 to 24610, 87—26588

Flexible manufacturing systems; FMS: Third Conference on Flexible Manufacturing Systems. Proceedings, Milan, Italy, 4-5 March 1986, [Milan, Italy: Centro Esposizioni UCIMU 1986] 88—18479 to 18480

Flow measurement; Flow Measurement. Proceedings of FLOMEKO 1983 IMEKO Conference, Budapest, Hungary, 20-22 Sept. 1983, *Spencer, E.A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $60.00] 85—44944

Flow measurement; Proceedings of the 2nd International Conference on Flow Measurement, London, UK, 11-13 May 1988, *(BHRA; Instn. Chem. Eng.; IMechE; DFEI; et al) McNulty, J.G. Grove, L. (editor/s),* [Cranfield, UK: BHRA 1988] 88—55842 (introductory abstract), 88—60715 to 60720, 88—60974 to 60981

Fluid control and measurement; Fluid Control and Measurement, Tokyo, Japan, 2-6 Sept. 1985, *(Soc. Instrum. & Control Eng. Japan; Japan Soc. Mech. Eng.; Japan Hydraulics & Pheumatic Soc.; et al) Harada, M. (editor/s),* [Oxford, UK: Pergamon 1986, $250.00] 87—16268 (introductory abstract), 87—10707, 87—10725, 87—10748, 87—14626, 87—14975, 87—19151, 87—20754, 87—20899, 87—21003 to 21005, 87—21058 to 21061, 87—21274, 87—21279 to 21283, 87—21776

FM sound broadcasting planning; IEE Colloquium on 'The Outcome of the FM Sound Broadcasting Planning Conference 1984' (Digest No.77), London, UK, 10 Oct. 1985, *(IEE)* [London, UK: IEE 1985] 86—7402 (introductory abstract), 86—11201 to 11202, 86—11220

Focal plane arrays; Focal Plane Arrays: Technology and Applications, Cannes, France, 19-20 Nov. 1987, *(SPIE)* [1988] 88—69970 (introductory abstract), 88—67378, 88—67806, 88—67891 to 67894, 88—68626, 88—68672 to 68673, 88—70325, 88—74410 to 74413, 88—74474 to 74487

Focused ion beam technology; Japan-U.S. Seminar on Focused Ion Beam Technology and Applications, Osaka and Mie Prefect, Japan, 15-20 Nov. 1987, *(Japan Soc. Promotion Sci.; NSF; American Vacuum Soc)* [May-June 1988] 88—55778 (introductory abstract), 88—56044, 88—56239, 88—57277, 88—57282 to 57285, 88—57409, 88—57434 to 57440, 88—57480, 88—57508, 88—57535 to 57543, 88—57617, 88—60727

FORTH; 1985 Rochester Forth Conference Proceedings, Rochester, NY, USA, 1985, *(Inst. Appl. Forth Res.; Univ. Rochester; IEEE Comput. Soc)* [1985] 86—8137, 86—11310, 86—11430, 86—11787 to 11788, 86—11809

FORTH; 1986 Rochester Forth Conference, Rochester, NY, USA, 1986, *(Inst. Appl. Forth Res.; Rochester Univ.; IEEE)* [1986] 87—29950, 87—34524

FORTH, real time systems; 1984 Rochester Forth Conference on Real Time Systems, Rochester, NY, USA, 6-9 June 1984, [Rochester, NY, USA: Inst. Appl. Forth Res. 1984] 85—47839 (introductory abstract), 85—42312, 85—42825, 85—47840, 85—47864, 85—48120

Foundations of computer science; 27th Annual Symposium on Foundations of Computer Science (Cat. No.86CH2354-9), Toronto, Ont., Canada, 27-29 Oct. 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87—31844 to 31845, 87—32643, 87—33642 to 33645, 87—33852 to 33855

Foundations of computer science; 28th Annual Symposium on Foundations of Computer Science (Cat. No.87CH2471-1), Los Angeles, CA, USA, 12-14 Oct. 1987, *(IEEE; Addison-Wesley; AT&T Bell Labs.; et al)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88—11876 to 11880, 88—12134 to 12139, 88—14598 to 14601, 88—14872, 88—14971, 88—15157

Foundations of software technology and theoretical computer science; Third Conference on Foundations of Software Technology and Theoretical Computer Science, Bangalore, India, 12-14 Dec. 1983, *(Nat. Centre Software Dev. & Comput. Tech)* [July 1985] 86—7680

Fourier analysis; Recent Progress in Fourier Analysis. Proceedings of the Seminar on Fourier Analysis, El Escorial, Spain, 30 June-5 July 1983, *(Asoc. Mat. Espanola) Peral, I. Rubio de Francia, J.-L. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985] 86—61865 (introductory abstract)

Fourier and computerised infrared spectroscopy; 1985 International Conference on Fourier and Computerized Infrared Spectroscopy, Ottawa, Ont., Canada, 24-28 June 1985, *(Nat. Res. Council Canada; Coblentz Soc.; SPIE; et al)* [1985] 87—25849

Fracture mechanics in modern technology; Role of Fracture Mechanics in Modern Technology. Proceedings of the International Conference, Fukuoka, Japan, 2-6 June 1986, *Sih, G.C. Nisitani, H. Ishihara, T. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987] 88—3489

Fracture research; Advances in Fracture Research (Fracture 84). Proceedings of the 6th International Conference on Fracture (ICG6), New Delhi, India, 4-10 Dec. 1984, *(Int. Congress on Fracture) Valluri, S.R. Taplin, D.M.R. Rama Rao, P. Knott, J.F. Dubey, R. (editor/s),* [Oxford, UK: Pergamon 1984] 86—34428

Free electron generation of EUV radiation; Topical Meeting on Free Electron Generation of Extreme Ultraviolet Coherent Radiation, Upton, NY, USA, 19-22 Sept. 1983, *(Brookhaven Nat. Lab.; Opt. Soc. America)* [1984] 85—2 (introductory abstract), 85—2168 to 2185, 85—2371 to 2374, 85—2445, 85—4174

Free-electron laser applications in the ultraviolet; Free-Electron Laser Applications in the Ultraviolet. 1988 Technical Digest Series Vol. 4. Conference Edition, Cloudcroft, NM, USA, 2-5 March 1988, *(Opt. Soc. America; Air Force Office Sci. Res.; DOE)* [Washington, DC, USA: Opt. Soc. America 1988] 88—55831 (introductory abstract)

Free electron lasers; Free Electron Lasers. Proceedings of the 1984 Free Electron Laser Conference, Castelgandolfo (Rome), Italy, 3-7 Sept. 1984, *(ENEA)* [15 June 1985] 85—56675 (introductory abstract), 85—56676 to 56724, 85—58960 to 58961, 85—59042 to 59045, 85—59110

Free electron lasers; Free Electron Lasers. Proceedings of the Seventh International Conference, Tahoe City, CA, USA, 8-13 Sept. 1985, *(Air Force Office Sci. Res.; US Army Strategic Defence Command; DOE; Office Naval Res.; Lawrence Livermore Nat. Lab)* [1 Sept. 1986] 87—11 (introductory abstract), 87—2046, 87—2137 to 2206

Free electron lasers; Eighth International Free Electron Laser Conference, Glasgow, UK, 1-5 Sept. 1986, *(Univ. Glasgow)* [1 Sept. 1987] 87—72665 (introductory abstract), 87—74948, 87—75108 to 75109, 87—75134 to 75166, 87—75175 to 75177, 87—75189 to 75190, 87—75208 to 75214, 87—77159, 87—77478, 87—77493

Free-electron lasers; Free-Electron Lasers, Los Angeles, CA, USA, 15-16 Jan. 1987, *(SPIE)* [1987] 88—55795 (introductory abstract), 88—58583 to 58594

Free electron lasers workshop; Proceedings of the Workshop on Applications of Free Electron Lasers, Castelgandolfo (Rome), Italy, 10-12 Sept. 1984, *(ENEA)* [15 Sept. 1985] 86—3229 (introductory abstract), 86—2280 to 2281, 86—3230, 86—3395, 86—4668, 86—5975, 86—5982 to 5983

Free-space laser communication technologies; Free-Space Laser Communication Technologies, Los Angeles, CA, USA, 11-12 Jan. 1988, *(SPIE)* [1988] 88—49346 (introductory abstract), 88—51750, 88—51821 to 51824, 88—53016, 88—53228, 88—53284 to 53301, 88—53371, 88—53380

Frequency control; Proceedings of the 38th Annual Frequency Control Symposium 1984 (Cat. No. 84CH2062-8), Philadelphia, PA, USA, 29 May-1 June 1984, *(IEEE; US Army Electron. Res. & Dev. Command)* [New York, NY, USA: IEEE 1984] 85—60660 (introductory abstract), 85—56051 to 56057, 85—58259, 85—58490, 85—58809 to 58817, 85—58911 to 58914, 85—59393, 85—61154 to 61155, 85—61353, 85—61364 to 61366, 85—62130, 85—62142 to 62167, 85—62175 to 62182, 85—62469, 85—64143 to 64144

Frequency control; Proceedings of the 39th Annual Frequency Control Symposium 1985 (Cat. No.85CH2186-5), Philadelphia, PA, USA, 29-31 May 1985, *(IEEE; US Army Electron. Res. & Dev. Command)* [New York, NY, USA: IEEE 1985] 86—33920 (introductory abstract), 86—34588, 86—34611 to 34612, 86—34956, 86—35954, 86—35963, 86—36362 to 36364, 86—38492 to 38501, 86—38545, 86—38573 to 38576, 86—40529, 86—40708 to 40709, 86—40946 to 40955, 86—42023 to 42067, 86—42081 to 42085, 86—44085, 86—44439 to 44440

Frequency control; Proceedings of the 40th Annual Frequency Control Symposium 1986 (Cat. No.86CH2330-9), Philadelphia, PA, USA, 28-30 May 1986, *(U.S. Army Electron. Technol. & Devices Lab.; IEEE)* [New York, NY, USA: IEEE 1986] 87—31135 (introductory abstract), 87—23985 to 23987, 87—24301, 87—24440, 87—24462, 87—25740 to 25742, 87—26250 to 26253, 87—28684, 87—28704, 87—29233 to 29236, 87—31746 to 31752, 87—31985, 87—32760 to 32766, 87—32788 to 32807, 87—32818 to 32824, 87—34906, 87—34949 to 34950, 87—35069 to 35071, 87—35157, 87—35183

Frequency control; Proceedings of the 41st Annual Frequency Symposium 1987 (Cat. No.87CH2427-3), Philadelphia, PA, USA, 27-29 May 1987, *(IEEE; US Army Electron. Technol. & Devices Lab)* [New York, NY, USA: IEEE 1987] 88—18316 (introductory abstract), 88—18496, 88—18812, 88—18958 to 18960, 88—18981 to 18993, 88—19020, 88—19285, 88—19347, 88—19394 to 19396, 88—19588, 88—20187 to 20189, 88—20206 to 20223, 88—20232 to 20236, 88—20525 to 20529, 88—22049 to 22051, 88—22128, 88—22238, 88—22403 to 22411, 88—22580 to 22582, 88—22732

Frequency control and synthesis; International Conference on Frequency Control and Synthesis (Publ. No.75), Guildford, Surrey, UK, 8-10 April 1987, [London, UK: IERE 1987] 87—58560 (introductory abstract), 87—58671, 87—58913, 87—59218 to 59220, 87—59239 to 59242, 87—59690, 87—60718 to 60726, 87—60779, 87—62521, 87—63065, 87—63208 to 63209, 87—63603

Fretting wear; Proceedings of the Institution of Mechanical Engineers' Fretting Wear Seminar, Nottingham, UK, 2-3 April 1985, *(IMechE)* [Nov. 1985] 86—34399

Frontier detectors for frontier physics; Frontier Detectors for Frontier Physics. Proceedings of the Second Pisa Meeting on Advanced Detectors, Castiglione della Pescaia, Italy, 3-7 June 1983, *(INFN; Univ. Pisa; Eur. Phys. Soc.; Italian Phys. Soc)* [1 Sept. 1984] 85—5627 (introductory abstract), 85—9035 to 9067, 85—9092 to 9098

Frontiers in education; 1984 Frontiers in Education Conference Proceedings (Cat. No. 84CH2091-7), Philadelphia, PA, USA, 3-5 Oct. 1984, *(IEEE; American Soc. Eng. Educ) Grayson, L.P. Biedenbach, J.M. (editor/s),* [New York, NY, USA: IEEE 1984] 85—32915 (introductory abstract), 85—32970 to 33051, 85—33120, 85—33259, 85—33607, 85—36602, 85—36998, 85—38392, 85—38863

Frontiers in materials education; Frontiers in Materials Education Symposium, Boston, MA, USA, 2-4 Dec. 1985, *(Mater. Res. Soc) Hobbs, L.W. Liedl, G.L. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87—23013 (introductory abstract)

Fuel cycle; Fuel Cycle Conference '84, Atlanta, GA, USA, 1-4 April 1984, *(Atomic Ind. Forum)* [Bethesda, MD, USA: Atomic Ind. Forum 1984, £345.00] 85—32305 to 32306

Functional electrical stimulation; IEE Colloquium on 'Functional Electrical Stimulation' (Digest No.6), London, UK, 15 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86—33945 (introductory abstract), 86—38804, 86—38835

Fundamental constants in physics and metrology; Fundamental Constants in Physics and Metrology. 70th PTB-Symposium, Braunschweig, West Germany, 21-22 Oct. 1985, [1986] 86—57074 (introductory abstract), 86—58299, 86—60097 to 60101, 86—60295 to 60297, 86—60310, 86—60312 to 60313, 86—60315 to 60316, 86—60349, 86—60360

Fundamental effects in semiconductors; NORDITA Conference on Fundamental Effects in Semiconductors, Copenhagen, Denmark, 6-8 Aug. 1986, [1986] 87—53299, 87—54170

Fundamental symmetries; Fundamental Symmetries. Proceedings of the First Course of the International School of Physics with Low-Energy Antiprotons, Fundamental Low Energy, Erice, Italy, 27 Sept.-3 Oct. 1986, *Bloch, P. Pavlopoulos, P. Klapisch, R. (editor/s),* [New York, NY, USA: Plenum 1987, £53.70] 88—42400

Fusion energy, technology; Proceedings of the Sixth Topical Meeting on the Technology of Fusion Energy, San Francisco, CA, USA, 3-7 March 1985, *(ANS; Univ. California; USDOE; EPRI; et al)* [July 1985] 86−27639, 86−27649 to 27651, 86−28752 to 28761, 86−29320

Fusion engineering; 10th Symposium on Fusion Engineering Proceedings (Cat. No. 83CH1916-6 NPS), Philadelphia, PA, USA, 5-9 Dec. 1983, *(IEEE; Princeton Plasma Phys. Lab.; US DOE; EPRI; ANS)* [New York, NY, USA: IEEE 1983] 85−115 to 116, 85−570, 85−611, 85−993 to 994, 85−1227, 85−1237 to 1238, 85−1795, 85−1888 to 1942, 85−1948, 85−2245, 85−2273 to 2277, 85−2383, 85−2483, 85−2496 to 2510, 85−2594 to 2596, 85−2680, 85−3475, 85−4065, 85−4122, 85−4198, 85−4233 to 4234, 85−4250 to 4251, 85−4644 to 4645, 85−4684, 85−4693 to 4695, 85−4857 to 4859, 85−5206 to 5218, 85−5287, 85−5395, 85−5398, 85−6388, 85−6644, 85−7188, 85−7562, 85−8444, 85−8750, 85−9117

Fusion engineering; 11th Symposium on Fusion Engineering. Proceedings (Cat. No.CH2251-7), Austin, TX, USA, 18-22 Nov. 1985, *(IEEE; Univ. Texas at Austin; USDOE; EPRI; ANS; Texas Atomic Energy Res. Found)* [New York, NY, USA: IEEE 1986] 87−5131 (introductory abstract), 87−7061, 87−8819, 87−9675 to 9678, 87−9706, 87−10680 to 10681, 87−10706, 87−11016, 87−11289, 87−11293, 87−12082 to 12094, 87−12344, 87−12684 to 12685, 87−12819, 87−13743, 87−14665 to 14668, 87−15344, 87−15885 to 15900, 87−22543 to 22548

Fusion engineering; Fusion Engineering Proceedings. 12th Symposium on Fusion Engineering (Cat. No.87CH2507-2), Monterey, CA, USA, 12-16 Oct. 1987, *(IEEE; AIAA; DOE; et al)* [New York, NY, USA: IEEE 1987] 88−58892, 88−60759, 88−61208, 88−63485, 88−63520 to 63521, 88−63551 to 63552, 88−63825, 88−64006, 88−64179, 88−64209 to 64210, 88−64848, 88−65000, 88−65097 to 65107, 88−65989 to 66002, 88−66173 to 66176, 88−67601, 88−67704, 88−67915, 88−68118 to 68119, 88−68597 to 68598, 88−68937, 88−69054 to 69056, 88−69299, 88−69477, 88−69511 to 69521, 88−69643, 88−69666

Fusion reactor design and technology; Fusion Reactor Design and Technology 1986. Proceedings of the Fourth Technical Committee Meeting and Workshop (STI-PUB-754), Yalta, USSR, 26 May-6 June 1986, [Vienna, Austria: IAEA 1987] 88−51415

Fusion reactor materials; Proceedings of the Third Topical Meeting on Fusion Reactor Materials, Albuquerque, NM, USA, 19-22 Sept. 1983, [May 1984] 85−1794, 85−1887, 85−2492

Fusion reactor materials; Proceedings of the First International Conference on Fusion Reactor Materials (ICFRM-1), Tokyo, Japan, 3-6 Dec. 1984, *(Atomic Energy Soc. Japan; Iron & Steel Inst. Japan; Japan Inst. Metals; et al)* [1985] 86−15416 to 15418, 86−15437

Fusion reactor materials; Second International Conference on Fusion Reactor Materials (ICFRM-2), Chicago, IL, USA, 13-17 April 1986, *(Argonne Nat. Lab.; USDOE, ANS; et al)* [Nov.-Dec. 1986] 87−25729 to 25730, 87−25879, 87−25897, 87−31089, 87−35312

Fusion research, particle-beam application; Proceedings of the Collaborating Research Meeting on Particle Beam Applications to Fusion Research (IPPJ-678), Nagoya, Japan, 21-22 Nov. 1983, *Yatsui, K. (editor/s),* [Nagoya, Japan: Nagoya Univ. May 1984] 85−15094 (introductory abstract), 85−11019, 85−13022, 85−15118 to 15119, 85−15154

Fusion technology; Fusion Technology 1984. Proceedings of the Thirteenth Symposium (EUR 9183 EN), Varese, Italy, 24-28 Sept. 1984, [Oxford, UK: Pergamon 1984] 85−44891, 85−46104 to 46112, 85−48561, 85−48793, 85−49028 to 49041, 85−53767

Fusion technology; Fusion Technology 1986. Proceedings of the Fourteenth Symposium (EUR 10936 EN), Avignon, France, 8-12 Sept. 1986, [Oxford, UK: Pergamon 1986] 87−65072 (introductory abstract), 87−66820, 87−66833 to 66836, 87−67983 to 67989, 87−68735, 87−72273 to 72291, 87−74633 to 74643, 87−75296, 87−75338, 87−78068, 87−78151, 87−78799 to 78800

Future development in technology: the year 2000; Proceedings of the International Conference on Future Development in Technology the Year 2000, London, UK, 4-6 April 1984, *Dorgham, M.A. (editor/s),* [Geneva, Switzerland: Inderscience Enterprises 1985] 86−61840 (introductory abstract), 86−61841, 86−61888, 86−63414 to 63415, 86−64414, 86−65477, 86−65809, 86−66370, 86−66454, 86−66465

Future materials needs; 19th International SAMPE Technical Conference. Vol.19. The Nation's Future Material Needs, Crystal City, VA, USA, 13-15 Oct. 1987, *(Soc. Adv. Mater. & Process Eng) Lynch, T. Persh, J. Wolf, T. Rupert, N. (editor/s),* [Covina, CA, USA: Soc. Adv. Mater. & Process Eng. 1987] 88−43601 (introductory abstract), 88−43978 to 43981

Fuzzy sets; Recent Developments in the Theory and Applications of Fuzzy Sets. Proceedings of NAFIPS '86 - 1986 Conference of the North American Fuzzy Information Processing Society, New Orleans, LA, USA, 2-4 June 1986, *(Louisiana State Univ.; Tulane Univ) Bandler, W. Kandel, A. (editor/s),* [Tallahassee, FL, USA: Florida State Univ. 1986] 87−10277, 87−10927, 87−13158 to 13165

Gallium arsenide; Gallium Arsenide and Related Compounds 1985. Proceedings of the Twelfth International Symposium, Karuizawa, Japan, 23-26 Sept. 1985, *Fujimoto, M. (editor/s),* [Bristol, UK: Adam Hilger 1986, £45.00] 86−52153 (introductory abstract), 86−52430 to 52439, 86−52487 to 52505, 86−52529 to 52531, 86−53355 to 53359, 86−53435 to 53440, 86−53462 to 53463, 86−53523, 86−53537 to 53540, 86−53559 to 53564, 86−53604 to 53611, 86−53615, 86−53677 to 53694, 86−53782, 86−53831 to 53832, 86−54011, 86−54033 to 54034, 86−54045, 86−54060, 86−54150 to 54164, 86−56951

Gallium arsenide; IEE Colloquium on 'Gallium Arsenide' (Digest No.17), London, UK, 27 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88−24379 (introductory abstract), 88−25566 to 25567, 88−26200, 88−26362, 88−26550 to 26551

Gallium arsenide and other III-V semiconductors; Gallium Arsenide. Second Conference on Physics and Technology of GaAs and other III-V Semiconductors, Budapest, Hungary, 8-11 Sept. 1986, [1987] 88−6081 (introductory abstract), 88−1358, 88−1414 to 1415, 88−1436, 88−1679, 88−2230, 88−6434 to 6435, 88−6449 to 6456, 88−6493, 88−7304, 88−7332 to 7333, 88−7361, 88−7402, 88−7451, 88−7471, 88−7515, 88−7623 to 7624, 88−7778, 88−8056 to 8057, 88−8070, 88−8182 to 8185, 88−9976 to 9977

Gallium arsenide and related compounds; Gallium Arsenide and Related Compounds 1984. Eleventh International Symposium, Biarritz, France, 26-28 Sept. 1984, *de Cremoux, B. (editor/s),* [Bristol, UK: Adam Hilger 1985] 86−73 (introductory abstract), 86−410, 86−453 to 454, 86−1380, 86−1731 to 1732, 86−1797, 86−1849, 86−2026 to 2028, 86−2099, 86−2120, 86−2135 to 2137, 86−2212 to 2228, 86−2352 to 2353, 86−2842, 86−2965 to 2971, 86−2990 to 2991, 86−3185 to 3191, 86−4693, 86−7157, 86−7815 to 7818, 86−7854, 86−8800 to 8805, 86−8869, 86−9090, 86−9113, 86−9176 to 9177, 86−13767, 86−14531, 86−14967, 86−15180 to 15181, 86−15253, 86−15280 to 15282, 86−15524, 86−15563, 86−15726

Gallium arsenide and related compounds; Gallium Arsenide and Related Compounds 1986. Proceedings of the Thirteenth International Symposium, Las Vegas, NV, USA, 28 Sept.-1 Oct. 1986, *(Air Force Office Sci. Res.; IEEE; Electrochem. Soc) Lindley, W.T. (editor/s),* [Bristol, UK: IOP 1987, £45.00] 87−65061 (introductory abstract), 87−58945, 87−59341, 87−59467 to 59468, 87−59871 to 59874, 87−60103 to 60105, 87−60162 to 60165, 87−60311 to 60312, 87−60409, 87−60433, 87−60492 to 60504, 87−60662, 87−65475, 87−65526 to 65535, 87−65572, 87−66915 to 66916, 87−67088, 87−67234, 87−74087 to 74094, 87−74117, 87−74215, 87−74270, 87−74330 to 74331, 87−74797, 87−74930, 87−75123 to 75129, 87−77284 to 77285, 87−77595

Gallium arsenide and related compounds; Gallium Arsenide and Related Compounds 1987. Proceedings of the Fourteenth International Symposium, Heraklion, Crete, Greece, 28 Sept.-1 Oct. 1987, *(Minist. Ind. & Technol., Greece; Res. Centre Crete; Bell Commun. Res.; et al) Christou, A. Rupprecht, H.S. (editor/s),* [Bristol, UK: IOP 1988, £55.00] 88−55832 (introductory abstract), 88−49790 to 49791, 88−49853 to 49861, 88−49883 to 49887, 88−50631 to 50632, 88−50659, 88−50667 to 50668, 88−50709 to 50711, 88−50743 to 50744, 88−50985, 88−51988, 88−56212 to 56214, 88−56259 to 56274, 88−56314 to 56315, 88−56607 to 56608, 88−56963 to 56967, 88−57315 to 57319, 88−57364 to 57368, 88−57379 to 57380, 88−57398, 88−57460, 88−57493, 88−57595, 88−57625 to 57628, 88−57667, 88−57689 to 57701, 88−57704, 88−57826, 88−58209, 88−58367 to 58369, 88−58380, 88−58394 to 58396, 88−58568 to 58571, 88−58693, 88−63344 to 63345, 88−64250 to 64264, 88−64311 to 64315, 88−64354, 88−64629 to 64630

Gallium arsenide and silicon devices for high-speed logic; IEE Colloquium on 'Comparison Between GaAs and Silicon Devices for High Speed Logic' (Digest No.62), London, UK, 28 April 1986, *(IEE)* [London, UK: IEE 1986] 86−45946 (introductory abstract), 86−47762 to 47763, 86−47782 to 47786, 86−47873

Gallium arsenide ICs, design and fabrication; IEE Colloquium on Design and Fabrication of Gallium Arsenide ICs (Digest No. 107), London, UK, 7 Dec. 1984, *(IEE)* [London, UK: IEE 1984] 85−16594 (introductory abstract), 85−17883 to 17885, 85−18211 to 18214, 85−18260, 85−18365, 85−18490, 85−18823

Gallium arsenide integrated circuits ; GaAs IC Symposium Technical Digest 1984 (Cat. No. 84CH2065-1), Boston, MA, USA, 23-25 Oct. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85−54034 (introductory abstract), 85−54150, 85−54710, 85−54855 to 54861, 85−54897 to 54900, 85−54959, 85−55163 to 55178, 85−55472 to 55473, 85−55600, 85−55679, 85−55859, 85−55925 to 55927, 85−55975 to 55980, 85−58360

Gallium arsenide integrated circuits; IEE Colloquium on Gallium Arsenide Integrated Circuits (Digest No.99), London, UK, 8 Dec. 1983, *(IEE)* [London, UK: IEE 1983] 85−27971 (introductory abstract)

Gallium arsenide integrated circuits; GaAs IC Symposium. IEEE Gallium Arsenide Integrated Circuit Symposium. Technical Digest 1985 (Cat. No.85CH2182-4), Monterey, CA, USA, 12-14 Nov. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−33929 (introductory abstract), 86−34056, 86−34589, 86−34629, 86−34737 to 34739, 86−34805 to 34808, 86−34907, 86−34986 to 34987, 86−35109 to 35121, 86−35531, 86−35818 to 35821, 86−35855 to 35857, 86−35908 to 35920, 86−38031, 86−38372

Gallium arsenide integrated circuits; GaAs IC Symposium. IEEE Gallium Arsenide Integrated Circuit Symposium. Technical Digest (Cat. No.86CH2372-1), Grenelefe, FL, USA, 28-30 Oct. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−31142 (introductory abstract), 87−31493 to 31495, 87−31846 to 31851, 87−31905 to 31908, 87−31968 to 31971, 87−31979, 87−32005, 87−32087 to 32101, 87−32565 to 32566, 87−32644 to 32648, 87−32682 to 32683, 87−32719 to 32727, 87−34628 to 34630

Gallium arsenide integrated circuits; GaAs IC Symposium: IEEE Gallium Arsenide Integrated Circuit Symposium. Technical Digest 1987 (Cat. No.87CH2506-4), Portland, OR, USA, 13-16 Oct. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88−18324 (introductory abstract), 88−18752, 88−18952 to 18953, 88−19102 to 19113, 88−19162 to 19165, 88−19211, 88−19237 to 19240, 88−19248 to 19250, 88−19397 to 19416, 88−19839, 88−19920, 88−20006 to 20008, 88−20086, 88−20159 to 20167, 88−20522

Gallium arsenide on Si; IEE Colloquium on 'GaAs on Si' (Digest No.47), London, UK, 28 March 1988, [London, UK: IEE 1988] 88−43607 (introductory abstract), 88−43912 to 43914, 88−44584, 88−44631

Gas discharges and their applications; GD85. Proceedings of the Eighth International Conference on Gas Discharges and their Applications, Oxford, UK, 16-20 Sept. 1985, *(Pergamon Press; Leeds Univ. Press)* [Leeds, UK: Leeds Univ. Press 1985] 86−21002, 86−26214 to 26235, 86−26905 to 26906, 86−27776 to 27778, 86−28544 to 28552, 86−29301, 86−29316 to 29319, 86−32759, 86−32790 to 32791, 86−32809, 86−32858, 86−33565 to 33574, 86−33814, 86−33882, 86−35254, 86−35256 to 35257, 86−35930 to 35931, 86−35937 to 35941, 86−36425 to 36428, 86−39199, 86−40282 to 40285

Gas flow and chemical lasers; Gas Flow and Chemical Lasers, 1984. Proceedings of the Fifth International Symposium, Oxford, UK, 20-24 Aug. 1984, *Kaye, A.S. Walker, A.C. (editor/s),* [Bristol, UK: Adam Hilger 1985] 85−56475 (introductory abstract), 85−56549 to 56560, 85−56759, 85−56777 to 56779, 85−56924 to 56927, 85−62509 to 62521, 85−62639 to 62641, 85−62649, 86−3057 to 3089, 86−3232, 86−3245 to 3246, 86−3260, 86−3316

Gas geochemistry; Gas Geochemistry of Volcanism, Earthquakes, Resource Exploration, and Earth's Interior, Honolulu, HI, USA, 19-20 Dec. 1984, [10 Nov. 1986] 87−21789

Gas lasers; New Developments and Applications in Gas Lasers, Los Angeles, CA, USA, 13-14 Jan. 1987, *(SPIE)* [1987] 88−18301 (introductory abstract), 88−19819, 88−20567 to 20579, 88−20726, 88−20813 to 20817, 88−23114

Gas lasers; IEE Colloquium on 'Gas Lasers - Art and Applications' (Digest No.63), London, UK, 27 April 1988, *(IEE)* [London, UK: IEE 1988] 88−49387 (introductory abstract), 88−51762 to 51763, 88−51989 to 51990, 88−54622

Gas turbines control; IEE Colloquium on 'The Control of Gas Turbines: Systems Architecture, Transducers and Effector Studies' (Digest No.94), London, UK, 4 Nov. 1985, *(IEE)* [London, UK: IEE 1985] 86−17962 to 17963

Gaseous dielectrics; Gaseous Dielectrics IV. Proceedings of the Fourth International Symposium, Knoxville, TN, USA, 29 April-3 May 1984, *(IEEE) Christophorou, L.G. Pace, M.O. (editor/s),* [New York, NY, USA: Pergamon 1984, $95.00] 85−24005 (introductory abstract), 85−23999, 85−24006 to 24023, 85−24875, 85−26436, 85−27032, 85−27081, 85−27483, 85−27570 to 27577

Gaseous dielectrics; Gaseous Dielectrics V. Proceedings of the Fifth International Symposium, Knoxville, TN, USA, 3-7 May 1987, *(USDOE; EPRI) Christophorou, L.G. Bouldin, D.W. (editor/s),* [New York, NY, USA: Pergamon 1987] 88−37838 (introductory abstract), 88−39028, 88−39749, 88−39751 to 39758, 88−43338 to 43340, 88−44909 to 44913, 88−49031, 88−49088 to 49092

Gate array design; IEE Colloquium on 'Experience in Gate Array Design' (Digest No.14), London, UK, 22 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88−31315 (introductory abstract), 88−31361 to 31362, 88−32180 to 32185

Genetic algorithms and their applications; Genetic Algorithms and their Applications: Proceedings of the Second International Conference on Genetic Algorithms, Cambridge, MA, USA, 28-31 July 1987, *(American Assoc. Artificial Intelligence; Naval Res. Lab.; Bolt Beranek & Newman) Grefenstette, J.J. (editor/s),* [Hillsdale, NJ, USA: Lawrence Erlbaum Associates 1987] 88−21430 to 21431

Geometrical optics; Geometrical Optics, Los Angeles, CA, USA, 23-25 Jan. 1985, *(SPIE)* [1985] 86−17844

Geophysical fields; Symposium on Geophysical Fields, their Nature and Geological Interpretation, Moscow, USSR, 4-14 Aug. 1984, [July 1986] 87−63903 (introductory abstract)

Geophysics; 5th ASEG Geophysical Conference 'Meeting the Challenge'. Extended Abstracts, Perth, WA, Australia, 22-27 Feb. 1987, [March-June 1987] 88−30135 (introductory abstract)

Geoscience and remote sensing; IGARSS '86. Remote Sensing: Today's Solutions for Tomorrow's Information Needs (ESA SP-254) (IEEE Cat. No.86CH2268-1), Zurich, Switzerland, 8-11 Sept. 1986, *(IEEE; ESA; NASA; NOAA; CNES; et al) Guyenne, T.D. Hunt, J.J. (editor/s),* [Noordwijk, Netherlands: ESA Aug. 1986, $90.00] 87−51727 (introductory abstract), 87−51787, 87−54556 to 54557, 87−54715, 87−56252, 87−56301, 87−56556, 87−57336 to 57360, 87−57372 to 57379, 87−57384 to 57405, 87−57423 to 57446, 87−61504, 87−61528, 87−63046 to 63061, 87−63927 to 63937, 87−63965 to 63966, 87−63972 to 63977, 87−63990 to 63996, 88−9640

Geosciences, cooperative research; Cooperative Research in the Geosciences. Joint Conference between the US Geological Survey and the Central Office of Geology, Budapest, Hungary, 1-3 Oct. 1984, [Dec. 1985] 86−33899 (introductory abstract), 86−38938 to 38940

Geothermal energy for electric power production and space heating; Utilization of Geothermal Energy for Electric Power Production and Space Heating. UNECE Seminar, Florence, Italy, 14-17 May 1984, [1985] 86−13251 (introductory abstract), 86−18519, 86−19133 to 19143

Geothermal resources; 1st UNITAR/UNDP Workshop on Small Geothermal Resources, Pisa, Italy, 11-22 May 1987, [1988] 88−55770 (introductory abstract)

German documentation; Deutscher Dokumentartag 1987. Von der Information zum Wissen, von Wissen zur Information: Traditionelle und Moderne Informationssysteme fur Wissenschaft und Praxis (German Documentation 1987. From Information to Knowledge, from Knowledge to Information: Traditional and Modern Information Systems for Knowledge and Practice), Bad Durkheim, West Germany, 23-25 Sept. 1987, *Strohl-Goebel, H. (editor/s),* [Weinheim, West Germany: VCH Verlagsgesellschaft 1988, DM128.00] 88−67070

German Physical Society meeting; Festkorper Probleme XXIV. Advances in Solid State Physics. Plenary Lectures of the 48th Annual Meeting of the German Physical Society, Munster, West Germany, 12-17 March 1984, *(German Phys. Soc) Grosse, P. (editor/s),* [Braunschweig, West Germany: Vieweg 1984] 85−1341, 85−1612, 85−3977

Gettering and defect engineering in semiconductor technology; 1st International Autumn School 1985: Gettering and Defect Engineering in the Semiconductor Technology (GADEST). Proceedings, Garzau, East Germany, 8-18 Oct. 1985, *Richter, H. (editor/s),* [Frankfurt (Oder), East Germany: Akad. Wissenschaften DDR 1985] 87−65079 (introductory abstract), 87−60106, 87−60166, 87−60206 to 60208, 87−60262 to 60265, 87−60368, 87−60436, 87−63286, 87−64827, 87−65476, 87−66886 to 66887, 87−66963 to 66964, 87−66993, 87−67022, 87−67062 to 67067, 87−67089, 87−67114 to 67115

Gettering and defect engineering in semiconductor technology; 2nd International Autumn Meeting Proceedings: Gettering and Defect Engineering in the Semiconductor Technology (GADEST '87), Garzau, East Germany, 11-17 Oct. 1987, *(Acad. Sci. GDR; VEB Kombinat Mikroelektronik; Phys. Soc. GDR) Richter, H. (editor/s),* [Frankfurt (Oder), East Germany: Akad. Wissenschaften DDR 1987] 88−31309 (introductory abstract), 88−31723 to 31724, 88−32767 to 32769, 88−32960, 88−32984 to 32985, 88−33024 to 33025, 88−33075 to 33076, 88−33111, 88−33356 to 33357, 88−44174, 88−44542, 88−44606, 88−44622 to 44629, 88−44698, 88−44878 to 44880

Glass... Current issues; Glass... Current Issues. Proceedings of the NATO Advanced Study Institute, Puerto de la Cruz, Tenerife, Canary Islands, Spain, 2-13 April 1984, *Wright, A.F. Dupuy, J. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1985] 85−60670 (introductory abstract), 85−61702, 85−62187, 85−62200 to 62201, 85−62281 to 62282, 85−62395 to 62396, 85−62409, 85−65436 to 65437, 86−7853, 86−9601 to 9602, 86−9615

Glass science; Physics and Chemistry of Glass and Glass Making. Proceedings of the Eighth University Conference on Glass Science, Alfred, NY, USA, 29 July-2 Aug. 1985, [11 July 1986] 87−337

Glass science and technology; Proceedings of the Symposium on Glass Science and Technology. Problems and Prospects for 2004, Vienna, Austria, 1-5 July 1984, [Aug. 1985] 85−61590, 85−62403, 86−2650

Glass structure and formation modes; Second International Conference on the Effects of Modes of Formation on the Structure of Glass, Nashville, TN, USA, 8-11 June 1987, [1987] 88−43923

Glass structure formation modes; Effects of Modes of Formation on the Structure of Glass. Proceedings of an International Conference, Nashville, TN, USA, 9-12 July 1984, [May 1985] 85−50299

Glasses and glass ceramics from gels; Fourth International Workshop on Glasses and Class Ceramics from Gels, Kyoto, Japan, 13-15 July 1987, [March 1988] 88−43950 to 43952

Global telecommunications; IEEE Global Telecommunications Conference, GLOBECOM '84 Conference Record. 'Communications in the Information Age' (Cat. No. 84CH2064-4), Atlanta, GA, USA, 26-29 Nov. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85−39426 (introductory abstract), 85−39496, 85−39567 to 39576, 85−39970 to 39971, 85−40255, 85−41182, 85−41215, 85−41611 to 41614, 85−41649 to 41651, 85−41708, 85−41777 to 41779, 85−41821 to 41825, 85−41831 to 41848, 85−41857 to 41859, 85−41882 to 41891, 85−41929 to 41932, 85−41993 to 41998, 85−42010 to 42034, 85−42044 to 42045, 85−42104 to 42135, 85−42177 to 42178, 85−42187, 85−42197, 85−42215 to 42220, 85−42279 to 42291, 85−42333, 85−42342 to 42344, 85−42349 to 42350, 85−42374 to 42384, 85−42394 to 42401, 85−42409, 85−42417, 85−42431 to 42452, 85−42463 to 42466, 85−42490 to 42494, 85−42528 to 42548, 85−42606 to 42624, 85−42656, 85−42719 to 42721, 85−42760 to 42761, 85−42777, 85−46568, 85−46675 to 46676, 85−46736, 85−46953 to 46954, 85−46998, 85−47097 to 47099, 85−47185 to 47187, 85−47234 to 47236, 85−47336, 85−47418 to 47420, 85−47539 to 47542

Global telecommunications; GLOBECOM '85. IEEE Global Telecommunications Conference. Conference Record. Communication Technology to Provide New Services (Cat. No.85CH2190-7), New Orleans, LA, USA, 2-5 Dec. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−52116 (introductory abstract), 86−52307 to 52312, 86−52750, 86−52988 to 52989, 86−53767, 86−54250 to 54251, 86−54297, 86−54352 to 54356, 86−54398 to 54401, 86−54421 to 54427, 86−54450 to 54458, 86−54485, 86−54558 to 54565, 86−54594 to 54624, 86−54648 to 54659, 86−54697 to 54750, 86−54807 to 54812, 86−54822 to 54823, 86−54829 to 54831, 86−54853 to 54854, 86−54914 to 54938, 86−55045, 86−55058 to 55060, 86−55071 to 55078, 86−55086 to 55090, 86−55109 to 55126, 86−55136 to 55137, 86−55159 to 55174, 86−55186 to 55194, 86−55222 to 55228, 86−55264 to 55276, 86−55310 to 55326, 86−55414, 86−55430, 86−55445 to 55446, 86−55454, 86−55471 to 55473, 86−55540, 86−55575, 86−55638, 86−56165

Global telecommunications; GLOBECOM '86: IEEE Global Telecommunications Conference. Communications Broadening Technology Horizons. Conference Record (Cat. No.86CH2298-9), Houston, TX, USA, 1-4 Dec. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−31133 (introductory abstract), 87−31833, 87−31943 to 31946, 87−31965, 87−32385, 87−33438 to 33439, 87−33581, 87−33625 to 33628, 87−33841 to 33842, 87−33956 to 33963, 87−34038, 87−34140 to 34154, 87−34228 to 34229, 87−34240 to 34241, 87−34290 to 34293, 87−34309 to 34312, 87−34360 to 34364, 87−34374 to 34375, 87−34505 to 34507, 87−34525, 87−34604 to 34610, 87−34802, 87−34849 to 34851, 87−36379, 87−37071, 87−37079, 87−38662, 87−39366, 87−39389, 87−39512, 87−39561 to 39570, 87−39589 to 39601, 87−39660 to 39667, 87−39708 to 39713, 87−39820 to 39830, 87−39967 to 39973, 87−40026 to 40043, 87−40155 to 40215, 87−40282 to 40285, 87−40323, 87−40416 to 40428, 87−40503 to 40510, 87−40534 to 40535, 87−40544 to 40551, 87−40581 to 40586, 87−40614 to 40616, 87−40666 to 40671, 87−40714 to 40731, 87−40766 to 40768, 87−40806 to 40821, 87−40867 to 40871, 87−40941 to 40951, 87−41061, 87−41226 to 41228, 87−41268, 87−41612, 87−42062

Global telecommunications; GLOBECOM Tokyo '87. IEEE/IECE Global Telecommunications Conference 1987. Conference Record (Cat. No.87CH2520-5), Tokyo, Japan, 15-18 Nov. 1987, *(IEEE; Inst. Electron., Inf. & Commun. Eng.; Found. Adv. Int. Sci)* [New York, NY, USA: IEEE 1987] 88−43579 (introductory abstract), 88−43734 to 43736, 88−44099, 88−44216 to 44220, 88−44375, 88−44873, 88−45134, 88−45206, 88−45327, 88−45371, 88−45702 to 45703, 88−45728 to 45732, 88−45757, 88−45822 to 45835, 88−45852 to 45867, 88−45934 to 45954, 88−46000, 88−46089 to 46107, 88−46283 to 46291, 88−46337 to 46366, 88−46388 to 46394, 88−46432 to 46460, 88−46479 to 46485, 88−46517, 88−46593 to 46617, 88−46690 to 46728, 88−46738 to 46741, 88−46755, 88−46758 to 46763, 88−46768 to 46774, 88−46783 to 46784, 88−46799 to 46804, 88−46818 to 46834, 88−46836 to 46837, 88−46857 to 46867, 88−46884 to 46892, 88−46934 to 46944, 88−46978 to 47007, 88−47097 to 47125, 88−47240 to 47241, 88−47268, 88−47306 to 47309, 88−47312 to 47313, 88−47337, 88−47427, 88−48244 to 48246, 88−49428, 88−52215 to 52217, 88−52248, 88−52628 to 52630, 88−52740 to 52745, 88−52771 to 52773, 88−52791, 88−52913 to 52914, 88−53135 to 53137

Gradient index optical imaging systems; Sixth International Meeting on Gradient-Index Optical Imaging Systems, Palermo, Sicily, Italy, 26-27 Sept. 1985, [1 Oct. 1986] 87−16231 (introductory abstract), 87−18585 to 18586, 87−18741 to 18745, 87−18783 to 18784, 87−19053

Gradient-index optical imaging systems; Topical Meeting on Gradient-Index Optical Imaging Systems. Technical Digest. Conference Edition, Reno, NV, USA, 15-16 Jan. 1987, *(Opt. Soc. America)* [Washington, DC, USA: Opt. Soc. America 1987] 87−51742 (introductory abstract), 88−26751, 88−26835 to 26836, 88−27248, 88−27277, 88−29418, 88−29689

Grand unified theories and cosmology; Proceedings of the Workshop on Grand Unified Theories and Cosmology (KEK-84-12), Tsukuba, Japan, 7-10 Dec. 1983, *Odaka, K. Sugamoto, A. (editor/s),* [Ibaraki-ken, Japan: Nat. Lab. High Energy Phys. Sept. 1984] 85−15241 to 15244

Graph-grammars; Graph-Grammars and their Application to Computer Science. 3rd International Workshop, Warrenton, VA, USA, 2-6 Dec. 1986, *Ehrig, H. Nagl, M. Rozenberg, G. Rosenfeld, A. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 88−70408

Graph theoretic models in computer science; First New Mexico Symposium on Graph Theoretic Models in Computer Science, Las Cruces, NM, USA, 4-5 April 1986, [1988] 88−49327 (introductory abstract), 88−49647 to 49661

Graphics interface; Proceedings of Graphics Interface '84, Ottawa, Ont., Canada, 28 May-1 June 1984, *(Nat. Comput. Graphics Assoc. Canada; Canadian Inf. Process. Soc.; Canadian Man-Comput. Commun. Soc)* [Ottawa, Ont., Canada: Nat. Res. Council of Canada 1984] 85−60898, 85−63123 to 63124

Graphics interface; Proceedings of Graphics Interface '85, Montreal, Que., Canada, 27-31 May 1985, *(Canadian Man-Comput. Commun. Soc.; Comput. Graphics Soc.; Montreal Univ)* [Toronto, Ont., Canada: Canadian Inf. Process. Soc. 1985, $30.00] 85−61051

Graphics/vision interface; Proceedings of Graphics Interface '86 and Vision Interface '86, Vancouver, BC, Canada, 26-30 May 1986, *(Canadian Man-Comput. Commun. Soc.; Canadian Image Process. & Pattern Recognition Soc.; Canadian Inf. Process. Soc.; Nat. Res. Council Canada) Wein, M. Kidd, E.M. (editor/s),* [Toronto, Ont., Canada: Canadian Inf. Process. Soc. 1986, $35.00] 87−7671, 87−7702

Gravitational measurements, fundamental metrology and constants; Gravitational Measurements, Fundamental Metrology and Constants. Proceedings of the NATO Advanced Study Institute, Erice, Italy, 2-12 May 1987, *De Sabbata, V. Melnikov, V.N. (editor/s),* [Dordrecht, Netherlands: Kluwer Acad. Publishers 1988, $136.00] 88−71600

Grazing incidence optics; Grazing Incidence Optics, Orlando, FL, USA, 3-4 April 1986, *(SPIE)* [1986] 87−54386

Growth of compound semiconductors; Growth of Compound Semiconductors, Bay Point, FL, USA, 26-27 March 1987, *(SPIE; Metall. Soc)* [1987] 88−16 (introductory abstract), 88−380, 88−414 to 422, 88−446, 88−1373 to 1380, 88−2280

GRP designs; IEE Colloquium on 'The Application of Creep, Fatigue and Brittle Fracture Data to GRP Designs' (Digest No. 34), London, UK, 3 April 1985, *(IEE; IMechE)* [London, UK: IEE 1985] 85−44411 (introductory abstract), 85−48606, 85−48869, 85−49042

GTO devices and their applications; IEE Colloquium on 'GTO Devices and their Applications' (Digest No.56), London, UK, 15 May 1985, *(IEE)* [London, UK: IEE 1985] 85−44416 (introductory abstract), 85−45667 to 45675, 85−48963, 85−48971

GTOs, rival devices and applications; IEE Colloquium on 'GTO's, Rival Devices and Applications' (Digest No.34), London, UK, 7 March 1988, *(IEE)* [London, UK: IEE 1988] 88−39432 (introductory abstract), 88−39425, 88−39433 to 39434, 88−43325, 88−43465 to 43466

Guidance and control; Guidance and Control 1984. Vol.55. Advances in the Astronautical Sciences. Proceedings of the Annual Rocky Mountain Conference, Keystone, CO, USA, 4-8 Feb. 1984, *(AAS) Culp, R.D. Stafford, P.S. (editor/s),* [San Diego, CA, USA: Univelt 1984] 85−10364, 85−14210 to 14212, 85−15368, 85−15383 to 15394

Guidance and control systems and technology; Advances in Guidance and Control Systems and Technology (AGARD-CP-411), London, UK, 7-10 Oct. 1986, [Neuilly sur Seine, France: AGARD July 1987] 88−11610 (introductory abstract), 88−15689 to 15691, 88−15709, 88−16841 to 16842, 88−16997 to 16998, 88−17025 to 17026

Guided optical structures in military environment; Guided Optical Structures in the Military Environment (AGARD-CP-383), Istanbul, Turkey, 23-27 Sept. 1985, *Hodara, H. Crosignani, B. (editor/s),* [Neuilly sur Seine, France: AGARD May 1986] 86−66552 (introductory abstract), 86−68288 to 68303, 86−68323 to 68325, 86−68360, 86−68411, 86−68563, 86−68636, 86−69792 to 69801, 86−69838

Guided wave optoelectronic materials; Processing of Guided Wave Optoelectronic Materials, Los Angeles, CA, USA, 24-25 Jan. 1984, *(SPIE)* [1984] 85−27912 (introductory abstract), 85−29379, 85−29542 to 29547, 85−29549 to 29550, 85−29643 to 29644, 85−29731 to 29732, 85−29809

Hadron facility technology; Proceedinghs of the International Workshop on Hadron Facility Technology, Santa Fe, NM, USA, 2-5 Feb. 1987, [Los Alamos, NM, USA: Los Alamos Nat. Lab. 1987] 88−31295 (introductory abstract), 88−36302 to 36308, 88−36332 to 36333, 88−36346 to 36347, 88−42350 to 42353, 88−42384 to 42396, 88−42405 to 42408

Hadronic physics at intermediate energy; Hadronic Physics at Intermediate Energy. Winter School, Folgaria, Italy, 17-22 Feb. 1986, *(Italian Phys. Soc.; Univ. Verona) Bressani, T. Ricci, R.A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $46.00] 87−41718, 87−41797 to 41800, 87−41820, 87−41873

Hadronic physics at intermediate energy; Hadronic Physics at Intermediate Energy, II. Winter School, Second Course, Folgaria, Italy, 23-28 Feb. 1987, *Bressani, T. Minetti, B. Pauli, G. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, Dfl.150.00] 88−37846 (introductory abstract), 88−47799, 88−47972, 88−48009 to 48013, 88−48029 to 48030

Hadrons, quarks and gluons; Hadrons, Quarks and Gluons. Vol.2. Proceedings of the Hadronic Session of the Twenty-Second Rencontre de Moriond, Les Arcs, France, 15-21 March 1987, *(CNRS; CEA) Tran Thanh Van, J. (editor/s),* [Gif sur Yvette, France: Editions Frontieres 1987, $75.00] 88−42348 to 42349

Handicapped, applications of computer technology; Computer Technology for the Handicapped: APPLICATIONS '85. Selected Proceedings of Closing The Gap's 1985 National Conference, Minneapolis, MN, USA, 30 Oct.-2 Nov. 1985, *Gergen, M. (editor/s),* [Henderson, MN, USA: Closing The Gap 1986, $19.95] 86−54977

Handling and processing imagery; Methods of Handling and Processing Imagery, Los Angeles, CA, USA, 15-16 Jan. 1987, *(SPIE)* [1987] 87−65044 (introductory abstract), 87−69325 to 69336, 87−70248 to 70250, 87−70461, 87−70526 to 70527, 87−71208

Hard copy output technologies; Hard Copy Output Technologies, Los Angeles, CA, USA, 13-14 Jan. 1987, *(SPIE)* [1987] 87−58516 (introductory abstract), 87−58977, 87−61026 to 61028, 87−63246, 87−63274 to 63275

Hardware and software support for microprocessors in automotive environment; IEE Colloquium on 'Hardware and Software Support for Microprocessors in an Automotive Environment' (Digest No.01), London, UK, 6 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87−23028 (introductory abstract), 87−24268 to 24271, 87−25619 to 25621, 87−31101

Hardware support for communication networks; IEE Colloquium on 'Hardware Support for Communication Networks' (Digest No.83), London, UK, 1 March 1988, *(IEE)* [London, UK: IEE 1988] 88−37865 (introductory abstract), 88−41386 to 41389, 88−41434, 88−41488

HDTV bandwidth reduction; IEE Colloquium on 'HDTV Bandwidth Reduction' (Digest No.24), London, UK, 19 Feb. 1987, *(IEE)* [London, UK: IEE 1987] 87−51760 (introductory abstract), 87−56333 to 56338

Health care, human computer communications; Human-Computer Communications in Health Care. Proceedings of the IFIP-IMIA Second Stockholm Conference, Stockholm, Sweden, 10-14 June 1985, *(DIAB; Digital Equipment Corp.; Hewlett-Packard; et al) Peterson, H.E. Schneider, W. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $43.00] 86−64790 to 64791

Health computing; Current Perspectives in Health Computing, Brighton, Sussex, UK, 27-29 March 1985, *Bryant, J.R. Kostrewski, B. (editor/s),* [Weybridge, Surrey, UK: British Journal Healthcare Comput. 1985] 86−16871

Health Physics Society annual meeting; Thirty-First Annual Meeting of the Health Physics Society (papers in summary form only received), Pittsburgh, PA, USA, 29 June-3 July 1986, [June 1986] 86−57072 (introductory abstract)

Hearing impaired, technology; IEE Colloquium on 'Technology for the Hearing Impaired - State of the Art and Future Trends' (Digest No.81), London, UK, 19 May 1988, *(IEE)* [London, UK: IEE 1988] 88−55852 (introductory abstract)

Heat transfer; First U.K. National Conference on Heat Transfer, Leeds, UK, 3-5 July 1984, [Rugby, UK: Instn. Chem. Eng. 1984] 86−26632, 86−33006, 86−33177, 86−33870 to 33874, 86−39583 to 39585

Heavy doping and the metal-insulator transition in semiconductors; International Conference on the Heavy Doping and the Metal-Insulator Transition in Semiconductors, Santa Cruz, CA, USA, 30 July-3 Aug. 1984, [Jan.-Feb. 1985] 85−44374 (introductory abstract), 85−45382, 85−45471, 85−45628, 85−45642, 85−45657

Heavy flavours; Topical Seminar on Heavy Flavours, San Miniato, Italy, 25-29 May 1987, *(Univ. Bologna; Univ. Firenze; INFN; et al)* [March 1988] 88−47766 to 47770, 88−48000 to 48002

Heavy ion and nuclear chemistry with tandem accelerators; Report of the Joint Seminar on Heavy-Ion Nuclear Physics and Nuclear Chemistry in the Energy Region of Tandem Accelerators (II) (JAERI-M-86-067), Tokai, Ibaraki, Japan, 9-11 Jan. 1986, [Tokai, Ibaraki, Japan: JAERI April 1986] 87−21359 to 21362, 87−21397

Heavy ion inertial fusion; International Symposium on Heavy Ion Inertial Fusion, Washington, DC, USA, 27-29 May 1986, *(USDOE)* [1986] 87−41646 (introductory abstract), 87−41647 to 41653, 87−41729 to 41732, 87−41801, 87−50014 to 50019, 87−50050 to 50054, 87−50102

Helicopter guidance and control systems; AGARD Conference Proceedings No.359. Helicopter Guidance and Control Systems for Battlefield Support. Guidance and Control Panel 38th Symposium (AGARD-CP-359), Monterey, CA, USA, 8-11 May 1984, [Neuilly sur Seine, France: AGARD 1984] 85−39442 (introductory abstract)

Hereditary retinal degenerative diseases; Hereditary Retinal Degenerative Diseases. 22nd Symposium of the International Society for Clinical Electrophysiology of Vision, Stockholm, Sweden, 28-31 May 1984, *(Int. Soc. Clinical Electrophys. Vision)* [31 Jan. 1986] 86−32310 to 32311

Heteroepitaxy on silicon; Heteroepitaxy on Silicon Symposium, Palo Alto, CA, USA, 16-18 April 1986, *Fan, J.C.C. Poate, J.M. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−43794 (introductory abstract), 87−44347 to 44355, 87−44394, 87−45719, 87−46034 to 46035, 87−46706, 87−46733, 87−46913

Heteroepitaxy on silicon; Heteroepitaxy on Silicon II. Symposium, Anaheim, CA, USA, 21-23 April 1987, *(Mater. Res. Soc.) Fan, J.C.C. Phillips, J.M. Tsaur, B.-Y. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88−37844 (introductory abstract), 88−38130, 88−38188 to 38222, 88−39078 to 39081, 88−39089, 88−39130, 88−39145 to 39146, 88−39168 to 39169, 88−39174, 88−39424, 88−39656, 88−39706, 88−39740

Heterogeneous and solid-phase reactions; Seminar on the Mechanisms of Heterogeneous and Solid-Phase Reactions, Zvenigorod, USSR, May 1985, [1986] 87−73061

Heterostructure opto-electronic and high speed devices; IEE Colloquium on Heterostructure Opto-Electronic and High Speed Devices (Digest No. 93), London, UK, 13 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85−16587 (introductory abstract), 85−18156 to 18158, 85−18447, 85−18749, 85−18756, 85−18822, 85−18953 to 18956

HF communication system design; Propagation Impact on Modern HF Communications System Design (AGARD-LS-145), Brussels, Belgium, 21-22 April 1986, *(AGARD)* [Neuilly sur Seine, France: AGARD March 1986] 87−10044 (introductory abstract), 87−12722 to 12725, 87−12799, 87−13287, 87−13572 to 13577, 87−13624

HF communication systems and techniques; Third International Conference on HF Communication Systems and Techniques, London, UK, 26-28 Feb. 1985, *(IEE)* [London, UK: IEE 1985] 85−27954 (introductory abstract), 85−28408, 85−30042, 85−30089, 85−30108 to 30109, 85−30123, 85−30166 to 30167, 85−30215 to 30217, 85−30286, 85−30777 to 30779, 85−30904 to 30913, 85−30915 to 30918, 85−30943 to 30946, 85−31014, 85−31166, 85−31185 to 31186

HF frequency management; IEE Colloquium on 'HF Frequency Management' (Digest No.122), London, UK, 19 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87−23018 (introductory abstract), 87−26799 to 26802, 87−27744, 87−28280, 87−28733, 87−28749, 87−29968

HF radio systems and techniques; Fourth International Conference on HF Radio Systems and Techniques (Conf. Publ. No.284), London, UK, 11-14 April 1988, [London, UK: IEE 1988] 88−43595 (introductory abstract), 88−40574 to 40577, 88−40604, 88−40662, 88−40708 to 40712, 88−40752 to 40755, 88−41518 to 41519, 88−45680, 88−45706, 88−45871, 88−46140, 88−46638, 88−46764, 88−46785 to 46789, 88−46870 to 46877, 88−46896 to 46913, 88−47016 to 47017, 88−47215 to 47222, 88−47242 to 47244, 88−47270, 88−47277 to 47278, 88−47286

Hierarchical interconnection technology; IEE Colloquium on 'Hierarchical Interconnection Technology' (Digest No.45), London, UK, 10 April 1987, *(IEE)* [London, UK: IEE 1987] 87−58551 (introductory abstract), 87−58688 to 58690, 87−59959

High bandwidth analog applications of photonics; High Bandwidth Analog Applications of Photonics, Cambridge, MA, USA, 23-24 Sept. 1986, *(SPIE)* [1987] 88−6093 (introductory abstract), 88−7873 to 7874, 88−7940, 88−7986, 88−9899 to 9901, 88−9915, 88−9959 to 9960, 88−10011 to 10013, 88−10032

High capacity fibre optic systems; IEE Colloquium on 'High Capacity Fibre Optic Systems' (Digest No.23), London, UK, 19 Feb. 1987, *(IEE)* [London, UK: IEE 1987] 87−36346 (introductory abstract), 87−38843 to 38844, 87−38867, 87−40967 to 40977

High currents in power systems; CIGRE Symposium on High Currents in Power Systems under Normal, Emergency and Fault Conditions, Brussels, Belgium, 3-5 June 1985, [Paris, France: CIGRE 1985] 88−49377 (introductory abstract), 88−54878, 88−54954 to 54955, 88−54968 to 54969, 88−54974, 88−54990, 88−55036 to 55046, 88−55054 to 55055, 88−55068 to 55078, 88−55087 to 55093, 88−55103, 88−55194, 88−55419 to 55422, 88−55539 to 55546, 88−55549 to 55574

High energy accelerators; Proceedings of the 12th International Conference on High-Energy Accelerators, Batavia, IL, USA, 11-16 Aug. 1983, *(Fermi Nat. Accelerator Lab.; Fermilab Ind. Affiliates; IUPAP; NSF; USDOE) Cole, F.T. Donaldson, R. (editor/s),* [Batavia, IL, USA: Fermi Nat. Accelerator Lab. 1983] 85−22076 (introductory abstract), 85−24250 to 24251, 85−24598, 85−26529 to 26544, 85−26558 to 26667, 85−26678 to 26685, 85−26713 to 26715, 85−26722, 85−26734

High energy lepton and photon interactions; Proceedings of the 1985 International Symposium on Lepton and Photon Interactions at High Energies, Kyoto, Japan, 19-24 Aug. 1985, *(IUPAP; Sci. Council Japan; Phys. Soc. Japan) Konuma, M. Takahashi, K. (editor/s),* [Kyoto, Japan: Organ. Committee 1985 Int. Symposium Lepton & Photon Interactions at High Energies Feb. 1986] 86−38656 to 38661

High energy particle accelerators; Third Annual U.S. Summer School on High Energy Particle Accelerators, Upton and Stony Brook, NY, USA, 6-16 July 1983, *(US DOE; NSF)* [1985] 85−41672

High energy particle physics; Topics in High Energy Particle Physics. Proceedings of a Two-Day Conference on the High Energy Particle Physics Group of the Institute of Physics, London, UK, 11-12 April 1988, *Foster, B. (editor/s),* [London, UK: IOP Publishing 1988] 88−62898 (introductory abstract), 88−68292 to 68293

High energy physics; Proceedings of the 1984 ICFA Seminar on Future Perspectives in High Energy Physics (KEK 84-14), Tsukuba, Japan, 14-20 May 1984, *(KEK; Inst. Nucl. Study; Univ. Tokyo) Ozaki, S. Kurokawa, S. Unno, Y. (editor/s),* [Ibaraki-ken, Japan: Nat. Lab. High Energy Phys. 1984] 85−31655 (introductory abstract), 85−29516, 85−31656 to 31666, 85−31751

High energy physics; Proceedings of the International Europhysics Conference on High Energy Physics, Uppsala, Sweden, 25 June-1 July 1987, *(Uppsala Univ.; Minist. Educ.; Nobel Committee Phys.; et al) Botner, O. (editor/s),* [Petit-Lancy, Switzerland: Eur. Phys. Soc. 1987] 88−68120 to 68121, 88−68268 to 68277, 88−68286 to 68288, 88−74668 to 74678, 88−74767

High energy spin physics; 6th International Symposium on High Energy Spin Physics, Marseilles, France, 12-19 Sept. 1984, [Feb. 1985] 85−52915 (introductory abstract), 85−48150, 85−48154 to 48159, 85−52922 to 52925, 85−52938 to 52944

High energy transients in astrophysics; High Energy Transients in Astrophysics, Santa Cruz, CA, USA, 11-22 July 1983, [1984] 85−4244 to 4245

High excitation and short pulse phenomena; High Excitation and Short Pulse Phenomena. Proceedings of the Third Trieste ICTP-IUPAP Semiconductor Symposium, Trieste, Italy, 2-6 July 1984, *(Committee for Joint IUPAP-UNESCO Semiconductor Activities in Trieste)* [Feb. 1985] 85−34582 to 34586, 85−34942, 85−35712, 85−35783, 85−35869 to 35870

High field generation for particle acceleration; Generation of High Fields for Particle Acceleration to Very High Energies. Proceedings of the CAS-ECFA-INFN Workshop (ECFA 85/91; CERN 85-07), Frascati, Italy, 25 Sept.-1 Oct. 1984, *(CERN; INFN)* [Geneva, Switzerland: CERN 1985] 86−43 (introductory abstract), 86−3233 to 3234, 86−5685 to 5707

High frequency optical communications; High Frequency Optical Communications, Cambridge, MA, USA, 23-24 Sept. 1986, *(SPIE)* [1987] 87−43754 (introductory abstract), 87−46542 to 46543, 87−46583, 87−46594, 87−46732, 87−46901, 87−49081 to 49095, 87−49765 to 49766, 88−31895, 88−33546, 88−33584, 88−33677 to 33689, 88−33766, 88−33778, 88−33840, 88−34157, 88−35946 to 35948, 88−36020 to 36051, 88−36243, 88−36258, 88−36457, 88−36506, 88−36677

High frequency power conversion; Technical Papers of the First International High Frequency Power Conversion 1986 Conference, Virginia Beach, VA, USA, 28-30 May 1986, [Ventura, CA, USA: Intertec Commun. 1986, $75.00] 87−31152 (introductory abstract), 87−31713 to 31721, 87−31736 to 31737, 87−31986 to 31987, 87−32116, 87−32118 to 32122, 87−32567 to 32571, 87−32846, 87−32879, 87−33460 to 33461, 87−36205

High frequency power conversion; Technical Papers of the Second International High Frequency Power Conversion 1987 Conference, Washington, DC, USA, 21-23 April 1987, [Ventura, CA, USA: Intertec Commun. 1987] 87−65086 (introductory abstract), 87−72302 to 72312, 87−72599, 87−73808, 87−74512, 87−75343, 87−77323, 87−78804 to 78812, 88−11309 to 11312

High frequency power conversion; Technical Papers of the Third International High Frequency Power Conversion 1988 Conference, San Diego, CA, USA, 1-5 May 1988, [Ventura, CA, USA: Intertec Commun. 1988] 88−70012 (introductory abstract), 88−70145, 88−70542 to 70548, 88−71585 to 71586, 88−71904 to 71905, 88−72521, 88−75797 to 75822

High intensity laser processes; High Intensity Laser Processes, Quebec City, Que., Canada, 2-4 June 1986, *(SPIE; Nat. Res. Council Canada; Univ. Laval; Defence Res. Establ. Valcartier)* [1986] 87−33109 to 33113, 87−33288, 87−39150 to 39151, 87−41741

High-latitude ionosphere, irregularities; 11th Lindau MPAE Workshop on 'Irregularities in the High-Latitude Ionosphere', Lindau, West Germany, 10-12 Sept. 1984, *(URSI)* [July-Aug. 1985] 85−60643 (introductory abstract), 85−62751, 85−62769 to 62784, 85−62792, 85−62910, 85−63733 to 63734, 85−63762 to 63765, 85−64654, 85−64745 to 64746

High magnetic fields in semiconductor physics; High Magnetic Fields in Semiconductor Physics. Proceedings of the International Conference, Wurzburg, West Germany, 18-22 Aug. 1986, *(Deutsche Forschungsgemeinschaft; Bayerisches Staatsministerium Unterricht & Kultur; IBM; Siemens; et al) Landwehr, G. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 87−66894, 87−66918 to 66919, 87−66970 to 66977, 87−67024 to 67026, 87−74097 to 74101, 87−74137

High performance permanent magnet materials; High Performance Permanent Magnet Materials Symposium, Anaheim, CA, USA, 23-24 April 1987, *Sankar, S.G. Herbst, J.F. Koon, N.C. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88−24359 (introductory abstract), 88−26683 to 26685, 88−29994

High power and solid state lasers; High Power and Solid State Lasers, Los Angeles, CA, USA, 23-24 Jan. 1986, *(SPIE)* [1986] 87−43745 (introductory abstract), 87−44305, 87−46637, 87−46782 to 46785, 87−46828 to 46844, 87−46927, 87−46980 to 46982

High power, high frequency power sources; Proceedings of the Meeting on High-Power, High-Frequency Power Sources (KEK 87-13), Tsukuba, Ibaraki, Japan, 4-5 June 1987, *Anami, S. Kihara, M. (editor/s),* [Tsukuba, Ibaraki, Japan: Nat. Lab. High Energy Phys. Sept. 1987] 88−18333 (introductory abstract)

High power lasers; Applications of High Power Lasers, Los Angeles, CA, USA, 22-23 Jan. 1985, *(SPIE)* [1985] 86−19718 (introductory abstract), 86−20992, 86−21332, 86−22576 to 22585

High power lasers; High Power Lasers and their Industrial Applications. Divisional Meeting of the Quantum Electronics Division/ European Physical Society, Innsbruck, Austria, 15-18 April 1986, *(SPIE; Eur. Phys. Soc)* [1986] 87−43748 (introductory abstract), 87−44359 to 44360, 87−44396, 87−46539, 87−46786 to 46798, 87−46845, 87−46946 to 46952, 87−46957 to 46960, 87−47048 to 47061

High power particle beams; Proceedings of the Fifth International Conference on High-Power Particle Beams, San Francisco, CA, USA, 12-14 Sept. 1983, *(Air Force Office of Sci. Res.; Defense Adv. Res. Projects Agency et al) Briggs, R.J. Toepfer, A.J. (editor/s),* [Livermore, CA, USA: Lawrence Livermore Nat. Lab. 1983] 85−639 to 640, 85−1018, 85−1115 to 1119, 85−1239 to 1240, 85−1853, 85−2167, 85−2192 to 2193, 85−4193, 85−4631

High pressure; High Pressure in Science and Technology. Proceedings of the 9th AIRAPT International High Pressure Conference, Albany, NY, USA, 24-29 July 1983, *(Int. Assoc. Adv. High Pressure Sci. & Technol.; Mater. Res. Soc) Homan, C. MacCrone, R.K. Whalley, E. (editor/s),* [New York, NY, USA: North-Holland 1984] 85−16920, 85−18049, 85−18066, 85−18088, 85−18190, 85−20615 to 20617, 85−20695

High pressure science and technology; Xth AIRAPT. International High Pressure Conference. Proceedings of the Xth AIRAPT International High Pressure Conference on Research in High Pressure Science and Technology, Amsterdam, Netherlands, 8-11 July 1985, *(Int. Assoc. Adv. High Pressure Sci. & Technol; Eur. High Pressure Res. Group)* [May 1986] 86−62208, 86−65179

High resolution molecular spectroscopy; Ninth Colloquium on High Resolution Molecular Spectroscopy (papers in summary form only received), Riccione, Italy, 16-20 Sept. 1985, *(Univ. Degli Studi Bologna; CNR; Istituto Chimica Fisica & Spettroscopia (Bologna); et al) Nivellini, G. Trombetti, A. Tullini, F. (editor/s),* [Bologna, Italy: Cooperative Libraria Univ. Editrice Bologna 1985] 86−48354 to 48355, 86−48441, 86−55807

High speed computing; High Speed Computing, Los Angeles, CA, USA, 11-12 Jan. 1988, *(SPIE)* [1988] 88−49344 (introductory abstract), 88−49723 to 49724, 88−49762, 88−50540, 88−52179, 88−52243, 88−52331, 88−52461 to 52463, 88−52583

High-speed electronics; High-Speed Electronics: Basic Physical Phenomena and Device Principles. Proceedings of the International Conference, Stockholm, Sweden, 7-9 Aug. 1986, *Kallback, B. Beneking, H. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986] 87−23000 (introductory abstract), 87−23690, 87−24466 to 24480, 87−24746, 87−24796 to 24798, 87−24888 to 24892, 87−25198, 87−25200, 87−25220, 87−25253 to 25254, 87−25343 to 25345, 87−25494, 87−25541, 87−25594 to 25595, 87−25906, 87−26148, 87−26210 to 26213, 87−26431, 87−26548

High speed LAN; High Speed Local Area Networks. Proceedings of the IFIP TC 6/WG 6.4 International Workshop, Aachen, West Germany, 16-17 Feb. 1987, *(IFIP) Spaniol, O. Danthine, A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, Dfl.135.00] 88−18334 (introductory abstract), 88−21726 to 21743

High speed photography; High Speed Photography, Videography, and Photonics IV, San Diego, CA, USA, 19-20 Aug. 1986, *(SPIE)* [1986] 87−51705 (introductory abstract), 87−52971, 87−53130 to 53135, 87−53140, 87−54146, 87−54387 to 54388, 87−54443 to 54446, 87−56371, 87−56528, 87−56905, 87−57039, 87−57049 to 57051, 87−57105, 87−57273, 88−19195, 88−21315 to 21326, 88−22486, 88−22659 to 22660, 88−22763, 88−23157, 88−23194, 88−23237

High speed photography; High Speed Photography, Videography, and Photonics V, San Diego, CA, USA, 18-19 Aug. 1987, *(SPIE)* [1988] 88−49337 (introductory abstract), 88−45574, 88−47294 to 47295, 88−47455 to 47456, 88−47578 to 47587, 88−47627, 88−48079, 88−48414 to 48415, 88−49274, 88−50605, 88−51568, 88−51913 to 51914, 88−51981, 88−52561, 88−53727 to 53728, 88−53936, 88−53948, 88−54453 to 54455, 88−54514 to 54515

High speed photography and photonics; Proceedings of the 16th International Congress on High Speed Photography and Photonics, Strasbourg, France, 27-31 Aug. 1984, *(SPIE)* [1985] 85−60642 (introductory abstract), 85−61648 to 61656, 85−62692, 85−64050, 85−64520 to 64522, 85−64571, 86−1611, 86−1618, 86−1645 to 1646, 86−1653 to 1655, 86−2794 to 2795, 86−2995, 86−3276, 86−3313, 86−3366 to 3370, 86−3399 to 3400, 86−4874, 86−5072 to 5096, 86−5161, 86−5325, 86−5358, 86−5528, 86−5538, 86−5809, 86−5871 to 5872, 86−7869, 86−9767, 86−9931 to 9932, 86−9989 to 9990, 86−10043, 86−11085, 86−11460 to 11469, 86−11502 to 11506, 86−11658, 86−11771, 86−12173, 86−12622 to 12623

High speed semiconductor devices and circuits; Proceedings of the IEEE/Cornell Conference on Advanced Concepts in High Speed Semiconductor Devices and Circuits (Cat. No.85CH2173-3), Ithaca, NY, USA, 29-31 July 1985, *(IEEE; Cornell Univ)* [New York, NY, USA: IEEE 1985] 86−61846 (introductory abstract), 86−62486, 86−62796, 86−62836 to 62845, 86−63043 to 63044, 86−63092 to 63094, 86−63205, 86−63218, 86−63246 to 63247, 86−63263 to 63270, 86−63334 to 63342, 86−63472 to 63473, 86−63726, 86−63834

High speed semiconductor devices and circuits; Proceedings IEEE/Cornell Conference on Advanced Concepts in High Speed Semiconductor Devices and Circuits (Cat. No.87CH2526-2), Ithaca, NY, USA, 10-12 Aug. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88−37839 (introductory abstract), 88−38180, 88−38759 to 38772, 88−39075, 88−39232, 88−39348 to 39349, 88−39374, 88−39418 to 39422, 88−39494 to 39495, 88−39530 to 39541, 88−39654, 88−39728, 88−39739, 88−40087

High speed techniques in gas discharges; IEE Colloquium on 'High Speed Techniques in Gas Discharges and Other Applications' (Digest No.61), London, UK, 25 April 1986, *(IEE)* [London, UK: IEE 1986] 86−57109 (introductory abstract), 86−58634, 86−58891, 86−60004, 86−60167, 86−60266, 86−61197, 86−61204, 86−61698

High Tc superconductors and potential applications; Commission of the European Communities European Workshop on High T_c Superconductors and Potential Applications. Proceedings, Genova, Italy, 1-3 July 1987, [Brussels, Belgium: Comm. Eur. Communities 1987] 88−24371 (introductory abstract), 88−26695 to 26701, 88−26703, 88−26723 to 26726, 88−26730 to 26737, 88−26739 to 26740

High-technology; Defect Properties and Processing of High-Technology Nonmetallic Materials. Proceedings of the Symposium, Boston, MA, USA, 14-17 Nov. 1983, *(U.S. Army Res. Office) Crawford, J.H., Jr. Chen, Y. Sibley, W.A. (editor/s),* [New York, NY, USA: North-Holland 1984] 85−18510, 85−18519, 85−18738 to 18739, 85−18911, 85−18994, 85−22551, 85−23984, 85−24331, 85−27671

High technology in power industry; Proceedings of the IASTED International Symposium on High Technology in the Power Industry, Bozeman, MT, USA, 20-22 Aug. 1986, *Gerez, V. (editor/s),* [Anaheim, CA, USA: Acta Press 1986] 87−65078 (introductory abstract), 87−65375, 87−71495 to 71498, 87−71566 to 71570, 87−71622 to 71625, 87−71759, 87−71962 to 71964, 87−72109, 87−72457, 87−76437, 87−76520, 87−76573, 87−77122, 87−77695, 87−77950 to 77955, 87−78009 to 78022, 87−78058, 87−78069, 87−78107 to 78114, 87−78124 to 78127, 87−78146, 87−78165, 87−78181 to 78182, 87−78194, 87−78205, 87−78328, 87−78473, 87−78633 to 78634, 87−78651, 87−78700, 87−78746 to 78748, 87−78801 to 78802, 87−78850, 87−79005

High technology in power industry; High Technology in the Power Industry. Proceedings of the IASTED International Symposium, Lugano, Switzerland, 29 June-1 July 1987, *(IASTED) Hamza, M.H. (editor/s),* [Anaheim, CA, USA: ACTA Press 1987, $60.00] 88−43589 (introductory abstract), 88−42758, 88−42808 to 42810, 88−42846 to 42847, 88−42885 to 42888, 88−43059, 88−43109, 88−43207, 88−43236, 88−43255, 88−43635, 88−44397, 88−48252, 88−48530, 88−48547, 88−48616, 88−48983 to 48985, 88−49064 to 49067, 88−49217

High technology nonmetallic materials; Defect Properties and Processing of High-Technology Nonmetallic Materials Symposium, Boston, MA, USA, 2-4 Dec. 1985, *Chen, Y. Kingery, W.D. Stokes, R.J. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−32405, 87−38841 to 38842, 87−43660

High temperature alloys; International Conference on High Temperature Alloys: Their Exploitable Potential. Preprints, Petten, Netherlands, 15-17 Oct. 1985, *(Bond Materialenkennis; Centro Sperimentale Metall.; Deutsche Gesellschaft Metallkunde; et al)* [Luxembourg: Comm. Eur. Communities 1985] 86−33996

High temperature and energy-related materials; Fourth International Conference on High Temperature and Energy-Related Materials, Santa Fe, NM, USA, 1-6 April 1984, *(IUPAC; Los Alamos Nat. Lab)* [June 1985] 86−13156 (introductory abstract), 86−13157

High temperature electronics; IEE Colloquium on High Temperature Electronics (Digest No.24), London, UK, 23 March 1983, *(IEE)* [London, UK: IEE 1983] 85−27964 (introductory abstract)

High temperature plasma diagnostics; Proceedings of the 5th Topical Conference on High Temperature Plasma Diagnostics, Tahoe City, CA, USA, 16-20 Sept. 1984, *(APS; USDOE; Lawrence Livermore Nat. Lab)* [May 1985] 85−51079, 85−51226, 85−52564, 85−52625, 85−52676, 85−52857, 85−52979, 85−52983, 85−52995 to 52997, 85−59201

High temperature plasma diagnostics; Proceedings of the Sixth Topical Conference on High Temperature Plasma Diagnostics, Hilton Head Island, SC, USA, 9-13 March 1986, *(APS; DOE; Princeton Univ.; Univ. Rochester)* [Aug. 1986] 87−2247 to 2249, 87−2523, 87−3456, 87−3515, 87−7268 to 7269, 87−7419, 87−8856 to 8858

High temperature superconductivity; Proceedings of the Beijing International Workshop on High Temperature Superconductivity, Beijing, China, 29 June-1 July 1987, *(IOP; Acad. Sinica; Peking Univ) Gan, Z.Z. Cui, G.J. Yang, G.Z. Yang, Q.S. (editor/s),* [Singapore: World Scientific 1987] 88−13719 to 13720, 88−20298

High temperature superconductors; Extended Abstracts. High Temperature Superconductors. Proceedings of Symposium S, 1987 Spring Meeting of the Materials Research Society, Anaheim, CA, USA, 23-24 April 1987, *Gubser, D.U. Schluter, M. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 87−58562 (introductory abstract), 87−59010, 87−60845, 87−60865 to 60866

High temperature superconductors; Topical Conference on Thin Film Processing and Characterization of High-Temperature Superconductors, Anaheim, CA, USA, 6 Nov. 1987, [1988] 88−33552, 88−33566

High temperature superconductors, chemistry; Chemistry of High-Temperature Superconductors, New Orleans, LA, USA, 30 Aug.-4 Sept. 1987, *(American Chem. Soc) Nelson, D.L. Whittingham, M.S. George, T.F. (editor/s),* [Washington, DC, USA: American Chem. Soc. 1987, $77.95] 88−33563

High temperature superconductors, critical currents; Critical Currents in High T_c Superconductors, Birmingham, UK, 16 May 1988, *(Office Naval Res.- Eur.; IOP; Butterworth)* [Oct. 1988] 88−69967 (introductory abstract), 88−71974, 88−74562

High voltage electric systems; International Conference on Large High Voltage Electric Systems. Proceedings of the 30th Session, Paris, France, 29 Aug.-6

Sept. 1984, [Paris, France: CIGRE 1984] 86−45914 (introductory abstract), 86−46002, 86−47909 to 47910, 86−47917 to 47920, 86−48618 to 48619, 86−49160, 86−49468 to 49469, 86−49490 to 49491, 86−49631, 86−50796, 86−50879 to 50903, 86−50936 to 50940, 86−50951 to 50961, 86−50972 to 50977, 86−50999 to 51001, 86−51016 to 51027, 86−51046 to 51060, 86−51076 to 51081, 86−51106 to 51116, 86−51150 to 51154, 86−51188, 86−51451 to 51452, 86−51509, 86−51533, 86−51574 to 51586, 86−51607 to 51608, 86−51702 to 51727, 86−51777 to 51780, 86−51833 to 51865, 86−51931

High-voltage transmission systems ; IEEE/CSEE Joint Conference on High-Voltage Transmission Systems in China (Cat. No.87CH2579-1), Beijing, China, 17-22 Oct. 1987, *(IEEE; Chinese Soc. Electr. Eng) Wang Ping Yang (editor/s),* [New York, NY, USA: IEEE 1987] 88−62880 (introductory abstract), 88−66110, 88−67208, 88−68746 to 68752, 88−68806 to 68830, 88−68850 to 68857, 88−68873 to 68877, 88−68880 to 68881, 88−68889 to 68910, 88−68938 to 68942, 88−68956, 88−68990 to 69007, 88−69026 to 69043, 88−69057 to 69060, 88−69065 to 69074, 88−69080, 88−69086, 88−69155, 88−69200, 88−69254, 88−69478 to 69482, 88−69644 to 69645, 88−69649 to 69654

Highly parallel computers; Highly Parallel Computers. Proceedings of the IFIP WG 10.3 Working Conference on Highly Parallel Computers for Numerical and Signal Processing Applications, Sophia Antipolis, France, 24-26 March 1986, *Reijns, G.L. Barton, M.H. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, $259.95] 87−23558, 87−23579, 87−25471 to 25473, 87−28793

Highly parallel signal processing architectures; Highly Parallel Signal Processing Architectures, Los Angeles, CA, USA, 21-22 Jan. 1986, *(SPIE)* [1986] 87−19702 (introductory abstract), 87−17006 to 17007, 87−18234, 87−19703 to 19709

History of electrical engineering; 1987 History of Electrical Engineering Weekend, Dublin, Ireland, 10-12 July 1987, [London, UK: IEE 1988] 88−70031 (introductory abstract), 88−70067, 88−72465, 88−73771, 88−75139 to 75140, 88−75707, 88−76031 to 76032

History of television; International Conference on the History of Television - From Early Days to the Present (Conf. Publ. No.271), London, UK, 13-15 Nov. 1986, [London, UK: IEE 1986] 87−23020 (introductory abstract), 87−24674, 87−24721 to 24722, 87−26132, 87−28020, 87−28546, 87−28723 to 28729, 87−28750 to 28758, 87−28764, 87−28770 to 28771, 87−28796 to 28806, 87−28841 to 28844, 87−28982

Holographic applications; Progress in Holographic Applications, Cannes, France, 5-6 Dec. 1985, *(SPIE)* [1986] 87−10002 (introductory abstract), 87−12198, 87−12603 to 12618, 87−13649, 87−14395, 87−19090 to 19099

Holographic measurement, speckle and allied phenomena; Holographic Measurement, Speckle and Allied Phenomena, London, UK, 16-17 April 1985, [Sept.-Oct. 1985] 85−60637 (introductory abstract), 86−22541 to 22544

Holographic nondestructive testing; Holographic Nondestructive Testing: Status and Comparison with Conventional Methods, Los Angeles, CA, USA, 23-24 Jan. 1986, *(SPIE)* [1986] 87−16249 (introductory abstract), 87−16757 to 16760, 87−19100 to 19101, 87−20751, 87−21666, 87−22032

Holography; Holography, Los Angeles, CA, USA, 24-25 Jan. 1985, *(SPIE)* [1985] 86−7371 (introductory abstract), 86−10010 to 10018, 86−11659, 86−11772, 86−12226

Holography; Holographic Systems, Components and Applications. International Conference (Publ. No.76), Cambridge, UK, 10-12 Sept. 1987, [London, UK: IERE 1987] 88−6115 (introductory abstract), 88−2385, 88−2404 to 2412, 88−8336 to 8352

Holography; Practical Holography, Los Angeles, CA, USA, 21-22 Jan. 1986, *(SPIE)* [1986] 87−10004 (introductory abstract), 87−12623 to 12635, 87−14787

Holography applications; Applications of Holography, Los Angeles, CA, USA, 21-23 Jan. 1985, *(SPIE)* [1985] 86−11 (introductory abstract), 86−3371 to 3385, 86−5584, 86−5828, 86−5920, 86−7870 to 7873, 86−9646, 86−9991, 86−11709 to 11710

Holography applications; International Conference on Holography Applications, Beijing, China, 2-4 July 1986, *(SPIE; Chinese Opt. Soc.; Opt. Soc. America; et al)* [1987] 88−37818 (introductory abstract), 88−33599, 88−33786, 88−33832, 88−34158 to 34171, 88−34780 to 34786, 88−36458, 88−38865, 88−39620, 88−39927, 88−40047, 88−40376 to 40420, 88−42527 to 42532

Homo- and heterojunctions; New Developments in the Physics of Homo- and Heterojunctions, Leuven, Belgium, 28-30 May 1986, *(NSF; Nat. Fund Sci. Res. Belgium)* [Nov. 1987] 88−18311 (introductory abstract), 88−19652, 88−19658, 88−19677, 88−19698 to 19701, 88−19754, 88−19931 to 19937, 88−20000 to 20001

Horizons in optics; ‘Horizons de l’Optique 85’ (‘Horizons in Optics 85’) (papers in summary form only received), Besancon, France, 29 May-1 June 1985, *(Soc. Eur. Phys.; Ministere de l’Educ. Nat.; Ministere de la Recherche & de la Technol.; et al)* [Besancon, France: Univ. Franche-Comte 1985] 86−54 (introductory abstract)

Hot carriers in semiconductors; Fifth International Conference on Hot Carriers in Semiconductors, Boston, MA, USA, 20-24 July 1987, *(US Army Res. Office; Office Naval Res.; NSF; et al)* [March-April 1988] 88−31274 (introductory abstract), 88−32741 to 32745, 88−32760, 88−32803 to 32812, 88−32887 to 32911, 88−32932, 88−32965, 88−33128, 88−33134, 88−33182 to 33186, 88−33262 to 33265, 88−33886, 88−39039, 88−39048 to 39049, 88−39070 to 39073, 88−39113 to 39120, 88−39367

Hot electrons in semiconductors; Proceedings of the 4th International Conference on Hot Electrons in Semiconductors, Innsbruck, Austria, 8-12 July 1985, [Nov. 1985] 86−19714 (introductory abstract), 86−20847, 86−21140 to 21142, 86−21213 to 21235, 86−21280 to 21281, 86−21484 to 21488, 86−21492, 86−21524 to 21526, 86−21602 to 21604, 86−21837, 86−22222 to 22223, 86−27843, 86−27875 to 27876, 86−28001, 86−28349, 86−29118

Human computer communications; Foundation for Human-Computer Communication. Proceedings of the IFIP WG 2.7 Working Conference on the Future of Command Languages: Foundations for Human-Computer Communication, Rome, Italy, 23-27 Sept. 1985, *Hopper, K. Newman, I.A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $68.50] 87−20120

Human factors; Proceedings of the Human Factors Society 30th Annual Meeting, Dayton, OH, USA, 29 Sept.-3 Oct. 1986, [Santa Monica, CA, USA: Human Factors Soc. 1986] 87−16296 (introductory abstract), 87−20973, 87−21179 to 21181, 87−21294, 87−21717, 87−21732 to 21735, 87−21744, 87−22056, 87−23334, 87−23395 to 23396, 87−23445, 87−26149, 87−27351 to 27352, 87−28978 to 28981, 87−29211 to 29217, 87−29893 to 29894

Human factors and power plants; 1985 IEEE Third Conference on Human Factors and Power Plants. Conference Record (Cat. No.85CH2235-0), Monterey, CA, USA, 23-27 June 1985, *(IEEE) Hagen, E.W. (editor/s),* [New York, NY, USA: IEEE 1985] 86−40383 (introductory abstract), 86−40384, 86−40422, 86−45075 to 45093, 86−45117 to 45141, 86−45171 to 45172, 86−51297 to 51317

Human factors in computing systems and graphics interface; CHI + GI 1987 Conference: Human Factors in Computing Systems and Graphics Interface, Toronto, Ont., Canada, 5-9 April 1987, *(ACM; Canadian Inf. Process. Soc.; Human Factors Soc)* [1987] 88−27852, 88−28219, 88−29554 to 29555

Human factors in manufacturing; Proceedings of the 3rd International Conference on Human Factors in Manufacturing, Stratford-upon-Avon, UK, 4-6 Nov. 1986, *(IFS (Conferences)) Lupton, T. (editor/s),* [Kempston, UK: IFS (Publications) Nov. 1986, $85.00; £49.00] 87−16372

Human factors in organisation and management; Human Factors in Organizational Design and Management - II. Proceedings of the Second Symposium, Vancouver, BC, Canada, 19-21 Aug. 1986, *(Human Factors Soc.; Japan Ergonomics Res. Soc.; Human Factors Assoc. Canada; et al) Brown, O., Jr. Hendrick, H.W. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986] 87−5183, 87−5268, 87−7703, 87−7982, 87−9287

Human factors: rising to new heights with technology; Proceedings of the Human Factors Society 31st Annual Meeting: Rising to New Heights with Technology, New York, NY, USA, 19-23 Oct. 1987, [Santa Monica, CA, USA: Human Factors Soc. 1987] 88−25715, 88−28279 to 28280, 88−28297 to 28299, 88−28615, 88−29560 to 29565, 88−29688, 88−30086 to 30096, 88−30116 to 30121, 88−30131, 88−30133, 88−30224 to 30226, 88−30330 to 30331, 88−30592, 88−36164

Hybrid formulation of wave propagation and scattering; Hybrid Formulation of Wave Propagation and Scattering. Proceedings of the NATO Advanced Research Workshop, Rome, Italy, 30 Aug.-3 Sept. 1983, *Felsen, L.B. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1984, £38.25] 85−32927 (introductory abstract), 85−35529, 85−35539 to 35540, 85−36000 to 36003, 85−36076 to 36077, 85−36085

Hybrid image processing; Hybrid Image Processing, Orlando, FL, USA, 1-2 April 1986, *(SPIE)* [1986] 87−36303 (introductory abstract), 87−38879, 87−38887, 87−39931 to 39944, 87−41208, 87−42218 to 42219

Hybrid microelectronics; Proceedings of the 1986 International Symposium on Microelectronics, Atlanta, GA, USA, 6-8 Oct. 1986, *(Int. Soc. Hybrid Microelectron.)* [Reston, VA, USA: Int. Soc. Hybrid Microelectron. 1986] 88−28 (introductory abstract), 88−81, 88−164, 88−187 to 190, 88−207, 88−471, 88−531, 88−959, 88−1009 to 1010, 88−1034 to 1037, 88−1098, 88−1175 to 1178, 88−1190 to 1192, 88−1194 to 1199, 88−1201 to 1222, 88−1238 to 1260, 88−1298 to 1306, 88−1609, 88−1749 to 1750, 88−1814, 88−2213, 88−2439, 88−4306, 88−4404 to 4406, 88−4440, 88−4585, 88−4885, 88−5229, 88−6265, 88−6282 to 6283, 88−6531, 88−6575, 88−7211 to 7212, 88−7218 to 7224, 88−7232 to 7238, 88−7519, 88−7583, 88−7633, 88−10101

Hydraulic engineering software; Hydrosoft ’84. Hydraulic Engineering Software. Proceedings of the International Conference, Portoroz, Yugoslavia, 10-14 Sept. 1984, *(Int. Soc. Comput. Methods in Eng.; Int. Assoc. Hydraulic Res.; Yugoslav Assoc. Hydraulic Res) Brebbia, C.A. Maksimovic, C. Radojkovic, M. (editor/s),* [Amsterdam, Netherlands: Elsevier 1984] 85−46876, 85−47970, 85−49530, 85−52652, 85−52689 to 52690, 85−53389, 85−53603

Hydro ’88; Hydro ’88: Incorporating Third International Conference on Small Hydro. Conference Papers, Cancun, Mexico, 25-29 April 1988, [Sutton, UK: Int. Water Power & Dam Construction 1988] 88−55834 (introductory abstract), 88−62233 to 62251, 88−62256, 88−69201 to 69218, 88−69243

Hydroelectric development in Uttar Pradesh; Seminar on Hydroelectric Development in Uttar Pradesh, Lucknow, India, 26-27 Dec. 1983, [Sept.-Oct. 1984] 85−54019 (introductory abstract)

Hydrogen energy - conversion and utilization; Fifth World Hydrogen Energy Conference. Division D ‘Conversion and Utilization’, Toronto, Ont., Canada, 15-19 July 1984, [1985] 86−5 (introductory abstract), 86−6991 to 6992

Hydrogen in disordered and amorphous solids; Hydrogen in Disordered and Amorphous Solids, Rhodes, Greece, 9-19 Sept. 1985, *(NATO) Bambakidis, G. Bowman, R.C., Jr. (editor/s),* [New York, NY, USA: Plenum 1986] 87−11379

Hyperfine interactions; Proceedings of the International Workshop on Hyperfine Interactions, Kanpur, India, 16-25 Jan. 1984, *(Dept. Sci. & Technol.; Dept. Atomic Energy; CSIR; et al)* [Aug. 1985] 86−15818, 86−18198 to 18199

Hypernuclear and kaon physics; Hypernuclear and Kaon Physics. Proceedings of the International Symposium, Upton, NY, USA, 9-13 Sept. 1985, [10 March 1986] 86−38651 to 38654

Hyperthermia: physics and technology; Physics and Technology of Hyperthermia. Proceedings of the NATO Advanced Study Institute, Urbino, Italy, 26 July-9 Aug. 1986, *(NATO) Field, S.B. Franconi, C. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1987, $134.00] 88−6121 (introductory abstract)

IC design-gate arrays; IEE Colloquium on IC Design-Gate Arrays (Digest No. 99), London, UK, 21 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85−10347 (introductory abstract), 85−10365, 85−11218, 85−12394 to 12397, 85−12410

IC design: software tools; IEE Colloquium on ‘IC Design: Software Tools’ (Digest No.68), London, UK, 2 May 1986, *(IEE)* [London, UK: IEE 1986] 86−45952 (introductory abstract), 86−45976, 86−46505 to 46506, 86−46785, 86−47764 to 47767, 86−47874

IC fabrication and design; IEE Colloquium on ‘ICs above 1GHz - Fabrication and Circuit Design’ (Digest Nos.35 & 36), London. UK, 12 March 1986, *(IEE)* [London, UK: IEE 1986] 86−40392 (introductory abstract), 86−40721, 86−41082 to 41086, 86−41231, 86−41313, 86−41348 to 41356, 86−41690, 86−41852, 86−41927, 86−41941 to 41942, 86−41996, 86−44152

IC testing workshop; Technical Workshop: New Directions for IC Testing, Victoria, BC, Canada, 18-20 March 1986, [Victoria, BC, Canada: Univ. Victoria 1986] 87−16283 (introductory abstract), 87−16975 to 16977, 87−17042 to 17047, 87−18276 to 18277, 87−20902

ICF research by high-power particle beams; Second International Topical Symposium on ICF Research by High-Power Particle Beams, Nagaoaka, Japan, 16-18 June 1986, [Aug. 1987] 88−5911, 88−12882 to 12884, 88−16616

ICs above 1 GHz; IEE Colloquium on IC’s above 1 GHz (Digest No.26), London, UK, 14 March 1985, *(IEE)* [London, UK: IEE 1985] 85−32943 (introductory abstract), 85−33749, 85−33887 to 33889, 85−34197 to 34200, 85−35028, 85−35148, 85−35208, 85−37001

Ideas in science and electronics; Proceedings of the 7th Annual Ideas in Science and Electronics Exposition and Symposium, Albuquerque, NM, USA, 7-9 May 1985, *(Ideas Sci. & Electron.; IEEE)* [Albuquerque, NM, USA: Ideas Sci. & Electron. 1985] 87−43769 (introductory abstract), 87−44437, 87−44482 to 44483, 87−45332, 87−46425, 87−47076, 87−47242, 87−47776, 87−49214, 87−49239, 87−50492, 87−50759, 87−50860

IECE Japan national convention; 1986 National Convention of the Institute of Electronics and Communication Engineers of Japan, Niigata, Japan, 23-26 March 1986, [April 1986] 86−66531 (introductory abstract), 86−66926, 86−67033 to 67035, 86−67176 to 67181, 86−67226, 86−67277, 86−67379, 86−67473 to 67475, 86−67494 to 67495, 86−67525, 86−67664, 86−67740, 86−67844 to 67846, 86−67881 to 67886, 86−67895 to 67896, 86−68157 to 68158, 86−68170, 86−68212 to 68213, 86−68281 to 68284, 86−68336 to 68337, 86−68471 to 68472, 86−68489 to 68490, 86−68549 to 68555, 86−68600, 86−68632, 86−68711 to 68713, 86−68822, 86−69223, 86−69512, 86−69780 to 69785, 86−69953, 86−70048, 86−70226, 87−281, 87−324, 87−643, 87−1026 to 1028, 87−1116, 87−1343, 87−1805, 87−1830, 87−1893 to 1896, 87−3233, 87−5036

IEEE 802.4 token bus LAN modelling; Workshop on Analytical and Simulation Modeling of IEEE 802.4 Token Bus Local Area Networks (NBS-SP-500-127), Gaithersburg, MD, USA, 29-30 April 1985, *Rosenthal, R. (editor/s),* [Washington, DC, USA: NBS June 1985] 86−19750 (introductory abstract), 86−23213 to 23215, 86−23523 to 23531

IEEE INFOCOM; Proceedings of the IEEE INFOCOM 84 (IEEE Cat. No. 84CH2012-3), San Francisco, CA, USA, 9-12 April 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−5641 (introductory abstract), 85−7969 to 7979, 85−8033 to 8036, 85−8117, 85−8202 to 8228, 85−8317 to 8319

IEEE INFOCOM; Proceedings of IEEE INFOCOM '85 (Cat. No. 85CH2153-5), Washington, DC, USA, 26-28 March 1985, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86−13298 (introductory abstract), 86−10822 to 10830, 86−10998 to 11001, 86−16627 to 16631, 86−16762 to 16767, 86−16872, 86−17028 to 17045, 86−17215 to 17219

IEEE Miami technicon conference; Miami Technicon '87. An International Conference (Cat. No.87TH0206-3), Miami, FL, USA, 28-30 Oct. 1987, *(IEEE) Heimer, M.L. Larnard, D.J. (editor/s),* [New York, NY, USA: IEEE 1987] 88−43587 (introductory abstract), 88−43618 to 43634, 88−44237 to 44238, 88−44284, 88−44303 to 44305, 88−44727, 88−45624 to 45628, 88−45733, 88−45777, 88−45868, 88−45955, 88−46006, 88−46129 to 46131, 88−46303, 88−46373, 88−46626 to 46630, 88−46868 to 46869, 88−46893, 88−47009 to 47011, 88−47174, 88−47199, 88−47509, 88−47667, 88−48100, 88−48143 to 48145, 88−48183 to 48189, 88−48238 to 48240, 88−48457, 88−48510 to 48511, 88−48546, 88−48565 to 48566, 88−48615, 88−48898, 88−48998, 88−49296

IEEE P896 draft specification; IEE Colloquium on a Preview of the IEEE P896 Draft Specification (Digest No.95), London, UK, 29 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85−30218, 85−30741

IEEE Region 5 conference; 1985 IEEE Region 5 Conference (Cat. No.85CH2123-8), Lubbock, TX, USA, 13-15 March 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−19735 (introductory abstract), 86−19771, 86−19877 to 19878, 86−20194, 86−20915, 86−22968 to 22969, 86−23084, 86−24036, 86−25182

IEEE Region 5 conference; Proceedings of the IEEE 1986 Region 5 Conference (Cat. No.86CH2304-4), Lafayette, LA, USA, 8-11 April 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86−57104 (introductory abstract), 86−57132 to 57134, 86−57238, 86−57582, 86−57843, 86−57876, 86−57914 to 57915, 86−57925, 86−58575 to 58576, 86−59012, 86−59108, 86−59262, 86−59401, 86−59687 to 59688, 86−59923, 86−60806 to 60807, 86−61091 to 61092, 86−61125

IEEE Region 5 conference; 1987 IEEE Region 5 Conference. Electrical Engineering: Challenges in the 1990's (Cat. No.87CH2383-8), Tulsa, OK, USA, 9-11 March 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87−51735 (introductory abstract), 87−51789, 87−52553, 87−52659 to 52660, 87−52737, 87−52927, 87−53057, 87−53573, 87−53673, 87−54831, 87−55050 to 55051, 87−55238, 87−55361, 87−55450, 87−56543, 87−57052, 87−57156, 87−57197, 87−57244, 87−57505, 87−57575, 87−57735, 87−58030, 87−58175, 87−58258, 87−58337, 87−58504

IEEE southern tier technical conference; Proceedings of the 1987 IEEE Southern Tier Technical Conference (Cat. No.87CH0157-8), Binghamton, NY, USA, 29 April 1987, *(IEEE; T.J. Watson Sch. Eng., Appl. Sci. & Technol) Ziegler, W.L. (editor/s),* [New York, NY, USA: IEEE 1987] 88−43586 (introductory abstract), 88−43755, 88−44107, 88−44152 to 44156, 88−44431, 88−44476 to 44478, 88−44491, 88−44747, 88−44847, 88−46004 to 46005, 88−46302, 88−47173, 88−47430, 88−48282, 88−48509, 88−48577, 88−49216

IEICE National Convention; 1987 National Convention of the Institute of Electronics, Information and Communication Engineers, Keio, Japan, 26-29 March 1987, [April 1987] 87−58518 (introductory abstract), 87−58910, 87−58987, 87−59283 to 59284, 87−59330 to 59332, 87−59720, 87−59750 to 59751, 87−59836, 87−59867 to 59870, 87−59940 to 59941, 87−60122, 87−60161, 87−60393, 87−60432, 87−60490, 87−60716, 87−60819 to 60820, 87−60862, 87−60942 to 60951, 87−60967 to 60968, 87−60991, 87−61087, 87−61108 to 61109, 87−61169 to 61171, 87−61222, 87−61336, 87−61372, 87−61409, 87−61448, 87−61526, 87−61915, 87−62823, 87−62996, 87−63149, 87−63406, 87−63508 to 63509, 87−63525, 87−63544 to 63545, 87−64783

IEICE spring convention; 1988 Spring National Convention of the Institute of Electronics, Information and Communication Engineers, Tokyo, Japan, 28-31 March 1988, [April 1988] 88−49350 (introductory abstract), 88−49842, 88−49878, 88−50320, 88−50458 to 50462, 88−50752, 88−50802, 88−50820, 88−50969, 88−51384, 88−51432, 88−51539, 88−51655, 88−51826 to 51827, 88−51973, 88−52247, 88−52270, 88−52276, 88−55693, 88−56946, 88−57983, 88−58060 to 58062, 88−58159 to 58160, 88−58207, 88−58245, 88−58330, 88−58565, 88−58781, 88−59958, 88−60709, 88−61424

IES annual conference; 1984 IES Annual Conference, St. Louis, MO, USA, 5-9 Aug. 1984, *(IES)* [Oct. 1984] 85−60636 (introductory abstract), 85−64314, 85−65591 to 65605, 85−65610 to 65612

II-VI compounds; II-VI Compounds 1985. Proceedings of the Second International Conference, Aussois, France, 4-8 March 1985, [July-Aug. 1985] 86−7367 (introductory abstract), 86−7730 to 7734, 86−7774 to 7787, 86−7820, 86−7836, 86−8772 to 8782, 86−8820, 86−8841 to 8844, 86−8984 to 8987, 86−9655, 86−9666, 86−9672, 86−9683 to 9684, 86−9694 to 9696, 86−9799, 86−9944 to 9945, 86−11595 to 11596, 86−13042 to 13043

II-VI compounds; Third International Conference on II-VI Compounds, Monterey, CA, USA, 12-17 July 1987, *(Army Night Vision Labs.; SERI; Allied Corp.; et al)* [Jan. 1988] 88−31264 (introductory abstract), 88−31708 to 31718, 88−31756 to 31792, 88−31820, 88−31838 to 31842, 88−32782 to 32794, 88−32855, 88−32942, 88−33001 to 33007, 88−33040, 88−33853, 88−33864, 88−33866, 88−33877, 88−34032 to 34033, 88−34110, 88−35997, 88−36152 to 36156, 88−37390 to 37391, 88−38150, 88−39100

IKBS applied to sensor data processing; IKBS Applied to Sensor Data Processing. Minutes of Alvey IKBS Interest Group Meeting, London, UK, 17 Oct. 1984, [London, UK: Alvey Directorate 1984] 86−57116 (introductory abstract)

Image analysis; Proceedings of the 5th Scandinavian Conference on Image Analysis, Stockholm, Sweden, 2-5 June 1987, *(Int. Assoc. Pattern Recognition) Eklundh, J.-O. (editor/s),* [Linkoping, Sweden: Nat. Defense Res. Inst. 1987] 88−54 (introductory abstract), 87−75925 to 75951, 87−77664, 87−77692, 87−77875, 88−3223 to 3238

Image analysis and processing; Image Analysis and Processing. Proceedings of the Third International Conference, Rapallo, Italy, 30 Sept.-2 Oct. 1985, *Cantoni, V. Levialdi, S. Musso, G. (editor/s),* [New York, NY, USA: Plenum 1986, $49.50] 87−75918 to 75922, 87−77663, 87−77874, 88−155, 88−729, 88−3218

Image coding; Image Coding, Cannes, France, 4-6 Dec. 1985, *(SPIE)* [1986] 87−31117 (introductory abstract), 87−33612 to 33615, 87−33766 to 33793, 87−34073, 87−34225 to 34226, 87−34720, 87−34792 to 34797, 87−34847, 87−34983

Image detection and quality; Proceedings of the International Topical Meeting on Image Detection and Quality, Paris, France, 16-18 July 1986, *(IAU; Int. Comm. Opt.; Soc. Francaise Phys.; Eur. Phys. Soc.; et al)* [Bellingham, WA, USA: SPIE 1986] 88−35 (introductory abstract), 88−218, 88−1333, 88−1434, 88−2064 to 2065, 88−4441 to 4443, 88−4481 to 4494, 88−4568, 88−4826, 88−4870 to 4872, 88−7502, 88−7529, 88−7843, 88−8004, 88−8333 to 8335, 88−8389, 88−8860 to 8863, 88−9648, 88−9804, 88−9988, 88−10035 to 10040, 88−10108, 88−10267, 88−10294 to 10296, 88−10338 to 10341, 88−10482, 88−35894, 88−36006, 88−36163

Image pattern recognition; Image Pattern Recognition: Algorithm Implementations, Techniques, and Technology, Los Angeles, CA, USA, 12-13 Jan. 1987, *(SPIE)* [1987] 88−34773 to 34774

Image processing; IEE Colloquium on 'Inverse Methods in Image Processing' (Digest No.65), London, UK, 28 May 1985, *(IEE)* [London, UK: IEE 1985] 85−44413 (introductory abstract), 85−46968 to 46972, 85−47563 to 47565

Image processing; Proceedings of the Fourth South African Symposium on Digital Image Processing, Durban, South Africa, 17-18 July 1986, [Durban, South Africa: Univ. Natal 1986] 87−31915, 87−33729, 87−33827 to 33829, 87−34853, 87−35414 to 35415, 87−35485

Image processing; Image Processing, Analysis, Measurement, and Quality, Los Angeles, CA, USA, 13-15 Jan. 1988, *(SPIE; Soc. Imaging Sci. & Technol)* [1988] 88−62861 (introductory abstract), 88−66309, 88−66500, 88−66674 to 66680, 88−67574, 88−67729, 88−67900 to 67904, 88−67944, 88−67969 to 67977, 88−68342, 88−68384

Image processing and applications; Second International Conference on Image Processing and its Applications (Conf. Publ. No.265), London, UK, 24-26 June 1986, *(IEE)* [London, UK: IEE 1986] 87−34 (introductory abstract), 87−949, 87−1685, 87−2459, 87−2644 to 2661, 87−3240, 87−3984 to 3985, 87−5981, 87−7672, 87−7859 to 7868, 87−8433 to 8435, 87−8470 to 8471, 87−8578 to 8580, 87−8929

Image processing and image analysis; Alvey - MMI Workshop on Image Processing and Image Analysis, Coventry, UK, 9-11 Feb. 1984, [Brentford, UK: Gen. Technol. Syst. 1984] 85−32919 (introductory abstract)

Image processing and pattern recognition; Advances in Image Processing and Pattern Recognition. Proceedings of the International Conference, Pisa, Italy, 10-12 Dec. 1985, *(Univ. Pisa; Milan Inst. Technol.; Univ. Florence; IEEE; et al) Cappellini, V. Marconi, R. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $81.50] 87−45548, 87−47853, 87−48235 to 48247, 87−49121, 87−49130, 87−49148, 87−49581, 87−50224, 87−50304, 87−50547 to 50548

Image processing and pattern recognition; Meeting of the Researchers in Image Processing and Pattern Recognition (papers in summary form only received), Budapest, Hungary, 3-4 June 1985, [1985] 87−47996 to 48001, 87−49000, 87−50286 to 50287, 87−50559

Image processing for automated inspection; IEE Colloquium on 'Image Processing for Automated Inspection' (Digest No.48), London, UK, 8 April 1986, *(IEE)* [London, UK: IEE 1986] 86−49040

Image quality; Image Quality: An Overview, Arlington, VA, USA, 9-10 April 1985, *(SPIE)* [1985] 86−19716 (introductory abstract), 86−22201, 86−23157 to 23162, 86−24162, 86−24373 to 24376, 86−25353 to 25354, 86−25403 to 25406

Image restoration and 2-D filtering; IEE Colloquium on 'Image Restoration and 2-Dimensional Filtering Techniques' (Digest No.51), London, UK, 3 May 1985, *(IEE)* [London, UK: IEE 1985] 85−49276 (introductory abstract), 85−51815 to 51821

Image science; Proceedings of Image Science '85, Helsinki, Finland, 11-14 June 1985, *(Int. Comm. Opt.; et al)* [1985] 85−54014 (introductory abstract), 85−54542, 85−55616, 85−56264, 85−56270 to 56271, 85−56379, 85−56845 to 56854, 85−56888, 85−57200 to 57201, 85−57333 to 57334, 85−57424 to 57454, 85−58545 to 58546, 85−59246 to 59247, 85−61014, 85−61535, 85−62669 to 62675, 85−63960, 85−64018 to 64020, 85−64053, 85−64080, 85−64299, 85−64650, 85−64684 to 64687, 86−524, 86−2855, 86−3278 to 3279, 86−3318 to 3320, 86−3386, 86−3756, 86−3940 to 3954, 86−5025, 86−5509, 86−5892 to 5896

Image storage; IEE Colloquium on 'Compact Storage for Image Data Bases' (Digest No.56), London, UK, 22 April 1986, *(IEE)* [London, UK: IEE 1986] 86−52144 (introductory abstract), 86−54856, 86−55279, 86−55468 to 55469

Image understanding; Image Understanding Workshop Proceedings, Los Angeles, CA, USA, 23-25 Feb. 1987, *(Defense Adv. Res. Projects Agency)* [Los Altos, CA, USA: Morgan Kaufmann 1987] 88−66 (introductory abstract), 88−3261 to 3289, 88−4648, 88−8868 to 8879

Image understanding and man-machine interface; Image Understanding and the Man-Machine Interface, Los Angeles, CA, USA, 15-16 Jan. 1987, *(SPIE)* [1987] 88−42677 (introductory abstract), 88−39863, 88−41053 to 41054, 88−42678 to 42681, 88−42730

Imaging; 25th Fall Symposia - Imaging (papers in summary form only received), Arlington, VA, USA, 17-22 Nov. 1985, *(AGFA Gevaert; Eastman Kodak; E.I. du Pont de Nemours; et al)* [Springfield, VA, USA: Soc. Photographic Sci. & Eng. 1985] 86−66544 (introductory abstract), 86−66563, 86−67381, 86−68655, 86−69172 to 69187, 86−69931, 86−70050 to 70054, 86−70149, 86−70389 to 70390

Imaging applications in the work world; Imaging Applications in the Work World, Los Angeles, CA, USA, 12-13 Jan. 1988, *(SPIE; Soc. Imaging Sci. & Technol)* [1988] 88−49347 (introductory abstract), 88−51648, 88−51653, 88−52584 to 52587, 88−52903, 88−53397, 88−53500, 88−53736 to 53737, 88−53876

Imaging arrays; State-of-the-Art Imaging Arrays and Their Applications, San Diego, CA, USA, 21-23 Aug. 1984, *(SPIE)* [1984] 85−54023 (introductory abstract), 85−55414, 85−56875, 85−58569 to 58607

Imaging science; 'Imaging Science'. Symposium held during the American Chemical Society Annual Meeting, Chicago, IL, USA, 8-13 Sept. 1985, *(American Chem. Soc)* [March-April 1986] 86−61833 (introductory abstract), 86−63005, 86−63372 to 63373, 87−11508 to 11511, 87−13968

Imaging sensors; Progress in Imaging Sensors. Proceedings of the ISPRS Commission 1 Symposium (ESA-SP-252), Stuttgart, West Germany, 1-5 Sept. 1986, *(Int. Soc. Photogrammetry & Remote Sensing; Deutsche Gesellschaft fur Photogrammetrie & Fernerkundung; et al)* [Paris, France: ESA Nov. 1986] 87−42225 (introductory abstract)

Imaging sensors and displays; Imaging Sensors and Displays, Los Angeles, CA, USA, 13-14 Jan. 1987, *(SPIE)* [1987] 87−65043 (introductory abstract), 87−66852 to 66853, 87−68677, 87−70247, 87−70448 to 70460, 87−70655 to 70656, 87−70728 to 70729

Imaging spectroscopy; Imaging Spectroscopy II, San Diego, CA, USA, 20-21 Aug. 1987, *(SPIE)* [1988] 88−49338 (introductory abstract)

Impact surface treatment; Impact Surface Treatment, Bedford, UK, 22-26 Sept. 1986, *(British Impact Treatment Assoc.; Cranfield Inst. Technol) Meguid, S.A. (editor/s),* [Barking, UK: Elsevier Appl. Sci. Publishers 1986, £39.00] 88−49371 (introductory abstract)

Impurity diffusion and gettering in silicon; Impurity Diffusion and Gettering in Silicon Symposium, Boston, MA, USA, 27-30 Nov. 1984, *(Mater. Res. Soc) Fair, R.B. Pearce, C.W. Washburn, J. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1985] 86−26510 (introductory abstract), 86−27854, 86−28112 to 28125, 86−28523

IMS '85; Official Proceedings of the First International IMS '85 Conference, Chicago, IL, USA, 21-25 Oct. 1985, [Ventura, CA, USA: Intertec Commun. 1985] 87−36344 (introductory abstract), 87−31303, 87−31372, 87−33463, 87−34914, 87−34957, 87−34991, 87−35158, 87−35525, 87−35688, 87−36043 to 36044, 87−38670, 87−41452, 87−43345

IMS '86; Official Proceedings of the Second International IMS '86 Conference, Boston, MA, USA, 27-31 Oct. 1986, [Ventura, CA, USA: Intertec Commun. 1986] 87−38588, 87−40491, 87−40966

IMS '87; Official Proceedings of the Third International IMS '87 Conference, Long Beach, CA, USA, 14-17 Sept. 1987, [Ventura, CA, USA: Intertec Commun. 1987] 88−67074, 88−67909

In-beam nuclear spectroscopy; Proceedings of the International Symposium on In-Beam Nuclear Spectroscopy, Debrecen, Hungary, 14-18 May 1984, *(Hungarian Acad. Sci.; Nat. Atomic Energy Committee of Hungary; BIOGAL Pharmaceutical Works) Dombradi, Zs. Fenyes, T. (editor/s),* [Budapest, Hungary: Akademiai Kiado 1984] 85−31650 to 31652, 85−31684, 85−31758

In situ industrial applications of optics; In Situ Industrial Applications of Optics, Brussels, Belgium, 25-27 June 1986, *(SPIE)* [1987] 88−55786 (introductory abstract), 88−58129, 88−58510, 88−58617, 88−58720, 88−58755 to 58756, 88−59275, 88−60573, 88−60735, 88−60914, 88−61308

Incremental motion control; Proceedings of the Fifteenth Annual Symposium on Incremental Motion Control Systems and Devices, Champaign, IL, USA, 3-5 June 1986, *Kuo, B.C. (editor/s),* [Champaign, IL, USA: Incremental Motion Control Syst. Soc. 1986] 87−22991 (introductory abstract), 87−29759, 87−30506, 87−30532 to 30538, 87−30613 to 30616, 87−30627 to 30628, 87−30646 to 30660, 87−31030

Incremental motion control systems; Proceedings of the Fourteenth Annual Symposium on Incremental Motion Control Systems and Devices, Champaign, IL, USA, 25-28 June 1985, *Kuo, B.C. (editor/s),* [Champaign, IL, USA: Incremental Motion & Control Syst. Soc. 1985] 87−23026 (introductory abstract), 87−30664 to 30703, 87−31037 to 31038

Indian national natural resources management system; Indian National Natural Resources Management System Seminar, India, May 1983, [March-April 1985] 85−44365 (introductory abstract)

Indirect imaging; Indirect Imaging: Measurement and Processing for Indirect Imaging. Proceedings of an International Symposium, Sydney, NSW, Australia, 30 Aug.-2 Sept. 1983, *(URSI; IAU) Roberts, J.A. (editor/s),* [Cambridge, UK: Cambridge 1984] 87−28722 (introductory abstract)

Indium phosphide; Third NATO Workshop on Materials Aspects of Indium Phosphide, Harwichport, MA, USA, 22-25 Sept. 1986, *(NATO)* [May 1987] 87−65034 (introductory abstract), 87−58695, 87−58937 to 58938, 87−60148 to 60150, 87−60271, 87−65462 to 65465, 87−65491 to 65492

Induced defects in insulators; Induced Defects in Insulators, Strasbourg, France, 5-8 June 1984, *(Council Eur.; Eur. Phys. Soc.; Agence Francaise pour la Maitrise de l'Energie; CNRS; et al) Mazzoldi, P. (editor/s),* [Les Ulis, France: Editions de Phys. 1984] 86−40798, 86−41620, 86−42222, 86−42352, 86−48180 to 48181

Industrial and commercial power systems; Industrial and Commercial Power Systems Technical Conference 1985. Conference Record (Cat. No.85CH2183-2), Denver, CO, USA, 13-16 May 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−33919 (introductory abstract), 86−33997, 86−34004, 86−38219, 86−39130 to 39131, 86−39148, 86−39168, 86−39196 to 39197, 86−39217 to 39219, 86−39244, 86−39946 to 39947, 86−40017 to 40018, 86−40361

Industrial and commercial power systems; Conference Record. Industrial and Commercial Power Systems Technical Conference 1986 (Cat. No.86CH2279-8), Cleveland, OH, USA, 5-8 May 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86−66536 (introductory abstract), 86−66607, 86−70562 to 70565, 86−70598, 86−70668 to 70669, 86−70727, 86−70734 to 70735, 86−70744, 86−70815, 86−70864, 86−70885 to 70887, 86−70904 to 70905, 86−71024 to 71025, 86−71129 to 71130, 86−71150

Industrial and commercial power systems; Conference Record. Industrial and Commercial Power Systems Technical Conference 1987 (Cat. No.87CH2406-7), Nashville, TN, USA, 4-7 May 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87−65066 (introductory abstract), 87−65261, 87−71659 to 71661, 87−71679, 87−71745, 87−71752, 87−71872, 87−71960, 87−72108, 87−72129, 87−72218 to 72221, 87−72267, 87−72482, 87−72640

Industrial and commercial power systems; Conference Record. Industrial and Commercial Power Systems Technical Conference 1988 (Cat. No.88CH2581-7), Baltimore, MD, USA, 2-5 May 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88−55824 (introductory abstract), 88−56082 to 56083, 88−56740, 88−61918, 88−61930, 88−61940, 88−61967 to 61968, 88−62317 to 62318, 88−62331, 88−62425, 88−62460 to 62465, 88−62530, 88−62673

Industrial applications of computed tomography and NMR imaging; Meeting on Industrial Applications of Computed Tomography and NMR Imaging, Hecla Island, Man., Canada, 13-14 Aug. 1984, [1 Dec. 1985] 86−20120, 86−24352, 86−24414, 86−24832, 86−25167, 86−25192

Industrial Applications Society meeting; Conference Record of the 1987 IEEE Industry Applications Society Annual Meeting (Cat. No.87CH2499-2), Atlanta, GA, USA, 18-23 Oct. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88−23292 (introductory abstract), 88−20063, 88−20868, 88−22800, 88−23293, 88−23799, 88−23869 to 23870, 88−23900 to 23903, 88−23933 to 23945, 88−23966 to 23969, 88−23992, 88−24067, 88−24200 to 24214, 88−24240 to 24241, 88−24296, 88−24889, 88−24995 to 24998, 88−25854 to 25855, 88−26233 to 26234, 88−26243 to 26248, 88−26320, 88−26524, 88−26558, 88−26595, 88−27367 to 27368, 88−27395 to 27400, 88−27413 to 27426, 88−27440 to 27441, 88−27447 to 27460, 88−28665, 88−29425 to 29426, 88−29527, 88−29578, 88−29648, 88−29897, 88−29905, 88−29940 to 29941, 88−30197, 88−30261 to 30265, 88−30324 to 30326, 88−30360 to 30363, 88−30381, 88−30419 to 30422, 88−30568 to 30569, 88−30669 to 30672, 88−30687 to 30693, 88−30718 to 30728, 88−30752 to 30754, 88−30877 to 30919, 88−30968, 88−31023, 88−31058, 88−31072 to 31086, 88−31160, 88−31179 to 31180, 88−31190 to 31194, 88−31211 to 31213, 88−31228 to 31230, 88−31240 to 31242, 88−31245 to 31248, 88−31256 to 31258

Industrial automation; AUTOTECH Hong Kong '85. International Conference on Industrial Automation, Hong Kong, 7-8 March 1985, [Oct. 1985] 86−26618 to 26619

Industrial automation systems; Proceedings of the International Workshop on Industrial Automation Systems: Seiken Symposium (Cat. No.87TH0165-1), Tokyo, Japan, 4-6 Feb. 1987, *(IEEE; Univ. Tokyo)* [New York, NY, USA: IEEE 1987] 88−159, 88−224 to 225, 88−264, 88−1184 to 1185, 88−3422, 88−3611, 88−4056, 88−4308, 88−4497

Industrial control; Third Conference on Control Engineering 1986: 'Towards a More Competitive Industry'. Preprints, Sydney, NSW, Australia, 12-14 May 1986, [Barton, ACT, Australia: Instn. Eng. Australia Feb. 1986] 86−70610 (introductory abstract), 86−62142, 86−65022, 86−65039, 86−65649 to 65650, 86−70135, 86−70817, 86−71128

Industrial digital control systems; IEE Vacation School on Industrial Digital Control Systems, Oxford, UK, 9-14 Sept. 1984, *(IEE)* [London, UK: IEE 1984] 85−2729, 85−4585 to 4586

Industrial digital control systems; 'Industrial Digital Control Systems'. IEE Vacation School, Oxford, UK, 8-13 Sept. 1985, *(IEE)* [London, UK: IEE 1985] 86−10463

Industrial digital control systems; IEE Vacation School on Industrial Digital Control Systems, Oxford, UK, 6-11 Sept. 1987, [London, UK: IEE 1987] 88−5658

Industrial electronic, control and instrumentation; Proceedings IECON '84. 1984 International Conference on Industrial Electronics, Control and Instrumentation (Cat. No. 84CH1991-9), Tokyo, Japan, 22-26 Oct. 1984, *(IEEE; Soc. Instrum. & Control Eng. Japan)* [New York, NY, USA: IEEE 1984] 86−45 (introductory abstract), 86−218, 86−290 to 291, 86−649 to 651, 86−1117 to 1118, 86−1247, 86−1479, 86−1564, 86−1667, 86−1938, 86−2200, 86−2313 to 2314, 86−2837 to 2838, 86−2897, 86−3406 to 3407, 86−3741, 86−3809, 86−4001 to 4010, 86−4232, 86−4331 to 4335, 86−4712, 86−4740, 86−4760, 86−4945, 86−5007 to 5012, 86−5108, 86−5167 to 5169, 86−5192, 86−5283 to 5297, 86−5505, 86−5535 to 5536, 86−5558, 86−5592 to 5593, 86−6087, 86−6177, 86−6194, 86−6282 to 6285, 86−6300 to 6301, 86−6450, 86−6463, 86−6500, 86−6549, 86−6589 to 6590, 86−6605, 86−6664 to 6665, 86−6700, 86−6725 to 6727, 86−6766 to 6777, 86−6790 to 6798, 86−6820 to 6824, 86−6902 to 6915, 86−6948, 86−6957 to 6958, 86−7218 to 7220, 86−7277 to 7278, 86−7309, 86−7324, 86−7339 to 7340, 86−70102 to 70103, 86−70752, 86−70926, 86−70975, 86−71012, 86−71076

Industrial electronics; Proceedings of IECON '87: 1987 International Conference on Industrial Electronics, Control, and Instrumentation (Cat. No.CH2484-4), Cambridge, MA, USA, 3-6 Nov. 1987, *(IEEE; Soc. Instrum. & Control Eng. Japan; SPIE)* [New York, NY, USA: IEEE 1987] 88−37840 (introductory abstract), 88−37950 to 37951, 88−37969, 88−38012 to 38015, 88−39496, 88−40088, 88−40451, 88−41369 to 41370, 88−41760, 88−41990, 88−42076 to 42077, 88−42152, 88−42699, 88−42908, 88−42995, 88−43113, 88−43148, 88−43172 to 43176, 88−43199 to 43201, 88−43211 to 43213, 88−43232, 88−43318 to 43322, 88−43353 to 43357, 88−43398, 88−43415 to 43429, 88−43462 to 43463, 88−43501, 88−43504, 88−44223 to 44224, 88−46001 to 46003, 88−46127 to 46128, 88−46299 to 46300, 88−46486, 88−46619, 88−47429, 88−47438, 88−47508, 88−47635, 88−47686, 88−48095 to 48096, 88−48200, 88−48507, 88−48529, 88−48880, 88−48994 to 48995, 88−49010 to 49011, 88−49194

Industrial electronics, control and instrumentation; Proceedings of IECON '85. 1985 International Conference on Industrial Electronics, Control and Instrumentation (Cat. No.85CH2160-0), San Francisco, CA, USA, 18-22 Nov. 1985, *(IEEE; Soc. Instrum. & Control Eng. Japan)* [New York, NY, USA: IEEE 1985] 86−40386 (introductory abstract), 86−40911, 86−43278, 86−43620, 86−44146 to 44147, 86−44305 to 44306, 86−44457, 86−45173 to 45174, 86−45215, 86−45305, 86−45589 to 45592, 86−45785, 86−45869, 86−46570 to 46571, 86−46617, 86−46984, 86−47205, 86−49038 to 49039, 86−49172 to 49173, 86−49318 to 49321, 86−49700, 86−49962, 86−50224, 86−50228, 86−50804, 86−50923, 86−51168, 86−51614, 86−51670 to 51672, 86−51786 to 51791, 86−51953 to 51959, 86−52006, 87−41469, 87−43056, 87−43112, 87−43203, 87−43569, 87−43603

Industrial electronics, control and instrumentation; Proceedings IECON '86. 1986 International Conference on Industrial Electronics, Control and Instrumentation. Industrial Applications of Mini, Micro and Personal Computers (Cat. No.86CH2334-1), Milwaukee, WI, USA, 29 Sept.-3 Oct. 1986, *(IEEE; Soc. Instrum. & Control Eng. Japan)* [New York, NY, USA: IEEE 1986] 87−22990 (introductory abstract), 87−23200, 87−23318 to 23319, 87−23386, 87−23532, 87−23800, 87−23858, 87−23931 to 23932, 87−24248 to 24249, 87−24364, 87−24563, 87−24597, 87−25087 to 25088, 87−25262, 87−26867, 87−27630 to 27631, 87−27700, 87−28152 to 28155, 87−28277, 87−28794, 87−28932 to 28939, 87−28974, 87−28987 to 28990, 87−29104 to 29107, 87−29210, 87−29819, 87−29892, 87−30017, 87−30101, 87−30177 to 30178, 87−30277, 87−30425, 87−30528 to 30531, 87−30577 to 30579, 87−30608 to 30612, 87−30642 to 30645, 87−30845 to 30849, 87−31027 to 31029, 87−31061

Industrial energy efficiency improvement by electrical methods; IEE Colloquium on 'Improving Industrial Energy Efficiency by Electrical Methods' (Digest No.46), London, UK, 29 April 1985, *(IEE)* [London, UK: IEE 1985] 86−13314 (introductory abstract), 86−19285, 86−19590, 86−19613, 86−19621 to 19625

Industrial engineering; 1985 Annual International Industrial Engineering Conference, Los Angeles, CA, USA, 19-23 May 1985, [Norcross, GA, USA: Inst. Ind. Eng. 1985] 86−7393 (introductory abstract)

Industrial engineering; 1985 Fall Industrial Engineering Conference: Integrating People and Technology, Chicago, IL, USA, 8-11 Dec. 1985, [Norcross, GA, USA: Inst. Ind. Eng. 1985] 86−57106 (introductory abstract)

Industrial LANS; IEE Colloquium on 'Industrial LANS: The Real Issues' (Digest No.8), London, UK, 14 Jan. 1988, *(IEE)* [London, UK: IEE 1987] 88−24378 (introductory abstract), 88−28449 to 28453

Industrial power engineering; International Conference on Industrial Power Engineering (Conf. Publ. No.272), London, UK, 3-5 Dec. 1986, [London, UK: IEE 1986] 87−16285 (introductory abstract), 87−16333, 87−19223, 87−21841, 87−21879 to 21884, 87−21923 to 21925, 87−21980, 87−22128 to 22130, 87−22147 to 22148, 87−22266 to 22267, 87−22345, 87−22500 to 22502, 87−22590 to 22592, 87−22666 to 22669, 87−22828 to 22830, 87−22942, 87−22944 to 22945, 87−22950

Industrial processes control; International Conference on Control of Industrial Processes, Milan, Italy, 28-29 Oct. 1987, *(Federazione Assoc. Sci. & Tecniche)* [Milan, Italy: Federazione Assoc. Sci. & Tecniche 1987] 88−27864, 88−28442, 88−29306, 88−29708 to 29709, 88−30506, 88−30570 to 30572, 88−30587, 88−30624, 88−30933, 88−31214, 88−31224

Industrial processes, new tools; IEE Colloquium on New Tools for Industrial Processes (Digest No.37), London, UK, 14 April 1983, *(IEE)* [London, UK:

IEE 1983] 85—27958 (introductory abstract), 85—31377, 85—32860 to 32864

Industrial robot technology; Proceedings of the 14th International Symposium on Industrial Robots and the 7th International Conference on Industrial Robot Technology, Gothenburg, Sweden, 2-4 Oct. 1984, *(Swedish Assoc. Mech. & Electr. Ind.; Swedish Ind. Robot Assoc.; Swedish Trade Council; Nat. Swedish Board for Tech. Dev) Martensson, N. (editor/s),* [Kempston, UK: IFS (Publications) Oct. 1984] 85—10477, 85—10496, 85—14673, 85—14816 to 14817

Industrial robots; Proceedings of the 18th International Symposium on Industrial Robots, Lausanne, Switzerland, 26-28 April 1988, *Burckhardt, C.W. (editor/s),* [Kempston, Bedford, UK: IFS Publications April 1988] 88—57133 to 57134, 88—61699, 88—61715, 88—62531, 88—63019 to 63021, 88—64016

Industry Applications Society annual meeting; Conference Record of the Industry Applications Society IEEE-IAS-1984 Annual Meeting (Cat. No. 84CH2060-2), Chicago, IL, USA, 30 Sept.-4 Oct. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—25232 (introductory abstract), 85—22080, 85—22202 to 22205, 85—22276, 85—22734, 85—23178, 85—23382, 85—23755 to 23756, 85—23763 to 23766, 85—24710 to 24711, 85—24756 to 24764, 85—25136, 85—25746, 85—25904, 85—25955, 85—26236, 85—26323, 85—26999 to 27003, 85—27013, 85—27020, 85—27027, 85—27056 to 27057, 85—27107 to 27109, 85—27131 to 27134, 85—27385 to 27388, 85—27405 to 27407, 85—27421 to 27427, 85—27441 to 27444, 85—27451 to 27452, 85—27485 to 27486, 85—27528 to 27543, 85—27580 to 27582, 85—27587 to 27589, 85—27686 to 27714, 85—27737 to 27744, 85—27754, 85—27775, 85—27786 to 27792, 85—27799, 85—27843 to 27846, 85—27880 to 27881, 85—27894 to 27896, 85—27902 to 27906, 85—28267, 85—29205, 85—29349 to 29350, 85—29376 to 29377, 85—29385 to 29386, 85—29978 to 29981, 85—30005 to 30013, 85—31400, 85—31723, 85—32037, 85—32201, 85—32214, 85—32406, 85—32614 to 32621, 85—32650, 85—32721, 85—32812 to 32815, 85—32858 to 32859

Industry Applications Society annual meeting; Conference Record. 1985 IEEE Industry Applications Society Annual Meeting (Cat. No.85CH2207-9), Toronto, Ont., Canada, 6-11 Oct. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86—40375 (introductory abstract), 86—39714, 86—39747 to 39750, 86—39794 to 39802, 86—39825 to 39828, 86—39955 to 39966, 86—40023 to 40025, 86—40208 to 40224, 86—40419 to 40420, 86—40498 to 40499, 86—40907 to 40910, 86—41361, 86—41380, 86—41746, 86—41763 to 41764, 86—41775 to 41778, 86—41842 to 41844, 86—41908, 86—42003, 86—42007, 86—42412, 86—42718, 86—42731 to 42733, 86—42774 to 42794, 86—42808, 86—44298 to 44301, 86—44591, 86—44823, 86—44894 to 44898, 86—44949, 86—44961 to 44963, 86—44969, 86—44985 to 44986, 86—45006, 86—45019 to 45023, 86—45036 to 45037, 86—45354 to 45358, 86—45384 to 45392, 86—45427 to 45434, 86—45450 to 45451, 86—45485, 86—45543 to 45586, 86—45619 to 45620, 86—45649, 86—45726 to 45727, 86—45729, 86—45747 to 45751, 86—45765 to 45774, 86—45801 to 45802, 86—45806 to 45807, 86—45813 to 45814, 86—45828 to 45830, 86—45846 to 45850, 86—45864, 86—45868, 86—45874 to 45877, 86—45884 to 45891

Industry Applications Society annual meeting; Conference Record of the 1986 IEEE Industry Applications Society Annual Meeting (Cat. No.86CH2272-3), Denver, CO, USA, 28 Sept.-3 Oct. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87—36317 (introductory abstract), 87—36440 to 36442, 87—36507, 87—37001 to 37007, 87—37113, 87—37438, 87—37634 to 37636, 87—37788, 87—38196, 87—38218 to 38222, 87—38231 to 38239, 87—38324 to 38329, 87—38553, 87—38597, 87—38605 to 38614, 87—38621 to 38622, 87—38866, 87—39290 to 39294, 87—39323 to 39330, 87—39336, 87—39411, 87—40415, 87—41351, 87—41584, 87—41632, 87—42305 to 42306, 87—42482 to 42484, 87—42528 to 42530, 87—42684, 87—42732, 87—42757, 87—42793 to 42798, 87—42844 to 42851, 87—42945 to 42966, 87—43058 to 43061, 87—43120 to 43124, 87—43171, 87—43219 to 43261, 87—43303, 87—43324 to 43325, 87—43397 to 43398, 87—43518 to 43541, 87—43584, 87—43636 to 43638, 87—43642, 87—43658 to 43659, 87—43680 to 43684, 87—43713 to 43716, 87—43725 to 43730, 87—43997, 87—46251, 87—47074 to 47075, 87—47085 to 47090, 87—47110 to 47111, 87—49728, 87—50173, 87—51021 to 51022, 87—51052, 87—51159 to 51160, 87—51213 to 51215, 87—51358, 87—51416, 87—51620, 87—51671, 87—51674

INFO '88; 4 Kongress der Informatik der DDR, INFO '88 (4th GDR Information Congress, INFO '88), East Germany, 1988, [March 1988] 88—41428

Infomation theory; 1985 IEEE International Symposium on Information Theory (ISIT) Abstracts of Papers (Cat. No.85CH2201-2), Brighton, UK, 24-28 June 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86—45922 (introductory abstract)

Informatics access; International Informatics Access '87, Dallas, TX, USA, 17-20 March 1987, [1987] 88—18 (introductory abstract), 88—3333 to 3335, 88—3581 to 3582

Informatics and automatic calculation; A.I.C.A. Annual Conference Proceedings, Rome, Italy, 24-26 Oct. 1984, [Bologna, Italy: TECNOPRINT 1984] 85—42035, 85—42297, 85—45810 to 45811, 85—47254

Information centre and changing technologies; The Information Centre and Changing Technologies. Proceedings of the 1984 APL Users Meeting, Toronto, Ont., Canada, 15-17 Oct. 1984, [Toronto, Ont., Canada: I.P. Sharp Associates 1984] 85—30738

Information comes of age, IIS 1984; Information comes of Age. Proceedings of the Annual Conference of the Institute of Information Scientists, Canterbury, Kent, UK, July 1984, *Oppenheim, C. (editor/s),* [London, UK: Rossendale 1984] 85—52541

Information, computers and communications; Conference on Information Computers and Communications, Melbourne, Vic., Australia, 24-26 June 1985, *(IEEE; IERE Australia; Australian Comput. Soc.; Telecom)* [Barton, ACT, Australia: Instn. Eng. Australia 1985, $15.00] 86—30157 (introductory abstract), 86—30158 to 30160

Information control in manufacturing technology; Information Control Problems in Manufacturing Technology 1986. Proceedings of the 5th IFAC/IFIP/IMACS/IFORS Conference, Suzdal, USSR, 22-25 April 1986, *(IFAC; IFIP; IMACS; IFORS) Tal', A.A. (editor/s),* [Oxford, UK: Pergamon 1987] 87—45446, 87—48009, 87—49497

Information Display; 1987 SID International Symposium. Digest of Technical Papers. First Edition, New Orleans, LA, USA, 12-14 May 1987, *Morreale, J. (editor/s),* [New York, NY, USA: Palisades Inst. Res. Services May 1987] 88—11595 (introductory abstract), 88—12346, 88—12440 to 12441, 88—12901 to 12905, 88—13950 to 13952, 88—14019, 88—14367, 88—15045, 88—15688, 88—15806, 88—16100, 88—16261, 88—16300 to 16365, 88—16505 to 16506, 88—16839 to 16840, 88—16872, 88—18192 to 18195

Information display symposium; 1985 SID International Symposium. Digest of Technical Papers, Orlando, FL, USA, 30 April-2 May 1985, *Morreale, J. (editor/s),* [New York, NY, USA: Pallisades Inst. Res. Services May 1985] 86—26501 (introductory abstract), 86—27812 to 27815, 86—28916, 86—28980, 86—30049, 86—30893, 86—30980, 86—31016 to 31018, 86—31227 to 31255, 86—31507 to 31534, 86—32433, 86—32452

Information, documentation and transfer of knowledge; IDT 85. Information, Documentation, Transfert des Connaissances. 6 Congres National sur l'Information et la Documentation (IDT '85. Information, Documentation, Transfer of Knowledge. 6th National Congress on Information and Documentation), Versailles, France, 12-14 June 1985, [Paris, France: Assoc. Francaise des Documentalistes et des Bibliothecaires Specialises 1985] 86—4252, 86—10739

Information for all - access and availability; Information for All: Access and Availability. Proceedings of the Annual Conference on the Institute of Information Scientists, Peebles, UK, 1986, *White, B. (editor/s),* [London, UK: Taylor Graham 1987, £15.00] 87—76298

Information management; INFOBASE 86. Proceedings of the International Convention for Information Management, Frankfurt, West Germany, 13-15 May 1986, [Munchen, West Germany: Bertelsmann Datenbankdienste 1986, DM160] 86—59518 to 59520

Information management; Berichtsband zum Kongressprogramm 12.5.87 im Rahmen der INFOBASE '87 - Internationale Ausstellung und Kongress fur Informationsmanagement (Report on the Convention Proceedings 12.5.87 in the Framework of INFOBASE '87 - International Exhibition and Congress for Information Management), Frankfurt, West Germany, 12 May 1987, [Frankfurt am Main, West Germany: Messe Frankfurt 1987] 88—3424 to 3425, 88—3458, 88—3633

Information management and micrographics; International Information Management Congress Proceedings 1984 Informatics Congress, Singapore, 2-4 Oct. 1984, [Bethesda, MD, USA: Int. Inf. Manage. Congress 1984] 85—36463

Information network and data communication; Information Network and Data Communication, I. Proceedings of the IFIP TC 6 International Conference, Ronneby Brunn, Sweden, 11-14 May 1986, *(IFIP) Khakhar, D. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987] 88—24345 (introductory abstract), 88—28175, 88—28233, 88—28414 to 28420, 88—28493 to 28495, 88—28551, 88—28605, 88—28787 to 28788

Information online; Information Online 86. Proceedings of the First Australian Online Information Conference, Sydney, NSW, Australia, 20-22 Jan. 1986, *(Library Assoc. Australia)* [Sydney, NSW, Australia: Library Assoc. Australia 1986] 87—43772 (introductory abstract), 87—48448, 87—48547 to 48549

Information processing automation on personal computers; KNVVT Conference on Automation of Information Processing on Personal Computers, Budapest, Hungary, 5-9 May 1986, [1986] 87—62669

Information processing in medical imaging; Information Processing in Medical Imaging. Proceedings of the 9th Conference, Washington, DC, USA, 10-14 June 1985, *(Nat. Inst. Health) Bacharach, S.L. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1986, £65.25] 86—57112 (introductory abstract)

Information science; ASIS '85. Proceedings of the 48th ASIS Annual Meeting, Las Vegas, NV, USA, 20-24 Oct. 1985, *Parkhurst, C.A. (editor/s),* [White Plains, NY, USA: Knowledge Ind. Publications 1985] 86—37574 (introductory abstract), 86—37375 to 37376, 86—37456 to 37458, 86—37575 to 37578, 86—37861

Information science; ASIS '87. Proceedings of the 50th ASIS Annual Meeting, Boston, MA, USA, 4-8 Oct. 1987, *Ching-chih Chen (editor/s),* [Medford, NJ, USA: Learned Inf. 1987] 88—5429

Information science and technology; Future Trends in Information Science and Technology. Proceedings of the Silver Jubilee Conference of the City University's Department of Information Science, London, UK, 16 Jan. 1987, *Yates-Mercer, P.A. (editor/s),* [London, UK: Taylor Graham 1988, $35.00] 88—62902 (introductory abstract), 88—67075

Information society; Towards the Information Society. Selected Papers from the Hong Kong Computer Conference 1983, Hong Kong, June 1983, *Barquin, R.C. Mead, G.P. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $38.50] 85—47117, 85—47130, 85—47190, 85—47271, 85—47275 to 47276

Information systems; Proceedimgs of the Seventh International Conference on Information Systems, San Diego, CA, USA, 15-17 Dec. 1986, *(Soc. Inf. Manage.; Inst. Manage. Sci.; ACM) Maggi, L. Zmud, R. Wetherbe, J. (editor/s),* [Chicago, IL, USA: Soc. Inf. Manage. 1986] 87—31242, 87—33867

Information systems, application of databases; DATABASE '83. International Conference on the Application of Internationally Available Databases to National Scientific and Technical Information Systems, Budapest, Hungary, 6-8 June 1983, *(UNESCO; FID) Szabo, A. (editor/s),* [Budapest, Hungary: OMIKK - Technoinform 1984] 86—54647, 86—54696

Information systems education; ISECON '86. Proceedings of the Fifth Annual Information Systems Education Conference, Atlanta, GA, USA, 25-26 Oct. 1986, *(Data Process. Manage. Assoc)* [Park Ridge, IL, USA: Data Process. Manage. Assoc. 1986] 87—39672, 87—41176

Information systems education; ISECON '87 Proceedings. Sixth Annual Information Systems Education Conference, San Francisco, CA, USA, 31 Oct.-1 Nov. 1987, *(Data Process. Manage. Assoc. Educ. Found)* [Park Ridge, IL, USA: Data Process. Manage. Assoc. 1987] 88—43636 to 43638, 88—46506, 88—46636

Information technology; 4th Jerusalem Conference on Information Technology (JCIT). Next Decade in Information Technology (Cat. No. 84CH2022-2), Jerusalem, Israel, 21-25 May 1984, *(IEEE; Inf. Process. Assoc. Israel; ACM; Canadian Inf. Process. Soc)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85—16565 (introductory abstract), 85—19355, 85—19481, 85—19540 to 19541, 85—19575 to 19576, 85—19761, 85—19869 to 19871, 85—20910, 85—22764, 85—23912, 85—23977, 85—25546

Information technology; Von der Nachrichtentechnik zur Informationstechnik. Vortrage der NTG-Fachtagung (From Communication Technology to Information Technology. Proceedings of the NTG Meeting), Nurnberg, West Germany, 14-15 Oct. 1986, [1986] 87—9992 (introductory abstract), 87—20005, 87—20053 to 20057, 87—20239 to 20240

Information technology; UK IT 88 Conference Publication, Swansea, UK, 4-7 July 1988, [London, UK: Inf. Eng. Directorate 1988] 88—55854 (introductory abstract), 88—56085, 88—56275 to 56276, 88—56317, 88—57417, 88—57462, 88—57494 to 57498, 88—57578 to 57579, 88—57629, 88—57668, 88—57795, 88—57812 to 57813, 88—57827, 88—59727, 88—60070, 88—61774, 88—61869, 88—61998, 88—63067, 88—63473 to 63479, 88—63736 to 63737, 88—64232, 88—64375 to 64376, 88—64392 to 64395, 88—64425 to 64426, 88—64474 to 64475, 88—64490 to 64491, 88—64590 to 64591, 88—64728 to 64733, 88—64782 to 64785, 88—64795, 88—66898, 88—67076 to 67079, 88—67136, 88—67203, 88—67281 to 67283, 88—67978 to 67979

Information technology for library and information; First Pacific Conference on New Information Technology for Library and Information Professionals. Proceedings, Bangkok, Thailand, 16-18 June 1987, *Ching-chih Chen Raitt, D.I. (editor/s),* [West Newton, MA, USA: MicroUse Inf. 1987] 88—28525, 88—29144

Information technology impact on engineering education; SEFI Annual Conference 1984. The Impact of Information Technology on Engineering Education, Erlangen-Nurnberg, West Germany, 28-30 Aug. 1984, *(Eur. Soc. Eng. Educ)* [Brussels, Belgium: Eur. Soc. Eng. Educ. 1984] 85—16632 (introductory abstract), 85—16633 to 16651, 85—16748 to 16749, 85—18434, 85—20531

Information technology - maximising the potential for Asian countries; Proceedings of the 1984 South East Asia Regional Computer Conference. SEARCC 84, Hong Kong, 24-28 Sept. 1984, [Hong Kong: SEARCC 1984] 86−16756 to 16758, 86−17004 to 17005

Information technology - opportunities and challenges; Proceedings of Information Technology: Emerging Opportunities and Challenges. 2nd Pan Pacific Computer Conference, Singapore, 26-29 Aug. 1987, *(IFIP; AFIPS; South East Asia Regional Comput. Confederation; et al)* [Singapore: Singapore Comput. Soc. 1987] 88−24364 (introductory abstract), 88−24502, 88−28164, 88−28527, 88−31410, 88−34964, 88−35025 to 35026, 88−35196

Information theory; Sixth Symposium on Information Theory in the Benelux, Mierlo, Netherlands, 23-24 May 1985, *(IEE; Oce v.d.; Nederlands Electron.- & Radiogenootschap; Philips Int) Vinck, A.J. (editor/s),* [Enschede, Netherlands: Werkgemeenschap Inf. & Communincatietheor. 1985] 85−54046 (introductory abstract), 85−57197 to 57199, 85−57275 to 57286, 85−57541 to 57546, 85−57578, 85−59315

Information theory; 1986 IEEE International Symposium on Information Theory (ISIT). Abstracts of Papers (Cat. No.86CH2374-7), Ann Arbor, MI, USA, 6-10 Oct. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−51728 (introductory abstract), 87−51909, 87−51928, 87−51942 to 51952, 87−51990 to 51992, 87−52548 to 52549, 87−52591 to 52592, 87−53891 to 53894, 87−54192, 87−54618, 87−54794 to 54829, 87−54844 to 54847, 87−54883 to 55005, 87−55031 to 55033, 87−55160 to 55186, 87−55316 to 55321, 87−55392 to 55408, 87−55761 to 55762, 87−55883, 87−55968 to 55973, 87−56085 to 56086, 87−56186 to 56191, 87−56213 to 56215

Information theory; Proceedings of the Ninth Symposium on Information Theory in the Benelux, Mierolo, Netherlands, 26-27 May 1988, *Schouhamer Immink, K.A. (editor/s),* [Enschede, Netherlands: Werkgemeenschap Inf. & Communicatietheorie 1988] 88−55855 (introductory abstract), 88−56408, 88−58998 to 59002, 88−59035 to 59046, 88−59185 to 59186, 88−59336 to 59339, 88−60514

Information theory in the Benelux; Proceedings of the Eighth Symposium on Information Theory in the Benelux, Deventer, Netherlands, 21-22 May 1987, *Kleima, D. (editor/s),* [Enschede, Netherlands: Werkgemeenschap Inf. Commun. 1987] 87−65094 (introductory abstract), 87−68921 to 68925, 87−69038 to 69039, 87−69224 to 69225, 87−69381 to 69382, 87−69582, 87−70125, 87−70542, 87−75677 to 75681, 87−75728 to 75732, 87−75849, 87−75953 to 75954, 87−76185, 87−76411

Infrared, adaptive optical systems; Infrared, Adaptive, and Synthetic Aperture Optical Systems, Arlington, VA, USA/Orlando, FL, USA, 8 April 1985/1-2 April 1986, *(SPIE)* [1986] 87−60874, 87−61002, 87−63272 to 63273

Infrared and millimeter waves; Conference Digest. Tenth International Conference on Infrared and Millimeter Waves (Cat. No.85CH2204-6), Lake Buena Vista, FL, USA, 9-13 Dec. 1985, *(IEEE; Int. Union of Radio Sci.; US Army Res. Office) Temkin, R.J. (editor/s),* [New York, NY, USA: IEEE 1985] 86−52120 (introductory abstract)

Infrared and millimeter waves; Conference Digest. Twelfth International Conference on Infrared and Millimeter Waves (Cat. No.87CH2490-1), Lake Buena Vista, FL, USA, 14-18 Dec. 1987, *(IEEE) Temkin, R.J. (editor/s),* [New York, NY, USA: IEEE 1987] 88−24354 (introductory abstract), 88−19348, 88−24570, 88−24806, 88−24812, 88−24847, 88−25050 to 25051, 88−25360 to 25367, 88−25410 to 25428, 88−25442, 88−25524 to 25549, 88−25786 to 25817, 88−25834 to 25838, 88−25876, 88−25951 to 25953, 88−26559 to 26560, 88−26660, 88−26890, 88−26901, 88−26961, 88−26999 to 27004, 88−27077 to 27085, 88−27131, 88−27193 to 27201, 88−27275, 88−27442 to 27443, 88−27510 to 27512, 88−27521, 88−27586 to 27588, 88−27640 to 27641, 88−27677 to 27682, 88−28086, 88−28677, 88−28692, 88−28728 to 28729, 88−28905, 88−28951 to 28952, 88−28983, 88−29013, 88−29291, 88−29413 to 29414, 88−29465 to 29466, 88−29591 to 29592, 88−29617 to 29625

Infrared and millimetre waves; Ninth International Conference on Infrared and Millimeter Waves. Conference Digest, Takarazuka, Japan, 22-26 Oct. 1984, *(Japan Soc. Appl. Phys.; Inst. Electron. & Commun. Eng. Japan; Spectrosc. Soc. Japan; IEEE)* [Osaka, Japan: Osaka Univ. 1984] 85−60654 (introductory abstract)

Infrared and optical transmitting materials; Infrared and Optical Transmitting Materials, San Diego, CA, USA, 18-19 Aug. 1986, *(SPIE)* [1986] 88−6535 to 6537, 88−7837, 88−45813, 88−46055, 88−46206 to 46208, 88−47197 to 47198, 88−47723, 88−47731

Infrared detectors; Third International Conference on Advanced Infrared Detectors amd Systems (Conf. Publ. No.263), London, UK, 3-5 June 1986, *(IEE)* [London, UK: IEE 1986] 87−38 (introductory abstract), 87−2307, 87−2663, 87−3245 to 3248, 87−3479 to 3501, 87−3518, 87−3539, 87−3623 to 3624, 87−4086 to 4087

Infrared detectors; Infrared Detectors, Sensors, and Focal Plane Arrays, San Diego, CA, USA, 21-22 Aug. 1986, *(SPIE)* [1986] 87−43752 (introductory abstract), 87−45771, 87−46692 to 46693, 87−49550 to 49557, 87−49759 to 49764, 87−50491, 88−29550 to 29553, 88−30080 to 30082, 88−30106 to 30110

Infrared optical materials and fibers; Infrared Optical Materials and Fibers IV, Los Angeles, CA, USA, 22-24 Jan. 1986, *(SPIE)* [1986] 87−16254 (introductory abstract), 87−18574 to 18575, 87−18701 to 18722, 87−18981 to 18982

Infrared optical materials and fibers; Infrared Optical Materials and Fibers V, San Diego, CA, USA, 20-21 Aug. 1987, *(SPIE)* [1988] 88−55783 (introductory abstract), 88−58050 to 58053, 88−58112 to 58127, 88−58298, 88−58509, 88−60751

Infrared optical materials and fibres; Infrared Optical Materials and Fibers III, Arlington, VA, USA, 3-4 May 1984, *(SPIE)* [1984] 85−16543 (introductory abstract), 85−16903, 85−18626 to 18633, 85−18658 to 18670, 85−18921

Infrared physics; Third International Conference on Infrared Physics (CIRP 3), Zurich, Switzerland, 23-27 July 1984, [Feb. 1985] 85−32890 (introductory abstract), 85−35467 to 35468, 85−35565, 85−35591, 85−35612, 85−35677 to 35684, 85−35710, 85−35722 to 35723, 85−35771, 85−35803, 85−35844 to 35845, 85−35860 to 35863, 85−35943 to 35946, 85−36906, 85−37629 to 37630, 85−40240, 85−40528, 85−41237, 85−42659, 85−42998 to 43001, 85−43064, 85−43075, 85−43468

Infrared physics and optical properties of solids; Second National Conference on Infrared Physics and Second National Conference on Optical Properties of Solids (papers in summary form only received), Xiamen, Fujian, China, 4-10 Dec. 1984, [1984] 85−32888 (introductory abstract)

Infrared scene simulation; Infrared Scene Simulation: Systems, Requirements, Calibration, Devices, and Modeling, Orlando, FL, USA, 4-6 April 1988, *(SPIE)* [1988] 88−74232 (introductory abstract), 88−70112, 88−71991, 88−72196, 88−73222, 88−74233, 88−74414 to 74427, 88−74488 to 74490, 88−74617, 88−74915, 88−75009 to 75010, 88−75020 to 75024

Infrared science and technology; Sixth National Conference on Infrared Science and Technology (papers in summary form only received), Luoyang, Henan Province, China, 2-7 Nov. 1984, [1985] 85−54015 (introductory abstract)

Infrared science and technology; Seventh National Conference on Infrared Science and Technology (papers in summary form only received), Wuxi, Jiangsu, China, Nov. 1986, [1986] 87−51693 (introductory abstract)

Infrared systems and components; Infrared Systems amd Components II, Los Angeles, CA, USA, 12-14 Jan. 1988, *(SPIE)* [1988] 88−49342 (introductory abstract), 88−50193, 88−52577 to 52582, 88−53369, 88−53377 to 53379, 88−53596, 88−53698 to 53701, 88−53733 to 53735, 88−53844 to 53845, 88−54830

Infrared technology; Infrared Technology X, San Diego, CA, USA, 23-24 Aug. 1984, *(SPIE)* [1985] 85−44367 (introductory abstract), 85−45947, 85−46116, 85−46239, 85−46262 to 46263, 85−46752, 85−47841 to 47849, 85−47973 to 47974, 85−48374, 85−48454

Infrared technology; Infrared Technology XI, San Diego, CA, USA, 20-21 Aug. 1985, *(SPIE)* [1985] 87−9998 (introductory abstract), 87−11384, 87−12174, 87−12319, 87−13791, 87−14156 to 14158, 87−14245 to 14246, 87−14341 to 14346, 87−14394, 87−14595, 87−15061 to 15064

Infrared technology; Infrared Technology XII, San Diego, CA, USA, 19-20 Aug. 1986, *(SPIE;)* [1986] 87−43750 (introductory abstract), 87−45541, 87−47970, 87−49485, 87−49537 to 49546, 87−49633 to 49634, 87−49758, 87−50542 to 50543, 88−19628 to 19629, 88−20180, 88−20818, 88−22328, 88−22502 to 22503, 88−22598, 88−22708, 88−22785 to 22786, 88−22857 to 22858, 88−23062, 88−24087, 88−24256

Infrared technology and applications; Infrared Technology and Applications, Cannes, France, 26-29 Nov. 1985, *(SPIE)* [1986] 87−16260 (introductory abstract), 87−16761 to 16764, 87−18237, 87−18789, 87−18794, 87−20627 to 20630, 87−20952 to 20968, 87−21101 to 21102, 87−21109, 87−21251 to 21252, 87−21257 to 21258, 87−21265, 87−21273, 87−21722 to 21723, 87−21790

Inhomogeneous materials; Ultrasonic Methods in Evaluation of Inhomogeneous Materials. Proceedings of the NATO Advanced Study Institute, Erice, Italy, 15-25 Oct. 1985, *(NATO) Alippi, A. Mayer, W.G. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1987, $112.00] 88−498 (introductory abstract)

Insertion devices for synchrotron sources; International Conference on Insertion Devices for Synchrotron Sources, Stanford, CA, USA, 27-30 Oct. 1985, *(SPIE)* [1986] 87−16246 (introductory abstract), 87−18486, 87−18538 to 18539, 87−18996 to 18997, 87−19014 to 19016, 87−21302 to 21304, 87−26117 to 26119, 87−26444 to 26447, 87−26638 to 26642, 87−29408 to 29416

Installation engineering; Second Conference on Installation Engineering (Conf. Publ. No.251), London, UK, 5-6 June 1985, *(IEE)* [London, UK: IEE 1985] 85−60673 (introductory abstract), 85−60722 to 60723, 85−60826, 85−63492, 85−64679, 85−64792, 85−64861, 85−64882, 85−64902 to 64905, 85−64987 to 64988, 85−65369 to 65370, 85−65405, 85−65689

Installation engineering; Third International Conference on Installation Engineering - Designing and Maintaining Successful Systems (Conf. Publ. No.287), London, UK, 7-8 June 1988, [London, UK: IEE 1988] 88−55830 (introductory abstract), 88−55914 to 55915, 88−56059, 88−56407, 88−61919, 88−61969 to 61973, 88−62186, 88−62220, 88−62482, 88−62641, 88−62717, 88−62758 to 62760

Institute of Nuclear Materials Management meeting; Proceedings of the 25th Annual Meeting of the Institute of Nuclear Materials Management, Columbus, OH, USA, 15-18 July 1984, [1984] 85−38644 to 38646

Instructional technology; Proceedings of the Fourth Canadian Symposium on Instructional Technology, Winnipeg, Man., Canada, 19-21 Oct. 1983, *(Nat. Res. Council of Canada)* [Ottawa, Ont., Canada: Nat. Res. Council of Canada 1983] 85−56, 85−3119 to 3120, 85−3212 to 3213, 85−5702, 85−8118 to 8120

Instructional technology; Proceedings of the Fifth Canadian Symposium on Instructional Technology, Ottawa, Ont., Canada, 5-7 May 1986, *(Nat. Res. Council Canada)* [Ottawa, Ont., Canada: Nat. Res. Council Canada 1986, $40.00] 87−43845, 87−50477

Instrumentation; Advances in Instrumentation. Vol.38, Part 2. Proceedings of the ISA International Conference and Exhibit, Houston, TX, USA, 10-13 Oct. 1983, [Research Triangle Park, NC, USA: ISA 1983] 85−3211, 85−3910, 85−3979 to 3981, 85−4147 to 4148, 85−4583, 85−4805

Instrumentation; Advances in instrumentation. Vol.39, Part 1 and 2. Proceedings of the ISA International Conference and Exhibit, Houston, TX, USA, 22-25 Oct. 1984, [Research Triangle Park, NC, USA: ISA 1984] 86−48 (introductory abstract), 86−134, 86−1565, 86−2839 to 2840, 86−4336, 86−5013 to 5015, 86−5109, 86−5124, 86−5134, 86−5170, 86−5298 to 5302, 86−5576 to 5578, 86−5594 to 5599, 86−6142, 86−6560 to 6561, 86−6583 to 6585, 86−6674, 86−7343 to 7344, 86−10843, 86−11130, 86−11402, 86−11441 to 11442, 86−11778 to 11782

Instrumentation; Instrumentation Exchange, International, Philadelphia, PA, USA, 1982, *(American Autom. Control Council; AIP; Belgium Inst. Autom.; China Instrum. Soc.; ISA; et al)* [Research Triangle Park, NC, USA: ISA 1983] 86−59 (introductory abstract), 86−2641, 86−4761, 86−4946 to 4947, 86−5485, 86−6041, 86−6586

Instrumentation; Trends in Instrumentation. Signal Processing for Flow Measurement PC-Based Instrumentation Systems, Harrogate, UK, 25 Feb. 1987, [Bristol, UK: IOP 1987] 87−51752 (introductory abstract), 87−56511 to 56512, 87−56885, 87−56909 to 56910

Instrumentation and automation in paper, rubber and related industries; Instrumentation and Automation in the Paper, Rubber, Plastics and Polymerization Industries 1986. Selected Papers from the 6th IFAC/IFIP/IMEKO Conference, Akron, OH, USA, 27-29 Oct. 1986, *(IFAC) Kaya, A. Williams, T.J. (editor/s),* [Oxford, UK: Pergamon 1987] 88−22473, 88−24298

Instrumentation and control; Instrumentation and Control in the '80's. Proceedings of the 1984 Joint Symposium, Des Plaines, IL, USA, 1-3 May 1984, *(ISA)* [Research Triangle Park, NC, USA: ISA 1984] 86−19739 (introductory abstract), 86−24345 to 24347, 86−24393, 86−24396, 86−24527, 86−24646, 86−24827, 86−24846 to 24847, 86−25738, 86−25907 to 25908, 86−25931, 86−26190, 86−26453

Instrumentation and measurement technology; Proceedings of IMTC '85. IEEE Instrumentation and Measurement Technology Conference (Cat. No.85CH2159-2), Tampa, FL, USA, 20-22 March 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−17735 (introductory abstract), 86−13462, 86−13910, 86−14055, 86−14061, 86−14074, 86−14090, 86−14106, 86−14291, 86−14327, 86−14450, 86−14480, 86−14556, 86−14731, 86−15272, 86−15509 to 15510, 86−15583, 86−15758 to 15759, 86−15914 to 15917, 86−16044, 86−16482 to 16484, 86−16761, 86−17212, 86−17234, 86−17535, 86−17688 to 17690, 86−17730 to 17731, 86−17804 to 17810, 86−17898 to 17904, 86−17960, 86−18026, 86−18049 to 18050, 86−18055 to 18057, 86−18062, 86−18064 to 18065, 86−18074 to 18075, 86−18091 to 18095, 86−18152, 86−18161, 86−18170, 86−18253, 86−18380, 86−18419, 86−18480 to 18482, 86−18620, 86−18821, 86−18901, 86−19393, 86−20819, 86−23038 to 23039, 86−24402, 86−24430 to 24433, 86−24455 to 24456, 86−24609, 86−24612 to 24613, 86−24664 to 24665, 86−24723, 86−24744 to 24745, 86−25654, 86−25660

Instrumentation and measurement technology; Conference Proceedings. IEEE Instrumentation and Measurement Technology Conference (Cat. No.87CH2405-9), Boston, MA, USA, 27-29 April 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87–68858 (introductory abstract), 87–65401, 87–65842 to 65843, 87–65891, 87–66237, 87–66276 to 66278, 87–66509, 87–66566, 87–68173, 87–68596, 87–68702, 87–68817 to 68818, 87–68859 to 68861, 87–68885, 87–69193 to 69196, 87–69866, 87–70106, 87–70341, 87–70347, 87–70395 to 70402, 87–70468, 87–70483 to 70484, 87–70512 to 70515, 87–70531 to 70534, 87–70630 to 70632, 87–70663, 87–70706, 87–70737 to 70738, 87–70743, 87–70756 to 70757, 87–70765 to 70766, 87–70773, 87–70782 to 70783, 87–70789, 87–70818, 87–70845, 87–70857 to 70858, 87–70880 to 70881, 87–71088, 87–71145, 87–71209, 88–13808, 88–14257, 88–14332, 88–14699 to 14700, 88–15302, 88–15468, 88–15884, 88–15921, 88–15978, 88–15996 to 15998, 88–16011 to 16014, 88–16068 to 16072, 88–16243, 88–16262, 88–16367, 88–16384 to 16387, 88–16404, 88–16427 to 16428, 88–16466 to 16467, 88–16479, 88–16700, 88–16738

Instrumentation and measurement technology; Conference Record. IEEE Instrumentation and Measurement Technology Conference (Cat. No.88CH2569-2), San Diego, CA, USA, 20-22 April 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88–53917 (introductory abstract), 88–53554 to 53559, 88–53569, 88–53680 to 53684, 88–53810 to 53812, 88–53837, 88–54481, 88–54539, 88–54614, 88–54672, 88–54683, 88–54701 to 54702, 88–56602, 88–56766 to 56767, 88–57131 to 57132, 88–57666, 88–58164 to 58167, 88–58470, 88–58597, 88–58643, 88–59181, 88–60063, 88–60490, 88–60527, 88–60583 to 60590, 88–60619 to 60620, 88–60640, 88–60659 to 60664, 88–60773, 88–60782, 88–60818 to 60823, 88–60849 to 60851, 88–60855, 88–60857, 88–60872, 88–60893 to 60895, 88–60941, 88–61237, 88–61662, 88–61698, 88–61997, 88–62729 to 62730

Instrumentation in aerospace industry; Instrumentation in the Aerospace Industry. Vol.30. Advances in Test Measurement. Vol.21. Proceedings of the 30th International Instrumentation Symposium, Denver, CO, USA, 7-10 May 1984, [Research Triangle Park, NC, USA: ISA 1984, £80.00] 85–39444 (introductory abstract)

Instrumentation in aerospace industry tutorial; A Tutorial Program. Fundamentals of Aerospace Instrumentation. Vol.15. Fundamentals of Test Measurement. Vol.10. To Accompany the Proceedings of the 30th International Instrumentation Symposium, Denver, CO, USA, 7-10 May 1984, [Research Triangle Park, NC, USA: ISA 1984, £12.00] 85–44402 (introductory abstract)

Instrumentation in aerospace simulation facilities; ICIASF '85 Record. International Congress on Instrumentation in Aerospace Simulation Facilities (Cat. No.85CH2210-3), Stanford, CA, USA, 26-28 Aug. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86–26506 (introductory abstract), 86–31277, 86–31314 to 31315, 86–31420, 86–31660, 86–31723 to 31726, 86–32434 to 32444, 86–38284, 86–38561, 86–38613 to 38618, 86–38872 to 38882

Instrumentation in aerospace simulation facilities; ICIASF '87 Record. International Congress on Instrumentation in Aerospace Simulation Facilities (Cat. No.87CH2449-7), Williamsburg, VA, USA, 22-25 June 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87–65077 (introductory abstract), 87–65179, 87–70470, 87–70486, 87–70540 to 70541, 87–70635, 87–70819 to 70820, 87–70882 to 70894, 87–71215 to 71238

Instrumentation in astronomy; Instrumentation in Astronomy VI, Tucson, AZ, USA, 4-8 March 1986, *(SPIE)* [1986] 87–22971 (introductory abstract)

Instrumentation in power industry; Instrumentation in the Power Industry - Volume 27. Proceedings of the Twenty-Seventh ISA Power Instrumentation Symposium, Dallas, TX, USA, 21-23 May 1984, [Research Triangle Park, NC, USA: ISA 1984] 86–7400 (introductory abstract), 86–10838, 86–11783, 86–12541 to 12542, 86–12600 to 12603, 86–12672 to 12679, 86–12703, 86–13131

Instrumentation in the mining and metallurgical industries; Instrumentation in the Mining and Metallurgy Industries. Vol. 11. Proceedings of the 12th Annual Symposium and Exhibit, Vancouver, BC, Canada, 2-4 May 1984, *Carriere, K. Chutskoff, L. Mular, A. (editor/s)*, [Research Triangle Park, NC, USA: ISA 1984, £35.00] 85–39443 (introductory abstract)

Insulating films on semiconductors; Insulating Films on Semiconductors. Proceedings of the International Conference INFOS 85, Toulouse, France, 16-18 April 1985, *(CNRS; IEEE; et al) Simonne, J.J. Buxo, J. (editor/s)*, [Amsterdam, Netherlands: North-Holland 1986, $59.25] 87–23002 (introductory abstract), 87–16687, 87–17772, 87–17796, 87–17828 to 17844, 87–17930, 87–17972 to 17978, 87–18175 to 18176, 87–24968 to 24975, 87–25052 to 25053, 87–25143 to 25145, 87–25346 to 25347, 87–25504, 87–25606

Insulating films on semiconductors; INFOS '87: Fifth International Conference on Insulating Films on Semiconductors, Leuven, Belgium, 13-15 April 1987, *(Eur. Phys. Soc.; IEEE)* [Oct. 1987] 88–11551 (introductory abstract), 88–12034 to 12035, 88–12915 to 12916, 88–12973, 88–13038 to 13050, 88–13117 to 13118, 88–13372 to 13375, 88–13415 to 13417

Integral equations, treatment by numerical methods; Treatment of Integral Equations by Numerical Methods. Proceedings of a Symposium, Durham, UK, 19-29 July 1982, *Baker, C.T.H. Miller, G.F. (editor/s)*, [London, UK: Academic 1982] 85–5968 (introductory abstract)

Integrated and guided-wave optics; Seventh Topical Meeting on Integrated and Guided-Wave Optics Technical Digest (IEEE Cat. No. 84CH1997-6), Kissimmee, FL, USA, 24-26 April 1984, *(IEEE; Opt. Soc. America)* [Washington, DC, USA: Opt. Soc. America 1984] 85–26 (introductory abstract), 85–401, 85–2038 to 2052, 85–2068 to 2081, 85–2088 to 2093, 85–2101 to 2102, 85–2110 to 2111, 85–2116, 85–2154 to 2155, 85–2341 to 2355, 85–2419 to 2420, 85–3477 to 3478, 85–3933, 85–4000 to 4001

Integrated circuit metrology; Integrated Circuit Metrology II, Arlington, VA, USA, 3-4 May 1984, *(SPIE)* [1984] 85–27913 (introductory abstract), 85–28065, 85–29071 to 29072, 85–29236 to 29249, 85–31304 to 31306, 85–31589

Integrated circuit metrology; Micron and Submicron Integrated Circuit Metrology, San Diego, CA, USA, 22-23 Aug. 1985, *(SPIE)* [1985] 87–9994 (introductory abstract), 87–11339, 87–11512 to 11522, 87–11700, 87–11718, 87–11862 to 11871, 87–12011, 87–14102, 87–14540 to 14541, 87–14578

Integrated circuit metrology; Integrated Circuit Metrology, Inspection, and Process Control, Santa Clara, CA, USA, 4-6 March 1987, *(SPIE)* [1987] 88–11565 (introductory abstract), 88–13081 to 13082, 88–13237 to 13239, 88–13498 to 13504, 88–13585 to 13586, 88–16209, 88–16493 to 16497, 88–19817 to 19818, 88–19873 to 19880, 88–20045 to 20050, 88–20122

Integrated circuit technology; ICTC: Integrated Circuit Technology. Proceedings of the Integrated Circuit Technology Conference, Limerick, Ireland, 1986, *Burkley, C. McQuade, E. Rahman, A. (editor/s)*, [Dun Laoghaire, Ireland: Boole Press 1986] 87–23009 (introductory abstract), 87–16821 to 16822, 87–16978, 87–17051 to 17054, 87–17166, 87–18285 to 18286, 87–18344, 87–19838, 87–23234 to 23235, 87–23354, 87–23863 to 23865, 87–24024 to 24030, 87–24147 to 24148, 87–24263 to 24267, 87–24633, 87–24943, 87–25054 to 25056, 87–25146 to 25147, 87–25348 to 25350, 87–25509 to 25516, 87–25607 to 25616, 87–27552

Integrated circuit technology seminar; Basic Integrated Circuit Technology Seminar, Framingham, MA, USA, 18 Sept. 1984, [Scottsdale, AZ, USA: Integrated Circuit Eng. Corp. 1984] 85–32914 (introductory abstract)

Integrated circuit testing; Proceedings of Journees d'Electronique 1983: Testing Complex Integrated Circuits: A Challenge, Lausanne, Switzerland, 11-13 Oct. 1983, [Lausanne, Switzerland: Presses Polytech. Romandes 1983] 87–65060 (introductory abstract)

Integrated communication networks; Wege zum integrierten Kommunikationsnetz (Paths to Integrated Communication Networks), Berlin, West Germany, 25-27 March 1985, [1985] 85–44371 (introductory abstract), 85–47042 to 47058, 85–47126, 85–47226 to 47227, 85–47286, 85–47327 to 47332, 85–47366 to 47367, 85–47471, 85–51874 to 51876, 85–52064 to 52065, 85–52149, 85–52496

Integrated intelligent power devices; IEE Colloquium on 'Integrated Intelligent Power Devices' (Digest No.26), London, UK, 4 March 1987, *(IEE)* [London, UK: IEE 1987] 87–36348 (introductory abstract), 87–38503 to 38504, 87–38589 to 38591

Integrated manufacturing technology; 'Back to Basics.' Association for Integrated Manufacturing Technology/Numerical Control Society 24th Annual Meeting and Technical Conference Proceedings, Framingham, MA, USA, 29 March-1 April 1987, [Beloit, WI, USA: Integrated Manuf. Inst. 1987] 87–69729 to 69730

Integrated optical circuit engineering; First International Conference on Integrated Optical Circuit Engineering, Cambridge, MA, USA, 23-25 Oct. 1984, *(SPIE)* [1985] 85–44368 (introductory abstract), 85–45229, 85–46125 to 46131, 85–46196 to 46201, 85–46227, 85–46242, 85–46293, 85–46427, 85–46897, 85–50955 to 50956, 85–50989 to 50992, 85–50998 to 51002, 85–51006, 85–51013, 85–51048 to 51049, 85–51273 to 51275, 85–52359

Integrated optical circuit engineering; Integrated Optical Circuit Engineering II, Cambridge, MA, USA, 17-19 Sept. 1985, *(SPIE)* [1985] 87–10000 (introductory abstract), 87–10501, 87–11056, 87–11660, 87–12098 to 12099, 87–12197, 87–12223 to 12242, 87–12253 to 12254, 87–12278, 87–12335, 87–12499 to 12500, 87–12579 to 12585

Integrated optical circuit engineering; Integrated Optical Circuit Engineering III, Innsbruck, Austria, 16-18 April 1986, *(SPIE)* [1986] 87–51704 (introductory abstract), 87–53939, 87–54038 to 54052, 87–54088 to 54100, 87–54113 to 54119, 87–54131, 87–54133, 87–54140, 87–54151, 87–54414 to 54417, 87–54442, 87–56871 to 56872, 88–40580 to 40581, 88–42327 to 42330, 88–42605 to 42607

Integrated optical circuit engineering; Integrated Optical Circuit Engineering IV, Cambridge, MA, USA, 16-17 Sept. 1986, *(SPIE)* [1987] 88–6089 (introductory abstract), 88–7456, 88–7839 to 7841, 88–7869 to 7870, 88–7930 to 7939, 88–7956 to 7962, 88–7983 to 7985, 88–8011, 88–8087, 88–8252, 88–8293, 88–8378, 88–9565 to 9566, 88–10132

Integrated optical circuit engineering; Integrated Optical Circuit Engineering V, San Diego, CA, USA, 17-20 Aug. 1987, *(SPIE)* [1988] 88–49339 (introductory abstract), 88–50656, 88–51475, 88–51519 to 51536, 88–51549 to 51557, 88–51569 to 51576, 88–51639 to 51642, 88–51647, 88–51707 to 51710, 88–51820, 88–53280, 88–53697, 88–53711 to 53712

Integrated optics; Integrated Optics. Proceedings of the Third European Conference, ECIO '85, Berlin, West Germany, 6-8 May 1985, *Nolting, H.-P. Ulrich, R. (editor/s)*, [Berlin, West Germany: Springer-Verlag 1985] 86–7384 (introductory abstract), 86–7852, 86–9582 to 9600, 86–9608 to 9614, 86–9622 to 9628, 86–9639, 86–9878 to 9880, 86–9913, 86–9970 to 9973, 86–11132 to 11134

Integrated optics; Proceedings of the Fourth European Conference on Integrated Optics: ECIO 87, Glasgow, UK, 11-13 May 1987, *(Scottish Electron. Technol. Group; Scottish Dev. Agency; IEE; SPIE; IOP) Wilkinson, C.D.W. Lamb, J. (editor/s)*, [Glasgow, UK: Scottish Electron. Technol. Group 1987] 87–72701 (introductory abstract), 87–74656, 87–74805 to 74817, 87–74837 to 74848, 87–74866 to 74873, 87–74898, 87–74906, 87–74946 to 74947, 87–76816 to 76817, 88–1959, 88–2019 to 2022, 88–2045 to 2048, 88–2077, 88–2386 to 2388

Integrated optics and optical communication; IOOC-ECOC '85. 5th International Conference on Integrated Optics and Optical Fibre Communication and 11th European Conference on Optical Communication. Technical Digest, Venice, Italy, 1-4 Oct. 1985, [Genoa, Italy: Istituto Int. Comunicazioni 1985] 86–33924 (introductory abstract), 86–36220 to 36243, 86–36250 to 36254, 86–36286 to 36287, 86–36293 to 36294, 86–36453, 86–36505 to 36516, 86–36538, 86–36587, 86–37915, 86–42307 to 42348, 86–42358 to 42361, 86–42373, 86–42413, 86–42439 to 42443, 86–42458 to 42459, 86–42461 to 42463, 86–42578 to 42591, 86–42608, 86–42646, 86–43136, 86–43589, 86–43850 to 43872, 86–48158 to 48178, 86–48211 to 48212, 86–48221, 86–48280 to 48281, 86–48303 to 48306, 86–48381 to 48382, 86–48413 to 48437, 86–48463 to 48466, 86–48502 to 48505, 86–48521, 86–49425, 86–49669 to 49699

Integrated software packages; IEE Colloquium on 'Of Mice and Menus - How New Integrated Software Packages can be used in the Office and the Home' (Digest No.79), London, UK, 14 Oct. 1985, *(IEE)* [London, UK: IEE 1985] 86–10848

Integrated technology for parallel image processing; Integrated Technology for Parallel Image Processing, Polignano, Italy, June 1983, *Levialdi, S. (editor/s)*, [London, UK: Academic Press 1985] 86–26522 (introductory abstract), 86–27026, 86–27389, 86–28018, 86–30068, 86–31320, 86–32453

Integrated telecommunications, telematics, cable and satellite communications; TELEMATICA 88: Internationaler Fachkongress fur Integrierte Telekommunikation, Telematik, Kabel- und Satellitenkommunikation (TELEMATICA 88: International Conference for Integrated Telecommunications, Telematics, Cable and Satellite Communications), Stuttgart, West Germany, 8-10 June 1988, [Munich, West Germany: Verlag Reinhard Fischer 1988] 88–70016 (introductory abstract), 88–72883, 88–73488 to 73495, 88–73535, 88–73548 to 73550, 88–73667, 88–73697 to 73719, 88–73989 to 73993

INTELEVENT '84; Intelevent 84 Proceedings, Cannes, France, 17-19 Sept. 1984, [Washington, DC, USA: Int. Televent 1984] 85–22084 (introductory abstract)

Intellectual property management; IEE Colloquium on 'The Management of Intellectual Property' (Digest No.29), London, UK, 12 March 1987, *(IEE)* [London, UK: IEE 1987] 87–36349 (introductory abstract), 87–36425 to 36427

Intelligence integration; CIPS Edmonton '87: Intelligence Integration. Proceedings, Edmonton, Alta., Canada, 16-19 Nov. 1987, *Schaeffer, J. Stewart, L. (editor/s)*, [Edmonton, Alta., Canada: Canadian Inf. Processing Soc. 1987, $30.00] 88–31947, 88–34870 to 34873, 88–35179 to 35183, 88–41371, 88–42595

Intelligent autonomous systems; Intelligent Autonomous Systems. An International Conference, Amsterdam, Netherlands, 8-11 Dec. 1986, *Hertzberger,* *L.O. Groen, F.C.A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987] 88−62991, 88−63642, 88−64696, 88−66686 to 66693, 88−67028, 88−67451, 88−67492, 88−68036, 88−68665, 88−68669

Intelligent control; Proceedings of the IEEE Workshop on Intelligent Control 1985 (Cat. No.86TH0146-1), Troy, NY, USA, 26 Aug. 1985, *Saridis, A. Meystel, A. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−36578, 87−38500

Intelligent control; Proceedings of the IEEE International Symposium on Intelligent Control 1987 (Cat. No.87TH0178-4), Philadelphia, PA, USA, 19-20 Jan. 1987, *(IEEE) Meystel, A. Luh, J.Y.S. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−3219 to 3221, 88−3421

Intelligent information systems; IEE Colloquium on the Influence of Intelligent Instrumentation Systems (Digest No.75), London, UK, 27 Oct. 1983, *(IEE)* [London, UK: IEE 1983] 85−30593, 85−31375 to 31376, 85−32248

Intelligent manufacturing systems; International Conference on Intelligent Manufacturing Systems, Budapest, Hungary, 16-19 June 1986, [1987] 88−126

Intelligent measurement; 5th International IMEKO Symposium on Intelligent Measurement, Jena, East Germany, 10-14 June 1986, *(IMEKO; Kammer Tech.; Friedrich-Schiller-Univ. Jena; et al) Hofmann, D. (editor/s),* [Budapest, Hungary: IMEKO 1986] 86−57095 (introductory abstract), 86−57130, 86−57204, 86−57235 to 57236, 86−59354, 86−60093, 86−60136 to 60144, 86−60367, 86−60722, 86−60800, 87−149, 87−381, 87−1468, 87−2548, 87−2836, 87−3361 to 3364, 87−3394 to 3415, 87−3457 to 3458, 87−3508, 87−3530 to 3538, 87−3547 to 3548, 87−3604, 87−3621, 87−3705, 87−3708, 87−3761 to 3769, 87−3771 to 3772, 87−3777 to 3778, 87−3780, 87−3796, 87−3813, 87−3830, 87−3914, 87−3934, 87−3980, 87−4021, 87−4141, 87−4678, 87−4718 to 4719, 87−4992, 87−5093, 87−5119

Intelligent robots and computer vision; Intelligent Robots and Computer Vision, Cambridge, MA, USA, 5-8 Nov. 1984, *(SPIE)* [1985] 85−44482, 85−44810, 85−45302 to 45303, 85−46507, 85−46898 to 46917, 85−47850 to 47852

Intelligent robots and computer vision; Intelligent Robots and Computer Vision, Cambridge, MA, USA, 16-20 Sept. 1985, *(SPIE)* [1985] 87−13100 to 13111, 87−14159 to 14161, 87−14247, 87−14996, 87−17476, 87−17528, 87−19905, 87−20941, 87−20995

Intelligent robots and computer vision; Intelligent Robots and Computer Vision, Cambridge, MA, USA, 28-31 Oct. 1986, *(SPIE)* [1987] 87−58515 (introductory abstract), 87−58698, 87−61614, 87−62193 to 62212, 87−62481, 87−63390, 87−69321 to 69324, 87−70447, 87−71460

Intelligent robots and computer vision; Intelligent Robots and Computer Vision. Sixth in a Series, Cambridge, MA, USA, 2-6 Nov. 1987, *(SPIE)* [1988] 88−43560 (introductory abstract), 88−44209 to 44210, 88−46212 to 46241, 88−47422, 88−47648, 88−48091, 88−48275

Intelligent systems, decision and control, approximate reasoning; Approximate Reasoning in Intelligent Systems, Decision and Control, Paris, France, 8-10 Jan. 1986, *(Gen. Service Inf) Sanchez, E. Zadeh, L.A. (editor/s),* [Oxford, UK: Pergamon 1987] 88−69992 (introductory abstract), 88−70677, 88−75278, 88−75524

Intelligent tutorial systems; IEE Colloquium on 'Intelligent Tutorial Systems' (Digest No.73), London, UK, 12 May 1988, *(IEE)* [London, UK: IEE 1988] 88−49399 (introductory abstract), 88−49419 to 49420

Interact '84; INTERACT '84. First IFIP Conference on 'Human-Computer Interaction', London, UK, 4-7 Sept. 1984, [Amsterdam, Netherlands: Elsevier 1984] 85−3048 to 3057, 85−3116 to 3118, 85−3209 to 3210, 85−3770, 85−3908, 85−4401, 85−4582

Interact '87; INTERACT '87 Conference Proceedings, The Hague, Netherlands, 29 Sept.-1 Oct. 1987, [Peterborough, UK: PLF Commun. 1987, £35.00] 88−6123 (introductory abstract), 88−9794 to 9800, 88−9810 to 9811

Interactive 3D graphics; 1986 Workshop on Interactive 3D Graphics (papers in summary form only received), Chapel Hill, NC, USA, 23-24 Oct. 1986, *(ACM; NSF; IEEE)* [Jan. 1987] 87−49507, 87−50400

Interactive 3D graphics; Proceedings of the 1986 Workshop on Interactive 3D Graphics, Chapel Hill, NC, USA, 23-24 Oct. 1986, *(ACM; NSF; IEEE) Crow, F. Pizer, S.M. (editor/s),* [New York, NY, USA: ACM 1987] 88−42239

Interactive computing; Proceedings of the Third Annual Workshop on Interactive Computing: CAE: Electrical Engineering Education (Cat. No. 84CH2086-7), Pittsburgh, PA, USA, 24-26 Oct. 1984, *(IEEE; Coll. CAD/CAM Consortium)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−39437 (introductory abstract), 85−39484 to 39488, 85−39867 to 39868, 85−40053, 85−40867

Interactive system design evaluation techniques; IEE Colloquium on 'Evaluation Techniques for Interactive System Design: II' (Digest No.78), London, UK, 2 Oct. 1987, *(IEE)* [London, UK: IEE 1987] 88−119, 88−4222

Interactive systems design evaluation techniques; IEE Colloquium on 'Evaluation Techniques for Interactive Systems Design: I' (Digest No.38), London, UK, 27 March 1987, *(IEE)* [London, UK: IEE 1987] 87−48551, 87−48807

Interactive videodisc in education and trainng; Combined Proceedings. Applications in Distributed Education and Point of Purchase Marketing and Eighth Annual Conference on Interactive Videodisc in Education and Training, Los Angeles, CA, USA and Washington, DC, USA, 14-16 May 1986 and 20-22 Aug. 1986, *(Soc. Appl. Learning Technol)* [Warrenton, VA, USA: Soc. Appl. Learning Technol. 1987] 88−6114 (introductory abstract), 88−6156 to 6169, 88−9791 to 9792, 88−9805 to 9809

Interconnection 84; Interconnection 84 Conference Proceedings, London, UK, 6-7 June 1984, [Luton, UK: Benn Electronics Publications 1984] 85−54035 (introductory abstract)

Interdisciplinarity in engineering education; SEFI Annual Conference: Interdisciplinarity in Engineering Education. Proceedings, Espoo, Finland, 29 June-2 July 1987, [Espoo, Finland: Helsinki Univ. Technol. 1987] 88−40 (introductory abstract)

Interface '87; Interface '87 Papers Proceedings, Las Vegas, NV, USA, 30 March-2 April 1987, *(Bus. Week; Data Commun)* [New York, NY, USA: McGraw Hill Inf. Syst. 1987] 87−51740 (introductory abstract), 87−55452, 87−55481 to 55484, 87−55590 to 55601, 87−55824 to 55831, 87−55889, 87−55977, 87−56419

Interface atomic structure and properties; Atomic-Scale Structure and Properties of Interfaces, Wickenburg Inn, AZ, USA, 10-13 Jan. 1984, *(Arizona State Univ)* [1984] 85−1268, 85−1401 to 1402

Interface international in Europe; Conference 'Interface International in Europe', Paris, France, 27-29 Oct. 1986, [Luxembourg: Comm. Eur. Communities 1986] 88−31291 (introductory abstract)

Interfaces, superlattices and thin films; Interfaces, Superlattices, and Thin Films Symposium, Boston, MA, USA, 1-6 Dec. 1986, *Dow, J.D. Schuller, I.K. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88−38181 to 38182, 88−38248, 88−39076, 88−39129, 88−39144, 88−43890 to 43893, 88−43943 to 43944, 88−44581, 88−44591 to 44592, 88−44705 to 44707, 88−45281 to 45282

Interfacial bonding and adhesion; Panel Report on Interfacial Bonding and Adhesion, Aspen, CO, USA, 11-16 Aug. 1985, [Nov. 1986] 87−11389

Interfacial phenomena in insulating systems; IEEE Conference Record of the 1983 Interfacial Phenomena in Practical Insulating Systems, Gaithersburg, MD, USA, 19-20 Sept. 1983, *(IEEE; DOE; NBS)* [New York, NY, USA: IEEE 1984] 85−23989 to 23993, 85−24032, 85−24037

Interferometric metrology; Interferometric Metrology, San Diego, CA, USA, 20-21 Aug. 1987, *(SPIE)* [1987] 88−49348 (introductory abstract), 88−51970 to 51971, 88−53877 to 53878

Intermediate energy electron and photon interactions; Electron and Photon Interactions at Intermediate Energies. Proceedings of the 1984 Workshop, Bad Honnef, West Germany, 29-31 Oct. 1984, *Menze, D. Pfeil, W. Schwille, W.J. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985, DM 66] 87−3831 to 3833, 87−3905

Intermediate energy nuclear physics; Proceedings of the Fifth Course of the International School of Intermediate Energy Nuclear Physics, Verona, Italy, 20-30 June 1985, *Bergere, R. Costa, S. Schaerf, C. (editor/s),* [Singapore: World Scientific 1986] 88−10188, 88−10263

Internal friction and ultrasonic attenuation in solids; Eighth International Conference on Internal Friction and Ultrasonic Attenuation in Solids, Urbana, IL, USA, 3-6 June 1985, *(Argonne Univ. Assoc.; DOE; NSF; Univ. Illinois)* [Dec. 1985] 86−38345

Internal friction and ultrasonic attenuation in solids; Fifth European Conference on Internal Friction and Ultrasonic Attenuation in Solids, Antwerp, Belgium, 26-30 July 1987, *(CEC; Belgian Phys. Soc.; Eur. Phys. Soc.; et al)* [Dec. 1987] 88−42683

Internal interfaces; International Conference on the Structure and Properties of Internal Interfaces, Irsee, West Germany, 19-23 Aug. 1984, *(Deutsche Forschungsgemeinschaft; NSF; CNRS; Max-Planck Soc)* [April 1985] 85−50302

International robot conference; Proceedings of the Second Annual International Robot Conference, Long Beach, CA, USA, 10-12 Oct. 1984, [Wheaton, IL, USA: Tower Conference Manage. Co. 1984] 85−54130 to 54131, 85−55316 to 55318, 85−59321, 85−59362 to 59363, 85−60615 to 60616

International test conference; International Test Conference 1984 Proceedings (Cat. No. 84CH2084-2), Philadelphia, PA, USA, 16-18 Oct. 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−32904 (introductory abstract), 85−33156 to 33159, 85−33812 to 33831, 85−33917 to 33922, 85−33964, 85−34338, 85−35121 to 35124, 85−35196, 85−37446 to 37457, 85−37550, 85−39536 to 39545, 85−39973 to 39974, 85−40032 to 40045, 85−40102 to 40103, 85−40129 to 40132, 85−40369, 85−40840 to 40848, 85−40889, 85−40924 to 40927, 85−41934 to 41935, 85−42321, 85−42860 to 42882, 85−43014, 85−60741 to 60742, 85−61273, 85−61979, 85−63392, 85−63982

International test conference; International Test Conference 1986 Proceedings. Testing's Impact on Design and Technology (Cat. No. 86CH2339-0), Washington, DC, USA, 8-11 Sept. 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−25475 (introductory abstract), 87−23320 to 23327, 87−23394, 87−23431, 87−24020, 87−24094 to 24126, 87−24196 to 24200, 87−24253 to 24257, 87−24598 to 24604, 87−25476 to 25481, 87−25587, 87−28293, 87−28940 to 28943, 87−29108, 87−31286 to 31287, 87−31834 to 31841, 87−31966 to 31967, 87−32634 to 32638, 87−32717, 87−33979 to 33980, 87−34951 to 34953, 87−34988, 87−36475 to 36477, 87−37122, 87−37234 to 37238, 87−37299 to 37302, 87−37367 to 37369, 87−38466 to 38468, 87−41352 to 41364, 87−41457, 87−41587

International user conference; SDRC/GE-CAE International Conference Proceedings, Scottsdale, AZ, USA, 24-27 Sept. 1985, *(General Electric CAE Int.; Structural Dynamics Res. Corp)* [Milford, OH, USA: General Electric CAE Int. 1985] 86−42722

Internetworking between telecommunication networks; IEE Colloquium on Interworking Between Telecommunication Networks in the Liberalised Environment (Digest No. 3), London, UK, 9 Jan. 1985, *(IEE)* [London, UK: IEE 1985] 85−22095 (introductory abstract), 85−25309 to 25311, 85−25330

Interoperable information systems; '87 International Symposium on Interoperable Information Systems: ISIS. Proceedings of the Conference, Tokyo, Japan, 25-27 Feb. 1987, *(Interoperability Technol. Assoc. Inf. Process. Japan; Minist. Int. Trade & Ind.; Inf. Process. Soc. Japan; et al)* [Tokyo, Japan: Interoperability Technol. Assoc. Inf. Process, Japan 1987] 87−43796 (introductory abstract), 87−48714 to 48721, 88−9194 to 9196

Intersatellite links and on-board optical techniques; IEE Colloquium on 'Inter-Satellite Links and On-Board Optical Techniques (Digest No.109), London, UK, 3 Dec. 1987, *(IEE)* [London, UK: IEE 1987] 88−18343 (introductory abstract), 88−20629, 88−20683 to 20684, 88−21744, 88−22059, 88−22162 to 22173

Intersections between particle and nuclear physics; Intersections between Particle and Nuclear Physics, Lake Louise, Alta., Canada, 26-31 May 1986, *(USDOE; NSF; Argonne Nat. Lab.; et al)* [1986] 87−21295 to 21299, 87−21340 to 21343, 87−21363, 87−21398

Interstellar matter; Second Haystack Obsevatory Conference on Interstellar Matter, Westford, MA, USA, 10-12 June 1987, *(MIT; Haystack Obs)* [1988] 88−55768 (introductory abstract), 88−60348 to 60350

Interstellar space flight; International Academy of Astronautics Interstellar Space Flight Session of the 36th International Astronautical Congress, Stockholm, Sweden, Oct. 1985, [Sept. 1986] 87−8 (introductory abstract)

Inverse methods in electromagnetic imaging; Inverse Methods in Electromagnetic Imaging. Proceedings of the NATO Advanced Research Workshop, Bad Windsheim, West Germany, 18-24 Sept. 1983, *(NATO; DFVLR; US-ARO; Siemens AG; UIC/EECS) Boerner, W.-M. Brand, H. Cram, L.A. Gjessing, D.T. Jordan, A.K. Keydel, W. Schwierz, G. Vogel, M. (editor/s),* [Dordrecht, Netherlands: Reidel 1985, $145.00] 85−49280 (introductory abstract), 85−51406 to 51419, 85−53155, 85−57004 to 57015, 85−58182 to 58188, 85−58265, 85−59281, 85−59467 to 59468, 85−62695, 85−62758 to 62765, 85−62790, 85−62886, 85−62934, 85−63127 to 63129, 85−63740 to 63749, 85−63768 to 63769, 85−64264, 85−64585 to 64586, 85−64729 to 64730, 85−64766

Inverse optics; Inverse Optics II, San Diego, CA, USA, 20 Aug. 1985, *(SPIE)* [1985] 87−31116 (introductory abstract), 87−33762 to 33765

Ion and plasma assisted techniques; IPAT 85. 5th International Conference on Ion and Plasma Assisted Techniques, Munich, West Germany, 13-15 May 1985, *(IOP; British Metals Soc.; British Surface Eng. Soc.; Eur. Phys. Soc.; et al) Oechsner, H. (editor/s),* [Edinburgh, UK: CEP Consultants 1985, £60.00] 85−60666 (introductory abstract), 85−60974, 85−60979, 85−61843, 86−452, 86−2072 to 2073, 86−5743 to 5744, 86−7809, 86−7851, 86−8730, 86−8998, 86−9053, 86−9173, 86−13766, 86−13820 to 13824, 86−15063 to 15064, 86−15370, 86−15515, 86−15523, 86−15547

Ion and plasma assisted techniques; IPAT 87. 6th International Conference on Ion and Plasma Assisted Techniques, Brighton, UK, May 1987, *(British Assoc. Crystal Growth; Eur. Phys. Soc.; IEE; IEEE; et al)* [Edinburgh, UK: CEP Consultants 1987] 88−6518 to 6526, 88−7072, 88−7298, 88−7368, 88−7444, 88−7467, 88−7503 to 7507, 88−7520, 88−7705, 88−7743, 88−7789, 88−7946, 88−7968, 88−8089, 88−9919, 88−10161

Ion beam analysis; Ion Beam Analysis. Proceedings of the Seventh International Conference, Berlin, West Germany, 7-12 July 1985, *(IUPAP; Eur. Phys. Soc.; Deutsche Phys. Gesellschaft)* [April 1986] 86−41682, 86−47492, 86−47685

Ion beam modification of materials; Proceedings of the Fourth International Conference on Ion Beam Modification of Materials, Ithaca, NY, USA, 16-20 July 1984, [March 1985] 85−40470, 85−40599, 85−40654, 85−44725, 85−45401, 85−45449, 85−45465, 85−45491, 85−45517 to 45540, 85−45573 to 45578, 85−45755 to 45757

Ion beam modification of materials; 5th International Conference on Ion Beam Modification of Materials, Catania, Italy, 9-13 June 1986, *(Mater. Res. Soc.; IBM-Italia; Telettra; et al)* [Feb. 1987] 87−31115 (introductory abstract), 87−32230, 87−32375, 87−32399 to 32400, 87−37977, 87−38081 to 38099, 87−44340 to 44341, 87−45739 to 45741, 87−45765 to 45769, 87−46341, 87−46495 to 46496

Ion beam processes in advanced electronic materials and device technology; Ion Beam Processes in Advanced Electronic Materials and Device Technology, San Francisco, CA, USA, 15-18 April 1985, *(Mater. Res. Soc) Appleton, B.R. Eisen, F.H. Sigmon, T.W. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1985] 86−33936 (introductory abstract), 86−34345, 86−35306 to 35308, 86−35337 to 35338, 86−35378, 86−35418 to 35420, 86−35476, 86−35533 to 35538, 86−35556 to 35564, 86−36323

Ion engineering; Proceedings of the International Ion Engineering Congress. The 7th Symposium (1983 International) on Ion Sources and Ion Assisted Technology (ISIAT '83) and the 4th International Conference on Ion and Plasma Assisted Techniques (IPAT '83), Kyoto, Japan, 12-16 Sept. 1983, *(Inst. Electr. Eng. Japan) Takagi, T. (editor/s),* [Kyoto, Japan: Int. Ion Eng. Congress 1983] 85−10731 to 10735, 85−10789 to 10808, 85−11909, 85−12091 to 12093, 85−12146 to 12157, 85−12204 to 12215, 85−12223 to 12225, 85−12514, 85−12541, 85−12661, 85−15095 to 15104, 85−15112 to 15117, 85−15128 to 15153, 85−16950 to 16953, 85−16989 to 16995, 85−18204 to 18205, 85−18230, 85−18250 to 18259, 85−18263 to 18264, 85−18438 to 18441, 85−18993, 85−21849

Ion implantation; Advanced Applications of Ion Implantation, Los Angeles, CA, USA, 23-25 Jan. 1985, [1985] 86−9 (introductory abstract), 86−446, 86−489, 86−1820 to 1821, 86−1879 to 1881, 86−1999 to 2016, 86−5478

Ion implantation and ion beam processing of materials; Ion Implantation and Ion Beam Processing of Materials. Proceedings of the Symposium, Boston, MA, USA, 14-17 Nov. 1983, *(DOE; US Army Res. Office) Hubler, G.K. Holland, O.W. Clayton, C.R. White, C.W. (editor/s),* [New York, NY, USA: North-Holland 1984] 85−16580 (introductory abstract), 85−16954 to 16956, 85−18065, 85−18085 to 18087, 85−18106 to 18107, 85−18206 to 18210, 85−18231 to 18240, 85−18619, 85−33509

Ion implantation equipment and techniques; Proceedings of the Fifth International Conference on Ion Implantation Equipment and Techniques, Jeffersonville, VT, USA, 23-27 July 1984, *(IBM)* [Jan. 1985] 85−32886 (introductory abstract), 85−33148, 85−34462 to 34463, 85−34655, 85−34726 to 34728, 85−34766 to 34802, 85−34844, 85−34875, 85−35067 to 35069, 85−35161, 85−37817 to 37818, 85−37869 to 37875

Ion implantation in semiconductors; Working Meeting on Ion Implantation in Semiconductors and Other Materials and Ion Beam Devices, Balatonaliga, Hungary, 13-18 Oct. 1985, [16 March 1986] 86−45904 (introductory abstract), 86−47075, 86−47278, 86−47328 to 47329, 86−47352 to 47353, 86−47458, 86−47475, 86−48410, 86−52426 to 52427, 86−52480, 86−53324, 86−53532

Ion implantation technology; Sixth International Conference on Ion Implantation Technology, Berkeley, CA, USA, 28 July-1 Aug. 1986, *(Appl. Mater.; Eaton Corp.; Tokyo Electron.; ASM America; Hitachi; et al)* [March 1987] 87−51702 (introductory abstract), 87−52194, 87−52584, 87−53297, 87−53333 to 53337, 87−53361 to 53392, 87−53430, 87−53727 to 53732, 87−56943 to 56946, 87−56973 to 56988, 87−60066, 87−60078 to 60079, 87−60277 to 60307

Ion injectors; High-Current, High-Brightness, and High-Duty Factor Ion Injectors, San Diego, CA, USA, 21-23 May 1985, [1986] 86−57070 (introductory abstract), 86−60395 to 60396, 86−60440 to 60449, 86−60511 to 60512

Ionised gas phenomena; XVI International Conference on Phenomena in Ionized Gases (Invited Papers), Dusseldorf, West Germany, 29 Aug.-2 Sept. 1983, *Botticher, W. Wenk, H. Schulz-Gulde, E. (editor/s),* [Dusseldorf, West Germany: Univ. Dusseldorf 1983] 85−1783, 85−2250

Ionosphere and radio wave propagation; URSI/IPS Conference on the Ionosphere and Radio Wave Propagation, Sydney, NSW, Australia, 11-15 Feb. 1985, *(URSI; Ionosphere Prediction Service)* [May-June 1986] 86−57075 (introductory abstract), 86−59052 to 59057, 86−59823, 86−60939 to 60942

Ionospheric effects on C3I systems; 1984 Symposium on the Effects of the Ionosphere on C^3I (Command, Control, Communications, and Intelligence) Systems, Alexandria, VA, USA, 1-3 May 1984, *(Naval Res. Lab.; Office of Naval Res. Lab.; Air Force Geophys. Lab.; et al)* [May-June 1985] 85−49256 (introductory abstract), 85−51402, 85−51431 to 51443, 85−52262, 85−52303 to 52306, 85−53115, 85−57030 to 57038, 85−59483

Ionospheric research in India; Fifty Years of Ionosphere Research in India, India, Nov. 1985, [Oct.-Dec. 1986] 88−3 (introductory abstract)

Ions in atmosphere; IEE Colloquium on 'Ions in the Atmosphere, Natural and Man-Made' (Digest No.88), London, UK, 28 Oct. 1985, *(IEE)* [London, UK: IEE 1985] 87−15323

IR detectors; Material Technologies for IR Detectors, Innsbruck, Austria, 15-17 April 1986, *(SPIE)* [1986] 87−31118 (introductory abstract), 87−31488 to 31490, 87−31535 to 31542, 87−32254 to 32256, 87−32316 to 32317, 87−32329, 87−32430, 87−32744, 87−34984 to 34985, 87−35093 to 35094, 88−39619, 88−39919, 88−40363 to 40375, 88−41055

ISDN; ISDN Europe 86. Papers Presented at: First Pan European Conference on ISDN 'ISDN Europe 86'. Proceedings, Basel, Switzerland, 5-7 Nov. 1986, [Boston, MA, USA: IGI Europe 1986] 87−31146 (introductory abstract), 87−33997 to 34015, 87−34194 to 34195, 87−34325 to 34326

ISDN; ISDN. Vol.1, Europe. Proceedings of the International Conference, London, UK, 10-12 June 1986, [Pinner, UK: Online Publications 1986, £95.00] 87−33 (introductory abstract), 87−2763 to 2793, 87−2815, 87−2833, 87−2845, 87−2943, 87−2967 to 2969, 87−3018, 87−3025 to 3026, 87−3211 to 3212

ISDN; ISDN. Vol.2, USA. Proceedings of the Conference, San Francisco, CA, USA, 18-20 Nov. 1986, [Pinner, UK: Online Publications 1986, £95.00] 87−36330 (introductory abstract), 87−40230 to 40253, 87−40287, 87−40523, 87−40620 to 40621

ISDN; Proceedings of the Conference ISDN 87, London, UK, June 1987, [Pinner, UK: Online Publications 1987] 88−55819 (introductory abstract), 88−56728, 88−57808, 88−59802 to 59836

ISDN; Integrated Services Digital Network: Evolving to ISDN in North America. Proceedings of the Regional Conference of the International Council for Computer Communication, ICCC-ISDN '87, Dallas, TX, USA, 15-17 Sept. 1987, *(Int. Council Comput. Commun) Dorros, E. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987] 88−51 (introductory abstract), 88−3337, 88−3423, 88−3652 to 3689

ISDN broadband networks for the future; ISDN/87: Broadband Networks for the Future Proceedings. The Third International Integrated Services Digital Networks Exposition, Atlanta, GA, USA, 15-19 June 1987, [Boston, MA, USA: Inf. Gatekeepers 1987] 88−62889 (introductory abstract), 88−67112 to 67115

ISDN implementation; Vortrage der ITG-Fachtagung (Proceedings of the ITG Meeting), Berlin, West Germany, 22-24 Feb. 1988, [1988] 88−43548 (introductory abstract), 88−44870, 88−46660 to 46661, 88−52717, 88−52993 to 53011, 88−53093, 88−53103, 88−59553, 88−59758 to 59776

Isovector excitations in nuclei; Workshop on Isovector Excitations in Nuclei, Vancouver, BC, Canada, 7-8 Oct. 1986, [June 1987] 88−29922

ISPRS congress; ISPRS Congress, Rio de Janeiro, Brazil, June 1984, [1984] 85−26881 (introductory abstract), 85−26882 to 26884

Israel Nuclear Society annual meeting; Nuclear Societies of Israel Transactions. Annual Meeting 1985, Beer-Sheva, Israel, 6-7 Feb. 1985, *Galperin, A. Ronen, Y. (editor/s),* [Beer-Sheva, Israel: Ben-Gurion Univ. Negev 1985] 86−18252

Israel Nuclear Society annual meeting; Nuclear Societies of Israel Transactions. Annual Meeting 1986, Tel-Aviv, Israel, 17-18 Feb. 1986, *(Westinghouse Nucl. Int) Ketter, A. Szabo, J. (editor/s),* [Tel-Aviv, Israel: A. Artziely 1986] 86−44530, 86−44539, 86−44579, 86−44611 to 44612

Israel Nuclear Society meeting; Nuclear Societies of Israel Transactions 1987. Vol.14, Haifa, Israel, 21-22 Dec. 1987, [Haifa, Israel: Israel Nucl. Soc. 1987] 88−70034 (introductory abstract), 88−74774, 88−74942, 88−75356 to 75359, 88−75408 to 75409, 88−75951

IT impact on international library cooperation; Impact of New Information Technology on International Library Cooperation. Essen Symposium, Essen, West Germany, 8-11 Sept. 1986, *Helal, A.H. Weiss, J.W. (editor/s),* [Essen, West Germany: Universitatsbibliothek Essen 1987] 87−55813, 87−56407

Joint Solid Earth Programme; Proceedings of an ESA-NASA Workshop on a Joint Solid Earth Programme (ESA SP-1094), Matera, Italy, 29-30 April 1987, *(ESA; NASA) Guyenne, T.D. Hunt, J.J. (editor/s),* [Noordwijk, Netherlands: ESA Oct. 1987] 88−11622 (introductory abstract)

Josephson effect; Josephson Effect - Achievements and Trends. Advances in the Physics of Condensed Matter. First Workshop on Condensed Matter, Torino, Italy, Sept. 1985, *Barone, A. (editor/s),* [Singapore: World Scientific 1986, £39.45] 87−51732 (introductory abstract)

JUREMA 85; 30th Anniversary JUREMA Conference. Symposium on Automatic Control Systems, Yugoslavia, 1985, [1985] 85−39405 (introductory abstract), 85−40067, 85−43038, 85−43093 to 43094, 85−43125, 85−43514, 85−43656, 85−44206

Just-in-time manufacturing; Just in Time Manufacturing. Proceedings of the 3rd International Conference, Frankfurt, West Germany, 14-15 June 1988, *(IFS Conferences) Jansen, R. Warnecke, H.J. (editor/s),* [Kempston, UK: IFS Publications 1988, £49.00] 88−56060

Knowledge-based advisory systems for monitoring and control; IEE Colloquium on 'Knowledge Based Advisory Systems for Monitoring and Supervisory Control' (Digest No.83), London, UK, 20 Oct. 1987, *(IEE)* [London, UK: IEE 1987] 88−10852 to 10853, 88−11197

Knowledge-based concepts and artificial intelligence in guidance and control; Knowledge Based Concepts and Artificial Intelligence: Applications to Guidance and Control (AGARD-LS-155), Ottawa, Ont., Canada, 10-11 Sept. 1987, [Neuilly sur Seine, France: AGARD Aug. 1987] 88−1783, 88−5058, 88−5087 to 5089, 88−5104

Knowledge-based engineering and expert systems; Proceedings WESTEX-86. IEEE Western Conference on Knowledge-Based Engineering and Expert Systems (Cat. No. 86CH2332-5), Anaheim, CA, USA, 24-26 June 1986, *(IEEE) Robinson, G.S. (editor/s),* [New York, NY, USA: IEEE 1986] 87−3169, 87−3241 to 3242

Knowledge-based image processing; IEE Colloquium on 'Knowledge Based Image Processing' (Digest No.14), London, UK, 27 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86−33954 (introductory abstract), 86−37110, 86−37166 to 37171

Knowledge-based planning and scheduling; IEE Colloquium on 'Knowledge-Based Planning and Scheduling' (Digest No.50), London, UK, 9 April 1986, *(IEE)* [London, UK: IEE 1986] 86−40508

Knowledge-based systems; Proceedings of the IEEE Workshop on Principles of Knowledge-Based Systems (Cat. No. 84CH2104-8), Denver, CO, USA, 3-4 Dec. 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−39880

Knowledge-based systems; Second Conference on Artificial Intelligence Applications: The Engineering of Knowledge-Based Systems (Cat. No.85CH2215-2), Miami Beach, FL, USA, 11-13 Dec. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86−41087 to 41088, 86−41167, 86−41409, 86−43347, 86−44153 to 44155, 86−49370, 86−50718

Knowledge engineering and computer modelling in CAD; Knowledge Engineering and Computer Modelling in CAD. Proceedings of CAD 86: Seventh International Conference on the Computer as a Design Tool, London, UK, 2-5 Sept. 1986, *(CAM-I; CICA; British Comput. Soc.; RIBA) Smith, A. (editor/s),* [London, UK: Butterworths 1986] 87−15631, 87−19629, 87−21010

Knowledge manipulation engines; Proceedings of the First Workshop for the Special Interest Group on Knowledge Manipulation Engines, Reading, UK, 5-6 Jan. 1987, *(Alvey Directorate)* [London, UK: Alvey Directorate 1987] 87−53682

Knowledge representation for decision support systems; Knowledge Representation for Decision Support Systems. Proceedings of the IFIP WG 8.3 Working Conference, Durham, UK, 24-26 July 1984, *Methlie, L.B. Sprague, R.H., Jr. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $40.75] 86−33992, 86−37364

Land mobile radio; Land Mobile Radio. Third International Conference (Publ. No.65), Cambridge, UK, 10-13 Dec. 1985, [London, UK: IERE 1985] 86−33948 (introductory abstract), 86−34593, 86−36723, 86−36842, 86−36987, 86−37784 to 37803, 86−38008 to 38009, 86−38033

Land mobile radio; Land Mobile Radio. Fourth International Conference (Publ. No.78), Coventry, UK, 15-17 Dec. 1987, [London, UK: IERE 1987, £45.00] 88−24369 (introductory abstract), 88−25283, 88−27514 to 27517, 88−27744, 88−27822, 88−27988, 88−28165, 88−28565, 88−28730 to 28752, 88−29007

Land mobile services by satellite; Land-Mobile Services by Satellite. Proceedings of an ESA Workshop (ESA SP-259), Noordwijk, Netherlands, 3-4 June 1986, [Noordwijk, Netherlands: ESTEC Sept. 1986] 87−10046 (introductory abstract), 87−12812, 87−12831, 87−13625 to 13628, 87−13659 to 13678, 87−13804

Landfill gas for power generation; IEE Colloquium on 'Landfill Gas for Power Generation' (Digest No.63), London, UK, 28 April 1986, *(IEE)* [London, UK: IEE 1986] 86−45948 (introductory abstract), 86−50927, 86−51170, 86−51190 to 51193, 86−51454 to 51455

Landsat image data quality analysis; LIDQA Final Symposium on Landsat Image Data Quality Analysis, Indianapolis, IN, USA, Sept. 1985, *(NASA; American Soc. Photogrammetry & Remote Sensing)* [Sept. 1985] 86−7369 (introductory abstract)

Landtronics; Proceedings of the Landtronics Conference, Los Angeles, CA, USA, 15-16 Feb. 1985, [Fall 1985] 86−40485 (introductory abstract), 86−40427, 86−40486, 86−43404 to 43406

Langmuir-Blodgett films; Second International Conference on Langmuir-Blodgett Films, Schenectady, NY, USA, 1-4 July 1985, [Oct. 1985] 86−58435, 86−58617, 86−58833 to 58834, 86−63064, 86−63536

Langmuir-Blodgett films; Third International Conference on Langmuir-Blodgett Films, Gottingen, West Germany, 26-31 July 1987, *(Alcan; BASF; Bayer; et al)* [May 1988] 88−64269, 88−71340, 88−72066, 88−72222 to 72223, 88−72428, 88−74385 to 74386, 88−74802 to 74803

Languages for automation; 1984 IEEE Workshop on Languages for Automation (Cat. No. 84CH2089-1), New Orleans, LA, USA, 1-3 Nov. 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−39882 to 39884

Languages for automation; 1985 IEEE Workshop on Languages for Automation: Cognitive Aspects in Information Processing (Cat. No.85CH2141-0), Palma de Mallorca, Spain, 28-29 June 1985, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86−20241, 86−22876, 86−23086, 86−23172, 86−25436

Languages for automation; 1987 IEEE Workshop on Languages for Automation (Cat. No.TH0199-0), Vienna, Austria, 26-27 Aug. 1987, *(IEEE; Austrian Comput. Soc.; Univ. Pittsburgh)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−6625 to 6626, 88−7750, 88−9219 to 9221

Large optics technology; Large Optics Technology, San Diego, CA, USA, 19-21 Aug. 1985, *(SPIE)* [1986] 87−18788

Large scale and hierarchical systems; IEE Colloquium on 'Large-Scale and Hierarchical Systems' (Digest No.35), London, UK, 11 March 1988, *(IEE)* [London, UK: IEE 1988] 88−46377

Large scale eigenvalue problems; Large Scale Eigenvalue Problems. Proceedings of the IBM European Institute Workshop, Oberlech, Austria, 8-12 July 1985, *(IBM World Trade Corp) Cullum, J. Willoughby, R.A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $51.75] 87−30106 (introductory abstract), 87−30107 to 30108

Large scale integration; Grossintegration (Large Scale Integration), Baden-Baden, West Germany, 18-20 March 1985, [1985] 85−49249 (introductory abstract), 85−49763, 85−49864, 85−49924 to 49926, 85−49944, 85−49965, 85−49993, 85−50635 to 50641, 85−50685 to 50687, 85−50700 to 50704, 85−51608, 85−52357, 85−52585

Large-scale integration; Grossintegration (Large-Scale Integration), Baden-Baden, West Germany, 16-18 March 1987, [1987] 87−58511 (introductory abstract)

Large scale scientific computing; Large Scale Scientific Computing. Proceedings of a Meeting, Oberwolfach, West Germany, 14-19 July 1985, *Deuflhard, P. Engquist, B. (editor/s),* [Cambridge, MA, USA: Birkhauser Boston 1987, SFR.58.00] 88−24370 (introductory abstract), 88−24655 to 24656, 88−24683 to 24685, 88−26199, 88−30328

Large scale systems; Large Scale Systems: Theory and Applications 1983. Proceedings of the IFAC/IFORS Symposium, Warsaw, Poland, 11-15 July 1983, *(IFAC; IFORS) Straszak, A. (editor/s),* [Oxford, UK: Pergamon 1984, $130.00] 85−25208, 85−25327, 85−25631, 85−26997 to 26998, 85−27151

Large scale systems; Large Scale Systems: Theory and Applications 1986. Selected Papers from the 4th IFAC/IFORS Symposium, Zurich, Switzerland, 26-29 Aug. 1986, *(IFAC; IFORS) Geering, H.P. Mansour, M. (editor/s),* [Oxford, UK: Pergamon 1987] 88−21399 to 21400, 88−21500, 88−21553, 88−21581, 88−21679, 88−23224, 88−23287 to 23291, 88−23367 to 23372, 88−23411 to 23414, 88−23759

Large signal device models and parameter extractions for circuit simulation; IEE Colloquium on 'Large Signal Device Models and Parameter Extractions for Circuit Simulation' (Digest No.56), London, UK, 19 April 1988, *(IEE)* [London, UK: IEE 1988] 88−49389 (introductory abstract), 88−49981, 88−50785, 88−50825, 88−50866 to 50867, 88−50901 to 50902

Laser acceleration of particles; Laser Acceleration of Particles, Second Workshop, Los Angeles, CA, USA, 7-18 Jan. 1985, [1985] 86−5608 (introductory abstract), 86−2972, 86−3010, 86−3247, 86−3387, 86−5609 to 5643, 86−5665 to 5668

Laser and nonlinear optical materials; Laser and Nonlinear Optical Materials, San Diego, CA, USA, 19-20 Aug. 1986, *(SPIE)* [1987] 88−8 (introductory abstract), 88−1921 to 1923, 88−2207 to 2212, 88−2384

Laser and opto-electronic technology in industry; International Seminar on Laser and Opto-Electronic Technology in Industry: State-of-the-Art Review, Xiamen, China, 25-28 June 1986, *(SPIE; Chinese Opt. Soc.; Chinese Soc. Theor. & Appl. Mech.; et al)* [1987] 88−49340 (introductory abstract), 88−49503, 88−49560, 88−51962 to 51969, 88−51983 to 51986, 88−53731, 88−53893, 88−53903, 88−53937, 88−53949

Laser and particle beams for fusion and strategic defense; Proceedings of the Symposium on Lasers and Particle Beams for Fusion and Strategic Defense, Rochester, NY, USA, 18-19 April 1985, *(Fusion Power Associates; Univ. Rochester; Strategic Defense Iniative Organ)* [Gaithersburg, MD, USA: Fusion Power Associates 1985] 87−7424

Laser applications in chemistry; Laser Applications in Chemistry, Quebec City, Que., Canada, 5-6 June 1986, *(SPIE; Nat. Res. Council Canada; Univ. Laval; et al)* [1987] 88−24321 (introductory abstract), 88−27944 to 27945, 88−28054 to 28056, 88−28989, 88−29975, 88−30156, 88−30205, 88−31891 to 31894, 88−34779, 88−36454 to 36455, 88−36693 to 36695

Laser applications in chemistry and biophysics; Laser Applications in Chemistry and Biophysics, Los Angeles, CA, USA, 23-24 Jan. 1986, *(SPIE)* [1986] 87−26342

Laser applications to chemical analysis; Topical Meeting on Laser Applications to Chemical Analysis, Incline Village, NV, USA, 26-29 Jan. 1987, [1 Sept. 1987] 88−906, 88−1329, 88−2075

Laser applications to chemical dynamics; Laser Applications to Chemical Dynamics, Los Angeles, CA, USA, 13-14 Jan. 1987, *(SPIE)* [1987] 87−68154

Laser assisted deposition, etching and doping; Laser Assisted Deposition, Etching and Doping, Los Angeles, CA, USA, 26-27 Jan. 1984, *(SPIE)* [1984] 85−5 (introductory abstract), 85−374, 85−413 to 419, 85−1479, 85−1500 to 1503, 85−1731

Laser chemical processing of semiconductor devices; Laser Chemical Processing of Semiconductor Devices. Proceedings of Symposium B 1984 Fall Meeting of the Materials Research Society. Extended Abstracts, Boston, MA, USA, 27-29 Nov. 1984, *Houle, F.A. Deutsch, T.F. Osgood, R.M. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1984] 86−7396 (introductory abstract)

Laser-controlled chemical processing of surfaces; Laser-Controlled Chemical Processing of Surfaces Symposium, Boston, MA, USA, 14-16 Nov. 1983, *(Mater. Res. Soc) Johnson, A.W. Ehrlich, D.J. Schlossberg, H.R. (editor/s),* [New York, NY, USA: North-Holland 1984] 85−49274 (introductory abstract), 85−49578 to 49583, 85−49589, 85−49605 to 49610, 85−50376, 85−50403 to 50405, 85−50441 to 50455, 85−50682, 85−50783, 85−51059, 85−51347 to 51348

Laser-cooled and trapped atoms; Laser-Cooled and Trapped Atoms. Proceedings of the Workshop on Spectroscopic Applications of Slow Atomic Beams (NBS-SP-653), Gaithersburg, MD, USA, 14-15 April 1983, *(Office of Naval Res.; NBS) Phillips, W.D. (editor/s),* [Washington, DC, USA: NBS 1983] 85−8968 to 8970

Laser devices, commercial; Scientific Engineering Applications of Commercial Laser Devices, Los Angeles, CA, USA, 21-24 Jan. 1986, *(SPIE)* [1986] 87−36300 (introductory abstract), 87−39003 to 39005, 87−39028, 87−39052 to 39054, 87−39201, 87−39234, 87−39269 to 39271, 87−41028, 87−44304, 87−46716, 87−46781, 87−46827, 87−46897 to 46900, 87−47033 to 47038, 87−49067, 87−49192

Laser diode optics; Laser Diode Optics, Los Angeles, CA, USA, 13-14 Jan. 1987, *(SPIE)* [1987] 88−24318 (introductory abstract), 88−26921, 88−27175 to 27180, 88−27240 to 27244, 88−28881, 88−29642

Laser induced damage in optical materials; Laser Induced Damage in Optical Materials: 1982 Proceedings of a Symposium (NBS-SP-669), Boulder, CO, USA, 16-17 Nov. 1982, *(NBS) Bennett, H.E. Guenther, A.H. Milam, D. Newman, B.E. (editor/s),* [Boulder, CO, USA: NBS 1984] 85−5656 (introductory abstract), 85−5998, 85−7193 to 7200, 85−7299, 85−7479 to 7482, 85−7488 to 7507, 85−7542, 85−7563

Laser induced damage in optical materials; Laser Induced Damage in Optical Materials: 1983. Proceedings of a Symposium (NBS-SP-688), Boulder, CO, USA, 14-16 Nov. 1983, *(NBS; ASTM; Office Naval Res.; USDOE; et al) Bennett, H.E. Guenther, A.H. Milam, D. Newman, B.E. (editor/s),* [Gaithersburg, MD, USA: NBS Nov. 1985] 86−52151 (introductory abstract)

Laser induced damage in optical materials; Laser Induced Damage in Optical Materials: 1984 (NBS-SP-727), Boulder, CO, USA, 15-17 Oct. 1984, *(NBS; ASTM; Office Naval Res.; USDOE; et al) Bennet, H.E. Guenther, A.H. Milam, D. Newnam, B.E. (editor/s),* [Washington, DC, USA: NBS Oct. 1986] 87−51745 (introductory abstract)

Laser interaction with matter; 17th European Conference on Laser Interaction with Matter, ECLIM '85, Rome, Italy, 18-22 Nov. 1985, [Aug.-Nov. 1986] 86−68454

Laser interaction with matter; 18th European Conference on Laser Interaction with Matter, Prague, Czechoslovakia, 4-8 May 1987, [May 1988] 88−58449, 88−58503

Laser M2P; 1st International Laser M2P Conference, Lyon-Villeurbanne, France, 7-9 July 1987, *(Conseil General Rhone; Ville Villeurbanne; CNET; et al)* [Dec. 1987] 88−43550 (introductory abstract), 88−40130 to 40131, 88−40176 to 40180, 88−40305 to 40306, 88−40344, 88−43850, 88−43853, 88−44577, 88−45335, 88−45351 to 45355, 88−45373 to 45374, 88−45383 to 45386, 88−45425, 88−45511 to 45514, 88−45539 to 45542, 88−45584 to 45593, 88−48114 to 48115, 88−48217 to 48223, 88−54608 to 54611

Laser marketplace; The Laser Marketplace in 1988, Los Angeles, CA, USA, 13 Jan. 1988, *(SPIE)* [1988] 88−69972 (introductory abstract)

Laser optics; Proceedings of the All-Union Conference on 'Laser Optics', Leningrad, USSR, 13-18 Jan. 1984, [1984] 86−7366 (introductory abstract), 86−9737 to 9740, 86−9777, 86−9790 to 9798, 86−9904, 86−9941 to 9942, 86−15595, 86−15623 to 15626, 86−15652 to 15654, 86−15669 to 15673, 86−15746, 86−15752, 86−15766 to 15773, 86−22292 to 22293, 86−22356, 86−22460, 86−22562, 86−25298

Laser optics; Fifth All-Union Conference on Laser Optics, Leningrad, USSR, Jan. 1987, [1987] 88−24311 (introductory abstract), 88−26741, 88−26766, 88−26881, 88−27032 to 27035, 88−27094, 88−27111 to 27116, 88−27254 to 27256, 88−27291 to 27293, 88−27349, 88−30176 to 30177

Laser, particle beam, and RF power technologies; Applications of Laser, Particle Beam, and RF Power Technologies, Pleasanton, CA, USA, 8-9 April 1987, [Dec. 1987] 88−57260

Laser processing; Laser Processing: Fundamentals, Applications, and Systems Engineering, Quebec City, Que., Canada, 3-6 June 1986, *(SPIE; Nat. Res. Council Canada; Univ. Laval; et al)* [1986] 88−4 (introductory abstract), 87−75013 to 75014, 87−75224 to 75225, 87−75279 to 75292, 88−413, 88−1519 to 1520, 88−2173, 88−2352, 88−2431 to 2436, 88−12014 to 12017, 88−12063 to 12064, 88−12324, 88−12991 to 12994, 88−13058, 88−13083 to 13084, 88−13106 to 13109, 88−13147 to 13151, 88−13182 to 13185, 88−13329 to 13331, 88−13389, 88−13432 to 13435, 88−13505 to 13506, 88−14058, 88−14213 to 14215, 88−16113

Laser processing of materials; IEE Colloquium on 'Laser Processing of Materials' (Digest No.129), London, UK, 12 Dec. 1986, *(IEE)* [London, UK: IEE 1986] 87−23024 (introductory abstract), 87−23743 to 23745, 87−25061 to 25063, 87−25152 to 25153, 87−25177, 87−26062, 87−26075

Laser processing of semiconductors and hybrids; Laser Processing of Semiconductors and Hybrids, Los Angeles, CA, USA, 21-22 Jan. 1986, *(SPIE)* [1986] 87−16251 (introductory abstract), 87−16364, 87−16414, 87−17564, 87−17570 to 17571, 87−17964, 87−18233, 87−19111 to 19113

Laser radar; Laser Radar II, Orlando, FL, USA, 19-20 May 1987, *(SPIE)* [1987] 88−24329 (introductory abstract), 88−26908, 88−26988, 88−27072 to 27073, 88−27128 to 27129, 88−27182, 88−27232, 88−28967 to 28982

Laser radar technology; Laser Radar Technology and Applications, Quebec City, Que., Canada, 3-5 June 1986, *(SPIE; Nat. Res. Council Canada; Univ. Laval; Defence Res. Establ. Valcartier)* [1986] 87−36304 (introductory abstract), 87−38934 to 38935, 87−39007 to 39011, 87−39055 to 39056, 87−39272, 87−39394, 87−40986, 87−41029 to 41043, 87−41526, 87−41637

Laser radiation interaction with matter; All-Union Symposium on Nonequilibrium Physiochemical Processes in the Interaction of Laser Radiation with Matter, Tashkent, USSR, June 1986, [1987] 88−24756, 88−26018

Laser research and development in northeast; Laser Research and Development in the Northeast, Cambridge, MA, USA, 16-17 Sept. 1986, *(SPIE)* [1987] 88−24326 (introductory abstract), 88−25259 to 25260, 88−25740, 88−26027, 88−26405, 88−26915 to 26916, 88−27797 to 27801, 88−28057 to 28067, 88−29087, 88−29128, 88−29300, 88−29459, 88−29703 to 29704, 88−29949, 88−29976 to 29984, 88−30181

Laser scanning and recording; Laser Scanning and Recording, San Diego, CA, USA, 21-22 Aug. 1984, *(SPIE)* [1984] 85−39407 (introductory abstract), 85−35542 to 35543, 85−35561 to 35562, 85−35842, 85−35909 to 35911, 85−35933 to 35936, 85−36179, 85−39821, 85−41229, 85−41309, 85−41529 to 41535, 85−42926, 85−43347, 85−44020

Laser science advances; Advances in Laser Science - I. Proceedings of the First International Laser Science Conference, Dallas, TX, USA, 18-22 Nov. 1985, [1986] 87−5122 (introductory abstract), 87−5388 to 5389, 87−7068, 87−7231 to 7235, 87−7240 to 7253, 87−7277, 87−7289 to 7317, 87−7329 to 7331, 87−7386 to 7392, 87−7402, 87−7430, 87−8784, 87−10477, 87−12346 to 12347, 87−12413 to 12414, 87−12421 to 12425, 87−12523, 87−12538 to 12539, 87−12551 to 12552, 87−12636 to 12637, 87−13053, 87−14264

Laser science advances; Advances in Laser Science-II: Second International Laser Science Conference, Seattle, WA, USA, 20-24 Oct. 1986, *(APS;Opt. Soc. America)* [1987] 88−11550 (introductory abstract), 88−13113, 88−13788, 88−14024, 88−14070 to 14071, 88−14073 to 14079, 88–14123, 88–14134 to 14142, 88–14166 to 14167, 88–14219, 88–14248, 88–14267, 88–16507, 88–16663, 88–20774, 88–23154

Laser spectroscopy; Laser Spectroscopy VII. Proceedings of the Seventh International Conference, Maui, HI, USA, 24-28 June 1985, *(Burleigh Instrum.; Hitachi; NEC Corp.; Sony Corp.; Springer-Verlag; Toshiba Corp.; et al) Hansch, T.W. Shen, Y.R. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 87–7276, 87–7443 to 7444, 87–12418 to 12419, 87–12444, 87–12544, 87–12652

Laser spectroscopy; Methods of Laser Spectroscopy. Proceedings of the Fritz Haber International Symposium, Rehovot and Ein-Bokek, Dead Sea, Israel, 16-20 Dec. 1985, *(Israel Acad. Sci.; Weizmann Inst. Sci.; Hebrew Univ.; et al) Prior, Y. Ben-Reuven, A. Rosenbluh, M. (editor/s),* [New York, NY, USA: Plenum 1986] 86–67480, 86–68417, 86–68424, 86–68561 to 68562, 86–68634 to 68635

Laser welding, machining and materials processing; Laser Welding, Machining and Materials Processing. Proceedings of the International Conference on Applications of Lasers and Electro-Optics - ICALEO '85, San Francisco, CA, USA, 11-14 Nov. 1985, *Albright, C. (editor/s),* [Kempston, UK: IFS (Publications) 1986] 87–5145 (introductory abstract), 87–5480, 87–5537, 87–5559, 87–6287, 87–6924, 87–7429, 87–7468 to 7483, 87–8767

Lasers; Proceedings of the International Conference on Lasers '85, Las Vegas, NV, USA, 2-6 Dec. 1985, *(Soc. Opt. & Quantum Electron) Wang, C.P. (editor/s),* [McLean, VA, USA: STS Press 1986] 87–58529 (introductory abstract), 87–60123, 87–61060 to 61063, 87–61090 to 61101, 87–61110 to 61113, 87–61124 to 61126, 87–61175 to 61178, 87–61197 to 61199, 87–61242 to 61244, 87–61300, 87–62228 to 62230, 87–63758, 87–63817 to 63821, 87–65571, 87–66914, 87–68171 to 68172, 87–68385 to 68397, 87–68431 to 68432, 87–68530 to 68531, 87–68560, 87–68571, 87–68628 to 68629, 87–68682, 87–75019 to 75023, 87–75040, 87–75121 to 75122, 87–75183, 87–75295, 87–77425, 87–77871, 88–8034, 88–8148 to 8150, 88–8154, 88–8171 to 8173, 88–8241 to 8243, 88–8302

Lasers and electro-optics; Conference on Lasers and Electro-Optics. Digest of Technical Papers (papers in summary form only received), Baltimore, MD, USA, 17-20 May 1983, *(Opt. Soc. America; IEEE)* [Washington, DC, USA: Opt. Soc. America 1983] 85–16561 (introductory abstract)

Lasers and electro-optics; Conference on Lasers and Electro-Optics. Digest of Technical Papers (papers in summary form only received), Anaheim, CA, USA, 19-22 June 1984, [Washington, DC, USA: Opt. Soc. America 1984] 85–16574 (introductory abstract)

Lasers and electro-optics; Conference on Lasers and Electro-Optics. CLEO '85. Digest of Technical Papers, Baltimore, MD, USA, 21-24 May 1985, *(IEEE; Opt. Soc. America)* [Washington, DC, USA: Opt. Soc. America 1985] 86–33927 (introductory abstract)

Lasers and electro-optics; Proceedings of the Medicine and Biology, Optical Techniques for Measurement and Control, Spectroscopy, Photochemistry and Scientific Measurement Symposia of ICALEO '85, San Francisco, CA, USA, 11-14 Nov. 1985, *(Laser Inst. America)* [Toledo, OH, USA: Laser Inst. America 1986] 86–66539 (introductory abstract), 86–68654, 86–70015 to 70016, 86–70049, 86–70407 to 70408

Lasers and electro-optics; Conference on Lasers and Electro-Optics. Digest of Technical Papers (papers in summary form only received), San Francisco, CA, USA, 9-13 June 1986, [Washington, DC, USA: Opt. Soc. America 1986] 87–65063 (introductory abstract)

Lasers and electro-optics; Conference on Lasers and Electro-Optics. Digest of Technical Papers (papers in summary form only received), Baltimore, MD, USA, 26 April-1 May 1987, *(IEEE; Opt. Soc. America; Eur. Phys. Soc.; Japanese Quantum Electron. Joint Group)* [Washington, DC, USA: Opt. Soc. America 1987] 87–65065 (introductory abstract)

Lasers and optics; Fourth Australian Laser Conference and Third Conference of the Australian Optical Society, North Ryde, NSW, Australia, 26-30 Aug. 1985, [North Ryde, NSW, Australia: Macquarie Univ. 1985] 86–52126 (introductory abstract)

Lasers in atomic, molecular, and nuclear physics; Use of Lasers in Atomic, Molecular, and Nuclear Physics. Proceedings of the Second All-Union School, Vilnius, USSR, 29 June-7 July 1981, [July-Aug. 1986] 86–58999, 86–60359

Lasers in graphics; Lasers in Graphics. Electronic Publishing in the 80's. 1984 Conference Proceedings, New Orleans, LA, USA, 4-8 Nov. 1984, *(HCM; Autologic; Crosfield; Intran; et al) Summers, J.S. (editor/s),* [Vista, CA, USA: Dunn Technol. 1984] 86–46 (introductory abstract), 85–62707 to 62708, 86–3261, 86–3408 to 3411, 86–3457, 86–4011 to 4012, 86–4227, 86–4610, 86–4858

Lasers in manufacturing; Proceedings of the 2nd International Conference on Lasers in Manufacturing, Birmingham, UK, 26-28 March 1985, *(IFS (Conferences); Laser Inst. America; Lasers & Opt. Int) Kimmitt, M.F. (editor/s),* [Kempston, UK: IFS (Publications) 1985] 85–49270 (introductory abstract), 85–49370, 85–49672, 85–50373, 85–50979, 85–51136 to 51138, 85–51238, 85–51335 to 51346, 85–52876 to 52877, 85–53996 to 53997

Lasers in medicine; Lasers in Medicine, Cambridge, MA, USA, 15-17 Sept. 1986, *(SPIE)* [1987] 88–6091 (introductory abstract), 88–8168, 88–10299, 88–10330 to 10331, 88–10415 to 10428, 88–16761 to 16779

Lasers in motion for industrial applications; Lasers in Motion for Industrial Applications, Los Angeles, CA, USA, 13-14 Jan. 1987, *(SPIE; SME)* [1987] 87–65045 (introductory abstract)

Lattice defects in ionic crystals; Fifth Europhysical Topical Conference on Lattice Defects in Ionic Crystals, Madrid, Spain, 8-12 Sept. 1986, [1987] 88–8158, 88–9934

Layered structures and epitaxy; Layered Structures and Epitaxy Symposium, Boston, MA, USA, 2-4 Dec. 1985, *(Mater. Res. Soc) Gibson, J.M. Osbourn, G.C. Tromp, R.M. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87–10055 (introductory abstract), 87–10468 to 10473, 87–11420 to 11425, 87–11461 to 11466, 87–11818 to 11820

Layered structures and interface kinetics; Layered Structures and Interface Kinetics: Their Technology and Applications. US-Japan Seminar on 'Solid Phase Epitaxy and Interface Kinetics', Oiso, Japan, 20-24 June 1983, *(NSF; Japan Soc. Promotion Sci) Furukawa, S. (editor/s),* [Dordrecht, Netherlands: Reidel 1985, $74.00] 86–26508 (introductory abstract), 86–26856 to 26860, 86–28017, 86–28034 to 28035, 86–28278, 86–28432

Layered structures, epitaxy, and interfaces; Layered Structures, Epitaxy, and Interfaces Symposium, Boston, MA, USA, 26-30 Nov. 1984, *(Mater. Res. Soc) Gibson, J.M. Dawson, L.R. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1985] 86–13310 (introductory abstract), 86–13773 to 13786, 86–13825, 86–14915 to 14924, 86–14968 to 14970, 86–15072, 86–15182, 86–15727, 86–26862 to 26863, 86–26907, 86–28036 to 28043, 86–28177, 86–28239 to 28240

Lens design; 1985 International Lens Design Conference, Cherry Hill, NJ, USA, 10-13 June 1985, *(Opt. Soc. America; SPIE; Int. Comm. Opt)* [1986] 87–22967 (introductory abstract), 87–26019, 87–26073 to 26074, 87–26120 to 26131, 87–26474, 87–26479, 87–28601, 87–28968, 87–29851, 87–29918

LEP 200, ECFA workshop; ECFA Workshop on LEP 200. Proceedings (CERN 87-08) (ECFA 87/108), Aachen, West Germany, 29 Sept.-1 Oct. 1986, *Bohm, A. Hoogland, W. (editor/s),* [Geneva, Switzerland: CERN 1987] 87–77487, 87–77498

Lepton and photon interactions at high energies; 1987 International Symposium on Lepton and Photon Interactions at High Energies, Hamburg, West Germany, 27-31 July 1987, *(DESY; IUPAP)* [1988] 88–55781 (introductory abstract), 88–60997, 88–61021 to 61023, 88–61150

Libraries, international cooperation; International Library Cooperation. 10th Anniversary Essen Symposium, Essen, West Germany, 19-22 Oct. 1987, *Helal, A.H. Weiss, J.W. (editor/s),* [Essen, West Germany: Essen Univ. Libr. 1988] 88–46645, 88–46750

Life sciences and space research; Life Sciences and Space Research XXII (1). Proceedings of the Topical Meeting of the COSPAR Interdisciplinary Scientific Commission F (Meetings F2, F6, F8) and of Workshop VII of the COSPAR Twenty-Sixth Plenary Meeting, Toulouse, France, 30 June-11 July 1986, *(COSPAR; Nat. Council Radiat. Protection)* [1986] 87–77570

Light echo and coherent spectroscopy; Third All-Union Symposium on Light Echo and Coherent Spectroscopy, Kharkov, Ukrainian SSR, USSR, Oct. 1985, [1986] 87–68645 to 68646, 87–69148

Light negative ions, production and applications; Production and Application of Light Negative Ions. Proceedings of the Second European Workshop, Palaiseau, France, 5-7 March 1986, *Bacal, M. Mouttet, C. (editor/s),* [Palaiseau, France: Ecole Polytech. 1986] 87–5154 (introductory abstract), 87–8789, 87–8804 to 8809, 87–8820 to 8836

Lightning and power systems; International Conference on Lightning and Power Systems (Conf. Publ. No.236), London, UK, 5-7 June 1984, *(IEE)* [London, UK: IEE 1984] 86–33 (introductory abstract), 85–64929, 85–64949 to 64961, 85–64995 to 64996, 85–65390 to 65393, 86–4776, 86–6359, 86–6416 to 6427, 86–6436 to 6441

Lightning protection; Conference Proceedings. ICLP '85: 18th International Conference on Lightning Protection, Munich, West Germany, 16-20 Sept. 1985, [Berlin, West Germany: VDE-Verlag 1985] 86–52122 (introductory abstract), 86–52209, 86–52586, 86–52729 to 52730, 86–54252 to 54253, 86–54313 to 54318, 86–54357, 86–54373, 86–54660 to 54662, 86–54751, 86–55127, 86–55175, 86–55340, 86–55799, 86–56207 to 56209, 86–56431, 86–56450, 86–56465 to 56482, 86–56498 to 56503, 86–56846, 86–56908

Lightning protection of sensitive equipment; IEE Colloquium on 'Lightning Protection of Sensitive Equipment' (Digest No.96), London, UK, 9 Nov. 1987, *(IEE)* [London, UK: IEE 1987] 88–11615 (introductory abstract), 88–17194, 88–17209 to 17210

Linear accelerators; 1986 Linear Accelerator Conference Proceedings (SLAC-303), Stanford, CA, USA, 2-6 June 1986, [Stanford, CA, USA: Stanford Linear Accel. Center 1986] 87–31144 (introductory abstract), 87–35258 to 35274, 87–35285 to 35310, 87–35323 to 35325, 87–41667 to 41717, 87–41743 to 41796, 87–41811 to 41819

Linear accelerators; Proceedings of the 11th Meeting on Linear Accelerators (KEK 86-4), Tsukuba, Japan, 1-3 Sept. 1986, *Nakahara, K. Anami, S. Takasaki, E. (editor/s),* [Tsukuba-gun, Ibaraki-ken, Japan: Nat. Lab. High Energy Phys. Aug. 1986] 87–10045 (introductory abstract), 87–10749, 87–12420, 87–12520 to 12522, 87–14639 to 14657, 87–14669 to 14694, 87–14714 to 14717, 87–14790 to 14792

Liquid crystal polymers; International Conference on Liquid Crystal Polymers, Bordeaux, France, 20-24 July 1987, [Dec. 1987] 88–39896

Liquid crystals; Proceedings of the Tenth International Liquid Crystal Conference, York, UK, 15-21 July 1984, *(Gordon & Breach)* [1985] 86–67873, 86–68339 to 68341, 86–70117, 87–1985 to 1987

Liquid crystals; Fifth European Winter Liquid Crystal Conference, Borovetz, Bulgaria, 25-30 March 1987, *(Gordon & Breach; Bulgarian State Committee Res. & Technol.; Committee Sci.; et al)* [Nov. 1987] 88–33780 to 33784

Liquid crystals; Liquid Crystals and Spatial Light Modulator Materials, San Diego, CA, USA, 21-22 Aug. 1986, *(SPIE)* [1986] 88–6086 (introductory abstract), 88–7929, 88–7978 to 7982, 88–7995 to 8000, 88–8325, 88–8838, 88–24529, 88–26859, 88–27067 to 27071, 88–27230 to 27231, 88–27273, 88–28959 to 28963, 88–29404

Liquid crystals; Eleventh International Liquid Crystal Conference, Berkeley, CA, USA, 30 June-4 July 1986, [1986] 87–41479, 87–54127 to 54128, 87–60982

Liquid crystals and ordered fluids; Sixth International Symposium on Liquid Crystals and Ordered Fluids, New Orleans, LA, USA, 31 Aug.-4 Sept. 1987, *(American Chem. Soc)* [1988] 88–51584

Liquid crystals of low dimensional order; Proceedings of the Fourth European Winter Conference on Liquid Crystals of Low Dimensional Order and Their Applications, Bovec, Yugoslavia, 26-30 March 1984, [1984] 85–18758

Lithium batteries; 2nd International Meeting on Lithium Batteries, Paris, France, 25-27 April 1984, *(Soc. Chimie Phys.; Electrochem. Soc.; Univ. Pierre et Marie Curie; Direction des Recherches et Etudes et Tech.; et al)* [Jan.-March 1985] 85–32891 (introductory abstract), 85–39181 to 39184, 85–44146 to 44149, 85–44154 to 44155

Lithium batteries; 3rd International Meeting on Lithium Batteries, Kyoto, Japan, 27-30 May 1986, [May 1987] 87–72357 to 72362, 87–72367 to 72369, 87–72378 to 72384, 87–78855 to 78858, 87–78863, 87–78877 to 78885

Lithographic techniques; IEE Colloquium on Advanced Lithographic Techniques (Digest No. 110), London, UK, 13 Dec. 1984, *(IEE)* [London, UK: IEE 1984] 85–22091 (introductory abstract), 85–23275, 85–23920 to 23927, 85–24419

Lithography; Advanced Lithography. Proceedings of a One-Day Meeting of the Electronics Group of the Institute of Physics, Chilton, UK, 10 Feb. 1988, [Bristol, UK: IOP 1988] 88–55838 (introductory abstract), 88–57461, 88–57571 to 57577

Littlebrook D and Grain power stations; IEE Colloquium on 'Construction, Commissioning and Operation of Littlebrook D and Grain Power Stations (Digest No.57), London, UK, 22 April 1986, *(IEE)* [London, UK: IEE 1986] 86–52146 (introductory abstract), 86–56617 to 56622, 86–56724 to 56725

Local area networks; LANCON '85. Conference on Local Area Network, Canberra, ACT, Australia, 1-2 May 1985, *(Adv. Software Products; Ansett Airlines; IBM; Integrated Comput. Services; et al) Clarke, R. (editor/s),* [Fyshwick, ACT, Australia: Australian Comput. Soc. 1985] 86–40379 (introductory abstract), 86–43377, 86–43639 to 43641

Local computer networks ; 9th Conference on Local Computer Networks (Cat. No. 84CH2081-8), Minneapolis, MN, USA, 8-10 Oct. 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85–44397 (introductory abstract), 85–46988 to 46992, 85–47256 to 47258

Local computer networks; 10th Conference on Local Computer Networks (Cat. No.85CH2222-8), Minneapolis, MN, USA, 7-9 Oct. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86–37995 (introductory abstract), 86–37207, 86–37225, 86–37553 to 37560, 86–37996

Local computer networks; Proceedings of the 11th Conference on Local Computer Networks (Cat. No.86CH2338-2), Minneapolis, MN, USA, 6-8 Oct.

1986, *(IEEE; TC-Comput. Commun)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87—23003 (introductory abstract), 87—27871, 87—28184 to 28196

Local computer networks; Proceedings of the 12th Conference on Local Computer Netowrks (Cat. No.87CH2445-5), Minneapolis, MN, USA, 5-7 Oct. 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88—11603 (introductory abstract), 88—14873, 88—15158 to 15179

Local net '84; Local Net 84. Proceedings of the Conference, San Diego, CA, USA, 10-12 Oct. 1984, [Pinner, UK: Online Publications 1984] 85—39441 (introductory abstract), 85—36497, 85—36773 to 36774, 85—41183, 85—42310 to 42311, 85—42351 to 42353

Localisation, interaction and transport phenomena; Localization, Interaction and Transport Phenomena. Proceedings of the International Conference, Braunschweig, West Germany, 23-28 Aug. 1984, *(Phys. Tech. Bundesanstalt Braunschweig; Deutsche Phys. Gesellschaft; Stadt Braunschweig; et al) Kramer, B. Bergmann, G. Bruynseraede, Y. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 87—32358

LOCALNET; LOCALNET '85. Proceedings of the Conference, New York, NY, USA, 28-30 Oct. 1985, [New York, NY, USA: Online Int. 1985] 86—52130 (introductory abstract), 86—54944 to 54976, 86—55128

Localnet '86; LOCALNET '86. Proceedings of the Conference, San Francisco, CA, USA, 18-20 Nov. 1986, [Pinner, UK: Online Publications 1986, £75.00] 87—43783 (introductory abstract), 87—48449, 87—48679 to 48700, 87—48738

Logic and computation; Logic and Computation. Proceedings of a Conference, Clayton, Vic., Australia, 3-8 Jan. 1984, *Crossley, J.N. Jaffar, J. (editor/s),* [Clayton, Vic., Australia: Monash Univ. 1984] 87—44166

Logic in computer science; Proceedings of the Symposium on Logic in Computer Science (Cat. No.87CH2464-6), Ithaca, NY, USA, 22-25 June 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87—61556

Logic in computer science; Proceedings of the Third Annual Symposium on Logic in Computer Science (Cat. No.88CH2608-8), Edinburgh, UK, 5-8 July 1988, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88—71802

Logic programming; Proceedings of the 1986 Symposium on Logic Programming (Cat. No.86CH2340-8), Salt Lake City, UT, USA, 22-25 Sept. 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87—40591

Logic programming and calculi of discrete design; Logic of Programming and Calculi of Discrete Design. International Summer School. Proceedings of the NATO Advanced Study Institute, Marktoberdorf, West Germany, 29 July-10 Aug. 1986, *(NATO) Broy, M. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987, DM134.00] 88—33130

Logics for verification and specification of programs; Advanced NATO Study Institute on Logics and Models for Verification and Specification of Concurrent Systems, La Colle-sur-Loup, France, 8-19 Oct. 1984, [Le Chesnay, France: Centre de Rocquencourt 1984] 85—33132, 85—33747, 85—36490

Logistic support for information handling equipment; International Conference on Logistic Support for Information Handling Equipment, Dubrovnik, Yugoslavia, 26-30 May 1986, [1986] 87—58509 (introductory abstract), 87—58738 to 58740

Logistics management; Proceedings. The Twenty-First European Technical Conference on Production and Inventory Control, Brighton, UK, 22-25 Oct. 1986, [Bishop's Stortford, UK: British Prod. & Inventory Control Soc. 1986, £8.50] 87—28172

Low bit-rate speech communication via radio; IEE Colloquium on 'Low Bit-Rate Speech Communication via Radio' (Digest No.52), London, UK, 29 April 1987, *(IEE)* [London, UK: IEE 1987] 87—43818 (introductory abstract), 87—47542, 87—47634 to 47638, 87—48455, 87—48739, 87—48766 to 48767

Low cost automation and applications; Components, Instruments and Techniques for Low Cost Automation and Applications. IFAC Symposium, Valencia, Spain, 27-29 Nov. 1986, *(IFAC) Albertos, P. De La Puente, J.A. (editor/s),* [Oxford, UK: Pergamon 1988] 88—37836 (introductory abstract), 88—38403, 88—41368, 88—41987 to 41989, 88—42004 to 42005, 88—42068 to 42071, 88—42570, 88—43471, 88—43690, 88—48455, 88—48564, 88—48813 to 48814, 88—48822, 88—49193, 88—49297 to 49298

Low-dimensional synthetic metals; Proceedings of the International Conference on the Physics and Chemistry of Low-Dimensional Synthetic Metals (ICSM 84), Abano Terme, Italy, 17-22 June 1984, [1985] 86—1599, 86—1755, 86—1815 to 1816, 86—1857, 86—2863, 86—2957, 86—6988

Low energy ion beams; Low Energy Ion Beams. Proceedings of the Fourth Conference, Brighton, Sussex, UK, 7-10 April 1986, [Nov.-Dec. 1986] 87—37983, 87—38102 to 38104, 87—38152 to 38154, 87—41809, 87—44344, 87—45601, 87—45714, 87—45774 to 45775, 87—45805 to 45806, 87—46104, 87—50046, 87—50119

Low-energy stored and trapped particles; Workshop and Symposium on the Physics of Low-Energy Stored and Trapped Particles, Stockholm, Sweden, 14-18 June 1987, *(R. Acad. Sci.; Swedish Natural Sci. Res. Council; Nordic Accel. Committee; Res. Inst. Phys)* [1988] 88—55782 (introductory abstract), 88—60999 to 61000, 88—61029 to 61034, 88—61201, 88—68182 to 68184

Low-level counting; Low-Level Counting - LR '85. Proceedings of the Third International Conference on Low-level Counting, Bratislava, Czechoslovakia, 21-25 Oct. 1985, *(Slovak Acad. Sci.; Czechoslovakian Atomic Energy Comm.; Union Slovak Math. & Phys)* [Nov. 1986] 87—14733 to 14745, 87—14793 to 14797

Low noise oscillators and synthesisers; IEE Colloquium on 'Low Noise Oscillators and Synthesisers' (Digest No.13), London, UK, 23 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86—33957 (introductory abstract), 86—34613 to 34616, 86—35124, 86—35955, 86—35964, 86—37804, 86—37863, 86—37947, 86—38408, 86—38502

Low power microprocessor systems; IEE Colloquium on Low Power Microprocessor Systems (Digest No.85), London, UK, 11 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85—32930 (introductory abstract), 85—33987, 85—35205, 85—36629, 85—37469, 85—37671

Low temperature detectors for neutrinos and dark matter; Low Temperature Detectors for Neutrinos and Dark Matter. Proceedings of a Workshop, Ringberg Castle, Tegernsee, West Germany, 12-13 May 1987, *Pretzl, K. Schmitz, N. Stodolsky, L. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987, DM58.00] 88—37853 (introductory abstract)

Low temperature physics; Proceedings of the 17th International Conference on Low Temperature Physics, LT-17, Karlsruhe, West Germany, 15-22 Aug. 1984, *(Deutsche Forschungsgemeinschaft; IUPAP; Univ. Karlsruhe; et al) Eckern, U. Schmid, A. Weber, W. Wuhl, H. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984] 85—29502 to 29508, 85—31577, 85—31804, 85—32039, 85—41072 to 41074, 85—45434 to 45435, 85—45474, 85—46053 to 46054, 85—46060 to 46097, 85—47789 to 47792, 85—47966 to 47969, 85—48039, 85—48045, 85—48075, 85—48131 to 48136, 85—48184, 85—48468

Low temperature physics; 18th International Conference on Low Temperature Physics, Kyoto, Japan, 20-26 Aug. 1987, *(Sci. Council Japan; Phys. Soc. Japan; Japan Soc. Appl. Phys.; IUPAP)* [1987] 88—7826, 88—9985, 88—12556, 88—12583 to 12584, 88—13705 to 13716, 88—13772, 88—16706, 88—20274 to 20294, 88—22754, 88—22915, 88—25441, 88—26004, 88—26304 to 26307, 88—29331 to 29332, 88—29391, 88—29678 to 29681, 88—29716, 88—29773 to 29774, 88—29798, 88—33572 to 33573, 88—33911, 88—36396

Low temperature physics; Second Indo-Soviet Conference on Low Temperature Physics, Moscow, USSR, 15-25 May 1986, [May 1987] 87—53546, 87—54173, 87—56780

Low temperature physics and technology; IIIrd International Seminar on Low Temperature Physics: CRYOSEM '86, Visegrad, Hungary, 26-31 May 1986, [1987] 88—1 (introductory abstract), 87—74541, 87—74564, 87—74608, 87—77612, 88—1447 to 1448, 88—1644 to 1645

Low temperature thin film studies; Comptes Rendus des Journees d'Etude sur l'Elaboration, a Basse Temperature, des Materiaux en Couche (Low Temperature Studies of Thin Film Materials), Paris, France, 22-23 Oct. 1984, [May-July 1985] 86—13269 (introductory abstract), 86—13794 to 13795, 86—13816 to 13818, 86—15058 to 15062, 86—15077

Luminescence; Proceedings of the 1984 International Conference on Luminescence, Madison, WI, USA, 13-17 Aug. 1984, *(Opt. Soc. America; APS; Electrochem. Soc)* [Dec. 1984] 85—34581, 85—35613, 85—35616 to 35620, 85—35725, 85—35782, 85—35868, 85—37685, 85—37950, 85—38327

Luminescence; Proceedings of the XXX All-Union Conference on Luminescence (Inorganic Crystals), Rovno, Ukrainian SSR, USSR, 22-24 Nov. 1984, [1985] 87—16238 (introductory abstract), 87—18834 to 18837, 87—18853, 87—18857, 87—18935 to 18936, 87—21154

Luminescent detectors and converters of ionizing radiation; Fifth All-Union Symposium on Luminescent Detectors and Converters of Ionizing Radiation, Tallin, USSR, April 1985, [1986] 87—68269 to 68271

Lunar and planetary science; Proceedings of the Sixteenth Lunar and Planetary Science Conference, Houston, TX, USA, 11-15 March 1985, *(Lunar & Planetary Inst.; Johnson Space Center; American Geophys. Union; et al)* [30 March 1986] 86—50736

Lunar bases and space activities of 21st century; Symposium on Lunar Bases and Space Activities of the 21st Century (papers in summary form only received), Houston, TX, USA, 5-7 April 1988, *(NASA; AIAA; Lunar & Planetary Inst.; et al)* [Houston, TX, USA: Lunar & Planetary Inst. 1988] 88—55843 (introductory abstract)

Machine control systems; Machine Control Systems. Proceedings of the 2nd International Conference - MACON-2, Birmingham, UK, 12-14 May 1987, *(IFS (Conferences); British Robot Assoc.; Assoc. Robotique Ind. Athena; et al) Ross, D.S. (editor/s),* [Kempston, UK: IFS (Publications) May 1987, £42.00] 87—76387 to 76388

Machine processing of remotely sensed data; Eleventh International Symposium on Machine Processing of Remotely Sensed Data with special emphasis on Quantifying Global Process: Models, Sensor Systems and Analytical Methods, West Lafayette, IN, USA, 25-27 June 1985, *(IEEE; American Soc. Agronomy; Crop Sci. Soc. America; Soc. American Foresters; Soil Sci. Soc. America) Mengel, S.K. Morrison, D.B. (editor/s),* [West Lafayette, IN, USA: Purdue Univ. 1985] 86—13287 (introductory abstract), 86—16480, 86—16576, 86—17482, 86—18533 to 18557, 86—18594, 86—18597 to 18616

Machine tool technical conference; 2nd Biennial International Machine Tool Technical Conference Proceedings, Chicago, IL, USA, 5-13 Sept. 1984, *(Nat. Machine Tool Builders Assoc)* [McLean, VA, USA: Nat. Machine Tool Builders Assoc 1984] 85—35949, 85—36053, 85—37615, 85—39048, 85—39243, 85—39384 to 39386, 85—42309, 85—44358

Machine vision; Topical Meeting on Machine Vision, Incline Village, NV, USA, 20-22 March 1985, *(Opt. Soc. America; IEEE; SPIE)* [Washington, DC, USA: Opt. Soc. America 1985] 86—8084, 86—8635, 86—9581, 86—9642, 86—10026 to 10027, 86—10530 to 10546, 86—11476 to 11479, 86—11573, 86—11718 to 11720

Machine vision; Topical Meeting on Machine Vision. Technical Digest Series Vol.12 (papers in summary form only received), Incline Village, NV, USA, 18-20 March 1987, *(Opt. Soc. America)* [Washington, DC, USA: Opt. Soc. America 1987] 87—65243, 87—67509 to 67510, 87—68174, 87—68218, 87—69364 to 69372, 87—70143, 87—70300, 87—70471 to 70475

Machine vision; Optics, Illumination, and Image Sensing for Machine Vision, Cambridge, MA, USA, 30-31 Oct. 1986, *(SPIE)* [1987] 87—43755 (introductory abstract), 87—43956, 87—45437, 87—47065, 87—47991 to 47992, 87—49558 to 49566, 87—49598, 87—49636, 87—49767, 87—49943 to 49946, 87—51610 to 51612, 87—51627

Machine vision and machine intelligence; Proceedings of the International Workshop on Industrial Applications of Machine Vision and Machine Intelligence. Seiken Symposium (Cat. no. 87TH0166-9), Tokyo, Japan, 2-5 Feb. 1987, *(IEEE; Univ. Tokyo; Int. Assoc. Pattern Recognition; Found. Promotion Ind. Sci)* [New York, NY, USA: IEEE 1987] 88—153, 88—221, 88—1101 to 1102, 88—1760 to 1761, 88—3079, 88—3217, 88—4495 to 4496, 88—4934, 88—6071

Machine vision, motion and stereopsis; IEE Colloquium on 'Motion and Stereopsis in Machine Vision' (Digest No.7), London, UK, 13 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88—24377 (introductory abstract), 88—28135 to 28138, 88—30115

Machines and mechanisms; Theory of Machines and Mechanisms. Proceedings of the 7th World Congress, Seville, Spain, 17-22 Sept. 1987, *(Int. Federation Theory Machines and Mech.; Univ. Seville; Spanish Open Univ.; et al) Bautista, E. Garcia-Lomas, J. Navarro, A. (editor/s),* [Oxford, UK: Pergamon 1987, $595.00] 88—37834 (introductory abstract), 88—42665, 88—43147, 88—43352, 88—43413 to 43414, 88—43699, 88—43753, 88—44331, 88—48232 to 48233, 88—48799, 88—49101, 88—49191, 88—49242, 88—49315, 88—49320

Machining and fabrication of optics; Ultraprecision Machining and Automated Fabrication of Optics, San Diego, CA, USA, 18-20 Aug. 1986, *(SPIE)* [1987] 88—2397

Macroelectronics; 3rd International MACROELECTRONICS Conference, Munich, West Germany, 13 Nov. 1986, [Munich, West Germany: Munchener Messe Ausstellungs 1986] 87—36343 (introductory abstract), 87—37009, 87—37638 to 37639, 87—37763, 87—38225, 87—43087 to 43088, 87—43327, 87—45910, 87—45918, 87—46036 to 46037, 87—51380 to 51381, 87—51419 to 51420, 87—52383 to 52384

Maglev and linear drives; International Conference on Maglev & Linear Drives (Cat. No.86CH2276-4), Vancouver, BC, Canada, 14-16 May 1986, *(IEEE; Transport Canada; Queen's Univ)* [New York, NY, USA: IEEE 1986] 87—30 (introductory abstract), 87—4731 to 4738, 87—5044 to 5069

Maglev and linear drives; International Conference on Maglev and Linear Drives (Cat. No.87CH2443-0), Las Vegas, NV, USA, 19-21 May 1987, *(IEEE; Canadian Inst. Guided Ground Transp)* [New York, NY, USA: IEEE 1987] 87—58554 (introductory abstract), 87—64623 to 64624, 87—64854 to 64855, 87—64903 to 64930

Maglev transport; International Conference on Maglev Transport Now and for the Future, Solihull, UK, 9-10 Oct. 1984, *(Inst. Mech. Eng.; Inst. Civil Eng.; IEE)* [London, UK: Mech. Eng. Publications 1984] 85—39433 (introductory abstract), 85—44256 to 44279

Magnet technology; Proceedings of the 9th International Conference on Magnet Technology. MT-9 1985, Zurich, Switzerland, 9-13 Sept. 1985, *Marinucci, C. Weymuth, P. (editor/s),* [Villigen, Switzerland: Swiss Inst. Nucl. Res. 1985, SFr. 120] 86−42668 (introductory abstract), 86−42158, 86−42160 to 42161, 86−42183 to 42202, 86−42798 to 42799, 86−42809, 86−44517 to 44529, 86−44899, 86−45730, 86−45782 to 45784, 86−46057, 86−47526, 86−47921, 86−47974, 86−47977 to 47997, 86−48014 to 48069, 86−48528, 86−48532 to 48535, 86−48544 to 48546, 86−48622 to 48624, 86−50205, 86−50261 to 50264, 86−50274 to 50287, 86−50389, 86−50547 to 50554, 86−51029 to 51030, 86−51587 to 51589, 86−51611 to 51612, 86−51664, 86−51728, 86−51932, 86−53908 to 53912, 86−53924 to 53933, 86−54271 to 54272

Magnet technology; Tenth International Conference on Magnet Technology (MT-10), Boston, MA, USA, 21-25 Sept. 1987, *(MIT; DOE; NSF; Lawrence Livermore Nat. Lab.; Oak Ridge Nat. Lab.; et al)* [March 1988] 88−62848 (introductory abstract), 88−63404 to 63405, 88−64001 to 64002, 88−64044, 88−64963 to 64965, 88−64983 to 64995, 88−65028 to 65095, 88−65110 to 65114, 88−65744 to 65748, 88−65957 to 65958, 88−65974 to 65985, 88−66003 to 66013, 88−66101, 88−68007 to 68009, 88−68103 to 68107, 88−68130 to 68171, 88−68203, 88−68305 to 68307, 88−68316, 88−68355 to 68361, 88−68589, 88−68966, 88−69283 to 69288, 88−69327 to 69329, 88−69459 to 69462, 88−69716 to 69719, 88−69831 to 69833

Magnetic fluids; 4th International Conference on Magnetic Fluids, Tokyo and Sendai, Japan, 28 July-1 Aug. 1986, [1 March 1987] 87−36841, 87−38646, 87−38673, 87−41474

Magnetic materials; 3rd International Conference on Physics of Magnetic Materials, Szczyrk-Bila, Poland, 9-14 Sept. 1986, [July 1987] 87−72655 (introductory abstract), 87−74499 to 74505

Magnetic materials and application; 1987 European Magnetic Materials and Applications Conference (EMMA '87), Salford, UK, 14-16 Sept. 1987, *(IEEE; Comm. Eur. Communities; IOP; et al)* [March 1988] 88−55774 (introductory abstract), 88−57018, 88−57914 to 57917, 88−57919 to 57920, 88−57966 to 57977, 88−57986, 88−57989 to 57991, 88−57996, 88−58812 to 58815, 88−63500, 88−64883 to 64887, 88−64927 to 64928, 88−64968, 88−64971, 88−66136, 88−67750 to 67751, 88−68010 to 68012, 88−68024, 88−68659, 88−69330

Magnetic materials for applications; MMA '85. European Conference on Magnetic Materials for Applications, Grenoble, France, 3-5 June 1985, *(Eur. Phys. Soc.; Soc. Francaise Phys.; CNRS)* [Sept. 1985] 86−13258 (introductory abstract), 86−13835, 86−13853, 86−13984, 86−15335 to 15336, 86−15342 to 15369, 86−15375 to 15388, 86−15393 to 15395, 86−15404 to 15405, 86−15408 to 15410, 86−15412, 86−15414, 86−17932, 86−18082

Magnetic materials, physics; Proceedings of the 3rd International Conference on Physics of Magnetic Materials, Szczyrk-Bila, Poland, 9-14 Sept. 1986, *Gorzkowski, W. Lachowicz, H.K. Szymczak, H. (editor/s),* [Singapore: World Scientific 1987] 88−11616 (introductory abstract), 88−13668 to 13670, 88−13674 to 13675, 88−13682, 88−13691

Magnetic recording media; MRM '86 International Conference on Magnetic Recording Media, Parma, Italy, 2-5 Sept. 1986, *(Agfa-Gevaert; BASF; Hercules Chem. Corp.; Montefluos; et al)* [Jan. 1987] 87−43737 (introductory abstract), 87−44374 to 44375, 87−44399 to 44400, 87−44410, 87−46302 to 46304, 87−46306 to 46317, 87−46330 to 46339, 87−46345 to 46364, 87−49896

Magnetic resonance and related phenomena; XXIInd Congress Ampere on Magnetic Resonance and Related Phenomena Proceedings, Zurich, Switzerland, 10-15 Sept. 1984, *(IUPAP; EPS; Swiss Nat. Sci. Found.; ETH Zurich; Univ. Zurich; City & State of Zurich; IBM Zurich Res. Lab.; et al) Muller, K.A. Kind, R. Roos, J. (editor/s),* [Zurich, Switzerland: Univ. Zurich 1984] 85−22717, 85−31835

Magnetic resonance imaging; Meeting on M.R.I, Deauville, France, Sept. 1986, [1986] 87−43740 (introductory abstract), 87−50267 to 50268

Magnetic resonance in medicine and biology; European Society of Magnetic Resonance in Medicine and Biology Proceedings. Second Congress, Montreux, Switzerland, 3-5 Oct. 1985, [Geneva, Switzerland: Eur. Soc. Magnetic Resonance Med. & Biol. 1985] 87−8910

Magnetic thin films; Magnetic Thin Films 1986 X, Strasbourg, France, 17-20 June 1986, *(Conseil Eur) Krishnan, R. (editor/s),* [Les Ulis, France: Editions Phys. 1986] 88−64956 (introductory abstract), 88−64957 to 64958, 88−65401

Magnetics; 1985 International Magnetics Conference (INTERMAG), St. Paul, MN, USA, 29 April-2 May 1985, *(IEEE)* [Sept. 1985] 86−26470 (introductory abstract), 86−26922, 86−27652, 86−28592 to 28614, 86−28629 to 28632, 86−28647 to 28685, 86−28704 to 28705, 86−28707, 86−28711 to 28717, 86−28723, 86−28805, 86−28918 to 28923, 86−29321, 86−29326 to 29330, 86−31366 to 31367, 86−31598 to 31602, 86−32227, 86−32322, 86−33249, 86−33287 to 33288, 86−33336, 86−33386, 86−33498 to 33500, 86−35966, 86−35969 to 35972, 86−35992 to 36015, 86−36049 to 36050, 86−36055, 86−36057, 86−36059 to 36061, 86−36063 to 36067, 86−36082, 86−36085, 86−36636 to 36638, 86−36650, 86−36653 to 36657, 86−36662, 86−36669, 86−36678, 86−38525, 86−38527, 86−39738, 86−39782, 86−39823, 86−39890 to 39892, 86−40243, 86−40300 to 40301

Magnetics; 1986 International Magnetics Conference (INTERMAG), Phoenix, AZ, USA, 14-17 April 1986, *(IEEE)* [Sept. 1986] 87−16235 (introductory abstract), 87−18465 to 18468, 87−18471 to 18476, 87−18487 to 18488, 87−18490 to 18513, 87−18528 to 18533, 87−18542, 87−18547, 87−19135, 87−19153, 87−21029 to 21030, 87−21211, 87−22330 to 22331, 87−22459 to 22460, 87−22523, 87−23636 to 23637, 87−23746, 87−24417, 87−24505, 87−24628, 87−25755 to 25756, 87−25761 to 25769, 87−25779 to 25787, 87−25796 to 25834, 87−25851 to 25856, 87−25863, 87−25866 to 25874, 87−25876, 87−26101 to 26102, 87−26596 to 26598, 87−26620 to 26623, 87−26634, 87−26646 to 26647, 87−26651 to 26653, 87−29048 to 29049, 87−29258 to 29261, 87−29285, 87−29701, 87−30501 to 30502, 87−30518 to 30520, 87−30566, 87−30592, 87−31077, 87−31558, 87−32827, 87−32829 to 32833, 87−32855 to 32867, 87−33403, 87−36839 to 36840, 87−38645, 87−38648, 87−38652 to 38653, 87−38656 to 38658, 87−38666, 87−39284, 87−39298 to 39302, 87−43655

Magnetics; 1984 Digests of INTERMAG '84. International Magnetics Conference (Cat. No. 84CH1918-2), Hamburg, West Germany, 10-13 April 1984, *(IEEE; VDE; Arbeitsgemeinschaft Magnetismus)* [Amsterdam, Netherlands: North-Holland Sept. 1984] 85−22057 (introductory abstract), 85−16971 to 16973, 85−18540 to 18541, 85−18545 to 18553, 85−18560 to 18569, 85−18580 to 18585, 85−20703, 85−21897 to 21902, 85−22288, 85−22428, 85−22475 to 22477, 85−22522, 85−23081, 85−23129 to 23130, 85−23170 to 23171, 85−23746, 85−24053 to 24059, 85−24063 to 24079, 85−24083 to 24103, 85−24109 to 24110, 85−24112 to 24119, 85−24121 to 24167, 85−24176 to 24192, 85−24197 to 24201, 85−24203 to 24217, 85−24219 to 24222, 85−24303, 85−24697 to 24704, 85−24712 to 24714, 85−24723 to 24731, 85−24768 to 24784, 85−24800, 85−25022 to 25026, 85−26160, 85−26255, 85−26295 to 26304, 85−26441 to 26443, 85−26456 to 26460, 85−26471, 85−26496, 85−27061, 85−27074 to 27075, 85−27100, 85−27243 to 27246, 85−27372, 85−27376 to 27378, 85−27395 to 27400, 85−27414 to 27415, 85−27431 to 27433, 85−27446, 85−27464 to 27467, 85−27564, 85−27584, 85−27667, 85−27725 to 27726, 85−28233, 85−28279, 85−28699, 85−29421, 85−29424, 85−29428, 85−29430 to 29432, 85−29435 to 29437, 85−29440 to 29443, 85−29453 to 29463, 85−29469 to 29475, 85−29481, 85−29512, 85−29646, 85−29656 to 29658, 85−29984, 85−29991 to 29992, 85−30003, 85−30018 to 30020, 85−30205, 85−31250, 85−31457, 85−31575, 85−32423, 85−32464, 85−32525 to 32526, 85−32566 to 32567, 85−32607, 85−32768, 85−33660, 85−35292 to 35294, 85−35958 to 35960, 85−35971, 85−35980, 85−37735, 85−38967 to 38968, 85−39006, 85−39019 to 39020, 85−39079

Magnetics; 8th Annual Meeting of the Magnetics Society of Japan, Hiroshima, Japan, 13-15 Nov. 1984, [April 1985] 86−7364 (introductory abstract), 86−7726, 86−7765, 86−7833, 86−9378 to 9389, 86−9391 to 9392, 86−9404 to 9408, 86−9483 to 9487, 86−9635, 86−36016 to 36026, 86−36068 to 36079, 86−42117 to 42119, 86−42143, 86−42376 to 42383, 86−62394, 86−62434, 86−62795, 86−63257, 86−63527 to 63534, 86−63541, 86−63552 to 63559, 86−63568 to 63570, 86−63927, 86−65401, 86−66134, 86−66153, 86−68154 to 68155, 86−68161 to 68168, 86−68179 to 68184, 86−68186, 86−68347 to 68353, 86−70857, 86−70899, 87−513, 87−1016, 87−1897 to 1900, 87−1914, 87−2263, 87−2267 to 2268, 87−2274, 87−2280 to 2281, 87−2316, 87−3564, 87−3638, 87−3724 to 3725, 87−4025, 87−4759 to 4760, 87−4799

Magnetics; INTERMAG '87: International Magnetics Conference, Tokyo, Japan, 14-17 April 1987, [Sept. 1987] 88−43546 (introductory abstract), 88−43925 to 43927, 88−44947 to 44951, 88−44973 to 44980, 88−49905 to 49906, 88−49940, 88−50013, 88−50310 to 50311, 88−50363 to 50365, 88−50446, 88−51154 to 51165, 88−51173 to 51239, 88−51246 to 51268, 88−51280 to 51336, 88−51343 to 51344, 88−51354 to 51356, 88−51360 to 51370, 88−51373 to 51374, 88−51401 to 51404, 88−51589 to 51597, 88−51831, 88−52037 to 52044, 88−52058, 88−52086 to 52088, 88−52127 to 52134, 88−52152 to 52153, 88−52165 to 52173, 88−52345 to 52346, 88−52436 to 52439, 88−53456 to 53458, 88−53624 to 53628, 88−53853, 88−53886, 88−54071, 88−54467, 88−54627, 88−54697, 88−55080, 88−55174, 88−55257, 88−55287 to 55292, 88−55318 to 55320, 88−55346 to 55351, 88−55372 to 55377, 88−55402 to 55405, 88−55448 to 55453, 88−55685, 88−55720 to 55722, 88−56192, 88−56339, 88−57896, 88−57898 to 57913, 88−57918, 88−57926 to 57965, 88−57985, 88−57987 to 57988, 88−58001 to 58003, 88−58006 to 58007, 88−58009, 88−58256 to 58269, 88−58769 to 58771, 88−58782 to 58783, 88−58801, 88−58902, 88−60687, 88−60884 to 60887, 88−60928, 88−61415 to 61417, 88−61450, 88−62325, 88−62353, 88−62385, 88−62411, 88−62550, 88−62663, 88−62690 to 62697

Magnetics; Ninth Annual Meeting of the Magnetics Society of Japan, Japan, 26-29 Nov. 1985, [Nov. 1985] 87−16236 (introductory abstract), 87−16558, 87−16665 to 16667, 87−18477 to 18484, 87−18514 to 18516, 87−18536, 87−18773, 87−22524, 87−31505, 87−32838 to 32843, 87−32868, 87−32877, 87−32883 to 32886, 87−32888 to 32892, 87−33014 to 33015, 87−35036, 87−46318, 87−46340, 87−46369 to 46381, 87−49682, 87−53886 to 53887, 87−53904, 87−54326, 87−56148, 87−58924, 87−58950, 87−58962, 87−60785 to 60786, 87−60790 to 60794, 87−60808, 87−60821, 87−60834 to 60836, 87−60838, 88−1850 to 1851, 88−1855 to 1857, 88−1860 to 1861, 88−2071 to 2074, 88−12201 to 12206, 88−12640, 88−13662 to 13664, 88−13680 to 13681, 88−13683, 88−14346, 88−14363, 88−16447 to 16448, 88−16480, 88−16510 to 16511, 88−16558, 88−16672, 88−17593 to 17594, 88−17652, 88−17689, 88−18275, 88−31834 to 31835, 88−33496 to 33502, 88−33510 to 33511, 88−33526 to 33527, 88−33790 to 33791, 88−33793 to 33796, 88−34141, 88−36418, 88−51598, 88−52154, 88−53629 to 53630

Magnetics in Japan; Tenth Annual Conference on Magnetics in Japan, Japan, 1986, [Nov. 1987] 88−43547 (introductory abstract), 88−43928, 88−44953 to 44958, 88−44963 to 44968, 88−44981, 88−49907, 88−51166 to 51167, 88−51242, 88−51270, 88−51337, 88−51345 to 51346, 88−51349, 88−51599 to 51601, 88−52092 to 52094, 88−52174, 88−53631 to 53641, 88−53854, 88−55353

Magnetism; 1984 Arbeitsgemeinschaft Magnetismus Conference (1984 Magnetism Study Group Conference), Munster, West Germany, 12-17 March 1984, *(Deutsche Gesellschaft fur Metall.; Deutsche Phys. Gesellschaft; Verband Deutscher Elektrotech.; Verein Deutscher Eisenhuttenleute)* [11 Nov. 1984] 85−24106, 85−24195

Magnetism; Proceedings of the International Conference on Magnetism: ICM '85, San Francisco, CA, USA, 26-30 Aug. 1985, *(AIP; APS; Nat. Res. Council; et al)* [Feb. 1986] 86−27959, 86−28615 to 28625, 86−35375, 86−35973 to 35977, 86−35983 to 35984, 86−36029 to 36033, 86−36093, 86−36518 to 36519, 86−36671, 86−38344, 86−38526, 86−39897, 86−40767 to 40768, 86−42100, 86−42121 to 42125, 86−42152, 86−42155, 86−42384

Magnetism; Seventh Conference on Magnetism, Kosice, Czechoslovakia, 5-8 June 1984, [1985] 86−516, 86−2580, 86−2587, 86−2604

Magnetism; 1986 Arbeitsgemeinschaft Magnetismus Spring Meeting (AM-86), Freudenstadt, West Germany, 7-11 April 1986, [Dec. 1986] 87−25791

Magnetism and magnetic materials; Proceedings of the Thirtieth Annual Conference on Magnetism and Magnetic Materials, San Diego, CA, USA, 27-30 Nov. 1984, *(AIP; IEEE)* [15 April 1985] 85−44369 (introductory abstract), 85−44728, 85−44779 to 44785, 85−45263, 85−45712, 85−45949 to 45951, 85−45954 to 45961, 85−45966 to 45968, 85−45980 to 45982, 85−45984 to 46008, 85−46018 to 46020, 85−46022, 85−46222 to 46225, 85−46518, 85−46522 to 46525, 85−46527 to 46530, 85−48243, 85−48950 to 48951, 85−48960, 85−49051, 85−49593 to 49594, 85−49658, 85−50825, 85−50827 to 50829, 85−50837, 85−50843 to 50845, 85−50849 to 50850, 85−50853, 85−51359 to 51360, 85−51385, 85−52726 to 52728, 85−52847 to 52848, 85−52937, 85−53721, 85−54526, 85−56082 to 56089

Magnetism and magnetic materials; Thirty-First Annual Conference on Magnetism and Magnetic Materials, Baltimore, MD, USA, 17-20 Nov. 1986, *(AIP; IEEE; American Inst. Min., Metall, & Pet. Eng.; et al)* [15 April 1987] 87−65033 (introductory abstract), 87−60787 to 60788, 87−60795 to 60796, 87−60810 to 60814, 87−60828 to 60829, 87−60869 to 60870, 87−60989, 87−61346, 87−63371 to 63372, 87−63496 to 63497, 87−63981, 87−65541 to 65542, 87−65624, 87−67697 to 67703, 87−67707 to 67724, 87−67729 to 67737, 87−67745 to 67763, 87−67778, 87−67783 to 67785, 87−67790 to 67791, 87−67795 to 67799, 87−67802 to 67805, 87−67809, 87−68220, 87−68696 to 68697, 87−68710, 87−68719 to 68721, 87−70572, 87−70769, 87−72093 to 72094

Magnetism and magnetic materials; Thirty-Second Annual Conference on Magnetism and Magnetic Materials, Chicago, IL, USA, 9-12 Nov. 1987, *(AIP; Magnetics Soc.; IEEE; et al)* [15 April 1988] 88−55776 (introductory abstract), 88−57922, 88−58043, 88−58270 to 58275, 88−64213, 88−64878, 88−64899 to 64901, 88−64936 to 64950, 88−64969, 88−64976 to 64977, 88−65968, 88−67667, 88−67758, 88−69428, 88−70395, 88−70971, 88−71145, 88−71884 to 71897, 88−71899 to 71901, 88−71916 to 71933, 88−71952, 88−71959 to 71962, 88−72168 to 72170, 88−72474, 88−72520, 88−75221, 88−75593

Magnetohydrodynamics; SEAM 22. 22nd Symposium on Engineering Aspects of Magnetohydrodynamics, Starkville, MS, USA, 26-28 June 1984, [University, MS, USA: Univ. Mississippi 1984, $45.00] 85−10330 (introductory abstract), 85−15893, 85−15957 to 15966, 85−16184, 85−16247 to 16267, 85−20757, 85−21528 to 21536, 85−21830 to 21843

Magnetohydrodynamics; Odinnadtsatoe rizhskoe soveshchanie po magnitnoi gidrodinamike (11th Riga Conference on Magnetohydrodynamics), Riga, USSR, 1984, [Riga, USSR: Institut Fiziki AN Latviiskoi SSR 1984] 85−9910, 85−9933, 85−10065 to 10066, 85−10118 to 10123

Maintenance; 1987 Maintenance Conference, Canadian Pulp and Paper Association, Saint John, NB, Canada, 20-22 Oct. 1987, [Montreal, Que., Canada: Canadian Pulp & Paper Assoc. 1987] 88−11618 (introductory abstract)

Maintenance and modifications for availability and efficiency; American Nuclear Society 12th Biennial Conference on Reactor Operating Experience. 'Maintenance and Modifications for Availability and Efficiency', Williamsburg, VA, USA, 4-7 Aug. 1985, *(ANS)* [1985] 85−65051 (introductory abstract), 85−59233, 85−59898 to 59902, 85−59957 to 59961, 85−65052 to 65061, 85−65109 to 65110, 85−65688

Man-machine interactions; VTT Symposium 78. Advances in Man-Machine Interactions. The Joint Finnish-Soviet Symposium on Man-Machine Interface, Control, Rooms and Expert Systems, Espoo, Finland, 21-23 Oct. 1986, *Uuspaa, P. (editor/s),* [Espoo, Finland: Tech. Res. Centre Finland 1987] 88−11694, 88−17237

Man-machine interface in power stations; IEE Colloquium on 'Developments in the Man-Machine Interface in Power Stations' (Digest No.43), London, UK, 26 March 1986, *(IEE)* [London, UK: IEE 1986] 86−40393 (introductory abstract), 86−44913 to 44914, 86−45047 to 45048, 86−45095 to 45096, 86−45183

Man-machine systems - analysis, design, evaluation; Analysis, Design and Evaluation of Man-Machine Systems. Proceedings of the 2nd IFAC/IFIP/IFORS/IEA Conference, Varese, Italy, 10-12 Sept. 1985, *(IFAC; IFIP; IFORS; Int. Ergonomics Assoc) Mancini, G. Johannsen, G. Martensson, L. (editor/s),* [Oxford, UK: Pergamon 1986, $76.00] 87−9137, 87−9309, 87−9422, 87−15494

Management and performance evaluation of computer systems; CMG '85. International Conference on the Management and Performance Evaluation of Computer Systems. Conference Proceedings, Dallas, TX, USA, 9-13 Dec. 1985, [Alexandria, VA, USA: Comput. Meas. Group 1985] 86−52194 to 52197, 86−52844, 86−54625, 86−54752, 86−54940 to 54943, 86−55091

Management and technology; 1987 IEEE Conference on Management and Technology: Management of Evolving Systems. Proceedings (Cat. No.87CH2521-3), Atlanta, GA, USA, 27-30 Oct. 1987, [New York, NY, USA: IEEE 1987] 88−31289 (introductory abstract), 88−31290, 88−31356 to 31359, 88−31391 to 31409, 88−31437, 88−31442 to 31445, 88−35154

Management of data; Proceedings of ACM-SIGMOD 1985 International Conference on Management of Data, Austin, TX, USA, 28-31 May 1985, *(ACM)* [Dec. 1985] 86−57559 to 57560

Management of design quality assurance; IEE Colloquium on 'Management of Design Quality Assurance' (Digest No.6), London, UK, 12 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88−18346 (introductory abstract)

Management of risk; IEE Colloquium on 'The Management of Risk' (Digest No.56), London, UK, 6 May 1987, *(IEE)* [London, UK: IEE 1987] 87−51751 (introductory abstract), 87−51807 to 51810

Management of technological innovation; Conference on Management of Technological Innovation: Facing the Challenge of the 1980's, Washington, DC, USA, 12-13 May 1983, *(IEEE; Worcester Polytech. Inst.; NSF; Acad. Manage.; Inst. Manage. Sci)* [Nov. 1984] 85−16673 to 16674, 85−44458 to 44460

Management training for scientists and technologists; Conference on Management Training for Scientists and Technologists, Manchester, UK, July 1986, *(Manchester Bus. Sch.; R & D Manage. Journal)* [April 1987] 87−51709 (introductory abstract), 87−51796 to 51802

Managing advanced manufacturing technology; Managing Advanced Manufacturing Technology. Proceedings of the UK Operations Management Association Conference, Coventry, UK, 2-3 Jan. 1986, *(Sci. & Eng. Res. Council) Voss, C.A. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986, DM 258] 87−65191

Managing change - challenge of today; Hong Kong Computer Conference '85. 'Managing Change -Challenge of Today', Hong Kong, 23-24 May 1985, *(American Chamber Commerce; Hong Kong Comput. Soc.; Hong Kong Production & Inventory Control Soc)* [Hong Kong: Trend Exhibition 1985] 86−17046

Manufacturing advancement; Changing Face of Manufacturing. Proceedings of the 9th Annual British Robot Association Conference, Stratford-upon-Avon, UK, 13-14 May 1986, *Collins, J.A. (editor/s),* [Kempston, UK: British Robot Assoc. May 1986] 87−116 to 118, 87−123, 87−591, 87−1091 to 1092, 87−3477

Manufacturing, advances; Proceedings of the International Conference on Advances in Manufacturing, Singapore, 9-11 Oct. 1984, *(IFS (Conf.); Singapore Exhibition Service)* [Kempston, UK: IFS (Publications) Oct. 1984, £42.00] 85−16788, 85−22019 to 22020

Manufacturing applications of lasers; Manufacturing Applications of Lasers, Los Angeles, CA, USA, 23-24 Jan. 1986, *(SPIE)* [1986] 87−43744 (introductory abstract), 87−45742, 87−45800 to 45801, 87−46092 to 46093, 87−46205, 87−46517, 87−47039 to 47047, 87−49924 to 49925, 87−49956, 87−49982, 87−50813

Manufacturing industries strategies; IEE Colloquium on 'Manufacturing Industry Strategies Towards 2000' (Digest No.69), London, UK, 9 May 1988, *(IEE)* [London, UK: IEE 1988] 88−49394 (introductory abstract)

Manufacturing science, technology and systems; Manufacturing Science, Technology and Systems of the Future, Ljubljana, Yugoslavia, 12-14 Sept. 1985, [1988] 88−37945, 88−39690, 88−40447 to 40448

Manufacturing systems and technology of the future; International Conference on Manufacturing Systems and Technology of the Future, Cambridge, MA, USA, 3-5 June 1987, [1988] 88−59316

Manufacturing technologies; IEE Colloquium on 'Recent Advances in Manufacturing Technologies' (Digest No.99), London, UK, 12 Nov. 1987, *(IEE)* [London, UK: IEE 1987] 88−11624 (introductory abstract), 88−11748 to 11750, 88−12723 to 12724, 88−12848

Manufacturing technology advances; NES Annual Conference on Advances in Manufacturing Technology, London, UK, 1-2 May 1985, [London, UK: Numerical Eng. Soc. 1985, £30.00] 85−54176

Manufacturing technology advances; Advances in Manufacturing Technology. Proceedings of the First National Conference on Production Research, Nottingham, UK, Sept. 1985, *McGoldrick, P.F. (editor/s),* [London, UK: Kogan Page 1986, £45.00] 87−23265, 87−23333

MAP for integrated production systems; Internationaler Kongress mit LAN uber MAP zu Integrierten Produktionssystemen (International Congress - With LAN via MAP towards Integrated Production Systems), Hannover, West Germany, 6-7 April 1987, [Hannover, West Germany: Deutsche Messe & Ausstellungs 1987] 88−11594 (introductory abstract), 88−15150 to 15151, 88−21719 to 21722

Marine electronic navigation; IEE Colloquium on 'Marine Electronic Navigation Systems, Applications and Design' (Digest No. 54), London, UK, 18 April 1986, *(IEE)* [London, UK: IEE 1986] 86−45947 (introductory abstract), 86−49735, 86−49741, 86−49750 to 49757

Marine industry, control; IEE Colloquium on 'Control in the Marine Industry' (Digest no.19), London, UK, 28 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88−36723 (introductory abstract), 88−36724 to 36728, 88−37704 to 37705

Marine positioning; Proceedings of the International Symposium on Marine Positioning, Reston, VA, USA, 14-17 Oct. 1986, *(Marine Geodesy Committee; Marine Technol. Soc.; Int. Assoc. Geodesy; et al)* [Dordrecht, Netherlands: Reidel 1987, $99.00] 88−6124 (introductory abstract), 88−4121, 88−4137 to 4141, 88−5192 to 5202, 88−8391, 88−9669 to 9670, 88−9678 to 9687, 88−10471, 88−10587 to 10594

Mass definition, high precision; 54. und 57. PTB-Seminar uber Massebestimmung Hoher Genauigkeit (54th and 57th PTB-Seminar on High Precision Definition of Mass) (PTB-Me-60), Braunschweig, West Germany, 13-14 Feb. 1984, [Braunschweig, West Germany: Phys.-Tech. Bundesanstalt June 1984] 85−10350 (introductory abstract), 85−14588, 85−15054 to 15056

Mass storage devices for computers; IEE Colloquium on 'Mass Storage Devices for Computers' (Digest No.104), London, UK, 20 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87−12921 (introductory abstract), 87−12922

Mass storage systems; Digest of Papers. The Mass Storage System Spectrum: A Study in Extremes. Sixth IEEE Symposium on Mass Storage Systems (Cat. No. 84CH2003-2), Vail, CO, USA, 4-7 June 1984, *(IEEE) Friedman, K. (editor/s),* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−24175

Mass storage systems; Digest of Papers. Seventh IEEE Symposium on Mass Storage Systems. Toward Automated Mass Storage Systems (Cat. No.85CH2211-1), Tucson, AZ, USA, 4-7 Nov. 1985, *(IEEE) Friedman, K. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86−42136

Mass storage systems; Digest of Papers. Eighth IEEE Symposium on Mass Storage Systems: Emerging Solutions for Data-Intensive Applications (Cat. No.87CH2415-8), Tucson, AZ, USA, 11-14 May 1987, *(IEEE) Friedman, K. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−60995 to 60996, 87−63173

Material sciences; Materials Sciences for the Future. 31st International SAMPE Symposium and Exhibition, Las Vegas, NV, USA, 7-10 April 1986, *(Soc. Adv. Mater. & Process Eng) Bauer, J.L. Dunaetz, R. (editor/s),* [Covina, CA, USA: Soc. Adv. Mater. & Process Eng. 1986] 86−57513, 86−66802

Material sciences under microgravity; 5th European Symposium on Material Sciences under Microgravity - Results of Spacelab-1 (ESA-SP-222), Schloss Elmau, West Germany, 5-7 Nov. 1984, *(German Aerosp. Res. Establ.; ESA)* [Paris, France: ESA 1984] 85−44682 to 44686, 85−45384

Materials and detectors for infrared; Recent Developments in Materials and Detectors for the Infrared, Cannes, France, 25-26 Nov. 1985, *(SPIE)* [1986] 87−16259 (introductory abstract), 87−16680, 87−17815, 87−18576 to 18578, 87−18729, 87−19017, 87−21090 to 21100

Materials and optics; Horizons de l'Optique 83. Les Materiaux et l'Optique (Horizons in Optics. Materials and Optics), Bordeaux, France, 21-23 Nov. 1983, [Sept.-Oct. 1984] 85−5630 (introductory abstract), 85−7294, 85−7401, 85−7530, 85−7550

Materials and optics for solar energy conversion; Materials and Optics for Solar Energy Conversion and Advanced Lighting Technology, San Diego, CA, USA, 19-21 Aug. 1986, *(SPIE)* [1987] 87−65041 (introductory abstract), 87−68012 to 68013, 87−68153, 87−68205 to 68207, 87−68241 to 68242, 87−68659 to 68662, 87−70387, 87−70446, 87−72418 to 72420, 87−72568 to 72573, 87−72580, 88−16537

Materials characterisation; Materials Characterization Symposium, Palo Alto, CA, USA, 15-17 April 1986, *Cheung, N. Nicolet, M.-A. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−24747, 87−24771, 87−24800, 87−25099, 87−25534 to 25535, 87−26184, 87−29024

Materials for active optics; Advances in Materials for Active Optics, San Diego, CA, USA, 22-23 Aug. 1985, *(SPIE)* [1986] 87−16242 (introductory abstract), 87−18573, 87−18760 to 18761, 87−18769 to 18770, 87−18780 to 18782, 87−19047, 87−21088

Materials for high speed/high density applications; VLSI Science and Technology-1984. Proceedings of the Second International Symposium on Very Large Scale Integration Science and Technology. Materials for High Speed/High Density Applications, Cincinnati, OH, USA, 6-11 May 1984, *Bean, K.E. Rozgonyi, G.A. (editor/s),* [Pennington, NJ, USA: Electrochem. Soc. 1984] 85−22082 (introductory abstract), 85−22459, 85−22495 to 22498, 85−22513, 85−22546 to 22547, 85−23421 to 23429, 85−23562 to 23564, 85−23594 to 23595, 85−23628 to 23630, 85−23666 to 23673, 85−23711 to 23713, 85−23757, 85−23823 to 23824, 85−23918 to 23919, 85−23978 to 23981

Materials for IR detectors and sources; Materials for Infrared Detectors and Sources Symposium, Boston, MA, USA, 1-5 Dec. 1986, *Farrow, R.F.C. Schetzina, J.F. Cheung, J.T. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 87−65088 (introductory abstract), 87−65477 to 65481, 87−65536 to 65540, 87−66967 to 66968, 87−68532 to 68533, 87−70664, 88−428 to 432, 88−435, 88−460 to 464

Materials for space; 18th International SAMPE Technical Conference. Vol.18. Materials for Space - the Gathering Momentum, Seattle, WA, USA, 7-9 Oct. 1986, *Hoggatt, J.T. Hill, S.G. Johnson, J.C. (editor/s),* [Covina, CA, USA: Soc. Adv. Mater. & Process Eng. 1986, $60.00] 87−36342 (introductory abstract)

Materials issues in amorphous semiconductor technology; Materials Issues in Amorphous-Semiconductor Technology Symposium, Palo Alto, CA, USA, 15-18 April 1986, *(Mater. Res. Soc) Adler, D. Hamakawa, Y. Madan, A. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−16297 (introductory abstract), 87−16697 to 16703, 87−17737 to 17740, 87−17775 to 17779, 87−17797 to 17798, 87−17853, 87−17934, 87−18828 to 18833, 87−22774 to 22780, 87−23737 to 23742, 87−24807 to 24812, 87−24903 to 24905, 87−24944, 87−24976, 87−25094 to 25095, 87−25222 to 25223, 87−25354 to 25358, 87−25914 to 25915, 87−26183, 87−26216 to 26217, 87−29142, 87−29218, 87−30980 to 30992

Materials issues in Si IC processing; Materials Issues in Silicon Integrated Circuit Processing Symposium, Palo Alto, CA, USA, 15-18 April 1986, *(Mater. Res. Soc) Wittmer, M. Stimmell, J. Strathman, M. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−16298 (introductory abstract), 87−16644 to 16649, 87−16704, 87−17698 to 17709, 87−17799 to 17801, 87−17895 to 17899, 87−17935, 87−18014, 87−18046 to 18048, 87−18081, 87−18353 to 18354, 87−23695, 87−23701, 87−24770, 87—24945 to 24947, 87—25059 to 25060, 87—25096 to 25098, 87—25148 to 25151, 87—25174 to 25176, 87—25224, 87—25359 to 25362, 87—25527 to 25528, 87—25618

Materials modification and growth using ion beams; Materials Modification and Growth Using Ion Beams. Symposium, Anaheim, CA, USA, 21-23 April 1987, *(Mater. Res. Soc.) Gibson, U. White, A.E. Pronko, P.P. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88—43593 (introductory abstract), 88—43897, 88—44552, 88—44603 to 44605, 88—44652 to 44653, 88—44696 to 44697

Materials sciences in space; Materials Sciences in Space. Proceedings of the Topical Meeting of the COSPAR Interdisciplinary Scientific Commission G (Meeting G1) of the COSPAR Twenty-Fifth Plenary Meeting, Graz, Austria, 25 June-7 July 1984, *(COSPAR)* [1984] 85—33384

Materials selection and design; Materials. Proceedings of Materials Selection and Design, London, UK, 2-4 July 1985, [Pinner, UK: Online Publications 1985, £60.00] 86—52129 (introductory abstract)

Mathematical cybernetics and DP; Joint Bulgarian-Hungarian Workshop on 'Mathematical Cybernetics and Data Processing', Giulecica, Bulgaria, 6-10 May 1985, [1986] 87—40021, 87—40403 to 40404

Mathematical foundations of computer science; Mathematical Foundations of Computer Science 1986. Proceedings of the 12th Symposium, Bratislava, Czechoslovakia, 25-29 Aug. 1986, *Gruska, J. Rovan, B. Wiedermann, J. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986, DM96.00] 87—73215, 87—73429, 87—73511, 87—75993, 88—63182, 88—64689, 88—66511

Mathematical foundations of software development; Proceedings of the International Joint Conference on Theory and Practice of Software Development (TAPSOFT), Berlin, West Germany, 25-29 March 1985, *Ehrig, H. Floyd, C. Nivat, M. Thatcher, J. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 85—57880

Mathematical modelling; Fifth International Conference on Mathematical Modelling, Berkeley, CA, USA, 29-31 July 1985, *(Inst. Appl. Sci. St. Louis; Univ. California; SRI Int.; et al)* [1987] 87—35710, 87—35965, 87—36193, 87—36389, 87—36532, 87—36616, 87—37418, 87—38188, 87—39796 to 39797, 87—39906, 87—42372, 87—42503 to 42504, 87—42585, 87—42647, 87—42670, 87—43162

Mathematical modelling; Sixth International Conference on Mathematical Modelling, St. Louis, MO, USA, 4-7 Aug. 1987, *(Washington Univ.; SCS; IMACS; et al)* [1988] 88—43553 (introductory abstract), 88—43760 to 43761, 88—43791 to 43793, 88—43801 to 43803, 88—44500, 88—44820, 88—44983, 88—45187, 88—45358, 88—45388, 88—45429, 88—45619, 88—45646, 88—45692, 88—48120, 88—48151, 88—48316, 88—48396, 88—48447 to 48448, 88—48542, 88—48874, 88—49160, 88—49467, 88—49641, 88—50796, 88—52452, 88—52542, 88—53129, 88—53381, 88—53520, 88—54769, 88—55324, 88—55473, 88—55654

Mathematical modelling for industrial dynamic systems; IEE Colloquium on 'Mathematical Modelling for Industrial Dynamic Systems' (Digest No.10), London, UK, 20 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87—31663, 87—35810

Mathematicians' international congress; Proceedings of the International Congress of Mathematicians, Warsaw, Poland, 16-24 Aug. 1983, *Ciesielski, Z. Olech, C. (editor/s),* [Amsterdam, Netherlands: Elsevier 1984] 86—13309 (introductory abstract)

Mathematics and computer science; Mathematics and Computer Science. Proceedings of the CWI Symposium, Amsterdam, Netherlands, 25 Nov. 1983, *De Bakker, J.W. Hazewinkel, M. Lenstra, J.K. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $55.50] 87—5147 (introductory abstract), 87—5319, 87—5325, 87—5339 to 5340, 87—5373

Mathematics and computer science; Mathematics and Computer Science II. Fundamental Contributions in the Netherlands since 1945, Amsterdam, Netherlands, 6-7 Oct. 1986, *Hazewinkel, M. Lenstra, J.K. Meertens, L.G.L.T. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986] 87—34907

Mathematics for optimisation; FERMAT Days 85: Mathematics for Optimization, Toulouse, France, 6-10 May 1985, *(French. Math. Soc.; Soc. Appl. & Ind. Math) Hiriart-Urruty, J.-B. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $60.00] 88—30434

Mathematics in engineering education; Conference on the Role of Mathematics in Engineering Education, Limerick, Ireland, 7-8 June 1984, [May-June 1985] 86—13256 (introductory abstract)

Matter wave interferometry; International Workshop on Matter Wave Interferometry in the Light of Schroedinger's Wave Mechanics, Vienna, Austria, 14-16 Sept. 1987, *(Hitachi; Erwin Schroedinger Gesellschaft; Siemens; et al)* [July 1988] 88—71570

Maximum entropy and Bayesian methods; Maximum-Entropy and Bayesian Analysis and Estimation Problems. Proceedings of the Third Workshop on Maximum Entropy and Bayesian Methods in Applied Statistics, Laramie, WY, USA, 1-4 Aug. 1983, *Smith, C.R. Erickson, G.J. (editor/s),* [Dordrecht, Netherlands: Reidel 1987, $59.00] 88—31308 (introductory abstract), 88—31615, 88—31662, 88—34542 to 34548, 88—34732, 88—34837 to 34838

MBE and heterostructures; Molecular Beam Epitaxy and Heterostructures. Proceedings of a NATO Advanced Study Institute, Erice, Italy, 7-19 March 1983, *Chang, L.L. Ploog, K. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1985] 85—27975 (introductory abstract), 85—28225 to 28231, 85—28256, 85—28731, 85—29025 to 29029, 85—29130, 85—29859

Measurement and automation technology; Fortschritte in der Mess- und Automatisierungstechnik durch Informationstechnik: INTERKAMA-Kongress 1986 (Advances in Measurement and Automation Technology using Information Technology: INTERKAMA-Congress 1986), Dusseldorf, West Germany, 6-11 Oct. 1986, *Thoma, M. Schmidt, G. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986] 87—12213, 87—13441 to 13443, 87—13744, 87—14118 to 14119, 87—14207, 87—14219, 87—14314 to 14315, 87—14573 to 14574, 87—14613, 87—14627, 87—14834, 87—15542 to 15543

Measurement and estimation; Symposium on Measurement and Estimation Proceedings, Bressanone, Italy, 8-12 May 1984, [Padova, Italy: Cleup Editore 1984] 85—32920 (introductory abstract), 85—33163, 85—33748, 85—35141, 85—35269, 85—36299 to 36300, 85—37387 to 37401, 85—37407, 85—37461 to 37465, 85—37542 to 37544, 85—37551 to 37552, 85—37611 to 37614, 85—37725, 85—37765 to 37766, 85—37769, 85—37775, 85—37804, 85—38009 to 38010, 85—38171, 85—38374, 85—39046 to 39047, 85—39159

Measurement and modeling of computer systems; 1987 ACM SIGMETRICS Conference on Measurement and Modeling of Computer Systems, Banff, Alta., Canada, 11-14 May 1987, [May 1987] 88—56099, 88—59369 to 59372, 88—59666 to 59669

Measurement and modelling of computer systems; Proceedings of the 1984 ACM SIGMETRICS Conference on Measurement and Modeling of Computer Systems, Cambridge, MA, USA, 21-24 Aug. 1984, *(ACM)* [Aug. 1984] 85—13671 to 13672, 85—13914, 85—14142

Measurement and modelling of computer systems; Proceedings of the 1985 ACM SIGMETRICS Conference on Measurement and Modeling of Computer Systems, Austin, TX, USA, 26-29 Aug. 1985, *(ACM)* [Aug. 1985] 86—7602 to 7603, 86—10602, 86—10648, 86—10789

Measurement instrumentation and digital technology; Conference on Measurement Instrumentation and Digital Technology 1984, Melbourne, Vic., Australia, 31 Oct.-2 Nov. 1984, *(Inst. Eng. Australia; Inst. Instrum. & Control Australia)* [Barton, ACT, Australia: Inst. Eng. Australia 1984, $16.00] 85—10342 (introductory abstract), 85—14108, 85—14324, 85—14431, 85—14570, 85—14586, 85—14632 to 14637, 85—14674, 85—14676 to 14677, 85—14683 to 14684, 85—14735, 85—14796, 85—14974, 85—15010, 85—15040, 85—15068, 85—15345, 85—15426, 85—15641, 85—15689, 85—15799, 85—16373 to 16374

Measurement, modelling and evaluation of computer systems; Messung, Modellierung und Bewertung von Rechensystemen. 3. GI/NTG-Fachtagung (Measurement, Modelling and Evaluation of Computer Systems. 3rd GI/NTG Technical Meeting), Dortmund, West Germany, 1-3 Oct. 1985, *Beilner, H. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 86—37209, 86—37568 to 37569

Measurement, modelling and evaluation of computer systems; Messung, Modellierung und Bewertung von Rechensystemen: 4.GI/ITG-Fachtagung Proceedings (Measurement, Modelling and Evaluation of Computer Systems. 4th GI/ITG Meeting Proceedings), Erlangen, West Germany, 29 Sept.-1 Oct. 1987, *Herzog, U. Paterok, M. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 88—37847 (introductory abstract), 88—38059, 88—41242, 88—41381, 88—41433, 88—41577, 88—49628 to 49631, 88—52752, 88—52961, 88—53084

Measurement progress; 1986 National Conference of Standards Laboratories, Gaithersburg, MD, USA, 6-9 Oct. 1986, [Gaithersburg, MD, USA: NBS 1986, $25.00] 87—43792 (introductory abstract)

Measurements accuracy; IMEKO Interregional Training Course on Ensuring Measurements Accuracy Proceedings, Seibersdorf, Austria, 11-21 Sept. 1984, [Seibersdorf, Austria: Austrian Res. Centre 1984] 86—19742 (introductory abstract)

Measurements in engineering science; IEE Colloquium on Measurements in Engineering Science (Digest No.31), London, UK, 28 March 1985, *(IEE)* [London, UK: IEE 1985] 85—44451 (introductory abstract), 85—48108, 85—48813 to 48817

Measuring techniques in offshore, coastal and inland waters; International Conference on Measuring Techniques of Hydraulic Phenomena in Offshore, Coastal and Inland Waters, London, UK, 9-11 April 1986, *(BHRA; American Soc. Civil Eng.; Int. Assoc. Hydraulic Res) Poundsford, J.H. (editor/s),* [Cranfield, UK: BHRA 1986] 86—45941 (introductory abstract)

Mechanical aspects of electronic design; CONSTRONIC '84. 4th Conference on Mechanical Aspects of Electronic Design, Budapest, Hungary, 9-11 Oct. 1984, [Budapest, Hungary: Hiradastech. Tudomanyos Egyesulet (Distributor: OMIKK-Technoinform) 1984, $24.00] 85—27953 (introductory abstract)

Media, print and electronics; Inter Media Congress Hamburg '85, Hamburg, West Germany, 27-30 Nov. 1985, [Hamburg, West Germany: InterMedia Centrum Service & Consulting Gesellschaft 1986] 87—72705 (introductory abstract)

Medical and biological engineering; Proceedings of the XIV International Conference on Medical and Biological Engineering and VII International Conference on Medical Physics (papers in summary form only received), Espoo, Finland, 11-16 Aug. 1985, [1985] 86—45902 (introductory abstract)

Medical and industrial microwave applications; IEE Colloquium on 'Industrial and Medical Application of Microwaves' (Digest No.73), London, UK, 9 May 1986, *(IEE)* [London, UK: IEE 1986] 86—52152 (introductory abstract), 86—53061, 86—55379, 86—55725, 86—55823 to 55824, 86—56118 to 56121, 86—56173, 86—56182 to 56184, 86—56248, 86—56271 to 56273

Medical and physiological imaging; Recent Advances in Medical and Physiological Imaging. Spring 1985 Meeting of the Scientific and Technical Group of the Royal Photographic Society (papers in summary form only received)), Harrow, UK, 10-12 April 1985, [Nov.-Dec. 1985] 86—19708 (introductory abstract)

Medical applications of microwaves; IEE Colloquium on 'Medical Applications of Microwaves' (Digest No.60), London, UK, 25 April 1988, *(IEE)* [London, UK: IEE 1988] 88—49386 (introductory abstract), 88—54541 to 54544, 88—54615 to 54621, 88—54673

Medical computer graphics; Proceedings of the 1984 International Joint Alpine Symposium on Medical Computer Graphics and Image Communications and Clinical Advances in Neuro CT/NMR (cat. no. 84CH2006-5), Innsbruck, Austria, 11-15 Feb. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—4343

Medical computing; Milano Medicina, World Conference, 1984, Milan, Italy, Nov. 1984, [1985] 86—24150, 86—24822, 86—25235

Medical diagnosis, computer-based; IEE Colloquium on 'Computer Based Diagnosis' (Digest No.2), London, UK, 6 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88—18345 (introductory abstract), 88—23476

Medical equipment; IEE Colloquium on 'ACARD Report on Medical Equipment' (Digest No.79), London, UK, 2 Oct. 1987, *(IEE)* [London, UK: IEE 1987] 88—11605 (introductory abstract)

Medical equipment innovation; IEE Colloquium on 'Equipment Innovation in Medicine and Rehabilitation: From Idea to the Market Place' (Digest No.91), London, UK, 14 June 1988, *(IEE)* [London, UK: IEE 1988] 88—55853 (introductory abstract)

Medical fibre optics; Novel Optical Fiber Techniques for Medical Applications, San Diego, CA, USA, 21 Aug. 1984, *(SPIE)* [1984] 85—32879 (introductory abstract), 85—35405, 85—38064 to 38073, 85—38193 to 38197

Medical image processing; Medical Image Processing, Cannes, France, 2-3 Dec. 1985, *(SPIE)* [1986] 87—55278 to 55279, 87—57104, 87—57257 to 57258

Medical images and icons; Proceedings of ISMII '84. IEEE Computer Society International Symposium on Medical Images and Icons (Cat. No. 84CH2047-9), Arlington, VA, USA, 24-27 July 1984, *(IEEE) Duerinckx, A. Loew, M.H. Prewitt, J.M.S. (editor/s),* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85—27935 (introductory abstract), 85—30278, 85—30731 to 30732, 85—31814 to 31833, 85—31857, 85—35556, 85—38003, 85—38115 to 38126, 85—38160

Medical imaging; Application of Optical Instrumentation in Medicine XIV and Picture Archiving and Communication Systems (PACS IV) for Medical Applications, Newport Beach, CA, USA, 2-7 Feb. 1986, *(SPIE)* [1986] 87—13996, 87—14863 to 14885, 87—14953 to 14964, 87—18521, 87—20243 to 20244, 87—20531, 87—21702 to 21709, 87—28115 to 28117, 87—29835 to 29843

Medical imaging; Medical Imaging, Newport Beach, CA, USA, 1-6 Feb. 1987, *(SPIE)* [1987] 88—18300 (introductory abstract), 88—21087, 88—21306 to 21309, 88—22977, 88—23015, 88—23048 to 23061, 88—23089 to 23091, 88—23113, 88—23146 to 23148, 88—27728, 88—28052 to 28053, 88—29948, 88—29967 to 29974, 88—35118, 88—35910, 88—36159, 88—36447 to 36453, 88—36530 to 36574

Medical imaging and instrumentation; Medical Imaging and Instrumentation '84. Practical Applications of Conventional and New Imaging Technologies, Las Vegas, NV, USA, 8-10 April 1984, *(SPIE)* [1984] 85—32877 (introductory abstract), 85—37307, 85—38039 to 38063

Medical imaging and instrumentation; Medical Imaging and Instrumentation '85. Practical Applications of Conventional and New Imaging Technologies, Boston, MA, USA, 21-23 April 1985, *(Soc. Photographic Sci. & Eng.; SPIE)* [1985] 87–22968 (introductory abstract), 87–29733 to 29740

Medical imaging, physics and engineering; Physics and Engineering of Medical Imaging. Proceedings of the NATO Advanced Study Institute, Maratea, Italy, 23 Sept.-5 Oct. 1984, *(NATO; CNR) Guzzardi, R. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1987, $210.00] 87–58528 (introductory abstract)

Medical imaging techniques; IEE Colloquium on Techniques in Medical Imaging (Digest No.89), London, UK, 23 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85–32933 (introductory abstract), 85–38137 to 38141

Medical microcomputer applications; Medical Microcomputer Applications Workshop, London, UK, 4-5 Sept. 1986, [London, UK: Springer-Verlag 1986] 87–23004 (introductory abstract), 87–29710 to 29713

Mediterranean electrotechnical conference; Proceedings of MELECON '85. Mediterranean Electrotechnical Conference (Cat. No.85CH2185-7), Madrid, Spain, 8-10 Oct. 1985, *(IEEE; Madrid's Mayor; Minist. Ind. & Energy; Spanish Nat. Telephone Co.; et al) Luque, A. Figueiras Vidal, A.R. Delgado, J.M.R. (editor/s),* [New York, NY, USA: IEEE 1985] 86–26507 (introductory abstract), 86–26766, 86–26792 to 26795, 86–26855, 86–26870, 86–27016, 86–27081, 86–27141 to 27142, 86–27162 to 27163, 86–27383 to 27387, 86–27408, 86–27437 to 27438, 86–27461 to 27464, 86–27492 to 27493, 86–27565 to 27571, 86–27633 to 27637, 86–27640, 86–27950, 86–28075, 86–28175, 86–28362 to 28363, 86–29261, 86–29306, 86–29353 to 29359, 86–29396 to 29399, 86–29510, 86–29546 to 29554, 86–29568 to 29577, 86–29617 to 29619, 86–29642 to 29645, 86–29709 to 29711, 86–29753 to 29756, 86–29811 to 29827, 86–29939 to 29961, 86–30050 to 30067, 86–30116 to 30130, 86–30242, 86–30273 to 30274, 86–30428 to 30432, 86–30447, 86–30456, 86–30486, 86–30613 to 30616, 86–30645 to 30647, 86–30687 to 30688, 86–30848, 86–30872 to 30877, 86–30888 to 30889, 86–30907, 86–31119, 86–31187, 86–31316 to 31317, 86–31335, 86–31421, 86–31568, 86–31618, 86–31691, 86–32239 to 32242, 86–32297 to 32309, 86–32331 to 32340, 86–32348 to 32350, 86–32358 to 32361, 86–32549, 86–32613 to 32614, 86–32761, 86–32873, 86–33215 to 33225, 86–33241 to 33247, 86–33524 to 33526, 86–33681 to 33703

Megagauss technology and pulsed power applications; Megagauss Technology and Pulsed Power Applications. Proceedings of the Fourth International Conference on Megagauss Magnetic Field Generation and Related Topics, Santa Fe, NM, USA, 14-17 July 1986, *(Air Force Weapons Lab.; Kurchatov Inst. Atomic Energy; Los Alamos Nat. Lab.; et al) Fowler, C.M. Caird, R.S. Erickson, D.J. (editor/s),* [New York, NY, USA: Plenum 1987, $138.00] 88–37833 (introductory abstract), 88–38333, 88–39163, 88–40152 to 40153, 88–40469 to 40478, 88–40496 to 40499, 88–40503 to 40511, 88–42347, 88–42376, 88–42466, 88–43210, 88–43252, 88–43295 to 43316, 88–43336 to 43337, 88–43396, 88–45623, 88–47507, 88–47554, 88–47798, 88–49055 to 49062, 88–49169

Melecon '87; Proceedings of MELECON '87: Mediterranean Electrotechnical Conference and 34th Congress on Electronics Joint Conference (Cat. No.87CH2425-7), Rome, Italy, 24-26 March 1987, *(IEEE; Int. Electron. Energy & Space Exposition; Italian Minist. Posts & Telecommun.; et al)* [New York, NY, USA: IEEE 1987] 88–39 (introductory abstract), 88–425, 88–534 to 535, 88–551, 88–588, 88–605, 88–621 to 622, 88–722 to 724, 88–858, 88–864, 88–892 to 894, 88–916, 88–966 to 968, 88–975, 88–1019 to 1023, 88–1462, 88–1562, 88–1797, 88–2138, 88–2326, 88–2353, 88–2586 to 2589, 88–2644, 88–2906, 88–2917 to 2918, 88–2942 to 2946, 88–2975, 88–3003, 88–3073 to 3078, 88–3214 to 3216, 88–3310 to 3322, 88–3336, 88–3408 to 3413, 88–3601 to 3609, 88–3701, 88–3716, 88–3756 to 3760, 88–3791, 88–3816, 88–3847 to 3848, 88–3944 to 3950, 88–4048 to 4054, 88–4084, 88–4105, 88–4135, 88–4192 to 4194, 88–4445, 88–4704 to 4705, 88–4925, 88–5000, 88–5243 to 5248, 88–5292 to 5293, 88–5304 to 5309, 88–5317, 88–5330 to 5331, 88–5348, 88–5413, 88–5428, 88–5610 to 5616, 88–5625 to 5627, 88–5655 to 5656, 88–5671 to 5672, 88–5700, 88–5709, 88–5786, 88–5882 to 5885

Mercury cadmium telluride; Proceedings of the 1984 US Workshop on the Physics and Chemistry of Mercury Cadmium Telluride, San Diego, CA, USA, 14-17 May 1984, *(Army Res. Office; Defense Adv. Res. Projects Agency; American Vacuum Soc)* [Jan.-Feb. 1985] 85–33385 to 33386, 85–33424 to 33432, 85–34489 to 34492, 85–34565 to 34568, 85–34653 to 34654, 85–34764, 85–34838 to 34841, 85–34915, 85–35625 to 35626

Mercury cadmium telluride; Proceedings of the 1985 U.S. Workshop on the Physics and Chemistry of Mercury Cadmium Telluride, San Diego, CA, USA, 8-10 Oct. 1985, *(Air Force Office Sci. Res.; Army Res. Office; Defense Adv. Res. Projects Agency; American Vacuum Soc)* [July-Aug. 1986] 86–66526 (introductory abstract), 86–66825 to 66830, 86–66850 to 66853, 86–67680 to 67687, 86–67705, 86–67726 to 67729, 86–67760 to 67761, 86–67795, 86–67806, 86–68380, 86–68399 to 68400, 86–68539, 86–70145

Mercury cadmium telluride; 1986 US Workshop on the Physics and Chemistry of Mercury Cadmium Telluride, Dallas, TX, USA, 7-9 Oct. 1986, *(Air Force Office Sci. Res.; Army Res. Office; American Vacuum Soc. et al)* [Sept.-Oct. 1987] 88–11558 (introductory abstract), 88–11993 to 11996, 88–12048, 88–12948 to 12950, 88–12979 to 12980, 88–13103 to 13105, 88–13619, 88–16110

Mercury cadmium telluride; 1987 U.S. Workshop on the Physics and Chemistry of Mercury Cadmium Telluride, New Orleans, LA, USA, 6-8 Oct. 1987, *(Air Force Office Sci. Res.; Army Res. Office; et al)* [July-Aug. 1988] 88–63319 to 63322, 88–64242 to 64247, 88–64288, 88–64324, 88–64340, 88–64384 to 64385, 88–64416, 88–64619, 88–65505 to 65506

Meson theory; Proceedings of the Kyoto International Symposium: The Jubilee of the Meson Theory, Kyoto, Japan, 15-17 Aug. 1985, [1985] 86–70432

Mesoscale analysis and forecasting; Mesoscale Analysis and Forecasting Incorporatong 'Nowcasting'. Proceedings of an International Symposium (ESA SP-282), Vancouver, BC, Canada, 17-19 Aug. 1987, *(Int. Assoc. Meteorol. & Atmos. Phys.; WMO; ESA) Battrick, B. Rolfe, E. (editor/s),* [Noordwijk, Netherlands: ESA Aug. 1987] 88–14734, 88–15585 to 15596, 88–16917 to 16920

Message handling systems; Message Handling Systems: State of the Art and Future Directions. Proceedings of the IFIP TC 6/WG 6.5 Working Conference, Munich, West Germany, 27-29 April 1987, *(Siemens AG) Speth, R. (editor/s),* [Amsterdam, Netherlands: North-Holland 1988, $108.00] 88–55818 (introductory abstract), 88–59519 to 59545, 88–59695, 88–59854 to 59855

Metal hydrides; International Symposium on the Properties and Applications of Metal Hydrides V, Maubuisson, France, 25-30 May 1986, [15 March 1987] 87–53898

Metal-semiconductor contacts; Comptes Rendus des Journees d'Etudes sur Interaction et Contact Metal-Semiconducteur - Aspects Fondamentaux et Applications Industrielles (Metal-Semiconductor Interactions and Contacts - Fundamental Aspects and Industrial Applications), Montpellier, France, 10-11 May 1984, [March-April 1985] 86–13268 (introductory abstract), 86–14942 to 14950, 86–14965, 86–15076, 86–15235, 86–20108, 86–21259 to 21266, 86–21291, 86–21294, 86–21424, 86–21503 to 21504, 86–21712

Metallic magnetism at finite temperature; Meeting on Metallic Magnetism at Finite Temperature, Bad Honnef, West Germany, 2-4 July 1984, [1 Nov. 1984] 85–24170

Metallurgical coatings; International Conference on Metallurgical Coatings, San Diego, CA, USA, 9-13 April 1984, [10 Aug. 1984] 85–10316 (introductory abstract), 85–10730, 85–10784 to 10786, 85–12014, 85–12145, 85–12198 to 12199, 85–16964, 85–16984 to 16988, 85–18169, 85–18229, 85–18262, 85–18771, 85–21817 to 21819, 85–22538

Metallurgical coatings; Proceedings of the 12th International Conference on Metallurgical Coatings, Los Angeles, CA, USA, 15-19 April 1985, *(American Vacuum Soc.; American Soc. Metals; Int. Union Vacuum Sci.; et al)* [Nov.-Dec. 1985] 86–19709 (introductory abstract), 86–20086 to 20087, 86–20140, 86–20885, 86–20984, 86–21248, 86–21401, 86–21440 to 21453, 86–25373 to 25375

Metallurgical coatings; Proceedings of the 13th International Conference on Metallurgical Coatings, San Diego, CA, USA, 7-11 April 1986, *(American Vacuum Soc.; American Soc. Metals; Int. Union Vacuum Sci.; et al)* [Nov.-Dec. 1986] 87–23713, 87–24629, 87–24762, 87–24924 to 24925, 87–24961 to 24962, 87–25158 to 25159, 87–25419 to 25420, 87–29068 to 29069, 87–29901

Metallurgical coatings; 14th International Conference on Metallurgical Coatings, San Diego, CA, USA, 23-27 March 1987, *(American Vacuum Soc.; ASM Int.; Int. Union Vacuum Sci., Tech. & Applications; Vacuum Soc. Japan)* [26 Oct. 1987] 88–24331 (introductory abstract), 88–18495, 88–18732 to 18742, 88–19558, 88–19853 to 19854, 88–19967, 88–20142, 88–20158

Metalorganic vapor phase epitaxy; Metalorganic Vapor Phase Epitaxy 1986. Proceedings of the Third International Conference, Universal City, CA, USA, 13-17 April 1986, *(Allied/Bendix Aerosp. Technol.; AT&T Bell Labs.; American Cyanamid; et al)* [Sept. 1986] 87–9988 (introductory abstract), 87–10388 to 10435, 87–11352 to 11353, 87–11402 to 11404, 87–11609 to 11610, 87–11641, 87–12315 to 12316, 87–12325, 87–12333, 87–12481 to 12482, 87–16589 to 16603, 87–18845

Metalorganic vapour phase epitaxy; Proceedings of the Second International Conference on Metalorganic Vapour Phase Epitaxy, Sheffield, UK, 10-12 April 1984, [Sept. 1984] 85–5628 (introductory abstract), 85–5987 to 5992, 85–6707, 85–6813 to 6817, 85–10686 to 10717, 85–10781, 85–11929 to 11933, 85–11987 to 11988, 85–12136 to 12137, 85–12259, 85–12731, 85–12753, 85–12870 to 12872, 85–16237

Metering apparatus and tariffs for electricity supply; Fifth International Conference on Metering Apparatus and Tariffs for Electricity Supply (Conf. Publ. No.277), Edinburgh, UK, 13-16 April 1987, [London, UK: IEE 1987] 87–43804 (introductory abstract), 87–48842 to 48843, 87–49500 to 49502, 87–49589, 87–49825 to 49837, 87–50697 to 50713, 87–50890 to 50908, 87–51331

Metrology; Landmarks in Metrology - 1983. Proceedings of the ISA '83 International Conference and Exhibit, Houston, TX, USA, 10-13 Oct. 1983, [Research Triangle Park, NC, USA: ISA 1983] 85–5653 (introductory abstract), 85–8673, 85–8782, 85–8920 to 8921, 85–8923 to 8924, 85–8933, 85–8986 to 8987

Metrology; Metrology: Figure and Finish, Los Angeles, CA, USA, 15-16 Jan. 1987, *(SPIE)* [1987] 88–31268 (introductory abstract), 88–34188, 88–36222 to 36224

Metrology and measuring instruments design; VII National Conference on Metrology and Measuring Instruments Design: Modern Metrology Means High Quality of Production and Research, Wroclaw, Poland, 9-11 Sept. 1986, [1986] 87–36296 (introductory abstract)

Metrology and properties of engineering surfaces; Proceedings of the Third International Conference on Metrology and Properties of Engineering Surfaces, Teesside, UK, 10-12 April 1985, [May-June 1986] 86–65275, 86–70227

Metrology of optoelectronic systems; Metrology of Optoelectronic Systems, Orlando, FL, USA, 21-22 May 1987, *(SPIE)* [1987] 88–39179, 88–39920, 88–40004, 88–40041, 88–40078, 88–40445, 88–42292

Micro-optoelectronic mateials; Micro-Optoelectronic Materials, Los Angeles, CA, USA, 13-14 Jan. 1988, *(SPIE)* [1988] 88–62854 (introductory abstract), 88–63330 to 63337, 88–63373 to 63375, 88–64138 to 64140, 88–64681, 88–65818

Micro robots and teleoperators; Proceedings of the IEEE Micro Robots and Teleoperators Workshop. An Investigation of Micromechanical Structures, Actuators and Sensors (Cat. No.87TH0204-8), Hyannis, MA, USA, 9-11 Nov. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88–38273, 88–38823, 88–39247 to 39249, 88–39279, 88–39657 to 39658, 88–39729, 88–42079, 88–43237 to 43238, 88–43358, 88–43432

Microarchitecture of VLSI computers; Microarchitecture of VLSI Computers. Proceedings of the NATO Advanced Study Institute, Urbino, Italy, 9-20 July 1984, *(NATO) Antognetti, P. Anceau, F. Vuillemin, J. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1985, £41.75] 86–34879 (introductory abstract), 86–34880 to 34889

Microarchitectures, developments and applications; Microarchitectures, Developments and Applications. Twelfth EUROMICRO Symposium on Microprocessing and Microprogramming, Venice, Italy, 15-18 Sept. 1986, [Dec. 1986] 87–10 (introductory abstract), 87–415 to 426, 87–579, 87–637 to 638, 87–824 to 825, 87–1102 to 1104, 87–1600, 87–2449, 87–2583, 87–2735, 87–2897 to 2901, 87–3010, 87–3512, 87–3676

Microcircuit engineering; Microcircuit Engineering 83, Cambridge, UK, 25-29 Sept. 1983, *Ahmed, H. Cleaver, J.R.A. Jones, G.A.C. (editor/s),* [London, UK: Academic Press 1983] 85–32925 (introductory abstract)

Microcircuit engineering; Microcircuit Engineering 84. International Conference Proceedings, Berlin, West Germany, 25-29 Sept. 1984, *Heuberger, A. Beneking, H. (editor/s),* [London, UK: Academic Press 1985, £29.00] 86–70 (introductory abstract), 86–1624 to 1625, 86–1945 to 1980, 86–2075 to 2078, 86–2211, 86–2343 to 2351, 86–2443 to 2444, 86–2614, 86–2642, 86–5710 to 5711, 86–5745 to 5746

Microcircuit engineering; Microcircuit Engineering 85. Proceedings of the International Conference on Microlithography, Rotterdam, Netherlands, 23-25 Sept. 1985, [Dec. 1985] 86–19710 (introductory abstract), 86–20980, 86–21007, 86–21085, 86–21311 to 21330, 86–21407 to 21418, 86–21454 to 21455, 86–21661 to 21689, 86–21829 to 21831, 86–22047, 86–22247, 86–25157 to 25160

Microcircuit engineering; International Conference on Microlithography, Microcircuit Engineering 86, Interlaken, Switzerland, 23-25 Sept. 1986, *(Schweizerischer Nationalfonds; Schweizerischer Adad. Tech. Wissenschaften; et al)* [Dec. 1986] 87–22961 (introductory abstract), 87–23718 to

23720, 87−24671, 87−24848, 87−24999 to 25022, 87−25117 to 25124, 87−25236, 87−25300 to 25302, 87−25430 to 25442, 87−25565 to 25566, 87−25891, 87−29124, 87−29396, 87−29423, 87−31283, 87−31318, 87−31780, 87−32374, 87−32616 to 32620, 87−33347

Microcircuit engineering; International Conference on Microlithography: Microcircuit Engineering 87, Paris, France, 22-25 Sept. 1987, *(CNET; Cambridge Instrum. France; Lab. Electron. & Phys. Appl.; et al)* [Dec. 1987] 88−24315 (introductory abstract), 88−18449 to 18451, 88−18518 to 18521, 88−19048, 88−19813 to 19815, 88−19866 to 19871, 88−20038 to 20039, 88−20663, 88−22782, 88−25772 to 25773, 88−25943 to 25945, 88−26022 to 26025, 88−26079 to 26081, 88−26115 to 26169, 88−26309, 88−26353, 88−26396 to 26397, 88−26519, 88−26711, 88−27160, 88−27439

Microcirculation; Engineering and the Quantitive Methods in Microcirculation. Biomedical Engineering Society 1985 Symposium, Anaheim, CA, USA, 22-25 April 1985, [1986] 86−70098, 86−70378 to 70380

Microcomputer and microprocessor applications; Fifth Symposium on Microcomputer and Microprocessor Applications, Budapest, Hungary, 29 Sept.-1 Oct. 1987, *(State Office Tech. Dev.; Hungarian Acad. Sci.; Minist. Ind.; Comput. Res. & Innovation Center)* [Budapest, Hungary: OMIKK-Technoinform 1987] 88−31301 (introductory abstract), 88−32174, 88−32324, 88−32543, 88−32565, 88−34197, 88−34553, 88−34719 to 34721, 88−35184 to 35186, 88−35265, 88−35322, 88−35367, 88−35654, 88−36899, 88−38416, 88−38594, 88−38642, 88−38649, 88−40877, 88−41247, 88−41991 to 41992, 88−42006, 88−42078, 88−42172, 88−42592, 88−43494 to 43495

Microcomputer application in process control; Microcomputer Application in Process Control. Selected Papers from the IFAC Symposium, Istanbul, Turkey, 22-25 July 1986, *(IFAC; Tech. Univ. Istanbul; Bogazici Univ.; Yildiz Univ) Adali, E. Tunali, F. (editor/s),* [Oxford, UK: Pergamon 1987] 88−11808, 88−12432, 88−15954, 88−17369 to 17370, 88−17389, 88−17426 to 17428, 88−17485, 88−17533 to 17534, 88−18122

Microcomputer instrumentation and control systems in power electronics; IEE Colloquium on 'Microcomputer Instrumentation and Control Systems in Power Electronics' (Digest No.61), London, UK, 25 April 1988, *(IEE)* [London, UK: IEE 1988] 88−55516 (introductory abstract), 88−50211, 88−55329, 88−55361 to 55362, 88−55390, 88−55665 to 55667

Microcomputers; Microcomputers '85 - Design, Practice, Education, Bierutowice, Poland, 24-27 Sept. 1985, [1985] 86−47686 (introductory abstract), 86−47687

Microcomputers; Microcomputer '86 - Design, Practice, Education, Bierutowice, Poland, 23-26 Sept. 1986, [1986] 88−237 to 239, 88−682 to 683, 88−794 to 796, 88−2956, 88−3564 to 3565, 88−5159

Microcomputers and applications; Proceedings of the ISMM International Symposium Microcomputers and their Applications - MIMI '87, Cairo, Egypt, 3-5 March 1987, *Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1987] 88−44158, 88−44239, 88−46631 to 46632, 88−48101, 88−48190, 88−48930, 88−48986 to 48987, 88−49016

Microcomputers and basic skills in college; Microcomputers and Basic Skills in College, New York, NY, USA, Nov. 1985, [Feb. 1987] 87−55603, 87−55679

Microcomputers and graphics in physics; Microcomputers and Graphics in Physics: 7th European Summer School on Computing Techniques in Physics, Bechyne Castle, Czechoslovakia, 9-18 June 1987, *(Eur. Phys. Soc.; Union Czechoslovak Math. & Phys.; et al)* [July 1988] 88−63747, 88−66464, 88−68101 to 68102, 88−68201

Microcomputers and their applications; Proceedings of the International School on Microcomputers and their Applications, Karpacz, Poland, 29 March-2 April 1984, [1984] 85−25499 to 25500, 85−26793, 85−26964 to 26966

Microcomputers in engineering; Microcomputers in Engineering: Development and Application of Software. Proceedings of the Second International Conference, Swansea, UK, 7-10 April 1986, *Schrefler, B.A. Lewis, R.W. (editor/s),* [Swansea, UK: Pineridge Press 1986] 86−61890, 86−70831

Microcomputers in secondary education; Microcomputers in Secondary Education. Proceedings of the IFIP TC 3 Regional Conference MCSE '86, Tokyo, Japan, 18-22 Aug. 1986, *(IFIP; Inf. Process. Soc. Japan) Moriguti, S. Ohtsuki, S. Furugori, T. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, $89.00] 88−11639 to 11640, 88−12163, 88−12475, 88−15845, 88−15875, 88−18374 to 18375

Microdosimetric counters in radiation protection; Microdosimetric Counters in Radiation Protection. Proceedings of a Workshop, Homburg/Saar, West Germany, 15-17 May 1984, [1984] 85−22053 (introductory abstract), 85−26815 to 26825

Microdosimetry; Ninth Symposium on Microdosimetry, Toulouse, France, 20-24 May 1985, [1985] 86−38703, 86−38849 to 38851

Microelectronic devices fabrication and physics; Physics and Fabrication of Microstructures and Microdevices. Proceedings of the Winter School, Les Houches, France, 25 March-5 April 1986, *Kelly, M.J. Weisbuch, C. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986, DM 99] 87−23014 (introductory abstract), 87−23691 to 23692, 87−23735 to 23736, 87−24627, 87−24799, 87−24893 to 24899, 87−25057 to 25058, 87−25186, 87−25255, 87−25352 to 25353, 87−25518 to 25526, 87−25617, 87−25905, 87−26549

Microelectronic technology; Methods and Materials in Microelectronic Technology. Proceedings of the International Symposium, Bad Neuenahr, West Germany, 29 Sept.-1 Oct. 1982, *(IBM) Bargon, J. (editor/s),* [New York, NY, USA: Plenum 1984, $59.50] 86−61 (introductory abstract), 86−62, 86−220, 86−1668 to 1669, 86−1939 to 1943, 86−2074, 86−2085, 86−2335 to 2338

Microelectronics; Proceedings of the 1984 International Symposium on Microelectronics, Dallas, TX, USA, 17-19 Sept. 1984, *(Int. Soc. Hybrid Microelectron)* [Montgomery, AL, USA: Int. Soc. Hybrid Microelectron. 1984] 85−27933 (introductory abstract), 85−28060 to 28063, 85−28262 to 28264, 85−28434, 85−28729, 85−28818, 85−28825, 85−28844 to 28854, 85−28870 to 28882, 85−28886 to 28887, 85−29305, 85−29702, 85−31474, 85−32777, 85−33172, 85−33188 to 33193, 85−33252 to 33253, 85−33551, 85−34139, 85−34274, 85−34284 to 34285, 85−34370, 85−34375 to 34376, 85−34384 to 34392, 85−34403 to 34410, 85−34415, 85−35120, 85−35240, 85−35317, 85−37488, 85−37607 to 37608, 85−37689 to 37690, 85−38224

Microelectronics; 4th Australian Microelectronics Conference. Migrating Systems to Silicon, Sydney, NSW, Australia, 13-15 May 1985, *(Instn. Radio & Electron. Eng. Australia; Instn. Eng. Australia; IEEE; Australian Comput. Soc.; NSW Gov.; et al)* [Sydney, NSW, Australia: Instn. Radio & Electron Eng. 1985] 86−7388 (introductory abstract), 86−7423, 86−8086 to 8089, 86−8173 to 8176, 86−8246, 86−8301, 86−8343, 86−8374 to 8375, 86−8393, 86−9252 to 9261, 86−11198, 86−11480, 86−11587, 86−12041

Microelectronics; Proceedings of the Sixth Biennial University/Government/Industry Microelectronics Symposium (Cat. No.85CH2179-0), Auburn, AL, USA, 11-13 June 1985, *(IEEE; Auburn Univ)* [Auburn, AL, USA: Auburn Univ. 1985] 86−19736 (introductory abstract), 86−19772 to 19780, 86−20065, 86−20484 to 20485, 86−20564 to 20565, 86−20635, 86−20653, 86−20674, 86−20994, 86−21433, 86−21463, 86−21490 to 21491, 86−21528, 86−21617 to 21620, 86−21763 to 21766, 86−21868 to 21878, 86−24412

Microelectronics; Proceedings of the 1985 International Symposium on Microelectronics, Anaheim, CA, USA, 11-14 Nov. 1985, *(Int. Soc. Hybrid Microelectron.)* [Reston, VA, USA: Int. Soc. Hybrid Microelectron. 1985] 86−52131 (introductory abstract), 86−52250 to 52252, 86−52268 to 52276, 86−52325 to 52326, 86−52535 to 52536, 86−52538, 86−52542, 86−52627 to 52628, 86−52707, 86−52711, 86−52724, 86−53030, 86−53056 to 53058, 86−53076, 86−53200 to 53201, 86−53206, 86−53209 to 53210, 86−53212 to 53213, 86−53224 to 53244, 86−53253 to 53279, 86−53284 to 53286, 86−53675, 86−53768, 86−54833, 86−55562, 86−55719, 86−56950

Microelectronics; Sixth European Microelectronics Conference Proceedings. ISHM Europe '87, Bournemouth, UK, 3-5 June 1987, [London, UK: Int. Soc. Hybrid Microelectron. Eur. 1987] 88−41 (introductory abstract), 88−152, 88−165, 88−191 to 193, 88−262, 88−472, 88−1024 to 1025, 88−1038 to 1040, 88−1100, 88−1180 to 1183, 88−1223 to 1229, 88−1261 to 1286, 88−1291, 88−1307 to 1309, 88−1842, 88−4407 to 4409, 88−5404, 88−5988

Microelectronics; Proceedings of the Seventh Biennial University/Government/Industry Microelectronics Symposium (Cat. No.87CH2401-8), Rochester, NY, USA, 9-11 June 1987, *(IEEE; Rochester Inst. Technol.; Electron Devices Soc.; Int. Soc. Hybrid Microelectron)* [New York, NY, USA: IEEE 1987] 87−58545 (introductory abstract), 87−58586 to 58601, 87−58639, 87−58946, 87−58989, 87−59424, 87−59903, 87−60036, 87−60082, 87−60124, 87−60177, 87−60261, 87−60344 to 60346, 87−60410, 87−60434 to 60435, 87−60509 to 60511, 87−60612 to 60615, 87−60691 to 60692, 87−60955 to 60956, 87−62393, 87−63526

Microelectronics; Proceedings of the 1987 International Symposium on Microelectronics, Minneapolis, MN, USA, 28-30 Sept. 1987, *(Int. Soc. Hybrid Microelectron)* [Reston, VA, USA: Int. Soc. Hybrid Microelectron. 1987] 88−49359 (introductory abstract), 88−49534 to 49537, 88−50119, 88−50412, 88−50428 to 50430, 88−50541, 88−50546 to 50556, 88−50565, 88−50972, 88−53676 to 53677, 88−53930, 88−56005 to 56006, 88−56032 to 56034, 88−56056 to 56057, 88−56316, 88−56332, 88−56357, 88−56404, 88−56494, 88−56632, 88−56727, 88−57021, 88−57054 to 57055, 88−57128 to 57130, 88−57157, 88−57160 to 57164, 88−57166 to 57168, 88−57174 to 57183, 88−57203 to 57227, 88−57234 to 57237, 88−58374, 88−59555, 88−60843, 88−61685

Microelectronics; MICONEX '87: Microelectronics Conference. 1987 Technical Conference Proceedings, Winnipeg, Man., Canada, 21-23 April 1987, *(IEEE; Electron. Ind. Assoc. Manitoba)* [Winnipeg, Man., Canada: Miconex 1987] 88−56 (introductory abstract), 88−98, 88−142, 88−736, 88−896, 88−1120, 88−1186, 88−1772 to 1776, 88−1800 to 1801, 88−3239 to 3240, 88−4311, 88−5815

Microelectronics for information technology; Mikroelektronik fur die Informationstechnik - Vermittlung, Ubertragung und Verarbeitung. Vortrage der NTG-Fachtagung (Microelectronics for Information Technology - Exchange, Transmission and Processing. Proceedings of the NTG Meeting), Berlin, West Germany, 29-30 Sept. 1986, [1986] 87−36295 (introductory abstract), 87−37183 to 37185, 87−37295 to 37296, 87−37345 to 37350, 87−37409 to 37411, 87−37423 to 37425, 87−37453, 87−38549, 87−38958, 87−39648 to 39649, 87−40131, 87−40501, 87−40541, 87−40602 to 40609, 87−40749, 87−40915 to 40918, 87−43604

Microelectronics in manufacture; Micro-Elektronica op maat Biedt Nieuwe Perspectieven (Microelectronics in Manufacture - New Perspectives), Amsterdam, Netherlands, 30 Oct.-2 Nov. 1984, [1984] 85−39406 (introductory abstract), 85−33750 to 33751, 85−34291, 85−35032 to 35035, 85−37565, 85−38216, 85−39978 to 39980, 85−40796

Microelectronics, long term aspects; Langfristaspekte der Mikroelektronik. VDE Kongress '84 (Long Term Aspects of Microelectronics. VDE Congress '84), Frankfurt am Main, West Germany, 16-17 Oct. 1984, [1984] 85−10314 (introductory abstract), 85−12369 to 12374, 85−13734, 85−14281, 85−15261, 85−16350

Microelectronics - physics and technology for VLSI; Advanced Summer School on Microelectronics: Physics and Technology for VLSI, Espoo, Finland, 8-12 June 1987, [1987] 88−11548 (introductory abstract), 88−12966 to 12967, 88−13174, 88−13299, 88−13444, 88−13571, 88−13594

Microelectronics - world market and technologies; 12. Internationaler Kongress Mikroelektronik: Mikroelektronik - Ausblick auf Technik und Markte (12th International Microelectronics Congress: Microelectronics - World Matket and Technologies), Munich, West Germany, 10-11 Nov. 1986, [Munich, West Germany: Munchener Messe & Ausstellungs 1986] 87−36337 (introductory abstract), 87−36510, 87−37264 to 37266, 87−37382 to 37384, 87−37432, 87−37765 to 37766, 87−38495 to 38499, 87−38510, 87−38585 to 38586, 87−44001, 87−44941 to 44942, 87−45478

Microfabrication; Science and Technology of Microfabrication Symposium, Boston, MA, USA, 4-5 Dec. 1986, *(Appl. Mater.; CIBA-GEIGY; Hitachi; NSF; et al) Howard, R.E. Hu, E.L. Namba, S. Pang, S.W. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 87−65084 (introductory abstract), 87−65573, 87−65585, 87−66888 to 66893, 87−66917, 87−66965 to 66966, 87−66994 to 66996, 87−67023, 87−67068 to 67074, 87−67090 to 67091, 87−67116 to 67130, 87−67143, 87−67307 to 67308, 87−67512 to 67514, 87−67599 to 67600

Microimaging technology; Symposium on Microimaging Technology at the SPSE's 23rd Fall Meeting, Arlington, VA, USA, 14-17 Nov. 1983, [Aug. 1984] 85−29998

Micromachines and servodrives; Mikromaszyny i Serwonapedy. IV Sympozjum (IV Symposium on Micromachines and Servodrives), Warsaw, Poland, 11-12 Oct. 1984, [Aug. 1984] 85−16556 (introductory abstract), 85−21570, 85−21632, 85−21647 to 21649, 85−21661 to 21666

Microphysics of surfaces, beams and adsorbates; Second Topical Meeting on Microphysics of Surfaces, Beams, and Adsorbates, Santa Fe, NM, USA, 16-18 Feb. 1987, *(Opt. Soc. America; American Vacuum Soc.; Air Force Office Sci. Res)* [Sept.-Oct. 1987] 88−12000 to 12003, 88−12050 to 12055, 88−13138 to 13142, 88−13181

Microprocessing and microprogramming; Advances in Microprocessing and Microprogramming. Tenth EUROMICRO Symposium on Microprocessing and Microprogramming, Copenhagen, Denmark, 27-30 Aug. 1984, *(ECI; ASI; IEEE; ACM; et al) Myhrhaug, B. Wilson, D.R. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $66.75] 85−49845 to 49846, 85−49938, 85−50683, 85−52099

Microprocessing and microprogramming; Microcomputers, Usage and Design. Eleventh EUROMICRO Symposium on Microprocessing and Microprogramming, Brussels, Belgium, 3-6 Sept. 1985, *(AFCET; ACM; IEEE; et al) Waldschmidt, K. Myhrhaug, B. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985] 87−16825 to 16827, 87−17056 to 17058,. 87−17099, 87−17167, 87−18296 to 18300, 87−18350 to 18352, 87−19974, 87−20089, 87−20107, 87−20288 to 20289, 87−20344

Microprocessing and microprogramming; Fourteenth EUROMICRO Symposium on Microprocessing and Microprogramming (EUROMICRO '88), Zurich, Switzerland, 29 Aug.-1 Sept. 1988, *(Bank Leu; Control Data (Schweiz); GEI Systeme; et al)* [Aug. 1988] 88−69969 (introductory abstract), 88−70061, 88−70425 to 70429, 88−70624, 88−70664 to 70668, 88−70760, 88−70809 to 70819, 88−71657 to 71659, 88−71772, 88−72782 to 72783, 88−73601 to 73603, 88−74025, 88−74042, 88−74210 to 74213, 88−75529

Microprocessor applications in large metering installations; IEE Colloquium on 'Use of Microprocessors in Large Metering Installations' (Digest No.113), London, UK, 11 Dec. 1985, *(IEE)* [London, UK: IEE 1985] 86−26515 (introductory abstract), 86−31190, 86−32874 to 32876

Microprocessor forum; 1985 IEEE Microprocessor Forum (Design Productivity Through Engineering Workstations) (Cat. No. 85CH2151-9), Atlantic City, NJ, USA, 2-4 April 1985, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86−7386 (introductory abstract), 86−7461, 86−7516, 86−8085, 86−8171 to 8172, 86−8296 to 8300, 86−8579, 86−8645, 86−9250, 86−9309

Microprocessor systems testing; IEE Colloquium on Techniques, Skills and Training for Effective Testing of Microprocessor Systems (Digest No.68), London, UK, 5 Oct. 1983, *(IEE)* [London, UK: IEE 1983] 85−27956 (introductory abstract), 85−27993 to 27998, 85−28043, 85−28506

Microprocessors; IEE Colloquium on New Microprocessors (Digest No. 97), London, UK, 20 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85−16588 (introductory abstract), 85−17537 to 17540

Microprocessors in operational hydrology; Microprocessors in Operational Hydrology. Proceedings of the Technical Conference on the Use of Microprocessors and Microcomputers in Operational Hydrology, Geneva, Switzerland, 4-5 Sept. 1984, [Dordrecht, Netherlands: Reidel 1986, £30.00] 88−48331 (introductory abstract)

Microprogramming; Seventeenth Annual Microprogramming Workshop, MICRO 17 (Cat. No. 84CH2088-3), New Orleans, LA, USA, 30 Oct.-2 Nov. 1984, *(IEEE; ACM; EUROMICRO)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−39975

Microprogramming; Proceedings of the 18th Annual Workshop on Microprogramming (Cat. No.85CH2232-7), Pacific Grove, CA, USA, 3-6 Dec. 1985, *(IEEE; ACM; Euromicro)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86−41165 to 41166

Microprogramming; Proceedings of the 19th Annual Workshop on Microprogramming MICRO-19 (Cat. No.86CH2350-7), New York, NY, USA, 15-17 Oct. 1986, *(IEEE; ACM; City Univ. New York)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−37381

Microscopic characterisation of materials; 5th Pfefferkorn Conference on Physical Aspects of Microscopic Characterization of Materials, Brueggen, West Germany, 2-7 Oct. 1986, *(Scanning Microscopy Int)* [1987] 88−7276, 88−7356, 88−7581

Microscopy of semiconducting materials; Microscopy of Semiconducting Materials, 1987. Proceedings of the Institute of Physics Conference, Oxford, UK, 6-8 April 1987, *(IOP; R. Microscopical Soc.; Mater. Res. Soc.; Eur. Mater. Res. Soc) Cullis, A.G. Augustus, P.D. (editor/s)*, [Bristol, UK: IOP 1987] 88−31293 (introductory abstract), 88−32765 to 32766, 88−32817, 88−32955 to 32959, 88−33063 to 33066, 88−33188, 88−33331, 88−39036, 88−39054 to 39056, 88−39126 to 39128, 88−39143, 88−39529, 88−42686

Microstructure technology; Future of Microstructure Technology Workshop, Seabrook, SC, USA, 14-16 Oct. 1985, *(NSF; Air Force Office Sci. Res.; Office Naval Res.; Army Res. Office)* [1986] 86−57076 (introductory abstract), 86−57486, 86−58263, 86−58370, 86−58405, 86−67655, 86−67785 to 67786, 86−67879

Microwave acoustics and acousto-optics; IEE Colloquium on 'Microwave Acoustics and Acousto-Optics' (Digest No.57), London, UK, 16 May 1985, *(IEE)* [London, UK: IEE 1985] 85−44415 (introductory abstract), 85−44924, 85−45929, 85−45943 to 45946, 85−46231 to 46233, 85−47971

Microwave and millimeter-wave monolithic circuits; IEEE 1984 Microwave and Millimeter-Wave Monolithic Circuits Symposium. Digest of Papers (Cat. No. 84CH2042-0), San Francisco, CA, USA, 29-30 May 1984, *(IEEE) Kuno, H.J. (editor/s)*, [New York, NY, USA: IEEE 1984] 85−36 (introductory abstract), 85−1044 to 1064, 85−1097, 85−1721, 85−17824 to 17830, 85−23120 to 23124, 85−23877 to 23878

Microwave and millimeter-wave monolithic circuits; IEEE 1985 Microwave and Millimeter-Wave Monolithic Circuits Symposium. Digest of Papers (Cat. No.85CH2191-5), St. Louis, MO, USA, 3-4 June 1985, *(IEEE) Cohn, M. (editor/s)*, [New York, NY, USA: IEEE 1985] 86−26471 (introductory abstract), 86−27229, 86−27407, 86−27594 to 27602, 86−27623 to 27632, 86−29545

Microwave and millimeter-wave monolithic circuits; IEEE 1988 Microwave and Millimeter-Wave Monolithic Circuits Symposium. Digest of Papers (Cat. No.88CH2591-6), New York, NY, USA, 24-25 May 1988, *(IEEE) Dawson, D.E. (editor/s)*, [New York, NY, USA: IEEE 1988] 88−62897 (introductory abstract), 88−63661, 88−63874, 88−63946 to 63976, 88−67329, 88−67482

Microwave and millimetric components measurement; IEE Colloquium on 'The Technology of Measuring Microwave and Millimetric Components' (Digest No.121), London, UK, 18 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87−16305 (introductory abstract), 87−21014 to 21015, 87−21073, 87−21221 to 21222

Microwave and MM-wave monolithic circuits; IEEE 1987 Microwave and Millimeter-Wave Monolithic Circuits Symposium. Digest of Papers (Cat. No.87CH2478-6), Las Vegas, NV, USA, 8-9 June 1987, *(IEEE) Huang, C. (editor/s)*, [New York, NY, USA: IEEE 1987] 87−58544 (introductory abstract), 87−59423, 87−59668, 87−59875 to 59902, 87−61054, 87−62922, 88−25451 to 25457, 88−25475 to 25481

Microwave and particle beam sources and propagation; Microwave and Particle Beam Sources and Propagation, Los Angeles, CA, USA, 13-15 Jan. 1988, *(SPIE)* [1988] 88−49345 (introductory abstract), 88−50579 to 50589, 88−50598 to 50599, 88−51712 to 51714, 88−51838 to 51839, 88−53990, 88−54089, 88−54379, 88−54695, 88−54823

Microwave antennas for avionics; Microwave Antennas for Avionics (AGARD-LS-151), Rome, Italy, 7-8 May 1987, *(AGARD)* [Neuilly sur Seine, France: AGARD April 1987] 87−58555 (introductory abstract), 87−61470 to 61474, 87−61530 to 61532

Microwave communication; Proceedings of the Eighth Colloquium on Microwave Communication, Budapest, Hungary, 25-29 Aug. 1986, *(URSI; Hungarian Acad. Sci) Berceli, T. (editor/s)*, [Amsterdam, Netherlands: Elsevier 1986] 88−55816 (introductory abstract), 88−49619, 88−49782 to 49784, 88−49944, 88−49971, 88−49988 to 49989, 88−49994 to 49996, 88−49998 to 49999, 88−50047 to 50048, 88−50056 to 50057, 88−50066, 88−50231, 88−50234, 88−50251 to 50252, 88−50275 to 50277, 88−50298 to 50302, 88−50322 to 50344, 88−50348 to 50350, 88−50387 to 50411, 88−50545, 88−50595, 88−50899, 88−50971, 88−52258, 88−52279 to 52280, 88−52309 to 52310, 88−52354, 88−52476 to 52478, 88−52631 to 52632, 88−52746, 88−53025, 88−53111, 88−53138 to 53141, 88−53151 to 53161, 88−53237, 88−53373 to 53374, 88−53400, 88−53417, 88−53440 to 53441, 88−53526, 88−53583, 88−53675, 88−53840 to 53843, 88−53847 to 53848, 88−56367, 88−56425 to 56426, 88−56526, 88−56734, 88−56738 to 56739, 88−56764 to 56765, 88−56810 to 56812, 88−56829, 88−56841 to 56846, 88−56876 to 56884, 88−56901 to 56903, 88−56950 to 56961, 88−57772, 88−58837, 88−58869 to 58870, 88−59112, 88−59176 to 59178, 88−59416, 88−59694, 88−59801, 88−59982 to 59984, 88−60004 to 60013, 88−60105 to 60106, 88−60356, 88−60582, 88−60871, 88−60892

Microwave components in telecommunications; IEE Colloquium on 'Microwave Components in Telecommunications' (Digest No.70), London, UK, 9 May 1988, *(IEE)* [London, UK: IEE 1988] 88−49391 (introductory abstract), 88--50291, 88−50351 to 50352, 88−50415 to 50418, 88−53166 to 53168

Microwave devices fundamentals and applications; IEE Colloquium on 'Microwave Devices, Fundamentals and Applications' (Digest No.43), London, UK, 22 March 1988, [London, UK: IEE 1988] 88−43608 (introductory abstract), 88−44376 to 44382, 88−45316

Microwave filters and multiplexers; IEE Colloquium on 'Advances in Microwave Filters and Multiplexers' (Digest No.57), London, UK, 7 May 1987, *(IEE)* [London, UK: IEE 1987] 87−43820 (introductory abstract), 87−45209 to 45218

Microwave integrated circuits; IEE Colloquium on Microwave Integrated Circuits (Digest No.71), London, UK, 17 Oct. 1983, *(IEE)* [London, UK: IEE 1983] 85−27967 (introductory abstract)

Microwave measurements; Spezielle Entwicklungen und Verfahren der Hochfrequenzmesstechnik. Vortrage des 49. PTB-Seminars (Special Developments and Methods in High Frequency Measurement Techniques. Proceedings of the 49th PTB Seminar) (PTB-E-24), Braunschweig, West Germany, 7-8 June 1983, [Braunschweig, West Germany: Phys.-Tech. Bundesanstalt 1983] 85−10336 (introductory abstract), 85−14569, 85−14580 to 14582, 85−14630, 85−14793, 85−14959, 85−14966 to 14967, 85−14982, 85−15003 to 15005

Microwave packaging; IEE Colloquium on 'Microwave Packaging' (Digest No.53), London, UK, 14 April 1986, *(IEE)* [London, UK: IEE 1986] 86−52147 (introductory abstract), 86−52286 to 52291, 86−52768, 86−53059 to 53060, 86−53676, 86−53781

Microwave power generation; IEE Colloquium on 'Solid State Microwave Power Generation' (Digest No.88), London, UK, 30 May 1986, *(IEE)* [London, UK: IEE 1986] 86−52156 (introductory abstract), 86−53062 to 53072, 86−53280

Microwave satellite sub-systems; IEE Colloquium on 'Recent Advances in Microwave Satellite Sub-Systems' (Digest No.78), London, UK, 19 May 1986, *(IEE)* [London, UK: IEE 1986] 86−52155 (introductory abstract), 86−52932, 86−54358 to 54359, 86−55280 to 55283, 86−55380, 86−56249

Microwave signals manipulation; IEE Colloquium on Manipulating Microwave Signals (Digest No. 108), London, UK, 10 Dec. 1984, *(IEE)* [London, UK: IEE 1984] 85−22090 (introductory abstract), 85−22977 to 22978, 85−23076 to 23078, 85−23146, 85−24358, 85−24988, 85−25194, 85−25841, 85−25913

Microwave signatures in remote sensing; International Symposium on Microwave Signatures in Remote Sensing, Toulouse, France, 16-20 Jan. 1984, [Feb. 1985] 85−38316 (introductory abstract)

Microwave technology; Conference Proceedings of the 14th European Microwave Conference 1984, Liege, Belgium, 10-13 Sept. 1984, [Tunbridge Wells, UK: Microwave Exhibitions & Publishers 1984, £40.00] 85−5654 (introductory abstract), 85−6244, 85−6412, 85−6489 to 6490, 85−6505, 85−6541 to 6548, 85−6976 to 6977, 85−7057, 85−7334, 85−7572, 85−7652 to 7653, 85−7706, 85−7737, 85−7750 to 7752, 85−7767 to 7769, 85−8256, 85−8311, 85−8371 to 8373, 85−8713, 85−8950, 85−10478, 85−10945, 85−11060 to 11067, 85−11092 to 11095, 85−11114 to 11115, 85−11393, 85−11399, 85−11444, 85−11493, 85−11503 to 11507, 85−11532 to 11537, 85−11542 to 11545, 85−11569 to 11582, 85−11616, 85−11626, 85−12234, 85−12497, 85−13109, 85−13196 to 13202, 85−13277 to 13279, 85−13359 to 13361, 85−13412 to 13414, 85−13581, 85−14107, 85−14126 to 14128, 85−14206 to 14209, 85−14370, 85−14631, 85−14730 to 14734, 85−14794, 85−14818, 85−15006 to 15009, 85−15020, 85−15311 to 15312, 85−15425, 85−16438

Microwave technology; Sarnoff Symposium on Microwave Technology, Princeton, NJ, USA, 22 March 1985, *(IEEE)* [Dec. 1985] 86−45907 (introductory abstract), 86−47081 to 47085, 86−47249, 86−49604

Microwave technology and optoelectronics; MIOP '86 Conference Proceedings, Wiesbaden, West Germany, 10-12 June 1986, [Hagenburg, West Germany: Network 1986, DM 70] 87−16282 (introductory abstract), 87−16816, 87−17201, 87−17300 to 17301, 87−17326 to 17331, 87−17342, 87−17385 to 17392, 87−17648, 87−17655, 87−17827, 87−18526, 87−18541, 87−18754, 87−18872, 87−18916, 87−18990 to 18991, 87−19051, 87−19118, 87−19267 to 19269, 87−19309, 87−19317 to 19318, 87−19339 to 19342, 87−19348, 87−20398, 87−20406, 87−20581 to 20583, 87−20593, 87−20609, 87−20901, 87−21183, 87−21209, 87−21293, 87−21777, 87−21785

Microwave tubes in systems; International Conference on Microwave Tubes in Systems: Problems and Prospects (Conf. Publ. No. 241), London, UK, 22-23 Oct. 1984, *(IEE)* [London, UK: IEE 1984] 85−60659 (introductory abstract), 85−54674 to 54677, 85−54709, 85−54753, 85−55401 to 55405, 85−55409 to 55412, 85−58082, 85−61107, 85−61134, 85−61422, 85−61617 to 61619, 85−61622, 85−61628 to 61633, 85−61635 to 61643

Microwaves; 1986 IEEE - MTT-S International Microwave Symposium Digest (Cat. No.86CH2031-0), Baltimore, MD, USA, 2-4 June 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−5130 (introductory abstract), 87−5571, 87−5645 to 5646, 87−5692, 87−5729, 87−5808, 87−5947, 87−5962, 87−5999, 87−6003 to 6011, 87−6032 to 6063, 87−6068 to 6071, 87−6091 to 6162, 87−6968 to 6969, 87−6989, 87−7025 to 7026, 87−7028 to 7033, 87−7160, 87−7230, 87−7383 to 7385, 87−7524, 87−7560 to 7561, 87−7574 to 7582, 87−7612, 87−7629 to 7630, 87−8324 to 8326, 87−8359, 87−8540 to 8541, 87−8623, 87−8728 to 8734, 87−8926, 87−8946 to 8947, 87−9044, 87−9143, 87−16838, 87−17304 to 17308, 87−17333, 87−17354 to 17366, 87−18543 to 18544, 87−18627, 87−19245 to 19252, 87−20500, 87−20827

Microwaves; 1985 IEEE - MTT-S International Microwave Symposium Digest (Cat. No.85CH2163-4), St. Louis, MO, USA, 4-6 June 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−7379 (introductory abstract), 86−8023 to 8024, 86−8347 to 8348, 86−8373, 86−8417 to 8424, 86−8430 to 8446, 86−8449 to 8450, 86−8471 to 8523, 86−9423, 86−9532, 86−9638, 86−10162 to 10173, 86−10224, 86−11038 to 11041, 86−11097, 86−11172, 86−11195, 86−11509 to 11512, 86−11681 to 11683, 86−11686 to 11688, 86−11717, 86−11964 to 11965, 86−12019 to 12022, 86−13936 to

13937, 86−14338, 86−14473 to 14479, 86−14484 to 14488, 86−14515 to 14529, 86−15176, 86−15332, 86−15433, 86−16019, 86−16043, 86−17477, 86−17786, 86−18127, 86−18375, 86−26996 to 26997, 86−27526, 86−27542 to 27551, 86−27573 to 27574, 86−27582 to 27593, 86−28338, 86−28529, 86−28741, 86−29515 to 29518, 86−31641

Microwaves; 1987 IEEE MTT-S International Microwave Symposium Digest (Cat. No.87CH2395-2), Las Vegas, NV, USA, 9-11 June 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87−72690 (introductory abstract), 87−73240 to 73241, 87−73261 to 73262, 87−73367, 87−73378, 87−73522 to 73523, 87−73582, 87−73589, 87−73615 to 73651, 87−73661 to 73664, 87−73710 to 73797, 87−73848, 87−73965 to 73966, 87−74333 to 74334, 87−74404, 87−74489 to 74492, 87−74527, 87−74531, 87−74799 to 74800, 87−74836, 87−75130 to 75131, 87−75359 to 75360, 87−75498 to 75519, 87−75560, 87−75648, 87−76553, 87−76693 to 76694, 87−76863 to 76865, 87−76904, 87−77064 to 77065, 87−77069, 87−77182, 87−77267 to 77268, 87−77358, 87−77374 to 77375, 87−77387 to 77392, 87−77442, 87−77683 to 77684, 87−77822, 87−79214, 88−12559, 88−12579, 88−12602 to 12609, 88−14539, 88−15381, 88−15584, 88−25062, 88−25378 to 25391, 88−25439 to 25440, 88−25460 to 25474, 88−26343, 88−26637, 88−26686, 88−26707, 88−27500, 88−27554 to 27559, 88−29587 to 29588, 88−29608 to 29609, 88−30029

Microwaves; 1988 IEEE MTT International Microwave Symposium Digest (Cat. No.88CH2489-3), New York, NY, USA, 25-27 May 1988, *(IEEE; et al)* [New York, NY, USA: IEEE 1988] 88−63845, 88−63873, 88−65008, 88−70190 to 70191, 88−70367, 88−70439, 88−70498 to 70499, 88−70577, 88−70607, 88−70889 to 70890, 88−70950, 88−70958 to 70965, 88−70978 to 71008, 88−71015 to 71016, 88−71044 to 71135, 88−71154, 88−71623 to 71627, 88−71950 to 71951, 88−71954 to 71956, 88−72069, 88−72164 to 72165, 88−72226, 88−72241, 88−72305, 88−72330, 88−72598, 88−72604 to 72606, 88−72623 to 72638, 88−72708 to 72709, 88−73796 to 73797, 88−73802 to 73803, 88−73890, 88−73944 to 73956, 88−74034 to 74036, 88−74308 to 74311, 88−74572 to 74575, 88−74872, 88−75146

Microwaves; Conference Proceedings: 17th European Microwave Conference - MICROWAVE 87, Rome, Italy, 7-11 Sept. 1987, *(Assoc. Elettrotecnica & Elettronica Italiana; IEE; IEEE; URSI; et al)* [Tunbridge Wells, UK: Microwave Exhibitions & Publishers 1987] 88−11599 (introductory abstract), 88−12544, 88−12548, 88−12610 to 12614, 88−13442 to 13443, 88−14226, 88−15152, 88−15341, 88−15431 to 15432, 88−15597, 88−15716, 88−16101, 88−16580, 88−16733, 88−16944, 88−25052, 88−25066 to 25067, 88−25308 to 25309, 88−25349, 88−25353, 88−25369 to 25373, 88−25429 to 25438, 88−25550 to 25564, 88−25600, 88−26358 to 26360, 88−26688, 88−26864, 88−26891, 88−27492 to 27494, 88−27513, 88−27531, 88−27541 to 27542, 88−27599 to 27600, 88−27642 to 27644, 88−27683 to 27688, 88−27695, 88−28817 to 28818, 88−28953 to 28954, 88−28984, 88−29292, 88−29355, 88−29593, 88−29626 to 29629, 88−29649, 88−29707, 88−29990 to 29991, 88−32303, 88−32372, 88−32399 to 32405, 88−32411, 88−32451 to 32465, 88−33267, 88−34290, 88−34316 to 34318, 88−34386 to 34388, 88−34412 to 34413, 88−34474 to 34478, 88−34501 to 34502, 88−35366, 88−35379 to 35380, 88−35418 to 35419, 88−35587 to 35589, 88−35653, 88−35895 to 35896, 88−36061, 88−36199, 88−36468 to 36469, 88−36508, 88−36527, 88−36610

Microwaves and optoelectronics; MIOP '88: Microwaves and Optoelectronics. Conference Proceedings, Wiesbaden, West Germany, 2-4 March 1988, [Hagenburg, West Germany: Network 1988] 88−55835 (introductory abstract), 88−56830, 88−56847 to 56850, 88−56886 to 56897, 88−56904, 88−56968 to 56999, 88−57267, 88−57811, 88−58022, 88−58168 to 58171, 88−58210, 88−58230 to 58231, 88−58246, 88−58397, 88−58471 to 58472, 88−58572, 88−58598, 88−58758 to 58761, 88−58894, 88−58926 to 58927, 88−58947 to 58948, 88−58957 to 58960, 88−58975, 88−59989, 88−60015, 88−60065, 88−60114 to 60117, 88−60208, 88−60236, 88−60277, 88−60282, 88−60344 to 60345, 88−60603, 88−60641 to 60642, 88−60739, 88−60774, 88−60881, 88−60896 to 60899, 88−60931, 88−61651 to 61652, 88−61666, 88−61670, 88−61734, 88−62279, 88−62627 to 62630

Midcon 84; Midcon 84. Electronic Show and Convention, Dallas, TX, USA, 11-13 Sept. 1984, *(IEEE)* [Los Angeles, CA, USA: Electron. Conventions 1984] 85−16577 (introductory abstract), 85−16688 to 16694, 85−16785 to 16787, 85−17364 to 17372, 85−17445 to 17448, 85−17521, 85−17954, 85−17985 to 17986, 85−18437, 85−19410 to 19411, 85−19578, 85−19988 to 19993, 85−20093, 85−20434 to 20436, 85−22174, 85−22244 to 22245, 85−22844 to 22845, 85−22943 to 22946, 85−23052, 85−23917, 85−24876 to 24877

Midcon 85; Midcon/85. Conference Record, Chicago, IL, USA, 10-12 Sept. 1985, *(IEEE; ERA)* [Los Angeles, CA, USA: Electron. Conventions Manage. 1985] 86−45919 (introductory abstract), 86−45965, 86−45981 to 45982, 86−46059 to 46060, 86−46094 to 46097, 86−46643, 86−46650, 86−46708 to 46722, 86−46813 to 46821, 86−46888 to 46906, 86−47100, 86−47153, 86−47193 to 47195, 86−47822, 86−49359 to 49362

Midcon 86; Midcon/86. Conference Record, Dallas, TX, USA, 9-11 Sept. 1986, *(IEEE; ERA)* [Los Angeles, CA, USA: Electron. Conventions Manage. 1986, $208.00] 87−58531 (introductory abstract), 87−58616, 87−58666, 87−59105 to 59106, 87−59344 to 59356, 87−59470 to 59473, 87−59576 to 59585, 87−59787, 87−59973, 87−60579, 87−62503 to 62505, 87−62676 to 62678, 87−62752, 87−62803 to 62806, 87−65133, 87−65656, 87−66067 to 66078, 87−66236, 87−66393, 87−66760 to 66762, 87−69783 to 69787

Middle atmosphere; Dynamics and Remote Sensing of the Middle Atmosphere, Prague, Czechoslovakia, 5-17 Aug. 1985, [Nov.-Dec. 1986] 87−29931 to 29932

Middle Atmosphere Program - first achievements; First Achievements of MAP. Proceedings of Symposium 5 of the COSPAR Twenty-Fifth Plenary Meeting, Graz, Austria, 25 June-7 July 1984, [1984] 85−31986 to 31987

Middle Atmosphere Program - interim results; Interim Results of the Middle Atmosphere Program. Papers from the Union Symposium 14 during the XVIII General Assembly of the IUGG, Hamburg, West Germany, Aug. 1983, *(Int. Assoc. Geomagnetism & Aeronomy; Int. Assoc. Meteorol. & Atmos. Phys)* [Nov. 1984] 85−31989 to 31990

Military communications; MILCOM '84. IEEE Military Commuications Conference. Conference Record (Cat. No. 84CH2069-3), Los Angeles, CA, USA, 21-24 Oct. 1984, *(IEEE; USDOE; Armed Forces Commun. & Electron. Asoc)* [New York, NY, USA: IEEE 1984] 85−27938 (introductory abstract), 85−30041, 85−30118 to 30121, 85−30153 to 30158, 85−30162 to 30164, 85−30212 to 30213, 85−30236, 85−30282 to 30284, 85−30508 to 30509, 85−30589, 85−30734, 85−30790 to 30791, 85−30830, 85−30871 to 30903, 85−30914, 85−30977 to 31011, 85−31015, 85−31068 to 31072, 85−31154, 85−31165, 85−31889 to 31890, 85−31895

Military communications; 1985 IEEE Military Communications Conference: MILCOM '85. Conference Record (Cat. No.85CH2202-0), Boston, MA, USA, 20-23 Oct. 1985, *(IEEE; US Dept. Defense; Armed Forces Commun. & Electron. Assoc)* [New York, NY, USA: IEEE 1985] 86−26493 (introductory abstract), 86−27138, 86−27365, 86−27619 to 27620, 86−28249, 86−28411 to 28412, 86−28883, 86−29169 to 29170, 86−29281, 86−29392 to 29394, 86−29496, 86−29565 to 29566, 86−29631 to 29637, 86−29703 to 29705, 86−29745 to 29750, 86−29798 to 29807, 86−29927 to 29931, 86−30041 to 30042, 86−30105 to 30110, 86−30152 to 30154, 86−30213 to 30220, 86−30398 to 30403, 86−30485, 86−30520, 86−30579 to 30606, 86−30638 to 30641, 86−30680 to 30685, 86−30728 to 30734, 86−30836 to 30841

Military communications; MILCOM 86: 1986 IEEE Military Communications Conference. Communications-Computers: Teamed for the '90's. Conference Record (Cat. No.86CH2323-4), Monterey, CA, USA, 5-9 Oct. 1986, *(IEEE; AFCEA; Dept. Defense)* [New York, NY, USA: IEEE 1986] 87−36325 (introductory abstract), 87−36525 to 36526, 87−36553 to 36554, 87−36684, 87−36911, 87−37056, 87−37082 to 37084, 87−37239 to 37241, 87−37304, 87−37370 to 37374, 87−37566 to 37568, 87−38469 to 38470, 87−38574, 87−38888, 87−39390, 87−39412 to 39417, 87−39475, 87−39494, 87−39513 to 39515, 87−39602 to 39608, 87−39668 to 39671, 87−39714 to 39716, 87−39831 to 39853, 87−39975 to 39979, 87−40044 to 40052, 87−40216 to 40226, 87−40286, 87−40431 to 40451, 87−40511 to 40513, 87−40536, 87−40552, 87−40588 to 40589, 87−40617 to 40619, 87−40623, 87−40672 to 40699, 87−40732 to 40738, 87−40769 to 40773, 87−40822 to 40836, 87−40954 to 40960, 87−41008, 87−41062 to 41064, 87−41215, 87−41450, 87−41618, 87−42089 to 42090, 87−42285

Military communications; MILCOM 87: 1987 IEEE Military Communications Conference. 'Crisis Communications: The Promise and Reality'. Conference Record (Cat. No.87CH2493-5), Washington, DC, USA, 19-22 Oct. 1987, *(IEEE; US Dept. Defense; Armed Forces Commun. & Electron. Assoc)* [New York, NY, USA: IEEE 1987] 88−24344 (introductory abstract), 88−19002, 88−19016, 88−19199, 88−19256, 88−19388 to 19393, 88−20674, 88−20772, 88−20912, 88−21012, 88−21033 to 21036, 88−21053, 88−21063 to 21067, 88−21094 to 21096, 88−21143 to 21148, 88−21215 to 21219, 88−21401 to 21408, 88−21501 to 21517, 88−21680 to 21695, 88−21794 to 21796, 88−21868, 88−21882, 88−21924 to 21941, 88−21958 to 21961, 88−22000, 88−22026 to 22048, 88−22190, 88−22204, 88−23167, 88−23225 to 23227, 88−23231 to 23235, 88−27509, 88−27740 to 27742, 88−27808, 88−28160, 88−28230 to 28232, 88−28413, 88−28492, 88−28666 to 28672, 88−28688 to 28691, 88−28786, 88−28823, 88−30216

Military computers, graphics and software; Conference Proceedings - MILCOMP '85: Military Computers, Graphics and Software, London, UK, 1-3 Oct. 1985, [Tunbridge Wells, UK: Microwave Exhibitions & Publishers 1985] 86−27187, 86−27378 to 27382, 86−28420 to 28421, 86−28509 to 28510, 86−29936 to 29938, 86−30156, 86−30240 to 30241, 86−30424, 86−30446, 86−30887, 86−30894

Military computers, graphics and software; Conference Proceedings MILCOMP 87: Military Computers, Graphics and Software, London, UK, 29 Sept.-1 Oct. 1987, [Tunbridge Wells, UK: Microwave Exhibitions & Publishers 1987] 88−38577, 88−41372 to 41375, 88−41750, 88−44076, 88−44240 to 44242, 88−46633, 88−46730, 88−46894 to 46895

Military microwaves ; Conference Proceedings. Military Microwaves '86, Brighton, UK, 24-26 June 1986, *(Convention Nat. Soc. Electr. Eng. Western Eur.; IEE; IEEE; IERE; et al)* [Tunbridge Wells, UK: Microwave Exhibitions & Publishers 1986] 87−43793 (introductory abstract), 87−37036 to 37037, 87−37057, 87−37569 to 37572, 87−38330, 87−39467 to 39469, 87−39476 to 39477, 87−39495, 87−39518 to 39526, 87−39533 to 39534, 87−39864, 87−39995, 87−40059, 87−40988, 87−41012 to 41023, 87−41149, 87−41394, 87−44724, 87−44943, 87−45294 to 45295, 87−45522, 87−45537 to 45538, 87−46143, 87−46399, 87−47243, 87−47347 to 47350, 87−47397 to 47405, 87−47432, 87−48249, 87−48713, 87−48885 to 48888, 87−48916, 87−49011, 87−49128, 87−49150 to 49151, 87−49166 to 49175, 87−49194, 87−49582 to 49583, 87−49735, 87−49771

Millimeter wave technology; Millimeter Wave Technology II, San Diego, CA, USA, 23-24 Aug. 1983, *(SPIE)* [1983] 85−5623 (introductory abstract), 85−6492, 85−6508 to 6514, 85−6646 to 6647, 85−7634 to 7635, 85−8295, 85−8342 to 8344, 85−8448, 85−8463 to 8464, 85−8945 to 8948, 85−9248, 85−9374

Millimeter wave technology; Millimeter Wave Technology III, Arlington, VA, USA, 9-10 April 1985, *(SPIE)* [1985] 86−33904 (introductory abstract), 86−35059, 86−35073, 86−35080 to 35081, 86−35098 to 35104, 86−36416, 86−36778, 86−36809, 86−36834 to 36836, 86−37919, 86−37937 to 37940, 86−38216, 86−38306, 86−38522 to 38523, 86−38955 to 38957, 86−38969

Millimetre wave component design; IEE Colloquium on 'Millimetre Wave Component Design' (Digest No.109), London, UK, 3 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87−10057 (introductory abstract), 87−11025 to 11028, 87−11063 to 11071, 87−11821

Millimetre wave propagation; IEE Colloquium on 'Millimetre Wave Propagation' (Digest No.17), London, UK, 29 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86−33953 (introductory abstract), 86−35079, 86−36724 to 36728, 86−37735, 86−37862, 86−38541, 86−38963

Mineral and energy resources; Quantitative Analysis of Mineral and Energy Resources. Proceedings of the NATO Advanced Study Institute on Statistical Treatments for Estimation of Mineral and Energy Resources, Il Ciocco, Italy, 22 June-4 July 1986, *(NATO) Chung, C.F. Fabbri, A.G. Sinding-Larsen, R. (editor/s)*, [Dordrecht, Netherlands: Reidel 1988, $139.00] 88−49381 (introductory abstract)

Mineral magnetism; Mineral Magnetics Studies Colloquium, Liverpool, UK, 3-4 March 1984, [1 Feb. 1986] 86−38944

Mini and microcomputers; Proceedings of the ISMM International Symposium: Mini and Microcomputers and their Applications, Montreal, Que., Canada, 3-5 June 1985, *Zsombor-Murray, P.J. Vroomen, L.J. Hamza, M.H. (editor/s)*, [Calgary, Alta., Canada: Acta Press 1985] 86−61845 (introductory abstract), 86−61889, 86−62309 to 62310, 86−62650, 86−62775 to 62776, 86−63470 to 63471, 86−64201 to 64202, 86−64746, 86−65228, 86−65455, 86−65583, 86−65646, 86−65693, 86−66079, 86−66097, 86−66466

Mini and microcomputers; Proceedings of the ISMM Symposium Mini and Microcomputers and their Applictions - MIMI '87, Lugano, Switzerland, 29 June-1 July 1987, *(Int. Soc. Mini & Microcomput) Hamza, M.H. (editor/s)*, [Anaheim, CA, USA: Acta Press 1987] 88−49973, 88−50027, 88−50124, 88−50152, 88−50203 to 50204, 88−50278, 88−51032, 88−53527, 88−53704, 88−53898, 88−54591, 88−54744

Mini and microcomputers and their applications; Mini and Microcomputers and their Applications. Proceedings of the ISMM International Symposium, Sant Feliu de Guixols, Spain, 25-28 June 1985, *Luque, E. (editor/s)*, [Barcelona, Spain: Int. Soc. Mini & Microcomput. 1985] 86−13295 (introductory abstract), 86−13902, 86−13940 to 13941, 86−14005, 86−14107 to 14109, 86−14292, 86−15241 to 15242, 86−16151, 86−16488, 86−16584, 86−16821, 86−17024 to 17027, 86−17140, 86−17815 to 17817, 86−17870, 86−17906, 86−18076, 86−18291 to 18292, 86−18326, 86−18356 to 18357, 86−18371, 86−18743, 86−18917, 86−19156, 86−19620

Mini and microcomputers and their applications; Mini and Microcomputers and their Applications: MIMI '84 Bari. Proceedings of the ISMM International Symposium, Bari, Italy, 5-8 June 1984, *Mastronardi, G. (editor/s),* [Anaheim, CA, USA: Acta Press 1984] 86−46216, 86−46783 to 46784, 86−47759 to 47761, 86−48782, 86−49070 to 49071, 86−49329, 86−49733 to 49734, 86−49966 to 49969, 86−50025, 86−50602, 86−50805, 86−50925 to 50926, 86−51169, 86−51510

Mini and microcomputers in control, filtering and signal processing; Mini and Microcomputers in Control, Filtering and Signal Processing. Proceedings of the ISMM International Symposium, Las Vegas, NV, USA, 10-12 Dec. 1984, *Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1985] 86−52139 (introductory abstract), 86−52210, 86−52891, 86−52968 to 52971, 86−53777 to 53779, 86−54486, 86−54524 to 54527, 86−55350, 86−56163, 86−56228, 86−56316, 86−56386, 86−56426, 86−56552, 86−56795

Mini/Micro Northeast; Mini/Micro Northeast. 1984 Computer Conference and Exhibition, Boston, MA, USA, 15-17 May 1984, *(IEEE et al)* [Los Angeles, CA, USA: Electron. Conventions 1984] 85−16585 (introductory abstract), 85−11388, 85−13967 to 13971, 85−14013 to 14017, 85−14325 to 14327, 85−14451, 85−17253 to 17254, 85−17522 to 17536, 85−17595 to 17599, 85−19414, 85−19579, 85−19679 to 19680, 85−19904, 85−19908, 85−19920, 85−19994 to 19995, 85−20437

Mini/Micro Northeast; Mini/Micro Northeast. 1985 Computer Conference and Exhibition, New York, NY, USA, 23-25 April 1985, *(IEEE; METSAC; ERA)* [Los Angeles, CA, USA: Electron. Conventions Manage. 1985] 86−41118 (introductory abstract), 86−40507, 86−40530, 86−40855, 86−41076, 86−41119 to 41121, 86−41159 to 41164, 86−41912, 86−41970, 86−44145

Mini/Micro Southeast; Mini/Micro Southeast. 1984 Computer Conference and Exhibition, Orlando, FL, USA, 17-19 Jan. 1984, *(IEEE)* [Los Angeles, CA, USA: Electron. Conventions 1984] 85−10329 (introductory abstract), 85−11130 to 11132, 85−11211, 85−11260, 85−11326 to 11334, 85−11359 to 11361, 85−11384 to 11387, 85−11731, 85−13532, 85−14012

Mini/Micro Southwest; Mini/Micro Southwest-84. 1984 Computer Conference and Exhibition, Dallas, TX, USA, 11-13 Sept. 1984, *(IEEE et al)* [Los Angeles, CA, USA: Electron. Conventions 1984] 85−11336 to 11339, 85−11783, 85−12435 to 12436, 85−13972 to 13974, 85−14018 to 14021, 85−16375

Mini/Micro West; Mini/Micro West. 1983 Computer Conference and Exhibition, San Francisco, CA, USA, 8-11 Nov. 1983, *(IEEE et al)* [Los Angeles, CA, USA: Electron. Conventions 1983] 85−16571 (introductory abstract), 85−17245 to 17248, 85−17429 to 17434, 85−17490 to 17519, 85−17563, 85−17589 to 17594, 85−18435, 85−19767 to 19768, 85−19894 to 19897, 85−19933 to 19936, 85−20432 to 20433, 85−20484 to 20486

Miniature optics and lasers; Miniature Optics and Lasers, Los Angeles, CA, USA, 11-12 Jan. 1988, *(SPIE)* [1988] 88−62857 (introductory abstract), 88−64954, 88−65356 to 65358, 88−65403, 88−65444, 88−65457, 88−65522, 88−65593, 88−65649 to 65653, 88−65709 to 65711, 88−65777, 88−65820, 88−65870

Mining and metallurgy; Instrumentation in the Mining and Metallurgy Industries. Vol. 10. Proceedings of the 11th Annual Mining and Metallurgy Industries Sympoium and Exhibit, Tucson, AZ, USA, 4-6 May 1983, *Trenholme, W.M. Csider, L.J. Ford, J.D. (editor/s),* [Research Triangle Park, NC, USA: ISA 1983] 85−32 (introductory abstract), 85−4037

Mining industry; Conference Record of the 1987 IEEE Mining Industry Technical Conference (Cat. No.87CH2460-4), Pittsburgh, PA, USA, 9-11 June 1987, *(IEEE; US Dept. Interior)* [New York, NY, USA: IEEE 1987] 87−58549 (introductory abstract), 87−58640, 87−60702, 87−63255, 87−63324, 87−64902, 87−65027 to 65030

Mining industry technical conference; 1985 Mining Industry Technical Conference. Conference Record (Cat. No.85CH2158-4), Golden, CO, USA, 5-7 June 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−26503 (introductory abstract), 86−30272, 86−31682, 86−32695, 86−32760, 86−32841, 86−32859 to 32860, 86−33755, 86−33805

Mircroprocessing and microprogramming; Microcomputers: Usage, Methods and Structures. Thirteenth EUROMICRO Symposium on Microprocessing and Microprogramming, Portsmouth, UK, 14-17 Sept. 1987, *(Portsmouth City Council; Portsmouth Polytech; IEE; British Comput. Soc.; et al)* [Aug. 1987] 87−72772, 87−73410, 87−74317, 87−74370 to 74373, 87−74433 to 74435, 87−75873, 87−77095, 87−77915, 88−38469 to 38470, 88−38558 to 38560, 88−38878, 88−39606 to 39612, 88−39718, 88−41328 to 41329, 88−41481, 88−41737, 88−42157, 88−43140

MIS management, new directions; New Directions in M.I.S. Management: Seminar, Melbourne, FL, USA, 13-15 Nov. 1985, *(Harris Corp)* [Melbourne, FL, USA: Harris Executive Seminars 1985] 87−48453, 87−48725

MM wave and IR applications, devices and propagation; IEE Colloquium on 'MM-Wave and IR Applications, Devices and Propagation' (Digest No.65), London, UK, 19 May 1987, *(IEE)* [London, UK: IEE 1987] 87−51757 (introductory abstract), 87−55985 to 55986, 87−56265 to 56268, 87−56331 to 56332, 87−56546, 87−56710, 87−56826

Mobile communications; Mobile Communications. Proceedings of the Cellular and Mobile Communications Conference, London, UK, Dec. 1987, [Pinner, UK: Online Publications 1987] 88−55820 (introductory abstract), 88−60051 to 60062, 88−60362, 88−62574

Mobile radio; International Conference on Mobile Radio Systems and Techniques (Conf. Publ. No.238), York, UK, 10-13 Sept. 1984, *(IEE)* [London, UK: IEE 1984] 85−60658 (introductory abstract), 85−55125, 85−57044, 85−57213 to 57217, 85−57274, 85−57569 to 57570, 85−58025 to 58033, 85−58081, 85−63244, 85−63531 to 63533, 85−63554 to 63576, 85−63781

Mobile radio networks; IEE Colloquium on 'Mobile Radio Networks' (Digest No.36), London, UK, 11 March 1988, *(IEE)* [London, UK: IEE 1988] 88−43604 (introductory abstract), 88−46879, 88−46945 to 46953

Mobile radio services; Bewegliche Funkdienste. Vortrage der NTG-Fachtagung (Mobile Radio Services. Proceedings of NTG Meeting), Munich, West Germany, 25-27 Nov. 1985, [1985] 86−19712 (introductory abstract), 86−23709 to 23749

Mobile robots; Mobile Robots, Cambridge, MA, USA, 30-31 Oct. 1986, *(SPIE)* [1987] 87−47990, 87−49193, 87−49201, 87−50475, 87−51514 to 51515, 87−51554

Mobile robots; Mobile Robots II, Cambridge, MA, USA, 5-6 Nov. 1987, *(SPIE)* [1988] 88−49469, 88−54829, 88−55638, 88−58752 to 58754, 88−59269 to 59274, 88−60280

Modeling and simulation on microcomputer; Modeling and Simulation on Microcomputers: 1987. Proceedings of the Conference, San Diego, CA, USA, 14-16 Jan. 1987, *Hogan, P.F. (editor/s),* [San Diego, CA, USA: SCS 1987] 87−34017, 87−35808

Modeling and simulation on microcomputers; Modeling and Simulation on Microcomputers, 1988. Proceedings of the SCS Multiconference, San Diego, CA, USA, 3-5 Feb. 1988, *Hilber, J. (editor/s),* [San Diego, CA, USA: SCS 1988, £28.00] 88−70096, 88−71723, 88−71825, 88−74006

Modeling of optical thin films; Modeling of Optical Thin Films, San Diego, CA, USA, 20-21 Aug. 1987, *(SPIE)* [1988] 88−51545

Modelling and simulation; Modeling and Simulation. Vol.14. Proceedings of the Fourteenth Annual Pittsburgh Conference, Pittsburgh, PA, USA, 21-22 April 1983, *(Univ. Pittsburgh; IEEE; ISA; SCS; Int. Assoc. Math. & Comput. Simulation) Vogt, W.G. Mickle, M.H. (editor/s),* [Research Triangle Park, NC, USA: ISA 1983] 85−26925 (introductory abstract), 85−22458, 85−22842, 85−22942, 85−23051, 85−23753 to 23754, 85−23911, 85−24938, 85−25006 to 25008, 85−25134 to 25135, 85−25189 to 25191, 85−25209 to 25214, 85−25297, 85−25727, 85−26117, 85−26159, 85−26231, 85−26321, 85−26852, 85−27012, 85−27051 to 27055, 85−27080, 85−27137, 85−27215, 85−27306 to 27311, 85−27368 to 27369, 85−27384, 85−27420, 85−27517 to 27519, 85−27735 to 27736

Modelling and simulation; Modeling and Simulation. Proceedings of the Sixteenth Annual Pittsburgh Conference, Pittsburgh, PA, USA, 25-26 April 1985, *(Univ. Pittsburgh; IEEE; ISA; et al) Hanham, R. Vogt, W.G. Mickle, M.H. (editor/s),* [Research Triangle Park, NC, USA: ISA 1985] 86−52121 (introductory abstract), 86−57150, 86−57233, 86−57319, 86−57363 to 57364, 86−57539, 86−57606, 86−57803, 86−57988, 86−58090, 86−58490, 86−58569 to 58570, 86−59193, 86−59201, 86−59300, 86−59504, 86−59679 to 59682, 86−60092, 86−60795, 86−60907 to 60908, 86−61004 to 61010, 86−61082 to 61085, 86−61105 to 61107, 86−61136 to 61137, 86−61144, 86−61147, 86−61196, 86−61214, 86−61446, 86−61574 to 61576, 86−61696, 86−61757 to 61758, 86−61796, 86−61831, 86−61993, 86−61997, 86−62005, 86−62011, 86−64301, 86−65019

Modelling and simulation; Proceedings of the IASTED International Symposium on Modelling and Simulation, Lugano, Switzerland, 24-26 June 1985, *Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1985] 87−23266, 87−23440, 87−23448, 87−23467, 87−23533 to 23534, 87−23564, 87−23813 to 23814, 87−23866, 87−24211, 87−28229, 87−28889, 87−30105, 87−30139 to 30141, 87−30151, 87−30399 to 30400, 87−30472 to 30473, 87−30551 to 30552, 87−30587, 87−30662 to 30663, 87−30997, 87−31032 to 31034, 87−31081, 87−31658 to 31659, 87−32478, 87−32742, 87−33869, 87−34201, 87−35508, 87−35547, 87−35593, 87−35598, 87−35831, 87−36258

Modelling and simulation on microcomputers; Modeling and Simulation on Microcomputers: 1985, San Diego, CA, USA, 24-26 Jan. 1985, *Greer Lavery, R. (editor/s),* [La Jolla, CA, USA: Soc. Comput. Simulation 1985, $20.00] 86−7683, 86−12069

Modelling and simulation on microcomputers; Modeling and Simulation on Microcomputers: 1986. Proceedings of the Conference, San Diego, CA, USA, 23-25 Jan. 1986, *Barnett, C.C. (editor/s),* [San Diego, CA, USA: SCS 1986] 86−45975, 86−46503 to 46504, 86−49330, 86−50603, 86−52007

Modelling, identification and control; Modelling, Identification and Control. Proceedings of the IASTED International Symposium, Innsbruck, Austria, 14-17 Feb. 1984, *Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1984] 86−26748, 86−27491, 86−31186, 86−32327 to 32329, 86−32713, 86−33133, 86−33214, 86−33399 to 33400, 86−33425 to 33426

Modelling, identification and control; Proceedings of the IASTED International Symposium: Modelling, Identification and Control, MIC '86, Innsbruck, Austria, 18-20 Feb. 1986, *Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1986] 87−31154 (introductory abstract), 87−31636, 87−31660 to 31661, 87−32235, 87−33668, 87−34234, 87−34955, 87−35548 to 35549, 87−35599 to 35600, 87−35622, 87−35722, 87−35824, 87−35829, 87−35842, 87−35862, 87−35910, 87−35993, 87−36040

Modelling, identification and robust control; Modelling, Identification and Robust Control , Stockholm, Sweden, 10-14 June 1985, *Byrnes, C.I. Lindquist, A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986] 87−2498, 87−4585

Models of the atmosphere and ionosphere; Models of the Atmosphere and Ionosphere. Proceedings of Workshop VIII and X of the COSPAR Twenty-Fifth Plenary Meeting, Graz, Austria, 25 June-7 July 1984, *(COSPAR; URSI)* [1985] 86−12164

Modems for radiocommunication; IEE Colloquium on 'Modems for Radio Communication' (Digest No.67), London, UK, 1 May 1986, *(IEE)* [London, UK: IEE 1986] 86−45949 (introductory abstract), 86−48783, 86−49363, 86−49460, 86−49470, 86−49492 to 49494, 86−49568

Modern forecasting methods; IEE Colloquium on 'Modern Forecasting Methods' (Digest No.119), London, UK, 17 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87−16303 (introductory abstract), 87−21897 to 21900

Modern optics, lasers and laser spectroscopy; International Workshop on Modern Optics, Lasers and Laser Spectroscopy, Kanpur, India, 19-29 Jan. 1987, *(CSIR; Defence Res. & Dev. Organ.; Indian Inst. Technol.; et al)* [Dec. 1987] 88−24307 (introductory abstract), 88−25018, 88−27024 to 27025, 88−27108, 88−27148, 88−27218, 88−27252, 88−27283 to 27284, 88−27345 to 27348, 88−28014, 88−28836 to 28837

Modulated semiconductor structures; Proceedings of the Yamada Conference XII on Modulated Semiconductor Structures (Second International Conference), Kyoto, Japan, 9-13 Sept. 1985, *(Yamada Sci. Found)* [Aug. 1986] 87−12 (introductory abstract), 87−274 to 280, 87−319 to 320, 87−1273 to 1277, 87−1979, 87−2129 to 2131, 87−2237, 87−5421 to 5423, 87−6089, 87−6355, 87−6442 to 6456, 87−6498, 87−6636, 87−6678 to 6680, 87−6742 to 6746, 87−7204 to 7205, 87−7208

Modulated semiconductor structures; 3rd International Conference on Modulated Semiconductor Structures, Montpellier, France, 6-10 July 1987, *(Bull; CNET; CNRS; Inst. Univ. Technol. Montpellier; et al)* [Nov. 1987] 88−31265 (introductory abstract), 88−31798 to 31806, 88−32441, 88−32755, 88−32857 to 32871, 88−32943, 88−33144 to 33145, 88−33175, 88−33254 to 33255, 88−33740, 88−33760, 88−33854 to 33855, 88−34038 to 34039, 88−35998 to 36000

Molecular beam epitaxy; Proceedings of the Third International Conference on Molecular Beam Epitaxy, San Francisco, CA, USA, 1-3 Aug. 1984, *(IEEE; APS; Mater. Res. Soc.; Office of Naval Res.; American Vacuum Soc)* [March-April 1985] 85−39409 (introductory abstract), 85−39729 to 39744, 85−40440, 85−40486, 85−40595 to 40598, 85−40620 to 40621, 85−40725 to 40728, 85−40895, 85−41235, 85−41387 to 41389, 85−44698 to 44723, 85−45387, 85−45422 to 45424, 85−45448, 85−45483, 85−45634 to 45637, 85−45679 to 45682, 85−46384 to 46386

Molecular beam epitaxy; Fourth International Conference on Molecular Beam Epitaxy, York, UK, 7-10 Sept. 1986, *(British Assoc. Crystal Growth)* [Feb. 1987] 87−36293 (introductory abstract), 87−36703 to 36741, 87−37890 to 37891, 87−37941 to 37947, 87−38116, 87−44316 to 44332, 87−45577 to 45578, 87−45653 to 45654, 87−45733 to 45734, 87−45890 to 45893, 87−45967 to 45968, 87−46163, 87−46714, 87−46885

Molecular beam epitaxy; Proceedings of the Sixth Molecular Beam Epitaxy Workshop, Minneapolis, MN, USA, 14-16 Aug. 1985, *(American Vacuum Soc)* [March-April 1986] 86−52103 (introductory abstract), 86−46334 to 46343, 86−47455, 86−47518, 86−47537, 86−47586, 86−48302, 86−52463 to 52474, 86−53043 to 53044, 86−53341 to 53342, 86−53395 to

53403, 86—53450 to 53451, 86—53472, 86—53530, 86—53586, 86—53658 to 53659

Molecular beam epitaxy; Seventh Molecular Beam Epitaxy Workshop, Cambridge, MA, USA, 20-22 Oct. 1986, *(American Vacuum Soc)* [May-June 1987] 87—65035 (introductory abstract), 87—65497 to 65501, 87—66942, 87—67084, 87—73088 to 73103, 87—74007 to 74008, 87—74065 to 74075, 87—74185 to 74186, 87—75100, 88—1366

Molecular-beam epitaxy; Eighth Molecular-Beam Epitaxy Workshop, Los Angeles, CA, USA, 9-11 Sept. 1987, *(American Vacuum Soc)* [March-April 1988] 88—49807 to 49830, 88—50371, 88—50700, 88—50724, 88—50815 to 50816, 88—50890 to 50891, 88—51561, 88—51812 to 51813, 88—57349

Molecular electronics; Proceedings of the 4th International School on Condensed Matter Physics: Molecular Electronics, Varna, Bulgaria, 18-27 Sept. 1986, *(Bulgarian Acad. Sci.; Bulgarian State Committee Res. & Technol) Borissov, M. (editor/s),* [Singapore: World Scientific 1987] 88—69994 (introductory abstract), 88—70763 to 70764, 88—71259 to 71261, 88—72329

Molecular electronics and biocomputers; Symposium on Molecular Electronics and Biocomputers (MEBC), Budapest, Hungary, 24-27 Aug. 1987, [Jan.-March 1988] 88—55777 (introductory abstract), 88—56238, 88—57230, 88—58291, 88—58658 to 58659

Monolithic circuits; IEEE 1986 Microwave and Millimeter-Wave Monolithic Circuits Symposium. Digest of Papers (Cat. No.86CH2326-7), Baltimore, MD, USA, 4-5 June 1986, *(IEEE) Spielman, B.E. (editor/s),* [New York, NY, USA: IEEE 1986] 86—66548 (introductory abstract), 86—67497 to 67513, 86—67544, 86—67560 to 67561, 86—67892, 86—68287, 86—68410

Monopole '83; Monopole '83. Proceedings of a NATO Advanced Research Workshop, Ann Arbor, MI, USA, 6-9 Oct. 1983, *(NATO; USDOE; NSF; Univ. Michigan) Stone, J.L. (editor/s),* [New York, NY, USA: Plenum 1984] 85—31637 (introductory abstract), 85—31724 to 31750, 85—31754

MOS devices and applications; IEE Colloquium on 'Recent Development in MOS Devices and Applications' (Digest No.71), London, UK, 7 May 1986, *(IEE)* [London, UK: IEE 1986] 86—45955 (introductory abstract), 86—46572, 86—47634 to 47636, 86—47876, 86—51792 to 51794

MOS hot carrier degradation; IEE Colloquium on 'Hot Carrier Degradation in Short Channel MOS' (Digest No.15), London, UK, 27 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87—31164 (introductory abstract), 87—32572 to 32582

Mossbauer effect; International Conference on the Applications of the Mossbauer Effect, Clayton, Vic., Australia, 17-21 Aug. 1987, *(Hyperfine Interactions; Australian Inst. Phys.; Monash Univ.; et al)* [Feb. 1988] 88—39810, 88—39840

Mossbauer effect aplications; Applications of the Mossbauer Effect (ICAME 1985). Proceedings of the International Conference, Leuven, Belgium, 16-20 Sept. 1985, *(IUPAC; Eur. Phys. Soc.; Belgian Phys. Soc.; et al)* [Feb. 1986] 86—47960, 86—50415

Motion compensated image processing; IEE Colloquium on 'Motion Compensated Image Processing' (Digest No.86), London, UK, 23 Oct. 1987, *(IEE)* [London, UK: IEE 1987] 88—6132 (introductory abstract), 88—8880 to 8882, 88—9635, 88—9770 to 9771

MOTOR-CON '85 - Hannover; Proceedings of the Seventh International MOTOR-CON '85 Conference, Hannover, West Germany, 22-24 April 1985, [Ventura, CA, USA: Intertec Commun. 1985, $85.00] 86—45920 (introductory abstract), 86—50086 to 50087, 86—51590, 86—51613, 86—51632 to 51636, 86—51643 to 51647, 86—51665 to 51669, 86—51785, 86—51867 to 51870, 86—51945 to 51952

MOTOR-CON '86 Boston; Official Proceedings of the Ninth International MOTOR-CON '86 Conference, Boston, MA, USA, 27-31 Oct. 1986, [Ventura, CA, USA: Intertec Commun. 1986, $75.00] 87—43799 (introductory abstract), 87—44642, 87—45000, 87—46146, 87—46344, 87—46395 to 46396, 87—51163 to 51165, 87—51187 to 51188, 87—51219, 87—51233 to 51240, 87—51247, 87—51275 to 51283, 87—51519 to 51520

MOTOR-CON '87 - Hannover; Official Proceedings of the Tenth International MOTOR-CON '87 Conference, Hannover, West Germany, 1-3 April 1987, [Ventura, CA, USA: Intertec Commun. 1987] 88—70019 (introductory abstract), 88—70555, 88—71741, 88—71759 to 71762, 88—74396 to 74397, 88—75572 to 75578, 88—75599 to 75600, 88—75641, 88—75668 to 75672, 88—75989 to 75997

MOTOR-CON '87 - Long Beach; Official Proceedings of the Eleventh Intenational MOTOR-CON '87 Conference, Long Beach, CA, USA, 14-17 Sept. 1987, [Ventura, CA, USA: Intertec Commun. 1987] 88—70018 (introductory abstract), 88—70554, 88—74240, 88—74395, 88—74596, 88—75563 to 75571, 88—75598, 88—75620 to 75621, 88—75635 to 75640, 88—75645, 88—75658 to 75667, 88—75986 to 75988

MOTOR-CON '88 - Munich; Official Proceedings of the Twelfth International MOTOR-CON '88 Conference, Munich, West Germany, 6-9 June 1988, [Ventura, CA, USA: Intertec Commun. 1988] 88—70025 (introductory abstract), 88—71599, 88—74434, 88—75148, 88—75579 to 75582, 88—75601 to 75602, 88—75622, 88—75673 to 75680, 88—75852, 88—75882, 88—75998 to 76007

Motor systems; Novel Approaches to the Study of Motor Systems, Banff, Alta., Canada, 10-13 July 1986, [Oct. 1987] 88—16739

MPA seminar; 12th MPA-Seminar, Stuttgart, West Germany, 9-10 Oct. 1986, [1987] 87—65038 (introductory abstract), 87—71407, 87—71455 to 71459, 87—72623

MSC/NASTRAN European users' conference; Proceedings of the MSC/NASTRAN European Users' Conference, Munich, West Germany, 17-18 April 1985, *(MacNeal-Schwendler GmbH)* [Munich, West Germany: MacNeal-Schwendler GmbH 1985] 87—12832

Multi-quantum well devices; IEE Colloquium on 'Multi-Quantum Well Devices - Physics, Engineering and Applications' (Digest No.128), London, UK, 8 Dec. 1986, *(IEE)* [London, UK: IEE 1986] 87—23025 (introductory abstract), 87—24906 to 24910, 87—26092, 87—26432, 87—26550

Multiband antennas; IEE Colloquium on 'Multiband Antennas' (Digest No.113), London, UK, 8 Dec. 1987, *(IEE)* [London, UK: IEE 1987] 88—24372 (introductory abstract), 88—27645 to 27648, 88—27689, 88—27696, 88—28821 to 28822, 88—29376

Multifunction radar for airborne applications; Multifunction Radar for Airborne Applications (AGARD-CP-381), Toulouse, France, 14-18 Oct. 1985, *(AGARD)* [Neuilly sur Seine, France: AGARD July 1986] 87—16288 (introductory abstract), 87—11062, 87—12846, 87—13049 to 13052, 87—13759 to 13765, 87—13783 to 13790, 87—19343, 87—20399, 87—20594, 87—20610 to 20622

Multifunctional materials; Multifunctional Materials, Los Angeles, CA, USA, 11-12 Jan. 1988, *(SPIE)* [1988] 88—62852 (introductory abstract), 88—63329, 88—63388, 88—64291 to 64292, 88—64999, 88—65118 to 65119, 88—65332, 88—65861

Multilayer structures, laboratory X-ray laser research; Multilayer Structures and Laboratory X-Ray Laser Research, San Diego, CA, USA, 19-20 Aug. 1986, *(SPIE)* [1987] 88—7 (introductory abstract), 88—2040, 88—2174 to 2180, 88—2324, 88—2330 to 2333, 88—4866 to 4868

Multilayers for optical applications; Journees d'Etude sur les Multicouches pour Applications Optiques (Study Conference on Multilayers for Optical Applications), Marseille, France, 8-9 Nov. 1983, [Aug.-Oct. 1984] 85—10319 (introductory abstract), 85—10787, 85—12695, 85—12916, 85—14291, 85—16276

Multioctave components and antennas; IEE Colloquium on 'Multi-Octave Active and Passive Components and Antennas' (Digest No.36), London, UK, 25 March 1987, *(IEE)* [London, UK: IEE 1987] 87—43809 (introductory abstract), 87—44671 to 44672, 87—45202 to 45204, 87—45296 to 45298, 87—45351, 87—47351 to 47352, 87—50467

Multipath interference; IEE Colloquium on Characterisation and Mitigation of Multipath Interference Effects (Digest No.52), London, UK, 20 May 1983, *(IEE)* [London, UK: IEE 1983] 85—22101 (introductory abstract), 85—24847 to 24852, 85—25140 to 25141

Multiple access techniques in radio systems; IEE Colloquium on 'Multiple Access Techniques in Radio Systems' (Digest No.95), London, UK, 7 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87—5155 (introductory abstract), 87—8162 to 8164, 87—8211 to 8214

Multiple criteria decision making; Preprints of VII-th International Conference on Multiple Criteria Decision Making - Toward Interactive and Intelligent Decision Support Systems, Kyoto, Japan, 18-22 Aug. 1986, *(Int. Special Interest Group on Multiple Criteria Decision Making; Japan Inst. Syst. Res.; et al)* [Kyoto, Japan: Japan Inst. Syst. Res. 1986] 87—32404

Multiple-valued logic; Proceedings of the Fourteenth International Symposium on Multiple-Valued Logic (Cat. No. 84CH2052-9), Winnipeg, Man., Canada, 29-31 May 1984, *(IEEF)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85—16566 (introductory abstract), 85—17185, 85—17328 to 17337, 85—17425, 85—19356, 85—19482, 85—19542

Multiple-valued logic; Proceedings of the Fifteenth International Symposium on Multiple-Valued Logic (Cat. No. 85CH2147-7), Kingston, Ont., Canada, 28-30 May 1985, *(IEEE; Multiple-Valued Logic Tech. Committee; Queens Univ.; Natural Sci. & Eng. Res. Council of Canada)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86—42 (introductory abstract), 86—957 to 967, 86—1060 to 1061, 86—2199, 86—2312, 86—2404 to 2406, 86—3753, 86—3785 to 3787, 86—3999 to 4000

Multiple-valued logic; Proceedings of the Sixteenth International Symposium on Multiple-Valued Logic (Cat. No.86CH2289-7), Blacksburg, VA, USA, 27-29 May 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 86—57105 (introductory abstract), 86—57752 to 57760, 86—57806 to 57812, 86—57908, 86—58795

Multiple-valued logic; Proceedings of the Seventeenth International Symposium on Multiple-Valued Logic (Cat. No.87CH2421-6), Boston, MA, USA, 26-28 May 1987, *(IEEE; Univ. Massachusetts Boston; Digital Equipment Corp.; MVL Tech. Comm)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87—51739 (introductory abstract), 87—52496 to 52500, 87—52555 to 52564, 87—52664, 87—52689 to 52692, 87—53691, 87—53750

Multiple-valued logic; Proceedings of the Eighteenth International Symposium on Multiple-Valued Logic (Cat. No.88CH2546-0), Palma de Mallorca, Spain, 24-26 May 1988, *(IEEE; Univ. Las Islas Baleares; Consejo Superior de Investigaciones Cient)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88—70729 to 70735, 88—70770, 88—71262, 88—71799 to 71800, 88—71826, 88—73160

Multiply charged ions; Conference on the Physics of Multiply Charged Ions, Groningen, Netherlands, 17-19 Sept. 1986, [April 1987] 87—50087 to 50088, 87—50108 to 50109

Multiprocessor and array processors; MAPCON IV: Special Processing. Proceedings of the Fourth SCS Multiconference on Multiprocessors and Array Processors, San Diego, CA, USA, 3-5 Feb. 1988, *(SCS) Johnson, H.L. (editor/s),* [San Diego, CA, USA: SCS 1988, $28.00] 88—70029 (introductory abstract), 88—71822

Multiprocessors and array processors; Multiprocessors and Array Processors. Proceedings of the Third Conference, San Diego, CA, USA, 14-16 Jan. 1987, *Karplus, W.J. (editor/s),* [San Diego, CA, USA: SCS 1987] 87—40492

Multipurpose research reactors; Multipurpose Research Reactors. Proceedings of an International Symposium on the Utilization of Multipurpose Research Reactors and Related International Co-Operation, Grenoble, France, 19-23 Oct. 1987, [Vienna, Austria: IAEA 1988] 88—75279

Multivariable system techniques; Institute of Measurement and Control Application of Multivariable System Techniques, Plymouth, UK, 13-15 April 1987, [London, UK: Inst. Meas. & Control 1987] 88—36701, 88—37066, 88—37185, 88—37241, 88—37243, 88—37697

MUMPS Users' Group meeting; MUMPS Users' Group Meeting 1986, San Diego, CA, USA, 1986, 87—40383 to 40386

MUMPS Users' Group meeting; MUMPS Users' Group Meeting 1988 - MUMPS: A Lasting Competitive Edge in Computing, New Orleans, LA, USA, 13-17 June 1988, [1988] 88—73500, 88—73610

Muon catalyzed fusion; International Symposium on Muon Catalyzed Fusion (μCF-87), Gatchina, USSR, 25-30 May 1987, [1988] 88—47801

Nanometer structure electronics; Proceedings of the International Symposium on Nanometer Structure Electronics, Toyonaka, Japan, 16-18 April 1984, [Oct. 1984] 85—54021 (introductory abstract), 85—54470, 85—54511, 85—54836, 85—55338, 85—55465, 85—55634 to 55641, 85—55847 to 55848, 85—55907, 85—55965, 85—56072, 85—56221 to 56223, 85—56357, 85—56657 to 56659

NASTRAN Users' fifteenth colloquium; Fifteenth NASTRAN Users' Colloquium. Proceedings (NASA CP-2481), Kansas City, MO, USA, 4-8 May 1987, [Washington, DC, USA: NASA 1987] 88—20854, 88—21027, 88—23161 to 23162

National online meeting; National Online Meeting Proceedings - 1985, New York, NY, USA, 30 April-2 May 1985, *(Online Review)* [Medford, NJ, USA: Learned Inf. 1985, $50.00] 86—10707 to 10709, 86—10738

National online meeting; National Online Meeting Proceedings - 1986, New York, NY, USA, 6-8 May 1986, *(Online Review)* [Medford, NJ, USA: Learned Information 1986] 86—55027 to 55028

Natural language processing; Second Conference on Applied Natural Language Processing, Austin, TX, USA, 9-12 Feb. 1988, [Morristown, NJ, USA: Assoc. Comput. Linguistics 1988] 88—46011

Navigation; NAV 86: World-Wide Navigation into the 21st Century. 1986 Conference of the Royal Institute of Navigation, Brighton, UK, 30 Sept.-2 Oct. 1986, [London, UK: R. Inst. Navigation 1986] 87—36335 (introductory abstract), 87—39855, 87—40856, 87—41011, 87—41123 to 41148, 87—41613, 87—42064, 87—42115 to 42119, 87—42202 to 42203

Navigation; Royal Institute of Navigation NAV 88: Radionav 2000 - A European Dimension, London, UK, 22-24 March 1988, [London, UK: R. Inst. Navigation 1988, £60.00] 88—60307 (introductory abstract), 88—60308 to 60343, 88—61599

Navigation automation for night all-weather tactical operations; Guidance - Control - Navigation Automation for Night All-Weather Tactical Operations. Guidance and Control Panel 40th Symposium (AGARD-CP-387), The Hague, Netherlands, 21-24 May 1985, [Neuilly sur Seine, France: AGARD Oct. 1985] 86—52138 (introductory abstract)

Navigation electronics and data display; Royal Institute of Navigation NAV 87: Data Dissemination and Display - Electronics in Navigation, London, UK, 29 Sept.-1 Oct. 1987, [London, UK: R. Inst. Navigation 1987] 88—31303 (introductory abstract), 88—35187, 88—35590, 88—35602 to 35621, 88—35724, 88—36085, 88—36611 to 36614, 88—36646 to 36647, 88—36718 to 36722

NDE in the nuclear industry; 6th International Conference on NDE in the Nuclear Industry and Equipment/Services Exposition, Zurich, Switzerland, 28 Nov.-2 Dec. 1983, *(American Soc. Metals; Metals Soc.; American Welding Soc; Australian Inst. NDT; Welding Inst.; et al)* [Metals Park, OH, USA: American Soc. Metals 1984] 85—37458 to 37460, 85—39837 to 39839, 85—43110, 85—43502 to 43505, 85—43727 to 43728, 85—43831 to 43835

NDT in undergraduate engineering and industrial training courses; IEE Colloquium on 'NDT in Undergraduate Engineering and Industrial Training Courses' (Digest No.50), London, UK, 2 May 1985, *(IEE; Inst. Non-Destructive Testing.; IMechE)* [London, UK: IEE 1985] 85—49278 (introductory abstract)

NDT instrumentation developments; IEE Colloquium on Recent Developments in NDT Instrumentation (Digest No. 83), London, UK, 25 Oct. 1984, *(IEE)* [London, UK: IEE 1984] 85—16584 (introductory abstract), 85—16821, 85—17044, 85—20490 to 20491, 85—20618, 85—21043, 85—21415

NEPCON West Electronic packaging and production; Proceedings of the Technical Program of the National Electronic Packaging and Production Conference - NEPCON WEST: Packing, Production, Testing, Anaheim, CA, USA, 25-27 Feb. 1986, [Des Plaines, IL, USA: Cahners Exposition Group 1986] 87—10030 (introductory abstract), 87—10139 to 10143, 87—10151 to 10155, 87—10170 to 10183, 87—10209 to 10210, 87—10223, 87—10518 to 10519, 87—11135 to 11137, 87—11150 to 11154, 87—11193 to 11248, 87—11253 to 11256, 87—11264, 87—11266, 87—12655, 87—16213

Nerve activity; IEE Colloquium on 'Nerve Activity Measurement and Analysis' (Digest No.113), London, UK, 6 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87—23012 (introductory abstract), 87—29785 to 29786

Network operations and management; IEEE 1988 Network Operations and Management Symposium (NOMS '88) (Cat. No.88CH2532-0), New Orleans, LA, USA, 29 Feb.-2 March 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88—70001 (introductory abstract), 88—73469 to 73484, 88—73633 to 73634, 88—73696

Network planning; Third International Network Planning Symposium - NETWORKS 86. Conference Record (Cat. No.86CH2278-0), Tarpon Springs, FL, USA, 1-6 June 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86—61851 (introductory abstract), 86—64398, 86—64415, 86—64502 to 64533, 86—64577 to 64582, 86—64756 to 64760, 86—64814, 86—64832, 86—64843, 86—64886, 86—64956, 86—65078

Network technology; Proceedings of the 19th Annual Conference of the International Council for ADP in Government Administration, Madrid, Spain, 1-3 Oct. 1985, [Feb. 1986] 86—49268 (introductory abstract), 86—49047, 86—49076 to 49077, 86—49193, 86—49220, 86—49269 to 49274

Networking; IEE Colloquium on 'The JANET Project (Networking for Universities, Polytechnics and Research Councils)' (Digest No.106), London, UK, 26 Nov. 1985, *(IEE)* [London, UK: IEE 1985] 86—19752 (introductory abstract), 86—23333, 86—23532 to 23538

Networking, large organization perspective; Networking: A Large Organization Perspective, Melbourne, FL, USA, April 1986, *(Harris Corp)* [Melbourne, FL, USA: Harris Executive Seminars 1986] 87—43797 (introductory abstract), 87—43897, 87—43899, 87—48452, 87—48722 to 48724, 87—49012

Networks '86 Computer communications; Networks 86. Proceedings of the European Computer Communications Conference, London, UK, 10-12 June 1986, [Pinner, UK: Online Publications 1986, £95.00] 86—61855 (introductory abstract), 86—64399 to 64403, 86—64534 to 64536, 86—64594 to 64597, 86—64763 to 64767, 86—69476 to 69482

Networks and electronic office systems; International Conference on Networks and Electronic Office Systems (Publ. No. 63), London, UK, 17-19 Sept. 1985, *(IERE)* [London, UK: IERE 1985, £36.00] 86—13288 (introductory abstract), 86—16625, 86—16760, 86—16842 to 16844, 86—16869 to 16870, 86—17009 to 17017

Neural information processing systems - natural and synthetic; 1987 IEEE Conference on 'Neural Information Processing Systems - Natural and Synthetic'. Abstracts of Papers (Cat. No.87CH2386-1), Denver, CO, USA, 8-12 Nov. 1987, *(IEEE; APS)* [New York, NY, USA: IEEE 1987] 88—31975, 88—32169, 88—32259 to 32261, 88—32289, 88—32831, 88—32915, 88—33333 to 33334, 88—34074, 88—34581, 88—34718, 88—34824 to 34825, 88—36487, 88—36515

Neural network models for optical computing; Neural Network Models for Optical Computing, Los Angeles, CA, USA, 13-14 Jan. 1988, *(SPIE)* [1988] 88—62855 (introductory abstract), 88—65131 to 65132, 88—65442 to 65443, 88—65520 to 65521, 88—66658

Neural networks; IEEE First International Conference on Neural Networks, San Diego, CA, USA, 21-24 June 1987, *(IEEE) Caudill, M. Butler, C. (editor/s),* [San Diego, CA, USA: SOS Printing 1987] 88—56699 to 56701, 88—57780 to 57782, 88—57819, 88—58008, 88—58063 to 58064, 88—58313 to 58321, 88—59034, 88—59113, 88—59182 to 59183

Neural networks for computing; Neural Networks for Computing, Snowbird, UT, USA, 13-16 April 1986, [1986] 87—23878, 87—24512, 87—25365 to 25366, 87—25542 to 25544, 87—27156, 87—27358, 87—27558

Neuroradiology; Neuroradiology 1985/1986. Proceedings of the XIIIth Congress of the European Society of Neuroradiology, Amsterdam, Netherlands, 11-15 Sept. 1985, *Valk, J. (editor/s),* [Amsterdam, Netherlands: Excerpta Medica 1986, $83.25] 87—14888

Neutron dosimetry; Fifth Symposium on Neutron Dosimetry Proceedings (EUR 9762 EN)), Munich-Neuherberg, West Germany, 17-21 Sept. 1984, *(Comm. Eur. Communities; USDOE) Schraube, H. Burger, G. Booz, J. (editor/s),* [Luxembourg: Comm. Eur. Communities 1985] 86—18251

Neutron induced reactions; Neutron Induced Reactions. Proceedings of the 4th International Symposium, Smolenice, Czechoslovakia, 17-21 June 1985, *(Eur. Phys. Soc.; Union Slovak Math. & Phys) Kristiak, J. Betak, E. (editor/s),* [Dordrecht, Netherlands: Reidel 1986, $98.00] 87—29529, 87—29690

Neutron lifetime; Proceedings of the First Workshop on the Neutron Lifetime (KEK 87-26), Tsukuba, Japan, 19 Nov. 1987, *Yasumi, S. (editor/s),* [Tsukuba, Ibaraki, Japan: Nat. Lab. High Energy Phys. Jan. 1988] 88—37855 (introductory abstract)

Neutron-nucleus collisions; Proceedings of the Conference on Neutron-Nucleus Collisions: A Probe of Nuclear Structure, Glouster, OH, USA, 5-8 Sept. 1984, *(NSF; Argonne Univ. Assoc. Trust Fund; Lawrence Livermore Nat. Lab.; Ohio Univ)* [1985] 85—31641, 85—31667 to 31668, 85—31678 to 31681, 85—31759 to 31760

Neutron radiography; Neutron Radiography. Proceedings of the Second World Conference (EUR 11021), Paris, France, 16-20 June 1986, *(IAEA; American Soc. Non-Destructive Testing; ASTM; et al) Barton, J.P. Farny, G. Person, J.-L. Rottger, H. (editor/s),* [Dordrecht, Netherlands: Reidel 1987] 88—30 (introductory abstract)

Neutron scattering in the nineties; Neutron Scattering in the 'Nineties. Proceedings of a Conference, Julich, West Germany, 14-18 Jan. 1985, [Vienna, Austria: IAEA 1985] 85—64414 to 64415, 85—64437 to 64449, 85—64492, 85—64514 to 64515, 86—5708 to 5709, 86—5735 to 5742, 86—5813, 86—5854 to 5868

Neutron sources; ICANS-VIII. Proceedings of the Eighth Meeting of the International Collaboration on Advanced Neturon Sources (RAL-85-110), Oxford, UK, 8-12 July 1985, [Didcot, UK: Rutherford Appleton Lab. Nov. 1985] 86—52150 (introductory abstract), 86—55954 to 55958, 86—55993 to 56031, 86—56060 to 56072

Neutron transmutation doping; Neutron Transmutation Doping of Semiconductor Materials. Proceedings of the Fourth International Conference, Gaithersburg, MD, USA, 1-3 June 1982, *Larrabee, R.D. (editor/s),* [New York, NY, USA: Plenum Press 1984] 85—22075 (introductory abstract), 85—23419 to 23420, 85—23656 to 23665, 85—23759 to 23762

New and exotic phenomena; New and Exotic Phenomena. Proceedings of the Seventh Moriond Workshop, Les Arcs, France, 24-31 Jan. 1987, *(Inst. Geophys. & Planetary Sci.; Lawrence Livermore Nat. Lab.; CNRS; CEA) Fackler, O. Tran Thanh Van, J. (editor/s),* [Gif sur Yvette, France: Editions Frontieres 1987, $70.00] 88—36381 to 36382, 88—36398, 88—36402

New materials and their applications; New Materials and their Applications, 1987. Proceedings of the Institute of Physics Conference, Coventry, UK, 22-25 Sept. 1987, *(British Cryogenics Council; British Inst. Non-Destructive Testing; Inst. Acoust.; et al) Burnay, S.G. (editor/s),* [Bristol, UK: IOP 1988, £40.00] 88—62886 (introductory abstract)

New measurement technology; New Measurement Technology to Serve Mankind: ACTA IMEKO 1985. Proceedings of the 10th World Congress of the International Measurement Confederation, Prague, Czechoslovakia, 22-26 April 1985, *Striker, Gy. Boromisza, T. Havrilla, K. Kemeny, T. (editor/s),* [Budapest, Hungary: OMIKK-TECHNOINFORM 1985] 87—22985 (introductory abstract)

New slab and solid-state laser technologies; New Slab and Solid-State Laser Technologies and Applications, Los Angeles, CA, USA, 15-16 Jan. 1987, *(SPIE)* [1987] 88—18298 (introductory abstract), 88—20615 to 20626, 88—20751 to 20752

New technology, profitable products; IEE Colloquium on 'From New Technologies to Profitable Products' (Digest No.67), London, UK, 31 May 1985, *(IEE)* [London, UK: IEE 1985] 85—44414 (introductory abstract), 85—44465, 85—44481

Niobium and niobium alloys in superconducting applications; TMS Symposium on Niobium and Niobium Alloys in Superconducting Applications, Denver, CO, USA, 24-27 Feb. 1987, *(Metall. Soc)* [April 1988] 88—38263

NMR imaging and spectroscopy; Magnetic Resonance Imaging and Spectroscopy. 1st Congress of the European Society of Magnetic Resonance in Medicine and Biology, Geneva, Switzerland, 5-6 Oct. 1984, *Hopf, M.-A. Bydder, G.M. (editor/s),* [Geneva, Switzerland: Eur. Soc. Magnetic Resonance Med. & Biol. 1985] 86—57110 (introductory abstract)

Noise in electrical measurements; 1st International Symposium on Measurement of Electrical Quantities: Noise in Electrical Measurements, Como, Italy, 19-21 June 1986, *(IMEKO; Politecnico Milano; Assoc. Elettrotech. & Elettronica Italiano; et al) Kemeny, T. Havrilla, K. (editor/s),* [Budapest, Hungary: OMIKK - Technoinform 1986] 88—11583 (introductory abstract), 88—12235, 88—12250, 88—12336 to 12337, 88—12507, 88—12646, 88—12663 to 12664, 88—13335, 88—13441, 88—13530, 88—14727 to 14731, 88—15887 to 15888, 88—15969, 88—16037, 88—16181, 88—16224 to 16225, 88—16368, 88—16406 to 16407, 88—16470, 88—16660, 88—16681, 88—16731, 88—17224, 88—17540, 88—17704, 88—18127

Noise in images; IEE Colloquium on 'Noise in Images' (Digest No.17), London, UK, 29 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87—31163 (introductory abstract), 87—32215, 87—33823 to 33826, 87—34652, 87—34809, 87—34989 to 34990, 87—35413

Noise in physical systems and 1/f noise; Noise in Physical Systems and 1/f Noise - 1985. Proceedings of the 8th International Conference on 'Noise in Physical Systems' and the 4th International Conference on '1/f Noise', Rome, Italy, 9-13 Sept. 1985, *(IIa Univ. 'Tor Vergata'; CNR; Balzers SpA; Istituto Bancario San Paolo di Torino) D'Amico, A. Mazzetti, P. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986] 86—61842 (introductory abstract), 86—62404 to 62405, 86—62464, 86—62467, 86—62853 to 62855, 86—62958, 86—63028 to 63029, 86—63042, 86—63065, 86—63090 to 63091, 86—63224, 86—63242 to 63245, 86—63260 to 63262, 86—63327 to 63333, 86—63517, 86—63591 to 63596, 86—63716, 86—63723 to 63725, 86—63833, 86—63853, 86—65266 to 65270, 86—65279, 86—67065, 86—67101, 86—67526, 86—67605, 86—67665 to 67666, 86—67690, 86—67770, 86—67820, 86—67833, 86—67847 to 67850, 86—67887, 86—68559 to 68560

Non-accelerator particle physics; Workshop on Non-Accelerator Particle Physics, Rochester, NY, USA, 1-3 June 1987, [1 Feb. 1988] 88—24316 (introductory abstract), 88—29809 to 29821

Non-crystalline semiconductors; Eighth International Conference on Non-Crystalline Semiconductors, Balatonszeplak, Hungary, 15-20 Sept. 1986, *(Hungarian Acad. Sci.; British Council; Central Res. Inst. Phys)* [Feb. 1987] 87—43742 (introductory abstract), 87—37905 to 37909, 87—38076, 87—38901 to 38902, 87—44380 to 44382, 87—45540, 87—45581, 87—45612 to 45620, 87—45686 to 45687, 87—45721, 87—45841, 87—45972, 87—46652 to 46656, 87—46688 to 46689, 87—49524, 87—53199 to 53202, 87—53312, 87—53330, 87—53356, 87—53935, 87—54005 to 54007, 87—54149

Non-crystalline solids; Current Topics on Non-Crystalline Solids. Proceedings of the First Workshop on Non-Crystalline Solids, Sant Feliu de Guixols, Spain, 26-30 May 1986, *(Ajuntament Sant Felie de Guixols; Comision Asesora Investigacion Cientifica Tecnica; IBM Espana; et al) Baro, M.D. Clavaguera, N. (editor/s),* [Singapore: World Scientific 1986, £31.30] 88—44553, 88—48028

Non-destructive testing of welded constructions; Non-Destructive Testing in the Fitness-for-Purpose Assessment of Welded Constructions. An International Conference, London, UK, 20-22 Nov. 1984, [Abington, UK: Welding Inst. 1985] 87—51741 (introductory abstract)

Non-impact printing technologies; SPSE Second International Congress on Advances in Non-Impact Printing Technologies, Arlington, VA, USA, 4-8 Nov. 1984, [April 1986] 86—63447, 86—63925, 86—65172, 86—65234

Non-invasive online measurement in industry; IEE Colloquium on Non-Invasive On-Line Measurement in Industry (Digest No.36), Manchester, UK, 13 April 1983, *(IEE)* [London, UK: IEE 1983] 85—27973 (introductory abstract), 85—29639, 85—31099, 85—31379, 85—31633, 85—31752, 85—32044

Non-linear optical waveguides; IEE Colloquium on 'Non-Linear Optical Waveguides' (Digest No.88), London, UK, 2 June 1988, *(IEE)* [London, UK: IEE 1988] 88—55851 (introductory abstract), 88—58172 to 58178, 88—58211 to 58216, 88—58322 to 58323, 88—58644 to 58645

Non-military radiation emergencies; Proceedings of the International Conference on Non-Military Radiation Emergencies, Washington, DC, USA, 19-21 Nov.

1986, *(American Med. Assoc)* [Washington, DC, USA: American Med. Assoc. 1986] 88−18318 (introductory abstract)

Nondestructive evaluation; IEE Colloquium on 'Non-Destructive Evaluation' (Digest No.20), London, UK, 28 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88−37872 (introductory abstract), 88−37954, 88−38017, 88−38312 to 38313, 88−41994, 88−42257

Nondestructive testing; Fifth Canadian Conference on Nondestructive Testing Proceedings. 'NDT in Canada - The Next 20 Years' (AECL-8707), Toronto, Ont., Canada, 28-31 Oct. 1984, *Kittmer, C.A. (editor/s),* [Chalk River, Ont., Canada: AECL 1985] 86−13305 (introductory abstract)

Nondestructive testing; Fifth Pan Pacific Conference on Nondestructive Testing. Proceedings (AECL-9394), Vancouver, BC, Canada, April 1987, *Kittmer, C.A. (editor/s),* [Chalk River, Ont., Canada: AECL March 1987, $40.00] 88−18335 (introductory abstract), 88−18428, 88−18529 to 18530, 88−18814 to 18835, 88−19495, 88−20858, 88−22344, 88−22475 to 22477, 88−22523, 88−22583, 88−22801, 88−23027, 88−23206 to 23208, 88−23214 to 23221, 88−23706, 88−23744

Nonlinear acoustics; Proceedings of the 10th International Symposium on Nonlinear Acoustics, Kobe, Japan, 24-28 July 1984, *Nakamura, A. (editor/s),* [Osaka, Japan: Osaka Univ. 1984] 85−37362

Nonlinear control systems theory and applications; Theory and Applications of Nonlinear Control Systems, Stockholm, Sweden, 10-14 June 1985, *Byrnes, C.I. Lindquist, A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $100.00] 87−482, 87−2535 to 2539, 87−4298, 87−4693

Nonlinear finite element analysis; 6th ADINA Conference on Nonlinear Finite Element Analysis and ADINA, Cambridge, MA, USA, 10-12 June 1987, [1987] 87−51694 (introductory abstract), 87−57657, 87−57990, 87−59958

Nonlinear optical beam manipulation; Nonlinear Optical Beam Manipulation, Beam Combining, and Atmospheric Propagation, Los Angeles, CA, USA, 11-14 Jan. 1988, *(SPIE)* [1988] 88−72060, 88−72388 to 72391, 88−72424 to 72427, 88−72567

Nonlinear optical materials and devices; Nonlinear Optics: Materials and Devices. Proceedings of the International School of Materials Science and Technology, Erice, Sicily, Italy, 1-14 July 1985, *Flytzanis, C. Oudar, J.L. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986, DM 89] 87−43791 (introductory abstract), 87−45604, 87−46434 to 46435, 87−46561 to 46562, 87−46912, 87−46991 to 46997

Nonlinear optical waveguides; IEE Colloquium on 'Nonlinear Optical Waveguides' (Digest No.81), London, UK, 21 May 1986, *(IEE)* [London, UK: IEE 1986] 86−52154 (introductory abstract), 86−53986 to 53990, 86−54068, 86−54101, 86−54124, 86−54218 to 54219, 86−54570

Nonlinear optics; Proceedings of the All-Union Vavilov Conference on Nonlinear Optics, Novosibirsk, USSR, June 1984, [1985] 86−63630, 86−63740, 86−63771, 86−63861 to 63862, 86−65511, 86−65543, 86−65568

Nonlinear optics and applications; Nonlinear Optics and Applications, Los Angeles, CA, USA, 21-22 Jan. 1986, *(SPIE)* [1986] 87−10003 (introductory abstract), 87−12100, 87−12255 to 12259, 87−12267 to 12270, 87−12288, 87−12586 to 12588, 87−12619 to 12622, 87−13116 to 13120, 87−13731

Nonlinear polymers, inorganic crystals, liquid crystals and laser media; Advances in Nonlinear Polymers and Inorganic Crystals, Liquid Crystals, and Laser Media, San Diego, CA, USA, 20-21 Aug. 1987, *(SPIE)* [1988] 88−49336 (introductory abstract), 88−51428 to 51429, 88−51518, 88−51567, 88−51586 to 51588, 88−51784, 88−51863, 88−51945 to 51946

Nonlinear programming and optimisation; Control Applications of Nonlinear Programming and Optimization. Proceedings of the Fifth IFAC Workshop, Capri, Italy, 11-14 June 1985, *(IFAC; Univ. Rome 'La Sapienza'; Univ. Calabria; et al) Di Pillo, G. (editor/s),* [Oxford, UK: Pergamon 1986] 87−16354, 87−21714, 87−22093

Nonlinearity in condensed matter; Nonlinearity in Condensed Matter. Proceedings of the Sixth Annual Conference, Los Alamos, NM, USA, 5-9 May 1986, *(USDOE) Bishop, A.R. Campbell, D.K. Kumar, P. Trullinger, S.E. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987, DM94] 87−60864

Nonmetallic materials and composites at low temperatures; ICMC - Non-Metallic Materials and Composites at Low Temperatures IV, Heidelberg, West Germany, 28-29 July 1986, [April 1988] 88−39837

Nonresonant interaction of optical radiation with matter; Proceedings of the Sixth All-Union Conference on the Nonresonant Interaction of Optical Radiation with Matter, Palanga, USSR, 18-22 Sept. 1984, [1985] 86−63371, 86−67720, 86−68218 to 68221, 86−68377, 86−68603 to 68608, 87−7462

North American power symposium; Proceedings of the Nineteenth Annual North American Power Symposium NAPS '87 (Cat. No.87CH2501-5), Edmonton, Alta., Canada, 22-23 Oct. 1987, *(IEEE; Univ. Alberta)* [New York, NY, USA: IEEE 1987] 88−18325 (introductory abstract), 88−18398, 88−23296 to 23304, 88−23377 to 23396, 88−23415 to 23416, 88−23427 to 23428, 88−23439 to 23441, 88−23472 to 23475, 88−23490 to 23492, 88−23535 to 23536, 88−23560 to 23561, 88−23743, 88−23786, 88−23801, 88−23821, 88−23833, 88−23872 to 23874, 88−23904 to 23906, 88−23946 to 23947, 88−24020, 88−24069 to 24071, 88−24215

Northcon; Northcon/85. Conference Record, Portland, OR, USA, 22-24 Oct. 1985, *(IEEE; ERA; NWPCA)* [Los Angeles, CA, USA: Electron. Conventions Manage. 1985] 87−5133 (introductory abstract), 87−652 to 661, 87−772, 87−830, 87−1051, 87−1089 to 1090, 87−3393, 87−4011, 87−5246 to 5248, 87−5267, 87−5516 to 5518, 87−5809 to 5816, 87−5892 to 5893, 87−6170, 87−6272 to 6274, 87−6863 to 6866, 87−6890 to 6891, 87−8432

Northcon/84 and Mini/Micro Northwest-84; Northcon/84. Mini/Micro Northwest-84. Conference Record, Seattle, WA, USA, 2-4 Oct. 1984, *(IEEE; ERA; NWPCA)* [Los Angeles, CA, USA: Electron. Conventions 1984] 86−26494 (introductory abstract), 86−26547 to 26551, 86−26556, 86−26652 to 26654, 86−26666 to 26668, 86−27007 to 27012, 86−27183 to 27185, 86−27248 to 27254, 86−27313 to 27319, 86−27369 to 27375, 86−27691, 86−28414 to 28415, 86−29497 to 29500, 86−29638 to 29639, 86−30221, 86−30268, 86−30454, 86−30476, 86−30686, 86−31118, 86−31225, 86−31506, 86−32380

Northcon 86; Northcon/86. Conference Record, Seattle, WA, USA, 30 Sept.-2 Oct. 1986, *(IEEE; Electron. Representatives Assoc.; Northwest Printed Circuit Assoc)* [Los Angeles, CA, USA: Electron. Conventions Manage. 1986, $156.00] 87−58557 (introductory abstract), 87−58602 to 58603, 87−58668 to 58670, 87−58691 to 58692, 87−58702 to 58703, 87−59286 to 59288, 87−59428 to 59443, 87−59512 to 59513, 87−59631 to 59637, 87−59689, 87−59793 to 59795, 87−59912, 87−59977 to 59978, 87−60015 to 60017, 87−60620 to 60622, 87−62759 to 62760, 87−63064

Nuclear air cleaning; Proceedings of the 19th DOE/NRC Nuclear Air Cleaning Conference (NUREG/CP-0086-VI)(Conf-860820), Seattle, WA, USA, 18-21 Aug. 1986, *(DOE; US Nucl. Regul. Comm.; Harvard Air Cleaning Lab) First, M.W. (editor/s),* [Springfield, VA, USA: US Dept. Commerce Nat. Tech. Inf. Service May 1987] 88−48041, 88−48717 to 48718

Nuclear and radiochemistry; International Conference on Nuclear and Radiochemistry (ICNR '86) (papers in summary form only received), Beijing, China, 1-5 Sept. 1986, *(Chinese Nucl. Soc.; Chinese Chem. Soc.; Chinese Assoc. Sci. & Technol)* [Beijing, China: Chinese Nucl. Soc. 1986, $10.00] 87−14709

Nuclear and space radiation effects; 1985 Annual Conference on Nuclear and Space Radiation Effects, Monterey, CA, USA, 22-24 July 1985, *(IEEE)* [Dec. 1985] 86−33900 (introductory abstract), 86−34070, 86−34403, 86−34405, 86−34705, 86−34784 to 34788, 86−34845 to 34846, 86−35086, 86−35184, 86−35319, 86−35394, 86−35442 to 35446, 86−35629, 86−35639, 86−35689 to 35705, 86−35765 to 35774, 86−35849 to 35850, 86−35872 to 35890, 86−35925 to 35926, 86−35947, 86−36157, 86−36298, 86−36353 to 36354, 86−36664, 86−36685 to 36686, 86−36752 to 36757, 86−36786, 86−38268, 86−38383, 86−38400, 86−38520, 86−38694 to 38696, 86−38725 to 38726, 86−38844, 86−38867, 86−39893

Nuclear and space radiation effects; 1984 Annual Conference on Nuclear and Space Radiation Effects, Colorado Springs, CO, USA, 23-25 July 1984, *(IEEE; Defense Nucl. Agency/DOD; Sandia Nat. Lab./DOE; Jet Propulsion Lab./NASA)* [Dec. 1984] 85−16547 (introductory abstract), 85−16813, 85−17276 to 17279, 85−17387 to 17394, 85−17465, 85−17949, 85−18055, 85−18145, 85−18186, 85−18285 to 18286, 85−18303, 85−18339 to 18343, 85−18394 to 18399, 85−18442, 85−18469 to 18472, 85−18512, 85−20801, 85−20821, 85−20843, 85−20865, 85−20876, 85−20980 to 20981, 85−20992, 85−22285, 85−22296, 85−22316, 85−22807 to 22808, 85−22883 to 22887, 85−22934, 85−23128, 85−23160 to 23161, 85−23173, 85−23579 to 23580, 85−23724, 85−23733 to 23734, 85−23744 to 23745, 85−23785 to 23792, 85−23879 to 23880, 85−23932, 85−23954 to 23958, 85−23982, 85−23988, 85−24027, 85−24039, 85−24398, 85−24861 to 24866, 85−24924, 85−26841 to 26843, 85−27641 to 27642

Nuclear and space radiation effects; 1986 Annual Conference Nuclear and Space Radiation Effects, Providence, RI, USA, 21-23 July 1986, *(IEEE; DOD; NASA; DOE)* [Dec. 1986] 87−31113 (introductory abstract), 87−31807, 87−31874 to 31889, 87−31930, 87−32139, 87−32224 to 32225, 87−32292, 87−32339 to 32346, 87−32360, 87−32365, 87−32413, 87−32452, 87−32456, 87−32466, 87−32490, 87−32533 to 32548, 87−32603 to 32606, 87−32677, 87−32698 to 32711, 87−32750, 87−32777, 87−32876, 87−33053, 87−33356 to 33357, 87−33452, 87−35466, 87−36124 to 36125

Nuclear and space radiation effects; 1987 Annual Conference on Nuclear and Space Radiation Effects, Snowmass Village, CO, USA, 28-31 July 1987, *(IEEE; Dept. Defense; DOE; NASA)* [Dec. 1987] 88−24309 (introductory abstract), 88−24526, 88−24588, 88−24607, 88−24969, 88−25020, 88−25100 to 25101, 88−25186 to 25201, 88−25247 to 25248, 88−25297, 88−25882, 88−25986 to 25997, 88−26177 to 26178, 88−26189, 88−26203 to 26204, 88−26224 to 26227, 88−26280 to 26293, 88−26344 to 26345, 88−26387 to 26390, 88−26492 to 26497, 88−26509 to 26516, 88−26548, 88−26692, 88−27525, 88−27537 to 27538, 88−27570 to 27571, 88−29039, 88−29931

Nuclear containment; Nuclear Containment. Proceedings of an International Conference, Cambridge, UK, 6-8 April 1987, *(Eur. Nucl. Soc) Walton, D.G. (editor/s),* [Cambridge, UK: Cambridge Univ. Press 1988, $80.00] 88−43583 (introductory abstract), 88−48725 to 48728, 88−48753 to 48754

Nuclear data; Proceedings of the 1985 Seminar on Nuclear Data (JAERI-M-86-080), Tokai, Ibaraki, Japan, 12-14 Nov. 1985, *Asami, T. Mizumoto, M. (editor/s),* [Tokai, Ibaraki, Japan: JAERI June 1986] 87−21339, 87−21358, 87−21385 to 21396, 87−21506 to 21508

Nuclear data; Proceedings of the 1986 Seminar on Nuclear Data (JAERI-M-87-025), Tokai, Ibaraki, Japan, 26-27 Nov. 1986, *Nakagawa, T. Asami, T. (editor/s),* [Tokai, Ibaraki, Japan: JAERI Feb. 1987] 88−4861

Nuclear data for basic and applied science; Nuclear Data for Basic and Applied Science. Proceedings of the International Conference, Santa Fe, NM, USA, 13-17 May 1985, [1986] 86−55909 to 55910, 86−55944, 86−56046 to 56047, 86−56059, 86−70311 to 70312, 86−70345 to 70348, 86−70353, 86−70372

Nuclear-electric power in Asia-Pacific region; Nuclear-Electric Power in the Asia-Pacific Region, Honolulu, HI, USA, 23-28 Jan. 1983, *(Resource Syst. Inst)* [Sept.-Oct. 1984] 85−54016 (introductory abstract), 85−59856 to 59857, 85−59872 to 59882, 85−59933 to 59937

Nuclear energy congress; I Congresso Geral de Energia Nuclear (1st General Congress on Nuclear Energy). ANAIS-Proceedings, Rio de Janeiro, Brazil, 17-20 March 1986, [Rio de Janeiro, Brazil: Assoc. Brasileira de Energia Nucl. 1986] 86−66549 (introductory abstract)

Nuclear engineering; VII Wissenschaftliche Konferenz fur Energiewirtschaft der Ingenieurhochschule Zittau (VII Scientific Conference on Nuclear Engineering of the Ingenieurhochschule Zittau), Zittau, East Germany, 16-18 April 1985, [June 1986] 87−15448 (introductory abstract), 87−15449 to 15451

Nuclear engineering; Jahrestagung Kerntechnik '87. Tagungsbericht (Annual Meeting on Nuclear Technology '87. Meeting Report), Karlsruhe, West Germany, 2-4 June 1987, *Bauer, K.G. (editor/s),* [Bonn, West Germany: Deutsches Atomforum June 1987] 87−64324 to 64330, 87−71873 to 71874, 87−71913 to 71915, 87−73214, 87−77920, 87−78329 to 78333, 87−78395 to 78403, 87−78474, 88−5489 to 5492

Nuclear engineering computational methods, advances; Proceedings of the International Meeting on Advances in Nuclear Engineering Computational Methods, Knoxville, TN, USA, 9-11 April 1985, *(ANS; Eur. Nucl. Soc.; Atomic Energy Soc. Japan; Univ. Tennessee ; Oak Ridge Nat. Lab)* [La Grange Park, IL, USA: ANS 1985] 86−6550 to 6552

Nuclear facilites, emergency planning and preparedness; Emergency Planning and Preparedness for Nuclear Facilities. Proceedings of an International Symposium, Rome, Italy, 4-8 Nov. 1985, *(IAEA)* [Vienna, Austria: IAEA 1986] 86−65866 (introductory abstract)

Nuclear fission; Proceedings of the XVth International Symposium on Nuclear Physics - Nuclear Fission, Gaussig, East Germany, 11-15 Nov. 1985, *Seeliger, D. Seidel, K. Marten, H. (editor/s),* [Dresden, East Germany: Akad. Wissenschaften DDR April 1986] 87−50174 to 50176, 87−50195

Nuclear fuel cycle; Fuel Cycle Conference '87, Boston, MA, USA, 15-18 March 1987, [Bethesda, MD, USA: Atomic Ind. Forum 1987] 88−50 (introductory abstract), 88−5447 to 5449

Nuclear fuel market; World Nuclear Fuel Market. Proceedings of the 11th International Conference on Nuclear Energy, Florence, Italy, 14-16 Oct. 1984, [Norcross, GA, USA: World Nucl. Fuel Market 1984] 85−38658 (introductory abstract), 85−38659 to 38663, 85−38799

Nuclear fuel performance; Nuclear Fuel Performance. Proceedings of the Conference, Stratford-upon-Avon, UK, 25-29 March 1985, *(British Nucl. Energy Soc.; Eur. Nucl. Soc)* [London, UK: British Nucl. Energy Soc. 1985] 86−18959, 86−19019 to 19022

Nuclear heat application; Nuclear Heat Application. Proceedings of a Technical Committee Meeting and Workshop, Cracow, Poland, 5-9 Dec. 1983, [Vienna, Austria: IAEA 1984] 85−38664 (introductory abstract), 85−38665 to 38694, 85−39366, 85−39388

Nuclear industry robotics and remote operations; Remote Operations and Robotics in the Nuclear Industry. Proceedings of the Executive Conference of the

American Nuclear Society, Pine Mountain, GA, USA, 21-24 April 1985, *(ANS)* [La Grange Park, IL, USA: ANS April 1985] 86−19743 (introductory abstract), 86−19804 to 19806, 86−25351, 86−25834 to 25846

Nuclear medicine; XXVII^e Colloque de Medecine Nucleare de Langue Francaise (27th Colloquium on Nuclear Medicine in the French Language), Liege, Belgium, 17-19 Sept. 1987, [1987] 88−6083 (introductory abstract)

Nuclear microprobe technology; First International Conference on Nuclear Microprobe Technology and Applications, Oxford, UK, 1-4 Sept. 1987, [March 1988] 88−47824 to 47827, 88−47919 to 47920

Nuclear orientation; Proceedings of the International Symposium on Nuclear Orientation and Nuclei Far from Stability, Leuven, Belgium, 28-31 Aug. 1984, [March-May 1985] 85−59026, 85−59101 to 59104

Nuclear physics; Proceedings of the International Conference on Nuclear Physics, Bombay, India, 27-31 Dec. 1984, *(Board Res. Nucl. Sci.; DOE, India; Indian Nat. Sci. Acad) Jain, B.K. Sinha, B.C. (editor/s),* [Singapore: World Scientific 1985] 86−38677, 86−44578

Nuclear physics; Proceedings of the International Nuclear Physics Conference, Harrogate, Yorks., UK, 25-30 Aug. 1986, *(IUPAP) Durrell, J.L. Irvine, J.M. Morrison, G.C. (editor/s),* [Bristol, UK: IOP 1987] 87−70951, 87−70994, 87−71028, 87−71063 to 71065

Nuclear physics; 11th AINSE Nuclear Physics Conference 1986 (papers in summary form only received), Melbourne, Vic., Australia, 3-5 Feb. 1986, *(Australian Inst. Nucl. Sci. Eng.)* [Lucas Heights, NSW, Australia: Australian Inst. Nucl. Sci. & Eng. 1986] 86−44609 to 44610

Nuclear physics; 9^e Session d'Etudes Biennale de Physique Nucleare (9th Session Biennial Studies of Nuclear Physics) (Lycen 87 02), Aussois, France, 9-13 March 1987, [Villeurbanne, France: Inst. Phys. Nucl. 1987] 87−50048, 87−50177, 87−50196

Nuclear physics with electromagnetic probes; Proceedings of the XIth Europhysics Divisional Conference on Nuclear Physics with Electromagnetic Probes, Paris, France, 1-5 July 1985, *(EPS)* [16 Dec. 1985] 86−32209

Nuclear physics with stored cooled beams; Proceedings of the Workshop on Nuclear Physics with Stored Cooled Beams, Spencer, IN, USA, 15-17 Oct. 1984, *(USNSF; Indiana Univ)* [1985] 85−52933, 85−52954

Nuclear power; 25th Annual Conference of the Canadian Nuclear Association Proceedings. 'Strategic Opportunities for Growth', Ottawa, Ont., Canada, 2-4 June 1985, [Toronto, Ont., Canada: Canadian Nucl. Soc. 1985, $20.00 members; $30.00 non-member] 86−7378 (introductory abstract), 86−12296 to 12299, 86−12553 to 12562, 86−12630 to 12633

Nuclear power; 1984 Winter Meeting of the American Nuclear Society. International Conference on Nuclear Power. A Global Reality, Washington, DC, USA, 11-16 Nov. 1984, [1984] 85−15769 to 15780, 85−16738, 85−20770, 85−20831 to 20832, 85−20850, 85−21362 to 21384, 85−21948, 85−22048 to 22049, 85−43714 to 43717

Nuclear power and fusion programmes; Canadian Engineering Centennial Conference. Proceedings of the Nuclear Power and Fusion Programs of the Canadian Nuclear Society, Montreal, Que., Canada, 18-22 May 1987, [Toronto, Ont., Canada: Canadian Nucl. Soc. 1987, $35.00] 87−72717 (introductory abstract), 87−78335 to 78336, 87−78404 to 78414, 87−78813, 87−79269

Nuclear power future after Sizewell B; 1987 Conference on the Future of Nuclear Power after Sizewell B, London, UK, 21-23 Sept. 1987, [London, UK: IBC Tech. Services 1987] 88−58 (introductory abstract), 88−5456 to 5461, 88−5494 to 5495

Nuclear power plant ageing, availability and reliability; International Conference on Nuclear Power Plant Aging, Availability Factor and Reliability Analysis. Conference Proceedingseedings, San Diego, CA, USA, 8-12 July 1985, *(American Soc. Metals; American Welding Soc.; Atomic Energy Soc. Japan; British Nucl. Energy Soc.; Canadian Nucl. Soc.; Instsn. Nucl. Eng.; et al) Goel, V.S. (editor/s),* [Metals Park, OH, USA: American Soc. Metals 1985] 86−45931 (introductory abstract), 86−47922, 86−51231 to 51254, 86−51318 to 51414, 86−51490

Nuclear power plant aspects; Safety Aspects of the Ageing and Maintenance of Nuclear Power Plants. Proceedings of an International Symposium (STI-PUB-759), Vienna, Austria, 29 June-3 July 1987, [Vienna, Austria: IAEA 1988] 88−43581 (introductory abstract), 88−38794, 88−42987 to 42994, 88−43013 to 43019, 88−48697 to 48716

Nuclear power plant availability, maintenance and operation; Nuclear Power Plant Availability, Maintenance and Operation. Proceedings of an International Symposium on Advances in Nuclear Power Plant Availability, Maintainability and Operation, Munich, West Germany, 20-23 May 1985, [Vienna, Austria: IAEA 1985] 86−18962 (introductory abstract), 86−18963 to 18970, 86−19028 to 19048

Nuclear power plant decommissioning; Decommissioning of Nuclear Power Plants. Proceedings of a European Conference (EUR 9474), Luxembourg, 22-24 May 1984, *(Comm. Eur. Communities) Schaller, K.H. Huber, B. (editor/s),* [London, UK: Graham & Trotman 1984, £40.00] 85−29972

Nuclear power plant operation; 13th Biennial Conference on Reactor Operating Experience International Meeting on Nuclear Power Plant Operation (papers in summary form only received), Chicago, IL, USA, 30 Aug.-3 Sept. 1987, [1987] 87−72673 (introductory abstract), 87−71831 to 71849, 87−71888 to 71891, 87−71988, 87−78286 to 78306, 87−78308 to 78320, 87−78362 to 78382, 87−78506

Nuclear power plant operation and control; Proceedings of the American Nuclear Society International Topical Meeting on Computer Applications for Nuclear Power Plant Operation and Control, Pasco, WA, USA, 8-12 Sept. 1985, *(ANS; Eur. Nucl. Soc.; Canadian Nucl. Soc.; et al)* [La Grange Park, IL, USA: ANS 1986] 88−43576 (introductory abstract), 88−44841, 88−48666 to 48696, 88−48740 to 48751

Nuclear power plant outage experience; Nuclear Power Plant Outage Experience. Proceedings of an International Symposium, Karlsruhe, West Germany, 18-21 June 1984, [Vienna, Austria: IAEA 1984] 85−27189 (introductory abstract), 85−27190 to 27214

Nuclear power plant structures; Symposium on Current Issues Related to Nuclear Power Plant Structures, Equipment and Piping, Raleigh, NC, USA, 10-12 Dec. 1986, [April 1988] 88−43554 (introductory abstract), 88−48631 to 48653

Nuclear power plants, construction and operation; Proceedings of the International Conference on Positive Experience in Building and Operating Nuclear Power Plants (Preprints Received), Boston, MA, USA, 20-23 May 1984, [Bethesda, MD, USA: Atomic Industrial Forum 1984] 85−30 (introductory abstract), 85−52 to 55, 85−88, 85−4795 to 4804, 85−4860 to 4861

Nuclear power plants design, construction and operation; Joint ANS/ASME Conference on Design, Construction and Operation of Nuclear Power Plants, Portland, OR, USA, 5-8 Aug. 1984, *(ANS; ASME)* [1984] 85−4839, 85−9597 to 9627, 85−9661 to 9675, 85−9751

Nuclear power systems materials degradation; Proceedings of the Second International Symposium on Environmental Degradation of Materials in Nuclear Power Systems - Water Reactors, Monterey, CA, USA, 9-12 Sept. 1985, *(ANS; AIME; Nat. Assoc. Corrosion Eng)* [La Grange Park, IL, USA: ANS 1986] 86−61844 (introductory abstract)

Nuclear reactor seismic behaviour; International ENEA/ISMES/ENS Specialist Meeting on On-Site Experimental Verification of the Seismic Behaviour of Nuclear Reactor Structures and Components. Proceedings, Bologna-Brasimone, Italy, 4-7 May 1987, *(Eur. Nucl. Soc.)* [Bergamo, Italy: ISMES 1988] 88−49363 (introductory abstract), 88−55139 to 55144

Nuclear reactor thermal-hydraulics; Third International Topical Meeting on Nuclear Reactor Thermal-Hydraulics, Newport, RI, USA, 15-18 Oct. 1985, *(ANS; ASME; AIChE; Eur. Nucl. Soc)* [1987] 87−42612

Nuclear safeguards technology; Nuclear Safeguards Technology 1986. Proceedings of an International Symposium on Nuclear Material Safeguards, Vienna, Austria, 10-14 Nov. 1986, [Vienna, Austria: IAEA 1987] 87−68683, 87−69874, 87−70271 to 70272, 87−70405 to 70406, 87−71029, 87−71426

Nuclear safety; Final Colloquium of the Nuclear Safety Project (PNS), Karlsruhe, West Germany, 10-11 June 1986, [1987] 87−71811 (introductory abstract), 87−71812 to 71813, 87−71881

Nuclear science and nuclear power systems; 1984 Nuclear Science Symposium and 1984 Symposium on Nuclear Power Systems, Orlando, FL, USA, 31 Oct.-2 Nov. 1984, *(IEEE; Oak Ridge Nat. Lab.; NASA; NBS; EPRI; US DOE)* [Feb. 1985] 85−39411 (introductory abstract), 85−40135, 85−40409 to 40411, 85−40670, 85−40761, 85−40911 to 40912, 85−41267, 85−42589, 85−42893, 85−42922 to 42925, 85−42936, 85−42997, 85−43140 to 43143, 85−43192 to 43258, 85−43275, 85−43283 to 43297, 85−43305 to 43309, 85−43316 to 43317, 85−43351 to 43370, 85−43453, 85−43689 to 43701, 85−43818 to 43823, 85−48229 to 48239, 85−48352 to 48361, 85−64500

Nuclear science and nuclear power systems; 1985 Nuclear Science Symposium and 1985 Symposium on Nuclear Power Systems, San Francisco, CA, USA, 23-25 Oct. 1985, *(IEEE; Lawrence Livermore Nat. Lab.; Lawrence Berkeley Lab.; Stanford Linear Accelerator Center; DOE; NBS; NASA; EPRI)* [Feb. 1986] 86−45897 (introductory abstract), 86−46619 to 46620, 86−46930, 86−47260 to 47262, 86−47466, 86−47672 to 47674, 86−48269, 86−49980, 86−50189, 86−50257, 86−50289, 86−50300 to 50372, 86−50390 to 50395, 86−50416 to 50436, 86−50439 to 50441, 86−50452 to 50455, 86−50491 to 50523, 86−50994, 86−51066, 86−51205 to 51214, 86−51265 to 51271

Nuclear science and nuclear power systems; 1986 Nuclear Science Symposium and 1986 Symposium on Nuclear Power Systems, Washington, DC, USA, 29-31 Oct. 1986, *(IEEE; NASA; Lawrence Livermore Nat. Lab.; Lawrence Berkeley Lab.; et al)* [Feb. 1987] 87−37024, 87−37402, 87−37761, 87−38365, 87−38540 to 38541, 87−38763, 87−41373, 87−41404 to 41405, 87−41658, 87−41825 to 41845, 87−41875, 87−41883 to 41888, 87−41894, 87−41933 to 41934, 87−42584, 87−42600 to 42601, 87−44968, 87−50129 to 50133, 87−50246 to 50263

Nuclear science and nuclear power systems; 1987 Nuclear Science Symposium and 1987 Symposium on Nuclear Power Systems, San Francisco, CA, USA, 21-23 Oct. 1987, *(IEEE; Lawrence Berkeley Lab.; Lawrence Livermore Nat. Lab.; et al)* [Feb. 1988] 88−55775 (introductory abstract), 88−56529, 88−56713, 88−57272, 88−57735, 88−58095 to 58096, 88−60150 to 60151, 88−60546 to 60547, 88−60648, 88−60688, 88−61075 to 61115, 88−61175 to 61191, 88−61194, 88−61205 to 61207, 88−61250 to 61277, 88−61479, 88−61482, 88−61616 to 61624, 88−62101, 88−68204 to 68226, 88−68294, 88−68317

Nuclear targets; Nuclear Targets. Proceedings of the Twelfth World Conference of the International Nuclear Target Development Society, Antwerp, Belgium, 25-28 Sept. 1984, *(Central Bur. Nucl. Meas.; Comm. Eur. Communities)* [1 June 1985] 85−54022 (introductory abstract), 85−59046 to 59047, 85−59111 to 59137

Nuclear techniques of analysis; Fourth Australian Conference on Nuclear Techniques of Analysis Proceedings, Lucas Heights, NSW, Australia, 6-8 Nov. 1985, [Sutherland, NSW, Australia: Australian Inst. Nucl. Sci. & Eng. Nov. 1985] 86−41602

Nuclear technology; Jahrestagung Kerntechnik '85 Tagungsbericht (Annual Meeting on Nuclear Technology '85), Munich, West Germany, 21-23 May 1985, *(German Atomic Forum; German Nucl. Soc.) Bauer, K.G. (editor/s),* [Bonn, West Germany: Deutsches Atomforum May 1985] 86−42203, 86−45094, 86−45143 to 45146, 86−45175 to 45179, 86−45892, 86−46081, 86−49963 to 49964, 86−50299, 86−50451, 86−50751, 86−51255 to 51261, 86−51415 to 51425, 86−51591, 86−52076 to 52078

Nuclear technology; Jahrestagung Kerntechnik '88. Tagungsbericht (Annual Meeting on Nuclear Technology '88. Meeting Report), Travemunde, West Germany, 17-19 May 1988, *Bauer, K.G. (editor/s),* [Bonn, West Germany: INFORUM May 1988] 88−55833 (introductory abstract), 88−62096 to 62099, 88−62136, 88−68510, 88−69096, 88−69114 to 69123, 88−69125 to 69126, 88−75405 to 75406

Nuclear technology transfer; Transactions of the Third International Conference on Nuclear Technology Transfer: ICONTT-III, Madrid, Spain, 14-18 Oct. 1985, *(Eur. Nucl. Soc.; ANS)* [1986] 86−33908 (introductory abstract), 86−39319 to 39388, 86−39432 to 39490

Nuclei far from stability; Fifth International Conference on Nuclei far from Stability, Rosseau Lake, Ont., Canada, Sept. 1987, *(AECL; IUPAP; Natural Sci. & Eng. Res. Council Canada)* [1988] 88−36312 to 36313, 88−36348, 88−36392 to 36394

Nuclei response under extreme conditions; Response of Nuclei under Extreme Conditions. Proceedings of the Second Course of the International School of Heavy Ion Physics on the Response on Nuclei under Extreme Conditions, Erice, Italy, 12-22 Oct. 1986, *Broglia, R.A. Bertsch, G.F. (editor/s),* [New York, NY, USA: Plenum 1988] 88−69996 (introductory abstract), 88−74665 to 74667

Nucleus-nucleus collisions; Nucleus-Nucleus Collisions II. Proceedings of the Second International Conference, Visby, Sweden, 10-14 June 1985, [6 Jan. 1986] 86−32091 to 32092, 86−32148, 86−32210

Nucleus-nucleus collisions; Nucleus-Nucleus Collisions from the Coulomb Barrier up to the Quark-Gluon Plasma. Proceedings of the International School of Nuclear physics, Erice, Italy, 10-22 April 1985, [1985] 86−24933

Numerical analysis; 15th Numerical Analysis Symposium, Kariuzawa, Japan, 22-24 May 1986, [Tokyo, Japan: Nihon Univ. 1986] 87−54478 to 54479

Numerical approximation of partial differential equations; Numerical Approximation of Partial Differential Equations. International Symposium on Numerical Analysis, Madrid, Spain, 17-19 Sept. 1985, *Ortiz, E.L. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, $77.75] 87−36320 (introductory abstract), 87−36640 to 36648, 87−36667 to 36670, 87−38176 to 38177, 87−44210 to 44215, 87−44252 to 44259, 87−44267

Numerical methods in nuclear engineering; Canadian Nuclear Society/American Nuclear Society International Conference on Numerical Methods in Nuclear Engineering, Montreal, Que., Canada, 6-9 Sept. 1983, *Phillips, G.J. (editor/s),* [Chalk River, Ont., Canada: Chalk River Nucl. Labs. 1983] 87−5150 (introductory abstract), 87−9289 to 9290, 87−9321 to 9332

Numerical modelling of semiconductor devices and processes; Fundamental Research on the Numerical Modelling of Semiconductor Devices and Processes. Papers from NUMOS 1, First International Workshop on the

Numerical Modelling of Semiconductors, Los Angeles, CA, USA, 11-12 Dec. 1986, *Miller, J.J.H. (editor/s),* [Dun Laoghaire, Ireland: Boole Press 1987, $75.00] 88−6129 (introductory abstract), 88−7300 to 7301, 88−7327, 88−7397 to 7398, 88−7513, 88−7556 to 7561, 88−7588, 88−7619 to 7620, 88−7635 to 7636

Numerical simulation of plasmas; Proceedings of the 12th Conference on the Numerical Simulation of Plasmas, San Francisco, CA, USA, 20-23 Sept. 1987, *(Lawrence Livermore Nat. Lab)* [Livermore, CA, USA: Lawrence Livermore Nat. Lab. 1987] 88−19619, 88−34267, 88−34385, 88−35020, 88−37317 to 37318, 88−42397 to 42398

Numerical simulation of processes; VTT Symposium 84. Numerical Simulation of Processes: SIMS-88 Symposium. 30th Annual Meeting of the Scandinavian Simulation Society, Espoo, Finland, 21-22 April 1988, *Juslin, K. Silvennoinen, E. (editor/s),* [Espoo, Finland: Tech. Res. Centre Finland 1988] 88−54962, 88−55155, 88−55192 to 55193

Numerical simulation of VLSI devices; Second Conference on the Numerical Simulation of VLSI Devices, Boston, MA, USA, 12-14 Nov. 1984, *(IEEE; SIAM)* [Oct. 1986] 86−19705 (introductory abstract), 86−20007 to 20008, 86−20172, 86−21187, 86−21301, 86−21360 to 21361, 86−21384, 86−21472 to 21480, 86−21515, 86−21567 to 21569, 86−21645 to 21648, 86−21822 to 21823, 86−24531

Numerical solution technique for large sparse systems of equations; IEE Colloquium on Numerical Solution Techniques for Large Sparse Systems of Equations (Digest No.82), London, UK, 7 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85−27957 (introductory abstract), 85−28169 to 28171, 85−28180 to 28181

Nursing uses of computer and information science; Nursing Uses of Computers and Information Science. Proceedings of the IFIP-IMIA International Symposium, Calgary, Alta., Canada, 1-3 May 1985, *Hannah, K.J. Guillemin, E.J. Conklin, D.N. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $53.75] 86−65075

Object-based design; IEE Colloquium on Object-Based Design (Digest No. 88), London, UK, 2 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85−11335

Object-orientated programming systems, languages and applications; OOPSLA '86. Object-Orientated Programming Systems, Languages and Applications. Conference Proceedings, Portland, OR, USA, 29 Sept.-2 Oct. 1986, *(ACM)* [Nov. 1986] 87−16803

Object orientated programming, systems, languages and applications; OOPSLA '87: Conference on Object Orientated Programming, Systems, Languages and Applications, Orlando, FL, USA, 4-8 Oct. 1987, *(ACM)* [Dec. 1987] 88−18863, 88−22203

Ocean surface; Ocean Surface: Wave Breaking, Turbulent Mixing and Radio Probing. Proceedings of the Symposium, Sendai, Japan, 19-25 July 1984, *(IOC/SCOR; ICSU/WMO) Toba, Y. Mitsuyasu, H. (editor/s),* [Dordrecht, Netherlands: Reidel 1985] 86−56259 (introductory abstract)

Ocean technology electronics; Fifth International Conference on Electronics for Ocean Technoiogy (Publ. No.72), Edinburgh, UK, 24-26 March 1987, [London, UK: IERE 1986, £45.00] 87−51747 (introductory abstract), 87−55053, 87−55242 to 55244, 87−55665, 87−55833, 87−56106, 87−56262 to 56263, 87−56278 to 56287, 87−56557, 87−57361, 87−57380, 87−57406 to 57410

Oceanographic data systems; Proceedings 1986 Working Symposium on Oceanographic Data Systems (Cat. No.86CH2269-9), San Diego, CA, USA, 4-6 Feb. 1986, *(IEEE; Scripps Instn. Oceanogr) Steiger, D. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 86−55383 (introductory abstract), 86−52708, 86−55341, 86−55384 to 55385, 86−55395 to 55396, 86−55467, 86−55542, 86−55778, 86−56260 to 56267, 86−59313, 86−60186, 86−60932, 86−60966 to 60974

OCEANS '83; Proceedings OCEANS '83. 'Effective Use of the Sea: An Update', San Francisco, CA, USA, 29 Aug.-1 Sept. 1983, *(IEEE; Marine Technol. Soc.; Oceanic Eng. Soc)* [New York, NY, USA: IEEE 1983] 85−475, 85−3526 to 3527, 85−3545, 85−3909, 85−3932, 85−4439, 85−4458 to 4494, 85−4499 to 4500, 85−4982, 85−5016 to 5022, 85−5459 to 5461, 85−5619 to 5621

OCEANS '84; OCEANS '84 Conference and Exposition. Conference Record. 'Industry, Government, Education - Designs for the Future' (Cat. No. 84CH2066-9), Washington, DC, USA, 10-12 Sept. 1984, *(IEEE; Marine Technol. Soc)* [New York, NY, USA: IEEE 1984] 85−27940 (introductory abstract), 85−28265, 85−30472, 85−30659, 85−30736, 85−31073 to 31074, 85−31084, 85−31098, 85−31107 to 31118, 85−31131, 85−31994 to 31998, 85−32008 to 32033, 85−32381, 85−32399 to 32405, 85−32769

OCEANS '85; OCEANS '85. Ocean Engineering and the Environment. Conference Record (Cat. No.85CH2250-9), San Diego, CA, USA, 12-14 Nov. 1985, *(IEEE; Marine Technol. Soc)* [New York, NY, USA: IEEE 1985] 86−52119 (introductory abstract), 86−55394, 86−56256 to 56258, 86−56270, 86−56276, 86−56676, 86−59559, 86−59957 to 59958, 86−60947 to 60965, 86−64300, 86−64492 to 64493, 86−64852, 86−65029 to 65030, 86−65550 to 65566, 86−65808, 86−65994 to 65997

OCEANS '86; OCEANS 86 Conference Record. Science-Engineering-Adventure (Cat. No.86CH2363-0), Washington, DC, USA, 23-25 Sept. 1986, *(IEEE; Marine Technol. Soc.; Nat. Geogr. Soc)* [New York, NY, USA: IEEE 1986] 87−31137 (introductory abstract), 87−31589, 87−32996 to 32997, 87−34625, 87−34993, 87−35497 to 35500, 87−35843, 87−35850 to 35854, 87−37303, 87−42063, 87−42223, 87−42253 to 42261, 87−42284, 87−50570

OCEANS '87; OCEANS 87 Proceedings: The Ocean - An International Workplace (Cat. No.87CH2498-4), Halifax, NS, Canada, 28 Sept.-1 Oct. 1987, *(IEEE; Marine Technol. Soc)* [New York, NY, USA: IEEE 1987] 88−43582 (introductory abstract), 88−40988, 88−41758 to 41759, 88−42643 to 42644, 88−42666 to 42675, 88−42926, 88−43091 to 43092, 88−43366, 88−44404, 88−44416, 88−46126, 88−47126, 88−47213, 88−47234 to 47235, 88−48326 to 48327, 88−48332 to 48387, 88−48583, 88−48816, 88−48823, 88−53114, 88−53382 to 53385, 88−53389 to 53391, 88−53568, 88−54753 to 54764, 88−55695

Office automation; Proceedings of the IEEE First International Conference on Office Automation (Cat. No. 84CH2109-7), New Orleans, LA, USA, 17-19 Dec. 1984, *(IEEE) Taylor, R.W. (editor/s),* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−54033 (introductory abstract), 85−57694, 85−57726, 85−57806 to 57807

Office Automation; OAC '85. Office Automation Conference Digest, Atlanta, GA, USA, 4-6 Feb. 1985, *(AFIPS) Goldthwaite, J. (editor/s),* [Reston, VA, USA: AFIPS Press 1985] 86−4171 to 4172, 86−4186, 86−4330

Office automation; AFCET Bureautique (AFCET Office Automation), Paris, France, 19-20 March 1985, *(AFCET)* [Paris, France: AFCET 1985] 86−45921 (introductory abstract)

Office automation; IEEE Computer Society Office Automation Symposium (Cat. No.87CH2414-1), Gaithersburg, MD, USA, 27-29 April 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−62702

Office automation for office professionals; Proceedings of the Office Automation Society International (OASI) Conference and Workshop for Office Professionals, Bloomington, MN, USA, 3-6 Sept. 1985, [Dumfries, VA, USA: Office Autom. Int. Soc. 1985] 86−49327

Office information systems; Third ACM-SIGOIS Conference on Office Information Systems, Providence, RI, USA, 6-8 Oct. 1986, *(ACM)* [Summer-Fall 1986] 87−40301, 87−40400

Office information systems; Conference on Office Information systems, Palo Alto, CA, USA, 23-25 March 1988, *(IEEE; ACM; IFIP)* [1988] 88−55901 to 55902, 88−59100, 88−59444, 88−59517, 88−59676, 88−59852 to 59853

Offshore computers; OCC84 - Offshore Computers Conference, Aberdeen, UK, 5-7 June 1984, [Kingston upon Thames, UK: Offshore Conf. & Exhibitions 1984, £150.00] 85−48489 to 48490

Olympus satellite experiments; IEE Colloquium on 'Experiments Using the Olympus Satellite' (Digest No.81), London, UK, 9 Oct. 1987, *(IEE)* [London, UK: IEE 1987] 88−6131 (introductory abstract), 88−8924, 88−9506 to 9515, 88−10472

Online; Online '84 Conference Proceedings, San Francisco, CA, USA, 29-31 Oct. 1984, [Weston, CT, USA: Online 1984] 85−54040, 85−57695

Online; Online '86 Conference Proceedings, Chicago, IL, USA, 4-6 Nov. 1986, *(Online)* [Weston, CT, USA: Online 1986] 87−20150

Online; Online '87 Conference Proceedings, Anaheim, CA, USA, 20-22 Oct. 1987, *(Online)* [Weston, CT, USA: Online 1987] 88−35027, 88−35197, 88−35249, 88−41469

Online databases, technologies and trends; Online '85 Conference Proceedings, New York, NY, USA, 4-6 Nov. 1985, *(Online Inc.; Int. Online Command Chart)* [Weston, CT, USA: Online 1985] 86−37567

Online failure detection techniques; IEE Colloquium on On-line Failure Detection Techniques (Digest No. 84), London, UK, 29 Oct. 1984, *(IEE)* [London, UK: IEE 1984] 85−10561 (introductory abstract), 85−15395, 85−15751

Online information; 9th International Online Information Meeting, London, UK, 3-5 Dec. 1985, [Abingdon, UK: Learned Inf. 1985] 86−37370, 86−37414, 86−37548, 86−37588

Online information; 10th International Online Information Meeting, London, UK, 2-4 Dec. 1986, [Oxford, UK: Learned Inf. 1986] 87−27870, 87−28181 to 28183

Online information; Online Informatie Konferentie Nederland 1986 (Netherlands Online Information Conference 1986), Rotterdam, Netherlands, 22-23 Oct. 1986, [The Hague, Netherlands: Nederlands Bibliotheek en Lektuur Centrum 1986] 87−40324 (introductory abstract), 87−40325

Online information; Information ONLINE 87: Worldwide Information at Your Fingertips. Preprints of the Second Australian Online Information Conference, Sydney, NSW, Australia, 27-29 Jan. 1987, *(Library Assoc. Australia)* [Sydney, NSW, Australia: Library Assoc. Australia 1987] 87−34021, 87−34069, 87−34221

Online information; Online Information 87. 11th International Online Information Meeting, London, UK, 8-10 Dec. 1987, [Oxford, UK: Learned Inf. 1987] 88−21809, 88−22340

Online information; Online Informatie Konferentie Nederland 1988 (Online Information Conference Netherlands 1988), Rotterdam, Netherlands, 23-24 Feb. 1988, [The Hague, Netherlands: Nederlands Bibliotheek Lektuur Centrum 1988] 88−52979 to 52980

Online information; Information Online 88: The Key to our Future. Preprints of the Third Australian Online Information Conference, Sydney, NSW, Australia, 19-21 Jan. 1988, *(Libr. Assoc. Australia)* [Ultimo, NSW, Australia: Libr. Assoc. Australia 1988] 88−28300, 88−28309

Online information retrieval in practice; Online Information Retrieval in Practice. Proceedings of the 2nd UK Online User Group State of the Art Conference, Bristol, UK, 1986, *Dorrington, L. (editor/s),* [London, UK: Taylor Graham 1987, £18.00] 87−75727, 87−76299, 87−76380, 87−77023

Online meeting; National Online Meeting. Proceedings - 1987, New York, NY, USA, 5-7 May 1987, *(Online Review)* [Medford, NJ, USA: Learned Inf. 1987, $50.00] 87−55580, 87−55643, 87−55822, 87−62587

Online user education; Third IATUL Online User Education Seminar, Compiegne, France, July 1986, *(Minist. Educ. Nat.; Minst. Recherche & Technol; Univ. Technol. Compiegne, UNESCO)* [June 1987] 87−51770

Open systems; Open Systems '86. Proceedings of the International Conference, London, UK, 19-21 March 1986, [Pinner, UK: Online Publications 1986, £75.00] 86−61856 (introductory abstract), 86−64537 to 64555, 86−64598, 86−64768 to 64779

Open systems; International Open Systems 87. Vol.1. Proceedings of the International Conference, London, UK, March 1987, [Pinner, UK: Online Publications 1987, £95.00] 87−40258 to 40259

Open systems: developments and applications; Open Systems: Developments and Applications. Proceedings of the Conference, San Francisco, CA, USA, Nov. 1986, [Pinner, UK: Online Publications 1986, £75.00] 87−36334 (introductory abstract), 87−40466 to 40486

Open systems interconnection; OSI - Open Systems Interconnection. Developments and Implementation, London, UK, 1-3 April 1985, [Pinner, UK: Online Publications 1985, £45.00] 86−16626, 86−17023

Open systems management; IEE Colloquium on 'Open Systems Management - the Next Challenge' (Digest No.91), London, UK, 2 Nov. 1987, *(IEE)* [London, UK: IEE 1987] 88−15180 (introductory abstract), 88−15181 to 15184

Operating systems principles; Eleventh ACM Symposium on Operating Systems Principles, Austin, TX, USA, 9-11 Nov. 1987, *(ACM; Microelectron. & Comput. Technol. Corp)* [1987] 88−21565, 88−21654

Operational research; Operational Research '84. Proceedings of the Tenth International Conference, Washington, DC, USA, 6-10 Aug. 1984, *Brans, J.P. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $95.00] 85−27946, 85−30512, 85−31075, 85−31155, 85−32101 to 32103, 85−32274

Operational research; Operational Research '87. Proceedings of the Eleventh International Conference, Buenos Aires, Argentina, 10-14 Aug. 1987, *Rand, G.K. (editor/s),* [Amsterdam, Netherlands: North-Holland 1988, $184.25] 88−71671, 88−73410, 88−73630, 88−75125 to 75127

Operational safety of nuclear power plants; Operational Safety of Nuclear Power Plants. Proceedings of an International Symposium, Marseilles, France, 2-6 May 1983, [Vienna, Austria: IAEA 1984] 85−21312 (introductory abstract), 85−21313 to 21343, 85−21387 to 21414

Operations research; IX Symposium on Operations Research, Osnabruck, West Germany, 27-29 Aug. 1984, *(Deutsche Forschungsgemeinschaft; Regierung des Landes Niedersachsen; Deutscher Akad. Austauschdienst)* [1985] 85−54310, 85−57565, 86−17131

Operations research; X. Symposium on Operations Research, Munich, West Germany, 26-28 Aug. 1985, *(Deutsche Forschungsgemeinschaft; Regierung des Freistaates Bayern; Deutscher Akad. Austauschdienst)* [1986] 87−7589, 87−8043, 87−8498

Operations research; 11th Symposium on Operations Research, Darmstadt, West Germany, 1-3 Sept. 1986, [1987] 88−275, 88−298

Operative expert systems; Proceedings of Operative Expert Systems. International Seminar-Exhibition, Mol, Belgium, 28-29 April 1987, *Kretzschmar, J. Billiau, R. (editor/s),* [Mol, Belgium: Studiecentrum Kernenergie 1987] 87–51904, 87–57465

Ophthalmic optics; Ophthalmic Optics, Cannes, France, 3-4 Dec. 1985, *(SPIE)* [1986] 87–57154, 87–57252

Optical alignment; Optical Alignment II, Arlington, VA, USA, 3-4 May 1984, *(SPIE)* [1984] 85–16542 (introductory abstract), 85–18657, 85–18764, 85–18997 to 19000, 85–19060, 85–20533, 85–20633, 85–20722

Optical alignment; Optical Alignment III, Los Angeles, CA, USA, 21-22 Jan. 1986, *(SPIE)* [1986] 87–39184 to 39187, 87–39268, 87–41027, 87–41521, 87–41896

Optical and digital pattern recognition; Los Angeles, CA, USA, 13-15 Jan. 1987, *(SPIE)* [1987] 88–43557 (introductory abstract), 88–33583, 88–33777, 88–33785, 88–33829 to 33831, 88–33844 to 33845, 88–34777 to 34778, 88–43725, 88–45220, 88–45227, 88–45263, 88–45568, 88–46197 to 46205, 88–47680 to 47681

Optical and hybrid computing; Optical and Hybrid Computing, Leesburg, VA, USA, 24-27 March 1986, *(SPIE)* [1987] 88–6087 (introductory abstract), 88–1289 to 1290, 88–2041 to 2042, 88–2062 to 2063, 88–2399, 88–3197, 88–6404, 88–8005, 88–8010, 88–8030, 88–8291 to 8292, 88–8764 to 8765, 88–8839 to 8843, 88–19317, 88–19338, 88–19353, 88–19378 to 19381, 88–19587, 88–19607 to 19612, 88–19622, 88–20689, 88–21024 to 21025, 88–21951, 88–22181, 88–22200, 88–22560, 88–22764 to 22765, 88–24257

Optical and laser technology in medicine; Optical and Laser Technology in Medicine, Los Angeles, CA, USA, 23-24 Jan. 1986, *(SPIE)* [1986] 87–16250 (introductory abstract), 87–21653 to 21661

Optical and millimetre-wave propagation in the atmosphere; International Conference on Optical and Millimeter Wave Propagation and Scattering in the Atmosphere. Digest, Florence, Italy, 27-30 May 1986, *(Univ. Florence; Fondazione Ugo Bordoni; Opt. Soc. America; CNR; et al)* [Firenze, Italy: OIC 1986] 86–57093 (introductory abstract)

Optical bistability; Optical Bistability III. Proceedings of the Topical Meeting, Tucson, AZ, USA, 2-4 Dec. 1985, *Gibbs, H.M. Mandel, P. Peyghambarian, N. Smith, S.D. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986] 87–31134 (introductory abstract), 87–32993 to 32995, 87–33213 to 33215, 87–33242, 87–33299 to 33330, 87–33811, 87–39016 to 39017, 87–39173, 87–39235 to 39242

Optical bistability; International Conference on Optical Bistability - IV, Aussois, France, 23-25 March 1988, *(CNRS; CNET; Direction Recherches Etudes & Tech.; et al)* [June 1988] 88–62849 (introductory abstract), 88–65371 to 65373, 88–65418 to 65426, 88–65450 to 65452, 88–65563 to 65564, 88–65700, 88–65763, 88–65800 to 65805, 88–65839 to 65852, 88–72000, 88–72040, 88–72113 to 72122, 88–72187, 88–72287, 88–72405 to 72414, 88–73930

Optical bistability, dynamical nonlinearity and photonic logic; Optical Bistability, Dynamical Nonlinearity and Photonic Logic, London, UK, 21-22 March 1984, *(R. Soc)* [1984] 85–39415 (introductory abstract), 85–41213, 85–41431, 85–41476 to 41495, 85–46209, 85–46335, 85–46407, 85–46478 to 46487

Optical cables; Lichtwellenleiterkabel - Ubertragungsmedium der Zukunft. Vortrage der NTG-Fachtagung (Optical Cables - Transmission Medium of the Future. Proceedings of NTG Meeting), Bad Nauheim, West Germany, 29-31 Oct. 1985, [1985] 86–13261 (introductory abstract), 86–19874, 86–22143 to 22151, 86–23892 to 23924

Optical chaos; Quebec City, Que., Canada, 3-4 June 1986, *(SPIE; Nat. Res. Council Canada; Univ. Laval.; Defence Res. Establ. Valcartier)* [1986] 87–72666 (introductory abstract), 87–74753 to 74754, 87–74896, 87–74955 to 74958, 87–75006 to 75012, 87–75038 to 75039, 87–75112 to 75116, 87–75182, 87–75223

Optical characterization techniques for semiconductors; Modern Optical Characterization Techniques for Semiconductors amd Semiconductor Devices, Bay Point, FL, USA, 26-27 March 1987, *(SPIE; Metall. Soc)* [1987] 88–2279, 88–4606

Optical communication; Optical Communication, ECOC '84. Tenth European Conference, Stuttgart, West Germany, 3-6 Sept. 1984, *(Electr. Eng. Western Eur.; IEEE; Opt. Soc. America; et al) Haupt, H. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984] 86–37 (introductory abstract), 86–451, 86–2812 to 2835, 86–2854, 86–2868 to 2869, 86–2890, 86–2987 to 2989, 86–3122, 86–3171 to 3184, 86–4682 to 4691, 86–5504, 86–5557, 86–9533 to 9567, 86–9690 to 9691, 86–9873 to 9875, 86–11098 to 11125, 86–11610, 86–11762

Optical communication; ECOC 12th European Conference on Optical Communication. Technical Digest, Barcelona, Spain, 22-25 Sept. 1986, *(EUREL; IEEE; Inst. Elecr. Eng. Japan; Opt. Soc. America; et al)* [Madrid, Spain: Telefonica 1986] 88–62879 (introductory abstract), 88–63379 to 63380, 88–64627, 88–65122 to 65123, 88–65209 to 65246, 88–65339 to 65344, 88–65456, 88–65495 to 65498, 88–65508, 88–65530 to 65533, 88–65656, 88–65717 to 65738, 88–65771, 88–65824, 88–65871 to 65878, 88–65931, 88–66155 to 66156, 88–67029, 88–67109, 88–67158, 88–67388 to 67428, 88–67818 to 67819, 88–68049

Optical communication; ECOC 87: 13th European Conference on Optical Communication. Technical Digest, Helsinki, Finland, 13-17 Sept. 1987, *(Convention Nat. Socs. Elect. Eng. Western Eur.; IEEE; IEE; et al)* [Helsinki, Finland: Consulting Committee Professional Electroeng. Organ. Finland 1987] 88–43584 (introductory abstract), 88–43894, 88–44789, 88–44876, 88–45135 to 45166, 88–45200 to 45201, 88–45207 to 45210, 88–45222 to 45223, 88–45229, 88–45245, 88–45306 to 45308, 88–45328 to 45329, 88–45337, 88–45394 to 45397, 88–45445 to 45470, 88–45499, 88–45554 to 45556, 88–45747, 88–46301, 88–46461, 88–46729, 88–46775 to 46776, 88–47008, 88–47127 to 47172, 88–47269, 88–47701

Optical communications, materials and technologies; Materials and Technologies for Optical Communications, Cannes, France, 19-20 Nov. 1987, *(SPIE)* [1988] 88–55797 (introductory abstract), 88–56210, 88–56245 to 56250, 88–57308, 88–57356, 88–57447 to 57448, 88–57486, 88–58054, 88–58139 to 58141, 88–58203, 88–58361 to 58363, 88–58390, 88–58560 to 58561, 88–60174

Optical component specifications; Optical Component Specifications for Laser-Based Systems and Other Modern Optical Systems, Los Angeles, CA, USA, 21-22 Jan. 1986, *(SPIE)* [1986] 87–36298 (introductory abstract), 87–38797, 87–39126, 87–39178 to 39183, 87–39200, 87–39265 to 39267, 87–41389

Optical computing; Topical Meeting on Optical Computing. Digest of Technical Papers, Incline Village, NV, USA, 18-20 March 1985, *(Opt. Soc. America; IEEE; SPIE)* [Washington, DC, USA: Opt. Soc. America 1985] 86–47 (introductory abstract)

Optical computing; Optical Computing, Los Angeles, CA, USA, 24-25 Jan. 1984, *(SPIE)* [1984] 85–44366 (introductory abstract), 85–44659, 85–46892 to 46896

Optical computing; 1986 International Optical Computing Conference, Jerusalem, Israel, 6-11 July 1986, *(SPIE; OSA; IEEE; Int. Comm. Opt)* [1986] 87–51707 (introductory abstract), 87–46094, 87–46296, 87–46582, 87–46983 to 46984, 87–47012 to 47016, 87–47479, 87–48618, 87–49080, 87–51932, 87–53834, 87–53859, 87–54340, 87–54418 to 54423, 87–54447, 87–54838 to 54839, 87–55283 to 55290, 88–45095 to 45096, 88–45264 to 45266, 88–45368, 88–45910, 88–47546, 88–47561

Optical computing; Optical Computing, Los Angeles, CA, USA, 23-24 Jan. 1986, *(SPIE)* [1986] 87–10006 (introductory abstract), 87–12260 to 12261, 87–12271, 87–12284, 87–12589 to 12592, 87–16967 to 16968, 87–17126, 87–17192 to 17193, 87–18235, 87–19102

Optical computing and nonlinear materials; Optical Computing and Nonlinear Materials, Los Angeles, CA, USA, 11-13 Jan. 1988, *(SPIE)* [1988] 88–62853 (introductory abstract), 88–64293, 88–65120, 88–65127 to 65130, 88–65205, 88–65333, 88–65428 to 65441, 88–65517 to 65519, 88–65862 to 65869, 88–65896, 88–66656 to 66657, 88–67376 to 67377

Optical control and generation of microwave signals; IEE Colloquium on 'Optical Control and Generation of Microwave Signals' (Digest No.4), London, UK, 14 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86–26521 (introductory abstract), 86–27164, 86–27537, 86–27638, 86–28886, 86–28901 to 28903, 86–28949, 86–29005, 86–29283, 86–29648 to 29649

Optical data storage; Topical Meeting on Optical Data Storage. Technical Digest, Monterey, CA, USA, 18-20 April 1984, *(IEEE; Opt. Soc. America; American Vacuum Soc.; SPIE)* [Washington, DC, USA: Opt. Soc. America 1984] 85–12527 to 12530, 85–12670 to 12671, 85–12838, 85–12928, 85–13004, 85–14465

Optical data storage; Topical Meeting on Optical Data Storage. Digest of Technical Papers, Washington, DC, USA, 15-17 Oct. 1985, *(IEEE; Opt. Soc. America; American Vacuum Soc.; SPIE)* [Washington, DC, USA: Opt. Soc. America 1985] 86–40385 (introductory abstract), 86–42089 to 42092, 86–42106, 86–42156 to 42157, 86–42211 to 42221, 86–42351, 86–42385 to 42389, 86–42592, 86–42666 to 42667, 86–44067

Optical data storage; Topical Meeting on Optical Data Storage. Technical Digest Series Vol.10 (papers in summary form only received), Stateline, NV, USA, 11-13 March 1987, *(IEEE; Opt. Soc. America; SPIE)* [Washington, DC, USA: Opt. Soc. America 1987] 87–51731 (introductory abstract), 87–53941 to 53944, 87–54069, 87–54134 to 54137, 87–56406, 87–56510, 87–60877 to 60882, 87–60992 to 60994, 87–61004, 87–61009, 87–61267 to 61268, 88–33579 to 33582, 88–33589 to 33593, 88–33706 to 33708, 88–33787 to 33788, 88–33833, 88–34137

Optical devices in adverse environments; Optical Devices in Adverse Environments, Cannes, France, 19-20 Nov. 1987, *(SPIE)* [1988] 88–69973 (introductory abstract), 88–71994, 88–72049 to 72059, 88–72130, 88–72198, 88–72218, 88–73932 to 73933, 88–74449

Optical disk storage systems; Applications of Optical Digital Data Disk Storage Systems, Brussels, Belgium, 25-28 June 1984, *(SPIE)* [1984] 85–41383, 85–41528

Optical effects in amorphous semiconductors; Optical Effects in Amorphous Semiconductors. International Topical Conference, Snowbird, UT, USA, 1-4 Aug. 1984, *(APS; Univ. Utah)* [1984] 85–16540 (introductory abstract), 85–18093 to 18094, 85–18134 to 18138, 85–18777 to 18779, 85–18797, 85–23458 to 23460, 85–23732, 85–24363 to 24366, 85–27633

Optical engineering; Current Developments in Optical Engineering II, San Diego, CA, USA, 18-21 Aug. 1987, *(SPIE)* [1987] 88–43562 (introductory abstract), 88–45065, 88–45436 to 45437, 88–45501, 88–45529, 88–45571, 88–45604, 88–46249, 88–47575 to 47576, 88–47649, 88–47682, 88–47700, 88–48005, 88–48268

Optical engineering and diffraction phenomena; Current Developments in Optical Engineering and Diffraction Phenomena, San Diego, CA, USA, 21-22 Aug. 1986, *(SPIE)* [1986] 88–49333 (introductory abstract), 88–2078 to 2079, 88–2144, 88–2378, 88–2396, 88–2437, 88–2565, 88–4437, 88–50729, 88–51095, 88–51544, 88–51644, 88–52304, 88–53278, 88–53486

Optical fiber characteristics and standards; Optical Fiber Characteristics and Standards, Cannes, France, 25-27 Nov. 1985, *(SPIE)* [1986] 87–36301 (introductory abstract), 87–38798 to 38817, 87–40923 to 40926, 87–46518 to 46533, 87–49068 to 49069

Optical fiber communication and integrated optics; Optical Fiber Communication Conference and Sixth International Conference on Integrated Optics and Optical Fiber Communication. Technical Digest (papers in summary form only received), Reno, NV, USA, 19-22 Jan. 1987, *(IEEE; Opt. Soc. America; Inst. Electron. & Commun. Eng. Japan; Inst. Electr. Eng. Japan)* [Washington, DC, USA: Opt. Soc. America 1987] 87–65064 (introductory abstract), 88–7954, 88–8082, 88–8195 to 8198, 88–9553 to 9556, 88–13813 to 13826, 88–13932 to 13934, 88–13939, 88–15470 to 15471

Optical fiber sensors; Optical Fiber Sensors. 1988 Technical Digest Series Vol.2. Conference Edition, New Orleans, LA, USA, 27-29 Jan. 1988, *(IEEE; OSA)* [Washington, DC, USA: Opt. Soc. America 1988] 88–62895 (introductory abstract), 88–65250 to 65272, 88–65364 to 65366, 88–65381, 88–65399, 88–65932 to 65935, 88–67721, 88–67781 to 67782, 88–67821 to 67882, 88–68050, 88–68400 to 68401, 88–68657

Optical fiber sources and detectors; Optical Fiber Sources and Detectors, Cannes, France, 28-29 Nov. 1985, *(SPIE)* [1986] 87–36302 (introductory abstract), 87–36688, 87–36767 to 36768, 87–36810, 87–38818, 87–38864, 87–38917, 87–38960 to 38966, 87–39006, 87–39127 to 39136, 87–41522 to 41525

Optical fibers in medicine; Optical Fibers in Medicine II, Cambridge, MA, USA, 17-19 Sept. 1986, *(SPIE)* [1987] 88–18296 (introductory abstract), 88–14304, 88–16711 to 16721, 88–16780 to 16781, 88–20379 to 20380, 88–23100 to 23112, 88–23145

Optical fibers in medicine and biology; Optical Fibers in Medicine and Biology, San Diego, CA, USA, 19 Aug. 1985, *(SPIE)* [1985] 87–36297 (introductory abstract), 87–41949 to 41956, 87–41997 to 42003, 87–42032

Optical fibre communication; Conference on Optical Fiber Communication. Digest of Technical Papers, New Orleans, LA, USA, 23-25 Jan. 1984, *(IEEE; Opt. Soc. America)* [Washington, DC, USA: Opt. Soc. America 1984] 85–7236 to 7239, 85–7438 to 7439, 85–7519, 85–8411 to 8418

Optical fibre communication and sensors; OFC/OFS '85. Conference on Optical Fiber Communication and Third International Conference on Optical Fiber Sensors. Digest of Technical Papers. (papers in summary form only received), San Diego, CA, USA, 11-14 Feb. 1985, *(IEEE)* [Washington, DC, USA: Opt. Soc. America 1985] 86–52 (introductory abstract), 86–22103 to 22128, 86–22255, 86–22399 to 22402, 86–22848, 86–23595, 86–23869 to 23874

Optical fibre materials and properties; Optical Fiber Materials and Properties Symposium, Boston, MA, USA, 3-5 Dec. 1986, *Nagel, S.R. Fleming, J.W. Sigel, G.H. Thompson, D.A. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 87–72706 (introductory abstract), 87–74657 to 74660, 87–74818 to 74823, 87–74849, 88–475 to 478, 88–1924 to 1926, 88–2023 to 2024

Optical fibre measurements; Technical Digest - Symposium on Optical Fiber Measurements 1984 (NBS-SP-683), Boulder, CO, USA, 2-3 Oct. 1984, *(NBS;*

IEEE; Opt. Soc. America) Day, G.W. Franzen, D.L. (editor/s), [Washington, DC, USA: NBS 1984] 85−27947 (introductory abstract), 85−29608 to 29637, 85−31076

Optical fibre measurements; Technical Digest - Symposium on Optical Fiber Measurements, 1986 (NBS-SP-720), Boulder, CO, USA, 9-10 Sept. 1986, *(NBS; IEEE; OSA) Day, G.W. Franzen, D.L. (editor/s),* [Gaithersburg, MD, USA: NBS Sept. 1986] 87−43801 (introductory abstract)

Optical fibre measurements; IEE Colloquium on 'Optical Fibre Measurements' (Digest No.55), London, UK, 1 May 1987, *(IEE)* [London, UK: IEE 1987] 87−51750 (introductory abstract), 87−54071 to 54082

Optical fibre sensors; 2nd International Conference on Optical Fiber Sensors, Stuttgart, West Germany, 5-7 Sept. 1984, *(AEI; IEEE; Inst. Electron. Commun. Eng. Japan; IEE; et al)* [1984] 85−60640 (introductory abstract), 85−62338 to 62380, 85−62401, 85−64570, 86−2769 to 2793, 86−3168, 86−5527, 86−5555

Optical fibre sensors; Optical Fiber Sensors. Proceedings of the NATO Advanced Study Institute, Erice, Italy, 2-10 May 1986, *Chester, A.N. Martellucci, S. Verga Scheggi, A.M. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1987] 88−6125 (introductory abstract), 88−7892 to 7908, 88−9973, 88−9990, 88−10021 to 10027, 88−10142, 88−10150 to 10151, 88−10351

Optical fibres and applications; Optical Fibres and Their Applications IV, Warsaw, Poland, 11-13 Feb. 1986, *(SPIE)* [1986] 87−72668 (introductory abstract), 87−74652 to 74655, 87−74755 to 74774, 87−74831 to 74833, 87−74888 to 74889, 87−74897, 87−74933 to 74935, 87−75070, 87−75266, 87−75725, 87−76362, 87−76512, 87−76781 to 76783, 87−77242 to 77249, 87−77394, 87−78145, 88−39340, 88−39914 to 39918, 88−39974 to 39978, 88−39984 to 39985, 88−40002 to 40003, 88−40035 to 40036, 88−40077, 88−40229 to 40236, 88−40276, 88−40313, 88−40352 to 40355, 88−41672

Optical information processing; Optical Information Processing II, Orlando, FL, USA, 3-4 April 1986, *(SPIE)* [1986] 87−43746 (introductory abstract), 87−46295, 87−46430, 87−46592 to 46593, 87−46600 to 46601, 87−46610 to 46619, 87−46638 to 46639, 87−47949 to 47957, 87−49629 to 49632, 87−49757

Optical instrumentation for biomedical laser applications; Optical Instrumentation for Biomedical Laser Applications, Innsbruck, Austria, 17-18 April 1986, *(SPIE)* [1986] 87−22966 (introductory abstract), 87−29132, 87−29731 to 29732, 87−29799 to 29809

Optical instrumentation in medicine; Application of Optical Instrumentation in Medicine XII. Medical Image Production, Processing, Display and Archiving, San Diego, CA, USA, 26-29 Feb. 1984, *(SPIE)* [1984] 85−4 (introductory abstract), 85−4253, 85−4264 to 4282, 85−4383, 85−9134 to 9146

Optical instrumentation in medicine; Applications of Optical Instrumentation in Medicine XIII. Medical Image Production, Processing, and Display, Newport Beach, CA, USA, 3-6 Feb. 1985, *(SPIE)* [1985] 86−11944 to 11957

Optical interconnections; Optical Interconnections, Cannes, France, 17-18 Nov. 1987, *(SPIE)* [1988] 88−55790 (introductory abstract), 88−58136 to 58138, 88−58202, 88−58224 to 58226, 88−58311, 88−58385 to 58388, 88−58681, 88−58722, 88−60172

Optical interference coatings; Third Topical Meeting on Optical Interference Coatings. Technical Digest, Monterey, CA, USA, 17-19 April 1984, *(Opt. Soc. America; American Vacuum Soc.; SPIE; Soc. Vacuum Coaters)* [Washington, DC, USA: Opt. Soc. America 1984] 85−7296, 85−7472, 85−29517

Optical manufacturing; Optical Manufacturing, Testing, and Aspheric Optics, Orlando, FL, USA, 1-2 April 1986, *(SPIE)* [1986] 88−11566 (introductory abstract), 87−46624 to 46630, 87−49483, 87−49926, 88−13145 to 13146, 88−13240 to 13281

Optical mass data storage; Third International Conference on Optical Mass Data Storage, Los Angeles, CA, USA, 22-24 Jan. 1985, [1985] 85−49255 (introductory abstract), 85−50822 to 50823, 85−50892 to 50897, 85−51008 to 51010, 85−52546 to 52548, 85−52785

Optical mass data storage; IEE Colloquium on 'Optical Mass Data Storage' (Digest No.58), London, UK, 17 May 1985, *(IEE)* [London, UK: IEE 1985] 85−51007

Optical mass data storage; Optical Mass Data Storage II, San Diego, CA, USA, 18-22 Aug. 1986, *(SPIE)* [1986] 88−18307 (introductory abstract), 87−38718 to 38727, 87−38880 to 38882, 87−43089, 87−46431, 87−46605, 87−46631 to 46634, 88−18730, 88−19820 to 19821, 88−19881 to 19895, 88−20051 to 20054, 88−20123, 88−20480, 88−23011

Optical materials; Advances in Optical Materials, San Diego, CA, USA, 21-24 Aug. 1984, *(SPIE)* [1984] 85−32881 (introductory abstract), 85−34700, 85−35369 to 35376, 85−35432, 85−35577, 85−41101 to 41104, 85−41126 to 41128, 85−41384

Optical materials, basic properties; OM85. Basic Properties of Optical Materials (NBS-SP-697) (papers in summary form only received), Gaithersburg, MD, USA, 7-9 May 1985, *(US Dept. Commerce; NBS; APS; Air Force Office Sci. Res.; et al) Feldman, A. (editor/s),* [Gaithersburg, MD, USA: NBS 1985] 86−13294 (introductory abstract)

Optical materials for energy efficiency and solar energy conversion; Optical Materials Technology for Energy Efficiency and Solar Energy Conversion IV, San Diego, CA, USA, 20-22 Aug. 1985, *(SPIE)* [Nov. 1986] 87−22965 (introductory abstract), 87−18579 to 18584, 87−18762 to 18763, 87−18772, 87−18795, 87−19103, 87−22686, 87−22756, 87−22898, 87−23723, 87−26086 to 26088, 87−26143 to 26144, 87−26570, 87−30443, 87−30889 to 30890, 87−30951, 87−31000

Optical memory; International Symposium on Optical Memory, Tokyo, Japan, 16-17 Sept. 1987, *(Japan Soc. Appl. Phys.; Inst. Electron., Inf. & Commun. Eng.; Optoelectron. Ind. & Technol. Dev. Assoc.; et al)* [1987] 88−43552 (introductory abstract), 88−44945, 88−45035 to 45038, 88−45043 to 45064, 88−45232 to 45243, 88−45256 to 45258, 88−45427 to 45428, 88−47331 to 47332

Optical methods in composites; Proceedings of the 1986 SEM Fall Conference on Experimental Mechanics: 'Optical Methods in Composites', Keystone, CO, USA, 2-5 Nov. 1986, [Bethel, CT, USA: Soc. Exp. Mech. 1986] 87−31136 (introductory abstract), 87−31615 to 31620, 87−35072 to 35073, 87−35461, 87−36853 to 36856

Optical metrology; Optical Metrology. Coherent and Incoherent Optics for Metrology, Sensing and Control in Science, Industry and Biomedicine. Proceedings of the NATO Advanced Study Institute, Viana do Castelo, Portugal, 16-27 July 1984, *Soares, O.D.D. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1987, $172.00] 88−64 (introductory abstract), 88−1081, 88−1187, 88−2151, 88−2354, 88−2389, 88−2413 to 2420, 88−2441 to 2443, 88−3258 to 3260, 88−4424, 88−4498, 88−4642 to 4647, 88−4667, 88−4698, 88−4706, 88−4838, 88−5222

Optical metrology and optical component manufacture; Thirteenth All India Symposium of the Optical Society of India on Optics and Opto-electronics: Optical Metrology and Optical Component Manufacture (papers in summary form only received), Delhi, India, 5-8 Feb. 1985, [Jan.-March 1985] 86−13257 (introductory abstract)

Optical microlithography ; Optical Microlithography III: Technology for the Next Decade, Santa Clara, CA, USA, 14-15 March 1984, *(SPIE)* [1984] 85−5625 (introductory abstract), 85−6779 to 6787, 85−6828 to 6830, 85−6986 to 6989, 85−7068 to 7071, 85−12071 to 12075, 85−12322 to 12326

Optical microlithography; Optical Microlithography IV, Santa Clara, CA, USA, 13-14 March 1985, *(SPIE)* [1985] 86−13265 (introductory abstract), 86−13520 to 13524, 86−13852, 86−14994 to 15012, 86−15225 to 15229, 86−15265 to 15266, 86−18123

Optical microlithography; Optical Microlithography V, Santa Clara, CA, USA, 13-14 March 1986, *(SPIE)* [1986] 87−10009 (introductory abstract), 87−10202 to 10203, 87−11540 to 11572, 87−11666 to 11669

Optical microlithography; Optical Microlithography VI, Santa Clara, CA, USA, 4-5 March 1987, *(SPIE)* [1987] 88−11 (introductory abstract), 88−203, 88−1490, 88−1549 to 1551, 88−1577 to 1600, 88−1739 to 1740, 88−4635

Optical physics; Progress in Optical Physics, Melbourne, Vic., Australia, 15-17 Aug. 1984, [May 1985] 85−60638 (introductory abstract), 85−62659 to 62661, 85−63106

Optical properties of low dimensional structures; Optical Properties of Narrow-Gap Low-Dimensional Structures. Proceedings of a NATO Advanced Research Workshop, St. Andrews, UK, 29 July-1 Aug. 1986, *(NATO) Sotomayor Torres, C.M. Portal, J.C. Maan, J.C. Stradling, R.A. (editor/s),* [New York, NY, USA: Plenum 1987, $62.50] 87−72707 (introductory abstract), 87−73148 to 73149, 87−74021, 87−74095, 87−74136, 87−75132

Optical properties of solids; Symposium on Optical Properties of Solids, Tianjin, China, 16-19 Sept. 1986, [1987] 88−40049

Optical publishing and storage; OPTICA '87. The International Meeting for Optical Publishing and Storage, Amsterdam, Netherlands, 14-16 April 1987, [Oxford, UK: Learned Inf. 1987] 88−18317 (introductory abstract), 88−20455, 88−22338 to 22339

Optical radiation measurements; Optical Radiation Measurements, San Diego, CA, USA, 21-22 Aug. 1984, *(SPIE)* [1985] 85−49251 (introductory abstract), 85−51050 to 51051, 85−51232 to 51236, 85−52628, 85−52777 to 52781, 85−52893

Optical remote sensing from space instrumentation; Instrumentation for Optical Remote Sensing from Space, Cannes, France, 27-29 Nov. 1985, *(SPIE)* [1986] 87−21773 (introductory abstract)

Optical remote sensing of atmosphere; Topical Meeting on Optical Remote Sensing of the Atmosphere. Technical Digest, Incline Village, NV, USA, 15-18 Jan. 1985, *(Opt. Soc. America; Army Res. Office)* [Washington, DC, USA: Opt. Soc. America 1985] 85−59487 (introductory abstract), 86−17517, 86−18560 to 18565, 86−18587

Optical Society of America annual meeting; 1984 Annual Meeting of the Optical Society of America (papers in summary form only received), San Diego, CA, USA, 29 Oct.-2 Nov. 1984, [Dec. 1984] 85−22056 (introductory abstract)

Optical Society of America annual meeting; Annual Meeting of the Optical Society of America (papers in summary form only received), Washington, DC, USA, 14-18 Oct. 1985, *(OSA)* [Dec. 1985] 86−26475 (introductory abstract)

Optical Society of America annual meeting; Annual Meeting of the Optical Society of America (papers in summary form only received), Seattle, WA, USA, 19-24 Oct. 1986, [Dec. 1986] 87−22957 (introductory abstract)

Optical Society of America annual meeting; Annual Meeting of the Optical Society of America (papers in summary form only received), Rochester, NY, USA, 18-23 Oct. 1987, [Dec. 1987] 88−18291 (introductory abstract)

Optical storage technology ; Optical Storage Technology and Applications, Los Angeles, CA, USA, 12-15 Jan. 1988, *(SPIE)* [1988] 88−62858 (introductory abstract), 88−65121, 88−65133 to 65168, 88−65394 to 65397, 88−65821, 88−67598

Optical systems design; Recent Trends in Optical Systems Design; Computer Lens Design Workshop, Los Angeles, CA, USA, 13-15 Jan. 1987, *(SPIE)* [1987] 88−39983, 88−45259

Optical systems engineering; Optical Systems Engineering IV, Cambridge, MA, USA, 23-24 Oct. 1984, *(SPIE)* [1985] 85−54024 (introductory abstract), 85−56339, 85−56389 to 56391, 85−56394, 85−56754, 85−58608 to 58610, 85−58641, 85−58717

Optical systems incorporating low power lasers; Design of Optical Systems Incorporating Low Power Lasers, Los Angeles, CA, USA, 15-16 Jan. 1987, *(SPIE)* [1987] 88−31269 (introductory abstract), 88−33776, 88−33837 to 33839, 88−33920, 88−33952 to 33955, 88−34048, 88−34189, 88−36225 to 36226

Optical techniques for industrial inspection; Optical Techniques for Industrial Inspection, Quebec City, Que., Canada, 4-6 June 1986, *(SPIE; Nat. Res. Council Canada; Univ. Laval; et al)* [1986] 87−43749 (introductory abstract), 87−44430, 87−45436, 87−46540, 87−46604, 87−47062 to 47063, 87−47958, 87−49484, 87−49526 to 49536, 87−49597, 87−49709, 87−49927 to 49933, 87−49974, 87−49983 to 49984, 87−50011, 88−13883 to 13888, 88−16169 to 16180, 88−20381 to 20385, 88−20421, 88−20666, 88−21659 to 21661, 88−22106 to 22110, 88−22313 to 22314

Optical techniques for information processing; IEE Colloquium on 'Optical Techniques for Information Processing' (Digest No.105), London, UK, 25 Nov. 1987, *(IEE)* [London, UK: IEE 1987] 88−18338 (introductory abstract), 88−20396, 88−20448, 88−20453 to 20454, 88−20473 to 20475, 88−20802

Optical techniques for NDT; IEE Colloquium on 'Optical Techniques for NDT' (Digest No.12), London, UK, 22 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86−26520 (introductory abstract), 86−26956, 86−29262 to 29263, 86−29282, 86−31669

Optical techniques in image and signal processing; IEE Colloquium on Optical Techniques in Image and Signal Processing (Digest No. 6), London, UK, 21 Jan. 1985, *(IEE)* [London, UK: IEE 1985] 85−27955 (introductory abstract), 85−29638, 85−29655, 85−29936, 85−29956, 85−30478 to 30487

Optical technologies for communication satellite applications; Optical Technologies for Communication Satellite Applications, Los Angeles, CA, USA, 21-22 Jan. 1986, *(SPIE)* [1986] 87−16252 (introductory abstract), 87−18700, 87−18752, 87−18799, 87−18979 to 18980, 87−19324, 87−19378, 87−20447 to 20455, 87−20517 to 20530, 87−21089, 87−21720 to 21721

Optical technologies for space communication; Optical Technologies for Space Communication Systems, Los Angeles, CA, USA, 15-16 Jan. 1987, *(SPIE)* [1987] 87−65046 (introductory abstract), 87−68525, 87−68594, 87−68678, 87−70079 to 70087, 87−74943, 87−74950, 87−75625, 87−76672, 87−76789 to 76796

Optical technology for microwave applications; Optical Technology for Microwave Applications, Arlington, VA, USA, 1-2 May 1984, *(SPIE)* [1984] 85−10306 (introductory abstract), 85−11069, 85−11099, 85−11495, 85−11538, 85−11549, 85−12550, 85−12646, 85−12677 to 12678, 85−12840 to 12841, 85−13148, 85−13364 to 13366, 85−13536 to 13537, 85−13584 to 13585, 85−14154, 85−14234 to 14236, 85−14687 to 14690, 85−14983

Optical technology for microwave applications; Optical Technology for Microwave Applications II, Arlington, VA, USA, 9-10 April 1985, *(SPIE)* [1985] 86−33905 (introductory abstract), 86−35060, 86−35105 to 35106, 86—36259, 86—36274, 86—36282 to 36285, 86—36497 to 36498, 86—37903 to 37905, 86—37941 to 37942, 86—38307, 86—38392 to 38393

Optical technology for microwave applications; Optical Technology for Microwave Applications III, Orlando, FL, USA, 19-20 May 1987, *(SPIE)* [1987] 88—24327 (introductory abstract), 88—25025, 88—25513 to 25515, 88—26860 to 26861, 88—26875, 88—26889, 88—26903 to 26906, 88—26930, 88—26984, 88—27181, 88—27666 to 27669, 88—27693, 88—27946 to 27948, 88—28068, 88—28884 to 28885, 88—29286, 88—30193, 88—30218

Optical testing and metrology; Optical Testing and Metrology, Quebec City, Que., Canada, 3-6 June 1986, *(SPIE; Nat. Res. Council Canada; Univ. Laval; et al)* [1986] 87—58513 (introductory abstract), 87—59036 to 59037, 87—61262 to 61265, 87—62190 to 62191, 87—63245, 87—68142 to 68149, 87—68204, 87—68217, 87—68556, 87—70345, 87—70444 to 70445, 87—70727, 87—74775 to 74781, 87—74834, 87—74862, 88—7273, 88—8275, 88—8322 to 8324, 88—8376 to 8377, 88—10131, 88—19377, 88—20325, 88—20479, 88—21310 to 21314, 88—22179 to 22180, 88—22208 to 22223, 88—22599 to 22602, 88—22655 to 22658, 88—23151, 88—23193

Optical thin films; Optical Thin Films II: New Developments, San Diego, CA, USA, 19-20 Aug. 1986, *(SPIE)* [1986] 88—6085 (introductory abstract), 88—8003, 88—8026 to 8029, 88—8276, 88—8288, 88—9996, 88—40146, 88—41912, 88—42281 to 42291, 88—42336

Optical transmission systems; IEE Colloquium on Advanced Optical Transmission Systems (Digest No. 111), London, UK, 13 Dec. 1984, *(IEE)* [London, UK: IEE 1984] 85—22088 (introductory abstract), 85—25905 to 25912

Optical waveguide sciences; International Symposium on Optical Waveguide Sciences, Kweilin, China, 20-23 June 1983, [1984] 85—1 (introductory abstract), 85—995, 85—1019, 85—1954 to 1967, 85—2278, 85—2579, 85—3436 to 3437

Optical waveguides; New Materials for Optical Waveguides, The Hague, Netherlands, 2-3 April 1987, *(SPIE; Comite Belge Opt.; IEEE; et al)* [1987] 88—37811 (introductory abstract), 88—38281, 88—39339, 88—39860 to 39861, 88—39904 to 39913, 88—39971 to 39973, 88—41671, 88—42120

Optics; OPTICS '84. Fifth Biennial Conference of the Optical Group of the Institute of Physics, Keele, Staffs., UK, 11-14 Sept. 1984, [Feb. 1985] 85—39414 (introductory abstract), 85—41159 to 41161, 85—41967 to 41968, 85—43113

Optics; Proceedings of the Southwest Conference on Optics, Albuquerque, NM, USA, 4-8 March 1985, *(SPIE)* [1985] 86—26479 (introductory abstract), 86—22248, 86—22264, 86—22323, 86—22366, 86—22422 to 22424, 86—22440 to 22441, 86—22457 to 22458, 86—22586, 86—24377, 86—28211, 86—28778 to 28779, 86—28857 to 28858, 86—28938, 86—29078, 86—29121, 86—29196 to 29197, 86—29217 to 29218, 86—29244 to 29245, 86—29277, 86—29379, 86—30811, 86—31681, 86—32525, 86—33675, 86—33903, 86—36583 to 36584, 86—36627 to 36628, 86—37950, 86—38589, 86—38869

Optics; 14th Congress of the International Commission for Optics: 'Optics and the Information Age', Quebec, Que., Canada, 24-28 Aug. 1987, *(SPIE; Int. Comm. Opt.; Nat. Res. Council Canada; et al;)* [1987] 88—55789 (introductory abstract)

Optics, illumination, and image sensing for machine vision; Optics, Illumination, and Image Sensing for Machine Vision II, Cambridge, MA, USA, 5-6 Nov. 1987, *(SPIE)* [1988] 88—51980 (introductory abstract), 88—49918, 88—50488 to 50490, 88—52552 to 52560, 88—53438, 88—53550, 88—53594, 88—53723 to 53726, 88—53866 to 53870, 88—55711

Optics in engineering measurement; Optics in Engineering Measurement, Cannes, France, 3-6 Dec. 1985, *(SPIE)* [1986] 87—16248 (introductory abstract), 87—18232, 87—18699, 87—19070 to 19089, 87—19911, 87—20942, 87—20997, 87—21049, 87—21242 to 21245, 87—21276

Optics in entertainment; Optics in Entertainment, Los Angeles, CA, USA, 20-21 Jan. 1983, *(SPIE)* [1983] 85—10309 (introductory abstract), 85—12984 to 12989, 85—14432, 85—14467

Optics in science and practice; 1983 European Optical Conference (EOC 83): Optics in Science and Practice, Rydzyna, Poland, 30 May-4 June 1983, [1983] 85—10315 (introductory abstract), 85—12687, 85—12692, 85—12798, 85—12835, 85—12900 to 12901, 85—12969 to 12971, 85—12997 to 12998, 85—13140, 85—14810, 85—15421, 85—46177 to 46178, 85—46206 to 46208, 85—46216, 85—46369, 85—46437, 85—46575, 85—48328

Optics of liquid crystals; International Topical Meeting on Optics of Liquid Crystals, Naples, Italy, 15-18 July 1986, [Feb. 1987] 87—54126

Optics, optical systems and applications; Proceedings of the 1984 European Conference on Optics, Optical Systems and Applications, Amsterdam, Netherlands, 9-12 Oct. 1984, [1985] 85—49254 (introductory abstract), 85—50962 to 50964, 85—51003, 85—51020, 85—51121 to 51129, 85—51154, 85—51190, 85—51208, 85—51219 to 51220, 85—51276 to 51286, 85—51309 to 51314, 85—51400 to 51401, 85—51745 to 51749, 85—52520, 85—52784, 85—53031, 85—53237, 85—56340, 85—59269, 85—59345 to 59346, 85—59529 to 59530

Optics, optical systems and applications; 1986 European Conference on Optics, Optical Systems and Applications, Florence, Italy, 30 Sept.-3 Oct. 1986, *(SPIE; Eur. Phys. Soc.; Soc. Italiana Fisica; et al)* [1987] 88—6094 (introductory abstract), 88—7875, 88—7964 to 7965, 88—8012, 88—8138 to 8142, 88—8169 to 8170, 88—8253 to 8259, 88—8264, 88—8294, 88—8327 to 8332, 88—8380 to 8386, 88—8482, 88—8844 to 8845, 88—9567, 88—9658, 88—9882, 88—10014 to 10017, 88—10083, 88—10133 to 10135, 88—10308, 88—10429, 88—10597 to 10598, 88—11488, 88—20246, 88—20593, 88—20724 to 20725, 88—20753 to 20757, 88—20808 to 20812, 88—22517, 88—23192

Optika '84; Symposium Optika '84, Budapest, Hungary, 24-27 April 1984, *(SPIE)* [1984] 85—54025 (introductory abstract), 85—56341 to 56342, 85—56360 to 56361, 85—56534 to 56543, 85—56574, 85—56667, 85—56743 to 56746, 85—56755 to 56756, 85—56773 to 56774, 85—56829 to 56832, 85—56876 to 56886, 85—56915 to 56917, 85—57502 to 57504, 85—58885 to 58887, 85—58903 to 58904, 85—59320, 85—59347 to 59348

Optimisation and control; Advances in Optimization and Control. Proceedings of the Conference 'Optimization Days 86', Montreal, Que., Canada, 30 April-2 May 1986, *Eiselt, H.A. Pederzoli, G. (editor/s),* [Berlin, West Germany: Springer-Verlag 1988, DM 68.00] 88—70745, 88—73769

Optimisation techniques and applications; Proceedings of the International Conference on Optimization: Techniques and Applications - ICOTA, Singapore, 8-10 April 1987, *Teo, K.L. Paul, H. Chew, K.L. Wang, C.M. (editor/s),* [Singapore: Nat. Univ. Singapore 1987, S$150] 87—58824 to 58825, 87—59061 to 59062, 87—59792, 87—61529, 87—62140, 87—64099 to 64102, 87—64109 to 64110, 87—64607, 87—64727, 87—64980, 87—65403, 87—66781, 87—71571

Optoelectronic devices; Integration and Packaging of Optoelectronic Devices, Cambridge, MA, USA, 18-19 Sept. 1986, *(SPIE)* [1987] 88—6 (introductory abstract), 88—1951 to 1957, 88—2004 to 2006, 88—2137, 88—2145 to 2150, 88—3198, 88—4001 to 4003

Optoelectronic materials; Molecular and Polymeric Optoelectronic Materials: Fundamentals and Applications, San Diego, CA, USA, 21-22 Aug. 1986, *(SPIE)* [1987] 88—5 (introductory abstract), 88—1919 to 1920, 88—2189, 88—2379 to 2383, 88—7838, 88—8064, 88—8086, 88—8289 to 8290, 88—8326, 88—28964 to 28965, 88—29299, 88—29339, 88—29405 to 29409, 88—29452 to 29458, 88—30111

Optoelectronic materials; Optoelectronic Materials, Devices, Packaging and Interconnects, San Diego, CA, USA, 19-21 Aug. 1987, *(SPIE)* [1988] 88—49335 (introductory abstract), 88—49532, 88—49875, 88—50611, 88—50654 to 50655, 88—50679, 88—50963, 88—51422 to 51423, 88—51470 to 51474, 88—51511 to 51517, 88—51546 to 51548, 88—51565 to 51566, 88—51605, 88—51638, 88—51664, 88—51681, 88—51687, 88—51701 to 51706, 88—51819, 88—51872, 88—51939 to 51944, 88—53279, 88—53722, 88—54427 to 54429

Optoelectronic signal processing for phased-array antennas; Optoelectronic Signal Processing for Phased-Array Antennas, Los Angeles, CA, USA, 12-13 Jan. 1988, *(SPIE)* [1988] 88—69974 (introductory abstract), 88—71035 to 71037, 88—72188 to 72191, 88—72236 to 72237, 88—72327, 88—72689 to 72699, 88—73217 to 73221, 88—73867, 88—73934, 88—74075

Optoelectronic technologies for remote sensing from space; Optoelectronic Technologies for Remote Sensing from Space, Cannes, France, 19-20 Nov. 1987, *(SPIE)* [1988] 88—62851 (introductory abstract), 88—64172, 88—67802 to 67805, 88—67888 to 67890, 88—68622 to 68625, 88—68635 to 68638, 88—68652 to 68653

Optoelectronic technology; Advanced Optoelectronic Technology, Cannes, France, 18-20 Nov. 1987, *(SPIE)* [1988] 88—55799 (introductory abstract), 88—58142 to 58147, 88—58204 to 58205, 88—58228, 88—58242 to 58243, 88—58312, 88—58391, 88—58562, 88—58682 to 58688, 88—60175 to 60179

Optoelectronics; Opto 84. Fourth Optoelectronic Meeting, Paris, France, 15-17 May 1984, [Paris, France: ESI Publications 1984] 86—7382 (introductory abstract), 86—9052, 86—9452, 86—9568 to 9580, 86—9621, 86—9633, 86—9670, 86—9692, 86—9703 to 9704, 86—9721, 86—9769 to 9770, 86—9821, 86—9876 to 9877, 86—9891, 86—10024 to 10025, 86—10047 to 10048, 86—11126 to 11129, 86—11475, 86—11611, 86—11661, 86—12047 to 12048, 86—12054 to 12056, 86—13529, 86—15506 to 15507, 86—15582, 86—15593, 86—15647, 86—15661, 86—15793 to 15794, 86—15814, 86—15913, 86—16577, 86—17119, 86—17415 to 17417, 86—17565 to 17567, 86—17641, 86—17849

Optomechanical systems engineering; Optomechanical Systems Engineering, San Diego, CA, USA, 20-21 Aug. 1987, *(SPIE)* [1987] 88—49334 (introductory abstract), 88—51427, 88—51645 to 51646, 88—51871, 88—51979, 88—52551, 88—53696, 88—53865

OR models on microcomputers; OR Models on Microcomputers. Proceedings of the Conference, Lisbon, Portugal, 25-27 Sept. 1985, [Amsterdam, Netherlands: North-Holland 1986, $66.75] 87—4300

Oxidation mechanisms; Workshop on Oxidation Mechanisms, Paris, France, 20-22 May 1986, [Feb. 1987] 87—38143 to 38146, 87—60338

Pacemaker leads; Pacemaker Leads. Proceedings of the International Symposium, Leuven, Belgium, 5-7 Sept. 1984, *Aubert, A.E. Ector, H. (editor/s),* [Amsterdam, Netherlands: Elsevier 1985, $87.00] 86—33943 (introductory abstract), 86—38795 to 38800, 86—38819 to 38834

Pacific basin nuclear conference; Proceedings of the Fifth Pacific Basin Nuclear Conference, Seoul, South Korea, 19-23 May 1985, [1985] 86—14 (introductory abstract), 86—6484 to 6492, 86—6529 to 6542

Pacific basin nuclear conference; Sixth Pacific Basin Nuclear Conference, Beijing, China, 7-11 Sept. 1987, [1988] 88—30465 (introductory abstract), 88—26175, 88—29790, 88—30466 to 30497, 88—30520 to 30524

Pacific cascade instrumentation; Enhancing Productivity. Proceedings of the Pacific Cascade Instrumentation '84 Exhibit and Symposium, Eugene, OR, USA, 11-13 Sept. 1984, *(ISA)* [Research Triangle Park, NC, USA: ISA 1984] 86—19738 (introductory abstract), 86—24343 to 24344, 86—24413, 86—26456

Packaging and reliability of compound semiconductor devices; IEE Colloquium on 'Packaging and Reliability of Compound Semiconductor Devices' (Digest No.60), London, UK, 13 May 1987, *(IEE)* [London, UK: IEE 1987] 87—51756 (introductory abstract), 87—52868 to 52872, 87—54200, 87—54350

Packet switching computer networks; Vychislitel'nye Seti Kommutatsii Paketov: KOMPAK '85 (Packet Switching Computer Networks), Riga, USSR, 15-17 Oct. 1985, [Riga, USSR: Inst. Elektron. & Vychislitel'noi Tekh. 1985] 86—43378 (introductory abstract)

Packet switching in radio systems; IEE Colloquium on 'Packet Switching of Digital Speech and Data in Radio Systems' (Digest No.97), London, UK, 8 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87—5152 (introductory abstract), 87—7892 to 7893, 87—7957, 87—8069, 87—8208 to 8210

Parallel algorithms and architectures; Parallel Algorithms and Architectures. Proceedings of the International Workshop, Luminy, France, 14-18 April 1986, *(Minist. Educ. Nat.; Minist. Defense; CNRS; et al) Cosnard, M. Robert, Y. Quinton, P. Tchuente, M. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $72.00] 87—23561 to 23563, 87—23580 to 23581, 87—24132, 87—25491 to 25492

Parallel algorithms and architectures; Parallel Algorithms and Architectures. Proceedings of the International Workshop, Suhl, East Germany, 25-30 May 1987, *Albrecht, A. Jung, H. Mehlhorn, K. (editor/s),* [Berlin, West Germany: Akademie-Verlag 1987] 87—72944, 87—73244

Parallel computers; Future Parallel Computers. An Advanced Course. Proceedings, Pisa, Italy, 9-20 June 1986, *(ESPRIT; Philips, Netherlands; GEC; et al) Treleaven, P. Vanneschi, M. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 88—70678, 88—70826, 88—71666 to 71667

Parallel digital processors, design and application; International Specialist Seminar on the Design and Application of Parallel Digital Processors (Conf. Publ. No.298), Lisbon, Portugal, 11-15 April 1988, [London, UK: IEE 1988] 88—70261

Parallel processing; Proceedings of the 1984 International Conference on Parallel Processing (Cat. No. 84CH2045-3), Bellaire, MI, USA, 21-24 Aug. 1984, *(Ohio State Univ.; IEEE; ACM) Keller, R.M. (editor/s),* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85—28137 to 28138, 85—28309 to 28310, 85—28500, 85—28546, 85—30510 to 30511

Parallel processing; Proceedings of the 1984 International Conference on Parallel Processing (Cat. No.85CH2140-2), St. Charles, IL, USA, 20-23 Aug. 1985, *(IEEE; Pennsylvania State Univ.; ACM) Degroot, D. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86—26505 (introductory abstract), 86—26969 to 26971, 86—27255 to 27263, 86—28511, 86—30427, 86—34461, 86—37206

Parallel processing; Proceedings of the 1986 International Conference on Parallel Processing (Cat. No.86CH2355-6), St. Charles, IL, USA, 19-22 Aug. 1986, *(IEEE; Pennsylvania State Univ.; ACM) Hwang, K. Jacobs, S.M. Swartzlander, E.E. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87—16778, 87—16817 to 16819, 87—17048 to 17049, 87—18278 to

18281, 87−18339 to 18342, 87−20002 to 20003, 87−20121, 87−20274, 87−20584, 87−21993, 87−25493

Parallel processing; Proceedings of the 1987 International Conference on Parallel Processing, University Park, PA, USA, 17-21 Aug. 1987, *(Pennsylvania State Univ) Sahni, S.K. (editor/s),* [University Park, PA, USA: Pennsylvania State Univ. Press 1987] 88−6374 to 6375, 88−6406, 88−6408, 88−6422, 88−6806 to 6808, 88−6865, 88−6937, 88−7120, 88−7706 to 7709, 88−8654, 88−8916 to 8918, 88−9218

Parallel processing; WOPPLOT 86. Parallel Processing: Logic, Organization, and Technology. Proceedings of a Workshop, Neubiberg, West Germany, 2-4 July 1986, *Becker, J.D. Eisele, I. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987, DM36.00] 88−32694, 88−33360 to 33361

Parallel processing advances; Major Advances in Parallel Processing, London, UK, Dec. 1986, *Jesshope, C. (editor/s),* [Aldershot, UK: Gower Tech. Press 1987] 88−70827

Parallel processing and applications; Parallel Processing and Applications. Proceedings of the International Conference, L'Acquila, Italy, 23-25 Sept. 1987, *(A.E.I.; Azienda Autonoma Soggiorno Turismo - L'Aquila; et al) Chiricozzi, E. D'Amico, A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1988, $84.25] 88−64721, 88−66800, 88−67042

Parallel processing by cellular automata and arrays; Parcella '86. Proceedings of the III International Workshop on Parallel Processing by Cellular Automata and Arrays, Berlin, West Germany, 9-11 Sept. 1986, *Legendi, T. Parkinson, D. Vollmar, R. Wolf, G. (editor/s),* [Berlin, West Germany: Akademie-Verlag 1986] 87−23353, 87−23589, 87−24146, 87−25508, 87−27551, 87−27669

Parallel processing in control; IEE Workshop on 'Parallel Processing in Control - the Transputer and other Architectures' (Digest No.77), Bangor, UK, 20-22 Sept. 1987, *(IEE)* [London, UK: IEE 1987] 88−7723

Parallel processing techniques for simulation; Parallel Processing Techniques for Simulation. Proceedings of the First European Workshop, Manchester, UK, 28-29 Oct. 1985, *(Comm. Eur. Communities) Singh, M.G. Allidina, A.Y. Daniels, B.K. (editor/s),* [New York, NY, USA: Plenum 1986, $49.50] 87−44181, 87−44216, 87−44224, 87−44260 to 44264, 87−47783, 87−48011, 87−50970

Parallel programming; ACM/SIGPLAN PPEALS 1988 - Parallel Programming: Experience with Applications, Languages and Systems, New Haven, CT, USA, 19-21 July 1988, *(ACM)* [Sept. 1988] 88−70433

Parellel processing; IEE Colloquium on 'Parallel Processing - A New Direction for Control?' (Digest No.20), London, UK, 6 Feb. 1987, *(IEE)* [London, UK: IEE 1987] 87−31621, 87−33560

Particle acceleration techniques; New Developments in Particle Acceleration Techniques. Proceedings. ECFA-CAS/CERN-IN2P3-IRF/CEA-EPS Workshop (CERN 87-11), Orsay, France, 29 June-4 July 1987, *Turner, S. (editor/s),* [Geneva, Switzerland: CERN 12 Oct. 1987] 88−18326 (introductory abstract), 88−12880, 88−12891, 88−16581 to 16595, 88−16606 to 16612, 88−16623, 88−22891 to 22904

Particle accelerators; 1985 Particle Accelerator Conference: Accelerator Engineering and Technology, Vancouver, BC, Canada, 13-16 May 1985, *(IEEE; USDOE; NSF; AECL; APS)* [Oct. 1985] 86−26472 (introductory abstract), 86−20272, 86−21004 to 21005, 86−21014, 86−21999, 86−22054 to 22056, 86−22244, 86−22631, 86−24711, 86−24852 to 24929, 86−24940 to 24956, 86−24958 to 25069, 86−25088 to 25105, 86−25150, 86−25200, 86−25295 to 25297, 86−26138 to 26146, 86−26206, 86−27433, 86−27532, 86−31751 to 31867, 86−31878 to 32079, 86−32101 to 32142

Particle accelerators; Proceedings of the 1987 IEEE Particle Accelerator Conference: Accelerator Engineering and Technology (Cat. No.87CH2387-9), Washington, DC, USA, 16-19 March 1987, *(DOE; NSF; APS; et al) Lindstrom, E.R. Taylor, L.S. (editor/s),* [New York, NY, USA: IEEE 1987] 88−43577 (introductory abstract), 88−44511 to 44512, 88−45476 to 45490, 88−47773 to 47797, 88−47832 to 47904, 88−47923 to 47971, 88−50045 to 50046, 88−50573, 88−50592 to 50594, 88−50803, 88−51350 to 51353, 88−51410 to 51414, 88−51842, 88−52157 to 52160, 88−52912, 88−53674, 88−53991 to 54069, 88−54097 to 54368, 88−54382 to 54387, 88−54456 to 54457, 88−55484 to 55493, 88−55537, 88−57263 to 57264, 88−58596, 88−61006 to 61012, 88−61046 to 61050, 88−61064 to 61072, 88−61233, 88−61425 to 61426

Particle accelerators and their applications; Seminar on Physics and Technology of Particle Accelerators and their Applications, Calcutta, India, 29 Jan.-3 Feb. 1987, [Aug. 1988] 88−74649 (introductory abstract), 88−74650 to 74655, 88−74679, 88−74690, 88−74770

Particle and nuclear physics intersections; Conference on the Intersections Between Particle and Nuclear Physics, Steamboat Springs, CO, USA, 23-30 May 1984, *(AUA Trust Fund; USDOE; NSF; Argonne Nat. Lab.; Berkeley Nat. Lab.; Brookhaven Nat. Lab.; Los Alamos Nat. Lab.; TRIUMF; Indiana Univ.; Univ. Michigan)* [1984] 85−26515 (introductory abstract), 85−26516 to 26527, 85−26546, 85−26673 to 26674, 85−26728

Particle beam fusion; Proceedings of Topical Meeting on Particle Beam Fusion and Its Related Problems (IPPJ-769), Nagoya, Japan, 31 Oct.-2 Nov. 1985, *Niu, K. (editor/s),* [Nagoya, Japan: Nagoya Univ. March 1986] 87−8802 to 8803

Particle induced X-ray emission; Fourth International Conference on Particle Induced X-Ray Emission and its Analytical Applications, Tallahassee, FL, USA, 9-13 June 1986, *(Florida State Univ.; Univ. Florida; Florida Dept. Adm.; et al)* [March 1987] 87−50556

Particle physics; 40 Years of Particle Physics. Proceedings of the International Conference to Celebrate the 40th Anniversary of the Discoveries of the π- and V-Particles, Bristol, UK, 22-24 July 1987, *Foster, B. Fowler, P.H. (editor/s),* [Bristol, UK: Adam Hilger 1988, £30.00] 88−61170 to 61174

Particle physics, results and perspectives; Les Rencontres de Physique de la Vallee d'Aoste: Results and Perspectives in Particle Physics, La Thuile, Aosta Valley, Italy, 1-7 March 1987, *(INFN) Greco, M. (editor/s),* [Gif sur Yvette, France: Editions Frontieres 1987] 88−36376 to 36377

Particle sizing and spray analysis; Particle Sizing and Spray Analysis, San Diego, CA, USA, 21 Aug. 1985, *(SPIE)* [1985] 87−16244 (introductory abstract), 87−19067 to 19069, 87−19700, 87−20993, 87−21238 to 21241

Particles and nuclei; Proceedings of the Tenth International Conference on Particles and Nuclei, Heidelberg, West Germany, 30 July-3 Aug. 1984, *(Bundesministerium fur Forschung & Technol.; Deutsche Forschungsgemeinschaft; Land Baden-Wurttemburg; Max-Planck Gesellschaft zur Forderung des Wissenschaften; Stadt Heidelberg; et al)* [25 Feb. 1985] 85−31645

Particles and nuclei; Eleventh International Conference on Particles and Nuclei: PANIC '87, Kyoto, Japan, 20-24 April 1987, *(IUPAP; Phys. Soc. Japan)* [29 Feb.-7 March 1988] 88−42340 to 42343

Particulate technology; Advances in Particulate Technology, Manchester, UK, 6-8 April 1987, [1987] 87−46587

Passive components; 2nd International Conference on Passive Components: Materials, Technologies, Processing, Paris, France, 18-20 Nov. 1987, *(CNET; CNRS; Eur. Electron. Component, Manuf. Assoc.; et al)* [Paris, France: Comite Colloque Int. Composants Passifs Nov. 1987] 88−31310 (introductory abstract), 88−31412, 88−31475, 88−31508, 88−31864 to 31869, 88−31872 to 31873, 88−32477, 88−32485 to 32489, 88−32494 to 32503, 88−32518 to 32519, 88−32524, 88−32530 to 32532, 88−32658, 88−32682, 88−32691, 88−32698 to 32699, 88−33358 to 33359, 88−33413 to 33414, 88−33433, 88−33522, 88−33802, 88−34479, 88−35988 to 35989, 88−37319, 88−37989 to 37990, 88−38544, 88−38676, 88−38777 to 38778, 88−38882, 88−38949, 88−39760, 88−39798, 88−39809, 88−41450, 88−41713 to 41714, 88−42080, 88−42238, 88−42693

Pattern recognition; Seventh International Conference on Pattern Recognition (Cat. No. 84CH2046-1), Montreal, Que., Canada, 30 July-2 Aug. 1984, *(Int. Assoc. Pattern Recognition; Canadian Inf. Processing Soc.; Canadian Image Processing & Pattern Recognition Soc)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−27932 (introductory abstract), 85−28134 to 28136, 85−28168, 85−28284, 85−29304, 85−30150, 85−30231 to 30233, 85−30364 to 30448, 85−31204, 85−31810 to 31813, 85−31856, 85−31982 to 31983, 85−33171, 85−33963, 85−34336 to 34337, 85−35118 to 35119, 85−36225 to 36234, 85−36294 to 36296, 85−36394 to 36462, 85−37110, 85−38113 to 38114, 85−38158 to 38159, 85−38331 to 38333

Pattern recognition; Eighth International Conference on Pattern Recognition. Proceedings (Cat. No.86CH2342-4), Paris, France, 27-31 Oct. 1986, *(IEEE; Int. Assoc. Pattern Recognition)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−43780 (introductory abstract), 87−44042 to 44043, 87−44102, 87−44217, 87−44438 to 44439, 87−45378 to 45379, 87−45477, 87−46132, 87−47538, 87−47615 to 47633, 87−47848 to 47852, 87−48059 to 48234, 87−49147, 87−49576 to 49579, 87−49644 to 49646, 87−49951, 87−50222 to 50223, 87−50293 to 50303, 87−50354 to 50356, 87−50546, 87−50571, 87−50608, 87−55036, 87−55343 to 55360, 87−57117

Pattern recognition; Third International Conference on Pattern Recognition of the British Recognition Association, St. Andrews, UK, 25-28 Sept. 1985, [Sept. 1986] 87−16240 (introductory abstract), 87−19876 to 19880, 87−20588, 87−20599, 87−21524 to 21525, 87−21546

Pattern recognition; Pattern Recognition. 4th International Conference. Proceedings, Cambridge, UK, 28-30 March 1988, *Kittler, J. (editor/s),* [Berlin, West Germany: Springer-Verlag 1988] 88−37845 (introductory abstract), 88−41270, 88−46010, 88−46317 to 46321, 88−48319

Pattern recognition; Syntactic and Structural Pattern Recognition. Proceedings of the NATO Advanced Research Workshop, Sitges, Spain, 23-25 Oct. 1986, *Ferrate, G. Pavlidis, T. Sanfelieu, A. Bunke, H. (editor/s),* [Berlin, West Germany: Springer-Verlag 1988, DM145.00] 88−72776, 88−72885, 88−73384 to 73392

PCB Expo; PCB Expo. Technical Programs and Trade Shows for the Printed Circuit Industry. Technical Seminar Proceedings, San Jose, CA, USA, 6-8 May 1987, [Alpharetta, GA, USA: PMS Ind. 1987, $60.00] 88−11602 (introductory abstract), 88−12722, 88−12841 to 12847

PCI '85; Official Proceedings of the Tenth International PCI '85 Conference, Chicago, IL, USA, 22-25 Oct. 1985, [Ventura, CA, USA: Intertec Commun. 1985, $85.00] 86−33944 (introductory abstract), 86−34057 to 34058, 86−34064, 86−34532 to 34547, 86−34639, 86−35136, 86−35246, 86−35664, 86−35667, 86−35731 to 35732, 86−35835 to 35838, 86−35858 to 35859, 86−39974 to 39976

PCI '86; Official Proceedings of the Eleventh International PCI '86 Conference, Munich, West Germany, 17-19 June 1986, [Ventura, CA, USA: Intertec Commun. 1986, $85.00] 87−43781 (introductory abstract), 87−44559 to 44561, 87−46027 to 46028, 87−46133, 87−51363 to 51375, 87−51518, 87−52376 to 52381, 87−52495, 87−53570, 87−53668, 87−58029, 87−58096 to 58097, 87−58130, 87−58215

PCI '86 - Boston; Official Proceedings of the Twelfth International PCI '86 Conference, Boston, MA, USA, 27-31 Oct. 1986, [Ventura, CA, USA: Intertec Commun. 1986, $75.00] 87−43798 (introductory abstract), 87−44584 to 44603, 87−45326, 87−45364, 87−45843 to 45845, 87−45919 to 45921, 87−46038 to 46041, 87−46145, 87−46239, 87−46707, 87−51382

PCI '87; Official Proceedings of the Fourteenth International PCI '87 Conference, Long Beach, CA, USA, 14-17 Sept. 1987, [Ventura, CA, USA: Intertec. Commun. 1987] 88−70017 (introductory abstract), 88−70132 to 70133, 88−70147 to 70148, 88−70157, 88−70551 to 70553, 88−70891, 88−71536, 88−71544 to 71545, 88−71594 to 71598, 88−71740, 88−71758, 88−71820 to 71821, 88−74394, 88−75061, 88−75706, 88−75838 to 75851, 88−76050

PCI '87 - Munich; Official Proceedings of the Thirteenth International PCI '87 Conference, Munich, West Germany, 11-13 May 1987, [Ventura, CA, USA: Intertec Commun. May 1987] 88−11598 (introductory abstract), 88−11733, 88−12218 to 12219, 88−12236, 88−13298, 88−13336 to 13338, 88−13404 to 13410, 88−13600, 88−17091 to 17092, 88−17544, 88−17744 to 17754, 88−18136, 88−18183, 88−18223

PCI '88 - Munich; Official Proceedings of the Fifteenth International PCI '88 Conference, Munich, West Germany, 6-9 June 1988, [Ventura, CA, USA: Intertec Commun. 1988] 88−71155 to 71156, 88−71531 to 71532, 88−71583 to 71584, 88−75147, 88−75790 to 75796

PDE software; PDE Software: Modules, Interfaces and Systems. Proceedings of the IFIP TC 2 Working Conference, Soderkoping, Sweden, 22-26 Aug. 1983, *Engquist, B. Smedsaas, T. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $50.00] 85−49491 to 49492, 85−49524 to 49526

Peaceful space and global problems for mankind; Peaceful Space and Global Problems for Mankind. 36th Congress of the International Federation of Astronautics, Stockholm, Sweden, 7-12 Oct. 1985, [June-July 1986] 87−9981 (introductory abstract)

Percolation, localisation and superconductivity; Percolation, Localization and Superconductivity. Proceedings of a NATO Advanced Study Institute, Les Arcs, Savoie, France, 19 June-1 July 1983, *Goldman, A.M. Wolf, S.A. (editor/s),* [New York, NY, USA: Plenum 1984] 85−49268 (introductory abstract), 85−50372, 85−50880

Performance analysis; Modelling Techniques and Tools for Performance Analysis. Proceedings of the International Conference, Paris, France, 16-18 May 1984, *Potier, D. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $74.00] 86−26499 (introductory abstract), 86−30238 to 30239, 86−30418, 86−30740

Periodic Comet Halley; 20th ESLAB Symposium on the Exploration of Halley's Comet. Proceedings of the International Symposium (ESA-SP-250), Heidelberg, West Germany, 27-31 Oct. 1986, *(Inter-Agency Consultative Group; Int. Halley Watch; COSPAR; IAU) Battrick, B. Rolfe, E.J. Reinhard, R. (editor/s),* [Paris, France: ESA 1986] 87−49573

Periodic structures, diffraction gratings and Moire phenomena; International Conference on the Application, Theory and Fabrication of Periodic Structures, Diffraction Gratings and Moire Phenomena II, San Diego, CA, USA, 21-23 Aug. 1984, *(SPIE)* [1984] 85−35039 to 35040, 85−35431, 85−35906 to 35908, 85−37009 to 37011, 85−37624, 85−37751

Periodic structures, diffraction gratings and Moire phenomena; International Conference on the Application and Theory of Periodic Structures, Diffraction Gratings, and Moire Phenomena III, San Diego, CA, USA, 19-20 Aug. 1987, *(SPIE)* [1988] 88—44336, 88—45196, 88—45261, 88—45552, 88—45569 to 45570

Permanent magnet machines; IEE Colloquium on Permanent Magnet Machines (Digest No. 98), London, UK, 20 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85—16590 (introductory abstract), 85—21578 to 21579, 85—21651

Permanent magnet machines; IEE Colloquium on 'Permanent Magnet Machines' (Digest No.92), London, UK, 15 June 1988, *(IEE)* [London, UK: IEE 1988] 88—55850 (introductory abstract), 88—57994, 88—61564, 88—62334, 88—62383 to 62384, 88—62402 to 62403

Personal computer-based instrumentation; IEE Colloquium on 'Personal Computer-Based Instrumentation' (Digest No.50), London, UK, 27 April 1987, *(IEE)* [London, UK: IEE 1987] 87—58558 (introductory abstract), 87—63256 to 63260, 87—63291 to 63293

Petri nets; International Workshop on Timed Petri Nets (Cat. No. 2187-3), Turin, Italy, 1-3 July 1985, *(IEEE; ACM; AEI; et al)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86—7399 (introductory abstract), 86—7633 to 7647, 86—10836 to 10837

Petri nets; 6th European Workshop on Applications and Theory of Petri Nets, Espoo, Finland, 26-28 June 1985, *(Finnish Minist. Educ)* [Espoo, Finland: Helsinki Univ. Technol. 1985] 86—34176 (introductory abstract), 86—34177, 86—37210 to 37212

Petri nets and performance models; International Workshop on Petri Nets and Performance Models: PNPM87 (Cat. No.87TH0815-9), Madison, WI, USA, 24-26 Aug. 1987, *(IEEE; Univ. Wisconsin-Madison; ACM; IFIP)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88—52 (introductory abstract), 88—302 to 312, 88—853, 88—1770, 88—3323, 88—3634

Petri nets application and theory; Seventh European Workshop on Application and Theory of Petri Nets. Proceedings, Oxford, UK, 30 June-2 July 1986, [Sheffield, UK: Sheffield City Polytech. 1986] 87—22998 (introductory abstract), 87—23506 to 23519

Petroleum and chemical industry; Record of Conference Papers. 31st Annual Petroleum and Chemical Industry Conference (Catalog No. 84CH2059-4), San Francisco, CA, USA, 10-12 Sept. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—14791 (introductory abstract), 85—10436, 85—14587, 85—14792, 85—14878, 85—15528, 85—15551 to 15552, 85—15596 to 15600, 85—15604, 85—15619, 85—15672 to 15673, 85—15848, 85—16009 to 16014, 85—16168 to 16169, 85—16293, 85—16501 to 16507, 85—16538 to 16539

Petroleum and chemical industry ; Record of Conference Papers. Institute of Electrical and Electronics Engineers 32nd Annual Petroleum and Industry Conference. (Cat. No.85CH2212-9), Houston, TX, USA, 9-11 Sept. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86—33921 (introductory abstract), 86—35126, 86—35139, 86—37543, 86—37701, 86—38220, 86—39132 to 39133, 86—39149, 86—39169, 86—39198, 86—39559, 86—39711 to 39713, 86—39746, 86—39789 to 39793, 86—39951 to 39954, 86—40019 to 40022, 86—40175 to 40176, 86—40207, 86—40320, 86—40334 to 40340, 86—40363 to 40364

Petroleum and chemical industry; Record of Conference Papers. 33rd Annual Petroleum and Chemical Industry Conference (Cat. No.86CH2373-9), Philadelphia, PA, USA, 8-11 Sept. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87—31132 (introductory abstract), 87—31270, 87—31301, 87—32992, 87—33399, 87—35589 to 35592, 87—35652 to 35653, 87—35677, 87—35685 to 35687, 87—35906 to 35909, 87—35944, 87—36039, 87—36078 to 36080, 87—36198 to 36203, 87—36280, 87—36288 to 36289

Petroleum and chemical industry; Record of Conference Papers: IEEE 34th Annual Petroleum and Chemical Industry Conference (Cat. No.87CH2495-0), Calgary, Alta., Canada, 14-16 Sept. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88—11582 (introductory abstract), 88—11693, 88—11698, 88—12652, 88—15968, 88—17162, 88—17167, 88—17185, 88—17192, 88—17371, 88—17535 to 17539, 88—17602 to 17605, 88—17739 to 17740, 88—17787, 88—17824, 88—18123 to 18126, 88—18261 to 18264

Phase conjugation; Phase Conjugation and Beam Combining and Diagnostics, Los Angeles, CA, USA, 14-16 Jan. 1987, *(SPIE)* [1987] 88—18299 (introductory abstract), 88—20186, 88—20708, 88—20758 to 20769, 88—27065, 88—27270 to 27272, 88—27309 to 27310, 88—27362, 88—28883

Phase transformations in solids; Phase Transformations in Solids Symposium, Crete, Greece, 27 June-1 July 1983, *(Mater. Res. Soc) Tsakalakos, T. (editor/s),* [New York, NY, USA: North-Holland 1984] 85—1385

Phase transitions in condensed systems; Phase Transitions in Condensed Systems - Experiments and Theory. Symposium, Boston, MA, USA, 5-6 Dec. 1985, *Cargill, G.S., III Spaepen, F. King-Ning Tu (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987, $51.00] 88—71631

Phase transitions in ferroelectrics; Proceedings of the All-Union Seminar Phase Transitions in Ferroelectrics, Moscow, USSR, June 1984, [1985] 86—53840

Photochemical conversion and storage of solar energy; Fifth International Conference on Photochemical Conversion and Storage of Solar Energy (IPS -5), Osaka, Japan, 26-31 Aug. 1984, [May 1985] 86—40367 (introductory abstract), 86—41595, 86—41624 to 41625, 86—45256, 86—45630, 86—45671

Photochemical conversion and storage of solar energy; Sixth International Conference on Photochemical Conversion and Storage of Solar Energy, Paris, France, 21 July 1986, [Feb. 1987] 87—57967, 87—58327

Photochemistry; 5th Symposium on Photochemistry - Modern Trends in Photochemistry, Reinhardsbrunn, East Germany, 28 Sept.-1 Oct. 1986, [1987] 88—40165, 88—40302

Photoelectronic imaging; Conference on Photoelectronic Imaging (Conf. Publ. No.253), London, UK, 10-11 Sept. 1985, *(IEE)* [London, UK: IEE 1985] 86—19728 (introductory abstract), 86—21013, 86—21067 to 21074, 86—21082, 86—22233, 86—24381 to 24392, 86—24550

Photography from space; Photography from Space. Joint Symposium of the Photogrammetric Society and the Remote Sensing Society, London, UK, 13 March 1985, [Oct. 1985] 86—12140 (introductory abstract)

Photography, videography and photonics; High Speed Photography, Videography and Photonics II, San Diego, CA, USA, 21-22 Aug. 1984, *(SPIE)* [1984] 85—27914 (introductory abstract), 85—29648, 85—29710, 85—29725, 85—29962, 85—31191, 85—31212 to 31213, 85—31383 to 31384, 85—31590

Photography, videography and photonics; High Speed Photography, Videography, and Photonics III, San Diego, CA, USA, 22-23 Aug. 1985, *(SPIE)* [1985] 87—9997 (introductory abstract), 87—11305 to 11306, 87—11308 to 11309, 87—12602, 87—14145 to 14155, 87—14215, 87—14244, 87—14579, 87—14621, 87—14973 to 14974

Photomechanics and speckle metrology; International Conference on Photomechanics and Speckle Metrology, San Diego, CA, USA, 17-20 Aug. 1987, *(SPIE)* [1988] 88—45575 to 45579, 88—46261 to 46262, 88—47683, 88—47707, 88—49919, 88—51961, 88—51982, 88—52563 to 52564, 88—53661, 88—53872 to 53875

Photon, beam and plasma stimulated chemical processes at surfaces; Photon, Beam, and Plasma Stimulated Chemical Processes at Surfaces. Symposium, Boston, MA, USA, 1-4 Dec. 1986, *(Mater. Res. Soc.) Donnelly, V.M. Herman, I.P. Hirose, M. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88—37842 (introductory abstract), 88—31503, 88—31813 to 31814, 88—31860, 88—33023, 88—33067 to 33074, 88—33085 to 33086, 88—33109 to 33110, 88—33335, 88—33394, 88—33767, 88—38183 to 38187, 88—38249 to 38259, 88—39077, 88—39181, 88—39233 to 39243, 88—39265 to 39273, 88—39342, 88—43388

Photon detectors; 11th International Symposium on Photon-Detectors (papers in summary form only received), Weimar, East Germany, 11-13 Sept. 1984, *Herrman, K.H. (editor/s),* [Budapest, Hungary: IMEKO 1984] 85—39431 (introductory abstract)

Photonic logic and information processing; Workshop on Photonic Logic and Information Processing, Huntsville, AL, USA, 11-13 Nov. 1986, *(SPIE; US Army Res. Dev. & Eng. Center; et al)* [1987] 88—55788 (introductory abstract), 88—58305 to 58310, 88—58678 to 58680, 88—58721

Photonic switching; Topical Meeting on Photonic Switching. Technical Digest Series Vol.13 (papers in summary form only received), Incline Village, NV, USA, 18-20 March 1987, *(IEEE; Opt. Soc. America)* [Washington, DC, USA: Opt. Soc. America 1987] 87—51738 (introductory abstract)

Photonics: high bandwidth analog applications; Photonics: High Bandwidth Analog Applications, Howey-in-the-Hills, FL, USA, 7-11 April 1986, *(SPIE)* [1987] 88—55787 (introductory abstract), 88—57273, 88—58130 to 58135, 88—58222 to 58223, 88—58677, 88—60574, 88—60616, 88—60698 to 60699, 88—60752 to 60756, 88—60926, 88—61158

Photopolymerization; Photopolymerization Symposium, Atlantic City, NJ, USA, 12-16 May 1985, [Sept.-Oct. 1986] 87—73855 to 73856

Photopolymers; Seventh International Conference on Photopolymers, Ellenville, NY, USA, 28-30 Oct. 1985, *(Soc. Plastics Eng)* [mid-Sept. 1986] 87—16241 (introductory abstract), 87—17871 to 17874, 87—18223 to 18230

Photoreceptor industry; Proceedings of the First Photoreceptor Industry Conference, Santa Barbara, CA, USA, 17-19 March 1985, [Ventura, CA, USA: Diamond Res. Corp. 1985] 86—40390 (introductory abstract)

Photovoltaic advanced research and development; 7th Photovoltaic Advanced Research and Development Project Review Meeting, Denver, CO, USA, 13 May 1986, [June-Aug. 1987] 87—65049 (introductory abstract), 87—65524, 87—65563 to 65566, 87—66934, 87—68256 to 68258, 87—72431 to 72440, 88—448 to 449, 88—1348 to 1350, 88—1386, 88—1432, 88—1443, 88—2122 to 2124, 88—5163, 88—5866 to 5875

Photovoltaic and wind power; IEE Colloquium on Practical Experiences with Photovoltaic and Wind Power (Digest No.40), London, UK, 22 April 1985, *(IEE)* [London, UK: IEE 1985] 85—44407 (introductory abstract), 85—48907 to 48911, 85—48920 to 48924

Photovoltaic generators in space; Photovoltaic Generators in Space. Proceedings of the Fifth European Symposium (ESA SP-267), The Hague/Scheveningen, Netherlands, 30 Sept.-2 Oct. 1986, *(ESA; Netherlands Agency Aerosp. Programs; Fokker)* [Noordwijk, Netherlands: ESA Nov. 1986] 87—72710 (introductory abstract), 87—77592, 87—77703, 87—77747, 87—77798 to 77810, 87—78930 to 78956, 88—5094 to 5099, 88—5886 to 5901

Photovoltaic research and development; Eighth Photovoltaic Research and Development Project Review Meeting, Denver, CO, USA, 15-18 Nov. 1987, [May-June 1988] 88—55803 (introductory abstract), 88—56253 to 56254, 88—56285, 88—56302 to 56304, 88—57295 to 57296, 88—57338, 88—58344 to 58345, 88—62605 to 62614, 88—64481, 88—65493 to 65494, 88—69692 to 69702

Photovoltaic safety; Photovoltaic Safety Conference, Denver, CO, USA, 19-20 Jan. 1988, *(Solar Energy Res. Inst)* [1988] 88—69966 (introductory abstract), 88—70068 to 70069, 88—70078 to 70083, 88—70158, 88—70334, 88—71376, 88—75519, 88—75924 to 75936

Photovoltaic solar energy; Sixth E.C. Photovoltaic Solar Energy Conference, London, UK, 15-19 April 1985, *(Comm. Eur. Communities; R. Borough Chelsea & Kensington; Eur. Photovoltaic Ind.; UNESCO; et al) Palz, W. Treble, F.C. (editor/s),* [Dordrecht, Netherlands: Reidel 1985, $115.00] 86—33926 (introductory abstract), 86—34296 to 34301, 86—34344, 86—34353 to 34355, 86—34392, 86—35301 to 35305, 86—35336, 86—35342, 86—35355 to 35358, 86—35377, 86—35417, 86—35474 to 35475, 86—35530, 86—36307 to 36308, 86—36344 to 36345, 86—39643 to 39647, 86—40104 to 40166, 86—40710 to 40713, 86—40787, 86—41557, 86—41663, 86—42414, 86—45260 to 45304, 86—45359, 86—45587, 86—45651, 86—45679 to 45717, 86—45836 to 45837

Photovoltaic solar energy; Seventh E.C. Photovoltaic Solar Energy Conference. Proceedings of the International Conference (EUR-10939-EN), Seville, Spain, 27-31 Oct. 1986, *(Comm. Eur. Communities; Minist. Asuntos Exteriores; UNESCO; et al) Goetzberger, A. Palz, W. Willeke, G. (editor/s),* [Dordrecht, Netherlands: Reidel 1987, $174.00] 88—11589 (introductory abstract), 88—12083 to 12085, 88—12929 to 12930, 88—12961, 88—12996 to 12999, 88—13033 to 13034, 88—13062, 88—13095, 88—14017 to 14018, 88—14969, 88—16538, 88—16898 to 16899, 88—17129, 88—17435 to 17475, 88—17916, 88—17951 to 18081, 88—18271, 88—18276, 88—18748 to 18751, 88—20510, 88—23800, 88—23820, 88—24143 to 24155

Photovoltaic specialists conference; Conference Record of the Eighteenth IEEE Photovoltaic Specialists Conference - 1985 (Cat. No.86CH2208-7), Las Vegas, NV, USA, 21-25 Oct. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 87—21 (introductory abstract), 87—1219, 87—2035, 87—4091 to 4095, 87—4203, 87—4630 to 4641, 87—4889 to 4968, 87—5394 to 5396, 87—5470 to 5477, 87—6364 to 6370, 87—6389, 87—6396 to 6398, 87—6457, 87—6499, 87—9423 to 9443, 87—9722, 87—9739 to 9866, 87—11343, 87—11378, 87—11416, 87—12302 to 12304, 87—15071, 87—15603 to 15609, 87—16008 to 16052

Photovoltaic specialists conference; Conference Record of the Nineteenth IEEE Photovoltaic Specialists Conference - 1987 (Cat. No.87CH2400-0), New Orleans, LA, USA, 4-8 May 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88—24349 (introductory abstract), 88—30125, 88—30623, 88—31024 to 31046, 88—31859, 88—32762 to 32764, 88—32815 to 32816, 88—32826, 88—32829 to 32830, 88—32979 to 32983, 88—33022, 88—33859 to 33861, 88—36622 to 36633, 88—37097 to 37118, 88—37407 to 37612, 88—37790 to 37793

Photovoltaics; Conference Record of the Seventeenth IEEE Photovoltaic Specialists Conference - 1984 (Cat. No. 84CH2019-8), Kissimmee, FL, USA, 1-4 May 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—60662 (introductory abstract), 85—61005 to 61008, 85—61767, 85—62428, 85—64671 to 64673, 85—65446 to 65461, 86—103, 86—408 to 409, 86—467 to 468, 86—507 to 509, 86—1686 to 1693, 86—1728 to 1730, 86—1748 to 1750, 86—1762, 86—2025, 86—2908, 86—2933 to 2935, 86—2964, 86—6050, 86—6144, 86—6616 to 6663, 86—7023 to 7156, 86—7850, 86—8729, 86—8997, 86—12748 to 12750, 86—13061 to 13091

Photovoltaics; Photovoltaics, Arlington, VA, USA, 11-12 April 1985, *(SPIE)* [1985] 86—13266 (introductory abstract), 86—13735, 86—14874 to 14876, 86—19490 to 19498

Photovoltaics and insolation measurements; Photovoltaics and Insolation Measurements Workshop, Vail, CO, USA, 30 June-3 July 1985, *(Solar Energy Res. Inst)* [Sept.-Oct. 1986] 87—22973 (introductory abstract), 87—29937 to 29939, 87—30446 to 30447, 87—30960 to 30972

Photovoltaics for commercial solar power applications; Photovoltaics for Commercial Solar Power Applications, Cambridge, MA, USA, 18-19 Sept. 1986, *(SPIE)* [1986] 87−65039 (introductory abstract), 87−66924, 87−72061, 87−72403 to 72417

Photovoltaics safety; SERI Photovoltaics Safety Conference, Lakewood, CO, USA, 16-17 Jan. 1986, *(Solar Energy Res. Inst)* [Jan. 1987] 87−43757 (introductory abstract), 87−43913 to 43923, 87−44387 to 44388, 87−50574, 87−51102, 87−51468 to 51474

Physical acoustics; Proceedings of the International School of Physics 'Enrico Fermi'. Course XCIII. Frontiers in Physical Acoustics, Varenna, Italy, 10-20 July 1984, *Sette, D. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, Dfl.290.00] 87−9040, 87−9046

Physical ageing in molecular and atomic glasses; Physical Aging Processes in Molecular and Atomic Glasses, NATAS Conference, USA, Sept. 1983, [mid-Oct. 1984] 85−23468

Physical measurement, intelligent instrumentation; Trends in Instrumentation II: Physical Measurement, Intelligent Instrumentation. Proceedings of a One-Day Meeting of the Instrument Science and Technology Group of the Institute of Physics, Harrogate, UK, 29 March 1988, *Evans, W.A. (editor/s),* [Bristol, UK: IOP 1988] 88−55837 (introductory abstract), 88−60605 to 60606, 88−60622, 88−60713 to 60714, 88−60825, 88−60922 to 60923

Physics; 49. Physikertagung Munchen 1985. (49th Annual Meeting of Physicists, Munich 1985), Munich, West Germany, 11-15 March 1985, *(German Phys. Soc)* [July 1985] 86−3048, 86−3557

Physics; 11th Central Students' Conference on Physics, Dresden, East Germany, 25-26 Feb. 1986, [1987] 87−74465

Physics and chemistry of ice; VIIth Symposium on the Physics and Chemistry of Ice, Grenoble, France, 1-5 Sept. 1986, [March 1987] 87−71676

Physics and chemistry of semiconductor interfaces; Proceedings of the 11th Annual Conference on the Physics and Chemistry of Semiconductor Interfaces, Pinehurst, NC, USA, 31 Jan.-2 Feb. 1984, *(APS; American Vacuum Soc)* [July-Sept. 1984] 85−7 (introductory abstract), 85−380 to 383, 85−1362 to 1366, 85−1390 to 1397, 85−1407 to 1409, 85−1543, 85−1588 to 1589

Physics and chemistry of semiconductor interfaces; Proceedings of the 12th Annual Conference on the Physics and Chemistry of Semiconductor Interfaces, Tempe, AZ, USA, 29-31 Jan. 1985, *(APS; American Vacuum Soc.; Army Res. Office; Office of Naval Res)* [July-Aug. 1985] 86−7 (introductory abstract), 86−434, 86−1710, 86−1782 to 1784, 86−1803 to 1812, 86−1836 to 1837, 86−2048 to 2050, 86−2113 to 2114

Physics and chemistry of semiconductor interfaces; 14th Annual Conference on the Physics and Chemistry of Semiconductor Interfaces, Salt Lake City, UT, USA, 27-29 Jan. 1987, *(APS; American Vacuum Soc.; Air Force Office Sci. Res.; Office Naval Res)* [July-Aug. 1987] 88−11559 (introductory abstract), 88−12951, 88−12981 to 12985, 88−13006 to 13022, 88−13311, 88−13386, 88−13428, 88−18687 to 18690, 88−19682 to 19690, 88−19751 to 19752, 88−19810 to 19812

Physics and physicochemistry of highly condensed matter; Physics and Physicochemistry of Highly Condensed Matter. Colloque International XXI-Ind CNRS/EHPRG Meeting, Aussois, France, 11-14 Sept. 1984, *(CNRS; Eur. High Pressure Res. Group; Direction des Recherches et Etudes Tech.; Min. des Relations Exterieures; et al)* [Nov. 1984] 85−31567, 85−31625

Physics at future accelerators; Proceedings of the Workshop on Physics at Future Accelerators (CERN 87-07), La Thuile, Italy and Geneva, Switzerland, 7-13 Jan. 1987, [Geneva, Switzerland: CERN 1987] 88−42 (introductory abstract), 88−4719 to 4728, 88−4755, 88−4835 to 4837, 88−4849 to 4853, 88−4860, 88−10222

Physics at TeV energies; Proceedings of the Meeting on Physics at TeV Energy Scale (KEK 87-20), Tsukuba, Ibaraki, Japan, 28-30 May 1987, *Hagiwara, K. Hidaka, K. (editor/s),* [Tsukuba, Ibaraki, Japan: Nat. Lab. High Energy Phys. Nov. 1987] 88−22868 to 22870

Physics of amorphous semiconductor devices; Physics of Amorphous Semiconductor Devices, Los Angeles, CA, USA, 15-16 Jan. 1987, *(SPIE)* [1987] 88−10 (introductory abstract), 88−1397 to 1400, 88−1426 to 1427, 88−1606, 88−1619 to 1620, 88−1626, 88−2098 to 2100, 88−5863 to 5864

Physics of disordered systems; Second Bar-Ilan Conference on the Physics of Disordered Systems, Ramat-Gan, Israel, 5-7 Jan. 1987, [Dec. 1987] 88−25947

Physics of electronic and atomic collisions; Electronic and Atomic Collisions. XV ICPEAC Brighton '87. Abstracts of Contributed Papers. Fifteenth International Conference (papers in summary form only received), Brighton, UK, 22-28 July 1987, *Geddes, J. Gilbody, H.B. Kingston, A.E. Latimer, C.J. Walters, H.R.J. (editor/s),* [Belfast, UK: Queen's Univ. 1987] 88−8147, 88−8301, 88−25860, 88−29768

Physics of highly ionised atoms; Proceedings of the International Conference on the Physics of Highly Ionised Atoms, Oxford, UK, 2-5 July 1984, [July 1985] 85−62498, 85−64419 to 64424

Physics of ionised gases; Physics of Ionized Gases. Contributed Papers of SPIG '86, Sibenik, Yugoslavia, 1-5 Sept. 1986, *Kurepa, M.V. (editor/s),* [Belgrade, Yugoslavia: Univ. Belgrade 1986] 87−11460, 87−12412, 87−14799, 87−18917, 87−22670

Physics of magnetic materials; Proceedings of the 2nd International Conference on Physics of Magnetic Materials, Jadwisin, Poland, 17-22 Sept. 1984, [July 1985] 85−55601, 86−7724

Physics of new laser sources; Physics of New Laser Sources. Proceedings of a NATO Advanced Study Institute, San Miniato, Tuscany, Italy, 11-21 July 1984, *(NATO) Abraham, N.B. Arecchi, F.T. Mooradian, A. Sona, A. (editor/s),* [New York, NY, USA: Plenum 1985, $75.00] 86−52127 (introductory abstract)

Physics of non-crystalline solids; Sixth International Conference on the Physics of Non-Crystalline Solids, Kyoto, Japan, 6-10 July 1987, *(Int. Comm. Glass; Phys. Soc. Japan; Japan Chem. Soc.; et al)* [Dec. 1987] 88−20323, 88−24766, 88−25899 to 25902, 88−26039, 88−26742, 88−26744, 88−26781 to 26786

Physics of optical ring gyros; Physics of Optical Ring Gyros, Snowbird, UT, USA, 7-10 Jan. 1984, *(SPIE)* [1984] 85−32878 (introductory abstract)

Physics of particle accelerators; Physics of Particle Accelerators. Summer School on Particle Accelerators (1984 and 1985), Stanford, CA, USA and Batavia, IL, USA, 15-26 July 1985 and 13-24 Aug. 1984, *(USDOE; NSF)* [1987] 87−50020 (introductory abstract), 87−46915, 87−50021, 87−50055 to 50077

Physics of semiconducting compounds; Proceedings of the XIV International School on Physics of Semiconducting Compounds, Jaszowiec, Poland, 9-15 June 1985, [May 1986] 86−52100 (introductory abstract), 86−53329, 86−53372 to 53373, 86−54125, 86−66794, 86−66803 to 66804, 86−67648, 86−67667 to 67668, 86−67698 to 67699, 86−67772, 86−68371, 86−68388, 86−68404, 86−71055

Physics of semiconducting compounds; XV International School of Physics on Semiconducting Compounds, Jaszowiec, Poland, 21-25 April 1986, [Feb. 1987] 87−36290 (introductory abstract), 87−37876, 87−37921 to 37924, 87−38169, 87−38895, 87−39075, 87−44356 to 44358, 87−44366 to 44367, 87−45677, 87−46708 to 46710, 87−52089

Physics of semiconductors; Proceedings of the 17th International Conference on the Physics of Semiconductors, San Francisco, CA, USA, 6-10 Aug. 1984, *(IUPAP; Int. Center Theor. Phys.; AIP; APS; American Vacuum Soc.; et al) Chadi, J.D. Harrison, W.A. (editor/s),* [New York, NY, USA: Springer-Verlag 1985] 86−52124 (introductory abstract), 86−47283, 86−47311, 86−47330, 86−47363 to 47384, 86−47403 to 47406, 86−47427 to 47429, 86−47626 to 47630, 86−53327 to 53328, 86−53349 to 53354, 86−53367, 86−53371, 86−53434, 86−53461, 86−53488, 86−54030, 86−58244, 86−58266, 86−58271 to 58272, 86−58387, 86−58824

Physics of semiconductors; 18th International Conference on the Physics of Semiconductors, Stockholm, Sweden, 11-15 Aug. 1986, *Engstrom, O. (editor/s),* [Singapore: World Scientific 1987] 88−11584 (introductory abstract), 88−12927 to 12928, 88−12964 to 12965, 88−13401 to 13403, 88−14015 to 14016, 88−14041, 88−14165, 88−18693 to 18694, 88−19703 to 19720, 88−19735 to 19743, 88−19760 to 19768, 88−19969 to 19972, 88−20004, 88−20064, 88−20493

Physics of submicron structures; Physics of Submicron Structures. Proceedings of a Workshop, Urbana-Champaign, IL, USA, 28-30 June 1982, *Grubin, H.L. Hess, K. Iafrate, G.J. Ferry, D.K. (editor/s),* [New York, NY, USA: Plenum 1984] 85−32938 (introductory abstract), 85−34196, 85−34456 to 34458, 85−34481, 85−34511 to 34514, 85−34611 to 34614, 85−34685, 85−34904 to 34911, 85−34930 to 34932, 85−34946 to 34947, 85−35021 to 35027, 85−35146, 85−35605, 85−35801

Physics of VLSI; International Conference on the Physics of VLSI, Palo Alto, CA, USA, 1-3 Aug. 1984, [1984] 85−22051 (introductory abstract), 85−23541, 85−23566 to 23569, 85−23679, 85−23767 to 23768, 85−23825 to 23832, 85−23928, 85−28210, 85−28507, 85−28947, 85−28993, 85−29035 to 29036, 85−29132 to 29133, 85−29206 to 29209, 85−29226 to 29231

Picosecond electronics and optoelectronics; Picosecond Electronics and Optoelectronics. Proceedings of the Topical Meeting, Lake Tahoe, NV, USA, 13-15 March 1985, *(Opt. Soc. America; IEEE) Mourou, G.A. Bloom, D.M. Lee, C.-H (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 87−22988 (introductory abstract), 87−23984, 87−23993 to 23994, 87−24091, 87−24407, 87−24459, 87−24791 to 24793, 87−24869 to 24873, 87−25196, 87−25217, 87−25238, 87−25312, 87−25468 to 25469, 87−25540, 87−26091, 87−26146 to 26147, 87−26179 to 26181, 87−26206 to 26208, 87−26236 to 26241, 87−26423, 87−26476, 87−26542 to 26546, 87−29038 to 29041, 87−29270

Picosecond electronics and optoelectronics; Topical Meeting on Picosecond Electronics and Optoelectronics. Technical Digest. Conference Edition, Incline Village, NV, USA, 14-16 Jan. 1987, *(IEEE; Air Force Office of Sci. Res.; NSF; Office of Naval Res.; Opt. Soc. America)* [Washington, DC, USA: Opt. Soc. America 1987] 87−43785 (introductory abstract), 87−44346, 87−44680 to 44681, 87−45138, 87−45167 to 45168, 87−45285 to 45293, 87−45348 to 45349, 87−45571, 87−45603, 87−45672 to 45676, 87−45778, 87−45876 to 45877, 87−46029 to 46031, 87−46042, 87−46134 to 46135, 87−46232 to 46234, 87−46421, 87−46560, 87−46585, 87−46665 to 46667, 87−46700 to 46705, 87−46908 to 46911, 87−46990, 87−47273, 87−49122 to 49123, 87−49165, 87−49824

Picture archiving and communication systems; 3rd International Conference on Picture Archiving and Communication Systems (PACS III) for Medical Applications, Newport Beach, CA, USA, 7-8 Feb. 1985, *(SPIE)* [1985] 86−30030 (introductory abstract), 86−32266 to 32280, 86−32397 to 32411

Picture coding; 1987 Picture Coding Symposium. PCS 87. Program and Abstracts, Stockholm, Sweden, 9-11 June 1987, [Stockholm, Sweden: R. Inst. Technol 1987] 88−18331 (introductory abstract)

Piezo- and pyroelectric PDVF films; 1984 Dusseldorf Conference on Piezo- and Pyroelectric PDVF Films, Dusseldorf, West Germany, 17-18 Oct. 1984, [Oct. 1987] 87−65032 (introductory abstract), 87−67622 to 67623, 87−70560 to 70561, 87−70641, 87−71074, 87−71429 to 71431

Piezoelectricity in biomaterials and biomedical devices; Proceedings of the First International Symposium on Piezoelectricity in Biomaterials and Biomedical Devices, Pisa, Italy, 20-22 June 1983, [Oct. 1984] 85−10310 (introductory abstract), 85−12446 to 12448, 85−12457 to 12458, 85−15263 to 15264, 85−15285 to 15287, 85−15349 to 15350, 85−15456

Pion-nucleus physics; Pion-Nucleus Physics: Future Directions and New Facilities at LAMPF, Los Alamos, NM, USA, 17-21 Aug. 1987, [1988] 88−37798 (introductory abstract), 88−42337, 88−42410, 88−42442

Planning and design theory; 1987 International Congress on Planning and Design Theory. Plenary and Interdisciplinary Lectures, Boston, MA, USA, 17-20 Aug. 1987, *Nadler, G. (editor/s),* [New York, NY, USA: ASME 1987] 88−24360 (introductory abstract)

Plant engineering and maintenance; Spring National Plant Engineering and Maintenance Show and Conference, Chicago, IL, USA, 24-27 March 1986, [Stamford, CT, USA: Cahners Exposition Group 1986] 86−57108 (introductory abstract)

Plant engineering and maintenance; Fall National Plant Engineering and Maintenance Show and Conference, Atlanta, GA, USA, 22-24 Oct. 1986, [Stamford, CT, USA: Cahners Exposition Group 1986] 87−31159 (introductory abstract)

Plasma etching; IEE Vacation School on 'Plasma and Plasma Related Etching of Semiconductor Materials', Liverpool, UK, 1-5 Sept. 1986, *(IEE)* [London, UK: IEE 1986] 87−16302 (introductory abstract), 87−16346, 87−17900, 87−18015 to 18030, 87−18306, 87−18355

Plasma focus and Z-pinch research; Proceedings of the Fourth International Workshop on Plasma Focus and Z-Pinch Research, Warsaw, Poland, 9-11 Sept. 1985, *Denus, S. (editor/s),* [Warsaw, Poland: Inst. Plasma Phys. & Laser Microfusion 1986] 87−41892, 87−43262 to 43264, 87−43486 to 43488, 87−43585

Plasma heat treatment; International Seminar on Plasma Heat Treatment, Science and Technology, Senlis, France, 21-23 Sept. 1987, [Paris, France: PYC Edition 1987] 88−18243 to 18247

Plasma physics; Proceedings of the 1984 International Conference on Plasma Physics (EUR 9708 EN), Lausanne, Switzerland, 27 June-3 July 1984, *(Ecole Polytech. Federale Lausanne; Euratom-Fusion; Eur. Phys. Soc.; ESA; et al) Tran, M.Q. Verbeek, R.J. (editor/s),* [Luxembourg: Comm. Eur. Communities 1985] 86−36424

Plasma physics; Australian Institute of Nuclear Science and Engineering 15th AINSE Plasma Physics Conference (papers in summary form only received), Lucas Heights, NSW, Australia, 4-6 Feb. 1985, *(Australian Inst. Nucl. Sci. & Eng.)* [Lucas Heights, NSW, Australia: Australian Inst. Nucl. Sci. & Eng. 1985] 85−50161, 85−51139

Plasma physics; 12th Annual Conference Plasma Physics Group of the Institute of Physics, Glasgow, UK, 26-28 June 1985, *(IOP)* [Dec. 1985] 86−21044, 86−22322, 86−22421

Plasma physics; 13th Annual Conference Plasma Physics Group of the Institute of Physics, Oxford, UK, 2-4 July 1986, [Dec. 1986] 87−43208

Plasma physics; 14th Annual Conference IOP Plasma Physics Group, St. Andrews, UK, 1-3 July 1987, [Jan. 1988] 88—33052, 88—33919

Plasma physics and controlled nuclear fusion research; Eleventh IAEA International Conference on Plasma Physics and Controlled Nuclear Fusion Research, Kyoto, Japan, 13-20 Nov. 1986, [1987] 88—13773 to 13775

Plasma processing; Plasma Processing Symposium, Palo Alto, CA, USA, 15-18 April 1986, *(Mater. Res. Soc) Coburn, J.W. Gottscho, R.A. Hess, D.W. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87—16293 (introductory abstract), 87—11426, 87—11690 to 11693, 87—16691 to 16696, 87—17998 to 18013, 87—18349

Plasma processing and synthesis of materials; Plasma Processing and Synthesis of Materials. Symposium, Anaheim, CA, USA, 21-23 April 1987, *(Mater. Res. Soc) Apelian, D. Szekely, J. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88—49378 (introductory abstract), 88—43915, 88—44699 to 44703, 88—44792, 88—44889, 88—49888 to 49890, 88—50745 to 50746, 88—55748

Plasma processing for semiconductors, gas discharge and surface aspects; IEE Colloquium on Plasma Processing for Semiconductors, Gas Discharge and Surface Aspects (Digest No. 79), London, UK, 11 Oct. 1984, *(IEE)* [London, UK: IEE 1984] 85—5658 (introductory abstract), 85—6015, 85—6848 to 6854

Plasma processing of materials; Plasma Processing and Synthesis of Materials Symposium, Boston, MA, USA, Nov. 1983, *Szekely, J. Apelian, D. (editor/s),* [New York, NY, USA: North-Holland 1984] 85—6030, 85—6635

Plasma science; Conference Record of the 1984 IEEE International Conference on Plasma Science (papers in summary form only received) (Cat. No. 84CH1958-8), St. Louis, MO, USA, 14-16 May 1984, *(IEEE; McDonnel Douglas Corp.; Univ. Missouri)* [New York, NY, USA: IEEE 1984] 85—22703 (introductory abstract), 85—18005 to 18006, 85—18015, 85—18041, 85—18504, 85—18878 to 18879, 85—18964 to 18966, 85—20996, 85—21770, 85—21845 to 21847, 85—22704, 85—23075, 85—23192 to 23199, 85—23206, 85—23308, 85—23314 to 23315, 85—23317, 85—23325 to 23347, 85—23356 to 23359, 85—23374, 85—24330, 85—24420 to 24422, 85—24492, 85—24594 to 24597, 85—24785 to 24787, 85—24936 to 24937, 85—26235, 85—26470, 85—26677, 85—26726, 85—27515, 85—27569, 85—27672

Plasma science; IEEE Conference Record - Abstracts. 1986 IEEE International Conference on Plasma Science (Cat. No.86CH2317-6), Saskatoon, Sask., Canada, 19-21 May 1986, *(IEEE; Gov. Saskatchewan; City Saskatoon; Univ. Saskatchewan)* [New York, NY, USA: IEEE 1986] 87—16277 (introductory abstract), 87—11110 to 11113, 87—14638, 87—14710 to 14713, 87—16942, 87—17341, 87—17384, 87—17441 to 17445, 87—17620 to 17647, 87—18189, 87—18875 to 18876, 87—18915, 87—21352 to 21355, 87—21375 to 21382, 87—21505, 87—21741, 87—22497 to 22498, 87—22665, 87—22923

Plasma science; IEEE Conference Record - Abstracts. 1987 IEEE International Conference on Plasma Science (Cat. No.87CH2451-3), Arlington, VA, USA, 1-3 June 1987, *(IEEE; Naval Res. Lab.; Univ. Maryland; Sandia Nat. Labs)* [New York, NY, USA: IEEE 1987] 88—12888 to 12890, 88—13777, 88—14067 to 14069, 88—16622, 88—25368, 88—25818 to 25830, 88—25839 to 25840, 88—27005 to 27006, 88—27086 to 27088, 88—27202 to 27210, 88—27246, 88—27463, 88—27589 to 27590, 88—29737 to 29740, 88—30958 to 30963, 88—31050 to 31052, 88—31231, 88—32009, 88—39029, 88—39231, 88—39373, 88—40086, 88—40115, 88—40154 to 40159, 88—40255 to 40261, 88—40290, 88—40512 to 40527, 88—40602, 88—42377 to 42383, 88—42403 to 42404, 88—42602, 88—42623 to 42624, 88—43393 to 43394, 88—43397

Plasma synthesis and etching of electronic materials; Plasma Synthesis and Etching of Electronic Materials Symposium, Boston, MA, USA, 27-30 Nov. 1984, *(Mater. Res. Soc) Chang, R.P.H. Abeles, B. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1985] 86—33933 (introductory abstract), 86—26908 to 26918, 86—27855, 86—28126, 86—28220 to 28228, 86—28627, 86—35532, 86—35602 to 35610

Plasmas and dry etching in microelectronics; CIP G87: 6eme Colloque International sur les Plasmas et la Pulverisation Cathodique et 4eme Symposium International sur la Gravure Seche et le Depot Plasma et Microelectronique (CIP G87: 6th International Colloquium on Plasmas and Cathodic Sputtering and 4th International Symposium on Dry Etching and Plasma Deposition in Microelectronics), Antibes, France, 1-5 June 1987, [1987] 88—11570 (introductory abstract), 88—12025, 88—12073 to 12082, 88—12926, 88—13031 to 13032, 88—13094, 88—13156 to 13171, 88—13190 to 13191, 88—13295, 88—13314, 88—13608, 88—16548, 88—18746 to 18747, 88—19759, 88—19823 to 19838, 88—19939, 88—20059, 88—20423

Plasmas and sputtering; CIP 85. 5th International Colloquium on Plasmas and Sputtering, Antibes, France, 10-14 June 1985, [March-April 1985] 86—45908 (introductory abstract)

Plasmas, applications of RF power; Applications of Radio-Frequency Power Plasmas - Seventh Topical Conference, Kissimmee, FL, USA, 4-6 May 1987, *(APS; USDOE)* [1987] 88—19310 to 19311, 88—19323, 88—19803, 88—20996 to 20997, 88—21013 to 21014

Plasticity; Plasticity Today: New Solutions and Trends in Plasticity, Udine, Italy, 27-30 June 1983, *(Int. Centre for Mech. Sci)* [1985] 85—49655

Plastics in telecommunications; Fourth International Conference on Plastics in Telecommunications, London, UK, 17-19 Sept. 1986, [London, UK: Plastics & Rubber Inst. 1986] 87—5139 (introductory abstract), 87—5519 to 5536, 87—6275, 87—7161 to 7168, 87—7555, 87—8090, 87—8140 to 8142, 87—8328 to 8333, 87—8464

Polarization phenomena in nuclear physics; Proceedings of the Sixth International Symposium on Polarization Phenomena in Nuclear Physics, Osaka, Japan, 26-30 Aug. 1985, *(IUPAP; Sci. Council Japan; Phys. Soc. Japan; Nishina Memorial Found)* [1986] 86—70284, 86—70301 to 70304, 86—70362, 87—3815 to 3816, 87—3836 to 3847, 87—3852 to 3876, 87—3912 to 3913

Polarized antiprotons; Workshop on Polarized Antiprotons, Bodega Bay, CA, USA, 18-21 April 1985, [1986] 86—70277 (introductory abstract), 86—70278 to 70280, 86—70296 to 70297

Polarized beams; Workshop on Polarized Beams at SSC, Ann Arbor, MI, USA, 14 June 1985, [1986] 86—70272 (introductory abstract), 86—70273 to 70276

Polarized ^{3}He beams and targets; Workshop on Polarized ^{3}He Beams and Targets, Princeton, NJ, USA, 22-24 Oct. 1984, [1985] 86—7360 (introductory abstract), 86—11792, 86—11815 to 11822, 86—11915

Polarized sources and targets; Proceedings of the International Workshop on Polarized Sources and Targets, Montana, Switzerland, 13-17 Jan. 1986, *(Int. Comm. Symposia High Energy Spin Phys)* [1986] 86—55959 (introductory abstract), 86—55960 to 55978, 86—58901, 86—60513 to 60528

Polarons and excitons in polar semiconductors and ionic crystals; Polarons and Excitons in Polar Semiconductors and Ionic Crystals. Proceedings of the Antwerp Advanced Study Institute, Priorij Corsendonk, Belgium, 26 July-5 Aug. 1982, *(NATO; Agfa-Gevaert, Bell Teleph. Mfg.; et al) Devreese, J.T. Peeters, F. (editor/s),* [New York, NY, USA: Plenum 1984] 85—1342

Poly-micro-crystalline and amorphous semiconductors; Poly-Micro-Crystalline and Amorphous Semiconductors, Strasbourg, France, 5-8 June 1984, *(Council Eur.; Eur. Phys. Soc.; Agence Francaise pour la Maitrise de l'Energie; CNRS; et al) Pinard, P. Kalbitzer, S. (editor/s),* [Les Ulis, France: Editions de Phys. 1984] 86—41499 (introductory abstract), 86—40714 to 40720, 86—40759 to 40761, 86—40788 to 40791, 86—41521 to 41527, 86—41545, 86—41558, 86—41669, 86—41688 to 41689, 86—45718 to 45721, 86—46380 to 46387, 86—47284 to 47290, 86—47312 to 47313, 86—47331 to 47334, 86—47385 to 47386, 86—47407, 86—47461, 86—47631 to 47632, 86—48257, 86—50114, 86—51918 to 51920

Polycrystalline semiconductors; Polycrystalline Semiconductors: Physical Properties and Applications. Proceedings of the International School of Materials Science and Technology, Erice, Italy, 1-15 July 1984, *(Eur. Phys. Soc.; Eur. Res. Office; GEC Ltd.; IBM Italia; et al) Harbeke, G. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 87—22 (introductory abstract), 87—1170, 87—1205, 87—1570, 87—1630, 87—2036

Polymeric liquid crystals; Polymeric Liquid Crystals. Proceedings of the Second Symposium, Washington, DC, USA, 28-31 Aug. 1983, *Blumstein, A. (editor/s),* [New York, NY, USA: Plenum 1985] 86—9453

Portable instrumentation for electrical installations; IEE Colloquium on 'Portable Instrumentation to Implement the 15th Edition' (Digest No.100), London, UK, 14 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87—10050 (introductory abstract), 87—15396 to 15398

Position, location and navigation; IEEE PLANS '84. Position Location and Navigation Symposium Record (Cat. No. 84CH2110-5), San Diego, CA, USA, 26-29 Nov. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—32918 (introductory abstract), 85—37111, 85—37125 to 37149, 85—38284, 85—38291 to 38298, 85—38311 to 38312, 85—38314, 85—41541, 85—42663, 85—42667 to 42676, 85—43459

Position location and navigation; IEEE PLANS '86 Position Location and Navigation Symposium. Record (Cat. No.86CH2365-5), Las Vegas, NV, USA, 4-7 Nov. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87—36328 (introductory abstract), 87—36417 to 36418, 87—40701, 87—40776, 87—41065 to 41122, 87—42039, 87—42109 to 42114, 87—42192 to 42194, 87—42200 to 42201

Positron annihilation; Positron Annihilation. Proceedings of the Seventh International Conference, New Delhi, India, 6-11 Jan. 1985, *(IUPAP; Indian Nat. Sci. Acad.; Dept. Sci. & Technol; Gov. India; et al) Jain, P.C. Singru, R.M. Gopinathan, K.P. (editor/s),* [Singapore: World Scientific 1985] 87—17180, 87—21351, 87—21457 to 21461, 87—21504, 87—29418, 87—29530 to 29532

Power cables and accessories, 10 kV to 180 kV; Second International Conference on Power Cables and Accessories 10 kV to 180 kV (Conf. Publ. No.270), London, UK, 26-28 Nov. 1986, [London, UK: IEE 1986] 87—10054 (introductory abstract), 87—15278 to 15310, 87—15345 to 15361

Power conversion; Official Proceedings of the Ninth International PCI '84 Conference, Paris, France, 29-31 Oct. 1984, [Ventura, CA, USA: Intertec Communications 1984] 85—32921 (introductory abstract), 85—33661 to 33672, 85—33698, 85—34900, 85—34929, 85—34944 to 34945, 85—34952, 85—35011 to 35017, 85—38305, 85—38579, 85—39121 to 39122, 85—39308, 85—39332

Power electronics; PESC '84 Record. 15th Annual IEEE Power Electronics Specialists Conference (IEEE Cat. No. 84CH2000-8), Gaithersburg, MD, USA, 18-21 June 1984, *(IEEE; NBS)* [New York, NY, USA: IEEE 1984] 85—5644 (introductory abstract), 85—571 to 578, 85—1096, 85—5258 to 5263, 85—6165 to 6168, 85—6198, 85—6908, 85—6972 to 6974, 85—9508, 85—9909, 85—10014 to 10023, 85—10153 to 10155

Power electronics; PESC '85 Record. 16th Annual IEEE Power Electronics Specialists Conference (Cat. No. 85CH2117-0), Toulouse, France, 24-28 June 1985, *(IEEE; ESA)* [New York, NY, USA: IEEE 1985] 86—7387 (introductory abstract), 86—7884, 86—7906 to 7907, 86—7971 to 7995, 86—8412 to 8413, 86—8697 to 8698, 86—9110 to 9112, 86—9125 to 9127, 86—9174 to 9175, 86—9182, 86—9251, 86—9415, 86—11586, 86—12115 to 12117, 86—12123, 86—12246, 86—12827 to 12831, 86—12884, 86—12917 to 12942, 86—13092, 86—13128 to 13130, 86—13149, 86—13152

Power electronics; PESC '86 Record. 17th Annual IEEE Power Electronics Specialists Conference (Cat. No.86CH2310-1), Vancouver, BC, Canada, 23-27 June 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87—16278 (introductory abstract), 87—16814 to 16815, 87—16880 to 16886, 87—17229 to 17230, 87—17293 to 17294, 87—17415, 87—18113 to 18115, 87—18120, 87—18166 to 18168, 87—18312, 87—19159, 87—21737, 87—21909, 87—22265, 87—22342 to 22344, 87—22413, 87—22499, 87—22560 to 22589, 87—22765, 87—22819 to 22827, 87—22911 to 22912

Power electronics; PESC 87 Record: 18th Annual IEEE Power Electronics Specialists Conference (Cat. No.87CH2459-6), Blacksburg, VA, USA, 21-26 June 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87—65071 (introductory abstract), 87—65693, 87—65844 to 65848, 87—65929, 87—65951, 87—66337 to 66338, 87—67235, 87—67247, 87—67300 to 67302, 87—71256, 87—72150, 87—72268 to 72272, 87—72352 to 72354, 87—73301 to 73323, 87—73829 to 73830, 87—77790 to 77791, 87—78631, 87—78650, 87—78680 to 78682, 87—78699, 87—78783 to 78798, 87—79004, 87—79075, 87—79215

Power electronics; Proceedings of the Power Electronics Show and Conference, San Jose, CA, USA, 7-9 Oct. 1986, [Cerritos, CA, USA: MultiDynamics Sept. 1986] 87—58536 (introductory abstract), 87—58649, 87—59171 to 59181, 87—59928, 87—60507 to 60508, 87—63894, 87—64719 to 64726, 87—64785, 87—65216, 87—65735, 87—65849 to 65853, 87—65892, 87—67303 to 67304, 87—70744, 87—72292 to 72301, 87—72363, 87—72373, 87—72388 to 72389

Power electronics; Proceedings of the Power Electronics Show and Conference, Boxborough, MA, USA, 28-29 April 1987, [Cerritos, CA, USA: MultiDynamics 1987, $113.75] 88—24361 (introductory abstract), 88—24509 to 24510, 88—24577 to 24579, 88—24596 to 24598, 88—25000 to 25001, 88—25596, 88—26324 to 26325, 88—27532, 88—30126, 88—30777, 88—30921 to 30932

Power electronics; PESC '88 Record. 19th Annual IEEE Power Electronics Specialists Conference (Cat. No.88CH2523-9), Kyoto, Japan, 11-14 April 1988, *(IEEE; IEICE Japan)* [New York, NY, USA: IEEE 1988] 88—70010 (introductory abstract), 88—70307, 88—70521 to 70541, 88—71502, 88—71530, 88—71541 to 71543, 88—71578 to 71582, 88—71729, 88—71990, 88—72518, 88—74941, 88—75059 to 75060, 88—75114 to 75115, 88—75175, 88—75525, 88—75595 to 75597, 88—75618 to 75619, 88—75632 to 75633, 88—75652 to 75657, 88—75737 to 75789, 88—75869, 88—75959 to 75962, 88—75982 to 75984, 88—76029 to 76030, 88—76048

Power electronics and applications; Power Electronics and Applications Proceedings, Brussels, Belgium, 16-18 Oct. 1985, *Maggetto, G. Lataire, Ph. (editor/s),* [Antwerp, Belgium: Koninklijke Vlaamse Ingenieursvereniging 1985] 86—57092 (introductory abstract), 86—57581, 86—57650 to 57655, 86—58026, 86—58100 to 58101, 86—58457 to 58460, 86—58465, 86—61090, 86—61532, 86—61577, 86—61649 to 61672, 86—61697, 86—61702, 86—61812, 86—62444 to 62445, 86—62722, 86—65159, 86–65793, 86–66005 to 66009, 86–66047, 86–66059 to 66060, 86–66080 to 66090, 86–66099 to 66102, 86–66113, 86–66166 to 66184, 86–66381 to 66400, 86–66455, 86–66479, 86–67036, 86–67608, 86–67821, 86–67851, 86–67856, 86–70438, 86–70600 to 70601, 86–70645, 86–70659, 86–70728, 86–70736, 86–70871, 86–70889 to 70894, 86–70907 to 70924, 86–70933 to 70939, 86–70942, 86–70946 to 70948, 86–70983 to 70987, 86–71031, 86–71084 to 71089, 86–71098 to 71113, 86–71151, 86–71163, 86–71169 to 71170

Power electronics and applications; Second European Conference on Power Electronics and Applications: EPE. Proceedings, Grenoble, France, 22-24 Sept. 1987, [Paris, France: EPE Int. Committee 1987] 88–62899 (introductory abstract), 88–62943, 88–63066, 88–63528 to 63529, 88–63554, 88–64041 to 64042, 88–64509, 88–64537, 88–64545 to 64551, 88–64584 to 64589, 88–64725, 88–67949, 88–68040, 88–68124, 88–68491, 88–68756 to 68758, 88–68836 to 68838, 88–68878, 88–68911 to 68913, 88–69229, 88–69340 to 69347, 88–69383 to 69399, 88–69418, 88–69422, 88–69437 to 69441, 88–69483 to 69484, 88–69555 to 69620, 88–69779 to 69823, 88–69860 to 69869, 88–69912, 88–69934 to 69937, 88–69945, 88–69948 to 69950, 88–69953, 88–70549 to 70550, 88–70609 to 70610, 88–70910, 88–71533 to 71534, 88–75562, 88–75823 to 75837, 88–75985, 88–76049

Power electronics and variable-speed drives; International Conference on Power Electronics and Variable-Speed Drives (Conf. Publ. No.234), London, UK, 1-4 May 1984, *(IEE)* [London, UK: IEE 1984] 85–60653 (introductory abstract), 85–61101 to 61106, 85–61878 to 61879, 85–61895, 85–61909 to 61915, 85–62453, 85–64840, 85–64886, 85–64901, 85–65343 to 65357, 85–65389, 85–65485 to 65486, 85–65669 to 65670, 86–746 to 747, 86–6497, 86–6699, 86–6715 to 6722, 86–6755 to 6763, 86–6788 to 6789, 86–6804, 86–6818 to 6819, 86–6890 to 6898, 86–7197 to 7217, 86–7265 to 7267, 86–7323

Power electronics and variable-speed drives; Second International Conference on Power Electronics and Variable-Speed Drives (Conf. Publ. No.264), Birmingham, UK, 24-26 Nov. 1986, [London, UK: IEE 1986] 87–10053 (introductory abstract), 87–10185 to 10186, 87–11115, 87–11721, 87–11735 to 11736, 87–11753 to 11756, 87–11763 to 11764, 87–11816 to 11817, 87–14432, 87–15236, 87–15683 to 15685, 87–15717, 87–15773 to 15774, 87–15908 to 15919, 87–16100 to 16113, 87–16130 to 16132, 87–16225

Power electronics and variable speed drives; Third International Conference on Power Electronics and Variable-Speed Drives (Conf. Publ. No.291), London, UK, 13-15 July 1988, [London, UK: IEE 1988] 88–64583 (introductory abstract), 88–63523 to 63527, 88–63794, 88–64039 to 64040, 88–64482, 88–64536, 88–64540 to 64544, 88–68599, 88–68834 to 68835, 88–69301 to 69303, 88–69337 to 69339, 88–69374 to 69382, 88–69417, 88–69436, 88–69522 to 69554, 88–69660, 88–69744 to 69778, 88–69856 to 69859, 88–69932 to 69933, 88–69947

Power electronics design; Proceedings Power Electronics Design Conference, Anaheim, CA, USA, 15-17 Oct. 1985, [Cerritos, CA, USA: Power Sources Users Conference 1985] 86–52125 (introductory abstract), 86–52267, 86–52624 to 52625, 86–52678 to 52682, 86–52948, 86–52990, 86–52996 to 52997, 86–53091 to 53095, 86–53674, 86–54319, 86–55718, 86–56847 to 56852, 86–57019

Power electronics in arc welding; IEE Colloquium on 'Advances in Power Electronics in Arc Welding (Digest No.117), London, UK, 10 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87–16300 (introductory abstract), 87–22936 to 22939

Power engineering; Proceedings of the American Power Conference, Chicago, IL, USA, 24-26 April 1984, *(Illinois Inst. Technol)* [Chicago, IL, USA: Illinois Inst. Technol. 1984, $65.00] 86–26491 (introductory abstract), 86–25338, 86–25527 to 25531, 86–25584 to 25586, 86–25615, 86–25627, 86–25666, 86–25733 to 25737, 86–25831 to 25833, 86–25888 to 25906, 86–25928 to 25930, 86–25937, 86–26212, 86–26326, 86–26351, 86–32594, 86–32639 to 32640, 86–32688 to 32692, 86–32712, 86–32751, 86–32872, 86–32891 to 32902, 86–32910 to 32917, 86–32962 to 32971, 86–33007 to 33020, 86–33091 to 33125, 86–33160 to 33166, 86–33198 to 33202, 86–33213, 86–33231, 86–33303 to 33307, 86–33564, 86–33716, 86–33804

Power engineering; Proceedings of the American Power Conference, Chicago, IL, USA, 22-24 April 1985, *(Illinois Inst. Technol.; Illinois Univ.; Georgia Inst. Technol.; IEEE; ANS; et al) Haigh, B. (editor/s),* [Chicago, IL, USA: Illinois Inst. Technol. 1985, $65.00] 86–57085 (introductory abstract), 86–57086, 86–57368, 86–57910, 86–59758, 86–60356, 86–60841, 86–60983 to 60988, 86–61068 to 61081, 86–61100 to 61104, 86–61118, 86–61121, 86–61123, 86–61157 to 61158, 86–61174, 86–61188, 86–61195, 86–61213, 86–61237 to 61243, 86–61299 to 61311, 86–61334 to 61350, 86–61372 to 61402, 86–61408, 86–61412, 86–61420 to 61429, 86–61484 to 61488, 86–61503, 86–61524 to 61526, 86–61571 to 61573, 86–61734, 86–61749, 86–61755 to 61756, 86–61761

Power engineering; Proceedings of the American Power Conference, Chicago, IL, USA, 14-16 April 1986, *(Illinois Inst. Technol)* [Chicago, IL, USA: Illinois Inst. Technol. 1986, $70.00] 87–58526 (introductory abstract), 87–59040, 87–63852 to 63853, 87–63986 to 63988, 87–64097 to 64098, 87–64108, 87–64218, 87–64232 to 64233, 87–64287 to 64292, 87–64376 to 64384, 87–64409 to 64431, 87–64440 to 64443, 87–64484 to 64485, 87–64498, 87–64543 to 64544, 87–64791 to 64792, 87–65005, 87–65021 to 65022, 87–65026, 87–65242, 87–70394, 87–71563 to 71565, 87–71712, 87–71724, 87–71757 to 71758, 87–71767 to 71768, 87–71787 to 71788, 87–71851 to 71871, 87–71896 to 71909, 87–71945 to 71959, 87–71993 to 72001, 87–72044 to 72050, 87–72058, 87–72106 to 72107, 87–72216 to 72217, 87–72466, 87–72524, 87–72613 to 72614, 87–77896 to 77897, 87–78053 to 78057, 87–78067, 87–78105, 87–78230, 87–78472, 87–78516 to 78520, 87–78627 to 78629, 87–79002

Power Engineering Society Summer meeting; IEEE Power Engineering Society Summer Meeting '84, Seattle, WA, USA, 15-20 July 1984, *(IEEE)* [Feb. 1986] 86–50997

Power Engineering Society Summer meeting; IEEE Power Engineering Society 1985 Summer Meeting, Vancouver, BC, Canada, 14-19 July 1985, *(IEEE)* [Feb. 1986] 86–46150, 86–50789, 86–50839 to 50849, 86–50948, 86–51100, 86–51171, 86–51435, 86–51458, 86–51495, 86–51515, 86–51537, 86–51561

Power Engineering Society Winter meeting; IEEE Power Engineering Society 1984 Winter Meeting, Dallas, TX, USA, 29 Jan.-3 Feb. 1984, *(IEEE)* [Feb. 1986] 86–50850

Power industry computer application; 1985 Power Industry Computer Application Conference PICA 85, San Francisco, CA, USA, 7-10 May 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86–52117 (introductory abstract), 86–45963, 86–46215, 86–50785 to 50788, 86–50797 to 50802, 86–50834 to 50838, 86–50904 to 50919, 86–50941, 86–50962, 86–50991, 86–51117 to 51118, 86–51167, 86–51453, 86–51476, 86–51609 to 51610, 86–56304 to 56306, 86–56361 to 56380, 86–56393 to 56394, 86–56403 to 56404, 86–56409, 86–56461 to 56464

Power industry computer application; Conference Papers - 1987 Power Industry Computer Application Conference: PICA 87 (Cat. No.87CH2500-7), Montreal, Que., Canada, 18-22 May 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88–6109 (introductory abstract), 88–10708 to 10711, 88–10761 to 10798, 88–10823 to 10824, 88–10851, 88–10865, 88–10883, 88–10896, 88–10907 to 10909, 88–10918 to 10919, 88–10961, 88–10990, 88–11075, 88–11135 to 11138, 88–11274 to 11277, 88–11333

Power modulators; IEEE Conference Record of 1984 Sixteenth Power Modulator Symposium (Cat. No. 84CH2056-0), Arlington, VA, USA, 18-20 June 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85–22079 (introductory abstract), 85–22602, 85–22661, 85–22716, 85–22730 to 22733, 85–23154, 85–23318, 85–23348 to 23349, 85–23375 to 23381, 85–23384, 85–23822, 85–23983, 85–24000 to 24001, 85–24493 to 24494, 85–25745, 85–26322, 85–26545, 85–26668 to 26670, 85–27121 to 27130, 85–27484, 85–27520 to 27527, 85–27578 to 27579, 85–27590 to 27591

Power modulators; IEEE Conference Record of the 1986 Seventeenth Power Modulator Symposium (Cat. No.86CH2262-4), Seattle, WA, USA, 23-25 June 1986, *(IEEE; Advisory Group Electron Devices; Palisades Inst. Res. Services)* [New York, NY, USA: IEEE 1986] 87–36323 (introductory abstract), 87–37035, 87–37072, 87–37080 to 37081, 87–37094 to 37097, 87–37613, 87–37770, 87–37789 to 37791, 87–37827, 87–37849 to 37852, 87–39341, 87–43173, 87–43265 to 43278, 87–43304 to 43310, 87–43331, 87–43998, 87–44679, 87–44702, 87–44712, 87–45347, 87–45864, 87–46953, 87–47127 to 47128, 87–50493, 87–50627, 87–50818, 87–51161, 87–51359 to 51362

Power overhead circuits, fault rate reduction; IEE Colloquium on 11kV Overhead Circuits - Can the Fault Rate be Reduced? (Digest No. 20), London, UK, 4 March 1985, *(IEE)* [London, UK: IEE 1985] 85–32940 (introductory abstract), 85–38502, 85–38527 to 38530, 85–38580 to 38582, 85–38593, 85–39081, 85–39155

Power plant simulation; Proceedings of the International Conference on Power Plant Simulation, Cuernavaca, Mexico, 19-21 Nov. 1984, *(Inst. Investigaciones Electr.; Consejo Nacional Ciencia y Tecnologia; US Nucl. Regul. Comm.; USDOE) Fernandez-Del-Busto, R. Hetrick, D.L. Mendez, E. (editor/s),* [Cuernavaca, Mexico: Inst. Investigaciones Electr. 1985] 85–54041 (introductory abstract), 85–54065 to 54071, 85–54362, 85–58700, 85–59543, 85–59846 to 59852, 85–59912 to 59924, 85–59970 to 59974, 85–60011 to 60017, 85–60038, 85–60143 to 60145

Power plant simulation; Power Plant Simulation, 1988. Proceedings of the SCS Multiconference on Power Plant Simulation, San Diego, CA, USA, 3-5 Feb. 1988, *Hetrick, D. (editor/s),* [San Diego, CA, USA: SCS 1988, $28.00] 88–70027 (introductory abstract), 88–75062, 88–75253 to 75254, 88–75345 to 75354, 88–75407, 88–75454, 88–75472 to 75474

Power plant technology; VGB Kongress KRAFTWERKE 1985 (VGB Congress Power Plant Technology 1985) (papers in summary form only received), Essen, West Germany, 22-26 Oct. 1985, [Oct. 1985] 86–19720 (introductory abstract)

Power plants; VGB-Kongress Kraftwerke 1986 (VGB Congress Power Plants 1986) (papers in summary form only received), Strassburg, West Germany, 2-5 Sept. 1986, [Aug. 1986] 87–5127 (introductory abstract)

Power plants; VGB Congress 'Power Plants 1987' (papers in summary form only received), Vienna, Austria, 15-18 Sept. 1987, [Sept. 1987] 88–19 (introductory abstract)

Power sources; Proceedings of the Power Sources Conference, Boston, MA, USA, 27-29 Nov. 1984, [Long Beach, CA, USA: Power Sources Conf. 1984] 85–27950 (introductory abstract), 85–28004, 85–28072 to 28074, 85–28361 to 28381, 85–28741, 85–30057, 85–31401, 85–31527 to 31528, 85–31587, 85–31898, 85–32124 to 32125, 85–32134, 85–32625 to 32629, 85–32672, 85–32689, 85–32695

Power sources; Power Sources Users' Conference Proceedings, Anaheim, CA, USA, 15-17 Oct. 1985, [Cerritos, CA, USA: Power Sources Users Conference 1985] 86–19729 (introductory abstract), 86–19845, 86–20298 to 20308, 86–20688, 86–20867, 86–20870, 86–21075, 86–23326, 86–25544, 86–25552 to 25553, 86–26113, 86–26168 to 26189, 86–26213, 86–26247 to 26248, 86–26253 to 26256, 86–26272 to 26274

Power sources; Proceedings of the 32nd International Power Sources Symposium, Cherry Hill, NJ, USA, 9-12 June 1986, *(US Army Lab. Command; Harry Diamond Labs.; LABCOM; et al)* [Pennington, NJ, USA: Electrochem. Soc. 1986] 88–11588 (introductory abstract), 88–16860 to 16863, 88–17486, 88–17825, 88–17830 to 17865, 88–17882 to 17915, 88–17923 to 17927, 88–18090 to 18097, 88–18179

Power sources and supplies; Power Sources and Supplies Conference Proceedings (ERA-87-0067; ERA-87-0068; ERA-87-0069), London, UK, 28-30 April 1987, [Leatherhead, UK: ERA Technol. Jan. 1988] 88–55826 (introductory abstract), 88–58893, 88–61890, 88–62269 to 62278, 88–62466 to 62481, 88–62561 to 62562, 88–62567, 88–62575 to 62578, 88–62585, 88–62621 to 62626, 88–62716

Power station instrumentation and control; IEE Colloquium on Retrofit of Instrumentation and Control in Conventional Power Stations (Digest No. 85), Harrogate, UK, 30 Oct. 1984, *(IEE)* [London, UK: IEE 1984] 85–10346 (introductory abstract), 85–15849 to 15851, 85–15894 to 15898

Power stations; Ninth International Conference on Modern Power Stations, Liege, Belgium, 7-11 Oct. 1985, *(AIM)* [Liege, Belgium: AIM 1985] 87–23 (introductory abstract), 86–65810, 86–65933, 86–65958 to 65959, 86–65998 to 65999, 86–66010, 86–66316, 86–66355 to 66356, 86–70746, 86–70758 to 70764, 86–70779 to 70799, 86–70816, 86–70872 to 70882, 86–71090, 87–4473, 87–4485 to 4490, 87–4533, 87–4565 to 4572, 87–4591 to 4596, 87–4677

Power supplies; International Exhibition and Conference POWER EUROPA '86. Conference Proceedings, Wiesbaden, West Germany, 3-5 June 1986, [Liphook, UK: TCM Expositions 1986] 87–10031 (introductory abstract), 87–10144, 87–10682 to 10688, 87–11086, 87–15611, 87–15901 to 15907, 87–15960

Power supplies for communication systems; IEE Seminar on Power Supplies and Sources for Communication Systems, London, UK, 23 Oct. 1984, *(IEE)* [London, UK: IEE 1984] 85–27976 (introductory abstract), 85–30594 to 30596, 85–32630

Power supply conditioning; INPOWER '87 Conference: Power Supply Conditioning, London, UK, 8 Sept. 1987, [Redhill, UK: INPOWER 1987] 88–24368 (introductory abstract), 88–30266 to 30267, 88–30934 to 30938, 88–30997

Power system monitoring and control; Second International Conference on Power System Monitoring and Control (Conf. Publ. No.266), Durham, UK, 8-11 July 1986, [London, UK: IEE 1986] 86–66553 (introductory abstract), 86–70058, 86–70566 to 70569, 86–70611 to 70637, 86–70640 to 70641, 86–70647, 86–70651, 86–70660, 86–70737 to 70738, 86–71028,

87–1971, 87–3418, 87–4222 to 4224, 87–4301 to 4322, 87–4336, 87–4376, 87–4406, 87–4584, 87–4622, 87–4771, 87–4851

Power system monitoring and fault recording; IEE Colloquium on Power System Monitoring and Fault Recording (Digest No.93), London, UK, 28 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85–27961 (introductory abstract), 85–32257 to 32258, 85–32360

Power system protection; Third International Conference on Developments in Power-System Protection (Conf. Publ. No.249), London, UK, 17-19 April 1985, *(IEE)* [London, UK: IEE 1985] 85–60665 (introductory abstract), 85–64909, 85–64962 to 64986, 85–64997 to 65000, 85–65008 to 65013, 85–65217, 85–65309, 85–65396 to 65404

Power systems; INPOWER '86 Conference: Power Systems Now and for the Next Decade, London, UK, 16 Sept. 1986, [Redhill, UK: Fuel & Metall. Journals 1986] 87–43786 (introductory abstract), 87–50696, 87–50734, 87–50911, 87–51162, 87–51376, 87–51691

Power systems and power plant control; Power Systems and Power Plant Control. Proceedings of the IFAC Symposium, Beijing, China, 12-15 Aug. 1986, *(IFAC) Pingyang, W. (editor/s),* [Oxford, UK: Pergamon 1987] 87–65085 (introductory abstract), 87–71499 to 71510, 87–71572 to 71609, 87–71626 to 71627, 87–71662, 87–71680 to 71681, 87–71965 to 71971, 87–72051 to 72054, 87–72110 to 72111, 87–72130 to 72131, 87–72223

Power systems computation; Eighth Power Systems Computation Conference, Helsinki, Finland, 19-24 Aug. 1984, [April 1985] 85–39412 (introductory abstract), 85–42259, 85–43508 to 43509, 85–43549

Power systems computation; Ninth Power Systems Computation Conference, Cascais, Portugal, 30 Aug.-4 Sept. 1987, [April 1988] 88–49329 (introductory abstract), 88–54857, 88–54922 to 54924

Practical holography; Practical Holography II, Los Angeles, CA, USA, 13-14 Jan. 1987, *(SPIE)* [1987] 88–24319 (introductory abstract), 88–27325 to 27335, 88–28882, 88–29549, 88–30155

Precision electromagnetic measurement; CPEM 86 Digest. 1986 Conference on Precision Electromagnetic Measurements (Cat. No.86CH2267-3), Gaithersburg, MD, USA, 23-27 June 1986, *(IEEE; Union Radio Sci. Int.; NBS; ASEA Electr.; et al) Dziuba, R.F. (editor/s),* [New York, NY, USA: IEEE 1986] 87–10028 (introductory abstract), 87–10938, 87–11009, 87–11114, 87–12217 to 12218, 87–12405 to 12409, 87–12532, 87–12545 to 12550, 87–12653 to 12654, 87–12743, 87–12850, 87–13747, 87–13758, 87–13782, 87–14055, 87–14059 to 14068, 87–14121, 87–14250 to 14256, 87–14260 to 14261, 87–14323 to 14328, 87–14349 to 14351, 87–14354 to 14359, 87–14379 to 14384, 87–14406 to 14426, 87–14429 to 14431, 87–14433 to 14438, 87–14442 to 14450, 87–14454 to 14455, 87–14460 to 14481, 87–14486 to 14493, 87–14498 to 14500, 87–14506 to 14508, 87–14515 to 14517, 87–14549 to 14551, 87–14565 to 14569, 87–14584, 87–14603, 87–14905, 87–15046, 88–12454, 88–12566, 88–12678, 88–13702, 88–13807, 88–14061 to 14062, 88–14084 to 14085, 88–14253 to 14256, 88–14386, 88–14697, 88–15305, 88–15467, 88–15879 to 15883, 88–15889 to 15892, 88–15895 to 15899, 88–15992 to 15995, 88–16066 to 16067, 88–16219 to 16222, 88–16238 to 16240, 88–16366, 88–16370 to 16383, 88–16392, 88–16395 to 16402, 88–16411 to 16425, 88–16436 to 16439, 88–16442 to 16445, 88–16459 to 16465, 88–16469, 88–16514 to 16518, 88–16529 to 16530, 88–17215

Precision electromagnetic measurements; CPEM 84 Digest. Conference on Precision Electromagnetic Measurements, Delft, Netherlands, 20-24 Aug. 1984, *(IEEE; NBS; URSI; IUPAP; et al) Postma, H. Harmans, C. (editor/s),* [Delft, Netherlands: Delft Univ. Technol. 1984] 86–19727 (introductory abstract), 86–20337, 86–20358 to 20359, 86–20776, 86–20810, 86–20851, 86–21612, 86–22179 to 22180, 86–22329 to 22333, 86–22413, 86–22472 to 22473, 86–22536, 86–22790 to 22791, 86–22818 to 22819, 86–22844, 86–22851, 86–23083, 86–23648 to 23649, 86–23938, 86–23988, 86–24261, 86–24266 to 24268, 86–24270 to 24273, 86–24333 to 24335, 86–24447 to 24452, 86–24467 to 24470, 86–24524 to 24525, 86–24548 to 24549, 86–24561, 86–24610 to 24611, 86–24618 to 24631, 86–24634 to 24640, 86–24642 to 24645, 86–24651 to 24663, 86–24666 to 24669, 86–24676 to 24698, 86–24706 to 24707, 86–24717 to 24719, 86–24731 to 24742, 86–24749 to 24750, 86–24783 to 24784, 86–24795 to 24800, 86–24806 to 24807, 86–24820, 86–25487, 86–25665, 86–26324

Precision guided stand-off weapons systems; Guidance, Control and Positioning of Future Precision Guided Stand-Off Weapons Systems (AGARD-CP-388), Ottawa, Ont., Canada, 8-11 Oct. 1985, [Neuilly sur Seine, France: AGARD 1986] 87–10040 (introductory abstract), 87–15011 to 15015

Precision measurement and fundamental constants; Precision Measurement and Fundamental Constants II. Proceedings of the Second International Conference (NBS-SP-617), Gaithersburg, MD, USA, 8-12 June 1981, *(IUPAP; Int. Council of Sci. Unions; US Nat. Acad. Sci.; Bur. Int. des Poids et Mesures; NBS) Taylor, B.N. Phillips, W.D. (editor/s),* [Washington, DC, USA: NBS Aug. 1984] 86–56 (introductory abstract), 85–63931, 85–63935, 85–63937 to 63953, 85–64212, 85–64217 to 64220, 85–64225, 85–64238 to 64241, 85–64258, 85–64298, 85–64308 to 64311, 85–64332, 86–3090 to 3093, 86–5457 to 5467, 86–5537, 86–5540

Prepayment metering; IEE Colloquium on 'Prepayment Metering' (Digest No.15), London, UK, 27 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86–33952 (introductory abstract), 86–39062 to 39070

Pressure boundary safety of light water reactors; Ninth MPA-Seminar on the Safety of the Pressure Boundary of Light Water Reactors, Stuttgart, West Germany, 13-14 Oct. 1983, [Jan. 1985] 85–39350 (introductory abstract), 85–39355 to 39359

Pressure components; Tenth MPA-Seminar on the Subject Safety and Reliability of Pressure Components with Special Emphasis on Fracture Exclusion, Stuttgart, West Germany, 10-13 Oct. 1984, [1985] 86–577 (introductory abstract), 86–121, 86–578 to 582, 86–6471

Pressure components, safety and reliability; 11th MPA-Seminar on Safety and Reliability of Pressure Components, Stuttgart, West Germany, 10-11 Oct. 1985, [Oct. 1986] 87–9256, 87–9293 to 9299

Primary curriculum and new technology; Primary Curriculum and New Technology - Ways and Means, Ghent, Belgium, 6-9 July 1987, [1987] 88–55769 (introductory abstract), 88–59845, 88–60471

Private circuit and circuit switched digital services; IEE Colloquium on 'Private Circuit and Circuit Switched Digital Services' (Digest No.25), London, UK, 20 Feb. 1986, *(IEE)* [London, UK: IEE 1986] 86–33955 (introductory abstract), 86–37316 to 37319, 86–37459, 86–37666 to 37667, 86–37679 to 37682, 86–38133

Private switching systems and networks; International Conference on Private Switching Systems and Networks (Conf. Publ. No.288), London, UK, 21-23 June 1988, [London, UK: IEE 1988] 88–62894 (introductory abstract), 88–66870 to 66880, 88–66897, 88–67061 to 67069, 88–67120 to 67134, 88–67194 to 67196, 88–67200 to 67202

Probabilistic risk and safety analysis; Proceedings of the International Seminar on 'The Role of Data and Judgement in Probabilistic Risk and Safety Analysis', Brussels, Belgium, 26-27 Aug. 1985, [1986] 86–61265 (introductory abstract), 86–61266 to 61269

Probabilistic safety methods and applications; Proceedings: International Topical Meeting on Probalistic Safety Methods and Applications (EPRI NP-3912-SR), San Francisco, CA, USA, 24 Feb.-1 March 1985, *(ANS; Atomic Energy Soc. Japan; Canadian Nucl. Soc.; EPRI; Eur. Nucl. Soc.; et al)* [Palo Alto, CA, USA: EPRI 1985] 85–43729 (introductory abstract), 85–43730 to 43801, 85–43836 to 43854, 85–48722 to 48769, 85–48801 to 48812, 85–53422 to 53444, 85–53521 to 53526

Probability modelling; Statistical and Computational Issues in Probability Modeling Conference, Williamsburg, VA, USA, Jan. 1985, *(ORSA; Inst. Manage. Services)* [March 1987] 87–44107 to 44108, 87–47641, 87–48250, 87–50486

Product liability issues; IEE Colloquium on 'Living with the EEC Directive on Product Liability - Management, Design and Manufacturing Issues' (Digest No.19), London, UK, 3 Feb. 1987, *(IEE; IMechE; Design Council)* [London, UK: IEE 1987] 87–36347 (introductory abstract), 87–36421 to 36424, 87–42397

Production and neutralization of negative ions and beams; Production and Neutralization of Negative Ions and Beams. Fourth International Symposium, Brookhaven, NY, USA, 1986, *(US Army Strategic Defence Command; Air Force Office Sci. Res.; Brookhaven Nat. Lab)* [1987] 87–77488 to 77490, 87–77499 to 77509, 88–4764 to 4783, 88–10196, 88–10223 to 10224

Production engineering 1984; Proceedings of the Third International Working Seminar on Production Economics, Igls/Innsbruck, Austria, 20-24 Feb. 1984, [April 1985] 85–44452, 85–48556

Production engineering, computer aided; Second International Conference on Computer-Aided Production Engineering, Edinburgh, UK, April 1987, *(IMechE; Instn. Production Eng.; Sci. & Eng. Res. Council; et al) McGeough, J.A. (editor/s),* [Bury St. Edmunds, UK: Mech. Eng. Publications 1987] 87–63254, 87–63411, 87–64728, 87–65152, 87–72637

Productivity through control technology; Productivity Through Control Technology. Proceedings of the 1983 Joint Symposium, Houston, TX, USA, 18-21 April 1983, *(ISA)* [Research Triangle Park, NC, USA: ISA 1983] 85–49272 (introductory abstract)

Professional communication; Linking Technology and Users. Conference Record. IPCC 86 -International Professional Communication Conference (Cat. No.86CH2357-2), Charlotte, NC, USA, 22-24 Oct. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87–36318 (introductory abstract), 87–36371 to 36378, 87–36395 to 36416, 87–41300, 87–43766 to 43768, 87–43839 to 43841, 87–43861 to 43862, 87–48637

Professional communication; Conference Record - IEEE Engineering Communication: A Byte into the Future. IPCC - International Professional Communication Conference (Cat. No.87CH2428-1), Winnipeg, Man., Canada, 14-16 Oct. 1987, [New York, NY, USA: IEEE 1987] 88–62876 (introductory abstract), 88–62877, 88–62930 to 62933, 88–62970 to 62972, 88–62980, 88–63116 to 63131, 88–66915 to 66917, 88–68511

Professional purchasing; IEE Colloquium on 'Professional Purchasing - A Key Skill for Engineers' (Digest No.105), London, UK, 22 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87–10051 (introductory abstract)

Profiled crystals and components; Proceedings of the All-Union Conference on Making Profiled Crystals and Components by the Stepanov Method: Industrial Applications, Leningrad, USSR, 4-6 March 1985, [1985] 87–16237 (introductory abstract), 87–16559 to 16564, 87–16652, 87–17908, 87–18628, 87–20853

Programmable control; Conference Proceedings of the Third Annual Canadian Programmable Control Conference and Exhibition: 'Programmable Controls - The Expanding Role' (Cat. No.87TH0201-4), Hamilton, Ont., Canada, 10-11 Nov. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88–52981 to 52982, 88–53109, 88–53565

Programmable control systems; Conference Proceedings. WESCANEX '87 - Western Canada's 1st Programmable Control Systems Conference and Exhibition (Cat. No.87CH2380-4), Edmonton, Alta., Canada, 9-10 Sept. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88–21723, 88–22470 to 22472, 88–23559

Programmable controllers; 15th Annual ESD/SMI International Programmable Controllers Conference and Exposition. Proceedings, Detroit, MI, USA, 8-10 April 1986, *(Eng. Soc. Detroit; Soc. Machine Intelligence)* [Detroit, MI, USA: Eng. Soc. Detroit April 1986] 86–66550 (introductory abstract), 86–69314 to 69316, 86–69467 to 69474

Programmable controllers; 16th Annual International Programmable Controllers Conference and Exposition Proceedings, Detroit, MI, USA, 7-9 April 1987, *(Eng. Soc. Detroit; Soc. Machine Intelligence)* [Detroit, MI, USA: Eng. Soc. Detroit April 1987] 87–69732, 87–69901, 87–70813, 87–72600, 87–72738

Programmable electronic systems, safety and reliability; Safety and Reliability of Programmable Electronic Systems. Proceedings of the Programmable Electronic Systems Safety Symposium - PES 3 86, Guernsey, Channel Islands, UK, 28-30 May 1986, *(Comm. Eur. Communities; Health & Safety Executive; Arbejdstilsynet, et al) Daniels, B.K. (editor/s),* [Barking, UK: Elsevier Appl. Sci. Publishers 1986] 86–57090 (introductory abstract), 86–57178 to 57182, 86–57291, 86–57572, 86–57872, 86–59106, 86–61244 to 61246, 86–61312 to 61313, 86–61825

Programming languages for ATE; IEE Colloquium on 'Programming Languages for ATE' (Digest No.33), London, UK, 7 March 1986, *(IEE)* [London, UK: IEE 1986] 86–40391 (introductory abstract), 86–44149 to 44151

Project management; Project Management Symposium of the South African Institute of Electrical Engineers and the South African Council for Automation and Computation, Randburg, South Africa, 1-2 May 1985, [Marshalltown, South Africa: South African Inst. Electr. Eng. 1985] 86–13289 (introductory abstract)

Projection displays; Large Screen Projection Displays, Los Angeles, CA, USA, 15 Jan. 1987, *(SPIE)* [1987] 87–74903 (introductory abstract), 87–76978 to 76979, 87–77138 to 77146, 87–77335, 87–77735

Propagation above and below the waves; IEE Colloquium on 'Propagation above and below the Waves' (Digest No.105), London, UK, 25 Nov. 1985, *(IEE)* [London, UK: IEE 1985] 86–19754 (introductory abstract), 86–22696 to 22699

Propagation and digital transmission techniques interaction; Special Course on Interaction of Propagation and Digital Transmission Techniques (AGARD-R-744), Jevnaker, Norway, 13-14 Oct. 1986, *(AGARD)* [Neuilly sur Seine, France: AGARD Oct. 1986] 87–23011 (introductory abstract), 87–23237, 87–26795 to 26798, 87–27155, 87–28382, 87–28405, 87–28732

Propagation effects on military systems in high latitude region; Propagation Effects on Military Systems in the High Latitude Region. Papers Presented at the 36th Symposium of the Electromagnetic Wave Propatation Panel (AGARD-CP-382), Fairbanks, AK, USA, 3-7 June 1985, *Soicher, H. (editor/s),* [Neuilly sur Seine, France: AGARD Nov. 1985] 86–57111 (introductory abstract), 86–59064 to 59087, 86–59776, 86–59804, 86–59872 to 59876, 86–59940 to 59943, 86–60944

Propagation in confined spaces and tunnels; IEE Colloquium on 'Propagation in Confined Spaces and Tunnels' (Digest No.30), London, UK, 4 March 1986, *(IEE)* [London, UK: IEE 1986] 86−33960 (introductory abstract), 86−36856, 86−36866, 86−37693 to 37694, 86−37736, 86−37805, 86−37918, 86−37948

Propagation in urban environment; IEE Colloquium on Propagation in an Urban Environment (Digest No.45), London, UK, 3 April 1986, *(IEE)* [London, UK: IEE 1986] 86−45945 (introductory abstract), 86−48594 to 48599, 86−49766

Propagation influences on digital transmission systems; Propagation Influences on Digital Transmission Systems -Problems and Solutions (AGARD-CP-363), Athens, Greece, 4-8 June 1984, *(AGARD) Blythe, J.H. (editor/s),* [Neuilly sur Seine, France: AGARD 1984] 85−22086 (introductory abstract), 85−24836 to 24846, 85−24986 to 24987, 85−25041, 85−25137 to 25138, 85−25308, 85−25329, 85−25624 to 25626, 85−25729 to 25732, 85−25747 to 25755, 85−25779 to 25781, 85−25840, 85−25956

Propulsion; Propulsion, Los Angeles, CA, USA, 13-14 Jan. 1988, *(SPIE)* [1988] 88−55796 (introductory abstract), 88−58818 to 58819, 88−61586 to 61589, 88−61744

Protecting intellectual property in space; Aerospace Computer Security Conference: Protecting Intellectual Property in Space (Cat. No.85CH2155-0), McLean, VA, USA, 20 March 1985, *(IEEE; NASA; AIAA; MITRE Corp)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86−25350

Protective coatings; Physics and Chemistry of Protective Coatings, Universal City, CA, USA, 12-14 April 1985, *(American Vacuum Soc)* [1986] 87−16656 to 16657

Protocol specification, testing and verification; Protocol Specification, Testing, and Verification, V. Proceedings of the IFIP WG 6.1 Fifth International Workshop, Toulouse-Moissac, France, 10-13 June 1985, *Diaz, M. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $65.00] 86−69227 (introductory abstract), 86−69228 to 69248, 86−69455 to 69464

Protocol specification, testing and verification; Protocol Specification, Testing, and Verification, VI. Proceedings of the IFIP WG 6.1 Sixth International Workshop, Montreal, Que., Canada, 10-13 June 1986, *Sarikaya, B. Bochmann, G.V. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, $76.00] 87−31160 (introductory abstract), 87−28212 to 28224, 87−34206 to 34220

Protocol specification, testing and verification ; Protocol Specification, Testing, and Verification, VII. Proceedings of the IFIP WG 6.1 Seventh International Conference, Zurich, Switzerland, 5-8 May 1987, *(IFIP) Rudin, H. West, C.H. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, Dfl.195.00] 88−18322 (introductory abstract), 88−20084, 88−21416 to 21429, 88−21523 to 21524, 88−21724 to 21725

Proton-antiproton collider physics; Fourth Topical Workshop on Proton-Antiproton Collider Physics (CERN 84-09), Berne, Switzerland, 5-8 March 1984, *Hanni, H. Schacher, J. (editor/s),* [Geneva, Switzerland: CERN 1984] 85−31653 to 31654, 85−31721 to 31722

Proton-antiproton collision physics; Proceedings of the International Symposium on Physics of Proton-Antiproton Collision (KEK 85-5), Tsukuba, Japan, 13-15 March 1985, *Shimizu, Y. Takikawa, K. (editor/s),* [Ibaraki-ken, Japan: Nat. Lab. High Energy Phys. 1985] 86−11801 to 11803, 86−11848 to 11850, 86−11919

Ptarmigan deployment with British Army; IEE Colloquium on 'The Deployment of the Ptarmigan System within the British Army' (Digest No.101), London, UK, 18 Nov. 1985, *(IEE)* [London, UK: IEE 1985] 86−45950 (introductory abstract), 86−49495 to 49500

Pulp and paper; Conference Record of 1988 Annual Pulp and Paper Industry Technical Conference (Cat. No.88CH2570-0), Milwaukee, WI, USA, 6-10 June 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88−73957 (introductory abstract), 88−73542, 88−73631 to 73632, 88−73776, 88−73958, 88−75058, 88−75186, 88−75222, 88−75560, 88−75704 to 75705, 88−75868, 88−75916, 88−76061 to 76067

Pulp and paper industry ; Conference Record of 1986 Annual Pulp and Paper Industry Technical Conference (Cat. No.86CH2303-6), Hyannis, MA, USA, 17-20 June 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86−70865 (introductory abstract), 86−66574, 86−67566, 86−68801, 86−69787 to 69789, 86−70599, 86−70670, 86−70719, 86−70866 to 70867, 86−70888, 86−70906, 86−70960 to 70961, 86−71026, 86−71083, 86−71164

Pulp and paper industry; Proceedings of the Technical Association of the Pulp and Paper Industry 1984 Engineering Conference, Boston, MA, USA, 17-20 Sept. 1984, [Atlanta, GA, USA: Tech. Assoc. Pulp & Paper Ind. 1984] 85−16578 (introductory abstract), 85−16695, 85−16739 to 16740, 85−19101 to 19102, 85−21151, 85−21255, 85−21574, 85−21598, 85−21771, 85−22024 to 22033

Pulp and paper industry; Conference Record of 1985 Annual Pulp and Paper Industry Technical Conference (85CH2129-5), Houston, TX, USA, 23-26 April 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−7345 (introductory abstract), 86−136, 86−2841, 86−3601, 86−4352, 86−5024, 86−5541, 86−6208, 86−6374, 86−6430, 86−6666, 86−6701, 86−6800, 86−6917, 86−6950 to 6952, 86−7346 to 7349

Pulp and paper industry conference; Conference Record of 1987 Annual Pulp and Paper Industry Technical Conference (Cat. No.87CH2444-8), Vancouver, BC, Canada, 1-5 June 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87−58533 (introductory abstract), 87−58581, 87−58667, 87−58759, 87−59932, 87−63002 to 63003, 87−64161, 87−64213, 87−64386 to 64387, 87−64545 to 64546, 87−64606, 87−64762, 87−64826, 87−64852 to 64853, 87−65007 to 65008

Pulp and paper industry instrumentation; Instrumentation in the Pulp and Paper Industry - Vol.20. Research and Education for Progress in the '80's, Raleigh, NC, USA, 17-19 April 1984, [Research Triangle Park, NC, USA: ISA 1984] 85−60672 (introductory abstract), 85−65148, 85−65673 to 65674

Pulp and paper process control; Proceedings of the Third International Pulp and Paper Process Control Symposium, Vancouver, BC, Canada, 2-4 May 1983, *(ISA; Canadian Pulp & Paper Assoc)* [Research Triangle Park, NC, USA: ISA 1983] 85−16570 (introductory abstract), 85−22023

Pulse power for lasers; Pulse Power for Lasers, Los Angeles, CA, USA, 13-14 Jan. 1987, *(SPIE)* [1987] 88−18297 (introductory abstract), 88−19645, 88−20014, 88−20565 to 20566, 88−20614, 88−20706 to 20707, 88−24053 to 24059, 88−24255

Pulsed power; Digest of Technical Papers of the 4th IEEE Pulsed Power Conference (cat. no. 83CH1908-3), Albuquerque, NM, USA, 6-8 June 1983, *(IEEE) Rose, M.F. Martin, T.H. (editor/s),* [New York, NY, USA: IEEE 1983] 85−22 (introductory abstract), 85−48 to 50, 85−175, 85−446, 85−526, 85−648 to 649, 85−663, 85−668 to 669, 85−981, 85−1087, 85−1105, 85−1127, 85−1208 to 1210, 85−1221 to 1225, 85−1228, 85−1253 to 1254, 85−1763 to 1765, 85−1775 to 1777, 85−1780 to 1782, 85−1943, 85−2246 to 2249, 85−2454 to 2455, 85−2462 to 2463, 85−2473, 85−2479, 85−2514 to 2519, 85−2598, 85−3476, 85−3915, 85−3975 to 3976, 85−4059 to 4062, 85−4177 to 4188, 85−4194 to 4195, 85−4199, 85−4252, 85−4421, 85−4656, 85−4665, 85−4696 to 4698, 85−5060 to 5062, 85−5117 to 5121, 85−5160 to 5163, 85−5219 to 5257, 85−5288 to 5336, 85−5345 to 5348, 85−5397, 85−5399 to 5400, 85−5499

Pulsed power; Digest of Technical Papers. 5th IEEE Pulsed Power Conference (Cat. No.85CH2121-2), Arlington, VA, USA, 10-12 June 1985, *(IEEE; Air Force Aero-Propulsion Lab.; Air Force Office Sci. Res.; Army Res. Office; et al) Turchi, P.J. Rose, M.F. (editor/s),* [New York, NY, USA: IEEE 1985] 87−16295 (introductory abstract), 87−16373, 87−16828, 87−16843, 87−17417, 87−17446 to 17451, 87−17578 to 17590, 87−17598 to 17606, 87−17663 to 17674, 87−18389 to 18395, 87−18405 to 18415, 87−18422, 87−18569, 87−18740, 87−18850 to 18852, 87−18918, 87−19020 to 19022, 87−19131 to 19132, 87−19152, 87−19160 to 19168, 87−20979 to 20981, 87−21013, 87−21072, 87−21189 to 21190, 87−21192, 87−21228, 87−21307 to 21338, 87−21356 to 21357, 87−21383 to 21384, 87−21715 to 21716, 87−21934 to 21936, 87−22244, 87−22313, 87−22408 to 22409, 87−22506 to 22509, 87−22603 to 22632, 87−22671 to 22676, 87−22684, 87−22793 to 22801

Purification of materials for crystal growth and glass processing; Purification of Materials for Crystal Growth and Glass Processing. Proceedings of the Workshop, Watsonville, CA, USA, 14-17 May 1985, [May 1986] 86−57073 (introductory abstract), 86−57439 to 57440, 86−57472, 86−58221, 86−58353, 86−58734, 86−58767, 86−61739

Purification of materials for crystal growth and glass processing; Second Workshop on Purification of Materials for Crystal Growth and Glass Processing, Champion, PA, USA, 28 Sept.-1 Oct. 1987, *(American Assoc. Crystal Growth; Air Products & Chem.; Solar Energy Res. Inst.; et al)* [June 1988] 88−49331 (introductory abstract), 88−49786 to 49787, 88−49865 to 49866, 88−50690, 88−50719

PWR power plant problems; Contribution of Materials Investigation to the Resolution of Problems Encountered in PWR Plants. International Symposium, Fontevraud, France, 2-6 Sept. 1985, *(ENS; Centre Francais Corrosion)* [Paris, France: Soc. Francais d'Energie Nucl. 1985] 86−19231, 86−19247

Quality assurance computing; IEE Colloquium on 'The Use of Computers in Quality Assurance Systems for Large Manufacturing and Construction Projects' (Digest No.39), London, UK, 19 March 1986, *(IEE)* [London, UK: IEE 1986] 86−40396 (introductory abstract), 86−40531, 86−40566, 86−41398

Quality assurance in medical imaging; Quality Assurance in Medical Imaging, London, UK, 5 June 1986, [Bristol, UK: IOP 1986] 88−55 (introductory abstract)

Quality control; Proceedings of the Workshop on Quality Control: New Developments and Practice for Sampling Inspection, Washington, DC, USA, 7-8 March 1985, [Feb. 1985] 86−8 (introductory abstract), 86−203 to 211, 86−245 to 247

Quality control and reliability; Quality Control and Reliability. Proceedings of the IASTED International Symposium, Los Angeles, CA, USA, 1-3 June 1987, *Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1987] 88−62890 (introductory abstract), 88−63022, 88−63079 to 63080, 88−63100 to 63102, 88−63390, 88−63658, 88−64000, 88−64007, 88−64814, 88−66869, 88−68521, 88−68932, 88−69087

Quality instrumentation; Sixth SICE Forum 'Quality Instrumentation which Establishes a New Era', Tokyo, Japan, 28 Sept. 1984, [Tokyo, Japan: Soc. Instrum. & Control Eng. 1985] 86−5018 (introductory abstract)

Quantitative nondestructive evaluation; Review of Progress in Quantitative Nondestructive Evaluation. Vol.3. Proceedings of the Tenth Annual Review, Santa Cruz, CA, USA, 7-12 Aug. 1983, *Thompson, D.O. Chimenti, D.E. (editor/s),* [New York, NY, USA: Plenum 1984] 85−5649 (introductory abstract), 85−5821, 85−6064 to 6096, 85−9398 to 9399, 85−10872 to 10907, 85−12389, 85−15449, 85−15459, 85−17032 to 17043, 85−20487 to 20488

Quantum biology and quantum pharmacology; International Symposium on Quantum Biology and Quantum Pharmacology, Marineland, FL, USA, 12-14 March 1987, [1987] 88−36435

Quantum electronics; XIV International Conference on Quantum Electronics (papers in summary form only received), San Francisco, CA, USA, 9-13 June 1986, *(IEEE; APS; Opt. Soc. America; IUPAP; Eur. Phys. Soc)* [Aug. 1986] 87−22958 (introductory abstract)

Quantum electronics; Second International Conference on Trends in Quantum Electronics, Bucharest, Romania, 2-6 Sept. 1985, [1986] 87−31553, 87−33078, 87−33114 to 33118, 87−33136 to 33138, 87−33241, 87−33248, 87−33255, 87−33289 to 33291, 87−33387, 87−35096, 87−51917, 87−54055 to 54058, 87−54120, 87−54190, 87−54213, 87−54341, 87−54377, 87−54458, 87−55304, 87−56173, 87−57219 to 57220

Quantum electronics; Seventh National Quantum Electronics Conference, Great Malvern, Worcs., UK, 16-20 Sept. 1985, [April 1986] 86−45903 (introductory abstract), 86−48272, 86−48344, 86−48361 to 48362, 86−48458, 86−48498, 86−48518

Quantum electronics; XV International Conference on Quantum Electronics. Digest of Technical Papers (papers in summary form only received), Baltimore, MD, USA, 26 April-1 May 1987, *(IEEE; APS; Opt. Soc. America; et al)* [Washington, DC, USA: Opt. Soc. America 1987] 87−65075 (introductory abstract)

Quantum electronics; Eighth National Quantum Electronics Conference, St. Andrews, UK, 21-25 Sept. 1987, [March 1988] 88−37806 (introductory abstract), 88−39888 to 39890, 88−39963, 88−40271 to 40273, 88−40304, 88−40339, 88−40431 to 40432, 88−45334, 88−45349 to 45350, 88−45492, 88−45509, 88−45538, 88−46178

Quantum metrology and fundamental physics constants; Quantum Metrology and Fundamental Physical Constants. Proceedings of a NATO Advanced Study Institute, Erice, Italy, 16-28 Nov. 1981, *(NATO) Cutler, P.H. Lucas, A.A. (editor/s),* [New York, NY, USA: Plenum 1983, $95.00] 85−41075 to 41076

Quantum optics; XI Summer School on Quantum Optics, Wiezyca, Poland, 19-25 Sept. 1983, [Oct. 1984] 85−12761

Quantum optics; Frontiers in Quantum Optics, Malvern, Worcs., UK, Dec. 1985, *Pike, E.R. Sarkar, S. (editor/s),* [Bristol, UK: Adam Hilger 1986, £25.00] 87−2053, 87−2662

Quantum well and superlattice physics; Quantum Well and Superlattice Physics, Bay Point, FL, USA, 23-24 March 1987, *(SPIE; Metall. Soc)* [1987] 88−6095 (introductory abstract), 88−7347 to 7355, 88−7545, 88−7664, 88−7966, 88−7988 to 7990, 88−8013, 88−8217 to 8218, 88−8295 to 8296

Quark matter; Quark Matter '84. Proceedings of the Fourth International Conference on Ultra-Relativistic Nucleus-Nucleus Collisions, Helsinki, Finland, 17-21 June 1984, *Kajantie, K. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 85−64379 to 64382

Quark matter; Sixth International Conference on Ultra-Relativistic Nucleus-Nucleus Collisions - Quark Matter 1987, Nordkirchen, West Germany, 24-28 Aug. 1987, [1988] 88−61004, 88−61169

Quark structure of matter; Quark Structure of Matter. Proceedings of a Topical European Meeting in the Rhine Valley, Strasbourg, France, and Karlsruhe, West Germany, 26 Sept.-1 Oct. 1985, *Jacob, M. Winter, K. (editor/s),* [Singapore: World Scientific 1986] 88−10211, 88−10264 to 10266

Quartz devices; 7th Quartz Devices Conference and Exhibition Proceedings, Kansas City, MO, USA, 27-29 Aug. 1985, [Washington, DC, USA: Electron. Ind. Assoc. 1985, $40.00] 86−45932 (introductory abstract)

Quartz devices; 8th Quartz Devices Conference and Exhibition. Proceedings 1986, Kansas City, MO, USA, 26-28 Aug. 1986, [Washington, DC, USA: Electron. Ind. Assoc. 1986, $45.00] 87−16286 (introductory abstract), 87−16820, 87−16941, 87−18442 to 18455, 87−21063

Quasi one-dimensional conductors; Proceedings of the Yamada Conference XV on Physics and Chemistry of Quasi One-Dimensional Conductors, Lake Kawaguchi, Yamanashi, Japan, 26-30 May 1986, [Nov. 1986] 87−24814

R & D in information retrieval; Proceedings of the Tenth Annual International ACMSIGIR Conference on Research and Development in Information Retrieval, New Orleans, LA, USA, 3-5 June 1987, *Yu, C.T. Van Rijsbergen, C.J. (editor/s),* [New York, NY, USA: ACM Press 1987] 87−52688

Radar; Record of the IEEE 1985 International Radar Conference with Supplement (Cat. No. 85CH2076-8), Arlington, VA, USA, 6-9 May 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−13300 (introductory abstract), 86−14489, 86−15970 to 15972, 86−16020, 86−16056 to 16059, 86−16489 to 16491, 86−16768, 86−17436 to 17466, 86−17484 to 17516, 86−18411, 86−18490

Radar; Proceedings of the 1986 IEEE National Radar Conference (Cat. No.86CH2270-7), Los Angeles, CA, USA, 12-13 March 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86−52135 (introductory abstract), 86−54344 to 54345, 86−54522 to 54523, 86−55342 to 55349, 86−55371 to 55378, 86−56268

Radar; Proceedings of the 1988 IEEE National Radar Conference (Cat. No.88CH2572-6), Ann Arbor, MI, USA, 20-21 April 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88−55823 (introductory abstract), 88−58974, 88−60212 to 60235, 88−60257 to 60276, 88−60665

Radar; International Conference Radar 87 (Conf. Publ. No.281), London, UK, 19-21 Oct. 1987, [London, UK: IEE 1987] 88−11613 (introductory abstract), 88−14544 to 14547, 88−14557, 88−14745, 88−15520 to 15564, 88−15610 to 15680, 88−15710, 88−16876 to 16877, 88−16932

Radar and sonar systems; IEE Colloquium on ‘Discrimination and Identification Methods in Radar and Sonar Systems’ (Digest No.69), London, UK, 6 May 1986, *(IEE)* [London, UK: IEE 1986] 86−45951 (introductory abstract), 86−49720 to 49728

Radar development up to 1945; IEE Seminar on ‘The History of Radar Development to 1945’, London, UK, 10-12 June 1985, *(IEE)* [London, UK: IEE 1985] 85−54049 (introductory abstract), 85−57072, 85−58163, 85−58189, 85−58220 to 58239

Radars and imaging sensors; Noise and Clutter Rejection in Radars and Imaging Sensors. Proceedings of the 1984 International Symposium, Tokyo, Japan, 22-24 Oct. 1984, *(Inst. Electr. Eng. Japan; Inst. Electron. & Commun. Eng. Japan; IEEE; IEE) Musha, T. Suzuki, T. Ogura, H. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984] 85−49266 (introductory abstract), 85−46820 to 46834, 85−46957 to 46961, 85−47157, 85−47556 to 47562, 85−47583 to 47605, 85−48146, 85−48263 to 48265, 85−48449, 85−48451, 85−48467, 85−48497, 85−51463, 85−51501, 85−51511 to 51512, 85−52263, 85−52320, 85−52392 to 52407, 85−52426 to 52437, 85−52442, 85−53200, 85−57520 to 57531, 85−58216 to 58217, 85−59464 to 59466, 85−59501

Radiation chemistry; Brdicka Days on Radiation Chemistry, Marianske Lazne, Czechoslovakia, 1986, [1986] 87−38190, 87−38831, 87−42033, 87−42264 to 42266

Radiation detectors; Fourth European Symosium on Semiconductor Detectors, Munich, West Germany, 3-5 March 1986, [15 Jan. 1987] 87−22963 (introductory abstract), 87−24763, 87−25303 to 25304, 87−28596, 87−29126, 87−29480 to 29492, 87−29546 to 29555, 87−29678 to 29680, 87−29728 to 29729

Radiation effects in insulators; Radiation Effects in Insulators - 3. Proceedings of the Third International Conference, Guildford, Surrey, UK, 15-19 July 1985, [1986] 87−11477, 87−11623, 87−11924, 87−12101, 87−12199 to 12201, 87−12336

Radiation effects in insulators; Fourth International Conference on Radiation Effects in Insulators, including Workshop on Radiation Damage in Nuclear Waste Materials, Lyon, France, 6-10 July 1987, *(Comm. Eur. Communities; Soc. Lyonnaise Banque; CEA; et al)* [May 1988] 88−57444 to 57446, 88−57547 to 57548, 88−58196

Radiation effects in optical materials; Radiation Effects in Optical Materials, Albuquerque, NM, USA, 6-7 March 1985, *(SPIE)* [1985] 86−45905 (introductory abstract), 86−48074, 86−48137 to 48139, 86−48294, 86−48476 to 48477, 86−51909, 87−75886, 87−77464, 87−77567 to 77568, 87−77610, 87−77645 to 77655, 87−77699

Radiation physics; Proceedings of the Fifth National Symposium on Radiation Physics, Calcutta, India, 21-24 Nov. 1983, [July-Sept. 1984] 85−4197, 85−20826 to 20828, 85−20848, 85−20854, 85−20877, 85−20898

Radiation physics; Third International Symposium on Radiation Physics, Ferrara, Italy, 30 Sept.-4 Oct. 1985, *(Eur. Phys. Soc.; Soc. Italiana Fisica)* [15 March 1987] 87−37799, 87−38914 to 38915, 87−41806, 87−41853 to 41856, 87−41877, 87−41895, 87−42030 to 42031, 87−42231

Radiation protection; Atomic Industrial Forum Conference on Radiation Protection: Standards and Regulatory Issues (Individual papers only received), Orlando, FL, USA, 7-10 Oct. 1984, [Bethesda, MD, USA: Atomic Ind. Forum 1984] 85−48794

Radiation protection; XI Regional Congress of IRPA Austrian - Hungarian - Yugoslavian Radiation Protection Meeting. Recent Developments and New Trends in Radiation Protection, Vienna, Austria, 20-24 Sept. 1983, *(Austrian Res. Centre Seibersdorf; Austrian Acad. Sci.; Tech. Univ. Vienna)* [Vienna, Austria: Int. Radiation Protection Assoc. 1983] 85−37945, 85−37965, 85−38269 to 38275, 85−38695

Radiation protection optimization; Radiation Protection Optimization as Low as Reasonably Achievable. Proceedings of the Second European Scientific Seminar (EUR-9173-EN), Luxembourg, 8-9 Nov. 1983, *Jolivet, A. Sinnaeve, J. (editor/s),* [Luxembourg: Comm. Eur. Communities 1984] 85−15749 to 15750, 85−15798

Radiation protection physics; 17th International Symposium on Radiation Protection Physics, Dresden, East Germany, 11-15 March 1985, [March 1986] 87−8863, 87−8870, 87−8955

Radiation protection physics; 18th International Symposium on Radiation Protection Physics, Bad Schandau, East Germany, 4-7 Feb. 1986, [Sept. 1986] 87−14725, 87−14947 to 14948

Radiation protection physics; 19th International Symposium on Radiation Protection Physics, Weinbohla, East Germany, 23-27 March 1987, [Oct. 1987] 88−29799, 88−30058

Radiation protection quantities for external exposure; Radiation Protection Quantities for External Exposure. Proceedings of a Seminar, Braunschweig, West Germany, 19-21 March 1985, *(Int. Comm. Radiat. Units & Meas)* [1985] 86−13267 (introductory abstract), 86−18393 to 18405

Radiation therapy; Proceedings of the Eighth International Conference on the Use of Computers in Radiation Therapy (Cat. No. 84CH2048-7), Toronto, Ont., Canada, 9-12 July 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−32908 (introductory abstract), 85−38208 to 38213, 85−38268, 85−43381, 85−43424 to 43429

Radiative processes in few-nucleon systems; Proceedings of the Workshop on Radiative Processes in Few-Nucleon Systems, Vancouver, BC, Canada, 4-5 May 1984, [Nov. 1984] 85−26528

Radio communication systems for vehicle fleets; IEE Colloquium on ‘Radio Based Communication Systems for the Control and Management of Wide Ranging, Fast Moving Vehicle Fleets’ (Digest No.106), London, UK, 26 Nov. 1987, *(IEE)* [London, UK: IEE 1987] 88−11626 (introductory abstract), 88−14986, 88−15342, 88−15434 to 15435, 88−15711

Radio frequency techniques; IEE Vacation School on ‘Radio Frequency Techniques’, Bradford, UK, 19-24 July 1987, [London, UK: IEE 1987] 87−65096 (introductory abstract), 87−65755, 87−65786, 87−65895, 87−65926 to 65927, 87−65991, 87−66311 to 66312, 87−66474, 87−66571 to 66573, 87−68820, 87−69867, 87−70784

Radio receivers; Radio Receivers and Associated Systems. Fourth International Conference (Publ. No.68), Bangor, UK, 1-4 July 1986, [London, UK: IERE 1986] 86−61860 (introductory abstract), 86−62498, 86−62791, 86−62848, 86−64007 to 64008, 86−64105, 86−64318, 86−64583, 86−64607, 86−64811, 86−64846, 86−64853 to 64868, 86−64873, 86−64887 to 64889

Radio relay systems; European Conference on Radio-Relay Systems: ECRR, Munich, West Germany, 4-7 Nov. 1986, *(Nachrichtentech. Gesellschaft VDE; IEE; Soc. Electr. & Electron.; Assoc. Elettrotecnica & Elettronica Italiana; Inf. Gesellschaft Schweizerischen Elektrotech. Vereins)* [Berlin, West Germany: VDE-Verlag 1986] 87−31148 (introductory abstract), 87−31765, 87−32060, 87−33459, 87−33593, 87−34367 to 34369, 87−34387 to 34429, 87−34733, 87−34766

Radiofrequency plasma heating; Radiofrequency Plasma Heating. Sixth Topical Conference, Callaway Gardens, GA, USA, 13-15 May 1985, [1985] 86−1337, 86−3633, 86−3700

Radiological Society of North America meeting; 70th Scientific Assembly and Annual Meeting of the Radiological Society of North America, Washington, DC, USA, 25-30 Nov. 1984, *(American Assoc. Phys. in Medicine)* [July 1985] 85−27924 (introductory abstract), 86−11958 to 11960, 86−12052, 86−32281 to 32284

Radiology; 71st Scientific Assembly and Annual Meeting of the Radiological Society of North America: RSNA '85, Chicago, IL, USA, 17-22 Nov. 1985, *(American Assoc. Physicists Med)* [Nov. 1986] 87−29744 to 29745

Radiology; 73rd Scientific Assembly and Annual Meeting of the Radiological Society of North America: RSNA '87 (papers in summary form only received), Chicago, IL, USA, 29 Nov.-4 Dec. 1987, [Nov. 1987] 88−24330 (introductory abstract)

Radionuclide metrology; ICRM Seminar on Techniques in Radionuclide Metrology, Rome, Italy, 15-16 June 1987, [1987] 87−72657 (introductory abstract), 87−77519 to 77527, 87−77826

Radiotherapy, megavoltage accelerators; IEE Colloquium on ‘Megavoltage Accelerators for X-Ray and Electron Radiotherapy’ (Digest No.63), London, UK, 14 May 1987, *(IEE)* [London, UK: IEE 1987] 87−58556 (introductory abstract), 87−63832 to 63834, 87−63854, 87−63862

Radiowave propagation at high latitudes; IEE Colloquium on Propagation of Radio-Waves at High Latitudes (Digest No. 96), London, UK, 19 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85−10348 (introductory abstract), 85−13132 to 13139, 85−14109, 85−15427

Railroads; IEEE Technical Papers presented at the 1986 Joint ASME/IEEE Railroad Conference (Cat. No.86CH2313-5), Norfolk, VA, USA, 8-10 April 1986, *(IEEE; ASME)* [New York, NY, USA: IEEE 1986] 86−61858 (introductory abstract), 86−65200, 86−66456 to 66462

Railroads; Technical Papers Presented at the 1987 IEEE/ASME Joint Railroad Conference.(Cat. No.87CH2399-4), Toronto, Ont., Canada, 21-23 April 1987, *(IEEE; ASME)* [New York, NY, USA: IEEE 1987] 87−72695 (introductory abstract), 87−72771, 87−79076 to 79096

Railway and track transit system noise; Fourth International Workshop on Railway and Tracked Transit System Noise, Noordwijkerhout, Netherlands, 24-26 Oct. 1985, [22 Jan. 1988] 88−24527, 88−29639

Railway engineering; Conference on Railway Engineering 1987. Preprints of Papers, Perth, WA, Australia, 14-16 Sept. 1987, *(Instn. Eng., Australia)* [Barton, ACT, Australia: Instn. Eng., Australia Sept. 1987] 88−31314 (introductory abstract), 88−37698 to 37703

Railway operations; Computers in Railway Operations, Frankfurt, West Germany, 7-9 July 1987, *(Comput. Mech. Inst) Murthy, T.K.S. Korber, J. Mellitt, B. (editor/s),* [Southampton, UK: Comput. Mech. Publications 1987] 88−11606 (introductory abstract)

Railway safety control and automation; International Conference on Railway Safety Control and Automation Towards the 21st Century, London, UK, 25-27 Sept. 1984, [London, UK: Inst. Railway Signal Eng. 1984] 85−39432 (introductory abstract)

Railways; IRCA/UIC Congress, Brussels, Belgium, 6-10 May 1985, [March 1985] 85−49257 (introductory abstract), 85−53893 to 53895, 85−58116, 85−60483 to 60485

Raman and luminescence spectroscopy in technology; International Conference on Raman and Luminescence Spectroscopy in Technology, San Diego, CA, USA, 17-19 Aug. 1987, *(SPIE)* [1987] 88−43563 (introductory abstract), 88−44411, 88−44580, 88−44614 to 44615, 88−44642, 88−44676, 88−44829, 88−44915, 88−45205, 88−45228, 88−45497, 88−47529 to 47530, 88−49119

Raman spectroscopy; Proceedings of the IXth International Conference on Raman Spectroscopy (papers in summary form only received), Tokyo, Japan, 27 Aug.-1 Sept. 1984, *(IUPAC; IUPAP)* [Tokyo, Japan: Organ. Committee for the IXth Int. Conf. on Raman Spectrosc. 1984] 85−50994, 86−14881, 86−17983

Raman spectroscopy; Proceedings of the Tenth International Conference on Raman Spectroscopy. Raman 86: EUGENE (papers in summary form only received), Eugene, OR, USA, 31 Aug.-5 Sept. 1986, *(Univ. Oregon; Coblentz Soc.; IUPAC; IUPAP; Oregon Sci. & Scholarly Conferences) Peticolas, W.L. Hudson, B. (editor/s),* [Eugene, OR, USA: Univ. Oregon 1986, $45.00] 87−38729

Random graphs; Random Graphs '83, Poznan, Poland, 23-25 Aug. 1983, *Karonski, M. Rucinski, A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $59.25] 87−5149 (introductory abstract), 87−5573 to 5574

Rapid thermal processing; Rapid Thermal Processing, Boston, MA, USA, 2-4 Dec. 1985, *Sedgwick, T.O. Seidel, T.E. Tsaur, B.-Y. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−5148 (introductory abstract), 87−6562 to 6572, 87−11418 to 11419, 87−11489, 87−11585 to 11596, 87−11633 to 11634, 87−11684 to 11689, 87−11711 to 11715, 87−11814, 87−14604

Rapid thermal processing of electronic materials; Rapid Thermal Processing of Electronic Materials. Symposium, Anaheim, CA, USA, 21-23 April 1987, *Wilson, S.R. Powell, R. Davies, D.E. (editor/s)*, [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88−43592 (introductory abstract), 88−38260 to 38262, 88−39057, 88−39182 to 39184, 88−39194 to 39195, 88−39244 to 39246, 88−39274 to 39278, 88−39423, 88−39678, 88−43896, 88−44541, 88−44551, 88−44582 to 44583, 88−44593 to 44594, 88−44619 to 44621, 88−44646 to 44651, 88−44686 to 44695, 88−44849, 88−44877

Rapid transport systems; Rapid Transport Systems. From Feasibility Studies to Operation, Amalfi, Italy, 10-13 Oct. 1983, *(I.M. Intermetro) Podesta, C. (editor/s)*, [Amalfi, Italy: Int. Center Transp. Studies 1985, $81.50] 87−10037 (introductory abstract)

Rapidly quenched alloys; Science and Technology of Rapidly Quenched Alloys Symposium, Boston, MA, USA, 1-3 Dec. 1986, *Tenhover, M. Johnson, W.L. Tanner, L.E. (editor/s)*, [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 87−67726 to 67727, 87−67780

Rapidly quenched metals; Sixth International Conference on Rapidly Quenched Metals, Montreal, Que., Canada, 3-7 Aug. 1987, *(Allied Signal Corp.; Vacuumschmelze; Aluminium Co. America; et al)* [March 1988] 88−63383, 88−64880, 88−64902 to 64920, 88−69465

Rapidly quenched metals; Rapidly Quenched Metals. Proceedings of the Fifth International Conference, Wurzburg, West Germany, 3-7 Sept. 1984, *(Deutsche Forschungsgemeinschaft; Deutsche Gesellschaft Metallkunde; Max-Planck-Inst. Metallforschung; et al) Steeb, S. Warlimont, H. (editor/s)*, [Amsterdam, Netherlands: North-Holland 1985] 87−38663, 87−46323 to 46329, 87−46389 to 46392, 87−47129, 87−49737 to 49739, 87−50047, 87−51332 to 51333

Rapidly solidified alloys; Rapidly Solidified Alloys and Their Mechanical and Magnetic Properties, Boston, MA, USA, 2-4 Dec. 1985, *(Mater. Res. Soc) Giessen, B.C. Polk, D.E. Taub, A.I. (editor/s)*, [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−10476, 87−12035 to 12038

Rara earth and actinide; Proceedings of the Conference on Electronic Structure and Properties of Rare Earth and Actinide Intermetallics. REACIM 84, St. Polten, Austria, 3-6 Sept. 1984, [May 1985] 86−21951

Rare-earth magnets and their applications; Proceedings of the Eighth International Workshop on Rare-Earth Magnets and their Applications and the Fourth International Symposium on Magnetic Anisotropy and Coercivity in Rare Earth-Transition Metal Alloys, Dayton, OH, USA, 6-8 May 1985, *(Univ. Dayton; Magnetic Mater. Producers Assoc) Strnat, K.J. (editor/s)*, [Dayton, OH, USA: Univ. Dayton 1985] 86−19731 (introductory abstract), 86−20111, 86−21054, 86−21952 to 21970, 86−22001 to 22019, 86−22036 to 22037, 86−24526, 86−24720, 86−25086, 86−25310, 86−26006 to 26009, 86−26032, 86−26071, 86−26088 to 26090, 86−26380

Rare earth research; Seventeenth Rare Earth Research Conference, Hamilton, Ont., Canada, 9-12 June 1986, [Dec. 1986] 87−38919, 87−46321

Rare earths; Proceedings of the International Rare Earth Conference. Materials and Chemistry (IREC 85), Zurich, Switzerland, 4-8 March 1985, [Aug. 1985] 86−7744, 86−9416, 86−9800

Rare earths and actinides; International Conference on Anomalous Rare Earths and Actinides: Valence Fluctuation and Heavy Fermions, Grenoble, France, 7-11 July 1986, [Jan. 1987] 87−37915 to 37916

Raster electron microscopy; Proceedings of the IV All-Union Symposium on 'Raster Electron Microscopy and Analytical Methods for Investigating Solids', Zvenigorod, USSR, April 1984, [1984] 86−27823, 86−27837, 86−27866, 86−27977, 86−28024, 86−28088, 86−28245

Rayleigh wave theory and application; Rayleigh-Wave Theory and Application. Proceedings of an International Symposium, London, UK, 15-17 July 1985, *Ash, E.A. Paige, E.G.S. (editor/s)*, [Berlin, West Germany: Springer-Verlag 1985, DM 89] 87−29 (introductory abstract), 87−1868 to 1877, 87−2003

Reactor noise; Proceedings of the Specialists Meeting on Reactor Noise: SMORN IV, Dijon, France, 15-19 Oct. 1984, [1985] 85−59949 to 59954

Reactor Safety; GRS-Fachgesprach 1987: Betriebserfahrungen und Reaktorsicherheit (GRS Technical Meeting 1987: Operational Methods and Reactor Safety), Munich, West Germany, 29-30 Oct. 1987, [Cologne, West Germany: Gesellschaft Reaktorsicherheit 1987] 88−11596 (introductory abstract), 88−17289 to 17291

Real-time computer applications in nuclear and particle physics; Fourth Conference on Real-Time Computer Applications in Nuclear and Particle Physics, Chicago, IL, USA, 20-24 May 1985, *(IEEE; Argonne Nat. Lab.; Fermi Nat. Accel. Lab.; USDOE)* [Aug. 1985] 86−1151, 86−4651, 86−5829

Real-time computer applications in nuclear, particle and plasma physics; Fifth Conference on Real-Time Computer Applications in Nuclear, Particle and Plasma Physics, San Francisco, CA, USA, 12-14 May 1987, *(IEEE; Lawrence Livermore Nat. Lab.; Stanford Linear Accel. Center)* [Aug. 1987] 88−16627

Real-time image processing; Real Time Image Processing: Concepts and Technologies, Cannes, France, 17-18 Nov. 1987, *(SPIE)* [1988] 88−49341 (introductory abstract), 88−52460, 88−52565 to 52576, 88−53732, 88−54699

Real-time imaging; ASNT Topical Abstracts: 'Real-Time Imaging II', San Francisco, CA, USA, 13-15 Aug. 1985, *(American Soc. Nondestructive Testing)* [Columbus, OH, USA: American Soc. Nondestructive Testing 1985] 86−52132 (introductory abstract)

Real-time operating system nucleus; TRON Project 1987: Open-Architecture Computer Systems. Proceedings of the Third TRON Project Symposium, Tokyo, Japan, 13 Nov. 1987, *Sakamura, K. (editor/s)*, [Tokyo, Japan: Springer-Verlag 1987] 88−70032 (introductory abstract), 88−70855 to 70861, 88−73670 to 73672

Real-time signal processing; Real Time Signal Processing VII, San Diego, CA, USA, 21-22 Aug. 1984, *(SPIE)* [1984] 85−27915 (introductory abstract), 85−28177, 85−28553 to 28555, 85−30242 to 30252, 85−30298 to 30307, 85−30694, 85−31085, 85−31119

Real-time signal processing; Real Time Signal Processing VIII, San Diego, CA, USA, 22-23 Aug. 1985, *(SPIE)* [1985] 87−9993 (introductory abstract), 87−10915, 87−10951, 87−12277, 87−12334, 87−13014 to 13023, 87−13087 to 13099, 87−13923

Real-time signal processing; Real Time Signal Processing IX, San Diego, CA, USA, 21-22 Aug. 1986, *(SPIE)* [1987] 87−51708 (introductory abstract), 87−51933, 87−52479, 87−52536 to 52537, 87−52637 to 52640, 87−53628, 87−54053, 87−54141, 87−54189, 87−54207, 87−54457, 87−55022, 87−55133 to 55135, 87−55291 to 55302

Real-time signal processing; Real Time Signal Processing X, San Diego, CA, USA, 20-21 Aug. 1987, *(SPIE)* [1987] 88−24328 (introductory abstract), 88−24674, 88−25112 to 25115, 88−25261 to 25262, 88−25339, 88−26907, 88−26917 to 26920, 88−27363, 88−27670, 88−27849, 88−27949 to 27950, 88−28069 to 28075, 88−28934, 88−28946, 88−28966, 88−29301 to 29304

Real-time systems; Proceedings of the Real-Time Systems Symposium (Cat. No. 84CH2105-5), Austin, TX, USA, 4-6 Dec. 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−36488 to 36489, 85−36771, 85−38283

Real-time systems; Proceedings of the Real-Time Systems Symposium (Cat. No.85CH2220-2), San Diego, CA, USA, 3-6 Dec. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86−43280, 86−44228

Real-time systems; Proceedings of the Real-Time Systems Symposium (Cat. No.86CH2351-5), New Orleans, LA, USA, 2-4 Dec. 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−25507, 87−27211, 87−31910, 87−33868, 87−34196 to 34198

Real-time systems; Proceedings of the Real-Time Systems Symposium (Cat. No.87CH2475-2), San Jose, CA, USA, 1-3 Dec. 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−25177, 88−26475 to 26476, 88−28439 to 28441

Reasoning about knowledge; Proceedings of the Second Conference on Theoretical Aspects of Reasoning about Knowledge, Pacific Grove, CA, USA, 7-9 March 1988, *(IBM; American Assoc. Artificial Intelligence; NSF) Vardi, M.Y. (editor/s)*, [Los Altos, CA, USA: Morgan Kaufmann 1988] 88−45960

Reflective optics; Reflective Optics, Los Angeles, CA, USA, 15-16 Jan. 1987, *(SPIE)* [1987] 88−31267 (introductory abstract), 88−35595

Reflector antennas; IEE Colloquium on Multiband Techniques for Reflector Antennas (Digest No.76), London, UK, 28 Oct. 1983, *(IEE)* [London, UK: IEE 1983] 85−22099 (introductory abstract), 85−24811, 85−24966 to 24968, 85−24991, 85−25914

Refractory metal silicides for VLSI; Procedings of the Workshop on Refractory Metal Silicides for VLSI II, San Juan Bautista, CA, USA, 14-17 May 1984, *(American Vacuum Soc)* [Oct.-Dec. 1984] 85−23575 (introductory abstract), 85−22501, 85−22519, 85−22549 to 22550, 85−23546, 85−23577, 85−23689, 85−23717 to 23718, 85−23856 to 23857

Refractory metals and silicides for VLSI; Proceedings of the Workshop on Refractory Metals and Silicides for VLSI III, San Juan Bautista, CA, USA, 13-16 May 1985, *(Univ. California; American Vacuum Soc)* [Nov.-Dec. 1985] 86−26476 (introductory abstract), 86−26893 to 26895, 86−28028, 86−28154, 86−28235 to 28236, 86−28473, 86−28498 to 28500

Refractory metals and silicides for VLSI; Workshop on Refractory Metals and Silicides for VLSI IV, San Juan Bautista, CA, USA, 12-15 May 1986, *(Univ. California; American Vacuum Soc)* [Nov.-Dec. 1986] 87−22959 (introductory abstract), 87−23314, 87−23714, 87−24926 to 24930, 87−25160 to 25164, 87−26230

Refractory metals and their silicides; Journees Europeennes d'Etudes sur les Metaux Refractaires et les Siliciures (European Workshop on Refractory Metals and their Silicides), Aussois, France, 24-26 March 1987, [March-April 1987] 88−11569 (introductory abstract), 88−13030, 88−13189, 88−24746, 88−25972 to 25979, 88−26089, 88−26102 to 26104, 88−26416, 88−26522 to 26523

Refractory semiconductors; Novel Refractory Semiconductors Symposium, Anaheim, CA, USA, 21-23 April 1987, *(Mater. Res. Soc.) Emin, D. Aselage, T.L. Wood, C. (editor/s)*, [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 88−43594 (introductory abstract), 88−43859 to 43861, 88−43898 to 43903, 88−43946, 88−43948, 88−44562 to 44563, 88−44654, 88−44778, 88−44791, 88−49166

Region 5 - spanning peaks of electrotechnology; IEEE Region 5 Conference 1988: Spanning the Peaks of Electrotechnology (Cat. No.88CH2567-6), Colorado Springs, CO, USA, 21-23 March 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88−70023 (introductory abstract), 88−70066, 88−70134, 88−70186 to 70187, 88−70413 to 70414, 88−70744, 88−70936, 88−71009, 88−71257, 88−71403, 88−71537, 88−71744, 88−71811, 88−71827, 88−73169 to 73172, 88−73382 to 73383, 88−73724, 88−73891 to 73892, 88−74008, 88−74037 to 74040, 88−74136, 88−74297, 88−74324 to 74325, 88−74597, 88−75116, 88−75143, 88−75344

Regional computer cooperation in developing countries; Regional Computer Cooperation in Developing Countries. Proceedings of the IFIP International Workshop, Stockholm, Sweden, 14-16 Sept. 1983, *(UNESCO) Kalman, R.E. (editor/s)*, [Amsterdam, Netherlands: North-Holland 1984, $38.50] 85−42189, 85−42221, 85−42320

Rehabilitation technology; Proceedings of the Eighth Annual Conference on Rehabilitation Technology. Technology - A Bridge to Independence, Memphis, TN, USA, 24-28 June 1985, *Brubaker, C. (editor/s)*, [Washington, DC, USA: Rehabilitation Eng. Soc. North America 1985] 86−19746 (introductory abstract), 86−25183 to 25188, 86−25257 to 25289, 86−25311 to 25318

Rehabilitation technology; RESNA '86: Employing Technology. Proceedings of the Ninth Annual Conference on Rehabilitation Technology, Minneapolis, MN, USA, 23-26 June 1986, *Donath, M. Friedman, H. Carlson, M. (editor/s)*, [Washington, DC, USA: Assoc. Adv. Rehabilitation Technol. 1986] 87−16294 (introductory abstract), 87−14839 to 14846, 87−14889 to 14890, 87−14906, 87−14916 to 14926, 87−14938 to 14943, 87−20108, 87−21012, 87−21529 to 21532, 87−21630 to 21648, 87−21670 to 21682, 87−22864

Rehabilitation technology; RESNA '87: Meeting the Challenge. Proceedings of the 10th Annual Conference on Rehabilitation Technology, San Jose, CA, USA, 19-23 June 1987, *Steele, R.D. Gerrey, W. (editor/s)*, [Washington, DC, USA: RESNA - Assoc. Adv. Rehabilitation Technol. 1987] 88−49390 (introductory abstract), 88−52325, 88−52359, 88−52403 to 52407, 88−52985, 88−53316, 88−54482 to 54492, 88−54545 to 54546, 88−54592 to 54594, 88−54640 to 54656, 88−54659 to 54669, 88−56008, 88−59335, 88−59498, 88−60643, 88−61238 to 61240, 88−61390 to 61391, 88−61406 to 61413, 88−61461 to 61466, 88−61471 to 61476, 88−62579, 88−62718 to 62721

Relativistic astrophysics and gravitation; 7th Seminary on Relativistic Astrophysics and Gravitation, Potsdam, East Germany, 14-19 Oct. 1985, [1986] 87−25902

Relativistic channelling; Relativistic Channeling. Proceedings of a NATO Advanced Research Workshop, Acquafredda de Maratea, Italy, 31 March-4 April 1986, *(NATO; Danish Committee Accel. Phys) Carrigan, R.A., Jr. Ellison, J.A. (editor/s)*, [New York, NY, USA: Plenum 1987, $95.00] 88−54442 to 54443

Relativistic electrons and electromagnetic radiation; Proceedings of the International Workshop on Coherent and Collective Properties in the Interaction of Relativistic Electrons and Electromagnetic Radiation, Como, Italy, 13-16 Sept. 1984, [15 Aug. 1985] 85−64346 (introductory abstract), 85−62613 to 62615, 85−64352 to 64354, 85−64394 to 64396

Reliability; Reliability '87 Proceedings, Birmingham, UK, 14-16 April 1987, *(UKAEA; Inst. Quality Assurance)* [Culcheth, UK: UKAEA 1987] 87−58534 (introductory abstract)

Reliability and maintainability; 1985 Proceedings Annual Reliability and Maintainability Symposium (Cat. No. 85CH2120-4), Philadelphia, PA, USA, 22-24 Jan. 1985, *(IEEE; AIAA; ASME; ASQC; et al)* [New York, NY, USA: IEEE 1985] 86−39 (introductory abstract), 86−92 to 95, 86−104, 86−127 to 133, 86−168, 86−214 to 216, 86−254 to 289, 86−647, 86−871, 86−1059, 86−2311, 86−4104, 86−4606, 86−5000 to 5005, 86−5166, 86−6018 to 6019, 86−6027 to 6029, 86−6035 to 6038, 86−6054 to 6055, 86−6498, 86−7269, 86−7342

Reliability and maintainability; 1986 Proceedings Annual Reliability and Maintainability Symposium (Cat. No.86CH2247-5), Las Vegas, NV, USA, 28-30 Jan. 1986, *(IEEE; IES; ASME; AIAA; et al)* [New York, NY, USA: IEEE 1986] 86−57087 (introductory abstract), 86−57126, 86−57169 to 57177,

86−57183 to 57184, 86−57202 to 57203, 86−57221, 86−57229 to 57232, 86−57244 to 57290, 86−57520, 86−57571, 86−58568, 86−59105, 86−59540, 86−59830 to 59831, 86−60134 to 60135, 86−60852, 86−60870 to 60878, 86−60897 to 60898, 86−60916 to 60917, 86−61832
Reliability and maintainability; 1987 Proceedings Annual Reliability and Maintainability Symposium (Cat. No.87CH2397-8), Philadelphia, PA, USA, 27-29 Jan. 1987, *(IEEE; IES; ASME; American Soc. Quality Control; Syst. Safety Soc.; AIAA; IIE; SRE; Soc. Logistics Eng)* [New York, NY, USA: IEEE 1987] 87−43778 (introductory abstract), 87−43925 to 43928, 87−43961 to 43964, 87−44063 to 44087, 87−44858 to 44859, 87−45401 to 45402, 87−46129, 87−48805, 87−49010, 87−49164, 87−49498, 87−49963, 87−50013, 87−50469 to 50471, 87−50527 to 50528, 87−50532 to 50533, 87−51566 to 51568, 87−51675, 87−51690
Reliability and maintainability; Annual Reliability and Maintainability Symposium. 1988 Proceedings (Cat. No.88CH2551-0), Los Angeles, CA, USA, 26-28 Jan. 1988, *(IEEE; AIIE; et al)* [New York, NY, USA: IEEE Jan. 1988] 88−55821 (introductory abstract), 88−55928 to 55930, 88−55941 to 55943, 88−55963, 88−56070 to 56081, 88−56633 to 56635, 88−56820, 88−57589, 88−57773, 88−59985, 88−60107, 88−61520 to 61523, 88−61539 to 61543, 88−61598, 88−61719 to 61729, 88−61737, 88−61751 to 61771
Reliability and maintainability in computer-aided engineering; 1987 Reliability and Maintainability in Computer-Aided Engineering Workshop, Leesburg, VA, USA, 25-26 Aug. 1987, [Dec. 1987] 88−37803 (introductory abstract), 88−37921 to 37922, 88−38018 to 38023
Reliability in distributed software and database systems; Proceedings of the Sixth Symposium on Reliability in Distributed Software and Database Systems (Cat. No.87CH2411-7), Williamsburg, VA, USA, 17-19 March 1987, *(IEEE; ACM)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−62520
Reliability of instrumentation systems, safeguarding and control; Reliability of Instrumentation Systems for Safeguarding and Control. Proceedings of the IFAC Workshop, The Hague, Netherlands, 12-14 May 1986, *(IFAC) Jansen, J.P. Boullart, L. (editor/s),* [Oxford, UK: Pergamon 1987, $55.00] 88−33 (introductory abstract), 88−248 to 261
Reliability of methods for engineering analysis; Reliability of Methods for Engineering Analysis. Proceedings of the International Conference, Swansea, UK, 9-11 July 1986, *Bathe, K.J. Owen, D.R.J. (editor/s),* [Swansea, UK: Pineridge Press 1986] 87−198 (introductory abstract)
Reliability of reactor pressure components; International Symposium on Reliability of Reactor Pressure Components, Stuttgart, West Germany, 21-25 March 1983, *(IAEA)* [1984] 85−9591 (introductory abstract), 85−9657, 85−9710, 85−10275
Reliability physics; 22nd Annual Proceedings on Reliability Physics 1984 (Catalog No. 84CH1990-1), Las Vegas, NV, USA, 3-5 April 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85−5643 (introductory abstract), 85−5776, 85−5789, 85−6252, 85−6325 to 6327, 85−6768 to 6769, 85−6771, 85−6805, 85−6846 to 6847, 85−6860 to 6872, 85−6882, 85−6966 to 6971, 85−7038 to 7045, 85−7064, 85−7102 to 7105, 85−7110, 85−8985
Reliability physics; 24th Annual Proceedings Reliability Physics 1986 (Cat. No.86CH2256-6), Anaheim, CA, USA, 1-3 April 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−18 (introductory abstract), 87−132 to 135, 87−580, 87−750 to 753, 87−1000, 87−1125, 87−1311, 87−1345 to 1346, 87−1352, 87−1436, 87−1451 to 1455, 87−1467, 87−1469, 87−1557 to 1558, 87−1612 to 1619, 87−1754 to 1759, 87−3016, 87−3803
Reliability physics; 23rd Annual Proceedings Reliability Physics 1985 (Cat. No. 85CH2113-9), Orlando, FL, USA, 26-28 March 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−13299 (introductory abstract), 86−13467, 86−13500 to 13501, 86−13596, 86−14227 to 14229, 86−14966, 86−15066 to 15067, 86−15080 to 15096, 86−15145, 86−15177 to 15179, 86−15246, 86−15278 to 15279, 86−15293 to 15294, 86−19445
Reliability physics; 25th Annual Proceedings: Reliability Physics 1987 (Cat. No.87CH2388-7), San Diego, CA, USA, 7-9 April 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88−43 (introductory abstract), 88−194 to 197, 88−263, 88−474, 88−725, 88−754 to 757, 88−1026, 88−1287, 88−1445, 88−1463 to 1465, 88−1553, 88−1563 to 1574, 88−1672, 88−1695, 88−1762 to 1767, 88−1798 to 1799
Reliability physics; 26th Annual Proceedings. Reliability Physics 1988 (Cat. No.88CH2508-0), Monterey, CA, USA, 12-14 April 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88−55822 (introductory abstract), 88−49506, 88−49538, 88−50150 to 50151, 88−50740 to 50742, 88−50753 to 50760, 88−50860, 88−54700, 88−56035 to 56037, 88−57517 to 57518, 88−57662 to 57665, 88−57688, 88−57774 to 57779, 88−57809 to 57810, 88−57818, 88−57825
Reliability technology; Proceedings of the 8th Advances in Reliability Technology Symposium, Bradford, UK, 25-27 April 1984, *Libberton, G.P. (editor/s),* [Warrington, UK: Nat. Centre Syst. Reliability 1984] 85−5870 (introductory abstract), 85−5744, 85−5871 to 5877, 85−5901, 85−6097, 85−9240, 85−9355, 85−9483, 85−9634, 85−9818
Reliability technology; Proceedings of the 9th Advances in Reliability Technology Symposium: ARTS 86, Bradford, UK, 2-4 April 1986, [Culcheth, UK: Nat. Centre Syst. Reliability 1986] 86−66540 (introductory abstract), 86−66588 to 66589, 86−66634 to 66643, 86−67228, 86−70745, 86−70756 to 70757, 86−71050
Reliability technology; Reliability Technology: Theory and Applications. European Reliability Conference - REL-CON '86, Copenhagen, Denmark, 16-20 June 1986, *(Convention Nat. Soc. Electr. Eng. Western Eur.; Danish Soc. Chem., Civil, Electr. & Mech. Eng.; Soc. Eng. Denmark) Moltoft, J. Jensen, F. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $74.00] 87−31139 (introductory abstract), 87−23264, 87−23290, 87−23433 to 23439, 87−24127, 87−25588, 87−27901, 87−28633, 87−28693, 87−31241, 87−31271, 87−31288 to 31290, 87−31323, 87−31360 to 31370, 87−32561, 87−32639 to 32640, 87−32718, 87−32748, 87−34272, 87−34515, 87−35074, 87−35860
Reliability technology advances; Proceedings of the 7th Advances in Reliability Technology Symposium, Bradford, UK, 14-16 April 1982, [Warrington, UK: Nat. Centre Syst. Reliability 1982] 85−5639 (introductory abstract), 85−5718 to 5719, 85−5739 to 5742, 85−5753, 85−5862 to 5868, 85−5885, 85−7036, 85−7968, 85−7989, 85−9406, 85−9445, 85−9474, 85−9482, 85−9633, 85−9681, 85−9697, 85−9846, 85−10199, 85−10209, 85−10285
Reliability theory; Proceedings of the International School of Physics 'Enrico Fermi'. Course XCIV. Theory of Reliability, Varenna, Italy, 24 July-3 Aug. 1984, *Serra, A. Barlow, R.E. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, Dfl.225.00] 87−5146 (introductory abstract)
Remote handling equipment for nuclear fuel cycle facilities; Proceedings of the Seminar on Remote Handling Equipment for Nuclear Fuel Cycle Facilities, Oxford, UK, 2-5 Oct. 1984, [Paris, France: OECD 1985] 85−44396 (introductory abstract), 85−44477 to 44480, 85−44555, 85−48795 to 48800
Remote sensing; IGARSS '84. Remote Sensing - From Research Towards Operational Use (ESA SP-215), Strasbourg, France, 27-30 Aug. 1984, *(IEEE; Geosci. Remote Sensing Soc.; EEC; CNES; DFVLR; EARSel; ESA; NASA) Guyenne, T.D. Hunt, J.J. (editor/s),* [Noordwijk, Netherlands: ESA 1984] 85−60657 (introductory abstract), 85−63767, 85−64249 to 64250, 85−64705 to 64728, 85−64749, 85−64763 to 64765, 85−64772, 86−3708, 86−4732 to 4737, 86−6077 to 6086, 86−6113 to 6127, 86−6133 to 6141, 86−11173 to 11175, 86−12061, 86−12066 to 12067, 86−12087, 86−12127, 86−12144 to 12160, 86−12176, 86−12182 to 12187, 86−12196 to 12203
Remote sensing; Remote Sensing, Orlando, FL, USA, 3-4 April 1986, *(SPIE)* [1986] 87−58512 (introductory abstract), 87−61298, 87−63905 to 63909
Remote sensing; IGARSS '87. Remote Sensing: Understanding the Earth as a System (Cat. No.87CH2434-9), Ann Arbor, MI, USA, 18-21 May 1987, *(IEEE; URSI; Canadian Remote Sensing Soc.; et al)* [New York, NY, USA: IEEE 1987] 88−47 (introductory abstract), 88−3080, 88−4085 to 4086, 88−4106 to 4113, 88−4120, 88−4611, 88−5121 to 5150, 88−5166 to 5181, 88−5187 to 5191, 88−5205 to 5211, 88−8456, 88−8479 to 8480, 88−8619 to 8621, 88−8798, 88−9624 to 9631, 88−9649 to 9653, 88−9920, 88−10516 to 10540, 88−10551 to 10556, 88−10568 to 10586, 88−10606 to 10609
Remote sensing in glaciology; Second Symposium on Remote Sensing in Glaciology, Cambridge, UK, 8-12 Sept. 1986, [1987] 88−5106 (introductory abstract)
Remote sensing instrumentation; Remote Sensing Instrumentation: Technology for Science and Applications. Digest 1985 International Geoscience and Remote Sensing Symposium (IGARSS '85) (Cat. No.85CH2162-6), Amherst, MA, USA, 7-9 Oct. 1985, *(IEEE) Carver, K.R. (editor/s),* [New York, NY, USA: IEEE 1985] 87−15032 to 15033, 87−15049 to 15051, 87−15072 to 15076, 87−15083
Remote sensing of environment; Proceedings of the Nineteenth International Symposium on Remote Sensing of Environment, Ann Arbor, MI, USA, 21-25 Oct. 1985, *(Canada Centre Remote Sensing; Environ. Res. Inst. Michigan; NASA; NOAA; et al)* [Ann Arbor, MI, USA: Environ. Res. Inst. Michigan 1985] 87−25 (introductory abstract), 87−2607 to 2614, 87−2758, 87−3234 to 3235, 87−4119 to 4122, 87−4149 to 4152, 87−4159 to 4167
Remote sensing of the environment; Proceedings of the Twentieth International Symposium on Remote Sensing of Environment, Nairobi, Kenya, 4-10 Dec. 1986, *(US Agency Int. Dev.; NASA; NOAA; et al)* [Ann Arbor, MI, USA: Environ. Res. Inst. Michigan 1986] 88−55817 (introductory abstract)
Remote sensing with polar platforms; Commercial Opportunities for Remote Sensing with Polar Platforms. Proceedings of an ESA Workshop (ESA SP-269), Frascati, Italy, 4-5 Sept. 1986, [Noordwijk, Netherlands: ESA April 1987] 88−5212 (introductory abstract)
Renewable energy resources for 21st century; Renewable Energy Sources for the 21st Century. Collected Papers from Energy - EYE plus Fifty, an International Conference, Tynemouth, UK, 17-18 Nov. 1987, *Hill, R. O'Keefe, P. Pearsall, N.M. (editor/s),* [Bristol, UK: Adam Hilger 1988, £25.00] 88−55848 (introductory abstract), 88−62016 to 62022, 88−62187 to 62188, 88−62221, 88−62252 to 62253, 88−62287
Repair and reclamation; Repair and Reclamation, London, UK, 24-25 Sept. 1984, *(Inst. Metals; Welding Inst) Dolby, R.E. Kent, K.G. (editor/s),* [Abington, UK: Welding Inst. 1986] 87−58550 (introductory abstract)
Replacement for silver; 'Can the Electrical Industry Find a Replacement for Silver?' Digest of Presentations and Discussions from ERA One-Day Forum (ERA-80-136), London, UK, 16 April 1980, [Leatherhead, UK: ERA Technol. 1980] 86−7391 (introductory abstract)
Resist technology and processing; Advances in Resist Technology and Processing II, Santa Clara, CA, USA, 11-12 March 1985, [1985] 86−10 (introductory abstract), 86−1882 to 1916, 86−2058 to 2061, 86−2081, 86−2282 to 2285
Resist technology and processing; Advances in Resist Technology and Processing III, Santa Clara, CA, USA, 10-11 March 1986, *(SPIE)* [1986] 87−10007 (introductory abstract), 87−10502, 87−11663, 87−11872 to 11912, 87−11966
Resonance ionisation spectroscopy; Resonance Ionization Spectroscopy 1986. Proceedings of the Third International Symposium, Swansea, UK, 7-12 Sept. 1986, *(EG&G Corp.; Los Alamos Nat. Lab.; Univ. Coll. Swansea; et al) Hurst, G.S. Grey Morgan, C. (editor/s),* [Bristol, UK: IOP Publishing 1987, £35.00] 87−46737, 87−46813
Resonance ionization spectroscopy; Resonance Ionization Spectroscopy 1984. Second International Symposium on Resonance Ionization Spectroscopy and Its Applications, Knoxville, TN, USA, 16-20 April 1984, *(US DOE) Hurst, G.S. Payne, M.G. (editor/s),* [Bristol, UK: IOP 1984, £32.00] 85−45833
Resource conservation for the electrical engineer; IEE Colloquium on Resource Conservation for the Electrical Engineer (Digest No.62), London, UK, 19 April 1983, *(IEE)* [London, UK: IEE 1983] 85−22096 (introductory abstract), 85−22097, 85−22175 to 22176, 85−22206, 85−22209, 85−27154, 85−27836
RF and microwave power semiconductor devices; IEE Half-Day Colloquium on 'RF and Microwave Power Semiconductor Devices' (Digest No.61), London, UK, 22 May 1985, *(IEE)* [London, UK: IEE 1985] 85−44419 (introductory abstract), 85−44914 to 44915, 85−45249, 85−45647, 85−45734 to 45735
RF and microwave safety measurements; IEE Colloquium on Making Measurements for RF and Microwave Safety (Digest No. 102), London, UK, 28 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85−10351 (introductory abstract), 85−13280, 85−14960, 85−15011 to 15014, 85−15357 to 15360
RF radiation standards and impact on military operations; Impact of Proposed Radio Frequency Radiation Standards on Military Operations (AGARD-LS-138), Rome, Italy, 11-12 April 1985, *(AGARD)* [Paris, France: AGARD 1985] 85−44406 (introductory abstract), 85−46570, 85−48050, 85−48342 to 48347, 85−48364 to 48366
RF technology; Proceedings of RF Technology Expo 86, Anaheim, CA, USA, 30 Jan.-1 Feb. 1986, *(RF Design)* [Englewood, CO, USA: Cardiff Publishing Co. 1986] 87−16273 (introductory abstract), 87−16393 to 16395, 87−16809 to 16811, 87−16907 to 16914, 87−16937 to 16940, 87−16955 to 16956, 87−17208, 87−17212 to 17217, 87−17284, 87−17292, 87−17321 to 17325, 87−17340, 87−17379 to 17382, 87−18078, 87−18109 to 18111, 87−18440 to 18441, 87−18462 to 18463, 87−18534, 87−19219, 87−19286, 87−19306, 87−19327, 87−19381, 87−20391 to 20393, 87−20473 to 20474, 87−20607, 87−20682, 87−20900, 87−20974, 87−21006, 87−21105, 87−21206, 87−21557
RF technology; Proceedings of RF Technology Expo 87, Anaheim, CA, USA, 11-13 Feb. 1987, *(RF Design Magazine)* [Englewood, CO, USA: Cardiff Publishing 1987] 87−36340 (introductory abstract), 87−36443, 87−36932 to 36933, 87−37038 to 37043, 87−37045, 87−37058 to 37064, 87−37085 to 37089, 87−37573 to 37581, 87−38587, 87−38642, 87−39527, 87−39536, 87−40739, 87−40777, 87−40857, 87−40965, 87−40989, 87−41024, 87−41177, 87−41179, 87−41195, 87−41306, 87−41366, 87−42007
RFI emission and susceptibility; Seminar on Regulations and Measurements for RFI Emission and Susceptibility, London, UK, 3 Dec. 1984, *(IEE)* [London, UK: IEE 1984] 85−16592 (introductory abstract), 85−19169 to 19170

R.G. Giovanelli commemorative colloquium; R.G. Giovanelli Commemorative Colloquium, Sydney, NSW, Australia, 26-29 Nov. 1984, [1985] 86−28906

Ridge regression; Fordham Symposium on Ridge Regression, New York, NY, USA, 26-27 July 1983, [1984] 85−8047

Road traffic control; Second International Conference on Road Traffic Control (Conf. Publ. No. 260), London, UK, 15-18 April 1985, *(IEE)* [London, UK: IEE 1986] 86−49187, 86−49740

Road traffic signalling; IEE Colloquium on 'UK Developments in Road Traffic Signalling' (Digest No.67), London, UK, 5 May 1988, *(IEE)* [London, UK: IEE 1988] 88−60740

Robot calibration and performance measurement; IEE Colloquium on 'Robot Calibration and Performance Measurement' (Digest No.03), London, UK, 7 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87−35205

Robot control; IEE Colloquium on Robot Control in Practice (Digest No. 12), London, UK, 4 Feb. 1985, *(IEE)* [London, UK: IEE 1985] 85−28819

Robot standards; Robot Standards Workshop, Detroit, MI, USA, 6-7 June 1985, *(US Dept. Commerce; NBS; Navy Manuf. Technol. Program; et al)* [1985] 87−14545

Robot vision and sensory controls; Proceedings of the 5th International Conference on Robot Vision and Sensory Controls - RoViSeC 5, Amsterdam, Netherlands, 29-31 Oct. 1985, *(IFS (Conferences); R. Instn. Eng. Netherlands; Dutch Soc. Inf.; et al) Zimmerman, N.J. (editor/s),* [Kempston, UK: IFS (Publications) 1985] 86−13530, 86−16578 to 16581, 86−17629, 86−17959, 86−17984, 86−18128

Robot vision and sensory controls; Proceedings of the 6th International Conference on Robot Vision and Sensory Controls: RoViSeC 6, Paris, France, 3-5 June 1986, *(Agence Inf.; British Robot Assoc.; Laser Inst. America; et al) Briot, M. (editor/s),* [Kempston, UK: IFS (Publications) 1986, £49.00] 88−34810 (introductory abstract), 88−31485 to 31486, 88−31502, 88−31533 to 31534, 88−31904, 88−32653, 88−34190 to 34192, 88−34811 to 34813, 88−35729 to 35730, 88−35978, 88−36058, 88−36077 to 36081, 88−36696, 88−37786

Robotics; Proceedings of '85 International Conference on Advanced Robotics, Tokyo, Japan, 9-10 Sept. 1985, [Tokyo, Japan: Japan Ind. Robot Assoc. 1985] 86−38373 to 38374, 86−38560, 86−39396 to 39398, 86−43499, 86−44708

Robotics; First National Conference on Robotics, Wroclaw, Poland, 18-20 Sept. 1985, [1985] 86−19828, 86−22166 to 22167, 86−26086, 86−26345, 86−28856, 86−29874, 86−30013 to 30016

Robotics; Proceedings of the IASTED International Symposium on Robotics and Automation '85, Santa Barbara, CA, USA, 29-31 May 1985, *Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1985] 86−64372 to 64373, 86−65079

Robotics and automation; 1985 IEEE International Conference on Robotics and Automation (Cat. No. 85CH2152-7), St. Louis, MO, USA, 25-28 March 1985, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 86−221 to 222, 86−1566, 86−1944, 86−2339, 86−3918, 86−4013, 86−4762 to 4764, 86−4941, 86−5021, 86−6195, 86−12109 to 12110

Robotics and automation; Proceedings 1986 IEEE International Conference on Robotics and Automation (Cat. No.86CH2282-2), San Francisco, CA, USA, 7-10 April 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 86−57237, 86−58176, 86−58573 to 58574, 86−59001 to 59003, 86−59355 to 59378, 86−59959, 86−60246 to 60247, 86−60353, 86−61247, 86−66401

Robotics and automation; Proceedings of the IASTED International Symposium Robotics and Automation, Lugano, Switzerland, 24-26 June 1985, *Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1985] 86−57239, 86−57813, 86−59263 to 59264, 86−59689, 86−59694, 86−60166, 86−61826 to 61827, 86−61898, 86−61965, 86−65584, 86−66103 to 66105

Robotics and automation; Proceedings of the 1987 IEEE International Conference on Robotics and Automation (Cat. No.87CH2413-3), Raleigh, NC, USA, 31 March-3 April 1987, *(IEEE; North Carolina State Univ)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−58701, 87−59598, 87−60260, 87−60599 to 60600, 87−62301 to 62315, 87−63081 to 63082, 87−63253, 87−63322 to 63323, 87−63410, 87−64015, 87−64162

Robotics and automation; Proceedings of the 1988 IEEE International Conference on Robotics and Automation (Cat. No.88CH2555-1), Philadelphia, PA, USA, 24-29 April 1988, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−63018, 88−63647, 88−63723 to 63725, 88−64113, 88−64699, 88−66759 to 66765, 88−67031, 88−67776, 88−67820, 88−67905 to 67908, 88−68037, 88−68353, 88−69435, 88−70118, 88−71236, 88−71674, 88−73282 to 73289, 88−74049 to 74050, 88−74393, 88−75630 to 75631

Robotics and remote handling in nuclear industry; Proceedings of the International Conference on Robotics and Remote Handling in the Nuclear Industry, Toronto, Ont., Canada, 23-27 Sept. 1984, *(Canadian Soc. Mech. Eng.; ANS)* [Toronto, Ont., Canada: Canadian Nucl. Soc. 1984] 85−49269 (introductory abstract)

Robotics in nondestructive testing; IEE Colloquium on 'Robotics in NDT' (Digest No.101), London, UK, 15 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87−10048 (introductory abstract), 87−14125 to 14126

Robotics research; Robotics Research. The Next Five Years and Beyond. First World Conference on Robotics Research, Bethlehem, PA, USA, 14-16 Aug. 1984, *(SME)* [Dearborn, MI, USA: Robotics Int. SME 1984] 85−16579 (introductory abstract), 85−16777, 85−20612 to 20614, 85−23307, 85−24694, 85−25193, 85−27261

Robots; Robots 8 Conference Proceedings, Detroit, MI, USA, 4-7 June 1984, *(Robotics Int. SME)* [Dearborn, MI, USA: Robotics Int. SME 1984] 85−44463, 85−44510, 85−46956, 85−49340 to 49343, 85−49369, 85−50108 to 50112, 85−50126, 85−53726 to 53727, 85−53994 to 53995

Robots; IPRC '85 Conference Proceedings, San Francisco, CA, USA, 6-8 Sept. 1985, *(Nat. Personal Robot Assoc)* [Ann Arbor, MI, USA: Nat. Personal Robot Assoc. 1986] 87−16355

Robots and manipulators, theory and practice; RoManSy 6. Proceedings of the Sixth CISM-IFToMM Symposium on Theory and Practice of Robots and Manipulators, Cracow, Poland, 9-12 Sept. 1986, *(Centre Int. Sci. Mecaniques; Int. Federation Theory Machines & Mech.; et al) Morecki, A. Bianchi, G. Kedzior, K. (editor/s),* [London, UK: Kogan Page 1987] 88−55935, 88−60760, 88−61470

Robots, computer vision; Computer Vision for Robots, Cannes, France, 2-6 Dec. 1985, *(SPIE)* [1986] 87−10916, 87−13112 to 13115, 87−14171 to 14172, 87−14542

Robots, theory; Theory of Robots. Selected Papers from the IFAC/IFIP/IMACS Symposium, Vienna, Austria, 3-5 Dec. 1986, *(IFAC; IFIP; IMACS) Kopacek, P. Troch, I. Desoyer, K. (editor/s),* [Oxford, UK: Pergamon 1988] 88−31473, 88−34193

Robots today and tomorrow; Robots: Today and Tomorrow. SIRI Third National Conference. Proceedings, Milan, Italy, 3-6 March 1986, [Milan, Italy: Centro Esposizioni UCIMU 1986] 87−40313

Rock magnetism; Recent Developments in Rock Magnetism, Prague, Czechoslovakia, Aug. 1985, [June 1987] 87−57331

Rocky Mountain guidance and control conference; Guidance and Control 1985. Proceedings of the Annual Rocky Mountain Guidance and Control Conference, Keystone, CO, USA, 2-6 Feb. 1985, *Culp, R.D. Bauman, E.J. Cullian, C.A. (editor/s),* [San Diego, CA, USA: Univelt 1985, $65.00] 86−61859 (introductory abstract)

Rubber and plastics industries; IEEE Conference Record of 1985 Thirty-Seventh Annual Conference of Electrical Engineering Problems in the Rubber and Plastics Industries (Cat. No. 85CH2181-6), Akron, OH, USA, 15-16 April 1985, *(IEEE)* [New York, NY, USA: IEEE 1985, $38.00] 85−60671 (introductory abstract), 85−65266, 85−65487 to 65490

Rubber and plastics industries, electrical engineering problems; IEEE Conference Record of the 1984 Thirty-Sixth Annual Conference of Electrical Engineering Problems in the Rubber and Plastics Industries (IEEE Cat. No. 84CH2032-1), Akron, OH, USA, 2-3 April 1984, *(IEEE)* [New York, NY, USA: IEEE 1984, $40.00] 85−5646 (introductory abstract), 85−9455, 85−9948 to 9949, 85−10286

Rural electric power; 1985 Rural Electric Power Conference (Cat. No.85CH2126-1), Springfield, IL, USA, 28-30 April 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−33928 (introductory abstract), 86−39011, 86−39057 to 39058, 86−39086, 86−39134 to 39135, 86−39150 to 39151, 86−39170, 86−39200, 86−39245, 86−39261 to 39262, 86−39914, 86−40026, 86−40349

Rural electric power; 1986 Rural Electric Power Conference. Papers Presented at the 30th Annual Conference (Cat. No. 86CH2316-8), Charleston, SC, USA, 20-22 April 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86−61852 (introductory abstract), 86−65647 to 65648, 86−65658, 86−65664, 86−65673, 86−65694 to 65695, 86−65722, 86−65732, 86−65746 to 65747, 86−65771 to 65772, 86−66185, 86−66481

Rural electric power; 1987 Rural Electric Power Conference (Cat. No.87CH2426-5), San Antonio, TX, USA, 3-5 May 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87−72699 (introductory abstract), 87−78023 to 78028, 87−78059, 87−78115, 87−78147 to 78148, 87−78166 to 78168, 87−78206, 87−78219, 87−78749 to 78750

Rural electric power; 1988 Rural Electric Power Conference. Papers Presented at the 32nd Annual Conference (Cat. No.88CH2586-6), Lexington, KY, USA, 1-3 May 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88−49373 (introductory abstract), 88−54870 to 54871, 88−54948 to 54950, 88−54961, 88−54983 to 54987, 88−55415 to 55416, 88−55742, 88−55759

Rural telecommunications; International Conference on Rural Telecommunications (Conf. Publ. No.286), London, UK, 23-25 May 1988, [London, UK: IEE 1988] 88−55829 (introductory abstract), 88−59463 to 59470, 88−59491 to 59497, 88−59936 to 59938, 88−59986 to 59988, 88−60014, 88−60064, 88−60108 to 60113, 88−60202 to 60207

Safeguards - a mature technology?; INMM 28th Annual Meeting 'Safeguards - A Mature Technology?', Newport Beach, CA, USA, 12-15 July 1987, [Northbrook, IL, USA: Inst. Nucl. Mater. Manage. 1987] 88−37854 (introductory abstract), 88−41578 to 41579, 88−41602, 88−41751, 88−41866, 88−41993, 88−42687, 88−43464, 88−47315 to 47316, 88−47347, 88−47353

Safeguards and nuclear material management; 7th Annual Symposium on Safeguards and Nuclear Material Management, Liege, Belgium, 21-23 May 1985, *(ESARDA) Stanchi, L. (editor/s),* [Ispra, Italy: Comm. Eur. Commun. 1985] 86−7553

Safeguards and nuclear material management; ESARDA 9th Annual Symposium on Safeguards and Nuclear Material Management Proceedings (EUR 11041 EN), London, UK, 12-14 May 1987, *Stanchi, L. (editor/s),* [Luxembourg: Comm. Eur. Communities 1987] 88−62887 (introductory abstract), 88−67685, 88−68278, 88−68300 to 68301

Safety and reliability with computer systems; Achieving Safety and Reliability with Computer Systems, Altrincham, UK, 11-12 Nov. 1987, *Daniels, B.K. (editor/s),* [Barking, UK: Elsevier Appl. Sci. Publishers 1987, £32.00] 88−48281

Safety of computer control systems; Safety of Computer Control Systems 1986 (SAFECOMP '86). Trends in Safe Real Time Computer Systems. Proceedings of the Fifth IFAC Workshop, Sarlat, France, 14-17 Oct. 1986, *(IFAC; Assoc. Francaise Cybern. Econ. & Tech.; Eur. Workshop Ind. Comput. Syst.; et al) Quirk, W.J. (editor/s),* [Oxford, UK: Pergamon 1986] 87−11942, 87−15495 to 15496

Sample environments in neutron and x-ray experiments; Workshop on Sample Environments in Neutron and X-ray Experiments, Grenoble, France, 13-15 Feb. 1984, [Sept. 1984] 85−6020, 85−10225 to 10226

SAR applications; SAR Applications Workshop. Proceedings of an ESA Workshop (ESA-SP-264), Frascati, Italy, 16-18 Sept. 1986, [Paris, France: ESA Dec. 1986] 87−43807 (introductory abstract), 87−49152, 87−49176 to 49185

Satellite and cable TV; CABLE 85. Proceedings of the International Conference on Satellite and Cable TV, Brighton, UK, 9-11 July 1985, *(Online Conferences)* [Pinner, Middx., UK: Online Publications 1985, £55.00] 86−19741 (introductory abstract), 86−24037, 86−24113 to 24135

Satellite broadcasting; Proceedings of the 32nd Congress on Electronics: Satellite Broadcasting, Rome, Italy, 26-28 March 1985, [Rome, Italy: Rassegna Int. Elettronica Nucl. & Aerospaziale 1985] 86−57089 (introductory abstract), 86−59151, 86−59163, 86−59832 to 59839, 86−59987 to 59999, 86−60018 to 60019, 86−60362

Satellite communication for mobile user; IEE Colloquium on 'Satellite Communications for the Mobile User' (Digest No.43), London, UK, 25 April 1985, *(IEE)* [London, UK: IEE 1985] 85−44412 (introductory abstract), 85−47490 to 47498

Satellite communication system planning; Vacation School on Satellite Communication System Planning, Guildford, Surrey, UK, 2-7 Sept. 1984, *(IEE)* [London, UK: IEE 1984] 85−5655 (introductory abstract), 85−8374 to 8388, 85−8515

Satellite communications; IEE Seminar on Satellite Communications (Digest No.66), Brighton, Sussex, UK, 24 Aug. 1983, *(IEE)* [London, UK: IEE 1983] 85−32932 (introductory abstract), 85−36999 to 37000, 85−38361

Satellite communications; Satellite Communications: International Communications and Broadcasting. Proceedings of the Conference, London, UK, Dec. 1985, [Pinner, UK: Online Publications 1985, £60.00] 86−45935 (introductory abstract), 86−49088, 86−49544 to 49567

Satellite communications; IEE Colloquium on 'Where are Satellite Communications Going?' (Digest No.47), London, UK, 7 April 1986, *(IEE)* [London, UK: IEE 1986] 86−40397 (introductory abstract), 86−43800 to 43806

Satellite communications; IEE Colloquium on 'Satellite Communications above 18GHz' (Digest No.34), London, UK, 20 March 1987, *(IEE)* [London, UK: IEE 1987] 87−36351 (introductory abstract), 87−39391 to 39393, 87−40858 to 40863, 87−42065

Satellite communications and broadcasting; Satellite Communications and Broadcasting. Proceedings of the International Conference, London, UK, Dec. 1986, [Pinner, UK: Online Publications 1986, £75.00] 87−36331 (introductory abstract), 87−40254, 87−40837 to 40855

Satellite instrumentation; IEE Colloquium on 'Satellite Instrumentation' (Digest No 12), London, UK, 20 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88−31324 (introductory abstract), 88−35042, 88−36391, 88−36596, 88−36616 to 36617

Satellite oceanography; Measuring Ocean Waves from Space Symposium, Laurel, MD, USA, 15-17 April 1986, [Jan.-March 1987] 87−65036 (introductory abstract), 87−71197, 87−71283, 87−71383 to 71394

Satellite transmissions; Satellite Transmissions. Proceedings of an International Symposium (ESA SP-245), Graz, Austria, 25-27 Sept. 1985, *(ESA; Austrian Solar & Space Agency; Forschungsgesellschaft Joanneum Graz)* [Noordwijk, Netherlands: ESA 1985] 86−26516 (introductory abstract), 86−29400 to 29408, 86−30131, 86−30436, 86−30487, 86−30741 to 30747, 86−31676 to 31677, 86−32422 to 32424

Satellites in tomorrow's fibre-optic world; IEE Colloquium on 'The Role of Satellites in Tomorrow's Fibre-Optic World' (Digest No.74), London, UK, 12 May 1988, *(IEE)* [London, UK: IEE 1988] 88−49397 (introductory abstract), 88−53241 to 53245, 88−53401

Scanning electron microscopy for investigating solids; Fifth All-Union Symposium on Scanning Electron Microscopy and Analytical Methods for Investigating Solids, Zvenigorod, USSR, May 1986, [1987] 88−11948

Scanning imaging technology; Scanning Imaging Technology, The Hague, Netherlands, 2-3 April 1987, *(SPIE; Comite Belge Opt.; IEEE; et al)* [1987] 88−37943 to 37944, 88−40436, 88−41670, 88−41911, 88−42024, 88−42160 to 42161, 88−42250, 88−42280, 88−42525 to 42526, 88−42696

Scanning tunneling microscopy; STM '86: First International Conference on Scanning Tunneling Microscopy, Santiago de Compostela, Spain, 14-18 July 1986, *(APS; American Vacuum Soc.; Eur. Phys. Soc.; et al)* [March 1987] 87−37965

Scanning tunneling microscopy; Second International Conference on Scanning Tunneling Microscopy, Oxnard, CA, USA, 20-24 July 1987, *(California Inst. Technol.; Jet Propulsion Lab.; Office Naval Res.; et al)* [March-April 1988] 88−51390, 88−56342, 88−57528 to 57529, 88−58377, 88−60693

Scattering and propagation in random media; Scattering and Propagation in Random Media (AGARD-CP-419), Rome, Italy, 18-22 May 1987, [Neuilly sur Seine, France: AGARD March 1988] 88−49385 (introductory abstract), 88−52183 to 52201, 88−52218 to 52235, 88−53164 to 53165, 88−53375, 88−54746, 88−58779, 88−58827, 88−58871

Science and engineering development trends; Symposium on Progress in Science and Engineering and Trends of Work Development in the Developed Socialist Society, Dresden, East Germany, 24-26 Oct. 1983, [1984] 85−33116, 85−33170, 85−36599, 85−37444, 85−39330, 85−39376

Screening and shielding; IEE Colloquium on Screening and Shielding (Digest No.88), London, UK, 22 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85−27960 (introductory abstract), 85−30058 to 30065

SEAS anniversary meeting; Proceedings of SEAS Anniversary Meeting 1985: User Friendly Computing, Zurich, Switzerland, 23-27 Sept. 1985, [Nijmegen, Netherlands: SHARE Eur. Assoc. 1985] 86−33978, 86−37570 to 37573, 86−37860, 86−38662

SEAS spring meeting; Proceedings of the SEAS Spring Meeting 1985, Veldhoven, Netherlands, 15-19 April 1985, *(SEAS)* [Nijmegen, Netherlands: SEAS 1985] 86−30304, 86−30342, 86−30433 to 30435

Secure communication systems; Second International Conference on Secure Communication Systems (Conf. Publ. No.269), London, UK, 27-28 Oct. 1986, *(IEE)* [London, UK: IEE 1986] 87−10052 (introductory abstract), 87−10229, 87−12769, 87−12923 to 12931, 87−12958 to 12960, 87−13263 to 13265, 87−13288, 87−13474 to 13478, 87−13578, 87−13632, 87−13859

Security and privacy; Proceedings of the 1985 Symposium on Security and Privacy (Cat. No. 85CH2150-1), Oakland, CA, USA, 22-24 April 1985, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86−66 (introductory abstract), 86−3791 to 3792, 86−4350 to 4351

Security and privacy; Proceedings of the 1986 IEEE Symposium on Security and Privacy (Cat. No.86CH2292-1), Oakland, CA, USA, 7-9 April 1986, *(IEEE; Int. Assoc. Cryptologic Res)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 86−54461 to 54462, 86−55025 to 55026

Security and privacy; Proceedings of the 1987 IEEE Symposium on Security and Privacy (Cat. No.87CH2416-6), Oakland, CA, USA, 27-29 April 1987, *(IEEE; Int. Assoc. Cryptologic Res)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−61553 to 61555, 87−61600 to 61602, 87−62704

Security and privacy; Proceedings of the 1988 IEEE Symposium on Security and Privacy (Cat. No.88CH2558-5), Oakland, CA, USA, 18-21 April 1988, *(IEEE; Int. Assoc. Cryptologic Res)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−52358, 88−52984

Security in computers and communications; Ninth National Computer Conference and Exhibition 1986. Conference Proceedings, Riyadh, Saudi Arabia, 6-13 Oct. 1986, [Riyadh, Saudi Arabia: Minist. Interior Nat. Inf. Center 1986] 87−23016 (introductory abstract), 87−27212 to 27217, 87−28208 to 28210, 87−33444, 87−33669 to 33670, 87−33727 to 33728, 87−34019, 87−34202, 87−34300

Security technology; Proceedings of the 1984 Carnahan Conference on Security Technology (cat. no. 84CH2023-0), Lexington, KY, USA, 16-18 May 1984, *(Univ. Kentucky; IEEE) Jackson, J.S. De Vore, R.W. (editor/s),* [New York, NY, USA: IEEE 1984] 85−35 (introductory abstract), 85−124 to 139, 85−2728, 85−2766, 85−2785 to 2786, 85−2911, 85−3023, 85−3332, 85−3337, 85−3479, 85−3546, 85−4502

Security technology; Proceedings of the 1985 Carnahan Conference on Security Technology (Cat. No. 85CH2170-9), Lexington, KY, USA, 15-17 May 1985, *(IEEE; Univ. Kentucky) Jackson, J.S. (editor/s),* [Lexington, KY, USA: Univ. Kentucky 1985] 86−67 (introductory abstract), 86−137 to 141, 86−3793, 86−3835, 86−4014, 86−4173 to 4176, 86−4189, 86−4398, 86−4479, 86−4555, 86−4742 to 4745, 86−4859, 86−4886, 86−5305

Security technology; Proceedings of the 1986 International Carnahan Conference on Security Technology: Electronic Crime Countermeasures, Gothenburg, Sweden, 12-14 Aug. 1986, *(IEEE; Chalmers Univ. Technol; Univ. Kentucky; GTE Service Corp.; Nat. Swedish Board Tech. Dev) Jackson, J.S. (editor/s),* [Lexington, KY, USA: Univ. Kentucky 1986] 87−16289 (introductory abstract), 87−16316, 87−16336 to 16345, 87−18739, 87−19199, 87−19225, 87−19412 to 19413, 87−19973, 87−20086 to 20088, 87−20427, 87−20585, 87−20623 to 20624, 87−20639, 87−20715 to 20716, 87−20724 to 20725, 87−21011, 87−21071, 87−22054, 87−22895

Security technology; Proceedings of the 1987 Carnahan Conference on Security Technology: Electronic Crime Countermeasures, Atlanta, GA, USA, 15-17 July 1987, *(IEEE; Univ. Kentucky) Jackson, J.S. de Vore, R.W. (editor/s),* [Lexington, KY, USA: OES Publications 1987] 87−72700 (introductory abstract), 87−74645, 87−75571, 87−75762, 87−75846, 87−75924, 87−76521, 87−76554 to 76555, 87−77003 to 77004, 87−77270, 87−77913, 87−78116

SEG meeting; 56th Annual International SEG Meeting (papers in summary form only received), Houston, TX, USA, 2-6 Nov. 1986, [March 1987] 87−50538 (introductory abstract)

Seismic anisotrophy; Second International Workshop on Seismic Anisotropy, Moscow, USSR, 20-27 May 1986, *(IASPEI; UNESCO; Acad. Sci. USSR; AMOCO)* [Nov. 1987] 88−16881

Self tuning and adaptive control; IEE Fourth Workshop on 'Self-Tuning and Adaptive Control' (Digest No.33), Oxford, UK, 22-24 March 1987, *(IEE)* [London, UK: IEE 1987] 87−42662, 87−42822

Semi-custom IC design and VLSI; IEE Fifth Vacation School on 'Semi-Custom IC Design and VLSI', York, UK, 14-19 Sept. 1986, *(IEE)* [London, UK: IEE 1986] 87−11936 (introductory abstract), 87−10614 to 10615, 87−10831 to 10832, 87−10928, 87−11937 to 11940, 87−11950

Semi-custom ICs; IEE Colloquium on the Semi-Custom Alternative (Digest No.72), London, UK, 18 Oct. 1983, *(IEE)* [London, UK: IEE 1983] 85−32931 (introductory abstract), 85−33125, 85−33883 to 33884, 85−33988, 85−35142 to 35143

Semi-custom integrated circuits; IEE Colloquium on Current Trends in Semi-Custom Integrated Circuits (Digest No.101), London, UK, 12 Dec. 1983, *(IEE)* [London, UK: IEE 1983] 85−27970 (introductory abstract)

Semi-insulating III-V materials; Semi-Insulating III-V materials, Kah-nee-ta, OR, USA, 24-26 April 1984, *(IEEE) Look, D.C. Blakemore, J.S. (editor/s),* [Nantwich, UK: Shiva Publishing 1984] 86−1722 (introductory abstract), 86−403 to 407, 86−450, 86−506, 86−585, 86−1723 to 1727, 86−2022 to 2024, 86−2194 to 2198, 86−2403, 86−7750 to 7751, 86−8798 to 8799, 86−8868, 86−9171 to 9172, 86−9244 to 9246

SEMI technology symposium; SEMI Technology Symposium 84. Technical Program Proceedings, Tokyo, Japan, 7-8 Dec. 1984, *(Semicond. Equipment & Mater. Inst)* [Mountain View, CA, USA: Semicond. Equipment & Mater. Inst. 1984] 85−60668 (introductory abstract), 85−61009, 85−61822 to 61829, 85−62040 to 62050, 85−62117 to 62119

SEMICON/Europa; SEMICON/Europa: 'Advanced Processing Challenges', Zurich, Switzerland, 10-12 March 1987, [London, UK: Semicond. Equipment & Mater. Inst. 1987] 88−45 (introductory abstract), 88−156 to 158, 88−198, 88−1503 to 1508, 88−1554 to 1556, 88−1575 to 1576, 88−1768 to 1769, 88−4640

SEMICON/West 84; SEMICON/West 1984 Technical Program Proceedings, San Mateo, CA, USA, 22-24 May 1984, [Mountain View, CA, USA: Semicond. Equipment & Mater. Inst. 1984] 85−5648 (introductory abstract), 85−5780 to 5782, 85−6328, 85−6806, 85−7046 to 7055, 85−8712

Semicon/West '85; Semicon/West 1985. Technical Proceedings, San Mateo, CA, USA, 21-23 May 1985, *(Semicond. Equipment & Mater. Inst)* [Mountain View, CA, USA: Semicond. Equipment & Mater. Inst. 1985] 86−52133 (introductory abstract)

Semiconducting compounds; Proceedings of the XIII School on Physics of Semiconducting Compounds, Jaszowiec, Poland, 9-13 April 1984, [Jan. 1985] 85−32876 (introductory abstract), 85−28236, 85−28733, 85−28945 to 28946, 85−28972, 85−28979, 85−28991 to 28992, 85−29034, 85−29684, 85−29709, 85−32702 to 32703, 85−33379, 85−33415, 85−34484, 85−34528 to 34535, 85−34559, 85−34647, 85−35580 to 35584, 85−35609

Semiconductor and electro-optic materials; IEE Colloquium on 'New Semiconductor and Electro-Optic Materials' (Digest No.70), London, UK, 6 May 1986, *(IEE)* [London, UK: IEE 1986] 86−52149 (introductory abstract), 86−53368, 86−53578, 86−54025

Semiconductor and hybrid assembly; SHAPE '86. Semiconductor and Hybrid Assembly, Packaging and Engineering Conference and Exposition. Abstracts, Santa Clara, CA, USA, 19-21 Nov. 1986, [Southport, CT, USA: Expocon Manage. Associates 1986] 87−58547 (introductory abstract)

Semiconductor device physics; Physics of Semiconductor Devices. Proceedings of the Third International Workshop, Madras, India, 27 Nov.-2 Dec. 1985, *Jain, S.C. Radhakrishna, S. (editor/s),* [Singapore: World Scientific 1985, £36.10] 87−16281 (introductory abstract), 87−16640, 87−17097, 87−17735, 87−17825 to 17826, 87−17971, 87−18058, 87−18169 to 18173, 87−18275, 87−18826, 87−22766 to 22773, 87−23668 to 23669, 87−23934, 87−24672 to 24673, 87−24744 to 24745, 87−24806, 87−24939 to 24941, 87−25031 to 25032, 87−25197, 87−25241 to 25242, 87−25321 to 25323, 87−25485, 87−30850

Semiconductor energy pulse modification; Energy Pulse Modification of Semiconductors and Related Materials. Proceedings of the Conference, Dresden, East Germany, 25-28 Sept. 1984, *(IUPAP) Hennig, K. Heinig, K.-H. Jager, H.-U. Klabes, R. Wieser, E. (editor/s),* [Dresden, East Germany: Akad. Wissenschaften DDR 1985] 86−26490 (introductory abstract), 86−26854, 86−26904, 86−27788 to 27789, 86−27849 to 27851, 86−27949, 86−28016, 86−28071, 86−28104 to 28107, 86−28162 to 28174, 86−28218 to 28219, 86−28307, 86−28532 to 28533, 86−40758, 86−41520, 86−41654 to 41662, 86−41687

Semiconductor integrated optoelectronics; IEE Colloquium on 'Towards Semiconductor Integrated Optoelectronics' (Digest No.29), London, UK, 25 March 1985, *(IEE)* [London, UK: IEE 1985] 85−39448 (introductory abstract), 85−39783, 85−40649 to 40650, 85−41189 to 41193, 85−41205, 85−41218, 85−41280, 85−41415 to 41416, 85−41514

Semiconductor interface formation; Formation of Semiconductor Interfaces. Proceedings of the International Conference, Marseille-Luminy, France, 10-14 June 1985, *(CNRS; Ministere de la Recherche et Technol.; Univ. d'Aix-Marseille; et al)* [March 1986] 86−46348 to 46349, 86−47356 to 47358, 86−47396 to 47400, 86−47422, 86−47434, 86−47481 to 47482, 86−47503, 86−47523 to 47525

Semiconductor interface formation and properties; Semiconductor Interfaces: Formation and Properties. Proceedings of the Workshop, Les Houches, France, 24 Feb.-6 March 1987, *Le Lay, G. Derrien, J. Boccara, N. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 88−31312 (introductory abstract), 88−31815 to 31816, 88−32934, 88−33122, 88−33189

Semiconductor interfaces; Proceedings of the 13th Annual Conference on the Physics and Chemistry of Semiconductor Interfaces, Pasadena, CA, USA, 28-30 Jan. 1986, *(APS; American Vacuum Soc.; Air Force Office of Sci. Res.; Army Res. Office; Office of Naval Res)* [July-Aug. 1986] 87−9 (introductory abstract), 87−265 to 267, 87−1244 to 1261, 87−1292 to 1300, 87−1324, 87−1423, 87−2017

Semiconductor interfaces; IEE Colloquium on 'Semiconductor Interfaces' (Digest No.72), Manchester, UK, 7 April 1987, *(IEE; IOP; Inst. Metals)* [London, UK: IEE 1987] 87−58561 (introductory abstract), 87−60128, 87−60167, 87−60181, 87−60209 to 60210

Semiconductor laser diodes; Progress in Semiconductor Laser Diodes, Cambridge, MA, USA, 25-26 Sept. 1986, *(SPIE)* [1987] 88−6088 (introductory abstract), 88−8202 to 8216, 88−8251

Semiconductor lasers; Topical Meeting on Semiconductor Lasers. Technical Digest Series Vol.6 (papers in summary form only received), Albuquerque, NM, USA, 10-11 Feb. 1987, *(IEEE; Opt. Soc. America)* [Washington, DC, USA: Opt. Soc. America 1987] 87−51753 (introductory abstract)

Semiconductor material microscopy; Microscopy of Semiconducting Materials, 1985. Proceedings of the Royal Microscopical Society Conference, Oxford, UK, 25-27 March 1985, *(R. Microscopical Soc.; IOP; Mater. Res. Soc) Cullis, A.G. Holt, D.B. (editor/s),* [Bristol, UK: Adam Hilger 1985] 86−52148 (introductory abstract), 86−52484 to 52486, 86−57456 to 57457, 86−58220, 86−58224, 86−58245, 86−58264, 86−58273, 86−58314 to 58315, 86−58324, 86−58388 to 58393, 86−58461, 86−58491, 86−58580 to 58583, 86−58835

Semiconductor physics; XVI School on Physics of Semiconducting Compounds, Jaszowiec 87, Ustron-Zawodzie, Poland, 6-11 April 1987, [Feb. 1988] 88−32832, 88−44565 to 44566, 88−44655, 88−45398

Semiconductor processing; Semiconductor Processing. (ASTM STP 850), San Jose, CA, USA, 7-10 Feb. 1984, *(ASTM; NBS; Semicond. Equipment & Mater. Inst.; Stanford Univ) Gupta, D.C. (editor/s),* [Philadelphia, PA, USA: ASTM (European Distributor: American Tech. Publ., Hitchin, Herts., England) 1984, £60.00] 85−54045 (introductory abstract), 85−54177, 85−54478 to 54479, 85−54528, 85−54541, 85−54582, 85−55346 to 55347, 85−55445 to 55456, 85−55574, 85−55649 to 55655, 85−55680 to 55691, 85−55734 to 55735, 85−55742, 85−55793, 85−55937 to 55939

Semiconductor processing and equipment; SEMICON/EUROPA 1983. Semiconductor Processing and Equipment Symposium, Zurich, Switzerland, 8-10 March 1983, [Mountain View, CA, USA: Semicond. Equipment & Mater. Inst. 1983] 85−25 (introductory abstract), 85−399 to 400, 85−440 to 441, 85−1286 to 1287, 85−1464 to 1471, 85−1494, 85−1524 to 1528, 85−1716 to 1720, 85−1730, 85−1760

Semiconductor technology; Semiconductor '84 International. Proceedings of the Technical Programme, Birmingham, UK, 25-27 Sept. 1984, [Twickenham, UK: Cahners Exhibitions (Avail. from: Benn Electronics Publications, Luton, England. Teleph. 0582 417438. Telex: 827648 BENNLU G) 1984] 85−44401 (introductory abstract), 85−44524 to 44527, 85−45342 to 45344, 85−45507 to 45513, 85−45565, 85−45613 to 45615, 85−45622, 85−45733, 85−45829 to 45832, 85−45853, 85−45904 to 45906, 85−48193

Semiconductor technology; Third Canadian Semiconductor Technology Conference, Ottawa, Ont., Canada, 20-22 Aug. 1986, [Aug. 1987] 88−31260 (introductory abstract), 88−31737 to 31741, 88−31817 to 31818, 88−31824 to 31827, 88−32090, 88−32415, 88−32739, 88−32747, 88−32775, 88−32837 to 32839, 88−32917 to 32918, 88−32937, 88−32989 to 32991, 88−33027 to 33028, 88−33087, 88−33132, 88−33153, 88−33196 to 33197, 88−33239, 88−33372, 88−33769, 88−33805, 88−33887, 88−33895, 88−33997, 88−34075, 88−35991 to 35992, 88−36192, 88−37380 to 37381

Semiconductor technology and processing; Emerging Semiconductor Technology. ASTM Special Technical Publication 960. Fourth International Symposium on Semiconductor Processing, San Jose, CA, USA, 28-31 Jan. 1986, *(ASTM; NBS; IEEE; et al) Gupta, D.C. Langer, P.H. (editor/s),* [Philadelphia, PA, USA: ASTM 1987] 88−6110 (introductory abstract), 88−6251 to 6254, 88−6330, 88−6477 to 6480, 88−6515 to 6517, 88−7295 to 7297, 88−7312, 88−7367, 88−7394 to 7395, 88−7437 to 7443, 88−7457 to 7466, 88−7496 to 7501, 88−7528, 88−7606, 88−7686 to 7687, 88−7759

Semiconductor thermal and temperature measurement; Fourth Annual IEEE Semiconductor Thermal and Temperature Measurement Symposium (Cat. No.88CH2530-4), San Diego, CA, USA, 10-12 Feb. 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88−49372 (introductory abstract), 88−49513 to 49514, 88−49543 to 49552, 88−50128, 88−50414, 88−50492, 88−50823 to 50824, 88−50982 to 50984, 88−53561, 88−53918 to 53920, 88−54819

Semiconductors; 12th Nordic Semiconductor Meeting. Proceedings, Jevnaker, Norway, 8-11 June 1986, *(R. Norwegian Council Sci. & Ind. Res.; Elektrisk Bur.; Siemens; Center Ind. Res.; et al) Buschmann, F. Evensen, L. Hanneborg, A. Sandmo, H. Ohlckers, P. (editor/s),* [Oslo, Norway: Center Ind. Res. 1986] 87−5136 (introductory abstract), 87−6458, 87−6465, 87−6632, 87−6747 to 6749, 87−6826 to 6827, 87−6897 to 6904, 87−8625, 87−8862, 87−8877, 87−10455, 87−10508, 87−10763 to 10764, 87−10828, 87−10919, 87−11061, 87−11272, 87−11417, 87−11435 to 11437, 87−11482 to 11485, 87−11576 to 11577, 87−11627, 87−11675 to 11679, 87−11704 to 11705, 87−11732, 87−11762, 87−11808 to 11812, 87−11930 to 11933, 87−11969 to 11971, 87−12076, 87−12214 to 12215, 87−12243, 87−12264, 87−12310, 87−12505 to 12507, 87−14316 to 14321, 87−14759 to 14761, 87−16053 to 16054

Semiconductors, advanced processing and characterization; Advanced Processing and Characterization of Semiconductors III, Los Angeles, CA, USA, 22-24 Jan. 1986, *(SPIE)* [1986] 87−10005 (introductory abstract), 87−10450 to 10453, 87−11340 to 11342, 87−11360 to 11364, 87−11430 to 11432, 87−11474 to 11476, 87−11523 to 11524, 87−11621 to 11622, 87−11661 to 11662, 87−14599

Sensing, discrimination, and signal processing; Sensing, Discrimination, and Signal Processing and Superconducting Materials and Instrumentation, Los Angeles, CA, USA, 12-14 Jan. 1988, *(SPIE)* [1988] 88−55800 (introductory abstract), 88−58019 to 58020, 88−58023, 88−58037 to 58041, 88−58342, 88−58973, 88−59315, 88−60253 to 60255, 88−60770 to 60771, 88−61528

Sensor design using computer tools; Sensor Design Using Computer Tools II, Arlington, VA, USA, 11-12 April 1985, *(SPIE)* [1985] 86−26478 (introductory abstract), 86−31212 to 31219, 86−31442, 86−32524

Sensor fusion; Sensor Fusion, Orlando, FL, USA, 4-6 April 1988, *(SPIE)* [1988] 88−69976 (introductory abstract), 88−72061, 88−72943, 88−73223, 88−74043 to 74044, 88−74262, 88−74293, 88−74307, 88−74366 to 74368, 88−74491, 88−75011, 88−75025 to 75026

Sensor technology; Proceedings of the 7th International Conference on Robot Vision and Sensory Controls: RoViSeC-7 - Advanced Sensor Technology, Zurich, Switzerland, 2-4 Feb. 1988, *(Assoc. Francaise Robotique Ind.; British Robot Assoc.; Japan Ind. Robot Assoc.; et al) Guttropf, W. (editor/s),* [Bedford, UK: IFS (Publications) 1988, £59.00] 88−38011, 88−38867, 88−39779, 88−41108 to 41109, 88−41724, 88−41986, 88−42690 to 42692

Sensors; SENSORS '85 Conference, Detroit, MI, USA, 5-7 Nov. 1985, *(Comput. & Autom. Syst. Assoc. of SME)* [Dearborn, MI, USA: Comput. & Autom. Syst. Assoc. of SME 1985] 86−52140 (introductory abstract), 86−55386, 86−55563, 86−55720 to 55722

Sensors; Sensoren - Technologie und Anwendung. Vortrage der 3. Fachtagung (Sensors - Technology and Application. Proceedings of the Third Meeting), Bad Nauheim, West Germany, 17-19 March 1986, *(NTG; IEEE)* [1986] 87−9991 (introductory abstract)

SENSORS '86; SENSORS '86, Detroit, MI, USA, 11-13 Nov. 1986, *(Soc. Manuf. Eng)* [Dearborn, MI, USA: Soc. Manuf. Eng. 1986] 87−51733 (introductory abstract), 87−56542, 87−56672 to 56679, 87−56851 to 56852

Sensors and their applications; Sensors and their Applications, Southampton, Hants., UK, 10-12 Sept. 1985, [Sept. 1985] 86−6 (introductory abstract), 86−4970, 86−5226 to 5230, 86−6164

Sensors and their applications; EUROSENSORS: Third Conference on Sensors and their Applications, Cambridge, UK, 22-24 Sept. 1987, [Sept. 1987] 87−72664 (introductory abstract), 87−77208 to 77212, 87−77608

Sensors Expo; Proceedings of SENSORS EXPO, Detroit, MI, USA, 15-17 Sept. 1987, *(Sensors Magazine)* [Peterborough, NH, USA: Helmers Publishing 1987] 88−24365 (introductory abstract), 88−24855, 88−29274, 88−29356 to 29375, 88−29415 to 29416, 88−29428, 88−29595, 88−29650 to 29652, 88−29710 to 29713, 88−29722 to 29724, 88−29898, 88−30085, 88−30114, 88−30170, 88−30198, 88−30208, 88−31169 to 31172, 88−32657, 88−35874, 88−35914, 88−35980 to 35987, 88−36008, 88−36063 to 36068, 88−36263 to 36264, 88−36269, 88−36427 to 36428, 88−36501

Sensors for biotechnology; IEE Colloquium on 'Advances in Sensors for Biotechnology' (Digest No.38), London, UK, 16 March 1988, *(IEE)* [London, UK: IEE 1988] 88−37870 (introductory abstract), 88−42081, 88−42496 to 42499, 88−42543

Shaped beam satellite antennas; IEE Colloquium on 'Shaped Beam Satellite Antennas' (Digest No.95), London, UK, 6 Nov. 1987, *(IEE)* [London, UK: IEE 1987] 88−11619 (introductory abstract), 88−14477 to 14478, 88−14486 to 14487, 88−14506 to 14511, 88−14548 to 14550, 88−14558 to 14559

Shaped crystal growth; First International Symposium on Shaped Crystal Growth, Budapest, Hungary, 22-25 July 1986, *(Hungarian Acad. Sci.; Int. Union Crystallogr.; Roland Eotvos Phys. Soc)* [March 1987] 87−43741 (introductory abstract), 87−44283 to 44296, 87−45790, 87−46257, 87−49960, 87−51459 to 51463

Shell and spatial structures; Shell and Spatial Structures: Computational Aspects. Proceedings of the International Symposium, Leuven, Belgium, 14-16 July 1986, *De Roeck, G. Quiroga, A.S. Van Laethem, M. Backx, E. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 87−60777

Shock waves in condensed matter; Shock Waves in Condensed Matter, Spokane, WA, USA, 22-25 July 1985, *Gupta, Y.M. (editor/s),* [New York, NY, USA: Plenum 1986] 87−17736, 87−21064 to 21070

Short and ultrashort wavelength lasers; Short and Ultrashort Wavelength Lasers, Los Angeles, CA, USA, 14-15 Jan. 1988, *(SPIE)* [1988] 88−55793 (introductory abstract), 88−58404 to 58406, 88−58454 to 58467, 88−58511 to 58514, 88−58582

Short wavelength coherent radiation; Short Wavelength Coherent Radiation: Generation and Applications, Monterey, CA, USA, 24-26 March 1986, *(Acton Res. Corp.; Questek)* [1986] 87−12339, 87−12348 to 12352, 87−12508 to 12514, 87−12553, 87−12597

SID; 1984 SID International Symposium - SID '84, San Francisco, CA, USA, 4-8 June 1984, *(SID)* [1985] 86−13262 (introductory abstract), 86−14816 to 14817, 86−15526, 86−17058, 86−17832, 86−17980, 86−18037 to 18042

SID international symposium; 1984 SID International Symposium. Digest of Technical Papers, San Francisco, CA, USA, 5-7 June 1984, *(SID)* [New York, NY, USA: Palisades Inst. Res. Services 1984] 85−10328 (introductory abstract), 85−11862 to 11863, 85−13795, 85−14376, 85−14430, 85−14657 to 14672, 85−14727 to 14728, 85−14920 to 14952, 85−15377 to 15381, 85−16372, 85−18016, 85−18031 to 18038, 85−19071, 85−19100, 85−20270, 85−20329, 85−20509 to 20515, 85−20671 to 20676

SID international symposium; 1986 SID International Symposium. Digest of Technical Papers. First Edition, San Diego, CA, USA, 6-8 May 1986, *(SID)* [New York, NY, USA: Palisades Inst. Res. Services 1986] 87−3683 (introductory abstract), 87−1142, 87−1155 to 1157, 87−1161 to 1162, 87−1567, 87−1815, 87−1933, 87−1991 to 1993, 87−2011, 87−2037, 87−2134, 87−2265, 87−2643, 87−3294, 87−3459 to 3476, 87−3607, 87−3684 to 3700, 87−3729, 87−4102, 87−6353, 87−7181, 87−7211, 87−8409, 87−8543 to 8549, 87−8644, 87−8671 to 8699, 87−8928

SIGMOD 84; SIGMOD '84. Proceedings of the Annual Meeting, Boston, MA, USA, 18-21 June 1984, *(ACM)* [June 1984] 85−8064

Signal and image processing; Onzieme Colloque sur le Traitement du Signal et des Images (Eleventh Symposium on Signal and Image Processing), Nice, France, 1-5 June 1987, [Cagnes sur Mer, France: GRETSI 1987] 88−18320 (introductory abstract), 88−18536, 88−18573 to 18574, 88−19021, 88−19203, 88−19247, 88−19286 to 19290, 88−20801, 88−20913 to 20915, 88−20936, 88−21006 to 21008, 88−21038 to 21039, 88−21054 to 21055, 88−21068 to 21070, 88−21101 to 21106, 88−21149 to 21159, 88−21225 to 21284, 88−21337 to 21357, 88−21554, 88−21582, 88−21816, 88−21821 to 21822, 88−21962, 88−22001 to 22002, 88−22053 to 22055, 88−22060, 88−22191 to 22194, 88−22205 to 22207, 88−22224 to 22232, 88−22239, 88−22469, 88−22522, 88−22791, 88−23070 to 23073, 88−23092 to 23094, 88−23122, 88−23177, 88−23191, 88−23212 to 23213, 88−28087

Signal processing; Advanced Signal Processing, Coventry, UK, 1984, *Creasey, D.J. (editor/s),* [London, UK: Peter Peregrinus 1985] 86−7411 (introductory abstract), 86−8199, 86−8309, 86−8396, 86−8414, 86−8524, 86−9268 to 9270, 86−9442, 86−9640 to 9641, 86−10196, 86−10326, 86−10466, 86−10588, 86−10974 to 10975, 86−11044, 86−11143, 86−11177 to 11179, 86−11183 to 11189, 86−11516, 86−11664 to 11665

Signal processing; Advanced Algorithms and Architectures for Signal Processing, San Diego, CA, USA, 19-20 Aug. 1986, *(SPIE)* [1987] 87−51706 (introductory abstract), 87−49635, 87−52014, 87−52052 to 52053, 87−54873 to 54874, 87−55109 to 55132, 87−55280 to 55282, 88−13085 to 13090, 88−13152 to 13153, 88−13186, 88−13282 to 13290, 88−13507 to 13513

Signal processing; USMG, NATO ASI Les Houches Session XLV: Signal Processing, Les Houches, France, 12 Aug.-6 Sept. 1985, *Lacoume, J.-L. Durrani, T.S. Stora, R. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987] 88−11607 (introductory abstract), 88−8805, 88−13549, 88−14737 to 14744, 88−14843 to 14845, 88−16039

Signal processing: theory and applications; Signal Processing III: Theories and Applications. Proceedings of EUSIPCO-86: Third European Signal Processing Conference, The Hague, Netherlands, 2-5 Sept. 1986, *Young, I.T. Duin, R.P.W. Biemond, J. Gerbrands, J.J. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $180.00] 87−43779 (introductory abstract), 87−44120, 87−44265, 87−44277 to 44279, 87−44523, 87−44704 to 44705, 87−44930 to 44937, 87−44972, 87−45006 to 45007, 87−45056, 87−45105 to 45119, 87−46130 to 46131, 87−47315, 87−47396, 87−47462 to 47463, 87−47533 to 47537, 87−47569 to 47614, 87−47786 to 47847, 87−48013 to 48058, 87−48476, 87−48735 to 48737, 87−48749, 87−48765, 87−48835, 87−48962 to 48963, 87−49142 to 49146, 87−49197 to 49198, 87−49319 to 49321, 87−49409, 87−49499, 87−49575, 87−49642 to 49643, 87−49733, 87−50218 to 50221, 87−50290 to 50292, 87−50350 to 50353, 87−50414, 87−51569, 87−51903, 87−52088, 87−52652 to 52653, 87−52757 to 52769, 87−54849, 87−55007 to 55008, 87−55034 to 55035, 87−55208 to 55237, 87−55325 to 55342, 87−55841 to 55848, 87−55884, 87−56016, 87−56087, 87−56216 to 56220, 87−56254, 87−56276 to 56277, 87−56595, 87−57847

Signals, systems and computers; Conference Record: Twentieth Asilomar Conference on Signals, Systems and Computers (Cat. No.87CH2461-2), Pacific Grove, CA, USA, 10-12 Nov. 1986, *(IEEE; Naval Postgraduate Sch) Etter, D.M. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−57 (introductory abstract), 88−274, 88−317, 88−330 to 332, 88−370 to 371, 88−506 to 507, 88−606, 88−737 to 740, 88−822 to 826, 88−897 to 904, 88−1777, 88−2440, 88−2697 to 2700, 88−2886 to 2887, 88−2919, 88−2976, 88−3084 to 3134, 88−3241 to 3257, 88−3325, 88−3644, 88−3790, 88−3820, 88−4087 to 4094, 88−4116 to 4118, 88−4136, 88−4351, 88−4412, 88−4943, 88−5036, 88−5710

Silicides; Workshop on Silicides and their Use in Microelectronics, Florence, Italy, 10-11 Oct. 1985, *(Int. Union Vacuum Sci. Tech. & Appl)* [16 June 1986] 86−61836 (introductory abstract), 86−62263 to 62264, 86−62306, 86−63109 to 63110, 86−63203 to 63204, 86−63213 to 63215

Silicon; Proceedings of the Fifth International Symposium on Silicon Materials Science and Technology: Semiconductor Silicon 1986, Boston, MA, USA, 5-9 May 1986, *(Electrochem. Soc) Huff, H.R. Abe, T. Kolbesen, B. (editor/s),* [Pennington, NJ, USA: Electrochem. Soc. 1986] 87−16292 (introductory abstract), 87−16576 to 16581, 87−16643, 87−16689 to 16690, 87−17098, 87−17694 to 17697, 87−17773 to 17774, 87−17849 to 17852, 87−17887 to 17894, 87−17931 to 17933, 87−17986 to 17997, 87−18045, 87−18287 to 18294, 87−18345 to 18348

Silicon based sensors; Silicon Based Sensors. Meeting of the Instrument Science and Technology Group of the Institute of Physics, London, UK, 8 Dec. 1986, [Bristol, UK: IOP 1986] 87−51744 (introductory abstract), 87−53421, 87−56682 to 56687

Silicon, crystalline, O, H, C and N; Oxygen, Carbon, Hydrogen and Nitrogen in Crystalline Silicon, Boston, MA, USA, 2-5 Dec. 1985, *(Arco Solar; Cabot Corp.; DOE; Exxon; et al) Mikkelsen, J.C., Jr. Pearton, S.J. Corbett, J.W. Pennycook, S.J. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−10365, 87−10885, 87−11344 to 11345, 87−11579 to 11581, 87−11629 to 11631, 87−11681 to 11682, 87−11734

Silicon design; Proceedings of the Second Silicon Design Conference, London, UK, 9-11 July 1985, [London, UK: Silicon Design 1985] 87−5640 (introductory abstract)

Silicon design; Proceedings of the Third Silicon Design Conference, London, UK, 15-17 July 1986, *Ambler, A.P. (editor/s),* [London, UK: Electron. Design. Autom. 1986] 87−31 (introductory abstract), 87−455 to 463, 87−713 to 730, 87−791 to 793, 87−812, 87−1497, 87−1662 to 1684, 87−1780

Silicon detectors, new developments; New Developments in Silicon Detectors. Proceedings of the Third European Symposium on Semiconductor Detectors, Munich, West Germany, 14-16 Nov. 1983, [15 Sept. 1984] 85−15156 (introductory abstract), 85−9068 to 9075, 85−9100 to 9107, 85−9112, 85−12078, 85−15157 to 15174, 85−15252

Silicon molecular beam epitaxy; Proceedings of the First International Symposium on Silicon Molecular Beam Epitaxy, Toronto, Ont., Canada, 14-17 May 1985, *Bean, J.C. Iyer, S.S. Kasper, E. Shiraki, Y. (editor/s),* [Pennington, NJ, USA: Electrochem. Soc. 1985] 87−5138 (introductory abstract), 87−282 to 286, 87−1278 to 1279, 87−1347 to 1348, 87−1559, 87−3622, 87−5426 to 5431, 87−6163, 87−6371, 87−6467 to 6468, 87−6500, 87−6540 to 6549, 87−6597 to 6599

Silicon-on-insulator; Silicon-on-Insulator: Its Technology and Applications. US-Japan Seminar on 'Solid Phase Epitaxy and Interface Kinetics', Oiso, Japan, 20-24 June 1983, *Furukawa, S. (editor/s),* [Dordrecht, Netherlands: Reidel 1985, $59.00] 86−7398 (introductory abstract), 86−7810 to 7814, 86−8747 to 8748, 86−8969 to 8970, 86−8999, 86−9312

Silicon processing; Silicon Processing, San Jose, CA, USA, 19-22 Jan. 1982, *(ASTM) Gupta, D.C. (editor/s),* [Philadelphia, PA, USA: ASTM 1983] 85−38 (introductory abstract), 85−210, 85−357 to 361, 85−402 to 404, 85−442 to 443, 85−794, 85−1186, 85−1288, 85−1472 to 1475, 85−1495 to 1496, 85−1529 to 1531, 85−1722 to 1727, 85−1761

SIMULA information; SIMULA Information: Proceedings of the Fifteenth SIMULA Conference, St. Helier, UK, 16-18 Sept. 1987, [Oslo, Norway: Simula 1987] 88−35161

SIMULA users' conference; Proceedings of the Thirteenth SIMULA Users' Conference, Calgary, Alta., Canada, 28-30 Aug. 1985, [Oslo, Norway: SIMULA 1985] 86−7908

Simulation; 1984 Winter Simulation Conference Proceedings (Cat. No. 84CH2098-2), Dallas, TX, USA, 28-30 Nov. 1984, *(IEEE; ACM; Inst. Ind. Eng.; NBS; Oper. Res. Soc. America; et al) Sheppard, S. Pooch, U.W. Pegden, C.D. (editor/s),* [New York, NY, USA: IEEE 1984] 85−57575, 85−57810 to 57811, 85−61581, 85−63383, 85−64664

Simulation; Record of Proceedings. The 18th Annual Simulation Symposium (Cat. No. 85CH2164-2), Tampa, FL, USA, 13-15 March 1985, *(IEEE; ACM; Soc. Comput. Simulation; IMACS) Miller, A. (editor/s),* [Silver Spring, MD, USA: IEEE Commput. Soc. Press 1985] 86−4348 to 4349

Simulation; Record of Proceedings. 19th Annual Simulation Symposium (Cat. No.86CH2286-3), Tampa, FL, USA, 12-14 March 1986, *(IEEE; ACM; SCS; IMACS) Kimbler, D.L. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 86−54771

Simulation; Record of Proceedings. The 20th Annual Simulation Symposium (Cat. No.87CH2410-9), Tampa, FL, USA, 11-13 March 1987, *(IEEE; ACM; SCS; IMACS) Gagliano, R.A. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−43782 (introductory abstract), 87−44804, 87−48676 to 48678, 87−49580, 87−50694

Simulation; 1985 Winter Simulation Conference Proceedings (Cat. No.85CH2214-5), San Francisco, CA, USA, 11-13 Dec. 1985, *(IEEE; ASA; ACM; NBS; ORSA; SCS; TIMS) Gantz, D.T. Blais, G.C. Solomon, S.L. (editor/s),* [New York, NY, USA: IEEE 1985] 86−48963, 86−49331 to 49334, 86−50005, 86−50122, 86−50703

Simulation; 1986 Winter Simulation Conference Proceedings, Washington, DC, USA, 8-10 Dec. 1986, *(American Stat. Assoc.; ACM; IEEE; Inst. Ind. Eng.; SCS; et al) Wilson, J.R. Henrikson, J.O. Roberts, S.D. (editor/s),* [San Diego, CA, USA: SCS 1986] 87−36479 to 36481, 87−37739, 87−39571, 87−40055, 87−40288, 87−40460 to 40461

Simulation; Proceedings of the 2nd European Simulation Congress, Antwerp, Belgium, 9-12 Sept. 1986, *Geril, P. Vansteenkiste, G.C. Kerckhoffs, E.J.H. Dekker, L. Zuidervaart, J.C. (editor/s),* [Ghent, Belgium: SCS Europe 1986] 87−31149 (introductory abstract), 87−31437, 87−31679, 87−31735, 87−33352, 87−33865 to 33866, 87−34016, 87−35179, 87−35462, 87−35469, 87−35478, 87−35545, 87−35823, 87−35841, 87−35855, 87−35861, 87−36204, 87−36263, 87−37254, 87−42626

Simulation; Simulation Society of Australia 1987 Conference, Melbourne, Vic., Australia, 11-13 May 1987, [Feb. 1988] 88−46965, 88−47261, 88−48767, 88−49027, 88−49235

Simulation; 1987 Winter Simulation Conference Proceedings, Atlanta, GA, USA, 14-16 Dec. 1987, *(American Stat. Assoc.; ACM; IEEE; SCS; et al) Thesen, A. Grant, H. Kelton, W.D. (editor/s),* [San Diego, CA, USA: SCS 1987] 88−31411, 88−31474, 88−32567, 88−34880, 88−34963, 88−35195, 88−35457

Simulation; Record of Proceedings. The 21st Annual Simulation Symposium (Cat. No.88CH2557-7), Tampa, FL, USA, 16-18 March 1988, *(IEEE; ACM; Annual Simulation Symposium; SCS; IMACS) Abrams, M.A. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−44482, 88−46640, 88−47463, 88−48269

Simulation aids for electronic systems; IEE Colloquium on 'Simulation Aids for Electronic Systems' (Digest No.11), London, UK, 21 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86−26519 (introductory abstract), 86−27280, 86−28433

Simulation and AI; Simulation and AI. Proceedings of the Conference, San Diego, CA, USA, 14-16 Jan. 1987, *Luker, P.A. Birtwistle, G. (editor/s),* [San Diego, CA, USA: SCS 1987] 87−38505, 87−40060, 87−40493

Simulation and modelling; Proceedings of the IASTED International Symposium Applied Simulation and Modelling - ASM '87, Santa Barbara, CA, USA, 27-29 May 1987, *Koval, D.O. Hamza, M.H. (editor/s),* [Anaheim, CA, USA: Acta Press 1987, $100.00] 88−43590 (introductory abstract), 88−43660, 88−43992, 88−44021, 88−44052, 88−44728, 88−44767, 88−44790, 88−44848, 88−45795, 88−47012, 88−47684, 88−48458, 88−48513, 88−48531, 88−48539, 88−48548, 88−48622, 88−48846, 88−48988, 88−49591, 88−49936, 88−52597, 88−55256, 88−55380, 88−55639, 88−55696

Simulation and test generation environments; Proceedings of the IEEE 1985 Workshop on Simulation and Test Generation Environments (Cat. No.86CH2296-2), San Francisco, CA, USA, 17-18 Sept. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87−10036 (introductory abstract), 87−10145, 87−10617 to 10619, 87−10766, 87−10834, 87−11941

Simulation at the frontiers of science; Simulation at the Frontiers of Science with Papers on Software and Hardware Systems for the Simulationist. Proceedings from the Eastern Simulation Conferences, Norfolk, VA, USA, 10-12 March 1986, *Whiteside, R.A. (editor/s),* [San Diego, CA, USA: SCS 1986] 86−62151

Simulation in CIM; Simulation in CIM and Artificial Intelligence Techniques. Proceedings of the European Simulation Multiconference, Vienna, Austria, 7-10 July 1987, *Retti, J. Wichmann, K.E. (editor/s),* [Ghent, Belgium: SCS Eur. 1987] 88−32170, 88−32656

Simulation in engineering education; Simulation in Engineering Education. Proceedings of SEE '88, San Diego, CA, USA, 7-8 Jan. 1988, *Crosbie, R.E. (editor/s),* [San Diego, CA, USA: SCS 1988] 88−37852 (introductory abstract), 88−37887

Simulation in manufacturing; Proceedings of the 2nd International Conference on Simulation in Manufacturing - SIM-2, Chicago, IL, USA, 24-26 June 1986, *(IFS (Conferences); Cahners Exposition Group) Lenz, J.E. (editor/s),* [Kempston, UK: IFS (Publications) 1986, $85.00; £49.00] 87−6524

Simulation methods in nuclear engineering; Second International Conference on Simulation Methods in Nuclear Engineering Proceedings, Montreal, Que., Canada, 14-16 Oct. 1986, *(Canadian Nucl. Soc.; ANS) Brais, A. (editor/s),* [Toronto, Ont., Canada: Canadian Nucl. Soc. 1986, $75.00] 87−57848 to 57849

Simulation of control systems; Simulation of Control Systems. Selected Papers from the IFAC Symposium, Vienna, Austria, 22-26 Sept. 1986, *(IFAC; IMACS) Troch, I. Kopacek, P. Breitenecker, F. (editor/s),* [Oxford, UK: Pergamon 1987] 88−12261, 88−15583, 88−17084, 88−17368, 88−17424 to 17425, 88−17532, 88−17601, 88−17738, 88−18121, 88−18177, 88−18228 to 18229

Simulation of semiconductor devices and processes; IEE Colloquium on 'Simulation of Semiconductor Devices and Processes' (Digest nos. 72 & 74), London, UK, 1-2 Oct. 1985, *(IEE)* [London, UK: IEE 1985] 86−7405 (introductory abstract), 86−8749 to 8751, 86−8971, 86−9000 to 9002, 86−9054 to 9055, 86−9066 to 9071, 86−9178

Simulation of semiconductor devices and processes; Simulation of Semiconductor Devices and Processes. Vol.2. Proceedings of the Second International Conference, Swansea, UK, 21-23 July 1986, *Board, K. Owen, D.R.J. (editor/s),* [Swansea, UK: Pineridge Press 1986] 87−5143 (introductory abstract), 87−5479, 87−5747, 87−6459 to 6460, 87−6491, 87−6523, 87−6557 to 6561, 87−6602 to 6604, 87−6615, 87−6637 to 6649, 87−6681 to 6682, 87−6751 to 6768, 87−6923, 87−7223

Simulation profession, tools; Tools for the Simulation Profession. Proceedings of the 1987 Conferences Tools for the Simulationist and The Simulation Profession, Orlando, FL, USA, 6-9 April 1987, *Hawkins, R. Klukis, K. (editor/s),* [San Diego, CA, USA: SCS 1987] 87−68703, 87−70292, 87−71257

Simulation Society of Australia conference; Simulation Society of Australia 6th Biennial Conference, Adelaide, SA, Australia, 13-15 Aug. 1984, [April 1985] 85−47551

Simulation techniques; Simulationstechnik. 2. Symposium Simulationstechnik (Simulation Techniques. 2nd Symposium), Wien, Austria, 25-27 Sept. 1984, *Breitenecker, F. Kleinert, W. (editor/s),* [Berlin, West Germany: Springer-Verlag 1984] 85−28312 to 28315, 85−29182, 85−29316, 85−30747, 85−31881, 85−32104 to 32105, 85−32380, 85−32387 to 32388, 85−32623 to 32624, 85−32821, 85−32871, 85−32875, 85−32969, 85−33558, 85−35357, 85−37153, 85−38236, 85−38977, 85−39021, 85−39365

Simulation tools; Tools for the Simulation Profession, 1988. Proceedings of the 1988 Conferences: Tools for the Simulationist and Simulation Software, Orlando, FL, USA, 18-21 April 1988, *Hawkins, R. Crosbie, R. (editor/s),* [San Diego, CA, USA: SCS 1988, $28.00] 88−70030 (introductory abstract), 88−70479, 88−71628, 88−71746 to 71747, 88−73424, 88−73669, 88−75030

Simulators; Second International Conference on Simulators (Conf. Publ. No.267), Coventry, UK, 7-11 Sept. 1986, *(IEE)* [London, UK: IEE 1986] 87−10023 (introductory abstract), 87−10222, 87−12721, 87−13657, 87−13776 to 13778, 87−13796, 87−14976 to 14987, 87−15135 to 15136, 87−15212 to 15213, 87−15407, 87−15466 to 15469, 87−15541, 87−15589

Simulators; Simulators IV. Proceedings of the SCS Simulators Conference, 1987, Orlando, FL, USA, 6-9 April 1987, *Fairchild, B.T. (editor/s),* [San Diego, CA, USA: SCS 1987] 87−71210 (introductory abstract), 87−69552, 87−71211 to 71214, 87−71769, 87−71910 to 71912, 87−71961, 87−72002, 87−72619, 87−72778 to 72780, 87−76866, 87−77024 to 77025, 87−77738 to 77742, 87−78393 to 78394

Simulators; Simulators V. Proceedings of the SCS Simulators Conference, 1988, Orlando, FL, USA, 18-21 April 1988, *Clymer, A.B. Amico, V. (editor/s),* [San Diego, CA, USA: SCS 1988, $40.00] 88−70004 (introductory abstract), 88−70076, 88−70137 to 70138, 88−70457, 88−71725, 88−73723, 88−74918 to 74921, 88−74945, 88−74948, 88−75027 to 75028, 88−75252, 88−75299 to 75330, 88−75391 to 75394, 88−75451 to 75453, 88−76028

Sintered metal-ceramic composites; Sintered Metal-Ceramic Composites. Proceedings of the Third International School on Sintered Materials, New Delhi, India, 6-9 Dec. 1983, *Upadhyaya, G.S. (editor/s),* [Amsterdam, Netherlands: Elsevier 1984] 85−33519, 85−33522 to 33523, 85−34210

Small computers in the arts; Proceedings of the 4th Symposium on Small Computers in the Arts (Cat. No. 84CH2087-5), Philadelphia, PA, USA, 25-28 Oct. 1984, *(IEEE; ACM; Small Comput. Arts Network)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−20292

Small computers in the arts; Proceedings of the 5th Symposium on Small Computers in the Arts (Cat. No.85CH2218-6), Philadelphia, PA, USA, 5-8 Oct. 1985, *(IEEE; ACM/SIGGRAPH; Small Computers in the Arts Network)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86−31102 to 31103

Small systems; 1985 ACM SIGSMALL Symposium on Small Systems, Danvers, MA, USA, 1-3 May 1985, *(ACM)* [New York, NY, USA: ACM 1985, $21.00] 86−64603

Small terminal satellite communication systems; IEE Colloquium on 'Small Terminal Satellite Communication Systems' (Digest No.118), London, UK, 11 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87−23019 (introductory abstract), 87−28532 to 28545

Small wind enery conversion systems; Small Wind Energy Conversion Systems. Proceedings of the BWEA One Day Conference, London, UK, 7 May 1986, *Musgrove, P. (editor/s),* [Reading, UK: Univ. Reading 1986] 87−16290 (introductory abstract), 87−21256, 87−22019, 87−22189 to 22195

SMPTE conference; 125th Tehnical Conference of the Society of Motion Picture and Television Engineers, Los Angeles, CA, USA, 1 Nov. 1983, [Sept. 1984] 85−5632 (introductory abstract), 85−8607

SMPTE technical conference; 126th SMPTE Technical Conference (papers in summary form only received), New York, NY, USA, 28 Oct.-2 Nov. 1984, [Jan. 1985] 85−32896 (introductory abstract)

SMT, EXPO 87; EXPO SMT '87 Technical Proceedings, Las Vegas, NV, USA, 26-29 Oct. 1987, [Los Gatos, CA, USA: Lion Publishing 1987] 88−31311 (introductory abstract), 88−31487 to 31488, 88−31509, 88−32544 to 32545, 88−32659 to 32672, 88−32677 to 32680, 88−32692, 88−36615

Social experiments with IT; Social Experiments with Information Technology and the Challenges of Innovation. EEC Conference (EUR-11028-EN), Odense, Denmark, 13-15 Jan. 1986, *Qvortrup, L. Ancelin, C. Frawley, J. Hartley, J. Pichault, F. Pop, P. (editor/s),* [Dordrecht, Netherlands: Reidel 1987] 87−72713 (introductory abstract), 87−76008 to 76009, 87−76186 to 76187, 87−76257 to 76258, 87−76300

Society for Computers in Psychology annual meeting; 17th Annual Meeting of the Society for Computers in Psychology, Seattle, WA, USA, 5 Nov. 1987, [April 1988] 88−52361, 88−53502

Society of Economic Dynamics and Control; Seventh Conference of the Society of Economic Dynamics and Control, London, UK, 26-28 June 1985, [June 1986] 86−62013

Soft X-ray optics and technology; Soft X-Ray Optics and Technology, Berlin, West Germany, 8-11 Dec. 1986, *(SPIE: Berliner Elektronenspeicherring-Gesellschaft Synchrotronstrahlung)* [1987] 88−18302 (introductory abstract), 88−20530, 88−20580, 88−20688, 88−20856, 88−22437, 88−22597, 88−22653 to 22654, 88−22881 to 22889, 88−22978, 88−23016 to 23024

Software and computers for information managers and librarians; SCIL 1986. Software/Computer Conference and Exposition for Information Managers and Librarians. Conference Proceedings, Atlanta, GA, USA, 18-20 March 1986, [Westport, CT, USA: Meckler Publishing 1986] 86−54824, 86−59713, 86−60068

Software and hardware applications of microcomputers; Software and Hardware Applications of Microcomputers. Proceedings of the ISMM International Symposium, Beverley Hills, CA, USA, 5-7 Feb. 1986, *(Int. Soc. Mini & Microcomput.; IEEE) Hamza, M.H. Lee, G.K.F. (editor/s),* [Anaheim, CA, USA: Acta Press 1986] 87−16280 (introductory abstract), 87−10611 to 10613, 87−10884, 87−13307 to 13308, 87−13469, 87−14122, 87−14221, 87−14836 to 14837, 87−15024, 87−17041, 87−17285, 87−18338, 87−19628, 87−19836 to 19837, 87−20822 to 20823, 87−21007 to 21009, 87−21731

Software and semiconductor chips, licensing and protection; Protecting and Licensing Software and Semiconductor Chips in the US and Pacific Rim, San Francisco, CA, USA, 31 Oct.-1 Nov. 1985, [Uppingham, UK: European Study Conferences 1985] 86−66541 (introductory abstract)

Software and semiconductor chips, licensing and protection; Protecting and Licensing Software and Semiconductor Chips in Europe, Amsterdam, Netherlands, 7-8 Nov. 1985, [Uppingham, Rutland, UK: Eur. Study Conferences 1985] 86−26553 to 26554

Software engineering; Proceedings of the 7th International Conference on Software Engineering (cat. no. 84CH2011-5), Orlando, FL, USA, 26-29 March 1984, *(IEEE; ACM; NBS)* [New York, NY, USA: IEEE 1984] 85−3043, 85−47326

Software engineering; Proceedings of the 9th International Conference on Software Engineering (Cat. No.87CH2432-3), Monterey, CA, USA, 30 March-2 April 1987, *(IEEE; ACM; British Comput. Soc.; Agence Inf.; Inf. Process. Assoc. Israel; Singapore Comput. Soc.; Software Eng. Assoc. Japan; et al)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87−63004

Software engineering; Proceedings of the SEAS Anniversary Meeting 1987, Edinburgh, UK, 28 Sept.-2 Oct. 1987, [Nijmegen, Netherlands: SHARE Eur. Assoc. 1987] 88−41122, 88−41383 to 41385, 88−46396

Software engineering for real time systems; International Conference on Software Engineering for Real Time Systems (Publ. No.77), Cirencester, UK, 28-30 Sept. 1987, [London, UK: IERE 1987, £45.00] 88−35913, 88−36007, 88−37228 to 37229, 88−37695 to 37696

Software engineering for telecommunication switching systems; Sixth International Conference on Software Engineering for Telecommunication Switching Systems (Conf. Publ. No.259), Eindhoven, Netherlands, 14-18 April 1986, [London, UK: IEE 1986] 86−45924 (introductory abstract), 86−45966, 86−46478, 86−49068, 86−49165 to 49171, 86−49202, 86−49317, 86−49369, 86−49389 to 49412, 86−49424

Software engineering standards; Third Software Engineering Standards Application Workshop (Cat. No. 84CH2071-9), San Francisco, CA, USA, 2-4 Oct. 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−38750

Software maintenance; Software Maintenance Workshop Record (Cat. No. 83CH1982-8), Monterey, CA, USA, 6-8 Dec. 1983, *(IEEE; NBS; Naval Postgraduate School; ACM) Arnold, R.S. (editor/s),* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−27260

Software maintenance; Proceedings of the Conference on Software Maintenance - 1987 (Cat. No.87CH2442-2), Austin, TX, USA, 21-24 Sept. 1987, *(IEEE; Data Protection Manage. Assoc.; NBS; ACM; et al)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−16815

Software system design methods; Software System Design Methods: The Challenge of Advanced Computing Technology. Proceedings of the NATO Advanced Study Institute, Durham, UK, 29 July-10 Aug. 1985, *Skwirzynski, J.K. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986, DM 228] 87−69723

Software technology and computer science; Foundations of Software Technology and Theoretical Computer Science. Sixth Conference Proceedings, New Delhi, India, 18-20 Dec. 1986, *(Indian Inst. Technol.; Tata Inst. Fundamental Res.; Tata Res. Dec. & Design Centre) Nori, K.V. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986] 87−66716

Software technology and theoretical computer science; Foundations of Software Technology and Theoretical Computer Science. Fourth Conference Proceedings, Bangalore, India, 13-15 Dec. 1984, *Joseph, M. Shyamasundar, R. (editor/s),* [Berlin, West Germany: Springer-Verlag 1984] 85−39435 (introductory abstract), 85−39863 to 39866, 85−42306

Software technology and theoretical computer science; Second Conference on Foundations of Software Technology and Theoretical Computer Science, Bangalore, India, 13-15 Dec. 1982, [Sept. 1984] 85−10586

Software technology and theoretical computer science; Foundations of Software Technology and Theoretical Computer Science. Fifth Conference Proceedings, New Delhi, India, 16-18 Dec. 1985, *(Indian Inst. Technol.; Tata Inst. Fundamental Res) Maheshwari, S.N. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985] 87−66153, 87−67511, 87−69725

Software technology and theoretical computer science; FST&TCS 7: Foundations of Software Technology and Theoretical Computer Science. Seventh Conference Proceedings, Pune, India, 17-19 Dec. 1987, *Nori, K.V. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 88−71724, 88−73440, 88−73635

Software testing, verification, and analysis; Proceedings of the Second Workshop on Software Testing, Verification, and Analysis (Cat. No.88TH0225-3), Banff, Alta., Canada, 19-21 July 1988, *(IEEE; ACM)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−73487

Software tools for hardware design; IEE Colloquium on Software Tools for Hardware Design (Digest No.98), London, UK, 7 Dec. 1983, *(IEE)* [London, UK: IEE 1983] 85−28292, 85−28316 to 28317

SOI and thin film transistor technology; Semiconductor-on-Insulator and Thin Film Transistor Technology Symposium, Boston, MA, USA, 3-6 Dec. 1985, *(Mater. Res. Soc) Chiang, A. Geis, M.W. Pfeiffer, L. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−16574 to 16575, 87−16634 to 16639, 87−16686, 87−17693, 87−17719 to 17720, 87−17821 to 17824, 87−17858, 87−17880 to 17883, 87−17921 to 17928, 87−17969 to 17970, 87−18044, 87−18056 to 18057, 87−18112, 87−18158 to 18162, 87−18261 to 18262, 87−18329 to 18332, 87−18825

SOI - current status and future potential; IEE Tutorial Meeting on 'Silicon On Insulator - Current Status and Future Potential' (Digest No.75), London, UK, 11 March 1987, *(IEE)* [London, UK: IEE 1987] 87−43817 (introductory abstract), 87−46152, 87−46240 to 46244

Solar elements - measurement techniques and physical basics; Solarelemente - Messtechnik und Physikalische Grundlagen (Solar Elements - Measurement Techniques and Physical Basics) (PTB-Opt-17), Braunschweig, West Germany, 10-11 Oct. 1984, *Hahn, D. Kaase, H. Metzdorf, J. (editor/s),* [Braunschweig, West Germany: Phys. Tech. Bundesanstalt 1984] 86−13308 (introductory abstract)

Solar energy; ASES '86: Proceedings of the 1986 Annual Meeting of the American Solar Energy Society Inc. Technical Papers, Boulder, CO, USA, 11-14 June 1986, *(Colorado Office Energy Conservation; Solar Energy Res. Inst.; Western Area Power Adm.; et al)* [Boulder, CO, USA: American Solar Energy Soc. 1986] 88−11625 (introductory abstract), 88−17245, 88−17476, 88−17487, 88−18082 to 18085, 88−18148, 88−18753, 88−22478, 88−22835, 88−23604 to 23605, 88−23802 to 23812, 88−23822 to 23824, 88−24158 to 24163, 88−24171 to 24172, 88−24175, 88−24264

Solar energy; Physics and Technology of Solar Energy. Proceedings of the International Workshop on Physics of Solar Energy, New Delhi, India, 24 Nov.-6 Dec. 1986, *(Indian Inst. Technol.; Int. Centre Theor. Phys.; UNESCO; et al) Garg, H.P. Dayal, M. Furlan, G. Sayigh, A.A.M. Sharma, V.K. (editor/s),* [Dordrecht, Netherlands: Reidel 1987, $176.00] 88−33586 to 33588, 88−37048, 88−37119 to 37120, 88−37613 to 37619

Solar energy utilisation; Solar Energy Utilization. Proceedings of the NATO Advanced Study Institute, Cesme, Izmir, Italy, 23 June-4 July 1986, *(NATO) Yuncu, H. Paykoc, E. Yener, Y. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1987] 88−11152 to 11153, 88−11395

Solar neutrino detection and related topics; Intenational Conference on Solar Neutrino Detection with ^{205}TI and Related Topics, Dubrovnik, Yugoslavia, 29 Sept.-3 Oct. 1986, *(Federal Executive Council Yugoslavia; Republic Community Sci. Serbia; et al)* [15 Aug. 1988] 88−74740

Solar-space observations and stellar prospects; Solar-Space Observations and Stellar Prospects. Proceedings of the Topical Meeting of the COSPAR Interdisciplinary Scientific Commission E (Meetings E1, E2 and E6) of the COSPAR Twenty-Fifth Plenary Meeting, Graz, Austria, 25 June-7 July 1984, [1984] 85−43312

Solid dielectrics; Proceedings of the 2nd International Conference on Conduction and Breakdown in Solid Dielectrics (Cat. No.86CH2124-6), Erlangen, West Germany, 7-10 July 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−16269 (introductory abstract), 87−16713, 87−17410, 87−17734, 87−17795, 87−17820, 87−18361 to 18365, 87−18377 to 18388, 87−18431 to 18437, 87−18824, 87−24981, 87−25623 to 25625, 87−25634 to 25648, 87−25712 to 25713, 87−53753 to 53760, 87−53825, 87−54163, 87−58244

Solid films and surfaces; Proceedings of the International Conference on Solid Films and Surfaces, Sydney, NSW, Australia, 27 31 Aug. 1984, *(Int. Union of Vacuum Sci.; Australian Acad. of Sci.; Australian Inst. of Phys.; R. Australian Chem. Inst)* [May 1985] 85−54450, 85−54481 to 54486, 85−54492 to 54493, 85−55458 to 55459, 85−55475, 85−55519, 85−55553 to 55554, 85−55579 to 55582, 85−55602, 85−55609 to 55610, 85−55700, 85−55736, 85−56285, 85−56395, 85−56402, 85−60417 to 60419

Solid state and smart sensors; IEE Colloquium on 'Solid State and Smart Sensors' (Digest No. 54), London, UK, 14 May 1985, *(IEE)* [London, UK: IEE 1985] 85−49281 (introductory abstract), 85−52755 to 52761, 85−53087

Solid state and smart sensors; IEE Colloquium on 'Solid State and Smart Sensors' (Digest No.39), London, UK, 18 March 1988, *(IEE)* [London, UK: IEE 1988] 88−37871 (introductory abstract), 88−42025, 88−42082 to 42087

Solid state batteries; Solid State Batteries. Proceedings of the NATO Advanced Study Institute, Alcabideche, Portugal, 2-14 Sept. 1984, *(NATO; USDOE; US Army Res. Dev. & Stand. Group; et al) Sequeira, C.A.C. Hooper, A. (editor/s),* [Dordrecht, Netherlands: Martinus Nijhoff 1985] 86−61861 (introductory abstract), 86−66224 to 66248, 86−66251 to 66253, 86−66302 to 66313, 86−66317, 86−66357

Solid state broadcast transmitters; IEE Colloquium on 'Advances in Solid State Technology for Broadcast Transmitters' (Digest No.16), London, UK, 26 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88−31322 (introductory abstract), 88−35659 to 35665, 88−35693

Solid state circuits; ESSCIRC '84. Tenth European Solid-State Circuits Conference, Edinburgh, UK, 19-21 Sept. 1984, *(EUREL; IEE; IEEE; R. Soc. Edinburgh)* [Edinburgh, UK: CEP Consultants 1984] 85−60664 (introductory abstract), 85−61065, 85−61116, 85−61135 to 61136, 85−61156, 85−61241 to 61245, 85−61280 to 61286, 85−61315 to 61317, 85−61337 to 61340, 85−61355, 85−61375 to 61376, 85−61383 to 61384, 85−61409, 85−61471, 85−62036, 85−62063 to 62065, 85−62097 to 62116, 85−62454, 85−63125, 85−63411 to 63412, 85−63713 to 63714, 85−63824, 85−64145

Solid state circuits; 1985 IEEE International Solid-State Circuits Conference, 32nd ISSCC. Digest of Technical Papers (Cat. No. 85CH2122-0), New York, NY, USA, 13-15 Feb. 1985, *(IEEE; Univ. Pennsylvania)* [Coral Gables, FL, USA: Lewis Winner 1985] 86−13297 (introductory abstract), 86−7997 to 7998, 86−8028 to 8031, 86−8181 to 8198, 86−8249 to 8265, 86−8304 to 8307, 86−8327 to 8330, 86−8345, 86−9311, 86−10552, 86−10671, 86−10715, 86−10820 to 10821, 86−10846 to 10847, 86−10864 to 10866,

86−10882, 86−11141, 86−11280 to 11282, 86−11484 to 11485, 86−14006, 86−14075 to 14078, 86−14176, 86−14212 to 14226, 86−14293 to 14297, 86−14313 to 14314, 86−14364 to 14367, 86−15244 to 15245, 86−15275 to 15277, 86−17103, 86−17652, 86−17696, 86−17852, 86−18358

Solid state circuits; ESSCIRC '85. 11th European Solid State Circuits Conference (papers in summary form only received), Toulouse, France, 16-18 Sept. 1985, *(Convention Nat. Soc. Electr. Eng. Western Eur.; IEE; Soc. Electr. Electron. Radioelectr)* [Toulouse, France: Univ. Paul Sabatier 1985] 86−33931 (introductory abstract), 86−34482, 86−34531, 86−34590 to 34592, 86−34630, 86−34659, 86−34741 to 34747, 86−34809 to 34819, 86−34871 to 34878, 86−34908 to 34914, 86−34933 to 34935, 86−34947, 86−34988, 86−35025 to 35026, 86−35043, 86−35052, 86−35122 to 35123, 86−35723, 86−35826 to 35834, 86−35921, 86−37313, 86−37594 to 37595, 86−37630, 86−37916 to 37917, 86−38032, 86−38285, 86−38456, 86−38750 to 38751, 86−38818

Solid state circuits; 1986 IEEE International Solid-State Circuits Conference. Digest of Technical Papers (Cat. No.86CH2263-2), Anaheim, CA, USA, 19-21 Feb. 1986, *(IEEE; Univ. Pennsylvania) Winner, L. (editor/s),* [Coral Gables, FL, USA: Lewis Winner 1986] 87−16274 (introductory abstract), 87−16370, 87−16396, 87−16878 to 16879, 87−16915 to 16917, 87−16957 to 16959, 87−16974, 87−17020 to 17033, 87−17068 to 17096, 87−17151 to 17164, 87−17182 to 17186, 87−17197 to 17200, 87−17268 to 17269, 87−17383, 87−18079, 87−18163, 87−18263 to 18266, 87−18311, 87−18333 to 18337, 87−18870 to 18871, 87−19019, 87−20296 to 20297, 87−20305, 87−20317 to 20318, 87−20328, 87−20712 to 20714, 87−20971 to 20972, 87−21178, 87−21575, 87−22880

Solid state circuits; ESSCIRC '86. Twelfth European Solid-State Circuits Conference, Delft, Netherlands, 16-18 Sept. 1986, [Delft, Netherlands: Delft Univ. Technol. 1986] 87−23001 (introductory abstract), 87−23936, 87−23962 to 23967, 87−24021, 87−24133 to 24142, 87−24204 to 24210, 87−24258 to 24262, 87−24284 to 24286, 87−24323 to 24327, 87−24369, 87−24384, 87−24390 to 24391, 87−25495 to 25503, 87−25596 to 25605, 87−26214 to 26215, 87−28248, 87−28279, 87−28634, 87−28870, 87−28876, 87−28977, 87−29109 to 29110, 87−30661, 87−52346, 87−52398, 87−52522 to 52523, 87−52576 to 52577, 87−52624 to 52625, 87−52720 to 52721, 87−53606, 87−53712 to 53718, 87−56147, 87−56357, 87−56429, 87−56523, 87−56596, 87−56694

Solid state circuits; 1987 IEEE International Solid-State Circuits Conference. Digest of Technical Papers. ISSCC. First Edition, New York, NY, USA, 25-27 Feb. 1987, *(IEEE; Univ. Pennsylvania)* [Coral Gables, FL, USA: Lewis Winner Feb. 1987] 87−58543 (introductory abstract), 87−58687, 87−59111, 87−59211 to 59216, 87−59238, 87−59262, 87−59414 to 59422, 87−59481 to 59511, 87−59601 to 59623, 87−59659 to 59667, 87−59685 to 59687, 87−59696, 87−59722, 87−59791, 87−59805, 87−59816, 87−60611, 87−60635, 87−60686 to 60690, 87−60778, 87−62135 to 62139, 87−62392, 87−62727, 87−62738 to 62739, 87−62756 to 62757, 87−63007, 87−63172, 87−63282 to 63285

Solid state circuits; Thirteenth European Solid-State Circuits Conference (ESSIRC '87), Bad Soden, West Germany, Sept. 1987, [June 1988] 88−55773 (introductory abstract), 88−56440, 88−56472 to 56473, 88−56495, 88−56499 to 56500, 88−56527, 88−56576 to 56580, 88−56616, 88−56661 to 56662, 88−56710 to 56711, 88−56744, 88−56824, 88−57800 to 57803, 88−57820 to 57821, 88−59136, 88−59757, 88−60148

Solid state components for radar; IEE Colloquium on 'Solid State Components for Radar' (Digest No.24), London, UK, 12 Feb. 1988, *(IEE)* [London, UK: IEE 1988] 88−31321 (introductory abstract), 88−32469 to 32476, 88−35591

Solid state device design for reliability; IEE Colloquium on Design and Fabrication of Devices for Improved Reliability (Digest No. 27), London, UK, 15 March 1985, *(IEE)* [London, UK: IEE 1985] 85−32939 (introductory abstract), 85−33927, 85−35147, 85−35155 to 35156, 85−35207, 85−35802, 85−36803

Solid state device research; Solid State Devices 1986. Sixteenth European Solid State Device Research Conference (ESSDERC), Cambridge, UK, 8-11 Sept. 1986, *(IEE; IEEE; IERE; Eur. Phys. Soc) Moore, D.F. (editor/s),* [Bristol, UK: IOP 1987, £22.50] 87−74044 (introductory abstract), 87−73114, 87−73447, 87−73708 to 73709, 87−74020, 87−74135, 87−74174, 87−74213 to 74214, 87−74239, 87−74329, 87−74396

Solid state devices; Proceedings of the 14th European Solid State Device Research Conference, including Solid State Device Technology, Lille, France, 10-13 Sept. 1984, [March 1985] 85−39416 (introductory abstract), 85−39777 to 39778, 85−40024, 85−40497, 85−40539 to 40542, 85−40584, 85−40605 to 40606, 85−40672, 85−40678 to 40679, 85−40702 to 40707, 85−40718, 85−40767 to 40772, 85−40786, 85−40918 to 40921, 85−41064, 85−41244, 85−41273 to 41277, 85−41298, 85−41407 to 41410, 85−42903, 85−43005 to 43006, 85−44195, 85−44741, 85−44788 to 44789, 85−45002, 85−45239 to 45240, 85−45381, 85−45430, 85−45454 to 45456, 85−45500, 85−45556 to 45557, 85−45598 to 45600, 85−45620, 85−45656, 85−45715 to 45719, 85−45881 to 45885, 85−50045, 85−50177, 85−50469 to 50470, 85−50473, 85−50497, 85−50544 to 50548

Solid state devices; Solid State Devices 1985. Invited Papers Presented at the 15th European Solid State Device Research Conference, Aachen, West Germany, 9-12 Sept. 1985, *(Nachrichtentech. Gesellschaft; IEEE; Deutsche Phys. Gesellschaft; et al) Balk, P. Folberth, O.G. (editor/s),* [Amsterdam, Netherlands: Elsevier 1986, $61.00] 87−36319 (introductory abstract), 87−36816, 87−37966 to 37967, 87−38056 to 38058, 87−38106, 87−38168, 87−38223, 87−38509, 87−38554, 87−39141, 87−41392, 87−41498

Solid state devices and materials; Extended Abstracts of the 16th (1984 International) Conference on Solid State Devices and Materials, Kobe, Japan, 30 Aug.-1 Sept. 1984, *(Japan Soc. Appl. Phys.; IEEE; Electrochem. Soc. Japan; et al)* [Tokyo, Japan: Business Centre for Acad. Sci. Japan 1984] 85−32909 (introductory abstract), 85−33402 to 33404, 85−33463 to 33465, 85−33508, 85−34454, 85−34601 to 34602, 85−34645, 85−34683, 85−34752 to 34758, 85−34831, 85−34871, 85−34889 to 34892, 85−34903, 85−34943, 85−35005 to 35009, 85−35127, 85−35197 to 35198, 85−35662, 85−35733, 85−35791 to 35798, 85−40046 to 40052, 85−40104 to 40108, 85−40256, 85−40519, 85−40551 to 40553, 85−40590, 85−40648, 85−40710 to 40713, 85−40775 to 40784, 85−40865 to 40866, 85−40891, 85−40934 to 40938, 85−41279, 85−42910 to 42913, 85−44745 to 44757, 85−44791 to 44801, 85−45012 to 45016, 85−45059 to 45060, 85−45242, 85−45398, 85−45415, 85−45436 to 45444, 85−45475 to 45477, 85−45506, 85−45564, 85−45604 to 45612, 85−45646, 85−45659, 85−45724 to 45728, 85−45808 to 45809, 85−45898 to 45899, 85−46021, 85−46098 to 46099, 85−46275 to 46281, 85−46295 to 46296, 85−46414 to 46418, 85−47861 to 47862, 85−49573 to 49576, 85−49604, 85−49752, 85−49886, 85−50368 to 50369, 85−50401, 85−50439, 85−50594, 85−50764, 85−51197, 85−53014

Solid state devices and materials; Extended Abstracts of the 18th (1986 International) Conference on Solid State Devices and Materials, Tokyo, Japan, 20-22 Aug. 1986, *(Japan Soc. Appl. Phys.; IEEE; Electrochem. Soc. Japan; et al)* [Tokyo, Japan: Bus. Center Acad. Socs. Japan 1986] 87−22999 (introductory abstract), 87−23616, 87−23670 to 23689, 87−23731 to 23734, 87−23935, 87−23961, 87−24128 to 24131, 87−24201 to 24203, 87−24464 to 24465, 87−24769, 87−24794 to 24795, 87−24874 to 24887, 87−24942, 87−24967, 87−25033 to 25051, 87−25089 to 25093, 87−25136 to 25142, 87−25171 to 25173, 87−25218 to 25219, 87−25243 to 25252, 87−25324 to 25342, 87−25486 to 25490, 87−25589 to 25593, 87−26182, 87−26185 to 26186, 87−26209, 87−26224, 87−26242 to 26246, 87−26424 to 26430, 87−26547, 87−28975 to 28976, 87−29141, 87−29303, 87−30978 to 30979, 87−31545 to 31550, 87−31583 to 31588, 87−31842 to 31843, 87−31902 to 31904, 87−32115, 87−32234, 87−32356 to 32357, 87−32403, 87−32434 to 32438, 87−32449 to 32450, 87−32496 to 32499, 87−32562 to 32564, 87−32680 to 32681, 87−32913 to 32915, 87−33996

Solid state devices and materials; Extended Abstracts of the 19th Conference on Solid State Devices and Materials, Tokyo, Japan, 25-27 Aug. 1987, *(Japan Soc. Appl. Phys.; Inst. Electron. Inf. & Commun. Eng.; IEEE; et al)* [Tokyo, Japan: Bus. Center Acad. Soc. Japan 1987] 88−18337 (introductory abstract), 88−18670 to 18671, 88−18697 to 18718, 88−18754 to 18756, 88−19166 to 19169, 88−19417, 88−19632, 88−19660, 88−19721 to 19726, 88−19744 to 19746, 88−19769 to 19771, 88−19786 to 19790, 88−19798 to 19802, 88−19841 to 19847, 88−19855 to 19861, 88−19898 to 19899, 88−19906 to 19907, 88−19940 to 19946, 88−19951, 88−19974 to 19987, 88−20010 to 20013, 88−20097 to 20103, 88−20111, 88−20136 to 20137, 88−20148 to 20151, 88−20168, 88−20267, 88−20318, 88−20494, 88−20675 to 20682, 88−20773, 88−22662

Solid state dosimetry; VIII International Conference on Solid State Dosimetry, Oxford, UK, 26-29 Aug. 1986, [1986] 87−43756 (introductory abstract), 87−50167 to 50168, 87−50184, 87−50446 to 50462, 87−57253 to 57256

Solid state imagers and their applications; Solid State Imagers and Their Applications, Cannes, France, 26-27 Nov. 1985, *(SPIE)* [1986] 87−10013 (introductory abstract), 87−14191 to 14205, 87−14749 to 14752, 87−14818, 87−15009, 87−15042

Solid state imaging arrays; Solid State Imaging Arrays, San Diego, CA, USA, 22-23 Aug. 1985, *(SPIE)* [1985] 87−16243 (introductory abstract), 87−19066, 87−20917 to 20939

Solid state ionics; Proceedings of the 4th International Conference on Solid State Ionics, Grenoble, France, 4-8 July 1983, [Dec. 1983] 85−6725, 85−8830 to 8835, 85−10081, 85−10090 to 10092, 85−16191, 85−16227

Solid state ionics; Solid State Ionics - 85. Proceedings of the 5th International Conference, Lake Tahoe, NV, USA, 18-24 Aug. 1985, [Jan. 1986] 86−34438, 86−35473, 86−40035, 86−40049 to 40050, 86−40817, 86−41365, 86−41684, 86−44293, 86−45638 to 45639, 86−45646 to 45647

Solid state nuclear track detectors; Solid State Nuclear Track Detectors. Proceedings of the 13th International Conference, Rome, Italy, 23-27 Sept. 1985, *(Nat. Comm. Nuclear & Alternative Energy Sources; INFN)* [1986] 87−29556 (introductory abstract), 87−14702, 87−14765 to 14786, 87−14798, 87−21470 to 21499, 87−21688 to 21695, 87−23790, 87−29557 to 29667, 87−29830

Solid state physics; Proceedings of the National Seminar on Solid State Physics. Golden Jubilee of the Indian Physical Society, Calcutta, India, 14-17 Feb. 1985, [May 1986] 87−21185

Solid state reactions of inorganic solids; Proceedings of the International Symposium of Solid State Reactions of Inorganic Solids, Wageningen, Netherlands, 21-22 Feb. 1985, [June 1985] 86−494, 86−6968, 86−7171

Solid state sources; IEE Colloquium on Solid-State Sources (Digest No.84), London, UK, 10 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85−27966 (introductory abstract)

Sonar simulation; IEE Colloquium on 'Simulation Techniques Applied to Sonar' (Digest No.80), London, UK, 19 May 1988, *(IEE)* [London, UK: IEE 1988] 88−55849 (introductory abstract), 88−59184, 88−60287 to 60295, 88−60346

Sonar transducer materials; IEE Colloquium on 'New Materials for Sonar Transducers' (Digest No.60), London, UK, 24 April 1986, *(IEE)* [London, UK: IEE 1986] 86−52145 (introductory abstract), 86−52327, 86−52539 to 52541, 86−53103, 86−53850 to 53852, 86−55724, 86−56281 to 56286

Sound broadcasting; Horrundfunk 7. Vortrage der NTG-Fachtagung (Sound Broadcasting 7. Proceedings of the NTG Meeting), Mannheim, West Germany, 12-14 Nov. 1985, *(NTG; Inst. Rundfunktech)* [1986] 86−40368 (introductory abstract), 86−42127, 86−42995 to 42998, 86−43060, 86−43609, 86−43936 to 43939, 86−43947 to 43955, 86−43966 to 43971, 86−43976 to 43984, 86−44048 to 44055, 86−44064, 86−44482

South East Asia regional computer conference; Proceedings of the 1986 South East Asia Regional Computer Conference. SEARCC '86, Bangkok, Thailand, 17-20 Nov. 1986, [Bangkok, Thailand: South East Asia Regional Comput. Confederation 1986] 88−8864 to 8866, 88−9185 to 9188

Southcon; Southcon/84. Electronics Show and Convention, Orlando, FL, USA, 17-19 Jan. 1984, *(IEEE)* [Los Angeles, CA, USA: Electron. Conventions 1984] 85−16572 (introductory abstract), 85−10383 to 10386, 85−10440, 85−11133 to 11135, 85−11212 to 11213, 85−11261 to 11265, 85−11732, 85−12385 to 12386, 85−13644 to 13646, 85−14626 to 14628, 85−15382, 85−15701, 85−16679 to 16682, 85−16949, 85−17249 to 17252, 85−17357 to 17361, 85−17435, 85−17520, 85−17882, 85−18436, 85−18489, 85−19165 to 19167, 85−19898 to 19901, 85−20516

Southcon; Southcon/86. Conference Record, Orlando, FL, USA, 18-20 March 1986, *(IEEE; ERA)* [Los Angeles, CA, USA: Electron. Conventions Manage. 1986] 87−5141 (introductory abstract), 87−5631 to 5639, 87−5848 to 5855, 87−5895, 87−6280, 87−6852, 87−6918 to 6922, 87−7940 to 7944, 87−8550, 87−8927, 87−8940, 87−9679 to 9682, 87−10086 to 10090, 87−10164 to 10168, 87−10765, 87−10829 to 10830, 87−10920 to 10926, 87−11269 to 11270, 87−11972, 87−13261, 87−13467, 87−13992, 87−14120, 87−14220, 87−14965

Southcon; SOUTHCON/87. Conference Record, Atlanta, GA, USA, 24-26 March 1987, *(IEEE; ERA)* [Los Angeles, CA, USA: Electron. Conventions Manage. 1987, $169.00] 88−6108 (introductory abstract), 88−6188 to 6191, 88−6227 to 6230, 88−6334 to 6337, 88−6621, 88−6768 to 6775, 88−6854 to 6856, 88−6922 to 6925, 88−6956, 88−6998, 88−7684 to 7685, 88−7738 to 7740, 88−8019 to 8021, 88−8500 to 8503, 88−8858 to 8859, 88−9180, 88−9659, 88−10034, 88−10113 to 10115, 88−10336 to 10337, 88−10439, 88−10491, 88−10550

Southcon and Mini/Micro Southeast; Southcon/85 and Mini/Micro Southeast Conference Record, Atlanta, GA, USA, 5-7 March 1985, *(IEEE; ERA)* [Los Angeles, CA, USA: Electron. Conventions Manage. 1985, $162.50] 86−55 (introductory abstract), 86−109, 86−148, 86−198, 86−219, 86−296, 86−830, 86−986, 86−1066 to 1079, 86−1121 to 1125, 86−1165, 86−1181 to 1184, 86−1336, 86−2361, 86−4344 to 4347, 86−4613, 86−4741, 86−5019 to 5020, 86−5137, 86−5304

SOUTHEASTCON '85; Conference Proceedings IEEE SOUTHEASTCON '85 (Cat. No. 85CH2161-8), Raleigh, NC, USA, 31 March-3 April 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 85−60663 (introductory abstract), 85−60693 to 60698, 85−60936, 85−61054, 85−61059, 85−61237 to 61239, 85−61354, 85−61469 to 61470, 85−61906, 85−62034, 85−62199, 85−62394, 85−62402, 85−62444, 85−62706, 85−62735, 85−62856, 85−62929, 85−63024, 85−63075 to 63076, 85−63121 to 63122, 85−63245, 85−63374, 85−63737 to 63739, 85−63823, 85−64004 to 64005, 85−64051, 85−64078, 85−64160, 85−64167, 85−64263, 85−64304, 85−64844 to 64847, 85−64930, 85−65307, 85−65462, 86−648, 86−791, 86−817, 86−956, 86−1214, 86−4607, 86−5133, 86−5890, 86−5996, 86−6039, 86−7270

SOUTHEASTCON '86; Conference Proceedings IEEE SOUTHEASTCON '86 (Cat. No.86CH2306-9), Richmond, VA, USA, 23-25 March 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−14823 (introductory abstract), 87−10169, 87−10956, 87−11294, 87−12216, 87−12445, 87−12668 to 12669, 87−12918 to 12920, 87−13156 to 13157, 87−13468, 87−14322, 87−14835, 87−15214, 87−15221, 87−15378, 87−15610, 87−15700, 87−16314 to 16315, 87−16397, 87−16812, 87−16943, 87−17034 to 17036, 87−17270, 87−18080, 87−18164 to 18165, 87−18267 to 18270, 87−18737, 87−19138, 87−19220, 87−19382, 87−19408, 87−19626, 87−19832, 87−19967 to 19968, 87−20794, 87−20821, 87−20978, 87−21576 to 21578, 87−21802, 87−21922, 87−22184, 87−22763 to 22764, 87−22894

SOUTHEASTCON '87; Conference Proceedings. IEEE SOUTHEASTCON '87 (Cat. No.87CH2398-6), Tampa, FL, USA, 5-8 April 1987, [New York, NY, USA: IEEE 1987] 87−51736 (introductory abstract), 87−51790 to 51792, 87−51803 to 51806, 87−51911, 87−52011, 87−52048, 87−52151, 87−52269, 87−52306, 87−52417 to 52418, 87−52445 to 52446, 87−52554, 87−52661 to 52663, 87−52738, 87−52771, 87−52819 to 52820, 87−52896 to 52897, 87−53439, 87−53458 to 53461, 87−53574, 87−53674 to 53680, 87−53746 to 53749, 87−54070, 87−54390, 87−54474, 87−54500 to 54502, 87−54541 to 54542, 87−54643, 87−54716, 87−54745 to 54746, 87−54832, 87−55052, 87−55239, 87−55362 to 55365, 87−55816 to 55821, 87−55932, 87−55975 to 55976, 87−56103 to 56104, 87−56196, 87−56221, 87−56445, 87−56544, 87−56549, 87−56607, 87−56680 to 56681, 87−56831, 87−56853, 87−56921, 87−57067, 87−57157 to 57158, 87−57450, 87−57506, 87−57576 to 57578, 87−57634, 87−57643, 87−58338, 87−58428

SOUTHEASTCON '88; Conference Proceedings: 1988 IEEE SOUTHEASTCON (Cat. No.88CH2571-8), Knoxville, TN, USA, 11-13 April 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88−62881 (introductory abstract), 88−63381, 88−63522, 88−63572, 88−63643 to 63646, 88−63719, 88−63810 to 63814, 88−63842 to 63844, 88−63871 to 63872, 88−63944 to 63945, 88−64309, 88−64326, 88−64488, 88−64507, 88−64535, 88−64582, 88−64628, 88−64698, 88−64763 to 64764, 88−64923, 88−65345, 88−65539, 88−65945 to 65946, 88−66017 to 66018, 88−66111, 88−66177, 88−66315 to 66316, 88−66337, 88−66517 to 66519, 88−66694 to 66697, 88−66797 to 66798, 88−66863 to 66865, 88−67110, 88−67452, 88−67480 to 67481, 88−67493, 88−67640, 88−67684, 88−67705, 88−68019, 88−68070, 88−68352, 88−68439, 88−68753 to 68755, 88−68831 to 68832, 88−68858, 88−69008, 88−69156, 88−69300, 88−69335 to 69336, 88−69925, 88−69939

Space; Space: New Opportunities for All People, Innsbruck, Austria, 4-11 Oct. 1986, [1987] 87−65031 (introductory abstract)

Space, 30 years of progress; 30 years of Progress in Space. Selected Proceedings of the 38th International Astronautical Federation Congress, Brighton, UK, 10-17 Oct. 1987, [1988] 88−43534 (introductory abstract)

Space applications of expert systems; Space applications of expert systems, Greenbelt, MD, USA, 13-14 May 1987, [1987] 88−24333 (introductory abstract), 88−28782 to 28784, 88−30061 to 30063

Space benefits for all nations; Space Benefits for all Nations - Selected Papers Presented at the 35th Congress of the International Federation of Astronautics, Lausanne, Switzerland, 8-13 Oct. 1984, [July-Aug. 1985] 86−33895 (introductory abstract)

Space-borne sub-millimetre astronomy; Proceedings of an ESA Workshop on a Space-Borne Sub-Millimetre Astronomy Mission. A Corner Stone of the ESA Long-Term Space Science Programme (ESA SP-260), Segovia, Spain, 4-7 June 1986, *Longdon, N. (editor/s),* [Noordwijk, Netherlands: ESA Aug. 1986] 87−33021, 87−33559, 87−34698 to 34699, 87−35101 to 35102, 87−35488 to 35489

Space cryogenics; Space Cryogenics Workshop, Noordwijk, Netherlands, 28-29 April 1986, *(ESA; Int. Cryogenic Eng. Committee)* [Feb. 1987] 87−36291 (introductory abstract), 87−32898, 87−35236, 87−35945, 87−35951, 87−35955 to 35957, 87−41419

Space cryogenics; Space Cryogenics Workshop, Madison, WI, USA, 22-23 June 1987, *(NASA)* [Feb. 1988] 88−31261 (introductory abstract), 88−36580 to 36585

Space electrochemical research and technology; Space Electrochemical Research and Technology Conference, Cleveland, OH, USA, 14-16 April 1987, [March-April 1988] 88−43551 (introductory abstract), 88−48285 to 48296, 88−49115 to 49118, 88−49123 to 49126

Space energy; 3rd ISAS Space Energy Symposium, Tokyo, Japan, 26 March 1984, *(Inst. Space & Astronautical Sci.; Minist. Educ. Sci. & Culture)* [1985] 86−13 (introductory abstract), 86−1935, 86−3121, 86−3691, 86−5658, 86−6025, 86−6047 to 6049, 86−6052 to 6053, 86−6307, 86−6333, 86−6615, 86−6994, 86−7013, 86−7262

Space engineering; Second National Space Engineering Symposium. Preprints, Sydney, NSW, Australia, 25-27 March 1986, *(Instn. Eng. Australia; AUSSAT)* [Barton, ACT, Australia: Instn. Eng. Australia March 1986] 87−36 (introductory abstract), 87−2358 to 2359, 87−3142 to 3168, 87−3261 to 3262, 87−3478, 87−3939, 87−4052 to 4053, 87−4059 to 4063, 87−4096, 87−4100, 87−4123

Space engineering; Third National Space Engineering Symposium 1987. Preprints of Papers, Canberra, ACT, Australia, 30 June-2 July 1987, *(Instn. Eng., Australia; Australian Space Board)* [Barton, ACT, Australia: Instn. Eng., Australia June 1987] 87−72715 (introductory abstract), 87−75585, 87−75611, 87−75635, 87−76700 to 76715, 87−76870, 87−76905, 87−77598, 87−77704, 87−77724 to 77732, 87−77748 to 77750, 87−77787, 87−77817, 87−77824, 87−77852, 87−77876 to 77877, 87−77903 to 77904

Space exploitation and utilisation; Space Exploitation and Utilization. Proceedings of the First AAS/JRS Symposium, Honolulu, HI, USA, 15-19 Dec. 1985, *(American Astronautical Soc.; Japanese Rocket Soc) May, G.L. Bainum, P.M. Ikeda, K. Nomura, T. Yamanaka, T. Akiba, R. (editor/s),* [San Diego, CA, USA: Univelt 1986] 87−10029 (introductory abstract)

Space observations for climate studies; Space Observations for Climate Studies. Proceedings of Symposium 4 of the COSPAR Twenty-Fifth Plenary Meeting, Graz, Austria, 25 June-7 July 1984, *(COSPAR; WMO; URSI; et al)* [1985] 86−2 (introductory abstract), 86−6090 to 6091

Space plasmas, active experiments; Active Experiments in Space Plasmas. Open Symposium OS2 at the XXI General Assembly of URSI, Florence, Italy, Aug. 1984, [Dec. 1985] 86−25416 (introductory abstract), 86−25594

Space plasmas, numerical simulation; Numerical Simulation of Space Plasmas, Beaulieu-sur-Mer, France, 22-27 June 1987, [April 1988] 88−59621, 88−59744

Space safety and rescue; Space Safety and Rescue 1982-1983. Vol.58. Science and Technology Series. Proceedings of a Symposia of the International Academy of Astronautics Held in Conjunction with the 33rd and 34th International Astronautical Congresses, Paris, France and Budapest, Hungary, 27 Sept.-2 Oct. 1982 and 10-15 Oct. 1983, *Heath, G.W. (editor/s),* [San Diego, CA, USA: Univelt 1984] 85−27949 (introductory abstract)

Space station automation; Space Station Automation, Cambridge, MA, USA, 17-18 Sept. 1985, *(SPIE)* [1985] 87−14833, 87−15018

Space station automation; Space Station Automation II, Cambridge, MA, USA, 28-30 Oct. 1986, *(SPIE)* [1987] 87−58514 (introductory abstract), 87−62192, 87−63863 to 63864, 87−63867 to 63871, 87−63881 to 63882, 87−63889 to 63891

Space station automation; Space Station Automation III, Cambridge, MA, USA, 2-4 Nov. 1987, *(SPIE)* [1987] 88−37820 (introductory abstract), 88−40935, 88−41273, 88−41603, 88−41971 to 41972, 88−41996, 88−42598 to 42600, 88−42608 to 42609, 88−42621 to 42622

Space stations and their utilisation; Space Stations and their Utilization. 25th International Space Convention Proceedings, Rome, Italy, 26-28 March 1985, *(Ministro per il Coordinamento delle Iniziative per la Ricerca Sci. & Tecnologica; Ministero degli Affari Esteri; UNO; ESA)* [Rome, Italy: Rassegna Int. Elettronica Nucl. ed Aerospaziale 1985] 86−52134 (introductory abstract)

Space structures, power, and power conditioning; Space Structures, Power, and Power Conditioning, Los Angeles, CA, USA, 11-13 Jan. 1988, *(SPIE)* [1988] 88−55792 (introductory abstract), 88−57034 to 57038, 88−58241, 88−61568 to 61578, 88−61743, 88−62114, 88−62632, 88−63384, 88−63517, 88−63837, 88−63987, 88−64173, 88−64828 to 64829, 88−64842, 88−65491, 88−68518 to 68519, 88−68590 to 68596, 88−69634 to 69636

Space system applications to tactical operations; Space System Applications to Tactical Operations. 46th Symposium of the Avionics Panel (AGARD-CP-344), Hampton, VA, USA, 17-21 Oct. 1983, *(AGARD)* [Neuilly sur Seine, France: AGARD 1984] 85−22093 (introductory abstract), 85−25139, 85−25842 to 25855, 85−25938, 85−26847 to 26849, 85−26889 to 26893, 85−26904 to 26906

Space systems economics; IAA Symposium Sessions on Cost Reduction in Space Operations, Rome, Italy, 6-12 Sept. 1981, [Dec. 1984] 85−44364 (introductory abstract)

Space - technology and opportunity; Space - Technology and Opportunity. Proceedings of the Conference, Geneva, Switzerland, 28-30 May 1985, [Pinner, UK: Online Publications 1985] 86−68 (introductory abstract)

Space transportation; Visions of Tomorrow: A Focus on National Space Transportation Issues. 25th Goddard Memorial Symposium, Greenbelt, MD, USA, 18-20 March 1987, *(AIAA; Nat. Space Club; Nat. Space Soc.; Students Dev. & Exploration Space) Soffen, G.A. (editor/s),* [San Diego, CA, USA: Univelt 1987] 88−55825 (introductory abstract)

Spacecraft design and operation; Computer Applications in Spacecraft Design and Operation, Paris, France, June 1987, *(Comput. Mech. Inst) Murthy, T.K.S. Munch, R.E. (editor/s),* [Southampton, UK: Comput. Mech. Publications 1987, $48.00] 87−77814, 87−77872 to 77873

Spacecraft flight dynamics; Second International Symposium on Spacecraft Flight Dynamics. Proceedings of an ESA Symposium (ESA-SP-255), Darmstadt, West Germany, 20-23 Oct. 1986, [Paris, France: ESA Dec. 1986] 87−58553 (introductory abstract)

Spacecraft materials in space environment; Third European Symposium on Spacecraft Materials in Space Environment (ESA SP-232), Noordwijk, Netherlands, 1-4 Oct. 1985, *(ESA; CNES; CERT)* [Noordwijk, Netherlands: ESTEC Nov. 1985] 86−40389 (introductory abstract)

Spaceflight guidance control; First Spaceflight Guidance Control Symposium, Tokyo, Japan, 30 Nov. 1984, [Tokyo, Japan: Soc. Instrum. & Control Eng. 1985] 86−51 (introductory abstract)

Spacetech 86; SPACE TECH 86. Proceedings of the Conference, Geneva, Switzerland, May 1986, [Pinner, UK: Online Publications 1986, $130.00] 87−72709 (introductory abstract), 87−76696 to 76698, 87−77709 to 77723, 87−77816

Sparse matrix symposium; Sparse Matrix Symposium, Fairfield Glade, TN, USA, 25-27 Oct. 1982, *(Army Res. Office; Office of Naval Res.; Oak Ridge Nat. Lab)* [Sept. 1984] 85−5940 (introductory abstract), 85−5932, 85−5941 to 5943, 85−5948, 85−5953

Spatial information technologies for remote sensing; Spatial Information Technologies for Remote Sensing Today and Tomorrow. The Ninth William T. Pecora Memorial Remote Sensing Symposium (Cat. No. 84CH2079-2), Sioux Falls, SD, USA, 2-4 Oct. 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−54038 (introductory abstract), 85−57538 to 57540, 85−57809, 85−58698, 85−59409 to 59414, 85−59488, 85−59517 to 59520

Spatial light modulators and applications; Spatial Light Modulators and Applications, Los Angeles, CA, USA, 26-27 Jan. 1984, *(SPIE)* [1984] 85−10307 (introductory abstract), 85−12531, 85−12637 to 12638, 85−12647 to 12653, 85−12662 to 12663, 85−12673, 85−12679 to 12683, 85−12686, 85−12842, 85−12982 to 12983, 85−13586 to 13588, 85−14639, 85−14691

Spatial light modulators and applications; Spatial Light Modulators and Applications II, San Diego, CA, USA, 17-18 Aug. 1987, *(SPIE)* [1988] 88−55785 (introductory abstract), 88−58128, 88−58221, 88−58235 to 58240, 88−58250 to 58255, 88−58276, 88−58281, 88−58299 to 58304, 88−58676, 88−58719, 88−59267 to 59268, 88−60171

Spatio-temporal coherence and chaos in physical systems; Spatio-Temporal Coherence and Chaos in Physical Systems, Los Alamos, NM, USA, 21-24 Jan. 1986, [Dec. 1986] 87−26173, 87−26473

Speciality polymers; 'Speciality Polymers 84' Conference. Present and Future, Birmingham, UK, 18-20 Sept. 1984, [Aug. 1985] 86−2766

Speciality polymers; 'Speciality Polymers '86' Conference, Baltimore, MD, USA, 6-8 Aug. 1986, [April 1987] 87−53222, 87−54112

Speckle; International Conference on Speckle, San Diego, CA, USA, 20-23 Aug. 1985, *(SPIE)* [1985] 87−26571 to 26572, 87−27608, 87−28635, 87−28652 to 28654, 87−28679, 87−29297, 87−29741

Spectral characteristics of aridland and rangeland vegetation and soils for remote sensing; Spectral Characteristics of Aridland and Rangeland Vegetation and Soils for Remote Sensing, Tucson, AZ, USA, 2-6 June 1986, *(NSF; Dept. Sci. (Australia))* [Nov. 1987] 88−31273 (introductory abstract)

Spectrochemistry; First Italo-Hungarian Symposium on Spectrochemistry: Environmental Protection and Spectrochemistry, Rome, Italy, 5-9 Sept. 1983, [1983] 86−12189, 86−13153

Spectroscopic characterization techniques for semiconductor technology; Spectroscopic Characterization Techniques for Semiconductor Technology II, Los Angeles, CA, USA, 21-22 Jan. 1985, *(SPIE)* [1985] 86—447, 86—2187

Spectroscopy; Colloquium Spectroscopicum Internationale XXIV - CSI XXIV, Garmisch-Partenkirchen, West Germany, 15-20 Sept. 1985, [Berlin, West Germany: Springer-Verlag 1986] 87—53342, 87—58443

Spectroscopy; Proceedings of the 19th All-Union Congress on Spectroscopy, Tomsk, USSR, July 1983, [1984] 86—11429

Spectroscopy of shallow centers in semiconductors; Spectroscopy of Shallow Centers in Semiconductors. First International Conference, Berkeley, CA, USA, 2-3 Aug. 1984, *(NSF; Office of Naval Res.; Lawrence Berkeley Lab.; Purdue Univ)* [March 1985] 85—32895 (introductory abstract), 85—34589

Spectrum usage: future directions in Canada; SPECTRUM 20/20. A Symposium on Spectrum Usage: Future Directions in Canada. Symposium Proceedings, Montreal, Que., Canada, 12-13 May 1987, *(Dept. Commun. Canada; Radio Advisory Board Canada)* [Ottawa, Ont., Canada: Radio Advisory Board Canada 1987, C$60.00] 88—31313 (introductory abstract), 88—34966, 88—35370, 88—35381 to 35382, 88—35420 to 35421, 88—35458 to 35459, 88—35633 to 35637, 88—35655 to 35656

Speech analysis and synthesis; Speech Analysis and Synthesis. Institute of Acoustics Autumn Conference (UKSC 129), Windermere, UK, 2-4 Nov. 1984, [Winchester, UK: IBM 1984] 85—54047 (introductory abstract), 85—57330 to 57332

Speech communication; Sprachkommunikation. Vortrage der NTG-Fachtagung (Speech Communication. Proceedings of the NTG Meeting), Munich, West Germany, 28-30 April 1986, *(NTG; GI; IEEE)* [1986] 86—66528 (introductory abstract), 86—67240, 86—69006 to 69017, 86—69595, 86—69984 to 69988, 87—2470 to 2485, 87—3352

Speech input/output techniques; International Conference on Speech Input/Output; Techniques and Applications (Conf. Publ. No. 258), London, UK, 24-26 March 1986, *(IEE)* [London, UK: IEE 1986] 86—45940 (introductory abstract), 86—48833 to 48895, 86—49338, 86—50621

Speech processing; IEE Colloquium on 'Speech Processing' (Digest No.11), London, UK, 19 Jan. 1988, *(IEE)* [London, UK: IEE 1988] 88—24376 (introductory abstract), 88—27865 to 27873, 88—28448

Speech Tech; Official Proceedings of Speech Tech '85. Voice Input/Output Applications Show and Conference, New York, NY, USA, 22-24 April 1985, [New York, NY, USA: Media Dimensions 1985] 86—64 (introductory abstract), 86—99, 86—224, 86—1130 to 1131, 86—1187, 86—3810 to 3834, 86—3919, 86—4187 to 4188, 86—4212 to 4215, 86—4355, 86—4358, 86—4382, 86—4554, 86—4905, 86—4920 to 4924, 86—6030, 86—6042 to 6044

Speech technology; Alvey - MMI Workshop on Speech Technology, Coventry, UK, 23-24 Jan. 1984, [Brentford, UK: Gen. Technol. Syst. 1984] 85—41892 (introductory abstract)

Speech understanding and dialog systems; Recent Advances in Speech Understanding and Dialog Systems. Proceedings of the NATO Advanced Institute, Bad Windsheim, West Germany, 5-18 July 1987, *(NATO) Niemann, H. Lang, M. Sagerer, G. (editor/s),* [Berlin, West Germany: Springer-Verlag 1988, DM164.00] 88—72886 to 72905

Standard model and supernova SN1987A; Standard Model: Supernova 1987A. Proceedings of the Leptonic Session of the Twenty-Second Rencontre de Moriond. Vol.1, Les Arcs, France, 8-15 March 1987, *(CNRS; CEA) Tran Thanh Van, J. (editor/s),* [Gif sur Yvette, France: Editions Frontieres 1987, $80.00] 88—36310 to 36311, 88—36383

Standards for open systems; Fourth International Conference on the 'Application of Standards for Open Systems', Bonn-Bad Honnef, West Germany, 13-15 Jan. 1987, [1988] 88—18287 (introductory abstract), 88—21464 to 21471, 88—21602 to 21616, 88—21750, 88—21847 to 21849

Standards of excellence; Conference Record IMTC/86 - IEEE Instrumentation and Measurement Technology Conference (Cat. No.86CH2271-5), Boulder, CO, USA, 25-27 March 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86—57103 (introductory abstract), 86—57385, 86—57656, 86—57751, 86—57805, 86—58175, 86—58436, 86—58790, 86—59107, 86—60096, 86—60145 to 60147, 86—60265, 86—60305 to 60308, 86—60319, 86—60335, 86—60339 to 60340, 86—60363, 86—60866, 86—60943, 86—62318, 86—62446, 86—62651 to 62652, 86—62797, 86—62846, 86—62996, 86—63518, 86—63566, 86—63680, 86—63858, 86—64025, 86—64316, 86—65020 to 65021, 86—65088, 86—65091, 86—65093, 86—65095 to 65101, 86—65123, 86—65139, 86—65155, 86—65160, 86—65190, 86—65212 to 65213, 86—65229, 86—65246, 86—65258, 86—65261, 86—65264, 86—65276, 86—65281, 86—65286 to 65287, 86—65295, 86—65427

Statistical data analysis based on L_1 norm; Statistical Data Analysis Based on the L_1-Norm and Related Methods. First International Conference, Neuchatel, Switzerland, 31 Aug.-4 Sept. 1987, *Dodge, Y. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, Dfl.200.00] 87—72903, 87—72912 to 72914, 87—72946 to 72955, 87—72973, 87—72978 to 72982

Statistical thermodynamics and semiconductors; Statistical Thermodynamics and Semiconductors, Gregynog, UK, 14-17 Sept. 1987, [1988] 88—58551

Steam generators for nuclear power stations; NEA/CSNI-UNIPEDE Specialists Meeting on Steam Generators, Stockholm, Sweden, 1-5 Oct. 1984, [Vallingby, Sweden: Swedish State Power Board 1984] 85—32912 (introductory abstract), 85—38751 to 38798

Stereo digital TV sound for terrestrial broadcasting; IEE Colloquium on 'Twin Channel Digital TV Sound for Terrestrial Broadcasting' (Digest No.1), London, UK, 7 Jan. 1986, *(IEE)* [London, UK: IEE 1986] 86—26517 (introductory abstract), 86—30957 to 30959, 86—30964, 86—30981

Stochastic control; Stochastic Control. Proceedings of the 2nd IFAC Symposium, Vilnjus, USSR, 19-23 May 1986, *(IFAC) Sinha, N.K. Telksnys, L.A. (editor/s),* [Oxford, UK: Pergamon 1987] 87—44790, 87—46107, 87—47777 to 47782, 87—48010, 87—49438, 87—50626, 87—50693, 87—50733

Stochastic models; 5th Symposium on Stochastic Models, Siebenlehn, East Germany, June 1983, [1984] 85—263 (introductory abstract), 85—250, 85—264 to 266, 85—269 to 273

Stochastic systems; Preprints of the 17th JAACE Symposium on Stochastic Theory and its Applications, Kyoto, Japan, 23-25 Oct. 1985, *(Japan Assoc. Autom. Control Eng.; Soc. Instrum. & Control Eng. Japan)* [Kyoto, Japan: Japan Assoc. Autom. Control Eng. 1985] 86—36898, 86—37103 to 37109, 86—37946, 86—38794, 86—43279, 86—43346, 86—43732

Strained layer superlattices; 16th Annual Symposium of the Greater New York Chapter of the AVS on Strained Layer Superlattices, Clinton Township, Annandale, NJ, USA, 4 June 1986, [Nov.-Dec. 1986] 87—22960 (introductory abstract), 87—23659, 87—24844, 87—24931

Strapdown inertial systems; Advances in Strapdown Inertial Systems (AGARD-LS-133), Athens, Greece, 14-15 May 1984, [Neuilly sur Seine, France: AGARD 1984] 85—33 (introductory abstract), 85—3982, 85—4416 to 4420

Strategic planning for cogeneration and energy management; Strategic Planning for Cogeneration and Energy Management. Proceedings of the 8th World Energy Engineering Congress, Atlanta, GA, USA, 22-25 Oct. 1985, *(Assoc. Energy Eng)* [Atlanta, GA, USA: Assoc. Energy Eng. 1986] 87—32 (introductory abstract), 87—50 to 55, 87—69 to 85, 87—4333 to 4335, 87—4491 to 4492, 87—4574 to 4583, 87—4597 to 4600, 87—5084 to 5085, 87—5095, 87—5103 to 5105, 87—5108 to 5109, 87—5117 to 5118, 87—5120 to 5121

Stratospheric/mesospheric data, intercomparison; Intercomparison of Stratospheric/Mesospheric Data. Proceedings of the Topical Meeting of the COSPAR Interdisciplinary Scientific Commission A (Meeting A1) of the COSPAR Twenty-Fifth Plenary Meeting, Graz, Austria, 25 June-7 July 1984, [1984] 85—48469 to 48474

Stray radiation; Stray Radiation V, San Diego, CA, USA, 18-20 Aug. 1986, *(SPIE)* [1987] 87—74791, 87—74905, 88—7987, 88—8023

Stress analysis by thermoelastic techniques; Stress Analysis by Thermoelastic Techniques, London, UK, 17-18 Feb. 1987, *(British Inst. Non-Destructive Testing; British Soc. Strain Meas.; et al)* [1987] 88—11563 (introductory abstract), 88—12116 to 12117, 88—15940, 88—16513, 88—17321 to 17322

Strong interactions and gauge theories; Proceedings of the Hadronic Session of the Twenty-First Rencontre de Moriand. Vol.2. Strong Interactions and Gauge Theories, Les Arcs, Savoie, France, 16-22 March 1986, *(CNRS; CEA) Tran Thanh Van, J. (editor/s),* [Gif sur Yvette, France: Editions Frontieres 1986] 87—41881 to 41882

Structural analysis systems; Structural Analysis Systems. Software - Hardware - Capability - Compatibility - Applications. Vols. 4 and 5. Proceedings of the SAS World Conference, Paris, France, 28-30 Oct. 1986, *(French Minist. Res. & Educ) Niku-Lari, A. (editor/s),* [Oxford, UK: Pergamon 1986] 88—2461

Structural failure, product liability and technical insurance; Structural Failure, Product Liability and Technical Insurance. Proceedings of the First International Conference, Vienna, Austria, 26-29 Sept. 1983, *Rossmanith, H.P. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $50.00] 85—27948 (introductory abstract)

Structural mechanics in reactor technology; 7th International Conference on Structural Mechanics in Reactor Technology (SMiRT-7), Chicago, IL, USA, 22-26 Aug. 1983, [1982] 85—4752 to 4755, 85—4817

Structural mechanics in reactor technology; Eighth International Conference on Structural Mechanics in Reactor Technology, Brussels, Belgium, 19-23 Aug. 1985, [1985] 86—32948, 86—61261 to 61264, 86—65877

Structure and bonding in noncrystalline solids; Structure and Bonding in Noncrystalline Solids, Reston, VA, USA, 23-26 May 1983, *Walrafen, G.E. Revesz, A.G. (editor/s),* [New York, NY, USA: Plenum 1986, $75.00] 87—32268

Structures of non-crystalline solids; Proceedings of the International Conference on the Theory of the Structure of Non-Crystalline Solids, Bloomfields Hills, MI, USA, 3-6 June 1985, *(APS; American Chem. Soc.; IUPAP; IUPAC)* [Oct. 1985] 86—8846 to 8847, 86—9657

Sub-systems for distributed instrumentation; IEE Colloquium on 'Sub-Systems for Distributed Instrumentation' (Digest No.06), London, UK, 12 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87—23031 (introductory abstract), 87—28406, 87—28991 to 28993

Submarine optical transmission systems; IEE Colloquium on 'Submarine Optical Transmission Systems' (Digest No.45), London, UK, 24 March 1988, *(IEE)* [London, UK: IEE 1988] 88—43605 (introductory abstract), 88—45167 to 45168, 88—45315, 88—47177 to 47190

Submicrometer lithographies; Electron-Beam, X-Ray and Ion-Beam Techniques for Submicrometer Lithographies III, Santa Clara, CA, USA, 15-16 March 1984, *(SPIE)* [1984] 85—6 (introductory abstract), 85—1436 to 1441, 85—1584, 85—1621 to 1629

Submicrometer lithographies; Electron-Beam, X-Ray, and Ion-Beam Techniques for Submicrometer Lithographies V, Santa Clara, CA, USA, 11-12 March 1986, *(SPIE)* [1986] 87—10008 (introductory abstract), 87—10503, 87—11525 to 11539, 87—11664 to 11665, 87—11913 to 11921, 87—11967, 87—14703, 87—14807 to 14808

Submicron materials characterisation; Characterization and Behaviour of Materials with Submicron Dimensions. Proceedings from the Conference, Evanston, IL, USA, 3-4 Oct. 1983, *Waber, J.T. (editor/s),* [Singapore: World Scientific 1985, £33.00] 87—10456, 87—11726 to 11727, 87—11813, 87—11934

Submicron techniques; Examining the Submicron World. Proceedings of a NATO Advanced Study Institute, Nova Scotia, Canada, 28 July-11 Aug. 1984, *(NATO) Feder, R. McGowan, J.W. Shinozaki, D.M. (editor/s),* [New York, NY, USA: Plenum 1986, £51.00] 87—17885 to 17886

Submillimeter receivers; Submillimeter (Terahertz) Receiver Technology Conference, Lake Arrowhead, CA, USA, 7-8 April 1987, *(NASA; Strategic Defense Initiative Organ)* [Oct. 1987] 88—24310 (introductory abstract), 88—25489 to 25494, 88—25832, 88—26708, 88—27028, 88—27664, 88—29386

Submillimeter spectroscopy; Instrumentation for Submillimeter Spectroscopy, Cannes, France, 5-6 Dec. 1985, *(SPIE)* [1986] 87—16247 (introductory abstract), 87—16948 to 16951, 87—17336 to 17337, 87—17373 to 17377, 87—17612, 87—17651, 87—18874, 87—18911, 87—18978, 87—19323, 87—20385, 87—20645 to 20658

Subnuclear physics - gauge interactions; Gauge Interactions: Theory and Experiment. Proceedings of the 20th Course of the International School of Subnuclear Physics, Erice, Italy, 3-14 Aug. 1982, *(Italian Minist. Public Educ.; Italian Minist. Sci. & Technol. Res.; Sicilian Regional Gov.; Weizmann Inst. Sci) Zichichi, A. (editor/s),* [New York, NY, USA: Plenum 1984, $95.00] 86—56056

Supercollider; Proceedings of the Workshop on Experiments, Detectors, and Experimental Areas for the Supercollider, Berkeley, CA, USA, 7-17 July 1987, *(APS; NSF; SSC Central Design Group; DOE; Univ. Res. Assoc) Donaldson, R. Gilchriese, M.G.D. (editor/s),* [Singapore: World Scientific 1988] 88—70002 (introductory abstract), 88—65108, 88—68122 to 68123, 88—68279 to 68280, 88—68289 to 68291, 88—68302 to 68303, 88—68313 to 68315, 88—74761 to 74765, 88—74769, 88—74773

Supercomputers and fluid dynamics; Supercomputers and Fluid Dynamics. Proceedings of the First Nobeyama Workshop, Nobeyama, Japan, 3-6 Sept. 1985, *(Inst. JUSE; Fujitsu, NEC; et al) Kuwahara, K. Mendez, R. Orszag, S.A. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986, DM39.00] 87—67515, 87—70169

Supercomputing; Supercomputing. 1st International Conference Proceedings, Athens, Greece, 8-12 June 1987, *(Comput. Technol. Inst. Greece) Houstis, E.N. Papatheodorou, T.S. Polychronopoulos, C.D. (editor/s),* [Berlin, West Germany: Springer-Verlag 1988] 88—69999 (introductory abstract), 88—73417

Supercomputing systems; Proceedings of the First International Conference on Supercomputing Systems: SCS 85 (Cat. No.85CH2216-0), St. Petersburg, FL, USA, 16-20 Dec. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86—41000 to 41001, 86—41077, 86—41249, 86—41913 to 41915, 86—41971, 86—43276 to 43277, 86—43590 to 43592, 86—44653

Superconducting ceramics; European Ceramic Society Meeting 'Superconducting Ceramics', Canterbury, UK, 9-10 Sept. 1987, [March 1988] 88—62844 (introductory abstract), 88—65023 to 65024

Superconducting networks, coherence; NATO Advanced Research Workshop on Coherence in Superconducting Networks, Delft, Netherlands, 14-17 Dec. 1987, [Aug. 1988] 88—71983 to 71985

Superconducting supercollider physics; Proceedings of the 1986 Summer Study on the Physics of the Superconducting Supercollider, Snowmass, CO, USA, 23 June-11 July 1986, *(APS; USDOE; NSF; Univ. Res. Assoc) Donaldson, R. Marx, J. (editor/s),* [Argonne, IL, USA: Argonne Nat. Lab. 1987] 88−38 (introductory abstract), 88−4716 to 4718, 88−4741 to 4754, 88−4827 to 4834, 88−10190 to 10195, 88−10212 to 10221, 88−10268 to 10283, 88−10289, 88−10292

Superconductivity; 1984 Applied Superconductivity Conference, San Diego, CA, USA, 10-13 Sept. 1984, *(IEEE; Appl. Superconductivity Conference; APS)* [March 1985] 85−54018 (introductory abstract), 85−54693, 85−54745 to 54747, 85−54825 to 54832, 85−54952 to 54953, 85−54974 to 54975, 85−55110 to 55112, 85−55130 to 55131, 85−55139, 85−56140 to 56166, 85−56171 to 56173, 85−56175 to 56218, 85−56229 to 56253, 85−56260 to 56263, 85−57082 to 57083, 85−58341, 85−58633, 85−58669 to 58670, 85−58708, 85−59027 to 59040, 85−59167, 85−59434, 85−60125, 85−60152 to 60153, 85−60310, 85−60454, 85−60983 to 60985, 85−61215, 85−62216 to 62234, 85−62243 to 62252, 85−62257 to 62270, 85−62272 to 62273, 85−64222, 85−64386 to 64388, 85−64452 to 64453, 85−64532, 85−64657, 85−64694, 85−64922 to 64923, 85−65230 to 65231, 86−27065, 86−27226 to 27228, 86−27298, 86−27669, 86−28726 to 28731, 86−28737 to 28740, 86−28762 to 28767, 86−29325, 86−33286, 86−33728

Superconductivity; Proceedings of the International Conference on Materials and Mechanisms of Superconductivity M^2S, Ames, IA, USA, 29-31 May 1985, [Dec. 1985] 86−22038

Superconductivity electronics; Extended Abstracts of 1987 International Superconductivity Electronics Conference (ISEC '87), Tokyo, Japan, 28-29 Aug. 1987, *(Japan Soc. Appl. Phys.; IEEE; Cryogenic Assoc. Japan)* [Yokohama, Japan: Yokohama Nat. Univ. 1987] 88−11604 (introductory abstract), 88−12086, 88−12357 to 12359, 88−12383 to 12384, 88−12446, 88−12460 to 12462, 88−12560, 88−12617 to 12619, 88−13698, 88−13721 to 13771, 88−15717 to 15720, 88−16453 to 16454, 88−18994, 88−19118, 88−20265 to 20266, 88−20299 to 20317, 88−22721, 88−25565, 88−26702, 88−26713 to 26722, 88−29468, 88−29899 to 29900

Superlattices, microstructures and microdevices; 2nd International Conference on Superlattices, Microstructures and Microdevices, Goteborg, Sweden, 17-20 Aug. 1986, [1986] 87−16261 (introductory abstract), 87−16630 to 16631, 87−17767 to 17769, 87−17819, 87−18154 to 18155, 87−18848, 87−24862 to 24865, 87−24985, 87−25027, 87−25192 to 25193, 87−26420 to 26422, 87−45861 to 45862, 87−45874, 87−46904, 87−74237, 87−74327, 87−74918

Superlattices, microstructures and microdevices; Third International Conference on Superlattices, Microstructures and Microdevices, Chicago, IL, USA, 17-20 Aug. 1987, [1987] 88−31275 (introductory abstract), 88−32912, 88−32948, 88−33187, 88−33266, 88−50657, 88−50666, 88−50775, 88−50783, 88−50801, 88−50819, 88−50894 to 50896, 88−56305, 88−57362, 88−57457, 88−57624, 88−57685

Surface analysis, industrial applications; ASTM Symposium on Industrial Applications of Surface Analysis: Multi-Technique Approaches, Pittsburgh, PA, USA, 7 March 1984, [Feb.-March 1985] 85−50346

Surface and interface analysis; ECASIA 85. Proceedings of the European Conference on Applications of Surface and Interface Analysis, Veldhoven, Netherlands, 14-18 Oct. 1985, *(R. Netherlands Chem. Soc.; R. Soc. Chem. (UK); R. Netherlands Acad. Sci.; et al)* [July 1986] 87−11109, 87−11433, 87−11624, 87−11671 to 11674, 87−12045, 87−16003

Surface characterisation and testing; Surface Characterization and Testing, San Diego, CA, USA, 21-22 Aug. 1986, *(SPIE)* [1987] 88−4301 to 4302, 88−4634

Surface defects and quality of polish; Measurement and Effects of Surface Defects and Quality of Polish. Proceedings of SPIE Conference, Los Angeles, CA, USA, 21-22 Jan. 1985, *(SPIE)* [1985] 86−21420, 86−22455 to 22456

Surface engineering; First International Conference on Surface Engineering, Brighton, UK, 25-28 June 1985, *Bucklow, I.A. (editor/s),* [Abington, UK: Welding Inst. 1986] 87−43771 (introductory abstract)

Surface mount CAE; IEE Colloquium on 'Computer Aided Engineering for Surface Mounted Systems' (Digest No.127), London, UK, 8 Dec. 1986, *(IEE)* [London, UK: IEE 1986] 87−23023 (introductory abstract), 87−24554 to 24558, 87−25536

Surface mount technology; PRONIC 86. International Convention on Surface Mount Technology (SMT 86), Paris, France, 20-21 Nov. 1986, [Paris, France: Groupement Fournisseurs Ind. Electron. 1986] 87−72696 (introductory abstract), 87−66690 to 66691, 87−66763 to 66764, 87−66796, 87−72854, 87−73869, 87−73907 to 73910, 87−73919

Surface physics; Asia Pacific Symposium on Surface Physics, Shanghai, China, 14-17 April 1987, *(State Educ. Comm. Fudan Univ.; Nat. Natural Sci. Found. China; Third World Acad. Sci) Xie Xide (editor/s),* [Singapore: World Scientific 1987] 88−63343, 88−64310

Surface physics; Eleventh International Seminar on Surface Physics, Piechowice, Poland, 11-16 May 1987, *(Univ. Wroclaw; Minist. Sci. & Higher Educ)* [July 1988] 88−63339, 88−64325, 88−64351 to 64352

Surface science; Proceedings of the Sixth European Conference on Surface Science, York, UK, 1-5 April 1984, *(EPS; IOP)* [April 1985] 85−50259 to 50260, 85−50284, 85−50320 to 50322, 85−50434 to 50435

Surface science; ECOSS-7: Proceedings of the Seventh European Conference on Surface Science, Aix-en-Provence, France, 1-4 April 1985, [Oct. 1985] 86−21250 to 21256, 86−21284

Surface science; ECOSS-8. Proceedings of the Eighth European Conference on Surface Science, Julich, West Germany, 14-17 April 1986, *(German Vacuum Soc.; German Phys. Soc.; Int. Union Vacuum Sci. Technol. & Applications; Eur. Phys. Soc)* [Dec. 1986] 87−32267, 87−32332 to 32333

Surface science; ECOSS-9: Ninth European Conference on Surface Science, Lucerne, Switzerland, 13-16 April 1987, *(Swiss Nat. Sci. Found.; ETH-Zurich; EPF-Lausanne; et al)* [Oct. 1987] 88−7391, 88−7568, 88−25971, 88−26087

Surface science; Lectures on Surface Science. Proceedings of the Fourth Latin-Ameican Symposium, Caracas, Venezuela, 14-18 July 1986, *Castro, G.R. Cardona, M. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 88−434, 88−457 to 459, 88−2108

Surface treatment and analysis; Proceedings of Vacuum-84. Technological Aspects of Surface Treatment and Analysis, York, UK, 1-4 April 1984, *(US Office of Naval Res)* [Oct.-Nov. 1984] 85−33454 to 33455, 85−33504 to 33505, 85−34629 to 34630, 85−34682, 85−34750, 85−34828, 85−34867, 85−34881, 85−35604, 85−37890

Surface waves in plasmas and solids; ICSW-85: Surface Waves in Plasmas and Solids, Ohrid, Yugoslavia, 5-11 Sept. 1985, *(Eur. Phys. Soc.; Union Soc. Math.; Phys. & Astron. Yugoslavia) Vukovic, S. (editor/s),* [Singapore: World Scientific 1986] 88−50297 (introductory abstract), 88−50591, 88−51760 to 51761, 88−52271 to 52273, 88−52277

Surfaces and disorder; Surfaces and Disorder. Proceedings of the 12th Midwest Solid State Theory Symposium, St. Paul, MN, USA; Sept. 1984, [1985] 86−8876

Surfactants in emerging technologies; Surfactants in Emerging Technologies, New York, NY, USA, 6 June 1986, *(NSF) Rosen, M.J. (editor/s),* [New York, NY, USA: Marcel Dekker 1987] 88−55839 (introductory abstract)

SUSY and grand unification; Third CSIC Workshop on SUSY and Grand Unification: From Strings to Collider Phenomenology, Madrid, Spain, 31 Jan.-2 Feb. 1985, *(Consejo Superior Investigaciones Cientificas) Leon, J. Perez-Mercador, J. Quiros, M. (editor/s),* [Singapore: World Scientific 1986] 88−10189

Swiss Physical Society and French Physical Society joint meeting; Joint Spring Meeting of the Swiss Physical Society and the French Physical Society, Neuchatel, Switzerland, 9-11 April 1986, [1987] 87−25885

Switching; ISS '84. XI International Switching Symposium, Florence, Italy, 7-11 May 1984, *(Italian Min. Post & Telecommun.; CNR; AEI; et al)* [Milano, Italy: Assoc. Elettrotecnica & Elettronica Italiana 1984] 85−44393 (introductory abstract), 85−47100 to 47110, 85−47128, 85−47252, 85−47294, 85−47338 to 47363, 85−47384 to 47385, 85−47445 to 47451, 85−51577, 85−51835 to 51836, 85−51902 to 51938, 85−51955 to 51961, 85−51969, 85−51982, 85−51994, 85−52023, 85−52093 to 52098, 85−52117 to 52119, 85−52137 to 52140, 85−52156 to 52225, 85−52231 to 52249, 85−52321, 85−52379, 85−52528, 85−52570 to 52571

Switching and signalling in telecommunication networks; IEE Eighth Vacation School on Switching and Signalling in Telecommunication Networks, Birmingham, UK, 6-11 July 1986, *(IEE)* [London, UK: IEE 1986] 86−61866 (introductory abstract), 86−64406, 86−64416 to 64417, 86−64556 to 64562, 86−64584, 86−64833 to 64836, 86−64890

Switching technology; International Switching Symposium 1987: 'Innovations in Switching Technology'. Proceedings (Cat. No.87CH2431-5), Phoenix, AZ, USA, 15-20 March 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87−65062 (introductory abstract), 87−69542 to 69550, 87−69763, 87−69833 to 69841, 87−69854 to 69858, 87−69861, 87−73847, 87−74397, 87−75992, 87−76109 to 76181, 87−76225 to 76233, 87−76244, 87−76297, 87−76371 to 76376, 87−76434 to 76436, 87−76456 to 76477, 87−76484 to 76494, 87−76601 to 76606, 87−76689 to 76692, 87−76808 to 76810, 87−76988

Symbolic and algebriac computation; Second RIKEN International Symposium on Symbolic and Algebraic Computation by Computers, Saitaima, Japan, 21-22 Aug. 1984, *Inada, N. Soma, T. (editor/s),* [Singapore: World Scientific 1985] 88−70259, 88−70435

Synchrotron radiation instrumentation; Synchrotron Radiation Instrumentation. Proceedings of the International Conference on X-Ray and VUV Synchrotron Radiation Instrumentation, Stanford, CA, USA, 29 July-2 Aug. 1985, [15 May 1986] 86−60533 (introductory abstract), 86−58721, 86−58949, 86−60398 to 60399, 86−60450 to 60498, 86−60534 to 60540, 86−60556 to 60572, 86−60627 to 60630, 86−60642 to 60703

Synchrotron radiation instrumentation; Fifth National Conference on Synchrotron Radiation Instrumentation, Madison, WI, USA, 21-25 June 1987, [1 April 1988] 88−43555 (introductory abstract), 88−39336 to 39337, 88−40039, 88−42002 to 42003, 88−42363 to 42370, 88−42423 to 42429, 88−42446 to 42464, 88−44718 to 44719, 88−47736 to 47749, 88−47802 to 47821, 88−48045 to 48077, 88−48121 to 48122

Synchrotron radiation laboratory meeting; 11th Annual Users Group Meeting of the Stanford Synchrotron Radiation Laboratory (SSRL Report No. 84/06), Stanford, CA, USA, 25-26 Oct. 1984, [Stanford, CA, USA: Stanford Univ. 1984] 86−8968

Synchrotron radiation utilization; Seventh USSR National Conference on Synchrotron Radiation Utilization (SR '86), Novosibirsk, USSR, 3-5 June 1986, [1 Nov. 1987] 88−10183 to 10184, 88−10200, 88−10227 to 10233, 88−10327, 88−13431, 88−16637, 88−16664 to 16666

Synthetic metals science and technology; International Conference on Science and Technology of Synthetic Metals (ICSM '86), Kyoto, Japan, 1-6 June 1986, [Feb. 1987] 87−37920, 87−43361 to 43363, 87−52912, 87−53141, 87−53169, 87−53223 to 53225, 87−53263 to 53265, 87−53284 to 53285, 87−53475, 87−53553, 87−53578, 87−53940, 87−56657, 87−58267

System design; CompEuro 88 - System Design: Concepts, Methods and Tools (Cat. No.88CH2548-6), Brussels, Belgium, 11-14 April 1988, *(IEEE; Euromicro)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−49370 (introductory abstract), 88−49974 to 49978, 88−50126 to 50127, 88−50206, 88−50980 to 50981, 88−56552, 88−56606, 88−56636, 88−56702, 88−57792, 88−59935

System dynamics; SDC 86: The 1986 International Conference of the System Dynamics Society - System Dynamics: On the Move, Seville, Spain, 22-24 Oct. 1986, *(Syst. Dynamics Soc.; AFCET; Gesellschaft fur Wirtschafs-und-social Kybernetik; et al) Aracil, J. Machuca, J.A.D. Karsky, M. (editor/s),* [Seville, Spain: Univ. Seville 1986] 87−16322, 87−21896, 87−22018

System engineering tools and environments; IEE Colloquium on 'Advances in Systems Engineering Tools and their Environments' (Digest No.93), London, UK, 17 May 1988, *(IEE)* [London, UK: IEE 1988] 88−49398 (introductory abstract), 88−49457, 88−49471, 88−49487 to 49488, 88−53563, 88−54836

System sciences; Proceedings of the Twentieth Hawaii International Conference on System Sciences 1987, Kailua-Kona, HI, USA, 6-9 Jan. 1987, *(Univ. Hawaii; Univ. SW Louisiana; ACM; IEEE) Stohr, E.A. Hoevel, L. Haynes, L. Chu, Y. Speckhard, A. Shriver, B.D. Grams, R.R. Sprague, R.H., Jr. (editor/s),* [Honolulu, HI, USA: Hawaii Int. Conference Syst. Sci. 1987] 87−58537 (introductory abstract), 87−57155, 87−58760, 87−58786, 87−58810, 87−59599 to 59600, 87−60601 to 60606, 87−62696 to 62699, 87−63006, 87−63763, 87−63794, 87−65736, 87−66245, 87−67484, 87−69614, 87−69709 to 69711

System sciences - applications track; Proceedings of the Twenty-First Annual Hawaii International Conference on System Sciences. Vol.IV. Applications Track (Cat. No.88TH0214-7), Kailua-Kona, HI, USA, 5-8 Jan. 1988, *(Univ. Hawaii; ACM; IEEE; Pacific Res. Inst. Inf. Syst. & Manage) Sprague, R.H., Jr. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−36470, 88−41121, 88−41165

System sciences - architecture track; Proceedings of the Twenty-First Annual Hawaii International Conference on System Sciences. Vol.I. Architecture Track (Cat. No.88TH0209-7), Kailua-Kona, HI, USA, 5-8 Jan. 1988, *(Univ. Hawaii; ACM; IEEE; Pacific Res Inst. Inf. Syst. & Manage) Hoevel, L.W. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−31953, 88−32179, 88−32262 to 32263, 88−33355

System sciences - software track; Proceedings of the Twenty-First Annual Hawaii International Conference on System Sciences. Vol.II. Software Track (Cat. No.88TH0212-1), Kailua-Kona, HI, USA, 5-8 Jan. 1988, *(Univ. Hawaii; ACM; IEEE; Pacific Res. Inst. Inf. Syst. & Manage) Shriver, B.D. (editor/s),* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88−32265, 88−34621, 88−35250

System security; System Security - The Technical Challenge. Proceedings of the International Conference, London, UK, 2 Oct. 1985, *(Online Conferences)* [Pinner, UK: Online Publications 1985, £60.00] 86—43604

System theory; Proceedings of the Seventeenth Southeastern Symposium on System Theory (Cat. No.85CH2156-8), Auburn, AL, USA, 24-26 March 1985, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1985] 86—33932 (introductory abstract), 86—26540 to 26541, 86—27279, 86—29360, 86—29578, 86—29590, 86—29646 to 29647, 86—29757, 86—30878, 86—30890, 86—32445, 86—32645 to 32647, 86—32810, 86—33368, 86—35140, 86—36244, 86—37098 to 37100, 86—37159, 86—37208, 86—39060, 86—39087, 86—39136, 86—39152, 86—39220 to 39221, 86—39915

System theory; Proceedings of the Eighteenth Southeastern Symposium on System Theory (Cat. No.86CH2362-2), Knoxville, TN, USA, 7-8 April 1986, *(IEEE; Univ. Tennessee)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87—10035 (introductory abstract), 87—5309 to 5310, 87—5984 to 5986, 87—7795 to 7796, 87—7869 to 7870, 87—8352, 87—8361, 87—8557, 87—9072 to 9074, 87—9131 to 9134, 87—9140 to 9141, 87—9166, 87—9211, 87—9288, 87—9568, 87—10511, 87—10616, 87—10726 to 10727, 87—10740, 87—10833, 87—11815, 87—12219, 87—12744, 87—12798, 87—12883, 87—12957, 87—13047 to 13048, 87—13166 to 13167, 87—13190, 87—13748, 87—14605, 87—14838, 87—15019, 87—15137 to 15141, 87—15215, 87—15222, 87—15244 to 15246, 87—15264, 87—15379, 87—15395, 87—15612, 87—15629, 87—15701, 87—16066

System theory; Proceedings of the Nineteenth Southeastern Symposium on System Theory (Cat. No.TH0180-0), Clemson, SC, USA, 15-17 March 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87—65089 (introductory abstract), 87—65120 to 65123, 87—65288, 87—65794, 87—65925, 87—65953, 87—66319, 87—66428, 87—66569 to 66570, 87—66608, 87—67516 to 67517, 87—68175, 87—68784, 87—68844, 87—68886 to 68887, 87—68907, 87—68920, 87—69222 to 69223, 87—69373 to 69379, 87—69731, 87—70021, 87—70301, 87—70407, 87—70636, 87—70821, 87—71511 to 71514, 87—71610, 87—71628 to 71629, 87—71663 to 71664, 87—71682, 87—71760 to 71761, 87—72132, 87—72151, 87—72224 to 72226, 87—73494, 87—75420, 87—75847 to 75848, 87—75952, 87—76184, 87—76624, 87—77815

System theory; Proceedings of the Twentieth Southeastern Symposium on System Theory (Cat. No.88CH2553-6), Charlotte, NC, USA, 20-22 March 1988, *(IEEE; Univ. North Carolina)* [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88—49375 (introductory abstract), 88—49620, 88—49945, 88—49979 to 49980, 88—50000, 88—50129 to 50130, 88—50207 to 50209, 88—50279 to 50280, 88—51643, 88—51689, 88—52050, 88—52334, 88—52356 to 52357, 88—52396 to 52400, 88—52481 to 52496, 88—52598 to 52601, 88—52983, 88—53143, 88—53240, 88—53328 to 53332, 88—53562, 88—53685, 88—53741 to 53742, 88—54540, 88—54720 to 54724, 88—54745, 88—54872 to 54877, 88—54951 to 54953, 88—54988, 88—55014, 88—55067, 88—55302, 88—55327 to 55328, 88—55417 to 55418

Systems '85; Proceedings of Systems 85, Munich, West Germany, 28 Oct.-1 Nov. 1985, [Munich, West Germany: Munchener Messe-und Ausstellungsgesellschaft mbH 1985] 86—43457 (introductory abstract)

Systems '87; SYSTEMS 87. Proceedings der Symposien (SYSTEMS 87. Proceedings of the Symposium), Munich, West Germany, 19-23 Oct. 1987, [Munich, West Germany: Munchener Messe & Ausstellungsgesellschaft 1987] 88—28089 (introductory abstract), 88—28191 to 28195, 88—28526, 88—28919, 88—29145

Systems architecture; Proceedings of the SEAS Spring Meeting 1987: Systems Architecture, Montpellier, France, 6-10 April 1987, [Nijmegen, Netherlands: SHARE Eur. Assoc. 1987] 87—76012, 87—76400 to 76405, 88—3648, 88—9021 to 9022

Systems engineering; Proceedings of Fourth International Conference on Systems Engineering, Coventry, UK, 10-12 Sept. 1985, [Coventry, UK: Coventry (Lanchester) Polytech. 1985, £25.00] 86—29751, 86—30111 to 30112, 86—30404, 86—31276, 86—33401

Systems engineering; IEE Colloquium on 'Systems Engineering: Its Nature and Scope' (Digest No.100), London, UK, 13 Nov. 1985, *(IEE)* [London, UK: IEE 1985] 86—25739

Systems engineering; IEE Colloquium on 'Systems Engineering Method' (Digest No.07), London, UK, 13 Jan. 1987, *(IEE; Inst. Meas. & Control)* [London, UK: IEE 1987] 87—31157 (introductory abstract), 87—31273 to 31275, 87—31371, 87—36229

Systems engineering; Fifth International Conference on Systems Engineering (Cat. No.87CH2480-2), Dayton, OH, USA, 9-11 Sept. 1987, *(IEEE; Wright State Univ)* [New York, NY, USA: IEEE 1987] 88—18323 (introductory abstract), 88—18537 to 18538, 88—19099 to 19101, 88—19257, 88—19292 to 19294, 88—20085, 88—21107 to 21109, 88—21285 to 21287, 88—21358 to 21362, 88—21432 to 21433, 88—21942, 88—22061, 88—22474, 88—23095 to 23096, 88—23160, 88—23166, 88—23294 to 23295, 88—23374 to 23376, 88—23471, 88—23871, 88—24019, 88—24068

Systems for the disabled; IEE Colloquium on 'Systems for the Disabled' (Digest No.25), London, UK, 3 March 1987, *(IEE)* [London, UK: IEE 1987] 87—43803 (introductory abstract), 87—50389 to 50393, 87—50415

Systems, man and cybernetics; 1983 Proceedings of the International Conference on Systems, Man and Cybernetics (Cat. No. 83CH1962-0), Bombay and New Delhi, India, 29 Dec. 1983-7 Jan. 1984, *(IEEE)* [New York, NY, USA: IEEE 1983] 85—28003, 85—28029, 85—28092, 85—28154, 85—28308, 85—30151 to 30152, 85—30234 to 30235, 85—30279 to 30281, 85—30449 to 30471, 85—30504 to 30507, 85—30621, 85—30976, 85—31097, 85—31205 to 31206, 85—31285, 85—31399, 85—31834, 85—31858 to 31860, 85—31879 to 31880, 85—31984, 85—32096 to 32100, 85—32113, 85—32131 to 32133, 85—32301 to 32304, 85—32348, 85—32358 to 32359, 85—32379

Systems, man and cybernetics; Proceedings of the 1984 IEEE International Conference on Systems, Man and Cybernetics (Cat. No. 84CH2063-6), Halifax, NS, Canada, 10-12 Oct. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—44588 to 44590, 85—44612, 85—44630 to 44633, 85—46874 to 46875, 85—47253, 85—48315, 85—48554 to 48555, 85—48868, 85—48889

Systems, man and cybernetics; IEEE 1985 Proceedings of the International Conference on Cybernetics and Society (Cat. No.85CH2253-3), Tucson, AZ, USA, 12-15 Nov. 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86—46433, 86—46657, 86—48732 to 48733, 86—48831, 86—48959 to 48961, 86—49026 to 49037, 86—49069, 86—49087, 86—49413, 86—49719, 86—50024, 86—50601, 86—50803, 86—50920 to 50922, 86—50942 to 50943, 86—50968, 86—51189, 86—52005

Systems, man, and cybernetics; Proceedings of the 1986 IEEE International Conference on Systems, Man, and Cybernetics (Cat. No.86CH2364-8), Atlanta, GA, USA, 14-17 Oct. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87—23332, 87—27550, 87—27666 to 27667, 87—27869, 87—28171, 87—29760 to 29761, 87—29820, 87—29898, 87—32177, 87—33817 to 33821, 87—33894, 87—34043, 87—34167, 87—35707, 87—35807, 87—39981 to 39984

Systems, man and cybernetics; Proceedings of the 1987 International Conference on Systems, Man, and Cybernetics (Cat. No.87CH2503-1), Alexandria, VA, USA, 20-23 Oct. 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 88—31360, 88—31446 to 31447, 88—31538, 88—31939, 88—32363, 88—33121, 88—33332, 88—34580, 88—34814 to 34823, 88—34868, 88—35596, 88—35731, 88—35768, 88—36522, 88—36599, 88—36635, 88—36639, 88—36839, 88—37003

Systems on silicon; Third International Specialist Seminar on Systems on Silicon, Bournemouth, UK, 7-11 Sept. 1987, [July 1988] 88—62847 (introductory abstract), 88—63704, 88—64655, 88—66616

Systems sciences; Proceedings of the Eighteenth Hawaii International Conference on System Sciences 1985, Honolulu, HI, USA, 2-4 Jan. 1985, *(Univ. Hawaii; Univ. Southwestern Louisiana; ACM; IEEE; Community Health Comput.; Cray Res.; IBM; Plenum) Gallizzi, E.L. Elam, J. Sprague, R.H., Jr. (editor/s)*, [Honolulu, HI, USA: Hawaii Int. Conference on Syst. Sci. (Distributed by Western Periodicals Co.) 1985] 85—61050, 85—61240, 85—62035, 85—63150, 85—63377 to 63380, 85—63459, 85—63586, 85—63628 to 63629, 85—64681

Systems security; Systems Security. The Key to Computer Integrity. Proceedings of the European Computer Systems Security Forum, London, UK, 19-20 Nov. 1984, [London, UK: Online Publications 1984, £50.00] 85—25582

Systems theory, computational and combinatorial methods; Computational and Combinatorial Methods in Systems Theory, Stockholm, Sweden, 10-14 June 1985, *Byrnes, C.I. Lindquist, A. (editor/s)*, [Amsterdam, Netherlands: North-Holland 1986, $81.50] 87—39 (introductory abstract), 87—209, 87—405, 87—794, 87—846, 87—1710, 87—2497, 87—2554 to 2557, 87—2685

Systolic arrays; Systolic Arrays. First International Workshop, Oxford, UK, 2-4 July 1986, *Moore, W. McCabe, A. Urquhart, R. (editor/s)*, [Bristol, UK: Adam Hilger 1987, £22.00] 87—36329 (introductory abstract), 87—37247 to 37253, 87—37473 to 37474, 87—38483, 87—38577, 87—39516, 87—39854, 87—40452, 87—40514

Systolic arrays; Proceedings of the International Conference on Systolic Arrays (Cat. No.88CH2603-9), San Diego, CA, USA, 25-27 May 1988, *(Office Naval Res.; SPIE) Bromley, K. Sun-Yuan Kung Swartzlander, E. (editor/s)*, [Washington, DC, USA: IEEE Comput. Soc. Press 1988] 88—70015 (introductory abstract), 88—63471, 88—63583 to 63586, 88—63662, 88—63734 to 63735, 88—63769 to 63770, 88—63819 to 63821, 88—70267, 88—70286, 88—70458 to 70467, 88—70743, 88—70850 to 70854, 88—71739, 88—72775, 88—73164 to 73167, 88—74007, 88—74135

Tandem conference; Seventh Tandem Conference, Berlin, West Germany, 6-10 April 1987, *(Deutsche Phys. Gesellschaft; Hahn-Meiner-Inst. Berlin; et al)* [20 May 1988] 88—43556 (introductory abstract), 88—47751 to 47765, 88—50702, 88—51834, 88—53960 to 53985, 88—54074 to 54083, 88—54372 to 54377

Target classification, theoretical aspects; Theoretical Aspects of Target Classification (AGARD-LS-152), Rome, Italy, 29-30 June 1987, [Neuilly sur Seine, France: AGARD June 1987] 88—31306 (introductory abstract)

Target implosion and pulsed power; Proceedings of the Symposium on Physics of Target Implosion and Pulsed Power Techniques (IPPJ-859), Yokohama, Japan, 30 Sept.-1 Oct. 1987, *Niu, K. (editor/s)*, [Nagoya, Japan: Nagoya Univ. Feb. 1988] 88—55847 (introductory abstract), 88—58370, 88—58800, 88—61013, 88—62483 to 62500

Teaching antennas and propagation to undergraduates; IEE Colloquium on 'Teaching Antennas and Propagation to Undergraduates' (Digest No.84), London, UK, 8 March 1988, *(IEE)* [London, UK: IEE 1988] 88—43603 (introductory abstract), 88—43640 to 43651

Technical diagnostics; Proceedings of the 3rd Symposium of the IMEKO Technical Committee on Technical Diagnostics (TC 10), Moscow, USSR, 3-5 Oct. 1983, *Havrilla, K. Kemeny, T. (editor/s)*, [Budapest, Hungary: IMEKO Feb. 1985, $39.00] 86—57 (introductory abstract)

Techniques and concepts of high-energy physics; Techniques and Concepts of High-Energy Physics IV. Proceedings of a NATO Advanced Study Institute, St. Croix, VI, USA, 19-30 June 1986, *Ferbel, T. (editor/s)*, [New York, NY, USA: Plenum 1987] 88—37848 (introductory abstract), 88—42354, 88—42399, 88—42441

Technologies for optoelectronics; Technologies for Optoelectronics, Cannes, France, 17-20 Nov. 1987, *(SPIE)* [1988] 88—55791 (introductory abstract), 88—57307, 88—57355, 88—57584, 88—58227, 88—58389, 88—59276, 88—60768

Technology and technology exchange; Proceedings of the International Congress on Technology and Technology Exchange: Technology and the World Around Us -ICTTE '84, and EMC '84 - Management of Technology and its Limitations, Pittsburgh, PA, USA, 8-10 Oct. 1984, *(Int. Technol. Inst.; IEEE; Adv. Technol. Center Central/ Northern Pennsylvania; et al)* [Pittsburgh, PA, USA: Int. Technol. Inst. 1984] 86—7381 (introductory abstract), 86—7420 to 7422, 86—7435 to 7460, 86—7466 to 7470, 86—7492 to 7494, 86—7585, 86—10267, 86—10616, 86—10668 to 10670, 86—10693 to 10694, 86—11219, 86—11572, 86—12037 to 12039, 86—12122, 86—12161, 86—12227, 86—12563 to 12565, 86—12638 to 12639, 86—12669 to 12670, 86—12702, 86—12711, 86—13180, 86—13223, 86—13228, 86—13282 to 13283, 86—13343 to 13354, 86—13375 to 13407, 86—13414 to 13418, 86—13432 to 13433, 86—13602 to 13603, 86—18926, 86—19530, 86—19593, 86—26555, 86—26680 to 26690

Technology breakout in energy conversion; 21st Intersociety Energy Conversion Engineering Conference: Advancing Toward Technology Breakout in Energy Conversion, San Diego, CA, USA, 25-29 Aug. 1986, *(IEEE; American Chem. Soc.; SAE; ANS; ASME; AIChE; AIAA)* [Washington, DC, USA: American Chem. Soc. 1986] 87—36316 (introductory abstract), 87—35471 to 35473, 87—35717 to 35721, 87—35741, 87—35799 to 35806, 87—35849, 87—36109 to 36111, 87—36157 to 36162, 87—36167 to 36168, 87—36171 to 36181, 87—36228, 87—36887, 87—37000, 87—37033, 87—37838, 87—39274, 87—41589, 87—42016, 87—42047 to 42061, 87—42083 to 42088, 87—42122 to 42186, 87—42188 to 42189, 87—42384, 87—42409 to 42410, 87—42453 to 42454, 87—42558 to 42563, 87—42618 to 42624, 87—42653 to 42655, 87—42680, 87—42683, 87—42687 to 42689, 87—42722 to 42731, 87—42744 to 42752, 87—43217 to 43218, 87—43342 to 43344, 87—43365 to 43396, 87—43401 to 43413, 87—43461 to 43470, 87—43475 to 43484, 87—43581 to 43583, 87—43661 to 43666, 87—43672 to 43673, 87—43708 to 43710

Technology for disabled persons; Discovery '84. Technology for Disabled Persons. Conference Papers, Chicago, IL, USA, 1-3 Oct. 1984, *(Univ. Wisconsin-Stout) Smith, C. (editor/s)*, [Menomonie, WI, USA: Univ. Wisconsin-Stout 1985] 85—54043 (introductory abstract), 85—59322 to 59333, 85—59355 to 59356

Technology management; Technology Management 1. Proceedings of the First International Conference, Miami, FL, USA, 17-19 Feb. 1988, *Khalil, T.M. Bayraktar, B.A. Edosomwan, J.A. (editor/s)*, [Geneva, Switzerland: Inderscience Enterprises 1988] 88—49368 (introductory abstract), 88—45002, 88—49429 to 49456, 88—49460 to 49463, 88—49601, 88—52751, 88—52823, 88—54817, 88—55236, 88—55890 to 55891, 88—55904 to 55909, 88—56058, 88—56088

Technology transfer; International Conference IACHEI 87: 'How to Internationalise Technology Transfer', Twente, Netherlands, 1-3 July 1987, [Twente, Netherlands: Univ. Twente 1987] 88–118, 88–133, 88–3645 to 3646

Telecommunication networks; First IEE National Conference on UK Telecomminications Networks - Present and Future (Conf. Publ. No.278), London, UK, 2-3 June 1987, [London, UK: IEE 1987] 87–51737 (introductory abstract), 87–55009, 87–55451, 87–55480, 87–55581 to 55589, 87–55633 to 55634, 87–55823, 87–55915, 87–55921 to 55922, 87–56019, 87–56197 to 56198

Telecommunication systems and services; New Systems and Services in Telecommunications, III: Networks, Cables, Satellites - The What, the How, the Why? Proceedings of the Third International Conference, Liege, Belgium, 12-14 Nov. 1986, *Cantraine, G. Destine, J. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, Dfl.175.00] 88–24351 (introductory abstract), 88–28085, 88–28190, 88–28258 to 28261, 88–28424 to 28426, 88–28510 to 28523, 88–28539 to 28543, 88–28577, 88–28616, 88–28806 to 28815, 88–28902 to 28904, 88–29031 to 29037, 88–29055 to 29056, 88–29096 to 29099, 88–29109 to 29113

Telecommunication transmission; Third International Conference on Telecommunication Transmission (Conf. Publ. No.246), London, UK, 18-21 March 1985, *(IEE)* [London, UK: IEE 1985] 85–54044 (introductory abstract), 85–57196, 85–57218, 85–57329, 85–57576 to 57577, 85–57656 to 57666, 85–57812 to 57813, 85–57835, 85–57856, 85–57899, 85–57961 to 57964, 85–57973 to 57980, 85–58083, 85–58148 to 58161, 85–58290, 85–58329 to 58330, 85–58361, 85–58413, 85–63152, 85–63248 to 63249, 85–63413 to 63415, 85–63434, 85–63484 to 63487, 85–63716 to 63724

Telecommunication transmission systems measurements; International Conference on Measurements for Telecommunication Transmission Systems - MTTS 85 (Conf. Publ. No.256), London, UK, 27-28 Nov. 1985, *(IEE)* [London, UK: IEE 1985] 86–26498 (introductory abstract), 86–28884 to 28885, 86–29172, 86–30225 to 30237, 86–30455, 86–30477, 86–30553, 86–30611 to 30612, 86–30642 to 30644, 86–30735 to 30739, 86–30842 to 30845, 86–31135, 86–31313, 86–31456, 86–31629

Telecommunications; NOR-COM '83. International Telecommunications Exhibition and Conference, Oslo, Norway, 3-7 May 1983, [Oslo, Norway: Norwegian Fair Organ. 1983] 86–13280 (introductory abstract)

Telecommunications; New Systems and Services in Telecommunications II. Proceedings of the Second International Conference, Liege, Belgium, 16-18 Nov. 1983, *Cantraine, G. Destine, J. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $57.75] 85–16569 (introductory abstract), 85–19364 to 19365, 85–19405 to 19406, 85–19543 to 19545, 85–19673 to 19677, 85–19706, 85–19763 to 19766, 85–19893, 85–20160 to 20168, 85–20244 to 20245, 85–20311 to 20313, 85–20349 to 20354, 85–20379, 85–20389, 85–25016, 85–25040, 85–25070, 85–25192, 85–25298 to 25304, 85–25585, 85–25827 to 25830, 85–26045 to 26046

Telecommunications; INTELEC '84. International Telecommunications Energy Conference (Cat. No. 84CH2073-5), New Orleans, LA, USA, 4-7 Nov. 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85–54039 (introductory abstract), 85–54678 to 54682, 85–57654 to 57655, 85–57834, 85–57855, 85–59397, 85–59541 to 59542, 85–59646, 85–60329 to 60334, 85–60404 to 60409, 85–60721, 85–60754, 85–60824 to 60825, 85–61109 to 61115, 85–61916, 85–63220 to 63221, 85–64674, 85–64852 to 64860, 85–64874 to 64881, 85–64887, 85–65007, 85–65020 to 65021, 85–65160 to 65162, 85–65182 to 65186, 85–65191 to 65192, 85–65308, 85–65359 to 65368, 85–65394 to 65395, 85–65432 to 65435, 85–65466, 85–65634 to 65638

Telecommunications; Telecommunications for Pacific Development. PTC '85. Toward a Digital World, Honolulu, HI, USA, 13-16 Jan. 1985, [Honolulu, HI, USA: Pacific Telecomm. Council 1985] 85–44400 (introductory abstract), 85–39489 to 39492, 85–41652, 85–41826, 85–42046 to 42050, 85–42136 to 42149, 85–42190, 85–42308, 85–42334, 85–42345 to 42346, 85–42385 to 42386, 85–42402 to 42404, 85–42472, 85–42549 to 42554, 85–42712, 85–47000 to 47003, 85–47113 to 47115, 85–47129, 85–47154, 85–47189, 85–47264, 85–47316, 85–47386, 85–47487 to 47489, 85–47543 to 47546, 85–47645, 85–47734

Telecommunications; XXIII Giornate Europee delle Telecommunicazioni (XXIII European Conference on Telecommunications), Rome, Italy, 10-15 Sept. 1984, [July-Sept. 1984] 85–32894 (introductory abstract), 85–36990, 85–37200

Telecommunications; PTC '86: Evolution of the Digital Pacific. Telecommunications - Asia, Americas, Pacific: PTC '86 Proceedings, Honolulu, HI, USA, 12-15 Jan. 1986, *Wedemeyer, D.J. Pennings, A.J. (editor/s),* [Honolulu, HI, USA: Pacific Telecommun. Council 1986, $45.00] 86–57101 (introductory abstract), 86–57131, 86–57875, 86–59412 to 59430, 86–59505 to 59517, 86–59610 to 59612, 86–59683 to 59685, 86–59714, 86–59750, 86–59783, 86–59800 to 59801, 86–59863 to 59868, 86–59922, 86–60062, 86–60069 to 60071

Telecommunications; Pacific Telecommunications Users: A Spectrum of Requirements. PTC '87: Proceedings of the Ninth Annual Pacific Telecommunications conference, Honolulu, HI, USA, 18-21 Jan. 1987, *Wedemeyer, D.J. Bissell, M.S. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987, Dfl.225.00] 88–24347 (introductory abstract), 88–24394, 88–24613, 88–28176 to 28189, 88–28234 to 28253, 88–28275 to 28278, 88–28295 to 28296, 88–28308, 88–28330 to 28331, 88–28497 to 28500, 88–28537 to 28538, 88–28562, 88–28724 to 28725, 88–28789 to 28803, 88–28897, 88–29028 to 29030

Telecommunications energy; Conference Proceedings INTELEC '85. Seventh International Telecommmunications Energy Conference, Munich, West Germany, 14-17 Oct. 1985, *(VDE; IEEE)* [Berlin, West Germany: VDE-Verlag 1985] 86–57083 (introductory abstract), 86–57149, 86–57167 to 57168, 86–57640 to 57645, 86–57688, 86–58021, 86–58456, 86–58640, 86–59020, 86–59103, 86–59411, 86–59501 to 59503, 86–59537 to 59539, 86–59719, 86–59734 to 59738, 86–59749, 86–59829, 86–60133, 86–60905 to 60906, 86–61065 to 61067, 86–61185, 86–61212, 86–61329 to 61333, 86–61433 to 61439, 86–61502, 86–61612 to 61646, 86–61706, 86–61715 to 61722, 86–61733, 86–61815

Telecommunications energy; Conference Proceedings INTELEC '86: International Telecommunications Energy Conference (Cat. No.86CH2328-3), Toronto, Ont., Canada, 19-22 Oct. 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87–22984 (introductory abstract), 87–16877, 87–17409, 87–19158, 87–20074 to 20075, 87–20341 to 20342, 87–20574, 87–21878, 87–21931 to 21933, 87–22549 to 22559, 87–22761 to 22762, 87–23285 to 23286, 87–23926 to 23929, 87–24526, 87–26059, 87–26965, 87–30013 to 30015, 87–30088 to 30093, 87–30134, 87–30175, 87–30255, 87–30273, 87–30283 to 30285, 87–30408 to 30409, 87–30450 to 30454, 87–30468 to 30471, 87–30800 to 30840, 87–30916 to 30927

Telecommunications energy; INTELEC '87: Ninth International Telecommunications Energy Conference. Conference Proceedings (Cat. No.87CH2477-8), Stockholm, Sweden, 14-17 June 1987, *(IEEE; Swedish Soc. Electr. Eng.; City Stockholm)* [New York, NY, USA: IEEE 1987] 88–24342 (introductory abstract), 88–24568 to 24569, 88–24988 to 24994, 88–28174, 88–28229, 88–28274, 88–28550, 88–28601 to 28604, 88–28687, 88–28896, 88–30124, 88–30255 to 30260, 88–30321 to 30323, 88–30359, 88–30433, 88–30591, 88–30595 to 30597, 88–30618 to 30622, 88–30629 to 30630, 88–30776, 88–30822 to 30876, 88–30976 to 30977, 88–30984 to 30996, 88–31219 to 31220

Telecommunications for information management and transfer; Telecommunications for Information Management and Transfer. Proceedings of the First International Conference, Leicester, UK, April 1987, *Collier, M. (editor/s),* [Aldershot, UK: Gower Publishing 1988] 88–31298 (introductory abstract), 88–34912, 88–35021 to 35023, 88–35036 to 35037, 88–35158 to 35160, 88–35240, 88–35456, 88–35540

Telecommunications for the small business; IEE Colloquium on Telecommunications for the Small Business (Digest No. 100), London, UK, 22 Nov. 1984, *(IEE)* [London, UK: IEE 1984] 85–16593 (introductory abstract), 85–19681 to 19682, 85–19707 to 19708

Telecommunications liberalisation; IEE Colloquium on 'The Impact of Liberalisation and Competition on Telecommunications' (Digest No.29), London, UK, 24 Feb. 1988, *(IEE)* [London, UK: IEE 1988] 88–37861 (introductory abstract), 88–41166 to 41171, 88–41243, 88–41580 to 41581

Telecommunications policy; INTELEVENT 85 Proceedings, Cannes, France, 21-24 Sept. 1985, *(Finley, Kumble, Wagner, Heine, Underberg, Manley & Casey; E.F. Hutton & Co.; et al)* [Washington, DC, USA: Int. Televent 1985] 86–57100 (introductory abstract)

Telecommunications policy; INTELEVENT 86 Proceedings, Munich, West Germany, 19-22 Oct. 1986, *(Peat, Marwick, Mitchell; Int. Chamber Commerce; et al)* [Washington, DC, USA: Int. Televent 1986, $25.00] 88–6113 (introductory abstract)

Telecommunications, radio and information technology; Conference on Telecommunications, Radio and Information Technology (Conf. Publ. No. 235), Birmingham, UK, 16-18 May 1984, *(IEE)* [London, UK: IEE 1984] 85–54031 (introductory abstract), 85–57194, 85–57273, 85–57325 to 57327, 85–57585, 85–57650 to 57652, 85–57693, 85–57725, 85–57800 to 57805, 85–57854, 85–57879, 85–57898, 85–57960, 85–58021 to 58024, 85–58074 to 58080, 85–58147, 85–58286 to 58287, 85–58369

Telecommunications regulations and markets; Symposium on the Structure of Telecommunications Regulations and Markets. Papers Presented at the Forum '83 Legal Symposium of TELECOM '83, Geneva, Switzerland, 28-29 Oct. 1983, [Fall 1984] 85–27923 (introductory abstract), 85–30522 to 30527, 85–30960

Telecommunications: what evolution for France; Telecoms: Quelle Evolution pour la France? (Telecommunications: What Evolution for France?), Paris, France, 16-17 March 1987, [July 1987] 88–18286 (introductory abstract), 88–21438 to 21448

Telesoftware; International Conference on Telesoftware, London, UK, 27-28 Sept. 1984, *(IERE)* [London, UK: IERE 1984] 85–10331 (introductory abstract), 85–13851 to 13860, 85–14403, 85–14459 to 14460

Teleteaching; Remote Education and Informatics: Teleteaching. Proceedings of the IFIP TC 3 International Conference, Budapest, Hungary, 20-25 Oct. 1986, *Lovis, F. (editor/s),* [Amsterdam, Netherlands: North-Holland 1988, $65.75] 88–62934 to 62942, 88–66862, 88–66941, 88–67534

Teletraffic; 11th International Teletraffic Congress, Kyoto, Japan, 4-11 Sept. 1985, [Oct.-Nov. 1985] 86–23253 to 23258, 86–23439 to 23440, 86–23604, 86–23627

Teletraffic analysis; Teletraffic Analysis and Computer Performance Evaluation. Proceedings of the International Seminar, Amsterdam, Netherlands, 2-6 June 1986, *(Dutch Minist. Educ. & Sci.; Centre Math. & Comput. Sci) Boxma, O.J. Cohen, J.W. Tijms, H.C. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $90.00] 87–31141 (introductory abstract), 87–31384 to 31388, 87–31395, 87–34046 to 34047, 87–34172 to 34177, 87–34297 to 34298, 87–36574 to 36576, 87–36587, 87–40053, 87–40228 to 40229, 87–40453 to 40458

Television; 18th Annual SMPTE Television Conference (papers in summery form only received), Montreal, Que., Canada, 10-11 Feb. 1984, [Sept. 1984] 85–8605 to 8606

Television technology; 20th Annual SMPTE Television Conference (papers in summary form only received), Chicago, IL, USA, 7-8 Feb. 1986, [April 1986] 86–52107 (introductory abstract)

TENCON '84; Conference Proceedings TENCON '84. An International Conference on Consumer & Industrial Electronics & Applications (IEEE Cat. No. 84CH1995-0), Singapore, 17-19 April 1984, *(IEEE; Nat. Univ. Singapore; Nanyang Technol. Inst.; Nat. Comput. Board)* [New York, NY, USA: IEEE 1984] 85–5645 (introductory abstract), 85–579, 85–765, 85–863, 85–1549, 85–1715, 85–2456, 85–2784, 85–2908 to 2910, 85–2926, 85–2990 to 2991, 85–3113, 85–3184, 85–3268, 85–3678, 85–3707, 85–4036, 85–4056, 85–4342, 85–5103, 85–5122 to 5124, 85–5517, 85–6218, 85–6303, 85–6435, 85–6873, 85–6891, 85–7065, 85–7821, 85–7845, 85–7942, 85–7991, 85–8710, 85–8839 to 8840, 85–8900, 85–8962, 85–9132, 85–9175, 85–9389, 85–9501, 85–9552, 85–10024 to 10027, 85–10228

Ternary and multinary compounds; Proceedings of the Sixth International Conference on Ternary and Multinary Compounds, Caracas, Venezuela, 15-17 Aug. 1984, [1984] 85–16557 (introductory abstract), 85–16909 to 16918, 85–16945, 85–16961 to 16962, 85–18090 to 18091, 85–18113 to 18117, 85–18202, 85–18535, 85–18790, 85–21776, 85–21805

Ternary and multinary compounds; Ternary and Multinary Compounds. Proceedings of the 7th International Conference, Snowmass, CO, USA, 10-12 Sept. 1986, *(Solar Energy Res. Inst.; ARCO Solar; Boeing Electron Co.; et al) Deb, S.K. Zunger, A. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 87–65093 (introductory abstract), 87–58911 to 58912, 87–58947 to 58948, 87–58955 to 58956, 87–58990 to 58992, 87–60125 to 60126, 87–61031, 87–65482, 87–66936, 87–66969, 87–67728, 87–72364, 87–72450 to 72453

Terrestrial propagation characteristics; Terrestrial Propagation Characteristics in Modern Systems of Communications, Surveillance, Guidance and Control (AGARD-CP-407), Ottawa, Ont., Canada, 20-24 Oct. 1986, [Neuilly sur Seine, France: AGARD Nov. 1987] 88–31318 (introductory abstract), 88–34291, 88–34319 to 34333, 88–34389 to 34391, 88–34480, 88–34549, 88–36185

Terrestrial radio spectrum management; IEE Colloquium on 'Terrestrial Radio Spectrum Management Tools' (Digest No.71), London, UK, 10 May 1988, *(IEE)* [London, UK: IEE 1988] 88–55844 (introductory abstract), 88–59563, 88–60016 to 60018, 88–60067 to 60069, 88–60388 to 60389

Test and measurement world EXPO; Proceedings of the 4th Annual Test & Measurement World EXPO, San Jose, CA, USA, 14-16 May 1985, [Boston, MA, USA: Technical Publishing 1985] 86–13290 (introductory abstract)

Test and transducer; Test + Transducer Conference, London, UK, 28-30 Oct. 1986, [Tavistock, UK: Trident Int. Exhibitions 1986] 88–36 (introductory abstract)

Test conference; International Test Conference 1985 Proceedings. The Future of Test (Cat. No.85CH2230-1), Philadelphia, PA, USA, 19-21 Nov. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86−45927 (introductory abstract), 86−45968 to 45971, 86−46061 to 46072, 86−46145, 86−46496, 86−46658 to 46663, 86−46741 to 46774, 86−46827 to 46839, 86−46912 to 46916, 86−46935 to 46936, 86−47014, 86−47196 to 47204, 86−47729 to 47741, 86−47833 to 47839, 86−49939 to 49961, 86−50121, 86−50191, 86−50231

Test conference; International Test Conference 1987 Proceedings: Integration of Test with Design and Manufacturing (Cat. No.87CH2347-2), Washington, DC, USA, 1-3 Sept. 1987, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 88−15894 (introductory abstract), 88−12282 to 12283, 88−12338 to 12345, 88−12377, 88−13532 to 13537, 88−13559, 88−13591 to 13592, 88−15133, 88−15257, 88−15957 to 15959, 88−18373, 88−18457 to 18469, 88−18527 to 18528, 88−18865, 88−19017 to 19019, 88−19067 to 19091, 88−19149 to 19156, 88−19200 to 19202, 88−19236, 88−19486 to 19490, 88−19528 to 19529, 88−20065 to 20073, 88−20127 to 20131, 88−21837, 88−22448 to 22466, 88−24533, 88−25082 to 25083, 88−25117 to 25125, 88−25214 to 25217, 88−25265 to 25266, 88−25633 to 25634, 88−25705, 88−29248 to 29251

Test equipment for optical communication systems; IEE Colloquium on 'Test Equipment for Optical Communication Systems' (Digest No.85), London, UK, 28 May 1986, *(IEE)* [London, UK: IEE 1986] 86−52157 (introductory abstract), 86−53991 to 53995, 86−55543, 86−55866

Test + transducer; Test + Transducer. International Measurement Exhibition and Conference (papers in summary form only received), London, UK, 29-31 Oct. 1985, [Tavistock, UK: Trident Int. Exhibitions 1985] 86−33930 (introductory abstract)

Testing and failure analysis; Proceedings ISTFA 1984 International Symposium for Testing and Failure Analysis, Los Angeles, CA, USA, 22-24 Oct. 1984, [Torrance, CA, USA: AFTA 1984] 85−49271 (introductory abstract), 85−49344 to 49348, 85−49901, 85−50374 to 50375, 85−50680 to 50681, 85−54129, 85−54141, 85−54151 to 54154, 85−54174 to 54175, 85−54578 to 54581, 85−54862, 85−54901 to 54904, 85−55230, 85−55336, 85−55345, 85−55741, 85−55792, 85−55860 to 55861, 85−55929 to 55936, 85−55981 to 55982, 85−58720

Testing and inspection of electronic components and circuits; IEE Colloquium on 'Testing and Inspection of Electronic Components and Circuits' (Digest No.12), London, UK, 22 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87−43816 (introductory abstract), 87−45753, 87−46147 to 46151

Testing, evaluation and quality control of composites; TEQC 83. Proceedings of the International Conference on Testing, Evaluation and Quality Control of Composites, Guildford, Surrey, UK, 13-14 Sept. 1983, *Feest, T. (editor/s),* [Sevenoaks, UK: Butterworths Oct. 1983, £15.00] 85−28 (introductory abstract), 85−476 to 484

Testing, new ideas; IEE Colloquium on 'New Ideas in Testing' (Digest No.114), London, UK, 7 Nov. 1986, *(IEE)* [London, UK: IEE 1986] 87−16374 (introductory abstract), 87−16375, 87−17059, 87−18301 to 18305

Tethered satellites; NASA/AIAA/PSN International Conference on Tethers in Space, Arlington, VA, USA, 17-19 Sept. 1986, [Jan.-March 1987] 87−58510 (introductory abstract)

Text retrieval in context; Text Retrieval in Context. Proceedings of the Institute of Information Scientists 1984 Conference, London, UK, 14-15 Nov. 1984, *(Inst. Inf. Sci) Kimberley, R. Hamilton, C.D. Smith, C.H. (editor/s),* [London, UK: Taylor Graham 1985] 86−4216

Textile industry; IEEE 1985 Annual Textile Industry Technical Conference (Cat. No.85CH2171-7), Greenville, SC, USA, 8-9 May 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86−45871 (introductory abstract), 86−42350, 86−45038, 86−45435, 86−45588, 86−45621, 86−45752 to 45753

Textile industry ; IEEE 1986 Annual Textile Industry Technical Conference (Cat. No.CH862320-0), Charlotte, NC, USA, 7-8 May 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87−16276 (introductory abstract), 87−21977 to 21979, 87−22236, 87−22496, 87−22941

Textile industry; IEEE 1987 Annual Textile Industry Technical Conference (Cat. No.87CH2479-4), Atlanta, GA, USA, 6-7 May 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87−72689 (introductory abstract), 87−72807, 87−77266, 87−78008, 87−78630, 87−78745, 87−78849, 87−79003, 87−79258

Textile industry; IEEE 1988 Annual Textile Industry Technical Conference (Cat. No.88CH2598-1), Greenville, SC, USA, 4-5 May 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88−55836 (introductory abstract), 88−60604, 88−61867, 88−61920, 88−61941, 88−61986, 88−62319, 88−62332, 88−62426, 88−62793

Theory of computation; Topics in the Theory of Computation. Selected Papers of the International Conference on 'Foundations of Computation Theory', FCT '83, Borgholm, Sweden, 21-27 Aug. 1983, *(ASEA; Ericsson Inf. Syst. AB; IBM Svenska AB; Swedish Philips Group) Karpinski, M. Van Leeuwen, J. (editor/s),* [Amsterdam, Netherlands: Elsevier 1985, $46.25] 86−19901

Therapeutic radiology and oncology; Proceedings of the American Society for Therapeutic Radiology and Oncology 27th Annual Meeting, Miami Beach, FL, USA, 29 Sept.-4 Oct. 1985, *(Int. Soc. Radiat. Oncology; Circulo Radioterapeutas Ibero-Latinoamericanos)* [Sept. 1985] 86−19707 (introductory abstract)

Thermal conductivity; Thermal Conductivity 16. Proceedings of the Sixteenth International Conference, Chicago, IL, USA, 7-9 Nov. 1979, *(IIT Res. Inst) Larsen, D.C. (editor/s),* [New York, NY, USA: Plenum 1983] 85−485

Thermal expansion; Ninth International Thermal Expansion Symposium, Pittsburgh, PA, USA, 8-10 Dec. 1986, *(Anter Labs)* [March 1988] 88−63406, 88−68055

Thermal imaging; Thermal Imaging, Orlando, FL, USA, 3-4 April 1986, *(SPIE)* [1986] 87−10010 (introductory abstract), 87−11189, 87−13139, 87−14173 to 14188, 87−14347

Thermal infrared sensing for diagnostics and control; International Conference on Thermal Infrared Sensing for Diagnostics and Control (Thermosense VIII), Cambridge, MA, USA, 17-20 Sept. 1985, *(SPIE)* [1986] 87−10001 (introductory abstract), 87−10126 to 10128, 87−10539 to 10540, 87−14162 to 14170, 87−14596 to 14598, 87−15021, 87−15189 to 15190, 87−15457 to 15458, 87−15556, 87−15651, 87−15833, 87−16201

Thermal infrared sensing for diagnostics and control; International Conference on Thermal Infrared Sensing for Diagnostics and Control (Thermosense IX), Orlando, FL, USA, 18-20 May 1987, *(SPIE)* [1987] 88−12 (introductory abstract), 88−13 to 14, 88−204, 88−494, 88−1169 to 1171, 88−1741, 88−4337, 88−4439, 88−4467 to 4478, 88−4605, 88−4664, 88−4673 to 4678, 88−5102, 88−5227, 88−5420, 88−5532, 88−5908

Thermal infrared sensing for diagnostics and control; International Conference on Thermal Infrared Sensing for Diagnostics and Control (Thermosense X), Orlando, FL, USA, 5-8 April 1988, *(SPIE)* [1988] 88−62860 (introductory abstract), 88−62927 to 62928, 88−63419, 88−64058 to 64059, 88−64684, 88−67676, 88−67696 to 67697, 88−67895 to 67898, 88−68018, 88−68059 to 68067, 88−68093 to 68094, 88−68520, 88−68804, 88−68867, 88−68930, 88−69021

Thermal neutrons; Position-Sensitive Detection of Thermal Neutrons. Proceedings of a Workshop, Grenoble, France, 11-12 Oct. 1982, *Convert, P. Forsyth, J.B. (editor/s),* [London, UK: Academic Press 1983, $36.00] 85−10327 (introductory abstract), 85−15200 to 15237

Thermogrammetry and thermal engineering; 5th Conference on Thermogrammetry and Thermal Engineering, Budapest, Hungary, 21-23 April 1987, *(Hungarian Minist. Ind.; Inst. Thermal & Syst. Eng.; Inst. Energetics; et al)* [1986] 87−35225 (introductory abstract), 87−31590, 87−34972, 87−35086, 87−35226 to 35227, 87−35244, 87−35817, 87−36255

Thermophysical properties; 9th European Conference on Thermophysical Properties, Manchester, UK, 17-21 Sept. 1984, *(IOP)* [1985] 86−18162, 87−8596

Thermophysical properties; Proceedings of the Ninth Symposium on Thermophysical Properties, Boulder, CO, USA, 24-27 June 1985, *(ASME; NBS)* [May 1986] 86−60388

Thermophysical properties; Tenth European Conference on Thermophysical Properties, Rome, Italy, 22-25 Sept. 1986, [1986] 88−7246, 88−9941, 88−10155, 88−22774, 88−22822 to 22824

Thermosense; International Conference on Thermal Infrared Sensing for Diagnostics and Control (Thermosense VII), Cambridge, MA, USA, 5-8 Nov. 1984, [1985] 85−49253 (introductory abstract), 85−49664 to 49667, 85−50107, 85−51744, 85−52672 to 52675, 85−52782 to 52783, 85−52854, 85−52894 to 52901, 85−53119, 85−53368, 85−53558, 85−53669, 85−53823, 85−53843, 85−53892

Thin film formation; Second International Summer School on Thin Film Formation, Hajduszoboszlo, Hungary, 18-24 Sept. 1983, [22 June 1984] 85−5996 to 5997, 85−11947, 85−11974, 85−12013, 85−12143 to 12144, 85−12314, 85−16242

Thin-film multilayered structures; Applications of Thin-Film Multilayered Structures to Figured X-Ray Optics, San Diego, CA, USA, 20-22 Aug. 1985, *(SPIE)* [1985] 87−19011, 87−21547

Thin film preparation and processing technology; Proceedings of the SIRA International Seminar on Thin Film Preparation and Processing Technology, Brighton, UK, 26-28 March 1985, [Oct.-Nov. 1985] 86−26481 (introductory abstract), 86−26622, 86−26902, 86−28102, 86−28213 to 28216, 86−28407 to 28409, 86−28780

Thin film science and technology; Proceedings of the Symposium on Thin Film Science and Technology, India, 9-11 Jan. 1985, *(Indian Inst. Sci.; Univ. Grants Comm.; Dept. Sci. & Technol.; et al)* [June 1986] 87−1 (introductory abstract), 87−287 to 289, 87−295 to 299, 87−970, 87−1148, 87−1230, 87−1505, 87−4878

Thin film technologies; Thin Film Technologies II, Innsbruck, Austria, 15-17 April 1986, *(SPIE)* [1986] 87−54150, 87−68246 to 68247, 87−68568

Thin film transistor and SOI technologies; Comparison of Thin Film Transistor and SOI Technologies Symposium, Albuquerque, NM, USA, 26-28 Feb. 1984, *Lam, H.W. Thompson, M.J. (editor/s),* [New York, NY, USA: North-Holland 1984] 85−49273 (introductory abstract), 85−49577, 85−49844, 85−50194 to 50196, 85−50223, 85−50287, 85−50328 to 50336, 85−50402, 85−50476, 85−50595 to 50604, 85−50776 to 50782, 85−52688, 85−52822 to 52825

Thin films; Sixth International Conference on 'Thin Films', Stockholm, Sweden, 13-17 Aug. 1984, [8 Feb. 1985] 85−54026 (introductory abstract), 85−54477, 85−54490, 85−54516 to 54521, 85−55573, 85−55678, 85−55732 to 55733, 85−61002 to 61003, 85−61674 to 61675, 85−61697 to 61701, 85−61712, 85−61748, 85−61788, 86−495, 86−1391, 86−1822, 86−2068 to 2069, 86−2118, 86−2190 to 2191, 86−2515, 86−2801 to 2802, 86−2850 to 2853, 86−2975, 86−26900, 86−28014, 86−28072, 86−28158, 86−28700, 86−31655, 86−40777 to 40778, 86−41459, 86−41462, 86−41618, 86−41686, 86−41705 to 41706

Thin films and interfaces; Thin Films and Interfaces II. Proceedings of the Symposium, Boston, MA, USA, 14-18 Nov. 1983, *Baglin, J.E.E. Campbell, D.R. Chu, W.K. (editor/s),* [New York, NY, USA: North-Holland 1984] 85−33456 to 33462, 85−33507, 85−34377, 85−34600, 85−34632 to 34644, 85−34830, 85−34869 to 34870, 85−34885 to 34888, 85−34928, 85−35125

Thin films - interfaces and phenomena; Thin Films - Interfaces and Phenomena. Part of the Fall 1985 Meeting of the Materials Research Society, Boston, MA, USA, 2-6 Dec. 1985, *Nemanich, R.J. Ho, P.S. Lau, S.S. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−5481 to 5482, 87−6372, 87−6469 to 6472, 87−6492 to 6493, 87−6605 to 6609, 87−6661, 87−10457 to 10467, 87−10509 to 10510, 87−11441 to 11459, 87−11487 to 11488, 87−11582 to 11584, 87−11632, 87−11683, 87−11706 to 11710, 87−11720, 87−11752, 87−11935, 87−16055

Thin films, structure and properties; Thin Films: The Relationship of Structure to Properties, San Francisco, CA, USA, 15-17 April 1985, *(Mater. Res. Soc) Aita, C.R. SreeHarsha, K.S. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1985] 86−26511 (introductory abstract), 86−27856, 86−27885 to 27886, 86−27952 to 27953, 86−28044 to 28045, 86−28241

Three-dimensional data, processing and display; Processing and Display of Three-Dimensional Data II, San Diego, CA, USA, 23-24 Aug. 1984, *(SPIE)* [1984] 85−49250 (introductory abstract), 85−51308, 85−51740 to 51743, 85−52666 to 52671, 85−52709, 85−53026 to 53030, 85−53122, 85−53179, 85−53977

Three dimensional eddy current calculations; IEE Colloquium on Three Dimensional Field Calculations Including Eddy Currents (Digest No. 109), London, UK, 12 Dec. 1984, *(IEE)* [London, UK: IEE 1984] 85−22089 (introductory abstract), 85−22585, 85−24732 to 24738

Three-dimensional imaging and remote sensing imaging; Three-Dimensional Imaging and Remote Sensing Imaging, Los Angeles, CA, USA, 14-15 Jan. 1988, *(SPIE; Soc. Imaging Sci. & Technol)* [1988] 88−69971 (introductory abstract), 88−72366, 88−73216, 88−74123, 88−74527 to 74535, 88−74822 to 74826, 88−74870

Three-dimensional imaging techniques; True Three-Dimensional Imaging Techniques and Display Technologies, Los Angeles, CA, USA, 15-16 Jan. 1987, *(SPIE)* [1987] 88−9 (introductory abstract), 88−2398, 88−3196, 88−3199 to 3200, 88−4438, 88−4557 to 4565, 88−4873, 88−4914, 88−4998, 88−5044 to 5045, 88−5063, 88−5230

Time-dependent effects in disordered materials; Time-Dependent Effects in Disordered Materials. Proceedings of a NATO Advanced Study Institute, Geilo, Norway, 29 March-9 April 1987, *Pynn, R. Riste, T. (editor/s),* [New York, NY, USA: Plenum 1987, $95.00] 88−71840

Time series analysis; Time Series Analysis: Theory and Practice 6. Hydrological, Geophysical and Spatial Applications. Proceedings of the International Conference, Toronto, Ont., Canada, 10-14 Aug. 1983, *Anderson, O.D. Ord, J.K. Robinson, E.A. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $59.25] 85−43474 (introductory abstract)

Time series analysis and forecasting methods; IEE Colloquium on Time Series Analysis and Forecasting Methods (Digest No.91), London, UK, 24 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85−27972 (introductory abstract)

Tomography; Electrical Impedance Tomography - Applied Potential Tomography, Sheffield, UK, 2-4 July 1986, [1987] 87−43733 (introductory abstract), 87−50309 to 50328

Tomography for NDT and medical applications; IEE Colloquium on 'Developments in Tomography for NDT and Medical Applications' (Digest No.34), London, UK, 11 March 1986, *(IEE)* [London, UK: IEE 1986] 86−33961 (introductory abstract), 86−34429 to 34432, 86−38783 to 38784

Toner and developer industry; Proceedings of the Second Toner and Developer Industry Conference. Imaging Materials Seminar, Santa Barbara, CA, USA, 22-24 Sept. 1985, [Ventura, CA, USA: Diamond Res. Corp. 1986] 87−36345 (introductory abstract)

Toroidal plasma heating; Proceedings of the 4th International Symposium on Heating in Toroidal Plasmas, Rome, Italy, 21-28 March 1984, *(Italian Comm. Nucl. & Alternative Energy Sources; Comm. Eur. Communities; Regione Lazio; Comune di Roma) Knoepfel, H. Sindoni, E. (editor/s),* [Varenna, Italy: Int. School of Plasma Phys. June 1984] 85−28681 to 28683, 85−28700 to 28701, 85−28901, 85−28906 to 28908, 85−30004, 85−30056, 85−30084, 85−30101 to 30107, 85−30117, 85−32808 to 32811

Total powertrain control; IEE Colloquium on 'Total Powertrain Control' (Digest No.64), London, UK, 29 April 1986, *(IEE)* [London, UK: IEE 1986] 86−52008

Training for change; International Conference on Training for Change - The Revolution in Commerce and Industry (Conf. Publ. No.283), London, UK, 1-2 Dec. 1987, [London, UK: IEE 1987] 88−11612 (introductory abstract), 88−11641 to 11675, 88−11686

Training international engineers for European industry; Seminar on Training International Engineers for European Industry: A Need and a Challenge, Udine, Italy, May 1984, [June 1985] 85−54017 (introductory abstract)

Training, new technologies; New Technologies in Training. Second International Conference and Product Demonstration, London, UK, 2-4 Oct. 1985, [London, UK: Queensdale Exhibitions & Conferences 1985] 86−31046 to 31047

Transborder dataflows; Two Day Conference on Operational and Legal Aspects of Transborder Dataflows, London, UK, 16-17 Oct. 1985, *(Int. Law Assoc.; Eur. Study Conferences)* [Uppingham, Rutland, UK: Eur. Study Conferences 1985] 86−37224

Transducer technology for physical measurements; Proceedings of the 1985 SEM Fall Conference on Experimental Mechanics: 'Transducer Technology for Physical Measurements', Grenelefe, FL, USA, 17-20 Nov. 1985, [Bethel, CT, USA: Soc. Exp. Mech. 1985] 86−57098 (introductory abstract)

Transducer Tempcon; Transducer Tempcon Conference 84, Harrogate, Yorks., UK, 27-29 Nov. 1984, [Tavistock, Devon, UK: Trident Int. Exhibitions 1984] 86−36 (introductory abstract), 86−102, 86−1449, 86−2806 to 2811, 86−4999, 86−5105, 86−5258 to 5281, 86−5328, 86−5503, 86−5552, 86−5569 to 5573, 86−5588 to 5591, 86−5607, 86−6166

Transducers; Third International Conference on Solid-State Sensors and Actuators (Transducers '85), Philadelphia, PA, USA, 11-14 June 1985, *(NSF; NIH; NBS)* [Sept. 1985] 86−26480 (introductory abstract), 86−31222, 86−31399 to 31404

Transducers; TRANSDUCERS '85. 1985 International Conference on Solid-State Sensors and Actuators. Digest of Technical Papers (Cat. No.85CH2127-9), Philadelphia, PA, USA, 11-14 June 1985, *(IEEE; Electrochem. Soc.; NBS; US Nat. Inst. Health; et al)* [New York, NY, USA: IEEE 1985] 86−52123 (introductory abstract), 86−52907, 86−53483, 86−53557 to 53558, 86−55558 to 55561, 86−55640 to 55717, 86−55744 to 55749, 86−55817, 86−55882 to 55884, 86−56085 to 56088, 86−56128 to 56130, 86−56189, 86−57006 to 57007

Transmission and distribution; Seminar on Transmission and Distribution. Proceedings of the All-Indian Seminar, Calcutta, India, April 1983, *(Nat. Council of Power Utilities)* [March 1984] 85−10313 (introductory abstract), 85−15504 to 15508, 85−15533 to 15538, 85−15562 to 15565, 85−15570, 85−15587 to 15591, 85−15633 to 15634, 85−15648 to 15649, 85−15666, 85−16087 to 16089, 85−16163

Transmission and distribution systems; International Conference on Revitalising Transmission and Distribution Systems (Conf. Publ. No.273), London, UK, 25-27 Feb. 1987, [London, UK: IEE 1986] 87−43784 (introductory abstract), 87−50628 to 50630, 87−50695, 87−50742 to 50743, 87−50783 to 50796, 87−50819, 87−50827 to 50832, 87−50846, 87−51321 to 51329, 87−51417 to 51418

Transmission electron microscopy; Materials Problem Solving with the Transmission Electron Microscope Symposium, Boston, MA, USA, 2-4 Dec. 1985, *Hobbs, L.W. Westmacott, K.W. Williams, D.B. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−25532 to 25533

Transmission for telecommnications; IEE Fourth Vacation School on 'Transmission for Telecommunications', Birmingham, UK, 14-19 July 1985, *(IEE)* [London, UK: IEE 1985] 86−7394 (introductory abstract), 86−9603, 86−10268, 86−10672, 86−10696 to 10699, 86−10889 to 10890, 86−10942 to 10945, 86−10970, 86−11043

Transmission for telecommunications; IEE Fifth Vacation School on 'Transmission for Telecommunications', Birmingham, UK, 19-24 July 1987, [London, UK: IEE 1987] 87−72714 (introductory abstract), 87−75682, 87−75763 to 75764, 87−76010 to 76011, 87−76188, 87−76234 to 76236, 87−76438, 87−76514 to 76516, 87−76575, 87−76699, 87−76819

Transparent ferroelectric ceramics; Second Soviet Seminar on Production, Research and Application of Transparent Ferroelectric Ceramics, USSR, 8-10 April 1985, *(Acad. Sci. USSR; Acad. Sci. Latvian SSR; Dept. Higher Educ. Latvian SSR)* [July 1986] 87−327 to 328, 87−1976 to 1977, 87−2238, 87−3560

Transport and defects in amorphous semiconductors; Transport and Defects in Amorphous Semiconductors. Proceedings of the International Topical Conference, Bloomfield Hills, MI, USA, 22-24 March 1984, [July 1984] 85−12 (introductory abstract), 85−431 to 433, 85−1330 to 1337, 85−2127

Transportation and communications; Transportation and Telecommunications in the Developing Countries: Technical Developments, Forecasting and Economical Evaluations. XXXII International Meeting on Communications, Genoa, Italy, 9-11 Oct. 1984, [Genoa, Italy: Ist. Int. Comunicazioni 1984] 85−16575 (introductory abstract), 85−16652, 85−19600 to 19610, 85−19678, 85−19978, 85−20002, 85−20005, 85−20050, 85−20092, 85−20169 to 20171, 85−20246

Transportation electronics; International Congress on Transportation Electronics Proceedings (Cat. No. 84CH1988-5), Dearborn, MI, USA, 22-24 Oct. 1984, *(IEEE; SAE; USDOE; IEE; IMechE; et al)* [New York, NY, USA: IEEE 1984] 85−63246 (introductory abstract), 85−58544, 85−58699, 85−60499 to 60500, 85−60504 to 60517, 85−60778 to 60779, 85−60823, 85−63587 to 63591, 85−63892 to 63894, 85−63902, 85−65575 to 65587

Transportation electronics; Transportation Electronics: Proceedings of the International Congress on Transportation Electronics (P-183), Dearborn, MI, USA, 20-22 Oct. 1986, *(IEEE; SAE)* [Warrendale, PA, USA: SAE Oct. 1986] 87−43789 (introductory abstract), 87−49240, 87−49410 to 49411, 87−49424, 87−51570 to 51573, 87−51583 to 51608

Transputer: applications and case studies; IEE Colloquium on 'The Transputer: Applications and Case Studies (Digest No.91), London, UK, 23 May 1986, *(IEE)* [London, UK: IEE 1986] 86−57114 (introductory abstract), 86−57880 to 57881

Trees in algebra and programming; Eleventh Colloquium on Trees in Algebra and Programming, Nice, France, March 1986, [1987] 88−11826

Trends and applications, databases; Proceedings of Trends and Applications 1984. Making Database Work (Cat. No. 84CH2053-7), Gaithersburg, MD, USA, 23-24 May 1984, *(IEEE; NBS)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85−19902

Tunable solid-state lasers; Topical Meeting on Tunable Solid-State Lasers. Technical Digest, Arlington, VA, USA, 16-17 May 1985, *(IEEE; Opt. Soc. America)* [Washington, DC, USA: Opt. Soc. America 1985] 86−45943 (introductory abstract)

Tunable solid state lasers; Topical Meeting on Tunable Solid State Lasers. Technical Digest Series Vol.20, Williamsburg, VA, USA, 26-28 Oct. 1987, *(IEEE; Opt. Soc. America; SDIO)* [Washington, DC, USA: Opt. Soc. America 1987] 88−18321 (introductory abstract)

Tunable solid state lasers for remote sensing; Tunable Solid State Lasers for Remote Sensing. Proceedings of the NASA Conference, Stanford, CA, USA, 1-3 Oct. 1984, *Byer, R.L. Gustafson, E.K. Trebino, R. (editor/s),* [Berlin, West Germany: Springer-Verlag 1985, DM85.00] 87−36338 (introductory abstract), 87−36689 to 36693, 87−39058 to 39074, 87−39142 to 39144, 87−39243 to 39246, 87−41044, 87−42224, 87−42240 to 42245

Tungsten and other refractory metals for VLSI ; Tungsten and Other Refractory Metals for VLSI Applications. Proceedings of the 1985 and 1984 Workshops, Albuquerque, NM, USA, 7-9 Oct. 1985/12-13 Nov. 1984, *Blewer, R.S. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1986] 87−5151 (introductory abstract), 87−5483 to 5508, 87−5511, 87−6473 to 6478, 87−6616 to 6626, 87−6856 to 6857, 87−6925

Tungsten and other refractory metals for VLSI applications; Tungsten and Other Refractory Metals for VLSI Applications II. Proceedings of the 1986 Workshop, Palo Alto, CA, USA, 12-14 Nov. 1986, *Broadbent, E.K. (editor/s),* [Pittsburgh, PA, USA: Mater. Res. Soc. 1987] 87−58559 (introductory abstract), 87−58993 to 59009, 87−59015, 87−60178 to 60180, 87−60347 to 60351, 87−60369 to 60382, 87−60695

TV measurements, broadcasting and distribution; Television Measurements (Broadcasting and Distribution). Third International Conference (Publ. No.74), Montreux, Switzerland, 18-20 June 1987, [London, UK: IERE 1987] 87−72698 (introductory abstract), 87−75923, 87−76695, 87−76925 to 76935, 87−76954 to 76955, 87−76989 to 76997, 87−77042, 87−77293, 87−77474

TV receiver digitisation; IEE Colloquium on Digitalisation of the Television Receiver (Digest No.81), London, UK, 7 Nov. 1983, *(IEE)* [London, UK: IEE 1983] 85−22098 (introductory abstract), 85−26012 to 26013

TV studio; IEE Colloquium on the Television Studio: From Analogue to Digital (Digest No.67), London, UK, 3 Oct. 1983, *(IEE)* [London, UK: IEE 1983] 85−27962 (introductory abstract), 85−31156 to 31163, 85−31207 to 31209, 85−31220

TV studios - from analogue to digital; IEE Colloquium on 'TV Studios from A/D' (Digest No.11), London, UK, 21 Jan. 1987, *(IEE)* [London, UK: IEE 1987] 87−23032 (introductory abstract), 87−28759 to 28760, 87−28807 to 28815, 87−28845 to 28847

Two-dimensional systems; Two-Dimensional Systems: Physics and New Devices. Proceedings of the International Winter School, Mauterndorf, Austria, 24-28 Feb. 1986, *Bauer, G. Kuchar, F. Heinrich, H. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986, DM89.00] 87−23015 (introductory abstract), 87−23693 to 23694, 87−24481, 87−24900 to 24902, 87−25199, 87−25221

Two-dimensional systems, heterostructures and superlattices; Two-Dimensional Systems, Heterostructures and Superlattices. Proceedings of the International Winter School, Mauterndorf, Austria, 26 Feb.-2 March 1984, *(Austrian Phys. Soc.; Austrian Federal Min. Sci. Res.; US Army; Eur. Office of Aerosp. Res. & Dev.;et al) Bauer, G. Kuchar, F. Heinrich, H. (editor/s),* [Berlin, West Germany: Springer-Verlag 1984] 85−32935 (introductory abstract), 85−29030 to 29031, 85−33466 to 33467, 85−33510 to 33512, 85−34455, 85−34603 to 34610, 85−34684, 85−35020, 85−35656

Two-phase flow dynamics; Japan/U.S. Seminar on Two-Phase Flow Dynamics, Lake Placid, NY, USA, Aug. 1984, [1986] 87−4970

UK Geophysical Assembly; Tenth UK Geophysical Assembly (papers in summary form only received), Glasgow, UK, 7-9 April 1986, *(R. Astron. Soc.; Geol. Soc.; Britoil)* [April 1986] 86−44761

ULSI science and technology; Proceedings of the First International Symposium on Ultra Large Integration Science and Technology: ULSI Science and Technology/1987, Philadelphia, PA, USA, 11-15 May 1987, *(Electrochem. Soc) Broydo, S. Osburn, C.M. (editor/s),* [Pennington, NJ, USA: Electrochem. Soc. 1987] 88−70000 (introductory abstract), 88−70767 to 70769, 88−71342, 88−71383, 88−71399 to 71401, 88−71426 to 71434, 88−71446 to 71450, 88−71480 to 71485, 88−71528 to 71529, 88−71576 to 71577, 88−71714 to 71722, 88−71790 to 71798, 88−71816, 88−71837

Ultra high vacuum techniques for accelerators and storage rings; Proceedings of the 6th Meeting on Ultra High Vacuum Techniques for Accelerators and Storage Rings (KEK 87-8), Tsukuba, Ibaraki, Japan, 27-28 Feb. 1987, *Horikoshi, G. (editor/s),* [Tsukuba, Ibaraki, Japan: Nat. Lab. High Energy Phys. Aug. 1987] 88−18332 (introductory abstract)

Ultrafast lasers probe phenomena in semiconductors; Ultrafast Lasers Probe Phenomena in Bulk and Microstructure Semiconductors, Bay Point, FL, USA, 25-26 March 1987, *(SPIE; Metall. Soc)* [1987] 88−15 (introductory abstract), 88−1428 to 1429, 88−1607, 88−2061, 88−2121, 88−2278, 88−4479

Ultrafast processes in spectroscopy; Proceedings of the Third All-Union Symposium 'Ultrafast Processes in Spectroscopy', Minsk, Byelorussian SSR, USSR, 28-30 Sept. 1983, [1984] 86−9714, 86−9919, 86−9940, 86−9976, 86−15651, 86−15668, 86−15751, 86−15765

Ultrahigh vacuum gauging; Ultrahigh Vacuum Gauging Workshop, Gaithersburg, MD, USA, 3-4 Nov. 1986, *(NBS; American Vacuum Soc)* [Sept.-Oct. 1987] 88−13076, 88−14357, 88−16555, 88−16572

Ultrashort pulse spectoscopy and applications; Ultrashort Pulse Spectroscopy and Applications, Los Angeles, CA, USA, 22-23 Jan. 1985, [1985] 85−60641 (introductory abstract), 85−62463 to 62466, 85−62533 to 62537, 85−62549, 85−62607, 85−62667 to 62668, 85−62705, 85−64159

Ultrasmall and quantum-structured devices; Workshop on Ultrasmall and Quantum-Structured Devices, Tempe, AZ, USA, 9-10 Dec. 1985, [1986] 86−57077 (introductory abstract), 86−58310 to 58311, 86−58489, 86−58599, 86−67493, 87−1168

Ultrasonic digital signal processing; IEE Colloquium on 'Digital Signal Processing and Display Techniques for Ultrasonics' (Digest No.31), London, UK, 2 March 1988, *(IEE; IOP; et al)* [London, UK: IEE 1988] 88−37857 (introductory abstract), 88−42540 to 42541, 88−42700 to 42707

Ultrasonic electronics; Proceedings of the 4th Symposium on Ultrasonic Electronics, Tokyo, Japan, 6-8 Dec. 1983, *(Japan Soc. Appl. Phys.; Sci. Council*

Japan) [1984] 85−16778, 85−18505, 85−18520 to 18532, 85−20275 to 20277, 85−20759, 85−21027 to 21034

Ultrasonic electronics; Proceedings of the 5th Symposium on Ultrasonic Electronics, Tokyo, Japan, 4-6 Dec. 1984, *(Japan Soc. Appl. Phys.; Sci. Council Japan)* [1985] 86−13260 (introductory abstract), 86−13753, 86−15137, 86−15300 to 15301, 86−15308 to 15310, 86−15318 to 15326, 86−15528, 86−15536, 86−16113, 86−18153, 86−18309, 86−18617 to 18618, 86−18621 to 18625, 86−18627 to 18628

Ultrasonic electronics; Proceedings of the 6th Symposium on Ultrasonic Electronics, Tokyo, Japan, 10-12 Dec. 1985, *(Japan Soc. Appl. Phys.; Nat. Committee Electron. & Commun. Eng.; Nat. Committee Appl. Phys.; Sci. Council Japan)* [1986] 87−9990 (introductory abstract), 87−10526, 87−11374, 87−11747, 87−12017 to 12029, 87−12274 to 12276, 87−14617, 87−15088 to 15089, 87−15098 to 15100, 87−15103 to 15115

Ultrasonic electronics; 7th Symposium on Ultrasonic Electronics, Kyoto, Japan, 8-10 Dec. 1986, *(Japan Soc. Appl. Phys.; Sci. Council Japan)* [1987] 88−12872, 88−13613, 88−13637 to 13651, 88−13704, 88−13955, 88−13965 to 13968, 88−14783, 88−16564, 88−16703 to 16705, 88−16948 to 16952, 88−16959 to 16964, 88−16981 to 16985

Ultrasonic imaging and tissue characterisation; Proceedings of Tenth International Symposium on Ultrasonic Imaging and Tissue Characterization (papers in summary form only received), Washington, DC, USA, 3-5 June 1985, [Jan. 1985] 85−54027 (introductory abstract)

Ultrasonics; IEEE 1984 Ultrasonics Symposium Proceedings (Cat. No. 84CH2112-1), Dallas, TX, USA, 14-16 Nov. 1984, *(IEEE; Allied Corp.; Andersen Labs.; Crystal Technol.; et al) McAvoy, B.R. (editor/s),* [New York, NY, USA: IEEE 1984] 86−586 to 591, 86−816, 86−1213, 86−2473 to 2482, 86−2517 to 2576, 86−2606 to 2610, 86−2891 to 2896, 86−3902, 86−4477, 86−4738, 86−4753 to 4757, 86−5106 to 5107, 86−5927 to 5931, 86−6150 to 6158, 86−6167 to 6176, 86−6186 to 6193

Ultrasonics; IEEE 1985 Ultrasonics Symposium. Proceedings. (Cat. No.85CH2209-5), San Francisco, CA, USA, 16-18 Oct. 1985, *(IEEE; Allied Corp.; Andersen Labs.; Crystal Technol.; et al) McAvoy, B.R. (editor/s),* [New York, NY, USA: IEEE 1985] 87−19 (introductory abstract), 86−66888 to 66890, 86−68150 to 68151, 86−68356 to 68359, 86−69786, 86−70130 to 70132, 86−70178, 86−70250 to 70252, 86−70538, 86−70547 to 70548, 86−70553, 87−366 to 380, 87−836 to 837, 87−842 to 843, 87−1185, 87−1806 to 1809, 87−1821 to 1822, 87−1831 to 1864, 87−1907 to 1908, 87−1997 to 2002, 87−2229, 87−2385, 87−2534, 87−3049, 87−3602 to 3603, 87−3620, 87−3722, 87−3804, 87−3812, 87−3925, 87−3952 to 3979, 87−4026 to 4031, 87−4170 to 4179, 87−4183 to 4191, 87−4194 to 4202, 87−4532, 87−5425, 87−6937, 87−6970 to 6986, 87−7003, 87−7034 to 7036, 87−8372, 87−9045

Ultrasonics; IEEE 1986 Ultrasonics Symposium Proceedings (Cat. No.86CH2375-4), Williamsburg, VA, USA, 17-19 Nov. 1986, *(IEEE; Andersen Labs.; Hewlett-Packard; Phonon Corp.; Westinghouse; et al) McAvoy, B.R. (editor/s),* [New York, NY, USA: IEEE 1986] 87−58527 (introductory abstract), 87−59694, 87−60717, 87−60737 to 60775, 87−60830 to 60833, 87−62824, 87−63318 to 63320, 87−65570, 87−65610, 87−66794, 87−67625 to 67635, 87−67661 to 67665, 87−67675 to 67693, 87−67842, 87−68169 to 68170, 87−68235 to 68237, 87−70467, 87−70627 to 70629, 87−70810 to 70812, 87−70879, 87−71102 to 71129, 87−71165 to 71167, 87−71184, 87−71290, 87−71408 to 71425, 87−71439 to 71449, 87−71462 to 71475

Ultrasonics; Ultrasonics International 87 Conference Proceedings, London, UK, 6-9 July 1987, [Guildford, UK: Butterworth 1987] 88−6576 to 6581, 88−7326, 88−7764, 88−7784 to 7785, 88−7945, 88−8353 to 8354, 88−8390, 88−8867, 88−9665, 88−10172 to 10179, 88−10309, 88−10430 to 10431, 88−10567, 88−10615 to 10620, 88−10628 to 10634, 88−10641 to 10665, 88−12128 to 12132, 88−13653 to 13655, 88−14732 to 14733, 88−16732, 88−16953 to 16956, 88−16968 to 16974, 88−16986 to 16991

Ultrasonics; IEEE 1987 Ultrasonics Symposium Proceedings (Cat. No.87CH2492-7), Denver, CO, USA, 14-16 Oct. 1987, *(Ultrasonics Ferroelectr. & Frequency Control Soc) McAvoy, B.R. (editor/s),* [New York, NY, USA: IEEE 1987] 88−49360 (introductory abstract), 88−49923 to 49931, 88−50058 to 50059, 88−50235 to 50236, 88−50413, 88−50658, 88−51068 to 51070, 88−51098, 88−51107 to 51150, 88−51341, 88−51357 to 51359, 88−51385, 88−51492, 88−51540, 88−51558, 88−51607 to 51616, 88−52135, 88−52479, 88−53678 to 53679, 88−53882, 88−53952 to 53954, 88−54778 to 54784, 88−54802 to 54806, 88−54813 to 54816, 88−56007, 88−56323, 88−56358 to 56365, 88−57459, 88−57837 to 57841, 88−57863 to 57873, 88−57887 to 57892, 88−58163, 88−59179 to 59180, 88−59334, 88−60711 to 60712, 88−60940, 88−60989 to 60993, 88−61234, 88−61323 to 61334, 88−61427, 88−61671 to 61678, 88−61686 to 61697, 88−61707 to 61714

Ultrasonics; Third National Symposium on Ultrasonics (papers in summary form only received), New Delhi, India, 25-26 Sept. 1986, *(Nat. Phys. Lab)* [July-Sept. 1986] 88−31266 (introductory abstract)

Ultrathin polymeric films; Workshop on the Molecular Engineering of Ultrathin Polymeric Films, Davis, CA, USA, 18-20 Feb. 1987, *(NSF)* [14 Sept. 1987] 88−1499 to 1500, 88−2043, 88−4884

Uncertainty and intelligent systems; Uncertainty and Intelligent Systems. 2nd International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems: IPMU '88. Proceedings, Urbino, Italy, 4-7 July 1988, *Bouchon, B. Saitta, L. Yager, R.R. (editor/s),* [Berlin, West Germany: Springer-Verlag 1988] 88−66322

Underground physics; I Symposium on Underground Physics, St. Vincent, Italy, 25-28 April 1985, [March-April 1986] 86−65376 (introductory abstract), 86−65377 to 65379, 86−65387, 86−70040

Underwater acoustics, adaptive methods; Adaptive Methods in Underwater Acoustics. Proceedings of the NATO Advanced Study Institute, Luneburg, West Germany, 30 July-10 Aug. 1984, *(NATO; German Minist. Defence; Krupp Atlas Elektronik; et al) Urban, H.G. (editor/s),* [Dordrecht, Netherlands: Reidel 1985, £66.25] 85−56078, 85−57397 to 57423, 85−57547, 85−58242, 85−58643, 85−59502, 85−59527

UniForum; UniForum 1986 Conference Proceedings, Anaheim, CA, USA, 4-7 Feb. 1986, *(/USR/Group)* [Santa Clara, CA, USA: Unix User Group 1986] 86−53780, 86−55022 to 55024

Unix; Proceedings EUUG Conference. European UNIX Systems User Group Spring Meeting, Paris, France, 1-3 April 1985, [Buntingford, UK: European UNIX Systems User Group 1985, £5.00] 86−10817

UNIX around the world; EUUG UNIX Around the World. Proceedings of the Spring 1988 EUUG Conference, London, UK, 11-15 April 1988, *(Eur. UNIX Syst. User Group) Das, S.K. (editor/s),* [Buntingford, UK: Eur. UNIX Syst. User Group 1988] 88−67072 to 67073

Unix solutions; COMUNIX '86, London, UK, 3-5 June 1986, *(/usr/group/UK)* [London, UK: EMAP Int. Exhibitions 1986] 86−63431, 86−64780 to 64781

UNIX user group conference; EUUG Autumn '87 Conference Proceedings, Dublin, Ireland, 21-25 Sept. 1987, [Buntingford, UK: Eur. UNIX Syst. User Group 1987] 88−35024, 88−35757

Unmanned aircraft avionics; IEE Colloquium on 'Unmanned Aircraft Avionic Systems' (Digest No.103), London, UK, 13 Nov. 1987, *(IEE)* [London, UK: IEE 1987] 88−11623 (introductory abstract), 88−14972, 88−15682 to 15683, 88−16843 to 16846, 88−16864 to 16865, 88−16870, 88−16873

Unmanned vehicle systems; AUVS '87. The Fourteenth Annual AUVS Technical Symposium and Exhibit Proceedings, Washington, DC, USA, 19-21 July 1987, [Washington, DC, USA: Assoc. Unmanned Vehicle Syst. 1987] 88−60286, 88−61544 to 61545

Upper layers of open systems interconnection; Upper Layers of Open Systems Interconnection. Proceedings of the Second International Symposium on Interoperability of ADP Systems, The Hague, Netherlands, 25-29 March 1985, *(SHAPE Tech. Centre) Herbers, R.W.g. (editor/s),* [Dordrecht, Netherlands: Reidel 1987, $59.50] 88−6133 (introductory abstract), 88−9023, 88−9080, 88−9236 to 9245

Uranium and nuclear energy; Uranium and Nuclear Energy: 1987. Proceedings of the Twelfth International Symposium, London, UK, 2-4 Sept. 1987, [London, UK: Uranium Inst. 1988, $88.00] 88−75355

Uranium ore processing and recovery; Advances in Uranium Ore Processing and Recovery from Non-Conventional Resources. Proceedings of a Technical Committee Meeting, Vienna, Austria, 26-29 Sept. 1983, [Vienna, Austria: IAEA 1985] 86−45894

Urban and regional information systems; Conference Theme: What's the Difference. Papers from the Annual Conference of the Urban and Regional Information Systems Association, Denver, CO, USA, 10-14 Aug. 1986, *Niemann, B.J., Jr. (editor/s),* [Washington, DC, USA: Urban & Regional Inf. Syst. Assoc. 1986] 87−29922 to 29923

USENIX Association summer conference; Proceedings of the Summer 1987 USENIX Conference, Phoenix, AZ, USA, 8-12 June 1987, *(USENIX Assoc)* [Berkeley, CA, USA: USENIX Assoc. 1987] 87−65087 (introductory abstract), 87−69597, 87−69726 to 69728, 87−76389

USENIX Association winter conference; USENIX Association Winter Conference Proceedings, Washington, DC, USA, 21-23 Jan. 1987, *(USENIX Assoc)* [El Cerrito, CA, USA: USENIX Assoc. 1987, $20.00 USA; $25.00 other] 87−40488 to 40490

USENIX conference; USENIX Association Summer Conference Proceedings 1985, Portland, OR, USA, 11-14 June 1985, *(USENIX Assoc)* [El Cerrito, CA, USA: USENIX Assoc. 1985] 86−37371 to 37374, 86−37565 to 37566, 86−37616, 86−37997

USENIX summer conference; USENIX Association Summer Conference Proceedings, Atlanta 1986, Atlanta, GA, USA, 9-13 June 1986, *(USENIX Assoc)* [El Cerrito, CA, USA: USENIX Assoc. 1986, $25.00] 87−2814, 87−2825, 87−2938 to 2942, 87−3354 to 3355, 87−7993 to 7995

USENIX winter conference; USENIX Association Winter Conference Dallas 1988. Proceedings, Dallas, TX, USA, 9-12 Feb. 1988, *(USENIX Assoc)* [Berkeley, CA, USA: USENIX Assoc. 1988, $20.00] 88−49365 (introductory abstract), 88−52792 to 52793, 88−52957 to 52960, 88−53163

User terminals for information/communication systems; Proceedings of the 31st International Congress on Electronics. User Terminals for Information/Communication Systems, Rome, Italy, 20-21 March 1984, *(Min. Poste & Telecomun.; Azienda di Stato Servizi Telefonici; Ist. Superiore Poste & Telecomun.; et al)* [Rome, Italy: Rassegna Int. Elettronica Nucl. & Aerosp. 1984] 85−27937 (introductory abstract), 85−30206 to 30211, 85−30529, 85−30588, 85−30658, 85−30733, 85−30746, 85−30788 to 30789

V/STOL aerodynamics; Special Course on V/STOL Aerodynamics (AGARD-R-710), Rhode-St-Genese, Belgium, 14-18 May 1984, [Neuilly sur Seine, France: AGARD 1984] 85−31 (introductory abstract), 85−4402 to 4403, 85−4415

Vacuum; 24th Vacuum Symposium Proceedings, Tokyo, Japan, 31 Oct.-2 Nov. 1983, [1984] 85−33450, 85−33498, 85−34738, 85−34863, 85−37842

Vacuum; 25th Vacuum Symposium Proceedings, Osaka, Japan, 1984, [1985] 86−13259 (introductory abstract), 86−13450 to 13451, 86−13759, 86−13801 to 13804, 86−14773, 86−14809, 86−14972, 86−14989, 86−18178, 86−18200, 86−18213, 86−18225 to 18227

Vacuum; VACUUM 86: Vacuum Science, Technology and Applications, Glasgow, UK, 25-27 March 1986, [1987] 87−73113, 87−73146, 87−73964, 87−74172 to 74173, 87−74795, 87−74865, 87−77736 to 77737

Vacuum; 28th Vacuum Symposium, Tokyo, Japan, 1987, [1988] 88−74507, 88−74631

Vacuum and its applications; VI Spanish Conference on Vacuum and its Applications, Madrid, Spain, Dec. 1985, [1987] 88−6514, 88−11402, 88−12019 to 12020, 88−12071 to 12072, 88−12954 to 12955, 88−12963, 88−13029, 88−13061, 88−13111, 88−13400, 88−13440

Vacuum and solid surfaces; IX International Vacuum Congress and V International Conference on Solid Surfaces, Madrid, Spain, 26 Sept.-1 Oct. 1983, [Aug.-Sept. 1984] 85−4157 (introductory abstract), 85−438 to 439, 85−1812, 85−4158 to 4159, 85−4241, 85−50285, 85−52960

Vacuum and solid surfaces; 10th International Vacuum Congress (IVC-10), 6th International Conference on Solid Surfaces (ICSS-6) and 33rd National Symposium of the American Vacuum Society, Baltimore, MD, USA, 27-31 Oct. 1986, [July-Aug. 1987] 87−67899, 87−73082 to 73087, 87−73137, 87−73953, 87−73986, 87−74156, 87−74476, 87−74922, 87−77226, 87−77449 to 77454, 87−77477, 87−77512 to 77514, 87−77734, 88−405 to 407, 88−442 to 443, 88−1315 to 1316, 88−1320, 88−1342, 88−1367 to 1368, 88−1410, 88−1439, 88−1477 to 1478, 88−1537 to 1542, 88−1560, 88−1617, 88−1728, 88−2056, 88−2085 to 2086, 88−2596, 88−6500 to 6506, 88−7253, 88−7319 to 7320, 88−7344, 88−7379, 88−7409 to 7413, 88−7453, 88−7485 to 7488, 88−7518, 88−7576, 88−7657 to 7658, 88−7757, 88−8025, 88−10170

Vacuum, electron and ion technologies; 3rd Bulgarian Summer School on Vacuum, Electron and Ion Technologies, Varna, Bulgaria, 28 Sept.-2 Oct. 1983, [Dec. 1984] 85−33506, 85−34631

Vacuum, electron and ion technologies; Vacuum, Electron and Ion Technologies. Fourth Bulgarian Summer School, Sozopol, Bulgaria, 7-11 Oct. 1985, [Oct. 1986] 87−16263 (introductory abstract), 87−16655, 87−17400, 87−17792, 87−17879, 87−17920, 87−18077, 87−18254, 87−21057

Vacuum technology and sealed-off devices; Proceedings of the National Symposium on Vacuum Technology amd Sealed-Off Devices, Bangalore, India, 19-21 Dec. 1984, [Sept. 1985] 86−52109 (introductory abstract), 86−52249, 86−53290 to 53291, 86−53300 to 53301, 86−53307 to 53309, 86−56236, 86−56871 to 56872, 86−57017 to 57018

Vacuum technology applications and ion physics; Hungarian-Austrian-Yugoslavian Third Joint Vacuum Conference, Debrecen, Hungary, 7-9 Oct. 1985, *(Int. Union for Vacuum Sci. Tech. & Appl.; MTESI Co-Ordination Comm. Vacuum Sci. & Thin Film Technol. Hungary)* [1987] 87−63250, 87−63688, 87−73122, 87−73209, 87−74115

Value added networks; IEE Colloquium on Value Added Networks in the UK (Digest No. 18), London, UK, 25 Feb. 1985, *(IEE)* [London, UK: IEE 1985] 85−27977 (introductory abstract), 85−30530, 85−30597 to 30600, 85−30669 to 30670

Value added networks and services; ‘VANS’: Risks - and Rewards. Proceedings of the Conference, London, UK, 4-5 March 1986, [Pinner, Middx., UK: Online Publications 1986, £120.00] 86—52141 (introductory abstract), 86—54772 to 54786, 86—54825, 86—55020 to 55021, 86—55231, 86—55278

Valves and actuators for fluid control; Proceedings of the 2nd International Conference on Developments in Valves and Actuators for Fluid Control, Manchester, UK, 28-30 March 1988, *(British Valve Manuf. Assoc.; IMechE) Wood, P. Grove, L. (editor/s),* [Bedford, UK: BHRA 1988] 88—49539 to 49540, 88—54785, 88—55154, 88—55190, 88—55576

Vapour growth and epitaxy; Sixth International Conference on Vapor Growth and Epitaxy and Sixth American Conference on Crystal Growth, Atlantic City, NJ, USA, 15-20 July 1984, *(American Assoc. Crystal Growth)* [Dec. 1984] 85—39413 (introductory abstract), 85—39691 to 39713, 85—39748 to 39770, 85—39801 to 39803, 85—40446, 85—40471, 85—40833 to 40834, 85—41289

Variable speed drives; IEE First Vacation School on ‘Variable Speed Drives’, Huddersfield, UK, 2-4 Sept. 1986, *(IEE)* [London, UK: IEE 1986] 87—10034 (introductory abstract), 87—15741 to 15744, 87—16096

VDM formal development method at work; VDM ’87: VDM - A Formal Method at Work. VDM-Europe Symposium 1987, Brussels, Belgium, 23-26 March 1987, *Bjorner, D. Jones, C.B. Mac an Airchinnigh, M. Neuhold, E.J. (editor/s),* [Berlin, West Germany: Springer-Verlag 1987] 87—76182 to 76183

Vector and parallel computing; International Conference on Vector and Parallel Computing - Issues in Applied Research and Development, Loen, Norway, 2-6 June 1986, *(IBM Norway; R. Norwegian Council Sci. & Ind. Res.; AMDAHL; FPS; CRAY)* [July 1987] 87—65410 to 65411, 87—65440 to 65444, 87—65454

Vector quantisation of images; IEE Colloquium on ‘Vector Quantisation of Images’ (Digest No.92), London, UK, 1 Nov. 1985, *(IEE)* [London, UK: IEE 1985] 86—13313 (introductory abstract), 86—16585 to 16590

Vehicle EMC; IEE Colloquium on ‘Vehicle Electromagnetic Compatability’ (Digest No.33), London, UK, 4 March 1988, *(IEE)* [London, UK: IEE 1988] 88—37860 (introductory abstract), 88—40605 to 40609

Vehicle power management; IEE Colloquium on ‘Vehicle Electrical Power Management and Smart Alternators’ (Digest No.53), London, UK, 15 April 1988, *(IEE)* [London, UK: IEE 1988] 88—43611 (introductory abstract), 88—49252 to 49258, 88—49265

Vehicle route guidance; IEE Colloquium on Vehicle Route Guidance (Digest No.11), London, UK, 31 Jan. 1985, *(IEE)* [London, UK: IEE 1985] 85—32929 (introductory abstract), 85—36696, 85—36777 to 36780, 85—37150, 85—37617 to 37618

Vehicle route guidance, navigation and location systems; IEE Colloquium on ‘Vehicle Route Guidance, Navigation and Location Systems’ (Digest No.21), London, UK, 11 Feb. 1987, *(IEE)* [London, UK: IEE 1987] 87—43806 (introductory abstract), 87—48454, 87—48964, 87—49013, 87—49206 to 49208

Vehicular technology; 34th IEEE Vehicular Technology Conference, Pittsburgh, PA, USA, 21-23 May 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—3387 to 3390, 85—3515 to 3516, 85—3874, 85—5462

Vehicular technology; 35th IEEE Vehicular Technology Conference. Efficiency, Conservation and Productivity (Cat. No. 85CH2037-0), Boulder, CO, USA, 21-23 May 1985, *(IEEE; Univ. Colorado)* [New York, NY, USA: IEEE 1985] 86—41 (introductory abstract), 85—62933, 85—62957, 85—62986, 85—63534, 85—63577 to 63585, 85—63627, 86—3446, 86—4522 to 4552, 86—4608 to 4609, 86—4912 to 4913, 86—5006, 86—5282

Vehicular technology; 36th IEEE Vehicular Technology Conference (Cat. No.86CH2308-5), Dallas, TX, USA, 20-22 May 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 86—66535 (introductory abstract), 86—68681, 86—68753, 86—68842 to 68843, 86—68884 to 68885, 86—68917, 86—68965 to 68966, 86—69495, 86—69663 to 69683, 86—69725 to 69726, 86—69857 to 69859, 86—71116, 87—2808, 87—2964 to 2965, 87—3077 to 3106, 87—3140 to 3141, 87—3204, 87—4629, 87—5042

Vehicular technology; 37th IEEE Vehicular Technology Conference: Quality Requires Work (Cat. No.87CH2429-9), Tampa, FL, USA, 1-3 June 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87—65070 (introductory abstract), 87—68782, 87—68819, 87—68939 to 68944, 87—68973, 87—69076, 87—69601, 87—69747, 87—69898, 87—69948 to 69987, 87—70012 to 70020, 87—70633, 87—72525 to 72527, 87—75578, 87—75675, 87—76552, 87—76607 to 76623, 87—79158 to 79162

Vehicular technology; 38th IEEE Vehicular Technology Conference: ‘Telecommunications Freedom - Technology on the Move’ (Cat. No.88CH2622-9), Philadelphia, PA, USA, 15-17 June 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88—69998 (introductory abstract), 88—70608, 88—71136, 88—72555 to 72565, 88—72729 to 72735, 88—72766 to 72773, 88—72863, 88—73157 to 73158, 88—73411 to 73416, 88—73540, 88—73815 to 73848, 88—74276 to 74277, 88—76027

Very high speed semiconductor devices; Characterization of Very High Speed Semiconductor Devices and Integrated Circuits. Critical Reviews of Optical Science and Technology, Bay Point, FL, USA, 23-25 March 1987, *(SPIE; Metall. Soc)* [1987] 88—37822 (introductory abstract), 88—38478 to 38479, 88—38742 to 38747, 88—39033, 88—39067, 88—39343 to 39345, 88—39517 to 39518, 88—39622 to 39631, 88—39671, 88—40079, 88—40446, 88—42264 to 42266

Very large databases; Proceedings of Very Large Data Bases. Twelfth International Conference on Very Large Data Bases, Kyoto, Japan, 25-28 Aug. 1986, *(VLDB Endowment; IFIP; INRIA; Inf. Processing Soc. Japan) Chu, W. Gardarin, G. Ohsuga, S. Kambayashi, Y. (editor/s),* [Los Altos, CA, USA: Morgan Kaufmann Publishers 1986] 87—32641

VHPICs impact on radar, guidance and avionics systems; Impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems. Avionics Panel 49th Symposium (AGARD-CP-380), Lisbon, Portugal, 20-25 May 1985, *(NATO)* [Neuilly sur Seine, France: AGARD Oct. 1985] 86—57113 (introductory abstract), 86—57878 to 57879, 86—57899, 86—58002, 86—58584 to 58594, 86—58600 to 58602, 86—58626 to 58627, 86—59379 to 59381, 86—59777, 86—59944 to 59950, 86—60168, 86—60900 to 60904

Vibration in nuclear plant; Vibration in Nuclear Plant. Proceedings of the 3rd International Conference, Keswick, UK, 11-14 May 1982, [London, UK: British Nucl. Energy Soc. 1983] 85—48716 to 48721, 85—48786 to 48792

Video, audio and data recording; Video, Audio and Data Recording. Sixth International Conference (Publ. No.67), Brighton, UK, 18-21 March 1986, *(IERE)* [London, UK: IERE 1986] 86—33962 (introductory abstract), 86—36043 to 36048, 86—36948 to 36950, 86—37111, 86—38004, 86—38105 to 38114, 86—38152 to 38157

Video, audio and data recording; Video, Audio and Data Recording. Seventh International Conference (Publ. No.79), York, UK, 22-24 March 1988, [London, UK: IERE 1988, £45.00] 88—43599 (introductory abstract), 88—44987 to 44992, 88—45068 to 45070, 88—45246, 88—45736, 88—45961 to 45968, 88—46142, 88—47340 to 47346, 88—47382, 88—47439 to 47440

Videoconferencing; IEE Colloquium on ‘Videoconferencing’ (Digest No.116), London, UK, 9 Dec. 1987, *(IEE)* [London, UK: IEE 1987] 88—18344 (introductory abstract), 88—21810 to 21813

Videodiscs, optical discs and CD-ROMs; 1985 Videodisc, Optical Disk, and CD-ROM Conference and Exposition. Conference Proceedings, Philadelphia, PA, USA, 9-12 Dec. 1985, [Westport, CT, USA: Meckler Publishing 1985] 86—46080, 86—49854 to 49860

Videotex; 2nd Swiss Videotex Congress. Documentation of Congress, Basel, Switzerland, 6-7 Sept. 1984, [Basel, Switzerland: Alphaville AG 1984] 86—57088 (introductory abstract), 86—59569 to 59608

Videotex; Proceedings of Videotex ’84 International, Amsterdam, Netherlands, 20-22 Nov. 1984, [London, UK: Online Publications 1984, £70.00] 85—25418 (introductory abstract), 85—25307, 85—25419 to 25459, 85—25577, 85—26057 to 26058

Videotex in social security; International Symposium on the Application of Videotex in European Social Security Schemes, Berlin, West Germany, 24-26 April 1985, [1985] 87—22953 (introductory abstract), 87—27962 to 27975

Videotex international; Videotex International. Proceedings of the Conference, Amsterdam, Netherlands, 29-31 Oct. 1985, [Pinner, UK: Online Int. 1985, £75.00] 86—33942 (introductory abstract), 86—37314, 86—37415 to 37452

Videotex international; Videotex International. Proceedings of the Conference, London, UK, Dec. 1986, [London, UK: Online Publications 1986, £60.00] 87—23005 (introductory abstract), 87—28007 to 28019

Vision; VISION ’85 Conference Proceedings, Detroit, MI, USA, 25-28 March 1985, *(Machine Vision Assoc. Soc. Manuf. Eng)* [Dearborn, MI, USA: Machine Vision Assoc. SME 1985] 86—13291 (introductory abstract), 86—13481, 86—13532 to 13534, 86—14697 to 14702, 86—15106 to 15107, 86—15508, 86—15543, 86—16582 to 16583, 86—17851, 86—17985, 86—18129 to 18131, 86—18197

Vision systems in robotic and industrial control; IEE Colloquium on Vision Systems in Robotic and Industrial Control (Digest No.24), London, UK, 11 March 1985, *(IEE)* [London, UK: IEE 1985] 85—49275 (introductory abstract), 85—51814

Visual communications and image processing; Visual Communications and Image Processing, Cambridge, MA, USA, 15-16 Sept. 1986, *(SPIE)* [1986] 87—43753 (introductory abstract), 87—47523, 87—47972 to 47989, 87—48733, 87—49308 to 49310, 87—49370 to 49371, 87—50284, 88—33671 to 33676, 88—33750, 88—35860, 88—36019, 88—36074, 88—36267, 88—36298, 88—36328 to 36329, 88—36371, 88—36456, 88—36670, 88—36676

Visual communications and image processing; Visual Communications and Image Processing II, Cambridge, MA, USA, 27-29 Oct. 1987, *(SPIE)* [1987] 88—37821 (introductory abstract), 88—38569, 88—39621, 88—39689, 88—40769, 88—40794 to 40797, 88—40936 to 40941, 88—41057 to 41089, 88—46242 to 46248, 88—46330, 88—47311, 88—48124 to 48127, 88—48154

Visual languages; 1984 IEEE Computer Society Workshop on Visual Languages (Cat. No. 84CH2108-9), Hiroshima, Japan, 6-8 Dec. 1984, *(IEEE)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85—42387

Visual protection and enhancement; Visual Protection and Enhancement. Aerospace Medical Panel Symposium (AGARD-CP-379), Athens, Greece, 22-24 April 1985, [Neuilly sur Seine, France: AGARD Dec. 1985] 86—61862 (introductory abstract), 86—65463 to 65465, 86—65472 to 65476, 86—65490 to 65496

Visualisation of fields in three dimensions; IEE Colloquium on ‘Visualisation of Fields in Three Dimensions’ (Digest No.66), London, UK, 5 May 1988, *(IEE)* [London, UK: IEE 1988] 88—49396 (introductory abstract), 88—52051 to 52053

Visualization problems of information from measurements; Visualization Problems of Information from Measurements, Szklarska Poreba, Poland, 23-25 Sept. 1985, [1985] 86—40369 (introductory abstract), 86—43985 to 43986, 86—44081, 86—44112 to 44113, 86—44178 to 44182, 86—44198, 86—44220, 86—44348, 86—44882 to 44883

VLBI observatory in space; Quasat - A VLBI Observatory in Space. Proceedings of a Workshop (ESA-SP-213), Gross Enzersdorf, Austria, 18-22 June 1984, *(Eur. Sci. Found.; USA Nat. Acad. Sci.; ESA; NASA)* [Paris, France: ESA 1984] 85—16583 (introductory abstract)

VLSI; 1985 Chapel Hill Conference on Very Large Scale Integration, Chapel Hill, NC, USA, 1985, *(NSF; Univ. North Carolina) Fuchs, H. (editor/s),* [Rockville, MD, USA: Computer Science Press 1985] 86—7392 (introductory abstract), 86—8090 to 8097, 86—8177 to 8180, 86—8247 to 8248, 86—8302 to 8303, 86—8344, 86—9262 to 9266, 86—9310, 86—9693, 86—11481 to 11483

VLSI; Advanced Research in VLSI. Proceedings of the Fourth MIT Conference, Cambridge, MA, USA, 7-9 April 1986, *Leiserson, C.E. (editor/s),* [Cambridge, MA, USA: MIT Press 1986] 87—31147 (introductory abstract), 87—31655 to 31657, 87—31857 to 31859, 87—31909, 87—32653 to 32655, 87—32728 to 32730

VLSI; Technical Digest. 1986 Canadian Conference on Very Latge Scale Integration, Montreal, Que., Canada, 27-28 Oct. 1986, *(AES Data; Canadian Marconi; Bell Northern Res.; Concordia Univ.; et al)* [Montreal, Que., Canada: McGill Univ. 1986] 87—31151 (introductory abstract), 87—31786, 87—31862, 87—31914, 87—31957, 87—32666 to 32671, 87—32735 to 32741, 87—34954, 87—35075 to 35076, 87—36926, 87—37257 to 37260, 87—37460, 87—38180, 87—38488 to 38491, 87—38579 to 38583, 87—44490, 87—44721 to 44722, 87—44805 to 44812, 87—44938, 87—44973, 87—45057 to 45058, 87—46136 to 46139, 87—46235

VLSI; CCVLSI-87 Technical Digest. Canadian Conference on Very Large Scale Integration, Winnipeg, Man., Canada, 25-27 Oct. 1987, *(Canadian Microelectron. Corp.; Nat. Res. Council Canada; et al)* [Winnipeg, Man., Canada: Univ. Manitoba 1987] 88—37849 (introductory abstract), 88—38352 to 38358, 88—38376, 88—38404, 88—38434 to 38437, 88—38489 to 38497, 88—38545, 88—38578 to 38586, 88—38596, 88—38644, 88—38654, 88—39659 to 39664, 88—39708, 88—40813, 88—40880, 88—41487

VLSI advanced research; Advanced Research in VLSI. Proceedings of the 1987 Stanford Conference, Stanford, CA, USA, 1987, *Losleben, P. (editor/s),* [Cambridge, MA, USA: MIT Press 1987, £35.95] 87—65097 (introductory abstract), 87—65222, 87—65756, 87—65992 to 65993, 87—66155 to 66157, 87—66197, 87—66258 to 66260, 87—67528 to 67532, 87—67606 to 67609

VLSI advanced research; Advanced Research in VLSI. Proceedings of the Fifth MIT Conference, Cambridge, MA, USA, March 1988, *Allen, J. Leighton, F.T. (editor/s),* [Cambridge, MA, USA: MIT Press 1988] 88—43598 (introductory abstract), 88—44023, 88—44108 to 44109, 88—44160 to 44162, 88—44175 to 44177, 88—44243 to 44247, 88—44851 to 44859, 88—44881, 88—46322

VLSI: algorithms and architectures; VLSI: Algorithms and Architectures. Proceedings of the International Workshop on Parallel Computing and VLSI, Amalfi, Italy, 23-25 May 1984, *(IASI; IACA; CNR; EATCS; et al) Bertolazzi, P. Luccio, F. (editor/s),* [Amsterdam, Netherlands: North-Holland 1985, $73.00] 86—19726 (introductory abstract), 86—21611, 86—21725 to 21740, 86—21842 to 21847

VLSI algorithms and architectures; VLSI Algorithms and Architectures. Agean Workshop on Computing. Proceedings, Loutraki, Greece, 8-11 July 1986, *Makedon, F. Mehlhorn, K. Papatheodurou, T. Spirakis, P. (editor/s)*, [Berlin, West Germany: Springer-Verlag 1986] 88—32 (introductory abstract), 88—300 to 301, 88—696 to 698, 88—800, 88—891, 88—1751 to 1758, 88—1796

VLSI and computers; Proceedings of VLSI and Computers. First International Conference on Computer Technology, Systems and Applications. COMPEURO 87 (Cat. No.87CH2417-4), Hamburg, West Germany, 11-15 May 1987, *(IEEE; Gesellschaft Inf.; Verband Deutscher Elektrotech) Proebster, W.E. Reiner, H. (editor/s)*, [Washington, DC, USA: IEEE Comput. Soc. Press 1987] 87—65068 (introductory abstract), 87—65069, 87—65116 to 65119, 87—65134, 87—65155 to 65156, 87—65266 to 65268, 87—65657 to 65692, 87—65970 to 65979, 87—66079 to 66106, 87—66189 to 66191, 87—66238 to 66244, 87—67060, 87—67193 to 67196, 87—67299, 87—67372 to 67435, 87—67540, 87—67572 to 67578, 87—69197 to 69198, 87—69346 to 69352, 87—69551, 87—69703 to 69708, 87—70403

VLSI architectures; IEE Colloquium on 'VLSI Architectures' (Digest No.32), London, UK, 18 March 1987, *(IEE)* [London, UK: IEE 1987] 87—36352 (introductory abstract), 87—37386 to 37391, 87—39865

VLSI circuit design systems; Design Systems for VLSI Circuits. Logic Synthesis and Silicon Compilation. Proceedings of the NATO Advanced Study Institute, L'Aquila, Italy, 7-18 July 1986, *(NATO) De Micheli, G. Sangiovanni-Vincentelli, A. Antognetti, P. (editor/s)*, [Dordrecht, Netherlands: Martinus Nijhoff 1987, $122.50] 88—6116 (introductory abstract), 88—6776 to 6782, 88—6926, 88—7688 to 7696, 88—8796

VLSI circuits; 1987 Symposium on VLSI Circuits. Digest of Technical Papers, Karuizawa, Japan, 22-23 May 1987, *(IEEE; Japan Soc. Appl. Phys)* [Tokyo, Japan: Bus. Center Acad. Soc. Japan 1987] 88—6119 (introductory abstract), 88—568, 88—589 to 590, 88—730 to 735, 88—762 to 769, 88—841 to 847, 88—878 to 879, 88—909, 88—1621, 88—1771, 88—1810, 88—6809 to 6814, 88—6875 to 6882, 88—6938, 88—6957, 88—6973, 88—7712 to 7715, 88—8939, 88—9367, 88—9374, 88—9616, 88—32019, 88—32110 to 32112, 88—32193 to 32204, 88—32242 to 32243, 88—32280 to 32284, 88—32293 to 32294, 88—32312 to 32314, 88—33289, 88—35210, 88—35326

VLSI design; Formal Aspects of VLSI Design. Proceedings of the 1985 Edinburgh Workshop on VLSI, Edinburgh, UK, 30 June-2 July 1985, *(Scottish Dev. Agency; Alvey Directorate; IBM; et al) Milne, G.J. Subrahmanyam, P.A. (editor/s)*, [Amsterdam, Netherlands: North-Holland 1986, $55.50] 87—31145 (introductory abstract), 87—31784 to 31785, 87—31852 to 31856, 87—32649 to 32652

VLSI design methodologies; IEE Colloquium on VLSI Design Methodologies (Digest No.41), London, UK, 24 April 1985, *(IEE)* [London, UK: IEE 1985] 85—44410 (introductory abstract), 85—45837 to 45843, 85—45907

VLSI design methodologies; IEE Colloquium on 'VLSI Design Methodologies' (Digest No.53), London, UK, 30 April 1987, *(IEE)* [London, UK: IEE 1987] 87—43821 (introductory abstract), 87—44815, 87—46153 to 46159

VLSI design of digital systems; VLSI 87: VLSI Design of Digital Systems. Proceedings of the IFIP TC 10/WG 10.5 International Conference on Very Large Scale Integration, Vancouver, BC, Canada, 10-12 Aug. 1987, *(IFIP) Sequin, C.H. (editor/s)*, [Amsterdam, Netherlands: North-Holland 1988, $97.25] 88—31300 (introductory abstract), 88—24933, 88—25175 to 25176, 88—25281 to 25282, 88—26361, 88—26473, 88—26535, 88—26544 to 26545, 88—31915, 88—31940 to 31946, 88—32085 to 32087, 88—32171 to 32173, 88—33336 to 33337, 88—33369 to 33370, 88—33395

VLSI design technology; VLSI Design Technology, Los Angeles, CA, USA, 14-17 Aug. 1984, [Beverly Hills, CA, USA: Arc Educators 1984] 85—54037 (introductory abstract)

VLSI fabrication; SEMICON/West: 'Diagnostic Techniques in VLSI Fabrication', San Mateo, CA, USA, 19-21 May 1987, [Mountain View, CA, USA: Semicond. Equipment & Mater. Inst. 1987] 88—6126 (introductory abstract), 88—6485 to 6486, 88—7313, 88—7446 to 7449, 88—7469, 88—7511 to 7512, 88—7537 to 7543, 88—7547 to 7548, 88—7717 to 7722, 88—10138

VLSI for image processing; IEE Colloquium on 'VLSI for Image Processing' (Digest No.41), London, UK, 2 April 1987, *(IEE)* [London, UK: IEE 1987] 87—43812 (introductory abstract), 87—44944 to 44951

VLSI for parallel processing; IEE Colloquium on 'VLSI for Parallel Processing' (Digest No.27), London, UK, 17 Feb. 1988, *(IEE)* [London, UK: IEE 1988] 88—31323 (introductory abstract), 88—33362 to 33364

VLSI in computers; Proceedings of the IEEE International Conference on Computer Design: VLSI in Computers ICCD '84 (Cat. No. 84CH2080-0), Port Chester, NY, USA, 8-11 Oct. 1984, *(IEEE; IFIP)* [Silver Spring, MD, USA: IEEE Comput. Soc. Press 1984] 85—27941 (introductory abstract), 85—28311, 85—28501 to 28505, 85—28577 to 28578, 85—28617, 85—29307 to 29314, 85—29343 to 29348, 85—33162, 85—33195, 85—33596 to 33606, 85—33833 to 33878, 85—33925 to 33926, 85—33965 to 33983, 85—34021 to 34026, 85—34510, 85—35010, 85—35128 to 35140, 85—35199 to 35203, 85—37535 to 37540

VLSI in computers; Proceedings of IEEE International Conference on Computer Design: VLSI in Computers. ICCD '85 (Cat. No.85CH2223-6), Port Chester, NY, USA, 7-10 Oct. 1985, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1985] 86—45925 (introductory abstract), 86—46144, 86—46479 to 46495, 86—46651 to 46656, 86—46723 to 46740, 86—46822 to 46826, 86—46907 to 46911, 86—46946 to 46948, 86—47013, 86—47307 to 47310, 86—47594, 86—47698 to 47728, 86—47823 to 47832, 86—47969, 86—48827 to 48830, 86—48958, 86—50031

VLSI in computers; Proceedings of the IEEE International Conference on Computer Design: VLSI in Computers. ICCD '86 (Cat. No.86CH2348-1), Port Chester, NY, USA, 6-9 Oct. 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 87—36326 (introductory abstract), 87—36508, 87—36912 to 36919, 87—37123 to 37126, 87—37242 to 37245, 87—37375 to 37378, 87—37472, 87—38179, 87—38471 to 38482, 87—38575 to 38576, 87—39980, 87—44484 to 44486, 87—44719 to 44720, 87—44791 to 44800, 87—44839 to 44840, 87—44910 to 44926, 87—44971, 87—44998 to 44999, 87—46108 to 46121, 87—46212 to 46214, 87—49640

VLSI in computers and communications; VLSI C&C: 2nd Nordic Symposium on VLSI in Computers and Communications, Linkoping, Sweden, 2-4 June 1986, *(Linkoping Univ.; Nordforsk)* [Linkoping, Sweden: Linkoping Univ. 1986] 87—40 (introductory abstract), 87—464 to 465, 87—534, 87—731 to 732, 87—813 to 814, 87—950, 87—1029, 87—1711 to 1712, 87—1798, 87—2413, 87—2460, 87—2944 to 2945, 87—2951 to 2952, 87—5641, 87—5856 to 5858, 87—5982 to 5983, 87—6853 to 6854, 87—7790 to 7794

VLSI modules for image processing; IEE Colloquium on VLSI Modules for Image Processing (Digest No.100), London, UK, 9 Dec. 1983, *(IEE)* [London, UK: IEE 1983] 85—27969 (introductory abstract)

VLSI multilevel interconnection; 1984 Proceedings of the First International IEEE VLSI Multilevel Interconnection Conference (Cat. No. 84CH1992-2), New Orleans, LA, USA, 21-22 June 1984, *(IEEE)* [New York, NY, USA: IEEE 1984] 85—39428 (introductory abstract), 85—40645 to 40647, 85—40659 to 40667, 85—40849 to 40864, 85—40890, 85—40928 to 40933, 85—41216

VLSI multilevel interconnection; 1985 Proceedings of the Second International IEEE VLSI Multilevel Interconnection Conference (Cat. No.85CH2197-2), Santa Clara, CA, USA, 25-26 June 1985, *(IEEE)* [New York, NY, USA: IEEE 1985] 86—26523 (introductory abstract), 86—26919 to 26920, 86—26929, 86—28046, 86—28229 to 28231, 86—28242 to 28243, 86—28434 to 28466, 86—28475 to 28476, 86—28524 to 28528, 86—30846 to 30847

VLSI multilevel interconnection; 1986 Proceedings Third International IEEE VLSI Multilevel Interconnection Conference (Cat. No. 86CH2337-4), Santa Clara, CA, USA, 9-10 June 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 87—37 (introductory abstract), 87—141, 87—335, 87—760, 87—1312, 87—1437 to 1440, 87—1456 to 1462, 87—1568, 87—1686 to 1709, 87—1723 to 1724, 87—1781 to 1797

VLSI multilevel interconnection; 1987 Proceedings of the Fourth International IEEE VLSI Multilevel Interconnection Conference (Cat. No.87CH2488-5), Santa Clara, CA, USA, 15-16 June 1987, *(IEEE)* [New York, NY, USA: IEEE 1987] 87—65092 (introductory abstract), 87—65574, 87—66997 to 66999, 87—67131 to 67140, 87—67145 to 67174, 87—67522 to 67526, 87—67545, 87—67601 to 67605, 87—68310

VLSI multilevel interconnection; 1988 Proceedings. Fifth International IEEE VLSI Multilevel Interconnection Conference (Cat. No.88CH2624-5), Santa Clara, CA, USA, 13-14 June 1988, *(IEEE)* [New York, NY, USA: IEEE 1988] 88—70022 (introductory abstract), 88—71440 to 71441, 88—71453 to 71468, 88—71742 to 71743, 88—71806 to 71810

VLSI-PARC; Very Large Scale Integration - Pacific Asian Region Conference (VLSI-PARC), Melbourne, Vic., Australia, May 1984, [Dec. 1984] 85—22052 (introductory abstract), 85—22103 to 22104, 85—22586 to 22587, 85—22772, 85—22902, 85—23279, 85—23839 to 23842, 85—23936 to 23938, 85—25044, 85—25147, 85—26790

VLSI science and technology; Proceedings of the Third International Symposium on Very Large Scale Integration Science and Technology. VLSI Science and Technology/1985, Toronto, Ont., Canada, 13-16 May 1985, *(Electrochem. Soc) Bullis, W.M. Broydo, S. (editor/s)*, [Pennington, NJ, USA: Electrochem. Soc. 1985] 86—19734 (introductory abstract), 86—20563, 86—21110 to 21119, 86—21339 to 21341, 86—21427 to 21432, 86—21461 to 21462, 86—21616, 86—21752 to 21762, 86—21811, 86—21858 to 21867, 86—21909 to 21910, 86—24785

VLSI silicides and metals; Workshop on Silicides and Metals for VLSI Applications V, San Juan Bautista, CA, USA, 11-14 May 1987, *(Univ. California at Berkeley; American Vacuum Soc)* [Nov.-Dec. 1987] 88—24313 (introductory abstract), 88—24787 to 24791, 88—25964 to 25966, 88—26044, 88—26074, 88—26096 to 26100

VLSI special-purpose computer architectures and implementations; IEE Colloquium on VLSI Special Purpose Computer Architectures and Implementations (Digest No. 16), London, UK, 18 Feb. 1985, *(IEE)* [London, UK: IEE 1985] 85—32937 (introductory abstract), 85—33885 to 33886, 85—35144 to 35145, 85—35206, 85—36464

VLSI specification, verification and synthesis; VLSI Specification, Verification and Synthesis, Calgary, Alta., Canada, 12-16 Jan. 1987, *Birtwhistle, G. Subrahmanyam, P.A. (editor/s)*, [Norwell, MA, USA: Kluwer Acad. Publishers 1988, $65.00] 88—37851 (introductory abstract), 88—38498 to 38504, 88—38587 to 38589, 88—39358, 88—39665

VLSI system design; IEE Colloquium on 'VLSI System Design: Specification and Synthesis' (Digest No.89), London, UK, 29 Oct. 1987, *(IEE)* [London, UK: IEE 1987] 88—13550 (introductory abstract), 88—12168, 88—12360, 88—13551 to 13554

VLSI technology; 1984 Symposium on VLSI Technology. Digest of Technical Papers (IEEE Cat. No. 84CH2061-0), San Diego, CA, USA, 10-12 Sept. 1984, *(IEEE; Japan Soc. Appl. Phys)* [Tokyo, Japan: Japan Soc. Appl. Phys. 1984] 85—49267 (introductory abstract), 85—49843, 85—49887 to 49900, 85—49951, 85—50370 to 50371, 85—50440, 85—50669 to 50679, 85—50690, 85—50765 to 50775

VLSI technology; 1985 Symposium on VLSI Technology. Digest of Technical Papers, Kobe, Japan, 14-16 May 1985, *(IEEE; Japan Soc. Appl. Phys)* [Tokyo, Japan: Bus. Center Acad. Soc. Japan 1985] 86—40380 (introductory abstract), 86—41078 to 41079, 86—41122 to 41131, 86—41193, 86—41664 to 41668, 86—41709 to 41713, 86—41720 to 41721, 86—41765 to 41767, 86—41845 to 41850, 86—41916 to 41921, 86—41939, 86—41972 to 41987, 86—44190

VLSI technology; 1986 Symposium on VLSI Technology. Digest of Technical Papers, San Diego, CA, USA, 28-30 May 1986, *(IEEE; Japan Soc. Appl. Phys)* [Tokyo, Japan: Japan Soc. Appl. Phys. 1986] 87—22992 (introductory abstract), 87—23728 to 23730, 87—23933, 87—24093, 87—24187 to 24195, 87—24938, 87—25029 to 25030, 87—25132 to 25135, 87—25167 to 25170, 87—25185, 87—25239 to 25240, 87—25313 to 25319, 87—25474, 87—25579 to 25586

VLSI technology; 1987 Symposium on VLSI Technology. Digest of Technical Papers, Karuizawa, Japan, 18-21 May 1987, *(IEEE; Japan Soc. Appl. Phys)* [Tokyo, Japan: Bus. Center Acad. Soc. Japan 1987] 88—6118 (introductory abstract), 88—6481, 88—6866 to 6874, 88—6948, 88—7396, 88—7445, 88—7508 to 7510, 88—7521 to 7525, 88—7530 to 7536, 88—7584 to 7587, 88—7607 to 7618, 88—7710 to 7711, 88—7728, 88—7744 to 7749, 88—7754

VLSI technology; 1988 Symposium on VLSI Technology. Digest of Technical Papers, San Diego, CA, USA, 10-13 May 1988, *(Japan Soc. Appl. Phys.; IEEE)* [Tokyo, Japan: Japan Soc. Appl. Phys. 1988] 88—70014 (introductory abstract), 88—63686, 88—63764, 88—64355, 88—64374, 88—64391, 88—64432 to 64433, 88—64473, 88—64777 to 64781, 88—70329, 88—70776 to 70782, 88—71371 to 71373, 88—71402, 88—71436 to 71439, 88—71451 to 71452, 88—71535, 88—71587 to 71593, 88—71735 to 71738, 88—71756 to 71757, 88—71803 to 71805, 88—71818 to 71819

VLSI technology, systems and applications; 1985 International Symposium on VLSI Technology, Systems and Applications. Proceedings of Technical Papers, Taipei, Taiwan, 8-10 May 1985, *(Nat. Sci. Council; Ind. Technol. Res. Inst)* [Hsinchu, Taiwan: ERSO 1985] 86—19733 (introductory abstract), 86—19938, 86—20109 to 20110, 86—20189 to 20193, 86—20409 to 20410, 86—20477 to 20483, 86—20552 to 20562, 86—20627 to 20634, 86—20672 to 20673, 86—20852, 86—21286, 86—21425 to 21426, 86—21458 to 21460, 86—21505, 86—21613 to 21615, 86—21744 to 21751, 86—21810, 86—21848 to 21857, 86—21926, 86—21993, 86—23171

Voice input/output; Proceedings of the Voice I/O Systems Applications Conference '84, Arlington, VA, USA, 11-13 Sept. 1984, *(American Voice Input/Output Soc)* [Palo Alto, CA, USA: American Voice Input/Output Soc. 1984] 85—33212, 85—36649, 85—37382 to 37383

Voice input/output; Official Proceedings of SPEECH TECH '86. Voice Input/Output Applications Show and Conference, New York, NY, USA, 28-30 April 1986, [New York, NY, USA: Media Dimensions 1986] 87—51730 (introductory abstract), 87—52654 to 52657, 87—52770, 87—55037 to 55049, 87—55627 to 55630, 87—56444, 87—57285, 87—58584 to 58585, 87−61785 to 61816, 87−62435, 87−62506, 87−62548, 87−62564 to 62565, 87−62863

Voice input/output; Official Proceedings of SPEECH TECH '87: Voice Input/Output Applications Show and Conference, New York, NY, USA, 28-30 April 1987, *Donly, A. (editor/s),* [New York, NY, USA: Media Dimensions 1987] 88−62888 (introductory abstract), 88−63728 to 63731, 88−66267, 88−66431 to 66459, 88−66867 to 66868, 88−66918 to 66919, 88−70065, 88−72864 to 72882, 88−73159, 88−73735 to 73736, 88−74893 to 74895

Voice processing: technology and opportunity; Voice Processing: Technology and Opportunity in the Office. Proceedings of the Conference, London, UK, May 1985, [Pinner, UK: Online Publications 1985, £45.00] 86−19745 (introductory abstract), 86−22970 to 22980, 86−23359 to 23362

Volcanoes; Hawaii Symposium on How Volcanoes Work, Hilo, HI, USA, 18-26 Jan. 1987, [10 Dec. 1987] 88−30146

VUV photophysics and photochemistry; Photophysics and Photochemistry in the Vacuum Ultraviolet. Proceedings of the NATO Advanced Study Institute, Lake Geneva, WI, USA, 15-28 Aug. 1982, *(Schoeffel/McPherson Instrum. Co.; Lambda Phys.; Instrum. SA; Spectra Gases Inc.; Oriel Corp.; EMR Photoelectr.; et al) McGlynn, S.P. Findley, G.L. Huebner, R.H. (editor/s),* [Dordrecht, Netherlands: Reidel 1985] 86−3317

Wafer fabrication; PRONIC 86. 'Wafer-Fab' International Convention, Paris, France, 18-19 Nov. 1986, [Paris, France: Groupement Fournisseurs Ind. Electron. Nov. 1986] 88−61 (introductory abstract), 88−160, 88−1509 to 1512, 88−1778 to 1780

Wafer-scale integration; International Workshop on Wafer-Scale Integration. Preprints, Southampton, UK, 10-12 July 1985, [Southampton, UK: Southampton Univ. 1985] 86−40378 (introductory abstract)

Wafer scale integration; Wafer Scale Integration. Proceedings of the IFIP WG 10.5 Workshop, Grenoble, France, 17-19 March 1986, *Saucier, G. Trilhe, J. (editor/s),* [Amsterdam, Netherlands: North-Holland 1986, $60.00] 87−31150 (introductory abstract), 87−31302, 87−31860 to 31861, 87−31911 to 31913, 87−31948 to 31956, 87−32658 to 32665, 87−32732 to 32734

Warehouse automation; Automation in Warehousing. Proceedings of the 8th International Conference, Tokyo, Japan, 6-8 Oct. 1987, *(IFS (Conferences); Japanese Council Phys. Distribution Manage.; et al) Takahashi, T. (editor/s),* [Kempston, Bedford, UK: IFS (Publications) Oct. 1987] 88−71713, 88−73798

Waste management; Waste Management '85. Waste Isolation in the U.S., Technical Programs and Public Education, Tucson, AZ, USA, 24-28 March 1985, *(ANS; ASME; EPRI; Univ. Arizona; USDOE) Post, R.G. (editor/s),* [Phoenix, AZ, USA: Arizona Board Regents 1985] 86−12593 to 12599, 86−12640, 86−13094 to 13095

Waste management; Waste Management '87: Waste Isolation in the U.S., Technical Programs and Public Education. Proceedings of the Symposium, Tucson, AZ, USA, 1-5 March 1987, *(ANS; ASME; EPRI; US Nucl. Regul. Comm.; Univ. Arizona) Post, R.G. (editor/s),* [La Grange Park, IL, USA: ANS 1987] 88−31448, 88−36973 to 36974, 88−41997, 88−42996 to 42999

Water chemistry of nuclear reactor systems; Water Chemistry of Nuclear Reactor Systems 4. Proceedings of the International Conference, Bournemouth, UK, 13-17 Oct. 1986, *(British Nucl. Energy Soc.; R. Soc. Chem.; Instn. Civil. Eng)* [London, UK: Thomas Telford 1986, £95.00 UK; £105.00 Overseas] 88−36954 to 36960

Water reactor safety; Proceedings of the U.S. Nuclear Regulatory Commission Fourteenth Water Reactor Safety Information Meeting (NUREG/CP-0082), Gaithersburg, MD, USA, 27-31 Oct. 1986, [Washington, DC, USA: Office Nucl. Regul. Res. Feb. 1987] 87−43896, 87−45333, 87−50955

Water reactor safety; Proceedings of the U.S. Nuclear Regulatory Commission Fifteenth Water Reactor Safety Information Meeting (NUREG/CP-0091), Gaithersburg, MD, USA, 26-29 Oct. 1987, [Washington, DC, USA: US Nucl. Regul. Comm. Feb. 1988] 88−75331 to 75343, 88−75395 to 75404

Water reactor safety research; 12th Water Reactor Safety Research Information Meeting, Gaithersburg, MD, USA, 22-26 Oct. 1984, [1985] 86−25754 to 25762

Water reactor safety research; 13th Water Safety Research Information Meeting, Gaithersburg, MD, USA, 22-25 Oct. 1985, [1987] 87−30334

Wave energy utilization in Japan; First Symposium on Wave Energy Utilization in Japan (papers in summary form only received), Tokyo, Japan, 27-28 Nov. 1984, *(Japanese Marine Sci. & Technol. Center)* [1985] 86−19713 (introductory abstract)

Wave phenomena; Wave Phenomena: Modern Theory and Applications. Proceedings of the International Meeting, Toronto, Ont., Canada, 20-24 June 1983, *Rogers, C. Moodie, T.B. (editor/s),* [Amsterdam, Netherlands: North-Holland 1984, $60.00] 85−24914

Wave, tidal, OTEC and small scale hydro energy; 3rd International Symposium on Wave, Tidal, OTEC, and Small Scale Hydro Energy: Water for Energy, Brighton, UK, 14-16 May 1986, *(BHRA; Instn. Civil Eng) Stanbury, J. (editor/s),* [Cranfield, UK: BHRA 1986, £46.00 UK & EEC; £49.00 other] 86−61854 (introductory abstract), 86−65811 to 65818, 86−65960 to 65968, 86−65970 to 65973, 86−65975 to 65980, 86−65983, 86−66000

Weak and EM interactions in nuclei; Weak and Electromagnetic Interactions in Nuclei. Proceedings of the International Symposium, Heidelberg, West Germany, 1-5 July 1986, *(IUPAP; Eur. Phys. Soc) Klapdor, H.V. (editor/s),* [Berlin, West Germany: Springer-Verlag 1986] 87−29533

Weapon guidance and control; Advances in Air-Launched Weapon Guidance and Control (AGARD-CP-431), Athens, Greece, 5-8 May 1987, [Neuilly sur Seine, France: AGARD Dec. 1987] 88−49384 (introductory abstract), 88−54820 to 54821, 88−54832 to 54835, 88−61546

Weighing technology and force measurement; Recent Advances in Weighing Technology and Force Measurement. 10th International Conference of the IMEKO Technical Committee TC-3 on Measurement of Force and Mass (Preprints received), Kobe, Japan, 11-14 Sept. 1984, [Tokyo, Japan: Soc. Instrum. & Control Eng. 1984] 86−7385 (introductory abstract), 86−11574 to 11585, 86−11729 to 11742, 86−11745 to 11758, 86−11791, 86−13899 to 13901, 86−14602, 86−17957 to 17958, 86−18149 to 18151, 86−18155 to 18158, 86−18290, 86−18558

WESCANEX '86; WESCANEX '86 Conference Record (Cat. No.86CH2333-3), Vancouver, BC, Canada, 10-12 June 1986, *(IEEE)* [New York, NY, USA: IEEE 1986] 88−62 (introductory abstract), 88−3428 to 3431, 88−3474, 88−3694, 88−3762 to 3763, 88−3850 to 3851, 88−3889 to 3894, 88−3958 to 3961, 88−4070, 88−4202, 88−5103, 88−5966 to 5968

Wescon '83; Wescon 83. Electronic Show and Convention, San Francisco, CA, USA, 8-11 Nov. 1983, *(IEEE)* [Los Angeles, CA, USA: Electron. Conventions 1984] 85−16560 (introductory abstract), 85−16769 to 16773, 85−16804 to 16809, 85−16818 to 16819, 85−17085 to 17087, 85−17222 to 17226, 85−17302 to 17318, 85−17420 to 17423, 85−17478 to 17479, 85−17552 to 17556, 85−17579 to 17584, 85−17992 to 17993, 85−17999, 85−18418 to 18419, 85−18445, 85−19160 to 19163, 85−19391 to 19392, 85−19656, 85−19839 to 19843, 85−19965, 85−19986, 85−21848, 85−22169 to 22172, 85−22599, 85−22825 to 22839, 85−22899, 85−22938 to 22940, 85−23904 to 23906, 85−23970 to 23973, 85−25413 to 25417, 85−25543 to 25545, 85−25691, 85−26157, 85−26166, 85−26211 to 26212, 85−26266, 85−27516, 85−31433

Wescon '84; Wescon '84 Conference Record, Anaheim, CA, USA, 30 Oct.-1 Nov. 1984, *(IEEE)* [Los Angeles, CA, USA: Electron. Conventions 1984] 85−44386 (introductory abstract), 85−44387 to 44391, 85−44522 to 44523, 85−44846 to 44850, 85−44910, 85−45007 to 45011, 85−45098 to 45114, 85−45138, 85−45276 to 45277, 85−45327, 85−45793 to 45807, 85−45851, 85−45886 to 45897, 85−45909, 85−46593 to 46596, 85−46818 to 46819, 85−46955, 85−46999, 85−47188, 85−47237 to 47251, 85−47315, 85−47745, 85−47777, 85−47876, 85−48301 to 48303, 85−48337, 85−49339, 85−49837 to 49841, 85−49870 to 49874, 85−49934, 85−49966, 85−51569 to 51575, 85−52083 to 52091, 85−52650 to 52651

Wescon '86; Wescon/86 Conference Record, Anaheim, CA, USA, 18-20 Nov. 1986, [Los Angeles, CA, USA: Electron. Conventions Manage. 1986] 87−72692 (introductory abstract), 87−72852 to 72853, 87−73349 to 73354, 87−73384, 87−73430 to 73435, 87−73448 to 73455, 87−73489 to 73492, 87−73512, 87−73569, 87−73888, 87−73904 to 73906, 87−74405, 87−76377 to 76378, 87−76524, 87−76813, 87−77116 to 77121, 87−78106, 88−113, 88−532 to 533, 88−587, 88−699 to 721, 88−750 to 753, 88−801 to 815, 88−852, 88−1116 to 1117, 88−1759, 88−1807 to 1809, 88−3406 to 3407, 88−3599 to 3600, 88−3780 to 3785, 88−4190 to 4191, 88−4229, 88−5707 to 5708, 88−5814, 88−11638, 88−11947, 88−12433 to 12439, 88−12543, 88−12741, 88−13531, 88−15955 to 15956, 88−17085, 88−18191

Wide band digital cellular mobile systems; IEE Colloquium on 'Methods of Combating Multipath Effects in Wide Band Digital Cellular Mobile Systems' (Digest No.90), London, UK, 29 Oct. 1987, *(IEE)* [London, UK: IEE 1987] 88−11609 (introductory abstract), 88−15215, 88−15382 to 15387

Wideband communications; Wideband Communications. Proceedings of the International Conference, London, UK, 1-2 Oct. 1986, [Pinner, UK: Online Publications 1986, £75.00] 87−5144 (introductory abstract), 87−7945 to 7956, 87−8067 to 8068, 87−8246, 87−8334 to 8335, 87−8440 to 8441

Wind and wave calibration; ERS-1 Wind and Wave Calibration Workshop. Proceedings of an ESA Workshop (ESA SP-262), Schliersee, West Germany, 2-6 June 1986, *(ESA) Hunt, J.J. (editor/s),* [Noordwijk, Netherlands: ESA Sept. 1986] 87−10042 (introductory abstract)

Wind power for the UK; IEE Colloquium on 'Wind Power for the UK' (Digest No.26), London, UK, 16 Feb. 1988, *(IEE)* [London, UK: IEE 1988] 88−31319 (introductory abstract), 88−37135 to 37138

Wind tunnels and testing techniques; AGARD Conference Proceedings No.348. Wind Tunnels and Testing Techniques (AGARD-CP-348), Cesme, Turkey, 26-29 Sept. 1983, [Neuilly sur Seine, France: AGARD 1984] 85−29 (introductory abstract)

Wind turbines; European Industry Workshop on R&D Needs for Small and Medium Wind Turbines, Brussels, Belgium, Nov. 1985, [1986] 87−9987 (introductory abstract), 87−15618 to 15619

Windfarms; Advances in Windfarming: International Conference and Exhibition on Windfarms, Leeuwarden, Netherlands, 13-16 Oct. 1987, [Jan. 1988] 88−48829 (introductory abstract), 88−48830 to 48844, 88−48914

Winter technical conference; 1987 Winter Technical Conference, Las Vegas, NV, USA, 9 Jan. 1987, *(IEEE)* [Feb. 1987] 87−43736 (introductory abstract), 87−48979, 87−49232, 87−49298 to 49299, 87−49334 to 49335, 87−49848, 87−51580

Wire and cable; Proceedings of 36th International Wire and Cable Symposium, Arlington, VA, USA, 17-19 Nov. 1987, *(US Army Commun.-Electron. Command)* [Fort Monmouth, NJ, USA: US Army Commun. Electron. Command 1987] 88−24358 (introductory abstract), 88−7820, 88−9378, 88−18767, 88−19443 to 19451, 88−20195, 88−20391 to 20395, 88−21802, 88−21891 to 21899, 88−21901, 88−21906 to 21907, 88−22130 to 22159, 88−24819, 88−24848 to 24852, 88−25569, 88−25601 to 25606, 88−26601, 88−26613, 88−26815 to 26832, 88−28624, 88−28628, 88−28906 to 28918, 88−30404

Wire and cable symposium; Proceedings of 32nd International Wire and Cable Symposium, Cherry Hill, NJ, USA, 15-17 Nov. 1983, *(US Army Commun.-Electron. Command)* [Fort Monmouth, NJ, USA: US Army Commun.-Electron. Command 1983] 85−54030 (introductory abstract), 85−55213 to 55218, 85−56350 to 56353, 85−57904 to 57916, 85−57920 to 57921, 85−57923, 85−57925 to 57926, 85−58129 to 58146, 85−62393, 85−63473 to 63477, 85−63706 to 63711

Wire and cable symposium; Proceedings of 34th International Wire and Cable Symposium, Cherry Hill, NJ, USA, 19-21 Nov. 1985, *(US Army Commun.-Electron. Command)* [Fort Monmouth, NJ, USA: US Army Commun.-Electron Command 1985] 86−45917 (introductory abstract), 86−47116 to 47122, 86−48152 to 48157, 86−49309, 86−49430 to 49438, 86−49441, 86−49638 to 49668, 86−51028

Wire chambers; Wire Chamber Conference 1986. Proceedings of the Fourth International Conference, Vienna, Austria, 25-28 Feb. 1986, [1 Dec. 1986] 87−22962 (introductory abstract), 87−21404 to 21438, 87−21466 to 21469, 87−23788, 87−29440 to 29465, 87−29536 to 29542, 87−29677, 87−29692 to 29693, 87−29727

Wire chambers in medical imaging; International Symposium on the Use of Wire Chambers in Medical Imaging, Corsendonk, Belgium, 28-30 June 1987, [10 June 1988] 88−55780 (introductory abstract), 88−61289 to 61304

Work with display units; Work with Display Units 86. Selected papers from the International Scientific Conference, Stockholm, Sweden, 12-15 May 1986, *(Ericsson; IBM; Philips; et al) Knave, B. Wideback, P.-G. (editor/s),* [Amsterdam, Netherlands: North-Holland 1987] 88−69993 (introductory abstract)

Workstation technology and systems; 1986 IEEE Workstation Technology and Systems Conference Proceedings, Atlantic City, NJ, USA, 17-20 March 1986, *(IEEE)* [Washington, DC, USA: IEEE Comput. Soc. Press 1986] 86−52136 (introductory abstract), 86−53156, 86−53773 to 53776

X- and gamma-ray sources and applications; X- and Gamma-Ray Sources and Applications. Proceedings of the Sixth Symposium, Ann Arbor, MI, USA, 21-23 May 1985, [15 Jan. 1986] 86−31748 (introductory abstract), 86−26945 to 26948, 86−32147, 86−32166 to 32178, 86−32204 to 32207, 86−32261 to 32263, 86−32522

X-ray and inner-shell processes; 14th International Conference on X-Ray and Inner-Shell Processes, Paris, France, 14-18 Sept. 1987, *(CNRS; CEA; Minist. Affaires Etrangeres; et al)* [Dec. 1987] 88−51728 to 51731, 88−51832, 88−54394

X-ray calibration; X-Ray Calibration: Techniques, Sources, and Detectors, San Diego, CA, USA, 19-20 Aug. 1986, *(SPIE)* [1986] 87−10011 (introductory abstract), 87−14189, 87−14348, 87−14580 to 14582, 87−14631 to 14632, 87−14809 to 14817

X-ray imaging; X-Ray Imaging II, San Diego, CA, USA, 21-22 Aug. 1986, *(SPIE)* [1986] 87−28966 to 28967

X-ray lasers; International Colloquium on X-ray Lasers, Aussois, France, 14-17 April 1986, [Oct. 1986] 87−9989 (introductory abstract), 87−12369 to

12382, 87—12436, 87—12516, 87—12524, 87—12536, 87—12574, 87—12673

X-rays from laser plasmas; X Rays from Laser Plasmas, San Diego, CA, USA, 19-21 Aug. 1987, *(SPIE)* [1988] 88—50572, 88—50770 to 50772, 88—51682

X-rays in materials analysis; X Rays in Materials Analysis: Novel Applications and Recent Developments, San Diego, CA, USA, 21-22 Aug. 1986, *(SPIE)* [1986] 87—14485

X.400 and EDI electronic information interchange; IEE Colloquium on 'Electronic Information Interchange - X400 and EDI' (Digest No.72), London, UK, 11 May 1988, *(IEE)* [London, UK: IEE 1988] 88—49400 (introductory abstract), 88—52795 to 52800

Yield modelling and defect tolerance in VLSI; Yield Modelling and Defect Tolerance in VLSI, Oxford, UK, 1-3 July 1987, *Moore, W. Maly, W. Strojwas, A. (editor/s),* [Bristol, UK: Adam Hilger 1988, £30.00] 88—62905 (introductory abstract), 88—63663 to 63664, 88—63689, 88—63738 to 63746, 88—64734 to 64744

Young computer scientists meeting; 3rd International Meeting of Young Computer Scientists, Smolenice Castle, Czechoslovakia, 22-26 Oct. 1984, [1984] 85—28113 to 28114, 85—28189, 85—28198, 85—30488

Young computer scientists' meeting; 4th International Meeting of Young Computer Scientists: IMYCS '86, Smolenice, Czechoslovakia, 13-17 Oct. 1986, [1986] 87—31468, 87—31649, 87—32626, 87—33710 to 33711, 87—34057

Young Soviet and Polish scientists' conference; Second Scientific-Technological Conference of Young Soviet and Polish Scientists - Graduates of Universities in the USSR, Kiev, Ukrainian SSR, USSR, 14-17 Oct. 1986, [1986] 88—140, 88—526, 88—630, 88—8760, 88—9889, 88—9914, 88—10082, 88—10547, 88—10955

CUMULATIVE CORPORATE AUTHOR INDEX
1985—1988

This is an index to those items abstracted in *Electrical & Electronics Abstracts* in the period 1985—1988 where a corporate organisation rather than an individual person is the agent primarily responsible for the publication. Such publications typically include reports of industrial firms, government departments, research establishments, etc.

Reference to the entry in *Electrical & Electronics Abstracts* is made in the form 88—12345, i.e. abstract 12345 of 1988. Where there are a number of entries for a given publication, e.g. where individual sections of it are abstracted, a range of numbers is shown in the form 88—12345 to 12356, i.e. abstract 12345 of 1988 to abstract 12356 of 1988 inclusive.

Example of typical entry



Nat. Bur. Stand., Washington, DC, USA
Artificial vision device performs high-speed processing of images, NBS-SP-680-5. 87 – 33810

CORPORATE AUTHOR INDEX

AGARD, Neuilly sur Seine, France
- Cryogenic test technology 1984, AGARD-AR-212. 86—6026
- Ground and flight testing for aircraft guidance and control, AGARD-AG-262. 86—6034
- Impact of future developments in electronic technology on cockpit engineering, AGARD-R-757. 88—30112
- Technical evaluation report on the avionics panel symposium on design for tactical avionics maintainablity, AGARD-AR-204. 85—64669
- Technical evaluation report on the fluid dynamics panel symposium on wind tunnels and testing techniques, AGARD-AR-193. 85—9266

Alvey Directorate, London, UK
- Alvey communications study, (unnumbered). 85—13694
- Alvey programme. Annual Report 1985, (unnumbered). 86—41906
- Alvey programme. Annual report 1986. Poster supplement, (unnumbered). (introductory abstract) 87—16266
- Alvey programme. Annual report 1987, (unnumbered). (introductory abstract) 88—6106
- Alvey programme. Annual report 1987. Poster supplement, (unnumbered). (introductory abstract) 88—6107
- CAD for VLSI, (unnumbered). 87—16807
- CAD for VLSI, (unnumbered). 88—7683
- High speed network overview report, 15.4793. 87—20258
- IKBS and systems architecture, (unnumbered). 88—8716
- Infrastructure and communications, (unnumbered). 87—20257
- Infrastructure and communications, (unnumbered). 88—9167
- Infrastructure and communications, (unnumbered). 88—9288
- Infrastructure and communications [in Alvey Programme], (unnumbered). 87—13255
- Large scale demonstrators, (unnumbered). 88—9453
- Man-machine interface, (unnumbered). 87—19731
- Man-machine interface (MMI) [in Alvey Programme], (unnumbered). 87—12956
- MMI displays, (unnumbered). 88—10087
- MMI image processing, (unnumbered). 88—8855
- MMI speech, (unnumbered). 88—8717
- Planning techniques in knowledge-based scheduling, (unnumbered). 86—66927
- Survey of network based services, 99.4793. 87—20259
- Very large scale integration (VLSI) and computer aided design (CAD) [in Alvey Programme], (unnumbered). 87—11929
- Very large scale integration (VLSI) computer aided design (CAD) and man/machine interface (MMI) displays, (unnumbered). 88—7680
- VLSI, (unnumbered). 87—18258
- VLSI/architectures, (unnumbered). 87—18259
- VLSI architectures, (unnumbered). 88—7682
- VLSI technology, (unnumbered). 88—7681

AMCC, San Diego, CA, USA
- Applications for a BiCMOS logic array. 87—66012

Amperex Electron. Corp., Smithfield, RI, USA
- Ceramic pyroelectric infrared sensors and their applications. 88—22590

Atomic Energy Canada Ltd., Chalk River, Ont., Canada
- Analysis of the pressure tube failure at Pickering NGS 'A' Unit 2, AECL-8335. 85—21385
- CANDU advanced fuel cycles a long-term energy source, AECL-9101. 86—56549
- Communication link between a PDP-11 computer and the central computer at CRNL, AECL-8768. 86—16983
- Computations of flow and heat transfer in power plant condensers, AECL-9338. 87—30397
- Computer-aided control system design, AECL-8958. 86—56548
- Conceptual design study for the proposed ISOL post-accelerator at TRIUMF, AECL-8960. 86—50259
- Design of a multivariable controller for a CANDU 600 MWe nuclear power plant using the INA method, AECL-8342. 85—15789
- Eddy current inspection of mildly ferromagnetic tubing, AECL-8270. 85—473
- Electron Test Accelerator beam injector, AECL-9112. 87—14663
- Experience in the application of NUSS and Canadian quality assurance standards for overseas CANDU projects, AECL-8339. 85—43721
- Future trends in the design of CANDU reactors, AECL-9179. 86—61297
- Laser plasma beatwave accelerator experiment, AECL-9389. 88—4715
- Operating experience with a 100% duty factor Alvarez accelerator, AECL-8952. 86—38676
- Photon CT scanning of advanced ceramic materials, AECL-9384. 88—496
- Power handling capability of the THERAC structure, AECL-9004. 86—50260
- Proposal for a national facility - The 8π spectrometer, AECL-8329. 85—20871
- Reliability study of the CRNL off-site power supply, AECL-8843. 86—39945
- Shielding calculations for the SNO detector, AECL-9393. 88—4824
- Spatial response of source-collimator-detector systems for industrial applications of computed tomography, AECL-8570. 85—44825
- TASCC - The next five years, AECL-8556. 85—31677
- Technology transfer from Canadian nuclear laboratories, AECL-8906. 86—39496
- Tomography - An overview of the AECL program, AECL-8571. 85—49671
- TRANSOPTR - A beam transport design code with space charge, automatic internal optimization and general constraints, AECL-6975 (Rev.A). 85—37847

BBC, Tadworth, UK
- 20:16 block code for digital recording and transmission channels, BBC RD 1985/1. 85—46699
- Acoustic design of outside broadcast vehicles, BBC RD 1984/3. 85—42711
- Acoustic scaling: a re-evaluation of the acoustic model of Manchester, Studio 7, BBC RD 1984/18. 85—47643
- BBC receiving terminal for the European orbital test satellite, BBC RD 1984/15. 85—47484
- 'CARFAX' road traffic information system, BBC RD 1984/1. 85—47640
- Digital sound: programme-modulated noise levels in sound signals subjected to a number of digital companding processes, BBC RD 1984/11. 85—47642
- Digital standards conversion: interpolation theory and aperture synthesis, BBC RD 1984/20. 85—47680

BBC, Tadworth, UK continued
- Digital transmission: 68 Mbit/s PAL field trial system, BBC RD 1984/5. 85—47641
- Electronic detection and concealment of film dirt, BBC RD 1985/4. 85—47682
- Electronic generation of text for television, BBC RD 1984/14. 85—47677
- Electronically-steerable active receiving array for HF, BBC RD 1985/2. 85—46651
- Filtering of the colour-difference signals in 4:2:2: YUV digital video coding systems, BBC RD 1984/4. 85—47674
- Further developments of CCD line array telecine, BBC RD 1985/3. 85—47681
- Intermodulation between VHF/FM broadcast transmitters and the protection of adjacent-band aeronautical services, BBC RD 1984/2. 85—47650
- LF radio-data: specification of BBC phase-modulated transmissions on long-wave, BBC RD 1984/19. 85—47096
- Present status of Clean PAL systems, BBC RD 1984/6. 85—47661
- Reflectometer unit for a 500 kW HF balanced screened feeder, BBC RD 1984/13. 85—47676
- Satellite broadcasting: the performance of C-MAC in a hardware simulation of a DBS transmission chain, BBC RD 1984/9. 85—47483
- Susceptibility of aeronautical navigational aids to interference from adjacent-band broadcast transmissions, BBC RD 1984/12. 85—47616
- 'Teletrack' - A special effect (for TV), BBC RD 1984/10. 85—47675
- Television animation store: digital chroma-key and mixer units, BBC RD 1984/16. 85—47678
- Television animation store: recording pictures on a parallel transfer magnetic disc, BBC RD 1984/17. 85—47679
- Transportable satellite earth station, BBC RD 1984/8. 85—47482
- Video noise reduction, BBC RD 1984/7. 85—47662

Brasov Univ., Romania
- Personal computer instrumentation. 87—56495

British Libr., Boston Spa, Wetherby, UK
- BLEND- 1: background and developments, 29. 86—23386

Bull S.A., Direction Sci. Groupe, Les Clayes-Sous-Bois, France
- MUSYC coprocesseur microprogrammable pour les applications symboliques (MUSYC microprogrammable coprocessor for symbolic applications), DSG/CRG/87020. 88—7679

Bur. Mines, Washington, DC, USA
- Computer program for calculating gravimetric primary standard gas mixtures, IC-9031. 86—11767
- Detection of roof instability by monitoring the rate of movement, RI-9170. 88—68035
- Field trials of a portable microseismic processor recorder, IC-9022-1985. 86—6076
- Low-cost FSK modem network for polled communication systems, IC-9021. 85—47305
- Measurement and control in industrial processes using an analog-to-digital telemetry system, RI-9163. 88—67683
- Measurement of dielectric properties of minerals at microwave frequencies, RI-9035. 87—49894
- Microcomputer-based instrumentation system for monitoring ground support in a deep mine shaft, IC-9062. 87—14117
- Research on the reliability of mine electrical equipment: a status report, IC-9050. 86—26469
- Waveform analysis of electric furnace arcs as a diagnostic tool, RI 9029. 87—9950

C. Technol. Inc., Short Hills, NJ, USA
- Tapered fibres. 88—20348

Cambridge Univ., UK
- The Cambridge Backbone Network. 88—73652

Cascade Microtech Inc., Beaverton, OR, USA
- Test software improves FET and MMIC designs. 87—52850

Central Res. Inst. Electr. Power Ind., Tokyo, Japan
- Acoustic leak detection in piping systems, E283006. 85—10871
- Analytical method for harmonics on electric power systems, E183001. 85—9442
- Atmospheric dispersion models for the stack gas emitted from a thermal power plant, E283007. 85—15847
- Electrical and collecting characteristics in a model ESP unit, E184001. 86—15855
- Generation expansion planning considering system operation -Coordination of simulation and optimization methods -, ET86004. 87—57716
- Improvement of remaining life evaluation in SAFER - First report: Introduction to creep analysis and damage evaluation functions, E283009. 85—9752
- Laboratory combustion study on utilization of EDS coal-derived liquid fuels in utility boilers, E284003. 85—15890
- Steady state stability after system fault clearance, E184002. 86—18739
- System for predicting the consequences of atmospheric releases from nuclear facilities located in complex terrain, E284011. 86—18957
- Vibrations of rotor with coolant pass having free surface, ET86002. 87—58026

CERN, Geneva, Switzerland
- Accelerators and superconductivity: a marriage of convenience. Second John Adams memorial lecture, CERN 87-06. 87—77497
- Accurate reference system in stacks of nuclear emulsion, CERN 85-18. 86—38715
- Automation by microcomputer of a geodetic distance measuring instrument: the distinvar, CERN 85-16. 86—31659
- Development of power amplifier modules for the ACOL stochastic cooling systems, CERN 85-01. 85—52932
- Digital micro-teslameter, CERN 85-13. 86—31604
- Introduction a la theorie des accelerateurs lineaires (Introduction to the theory of linear accelerators), CERN 87-09. 88—4739
- ISOLDE user's guide, CERN 86-05. 87—14707
- Large Hadron Collider in the LEP tunnel, CERN 87-05. 87—70950
- Radiation tests on selected electrical insulating materials for high-power and high voltage application, CERN 85-02. 85—56038
- Report of the advisory panel on the prospects for e^+e^- colliders in the TeV range, CERN-87-12. 88—47772

CERN, Geneva, Switzerland continued
Theoretical aspects of some collective instabilities in high-energy particle storage rings, CERN 86-06. 87−8788
Chiba Electr. Power Sect., Nat. Railways, Japan
News from Chiba [railway passenger traffic]. 86−56984
CKD Praha, Czechoslovakia
Experimental verification of a controlled electric drive. 87−9882
CNET, Meylan, France
Photochemical deposition under laser irradiation of thin films for microelectronics. 86−13818
Comm. Eur. Communities, Luxembourg
1982 Annual Status Report. Solar energy, EUR 8523 EN. 85−10113
Achievements of the European Community second energy R&D programme, EUR 9204 EN, FR. 85−22168
Advanced steam turbine power plant technologies and the materials implications, EUR 10040 EN. 86−19122
Amelioration de la reproductibilite, de la longevite, des rendements et de la securite des accumulateurs sodium-soufre destines au stockage de l'energie electrique (Improvements of the reproducibility, lifetime, efficients and the safety of the sodium-sulphur cells to be used for electric energy conservation), EUR 9261 FR. 85−32693
Analysis of medium term economic development and energy consumption through the Eureca-Explor-EDM model chain: Reference case (II) [an analysis of the results for Italy], EUR 8973 EN. 85−5404
Application of microwave heating for the production of construction materials, EUR 9558 EN. 85−39331
Banc d'essai de compteurs He^3 gere par ordinateur HP85 (Benchmark test of He^3 counter by HP85 computer), EUR 9314 FR. 85−15198
Capteur mixte thermique et photovoltaique a concentration (Hybrid thermal and photovoltaic concentrating collector), EUR 9820 FR. 86−19506
Characterisation and improvement of coatings protecting concrete against contamination, EUR 9595 FR. 85−65065
Chemical vapour deposition in an oven, EUR 9987 EN. 86−52483
Community's research and development programme on decommissioning of nuclear power plants. Fourth annual progress report (year 1983), EUR 9677 EN. 85−43720
Computer code CONDIF-01 (Release 2) for transient convective-conductive heat transfer - User's manual, EUR-9448 EN. 85−38746
Continuous production of photovoltaic silicon ribbons by the new pendant drop growth (PDG) method, EUR 9864 EN. 86−40707
Degradation of building materials over a lifespan of 30-100 years, EUR 10020 EN. 86−39393
Design, construction and testing of a hermetically sealed 100 kW Organic Rankine Cycle engine for medium temperature (200-400°C) heat recovery, EUR 10324 EN-IT. 86−51924
Development and application of the ARACHNE package to predict the efficiency and cost of processes to convert coal into synthetic fuels, EUR 9407 EN. 85−21293
Development and characterisation of new materials to use as electrodes in photoelectrochemical solar cells designed to convert solar energy to chemical energy, EUR 9383 EN. 85−16244
Development of a computer model for the selection of boiler plants from the viewpoint of a low energy consumption, EUR 9917 EN. 86−25885
Development of a mini computer for the control of a photovoltaic power station, EUR 9949 EN. 86−51532
Development of a modular electrochemical storage system for road electric vehicles, EUR 9329, EN-IT. 85−44162
Development of a modular electrochemical storage system for road electric vehicles, EUR 9690 EN. 85−53898
Development of microwave applicators to dry thin structures, EUR 9931 EN. 86−52060
Development of R.F. sputtered thin-film a-Si towards a p-i-n solar cell, EUR 9948 EN. 86−26315
Device for measuring and controlling the energy consumption of heating installations, EUR 10304 EN. 86−50241
EC medium term energy demand model, present state and recent results, EUR 9011 EN. 85−86
EFOM-12C/GRESOM-6: A model for the Greek energy system, EUR 9170 EN. 85−9571
Electrical car using solar energy, EUR 9039 EN. 85−5457
Energie thermique des mers: evaluation pour la CCE (Thermal energy of the sea: evaluation for the CEC), EUR 9895 FR. 86−39622
Energy conservation in the chlor-alkali industry, EUR 10085 EN. 86−40333
Energy recovery and revalorisation by high temperature heat pump on the exhaust of a thermomechanical paper pulp manufacturing unit, EUR 9078 EN, FR. 85−5588
Energy saving from optimum design and control of lighting in office buildings. Demonstration project, EUR 9537 EN. 86−13173
Energy saving in edible oil processing plants by application of a total-energy (TE) system, EUR 9169 EN. 85−5604
Energy savings and scaling reduction in reheating furnaces by remote and continuous monitoring of furnace temperature and gases composition by laser spectroscopy, EUR 8992 IT. 85−8984
Energy supply modelling package EFOM-12C Mark I. Programmer's guide, EUR 8896 EN/III. 85−32267
Energy supply modelling package EFOM-12C Mark I. User's guide, EUR 8896 EN/II. 85−32266
Entwicklung eines Schwungradspeichers fur Energieeinsparung bei Kranantrieben (Development of a fly wheel storage for energy saving in crane drives), EUR 9559 DE. 85−49172
Entwicklung photovoltaischer Konzentratorsysteme fur 500 W (Development of 500 W photovoltaic concentrator systems), EUR 9977 DE. 86−51913
Entwicklung von galvanischen Hochenergiezellen mit Schmelzelektroden (Development of galvanic high energy cells with molten electrodes), EUR 9716 DE. 86−6990
Estimation of the residual service lifetime of structures by periodic non-destructive inspection of the structural material, in particular under creep conditions, EUR 9897 EN. 86−52585
Etude de nouveaux electrolytes solides et des cathodes associees. Etude et realisation de nouveaux generateurs 'tout solide' (Study of new solid electrolytes and associated cathodes. Study and realisation of a new 'all solid' generator), EUR 9405 FR. 85−27618
Etudes concernant de nouveaux materiaux d'encapsulation pour modules photovoltaiques (Studies concerning new encapsulation materials for photovoltaic modules), EUR 9953 FR. 86−26651
European Community Directive 80/779/EEC: an assessment of monitoring network design and of the corresponding stringency of Annexes I and IV, EUR 9249 EN. 85−48481
Europeanwide structure for a videotex data base for agricultural information, EUR 9199 EN. 85−19753
Comm. Eur. Communities, Luxembourg continued
Evaluation of heavy plates according to the results of ultrasonic testing and delivery standards by means of electronic data processing, EUR 9062 DE. 85−10869
Experimentelle Weiterentwicklung der zirkulierenden Wirbelschichtverbrennung fur den Einsatz als Dampfkesselfeuerung unter Verwendung minderwertiger Brennstoffe und Kohle (Further experimental developments of the circulating fluidised bed firing system for the implementation as a steam generating furnace under the use of least valued fuels and coals), EUR 9404 DE. 85−27299
Fast reactor core monitoring by analysis of temperature noise, EUR 9364 EN. 85−15791
Feasibility study for small solar cell operated units in Greece, EUR 9957 EN. 86−19176
Forschungs- und entwicklungsarbeiten uber die verkapselung von solarzellen unter verwendung verbesserter einbett- und abdeckmaterialen (Research and development work on the encapsulation of solar cells using improved embedding and shielding materials), EUR 10003 DE. 86−40095
Gas cloud explosions and their effect on nuclear power plant. Phase 1: Basic development of explosion codes, EUR 8955 EN. 85−9628
Generateur photovoltaique au silicium amorphe hydrogene (Photovoltaic generator made from hydrogenated amorphous silicon), EUR 9976 FR. 86−19507
Growth and solar cell aspects in relation to polycrystalline silicon ribbons grown by the RAD process, EUR 9978 EN. 86−40097
Heat pumps with absorber-type heat exchangers, EUR 9727 EN/DE. 86−19632
High concentration PV 100 W module making use of spectral splitting Si-GaAs coupled cells, EUR 9843 EN. 86−19505
Holographic thin film systems for multijunction solar cells, EUR 9840 EN. 86−7021
Influence de l'atmosphere sur la propagation des ondes radioelectriques sur les trajets satellite-terre a des frequences superieures a 10 GHz (Influence of atmosphere on radiowave propagation on satellite-Earth links at frequencies greater than 10 GHz), EUR 9923 FR. 86−49537
Influence of the atmosphere on radiopropagation on satellite earth paths at frequencies above 10 GHz. COST project 205, EUR 9923 EN. 85−62785
Integrite a long terme des batiments et des systemes (Long term integrity of buildings and systems), EUR 9928 FR. 86−45110
Interconnection of 5 kWp photovoltaic solar panels with the electric low voltage utility grid. Demonstration project, EUR 10187 EN/NL. 86−51531
Investigation on ion implantation as a technique suitable to fabricate high efficiency silicon solar cells ion implanted, electron beam annealed cells, EUR 9956 EN. 86−51916
Local area networks in advanced nuclear reactors, EUR 9380 EN. 85−15790
Measurement of precipitation by radar, EUR 10171 EN. 86−18580
Meteorological and performance measurements on a 55 kW VESTAS and a 30 kW Sonebjerb wind turbine. EC wind energy programme, action 5, EUR 9041 EN. 85−5036
Modele EURECA: etat de la question et simulations (EURECA model: the points in question and simulations), EUR 9694 FR. 85−59864
Modelisation des bilans economiques d'une operation de geothermie basse energie (Actualisation de l'etude BRGM de 1980) (Modelling of the economic feasibility of a low enthalpy geothermal project (Actuality of the BRGM study of 1980)), EUR 8241 FR. 85−48668
Operation of gas turbines on liquid hydrogen, EUR 8691 EN. 85−4977
Optimization of polycrystalline silicon solar cells produced by ion implantation and pulsed laser annealing, EUR 10002 EN. 86−51912
OPTIMO - A method for assessing the energy saving potential in public-property buildings, EUR 9132 EN. 85−78
Passive solar test facility, EUR 9534 EN. 85−44199
Phased array antennae and their applications. COST project 204, EUR 10196 EN. 86−43066
Photoelectrochemical investigations of some ruthenium dioxide coated semiconductor electrodes, EUR 9315 EN. 85−5353
Photoelectrochemical systems for solar energy conversion, EUR 10108 EN. 86−51877
Preparation, study and characterization of hydrogenated amorphous silicon for photovoltaic cells, EUR 9824 EN. 86−505
Production of solar cells on the basis of low cost silicon by application of ion implantation and light-induced transient heating, EUR 9867 EN. 86−7022
Production of steam for electicity generation or other purposes using fluidised bed combustion techniques when applied to a high sulphur anthracite, EUR 9057 EN. 85−15889
Qualification test procedures for photovoltaic modules. Specification No. 502. Issue 1, EUR 9414 EN. 85−35642
Qualification, training, licensing and retraining of operating shift personnel in nuclear power plants. Presentation of different procedures in the countries of the European Community, Spain, Sweden, Switzerland and the USA, EUR 10118 EN. 86−32961
R-D planning under uncertainty. A feasibility project. Vol.I, EUR 9196/I, EN. 85−4729
Realisation de cellules solaires par procedes secs (Realisation of solar cells by dry processes), EUR 9929 FR. 86−40096
Seasonal heat storage in underground warm water stores. Dimensioning and planning of a full size store, EUR 9969 EN. 86−25939
Semiconductor electrodes in contact with aqueous redox electrolytes for photovoltaic solar energy conversion, EUR 9531 EN. 85−49110
Solar energy based heating and air conditioning for the Pernod plant in Dardilly (France), EUR 10039 EN/FR. 86−52062
Solar energy R&D programme, 1979-1984. Results and conclusions, EUR 10249 EN. 86−39621
Stochastic energy R & D budget. Allocation model. Vol.II, EUR 9196/II, EN. 85−79
System design considerations on combined wind-photovoltaic multi-kilowatt energy converters, EUR 10113 EN. 86−39655
Technology of thin-layer-silicon solar cells and applications to power systems, EUR 9841 EN. 86−26314
TPLOT: an interactive data management system for transient problems. 2nd edition, EUR 9553 EN. 85−43828
Ultrasonic inclusion cleanliness assessment, EUR 9076 FR. 85−6062
Umwandlung von Sonnenenergie mit Fluoreszenzkollektoren: aufbau eines Testkollektors mit mehreren watt ausgangsleistung (Conversion of solar energy with fluorescent collectors: construction of a test collector with multi watt output efficiency), EUR 9839 DE. 86−51914
Untersuchung des Hochstromsystems und der Netzruckwirkungen von Lichtbogenofen - Hochstromsystem - 2 (Investigation of the high current system and the network reaction of arc furnaces - High current system. II), EUR 8494 DE/II. 85−44320

Comm. Eur. Communities, Luxembourg continued
  Valutazione delle caratteristiche di progetto che facilitano lo smantellamento delle centrali nucleari PWR (Estimation of the characteristics for the project of decommissioning a PWR nuclear power plant), EUR 9191 IT. 85—15788
  Wind energy. Potential of wind energy in the European Community. An assessment study, EUR 10376. 86—61211
Cornell Univ., Ithaca, NY, USA
  Combinatorial problems in matrix computation, TR 85-695. 87—211
  Computing a sparse basis for the null space, TR 86-730. 87—212
  Graph minimal uncolorability is D_p-complete, TR 85-688. 86—19937
  Null space problem II: algorithms, TR 86-747. 87—187
  Reliable broadcasts through partial broadcasts, TR 85-720. 87—2931
  Reliable communication in an unreliable environment, TR 85-694. 87—2930
Council for Miner. Technol., Randburg, South Africa
  Development of a system for the measurement of the pulp-froth level in flotation, M147. 85—15039
  Energy transfer in the hearths of submerged-arc furnaces, M150. 85—49222
  Installation of a 100kVA a.c. plasma furnace at MINTEK, M135. 85—5522
  Smelting of ilmenite in a DC transferred-arc plasma furnace with a molten-anode configuration, M304. 88—11500
Defence Sci. & Technol. Organ., Adv. Eng. Lab., Salisbury, SA, Australia
  Large diameter optical slip-rings, WSRL-0342-TM. 85—14292
  Measurement of the depth of a sonar array, WSRL-0360-TM. 85—14375
Defence Sci. & Technol. Organ., Electron. Res. Lab., Adelaide, SA, Australia
  Compact bulk acousto-optic time integrating correlator, ERL-0323-TR. 86—2889
  Field analysis and potential theory, ERL-0340-SD. 88—34210
  Skywave radar detectability of volcanic aerosols, ERL-0301-TR. 85—25936
Defence Sci. & Technol. Organ., Mater. Res. Labs., Melbourne, Vic., Australia
  50 kW electric-discharge CO_2 laser, MRL-R-933. 85—24491
  Analysis of a series of electromagnetic launcher firings, MRL-R-1053. 88—34264
  Calculations of collision-induced optical gain in high-density mixtures of D_2 or HD with a buffer gas, MRL-R-939. 85—35707
  Computer-interactive, single specimen J-integral fracture toughness test, MRL-R-1021. 88—497
  Effect of switch resistance on the ringdown of a slapper detonator fireset, MRL-R-1004. 87—24382
  Efficiency aspects of short, low velocity railguns, MRL-R-1029. 88—34263
  Experimental investigation of a three-stage railgun incorporating puff-switching, MRL-R-1056. 88—34265
  Experimental results from railgun firings involving magnetic flux probes, MRL-TN-509. 87—54508
  External nonlinear focusing and its application to ultrafast optical power limiting, MRL-R-1013. 87—26541
  Fast, low resistance switch for small slapper detonators, MRL-R-1030. 87—37633
  Magnetic flux contributed by the plasma armature in an electromagnetic launcher, MRL-R-1033. 87—54507
  Pulsed hydrogen-fluoride laser, MRL-R-931. 85—7392
  Radhaz in the E and A area, MRL-TN-498. 87—2322
  Rail inductance calculations for some simple current distributions, MRL-R-976. 86—59019
  Railgun and its power source, MRL-R-1058. 88—34266
  Surface coatings for low emittance in the thermal surveillance band, MRL-R-937. 85—35383
  System for computer-aided design of printed circuit boards. (Revised edition), MRL-R-851. 87—17494
Dept. of Mech. Eng., Liverpool Univ., UK
  Control and optimisation of variability. 88—18526
Dept. Resources & Energy, Canberra, ACT, Australia
  Desalination of remote area water supplies by wind powered electrodialysis, NERDDP/EG/86/562. 87—51684
  Laser grooved solar cells, NERDDP/EG/86/548. 87—36155
  Solar pond technology and applications, NERDDP/CS/85/14. 87—31001
  Utilisation of wind energy in Tasmania. Part I, NERDDP/EG/86/558. 87—42743
DFVLR, Oberpfaffenhofen, West Germany
  The laser in the environment-measuring technique. 88—36661
Digital Equipment SpA, Cinisello Balsamo, Italy
  Digital's Easynet communications network: one of the world's largest. 86—10740
Eindhoven Univ. Technol., Netherlands
  Course on field programmable logic, EUT-85-E-148. 86—8169
  Development of transmission facilities for electronic media in the Netherlands, EUT 86-E-158. 86—49159
  Digital transmission experiments with the Orbital Test Satellite, EUT 84-E-144. 85—25825
  Error reduction in two-dimensional pulse-area modulation, with application to computer-generated transparencies, EUT 87-E-172. 88—3208
  ESCHER: Eindhoven SCHematic EditoR reference manual, EUT 86-E-157. 86—46476
  ESKISS: a program for optimal state assignment, EUT 87-E-167. 87—44789
  Frequency spectra for admittances and voltage transfers measured on a three-phase power transformer, EUT 87-E-181. 88—24012
  Generating layouts for random logic: cell generation schemes, EUT 86-E-164. 87—31654
  GM: a gate matrix layout generator, EUT 87-E-179. 88—20145
  Gridless routing for generalized cell assemblies: report and user manual, EUR 87-E-180. 88—31938
  Harmonic and rectangular pulse reproduction through current transformers, EUT-86-E-159. 87—30744
  High level of a silicon compiler, EUT 86-E-163. 87—31653
  Implementation and evaluation of a combined test-error correction procedure for memories with defects, EUT 87-E-169. 87—47528
  Influence of a high-index micro-lens in a laser-taper coupling, EUT 85-E-155. 86—48148
  Limit cycles in digital filters: a bibliography 1975 - 1984, EUT 85-E-154. 86—47012
  Millimeterwave antenna measurements with the HP8510 network analyzer, EUT 85-E-149. 85—62897
  Minimization of programmable logic arrays, EUT 84-E-145. 85—33811
  Multifunction I/O-controller, EUT-84-E-143. 85—12384
  Multiple-beam groundstation reflector antenna system: a preliminary study, EUT 87-E-171. 87—54714
  Optimal CMOS structure for the design of a cell library, EUT 87-E-166. 87—60661
  Partial discharges and the electrical aging of XLPE cable insulation, EUT 86-E-160. 87—42481
Eindhoven Univ. Technol., Netherlands continued
  Random access memory testing: theory and practice. The gains of fault modelling, EUT-86-E-161. 87—24185
  Short-circuit current interruption in a low-voltage fuse with ablating walls, EUT 85-E-151. 86—14620
  Spatial distribution of traffic in a cellular mobile data network, EUT 87-E-168. 87—56015
  State-assignment in sequential circuits, EUT 85-E-146. 85—40029
  Technology mapping from Boolean expressions to standard cells, EUT 87-E-174. 88—6766
  TMS32010 evaluation module controller, EUT-86-E-162. 87—24299
Electr. Power Res. Inst., Palo Alto, CA, USA
  1983 survey of utility end-use projects, EPRI-EM-3529. 85—5401
  1983 utility cogeneration survey, EPRI-EM-3943. 85—53271
  1985-1989 research & development program plan, EPRI-P-3930. 85—53272
  1985 EPRI benefits assessment program: a report to the electric utility industry, EPRI-COM-4803-SR. 87—22014
  1985 EPRI fuel oil utilization workshop, EPRI-AP-4431. 86—45053
  1985 Fossil Plant Water Chemistry Symposium: proceedings, EPRI-CS-4950. 87—35821
  1985 survey of utility residential end-use projects, EPRI-EM-4578. 86—61063
  1986 fuel oil utilization workshop, EPRI-AP-5247. 87—71785
  1987 symposium on stationary combustion nitrogen oxide control. Vol.I-II, EPRI-CS-5361. 88—10599
  300-MVA superconducting generator documentation: heat transfer to helium fluid under high-speed rotation, EPRI-EL-4910. 87—30505
  500-kV HVDC air-blast circuit breaker, EPRI-EL-4520. 87—15942
  500-kW lead-acid battery for peak-shaving energy storage testing and evaluation, EPRI-EM-3707. 85—27619
  ABAQUS-EPGEN: a general-purpose finite-element code. Vol.IV: systems manual, EPRI-NP-2709. 85—65064
  ABAQUS-EPGEN: a general-purpose finite-element code. Vol.II: theory manual, EPRI-NP-2709-CCM. 85—53375
  AC field exposure study: human exposure to 60-Hz electric fields, EPRI-EA-3993. 85—59361
  AC power trains for electric vehicles, EPRI-EM-4689. 87—9928
  Acidic deposition: effects on agricultural crops, EPRI-EA-5149. 87—63983
  Acoustic and vibration techniques for cavitation monitoring, EPRI-AP-5385. 88—11133
  Acoustic boiler tube leak detection: utility experience, EPRI-CS-5136. 87—64408
  Acoustic emission detection of partial discharges in power transformers, EPRI-EL-4009. 86—19357
  Acoustic emission monitoring of cracks in fossil fuel boilers, EPRI-CS-5264. 87—78511
  Acoustic emission monitoring of steam turbines, EPRI-CS-4427. 86—46418
  Acoustic flow measurement evaluation project. Summary report, EPRI-AP-5341. 88—11132
  Adapting state and national electricity consumption forecasting methods to utility service areas, EPRI-EA-3622. 85—4572
  Advanced air separation for coal gasification-combined-cycle power plants, EPRI-AP-5340. 88—5539
  Advanced commercial survey methods (COMSURV). Vol.II: demonstration of multiple-account-bias corrections, EPRI-EM-4519. 87—15206
  Advanced commercial survey methods (COMSURV). Vol.III: demonstration of optimum sample design for nonresponse bias control, EPRI-EM-4519. 87—30130
  Advanced consolidation circuits for magnetohydrodynamic generators: interface experiments and specification, EPRI-AP-4330. 86—40169
  Advanced cooled-engine Shell/Spar turbine vanes and blades, EPRI-AP-4751. 87—15568
  Advanced core-monitoring framework, EPRI-NP-5227M. 88—5484
  Advanced dry-cooling demonstration: summary, EPRI-CS-4862. 87—35820
  Advanced intake technologies study, EPRI-CS-3644. 85—9696
  Advanced light-triggered thyristor, EPRI-EL-3643. 85—5205
  Advanced LWR program for small modularized plants, EPRI-NP-4100. 85—65113
  Advanced power system security analysis concepts. Vol.I-II, EPRI-EL-4522. 87—15208
  Advanced radioactive waste assay methods, EPRI-NP-5497. 88—36947
  Advanced residential heat pump using the supercharged cycle. Vol.I-II, EPRI-EM-5224. 87—72610
  Advanced rotor forgings for high-temperature steam turbines. Vols. I & II, EPRI-CS-4516. 86—56643
  Advanced SO_2 control solid-waste management planning study, EPRI-CS-4402. 86—51470
  Aerosol retention in nuclear reactor components, EPRI-NP-3705. 85—15792
  AFBC conversion at Northern States Power Company. Vol.1: project origins, EPRI-CS-5501. 88—30567
  Aggregate consumer expenditures on energy, EPRI-EA-3604. 85—4575
  Airborne emissions from power plant cooling towers, EPRI-EA-4706. 87—15530
  Altamont wind power plant evaluation for 1986, EPRI-AP-5824. 88—75528
  Alternative combustion turbine designs and cleanup systems for pressurized fluidized-bed combustion (PFBC) power plants, EPRI-CS-4860. 87—30381
  Alternative fuel firing in an atmospheric fluidized-bed combustion boiler, EPRI-CS-4023. 85—65144
  American and Japanese perspectives on energy analysis research, EPRI-EA-4067. 86—6270
  Analysis of heat pump compressor life, EPRI-EM-4659. 87—16186
  Analysis of mini-compressed-air energy storage plants, EPRI-EM-3855. 87—16069
  Analysis of power cycles for geothermal wellhead conversion systems, EPRI-AP-4070. 86—12718
  Analysis of refueling outages in PWRs of Westinghouse design, EPRI-NP-3942. 85—48785
  Analysis of routine occupational risks associated with selected electrical energy systems, EPRI-EA-4020. 86—12046
  Analysis of the off-design performance and phased construction of integrated-gasification - combined-cycle power plants. Vol.I-II, EPRI-AP-5027. 87—51018
  Analyzing nonrenewable resource supply, EPRI-EA-4424. 86—45052
  Annual review of demand and conservation research: 1983 proceedings, EPRI-EA-3587. 85—4593
  Annual review of demand and conservation research: 1984 proceedings, EPRI-EA-4313. 86—32686
  Annual review of demand-side planning research: 1985 proceedings, EPRI-EM-5019. 87—50728

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Annular array technology for nondestructive turbine inspection, EPRI-NP-4557. 86—62308
Application of ALPHA-1 to plume model validation and development at a moderately complex site, EPRI-EA-3757. 86—18579
Application of analytic methods: Environmental control R&D planning model, EPRI-EA-3674. 85—4715
Application of biotechnology to PCB disposal problems, EPRI-CS-3807. 85—59511
Application of probabilistic and decision analysis methods to structural mechanics and materials sciences problems. Vol.I-II, EPRI-NP-3613. 85—15785
Application of reliability-centered maintenance to component cooling-water system at Turkey Point Units 3 and 4, EPRI-NP-4271. 86—25828
Application of reliability-cntered maintenance to San Onofre Units 2 and 3 auxiliary feedwater systems, EPRI-NP-5430. 88—30502
Application of the ecosystem assessment model to Lake Norman, a cooling lake in North Carolina, EPRI-EA-4907. 87—35504
Application of the modular modeling system to control system design and tuning, EPRI-NP-4601. 86—65890
Applications of cadmium telluride gamma detectors at nuclear power plants, EPRI-NP-3419. 85—4853
Applications of medical ultrasonic testing technology to the utility industry, EPRI-NP-4034. 85—54173
Approaches to the verification and validation of expert systems for nuclear power plants, EPRI-NP-5236. 88—10989
Aqueous discharges from steam-electric power plants: Trace metal sampling and analysis reference guide, EPRI-CS-3739. 85—27300
Aqueous discharges from steam-electric power plants: reference guide for monitoring six selected conventional and nonconventional pollutants, EPRI-CS-5035. 87—51045
Arapahoe low-sulphur coal fabric filter pilot plant. Vol.I: fluid dynamics testing, May-September 1980, EPRI-CS-3862. 85—43872
Arc products of transformer insulating systems containing tetrachloroethylene, EPRI-EL-4497. 86—51700
Artificial intelligence technologies for power system operations, EPRI-EL-4323. 86—44892
Artificial streams for ecosystem toxicity studies, EPRI-EA-5079. 87—50576
ASME Code, Section XI - In-service inspection of nuclear power plant components: 1984-1985 revisions and updates, EPRI-NP-4615. 87—4530
Assessing and managing socioeconomic impacts of power plants, EPRI-EA-3660. 85—4714
Assessing quasi-linearization and Kalman filtering in the determination of stability study constants for utility operating generators, EPRI-EL-3903. 86—12796
Assessing the health risks of airborne carcinogens, EPRI-EA-4021. 86—12045
Assessment of ash-sluice-system operating problems, EPRI-CS-3923. 85—53566
Assessment of centralized medium-sized fuel cell power plants, EPRI-EM-4332. 86—26278
Assessment of downstream migrant fish protection technologies for hydroelectric application, EPRI-AP-4711. 87—22162
Assessment of fossil steam bypass systems, EPRI-CS-3717. 85—27301
Assessment of how residential passive solar systems impact utilities, EPRI-EM-3676. 85—5403
Assessment of hybrid electric propulsion systems for motor vehicles, EPRI-EM-4700. 87—22858
Assessment of materials-processing lasers, EPRI-EM-3465. 85—2453
Assessment of restaurant heat recovery and load leveling. Vol.I-IV, EPRI-EM-4461. 86—52066
Assessment of supercritical power plant performance, EPRI-CS-4968. 87—42678
Assessment of the potential of halophytes as energy crops for the electric utility industry, EPRI-AP-3679. 85—15707
Atmospheric fluidized-bed combustion utility boiler -Conceptual design assessment, EPRI-CS-4127. 86—25921
Atmospheric organics over New York City, EPRI-EA-4392. 86—44819
Attenuation of polychlorinated biphenyls in soils: literature review, EPRI-CS-4396. 86—44820
Automated maintenance in nuclear power plants, EPRI-NP-3779. 85—27258
Automatic sizing of intergranular stress corrosion cracking with IntraSpect/98, EPRI-NP-5409. 88—31903
Automatic software generation and validation for nuclear power plant status monitoring, EPRI-NP-4784-SR. 87—30321
Availability analysis for flue gas desulfurization improvement decisions, EPRI-CS-4833. 87—29957
Availability analysis handbook for coal gasification and combustion turbine-based power systems, EPRI-AP-4216. 86—19131
Availability analysis of an integrated gasification - combined cycle, EPRI-AP-5276. 87—72012
Backfill materials for undergound power cables. Phase III: field tests of backfill materials, EPRI-EL-4150. 86—12448
Backfill materials for underground power cables, phase IV: theory and field testing of backfill thermal stability, EPRI-EL-4856. 87—30206
Baseline cycle testing of a 500-kWh zinc chloride battery at the battery energy storage test (BEST) facility, EPRI-EM-3836. 85—44163
Battery Energy Storage Test (BEST) Facility, summary report: 1976-1986, EPRI-AP-4982. 87—43364
BEAGL-01: A computer code for calculating rapid LWR core transients. Vol.I & II, EPRI-3243-CCM. 85—15795
Bench-scale combustion characterization of cleaned Kentucky no.9 coals, EPRI-CS-5070. 87—51019
Benefits of battery storage as spinning reserve: quantitative analysis, EPRI-AP-5327. 88—5820
Benefits of improved gas turbine reliability, EPRI-AP-4162. 86—25935
Bimodal processing of titanium steam turbine blades, EPRI-CS-4280. 86—25926
Biofouling detection monitoring devices: status assessment, EPRI-CS-3914. 85—53565
Biologic coal beneficiation - literature review, EPRI-AP-4834. 87—35714
Biological studies of swine exposed to 60-Hz electric fields. Vol.I-VII, EPRI-EA-4318. 86—44711
Biomass gasification for electric utility diesel generating units, EPRI-AP-3865. 85—53582
Boiler tube failures at New Boston: a root cause analysis, EPRI-CS-3969. 85—53545
Bubble formation in transformers, EPRI-EL-5384. 88—5754
BWR corrosion-product transport survey, EPRI-NP-3687. 85—9677
BWR pilot plant life extension study at the Monticello plant: phase I, EPRI-NP-5181M. 87—78391

Electr. Power Res. Inst., Palo Alto, CA, USA continued
BWR radiation control: in-plant demonstration at Vermont Yankee, EPRI-NP-5455. 88—36997
BWR shutdown analyzer using artificial intelligence techniques, EPRI-NP-4139-SR. 86—6493
BWR suppression pool pressures during safety relief valve discharge, EPRI-NP-4008. 85—59963
BWR water chemistry impurity studies: Literature review of effects on stress corrosion cracking, EPRI-NP-3663. 85—9679
Calcium spray dryer waste management: design guidelines, EPRI-CS-5312. 88—10601
Calcium sulfite and calcium sulfate crystallization. Vol.I: Effect of crystallizer type on gypsum size distribution, EPRI-CS-4861. 87—31491
Calcium sulfite and calcium sulfate crystallization. Vol.II: Kinetics of calcium sulfite crystallization and predictions of crystal-size distribution, EPRI-CS-4861. 87—31492
Calculating AC/DC resistance ratios for high-pressure oil-filled cable designs. Vol.I & II, EPRI-EL-3977. 85—59746
Calculation of neutron energy spectra in the core and cavity of a PWR (ANO-1), EPRI-NP-3776. 85—38748
Capacitive consolidation for MHD generators, EPRI-AP-5139. 87—72456
Capacity factors and costs of electricity for conventional coal and gasification - Combined-cycle power plants, EPRI-AP-3551. 85—4713
Capital budgeting for utilities: the revenue requirements method, EPRI-EA-4879. 87—30087
Capital cost assessment of phosphoric acid fuel cell power plants for electric utility applications, EPRI-AP-5608. 88—75527
Capital cost estimates and schedules for coal-fired power plants, EPRI-P-4542. 87—15532
Carbon conversion - ash agglomeration study for the KILnGAS coal gasification process, EPRI-AP-5004. 87—42557
Case studies in technology choice. Vol.I-II, EPRI-EA-3619. 85—43512
Case studies in technology choice. Vol.III & IV, EPRI-EA-3619. 86—12356
Catalog of data for the EPRI Plume Model Validation and Development Data Base: moderately complex terrain site, EPRI-EA-3762. 85—59510
Cavitation pitting mitigation in hydraulic turbines. Vol.I-II, EPRI-AP-4719. 87—15588
Center for Environmental Physics and Chemistry data: requirements and specifications, EPRI-EA-5021. 87—50575
Center fracture toughness of monoblock rotors, EPRI-ER-5619-SR. 88—75276
Ceramics for electric power-generating systems, EPRI-AP-4380. 86—39591
Changing structure of American industry and energy-use patterns: issues, scenarios, and forecasting models, EPRI-EM-5075-SR. 87—79234
Characteristics of insulating oil for electrical applications. Vol.I & II, EPRI-EL-4381. 86—35949
Characterization of arc by-products of sulfur hexafluoride and polymeric construction materials, EPRI-EL-5089. 87—67620
Characterization of contaminants in TMI-2 systems, EPRI-NP-3694. 85—9676
Characterization of failed solid-dielectric cables: Phase 1, EPRI-EL-3501. 85—4643
Characterization of failed solid-dielectric cables: Phase 2, EPRI-EL-5387. 88—10864
Characterization of operational environment for steam turbine - Blading alloys, EPRI-CS-2931. 85—15887
Characterization of steam cycle chemistry at Southern California Edison steam plants, EPRI-CS-4005. 85—60035
Characterization of the performance of major LWR components, EPRI-NP-5001. 87—50969
Characterization of utility low-volume wastes, EPRI-CS-3737. 85—60033
Characterization tests of an Apitron particulate control device, EPRI-CS-3713. 85—15892
Chemical characterization of fossil fuel combustion wastes, EPRI-EA-5321. 88—11070
Chemical cleaning of Millstone Unit 2, EPRI-NP-4597. 86—61298
Chemical structure and liquefaction reactivity of coal. Vol.I-II, EPRI-AP-4995. 87—42554
Chemistry control with morpholine at Beaver Valley Power Station, EPRI-NP-4623. 87—4531
Chemistry, scale, and performance of the Hawaii Geothermal Project-A Plant, EPRI-AP-4342. 86—39593
Circumferential cracking of supercritical boiler water-wall tubes, EPRI-CS-4969. 87—35822
Classification and analysis of reactor operating experience involving dependent events, EPRI-NP-3967. 85—59910
Cleaning Kentucky No. 9 Seam coal for SO_2 compliance and using fly ash-derived magnetite for coal cleaning. Coal Quality Development Center: campaign report No.7, EPRI-CS-5422. 88—55108
Cleaning Lower and Middle Kittanning seam coals for sulfur removal before and after blending. Coal Quality Development Center: campaign report no.12, EPRI-CS-5642. 88—75449
Cleaning Lower Kittanning Seam coal to increase volatility and decrease SO_2 emissions. Coal cleaning test facility campaign report no.5, EPRI-CS-4548. 87—15421
Coal-cleaning plant refuse characterization, EPRI-CS-4095. 86—12696
Coal-cleaning test facility: 1984 test plan, EPRI-CS-3621. 85—4726
Coal cleaning test facility: 1986 plan, EPRI-CS-4547. 86—61210
Coal cleaning test facility campaign report No.3: Stockton-Lewiston steam coal, EPRI-CS-4433. 86—56529
Coal cleaning test facility campaign report No.4: Kentucky No.11 seam coal, EPRI-CS-4434. 86—65932
Coal cleaning test facility campaign report number 1: Freeport steam coal, EPRI-CS-3808. 85—38831
Coal cleaning to improve Hub Seam combustion economics. Coal Quality Development Center: campaign report no.10, EPRI-CS-5646. 88—75469
Coal cleaning to improve Illinois No.6 Seam coal for combustion, EPRI-CS-3666. 85—9573
Coal-fired combustor particulate measurements, EPRI-AP-3932. 85—53542
Coal gasification tests at TVA, EPRI-AP-5047. 87—50916
Coal-handling system problems at Gulf Power Company's Plant Crist: a root-cause analysis, EPRI-CS-4743. 87—15534
Coal markets and utilities' compliance decisions, EPRI-P-5444. 88—11068
Coal mining cost model (MOD-3), EPRI-EA-3526. 85—4723
Coal-oil coprocessing: phase I, EPRI-AP-5101. 87—57729
Coal pretreatment with carbon dioxide and water: effects on North Dakota lignite and Utah coal, EPRI-AP-5222. 87—71780
Coal pyrolysis for utility use, EPRI-AP-5045. 87—78242
Coal quality information book, EPRI-CS-5421. 88—49357

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Coal slurry transportation alternatives: conceptual design and economics, EPRI-CS/P-5292. 88−11093
Coal slurry transportation alternatives. Vol.I-II, EPRI-EA-4739. 87−15420
Coal-waste artificial reef program, EPRI-CS-3936. 85−53193
Coal-water-slurry evaluation. Vol.I: revised laboratory test standards (Revision 1), EPRI-CS-3413. 86−12551
Coal-water-slurry technology development. Vol.II: conversion guidelines, EPRI-CS-3374. 85−53382
Coal-water-slurry test in an industrial boiler, EPRI-CS-4268. 86−25923
Coal-water-slurry transportation alternatives, EPRI-CS-5053. 87−50918
Coatings technology for hot components of industrial combustion turbines: a review of the state of the art, EPRI-AP-5078. 87−51063
Cobalt transport at the Vermont Yankee BWR, EPRI-NP-4560. 86−56573
COGEN3: a computer model for design, costing, and economic optimization of cogeneration projects, EPRI-EA-3995. 85−53377
COGEN3: congeneration analysis software. Version 1.3: user's guide, EPRI-EM-4923-CCM. 87−35798
Cogeneration for a Utility-Co-Owned industrial park. Vol.I-IV, EPRI-EM-4581. 87−4590
Cogeneration for industrial and mixed-use parks. Vol.I-III, EPRI-EM-4576. 86−61328
Cogeneration systems design for enhanced oil recovery. Vol.I-IV, EPRI-EM-3424. 85−5618
COJOUR user's guide: dynamic coefficients for fluid-film journal bearings, EPRI-CS-4093-CCM. 86−19229
Colorado-Ute circulating AFBC demonstration. Vol.1: project origin, EPRI-CS-5831. 88−75471
Combined convection and radiation heat transfer under conditions simulating uncovered reactor fuel rods, EPRI-NP-3864. 85−38749
Combined makeup and sidestream softening field test for a proposed closed-cycle cooling-system design, EPRI-CS-3852. 85−38862
Combining engineering and statistical approaches to estimate end-use load shapes. Vol.I & II, EPRI-EA-4310. 86−25542
Combustion characterization of the Kentucky No.9 cleaned coals, EPRI-CS-4994. 87−57728
Combustion of H-coal and EDS coal liquids in a tangentially fired boiler, EPRI-AP-3986. 86−12693
Combustion of two-stage coal liquefaction residues in a hybrid boiler, EPRI-AP-4835. 87−30395
Combustion turbine materials problems, EPRI-AP-4475. 86−51486
Combustion turbine repowering, EPRI-AP-5493. 88−37065
COMMEND planning system: national and regional data and analysis, EPRI-EM-4486. 86−50933
Commercial and industrial response to time-of-use rates. Methodology and case studies, EPRI-EA-4206. 86−18736
Commercial assessment of condenser-targeted chlorination, EPRI-CS-5180. 87−71989
Commercial cool storage design guide, EPRI-EM-3981. 85−60572
Commercial cool storage presentation material. Vol.I & II, EPRI-EM-4405. 86−45835
Commercial end-use metering workshop, EPRI-EM-4393. 86−39260
Commercial solar heating and cooling systems: field test program, EPRI-EM-3809. 85−39336
Compact analyzer for BWR applications, EPRI-NP-5366. 88−5488
Compact distribution substation design: feasibility study, EPRI-EL-4979. 87−43170
Comparative discussion of U.S. and French nuclear power plant construction projects, EPRI-ESC-4685. 87−15465
Comparative flow measurements: Grand Coulee pumping-generating plant unit P/G 9, EPRI-AP-4712. 87−30429
Comparative study of adjustable-speed drives for heat pumps, EPRI-EM-4704. 87−9897
Comparison of acoustic and conventional flow measurement techniques at the Raccoon Mountain pumped-storage plant, EPRI-AP-4713. 88−11143
Comparison of acoustic and other flow measurement systems: Kootenay Canal tests, EPRI-EM-4367. 86−51507
Comparison of electric field exposure monitoring instrumentation, EPRI-EA-4085. 85−64649
Comparison of factors impacting on radiation buildup at the Vermont Yankee and Monticello BWRs, EPRI-NP-5103. 87−64322
Comparison of QUANDRY and PDQ analysis of Zion Unit 2, cycle 1, EPRI-NP-4955. 87−42617
Comparison of the calculation of HDR RPV-1 blowdown loads for test V32 with the experimental data, EPRI-NP-3677. 85−4856
Comparisons of COBRA-SFS calculations with data from simulated sections of unconsolidated and consolidated BWR spent fuel, EPRI-NP-4593. 87−9307
Compendium of utility-sponsored energy efficiency rebate programs, EPRI-EM-5579. 88−36801
Compendium on mobile robots used in hazardous environments, EPRI-NP-5060. 87−71850
Competition: pressures for change, EPRI-EM-5226. 87−71493
Competitiveness of small power plants using ambient pressure, air-blown gasifiers, EPRI-AP-4454. 86−51449
Component life estimation: LWR structural materials degradation mechanisms, EPRI-NP-5461. 88−30526
Composite generation-transmission expansion planning, EPRI-EL-5179. 87−71619
Composite system reliability evaluation methods, EPRI-EL-5178. 87−71562
Composite-system reliability evaluation: phase 1 - scoping study, EPRI-EL-5290. 88−54868
Compressed-air energy storage: an analysis of fuel flexibility and plant components, EPRI-AP-5122. 87−64833
Computer-generated display system guidelines. Vol.I&II, EPRI-NP-3701. 85−15746
Computerized diagnostic aid-success path monitor, EPRI-NP-5088. 87−64321
Conceptual design for a high-concentration (500X) photovoltaic array, EPRI-AP-3263. 85−27663
Concurrent processors for computation of power system reliability: phase 1, EPRI-EL-4598. 87−15209
Condenser macrofouling control technologies, EPRI-CS-3550. 85−4949
Condenser performance test and back-pressure improvement, EPRI-CS-5729. 88−75467
Condenser performance test and replacement tubing material evaluation, EPRI-CS-5662. 88−75277
Condenser procurement guidelines, EPRI-CS-3844. 85−53567
Condenser-targeted chlorination design, EPRI-CS-4279. 86−25925

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Condition monitoring of fans with rolling element bearings, EPRI-CS-5606. 88−74646
Conductor fatigue life research. Eolian vibration of transmission lines, EPRI-EL-4744. 87−42505
Consumer preferences for electric vehicles, EPRI-EM-4634. 87−5040
Continuous electric kiln for rapid sintering, EPRI-EM-5436. 88−18222
Continuous emission monitoring guidelines, EPRI-CS-3723. 85−27142
Continuous testing of the Resox process, EPRI-CS-4035. 85−65147
Continuous vibration signature analysis. Rotating equipment monitoring, EPRI-CS-5378. 88−11187
Control strategies for load management, EPRI-EM-3882. 86−6271
Cool Water Coal Gasification Program: fourth annual progress report, EPRI-AP-4832. 87−30380
Cool water coal gasification program - Third annual progress report, EPRI-AP-3876. 85−38828
Cool Water gasification-combined-cycle power plant: availability analysis, EPRI-AP-5829. 88−75490
Coproduction of carbon dioxide (CO_2) and electricity, EPRI-AP-4827. 87−35796
Coproduction of methanol and electricity, EPRI-AP-3749. 85−27280
Coproduction of peaking fuels in IGCC power plants: a process-sceening study, EPRI-AP-4657. 87−16064
CORMLT code for the analysis of degraded core accidents, EPRI-NP-3767-CCM. 85−32329
Corrosion fatigue of steam turbine - Blading alloys in operational environments, EPRI-CS-2932. 85−9756
Corrosion in quench systems of entrained slagging gasifiers -A laboratory study, EPRI-AP-4344. 86−33089
Corrosion inhibitors for FGD systems, EPRI-CS-5157. 87−64374
Corrosion of the concentric neutrals of buried URD cables, EPRI-EL-4042. 85−59747
Corrosion-product buildup on LWR fuel rods, EPRI-NP-3789. 85−53499
Corrosion-product release in LWRs: 1983 progress report, EPRI-NP-3888. 85−43829
Corrosion-product transport in a cycling fossil plant, EPRI-CS-5033. 87−51043
Corrosion-resistant coatings for low-pressure steam turbines, EPRI-CS-5013. 87−51048
Cost and design study of modular small hydro plants. Vol.I-IV, EPRI-EM-3534. 85−4997
Cost and performance of Kellogg Rust Westinghouse-based gasification-combined-cycle plants, EPRI-AP-4018. 86−6669
Cost-benefit analysis of demand-side planning alternatives, EPRI-EM-5068. 87−50732
Cost estimates for vertical-axis wind turbines, EPRI-AP-4528. 86−56682
Costs of sulfur emission control systems, EPRI-AP-5391. 88−5540
Creep crack growth in boiler and steam pipe steels, EPRI-CS-5585. 88−75436
Critical component technologies for stationary gas turbine catalytic combustors, EPRI-AP-4063. 86−12709
Crystallization of calcium sulfate dihydrate and calcium sulfite hemihydrate from synthetic flue gas desulfurization solutions, EPRI-CS-4811. 87−29956
Current fossil fuel power plant performance monitoring. Vol.II: Recommended R&D programs, EPRI-EL-3339. 85−4902
Current trends in commercial cool storage, EPRI-EM-4125. 86−13190
Customer preference and behavior: residential modeling framework, EPRI-EM-5217. 87−64096
Customer response to load management: a survey and analysis of utility studies, EPRI-EA-3934. 85−53273
Cyclic-duty turbine and boiler operating practice and guidelines, EPRI-CS-3800. 85−27304
Data acquisition-reduction system for chemical cleaning processes for nuclear steam generators, EPRI-NP-3302. 85−4787
Data collection and estimation for multiple-account and mixed-use facilities: a monograph from the COMSURV project, EPRI-EM-4884. 87−35585
Data on four PWR plant transients, EPRI-NP-3553. 85−4791
Database management for power system planning, EPRI-EL-5804. 88−75124
Database of generic chemical additives usage in cooling-water systems, EPRI-CS-5133. 87−57926
DC convertor station grounding. Development of a research-grade computer program for safety and performance analysis, EPRI-EL-4656. 87−15884
Decision framework for ambient air quality standards. Vol.II: user's guide, EPRI-EA-3193-CCM. 86−25435
Decision framework for technology choice: Decision-tree generator (DETGEN) program user's manual, EPRI-EA-3730-CCM. 85−15525
Decision theory approach to identifying bad data in state estimation for power systems, EPRI-EL-4325. 87−21876
Deep cleaning Pittsburgh seam coal for sulfur dioxide reduction. Coal Quality Development Center: campaign report no.11, EPRI-CS-5549. 88−75446
Degradation of beta″ alumina electrolytes, EPRI-EM-4151. 86−13022
Demand-side management for rural electric systems, EPRI-EM-4385. 86−50934
Demand-side management information directory, EPRI-EM-4326. 86−39056
Demand-side management. Vol.I-III, EPRI-EA/EM-3597. 85−26993
Demand-side planning program: projects and products, 1974-1986, EPRI-EM-5062-SR. 87−50730
Demand-side planning: Sierra Pacific Power Company case study, EPRI-EA-4314. 86−32705
Demonstration of a chromate treatment in a fossil fuel drum boiler, EPRI-CS-4064. 86−6578
Demonstration of a high-efficiency steam reformer for fuel cell power plant applications, EPRI-AP-5319. 88−11374
Demonstration of an alternative ASME steam turbine generator acceptance test, EPRI-CS-4410. 86−39582
Demonstration of B&W 100-MBtu/h burner for coal-water slurry, EPRI-CS-4809. 87−22145
Demonstration of the combustion engineering 100-MBtu/h burner for coal-water slurries, EPRI-CS-4987. 87−42679
Demonstration test of a 500-kW peak-shaving lead-acid battery energy storage system, EPRI-AP-4841. 87−22717
Design and analysis of district heating systems. Vol.I-IV, EPRI-EM-3867. 85−53541
Design and cost of standardized lead-acid battery systems for utility energy management, EPRI-EM-4200. 86−13023
Design and costs for a generic 10-MW utility lead-acid battery energy storage plant, EPRI-AP-5845. 88−75914

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Design and economic evaluation of higher-strength and corrosion-resistant generator retaining rings. Vol.II: metallurgical studies and ring fabrication, EPRI-EL-3169. 86−51573
Design and operation checklists for zero discharge power plant water systems, EPRI-CS-4045. 86−12658
Design, construction, and testing of a DC bioeffects enclosure for small animals, EPRI-EA-4189. 86−12384
Design goals for advanced heat pumps. Engineering economics methodology, EPRI-EM-5280. 87−72612
Design guidelines for pressure tunnels and shafts, EPRI-AP-5273. 87−72043
Design limits of oil-paper high-voltage direct-current cable, EPRI-EL-3973. 86−12447
Design manual for reducing airborne PCB contamination, EPRI-CS-4094. 86−12192
Design of alternative rates for public power systems: Issues and procedures, EPRI-EA-3609. 85−4565
Design of high-reliability gas turbine controls and accessories, EPRI-AP-5823. 88−75482
Design of load-control experiments for the Athens Automation and Control Experiment, EPRI-EM-4628. 87−4297
Designer's handbook for forced-cooled high-pressure oil-filled pipe-type cable systems, EPRI-EL-3624. 85−19
Detection of electric meter tampering, EPRI-EL-3951. 85−53369
Detection of failing power capacitors, EPRI-EL-4801. 87−22683
Detection of water induction in steam turbines. Phase 3: field demonstration, EPRI-CS-4285. 86−25922
Determination of autoignition and flame speed characteristics of coal gases having medium heating values, EPRI-AP-4291. 86−25887
Developing competitive power production strategies for existing power plants, EPRI-P-5046. 87−50726
Development of a computer program for fast estimation of voltages. Vol.I-II, EPRI-EL-4798. 87−21875
Development of a data base on biomass diesel-electric generation, EPRI-AP-3549. 85−4979
Development of a distribution transformer that is not subject to catastrophic failure, EPRI-EL-4426. 86−51699
Development of a fault current limiter using vacuum arc fault current commutation, EPRI-EL-4187. 86−25655
Development of a field method for measuring PCBs in oil, EPRI-EL-3754. 85−27482
Development of a main steam line plug for BWR application, EPRI-NP-3689. 85−15793
Development of a nonfragmenting distribution surge arrester, EPRI-EL-3502. 85−4692
Development of an SF$_6$ high-voltage DC cicuit breaker, EPRI-EL-4388. 87−15941
Development of beta batteries for utility application. Final report, EPRI-AP-5575. 88−75912
Development of beta batteries for utility application. Progress update, EPRI-AP-5576. 88−75913
Development of Beta Batteries for utility application. Report for July 1981-December 1982, EPRI-EM-3453. 85−5366
Development of cross-linked polyethylene insulated cable for cryogenic operation, EPRI-EL-3907. 85−43618
Development of molded joints and terminals for 230-kV extruded cross-linked polyethylene (XLPE) insulated cable, EPRI-EL-3974. 85−53347
Development of molten carbonate fuel cell components, EPRI-AP-5789. 88−75923
Development of telemetry for high-speed rotor instrumentation and monitoring, EPRI-EL-4911. 87−72105
Development of the JetMole cable-replacement system. Vol.I: field test program, EPRI-EL-4467. 86−65745
Development of the zinc chloride battery for utility applications, EPRI-AP-5018. 87−51440
Development plan for advanced fossil fuel power plants, EPRI-CS-4029. 85−65146
Devon station repowering study. Vol.1-2, EPRI-AP-5701. 88−75480
Dewatering to stabilize fly ash disposal ponds, EPRI-CS-3863. 85−60034
Diagnostic training for nuclear plant personnel. Vol.I: courseware development, EPRI-NP-3829. 85−43719
Diagnostic validation of Gaussian and first-order closure plume models at a moderately complex terrain site, EPRI-EA-3760. 86−12659
Digest of research in the electric utility industry. Vols.II-IV, EPRI-TI-3911-SR. 85−32095
Digest of research in the electric utility industry. Vol.III-V, EPRI-TI-4408-SR. 86−44834
Direct analysis of transient stability for large power systems, EPRI-EL-4980. 87−42382
Directions for future commercial survey research: a COMSURV monograph, EPRI-EM-4989. 87−35586
Display design for dispatch control centers in electric utilities: final report, EPRI-EL-4959. 87−64094
Display design for dispatch control centers in electric utilities: handbook, EPRI-EL-4960. 87−71559
Disposal of radioactive decontamination solution wastes, EPRI-NP-3655. 85−9631
Dissimilar-weld failure analysis and development. Comparative behavior of similar and dissimilar welds, EPRI-CS-4666. 87−15536
Dissimilar-weld failure analysis and development program. Vol.I, II, IV, & V, EPRI-CS-4252. 86−33159
Dissimilar-weld failure analysis and development program. Vol.III: accelerated discriminatory tests, EPRI-CS-4252. 87−23799
Dissimilar-weld failure analysis and development. Vol.7: Prediction of Damage in Service (PODIS) code - background document, EPRI-CS-4252. 88−75448
Distributed fiber-optics hot spot sensor, EPRI-EL-5568. 88−74621
Distribution transformers not subject to destructive failure. Phase 3: design improvements and preliminary market analyses, EPRI-EL-5442. 88−37280
Dominant contributors to seismic risk: an appraisal, EPRI-NP-4168. 86−6496
Downwell pump reliability: geothermal experience update, EPRI-AP-5600. 88−75494
Dry SO$_2$ particulate removal for coal-fired boilers. Vol.II: 22-MW demonstration using nahcolite, trona, and soda ash, EPRI-CS-2894. 85−4950
DSM residential customer acceptance. Vol.1-2, EPRI-EM-5766. 88−75123
DSM technology alternatives, EPRI-EM-5457. 88−17081
DTAC data transfer and conversion codes. Vol.I & II, EPRI-EL-4294. 86−32687

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Dynamic operating benefits of energy storage, EPRI-AP-4875. 87−30430
Dynamic response of pressurized Z-bend piping systems tested beyond elastic limits and with support failures, EPRI-NP-3746. 85−32326
Dynamic security assessment for power systems: research plan, EPRI-EL-4958. 88−5291
Dynamic simulation models for selective sulfur removal in coal gasification systems, EPRI-AP-4106. 86−12193
DYNASTORE - a computer model for quantifying dynamic energy storage benefits, EPRI-AP-5550. 88−36803
Early market potential for utility applications of wind turbines, EPRI-AP-4077. 86−12761
Economic analysis of specific customer-side-of-the-meter applications for battery energy storage. Vol.I-II, EPRI-EM-3535. 85−5365
Economic evaluation of dry-injection flue gas desulfurization technology, EPRI-CS-4373. 86−44822
Economic evaluation of FGD systems. Vol.V: the NOXSO and SOXAL sodium-based processes and four additional calcium-based processes, EPRI-CS-3342. 87−29959
Economic evaluation of microfine coal-water slurry, EPRI-CS-4975. 87−35713
Economic evaluation of plant-upgrading investments. Vol.I & II, EPRI-EA-3890. 85−43671
Economic feasibility of energy storage for rural and municipal utilities, EPRI-EM-4234. 86−19527
Economic study of a rural underground transmission system: a site-specific case study, EPRI-EL-5257. 88−17107
Economics of fabric filters and electrostatic precipitators-1984, EPRI-CS-4083. 86−12697
Economics of phased gasification-combined-cycle plants: utility results, EPRI-AP-5466-SR. 88−30565
Economics of phased gasification-combined-cycle plants: generic system results, EPRI-AP-5467. 88−75486
Economics of PPP-insulated pipe-type cable, EPRI-EL-5279. 88−23489
Eddy-current characterization of temper embrittlement in a NiCrMoV steel, EPRI-RD-3720. 85−10870
Eddy-current nondestructive testing of turbine generators, EPRI-CS-4387. 86−45353
EDS coal liquefaction process development - Phase 5. Vol.I: laboratory research and development and pilot plant operations, EPRI-AP-3922. 85−53384
EDS coal liquefaction process development - Phase 5. Vol.II: engineering research and development and hybrid boiler program, EPRI-AP-3922. 85−53385
Effect of feedwater oxygen control at the Vermont Yankee BWR, EPRI-NP-4169. 86−6546
Effect of power plant NO$_x$ emissions on ozone levels, EPRI-EA-5333. 88−23597
Effect of space charge on surface insulation of high-voltage direct-current bushings, EPRI-EL-5230. 88−23546
Effects of coal quality on power plant performance and costs. Vol.I-IV, EPRI-CS-4283. 86−51472
Effects of cycling on environmental controls at fossil-fired power plants, EPRI-CS-5055. 87−57898
Effects of dynamic strain on crack tip chemistry. Vol.II: tests using an internally creviced tensile specimen, EPRI-RD-4649. 87−15537
Effects of high-voltage transmission lines on honeybees, EPRI-EA-3898. 85−59773
Effects of impurity segregation, alloy composition, and microstructure on the stress corrosion cracking and temper embrittlement of rotor steels, EPRI-NP-4440M. 86−45209
Effects of reduced voltage on the operation and efficiency of electric systems. Vol.I: Field tests and computer code development, EPRI-EL-3591. 85−4629
Effects of reduced voltage on the operation and efficiency of electric systems. Vol.III: field tests in a northern utility service area, EPRI-EL-3591. 86−12294
Effects of reduced voltage on the operation and efficiency of electrical systems. Vol.II: user's manual for DSAS, EPRI-EL-3591-CCMP. 86−12292
Effects of selected water treatments and cathodic protection on corrosion and embrittlement of condenser tubes, EPRI-CS-5589. 88−75465
Effects of SO$_2$ scrubber chemistry on corrosion, EPRI-CS-4847. 87−29958
Effects of SO^2 scrubber environments on alloy corrosion, EPRI-CS-4697. 87−15082
Effects of sulfide, sand, temperature, and cathodic protection on corrosion of condensers, EPRI-CS-4562. 86−56638
Effects of trace elements in flue gas desulfurization environments on the corrosion of alloys - A literature review, EPRI-CS-4374. 86−38975
Electric infrared process heating: state-of-the-art assessment, EPRI-EM-4571. 87−58462
Electric utility conservation programs: Assessment of implementation experience. Vol.I-II, EPRI-EA-3585. 85−4570
Electric utility market research symposium, EPRI-EA-4338. 86−32707
Electric utility solar energy activities: 1983 survey, EPRI-AP-3665-SR. 85−9807
Electric water heating for single-family residences: group load research and analysis, EPRI-EA-4006. 85−60577
Electrical behavior of wind power stations, EPRI-AP-5220. 87−72072
Electrical systems catalog, EPRI-EL-3600-SR. 85−38391
Electricity and industrial productivity; a technical and economic perspective, EPRI-EM-3640. 85−53993
Electrification problems resulting from liquid dielectric flow, EPRI-EL-4501. 86−56820
Electrochemistry and corrosion of alloys in high-temperature water, EPRI-NP-4705. 87−9306
Electroforming of metals: state-of-the-art assessment, EPRI-EM-4568. 87−16212
Electrohydrodynamic pumping in distribution transformers, EPRI-EL-5383. 88−37279
Electromagnetic transients program (EMTP) application guide, EPRI-EL-4650. 87−35542
Electromagnetic transients program (EMTP) primer, EPRI-EL-4202. 86−18737
Electromagnetic transients program (EMTP) version 1.0, revised rule book. Vol.I & II, EPRI-EL-4541. 86−56303
Electromagnetic transients program (EMTP) workbook, EPRI-EL-4651. 87−21907
Electromagnetic transients program source code documentation, EPRI-EL-4652P. 87−35543

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Electron beam processing of metals: state-of-the-art assessment, EPRI-EM-4526. 86—61824
Electroslag processing: state-of-the-art assessment, EPRI-EM-4992. 88—18241
Electrostatic precipitator guidelines. Vol.I-III, EPRI-CS-5198. 87—71403
Electrotechnologies for waste and water treatment, EPRI-EM-5418. 88—24299
Electrotechnologies: potential for improving manufacturing productivity, EPRI-EM-5259. 88—11536
Electrotechnology reference guide, EPRI-EM-4527. 86—57050
ELXSIR cross-section library for LWR pressure vessel irradiation studies: Part of the LEPRICON computer code system, EPRI-NP-3654. 85—9680
Emergency operating procedures tracking system, EPRI-NP-5250M. 87—78390
Emergency ratings of cable terminations, EPRI-EL-4293. 86—45005
Emission-controlled fault current limiters, EPRI-EL-3962. 85—59823
Emissions and performance predictions of coal liquids in wall-fired utility boilers, EPRI-AP-4412. 86—45208
EMPS-2.1 computer program for residential building energy analysis. User's manual, EPRI-EM-3919. 85—53936
Endochronic constitutive model for soils, EPRI-NP-3826. 85—38656
Energy consumption in the transportation services sector, EPRI-EM-4636. 87—5041
Energy management pilot program for industry, EPRI-EM-4549. 86—61820
Energy management systems for commercial buildings, EPRI-EM-4195. 86—52050
Energy-oriented input-output model, EPRI-EA-3625. 85—5402
Energy-use patterns and indicators. Vol.I-II, EPRI-EM-5126. 87—64095
Engineering assessment of condenser deaeration retrofits for cycling fossil plants, EPRI-CS-5601. 88—75464
Engineering evaluation of the nonintegrated two-stage liquefaction process concept, EPRI-AP-4047. 86—12694
Enhancing fossil power plant design, operation, and maintenance: Human factor guidelines. Vol.I-III, EPRI-CS-3745. 85—15846
Environmental effects on intergranular stress corrosion cracking (IGSCC) od sensitized stainless steel in high-temperature solutions, EPRI-NP-5364M. 88—17326
Environmental radiation doses from difficult-to-measure nuclides, EPRI-NP-3840. 85—32298
Environmental settings and solid-residues disposal in the electric utility industry, EPRI-EA-3681. 85—4578
EPRI and TVA testing and evaluation of electric work vehicles, EPRI-EM-4702. 87—22857
EPRI DATATRAN data bank catalog, EPRI-NP-4357. 86—39495
EPRI mobile geothermal laboratory, EPRI-AP-4655. 86—61411
EPRI Nondestructive Evaluation Center: 1986 annual report, EPRI-NP-5419. 88—12127
EPRI operations and maintenance source book. Strategic program element 24, EPRI-NP-4986-SR. 87—50951
EPRI projects on power plant steam-cycle water chemistry, EPRI-NP-4241. 86—19017
EPRI research and development projects, EPRI-TI-3537-SR. 85—4529
EPRI roles in fuel cell commercialization, EPRI-AP-5137. 87—58309
EPRI simplified program for residential energy (ESPRE). Vol.I: review of energy analysis methods and model development, EPRI-EM-4523. 86—56392
EPRI water supply computerized information directory, EPRI-EA-4871. 87—35712
EPRI wind turbine test activities, 1983-1984, EPRI-AP-4288. 86—19192
Equipment for removing seized closure studs from reactor pressure vessels, EPRI-NP-3950. 85—59964
Erosion/corrosion in nuclear plant steam piping: causes and inspection program guidelines, EPRI-NP-3944. 85—53502
Erosion resistant coatings for steam turbines, EPRI-CS-5415. 88—11097
Estimating air conditioner loads using available billing and weather data: an exploratory analysis, EPRI-EA-4309. 86—26431
Estimating response to time-of-use rates: implications of the homothetic separability assumption, EPRI-EA-4205. 86—12357
Estimating the cost of uncertainty in air quality modeling, EPRI-EA-4707. 87—15531
Estimation of design wind speeds from short-term records, EPRI-EL-3972. 85—59772
Evaluating the effects of time and risk on investment choices: a comparison of finance theory and decision analysis, EPRI-P-5028. 87—43860
Evaluation of a 2.5-MW spray dryer/fabric filter SO_2 removal system, EPRI-CS-3953. 85—59512
Evaluation of a moisture removal device for turbine steam piping, EPRI-NP-3927. 85—53501
Evaluation of a novel dual-fuel heat pump, EPRI-EM-4479. 86—52063
Evaluation of a once-through heat recovery steam generator concept, EPRI-AP-5772. 88—75487
Evaluation of alternative steam generator designs for atmospheric fluidized-bed combustion plants, EPRI-CS-5296. 87—78515
Evaluation of an acoustic resonance temperature sensor for transformers, EPRI-EL-5353. 88—11273
Evaluation of coal-derived liquids as boiler fuels. Vol.I-V, EPRI-AP-3985. 86—25684
Evaluation of coal liquids as utility combustion turbine fuels, EPRI-AP-3670. 85—27323
Evaluation of coated and clad heat exchangers for syngas coolers. Vol.I & II, EPRI-AP-4406. 86—51183
Evaluation of computer-aided foundation design techniques for fossil fuel power plants, EPRI-CS-3725. 85—27281
Evaluation of dual energy use systems (DEUS): distillation applications. Vol.I-III, EPRI-EM-3868. 85—53999
Evaluation of EPRI options for the development and commercialization of modular small hydroelectric power plants, EPRI-EA/EM-3820. 85—53597
Evaluation of flue gas desulfurization materials in the mixing zone: R. D. Morrow Sr. generating station, EPRI-CS-5476. 88—23758
Evaluation of improvements in the installation of rural underground transmission lines, EPRI-EL-5255. 88—17184
Evaluation of low-cobalt alloys for hardfacing applications in nuclear components, EPRI-NP-3446. 85—4793
Evaluation of Millstone-2 steam generator chemical decontamination, EPRI-NP-3795. 85—32296
Evaluation of near-term electric vehicle battery systems through in-vehicle testing, EPRI-EM-4701. 87—36226

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Evaluation of near-term electric vehicle battery systems through in-vehicle testing. Second annual report, EPRI-EM-5553. 88—55694
Evaluation of primary system decontamination at the Monticello Nuclear Generating Plant, EPRI-NP-3831. 85—53500
Evaluation of protective coatings for hot components of combustion turbines, EPRI-AP-4194. 86—19130
Evaluation of published studies analyzing the association of carcinogenesis with exposure to magnetic fields, EPRI-EA-3904. 85—53101
Evaluation of software development tools. Vol.1-3, EPRI-EL-5889. 88—75113
Evaluation of stratified chilled-water storage techniques. Vol.I & II, EPRI-EM-4352. 86—40313
Evaluation of the British Gas Corporation/Lurgi slagging gasifier in gasification-combined-cycle power generation, EPRI-AP-3980. 85—53578
Evaluation of the effects of electric fields on implanted cardiac pacemakers, EPRI-EA-3917. 85—38223
Evaluation of the PM burner: a low-NO_x pulverized-coal-firing system for tangentially fired utility boilers, EPRI-CS-5034. 87—51044
Evaluation of the prototype of the Westinghouse PHOCUS boresonic system, EPRI-NP-4167. 86—6545
Evaluation of the toxicity characteristic leaching procedure (TCLP) on utility wastes, EPRI-CS-5355. 88—6218
Evaluation of ultrahigh-speed relay algorithms, EPRI-EL-3996. 85—64948
Examination of models of issue development: environmental scanning using on-line databases, EPRI-P-5061. 87—50577
Experimental analysis of drilled shaft foundations subjected to repeated axial loads under drained conditions, EPRI-EL-5325. 88—10894
Experimental control analysis of a fuel gas saturator, EPRI-AP-3799. 85—43871
Experimental testing of a catalytically treated coal in a moving-bed gasifier, EPRI-AP-4506. 86—51187
Expert system for on-line machinery diagnostics, EPRI-NP-3652. 85—15787
Explosion-resistant SF_6-foam-insulated bushings, EPRI-EL-4421. 86—51075
Explosive fabrication of multilayer damper shield, EPRI-EL-4909. 87—35904
EXPOCALC code, version 1.10: a tool for estimating human exposure from transmission line electric fields. User's manual and documentation, EPRI-EA-4489-CCMP. 86—56206
Extended transient-midterm stability package: a user's manual for the stability, output analysis, and transient equivalent grouping programs, EPRI-EL-2001-CCM. 87—50688
Extended transient-midterm stability package: final report, EPRI-EL-4610. 87—50686
Extended transient-midterm stability package: support programs technical guide, EPRI-EL-2003-CCM. 87—50690
Extended transient-midterm stability package: technical guide for the stability program, EPRI-EL-2000-CCM. 87—50687
Extended transient-midterm stability package: test case manual, EPRI-EL-2004-CCM. 87—50691
Extended transient-midterm stability package: user's manual for the power flow program, EPRI-EL-2002-CCM. 87—50689
Extending applications of the transient energy function method, EPRI-EL-5215. 88—10822
External quality assurance for the Plume Model Validation and Development Project - moderately complex terrain site, EPRI-EA-3761. 85—53546
Extra-high voltage transmission lines: mechanisms of biological effects on honeybees, EPRI-EA-4218. 86—18850
Fabric filters for the electric utility industry. Vol.1-2, EPRI-CS-5161. 88—75246
Failures related to surveillance testing of standby equipment. Vol.II: diesel generators, EPRI-NP-4264. 86—19018
Failures related to surveillance testing of standby equipment. Vol.I: emergency pumps, EPRI-NP-4264. 86—25830
Fan foundation systems-analysis and design guidelines, EPRI-CS-4746. 87—15406
Fatigue-life assessment methods and application to the Model WTS-4 wind turbine, EPRI-AP-4319. 86—25966
Fault current limiters: laboratory investigations, EPRI-EL-4186. 86—25656
Fault location techniques for high-voltage DC lines, EPRI-EL-4331. 86—39111
Feasibility and design of the massive aerometric tracer experiment (MATEX). Vol.I & II, EPRI-EA-4305. 86—25434
Feasibility of gasifying Exxon Donor Solvent residues in the TVA ammonia-from-coal facility, EPRI-AP-3897. 85—53383
Feasibility of gate-turnoff thyristors in a high-voltage direct-current transmission system, EPRI-EL-5332. 88—5784
Feasibility study: Load data pool, EPRI-EA-3683. 85—4579
Feasibility study of in situ corrosive salt deposition analysis, EPRI-NP-3772. 85—38747
FEATURE: finite-element analysis tool for utility rotordynamic evaluation. Vol.I & II, EPRI-CS-3999. 85—60142
FGD maintenance guidelines. Vol.I-II, EPRI-CS-4699. 87—15533
Field air-exclusion system for measuring the effects of air pollutants on crops, EPRI-EA-4203. 86—12195
Field demonstrations of communication systems for distribution automation - Phase 2, EPRI-EL-3727. 85—26991
Field determination of PCB in transformer oil. Vol.I & II, EPRI-EL-3766. 85—27481
Field evaluation of 69-kV outdoor Polysil insulators, EPRI-EL-3961. 85—53346
Field evaluation of a utility spray dryer system, EPRI-CS-3954. 85—59513
Field evaluation of arsenic and selenium removal by iron coprecipitation, EPRI-CS-5187. 87—63985
Field evaluation of cold air distribution systems, EPRI-EM-5447. 88—24281
Field evaluation of instruments for the measurement of unsaturated hydraulic properties of fly ash, EPRI-EA-5011. 87—63920
Field evaluation of the S-cubed model PCBA-102 PCB analyzer, EPRI-CS-4846. 87—29960
Field-hardened instruments and electrical components for nuclear plant applications - Project planning. Vol.I-II, EPRI-NP-3649. 85—15786
Field investigation of FGD system chemistry, EPRI-CS-3796. 85—38860
Field performance of residential thermal storage systems, EPRI-EM-4041. 85—65630
Field test of electric vehicle battery chargers. Customer and ultility acceptance, EPRI-EM-5456. 88—17737
Field tests of fabric filters on full-scale coal-fired utility boilers. Vol.I: Martin Drake Unit 6, Ray D. Nixon Unit 1, Cherokee Unit 3, Cameo Unit 2, and Arapahoe Unit 3, EPRI-CS-3848. 86—25924
Filtration improvement study at Three Mile Island Unit 2, EPRI-NP-5367. 88—30527

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Financial and strategic planning benefits of fuel cell power plants. Vol.I & II, EPRI-EM-4511. 86−56942
Finite element simulation and automated defect detection for thyristors, EPRI-EL-5302. 88−11426
Fireside corrosion and fly ash erosion in boilers, EPRI-CS-5071. 87−51047
Fireside corrosion of superheater alloys for advanced-cycle steam plants, EPRI-CS-5195. 87−71990
Flash crystallization for the control of scaling in geothermal brine, EPRI-AP-5153. 87−72016
Flexible gas-insulated cable design for 500-kV transmission, EPRI-EL-3819. 85−38515
Flexible manufacturing systems in metal removal, EPRI-EM-4184. 86−13222
Floating pressure set-point controls for energy savings and peak-demand reductions in industrial and commercial compressor systems, EPRI-EM-4126. 86−13188
Fluid dynamic design guidelines for utility fabric filter systems, EPRI-CS-3811. 85−27303
FMC limestone double-alkali flue gas desulfurization process: pilot plant testing, EPRI-CS-5288. 87−78514
Forced convective cooling of a distribution transformer with an electrohydrodynamic dielectric pump, EPRI-EL-4108. 86−12880
FORECAST MASTER program case studies, EPRI-EM-5114. 87−64107
FORECAST MASTER user's manual. Version 2.1, EPRI-EM-5309-CCM. 88−75122
Forecasting electricity sales over the short term: a comparison of new methodologies, EPRI-EM-4772. 87−21895
Forecasting in an era of marketing, conservation, and competition. Proceedings of the Sixth EPRI Load-Forecasting Symposium, EPRI-EM-5142. 87−71617
Forecasting in an era of technological change: proceedings of fifth forecasting symposium, EPRI-EA-4031. 85−64868
Foreign uranium supplies for the United States, EPRI-EA-4180. 86−18958
Forest health and ozone, EPRI-EA-5135-SR. 87−57417
Formulation of slurries for slurry-fed coal gasifiers, EPRI-AP-5203. 87−71782
Fossil-fired boiler tube inspection. Vol.I: nondestructive testing guidelines, EPRI-CS-4633. 87−15535
Fossil fuel power plant constructibility research: Needs and priorities, EPRI-CS-3690. 85−15891
Fossil unit performance: 1965-1984, EPRI-CS-5627. 88−75444
Fracture mechanics evaluation of feedwater line failure at Surry-2, EPRI-NP-5462. 88−30504
Fuel integrity consequences of a misaligned control rod incident, EPRI-NP-5172M. 87−64323
Fuel performance evaluation in 16 x 16 assemblies at Arkansas Nuclear One, Unit 2, EPRI-NP-4250M. 86−45115
Fuel processor development for 11-MW fuel cell power plants, EPRI-EM-4123. 86−13026
Fuel processor development for multimegawatt fuel cell power plants, EPRI-AP-5349. 88−11375
Fuels- and combustion-related problems of oil- and gas-fired utility boilers: An EPRI workshop, EPRI-AP-3753. 85−27279
Full-scale plant safety and availability assessment - A demonstration of GO system analysis methodology. Vol.I & II, EPRI-NP-4128. 86−6495
Functional specifications for AI software tools for electric power applications, EPRI-NP-4141. 86−12627
Fusing research on personnel grounding cables, EPRI-EL-5258. 87−78193
Gamma-ray spectrometer system for high-radiation fields, EPRI-NP-3804. 85−31768
Gas-cleaning technology for high-temperature, high-pressure gas streams, EPRI-CS-3812. 85−53563
Gas-cleaning technology for high-temperature, high-pressure gas streams - 1984 annual report, EPRI-CS-4859. 87−30396
Gas-insulated substation reliabilty: present status and future trends, EPRI-EL-4422. 86−51831
Gas-insulated substations: reliability research program. Vol.1-2, EPRI-EL-5551. 88−75877
Gas turbine microprocessor control system: reliability test and analysis, EPRI-AP-3875. 86−12708
Gas turbine-outage data gathering and analysis, EPRI-AP-3520. 85−4976
Gas turbine performance versus time in service, EPRI-AP-4062. 85−65152
Gas turbine procurement and combined-cycle repowering: 1986 workshop, EPRI-AP-5190. 87−72010
Gasification-combined-cycle plant: part-load performance, EPRI-AP-4653. 87−15528
Generic guidelines for the life extension of fossil fuel power plants, EPRI-CS-4778. 87−35797
Generic seismic ruggedness of power plant equipment, EPRI-NP-5223. 87−78324
Good bolting practices: a reference manual for nuclear power plant maintenance personnel. Vol.I: large bolt manual, EPRI-NP-5067. 88−5483
Goodnoe Hills MOD-2 cluster test program. Vol.I-III, EPRI-AP-4060. 85−65181
Grain boundary composition and intergranular fracture of steels. Vol.I: detection of grain boundary segregation in steels, EPRI-RD-3859. 85−38830
Graphic display development methodology. Vol.I-II, EPRI-NP-4874. 87−35763
Groundwater manual for the electric utility industry. Vol.I-III, EPRI-CS-3901. 85−53149
Guide for hydraulic machinery model testing, EPRI-AP-5876. 88−75515
Guide to 12-Cr steels for high-and intermediate-pressure turbine rotors for the advanced coal-fired steam plant, EPRI-CS-5277. 87−78512
Guidebook for the use of synfuels in electric utility combustion systems. Vol.II: coal-derived gases, EPRI-AP-3348. 85−38827
Guidebook for the use of synfuels in electric utility combustion systems. Vol.3: liquid fuels derived from shale and tar sands, EPRI-AP-3348. 86−12663
Guideline manual on instrumentation and control for fossil plant cycle chemistry, EPRI-CS-5164. 87−64375
Guidelines for control of expendable products, EPRI-NP-4449. 86−51296
Guidelines for evaluating distribution automation, EPRI-EL-3728. 85−26992
Guidelines for evaluation of generator retaining rings, EPRI-EL/EM-5117-SR. 87−64542
Guidelines for fireside testing in coal-fired power plants, EPRI-CS-5552. 88−75445
Guidelines for maintaining steam turbine lubrication systems, EPRI-CS-4555. 87−15562
Guidelines for nuclear plant performance data acquisition. Vol.I & II, EPRI-NP-3915. 86−25732

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Guidelines for specifying integrated computer-aided engineering applications for electric power plants, EPRI-NP-5159M. 87−78326
Guidelines for testing wind turbines, EPRI-AP-4682. 87−15628
Guidelines for the evaluation of seam-welded steam pipes, EPRI-CS-4774. 87−51042
Guidelines: long-term layup of fossil plants, EPRI-CS-5112. 87−64407
Guidelines on macrofouling control technology, EPRI-CS-5271. 87−71992
Handbook for insulation coordination of high-voltage DC converter stations, EPRI-EL-5414. 88−24110
HARMFLO code: version 3.1 user's guide, EPRI-EL-4366-CCM. 86−39010
HARMFLO code: version 4.0 user's guide, EPRI-EL-4920-CCM. 87−35544
Harmonics and electrical noise in distribution systems. Vol.I: measurements and analyses, EPRI-EL/EM-4290. 86−25583
Heat exchanger requirements for potable water protection, EPRI-EM-4217. 86−40306
Heat pump experiments using crawl spaces as ground-to-air heat exchangers, EPRI-EM-4908. 87−36262
Heat pump life and compressor survival in a northern climate, EPRI-EM-4660. 87−16187
Heat pump manual, EPRI-EM-4110. 86−13184
Heat pump water heaters, EPRI-EM-3582. 85−5537
Heat pumps in distillation processes, EPRI-EM-3656. 85−5584
Heat pumps in evaporation processes, EPRI-EM-4693. 87−36269
Heat-rate improvement guidelines for existing fossil plants, EPRI-CS-4554. 86−65931
Heat recovery heat pumps in commercial buildings, EPRI-EM-5464. 88−24282
Heat-stress-management program for nuclear power plants, EPRI-NP-4453. 86−45112
Heating, ventilating, and air conditioning of commercial buildings: research workshop, EPRI-EM-5300. 88−11507
Heber binary-cycle geothermal demonstration power plant: summary of technical characteristics, EPRI-AP-4612-SR. 86−61410
Heber binary-cycle geothermal demonstration power plant: startup and low-power testing, EPRI-AP-5240-SR. 88−30599
Heber geothermal binary demonstration plant: design, construction, and early startup, EPRI-AP-5146. 88−17402
Hesperia photovoltaic power plant: 1985 performance assessment, EPRI-AP-5229. 88−5609
High-amplitude dynamic tests of prototypical nuclear piping systems, EPRI-NP-3916. 85−43723
High-concentration photovotaic module design, EPRI-AP-4752. 87−16007
High-efficiency axial compressor, EPRI-AP-4943. 87−42682
High-reliability combined-cycle program study, EPRI-AP-4191. 86−25936
High-reliability gas turbine combustor project, EPRI-AP-3885. 85−65150
High-voltage DC circuit breaker experiment, EPRI-EL-4138. 86−12990
High-voltage direct-current converter transformer magnetics, EPRI-EL-4340. 86−39911
Historical perspective on changes in U.S. energy-output ratios, EPRI-EA-3997. 86−12291
Histrorical price premiums for low-sulfur coal in the East, EPRI-P-5260. 87−71781
Hot-side electrostatic precipitator flue gas conditioning: fireside corrosion studies at Lansing Smith plant, EPRI-CS-4149. 86−12698
Hourly electric load model (HELM). Vol.I: design, development, and demonstration, EPRI-EA-3698. 85−38466
Hourly electric load model (HELM). Vol.II & III, EPRI-EA-3698-CCM. 85−15541
Human engineering design guidelines for maintainability, EPRI-NP-4350. 86−39390
Human factors guide for nuclear power plant control room development, EPRI-NP-3659. 85−4792
HVDC converter stations for voltages above 600 kV, EPRI-EL-3892. 85−44112
HVDC converter stations for voltages above 600 kV. R&D needs and priorities, EPRI-EL-4984. 87−35614
HVDC converter transformer insulation, EPRI-EL-4004. 85−60328
HVDC transmission line insulator performance, EPRI-EL-4618. 86−61173
Hybrid heat pump application study, EPRI-EM-4654. 87−16191
Hydrogen enrichment of synthesis gas for once-through methanol production, EPRI-AP-5123. 87−57732
Hydrogen water chemistry for BWRs, EPRI-NP-3959. 85−53504
Hydrogenated amorphous silicon films produced by chemical vapor deposition, EPRI-AP-5166. 87−58988
Hydronic heat pumps for residential and light-commercial applications. Vol.I-II, EPRI-EM-5113. 87−58467
Hydrothermal performance of vertically stratified cooling ponds, EPRI-CS-4320. 86−56614
Hypergeometric approximation to generating-system reliability evaluation: scoping study, EPRI-EL-4324. 86−50876
Identification and classification of technical specification problems, EPRI-NP-5475. 88−36950
Impact of colloidal chemistry on radioactivity transport in nuclear power plants, EPRI-NP-4032. 85−53507
Impact of computer-integrated manufacturing on electricity end use, EPRI-EM-4616. 86−61064
Impact of demand-side management on future customer electricity demand, EPRI-EM-4815-SR. 87−30131
Impact of makeup water system performance on PWR steam generator corrosion, EPRI-NP-4050. 85−59965
Impact of modularity on utility investment decisions: implications for turbocharged boiler technologies, EPRI-EA/CS-4158. 86−25919
Impact of rate structure on demand-side management programs. Vol.I-II, EPRI-EM-4791. 87−15211
Implementation guide for the EPRI commercial sector end-use energy demand forecasting model: COMMEND. Vol.I & II, EPRI-EA-4049. 85−64869
Implementation of a high-impedance fault detection algorithm, EPRI-EL-4022. 85−59676
Improved cellulosic insulation for distribution and power transformers, EPRI-EL-4935. 87−64675
Improved control rod drive handling equipment for BWRs, EPRI-NP-5370. 88−17328
Improved maintainability for advanced gas turbines, EPRI-AP-5822. 88−75481
Improved motors for utility applications. Vol.I: industry assessment study: update and analysis, EPRI-EL-4286. 86−25679
Improved motors for utility applications. Vol.II: bus transfer studies, EPRI-EL-4286. 87−22234

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Improved motors for utility applications. Vol.IV: impact of harmonics, EPRI-EL-4268. 87−22339
Improved motors for utility applications. Vol.V: motor-winding impulse capability, EPRI-EL-4286. 87−72104
Improved motors for utility applications. Vol.VI: squirrel-cage rotor analysis, EPRI-EL-4286. 87−35943
Improved motors for utility applications. Vol.VII: bearings and seals, EPRI-EL-4286. 87−22235
Improved reliability for analog instrument and control systems. Vol.I & II, EPRI-NP-4483. 86−56550
Improved two-dimensional pulverized coal gasification/combustion code (PCGC-2). Vol. I & II, EPRI-CS-3785. 85−27305
Improved ultrasonic inspection techniques for creviced safe ends, EPRI-NP-4796. 87−30344
Improvement in accuracy of prediction of electrical machine constants and generator models for subsynchronous resonance conditions. Vol.III: development and benefit assessment of finite-element-based saturation model, EPRI-EL-3359. 87−72128
Improving the quality of Lower Freeport Seam coal to reduce electricity costs. Coal Quality Development Center: campaign report No.9, EPRI-CS-5477. 88−55109
In-plant ash-handling reference manual, EPRI-CS-4880. 87−51051
Induction heating of metals: state-of-the-art assessment, EPRI-EM-4131. 86−13198
Induction melting of metals: state-of-the-art assessment, EPRI-EM-4508. 86−57056
Industrial and commercial cogeneration case studies, EPRI-EM-5083. 87−57900
Industrial end-use planning methodology (INDEPTH): demonstration of design. Vol.I-III, EPRI-EM-4988. 87−42408
Industrial end-use planning methodology (INDEPTH): recommended design, EPRI-EA-4019. 85−60580
Industrial interfuel substitution: model development and case study, EPRI-EM-5108. 87−71779
Influence of induction heating stress improvement treatment on ultrasonic reflectivity of IGSCC, EPRI-NP-3815. 85−32299
Innovative rate design survey, EPRI-EA-3830. 85−43565
Inorganic and organic constituents in fossil fuel combustion residues. Vol.1-2, EPRI-EA-5176. 88−10600
Input-output analysis of occupational health risks in electric power generation, EPRI-EA-4171. 86−12662
Inspection and performance evaluation of dams. A guide for managers, engineers, and operators, EPRI-AP-4714. 87−22013
Instream flow methodologies, EPRI-EA-4819. 87−22016
Instrument to measure stator slot wedge tightness, EPRI-EL-4444. 86−51572
Integrated environmental control. Vol.I: sample design strategy, EPRI-CS-4439. 88−11092
Integrated environmental control. Vol.II: application of design strategy, EPRI-CS-4439. 87−15540
Integrated lake-watershed acidification study. Vol.V: Database documentation, EPRI-EA-3221. 87−29955
Integrated power system analysis package: scoping study. Vol.1-2, EPRI-EL-4632. 88−36802
Integrated transmission line software: TLWorkstation functional specification, EPRI-EL-4468. 86−51045
Integrated two-stage coal liquefaction batch catalyst operations. The advanced coal liquefaction R&D facility, Wilsonville, Alabama, EPRI-AP-4609. 87−15419
Integrated two-stage coal liquefaction steady-state performance. The Advanced Coal Liquefaction R&D Facility, Wilsonville, Alabama, EPRI-AP-4030. 85−65028
Integrated two-stage liquefaction of subbituminous coal. The advanced coal liquefaction R&D facility, Wilsonville, Alabama, EPRI-AP-5221. 87−71784
Integrating dispersed storage and generation into power system control, EPRI-EL-4957. 87−57598
Integration of utility communication systems, EPRI-EL-5242. 88−10759
Intergranular corrosion of steam generator tubes - Field study, EPRI-NP-4457. 86−45113
Interim consensus guidelines on fossil plant cycle chemistry, EPRI-CS-4629. 86−65941
Intermediate-scale combustion studies of hydrogen-air-steam mixtures, EPRI-NP-2955. 85−4788
Investigation of low-rank-coal-liquid carbon dioxide slurries, EPRI-AP-4849. 87−30297
Investigation of precipitator pulse energization, EPRI-CS-4717. 87−22142
Investigation of specific combustion turbine and combined-cycle field problems. Compressor blade migration, EPRI-AP-5887. 88−75489
Iodine spiking, EPRI-NP-4595. 86−65889
Issues identification and management: developing a research agenda, EPRI-P-4488. 86−45980
Issues identification and management: the state of the art of methods and techniques, EPRI-P-4143. 86−7465
Joint technical workshop: amorphous silicon alloys for photovoltaic power, EPRI-AP-4821-SR. 87−22760
Key valves prioritization study, EPRI-NP-3611. 85−15748
Laboratory characterization of advanced SO_2 control by-products: spray dryer wastes, EPRI-CS-5782. 88−75250
Laboratory characterization of advanced SO_2 control by-products: furnace sorbent injection wastes, EPRI-CS-5783. 88−75251
Laboratory combustion study of EDS coal-derived liquids, EPRI-AP-3910. 85−53381
Laboratory evaluation of modifications to the RESOX process, EPRI-CS-3710. 85−27282
Laboratory evaluations of mechanical decontamination and descaling techniques, EPRI-NP-3508. 85−4790
Laboratory examinations of selected tubes from test facilities of the steam generator owners group, EPRI-NP-4625. 87−9308
Laboratory guidelines and procedures for coal analysis. Vol.1: assessing the cleanability of fine coal, EPRI-CS-5644. 88−75248
Laboratory protocol to demonstrate equivalency for plant wastewater cotreatment, EPRI-CS-5371. 88−10933
Laboratory study of corrosion of high-temperature alloys/coatings in simulated medium Btu gas atmospheres, EPRI-AP-4452. 86−46391
LaPorte liquid-phase methanol process development unit: continued operation in liquid-entrained catalyst mode, EPRI-AP-5050. 87−50917
Large-deviation approximation to computation of generating-system reliability and production costs, EPRI-EL-4567. 86−61061
Large-scale soil-structure interaction, EPRI-NP-5513-SR. 88−48663

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Large unbalanced vibration analysis of steam turbine generators, EPRI-CS-3716. 85−9755
Laser Doppler vibration testing, EPRI-CS-5031. 87−63575
Laser recrystallization of compound semiconductor films, EPRI-AP-3533. 85−40589
Legionnaires' disease bacteria in power plant cooling systems: downtime report, EPRI-EA-4300. 86−25322
Life assessment and improvement of turbogenerator rotors for fossil plants, EPRI-CS-4160. 86−51474
Life assessment methodology for turbogenerator rotors. Vol.1: Improvements to the SAFER code rotor lifetime prediction software, EPRI-CS/EL-5593. 88−75556
Life assessment methodology for turbogenerator rotors. Vol.2: SAFER code engineering tutorial, EPRI-CS/EL-5593. 88−75557
Life assessment methodology for turbogenerator rotors. Vol.3: SAFER code methodology tutorial for turbine rotor lifetime estimation, EPRI-CS/EL-5593. 88−75558
Life assessment methodology for turbogenerator rotors. Vol.4: SAFER code computer manuals, EPRI-CS/EL-5593-CCM. 88−75559
Life expectancy of motors in mild nuclear plant environments, EPRI-NP-3887. 85−43722
Lifetime of PWR silver-indium-cadmium control rods, EPRI-NP-4512. 86−45114
Light-fired thyristor development, EPRI-EL-5125. 87−64718
Light ion system analysis and design. Vol.I & II, EPRI-AP-3853. 85−53498
Lighting handbook for utilities, EPRI-EM-4423. 86−57028
Lightning flash characteristics, EPRI-EL-4729. 87−15377
Linear-waste compatibility studies for coal-fired power plants, EPRI-CS-5426. 88−11074
Linking market planning to corporate objectives: A utility case study, EPRI-EA-3736. 85−22178
Liquefaction coprocessing: a study of critical variables, EPRI-AP-5453. 88−17244
Liquid-entrained catalyst operations at LaPorte pilot plant for liquid-phase methanol process, 1984-1985, EPRI-AP-5049. 87−50919
Liquid-phase methanol (LPMeOH) process development unit (PDU) - 40-day run at Laporte, Texas (1984), EPRI-AP-4430. 86−45054
Literature review of pyrolysis and combustion products of selected utility materials, EPRI-EL-4939. 87−31269
Lithium/iron sulfide batteries. Development and demonstration, EPRI-EM-5183. 88−11371
Load data transferability, EPRI-EA-3255. 85−4568
Load-following experience in commercial PWRs, EPRI-NP-5303M. 88−48664
Load-leveling lead-acid battery systems for customer-side applications. Market potential and commercialization strategy, EPRI-AP/EM-5895. 88−75915
Load modeling for power flow and transient stability computer studies. Vol.I-IV, EPRI-EL-5003. 87−42383
Long-life cable development: cable materials survey, EPRI-EL-4398. 86−56437
Long-life cable development. Cable-processing survey, EPRI-EL-4201. 86−25604
Long-term inspection requirements for nuclear power plants, EPRI-NP-4242. 86−45072
Long-term system dynamics simulation methods, EPRI-EL-3894. 85−43566
Longevity of nuclear power systems, EPRI-NP-4208. 86−12628
Loose chip melting with plasma cupola technology: case studies, EPRI-EM-4692. 87−72626
Low-porosity rock cavern design concepts for compressed-air energy storage, EPRI-AP-5689. 88−75958
Low-power-loss bearings for electric utilities. Vol. I-III, EPRI-CS-4048. 86−12780
Low-rank coal-drying studies, EPRI-AP-4850. 87−30298
Low-rank coal-water slurries for gasification, EPRI-AP-4262. 86−25687
Low-rank coal-water slurries for gasification: phase 2 analytic studies, EPRI-AP-4905. 87−35715
Luminaire retrofit performance. Commercial building lighting systems, EPRI-EM-5094. 87−58448
LWR plant life extension, EPRI-NP-5002. 87−50950
Maintainability assessment methods and enhancement strategies for nuclear and fossil fuel power plants, EPRI-NP-3588. 85−113
Maintenance and handling of perchloroethylene-filled electrical equipment, EPRI-EL-4407. 86−45484
Maintenance of European nuclear power plants, EPRI-NP-5185-SR. 87−71893
Managing technology in mature industries, EPRI-P-4872. 87−23256
Manual for investigation and correction of boiler tube failures, EPRI-CS-3945. 85−49322
Manual for management of low-volume wastes from fossil-fuel-fired power plants, EPRI-CS-5281. 87−78513
Manual of recent techniques for LWR radiation-field control, EPRI-NP-4505-SR. 86−51230
Manual on the use of flue gas conditioning for ESP performance enhancement, EPRI-CS-4145. 86−12699
Manuals for the energy conservation and management computer model. Vol.I-II, EPRI-EM-4790-CCM. 87−31086
Market analysis methodology: a utility case study, EPRI-EA-3794. 85−53291
Market constraints for residential cool storage systems, EPRI-EM-4722. 87−16188
Market projections for utility energy storage technologies, EPRI-EM-4007. 85−60455
Market research on demand-side management programs. Preferences among commercial customers, EPRI-EM-5252. 87−71561
Marketing demand-side programs to improve load factor. Vol.I-III, EPRI-EA-4267. 86−25541
Mass transfer in the liquid-phase methanol synthesis (LPMeOH) process, EPRI-AP-5758. 88−75442
Material and cleaning options for cyclic reheat systems, EPRI-CS-4400. 86−51471
Materials and devices for power electronic applications, EPRI-AP/EM/EL-5470. 88−70520
Materials failure trends in LWRs, EPRI-NP-5438. 88−30503
Materials for large land-based gas turbines, EPRI-AP-4476. 86−51485
Meager Creek geothermal project, EPRI-AP-5118. 87−57935
Measurement and analysis of switching transients in gas-insulated transmission lines, EPRI-EL-5145. 87−64761
Measurement of air solubility in an unlined air-cushion rock cavern. Tests at a Norwegian hydroelectric plant, EPRI-AP-5805. 88−75514

Electr. Power Res. Inst., Palo Alto, CA, USA continued
- Measuring the impact of residential conservation. Vol.I: An econometric analysis of national data, EPRI-EA-3606. 85−4571
- Measuring the impact of residential conservation. Vol.II&III, EPRI-EA-3606. 85−15523
- Mechanism of fast growth of magnetite on carbon steel, EPRI-NP-4135. 86−6544
- Mechanisms for formation and disruption of surface oxides, EPRI-NP-5368. 88−17327
- Mechanisms of failure of coatings used in flue gas desulfurization systems, EPRI-CS-4546. 86−56639
- Metallurgical development and manufacture of large heavy structures for cryogenic applications, EPRI-EL-4912. 87−51158
- Method for evaluating regional water supply and conservation alternatives for power generation, EPRI-P-3647. 85−4731
- Methodology for predicting the corrosion of underground residential distribution cables using modeling techniques, EPRI-EL-4448. 86−51015
- Methodology for predicting torsional fatigue life of turbine generator shafts using crack initiation plus propagation, EPRI-EL-4333. 86−26005
- Methodology for the integration of HVDC links in large AC systems - Phase 2: Advanced concepts. Vol.I-IV, EPRI-EL-4365. 87−71636
- Methods for evaluating stream generator hideout return data: case study at North Anna, EPRI-NP-4940. 87−42616
- Methods for mitigating corrosion of copper concentric neutral wires in conduit, EPRI-EL-4981. 87−42452
- Micro-surface-analytical techniques for characterizing fly ash, EPRI-EA-4820. 87−42556
- Microbial corrosion in fossil-fired power plants. A study of microbiologically influenced corrosion and a practical guide for its treatment and prevention, EPRI-CS-5495. 88−30566
- Microchemistry of corroded intergranular surfaces, EPRI-NP-3847. 85−43724
- Microcomputer-based flow and mass balances for power plant water management. Vols. I & II, EPRI-CS-4482. 86−56642
- Microstructure and texture effects on titanium alloys, EPRI-CS-4727. 87−15563
- Microwave power in industry, EPRI-EM-3645. 85−5546
- Mixture of normals approximation of equivalent load duration curves, EPRI-EA/EL-4266. 86−25540
- MOD-2 wind turbine field experience in Solano County, California, EPRI-AP-4239. 86−19191
- Modeling of external power system networks for on-line security analysis, EPRI-EL-4496. 86−50877
- Modeling PWR steam separators during transients, EPRI-NP-5272. 88−11032
- Modeling sulfur capture by recycle fines in fluidized-bed combustion, EPRI-CS-4442. 86−51450
- Modeling the polluted coastal urban environment. Vol.I-II, EPRI-EA-5091. 87−57899
- Models of commercial sector equipment and fuel decisions for the COMMEND code: framework design and data development plan, EPRI-EM-5356. 88−10821
- Modular modeling system (MMS). Vol.4A: applications - 1983 code release workshop proceedings, EPRI-CS/NP-3016. 85−38829
- Modular modeling system (MMS). Vol.I, II, III, IIIA, IVB and V, EPRI-CS/NP-3016. 87−71943
- Molten carbonate fuel cell system verification and scale-up, EPRI-EM-4129. 86−13025
- Monitoring of central and room heat pumps, EPRI-EM-4674. 87−16181
- Monitoring of residential groundwater - Source heat pumps in the northeast, EPRI-EM-4372. 86−40308
- Moving toward integrated resource planning: understanding the theory and practice of least-cost planning and demand-side management, EPRI-EM-5065. 87−50731
- Multiple factoring in the parallel solution of algebraic equations, EPRI-EL-3893. 85−53292
- Multiple perspectives: bridging the gap between analysis and action, EPRI-EA-4669. 87−15210
- Multisystem corrosion monitoring in a cyclic reheat test facility: phase 1, EPRI-CS-5776. 88−75447
- Multisystem corrosion monitoring in FGD systems, phase 2, EPRI-CS-5734. 88−75441
- Multitechnique corrosion monitoring in flue gas desulfurization systems: phase 1, EPRI-CS-5605. 88−75440
- Mutual solubilities and vapor pressures for binary and ternary aqueous systems, EPRI-AP-5119. 87−57730
- Natural versus artificial aging of nuclear power plant components, EPRI-NP-4997. 87−35768
- NERC summary load forecasts: a retrospective appraisal and technical analysis, EPRI-EA-4355. 86−39084
- New emergency lubricating-oil system for steam turbine generators, EPRI-CS-5104. 87−57925
- New PROMOD III combined-cycle module, EPRI-AP-5204. 87−72011
- Nine Mile Point Unit 1 recirculation piping recontamination, EPRI-NP-4182. 86−6547
- Ninth EPRI member utility survey results, EPRI-P-5160-SR. 87−77949
- NO_x reduction for small gas turbine power plants, EPRI-AP-5347. 88−5572
- Non-coal-derived heavy solvents in direct coal liquefaction, EPRI-AP-4345. 86−25685
- Nondestructive evaluation of grain boundary segregation, EPRI-EM-5154. 87−65608
- Nondestructive evaluation of wood utility poles. Vol.I: current status, EPRI-EL-5063. 87−57681
- Nondestructive evaluation program: progress in 1984, EPRI-NP-3821. 85−59907
- Nondestructive evaluation techniques for bolting in nuclear power plants, EPRI-NP-4090. 85−65111
- Nondestructive examination of steam turbine blades: An assessment, EPRI-CS-3675. 85−27302
- Nondestructive inspection systems for boiler tubes, EPRI-CS-4742. 87−15539
- Nonintegrated two-stage coal liquefaction. The Wilsonville Advanced Coal Liquefaction R&D Facility, Wilsonville, Alabama, EPRI-AP-3580. 85−4733
- Nonlinear dynamic analysis of pipe whip tests, EPRI-NP-4535. 86−61236
- Nonmetallic heat exchangers: A survey of current and potential designs for dry-cooling systems, EPRI-CS-3454. 85−4903
- Nonradioactive tracer for steam turbine thermal performance tests, EPRI-CS-5486. 88−75468

Electr. Power Res. Inst., Palo Alto, CA, USA continued
- Nonresidential load forecasting for small utilities. Reference guide, EPRI-EM-5095. 87−57599
- Nuclear assay of coal. Vol.13: Seminar proceedings - Principles and applications of continuous coal analysis, EPRI-CS-989. 85−4724
- Nuclear assay of coal. Vol.IX & X, EPRI-CS-989. 85−14726
- Nuclear electromagnetic pulse and the electric power grid: a different perspective, EPRI-EL-4351-SR. 88−20935
- Nuclear plant feedwater heater handbook. Vol.I-III, EPRI-NP-4057. 85−59908
- Nuclear plant piping citeria and construction costs, EPRI-NP-4843M. 87−35767
- Nuclear unit operating experience: 1983-1984 update, EPRI-NP-4368. 86−39392
- Nuclear unit operating experience: 1985-1986 update, EPRI-NP-5544. 88−62094
- Numerical analysis of two-phase flow in networks, EPRI-NP-3657. 85−9630
- NUPLEX project briefs, EPRI-NP-5388M. 88−30500
- Ocean energy technologies: the state of the art, EPRI-AP-4921. 87−35716
- Off-peak power use in hybrid solar homes, EPRI-EM-4000. 85−60567
- On-line corrosion monitoring in cathodically protected systems, EPRI-CS-5695. 88−75249
- On-line eddy-current crack monitor, EPRI-CS-5694. 88−70402
- On-line incipient fault detector, EPRI-EL-4002. 86−19358
- On-line monitoring of secondary-cycle chemistry with morpholine at the Beaver Valley Power Station, EPRI-NP-5266. 87−78392
- On-site storage of low-level radwaste: A survey, EPRI-NP-3617. 85−4789
- Once-through methanol project support study, EPRI-AP-5508. 88−37073
- Operation of hydrogen water chemistry for 18-month cycle at Dresden-2, EPRI-NP-4470M. 86−45116
- Operation of the Wilsonville advanced coal liquefaction R&D facility, 1981, EPRI-AP-3579. 85−4732
- Operational procedures to evaluate decisions with multiple objectives, EPRI-EA-5433. 88−10758
- Operations guide for the use of combustion additives in utility boilers, EPRI-CS-5527. 88−55189
- Optical power line voltage and current measurement systems. Vol.1-2, EPRI-EL-5431. 88−5412
- Optical temperature sensors for transformers, EPRI-EL-4376. 86−39913
- Optimal power flow: research and code development, EPRI-EL-4894. 87−50692
- Optimization of induction motor efficiency. Vol.I: three-phase induction motors, EPRI-EL-4152-CCM. 86−12826
- Optimization of induction motor efficiency. Vol.II: single-phase induction motors, EPRI-EL-4152. 87−72149
- Optimization of induction motor efficiency: Vol.III: experimental comparison of three-phase standard motors with Wanlass Motors, EPRI-EL-4152. 86−39788
- Optimization of reactive volt-ampere (VAR) sources in system planning. Vol.I: Solution techniques, computing methods, and results, EPRI-EL-3729. 85−27007
- Organic coatings in simulated flue gas desulfurization environments, EPRI-CS-5449. 88−17367
- OVER/UNDER capacity planning model. Version III: user's guide, EPRI-P-5233-CCM. 87−78052
- Oxygen plants for coal gasification: experience at the cool water GCC power plant, EPRI-AP-5432. 88−11108
- Paleoecological investigation of recent lake acidification. methods and project description, EPRI-EA-4906. 87−35503
- Paraffinic versus naphthenic oils for power circuit breaker applications, EPRI-EL-1303. 86−40016
- Parametric analysis of a 6500-Btu/kWh heat rate dispersed generator, EPRI-EM-4179. 86−13027
- Part-failure rate data book outline for gas turbine and combined-cycle plants, EPRI-AP-4025. 85−65151
- Partial combustion of electrical insulation fluids, EPRI-EL-5262. 88−5753
- Particulate emmission and operating characterization of an electrostatically enhanced fabric filter pilot plant, EPRI-CS-5196. 88−11072
- PCB disposal manual, EPRI-CS-4098. 86−12879
- Performance of a capacitive cooling system for dry cooling, EPRI-CS-4322. 86−56641
- Performance of a steam condenser for dry cooling, EPRI-CS-4016. 85−60008
- Performance of air-source heat pumps, EPRI-EM-4226. 86−33863
- Performance of commercial cool storage systems. Vol.I & II, EPRI-EM-4044. 85−60573
- Performance of electronic ballasts and other new lighting equipment, EPRI-EM-4510. 86−57027
- Performance of industrial facilities in the Mexican earthquake of September 19, 1985, EPRI-NP-4605. 86−65891
- Performance of mechanical systems for condenser cleaning, EPRI-CS-5032. 87−51050
- Performance of the Vanguard solar dish-Stirling engine module, EPRI-AP-4608. 87−15602
- Periodic vibration monitoring: utility experience, EPRI-CS-5517. 88−74645
- Personal computer software for lighting design and analysis, EPRI-EM-5463. 88−24262
- Petroleum coke outlook, EPRI-AP-3620. 85−4725
- PFBC turbocharged boiler design and economic study. Vol.1, EPRI-CS-5487. 88−30586
- PG&E photovoltaic module performance assessment, EPRI-AP-4464. 86−51915
- Phase equilibria in coal conversion processes, EPRI-AP-4836. 87−30296
- Photovoltaic field test performance assessment: 1986, EPRI-AP-5762. 88−75523
- Photovoltaic field test performance assessment. Technology status report No.III, EPRI-AP-3792. 85−27662
- Photovoltaic field test performance assessment. Technology status report No.IV, EPRI-AP-4466. 86−51530
- Photovoltaic manufacturing cost analysis: a required-price approach. Vol.I-II, EPRI-AP-4369. 87−22759
- Physiochemical measurements of soils at solid-waste disposal sites, EPRI-EA-4417. 86−38947
- PICEP: pipe crack evaluation program (Revision 1), EPRI-NP-3596-SR. 88−36999
- Pilot plant evaluation of Illinois no.6 and Pittsburgh no.8 coal for the Texaco coal gasification process, EPRI-AP-5029. 87−51017
- Pitting corrosion of alloy 600 steam generator tubing: results of a laboratory scoping study, EPRI-NP-3905. 85−43726
- Planning data book for gasification - Combined-cycle plants: phased capacity additions, EPRI-AP-4395. 86−39549

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Plant expert system (PLEXSYS): prototype description. Version 1.0, EPRI-NP-5554. 88−55138
Plant layup and equipment preservation sourcebook, EPRI-NP-5106. 87−64285
Plasma processing in the U.S. chemical industry, EPRI-EM-4336. 86−33884
Plating, finishing, and coating: state-of-the-art assessment, EPRI-EM-4569. 87−10517
Plume model validation and development field measurements -Moderately complex terrain site, EPRI-EA-3756. 85−59509
Polychlorinated dibenzofurans (PCDF) and polychlorinated dibenzo-p-dioxins (PCDD) in utility transformers and capacitors. Vol.1-3, EPRI-EL/EA-4858. 88−37281
Polysil structures, EPRI-EL-4181. 86−12481
Portable gas chromatograph for polychlorinated biphenyl (PCB) analysis, EPRI-CS-4175. 86−12194
Posttest analysis of beta (Na/S) cells from Chloride Silent Power, Limited, EPRI-EM-4341. 86−33610
Potential uses for the slag from the Cool Water demonstration plant, EPRI-AP-5048. 87−51016
Potential utility impact of critical fluid separation processes, EPRI-EM-3938. 86−13232
Power-angle instrument for large synchronous machines, EPRI-EL-3667. 85−4707
Power flow calculations utilizing array processors, EPRI-EL-4642. 87−15241
Power plant electrical reference series. Vol.1-15, EPRI-EL-5036. 88−11580
Power plant performance monitoring and improvement. Vol.I-III, EPRI-CS/EL-4415. 86−51469
Power system planning and operations: voltage-volt-ampere-reactive (VAR) projects. Seminar proceedings, EPRI-EL-4863. 87−30132
Power transformer with two-phase cooling, EPRI-EL-4003. 85−60260
Practical feasibility of advanced steam systems for combined-cycle power plants, EPRI-AP-5815. 88−75488
Practical methods to integrate load management into normal operations of power system control centers. Vol.I-II, EPRI-EL-4927. 87−35588
Precipitator performance estimation procedure, EPRI-CS-5040. 87−51046
Predicting transmission outages for system reliability evaluations. Vol.II: restoration modeling and improved weather model, EPRI-EL-3880. 87−30156
Predicting transmission outages for system reliability evaluations. Vol.I: methodology and validation, EPRI-EL-3880. 85−59720
Prediction of emissions and performance of coal liquids in tangential- and wall-fired boilers, EPRI-AP-4491. 86−51473
Pressurized fluidized-bed turbocharged-boiler repowering study, EPRI-CS-3524. 85−38861
Prevention, detection, and control of coal pulverizer fires and explosions, EPRI-CS-5069. 87−51020
Price elasticity variation: an engineering-economic approach, EPRI-EM-5038. 87−50685
Priority service: unbundling the quality attributes of electric power, EPRI-EA-4851. 87−35584
PRISM: a conservation scorekeeping method applied to electrically heated houses, EPRI-EM-4358. 86−40307
Probabilistic analysis of turbine missile risks. Vol.I-III, EPRI-NP-4334-CCMP. 86−32959
Procedures and equipment for shortening refueling outages in Babcock & Wilcox PWRs, EPRI-NP-3947. 85−53503
Proceedings: 1983 fossil plant cycling workshop, EPRI-CS-3979. 85−53547
Proceedings: 1983 fossil plant heat rate improvement workshop, EPRI-CS-4014. 85−60007
Proceedings: 1983 PCB Seminar, EPRI-EL-3581. 85−5159
Proceedings: 1984 ASME-EPRI radwaste workshop, EPRI-NP-3680. 85−9629
Proceedings: 1984 power plant performance monitoring workshop, EPRI-CS-4545-SR. 86−56521
Proceedings: 1985 EPRI cogeneration symposium, EPRI-EM-4432. 86−50935
Proceedings: 1985 EPRI PCB seminar, EPRI-CS/EA/EL-4480. 86−50759
Proceedings: 1985 fossil plant cycling workshop, EPRI-CS-4723. 87−22141
Proceedings: 1985 fuel supply seminar, EPRI-EA-4857. 87−22017
Proceedings: 1985 heat-rate improvement workshop, EPRI-CS-4736. 87−22143
Proceedings: 1985 symposium on stationary combustion NO_x control. Vol. I & II, EPRI-CS-4360. 86−44818
Proceedings: 1986 electric utility market research symposium, EPRI-EM-5175. 87−71494
Proceedings: 1986 EPRI cogeneration symposium, EPRI-EM-5285. 87−71944
Proceedings: 1986 fuel supply seminar, EPRI-P-5417. 88−10959
Proceedings: 1986 Joint Symposium on Dry SO_2 and Simultaneous SO_2/NO_x Control Technologies. Vol.I-II, EPRI-CS-4966. 87−35505
Proceedings: 1986 power plant performance monitoring and system dispatch conference, EPRI-CS/EL-5251-SR. 87−78229
Proceedings: 1986 seminar on atmospheric fluidized-bed combustion technology for utility applications, EPRI-CS-5186. 87−78509
Proceedings: 1987 EPRI PCB seminar, EPRI-EA/EL-5612. 88−75703
Proceedings: buildings and their energy systems - Technologies and planning strategies, EPRI-EA/EM-4197. 86−26327
Proceedings: Commercial refrigeration research workshop, EPRI-EM-3699. 85−16454
Proceedings: condenser biofouling control R&D workshop, EPRI-CS-4399. 86−45207
Proceedings: condenser biofouling control - State-of-the-art symposium, EPRI-CS-4339. 86−25927
Proceedings: conference on coal gasification systems and synthetic fuels for power generation. Vol.I & II, EPRI-AP-4257-SR. 86−39274
Proceedings: conference on life prediction for high-temperature gas turbine materials, EPRI-AP-4477. 86−56651
Proceedings: DOE/EPRI Beta (sodium-sulfur) battery workshop V, EPRI-EM-3631-SR. 85−32694
Proceedings: Eighth Annual Geothermal Conference and Workshop, EPRI-AP-3686. 85−4730
Proceedings: eleventh annual EPRI contractors' conference on clean liquid and solid fuels, EPRI-AP-5043-SR. 87−57731
Proceedings: EPRI/TVA workshop on the use of biomass for the generation of electric power, EPRI-AP-3678. 85−4530
Proceedings: fifth annual EPRI contractors' conference on coal gasification, EPRI-AP-4680. 87−15207
Proceedings: fifth symposium on the transfer and utilization of particulate control technology. Vol.I-IV, EPRI-CS-4404. 86−50757

Electr. Power Res. Inst., Palo Alto, CA, USA continued
Proceedings: fish protection at steam and hydroelectric power plants, EPRI-CS/EA/AP-5663-SR. 88−75470
Proceedings: food service equipment research workshop, EPRI-EM-4517. 86−56963
Proceedings: Forecasting the impact of industrial structural change in U.S. electricity demand, EPRI-EA-3816. 85−27008
Proceedings: fossil plant inspections conference, EPRI-CS-5320. 88−11069
Proceedings: fossil plant life extension conference and workshop, EPRI-CS-4207. 86−19086
Proceedings: Fourth Annual EPRI Contractors' Conference on Coal Gasification, EPRI-AP-4177. 86−18925
Proceedings: geotechnology workshop on compressed-air energy storage in porous media sites, EPRI-AP-5301. 88−11406
Proceedings: heat exchanger workshop, EPRI-EM-5256-SR. 87−78508
Proceedings: Illumination roundtable III - Lighting research and education for the eighties, EPRI-EM-3627. 85−5480
Proceedings: indoor air quality seminar - Implications for electric utility conservation programs, EPRI-EA/EM-3824. 85−43513
Proceedings: international load management conference, EPRI-EM-4643. 87−15204
Proceedings: international workshop on electricity use in the service sector, EPRI-P-4401-SR. 86−44926
Proceedings: lighting and utilities - Planning for the future, EPRI-EM-3866. 85−44305
Proceedings: meeting customer needs with heat pumps, EPRI-EM-5168. 87−72611
Proceedings: municipal solid waste as a utility fuel, EPRI-CS-4900-SR. 87−30300
Proceedings: ninth symposium on flue gas desulfurization. Vol.I & II, EPRI-CS-4390. 86−44821
Proceedings: pressurized fluidized-bed combustion power plants, EPRI-CS-4028. 85−65145
Proceedings: reducing electricity generation costs by improving coal quality, EPRI-CS-5713. 88−75450
Proceedings: regional conferences/workshops on small compressed-air energy storage (mini-CAES) plants - A new option, EPRI-EM-4445. 86−51542
Proceedings: risk assessment in aquatic ecology, EPRI-EA-4438. 86−50758
Proceedings: second EPRI incipient-failure detection conference, EPRI-CS-4748. 87−22144
Proceedings: Second seminar on countermeasures for pipe cracking in BWRs. Vol.I-III, EPRI-NP-3684. 85−21386
Proceedings: seminar on dissimilar welds in fossil-fired boilers, EPRI-CS-3623. 86−12701
Proceedings: Seminar on heat pump research and applications, EPRI-EM-3797. 85−27812
Proceedings: sixth annual EPRI contractors' conference on coal gasification, EPRI-AP-5343-SR. 88−23768
Proceedings: Sixth Symposium on the Transfer and Utilization of Particulate Control Technology. Vol.I-III, EPRI-CS-4918. 87−35507
Proceedings: steam turbine blade reliability seminar and workshop, EPRI-CS-4001. 86−12700
Proceedings: Tenth Annual EPRI Contractors' Conference on Clean Liquid and Solid Fuels, EPRI-AP-4253. 86−19725
Proceedings: Tenth Annual Geothermal Conference and Workshop, EPRI-AP-5059-SR. 87−51067
Proceedings: tenth symposium on flue gas desulfurization. Vol.I-II, EPRI-CS-5167. 87−63984
Proceedings: Third annual EPRI contractors' conference on coal gasification, EPRI-AP-3586. 85−4728
Proceedings: third national conference on utility demand-side management programs. DSM strategies in transition, EPRI-EM-5452. 88−23366
Proceedings: turbine bearings and rotor dynamics workshop, EPRI-CS-4024. 86−12657
Proceedings: utility-wind turbine industry interaction workshop, EPRI-AP-4348. 86−45314
Proceedings: Workshop on Instream Flow Research Needs, EPRI-EA-5007. 87−42706
Proceedings: Workshop on prospects and requirements for geographics expansion of wind power usage, EPRI-AP-4794. 87−35859
Proceedings: workshop on sampling and analysis of utility pollutants, EPRI-CS-3921. 85−53198
Proceedings: workshop on substitute insulation for polychlorinated biphenyls, EPRI-EL-5143-SR. 87−67639
Process screening study of alternative gas treating and sulfur removal systems for IGCC power plant applications, EPRI-AP-5505. 88−37072
Processing of coal with microorganisms, EPRI-AP-4472. 86−51186
Procurement and operation considerations for moisture separator reheaters, EPRI-NP-3692. 85−15888
Production costing: combined-cycle and gasification-combined-cycle plants. Software logic guide, EPRI-AP-5448. 88−37071
Products of two-stage liquefaction as combustion turbine fuels, EPRI-AP-4761. 87−22011
Project risk analysis: a case study of plant life extension, EPRI-P-5087. 87−51837
Projections of cost of development of U.S. natural gas potential, EPRI-P-5284. 87−71786
Prototypical steam generator transient testing program: Test plan/scaling analysis, EPRI-NP-3494. 85−9632
Pulse-jet fabric filters for coal-fired utility and industrial boilers, EPRI-CS-5386. 88−11073
Pulverized coal in dense flow, EPRI-AP-5214. 87−71783
PWR pilot plant life extension study at Surry Unit 1: phase 1, EPRI-NP-5289P. 88−5486
PWR transient test documentation at San Onofre Nuclear Generating Station Unit 2, EPRI-NP-4278M. 86−39494
Pyrolysis of coal for production of low-sulfur fuel, EPRI-AP-5005. 87−42555
Qualification of active mechanical equipment for nuclear plants, EPRI-NP-3877. 85−43725
Radar, electro-optical, and visual methods of studing bird flight near transmission lines, EPRI-EA-4120. 86−6387
Radiation curing: state-of-the-art assessment, EPRI-EM-4570. 87−334
Radiation heat transfer in coal gasification systems. A research planning study, EPRI-AP-4213. 86−25884
Radio-frequency dielectric heating in industry, EPRI-EM-4949. 87−58463
Radio interference from HVDC converter stations, EPRI-EL-3712. 85−27514
Radio interference from HVDC converter stations. Modeling and characterization, EPRI-EL-4956. 87−35613
Radiological effects of hydrogen water chemistry, EPRI-NP-4011. 85−59962

Electr. Power Res. Inst., Palo Alto, CA, USA continued
  Reactive power management device assessment, EPRI-AP-5210. 88—5242
  Reactor analysis support package (RASP). Vol.I: introduction and overview, EPRI-NP-4498. 86—56551
  Recommended practices for operating and maintaining steam surface condensers, EPRI-CS-5235. 87—78510
  Recovering clean coal from anthracite culm. Coal Quality Development Center campaign report No.8, EPRI-CS-5423. 88—37046
  Recuperative heat exchangers in compressed-air energy storage plants, EPRI-EM-3843. 85—32366
  REEPS code: user's guide, EPRI-EM-4882-CCM. 87—50727
  Reference guide to small cogeneration systems for utilities, EPRI-EM-4371. 86—45170
  Reflux condensation in a closed tube, EPRI-NP-3732. 85—15797
  Regenerable cement sorbent for recycle fluidized-bed combustion systems, EPRI-CS-3968. 85—53544
  Regional air quality model assessment and evaluation, EPRI-EA-3671. 85—4577
  Reliability analysis of a fault-tolerant gas turbine control system, EPRI-AP-5425. 88—11105
  Reliability assessment of particulate control systems, EPRI-CS-3636. 85—2491
  Reliability, availability, and maintainability assessment of a zinc chloride battery system, EPRI-AP-4948. 87—36108
  Reliability, availability, and maintainability audit of the Cool Water Plant Units 3 and 4, Southern California Edison Company, EPRI-AP-4039. 86—12656
  Reliability-based design of transmission line structures user's manual: HFRAME-84 analysis and design of multipole structures, EPRI-EL-4097. 86—18863
  Reliability-based design of transmission line structures: final report. Vol.I-II, EPRI-EL-4793. 87—57680
  Reliability calculations for interdependent plant outrages, EPRI-EL-3669. 85—27278
  Reliability evaluation for large-scale bulk transmission systems. Vol.1-2, EPRI-EL-5291. 88—75057
  Reliability models of interconnected systems that incorporate operating considerations. Vol.I-II, EPRI-EL-4603. 87—9117
  Reliability of silicon carbide in combustion environments, EPRI-EM-5274. 87—65582
  Reliabilty improvements in combined-cycle systems through an advanced steam generation concept, EPRI-AP-3598. 85—9695
  Remaining life assessment of superheater and reheater tubes, EPRI-CS-5564. 88—75247
  Remaining-life estimation of boiler pressure parts-crack growth studies, EPRI-CS-4688. 87—9361
  Remaining-life estimation of boiler pressure parts. Vol.2: miniature specimen creep testing, EPRI-CS-5588. 88—75437
  Remote and in situ detection of atmospheric trace gases - Infrared spectroscopy for ammonia, EPRI-EA-4370. 86—38961
  Remote sensing to detect ecological impacts associated with acid deposition, EPRI-EA-4607. 86—65575
  Remote tester for surge arresters, EPRI-EL-4953. 87—35697
  Repowering options study, EPRI-AP-5611. 88—75485
  Repowering reheat units with gas turbines, EPRI-AP-5216. 87—71991
  Requirements and design specifications of a BWR digital feedwater control system, EPRI-NP-5502. 88—48662
  Research to support development of the liquid-phase methanol synthesis process, EPRI-AP-4429. 86—51184
  Reserves and potential supply of low-sulfur Appalachian coal, EPRI-EA-4710. 87—22015
  Residential, commercial, and agricultural technology alternatives for rural electric systems, EPRI-EM-5567. 88—75056
  Residential end-use load-shape estimation. Vol.I: methodology and results of statistical disaggregation from whole-house metered loads, EPRI-EM-4525. 86—56391
  Residential heating, ventilating, and air conditioning research workshop, EPRI-EM-5398. 88—11508
  Residential load control and metering equipment: costs and capabilities, EPRI-EM-5392. 88—17080
  Residential load forecasting for small utilities. Vol.I: reference guide, EPRI-EA-3805. 85—38467
  Residential load forecasting for small utilities. Vol.II: case studies with four rural cooperatives, EPRI-EA-3805. 86—39083
  Residential load management technology review, EPRI-EM-3861. 85—38452
  Residential response to time-of-use rates. Vol.I and 3, EPRI-EA-3560. 85—4566
  Residential response to time-of-use rates. Vol.II, EPRI-EA-3560-CCM. 85—4567
  Residential response to time-of-use rates. Vol.IV: assessing RETOU's out-of-sample performance, EPRI-EM-3560. 87—57564
  Residual and applied stress analysis of an alloy 600 row 1 U-bend, EPRI-NP-5282. 88—5485
  Resistance heating of metals: state-of-the-art assessment, EPRI-EM-4130. 86—13197
  Resistance heating of nonmetals: state-of-the-art assessment, EPRI-EM-4915. 87—36284
  RETRAN-02 benchmarking of the nuclear steam supply system transient tests at Arkansas Nuclear One Unit 2, EPRI-NP-4263. 86—25829
  Retrofit FGD cost-estimating guidelines, EPRI-CS-3696. 85—15524
  Retrofit FGD cost estimating guidelines: computer user's manual, EPRI-CS-5408-CCM. 88—11094
  Review of commercial floor space forecasting methods, EPRI-EM-5041. 87—50729
  Review of energy-efficient technologies in the residential sector. Vol.I & II, EPRI-EM-4436. 86—52049
  Review of load tests on deep foundations subjected to repeated loading, EPRI-EL-5375. 88—10895
  Review of selected topics from PRA studies: system dependencies, human interactions, and containment event trees, EPRI-NP-3838. 85—53506
  Review of the state-level advanced utility simulation model, EPRI-EA-5499. 88—54943
  Revision and expansion of the data base in the LEPRICON dosimetry methodology, EPRI-NP-3841. 85—32327
  Rheology of coal-water slurries at elevated temperatures for gasification, EPRI-AP-5394. 88—10958
  Risk assessment of toxic emissions: alternative models and practices, EPRI-EA-5359. 88—11071
  Risk assessment of toxic pollutants from fossil fuel power plants, EPRI-EA-5358. 88—5558

Electr. Power Res. Inst., Palo Alto, CA, USA continued
  Risk-based evaluation of technical specification problems at the La Salle County Nuclear Station, EPRI-NP-5238. 87—78327
  Risk-based evaluation of technical specifications, EPRI-NP-4317. 86—39389
  Robinson 2 reactor vessel: Pressurized thermal shock analysis for a small-break LOCA, EPRI-NP-3573-SR. 85—4855
  Robot applications for nuclear power plant maintenance, EPRI-NP-3941. 85—48714
  Robotic task planning: domain modeling and geometric reasoning, EPRI-NP-5525. 88—36951
  Rock cavern linings for compressed-air energy storage, EPRI-EM-4584. 86—61760
  Roles of electricity: a brief history of electricity and the geographic distribution of manufacturing, EPRI-EM-5298-SR. 87—79254
  Roles of electricity: a brief history of the beginnings of electroprocessing from the 1880s to the 1930s, EPRI-EM-5297-SR. 87—79253
  Roller-compacted concrete for dams, EPRI-AP-4715. 87—22012
  Rotationally sampled wind and MOD-2 wind turbine response, EPRI-AP-4335. 86—25967
  Rotor-mounted monitoring system for hydroelectric generators, EPRI-EL-4876. 87—30424
  Round-robin evaluation of regulatory extraction methods for solid wastes, EPRI-EA-4740. 87—35506
  Ruggedized optical temperature sensor for transformers, EPRI-EL-4377. 86—39912
  Sample design for load research: current practice and methods, EPRI-EA-3994. 85—53293
  Sample designs for load research: the bootstrap comparison procedure, EPRI-EA-4232. 86—18764
  Sampling and analytic protocol for advanced SO_2 control by-products, EPRI-CS-5625. 88—75443
  Sampling design for aquatic ecological monitoring. Vol. I-V, EPRI-EA-4302. 86—38974
  Sampling guidelines for groundwater quality, EPRI-EA-4952. 88—10515
  Sampling methodologies for the commercial sector, EPRI-EA-3688. 85—9444
  Scoping study of intelligent databases. Potential applications of artificial intelligence techniques in a demand-side management database, EPRI-EM-4896. 87—35587
  Screening evaluation of advanced power cycles, EPRI-AP-4826. 87—30383
  Sealed lead-acid electric vehicle battery. Research and development, EPRI-EM-5471. 88—37693
  Sealing of nuclear plant electrical equipment, EPRI-NP-5000. 87—42595
  Seismic hazard methodology for the Central and Eastern United States. Vol.V-X, EPRI-NP-4726. 87—15463
  Seismic verification of nuclear power plant equipment anchorage. Vol.I-II, EPRI-NP-5228. 87—78325
  Selected papers on demand-side management, EPRI-EA-4088. 86—12293
  Selected papers on priority service methods, EPRI-P-5350. 88—10757
  Selective catalytic reduction for coal-fired power plants: Feasibility and economics, EPRI-CS-3603. 85—21473
  Selective catalytic reduction for coal-fired power plants -Pilot plant results, EPRI-CS-4386. 86—56640
  Selective oxidation of pyrites in coal, EPRI-AP-4873. 87—30299
  Seminar proceedings: prevention of condenser failures - The State of the Art, EPRI-CS-4329-SR. 86—39581
  Series connection of gate-turnoff thyristors, EPRI-EL-5331. 88—5783
  Setting objectives for demand-side management. Topic report 1, EPRI-EA-4220. 86—12358
  Shield losses in medium-voltage cables, EPRI-EL-5478. 88—55012
  Short-run load forecasting: proceedings of the fourth EPRI forecasting symposium, EPRI-EA-4080. 86—6298
  Signal processing for underclad cracks, EPRI-NP-3558. 85—2849
  Significance of eccentric mountings and elastomer resistance in main coolant pump face seals, EPRI-NP-3714. 85—15796
  Simulator-analyzer for binary-cycle geothermal power plants. Vol.I: executive summary, EPRI-AP-5134. 87—64451
  Simulator-analyzer for binary-cycle geothermal power plants. Vol.II: final report, EPRI-AP-5134. 88—5577
  Simulator-analyzer for binary-cycle geothermal power plants: user's guide, EPRI-AP-5253-CCML. 88—5578
  Simulator qualification plan, EPRI-NP-4977. 87—42594
  Simulator qualification plan. Vol.1-2, EPRI-NP-5504. 88—48665
  Single-phase, multiphase, and multiple-circuit lightning flashovers of transmission lines. Vol.I, EPRI-EL-3608. 85—4682
  Single-phase, multiphase, and multiple-circuit lightning flashovers of transmission lines. Vol.II, EPRI-EL-3608-CCM. 85—4683
  Site 1 field testing for cooling-water treatment, EPRI-CS-4040. 86—12695
  Site evaluation of failure data sheets for flue gas desulfurization components, EPRI-CS-3952. 85—53543
  Slag monitoring for utility boilers, EPRI-CS-5692. 88—75466
  Slagging and fouling consequences of furnace limestone injection, EPRI-CS-5020. 87—51049
  Slagging and fouling in pulverized-coal-fired utility boilers. Vol.1-2, EPRI-CS-5523. 88—55188
  Small-hydropower development: the process, pitfalls, and experience. Vol. IV: guide for developers, EPRI-EM-4036. 87—15587
  Small-hydropower development: the process, pitfalls, and experience. Vol.3: summary and analysis of technology development projects, EPRI-EM-4036. 88—11134
  Small-hydropower development: the process, pitfalls, and experience. Vol.I & II, EPRI-EM-4036. 85—53598
  SO_2 and NO_x retrofit control technologies handbook, EPRI-CS-4277. 86—25452
  Software development and maintenance guidelines. Vol.I-III, EPRI-EL-3089. 85—4573
  Soil resistivity tests using modeling techniques, EPRI-EL-3983. 85—59815
  Solano County MOD-2 wind turbine field experience, EPRI-AP-3896. 85—38943
  Solano MOD-2 wind turbine: operating experience, September 1984-August 1985, EPRI-AP-4638. 87—15625
  Solar hot water manual for electric utilities. Domestic hot water systems, EPRI-EM-4965. 87—36248
  Solid-particle erosion of utility steam turbines: 1985 workshop, EPRI-CS-4683. 87—15564
  Spare parts program practices for flue gas desulfurization systems, EPRI-CS-5152. 87—64373
  Speciation of selenium and arsenic in natural waters and sediments. Vol.I-II, EPRI-EA-4641. 87—15081
  Specification guidelines for flue gas desulfurization rubber, EPRI-CS-5528. 88—37047

Electr. Power Res. Inst., Palo Alto, CA, USA continued

Specification of test equipment for power electronic drive research, EPRI-AP-5219. 87−72073
Spectral flame analyzer for burner control in fossil fuel boilers, EPRI-CS-4844. 87−30384
Speech recognition and synthesis for electric utility dispatch control centers, EPRI-EL-4481. 86−50878
SPEEDM solid-particle erosion economic decision methodology, EPRI-CS-5239-CCML. 88−11095
Stability and compatibility of residual fuel oils, EPRI-AP-5506. 88−36920
State-of-the-art maintenance and repair technology for fossil boilers and related auxiliaries, EPRI-CS-4840. 87−57897
State-of-the-art review: pyrolysis and combustion of PCB substitutes, EPRI-EL-4503. 86−51701
State-of-the-art study of nonconvective solar ponds for power generation, EPRI-AP-3842. 85−38937
State-of-the-art survey of diesel bottoming cycles, EPRI-AP-4420. 86−51489
Statistical analysis of geothermal wells in the United States, EPRI-AP-5310. 88−10957
Status of commercial wind power: 1986 survey, EPRI-AP-5084. 87−57988
Status of nuclear class 1 component requalification, EPRI-NP-4889. 87−35766
Status reports on selected environmental issues. Vol.II: forest decline - environmental causes, EPRI-5097-SR. 87−57416
Status reports on selected environmental issues. Vol.I: liming of acidified waters, EPRI-EA-5097-SR. 87−57415
STEALTH - A Lagrange explicit finite-difference code for solid, structural, and thermohydraulic analysis. Vol.VIIIA & VIIIB, EPRI-NP-2080-CCM. 85−15794
Steam turbine blade reliability seminar and workshop, 1986, EPRI-CS-5085. 87−57924
Strategic planning and marketing for demand-side management: selected seminar papers, EPRI-EA-4308. 86−25543
Strategies for coping with drought: part II - planning techniques and reliability assessment, EPRI-P-5201. 87−78051
Strategies for fossil plant life extension, EPRI-CS-4781. 87−57901
Strategy for fossil plant life extension at Boston Edison Company's Mystic Unit 6. Vol.I: Summary of methodology, EPRI-CS-4779. 87−57927
Strategy for fossil plant life extension at Niagara Mohawk's Huntley-67, EPRI-CS-4780. 88−75439
Stress corrosion characterization of turbine rotor materials. Phase 2, EPRI-NP-4622. 86−65892
Stress corrosion cracking and corrosion fatigue of steam turbine materials, EPRI-NP-4074M. 85−60037
Stress corrosion cracking in steam turbine disks: analysis of field and laboratory data, EPRI-NP-4056. 85−60036
Stress corrosion cracking in steam turbine disks: Survey of data collection, reduction, and modeling activities, EPRI-NP-3691. 85−9754
Structural composite cores for overhead power transmission conductors, EPRI-EM-5110. 87−64187
Structural development studies at the EPRI transmission line mechanical research facility. Interim Report I, EPRI-EL-4756. 87−15322
Structural development studies at the EPRI transmission line mechanical research center: interim report 2, EPRI-EL-5488. 88−36874
Structure and reactivity of a Wyodak subbituminous coal, EPRI-AP-4441. 86−51182
Studies on water-steam Rankine-cycle solar central receiver power plants, EPRI-AP-3982. 85−53613
Study of a component evaluation unit for remote maintenance of transmission lines, EPRI-EL-4188. 86−12471
Study of coal-fired power plants in Japan, EPRI-CS-4092. 86−12661
Study of common-cause failures. Phase 2: a comprehensive classification system for component fault failures, EPRI-NP-3837. 85−59909
Study of effect of load management on generating-system reliability, EPRI-EA-3575. 85−4569
Study of utility boilers for a coal-water-slurry demonstration test, EPRI-CS-4473. 86−51475
Study on snubber elimination using energy absorbers, EPRI-NP-5096. 87−57842
Study to determine the cost-effectiveness of using steam-injected gas turbines with coal gasification equipment, EPRI-AP-4507. 86−56652
Summary report: rotary separator-turbine, EPRI-AP-4718. 87−22154
Sumner County solid-waste energy recovery facility. Vol.I: feasibility studies, design, and construction, EPRI-CS-4164. 86−19121
Sumner County solid-waste energy recovery facility. Vol.II: performance and environmental evaluation, EPRI-CS-4164. 86−25920
Surge light-triggered thyristor for breaker application, EPRI-EL-3860. 85−44134
Surry source term and consequence analysis, EPRI-NP-4096. 85−65062
Survey of alternative gas turbine engine and cycle design, EPRI-AP-4450. 86−51484
Survey of commercial sector demand-side management activities, EPRI-EM-4142. 86−12295
Survey of heat pump service life, EPRI-EM-4163. 86−13187
Survey of steam turbine blade failures, EPRI-CS-3891. 85−53564
Survey of the literature on low-alloy steel fastener corrosion in PWR power plants, EPRI-NP-3784. 85−32300
Survey of utility industrial demand-side management programs, EPRI-EM-4800. 87−21877
Survey of utility lighting programs, EPRI-EM-5093. 87−51630
Survey of vessel fluence reduction techniques, EPRI-NP-3664. 85−9678
Synchronous machine operation with cutout coils, EPRI-EL-4983. 87−42843
System expansion analysis: a comparison of conventional coal and British Gas Corporation/Lurgi gasification-combined-cycle power plants, EPRI-AP-4673. 87−15529
System planner's guide for evaluating phosphoric acid fuel cell power plants, EPRI-EM-3512. 85−5371
Systems interaction identification procedures. Vol.I-V, EPRI-NP-3834. 85−65063
TAG technical assessment guide. Vol.2 & 4, EPRI-P-4463-SR. 88−10760
Techniques and models to estimate the health benefits of controlling toxic substances emitted from coal-fired power plants, EPRI-EA-4490. 86−56205
Technoeconomic assessment of electric steelmaking through the year 2000, EPRI-EM-5445. 88−24289
Technology assessment of ambient temperature lithium secondary batteries: electric utility and vehicle uses, EPRI-AP-5218. 87−72387
Technology assessments of advanced power generation systems, EPRI-AP-4173. 86−12710

Electr. Power Res. Inst., Palo Alto, CA, USA continued

Technology assessments of advanced power generation systems II - Kalina bottoming cycle, EPRI-AP-4681. 87−30382
Temporary operation of motors with cut-out coils, EPRI-EL-4059. 86−12825
Test and evaluation of a 500-kW vertical-axis wind turbine: final report, EPRI-AP-5044. 87−57987
Testing and analysis of feedwater piping at Indian Point Unit 1. Vol.II: Piping response and support load, EPRI-NP-3108. 85−32297
Testing and evaluation of a 500-kW vertical-axis wind turbine, EPRI-AP-4258. 86−19189
Testing and installation of a BWR digital feedwater control system, EPRI-NP-5524. 88−36948
Testing requirements for variable-speed generating technology for wind turbine applications, EPRI-AP-4590. 86−66004
Theory on boron in geothermal fluids, EPRI-AP-4670. 87−15573
Theory on mercury in geothermal fluids, EPRI-AP-5111. 87−57934
Theory on trace arsenic in geothermal fluids, EPRI-AP-4214. 86−19144
Thermal-cycling tests for a compressed-air energy storage recuperator, EPRI-AP-5548. 88−37628
Thermal-hydraulic modeling of the primary coolant system of light water reactors during severely degraded core accidents, EPRI-NP-3563. 85−4854
Thermal reactivity studies of coal-derived residuum, EPRI-AP-4513. 86−56528
Thermal stability of soils adjacent to underground transmission power cables: phase 2, EPRI-EL-5090. 87−57654
Thermal upgrading of low-rank coal: a process-screening study, EPRI-AP-4435. 86−51185
Thermoeconomic analysis of a gasification-combined-cycle power plant, EPRI-AP-4734. 87−15538
Thermoeconomic analysis of power plants, EPRI-AP-3651. 85−4951
Thin-film indium phosphide photovoltaic device research and development, EPRI-AP-3532. 85−5390
Third-party funding analysis model for an R&D combined-cycle plant, EPRI-AP-4922. 87−51015
Titanium L-1 steam turbine blade retrofit, EPRI-CS-4515. 86−52533
TLWorkstation$^{\text{TM}}$ code: version 1.0. Vol.I, V-VI, EPRI-EL-4540. 87−15242
TLWorkstation$^{\text{TM}}$ code: version 1.0. Vol.XVII-XVIII, EPRI-EL-4540-CCM. 87−15243
TLWorkstation code: version 1.0. Vols. XII-XV, EPRI-EL-4540-CCM. 86−61172
TLWorkstation code: version 1.1. Vol.16: CUFAD manual, EPRI-EL-4540-CCM. 88−36873
TLWorkstation code: version 1.1. Vol.4: GATL user's manual, EPRI-EL-4540-CCM. 88−36881
TLWorkstation code: version 1.1. Vol.8: DYNAMP manual, EPRI-EL-4540-CCM. 88−75205
Toxicity profiles of PCB substitutes, EPRI-EA-3567. 85−114
Trace metal analysis by high-performance liquid chromatography interfaced to an electrochemical detector, EPRI-NP-3697. 85−9753
Transferability of results from direct load-control (DLC) experiments, EPRI-EM-4588. 86−61062
Transformer/capacitor risk management model, EPRI-EA-4985. 87−50439
Transient stability program output analysis, EPRI-EL-4192. 86−18738
Transients on transmission systems. Data presentation and analysis, EPRI-EL-4403. 86−50950
Transmission line design optimization. TLOP manuals, EPRI-EL-3592-CCM. 85−4655
Treatability testing of KILnGAS and Texaco coal gasification wastewaters, EPRI-AP-5893. 88−75491
Trends in the energy efficiency of residential electric appliances, EPRI-EM-4539. 86−57047
Turbine and superheater bypass evaluation, EPRI-CS-4810. 87−22146
Turbine generator fire protection by sprinkler system, EPRI-NP-4144. 86−6494
Turbine protection system evaluation, EPRI-NP-5416. 88−17329
Two-stage coal liquefaction studies. Vol.I & II, EPRI-AP-4185. 86−25686
Two-stage liquefaction catalyst evaluation, EPRI-AP-4378. 86−39275
Ultrahigh head pump/turbine development program. Vol.1-8, EPRI-EM-4599. 88−37092
Ultrasonic scattering from intergranular stress corrosion cracks: derivation and application of theory, EPRI-NP-3822. 85−32328
Underground coal gasification simulation, EPRI-AP-3496. 85−4727
Underground obstacle detection and mapping system, EPRI-EL-3984. 85−59792
Unified active and reactive power modulation of HVDC systems: evaluation of controller design and robustness, EPRI-EL-3990. 85−64885
Unified active and reactive power modulation of HVDC systems: large-signal and distributed small-signal control, EPRI-EL-4822. 87−30159
UNIRAM analyses of power system maintenance strategies, EPRI-AP-4580. 86−61059
Updated cost estimate and benefit analysis of customer-owned battery energy storage, EPRI-EM-3872. 85−44164
Updated costs for decommissioning nuclear power facilities, EPRI-NP-4012. 85−53419
Updated user's manual for the fuel performance data base, EPRI-NP-4068. 85−65112
Upgrading Upper Kittanning Seam coal quality to improve power plant performance. Coal cleaning test facility campaign report no.6, EPRI-CS-4866. 88−10960
Upper-air data collection during CAPTEX, EPRI-EA-3839. 85−32357
Upstream hydrogen sulfide removal test at the Cerro Prieto geothermal field, EPRI-AP-5124. 87−64450
Urban power plant plume studies, EPRI-EA-5468. 88−75438
U.S. housing stock and its energy-using characteristics: A data management system, EPRI-EA-3637. 85−4574
Use of lignite in Texaco gasification-based-combined-cycle power plants, EPRI-AP-4509. 86−56615
Use of membranes in hybrid industrial separation systems, EPRI-EM-5231. 87−72621
Use of nonasbestos friction materials in hydrogenerators, EPRI-AP-5382. 88−23785
Use of reliability-centered maintenance for the McGuire nuclear station feedwater system, EPRI-NP-4795. 87−30343
Use of the HITCH code to evaluate amines as neutralizers of crevice acidity in nuclear steam generators, EPRI-NP-3851. 85−43830
User survey and implementation plan for EMTP enhancements, EPRI-EL-3668. 85−9443
User's and programmer's guide to COMMEND, EPRI-EM-4487-CCMP. 86−56964

Electr. Power Res. Inst., Palo Alto, CA, USA continued
User's guide for signal validation software, EPRI-NP-5389. 88−30501
User's guide for the UNIRAM availability assessment methodology: version 1.1, EPRI-AP-3956. 85−53376
User's guide to the load management strategy testing model, EPRI-EA-3653. 85−4576
User's guide to the regionalized electricity model, EPRI-EA-3857-CCM. 85−38390
Utility approaches to surveying the commercial sector, EPRI-EA-4328. 86−32706
Utility benefits from targeting demand-side management programs at specific distribution areas, EPRI-EM-4771. 87−15205
Utility considerations for wind energy purchase agreements, EPRI-AP-4591. 87−15627
Utility corridor design: transmission lines, railroads, and pipelines. Vol.I: engineering analyses and site study, EPRI-EL-4147. 86−12377
Utility cycle testing of a 500-kWh zinc chloride battery at the battery energy storage test (BEST) facility, EPRI-EM-4295. 86−26271
Utility fuel inventory model: version 1.0, EPRI-EA-4079-CCM. 86−12552
Utility fuel inventory model: version 2.0, EPRI-EA-4766-CCM. 87−15422
Utility machinery vibration monitoring guide, EPRI-NP-5311. 88−5487
Utility machinery vibration monitoring guide (interim), EPRI-NP-4346. 86−32960
Utility planning model (UPM) version 2.0. System documentation and user's manual, EPRI-EA-4807M. 87−30129
Utility planning tools catalog, EPRI-EA-3793. 85−53290
Vacuum melting of metals: state-of-the-art assessment, EPRI-EM-4132. 86−13199
Validation of critical BWR signals, EPRI-NP-5211M. 87−71894
Value-based utility planning: scoping study, EPRI-EM-4389. 86−39085
Value of a power plant's remaining life: a case study with Baltimore Gas & Electric Co., EPRI-EA-4347. 86−25886
Value of competitive model testing in the bid evaluation process for hydroelectric turbomachinery, EPRI-EM-4174. 86−12731
Value of service reliability to consumers, EPRI-EA-4494. 86−61060
Valuing demand-side planning information, EPRI-EM-5308. 87−71620
Valve stem packing improvements, EPRI-NP-4255. 86−45111
Variable-response model of electricity demand by time of day: results of a Wisconsin pricing experiment, EPRI-EM-5194. 87−71560
Variable rotor speed for wind turbines: objectives and issues, EPRI-AP-4261. 86−19190
VERA2D-84: a computer program for two-dimensional analysis of flow, heat, and mass transfer in evaporative cooling towers. Vol.I & II, EPRI-CS-4073. 86−12660
Verification of SAFER code for rotor lifetime prediction, EPRI-NP-3693. 85−9845
Verification testing of the S-Cubed entrained-flow coal gasification code, EPRI-AP-4289. 86−33090
Very small (approximately 500 kW) low-cost gas-fired power plants, EPRI-AP-4837. 87−30467
Visual weld acceptance criteria. Vol.1-3, EPRI-NP-5380. 88−17325
Wastewater reuse as cooling-tower makeup, EPRI-CS-5373. 88−5541
Water blowing of fireside deposits in coal-fired utility boilers, EPRI-CS-4914. 87−35819
Water chemistry and radiation buidup at the Commenwealth Edison Company LaSalle-1 BWR, EPRI-NP-4823. 87−30342
Water management assessment using flow and mass balances, EPRI-CS-3845. 85−38601
Water management in ash-handling systems, EPRI-CS-5369. 88−11096
Water-steam rankine-cycle solar central receiver power plant: cost estimates, EPRI-AP-3801. 85−53612
Wear and environmental effects on the Kahuku MOD-OA wind turbine, EPRI-AP-3813. 85−27367
Wear measurement by surface layer activation, EPRI-CS-5163. 87−59039
Weibull failure distribution analysis and plotting system, EPRI-EM-3658-CCM. 85−15845
Wellhead-sized binary-cycle geothermal power plants, EPRI-AP-4198. 86−19145
Wet-dry cooling demonstration: a transfer of technology, EPRI-CS-5016. 87−42652
Wet-dry cooling demonstration: test results, EPRI-CS-4321. 86−56616
Wind power instrumentation directory, EPRI-AP-4586. 86−61445
Wind power parks: 1983 survey, EPRI-AP-3578. 85−5037
Wind power stations: 1984 performance and reliability, EPRI-AP-4199. 86−19188
Wind power stations: 1984 survey, EPRI-AP-3963. 85−65189
Wind power stations: 1985 performance and reliability, EPRI-AP-4639. 87−15626
Wind turbine operation and maintenance experience, EPRI-AP-3735. 85−43903
Wind turbine structural loads resulting from wind excitation, EPRI-AP-4089. 86−12760
Wood pole properties. Vol.I: background and southern pine data, EPRI-EL-4109. 86−12482
Wood pole properties. Vol.II: Douglas fir data, EPRI-EL-4109. 86−39195
Wood pole properties. Vol.III: western red cedar and size effect, EPRI-EL-4109. 87−21963
Workshop on retrofit controls for combustion turbines, EPRI-AP-5098-SR. 87−57932
Workshop proceedings: direct coal-fired combustion turbines, EPRI-AP-3939. 85−60006
Workshop proceedings: Generator monitoring and surveillance, EPRI-EL-3564-SR. 85−5059
Workshop proceedings: life assessment and repair of steam turbine casings, EPRI-CS-4676-SR. 87−15561
Workshop proceedings: metering-type coupling capacitor voltage transformers (CCVTs), EPRI-EL-3918. 85−59832
Workshop proceedings: opportunities to improve indoor environments of commercial buildings, EPRI-EM-5530. 88−69943
Workshop proceedings: PCB by-product formation, EPRI-CS/EL-4104. 86−7486
Workshop proceedings: Pitting in steam generator tubing, EPRI-NP-3574-SR. 85−15747
WTS-4 wind turbine test program, EPRI-AP-4054. 85−65190
Wyodak coal: composition, reactions, and products, EPRI-AP-4536. 86−56530
Zinc bromide battery development, EPRI-EM-4425. 86−45648

Electron. Kyoto Co. Ltd., Japan
Stress-corrosion cracking detector [for overhead wires]. 86−56439

ERA Technol. Ltd., Leatherhead, UK
660V in industry: an assessment of the benefits of adopting an increased level of industrial distribution voltage in the UK, ERA 81-0010. 85−64900
Assessment of motorcycle radio interference, ERA-81-146R. 86−3562
Benefits to industry of improved efficiency motors, ERA 80-0008. 85−65212
Brittle fracture problem in composite insulators, ERA-84-0068. 85−59791
Circuit applications of gate turn-off thyristors. Vol.I, ERA-84-0095. 86−6888
Circuit applications of gate turn-off thyristors. Vol.II, ERA-84-0108. 86−6889
Circuit protection for cables in groups, ERA-83-0078. 86−1428
Comparisons between the radio interference voltages measured on the 150 ohm V-network and the 50 ohm, 50μH artificial mains network, ERA-81-147R. 86−10129
Conductor resistances and the 15th Edition of the Wiring Regulations, ERA-82-101. 85−64899
Current rating standards 69.30. Part 6. Sustained current ratings for PVC insulated cables to BS6346:1969 (AC 50Hz) in multilayer groups on trays, ERA-85-0187. 86−56438
Current rating standards for distribution cables. Part I. Sustained current ratings for paper-insulated lead-sheathed cables to BS 6480: 1969. Part I. (AC 50 Hz and DC). Second edition 1970, ERA 69-30. 86−12442
Current rating standards for distribution cables. Part II. Sustained current ratings for paper-insulated cables with aluminium sheath/neutral conductor and three shaped solid aluminium phase conductors (CONSAC) to BS 5593:1978 (AC 50 Hz), ERA 69-30. 86−12444
Current rating standards for distribution cables. Part III. Sustained current ratings for PVC insulated cables to BS 6346 1969 (AC 50 Hz and DC), ERA 69-30. 86−12445
Current rating standards for distribution cables. Part V. Sustained current ratings for armoured cables with thermosetting insulation to BS 5467:1977 (AC 50 Hz and DC), ERA 69-30. 86−12446
Damage levels for voltage transients applied to semiconductor devices, ERA-82-0032R. 85−61877
Design of a meter for breakdown voltage measurement, ERA-83-0076R. 86−70170
Determination of faults and defects in electrical machine drives by vibration and stray field monitoring: executive summary, ERA-82-0113. 85−65484
Development of cylindrical furnace for high temperature creep testing, ERA-83-0110-R. 86−57042
Dielectric waveguide handbook, ERA-81-85. 86−57082
Earth fault impedance of steel wire armour cable, ERA-84-0067. 86−12441
Effect of cable screen terminations and other measures on radio interference emissions from computing devices, ERA-84-0210R. 86−3563
Electromagnetic environment: a critical review and analysis, ERA-82-146R. 85−62812
Environmental characterisation of fibre optic hardware Part I - Details of evaluation procedures, ERA-83-0171. 85−63702
Environmental characterisation of fibre optic hardware Part II - Fibre optic connector evaluation, ERA-83-0172. 85−63703
Environmental characterisation of fibre optic hardware Part III - Fibre optic transmitter, receiver and modem evaluation, ERA-83-0173. 85−63704
Environmental characterisation of fibre optic hardware Part IV - Fibre optic component choice for industrial environments, ERA-83-0174. 85−63705
Examination of a toxicity test for combustion products of electrical insulation, ERA-81-141R. 85−56039
Fibre optic sensors bibliography, ERA-84-0083. 85−62392
Fibre optic sensors: market opportunities and technology trends to 1990. Fibre optic sensor markets, ERA-83-0130. 85−62390
Fibre optic sensors: market opportunities and technology trends to 1990. Fibre optic sensor technology, ERA-83-0131. 85−62391
Fibre optics for process control and business communications: installation case studies, ERA-82-0005. 85−63697
Fibre optics for process control and business communications: present state of the art, ERA-82-0006. 85−63698
Fibre optics for process control and business communications: transducers and sensors, ERA-82-0007. 85−63699
Fibre optics for process control and business communications: hardware directory, ERA-82-0008. 85−63700
Fibre optics for process control and business communications: UK market overview, ERA-82-0009. 85−63701
Flammability tests for printed wiring sheet materials: assessment of several testing procedures, ERA-80-66. 85−55315
Frequency selection for switched mode power converters, ERA-84-0075R. 86−6887
Guide to achieving immunity from electrical interference, ERA-85-0146. 86−59102
Guide to suppression network development for appliances containing commutator motors, ERA-84-0196R. 86−6817
Heat transfer data in electrical machines. Thermal conductivity and contact resistance of windings in slots, ERA-85-0215. 86−56723
Heat transfer in induction motors, ERA-82-0017. 85−65260
Improved performance induction motor. Analysis and design of composite rotor induction motors, ERA-84-0130. 86−56768
Improved performance induction motor. Assessment of potential applications, ERA-84-0054. 86−56767
Improved performance induction motor. Final report, ERA-84-0187. 86−61523
Influence of invertors on bearing currents in induction motors: measurement of shaft voltages, ERA-82-00082. 85−65263
Influence of invertors on bearing currents in induction motors: executive summary, ERA-82-0111. 85−65264
Investigation of the RF properties of carbon fibre composite materials, ERA-81-109. 85−57070
Investigation to determine the relationship between CATV system EMC behaviour and individual component performance, ERA-84-0059. 86−55453
Investigations into aspects affecting the design of mains filters for frequencies in the range 10 kHz-30 MHz, ERA-82-145R. 85−61360
Investigations into the performance of structures acting as inadvertent receivers of electromagnetic energy in the context of the RF ignition hazard, ERA-83-0096. 86−59101
Laboratory assessment of vibration and stray field condition monitoring, ERA-82-0031. 85−65261
Lightning protection of electrical installations in buildings and structures, ERA-85-0130. 86−45018
Low cost energy management systems, ERA-83-0106. 86−13194
Magnetic bubble memory. Final report, ERA-80-96R. 86−2613
Market for diesel generating plant - African region, south of the Sahara, ERA-82-0098. 85−65153

ERA Technol. Ltd., Leatherhead, UK continued
- Market for diesel generating plant - Central and South America and the Caribbean, ERA-83-0067. 85—65156
- Market for diesel generating plant - Europe, ERA-83-0101. 85—65158
- Market for diesel generating plant - Far East region and Oceania, ERA-83-0009. 85—65154
- Market for diesel generating plant - North America, ERA-83-0045. 85—65155
- Market for diesel generating plant - The Middle East and North Africa, ERA-83-0093. 85—65157
- Market for diesel generating plant - World review, ERA-83-0113. 85—65159
- Market intelligence service: industrial variable speed drives, 7.6-150kW, ERA-85-0109. 86—61779
- Mechanism of liquid-phase moisture migration due to thermal gradients in sand, ERA-84-0025. 85—48586
- Method of assessing cable external thermal resistance based upon considerations of moisture migration, ERA-84-0026. 85—64919
- Monitoring transformers in service for winding displacement using the low voltage impulse method, ERA-81-62R. 86—12878
- Optical detection of electrical discharges in insulation, ERA-83-0100R. 86—9318
- Optical sensor components directory. 1st edition, ERA-85-0150. 86—36111
- Power factor controllers: their markets and performance. The first laboratory report, ERA 81-0139. 85—65407
- Power factor controllers: their markets and performance, ERA 81-0140. 85—65408
- Power factor controllers: their markets and performance. The second laboratory report, ERA-82-0039. 85—65409
- Power factor controllers: their markets and performance: executive summary, ERA-82-0112. 85—65410
- Printed antenna technology. Flat plate arrays: two practical examples, ERA-82-0142R. 85—62928
- Printed antenna technology. Survey of techniques and applications, ERA-82-0125R. 85—62898
- Problems inherent in the installation of large generating units and the measures needed to overcome them, ERA-80-141R. 86—12538
- Propagation of paths of electrostatic discharges in a microprocessor controlled system, ERA-84-0197R. 86—3437
- Radio interference characteristics of switch mode power supply units, ERA-81-145R. 85—61100
- Radio interference filters and components, ERA-80-6R. 85—54988
- Radio interference from contact devices, ERA-80-7R. 85—61505
- Radio interference from motor vehicle ignition systems, ERA-80-5R. 85—62811
- Radio interference from semi-conductor controls, ERA-80-4R. 85—62810
- Radio interference investigations on appliances containing small commutator motors, ERA-82-147R. 85—60221
- Radio interference measurement techniques and suppression development, ERA-80-152-R. 85—64269
- Radio interference measurements on appliances containing commutator motors, ERA-80-150-R. 85—60220
- Radio interference measurements on contact devices, ERA-80-151R. 85—57071
- Radio interference measuring equipment, ERA-80-2R. 85—64268
- Radio interference measuring techniques, ERA-80-3R. 85—58874
- Radio interference problems with small motors, ERA-80-1R. 85—65288
- Replacement of old generating plant by new, ERA-80-60R. 86—12655
- Residual life of high temperature components, ERA-80-149R. 86—7579
- Review of the influence of inverters on bearing currents in induction motors, ERA-82-0059. 85—65262
- RF ignition thresholds of a large mobile crane, ERA-81-57. 85—62731
- Steady-state thermal model for totally enclosed fan cooled induction motors, ERA-85-0123. 86—56769
- Survey of instruments for vibration and stray field monitoring of electrical machines, ERA-82-0060. 85—65213
- Survey of the causes of vibration and stray field variation in electric motor drives, ERA-82-0002. 85—65483
- Thermal conductivity and contact resistance of windings in slots: consideration of alternative measurement techniques, ERA-84-0050. 86—56721
- Thermal conductivity and contact resistance of windings in slots: measurement of contact resistance between cast aluminium rotor bars and laminated rotor, ERA-84-0051. 86—56722
- Thermal design of electrical machines. Measurement of heat transfer data: thermal conductivity of laminated cores, ERA-83-0166. 86—56719
- Thermal design of electrical machines. Measurement of heat transfer data: measurement of thermal contact resistance between core and frame, ERA-83-0167. 86—56720
- Thermal design of electrical machines. Thermal model: initial development and sensitivity analysis, ERA-83-0134. 85—65214
- Thermal design of electrical machines. Thermal model: effect of rotation on the temperature distribution, ERA-83-0141. 85—65215
- Thermal endurance of silicone/glass sleeving by the cyclic electrical proof test method of IEC 216. First report, ERA-82-91. 85—56025
- Use of AISI 316 austenitic steel in power plant, ERA-80-140R. 86—61371
- Use of wound capacitors in measurement of dissipation factor of plastic films, ERA-82-104R. 86—5492
- Values of minimum spacing for cables in air (Addendum to ERA report 69-30, Parts I and III), ERA 76/3. 86—12443
- Zinc carbon and alkaline primary batteries. A comparison of cost and performance, ERA-85-0018. 86—56938

Erasme Univ. Hospital, Brussels, Belgium
- An automated analysis of polygraphic traces of sleep. The conception of a diagnostic aid system. 85—43401

Eur. Space Agency, Paris, France
- The Giotto Radio-Science Experiment, ESA SP-1077. 86—55401
- Report on the scientific satellites of the European Space Agency , ESA SP-1090. 87—71199
- Simulations of the electrostatic charging of ESA communications satellites, ESA-STM-239. 88—74916

EXEL Microelectron. Inc., San Jose, CA, USA
- Highly integrated coprocessor simplifies implementation of local and wide area bit-oriented networks. 85—52085

Ferranti Comput. Syst. Ltd., Bracknell, UK
- Colour coding for computer-driven displays, 5370, Issue 2. 85—20507

Finnische Staatsbahnen, Hauptverwaltung, Betriebs- und Materialabteilung, Helsinki, Finland
- Diesel-electric locomotive DR 16 of the Finnish State Railway with three-phase drive technology. 88—43445

FOA, Nat. Defence Res. Inst., Linkoping, Sweden
- Microwave tubes. Literature survey No.6 comprising year 1984, FOA-C 30406-E. 86—27799
- Microwave tubes. Literature survey no.7 comprising year 1985, FOA-C 30422-3. 87—17619
- Microwave tubes. Literature survey no.8 comprising year 1986, FOA-C 30467-3. 88—32724

Forschungszentrum des VEB Kombinat Nachrichtenelektronik, Dresden, East Germany
- Economic impact of the introduction of optical fibre technology. 87—20511

Hahn-Meitner-Inst., KFA, Berlin, West Germany
- Heterojunction by photoelectrochemical surface transformation: n:CuInSe$_2$/p-CuISe$_3$Se^0. 85—12067

Harris Microwave Semicond., Milpitas, CA, USA
- 6-18 GHz fully integrated MMIC amplifier. 87—6084

Hungarian Acad. Sci., Budapest, Hungary
- Algorithms and codes for magnetostatic field calculations of electrophysical devices, KFKI-1987-17/M. 87—63602
- Analysis of the alternating bit protocols, KFKI-1988-10/M. 88—59383
- Biztonsagi jelentesek kritikai felulvizsgalata. I. Resz. Az USA-BAN es az NSZK-BAN alkalmazott megoldasok (Safety reports from critical inspections. I. Procedures in the USA and West Germany), KFKI-1987-04/G. 87—57803
- Data presentation in the WWER-440 basic principle simulator, KFKI-1986-66/M. 87—15464
- D.C. helium and helium - krypton discharges in aluminium hollow cathode discharge tubes for blue He-Kr$^+$ laser operation, KFKI-1986-59/D. 87—7275
- Developing protocol test software using the PDL-system, KFKI-1987-11/M. 87—55751
- Development and structure of a DLL with a new decision tree approach for protocols, KFKI-1988-37/M. 88—73628
- Deviation functional of phoneme recognition, KFKI-1985-42. 86—3807
- Effect of ion implantation on stripe and bubble domain coercivity, KFKI-1984-118. 85—41023
- Effect of microinhomogeneities on collection efficiency spectra in (p-i-n) a-Si:H junctions, KFKI-1987-61/F. 88—20492
- Effect of oxide coating on the performance of the Al hollow cathode discharge, KFKI-1985-43. 86—1613
- Electro- and magnetostatic variations in SSC tunnel, KFKI-1984-97. 85—43153
- Experiences with the Verona core monitoring system recently installed at PAKS Nuclear Power Plant, KFKI-1985-96. 86—33005
- Field-effect problems with I-V measurements on gap-type a-Si:H specimens, KFKI-1986-72/E. 87—17794
- Formal description oriented performance evaluation of protocols, KFKI-1987-46/M,N. 88—8903
- Forrocsatorna meghatarozasra alapozott uzemvitel a Paksi Atomeromu VVER-440-ES reaktoraban. I. Resz. A verona rendszer reszekent mukodtetheto szamitasi eljaras es modszer (Thermal-hydraulics determinations for the Paks Nuclear Power Station's VVER-440ES reactor. I. Results from the VERONA method using a subchannel approach), KFKI-1987-07/G. 87—57844
- Gas laser research in Hungary, KFKI-1987-62/D. 88—33960
- Hutokozeg forrasallapotanak diagnosztikaja neutronfluktuaciok alapjan a Paksi atomeromuben (Neutron measurements at Paks Nuclear Power Station), KFKI-1985-80. 86—12629
- Intelligent protocol workstation, KFKI-1987-45/M,N. 88—3589
- Introduction to Milner's Calculus of Communicating Systems, KFKI-1988-11/M. 88—59384
- Investigation of frequency pulling in optically pumped far infrared methanol lasers, KFKI-1984-99. 85—12813
- Measurement of the absorption coefficient and index of refraction of templene in the submillimetre wave range, KFKI-1988-26/D. 88—68048
- Multidisc neutron velocity selector, KFKI-1987-79/E. 88—74688
- New results in computer communication. IV. Efficiency, KFKI-1984-105. 85—30730
- Optically pumped FIR lasers and their application in plasma diagnostics, KFKI-1986-31/D. 87—2089
- Perfection of magnetic garnet films and the effect on bubble device performance, KFKI-1984-106. 85—41022
- Plasmon mediated electron-photon interaction in metal-oxide-metal tunnel structures, KFKI-1984-123. 85—40558
- Primerkor dinamikai vizsgalatok. I. Resz. 6 FKSZ egyuttes kiesesenek kiserleti vizsgalata a PMK-NVH berendezesen (Primary circuit dynamics and flow measurements. I. Results for total loss of flow experiments undertaken at the PMK-NVH facility), KFKI-1987-06/G. 87—57843
- Proton detection efficiency of a plastic scintillator telescope, KFKI-1987-34/A. 87—77569
- Real-time executive for a basic principle simulator, KFKI-1987-53/G. 88—17288
- Recent progress in the application of soft magnetic amorphous materials: alloys, preparation, devices, KFKI-1987-54/E. 88—20243
- Remarks on division of the record into blocks when estimating spectral densities, KFKI-1985-36. 85—51631
- Results and interpretation of noise measurements using in-core self powered neutron detector strings at Unit 2 of the Paks Nuclear Power Plant, KFKI-1986-81/G. 87—35764
- Role of junction plasmons in light emission of MOM diodes, KFKI-1985-64. 85—55608
- Selection of active material for acousto-optic mode-lockers, KFKI-1986-84/E. 87—32922
- Self-deflection of intense laser pulses in a nonlinear prism to produce femtosecond light pulses, KFKI-1985-82. 86—15792
- Simulation of the dynamic behaviour of the primary circuit in a WWER-440 type nuclear power plant. II, KFKI-1985-08. 85—53508
- Simulation of the dynamic behaviour of the secondary circuit of a WWER-440 type nuclear power plant. Part I, KFKI-1987-44/G. 88—17287
- Simulation of the dynamic behaviour of the secondary circuit of a WWER-440 type nuclear power plant. Part 2, KFKI-1987-81/G. 88—69124
- Sophisticated systems for analysing standard signals of a PWR NPP for diagnostic purposes, KFKI-1986-82/G. 87—35765
- Submicron resolution amorphous chalcogenide optical grid, KFKI-1986-44/E. 87—25028
- Symmetries in the phoneme recognition, KFKI-1985-109. 86—43206
- Theory of the nonstationary phase conjugation by four-wave mixing, KFKI-1986-25/E. 86—63873
- Tracking algorithm of the VEGA TV system, KFKI-1984-85. 85—4412
- VEGA TV real-time software, KFKI-1986-43/C. 87—20753

Hungarian Acad. Sci., Budapest, Hungary continued
VERONA-plus: extended core-monitoring system for WWER-440 type nuclear power plants, KFKI-1987-28/M. 87—71895
Zonamozgas megfigyelese neutronzaj diagnosztikaval (Neutron noise diagnostics), KFKI-1985-68. 86—12626
IBM United Kingdom Ltd., Winchester, UK
IBM PC software support for a parallel formant synthesiser, UKSC 138. 86—36985
Interfacing a formant synthesiser to an IBM PC, UKSC 137. 86—38173
Introduction to data communications, UKSC 146. 86—49306
LPCLIB - LPC analysis and synthesis on an IBM personal computer, UKSC-161. 88—59109
PIEUTIL IBM PC PASCAL support for the PIE Signal Processor, UKSC 143. 86—37097
PISYN - a versatile speech synthesiser based on an IBM personal computer, UKSC-162. 88—59110
SAY - Speech analyser, UKSC 135. 86—16175
SAY speechlab hardware and device drivers, UKSC 145. 86—43207
Speech acquisition and replay using the PC PIE signal processor, UKSC 140. 86—36984
Speech processing at the IBM UKSC, UKSC-163. 88—59111
Synthesising British English intonation using a nuclear tone model, UKSC 154. 87—7700
UKSC frame store, UKSC-172. 88—67581
IEEE Ind. Applications Soc., Electr. Impedance, Induction, & Skin Effect Heating Working Group, USA
Introduction to IEEE 844-1985—Recommended practice for electrical impedance, induction, and skin effect heating of pipelines and vessels. 87—31103
IEEE Power Eng. Soc., Insulated Conductors Comm., Accessories Subcomm., USA
Analysis of joint and termination failures on extruded dielectric cables. 85—27073
IEEE Power Eng. Soc., Insulated Conductors Comm., Working Group 12-39, USA
Proposed extended time artificial pollution tests for polymeric cable accessories. 85—59785
IEEE Power Eng. Soc., Power Ayst. Relaying Comm., USA
Current transformers with secondary current rating lower than 5 A. 88—75692
IEEE Power Eng. Soc., Power Eng. Educ. Comm., USA
A listing of continuing education courses in Electric Power Engineering—1986 Subcommittee Report. 88—18359
IEEE Power Eng. Soc., Power Generation Comm., USA
Utility application of photovoltaic power generation: A survey of recent literature. 88—30615
IEEE Power Eng. Soc., Power Generation Comm. Working Group on Application Guide, Distributed Control & Monitoring for Power Generating Station, USA
Controversial issue of distributed control debated at the JPGC, Indianapolis, Indiana, 1983 [power plant distributed control]. 85—43668
IEEE Power Eng. Soc., Power Syst. Eng. Comm., Discrete Supplementary Controls Working Group ASME/IEEE Power Plant, Electrical System Interaction Working Group, USA
Turbine fast valving to aid system stability: Benefits and other considerations. 86—51458
IEEE Power Eng. Soc., Power Syst. Eng., Comm. Engineeering and Planning Economics Working Group, USA
Bibliography on engineering economics, 1970-1985. 88—18411
IEEE Power Eng. Soc., Power Syst. Eng. Comm., Load Manage. Subcomm., Terminology Task Force, USA
Glossary of terms related to load management. I. 86—6245
Glossary of terms related to load management. II. 86—6246
IEEE Power Eng. Soc., Power Syst. Eng. Comm., MAPP Interruptible Load Subcomm., USA
Spot-price marketing of surplus energy by the sharing of interruptible loads in a regional power pool. 85—38434
IEEE Power Eng. Soc., Power Syst. Eng. Comm., Subsynchronous Resonance Working Group, USA
Second benchmark model for computer simulation of subsynchronous resonance. 85—48539
IEEE Power Eng. Soc., Power Syst. Eng. Comm., Subsynchronous Working Group, Bibliography Task Force, USA
Second supplement to a bibliography for the study of subsynchronous resonance between rotating machines and power systems. 85—38433
IEEE Power Eng. Soc., Power Syst. Eng. Comm., Syst. Oper. Subcomm., Dispatcher Training Working Group, USA
Dispatcher training survey results. 86—83
IEEE Power Eng. Soc., Power Syst. Eng. Comm., T & D Outage Definitions Task Force, USA
Proposed terms for reporting and analyzing outages of electrical transmission and distribution facilities. 85—38479
IEEE Power Eng. Soc., Power Syst. Eng. Comm., USA
Bibliography on reactive power and voltage control IEEE VAr Management Working Group Report. 87—57541
Power system restoration—the second Task Force report. 88—23335
IEEE Power Eng. Soc. Power Syst. Eng. Comm., Working Group on Exchange of Power Syst., Anal. Data, USA
Proposed data structure for exchange of power system analytical data. 86—56294
IEEE Power Eng. Soc., Power Syst. Eng. Commun., USA
Power system restoration—a task force report. 87—57486
IEEE Power Eng. Soc., Power Syst. Eng. Ctte., Subsynchronous Resonance Working Group, USA
Terms, definitions and symbols for subsynchronous oscillations [power systems]. 85—59591
IEEE Power Eng. Soc., Power Syst. Relating Comm., Line Protection with Digital Comput. Working Group, USA
Criteria for the evaluation of digital impedance methods of transmission line protection. 85—32161
IEEE Power Eng. Soc., Power Syst. Relaying Comm., Bibliography & Publicity Working Group, USA
Bibliography of relay literature 1982-3. 85—48615
IEEE Power Eng. Soc., Power Syst., Relaying Comm., USA
Distribution line protection practices—industry survey results. 88—75161
IEEE Power Eng. Soc., Switchgear Comm., Recognition & Planning Sub. Comm., USA
Bibliography of switchgear literature. 86—33553
IEEE Power Eng. Soc., Transmission & Distribution Comm., Power Syst. Harmonics Working Group, USA
Bibliography of power system harmonics. I. 85—9428
Bibliography of power system harmonics. II. 85—9429
IEEE Power Eng. Soc., Transmission & Distribution Comm., USA
Considerations for performing EHV switching surge field tests. 87—35603
Dynamic thermal line rating summary and status of the state-of-the-art technology. 87—71673
IEEE Power Eng. Soc., Transmission & Distribution Comm., Working Group on Power Syst. Harmonics, USA
The effects of power system harmonics on power system equipment and loads. 86—6252
IEEE Power Eng. Society, Power Syst. Relaying Comm., USA
Bibliography of relay literature, 1984-1985. 87—50872
IEEE Vehicular Technol. Soc. Comm. on Radio Propagation, USA
Coverage prediction for mobile radio systems operating in the 800/900 MHz frequency range. 88—60042
Inst. Electr. & Electron. Eng., New York, NY, USA
American National Standard calibration and usage of 'dose calibrator' ionization chambers for the assay of radionuclides, ANSI N42.13-1986. 87—21456
American National Standard conformance requirements for liquid-filled transformers used in unit installations, including unit substations, ANSI C57.12.13-1982. 87—22474
American National Standard conformance requirements for liquid-filled distribution transformers used in pad-mounted installations, including unit substations, ANSI C57.12.27-1982. 87—30739
American national standard definitions and requirements for high-voltage air switches, insulators, and bus supports, ANSI/IEEE C37.30-1971. 86—56881
American national standard for conformance testing of metal-enclosed low-voltage AC power circuit breaker switchgear assemblies, ANSI C37.51-1979. 86—56897
American National Standard for instrumentation -electromagnetic noise and field strength, 10 kHz to 40 GHz -specifications, ANSI C63.2-1987. 88—58891
American national standard for magnetic tape pulse recorders for electricity meters, ANSI C12.14-1982. 86—56509
American national standard for marking and arrangement of terminals for phase-shifting devices used in metering, ANSI C12.6-1987. 88—30427
American national standard for mechanical demand registers, ANSI C12.4-1984. 86—51165
American National Standard for power systems -alternating-current electrical systems and equipment operating at voltages above 230 kV nominal - preferred voltage ratings, ANSI C92.2-1987. 88—36743
American national standard for switchgear - High-voltage current-limiting motor starter fuses - Conformance test procedures, ANSI C37.53.1-1982. 86—56899
American national standard for test switches for transformer-rated meters, ANSI C12.9-1987. 88—22692
American National Standard for transformers -underground-type, self-cooled, single-phase distribution transformers with separable insulated high-voltage connectors - high-voltage, 24 940 GrdY/14 400 V and below; low-voltage, 240/120 V; 167 kVA and smaller, ANSI C57.23-1986. 87—22478
American national standard for trip devices for AC and general purpose DC low-voltage power circuit breakers, ANSI C37.17-1979. 86—56876
American national standard guide for application, operation, and maintenance of distribution cutouts and fuse links, secondary fuses, distribution enclosed single-pole air switches, power fuses, fuse disconnecting switches, and accessories, ANSI C37.48-1969. 86—56895
American national standard guide to specifications for AC high-voltage circuit breakers rated on a symmetrical current basis and a total current basis, ANSI C37.12-1981. 86—51828
American national standard metric practice, ANSI/IEEE Std 268-19. 86—49907
American national standard preferred ratings and related required capabilities for AC high-voltage circuit breakers rated on a symmetrical current basis, ANSI C37.06-1979. 86—45614
American national standard preferred ratings, related requirements, and application recommendations for low-voltage power circuit breakers and AC power circuit protectors, ANSI C37.16-1980. 86—56875
American National Standard radio frequency radiation hazard warning symbol, ANSI C95.2-1982. 86—50648
American national standard recommended practice for the measurement of hazardous electromagnetic fields - rf and microwave, ANSI C95.5-1981. 86—50190
American National Standard recommended practice on procedures for control of system electromagnetic compatibility, ANSI C63.12-1984. 85—51462
American national standard requirements for arc furnace transformers, ANSI/IEEE C57.17-1965 (R1971). 87—36257
American national standard requirements for electrical control for AC high-voltage circuit breakers rated on a symmetrical current basis or a total current basis, ANSI C37.11-1979. 86—56874
American National Standard requirements for load-tap-changing transformers 230 000 volts and below, 3750/4687 through 60 000/80 000/100 000 kVA three-phase, ANSI C57.12.30-1977. 87—30740
American national standard requirements for oil-filled capacitor switches for alternating-current systems, ANSI C37.66-1969 (R 1982). 86—56903
American National Standard requirements for overhead-type distribution transformers, 500 kVA and smaller: high-voltage, 67 000 volts and below; low-voltage, 15 000 volts and below, ANSI C57.12.20-1981. 87—22475
American National Standard requirements for pad-mounted, compartmental-type, self-cooled, single-phase distribution transformers with high-voltage bushings; high-voltage, 34 500 GrdY/19 920 volts and below; low-voltage, 240/120 volts; 167 kVA and smaller, ANSI C57.12.21-1980. 87—22476
American National Standard requirements for pad-mounted, compartmental-type, self-cooled, three-phase distribution transformers with high-voltage bushings; high voltage, 34 500 GrdY/19 920 volts and below; 2500 kVA and smaller, ANSI C57.12.22-1980. 87—22477
American National Standard requirements for pad-mounted, compartmental-type, self-cooled, single-phase distribution transformers with separable insulted high-voltage connectors: high voltage, 34 500 GrdY/19 920 volts

Inst. Electr. & Electron. Eng., New York, NY, USA continued
and below; low-voltage, 240/120 volts; 167 kVA and smaller, ANSI C57.12.25-1981. 87–22480
American National Standard requirements for pad-mounted compartmental-type, self-cooled, three-phase distribution transformers for use with separable insulated high-voltage connectors, high-voltage, 24 940 GrdY/14 400 volts and below; 2500 kVA and smaller, ANSI C57.12.26-1975. 87–22481
American National Standard requirements for sealed dry-type power transformers, 501 kVA and larger, three-phase, with high-voltage 601 to 34 500 volts, low-voltage 208Y/120 to 4160 volts, ANSI C57.12.52-1981. 87–22482
American National Standard requirements for secondary network transformers, subway and vault types (liquid immersed), ANSI C57.12.40-1982. 87–30741
American National Standard requirements for transformers 230 000 volts and below 833/958 through 8333/10 417 kVa, single-phase, and 750/862 through 60 000/80 000/100 000 kVa, three-phase (Includes supplement ANSI C57.12.10a-1978), ANSI C57.12.10-1977. 87–22471
American National Standard requirements for underground-type three-phase distribution transformers, 2500 kVA and smaller; high voltage 24 940 GrdY/14 400 volts and below; low voltage 480 volts and below, ANSI C57.12.24-1982. 87–22479
American National Standard requirements for ventilated dry-type distribution transformers, 1 to 500 kVA, single-phase, and 15 to 500 kVA, three-phase, with high-voltage 601 to 34 500 volts, low-voltage 120 to 600 volts, ANSI C57.12.50-1981. 87–30742
American National Standard requirements for ventilated dry-type power transformers, 501 kVA and larger, three-phase, with high-voltage 601 to 34 500 volts, low-voltage 208Y/120 to 4160 volts, ANSI C57.12.51-1981. 87–30743
American National Standard requirements for watthour meter sockets, ANSI C12.7-1987. 88–19471
American national standard safety requirements for X-radiation limits for AC high-voltage power vacuum interrupters used in power switchgear, ANSI C37.85-1972. 86–56905
American national standard schedules of preferred ratings, manufacturing specifications, and application guide for high-voltage air switches, bus supports, and switch accessories, ANSI C37.32-1972. 86–56882
American national standard specifications for distribution cutouts and fuse links, ANSI C37.42-1981. 86–56890
American national standard specifications for distribution oil cutouts and fuse links, ANSI C37.44-1981. 86–56891
American national standard specifications for distribution enclosed single-pole air switches, ANSI C37.45-1981. 86–56892
American national standard specifications for distribution fuse disconnecting switches, fuse supports, and current-limiting fuses, ANSI C37.47-1981. 86–56894
American national standard specifications for power fuses and fuse disconnecting switches, ANSI C37.46-1981. 86–56893
American National Standard specifications for sealed radioactive check sources used in liquid-scintillation counters, ANSI N42.16-1986. 87–21374
American National Standard terminal and connections for distribution and power transformers, ANSI C57.12.70-1978. 87–22484
American national standard test code for high-voltage air switches, ANSI C37.34-1971. 86–56883
American national standard test procedures for low-voltage AC power circuit breakers used in enclosures, ANSI C37.50-1981. 86–56896
American national standard test procedures for low-voltage AC power circuit protectors used in enclosures, ANSI C37.52-1974. 86–56898
American national standard time-of-use registers for electromechanical watthour meters, ANSI C12.13-1985. 86–51166
Distribution, power and regulating transformers C57: complete 1988 edition, (unnumbered). 88–49029
Guide for loading dry-type and oil-immersed current-limiting reactors, ASA Appendix: C57.99. 87–42539
Guide for loading dry-type distribution and power transformers, ANSI-Appendix C57.96 (1959). 87–43169
Guide for loading oil-immersed step-voltage and induction-voltage regulators, USAS-Appendix:C57.95. 87–36999
IEEE application guide for AC high-voltage circuit breakers rated on a symmetrical current basis, ANSI/IEEE C37.010-1979. 86–45616
IEEE application guide for capacitance current switching for AC high-voltage circuit breakers rated on a symmetrical current basis, ANSI/IEEE C37.012-1979. 86–45617
IEEE application guide for transient recovery voltage for AC high-voltage circuit breakers rated on a symmetrical current basis, ANSI/IEEE C37.011-1979. 86–51832
IEEE guide for abnormal frequency protection for power generating plants, ANSI/IEEE C37.106-1987. 87–64372
IEEE guide for AC generator protection, IEEE C37.102-1987. 88–37200
IEEE guide for AC motor protection, ANSI/IEEE C37.96-1976. 86–56766
IEEE guide for acceptance and maintenance of insulating oil in equipment, ANSI/IEEE C57.106-1977. 87–18421
IEEE guide for aging mechanisms and diagnostic procedures in evaluating electrical insulation systems, ANSI/IEEE Std 943-1986. 87–18420
IEEE guide for alarm monitoring and reporting systems for fossil-fueled power generating stations, ANSI/IEEE Std 676-1986. 87–22127
IEEE guide for application of composite insulators, ANSI/IEEE Std 987-1985. 86–51074
IEEE guide for application of transformer connections in three-phase distribution systems, ANSI/IEEE C57.105-1978. 87–22495
IEEE guide for application, operation, and maintenance of high-voltage fuses, distribution enclosed single-pole air switches, fuse disconnecting switches, and accessories, ANSI/IEEE C37.48-1987. 88–36838
IEEE guide for calculating losses in isolated-phase bus, ANSI/IEEE C37.23-1969. 86–56360
IEEE guide for cleaning insulators, IEEE Std 957-1987. 88–55053
IEEE guide for construction and interpretation of thermal limit curves for squirrel-cage motors over 500 hp, IEEE Std 620-1987. 87–58095
IEEE guide for containment and control of oil spills in substations, ANSI/IEEE Std 980-1987. 88–17802
IEEE guide for control of hydroelectric power plants, ANSI/IEEE Std 1010-1987. 88–69199
IEEE guide for design of substation rigid-bus structures, ANSI/IEEE Std 605-1987. 87–72215
IEEE guide for determining the smoke generation of solid materials used for insulations and coverings of electric wire and cable, ANSI/IEEE Std 816-1987. 87–66616

Inst. Electr. & Electron. Eng., New York, NY, USA continued
IEEE guide for evaluating the effect of solar radiation on outdoor metal-clad switchgear, ANSI/IEEE C37.24-1971. 86–56878
IEEE guide for field testing of relaying current transformers, ANSI/IEEE C57.13.1-1981. 87–22489
IEEE guide for generating station grounding, ANSI/IEEE Std 665-1987. 87–64202
IEEE guide for generator ground protection, ANSI/IEEE C37.101-1985. 86–56743
IEEE guide for inductive coordination of electric supply and communication lines, IEEE Std 776-1987. 88–5353
IEEE Guide for installation of oil-immersed EHV transformers 345 kV and above (Supplement to ANSI/IEEE C57.12.11-1980), ANSI/IEEE C57.12.12-1980. 87–22473
IEEE guide for installation of oil-immersed transformers (10 MVA and larger 69-287 kV rating), ANSI/IEEE C57.12.11-1980. 87–22472
IEEE guide for loading liquid-immersed step-voltage and induction-voltage regulators, ANSI/IEEE C57.95-1984. 88–62422
IEEE guide for loading mineral-oil-immersed overhead and pad-mounted distribution transformers rated 500 kVA and less with 65°C or 55°C average winding rise, ANSI/IEEE C57.91-1981. 87–22491
IEEE guide for loading mineral-oil-immersed power transformers up to and including 100 MVA with 55°C or 65°C average winding rise, ANSI/IEEE C57.92-1981. 87–22492
IEEE guide for measuring earth resistivity, ground impedance, and earth surface potentials of a ground system, IEEE Std 81-1983. 86–56460
IEEE guide for metal-enclosed bus and calculating losses in isolated-phase bus, ANSI/IEEE C37.23-1987. 87–59905
IEEE guide for power system protective relay applications of audio tones over telephone channels, ANSI/IEEE C37.93-1987. 88–36882
IEEE guide for protection of shunt capacitor banks, ANSI/IEEE C37.99-1980. 86–56933
IEEE guide for protective relay applications of audio tones over telephone channels, ANSI C37.93-1976; IEEE Std 305-1976. 86–55057
IEEE guide for protective relay applications to power transformers, ANSI/IEEE C37.91-1985. 86–56819
IEEE guide for protective relay applications to power system buses, ANSI/IEEE C37.97-1979. 86–56495
IEEE guide for protective relaying of utility-consumer interconnections, ANSI/IEEE C37.95-1973. 86–56494
IEEE guide for reporting failure data for power transformers and shunt reactors on electric utility power systems, ANSI/IEEE C57.117-1986. 88–62423
IEEE guide for safety in AC substation grounding, ANSI/IEEE Std 80-1986. 87–21976
IEEE guide for selecting and testing jackets for cables, IEEE Std 532-1982. 86–51073
IEEE guide for self-commutated converters, ANSI/IEEE Std 936-1987. 88–5785
IEEE guide for specification of high-voltage direct-current systems. Part I - steady-state performance, ANSI/IEEE Std 1030-1987. 88–61899
IEEE guide for substation fire protection, ANSI/IEEE Std 979-1984. 85–44474
IEEE guide for surge withstand capability (SWS) tests, ANSI/IEEE C37.90.1-1974. 87–59950
IEEE guide for synthetic fault testing of AC high-voltage circuit breakers rated on a symmetrical current basis, ANSI/IEEE C37.081-1981. 86–45618
IEEE guide for testing faulted circuit indicators, ANSI/IEEE Std 495-1986. 87–21919
IEEE guide for the application, installation, operation, and maintenance of high-voltage air disconnecting and load interrupter switches, ANSI C37.35-1976; IEEE Std 578-1976. 86–56886
IEEE guide for the application of gas tube arrester low-voltage surge-protective devices, ANSI/IEEE C62.42-1987. 88–23583
IEEE guide for the application of neutral grounding in electrical utility systems. Part I - introduction, ANSI/IEEE C62.92-1987. 88–23286
IEEE guide for the application of sheath-bonding methods for single-conductor cables and the calculation of induced voltages and currents in cable sheaths, ANSI/IEEE Std 575-1988. 88–23512
IEEE guide for the design and installation of cable systems in power generating stations, ANSI/IEEE Std 422-1986. 87–21965
IEEE guide for the detection and determination of generated gases in oil-immersed transformers and their relation to the serviceability of the equipment, ANSI/IEEE C57.104-1978. 87–22494
IEEE guide for the grounding of instrument transformer secondary circuits and cases, ANSI/IEEE C57.13.3-1983. 88–62419
IEEE guide for the statistical analysis of electrical insulation voltage endurance data, ANSI/IEEE Std 930-1987. 88–245
IEEE guide for transformer impulse tests, ANSI/IEEE C57.98-1986. 87–22493
IEEE guide for transformer through-fault-current duration, ANSI/IEEE C57.109-1985. 86–51698
IEEE guide on surge testing for equipment connected to low-voltage AC power circuits, ANSI/IEEE C62.45-1987. 88–5231
IEEE guide: procedures for testing single-phase and polyphase induction motors for use in hermetic compressors, IEEE Std 839-1986. 87–22340
IEEE guide: test procedures for direct-current machines, IEEE Std 113-1985. 86–51641
IEEE guide: test procedures for direct-current tachometer generators, ANSI/IEEE Std 251-19. 86–51642
IEEE guide: test procedures for synchronous machines, IEEE Std 115-1983. 85–53684
IEEE guide to the use of ATLAS, IEEE Std 771-1984. 85–47836
IEEE guides and standards for protective relaying systems, (unnumbered). 88–48611
IEEE recommended criteria for terrestrial photovoltaic power systems, ANSI/IEEE Std 928-1986. 87–22183
IEEE recommended practice: definitions of basic per-unit quantities for AC rotating machines, IEEE Std 86-1987. 87–35905
IEEE recommended practice for application of IEEE Std 828 to nuclear power generating stations, IEEE Std 1033-1985. 86–51295
IEEE recommended practice for auxiliary devices for motors in Class 1 - Groups A, B, C, and D, Division 2 locations, IEEE Std 303-1984. 85–53671
IEEE recommended practice for cement plant electric drives and related electrical equipment, IEEE Std 499-1983. 85–54007
IEEE recommended practice for cement plant power distribution, IEEE Std 277-1983. 85–49234

Inst. Electr. & Electron. Eng., New York, NY, USA continued

- IEEE recommended practice for chemical industry severe duty squirrel-cage induction motors- 600 V and below, ANSI/IEEE Std 841-1986. 87−22341
- IEEE recommended practice for determining the electric power station ground potential rise and induced voltage from a power fault, ANSI/IEEE Std 367-1987. 88−62007
- IEEE recommended practice for efficiency determination of alternating-current adjustable-speed drives. Part I - load commutated inverter synchronous motor drives, ANSI/IEEE Std 995-1987. 88−49190
- IEEE recommended practice for electric installations on shipboard, IEEE Std 45-1983. 85−49171
- IEEE recommended practice for electric power distribution for industrial plants, ANSI/IEEE Std 141-1986. 87−21921
- IEEE recommended practice for electric systems in health care facilities, ANSI/IEEE Std 602-1986. 87−21920
- IEEE recommended practice for electrical impedance, induction, and skin effect heating of pipelines and vessels, ANSI/IEEE Std 844-1985. 86−52059
- IEEE recommended practice for emergency and standby power systems for industrial and commercial applications, ANSI/IEEE Std 446-1987. 87−58211
- IEEE recommended practice for energy conservation and cost-effective planning in industrial facilities, IEEE Std 739-1984. 85−53960
- IEEE recommended practice for establishing transformer capability when supplying nonsinusoidal load currents, ANSI/IEEE C57.110-1986. 88−62421
- IEEE recommended practice for field testing electric submersible pump cable, IEEE Std 1017-1985. 86−51012
- IEEE recommended practice for implementation of unique identification in power plants and related facilities, IEEE Std 804-1983. 85−59906
- IEEE recommended practice for installation and maintenance of lead-acid batteries for photovoltaic (PV) systems, ANSI/IEEE Std 937-1987. 87−58304
- IEEE recommended practice for installation, application, operation, and maintenance of dry-type general purpose distribution and power transformers, ANSI/IEEE C57.94-1982. 86−51697
- IEEE recommended practice for installation design and installation of large lead storage batteries for generating stations and substations, IEEE/ANSI Std 484-1987. 87−64784
- IEEE recommended practice for maintenance, testing, and replacement of nickel-cadmium storage batteries for generating stations and substations, ANSI/IEEE Std 1106-1987. 88−48787
- IEEE recommended practice for maintenance, testing, and replacement of large lead storage batteries for generating stations and substations, ANSI/IEEE Std 450-1987. 87−58305
- IEEE recommended practice for protection and coordination of industrial and commercial power systems, ANSI/IEEE Std 242-1986. 87−21975
- IEEE recommended practice for seismic qualification of class 1E equipment for nuclear power generating stations, IEEE Std 344-1987. 88−5445
- IEEE recommended practice for sizing large lead storage batteries for generating stations and substations, IEEE Std 485-1983. 85−49070
- IEEE recommended practice for specifying electric submersible pump cable - ethylene-propylene rubber insulation, IEEE Std 1018-1985. 86−51013
- IEEE recommended practice for specifying electric submersible pump cable - polypropylene insulation, IEEE Std 1019-1985. 86−51014
- IEEE recommended practice for system identification in fossil-fueled power plants and related facilities, ANSI/IEEE Std 806-1986. 87−22126
- IEEE recommended practice for system identification in nuclear power plants and related facilities, IEEE Std 805-1984. 85−43827
- IEEE recommended practice for the application and testing of uninterruptible power supplies for power generating stations, ANSI/IEEE Std 944-1986. 87−22542
- IEEE recommended practice for the design and installation of electric heat tracing systems for nuclear power generating stations, IEEE Std 622-1987. 88−23665
- IEEE recommended practice for the design and installation of electric pipe heating control and alarm systems for power generating stations (Supplement to ANSI/IEEE Std 622-1979, IEEE recommended practice for the design and installation of electric pipe heating systems for nuclear power generating stations), IEEE Std 622A-1984. 85−53935
- IEEE recommended practice for the design of safety-related DC auxiliary power systems for nuclear power generating stations, IEEE Std 946-1985. 86−51294
- IEEE recommended practice for the testing, design, installation, and maintenance of electrical resistance heat tracing for industrial applications, IEEE Std 515-1983. 85−53934
- IEEE recommended practice for unique identification in power plants and related facilities - Principles and definitions, IEEE Std 803-1983. 85−53539
- IEEE recommended practice for unique identification in power plants and related facilities - Component function identifiers, IEEE Std 803A-1983. 85−53540
- IEEE recommended practice for utility interconnection of small wind energy conversion systems, ANSI/IEEE Std 1021-1988. 88−23819
- IEEE recommended practice for utility interface of residential and intermediate photovoltaic (PV) systems, ANSI/IEEE Std 929-1988. 88−48503
- IEEE recommended practice for voltage-endurance testing of enameled wire, ANSI/IEEE Std 853-1985. 86−47115
- IEEE recommended practices for safety in high-voltage and high-power testing, IEEE Std 510-1983. 85−49321
- IEEE recommended practices for seismic design of substations, IEEE Std 693-1984. 85−53799
- IEEE recommended pratice for electrical heating applications to melting furnaces and forehearths in the glass industry, ANSI/IEEE Std 668-1987. 87−43712
- IEEE standard application guide for low-voltage AC non-integrally fused power circuit breakers (Using separately mounted current-limiting fuses), ANSI/IEEE C37.27-197. 86−56879
- IEEE standard application guide for low-voltage AC nonintegrally fused power circuit breakers (using separately mounted current-limiting fuses), ANSI/IEEE C37.27-1987. 87−72338
- IEEE standard corona tests. Supplement to ANSI/IEEE C37.34-1971. Test code for high-voltage air-switches, ANSI/IEEE C37.34a-1978. 86−56884
- IEEE standard criteria and guidelines for the laboratory measurement and reporting of fly ash resistivity, IEEE Std 548-1984. 85−52844
- IEEE standard criteria for diesel-generator units applied as standby power supplies for nuclear power generating stations, IEEE Std 387-1984. 85−53417

Inst. Electr. & Electron. Eng., New York, NY, USA continued

- IEEE standard criteria for security systems for nuclear power generating stations, IEEE Std 692-1986. 87−22052
- IEEE standard criteria for the design, installation, and qualification of raceway systems for class 1E circuits for nuclear power generating stations, ANSI/IEEE Std 628-1987. 87−57801
- IEEE standard criteria for the protection of class 1E power systems and equipment in nuclear power generating stations, ANSI/IEEE Std 741-1986. 87−21974
- IEEE standard definition, specification, and analysis of manual, automatic, and supervisory station control and data acquisition, ANSI/IEEE C37.1-1979. 86−56520
- IEEE standard definition, specification, and analysis of systems used for supervisory control, data acquisition, and automatic control, ANSI/IEEE C37.1-1987. 87−64757
- IEEE standard definitions for excitation systems for synchronous machines, ANSI/IEEE Std 421.1-1986. 87−30527
- IEEE standard definitions for power switchgear, ANSI/IEEE C37.100-1981. 86−56906
- IEEE standard definitions for power switchgear, ANSI/IEEE C37.100b-1984. 86−56907
- IEEE standard definitions for use in reporting electric generating unit reliability, availability, and productivity, ANSI/IEEE Std 762-1987. 87−72103
- IEEE standard definitions in power operations terminology, ANSI/IEEE Std 858-1987. 87−50625
- IEEE standard definitions of digital terms relating to television, IEEE Std 847-1982. 86−44018
- IEEE standard definitions of navigation aid terms, IEEE Std 172-1983. 86−43919
- IEEE standard definitions of power systems data transmission and related channel terminology, IEEE Std 599-1985. 86−43569
- IEEE standard definitions of terms for antennas, IEEE Std 145-1983. 86−42980
- IEEE standard definitions of terms for nonlinear, active, and nonreciprocal waveguide components, IEEE Std 457-1982. 86−47057
- IEEE standard definitions of terms relating to fiber optics, ANSI/IEEE Std 812-1984. 86−48149
- IEEE standard design tests for high-voltage fuses, distribution enclosed single-pole air switches, fuse disconnecting switches, and accessories, ANSI/IEEE C37.41-198. 86−56889
- IEEE standard difinitions of primary ferroelectric terms, ANSI/IEEE Std 180-1986. 87−18416
- IEEE standard electrical power system device function numbers, ANSI/IEEE C37.2-1979. 86−51105
- IEEE standard electrical power system device function numbers, IEEE C37.2-1987(Revi. 88−24092
- IEEE standard enclosed field discharge circuit breakers for rotating electric machinery, ANSI/IEEE C37.18-197. 86−56877
- IEEE standard for cable joints for use with extruded dielectric cable rated 5000 V through 46 000 V and cable joints for use with laminated dielectric cable rated 2500 V through 500 000 V, ANSI/IEEE Std 404-1986. 87−21964
- IEEE standard for calculation of bare overhead conductor temperature and ampacity under steady-state conditions, ANSI/IEEE Std 738-19. 86−50967
- IEEE standard for electric penetration assemblies in containment structures for nuclear power generating stations, IEEE Std 317-1983. 85−48712
- IEEE standard for electrical measuring transducer for converting AC electrical quantities into DC electrical quantities, ANSI/IEEE Std 460-1988. 88−67628
- IEEE standard for ferroresonant voltage regulators, IEEE Std 449-1984. 85−39927
- IEEE standard for functional requirements for methods and equipment for measuring the performance of tone address signaling systems, ANSI/IEEE Std 752-1986. 87−33955
- IEEE standard for logic circuit diagrams, ANSI/IEEE Std 991-1986. 87−17018
- IEEE standard for logic circuit diagrams. Corrected edition, ANSI/IEEE Std 991-1986. 88−694
- IEEE standard for low-voltage AC power circuit breakers used in enclosures, ANSI/IEEE C37.13-1981. 86−51829
- IEEE standard for low-voltage AC power circuit protectors used in enclosures, ANSI/IEEE C37.29-1981. 86−56880
- IEEE standard for low-voltage DC power circuit breakers used in enclosures, ANSI/IEEE C37.14-1979. 86−51830
- IEEE standard for measurement of luminance signal-to-noise ratio in video magnetic-tape recording systems, IEEE Std 618-1984. 85−58401
- IEEE standard for metal-clad and station-type cubicle switchgear, ANSI/IEEE C37.20.2-1987. 87−64759
- IEEE standard for metal-enclosed interrupter switchgear, ANSI/IEEE C37.20.3-1987. 87−64760
- IEEE standard for metal-enclosed low-voltage power circuit-breaker switchgear, ANSI/IEEE C37.20.1-1987. 87−64758
- IEEE standard for metal-oxide surge arresters for AC power circuits, ANSI/IEEE C62.11-1987. 88−5403
- IEEE standard for performance measurements of A/D and D/A converters for PCM television video circuits, IEEE Std 746-1984. 85−49950
- IEEE standard for preferred power supply for nuclear generating stations, IEEE Std 765-1983. 85−53416
- IEEE standard for pulse transformers, ANSI/IEEE Std 390-1987. 88−12645
- IEEE standard for qualification of Class 1E lead storage batteries for nuclear power generating stations, ANSI/IEEE Std 535-1986. 87−22718
- IEEE standard for qualifying Class 1E equipment for nuclear power generating stations, IEEE Std 323-1983. 85−48713
- IEEE standard for qualifying class 1E protective relays and auxiliaries for nuclear power generating stations, IEEE C37.105-1987. 88−36949
- IEEE standard for qualifying permanent connections used in substation grounding, IEEE Std 837-1984. 85−49058
- IEEE standard for surge arresters for AC power circuits, IEEE C62.1-1984. 86−51148
- IEEE standard for the design and installation of cable systems for Class 1E circuits in nuclear power generating stations, IEEE Std 690-1984. 85−53418
- IEEE standard for the design and qualification of Class 1E control boards, panels, and racks used in nuclear power generating stations, IEEE Std 420-1982. 86−51229
- IEEE standard for the preparation of test procedures for the thermal evaluation of solid electrical insulating materials, IEEE Std 98-1984. 85−50806

Inst. Electr. & Electron. Eng., New York, NY, USA continued
IEEE standard for the qualification of switchgear assemblies for class 1E applications in nuclear power generating stations, ANSI/IEEE C37.82-1987. 87−64286
IEEE standard for three-phase, manually operated subsurface load interrupting switches for alternating-current systems, ANSI/IEEE C37.71-198. 86−56904
IEEE standard for wide-band transformers, IEEE Std 111-1984. 85−40272
IEEE standard functional methods and equipment for measuring the performance of dial-pulse (DP) address signaling systems, IEEE Std 753-1983. 85−52108
IEEE standard general principles for temperature limits in the rating of electric equipment and for the evaluation of electrical insulation, ANSI/IEEE Std 1-1986. 87−28896
IEEE standard general requirements for dry-type distribution and power transformers, ANSI/IEEE C57.12.01-1979. 87−22470
IEEE standard general requirements for liquid-immersed distribution, power, and regulating transformers, ANSI/IEEE C57.12.00-1980. 87−22469
IEEE standard general requirements for liquid-immersed distribution, power, and regulating transformers, ANSI/IEEE C57.12.00-1987. 88−62420
IEEE standard glossary of mathematics of computing terminology, ANSI/IEEE Std 1084-1986. 87−22983
IEEE standard graphic symbols for logic functions, ANSI/IEEE Std 91-1984. 87−66066
IEEE standard guide for methods of power-factor measurement for low-voltage inductive test circuits, ANSI/IEEE C37.26-1972. 86−56510
IEEE standard guide for the application, operation, and maintenance of automatic circuit reclosers, ANSI C37.61-1973; IEEE Std 321-1973. 86−56901
IEEE standard inertial sensor terminology, IEEE Std 528-1984. 86−50081
IEEE standard measurement procedure for field-disturbance sensors (rf intrusion alarms), IEEE Std 475-1983. 85−49320
IEEE standard method for measuring transmission performance of telephone sets, IEEE Std 269-1983. 85−57832
IEEE standard methods and equipment for measuring the transmission characteristics of analog voice frequency circuits, IEEE Std 743-1984. 85−52115
IEEE standard methods for the measurement of sound pressure levels of AC power circuit breakers, ANSI/IEEE C37.082-1982. 87−64756
IEEE standard modular instrumentation and digital interface system (CAMAC), ANSI/IEEE Std 583-19. 86−44084
IEEE standard on piezoelectricity, ANSI/IEEE Std 176-1987. 88−64826
IEEE standard performance characteristics and dimensions for outdoor apparatus bushings, ANSI/IEEE Std 24-1984. 85−53742
IEEE standard. Periodic testing of diesel-generator units applied as standby power supplies in nuclear power generating stations, IEEE Std 749-1983. 85−53415
IEEE standard practices and requirements for general purpose thyristor DC drives, IEEE Std 597-1983. 85−53881
IEEE standard procedures for measurement of power frequency electric and magnetic fields from AC power lines, ANSI/IEEE Std 644-1987. 87−57669
IEEE standard procedures for obtaining synchronous machine parameters by standstill frequency response testing (Supplement to ANSI/IEEE Std 115-1983, IEEE guide: test procedures for synchronous machines), IEEE Std 115A-1987. 87−72127
IEEE standard procedures for the measurement of radio noise from overhead power lines and substations, ANSI/IEEE Std 430-1986. 87−30225
IEEE standard radar definitions, ANSI/IEEE Std 686-19. 86−43875
IEEE standard rating structure for AC high-voltage circuit breakers rated on a symmetrical current basis, ANSI/IEEE C37.04-197. 86−45613
IEEE standard relays and relay systems associated with electric power apparatus, ANSI/IEEE C37.90-1978. 86−56493
IEEE standard reliability data for pumps and drivers, valve actuators, and valves, ANSI/IEEE Std 500-1984 P&V. 87−22053
IEEE standard requirements for instrument transformers, ANSI/IEEE C57.13-1978. 87−22488
IEEE standard requirements for overhead, pad mounted, dry vault, and submersible automatic circuit reclosers and fault interrupters for AC systems, ANSI/IEEE C37.60-1981. 86−56900
IEEE standard requirements for overhead, pad-mounted, dry-vault, and submersible automatic line sectionalizers for AC systems, ANSI/IEEE C37.63-1984. 86−56902
IEEE standard requirements for replacement parts for class 1E equipment in nuclear power generating stations, ANSI/IEEE Std 934-1987. 88−5446
IEEE standard requirements for the calibration and control of measuring and test equipment used in the construction and maintenance of nuclear power generating stations, ANSI/IEEE Std 498-1985. 86−51293
IEEE standard requirements, terminology, and test code for step-voltage and induction-voltage regulators, ANSI/IEEE C57.15-1986. 88−56465
IEEE standard requirements, terminology, and tset code for shunt reactors over 500 kVA, ANSI/IEEE C57.21-1981. 87−22490
IEEE standard seismic testing of relays, ANSI/IEEE C37.98-1978. 86−56496
IEEE standard seismic testing of relays, ANSI/IEEE C37.98-1984. 86−56497
IEEE standard seismic testing of relays, IEEE C37.98-1987. 88−36895
IEEE standard serial ASCII instrumentation loop (SAIL) shipboard data communication, ANSI/IEEE Std 997-1985. 86−50754
IEEE standard service conditions and definitions for high-voltage fuses, distribution enclosed single-pole air switches, fuse disconnecting switches, and accessories, ANSI/IEEE C37.40-1981. 86−56888
IEEE standard service conditions for power system communication equipment, IEEE Std 281-1984. 85−51851
IEEE standard specification format guide and test procedure for nongyroscopic inertial angular sensors: jerk, acceleration, velocity, and displacement, IEEE Std 671-1985. 86−50080
IEEE standard telephone loop performance characteristics, ANSI/IEEE Std 820-1984. 85−52116
IEEE standard terminology for power and distribution transformers, ANSI/IEEE C57.12.80-1978. 87−22485
IEEE standard terms for reporting and analyzing outage occurrences and outage states of electrical transmission facilities, IEEE Std 859-1987. 88−48527
IEEE standard test code for dry-type distribution and power transformers, ANSI/IEEE C57.12.91-1979. 87−22487
IEEE standard test code for high-voltage air switches (Supplement: ice tests), ANSI/IEEE C37.34b-1985. 86−56885

Inst. Electr. & Electron. Eng., New York, NY, USA continued
IEEE standard test code for liquid-immersed distribution, power, and regulating transformers and IEEE guide for short-circuit testing of distribution and power transformers, ANSI/IEEE C57.12.90-1980. 87−22486
IEEE standard test code for liquid-immersed distribution, power, and regulating transformers and IEEE guide for short-circuit testing of distribution and power transformers, ANSI/IEEE C57.12.90-1987. 88−62424
IEEE standard test procedure for AC high-voltage circuit breakers rated on a symmetrical current basis, ANSI/IEEE C37.09-1979. 86−45615
IEEE standard test procedure for polyphase induction motors and generators, IEEE Std 112-1984. 85−48962
IEEE standard test procedure for thermal evaluation of oil-immersed distribution transformers, ANSI/IEEE C57.100-1986. 87−22468
IEEE standard test procedure for thermal evaluation of insulation systems for ventilated dry-type power and distribution tranformers, ANSI/IEEE C57.12.56-1986. 87−22483
IEEE standard test procedures for germanium gamma-ray detectors, ANSI/IEEE Std 325-1986. 87−63674
IEEE standard test procedures for semiconductor charged-particle detectors, ANSI/IEEE Std 300-19. 86−38709
IEEE standard test procedures for semiconductor X-ray energy spectrometers, ANSI/IEEE Std 759-1984. 85−52998
IEEE standard test specifications for gas-tube surge-protective devices, IEEE C62.31-1984. 86−51149
IEEE standard test specifications for varistor surge-protective devices, IEEE C62.33-1982. 86−56492
IEEE standard VHDL language reference manual, IEEE Std 1076-1987. 88−49970
IEEE standards for local area networks: carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications, ANSI/IEEE Std 802.3-1985. 86−43571
IEEE standards for local area networks: supplements to carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications, ANSI/IEEE Std 802.3a,b,c, and e-1988. 88−52911
IEEE trial-use guide for loading mineral-oil-immersed power transformers rated in excess of 100 MVA (65°C winding rise), IEEE Std 756. 85−53743
IEEE trial-use guide for transmission structure foundation design, IEEE Std 691. 86−45004
IEEE trial use standard procedures for obtaining synchronous machine parameters by standstill frequency response testing (Supplement to ANSI/IEEE Std 115-1983, IEEE guide; test procedures for synchronous machines), IEEE Std 115A. 85−53683
IEEE trial-use standard requirements for organizations that conduct qualification testing of safety systems equipment for use in nuclear power generating stations, IEEE Std 600. 85−53414
Loading guide for AC high-voltage air switches (in excess of 1000 volts), ANSI/IEEE C37.37-1979. 86−56887
National electrical safety code. 1984 edition, ANSI C2-1984. 85−44476
National electrical safety code. 1987 edition, ANSI C2-1987. 87−21947
National electrical safety code interpretations 1981-1984 inclusive, ANSI/IEEE C2. 85−44475
NESC Handbook. Development and application of the American National Standard National Electrical Safety Code grounding rules, general rules, and parts 1, 2, and 3. 1984 edition, (unnumbered). 85−43651
Requirements, terminology, and test code for current-limiting reactors, USAS C57.16-1958. 87−35992
Supplement to graphic symbols for electrical and electronics diagrams (Supplement to ANSI Y32.2-1975, ANSI/IEEE Std 315-1975), ANSI/IEEE Std 315A-1986. 87−16353
Token-passing bus access method and physical layer specifications, ANSI/IEEE Std 802.4-. 86−43570

Inst. Energoelektryki, Politech. Wroclawska, Poland
Stresses in turbo-sets due to emergency changes of frequency. 87−9506

Inst. Nat. Recherche Inf. Autom., Le Chesnay, France
Acyclic fork-join queueing networks, 688. 88−6354
Algorithm PR^2 for the parallel size reduction of the 0.1 multiknapsack problem, 811. 88−70257
Analysis methodology for studying the results of EDF very high voltage grid planning model, 651. 87−71618
Analysis of the B.P.M. approximation of the Helmholtz equation, 583. 87−46553
Analytic models for tree communication protocols, 648. 87−69422
Approximation des coques minces par des methodes 'B-splines et elements finis'. 1 Partie: formulation du probleme et estimations d'erreur (Approximation of thin shells by B-splines and finite element methods. Part I: formulation of the problem and error estimates), 474. 86−52417
Approximation of general shell problems by flat plate elements (Part 2: addition of a drilling degree of freedom), 767. 88−70283
Approximation of general shell problems by the Clough-Johnson flat plate elements. Part 1: compatibility relations, 660. 88−6420
Asymptotic behavior of viscosity solutions of first-order Hamilton Jacobi equations, 403. 86−34264
Asymptotical behaviour of a probabilistic teacher algorithm for the mixture problem, 563. 87−10250
Automatic design of systolic chips, 450. 86−20475
Building, matching, and fusing noisy visual maps, 596. 87−62227
Can a fast signature scheme without secret key be secure, 399. 86−10266
Class of Boltzmann-type schemes for hyperbolic conservation laws, 488. 86−46297
Completely regular codes and completely transitive codes, 727. 88−21093
Completude des modes T.E et T.M pour un guide d'ondes optiques planaire (Completude of TE and TM modes for a planar optical waveguide), 385. 85−62389
Convergence of nonconforming finite element methods for linear thin shell problems, 796. 88−49732
Covering radius in weakly metric association schemes, 592. 87−47461
Derivation de protocoles d'exclusion mutuelle equitables (Derivation of starvation-free mutual exclusion protocols), 584. 87−48636
Designing systolic arrays with DIASTOL, 578. 87−31783
Detecting changes in signals and systems, 658. 88−3063
Detection and diagnosis of abrupt changes in modal characteristics of nonstationary digital signals, 348. 85−36293
Dynamic management of 3D scenes, 575. 87−55313
Elliptic functions, continued fractions and doubled permutations, 758. 88−43795
Errors of spectral estimators in ARMA processes, 538. 87−200
ESTELLE: an ISO language for distributed algorithms and protocols, 595. 87−55752

Inst. Nat. Recherche Inf. Autom., Le Chesnay, France continued
Etude de sensibilite d'un modele de polarisation electromagnetique vis-a-vis de ses parametres (Study of sensibility of a model of electromagnetic polarisation with respect to its parameters), 465. 86—54249
Etude mathematique du couplage air sous-sol dans la diffusion d'un champ electrique en milieu conducteur tridimensionnel (Mathematic study of the air-subsoil coupling in the diffusion of an electric field in a three-dimensional conductor), 556. 87—15044
Evaluation of queueing phenomena in ALOHA systems, 698. 88—8906
Evaluation tools for real-time message scheduling algorithms: analytic solver versus event-driven simulator, 638. 87—76370
Experiment with arithmetic precision in linear algebra computations, 643. 87—65412
Feynman-Kac type result for coupled elliptic systems - I, 486. 86—46294
Gaussian limiting distributions for the number of components in combinatorial structures, 809. 88—70236
Global smooth solution of Cauchy problem for a class of quasilinear parabolic systems in several spaces variables, 487. 86—46295
Hyperbolic systems in diagonal form with dissipation, in several spaces variables: existence and uniqueness results, 452. 86—46296
Image sequences and ADPCM intra-interimage: coding techniques final report, 630. 88—22305
Integrated office systems over local area networks: a performance study, 419. 86—30390
Intermittently served discrete time queue with applications to meteor scatter communications, 712. 88—22062 .
Knowledge-based methodology in pattern recognition and understanding, 691. 88—41107
The Lee association scheme, 591. 87—54882
Lightnet: a high performance media access protocol for undirectional bus network, 654. 88—3588
Local and global convergence of a reduced quasi-Newton method, 565. 87—10289
Machnet a simple access protocol for high speed or long haul communications, 684. 88—8905
MADMACS: manuel d'utilisation (MADMACS: utilisation manual), 66. 86—46477
Manuel d'utilisation de DIASTOL. Version preliminaire. (DIASTOL user's manual. Preliminary version), 41. 85—40027
Markovian solver of QNAP2 and applications, 49. 86—7605
Maximum-likelihood framework for determining moving edges in image sequences, 696. 88—28081
Methode a metrique variable reduite en optimisation avec contraintes d'egalite non lineaires (Reduced variable metric method in optimisation with non-linear equality constraints), 482. 86—46228
Mixed and hybrid finite element methods, 737. 88—18619
Motion analysis from image sequences: determination of local primitives, intermediate-level structuration, optic flow estimation, 619. 88—41105
Multistep approximation of semigroups in Banach spaces, 572. 87—52045
New statistical approach for the automatic segmentation of continuous speech signals, 511. 87—7699
Nodal schemes, mixed-hybrid finite elements and block-centered finite differences, 386. 85—60876
Nonconforming approximations of general thin shells problems by Morley's type finite element, 766. 88—70258
Nonlinear filtering of one-dimensional diffusions in the case of a high signal-to-noise ratio, 402. 86—16356
Optimal priority assignment with constraint, 346. 85—54246
Optimal triangulation for second order elliptic problems, 420. 86—26783
Part and try algorithm adapted to free channel access, 436. 86—22873
Perfect codes and group partitions, 481. 86—48780
Permutation of transitions: an event structure semantics for CCS, 798. 88—63183
Poids et equivalence des codes lineaires (Weights and equivalence of linear codes), 519. 87—7668
PONDER and MNDOPT a methodology in cluster analysis. Its application for studying effects of reinforcements on the EDF very high voltage grid, 726. 88—23410
Postprocessing schemes for some mixed finite elements, 800. 88—56198
r-partitions designs in Hamming spaces, 626. 87—68972
Re-routing resequencing in multistage interconnection networks, 666. 88—8904
Real-time local area networks: some design and modeling issues, 448. 86—49307
Recursive estimation of 3D features for mobile vision system, 652. 88—41106
Region segmentation according to motion-based criteria, 629. 88—28080
Robust and implicity "bimodal" collision resolution protocols, 717. 88—35135
Simple analysis of Expressnet, 818. 88—59386
Simple computable bounds for the Fork-Join queue, 394. 86—7604
SOS object - oriented communication service, 801. 88—59457
Stabilization of fast recursive least-squares transversal filters, 570. 87—33717
Steady-state probability for a queue with two thresholds, 663. 88—280
Steady-state probalities for Markovian systems, 633. 88—38051
Systolic solution of linear systems over GF(p) with partial pivoting, 567. 87—52491
Termination detection: an algorithm based on observation, 610. 88—41352
Third-order numerical schemes for hyperbolic problems, 607. 88—18661
Trace theorem in an anisotropic Sobolev space, 772. 88—49775
Translation codes, 454. 86—46214
Two papers on dynamic Huffman codes, 623. 87—68971
Two parallel queues created by arrivals with two demands: the M/G/2 symmetrical case, 426. 86—26702
Videotex environment for applications. Formated presentation interface, 79. 87—55672
Videotex environment for applications. Overview, 78. 87—55671
Videotex environment for applications. Software for format specifications, 80. 87—55673

Inst. Politech., Cluj-Napoca, Romania
Oscilloscope operation in systems directly connected to the mains. 87—56730

Int. Comm. Illumination, Paris, France
Determination of the spectral responsivity of optical radiation detectors, CIE-64 (1984). 85—37636
Electrically calibrated thermal detectors of optical radiation (Absolute radiometers), CIE-65-1985. 86—24546
Lighting for swimming pools, CIE-62 (1984). 85—49197
Tunnel entrance lighting. A survey of fundamentals for determining the luminance in the threshold zone, CIE-61 (1984). 85—44304
Vision and the visual display unit work station, CIE 60. 85—38251

Int. Comm. Illumination, Vienna, Austria
Guide for the photometric specification and measurement of sports lighting installations, Publ. CIE 67 (1986). 87—43641
Guide on interior lighting. Second edition, Publ. CIE 29.2 (1986). 87—51629
Guide to the lighting of exterior working areas, Publ. CIE 68 (1986). 87—58447
Methods of characterizing illuminance meters and luminance meters. Performance, characteristics and specifications, Publ. CIE No.69(1987). 88—29671

Ist. di Strade e Trasporti, Trieste Univ., Italy
Overhaulings and nondestructive examinations on cableways used in public service. 87—9917

Ist. Naz. Fis. Nucl., Bari, Italy
Light spot scanning automated apparatus for high resistivity semiconductors, INFN/TC-84/11. 85—3871
Sistema hardware/software per stazione di saldatura di tubi streamer per end-caps del calorimetro adronico impiegato nell'esperimento ALEPH (Hardware/software system for streamer tube welding station for the implementation of adronic calorimeter and caps in the ALEPH experiment), INFN/TC-86/19. 87—49988

Ist. Naz. Fis. Nucl., Catania, Italy
Misura di fattori di sputtering di film sottili utilizzando un fascio di protoni di 100 keV (Measurement of thin film sputtering parameters using a 100 keV proton beam), INFN/TC-85/13. 86—31658

Ist. Naz. Fis. Nucl., Genova, Italy
Cryogenic stability of hollow S/C cables in a transverse magnetic field gradient, INFN/TC-84/21. 85—12524
Detector to study $\xi(2220)$ at LEAR, INFN/AE-84/7. 85—20833
LED system to control the gain stability of NAI detectors, INFN/BE-84/6. 85—15199
New dipole resonances excited by radiative capture reactions: a proposal for NAC, INFN/BE-84/10. 85—37943
Polarized hydrogen beam target, INFN/TC-86/1. 86—44537
Preliminary results on 'Hagar' a high energy anticoincidence gamma ray spectrometer, INFN/BE-86/1. 86—44608

Ist. Naz. Fis. Nucl., Legnaro, Italy
Design, construction and test of the associated particle method vacuum scattering chamber of the L.N.L. neutron facility, INFN/TC-85/23. 86—44538
L'uso di scintillatori CsI(Tl)letti da fotodiodi come rivelatori di particelle cariche e ioni pesanti ad energie intermedie (Use of a CsI(Tl) scintillator photodiode for elementary particle and ion detection at intermediate energy), INFN/TC-86/14. 87—14757

Ist. Naz. Fis. Nucl., Milan, Italy
ADG: an amplitude and delay generator, INFN/BE-84/9. 85—43298
BIG - a BInary generator, INFN/TC-87/7. 88—695
Bragg curve ionization chamber for accelerator mass spectrometry, INFN/TC-85/8. 85—59206
Charge migration contribution to the sensitive layer of a silicon detector, INFN/TC-84/13. 85—15197
Compact electronic apparatus for the Bragg-curve analysis in axial ionization chambers, INFN/TC-84/23. 85—37944
Construction and assembling of the trim coils for the Milan superconducting cyclotron, INFN/TC-86/14. 86—44502
Control electronics for high power operation of the Milan superconducting cyclotron RF cavities, INFN/TC-86/6. 86—44501
Design of the main coils power supply and current dumping system for the Milan Superconducting Cyclotron, INFN/TC-84/15. 85—37830
Device for the measurement of tension in large surgical sutures, INFN/TC-85/12. 86—44632
Energy resolution and longitudinal shower development in a Si/W electromagnetic calorimeter, INFN/AE684/12. 85—20835
Extraction system for the Milan Superconducting Cyclotron, INFN/TC-87/4. 87—70975
Forward calorimeter for HERA, INFN/AE-84/13. 85—37942
Liquid nitrogen cool down of the cryostat of the Milan Superconducting Cyclotron, INFN/TC-87/3. 87—70949
Magnet structure of the Milan superconducting cyclotron, INFN/TC-84/25. 86—44500
Note on the vertex program, INFN/AE-87/1. 87—41871
Response functions of an X-ray detecting system for spectral analysis of therapeutic beams, INFN/TC-85/14. 86—38809
Silicon detectors and associated electronics oriented to calorimetry, INFN/AE-84/5. 85—20834
Trim coils power supplies for the Milan Superconducting Cyclotron, INFN/TC-86/12. 87—14664
Ultrasonic inspection of the insert soldering in the C.S. superconducting cable, INFN/TC-84/8. 85—10868

Ist. Naz. Fis. Nucl., Naples, Italy
Automatic test system for the L3 muon drift chamber amplifiers, INFN/TC-87/9. 88—23013
Test system of the digital electronics for the CHARM II limited streamer tubes, INFN/AE-85/5. 86—11914

Ist. Naz. Fis. Nucl., Pisa, Italy
Construction of lead glass tubing matrices for applications in medical physics and high energy physics, INFN/TC-85/6. 85—59205
HISPET project: state of the art, INFN/TC-85/2. 85—43265
Novel type of parallel plate chamber with a resistive germanium anode and a two dimensional read-out, INFN/TC-85/16. 86—44577
Results of a test on the SGS digital strip readout electronics for limited streamer tubes, INFN/TC-86/17. 87—35368
Use of EGS for Monte Carlo calculations in positron imaging, INFN/TC-85/1. 85—48262

Ist. Naz. Fis. Nucl., Trieste, Italy
Considerations on installing a strong solenoid in a low energy storage ring, INFN/AE-87/4. 88—16604
CP/M VMEBUS control system, INFN/TC-86/5. 87—22541
European Hadron Facility, INFN/AE-87/2. 87—56935
Space resolution of the TPC, INFN/AE-86/5. 87—14758
T.E. modes in waveguides with parallelogram cross-section, INFN/TC-86/11. 87—33492

Ist. Naz. Fis. Nucl., Turin, Italy
Microcomputer controlled PAL programmer, INFN/TC-85/15. 86—20474
Realization of an automatic set-up to measure electrical characteristics of solid state detectors, INFN/TC-86/7. 87—14116
Study on HgI_2 nuclear detector, INFN/FM-86/1. 87—29527

Japan Atomic Energy Res. Inst., Tokai, Ibaraki, Japan
100kV, 80A, 10s power supply for a neutral beam injector using a series of gate turn off thyristors as a regulator switch valve, JAERI-M-84-112. 85—44111

Japan Atomic Energy Res. Inst., Tokai, Ibaraki, Japan continued
  Analysis of multislot directional coupler, JAERI-M-86-061. 87—6331
  Beat frequency stabilization between two HCN lasers by phase locked loop, JAERI-M-86-194. 87—68681
  Characteristics of gas stripper cell for production of multi-charged ions, JAERI-M-86-154. 87—41810
  Data compilation for radiation effects on ceramic insulators, JAERI-M-86-127. 87—32747
  Development of a volume H$^-$ ion source for neutral beam injector, JAERI-M-84-098. 85—37892
  Development of realistic chest phantom for calibration of in-vivo plutonium counting facilities, JAERI-M-87-081. 88—48255
  Investigation of a Nb-Ti cable-in-conduit conductor: experimantal results, JAERI-M-87-013. 87—74632
  Progress report on JAERI-ORNL cooperative neutron scattering research April 1, 1984 - March 31, 1985, JAERI-M-85-112. 86—32212
JET Joint Undertaking, Abingdon, Oxon., UK
  Joint European Torus personnel dosimetry service, JET-P(87)25. 88—10457
JET Joint Undertaking, Abingdon, UK
  High resoloution X-ray spectroscopy at JET, JET-P(87)53. 88—74778
  JET ICRF system automatic matching procedure, JET-R(86)06. 87—33470
  JET power supplies. A review after one year of operation, JET-P(84)06. 85—39120
  JET soft X-ray diode array diagnostic, JET-P(86)16. 87—14756
Joint Board for Pre-Vocational Educ., London, UK
  Certificate of pre-vocational education. Part A. The CPVE framework and criteria for approval of schemes, (unnumbered). 85—44443
  Certificate of pre-vocational education. Part B. Core competences and vocational module specifications, (unnumbered). 85—44444
Kernforschungsanlage, Julich, West Germany
  Characteristics of a high current ion source operated with lithium, Jul-2062. 87—3883
  Combined thermocouple-noise thermometry, Jul-2051(trans). 87—14602
  Contribution on the controllability of reactor cores for nuclear power plants with boiling water reactors demonstrated by KKK, JUL-2149. 88—36998
  Entwicklung und Optimierung spharischer Ionisationskammern zur Bestimmung der Ionentemperatur in Fusionsplasmen (Development of a spherical pulse ionisation chamber for the observation of ion temperature in fusion plasmas), JUL-2097. 87—41872
  Future technologies of energy conversion as options of the novel horizontally integrated energy system, JUL-1946. 85—15708
  Investigation of neutron spectrometers as fusion plasmas diagnostic methods, JUL-2094. 87—50194
  Modellmassige Analyse der Energie- und Massenstrome einer Kohleverflussigungsanlage zur Bestimmung der Wirtschaftlichkeit unter besonderer Berucksichtigung von Massnahmen zur Emissionsminderung (Modelling analysis of the energy-and mass currents of a coal liquefication device for the determination of the economy taking the emission minimisation characteristics into special considerations), JUL-1937. 85—9572
  Nachweis von atomarem Wasserstoff und Kohlenstoff im vakuum-ultravioletten Spektralbereich mit einem frequenzverdreifachten Laser (Detection of atomic hydrogen and carbon in the vacuum ultraviolet spectral region with a frequency-tripled laser), JUL-2154. 88—40168
  Nuclear power plants near consumers from a safety-engineering point of view - an analysis including modern probabilistic approaches and a suggestion for appropriate safety requirements, JUL-2103. 87—57802
  On the concept of a small HTR shop-fabricated in an underground silo type of building, Jul-2039. 87—15493
  Untersuchung des Magnetspektrographen BIG KARL auf Bildfehler und ihre Ursachen (Study of the magnetic spectrograph BIG KARL from aberrations and their causes), JUL-2169. 88—68312
Kopp Semicond. Eng., Albuquerque, NM, USA
  Wafer processing and materials. 88—33319
Los Alamos Nat. Lab., NM, USA
  Physics and a plan for a 45 GeV facility that extends the high-intensity capability in nuclear and particle physics, LA-10720-MS. 86—65309
MK Electric, London, UK
  Industrial circuit protection. 88—37324
Monolithic Memories Inc., Munchen, West Germany
  PAL families in CMOS technology. 88—12300
Mullard Ltd., London, UK
  Computer controlled teletext (CCT), (unnumbered). 87—8010
  EUROM - a single-chip c.r.t. controller for videotex, (unnumbered). 87—10918
Nagoya Univ., Japan
  Compact and high efficient electron beam accelerator, IPPJ-T-35. 87—21372
  Experimental evidences of electro-thermal ablation acceleration of water, IPPJ-834. 88—11465
  Finite-element-analysis of fields radiated from ICRF antenna, IPPJ-675. 85—2647
  Investigation of low-current-density nanosecond electron beam diode, IPPJ-T-36. 87—21373
  Numerical calculations for the electrode design of a relativistic electron beam diode, IPPJ-780. 87—16065
  System for long pulse REB generation, IPPJ-812. 87—52451
  Volume produced H$^-$, D$^-$ ion source for proton accelerator and thermo-nuclear fusion research by sheet plasma (I), IPPJ-760. 86—50298
NASA Automation & Robotics Panel, USA
  Automation and robotics for the space station: recommendations. 86—25345
Nat. Bur. Stand., Washington, DC, USA
  Achievement in radio. Seventy years of radio science, technology, standards, and measurement at the National Bureau of Standards, NBS-SP-555. 87—36315
  Alpha-particle calibrations, NBS-SP-250-5. 88—68267
  Artificial vision device performs high-speed processing of images, NBS-SP-680-5. 87—33810
  Automated measurement of frequency response of frequency-modulated generators using the Bessel null method, NBS-TN-1093. 87—14115
  Calibration of beta-particle-emitting ophthalmic applicators, NBS-SP-250-9. 88—68508
  Calibration of test systems for measuring power losses of transformers, NBS-TN-1204. 86—45483
  Calibration of X-ray and gamma-ray measuring instruments, NBS-SP-250-16. 88—74235
  Coaxial noise standard for the 1 GHz to 12.4 GHz frequency range, NBS-TN-1074. 85—4104
  Critical current measurements on an NbTi superconducting wire standard reference material, NBS-SP-260-91. 85—37406
Nat. Bur. Stand., Washington, DC, USA continued
  Design, evaluation, and use of a reverberation chamber for performing electromagnetic susceptibility/vulnerability measurements, NBS-TN-1092. 87—12741
  Direct measurement of the electric field of a laser pulse -Theory, NBS-TN-1084. 86—48478
  Displacement errors in antenna near-field measurements and their effect on the far field, NBS-TN-1306. 87—47292
  Economic model of calibration improvements for automatic test equipment, NBS-SP-673. 85—42859
  Electrical performance tests for audio distortion analyzers, NBS-TN-1219. 87—8479
  Electromagnetic-acoustic-transducer/synthetic-aperture system for thick-weld inspection, NBS-TN-1075. 85—22569
  Electromagnetic fields radiated from electrostatic discharges theory and experiment, NBS-TN-1314. 88—72492
  Electromagnetic scattering by a thick strip on a half-space, NBS-TN-1236. 88—8451
  Evaluation of off-axis measurements performed in an anechoic chamber, NBS-TN-1305. 87—56830
  Experimentation and measurement, NBS-SP-672. 85—3825
  Far ultraviolet detector standards, NBS-SP-250-2. 88—29411
  Finline diode six-port: fundamentals and design information, NBS-TN-1090. 87—11059
  Fricke dosimetry in high-energy electron beams, NBS-SP-250-4. 88—68507
  Future information technology - 1984 telecommunications, NBS/SP-500/119. 85—63161
  GOES satellite time code dissemination: description and operation, NBS-SP-250-30. 88—74237
  Handbook for SRM users, NBS-SP-260-100. 86—40374
  High voltage divider and resistor calibrations, NBS-TN-1215. 86—20860
  Interelement interactions in phased arrays: theory, methods of data analysis, and theoretical simulations, NBS-TN-1091. 87—7628
  Interlaboratory comparison of force calibrations using ASTM method E74-74, NBS-TN-1211. 86—31116
  International system units (SI), NBS-SP-330 1986 Ed.. 87—49439
  Investigation of a ray-mode representation of the Green's function in a rectangular cavity, NBS-TN-1312. 88—72480
  Lattice approach to volumes irradiated by unknown sources, NBS-TN-1303. 87—54461
  Limits to the precision of electro-optic and magneto-optic sensors, NBS-TN-1307. 88—30426
  Linear gain - standard antennas below 1000 MHz, NBS-TN-1098. 87—7597
  Measurement assurance programs. Part I: General introduction, NBS-SP-676-I. 85—8681
  Measurement assurance programs. Part II: Development and implementation, NBS-SP-676-II. 85—8682
  Modular data acquisition and display software system for a laboratory environment, NBS-TN-1188. 85—14681
  NASA/NBS standard reference model for telerobot control system architecture (NASREM), NBS-TN-1235. 88—42601
  NBS 50 kHz phase angle calibration standard, NBS-TN-1220. 87—14453
  NBS calibration procedures for horizontal dipole antennas (25 to 1000 MHz), NBS-TN-1309. 88—2749
  NBS photodetector spectral response calibration transfer program, NBS-SP-250-17. 88—67630
  NBS research reports, NBS-SP-680-1. (introductory abstract) 86—2640
  NBS research reports, NBS-SP-680-5. (introductory abstract) 87—33809
  NBS wideband sampling wattmeter, NBS-TN-1221. 88—30425
  Parametric cost-revenue model ('PAREC') for electronic message service systems, NBS-TN-1225. 87—55546
  Personal computer networks, NBS-SP-500-140. 87—34138
  Photometric calibrations, NBS-SP-250-15. 88—67629
  Possible estimation methodologies for electromagnetic field distributions in complex environments, NBS-TN-1081. 86—15911
  Precision programmable step generator for use in automated test systems, NBS-TN-1230. 88—29477
  Preparation and certification of SRM's for calibration of spreading resistance probes, NBS-SP-260-93. 86—4940
  Primer for mass metrology, NBS-SP-700-1. 85—52879
  Pulse-echo method for flaw detection in concrete, NBS-TN-1199. 85—22570
  Radiance temperature calibrations, NBS-SP-250-7. 88—68069
  Radio-frequency power delivery system: procedures for error analysis and self-calibration, NBS-TN-1083. 86—35078
  Radioactivity calibrations with the "4π" gamma ionization chamber and other radioactivity calibration capabilities, NBS-SP-250-10. 88—68266
  Radiometric calibration procedures using the NBS MARBLE electronics package, NBS-TN-1216. 86—50110
  Requirements for the calibration of mechanical shock transducers, NBS-TN-1233. 88—29720
  Results of the Monte Carlo calculation of one- and two-dimensional distributions of particles and damage: ion implanted dopants in silicon, NBS-SP-400-79. 88—57458
  Security for dial-up lines, NBS-SP-500-137. 87—20256
  Semiconductor measurement technology: MOS1: a program for two-dimensional analysis of Si MOSFETs, NBS-SP-400-77. 86—15175
  Site attenuation, NBS-TN-1089. 86—50194
  Solid-state DC voltage standard calibrations, NBS-SP-250-28. 88—67983
  Spectral radiance calibrations, NBS-SP-250-1. 88—29672
  Spectral reflectance, NBS-SP-250-8. 88—29670
  SRM 1970: succinonitrile triple-point standard - a temperature reference standard near 58.08°C, NBS-SP-260-101. 87—20831
  Standard cell calibrations, NBS-SP-250-24. 88—69668
  Standardization of pH measurements, NBS-SP-260-53 (1988 Ed.). 88—67631
  Statistical characterization of electroexplosive devices relevent to electromagnetic compatibility assessmnent, NBS-TN-1094. 87—7554
  Surface roughness monitor for advanced manufacturing developed, NBS-SP-680-5. 87—35204
  Survey of measurement needs in the chemical and related industries, NBS-TN-1087. 86—50244
  Theory of mutual impedances and multiple reflections in an N-element array environment, NBS-TN-1078. 86—16054
  Traceable frequency calibrations how to use the NBS frequency measurement system in the calibration lab, NBS-SP-250-29. 88—74236
  Transparent metrology of signal to noise ratios of noisy band-limited digital signals, NBS-TN-1077. 86—18101
  TXYZ: A program for semiconductor IC thermal analysis, NBS-SP-400-76. 85—1668
  Uniform laws and regulations, NBS-Handbook-130. 85—39425
  VOR calibration services, NBS-TN-1069. 86—17533

Nat. Bur. Stand., Washington, DC, USA continued
Water bath blackbody for the 5 to 60° temperature range: performance goal, design concept, and test results, NBS-TN-1228. 88—10160
Nat. Inst. Metall., Randburg, South Africa
Meter for the measurement of moisture in mill feed, NIM-2096D. 85—15092
Nat. Lab. High Energy Phys., Ibaraki-ken, Japan
Automatic calibration system for VENUS lead glass counters, KEK 85-2. 86—11847
Chromaticity correction in the TRISTAN Phase I main ring with two types of insertion, KEK-84-8. 85—4191
Chromaticity correction strategy which improves the linear lattice of the TRISTAN e^+-e^- collider, KEK-84-9. 85—4192
Coherent betatron oscillation accompanying the extraction bump orbit of the PS-booster, KEK 87-1. 87—70974
Construction of a higher-order-mode coupler and its performance, KEK 87-4. 88—4740
Construction of self-supporting cylindrical multiwire proportional chambers, KEK-84-10. 85—4229
Coupling between counter-rotating bunches, KEK 87-15. 88—10208
Design and RF tuning of the KEK 40 MeV proton linear accelerator, KEK 86-5. 87—14634
Design concept for a direct water-cooled silicon crystal for use in a high-power synchrotron radiation beam, KEK 87-21. 88—48081
Distortion functions, KEK 87-11. 88—10207
Effects of insertion devices on betatron functions and their correction in the low emittance mode of the Photon Factory storage ring, KEK 86-12. 87—41666
First results from the AMY detector at TRISTAN, KEK 87-2. 88—4825
Grid pulser for the short beam electron of the PF linac, KEK-86-8. 87—35284
Impedance of separators at low frequencies, KEK 87-16. 88—10209
Longitudinal coupled-bunch instability in the Fermilab booster, KEK 87-17. 88—10210
Measurement of betatron functions at photon factory storage ring, KEK 86-3. 86—65321
Modern control theory for beam dynamics. An introduction, KEK 86-1. 86—65320
Performance of high power S-band klystrons focused with permanent magnet, KEK 86-9. 87—45514
Performance tests of a 2-meter grasshopper monochromator at the photon factory, KEK-84-17. 85—37846
Present status of a model RF system with cathode follower for a high intensity synchrotron, KEK 87-28. 88—74664
Pulsed quadrupole magnet system for the polarized beam acceleration at the KEK 12 GeV PS, KEK 87-22. 88—47831
Some results from the first test of a double-shell Nb_3Sn dipole, KEK 87-14. 88—26729
Test of magnetic shielding cases for a 3″ phototube attached to a lead glass counter, KEK 85-8. 86—15912
Tune survey tracking of a mini beta insertion for the TRISTAN electron-positron colliding machine, KEK 87-9. 88—10206
Vacuum characteristics of the RF-cavity for TRISTAN main ring, KEK 87-18. 88—29736
Nat. Phys. Lab., Teddington, UK
Analysis of laser frequency stability by heterodyne measurement, NPL-MOM-78. 86—48314
Automated charge monitoring system for the NPL linear accelerator, NPL-RS(EXT)80. 86—5684
Automatic shape parametrisation in machine vision, NPL-DITC-79/86. 87—27627
Calibration of hydrophones for use in medical ultrasonic fields - a review, NPL-Ac-108. 87—35406
Classified bibliography on publications relevant to data security in LANs, NPL-DITC 99/87. 88—9168
Coincidence counting corrections under conditions used by A. DeVolpi, NPL-RS(EXT) 90. 88—68299
Commissioning trials on a large-area thermal conductance apparatus, and the thermal performance of a ceramic fibre furnace lining, NPL-DMA(A)85. 87—14601
Computer grading of extensometers (BS 3846), NPL-DMA(A) 152. 88—74234
Computer model of peripheral auditory processing, NPL-DITC 58/85. 86—10293
Deconvolution technique using least-squares model-fitting and its application to optical pulse measurement, NPL-DES 87. 88—65823
Detection of cracks in a plastics pipe joint by reflection holography, NPL-DMA(A) 87/MOM 70. 85—6063
Digital signatures - an update, NPL-DITC-51/84. 85—36205
Error and uncertainty, NPL-DPMA-2. 85—26158
Evaluation of impulsive noise, NPL-Ac 111. 88—29721
Finite element mesh generation and isoparametric elements, NPL-DITC 97/87. 88—6421
Gateway testing techniques, NPL-DITC-49/84. 85—36766
Holographic measurement of the deformation of railway track fastening clips, NPL-MOM-67. 85—48101
Implementation assessment of a network service. Specification of a conformance test suite, NPL-DITC-67/85. 86—43568
Implementation assessment of a network service. The test responder exerciser specification, NPL-DITC-44/84. 85—3174
Implementation assessment of the OSI network service. The test definition language, NPL-DITC-52/84. 85—36767
Implementation assessment of the OSI Network Service. The Test Responder specification, NPL-DITC-56/85. 86—10809
Importance of time in the specification of OSI protocols: an overview and brief survey of the formalisms, NPL-DITC-78/86. 87—28142
Improvement and evaluation of a laser interferometer for the absolute measurement of ultrasonic displacements in the frequency range up to 15 MHz, NPL-Ac-109. 87—42280
Input devices for tasks using interactive video, NPL-DITC 87/87. 87—56417
Intelligent token for secure transactions, NPL-DITC 85/87. 87—47527
Introduction to the optical heterodyne receiver, NPL-Qu-77. 86—49630
ISO narrow spectrum series of filtered X-radiations at NPL, NPL-RS(EXT)92. 88—29938
Measurement of high value resistances at the NPL, NPL-DES-81. 85—48061
Measurements performed at the National Physical Laboratory for an international intercomparison of neutron fluence rate measurements for monoenergetic fast neutrons using the ^{115}In(n,gamma) reaction, NPL-RS(EXT)-81. 86—55992
Measurements performed at the National Physical Laboratory for an international intercommparison of neutron fluence rate measurements for monoenergetic fast neutrons using the ^{115}IN (n, gamma) reaction, NPL-RS(EXT)81. 87—35322
Measuring assembly for a primary standard absorbed dose calorimeter, NPL-RS(EXT)74. 86—32193
Mk.I NPL digital sampling AC wattmeter, NPL-DES 82. 86—5371
New approach to the design and construction of protocol testers, NPL-DITC-54/85. 85—47233
Noise levels from a jet-engined aircraft measured at ground level and at 1.2 m above the ground, NPL-Ac 114. 88—68095
Overview of a test suite for the ISO Network Convergence Protocol over X.25 (1980), NPL-DITC 59/85. 86—16984
Performance of the NPL ultrasound beam calibrator: part I physiotherapy transducers, NPL-Ac-107. 87—35438
Piecewise Chebyshev series, NPL-DITC-63/85. 86—13681
Problems associated with the production of monoenergetic neutrons using the NPL 3.5 MV Van de Graaff accelerator and their solution, NPL-RS(EXT)86. 87—35321
Properties of impurity doped infrared photoconductive detectors under conditions of low background photon flux, NPL-Qu-76. 86—55743
Radiometric realization of the candela, NPL-QU-75. 87—29327
Recommendations for organising the calibration of pure-tone audiometers, NPL-Ac-112. 88—29988
Scenario Test Driver for the ISO Network Convergence Protocol over X.25 (1980), NPL-DITC-55/85. 86—10808
Simple, low cost potentiostat for corrosion studies, NPL-DMA(A)47. 85—474
Some experiences of testing protocol implementations, NPL-DITC-48/84. 85—7967
Strategies for knot placement in least squares data fitting by splines, NPL-DITC 101/87. 88—18635
Superconducting quantum current standard, NPL-QU-67. 85—42831
Survey of computer-aided dimensional metrology, NPL-MOM-76. 86—70228
Temperature fixed points I. Possible devices in the range 0 to 125°C, NPL-QU-70. 86—4939
Use of splines in the modelling of a photodiode response, NPL-DITC-88/87. 87—61047
Visualisations of speech based on a model of the peripheral auditory system, NPL-DITC 62/85. 86—16174
Nat. Radiol. Protection Board, Harwell, UK
Committed doses to selected organs and committed effective doses from intakes of radionuclides, NRPB-GS7. 88—23142
Revised generalised derived limits for radioisotopes of strontium, iodine, caesium, plutonium, americium and curium, NRPB-GS8. 88—23143
Nat. Res. Council Canada, Ottawa, Ont., Canada
3D vision for robotics and automation, NRCC-27454. 88—73241
Closed loop inspection of sculptured surfaces in a computer integrated environment, NRCC-27454. 88—70154
Compact three-dimensional camera for robotic applications, NRCC-27454. 88—74494
A holdsite method for parts acquisition using a laser rangefinder mounted on a robot wrist, NRCC-27454. 88—74046
Interface between a 3-D laser scanner and a CAD/CAM system, NRCC-27454. 88—74048
Laser range finder based on synchronized scanners, NRCC-27454. 88—74047
Segmentation, learning, and recognition of objects in range camera images, NRCC-27454. 88—73242
Segmentation of range images using sine wave coding and Fourier transformation, NRCC-27454. 88—73243
NEI-A.P.E. Ltd., Bedford, UK
Allen powered tugs for Forth Ports, 4. 85—5458
SASOL - The fuel for the future, 2. 85—4734
New York Univ., NY, USA
Analysis and design of polygonal resistors by conformal mapping, 112. 86—35129
On l^p-instability and oscillation at discontinuities in finite difference schemes, 116. 86—40687
Square blocks and equioscillation in the Pade, Walsh, and CF tables, 110. 86—34222
NHK, Tokyo, Japan
Insulation of sound studios in multistorey buildings. 86—17543
Ohio State Univ., Columbus, OH, USA
Deadlock detection in communicating finite state machines, OSU-CISRC-TR-84-2. 85—13928
Distributed discrete event simulation using dataflow, OSU-CISRC-TR-85-8. 86—40844
Modeling switch-level simulation using data flow, OSU-CISRC-TR-85-6. 86—40843
On the K-feasible matching problem for graphs with a partial ordering on vertices, OSU-CISRC-TR-84-1. 85—10607
Routability of a convex grid, OSU-CISRC-TR-85-15. 86—52598
Oki Electron. Europe GmbH, Dusseldorf, West Germany
From the idea to the fully integrated single chip solution. 88—33281
Ordzhonikidze Aviation Inst., Moscow, USSR
Information system for controlling distribution of electrical power in independent object. 88—48492
Osterreichisches Forschungszentrum Seibersdorf GmbH, Vienna, Austria
10 years experience with a large computerized TLD-personnel monitoring system, OEFZS-4347. 86—44724
How to increase the efficiency of thermal power stations, RS-232/84. 85—48858
In-service supervision of a prestressed concrete pressure vessel, RS-245/85. 86—31668
Method for non contacting gauging of the wall thickness of tubes by backscattering of radiation, IA-128/84. 86—5534
Operating experience with potassium systems, RS-237/84. 85—48859
Thermal endurance of silicone/glass sleeving by the cyclic electrical proof test method of IEC 216 (Second report), ERA-82-136. 85—56024
Thin film bolometer for measurement of neutral particle beam currents, PH-401/84. 86—5812
Uberwachung von Sicherheitsparametern (USP) - Erweiterung Kurzfassung (Safety parameter monitoring - extended project), RS-231/83. 85—53505
Phys.-Tech. Bundesanstalt, Braunschweig, West Germany
Analogfunktionen der Prozessperipherie PP2 (Analog functions of the PP2 process peripheral), PTB-FMRB-109. 86—44206
Analysis of the interferometrical method of brightness measurement of electron guns, PTB-APh-24. 85—40394
Calibration of contacting thermometers in the range from -200 °C to 1600 °C, PTB-ATWD-27. 86—24819

- **Phys.-Tech. Bundesanstalt, Braunschweig, West Germany** continued
  - Density determination of Zerodur spheres and cubes by measuring the mass and the dimension - Intercomparison between PTB and IMGC, PTB-Me-64. 86−50233
  - Development of multijunction thermal converters for accurate ac-dc transfer, PTB-E-29. 88−17736
  - Ein Verfahren zur Langenmessung bewegten Messgutes nach dem Doppler-Effekt (A method for length measuring using the Doppler effect), PTB-Me-63. 85−8961
  - Formeln, Fehlerbetrachtungen und Messungen fur das Justieren einer Langsfuhrung (Walzkorperschubfuhrung) mit einem Neigungsmessverfahren (Formulae, error considerations and measurements for the calibration of a longitudinal guidance (roll body thrust guidance) using an inclination measurement method), PTB-Me-65. 85−48926
  - Fotoiodenmatrix zur Analyse von Zweistrahlinterferenzen (Photodiode matrix for analysis of two-beam interference), PTB-Opt-23. 87−49572
  - Inelastic neutron scattering using a crystal spectrometer on a pulsed source: Experimental tests of copper monochromators, PTB-FMRB-104. 85−4243
  - Influence of partially coherent illumination in the recording step on reconstructed images in off-axis image field holography, PTB-APh-18. 85−7559
  - Intercomparison of force standard machines at the Statens Provningsanstalt, Sweden and the Physikalisch-Technische Bundesanstalt, FRG, PTB-Me-55. 85−8683
  - Intercomparison of force standard machines at the South African Bureau of Standards, RSA and the Physikalisch-Technische Bundesanstalt, FRG, PTB-Me-68. 86−24789
  - Intercomparison of radiation protection instruments based on microdosimetric principles, PTB-ND-29. 87−42034
  - International intercomparison of fluence of fast neutrons using ^{115}In(n,γ) activation, PTB-ND-25. 86−5734
  - Josephson-Kyro-Spannungsnormal der PTB (Josephson cryogenic voltage reference of PTB), PTB-E-27. 86−38473
  - Liquid-in-glass thermometers, PTB-ATWD-26. 86−24818
  - National primary standard of the PTB for realizing the unit of the absorbed dose rate to tissue for beta radiation, PTB-Dos-13. 87−14952
  - Proposed PERFORMANCE TEST of X-ray fluoroscopic equipment for quality assurance in diagnostic radiology, PTB-MM-4. 88−23069
  - Proposed PERFORMANCE TEST of X-ray radiographic equipment for quality assurance in diagnostic radiology, PTB-MM-3. 85−48261
  - Prospective trends in electron holography; influence of the noise on reconstructions of off-axis holograms and dynamical phase effects in perfect crystals, PTB-APh-30. 87−47022
  - Prozessorgesteuerte Zeilenkamera zur Messung der optischen Ubertragungsfunktion (Process controlled line camera for measurement of the optical transmission function), PTB-Opt-22. 88−4339
  - Reference material for 130 mm flexible disk cartridges recorded on both sides - Second revised edition, PTB-Ak-25/2. 86−58700
  - Reference material RM 6596 for 130 mm flexible disk cartridges - Establishment, certification and application of the signal amplitude reference flexible disk cartridge -Second revised edition, PTB-Ak-21. 86−28703
  - Reference material RM 7811/2 for identification cards with magnetic stripes and criticism of the standard ISO 7811/2, PTB-MA-2. 87−12064
  - Report on the measurements carried out within the framework of the EC comparison between the PTB, Braunschweig and the LNE, Paris (October 1980), PTB-Me-50. 85−4121
  - Secondary standard reference flexible disk cartridge RM 8860 for 90 mm (3.5 in) diskettes (1 Mbyte) according to ISO 8860/1, PTB-MA-5. 87−12054
  - Zahler-Timer-Funktionen der Prozessperipherie PP2 (Counter-timer functions for the PP2 process peripherals), PTB-FMRB-110. 86−41192
  - Zum Verhalten von Dehnungsmessstreifen-Wagezellen bei stossartiger Lastaufbringung (On the behaviour of restive wire strainweigh segments under intermittent load application), PTB-Me-59. 85−48113
- **Power Technol. Inc., Schenectady, NY, USA**
  - Quick spreadsheet corporate models for strategic planning [electric utilities]. 86−56361
- **Rutherford Appleton Lab., Chilton, UK**
  - Aleph electromagnetic calorimeter, RAL-86-007. 86−44576
  - Cell design and electrostatic optimisation for the ZEUS central tracking detector, RAL-87-095. 88−54433
  - Collider constraints in the choices for wavelength and gradient scaling, RAL 86-069. 87−3850
  - Conceptual design for a high resolution vertex detector for charm and beauty experiments using scintillating fibre optics, RL-83-074. 85−9091
  - Design of the optical components and gas control systems of the CERN Omega ring imaging Cerenkov detector, RAL-85-014. 86−5811
  - Development of a tapered cell drift chamber II: operation in high magnetic fields and different gas pressures, RAL-85-102. 86−32192
  - Developments in solid state vertex detectors, RAL-84-123. 85−43263
  - High resolution scintillating fibre (SCIFI) tracking device with CCD readout, RAL-87-033. 87−71027
  - Measurement of short-lived particles at PETRA, RAL-87-021. 87−57043
  - Passive shimming for solenoidal magnets, RAL-86-079. 87−39335
  - Performance of a prototype drift chamber with 100 MHz FADC readout, RAL-87-094. 88−54432
  - Three-dimensional track and vertex fitting in chambers with stereo wires, RAL-84-044. 85−4228
  - Vertex detection and tracking at future accelerators, RAL-87-011. 87−57042
  - Vertex detectors, RAL 86-077. 87−14754
- **Sch. of Eng. & Appl. Sci., Virginia Univ., Charlottesville, VA, USA**
  - Parallel LC circuit design for specific harmonic attenuation. 86−1214
- **Sci. Applications Int. Corp., Marietta, GA, USA**
  - Gain models for source-flow chemical lasers. 86−63754
- **Semic RF Electronic GmbH, Ottobrunn, West Germany**
  - Measurements in the 0.5 to 40 GHz region with electronically tunable YIG filters. I. 88−32381
- **Sievert Group, Schaumburg, IL, USA**
  - Packaged gas fired cogeneration systems for fast food restaurants. 85−22038
- **SOI Group, CNET, Meylan, France**
  - SOI technologies at the CNET. 85−12054
- **Sveriges Mekanforbund, Stockholm, Sweden**
  - Cleaning of printed board assemblies with surface mounted components. Results from cleaning tests, IVF-resultat 85612. 86−41451
  - Cleanliness of surface mounted printed board assemblies. Results from a literature study, IVF-resultat 85604. 86−8634
  - Designing with gate arrays, Mekanresultat 84006. 85−33810
  - Introduction to thermal design of electronics, IVF-resultat 84622. 85−49357
  - Multilayer board for surface mounted components. Design guidelines and test results, IVF-resultat 85614. 86−27748
  - New packaging techniques for high density electronics. Trends of development in summary, IVF-resultat 85603. 86−7533
- **Sveriges Mekanforbund, Stockholm, Sweden** continued
  - Surface soldering of chip carriers to printed circuit boards. Surface soldering technique and results from thermal cycling tests, IVF-resultat 85601. 86−8633
  - Thermal design. TMOD - Computer program for printed board asemblies, version 1.0, IVF-resultat 85613. 86−41452
  - To evaluate microprocessors - A study from Swedish industry, Mekanresultat 84007. 85−61310
  - Workstations and local area networks - for electronic and software design, Mekanresultat 85003. 86−34457
- **Swiss Federal Energy Dept., Berne, Switzerland**
  - Statistics of Swiss electricity generation and consumption for 1985. 86−50807
- **Tech. Res. Centre Finland, Domestic Fuel Lab., Jyvaskyla, Finland**
  - Availability of some power plants fired with milled peat, 372. 86−39548
  - Costs of district heating plants using wood and peat fuels, 409. 87−42651
  - Emissions from wood and peat fired district heating plants, 371. 86−39547
  - Feasibility of using ground probing radar to evaluate the properties of peat bog, 438. 87−41007
- **Tech. Res. Centre Finland, Electr. Eng. Lab., Espoo, Finland**
  - Energy economic control of electricity consumption. Large industry, 411. 87−42381
  - Heat storage in Kuopio's district heating system, 332. 85−48857
  - Information presentation in power plant control rooms, 320. 85−27259
  - Linear programming approach for the construction of energy and resource flow models, 464. 87−58823
  - Linear programming model of electric power production, 404. 87−15134
  - Nuclear power plant operator errors during simulator training, 446. 87−42593
  - Trend analysis for light water reactor units performance. Availability predictions for Finnish nuclear power units, 382. 86−39391
  - Wind and diesel power plant as alternatives in electric power supply of the rural district of Enontekio, 375. 86−39656
- **Tech. Res. Centre Finland, Electron. Lab., Oulu, Finland**
  - Electronic design with analog-digital CMOS semicustom circuits, 361. 86−9308
  - Visual inspection of printed circuit boards by image processing methods, 281. 85−1133
- **Tech. Res. Centre Finland, Med. Eng. Lab., Tampere, Finland**
  - Computerized analysis and modelling of blood pressure, 35. 88−23034
  - Design of efficient FIR filters with minimal delay, 403. 87−10996
  - Stochastic signal classification procedures with reference to electroencephalogram analysis, 355. 86−32326
- **Tech. Res. Centre Finland, Reactor, Lab., Espoo, Finland**
  - Flow rate measurement using radioactive tracers and transit time method, 421. 87−35246
- **Tech. Res. Centre Finland, Semicond. Lab., Espoo, Finland**
  - Analysis and Monte Carlo simulation of luminescent solar concentrators, 364. 86−22228
  - Luminescent solar concentrators, 410. 87−16006
  - Photovoltaic module performance in Finland. Part 1, 373. 86−45678
- **UKAEA, Culcheth, UK**
  - Literature review of fire modelling techniques and related subjects, SRD R 276. 85−33117
- **UKAEA, Culham, Abingdon, Oxon., UK**
  - High power CO$_2$ laser beam monitor and instrumentation for laser processing system operators, CLM-R 277. 88−20731
- **UKAEA, Culham, Abingdon, UK**
  - Measurement of the attenuation of optical fibres (fibres optiques QSF-W-600μm) in the ultra violet region, CLM-R 259. 88−65208
  - Study of the feasibility of suppressing incendive discharges in electrostatic precipitators through the use of resistive collector plates, CLM-R 243. 85−24755
- **UKAEA, Harwell, UK**
  - Application of the Kramers-Kronig relations to the calculation of the dielectric loss tangent of high grade insulators, AERE-R 12293. 88−33412
  - Controlling a sample changer using the integrated counting system, AERE-M 3480. 86−60132
  - Description and instructions for the high purity oxidation thermobalance in B552 at Harwell, AERE-M 3578. 88−36251
  - Design of digital spatial filters for image enhancement, AERE-R 10912. 85−11443
  - Development of a transducer system for the accurate measurement of ultrasonic phase delay of SH plate waves, AERE-R 11598. 86−18626
  - Effects of temperature and irradiation on piezoelectric acoustic transducers and materials, AERE-R 11942. 86−58650
  - Fundamental physics research at Harwell in the 1950s. II. The Van de Graaff group (Nuclear Physics Division), AERE-R-12012. 87−21306
  - Further single event upset (SEU) testing of CMOS memories using the ALICE accelerator, IPN, Orsay, AERE-R 12566. 88−25213
  - Guide to finite-element grid generation using TGIN (Release 1), AERE-R 11530. 85−44634
  - Improvements to the Harwell Van de Graaff accelerator, AERE-R-11946. 87−29388
  - Investigation into the emission spectrum of light emitting diodes for possible use as a light source for optical plant measurements, AERE-M 3384. 85−12746
  - Irradiation effects in commercial optical fibres, AERE-R 12076. 88−33693
  - Measurement of neutron spectra with hydrogen proportional counters. Part I. Spectrometry system and calibration, AERE-R 11397. 85−37940
  - Measurement of neutron spectra with hydrogen proportional counters. Part II. Analysis of proton recoil distributions, AERE-R 11398. 85−37941
  - Measurement of series resistance in large area diodes, AERE-R 11677. 86−38517
  - Neutron irradiations of proton-sensitive track detectors: results of a joint irradiation organised by CENDOS, AERE-R 11926. 86−60615
  - Note on flat band voltage due to interface states, AERE-R 12635. 88−33236
  - Operational trials of a CR-39 neutron dosimetry system: progress to January 1985, AERE-R 11808. 86−44723
  - Passive filter calculations for semiconductor drift chamber signal pulse processing, AERE-R 12463. 88−36374
  - Radiation damage to Si diode detectors by 14 MeV neutrons, AERE-R 11481. 85−43264
  - Reverse biased p$^+$nn$^+$ structure, AERE-R-12021. 87−21455
  - Review of ultrasonic techniques and applications, with particular reference to low frequency systems and their use in the food processing industry, AERE-R 11271. 87−50607
  - A send-recieve instrument for digital eddy current testing with reflection coils and current deflection techniques, AERE-R 12207. 87−65607
  - Single event upset test programs, AERE-R 10843. 85−45058

UKAEA, Harwell, UK continued
  Sources of series resistance in the Harwell solid state alpha detector, AERE-R-11694. 87−29526
  Studies on the risk of electricity generation: a comparative assessment. Class A: coal, AERE-R 12057. 88−36919
  Use of spark erosion for the production of mechanical test samples, AERE-M 3623. 88−62826
UKAEA, Risley, Lancs., UK
  PWR safety research programme - final report on ultrasonic technique developments for the threaded-hole region in the reactor pressure vessel flange, ND-R-1432(R). 88−11033
UKAEA, Risley, UK
  Acoustic emission measurements of PWR weld material with inserted defects using advanced instrumentation, ND-R-1309(R). 87−36852
  Development of an automated ultrasonic 20 dB drop pulse echo technique to allow a more accurate evaluation of the character and size of carbon crack flaws, ND-R-1376(R). 87−65609
  Flow meters for the PAT loop, ND-R-1373(W). 87−14625
United Nations Ind. Dev. Organ., Vienna, Austria
  Chinese experiences in mini-hydropower generation, (unnumbered). 86−51508
Univ. Bristol, UK
  Charged particle tracking in the ZEUS experiment at HERA, BRP/HEP 87-1. 88−48008
Univ. California, Comput. Sci. Dept., Los Angeles, CA, USA
  Complete axiomatization of some dependencies in probabilistic models, CSD-870056. 88−18551
  Distributed algorithms for election in unidirectional and complete networks, CSD-850036. 86−43373
  Distributed computer simulation of a data communication network, CSD-870039. 88−21499
  Distributed computer simulation of data communication networks: project report 2, CSD-850013. 86−30103
  Distributed computer simulation of data communication networks: project report III, CSD-850037. 86−43372
  Distributed sorting algorithms for multi-channel broadcast networks, CSD-860055. 86−54593
  Distribution analysis of product form queueing networks, CSD-870023. 87−72902
  Fast multiplication without carry-propagate addition, CSD-870047. 88−20062
  Full characterization of pseudographoids in terms of families of undirected graphs, CSD-870055. 88−18589
  Functional style description of digital systems, CSD-860054. 86−53766
  Layout from a topological description, CSD-860039. 87−23857
  Network transparency in an internetwork environment, CSD-850028. 86−30392
  Optimal shout-echo algorithm for selection in distributed sets, CSD-850015. 86−30102
  Parallel algorithms for multiprocessors using broadcast channel, CSD-850025. 86−30391
  Proposal for the systematic design of arrays for matrix computations, CSD-870019. 87−73001
  Proving corrections of asynchronous circuits using temporal logic, CSD-860089. 87−16808
  Recovery of causal poly-trees from statistical data, CSD-870031. 88−18590
  Routing, flow control and fairness in computer networks, CSD-860067. 87−34139
  Synthesis of custom integrated circuits from a high-level behavioral description, CSD-870028. 88−12281
  Top-down functional decomposition in digital perceptrons, CSD-870014. 87−59340
  Very large scale integration implementation of an on-line arithmetic unit, CSD-860094. 87−17017
Univ. Illinois at Urbana-Champaign, IL, USA
  Abstract partitioning and routing of logic networks for custom module generation, UIUCDCS-R-87-1326. 87−74394
  Acceleration techniques for decoupling algorithms in semiconductor simulation, UIUCDCS-R-87-1363. 88−7554
  Addendum to Report No. UIUCDCS-R-85-1205: implementing linear multistep formulas for solving DAEs, UIUCDCS-R-85-1233. 86−52413
  Algorithmic aspects of VLSI circuit layout, UIUCDCS-R-87-1337. 88−13529
  Automatic random logic layout synthesis - A module generator approach, UIUCDCS. 87−10827
  Binary logic theory for design of minimal decoded-PLA's, UIUCDCS-R-84-1192. 85−40030
  Class of parallel iterative methods implemented on multiprocessors, UIUCDCS-R-86-1267. 87−23557
  Comparison of adaptive refinement techniques for elliptic problems, UIUCDCS-R-87-1375. 88−18659
  Covering convex sets with non-overlapping polygons, UIUCDCS-R-87-1364. 88−299
  Data base for a VLSI computer-aided-design system, UIUCDCS-R-84-1170. 85−33594
  Design algorithm of optimal NOR networks by the branch-and-bound approach, UIUCDCS-R-84-1128. 85−40031
  Design of a PLA module generator for VLSI hierarchical synthesis, UIUCDCS-R-85-1214. 86−14170
  Differential-algebraic equation index transformations, UIUCDCS-R-86-1314. 87−44251
  Dynamic control structures for cooperating processes, UIUCDCS-R-86-1257. 87−2682
  Effectiveness of Gummel's method, UIUCDCS-R-86-1283. 87−1611
  Error estimates for differential-algebraic equations, UIUCDCS-R-86-1287. 87−228
  Expert-system paradigm for design, UIUCDCS-R-86-1258. 86−46475
  Explicit stiff stability via splitting and the parallel solution of odes, UIUCDCS-R-87-1328. 87−65448
  Floor planning and global routing in an automated chip design system, UIUCDCS-R-87-1353. 88−529
  Font storage, compression, and scaling for networked professional workstations, UIUCDCS-R-85-1201. 86−10807
  General block placement using variable aspect ratio blocks, UIUCDCS-R-86-1243. 86−40845
  Generalized SRT iteration for linear systems of equations, UIUCDCS-R-86-1234. 87−213
  HCL - A system for hierarchical layout, UIUCDCS-R-84-1194. 85−55921
  Incremental compaction of flat symbolic IC layouts, UIUCDCS-R-87-1386. 88−57771
Univ. Illinois at Urbana-Champaign, IL, USA continued
  Integrated switching networks: a performance study, UIUCDCS-R-87-1359. 88−8902
  Intra-cell automatic router, UIUCDCS-R-84-1191. 85−35117
  L∞ stability of finite element approximations to elliptic gradient equations, UIUCDCS-R-88-1401. 88−70285
  LES: a layout expert system, UIUCDCS-R-86-1308. 87−32630
  Mail processing at UIUC, UIUCDCS-R-86-1289. 87−13302
  The mesh superceded?, UIUCDCS-R-87-1362. 88−6586
  Method for the spatial discretization of parabolic equations in one space variable, UIUCDCS-R-87-1319. 87−52046
  New design for two's complement array multipliers, UIUCDCS-R-86-1284. 87−31832
  Numerical method to solve parabolic partial differential equations by semidiscretization in time, UIUCDCS-R-85-1210. 86−7719
  Optimum semi-iterative method for solving any linear set with a square matrix, UIUCDCS-R-85-1218. 86−13680
  Output partitioning of programmable logic arrays, UIUCDCS-R-84-1187. 86−14171
  Performance of Runge-Kutta codes when stability restricts the stepsize, UIUCDCS-R-85-1238. 86−52414
  Polynomial preconditioning for conjugate gradient methods, UIUCDCS-R-87-1355. 88−70266
  Potential for parallelism in ordinary differential equations, UIUCDCS-R-86-1246. 86−40688
  Practical shifted Adams algorithm, UIUCDCS-R-88-1420. 88−70282
  Properties of wired logic, UIUCDCS-R-84-1183. 85−40028
  Real-time integration formulas with off-step inputs and their stability, UIUCDCS-R-86-1277. 87−217
  Reference manual of Fortran Program ILLOD-(NOR-B) for optimal NOR networks, UIUCDCS-R-1129. 86−13935
  Routing and access control in a Metropolitan Area Network, UIUCDCS-R-88-1422. 88−59385
  Routing problems in the physical design of integrated circuits, UIUCDCS-R-86-1242. 86−53765
  Second order backward differentiation formula is unconditionally zero-stable, UIUCDCS-R-86-1251. 87−16539
  Shifted Adams method for ordinary differential equations, UIUCDCS-R-87-1376. 88−18660
  Single leader election protocols using nonuniform merits, UIUCDCS-R-85-1197. 86−4320
  Spectral analysis of the decoupling algorithm for semiconductor simulation, UIUCDCS-R-87-1323. 87−53155
  Summary of design approaches for symmetric parallel multipliers, UIUCDCS-R-86-1252. 87−24089
  Topics in the design and analysis of combinatorial algorithms, UIUCDCS-R-86-1297. 87−23505
  Topology, algorithms and analysis of a synchronous optical hypergraph architecture, UIUCDCS-R-87-1343. 88−3587
  Treating a single, stiff, second-order ODE directly, UIUCDCS-R-87-1391. 88−70284
  Visual texture recognition using information trees, UIUCDCS-R-88-1429. 88−66685
Univ. Lyon, France
  Charged particles identification with CsI(Tl) scintillator, LYCEN/8532. 86−18250
  Contribution a l'etude du calorimetre electromagnetique a cristaux de germanate de bismuth de l'experience L3 sur LEP (Study and design of the electromagnetic calorimeter based on a bismuth germanate crystal for the L3 experiment at LEP), LYCEN TH-8626. 87−14755
  Etude d'un prototype de calorimetre electromagnetique a cristaux de BGO pour l'experience L3 (Study of the prototype electromagnetic calorimeter with a BGO crystal for the L3 experiment), LYCEN-T-8628. 87−29528
  Performances of large BGO crystals below 20 MeV, LYCEN-8670. 87−35362
Univ. Oulu, Finland
  Five channel auroral photometer, 112(1987). 88−30167
  Home-made lock-in-phase amplifier for inelastic electron tunneling spectroscopy: measuring frequency 2 kHz, 107/1985. 86−34587
  Home-made lock-in-phase amplifier for inelastic electron tunneling spectroscopy: measuring frequency 200 kHz, 110/1986. 87−16906
  Pulsation magnetometer at the Department of Physics, University of Oulu, 108. 86−38962
Univ. Oxford, UK
  2-D WSI array architectures, OUEL-1672/87. 88−7678
  Assessment of the computer-aided design package CTRL-C and the simulation package ACSL, OUEL-1650/86. 87−30133
  Low energy ion microprobe facility for maskless machining trials, OUEL-1630/86. 87−14708
  Multi-processor architectures for artificial intelligence processing, OUEL-1671/87. 88−7677
  Silvar-Lisco user notes. An introduction, OUEL 1681/87. 88−530
Univ. Texas at Austin, TX, USA
  Class of termination detection algorithms for distributed computations, TR-85-07. 86−23498
  Discipline for constructing multiphase communication protocols, TR-233. 86−37197
  Generalizations of Davidson's method for computing eigenvalues of sparse symmetric matrices, TR-84-25. 85−33356
  Local area network testbed design, TR-85-25. 86−43567
  Modeling and analysis of LAN protocols using labeled petrinets, TR-84-15. 85−25542
  On 'A simple protocol whose proof isn't': The state machine approach, TR-84-21. 85−36487
  Scaleability of a binary tree on a hypercube, TR-86-01. 86−52749
  Support for versions of VLSI CAD objects, TR-85-18. 86−27006
  TID - A translation invariant data structure for storing images, TR-84-16. 85−36393
  Time-dependent distributed systems: proving safety, liveness and real-time properties, TR-85-24. 86−43371
  Two classes of performance bounds for closed queueing networks, TR-85-09. 86−34115
Univ. Tokyo, Japan
  Acceleration of heavy-ion beams at the SF cyclotron, INS-J-168. 85−37891
Veterans Adm., Dept. Med. & Surgery, Washington, DC, USA
  Rehabilitation R&D progress reports 1985, (unnumbered). 87−14934
  Rehabilitation R&D progress reports. 1986, (unnumbered). 87−50413
  Rehabilitation R&D progress reports. 1987, (unnumbered). 88−61453

Wales Polytech., Pontypridd, UK
Bridging the ate training gap. 87−36354
Wavetek San Diego Inc., San Diego, CA, USA
Synthesized accuracy obtainable from an inexpensive source. 86−60332

3 8198 301 191 746
UNIVERSITY OF ILLINOIS AT CHICAGO

THIS BOOK IS FOR USE
ONLY IN THE LIBRARY
IT DOES NOT CIRCULATE